



BIS (2-CHLOROETHYL) ETHER (BCEE)

What is bis (2-chloroethyl) ether (BCEE)?

Bis (2-chloroethyl) ether (BCEE) is a clear synthetic liquid with a strong, fruity smell.

Where can BCEE be found and how is it used?

BCEE is made by industry and used as a solvent. Solvents help dissolve other substances. BCEE is used to make pesticides and other chemicals.

How can people be exposed to BCEE?

You could be exposed to BCEE through:

- **Breathing** BCEE vapor if you work where BCEE is used or made.
- **Touching** it if you work where BCEE is used or made.
- **Drinking** water that contains BCEE. Low levels of BCEE are found in drinking water supplies in many parts of the United States. Higher levels are found in groundwater near waste sites.

How does BCEE work and how can it affect my health?

Short-term exposure to BCEE irritates the nose, throat, lungs, eyes, and skin. Repeated exposure to high levels may permanently damage lungs. BCEE levels in drinking water are usually far too low to cause immediate health effects but long-term exposure to low levels in drinking water can cause cancer. BCEE is named as a probable cancer-causing substance.

How is BCEE poisoning treated?

There is no treatment for BCEE. A doctor will treat the symptoms. In all cases of poisoning, medical treatment should be sought immediately. A doctor may prescribe a different treatment depending on circumstances of the poisoning and the symptoms. Medical observation is recommended for 24 to 48 hours after overexposure, as pulmonary edema may be delayed.

What should I do if exposed to BCEE?

Anyone who may have been exposed to high levels of BCEE should be removed from the source of exposure immediately. Clothing that contacted BCEE should be removed and discarded. Skin and eyes contaminated with BCEE should be flushed with clean water. Seek medical attention immediately.

Poison Control Center 24/7 Emergency Contact Number: 1-800-222-1222
DPH 24/7 Contact Number: 1-888-295-5156



What factors limit use or exposure to BCEE?

Workers should use BCEE in a regulated, enclosed area with local exhaust ventilation. If venting is unavailable, workers should wear respirators. All workers should wear protective work clothing. The area should be marked as a site where BCEE is handled, used, stored, or formed. Hazard and warning information should be posted. In the case of a chemical release, workers should wash thoroughly immediately after exposure and at the end of the work shift. Communicate all health and safety information to potentially exposed workers before releases occur.

Is there a medical test to show whether I've been exposed to BCEE?

Tests can detect BCEE in some animal tissues and in environmental samples, but these tests cannot measure BCEE in people.

Technical information for BCEE

CAS Number: 111-44-4

Chemical Formula: C₄H₈Cl₂O

Carcinogenicity (EPA): B2–Probable human carcinogen.

MCL (Drinking Water): Not available

OSHA Standards: 15 ppm (90 mg/m³); not to be exceeded at any time.

NIOSH Standards: 5 ppm (30 mg/m³) and 10 ppm, not to be exceeded during any 15- minute work period.

Resources

Agency for Toxic Substances and Disease Registry (ATSDR). *Toxicological Profile for Bis (2-Chloroethyl) Ether*, Atlanta, GA. 2017.

<https://wwwn.cdc.gov/TSP/ToxProfiles/ToxProfiles.aspx?id=817&tid=159>

Agency for Toxic Substances and Disease Registry (ATSDR). *ToxFAQs Profile for Bis (2-Chloroethyl) Ether*, Atlanta, GA. 2017.

<https://wwwn.cdc.gov/TSP/ToxFAQs/ToxFAQsDetails.aspx?faqid=816&toxid=159>

National Institute for Occupational Safety and Health. *Pocket Guide to Chemical Hazards*, www.cdc.gov/niosh/npg/npgd0196.html, 10/30/19.

New Jersey Department of Health and Senior Services. *Hazardous Substance Fact Sheet: Bis (2-Chloroethyl) Ether*, <http://nj.gov/health/eoh/rtkweb/documents/fs/0232.pdf>, 7/20/10.

Poison Control Center 24/7 Emergency Contact Number: 1-800-222-1222

DPH 24/7 Contact Number: 1-888-295-5156

Revised: 03/2023

Page 2 of 2