

DELAWARE

2021 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 11, 2022



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021

MODULE 01: PRE-DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|--|------|
| | HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST) | |
| 1 | MALES AND FEMALES | 3 |
| 2 | MALES ONLY | 4 |
| 3 | FEMALES ONLY | 5 |
| | HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1) | |
| 4 | MALES AND FEMALES | 6 |
| 5 | MALES ONLY | 7 |
| 6 | FEMALES ONLY | 8 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 01: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2928 | 652,197 | 1723 | 53.0 | 50.5-55.5 | 1205 | 47.0 | 44.5-49.5 |
| Male | 1289 | 307,220 | 720 | 50.5 | 47.0-54.0 | 569 | 49.5 | 46.0-53.0 |
| Female | 1639 | 344,977 | 1003 | 55.2 | 51.9-58.5 | 636 | 44.8 | 41.5-48.1 |
| White/Non-Hisp | 1984 | 407,960 | 1206 | 54.2 | 51.3-57.1 | 778 | 45.8 | 42.9-48.7 |
| Black or Afr. Am./Non-Hisp | 428 | 130,086 | 238 | 51.3 | 45.2-57.4 | 190 | 48.7 | 42.6-54.8 |
| Oth. Race/Non-Hisp. | 98 | 32,270 | 53 | 46.8 | 33.5-60.1 | 45 | 53.2 | 39.9-66.5 |
| MultiRacial/Non-Hisp. | 62 | 8,566 | 34 | 51.2 | 35.3-67.1 | 28 | 48.8 | 32.9-64.7 |
| Hispanic | 287 | 58,739 | 156 | 51.5 | 43.5-59.5 | 131 | 48.5 | 40.5-56.5 |
| 18-24 | 190 | 79,283 | 42 | 21.8 | 14.7-28.9 | 148 | 78.2 | 71.1-85.3 |
| 25-34 | 351 | 119,673 | 138 | 39.1 | 32.6-45.6 | 213 | 60.9 | 54.4-67.4 |
| 35-44 | 425 | 104,238 | 224 | 51.5 | 45.0-58.0 | 201 | 48.5 | 42.0-55.0 |
| 45-54 | 468 | 95,155 | 286 | 61.1 | 55.6-66.6 | 182 | 38.9 | 33.4-44.4 |
| 55-64 | 579 | 104,987 | 394 | 65.2 | 60.1-70.3 | 185 | 34.8 | 29.7-39.9 |
| 65+ | 915 | 148,861 | 639 | 67.8 | 63.9-71.7 | 276 | 32.2 | 28.3-36.1 |
| Less Than H.S. | 186 | 63,241 | 96 | 46.8 | 37.2-56.4 | 90 | 53.2 | 43.6-62.8 |
| H.S. or G.E.D. | 740 | 201,634 | 398 | 49.6 | 44.9-54.3 | 342 | 50.4 | 45.7-55.1 |
| Some Post-H.S. | 761 | 185,724 | 455 | 53.6 | 48.9-58.3 | 306 | 46.4 | 41.7-51.1 |
| College Graduate | 1215 | 196,142 | 762 | 58.2 | 54.7-61.7 | 453 | 41.8 | 38.3-45.3 |
| Less than \$15,000 | 106 | 21,613 | 56 | 46.4 | 33.7-59.1 | 50 | 53.6 | 40.9-66.3 |
| \$15,000- 24,999 | 218 | 47,025 | 134 | 54.8 | 45.0-64.6 | 84 | 45.2 | 35.4-55.0 |
| \$25,000- 34,999 | 293 | 65,036 | 164 | 54.0 | 46.6-61.4 | 129 | 46.0 | 38.6-53.4 |
| \$35,000- 49,999 | 288 | 68,853 | 164 | 49.3 | 41.1-57.5 | 124 | 50.7 | 42.5-58.9 |
| \$50,000- 99,999 | 769 | 163,293 | 469 | 55.7 | 51.0-60.4 | 300 | 44.3 | 39.6-49.0 |
| \$100,000- 199,999 | 503 | 114,404 | 310 | 56.0 | 50.1-61.9 | 193 | 44.0 | 38.1-49.9 |
| \$200,000+ | 118 | 26,900 | 70 | 48.8 | 37.8-59.8 | 48 | 51.2 | 40.2-62.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 01: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1289 | 307,220 | 720 | 50.5 | 47.0-54.0 | 569 | 49.5 | 46.0-53.0 |
| White/Non-Hisp | 877 | 194,015 | 510 | 51.5 | 47.2-55.8 | 367 | 48.5 | 44.2-52.8 |
| Black or Afr. Am./Non-Hisp | 159 | 56,807 | 81 | 48.0 | 38.6-57.4 | 78 | 52.0 | 42.6-61.4 |
| Oth. Race/Non-Hisp. | 54 | 16,162 | 32 | 55.2 | 38.7-71.7 | 22 | 44.8 | 28.3-61.3 |
| Hispanic | 133 | 26,330 | 63 | 45.7 | 34.3-57.1 | 70 | 54.3 | 42.9-65.7 |
| 18-24 | 100 | 39,474 | 16 | 15.4 | 06.8-24.0 | 84 | 84.6 | 76.0-93.2 |
| 25-34 | 166 | 59,861 | 52 | 33.3 | 24.9-41.7 | 114 | 66.7 | 58.3-75.1 |
| 35-44 | 189 | 50,285 | 91 | 48.6 | 39.4-57.8 | 98 | 51.4 | 42.2-60.6 |
| 45-54 | 197 | 44,931 | 120 | 62.7 | 54.7-70.7 | 77 | 37.3 | 29.3-45.3 |
| 55-64 | 258 | 47,730 | 178 | 65.9 | 58.3-73.5 | 80 | 34.1 | 26.5-41.7 |
| 65+ | 379 | 64,940 | 263 | 69.4 | 63.7-75.1 | 116 | 30.6 | 24.9-36.3 |
| Less Than H.S. | 100 | 33,577 | 50 | 47.5 | 35.5-59.5 | 50 | 52.5 | 40.5-64.5 |
| H.S. or G.E.D. | 339 | 100,320 | 175 | 50.1 | 43.2-57.0 | 164 | 49.9 | 43.0-56.8 |
| Some Post-H.S. | 314 | 81,016 | 165 | 46.2 | 39.3-53.1 | 149 | 53.8 | 46.9-60.7 |
| College Graduate | 515 | 87,698 | 322 | 56.9 | 51.4-62.4 | 193 | 43.1 | 37.6-48.6 |
| \$15,000- 24,999 | 89 | 20,674 | 54 | 63.4 | 51.6-75.2 | 35 | 36.6 | 24.8-48.4 |
| \$25,000- 34,999 | 114 | 28,187 | 69 | 59.5 | 48.1-70.9 | 45 | 40.5 | 29.1-51.9 |
| \$35,000- 49,999 | 112 | 31,105 | 60 | 54.0 | 41.8-66.2 | 52 | 46.0 | 33.8-58.2 |
| \$50,000- 99,999 | 338 | 76,481 | 185 | 46.4 | 39.3-53.5 | 153 | 53.6 | 46.5-60.7 |
| \$100,000- 199,999 | 248 | 62,269 | 150 | 53.0 | 44.8-61.2 | 98 | 47.0 | 38.8-55.2 |
| \$200,000+ | 71 | 16,258 | 42 | 45.9 | 31.8-60.0 | 29 | 54.1 | 40.0-68.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 01: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1639 | 344,977 | 1003 | 55.2 | 51.9-58.5 | 636 | 44.8 | 41.5-48.1 |
| White/Non-Hisp | 1107 | 213,946 | 696 | 56.6 | 52.5-60.7 | 411 | 43.4 | 39.3-47.5 |
| Black or Afr. Am./Non-Hisp | 269 | 73,279 | 157 | 54.0 | 46.2-61.8 | 112 | 46.0 | 38.2-53.8 |
| Hispanic | 154 | 32,409 | 93 | 56.3 | 45.3-67.3 | 61 | 43.7 | 32.7-54.7 |
| 18-24 | 90 | 39,810 | 26 | 28.2 | 17.0-39.4 | 64 | 71.8 | 60.6-83.0 |
| 25-34 | 185 | 59,812 | 86 | 45.0 | 35.6-54.4 | 99 | 55.0 | 45.6-64.4 |
| 35-44 | 236 | 53,953 | 133 | 54.3 | 45.3-63.3 | 103 | 45.7 | 36.7-54.7 |
| 45-54 | 271 | 50,224 | 166 | 59.7 | 52.1-67.3 | 105 | 40.3 | 32.7-47.9 |
| 55-64 | 321 | 57,257 | 216 | 64.6 | 57.7-71.5 | 105 | 35.4 | 28.5-42.3 |
| 65+ | 536 | 83,921 | 376 | 66.6 | 61.1-72.1 | 160 | 33.4 | 27.9-38.9 |
| Less Than H.S. | 86 | 29,665 | 46 | 46.1 | 31.0-61.2 | 40 | 53.9 | 38.8-69.0 |
| H.S. or G.E.D. | 401 | 101,313 | 223 | 49.2 | 42.5-55.9 | 178 | 50.8 | 44.1-57.5 |
| Some Post-H.S. | 447 | 104,707 | 290 | 59.3 | 53.0-65.6 | 157 | 40.7 | 34.4-47.0 |
| College Graduate | 700 | 108,444 | 440 | 59.2 | 54.5-63.9 | 260 | 40.8 | 36.1-45.5 |
| Less than \$15,000 | 72 | 14,118 | 42 | 53.6 | 37.9-69.3 | 30 | 46.4 | 30.7-62.1 |
| \$15,000- 24,999 | 129 | 26,351 | 80 | 48.1 | 34.6-61.6 | 49 | 51.9 | 38.4-65.4 |
| \$25,000- 34,999 | 179 | 36,849 | 95 | 49.8 | 40.0-59.6 | 84 | 50.2 | 40.4-60.0 |
| \$35,000- 49,999 | 176 | 37,748 | 104 | 45.5 | 34.7-56.3 | 72 | 54.5 | 43.7-65.3 |
| \$50,000- 99,999 | 431 | 86,812 | 284 | 64.0 | 57.9-70.1 | 147 | 36.0 | 29.9-42.1 |
| \$100,000- 199,999 | 255 | 52,135 | 160 | 59.6 | 51.0-68.2 | 95 | 40.4 | 31.8-49.0 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 01: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | Yes, during pregnancy | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----------------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3031 | 674,374 | 442 | 12.6 | 11.2-14.0 | 28 | 0.9 | 00.5-01.3 | 2561 | 86.6 | 85.0-88.2 |
| Male | 1338 | 319,276 | 191 | 12.2 | 10.0-14.4 | | | | 1147 | 87.8 | 85.6-90.0 |
| Female | 1693 | 355,098 | 251 | 12.9 | 10.9-14.9 | 28 | 1.6 | 00.8-02.4 | 1414 | 85.5 | 83.3-87.7 |
| White/Non-Hisp | 2065 | 423,321 | 308 | 12.9 | 11.1-14.7 | 13 | 0.5 | 00.1-00.9 | 1744 | 86.6 | 84.8-88.4 |
| Black or Afr. Am./Non-Hisp | 442 | 135,778 | 75 | 12.8 | 09.3-16.3 | 8 | 2.0 | 00.4-03.6 | 359 | 85.2 | 81.5-88.9 |
| Oth. Race/Non-Hisp. | 98 | 32,270 | 12 | 14.1 | 04.7-23.5 | | | | 86 | 85.9 | 76.5-95.3 |
| MultiRacial/Non-Hisp. | 65 | 9,030 | 6 | 11.8 | 01.4-22.2 | 1 | 1.5 | 00.0-04.4 | 58 | 86.8 | 76.2-97.4 |
| Hispanic | 289 | 58,837 | 35 | 10.1 | 05.6-14.6 | 6 | 1.4 | 00.2-02.6 | 248 | 88.4 | 83.7-93.1 |
| 18-24 | 194 | 78,904 | 6 | 3.5 | 00.2-06.8 | 2 | 0.5 | 00.0-01.3 | 186 | 96.0 | 92.7-99.3 |
| 25-34 | 356 | 120,947 | 19 | 5.4 | 02.5-08.3 | 2 | 0.3 | 00.0-00.7 | 335 | 94.3 | 91.4-97.2 |
| 35-44 | 443 | 107,841 | 46 | 10.3 | 06.6-14.0 | 10 | 2.5 | 00.5-04.5 | 387 | 87.2 | 83.1-91.3 |
| 45-54 | 487 | 102,373 | 66 | 12.8 | 09.3-16.3 | 6 | 1.0 | 00.0-02.0 | 415 | 86.2 | 82.5-89.9 |
| 55-64 | 599 | 109,552 | 108 | 18.5 | 14.6-22.4 | 4 | 0.4 | 00.0-00.8 | 487 | 81.1 | 77.2-85.0 |
| 65+ | 952 | 154,758 | 197 | 20.1 | 17.0-23.2 | 4 | 0.5 | 00.0-01.1 | 751 | 79.4 | 76.1-82.7 |
| Less Than H.S. | 189 | 65,303 | 22 | 12.2 | 06.3-18.1 | 6 | 2.4 | 00.0-05.1 | 161 | 85.4 | 79.1-91.7 |
| H.S. or G.E.D. | 770 | 209,024 | 123 | 13.8 | 10.9-16.7 | 6 | 0.7 | 00.1-01.3 | 641 | 85.5 | 82.6-88.4 |
| Some Post-H.S. | 788 | 190,951 | 124 | 13.2 | 10.5-15.9 | 7 | 0.7 | 00.1-01.3 | 657 | 86.1 | 83.4-88.8 |
| College Graduate | 1256 | 203,431 | 169 | 10.9 | 08.9-12.9 | 9 | 0.6 | 00.0-01.2 | 1078 | 88.5 | 86.5-90.5 |
| Less than \$15,000 | 111 | 22,210 | 18 | 17.2 | 08.2-26.2 | 2 | 6.0 | 00.0-14.2 | 91 | 76.8 | 65.6-88.0 |
| \$15,000- 24,999 | 226 | 47,923 | 39 | 17.2 | 10.7-23.7 | 2 | 0.4 | 00.0-01.0 | 185 | 82.4 | 75.7-89.1 |
| \$25,000- 34,999 | 299 | 65,981 | 47 | 12.3 | 07.8-16.8 | 7 | 1.5 | 00.3-02.7 | 245 | 86.2 | 81.7-90.7 |
| \$35,000- 49,999 | 297 | 70,469 | 45 | 10.9 | 07.0-14.8 | 4 | 1.2 | 00.0-02.4 | 248 | 88.0 | 83.9-92.1 |
| \$50,000- 99,999 | 794 | 168,727 | 115 | 12.2 | 09.3-15.1 | 4 | 0.4 | 00.0-00.8 | 675 | 87.3 | 84.4-90.2 |
| \$100,000- 199,999 | 523 | 118,459 | 65 | 10.7 | 07.6-13.8 | 5 | 0.9 | 00.0-01.9 | 453 | 88.4 | 85.1-91.7 |
| \$200,000+ | 123 | 29,446 | 15 | 10.4 | 04.5-16.3 | | | | 108 | 89.6 | 83.7-95.5 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 01: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1338 | 319,276 | 191 | 12.2 | 10.0-14.4 | 1147 | 87.8 | 85.6-90.0 |
| White/Non-Hisp | 917 | 202,795 | 131 | 11.8 | 09.3-14.3 | 786 | 88.2 | 85.7-90.7 |
| Black or Afr. Am./Non-Hisp | 162 | 59,105 | 29 | 13.2 | 07.9-18.5 | 133 | 86.8 | 81.5-92.1 |
| Oth. Race/Non-Hisp. | 54 | 16,162 | 8 | 22.4 | 05.9-38.9 | 46 | 77.6 | 61.1-94.1 |
| Hispanic | 134 | 26,389 | 15 | 7.5 | 02.2-12.8 | 119 | 92.5 | 87.2-97.8 |
| 18-24 | 105 | 40,601 | 2 | 1.4 | 00.0-03.4 | 103 | 98.6 | 96.6-0100 |
| 25-34 | 168 | 60,517 | 8 | 5.2 | 01.3-09.1 | 160 | 94.8 | 90.9-98.7 |
| 35-44 | 199 | 52,752 | 19 | 12.0 | 05.3-18.7 | 180 | 88.0 | 81.3-94.7 |
| 45-54 | 207 | 48,937 | 27 | 11.2 | 06.3-16.1 | 180 | 88.8 | 83.9-93.7 |
| 55-64 | 264 | 48,905 | 48 | 18.9 | 13.0-24.8 | 216 | 81.1 | 75.2-87.0 |
| 65+ | 395 | 67,562 | 87 | 21.1 | 16.2-26.0 | 308 | 78.9 | 74.0-83.8 |
| Less Than H.S. | 103 | 35,638 | 9 | 9.6 | 02.3-16.9 | 94 | 90.4 | 83.1-97.7 |
| H.S. or G.E.D. | 355 | 104,498 | 50 | 13.1 | 08.8-17.4 | 305 | 86.9 | 82.6-91.2 |
| Some Post-H.S. | 325 | 83,080 | 53 | 13.4 | 09.3-17.5 | 272 | 86.6 | 82.5-90.7 |
| College Graduate | 534 | 91,451 | 76 | 11.2 | 08.3-14.1 | 458 | 88.8 | 85.9-91.7 |
| \$15,000- 24,999 | 95 | 21,392 | 16 | 19.3 | 08.5-30.1 | 79 | 80.7 | 69.9-91.5 |
| \$25,000- 34,999 | 116 | 28,632 | 21 | 12.8 | 05.5-20.1 | 95 | 87.2 | 79.9-94.5 |
| \$35,000- 49,999 | 116 | 31,547 | 17 | 12.6 | 05.5-19.7 | 99 | 87.4 | 80.3-94.5 |
| \$50,000- 99,999 | 345 | 79,568 | 46 | 11.2 | 06.9-15.5 | 299 | 88.8 | 84.5-93.1 |
| \$100,000- 199,999 | 262 | 66,124 | 34 | 12.6 | 07.7-17.5 | 228 | 87.4 | 82.5-92.3 |
| \$200,000+ | 74 | 17,478 | 7 | 8.1 | 01.4-14.8 | 67 | 91.9 | 85.2-98.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 01: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | Yes, during pregnancy | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----------------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1693 | 355,098 | 251 | 12.9 | 10.9-14.9 | 28 | 1.6 | 00.8-02.4 | 1414 | 85.5 | 83.3-87.7 |
| White/Non-Hisp | 1148 | 220,526 | 177 | 13.9 | 11.4-16.4 | 13 | 0.9 | 00.3-01.5 | 958 | 85.2 | 82.7-87.7 |
| Black or Afr. Am./Non-Hisp | 280 | 76,673 | 46 | 12.5 | 08.0-17.0 | 8 | 3.5 | 00.6-06.4 | 226 | 84.0 | 78.7-89.3 |
| Hispanic | 155 | 32,448 | 20 | 12.3 | 05.2-19.4 | 6 | 2.6 | 00.2-05.0 | 129 | 85.1 | 77.7-92.5 |
| 18-24 | 89 | 38,302 | 4 | 5.6 | 00.0-12.1 | 2 | 1.1 | 00.0-02.7 | 83 | 93.3 | 86.8-99.8 |
| 25-34 | 188 | 60,429 | 11 | 5.7 | 01.6-09.8 | 2 | 0.5 | 00.0-01.3 | 175 | 93.8 | 89.7-97.9 |
| 35-44 | 244 | 55,089 | 27 | 8.6 | 04.9-12.3 | 10 | 5.0 | 01.1-08.9 | 207 | 86.4 | 81.1-91.7 |
| 45-54 | 280 | 53,436 | 39 | 14.2 | 09.1-19.3 | 6 | 2.0 | 00.2-03.8 | 235 | 83.8 | 78.5-89.1 |
| 55-64 | 335 | 60,647 | 60 | 18.3 | 13.2-23.4 | 4 | 0.7 | 00.0-01.5 | 271 | 81.0 | 75.9-86.1 |
| 65+ | 557 | 87,195 | 110 | 19.3 | 15.0-23.6 | 4 | 0.9 | 00.0-01.9 | 443 | 79.8 | 75.5-84.1 |
| Less Than H.S. | 86 | 29,665 | 13 | 15.2 | 05.6-24.8 | 6 | 5.3 | 00.0-11.2 | 67 | 79.5 | 68.5-90.5 |
| H.S. or G.E.D. | 415 | 104,526 | 73 | 14.5 | 10.6-18.4 | 6 | 1.5 | 00.1-02.9 | 336 | 84.0 | 79.9-88.1 |
| Some Post-H.S. | 463 | 107,872 | 71 | 13.1 | 09.4-16.8 | 7 | 1.2 | 00.2-02.2 | 385 | 85.7 | 81.8-89.6 |
| College Graduate | 722 | 111,980 | 93 | 10.7 | 08.2-13.2 | 9 | 1.2 | 00.2-02.2 | 620 | 88.2 | 85.5-90.9 |
| Less than \$15,000 | 75 | 14,616 | 14 | 22.1 | 09.6-34.6 | 2 | 9.1 | 00.0-21.1 | 59 | 68.8 | 53.7-83.9 |
| \$15,000- 24,999 | 131 | 26,530 | 23 | 15.6 | 07.8-23.4 | 2 | 0.8 | 00.0-01.8 | 106 | 83.7 | 75.7-91.7 |
| \$25,000- 34,999 | 183 | 37,349 | 26 | 12.0 | 06.3-17.7 | 7 | 2.6 | 00.4-04.8 | 150 | 85.4 | 79.5-91.3 |
| \$35,000- 49,999 | 181 | 38,922 | 28 | 9.5 | 05.4-13.6 | 4 | 2.1 | 00.0-04.3 | 149 | 88.4 | 83.7-93.1 |
| \$50,000- 99,999 | 449 | 89,159 | 69 | 13.1 | 09.2-17.0 | 4 | 0.8 | 00.0-01.8 | 376 | 86.0 | 82.1-89.9 |
| \$100,000- 199,999 | 261 | 52,335 | 31 | 8.3 | 04.8-11.8 | 5 | 2.0 | 00.0-04.2 | 225 | 89.6 | 85.5-93.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021**

MODULE 2: DIABETES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| ARE YOU NOW TAKING INSULIN? (INSULIN1) | |
| 1 MALES AND FEMALES | 11 |
| 2 MALES ONLY | 12 |
| 3 FEMALES ONLY | 13 |
| ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR) | |
| 4 MALES AND FEMALES | 14 |
| 5 MALES ONLY | 15 |
| 6 FEMALES ONLY | 16 |
| INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3) | |
| 7 MALES AND FEMALES | 17 |
| 8 MALES ONLY | 18 |
| 9 FEMALES ONLY | 19 |
| ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB) | |
| 10 MALES AND FEMALES | 20 |
| 11 MALES ONLY | 21 |
| 12 FEMALES ONLY | 22 |
| ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3) | |
| 13 MALES AND FEMALES | 23 |
| 14 MALES ONLY | 24 |
| 15 FEMALES ONLY | 25 |
| ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK) | |
| 16 MALES AND FEMALES | 26 |
| 17 MALES ONLY | 27 |
| 18 FEMALES ONLY | 28 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021**

MODULE 2: DIABETES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1) | |
| 19 MALES AND FEMALES | 29 |
| 20 MALES ONLY | 30 |
| 21 FEMALES ONLY | 31 |
| HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE) | |
| 22 MALES AND FEMALES | 32 |
| 23 MALES ONLY | 33 |
| 24 FEMALES ONLY | 34 |
| HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU) | |
| 25 MALES AND FEMALES | 35 |
| 26 MALES ONLY | 36 |
| 27 FEMALES ONLY | 37 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN1)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 487 | 92,443 | 133 | 30.3 | 24.2-36.4 | 354 | 69.7 | 63.6-75.8 |
| Male | 220 | 44,077 | 59 | 31.4 | 22.4-40.4 | 161 | 68.6 | 59.6-77.6 |
| Female | 267 | 48,365 | 74 | 29.3 | 20.9-37.7 | 193 | 70.7 | 62.3-79.1 |
| White/Non-Hisp | 329 | 56,360 | 90 | 28.8 | 21.9-35.7 | 239 | 71.2 | 64.3-78.1 |
| Black or Afr. Am./Non-Hisp | 93 | 23,705 | 31 | 40.9 | 25.4-56.4 | 62 | 59.1 | 43.6-74.6 |
| 45-54 | 62 | 11,143 | 11 | 17.1 | 06.5-27.7 | 51 | 82.9 | 72.3-93.5 |
| 55-64 | 126 | 24,526 | 31 | 26.5 | 14.7-38.3 | 95 | 73.5 | 61.7-85.3 |
| 65+ | 268 | 46,876 | 75 | 30.3 | 22.3-38.3 | 193 | 69.7 | 61.7-77.7 |
| H.S. or G.E.D. | 124 | 30,367 | 39 | 38.4 | 25.5-51.3 | 85 | 61.6 | 48.7-74.5 |
| Some Post-H.S. | 134 | 24,904 | 33 | 24.8 | 16.0-33.6 | 101 | 75.2 | 66.4-84.0 |
| College Graduate | 187 | 24,406 | 50 | 25.5 | 18.1-32.9 | 137 | 74.5 | 67.1-81.9 |
| \$25,000- 34,999 | 61 | 9,449 | 18 | 25.6 | 12.3-38.9 | 43 | 74.4 | 61.1-87.7 |
| \$35,000- 49,999 | 64 | 11,932 | 22 | 40.1 | 20.3-59.9 | 42 | 59.9 | 40.1-79.7 |
| \$50,000- 99,999 | 111 | 18,497 | 26 | 29.4 | 18.0-40.8 | 85 | 70.6 | 59.2-82.0 |
| \$100,000- 199,999 | 63 | 11,467 | 11 | 12.5 | 04.5-20.5 | 52 | 87.5 | 79.5-95.5 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 220 | 44,077 | 59 | 31.4 | 22.4-40.4 | 161 | 68.6 | 59.6-77.6 |
| White/Non-Hisp | 147 | 24,498 | 40 | 32.7 | 22.7-42.7 | 107 | 67.3 | 57.3-77.3 |
| 55-64 | 65 | 13,039 | 15 | 23.4 | 10.5-36.3 | 50 | 76.6 | 63.7-89.5 |
| 65+ | 117 | 21,703 | 35 | 34.7 | 22.7-46.7 | 82 | 65.3 | 53.3-77.3 |
| Some Post-H.S. | 60 | 11,999 | 17 | 27.7 | 14.0-41.4 | 43 | 72.3 | 58.6-86.0 |
| College Graduate | 94 | 13,207 | 23 | 23.7 | 13.1-34.3 | 71 | 76.3 | 65.7-86.9 |
| \$50,000- 99,999 | 58 | 10,300 | 16 | 35.1 | 19.2-51.0 | 42 | 64.9 | 49.0-80.8 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 267 | 48,365 | 74 | 29.3 | 20.7-37.9 | 193 | 70.7 | 62.1-79.3 |
| White/Non-Hisp | 182 | 31,862 | 50 | 25.8 | 16.4-35.2 | 132 | 74.2 | 64.8-83.6 |
| Black or Afr. Am./Non-Hisp | 57 | 12,001 | 18 | 41.9 | 21.7-62.1 | 39 | 58.1 | 37.9-78.3 |
| 55-64 | 61 | 11,487 | 16 | 30.1 | 10.3-49.9 | 45 | 69.9 | 50.1-89.7 |
| 65+ | 151 | 25,173 | 40 | 26.5 | 15.7-37.3 | 111 | 73.5 | 62.7-84.3 |
| H.S. or G.E.D. | 77 | 18,645 | 25 | 33.0 | 17.3-48.7 | 52 | 67.0 | 51.3-82.7 |
| Some Post-H.S. | 74 | 12,905 | 16 | 22.1 | 10.5-33.7 | 58 | 77.9 | 66.3-89.5 |
| College Graduate | 93 | 11,199 | 27 | 27.6 | 16.8-38.4 | 66 | 72.4 | 61.6-83.2 |
| \$50,000- 99,999 | 53 | 8,197 | 10 | 22.3 | 06.0-38.6 | 43 | 77.7 | 61.4-94.0 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | < 1 time per Day | | | 1-5 times per Day | | | > 5 times per Day | | |
|----------------------------|-------------------|----------|-------|------|------------|------------------|------|------------|-------------------|------|------------|-------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 478 | 91,389 | 60 | 12.8 | 08.9-16.7 | 136 | 26.3 | 21.0-31.6 | 270 | 57.8 | 51.7-63.9 | 12 | 3.1 | 00.7-05.5 |
| Male | 216 | 43,406 | 29 | 14.2 | 07.9-20.5 | 68 | 25.4 | 18.1-32.7 | 114 | 58.3 | 49.5-67.1 | 5 | 2.2 | 00.0-04.6 |
| Female | 262 | 47,983 | 31 | 11.6 | 06.5-16.7 | 68 | 27.2 | 19.8-34.6 | 156 | 57.3 | 48.9-65.7 | 7 | 3.9 | 00.0-08.0 |
| White/Non-Hisp | 324 | 55,870 | 40 | 13.5 | 08.6-18.4 | 99 | 29.7 | 23.4-36.0 | 175 | 52.1 | 45.0-59.2 | 10 | 4.8 | 00.9-08.7 |
| Black or Afr. Am./Non-Hisp | 92 | 23,611 | 7 | 6.9 | 00.0-14.5 | 20 | 21.8 | 09.5-34.1 | 65 | 71.2 | 57.7-84.7 | | | |
| 45-54 | 61 | 11,080 | 7 | 13.8 | 03.4-24.2 | 20 | 31.8 | 18.5-45.1 | 34 | 54.3 | 40.0-68.6 | | | |
| 55-64 | 123 | 24,134 | 15 | 14.3 | 05.3-23.3 | 33 | 22.3 | 13.7-30.9 | 73 | 62.7 | 51.5-73.9 | 2 | 0.8 | 00.0-01.8 |
| 65+ | 263 | 46,278 | 35 | 13.8 | 08.1-19.5 | 75 | 26.3 | 19.2-33.4 | 146 | 55.7 | 47.5-63.9 | 7 | 4.2 | 00.1-08.3 |
| H.S. or G.E.D. | 122 | 30,228 | 10 | 10.5 | 03.4-17.6 | 33 | 27.4 | 16.0-38.8 | 78 | 59.1 | 46.6-71.6 | 1 | 2.9 | 00.0-08.6 |
| Some Post-H.S. | 130 | 24,400 | 20 | 14.1 | 06.8-21.4 | 37 | 27.3 | 18.5-36.1 | 70 | 54.5 | 44.3-64.7 | 3 | 4.1 | 00.0-08.8 |
| College Graduate | 186 | 24,358 | 19 | 9.2 | 04.3-14.1 | 58 | 31.2 | 23.2-39.2 | 102 | 56.2 | 47.4-65.0 | 7 | 3.4 | 00.7-06.1 |
| \$25,000- 34,999 | 59 | 9,077 | 6 | 9.9 | 00.0-21.5 | 16 | 22.2 | 10.4-34.0 | 34 | 60.8 | 44.5-77.1 | 3 | 7.2 | 00.0-16.0 |
| \$35,000- 49,999 | 64 | 11,932 | 9 | 14.2 | 02.8-25.6 | 12 | 13.5 | 04.1-22.9 | 42 | 70.7 | 56.0-85.4 | 1 | 1.6 | 00.0-04.7 |
| \$50,000- 99,999 | 109 | 18,273 | 13 | 13.1 | 04.5-21.7 | 42 | 33.2 | 22.8-43.6 | 51 | 50.1 | 38.3-61.9 | 3 | 3.5 | 00.0-08.2 |
| \$100,000- 199,999 | 63 | 11,467 | 10 | 13.6 | 04.8-22.4 | 14 | 25.3 | 12.6-38.0 | 39 | 61.1 | 46.8-75.4 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Never | | < 1 time per Day | | | 1-5 times per Day | | | > 5 times per Day | | |
|--------------------|-------------------|----------|----|-------|------------|------------------|------|------------|-------------------|------|------------|-------------------|-----|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 216 | 43,406 | 29 | 14.2 | 07.9-20.5 | 68 | 25.4 | 18.1-32.7 | 114 | 58.3 | 49.5-67.1 | 5 | 2.2 | 00.0-04.6 |
| White/Non-Hisp | 144 | 24,126 | 18 | 14.3 | 06.9-21.7 | 53 | 33.9 | 24.9-42.9 | 69 | 48.3 | 38.3-58.3 | 4 | 3.5 | 00.0-07.4 |
| 55-64 | 63 | 12,692 | 10 | 19.1 | 05.0-33.2 | 17 | 19.1 | 08.5-29.7 | 35 | 61.0 | 45.3-76.7 | 1 | 0.8 | 00.0-02.4 |
| 65+ | 115 | 21,379 | 13 | 10.9 | 03.5-18.3 | 38 | 29.3 | 17.9-40.7 | 62 | 58.2 | 45.9-70.5 | 2 | 1.6 | 00.0-03.8 |
| Some Post-H.S. | 58 | 11,675 | 9 | 14.9 | 03.3-26.5 | 17 | 26.3 | 13.0-39.6 | 30 | 53.4 | 37.7-69.1 | 2 | 5.4 | 00.0-13.0 |
| College Graduate | 93 | 13,159 | 10 | 12.4 | 04.2-20.6 | 31 | 30.7 | 19.9-41.5 | 50 | 55.2 | 42.9-67.5 | 2 | 1.7 | 00.0-04.1 |
| \$50,000- 99,999 | 56 | 10,077 | 4 | 13.3 | 00.0-26.6 | 21 | 32.2 | 18.3-46.1 | 29 | 49.0 | 33.1-64.9 | 2 | 5.6 | 00.0-14.0 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Never | | | < 1 time per Day | | | 1-5 times per Day | | | > 5 times per Day | | |
|----------------------------|-------------------|----------|----|-------|------------|----|------------------|------------|-----|-------------------|------------|---|-------------------|------------|--|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| Female | 262 | 47,983 | 31 | 11.6 | 06.5-16.7 | 68 | 27.2 | 19.8-34.6 | 156 | 57.3 | 48.9-65.7 | 7 | 3.9 | 00.0-08.0 | |
| White/Non-Hisp | 180 | 31,744 | 22 | 12.9 | 06.2-19.6 | 46 | 26.4 | 17.8-35.0 | 106 | 54.9 | 44.9-64.9 | 6 | 5.7 | 00.0-11.8 | |
| Black or Afr. Am./Non-Hisp | 56 | 11,907 | 4 | 2.7 | 00.0-05.6 | 14 | 29.6 | 12.5-46.7 | 38 | 67.7 | 50.5-84.9 | | | | |
| 55-64 | 60 | 11,442 | 5 | 8.9 | 00.0-19.1 | 16 | 25.8 | 11.9-39.7 | 38 | 64.7 | 48.6-80.8 | 1 | 0.7 | 00.0-02.1 | |
| 65+ | 148 | 24,899 | 22 | 16.2 | 08.0-24.4 | 37 | 23.9 | 15.3-32.5 | 84 | 53.5 | 42.3-64.7 | 5 | 6.5 | 00.0-13.9 | |
| H.S. or G.E.D. | 75 | 18,506 | 6 | 11.4 | 01.6-21.2 | 14 | 25.1 | 10.8-39.4 | 54 | 58.7 | 42.6-74.8 | 1 | 4.8 | 00.0-13.8 | |
| Some Post-H.S. | 72 | 12,725 | 11 | 13.3 | 04.3-22.3 | 20 | 28.3 | 16.3-40.3 | 40 | 55.5 | 42.0-69.0 | 1 | 3.0 | 00.0-08.7 | |
| College Graduate | 93 | 11,199 | 9 | 5.3 | 01.6-09.0 | 27 | 31.7 | 19.7-43.7 | 52 | 57.5 | 44.8-70.2 | 5 | 5.5 | 00.4-10.6 | |
| \$50,000- 99,999 | 53 | 8,197 | 9 | 13.0 | 02.6-23.4 | 21 | 34.5 | 19.0-50.0 | 22 | 51.5 | 34.4-68.6 | 1 | 1.0 | 00.0-03.0 | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 7: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | Times per Year | | | Never | | | No Feet | | |
|----------------------------|-------------------|----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 480 | 91,387 | 268 | 54.8 | 48.5-61.1 | 84 | 16.3 | 12.0-20.6 | 32 | 8.8 | 04.7-12.9 | 18 | 2.6 | 01.0-04.2 | 77 | 16.8 | 12.3-21.3 | 1 | 0.8 | 00.0-02.4 |
| Male | 215 | 43,236 | 109 | 51.3 | 42.1-60.5 | 41 | 16.3 | 10.2-22.4 | 14 | 6.0 | 02.3-09.7 | 9 | 3.6 | 00.5-06.7 | 41 | 21.2 | 13.4-29.0 | 1 | 1.6 | 00.0-04.7 |
| Female | 265 | 48,151 | 159 | 58.0 | 49.6-66.4 | 43 | 16.3 | 10.4-22.2 | 18 | 11.3 | 04.6-18.0 | 9 | 1.6 | 00.4-02.8 | 36 | 12.8 | 08.1-17.5 | | | |
| White/Non-Hisp | 324 | 55,772 | 175 | 51.9 | 44.6-59.2 | 60 | 16.0 | 11.5-20.5 | 26 | 12.5 | 06.4-18.6 | 15 | 3.8 | 01.3-06.3 | 47 | 14.6 | 09.9-19.3 | 1 | 1.2 | 00.0-03.6 |
| Black or Afr. Am./Non-Hisp | 92 | 23,537 | 59 | 64.6 | 50.7-78.5 | 13 | 15.6 | 05.4-25.8 | 5 | 3.1 | 00.0-06.2 | 2 | 0.6 | 00.0-01.6 | 13 | 16.1 | 05.3-26.9 | | | |
| 45-54 | 62 | 11,143 | 29 | 46.4 | 31.9-60.9 | 13 | 19.8 | 08.6-31.0 | 5 | 8.8 | 00.2-17.4 | 4 | 4.4 | 00.0-10.3 | 11 | 20.6 | 08.8-32.4 | | | |
| 55-64 | 124 | 24,182 | 77 | 64.4 | 53.0-75.8 | 20 | 14.0 | 06.0-22.0 | 6 | 3.1 | 00.0-06.2 | 3 | 1.6 | 00.0-03.8 | 18 | 16.9 | 08.1-25.7 | | | |
| 65+ | 263 | 46,164 | 145 | 49.9 | 41.5-58.3 | 46 | 17.1 | 11.4-22.8 | 18 | 12.4 | 05.3-19.5 | 11 | 3.2 | 00.5-05.9 | 42 | 16.0 | 09.5-22.5 | 1 | 1.5 | 00.0-04.4 |
| H.S. or G.E.D. | 121 | 29,904 | 79 | 66.8 | 55.4-78.2 | 24 | 15.7 | 07.7-23.7 | 6 | 7.3 | 00.2-14.4 | 1 | 0.4 | 00.0-01.2 | 10 | 7.5 | 02.0-13.0 | 1 | 2.3 | 00.0-06.8 |
| Some Post-H.S. | 133 | 24,755 | 68 | 45.8 | 35.8-55.8 | 21 | 16.2 | 08.8-23.6 | 11 | 9.9 | 03.6-16.2 | 8 | 5.8 | 00.5-11.1 | 25 | 22.3 | 13.1-31.5 | | | |
| College Graduate | 185 | 24,262 | 101 | 55.0 | 46.2-63.8 | 34 | 17.5 | 10.8-24.2 | 12 | 6.9 | 02.6-11.2 | 9 | 3.2 | 00.7-05.7 | 29 | 17.4 | 10.3-24.5 | | | |
| \$25,000- 34,999 | 59 | 8,900 | 33 | 66.6 | 52.7-80.5 | 15 | 20.6 | 09.4-31.8 | 2 | 3.0 | 00.0-07.5 | 2 | 2.2 | 00.0-05.3 | 7 | 7.6 | 01.3-13.9 | | | |
| \$35,000- 49,999 | 64 | 11,932 | 38 | 60.3 | 43.1-77.5 | 12 | 12.6 | 04.4-20.8 | 2 | 4.3 | 00.0-10.6 | 1 | 0.5 | 00.0-01.7 | 11 | 22.3 | 07.2-37.4 | | | |
| \$50,000- 99,999 | 110 | 18,476 | 63 | 54.6 | 43.0-66.2 | 16 | 11.1 | 05.0-17.2 | 5 | 8.0 | 00.9-15.1 | 7 | 7.3 | 00.4-14.2 | 19 | 19.0 | 09.8-28.2 | | | |
| \$100,000- 199,999 | 62 | 11,344 | 40 | 62.4 | 47.7-77.1 | 6 | 9.6 | 01.8-17.4 | 4 | 3.0 | 00.0-06.5 | 1 | 0.7 | 00.0-02.1 | 11 | 24.3 | 10.6-38.0 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 8: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | Times per Year | | | Never | | | No Feet | | |
|--------------------|-------------------|----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|------|------------|-------|------|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 215 | 43,236 | 109 | 51.3 | 41.9-60.7 | 41 | 16.3 | 10.2-22.4 | 14 | 6.0 | 02.3-09.7 | 9 | 3.6 | 00.5-06.7 | 41 | 21.2 | 13.4-29.0 | 1 | 1.6 | 00.0-04.7 |
| White/Non-Hisp | 143 | 23,955 | 72 | 50.0 | 39.8-60.2 | 31 | 18.5 | 11.4-25.6 | 10 | 7.4 | 02.1-12.7 | 8 | 6.3 | 00.8-11.8 | 21 | 15.0 | 07.6-22.4 | 1 | 2.9 | 00.0-08.4 |
| 55-64 | 64 | 12,740 | 36 | 58.6 | 42.3-74.9 | 13 | 18.0 | 05.1-30.9 | 3 | 3.3 | 00.0-08.0 | 2 | 1.2 | 00.0-03.0 | 10 | 19.0 | 05.5-32.5 | | | |
| 65+ | 113 | 21,160 | 59 | 50.1 | 37.2-63.0 | 20 | 15.8 | 08.0-23.6 | 7 | 6.7 | 01.4-12.0 | 5 | 4.9 | 00.0-10.2 | 21 | 19.2 | 07.8-30.6 | 1 | 3.3 | 00.0-09.6 |
| Some Post-H.S. | 59 | 11,850 | 26 | 37.8 | 23.7-51.9 | 7 | 9.6 | 02.0-17.2 | 6 | 12.7 | 02.1-23.3 | 5 | 8.9 | 00.0-18.9 | 15 | 31.0 | 15.5-46.5 | | | |
| College Graduate | 92 | 13,063 | 45 | 50.0 | 37.5-62.5 | 20 | 20.5 | 10.5-30.5 | 8 | 8.4 | 01.7-15.1 | 4 | 3.8 | 00.0-07.9 | 15 | 17.3 | 07.3-27.3 | | | |
| \$50,000- 99,999 | 57 | 10,279 | 28 | 45.5 | 30.0-61.0 | 9 | 11.8 | 03.2-20.4 | 4 | 12.8 | 01.2-24.4 | 6 | 12.9 | 01.1-24.7 | 10 | 17.0 | 04.8-29.2 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 9: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | Times per Year | | | Never | | |
|----------------------------|-------------------|----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 265 | 48,151 | 159 | 58.0 | 49.6-66.4 | 43 | 16.3 | 10.2-22.4 | 18 | 11.3 | 04.6-18.0 | 9 | 1.6 | 00.4-02.8 | 36 | 12.8 | 07.9-17.7 |
| White/Non-Hisp | 181 | 31,817 | 103 | 53.4 | 43.0-63.8 | 29 | 14.1 | 08.2-20.0 | 16 | 16.3 | 06.5-26.1 | 7 | 2.0 | 00.2-03.8 | 26 | 14.2 | 07.9-20.5 |
| Black or Afr. Am./Non-Hisp | 56 | 11,832 | 38 | 63.7 | 45.7-81.7 | 8 | 23.3 | 06.1-40.5 | 2 | 2.0 | 00.0-04.7 | 2 | 1.2 | 00.0-03.4 | 6 | 9.8 | 01.0-18.6 |
| 55-64 | 60 | 11,442 | 41 | 71.0 | 56.7-85.3 | 7 | 9.5 | 01.3-17.7 | 3 | 2.9 | 00.0-06.6 | 1 | 2.0 | 00.0-05.9 | 8 | 14.6 | 03.8-25.4 |
| 65+ | 150 | 25,004 | 86 | 49.7 | 38.7-60.7 | 26 | 18.1 | 10.1-26.1 | 11 | 17.2 | 05.4-29.0 | 6 | 1.7 | 00.3-03.1 | 21 | 13.3 | 06.4-20.2 |
| H.S. or G.E.D. | 75 | 18,431 | 49 | 62.8 | 47.3-78.3 | 13 | 16.2 | 04.8-27.6 | 6 | 11.8 | 00.6-23.0 | 1 | 0.7 | 00.0-02.1 | 6 | 8.6 | 01.0-16.2 |
| Some Post-H.S. | 74 | 12,905 | 42 | 53.2 | 39.9-66.5 | 14 | 22.3 | 10.5-34.1 | 5 | 7.3 | 00.4-14.2 | 3 | 2.9 | 00.0-06.6 | 10 | 14.4 | 05.4-23.4 |
| College Graduate | 93 | 11,199 | 56 | 60.8 | 48.5-73.1 | 14 | 14.0 | 05.6-22.4 | 4 | 5.1 | 00.0-10.8 | 5 | 2.5 | 00.1-04.9 | 14 | 17.6 | 08.0-27.2 |
| \$50,000- 99,999 | 53 | 8,197 | 35 | 66.0 | 50.1-81.9 | 7 | 10.3 | 01.3-19.3 | 1 | 1.9 | 00.0-05.6 | 1 | 0.3 | 00.0-00.9 | 9 | 21.5 | 07.6-35.4 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 time | | | | | | 2 times | | | 3 times | | | 4 times | | | 5 or more times | | | None | | |
|----------------------------|-------------------|----------|--------|------|------------|-----|------|------------|---------|------|------------|---------|------|------------|---------|------|------------|-----------------|------|------------|------|---|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 479 | 89,742 | 79 | 17.2 | 12.3-22.1 | 144 | 33.8 | 27.7-39.9 | 65 | 11.4 | 07.9-14.9 | 85 | 13.8 | 10.3-17.3 | 44 | 9.4 | 05.7-13.1 | 62 | 14.4 | 09.7-19.1 | | | |
| Male | 217 | 43,018 | 42 | 22.2 | 13.8-30.6 | 61 | 34.0 | 25.0-43.0 | 30 | 11.4 | 06.3-16.5 | 34 | 12.4 | 07.3-17.5 | 20 | 7.2 | 03.7-10.7 | 30 | 12.9 | 07.0-18.8 | | | |
| Female | 262 | 46,724 | 37 | 12.6 | 07.7-17.5 | 83 | 33.6 | 25.6-41.6 | 35 | 11.5 | 06.8-16.2 | 51 | 15.1 | 10.2-20.0 | 24 | 11.5 | 05.2-17.8 | 32 | 15.8 | 08.7-22.9 | | | |
| White/Non-Hisp | 323 | 54,443 | 53 | 14.6 | 10.1-19.1 | 101 | 35.8 | 28.9-42.7 | 47 | 12.8 | 08.3-17.3 | 61 | 15.4 | 11.1-19.7 | 29 | 9.6 | 04.5-14.7 | 32 | 11.7 | 06.4-17.0 | | | |
| Black or Afr. Am./Non-Hisp | 92 | 23,585 | 15 | 19.3 | 05.8-32.8 | 26 | 31.8 | 16.9-46.7 | 8 | 4.1 | 00.6-07.6 | 17 | 13.4 | 05.2-21.6 | 10 | 10.5 | 03.2-17.8 | 16 | 20.9 | 08.9-32.9 | | | |
| 45-54 | 62 | 11,143 | 12 | 24.7 | 11.8-37.6 | 17 | 30.0 | 16.7-43.3 | 10 | 14.6 | 05.0-24.2 | 8 | 7.4 | 01.7-13.1 | 4 | 4.1 | 00.0-08.6 | 11 | 19.2 | 07.0-31.4 | | | |
| 55-64 | 126 | 24,526 | 24 | 17.3 | 09.1-25.5 | 37 | 34.7 | 22.4-47.0 | 20 | 12.6 | 05.3-19.9 | 19 | 12.1 | 05.8-18.4 | 8 | 6.0 | 01.1-10.9 | 18 | 17.2 | 07.8-26.6 | | | |
| 65+ | 261 | 44,838 | 36 | 13.6 | 07.9-19.3 | 80 | 35.9 | 27.5-44.3 | 33 | 10.4 | 06.1-14.7 | 54 | 17.5 | 11.8-23.2 | 27 | 12.2 | 05.9-18.5 | 31 | 10.4 | 05.7-15.1 | | | |
| H.S. or G.E.D. | 119 | 28,713 | 20 | 16.9 | 06.1-27.7 | 38 | 37.6 | 24.7-50.5 | 17 | 10.7 | 04.2-17.2 | 20 | 12.6 | 05.9-19.3 | 10 | 4.8 | 01.5-08.1 | 14 | 17.4 | 07.0-27.8 | | | |
| Some Post-H.S. | 133 | 24,542 | 22 | 17.7 | 09.9-25.5 | 41 | 30.4 | 21.0-39.8 | 15 | 11.1 | 04.0-18.2 | 22 | 13.7 | 07.4-20.0 | 13 | 11.6 | 04.7-18.5 | 20 | 15.5 | 07.9-23.1 | | | |
| College Graduate | 186 | 24,384 | 29 | 15.5 | 09.0-22.0 | 52 | 31.3 | 22.9-39.7 | 31 | 16.0 | 09.7-22.3 | 40 | 21.0 | 13.6-28.4 | 17 | 10.0 | 04.3-15.7 | 17 | 6.1 | 02.8-09.4 | | | |
| \$25,000- 34,999 | 60 | 9,328 | 12 | 17.5 | 04.8-30.2 | 19 | 39.5 | 22.4-56.6 | 6 | 8.6 | 01.3-15.9 | 12 | 17.3 | 05.5-29.1 | 4 | 6.3 | 00.0-12.6 | 7 | 10.8 | 00.0-21.8 | | | |
| \$35,000- 49,999 | 63 | 11,269 | 15 | 30.6 | 09.4-51.8 | 17 | 31.7 | 15.8-47.6 | 10 | 10.2 | 02.4-18.0 | 8 | 6.5 | 01.4-11.6 | 9 | 13.5 | 02.7-24.3 | 4 | 7.4 | 00.0-16.8 | | | |
| \$50,000- 99,999 | 107 | 17,829 | 22 | 20.9 | 11.5-30.3 | 32 | 27.3 | 17.5-37.1 | 12 | 13.8 | 04.6-23.0 | 23 | 19.2 | 10.4-28.0 | 7 | 8.4 | 01.3-15.5 | 11 | 10.3 | 02.5-18.1 | | | |
| \$100,000- 199,999 | 63 | 11,467 | 7 | 11.3 | 02.1-20.5 | 19 | 36.6 | 21.9-51.3 | 9 | 13.5 | 03.9-23.1 | 14 | 16.2 | 05.8-26.6 | 5 | 5.4 | 00.3-10.5 | 9 | 16.9 | 05.1-28.7 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 time | | | | | | 2 times | | | 3 times | | | 4 times | | | 5 or more times | | | None | | |
|--------------------|-------------------|----------|--------|------|------------|----|------|------------|---------|------|------------|---------|------|------------|---------|-----|------------|-----------------|------|------------|------|---|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 217 | 43,018 | 42 | 22.2 | 13.6-30.8 | 61 | 34.0 | 25.0-43.0 | 30 | 11.4 | 06.3-16.5 | 34 | 12.4 | 07.3-17.5 | 20 | 7.2 | 03.7-10.7 | 30 | 12.9 | 07.2-18.6 | | | |
| White/Non-Hisp | 145 | 24,102 | 29 | 20.5 | 12.3-28.7 | 44 | 36.1 | 26.1-46.1 | 21 | 12.1 | 06.0-18.2 | 24 | 13.8 | 07.9-19.7 | 13 | 8.3 | 03.2-13.4 | 14 | 9.1 | 03.2-15.0 | | | |
| 55-64 | 65 | 13,039 | 16 | 21.6 | 09.8-33.4 | 17 | 31.9 | 16.4-47.4 | 11 | 17.4 | 05.2-29.6 | 5 | 4.1 | 00.4-07.8 | 4 | 5.6 | 00.0-12.3 | 12 | 19.4 | 05.7-33.1 | | | |
| 65+ | 115 | 21,307 | 17 | 16.1 | 06.5-25.7 | 34 | 38.0 | 24.7-51.3 | 15 | 8.6 | 03.1-14.1 | 23 | 18.7 | 09.7-27.7 | 14 | 9.7 | 04.2-15.2 | 12 | 8.9 | 02.4-15.4 | | | |
| Some Post-H.S. | 60 | 11,999 | 9 | 21.5 | 08.2-34.8 | 16 | 26.2 | 13.1-39.3 | 10 | 16.5 | 03.8-29.2 | 9 | 10.0 | 02.6-17.4 | 5 | 9.0 | 00.4-17.6 | 11 | 16.8 | 05.4-28.2 | | | |
| College Graduate | 93 | 13,186 | 20 | 21.3 | 10.7-31.9 | 24 | 29.4 | 17.8-41.0 | 15 | 16.2 | 07.0-25.4 | 17 | 17.9 | 07.7-28.1 | 10 | 9.6 | 03.5-15.7 | 7 | 5.5 | 01.0-10.0 | | | |
| \$50,000- 99,999 | 56 | 9,904 | 12 | 22.4 | 08.5-36.3 | 13 | 23.5 | 10.4-36.6 | 6 | 11.9 | 01.5-22.3 | 14 | 22.4 | 09.7-35.1 | 5 | 7.1 | 00.4-13.8 | 6 | 12.8 | 01.0-24.6 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 time | | | | | | 2 times | | | 3 times | | | 4 times | | | 5 or more times | | | None | | |
|----------------------------|-------------------|----------|--------|------|------------|----|------|------------|---------|------|------------|---------|------|------------|---------|------|------------|-----------------|------|------------|------|---|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 262 | 46,724 | 37 | 12.6 | 07.7-17.5 | 83 | 33.6 | 25.6-41.6 | 35 | 11.5 | 06.8-16.2 | 51 | 15.1 | 10.2-20.0 | 24 | 11.5 | 05.0-18.0 | 32 | 15.8 | 08.7-22.9 | | | |
| White/Non-Hisp | 178 | 30,341 | 24 | 9.9 | 05.2-14.6 | 57 | 35.6 | 26.0-45.2 | 26 | 13.4 | 06.9-19.9 | 37 | 16.6 | 10.3-22.9 | 16 | 10.7 | 02.3-19.1 | 18 | 13.8 | 05.4-22.2 | | | |
| Black or Afr. Am./Non-Hisp | 56 | 11,881 | 8 | 13.7 | 02.7-24.7 | 18 | 32.7 | 13.3-52.1 | 4 | 2.9 | 00.0-06.0 | 10 | 12.2 | 02.6-21.8 | 6 | 14.5 | 02.3-26.7 | 10 | 24.0 | 06.9-41.1 | | | |
| 55-64 | 61 | 11,487 | 8 | 12.5 | 01.7-23.3 | 20 | 38.0 | 18.6-57.4 | 9 | 7.2 | 01.7-12.7 | 14 | 21.1 | 08.4-33.8 | 4 | 6.6 | 00.0-14.0 | 6 | 14.6 | 01.9-27.3 | | | |
| 65+ | 146 | 23,531 | 19 | 11.4 | 04.9-17.9 | 46 | 33.9 | 23.5-44.3 | 18 | 11.9 | 05.4-18.4 | 31 | 16.4 | 09.5-23.3 | 13 | 14.5 | 03.7-25.3 | 19 | 11.9 | 05.2-18.6 | | | |
| H.S. or G.E.D. | 73 | 17,365 | 10 | 10.7 | 02.9-18.5 | 23 | 36.7 | 20.2-53.2 | 12 | 13.2 | 03.6-22.8 | 12 | 10.7 | 03.1-18.3 | 6 | 4.8 | 00.7-08.9 | 10 | 24.0 | 08.5-39.5 | | | |
| Some Post-H.S. | 73 | 12,543 | 13 | 14.0 | 05.8-22.2 | 25 | 34.5 | 21.6-47.4 | 5 | 6.0 | 00.3-11.7 | 13 | 17.3 | 07.5-27.1 | 8 | 14.1 | 03.5-24.7 | 9 | 14.2 | 04.0-24.4 | | | |
| College Graduate | 93 | 11,199 | 9 | 8.7 | 02.2-15.2 | 28 | 33.6 | 21.4-45.8 | 16 | 15.7 | 07.1-24.3 | 23 | 24.7 | 13.7-35.7 | 7 | 10.5 | 00.7-20.3 | 10 | 6.8 | 01.7-11.9 | | | |
| \$50,000- 99,999 | 51 | 7,925 | 10 | 18.9 | 06.2-31.6 | 19 | 32.1 | 16.8-47.4 | 6 | 16.2 | 00.1-32.3 | 9 | 15.3 | 03.3-27.3 | 2 | 10.2 | 00.0-23.5 | 5 | 7.3 | 00.0-16.7 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-2 per yr | | | 3-4 per yr | | | 5-9 per yr | | | 10 or more per yr | | | NONE | | |
|----------------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|-------------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 469 | 88,552 | 265 | 57.7 | 51.4-64.0 | 138 | 26.4 | 21.1-31.7 | 20 | 3.5 | 01.5-05.5 | 9 | 2.4 | 00.0-05.1 | 37 | 10.1 | 06.0-14.2 |
| Male | 212 | 41,639 | 123 | 62.9 | 54.5-71.3 | 55 | 22.0 | 15.3-28.7 | 10 | 3.1 | 00.9-05.3 | 5 | 1.2 | 00.0-02.4 | 19 | 10.7 | 04.4-17.0 |
| Female | 257 | 46,914 | 142 | 53.0 | 44.4-61.6 | 83 | 30.2 | 22.4-38.0 | 10 | 3.8 | 00.7-06.9 | 4 | 3.4 | 00.0-08.3 | 18 | 9.6 | 04.1-15.1 |
| White/Non-Hisp | 316 | 54,677 | 183 | 61.6 | 54.7-68.5 | 99 | 27.9 | 21.8-34.0 | 12 | 2.5 | 00.7-04.3 | 7 | 3.4 | 00.0-07.7 | 15 | 4.6 | 01.9-07.3 |
| Black or Afr. Am./Non-Hisp | 89 | 21,561 | 47 | 48.8 | 33.3-64.3 | 28 | 28.8 | 15.1-42.5 | 5 | 5.9 | 00.0-12.2 | 1 | 1.0 | 00.0-03.0 | 8 | 15.5 | 03.2-27.8 |
| 45-54 | 61 | 11,080 | 30 | 49.8 | 35.3-64.3 | 15 | 24.7 | 12.4-37.0 | 2 | 1.7 | 00.0-04.2 | 2 | 3.2 | 00.0-07.7 | 12 | 20.6 | 08.1-33.1 |
| 55-64 | 122 | 23,807 | 79 | 64.2 | 52.0-76.4 | 30 | 25.1 | 13.1-37.1 | 3 | 1.5 | 00.0-03.3 | 1 | 0.3 | 00.0-00.9 | 9 | 8.9 | 02.4-15.4 |
| 65+ | 255 | 43,767 | 139 | 55.7 | 47.3-64.1 | 84 | 28.9 | 22.0-35.8 | 14 | 5.6 | 01.9-09.3 | 6 | 3.8 | 00.0-09.1 | 12 | 6.0 | 00.9-11.1 |
| H.S. or G.E.D. | 115 | 27,699 | 74 | 63.0 | 50.3-75.7 | 32 | 27.9 | 16.1-39.7 | 3 | 2.4 | 00.0-05.5 | 2 | 0.6 | 00.0-01.6 | 4 | 6.0 | 00.0-13.1 |
| Some Post-H.S. | 130 | 24,449 | 69 | 58.0 | 48.0-68.0 | 41 | 27.7 | 18.9-36.5 | 4 | 4.0 | 00.0-08.7 | 3 | 1.6 | 00.0-03.6 | 13 | 8.8 | 03.5-14.1 |
| College Graduate | 183 | 23,702 | 107 | 61.0 | 52.4-69.6 | 57 | 30.9 | 22.5-39.3 | 13 | 6.1 | 02.4-09.8 | 2 | 0.5 | 00.0-01.3 | 4 | 1.5 | 00.0-03.1 |
| \$25,000- 34,999 | 61 | 9,449 | 35 | 56.6 | 40.1-73.1 | 17 | 26.8 | 12.5-41.1 | 1 | 1.4 | 00.0-04.1 | | | | 8 | 15.3 | 02.4-28.2 |
| \$35,000- 49,999 | 63 | 11,868 | 34 | 67.2 | 51.9-82.5 | 18 | 16.0 | 07.0-25.0 | 5 | 5.0 | 00.0-10.3 | 2 | 2.5 | 00.0-06.2 | 4 | 9.3 | 00.0-20.5 |
| \$50,000- 99,999 | 108 | 18,015 | 66 | 59.4 | 47.8-71.0 | 32 | 34.1 | 22.7-45.5 | 6 | 4.1 | 00.0-08.2 | | | | 4 | 2.4 | 00.0-04.8 |
| \$100,000- 199,999 | 61 | 10,930 | 34 | 61.0 | 46.7-75.3 | 21 | 27.3 | 15.0-39.6 | 1 | 1.6 | 00.0-04.7 | 2 | 1.6 | 00.0-04.0 | 3 | 8.4 | 00.0-18.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-2 per yr | | | 3-4 per yr | | | 5-9 per yr | | | 10 or more per yr | | | NONE | | |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|-------------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 212 | 41,639 | 123 | 62.9 | 54.5-71.3 | 55 | 22.0 | 15.3-28.7 | 10 | 3.1 | 00.9-05.3 | 5 | 1.2 | 00.0-02.4 | 19 | 10.7 | 04.4-17.0 |
| White/Non-Hisp | 141 | 23,657 | 85 | 64.5 | 55.1-73.9 | 42 | 28.8 | 19.6-38.0 | 5 | 2.1 | 00.1-04.1 | 4 | 2.0 | 00.0-04.2 | 5 | 2.6 | 00.2-05.0 |
| 55-64 | 64 | 12,893 | 46 | 78.9 | 67.5-90.3 | 11 | 11.5 | 02.5-20.5 | | | | 1 | 0.6 | 00.0-01.8 | 6 | 9.0 | 01.4-16.6 |
| 65+ | 110 | 19,410 | 59 | 55.2 | 42.7-67.7 | 34 | 29.4 | 18.6-40.2 | 8 | 5.5 | 01.4-09.6 | 4 | 2.2 | 00.0-04.7 | 5 | 7.7 | 00.0-17.9 |
| Some Post-H.S. | 57 | 11,700 | 32 | 65.1 | 51.2-79.0 | 15 | 24.6 | 11.3-37.9 | 2 | 2.2 | 00.0-05.5 | 1 | 0.3 | 00.0-00.9 | 7 | 7.8 | 01.5-14.1 |
| College Graduate | 91 | 12,524 | 56 | 67.4 | 56.4-78.4 | 26 | 25.0 | 14.8-35.2 | 7 | 6.1 | 01.6-10.6 | 1 | 0.7 | 00.0-02.1 | 1 | 0.8 | 00.0-02.4 |
| \$50,000- 99,999 | 55 | 9,818 | 31 | 56.3 | 40.4-72.2 | 18 | 36.9 | 21.2-52.6 | 4 | 4.1 | 00.0-08.2 | | | | 2 | 2.7 | 00.0-06.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-2 per yr | | | 3-4 per yr | | | 5-9 per yr | | | 10 or more per yr | | | NONE | | |
|----------------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|-------------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 257 | 46,914 | 142 | 53.0 | 44.2-61.8 | 83 | 30.2 | 22.4-38.0 | 10 | 3.8 | 00.7-06.9 | 4 | 3.4 | 00.0-08.3 | 18 | 9.6 | 04.1-15.1 |
| White/Non-Hisp | 175 | 31,020 | 98 | 59.3 | 49.3-69.3 | 57 | 27.3 | 19.3-35.3 | 7 | 2.9 | 00.2-05.6 | 3 | 4.4 | 00.0-11.8 | 10 | 6.0 | 01.5-10.5 |
| Black or Afr. Am./Non-Hisp | 55 | 11,455 | 27 | 35.2 | 19.1-51.3 | 19 | 39.3 | 19.7-58.9 | 3 | 7.7 | 00.0-17.9 | 1 | 1.8 | 00.0-05.3 | 5 | 16.1 | 00.0-32.2 |
| 55-64 | 58 | 10,915 | 33 | 46.9 | 28.7-65.1 | 19 | 41.2 | 21.6-60.8 | 3 | 3.2 | 00.0-07.1 | | | | 3 | 8.7 | 00.0-19.5 |
| 65+ | 145 | 24,357 | 80 | 56.1 | 44.5-67.7 | 50 | 28.5 | 19.7-37.3 | 6 | 5.7 | 00.0-11.4 | 2 | 5.1 | 00.0-14.3 | 7 | 4.6 | 00.3-08.9 |
| H.S. or G.E.D. | 70 | 17,433 | 46 | 61.5 | 44.6-78.4 | 19 | 27.7 | 11.8-43.6 | 2 | 2.3 | 00.0-06.2 | | | | 3 | 8.5 | 00.0-19.3 |
| Some Post-H.S. | 73 | 12,749 | 37 | 51.4 | 37.9-64.9 | 26 | 30.5 | 18.9-42.1 | 2 | 5.6 | 00.0-14.0 | 2 | 2.8 | 00.0-06.7 | 6 | 9.7 | 01.3-18.1 |
| College Graduate | 92 | 11,178 | 51 | 53.8 | 40.7-66.9 | 31 | 37.6 | 24.5-50.7 | 6 | 6.0 | 00.0-12.1 | 1 | 0.4 | 00.0-01.2 | 3 | 2.3 | 00.0-04.8 |
| \$50,000- 99,999 | 53 | 8,197 | 35 | 63.2 | 46.1-80.3 | 14 | 30.7 | 14.2-47.2 | 2 | 4.1 | 00.0-11.5 | | | | 2 | 2.0 | 00.0-04.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 time | | | 2 times | | | 3 times | | | 4 times | | | 5 or more times | | | None | | |
|----------------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|------|------------|---------|------|------------|-----------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 477 | 90,756 | 126 | 28.7 | 22.8-34.6 | 93 | 19.3 | 14.4-24.2 | 38 | 6.7 | 04.2-09.2 | 52 | 8.5 | 05.4-11.6 | 53 | 12.2 | 07.9-16.5 | 115 | 24.6 | 19.3-29.9 |
| Male | 216 | 42,969 | 63 | 33.5 | 24.3-42.7 | 40 | 18.5 | 11.4-25.6 | 20 | 8.0 | 03.9-12.1 | 16 | 6.8 | 01.5-12.1 | 29 | 13.7 | 07.8-19.6 | 48 | 19.6 | 12.7-26.5 |
| Female | 261 | 47,787 | 63 | 24.4 | 16.8-32.0 | 53 | 20.0 | 13.3-26.7 | 18 | 5.6 | 02.7-08.5 | 36 | 10.1 | 06.2-14.0 | 24 | 10.8 | 04.7-16.9 | 67 | 29.1 | 21.3-36.9 |
| White/Non-Hisp | 322 | 55,095 | 90 | 26.3 | 20.4-32.2 | 59 | 19.1 | 13.2-25.0 | 29 | 9.0 | 05.3-12.7 | 39 | 9.7 | 06.2-13.2 | 39 | 13.5 | 07.8-19.2 | 66 | 22.3 | 16.0-28.6 |
| Black or Afr. Am./Non-Hisp | 91 | 23,535 | 26 | 34.8 | 19.3-50.3 | 18 | 18.2 | 07.6-28.8 | 5 | 2.2 | 00.0-04.4 | 11 | 8.9 | 00.0-18.1 | 9 | 11.6 | 03.4-19.8 | 22 | 24.3 | 12.1-36.5 |
| 45-54 | 60 | 10,831 | 13 | 24.0 | 11.7-36.3 | 12 | 19.1 | 07.5-30.7 | 5 | 11.1 | 01.7-20.5 | 4 | 5.6 | 00.0-11.5 | 3 | 3.0 | 00.0-07.1 | 23 | 37.1 | 22.8-51.4 |
| 55-64 | 123 | 24,102 | 43 | 37.9 | 25.4-50.4 | 21 | 15.7 | 07.9-23.5 | 7 | 5.9 | 00.6-11.2 | 9 | 5.2 | 01.3-09.1 | 10 | 6.9 | 01.8-12.0 | 33 | 28.4 | 17.6-39.2 |
| 65+ | 263 | 45,926 | 64 | 26.3 | 19.2-33.4 | 50 | 20.3 | 13.0-27.6 | 26 | 7.6 | 04.3-10.9 | 38 | 12.4 | 06.7-18.1 | 35 | 17.4 | 10.1-24.7 | 50 | 16.0 | 10.7-21.3 |
| H.S. or G.E.D. | 121 | 29,538 | 35 | 31.3 | 18.6-44.0 | 25 | 19.8 | 10.2-29.4 | 11 | 7.5 | 02.4-12.6 | 16 | 11.1 | 03.1-19.1 | 10 | 7.2 | 01.9-12.5 | 24 | 23.1 | 12.1-34.1 |
| Some Post-H.S. | 131 | 24,532 | 31 | 26.5 | 16.9-36.1 | 25 | 18.2 | 10.4-26.0 | 8 | 4.9 | 01.2-08.6 | 12 | 7.3 | 02.6-12.0 | 16 | 13.1 | 05.7-20.5 | 39 | 30.1 | 20.7-39.5 |
| College Graduate | 185 | 24,238 | 52 | 28.9 | 20.9-36.9 | 38 | 22.6 | 15.0-30.2 | 15 | 7.6 | 02.9-12.3 | 22 | 9.7 | 05.2-14.2 | 23 | 15.4 | 08.1-22.7 | 35 | 15.8 | 09.9-21.7 |
| \$25,000- 34,999 | 59 | 9,304 | 14 | 26.5 | 11.4-41.6 | 11 | 21.2 | 06.1-36.3 | 7 | 17.3 | 04.0-30.6 | 8 | 10.6 | 01.8-19.4 | 7 | 8.4 | 01.7-15.1 | 12 | 16.0 | 03.8-28.2 |
| \$35,000- 49,999 | 64 | 11,932 | 18 | 37.9 | 17.9-57.9 | 14 | 23.9 | 10.0-37.8 | 4 | 2.8 | 00.0-05.9 | 6 | 4.7 | 00.4-09.0 | 12 | 16.5 | 05.3-27.7 | 10 | 14.2 | 02.4-26.0 |
| \$50,000- 99,999 | 110 | 18,476 | 32 | 31.0 | 20.4-41.6 | 21 | 17.0 | 08.8-25.2 | 9 | 8.4 | 02.5-14.3 | 9 | 5.5 | 01.4-09.6 | 13 | 16.6 | 07.0-26.2 | 26 | 21.4 | 11.6-31.2 |
| \$100,000- 199,999 | 63 | 11,467 | 18 | 26.7 | 13.6-39.8 | 11 | 19.5 | 07.0-32.0 | 7 | 8.6 | 01.2-16.0 | 7 | 7.2 | 01.5-12.9 | 5 | 9.3 | 00.0-18.9 | 15 | 28.7 | 14.8-42.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 time | | | 2 times | | | 3 times | | | 4 times | | | 5 or more times | | | None | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|------|------------|---------|------|------------|-----------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 216 | 42,969 | 63 | 33.5 | 24.3-42.7 | 40 | 18.5 | 11.4-25.6 | 20 | 8.0 | 03.9-12.1 | 16 | 6.8 | 01.5-12.1 | 29 | 13.7 | 07.8-19.6 | 48 | 19.6 | 12.9-26.3 |
| White/Non-Hisp | 144 | 23,640 | 46 | 31.9 | 22.5-41.3 | 25 | 17.8 | 10.2-25.4 | 13 | 10.8 | 04.1-17.5 | 11 | 6.0 | 02.1-09.9 | 22 | 17.5 | 09.5-25.5 | 27 | 16.1 | 09.2-23.0 |
| 55-64 | 64 | 12,893 | 22 | 36.2 | 20.3-52.1 | 11 | 15.1 | 04.5-25.7 | 2 | 6.1 | 00.0-14.5 | 3 | 2.7 | 00.0-05.8 | 7 | 9.5 | 01.1-17.9 | 19 | 30.5 | 15.4-45.6 |
| 65+ | 115 | 20,991 | 30 | 30.0 | 18.6-41.4 | 19 | 17.9 | 07.1-28.7 | 15 | 9.3 | 03.8-14.8 | 12 | 11.7 | 01.5-21.9 | 19 | 20.4 | 10.4-30.4 | 20 | 10.7 | 05.0-16.4 |
| Some Post-H.S. | 60 | 11,999 | 15 | 32.3 | 16.8-47.8 | 8 | 13.9 | 03.1-24.7 | 6 | 6.9 | 01.0-12.8 | 4 | 4.6 | 00.0-09.7 | 9 | 16.2 | 04.6-27.8 | 18 | 26.1 | 13.2-39.0 |
| College Graduate | 92 | 13,039 | 31 | 37.5 | 25.0-50.0 | 21 | 23.8 | 13.4-34.2 | 7 | 6.1 | 00.4-11.8 | 9 | 7.8 | 02.3-13.3 | 12 | 14.4 | 05.0-23.8 | 12 | 10.4 | 03.5-17.3 |
| \$50,000- 99,999 | 57 | 10,279 | 16 | 29.8 | 15.1-44.5 | 9 | 16.9 | 04.9-28.9 | 5 | 8.7 | 00.1-17.3 | 7 | 8.8 | 01.5-16.1 | 9 | 20.0 | 06.3-33.7 | 11 | 15.8 | 05.4-26.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 time | | | 2 times | | | 3 times | | | 4 times | | | 5 or more times | | | None | | |
|----------------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|-----|------------|---------|------|------------|-----------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 261 | 47,787 | 63 | 24.4 | 16.8-32.0 | 53 | 20.0 | 13.3-26.7 | 18 | 5.6 | 02.7-08.5 | 36 | 10.1 | 06.2-14.0 | 24 | 10.8 | 04.5-17.1 | 67 | 29.1 | 21.3-36.9 |
| White/Non-Hisp | 178 | 31,454 | 44 | 22.2 | 14.6-29.8 | 34 | 20.2 | 11.6-28.8 | 16 | 7.6 | 03.5-11.7 | 28 | 12.5 | 07.2-17.8 | 17 | 10.6 | 02.4-18.8 | 39 | 27.0 | 17.4-36.6 |
| Black or Afr. Am./Non-Hisp | 55 | 11,831 | 16 | 32.5 | 12.7-52.3 | 11 | 16.2 | 05.4-27.0 | 2 | 2.5 | 00.0-06.0 | 6 | 5.0 | 00.0-10.9 | 4 | 10.1 | 00.0-20.7 | 16 | 33.7 | 15.9-51.5 |
| 55-64 | 59 | 11,209 | 21 | 39.9 | 20.1-59.7 | 10 | 16.4 | 04.4-28.4 | 5 | 5.8 | 00.3-11.3 | 6 | 8.0 | 00.6-15.4 | 3 | 3.8 | 00.0-08.3 | 14 | 26.1 | 10.8-41.4 |
| 65+ | 148 | 24,935 | 34 | 23.2 | 14.4-32.0 | 31 | 22.3 | 12.3-32.3 | 11 | 6.2 | 02.1-10.3 | 26 | 13.1 | 06.8-19.4 | 16 | 14.8 | 04.4-25.2 | 30 | 20.4 | 12.0-28.8 |
| H.S. or G.E.D. | 75 | 18,506 | 21 | 29.1 | 13.6-44.6 | 15 | 20.2 | 07.3-33.1 | 6 | 4.8 | 00.7-08.9 | 13 | 10.4 | 03.3-17.5 | 4 | 3.9 | 00.0-08.4 | 16 | 31.6 | 16.1-47.1 |
| Some Post-H.S. | 71 | 12,533 | 16 | 20.9 | 10.1-31.7 | 17 | 22.3 | 11.1-33.5 | 2 | 3.0 | 00.0-07.5 | 8 | 9.9 | 02.3-17.5 | 7 | 10.0 | 00.8-19.2 | 21 | 34.0 | 20.7-47.3 |
| College Graduate | 93 | 11,199 | 21 | 19.0 | 10.4-27.6 | 17 | 21.1 | 09.9-32.3 | 8 | 9.3 | 01.7-16.9 | 13 | 11.9 | 04.5-19.3 | 11 | 16.6 | 05.4-27.8 | 23 | 22.1 | 12.3-31.9 |
| \$50,000- 99,999 | 53 | 8,197 | 16 | 32.7 | 17.0-48.4 | 12 | 17.1 | 06.5-27.7 | 4 | 8.0 | 00.4-15.6 | 2 | 1.4 | 00.0-03.6 | 4 | 12.4 | 00.0-25.7 | 15 | 28.5 | 11.3-45.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 1 Month Ago | | | 1 Month but < 12 Months | | | 1+ Yrs but < 2 Years | | | 2 or more Years | | | Never | | |
|----------------------------|-------------------|----------|---------------|------|------------|-------------------------|------|------------|----------------------|------|------------|-----------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 483 | 91,853 | 75 | 15.6 | 10.5-20.7 | 262 | 51.0 | 44.7-57.3 | 83 | 19.0 | 13.9-24.1 | 49 | 11.3 | 07.6-15.0 | 14 | 3.0 | 00.8-05.2 |
| Male | 216 | 43,487 | 32 | 16.3 | 08.5-24.1 | 116 | 46.6 | 37.6-55.6 | 36 | 22.0 | 13.4-30.6 | 20 | 10.6 | 05.1-16.1 | 12 | 4.6 | 01.1-08.1 |
| Female | 267 | 48,365 | 43 | 15.1 | 08.6-21.6 | 146 | 55.0 | 46.6-63.4 | 47 | 16.4 | 10.7-22.1 | 29 | 12.0 | 06.9-17.1 | 2 | 1.6 | 00.0-04.3 |
| White/Non-Hisp | 326 | 55,817 | 45 | 11.8 | 07.7-15.9 | 191 | 56.9 | 49.8-64.0 | 51 | 16.2 | 11.1-21.3 | 34 | 13.1 | 08.0-18.2 | 5 | 2.0 | 00.0-04.4 |
| Black or Afr. Am./Non-Hisp | 93 | 23,705 | 21 | 25.4 | 10.3-40.5 | 47 | 49.2 | 34.3-64.1 | 19 | 22.0 | 08.9-35.1 | 5 | 3.1 | 00.0-06.4 | 1 | 0.3 | 00.0-00.9 |
| 45-54 | 61 | 11,096 | 12 | 19.6 | 08.8-30.4 | 29 | 44.1 | 29.8-58.4 | 10 | 19.2 | 06.9-31.5 | 8 | 15.2 | 04.8-25.6 | 2 | 1.9 | 00.0-04.6 |
| 55-64 | 125 | 24,444 | 17 | 15.3 | 04.1-26.5 | 62 | 49.0 | 37.0-61.0 | 24 | 18.2 | 09.0-27.4 | 16 | 14.4 | 06.2-22.6 | 6 | 3.1 | 00.6-05.6 |
| 65+ | 266 | 46,415 | 42 | 13.6 | 08.7-18.5 | 160 | 57.3 | 48.9-65.7 | 41 | 19.0 | 11.4-26.6 | 21 | 9.6 | 04.5-14.7 | 2 | 0.5 | 00.0-01.3 |
| H.S. or G.E.D. | 122 | 30,070 | 18 | 19.2 | 06.7-31.7 | 65 | 49.1 | 36.4-61.8 | 23 | 17.3 | 07.9-26.7 | 13 | 11.3 | 03.9-18.7 | 3 | 3.0 | 00.0-07.3 |
| Some Post-H.S. | 133 | 24,821 | 20 | 13.1 | 06.4-19.8 | 73 | 55.0 | 44.6-65.4 | 25 | 21.1 | 12.5-29.7 | 12 | 9.6 | 02.9-16.3 | 3 | 1.3 | 00.0-02.9 |
| College Graduate | 186 | 24,195 | 34 | 18.6 | 11.7-25.5 | 104 | 51.8 | 42.8-60.8 | 27 | 15.1 | 08.2-22.0 | 17 | 12.6 | 06.1-19.1 | 4 | 1.9 | 00.0-03.9 |
| \$25,000- 34,999 | 59 | 9,152 | 9 | 14.3 | 04.1-24.5 | 37 | 52.1 | 35.2-69.0 | 6 | 13.7 | 00.0-28.4 | 7 | 19.9 | 03.6-36.2 | | | |
| \$35,000- 49,999 | 64 | 11,932 | 12 | 28.0 | 06.8-49.2 | 31 | 43.1 | 25.7-60.5 | 10 | 10.0 | 02.9-17.1 | 8 | 11.3 | 01.3-21.3 | 3 | 7.7 | 00.0-18.5 |
| \$50,000- 99,999 | 109 | 18,204 | 22 | 19.4 | 10.6-28.2 | 56 | 49.6 | 37.8-61.4 | 17 | 15.2 | 06.6-23.8 | 10 | 10.6 | 03.0-18.2 | 4 | 5.3 | 00.0-12.4 |
| \$100,000- 199,999 | 63 | 11,467 | 8 | 9.2 | 01.6-16.8 | 43 | 70.9 | 57.6-84.2 | 9 | 14.8 | 03.8-25.8 | 3 | 5.1 | 00.0-10.8 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 1 Month Ago | | | 1 Month but < 12 Months | | | 1+ Yrs but < 2 Years | | | 2 or more Years | | | Never | | |
|--------------------|-------------------|----------|---------------|------|------------|-------------------------|------|------------|----------------------|------|------------|-----------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 216 | 43,487 | 32 | 16.3 | 08.5-24.1 | 116 | 46.6 | 37.6-55.6 | 36 | 22.0 | 13.4-30.6 | 20 | 10.6 | 05.1-16.1 | 12 | 4.6 | 01.1-08.1 |
| White/Non-Hisp | 144 | 23,955 | 19 | 12.3 | 05.6-19.0 | 83 | 55.2 | 45.4-65.0 | 22 | 14.9 | 08.0-21.8 | 16 | 15.8 | 07.4-24.2 | 4 | 1.8 | 00.0-03.6 |
| 55-64 | 64 | 12,956 | 6 | 9.9 | 01.1-18.7 | 27 | 41.8 | 25.9-57.7 | 15 | 26.3 | 11.0-41.6 | 10 | 16.1 | 04.9-27.3 | 6 | 5.9 | 01.0-10.8 |
| 65+ | 115 | 21,242 | 17 | 13.1 | 05.7-20.5 | 76 | 57.8 | 44.5-71.1 | 15 | 20.7 | 07.2-34.2 | 6 | 7.7 | 00.1-15.3 | 1 | 0.6 | 00.0-01.8 |
| Some Post-H.S. | 59 | 11,916 | 8 | 14.0 | 02.8-25.2 | 35 | 56.8 | 41.1-72.5 | 11 | 21.9 | 08.0-35.8 | 3 | 5.5 | 00.0-14.1 | 2 | 1.7 | 00.0-04.2 |
| College Graduate | 93 | 12,996 | 17 | 20.3 | 10.3-30.3 | 53 | 51.9 | 39.2-64.6 | 10 | 12.1 | 03.7-20.5 | 9 | 12.2 | 03.4-21.0 | 4 | 3.4 | 00.0-06.9 |
| \$50,000- 99,999 | 56 | 10,007 | 14 | 25.9 | 11.8-40.0 | 29 | 49.9 | 33.6-66.2 | 6 | 12.0 | 01.6-22.4 | 4 | 9.2 | 00.0-20.0 | 3 | 3.0 | 00.0-06.5 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 1 Month Ago | | | 1 Month but < 12 Months | | | 1+ Yrs but < 2 Years | | | 2 or more Years | | | Never | | |
|----------------------------|-------------------|----------|---------------|------|------------|-------------------------|------|------------|----------------------|------|------------|-----------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 267 | 48,365 | 43 | 15.1 | 08.6-21.6 | 146 | 55.0 | 46.8-63.2 | 47 | 16.4 | 10.7-22.1 | 29 | 12.0 | 07.1-16.9 | 2 | 1.6 | 00.0-04.3 |
| White/Non-Hisp | 182 | 31,862 | 26 | 11.4 | 06.1-16.7 | 108 | 58.2 | 48.6-67.8 | 29 | 17.1 | 09.7-24.5 | 18 | 11.2 | 05.1-17.3 | 1 | 2.1 | 00.0-06.0 |
| Black or Afr. Am./Non-Hisp | 57 | 12,001 | 14 | 25.2 | 05.6-44.8 | 27 | 54.7 | 35.7-73.7 | 12 | 14.2 | 03.6-24.8 | 4 | 5.8 | 00.0-12.3 | | | |
| 55-64 | 61 | 11,487 | 11 | 21.4 | 01.2-41.6 | 35 | 57.0 | 38.0-76.0 | 9 | 9.1 | 02.2-16.0 | 6 | 12.4 | 00.2-24.6 | | | |
| 65+ | 151 | 25,173 | 25 | 14.0 | 07.5-20.5 | 84 | 56.8 | 46.0-67.6 | 26 | 17.6 | 09.4-25.8 | 15 | 11.2 | 04.5-17.9 | 1 | 0.4 | 00.0-01.2 |
| H.S. or G.E.D. | 77 | 18,645 | 13 | 18.9 | 04.4-33.4 | 43 | 55.2 | 39.1-71.3 | 12 | 13.9 | 03.9-23.9 | 8 | 8.4 | 01.0-15.8 | 1 | 3.5 | 00.0-10.4 |
| Some Post-H.S. | 74 | 12,905 | 12 | 12.1 | 04.7-19.5 | 38 | 53.4 | 39.9-66.9 | 14 | 20.3 | 09.7-30.9 | 9 | 13.3 | 03.7-22.9 | 1 | 0.8 | 00.0-02.4 |
| College Graduate | 93 | 11,199 | 17 | 16.7 | 07.7-25.7 | 51 | 51.5 | 38.6-64.4 | 17 | 18.6 | 07.6-29.6 | 8 | 13.1 | 03.7-22.5 | | | |
| \$50,000- 99,999 | 53 | 8,197 | 8 | 11.5 | 02.9-20.1 | 27 | 49.2 | 32.0-66.4 | 11 | 19.0 | 04.7-33.3 | 6 | 12.2 | 01.4-23.0 | 1 | 8.1 | 00.0-23.0 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 481 | 91,584 | 77 | 16.5 | 12.0-21.0 | 404 | 83.5 | 79.0-88.0 |
| Male | 217 | 43,710 | 40 | 20.2 | 12.6-27.8 | 177 | 79.8 | 72.2-87.4 |
| Female | 264 | 47,875 | 37 | 13.1 | 08.2-18.0 | 227 | 86.9 | 82.0-91.8 |
| White/Non-Hisp | 324 | 55,752 | 39 | 10.3 | 06.8-13.8 | 285 | 89.7 | 86.2-93.2 |
| Black or Afr. Am./Non-Hisp | 93 | 23,705 | 25 | 24.3 | 12.5-36.1 | 68 | 75.7 | 63.9-87.5 |
| 45-54 | 61 | 10,892 | 10 | 16.4 | 05.6-27.2 | 51 | 83.6 | 72.8-94.4 |
| 55-64 | 123 | 24,232 | 26 | 21.6 | 11.4-31.8 | 97 | 78.4 | 68.2-88.6 |
| 65+ | 266 | 46,562 | 38 | 16.1 | 09.8-22.4 | 228 | 83.9 | 77.6-90.2 |
| H.S. or G.E.D. | 123 | 30,327 | 20 | 15.0 | 06.4-23.6 | 103 | 85.0 | 76.4-93.6 |
| Some Post-H.S. | 132 | 24,561 | 25 | 20.2 | 11.6-28.8 | 107 | 79.8 | 71.2-88.4 |
| College Graduate | 186 | 24,358 | 23 | 10.9 | 05.8-16.0 | 163 | 89.1 | 84.0-94.2 |
| \$25,000- 34,999 | 61 | 9,449 | 17 | 26.9 | 12.2-41.6 | 44 | 73.1 | 58.4-87.8 |
| \$35,000- 49,999 | 63 | 11,755 | 10 | 15.8 | 05.0-26.6 | 53 | 84.2 | 73.4-95.0 |
| \$50,000- 99,999 | 111 | 18,497 | 16 | 14.4 | 06.8-22.0 | 95 | 85.6 | 78.0-93.2 |
| \$100,000- 199,999 | 62 | 11,418 | 4 | 6.6 | 00.0-13.5 | 58 | 93.4 | 86.5-0100 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 217 | 43,710 | 40 | 20.2 | 12.6-27.8 | 177 | 79.8 | 72.2-87.4 |
| White/Non-Hisp | 145 | 24,381 | 20 | 11.8 | 06.1-17.5 | 125 | 88.2 | 82.5-93.9 |
| 55-64 | 63 | 12,922 | 15 | 25.6 | 10.3-40.9 | 48 | 74.4 | 59.1-89.7 |
| 65+ | 117 | 21,703 | 20 | 21.0 | 09.8-32.2 | 97 | 79.0 | 67.8-90.2 |
| Some Post-H.S. | 59 | 11,930 | 14 | 24.9 | 11.0-38.8 | 45 | 75.1 | 61.2-89.0 |
| College Graduate | 93 | 13,159 | 11 | 8.6 | 03.1-14.1 | 82 | 91.4 | 85.9-96.9 |
| \$50,000- 99,999 | 58 | 10,300 | 12 | 20.9 | 08.7-33.1 | 46 | 79.1 | 66.9-91.3 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 264 | 47,875 | 37 | 13.1 | 08.0-18.2 | 227 | 86.9 | 81.8-92.0 |
| White/Non-Hisp | 179 | 31,372 | 19 | 9.1 | 04.4-13.8 | 160 | 90.9 | 86.2-95.6 |
| Black or Afr. Am./Non-Hisp | 57 | 12,001 | 12 | 18.6 | 06.1-31.1 | 45 | 81.4 | 68.9-93.9 |
| 55-64 | 60 | 11,310 | 11 | 17.1 | 04.9-29.3 | 49 | 82.9 | 70.7-95.1 |
| 65+ | 149 | 24,860 | 18 | 11.9 | 05.4-18.4 | 131 | 88.1 | 81.6-94.6 |
| H.S. or G.E.D. | 76 | 18,605 | 9 | 7.4 | 01.9-12.9 | 67 | 92.6 | 87.1-98.1 |
| Some Post-H.S. | 73 | 12,631 | 11 | 15.8 | 05.4-26.2 | 62 | 84.2 | 73.8-94.6 |
| College Graduate | 93 | 11,199 | 12 | 13.6 | 04.8-22.4 | 81 | 86.4 | 77.6-95.2 |
| \$50,000- 99,999 | 53 | 8,197 | 4 | 6.1 | 00.0-12.4 | 49 | 93.9 | 87.6-0100 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 485 | 92,278 | 238 | 51.2 | 45.1-57.3 | 247 | 48.8 | 42.7-54.9 |
| Male | 219 | 44,002 | 99 | 47.0 | 37.8-56.2 | 120 | 53.0 | 43.8-62.2 |
| Female | 266 | 48,276 | 139 | 55.0 | 46.8-63.2 | 127 | 45.0 | 36.8-53.2 |
| White/Non-Hisp | 328 | 56,285 | 163 | 49.6 | 42.5-56.7 | 165 | 50.4 | 43.3-57.5 |
| Black or Afr. Am./Non-Hisp | 92 | 23,616 | 53 | 63.8 | 50.1-77.5 | 39 | 36.2 | 22.5-49.9 |
| 45-54 | 62 | 11,143 | 29 | 42.7 | 28.6-56.8 | 33 | 57.3 | 43.2-71.4 |
| 55-64 | 126 | 24,526 | 67 | 56.1 | 44.1-68.1 | 59 | 43.9 | 31.9-55.9 |
| 65+ | 266 | 46,711 | 131 | 52.4 | 44.2-60.6 | 135 | 47.6 | 39.4-55.8 |
| H.S. or G.E.D. | 124 | 30,367 | 58 | 54.9 | 42.7-67.1 | 66 | 45.1 | 32.9-57.3 |
| Some Post-H.S. | 134 | 24,904 | 72 | 51.2 | 41.0-61.4 | 62 | 48.8 | 38.6-59.0 |
| College Graduate | 185 | 24,241 | 92 | 52.4 | 43.4-61.4 | 93 | 47.6 | 38.6-56.6 |
| \$25,000- 34,999 | 61 | 9,449 | 29 | 52.2 | 35.7-68.7 | 32 | 47.8 | 31.3-64.3 |
| \$35,000- 49,999 | 64 | 11,932 | 34 | 56.5 | 38.9-74.1 | 30 | 43.5 | 25.9-61.1 |
| \$50,000- 99,999 | 110 | 18,422 | 46 | 39.6 | 28.4-50.8 | 64 | 60.4 | 49.2-71.6 |
| \$100,000- 199,999 | 63 | 11,467 | 37 | 64.3 | 50.6-78.0 | 26 | 35.7 | 22.0-49.4 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 219 | 44,002 | 99 | 47.0 | 37.8-56.2 | 120 | 53.0 | 43.8-62.2 |
| White/Non-Hisp | 146 | 24,423 | 65 | 44.1 | 34.1-54.1 | 81 | 55.9 | 45.9-65.9 |
| 55-64 | 65 | 13,039 | 35 | 49.2 | 33.1-65.3 | 30 | 50.8 | 34.7-66.9 |
| 65+ | 116 | 21,628 | 50 | 46.5 | 33.8-59.2 | 66 | 53.5 | 40.8-66.2 |
| Some Post-H.S. | 60 | 11,999 | 27 | 41.7 | 26.6-56.8 | 33 | 58.3 | 43.2-73.4 |
| College Graduate | 93 | 13,132 | 44 | 51.2 | 38.7-63.7 | 49 | 48.8 | 36.3-61.3 |
| \$50,000- 99,999 | 57 | 10,225 | 25 | 40.3 | 25.0-55.6 | 32 | 59.7 | 44.4-75.0 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 266 | 48,276 | 139 | 55.0 | 47.0-63.0 | 127 | 45.0 | 37.0-53.0 |
| White/Non-Hisp | 182 | 31,862 | 98 | 53.8 | 44.0-63.6 | 84 | 46.2 | 36.4-56.0 |
| Black or Afr. Am./Non-Hisp | 56 | 11,911 | 32 | 64.9 | 48.4-81.4 | 24 | 35.1 | 18.6-51.6 |
| 55-64 | 61 | 11,487 | 32 | 64.0 | 48.1-79.9 | 29 | 36.0 | 20.1-51.9 |
| 65+ | 150 | 25,083 | 81 | 57.5 | 46.9-68.1 | 69 | 42.5 | 31.9-53.1 |
| H.S. or G.E.D. | 77 | 18,645 | 37 | 53.4 | 38.1-68.7 | 40 | 46.6 | 31.3-61.9 |
| Some Post-H.S. | 74 | 12,905 | 45 | 60.0 | 46.9-73.1 | 29 | 40.0 | 26.9-53.1 |
| College Graduate | 92 | 11,109 | 48 | 53.9 | 41.0-66.8 | 44 | 46.1 | 33.2-59.0 |
| \$50,000- 99,999 | 53 | 8,197 | 21 | 38.6 | 22.1-55.1 | 32 | 61.4 | 44.9-77.9 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021

MODULE 5:HPV VACCINATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4) | |
| 1 | MALES AND FEMALES | 39 |
| 2 | MALES ONLY | 40 |
| 3 | FEMALES ONLY | 41 |
| | HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT) | |
| 4 | MALES AND FEMALES | 42 |
| 5 | MALES ONLY | 43 |
| 6 | FEMALES ONLY | 44 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 5:HPV VACCINATION**

**TABLE 1: HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Doctor refused when asked | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|---------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 978 | 265,319 | 221 | 27.6 | 23.7-31.5 | 756 | 72.3 | 68.4-76.2 | 1 | 0.1 | 00.0-00.3 |
| Male | 446 | 130,510 | 82 | 23.3 | 18.2-28.4 | 363 | 76.5 | 71.2-81.8 | 1 | 0.2 | 00.0-00.6 |
| Female | 532 | 134,809 | 139 | 31.8 | 26.3-37.3 | 393 | 68.2 | 62.7-73.7 | | | |
| White/Non-Hisp | 548 | 147,898 | 126 | 29.8 | 24.7-34.9 | 421 | 70.0 | 64.9-75.1 | 1 | 0.2 | 00.0-00.6 |
| Black or Afr. Am./Non-Hisp | 163 | 53,709 | 45 | 29.5 | 19.7-39.3 | 118 | 70.5 | 60.7-80.3 | | | |
| Hispanic | 171 | 38,197 | 34 | 24.5 | 15.5-33.5 | 137 | 75.5 | 66.5-84.5 | | | |
| 18-24 | 135 | 55,482 | 62 | 46.7 | 36.1-57.3 | 73 | 53.3 | 42.7-63.9 | | | |
| 25-34 | 275 | 93,300 | 106 | 38.5 | 31.4-45.6 | 169 | 61.5 | 54.4-68.6 | | | |
| 35-44 | 346 | 79,776 | 42 | 12.8 | 07.3-18.3 | 303 | 86.8 | 81.1-92.5 | 1 | 0.4 | 00.0-01.2 |
| 45-54 | 195 | 32,925 | 11 | 4.0 | 01.3-06.7 | 184 | 96.0 | 93.3-98.7 | | | |
| Less Than H.S. | 87 | 31,773 | 9 | 12.6 | 03.2-22.0 | 78 | 87.4 | 78.0-96.8 | | | |
| H.S. or G.E.D. | 235 | 78,312 | 57 | 29.1 | 21.7-36.5 | 177 | 70.6 | 63.2-78.0 | 1 | 0.4 | 00.0-01.2 |
| Some Post-H.S. | 231 | 70,755 | 62 | 34.5 | 26.1-42.9 | 169 | 65.5 | 57.1-73.9 | | | |
| College Graduate | 413 | 81,751 | 93 | 27.1 | 21.6-32.6 | 320 | 72.9 | 67.4-78.4 | | | |
| \$15,000- 24,999 | 68 | 17,317 | 18 | 37.8 | 21.3-54.3 | 50 | 62.2 | 45.7-78.7 | | | |
| \$25,000- 34,999 | 111 | 30,278 | 29 | 32.0 | 20.4-43.6 | 82 | 68.0 | 56.4-79.6 | | | |
| \$35,000- 49,999 | 99 | 32,330 | 25 | 27.3 | 15.7-38.9 | 74 | 72.7 | 61.1-84.3 | | | |
| \$50,000- 99,999 | 256 | 64,020 | 76 | 34.3 | 26.7-41.9 | 180 | 65.7 | 58.1-73.3 | | | |
| \$100,000- 199,999 | 209 | 55,540 | 41 | 22.3 | 13.7-30.9 | 167 | 77.2 | 68.6-85.8 | 1 | 0.5 | 00.0-01.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 5:HPV VACCINATION**

TABLE 2: HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Doctor refused when asked | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|---------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 446 | 130,510 | 82 | 23.3 | 18.2-28.4 | 363 | 76.5 | 71.4-81.6 | 1 | 0.2 | 00.0-00.6 |
| White/Non-Hisp | 265 | 78,571 | 53 | 24.9 | 18.0-31.8 | 211 | 74.7 | 67.8-81.6 | 1 | 0.4 | 00.0-01.2 |
| Black or Afr. Am./Non-Hisp | 51 | 21,602 | 11 | 23.9 | 10.4-37.4 | 40 | 76.1 | 62.6-89.6 | | | |
| Hispanic | 79 | 17,112 | 10 | 18.7 | 06.9-30.5 | 69 | 81.3 | 69.5-93.1 | | | |
| 18-24 | 76 | 29,797 | 32 | 44.5 | 30.2-58.8 | 44 | 55.5 | 41.2-69.8 | | | |
| 25-34 | 128 | 45,035 | 34 | 28.5 | 19.5-37.5 | 94 | 71.5 | 62.5-80.5 | | | |
| 35-44 | 153 | 38,671 | 12 | 9.1 | 02.6-15.6 | 140 | 90.1 | 83.4-96.8 | 1 | 0.7 | 00.0-02.1 |
| 45-54 | 75 | 15,399 | 4 | 4.8 | 00.0-09.7 | 71 | 95.2 | 90.3-0100 | | | |
| Less Than H.S. | 51 | 17,759 | 5 | 14.8 | 01.1-28.5 | 46 | 85.2 | 71.5-98.9 | | | |
| H.S. or G.E.D. | 122 | 42,236 | 25 | 23.0 | 14.0-32.0 | 96 | 76.4 | 67.4-85.4 | 1 | 0.7 | 00.0-02.1 |
| Some Post-H.S. | 98 | 29,709 | 26 | 37.4 | 24.3-50.5 | 72 | 62.6 | 49.5-75.7 | | | |
| College Graduate | 166 | 38,647 | 26 | 17.9 | 10.8-25.0 | 140 | 82.1 | 75.0-89.2 | | | |
| \$50,000- 99,999 | 107 | 30,870 | 28 | 30.8 | 19.6-42.0 | 79 | 69.2 | 58.0-80.4 | | | |
| \$100,000- 199,999 | 98 | 29,469 | 15 | 17.8 | 07.8-27.8 | 82 | 81.2 | 71.2-91.2 | 1 | 1.0 | 00.0-03.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 5:HPV VACCINATION**

TABLE 3: HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 532 | 134,809 | 139 | 31.8 | 26.5-37.1 | 393 | 68.2 | 62.9-73.5 |
| White/Non-Hisp | 283 | 69,327 | 73 | 35.4 | 27.8-43.0 | 210 | 64.6 | 57.0-72.2 |
| Black or Afr. Am./Non-Hisp | 112 | 32,108 | 34 | 33.3 | 23.1-43.5 | 78 | 66.7 | 56.5-76.9 |
| Hispanic | 92 | 21,085 | 24 | 29.3 | 16.2-42.4 | 68 | 70.7 | 57.6-83.8 |
| 18-24 | 59 | 25,684 | 30 | 49.2 | 33.1-65.3 | 29 | 50.8 | 34.7-66.9 |
| 25-34 | 147 | 48,266 | 72 | 47.7 | 36.9-58.5 | 75 | 52.3 | 41.5-63.1 |
| 35-44 | 193 | 41,106 | 30 | 16.2 | 10.9-21.5 | 163 | 83.8 | 78.5-89.1 |
| 45-54 | 120 | 17,526 | 7 | 3.4 | 00.5-06.3 | 113 | 96.6 | 93.7-99.5 |
| H.S. or G.E.D. | 113 | 36,076 | 32 | 36.2 | 24.0-48.4 | 81 | 63.8 | 51.6-76.0 |
| Some Post-H.S. | 133 | 41,046 | 36 | 32.4 | 22.8-42.0 | 97 | 67.6 | 58.0-77.2 |
| College Graduate | 247 | 43,104 | 67 | 35.2 | 27.4-43.0 | 180 | 64.8 | 57.0-72.6 |
| \$25,000- 34,999 | 67 | 16,057 | 20 | 43.7 | 27.2-60.2 | 47 | 56.3 | 39.8-72.8 |
| \$35,000- 49,999 | 61 | 20,327 | 14 | 22.9 | 09.6-36.2 | 47 | 77.1 | 63.8-90.4 |
| \$50,000- 99,999 | 149 | 33,150 | 48 | 37.6 | 27.0-48.2 | 101 | 62.4 | 51.8-73.0 |
| \$100,000- 199,999 | 111 | 26,070 | 26 | 27.3 | 17.9-36.7 | 85 | 72.7 | 63.3-82.1 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 5:HPV VACCINATION**

TABLE 4: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 shot | | | 2 shots | | | All shots | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|-----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 177 | 59,798 | 44 | 27.8 | 20.0-35.6 | 66 | 33.1 | 24.7-41.5 | 67 | 39.1 | 30.3-47.9 |
| Male | 58 | 23,775 | 22 | 37.4 | 22.5-52.3 | 26 | 43.9 | 28.4-59.4 | 10 | 18.7 | 06.7-30.7 |
| Female | 119 | 36,023 | 22 | 21.4 | 13.4-29.4 | 40 | 26.0 | 16.8-35.2 | 57 | 52.6 | 41.8-63.4 |
| White/Non-Hisp | 100 | 36,848 | 22 | 21.4 | 11.8-31.0 | 35 | 34.5 | 22.9-46.1 | 43 | 44.1 | 32.3-55.9 |
| 18-24 | 52 | 21,938 | 6 | 11.0 | 02.2-19.8 | 23 | 45.7 | 29.4-62.0 | 23 | 43.4 | 27.5-59.3 |
| 25-34 | 84 | 28,961 | 24 | 32.4 | 20.2-44.6 | 26 | 24.9 | 14.7-35.1 | 34 | 42.8 | 29.9-55.7 |
| College Graduate | 76 | 17,750 | 14 | 15.4 | 06.8-24.0 | 28 | 33.9 | 20.6-47.2 | 34 | 50.7 | 36.6-64.8 |
| \$50,000- 99,999 | 64 | 19,314 | 20 | 37.6 | 22.5-52.7 | 18 | 22.6 | 11.4-33.8 | 26 | 39.8 | 25.5-54.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 5:HPV VACCINATION**

TABLE 5: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 shot | | | 2 shots | | | All shots | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|-----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 58 | 23,775 | 22 | 37.4 | 22.3-52.5 | 26 | 43.9 | 28.4-59.4 | 10 | 18.7 | 06.7-30.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 5:HPV VACCINATION**

TABLE 6: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 shot | | | 2 shots | | | All shots | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|-----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 119 | 36,023 | 22 | 21.4 | 13.4-29.4 | 40 | 26.0 | 17.0-35.0 | 57 | 52.6 | 41.8-63.4 |
| White/Non-Hisp | 64 | 21,473 | 10 | 15.4 | 05.2-25.6 | 19 | 25.9 | 13.2-38.6 | 35 | 58.7 | 44.6-72.8 |
| 25-34 | 61 | 19,457 | 13 | 21.8 | 09.1-34.5 | 17 | 20.0 | 08.4-31.6 | 31 | 58.2 | 43.1-73.3 |
| College Graduate | 60 | 13,012 | 8 | 11.9 | 02.9-20.9 | 21 | 28.6 | 14.3-42.9 | 31 | 59.5 | 43.8-75.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021

MODULE 13: CANCER SURVIVORSHIP: TYPE OF CANCER CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIFF) | |
| 1 | MALES AND FEMALES | 46 |
| 2 | MALES ONLY | 47 |
| 3 | FEMALES ONLY | 48 |
| | AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE) | |
| 4 | MALES AND FEMALES | 49 |
| 5 | MALES ONLY | 50 |
| 6 | FEMALES ONLY | 51 |
| | WHAT TYPE OF CANCER WAS IT? (CNCRTYP1) | |
| 7 | MALES AND FEMALES | 52 |
| 8 | MALES ONLY | 53 |
| 9 | FEMALES ONLY | 54 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 13: CANCER SURVIVORSHIP: TYPE OF CANCER
 TABLE 1: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Only one | | | Two | | | Three or more | | |
|--------------------|-------------------|----------|----------|------|------------|-----|------|------------|---------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 540 | 90,160 | 400 | 76.5 | 72.2-80.8 | 122 | 20.5 | 16.4-24.6 | 18 | 3.0 | 01.4-04.6 |
| Male | 229 | 40,009 | 171 | 76.2 | 69.7-82.7 | 48 | 19.9 | 13.6-26.2 | 10 | 3.9 | 01.2-06.6 |
| Female | 311 | 50,151 | 229 | 76.8 | 71.1-82.5 | 74 | 20.9 | 15.4-26.4 | 8 | 2.3 | 00.3-04.3 |
| White/Non-Hisp | 481 | 78,890 | 351 | 75.0 | 70.3-79.7 | 113 | 21.6 | 17.1-26.1 | 17 | 3.3 | 01.5-05.1 |
| 55-64 | 114 | 19,903 | 91 | 82.4 | 74.4-90.4 | 19 | 15.5 | 07.7-23.3 | 4 | 2.0 | 00.0-04.2 |
| 65+ | 360 | 55,571 | 259 | 74.3 | 68.8-79.8 | 88 | 22.1 | 17.0-27.2 | 13 | 3.6 | 01.2-06.0 |
| H.S. or G.E.D. | 123 | 26,992 | 96 | 78.9 | 70.3-87.5 | 25 | 20.1 | 11.5-28.7 | 2 | 1.0 | 00.0-02.4 |
| Some Post-H.S. | 167 | 29,776 | 118 | 72.1 | 63.9-80.3 | 41 | 22.5 | 15.1-29.9 | 8 | 5.4 | 01.3-09.5 |
| College Graduate | 237 | 30,617 | 177 | 78.7 | 72.6-84.8 | 53 | 19.0 | 13.1-24.9 | 7 | 2.3 | 00.3-04.3 |
| \$25,000- 34,999 | 55 | 9,943 | 40 | 77.5 | 65.2-89.8 | 12 | 19.4 | 07.4-31.4 | 3 | 3.1 | 00.0-06.8 |
| \$35,000- 49,999 | 65 | 10,823 | 43 | 71.5 | 58.4-84.6 | 20 | 25.0 | 12.3-37.7 | 2 | 3.5 | 00.0-08.4 |
| \$50,000- 99,999 | 158 | 26,932 | 119 | 76.9 | 68.7-85.1 | 34 | 21.6 | 13.4-29.8 | 5 | 1.5 | 00.1-02.9 |
| \$100,000- 199,999 | 89 | 14,786 | 70 | 82.6 | 74.0-91.2 | 17 | 15.9 | 07.5-24.3 | 2 | 1.5 | 00.0-03.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 13: CANCER SURVIVORSHIP: TYPE OF CANCER**

TABLE 2: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Only one | | | Two | | | Three or more | | |
|--------------------|-------------------|----------|----------|------|------------|-----|------|------------|---------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 229 | 40,009 | 171 | 76.2 | 69.7-82.7 | 48 | 19.9 | 13.6-26.2 | 10 | 3.9 | 01.2-06.6 |
| Female | 180 | 28,902 | 116 | 69.6 | 61.4-77.8 | 57 | 27.5 | 19.5-35.5 | 7 | 2.9 | 00.4-05.4 |
| White/Non-Hisp | 355 | 57,984 | 241 | 70.7 | 65.0-76.4 | 98 | 25.3 | 19.8-30.8 | 16 | 4.0 | 01.6-06.4 |
| 55-64 | 90 | 15,597 | 70 | 80.2 | 70.6-89.8 | 16 | 17.2 | 08.0-26.4 | 4 | 2.6 | 00.0-05.3 |
| 65+ | 268 | 42,200 | 179 | 70.4 | 63.9-76.9 | 77 | 25.5 | 19.4-31.6 | 12 | 4.0 | 01.5-06.5 |
| H.S. or G.E.D. | 94 | 20,813 | 69 | 74.5 | 63.9-85.1 | 23 | 24.2 | 13.8-34.6 | 2 | 1.3 | 00.0-03.1 |
| Some Post-H.S. | 131 | 22,705 | 90 | 70.6 | 61.2-80.0 | 34 | 23.6 | 15.0-32.2 | 7 | 5.8 | 00.9-10.7 |
| College Graduate | 174 | 23,111 | 121 | 74.9 | 67.5-82.3 | 46 | 22.0 | 14.9-29.1 | 7 | 3.1 | 00.6-05.6 |
| \$35,000- 49,999 | 54 | 9,649 | 35 | 71.0 | 56.5-85.5 | 17 | 25.0 | 11.3-38.7 | 2 | 4.0 | 00.0-09.5 |
| \$50,000- 99,999 | 123 | 20,731 | 88 | 73.8 | 64.2-83.4 | 30 | 24.3 | 14.9-33.7 | 5 | 1.9 | 00.1-03.7 |
| \$100,000- 199,999 | 68 | 11,075 | 50 | 78.0 | 67.0-89.0 | 16 | 20.1 | 09.5-30.7 | 2 | 1.9 | 00.0-04.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 13: CANCER SURVIVORSHIP: TYPE OF CANCER**

TABLE 3: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Only one | | | Two | | | Three or more | | |
|--------------------|-------------------|----------|----------|------|------------|-----|------|------------|---------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 119 | 21,713 | 81 | 72.6 | 63.4-81.8 | 35 | 25.9 | 16.7-35.1 | 3 | 1.5 | 00.0-03.3 |
| Female | 311 | 50,151 | 229 | 76.8 | 71.1-82.5 | 74 | 20.9 | 15.4-26.4 | 8 | 2.3 | 00.3-04.3 |
| White/Non-Hisp | 378 | 61,795 | 267 | 73.8 | 68.5-79.1 | 101 | 23.9 | 18.8-29.0 | 10 | 2.2 | 00.6-03.8 |
| 55-64 | 87 | 15,328 | 66 | 79.4 | 69.6-89.2 | 18 | 18.6 | 09.0-28.2 | 3 | 2.0 | 00.0-04.4 |
| 65+ | 282 | 42,854 | 198 | 73.7 | 67.6-79.8 | 77 | 24.2 | 18.3-30.1 | 7 | 2.0 | 00.2-03.8 |
| H.S. or G.E.D. | 98 | 21,762 | 73 | 75.0 | 64.8-85.2 | 24 | 24.3 | 14.1-34.5 | 1 | 0.7 | 00.0-02.1 |
| Some Post-H.S. | 135 | 24,035 | 92 | 71.5 | 62.5-80.5 | 37 | 24.3 | 15.7-32.9 | 6 | 4.2 | 00.3-08.1 |
| College Graduate | 185 | 23,495 | 137 | 80.0 | 73.5-86.5 | 45 | 19.0 | 12.7-25.3 | 3 | 0.9 | 00.0-02.1 |
| \$35,000- 49,999 | 57 | 9,326 | 36 | 69.4 | 54.9-83.9 | 20 | 29.0 | 14.7-43.3 | 1 | 1.6 | 00.0-04.7 |
| \$50,000- 99,999 | 116 | 20,075 | 83 | 73.2 | 62.8-83.6 | 29 | 25.3 | 15.1-35.5 | 4 | 1.4 | 00.0-03.0 |
| \$100,000- 199,999 | 72 | 12,209 | 56 | 82.6 | 73.0-92.2 | 15 | 16.8 | 07.4-26.2 | 1 | 0.7 | 00.0-02.1 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 13: CANCER SURVIVORSHIP: TYPE OF CANCER
 TABLE 4: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Infant to 17 yrs. | | | 18 to 34 yrs. | | | 35 to 50 yrs. | | | 51 to 65 yrs. | | | 66 to 85 yrs. | | | 86 - 97 yrs | | |
|--------------------|-------------------|----------|-------------------|-----|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|-------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 521 | 87,468 | 3 | 0.6 | 00.0-01.4 | 51 | 11.1 | 07.2-15.0 | 138 | 28.4 | 23.3-33.5 | 205 | 37.8 | 32.5-43.1 | 121 | 21.6 | 17.3-25.9 | 3 | 0.6 | 00.0-01.4 |
| Male | 224 | 39,060 | 1 | 0.7 | 00.0-02.1 | 14 | 7.3 | 02.4-12.2 | 43 | 20.0 | 13.7-26.3 | 109 | 47.8 | 40.0-55.6 | 56 | 23.3 | 16.8-29.8 | 1 | 0.8 | 00.0-02.4 |
| Female | 297 | 48,408 | 2 | 0.4 | 00.0-01.0 | 37 | 14.1 | 08.4-19.8 | 95 | 35.2 | 27.8-42.6 | 96 | 29.6 | 22.9-36.3 | 65 | 20.2 | 14.1-26.3 | 2 | 0.4 | 00.0-01.0 |
| White/Non-Hisp | 464 | 76,426 | 2 | 0.3 | 00.0-00.7 | 42 | 10.1 | 06.2-14.0 | 129 | 28.0 | 22.9-33.1 | 178 | 38.1 | 32.6-43.6 | 111 | 22.8 | 17.9-27.7 | 2 | 0.6 | 00.0-01.6 |
| 55-64 | 113 | 19,821 | 1 | 1.3 | 00.0-03.8 | 17 | 14.0 | 05.6-22.4 | 37 | 34.4 | 23.6-45.2 | 58 | 50.2 | 38.6-61.8 | | | | | | |
| 65+ | 343 | 53,136 | 2 | 0.4 | 00.0-01.0 | 10 | 2.1 | 00.5-03.7 | 68 | 19.1 | 14.2-24.0 | 139 | 41.9 | 35.4-48.4 | 121 | 35.6 | 29.1-42.1 | 3 | 1.0 | 00.0-02.4 |
| H.S. or G.E.D. | 115 | 25,630 | 1 | 0.5 | 00.0-01.5 | 7 | 9.8 | 02.0-17.6 | 32 | 30.5 | 19.9-41.1 | 37 | 28.1 | 18.5-37.7 | 37 | 30.8 | 20.6-41.0 | 1 | 0.2 | 00.0-00.6 |
| Some Post-H.S. | 163 | 29,365 | 1 | 0.9 | 00.0-02.7 | 23 | 13.9 | 06.3-21.5 | 44 | 28.6 | 20.0-37.2 | 61 | 37.8 | 28.6-47.0 | 33 | 18.3 | 11.4-25.2 | 1 | 0.5 | 00.0-01.5 |
| College Graduate | 232 | 30,161 | 1 | 0.3 | 00.0-00.9 | 18 | 9.0 | 04.3-13.7 | 60 | 27.3 | 19.9-34.7 | 104 | 45.6 | 37.8-53.4 | 49 | 17.8 | 11.7-23.9 | | | |
| \$25,000- 34,999 | 51 | 9,091 | | | | 3 | 5.0 | 00.0-11.1 | 12 | 26.0 | 09.7-42.3 | 22 | 42.8 | 25.6-60.0 | 14 | 26.2 | 10.5-41.9 | | | |
| \$35,000- 49,999 | 64 | 10,708 | 2 | 3.8 | 00.0-09.3 | 8 | 18.8 | 04.3-33.3 | 12 | 15.1 | 05.9-24.3 | 22 | 28.6 | 15.1-42.1 | 19 | 32.4 | 17.1-47.7 | 1 | 1.4 | 00.0-04.1 |
| \$50,000- 99,999 | 156 | 26,814 | 1 | 0.3 | 00.0-00.9 | 13 | 11.3 | 03.3-19.3 | 43 | 28.4 | 18.6-38.2 | 64 | 38.7 | 28.7-48.7 | 35 | 21.3 | 13.5-29.1 | | | |
| \$100,000- 199,999 | 87 | 14,554 | | | | 10 | 13.1 | 03.1-23.1 | 27 | 37.7 | 25.0-50.4 | 40 | 40.1 | 28.1-52.1 | 10 | 9.1 | 03.0-15.2 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 13: CANCER SURVIVORSHIP: TYPE OF CANCER**

TABLE 5: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | | | | |
|--------------------|-------------------|----------|----------------------------------|-----|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|-------------|-----|------------|--|--|--|
| | TOTAL | WEIGHTED | Infant to 17 yrs. | | | 18 to 34 yrs. | | | 35 to 50 yrs. | | | 51 to 65 yrs. | | | 66 to 85 yrs. | | | 86 - 97 yrs | | | | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Male | 224 | 39,060 | 1 | 0.7 | 00.0-02.1 | 14 | 7.3 | 02.4-12.2 | 43 | 20.0 | 13.7-26.3 | 109 | 47.8 | 40.0-55.6 | 56 | 23.3 | 16.8-29.8 | 1 | 0.8 | 00.0-02.4 | | | |
| White/Non-Hisp | 193 | 33,299 | | | | 11 | 6.7 | 01.4-12.0 | 41 | 20.5 | 14.0-27.0 | 90 | 46.7 | 38.3-55.1 | 50 | 25.1 | 17.8-32.4 | 1 | 1.0 | 00.0-03.0 | | | |
| 65+ | 161 | 26,557 | | | | 4 | 1.2 | 00.0-02.6 | 27 | 17.0 | 10.1-23.9 | 73 | 46.4 | 37.4-55.4 | 56 | 34.3 | 25.5-43.1 | 1 | 1.2 | 00.0-03.6 | | | |
| H.S. or G.E.D. | 53 | 12,791 | | | | 2 | 5.3 | 00.0-13.1 | 16 | 30.6 | 16.3-44.9 | 22 | 38.2 | 22.7-53.7 | 13 | 25.9 | 11.6-40.2 | | | | | | |
| Some Post-H.S. | 61 | 11,435 | 1 | 2.3 | 00.0-06.8 | 6 | 10.0 | 00.0-21.4 | 10 | 15.7 | 05.3-26.1 | 27 | 46.4 | 31.5-61.3 | 17 | 25.6 | 13.8-37.4 | | | | | | |
| College Graduate | 107 | 14,214 | | | | 6 | 7.4 | 00.9-13.9 | 17 | 14.9 | 07.6-22.2 | 59 | 59.1 | 48.9-69.3 | 25 | 18.7 | 11.3-26.1 | | | | | | |
| \$50,000- 99,999 | 76 | 12,491 | | | | 5 | 4.3 | 00.2-08.4 | 15 | 17.7 | 08.1-27.3 | 33 | 45.3 | 31.6-59.0 | 23 | 32.7 | 19.6-45.8 | | | | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 13: CANCER SURVIVORSHIP: TYPE OF CANCER**

TABLE 6: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Infant to 17 yrs. | | | 18 to 34 yrs. | | | 35 to 50 yrs. | | | 51 to 65 yrs. | | | 66 to 85 yrs. | | | 86 - 97 yrs | | |
|--------------------|-------------------|----------|-------------------|-----|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|-------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 297 | 48,408 | 2 | 0.4 | 00.0-01.0 | 37 | 14.1 | 08.4-19.8 | 95 | 35.2 | 27.8-42.6 | 96 | 29.6 | 22.9-36.3 | 65 | 20.2 | 14.3-26.1 | 2 | 0.4 | 00.0-01.0 |
| White/Non-Hisp | 271 | 43,127 | 2 | 0.5 | 00.0-01.3 | 31 | 12.7 | 07.4-18.0 | 88 | 33.9 | 26.5-41.3 | 88 | 31.5 | 24.4-38.6 | 61 | 21.1 | 14.6-27.6 | 1 | 0.3 | 00.0-00.9 |
| 55-64 | 67 | 11,589 | | | | 14 | 18.1 | 06.1-30.1 | 28 | 46.3 | 31.0-61.6 | 25 | 35.5 | 20.8-50.2 | | | | | | |
| 65+ | 182 | 26,578 | 2 | 0.8 | 00.0-02.0 | 6 | 3.0 | 00.3-05.7 | 41 | 21.3 | 14.2-28.4 | 66 | 37.3 | 28.5-46.1 | 65 | 36.8 | 27.4-46.2 | 2 | 0.8 | 00.0-02.0 |
| H.S. or G.E.D. | 62 | 12,839 | 1 | 1.1 | 00.0-03.3 | 5 | 14.3 | 01.0-27.6 | 16 | 30.4 | 14.5-46.3 | 15 | 18.0 | 07.4-28.6 | 24 | 35.8 | 20.9-50.7 | 1 | 0.5 | 00.0-01.5 |
| Some Post-H.S. | 102 | 17,930 | | | | 17 | 16.5 | 06.3-26.7 | 34 | 36.8 | 24.8-48.8 | 34 | 32.4 | 20.8-44.0 | 16 | 13.6 | 05.6-21.6 | 1 | 0.8 | 00.0-02.4 |
| College Graduate | 125 | 15,946 | 1 | 0.5 | 00.0-01.5 | 12 | 10.5 | 03.6-17.4 | 43 | 38.5 | 26.3-50.7 | 45 | 33.6 | 23.4-43.8 | 24 | 16.9 | 07.5-26.3 | | | |
| \$50,000- 99,999 | 80 | 14,323 | 1 | 0.5 | 00.0-01.5 | 8 | 17.5 | 03.8-31.2 | 28 | 37.6 | 22.1-53.1 | 31 | 33.0 | 18.9-47.1 | 12 | 11.3 | 03.7-18.9 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 13: CANCER SURVIVORSHIP: TYPE OF CANCER
 TABLE 7: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Values 1-5 | | | Values 6-10 | | | Values 11-15 | | | Values 16-20 | | | Values 21-25 | | | Values 26-30 | | |
|--------------------|-------------------|----------|------------|------|------------|-------------|-----|------------|--------------|-----|------------|--------------|------|------------|--------------|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 528 | 87,570 | 90 | 18.7 | 14.4-23.0 | 27 | 4.3 | 02.3-06.3 | 7 | 0.8 | 00.2-01.4 | 71 | 14.4 | 10.7-18.1 | 296 | 55.7 | 50.4-61.0 | 37 | 6.1 | 03.7-08.5 |
| Male | 224 | 38,764 | 2 | 1.0 | 00.0-02.4 | 8 | 4.1 | 01.0-07.2 | 1 | 0.4 | 00.0-01.2 | 64 | 30.6 | 23.2-38.0 | 133 | 57.8 | 50.0-65.6 | 16 | 6.1 | 02.6-09.6 |
| Female | 304 | 48,806 | 88 | 32.7 | 25.6-39.8 | 19 | 4.5 | 02.1-06.9 | 6 | 1.1 | 00.1-02.1 | 7 | 1.6 | 00.4-02.8 | 163 | 54.0 | 46.6-61.4 | 21 | 6.0 | 02.9-09.1 |
| White/Non-Hisp | 472 | 77,619 | 79 | 17.0 | 12.9-21.1 | 20 | 3.5 | 01.7-05.3 | 6 | 0.9 | 00.1-01.7 | 56 | 12.5 | 08.8-16.2 | 278 | 59.8 | 54.3-65.3 | 33 | 6.3 | 03.8-08.8 |
| 55-64 | 112 | 19,348 | 21 | 18.3 | 09.9-26.7 | 7 | 5.1 | 01.0-09.2 | 2 | 1.6 | 00.0-03.8 | 5 | 4.4 | 00.0-08.9 | 68 | 61.7 | 50.7-72.7 | 9 | 8.9 | 02.2-15.6 |
| 65+ | 355 | 55,081 | 48 | 15.0 | 10.3-19.7 | 14 | 3.9 | 01.4-06.4 | 4 | 0.6 | 00.0-01.2 | 59 | 17.6 | 12.9-22.3 | 205 | 57.1 | 50.6-63.6 | 25 | 5.8 | 03.1-08.5 |
| H.S. or G.E.D. | 119 | 26,047 | 19 | 13.9 | 07.0-20.8 | 6 | 5.6 | 00.7-10.5 | 2 | 1.0 | 00.0-02.4 | 16 | 14.6 | 07.0-22.2 | 70 | 59.6 | 49.2-70.0 | 6 | 5.4 | 01.1-09.7 |
| Some Post-H.S. | 163 | 28,987 | 34 | 21.9 | 13.5-30.3 | 12 | 4.6 | 01.9-07.3 | 2 | 0.8 | 00.0-02.0 | 21 | 15.3 | 08.2-22.4 | 84 | 51.7 | 42.1-61.3 | 10 | 5.7 | 01.4-10.0 |
| College Graduate | 233 | 29,761 | 32 | 17.3 | 10.8-23.8 | 9 | 3.4 | 00.7-06.1 | 3 | 0.7 | 00.0-01.7 | 34 | 14.7 | 09.4-20.0 | 135 | 57.3 | 49.5-65.1 | 20 | 6.5 | 03.2-09.8 |
| \$25,000- 34,999 | 53 | 9,306 | 8 | 17.1 | 03.0-31.2 | 1 | 3.8 | 00.0-11.2 | | | | 9 | 22.8 | 07.3-38.3 | 33 | 53.1 | 36.0-70.2 | 2 | 3.2 | 00.0-08.5 |
| \$35,000- 49,999 | 62 | 10,163 | 11 | 17.4 | 04.5-30.3 | 4 | 3.7 | 00.0-07.6 | | | | 12 | 28.4 | 12.5-44.3 | 32 | 45.7 | 29.6-61.8 | 3 | 4.8 | 00.0-10.5 |
| \$50,000- 99,999 | 157 | 26,251 | 23 | 17.3 | 08.9-25.7 | 8 | 4.7 | 00.8-08.6 | 4 | 1.4 | 00.0-03.0 | 17 | 9.7 | 04.6-14.8 | 94 | 62.5 | 52.7-72.3 | 11 | 4.4 | 01.5-07.3 |
| \$100,000- 199,999 | 89 | 14,786 | 16 | 17.1 | 08.1-26.1 | 5 | 3.8 | 00.1-07.5 | | | | 16 | 17.9 | 08.5-27.3 | 42 | 50.4 | 37.7-63.1 | 10 | 10.7 | 02.7-18.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 13: CANCER SURVIVORSHIP: TYPE OF CANCER
 TABLE 8: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Values 1-5 | | | Values 6-10 | | | Values 11-15 | | | Values 16-20 | | | Values 21-25 | | | Values 26-30 | | |
|--------------------|-------------------|----------|------------|-----|------------|-------------|-----|------------|--------------|-----|------------|--------------|------|------------|--------------|------|------------|--------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 224 | 38,764 | 2 | 1.0 | 00.0-02.4 | 8 | 4.1 | 01.0-07.2 | 1 | 0.4 | 00.0-01.2 | 64 | 30.6 | 23.2-38.0 | 133 | 57.8 | 50.0-65.6 | 16 | 6.1 | 02.6-09.6 |
| White/Non-Hisp | 194 | 33,541 | 1 | 0.7 | 00.0-02.1 | 6 | 3.6 | 00.3-06.9 | 1 | 0.4 | 00.0-01.2 | 49 | 26.6 | 19.0-34.2 | 124 | 62.5 | 54.3-70.7 | 13 | 6.3 | 02.4-10.2 |
| 65+ | 163 | 27,142 | | | | 4 | 3.3 | 00.0-07.0 | 1 | 0.5 | 00.0-01.5 | 52 | 32.8 | 24.4-41.2 | 95 | 57.9 | 49.1-66.7 | 11 | 5.5 | 01.8-09.2 |
| H.S. or G.E.D. | 53 | 12,576 | 1 | 1.8 | 00.0-05.3 | 3 | 6.6 | 00.0-14.6 | | | | 14 | 28.4 | 14.1-42.7 | 32 | 57.1 | 41.4-72.8 | 3 | 6.1 | 00.0-13.0 |
| Some Post-H.S. | 60 | 11,009 | | | | | | | | | | 19 | 38.2 | 23.1-53.3 | 38 | 59.9 | 44.8-75.0 | 3 | 1.9 | 00.0-04.3 |
| College Graduate | 107 | 14,226 | 1 | 1.2 | 00.0-03.6 | 5 | 5.4 | 00.3-10.5 | 1 | 1.0 | 00.0-03.0 | 31 | 28.7 | 19.1-38.3 | 60 | 56.2 | 45.8-66.6 | 9 | 7.6 | 02.1-13.1 |
| \$50,000- 99,999 | 77 | 12,550 | 1 | 1.3 | 00.0-03.8 | 4 | 6.7 | 00.0-14.0 | 1 | 1.1 | 00.0-03.3 | 16 | 19.8 | 09.8-29.8 | 50 | 66.9 | 54.9-78.9 | 5 | 4.2 | 00.3-08.1 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 13: CANCER SURVIVORSHIP: TYPE OF CANCER
 TABLE 9: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Values 1-5 | | | Values 6-10 | | | Values 11-15 | | | Values 16-20 | | | Values 21-25 | | | Values 26-30 | | |
|--------------------|-------------------|----------|------------|------|------------|-------------|-----|------------|--------------|-----|------------|--------------|-----|------------|--------------|------|------------|--------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 304 | 48,806 | 88 | 32.7 | 25.8-39.6 | 19 | 4.5 | 02.1-06.9 | 6 | 1.1 | 00.1-02.1 | 7 | 1.6 | 00.4-02.8 | 163 | 54.0 | 46.7-61.3 | 21 | 6.0 | 02.9-09.1 |
| White/Non-Hisp | 278 | 44,078 | 78 | 29.5 | 23.0-36.0 | 14 | 3.4 | 01.4-05.4 | 5 | 1.2 | 00.0-02.4 | 7 | 1.8 | 00.4-03.2 | 154 | 57.8 | 50.5-65.1 | 20 | 6.3 | 03.0-09.6 |
| 55-64 | 67 | 11,543 | 21 | 30.7 | 17.4-44.0 | 4 | 3.5 | 00.0-07.2 | 2 | 2.7 | 00.0-06.4 | | | | 36 | 55.8 | 40.7-70.9 | 4 | 7.3 | 00.0-16.1 |
| 65+ | 192 | 27,938 | 48 | 29.5 | 21.1-37.9 | 10 | 4.5 | 01.2-07.8 | 3 | 0.8 | 00.0-01.8 | 7 | 2.8 | 00.6-05.0 | 110 | 56.3 | 47.3-65.3 | 14 | 6.1 | 02.4-09.8 |
| H.S. or G.E.D. | 66 | 13,471 | 18 | 25.1 | 12.6-37.6 | 3 | 4.6 | 00.0-10.5 | 2 | 1.9 | 00.0-04.6 | 2 | 1.8 | 00.0-04.3 | 38 | 61.9 | 48.0-75.8 | 3 | 4.7 | 00.0-10.0 |
| Some Post-H.S. | 103 | 17,978 | 34 | 35.4 | 23.1-47.7 | 12 | 7.4 | 02.9-11.9 | 2 | 1.3 | 00.0-03.3 | 2 | 1.3 | 00.0-03.3 | 46 | 46.6 | 34.3-58.9 | 7 | 8.0 | 01.1-14.9 |
| College Graduate | 126 | 15,535 | 31 | 32.1 | 20.9-43.3 | 4 | 1.6 | 00.0-03.4 | 2 | 0.5 | 00.0-01.1 | 3 | 2.0 | 00.0-04.4 | 75 | 58.4 | 47.0-69.8 | 11 | 5.5 | 01.8-09.2 |
| \$50,000- 99,999 | 80 | 13,701 | 22 | 32.0 | 17.3-46.7 | 4 | 2.8 | 00.0-05.9 | 3 | 1.6 | 00.0-04.0 | 1 | 0.5 | 00.0-01.5 | 44 | 58.4 | 43.1-73.7 | 6 | 4.7 | 00.6-08.8 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021**

MODULE 14: Cancer Survivorship: Course of Treatment CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

| TABLE | PAGE |
|---|------|
| ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVRT3) | |
| 1 MALES AND FEMALES | 57 |
| 2 MALES ONLY | 58 |
| 3 FEMALES ONLY | 59 |
| WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVDOC1) | |
| 4 MALES AND FEMALES | 60 |
| 5 MALES ONLY | 61 |
| 6 FEMALES ONLY | 62 |
| DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM) | |
| 7 MALES AND FEMALES | 63 |
| 8 MALES ONLY | 64 |
| 9 FEMALES ONLY | 65 |
| HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN) | |
| 10 MALES AND FEMALES | 66 |
| 11 MALES ONLY | 67 |
| 12 FEMALES ONLY | 68 |
| WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST) | |
| 13 MALES AND FEMALES | 69 |
| 14 MALES ONLY | 70 |
| 15 FEMALES ONLY | 71 |
| WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR) | |
| 16 MALES AND FEMALES | 72 |
| 17 MALES ONLY | 73 |
| 18 FEMALES ONLY | 74 |
| WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEIN) | |
| 19 MALES AND FEMALES | 75 |
| 20 MALES ONLY | 76 |
| 21 FEMALES ONLY | 77 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021

MODULE 14: Cancer Survivorship: Course of Treatment CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN) | |
| 22 | MALES AND FEMALES | 78 |
| 23 | MALES ONLY | 79 |
| 24 | FEMALES ONLY | 80 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 14: Cancer Survivorship: Course of Treatment**

**TABLE 1: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVTRT3)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No completed treatment | | | No refused treatment | | | No, have not started treatment | | | Treatment was not needed | | |
|--------------------|-------------------|----------|-----|------|------------|------------------------|------|------------|----------------------|-----|------------|--------------------------------|-----|------------|--------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 540 | 90,615 | 83 | 15.1 | 11.2-19.0 | 317 | 58.0 | 52.7-63.3 | 2 | 0.3 | 00.0-00.7 | 15 | 3.6 | 01.2-06.0 | 123 | 22.9 | 18.4-27.4 |
| Male | 230 | 40,399 | 36 | 16.5 | 10.4-22.6 | 138 | 59.0 | 51.4-66.6 | 1 | 0.5 | 00.0-01.5 | 9 | 3.8 | 01.1-06.5 | 46 | 20.2 | 13.9-26.5 |
| Female | 310 | 50,216 | 47 | 14.1 | 09.0-19.2 | 179 | 57.2 | 49.9-64.5 | 1 | 0.2 | 00.0-00.6 | 6 | 3.5 | 00.0-07.0 | 77 | 25.0 | 18.7-31.3 |
| White/Non-Hisp | 480 | 78,983 | 67 | 13.0 | 09.3-16.7 | 287 | 59.7 | 54.2-65.2 | 1 | 0.3 | 00.0-00.9 | 13 | 3.0 | 01.2-04.8 | 112 | 24.1 | 19.2-29.0 |
| 55-64 | 115 | 20,189 | 14 | 14.7 | 06.3-23.1 | 73 | 63.2 | 52.4-74.0 | 1 | 0.5 | 00.0-01.5 | 2 | 1.0 | 00.0-02.4 | 25 | 20.6 | 12.0-29.2 |
| 65+ | 359 | 55,623 | 56 | 14.0 | 09.7-18.3 | 209 | 58.6 | 52.3-64.9 | 1 | 0.4 | 00.0-01.2 | 10 | 3.2 | 01.0-05.4 | 83 | 23.8 | 18.3-29.3 |
| H.S. or G.E.D. | 123 | 27,243 | 17 | 14.7 | 06.7-22.7 | 67 | 49.7 | 38.7-60.7 | | | | 5 | 3.6 | 00.3-06.9 | 34 | 32.0 | 21.4-42.6 |
| Some Post-H.S. | 165 | 29,333 | 24 | 13.9 | 07.6-20.2 | 103 | 63.7 | 54.7-72.7 | 1 | 0.3 | 00.0-00.9 | 3 | 3.8 | 00.0-09.3 | 34 | 18.2 | 11.7-24.7 |
| College Graduate | 240 | 31,598 | 40 | 16.6 | 10.3-22.9 | 141 | 60.0 | 52.4-67.6 | | | | 6 | 3.6 | 00.7-06.5 | 53 | 19.8 | 14.1-25.5 |
| \$25,000- 34,999 | 54 | 9,401 | 8 | 17.4 | 03.1-31.7 | 29 | 48.4 | 31.5-65.3 | | | | 2 | 3.0 | 00.0-07.5 | 15 | 31.2 | 15.1-47.3 |
| \$35,000- 49,999 | 65 | 10,823 | 9 | 14.2 | 03.4-25.0 | 44 | 69.1 | 55.0-83.2 | | | | 2 | 3.7 | 00.0-09.0 | 10 | 13.0 | 03.0-23.0 |
| \$50,000- 99,999 | 158 | 27,409 | 21 | 15.1 | 07.3-22.9 | 88 | 51.5 | 41.1-61.9 | 1 | 0.4 | 00.0-01.2 | 6 | 6.3 | 00.0-12.6 | 42 | 26.7 | 17.3-36.1 |
| \$100,000- 199,999 | 90 | 15,078 | 16 | 13.4 | 05.6-21.2 | 54 | 64.1 | 52.5-75.7 | | | | 3 | 4.5 | 00.0-10.0 | 17 | 18.1 | 09.5-26.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 2: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVTRT3)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No completed treatment | | | No refused treatment | | | No, have not started treatment | | | Treatment was not needed | | |
|--------------------|-------------------|----------|-----|------|------------|------------------------|------|------------|----------------------|-----|------------|--------------------------------|-----|------------|--------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 230 | 40,399 | 36 | 16.5 | 10.4-22.6 | 138 | 59.0 | 51.4-66.6 | 1 | 0.5 | 00.0-01.5 | 9 | 3.8 | 01.1-06.5 | 46 | 20.2 | 13.9-26.5 |
| Female | 179 | 28,967 | 41 | 22.4 | 14.2-30.6 | 108 | 59.3 | 49.7-68.9 | 1 | 0.3 | 00.0-00.9 | 3 | 4.5 | 00.0-10.2 | 26 | 13.5 | 07.4-19.6 |
| White/Non-Hisp | 354 | 58,077 | 61 | 16.6 | 11.7-21.5 | 218 | 61.5 | 55.2-67.8 | 1 | 0.3 | 00.0-00.9 | 10 | 3.3 | 01.1-05.5 | 64 | 18.3 | 13.4-23.2 |
| 55-64 | 91 | 15,882 | 13 | 17.7 | 07.5-27.9 | 59 | 62.3 | 50.1-74.5 | 1 | 0.6 | 00.0-01.8 | 2 | 1.2 | 00.0-03.0 | 16 | 18.1 | 08.7-27.5 |
| 65+ | 267 | 42,252 | 51 | 17.5 | 12.0-23.0 | 160 | 60.7 | 53.6-67.8 | 1 | 0.5 | 00.0-01.5 | 7 | 3.2 | 00.7-05.7 | 48 | 18.2 | 12.5-23.9 |
| H.S. or G.E.D. | 94 | 21,064 | 14 | 17.3 | 07.3-27.3 | 55 | 54.7 | 42.4-67.0 | | | | 3 | 3.0 | 00.0-06.5 | 22 | 25.0 | 14.4-35.6 |
| Some Post-H.S. | 129 | 22,262 | 23 | 17.8 | 09.8-25.8 | 83 | 62.1 | 51.5-72.7 | 1 | 0.4 | 00.0-01.2 | 3 | 5.0 | 00.0-12.1 | 19 | 14.7 | 07.6-21.8 |
| College Graduate | 177 | 24,091 | 39 | 21.7 | 13.7-29.7 | 103 | 59.8 | 51.0-68.6 | | | | 5 | 4.2 | 00.5-07.9 | 30 | 14.4 | 08.7-20.1 |
| \$35,000- 49,999 | 54 | 9,649 | 7 | 13.3 | 01.7-24.9 | 36 | 69.6 | 54.3-84.9 | | | | 1 | 2.5 | 00.0-07.4 | 10 | 14.5 | 03.3-25.7 |
| \$50,000- 99,999 | 123 | 21,207 | 21 | 19.5 | 09.7-29.3 | 68 | 48.7 | 37.3-60.1 | 1 | 0.5 | 00.0-01.5 | 5 | 7.6 | 00.0-15.4 | 28 | 23.7 | 14.3-33.1 |
| \$100,000- 199,999 | 69 | 11,368 | 16 | 17.7 | 07.5-27.9 | 42 | 65.3 | 52.2-78.4 | | | | 3 | 5.9 | 00.0-13.0 | 8 | 11.0 | 03.2-18.8 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 3: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVTRT3)
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No completed treatment | | | No refused treatment | | | No, have not started treatment | | | Treatment was not needed | | |
|--------------------|-------------------|----------|-----|------|------------|------------------------|------|------------|----------------------|-----|------------|--------------------------------|-----|------------|--------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 119 | 21,814 | 23 | 21.0 | 11.6-30.4 | 70 | 57.1 | 46.3-67.9 | | | | 3 | 2.3 | 00.0-05.2 | 23 | 19.6 | 11.2-28.0 |
| Female | 310 | 50,216 | 47 | 14.1 | 09.0-19.2 | 179 | 57.2 | 49.9-64.5 | 1 | 0.2 | 00.0-00.6 | 6 | 3.5 | 00.0-07.0 | 77 | 25.0 | 18.7-31.3 |
| White/Non-Hisp | 376 | 61,599 | 54 | 13.3 | 09.0-17.6 | 225 | 59.7 | 53.4-66.0 | | | | 7 | 2.2 | 00.4-04.0 | 90 | 24.8 | 19.1-30.5 |
| 55-64 | 88 | 15,613 | 12 | 16.9 | 06.7-27.1 | 56 | 63.0 | 50.7-75.3 | 1 | 0.6 | 00.0-01.8 | 2 | 1.2 | 00.0-03.0 | 17 | 18.2 | 09.0-27.4 |
| 65+ | 281 | 42,909 | 45 | 14.2 | 09.3-19.1 | 162 | 58.6 | 51.5-65.7 | | | | 5 | 2.2 | 00.2-04.2 | 69 | 25.0 | 18.7-31.3 |
| H.S. or G.E.D. | 99 | 22,103 | 16 | 17.5 | 07.9-27.1 | 51 | 48.3 | 36.3-60.3 | | | | 4 | 3.1 | 00.0-06.2 | 28 | 31.1 | 19.3-42.9 |
| Some Post-H.S. | 133 | 23,592 | 18 | 13.2 | 06.3-20.1 | 85 | 63.6 | 53.2-74.0 | 1 | 0.4 | 00.0-01.2 | 1 | 3.4 | 00.0-09.9 | 28 | 19.4 | 11.8-27.0 |
| College Graduate | 186 | 24,096 | 34 | 17.8 | 10.2-25.4 | 107 | 58.8 | 50.0-67.6 | | | | 3 | 2.8 | 00.0-06.1 | 42 | 20.7 | 13.8-27.6 |
| \$35,000- 49,999 | 57 | 9,326 | 9 | 16.5 | 04.2-28.8 | 38 | 70.5 | 56.2-84.8 | | | | 2 | 4.3 | 00.0-10.4 | 8 | 8.8 | 02.3-15.3 |
| \$50,000- 99,999 | 117 | 20,642 | 15 | 16.7 | 06.7-26.7 | 69 | 53.2 | 41.0-65.4 | 1 | 0.5 | 00.0-01.5 | 3 | 5.7 | 00.0-13.3 | 29 | 23.9 | 13.3-34.5 |
| \$100,000- 199,999 | 72 | 12,209 | 14 | 14.2 | 05.0-23.4 | 43 | 65.1 | 52.2-78.0 | | | | 1 | 2.5 | 00.0-07.4 | 14 | 18.3 | 08.5-28.1 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 14: Cancer Survivorship: Course of Treatment**

**TABLE 4: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Canc., Gen. Surgeon (1,3) | | | Fam. Pract., Internist (2,5) | | | Gynecologic Oncologist (4) | | | Plastic, Reconstruct. Surgeon (6) | | | Medical, Radiation Oncologist (7,8) | | | Urologist, Other (9,10) | | |
|--------------------|-------------------|----------|---------------------------|------|------------|------------------------------|------|------------|----------------------------|-----|------------|-----------------------------------|-----|------------|-------------------------------------|------|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 311 | 51,422 | 17 | 5.8 | 02.3-09.3 | 210 | 65.8 | 59.1-72.5 | 3 | 1.0 | 00.0-02.2 | 6 | 1.9 | 00.1-03.7 | 11 | 6.2 | 02.1-10.3 | 64 | 19.3 | 14.0-24.6 |
| Male | 136 | 23,417 | 4 | 3.5 | 00.0-07.2 | 99 | 75.5 | 67.3-83.7 | | | | 2 | 1.5 | 00.0-03.7 | 3 | 4.0 | 00.0-08.7 | 28 | 15.5 | 09.2-21.8 |
| Female | 175 | 28,005 | 13 | 7.7 | 02.2-13.2 | 111 | 57.6 | 48.0-67.2 | 3 | 1.8 | 00.0-04.0 | 4 | 2.3 | 00.0-05.0 | 8 | 8.1 | 01.6-14.6 | 36 | 22.5 | 14.7-30.3 |
| White/Non-Hisp | 281 | 45,985 | 13 | 4.5 | 01.8-07.2 | 190 | 66.5 | 59.6-73.4 | 3 | 1.1 | 00.0-02.5 | 6 | 2.2 | 00.2-04.2 | 10 | 6.1 | 01.6-10.6 | 59 | 19.6 | 14.1-25.1 |
| 55-64 | 72 | 12,454 | 2 | 3.4 | 00.0-08.7 | 45 | 62.7 | 48.4-77.0 | 3 | 4.0 | 00.0-09.1 | | | | 4 | 8.3 | 00.0-18.5 | 18 | 21.5 | 10.1-32.9 |
| 65+ | 204 | 31,759 | 11 | 4.3 | 01.4-07.2 | 143 | 68.3 | 60.5-76.1 | | | | 5 | 2.4 | 00.0-04.9 | 6 | 5.6 | 00.7-10.5 | 39 | 19.3 | 12.8-25.8 |
| H.S. or G.E.D. | 65 | 13,125 | 8 | 11.4 | 02.8-20.0 | 35 | 57.2 | 42.3-72.1 | 2 | 1.6 | 00.0-03.8 | 2 | 1.7 | 00.0-04.1 | 4 | 12.2 | 00.2-24.2 | 14 | 16.1 | 06.1-26.1 |
| Some Post-H.S. | 100 | 18,286 | 4 | 5.9 | 00.0-13.0 | 72 | 72.8 | 62.0-83.6 | | | | 1 | 1.2 | 00.0-03.6 | 3 | 1.9 | 00.0-04.1 | 20 | 18.1 | 09.3-26.9 |
| College Graduate | 140 | 18,654 | 4 | 1.4 | 00.0-02.8 | 99 | 66.1 | 56.5-75.7 | 1 | 1.5 | 00.0-04.4 | 3 | 3.0 | 00.0-06.9 | 3 | 3.8 | 00.0-08.3 | 30 | 24.2 | 15.6-32.8 |
| \$50,000- 99,999 | 87 | 13,913 | 4 | 2.6 | 00.0-05.3 | 62 | 70.1 | 57.8-82.4 | 1 | 0.8 | 00.0-02.4 | | | | 3 | 4.0 | 00.0-09.1 | 17 | 22.6 | 11.2-34.0 |
| \$100,000- 199,999 | 53 | 9,352 | 2 | 2.1 | 00.0-05.4 | 36 | 70.4 | 54.7-86.1 | | | | 1 | 0.7 | 00.0-02.1 | 2 | 11.0 | 00.0-25.5 | 12 | 15.9 | 06.1-25.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 5 WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVDOC1)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Canc., Gen. Surgeon (1,3) | | | Fam. Pract., Internist (2,5) | | | Plastic, Reconstruct. Surgeon (6) | | | Medical, Radiation Oncologist (7,8) | | | Urologist, Other (9,10) | | |
|--------------------|-------------------|----------|---------------------------|-----|------------|------------------------------|------|------------|-----------------------------------|-----|------------|-------------------------------------|-----|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 136 | 23,417 | 4 | 3.5 | 00.0-07.2 | 99 | 75.5 | 67.3-83.7 | 2 | 1.5 | 00.0-03.7 | 3 | 4.0 | 00.0-08.7 | 28 | 15.5 | 09.2-21.8 |
| White/Non-Hisp | 118 | 20,472 | 4 | 4.0 | 00.0-08.1 | 85 | 74.9 | 65.9-83.9 | 2 | 1.7 | 00.0-04.1 | 3 | 4.5 | 00.0-10.0 | 24 | 14.9 | 08.4-21.4 |
| 65+ | 98 | 15,766 | 2 | 1.7 | 00.0-04.2 | 73 | 75.0 | 65.0-85.0 | 1 | 0.9 | 00.0-02.7 | 3 | 5.9 | 00.0-13.0 | 19 | 16.6 | 08.6-24.6 |
| College Graduate | 67 | 9,071 | 1 | 1.0 | 00.0-03.0 | 47 | 72.6 | 61.2-84.0 | 1 | 1.5 | 00.0-04.4 | 1 | 1.6 | 00.0-04.7 | 17 | 23.3 | 12.3-34.3 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 14: Cancer Survivorship: Course of Treatment**

**TABLE 6: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Canc., Gen. Surgeon (1,3) | | | Fam. Pract., Internist (2,5) | | | Gynecologic Oncologist (4) | | | Plastic, Reconstruct. Surgeon (6) | | | Medical, Radiation Oncologist (7,8) | | | Urologist, Other (9,10) | | |
|--------------------|-------------------|----------|---------------------------|-----|------------|------------------------------|------|------------|----------------------------|-----|------------|-----------------------------------|-----|------------|-------------------------------------|-----|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 175 | 28,005 | 13 | 7.7 | 02.2-13.2 | 111 | 57.6 | 48.0-67.2 | 3 | 1.8 | 00.0-04.0 | 4 | 2.3 | 00.0-05.0 | 8 | 8.1 | 01.4-14.8 | 36 | 22.5 | 14.5-30.5 |
| White/Non-Hisp | 163 | 25,513 | 9 | 5.0 | 01.3-08.7 | 105 | 59.8 | 50.0-69.6 | 3 | 1.9 | 00.0-04.4 | 4 | 2.5 | 00.0-05.6 | 7 | 7.4 | 00.7-14.1 | 35 | 23.3 | 15.1-31.5 |
| 65+ | 106 | 15,993 | 9 | 6.9 | 01.6-12.2 | 70 | 61.7 | 49.9-73.5 | | | | 4 | 4.0 | 00.0-08.7 | 3 | 5.4 | 00.0-12.5 | 20 | 22.0 | 12.2-31.8 |
| Some Post-H.S. | 63 | 11,191 | 4 | 9.7 | 00.0-21.1 | 42 | 64.2 | 48.7-79.7 | | | | | | | 3 | 3.1 | 00.0-06.8 | 14 | 23.0 | 10.1-35.9 |
| College Graduate | 73 | 9,583 | 3 | 1.8 | 00.0-04.0 | 52 | 60.0 | 46.1-73.9 | 1 | 3.0 | 00.0-08.7 | 2 | 4.4 | 00.0-11.5 | 2 | 5.8 | 00.0-14.0 | 13 | 25.1 | 12.0-38.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 7: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
 Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 300 | 50,157 | 148 | 52.1 | 45.0-59.2 | 152 | 47.9 | 40.8-55.0 |
| Male | 131 | 22,840 | 69 | 55.0 | 44.6-65.4 | 62 | 45.0 | 34.6-55.4 |
| Female | 169 | 27,318 | 79 | 49.8 | 39.8-59.8 | 90 | 50.2 | 40.2-60.2 |
| White/Non-Hisp | 271 | 44,866 | 130 | 49.8 | 42.2-57.4 | 141 | 50.2 | 42.6-57.8 |
| 55-64 | 71 | 12,477 | 32 | 46.7 | 32.0-61.4 | 39 | 53.3 | 38.6-68.0 |
| 65+ | 197 | 30,855 | 95 | 52.3 | 43.7-60.9 | 102 | 47.7 | 39.1-56.3 |
| H.S. or G.E.D. | 63 | 12,837 | 28 | 47.1 | 32.4-61.8 | 35 | 52.9 | 38.2-67.6 |
| Some Post-H.S. | 95 | 17,501 | 47 | 47.8 | 35.1-60.5 | 48 | 52.2 | 39.5-64.9 |
| College Graduate | 136 | 18,464 | 70 | 58.2 | 48.0-68.4 | 66 | 41.8 | 31.6-52.0 |
| \$50,000- 99,999 | 83 | 13,507 | 44 | 49.3 | 35.4-63.2 | 39 | 50.7 | 36.8-64.6 |
| \$100,000- 199,999 | 50 | 9,240 | 29 | 58.9 | 41.8-76.0 | 21 | 41.1 | 24.0-58.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 8: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 131 | 22,840 | 69 | 55.0 | 44.6-65.4 | 62 | 45.0 | 34.6-55.4 |
| White/Non-Hisp | 114 | 20,041 | 58 | 52.9 | 41.7-64.1 | 56 | 47.1 | 35.9-58.3 |
| 65+ | 95 | 15,462 | 49 | 54.3 | 42.5-66.1 | 46 | 45.7 | 33.9-57.5 |
| College Graduate | 64 | 8,790 | 35 | 63.3 | 50.8-75.8 | 29 | 36.7 | 24.2-49.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 9: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 169 | 27,318 | 79 | 49.8 | 39.8-59.8 | 90 | 50.2 | 40.2-60.2 |
| White/Non-Hisp | 157 | 24,825 | 72 | 47.3 | 36.9-57.7 | 85 | 52.7 | 42.3-63.1 |
| 65+ | 102 | 15,393 | 46 | 50.3 | 37.8-62.8 | 56 | 49.7 | 37.2-62.2 |
| Some Post-H.S. | 59 | 10,483 | 24 | 39.7 | 23.8-55.6 | 35 | 60.3 | 44.4-76.2 |
| College Graduate | 72 | 9,673 | 35 | 53.5 | 37.8-69.2 | 37 | 46.5 | 30.8-62.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 10: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 305 | 50,924 | 249 | 83.7 | 78.6-88.8 | 56 | 16.3 | 11.2-21.4 |
| Male | 137 | 23,779 | 111 | 85.3 | 79.0-91.6 | 26 | 14.7 | 08.4-21.0 |
| Female | 168 | 27,144 | 138 | 82.3 | 74.3-90.3 | 30 | 17.7 | 09.7-25.7 |
| White/Non-Hisp | 275 | 45,487 | 228 | 84.1 | 78.4-89.8 | 47 | 15.9 | 10.2-21.6 |
| 55-64 | 70 | 12,150 | 59 | 83.5 | 71.0-96.0 | 11 | 16.5 | 04.0-29.0 |
| 65+ | 200 | 31,564 | 160 | 83.1 | 77.2-89.0 | 40 | 16.9 | 11.0-22.8 |
| H.S. or G.E.D. | 61 | 12,462 | 48 | 80.5 | 68.7-92.3 | 13 | 19.5 | 07.7-31.3 |
| Some Post-H.S. | 98 | 18,218 | 74 | 79.5 | 69.5-89.5 | 24 | 20.5 | 10.5-30.5 |
| College Graduate | 140 | 18,887 | 121 | 88.7 | 83.4-94.0 | 19 | 11.3 | 06.0-16.6 |
| \$50,000- 99,999 | 84 | 13,287 | 68 | 78.2 | 65.3-91.1 | 16 | 21.8 | 08.9-34.7 |
| \$100,000- 199,999 | 53 | 9,611 | 47 | 91.3 | 83.5-99.1 | 6 | 8.7 | 00.9-16.5 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 11: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 137 | 23,779 | 111 | 85.3 | 79.2-91.4 | 26 | 14.7 | 08.6-20.8 |
| White/Non-Hisp | 119 | 20,835 | 101 | 87.9 | 81.4-94.4 | 18 | 12.1 | 05.6-18.6 |
| 65+ | 99 | 16,128 | 80 | 86.1 | 79.4-92.8 | 19 | 13.9 | 07.2-20.6 |
| College Graduate | 67 | 9,071 | 55 | 83.0 | 73.4-92.6 | 12 | 17.0 | 07.4-26.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 12: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 168 | 27,144 | 138 | 82.3 | 74.3-90.3 | 30 | 17.7 | 09.7-25.7 |
| White/Non-Hisp | 156 | 24,652 | 127 | 80.8 | 72.2-89.4 | 29 | 19.2 | 10.6-27.8 |
| 65+ | 101 | 15,436 | 80 | 79.9 | 70.5-89.3 | 21 | 20.1 | 10.7-29.5 |
| Some Post-H.S. | 60 | 10,921 | 45 | 76.8 | 62.3-91.3 | 15 | 23.2 | 08.7-37.7 |
| College Graduate | 73 | 9,816 | 66 | 94.0 | 89.1-98.9 | 7 | 6.0 | 01.1-10.9 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 13: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 238 | 40,461 | 183 | 78.7 | 72.4-85.0 | 55 | 21.3 | 15.0-27.6 |
| Male | 107 | 19,744 | 83 | 83.0 | 75.7-90.3 | 24 | 17.0 | 09.7-24.3 |
| Female | 131 | 20,717 | 100 | 74.6 | 64.6-84.6 | 31 | 25.4 | 15.4-35.4 |
| White/Non-Hisp | 218 | 36,214 | 166 | 77.1 | 70.2-84.0 | 52 | 22.9 | 16.0-29.8 |
| 55-64 | 54 | 9,236 | 40 | 74.3 | 59.6-89.0 | 14 | 25.7 | 11.0-40.4 |
| 65+ | 156 | 25,630 | 115 | 75.6 | 67.4-83.8 | 41 | 24.4 | 16.2-32.6 |
| Some Post-H.S. | 67 | 12,965 | 54 | 80.2 | 69.0-91.4 | 13 | 19.8 | 08.6-31.0 |
| College Graduate | 119 | 16,503 | 89 | 76.8 | 67.6-86.0 | 30 | 23.2 | 14.0-32.4 |
| \$50,000- 99,999 | 66 | 10,058 | 48 | 75.3 | 63.1-87.5 | 18 | 24.7 | 12.5-36.9 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 14: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 107 | 19,744 | 83 | 83.0 | 75.7-90.3 | 24 | 17.0 | 09.7-24.3 |
| White/Non-Hisp | 98 | 17,922 | 76 | 82.6 | 74.8-90.4 | 22 | 17.4 | 09.6-25.2 |
| 65+ | 78 | 13,577 | 58 | 79.9 | 70.5-89.3 | 20 | 20.1 | 10.7-29.5 |
| College Graduate | 55 | 7,531 | 40 | 74.9 | 62.6-87.2 | 15 | 25.1 | 12.8-37.4 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 15: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|-----------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 131 | 20,717 | 100 | 74.6 | 64.8-84.4 | 31 | 25.4 | 15.6-35.2 |
| White/Non-Hisp | 120 | 18,291 | 90 | 71.7 | 60.9-82.5 | 30 | 28.3 | 17.5-39.1 |
| 65+ | 78 | 12,053 | 57 | 70.7 | 57.2-84.2 | 21 | 29.3 | 15.8-42.8 |
| College Graduate | 64 | 8,972 | 49 | 78.3 | 65.4-91.2 | 15 | 21.7 | 08.8-34.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 16: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|-------|------------|----|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 312 | 51,696 | 308 | 99.0 | 97.8-0100 | 4 | 1.0 | 00.0-02.2 |
| Male | 138 | 23,833 | 135 | 98.3 | 96.1-0100 | 3 | 1.7 | 00.0-03.9 |
| Female | 174 | 27,863 | 173 | 99.6 | 98.8-0100 | 1 | 0.4 | 00.0-01.2 |
| White/Non-Hisp | 282 | 46,259 | 279 | 99.2 | 98.2-0100 | 3 | 0.8 | 00.0-01.8 |
| 55-64 | 72 | 12,659 | 72 | 100.0 | 0100-0100 | | | |
| 65+ | 205 | 31,827 | 203 | 99.2 | 97.8-0100 | 2 | 0.8 | 00.0-02.2 |
| H.S. or G.E.D. | 65 | 13,271 | 64 | 98.4 | 95.3-0100 | 1 | 1.6 | 00.0-04.7 |
| Some Post-H.S. | 100 | 18,104 | 98 | 98.6 | 96.6-0100 | 2 | 1.4 | 00.0-03.4 |
| College Graduate | 141 | 18,964 | 140 | 99.7 | 99.1-0100 | 1 | 0.3 | 00.0-00.9 |
| \$50,000- 99,999 | 87 | 13,987 | 86 | 99.0 | 97.0-0100 | 1 | 1.0 | 00.0-03.0 |
| \$100,000- 199,999 | 53 | 9,611 | 52 | 98.8 | 96.4-0100 | 1 | 1.2 | 00.0-03.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 17: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 138 | 23,833 | 135 | 98.3 | 96.1-0100 | 3 | 1.7 | 00.0-03.9 |
| White/Non-Hisp | 120 | 20,889 | 118 | 98.7 | 96.5-0100 | 2 | 1.3 | 00.0-03.5 |
| 65+ | 100 | 16,182 | 98 | 98.3 | 95.6-0100 | 2 | 1.7 | 00.0-04.4 |
| College Graduate | 67 | 9,071 | 66 | 99.4 | 98.2-0100 | 1 | 0.6 | 00.0-01.8 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 18: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|-------|------------|----|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 174 | 27,863 | 173 | 99.6 | 98.8-0100 | 1 | 0.4 | 00.0-01.2 |
| White/Non-Hisp | 162 | 25,370 | 161 | 99.6 | 98.8-0100 | 1 | 0.4 | 00.0-01.2 |
| 65+ | 105 | 15,645 | 105 | 100.0 | 0100-0100 | | | |
| Some Post-H.S. | 62 | 10,808 | 61 | 99.0 | 97.0-0100 | 1 | 1.0 | 00.0-03.0 |
| College Graduate | 74 | 9,893 | 74 | 100.0 | 0100-0100 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 19: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
 Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 311 | 51,785 | 15 | 5.7 | 01.8-09.6 | 296 | 94.3 | 90.4-98.2 |
| Male | 138 | 23,833 | 7 | 6.4 | 00.1-12.7 | 131 | 93.6 | 87.3-99.9 |
| Female | 173 | 27,952 | 8 | 5.2 | 00.3-10.1 | 165 | 94.8 | 89.9-99.7 |
| White/Non-Hisp | 281 | 46,348 | 13 | 4.8 | 01.3-08.3 | 268 | 95.2 | 91.7-98.7 |
| 55-64 | 71 | 12,515 | 5 | 4.1 | 00.2-08.0 | 66 | 95.9 | 92.0-99.8 |
| 65+ | 205 | 32,061 | 4 | 2.0 | 00.0-04.4 | 201 | 98.0 | 95.6-0100 |
| H.S. or G.E.D. | 65 | 13,271 | 1 | 2.7 | 00.0-08.0 | 64 | 97.3 | 92.0-0100 |
| Some Post-H.S. | 100 | 18,375 | 7 | 10.1 | 00.5-19.7 | 93 | 89.9 | 80.3-99.5 |
| College Graduate | 140 | 18,782 | 7 | 4.0 | 00.7-07.3 | 133 | 96.0 | 92.7-99.3 |
| \$50,000- 99,999 | 87 | 13,987 | 4 | 3.1 | 00.0-06.4 | 83 | 96.9 | 93.6-0100 |
| \$100,000- 199,999 | 52 | 9,468 | 4 | 5.0 | 00.0-10.5 | 48 | 95.0 | 89.5-0100 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 20: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|-----|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 138 | 23,833 | 7 | 6.4 | 00.0-12.9 | 131 | 93.6 | 87.1-0100 |
| White/Non-Hisp | 120 | 20,889 | 7 | 7.2 | 00.0-14.5 | 113 | 92.8 | 85.5-0100 |
| 65+ | 100 | 16,182 | 3 | 3.0 | 00.0-07.5 | 97 | 97.0 | 92.5-0100 |
| College Graduate | 67 | 9,071 | 3 | 3.6 | 00.0-08.3 | 64 | 96.4 | 91.7-0100 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 21: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|-----|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 173 | 27,952 | 8 | 5.2 | 00.3-10.1 | 165 | 94.8 | 89.9-99.7 |
| White/Non-Hisp | 161 | 25,460 | 6 | 2.9 | 00.5-05.3 | 155 | 97.1 | 94.7-99.5 |
| 65+ | 105 | 15,879 | 1 | 0.9 | 00.0-02.7 | 104 | 99.1 | 97.3-0100 |
| Some Post-H.S. | 62 | 11,079 | 4 | 9.4 | 00.0-21.0 | 58 | 90.6 | 79.0-0100 |
| College Graduate | 73 | 9,711 | 4 | 4.3 | 00.0-08.8 | 69 | 95.7 | 91.2-0100 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 14: Cancer Survivorship: Course of Treatment**

**TABLE 22: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|-----|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 312 | 51,714 | 21 | 6.8 | 03.1-10.5 | 291 | 93.2 | 89.5-96.9 |
| Male | 138 | 23,833 | 7 | 3.8 | 00.7-06.9 | 131 | 96.2 | 93.1-99.3 |
| Female | 174 | 27,881 | 14 | 9.4 | 03.3-15.5 | 160 | 90.6 | 84.5-96.7 |
| White/Non-Hisp | 283 | 46,674 | 20 | 7.5 | 03.4-11.6 | 263 | 92.5 | 88.4-96.6 |
| 55-64 | 72 | 12,659 | 5 | 6.2 | 00.0-13.5 | 67 | 93.8 | 86.5-0100 |
| 65+ | 205 | 31,846 | 13 | 7.2 | 02.3-12.1 | 192 | 92.8 | 87.9-97.7 |
| H.S. or G.E.D. | 64 | 12,875 | 4 | 7.0 | 00.0-14.8 | 60 | 93.0 | 85.2-0100 |
| Some Post-H.S. | 101 | 18,519 | 5 | 5.6 | 00.3-10.9 | 96 | 94.4 | 89.1-99.7 |
| College Graduate | 141 | 18,964 | 11 | 5.6 | 01.9-09.3 | 130 | 94.4 | 90.7-98.1 |
| \$50,000- 99,999 | 87 | 13,987 | 5 | 5.5 | 00.0-12.0 | 82 | 94.5 | 88.0-0100 |
| \$100,000- 199,999 | 53 | 9,611 | 5 | 7.8 | 00.2-15.4 | 48 | 92.2 | 84.6-99.8 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

TABLE 23: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|-----------------------|-------------------|----------|-----|-----|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 138 | 23,833 | 7 | 3.8 | 00.7-06.9 | 131 | 96.2 | 93.1-99.3 |
| White/Non-Hisp | 120 | 20,889 | 7 | 4.4 | 00.9-07.9 | 113 | 95.6 | 92.1-99.1 |
| 65+ | 100 | 16,182 | 5 | 3.7 | 00.2-07.2 | 95 | 96.3 | 92.8-99.8 |
| College Graduate | 67 | 9,071 | 5 | 6.3 | 00.4-12.2 | 62 | 93.7 | 87.8-99.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 14: Cancer Survivorship: Course of Treatment**

**TABLE 24: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 174 | 27,881 | 14 | 9.4 | 03.1-15.7 | 160 | 90.6 | 84.3-96.9 |
| White/Non-Hisp | 163 | 25,785 | 13 | 10.0 | 03.3-16.7 | 150 | 90.0 | 83.3-96.7 |
| 65+ | 105 | 15,663 | 8 | 10.8 | 02.0-19.6 | 97 | 89.2 | 80.4-98.0 |
| Some Post-H.S. | 63 | 11,223 | 4 | 8.0 | 00.0-16.2 | 59 | 92.0 | 83.8-0100 |
| College Graduate | 74 | 9,893 | 6 | 4.9 | 00.4-09.4 | 68 | 95.1 | 90.6-99.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021

MODULE 15: Cancer Survivorship: Pain Management CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN) | |
| 1 | MALES AND FEMALES | 82 |
| 2 | MALES ONLY | 83 |
| 3 | FEMALES ONLY | 84 |
| | WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2) | |
| 4 | MALES AND FEMALES | 85 |
| 5 | MALES ONLY | 86 |
| 6 | FEMALES ONLY | 87 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 15: Cancer Survivorship: Pain Management**

**TABLE 1: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRPAIN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 443 | 73,332 | 38 | 10.8 | 06.7-14.9 | 405 | 89.2 | 85.1-93.3 |
| Male | 194 | 33,548 | 9 | 5.3 | 00.6-10.0 | 185 | 94.7 | 90.0-99.4 |
| Female | 249 | 39,785 | 29 | 15.3 | 08.6-22.0 | 220 | 84.7 | 78.0-91.4 |
| White/Non-Hisp | 408 | 67,430 | 36 | 11.5 | 07.0-16.0 | 372 | 88.5 | 84.0-93.0 |
| 55-64 | 96 | 16,726 | 9 | 10.9 | 03.3-18.5 | 87 | 89.1 | 81.5-96.7 |
| 65+ | 303 | 47,300 | 23 | 7.7 | 03.8-11.6 | 280 | 92.3 | 88.4-96.2 |
| H.S. or G.E.D. | 98 | 21,300 | 9 | 11.7 | 02.1-21.3 | 89 | 88.3 | 78.7-97.9 |
| Some Post-H.S. | 136 | 23,659 | 15 | 13.7 | 05.7-21.7 | 121 | 86.3 | 78.3-94.3 |
| College Graduate | 198 | 26,003 | 11 | 5.1 | 01.6-08.6 | 187 | 94.9 | 91.4-98.4 |
| \$35,000- 49,999 | 52 | 9,096 | 5 | 15.7 | 00.4-31.0 | 47 | 84.3 | 69.0-99.6 |
| \$50,000- 99,999 | 134 | 21,683 | 9 | 9.6 | 00.6-18.6 | 125 | 90.4 | 81.4-99.4 |
| \$100,000- 199,999 | 75 | 12,869 | 7 | 10.9 | 01.7-20.1 | 68 | 89.1 | 79.9-98.3 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 15: Cancer Survivorship: Pain Management
 TABLE 2: &titl11.**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 194 | 33,548 | 9 | 5.3 | 00.6-10.0 | 185 | 94.7 | 90.0-99.4 |
| White/Non-Hisp | 175 | 30,425 | 8 | 5.7 | 00.6-10.8 | 167 | 94.3 | 89.2-99.4 |
| 65+ | 143 | 23,464 | 6 | 3.4 | 00.1-06.7 | 137 | 96.6 | 93.3-99.9 |
| Some Post-H.S. | 53 | 9,577 | 4 | 10.7 | 00.0-24.2 | 49 | 89.3 | 75.8-0100 |
| College Graduate | 92 | 12,333 | 3 | 2.0 | 00.0-04.4 | 89 | 98.0 | 95.6-0100 |
| \$50,000- 99,999 | 67 | 10,589 | 4 | 3.3 | 00.0-06.6 | 63 | 96.7 | 93.4-0100 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 15: Cancer Survivorship: Pain Management
 TABLE 3: &titl11.**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 249 | 39,785 | 29 | 15.3 | 08.6-22.0 | 220 | 84.7 | 78.0-91.4 |
| White/Non-Hisp | 233 | 37,005 | 28 | 16.2 | 09.1-23.3 | 205 | 83.8 | 76.7-90.9 |
| 55-64 | 58 | 9,657 | 8 | 17.5 | 04.8-30.2 | 50 | 82.5 | 69.8-95.2 |
| 65+ | 160 | 23,836 | 17 | 11.9 | 05.2-18.6 | 143 | 88.1 | 81.4-94.8 |
| H.S. or G.E.D. | 52 | 10,520 | 7 | 18.8 | 01.7-35.9 | 45 | 81.2 | 64.1-98.3 |
| Some Post-H.S. | 83 | 14,082 | 11 | 15.8 | 05.6-26.0 | 72 | 84.2 | 74.0-94.4 |
| College Graduate | 106 | 13,670 | 8 | 7.9 | 01.6-14.2 | 98 | 92.1 | 85.8-98.4 |
| \$50,000- 99,999 | 67 | 11,093 | 5 | 15.7 | 00.0-32.0 | 62 | 84.3 | 68.0-0100 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2021
 MODULE 15: Cancer Survivorship: Pain Management
 TABLE 4: WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)
 Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, medication (or treatment) | | | Yes, without meds. (or treatment) | | | No, with medication (or treatment) | | | No, without meds. (or treatment) | | |
|--------------------|-------------------|----------|--------------------------------|------|------------|-----------------------------------|------|------------|------------------------------------|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 50 | 9,479 | 22 | 35.2 | 18.3-52.1 | 13 | 32.2 | 11.6-52.8 | 7 | 10.9 | 02.5-19.3 | 8 | 21.7 | 04.3-39.1 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 15: Cancer Survivorship: Pain Management
TABLE 5: &titl12.**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 15: Cancer Survivorship: Pain Management
TABLE 6: &titl12.**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021**

MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

| TABLE | PAGE |
|---|------|
| HAS YOUR DOCTOR NURSE OR OTHER HEALTH PROFESSIONAL RECOMMENDED YOU CHECK YOUR BLOOD PRESSURE OUTSIDE OF THE OFFICE OR AT HOME? (HOMBPCHK) | |
| 1 MALES AND FEMALES | 89 |
| 2 MALES ONLY | 90 |
| 3 FEMALES ONLY | 91 |
| DO YOU REGULARLY CHECK YOUR BLOOD PRESSURE OUTSIDE OF YOUR HEALTHCARE PROFESSIONAL'S OFFICE OR AT HOME? (HOMRGCHK) | |
| 4 MALES AND FEMALES | 92 |
| 5 MALES ONLY | 93 |
| 6 FEMALES ONLY | 94 |
| DO YOU TAKE IT MOSTLY AT HOME OR ON A MACHINE AT A PHARMACY, GROCERY OR SIMILAR LOCATION? (WHEREBP) | |
| 7 MALES AND FEMALES | 95 |
| 8 MALES ONLY | 96 |
| 9 FEMALES ONLY | 97 |
| HOW DO YOU SHARE YOUR BLOOD PRESSURE NUMBERS THAT YOU COLLECTED WITH YOUR HEALTH PROFESSIONAL? IS IT MOSTLY BY TELEPHONE, OTHER METHODS SUCH AS EMAILS, INTERNET PORTAL OR FAX, OR IN PERSON? (SHAREBP) | |
| 10 MALES AND FEMALES | 98 |
| 11 MALES ONLY | 99 |
| 12 FEMALES ONLY | 100 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 1: HAS YOUR DOCTOR NURSE OR OTHER HEALTH PROFESSIONAL RECOMMENDED YOU CHECK YOUR BLOOD PRESSURE OUTSIDE OF THE OFFICE OR AT HOME? (HOMBPCBK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2997 | 639,087 | 973 | 29.6 | 27.4-31.8 | 2024 | 70.4 | 68.2-72.6 |
| Male | 1332 | 305,766 | 467 | 31.0 | 27.9-34.1 | 865 | 69.0 | 65.9-72.1 |
| Female | 1665 | 333,321 | 506 | 28.2 | 25.3-31.1 | 1159 | 71.8 | 68.9-74.7 |
| White/Non-Hisp | 2097 | 418,115 | 708 | 30.2 | 27.7-32.7 | 1389 | 69.8 | 67.3-72.3 |
| Black or Afr. Am./Non-Hisp | 432 | 124,208 | 174 | 37.7 | 31.6-43.8 | 258 | 62.3 | 56.2-68.4 |
| Oth. Race/Non-Hisp. | 91 | 25,969 | 23 | 21.5 | 11.5-31.5 | 68 | 78.5 | 68.5-88.5 |
| MultiRacial/Non-Hisp. | 60 | 8,272 | 17 | 28.5 | 14.4-42.6 | 43 | 71.5 | 57.4-85.6 |
| Hispanic | 264 | 52,528 | 41 | 11.2 | 06.5-15.9 | 223 | 88.8 | 84.1-93.5 |
| 18-24 | 163 | 66,993 | 12 | 7.0 | 01.7-12.3 | 151 | 93.0 | 87.7-98.3 |
| 25-34 | 310 | 106,909 | 38 | 13.5 | 08.8-18.2 | 272 | 86.5 | 81.8-91.2 |
| 35-44 | 387 | 90,752 | 77 | 24.3 | 18.0-30.6 | 310 | 75.7 | 69.4-82.0 |
| 45-54 | 452 | 91,099 | 126 | 25.3 | 20.4-30.2 | 326 | 74.7 | 69.8-79.6 |
| 55-64 | 623 | 110,612 | 218 | 36.0 | 31.3-40.7 | 405 | 64.0 | 59.3-68.7 |
| 65+ | 1062 | 172,721 | 502 | 49.1 | 45.2-53.0 | 560 | 50.9 | 47.0-54.8 |
| Less Than H.S. | 186 | 61,821 | 60 | 32.4 | 23.4-41.4 | 126 | 67.6 | 58.6-76.6 |
| H.S. or G.E.D. | 734 | 192,252 | 252 | 30.2 | 26.1-34.3 | 482 | 69.8 | 65.7-73.9 |
| Some Post-H.S. | 789 | 182,232 | 261 | 29.5 | 25.4-33.6 | 528 | 70.5 | 66.4-74.6 |
| College Graduate | 1270 | 199,390 | 399 | 28.6 | 25.5-31.7 | 871 | 71.4 | 68.3-74.5 |
| Less than \$15,000 | 121 | 24,134 | 37 | 31.2 | 19.8-42.6 | 84 | 68.8 | 57.4-80.2 |
| \$15,000- 24,999 | 240 | 49,171 | 82 | 34.1 | 25.7-42.5 | 158 | 65.9 | 57.5-74.3 |
| \$25,000- 34,999 | 319 | 64,920 | 124 | 34.8 | 27.9-41.7 | 195 | 65.2 | 58.3-72.1 |
| \$35,000- 49,999 | 315 | 71,711 | 103 | 28.7 | 21.8-35.6 | 212 | 71.3 | 64.4-78.2 |
| \$50,000- 99,999 | 825 | 167,316 | 268 | 28.4 | 24.5-32.3 | 557 | 71.6 | 67.7-75.5 |
| \$100,000- 199,999 | 534 | 120,287 | 162 | 29.6 | 24.5-34.7 | 372 | 70.4 | 65.3-75.5 |
| \$200,000+ | 125 | 30,380 | 34 | 30.1 | 19.7-40.5 | 91 | 69.9 | 59.5-80.3 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 2: HAS YOUR DOCTOR NURSE OR OTHER HEALTH PROFESSIONAL RECOMMENDED YOU CHECK YOUR BLOOD PRESSURE OUTSIDE OF THE OFFICE OR AT HOME? (HOMBPCBK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1332 | 305,766 | 467 | 31.0 | 27.9-34.1 | 865 | 69.0 | 65.9-72.1 |
| White/Non-Hisp | 932 | 198,777 | 344 | 32.7 | 29.0-36.4 | 588 | 67.3 | 63.6-71.0 |
| Black or Afr. Am./Non-Hisp | 164 | 58,007 | 74 | 37.1 | 27.7-46.5 | 90 | 62.9 | 53.5-72.3 |
| Oth. Race/Non-Hisp. | 54 | 14,000 | 16 | 27.7 | 13.6-41.8 | 38 | 72.3 | 58.2-86.4 |
| Hispanic | 124 | 24,036 | 20 | 12.6 | 05.7-19.5 | 104 | 87.4 | 80.5-94.3 |
| 18-24 | 90 | 34,849 | 8 | 10.3 | 00.9-19.7 | 82 | 89.7 | 80.3-99.1 |
| 25-34 | 152 | 55,356 | 19 | 14.1 | 07.2-21.0 | 133 | 85.9 | 79.0-92.8 |
| 35-44 | 173 | 44,639 | 39 | 24.8 | 16.4-33.2 | 134 | 75.2 | 66.8-83.6 |
| 45-54 | 180 | 40,616 | 53 | 26.2 | 18.8-33.6 | 127 | 73.8 | 66.4-81.2 |
| 55-64 | 285 | 51,613 | 111 | 42.6 | 35.3-49.9 | 174 | 57.4 | 50.1-64.7 |
| 65+ | 452 | 78,693 | 237 | 50.7 | 44.8-56.6 | 215 | 49.3 | 43.4-55.2 |
| Less Than H.S. | 96 | 33,828 | 24 | 20.6 | 11.6-29.6 | 72 | 79.4 | 70.4-88.4 |
| H.S. or G.E.D. | 341 | 96,195 | 122 | 32.5 | 26.4-38.6 | 219 | 67.5 | 61.4-73.6 |
| Some Post-H.S. | 325 | 79,826 | 110 | 31.4 | 24.9-37.9 | 215 | 68.6 | 62.1-75.1 |
| College Graduate | 558 | 93,444 | 211 | 33.8 | 28.9-38.7 | 347 | 66.2 | 61.3-71.1 |
| \$15,000- 24,999 | 99 | 22,403 | 35 | 35.9 | 23.7-48.1 | 64 | 64.1 | 51.9-76.3 |
| \$25,000- 34,999 | 129 | 28,626 | 52 | 36.8 | 26.0-47.6 | 77 | 63.2 | 52.4-74.0 |
| \$35,000- 49,999 | 126 | 33,194 | 44 | 31.0 | 21.0-41.0 | 82 | 69.0 | 59.0-79.0 |
| \$50,000- 99,999 | 370 | 80,308 | 138 | 31.8 | 25.7-37.9 | 232 | 68.2 | 62.1-74.3 |
| \$100,000- 199,999 | 265 | 65,559 | 95 | 32.9 | 25.8-40.0 | 170 | 67.1 | 60.0-74.2 |
| \$200,000+ | 76 | 18,472 | 25 | 31.1 | 18.6-43.6 | 51 | 68.9 | 56.4-81.4 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 3: HAS YOUR DOCTOR NURSE OR OTHER HEALTH PROFESSIONAL RECOMMENDED YOU CHECK YOUR BLOOD PRESSURE OUTSIDE OF THE OFFICE OR AT HOME? (HOMBPCHK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1665 | 333,321 | 506 | 28.2 | 25.3-31.1 | 1159 | 71.8 | 68.9-74.7 |
| White/Non-Hisp | 1165 | 219,338 | 364 | 28.0 | 24.7-31.3 | 801 | 72.0 | 68.7-75.3 |
| Black or Afr. Am./Non-Hisp | 268 | 66,202 | 100 | 38.2 | 30.2-46.2 | 168 | 61.8 | 53.8-69.8 |
| Hispanic | 140 | 28,493 | 21 | 9.9 | 03.6-16.2 | 119 | 90.1 | 83.8-96.4 |
| 18-24 | 73 | 32,145 | 4 | 3.6 | 00.0-07.5 | 69 | 96.4 | 92.5-0100 |
| 25-34 | 158 | 51,553 | 19 | 12.8 | 06.1-19.5 | 139 | 87.2 | 80.5-93.9 |
| 35-44 | 214 | 46,113 | 38 | 23.9 | 14.3-33.5 | 176 | 76.1 | 66.5-85.7 |
| 45-54 | 272 | 50,483 | 73 | 24.7 | 18.0-31.4 | 199 | 75.3 | 68.6-82.0 |
| 55-64 | 338 | 59,000 | 107 | 30.2 | 24.1-36.3 | 231 | 69.8 | 63.7-75.9 |
| 65+ | 610 | 94,027 | 265 | 47.7 | 42.4-53.0 | 345 | 52.3 | 47.0-57.6 |
| Less Than H.S. | 90 | 27,993 | 36 | 46.7 | 31.4-62.0 | 54 | 53.3 | 38.0-68.6 |
| H.S. or G.E.D. | 393 | 96,057 | 130 | 27.9 | 22.2-33.6 | 263 | 72.1 | 66.4-77.8 |
| Some Post-H.S. | 464 | 102,406 | 151 | 27.9 | 22.6-33.2 | 313 | 72.1 | 66.8-77.4 |
| College Graduate | 712 | 105,946 | 188 | 23.9 | 20.0-27.8 | 524 | 76.1 | 72.2-80.0 |
| Less than \$15,000 | 80 | 15,015 | 25 | 33.6 | 19.1-48.1 | 55 | 66.4 | 51.9-80.9 |
| \$15,000- 24,999 | 141 | 26,768 | 47 | 32.6 | 21.0-44.2 | 94 | 67.4 | 55.8-79.0 |
| \$25,000- 34,999 | 190 | 36,294 | 72 | 33.2 | 24.4-42.0 | 118 | 66.8 | 58.0-75.6 |
| \$35,000- 49,999 | 189 | 38,517 | 59 | 26.8 | 17.6-36.0 | 130 | 73.2 | 64.0-82.4 |
| \$50,000- 99,999 | 455 | 87,008 | 130 | 25.3 | 20.2-30.4 | 325 | 74.7 | 69.6-79.8 |
| \$100,000- 199,999 | 269 | 54,728 | 67 | 25.7 | 18.3-33.1 | 202 | 74.3 | 66.9-81.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 4: DO YOU REGULARLY CHECK YOUR BLOOD PRESSURE OUTSIDE OF YOUR HEALTHCARE PROFESSIONAL'S OFFICE OR AT HOME? (HOMRGCHK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2994 | 639,640 | 975 | 30.2 | 28.0-32.4 | 2019 | 69.8 | 67.6-72.0 |
| Male | 1332 | 306,097 | 450 | 31.0 | 27.9-34.1 | 882 | 69.0 | 65.9-72.1 |
| Female | 1662 | 333,543 | 525 | 29.4 | 26.3-32.5 | 1137 | 70.6 | 67.5-73.7 |
| White/Non-Hisp | 2094 | 418,367 | 694 | 30.0 | 27.5-32.5 | 1400 | 70.0 | 67.5-72.5 |
| Black or Afr. Am./Non-Hisp | 432 | 124,485 | 169 | 35.8 | 29.9-41.7 | 263 | 64.2 | 58.3-70.1 |
| Oth. Race/Non-Hisp. | 91 | 26,125 | 34 | 35.7 | 22.8-48.6 | 57 | 64.3 | 51.4-77.2 |
| MultiRacial/Non-Hisp. | 60 | 8,272 | 22 | 36.5 | 21.2-51.8 | 38 | 63.5 | 48.2-78.8 |
| Hispanic | 264 | 52,396 | 47 | 17.9 | 11.8-24.0 | 217 | 82.1 | 76.0-88.2 |
| 18-24 | 164 | 67,361 | 10 | 6.6 | 00.0-13.5 | 154 | 93.4 | 86.5-100.0 |
| 25-34 | 311 | 107,428 | 42 | 14.9 | 09.4-20.4 | 269 | 85.1 | 79.6-90.6 |
| 35-44 | 387 | 90,890 | 86 | 27.5 | 21.2-33.8 | 301 | 72.5 | 66.2-78.8 |
| 45-54 | 452 | 91,085 | 141 | 30.4 | 24.9-35.9 | 311 | 69.6 | 64.1-75.1 |
| 55-64 | 620 | 110,161 | 215 | 36.4 | 31.5-41.3 | 405 | 63.6 | 58.7-68.5 |
| 65+ | 1060 | 172,715 | 481 | 46.2 | 42.3-50.1 | 579 | 53.8 | 49.9-57.7 |
| Less Than H.S. | 187 | 61,918 | 58 | 32.8 | 23.6-42.0 | 129 | 67.2 | 58.0-76.4 |
| H.S. or G.E.D. | 737 | 192,793 | 245 | 29.3 | 25.0-33.6 | 492 | 70.7 | 66.4-75.0 |
| Some Post-H.S. | 791 | 183,220 | 279 | 32.8 | 28.5-37.1 | 512 | 67.2 | 62.9-71.5 |
| College Graduate | 1261 | 198,317 | 390 | 28.2 | 25.3-31.1 | 871 | 71.8 | 68.9-74.7 |
| Less than \$15,000 | 121 | 24,134 | 36 | 25.5 | 15.3-35.7 | 85 | 74.5 | 64.3-84.7 |
| \$15,000- 24,999 | 242 | 49,447 | 94 | 37.0 | 28.6-45.4 | 148 | 63.0 | 54.6-71.4 |
| \$25,000- 34,999 | 321 | 65,115 | 117 | 33.6 | 26.9-40.3 | 204 | 66.4 | 59.7-73.1 |
| \$35,000- 49,999 | 313 | 71,400 | 108 | 36.0 | 28.0-44.0 | 205 | 64.0 | 56.0-72.0 |
| \$50,000- 99,999 | 824 | 167,148 | 263 | 29.7 | 25.6-33.8 | 561 | 70.3 | 66.2-74.4 |
| \$100,000- 199,999 | 533 | 120,160 | 159 | 27.3 | 22.4-32.2 | 374 | 72.7 | 67.8-77.6 |
| \$200,000+ | 122 | 29,759 | 41 | 32.4 | 22.2-42.6 | 81 | 67.6 | 57.4-77.8 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 5: DO YOU REGULARLY CHECK YOUR BLOOD PRESSURE OUTSIDE OF YOUR HEALTHCARE PROFESSIONAL'S OFFICE OR AT HOME? (HOMRGCHK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Always | | | Usually | | |
|----------------------------|-------------------|----------|--------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1332 | 306,097 | 450 | 31.0 | 27.9-34.1 | 882 | 69.0 | 65.9-72.1 |
| White/Non-Hisp | 930 | 198,488 | 319 | 29.9 | 26.4-33.4 | 611 | 70.1 | 66.6-73.6 |
| Black or Afr. Am./Non-Hisp | 165 | 58,374 | 75 | 38.2 | 28.8-47.6 | 90 | 61.8 | 52.4-71.2 |
| Oth. Race/Non-Hisp. | 54 | 14,156 | 21 | 40.0 | 24.3-55.7 | 33 | 60.0 | 44.3-75.7 |
| Hispanic | 125 | 24,132 | 24 | 23.9 | 13.5-34.3 | 101 | 76.1 | 65.7-86.5 |
| 18-24 | 91 | 35,216 | 3 | 3.0 | 00.0-06.3 | 88 | 97.0 | 93.7-0100 |
| 25-34 | 153 | 55,874 | 21 | 13.0 | 06.3-19.7 | 132 | 87.0 | 80.3-93.7 |
| 35-44 | 174 | 44,904 | 46 | 30.3 | 21.7-38.9 | 128 | 69.7 | 61.1-78.3 |
| 45-54 | 181 | 40,713 | 52 | 31.4 | 22.2-40.6 | 129 | 68.6 | 59.4-77.8 |
| 55-64 | 284 | 51,357 | 104 | 42.0 | 34.6-49.4 | 180 | 58.0 | 50.6-65.4 |
| 65+ | 449 | 78,033 | 224 | 49.7 | 43.8-55.6 | 225 | 50.3 | 44.4-56.2 |
| Less Than H.S. | 97 | 33,925 | 26 | 29.1 | 17.3-40.9 | 71 | 70.9 | 59.1-82.7 |
| H.S. or G.E.D. | 342 | 96,460 | 109 | 30.0 | 23.9-36.1 | 233 | 70.0 | 63.9-76.1 |
| Some Post-H.S. | 326 | 80,091 | 116 | 33.4 | 27.1-39.7 | 210 | 66.6 | 60.3-72.9 |
| College Graduate | 555 | 93,148 | 198 | 31.5 | 26.8-36.2 | 357 | 68.5 | 63.8-73.2 |
| \$15,000- 24,999 | 99 | 22,403 | 36 | 37.4 | 24.9-49.9 | 63 | 62.6 | 50.1-75.1 |
| \$25,000- 34,999 | 131 | 28,821 | 50 | 35.6 | 25.2-46.0 | 81 | 64.4 | 54.0-74.8 |
| \$35,000- 49,999 | 125 | 32,994 | 44 | 39.3 | 27.9-50.7 | 81 | 60.7 | 49.3-72.1 |
| \$50,000- 99,999 | 370 | 80,369 | 134 | 31.4 | 25.1-37.7 | 236 | 68.6 | 62.3-74.9 |
| \$100,000- 199,999 | 265 | 65,559 | 88 | 29.4 | 22.7-36.1 | 177 | 70.6 | 63.9-77.3 |
| \$200,000+ | 74 | 17,955 | 27 | 36.7 | 23.2-50.2 | 47 | 63.3 | 49.8-76.8 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 6: DO YOU REGULARLY CHECK YOUR BLOOD PRESSURE OUTSIDE OF YOUR HEALTHCARE PROFESSIONAL'S OFFICE OR AT HOME? (HOMRGCHK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1662 | 333,543 | 525 | 29.4 | 26.3-32.5 | 1137 | 70.6 | 67.5-73.7 |
| White/Non-Hisp | 1164 | 219,879 | 375 | 30.1 | 26.4-33.8 | 789 | 69.9 | 66.2-73.6 |
| Black or Afr. Am./Non-Hisp | 267 | 66,111 | 94 | 33.7 | 26.1-41.3 | 173 | 66.3 | 58.7-73.9 |
| Hispanic | 139 | 28,264 | 23 | 12.7 | 06.0-19.4 | 116 | 87.3 | 80.6-94.0 |
| 18-24 | 73 | 32,145 | 7 | 10.7 | 00.0-24.0 | 66 | 89.3 | 76.0-100.0 |
| 25-34 | 158 | 51,553 | 21 | 17.0 | 08.4-25.6 | 137 | 83.0 | 74.4-91.6 |
| 35-44 | 213 | 45,986 | 40 | 24.9 | 15.9-33.9 | 173 | 75.1 | 66.1-84.1 |
| 45-54 | 271 | 50,373 | 89 | 29.6 | 22.9-36.3 | 182 | 70.4 | 63.7-77.1 |
| 55-64 | 336 | 58,805 | 111 | 31.5 | 25.2-37.8 | 225 | 68.5 | 62.2-74.8 |
| 65+ | 611 | 94,682 | 257 | 43.3 | 38.2-48.4 | 354 | 56.7 | 51.6-61.8 |
| Less Than H.S. | 90 | 27,993 | 32 | 37.3 | 22.8-51.8 | 58 | 62.7 | 48.2-77.2 |
| H.S. or G.E.D. | 395 | 96,333 | 136 | 28.6 | 22.3-34.9 | 259 | 71.4 | 65.1-77.7 |
| Some Post-H.S. | 465 | 103,129 | 163 | 32.3 | 26.4-38.2 | 302 | 67.7 | 61.8-73.6 |
| College Graduate | 706 | 105,169 | 192 | 25.2 | 21.3-29.1 | 514 | 74.8 | 70.9-78.7 |
| Less than \$15,000 | 80 | 15,015 | 26 | 27.4 | 14.5-40.3 | 54 | 72.6 | 59.7-85.5 |
| \$15,000- 24,999 | 143 | 27,044 | 58 | 36.7 | 25.1-48.3 | 85 | 63.3 | 51.7-74.9 |
| \$25,000- 34,999 | 190 | 36,294 | 67 | 32.0 | 23.2-40.8 | 123 | 68.0 | 59.2-76.8 |
| \$35,000- 49,999 | 188 | 38,407 | 64 | 33.2 | 21.8-44.6 | 124 | 66.8 | 55.4-78.2 |
| \$50,000- 99,999 | 454 | 86,779 | 129 | 28.1 | 22.4-33.8 | 325 | 71.9 | 66.2-77.6 |
| \$100,000- 199,999 | 268 | 54,601 | 71 | 24.9 | 17.5-32.3 | 197 | 75.1 | 67.7-82.5 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

**TABLE 7: DO YOU TAKE IT MOSTLY AT HOME OR ON A MACHINE AT A PHARMACY, GROCERY OR SIMILAR LOCATION? (WHEREBP)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | At home | | | On a machine at a pharmacy, grocery or similar location | | | Do not check it | | |
|----------------------------|-------------------|----------|---------|------|------------|---|------|------------|-----------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 973 | 192,800 | 849 | 85.2 | 81.9-88.5 | 116 | 13.8 | 10.7-16.9 | 8 | 0.9 | 00.1-01.7 |
| Male | 448 | 94,727 | 384 | 83.0 | 77.9-88.1 | 61 | 16.3 | 11.2-21.4 | 3 | 0.7 | 00.0-01.5 |
| Female | 525 | 98,073 | 465 | 87.3 | 83.2-91.4 | 55 | 11.5 | 07.6-15.4 | 5 | 1.2 | 00.0-02.6 |
| White/Non-Hisp | 692 | 125,141 | 619 | 88.1 | 84.6-91.6 | 67 | 10.7 | 07.2-14.2 | 6 | 1.2 | 00.0-02.4 |
| Black or Afr. Am./Non-Hisp | 169 | 44,578 | 150 | 86.2 | 78.6-93.8 | 18 | 13.5 | 05.9-21.1 | 1 | 0.3 | 00.0-00.9 |
| 35-44 | 86 | 25,038 | 69 | 81.8 | 71.4-92.2 | 16 | 17.7 | 07.5-27.9 | 1 | 0.6 | 00.0-01.8 |
| 45-54 | 141 | 27,671 | 112 | 79.3 | 71.1-87.5 | 25 | 17.0 | 09.7-24.3 | 4 | 3.8 | 00.0-08.7 |
| 55-64 | 215 | 40,103 | 189 | 89.1 | 83.8-94.4 | 26 | 10.9 | 05.6-16.2 | | | |
| 65+ | 479 | 79,467 | 446 | 91.6 | 87.9-95.3 | 31 | 7.8 | 04.1-11.5 | 2 | 0.6 | 00.0-01.4 |
| Less Than H.S. | 58 | 20,311 | 47 | 83.5 | 72.3-94.7 | 9 | 14.8 | 03.8-25.8 | 2 | 1.7 | 00.0-04.1 |
| H.S. or G.E.D. | 245 | 56,501 | 220 | 84.7 | 77.1-92.3 | 24 | 14.7 | 07.3-22.1 | 1 | 0.6 | 00.0-01.8 |
| Some Post-H.S. | 278 | 59,805 | 237 | 85.6 | 80.3-90.9 | 38 | 12.8 | 07.9-17.7 | 3 | 1.6 | 00.0-03.8 |
| College Graduate | 389 | 55,861 | 343 | 86.0 | 81.7-90.3 | 44 | 13.6 | 09.3-17.9 | 2 | 0.3 | 00.0-00.7 |
| \$15,000- 24,999 | 94 | 18,306 | 83 | 86.7 | 75.1-98.3 | 11 | 13.3 | 01.7-24.9 | | | |
| \$25,000- 34,999 | 117 | 21,865 | 100 | 81.1 | 70.5-91.7 | 16 | 17.9 | 07.3-28.5 | 1 | 0.9 | 00.0-02.7 |
| \$35,000- 49,999 | 108 | 25,720 | 94 | 82.3 | 70.3-94.3 | 12 | 15.9 | 04.1-27.7 | 2 | 1.8 | 00.0-04.5 |
| \$50,000- 99,999 | 262 | 49,564 | 232 | 89.1 | 84.6-93.6 | 28 | 10.3 | 05.8-14.8 | 2 | 0.6 | 00.0-01.4 |
| \$100,000- 199,999 | 159 | 32,859 | 134 | 80.8 | 72.4-89.2 | 25 | 19.2 | 10.8-27.6 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 8: DO YOU TAKE IT MOSTLY AT HOME OR ON A MACHINE AT A PHARMACY, GROCERY OR SIMILAR LOCATION? (WHEREBP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | At home | | | On a machine at a pharmacy, grocery or similar location | | | Do not check it | | |
|----------------------------|-------------------|----------|---------|------|------------|---|------|------------|-----------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 448 | 94,727 | 384 | 83.0 | 77.9-88.1 | 61 | 16.3 | 11.2-21.4 | 3 | 0.7 | 00.0-01.5 |
| White/Non-Hisp | 317 | 59,049 | 282 | 86.4 | 80.3-92.5 | 33 | 12.8 | 06.7-18.9 | 2 | 0.7 | 00.0-01.9 |
| Black or Afr. Am./Non-Hisp | 75 | 22,314 | 65 | 86.1 | 75.1-97.1 | 10 | 13.9 | 02.9-24.9 | | | |
| 45-54 | 52 | 12,772 | 43 | 85.6 | 75.4-95.8 | 9 | 14.4 | 04.2-24.6 | | | |
| 55-64 | 104 | 21,558 | 89 | 87.4 | 79.4-95.4 | 15 | 12.6 | 04.6-20.6 | | | |
| 65+ | 222 | 38,469 | 204 | 89.3 | 82.8-95.8 | 16 | 9.5 | 03.2-15.8 | 2 | 1.1 | 00.0-02.9 |
| H.S. or G.E.D. | 109 | 28,950 | 95 | 78.6 | 66.4-90.8 | 13 | 20.2 | 08.0-32.4 | 1 | 1.2 | 00.0-03.4 |
| Some Post-H.S. | 115 | 26,500 | 97 | 84.7 | 76.1-93.3 | 18 | 15.3 | 06.7-23.9 | | | |
| College Graduate | 197 | 29,314 | 170 | 83.4 | 76.9-89.9 | 26 | 16.2 | 09.7-22.7 | 1 | 0.4 | 00.0-01.2 |
| \$25,000- 34,999 | 50 | 10,252 | 42 | 82.1 | 69.4-94.8 | 7 | 15.9 | 03.7-28.1 | 1 | 2.0 | 00.0-05.9 |
| \$50,000- 99,999 | 133 | 25,157 | 117 | 89.2 | 83.1-95.3 | 16 | 10.8 | 04.7-16.9 | | | |
| \$100,000- 199,999 | 88 | 19,284 | 69 | 74.8 | 62.6-87.0 | 19 | 25.2 | 13.0-37.4 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 9: DO YOU TAKE IT MOSTLY AT HOME OR ON A MACHINE AT A PHARMACY, GROCERY OR SIMILAR LOCATION? (WHEREBP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | At home | | | On a machine at a pharmacy, grocery or similar location | | | Do not check it | | |
|----------------------------|-------------------|----------|---------|------|------------|---|------|------------|-----------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 525 | 98,073 | 465 | 87.3 | 83.2-91.4 | 55 | 11.5 | 07.6-15.4 | 5 | 1.2 | 00.0-02.6 |
| White/Non-Hisp | 375 | 66,091 | 337 | 89.5 | 85.4-93.6 | 34 | 8.9 | 05.4-12.4 | 4 | 1.6 | 00.0-03.6 |
| Black or Afr. Am./Non-Hisp | 94 | 22,264 | 85 | 86.3 | 75.3-97.3 | 8 | 13.1 | 02.1-24.1 | 1 | 0.6 | 00.0-01.8 |
| 45-54 | 89 | 14,899 | 69 | 73.8 | 62.2-85.4 | 16 | 19.2 | 09.8-28.6 | 4 | 7.0 | 00.0-15.6 |
| 55-64 | 111 | 18,545 | 100 | 91.0 | 84.7-97.3 | 11 | 9.0 | 02.7-15.3 | | | |
| 65+ | 257 | 40,998 | 242 | 93.8 | 89.9-97.7 | 15 | 6.2 | 02.3-10.1 | | | |
| H.S. or G.E.D. | 136 | 27,551 | 125 | 91.0 | 83.4-98.6 | 11 | 9.0 | 01.4-16.6 | | | |
| Some Post-H.S. | 163 | 33,305 | 140 | 86.2 | 79.7-92.7 | 20 | 10.9 | 05.4-16.4 | 3 | 2.9 | 00.0-06.8 |
| College Graduate | 192 | 26,548 | 173 | 89.0 | 83.3-94.7 | 18 | 10.7 | 05.0-16.4 | 1 | 0.3 | 00.0-00.9 |
| \$15,000- 24,999 | 58 | 9,919 | 51 | 90.2 | 82.4-98.0 | 7 | 9.8 | 02.0-17.6 | | | |
| \$25,000- 34,999 | 67 | 11,613 | 58 | 80.3 | 63.6-97.0 | 9 | 19.7 | 03.0-36.4 | | | |
| \$35,000- 49,999 | 64 | 12,762 | 58 | 94.7 | 89.6-99.8 | 5 | 4.2 | 00.0-08.7 | 1 | 1.1 | 00.0-03.3 |
| \$50,000- 99,999 | 129 | 24,406 | 115 | 88.9 | 82.2-95.6 | 12 | 9.8 | 03.3-16.3 | 2 | 1.3 | 00.0-03.1 |
| \$100,000- 199,999 | 71 | 13,576 | 65 | 89.4 | 80.0-98.8 | 6 | 10.6 | 01.2-20.0 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 10: HOW DO YOU SHARE YOUR BLOOD PRESSURE NUMBERS THAT YOU COLLECTED WITH YOUR HEALTH PROFESSIONAL? IS IT MOSTLY BY TELEPHONE, OTHER METHODS SUCH AS EMAILS, INTERNET PORTAL OR FAX, OR IN PERSON? (SHAREBP)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Telephone | | | Other methods such as email, internet portal, or fax | | | In person | | | Do not share information | | |
|----------------------------|-------------------|----------|-----------|------|------------|--|------|------------|-----------|------|------------|--------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 965 | 190,118 | 97 | 12.4 | 09.3-15.5 | 108 | 11.0 | 08.5-13.5 | 605 | 60.4 | 55.9-64.9 | 155 | 16.3 | 12.8-19.8 |
| Male | 444 | 93,527 | 46 | 13.7 | 09.0-18.4 | 46 | 9.7 | 06.4-13.0 | 281 | 59.2 | 53.1-65.3 | 71 | 17.4 | 12.3-22.5 |
| Female | 521 | 96,591 | 51 | 11.1 | 07.0-15.2 | 62 | 12.2 | 08.5-15.9 | 324 | 61.5 | 55.4-67.6 | 84 | 15.2 | 10.9-19.5 |
| White/Non-Hisp | 687 | 122,784 | 66 | 11.3 | 07.8-14.8 | 78 | 11.5 | 08.4-14.6 | 434 | 62.0 | 56.9-67.1 | 109 | 15.3 | 11.6-19.0 |
| Black or Afr. Am./Non-Hisp | 168 | 44,400 | 20 | 12.4 | 06.1-18.7 | 21 | 10.9 | 05.8-16.0 | 102 | 60.5 | 49.3-71.7 | 25 | 16.2 | 07.2-25.2 |
| 35-44 | 86 | 25,038 | 3 | 5.9 | 00.0-12.6 | 14 | 17.3 | 07.3-27.3 | 52 | 53.1 | 39.6-66.6 | 17 | 23.7 | 12.3-35.1 |
| 45-54 | 139 | 26,837 | 17 | 10.7 | 04.6-16.8 | 20 | 13.0 | 06.5-19.5 | 82 | 56.0 | 44.6-67.4 | 20 | 20.3 | 08.9-31.7 |
| 55-64 | 212 | 39,371 | 25 | 16.6 | 09.0-24.2 | 29 | 12.1 | 07.2-17.0 | 125 | 57.9 | 49.3-66.5 | 33 | 13.4 | 07.9-18.9 |
| 65+ | 477 | 79,065 | 47 | 11.6 | 07.7-15.5 | 39 | 7.8 | 04.9-10.7 | 316 | 66.8 | 61.3-72.3 | 75 | 13.8 | 10.1-17.5 |
| Less Than H.S. | 56 | 19,798 | 9 | 18.1 | 05.8-30.4 | 1 | 1.5 | 00.0-04.4 | 38 | 62.2 | 45.0-79.4 | 8 | 18.2 | 02.5-33.9 |
| H.S. or G.E.D. | 243 | 56,079 | 22 | 11.2 | 05.1-17.3 | 18 | 7.3 | 03.2-11.4 | 173 | 71.3 | 63.5-79.1 | 30 | 10.3 | 05.6-15.0 |
| Some Post-H.S. | 275 | 58,225 | 34 | 15.2 | 08.9-21.5 | 29 | 12.0 | 07.1-16.9 | 168 | 56.7 | 48.7-64.7 | 44 | 16.1 | 09.8-22.4 |
| College Graduate | 388 | 55,694 | 32 | 8.6 | 05.1-12.1 | 60 | 17.2 | 12.3-22.1 | 223 | 52.3 | 46.0-58.6 | 73 | 21.9 | 16.6-27.2 |
| \$15,000- 24,999 | 92 | 17,780 | 7 | 6.7 | 00.0-13.4 | 4 | 5.1 | 00.0-10.2 | 69 | 81.0 | 71.4-90.6 | 12 | 7.2 | 01.7-12.7 |
| \$25,000- 34,999 | 117 | 21,865 | 15 | 17.6 | 08.0-27.2 | 9 | 8.3 | 01.2-15.4 | 78 | 63.1 | 51.3-74.9 | 15 | 11.0 | 03.9-18.1 |
| \$35,000- 49,999 | 108 | 25,720 | 9 | 14.2 | 02.2-26.2 | 9 | 3.7 | 00.8-06.6 | 76 | 69.8 | 56.5-83.1 | 14 | 12.4 | 04.6-20.2 |
| \$50,000- 99,999 | 261 | 49,426 | 22 | 9.4 | 04.5-14.3 | 36 | 16.2 | 10.3-22.1 | 160 | 51.6 | 43.2-60.0 | 43 | 22.8 | 14.0-31.6 |
| \$100,000- 199,999 | 158 | 32,145 | 16 | 12.5 | 05.4-19.6 | 32 | 18.2 | 10.8-25.6 | 84 | 52.7 | 42.3-63.1 | 26 | 16.7 | 09.6-23.8 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 11: HOW DO YOU SHARE YOUR BLOOD PRESSURE NUMBERS THAT YOU COLLECTED WITH YOUR HEALTH PROFESSIONAL? IS IT MOSTLY BY TELEPHONE, OTHER METHODS SUCH AS EMAILS, INTERNET PORTAL OR FAX, OR IN PERSON? (SHAREBP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Telephone | | | Other methods such as email, internet portal, or fax | | | In person | | | Do not share information | | |
|----------------------------|-------------------|----------|-----------|------|------------|--|------|------------|-----------|------|------------|--------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 444 | 93,527 | 46 | 13.7 | 09.0-18.4 | 46 | 9.7 | 06.4-13.0 | 281 | 59.2 | 53.5-64.9 | 71 | 17.4 | 13.1-21.7 |
| White/Non-Hisp | 315 | 57,997 | 25 | 9.9 | 04.6-15.2 | 32 | 10.5 | 06.2-14.8 | 211 | 65.3 | 58.4-72.2 | 47 | 14.2 | 09.5-18.9 |
| Black or Afr. Am./Non-Hisp | 75 | 22,314 | 14 | 21.1 | 09.7-32.5 | 10 | 9.4 | 03.1-15.7 | 39 | 50.1 | 37.2-63.0 | 12 | 19.4 | 11.0-27.8 |
| 45-54 | 52 | 12,772 | 6 | 11.6 | 01.6-21.6 | 6 | 8.4 | 01.0-15.8 | 30 | 53.7 | 39.8-67.6 | 10 | 26.3 | 16.3-36.3 |
| 55-64 | 102 | 21,136 | 13 | 18.8 | 07.8-29.8 | 13 | 12.6 | 05.3-19.9 | 63 | 58.6 | 46.6-70.6 | 13 | 10.0 | 03.7-16.3 |
| 65+ | 221 | 38,406 | 22 | 11.7 | 06.0-17.4 | 19 | 6.8 | 03.3-10.3 | 148 | 66.9 | 59.1-74.7 | 32 | 14.6 | 08.5-20.7 |
| H.S. or G.E.D. | 107 | 28,528 | 13 | 16.1 | 05.7-26.5 | 6 | 4.0 | 00.5-07.5 | 77 | 67.9 | 56.1-79.7 | 11 | 12.0 | 04.0-20.0 |
| Some Post-H.S. | 114 | 25,915 | 14 | 14.1 | 05.5-22.7 | 12 | 13.0 | 05.0-21.0 | 72 | 59.8 | 48.6-71.0 | 16 | 13.1 | 05.8-20.4 |
| College Graduate | 197 | 29,324 | 15 | 9.0 | 03.9-14.1 | 27 | 14.6 | 08.7-20.5 | 118 | 55.8 | 47.4-64.2 | 37 | 20.5 | 13.2-27.8 |
| \$25,000- 34,999 | 50 | 10,252 | 7 | 21.3 | 06.0-36.6 | 5 | 5.4 | 00.1-10.7 | 30 | 61.9 | 45.2-78.6 | 8 | 11.5 | 01.3-21.7 |
| \$50,000- 99,999 | 132 | 25,020 | 9 | 6.6 | 01.5-11.7 | 14 | 11.8 | 05.5-18.1 | 85 | 55.0 | 45.2-64.8 | 24 | 26.6 | 17.8-35.4 |
| \$100,000- 199,999 | 87 | 18,569 | 12 | 14.4 | 05.0-23.8 | 16 | 19.2 | 08.6-29.8 | 47 | 51.1 | 38.2-64.0 | 12 | 15.3 | 05.7-24.9 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 12: HOW DO YOU SHARE YOUR BLOOD PRESSURE NUMBERS THAT YOU COLLECTED WITH YOUR HEALTH PROFESSIONAL? IS IT MOSTLY BY TELEPHONE, OTHER METHODS SUCH AS EMAILS, INTERNET PORTAL OR FAX, OR IN PERSON? (SHAREBP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Telephone | | | Other methods such as email, internet portal, or fax | | | In person | | | Do not share information | | |
|----------------------------|-------------------|----------|-----------|------|------------|--|------|------------|-----------|------|------------|--------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 521 | 96,591 | 51 | 11.1 | 07.0-15.2 | 62 | 12.2 | 08.5-15.9 | 324 | 61.5 | 55.6-67.4 | 84 | 15.2 | 10.9-19.5 |
| White/Non-Hisp | 372 | 64,787 | 41 | 12.5 | 07.6-17.4 | 46 | 12.3 | 07.8-16.8 | 223 | 59.0 | 51.6-66.4 | 62 | 16.3 | 10.8-21.8 |
| Black or Afr. Am./Non-Hisp | 93 | 22,086 | 6 | 3.7 | 00.0-07.4 | 11 | 12.5 | 04.5-20.5 | 63 | 70.9 | 59.9-81.9 | 13 | 12.9 | 04.7-21.1 |
| 45-54 | 87 | 14,065 | 11 | 10.0 | 03.1-16.9 | 14 | 17.1 | 07.5-26.7 | 52 | 58.1 | 45.8-70.4 | 10 | 14.8 | 05.4-24.2 |
| 55-64 | 110 | 18,235 | 12 | 14.0 | 03.6-24.4 | 16 | 11.5 | 04.8-18.2 | 62 | 57.1 | 44.9-69.3 | 20 | 17.4 | 08.4-26.4 |
| 65+ | 256 | 40,659 | 25 | 11.6 | 06.1-17.1 | 20 | 8.7 | 04.0-13.4 | 168 | 66.7 | 59.1-74.3 | 43 | 13.1 | 08.8-17.4 |
| H.S. or G.E.D. | 136 | 27,551 | 9 | 6.1 | 01.0-11.2 | 12 | 10.6 | 03.0-18.2 | 96 | 74.8 | 64.8-84.8 | 19 | 8.5 | 04.0-13.0 |
| Some Post-H.S. | 161 | 32,310 | 20 | 16.1 | 07.3-24.9 | 17 | 11.1 | 05.0-17.2 | 96 | 54.2 | 43.8-64.6 | 28 | 18.5 | 08.9-28.1 |
| College Graduate | 191 | 26,370 | 17 | 8.1 | 03.2-13.0 | 33 | 20.1 | 12.5-27.7 | 105 | 48.4 | 39.4-57.4 | 36 | 23.5 | 15.7-31.3 |
| \$15,000- 24,999 | 58 | 9,919 | 5 | 4.9 | 00.0-10.2 | 1 | 1.8 | 00.0-05.3 | 43 | 86.4 | 78.0-94.8 | 9 | 6.8 | 01.3-12.3 |
| \$25,000- 34,999 | 67 | 11,613 | 8 | 14.5 | 02.9-26.1 | 4 | 10.8 | 00.0-23.1 | 48 | 64.1 | 47.8-80.4 | 7 | 10.6 | 00.6-20.6 |
| \$35,000- 49,999 | 64 | 12,762 | 7 | 14.9 | 00.0-30.6 | 7 | 6.0 | 00.5-11.5 | 41 | 66.5 | 47.3-85.7 | 9 | 12.5 | 02.5-22.5 |
| \$50,000- 99,999 | 129 | 24,406 | 13 | 12.3 | 03.9-20.7 | 22 | 20.7 | 11.1-30.3 | 75 | 48.2 | 36.4-60.0 | 19 | 18.8 | 07.0-30.6 |
| \$100,000- 199,999 | 71 | 13,576 | 4 | 9.8 | 00.0-20.2 | 16 | 16.8 | 07.4-26.2 | 37 | 54.8 | 41.9-67.7 | 14 | 18.6 | 09.0-28.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021**

MODULE 19: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1) | |
| 1 MALES AND FEMALES | 103 |
| 2 MALES ONLY | 104 |
| 3 FEMALES ONLY | 105 |
| WHAT IS HIS OR HER RELATIONSHIP TO YOU? (CRGVREL4) | |
| 4 MALES AND FEMALES | 106 |
| 5 MALES ONLY | 107 |
| 6 FEMALES ONLY | 108 |
| FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1) | |
| 7 MALES AND FEMALES | 109 |
| 8 MALES ONLY | 110 |
| 9 FEMALES ONLY | 111 |
| IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1) | |
| 10 MALES AND FEMALES | 112 |
| 11 MALES ONLY | 113 |
| 12 FEMALES ONLY | 114 |
| WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3) | |
| 13 MALES AND FEMALES | 115 |
| 14 MALES ONLY | 116 |
| 15 FEMALES ONLY | 117 |
| DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD) | |
| 16 MALES AND FEMALES | 118 |
| 17 MALES ONLY | 119 |
| 18 FEMALES ONLY | 120 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021**

MODULE 19: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING? (CRGVPER1) | |
| 19 MALES AND FEMALES | 121 |
| 20 MALES ONLY | 122 |
| 21 FEMALES ONLY | 123 |
| IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS? (CRGVHOU1) | |
| 22 MALES AND FEMALES | 124 |
| 23 MALES ONLY | 125 |
| 24 FEMALES ONLY | 126 |
| IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT) | |
| 25 MALES AND FEMALES | 127 |
| 26 MALES ONLY | 128 |
| 27 FEMALES ONLY | 129 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 1: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Caregiving recipient died in past 30 days | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|---|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2976 | 635,391 | 568 | 18.6 | 16.8-20.4 | 2405 | 81.2 | 79.4-83.0 | 3 | 0.2 | 00.0-00.4 |
| Male | 1323 | 303,454 | 207 | 15.2 | 12.8-17.6 | 1116 | 84.8 | 82.4-87.2 | | | |
| Female | 1653 | 331,936 | 361 | 21.7 | 19.0-24.4 | 1289 | 78.0 | 75.3-80.7 | 3 | 0.3 | 00.0-00.9 |
| White/Non-Hisp | 2080 | 414,901 | 408 | 19.8 | 17.4-22.2 | 1670 | 80.2 | 77.8-82.6 | 2 | 0.0 | 00.0-00.0 |
| Black or Afr. Am./Non-Hisp | 433 | 124,575 | 95 | 19.2 | 14.9-23.5 | 337 | 80.1 | 75.6-84.6 | 1 | 0.7 | 00.0-02.1 |
| Oth. Race/Non-Hisp. | 92 | 26,488 | 12 | 15.9 | 05.3-26.5 | 80 | 84.1 | 73.5-94.7 | | | |
| MultiRacial/Non-Hisp. | 59 | 8,193 | 18 | 24.4 | 11.9-36.9 | 41 | 75.6 | 63.1-88.1 | | | |
| Hispanic | 262 | 51,663 | 27 | 8.3 | 04.2-12.4 | 235 | 91.7 | 87.6-95.8 | | | |
| 18-24 | 163 | 66,838 | 17 | 10.0 | 04.5-15.5 | 146 | 90.0 | 84.5-95.5 | | | |
| 25-34 | 310 | 106,974 | 50 | 17.6 | 12.3-22.9 | 260 | 82.4 | 77.1-87.7 | | | |
| 35-44 | 386 | 90,625 | 63 | 13.7 | 09.4-18.0 | 322 | 85.4 | 80.9-89.9 | 1 | 0.9 | 00.0-02.7 |
| 45-54 | 451 | 90,893 | 98 | 20.7 | 16.0-25.4 | 353 | 79.3 | 74.6-84.0 | | | |
| 55-64 | 616 | 108,879 | 162 | 27.7 | 23.2-32.2 | 454 | 72.3 | 67.8-76.8 | | | |
| 65+ | 1050 | 171,182 | 178 | 18.3 | 15.2-21.4 | 870 | 81.6 | 78.5-84.7 | 2 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 185 | 61,278 | 18 | 10.5 | 04.6-16.4 | 166 | 88.1 | 81.6-94.6 | 1 | 1.4 | 00.0-03.9 |
| H.S. or G.E.D. | 729 | 190,238 | 124 | 17.1 | 13.4-20.8 | 604 | 82.8 | 79.1-86.5 | 1 | 0.1 | 00.0-00.3 |
| Some Post-H.S. | 787 | 182,374 | 187 | 22.9 | 19.2-26.6 | 600 | 77.1 | 73.4-80.8 | | | |
| College Graduate | 1258 | 198,197 | 236 | 18.6 | 15.9-21.3 | 1021 | 81.4 | 78.7-84.1 | 1 | 0.0 | 00.0-00.0 |
| Less than \$15,000 | 119 | 23,951 | 20 | 14.0 | 06.7-21.3 | 98 | 82.6 | 73.4-91.8 | 1 | 3.5 | 00.0-10.2 |
| \$15,000- 24,999 | 238 | 47,610 | 46 | 18.0 | 11.5-24.5 | 192 | 82.0 | 75.5-88.5 | | | |
| \$25,000- 34,999 | 319 | 64,687 | 66 | 21.4 | 15.1-27.7 | 252 | 78.5 | 72.2-84.8 | 1 | 0.2 | 00.0-00.6 |
| \$35,000- 49,999 | 312 | 70,734 | 52 | 16.9 | 11.2-22.6 | 260 | 83.1 | 77.4-88.8 | | | |
| \$50,000- 99,999 | 823 | 167,198 | 166 | 20.7 | 17.2-24.2 | 657 | 79.3 | 75.8-82.8 | | | |
| \$100,000- 199,999 | 529 | 119,496 | 112 | 18.0 | 14.1-21.9 | 417 | 82.0 | 78.1-85.9 | | | |
| \$200,000+ | 123 | 30,122 | 21 | 16.6 | 09.0-24.2 | 102 | 83.4 | 75.8-91.0 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 2: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1323 | 303,454 | 207 | 15.2 | 12.8-17.6 | 1116 | 84.8 | 82.4-87.2 |
| White/Non-Hisp | 924 | 196,334 | 153 | 15.8 | 12.9-18.7 | 771 | 84.2 | 81.3-87.1 |
| Black or Afr. Am./Non-Hisp | 165 | 58,374 | 28 | 15.8 | 09.1-22.5 | 137 | 84.2 | 77.5-90.9 |
| Oth. Race/Non-Hisp. | 55 | 14,519 | 6 | 13.4 | 01.2-25.6 | 49 | 86.6 | 74.4-98.8 |
| Hispanic | 123 | 23,492 | 9 | 7.9 | 01.8-14.0 | 114 | 92.1 | 86.0-98.2 |
| 18-24 | 90 | 34,693 | 8 | 9.1 | 01.5-16.7 | 82 | 90.9 | 83.3-98.5 |
| 25-34 | 152 | 55,420 | 26 | 19.5 | 12.1-26.9 | 126 | 80.5 | 73.1-87.9 |
| 35-44 | 173 | 44,639 | 20 | 11.7 | 05.8-17.6 | 153 | 88.3 | 82.4-94.2 |
| 45-54 | 180 | 40,520 | 29 | 14.9 | 08.8-21.0 | 151 | 85.1 | 79.0-91.2 |
| 55-64 | 281 | 50,505 | 52 | 16.3 | 11.2-21.4 | 229 | 83.7 | 78.6-88.8 |
| 65+ | 447 | 77,676 | 72 | 16.4 | 12.3-20.5 | 375 | 83.6 | 79.5-87.7 |
| Less Than H.S. | 95 | 33,285 | 5 | 8.0 | 00.9-15.1 | 90 | 92.0 | 84.9-99.1 |
| H.S. or G.E.D. | 340 | 95,315 | 55 | 15.2 | 10.3-20.1 | 285 | 84.8 | 79.9-89.7 |
| Some Post-H.S. | 323 | 79,286 | 60 | 18.3 | 13.2-23.4 | 263 | 81.7 | 76.6-86.8 |
| College Graduate | 554 | 93,183 | 84 | 15.0 | 11.3-18.7 | 470 | 85.0 | 81.3-88.7 |
| \$15,000- 24,999 | 95 | 20,566 | 16 | 20.7 | 09.5-31.9 | 79 | 79.3 | 68.1-90.5 |
| \$25,000- 34,999 | 131 | 28,821 | 20 | 16.5 | 07.3-25.7 | 111 | 83.5 | 74.3-92.7 |
| \$35,000- 49,999 | 125 | 32,695 | 18 | 13.7 | 06.6-20.8 | 107 | 86.3 | 79.2-93.4 |
| \$50,000- 99,999 | 370 | 80,309 | 62 | 16.1 | 11.4-20.8 | 308 | 83.9 | 79.2-88.6 |
| \$100,000- 199,999 | 264 | 65,366 | 51 | 15.0 | 10.3-19.7 | 213 | 85.0 | 80.3-89.7 |
| \$200,000+ | 75 | 18,318 | 7 | 9.6 | 01.4-17.8 | 68 | 90.4 | 82.2-98.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 3: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Caregiving recipient died in past 30 days | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|---|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1653 | 331,936 | 361 | 21.7 | 19.0-24.4 | 1289 | 78.0 | 75.3-80.7 | 3 | 0.3 | 00.0-00.9 |
| White/Non-Hisp | 1156 | 218,568 | 255 | 23.4 | 20.1-26.7 | 899 | 76.5 | 73.2-79.8 | 2 | 0.1 | 00.0-00.3 |
| Black or Afr. Am./Non-Hisp | 268 | 66,202 | 67 | 22.1 | 16.2-28.0 | 200 | 76.6 | 70.5-82.7 | 1 | 1.3 | 00.0-03.7 |
| Hispanic | 139 | 28,171 | 18 | 8.7 | 03.0-14.4 | 121 | 91.3 | 85.6-97.0 | | | |
| 18-24 | 73 | 32,145 | 9 | 10.9 | 03.1-18.7 | 64 | 89.1 | 81.3-96.9 | | | |
| 25-34 | 158 | 51,553 | 24 | 15.6 | 08.2-23.0 | 134 | 84.4 | 77.0-91.8 | | | |
| 35-44 | 213 | 45,986 | 43 | 15.5 | 09.4-21.6 | 169 | 82.7 | 75.8-89.6 | 1 | 1.8 | 00.0-05.3 |
| 45-54 | 271 | 50,373 | 69 | 25.4 | 18.5-32.3 | 202 | 74.6 | 67.7-81.5 | | | |
| 55-64 | 335 | 58,374 | 110 | 37.6 | 30.9-44.3 | 225 | 62.4 | 55.7-69.1 | | | |
| 65+ | 603 | 93,506 | 106 | 19.9 | 15.4-24.4 | 495 | 79.9 | 75.4-84.4 | 2 | 0.2 | 00.0-00.4 |
| Less Than H.S. | 90 | 27,993 | 13 | 13.5 | 03.5-23.5 | 76 | 83.5 | 72.3-94.7 | 1 | 3.0 | 00.0-08.7 |
| H.S. or G.E.D. | 389 | 94,922 | 69 | 19.1 | 13.6-24.6 | 319 | 80.8 | 75.3-86.3 | 1 | 0.1 | 00.0-00.3 |
| Some Post-H.S. | 464 | 103,088 | 127 | 26.5 | 21.4-31.6 | 337 | 73.5 | 68.4-78.6 | | | |
| College Graduate | 704 | 105,014 | 152 | 21.7 | 18.0-25.4 | 551 | 78.2 | 74.5-81.9 | 1 | 0.1 | 00.0-00.3 |
| Less than \$15,000 | 79 | 14,936 | 15 | 15.3 | 06.3-24.3 | 63 | 79.1 | 66.6-91.6 | 1 | 5.6 | 00.0-16.0 |
| \$15,000- 24,999 | 143 | 27,044 | 30 | 16.0 | 08.7-23.3 | 113 | 84.0 | 76.7-91.3 | | | |
| \$25,000- 34,999 | 188 | 35,866 | 46 | 25.3 | 17.1-33.5 | 141 | 74.5 | 66.1-82.9 | 1 | 0.3 | 00.0-00.9 |
| \$35,000- 49,999 | 187 | 38,039 | 34 | 19.6 | 11.0-28.2 | 153 | 80.4 | 71.8-89.0 | | | |
| \$50,000- 99,999 | 453 | 86,889 | 104 | 25.0 | 19.7-30.3 | 349 | 75.0 | 69.7-80.3 | | | |
| \$100,000- 199,999 | 265 | 54,129 | 61 | 21.6 | 14.9-28.3 | 204 | 78.4 | 71.7-85.1 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 4: WHAT IS HIS OR HER RELATIONSHIP TO YOU? (CRGVREL4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Parent (1,2) | | | In-Laws (3,4,9,10) | | | Spouse or Same-sex Partner (6,7,8) | | | Child, Grandparent GrandChild (5,11,12,13) | | | Other Relative (14) | | | Non-Relative (15) | | |
|----------------------------|-------------------|----------|--------------|------|------------|--------------------|------|------------|------------------------------------|------|------------|--|------|------------|---------------------|------|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 558 | 116,537 | 164 | 29.6 | 24.9-34.3 | 62 | 11.1 | 07.8-14.4 | 139 | 21.9 | 17.6-26.2 | 66 | 14.8 | 10.3-19.3 | 38 | 7.0 | 04.3-09.7 | 89 | 15.6 | 11.7-19.5 |
| Male | 205 | 45,963 | 49 | 24.0 | 16.9-31.1 | 26 | 9.4 | 05.1-13.7 | 61 | 23.5 | 16.8-30.2 | 20 | 13.8 | 06.5-21.1 | 12 | 7.6 | 02.5-12.7 | 37 | 21.7 | 14.1-29.3 |
| Female | 353 | 70,574 | 115 | 33.3 | 27.0-39.6 | 36 | 12.2 | 07.3-17.1 | 78 | 20.8 | 15.3-26.3 | 46 | 15.5 | 09.8-21.2 | 26 | 6.6 | 03.5-09.7 | 52 | 11.6 | 07.9-15.3 |
| White/Non-Hisp | 400 | 81,244 | 106 | 25.4 | 20.3-30.5 | 44 | 10.9 | 06.8-15.0 | 116 | 27.2 | 21.5-32.9 | 51 | 16.4 | 10.9-21.9 | 21 | 5.8 | 02.9-08.7 | 62 | 14.3 | 09.8-18.8 |
| Black or Afr. Am./Non-Hisp | 95 | 23,907 | 36 | 39.0 | 27.0-51.0 | 13 | 14.5 | 06.3-22.7 | 13 | 10.3 | 04.2-16.4 | 7 | 8.3 | 00.0-17.7 | 12 | 12.8 | 04.6-21.0 | 14 | 15.2 | 06.8-23.6 |
| 35-44 | 62 | 12,316 | 20 | 30.2 | 16.1-44.3 | 6 | 7.8 | 01.1-14.5 | 8 | 13.1 | 01.7-24.5 | 11 | 22.3 | 06.0-38.6 | 9 | 18.0 | 04.3-31.7 | 8 | 8.5 | 01.4-15.6 |
| 45-54 | 96 | 18,516 | 33 | 24.8 | 15.2-34.4 | 17 | 24.4 | 10.9-37.9 | 12 | 12.0 | 04.6-19.4 | 14 | 11.9 | 05.0-18.8 | 3 | 4.3 | 00.0-10.0 | 17 | 22.6 | 11.4-33.8 |
| 55-64 | 159 | 29,645 | 67 | 46.5 | 36.9-56.1 | 15 | 8.5 | 03.2-13.8 | 33 | 21.4 | 13.6-29.2 | 12 | 7.3 | 02.2-12.4 | 10 | 4.3 | 01.0-07.6 | 22 | 12.0 | 05.9-18.1 |
| 65+ | 175 | 31,165 | 22 | 13.0 | 07.1-18.9 | 18 | 11.1 | 05.6-16.6 | 84 | 47.3 | 37.9-56.7 | 11 | 7.1 | 02.0-12.2 | 11 | 6.4 | 02.3-10.5 | 29 | 15.1 | 08.6-21.6 |
| H.S. or G.E.D. | 123 | 32,448 | 33 | 23.3 | 14.5-32.1 | 11 | 9.7 | 01.9-17.5 | 28 | 20.5 | 12.1-28.9 | 14 | 19.0 | 07.8-30.2 | 12 | 10.2 | 03.5-16.9 | 25 | 17.2 | 08.8-25.6 |
| Some Post-H.S. | 183 | 40,680 | 54 | 31.5 | 22.7-40.3 | 19 | 12.4 | 06.3-18.5 | 48 | 22.3 | 15.6-29.0 | 24 | 15.2 | 08.5-21.9 | 13 | 7.9 | 02.8-13.0 | 25 | 10.7 | 06.0-15.4 |
| College Graduate | 233 | 36,610 | 72 | 35.2 | 27.6-42.8 | 32 | 13.0 | 08.7-17.3 | 61 | 23.0 | 16.7-29.3 | 22 | 7.8 | 04.1-11.5 | 13 | 4.5 | 01.6-07.4 | 33 | 16.5 | 10.2-22.8 |
| \$25,000- 34,999 | 64 | 13,680 | 19 | 29.7 | 14.8-44.6 | 4 | 6.8 | 00.0-14.4 | 12 | 12.9 | 03.7-22.1 | 12 | 21.8 | 07.7-35.9 | 4 | 6.1 | 00.0-13.2 | 13 | 22.7 | 07.0-38.4 |
| \$35,000- 49,999 | 52 | 11,945 | 14 | 30.4 | 13.0-47.8 | 5 | 11.8 | 03.4-20.2 | 11 | 16.4 | 06.4-26.4 | 5 | 17.4 | 00.3-34.5 | 6 | 12.5 | 02.3-22.7 | 11 | 11.5 | 03.5-19.5 |
| \$50,000- 99,999 | 164 | 33,874 | 42 | 27.0 | 18.4-35.6 | 21 | 10.7 | 05.0-16.4 | 49 | 28.5 | 20.1-36.9 | 23 | 17.6 | 09.4-25.8 | 12 | 7.5 | 02.0-13.0 | 17 | 8.7 | 04.2-13.2 |
| \$100,000- 199,999 | 111 | 21,305 | 38 | 35.2 | 24.0-46.4 | 22 | 22.9 | 10.9-34.9 | 28 | 20.3 | 11.5-29.1 | 9 | 7.0 | 01.9-12.1 | 3 | 2.5 | 00.0-05.4 | 11 | 12.1 | 04.3-19.9 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 5: WHAT IS HIS OR HER RELATIONSHIP TO YOU? (CRGVREL4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Parent (1,2) | | | In-Laws (3,4,9,10) | | | Spouse or Same-sex Partner (6,7,8) | | | Child, Grandparent GrandChild (5,11,12,13) | | | Other Relative (14) | | | Non-Relative (15) | | |
|--------------------|-------------------|----------|----|--------------|------------|----|--------------------|------------|----|------------------------------------|------------|----|--|------------|----|---------------------|------------|----|-------------------|------------|--|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| Male | 205 | 45,963 | 49 | 24.0 | 16.9-31.1 | 26 | 9.4 | 05.3-13.5 | 61 | 23.5 | 16.8-30.2 | 20 | 13.8 | 06.5-21.1 | 12 | 7.6 | 02.3-12.9 | 37 | 21.7 | 14.1-29.3 | |
| White/Non-Hisp | 151 | 30,817 | 33 | 22.0 | 14.2-29.8 | 19 | 9.3 | 04.6-14.0 | 50 | 28.5 | 19.9-37.1 | 17 | 14.6 | 06.6-22.6 | 7 | 6.7 | 00.8-12.6 | 25 | 19.0 | 10.2-27.8 | |
| 55-64 | 51 | 8,118 | 17 | 31.5 | 16.4-46.6 | 6 | 5.9 | 00.6-11.2 | 11 | 22.2 | 08.7-35.7 | 4 | 9.3 | 00.0-19.5 | 1 | 2.1 | 00.0-06.2 | 12 | 29.1 | 11.9-46.3 | |
| 65+ | 72 | 12,729 | 6 | 10.5 | 01.9-19.1 | 8 | 10.1 | 02.5-17.7 | 41 | 53.5 | 39.4-67.6 | 5 | 7.8 | 00.0-16.6 | 4 | 6.5 | 00.0-13.6 | 8 | 11.6 | 01.8-21.4 | |
| H.S. or G.E.D. | 55 | 14,494 | 16 | 23.9 | 11.0-36.8 | 5 | 6.5 | 00.4-12.6 | 12 | 22.7 | 09.2-36.2 | 5 | 14.0 | 00.0-29.5 | 6 | 10.6 | 00.0-21.4 | 11 | 22.4 | 06.9-37.9 | |
| Some Post-H.S. | 60 | 14,480 | 12 | 19.3 | 08.1-30.5 | 8 | 14.2 | 03.8-24.6 | 18 | 23.0 | 12.0-34.0 | 6 | 15.9 | 03.0-28.8 | 5 | 12.9 | 01.1-24.7 | 11 | 14.7 | 05.3-24.1 | |
| College Graduate | 83 | 13,898 | 18 | 27.6 | 14.7-40.5 | 13 | 9.6 | 03.9-15.3 | 31 | 30.2 | 18.6-41.8 | 8 | 9.4 | 01.8-17.0 | 1 | 0.7 | 00.0-02.1 | 12 | 22.4 | 09.7-35.1 | |
| \$50,000- 99,999 | 62 | 12,918 | 10 | 15.2 | 04.6-25.8 | 9 | 9.4 | 02.3-16.5 | 23 | 35.9 | 20.8-51.0 | 8 | 18.4 | 04.5-32.3 | 4 | 8.7 | 00.0-19.9 | 8 | 12.5 | 03.1-21.9 | |
| \$100,000- 199,999 | 51 | 9,800 | 11 | 26.1 | 11.0-41.2 | 12 | 20.3 | 08.0-32.6 | 15 | 24.7 | 11.2-38.2 | 5 | 9.4 | 00.4-18.4 | 1 | 2.3 | 00.0-06.8 | 7 | 17.3 | 03.6-31.0 | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 6: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Parent (1,2) | | | In-Laws (3,4,9,10) | | | Spouse or Same-sex Partner (6,7,8) | | | Child, Grandparent GrandChild (5,11,12,13) | | | Other Relative (14) | | | Non-Relative (15) | | |
|----------------------------|-------------------|----------|--------------|------|------------|--------------------|------|------------|------------------------------------|------|------------|--|------|------------|---------------------|------|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 353 | 70,574 | 115 | 33.3 | 27.0-39.6 | 36 | 12.2 | 07.3-17.1 | 78 | 20.8 | 15.3-26.3 | 46 | 15.5 | 09.8-21.2 | 26 | 6.6 | 03.5-09.7 | 52 | 11.6 | 07.9-15.3 |
| White/Non-Hisp | 249 | 50,426 | 73 | 27.5 | 20.6-34.4 | 25 | 12.0 | 05.9-18.1 | 66 | 26.4 | 19.0-33.8 | 34 | 17.5 | 10.2-24.8 | 14 | 5.2 | 01.9-08.5 | 37 | 11.5 | 07.2-15.8 |
| Black or Afr. Am./Non-Hisp | 67 | 14,663 | 30 | 50.8 | 36.7-64.9 | 8 | 14.5 | 04.3-24.7 | 6 | 6.3 | 00.2-12.4 | 6 | 5.7 | 00.8-10.6 | 9 | 12.4 | 03.4-21.4 | 8 | 10.3 | 03.0-17.6 |
| 45-54 | 68 | 12,615 | 27 | 29.5 | 16.8-42.2 | 9 | 22.4 | 04.8-40.0 | 7 | 11.5 | 01.9-21.1 | 12 | 15.3 | 05.7-24.9 | 3 | 6.3 | 00.0-14.7 | 10 | 15.0 | 05.0-25.0 |
| 55-64 | 108 | 21,527 | 50 | 52.2 | 40.6-63.8 | 9 | 9.4 | 02.5-16.3 | 22 | 21.1 | 11.7-30.5 | 8 | 6.5 | 00.8-12.2 | 9 | 5.1 | 00.8-09.4 | 10 | 5.6 | 01.7-09.5 |
| 65+ | 103 | 18,436 | 16 | 14.7 | 06.7-22.7 | 10 | 11.9 | 04.3-19.5 | 43 | 43.0 | 30.1-55.9 | 6 | 6.7 | 00.8-12.6 | 7 | 6.3 | 01.6-11.0 | 21 | 17.5 | 09.1-25.9 |
| H.S. or G.E.D. | 68 | 17,954 | 17 | 22.9 | 10.7-35.1 | 6 | 12.2 | 00.0-25.3 | 16 | 18.8 | 08.2-29.4 | 9 | 23.1 | 07.2-39.0 | 6 | 9.9 | 01.7-18.1 | 14 | 13.1 | 05.5-20.7 |
| Some Post-H.S. | 123 | 26,200 | 42 | 38.2 | 26.6-49.8 | 11 | 11.4 | 04.0-18.8 | 30 | 21.9 | 13.3-30.5 | 18 | 14.8 | 07.4-22.2 | 8 | 5.1 | 00.6-09.6 | 14 | 8.5 | 03.4-13.6 |
| College Graduate | 150 | 22,712 | 54 | 39.9 | 30.5-49.3 | 19 | 15.0 | 09.1-20.9 | 30 | 18.6 | 11.2-26.0 | 14 | 6.8 | 02.9-10.7 | 12 | 6.9 | 02.4-11.4 | 21 | 12.9 | 06.6-19.2 |
| \$50,000- 99,999 | 102 | 20,956 | 32 | 34.3 | 22.5-46.1 | 12 | 11.5 | 03.5-19.5 | 26 | 24.0 | 14.0-34.0 | 15 | 17.0 | 06.6-27.4 | 8 | 6.7 | 01.0-12.4 | 9 | 6.4 | 01.9-10.9 |
| \$100,000- 199,999 | 60 | 11,505 | 27 | 43.0 | 25.9-60.1 | 10 | 25.2 | 06.2-44.2 | 13 | 16.7 | 05.5-27.9 | 4 | 4.9 | 00.0-10.4 | 2 | 2.6 | 00.0-06.7 | 4 | 7.6 | 00.0-15.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 7: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less than 30 days | | | 1 mnth to LT 6 mnths | | | 6 mnths to LT 2 yrs | | | 2 yrs LT 5 yrs | | | More than 5 yrs | | |
|----------------------------|-------------------|----------|-------------------|------|------------|----------------------|------|------------|---------------------|------|------------|----------------|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 558 | 116,442 | 81 | 15.9 | 11.8-20.0 | 75 | 16.2 | 12.1-20.3 | 113 | 19.9 | 15.6-24.2 | 128 | 20.9 | 16.8-25.0 | 161 | 27.1 | 22.4-31.8 |
| Male | 204 | 45,505 | 28 | 15.7 | 09.6-21.8 | 31 | 18.6 | 11.2-26.0 | 40 | 19.2 | 12.3-26.1 | 47 | 20.8 | 14.1-27.5 | 58 | 25.7 | 18.1-33.3 |
| Female | 354 | 70,937 | 53 | 16.1 | 10.6-21.6 | 44 | 14.7 | 10.0-19.4 | 73 | 20.3 | 14.8-25.8 | 81 | 21.0 | 15.7-26.3 | 103 | 28.0 | 21.9-34.1 |
| White/Non-Hisp | 403 | 81,399 | 52 | 14.4 | 09.7-19.1 | 45 | 12.5 | 08.0-17.0 | 82 | 21.6 | 16.3-26.9 | 95 | 21.5 | 16.8-26.2 | 129 | 30.0 | 24.1-35.9 |
| Black or Afr. Am./Non-Hisp | 92 | 23,144 | 16 | 19.5 | 09.9-29.1 | 21 | 27.9 | 16.3-39.5 | 17 | 15.5 | 06.9-24.1 | 20 | 20.4 | 11.0-29.8 | 18 | 16.7 | 06.3-27.1 |
| 35-44 | 62 | 12,316 | 9 | 15.8 | 04.2-27.4 | 6 | 13.3 | 00.0-26.6 | 14 | 16.6 | 06.6-26.6 | 15 | 19.6 | 08.6-30.6 | 18 | 34.7 | 17.6-51.8 |
| 45-54 | 95 | 18,152 | 19 | 28.6 | 14.9-42.3 | 13 | 17.0 | 06.6-27.4 | 11 | 10.0 | 02.7-17.3 | 17 | 14.4 | 07.0-21.8 | 35 | 30.0 | 19.4-40.6 |
| 55-64 | 161 | 29,977 | 18 | 10.4 | 05.1-15.7 | 18 | 16.2 | 08.0-24.4 | 32 | 18.3 | 10.9-25.7 | 44 | 27.3 | 18.7-35.9 | 49 | 27.7 | 19.5-35.9 |
| 65+ | 174 | 30,712 | 23 | 13.1 | 07.4-18.8 | 28 | 16.3 | 10.2-22.4 | 38 | 23.3 | 15.1-31.5 | 37 | 18.8 | 12.3-25.3 | 48 | 28.5 | 19.3-37.7 |
| H.S. or G.E.D. | 122 | 32,354 | 19 | 19.4 | 09.2-29.6 | 20 | 15.6 | 07.0-24.2 | 23 | 19.4 | 10.4-28.4 | 27 | 17.5 | 10.4-24.6 | 33 | 28.0 | 17.0-39.0 |
| Some Post-H.S. | 181 | 40,385 | 25 | 14.2 | 08.3-20.1 | 22 | 14.6 | 07.5-21.7 | 36 | 21.5 | 14.1-28.9 | 47 | 24.9 | 16.9-32.9 | 51 | 24.8 | 17.5-32.1 |
| College Graduate | 234 | 36,709 | 34 | 15.8 | 09.9-21.7 | 30 | 18.5 | 12.0-25.0 | 52 | 20.4 | 14.1-26.7 | 50 | 19.8 | 13.5-26.1 | 68 | 25.5 | 19.2-31.8 |
| \$25,000- 34,999 | 65 | 13,748 | 9 | 16.1 | 05.1-27.1 | 7 | 11.8 | 00.0-25.9 | 12 | 14.2 | 03.8-24.6 | 18 | 32.4 | 16.5-48.3 | 19 | 25.5 | 12.4-38.6 |
| \$35,000- 49,999 | 50 | 11,579 | 5 | 13.1 | 01.1-25.1 | 13 | 24.8 | 12.3-37.3 | 12 | 20.6 | 07.7-33.5 | 10 | 21.9 | 05.0-38.8 | 10 | 19.6 | 02.9-36.3 |
| \$50,000- 99,999 | 165 | 34,481 | 25 | 13.3 | 07.4-19.2 | 19 | 14.1 | 06.8-21.4 | 35 | 28.7 | 19.1-38.3 | 38 | 19.5 | 12.6-26.4 | 48 | 24.4 | 16.4-32.4 |
| \$100,000- 199,999 | 111 | 21,305 | 18 | 23.8 | 11.5-36.1 | 17 | 23.8 | 12.8-34.8 | 25 | 16.1 | 08.7-23.5 | 22 | 17.2 | 09.4-25.0 | 29 | 19.1 | 11.5-26.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 8: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less than 30 days | | | 1 mnth to LT 6 mnths | | | 6 mnths to LT 2 yrs | | | 2 yrs LT 5 yrs | | | More than 5 yrs | | |
|--------------------|-------------------|----------|-------------------|------|------------|----------------------|------|------------|---------------------|------|------------|----------------|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 204 | 45,505 | 28 | 15.7 | 09.6-21.8 | 31 | 18.6 | 11.0-26.2 | 40 | 19.2 | 12.3-26.1 | 47 | 20.8 | 14.1-27.5 | 58 | 25.7 | 18.1-33.3 |
| White/Non-Hisp | 152 | 30,671 | 18 | 13.6 | 06.9-20.3 | 17 | 11.9 | 04.3-19.5 | 31 | 22.4 | 13.6-31.2 | 40 | 25.0 | 16.6-33.4 | 46 | 27.1 | 18.5-35.7 |
| 55-64 | 52 | 8,216 | 8 | 20.2 | 06.5-33.9 | 9 | 15.7 | 05.1-26.3 | 6 | 5.3 | 00.8-09.8 | 12 | 25.6 | 09.1-42.1 | 17 | 33.2 | 17.1-49.3 |
| 65+ | 71 | 12,357 | 6 | 11.1 | 01.5-20.7 | 11 | 17.7 | 06.3-29.1 | 18 | 22.9 | 11.5-34.3 | 18 | 24.7 | 13.1-36.3 | 18 | 23.6 | 11.6-35.6 |
| H.S. or G.E.D. | 54 | 14,399 | 9 | 17.4 | 05.8-29.0 | 7 | 13.4 | 00.0-27.3 | 10 | 20.2 | 06.3-34.1 | 14 | 19.3 | 08.3-30.3 | 14 | 29.6 | 12.7-46.5 |
| Some Post-H.S. | 58 | 13,890 | 9 | 17.2 | 05.8-28.6 | 9 | 16.4 | 04.2-28.6 | 14 | 23.6 | 11.3-35.9 | 13 | 23.8 | 11.5-36.1 | 13 | 18.9 | 07.9-29.9 |
| College Graduate | 84 | 13,996 | 9 | 13.4 | 04.2-22.6 | 14 | 25.1 | 12.4-37.8 | 16 | 18.1 | 07.7-28.5 | 17 | 15.1 | 05.5-24.7 | 28 | 28.3 | 17.1-39.5 |
| \$50,000- 99,999 | 62 | 12,918 | 10 | 16.6 | 05.8-27.4 | 7 | 9.1 | 01.5-16.7 | 12 | 28.2 | 11.9-44.5 | 12 | 14.2 | 05.2-23.2 | 21 | 32.0 | 17.1-46.9 |
| \$100,000- 199,999 | 51 | 9,800 | 7 | 21.2 | 07.1-35.3 | 10 | 28.1 | 12.2-44.0 | 11 | 15.9 | 05.1-26.7 | 11 | 17.8 | 05.8-29.8 | 12 | 16.9 | 06.3-27.5 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 9: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less than 30 days | | | 1 mnth to LT 6 mnths | | | 6 mnths to LT 2 yrs | | | 2 yrs LT 5 yrs | | | More than 5 yrs | | |
|----------------------------|-------------------|----------|-------------------|------|------------|----------------------|------|------------|---------------------|------|------------|----------------|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 354 | 70,937 | 53 | 16.1 | 10.6-21.6 | 44 | 14.7 | 10.0-19.4 | 73 | 20.3 | 14.8-25.8 | 81 | 21.0 | 15.7-26.3 | 103 | 28.0 | 22.1-33.9 |
| White/Non-Hisp | 251 | 50,727 | 34 | 14.8 | 08.1-21.5 | 28 | 12.9 | 07.6-18.2 | 51 | 21.1 | 14.4-27.8 | 55 | 19.4 | 13.5-25.3 | 83 | 31.8 | 24.4-39.2 |
| Black or Afr. Am./Non-Hisp | 65 | 14,117 | 10 | 17.4 | 06.4-28.4 | 11 | 21.9 | 08.8-35.0 | 16 | 23.0 | 10.7-35.3 | 16 | 24.2 | 12.4-36.0 | 12 | 13.5 | 05.1-21.9 |
| 45-54 | 67 | 12,218 | 14 | 29.5 | 11.7-47.3 | 8 | 13.0 | 03.0-23.0 | 9 | 12.8 | 02.6-23.0 | 11 | 13.5 | 04.9-22.1 | 25 | 31.3 | 18.0-44.6 |
| 55-64 | 109 | 21,761 | 10 | 6.8 | 02.1-11.5 | 9 | 16.5 | 05.9-27.1 | 26 | 23.2 | 13.4-33.0 | 32 | 27.9 | 17.7-38.1 | 32 | 25.6 | 16.0-35.2 |
| 65+ | 103 | 18,355 | 17 | 14.5 | 07.2-21.8 | 17 | 15.3 | 08.8-21.8 | 20 | 23.6 | 12.2-35.0 | 19 | 14.9 | 07.8-22.0 | 30 | 31.8 | 18.7-44.9 |
| H.S. or G.E.D. | 68 | 17,954 | 10 | 21.0 | 05.1-36.9 | 13 | 17.4 | 06.6-28.2 | 13 | 18.8 | 06.8-30.8 | 13 | 16.1 | 06.9-25.3 | 19 | 26.7 | 12.6-40.8 |
| Some Post-H.S. | 123 | 26,495 | 16 | 12.6 | 06.1-19.1 | 13 | 13.6 | 05.0-22.2 | 22 | 20.4 | 11.2-29.6 | 34 | 25.4 | 14.8-36.0 | 38 | 27.9 | 18.3-37.5 |
| College Graduate | 150 | 22,712 | 25 | 17.4 | 10.0-24.8 | 16 | 14.4 | 07.9-20.9 | 36 | 21.8 | 14.2-29.4 | 33 | 22.6 | 14.6-30.6 | 40 | 23.8 | 16.2-31.4 |
| \$50,000- 99,999 | 103 | 21,563 | 15 | 11.3 | 04.6-18.0 | 12 | 17.1 | 06.7-27.5 | 23 | 29.0 | 16.8-41.2 | 26 | 22.7 | 13.1-32.3 | 27 | 19.9 | 10.9-28.9 |
| \$100,000- 199,999 | 60 | 11,505 | 11 | 26.1 | 06.9-45.3 | 7 | 20.2 | 04.9-35.5 | 14 | 16.2 | 06.0-26.4 | 11 | 16.6 | 06.0-27.2 | 17 | 20.9 | 09.9-31.9 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 10: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Up to 8 hrs per wk | | | 9 to 19 hrs per wk | | | 20 to 39 hrs per wk | | | 40 hrs or more | | |
|----------------------------|-------------------|----------|--------------------|------|------------|--------------------|------|------------|---------------------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 525 | 109,005 | 280 | 52.7 | 47.2-58.2 | 96 | 19.5 | 14.8-24.2 | 53 | 10.7 | 07.4-14.0 | 96 | 17.2 | 12.9-21.5 |
| Male | 194 | 42,985 | 117 | 54.9 | 45.7-64.1 | 39 | 26.8 | 17.8-35.8 | 13 | 7.1 | 02.4-11.8 | 25 | 11.2 | 06.3-16.1 |
| Female | 331 | 66,020 | 163 | 51.3 | 44.2-58.4 | 57 | 14.7 | 09.8-19.6 | 40 | 13.0 | 08.5-17.5 | 71 | 21.1 | 15.0-27.2 |
| White/Non-Hisp | 384 | 76,996 | 203 | 52.7 | 46.2-59.2 | 74 | 19.5 | 14.0-25.0 | 40 | 11.7 | 07.6-15.8 | 67 | 16.1 | 11.4-20.8 |
| Black or Afr. Am./Non-Hisp | 86 | 21,596 | 45 | 51.5 | 38.6-64.4 | 13 | 20.9 | 08.4-33.4 | 9 | 8.1 | 02.4-13.8 | 19 | 19.5 | 10.3-28.7 |
| 35-44 | 59 | 12,025 | 26 | 38.7 | 22.8-54.6 | 15 | 26.5 | 11.2-41.8 | 8 | 12.2 | 02.8-21.6 | 10 | 22.6 | 05.7-39.5 |
| 45-54 | 88 | 15,466 | 51 | 67.1 | 56.3-77.9 | 12 | 11.6 | 04.5-18.7 | 5 | 5.4 | 00.0-11.1 | 20 | 15.9 | 08.3-23.5 |
| 55-64 | 151 | 27,981 | 87 | 59.7 | 50.1-69.3 | 25 | 13.2 | 06.9-19.5 | 18 | 13.0 | 06.3-19.7 | 21 | 14.1 | 07.2-21.0 |
| 65+ | 164 | 29,147 | 81 | 44.9 | 35.3-54.5 | 31 | 21.8 | 12.6-31.0 | 14 | 9.3 | 03.8-14.8 | 38 | 24.0 | 15.8-32.2 |
| H.S. or G.E.D. | 112 | 29,645 | 62 | 50.5 | 38.7-62.3 | 24 | 27.2 | 15.4-39.0 | 9 | 7.5 | 02.2-12.8 | 17 | 14.7 | 06.1-23.3 |
| Some Post-H.S. | 174 | 38,284 | 91 | 55.7 | 46.5-64.9 | 24 | 11.8 | 05.7-17.9 | 15 | 9.8 | 04.3-15.3 | 44 | 22.6 | 14.8-30.4 |
| College Graduate | 221 | 34,575 | 119 | 53.2 | 45.4-61.0 | 47 | 21.5 | 15.2-27.8 | 27 | 13.9 | 08.0-19.8 | 28 | 11.5 | 06.6-16.4 |
| \$25,000- 34,999 | 61 | 13,176 | 25 | 38.2 | 21.9-54.5 | 13 | 23.8 | 07.7-39.9 | 9 | 16.5 | 03.6-29.4 | 14 | 21.5 | 08.4-34.6 |
| \$50,000- 99,999 | 161 | 33,883 | 81 | 50.6 | 40.8-60.4 | 29 | 17.4 | 09.8-25.0 | 25 | 17.8 | 10.5-25.1 | 26 | 14.1 | 07.8-20.4 |
| \$100,000- 199,999 | 104 | 19,221 | 69 | 69.1 | 58.5-79.7 | 14 | 14.3 | 05.7-22.9 | 8 | 6.0 | 00.9-11.1 | 13 | 10.5 | 04.0-17.0 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 11: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Up to 8 hrs per wk | | | 9 to 19 hrs per wk | | | 20 to 39 hrs per wk | | | 40 hrs or more | | |
|--------------------|-------------------|----------|--------------------|------|------------|--------------------|------|------------|---------------------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 194 | 42,985 | 117 | 54.9 | 45.7-64.1 | 39 | 26.8 | 17.8-35.8 | 13 | 7.1 | 02.6-11.6 | 25 | 11.2 | 06.1-16.3 |
| White/Non-Hisp | 148 | 30,008 | 90 | 56.9 | 46.5-67.3 | 29 | 24.4 | 14.2-34.6 | 11 | 7.9 | 02.2-13.6 | 18 | 10.8 | 04.9-16.7 |
| 65+ | 68 | 11,821 | 40 | 54.5 | 39.8-69.2 | 14 | 23.4 | 11.2-35.6 | 2 | 1.6 | 00.0-04.0 | 12 | 20.5 | 08.2-32.8 |
| H.S. or G.E.D. | 52 | 14,032 | 34 | 49.0 | 31.4-66.6 | 10 | 37.1 | 18.1-56.1 | 2 | 4.0 | 00.0-09.7 | 6 | 9.9 | 01.3-18.5 |
| Some Post-H.S. | 55 | 13,200 | 32 | 55.2 | 39.3-71.1 | 9 | 22.8 | 07.7-37.9 | 4 | 6.5 | 00.0-13.0 | 10 | 15.5 | 04.7-26.3 |
| College Graduate | 81 | 12,960 | 46 | 56.6 | 43.1-70.1 | 20 | 25.6 | 13.6-37.6 | 6 | 7.2 | 00.0-15.0 | 9 | 10.6 | 02.6-18.6 |
| \$50,000- 99,999 | 62 | 12,918 | 37 | 53.3 | 37.4-69.2 | 13 | 27.5 | 12.2-42.8 | 6 | 10.0 | 00.6-19.4 | 6 | 9.3 | 00.1-18.5 |
| \$100,000- 199,999 | 50 | 9,502 | 34 | 65.8 | 49.5-82.1 | 10 | 22.7 | 07.6-37.8 | 2 | 2.9 | 00.0-07.6 | 4 | 8.6 | 00.0-18.0 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 12: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Up to 8 hrs per wk | | | 9 to 19 hrs per wk | | | 20 to 39 hrs per wk | | | 40 hrs or more | | |
|----------------------------|-------------------|----------|--------------------|------|------------|--------------------|------|------------|---------------------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 331 | 66,020 | 163 | 51.3 | 44.2-58.4 | 57 | 14.7 | 09.8-19.6 | 40 | 13.0 | 08.5-17.5 | 71 | 21.1 | 15.0-27.2 |
| White/Non-Hisp | 236 | 46,987 | 113 | 49.9 | 41.5-58.3 | 45 | 16.4 | 10.1-22.7 | 29 | 14.1 | 08.4-19.8 | 49 | 19.5 | 12.6-26.4 |
| Black or Afr. Am./Non-Hisp | 61 | 13,285 | 31 | 54.6 | 39.9-69.3 | 8 | 12.7 | 03.3-22.1 | 8 | 11.9 | 03.3-20.5 | 14 | 20.8 | 09.4-32.2 |
| 45-54 | 60 | 9,685 | 27 | 52.3 | 37.6-67.0 | 11 | 17.8 | 07.2-28.4 | 5 | 8.7 | 00.0-17.5 | 17 | 21.3 | 10.5-32.1 |
| 55-64 | 103 | 20,709 | 59 | 59.7 | 48.1-71.3 | 16 | 10.8 | 04.1-17.5 | 13 | 14.8 | 06.4-23.2 | 15 | 14.7 | 06.3-23.1 |
| 65+ | 96 | 17,325 | 41 | 38.4 | 25.7-51.1 | 17 | 20.7 | 07.6-33.8 | 12 | 14.6 | 05.8-23.4 | 26 | 26.3 | 15.5-37.1 |
| H.S. or G.E.D. | 60 | 15,613 | 28 | 51.9 | 35.6-68.2 | 14 | 18.3 | 07.9-28.7 | 7 | 10.7 | 01.9-19.5 | 11 | 19.1 | 05.2-33.0 |
| Some Post-H.S. | 119 | 25,084 | 59 | 55.9 | 44.5-67.3 | 15 | 6.1 | 02.8-09.4 | 11 | 11.6 | 04.0-19.2 | 34 | 26.4 | 16.0-36.8 |
| College Graduate | 140 | 21,615 | 73 | 51.1 | 41.3-60.9 | 27 | 19.0 | 11.9-26.1 | 21 | 17.9 | 10.1-25.7 | 19 | 12.0 | 05.7-18.3 |
| \$50,000- 99,999 | 99 | 20,965 | 44 | 49.0 | 36.5-61.5 | 16 | 11.2 | 04.9-17.5 | 19 | 22.7 | 12.5-32.9 | 20 | 17.1 | 08.5-25.7 |
| \$100,000- 199,999 | 54 | 9,719 | 35 | 72.3 | 59.0-85.6 | 4 | 6.2 | 00.0-12.7 | 6 | 9.1 | 00.3-17.9 | 9 | 12.4 | 03.4-21.4 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 13: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Arthritis, Rheumatism Asthma COPD Values (1,2,4) | | | Cancer (3) | | | Values (5,6,10,14) | | | Diabetes, Heart Disease, Hypertension Stroke (Values 7,8) | | | HIV Organ Failure Kidney, Liver Disease Values (9,11) | | | Substance Abuse, Addiction Disorder, Other (Values 12,13,15) | | |
|--------------------|-------------------|----------|---|------|------------|------------|------|------------|--------------------|------|------------|--|------|------------|--|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 279 | 57,495 | 49 | 15.1 | 10.2-20.0 | 46 | 15.3 | 09.4-21.2 | 89 | 30.6 | 24.1-37.1 | 56 | 22.0 | 15.3-28.7 | 12 | 5.0 | 00.9-09.1 | 27 | 12.1 | 07.0-17.2 |
| Male | 95 | 21,898 | 20 | 19.9 | 10.1-29.7 | 15 | 17.9 | 06.5-29.3 | 28 | 29.2 | 18.0-40.4 | 18 | 17.5 | 08.1-26.9 | 1 | 0.3 | 00.0-00.9 | 13 | 15.2 | 06.0-24.4 |
| Female | 184 | 35,597 | 29 | 12.1 | 06.8-17.4 | 31 | 13.7 | 08.0-19.4 | 61 | 31.4 | 23.2-39.6 | 38 | 24.8 | 16.2-33.4 | 11 | 7.8 | 01.3-14.3 | 14 | 10.2 | 04.3-16.1 |
| White/Non-Hisp | 200 | 40,855 | 32 | 12.0 | 07.3-16.7 | 33 | 16.1 | 08.7-23.5 | 66 | 31.0 | 23.7-38.3 | 36 | 22.4 | 14.0-30.8 | 10 | 4.4 | 01.1-07.7 | 23 | 14.1 | 07.8-20.4 |
| 55-64 | 75 | 13,030 | 14 | 16.6 | 07.0-26.2 | 14 | 16.5 | 06.9-26.1 | 20 | 28.7 | 15.4-42.0 | 15 | 20.0 | 09.0-31.0 | 4 | 4.8 | 00.0-09.9 | 8 | 13.4 | 03.2-23.6 |
| 65+ | 94 | 16,896 | 20 | 16.2 | 08.2-24.2 | 14 | 12.3 | 04.1-20.5 | 31 | 33.4 | 22.2-44.6 | 15 | 23.6 | 09.9-37.3 | 4 | 2.4 | 00.0-04.9 | 10 | 12.0 | 03.6-20.4 |
| H.S. or G.E.D. | 63 | 15,750 | 8 | 8.1 | 02.0-14.2 | 8 | 16.8 | 02.1-31.5 | 20 | 27.8 | 15.5-40.1 | 18 | 32.4 | 16.3-48.5 | 1 | 0.5 | 00.0-01.5 | 8 | 14.4 | 04.0-24.8 |
| Some Post-H.S. | 92 | 20,167 | 20 | 16.2 | 08.0-24.4 | 15 | 15.0 | 06.6-23.4 | 27 | 30.9 | 18.7-43.1 | 18 | 16.6 | 08.0-25.2 | 7 | 11.5 | 00.5-22.5 | 5 | 9.8 | 00.8-18.8 |
| College Graduate | 113 | 16,942 | 18 | 15.4 | 07.2-23.6 | 21 | 14.2 | 07.1-21.3 | 40 | 39.4 | 29.4-49.4 | 17 | 13.1 | 06.2-20.0 | 4 | 2.8 | 00.0-05.7 | 13 | 15.0 | 06.8-23.2 |
| \$50,000- 99,999 | 87 | 18,019 | 12 | 11.6 | 04.2-19.0 | 15 | 16.3 | 06.7-25.9 | 35 | 41.5 | 28.8-54.2 | 13 | 12.2 | 04.8-19.6 | 4 | 6.3 | 00.0-13.4 | 8 | 12.2 | 02.4-22.0 |
| \$100,000- 199,999 | 54 | 8,447 | 6 | 11.9 | 01.5-22.3 | 13 | 18.5 | 07.9-29.1 | 16 | 28.0 | 13.9-42.1 | 9 | 15.0 | 04.4-25.6 | 3 | 4.5 | 00.0-09.8 | 7 | 22.1 | 07.0-37.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 14: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Arthritis, Rheumatism Asthma COPD Values (1,2,4) | | | Cancer (3) Values (5,6,10,14) | | | Diabetes, Heart Disease, Hypertension Stroke (Values 7,8) | | | HIV Organ Failure Kidney, Liver Disease Values (9,11) | | | Substance Abuse, Addiction Disorder, Other (Values 12,13,15) | | | | | |
|--------------------|-------------------|----------|---|------|------------|----------------------------------|------|------------|--|------|------------|--|------|------------|---|-----|------------|----|------|-----------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Male | 95 | 21,898 | 20 | 19.9 | 10.3-29.5 | 15 | 17.9 | 09.7-26.1 | 28 | 29.2 | 18.2-40.2 | 18 | 17.5 | 08.3-26.7 | 1 | 0.3 | 00.0-00.9 | 13 | 15.2 | 06.0-24.4 |
| White/Non-Hisp | 75 | 16,320 | 14 | 14.9 | 06.3-23.5 | 12 | 18.6 | 09.8-27.4 | 24 | 31.1 | 19.1-43.1 | 12 | 16.8 | 05.8-27.8 | 1 | 0.4 | 00.0-01.2 | 12 | 18.1 | 06.7-29.5 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 15: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Arthritis, Rheumatism Asthma COPD Values (1,2,4) | | | Cancer (3) | | | Values (5,6,10,14) | | | Diabetes, Heart Disease, Hypertension Stroke (Values 7,8) | | | HIV Organ Failure Kidney, Liver Disease Values (9,11) | | | Substance Abuse, Addiction Disorder, Other (Values 12,13,15) | | |
|--------------------|-------------------|----------|---|------|------------|------------|------|------------|--------------------|------|------------|--|------|------------|--|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 184 | 35,597 | 29 | 12.1 | 06.8-17.4 | 31 | 13.7 | 08.0-19.4 | 61 | 31.4 | 23.2-39.6 | 38 | 24.8 | 16.6-33.0 | 11 | 7.8 | 01.3-14.3 | 14 | 10.2 | 04.3-16.1 |
| White/Non-Hisp | 125 | 24,535 | 18 | 10.0 | 04.7-15.3 | 21 | 14.4 | 07.1-21.7 | 42 | 30.9 | 21.7-40.1 | 24 | 26.2 | 16.0-36.4 | 9 | 7.0 | 01.5-12.5 | 11 | 11.4 | 04.0-18.8 |
| 55-64 | 57 | 10,719 | 11 | 16.7 | 05.5-27.9 | 10 | 14.1 | 04.1-24.1 | 17 | 30.0 | 14.3-45.7 | 12 | 22.0 | 08.9-35.1 | 3 | 5.2 | 00.0-11.3 | 4 | 11.9 | 00.3-23.5 |
| 65+ | 57 | 10,469 | 10 | 10.5 | 02.3-18.7 | 9 | 16.9 | 04.0-29.8 | 20 | 34.2 | 19.7-48.7 | 9 | 25.4 | 05.8-45.0 | 4 | 3.9 | 00.0-07.8 | 5 | 9.0 | 00.0-19.2 |
| Some Post-H.S. | 69 | 13,538 | 14 | 15.5 | 05.7-25.3 | 10 | 11.5 | 03.5-19.5 | 20 | 30.2 | 15.9-44.5 | 15 | 17.5 | 07.5-27.5 | 7 | 17.1 | 01.6-32.6 | 3 | 8.1 | 00.0-17.9 |
| College Graduate | 73 | 11,300 | 11 | 15.3 | 04.3-26.3 | 14 | 16.7 | 06.9-26.5 | 29 | 41.5 | 29.3-53.7 | 9 | 11.1 | 03.3-18.9 | 4 | 4.2 | 00.0-08.5 | 6 | 11.2 | 02.0-20.4 |
| \$50,000- 99,999 | 55 | 10,934 | 5 | 9.6 | 00.0-19.2 | 11 | 15.8 | 05.0-26.6 | 25 | 47.0 | 30.5-63.5 | 9 | 14.7 | 03.7-25.7 | 4 | 10.3 | 00.0-21.5 | 1 | 2.6 | 00.0-07.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 16: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 493 | 103,594 | 68 | 13.3 | 09.8-16.8 | 425 | 86.7 | 83.2-90.2 |
| Male | 182 | 41,403 | 19 | 10.8 | 05.3-16.3 | 163 | 89.2 | 83.7-94.7 |
| Female | 311 | 62,191 | 49 | 14.9 | 10.2-19.6 | 262 | 85.1 | 80.4-89.8 |
| White/Non-Hisp | 357 | 72,965 | 48 | 11.5 | 07.8-15.2 | 309 | 88.5 | 84.8-92.2 |
| Black or Afr. Am./Non-Hisp | 78 | 19,456 | 16 | 23.8 | 12.0-35.6 | 62 | 76.2 | 64.4-88.0 |
| 35-44 | 55 | 10,895 | 4 | 10.2 | 00.0-22.9 | 51 | 89.8 | 77.1-0100 |
| 45-54 | 87 | 16,808 | 14 | 12.3 | 05.2-19.4 | 73 | 87.7 | 80.6-94.8 |
| 55-64 | 142 | 25,695 | 24 | 20.5 | 11.9-29.1 | 118 | 79.5 | 70.9-88.1 |
| 65+ | 146 | 25,718 | 22 | 14.2 | 07.7-20.7 | 124 | 85.8 | 79.3-92.3 |
| H.S. or G.E.D. | 104 | 28,692 | 11 | 9.9 | 03.4-16.4 | 93 | 90.1 | 83.6-96.6 |
| Some Post-H.S. | 165 | 37,259 | 27 | 15.4 | 08.5-22.3 | 138 | 84.6 | 77.7-91.5 |
| College Graduate | 205 | 31,381 | 29 | 16.0 | 09.9-22.1 | 176 | 84.0 | 77.9-90.1 |
| \$25,000- 34,999 | 58 | 12,084 | 6 | 7.6 | 00.5-14.7 | 52 | 92.4 | 85.3-99.5 |
| \$50,000- 99,999 | 146 | 30,274 | 14 | 9.8 | 03.5-16.1 | 132 | 90.2 | 83.9-96.5 |
| \$100,000- 199,999 | 96 | 19,252 | 11 | 11.2 | 04.3-18.1 | 85 | 88.8 | 81.9-95.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 17: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 182 | 41,403 | 19 | 10.8 | 05.3-16.3 | 163 | 89.2 | 83.7-94.7 |
| White/Non-Hisp | 132 | 27,267 | 13 | 8.8 | 03.7-13.9 | 119 | 91.2 | 86.1-96.3 |
| 65+ | 59 | 10,501 | 6 | 13.6 | 03.0-24.2 | 53 | 86.4 | 75.8-97.0 |
| Some Post-H.S. | 53 | 13,283 | 8 | 18.9 | 05.4-32.4 | 45 | 81.1 | 67.6-94.6 |
| College Graduate | 76 | 12,314 | 8 | 10.7 | 02.9-18.5 | 68 | 89.3 | 81.5-97.1 |
| \$50,000- 99,999 | 58 | 12,105 | 4 | 6.1 | 00.0-12.8 | 54 | 93.9 | 87.2-0100 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 18: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 311 | 62,191 | 49 | 14.9 | 10.2-19.6 | 262 | 85.1 | 80.4-89.8 |
| White/Non-Hisp | 225 | 45,698 | 35 | 13.1 | 08.0-18.2 | 190 | 86.9 | 81.8-92.0 |
| Black or Afr. Am./Non-Hisp | 53 | 11,142 | 12 | 28.5 | 13.4-43.6 | 41 | 71.5 | 56.4-86.6 |
| 45-54 | 60 | 11,030 | 10 | 13.0 | 04.0-22.0 | 50 | 87.0 | 78.0-96.0 |
| 55-64 | 94 | 18,435 | 19 | 25.0 | 13.8-36.2 | 75 | 75.0 | 63.8-86.2 |
| 65+ | 87 | 15,218 | 16 | 14.6 | 06.4-22.8 | 71 | 85.4 | 77.2-93.6 |
| H.S. or G.E.D. | 58 | 15,925 | 9 | 14.5 | 03.9-25.1 | 49 | 85.5 | 74.9-96.1 |
| Some Post-H.S. | 112 | 23,976 | 19 | 13.5 | 06.1-20.9 | 93 | 86.5 | 79.1-93.9 |
| College Graduate | 129 | 19,067 | 21 | 19.5 | 11.1-27.9 | 108 | 80.5 | 72.1-88.9 |
| \$50,000- 99,999 | 88 | 18,169 | 10 | 12.3 | 02.9-21.7 | 78 | 87.7 | 78.3-97.1 |
| \$100,000- 199,999 | 51 | 10,562 | 7 | 12.8 | 02.6-23.0 | 44 | 87.2 | 77.0-97.4 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 19: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 549 | 114,019 | 272 | 48.7 | 43.2-54.2 | 277 | 51.3 | 45.8-56.8 |
| Male | 201 | 44,922 | 87 | 43.6 | 35.0-52.2 | 114 | 56.4 | 47.8-65.0 |
| Female | 348 | 69,097 | 185 | 52.0 | 44.9-59.1 | 163 | 48.0 | 40.9-55.1 |
| White/Non-Hisp | 397 | 79,843 | 197 | 50.1 | 43.6-56.6 | 200 | 49.9 | 43.4-56.4 |
| Black or Afr. Am./Non-Hisp | 90 | 22,276 | 49 | 48.4 | 35.9-60.9 | 41 | 51.6 | 39.1-64.1 |
| 35-44 | 61 | 12,185 | 38 | 63.0 | 46.9-79.1 | 23 | 37.0 | 20.9-53.1 |
| 45-54 | 95 | 18,009 | 44 | 40.1 | 27.6-52.6 | 51 | 59.9 | 47.4-72.4 |
| 55-64 | 156 | 28,942 | 74 | 49.4 | 39.8-59.0 | 82 | 50.6 | 41.0-60.2 |
| 65+ | 172 | 29,789 | 84 | 48.0 | 38.8-57.2 | 88 | 52.0 | 42.8-61.2 |
| H.S. or G.E.D. | 121 | 32,021 | 60 | 48.1 | 36.1-60.1 | 61 | 51.9 | 39.9-63.9 |
| Some Post-H.S. | 181 | 40,219 | 95 | 49.9 | 40.9-58.9 | 86 | 50.1 | 41.1-59.1 |
| College Graduate | 228 | 35,514 | 109 | 50.5 | 42.7-58.3 | 119 | 49.5 | 41.7-57.3 |
| \$25,000- 34,999 | 63 | 12,960 | 37 | 50.6 | 33.5-67.7 | 26 | 49.4 | 32.3-66.5 |
| \$35,000- 49,999 | 50 | 11,546 | 21 | 57.0 | 39.9-74.1 | 29 | 43.0 | 25.9-60.1 |
| \$50,000- 99,999 | 164 | 33,874 | 83 | 53.7 | 44.1-63.3 | 81 | 46.3 | 36.7-55.9 |
| \$100,000- 199,999 | 109 | 21,203 | 51 | 43.2 | 31.4-55.0 | 58 | 56.8 | 45.0-68.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 20: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 201 | 44,922 | 87 | 43.6 | 35.4-51.8 | 114 | 56.4 | 48.2-64.6 |
| White/Non-Hisp | 150 | 30,662 | 65 | 46.1 | 36.7-55.5 | 85 | 53.9 | 44.5-63.3 |
| 65+ | 71 | 12,625 | 29 | 39.0 | 26.3-51.7 | 42 | 61.0 | 48.3-73.7 |
| H.S. or G.E.D. | 55 | 14,494 | 22 | 37.7 | 23.0-52.4 | 33 | 62.3 | 47.6-77.0 |
| Some Post-H.S. | 58 | 14,183 | 24 | 44.1 | 29.4-58.8 | 34 | 55.9 | 41.2-70.6 |
| College Graduate | 81 | 13,205 | 39 | 48.5 | 35.0-62.0 | 42 | 51.5 | 38.0-65.0 |
| \$50,000- 99,999 | 62 | 12,918 | 25 | 44.5 | 29.6-59.4 | 37 | 55.5 | 40.6-70.4 |
| \$100,000- 199,999 | 51 | 9,800 | 24 | 48.4 | 31.9-64.9 | 27 | 51.6 | 35.1-68.1 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 21: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 348 | 69,097 | 185 | 52.0 | 44.9-59.1 | 163 | 48.0 | 40.9-55.1 |
| White/Non-Hisp | 247 | 49,181 | 132 | 52.5 | 43.9-61.1 | 115 | 47.5 | 38.9-56.1 |
| Black or Afr. Am./Non-Hisp | 64 | 13,839 | 37 | 55.7 | 41.2-70.2 | 27 | 44.3 | 29.8-58.8 |
| 45-54 | 66 | 11,981 | 33 | 37.5 | 23.4-51.6 | 33 | 62.5 | 48.4-76.6 |
| 55-64 | 107 | 21,492 | 54 | 51.3 | 39.5-63.1 | 53 | 48.7 | 36.9-60.5 |
| 65+ | 101 | 17,164 | 55 | 54.6 | 41.5-67.7 | 46 | 45.4 | 32.3-58.5 |
| H.S. or G.E.D. | 66 | 17,527 | 38 | 56.7 | 40.4-73.0 | 28 | 43.3 | 27.0-59.6 |
| Some Post-H.S. | 123 | 26,036 | 71 | 53.0 | 41.8-64.2 | 52 | 47.0 | 35.8-58.2 |
| College Graduate | 147 | 22,309 | 70 | 51.6 | 42.0-61.2 | 77 | 48.4 | 38.8-58.0 |
| \$50,000- 99,999 | 102 | 20,956 | 58 | 59.3 | 47.3-71.3 | 44 | 40.7 | 28.7-52.7 |
| \$100,000- 199,999 | 58 | 11,403 | 27 | 38.7 | 22.4-55.0 | 31 | 61.3 | 45.0-77.6 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 22: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 546 | 113,480 | 450 | 80.6 | 75.9-85.3 | 96 | 19.4 | 14.7-24.1 |
| Male | 200 | 44,550 | 155 | 78.8 | 71.5-86.1 | 45 | 21.2 | 13.9-28.5 |
| Female | 346 | 68,930 | 295 | 81.8 | 75.5-88.1 | 51 | 18.2 | 11.9-24.5 |
| White/Non-Hisp | 394 | 79,304 | 324 | 80.9 | 75.2-86.6 | 70 | 19.1 | 13.4-24.8 |
| Black or Afr. Am./Non-Hisp | 90 | 22,276 | 76 | 77.7 | 65.5-89.9 | 14 | 22.3 | 10.1-34.5 |
| 35-44 | 60 | 12,090 | 54 | 90.4 | 80.6-0100 | 6 | 9.6 | 00.0-19.4 |
| 45-54 | 95 | 18,009 | 80 | 78.2 | 64.7-91.7 | 15 | 21.8 | 08.3-35.3 |
| 55-64 | 156 | 28,942 | 126 | 79.4 | 71.0-87.8 | 30 | 20.6 | 12.2-29.0 |
| 65+ | 170 | 29,344 | 135 | 77.3 | 68.5-86.1 | 35 | 22.7 | 13.9-31.5 |
| H.S. or G.E.D. | 119 | 31,854 | 89 | 71.8 | 60.2-83.4 | 30 | 28.2 | 16.6-39.8 |
| Some Post-H.S. | 180 | 39,847 | 154 | 86.3 | 80.4-92.2 | 26 | 13.7 | 07.8-19.6 |
| College Graduate | 228 | 35,514 | 191 | 83.5 | 77.4-89.6 | 37 | 16.5 | 10.4-22.6 |
| \$25,000- 34,999 | 62 | 12,865 | 54 | 91.7 | 85.4-98.0 | 8 | 8.3 | 02.0-14.6 |
| \$35,000- 49,999 | 50 | 11,546 | 43 | 93.8 | 88.7-98.9 | 7 | 6.2 | 01.1-11.3 |
| \$50,000- 99,999 | 164 | 33,874 | 139 | 85.4 | 78.7-92.1 | 25 | 14.6 | 07.9-21.3 |
| \$100,000- 199,999 | 109 | 21,203 | 81 | 68.0 | 55.3-80.7 | 28 | 32.0 | 19.3-44.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 23: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 200 | 44,550 | 155 | 78.8 | 71.5-86.1 | 45 | 21.2 | 13.9-28.5 |
| White/Non-Hisp | 149 | 30,290 | 117 | 82.9 | 76.4-89.4 | 32 | 17.1 | 10.6-23.6 |
| 65+ | 70 | 12,253 | 55 | 77.9 | 65.9-89.9 | 15 | 22.1 | 10.1-34.1 |
| H.S. or G.E.D. | 55 | 14,494 | 39 | 75.7 | 60.8-90.6 | 16 | 24.3 | 09.4-39.2 |
| Some Post-H.S. | 57 | 13,811 | 44 | 82.0 | 71.8-92.2 | 13 | 18.0 | 07.8-28.2 |
| College Graduate | 81 | 13,205 | 67 | 77.7 | 65.2-90.2 | 14 | 22.3 | 09.8-34.8 |
| \$50,000- 99,999 | 62 | 12,918 | 50 | 83.2 | 72.6-93.8 | 12 | 16.8 | 06.2-27.4 |
| \$100,000- 199,999 | 51 | 9,800 | 34 | 61.5 | 44.8-78.2 | 17 | 38.5 | 21.8-55.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 24: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 346 | 68,930 | 295 | 81.8 | 75.5-88.1 | 51 | 18.2 | 11.9-24.5 |
| White/Non-Hisp | 245 | 49,014 | 207 | 79.7 | 71.5-87.9 | 38 | 20.3 | 12.1-28.5 |
| Black or Afr. Am./Non-Hisp | 64 | 13,839 | 56 | 84.6 | 73.0-96.2 | 8 | 15.4 | 03.8-27.0 |
| 45-54 | 66 | 11,981 | 60 | 82.5 | 63.7-0100 | 6 | 17.5 | 00.0-36.3 |
| 55-64 | 107 | 21,492 | 89 | 79.6 | 69.2-90.0 | 18 | 20.4 | 10.0-30.8 |
| 65+ | 100 | 17,091 | 80 | 76.8 | 64.6-89.0 | 20 | 23.2 | 11.0-35.4 |
| H.S. or G.E.D. | 64 | 17,360 | 50 | 68.5 | 51.8-85.2 | 14 | 31.5 | 14.8-48.2 |
| Some Post-H.S. | 123 | 26,036 | 110 | 88.6 | 81.5-95.7 | 13 | 11.4 | 04.3-18.5 |
| College Graduate | 147 | 22,309 | 124 | 86.9 | 81.0-92.8 | 23 | 13.1 | 07.2-19.0 |
| \$50,000- 99,999 | 102 | 20,956 | 89 | 86.8 | 78.0-95.6 | 13 | 13.2 | 04.4-22.0 |
| \$100,000- 199,999 | 58 | 11,403 | 47 | 73.5 | 54.3-92.7 | 11 | 26.5 | 07.3-45.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 25: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2287 | 489,671 | 347 | 16.6 | 14.2-19.0 | 1940 | 83.4 | 81.0-85.8 |
| Male | 1060 | 243,406 | 157 | 16.5 | 13.4-19.6 | 903 | 83.5 | 80.4-86.6 |
| Female | 1227 | 246,265 | 190 | 16.8 | 13.5-20.1 | 1037 | 83.2 | 79.9-86.5 |
| White/Non-Hisp | 1604 | 317,070 | 231 | 15.1 | 12.6-17.6 | 1373 | 84.9 | 82.4-87.4 |
| Black or Afr. Am./Non-Hisp | 309 | 91,991 | 53 | 20.9 | 14.2-27.6 | 256 | 79.1 | 72.4-85.8 |
| Oth. Race/Non-Hisp. | 77 | 22,010 | 9 | 11.0 | 02.6-19.4 | 68 | 89.0 | 80.6-97.4 |
| Hispanic | 221 | 44,977 | 45 | 21.0 | 13.4-28.6 | 176 | 79.0 | 71.4-86.6 |
| 18-24 | 140 | 57,860 | 20 | 17.6 | 07.6-27.6 | 120 | 82.4 | 72.4-92.4 |
| 25-34 | 254 | 86,286 | 31 | 13.5 | 08.2-18.8 | 223 | 86.5 | 81.2-91.8 |
| 35-44 | 311 | 73,581 | 48 | 16.4 | 10.3-22.5 | 263 | 83.6 | 77.5-89.7 |
| 45-54 | 332 | 66,695 | 59 | 20.8 | 14.7-26.9 | 273 | 79.2 | 73.1-85.3 |
| 55-64 | 435 | 74,701 | 82 | 18.6 | 14.1-23.1 | 353 | 81.4 | 76.9-85.9 |
| 65+ | 815 | 130,548 | 107 | 15.1 | 11.6-18.6 | 708 | 84.9 | 81.4-88.4 |
| Less Than H.S. | 154 | 51,768 | 34 | 21.2 | 12.8-29.6 | 120 | 78.8 | 70.4-87.2 |
| H.S. or G.E.D. | 572 | 148,414 | 95 | 18.5 | 13.8-23.2 | 477 | 81.5 | 76.8-86.2 |
| Some Post-H.S. | 561 | 130,970 | 89 | 17.4 | 12.7-22.1 | 472 | 82.6 | 77.9-87.3 |
| College Graduate | 987 | 155,867 | 128 | 12.9 | 10.2-15.6 | 859 | 87.1 | 84.4-89.8 |
| Less than \$15,000 | 97 | 19,504 | 12 | 15.8 | 05.4-26.2 | 85 | 84.2 | 73.8-94.6 |
| \$15,000- 24,999 | 180 | 37,484 | 40 | 24.4 | 15.6-33.2 | 140 | 75.6 | 66.8-84.4 |
| \$25,000- 34,999 | 233 | 47,158 | 37 | 16.6 | 10.1-23.1 | 196 | 83.4 | 76.9-89.9 |
| \$35,000- 49,999 | 247 | 56,179 | 36 | 18.2 | 09.2-27.2 | 211 | 81.8 | 72.8-90.8 |
| \$50,000- 99,999 | 635 | 127,651 | 95 | 15.6 | 11.5-19.7 | 540 | 84.4 | 80.3-88.5 |
| \$100,000- 199,999 | 402 | 92,595 | 54 | 15.9 | 10.6-21.2 | 348 | 84.1 | 78.8-89.4 |
| \$200,000+ | 102 | 25,121 | 12 | 12.7 | 04.3-21.1 | 90 | 87.3 | 78.9-95.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 26: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1060 | 243,406 | 157 | 16.5 | 13.4-19.6 | 903 | 83.5 | 80.4-86.6 |
| White/Non-Hisp | 743 | 158,338 | 98 | 13.1 | 10.2-16.0 | 645 | 86.9 | 84.0-89.8 |
| Black or Afr. Am./Non-Hisp | 123 | 44,133 | 25 | 27.2 | 16.4-38.0 | 98 | 72.8 | 62.0-83.6 |
| Hispanic | 104 | 20,004 | 23 | 20.7 | 10.3-31.1 | 81 | 79.3 | 68.9-89.7 |
| 18-24 | 77 | 29,539 | 9 | 10.9 | 00.1-21.7 | 68 | 89.1 | 78.3-99.9 |
| 25-34 | 121 | 42,858 | 18 | 17.4 | 09.2-25.6 | 103 | 82.6 | 74.4-90.8 |
| 35-44 | 149 | 38,624 | 21 | 13.9 | 07.0-20.8 | 128 | 86.1 | 79.2-93.0 |
| 45-54 | 142 | 32,221 | 28 | 21.6 | 12.4-30.8 | 114 | 78.4 | 69.2-87.6 |
| 55-64 | 220 | 39,902 | 38 | 17.7 | 11.6-23.8 | 182 | 82.3 | 76.2-88.4 |
| 65+ | 351 | 60,261 | 43 | 16.6 | 10.7-22.5 | 308 | 83.4 | 77.5-89.3 |
| Less Than H.S. | 82 | 28,929 | 22 | 26.8 | 14.8-38.8 | 60 | 73.2 | 61.2-85.2 |
| H.S. or G.E.D. | 271 | 75,918 | 46 | 17.6 | 11.9-23.3 | 225 | 82.4 | 76.7-88.1 |
| Some Post-H.S. | 245 | 59,628 | 33 | 15.8 | 08.7-22.9 | 212 | 84.2 | 77.1-91.3 |
| College Graduate | 455 | 77,197 | 56 | 12.4 | 08.7-16.1 | 399 | 87.6 | 83.9-91.3 |
| \$15,000- 24,999 | 70 | 14,949 | 24 | 41.6 | 25.7-57.5 | 46 | 58.4 | 42.5-74.3 |
| \$25,000- 34,999 | 101 | 22,101 | 14 | 17.5 | 06.9-28.1 | 87 | 82.5 | 71.9-93.1 |
| \$35,000- 49,999 | 102 | 26,630 | 15 | 19.1 | 08.1-30.1 | 87 | 80.9 | 69.9-91.9 |
| \$50,000- 99,999 | 299 | 65,879 | 40 | 14.4 | 08.3-20.5 | 259 | 85.6 | 79.5-91.7 |
| \$100,000- 199,999 | 205 | 52,502 | 22 | 12.5 | 06.8-18.2 | 183 | 87.5 | 81.8-93.2 |
| \$200,000+ | 68 | 16,567 | 6 | 9.1 | 00.9-17.3 | 62 | 90.9 | 82.7-99.1 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 27: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1227 | 246,265 | 190 | 16.8 | 13.5-20.1 | 1037 | 83.2 | 79.9-86.5 |
| White/Non-Hisp | 861 | 158,732 | 133 | 17.0 | 12.9-21.1 | 728 | 83.0 | 78.9-87.1 |
| Black or Afr. Am./Non-Hisp | 186 | 47,858 | 28 | 15.1 | 07.3-22.9 | 158 | 84.9 | 77.1-92.7 |
| Hispanic | 117 | 24,973 | 22 | 21.2 | 10.2-32.2 | 95 | 78.8 | 67.8-89.8 |
| 18-24 | 63 | 28,320 | 11 | 24.7 | 08.4-41.0 | 52 | 75.3 | 59.0-91.6 |
| 25-34 | 133 | 43,428 | 13 | 9.7 | 03.4-16.0 | 120 | 90.3 | 84.0-96.6 |
| 35-44 | 162 | 34,957 | 27 | 19.0 | 09.0-29.0 | 135 | 81.0 | 71.0-91.0 |
| 45-54 | 190 | 34,474 | 31 | 19.9 | 11.5-28.3 | 159 | 80.1 | 71.7-88.5 |
| 55-64 | 215 | 34,799 | 44 | 19.6 | 13.1-26.1 | 171 | 80.4 | 73.9-86.9 |
| 65+ | 464 | 70,287 | 64 | 13.9 | 10.0-17.8 | 400 | 86.1 | 82.2-90.0 |
| Less Than H.S. | 72 | 22,838 | 12 | 14.2 | 03.2-25.2 | 60 | 85.8 | 74.8-96.8 |
| H.S. or G.E.D. | 301 | 72,497 | 49 | 19.4 | 12.0-26.8 | 252 | 80.6 | 73.2-88.0 |
| Some Post-H.S. | 316 | 71,342 | 56 | 18.8 | 12.5-25.1 | 260 | 81.2 | 74.9-87.5 |
| College Graduate | 532 | 78,669 | 72 | 13.3 | 09.4-17.2 | 460 | 86.7 | 82.8-90.6 |
| Less than \$15,000 | 63 | 11,818 | 8 | 22.0 | 06.7-37.3 | 55 | 78.0 | 62.7-93.3 |
| \$15,000- 24,999 | 110 | 22,535 | 16 | 13.1 | 05.3-20.9 | 94 | 86.9 | 79.1-94.7 |
| \$25,000- 34,999 | 132 | 25,057 | 23 | 15.9 | 07.9-23.9 | 109 | 84.1 | 76.1-92.1 |
| \$35,000- 49,999 | 145 | 29,549 | 21 | 17.4 | 03.3-31.5 | 124 | 82.6 | 68.5-96.7 |
| \$50,000- 99,999 | 336 | 61,772 | 55 | 16.8 | 11.3-22.3 | 281 | 83.2 | 77.7-88.7 |
| \$100,000- 199,999 | 197 | 40,092 | 32 | 20.4 | 11.0-29.8 | 165 | 79.6 | 70.2-89.0 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021**

MODULE 21: MARIJUANA USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1) | |
| 1 MALES AND FEMALES | 131 |
| 2 MALES ONLY | 132 |
| 3 FEMALES ONLY | 133 |
| DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN3) | |
| 4 MALES AND FEMALES | 134 |
| 5 MALES ONLY | 135 |
| 6 FEMALES ONLY | 136 |
| WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2) | |
| 7 MALES AND FEMALES | 137 |
| 8 MALES ONLY | 138 |
| 9 FEMALES ONLY | 139 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | NONE | | | Data was weighted using _LLCPWT. | | | | | | 6-10 Days | | | 11-20 Days | | | 21-30 Days | | |
|----------------------------|-------------------|----------|------|------|------------|----------------------------------|-----|------------|----|-----------|------------|------------|-----|------------|------------|-----|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | 1 Day | | 2-5 Days | | 6-10 Days | | 11-20 Days | | 21-30 Days | | | | | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2911 | 621,607 | 2651 | 88.9 | 87.1-90.7 | 19 | 0.6 | 00.2-01.0 | 74 | 3.5 | 02.5-04.5 | 28 | 0.8 | 00.4-01.2 | 39 | 2.1 | 01.1-03.1 | 100 | 4.0 | 03.0-05.0 |
| Male | 1295 | 297,440 | 1151 | 85.0 | 82.1-87.9 | 8 | 0.3 | 00.0-00.7 | 43 | 4.5 | 02.9-06.1 | 14 | 0.9 | 00.3-01.5 | 22 | 3.0 | 01.4-04.6 | 57 | 6.3 | 04.3-08.3 |
| Female | 1616 | 324,167 | 1500 | 92.4 | 90.6-94.2 | 11 | 0.9 | 00.1-01.7 | 31 | 2.7 | 01.5-03.9 | 14 | 0.8 | 00.4-01.2 | 17 | 1.3 | 00.5-02.1 | 43 | 2.0 | 01.2-02.8 |
| White/Non-Hisp | 2041 | 405,784 | 1858 | 88.5 | 86.3-90.7 | 14 | 0.6 | 00.2-01.0 | 50 | 3.7 | 02.5-04.9 | 20 | 0.8 | 00.4-01.2 | 25 | 1.6 | 00.6-02.6 | 74 | 4.8 | 03.4-06.2 |
| Black or Afr. Am./Non-Hisp | 417 | 121,371 | 378 | 87.0 | 82.5-91.5 | 2 | 0.8 | 00.0-02.2 | 15 | 4.7 | 02.0-07.4 | 2 | 0.4 | 00.0-01.0 | 11 | 4.8 | 01.5-08.1 | 9 | 2.2 | 00.6-03.8 |
| Oth. Race/Non-Hisp. | 91 | 26,409 | 83 | 93.1 | 86.8-99.4 | | | | 1 | 0.4 | 00.0-01.2 | 1 | 0.2 | 00.0-00.6 | 1 | 1.7 | 00.0-05.0 | 5 | 4.5 | 00.0-09.6 |
| MultiRacial/Non-Hisp. | 57 | 7,970 | 45 | 83.5 | 73.1-93.9 | 1 | 1.2 | 00.0-03.6 | 5 | 6.9 | 00.0-13.8 | 2 | 2.5 | 00.0-06.2 | | | | 4 | 6.0 | 00.0-12.7 |
| Hispanic | 258 | 51,137 | 244 | 93.9 | 90.2-97.6 | 2 | 0.8 | 00.0-02.4 | 2 | 1.1 | 00.0-02.7 | 3 | 1.9 | 00.0-04.3 | 2 | 0.5 | 00.0-01.3 | 5 | 1.7 | 00.0-03.5 |
| 18-24 | 161 | 66,181 | 130 | 76.6 | 68.2-85.0 | 2 | 1.6 | 00.0-04.0 | 11 | 8.3 | 03.0-13.6 | 2 | 1.3 | 00.0-03.1 | 9 | 8.8 | 02.5-15.1 | 7 | 3.4 | 00.3-06.5 |
| 25-34 | 303 | 105,386 | 253 | 81.2 | 75.5-86.9 | 2 | 0.5 | 00.0-01.3 | 15 | 4.9 | 02.2-07.6 | 5 | 1.3 | 00.0-02.9 | 6 | 2.4 | 00.2-04.6 | 22 | 9.7 | 05.2-14.2 |
| 35-44 | 378 | 89,078 | 327 | 87.2 | 83.1-91.3 | 2 | 1.0 | 00.0-02.8 | 16 | 5.5 | 02.4-08.6 | 5 | 0.8 | 00.0-01.6 | 6 | 1.1 | 00.1-02.1 | 22 | 4.3 | 02.1-06.5 |
| 45-54 | 436 | 87,504 | 396 | 91.0 | 87.3-94.7 | 3 | 0.2 | 00.0-00.4 | 6 | 1.6 | 00.2-03.0 | 7 | 1.1 | 00.1-02.1 | 10 | 2.5 | 00.1-04.9 | 14 | 3.5 | 01.1-05.9 |
| 55-64 | 599 | 105,897 | 560 | 94.5 | 92.5-96.5 | 6 | 0.8 | 00.0-01.6 | 9 | 1.6 | 00.4-02.8 | 3 | 0.4 | 00.0-01.0 | 2 | 0.3 | 00.0-00.7 | 19 | 2.4 | 01.2-03.6 |
| 65+ | 1034 | 167,560 | 985 | 94.7 | 92.9-96.5 | 4 | 0.2 | 00.0-00.4 | 17 | 2.0 | 00.8-03.2 | 6 | 0.5 | 00.0-01.1 | 6 | 0.6 | 00.0-01.2 | 16 | 1.9 | 00.9-02.9 |
| Less Than H.S. | 182 | 60,485 | 161 | 86.3 | 79.6-93.0 | 2 | 1.7 | 00.0-04.4 | 7 | 3.9 | 00.6-07.2 | 2 | 1.5 | 00.0-03.9 | | | | 10 | 6.7 | 01.8-11.6 |
| H.S. or G.E.D. | 711 | 185,004 | 634 | 86.0 | 82.3-89.7 | 4 | 0.4 | 00.0-00.8 | 22 | 4.4 | 02.2-06.6 | 4 | 0.3 | 00.0-00.7 | 13 | 3.3 | 00.9-05.7 | 34 | 5.6 | 03.2-08.0 |
| Some Post-H.S. | 768 | 178,308 | 687 | 88.4 | 85.3-91.5 | 6 | 0.8 | 00.0-01.8 | 14 | 2.8 | 01.2-04.4 | 11 | 1.1 | 00.3-01.9 | 16 | 2.7 | 00.9-04.5 | 34 | 4.1 | 02.3-05.9 |
| College Graduate | 1236 | 194,911 | 1156 | 92.9 | 90.9-94.9 | 7 | 0.4 | 00.0-00.8 | 31 | 3.3 | 01.9-04.7 | 11 | 0.9 | 00.3-01.5 | 10 | 0.9 | 00.1-01.7 | 21 | 1.6 | 00.8-02.4 |
| Less than \$15,000 | 118 | 23,282 | 105 | 85.4 | 75.8-95.0 | 2 | 4.3 | 00.0-11.2 | 6 | 6.9 | 00.6-13.2 | | | | 1 | 0.4 | 00.0-01.2 | 4 | 3.1 | 00.0-06.8 |
| \$15,000- 24,999 | 233 | 47,273 | 207 | 90.7 | 86.4-95.0 | 3 | 0.5 | 00.0-01.1 | 7 | 2.7 | 00.2-05.2 | 2 | 1.4 | 00.0-03.6 | 2 | 0.4 | 00.0-01.0 | 12 | 4.2 | 01.5-06.9 |
| \$25,000- 34,999 | 313 | 64,023 | 275 | 80.9 | 74.0-87.8 | | | | 8 | 5.1 | 01.2-09.0 | 8 | 2.5 | 00.0-05.0 | 5 | 1.6 | 00.0-03.4 | 17 | 10.0 | 04.3-15.7 |
| \$35,000- 49,999 | 302 | 68,160 | 267 | 86.7 | 81.0-92.4 | 3 | 1.4 | 00.0-03.6 | 12 | 4.9 | 01.4-08.4 | 3 | 0.5 | 00.0-01.1 | 7 | 2.8 | 00.4-05.2 | 10 | 3.7 | 00.0-07.4 |
| \$50,000- 99,999 | 808 | 162,349 | 746 | 89.7 | 86.6-92.8 | 6 | 0.5 | 00.0-01.1 | 14 | 2.9 | 01.1-04.7 | 4 | 0.2 | 00.0-00.4 | 10 | 2.9 | 00.7-05.1 | 28 | 3.8 | 02.2-05.4 |
| \$100,000- 199,999 | 521 | 118,442 | 474 | 91.5 | 88.8-94.2 | 3 | 0.2 | 00.0-00.4 | 19 | 3.9 | 01.9-05.9 | 6 | 1.2 | 00.2-02.2 | 8 | 1.1 | 00.1-02.1 | 11 | 2.0 | 00.4-03.6 |
| \$200,000+ | 122 | 29,533 | 116 | 88.7 | 79.3-98.1 | | | | 3 | 4.7 | 00.0-10.2 | | | | 1 | 3.9 | 00.0-11.3 | 2 | 2.6 | 00.0-06.1 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | NONE | | | 1 Day | | | 2-5 Days | | | 6-10 Days | | | 11-20 Days | | | 21-30 Days | | |
|----------------------------|-------------------|----------|------|------|------------|-------|-----|------------|----------|-----|------------|-----------|-----|------------|------------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1295 | 297,440 | 1151 | 85.0 | 82.1-87.9 | 8 | 0.3 | 00.0-00.7 | 43 | 4.5 | 02.9-06.1 | 14 | 0.9 | 00.3-01.5 | 22 | 3.0 | 01.4-04.6 | 57 | 6.3 | 04.3-08.3 |
| White/Non-Hisp | 908 | 192,934 | 803 | 83.5 | 79.8-87.2 | 5 | 0.2 | 00.0-00.4 | 30 | 4.7 | 02.7-06.7 | 12 | 1.2 | 00.2-02.2 | 13 | 2.1 | 00.5-03.7 | 45 | 8.2 | 05.3-11.1 |
| Black or Afr. Am./Non-Hisp | 158 | 56,640 | 140 | 84.1 | 76.5-91.7 | | | | 9 | 7.2 | 02.3-12.1 | 1 | 0.5 | 00.0-01.5 | 6 | 7.1 | 01.0-13.2 | 2 | 1.2 | 00.0-02.8 |
| Oth. Race/Non-Hisp. | 54 | 14,440 | 48 | 88.9 | 78.3-99.5 | | | | | | | 1 | 0.4 | 00.0-01.2 | 1 | 3.2 | 00.0-09.3 | 4 | 7.6 | 00.0-16.8 |
| Hispanic | 121 | 23,026 | 115 | 96.0 | 91.9-0100 | 2 | 1.9 | 00.0-05.2 | | | | | | | 2 | 1.2 | 00.0-03.0 | 2 | 1.0 | 00.0-02.6 |
| 18-24 | 88 | 34,037 | 68 | 69.7 | 56.6-82.8 | | | | 6 | 8.9 | 01.1-16.7 | | | | 7 | 14.7 | 03.3-26.1 | 7 | 6.7 | 00.8-12.6 |
| 25-34 | 149 | 54,554 | 116 | 71.5 | 62.5-80.5 | 1 | 0.7 | 00.0-02.1 | 8 | 6.2 | 01.7-10.7 | 2 | 1.7 | 00.0-04.2 | 5 | 3.1 | 00.2-06.0 | 17 | 16.7 | 08.5-24.9 |
| 35-44 | 172 | 44,627 | 152 | 89.6 | 84.1-95.1 | | | | 8 | 5.7 | 01.0-10.4 | 2 | 0.5 | 00.0-01.3 | 3 | 0.8 | 00.0-01.8 | 7 | 3.3 | 00.6-06.0 |
| 45-54 | 175 | 39,778 | 158 | 89.0 | 82.9-95.1 | 2 | 0.3 | 00.0-00.9 | 3 | 2.1 | 00.0-04.6 | 3 | 1.3 | 00.0-03.1 | 4 | 2.3 | 00.0-04.8 | 5 | 4.9 | 00.2-09.6 |
| 55-64 | 274 | 48,910 | 253 | 92.6 | 89.1-96.1 | 1 | 0.1 | 00.0-00.3 | 8 | 3.4 | 00.7-06.1 | 2 | 0.7 | 00.0-01.7 | | | | 10 | 3.2 | 01.0-05.4 |
| 65+ | 437 | 75,535 | 404 | 91.9 | 88.6-95.2 | 4 | 0.5 | 00.1-00.9 | 10 | 2.6 | 00.4-04.8 | 5 | 0.9 | 00.0-02.1 | 3 | 1.1 | 00.0-02.3 | 11 | 3.0 | 01.0-05.0 |
| Less Than H.S. | 93 | 32,819 | 81 | 81.6 | 71.2-92.0 | | | | 4 | 5.7 | 00.0-11.4 | 2 | 2.7 | 00.0-07.0 | | | | 6 | 10.0 | 01.6-18.4 |
| H.S. or G.E.D. | 331 | 92,859 | 278 | 78.4 | 71.9-84.9 | 3 | 0.6 | 00.0-01.4 | 11 | 5.7 | 02.0-09.4 | 4 | 0.5 | 00.0-01.1 | 9 | 5.3 | 01.4-09.2 | 26 | 9.6 | 05.1-14.1 |
| Some Post-H.S. | 315 | 77,869 | 280 | 86.2 | 80.9-91.5 | | | | 7 | 3.3 | 00.8-05.8 | 5 | 0.8 | 00.0-01.8 | 11 | 4.6 | 01.1-08.1 | 12 | 5.0 | 01.7-08.3 |
| College Graduate | 548 | 91,914 | 505 | 91.9 | 89.2-94.6 | 5 | 0.4 | 00.0-00.8 | 21 | 4.1 | 01.9-06.3 | 3 | 0.8 | 00.0-01.8 | 2 | 0.4 | 00.0-01.0 | 12 | 2.4 | 00.8-04.0 |
| \$15,000- 24,999 | 93 | 20,479 | 78 | 86.3 | 78.5-94.1 | 2 | 0.7 | 00.0-01.7 | 6 | 6.0 | 00.3-11.7 | | | | 1 | 0.5 | 00.0-01.5 | 6 | 6.5 | 01.0-12.0 |
| \$25,000- 34,999 | 128 | 28,494 | 107 | 69.6 | 57.6-81.6 | | | | 4 | 5.0 | 00.0-10.5 | 5 | 3.8 | 00.0-08.7 | 2 | 2.9 | 00.0-06.8 | 10 | 18.7 | 07.5-29.9 |
| \$35,000- 49,999 | 122 | 31,478 | 106 | 83.8 | 73.6-94.0 | | | | 6 | 6.5 | 00.0-13.2 | | | | 6 | 4.7 | 00.4-09.0 | 4 | 5.0 | 00.0-12.6 |
| \$50,000- 99,999 | 363 | 78,854 | 323 | 85.1 | 79.8-90.4 | 3 | 0.7 | 00.0-01.7 | 11 | 4.6 | 01.5-07.7 | 3 | 0.4 | 00.0-00.8 | 6 | 3.2 | 00.1-06.3 | 17 | 6.0 | 02.9-09.1 |
| \$100,000- 199,999 | 263 | 65,294 | 236 | 91.4 | 87.5-95.3 | 3 | 0.4 | 00.0-00.8 | 10 | 3.1 | 00.7-05.5 | 3 | 1.4 | 00.0-03.0 | 4 | 1.4 | 00.0-02.8 | 7 | 2.4 | 00.0-04.8 |
| \$200,000+ | 74 | 17,729 | 69 | 82.7 | 68.2-97.2 | | | | 2 | 6.4 | 00.0-15.0 | | | | 1 | 6.6 | 00.0-18.8 | 2 | 4.3 | 00.0-10.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | NONE | | | 1 Day | | | 2-5 Days | | | 6-10 Days | | | 11-20 Days | | | 21-30 Days | | |
|----------------------------|-------------------|----------|------|------|------------|-------|-----|------------|----------|-----|------------|-----------|-----|------------|------------|-----|------------|------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1616 | 324,167 | 1500 | 92.4 | 90.6-94.2 | 11 | 0.9 | 00.1-01.7 | 31 | 2.7 | 01.5-03.9 | 14 | 0.8 | 00.4-01.2 | 17 | 1.3 | 00.5-02.1 | 43 | 2.0 | 01.2-02.8 |
| White/Non-Hisp | 1133 | 212,850 | 1055 | 93.0 | 91.0-95.0 | 9 | 0.9 | 00.1-01.7 | 20 | 2.8 | 01.4-04.2 | 8 | 0.5 | 00.1-00.9 | 12 | 1.1 | 00.1-02.1 | 29 | 1.7 | 00.9-02.5 |
| Black or Afr. Am./Non-Hisp | 259 | 64,731 | 238 | 89.6 | 84.5-94.7 | 2 | 1.5 | 00.0-04.0 | 6 | 2.6 | 00.0-05.3 | 1 | 0.3 | 00.0-00.9 | 5 | 2.8 | 00.0-05.7 | 7 | 3.0 | 00.5-05.5 |
| Hispanic | 137 | 28,112 | 129 | 92.2 | 86.3-98.1 | | | | 2 | 2.0 | 00.0-04.9 | 3 | 3.5 | 00.0-07.8 | | | | 3 | 2.3 | 00.0-05.2 |
| 18-24 | 73 | 32,145 | 62 | 83.8 | 74.2-93.4 | 2 | 3.3 | 00.0-08.0 | 5 | 7.6 | 00.7-14.5 | 2 | 2.7 | 00.0-06.4 | 2 | 2.6 | 00.0-06.1 | | | |
| 25-34 | 154 | 50,832 | 137 | 91.7 | 86.8-96.6 | 1 | 0.3 | 00.0-00.9 | 7 | 3.4 | 00.5-06.3 | 3 | 0.8 | 00.0-02.0 | 1 | 1.6 | 00.0-04.7 | 5 | 2.2 | 00.0-04.6 |
| 35-44 | 206 | 44,451 | 175 | 84.8 | 78.5-91.1 | 2 | 2.1 | 00.0-05.8 | 8 | 5.3 | 01.2-09.4 | 3 | 1.1 | 00.0-02.3 | 3 | 1.3 | 00.0-03.1 | 15 | 5.4 | 02.1-08.7 |
| 45-54 | 261 | 47,727 | 238 | 92.7 | 88.2-97.2 | 1 | 0.1 | 00.0-00.3 | 3 | 1.1 | 00.0-02.5 | 4 | 1.0 | 00.0-02.0 | 6 | 2.7 | 00.0-06.4 | 9 | 2.4 | 00.6-04.2 |
| 55-64 | 325 | 56,988 | 307 | 96.1 | 94.1-98.1 | 5 | 1.3 | 00.0-02.7 | 1 | 0.2 | 00.0-00.6 | 1 | 0.2 | 00.0-00.6 | 2 | 0.6 | 00.0-01.4 | 9 | 1.7 | 00.3-03.1 |
| 65+ | 597 | 92,025 | 581 | 97.1 | 95.3-98.9 | | | | 7 | 1.5 | 00.1-02.9 | 1 | 0.1 | 00.0-00.3 | 3 | 0.3 | 00.0-00.7 | 5 | 1.0 | 00.0-02.0 |
| Less Than H.S. | 89 | 27,666 | 80 | 91.8 | 84.5-99.1 | 2 | 3.7 | 00.0-09.6 | 3 | 1.8 | 00.0-04.3 | | | | | | | 4 | 2.7 | 00.0-06.0 |
| H.S. or G.E.D. | 380 | 92,145 | 356 | 93.6 | 90.5-96.7 | 1 | 0.1 | 00.0-00.3 | 11 | 3.2 | 01.0-05.4 | | | | 4 | 1.4 | 00.0-03.4 | 8 | 1.6 | 00.4-02.8 |
| Some Post-H.S. | 453 | 100,439 | 407 | 90.1 | 86.6-93.6 | 6 | 1.5 | 00.0-03.1 | 7 | 2.5 | 00.3-04.7 | 6 | 1.4 | 00.0-02.8 | 5 | 1.3 | 00.0-02.9 | 22 | 3.3 | 01.5-05.1 |
| College Graduate | 688 | 102,997 | 651 | 93.7 | 91.2-96.2 | 2 | 0.3 | 00.0-00.9 | 10 | 2.6 | 00.8-04.4 | 8 | 1.1 | 00.3-01.9 | 8 | 1.4 | 00.0-02.8 | 9 | 0.9 | 00.1-01.7 |
| Less than \$15,000 | 78 | 14,539 | 69 | 86.7 | 74.7-98.7 | 2 | 6.8 | 00.0-17.6 | 4 | 4.8 | 00.0-10.7 | | | | 1 | 0.6 | 00.0-01.8 | 2 | 1.0 | 00.0-02.4 |
| \$15,000- 24,999 | 140 | 26,794 | 129 | 94.1 | 89.6-98.6 | 1 | 0.3 | 00.0-00.9 | 1 | 0.3 | 00.0-00.9 | 2 | 2.5 | 00.0-06.4 | 1 | 0.3 | 00.0-00.9 | 6 | 2.5 | 00.3-04.7 |
| \$25,000- 34,999 | 185 | 35,528 | 168 | 89.9 | 83.6-96.2 | | | | 4 | 5.2 | 00.0-10.7 | 3 | 1.5 | 00.0-03.7 | 3 | 0.5 | 00.0-01.1 | 7 | 2.9 | 00.2-05.6 |
| \$35,000- 49,999 | 180 | 36,682 | 161 | 89.2 | 83.1-95.3 | 3 | 2.6 | 00.0-06.5 | 6 | 3.5 | 00.0-07.0 | 3 | 0.9 | 00.0-02.1 | 1 | 1.2 | 00.0-03.6 | 6 | 2.5 | 00.3-04.7 |
| \$50,000- 99,999 | 445 | 83,494 | 423 | 94.0 | 90.5-97.5 | 3 | 0.3 | 00.0-00.7 | 3 | 1.4 | 00.0-03.0 | 1 | 0.1 | 00.0-00.3 | 4 | 2.7 | 00.0-05.6 | 11 | 1.6 | 00.6-02.6 |
| \$100,000- 199,999 | 258 | 53,149 | 238 | 91.7 | 87.6-95.8 | | | | 9 | 4.9 | 01.4-08.4 | 3 | 1.1 | 00.0-02.5 | 4 | 0.8 | 00.0-01.8 | 4 | 1.5 | 00.0-03.3 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 4: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke It | | | Eat It | | | Drink It | | | Vaporize It | | | Dab It | | | Used some other way | | |
|--------------------|-------------------|----------|----------|------|------------|--------|------|------------|----------|-----|------------|-------------|------|------------|--------|-----|------------|---------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 259 | 69,085 | 173 | 70.2 | 63.3-77.1 | 40 | 12.6 | 07.7-17.5 | 6 | 2.5 | 00.3-04.7 | 26 | 8.7 | 04.8-12.6 | 3 | 1.3 | 00.0-02.9 | 11 | 4.6 | 01.1-08.1 |
| Male | 144 | 44,595 | 109 | 77.1 | 68.9-85.3 | 16 | 8.8 | 03.3-14.3 | 1 | 1.2 | 00.0-03.6 | 11 | 7.9 | 03.0-12.8 | 3 | 2.1 | 00.0-04.6 | 4 | 3.0 | 00.0-06.3 |
| Female | 115 | 24,491 | 64 | 57.7 | 45.9-69.5 | 24 | 19.6 | 10.4-28.8 | 5 | 4.8 | 00.5-09.1 | 15 | 10.3 | 04.2-16.4 | | | | 7 | 7.6 | 00.0-15.4 |
| White/Non-Hisp | 182 | 46,533 | 116 | 68.6 | 60.6-76.6 | 32 | 12.6 | 07.1-18.1 | 5 | 3.2 | 00.1-06.3 | 18 | 8.4 | 04.1-12.7 | 3 | 2.0 | 00.0-04.4 | 8 | 5.2 | 00.5-09.9 |
| 25-34 | 50 | 19,816 | 31 | 67.0 | 52.9-81.1 | 8 | 13.9 | 03.3-24.5 | | | | 8 | 13.2 | 04.0-22.4 | | | | 3 | 5.9 | 00.0-13.0 |
| 35-44 | 50 | 11,289 | 36 | 65.4 | 47.8-83.0 | 4 | 16.7 | 00.4-33.0 | 3 | 5.7 | 00.0-12.4 | 4 | 8.0 | 00.0-17.2 | 1 | 1.7 | 00.0-05.0 | 2 | 2.5 | 00.0-06.2 |
| H.S. or G.E.D. | 77 | 25,895 | 65 | 83.1 | 72.5-93.7 | 3 | 3.1 | 00.0-07.6 | 1 | 2.0 | 00.0-05.9 | 4 | 4.6 | 00.0-09.7 | 2 | 1.8 | 00.0-04.3 | 2 | 5.4 | 00.0-13.0 |
| Some Post-H.S. | 80 | 20,648 | 52 | 69.2 | 57.0-81.4 | 12 | 14.1 | 04.7-23.5 | 1 | 0.5 | 00.0-01.5 | 9 | 10.3 | 02.7-17.9 | | | | 6 | 5.8 | 00.1-11.5 |
| College Graduate | 80 | 13,932 | 41 | 46.6 | 33.3-59.9 | 23 | 29.3 | 16.6-42.0 | 3 | 5.4 | 00.0-11.5 | 10 | 14.6 | 04.8-24.4 | | | | 3 | 4.2 | 00.0-09.3 |
| \$50,000- 99,999 | 61 | 16,662 | 44 | 70.7 | 55.8-85.6 | 10 | 15.3 | 03.9-26.7 | | | | 2 | 4.2 | 00.0-10.5 | 1 | 1.6 | 00.0-04.7 | 4 | 8.2 | 00.0-19.0 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 5: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke It | | | Eat It | | | Drink It | | | Vaporize It | | | Dab It | | | Used some other way | | |
|--------------------|-------------------|----------|----------|------|------------|--------|-----|------------|----------|-----|------------|-------------|-----|------------|--------|-----|------------|---------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 144 | 44,595 | 109 | 77.1 | 68.9-85.3 | 16 | 8.8 | 03.3-14.3 | 1 | 1.2 | 00.0-03.6 | 11 | 7.9 | 03.0-12.8 | 3 | 2.1 | 00.0-04.6 | 4 | 3.0 | 00.0-06.3 |
| White/Non-Hisp | 105 | 31,777 | 77 | 76.1 | 66.7-85.5 | 12 | 8.3 | 02.0-14.6 | 1 | 1.6 | 00.0-04.7 | 9 | 8.4 | 02.7-14.1 | 3 | 2.9 | 00.0-06.4 | 3 | 2.5 | 00.0-05.8 |
| H.S. or G.E.D. | 53 | 20,042 | 47 | 87.2 | 76.8-97.6 | 1 | 3.0 | 00.0-08.7 | 1 | 2.6 | 00.0-07.7 | 1 | 2.5 | 00.0-07.4 | 2 | 2.3 | 00.0-05.4 | 1 | 2.4 | 00.0-07.1 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

TABLE 6: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Smoke It | | N | Eat It | | N | Drink It | | N | Vaporize It | | Used some other way | | |
|--------------------|-------------------|----------|----|----------|------------|----|--------|------------|---|----------|------------|----|-------------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 115 | 24,491 | 64 | 57.7 | 46.9-68.5 | 24 | 19.6 | 11.8-27.4 | 5 | 4.8 | 00.3-09.3 | 15 | 10.3 | 04.0-16.6 | 7 | 7.6 | 00.0-15.4 |
| White/Non-Hisp | 77 | 14,756 | 39 | 52.5 | 38.4-66.6 | 20 | 21.7 | 10.7-32.7 | 4 | 6.5 | 00.0-13.2 | 9 | 8.3 | 02.2-14.4 | 5 | 11.0 | 00.0-23.3 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 7: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 | | | 2 | | | 3 | | |
|--------------------|-------------------|----------|----|------|------------|----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 257 | 68,544 | 88 | 30.8 | 23.5-38.1 | 91 | 40.5 | 32.5-48.5 | 78 | 28.6 | 21.5-35.7 |
| Male | 144 | 44,595 | 32 | 24.0 | 15.2-32.8 | 61 | 45.9 | 35.5-56.3 | 51 | 30.2 | 21.2-39.2 |
| Female | 113 | 23,950 | 56 | 43.5 | 31.5-55.5 | 30 | 30.7 | 19.5-41.9 | 27 | 25.8 | 14.4-37.2 |
| White/Non-Hisp | 181 | 46,496 | 68 | 33.9 | 25.1-42.7 | 63 | 41.8 | 32.4-51.2 | 50 | 24.3 | 16.5-32.1 |
| 35-44 | 50 | 11,289 | 18 | 29.7 | 14.8-44.6 | 18 | 36.8 | 19.9-53.7 | 14 | 33.5 | 16.3-50.7 |
| H.S. or G.E.D. | 77 | 25,895 | 22 | 31.3 | 18.6-44.0 | 27 | 39.5 | 25.6-53.4 | 28 | 29.1 | 17.1-41.1 |
| Some Post-H.S. | 79 | 20,145 | 37 | 36.3 | 23.2-49.4 | 24 | 42.7 | 28.4-57.0 | 18 | 21.0 | 10.0-32.0 |
| College Graduate | 79 | 13,895 | 22 | 24.1 | 12.9-35.3 | 36 | 55.2 | 41.9-68.5 | 21 | 20.7 | 10.9-30.5 |
| \$50,000- 99,999 | 60 | 16,625 | 18 | 33.1 | 17.2-49.0 | 25 | 47.2 | 30.7-63.7 | 17 | 19.6 | 08.8-30.4 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

TABLE 8: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 | | | 2 | | | 3 | | |
|--------------------|-------------------|----------|----|------|------------|----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 144 | 44,595 | 32 | 24.0 | 15.2-32.8 | 61 | 45.9 | 35.5-56.3 | 51 | 30.2 | 21.4-39.0 |
| White/Non-Hisp | 105 | 31,777 | 23 | 25.0 | 14.2-35.8 | 45 | 45.7 | 33.5-57.9 | 37 | 29.2 | 18.8-39.6 |
| H.S. or G.E.D. | 53 | 20,042 | 9 | 23.3 | 09.4-37.2 | 22 | 46.4 | 29.9-62.9 | 22 | 30.3 | 16.4-44.2 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

TABLE 9: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 | | | 2 | | | 3 | | |
|--------------------|-------------------|----------|----|------|------------|----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 113 | 23,950 | 56 | 43.5 | 31.3-55.7 | 30 | 30.7 | 19.5-41.9 | 27 | 25.8 | 14.4-37.2 |
| White/Non-Hisp | 76 | 14,719 | 45 | 53.1 | 38.6-67.6 | 18 | 33.4 | 19.3-47.5 | 13 | 13.5 | 03.3-23.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021

MODULE 22: TOBACCO CESSATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|--|------|
| | HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2) | |
| 1 | MALES AND FEMALES | 141 |
| 2 | MALES ONLY | 142 |
| 3 | FEMALES ONLY | 143 |
| | DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2) | |
| 4 | MALES AND FEMALES | 144 |
| 5 | MALES ONLY | 145 |
| 6 | FEMALES ONLY | 146 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 22: TOBACCO CESSATION**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0-12 months ago | | | 1 lt 5 years ago | | | 5 lt 10 years ago | | | 10+ years ago | | | Never smoked regular | | |
|----------------------------|-------------------|----------|-----------------|------|------------|------------------|------|------------|-------------------|------|------------|---------------|------|------------|----------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 840 | 161,778 | 70 | 10.0 | 07.3-12.7 | 108 | 16.4 | 12.7-20.1 | 87 | 10.8 | 08.1-13.5 | 570 | 62.4 | 58.1-66.7 | 5 | 0.3 | 00.0-00.7 |
| Male | 398 | 83,080 | 40 | 13.3 | 08.6-18.0 | 45 | 14.8 | 09.5-20.1 | 40 | 9.8 | 06.1-13.5 | 270 | 61.6 | 55.1-68.1 | 3 | 0.4 | 00.0-01.0 |
| Female | 442 | 78,698 | 30 | 6.6 | 03.9-09.3 | 63 | 18.0 | 13.1-22.9 | 47 | 11.8 | 07.7-15.9 | 300 | 63.3 | 57.4-69.2 | 2 | 0.3 | 00.0-00.7 |
| White/Non-Hisp | 679 | 126,907 | 49 | 7.9 | 05.4-10.4 | 80 | 14.8 | 11.1-18.5 | 65 | 11.1 | 07.8-14.4 | 481 | 65.8 | 61.1-70.5 | 4 | 0.4 | 00.0-00.8 |
| Black or Afr. Am./Non-Hisp | 73 | 20,135 | 5 | 10.5 | 00.1-20.9 | 11 | 21.1 | 05.8-36.4 | 8 | 8.1 | 01.6-14.6 | 49 | 60.3 | 44.0-76.6 | | | |
| 35-44 | 97 | 21,106 | 13 | 9.7 | 03.8-15.6 | 24 | 24.5 | 13.9-35.1 | 26 | 29.5 | 17.9-41.1 | 34 | 36.3 | 24.0-48.6 | | | |
| 45-54 | 111 | 23,072 | 12 | 9.6 | 02.2-17.0 | 34 | 35.2 | 22.1-48.3 | 15 | 11.1 | 03.8-18.4 | 49 | 43.2 | 30.5-55.9 | 1 | 0.9 | 00.0-02.7 |
| 55-64 | 163 | 30,983 | 9 | 6.0 | 01.7-10.3 | 16 | 8.8 | 03.7-13.9 | 20 | 11.4 | 05.7-17.1 | 116 | 73.3 | 65.3-81.3 | 2 | 0.5 | 00.0-01.1 |
| 65+ | 423 | 69,365 | 16 | 4.4 | 01.9-06.9 | 16 | 3.9 | 01.5-06.3 | 19 | 4.1 | 01.6-06.6 | 370 | 87.3 | 83.2-91.4 | 2 | 0.3 | 00.0-00.7 |
| H.S. or G.E.D. | 210 | 49,232 | 24 | 11.8 | 06.7-16.9 | 32 | 17.9 | 11.2-24.6 | 17 | 8.6 | 03.7-13.5 | 135 | 61.4 | 53.2-69.6 | 2 | 0.3 | 00.0-00.7 |
| Some Post-H.S. | 257 | 52,304 | 21 | 10.3 | 04.8-15.8 | 33 | 13.8 | 08.3-19.3 | 29 | 10.0 | 05.7-14.3 | 173 | 65.5 | 58.1-72.9 | 1 | 0.4 | 00.0-01.2 |
| College Graduate | 322 | 42,943 | 21 | 7.3 | 03.4-11.2 | 30 | 11.1 | 06.8-15.4 | 30 | 10.5 | 06.0-15.0 | 240 | 70.9 | 64.4-77.4 | 1 | 0.2 | 00.0-00.6 |
| \$15,000- 24,999 | 71 | 13,989 | 7 | 15.9 | 03.2-28.6 | 11 | 17.9 | 05.7-30.1 | 8 | 8.6 | 01.7-15.5 | 45 | 57.7 | 42.0-73.4 | | | |
| \$25,000- 34,999 | 90 | 16,041 | 8 | 13.4 | 03.6-23.2 | 8 | 10.7 | 02.7-18.7 | 16 | 19.5 | 07.5-31.5 | 58 | 56.4 | 42.9-69.9 | | | |
| \$35,000- 49,999 | 100 | 19,386 | 9 | 14.6 | 03.0-26.2 | 12 | 13.3 | 03.9-22.7 | 10 | 9.9 | 02.6-17.2 | 69 | 62.3 | 49.0-75.6 | | | |
| \$50,000- 99,999 | 246 | 48,926 | 20 | 8.0 | 03.9-12.1 | 30 | 16.2 | 08.6-23.8 | 23 | 10.8 | 05.3-16.3 | 170 | 64.2 | 55.8-72.6 | 3 | 0.7 | 00.0-01.7 |
| \$100,000- 199,999 | 154 | 31,533 | 10 | 6.7 | 01.8-11.6 | 20 | 17.1 | 08.5-25.7 | 16 | 11.3 | 05.0-17.6 | 108 | 64.9 | 54.9-74.9 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 22: TOBACCO CESSATION**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0-12 months ago | | | 1 to 5 years ago | | | 5 to 10 years ago | | | 10+ years ago | | | Never smoked regular | | |
|--------------------|-------------------|----------|-----------------|------|------------|------------------|------|------------|-------------------|------|------------|---------------|------|------------|----------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 398 | 83,080 | 40 | 13.3 | 08.6-18.0 | 45 | 14.8 | 10.5-19.1 | 40 | 9.8 | 06.1-13.5 | 270 | 61.6 | 55.5-67.7 | 3 | 0.4 | 00.0-01.0 |
| White/Non-Hisp | 312 | 60,838 | 29 | 10.7 | 06.4-15.0 | 31 | 13.0 | 07.9-18.1 | 26 | 9.6 | 05.1-14.1 | 224 | 66.2 | 59.5-72.9 | 2 | 0.5 | 00.0-01.3 |
| 55-64 | 82 | 15,255 | 7 | 9.9 | 02.1-17.7 | 8 | 8.0 | 02.1-13.9 | 10 | 12.3 | 03.5-21.1 | 55 | 68.9 | 57.1-80.7 | 2 | 0.9 | 00.0-02.3 |
| 65+ | 201 | 34,949 | 8 | 3.5 | 00.6-06.4 | 5 | 1.8 | 00.2-03.4 | 9 | 3.8 | 00.1-07.5 | 179 | 90.8 | 85.9-95.7 | | | |
| H.S. or G.E.D. | 104 | 27,083 | 16 | 15.1 | 07.5-22.7 | 12 | 11.4 | 04.1-18.7 | 9 | 10.1 | 02.8-17.4 | 65 | 62.9 | 51.7-74.1 | 2 | 0.5 | 00.0-01.3 |
| Some Post-H.S. | 116 | 24,386 | 9 | 12.6 | 02.8-22.4 | 12 | 10.2 | 04.1-16.3 | 12 | 6.9 | 02.6-11.2 | 82 | 69.3 | 58.5-80.1 | 1 | 0.9 | 00.0-02.7 |
| College Graduate | 144 | 19,377 | 11 | 10.4 | 03.0-17.8 | 11 | 10.6 | 03.7-17.5 | 11 | 5.5 | 01.4-09.6 | 111 | 73.6 | 64.0-83.2 | | | |
| \$50,000- 99,999 | 119 | 23,998 | 11 | 10.7 | 03.6-17.8 | 12 | 17.2 | 09.9-24.5 | 11 | 9.4 | 02.5-16.3 | 83 | 61.5 | 51.5-71.5 | 2 | 1.1 | 00.0-02.9 |
| \$100,000- 199,999 | 79 | 17,875 | 4 | 7.3 | 00.0-14.7 | 8 | 10.7 | 01.1-20.3 | 6 | 8.9 | 00.5-17.3 | 61 | 73.2 | 60.5-85.9 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 22: TOBACCO CESSATION**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0-12 months ago | | | 1 to 5 years ago | | | 5 to 10 years ago | | | 10+ years ago | | | Never smoked regular | | |
|--------------------|-------------------|----------|-----------------|------|------------|------------------|------|------------|-------------------|------|------------|---------------|------|------------|----------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 442 | 78,698 | 30 | 6.6 | 03.9-09.3 | 63 | 18.0 | 13.1-22.9 | 47 | 11.8 | 07.7-15.9 | 300 | 63.3 | 57.4-69.2 | 2 | 0.3 | 00.0-00.7 |
| White/Non-Hisp | 367 | 66,069 | 20 | 5.3 | 02.8-07.8 | 49 | 16.4 | 11.1-21.7 | 39 | 12.5 | 08.0-17.0 | 257 | 65.5 | 59.2-71.8 | 2 | 0.3 | 00.0-00.7 |
| 35-44 | 59 | 12,337 | 8 | 10.9 | 02.7-19.1 | 16 | 31.4 | 16.1-46.7 | 14 | 26.2 | 11.9-40.5 | 21 | 31.5 | 17.0-46.0 | | | |
| 45-54 | 67 | 12,115 | 8 | 8.4 | 01.3-15.5 | 22 | 34.2 | 20.1-48.3 | 10 | 16.3 | 04.0-28.6 | 27 | 41.1 | 25.8-56.4 | | | |
| 55-64 | 81 | 15,728 | 2 | 2.3 | 00.0-05.8 | 8 | 9.6 | 01.4-17.8 | 10 | 10.5 | 03.2-17.8 | 61 | 77.6 | 67.0-88.2 | | | |
| 65+ | 222 | 34,416 | 8 | 5.4 | 01.1-09.7 | 11 | 6.0 | 01.7-10.3 | 10 | 4.4 | 01.1-07.7 | 191 | 83.6 | 76.9-90.3 | 2 | 0.6 | 00.0-01.4 |
| H.S. or G.E.D. | 106 | 22,149 | 8 | 7.9 | 01.8-14.0 | 20 | 25.8 | 14.8-36.8 | 8 | 6.7 | 00.4-13.0 | 70 | 59.7 | 47.7-71.7 | | | |
| Some Post-H.S. | 141 | 27,918 | 12 | 8.4 | 03.1-13.7 | 21 | 16.9 | 08.5-25.3 | 17 | 12.6 | 05.5-19.7 | 91 | 62.1 | 51.9-72.3 | | | |
| College Graduate | 178 | 23,566 | 10 | 4.8 | 01.7-07.9 | 19 | 11.5 | 05.8-17.2 | 19 | 14.6 | 07.2-22.0 | 129 | 68.8 | 60.0-77.6 | 1 | 0.3 | 00.0-00.9 |
| \$25,000- 34,999 | 50 | 8,376 | 3 | 12.0 | 00.0-24.9 | 4 | 6.7 | 00.0-13.8 | 6 | 11.7 | 00.0-24.2 | 37 | 69.6 | 52.5-86.7 | | | |
| \$35,000- 49,999 | 53 | 8,048 | 3 | 5.1 | 00.0-11.0 | 8 | 21.9 | 04.3-39.5 | 6 | 15.3 | 01.6-29.0 | 36 | 57.7 | 39.3-76.1 | | | |
| \$50,000- 99,999 | 127 | 24,928 | 9 | 5.4 | 01.3-09.5 | 18 | 15.3 | 07.5-23.1 | 12 | 12.1 | 03.9-20.3 | 87 | 66.8 | 56.2-77.4 | 1 | 0.3 | 00.0-00.9 |
| \$100,000- 199,999 | 75 | 13,658 | 6 | 5.9 | 00.8-11.0 | 12 | 25.5 | 10.8-40.2 | 10 | 14.5 | 04.9-24.1 | 47 | 54.1 | 39.6-68.6 | | | |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 22: TOBACCO CESSATION**

TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 354 | 82,508 | 167 | 49.8 | 42.7-56.9 | 187 | 50.2 | 43.1-57.3 |
| Male | 165 | 46,107 | 79 | 54.3 | 44.3-64.3 | 86 | 45.7 | 35.7-55.7 |
| Female | 189 | 36,401 | 88 | 44.1 | 34.7-53.5 | 101 | 55.9 | 46.5-65.3 |
| White/Non-Hisp | 250 | 57,516 | 101 | 42.6 | 34.0-51.2 | 149 | 57.4 | 48.8-66.0 |
| Black or Afr. Am./Non-Hisp | 52 | 14,993 | 36 | 68.8 | 51.0-86.6 | 16 | 31.2 | 13.4-49.0 |
| 35-44 | 63 | 17,617 | 28 | 38.6 | 23.3-53.9 | 35 | 61.4 | 46.1-76.7 |
| 45-54 | 71 | 14,758 | 32 | 45.2 | 30.9-59.5 | 39 | 54.8 | 40.5-69.1 |
| 55-64 | 99 | 15,294 | 44 | 45.5 | 33.3-57.7 | 55 | 54.5 | 42.3-66.7 |
| 65+ | 73 | 12,678 | 34 | 50.5 | 35.8-65.2 | 39 | 49.5 | 34.8-64.2 |
| H.S. or G.E.D. | 138 | 36,483 | 61 | 50.6 | 39.2-62.0 | 77 | 49.4 | 38.0-60.8 |
| Some Post-H.S. | 112 | 23,006 | 58 | 49.9 | 37.7-62.1 | 54 | 50.1 | 37.9-62.3 |
| College Graduate | 62 | 9,964 | 28 | 47.6 | 29.8-65.4 | 34 | 52.4 | 34.6-70.2 |
| \$15,000- 24,999 | 56 | 10,651 | 33 | 52.7 | 36.0-69.4 | 23 | 47.3 | 30.6-64.0 |
| \$25,000- 34,999 | 65 | 15,519 | 28 | 55.8 | 39.7-71.9 | 37 | 44.2 | 28.1-60.3 |
| \$50,000- 99,999 | 87 | 19,209 | 40 | 48.9 | 34.6-63.2 | 47 | 51.1 | 36.8-65.4 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 22: TOBACCO CESSATION**

TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 165 | 46,107 | 79 | 54.3 | 44.9-63.7 | 86 | 45.7 | 36.3-55.1 |
| White/Non-Hisp | 109 | 30,456 | 45 | 48.9 | 36.6-61.2 | 64 | 51.1 | 38.8-63.4 |
| H.S. or G.E.D. | 75 | 21,165 | 35 | 58.4 | 44.5-72.3 | 40 | 41.6 | 27.7-55.5 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021
MODULE 22: TOBACCO CESSATION**

TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 189 | 36,401 | 88 | 44.1 | 34.7-53.5 | 101 | 55.9 | 46.5-65.3 |
| White/Non-Hisp | 141 | 27,060 | 56 | 35.4 | 25.2-45.6 | 85 | 64.6 | 54.4-74.8 |
| 55-64 | 60 | 9,766 | 28 | 46.3 | 30.4-62.2 | 32 | 53.7 | 37.8-69.6 |
| H.S. or G.E.D. | 63 | 15,317 | 26 | 39.8 | 23.7-55.9 | 37 | 60.2 | 44.1-76.3 |
| Some Post-H.S. | 69 | 11,869 | 31 | 41.8 | 28.3-55.3 | 38 | 58.2 | 44.7-71.7 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2021**

End of Module Data Report