

DELAWARE

2022 Calculated Variables Report

Behavioral Risk Factor Surveillance System

October 2, 2023



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3980	806,263	3301	83.4	81.8-85.0	679	16.6	15.0-18.2
Male	1750	384,154	1483	86.0	83.8-88.2	267	14.0	11.8-16.2
Female	2230	422,108	1818	80.9	78.5-83.3	412	19.1	16.7-21.5
White/Non-Hisp	2742	475,070	2311	85.2	83.4-87.0	431	14.8	13.0-16.6
Black or Afr. Am./Non-Hisp	593	170,778	470	79.3	74.8-83.8	123	20.7	16.2-25.2
Oth. Race/Non-Hisp.	114	36,623	92	86.0	78.9-93.1	22	14.0	06.9-21.1
MultiRacial/Non-Hisp.	79	30,299	61	79.5	68.7-90.3	18	20.5	09.7-31.3
Hispanic	347	74,097	277	80.9	75.2-86.6	70	19.1	13.4-24.8
18-24	229	86,470	203	86.3	80.4-92.2	26	13.7	07.8-19.6
25-34	373	126,349	326	88.0	84.1-91.9	47	12.0	08.1-15.9
35-44	489	123,059	422	86.3	82.4-90.2	67	13.7	09.8-17.6
45-54	573	115,368	481	82.2	77.7-86.7	92	17.8	13.3-22.3
55-64	756	139,929	617	81.4	77.7-85.1	139	18.6	14.9-22.3
65+	1560	215,088	1252	79.7	77.0-82.4	308	20.3	17.6-23.0
Less Than H.S.	252	79,632	157	68.9	61.6-76.2	95	31.1	23.8-38.4
H.S. or G.E.D.	1043	248,608	816	79.0	75.7-82.3	227	21.0	17.7-24.3
Some Post-H.S.	1049	229,846	850	83.1	80.2-86.0	199	16.9	14.0-19.8
College Graduate	1616	243,605	1460	92.7	91.1-94.3	156	7.3	05.7-08.9
Less than \$15,000	162	27,304	93	58.4	48.8-68.0	69	41.6	32.0-51.2
\$15,000-24,999	289	55,622	192	63.9	55.9-71.9	97	36.1	28.1-44.1
\$25,000-34,999	386	77,582	288	74.7	68.6-80.8	98	25.3	19.2-31.4
\$35,000-49,999	421	86,385	353	83.4	77.7-89.1	68	16.6	10.9-22.3
\$50,000-99,999	1073	218,883	938	86.4	83.5-89.3	135	13.6	10.7-16.5
\$100,000-199,999	641	130,741	597	94.7	92.9-96.5	44	5.3	03.5-07.1
\$200,000+	157	35,905	152	96.1	92.4-99.8	5	3.9	00.2-07.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1750	384,154	1483	86.0	83.8-88.2	267	14.0	11.8-16.2
White/Non-Hisp	1208	225,783	1031	85.9	83.4-88.4	177	14.1	11.6-16.6
Black or Afr. Am./Non-Hisp	234	78,161	192	84.9	79.4-90.4	42	15.1	09.6-20.6
Oth. Race/Non-Hisp.	69	23,991	56	85.1	75.7-94.5	13	14.9	05.5-24.3
Hispanic	148	29,558	129	89.3	83.2-95.4	19	10.7	04.6-16.8
18-24	133	43,634	124	94.3	90.0-98.6	9	5.7	01.4-10.0
25-34	171	63,432	149	85.7	79.2-92.2	22	14.3	07.8-20.8
35-44	236	60,444	214	90.3	85.4-95.2	22	9.7	04.8-14.6
45-54	247	55,144	213	86.8	81.5-92.1	34	13.2	07.9-18.5
55-64	308	64,930	250	82.4	76.9-87.9	58	17.6	12.1-23.1
65+	655	96,571	533	81.8	78.1-85.5	122	18.2	14.5-21.9
Less Than H.S.	110	37,092	78	76.4	67.6-85.2	32	23.6	14.8-32.4
H.S. or G.E.D.	462	121,714	372	83.0	78.7-87.3	90	17.0	12.7-21.3
Some Post-H.S.	437	110,202	363	86.3	82.4-90.2	74	13.7	09.8-17.6
College Graduate	730	113,335	661	92.6	90.2-95.0	69	7.4	05.0-09.8
Less than \$15,000	60	9,239	39	70.9	57.8-84.0	21	29.1	16.0-42.2
\$15,000- 24,999	105	20,886	70	71.6	60.6-82.6	35	28.4	17.4-39.4
\$25,000- 34,999	142	30,214	105	76.1	66.9-85.3	37	23.9	14.7-33.1
\$35,000- 49,999	180	40,805	147	83.0	75.7-90.3	33	17.0	09.7-24.3
\$50,000- 99,999	485	106,878	428	86.6	82.5-90.7	57	13.4	09.3-17.5
\$100,000 - 199,999	347	79,581	326	95.6	93.4-97.8	21	4.4	02.2-06.6
\$200,000+	97	21,298	92	93.4	87.1-99.7	5	6.6	00.3-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2230	422,108	1818	80.9	78.5-83.3	412	19.1	16.7-21.5
White/Non-Hisp	1534	249,288	1280	84.6	82.2-87.0	254	15.4	13.0-17.8
Black or Afr. Am./Non-Hisp	359	92,618	278	74.6	68.1-81.1	81	25.4	18.9-31.9
Hispanic	199	44,539	148	75.4	67.0-83.8	51	24.6	16.2-33.0
18-24	96	42,836	79	78.1	67.5-88.7	17	21.9	11.3-32.5
25-34	202	62,917	177	90.3	86.2-94.4	25	9.7	05.6-13.8
35-44	253	62,615	208	82.5	76.6-88.4	45	17.5	11.6-23.4
45-54	326	60,224	268	77.9	70.6-85.2	58	22.1	14.8-29.4
55-64	448	74,999	367	80.4	75.1-85.7	81	19.6	14.3-24.9
65+	905	118,517	719	78.0	73.9-82.1	186	22.0	17.9-26.1
Less Than H.S.	142	42,539	79	62.4	51.2-73.6	63	37.6	26.4-48.8
H.S. or G.E.D.	581	126,894	444	75.2	70.1-80.3	137	24.8	19.7-29.9
Some Post-H.S.	612	119,644	487	80.3	76.2-84.4	125	19.7	15.6-23.8
College Graduate	886	130,270	799	92.7	90.7-94.7	87	7.3	05.3-09.3
Less than \$15,000	102	18,065	54	52.1	39.6-64.6	48	47.9	35.4-60.4
\$15,000- 24,999	184	34,737	122	59.3	48.7-69.9	62	40.7	30.1-51.3
\$25,000- 34,999	244	47,369	183	73.9	66.1-81.7	61	26.1	18.3-33.9
\$35,000- 49,999	241	45,580	206	83.8	75.4-92.2	35	16.2	07.8-24.6
\$50,000- 99,999	588	112,005	510	86.2	82.3-90.1	78	13.8	09.9-17.7
\$100,000 - 199,999	294	51,160	271	93.5	90.4-96.6	23	6.5	03.4-09.6
\$200,000+	60	14,607	60	100.0	0100-0100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3873	785,795	2472	63.4	61.2-65.6	928	24.6	22.6-26.6	473	12.0	10.4-13.6
Male	1701	373,040	1145	67.9	65.0-70.8	373	22.0	19.3-24.7	183	10.1	08.1-12.1
Female	2172	412,755	1327	59.4	56.5-62.3	555	26.8	24.1-29.5	290	13.7	11.3-16.1
White/Non-Hisp	2673	462,510	1673	62.5	60.0-65.0	670	25.4	23.0-27.8	330	12.0	10.2-13.8
Black or Afr. Am./Non-Hisp	573	165,813	379	61.7	56.0-67.4	125	24.9	19.8-30.0	69	13.4	09.1-17.7
Oth. Race/Non-Hisp.	111	35,973	69	64.0	52.4-75.6	31	29.3	17.7-40.9	11	6.7	02.0-11.4
MultiRacial/Non-Hisp.	78	30,187	41	57.2	42.5-71.9	20	25.2	12.7-37.7	17	17.5	06.1-28.9
Hispanic	341	73,166	242	73.1	66.6-79.6	64	17.2	11.9-22.5	35	9.7	05.0-14.4
18-24	225	85,063	147	63.6	55.6-71.6	67	29.3	21.9-36.7	11	7.1	02.0-12.2
25-34	364	124,577	241	63.5	56.8-70.2	92	26.1	20.0-32.2	31	10.4	05.9-14.9
35-44	478	120,206	306	65.8	60.3-71.3	126	26.6	21.3-31.9	46	7.6	05.1-10.1
45-54	556	111,356	355	62.1	56.6-67.6	144	25.3	20.6-30.0	57	12.6	08.1-17.1
55-64	734	135,570	446	60.0	55.3-64.7	176	24.4	20.3-28.5	112	15.7	12.0-19.4
65+	1516	209,023	977	65.0	61.7-68.3	323	20.3	17.6-23.0	216	14.7	12.2-17.2
Less Than H.S.	238	75,535	132	54.5	45.9-63.1	45	21.0	13.4-28.6	61	24.4	17.0-31.8
H.S. or G.E.D.	1007	242,198	654	64.9	61.0-68.8	224	23.0	19.5-26.5	129	12.1	09.4-14.8
Some Post-H.S.	1028	225,901	639	62.9	59.0-66.8	236	23.4	20.1-26.7	153	13.7	10.8-16.6
College Graduate	1580	237,587	1029	65.0	61.5-68.5	421	28.5	25.2-31.8	130	6.5	05.1-07.9
Less than \$15,000	149	25,469	63	44.6	34.2-55.0	40	28.4	19.0-37.8	46	26.9	18.5-35.3
\$15,000-24,999	279	54,168	158	54.7	46.5-62.9	57	19.8	13.5-26.1	64	25.5	17.7-33.3
\$25,000-34,999	379	76,454	231	61.5	54.4-68.6	91	24.7	18.2-31.2	57	13.8	09.3-18.3
\$35,000-49,999	402	82,279	249	61.4	53.8-69.0	99	24.8	17.9-31.7	54	13.8	08.1-19.5
\$50,000-99,999	1058	215,229	678	64.0	59.9-68.1	271	26.0	22.3-29.7	109	10.0	07.3-12.7
\$100,000-199,999	633	128,362	424	66.4	61.3-71.5	170	27.2	22.5-31.9	39	6.4	03.7-09.1
\$200,000+	152	34,767	118	76.1	67.5-84.7	31	22.3	13.9-30.7	3	1.7	00.0-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1701	373,040	1145	67.9	65.0-70.8	373	22.0	19.3-24.7	183	10.1	08.1-12.1
White/Non-Hisp	1174	218,391	762	65.2	61.5-68.9	290	25.1	21.8-28.4	122	9.7	07.5-11.9
Black or Afr. Am./Non-Hisp	228	75,872	163	67.8	59.8-75.8	36	19.3	12.4-26.2	29	12.9	06.8-19.0
Oth. Race/Non-Hisp.	67	23,534	46	68.0	54.9-81.1	13	22.5	10.2-34.8	8	9.4	02.3-16.5
Hispanic	146	29,330	115	84.0	76.9-91.1	20	10.8	04.7-16.9	11	5.3	01.4-09.2
18-24	132	43,023	95	73.2	64.6-81.8	34	24.6	16.2-33.0	3	2.2	00.0-04.9
25-34	166	62,442	108	62.5	53.1-71.9	41	25.2	16.6-33.8	17	12.3	05.8-18.8
35-44	228	58,679	162	71.1	63.5-78.7	50	23.8	16.4-31.2	16	5.1	02.0-08.2
45-54	239	52,830	172	72.0	64.4-79.6	49	19.9	13.0-26.8	18	8.1	03.2-13.0
55-64	302	62,348	187	63.9	56.6-71.2	70	23.0	16.7-29.3	45	13.1	08.0-18.2
65+	634	93,718	421	67.3	62.6-72.0	129	18.2	14.5-21.9	84	14.5	11.0-18.0
Less Than H.S.	104	35,067	67	64.2	52.4-76.0	15	18.0	07.0-29.0	22	17.9	10.1-25.7
H.S. or G.E.D.	446	118,540	304	70.2	64.7-75.7	91	20.6	15.5-25.7	51	9.2	05.9-12.5
Some Post-H.S.	427	107,437	276	63.4	57.3-69.5	99	25.0	19.7-30.3	52	11.7	07.4-16.0
College Graduate	713	110,185	487	70.5	66.2-74.8	168	22.3	18.2-26.4	58	7.2	04.8-09.6
Less than \$15,000	56	8,798	32	57.7	42.2-73.2	10	18.8	05.7-31.9	14	23.5	10.8-36.2
\$15,000- 24,999	101	20,154	59	57.7	44.8-70.6	17	20.3	08.7-31.9	25	22.1	12.3-31.9
\$25,000- 34,999	140	30,029	87	60.9	49.7-72.1	32	23.9	13.3-34.5	21	15.2	07.8-22.6
\$35,000- 49,999	169	37,861	105	64.4	53.8-75.0	41	24.3	14.5-34.1	23	11.3	04.4-18.2
\$50,000- 99,999	479	105,392	330	68.5	62.8-74.2	107	22.5	17.4-27.6	42	9.1	05.6-12.6
\$100,000 - 199,999	341	77,504	233	66.8	59.9-73.7	87	26.0	19.5-32.5	21	7.2	03.1-11.3
\$200,000+	94	20,734	76	77.2	66.0-88.4	15	20.0	09.2-30.8	3	2.8	00.0-06.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2172	412,755	1327	59.4	56.5-62.3	555	26.8	24.1-29.5	290	13.7	11.3-16.1
White/Non-Hisp	1499	244,120	911	60.1	56.6-63.6	380	25.7	22.8-28.6	208	14.1	11.6-16.6
Black or Afr. Am./Non-Hisp	345	89,941	216	56.5	48.9-64.1	89	29.6	22.3-36.9	40	13.8	07.9-19.7
Hispanic	195	43,836	127	65.8	56.4-75.2	44	21.6	14.0-29.2	24	12.6	05.2-20.0
18-24	93	42,039	52	53.7	40.8-66.6	33	34.1	21.9-46.3	8	12.2	02.4-22.0
25-34	198	62,135	133	64.4	55.2-73.6	51	27.0	18.6-35.4	14	8.6	02.5-14.7
35-44	250	61,527	144	60.7	52.7-68.7	76	29.2	21.6-36.8	30	10.0	05.9-14.1
45-54	317	58,526	183	53.2	45.8-60.6	95	30.1	23.4-36.8	39	16.7	09.6-23.8
55-64	432	73,222	259	56.6	50.3-62.9	106	25.6	20.3-30.9	67	17.8	12.5-23.1
65+	882	115,305	556	63.1	58.4-67.8	194	22.0	18.1-25.9	132	15.0	11.3-18.7
Less Than H.S.	134	40,468	65	46.2	34.2-58.2	30	23.7	13.3-34.1	39	30.1	18.5-41.7
H.S. or G.E.D.	561	123,658	350	59.8	54.3-65.3	133	25.3	20.6-30.0	78	14.9	10.4-19.4
Some Post-H.S.	601	118,464	363	62.4	57.1-67.7	137	21.9	17.8-26.0	101	15.6	11.5-19.7
College Graduate	867	127,403	542	60.2	55.1-65.3	253	33.8	28.7-38.9	72	6.0	04.2-07.8
Less than \$15,000	93	16,671	31	37.7	24.0-51.4	30	33.5	21.0-46.0	32	28.7	17.7-39.7
\$15,000- 24,999	178	34,014	99	52.9	42.3-63.5	40	19.6	12.2-27.0	39	27.5	16.7-38.3
\$25,000- 34,999	239	46,425	144	61.8	52.6-71.0	59	25.3	17.1-33.5	36	12.9	07.4-18.4
\$35,000- 49,999	233	44,419	144	58.8	48.2-69.4	58	25.2	15.8-34.6	31	15.9	07.1-24.7
\$50,000- 99,999	579	109,837	348	59.8	54.1-65.5	164	29.3	24.0-34.6	67	10.8	06.9-14.7
\$100,000 - 199,999	292	50,857	191	65.8	58.7-72.9	83	29.1	22.2-36.0	18	5.1	02.4-07.8
\$200,000+	58	14,033	42	74.4	60.5-88.3	16	25.6	11.7-39.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3883	787,382	2520	61.1	58.9-63.3	870	24.5	22.5-26.5	493	14.4	12.8-16.0
Male	1700	372,514	1189	65.3	62.2-68.4	339	22.9	20.2-25.6	172	11.8	09.6-14.0
Female	2183	414,868	1331	57.3	54.4-60.2	531	25.9	23.2-28.6	321	16.8	14.4-19.2
White/Non-Hisp	2670	462,680	1731	60.1	57.6-62.6	610	26.0	23.6-28.4	329	13.9	11.9-15.9
Black or Afr. Am./Non-Hisp	586	167,437	380	61.4	55.9-66.9	137	25.3	20.4-30.2	69	13.3	09.4-17.2
Oth. Race/Non-Hisp.	112	36,166	74	66.2	54.8-77.6	23	23.1	12.3-33.9	15	10.7	04.4-17.0
MultiRacial/Non-Hisp.	79	30,299	39	52.4	37.5-67.3	19	23.0	10.5-35.5	21	24.5	11.6-37.4
Hispanic	337	72,225	225	66.6	59.5-73.7	67	17.5	12.4-22.6	45	15.9	09.8-22.0
18-24	225	84,597	101	44.0	36.0-52.0	78	33.6	26.0-41.2	46	22.4	15.0-29.8
25-34	361	123,467	171	45.4	38.7-52.1	124	36.0	29.3-42.7	66	18.6	13.3-23.9
35-44	476	118,882	262	55.0	49.1-60.9	135	28.1	23.0-33.2	79	16.9	12.4-21.4
45-54	560	112,500	353	61.1	55.6-66.6	132	24.8	19.9-29.7	75	14.1	10.0-18.2
55-64	741	137,403	500	67.9	63.6-72.2	136	17.9	14.4-21.4	105	14.1	10.8-17.4
65+	1520	210,534	1133	76.1	73.2-79.0	265	16.2	13.7-18.7	122	7.7	05.9-09.5
Less Than H.S.	243	76,454	160	56.2	47.4-65.0	33	17.8	10.9-24.7	50	26.0	17.6-34.4
H.S. or G.E.D.	1008	241,412	649	61.9	57.8-66.0	205	22.2	18.7-25.7	154	15.9	13.0-18.8
Some Post-H.S.	1031	226,500	665	61.6	57.5-65.7	216	23.1	19.6-26.6	150	15.3	12.4-18.2
College Graduate	1582	238,975	1031	60.8	57.3-64.3	414	30.6	27.3-33.9	137	8.6	06.6-10.6
Less than \$15,000	156	26,143	81	56.7	46.9-66.5	27	14.6	07.9-21.3	48	28.7	20.3-37.1
\$15,000-24,999	274	52,675	160	57.2	49.2-65.2	56	20.6	14.1-27.1	58	22.2	15.5-28.9
\$25,000-34,999	381	76,754	226	57.3	50.0-64.6	92	22.7	17.0-28.4	63	20.0	13.5-26.5
\$35,000-49,999	411	84,979	270	62.5	55.1-69.9	88	24.0	17.3-30.7	53	13.5	08.2-18.8
\$50,000-99,999	1058	216,054	678	59.7	55.4-64.0	263	28.7	24.8-32.6	117	11.6	08.9-14.3
\$100,000-199,999	628	128,316	431	65.9	61.0-70.8	141	23.0	18.9-27.1	56	11.2	07.5-14.9
\$200,000+	151	34,053	103	61.6	51.8-71.4	40	30.8	21.6-40.0	8	7.6	01.7-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1700	372,514	1189	65.3	62.2-68.4	339	22.9	20.2-25.6	172	11.8	09.6-14.0
White/Non-Hisp	1166	217,513	824	65.4	61.7-69.1	229	22.9	19.6-26.2	113	11.7	09.0-14.4
Black or Afr. Am./Non-Hisp	232	75,788	158	63.7	55.7-71.7	51	24.7	17.4-32.0	23	11.6	05.9-17.3
Oth. Race/Non-Hisp.	67	23,534	50	73.2	60.9-85.5	10	16.5	06.3-26.7	7	10.4	02.0-18.8
Hispanic	146	29,190	97	68.0	58.6-77.4	32	20.3	12.1-28.5	17	11.6	05.1-18.1
18-24	130	41,927	61	49.0	39.0-59.0	50	39.1	29.3-48.9	19	11.9	06.0-17.8
25-34	165	61,730	86	49.3	39.5-59.1	49	29.7	20.7-38.7	30	21.0	12.6-29.4
35-44	227	57,418	135	57.9	49.7-66.1	64	28.3	21.0-35.6	28	13.8	07.5-20.1
45-54	241	53,540	160	64.2	56.0-72.4	53	24.3	16.7-31.9	28	11.5	06.4-16.6
55-64	305	64,335	225	75.1	68.8-81.4	47	15.0	10.1-19.9	33	9.9	05.6-14.2
65+	632	93,565	522	81.5	77.4-85.6	76	12.6	09.1-16.1	34	5.9	03.5-08.3
Less Than H.S.	104	34,886	73	60.2	47.7-72.7	14	19.7	09.3-30.1	17	20.1	08.9-31.3
H.S. or G.E.D.	444	116,591	301	64.7	58.8-70.6	84	22.4	17.1-27.7	59	13.0	08.9-17.1
Some Post-H.S.	427	108,439	299	65.3	59.2-71.4	78	20.4	15.3-25.5	50	14.3	09.6-19.0
College Graduate	714	110,788	508	67.1	62.4-71.8	162	27.4	22.9-31.9	44	5.5	03.5-07.5
Less than \$15,000	55	8,217	33	65.4	51.1-79.7	5	7.1	00.0-14.4	17	27.6	14.1-41.1
\$15,000- 24,999	97	18,704	64	61.6	48.9-74.3	18	20.9	10.1-31.7	15	17.5	07.9-27.1
\$25,000- 34,999	142	29,965	94	61.9	50.5-73.3	32	24.4	14.8-34.0	16	13.7	04.1-23.3
\$35,000- 49,999	171	39,589	117	68.5	58.5-78.5	34	22.0	12.8-31.2	20	9.5	04.0-15.0
\$50,000- 99,999	482	106,133	346	67.6	61.7-73.5	98	24.0	18.5-29.5	38	8.4	05.3-11.5
\$100,000 - 199,999	338	77,811	244	66.7	59.8-73.6	66	20.7	15.4-26.0	28	12.6	06.9-18.3
\$200,000+	93	20,344	67	65.3	53.1-77.5	23	30.9	18.9-42.9	3	3.8	00.0-08.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

**TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2183	414,868	1331	57.3	54.4-60.2	531	25.9	23.2-28.6	321	16.8	14.4-19.2
White/Non-Hisp	1504	245,168	907	55.4	51.9-58.9	381	28.7	25.4-32.0	216	15.9	13.2-18.6
Black or Afr. Am./Non-Hisp	354	91,649	222	59.4	52.1-66.7	86	25.9	19.2-32.6	46	14.7	09.2-20.2
Hispanic	191	43,035	128	65.6	55.6-75.6	35	15.5	08.8-22.2	28	18.8	09.6-28.0
18-24	95	42,670	40	39.0	27.0-51.0	28	28.2	16.4-40.0	27	32.7	20.2-45.2
25-34	196	61,737	85	41.5	32.5-50.5	75	42.4	33.0-51.8	36	16.2	10.1-22.3
35-44	249	61,464	127	52.2	43.8-60.6	71	27.9	20.6-35.2	51	19.9	13.4-26.4
45-54	319	58,959	193	58.4	51.0-65.8	79	25.3	19.0-31.6	47	16.4	09.9-22.9
55-64	436	73,068	275	61.6	55.5-67.7	89	20.5	15.6-25.4	72	17.9	13.0-22.8
65+	888	116,970	611	71.8	67.9-75.7	189	19.1	15.8-22.4	88	9.1	06.7-11.5
Less Than H.S.	139	41,568	87	52.9	40.7-65.1	19	16.3	07.3-25.3	33	30.9	18.7-43.1
H.S. or G.E.D.	564	124,822	348	59.3	53.8-64.8	121	22.1	17.6-26.6	95	18.6	14.1-23.1
Some Post-H.S.	604	118,061	366	58.2	52.7-63.7	138	25.6	20.7-30.5	100	16.1	12.2-20.0
College Graduate	868	128,187	523	55.4	50.3-60.5	252	33.3	28.2-38.4	93	11.3	08.2-14.4
Less than \$15,000	101	17,927	48	52.7	40.2-65.2	22	18.1	08.9-27.3	31	29.3	18.7-39.9
\$15,000- 24,999	177	33,971	96	54.9	44.5-65.3	38	20.4	12.4-28.4	43	24.7	15.9-33.5
\$25,000- 34,999	239	46,789	132	54.3	44.9-63.7	60	21.6	14.7-28.5	47	24.1	15.5-32.7
\$35,000- 49,999	240	45,390	153	57.2	46.8-67.6	54	25.7	16.1-35.3	33	17.1	08.5-25.7
\$50,000- 99,999	576	109,921	332	52.1	46.2-58.0	165	33.2	27.5-38.9	79	14.7	10.4-19.0
\$100,000 - 199,999	290	50,506	187	64.7	57.6-71.8	75	26.4	19.9-32.9	28	8.9	05.0-12.8
\$200,000+	58	13,708	36	56.0	39.5-72.5	17	30.8	15.9-45.7	5	13.2	01.0-25.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)	
1 MALES AND FEMALES	14
2 MALES ONLY	15
3 FEMALES ONLY	16
RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)	
4 MALES AND FEMALES	17
5 MALES ONLY	18
6 FEMALES ONLY	19

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3853	775,145	3644	93.6	92.4-94.8	209	6.4	05.2-07.6
Male	1693	368,373	1590	93.5	91.9-95.1	103	6.5	04.9-08.1
Female	2160	406,771	2054	93.7	91.9-95.5	106	6.3	04.5-08.1
White/Non-Hisp	2669	460,067	2603	96.5	95.3-97.7	66	3.5	02.3-04.7
Black or Afr. Am./Non-Hisp	570	162,401	549	96.7	94.7-98.7	21	3.3	01.3-05.3
Oth. Race/Non-Hisp.	111	36,195	105	95.3	91.4-99.2	6	4.7	00.8-08.6
MultiRacial/Non-Hisp.	76	29,508	73	97.8	94.7-0100	3	2.2	00.0-05.3
Hispanic	336	70,346	228	65.2	58.1-72.3	108	34.8	27.7-41.9
18-24	203	76,195	166	84.8	78.7-90.9	37	15.2	09.1-21.3
25-34	364	122,279	323	89.1	84.8-93.4	41	10.9	06.6-15.2
35-44	482	120,851	420	90.3	87.4-93.2	62	9.7	06.8-12.6
45-54	552	111,277	512	92.1	89.2-95.0	40	7.9	05.0-10.8
55-64	732	134,684	712	97.7	96.5-98.9	20	2.3	01.1-03.5
65+	1520	209,859	1511	99.4	98.8-0100	9	0.6	00.0-01.2
Less Than H.S.	241	74,003	174	74.3	67.2-81.4	67	25.7	18.6-32.8
H.S. or G.E.D.	1004	239,483	939	94.2	92.4-96.0	65	5.8	04.0-07.6
Some Post-H.S.	1011	219,846	965	94.2	91.8-96.6	46	5.8	03.4-08.2
College Graduate	1587	239,694	1557	98.3	97.5-99.1	30	1.7	00.9-02.5
Less than \$15,000	159	26,454	132	78.6	70.2-87.0	27	21.4	13.0-29.8
\$15,000-24,999	281	53,684	244	84.8	79.1-90.5	37	15.2	09.5-20.9
\$25,000-34,999	378	75,304	349	91.9	87.2-96.6	29	8.1	03.4-12.8
\$35,000-49,999	414	83,660	395	95.2	92.7-97.7	19	4.8	02.3-07.3
\$50,000-99,999	1051	214,069	1017	95.4	93.2-97.6	34	4.6	02.4-06.8
\$100,000-199,999	632	128,783	622	97.4	95.2-99.6	10	2.6	00.4-04.8
\$200,000+	154	34,297	152	97.4	93.1-0100	2	2.6	00.0-06.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 3: HEALTH CARE ACCESS**

TABLE 2: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1693	368,373	1590	93.5	91.9-95.1	103	6.5	04.9-08.1
White/Non-Hisp	1180	219,328	1140	95.5	93.9-97.1	40	4.5	02.9-06.1
Black or Afr. Am./Non-Hisp	223	72,849	212	96.3	92.8-99.8	11	3.7	00.2-07.2
Oth. Race/Non-Hisp.	68	23,773	64	96.1	92.0-0100	4	3.9	00.0-08.0
Hispanic	139	27,213	94	64.2	54.2-74.2	45	35.8	25.8-45.8
18-24	114	37,695	91	83.2	75.8-90.6	23	16.8	09.4-24.2
25-34	164	60,062	147	91.3	86.0-96.6	17	8.7	03.4-14.0
35-44	232	59,811	202	90.9	87.2-94.6	30	9.1	05.4-12.8
45-54	235	52,447	214	90.1	85.4-94.8	21	9.9	05.2-14.6
55-64	301	62,585	292	97.9	96.1-99.7	9	2.1	00.3-03.9
65+	647	95,774	644	99.4	98.6-0100	3	0.6	00.0-01.4
Less Than H.S.	104	33,873	76	78.2	69.8-86.6	28	21.8	13.4-30.2
H.S. or G.E.D.	443	116,203	409	93.5	90.8-96.2	34	6.5	03.8-09.2
Some Post-H.S.	423	105,146	397	93.1	89.8-96.4	26	6.9	03.6-10.2
College Graduate	718	111,974	704	98.6	97.6-99.6	14	1.4	00.4-02.4
Less than \$15,000	58	8,834	46	74.2	60.7-87.7	12	25.8	12.3-39.3
\$15,000- 24,999	102	20,300	93	89.8	82.5-97.1	9	10.2	02.9-17.5
\$25,000- 34,999	140	29,442	126	93.3	89.2-97.4	14	6.7	02.6-10.8
\$35,000- 49,999	176	38,365	166	94.9	91.4-98.4	10	5.1	01.6-08.6
\$50,000- 99,999	475	104,424	450	93.7	91.0-96.4	25	6.3	03.6-09.0
\$100,000 - 199,999	339	77,702	331	96.3	92.8-99.8	8	3.7	00.2-07.2
\$200,000+	95	20,732	93	95.7	88.8-0100	2	4.3	00.0-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2160	406,771	2054	93.7	92.1-95.3	106	6.3	04.7-07.9
White/Non-Hisp	1489	240,739	1463	97.4	95.8-99.0	26	2.6	01.0-04.2
Black or Afr. Am./Non-Hisp	347	89,553	337	97.0	94.8-99.2	10	3.0	00.8-05.2
Hispanic	197	43,133	134	65.8	56.2-75.4	63	34.2	24.6-43.8
18-24	89	38,500	75	86.4	77.0-95.8	14	13.6	04.2-23.0
25-34	200	62,218	176	87.0	80.3-93.7	24	13.0	06.3-19.7
35-44	250	61,040	218	89.7	85.4-94.0	32	10.3	06.0-14.6
45-54	317	58,830	298	93.9	90.2-97.6	19	6.1	02.4-09.8
55-64	431	72,099	420	97.6	95.8-99.4	11	2.4	00.6-04.2
65+	873	114,085	867	99.3	98.7-99.9	6	0.7	00.1-01.3
Less Than H.S.	137	40,130	98	71.1	60.3-81.9	39	28.9	18.1-39.7
H.S. or G.E.D.	561	123,280	530	95.0	92.8-97.2	31	5.0	02.8-07.2
Some Post-H.S.	588	114,699	568	95.3	92.2-98.4	20	4.7	01.6-07.8
College Graduate	869	127,720	853	98.0	96.6-99.4	16	2.0	00.6-03.4
Less than \$15,000	101	17,619	86	80.9	70.3-91.5	15	19.1	08.5-29.7
\$15,000- 24,999	179	33,384	151	81.8	73.8-89.8	28	18.2	10.2-26.2
\$25,000- 34,999	238	45,863	223	90.9	83.8-98.0	15	9.1	02.0-16.2
\$35,000- 49,999	238	45,295	229	95.5	91.8-99.2	9	4.5	00.8-08.2
\$50,000- 99,999	576	109,645	567	96.9	93.8-0100	9	3.1	00.0-06.2
\$100,000 - 199,999	293	51,082	291	99.1	97.7-0100	2	0.9	00.0-02.3
\$200,000+	59	13,564	59	100.0	0100-0100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2295	556,576	2097	91.3	89.7-92.9	198	8.7	07.1-10.3
Male	1028	268,239	929	91.3	89.1-93.5	99	8.7	06.5-10.9
Female	1267	288,337	1168	91.4	89.0-93.8	99	8.6	06.2-11.0
White/Non-Hisp	1391	294,366	1327	94.5	92.7-96.3	64	5.5	03.7-07.3
Black or Afr. Am./Non-Hisp	408	127,410	389	96.1	93.6-98.6	19	3.9	01.4-06.4
Oth. Race/Non-Hisp.	83	31,257	78	94.9	90.4-99.4	5	5.1	00.6-09.6
MultiRacial/Non-Hisp.	67	27,191	65	99.1	97.5-0100	2	0.9	00.0-02.5
Hispanic	299	66,706	195	63.8	56.5-71.1	104	36.2	28.9-43.5
18-24	203	76,195	166	84.8	78.7-90.9	37	15.2	09.1-21.3
25-34	364	122,279	323	89.1	84.8-93.4	41	10.9	06.6-15.2
35-44	480	120,601	420	90.4	87.7-93.1	60	9.6	06.9-12.3
45-54	530	104,513	490	91.6	88.5-94.7	40	8.4	05.3-11.5
55-64	718	132,988	698	97.7	96.5-98.9	20	2.3	01.1-03.5
Less Than H.S.	172	57,016	107	67.4	58.6-76.2	65	32.6	23.8-41.4
H.S. or G.E.D.	593	167,207	534	92.3	89.9-94.7	59	7.7	05.3-10.1
Some Post-H.S.	584	154,203	538	91.8	88.5-95.1	46	8.2	04.9-11.5
College Graduate	942	177,393	915	97.8	96.6-99.0	27	2.2	01.0-03.4
Less than \$15,000	111	19,894	85	72.1	61.5-82.7	26	27.9	17.3-38.5
\$15,000-24,999	156	34,024	121	77.8	69.6-86.0	35	22.2	14.0-30.4
\$25,000-34,999	207	47,881	178	87.2	80.1-94.3	29	12.8	05.7-19.9
\$35,000-49,999	229	59,962	210	93.3	89.6-97.0	19	6.7	03.0-10.4
\$50,000-99,999	631	157,662	597	93.7	90.8-96.6	34	6.3	03.4-09.2
\$100,000-199,999	446	104,066	436	96.8	94.1-99.5	10	3.2	00.5-05.9
\$200,000+	130	30,551	128	97.1	92.4-0100	2	2.9	00.0-07.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1028	268,239	929	91.3	89.3-93.3	99	8.7	06.7-10.7
White/Non-Hisp	633	141,539	593	93.0	90.5-95.5	40	7.0	04.5-09.5
Black or Afr. Am./Non-Hisp	164	60,362	153	95.6	91.3-99.9	11	4.4	00.1-08.7
Oth. Race/Non-Hisp.	56	21,707	53	96.3	92.0-0100	3	3.7	00.0-08.0
Hispanic	120	25,267	77	62.0	51.6-72.4	43	38.0	27.6-48.4
18-24	114	37,695	91	83.2	75.8-90.6	23	16.8	09.4-24.2
25-34	164	60,062	147	91.3	86.0-96.6	17	8.7	03.4-14.0
35-44	231	59,704	202	91.0	87.3-94.7	29	9.0	05.3-12.7
45-54	222	48,844	201	89.4	84.3-94.5	21	10.6	05.5-15.7
55-64	297	61,934	288	97.8	96.0-99.6	9	2.2	00.4-04.0
Less Than H.S.	72	25,125	45	71.0	59.6-82.4	27	29.0	17.6-40.4
H.S. or G.E.D.	277	84,559	245	91.6	88.1-95.1	32	8.4	04.9-11.9
Some Post-H.S.	266	78,916	240	90.8	86.3-95.3	26	9.2	04.7-13.7
College Graduate	412	79,436	399	98.1	96.9-99.3	13	1.9	00.7-03.1
\$15,000- 24,999	52	12,123	44	86.3	76.1-96.5	8	13.7	03.5-23.9
\$25,000- 34,999	77	19,233	63	89.8	83.3-96.3	14	10.2	03.7-16.7
\$35,000- 49,999	102	28,733	92	93.2	88.3-98.1	10	6.8	01.9-11.7
\$50,000- 99,999	280	74,876	255	91.3	87.4-95.2	25	8.7	04.8-12.6
\$100,000 - 199,999	228	61,513	220	95.3	90.8-99.8	8	4.7	00.2-09.2
\$200,000+	78	17,905	76	95.0	87.0-0100	2	5.0	00.0-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1267	288,337	1168	91.4	89.0-93.8	99	8.6	06.2-11.0
White/Non-Hisp	758	152,827	734	96.0	93.5-98.5	24	4.0	01.5-06.5
Black or Afr. Am./Non-Hisp	244	67,048	236	96.6	93.9-99.3	8	3.4	00.7-06.1
Hispanic	179	41,439	118	65.0	55.2-74.8	61	35.0	25.2-44.8
18-24	89	38,500	75	86.4	77.0-95.8	14	13.6	04.2-23.0
25-34	200	62,218	176	87.0	80.3-93.7	24	13.0	06.3-19.7
35-44	249	60,897	218	89.9	85.6-94.2	31	10.1	05.8-14.4
45-54	308	55,669	289	93.5	89.6-97.4	19	6.5	02.6-10.4
55-64	421	71,054	410	97.6	95.8-99.4	11	2.4	00.6-04.2
Less Than H.S.	100	31,891	62	64.5	51.6-77.4	38	35.5	22.6-48.4
H.S. or G.E.D.	316	82,648	289	93.1	90.0-96.2	27	6.9	03.8-10.0
Some Post-H.S.	318	75,288	298	92.8	88.1-97.5	20	7.2	02.5-11.9
College Graduate	530	97,957	516	97.6	95.8-99.4	14	2.4	00.6-04.2
Less than \$15,000	68	12,770	53	73.6	59.7-87.5	15	26.4	12.5-40.3
\$15,000- 24,999	104	21,902	77	73.1	61.7-84.5	27	26.9	15.5-38.3
\$25,000- 34,999	130	28,648	115	85.5	74.5-96.5	15	14.5	03.5-25.5
\$35,000- 49,999	127	31,229	118	93.4	87.9-98.9	9	6.6	01.1-12.1
\$50,000- 99,999	351	82,786	342	95.9	91.8-0100	9	4.1	00.0-08.2
\$100,000 - 199,999	218	42,553	216	98.9	97.3-0100	2	1.1	00.0-02.7
\$200,000+	52	12,646	52	100.0	0100-0100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 4: EXERCISE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	21
2	MALES ONLY	22
3	FEMALES ONLY	23

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 4: EXERCISE

TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3982	807,151	3010	76.5	74.7-78.3	972	23.5	21.7-25.3
Male	1751	384,495	1374	79.9	77.5-82.3	377	20.1	17.7-22.5
Female	2231	422,656	1636	73.4	70.7-76.1	595	26.6	23.9-29.3
White/Non-Hisp	2742	475,616	2123	79.3	77.3-81.3	619	20.7	18.7-22.7
Black or Afr. Am./Non-Hisp	595	171,121	424	73.5	68.6-78.4	171	26.5	21.6-31.4
Oth. Race/Non-Hisp.	114	36,623	84	73.5	62.5-84.5	30	26.5	15.5-37.5
MultiRacial/Non-Hisp.	79	30,299	55	71.4	58.3-84.5	24	28.6	15.5-41.7
Hispanic	347	74,097	246	69.8	63.1-76.5	101	30.2	23.5-36.9
18-24	229	86,470	179	77.7	70.6-84.8	50	22.3	15.2-29.4
25-34	373	126,349	296	82.9	78.2-87.6	77	17.1	12.4-21.8
35-44	490	123,231	393	78.7	73.8-83.6	97	21.3	16.4-26.2
45-54	574	115,504	441	76.1	71.6-80.6	133	23.9	19.4-28.4
55-64	754	139,802	565	75.8	71.7-79.9	189	24.2	20.1-28.3
65+	1562	215,795	1136	71.7	68.6-74.8	426	28.3	25.2-31.4
Less Than H.S.	252	79,632	141	62.7	55.1-70.3	111	37.3	29.7-44.9
H.S. or G.E.D.	1046	249,293	702	71.7	68.2-75.2	344	28.3	24.8-31.8
Some Post-H.S.	1047	229,958	789	77.8	74.3-81.3	258	22.2	18.7-25.7
College Graduate	1617	243,696	1361	84.5	81.8-87.2	256	15.5	12.8-18.2
Less than \$15,000	162	27,304	90	52.1	42.3-61.9	72	47.9	38.1-57.7
\$15,000-24,999	289	55,622	174	59.8	52.0-67.6	115	40.2	32.4-48.0
\$25,000-34,999	386	77,605	268	72.3	66.4-78.2	118	27.7	21.8-33.6
\$35,000-49,999	421	86,352	314	76.7	70.4-83.0	107	23.3	17.0-29.6
\$50,000-99,999	1072	218,802	851	78.9	75.4-82.4	221	21.1	17.6-24.6
\$100,000-199,999	642	131,004	556	85.8	82.3-89.3	86	14.2	10.7-17.7
\$200,000+	157	35,905	142	89.9	84.2-95.6	15	10.1	04.4-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 4: EXERCISE

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	384,495	1374	79.9	77.5-82.3	377	20.1	17.7-22.5
White/Non-Hisp	1208	225,953	963	81.8	79.1-84.5	245	18.2	15.5-20.9
Black or Afr. Am./Non-Hisp	235	78,332	177	78.3	71.8-84.8	58	21.7	15.2-28.2
Oth. Race/Non-Hisp.	69	23,991	54	82.2	72.2-92.2	15	17.8	07.8-27.8
Hispanic	148	29,558	114	74.6	65.6-83.6	34	25.4	16.4-34.4
18-24	133	43,634	112	83.7	76.3-91.1	21	16.3	08.9-23.7
25-34	171	63,432	146	89.0	83.9-94.1	25	11.0	05.9-16.1
35-44	236	60,444	199	82.2	75.7-88.7	37	17.8	11.3-24.3
45-54	248	55,280	196	77.8	70.9-84.7	52	22.2	15.3-29.1
55-64	309	65,045	233	77.9	71.8-84.0	76	22.1	16.0-28.2
65+	654	96,660	488	73.3	68.8-77.8	166	26.7	22.2-31.2
Less Than H.S.	110	37,092	68	66.2	56.0-76.4	42	33.8	23.6-44.0
H.S. or G.E.D.	463	121,829	336	78.9	74.6-83.2	127	21.1	16.8-25.4
Some Post-H.S.	437	110,384	344	78.5	73.2-83.8	93	21.5	16.2-26.8
College Graduate	730	113,378	617	86.8	83.9-89.7	113	13.2	10.3-16.1
Less than \$15,000	60	9,239	37	57.0	41.7-72.3	23	43.0	27.7-58.3
\$15,000- 24,999	105	20,886	70	65.6	53.4-77.8	35	34.4	22.2-46.6
\$25,000- 34,999	142	30,236	105	75.8	67.2-84.4	37	24.2	15.6-32.8
\$35,000- 49,999	180	40,805	137	83.3	77.0-89.6	43	16.7	10.4-23.0
\$50,000- 99,999	484	106,797	382	80.1	75.4-84.8	102	19.9	15.2-24.6
\$100,000 - 199,999	348	79,844	298	84.7	79.6-89.8	50	15.3	10.2-20.4
\$200,000+	97	21,298	88	89.3	81.7-96.9	9	10.7	03.1-18.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 4: EXERCISE

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2231	422,656	1636	73.4	70.7-76.1	595	26.6	23.9-29.3
White/Non-Hisp	1534	249,664	1160	77.1	74.4-79.8	374	22.9	20.2-25.6
Black or Afr. Am./Non-Hisp	360	92,789	247	69.4	62.3-76.5	113	30.6	23.5-37.7
Hispanic	199	44,539	132	66.7	57.5-75.9	67	33.3	24.1-42.5
18-24	96	42,836	67	71.6	59.8-83.4	29	28.4	16.6-40.2
25-34	202	62,917	150	76.8	69.2-84.4	52	23.2	15.6-30.8
35-44	254	62,787	194	75.3	67.9-82.7	60	24.7	17.3-32.1
45-54	326	60,224	245	74.6	68.3-80.9	81	25.4	19.1-31.7
55-64	445	74,757	332	73.9	68.2-79.6	113	26.1	20.4-31.8
65+	908	119,135	648	70.3	65.8-74.8	260	29.7	25.2-34.2
Less Than H.S.	142	42,539	73	59.6	48.4-70.8	69	40.4	29.2-51.6
H.S. or G.E.D.	583	127,464	366	64.9	59.6-70.2	217	35.1	29.8-40.4
Some Post-H.S.	610	119,574	445	77.2	72.7-81.7	165	22.8	18.3-27.3
College Graduate	887	130,318	744	82.5	78.0-87.0	143	17.5	13.0-22.0
Less than \$15,000	102	18,065	53	49.7	37.0-62.4	49	50.3	37.6-63.0
\$15,000- 24,999	184	34,737	104	56.3	46.1-66.5	80	43.7	33.5-53.9
\$25,000- 34,999	244	47,369	163	70.1	62.1-78.1	81	29.9	21.9-37.9
\$35,000- 49,999	241	45,547	177	70.8	60.8-80.8	64	29.2	19.2-39.2
\$50,000- 99,999	588	112,005	469	77.8	72.7-82.9	119	22.2	17.1-27.3
\$100,000 - 199,999	294	51,160	258	87.6	83.3-91.9	36	12.4	08.1-16.7
\$200,000+	60	14,607	54	90.8	82.2-99.4	6	9.2	00.6-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 6: ORAL HEALTH CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)	
1 MALES AND FEMALES	25
2 MALES ONLY	26
3 FEMALES ONLY	27
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)	
4 MALES AND FEMALES	28
5 MALES ONLY	29
6 FEMALES ONLY	30
ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)	
7 MALES AND FEMALES	31
8 MALES ONLY	32
9 FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 6: ORAL HEALTH

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3881	792,197	1965	56.3	54.1-58.5	1916	43.7	41.5-45.9
Male	1709	378,665	887	57.3	54.2-60.4	822	42.7	39.6-45.8
Female	2172	413,532	1078	55.4	52.5-58.3	1094	44.6	41.7-47.5
White/Non-Hisp	2660	465,020	1358	56.6	54.1-59.1	1302	43.4	40.9-45.9
Black or Afr. Am./Non-Hisp	588	168,894	264	50.3	44.8-55.8	324	49.7	44.2-55.2
Oth. Race/Non-Hisp.	113	36,210	68	62.9	51.3-74.5	45	37.1	25.5-48.7
MultiRacial/Non-Hisp.	77	29,977	45	71.3	59.3-83.3	32	28.7	16.7-40.7
Hispanic	342	73,626	189	61.4	54.5-68.3	153	38.6	31.7-45.5
18-24	228	86,290	197	88.1	83.4-92.8	31	11.9	07.2-16.6
25-34	371	125,515	283	75.9	70.0-81.8	88	24.1	18.2-30.0
35-44	484	122,688	313	63.6	57.9-69.3	171	36.4	30.7-42.1
45-54	563	112,761	319	57.1	51.6-62.6	244	42.9	37.4-48.4
55-64	733	137,198	334	45.6	40.7-50.5	399	54.4	49.5-59.3
65+	1502	207,745	519	33.5	30.4-36.6	983	66.5	63.4-69.6
Less Than H.S.	247	78,528	90	40.9	32.5-49.3	157	59.1	50.7-67.5
H.S. or G.E.D.	1006	241,800	418	51.1	47.0-55.2	588	48.9	44.8-53.0
Some Post-H.S.	1029	227,866	513	56.8	52.7-60.9	516	43.2	39.1-47.3
College Graduate	1582	239,806	934	66.0	62.9-69.1	648	34.0	30.9-37.1
Less than \$15,000	161	27,168	60	38.9	29.3-48.5	101	61.1	51.5-70.7
\$15,000-24,999	284	55,027	82	31.4	24.1-38.7	202	68.6	61.3-75.9
\$25,000-34,999	377	76,363	145	44.0	36.7-51.3	232	56.0	48.7-63.3
\$35,000-49,999	413	84,751	180	54.6	47.5-61.7	233	45.4	38.3-52.5
\$50,000-99,999	1054	215,920	583	60.3	56.2-64.4	471	39.7	35.6-43.8
\$100,000-199,999	633	129,415	412	66.8	61.9-71.7	221	33.2	28.3-38.1
\$200,000+	155	35,609	109	73.1	65.1-81.1	46	26.9	18.9-34.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1709	378,665	887	57.3	54.2-60.4	822	42.7	39.6-45.8
White/Non-Hisp	1172	221,409	611	57.5	53.8-61.2	561	42.5	38.8-46.2
Black or Afr. Am./Non-Hisp	233	77,503	110	54.6	46.2-63.0	123	45.4	37.0-53.8
Oth. Race/Non-Hisp.	69	23,991	41	64.3	51.2-77.4	28	35.7	22.6-48.8
Hispanic	145	29,242	82	57.4	47.2-67.6	63	42.6	32.4-52.8
18-24	132	43,454	113	85.9	79.2-92.6	19	14.1	07.4-20.8
25-34	171	63,432	141	79.5	71.1-87.9	30	20.5	12.1-28.9
35-44	231	60,037	148	61.9	53.9-69.9	83	38.1	30.1-46.1
45-54	244	54,134	142	58.4	50.4-66.4	102	41.6	33.6-49.6
55-64	297	63,710	134	46.1	38.5-53.7	163	53.9	46.3-61.5
65+	634	93,898	209	33.0	28.3-37.7	425	67.0	62.3-71.7
Less Than H.S.	106	36,401	41	38.1	26.7-49.5	65	61.9	50.5-73.3
H.S. or G.E.D.	449	120,085	200	54.2	48.3-60.1	249	45.8	39.9-51.7
Some Post-H.S.	431	109,556	227	58.6	52.5-64.7	204	41.4	35.3-47.5
College Graduate	714	111,016	413	65.8	61.5-70.1	301	34.2	29.9-38.5
Less than \$15,000	59	9,102	32	55.1	39.8-70.4	27	44.9	29.6-60.2
\$15,000- 24,999	101	20,371	34	33.7	21.9-45.5	67	66.3	54.5-78.1
\$25,000- 34,999	139	29,836	57	48.3	36.9-59.7	82	51.7	40.3-63.1
\$35,000- 49,999	177	40,196	75	52.1	41.5-62.7	102	47.9	37.3-58.5
\$50,000- 99,999	479	106,124	250	59.4	53.5-65.3	229	40.6	34.7-46.5
\$100,000 - 199,999	341	78,366	207	61.2	54.1-68.3	134	38.8	31.7-45.9
\$200,000+	95	21,002	64	67.7	56.7-78.7	31	32.3	21.3-43.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2172	413,532	1078	55.4	52.5-58.3	1094	44.6	41.7-47.5
White/Non-Hisp	1488	243,611	747	55.8	52.3-59.3	741	44.2	40.7-47.7
Black or Afr. Am./Non-Hisp	355	91,391	154	46.6	39.3-53.9	201	53.4	46.1-60.7
Hispanic	197	44,384	107	64.0	55.0-73.0	90	36.0	27.0-45.0
18-24	96	42,836	84	90.2	83.7-96.7	12	9.8	03.3-16.3
25-34	200	62,083	142	72.3	64.3-80.3	58	27.7	19.7-35.7
35-44	253	62,651	165	65.2	57.2-73.2	88	34.8	26.8-42.8
45-54	319	58,627	177	56.0	48.6-63.4	142	44.0	36.6-51.4
55-64	436	73,489	200	45.1	38.8-51.4	236	54.9	48.6-61.2
65+	868	113,847	310	33.9	29.6-38.2	558	66.1	61.8-70.4
Less Than H.S.	141	42,127	49	43.4	31.4-55.4	92	56.6	44.6-68.6
H.S. or G.E.D.	557	121,715	218	48.0	42.3-53.7	339	52.0	46.3-57.7
Some Post-H.S.	598	118,310	286	55.2	49.7-60.7	312	44.8	39.3-50.3
College Graduate	868	128,790	521	66.2	61.5-70.9	347	33.8	29.1-38.5
Less than \$15,000	102	18,065	28	30.7	18.7-42.7	74	69.3	57.3-81.3
\$15,000- 24,999	183	34,656	48	30.1	20.7-39.5	135	69.9	60.5-79.3
\$25,000- 34,999	238	46,527	88	41.2	31.6-50.8	150	58.8	49.2-68.4
\$35,000- 49,999	236	44,555	105	56.9	47.3-66.5	131	43.1	33.5-52.7
\$50,000- 99,999	575	109,796	333	61.3	55.6-67.0	242	38.7	33.0-44.4
\$100,000 - 199,999	292	51,049	205	75.4	69.3-81.5	87	24.6	18.5-30.7
\$200,000+	60	14,607	45	80.9	69.7-92.1	15	19.1	07.9-30.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 6: ORAL HEALTH

TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1487	204,840	1334	89.0	86.6-91.4	153	11.0	08.6-13.4
Male	628	92,491	568	91.3	88.6-94.0	60	8.7	06.0-11.4
Female	859	112,349	766	87.1	83.4-90.8	93	12.9	09.2-16.6
White/Non-Hisp	1223	156,773	1110	90.4	88.0-92.8	113	9.6	07.2-12.0
Black or Afr. Am./Non-Hisp	159	33,431	129	80.8	71.4-90.2	30	19.2	09.8-28.6
65+	1487	204,840	1334	89.0	86.6-91.4	153	11.0	08.6-13.4
Less Than H.S.	68	16,927	46	70.6	56.5-84.7	22	29.4	15.3-43.5
H.S. or G.E.D.	393	67,643	324	84.5	80.0-89.0	69	15.5	11.0-20.0
Some Post-H.S.	412	61,961	372	91.6	87.1-96.1	40	8.4	03.9-12.9
College Graduate	609	57,570	587	96.8	95.2-98.4	22	3.2	01.6-04.8
\$15,000-24,999	122	19,051	92	78.2	67.8-88.6	30	21.8	11.4-32.2
\$25,000-34,999	169	26,630	145	83.5	75.9-91.1	24	16.5	08.9-24.1
\$35,000-49,999	180	22,546	166	91.0	85.7-96.3	14	9.0	03.7-14.3
\$50,000-99,999	406	53,378	382	93.4	90.1-96.7	24	6.6	03.3-09.9
\$100,000-199,999	181	23,960	178	98.0	95.6-100	3	2.0	00.0-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	628	92,491	568	91.3	88.6-94.0	60	8.7	06.0-11.4
White/Non-Hisp	515	72,108	468	90.7	87.4-94.0	47	9.3	06.0-12.6
Black or Afr. Am./Non-Hisp	59	12,332	51	92.6	86.9-98.3	8	7.4	01.7-13.1
65+	628	92,491	568	91.3	88.6-94.0	60	8.7	06.0-11.4
H.S. or G.E.D.	158	29,915	130	87.2	81.3-93.1	28	12.8	06.9-18.7
Some Post-H.S.	148	23,887	132	92.2	87.5-96.9	16	7.8	03.1-12.5
College Graduate	290	30,135	282	98.0	96.4-99.6	8	2.0	00.4-03.6
\$25,000- 34,999	63	10,127	52	76.9	63.0-90.8	11	23.1	09.2-37.0
\$35,000- 49,999	72	9,201	66	88.2	78.0-98.4	6	11.8	01.6-22.0
\$50,000- 99,999	189	28,089	177	94.3	90.0-98.6	12	5.7	01.4-10.0
\$100,000 - 199,999	107	15,464	107	100.0	0100-0100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 6: ORAL HEALTH

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	859	112,349	766	87.1	83.2-91.0	93	12.9	09.0-16.8
White/Non-Hisp	708	84,666	642	90.1	86.8-93.4	66	9.9	06.6-13.2
Black or Afr. Am./Non-Hisp	100	21,099	78	73.9	59.6-88.2	22	26.1	11.8-40.4
65+	859	112,349	766	87.1	83.2-91.0	93	12.9	09.0-16.8
H.S. or G.E.D.	235	37,728	194	82.4	75.7-89.1	41	17.6	10.9-24.3
Some Post-H.S.	264	38,074	240	91.2	84.3-98.1	24	8.8	01.9-15.7
College Graduate	319	27,435	305	95.5	93.0-98.0	14	4.5	02.0-07.0
\$15,000- 24,999	74	11,172	54	73.3	57.8-88.8	20	26.7	11.2-42.2
\$25,000- 34,999	106	16,503	93	87.5	79.1-95.9	13	12.5	04.1-20.9
\$35,000- 49,999	108	13,345	100	92.9	87.4-98.4	8	7.1	01.6-12.6
\$50,000- 99,999	217	25,289	205	92.5	87.2-97.8	12	7.5	02.2-12.8
\$100,000 - 199,999	74	8,496	71	94.3	87.6-0100	3	5.7	00.0-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3917	792,746	2611	64.6	62.4-66.8	1306	35.4	33.2-37.6
Male	1715	376,937	1121	62.6	59.5-65.7	594	37.4	34.3-40.5
Female	2202	415,809	1490	66.4	63.5-69.3	712	33.6	30.7-36.5
White/Non-Hisp	2707	467,341	1895	68.2	65.8-70.6	812	31.8	29.4-34.2
Black or Afr. Am./Non-Hisp	577	167,137	352	60.4	54.9-65.9	225	39.6	34.1-45.1
Oth. Race/Non-Hisp.	112	36,357	66	65.8	55.4-76.2	46	34.2	23.8-44.6
MultiRacial/Non-Hisp.	78	29,538	43	61.0	46.9-75.1	35	39.0	24.9-53.1
Hispanic	342	73,481	189	51.6	44.3-58.9	153	48.4	41.1-55.7
18-24	225	84,925	139	59.7	51.5-67.9	86	40.3	32.1-48.5
25-34	368	125,275	217	60.7	54.4-67.0	151	39.3	33.0-45.6
35-44	479	119,646	276	59.0	53.3-64.7	203	41.0	35.3-46.7
45-54	567	113,722	361	61.4	55.9-66.9	206	38.6	33.1-44.1
55-64	741	137,667	507	69.4	64.9-73.9	234	30.6	26.1-35.1
65+	1537	211,511	1111	70.6	67.5-73.7	426	29.4	26.3-32.5
Less Than H.S.	242	77,263	88	42.1	33.5-50.7	154	57.9	49.3-66.5
H.S. or G.E.D.	1021	244,592	594	58.5	54.4-62.6	427	41.5	37.4-45.6
Some Post-H.S.	1032	225,422	660	65.0	61.1-68.9	372	35.0	31.1-38.9
College Graduate	1608	242,472	1258	77.2	74.3-80.1	350	22.8	19.9-25.7
Less than \$15,000	158	26,861	63	37.8	28.0-47.6	95	62.2	52.4-72.0
\$15,000-24,999	283	55,000	132	43.8	35.8-51.8	151	56.2	48.2-64.2
\$25,000-34,999	383	76,502	200	53.1	45.8-60.4	183	46.9	39.6-54.2
\$35,000-49,999	415	85,668	258	53.2	45.8-60.6	157	46.8	39.4-54.2
\$50,000-99,999	1062	215,758	764	71.0	67.3-74.7	298	29.0	25.3-32.7
\$100,000-199,999	639	130,425	517	77.8	73.3-82.3	122	22.2	17.7-26.7
\$200,000+	155	34,481	133	85.4	78.7-92.1	22	14.6	07.9-21.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 6: ORAL HEALTH

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1715	376,937	1121	62.6	59.5-65.7	594	37.4	34.3-40.5
White/Non-Hisp	1190	222,358	812	65.4	61.7-69.1	378	34.6	30.9-38.3
Black or Afr. Am./Non-Hisp	225	76,120	135	57.2	48.6-65.8	90	42.8	34.2-51.4
Oth. Race/Non-Hisp.	67	23,725	39	67.0	54.8-79.2	28	33.0	20.8-45.2
Hispanic	145	29,239	82	56.0	45.8-66.2	63	44.0	33.8-54.2
18-24	131	43,328	79	56.3	46.1-66.5	52	43.7	33.5-53.9
25-34	168	62,743	97	56.9	47.3-66.5	71	43.1	33.5-52.7
35-44	230	58,904	121	52.2	44.0-60.4	109	47.8	39.6-56.0
45-54	243	53,848	156	61.7	53.7-69.7	87	38.3	30.3-46.3
55-64	302	64,004	206	70.5	63.6-77.4	96	29.5	22.6-36.4
65+	641	94,111	462	71.0	66.3-75.7	179	29.0	24.3-33.7
Less Than H.S.	105	35,546	39	41.6	29.4-53.8	66	58.4	46.2-70.6
H.S. or G.E.D.	449	119,159	250	56.1	50.0-62.2	199	43.9	37.8-50.0
Some Post-H.S.	428	108,066	267	61.4	55.3-67.5	161	38.6	32.5-44.7
College Graduate	725	112,639	559	77.0	73.1-80.9	166	23.0	19.1-26.9
Less than \$15,000	58	9,121	22	32.3	18.4-46.2	36	67.7	53.8-81.6
\$15,000- 24,999	100	20,334	43	43.0	30.1-55.9	57	57.0	44.1-69.9
\$25,000- 34,999	140	29,404	70	47.4	36.2-58.6	70	52.6	41.4-63.8
\$35,000- 49,999	176	40,356	106	54.4	43.6-65.2	70	45.6	34.8-56.4
\$50,000- 99,999	479	104,702	324	65.9	60.0-71.8	155	34.1	28.2-40.0
\$100,000 - 199,999	345	79,265	272	73.8	67.3-80.3	73	26.2	19.7-32.7
\$200,000+	97	21,298	81	84.3	76.3-92.3	16	15.7	07.7-23.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 6: ORAL HEALTH

**TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2202	415,809	1490	66.4	63.5-69.3	712	33.6	30.7-36.5
White/Non-Hisp	1517	244,983	1083	70.7	67.6-73.8	434	29.3	26.2-32.4
Black or Afr. Am./Non-Hisp	352	91,018	217	63.1	55.8-70.4	135	36.9	29.6-44.2
Hispanic	197	44,242	107	48.6	38.6-58.6	90	51.4	41.4-61.4
18-24	94	41,597	60	63.2	50.3-76.1	34	36.8	23.9-49.7
25-34	200	62,532	120	64.5	56.3-72.7	80	35.5	27.3-43.7
35-44	249	60,743	155	65.6	58.0-73.2	94	34.4	26.8-42.0
45-54	324	59,874	205	61.1	53.7-68.5	119	38.9	31.5-46.3
55-64	439	73,663	301	68.4	62.7-74.1	138	31.6	25.9-37.3
65+	896	117,401	649	70.2	65.9-74.5	247	29.8	25.5-34.1
Less Than H.S.	137	41,718	49	42.5	30.3-54.7	88	57.5	45.3-69.7
H.S. or G.E.D.	572	125,433	344	60.8	55.3-66.3	228	39.2	33.7-44.7
Some Post-H.S.	604	117,357	393	68.2	63.5-72.9	211	31.8	27.1-36.5
College Graduate	883	129,832	699	77.5	73.0-82.0	184	22.5	18.0-27.0
Less than \$15,000	100	17,740	41	40.6	27.7-53.5	59	59.4	46.5-72.3
\$15,000- 24,999	183	34,666	89	44.3	34.1-54.5	94	55.7	45.5-65.9
\$25,000- 34,999	243	47,098	130	56.6	47.4-65.8	113	43.4	34.2-52.6
\$35,000- 49,999	239	45,312	152	52.1	41.9-62.3	87	47.9	37.7-58.1
\$50,000- 99,999	583	111,055	440	75.9	71.4-80.4	143	24.1	19.6-28.6
\$100,000 - 199,999	294	51,160	245	84.0	79.1-88.9	49	16.0	11.1-20.9
\$200,000+	58	13,183	52	87.0	75.0-99.0	6	13.0	01.0-25.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	35
2 MALES ONLY	36
3 FEMALES ONLY	37
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	38
5 MALES ONLY	39
6 FEMALES ONLY	40
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	41
8 MALES ONLY	42
9 FEMALES ONLY	43
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	44
11 MALES ONLY	45
12 FEMALES ONLY	46
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13 MALES AND FEMALES	47
14 MALES ONLY	48
15 FEMALES ONLY	49

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3949	800,644	348	6.6	05.6-07.6	3601	93.4	92.4-94.4
Male	1735	381,225	186	7.8	06.2-09.4	1549	92.2	90.6-93.8
Female	2214	419,419	162	5.4	04.2-06.6	2052	94.6	93.4-95.8
White/Non-Hisp	2723	471,845	261	7.0	06.0-08.0	2462	93.0	92.0-94.0
Black or Afr. Am./Non-Hisp	592	170,041	52	6.6	04.1-09.1	540	93.4	90.9-95.9
Oth. Race/Non-Hisp.	112	36,206	8	7.3	01.2-13.4	104	92.7	86.6-98.8
MultiRacial/Non-Hisp.	78	29,933	7	7.5	00.0-15.1	71	92.5	84.9-0100
Hispanic	341	73,407	9	2.4	00.4-04.4	332	97.6	95.6-99.6
18-24	228	86,238				228	100.0	0100-0100
25-34	373	126,349	4	0.9	00.0-02.1	369	99.1	97.9-0100
35-44	487	122,697	10	2.6	00.6-04.6	477	97.4	95.4-99.4
45-54	565	113,228	25	5.0	02.5-07.5	540	95.0	92.5-97.5
55-64	746	138,012	62	8.4	05.9-10.9	684	91.6	89.1-94.1
65+	1550	214,121	247	14.4	12.0-16.8	1303	85.6	83.2-88.0
Less Than H.S.	247	78,454	27	6.9	04.0-09.8	220	93.1	90.2-96.0
H.S. or G.E.D.	1033	246,658	104	7.5	05.3-09.7	929	92.5	90.3-94.7
Some Post-H.S.	1045	229,741	102	6.6	05.0-08.2	943	93.4	91.8-95.0
College Graduate	1606	241,897	114	5.6	04.2-07.0	1492	94.4	93.0-95.8
Less than \$15,000	162	27,304	18	9.8	04.5-15.1	144	90.2	84.9-95.5
\$15,000-24,999	286	55,119	49	13.9	08.2-19.6	237	86.1	80.4-91.8
\$25,000-34,999	382	77,059	42	7.8	04.9-10.7	340	92.2	89.3-95.1
\$35,000-49,999	418	86,013	44	7.1	04.0-10.2	374	92.9	89.8-96.0
\$50,000-99,999	1066	217,433	75	6.0	04.2-07.8	991	94.0	92.2-95.8
\$100,000-199,999	637	130,547	36	4.3	02.7-05.9	601	95.7	94.1-97.3
\$200,000+	157	35,905	7	2.6	00.6-04.6	150	97.4	95.4-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	381,225	186	7.8	06.2-09.4	1549	92.2	90.6-93.8
White/Non-Hisp	1198	223,664	145	8.9	07.1-10.7	1053	91.1	89.3-92.9
Black or Afr. Am./Non-Hisp	236	78,412	21	5.5	02.6-08.4	215	94.5	91.6-97.4
Oth. Race/Non-Hisp.	68	23,822	5	8.3	00.1-16.5	63	91.7	83.5-99.9
Hispanic	144	29,138	4	3.5	00.0-07.6	140	96.5	92.4-0100
18-24	133	43,634				133	100.0	0100-0100
25-34	171	63,432	1	1.1	00.0-03.3	170	98.9	96.7-0100
35-44	235	60,243	6	3.5	00.2-06.8	229	96.5	93.2-99.8
45-54	240	53,313	11	6.1	01.4-10.8	229	93.9	89.2-98.6
55-64	305	64,659	32	10.1	06.0-14.2	273	89.9	85.8-94.0
65+	651	95,946	136	17.9	14.4-21.4	515	82.1	78.6-85.6
Less Than H.S.	109	36,891	12	9.0	03.5-14.5	97	91.0	85.5-96.5
H.S. or G.E.D.	457	120,057	55	8.8	05.7-11.9	402	91.2	88.1-94.3
Some Post-H.S.	436	110,367	49	6.9	04.5-09.3	387	93.1	90.7-95.5
College Graduate	724	112,778	69	7.2	04.8-09.6	655	92.8	90.4-95.2
Less than \$15,000	60	9,239	6	9.1	01.1-17.1	54	90.9	82.9-98.9
\$15,000- 24,999	105	20,886	22	14.3	06.9-21.7	83	85.7	78.3-93.1
\$25,000- 34,999	142	30,128	25	13.9	07.4-20.4	117	86.1	79.6-92.6
\$35,000- 49,999	177	40,571	23	9.7	03.6-15.8	154	90.3	84.2-96.4
\$50,000- 99,999	481	106,339	50	8.7	05.4-12.0	431	91.3	88.0-94.6
\$100,000 - 199,999	344	79,635	21	4.1	01.9-06.3	323	95.9	93.7-98.1
\$200,000+	97	21,298	6	4.0	00.7-07.3	91	96.0	92.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2214	419,419	162	5.4	04.2-06.6	2052	94.6	93.4-95.8
White/Non-Hisp	1525	248,181	116	5.4	04.2-06.6	1409	94.6	93.4-95.8
Black or Afr. Am./Non-Hisp	356	91,629	31	7.4	03.5-11.3	325	92.6	88.7-96.5
Hispanic	197	44,270	5	1.6	00.0-03.6	192	98.4	96.4-0100
18-24	95	42,604				95	100.0	0100-0100
25-34	202	62,917	3	0.6	00.0-01.4	199	99.4	98.6-0100
35-44	252	62,455	4	1.8	00.0-03.8	248	98.2	96.2-0100
45-54	325	59,915	14	4.1	01.6-06.6	311	95.9	93.4-98.4
55-64	441	73,353	30	6.9	03.6-10.2	411	93.1	89.8-96.4
65+	899	118,175	111	11.6	08.5-14.7	788	88.4	85.3-91.5
Less Than H.S.	138	41,563	15	5.0	02.1-07.9	123	95.0	92.1-97.9
H.S. or G.E.D.	576	126,601	49	6.2	03.5-08.9	527	93.8	91.1-96.5
Some Post-H.S.	609	119,374	53	6.2	03.8-08.6	556	93.8	91.4-96.2
College Graduate	882	129,119	45	4.1	02.5-05.7	837	95.9	94.3-97.5
Less than \$15,000	102	18,065	12	10.2	03.5-16.9	90	89.8	83.1-96.5
\$15,000- 24,999	181	34,234	27	13.7	05.5-21.9	154	86.3	78.1-94.5
\$25,000- 34,999	240	46,931	17	3.8	01.4-06.2	223	96.2	93.8-98.6
\$35,000- 49,999	241	45,442	21	4.8	02.3-07.3	220	95.2	92.7-97.7
\$50,000- 99,999	585	111,095	25	3.4	01.8-05.0	560	96.6	95.0-98.2
\$100,000 - 199,999	293	50,912	15	4.5	02.0-07.0	278	95.5	93.0-98.0
\$200,000+	60	14,607	1	0.5	00.0-01.5	59	99.5	98.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3971	804,152	3343	84.7	83.1-86.3	628	15.3	13.7-16.9
Male	1742	382,301	1527	87.1	84.9-89.3	215	12.9	10.7-15.1
Female	2229	421,851	1816	82.5	80.3-84.7	413	17.5	15.3-19.7
White/Non-Hisp	2737	473,875	2317	85.8	84.0-87.6	420	14.2	12.4-16.0
Black or Afr. Am./Non-Hisp	593	170,734	476	80.6	76.3-84.9	117	19.4	15.1-23.7
Oth. Race/Non-Hisp.	114	36,623	99	90.1	83.6-96.6	15	9.9	03.4-16.4
MultiRacial/Non-Hisp.	77	29,592	60	74.1	60.6-87.6	17	25.9	12.4-39.4
Hispanic	347	74,097	304	88.1	83.4-92.8	43	11.9	07.2-16.6
18-24	226	85,562	195	86.8	81.7-91.9	31	13.2	08.1-18.3
25-34	371	125,534	302	84.3	79.8-88.8	69	15.7	11.2-20.2
35-44	490	123,231	397	79.4	74.3-84.5	93	20.6	15.5-25.7
45-54	572	115,272	473	83.7	79.8-87.6	99	16.3	12.4-20.2
55-64	755	139,577	637	85.4	82.1-88.7	118	14.6	11.3-17.9
65+	1557	214,977	1339	87.0	84.6-89.4	218	13.0	10.6-15.4
Less Than H.S.	250	78,950	212	87.8	82.7-92.9	38	12.2	07.1-17.3
H.S. or G.E.D.	1042	248,263	887	84.1	81.0-87.2	155	15.9	12.8-19.0
Some Post-H.S.	1045	229,212	857	82.3	79.0-85.6	188	17.7	14.4-21.0
College Graduate	1615	243,262	1369	86.4	84.2-88.6	246	13.6	11.4-15.8
Less than \$15,000	160	27,010	117	77.6	70.0-85.2	43	22.4	14.8-30.0
\$15,000-24,999	289	55,622	236	80.9	73.8-88.0	53	19.1	12.0-26.2
\$25,000-34,999	386	77,291	309	79.6	73.9-85.3	77	20.4	14.7-26.1
\$35,000-49,999	418	85,497	345	85.7	81.4-90.0	73	14.3	10.0-18.6
\$50,000-99,999	1068	217,834	912	86.2	83.3-89.1	156	13.8	10.9-16.7
\$100,000-199,999	642	131,004	554	85.3	81.4-89.2	88	14.7	10.8-18.6
\$200,000+	157	35,905	141	88.9	82.8-95.0	16	11.1	05.0-17.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1742	382,301	1527	87.1	84.9-89.3	215	12.9	10.7-15.1
White/Non-Hisp	1203	224,634	1053	88.6	86.2-91.0	150	11.4	09.0-13.8
Black or Afr. Am./Non-Hisp	235	78,327	203	82.2	75.3-89.1	32	17.8	10.9-24.7
Oth. Race/Non-Hisp.	69	23,991	66	94.8	87.9-0100	3	5.2	00.0-12.1
Hispanic	148	29,558	129	86.3	79.0-93.6	19	13.7	06.4-21.0
18-24	131	42,948	111	82.3	74.5-90.1	20	17.7	09.9-25.5
25-34	170	62,855	139	82.5	75.1-89.9	31	17.5	10.1-24.9
35-44	236	60,444	205	83.9	77.2-90.6	31	16.1	09.4-22.8
45-54	247	55,174	215	89.2	84.7-93.7	32	10.8	06.3-15.3
55-64	308	64,895	277	90.3	86.0-94.6	31	9.7	05.4-14.0
65+	650	95,986	580	90.8	88.1-93.5	70	9.2	06.5-11.9
Less Than H.S.	109	36,554	98	86.9	77.9-95.9	11	13.1	04.1-22.1
H.S. or G.E.D.	460	121,021	406	86.8	82.7-90.9	54	13.2	09.1-17.3
Some Post-H.S.	433	109,635	370	83.5	78.6-88.4	63	16.5	11.6-21.4
College Graduate	730	113,386	643	90.7	88.3-93.1	87	9.3	06.9-11.7
Less than \$15,000	59	9,088	42	71.6	57.5-85.7	17	28.4	14.3-42.5
\$15,000- 24,999	105	20,886	90	81.1	70.1-92.1	15	18.9	07.9-29.9
\$25,000- 34,999	142	29,922	124	84.1	74.3-93.9	18	15.9	06.1-25.7
\$35,000- 49,999	177	39,995	149	86.3	79.6-93.0	28	13.7	07.0-20.4
\$50,000- 99,999	481	106,068	429	90.3	87.0-93.6	52	9.7	06.4-13.0
\$100,000 - 199,999	348	79,844	318	87.7	82.2-93.2	30	12.3	06.8-17.8
\$200,000+	97	21,298	86	90.2	83.7-96.7	11	9.8	03.3-16.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2229	421,851	1816	82.5	80.3-84.7	413	17.5	15.3-19.7
White/Non-Hisp	1534	249,241	1264	83.3	80.8-85.8	270	16.7	14.2-19.2
Black or Afr. Am./Non-Hisp	358	92,407	273	79.3	73.6-85.0	85	20.7	15.0-26.4
Hispanic	199	44,539	175	89.2	82.9-95.5	24	10.8	04.5-17.1
18-24	95	42,614	84	91.3	85.4-97.2	11	8.7	02.8-14.6
25-34	201	62,679	163	86.1	81.0-91.2	38	13.9	08.8-19.0
35-44	254	62,787	192	75.1	67.7-82.5	62	24.9	17.5-32.3
45-54	325	60,098	258	78.7	72.6-84.8	67	21.3	15.2-27.4
55-64	447	74,682	360	81.2	76.3-86.1	87	18.8	13.9-23.7
65+	907	118,991	759	84.0	80.5-87.5	148	16.0	12.5-19.5
Less Than H.S.	141	42,396	114	88.6	83.3-93.9	27	11.4	06.1-16.7
H.S. or G.E.D.	582	127,242	481	81.5	77.0-86.0	101	18.5	14.0-23.0
Some Post-H.S.	612	119,577	487	81.2	76.9-85.5	125	18.8	14.5-23.1
College Graduate	885	129,875	726	82.6	79.3-85.9	159	17.4	14.1-20.7
Less than \$15,000	101	17,922	75	80.7	71.9-89.5	26	19.3	10.5-28.1
\$15,000- 24,999	184	34,737	146	80.8	71.6-90.0	38	19.2	10.0-28.4
\$25,000- 34,999	244	47,369	185	76.8	69.7-83.9	59	23.2	16.1-30.3
\$35,000- 49,999	241	45,503	196	85.1	79.6-90.6	45	14.9	09.4-20.4
\$50,000- 99,999	587	111,767	483	82.3	77.8-86.8	104	17.7	13.2-22.2
\$100,000 - 199,999	294	51,160	236	81.6	76.3-86.9	58	18.4	13.1-23.7
\$200,000+	60	14,607	55	86.9	75.3-98.5	5	13.1	01.5-24.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3955	801,042	3525	90.1	88.9-91.3	430	9.9	08.7-11.1
Male	1732	380,709	1609	93.0	91.2-94.8	123	7.0	05.2-08.8
Female	2223	420,333	1916	87.5	85.7-89.3	307	12.5	10.7-14.3
White/Non-Hisp	2724	471,618	2442	90.8	89.4-92.2	282	9.2	07.8-10.6
Black or Afr. Am./Non-Hisp	590	169,881	507	87.3	83.8-90.8	83	12.7	09.2-16.2
Oth. Race/Non-Hisp.	114	36,623	103	95.7	92.6-98.8	11	4.3	01.2-07.4
MultiRacial/Non-Hisp.	77	29,592	67	85.2	75.4-95.0	10	14.8	05.0-24.6
Hispanic	347	74,097	316	92.2	88.1-96.3	31	7.8	03.7-11.9
18-24	224	85,025	211	93.8	90.1-97.5	13	6.2	02.5-09.9
25-34	368	124,992	325	90.0	86.3-93.7	43	10.0	06.3-13.7
35-44	487	122,489	431	89.6	86.3-92.9	56	10.4	07.1-13.7
45-54	571	115,029	498	88.6	85.3-91.9	73	11.4	08.1-14.7
55-64	754	139,312	663	89.3	86.4-92.2	91	10.7	07.8-13.6
65+	1551	214,196	1397	90.5	88.3-92.7	154	9.5	07.3-11.7
Less Than H.S.	248	78,629	221	90.4	85.7-95.1	27	9.6	04.9-14.3
H.S. or G.E.D.	1037	247,167	928	88.8	86.1-91.5	109	11.2	08.5-13.9
Some Post-H.S.	1040	228,176	918	90.7	88.5-92.9	122	9.3	07.1-11.5
College Graduate	1611	242,604	1440	90.9	89.1-92.7	171	9.1	07.3-10.9
Less than \$15,000	159	26,932	126	82.4	75.5-89.3	33	17.6	10.7-24.5
\$15,000-24,999	287	55,150	247	85.1	78.4-91.8	40	14.9	08.2-21.6
\$25,000-34,999	384	76,754	328	85.4	80.1-90.7	56	14.6	09.3-19.9
\$35,000-49,999	417	85,386	366	89.9	86.4-93.4	51	10.1	06.6-13.6
\$50,000-99,999	1062	216,745	955	91.9	89.9-93.9	107	8.1	06.1-10.1
\$100,000-199,999	641	130,578	584	92.3	89.9-94.7	57	7.7	05.3-10.1
\$200,000+	157	35,905	149	93.6	89.1-98.1	8	6.4	01.9-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1732	380,709	1609	93.0	91.2-94.8	123	7.0	05.2-08.8
White/Non-Hisp	1194	223,153	1110	93.6	91.8-95.4	84	6.4	04.6-08.2
Black or Afr. Am./Non-Hisp	234	78,216	216	90.5	85.2-95.8	18	9.5	04.2-14.8
Oth. Race/Non-Hisp.	69	23,991	68	99.0	97.0-0100	1	1.0	00.0-03.0
Hispanic	148	29,558	134	93.3	88.8-97.8	14	6.7	02.2-11.2
18-24	131	42,948	124	93.5	88.4-98.6	7	6.5	01.4-11.6
25-34	168	62,526	153	89.6	83.5-95.7	15	10.4	04.3-16.5
35-44	234	60,129	218	91.6	86.3-96.9	16	8.4	03.1-13.7
45-54	246	54,931	228	93.6	90.1-97.1	18	6.4	02.9-09.9
55-64	308	64,895	288	94.9	92.4-97.4	20	5.1	02.6-07.6
65+	645	95,281	598	94.3	92.3-96.3	47	5.7	03.7-07.7
Less Than H.S.	107	36,233	100	90.5	82.1-98.9	7	9.5	01.1-17.9
H.S. or G.E.D.	458	120,538	429	92.3	89.0-95.6	29	7.7	04.4-11.0
Some Post-H.S.	430	109,076	394	92.8	89.9-95.7	36	7.2	04.3-10.1
College Graduate	727	113,156	676	94.6	92.8-96.4	51	5.4	03.6-07.2
Less than \$15,000	58	9,011	47	82.6	71.2-94.0	11	17.4	06.0-28.8
\$15,000- 24,999	103	20,414	92	83.8	72.8-94.8	11	16.2	05.2-27.2
\$25,000- 34,999	142	29,922	133	92.6	84.2-0100	9	7.4	00.0-15.8
\$35,000- 49,999	176	39,884	158	91.0	85.3-96.7	18	9.0	03.3-14.7
\$50,000- 99,999	477	105,619	447	95.1	92.7-97.5	30	4.9	02.5-07.3
\$100,000 - 199,999	347	79,418	335	96.7	94.3-99.1	12	3.3	00.9-05.7
\$200,000+	97	21,298	92	93.0	86.7-99.3	5	7.0	00.7-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2223	420,333	1916	87.5	85.7-89.3	307	12.5	10.7-14.3
White/Non-Hisp	1530	248,465	1332	88.3	86.3-90.3	198	11.7	09.7-13.7
Black or Afr. Am./Non-Hisp	356	91,665	291	84.5	79.6-89.4	65	15.5	10.6-20.4
Hispanic	199	44,539	182	91.5	85.4-97.6	17	8.5	02.4-14.6
18-24	93	42,077	87	94.1	88.8-99.4	6	5.9	00.6-11.2
25-34	200	62,466	172	90.4	86.3-94.5	28	9.6	05.5-13.7
35-44	253	62,359	213	87.6	83.1-92.1	40	12.4	07.9-16.9
45-54	325	60,098	270	84.0	78.7-89.3	55	16.0	10.7-21.3
55-64	446	74,417	375	84.4	79.7-89.1	71	15.6	10.9-20.3
65+	906	118,915	799	87.5	84.2-90.8	107	12.5	09.2-15.8
Less Than H.S.	141	42,396	121	90.3	85.4-95.2	20	9.7	04.8-14.6
H.S. or G.E.D.	579	126,629	499	85.4	81.3-89.5	80	14.6	10.5-18.7
Some Post-H.S.	610	119,100	524	88.8	85.9-91.7	86	11.2	08.3-14.1
College Graduate	884	129,448	764	87.7	85.0-90.4	120	12.3	09.6-15.0
Less than \$15,000	101	17,922	79	82.3	73.7-90.9	22	17.7	09.1-26.3
\$15,000- 24,999	184	34,737	155	85.8	77.6-94.0	29	14.2	06.0-22.4
\$25,000- 34,999	242	46,832	195	80.7	73.8-87.6	47	19.3	12.4-26.2
\$35,000- 49,999	241	45,503	208	88.8	84.3-93.3	33	11.2	06.7-15.7
\$50,000- 99,999	585	111,127	508	88.7	85.6-91.8	77	11.3	08.2-14.4
\$100,000 - 199,999	294	51,160	249	85.4	80.5-90.3	45	14.6	09.7-19.5
\$200,000+	60	14,607	57	94.4	87.9-0100	3	5.6	00.0-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3955	801,042	430	9.9	08.7-11.1	182	5.2	04.2-06.2	3343	85.0	83.4-86.6
Male	1732	380,709	123	7.0	05.2-08.8	82	5.6	04.0-07.2	1527	87.4	85.2-89.6
Female	2223	420,333	307	12.5	10.7-14.3	100	4.8	03.4-06.2	1816	82.8	80.6-85.0
White/Non-Hisp	2724	471,618	282	9.2	07.8-10.6	125	4.6	03.4-05.8	2317	86.2	84.4-88.0
Black or Afr. Am./Non-Hisp	590	169,881	83	12.7	09.2-16.2	31	6.2	03.5-08.9	476	81.0	76.7-85.3
Oth. Race/Non-Hisp.	114	36,623	11	4.3	01.2-07.4	4	5.6	00.0-11.5	99	90.1	83.6-96.6
MultiRacial/Non-Hisp.	77	29,592	10	14.8	05.0-24.6	7	11.1	00.3-21.9	60	74.1	60.6-87.6
Hispanic	347	74,097	31	7.8	03.7-11.9	12	4.2	01.5-06.9	304	88.1	83.4-92.8
18-24	224	85,025	13	6.2	02.5-09.9	16	6.4	02.9-09.9	195	87.3	82.4-92.2
25-34	368	124,992	43	10.0	06.3-13.7	23	5.3	02.4-08.2	302	84.7	80.2-89.2
35-44	487	122,489	56	10.4	07.1-13.7	34	9.7	05.6-13.8	397	79.9	74.8-85.0
45-54	571	115,029	73	11.4	08.1-14.7	25	4.7	02.3-07.1	473	83.9	80.0-87.8
55-64	754	139,312	91	10.7	07.8-13.6	26	3.7	01.7-05.7	637	85.6	82.3-88.9
65+	1551	214,196	154	9.5	07.3-11.7	58	3.2	02.2-04.2	1339	87.3	84.9-89.7
Less Than H.S.	248	78,629	27	9.6	04.9-14.3	9	2.3	00.3-04.3	212	88.2	83.1-93.3
H.S. or G.E.D.	1037	247,167	109	11.2	08.5-13.9	41	4.3	02.7-05.9	887	84.4	81.3-87.5
Some Post-H.S.	1040	228,176	122	9.3	07.1-11.5	61	8.1	05.4-10.8	857	82.7	79.4-86.0
College Graduate	1611	242,604	171	9.1	07.3-10.9	71	4.3	02.9-05.7	1369	86.6	84.4-88.8
Less than \$15,000	159	26,932	33	17.6	10.7-24.5	9	4.6	00.5-08.7	117	77.9	70.3-85.5
\$15,000-24,999	287	55,150	40	14.9	08.2-21.6	11	3.5	00.2-06.8	236	81.6	74.5-88.7
\$25,000-34,999	384	76,754	56	14.6	09.3-19.9	19	5.2	02.5-07.9	309	80.1	74.4-85.8
\$35,000-49,999	417	85,386	51	10.1	06.6-13.6	21	4.1	01.7-06.5	345	85.8	81.5-90.1
\$50,000-99,999	1062	216,745	107	8.1	06.1-10.1	43	5.2	03.0-07.4	912	86.6	83.7-89.5
\$100,000-199,999	641	130,578	57	7.7	05.3-10.1	30	6.7	03.6-09.8	554	85.6	81.7-89.5
\$200,000+	157	35,905	8	6.4	01.9-10.9	8	4.7	00.4-09.0	141	88.9	82.8-95.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1732	380,709	123	7.0	05.2-08.8	82	5.6	04.0-07.2	1527	87.4	85.2-89.6
White/Non-Hisp	1194	223,153	84	6.4	04.6-08.2	57	4.5	02.9-06.1	1053	89.2	87.0-91.4
Black or Afr. Am./Non-Hisp	234	78,216	18	9.5	04.2-14.8	13	8.2	03.3-13.1	203	82.3	75.4-89.2
Oth. Race/Non-Hisp.	69	23,991	1	1.0	00.0-03.0	2	4.2	00.0-10.9	66	94.8	87.9-0100
Hispanic	148	29,558	14	6.7	02.2-11.2	5	7.0	00.9-13.1	129	86.3	79.0-93.6
18-24	131	42,948	7	6.5	01.4-11.6	13	11.1	04.6-17.6	111	82.3	74.5-90.1
25-34	168	62,526	15	10.4	04.3-16.5	14	6.6	01.9-11.3	139	82.9	75.5-90.3
35-44	234	60,129	16	8.4	03.1-13.7	13	7.3	02.6-12.0	205	84.3	77.6-91.0
45-54	246	54,931	18	6.4	02.9-09.9	13	3.9	01.2-06.6	215	89.6	85.1-94.1
55-64	308	64,895	20	5.1	02.6-07.6	11	4.6	01.1-08.1	277	90.3	86.0-94.6
65+	645	95,281	47	5.7	03.7-07.7	18	2.9	01.1-04.7	580	91.4	88.9-93.9
Less Than H.S.	107	36,233	7	9.5	01.1-17.9	2	2.9	00.0-06.8	98	87.7	78.7-96.7
H.S. or G.E.D.	458	120,538	29	7.7	04.4-11.0	23	5.2	02.8-07.6	406	87.2	83.1-91.3
Some Post-H.S.	430	109,076	36	7.2	04.3-10.1	24	8.9	04.8-13.0	370	83.9	79.0-88.8
College Graduate	727	113,156	51	5.4	03.6-07.2	33	3.7	02.1-05.3	643	90.9	88.5-93.3
Less than \$15,000	58	9,011	11	17.4	06.0-28.8	5	10.4	00.0-21.4	42	72.2	57.9-86.5
\$15,000- 24,999	103	20,414	11	16.2	05.2-27.2	2	0.9	00.0-02.3	90	82.9	71.7-94.1
\$25,000- 34,999	142	29,922	9	7.4	00.0-15.8	9	8.6	02.3-14.9	124	84.1	74.3-93.9
\$35,000- 49,999	176	39,884	18	9.0	03.3-14.7	9	4.5	00.8-08.2	149	86.5	79.8-93.2
\$50,000- 99,999	477	105,619	30	4.9	02.5-07.3	18	4.4	01.9-06.9	429	90.7	87.4-94.0
\$100,000 - 199,999	347	79,418	12	3.3	00.9-05.7	17	8.5	03.6-13.4	318	88.1	82.8-93.4
\$200,000+	97	21,298	5	7.0	00.7-13.3	6	2.8	00.4-05.2	86	90.2	83.7-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2223	420,333	307	12.5	10.7-14.3	100	4.8	03.4-06.2	1816	82.8	80.6-85.0
White/Non-Hisp	1530	248,465	198	11.7	09.7-13.7	68	4.8	03.2-06.4	1264	83.6	81.2-86.0
Black or Afr. Am./Non-Hisp	356	91,665	65	15.5	10.6-20.4	18	4.6	01.7-07.5	273	79.9	74.4-85.4
Hispanic	199	44,539	17	8.5	02.4-14.6	7	2.3	00.3-04.3	175	89.2	82.9-95.5
18-24	93	42,077	6	5.9	00.6-11.2	3	1.6	00.0-03.6	84	92.5	86.8-98.2
25-34	200	62,466	28	9.6	05.5-13.7	9	4.0	00.9-07.1	163	86.4	81.3-91.5
35-44	253	62,359	40	12.4	07.9-16.9	21	12.0	05.1-18.9	192	75.6	68.2-83.0
45-54	325	60,098	55	16.0	10.7-21.3	12	5.3	01.4-09.2	258	78.7	72.6-84.8
55-64	446	74,417	71	15.6	10.9-20.3	15	2.9	01.1-04.7	360	81.5	76.6-86.4
65+	906	118,915	107	12.5	09.2-15.8	40	3.4	02.0-04.8	759	84.0	80.5-87.5
Less Than H.S.	141	42,396	20	9.7	04.8-14.6	7	1.8	00.4-03.2	114	88.6	83.3-93.9
H.S. or G.E.D.	579	126,629	80	14.6	10.5-18.7	18	3.5	01.3-05.7	481	81.9	77.4-86.4
Some Post-H.S.	610	119,100	86	11.2	08.3-14.1	37	7.3	03.8-10.8	487	81.5	77.2-85.8
College Graduate	884	129,448	120	12.3	09.6-15.0	38	4.8	02.8-06.8	726	82.9	79.6-86.2
Less than \$15,000	101	17,922	22	17.7	09.1-26.3	4	1.6	00.0-03.4	75	80.7	71.9-89.5
\$15,000- 24,999	184	34,737	29	14.2	06.0-22.4	9	5.0	00.0-10.1	146	80.8	71.6-90.0
\$25,000- 34,999	242	46,832	47	19.3	12.4-26.2	10	3.1	00.9-05.3	185	77.6	70.5-84.7
\$35,000- 49,999	241	45,503	33	11.2	06.7-15.7	12	3.7	00.6-06.8	196	85.1	79.6-90.6
\$50,000- 99,999	585	111,127	77	11.3	08.2-14.4	25	6.0	02.5-09.5	483	82.8	78.3-87.3
\$100,000 - 199,999	294	51,160	45	14.6	09.7-19.5	13	3.9	01.5-06.3	236	81.6	76.3-86.9
\$200,000+	60	14,607	3	5.6	00.0-12.1	2	7.5	00.0-17.5	55	86.9	75.3-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3964	804,386	1406	27.7	25.9-29.5	2558	72.3	70.5-74.1
Male	1740	382,818	493	21.8	19.4-24.2	1247	78.2	75.8-80.6
Female	2224	421,567	913	33.1	30.6-35.6	1311	66.9	64.4-69.4
White/Non-Hisp	2728	473,458	1090	33.2	31.0-35.4	1638	66.8	64.6-69.0
Black or Afr. Am./Non-Hisp	595	170,980	188	25.7	21.2-30.2	407	74.3	69.8-78.8
Oth. Race/Non-Hisp.	114	36,623	21	11.2	05.3-17.1	93	88.8	82.9-94.7
MultiRacial/Non-Hisp.	78	30,188	21	15.1	06.9-23.3	57	84.9	76.7-93.1
Hispanic	346	73,917	51	10.1	05.8-14.4	295	89.9	85.6-94.2
18-24	227	86,068	3	1.8	00.0-04.5	224	98.2	95.5-0100
25-34	372	126,264	24	5.4	02.7-08.1	348	94.6	91.9-97.3
35-44	489	123,150	69	13.5	09.6-17.4	420	86.5	82.6-90.4
45-54	570	114,445	154	26.4	21.7-31.1	416	73.6	68.9-78.3
55-64	752	139,554	306	37.3	32.8-41.8	446	62.7	58.2-67.2
65+	1554	214,905	850	53.8	50.5-57.1	704	46.2	42.9-49.5
Less Than H.S.	251	79,451	83	28.9	21.6-36.2	168	71.1	63.8-78.4
H.S. or G.E.D.	1042	248,429	381	28.8	25.5-32.1	661	71.2	67.9-74.5
Some Post-H.S.	1043	228,893	422	30.7	27.2-34.2	621	69.3	65.8-72.8
College Graduate	1609	243,147	516	23.3	20.9-25.7	1093	76.7	74.3-79.1
Less than \$15,000	161	27,096	66	36.0	26.8-45.2	95	64.0	54.8-73.2
\$15,000-24,999	288	55,554	129	41.6	33.8-49.4	159	58.4	50.6-66.2
\$25,000-34,999	380	77,045	159	33.6	27.1-40.1	221	66.4	59.9-72.9
\$35,000-49,999	421	86,353	169	29.6	23.7-35.5	252	70.4	64.5-76.3
\$50,000-99,999	1067	217,659	377	27.0	23.7-30.3	690	73.0	69.7-76.3
\$100,000-199,999	637	130,386	180	20.4	16.9-23.9	457	79.6	76.1-83.1
\$200,000+	157	35,905	26	12.5	07.0-18.0	131	87.5	82.0-93.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1740	382,818	493	21.8	19.4-24.2	1247	78.2	75.8-80.6
White/Non-Hisp	1199	224,551	391	27.4	24.3-30.5	808	72.6	69.5-75.7
Black or Afr. Am./Non-Hisp	236	78,412	51	14.7	09.8-19.6	185	85.3	80.4-90.2
Oth. Race/Non-Hisp.	69	23,991	9	7.7	02.0-13.4	60	92.3	86.6-98.0
Hispanic	147	29,378	20	9.8	03.7-15.9	127	90.2	84.1-96.3
18-24	132	43,454	1	0.3	00.0-00.9	131	99.7	99.1-0100
25-34	171	63,432	7	2.8	00.3-05.3	164	97.2	94.7-99.7
35-44	235	60,363	26	11.0	05.9-16.1	209	89.0	83.9-94.1
45-54	245	54,644	46	20.8	14.3-27.3	199	79.2	72.7-85.7
55-64	308	64,983	108	28.9	22.8-35.0	200	71.1	65.0-77.2
65+	649	95,943	305	46.7	41.6-51.8	344	53.3	48.2-58.4
Less Than H.S.	109	36,912	29	24.0	14.4-33.6	80	76.0	66.4-85.6
H.S. or G.E.D.	461	121,409	135	22.4	18.1-26.7	326	77.6	73.3-81.9
Some Post-H.S.	433	109,693	133	22.5	18.0-27.0	300	77.5	73.0-82.0
College Graduate	727	113,100	194	19.5	16.2-22.8	533	80.5	77.2-83.8
Less than \$15,000	59	9,031	21	30.5	17.2-43.8	38	69.5	56.2-82.8
\$15,000- 24,999	104	20,817	42	36.2	24.2-48.2	62	63.8	51.8-75.8
\$25,000- 34,999	138	29,928	44	23.0	14.8-31.2	94	77.0	68.8-85.2
\$35,000- 49,999	180	40,805	53	18.3	12.2-24.4	127	81.7	75.6-87.8
\$50,000- 99,999	482	106,208	152	24.7	20.0-29.4	330	75.3	70.6-80.0
\$100,000 - 199,999	346	79,448	87	18.1	13.4-22.8	259	81.9	77.2-86.6
\$200,000+	97	21,298	18	16.1	08.1-24.1	79	83.9	75.9-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2224	421,567	913	33.1	30.6-35.6	1311	66.9	64.4-69.4
White/Non-Hisp	1529	248,908	699	38.3	35.2-41.4	830	61.7	58.6-64.8
Black or Afr. Am./Non-Hisp	359	92,567	137	34.9	28.2-41.6	222	65.1	58.4-71.8
Hispanic	199	44,539	31	10.3	04.2-16.4	168	89.7	83.6-95.8
18-24	95	42,614	2	3.3	00.0-08.6	93	96.7	91.4-0100
25-34	201	62,832	17	8.0	03.1-12.9	184	92.0	87.1-96.9
35-44	254	62,787	43	15.8	10.1-21.5	211	84.2	78.5-89.9
45-54	325	59,801	108	31.6	24.9-38.3	217	68.4	61.7-75.1
55-64	444	74,571	198	44.7	38.6-50.8	246	55.3	49.2-61.4
65+	905	118,963	545	59.6	55.1-64.1	360	40.4	35.9-44.9
Less Than H.S.	142	42,539	54	33.2	22.4-44.0	88	66.8	56.0-77.6
H.S. or G.E.D.	581	127,020	246	34.9	29.8-40.0	335	65.1	60.0-70.2
Some Post-H.S.	610	119,201	289	38.3	33.2-43.4	321	61.7	56.6-66.8
College Graduate	882	130,046	322	26.6	22.9-30.3	560	73.4	69.7-77.1
Less than \$15,000	102	18,065	45	38.8	26.8-50.8	57	61.2	49.2-73.2
\$15,000- 24,999	184	34,737	87	44.9	34.7-55.1	97	55.1	44.9-65.3
\$25,000- 34,999	242	47,117	115	40.3	31.5-49.1	127	59.7	50.9-68.5
\$35,000- 49,999	241	45,548	116	39.8	30.4-49.2	125	60.2	50.8-69.6
\$50,000- 99,999	585	111,451	225	29.3	24.6-34.0	360	70.7	66.0-75.4
\$100,000 - 199,999	291	50,938	93	24.0	18.5-29.5	198	76.0	70.5-81.5
\$200,000+	60	14,607	8	7.1	01.2-13.0	52	92.9	87.0-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE2).	
1 MALES AND FEMALES	53
2 MALES ONLY	54
3 FEMALES ONLY	55
MULTIRACIAL RACE CATEGORIZATION (_MRACE2)	
4 MALES AND FEMALES	56
5 MALES ONLY	57
6 FEMALES ONLY	58
RACE/ETHNICITY CATEGORIES (_RACE1)	
7 MALES AND FEMALES	59
8 MALES ONLY	60
9 FEMALES ONLY	61
WHITE/HISPANIC RACE GROUP (_RACEG22).	
10 MALES AND FEMALES	62
11 MALES ONLY	63
12 FEMALES ONLY	64
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR4)	
13 MALES AND FEMALES	65
14 MALES ONLY	66
15 FEMALES ONLY	67
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	68
17 MALES ONLY	69
18 FEMALES ONLY	70

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	71
20 MALES ONLY	72
21 FEMALES ONLY	73
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	74
23 MALES ONLY	75
24 FEMALES ONLY	76
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	77
26 MALES ONLY	78
27 FEMALES ONLY	79
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	80
29 MALES ONLY	81
30 FEMALES ONLY	82
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	83
32 MALES ONLY	84
33 FEMALES ONLY	85
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	86
35 MALES ONLY	87
36 FEMALES ONLY	88
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	89
38 MALES ONLY	90
39 FEMALES ONLY	91

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	92
41	MALES ONLY	93
42	FEMALES ONLY	94
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	95
44	MALES ONLY	96
45	FEMALES ONLY	97
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	98
47	MALES ONLY	99
48	FEMALES ONLY	100

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE2).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3753	761,154	2920	67.9	65.5-70.3	669	25.4	23.2-27.6	42	1.2	0.8-01.6	82	4.0	03.0-05.0	17	0.5	00.1-00.9	23	1.0	00.4-01.6
Male	1646	363,569	1283	66.7	63.4-70.0	269	24.7	21.6-27.8	21	1.6	0.8-02.4	49	5.3	03.5-07.1	12	0.8	00.2-01.4	12	1.0	00.2-01.8
Female	2107	397,585	1637	69.0	65.9-72.1	400	26.1	23.2-29.0	21	0.8	0.4-01.2	33	2.9	01.5-04.3	5	0.2	00.0-00.4	11	1.0	00.0-02.0
18-24	201	78,656	131	59.8	51.2-68.4	54	31.5	23.3-39.7	2	0.4	0.0-01.0	9	5.1	01.4-08.8	2	0.7	00.0-01.7	3	2.6	00.0-05.5
25-34	341	119,160	241	65.1	58.2-72.0	75	24.2	18.1-30.3	7	1.5	0.1-02.9	13	6.6	02.3-10.9	3	0.6	00.0-01.2	2	2.0	00.0-04.9
35-44	441	112,110	305	59.9	53.8-66.0	92	28.0	22.1-33.9	9	2.3	0.5-04.1	24	7.0	03.9-10.1	4	1.1	00.0-02.5	7	1.8	00.2-03.4
45-54	535	107,479	360	60.3	54.6-66.0	145	34.2	28.5-39.9	7	1.0	0.2-01.8	13	3.0	01.0-05.0	4	0.8	00.0-01.8	6	0.7	00.0-01.5
55-64	719	133,457	568	68.3	63.2-73.4	133	26.7	21.8-31.6	5	1.2	0.0-02.4	9	3.4	01.0-05.8	1	0.1	00.0-00.3	3	0.3	00.0-00.7
65+	1516	210,292	1315	80.4	77.1-83.7	170	17.1	14.0-20.2	12	0.7	0.3-01.1	14	1.5	00.5-02.5	3	0.2	00.0-00.4	2	0.1	00.1-00.1
Less Than H.S.	192	64,821	134	65.0	55.4-74.6	49	29.7	20.3-39.1	4	2.2	0.0-04.6	2	1.2	00.0-03.0	2	0.7	00.0-01.9	1	1.2	00.0-03.6
H.S. or G.E.D.	989	238,400	754	67.6	63.5-71.7	200	27.6	23.5-31.7	15	1.5	0.7-02.3	12	2.3	00.7-03.9	1	0.1	00.0-00.3	7	0.8	00.0-01.6
Some Post-H.S.	994	217,563	757	66.1	61.8-70.4	191	27.3	23.2-31.4	15	1.2	0.4-02.0	16	3.3	01.3-05.3	10	1.0	00.2-01.8	5	1.0	00.0-02.0
College Graduate	1562	236,298	1260	70.2	66.7-73.7	228	20.6	17.5-23.7	8	0.6	0.2-01.0	52	7.2	04.8-09.6	4	0.3	00.0-00.7	10	1.1	00.0-02.5
Less than \$15,000	139	23,373	107	71.9	62.3-81.5	27	23.9	14.7-33.1	3	2.4	0.0-05.3	2	1.8	00.0-04.5						
\$15,000-24,999	253	49,697	174	58.0	49.0-67.0	63	35.5	26.5-44.5	11	4.3	01.0-07.6	2	0.3	00.0-00.7	2	1.7	00.0-04.6	1	0.2	00.0-00.6
\$25,000-34,999	361	72,593	264	62.0	54.4-69.6	78	30.3	23.0-37.6	5	0.6	0.0-01.2	8	3.7	01.0-06.4	2	0.8	00.0-01.8	4	2.6	00.0-06.9
\$35,000-49,999	402	83,458	295	61.4	53.8-69.0	90	32.1	24.5-39.7	4	1.5	0.0-03.3	11	4.6	01.1-08.1	2	0.3	00.0-00.7			
\$50,000-99,999	1048	213,523	838	69.3	65.0-73.6	169	24.1	20.0-28.2	8	0.8	0.2-01.4	22	4.4	01.9-06.9	4	0.3	00.0-00.7	7	1.0	00.0-02.0
\$100,000-199,999	627	128,663	507	71.8	66.7-76.9	89	19.0	14.7-23.3	4	1.2	0.0-02.6	22	6.8	03.7-09.9	1	0.2	00.0-00.6	4	1.0	00.0-02.2
\$200,000+	150	34,225	122	76.0	67.6-84.4	23	18.7	11.1-26.3				4	4.1	00.0-08.2	1	1.2	00.0-03.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1646	363,569	1283	66.7	63.4-70.0	269	24.7	21.6-27.8	21	1.6	00.8-02.4	49	5.3	03.5-07.1	12	0.8	00.2-01.4	12	1.0	00.2-01.8
18-24	116	39,331	75	57.6	46.6-68.6	32	34.8	24.0-45.6	1	0.7	00.0-02.1	6	5.3	00.8-09.8	1	0.6	00.0-01.8	1	1.1	00.0-03.3
25-34	160	61,236	115	63.5	53.5-73.5	30	24.1	14.9-33.3	5	2.2	00.0-04.6	7	8.2	01.7-14.7	2	0.9	00.0-02.1	1	1.2	00.0-03.4
35-44	215	55,119	152	60.0	51.4-68.6	33	22.5	14.7-30.3	5	2.5	00.0-05.4	16	9.5	04.8-14.2	3	2.0	00.0-04.7	6	3.4	00.1-06.7
45-54	231	51,899	157	58.1	49.5-66.7	61	36.0	27.4-44.6	3	1.1	00.0-02.3	6	2.9	00.0-05.8	2	1.1	00.0-02.7	2	0.8	00.0-02.2
55-64	293	62,175	229	63.6	55.4-71.8	50	26.8	19.0-34.6	5	2.7	00.2-05.2	7	6.5	01.6-11.4	1	0.1	00.0-00.3	1	0.3	00.0-00.9
65+	631	93,809	555	83.3	79.0-87.6	63	14.4	10.3-18.5	2	0.4	00.0-01.0	7	1.4	00.2-02.6	3	0.4	00.0-01.0	1	0.1	00.0-00.3
Less Than H.S.	87	31,263	65	71.6	58.9-84.3	16	20.8	08.6-33.0	2	2.4	00.0-06.3	1	1.2	00.0-03.6	2	1.5	00.0-04.0	1	2.5	00.0-07.4
H.S. or G.E.D.	438	117,573	328	65.9	59.6-72.2	90	29.2	23.1-35.3	12	2.7	01.1-04.3	4	1.3	00.0-02.7	1	0.3	00.0-00.9	3	0.7	00.0-01.7
Some Post-H.S.	405	102,511	302	62.0	55.3-68.7	78	28.8	22.3-35.3	5	1.3	00.0-02.9	9	4.8	00.9-08.7	7	1.6	00.0-03.2	4	1.5	00.0-03.1
College Graduate	708	110,836	581	70.3	65.4-75.2	84	17.3	13.4-21.2	2	0.3	00.0-00.9	35	11.2	07.3-15.1	2	0.4	00.0-01.0	4	0.5	00.0-01.1
\$15,000- 24,999	95	18,867	64	54.9	40.8-69.0	25	36.0	21.9-50.1	3	4.3	00.0-10.6	1	0.4	00.0-01.2	2	4.4	00.0-12.0			
\$25,000- 34,999	128	27,859	94	63.9	51.9-75.9	29	30.7	18.7-42.7	1	0.2	00.0-00.6	3	4.5	00.0-09.6				1	0.6	00.0-01.8
\$35,000- 49,999	171	39,559	131	62.4	51.2-73.6	33	30.9	19.9-41.9	3	2.9	00.0-06.4	3	3.5	00.0-09.0	1	0.2	00.0-00.6			
\$50,000- 99,999	470	103,877	375	67.5	61.0-74.0	70	24.5	18.2-30.8	5	1.1	00.1-02.1	13	5.2	01.7-08.7	4	0.7	00.0-01.5	3	1.0	00.0-02.2
\$100,000 - 199,999	340	78,596	268	66.3	59.4-73.2	46	19.8	13.7-25.9	4	2.0	00.0-04.2	18	10.1	05.2-15.0	1	0.3	00.0-00.9	3	1.4	00.0-03.4
\$200,000+	91	19,931	77	79.3	68.9-89.7	11	14.9	05.9-23.9				2	3.8	00.0-09.1	1	2.0	00.0-05.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2107	397,585	1637	69.0	65.9-72.1	400	26.1	23.2-29.0	21	0.8	0.4-01.2	33	2.9	01.5-04.3	5	0.2	00.0-00.4	11	1.0	00.0-02.0
18-24	85	39,325	56	61.9	48.8-75.0	22	28.3	16.0-40.6	1	0.1	0.0-00.3	3	4.8	00.0-10.7	1	0.8	00.0-02.4	2	4.1	00.0-09.6
25-34	181	57,924	126	66.8	57.2-76.4	45	24.4	16.4-32.4	2	0.8	0.0-02.0	6	4.9	00.0-10.8	1	0.2	00.0-00.6	1	2.8	00.0-08.1
35-44	226	56,991	153	59.8	51.0-68.6	59	33.3	24.7-41.9	4	2.0	0.0-04.2	8	4.5	00.6-08.4	1	0.3	00.0-00.9	1	0.2	00.0-00.6
45-54	304	55,580	203	62.4	54.8-70.0	84	32.4	24.8-40.0	4	0.9	0.0-01.9	7	3.1	00.6-05.6	2	0.5	00.0-01.3	4	0.7	00.0-01.5
55-64	426	71,281	339	72.4	66.1-78.7	83	26.7	20.4-33.0	2	0.6	0.0-01.6	2	0.6	00.0-01.6	2	0.3	00.0-00.7	2	0.3	00.0-00.7
65+	885	116,483	760	78.1	73.4-82.8	107	19.3	14.8-23.8	10	0.9	0.3-01.5	7	1.6	00.2-03.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0
Less Than H.S.	105	33,557	69	58.9	45.0-72.8	33	38.0	24.1-51.9	2	1.9	0.0-04.6	1	1.2	00.0-03.6						
H.S. or G.E.D.	551	120,827	426	69.3	63.8-74.8	110	26.1	20.8-31.4	3	0.3	0.0-00.7	8	3.4	00.9-05.9				4	0.9	00.0-02.3
Some Post-H.S.	589	115,053	455	69.7	64.2-75.2	113	26.0	20.5-31.5	10	1.1	0.3-01.9	7	2.0	00.2-03.8	3	0.5	00.0-01.1	1	0.7	00.0-02.1
College Graduate	854	125,462	679	70.1	64.8-75.4	144	23.5	18.8-28.2	6	0.8	0.0-01.6	17	3.7	01.0-06.4	2	0.2	00.0-00.6	6	1.7	00.0-04.2
Less than \$15,000	92	16,366	66	65.8	53.5-78.1	22	28.8	16.8-40.8	3	3.4	0.0-07.5	1	1.9	00.0-05.6						
\$15,000- 24,999	158	30,831	110	59.9	48.5-71.3	38	35.3	23.7-46.9	8	4.4	0.7-08.1	1	0.2	00.0-00.6				1	0.3	00.0-00.9
\$25,000- 34,999	233	44,734	170	60.8	50.8-70.8	49	30.0	21.0-39.0	4	0.9	0.1-01.7	5	3.2	00.1-06.3	2	1.2	00.0-03.0	3	3.8	00.0-10.7
\$35,000- 49,999	231	43,900	164	60.5	49.9-71.1	57	33.2	22.4-44.0	1	0.3	0.0-00.9	8	5.6	01.1-10.1	1	0.4	00.0-01.2			
\$50,000- 99,999	578	109,646	463	71.0	65.1-76.9	99	23.8	18.3-29.3	3	0.6	0.0-01.4	9	3.7	00.2-07.2				4	1.0	00.0-02.4
\$100,000 - 199,999	287	50,067	239	80.3	74.0-86.6	43	17.8	11.7-23.9	4	1.7	0.0-03.5	4	1.7	00.0-03.5				1	0.2	00.0-00.6
\$200,000+	59	14,294	45	71.5	57.0-86.0	12	24.0	10.5-37.5				2	4.6	00.0-11.3						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3753	761,154	2900	67.0	64.6-69.4	637	23.7	21.5-25.9	31	0.8	00.4-01.2	78	3.7	02.7-04.7	17	0.5	00.1-00.9	90	4.2	03.0-05.4
Male	1646	363,569	1274	66.0	62.7-69.3	253	22.6	19.5-25.7	15	1.0	00.4-01.6	48	4.9	03.3-06.5	12	0.8	00.2-01.4	44	4.7	02.9-06.5
Female	2107	397,585	1626	68.0	64.9-71.1	384	24.8	21.9-27.7	16	0.7	00.3-01.1	30	2.5	01.3-03.7	5	0.2	00.0-00.4	46	3.7	02.1-05.3
18-24	201	78,656	127	56.4	47.8-65.0	48	27.5	19.5-35.5	2	0.4	00.0-01.0	7	3.7	00.6-06.8	2	0.7	00.0-01.7	15	11.4	05.1-17.7
25-34	341	119,160	239	64.7	57.8-71.6	67	22.2	16.3-28.1	5	0.8	00.0-01.6	12	5.4	01.7-09.1	3	0.6	00.0-01.2	15	6.3	02.2-10.4
35-44	441	112,110	301	59.0	52.9-65.1	87	25.5	20.0-31.0	6	1.8	00.0-03.6	23	6.8	03.7-09.9	4	1.1	00.0-02.5	20	5.8	02.3-09.3
45-54	535	107,479	360	60.3	54.6-66.0	139	31.6	25.9-37.3	3	0.4	00.0-01.0	13	3.0	01.0-05.0	4	0.8	00.0-01.8	16	3.8	01.3-06.3
55-64	719	133,457	563	67.4	62.3-72.5	131	26.6	21.7-31.5	4	1.0	00.0-02.2	9	3.4	01.0-05.8	1	0.1	00.0-00.3	11	1.6	00.6-02.6
65+	1516	210,292	1310	79.9	76.6-83.2	165	16.4	13.3-19.5	11	0.7	00.3-01.1	14	1.5	00.5-02.5	3	0.2	00.0-00.4	13	1.3	00.3-02.3
Less Than H.S.	192	64,821	133	62.6	52.8-72.4	47	29.1	19.7-38.5	3	1.2	00.0-02.6	2	1.2	00.0-03.0	2	0.7	00.0-01.9	5	5.2	00.0-10.7
H.S. or G.E.D.	989	238,400	745	66.5	62.4-70.6	186	25.2	21.3-29.1	10	1.1	00.3-01.9	11	2.0	00.6-03.4	1	0.1	00.0-00.3	36	5.1	03.1-07.1
Some Post-H.S.	994	217,563	750	65.4	61.1-69.7	183	25.2	21.3-29.1	13	1.0	00.2-01.8	15	2.7	01.1-04.3	10	1.0	00.2-01.8	23	4.6	02.1-07.1
College Graduate	1562	236,298	1257	69.9	66.4-73.4	220	19.7	16.6-22.8	5	0.3	00.0-00.7	50	7.0	04.6-09.4	4	0.3	00.0-00.7	26	2.8	01.2-04.4
Less than \$15,000	139	23,373	107	71.9	62.3-81.5	25	22.2	13.2-31.2	2	1.9	00.0-04.6	2	1.8	00.0-04.5				3	2.2	00.0-04.9
\$15,000-24,999	253	49,697	173	57.9	48.9-66.9	60	33.7	24.7-42.7	9	2.9	00.5-05.3	2	0.3	00.0-00.7	2	1.7	00.0-04.6	7	3.7	00.4-07.0
\$25,000-34,999	361	72,593	259	60.4	52.8-68.0	77	30.1	22.8-37.4	4	0.5	00.0-01.1	8	3.7	01.0-06.4	2	0.8	00.0-01.8	11	4.6	00.1-09.1
\$35,000-49,999	402	83,458	293	60.5	52.9-68.1	84	27.8	20.4-35.2	3	1.2	00.0-02.8	10	4.4	00.9-07.9	2	0.3	00.0-00.7	10	5.9	01.8-10.0
\$50,000-99,999	1048	213,523	832	68.7	64.4-73.0	160	22.0	18.1-25.9	6	0.7	00.1-01.3	19	3.3	01.3-05.3	4	0.3	00.0-00.7	27	4.9	02.5-07.3
\$100,000-199,999	627	128,663	506	71.5	66.4-76.6	86	18.4	14.1-22.7	2	0.8	00.0-02.0	22	6.8	03.7-09.9	1	0.2	00.0-00.6	10	2.3	00.7-03.9
\$200,000+	150	34,225	121	75.1	66.5-83.7	22	17.7	10.3-25.1				4	4.1	00.0-08.2	1	1.2	00.0-03.6	2	2.0	00.0-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1646	363,569	1274	66.0	62.7-69.3	253	22.6	19.5-25.7	15	1.0	00.4-01.6	48	4.9	03.3-06.5	12	0.8	00.2-01.4	44	4.7	02.9-06.5
18-24	116	39,331	74	56.1	45.1-67.1	28	29.7	19.3-40.1	1	0.7	00.0-02.1	6	5.3	00.8-09.8	1	0.6	00.0-01.8	6	7.6	00.9-14.3
25-34	160	61,236	114	63.2	53.2-73.2	28	22.3	13.3-31.3	3	0.7	00.0-01.7	6	5.9	00.8-11.0	2	0.9	00.0-02.1	7	7.1	01.4-12.8
35-44	215	55,119	151	59.8	51.2-68.4	30	20.4	12.8-28.0	3	1.7	00.0-04.4	16	9.5	04.8-14.2	3	2.0	00.0-04.7	12	6.6	02.1-11.1
45-54	231	51,899	157	58.1	49.5-66.7	57	31.5	23.1-39.9	2	0.8	00.0-02.0	6	2.9	00.0-05.8	2	1.1	00.0-02.7	7	5.6	00.7-10.5
55-64	293	62,175	227	62.6	54.4-70.8	50	26.8	19.0-34.6	4	2.2	00.0-04.6	7	6.5	01.6-11.4	1	0.1	00.0-00.3	4	1.8	00.0-03.6
65+	631	93,809	551	82.1	77.6-86.6	60	13.3	09.4-17.2	2	0.4	00.0-01.0	7	1.4	00.2-02.6	3	0.4	00.0-01.0	8	2.4	00.4-04.4
Less Than H.S.	87	31,263	65	71.6	58.9-84.3	16	20.8	08.6-33.0	1	0.4	00.0-01.2	1	1.2	00.0-03.6	2	1.5	00.0-04.0	2	4.5	00.0-10.6
H.S. or G.E.D.	438	117,573	325	64.9	58.6-71.2	82	26.1	20.0-32.2	10	2.2	00.6-03.8	4	1.3	00.0-02.7	1	0.3	00.0-00.9	16	5.1	02.2-08.0
Some Post-H.S.	405	102,511	298	60.9	54.2-67.6	73	26.0	19.7-32.3	4	1.0	00.0-02.6	8	3.4	00.5-06.3	7	1.6	00.0-03.2	15	6.9	02.8-11.0
College Graduate	708	110,836	579	69.9	65.0-74.8	81	16.2	12.3-20.1				35	11.2	07.3-15.1	2	0.4	00.0-01.0	11	2.4	00.8-04.0
\$15,000- 24,999	95	18,867	64	54.9	40.8-69.0	23	31.4	17.5-45.3	2	1.1	00.0-02.7	1	0.4	00.0-01.2	2	4.4	00.0-12.0	3	7.7	00.0-16.1
\$25,000- 34,999	128	27,859	92	62.4	50.4-74.4	29	30.7	18.7-42.7	1	0.2	00.0-00.6	3	4.5	00.0-09.6				3	2.1	00.0-04.6
\$35,000- 49,999	171	39,559	129	60.5	49.3-71.7	29	23.0	13.2-32.8	2	2.1	00.0-05.2	3	3.5	00.0-09.0	1	0.2	00.0-00.6	7	10.6	02.4-18.8
\$50,000- 99,999	470	103,877	373	67.2	60.7-73.7	64	21.9	15.8-28.0	4	0.9	00.0-01.9	12	3.9	01.4-06.4	4	0.7	00.0-01.5	13	5.4	01.9-08.9
\$100,000 - 199,999	340	78,596	268	66.3	59.4-73.2	45	19.5	13.4-25.6	2	1.3	00.0-03.3	18	10.1	05.2-15.0	1	0.3	00.0-00.9	6	2.4	00.2-04.6
\$200,000+	91	19,931	76	77.6	67.0-88.2	11	14.9	05.9-23.9				2	3.8	00.0-09.1	1	2.0	00.0-05.9	1	1.6	00.0-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2107	397,585	1626	68.0	64.9-71.1	384	24.8	21.9-27.7	16	0.7	00.3-01.1	30	2.5	01.3-03.7	5	0.2	00.0-00.4	46	3.7	02.1-05.3
18-24	85	39,325	53	56.6	43.1-70.1	20	25.2	13.2-37.2	1	0.1	00.0-00.3	1	2.2	00.0-06.3	1	0.8	00.0-02.4	9	15.1	04.5-25.7
25-34	181	57,924	125	66.4	56.8-76.0	39	22.1	14.3-29.9	2	0.8	00.0-02.0	6	4.9	00.0-10.8	1	0.2	00.0-00.6	8	5.6	00.0-11.3
35-44	226	56,991	150	58.3	49.5-67.1	57	30.5	22.5-38.5	3	1.8	00.0-04.0	7	4.2	00.3-08.1	1	0.3	00.0-00.9	8	5.0	00.0-10.3
45-54	304	55,580	203	62.4	54.8-70.0	82	31.7	24.1-39.3	1	0.1	00.0-00.3	7	3.1	00.6-05.6	2	0.5	00.0-01.3	9	2.1	00.5-03.7
55-64	426	71,281	336	71.5	65.2-77.8	81	26.3	20.0-32.6				2	0.6	00.0-01.6				7	1.5	00.3-02.7
65+	885	116,483	759	78.1	73.4-82.8	105	19.0	14.5-23.5	9	0.9	00.3-01.5	7	1.6	00.2-03.0				5	0.5	00.1-00.9
Less Than H.S.	105	33,557	68	54.2	40.1-68.3	31	36.8	22.9-50.7	2	1.9	00.0-04.6	1	1.2	00.0-03.6				3	5.9	00.0-14.9
H.S. or G.E.D.	551	120,827	420	68.0	62.5-73.5	104	24.4	19.3-29.5				7	2.7	00.3-05.1				20	5.0	02.3-07.7
Some Post-H.S.	589	115,053	452	69.4	63.9-74.9	110	24.5	19.4-29.6	9	1.0	00.2-01.8	7	2.0	00.2-03.8	3	0.5	00.0-01.1	8	2.6	00.0-05.3
College Graduate	854	125,462	678	69.9	64.6-75.2	139	22.8	18.1-27.5	5	0.6	00.0-01.4	15	3.4	00.7-06.1	2	0.2	00.0-00.6	15	3.1	00.4-05.8
Less than \$15,000	92	16,366	66	65.8	53.5-78.1	20	26.4	14.6-38.2	2	2.7	00.0-06.6	1	1.9	00.0-05.6				3	3.2	00.0-07.1
\$15,000- 24,999	158	30,831	109	59.7	48.3-71.1	37	35.0	23.4-46.6	7	4.0	00.5-07.5	1	0.2	00.0-00.6				4	1.2	00.0-02.4
\$25,000- 34,999	233	44,734	167	59.1	49.3-68.9	48	29.7	20.7-38.7	3	0.7	00.0-01.5	5	3.2	00.1-06.3	2	1.2	00.0-03.0	8	6.1	00.0-13.2
\$35,000- 49,999	231	43,900	164	60.5	49.9-71.1	55	32.1	21.3-42.9	1	0.3	00.0-00.9	7	5.2	00.7-09.7	1	0.4	00.0-01.2	3	1.6	00.0-03.6
\$50,000- 99,999	578	109,646	459	70.2	64.3-76.1	96	22.2	17.1-27.3	2	0.4	00.0-01.2	7	2.7	00.0-05.8				14	4.4	01.1-07.7
\$100,000 - 199,999	287	50,067	238	79.6	73.3-85.9	41	16.6	10.5-22.7				4	1.7	00.0-03.5				4	2.1	00.0-04.3
\$200,000+	59	14,294	45	71.5	57.0-86.0	11	21.5	08.6-34.4				2	4.6	00.0-11.3				1	2.5	00.0-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3882	788,173	2746	60.4	58.2-62.6	596	21.7	19.7-23.7	39	1.1	0.7-01.5	75	3.5	02.5-04.5	79	3.8	02.6-05.0	347	9.4	08.2-10.6
Male	1702	374,743	1209	60.3	57.0-63.6	236	20.9	18.0-23.8	22	1.7	0.9-02.5	47	4.7	03.1-06.3	40	4.5	02.9-06.1	148	7.9	06.3-09.5
Female	2180	413,430	1537	60.4	57.3-63.5	360	22.4	19.7-25.1	17	0.7	0.3-01.1	28	2.4	01.2-03.6	39	3.3	01.7-04.9	199	10.8	08.8-12.8
18-24	228	86,197	96	37.8	30.2-45.4	39	21.3	14.2-28.4	3	0.9	0.0-01.9	7	3.4	00.5-06.3	14	10.2	04.3-16.1	69	26.4	19.5-33.3
25-34	368	125,089	209	54.9	48.2-61.6	55	18.7	13.0-24.4	6	1.1	0.1-02.1	12	5.2	01.5-08.9	11	5.2	01.5-08.9	75	14.9	10.8-19.0
35-44	480	119,956	274	51.0	45.1-56.9	82	23.3	18.0-28.6	6	2.2	0.2-04.2	22	6.3	03.4-09.2	19	5.2	02.1-08.3	77	12.1	08.8-15.4
45-54	550	110,105	332	55.0	49.3-60.7	127	29.1	23.6-34.6	6	1.0	0.0-02.0	11	2.8	00.8-04.8	13	3.5	01.0-06.0	61	8.7	05.8-11.6
55-64	733	136,573	549	64.5	59.4-69.6	130	25.8	20.9-30.7	4	1.0	0.0-02.0	9	3.3	00.9-05.7	11	1.6	00.6-02.6	30	3.8	01.6-06.0
65+	1523	210,253	1286	78.4	75.1-81.7	163	16.4	13.3-19.5	14	0.9	0.3-01.5	14	1.5	00.5-02.5	11	1.3	00.3-02.3	35	1.6	00.8-02.4
Less Than H.S.	248	78,605	86	32.1	24.7-39.5	40	20.7	12.9-28.5	2	0.9	0.0-02.1	2	1.0	00.0-02.4	5	4.3	00.0-08.8	113	41.0	33.0-49.0
H.S. or G.E.D.	1024	245,018	706	61.0	56.9-65.1	175	23.5	19.6-27.4	11	1.2	0.4-02.0	10	1.9	00.5-03.3	32	4.7	02.7-06.7	90	7.7	05.5-09.9
Some Post-H.S.	1018	222,914	724	61.2	56.9-65.5	174	23.9	20.0-27.8	19	1.9	0.7-03.1	13	2.5	00.9-04.1	22	4.5	02.1-06.9	66	6.1	04.1-08.1
College Graduate	1578	237,843	1218	67.9	64.4-71.4	206	18.5	15.4-21.6	7	0.5	0.1-00.9	50	7.0	04.6-09.4	20	2.3	00.7-03.9	77	3.9	02.7-05.1
Less than \$15,000	156	26,730	82	45.0	35.2-54.8	21	15.1	07.8-22.4	2	1.6	0.0-04.0	2	1.6	00.0-04.0	3	1.9	00.0-04.3	46	34.7	24.9-44.5
\$15,000-24,999	281	54,682	148	41.3	33.7-48.9	57	28.8	20.6-37.0	7	3.0	0.0-06.1	2	0.2	00.0-06.6	5	3.0	00.0-06.1	62	23.6	16.7-30.5
\$25,000-34,999	382	76,133	241	50.5	43.2-57.8	74	28.1	21.2-35.0	4	0.8	0.0-01.8	8	3.5	01.0-06.0	11	4.3	00.0-08.6	44	12.8	07.5-18.1
\$35,000-49,999	415	85,673	276	52.8	45.4-60.2	79	25.8	18.5-33.1	5	1.4	0.0-03.0	7	3.9	00.6-07.2	9	5.3	01.4-09.2	39	10.7	06.2-15.2
\$50,000-99,999	1060	216,403	808	66.1	61.8-70.4	152	20.7	16.8-24.6	9	0.9	0.3-01.5	19	3.3	01.3-05.3	27	4.9	02.5-07.3	45	4.1	02.5-05.7
\$100,000-199,999	632	129,758	495	69.3	64.2-74.4	80	17.2	12.9-21.5	3	1.0	0.0-02.4	22	6.8	03.7-09.9	7	1.6	00.2-03.0	25	4.1	02.1-06.1
\$200,000+	150	34,256	118	73.3	64.5-82.1	22	17.7	10.3-25.1	1	1.2	0.0-03.6	4	4.1	00.0-08.2	2	2.0	00.0-04.7	3	1.7	00.0-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1702	374,743	1209	60.3	57.2-63.4	236	20.9	18.0-23.8	22	1.7	00.9-02.5	47	4.7	03.1-06.3	40	4.5	02.9-06.1	148	7.9	06.3-09.5
18-24	132	43,361	61	43.3	33.3-53.3	23	23.7	14.3-33.1	2	1.1	00.0-02.7	6	4.8	00.7-08.9	5	6.6	00.5-12.7	35	20.5	13.2-27.8
25-34	169	63,000	103	56.7	46.9-66.5	24	20.2	11.6-28.8	4	1.5	00.0-03.1	6	5.8	00.9-10.7	7	6.9	01.4-12.4	25	9.0	04.5-13.5
35-44	233	59,124	140	51.8	43.8-59.8	28	18.5	11.4-25.6	3	3.0	00.0-06.5	16	8.9	04.4-13.4	11	5.7	01.6-09.8	35	12.1	07.6-16.6
45-54	236	52,536	143	52.4	44.0-60.8	52	29.5	21.3-37.7	4	1.9	00.0-03.9	5	2.8	00.0-05.7	6	5.4	00.5-10.3	26	8.0	04.1-11.9
55-64	296	62,681	222	60.2	52.2-68.2	50	26.6	18.8-34.4	4	2.2	00.0-04.6	7	6.4	01.5-11.3	4	1.8	00.0-03.6	9	2.8	00.3-05.3
65+	636	94,041	540	80.4	75.9-84.9	59	13.1	09.2-17.0	5	0.8	00.0-01.8	7	1.4	00.2-02.6	7	2.3	00.3-04.3	18	2.0	00.6-03.4
Less Than H.S.	108	36,916	43	43.6	31.8-55.4	14	15.5	05.3-25.7	1	1.1	00.0-03.3	1	1.0	00.0-03.0	2	3.8	00.0-08.9	47	35.0	24.6-45.4
H.S. or G.E.D.	453	120,090	310	61.0	54.9-67.1	78	25.2	19.3-31.1	11	2.5	00.9-04.1	4	1.3	00.0-02.7	15	4.9	02.2-07.6	35	5.1	02.9-07.3
Some Post-H.S.	420	105,451	290	57.4	50.9-63.9	69	24.5	18.4-30.6	8	2.4	00.2-04.6	7	3.3	00.4-06.2	15	6.8	02.7-10.9	31	5.8	03.3-08.3
College Graduate	714	111,102	561	67.7	62.8-72.6	74	14.8	11.1-18.5	2	0.4	00.0-01.0	35	11.1	07.2-15.0	8	2.1	00.5-03.7	34	3.9	02.3-05.5
Less than \$15,000	57	8,885	31	45.8	30.7-60.9	4	9.1	00.0-19.3				1	1.3	00.0-03.8				21	43.7	28.2-59.2
\$15,000- 24,999	101	20,443	57	42.8	30.5-55.1	21	28.2	15.1-41.3	2	4.0	00.0-11.1	1	0.4	00.0-01.2	3	7.2	00.0-15.0	17	17.5	08.1-26.9
\$25,000- 34,999	140	30,015	87	56.0	44.6-67.4	27	27.9	16.5-39.3				3	4.2	00.0-08.9	3	2.0	00.0-04.4	20	10.0	04.7-15.3
\$35,000- 49,999	177	40,384	121	55.3	44.3-66.3	28	21.9	12.3-31.5	3	2.3	00.0-05.4	2	3.3	00.0-08.6	7	10.4	02.4-18.4	16	6.8	02.1-11.5
\$50,000- 99,999	478	105,318	364	64.0	57.5-70.5	61	20.8	14.7-26.9	7	1.5	00.3-02.7	12	3.9	01.4-06.4	13	5.4	01.9-08.9	21	4.5	02.1-06.9
\$100,000 - 199,999	343	79,285	260	64.5	57.6-71.4	42	18.3	12.4-24.2	3	1.6	00.0-03.8	18	10.0	05.3-14.7	5	2.1	00.0-04.3	15	3.5	01.3-05.7
\$200,000+	91	19,962	74	75.2	64.2-86.2	11	14.9	05.9-23.9	1	2.0	00.0-05.9	2	3.8	00.0-09.1	1	1.6	00.0-04.7	2	2.5	00.0-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2180	413,430	1537	60.4	57.3-63.5	360	22.4	19.7-25.1	17	0.7	0.3-0.1.1	28	2.4	0.1.2-0.3.6	39	3.3	0.1.7-0.4.9	199	10.8	0.8.8-12.8
18-24	96	42,836	35	32.2	20.8-43.6	16	18.9	0.8.3-29.5	1	0.7	0.0.0-0.2.1	1	2.0	0.0.0-0.5.9	9	13.9	0.4.1-23.7	34	32.3	20.7-43.9
25-34	199	62,089	106	53.1	43.9-62.3	31	17.1	10.0-24.2	2	0.7	0.0.0-0.1.7	6	4.6	0.0.0-10.1	4	3.6	0.0.0-0.8.7	50	20.9	14.2-27.6
35-44	247	60,832	134	50.2	41.8-58.6	54	28.0	20.4-35.6	3	1.4	0.0.0-0.3.0	6	3.7	0.0.2-0.7.2	8	4.7	0.0.0-0.9.6	42	12.0	0.7.3-16.7
45-54	314	57,569	189	57.3	49.7-64.9	75	28.7	21.3-36.1	2	0.2	0.0.0-0.0.4	6	2.8	0.0.3-0.5.3	7	1.8	0.0.4-0.3.2	35	9.3	0.5.0-13.6
55-64	437	73,892	327	68.1	61.8-74.4	80	25.1	19.0-31.2	2	0.6	0.0.0-0.1.4	2	0.6	0.0.0-0.1.4	7	1.4	0.0.2-0.2.6	21	4.7	0.1.2-0.8.2
65+	887	116,212	746	76.8	72.1-81.5	104	19.0	14.5-23.5	9	0.9	0.0.3-0.1.5	7	1.6	0.0.2-0.3.0	4	0.4	0.0.0-0.0.8	17	1.3	0.0.5-0.2.1
Less Than H.S.	140	41,689	43	22.0	13.8-30.2	26	25.3	13.7-36.9	1	0.7	0.0.0-0.2.1	1	1.0	0.0.0-0.3.0	3	4.7	0.0.0-12.0	66	46.3	34.3-58.3
H.S. or G.E.D.	571	124,928	396	60.9	55.2-66.6	97	21.9	17.0-26.8	6	2.5	0.0.3-0.4.7	6	2.5	0.0.3-0.4.7	17	4.4	0.1.9-0.6.9	55	10.3	0.6.8-13.8
Some Post-H.S.	598	117,463	434	64.6	59.1-70.1	105	23.3	18.2-28.4	11	1.4	0.0.4-0.2.4	6	1.8	0.0.2-0.3.4	7	2.4	0.0.0-0.5.1	35	6.4	0.3.7-0.9.1
College Graduate	864	126,741	657	68.0	62.7-73.3	132	21.7	17.0-26.4	5	0.6	0.0.0-0.1.4	15	3.3	0.0.6-0.6.0	12	2.5	0.0.0-0.5.0	43	3.9	0.2.3-0.5.5
Less than \$15,000	99	17,845	51	44.6	31.9-57.3	17	18.1	0.8.5-27.7	2	2.4	0.0.0-0.5.9	1	1.8	0.0.0-0.5.3	3	2.9	0.0.0-0.6.4	25	30.2	18.0-42.4
\$15,000- 24,999	180	34,239	91	40.4	30.8-50.0	36	29.2	18.8-39.6	5	2.4	0.0.0-0.4.9	1	0.1	0.0.0-0.0.3	2	0.6	0.0.0-0.1.4	45	27.3	17.9-36.7
\$25,000- 34,999	242	46,118	154	46.9	37.7-56.1	47	28.2	19.4-37.0	4	1.3	0.0.0-0.2.9	5	3.1	0.0.0-0.6.2	8	5.9	0.0.0-12.8	24	14.6	0.6.8-22.4
\$35,000- 49,999	238	45,288	155	50.7	40.7-60.7	51	29.3	18.7-39.9	2	0.7	0.0.0-0.1.7	5	4.5	0.0.2-0.8.8	2	0.8	0.0.0-0.2.0	23	14.1	0.6.7-21.5
\$50,000- 99,999	582	111,085	444	68.1	62.2-74.0	91	20.7	15.8-25.6	2	0.4	0.0.0-0.1.2	7	2.7	0.0.0-0.5.8	14	4.4	0.1.1-0.7.7	24	3.7	0.1.5-0.5.9
\$100,000 - 199,999	289	50,473	235	76.9	70.2-83.6	38	15.4	0.9.5-21.3	4	1.7	0.0.0-0.3.5	4	1.7	0.0.0-0.3.5	2	0.8	0.0.0-0.2.2	10	5.2	0.1.3-0.9.1
\$200,000+	59	14,294	44	70.8	56.3-85.3	11	21.5	0.8.6-34.4				2	4.6	0.0.0-1.1.3	1	2.5	0.0.0-0.7.4	1	0.7	0.0.0-0.2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG22).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3882	788,173	2746	60.4	58.2-62.6	1136	39.6	37.4-41.8
Male	1702	374,743	1209	60.3	57.0-63.6	493	39.7	36.4-43.0
Female	2180	413,430	1537	60.4	57.3-63.5	643	39.6	36.5-42.7
18-24	228	86,197	96	37.8	30.2-45.4	132	62.2	54.6-69.8
25-34	368	125,089	209	54.9	48.2-61.6	159	45.1	38.4-51.8
35-44	480	119,956	274	51.0	45.1-56.9	206	49.0	43.1-54.9
45-54	550	110,105	332	55.0	49.3-60.7	218	45.0	39.3-50.7
55-64	733	136,573	549	64.5	59.4-69.6	184	35.5	30.4-40.6
65+	1523	210,253	1286	78.4	75.1-81.7	237	21.6	18.3-24.9
Less Than H.S.	248	78,605	86	32.1	24.7-39.5	162	67.9	60.5-75.3
H.S. or G.E.D.	1024	245,018	706	61.0	56.9-65.1	318	39.0	34.9-43.1
Some Post-H.S.	1018	222,914	724	61.2	56.9-65.5	294	38.8	34.5-43.1
College Graduate	1578	237,843	1218	67.9	64.4-71.4	360	32.1	28.6-35.6
Less than \$15,000	156	26,730	82	45.0	35.2-54.8	74	55.0	45.2-64.8
\$15,000-24,999	281	54,682	148	41.3	33.7-48.9	133	58.7	51.1-66.3
\$25,000-34,999	382	76,133	241	50.5	43.2-57.8	141	49.5	42.2-56.8
\$35,000-49,999	415	85,673	276	52.8	45.4-60.2	139	47.2	39.8-54.6
\$50,000-99,999	1060	216,403	808	66.1	61.8-70.4	252	33.9	29.6-38.2
\$100,000-199,999	632	129,758	495	69.3	64.2-74.4	137	30.7	25.6-35.8
\$200,000+	150	34,256	118	73.3	64.5-82.1	32	26.7	17.9-35.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG22).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1702	374,743	1209	60.3	57.2-63.4	493	39.7	36.6-42.8
18-24	132	43,361	61	43.3	33.3-53.3	71	56.7	46.7-66.7
25-34	169	63,000	103	56.7	46.9-66.5	66	43.3	33.5-53.1
35-44	233	59,124	140	51.8	43.8-59.8	93	48.2	40.2-56.2
45-54	236	52,536	143	52.4	44.0-60.8	93	47.6	39.2-56.0
55-64	296	62,681	222	60.2	52.2-68.2	74	39.8	31.8-47.8
65+	636	94,041	540	80.4	75.9-84.9	96	19.6	15.1-24.1
Less Than H.S.	108	36,916	43	43.6	31.8-55.4	65	56.4	44.6-68.2
H.S. or G.E.D.	453	120,090	310	61.0	54.9-67.1	143	39.0	32.9-45.1
Some Post-H.S.	420	105,451	290	57.4	50.9-63.9	130	42.6	36.1-49.1
College Graduate	714	111,102	561	67.7	62.8-72.6	153	32.3	27.4-37.2
Less than \$15,000	57	8,885	31	45.8	30.7-60.9	26	54.2	39.1-69.3
\$15,000- 24,999	101	20,443	57	42.8	30.5-55.1	44	57.2	44.9-69.5
\$25,000- 34,999	140	30,015	87	56.0	44.6-67.4	53	44.0	32.6-55.4
\$35,000- 49,999	177	40,384	121	55.3	44.3-66.3	56	44.7	33.7-55.7
\$50,000- 99,999	478	105,318	364	64.0	57.5-70.5	114	36.0	29.5-42.5
\$100,000 - 199,999	343	79,285	260	64.5	57.6-71.4	83	35.5	28.6-42.4
\$200,000+	91	19,962	74	75.2	64.2-86.2	17	24.8	13.8-35.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG22).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2180	413,430	1537	60.4	57.3-63.5	643	39.6	36.5-42.7
18-24	96	42,836	35	32.2	20.8-43.6	61	67.8	56.4-79.2
25-34	199	62,089	106	53.1	43.9-62.3	93	46.9	37.7-56.1
35-44	247	60,832	134	50.2	41.8-58.6	113	49.8	41.4-58.2
45-54	314	57,569	189	57.3	49.7-64.9	125	42.7	35.1-50.3
55-64	437	73,892	327	68.1	61.8-74.4	110	31.9	25.6-38.2
65+	887	116,212	746	76.8	72.1-81.5	141	23.2	18.5-27.9
Less Than H.S.	140	41,689	43	22.0	13.8-30.2	97	78.0	69.8-86.2
H.S. or G.E.D.	571	124,928	396	60.9	55.2-66.6	175	39.1	33.4-44.8
Some Post-H.S.	598	117,463	434	64.6	59.1-70.1	164	35.4	29.9-40.9
College Graduate	864	126,741	657	68.0	62.7-73.3	207	32.0	26.7-37.3
Less than \$15,000	99	17,845	51	44.6	31.9-57.3	48	55.4	42.7-68.1
\$15,000- 24,999	180	34,239	91	40.4	30.8-50.0	89	59.6	50.0-69.2
\$25,000- 34,999	242	46,118	154	46.9	37.7-56.1	88	53.1	43.9-62.3
\$35,000- 49,999	238	45,288	155	50.7	40.7-60.7	83	49.3	39.3-59.3
\$50,000- 99,999	582	111,085	444	68.1	62.2-74.0	138	31.9	26.0-37.8
\$100,000 - 199,999	289	50,473	235	76.9	70.2-83.6	54	23.1	16.4-29.8
\$200,000+	59	14,294	44	70.8	56.3-85.3	15	29.2	14.7-43.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3882	788,173	2746	60.4	58.2-62.6	596	21.7	19.7-23.7	114	4.6	03.6-05.6	79	3.8	02.6-05.0	347	9.4	08.2-10.6
Male	1702	374,743	1209	60.3	57.0-63.6	236	20.9	18.0-23.8	69	6.4	04.6-08.2	40	4.5	02.9-06.1	148	7.9	06.3-09.5
Female	2180	413,430	1537	60.4	57.3-63.5	360	22.4	19.7-25.1	45	3.1	01.9-04.3	39	3.3	01.7-04.9	199	10.8	08.8-12.8
18-24	228	86,197	96	37.8	30.2-45.4	39	21.3	14.2-28.4	10	4.3	01.4-07.2	14	10.2	04.3-16.1	69	26.4	19.5-33.3
25-34	368	125,089	209	54.9	48.2-61.6	55	18.7	13.0-24.4	18	6.3	02.6-10.0	11	5.2	01.5-08.9	75	14.9	10.8-19.0
35-44	480	119,956	274	51.0	45.1-56.9	82	23.3	18.0-28.6	28	8.4	05.1-11.7	19	5.2	02.1-08.3	77	12.1	08.8-15.4
45-54	550	110,105	332	55.0	49.3-60.7	127	29.1	23.6-34.6	17	3.7	01.5-05.9	13	3.5	01.0-06.0	61	8.7	05.8-11.6
55-64	733	136,573	549	64.5	59.4-69.6	130	25.8	20.9-30.7	13	4.3	01.8-06.8	11	1.6	00.6-02.6	30	3.8	01.6-06.0
65+	1523	210,253	1286	78.4	75.1-81.7	163	16.4	13.3-19.5	28	2.3	01.1-03.5	11	1.3	00.3-02.3	35	1.6	00.8-02.4
Less Than H.S.	248	78,605	86	32.1	24.7-39.5	40	20.7	12.9-28.5	4	1.9	00.1-03.7	5	4.3	00.0-08.8	113	41.0	33.0-49.0
H.S. or G.E.D.	1024	245,018	706	61.0	56.9-65.1	175	23.5	19.6-27.4	21	3.1	01.5-04.7	32	4.7	02.7-06.7	90	7.7	05.5-09.9
Some Post-H.S.	1018	222,914	724	61.2	56.9-65.5	174	23.9	20.0-27.8	32	4.4	02.4-06.4	22	4.5	02.1-06.9	66	6.1	04.1-08.1
College Graduate	1578	237,843	1218	67.9	64.4-71.4	206	18.5	15.4-21.6	57	7.5	05.1-09.9	20	2.3	00.7-03.9	77	3.9	02.7-05.1
Less than \$15,000	156	26,730	82	45.0	35.2-54.8	21	15.1	07.8-22.4	4	3.2	00.0-06.5	3	1.9	00.0-04.3	46	34.7	24.9-44.5
\$15,000-24,999	281	54,682	148	41.3	33.7-48.9	57	28.8	20.6-37.0	9	3.3	00.2-06.4	5	3.0	00.0-06.1	62	23.6	16.7-30.5
\$25,000-34,999	382	76,133	241	50.5	43.2-57.8	74	28.1	21.2-35.0	12	4.3	01.6-07.0	11	4.3	00.0-08.6	44	12.8	07.5-18.1
\$35,000-49,999	415	85,673	276	52.8	45.4-60.2	79	25.8	18.5-33.1	12	5.4	01.7-09.1	9	5.3	01.4-09.2	39	10.7	06.2-15.2
\$50,000-99,999	1060	216,403	808	66.1	61.8-70.4	152	20.7	16.8-24.6	28	4.2	02.0-06.4	27	4.9	02.5-07.3	45	4.1	02.5-05.7
\$100,000-199,999	632	129,758	495	69.3	64.2-74.4	80	17.2	12.9-21.5	25	7.8	04.5-11.1	7	1.6	00.2-03.0	25	4.1	02.1-06.1
\$200,000+	150	34,256	118	73.3	64.5-82.1	22	17.7	10.3-25.1	5	5.3	00.6-10.0	2	2.0	00.0-04.7	3	1.7	00.0-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1702	374,743	1209	60.3	57.2-63.4	236	20.9	18.0-23.8	69	6.4	04.6-08.2	40	4.5	02.9-06.1	148	7.9	06.3-09.5
18-24	132	43,361	61	43.3	33.3-53.3	23	23.7	14.3-33.1	8	5.9	01.6-10.2	5	6.6	00.5-12.7	35	20.5	13.2-27.8
25-34	169	63,000	103	56.7	46.9-66.5	24	20.2	11.6-28.8	10	7.2	02.1-12.3	7	6.9	01.4-12.4	25	9.0	04.5-13.5
35-44	233	59,124	140	51.8	43.8-59.8	28	18.5	11.4-25.6	19	11.8	06.3-17.3	11	5.7	01.6-09.8	35	12.1	07.6-16.6
45-54	236	52,536	143	52.4	44.0-60.8	52	29.5	21.3-37.7	9	4.6	01.1-08.1	6	5.4	00.5-10.3	26	8.0	04.1-11.9
55-64	296	62,681	222	60.2	52.2-68.2	50	26.6	18.8-34.4	11	8.6	03.3-13.9	4	1.8	00.0-03.6	9	2.8	00.3-05.3
65+	636	94,041	540	80.4	75.9-84.9	59	13.1	09.2-17.0	12	2.2	00.6-03.8	7	2.3	00.3-04.3	18	2.0	00.6-03.4
Less Than H.S.	108	36,916	43	43.6	31.8-55.4	14	15.5	05.3-25.7	2	2.1	00.0-05.0	2	3.8	00.0-08.9	47	35.0	24.6-45.4
H.S. or G.E.D.	453	120,090	310	61.0	54.9-67.1	78	25.2	19.3-31.1	15	3.7	01.5-05.9	15	4.9	02.2-07.6	35	5.1	02.9-07.3
Some Post-H.S.	420	105,451	290	57.4	50.9-63.9	69	24.5	18.4-30.6	15	5.7	02.2-09.2	15	6.8	02.7-10.9	31	5.8	03.3-08.3
College Graduate	714	111,102	561	67.7	62.8-72.6	74	14.8	11.1-18.5	37	11.5	07.6-15.4	8	2.1	00.5-03.7	34	3.9	02.3-05.5
Less than \$15,000	57	8,885	31	45.8	30.7-60.9	4	9.1	00.0-19.3	1	1.3	00.0-03.8				21	43.7	28.2-59.2
\$15,000- 24,999	101	20,443	57	42.8	30.5-55.1	21	28.2	15.1-41.3	3	4.4	00.0-11.5	3	7.2	00.0-15.0	17	17.5	08.1-26.9
\$25,000- 34,999	140	30,015	87	56.0	44.6-67.4	27	27.9	16.5-39.3	3	4.2	00.0-08.9	3	2.0	00.0-04.4	20	10.0	04.7-15.3
\$35,000- 49,999	177	40,384	121	55.3	44.3-66.3	28	21.9	12.3-31.5	5	5.6	00.0-11.7	7	10.4	02.4-18.4	16	6.8	02.1-11.5
\$50,000- 99,999	478	105,318	364	64.0	57.5-70.5	61	20.8	14.7-26.9	19	5.4	02.7-08.1	13	5.4	01.9-08.9	21	4.5	02.1-06.9
\$100,000 - 199,999	343	79,285	260	64.5	57.6-71.4	42	18.3	12.4-24.2	21	11.6	06.5-16.7	5	2.1	00.0-04.3	15	3.5	01.3-05.7
\$200,000+	91	19,962	74	75.2	64.2-86.2	11	14.9	05.9-23.9	3	5.8	00.0-12.3	1	1.6	00.0-04.7	2	2.5	00.0-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2180	413,430	1537	60.4	57.3-63.5	360	22.4	19.7-25.1	45	3.1	01.9-04.3	39	3.3	01.7-04.9	199	10.8	08.8-12.8
18-24	96	42,836	35	32.2	20.8-43.6	16	18.9	08.3-29.5	2	2.7	00.0-06.8	9	13.9	04.1-23.7	34	32.3	20.7-43.9
25-34	199	62,089	106	53.1	43.9-62.3	31	17.1	10.0-24.2	8	5.3	00.0-10.8	4	3.6	00.0-08.7	50	20.9	14.2-27.6
35-44	247	60,832	134	50.2	41.8-58.6	54	28.0	20.4-35.6	9	5.1	01.2-09.0	8	4.7	00.0-09.6	42	12.0	07.3-16.7
45-54	314	57,569	189	57.3	49.7-64.9	75	28.7	21.3-36.1	8	2.9	00.4-05.4	7	1.8	00.4-03.2	35	9.3	05.0-13.6
55-64	437	73,892	327	68.1	61.8-74.4	80	25.1	19.0-31.2	2	0.6	00.0-01.4	7	1.4	00.2-02.6	21	4.7	01.2-08.2
65+	887	116,212	746	76.8	72.1-81.5	104	19.0	14.5-23.5	16	2.5	00.9-04.1	4	0.4	00.0-00.8	17	1.3	00.5-02.1
Less Than H.S.	140	41,689	43	22.0	13.8-30.2	26	25.3	13.7-36.9	2	1.7	00.0-04.1	3	4.7	00.0-12.0	66	46.3	34.3-58.3
H.S. or G.E.D.	571	124,928	396	60.9	55.2-66.6	97	21.9	17.0-26.8	6	2.5	00.3-04.7	17	4.4	01.9-06.9	55	10.3	06.8-13.8
Some Post-H.S.	598	117,463	434	64.6	59.1-70.1	105	23.3	18.2-28.4	17	3.2	01.2-05.2	7	2.4	00.0-05.1	35	6.4	03.7-09.1
College Graduate	864	126,741	657	68.0	62.7-73.3	132	21.7	17.0-26.4	20	3.9	01.0-06.8	12	2.5	00.0-05.0	43	3.9	02.3-05.5
Less than \$15,000	99	17,845	51	44.6	31.9-57.3	17	18.1	08.5-27.7	3	4.2	00.0-09.1	3	2.9	00.0-06.4	25	30.2	18.0-42.4
\$15,000- 24,999	180	34,239	91	40.4	30.8-50.0	36	29.2	18.8-39.6	6	2.6	00.1-05.1	2	0.6	00.0-01.4	45	27.3	17.9-36.7
\$25,000- 34,999	242	46,118	154	46.9	37.7-56.1	47	28.2	19.4-37.0	9	4.4	00.9-07.9	8	5.9	00.0-12.8	24	14.6	06.8-22.4
\$35,000- 49,999	238	45,288	155	50.7	40.7-60.7	51	29.3	18.7-39.9	7	5.2	00.9-09.5	2	0.8	00.0-02.0	23	14.1	06.7-21.5
\$50,000- 99,999	582	111,085	444	68.1	62.2-74.0	91	20.7	15.8-25.6	9	3.1	00.0-06.2	14	4.4	01.1-07.7	24	3.7	01.5-05.9
\$100,000 - 199,999	289	50,473	235	76.9	70.2-83.6	38	15.4	09.5-21.3	4	1.7	00.0-03.5	2	0.8	00.0-02.2	10	5.2	01.3-09.1
\$200,000+	59	14,294	44	70.8	56.3-85.3	11	21.5	08.6-34.4	2	4.6	00.0-11.3	1	2.5	00.0-07.4	1	0.7	00.0-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3915	793,146	388	17.6	15.6-19.6	467	16.8	15.0-18.6	469	13.6	12.0-15.2	623	15.7	14.1-17.3	908	18.2	16.6-19.8	1060	18.1	16.7-19.5
Male	1720	377,653	214	19.5	16.8-22.2	220	17.6	14.9-20.3	207	13.1	10.9-15.3	252	15.2	12.8-17.6	366	16.9	14.7-19.1	461	17.7	15.7-19.7
Female	2195	415,493	174	15.8	13.1-18.5	247	16.1	13.7-18.5	262	14.1	11.7-16.5	371	16.1	14.1-18.1	542	19.4	17.2-21.6	599	18.5	16.5-20.5
White/Non-Hisp	2703	467,388	189	13.5	11.3-15.7	247	14.0	12.0-16.0	274	12.1	10.3-13.9	408	15.5	13.7-17.3	701	21.2	19.4-23.0	884	23.7	21.7-25.7
Black or Afr. Am./Non-Hisp	589	169,408	58	16.9	12.2-21.6	88	16.9	12.8-21.0	81	14.2	10.3-18.1	131	20.3	16.0-24.6	126	18.2	14.1-22.3	105	13.5	10.0-17.0
Oth. Race/Non-Hisp.	113	36,526	17	17.8	08.6-27.0	21	23.6	12.6-34.6	26	23.9	14.3-33.5	13	10.3	03.8-16.8	20	16.9	08.3-25.5	16	7.5	03.0-12.0
MultiRacial/Non-Hisp.	79	30,299	17	31.0	16.7-45.3	19	31.0	16.5-45.5	12	11.9	01.9-21.9	13	12.4	03.8-21.0	9	7.0	01.7-12.3	9	6.8	01.5-12.1
Hispanic	343	73,715	105	42.3	35.0-49.6	84	26.0	19.7-32.3	62	14.7	10.0-19.4	44	10.2	05.7-14.7	28	3.5	01.9-05.1	20	3.3	01.3-05.3
Less Than H.S.	251	79,525	46	28.0	19.8-36.2	46	19.5	12.8-26.2	33	13.5	07.6-19.4	31	10.6	06.3-14.9	45	11.4	07.5-15.3	50	17.0	10.9-23.1
H.S. or G.E.D.	1030	245,319	130	21.0	17.3-24.7	112	13.7	10.8-16.6	102	11.5	08.8-14.2	152	14.6	11.7-17.5	248	19.9	17.0-22.8	286	19.3	16.6-22.0
Some Post-H.S.	1031	225,094	113	17.9	14.4-21.4	117	16.4	13.1-19.7	108	12.4	09.5-15.3	163	15.5	12.6-18.4	238	19.9	16.8-23.0	292	17.9	15.4-20.4
College Graduate	1589	239,856	96	9.9	07.4-12.4	192	19.8	16.5-23.1	224	16.9	14.2-19.6	276	18.7	16.2-21.2	371	16.9	14.7-19.1	430	17.7	15.5-19.9
Less than \$15,000	161	27,198	28	26.8	17.2-36.4	17	10.0	04.5-15.5	19	11.6	05.3-17.9	33	18.8	11.5-26.1	39	20.6	12.8-28.4	25	12.3	06.2-18.4
\$15,000-24,999	286	54,964	30	17.5	10.8-24.2	35	15.2	09.3-21.1	29	10.0	05.1-14.9	39	13.7	08.4-19.0	67	20.9	14.8-27.0	86	22.8	16.1-29.5
\$25,000-34,999	386	76,916	38	19.2	12.3-26.1	48	15.2	09.7-20.7	46	13.8	09.1-18.5	45	8.3	05.4-11.2	83	16.9	12.6-21.2	126	26.5	20.4-32.6
\$35,000-49,999	419	85,761	49	21.6	14.5-28.7	44	14.8	09.3-20.3	40	13.4	07.7-19.1	59	12.6	08.1-17.1	95	19.6	14.5-24.7	132	18.0	14.1-21.9
\$50,000-99,999	1061	216,580	95	15.0	11.7-18.3	133	18.5	15.0-22.0	120	13.0	10.1-15.9	176	17.2	14.1-20.3	264	20.1	17.2-23.0	273	16.2	13.7-18.7
\$100,000-199,999	639	130,486	44	11.1	07.6-14.6	105	24.0	19.1-28.9	106	17.1	13.2-21.0	125	20.1	16.2-24.0	145	15.2	12.1-18.3	114	12.5	09.8-15.2
\$200,000+	156	35,563	10	10.6	03.2-18.0	17	16.1	08.3-23.9	41	28.3	19.7-36.9	53	30.5	21.9-39.1	20	9.3	04.8-13.8	15	5.2	02.1-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1720	377,653	214	19.5	16.8-22.2	220	17.6	14.9-20.3	207	13.1	10.9-15.3	252	15.2	12.8-17.6	366	16.9	14.7-19.1	461	17.7	15.7-19.7
White/Non-Hisp	1188	221,833	113	16.7	13.4-20.0	120	14.6	11.7-17.5	130	12.2	09.7-14.7	163	14.0	11.5-16.5	280	18.5	16.0-21.0	382	24.0	21.1-26.9
Black or Afr. Am./Non-Hisp	234	78,041	32	21.4	14.0-28.8	35	17.2	10.5-23.9	30	12.4	07.3-17.5	51	21.7	14.6-28.8	46	16.9	10.8-23.0	40	10.3	06.2-14.4
Oth. Race/Non-Hisp.	69	23,991	13	21.0	09.2-32.8	13	21.8	10.2-33.4	14	20.0	09.4-30.6	10	13.0	04.0-22.0	11	19.1	07.5-30.7	8	5.1	01.0-09.2
Hispanic	145	29,318	48	38.6	28.6-48.6	36	27.4	18.2-36.6	23	16.2	08.8-23.6	17	9.8	03.7-15.9	10	3.1	00.6-05.6	11	4.9	00.8-09.0
Less Than H.S.	109	36,986	22	24.7	13.9-35.5	21	23.7	12.7-34.7	11	8.6	03.3-13.9	15	13.7	05.9-21.5	19	12.0	05.9-18.1	21	17.2	08.8-25.6
H.S. or G.E.D.	456	119,712	76	23.8	18.5-29.1	58	15.4	10.7-20.1	46	11.2	07.3-15.1	63	14.3	09.8-18.8	109	19.4	15.3-23.5	104	16.0	12.3-19.7
Some Post-H.S.	430	108,491	70	24.0	18.3-29.7	60	17.2	12.1-22.3	51	13.8	09.3-18.3	54	13.0	08.7-17.3	80	15.7	11.4-20.0	115	16.3	12.6-20.0
College Graduate	718	111,627	44	8.6	05.7-11.5	81	18.5	14.2-22.8	99	15.9	12.4-19.4	119	18.9	15.2-22.6	155	16.9	13.6-20.2	220	21.3	18.0-24.6
Less than \$15,000	59	9,132	13	31.5	16.4-46.6	7	9.1	01.8-16.4	4	8.3	00.0-17.7	12	22.3	09.2-35.4	14	16.3	07.1-25.5	9	12.5	04.1-20.9
\$15,000- 24,999	105	20,886	12	14.2	06.0-22.4	11	16.4	05.2-27.6	8	9.0	01.2-16.8	18	17.4	08.2-26.6	23	22.1	11.1-33.1	33	21.0	12.0-30.0
\$25,000- 34,999	143	30,329	22	28.9	17.1-40.7	14	7.5	02.8-12.2	15	11.4	04.5-18.3	12	5.1	01.8-08.4	40	25.3	16.5-34.1	40	21.7	13.3-30.1
\$35,000- 49,999	180	40,805	27	21.5	12.3-30.7	19	13.8	06.4-21.2	15	13.0	05.0-21.0	25	14.3	06.5-22.1	37	19.4	11.2-27.6	57	17.9	12.0-23.8
\$50,000- 99,999	480	105,774	56	17.5	12.6-22.4	58	17.0	11.9-22.1	57	11.3	07.8-14.8	69	17.0	11.9-22.1	102	18.5	14.2-22.8	138	18.7	14.6-22.8
\$100,000 - 199,999	345	79,326	25	12.4	07.5-17.3	67	28.1	21.2-35.0	50	15.0	10.1-19.9	53	15.2	10.3-20.1	73	14.8	10.5-19.1	77	14.6	10.7-18.5
\$200,000+	96	20,956	4	4.4	00.0-08.9	11	18.0	07.2-28.8	23	25.5	15.3-35.7	32	32.7	21.5-43.9	17	14.7	07.3-22.1	9	4.8	01.3-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2195	415,493	174	15.8	13.1-18.5	247	16.1	13.7-18.5	262	14.1	11.7-16.5	371	16.1	14.1-18.1	542	19.4	17.2-21.6	599	18.5	16.5-20.5
White/Non-Hisp	1515	245,555	76	10.6	07.7-13.5	127	13.5	10.8-16.2	144	12.0	09.5-14.5	245	16.9	14.5-19.3	421	23.6	21.1-26.1	502	23.4	20.9-25.9
Black or Afr. Am./Non-Hisp	355	91,367	26	13.1	07.0-19.2	53	16.7	11.6-21.8	51	15.6	09.9-21.3	80	19.0	13.9-24.1	80	19.3	13.6-25.0	65	16.2	10.9-21.5
Hispanic	198	44,396	57	44.7	34.7-54.7	48	25.1	16.7-33.5	39	13.8	07.7-19.9	27	10.4	04.3-16.5	18	3.7	01.5-05.9	9	2.3	00.5-04.1
Less Than H.S.	142	42,539	24	30.8	18.6-43.0	25	15.8	08.0-23.6	22	17.8	08.2-27.4	16	7.9	03.4-12.4	26	11.0	05.9-16.1	29	16.8	08.2-25.4
H.S. or G.E.D.	574	125,607	54	18.4	13.3-23.5	54	12.1	08.6-15.6	56	11.7	08.0-15.4	89	14.9	11.2-18.6	139	20.4	16.5-24.3	182	22.5	18.4-26.6
Some Post-H.S.	601	116,602	43	12.2	07.9-16.5	57	15.7	11.4-20.0	57	11.1	07.2-15.0	109	17.9	14.0-21.8	158	23.8	19.3-28.3	177	19.3	15.8-22.8
College Graduate	871	128,228	52	11.0	06.9-15.1	111	21.0	16.3-25.7	125	17.9	14.0-21.8	157	18.6	15.1-22.1	216	17.0	14.1-19.9	210	14.6	12.1-17.1
Less than \$15,000	102	18,065	15	24.4	12.2-36.6	10	10.4	03.0-17.8	15	13.2	05.2-21.2	21	17.0	08.6-25.4	25	22.7	11.9-33.5	16	12.2	04.2-20.2
\$15,000- 24,999	181	34,079	18	19.5	10.1-28.9	24	14.4	07.9-20.9	21	10.6	04.3-16.9	21	11.4	04.9-17.9	44	20.1	13.0-27.2	53	23.9	14.7-33.1
\$25,000- 34,999	243	46,587	16	12.9	05.1-20.7	34	20.3	12.1-28.5	31	15.4	08.9-21.9	33	10.4	05.9-14.9	43	11.4	07.5-15.3	86	29.6	21.6-37.6
\$35,000- 49,999	239	44,956	22	21.6	11.2-32.0	25	15.8	08.0-23.6	25	13.8	05.8-21.8	34	11.0	06.3-15.7	58	19.8	13.5-26.1	75	18.1	12.6-23.6
\$50,000- 99,999	581	110,806	39	12.5	07.8-17.2	75	20.0	14.9-25.1	63	14.6	09.9-19.3	107	17.5	13.6-21.4	162	21.5	17.2-25.8	135	13.9	10.8-17.0
\$100,000 - 199,999	294	51,160	19	9.2	04.5-13.9	38	17.5	11.2-23.8	56	20.3	13.8-26.8	72	27.8	21.1-34.5	72	16.0	11.3-20.7	37	9.2	05.7-12.7
\$200,000+	60	14,607	6	19.5	03.8-35.2	6	13.4	02.4-24.4	18	32.4	17.3-47.5	21	27.3	14.2-40.4	3	1.5	00.0-03.3	6	5.8	00.3-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3915	793,146	2367	73.1	71.5-74.7	1548	26.9	25.3-28.5
Male	1720	377,653	1071	74.8	72.4-77.2	649	25.2	22.8-27.6
Female	2195	415,493	1296	71.7	69.3-74.1	899	28.3	25.9-30.7
White/Non-Hisp	2703	467,388	1427	65.1	62.9-67.3	1276	34.9	32.7-37.1
Black or Afr. Am./Non-Hisp	589	169,408	427	79.9	75.8-84.0	162	20.1	16.0-24.2
Oth. Race/Non-Hisp.	113	36,526	85	86.5	80.2-92.8	28	13.5	07.2-19.8
MultiRacial/Non-Hisp.	79	30,299	68	91.3	85.0-97.6	11	8.7	02.4-15.0
Hispanic	343	73,715	309	95.5	93.3-97.7	34	4.5	02.3-06.7
Less Than H.S.	251	79,525	181	78.2	71.7-84.7	70	21.8	15.3-28.3
H.S. or G.E.D.	1030	245,319	613	70.7	67.4-74.0	417	29.3	26.0-32.6
Some Post-H.S.	1031	225,094	606	71.8	68.5-75.1	425	28.2	24.9-31.5
College Graduate	1589	239,856	959	75.2	72.8-77.6	630	24.8	22.4-27.2
Less than \$15,000	161	27,198	114	76.3	67.9-84.7	47	23.7	15.3-32.1
\$15,000-24,999	286	54,964	161	64.6	57.0-72.2	125	35.4	27.8-43.0
\$25,000-34,999	386	76,916	213	64.8	58.3-71.3	173	35.2	28.7-41.7
\$35,000-49,999	419	85,761	234	72.9	67.8-78.0	185	27.1	22.0-32.2
\$50,000-99,999	1061	216,580	646	74.7	71.6-77.8	415	25.3	22.2-28.4
\$100,000-199,999	639	130,486	453	81.1	77.8-84.4	186	18.9	15.6-22.2
\$200,000+	156	35,563	133	90.4	85.9-94.9	23	9.6	05.1-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1720	377,653	1071	74.8	72.4-77.2	649	25.2	22.8-27.6
White/Non-Hisp	1188	221,833	653	66.3	63.2-69.4	535	33.7	30.6-36.8
Black or Afr. Am./Non-Hisp	234	78,041	175	84.2	79.1-89.3	59	15.8	10.7-20.9
Oth. Race/Non-Hisp.	69	23,991	57	91.4	85.5-97.3	12	8.6	02.7-14.5
Hispanic	145	29,318	128	94.0	89.7-98.3	17	6.0	01.7-10.3
Less Than H.S.	109	36,986	78	76.6	67.4-85.8	31	23.4	14.2-32.6
H.S. or G.E.D.	456	119,712	292	74.4	69.9-78.9	164	25.6	21.1-30.1
Some Post-H.S.	430	108,491	278	77.5	73.2-81.8	152	22.5	18.2-26.8
College Graduate	718	111,627	420	72.1	68.4-75.8	298	27.9	24.2-31.6
Less than \$15,000	59	9,132	45	82.4	72.8-92.0	14	17.6	08.0-27.2
\$15,000- 24,999	105	20,886	55	60.8	48.5-73.1	50	39.2	26.9-51.5
\$25,000- 34,999	143	30,329	79	66.1	56.3-75.9	64	33.9	24.1-43.7
\$35,000- 49,999	180	40,805	106	76.4	69.3-83.5	74	23.6	16.5-30.7
\$50,000- 99,999	480	105,774	287	72.9	68.2-77.6	193	27.1	22.4-31.8
\$100,000 - 199,999	345	79,326	235	79.8	75.1-84.5	110	20.2	15.5-24.9
\$200,000+	96	20,956	80	88.1	81.4-94.8	16	11.9	05.2-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2195	415,493	1296	71.7	69.3-74.1	899	28.3	25.9-30.7
White/Non-Hisp	1515	245,555	774	64.0	60.9-67.1	741	36.0	32.9-39.1
Black or Afr. Am./Non-Hisp	355	91,367	252	76.2	70.3-82.1	103	23.8	17.9-29.7
Hispanic	198	44,396	181	96.5	94.3-98.7	17	3.5	01.3-05.7
Less Than H.S.	142	42,539	103	79.5	70.5-88.5	39	20.5	11.5-29.5
H.S. or G.E.D.	574	125,607	321	67.2	62.5-71.9	253	32.8	28.1-37.5
Some Post-H.S.	601	116,602	328	66.6	61.9-71.3	273	33.4	28.7-38.1
College Graduate	871	128,228	539	77.8	74.7-80.9	332	22.2	19.1-25.3
Less than \$15,000	102	18,065	69	73.2	61.8-84.6	33	26.8	15.4-38.2
\$15,000- 24,999	181	34,079	106	67.0	57.2-76.8	75	33.0	23.2-42.8
\$25,000- 34,999	243	46,587	134	64.0	55.6-72.4	109	36.0	27.6-44.4
\$35,000- 49,999	239	44,956	128	69.8	62.4-77.2	111	30.2	22.8-37.6
\$50,000- 99,999	581	110,806	359	76.4	72.5-80.3	222	23.6	19.7-27.5
\$100,000 - 199,999	294	51,160	218	83.2	78.7-87.7	76	16.8	12.3-21.3
\$200,000+	60	14,607	53	93.7	88.2-99.2	7	6.3	00.8-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3662	737,263	211	5.4	04.4-06.4	1644	42.4	40.2-44.6	1477	42.5	40.3-44.7	330	9.6	08.2-11.0
Male	1631	358,986	10	0.6	00.0-01.2	184	12.8	10.4-15.2	1118	67.6	64.5-70.7	319	19.1	16.6-21.6
Female	2031	378,277	201	10.1	08.1-12.1	1460	70.5	67.6-73.4	359	18.7	16.2-21.2	11	0.6	00.0-01.2
White/Non-Hisp	2618	452,398	148	5.5	04.3-06.7	1151	40.6	38.1-43.1	1083	44.3	41.8-46.8	236	9.6	08.0-11.2
Black or Afr. Am./Non-Hisp	557	159,609	25	3.4	01.8-05.0	270	45.1	39.4-50.8	205	41.0	35.3-46.7	57	10.6	07.1-14.1
Oth. Race/Non-Hisp.	112	36,450	7	5.8	00.3-11.3	53	43.7	31.9-55.5	48	48.0	36.4-59.6	4	2.6	00.1-05.1
MultiRacial/Non-Hisp.	75	28,888	2	4.1	00.0-10.2	33	43.3	27.4-59.2	27	29.4	16.9-41.9	13	23.2	10.7-35.7
Hispanic	214	45,776	27	13.7	06.6-20.8	101	51.4	42.0-60.8	76	31.7	23.5-39.9	10	3.2	00.8-05.6
18-24	185	71,914	14	7.4	03.1-11.7	66	41.8	32.6-51.0	83	40.9	32.3-49.5	22	9.9	05.4-14.4
25-34	329	113,607	13	3.8	01.1-06.5	139	40.9	34.0-47.8	140	41.7	34.8-48.6	37	13.6	08.5-18.7
35-44	426	109,316	13	4.9	01.4-08.4	189	41.1	35.0-47.2	183	45.3	39.2-51.4	41	8.7	05.6-11.8
45-54	528	105,262	20	2.8	01.4-04.2	227	40.6	35.1-46.1	227	44.2	38.7-49.7	54	12.5	08.4-16.6
55-64	713	133,383	35	4.1	02.5-05.7	331	43.9	39.0-48.8	278	44.2	39.3-49.1	69	7.8	05.6-10.0
65+	1481	203,781	116	8.3	06.3-10.3	692	44.1	40.6-47.6	566	40.0	36.5-43.5	107	7.6	05.6-09.6
Less Than H.S.	177	57,334	17	8.0	02.7-13.3	90	50.1	39.9-60.3	54	28.7	20.5-36.9	16	13.2	05.2-21.2
H.S. or G.E.D.	952	230,090	71	6.4	04.4-08.4	433	41.6	37.5-45.7	372	43.3	39.0-47.6	76	8.7	06.3-11.1
Some Post-H.S.	1002	219,839	58	5.6	03.6-07.6	461	41.8	37.7-45.9	393	42.8	38.7-46.9	90	9.8	07.3-12.3
College Graduate	1524	228,729	64	3.6	02.4-04.8	659	42.1	38.6-45.6	653	44.7	41.2-48.2	148	9.6	07.6-11.6
Less than \$15,000	133	21,856	13	9.7	03.4-16.0	73	59.1	48.5-69.7	38	26.1	16.9-35.3	9	5.1	01.6-08.6
\$15,000-24,999	248	46,559	22	8.5	03.8-13.2	129	49.7	40.9-58.5	83	37.8	29.0-46.6	14	4.1	01.2-07.0
\$25,000-34,999	364	74,097	39	8.8	05.3-12.3	186	52.0	44.6-59.4	113	30.7	24.2-37.2	26	8.4	03.9-12.9
\$35,000-49,999	412	83,939	24	5.3	02.0-08.6	196	46.1	38.7-53.5	166	39.8	32.7-46.9	26	8.8	04.3-13.3
\$50,000-99,999	1053	215,856	51	4.5	02.7-06.3	470	41.8	37.7-45.9	435	44.6	40.3-48.9	97	9.1	06.7-11.5
\$100,000-199,999	630	128,699	19	2.6	01.0-04.2	222	33.0	28.1-37.9	311	50.5	45.4-55.6	78	14.0	10.1-17.9
\$200,000+	153	33,683	6	6.0	00.3-11.7	49	31.8	23.0-40.6	70	47.2	37.6-56.8	28	14.9	08.8-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1631	358,986	10	0.6	00.0-01.2	184	12.8	10.4-15.2	1118	67.6	64.5-70.7	319	19.1	16.6-21.6
White/Non-Hisp	1161	217,519	8	0.5	00.1-00.9	105	9.5	07.1-11.9	818	70.6	67.1-74.1	230	19.4	16.3-22.5
Black or Afr. Am./Non-Hisp	224	74,619				25	14.3	07.8-20.8	145	64.2	56.0-72.4	54	21.5	14.6-28.4
Oth. Race/Non-Hisp.	68	23,867	1	3.2	00.0-09.3	19	25.6	13.1-38.1	44	67.3	54.0-80.6	4	3.9	00.0-07.8
Hispanic	96	19,109	1	0.6	00.0-01.8	24	29.0	16.8-41.2	62	63.2	50.7-75.7	9	7.2	01.9-12.5
18-24	111	38,205				15	11.9	05.4-18.4	74	69.4	59.8-79.0	22	18.7	10.7-26.7
25-34	157	59,187				22	17.5	09.3-25.7	99	56.6	46.6-66.6	36	25.9	16.9-34.9
35-44	206	54,043	1	1.4	00.0-04.1	29	12.1	06.6-17.6	137	70.1	62.5-77.7	39	16.3	10.4-22.2
45-54	226	50,724				23	11.1	05.8-16.4	150	63.2	54.8-71.6	53	25.6	17.8-33.4
55-64	299	63,645				28	12.8	06.7-18.9	206	71.6	64.7-78.5	65	15.6	11.1-20.1
65+	632	93,183	9	1.3	00.3-02.3	67	11.3	08.0-14.6	452	71.9	67.2-76.6	104	15.5	11.8-19.2
Less Than H.S.	79	28,328				18	21.0	10.2-31.8	47	52.8	38.9-66.7	14	26.2	11.9-40.5
H.S. or G.E.D.	430	114,539	3	0.2	00.0-00.4	59	13.0	08.9-17.1	293	69.4	63.7-75.1	75	17.4	12.9-21.9
Some Post-H.S.	420	106,757	2	1.1	00.0-02.7	46	14.5	09.4-19.6	284	65.6	59.5-71.7	88	18.9	14.2-23.6
College Graduate	698	109,009	5	0.5	00.0-01.1	60	8.7	06.0-11.4	491	71.3	67.0-75.6	142	19.5	15.8-23.2
\$15,000- 24,999	93	18,066				11	14.2	04.0-24.4	69	75.8	63.8-87.8	13	10.0	02.6-17.4
\$25,000- 34,999	129	28,556	2	1.7	00.0-04.4	15	15.0	06.6-23.4	86	61.5	49.7-73.3	26	21.9	11.1-32.7
\$35,000- 49,999	179	40,745	1	0.1	00.0-00.3	25	17.0	08.6-25.4	128	66.4	56.0-76.8	25	16.5	08.3-24.7
\$50,000- 99,999	474	105,404	2	0.2	00.0-00.6	57	13.4	08.7-18.1	321	68.1	62.2-74.0	94	18.3	13.8-22.8
\$100,000 - 199,999	341	78,306	3	1.2	00.0-03.2	28	9.8	05.1-14.5	234	66.4	59.5-73.3	76	22.7	16.8-28.6
\$200,000+	96	20,794	1	0.9	00.0-02.7	11	16.5	06.5-26.5	56	58.4	46.6-70.2	28	24.1	14.7-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2031	378,277	201	10.1	08.1-12.1	1460	70.5	67.6-73.4	359	18.7	16.2-21.2	11	0.6	00.0-01.2
White/Non-Hisp	1457	234,879	140	10.1	07.7-12.5	1046	69.4	66.1-72.7	265	19.9	17.0-22.8	6	0.6	00.0-01.4
Black or Afr. Am./Non-Hisp	333	84,990	25	6.4	03.5-09.3	245	72.1	65.2-79.0	60	20.5	14.2-26.8	3	1.0	00.0-02.6
Hispanic	118	26,667	26	23.1	11.7-34.5	77	67.5	55.3-79.7	14	9.2	03.3-15.1	1	0.2	00.0-00.6
18-24	74	33,709	14	15.7	06.5-24.9	51	75.6	64.6-86.6	9	8.7	02.2-15.2			
25-34	172	54,421	13	7.8	02.3-13.3	117	66.4	57.0-75.8	41	25.5	16.7-34.3	1	0.3	00.0-00.9
35-44	220	55,273	12	8.2	01.9-14.5	160	69.5	61.1-77.9	46	21.0	13.9-28.1	2	1.3	00.0-03.7
45-54	302	54,538	20	5.3	02.8-07.8	204	68.0	61.3-74.7	77	26.5	20.0-33.0	1	0.2	00.0-00.6
55-64	414	69,738	35	7.8	04.9-10.7	303	72.3	66.6-78.0	72	19.2	14.1-24.3	4	0.7	00.0-01.5
65+	849	110,599	107	14.2	10.9-17.5	625	71.7	67.2-76.2	114	13.2	09.5-16.9	3	0.9	00.0-02.5
Less Than H.S.	98	29,006	17	15.8	05.6-26.0	72	78.4	67.2-89.6	7	5.3	00.4-10.2	2	0.5	00.0-01.1
H.S. or G.E.D.	522	115,551	68	12.6	08.7-16.5	374	70.0	64.5-75.5	79	17.4	12.7-22.1	1	0.1	00.0-00.3
Some Post-H.S.	582	113,083	56	9.8	06.5-13.1	415	67.6	62.1-73.1	109	21.3	16.4-26.2	2	1.3	00.0-03.1
College Graduate	826	119,720	59	6.4	04.2-08.6	599	72.5	68.2-76.8	162	20.4	16.7-24.1	6	0.6	00.0-01.2
Less than \$15,000	88	15,214	13	13.9	05.1-22.7	65	77.3	66.7-87.9	10	8.8	02.3-15.3			
\$15,000- 24,999	155	28,493	22	13.8	06.4-21.2	118	72.1	60.7-83.5	14	13.6	03.2-24.0	1	0.4	00.0-01.2
\$25,000- 34,999	235	45,541	37	13.2	07.7-18.7	171	75.3	67.7-82.9	27	11.5	05.8-17.2			
\$35,000- 49,999	233	43,195	23	10.3	03.8-16.8	171	73.6	65.2-82.0	38	14.7	08.8-20.6	1	1.5	00.0-04.4
\$50,000- 99,999	579	110,452	49	8.5	05.2-11.8	413	69.0	63.5-74.5	114	22.1	17.0-27.2	3	0.3	00.0-00.7
\$100,000 - 199,999	289	50,393	16	4.8	02.1-07.5	194	69.0	62.1-75.9	77	25.8	19.3-32.3	2	0.4	00.0-01.0
\$200,000+	57	12,890	5	14.3	00.6-28.0	38	56.6	40.1-73.1	14	29.1	14.0-44.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3740	752,030	229	5.9	04.9-06.9	1686	42.5	40.3-44.7	1494	42.0	39.8-44.2	331	9.5	08.1-10.9
Male	1669	366,118	14	0.9	00.3-01.5	203	13.4	11.0-15.8	1132	66.9	63.8-70.0	320	18.9	16.4-21.4
Female	2071	385,912	215	10.7	08.7-12.7	1483	70.2	67.5-72.9	362	18.4	16.0-20.8	11	0.6	00.0-01.2
White/Non-Hisp	2620	452,925	148	5.5	04.3-06.7	1152	40.6	38.1-43.1	1084	44.3	41.8-46.8	236	9.6	08.0-11.2
Black or Afr. Am./Non-Hisp	558	159,745	25	3.4	01.8-05.0	270	45.0	39.3-50.7	206	41.0	35.3-46.7	57	10.6	07.1-14.1
Oth. Race/Non-Hisp.	113	36,575	7	5.8	00.3-11.3	53	43.5	31.7-55.3	49	48.1	36.5-59.7	4	2.6	00.1-05.1
MultiRacial/Non-Hisp.	75	28,888	2	4.1	00.0-10.2	33	43.3	27.4-59.2	27	29.4	16.9-41.9	13	23.2	10.7-35.7
Hispanic	288	59,756	45	17.9	11.4-24.4	142	51.2	43.2-59.2	90	27.8	21.1-34.5	11	3.1	00.9-05.3
18-24	205	77,167	16	8.0	03.7-12.3	79	43.1	34.3-51.9	88	39.7	31.5-47.9	22	9.2	05.1-13.3
25-34	346	116,813	18	4.9	02.0-07.8	148	41.0	34.3-47.7	143	40.9	34.2-47.6	37	13.3	08.2-18.4
35-44	454	114,225	19	5.9	02.4-09.4	204	41.4	35.5-47.3	189	44.0	38.1-49.9	42	8.7	05.6-11.8
45-54	536	106,295	23	3.4	01.8-05.0	230	40.5	35.0-46.0	229	43.9	38.4-49.4	54	12.3	08.2-16.4
55-64	714	133,490	36	4.2	02.6-05.8	331	43.9	39.0-48.8	278	44.2	39.3-49.1	69	7.8	05.6-10.0
65+	1485	204,041	117	8.3	06.3-10.3	694	44.1	40.6-47.6	567	40.0	36.5-43.5	107	7.6	05.6-09.6
Less Than H.S.	210	65,530	29	12.6	06.9-18.3	106	48.9	39.7-58.1	58	26.3	19.0-33.6	17	12.2	05.1-19.3
H.S. or G.E.D.	979	234,663	74	6.5	04.5-08.5	452	42.2	38.1-46.3	377	42.8	38.7-46.9	76	8.5	06.1-10.9
Some Post-H.S.	1009	220,620	59	5.6	03.6-07.6	464	41.8	37.7-45.9	396	42.8	38.7-46.9	90	9.8	07.3-12.3
College Graduate	1534	229,729	66	3.7	02.5-04.9	662	42.0	38.5-45.5	658	44.7	41.2-48.2	148	9.5	07.5-11.5
Less than \$15,000	147	24,722	16	13.1	05.5-20.7	80	56.9	46.7-67.1	42	25.5	16.9-34.1	9	4.5	01.4-07.6
\$15,000-24,999	270	50,435	30	10.8	06.1-15.5	141	49.8	41.4-58.2	85	35.6	27.2-44.0	14	3.8	01.1-06.5
\$25,000-34,999	381	76,698	41	8.7	05.2-12.2	197	53.0	45.7-60.3	117	30.2	23.9-36.5	26	8.1	03.6-12.6
\$35,000-49,999	414	84,336	24	5.3	02.0-08.6	197	46.3	38.9-53.7	167	39.7	32.6-46.8	26	8.7	04.2-13.2
\$50,000-99,999	1054	215,980	51	4.5	02.7-06.3	470	41.8	37.7-45.9	436	44.6	40.3-48.9	97	9.1	06.7-11.5
\$100,000-199,999	631	128,932	19	2.6	01.0-04.2	222	32.9	28.0-37.8	312	50.6	45.5-55.7	78	13.9	10.2-17.6
\$200,000+	153	33,683	6	6.0	00.3-11.7	49	31.8	23.0-40.6	70	47.2	37.6-56.8	28	14.9	08.8-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1669	366,118	14	0.9	00.3-01.5	203	13.4	11.0-15.8	1132	66.9	63.8-70.0	320	18.9	16.4-21.4
White/Non-Hisp	1162	217,828	8	0.5	00.1-00.9	105	9.5	07.1-11.9	819	70.7	67.2-74.2	230	19.4	16.3-22.5
Black or Afr. Am./Non-Hisp	225	74,755				25	14.3	07.8-20.8	146	64.3	56.1-72.5	54	21.4	14.5-28.3
Oth. Race/Non-Hisp.	69	23,991	1	3.2	00.0-09.3	19	25.5	13.0-38.0	45	67.4	54.1-80.7	4	3.9	00.0-07.8
Hispanic	131	25,672	5	4.9	00.2-09.6	43	33.8	23.4-44.2	73	54.3	43.5-65.1	10	7.0	02.1-11.9
18-24	123	41,601	2	2.0	00.0-04.7	20	14.3	07.6-21.0	79	66.5	57.1-75.9	22	17.1	09.7-24.5
25-34	162	59,883				25	17.9	09.7-26.1	101	56.5	46.5-66.5	36	25.6	16.6-34.6
35-44	220	56,559	3	1.9	00.0-04.6	36	13.6	08.1-19.1	141	68.3	60.9-75.7	40	16.3	10.6-22.0
45-54	231	51,112				26	11.6	06.3-16.9	152	63.0	54.8-71.2	53	25.4	17.6-33.2
55-64	299	63,645				28	12.8	06.7-18.9	206	71.6	64.7-78.5	65	15.6	11.1-20.1
65+	634	93,320	9	1.3	00.3-02.3	68	11.3	08.0-14.6	453	71.9	67.2-76.6	104	15.5	11.8-19.2
Less Than H.S.	95	32,334	3	3.0	00.0-06.7	26	24.1	13.9-34.3	51	48.6	36.1-61.1	15	24.2	11.3-37.1
H.S. or G.E.D.	443	116,532	4	0.4	00.0-00.8	66	13.5	09.4-17.6	298	69.0	63.5-74.5	75	17.1	12.6-21.6
Some Post-H.S.	425	107,377	2	1.1	00.0-02.7	49	14.7	09.6-19.8	286	65.5	59.4-71.6	88	18.8	14.1-23.5
College Graduate	702	109,522	5	0.5	00.1-00.9	61	8.7	06.0-11.4	494	71.4	67.1-75.7	142	19.4	15.7-23.1
Less than \$15,000	52	7,938				12	24.0	09.9-38.1	31	62.0	46.3-77.7	9	14.0	04.6-23.4
\$15,000- 24,999	100	19,531	3	3.7	00.0-08.4	14	15.4	05.6-25.2	70	71.7	59.9-83.5	13	9.2	02.1-16.3
\$25,000- 34,999	141	30,091	2	1.6	00.0-04.3	23	18.0	09.6-26.4	90	59.7	48.5-70.9	26	20.7	10.5-30.9
\$35,000- 49,999	180	40,805	1	0.1	00.0-00.3	25	17.0	08.6-25.4	129	66.4	56.0-76.8	25	16.5	08.3-24.7
\$50,000- 99,999	475	105,528	2	0.2	00.0-00.6	57	13.4	08.7-18.1	322	68.1	62.2-74.0	94	18.3	13.8-22.8
\$100,000 - 199,999	342	78,538	3	1.2	00.0-03.2	28	9.7	05.0-14.4	235	66.5	59.6-73.4	76	22.7	16.8-28.6
\$200,000+	96	20,794	1	0.9	00.0-02.7	11	16.5	06.5-26.5	56	58.4	46.6-70.2	28	24.1	14.7-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2071	385,912	215	10.7	08.7-12.7	1483	70.2	67.5-72.9	362	18.4	16.0-20.8	11	0.6	00.0-01.2
White/Non-Hisp	1458	235,098	140	10.1	07.7-12.5	1047	69.4	66.1-72.7	265	19.9	17.0-22.8	6	0.6	00.0-01.4
Black or Afr. Am./Non-Hisp	333	84,990	25	6.4	03.5-09.3	245	72.1	65.2-79.0	60	20.5	14.2-26.8	3	1.0	00.0-02.6
Hispanic	157	34,084	40	27.7	17.5-37.9	99	64.4	53.8-75.0	17	7.7	03.0-12.4	1	0.2	00.0-00.6
18-24	82	35,566	14	14.9	06.1-23.7	59	76.8	66.4-87.2	9	8.3	02.2-14.4			
25-34	184	56,930	18	10.0	04.3-15.7	123	65.3	56.1-74.5	42	24.5	16.1-32.9	1	0.3	00.0-00.9
35-44	234	57,666	16	9.8	03.5-16.1	168	68.7	60.5-76.9	48	20.3	13.6-27.0	2	1.3	00.0-03.5
45-54	305	55,183	23	6.5	03.6-09.4	204	67.2	60.5-73.9	77	26.1	19.8-32.4	1	0.2	00.0-00.6
55-64	415	69,845	36	8.0	05.1-10.9	303	72.2	66.5-77.9	72	19.2	14.1-24.3	4	0.7	00.0-01.5
65+	851	110,721	108	14.2	10.9-17.5	626	71.7	67.2-76.2	114	13.2	09.5-16.9	3	0.9	00.0-02.5
Less Than H.S.	115	33,196	26	22.0	11.6-32.4	80	73.0	62.0-84.0	7	4.6	00.5-08.7	2	0.4	00.0-01.0
H.S. or G.E.D.	536	118,131	70	12.5	08.8-16.2	386	70.4	65.1-75.7	79	17.0	12.5-21.5	1	0.1	00.0-00.3
Some Post-H.S.	584	113,243	57	9.9	06.6-13.2	415	67.5	62.0-73.0	110	21.4	16.5-26.3	2	1.3	00.0-03.1
College Graduate	832	120,206	61	6.6	04.4-08.8	601	72.4	68.1-76.7	164	20.5	16.8-24.2	6	0.6	00.0-01.2
Less than \$15,000	95	16,784	16	19.4	08.6-30.2	68	72.4	60.6-84.2	11	8.2	02.3-14.1			
\$15,000- 24,999	170	30,905	27	15.3	08.2-22.4	127	71.5	60.9-82.1	15	12.8	03.2-22.4	1	0.3	00.0-00.9
\$25,000- 34,999	240	46,607	39	13.2	07.7-18.7	174	75.5	68.1-82.9	27	11.2	05.5-16.9			
\$35,000- 49,999	234	43,531	23	10.2	03.7-16.7	172	73.8	65.4-82.2	38	14.6	08.9-20.3	1	1.5	00.0-04.4
\$50,000- 99,999	579	110,452	49	8.5	05.2-11.8	413	69.0	63.5-74.5	114	22.1	17.0-27.2	3	0.3	00.0-00.7
\$100,000 - 199,999	289	50,393	16	4.8	02.1-07.5	194	69.0	62.1-75.9	77	25.8	19.3-32.3	2	0.4	00.0-01.0
\$200,000+	57	12,890	5	14.3	00.6-28.0	38	56.6	40.1-73.1	14	29.1	14.0-44.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 9: DEMOGRAPHICS

TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3651	738,032	25	0.8	00.4-01.2	965	26.5	24.5-28.5	1599	42.7	40.5-44.9	782	21.4	19.6-23.2	220	6.3	05.1-07.5	60	2.3	01.5-03.1
Male	1677	367,270	4	0.2	00.0-00.4	177	12.1	09.7-14.5	783	46.1	43.0-49.2	516	28.8	25.9-31.7	152	9.1	07.3-10.9	45	3.7	02.1-05.3
Female	1974	370,762	21	1.3	00.5-02.1	788	40.7	37.6-43.8	816	39.4	36.3-42.5	266	14.2	12.0-16.4	68	3.6	02.4-04.8	15	0.8	00.2-01.4
White/Non-Hisp	2540	441,294	16	0.8	00.2-01.4	671	25.4	23.0-27.8	1127	44.3	41.8-46.8	540	21.6	19.4-23.8	151	6.1	04.9-07.3	35	1.8	01.0-02.6
Black or Afr. Am./Non-Hisp	531	152,387	1	0.2	00.0-00.6	96	19.7	14.8-24.6	225	41.3	35.6-47.0	142	25.6	20.7-30.5	52	10.1	06.6-13.6	15	3.2	01.0-05.4
Oth. Race/Non-Hisp.	108	35,418	2	2.0	00.0-04.7	43	38.3	26.7-49.9	45	45.8	33.8-57.8	14	11.4	04.9-17.9	2	0.8	00.0-02.0	2	1.7	00.0-04.2
MultiRacial/Non-Hisp.	75	28,904	1	0.5	00.0-01.5	19	36.2	19.7-52.7	24	20.2	10.6-29.8	22	28.8	15.5-42.1	6	7.0	01.3-12.7	3	7.3	00.0-15.3
Hispanic	317	66,688	4	1.4	00.0-03.0	117	39.6	32.2-47.0	148	45.8	38.2-53.4	40	11.0	06.3-15.7	5	0.8	00.0-01.6	3	1.5	00.0-03.5
18-24	212	80,432	3	0.4	00.0-00.8	93	46.2	37.8-54.6	79	36.0	28.0-44.0	31	14.0	08.5-19.5	6	3.3	00.0-06.6			
25-34	350	117,782	4	1.1	00.0-02.3	109	29.9	23.6-36.2	139	39.2	32.5-45.9	65	19.2	13.7-24.7	19	4.8	02.3-07.3	14	5.8	01.9-09.7
35-44	458	113,434	4	1.7	00.0-03.9	104	22.4	17.3-27.5	198	41.6	35.7-47.5	104	23.4	18.5-28.3	35	7.9	04.6-11.2	13	3.0	01.0-05.0
45-54	511	102,181	1	0.6	00.0-01.8	108	20.8	16.3-25.3	214	39.5	33.8-45.2	135	28.0	22.9-33.1	46	9.5	06.0-13.0	7	1.6	00.2-03.0
55-64	678	127,499	1	0.2	00.0-00.6	154	20.1	16.2-24.0	297	48.1	43.0-53.2	158	21.2	17.3-25.1	54	8.5	05.8-11.2	14	2.0	00.6-03.4
65+	1442	196,703	12	0.7	00.3-01.1	397	25.7	22.6-28.8	672	46.4	42.9-49.9	289	21.4	18.5-24.3	60	4.6	03.2-06.0	12	1.2	00.4-02.0
Less Than H.S.	231	71,516	3	1.2	00.0-02.6	68	29.9	21.9-37.9	109	43.1	34.5-51.7	32	12.5	07.4-17.6	9	4.2	01.1-07.3	10	9.2	02.9-15.5
H.S. or G.E.D.	967	232,366	9	1.2	00.0-02.4	256	25.0	21.5-28.5	421	43.2	39.1-47.3	199	22.0	18.5-25.5	58	6.5	04.3-08.7	24	2.1	01.1-03.1
Some Post-H.S.	967	211,240	3	0.2	00.0-00.4	258	27.7	23.8-31.6	398	39.6	35.5-43.7	228	24.0	20.3-27.7	64	7.0	04.8-09.2	16	1.6	00.6-02.6
College Graduate	1479	221,962	9	0.7	00.1-01.3	380	25.6	22.3-28.9	668	45.1	41.6-48.6	323	21.3	18.6-24.0	89	6.3	04.5-08.1	10	0.9	00.1-01.7
Less than \$15,000	154	25,623	2	1.9	00.0-05.0	48	33.8	24.0-43.6	58	37.5	27.5-47.5	33	20.0	12.6-27.4	10	5.6	01.7-09.5	3	1.2	00.0-02.6
\$15,000-24,999	280	53,254	5	1.3	00.1-02.5	94	33.8	26.4-41.2	117	35.9	28.5-43.3	45	18.8	11.2-26.4	14	7.0	01.9-12.1	5	3.3	00.0-06.6
\$25,000-34,999	371	74,152	2	0.5	00.0-01.3	108	29.1	22.2-36.0	152	41.7	34.4-49.0	74	17.8	12.9-22.7	23	6.0	02.9-09.1	12	4.8	00.9-08.7
\$35,000-49,999	407	84,121	3	0.6	00.0-01.4	98	27.4	20.3-34.5	176	40.8	33.5-48.1	97	23.8	17.7-29.9	22	4.9	02.4-07.4	11	2.5	00.7-04.3
\$50,000-99,999	1028	210,513	4	0.8	00.0-02.0	229	22.0	18.5-25.5	485	46.4	42.1-50.7	231	22.3	18.8-25.8	66	6.8	04.6-09.0	13	1.8	00.6-03.0
\$100,000-199,999	622	127,475	3	1.0	00.0-02.2	147	22.0	17.7-26.3	273	43.9	38.8-49.0	146	22.8	18.7-26.9	47	7.9	05.4-10.4	6	2.4	00.0-04.9
\$200,000+	153	34,107	1	0.5	00.0-01.5	34	26.4	17.4-35.4	68	40.4	31.2-49.6	39	26.7	18.5-34.9	10	4.9	01.2-08.6	1	1.2	00.0-03.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1677	367,270	4	0.2	00.0-00.4	177	12.1	09.9-14.3	783	46.1	43.0-49.2	516	28.8	25.9-31.7	152	9.1	07.3-10.9	45	3.7	02.1-05.3
White/Non-Hisp	1168	219,043	2	0.1	00.1-00.1	102	9.6	07.2-12.0	554	47.8	44.1-51.5	377	30.8	27.3-34.3	103	8.4	06.4-10.4	30	3.3	01.5-05.1
Black or Afr. Am./Non-Hisp	222	73,949				17	9.9	04.2-15.6	93	40.6	32.2-49.0	68	29.5	21.7-37.3	37	16.1	09.8-22.4	7	3.9	00.0-07.8
Oth. Race/Non-Hisp.	67	23,307	1	1.8	00.0-05.3	19	29.5	16.0-43.0	36	55.9	41.8-70.0	8	9.5	02.6-16.4	1	0.7	00.0-02.1	2	2.6	00.0-06.3
Hispanic	138	26,911	1	0.9	00.0-02.7	33	24.3	15.5-33.1	70	54.0	43.4-64.6	29	16.4	08.8-24.0	3	1.4	00.0-03.2	2	2.9	00.0-07.6
18-24	124	41,493	1	0.2	00.0-00.6	43	35.4	25.4-45.4	52	39.2	29.2-49.2	23	19.2	10.8-27.6	5	6.0	00.0-12.3			
25-34	165	60,841	1	0.7	00.0-02.1	27	18.8	10.6-27.0	78	44.7	35.1-54.3	40	21.8	14.2-29.4	10	5.2	01.7-08.7	9	8.8	01.9-15.7
35-44	222	56,786	1	0.4	00.0-01.2	19	7.3	03.2-11.4	103	45.8	37.6-54.0	61	29.8	22.2-37.4	26	11.3	06.0-16.6	12	5.4	01.7-09.1
45-54	233	51,413				13	7.3	02.6-12.0	100	39.9	31.9-47.9	87	37.8	29.8-45.8	29	13.0	07.3-18.7	4	2.0	00.0-04.2
55-64	299	63,718				19	5.7	02.4-09.0	128	47.3	39.7-54.9	100	29.8	22.9-36.7	41	13.9	08.8-19.0	11	3.3	00.6-06.0
65+	634	93,020	1	0.0	00.0-00.0	56	7.2	05.0-09.4	322	52.8	47.7-57.9	205	31.3	26.6-36.0	41	6.4	04.0-08.8	9	2.2	00.4-04.0
Less Than H.S.	104	34,358				21	17.1	09.3-24.9	50	45.5	33.7-57.3	18	14.8	07.5-22.1	6	4.0	00.7-07.3	9	18.7	06.7-30.7
H.S. or G.E.D.	445	117,386				49	10.4	06.5-14.3	210	48.0	41.9-54.1	132	30.1	24.4-35.8	35	8.3	05.0-11.6	19	3.2	01.4-05.0
Some Post-H.S.	424	106,777				45	14.1	09.0-19.2	189	44.2	37.9-50.5	136	28.8	23.1-34.5	43	10.6	06.7-14.5	11	2.4	00.6-04.2
College Graduate	700	108,407	3	0.6	00.0-01.4	61	10.3	07.2-13.4	332	46.1	41.2-51.0	230	31.8	27.3-36.3	68	10.3	07.4-13.2	6	0.8	00.0-01.6
Less than \$15,000	57	8,867				13	20.9	09.5-32.3	22	47.0	31.3-62.7	16	24.9	12.4-37.4	4	5.2	00.0-10.7	2	2.0	00.0-05.1
\$15,000- 24,999	103	20,268	1	0.4	00.0-01.2	22	19.9	10.7-29.1	44	39.7	27.4-52.0	22	20.3	08.9-31.7	11	12.8	02.4-23.2	3	6.9	00.0-15.3
\$25,000- 34,999	141	29,734				16	11.3	04.6-18.0	67	51.3	40.1-62.5	41	22.4	14.0-30.8	8	4.5	00.6-08.4	9	10.4	01.2-19.6
\$35,000- 49,999	179	40,507				22	12.5	05.4-19.6	81	44.5	33.9-55.1	56	32.5	22.3-42.7	15	7.5	02.6-12.4	5	3.0	00.1-05.9
\$50,000- 99,999	480	106,063	1	0.0	00.0-00.0	31	9.0	05.1-12.9	239	49.7	43.6-55.8	156	29.7	24.2-35.2	43	9.1	05.6-12.6	10	2.4	00.6-04.2
\$100,000 - 199,999	342	78,667	2	0.8	00.0-02.0	27	11.0	06.1-15.9	151	43.1	36.2-50.0	116	29.7	23.6-35.8	40	11.6	07.7-15.5	6	3.8	00.0-07.9
\$200,000+	97	21,298				5	8.4	00.4-16.4	50	46.9	35.1-58.7	31	35.1	23.9-46.3	10	7.8	02.1-13.5	1	1.9	00.0-05.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1974	370,762	21	1.3	00.5-02.1	788	40.7	37.6-43.8	816	39.4	36.3-42.5	266	14.2	12.0-16.4	68	3.6	02.4-04.8	15	0.8	00.2-01.4
White/Non-Hisp	1372	222,251	14	1.6	00.4-02.8	569	40.9	37.4-44.4	573	40.8	37.3-44.3	163	12.5	10.0-15.0	48	3.9	02.5-05.3	5	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	309	78,438	1	0.3	00.0-00.9	79	28.9	21.3-36.5	132	42.0	34.4-49.6	74	21.9	15.8-28.0	15	4.4	01.3-07.5	8	2.5	00.1-04.9
Hispanic	179	39,777	3	1.7	00.0-03.9	84	49.9	39.3-60.5	78	40.2	29.8-50.6	11	7.4	01.7-13.1	2	0.4	00.0-01.0	1	0.5	00.0-01.5
18-24	88	38,939	2	0.6	00.0-01.4	50	57.7	44.4-71.0	27	32.7	19.8-45.6	8	8.6	01.9-15.3	1	0.5	00.0-01.5			
25-34	185	56,941	3	1.5	00.0-03.3	82	41.9	32.5-51.3	61	33.2	24.4-42.0	25	16.5	08.9-24.1	9	4.3	00.8-07.8	5	2.6	00.0-05.5
35-44	236	56,649	3	3.0	00.0-07.3	85	37.6	29.0-46.2	95	37.3	29.1-45.5	43	17.1	11.4-22.8	9	4.5	00.8-08.2	1	0.6	00.0-01.8
45-54	278	50,768	1	1.2	00.0-03.6	95	34.5	27.1-41.9	114	39.1	31.3-46.9	48	18.0	12.3-23.7	17	5.9	02.0-09.8	3	1.3	00.0-02.9
55-64	379	63,781	1	0.4	00.0-01.2	135	34.5	28.2-40.8	169	48.8	42.1-55.5	58	12.6	08.9-16.3	13	3.0	01.0-05.0	3	0.7	00.0-01.5
65+	808	103,683	11	1.2	00.4-02.0	341	42.3	37.4-47.2	350	40.7	36.0-45.4	84	12.5	08.6-16.4	19	3.1	01.3-04.9	3	0.2	00.0-00.6
Less Than H.S.	127	37,158	3	2.3	00.0-05.0	47	41.7	29.2-54.2	59	40.9	28.6-53.2	14	10.4	03.5-17.3	3	4.4	00.0-09.5	1	0.4	00.0-01.2
H.S. or G.E.D.	522	114,980	9	2.4	00.0-04.8	207	39.9	34.2-45.6	211	38.2	32.5-43.9	67	13.8	09.7-17.9	23	4.7	02.2-07.2	5	0.9	00.1-01.7
Some Post-H.S.	543	104,463	3	0.4	00.0-01.0	213	41.5	35.8-47.2	209	34.8	29.7-39.9	92	19.1	14.2-24.0	21	3.3	01.5-05.1	5	0.8	00.0-01.6
College Graduate	779	113,555	6	0.8	00.0-01.6	319	40.3	35.0-45.6	336	44.2	38.9-49.5	93	11.4	08.7-14.1	21	2.4	01.0-03.8	4	0.9	00.0-02.3
Less than \$15,000	97	16,757	2	2.9	00.0-07.6	35	40.7	27.6-53.8	36	32.5	20.2-44.8	17	17.3	08.1-26.5	6	5.8	00.5-11.1	1	0.8	00.0-02.4
\$15,000- 24,999	177	32,986	4	1.8	00.0-03.6	72	42.3	31.9-52.7	73	33.6	24.4-42.8	23	17.9	07.9-27.9	3	3.5	00.0-08.8	2	1.0	00.0-02.4
\$25,000- 34,999	230	44,418	2	0.9	00.0-02.3	92	41.1	31.3-50.9	85	35.3	26.3-44.3	33	14.7	08.6-20.8	15	6.9	02.2-11.6	3	1.1	00.0-02.7
\$35,000- 49,999	228	43,614	3	1.2	00.0-02.8	76	41.3	30.7-51.9	95	37.3	27.5-47.1	41	15.7	09.6-21.8	7	2.5	00.3-04.7	6	2.1	00.3-03.9
\$50,000- 99,999	548	104,451	3	1.5	00.0-03.9	198	35.2	29.5-40.9	246	42.9	37.0-48.8	75	14.7	10.2-19.2	23	4.5	02.1-06.9	3	1.2	00.0-02.8
\$100,000 - 199,999	280	48,809	1	1.2	00.0-03.6	120	39.9	32.5-47.3	122	45.3	37.7-52.9	30	11.6	06.7-16.5	7	1.9	00.3-03.5			
\$200,000+	56	12,809	1	1.3	00.0-03.8	29	56.4	40.7-72.1	18	29.6	15.1-44.1	8	12.7	03.1-22.3						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3550	713,849	32	1.0	00.6-01.4	920	27.2	25.0-29.4	1284	34.0	31.8-36.2	750	21.4	19.4-23.4	564	16.4	14.6-18.2
Male	1650	361,727	13	1.1	00.3-01.9	363	24.0	21.1-26.9	695	39.7	36.6-42.8	355	20.4	17.9-22.9	224	14.8	12.4-17.2
Female	1900	352,121	19	1.0	00.4-01.6	557	30.4	27.3-33.5	589	28.1	25.4-30.8	395	22.4	19.5-25.3	340	18.0	15.5-20.5
White/Non-Hisp	2499	431,704	24	1.3	00.7-01.9	668	27.5	25.1-29.9	932	36.0	33.5-38.5	515	20.2	18.0-22.4	360	15.0	13.0-17.0
Black or Afr. Am./Non-Hisp	525	151,154	3	0.5	00.0-01.3	102	23.0	17.5-28.5	156	27.3	22.4-32.2	125	24.9	19.8-30.0	139	24.2	19.3-29.1
Oth. Race/Non-Hisp.	107	35,005	3	2.2	00.0-05.1	43	41.8	30.0-53.6	36	34.9	23.7-46.1	15	16.3	06.1-26.5	10	4.8	01.3-08.3
MultiRacial/Non-Hisp.	73	27,915	19	37.8	21.1-54.5	19	37.8	21.1-54.5	21	22.0	10.6-33.4	18	21.0	09.6-32.4	15	19.2	08.2-30.2
Hispanic	268	55,106	2	0.7	00.0-01.7	66	22.0	15.5-28.5	111	42.0	33.8-50.2	64	25.0	17.0-33.0	25	10.4	05.1-15.7
18-24	198	74,317	3	1.5	00.0-03.5	95	46.7	37.9-55.5	48	23.7	16.6-30.8	38	19.9	12.6-27.2	14	8.1	03.2-13.0
25-34	321	109,911	6	2.1	00.0-04.3	95	30.9	24.0-37.8	118	32.6	26.3-38.9	45	15.4	10.1-20.7	57	18.9	13.0-24.8
35-44	431	108,222	4	0.7	00.0-01.5	104	23.2	17.7-28.7	139	33.7	27.8-39.6	99	24.2	18.9-29.5	85	18.2	13.7-22.7
45-54	503	100,137	5	1.2	00.0-02.6	109	21.6	16.9-26.3	176	33.0	27.7-38.3	117	25.4	20.1-30.7	96	18.9	14.4-23.4
55-64	671	126,576	4	0.7	00.0-01.5	145	22.1	17.8-26.4	236	35.2	30.3-40.1	154	24.1	19.6-28.6	132	17.8	14.1-21.5
65+	1426	194,686	10	0.5	00.1-00.9	372	25.9	22.8-29.0	567	38.6	35.1-42.1	297	20.1	17.4-22.8	180	14.9	12.2-17.6
Less Than H.S.	200	62,779	2	0.7	00.0-01.7	44	23.4	15.0-31.8	69	29.4	21.6-37.2	41	20.7	12.7-28.7	44	25.8	17.4-34.2
H.S. or G.E.D.	936	224,867	12	1.4	00.2-02.6	247	28.0	24.1-31.9	309	33.3	29.4-37.2	209	21.3	17.8-24.8	159	15.9	12.8-19.0
Some Post-H.S.	952	207,852	8	0.9	00.1-01.7	239	27.6	23.5-31.7	335	33.2	29.3-37.1	198	20.3	17.0-23.6	172	18.0	14.7-21.3
College Graduate	1456	217,483	10	0.9	00.3-01.5	388	27.0	23.7-30.3	569	36.7	33.4-40.0	300	22.8	19.7-25.9	189	12.7	10.5-14.9
Less than \$15,000	139	23,112				33	20.9	12.7-29.1	42	37.1	26.1-48.1	36	24.2	15.2-33.2	28	17.8	10.4-25.2
\$15,000-24,999	262	48,659	3	0.7	00.0-01.5	77	27.7	20.6-34.8	80	28.8	21.4-36.2	48	16.5	10.6-22.4	54	26.3	17.7-34.9
\$25,000-34,999	364	72,884	3	0.9	00.0-01.9	95	30.5	23.1-37.9	111	27.3	21.2-33.4	76	19.4	13.5-25.3	79	21.9	15.8-28.0
\$35,000-49,999	400	82,202	4	1.1	00.0-02.5	86	23.6	16.7-30.5	151	36.2	29.1-43.3	89	24.0	17.3-30.7	70	15.0	10.7-19.3
\$50,000-99,999	1010	206,765	7	0.8	00.2-01.4	247	26.2	22.1-30.3	368	34.0	30.1-37.9	232	23.3	19.6-27.0	156	15.8	12.5-19.1
\$100,000-199,999	613	125,399	5	1.1	00.0-02.3	150	26.1	21.2-31.0	256	40.0	34.9-45.1	118	18.0	14.3-21.7	84	14.8	10.9-18.7
\$200,000+	150	33,345	1	0.5	00.0-01.5	45	32.5	23.1-41.9	58	36.1	27.1-45.1	34	23.4	15.4-31.4	12	7.5	02.6-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1650	361,727	13	1.1	00.3-01.9	363	24.0	21.1-26.9	695	39.7	36.6-42.8	355	20.4	17.9-22.9	224	14.8	12.4-17.2			
White/Non-Hisp	1156	216,554	9	1.3	00.1-02.5	244	23.1	19.8-26.4	501	41.4	37.7-45.1	255	20.4	17.5-23.3	147	13.8	11.1-16.5			
Black or Afr. Am./Non-Hisp	220	73,341	2	0.7	00.0-01.9	48	24.3	16.5-32.1	76	31.2	23.4-39.0	45	21.8	14.5-29.1	49	21.9	14.6-29.2			
Oth. Race/Non-Hisp.	67	23,307	1	1.8	00.0-05.3	26	39.7	25.6-53.8	27	43.7	29.6-57.8	8	10.2	02.9-17.5	5	4.6	00.1-09.1			
Hispanic	126	24,730	1	0.5	00.0-01.5	31	21.1	12.5-29.7	61	50.8	39.6-62.0	26	20.2	11.2-29.2	7	7.4	00.5-14.3			
18-24	120	40,525	3	2.8	00.0-06.3	62	50.7	40.1-61.3	27	22.4	13.6-31.2	21	17.2	09.6-24.8	7	6.9	00.4-13.4			
25-34	161	59,730	4	3.0	00.0-06.5	41	31.1	21.5-40.7	69	34.9	26.1-43.7	24	15.0	08.3-21.7	23	15.9	08.1-23.7			
35-44	215	55,220	1	0.3	00.0-00.9	44	16.6	10.7-22.5	82	42.9	34.5-51.3	53	24.5	17.6-31.4	35	15.8	09.5-22.1			
45-54	230	50,975	1	0.2	00.0-00.6	38	16.9	10.4-23.4	99	39.8	31.8-47.8	54	25.0	17.6-32.4	38	18.2	11.7-24.7			
55-64	298	63,567	3	1.1	00.0-02.5	42	14.9	09.0-20.8	126	43.2	35.6-50.8	71	21.8	15.3-28.3	56	19.0	13.1-24.9			
65+	626	91,710	1	0.0	00.0-00.0	136	22.3	17.8-26.8	292	46.0	40.9-51.1	132	19.5	15.6-23.4	65	12.2	08.7-15.7			
Less Than H.S.	94	32,193				24	25.5	14.5-36.5	36	32.5	21.5-43.5	14	13.4	06.1-20.7	20	28.5	15.8-41.2			
H.S. or G.E.D.	439	115,477	3	1.1	00.0-02.9	102	24.4	18.9-29.9	176	41.3	35.2-47.4	90	19.2	14.5-23.9	68	14.0	09.9-18.1			
Some Post-H.S.	421	106,497	3	1.1	00.0-02.5	92	25.8	19.9-31.7	174	38.4	32.3-44.5	95	20.6	15.7-25.5	57	14.1	09.8-18.4			
College Graduate	693	107,298	7	1.3	00.1-02.5	144	21.3	17.2-25.4	308	41.3	36.6-46.0	155	23.7	19.4-28.0	79	12.3	09.2-15.4			
Less than \$15,000	51	7,861				16	29.2	14.1-44.3	15	32.3	16.8-47.8	13	30.5	14.4-46.6	7	8.0	01.3-14.7			
\$15,000- 24,999	100	19,531				32	26.1	16.1-36.1	36	34.5	22.0-47.0	13	15.7	05.3-26.1	19	23.8	11.1-36.5			
\$25,000- 34,999	139	29,496	2	1.4	00.0-03.4	31	28.2	17.6-38.8	54	35.1	24.7-45.5	28	14.0	07.7-20.3	24	21.2	10.8-31.6			
\$35,000- 49,999	179	40,507	1	1.2	00.0-03.6	36	19.5	11.1-27.9	75	42.4	31.8-53.0	44	24.2	15.0-33.4	23	12.8	06.7-18.9			
\$50,000- 99,999	473	105,098	2	0.6	00.0-01.6	94	22.0	16.5-27.5	211	43.1	37.0-49.2	105	20.8	15.9-25.7	61	13.6	09.3-17.9			
\$100,000 - 199,999	339	77,879	3	0.8	00.0-02.0	62	24.1	17.4-30.8	153	41.4	34.5-48.3	72	17.4	12.9-21.9	49	16.2	10.7-21.7			
\$200,000+	96	20,794	1	0.9	00.0-02.7	20	20.9	10.9-30.9	42	41.6	30.0-53.2	26	29.4	18.6-40.2	7	7.2	00.9-13.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	1900	352,121	19	1.0	00.4-01.6	557	30.4	27.3-33.5	589	28.1	25.4-30.8	395	22.4	19.5-25.3	340	18.0	15.5-20.5			
White/Non-Hisp	1343	215,150	15	1.2	00.4-02.0	424	31.9	28.6-35.2	431	30.5	27.2-33.8	260	20.1	17.0-23.2	213	16.3	13.4-19.2			
Black or Afr. Am./Non-Hisp	305	77,813	1	0.3	00.0-00.9	54	21.8	14.4-29.2	80	23.5	17.4-29.6	80	27.8	20.7-34.9	90	26.5	19.8-33.2			
Hispanic	142	30,377	1	0.9	00.0-02.7	35	22.6	13.2-32.0	50	34.7	23.3-46.1	38	28.9	16.7-41.1	18	12.9	05.1-20.7			
18-24	78	33,792				33	41.9	27.4-56.4	21	25.3	13.9-36.7	17	23.2	10.3-36.1	7	9.6	02.0-17.2			
25-34	160	50,181	2	1.1	00.0-02.7	54	30.7	21.3-40.1	49	29.9	20.5-39.3	21	15.8	07.6-24.0	34	22.5	13.5-31.5			
35-44	216	53,002	3	1.2	00.0-02.6	60	30.1	21.3-38.9	57	24.1	16.8-31.4	46	23.9	16.1-31.7	50	20.7	14.2-27.2			
45-54	273	49,162	4	2.3	00.0-05.0	71	26.4	19.5-33.3	77	25.9	19.6-32.2	63	25.8	18.2-33.4	58	19.6	13.5-25.7			
55-64	373	63,009	1	0.4	00.0-01.2	103	29.3	23.0-35.6	110	27.2	21.5-32.9	83	26.4	19.9-32.9	76	16.6	12.3-20.9			
65+	800	102,976	9	0.9	00.3-01.5	236	29.2	24.7-33.7	275	31.9	27.6-36.2	165	20.6	16.7-24.5	115	17.3	13.2-21.4			
Less Than H.S.	106	30,586	2	1.4	00.0-03.6	20	21.2	08.5-33.9	33	26.1	14.7-37.5	27	28.3	14.6-42.0	24	23.0	12.2-33.8			
H.S. or G.E.D.	497	109,390	9	1.8	00.4-03.2	145	31.9	26.2-37.6	133	24.9	20.0-29.8	119	23.5	18.2-28.8	91	18.0	13.5-22.5			
Some Post-H.S.	531	101,355	5	0.7	00.0-01.5	147	29.5	24.0-35.0	161	27.7	22.8-32.6	103	19.9	15.2-24.6	115	22.1	17.0-27.2			
College Graduate	763	110,185	3	0.4	00.0-01.0	244	32.4	27.1-37.7	261	32.3	27.6-37.0	145	21.9	17.2-26.6	110	13.0	09.9-16.1			
Less than \$15,000	88	15,252				17	16.6	07.2-26.0	27	39.6	25.3-53.9	23	20.9	10.3-31.5	21	22.9	12.3-33.5			
\$15,000- 24,999	162	29,129	3	1.1	00.0-02.5	45	28.8	19.2-38.4	44	25.0	16.2-33.8	35	17.0	09.9-24.1	35	28.0	16.4-39.6			
\$25,000- 34,999	225	43,388	1	0.6	00.0-01.8	64	32.1	22.1-42.1	57	22.0	14.9-29.1	48	23.0	14.4-31.6	55	22.3	14.9-29.7			
\$35,000- 49,999	221	41,695	3	1.1	00.0-02.7	50	27.7	17.3-38.1	76	30.2	21.2-39.2	45	23.9	14.1-33.7	47	17.2	11.1-23.3			
\$50,000- 99,999	537	101,668	5	1.0	00.0-02.0	153	30.4	24.5-36.3	157	24.7	19.8-29.6	127	25.9	20.4-31.4	95	18.0	13.1-22.9			
\$100,000 - 199,999	274	47,520	2	1.6	00.0-04.1	88	29.4	22.5-36.3	103	37.7	30.1-45.3	46	18.9	12.8-25.0	35	12.4	07.7-17.1			
\$200,000+	54	12,552				25	51.6	35.3-67.9	16	26.9	13.4-40.4	8	13.6	01.8-25.4	5	7.9	00.1-15.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3550	713,849	47	1.4	00.8-02.0	904	26.8	24.6-29.0	1281	33.9	31.7-36.1	1318	37.9	35.5-40.3
Male	1650	361,727	19	1.4	00.6-02.2	356	23.6	20.7-26.5	694	39.6	36.5-42.7	581	35.3	32.2-38.4
Female	1900	352,121	28	1.4	00.8-02.0	548	30.0	26.9-33.1	587	28.1	25.4-30.8	737	40.5	37.2-43.8
White/Non-Hisp	2499	431,704	37	1.7	00.9-02.5	654	27.0	24.6-29.4	930	36.0	33.5-38.5	878	35.3	32.8-37.8
Black or Afr. Am./Non-Hisp	525	151,154	4	0.6	00.0-01.4	101	23.0	17.5-28.5	156	27.3	22.4-32.2	264	49.2	43.3-55.1
Oth. Race/Non-Hisp.	107	35,005	4	4.4	00.0-09.5	42	39.6	27.8-51.4	36	34.9	23.7-46.1	25	21.1	10.7-31.5
MultiRacial/Non-Hisp.	73	27,915	19	37.8	21.1-54.5	21	22.0	10.6-33.4	33	40.1	25.4-54.8	33	40.1	25.4-54.8
Hispanic	268	55,106	2	0.7	00.0-01.7	66	22.0	15.5-28.5	111	42.0	33.8-50.2	89	35.4	27.0-43.8
18-24	198	74,317	5	1.9	00.0-03.9	93	46.4	37.6-55.2	48	23.7	16.6-30.8	52	28.0	20.0-36.0
25-34	321	109,911	7	2.2	00.0-04.4	94	30.8	23.9-37.7	118	32.6	26.3-38.9	102	34.3	27.2-41.4
35-44	431	108,222	6	1.4	00.2-02.6	102	22.5	17.2-27.8	139	33.7	27.8-39.6	184	42.4	36.3-48.5
45-54	503	100,137	6	1.3	00.0-02.7	108	21.5	16.8-26.2	174	32.7	27.4-38.0	215	44.6	38.7-50.5
55-64	671	126,576	5	1.3	00.0-02.7	144	21.5	17.2-25.8	235	35.1	30.2-40.0	287	42.0	36.9-47.1
65+	1426	194,686	18	0.9	00.5-01.3	363	25.5	22.4-28.6	567	38.6	35.1-42.1	478	35.0	31.5-38.5
Less Than H.S.	200	62,779	3	1.0	00.0-02.2	43	23.1	14.7-31.5	69	29.4	21.6-37.2	85	46.5	37.1-55.9
H.S. or G.E.D.	936	224,867	18	1.9	00.7-03.1	241	27.5	23.6-31.4	308	33.3	29.4-37.2	369	37.3	33.2-41.4
Some Post-H.S.	952	207,852	11	1.1	00.3-01.9	236	27.5	23.4-31.6	335	33.2	29.3-37.1	370	38.3	34.2-42.4
College Graduate	1456	217,483	15	1.3	00.3-02.3	382	26.4	23.1-29.7	567	36.7	33.4-40.0	492	35.6	32.1-39.1
Less than \$15,000	139	23,112				33	20.9	12.7-29.1	42	37.1	26.1-48.1	64	42.0	31.6-52.4
\$15,000-24,999	262	48,659	3	0.7	00.0-01.5	77	27.7	20.6-34.8	80	28.8	21.4-36.2	102	42.8	34.2-51.4
\$25,000-34,999	364	72,884	4	1.3	00.1-02.5	94	30.2	22.8-37.6	111	27.3	21.2-33.4	155	41.3	34.0-48.6
\$35,000-49,999	400	82,202	7	1.3	00.0-02.7	83	23.4	16.5-30.3	149	36.0	28.9-43.1	161	39.3	32.0-46.6
\$50,000-99,999	1010	206,765	13	1.6	00.4-02.8	240	25.3	21.4-29.2	367	34.0	30.1-37.9	390	39.2	34.9-43.5
\$100,000-199,999	613	125,399	5	1.1	00.0-02.3	150	26.1	21.2-31.0	256	40.0	34.9-45.1	202	32.8	27.9-37.7
\$200,000+	150	33,345	2	1.1	00.0-02.5	44	32.0	22.6-41.4	58	36.1	27.1-45.1	46	30.9	22.1-39.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1650	361,727	19	1.4	00.6-02.2	356	23.6	20.7-26.5	694	39.6	36.5-42.7	581	35.3	32.2-38.4
White/Non-Hisp	1156	216,554	14	1.5	00.3-02.7	238	22.8	19.5-26.1	501	41.4	37.7-45.1	403	34.3	30.8-37.8
Black or Afr. Am./Non-Hisp	220	73,341	2	0.7	00.0-01.9	48	24.3	16.5-32.1	76	31.2	23.4-39.0	94	43.7	35.1-52.3
Oth. Race/Non-Hisp.	67	23,307	2	5.1	00.0-12.2	25	36.4	22.7-50.1	27	43.7	29.6-57.8	13	14.8	06.4-23.2
Hispanic	126	24,730	1	0.5	00.0-01.5	31	21.1	12.5-29.7	61	50.8	39.6-62.0	33	27.6	17.2-38.0
18-24	120	40,525	5	3.5	00.0-07.0	60	50.0	39.4-60.6	27	22.4	13.6-31.2	28	24.1	14.9-33.3
25-34	161	59,730	5	3.2	00.0-06.7	40	31.0	21.4-40.6	69	34.9	26.1-43.7	47	31.0	21.8-40.2
35-44	215	55,220	1	0.3	00.0-00.9	44	16.6	10.7-22.5	82	42.9	34.5-51.3	88	40.3	32.1-48.5
45-54	230	50,975	1	0.2	00.0-00.6	38	16.9	10.4-23.4	97	39.2	31.2-47.2	94	43.8	35.4-52.2
55-64	298	63,567	4	2.3	00.0-05.0	41	13.7	08.2-19.2	126	43.2	35.6-50.8	127	40.8	33.4-48.2
65+	626	91,710	3	0.2	00.0-00.4	133	22.0	17.5-26.5	293	46.2	41.1-51.3	197	31.7	27.0-36.4
Less Than H.S.	94	32,193				24	25.5	14.5-36.5	36	32.5	21.5-43.5	34	42.0	29.3-54.7
H.S. or G.E.D.	439	115,477	5	1.4	00.0-03.2	100	24.1	18.6-29.6	175	41.2	35.1-47.3	159	33.3	27.6-39.0
Some Post-H.S.	421	106,497	5	1.3	00.0-02.7	90	25.6	19.7-31.5	174	38.4	32.3-44.5	152	34.7	28.8-40.6
College Graduate	693	107,298	9	2.1	00.3-03.9	141	20.5	16.6-24.4	308	41.3	36.6-46.0	235	36.1	31.4-40.8
Less than \$15,000	51	7,861				16	29.2	14.1-44.3	15	32.3	16.8-47.8	20	38.5	22.2-54.8
\$15,000- 24,999	100	19,531				32	26.1	16.1-36.1	36	34.5	22.0-47.0	32	39.5	25.8-53.2
\$25,000- 34,999	139	29,496	2	1.4	00.0-03.4	31	28.2	17.6-38.8	54	35.1	24.7-45.5	52	35.3	24.3-46.3
\$35,000- 49,999	179	40,507	2	1.4	00.0-03.8	35	19.2	10.8-27.6	74	42.0	31.4-52.6	68	37.3	27.3-47.3
\$50,000- 99,999	473	105,098	5	1.5	00.0-03.3	90	20.9	15.4-26.4	211	43.1	37.0-49.2	167	34.5	28.6-40.4
\$100,000 - 199,999	339	77,879	3	0.8	00.0-02.0	62	24.1	17.4-30.8	153	41.4	34.5-48.3	121	33.7	27.2-40.2
\$200,000+	96	20,794	1	0.9	00.0-02.7	20	20.9	10.9-30.9	42	41.6	30.0-53.2	33	36.6	25.2-48.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1900	352,121	28	1.4	00.8-02.0	548	30.0	26.9-33.1	587	28.1	25.4-30.8	737	40.5	37.2-43.8
White/Non-Hisp	1343	215,150	23	1.9	00.9-02.9	416	31.3	28.0-34.6	429	30.5	27.2-33.8	475	36.4	32.7-40.1
Black or Afr. Am./Non-Hisp	305	77,813	2	0.4	00.0-01.2	53	21.7	14.3-29.1	80	23.5	17.4-29.6	170	54.3	46.5-62.1
Hispanic	142	30,377	1	0.9	00.0-02.7	35	22.6	13.2-32.0	50	34.7	23.3-46.1	56	41.8	29.5-54.1
18-24	78	33,792				33	41.9	27.4-56.4	21	25.3	13.9-36.7	24	32.7	18.8-46.6
25-34	160	50,181	2	1.1	00.0-02.7	54	30.7	21.3-40.1	49	29.9	20.5-39.3	55	38.3	27.9-48.7
35-44	216	53,002	5	2.7	00.2-05.2	58	28.7	19.9-37.5	57	24.1	16.8-31.4	96	44.6	35.8-53.4
45-54	273	49,162	5	2.4	00.0-05.1	70	26.2	19.3-33.1	77	25.9	19.6-32.2	121	45.4	37.4-53.4
55-64	373	63,009	1	0.4	00.0-01.2	103	29.3	23.0-35.6	109	27.1	21.4-32.8	160	43.2	36.5-49.9
65+	800	102,976	15	1.5	00.7-02.3	230	28.7	24.2-33.2	274	31.8	27.5-36.1	281	38.0	33.1-42.9
Less Than H.S.	106	30,586	3	2.1	00.0-04.6	19	20.5	07.8-33.2	33	26.1	14.7-37.5	51	51.3	37.2-65.4
H.S. or G.E.D.	497	109,390	13	2.6	00.8-04.4	141	31.1	25.4-36.8	133	24.9	20.0-29.8	210	41.4	35.5-47.3
Some Post-H.S.	531	101,355	6	0.8	00.0-01.6	146	29.4	23.9-34.9	161	27.7	22.8-32.6	218	42.0	36.1-47.9
College Graduate	763	110,185	6	0.6	00.0-01.2	241	32.2	26.9-37.5	259	32.1	27.4-36.8	257	35.1	30.0-40.2
Less than \$15,000	88	15,252				17	16.6	07.2-26.0	27	39.6	25.3-53.9	44	43.8	30.3-57.3
\$15,000- 24,999	162	29,129	3	1.1	00.0-02.5	45	28.8	19.2-38.4	44	25.0	16.2-33.8	70	45.1	33.7-56.5
\$25,000- 34,999	225	43,388	2	1.2	00.0-03.0	63	31.5	21.5-41.5	57	22.0	14.9-29.1	103	45.3	35.5-55.1
\$35,000- 49,999	221	41,695	5	1.3	00.0-02.9	48	27.5	17.1-37.9	75	30.0	21.0-39.0	93	41.2	31.0-51.4
\$50,000- 99,999	537	101,668	8	1.6	00.2-03.0	150	29.8	24.1-35.5	156	24.6	19.7-29.5	223	44.0	37.9-50.1
\$100,000 - 199,999	274	47,520	2	1.6	00.0-04.1	88	29.4	22.5-36.3	103	37.7	30.1-45.3	81	31.3	24.2-38.4
\$200,000+	54	12,552	1	1.4	00.0-04.1	24	50.2	33.7-66.7	16	26.9	13.4-40.4	13	21.5	08.2-34.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3550	713,849	951	28.2	26.0-30.4	2599	71.8	69.6-74.0
Male	1650	361,727	375	25.0	22.1-27.9	1275	75.0	72.1-77.9
Female	1900	352,121	576	31.4	28.3-34.5	1324	68.6	65.5-71.7
White/Non-Hisp	2499	431,704	691	28.7	26.3-31.1	1808	71.3	68.9-73.7
Black or Afr. Am./Non-Hisp	525	151,154	105	23.6	18.1-29.1	420	76.4	70.9-81.9
Oth. Race/Non-Hisp.	107	35,005	46	43.9	31.9-55.9	61	56.1	44.1-68.1
MultiRacial/Non-Hisp.	73	27,915	19	37.8	21.1-54.5	54	62.2	45.5-78.9
Hispanic	268	55,106	68	22.7	16.2-29.2	200	77.3	70.8-83.8
18-24	198	74,317	98	48.3	39.5-57.1	100	51.7	42.9-60.5
25-34	321	109,911	101	33.1	26.2-40.0	220	66.9	60.0-73.8
35-44	431	108,222	108	23.9	18.4-29.4	323	76.1	70.6-81.6
45-54	503	100,137	114	22.8	17.9-27.7	389	77.2	72.3-82.1
55-64	671	126,576	149	22.9	18.6-27.2	522	77.1	72.8-81.4
65+	1426	194,686	381	26.4	23.3-29.5	1045	73.6	70.5-76.7
Less Than H.S.	200	62,779	46	24.1	15.7-32.5	154	75.9	67.5-84.3
H.S. or G.E.D.	936	224,867	259	29.5	25.6-33.4	677	70.5	66.6-74.4
Some Post-H.S.	952	207,852	247	28.5	24.4-32.6	705	71.5	67.4-75.6
College Graduate	1456	217,483	397	27.7	24.4-31.0	1059	72.3	69.0-75.6
Less than \$15,000	139	23,112	33	20.9	12.7-29.1	106	79.1	70.9-87.3
\$15,000-24,999	262	48,659	80	28.4	21.3-35.5	182	71.6	64.5-78.7
\$25,000-34,999	364	72,884	98	31.4	24.0-38.8	266	68.6	61.2-76.0
\$35,000-49,999	400	82,202	90	24.8	17.9-31.7	310	75.2	68.3-82.1
\$50,000-99,999	1010	206,765	253	26.8	22.7-30.9	757	73.2	69.1-77.3
\$100,000-199,999	613	125,399	155	27.2	22.3-32.1	458	72.8	67.9-77.7
\$200,000+	150	33,345	46	33.0	23.6-42.4	104	67.0	57.6-76.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1650	361,727	375	25.0	22.1-27.9	1275	75.0	72.1-77.9
White/Non-Hisp	1156	216,554	252	24.3	20.8-27.8	904	75.7	72.2-79.2
Black or Afr. Am./Non-Hisp	220	73,341	50	25.1	17.3-32.9	170	74.9	67.1-82.7
Oth. Race/Non-Hisp.	67	23,307	27	41.5	27.4-55.6	40	58.5	44.4-72.6
Hispanic	126	24,730	32	21.6	13.0-30.2	94	78.4	69.8-87.0
18-24	120	40,525	65	53.5	42.9-64.1	55	46.5	35.9-57.1
25-34	161	59,730	45	34.2	24.4-44.0	116	65.8	56.0-75.6
35-44	215	55,220	45	16.8	10.9-22.7	170	83.2	77.3-89.1
45-54	230	50,975	39	17.0	10.5-23.5	191	83.0	76.5-89.5
55-64	298	63,567	45	16.0	10.1-21.9	253	84.0	78.1-89.9
65+	626	91,710	136	22.2	17.7-26.7	490	77.8	73.3-82.3
Less Than H.S.	94	32,193	24	25.5	14.5-36.5	70	74.5	63.5-85.5
H.S. or G.E.D.	439	115,477	105	25.5	19.8-31.2	334	74.5	68.8-80.2
Some Post-H.S.	421	106,497	95	26.9	20.8-33.0	326	73.1	67.0-79.2
College Graduate	693	107,298	150	22.6	18.5-26.7	543	77.4	73.3-81.5
Less than \$15,000	51	7,861	16	29.2	14.1-44.3	35	70.8	55.7-85.9
\$15,000- 24,999	100	19,531	32	26.1	16.1-36.1	68	73.9	63.9-83.9
\$25,000- 34,999	139	29,496	33	29.6	18.8-40.4	106	70.4	59.6-81.2
\$35,000- 49,999	179	40,507	37	20.6	12.0-29.2	142	79.4	70.8-88.0
\$50,000- 99,999	473	105,098	95	22.4	16.7-28.1	378	77.6	71.9-83.3
\$100,000 - 199,999	339	77,879	65	24.9	18.2-31.6	274	75.1	68.4-81.8
\$200,000+	96	20,794	21	21.8	11.8-31.8	75	78.2	68.2-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1900	352,121	576	31.4	28.3-34.5	1324	68.6	65.5-71.7
White/Non-Hisp	1343	215,150	439	33.1	29.6-36.6	904	66.9	63.4-70.4
Black or Afr. Am./Non-Hisp	305	77,813	55	22.1	14.7-29.5	250	77.9	70.5-85.3
Hispanic	142	30,377	36	23.5	14.1-32.9	106	76.5	67.1-85.9
18-24	78	33,792	33	41.9	27.4-56.4	45	58.1	43.6-72.6
25-34	160	50,181	56	31.8	22.4-41.2	104	68.2	58.8-77.6
35-44	216	53,002	63	31.4	22.6-40.2	153	68.6	59.8-77.4
45-54	273	49,162	75	28.7	21.6-35.8	198	71.3	64.2-78.4
55-64	373	63,009	104	29.7	23.4-36.0	269	70.3	64.0-76.6
65+	800	102,976	245	30.2	25.7-34.7	555	69.8	65.3-74.3
Less Than H.S.	106	30,586	22	22.6	09.9-35.3	84	77.4	64.7-90.1
H.S. or G.E.D.	497	109,390	154	33.7	28.0-39.4	343	66.3	60.6-72.0
Some Post-H.S.	531	101,355	152	30.2	24.7-35.7	379	69.8	64.3-75.3
College Graduate	763	110,185	247	32.8	27.5-38.1	516	67.2	61.9-72.5
Less than \$15,000	88	15,252	17	16.6	07.2-26.0	71	83.4	74.0-92.8
\$15,000- 24,999	162	29,129	48	29.9	20.3-39.5	114	70.1	60.5-79.7
\$25,000- 34,999	225	43,388	65	32.7	22.7-42.7	160	67.3	57.3-77.3
\$35,000- 49,999	221	41,695	53	28.8	18.4-39.2	168	71.2	60.8-81.6
\$50,000- 99,999	537	101,668	158	31.4	25.5-37.3	379	68.6	62.7-74.5
\$100,000 - 199,999	274	47,520	90	31.0	23.9-38.1	184	69.0	61.9-76.1
\$200,000+	54	12,552	25	51.6	35.3-67.9	29	48.4	32.1-64.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

**SECTION 9: DEMOGRAPHICS
TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3887	785,776	2877	67.3	65.1-69.5	455	14.3	12.7-15.9	325	10.2	08.8-11.6	154	5.6	04.4-06.8	55	1.9	01.3-02.5	21	0.8	00.4-01.2
Male	1705	373,708	1290	69.4	66.3-72.5	191	13.6	11.2-16.0	133	9.5	07.5-11.5	64	5.1	03.5-06.7	21	1.9	00.7-03.1	6	0.5	00.1-00.9
Female	2182	412,068	1587	65.5	62.6-68.4	264	14.8	12.6-17.0	192	10.8	08.8-12.8	90	6.0	04.4-07.6	34	1.9	01.1-02.7	15	1.1	00.5-01.7
White/Non-Hisp	2681	464,002	2149	74.2	71.8-76.6	252	11.4	09.6-13.2	178	8.5	06.9-10.1	67	3.9	02.5-05.3	25	1.1	00.5-01.7	10	0.8	00.2-01.4
Black or Afr. Am./Non-Hisp	582	167,199	382	61.7	56.4-67.0	93	17.4	13.3-21.5	54	9.4	06.1-12.7	38	7.6	04.9-10.3	11	3.4	00.9-05.9	4	0.5	00.0-01.1
Oth. Race/Non-Hisp.	112	36,315	68	54.4	42.6-66.2	19	22.9	11.7-34.1	19	18.5	09.3-27.7	3	1.7	00.0-04.1	3	2.5	00.0-05.2			
MultiRacial/Non-Hisp.	76	29,024	46	65.6	51.5-79.7	14	13.2	02.6-23.8	9	9.9	02.5-17.3	5	9.7	00.7-18.7	1	0.7	00.0-02.1	1	1.0	00.0-03.0
Hispanic	340	72,632	155	40.2	33.1-47.3	68	22.7	16.6-28.8	57	19.0	12.5-25.5	39	12.5	08.0-17.0	15	3.7	01.5-05.9	6	2.0	00.0-04.0
18-24	226	83,972	136	58.0	50.0-66.0	52	23.6	16.9-30.3	18	9.5	04.0-15.0	15	6.9	03.0-10.8	4	1.3	00.1-02.5	1	0.8	00.0-02.4
25-34	357	120,888	171	50.7	44.0-57.4	62	17.4	12.3-22.5	59	14.4	09.7-19.1	42	11.4	07.1-15.7	17	4.4	01.9-06.9	6	1.8	00.0-03.6
35-44	481	119,980	150	29.0	23.9-34.1	106	22.9	17.8-28.0	128	27.0	21.9-32.1	61	14.1	09.8-18.4	27	5.1	02.7-07.5	9	1.8	00.4-03.2
45-54	556	111,853	306	56.0	50.5-61.5	144	24.3	19.8-28.8	79	14.4	10.9-17.9	20	3.8	01.6-06.0	3	0.6	00.0-01.6	4	0.9	00.0-01.9
55-64	739	137,610	648	86.2	82.7-89.7	58	9.2	06.5-11.9	22	2.6	01.2-04.0	8	1.0	00.2-01.8	2	1.0	00.0-02.8	1	0.1	00.0-00.3
65+	1528	211,473	1466	96.0	94.6-97.4	33	1.9	01.1-02.7	19	1.2	00.6-01.8	8	0.8	00.0-01.6	2	0.1	00.0-00.3			
Less Than H.S.	247	77,091	140	56.6	48.4-64.8	41	17.4	11.3-23.5	28	12.3	06.2-18.4	21	6.6	03.5-09.7	12	4.7	01.2-08.2	5	2.4	00.2-04.6
H.S. or G.E.D.	1021	242,817	762	69.3	65.4-73.2	128	15.1	12.2-18.0	72	8.6	06.1-11.1	36	4.0	02.2-05.8	15	2.2	00.6-03.8	8	0.8	00.0-01.6
Some Post-H.S.	1032	225,603	778	68.7	64.8-72.6	124	14.3	11.2-17.4	69	7.5	05.3-09.7	46	7.9	05.2-10.6	11	1.1	00.3-01.9	4	0.5	00.1-00.9
College Graduate	1575	237,740	1186	67.1	63.8-70.4	161	12.4	09.9-14.9	156	13.8	11.3-16.3	51	4.7	03.1-06.3	17	1.3	00.5-02.1	4	0.6	00.0-01.4
Less than \$15,000	160	27,132	110	61.0	51.2-70.8	21	16.0	08.4-23.6	18	14.5	07.1-21.9	6	4.2	00.5-07.9	2	1.2	00.0-03.4	3	3.1	00.0-06.8
\$15,000-24,999	288	55,393	212	70.0	62.6-77.4	29	12.9	06.8-19.0	23	8.8	04.3-13.3	15	5.3	02.4-08.2	9	3.1	00.9-05.3			
\$25,000-34,999	384	77,162	281	69.0	62.1-75.9	54	17.4	11.5-23.3	25	7.7	03.0-12.4	17	3.9	01.7-06.1	5	1.4	00.0-02.8	2	0.6	00.0-01.6
\$35,000-49,999	416	85,616	321	70.9	64.0-77.8	47	13.6	08.9-18.3	30	8.8	04.3-13.3	11	5.5	01.4-09.6	5	0.8	00.0-01.6	2	0.5	00.0-01.1
\$50,000-99,999	1064	216,991	798	65.7	61.4-70.0	135	16.6	13.3-19.9	78	9.4	06.7-12.1	37	5.8	03.4-08.2	12	1.9	00.3-03.5	4	0.6	00.0-01.2
\$100,000-199,999	639	130,536	442	64.3	59.4-69.2	73	13.6	09.9-17.3	76	12.3	09.2-15.4	36	6.7	04.0-09.4	10	2.2	00.4-04.0	2	0.9	00.0-02.5
\$200,000+	154	34,545	95	55.3	45.7-64.9	23	13.8	07.7-19.9	28	21.0	13.2-28.8	6	8.2	01.5-14.9	2	1.7	00.0-04.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1705	373,708	1290	69.4	66.3-72.5	191	13.6	11.2-16.0	133	9.5	07.5-11.5	64	5.1	03.5-06.7	21	1.9	00.7-03.1	6	0.5	00.1-00.9
White/Non-Hisp	1176	218,593	953	76.6	73.3-79.9	110	11.0	08.6-13.4	72	7.4	05.4-09.4	30	3.9	02.1-05.7	7	0.4	00.0-00.8	4	0.7	00.0-01.5
Black or Afr. Am./Non-Hisp	231	77,065	151	57.3	48.7-65.9	35	17.3	10.6-24.0	20	10.9	05.0-16.8	17	8.1	03.6-12.6	7	6.2	01.1-11.3	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	68	23,876	41	57.9	44.0-71.8	11	19.5	08.1-30.9	14	20.7	08.9-32.5	1	0.5	00.0-01.5	1	1.3	00.0-03.8			
Hispanic	145	29,295	79	48.8	38.6-59.0	28	25.7	16.1-35.3	19	14.0	07.1-20.9	13	8.4	03.1-13.7	5	2.8	00.1-05.5	1	0.3	00.0-00.9
18-24	133	43,634	83	58.3	48.1-68.5	29	24.9	15.9-33.9	12	10.1	03.0-17.2	6	3.7	00.4-07.0	2	1.4	00.0-03.4	1	1.6	00.0-04.7
25-34	162	60,453	104	64.7	55.3-74.1	22	13.2	06.9-19.5	17	10.6	03.7-17.5	12	7.2	02.5-11.9	5	3.3	00.0-07.2	2	0.9	00.0-02.5
35-44	229	58,084	87	35.2	27.6-42.8	49	22.0	15.1-28.9	51	22.4	15.9-28.9	27	14.1	07.6-20.6	12	5.3	01.6-09.0	3	1.0	00.0-02.2
45-54	238	52,892	131	54.1	45.9-62.3	59	24.0	17.1-30.9	38	16.8	10.9-22.7	10	5.2	01.1-09.3						
55-64	303	64,198	271	85.8	79.9-91.7	19	8.1	04.0-12.2	7	2.8	00.3-05.3	5	1.3	00.1-02.5	1	2.0	00.0-05.9			
65+	640	94,446	614	95.8	93.6-98.0	13	1.5	00.5-02.5	8	1.2	00.2-02.2	4	1.4	00.0-03.2	1	0.1	00.0-00.3			
Less Than H.S.	108	36,436	70	63.9	52.5-75.3	18	20.1	10.5-29.7	8	4.5	01.2-07.8	9	6.6	01.9-11.3	2	3.7	00.0-09.8	1	1.3	00.0-03.8
H.S. or G.E.D.	452	118,919	338	70.3	64.4-76.2	55	13.3	09.2-17.4	32	9.4	05.3-13.5	18	3.4	01.0-05.8	6	2.7	00.0-05.4	3	0.9	00.0-02.1
Some Post-H.S.	426	106,469	321	69.5	63.6-75.4	47	12.8	08.5-17.1	33	9.1	05.6-12.6	18	7.4	03.7-11.1	6	1.1	00.3-01.9	1	0.2	00.0-00.6
College Graduate	711	110,498	553	69.7	65.0-74.4	71	12.9	09.4-16.4	60	11.7	08.2-15.2	19	4.3	01.9-06.7	7	1.3	00.1-02.5	1	0.1	00.0-00.3
Less than \$15,000	59	9,124	46	69.0	53.5-84.5	6	15.3	02.6-28.0	5	12.9	00.9-24.9	2	2.8	00.0-06.9						
\$15,000- 24,999	104	20,657	89	80.9	69.7-92.1	6	10.5	00.1-20.9	5	5.1	00.2-10.0	4	3.5	00.0-07.0						
\$25,000- 34,999	142	29,965	115	78.0	67.8-88.2	16	15.3	05.5-25.1	6	4.5	00.2-08.8	3	1.2	00.0-02.6	1	0.7	00.0-02.1	1	0.3	00.0-00.9
\$35,000- 49,999	177	40,521	143	77.2	67.8-86.6	20	12.1	06.0-18.2	9	6.5	00.2-12.8	4	3.9	00.0-09.6	1	0.4	00.0-01.2			
\$50,000- 99,999	482	106,063	371	69.2	63.3-75.1	58	15.0	10.5-19.5	32	8.8	05.1-12.5	15	4.4	01.7-07.1	4	1.8	00.0-04.3	2	0.7	00.0-01.7
\$100,000 - 199,999	345	79,377	244	66.8	60.3-73.3	36	12.2	07.5-16.9	37	11.2	07.1-15.3	19	6.7	03.2-10.2	8	2.9	00.4-05.4	1	0.2	00.0-00.6
\$200,000+	96	21,174	59	57.1	45.3-68.9	11	9.7	03.4-16.0	19	20.2	11.2-29.2	5	10.4	01.2-19.6	2	2.7	00.0-06.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2182	412,068	1587	65.5	62.6-68.4	264	14.8	12.6-17.0	192	10.8	08.8-12.8	90	6.0	04.4-07.6	34	1.9	01.1-02.7	15	1.1	00.5-01.7
White/Non-Hisp	1505	245,409	1196	72.1	68.8-75.4	142	11.8	09.4-14.2	106	9.5	07.1-11.9	37	4.0	02.0-06.0	18	1.8	00.8-02.8	6	0.8	00.0-01.8
Black or Afr. Am./Non-Hisp	351	90,134	231	65.5	59.0-72.0	58	17.6	12.3-22.9	34	8.0	04.7-11.3	21	7.2	03.7-10.7	4	0.9	00.0-02.1	3	0.8	00.0-01.8
Hispanic	195	43,337	76	34.4	25.0-43.8	40	20.6	13.0-28.2	38	22.3	12.7-31.9	26	15.3	08.6-22.0	10	4.3	01.2-07.4	5	3.0	00.0-06.1
18-24	93	40,338	53	57.6	44.9-70.3	23	22.1	12.1-32.1	6	8.8	00.2-17.4	9	10.3	03.2-17.4	2	1.1	00.0-02.7			
25-34	195	60,435	67	36.6	27.8-45.4	40	21.6	13.8-29.4	42	18.2	11.5-24.9	30	15.7	08.6-22.8	12	5.4	02.1-08.7	4	2.6	00.0-05.9
35-44	252	61,896	63	23.2	16.5-29.9	57	23.7	16.3-31.1	77	31.4	23.6-39.2	34	14.1	08.4-19.8	15	4.9	01.8-08.0	6	2.6	00.2-05.0
45-54	318	58,961	175	57.7	50.6-64.8	85	24.6	18.7-30.5	41	12.3	08.0-16.6	10	2.5	00.5-04.5	3	1.1	00.0-02.9	4	1.8	00.0-03.6
55-64	436	73,411	377	86.5	82.4-90.6	39	10.1	06.4-13.8	15	2.4	01.0-03.8	3	0.8	00.0-01.8	1	0.1	00.0-00.3	1	0.2	00.0-00.6
65+	888	117,026	852	96.1	94.5-97.7	20	2.1	00.7-03.5	11	1.3	00.5-02.1	4	0.3	00.0-00.7	1	0.1	00.0-00.3			
Less Than H.S.	139	40,656	70	50.1	38.3-61.9	23	15.1	07.7-22.5	20	19.2	08.8-29.6	12	6.7	02.6-10.8	10	5.5	01.8-09.2	4	3.4	00.0-06.9
H.S. or G.E.D.	569	123,897	424	68.4	63.1-73.7	73	16.9	12.6-21.2	40	7.7	04.6-10.8	18	4.6	02.1-07.1	9	1.8	00.4-03.2	5	0.7	00.1-01.3
Some Post-H.S.	606	119,133	457	68.0	62.5-73.5	77	15.6	11.3-19.9	36	6.1	03.7-08.5	28	8.4	04.5-12.3	5	1.2	00.0-02.4	3	0.7	00.0-01.5
College Graduate	864	127,242	633	64.9	60.0-69.8	90	12.0	08.5-15.5	96	15.6	11.9-19.3	32	5.1	02.9-07.3	10	1.4	00.2-02.6	3	1.0	00.0-02.6
Less than \$15,000	101	18,008	64	57.0	44.3-69.7	15	16.3	06.9-25.7	13	15.2	05.6-24.8	4	5.0	00.0-10.3	2	1.8	00.0-05.1	3	4.7	00.0-10.2
\$15,000- 24,999	184	34,737	123	63.6	53.8-73.4	23	14.3	07.0-21.6	18	10.9	04.4-17.4	11	6.3	02.0-10.6	9	4.9	01.4-08.4			
\$25,000- 34,999	242	47,197	166	63.2	54.2-72.2	38	18.8	11.5-26.1	19	9.8	02.9-16.7	14	5.6	02.3-08.9	4	1.8	00.0-03.8	1	0.7	00.0-02.1
\$35,000- 49,999	239	45,095	178	65.1	55.5-74.7	27	14.9	08.0-21.8	21	10.9	04.2-17.6	7	6.9	01.2-12.6	4	1.2	00.0-02.6	2	0.9	00.0-02.1
\$50,000- 99,999	582	110,928	427	62.3	56.2-68.4	77	18.1	13.0-23.2	46	10.0	06.3-13.7	22	7.1	03.2-11.0	8	2.0	00.2-03.8	2	0.5	00.0-01.3
\$100,000 - 199,999	294	51,160	198	60.4	52.8-68.0	37	15.8	09.9-21.7	39	14.0	08.9-19.1	17	6.7	02.8-10.6	2	1.2	00.0-03.0	1	1.9	00.0-05.6
\$200,000+	58	13,371	36	52.5	36.4-68.6	12	20.3	08.1-32.5	9	22.4	08.3-36.5	1	4.8	00.0-13.8						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3967	802,995	252	9.9	08.3-11.5	1046	31.0	29.0-33.0	1051	28.7	26.7-30.7	1618	30.4	28.6-32.2
Male	1742	382,858	110	9.7	07.5-11.9	463	31.8	28.7-34.9	438	28.9	26.0-31.8	731	29.6	27.1-32.1
Female	2225	420,137	142	10.1	07.9-12.3	583	30.3	27.6-33.0	613	28.5	25.8-31.2	887	31.0	28.5-33.5
White/Non-Hisp	2734	472,426	86	5.3	03.9-06.7	706	31.6	29.1-34.1	724	28.9	26.5-31.3	1218	34.2	32.0-36.4
Black or Afr. Am./Non-Hisp	595	170,997	40	9.5	05.6-13.4	175	33.7	28.4-39.0	174	31.1	26.0-36.2	206	25.7	21.2-30.2
Oth. Race/Non-Hisp.	114	36,623	4	4.0	00.1-07.9	21	20.7	11.5-29.9	32	26.7	16.3-37.1	57	48.6	37.0-60.2
MultiRacial/Non-Hisp.	79	30,299	5	11.1	00.0-22.3	32	37.8	24.1-51.5	22	33.0	18.5-47.5	20	18.1	06.7-29.5
Hispanic	346	74,034	113	43.6	36.3-50.9	90	25.6	19.3-31.9	66	18.3	12.8-23.8	77	12.5	09.0-16.0
18-24	226	85,144	28	15.4	08.9-21.9	90	43.3	35.3-51.3	67	27.8	20.9-34.7	41	13.5	07.8-19.2
25-34	373	126,349	38	13.6	08.5-18.7	90	25.4	19.7-31.1	108	30.0	23.9-36.1	137	31.0	25.1-36.9
35-44	489	123,013	47	10.7	07.2-14.2	116	27.0	21.7-32.3	110	26.4	21.1-31.7	216	35.9	30.6-41.2
45-54	570	114,550	31	9.4	05.3-13.5	138	28.9	23.8-34.0	132	25.4	20.7-30.1	269	36.3	31.4-41.2
55-64	751	138,852	38	5.8	03.6-08.0	192	29.7	25.2-34.2	202	30.7	26.0-35.4	319	33.7	29.4-38.0
65+	1558	215,089	70	8.1	05.7-10.5	420	33.8	30.5-37.1	432	30.0	26.9-33.1	636	28.1	25.4-30.8
Less Than H.S.	252	79,632	252	100.0	0100-0100									
H.S. or G.E.D.	1046	249,293				1046	100.0	0100-0100						
Some Post-H.S.	1051	230,281							1051	100.0	0100-0100			
College Graduate	1618	243,789										1618	100.0	0100-0100
Less than \$15,000	162	27,304	48	33.8	24.4-43.2	57	36.9	27.3-46.5	28	19.6	11.6-27.6	29	9.7	05.4-14.0
\$15,000-24,999	288	55,543	68	33.2	25.4-41.0	103	38.2	30.2-46.2	75	21.2	15.3-27.1	42	7.4	04.5-10.3
\$25,000-34,999	387	77,698	34	16.3	09.6-23.0	160	43.8	36.7-50.9	105	25.2	19.5-30.9	88	14.7	09.6-19.8
\$35,000-49,999	422	86,434	14	8.6	03.1-14.1	155	40.9	33.8-48.0	132	32.7	26.0-39.4	121	17.8	12.5-23.1
\$50,000-99,999	1072	218,571	19	3.1	01.5-04.7	234	30.9	26.8-35.0	315	33.6	29.5-37.7	504	32.4	28.7-36.1
\$100,000-199,999	642	131,004	4	2.2	00.0-04.7	74	14.9	11.2-18.6	132	27.4	22.5-32.3	432	55.5	50.2-60.8
\$200,000+	156	34,862	2	1.9	00.0-04.6	15	13.1	06.2-20.0	23	16.5	09.6-23.4	116	68.5	59.5-77.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1742	382,858	110	9.7	07.5-11.9	463	31.8	28.7-34.9	438	28.9	26.0-31.8	731	29.6	27.1-32.1
White/Non-Hisp	1204	225,128	43	7.1	04.6-09.6	310	32.6	28.9-36.3	290	26.9	23.6-30.2	561	33.4	30.1-36.7
Black or Afr. Am./Non-Hisp	235	78,208	14	7.3	02.2-12.4	78	38.7	30.3-47.1	69	33.0	25.0-41.0	74	21.0	15.3-26.7
Oth. Race/Non-Hisp.	69	23,991	2	3.2	00.0-07.5	15	18.6	08.8-28.4	15	24.8	11.5-38.1	37	53.3	39.4-67.2
Hispanic	147	29,495	47	43.8	33.6-54.0	35	20.7	12.9-28.5	31	20.7	12.3-29.1	34	14.8	08.7-20.9
18-24	131	43,350	16	12.1	05.8-18.4	54	43.9	33.7-54.1	42	35.0	25.2-44.8	19	9.0	04.3-13.7
25-34	171	63,432	14	12.7	05.3-20.1	42	26.8	18.2-35.4	59	34.6	25.6-43.6	56	26.0	18.4-33.6
35-44	236	60,444	20	10.5	05.2-15.8	60	30.7	22.7-38.7	58	27.4	20.0-34.8	98	31.3	24.6-38.0
45-54	245	54,484	13	8.5	03.4-13.6	65	31.8	23.8-39.8	51	24.3	17.2-31.4	116	35.4	28.3-42.5
55-64	307	64,804	16	6.4	02.9-09.9	77	28.8	21.7-35.9	73	28.7	21.3-36.1	141	36.1	29.2-43.0
65+	652	96,344	31	9.0	05.3-12.7	165	32.4	27.5-37.3	155	25.9	21.4-30.4	301	32.7	28.4-37.0
Less Than H.S.	110	37,092	110	100.0	0100-0100									
H.S. or G.E.D.	463	121,829				463	100.0	0100-0100						
Some Post-H.S.	438	110,465							438	100.0	0100-0100			
College Graduate	731	113,471										731	100.0	0100-0100
Less than \$15,000	60	9,239	18	38.3	23.2-53.4	19	25.9	13.2-38.6	11	21.6	08.5-34.7	12	14.3	05.9-22.7
\$15,000- 24,999	104	20,806	23	28.3	16.7-39.9	37	36.2	23.5-48.9	28	28.4	16.6-40.2	16	7.1	02.8-11.4
\$25,000- 34,999	143	30,329	16	17.6	07.8-27.4	55	44.6	33.4-55.8	33	21.2	12.8-29.6	39	16.7	09.8-23.6
\$35,000- 49,999	180	40,805	11	10.8	03.4-18.2	73	44.2	33.6-54.8	47	30.8	20.6-41.0	49	14.2	08.9-19.5
\$50,000- 99,999	485	106,878	16	5.7	02.8-08.6	124	34.2	28.1-40.3	148	34.2	28.3-40.1	197	25.9	21.2-30.6
\$100,000 - 199,999	348	79,844	3	3.1	00.0-07.2	50	18.2	12.7-23.7	73	27.6	20.9-34.3	222	51.0	43.9-58.1
\$200,000+	97	21,298	1	1.9	00.0-05.4	8	14.4	04.6-24.2	14	15.8	07.4-24.2	74	67.9	56.3-79.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2225	420,137	142	10.1	07.9-12.3	583	30.3	27.6-33.0	613	28.5	25.8-31.2	887	31.0	28.5-33.5
White/Non-Hisp	1530	247,297	43	3.7	02.3-05.1	396	30.8	27.5-34.1	434	30.7	27.6-33.8	657	34.8	31.7-37.9
Black or Afr. Am./Non-Hisp	360	92,789	26	11.4	05.7-17.1	97	29.5	23.0-36.0	105	29.5	23.0-36.0	132	29.6	23.1-36.1
Hispanic	199	44,539	66	43.4	33.4-53.4	55	28.9	20.1-37.7	35	16.8	09.7-23.9	43	11.0	06.7-15.3
18-24	95	41,793	12	18.7	07.3-30.1	36	42.7	30.2-55.2	25	20.3	11.5-29.1	22	18.3	07.9-28.7
25-34	202	62,917	24	14.5	07.4-21.6	48	24.0	16.7-31.3	49	25.4	17.6-33.2	81	36.1	27.3-44.9
35-44	253	62,569	27	10.8	05.9-15.7	56	23.5	16.4-30.6	52	25.4	17.6-33.2	118	40.3	32.3-48.3
45-54	325	60,066	18	10.1	03.8-16.4	73	26.3	19.8-32.8	81	26.5	20.2-32.8	153	37.1	30.4-43.8
55-64	444	74,047	22	5.4	02.9-07.9	115	30.5	24.4-36.6	129	32.5	26.6-38.4	178	31.7	26.4-37.0
65+	906	118,745	39	7.3	04.0-10.6	255	34.9	30.2-39.6	277	33.3	28.8-37.8	335	24.5	21.4-27.6
Less Than H.S.	142	42,539	142	100.0	0100-0100									
H.S. or G.E.D.	583	127,464				583	100.0	0100-0100						
Some Post-H.S.	613	119,815							613	100.0	0100-0100			
College Graduate	887	130,318										887	100.0	0100-0100
Less than \$15,000	102	18,065	30	31.5	19.7-43.3	38	42.5	29.8-55.2	17	18.6	08.4-28.8	17	7.4	02.7-12.1
\$15,000- 24,999	184	34,737	45	36.1	25.9-46.3	66	39.4	29.0-49.8	47	16.8	10.9-22.7	26	7.6	03.7-11.5
\$25,000- 34,999	244	47,369	18	15.6	06.4-24.8	105	43.3	34.3-52.3	72	27.8	20.2-35.4	49	13.4	06.3-20.5
\$35,000- 49,999	242	45,629	3	6.6	00.0-14.8	82	38.0	28.6-47.4	85	34.4	25.8-43.0	72	21.0	12.4-29.6
\$50,000- 99,999	587	111,693	3	0.5	00.0-01.3	110	27.8	22.3-33.3	167	33.0	27.3-38.7	307	38.7	33.2-44.2
\$100,000 - 199,999	294	51,160	1	0.9	00.0-02.7	24	9.7	05.2-14.2	59	27.0	19.7-34.3	210	62.4	55.0-69.8
\$200,000+	59	13,564	1	2.0	00.0-05.9	7	11.1	02.1-20.1	9	17.5	05.7-29.3	42	69.4	55.3-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less thn \$25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3132	632,850	451	13.1	11.5-14.7	387	12.3	10.7-13.9	422	13.7	11.9-15.5	1073	34.6	32.2-37.0	642	20.7	18.7-22.7	157	5.7	04.7-06.7
Male	1418	309,279	165	9.7	07.7-11.7	143	9.8	07.6-12.0	180	13.2	10.7-15.7	485	34.6	31.3-37.9	348	25.8	22.7-28.9	97	6.9	05.3-08.5
Female	1714	323,571	286	16.3	13.9-18.7	244	14.6	12.1-17.1	242	14.1	11.6-16.6	588	34.6	31.5-37.7	294	15.8	13.6-18.0	60	4.5	03.1-05.9
White/Non-Hisp	2168	376,437	230	9.2	07.6-10.8	241	10.2	08.4-12.0	276	12.0	10.0-14.0	808	38.0	35.3-40.7	495	23.9	21.5-26.3	118	6.7	05.1-08.3
Black or Afr. Am./Non-Hisp	485	136,425	78	14.5	10.4-18.6	74	15.7	11.4-20.0	79	16.2	11.1-21.3	152	32.9	27.0-38.8	80	16.3	12.0-20.6	22	4.4	02.2-06.6
Oth. Race/Non-Hisp.	95	31,546	13	8.4	02.3-14.5	12	10.5	03.8-17.2	12	14.6	05.2-24.0	28	28.9	16.7-41.1	25	32.0	20.2-43.8	5	5.7	00.6-10.8
MultiRacial/Non-Hisp.	64	23,318	8	9.3	01.7-16.9	11	14.2	00.9-27.5	9	19.5	06.0-33.0	27	45.1	28.2-62.0	7	8.9	01.3-16.5	2	2.9	00.0-07.0
Hispanic	264	55,910	108	39.7	31.9-47.5	44	17.4	10.5-24.3	39	16.4	09.7-23.1	45	15.9	10.2-21.6	25	9.6	05.1-14.1	3	1.1	00.0-02.5
18-24	163	59,483	42	20.7	13.6-27.8	20	11.8	05.3-18.3	20	18.3	09.3-27.3	50	29.0	20.6-37.4	22	14.6	08.3-20.9	9	5.6	01.1-10.1
25-34	317	105,297	41	9.9	06.4-13.4	44	14.8	09.3-20.3	51	14.2	09.5-18.9	109	37.0	29.9-44.1	67	21.7	15.8-27.6	5	2.3	00.1-04.5
35-44	411	102,070	55	10.8	07.1-14.5	45	9.2	06.1-12.3	40	11.0	06.5-15.5	128	33.2	27.1-39.3	114	27.5	22.0-33.0	29	8.3	05.0-11.6
45-54	479	95,169	56	9.8	06.5-13.1	46	9.6	06.1-13.1	59	15.0	09.7-20.3	153	31.4	25.9-36.9	114	22.2	17.5-26.9	51	12.0	08.3-15.7
55-64	604	110,973	84	12.4	09.3-15.5	59	8.5	05.8-11.2	66	10.6	07.1-14.1	216	39.0	33.5-44.5	139	23.1	18.6-27.6	40	6.2	04.0-08.4
65+	1158	159,858	173	16.3	13.0-19.6	173	16.9	13.6-20.2	186	14.5	12.0-17.0	417	34.7	31.0-38.4	186	15.4	12.9-17.9	23	2.1	01.1-03.1
Less Than H.S.	189	58,065	116	47.7	38.1-57.3	34	21.9	13.1-30.7	14	12.7	04.7-20.7	19	11.5	05.8-17.2	4	5.1	00.0-11.0	2	1.2	00.0-02.8
H.S. or G.E.D.	798	192,310	160	16.3	13.0-19.6	160	17.7	14.4-21.0	155	18.4	14.9-21.9	234	35.1	30.6-39.6	74	10.2	07.5-12.9	15	2.4	01.0-03.8
Some Post-H.S.	810	180,005	103	9.5	07.1-11.9	105	10.9	08.4-13.4	132	15.7	12.2-19.2	315	40.8	36.1-45.5	132	19.9	16.0-23.8	23	3.2	01.8-04.6
College Graduate	1332	201,035	71	3.4	02.4-04.4	88	5.7	03.7-07.7	121	7.7	05.3-10.1	504	35.3	31.8-38.8	432	36.1	32.6-39.6	116	11.9	09.4-14.4
Less than \$15,000	162	27,304	162	100.0	0100-0100															
\$15,000-24,999	289	55,622	289	100.0	0100-0100															
\$25,000-34,999	387	77,698				387	100.0	0100-0100												
\$35,000-49,999	422	86,434							422	100.0	0100-0100									
\$50,000-99,999	1073	218,883										1073	100.0	0100-0100						
\$100,000-199,999	642	131,004													642	100.0	0100-0100			
\$200,000+	157	35,905																157	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less thn \$25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1418	309,279	165	9.7	07.9-11.5	143	9.8	07.6-12.0	180	13.2	10.7-15.7	485	34.6	31.3-37.9	348	25.8	22.7-28.9	97	6.9	05.3-08.5
White/Non-Hisp	994	185,496	88	6.9	05.1-08.7	87	9.1	06.7-11.5	121	12.0	09.3-14.7	364	36.3	32.4-40.2	260	27.6	23.9-31.3	74	8.1	05.9-10.3
Black or Afr. Am./Non-Hisp	194	63,117	25	10.4	05.1-15.7	27	13.3	07.0-19.6	28	14.0	07.3-20.7	61	34.6	25.4-43.8	42	23.0	15.6-30.4	11	4.7	01.6-07.8
Oth. Race/Non-Hisp.	55	20,546	4	4.9	00.0-12.0	3	6.1	00.0-13.0	5	11.0	00.0-22.6	19	27.5	14.8-40.2	21	44.9	29.4-60.4	3	5.6	00.0-11.9
Hispanic	112	21,256	38	35.1	24.3-45.9	20	14.1	06.8-21.4	16	13.0	04.8-21.2	21	22.5	12.1-32.9	15	13.0	05.6-20.4	2	2.3	00.0-05.8
18-24	93	29,154	21	17.6	09.8-25.4	11	10.0	03.3-16.7	12	16.8	06.6-27.0	31	31.2	20.4-42.0	14	21.3	11.1-31.5	4	3.1	00.0-06.4
25-34	142	51,373	10	4.6	01.3-07.9	16	13.1	05.5-20.7	24	12.4	06.1-18.7	48	36.7	26.3-47.1	42	31.1	21.5-40.7	2	2.1	00.0-05.2
35-44	196	50,972	20	9.0	03.7-14.3	16	5.7	02.2-09.2	16	12.4	05.1-19.7	63	28.3	20.9-35.7	63	34.9	26.5-43.3	18	9.7	05.0-14.4
45-54	206	44,955	17	6.7	03.0-10.4	16	6.7	02.6-10.8	26	15.7	08.1-23.3	66	34.0	25.2-42.8	53	21.9	15.2-28.6	28	15.1	09.0-21.2
55-64	259	55,744	33	9.5	05.6-13.4	20	8.1	04.0-12.2	28	11.7	05.8-17.6	83	36.5	28.1-44.9	66	25.0	17.9-32.1	29	9.2	05.5-12.9
65+	522	77,082	64	12.7	08.6-16.8	64	13.3	09.4-17.2	74	12.5	09.0-16.0	194	37.5	32.0-43.0	110	20.8	16.3-25.3	16	3.2	01.4-05.0
Less Than H.S.	88	28,092	41	33.6	22.2-45.0	16	19.0	08.2-29.8	11	15.6	05.2-26.0	16	21.6	11.0-32.2	3	8.8	00.0-20.0	1	1.4	00.0-04.1
H.S. or G.E.D.	366	95,626	56	10.4	06.7-14.1	55	14.2	09.7-18.7	73	18.9	13.4-24.4	124	38.2	31.5-44.9	50	15.2	10.5-19.9	8	3.2	00.8-05.6
Some Post-H.S.	354	88,927	39	8.9	05.4-12.4	33	7.2	04.1-10.3	47	14.1	08.8-19.4	148	41.1	34.2-48.0	73	24.8	18.5-31.1	14	3.8	01.6-06.0
College Graduate	609	96,554	28	2.9	01.7-04.1	39	5.2	03.0-07.4	49	6.0	03.8-08.2	197	28.7	24.2-33.2	222	42.2	37.1-47.3	74	15.0	11.3-18.7
Less than \$15,000	60	9,239	60	100.0	0100-0100															
\$15,000- 24,999	105	20,886	105	100.0	0100-0100															
\$25,000- 34,999	143	30,329				143	100.0	0100-0100												
\$35,000- 49,999	180	40,805							180	100.0	0100-0100									
\$50,000- 99,999	485	106,878										485	100.0	0100-0100						
\$100,000 - 199,999	348	79,844													348	100.0	0100-0100			
\$200,000+	97	21,298																97	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less thn \$25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1714	323,571	286	16.3	13.9-18.7	244	14.6	12.1-17.1	242	14.1	11.6-16.6	588	34.6	31.5-37.7	294	15.8	13.6-18.0	60	4.5	03.1-05.9
White/Non-Hisp	1174	190,941	142	11.4	09.0-13.8	154	11.3	08.9-13.7	155	12.0	09.5-14.5	444	39.6	35.7-43.5	235	20.3	17.2-23.4	44	5.3	03.3-07.3
Black or Afr. Am./Non-Hisp	291	73,307	53	18.0	11.9-24.1	47	17.7	11.6-23.8	51	18.1	10.7-25.5	91	31.3	24.0-38.6	38	10.6	06.3-14.9	11	4.2	01.5-06.9
Hispanic	152	34,654	70	42.5	31.5-53.5	24	19.4	09.2-29.6	23	18.4	09.0-27.8	24	11.9	05.4-18.4	10	7.5	01.8-13.2	1	0.3	00.0-00.9
18-24	70	30,329	21	23.6	12.2-35.0	9	13.6	02.6-24.6	8	19.7	05.2-34.2	19	26.9	14.4-39.4	8	8.2	01.7-14.7	5	8.0	00.0-16.0
25-34	175	53,925	31	15.0	08.9-21.1	28	16.4	08.6-24.2	27	16.0	08.9-23.1	61	37.3	27.7-46.9	25	12.8	06.7-18.9	3	2.5	00.0-05.2
35-44	215	51,098	35	12.6	07.3-17.9	29	12.8	07.5-18.1	24	9.6	04.5-14.7	65	38.2	29.0-47.4	51	20.0	13.5-26.5	11	6.9	02.4-11.4
45-54	273	50,214	39	12.6	07.5-17.7	30	12.1	06.6-17.6	33	14.4	07.3-21.5	87	29.2	22.5-35.9	61	22.4	15.9-28.9	23	9.2	04.9-13.5
55-64	345	55,229	51	15.5	10.8-20.2	39	9.0	05.5-12.5	38	9.5	05.8-13.2	133	41.6	34.7-48.5	73	21.2	15.7-26.7	11	3.2	00.8-05.6
65+	636	82,777	109	19.7	14.6-24.8	109	20.3	15.4-25.2	112	16.4	12.9-19.9	223	32.1	27.4-36.8	76	10.4	07.7-13.1	7	1.1	00.1-02.1
Less Than H.S.	101	29,973	75	60.9	46.0-75.8	18	24.6	11.1-38.1	3	10.0	00.0-22.3	3	2.0	00.0-04.7	1	1.5	00.0-04.4	1	0.9	00.0-02.7
H.S. or G.E.D.	432	96,684	104	22.1	16.8-27.4	105	21.2	16.5-25.9	82	17.9	13.0-22.8	110	32.1	26.0-38.2	24	5.1	02.7-07.5	7	1.6	00.2-03.0
Some Post-H.S.	456	91,078	64	10.1	07.0-13.2	72	14.4	10.3-18.5	85	17.2	12.7-21.7	167	40.5	34.2-46.8	59	15.1	10.6-19.6	9	2.6	00.6-04.6
College Graduate	723	104,481	43	3.8	02.2-05.4	49	6.1	02.8-09.4	72	9.2	05.1-13.3	307	41.4	36.1-46.7	210	30.6	25.9-35.3	42	9.0	05.7-12.3
Less than \$15,000	102	18,065	102	100.0	0100-0100															
\$15,000- 24,999	184	34,737	184	100.0	0100-0100															
\$25,000- 34,999	244	47,369				244	100.0	0100-0100												
\$35,000- 49,999	242	45,629							242	100.0	0100-0100									
\$50,000- 99,999	588	112,005										588	100.0	0100-0100						
\$100,000 - 199,999	294	51,160													294	100.0	0100-0100			
\$200,000+	60	14,607																60	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 10: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)	
1	FEMALES ONLY	102
	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)	
2	FEMALES ONLY	103

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1624	257,386	1187	73.7	70.8-76.6	437	26.3	23.4-29.2
White/Non-Hisp	1216	173,151	883	73.9	70.8-77.0	333	26.1	23.0-29.2
Black or Afr. Am./Non-Hisp	242	54,436	193	79.3	71.5-87.1	49	20.7	12.9-28.5
Hispanic	86	12,660	62	69.0	54.7-83.3	24	31.0	16.7-45.3
40-44	122	33,396	65	56.2	44.2-68.2	57	43.8	31.8-55.8
45-54	292	52,136	207	72.9	65.6-80.2	85	27.1	19.8-34.4
55-64	394	66,344	310	81.4	76.7-86.1	84	18.6	13.9-23.3
65+	816	105,509	605	74.8	70.9-78.7	211	25.2	21.3-29.1
Less Than H.S.	85	20,956	48	48.4	33.3-63.5	37	51.6	36.5-66.7
H.S. or G.E.D.	418	77,306	291	73.5	68.2-78.8	127	26.5	21.2-31.8
Some Post-H.S.	465	77,744	345	77.0	72.3-81.7	120	23.0	18.3-27.7
College Graduate	651	79,985	500	77.8	73.3-82.3	151	22.2	17.7-26.7
Less than \$15,000	71	10,858	50	74.2	62.0-86.4	21	25.8	13.6-38.0
\$15,000- 24,999	124	19,620	74	52.9	40.2-65.6	50	47.1	34.4-59.8
\$25,000- 34,999	183	29,781	128	73.7	65.5-81.9	55	26.3	18.1-34.5
\$35,000- 49,999	186	27,223	131	68.8	57.6-80.0	55	31.2	20.0-42.4
\$50,000- 99,999	450	72,600	335	73.7	68.2-79.2	115	26.3	20.8-31.8
\$100,000 - 199,999	230	36,075	185	82.2	75.9-88.5	45	17.8	11.5-24.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received a mammogram within the past 2 years			Did not receive a mammogram within the past 2 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1043	159,805	822	79.7	76.6-82.8	221	20.3	17.2-23.4
White/Non-Hisp	785	110,763	614	78.4	74.9-81.9	171	21.6	18.1-25.1
Black or Afr. Am./Non-Hisp	168	35,380	140	87.7	82.2-93.2	28	12.3	06.8-17.8
50-54	165	30,093	121	75.6	68.0-83.2	44	24.4	16.8-32.0
55-64	394	66,344	310	81.4	76.7-86.1	84	18.6	13.9-23.3
65+	484	63,368	391	79.9	75.2-84.6	93	20.1	15.4-24.8
H.S. or G.E.D.	255	46,551	190	77.8	71.7-83.9	65	22.2	16.1-28.3
Some Post-H.S.	310	53,180	249	81.2	75.9-86.5	61	18.8	13.5-24.1
College Graduate	430	50,250	348	82.6	78.1-87.1	82	17.4	12.9-21.9
\$15,000- 24,999	70	11,137	48	66.2	51.1-81.3	22	33.8	18.7-48.9
\$25,000- 34,999	100	13,886	77	81.3	72.7-89.9	23	18.7	10.1-27.3
\$35,000- 49,999	122	16,833	89	75.3	65.7-84.9	33	24.7	15.1-34.3
\$50,000- 99,999	319	47,796	253	80.8	75.5-86.1	66	19.2	13.9-24.5
\$100,000 - 199,999	153	23,738	127	82.6	75.3-89.9	26	17.4	10.1-24.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 11: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)	
1 MALES AND FEMALES	106
2 MALES ONLY	107
3 FEMALES ONLY	108
RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP1)	
4 MALES AND FEMALES	109
5 MALES ONLY	110
6 FEMALES ONLY	111
HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)	
7 MALES AND FEMALES	112
8 MALES ONLY	113
9 FEMALES ONLY	114
RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP1)	
10 MALES AND FEMALES	115
11 MALES ONLY	116
12 FEMALES ONLY	117
RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS101)	
13 MALES AND FEMALES	118
14 MALES ONLY	119
15 FEMALES ONLY	120
RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFBLDS5)	
16 MALES AND FEMALES	121
17 MALES ONLY	122
18 FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 11: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN1)	
19	MALES AND FEMALES	124
20	MALES ONLY	125
21	FEMALES ONLY	126
	RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL1)	
22	MALES AND FEMALES	127
23	MALES ONLY	128
24	FEMALES ONLY	129
	RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTI1)	
25	MALES AND FEMALES	130
26	MALES ONLY	131
27	FEMALES ONLY	132
	RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC2)	
28	MALES AND FEMALES	133
29	MALES ONLY	134
30	FEMALES ONLY	135

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 1: HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Colonoscopy			Did not have Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2664	434,423	1979	73.2	70.8-75.6	685	26.8	24.4-29.2
Male	1130	202,035	844	73.7	70.2-77.2	286	26.3	22.8-29.8
Female	1534	232,388	1135	72.7	69.6-75.8	399	27.3	24.2-30.4
White/Non-Hisp	2019	293,031	1543	74.8	72.3-77.3	476	25.2	22.7-27.7
Black or Afr. Am./Non-Hisp	371	90,943	257	71.5	64.8-78.2	114	28.5	21.8-35.2
Oth. Race/Non-Hisp.	55	14,397	38	76.1	63.2-89.0	17	23.9	11.0-36.8
Hispanic	116	16,357	66	51.8	37.9-65.7	50	48.2	34.3-62.1
45-54	526	105,445	228	46.1	40.4-51.8	298	53.9	48.2-59.6
55-64	697	130,797	532	76.7	72.4-81.0	165	23.3	19.0-27.6
65+	1438	197,881	1218	85.4	83.0-87.8	220	14.6	12.2-17.0
Less Than H.S.	125	31,204	85	63.3	51.5-75.1	40	36.7	24.9-48.5
H.S. or G.E.D.	682	133,229	491	72.1	67.6-76.6	191	27.9	23.4-32.4
Some Post-H.S.	716	129,590	538	74.7	70.4-79.0	178	25.3	21.0-29.6
College Graduate	1131	138,535	858	74.9	71.6-78.2	273	25.1	21.8-28.4
Less than \$15,000	102	14,734	63	64.1	52.1-76.1	39	35.9	23.9-47.9
\$15,000-24,999	186	29,948	133	76.4	69.1-83.7	53	23.6	16.3-30.9
\$25,000-34,999	257	40,304	194	71.7	63.7-79.7	63	28.3	20.3-36.3
\$35,000-49,999	300	47,840	228	72.8	64.6-81.0	72	27.2	19.0-35.4
\$50,000-99,999	757	125,189	570	73.8	69.5-78.1	187	26.2	21.9-30.5
\$100,000-199,999	422	68,540	324	75.4	70.1-80.7	98	24.6	19.3-29.9
\$200,000+	107	20,151	74	67.2	56.4-78.0	33	32.8	22.0-43.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 2: HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Colonoscopy			Did not have Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1130	202,035	844	73.7	70.2-77.2	286	26.3	22.8-29.8
White/Non-Hisp	848	131,699	640	73.8	70.1-77.5	208	26.2	22.5-29.9
Black or Afr. Am./Non-Hisp	149	41,792	106	71.0	60.6-81.4	43	29.0	18.6-39.4
Hispanic	51	6,928	30	54.7	35.7-73.7	21	45.3	26.3-64.3
45-54	226	50,264	98	49.0	40.6-57.4	128	51.0	42.6-59.4
55-64	291	62,205	225	76.8	69.9-83.7	66	23.2	16.3-30.1
65+	611	89,409	520	85.6	82.3-88.9	91	14.4	11.1-17.7
Less Than H.S.	52	14,692	31	59.8	43.7-75.9	21	40.2	24.1-56.3
H.S. or G.E.D.	285	62,288	211	75.5	68.8-82.2	74	24.5	17.8-31.2
Some Post-H.S.	266	54,448	188	70.7	63.4-78.0	78	29.3	22.0-36.6
College Graduate	522	69,994	410	77.3	72.8-81.8	112	22.7	18.2-27.2
\$15,000- 24,999	71	12,147	49	76.6	65.4-87.8	22	23.4	12.2-34.6
\$25,000- 34,999	90	15,500	71	78.7	67.7-89.7	19	21.3	10.3-32.3
\$35,000- 49,999	127	23,042	92	72.5	60.9-84.1	35	27.5	15.9-39.1
\$50,000- 99,999	330	62,826	256	75.2	68.3-82.1	74	24.8	17.9-31.7
\$100,000 - 199,999	220	38,041	174	78.1	71.2-85.0	46	21.9	15.0-28.8
\$200,000+	68	13,708	50	72.7	60.5-84.9	18	27.3	15.1-39.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 3: HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Colonoscopy			Did not have Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1534	232,388	1135	72.7	69.6-75.8	399	27.3	24.2-30.4
White/Non-Hisp	1171	161,332	903	75.5	72.2-78.8	268	24.5	21.2-27.8
Black or Afr. Am./Non-Hisp	222	49,151	151	72.0	63.6-80.4	71	28.0	19.6-36.4
Hispanic	65	9,429	36	49.8	30.2-69.4	29	50.2	30.6-69.8
45-54	300	55,181	130	43.4	36.1-50.7	170	56.6	49.3-63.9
55-64	406	68,592	307	76.5	71.4-81.6	99	23.5	18.4-28.6
65+	827	108,473	698	85.2	81.9-88.5	129	14.8	11.5-18.1
Less Than H.S.	73	16,512	54	66.4	49.0-83.8	19	33.6	16.2-51.0
H.S. or G.E.D.	397	70,942	280	69.2	63.1-75.3	117	30.8	24.7-36.9
Some Post-H.S.	450	75,142	350	77.5	72.4-82.6	100	22.5	17.4-27.6
College Graduate	609	68,541	448	72.4	67.7-77.1	161	27.6	22.9-32.3
Less than \$15,000	66	9,914	42	68.0	53.5-82.5	24	32.0	17.5-46.5
\$15,000- 24,999	115	17,801	84	76.3	66.5-86.1	31	23.7	13.9-33.5
\$25,000- 34,999	167	24,805	123	67.2	56.4-78.0	44	32.8	22.0-43.6
\$35,000- 49,999	173	24,799	136	73.1	60.9-85.3	37	26.9	14.7-39.1
\$50,000- 99,999	427	62,363	314	72.4	66.9-77.9	113	27.6	22.1-33.1
\$100,000 - 199,999	202	30,499	150	71.9	63.5-80.3	52	28.1	19.7-36.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy <10 years			Colonoscopy 10+ years			Never had Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2094	355,290	1417	66.6	63.9-69.3	92	4.6	03.2-06.0	585	28.7	26.0-31.4
Male	900	170,618	610	68.1	64.0-72.2	40	4.2	02.6-05.8	250	27.7	23.8-31.6
Female	1194	184,672	807	65.3	61.6-69.0	52	5.0	02.8-07.2	335	29.7	26.2-33.2
White/Non-Hisp	1532	230,045	1062	67.5	64.6-70.4	77	5.1	03.7-06.5	393	27.3	24.4-30.2
Black or Afr. Am./Non-Hisp	326	80,458	212	66.3	58.9-73.7	9	4.2	00.3-08.1	105	29.5	22.4-36.6
Oth. Race/Non-Hisp.	50	13,451	31	68.8	53.7-83.9	3	6.4	00.0-14.4	16	24.8	10.9-38.7
Hispanic	107	15,778	59	51.3	37.0-65.6	1	0.9	00.0-02.7	47	47.8	33.5-62.1
45-54	504	99,555	207	43.0	37.3-48.7	11	2.7	00.9-04.5	286	54.3	48.6-60.0
55-64	669	126,917	478	72.4	67.9-76.9	30	4.1	02.1-06.1	161	23.5	19.2-27.8
65+	921	128,818	732	79.2	75.5-82.9	51	6.6	03.9-09.3	138	14.2	11.3-17.1
Less Than H.S.	98	24,299	59	52.7	39.6-65.8	4	5.3	00.0-10.8	35	42.0	28.5-55.5
H.S. or G.E.D.	509	104,432	328	63.7	58.0-69.4	27	6.3	03.0-09.6	154	30.0	24.7-35.3
Some Post-H.S.	560	106,842	378	69.1	64.2-74.0	28	4.0	02.2-05.8	154	26.9	22.2-31.6
College Graduate	920	118,186	647	69.7	65.8-73.6	33	3.6	02.0-05.2	240	26.6	22.9-30.3
Less than \$15,000	92	13,721	47	53.8	40.5-67.1	7	8.5	01.4-15.6	38	37.8	25.1-50.5
\$15,000-24,999	133	21,760	91	68.1	55.8-80.4	4	9.0	00.0-21.2	38	22.9	14.3-31.5
\$25,000-34,999	183	27,106	121	62.7	53.1-72.3	8	2.8	00.6-05.0	54	34.5	24.9-44.1
\$35,000-49,999	231	39,784	157	68.0	58.6-77.4	9	2.8	00.4-05.2	65	29.2	19.8-38.6
\$50,000-99,999	625	107,527	422	66.0	60.9-71.1	35	5.5	03.1-07.9	168	28.5	23.6-33.4
\$100,000-199,999	375	62,416	267	68.5	62.4-74.6	15	5.1	02.0-08.2	93	26.4	20.5-32.3
\$200,000+	101	19,427	68	64.7	53.5-75.9	1	1.9	00.0-05.6	32	33.4	22.4-44.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 5: RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy <10 years			Colonoscopy 10+ years			Never had Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	900	170,618	610	68.1	64.0-72.2	40	4.2	02.6-05.8	250	27.7	23.8-31.6
White/Non-Hisp	654	106,287	443	66.6	62.1-71.1	32	5.4	03.0-07.8	179	28.0	23.9-32.1
Black or Afr. Am./Non-Hisp	133	38,941	90	68.3	57.3-79.3	4	1.6	00.0-03.6	39	30.1	19.1-41.1
45-54	213	47,571	90	46.8	38.0-55.6	3	2.0	00.0-04.4	120	51.3	42.5-60.1
55-64	283	61,301	202	72.6	65.3-79.9	16	4.2	01.7-06.7	65	23.2	16.3-30.1
65+	404	61,746	318	80.0	75.1-84.9	21	5.9	02.8-09.0	65	14.1	10.0-18.2
H.S. or G.E.D.	226	52,188	145	66.3	58.1-74.5	17	7.3	03.2-11.4	64	26.4	18.8-34.0
Some Post-H.S.	211	46,282	135	66.5	58.3-74.7	8	3.1	00.6-05.6	68	30.3	22.3-38.3
College Graduate	418	60,026	302	72.5	67.2-77.8	14	2.8	01.0-04.6	102	24.7	19.4-30.0
\$15,000- 24,999	56	9,834	39	76.8	64.5-89.1	1	1.8	00.0-05.3	16	21.4	09.6-33.2
\$25,000- 34,999	67	11,393	47	73.3	59.8-86.8	2	0.9	00.0-02.1	18	25.8	12.3-39.3
\$35,000- 49,999	95	19,523	57	66.0	52.5-79.5	6	4.2	00.0-08.5	32	29.8	16.7-42.9
\$50,000- 99,999	269	54,752	185	66.3	58.3-74.3	15	6.0	02.3-09.7	69	27.7	20.1-35.3
\$100,000 - 199,999	190	33,866	139	72.7	64.7-80.7	7	3.4	00.5-06.3	44	23.9	16.3-31.5
\$200,000+	63	13,043	45	69.3	56.2-82.4	1	2.8	00.0-08.3	17	27.9	15.4-40.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy <10 years			Colonoscopy 10+ years			Never had Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1194	184,672	807	65.3	61.6-69.0	52	5.0	02.8-07.2	335	29.7	26.2-33.2
White/Non-Hisp	878	123,758	619	68.3	64.4-72.2	45	4.9	03.1-06.7	214	26.7	22.8-30.6
Black or Afr. Am./Non-Hisp	193	41,518	122	64.4	54.2-74.6	5	6.6	00.0-13.9	66	29.0	19.8-38.2
Hispanic	62	9,179	34	49.9	29.9-69.9				28	50.1	30.1-70.1
45-54	291	51,984	117	39.6	32.3-46.9	8	3.4	00.7-06.1	166	57.0	49.6-64.4
55-64	386	65,616	276	72.2	66.5-77.9	14	4.1	01.4-06.8	96	23.8	18.5-29.1
65+	517	67,072	414	78.5	73.0-84.0	30	7.2	02.7-11.7	73	14.3	10.0-18.6
Less Than H.S.	56	12,531	34	47.5	29.1-65.9	3	8.2	00.0-18.0	19	44.3	24.5-64.1
H.S. or G.E.D.	283	52,245	183	61.1	53.3-68.9	10	5.3	00.0-10.8	90	33.6	26.2-41.0
Some Post-H.S.	349	60,560	243	71.0	65.1-76.9	20	4.7	02.2-07.2	86	24.3	18.6-30.0
College Graduate	502	58,159	345	66.9	61.4-72.4	19	4.4	01.7-07.1	138	28.7	23.6-33.8
Less than \$15,000	58	9,174	30	57.9	41.2-74.6	4	7.5	00.0-15.9	24	34.6	18.9-50.3
\$15,000- 24,999	77	11,926	52	61.0	43.4-78.6	3	14.8	00.0-35.6	22	24.2	11.9-36.5
\$25,000- 34,999	116	15,713	74	55.0	42.3-67.7	6	4.2	00.7-07.7	36	40.7	27.8-53.6
\$35,000- 49,999	136	20,261	100	70.0	56.3-83.7	3	1.4	00.0-03.0	33	28.7	15.0-42.4
\$50,000- 99,999	356	52,775	237	65.7	59.4-72.0	20	5.0	02.3-07.7	99	29.4	23.3-35.5
\$100,000 - 199,999	185	28,550	128	63.5	54.1-72.9	8	7.1	01.2-13.0	49	29.4	20.6-38.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 11: COLORECTAL CANCER SCREENING
 TABLE 7: HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Sigmoidoscopy			Did not have Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2664	434,423	336	12.5	10.7-14.3	2328	87.5	85.7-89.3
Male	1130	202,035	145	11.8	09.3-14.3	985	88.2	85.7-90.7
Female	1534	232,388	191	13.0	10.5-15.5	1343	87.0	84.5-89.5
White/Non-Hisp	2019	293,031	268	12.2	10.4-14.0	1751	87.8	86.0-89.6
Black or Afr. Am./Non-Hisp	371	90,943	39	13.4	08.1-18.7	332	86.6	81.3-91.9
Oth. Race/Non-Hisp.	55	14,397	3	4.6	00.0-10.7	52	95.4	89.3-0100
Hispanic	116	16,357	15	18.8	04.3-33.3	101	81.2	66.7-95.7
45-54	526	105,445	31	6.1	03.2-09.0	495	93.9	91.0-96.8
55-64	697	130,797	69	10.7	07.2-14.2	628	89.3	85.8-92.8
65+	1438	197,881	236	17.0	14.3-19.7	1202	83.0	80.3-85.7
Less Than H.S.	125	31,204	17	14.2	06.6-21.8	108	85.8	78.2-93.4
H.S. or G.E.D.	682	133,229	75	11.5	08.0-15.0	607	88.5	85.0-92.0
Some Post-H.S.	716	129,590	99	14.7	10.8-18.6	617	85.3	81.4-89.2
College Graduate	1131	138,535	142	10.4	08.2-12.6	989	89.6	87.4-91.8
Less than \$15,000	102	14,734	15	13.4	06.1-20.7	87	86.6	79.3-93.9
\$15,000-24,999	186	29,948	26	15.1	07.5-22.7	160	84.9	77.3-92.5
\$25,000-34,999	257	40,304	36	15.0	08.9-21.1	221	85.0	78.9-91.1
\$35,000-49,999	300	47,840	31	9.8	04.5-15.1	269	90.2	84.9-95.5
\$50,000-99,999	757	125,189	99	13.5	10.0-17.0	658	86.5	83.0-90.0
\$100,000-199,999	422	68,540	53	8.9	06.2-11.6	369	91.1	88.4-93.8
\$200,000+	107	20,151	6	5.2	00.3-10.1	101	94.8	89.9-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 8: HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Sigmoidoscopy			Did not have Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1130	202,035	145	11.8	09.3-14.3	985	88.2	85.7-90.7
White/Non-Hisp	848	131,699	116	12.3	09.6-15.0	732	87.7	85.0-90.4
Black or Afr. Am./Non-Hisp	149	41,792	13	9.5	02.4-16.6	136	90.5	83.4-97.6
Hispanic	51	6,928	9	22.7	04.5-40.9	42	77.3	59.1-95.5
45-54	226	50,264	13	7.3	02.2-12.4	213	92.7	87.6-97.8
55-64	291	62,205	21	7.9	03.0-12.8	270	92.1	87.2-97.0
65+	611	89,409	111	17.2	13.3-21.1	500	82.8	78.9-86.7
Less Than H.S.	52	14,692	7	15.1	03.3-26.9	45	84.9	73.1-96.7
H.S. or G.E.D.	285	62,288	26	11.1	05.8-16.4	259	88.9	83.6-94.2
Some Post-H.S.	266	54,448	36	13.9	08.0-19.8	230	86.1	80.2-92.0
College Graduate	522	69,994	75	10.2	07.5-12.9	447	89.8	87.1-92.5
\$15,000- 24,999	71	12,147	7	21.3	05.4-37.2	64	78.7	62.8-94.6
\$25,000- 34,999	90	15,500	10	8.8	02.1-15.5	80	91.2	84.5-97.9
\$35,000- 49,999	127	23,042	12	11.6	01.8-21.4	115	88.4	78.6-98.2
\$50,000- 99,999	330	62,826	48	13.4	08.1-18.7	282	86.6	81.3-91.9
\$100,000 - 199,999	220	38,041	31	9.6	05.7-13.5	189	90.4	86.5-94.3
\$200,000+	68	13,708	2	3.8	00.0-09.7	66	96.2	90.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 9: HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Sigmoidoscopy			Did not have Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1534	232,388	191	13.0	10.5-15.5	1343	87.0	84.5-89.5
White/Non-Hisp	1171	161,332	152	12.1	09.7-14.5	1019	87.9	85.5-90.3
Black or Afr. Am./Non-Hisp	222	49,151	26	16.7	08.9-24.5	196	83.3	75.5-91.1
Hispanic	65	9,429	6	16.0	00.0-37.6	59	84.0	62.4-0100
45-54	300	55,181	18	5.1	02.2-08.0	282	94.9	92.0-97.8
55-64	406	68,592	48	13.2	07.9-18.5	358	86.8	81.5-92.1
65+	827	108,473	125	16.9	13.0-20.8	702	83.1	79.2-87.0
Less Than H.S.	73	16,512	10	13.5	03.7-23.3	63	86.5	76.7-96.3
H.S. or G.E.D.	397	70,942	49	11.9	07.2-16.6	348	88.1	83.4-92.8
Some Post-H.S.	450	75,142	63	15.2	10.1-20.3	387	84.8	79.7-89.9
College Graduate	609	68,541	67	10.6	07.5-13.7	542	89.4	86.3-92.5
Less than \$15,000	66	9,914	8	9.3	02.0-16.6	58	90.7	83.4-98.0
\$15,000- 24,999	115	17,801	19	10.9	05.2-16.6	96	89.1	83.4-94.8
\$25,000- 34,999	167	24,805	26	18.8	10.0-27.6	141	81.2	72.4-90.0
\$35,000- 49,999	173	24,799	19	8.2	03.7-12.7	154	91.8	87.3-96.3
\$50,000- 99,999	427	62,363	51	13.6	09.1-18.1	376	86.4	81.9-90.9
\$100,000 - 199,999	202	30,499	22	8.0	04.1-11.9	180	92.0	88.1-95.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <5 years			Sigmoidoscopy 5+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2096	354,689	112	5.3	03.9-06.7	97	4.3	03.1-05.5	1887	90.4	88.6-92.2
Male	900	170,152	49	5.2	03.0-07.4	45	5.0	02.8-07.2	806	89.8	87.1-92.5
Female	1196	184,537	63	5.5	03.3-07.7	52	3.6	02.4-04.8	1081	90.9	88.5-93.3
White/Non-Hisp	1536	230,032	76	4.2	03.0-05.4	85	4.9	03.5-06.3	1375	90.8	89.0-92.6
Black or Afr. Am./Non-Hisp	328	81,283	22	7.6	03.1-12.1	6	3.6	00.1-07.1	300	88.8	83.3-94.3
Hispanic	103	14,334	10	11.2	01.6-20.8	1	0.2	00.0-00.6	92	88.6	79.0-98.2
45-54	504	99,609	20	4.0	01.5-06.5	8	1.4	00.2-02.6	476	94.7	92.0-97.4
55-64	676	126,272	32	4.3	02.1-06.5	27	4.3	01.9-06.7	617	91.3	88.2-94.4
65+	916	128,808	60	7.3	04.6-10.0	62	6.5	04.3-08.7	794	86.2	82.9-89.5
Less Than H.S.	97	24,246	9	9.9	02.6-17.2	3	4.1	00.0-08.6	85	86.1	77.7-94.5
H.S. or G.E.D.	508	103,341	27	4.7	02.0-07.4	13	2.5	00.7-04.3	468	92.9	89.8-96.0
Some Post-H.S.	560	106,748	36	6.5	03.2-09.8	30	6.1	03.2-09.0	494	87.4	83.1-91.7
College Graduate	924	119,212	39	4.0	02.4-05.6	50	4.0	02.6-05.4	835	92.0	90.0-94.0
Less than \$15,000	91	13,595	7	6.5	01.2-11.8	3	3.6	00.0-07.9	81	89.9	83.0-96.8
\$15,000-24,999	131	22,003	11	11.8	02.8-20.8	4	2.4	00.0-05.5	116	85.8	76.4-95.2
\$25,000-34,999	185	27,682	12	5.4	01.5-09.3	6	3.2	00.3-06.1	167	91.3	86.4-96.2
\$35,000-49,999	231	39,501	14	6.3	00.8-11.8	6	1.9	00.0-03.9	211	91.9	86.0-97.8
\$50,000-99,999	623	107,046	29	4.3	02.3-06.3	38	7.0	03.9-10.1	556	88.7	85.0-92.4
\$100,000-199,999	375	62,541	19	3.8	01.8-05.8	19	3.2	01.4-05.0	337	93.0	90.5-95.5
\$200,000+	101	19,427	2	2.0	00.0-04.9	4	3.3	00.0-07.4	95	94.6	89.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 11: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <5 years			Sigmoidoscopy 5+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	900	170,152	49	5.2	03.0-07.4	45	5.0	02.8-07.2	806	89.8	86.9-92.7
White/Non-Hisp	654	105,779	33	4.4	02.6-06.2	39	5.6	03.4-07.8	582	90.0	87.3-92.7
Black or Afr. Am./Non-Hisp	133	38,950	7	4.1	00.0-08.4	3	5.2	00.0-11.7	123	90.6	83.2-98.0
45-54	214	47,710	10	5.0	00.3-09.7	2	1.4	00.0-03.4	202	93.5	88.4-98.6
55-64	286	61,273	11	3.2	00.7-05.7	7	4.0	00.0-08.1	268	92.8	88.1-97.5
65+	400	61,168	28	7.3	03.8-10.8	36	8.7	05.0-12.4	336	84.0	79.1-88.9
H.S. or G.E.D.	224	51,372	11	6.0	00.9-11.1	5	3.0	00.1-05.9	208	91.1	85.2-97.0
Some Post-H.S.	213	46,470	15	5.7	02.6-08.8	12	7.1	01.4-12.8	186	87.2	80.9-93.5
College Graduate	418	60,155	19	3.2	01.4-05.0	25	4.4	02.2-06.6	374	92.4	89.7-95.1
\$15,000- 24,999	56	9,834	5	18.8	01.0-36.6	1	3.4	00.0-09.9	50	77.9	59.7-96.1
\$25,000- 34,999	68	11,543	4	5.4	00.0-11.9	2	3.0	00.0-07.9	62	91.5	83.5-99.5
\$35,000- 49,999	95	19,239	5	8.5	00.0-19.3	2	1.2	00.0-03.2	88	90.4	79.4-0100
\$50,000- 99,999	268	54,569	15	4.8	02.1-07.5	18	7.5	02.2-12.8	235	87.7	81.8-93.6
\$100,000 - 199,999	191	34,081	8	2.7	00.5-04.9	11	3.8	01.1-06.5	172	93.5	90.0-97.0
\$200,000+	63	13,043	1	0.9	00.0-02.7	1	3.1	00.0-09.0	61	96.0	89.9-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 12: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <5 years			Sigmoidoscopy 5+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1196	184,537	63	5.5	03.3-07.7	52	3.6	02.4-04.8	1081	90.9	88.5-93.3
White/Non-Hisp	882	124,253	43	4.1	02.7-05.5	46	4.3	02.7-05.9	793	91.6	89.6-93.6
Black or Afr. Am./Non-Hisp	195	42,332	15	10.7	02.9-18.5	3	2.1	00.0-05.0	177	87.2	79.2-95.2
Hispanic	59	7,844	3	2.2	00.0-04.9				56	97.8	95.1-0100
45-54	290	51,899	10	3.0	01.0-05.0	6	1.3	00.1-02.5	274	95.7	93.3-98.1
55-64	390	64,999	21	5.4	01.9-08.9	20	4.6	02.2-07.0	349	89.9	85.8-94.0
65+	516	67,640	32	7.4	03.3-11.5	26	4.5	02.1-06.9	458	88.2	83.5-92.9
Less Than H.S.	56	12,587	6	10.1	01.5-18.7				50	89.9	81.3-98.5
H.S. or G.E.D.	284	51,969	16	3.3	01.3-05.3	8	2.0	00.4-03.6	260	94.6	92.1-97.1
Some Post-H.S.	347	60,279	21	7.1	02.0-12.2	18	5.3	02.4-08.2	308	87.6	81.9-93.3
College Graduate	506	59,057	20	4.7	02.2-07.2	25	3.6	02.0-05.2	461	91.7	88.8-94.6
Less than \$15,000	58	9,174	4	5.7	00.0-12.2	1	1.0	00.0-03.0	53	93.3	86.4-0100
\$15,000- 24,999	75	12,169	6	6.2	00.5-11.9	3	1.6	00.0-03.6	66	92.2	86.1-98.3
\$25,000- 34,999	117	16,139	8	5.4	00.7-10.1	4	3.4	00.0-07.1	105	91.2	85.1-97.3
\$35,000- 49,999	136	20,261	9	4.2	01.1-07.3	4	2.5	00.0-05.6	123	93.3	89.0-97.6
\$50,000- 99,999	355	52,477	14	3.8	01.3-06.3	20	6.5	03.0-10.0	321	89.7	85.4-94.0
\$100,000 - 199,999	184	28,460	11	5.2	01.7-08.7	8	2.4	00.4-04.4	165	92.5	88.4-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS101)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <10 years			Sigmoidoscopy 10+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2096	354,689	142	6.9	05.1-08.7	67	2.7	01.9-03.5	1887	90.4	88.6-92.2
Male	900	170,152	65	7.7	05.2-10.2	29	2.5	01.3-03.7	806	89.8	87.1-92.5
Female	1196	184,537	77	6.2	04.0-08.4	38	2.9	01.7-04.1	1081	90.9	88.5-93.3
White/Non-Hisp	1536	230,032	100	5.6	04.2-07.0	61	3.5	02.3-04.7	1375	90.8	89.0-92.6
Black or Afr. Am./Non-Hisp	328	81,283	25	10.1	04.6-15.6	3	1.1	00.0-02.7	300	88.8	83.3-94.3
Hispanic	103	14,334	11	11.4	01.8-21.0				92	88.6	79.0-98.2
45-54	504	99,609	22	4.4	01.9-06.9	6	0.9	00.1-01.7	476	94.7	92.0-97.4
55-64	676	126,272	45	6.7	03.8-09.6	14	2.0	00.8-03.2	617	91.3	88.2-94.4
65+	916	128,808	75	9.1	06.2-12.0	47	4.7	02.9-06.5	794	86.2	82.9-89.5
Less Than H.S.	97	24,246	11	12.9	04.7-21.1	1	1.0	00.0-03.0	85	86.1	77.7-94.5
H.S. or G.E.D.	508	103,341	31	5.7	02.8-08.6	9	1.5	00.3-02.7	468	92.9	89.8-96.0
Some Post-H.S.	560	106,748	46	8.9	05.0-12.8	20	3.7	01.7-05.7	494	87.4	83.1-91.7
College Graduate	924	119,212	53	5.1	03.3-06.9	36	2.9	01.7-04.1	835	92.0	90.0-94.0
Less than \$15,000	91	13,595	9	8.3	02.4-14.2	1	1.9	00.0-05.6	81	89.9	83.0-96.8
\$15,000-24,999	131	22,003	13	13.8	04.4-23.2	2	0.4	00.0-01.0	116	85.8	76.4-95.2
\$25,000-34,999	185	27,682	14	6.2	02.1-10.3	4	2.4	00.0-05.1	167	91.3	86.4-96.2
\$35,000-49,999	231	39,501	16	6.8	01.1-12.5	4	1.3	00.0-02.9	211	91.9	86.0-97.8
\$50,000-99,999	623	107,046	41	7.0	04.1-09.9	26	4.3	02.1-06.5	556	88.7	85.0-92.4
\$100,000-199,999	375	62,541	23	4.2	02.2-06.2	15	2.8	01.0-04.6	337	93.0	90.5-95.5
\$200,000+	101	19,427	4	4.5	00.0-09.4	2	0.9	00.0-02.3	95	94.6	89.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 14: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS101)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <10 years			Sigmoidoscopy 10+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	900	170,152	65	7.7	05.2-10.2	29	2.5	01.3-03.7	806	89.8	86.9-92.7
White/Non-Hisp	654	105,779	44	6.1	03.9-08.3	28	3.9	01.9-05.9	582	90.0	87.3-92.7
Black or Afr. Am./Non-Hisp	133	38,950	10	9.4	02.0-16.8				123	90.6	83.2-98.0
45-54	214	47,710	11	5.9	01.0-10.8	1	0.6	00.0-01.8	202	93.5	88.4-98.6
55-64	286	61,273	16	6.6	01.9-11.3	2	0.6	00.0-01.6	268	92.8	88.1-97.5
65+	400	61,168	38	10.3	06.2-14.4	26	5.8	02.9-08.7	336	84.0	79.1-88.9
H.S. or G.E.D.	224	51,372	13	7.5	01.8-13.2	3	1.4	00.0-03.4	208	91.1	85.2-97.0
Some Post-H.S.	213	46,470	21	10.1	04.2-16.0	6	2.6	00.0-05.3	186	87.2	80.9-93.5
College Graduate	418	60,155	25	4.4	02.2-06.6	19	3.3	01.3-05.3	374	92.4	89.7-95.1
\$15,000- 24,999	56	9,834	6	22.1	03.9-40.3				50	77.9	59.7-96.1
\$25,000- 34,999	68	11,543	4	5.4	00.0-11.9	2	3.0	00.0-07.9	62	91.5	83.5-99.5
\$35,000- 49,999	95	19,239	7	9.6	00.0-20.6				88	90.4	79.4-0100
\$50,000- 99,999	268	54,569	21	9.0	03.7-14.3	12	3.3	00.6-06.0	235	87.7	81.8-93.6
\$100,000 - 199,999	191	34,081	10	3.1	00.7-05.5	9	3.4	00.7-06.1	172	93.5	90.0-97.0
\$200,000+	63	13,043	2	4.0	00.0-10.1				61	96.0	89.9-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 15: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS101)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <10 years			Sigmoidoscopy 10+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1196	184,537	77	6.2	04.0-08.4	38	2.9	01.7-04.1	1081	90.9	88.5-93.3
White/Non-Hisp	882	124,253	56	5.2	03.6-06.8	33	3.2	01.8-04.6	793	91.6	89.6-93.6
Black or Afr. Am./Non-Hisp	195	42,332	15	10.7	02.9-18.5	3	2.1	00.0-05.0	177	87.2	79.2-95.2
Hispanic	59	7,844	3	2.2	00.0-04.9				56	97.8	95.1-0100
45-54	290	51,899	11	3.1	01.1-05.1	5	1.2	00.2-02.2	274	95.7	93.3-98.1
55-64	390	64,999	29	6.8	03.1-10.5	12	3.3	01.1-05.5	349	89.9	85.8-94.0
65+	516	67,640	37	8.1	03.8-12.4	21	3.8	01.4-06.2	458	88.2	83.5-92.9
Less Than H.S.	56	12,587	6	10.1	01.5-18.7				50	89.9	81.3-98.5
H.S. or G.E.D.	284	51,969	18	3.9	01.7-06.1	6	1.5	00.1-02.9	260	94.6	92.1-97.1
Some Post-H.S.	347	60,279	25	7.9	02.6-13.2	14	4.5	01.6-07.4	308	87.6	81.9-93.3
College Graduate	506	59,057	28	5.8	03.1-08.5	17	2.6	01.2-04.0	461	91.7	88.8-94.6
Less than \$15,000	58	9,174	5	6.7	00.0-13.6				53	93.3	86.4-0100
\$15,000- 24,999	75	12,169	7	7.0	01.1-12.9	2	0.8	00.0-02.0	66	92.2	86.1-98.3
\$25,000- 34,999	117	16,139	10	6.8	01.5-12.1	2	2.0	00.0-05.1	105	91.2	85.1-97.3
\$35,000- 49,999	136	20,261	9	4.2	01.1-07.3	4	2.5	00.0-05.6	123	93.3	89.0-97.6
\$50,000- 99,999	355	52,477	20	4.9	02.2-07.6	14	5.3	02.0-08.6	321	89.7	85.4-94.0
\$100,000 - 199,999	184	28,460	13	5.5	02.0-09.0	6	2.0	00.0-04.0	165	92.5	88.4-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFBlds5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test <1 year			Blood stool test >1+ years			Never had Blood Stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2074	353,041	106	3.8	03.0-04.6	195	8.7	07.1-10.3	1773	87.5	85.7-89.3
Male	882	168,215	39	2.8	01.8-03.8	92	9.0	06.6-11.4	751	88.2	85.7-90.7
Female	1192	184,826	67	4.8	03.4-06.2	103	8.4	06.4-10.4	1022	86.8	84.4-89.2
White/Non-Hisp	1514	228,008	87	4.6	03.4-05.8	149	9.9	07.9-11.9	1278	85.6	83.4-87.8
Black or Afr. Am./Non-Hisp	322	80,093	11	2.4	00.8-04.0	26	6.5	03.4-09.6	285	91.1	87.8-94.4
Hispanic	108	16,090	4	4.0	00.0-08.3	9	7.7	01.0-14.4	95	88.3	80.5-96.1
45-54	502	98,970	21	3.5	01.7-05.3	25	4.5	02.5-06.5	456	91.9	89.4-94.4
55-64	666	125,746	30	3.8	02.2-05.4	56	8.5	05.6-11.4	580	87.6	84.5-90.7
65+	906	128,325	55	4.1	02.7-05.5	114	12.0	09.5-14.5	737	83.9	81.0-86.8
Less Than H.S.	101	26,068	5	4.8	00.5-09.1	5	3.8	00.1-07.5	91	91.4	85.7-97.1
H.S. or G.E.D.	505	103,758	23	3.3	01.7-04.9	44	8.5	05.4-11.6	438	88.2	84.9-91.5
Some Post-H.S.	547	103,835	23	3.4	01.8-05.0	55	8.2	05.7-10.7	469	88.4	85.5-91.3
College Graduate	913	117,708	55	4.5	03.1-05.9	90	10.0	07.5-12.5	768	85.5	82.6-88.4
Less than \$15,000	90	13,522	5	5.1	00.0-10.2	5	3.8	00.1-07.5	80	91.1	84.8-97.4
\$15,000-24,999	138	22,595	5	3.2	00.1-06.3	12	7.5	02.2-12.8	121	89.4	83.3-95.5
\$25,000-34,999	183	28,398	4	1.4	00.0-03.0	19	7.5	03.6-11.4	160	91.1	86.8-95.4
\$35,000-49,999	225	37,958	16	3.9	01.5-06.3	20	7.6	03.5-11.7	189	88.4	83.7-93.1
\$50,000-99,999	621	106,611	38	4.5	02.7-06.3	64	10.0	07.1-12.9	519	85.6	82.3-88.9
\$100,000-199,999	369	62,303	11	2.5	00.9-04.1	36	9.9	06.0-13.8	322	87.6	83.3-91.9
\$200,000+	102	19,571	7	7.3	01.6-13.0	6	5.7	00.0-11.4	89	87.0	79.2-94.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 17: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFBlds5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test <1 year			Blood stool test >1+ years			Never had Blood Stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	882	168,215	39	2.8	01.8-03.8	92	9.0	06.6-11.4	751	88.2	85.7-90.7
White/Non-Hisp	641	105,270	34	3.6	02.2-05.0	76	11.1	08.2-14.0	531	85.3	82.0-88.6
Black or Afr. Am./Non-Hisp	125	37,204	4	1.8	00.0-03.8	7	4.9	00.8-09.0	114	93.3	88.6-98.0
45-54	211	47,345	4	1.5	00.0-03.3	11	3.1	01.1-05.1	196	95.4	92.7-98.1
55-64	278	59,903	10	2.3	00.7-03.9	22	8.8	04.3-13.3	246	89.0	84.3-93.7
65+	393	60,967	25	4.3	02.1-06.5	59	13.8	09.7-17.9	309	81.9	77.4-86.4
H.S. or G.E.D.	219	50,626	9	2.7	00.7-04.7	20	9.7	04.6-14.8	190	87.6	82.1-93.1
Some Post-H.S.	204	44,515	9	2.5	00.3-04.7	18	6.3	03.0-09.6	177	91.2	87.3-95.1
College Graduate	410	59,527	20	3.2	01.4-05.0	50	11.1	07.2-15.0	340	85.6	81.5-89.7
\$15,000- 24,999	57	9,975	2	1.6	00.0-04.1	7	9.5	01.1-17.9	48	88.9	80.1-97.7
\$25,000- 34,999	65	11,461	2	2.2	00.0-05.7	9	9.2	01.9-16.5	54	88.6	80.8-96.4
\$35,000- 49,999	91	18,113	5	2.0	00.0-04.0	3	4.0	00.0-08.7	83	94.0	88.7-99.3
\$50,000- 99,999	265	53,975	14	3.6	01.2-06.0	36	12.2	07.3-17.1	215	84.2	78.9-89.5
\$100,000 - 199,999	186	34,072	4	1.3	00.0-02.7	21	10.5	04.6-16.4	161	88.2	82.3-94.1
\$200,000+	64	13,187	4	6.3	00.0-13.0	3	3.3	00.0-07.0	57	90.4	83.0-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 18: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFBlds5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test <1 year			Blood stool test >1+ years			Never had Blood Stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1192	184,826	67	4.8	03.4-06.2	103	8.4	06.4-10.4	1022	86.8	84.4-89.2
White/Non-Hisp	873	122,738	53	5.4	03.6-07.2	73	8.8	06.4-11.2	747	85.8	82.9-88.7
Black or Afr. Am./Non-Hisp	197	42,890	7	2.9	00.5-05.3	19	7.9	03.6-12.2	171	89.1	84.2-94.0
Hispanic	62	9,057	3	4.1	00.0-09.0	5	7.5	00.0-16.9	54	88.4	77.8-99.0
45-54	291	51,626	17	5.4	02.5-08.3	14	5.9	02.6-09.2	260	88.7	84.4-93.0
55-64	388	65,843	20	5.2	02.8-07.6	34	8.3	04.8-11.8	334	86.4	82.1-90.7
65+	513	67,358	30	3.8	02.2-05.4	55	10.4	07.3-13.5	428	85.8	82.3-89.3
Less Than H.S.	56	13,017	4	7.4	00.1-14.7	1	1.4	00.0-04.1	51	91.2	83.4-99.0
H.S. or G.E.D.	286	53,132	14	3.8	01.4-06.2	24	7.4	03.9-10.9	248	88.7	84.6-92.8
Some Post-H.S.	343	59,320	14	4.1	01.7-06.5	37	9.6	06.1-13.1	292	86.2	82.1-90.3
College Graduate	503	58,181	35	5.8	03.6-08.0	40	8.8	05.3-12.3	428	85.4	81.5-89.3
Less than \$15,000	55	8,878	2	3.7	00.0-10.0	4	5.0	00.0-10.3	49	91.3	83.3-99.3
\$15,000- 24,999	81	12,620	3	4.5	00.0-09.8	5	5.8	00.0-12.5	73	89.7	81.5-97.9
\$25,000- 34,999	118	16,938	2	0.8	00.0-02.0	10	6.4	01.9-10.9	106	92.8	88.1-97.5
\$35,000- 49,999	134	19,845	11	5.7	01.8-09.6	17	11.0	04.3-17.7	106	83.4	75.8-91.0
\$50,000- 99,999	356	52,636	24	5.4	02.9-07.9	28	7.6	04.1-11.1	304	87.0	82.9-91.1
\$100,000 - 199,999	183	28,231	7	4.0	00.9-07.1	15	9.2	03.9-14.5	161	86.8	80.9-92.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 19: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test <3 years			Stool DNA test >3+ years			Never had StoolDNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2060	350,516	64	3.2	02.2-04.2	14	0.7	00.1-01.3	1982	96.1	95.1-97.1
Male	879	168,269	28	3.0	01.6-04.4	6	0.6	00.0-01.2	845	96.4	94.8-98.0
Female	1181	182,247	36	3.4	02.0-04.8	8	0.8	00.0-01.6	1137	95.7	94.1-97.3
White/Non-Hisp	1503	226,335	51	3.8	02.6-05.0	8	0.7	00.1-01.3	1444	95.5	94.1-96.9
Black or Afr. Am./Non-Hisp	318	78,973	5	1.1	00.1-02.1	2	0.4	00.0-01.2	311	98.4	97.2-99.6
Hispanic	109	16,372	4	3.2	00.0-06.9	3	1.1	00.0-02.5	102	95.7	91.8-99.6
45-54	497	98,441	19	3.1	01.5-04.7	3	0.6	00.0-01.4	475	96.4	94.6-98.2
55-64	660	123,995	21	3.9	01.9-05.9	3	0.5	00.0-01.3	636	95.6	93.4-97.8
65+	903	128,080	24	2.7	01.5-03.9	8	1.1	00.1-02.1	871	96.3	94.7-97.9
Less Than H.S.	100	25,959	5	5.4	00.7-10.1	2	1.8	00.0-04.7	93	92.8	87.3-98.3
H.S. or G.E.D.	504	103,547	17	2.8	01.2-04.4	5	0.6	00.0-01.4	482	96.6	94.8-98.4
Some Post-H.S.	545	103,246	12	2.3	00.9-03.7	3	0.5	00.0-01.1	530	97.3	95.9-98.7
College Graduate	903	116,093	30	4.0	02.0-06.0	3	0.4	00.0-01.0	870	95.7	93.7-97.7
Less than \$15,000	90	13,522	5	5.6	00.1-11.1				85	94.4	88.9-99.9
\$15,000-24,999	138	22,595	5	4.7	00.2-09.2	1	0.4	00.0-01.2	132	94.9	90.4-99.4
\$25,000-34,999	183	28,211	3	1.6	00.0-03.8	4	2.0	00.0-04.7	176	96.4	92.9-99.9
\$35,000-49,999	224	37,865	7	1.7	00.3-03.1	3	1.1	00.0-02.7	214	97.3	95.3-99.3
\$50,000-99,999	614	105,547	14	2.0	00.8-03.2	2	0.2	00.0-00.6	598	97.8	96.6-99.0
\$100,000-199,999	371	62,414	13	4.5	01.4-07.6				358	95.5	92.4-98.6
\$200,000+	100	18,957	4	3.4	00.0-06.9	1	2.1	00.0-06.2	95	94.5	89.2-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 20: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test <3 years			Stool DNA test >3+ years			Never had StoolDNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	879	168,269	28	3.0	01.6-04.4	6	0.6	00.0-01.2	845	96.4	94.8-98.0
White/Non-Hisp	638	105,292	24	3.6	02.0-05.2	2	0.2	00.0-00.6	612	96.2	94.6-97.8
Black or Afr. Am./Non-Hisp	125	37,204				2	0.9	00.0-02.5	123	99.1	97.5-0100
45-54	209	47,039	6	1.9	00.3-03.5	2	1.0	00.0-02.8	201	97.1	94.7-99.5
55-64	277	59,746	7	3.0	00.1-05.9				270	97.0	94.1-99.9
65+	393	61,483	15	3.7	01.5-05.9	4	0.9	00.0-01.9	374	95.3	92.9-97.7
H.S. or G.E.D.	218	50,455	11	3.1	01.1-05.1				207	96.9	94.9-98.9
Some Post-H.S.	206	45,136	4	1.4	00.0-03.0	1	0.3	00.0-00.9	201	98.3	96.7-99.9
College Graduate	407	59,241	11	3.7	00.8-06.6	3	0.7	00.0-01.7	393	95.6	92.5-98.7
\$15,000- 24,999	57	9,975	2	5.1	00.0-12.4				55	94.9	87.6-0100
\$25,000- 34,999	66	11,495	3	4.0	00.0-09.3	1	0.5	00.0-01.7	62	95.5	90.2-0100
\$35,000- 49,999	92	18,171	3	1.3	00.0-02.9	1	0.4	00.0-01.2	88	98.4	96.6-0100
\$50,000- 99,999	262	53,957	6	1.5	00.1-02.9	2	0.4	00.0-01.0	254	98.1	96.5-99.7
\$100,000 - 199,999	189	34,487	6	4.7	00.0-09.6				183	95.3	90.4-0100
\$200,000+	64	13,187	3	4.2	00.0-09.1	1	3.0	00.0-08.9	60	92.8	85.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 21: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test <3 years			Stool DNA test >3+ years			Never had StoolDNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1181	182,247	36	3.4	02.0-04.8	8	0.8	00.0-01.6	1137	95.7	94.1-97.3
White/Non-Hisp	865	121,043	27	4.1	02.3-05.9	6	1.2	00.0-02.4	832	94.8	92.6-97.0
Black or Afr. Am./Non-Hisp	193	41,769	5	2.2	00.2-04.2				188	97.8	95.8-99.8
Hispanic	64	9,448	2	1.4	00.0-03.6	2	1.3	00.0-03.3	60	97.3	94.4-0100
45-54	288	51,401	13	4.2	01.7-06.7	1	0.2	00.0-00.6	274	95.6	93.1-98.1
55-64	383	64,249	14	4.7	02.0-07.4	3	1.0	00.0-02.6	366	94.3	91.2-97.4
65+	510	66,597	9	1.7	00.5-02.9	4	1.2	00.0-02.6	497	97.2	95.2-99.2
Less Than H.S.	56	13,017	3	6.1	00.0-13.0				53	93.9	87.0-0100
H.S. or G.E.D.	286	53,092	6	2.5	00.0-05.0	5	1.2	00.0-02.8	275	96.2	93.3-99.1
Some Post-H.S.	339	58,109	8	2.9	00.7-05.1	2	0.6	00.0-01.6	329	96.5	94.1-98.9
College Graduate	496	56,852	19	4.3	02.1-06.5				477	95.7	93.5-97.9
Less than \$15,000	55	8,878	3	6.1	00.0-13.7				52	93.9	86.3-0100
\$15,000- 24,999	81	12,620	3	4.3	00.0-10.0	1	0.7	00.0-02.1	77	95.0	89.3-0100
\$25,000- 34,999	117	16,716				3	3.0	00.0-07.5	114	97.0	92.5-0100
\$35,000- 49,999	132	19,694	4	2.0	00.0-04.2	2	1.7	00.0-04.4	126	96.3	92.8-99.8
\$50,000- 99,999	352	51,591	8	2.5	00.7-04.3				344	97.5	95.7-99.3
\$100,000 - 199,999	182	27,928	7	4.3	00.8-07.8				175	95.7	92.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 22: RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy <5 years			Virtual colonoscopy 5+ years			Never had virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2075	353,263	53	2.3	01.5-03.1	26	1.2	00.6-01.8	1996	96.5	95.5-97.5
Male	886	168,954	21	2.1	00.7-03.5	13	1.3	00.3-02.3	852	96.6	94.8-98.4
Female	1189	184,309	32	2.5	01.5-03.5	13	1.2	00.4-02.0	1144	96.3	94.9-97.7
White/Non-Hisp	1516	228,780	36	1.9	01.1-02.7	21	1.3	00.5-02.1	1459	96.8	95.8-97.8
Black or Afr. Am./Non-Hisp	320	79,248	11	3.4	00.5-06.3	4	1.4	00.0-03.2	305	95.1	91.8-98.4
Hispanic	108	16,166	3	5.0	00.0-11.1	1	1.1	00.0-03.3	104	93.9	87.4-0100
45-54	502	98,979	6	2.0	00.0-04.4	2	0.4	00.0-01.0	494	97.6	95.2-0100
55-64	666	125,408	14	1.9	00.7-03.1	6	1.1	00.0-02.3	646	97.0	95.4-98.6
65+	907	128,876	33	3.0	01.8-04.2	18	2.0	00.8-03.2	856	95.0	93.4-96.6
Less Than H.S.	101	26,018	7	4.4	00.7-08.1	2	1.8	00.0-04.3	92	93.8	89.3-98.3
H.S. or G.E.D.	500	103,156	14	3.6	01.1-06.1	8	2.1	00.3-03.9	478	94.3	91.4-97.2
Some Post-H.S.	553	105,164	14	1.6	00.6-02.6	8	1.0	00.0-02.0	531	97.4	96.0-98.8
College Graduate	913	117,253	18	1.4	00.6-02.2	8	0.6	00.0-01.2	887	98.1	97.1-99.1
Less than \$15,000	90	13,481	3	3.7	00.0-08.2	1	0.5	00.0-01.5	86	95.8	91.3-0100
\$15,000-24,999	138	22,498	5	3.4	00.0-06.9	3	2.9	00.0-06.6	130	93.7	88.6-98.8
\$25,000-34,999	184	28,539	2	0.4	00.0-01.0	6	3.4	00.0-06.9	176	96.2	92.7-99.7
\$35,000-49,999	224	37,887	11	4.2	01.1-07.3				213	95.8	92.7-98.9
\$50,000-99,999	616	105,684	15	2.8	00.6-05.0	9	1.2	00.0-02.4	592	95.9	93.4-98.4
\$100,000-199,999	372	62,792	8	1.7	00.3-03.1	3	0.3	00.0-00.7	361	97.9	96.5-99.3
\$200,000+	102	19,571	1	0.7	00.0-02.1	1	2.6	00.0-07.5	100	96.7	91.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 23: RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy <5 years			Virtual colonoscopy 5+ years			Never had virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	886	168,954	21	2.1	00.7-03.5	13	1.3	00.3-02.3	852	96.6	94.8-98.4
White/Non-Hisp	645	106,146	13	1.3	00.5-02.1	10	1.1	00.3-01.9	622	97.6	96.4-98.8
Black or Afr. Am./Non-Hisp	125	37,204	5	4.7	00.0-10.4	3	2.5	00.0-06.0	117	92.8	86.1-99.5
45-54	211	47,345	3	2.6	00.0-06.9				208	97.4	93.1-0100
55-64	279	60,072	5	1.8	00.2-03.4	2	1.1	00.0-03.1	272	97.1	94.6-99.6
65+	396	61,537	13	2.1	00.9-03.3	11	2.3	00.7-03.9	372	95.6	93.6-97.6
H.S. or G.E.D.	217	50,119	3	2.8	00.0-07.1	4	2.1	00.0-04.6	210	95.1	90.2-0100
Some Post-H.S.	207	45,379	5	1.9	00.1-03.7	3	0.7	00.0-01.5	199	97.4	95.4-99.4
College Graduate	413	59,909	11	1.8	00.6-03.0	5	0.8	00.0-01.8	397	97.3	95.7-98.9
\$15,000- 24,999	57	9,975				2	2.7	00.0-06.6	55	97.3	93.4-0100
\$25,000- 34,999	67	11,637	1	0.5	00.0-01.5	4	4.5	00.0-09.8	62	95.0	89.5-0100
\$35,000- 49,999	92	18,171	2	1.5	00.0-03.7				90	98.5	96.3-0100
\$50,000- 99,999	263	53,992	8	3.6	00.0-07.7	5	1.8	00.0-04.2	250	94.6	90.1-99.1
\$100,000 - 199,999	189	34,561	6	2.6	00.2-05.0	1	0.2	00.0-00.6	182	97.2	94.8-99.6
\$200,000+	64	13,187	1	1.1	00.0-03.3				63	98.9	96.7-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 24: RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy <5 years			Virtual colonoscopy 5+ years			Never had virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1189	184,309	32	2.5	01.5-03.5	13	1.2	00.4-02.0	1144	96.3	94.9-97.7
White/Non-Hisp	871	122,634	23	2.4	01.2-03.6	11	1.5	00.3-02.7	837	96.1	94.5-97.7
Black or Afr. Am./Non-Hisp	195	42,045	6	2.4	00.0-04.8	1	0.4	00.0-01.2	188	97.2	94.8-99.6
Hispanic	63	9,412	1	4.5	00.0-13.1	1	1.9	00.0-05.6	61	93.6	84.4-0100
45-54	291	51,635	3	1.4	00.0-03.4	2	0.7	00.0-01.7	286	97.9	95.7-0100
55-64	387	65,336	9	1.9	00.5-03.3	4	1.1	00.0-02.7	374	97.0	94.8-99.2
65+	511	67,339	20	3.8	01.8-05.8	7	1.7	00.0-03.5	484	94.5	92.0-97.0
Less Than H.S.	56	12,967	5	7.3	00.2-14.4	1	1.3	00.0-04.0	50	91.3	83.9-98.7
H.S. or G.E.D.	283	53,036	11	4.2	01.5-06.9	4	2.2	00.0-04.4	268	93.6	90.1-97.1
Some Post-H.S.	346	59,784	9	1.4	00.4-02.4	5	1.2	00.0-03.0	332	97.3	95.3-99.3
College Graduate	500	57,344	7	0.9	00.1-01.7	3	0.3	00.0-00.7	490	98.8	98.0-99.6
Less than \$15,000	55	8,838	3	5.7	00.0-12.6	1	0.7	00.0-02.1	51	93.6	86.5-0100
\$15,000- 24,999	81	12,523	5	6.2	00.1-12.3	1	3.1	00.0-09.0	75	90.8	82.4-99.2
\$25,000- 34,999	117	16,902	1	0.3	00.0-00.9	2	2.7	00.0-07.2	114	97.0	92.5-0100
\$35,000- 49,999	132	19,716	9	6.7	01.0-12.4				123	93.3	87.6-99.0
\$50,000- 99,999	353	51,692	7	2.1	00.3-03.9	4	0.7	00.0-01.5	342	97.3	95.3-99.3
\$100,000 - 199,999	183	28,231	2	0.7	00.0-01.9	2	0.5	00.0-01.1	179	98.8	97.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 25: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2025	343,464	9	0.3	00.1-00.5	441	19.9	17.5-22.3	1575	79.8	77.4-82.2
Male	864	164,383	5	0.3	00.1-00.5	189	18.9	15.4-22.4	670	80.8	77.3-84.3
Female	1161	179,081	4	0.3	00.0-00.7	252	20.8	17.7-23.9	905	78.9	75.8-82.0
White/Non-Hisp	1486	222,903	7	0.3	00.1-00.5	345	21.0	18.5-23.5	1134	78.7	76.2-81.2
Black or Afr. Am./Non-Hisp	315	78,747	2	0.5	00.0-01.3	54	18.0	11.9-24.1	259	81.4	75.1-87.7
Hispanic	101	13,943				21	22.3	10.5-34.1	80	77.7	65.9-89.5
45-54	495	97,871	1	0.3	00.0-00.9	65	12.1	08.6-15.6	429	87.6	84.1-91.1
55-64	653	122,491	1	0.1	00.0-00.3	129	19.3	15.2-23.4	523	80.6	76.5-84.7
65+	877	123,102	7	0.5	00.1-00.9	247	26.6	22.7-30.5	623	72.9	69.0-76.8
Less Than H.S.	92	23,372	1	1.1	00.0-03.3	16	18.4	09.0-27.8	75	80.5	70.9-90.1
H.S. or G.E.D.	493	100,478				95	17.5	13.2-21.8	398	82.5	78.2-86.8
Some Post-H.S.	537	102,394	2	0.2	00.0-00.4	123	21.9	17.0-26.8	412	78.0	73.1-82.9
College Graduate	896	116,079	6	0.5	00.1-00.9	205	20.4	17.1-23.7	685	79.1	75.8-82.4
Less than \$15,000	87	13,199	1	1.1	00.0-03.3	15	15.2	06.8-23.6	71	83.7	74.9-92.5
\$15,000-24,999	128	21,606	1	1.2	00.0-03.6	26	20.3	10.1-30.5	101	78.4	68.2-88.6
\$25,000-34,999	178	27,116				36	16.3	10.0-22.6	142	83.7	77.4-90.0
\$35,000-49,999	223	37,505				48	17.8	10.5-25.1	175	82.2	74.9-89.5
\$50,000-99,999	609	104,694	4	0.3	00.0-00.7	147	22.8	18.3-27.3	458	76.8	72.3-81.3
\$100,000-199,999	364	61,079	1	0.1	00.0-00.3	76	18.2	13.5-22.9	287	81.7	77.0-86.4
\$200,000+	101	19,427				17	17.2	08.4-26.0	84	82.8	74.0-91.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 26: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONT11)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	864	164,383	5	0.3	00.1-00.5	189	18.9	15.4-22.4	670	80.8	77.3-84.3
White/Non-Hisp	629	102,571	5	0.5	00.1-00.9	152	20.8	17.1-24.5	472	78.7	75.0-82.4
Black or Afr. Am./Non-Hisp	125	37,204				18	14.0	05.8-22.2	107	86.0	77.8-94.2
45-54	209	46,767				24	10.2	04.7-15.7	185	89.8	84.3-95.3
55-64	274	59,262	1	0.2	00.0-00.6	40	15.2	09.1-21.3	233	84.6	78.5-90.7
65+	381	58,355	4	0.6	00.0-01.2	125	29.6	23.7-35.5	252	69.8	63.9-75.7
H.S. or G.E.D.	215	49,482				39	19.0	11.7-26.3	176	81.0	73.7-88.3
Some Post-H.S.	203	44,443	2	0.4	00.0-01.0	43	17.3	10.6-24.0	158	82.3	75.6-89.0
College Graduate	403	58,697	3	0.5	00.0-01.1	99	19.6	14.9-24.3	301	79.9	75.2-84.6
\$15,000- 24,999	55	9,752				13	29.5	11.5-47.5	42	70.5	52.5-88.5
\$25,000- 34,999	64	11,178				15	17.6	07.2-28.0	49	82.4	72.0-92.8
\$35,000- 49,999	90	17,792				13	14.1	02.1-26.1	77	85.9	73.9-97.9
\$50,000- 99,999	261	53,266	2	0.3	00.0-00.7	69	23.3	16.4-30.2	190	76.4	69.5-83.3
\$100,000 - 199,999	182	32,938				38	16.5	09.8-23.2	144	83.5	76.8-90.2
\$200,000+	63	13,043				8	12.6	03.4-21.8	55	87.4	78.2-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 27: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1161	179,081	4	0.3	00.0-00.7	252	20.8	17.7-23.9	905	78.9	75.8-82.0
White/Non-Hisp	857	120,331	2	0.1	00.0-00.3	193	21.2	17.9-24.5	662	78.7	75.4-82.0
Black or Afr. Am./Non-Hisp	190	41,543	2	1.0	00.0-02.4	36	21.6	12.6-30.6	152	77.4	68.4-86.4
Hispanic	57	7,453				10	16.0	03.5-28.5	47	84.0	71.5-96.5
45-54	286	51,105	1	0.5	00.0-01.5	41	13.8	09.1-18.5	244	85.7	81.0-90.4
55-64	379	63,229				89	23.2	17.7-28.7	290	76.8	71.3-82.3
65+	496	64,747	3	0.4	00.0-01.0	122	24.0	18.5-29.5	371	75.6	70.1-81.1
Less Than H.S.	53	12,106	1	2.2	00.0-06.5	9	15.7	04.9-26.5	43	82.2	70.6-93.8
H.S. or G.E.D.	278	50,995				56	15.9	11.2-20.6	222	84.1	79.4-88.8
Some Post-H.S.	334	57,951				80	25.4	18.7-32.1	254	74.6	67.9-81.3
College Graduate	493	57,383	3	0.5	00.0-01.1	106	21.3	16.6-26.0	384	78.2	73.5-82.9
Less than \$15,000	54	8,778				9	14.0	03.6-24.4	45	86.0	75.6-96.4
\$15,000- 24,999	73	11,854	1	2.2	00.0-06.5	13	12.8	04.0-21.6	59	85.0	75.4-94.6
\$25,000- 34,999	114	15,938				21	15.4	07.8-23.0	93	84.6	77.0-92.2
\$35,000- 49,999	133	19,713				35	21.1	12.5-29.7	98	78.9	70.3-87.5
\$50,000- 99,999	348	51,428	2	0.4	00.0-01.0	78	22.3	16.6-28.0	268	77.3	71.6-83.0
\$100,000 - 199,999	182	28,141	1	0.3	00.0-00.9	38	20.0	13.1-26.9	143	79.7	72.8-86.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 28: RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At least one CRC tests on time			None of the CRC tests on time			Never had CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2098	355,682	1494	70.1	67.4-72.8	139	6.9	05.3-08.5	465	23.1	20.6-25.6
Male	898	170,032	639	71.0	67.1-74.9	52	5.8	03.6-08.0	207	23.2	19.5-26.9
Female	1200	185,650	855	69.2	65.5-72.9	87	7.8	05.4-10.2	258	23.0	19.7-26.3
White/Non-Hisp	1531	230,242	1126	71.9	69.0-74.8	103	6.5	04.9-08.1	302	21.5	18.8-24.2
Black or Afr. Am./Non-Hisp	327	80,146	218	67.8	60.4-75.2	22	8.6	03.5-13.7	87	23.6	16.9-30.3
Oth. Race/Non-Hisp.	50	13,552	31	68.3	53.0-83.6	5	9.0	00.0-18.0	14	22.7	09.2-36.2
Hispanic	108	15,826	63	55.3	41.2-69.4	3	2.7	00.0-06.2	42	42.0	28.1-55.9
45-54	507	99,895	231	47.2	41.5-52.9	21	4.7	02.3-07.1	255	48.1	42.4-53.8
55-64	668	126,103	502	76.4	72.1-80.7	45	6.6	03.9-09.3	121	16.9	13.2-20.6
65+	923	129,685	761	81.4	77.9-84.9	73	8.7	05.8-11.6	89	9.8	07.3-12.3
Less Than H.S.	99	24,396	63	56.3	43.0-69.6	5	5.6	00.1-11.1	31	38.1	24.6-51.6
H.S. or G.E.D.	510	104,903	346	67.0	61.3-72.7	41	8.1	04.6-11.6	123	25.0	19.9-30.1
Some Post-H.S.	559	106,286	394	72.2	67.5-76.9	42	7.0	04.1-09.9	123	20.7	16.6-24.8
College Graduate	923	118,567	686	73.6	69.9-77.3	51	6.0	03.8-08.2	186	20.4	17.1-23.7
Less than \$15,000	93	13,821	50	57.7	44.8-70.6	8	8.0	01.5-14.5	35	34.4	22.1-46.7
\$15,000-24,999	134	21,654	94	69.9	57.7-82.1	9	10.5	00.0-22.7	31	19.6	11.6-27.6
\$25,000-34,999	185	27,951	126	63.3	53.7-72.9	13	6.5	02.4-10.6	46	30.2	20.8-39.6
\$35,000-49,999	231	39,333	168	72.4	63.0-81.8	12	3.7	01.0-06.4	51	23.9	14.5-33.3
\$50,000-99,999	623	107,313	443	69.4	64.3-74.5	50	8.4	05.3-11.5	130	22.2	17.7-26.7
\$100,000-199,999	375	62,416	278	71.2	65.1-77.3	21	7.4	03.7-11.1	76	21.4	15.9-26.9
\$200,000+	102	19,571	77	72.8	62.2-83.4	3	3.0	00.0-06.9	22	24.2	14.0-34.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 29: RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At least one CRC tests on time			None of the CRC tests on time			Never had CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	898	170,032	639	71.0	67.1-74.9	52	5.8	03.6-08.0	207	23.2	19.5-26.9
White/Non-Hisp	652	106,020	469	70.6	66.3-74.9	38	5.8	03.6-08.0	145	23.5	19.6-27.4
Black or Afr. Am./Non-Hisp	131	38,226	92	70.6	59.4-81.8	8	6.4	00.1-12.7	31	23.0	12.6-33.4
45-54	214	47,715	98	49.4	40.8-58.0	6	2.9	00.2-05.6	110	47.7	39.1-56.3
55-64	281	60,571	209	75.3	68.2-82.4	20	7.2	02.7-11.7	52	17.5	11.4-23.6
65+	403	61,746	332	83.5	79.0-88.0	26	6.7	03.6-09.8	45	9.8	06.3-13.3
H.S. or G.E.D.	224	51,820	154	69.6	61.4-77.8	17	6.9	03.0-10.8	53	23.5	15.9-31.1
Some Post-H.S.	209	45,603	140	69.5	61.5-77.5	11	6.5	01.0-12.0	58	24.1	17.0-31.2
College Graduate	418	60,124	315	75.2	69.9-80.5	22	5.0	02.6-07.4	81	19.8	14.9-24.7
\$15,000- 24,999	57	9,913	40	78.0	66.0-90.0	2	1.4	00.0-03.4	15	20.6	09.0-32.2
\$25,000- 34,999	67	11,629	50	76.5	63.4-89.6	1	0.5	00.0-01.5	16	23.0	09.9-36.1
\$35,000- 49,999	94	18,940	61	69.9	56.8-83.0	6	5.4	00.1-10.7	27	24.7	12.2-37.2
\$50,000- 99,999	268	54,621	194	69.3	61.3-77.3	21	9.2	03.9-14.5	53	21.5	14.4-28.6
\$100,000 - 199,999	190	33,866	144	74.4	66.6-82.2	9	4.4	01.1-07.7	37	21.2	13.8-28.6
\$200,000+	64	13,187	50	76.0	63.8-88.2	2	3.9	00.0-09.8	12	20.1	08.9-31.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 30: RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At least one CRC tests on time			None of the CRC tests on time			Never had CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1200	185,650	855	69.2	65.7-72.7	87	7.8	05.4-10.2	258	23.0	19.7-26.3
White/Non-Hisp	879	124,222	657	73.0	69.3-76.7	65	7.2	05.0-09.4	157	19.8	16.3-23.3
Black or Afr. Am./Non-Hisp	196	41,920	126	65.3	55.1-75.5	14	10.6	03.0-18.2	56	24.2	15.4-33.0
Hispanic	63	9,227	38	56.8	37.2-76.4	2	3.1	00.0-08.4	23	40.1	20.7-59.5
45-54	293	52,180	133	45.2	37.8-52.6	15	6.4	02.7-10.1	145	48.4	40.8-56.0
55-64	387	65,531	293	77.5	72.2-82.8	25	6.1	03.0-09.2	69	16.4	11.9-20.9
65+	520	67,939	429	79.6	74.1-85.1	47	10.6	05.9-15.3	44	9.8	05.9-13.7
Less Than H.S.	55	12,266	36	51.2	31.8-70.6	3	8.4	00.0-18.4	16	40.4	19.8-61.0
H.S. or G.E.D.	286	53,082	192	64.4	56.8-72.0	24	9.2	03.5-14.9	70	26.4	19.5-33.3
Some Post-H.S.	350	60,682	254	74.3	68.6-80.0	31	7.5	04.4-10.6	65	18.2	13.1-23.3
College Graduate	505	58,443	371	71.9	66.6-77.2	29	7.0	03.7-10.3	105	21.1	16.6-25.6
Less than \$15,000	59	9,274	33	63.7	47.8-79.6	5	6.8	00.0-14.2	21	29.6	14.7-44.5
\$15,000- 24,999	77	11,741	54	63.1	45.3-80.9	7	18.2	00.0-38.8	16	18.7	07.5-29.9
\$25,000- 34,999	118	16,322	76	53.9	41.4-66.4	12	10.8	03.9-17.7	30	35.3	22.6-48.0
\$35,000- 49,999	137	20,393	107	74.7	61.0-88.4	6	2.2	00.2-04.2	24	23.2	09.3-37.1
\$50,000- 99,999	355	52,691	249	69.5	63.4-75.6	29	7.6	04.3-10.9	77	22.9	17.4-28.4
\$100,000 - 199,999	185	28,550	134	67.3	58.1-76.5	12	11.1	04.2-18.0	39	21.6	13.6-29.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 12: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1 MALES AND FEMALES	137
2 MALES ONLY	138
3 FEMALES ONLY	139
ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4 MALES AND FEMALES	140
5 MALES ONLY	141
6 FEMALES ONLY	142
ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)	
7 MALES AND FEMALES	143
8 MALES ONLY	144
9 FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3639	737,244	334	9.7	08.3-11.1	112	3.2	02.4-04.0	1047	24.8	23.0-26.6	2146	62.3	60.1-64.5
Male	1616	355,462	162	11.0	08.8-13.2	52	3.4	02.2-04.6	479	25.8	23.1-28.5	923	59.8	56.7-62.9
Female	2023	381,782	172	8.6	07.0-10.2	60	3.0	02.0-04.0	568	23.8	21.4-26.2	1223	64.6	61.9-67.3
White/Non-Hisp	2543	442,301	251	11.0	09.2-12.8	68	2.7	01.9-03.5	829	30.4	28.0-32.8	1395	55.9	53.4-58.4
Black or Afr. Am./Non-Hisp	513	150,326	47	9.7	06.2-13.2	26	4.9	02.4-07.4	102	16.3	12.4-20.2	338	69.1	63.8-74.4
Oth. Race/Non-Hisp.	102	33,138	3	1.6	00.0-04.0	1	2.3	00.0-06.8	22	19.5	10.5-28.5	76	76.6	66.8-86.4
MultiRacial/Non-Hisp.	71	28,182	7	9.8	00.8-18.8	7	4.9	00.4-09.4	16	12.2	04.8-19.6	41	73.0	60.8-85.2
Hispanic	319	67,811	16	4.5	01.6-07.4	9	2.0	00.4-03.6	45	12.7	08.0-17.4	249	80.8	75.3-86.3
18-24	213	80,947	5	3.1	00.0-06.4	5	1.4	00.2-02.6	11	4.2	01.1-07.3	192	91.3	86.6-96.0
25-34	345	115,223	30	9.2	05.1-13.3	7	2.2	00.2-04.2	74	22.6	17.1-28.1	234	65.9	59.4-72.4
35-44	454	112,502	62	14.3	10.2-18.4	25	7.6	04.1-11.1	88	18.5	14.2-22.8	279	59.6	53.7-65.5
45-54	519	103,139	65	13.9	10.0-17.8	15	2.6	01.0-04.2	114	22.0	17.5-26.5	325	61.6	56.1-67.1
55-64	690	129,020	96	13.3	10.2-16.4	25	3.4	01.8-05.0	188	26.0	21.7-30.3	381	57.2	52.3-62.1
65+	1418	196,412	76	5.6	03.8-07.4	35	2.1	01.3-02.9	572	38.7	35.2-42.2	735	53.6	50.1-57.1
Less Than H.S.	230	71,516	35	16.0	09.7-22.3	9	3.3	00.8-05.8	51	18.4	12.7-24.1	135	62.3	54.3-70.3
H.S. or G.E.D.	945	225,847	142	14.5	11.6-17.4	40	4.3	02.5-06.1	297	27.7	24.2-31.2	466	53.6	49.3-57.9
Some Post-H.S.	967	213,692	98	10.0	07.5-12.5	36	3.5	01.9-05.1	293	25.2	21.7-28.7	540	61.3	57.2-65.4
College Graduate	1483	222,805	59	2.9	02.1-03.7	27	1.7	00.9-02.5	400	23.2	20.5-25.9	997	72.2	69.3-75.1
Less than \$15,000	155	25,830	33	22.4	14.0-30.8	11	6.9	02.2-11.6	40	23.7	15.3-32.1	71	47.1	36.9-57.3
\$15,000-24,999	265	49,846	44	15.6	09.7-21.5	18	8.7	03.6-13.8	55	15.8	10.5-21.1	148	59.9	51.9-67.9
\$25,000-34,999	351	70,780	55	17.3	11.4-23.2	17	4.9	01.6-08.2	120	31.7	25.0-38.4	159	46.0	38.4-53.6
\$35,000-49,999	402	82,589	37	11.6	06.5-16.7	14	3.3	00.8-05.8	117	22.4	17.3-27.5	234	62.7	55.8-69.6
\$50,000-99,999	1017	208,351	83	8.5	06.3-10.7	29	2.5	01.3-03.7	324	27.9	24.2-31.6	581	61.1	57.0-65.2
\$100,000-199,999	611	124,165	35	6.8	03.7-09.9	10	2.5	00.3-04.7	164	24.3	20.2-28.4	402	66.4	61.5-71.3
\$200,000+	150	34,032	4	3.3	00.0-06.8	2	1.5	00.0-03.7	33	22.7	14.5-30.9	111	72.5	63.9-81.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1616	355,462	162	11.0	08.8-13.2	52	3.4	02.2-04.6	479	25.8	23.1-28.5	923	59.8	56.7-62.9
White/Non-Hisp	1123	210,055	121	12.0	09.5-14.5	34	2.9	01.7-04.1	358	29.5	26.2-32.8	610	55.6	51.9-59.3
Black or Afr. Am./Non-Hisp	206	71,274	18	10.1	04.2-16.0	9	4.9	00.6-09.2	52	20.2	13.7-26.7	127	64.8	56.4-73.2
Oth. Race/Non-Hisp.	62	21,499	1	1.9	00.0-05.4	1	3.5	00.0-10.4	17	25.7	13.2-38.2	43	68.9	55.4-82.4
Hispanic	141	28,334	10	8.6	02.3-14.9	6	2.8	00.3-05.3	27	17.1	09.1-25.1	98	71.6	62.0-81.2
18-24	128	42,618	3	2.5	00.0-05.6	3	1.5	00.0-03.5	10	5.6	01.9-09.3	112	90.4	85.3-95.5
25-34	160	58,866	12	9.7	03.0-16.4	3	2.4	00.0-05.5	34	22.0	14.2-29.8	111	65.9	56.5-75.3
35-44	221	56,111	38	17.0	10.9-23.1	17	11.1	04.8-17.4	44	19.6	13.5-25.7	122	52.4	44.2-60.6
45-54	218	48,356	32	18.2	11.1-25.3	4	0.8	00.0-01.6	46	21.2	14.5-27.9	136	59.8	51.4-68.2
55-64	288	61,434	39	12.7	08.0-17.4	7	1.5	00.3-02.7	76	24.7	18.2-31.2	166	61.1	53.7-68.5
65+	601	88,076	38	7.1	04.0-10.2	18	2.6	01.2-04.0	269	45.4	40.1-50.7	276	44.8	39.5-50.1
Less Than H.S.	102	34,345	19	22.5	11.7-33.3	3	1.6	00.0-03.8	27	23.5	14.3-32.7	53	52.4	40.4-64.4
H.S. or G.E.D.	426	113,631	69	14.3	10.2-18.4	20	4.8	01.9-07.7	132	27.6	22.3-32.9	205	53.3	47.2-59.4
Some Post-H.S.	410	102,979	46	11.3	07.2-15.4	17	3.6	01.1-06.1	120	23.3	18.2-28.4	227	61.8	55.7-67.9
College Graduate	671	103,636	28	3.3	01.9-04.7	12	2.1	00.7-03.5	197	27.0	22.9-31.1	434	67.5	63.0-72.0
Less than \$15,000	60	9,239	15	27.6	13.3-41.9	3	4.2	00.0-09.3	10	14.5	05.7-23.3	32	53.8	38.7-68.9
\$15,000- 24,999	96	19,123	18	14.2	05.4-23.0	8	12.1	01.3-22.9	20	17.8	07.8-27.8	50	55.8	42.3-69.3
\$25,000- 34,999	133	28,665	21	17.7	07.5-27.9	10	6.9	00.8-13.0	51	35.8	25.0-46.6	51	39.6	28.4-50.8
\$35,000- 49,999	172	38,750	15	12.4	04.2-20.6	5	2.9	00.0-07.0	55	23.2	15.6-30.8	97	61.4	51.2-71.6
\$50,000- 99,999	455	101,565	42	10.4	06.9-13.9	14	2.1	00.7-03.5	145	29.6	23.9-35.3	254	58.0	51.9-64.1
\$100,000 - 199,999	330	75,990	23	8.7	04.0-13.4	5	2.9	00.0-06.0	98	26.0	20.3-31.7	204	62.4	55.5-69.3
\$200,000+	92	20,291	3	5.0	00.0-10.7	2	2.5	00.0-06.0	19	20.5	10.9-30.1	68	72.0	61.2-82.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2023	381,782	172	8.6	07.0-10.2	60	3.0	02.0-04.0	568	23.8	21.4-26.2	1223	64.6	61.9-67.3
White/Non-Hisp	1420	232,246	130	10.2	08.0-12.4	34	2.4	01.4-03.4	471	31.2	27.9-34.5	785	56.2	52.7-59.7
Black or Afr. Am./Non-Hisp	307	79,052	29	9.4	05.3-13.5	17	4.9	02.2-07.6	50	12.8	08.1-17.5	211	72.9	66.4-79.4
Hispanic	178	39,477	6	1.6	00.0-03.2	3	1.4	00.0-03.2	18	9.5	03.8-15.2	151	87.5	81.4-93.6
18-24	85	38,329	2	3.9	00.0-10.0	2	1.2	00.0-02.8	1	2.7	00.0-07.8	80	92.3	84.5-100.0
25-34	185	56,357	18	8.8	04.1-13.5	4	2.1	00.0-04.5	40	23.3	15.7-30.9	123	65.9	57.3-74.5
35-44	233	56,391	24	11.7	06.4-17.0	8	4.1	00.8-07.4	44	17.5	11.4-23.6	157	66.7	58.9-74.5
45-54	301	54,783	33	10.1	06.0-14.2	11	4.1	01.2-07.0	68	22.6	16.5-28.7	189	63.1	56.0-70.2
55-64	402	67,585	57	13.9	09.6-18.2	18	5.2	02.3-08.1	112	27.3	21.6-33.0	215	53.6	47.1-60.1
65+	817	108,336	38	4.3	02.5-06.1	17	1.6	00.6-02.6	303	33.3	29.0-37.6	459	60.8	56.3-65.3
Less Than H.S.	128	37,171	16	10.0	03.7-16.3	6	4.9	00.4-09.4	24	13.7	07.0-20.4	82	71.5	61.7-81.3
H.S. or G.E.D.	519	112,215	73	14.6	10.5-18.7	20	3.8	01.8-05.8	165	27.8	22.9-32.7	261	53.8	47.9-59.7
Some Post-H.S.	557	110,713	52	8.7	05.8-11.6	19	3.4	01.6-05.2	173	27.1	22.4-31.8	313	60.9	55.6-66.2
College Graduate	812	119,169	31	2.5	01.5-03.5	15	1.4	00.4-02.4	203	19.8	16.3-23.3	563	76.3	72.6-80.0
Less than \$15,000	95	16,592	18	19.4	09.2-29.6	8	8.5	01.8-15.2	30	28.8	17.0-40.6	39	43.3	29.8-56.8
\$15,000- 24,999	169	30,722	26	16.5	08.7-24.3	10	6.5	02.0-11.0	35	14.6	08.9-20.3	98	62.4	52.6-72.2
\$25,000- 34,999	218	42,115	34	17.1	10.2-24.0	7	3.5	00.0-07.2	69	29.0	20.8-37.2	108	50.4	40.4-60.4
\$35,000- 49,999	230	43,839	22	10.9	04.4-17.4	9	3.6	00.5-06.7	62	21.7	14.8-28.6	137	63.8	54.8-72.8
\$50,000- 99,999	562	106,786	41	6.7	04.2-09.2	15	2.9	01.1-04.7	179	26.3	21.4-31.2	327	64.0	58.5-69.5
\$100,000 - 199,999	281	48,174	12	3.8	01.3-06.3	5	1.9	00.0-04.4	66	21.7	15.8-27.6	198	72.6	66.1-79.1
\$200,000+	58	13,741	1	0.9	00.0-02.7				14	25.9	11.4-40.4	43	73.2	58.7-87.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3639	737,244	3193	87.1	85.5-88.7	446	12.9	11.3-14.5
Male	1616	355,462	1402	85.6	83.2-88.0	214	14.4	12.0-16.8
Female	2023	381,782	1791	88.4	86.4-90.4	232	11.6	09.6-13.6
White/Non-Hisp	2543	442,301	2224	86.3	84.5-88.1	319	13.7	11.9-15.5
Black or Afr. Am./Non-Hisp	513	150,326	440	85.4	81.3-89.5	73	14.6	10.5-18.7
Oth. Race/Non-Hisp.	102	33,138	98	96.1	91.0-100.0	4	3.9	00.0-09.0
MultiRacial/Non-Hisp.	71	28,182	57	85.3	75.3-95.3	14	14.7	04.7-24.7
Hispanic	319	67,811	294	93.5	90.4-96.6	25	6.5	03.4-09.6
18-24	213	80,947	203	95.5	92.0-99.0	10	4.5	01.0-08.0
25-34	345	115,223	308	88.5	84.0-93.0	37	11.5	07.0-16.0
35-44	454	112,502	367	78.1	73.0-83.2	87	21.9	16.8-27.0
45-54	519	103,139	439	83.5	79.2-87.8	80	16.5	12.2-20.8
55-64	690	129,020	569	83.2	79.7-86.7	121	16.8	13.3-20.3
65+	1418	196,412	1307	92.4	90.6-94.2	111	7.6	05.8-09.4
Less Than H.S.	230	71,516	186	80.7	74.0-87.4	44	19.3	12.6-26.0
H.S. or G.E.D.	945	225,847	763	81.3	78.2-84.4	182	18.7	15.6-21.8
Some Post-H.S.	967	213,692	833	86.5	83.6-89.4	134	13.5	10.6-16.4
College Graduate	1483	222,805	1397	95.4	94.2-96.6	86	4.6	03.4-05.8
Less than \$15,000	155	25,830	111	70.7	61.7-79.7	44	29.3	20.3-38.3
\$15,000-24,999	265	49,846	203	75.7	68.4-83.0	62	24.3	17.0-31.6
\$25,000-34,999	351	70,780	279	77.8	71.3-84.3	72	22.2	15.7-28.7
\$35,000-49,999	402	82,589	351	85.1	79.6-90.6	51	14.9	09.4-20.4
\$50,000-99,999	1017	208,351	905	89.0	86.6-91.4	112	11.0	08.6-13.4
\$100,000-199,999	611	124,165	566	90.7	87.2-94.2	45	9.3	05.8-12.8
\$200,000+	150	34,032	144	95.2	91.1-99.3	6	4.8	00.7-08.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1616	355,462	1402	85.6	83.2-88.0	214	14.4	12.0-16.8
White/Non-Hisp	1123	210,055	968	85.1	82.4-87.8	155	14.9	12.2-17.6
Black or Afr. Am./Non-Hisp	206	71,274	179	85.0	78.1-91.9	27	15.0	08.1-21.9
Oth. Race/Non-Hisp.	62	21,499	60	94.6	87.0-0100	2	5.4	00.0-13.0
Hispanic	141	28,334	125	88.7	82.0-95.4	16	11.3	04.6-18.0
18-24	128	42,618	122	96.0	92.3-99.7	6	4.0	00.3-07.7
25-34	160	58,866	145	87.9	80.6-95.2	15	12.1	04.8-19.4
35-44	221	56,111	166	71.9	64.1-79.7	55	28.1	20.3-35.9
45-54	218	48,356	182	81.1	74.0-88.2	36	18.9	11.8-26.0
55-64	288	61,434	242	85.8	81.1-90.5	46	14.2	09.5-18.9
65+	601	88,076	545	90.2	86.9-93.5	56	9.8	06.5-13.1
Less Than H.S.	102	34,345	80	75.9	65.1-86.7	22	24.1	13.3-34.9
H.S. or G.E.D.	426	113,631	337	80.9	76.2-85.6	89	19.1	14.4-23.8
Some Post-H.S.	410	102,979	347	85.0	80.3-89.7	63	15.0	10.3-19.7
College Graduate	671	103,636	631	94.5	92.5-96.5	40	5.5	03.5-07.5
Less than \$15,000	60	9,239	42	68.3	53.8-82.8	18	31.7	17.2-46.2
\$15,000- 24,999	96	19,123	70	73.6	61.1-86.1	26	26.4	13.9-38.9
\$25,000- 34,999	133	28,665	102	75.4	64.4-86.4	31	24.6	13.6-35.6
\$35,000- 49,999	172	38,750	152	84.6	75.8-93.4	20	15.4	06.6-24.2
\$50,000- 99,999	455	101,565	399	87.6	83.9-91.3	56	12.4	08.7-16.1
\$100,000 - 199,999	330	75,990	302	88.4	82.9-93.9	28	11.6	06.1-17.1
\$200,000+	92	20,291	87	92.6	85.9-99.3	5	7.4	00.7-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2023	381,782	1791	88.4	86.6-90.2	232	11.6	09.8-13.4
White/Non-Hisp	1420	232,246	1256	87.4	85.0-89.8	164	12.6	10.2-15.0
Black or Afr. Am./Non-Hisp	307	79,052	261	85.7	81.0-90.4	46	14.3	09.6-19.0
Hispanic	178	39,477	169	97.0	94.6-99.4	9	3.0	00.6-05.4
18-24	85	38,329	81	94.9	88.6-0100	4	5.1	00.0-11.4
25-34	185	56,357	163	89.1	83.8-94.4	22	10.9	05.6-16.2
35-44	233	56,391	201	84.2	78.1-90.3	32	15.8	09.7-21.9
45-54	301	54,783	257	85.7	80.8-90.6	44	14.3	09.4-19.2
55-64	402	67,585	327	80.9	75.8-86.0	75	19.1	14.0-24.2
65+	817	108,336	762	94.1	92.1-96.1	55	5.9	03.9-07.9
Less Than H.S.	128	37,171	106	85.1	77.5-92.7	22	14.9	07.3-22.5
H.S. or G.E.D.	519	112,215	426	81.6	77.3-85.9	93	18.4	14.1-22.7
Some Post-H.S.	557	110,713	486	88.0	84.7-91.3	71	12.0	08.7-15.3
College Graduate	812	119,169	766	96.1	94.7-97.5	46	3.9	02.5-05.3
Less than \$15,000	95	16,592	69	72.1	60.5-83.7	26	27.9	16.3-39.5
\$15,000- 24,999	169	30,722	133	76.9	68.1-85.7	36	23.1	14.3-31.9
\$25,000- 34,999	218	42,115	177	79.4	71.8-87.0	41	20.6	13.0-28.2
\$35,000- 49,999	230	43,839	199	85.5	78.4-92.6	31	14.5	07.4-21.6
\$50,000- 99,999	562	106,786	506	90.3	87.2-93.4	56	9.7	06.6-12.8
\$100,000 - 199,999	281	48,174	264	94.3	90.8-97.8	17	5.7	02.2-09.2
\$200,000+	58	13,741	57	99.1	97.3-0100	1	0.9	00.0-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

**TABLE 7: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3651	732,636	3483	93.9	92.7-95.1	168	6.1	04.9-07.3
Male	1610	350,072	1528	92.9	90.9-94.9	82	7.1	05.1-09.1
Female	2041	382,564	1955	94.9	93.5-96.3	86	5.1	03.7-06.5
White/Non-Hisp	2554	441,890	2449	93.9	92.3-95.5	105	6.1	04.5-07.7
Black or Afr. Am./Non-Hisp	519	149,750	492	93.3	90.0-96.6	27	6.7	03.4-10.0
Oth. Race/Non-Hisp.	101	31,324	92	91.5	85.2-97.8	9	8.5	02.2-14.8
MultiRacial/Non-Hisp.	70	27,390	65	93.9	87.2-0100	5	6.1	00.0-12.8
Hispanic	319	67,277	303	96.3	94.3-98.3	16	3.7	01.7-05.7
18-24	210	80,021	184	86.5	80.4-92.6	26	13.5	07.4-19.6
25-34	340	112,412	294	86.0	81.3-90.7	46	14.0	09.3-18.7
35-44	450	108,978	418	93.7	91.2-96.2	32	6.3	03.8-08.8
45-54	522	103,631	500	95.4	92.7-98.1	22	4.6	01.9-07.3
55-64	691	129,296	667	97.0	95.4-98.6	24	3.0	01.4-04.6
65+	1438	198,299	1420	98.8	98.0-99.6	18	1.2	00.4-02.0
Less Than H.S.	229	69,053	218	94.4	90.1-98.7	11	5.6	01.3-09.9
H.S. or G.E.D.	947	224,611	888	91.7	89.0-94.4	59	8.3	05.6-11.0
Some Post-H.S.	972	213,628	919	93.5	91.3-95.7	53	6.5	04.3-08.7
College Graduate	1489	221,961	1444	96.4	95.0-97.8	45	3.6	02.2-05.0
Less than \$15,000	154	25,704	146	95.6	91.9-99.3	8	4.4	00.7-08.1
\$15,000-24,999	265	49,156	256	96.6	93.9-99.3	9	3.4	00.7-06.1
\$25,000-34,999	356	71,601	333	91.3	86.6-96.0	23	8.7	04.0-13.4
\$35,000-49,999	403	81,669	379	94.0	90.5-97.5	24	6.0	02.5-09.5
\$50,000-99,999	1020	206,849	965	91.9	89.2-94.6	55	8.1	05.4-10.8
\$100,000-199,999	613	124,531	590	95.4	93.2-97.6	23	4.6	02.4-06.8
\$200,000+	150	34,096	143	93.1	87.8-98.4	7	6.9	01.6-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 8: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1610	350,072	1528	92.9	90.9-94.9	82	7.1	05.1-09.1
White/Non-Hisp	1121	208,088	1071	93.4	91.2-95.6	50	6.6	04.4-08.8
Black or Afr. Am./Non-Hisp	207	70,290	192	89.9	83.6-96.2	15	10.1	03.8-16.4
Oth. Race/Non-Hisp.	62	21,330	56	90.1	81.5-98.7	6	9.9	01.3-18.5
Hispanic	140	27,337	131	94.3	90.2-98.4	9	5.7	01.6-09.8
18-24	125	41,692	112	87.1	79.3-94.9	13	12.9	05.1-20.7
25-34	157	57,745	132	84.1	76.8-91.4	25	15.9	08.6-23.2
35-44	214	52,076	197	92.1	87.8-96.4	17	7.9	03.6-12.2
45-54	220	48,637	209	93.9	89.0-98.8	11	6.1	01.2-11.0
55-64	288	61,402	280	96.8	93.9-99.7	8	3.2	00.3-06.1
65+	606	88,521	598	98.4	97.0-99.8	8	1.6	00.2-03.0
Less Than H.S.	100	31,983	94	91.5	83.1-99.9	6	8.5	00.1-16.9
H.S. or G.E.D.	423	111,514	390	90.2	86.1-94.3	33	9.8	05.7-13.9
Some Post-H.S.	408	102,216	383	92.6	89.3-95.9	25	7.4	04.1-10.7
College Graduate	672	103,488	654	96.4	94.2-98.6	18	3.6	01.4-05.8
Less than \$15,000	59	9,113	56	95.0	88.1-0100	3	5.0	00.0-11.9
\$15,000- 24,999	96	18,192	95	98.8	96.4-0100	1	1.2	00.0-03.6
\$25,000- 34,999	132	28,574	126	90.9	81.7-0100	6	9.1	00.0-18.3
\$35,000- 49,999	172	37,709	159	93.5	89.2-97.8	13	6.5	02.2-10.8
\$50,000- 99,999	456	101,252	430	90.8	86.7-94.9	26	9.2	05.1-13.3
\$100,000 - 199,999	329	75,579	315	94.6	91.5-97.7	14	5.4	02.3-08.5
\$200,000+	92	20,355	87	91.7	84.6-98.8	5	8.3	01.2-15.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 9: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2041	382,564	1955	94.9	93.5-96.3	86	5.1	03.7-06.5
White/Non-Hisp	1433	233,802	1378	94.3	92.3-96.3	55	5.7	03.7-07.7
Black or Afr. Am./Non-Hisp	312	79,460	300	96.4	93.9-98.9	12	3.6	01.1-06.1
Hispanic	179	39,940	172	97.7	95.7-99.7	7	2.3	00.3-04.3
18-24	85	38,329	72	85.9	76.7-95.1	13	14.1	04.9-23.3
25-34	183	54,668	162	88.1	82.0-94.2	21	11.9	05.8-18.0
35-44	236	56,902	221	95.1	92.4-97.8	15	4.9	02.2-07.6
45-54	302	54,994	291	96.7	94.2-99.2	11	3.3	00.8-05.8
55-64	403	67,894	387	97.3	95.7-98.9	16	2.7	01.1-04.3
65+	832	109,778	822	99.1	98.5-99.7	10	0.9	00.3-01.5
Less Than H.S.	129	37,070	124	96.8	93.9-99.7	5	3.2	00.3-06.1
H.S. or G.E.D.	524	113,096	498	93.3	89.8-96.8	26	6.7	03.2-10.2
Some Post-H.S.	564	111,412	536	94.3	91.6-97.0	28	5.7	03.0-08.4
College Graduate	817	118,473	790	96.4	94.6-98.2	27	3.6	01.8-05.4
Less than \$15,000	95	16,592	90	95.9	91.6-0100	5	4.1	00.0-08.4
\$15,000- 24,999	169	30,964	161	95.2	91.1-99.3	8	4.8	00.7-08.9
\$25,000- 34,999	224	43,027	207	91.6	86.5-96.7	17	8.4	03.3-13.5
\$35,000- 49,999	231	43,960	220	94.4	88.9-99.9	11	5.6	00.1-11.1
\$50,000- 99,999	564	105,597	535	93.0	89.7-96.3	29	7.0	03.7-10.3
\$100,000 - 199,999	284	48,952	275	96.6	94.2-99.0	9	3.4	01.0-05.8
\$200,000+	58	13,741	56	95.2	87.8-0100	2	4.8	00.0-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 13: LUNG CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	SMOKING GROUP (_SMOKGRP)	
1	MALES AND FEMALES	147
2	MALES ONLY	148
3	FEMALES ONLY	149
	LUNG CANCER SCREENING RECOMMENDATION STATUS (_LCSREC)	
4	MALES AND FEMALES	150
5	MALES ONLY	151
6	FEMALES ONLY	152

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING
TABLE 1: SMOKING GROUP (_SMOKGRP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker, 20+ Pack Years			Former smoker, 20+ Pack Years, quit < 15 years			All other current and former smokers			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3639	737,244	220	5.3	04.3-06.3	121	2.8	02.2-03.4	1152	29.6	27.6-31.6	2146	62.3	60.1-64.5
Male	1616	355,462	111	6.0	04.6-07.4	46	2.4	01.4-03.4	536	31.8	28.9-34.7	923	59.8	56.7-62.9
Female	2023	381,782	109	4.6	03.4-05.8	75	3.2	02.2-04.2	616	27.5	25.0-30.0	1223	64.6	61.9-67.3
White/Non-Hisp	2543	442,301	183	6.8	05.6-08.0	99	3.8	02.8-04.8	866	33.5	31.0-36.0	1395	55.9	53.4-58.4
Black or Afr. Am./Non-Hisp	513	150,326	24	4.0	02.0-06.0	11	1.5	00.3-02.7	140	25.5	20.4-30.6	338	69.1	63.8-74.4
Oth. Race/Non-Hisp.	102	33,138	1	1.2	00.0-03.6	1	2.3	00.0-06.8	24	19.9	10.9-28.9	76	76.6	66.8-86.4
MultiRacial/Non-Hisp.	71	28,182	3	2.4	00.0-05.5	3	1.8	00.0-04.2	24	22.8	11.2-34.4	41	73.0	60.8-85.2
Hispanic	319	67,811	7	1.8	00.0-03.8	2	0.2	00.0-00.4	61	17.2	11.9-22.5	249	80.8	75.3-86.3
18-24	213	80,947							21	8.7	04.0-13.4	192	91.3	86.6-96.0
25-34	345	115,223	2	0.2	00.0-00.4	3	1.2	00.0-02.6	106	32.7	26.4-39.0	234	65.9	59.4-72.4
35-44	454	112,502	25	5.1	02.7-07.5	6	1.0	00.2-01.8	144	34.4	28.7-40.1	279	59.6	53.7-65.5
45-54	519	103,139	39	7.9	05.0-10.8	19	3.3	01.5-05.1	136	27.3	22.2-32.4	325	61.6	56.1-67.1
55-64	690	129,020	80	11.0	08.1-13.9	41	6.2	03.8-08.6	188	25.6	21.5-29.7	381	57.2	52.3-62.1
65+	1418	196,412	74	5.3	03.7-06.9	52	3.6	02.4-04.8	557	37.5	34.2-40.8	735	53.6	50.1-57.1
Less Than H.S.	230	71,516	21	7.3	03.6-11.0	7	2.9	00.7-05.1	67	27.6	20.2-35.0	135	62.3	54.3-70.3
H.S. or G.E.D.	945	225,847	87	7.3	05.3-09.3	41	3.2	02.0-04.4	351	35.9	31.8-40.0	466	53.6	49.3-57.9
Some Post-H.S.	967	213,692	66	5.9	04.1-07.7	34	3.2	01.8-04.6	327	29.6	25.9-33.3	540	61.3	57.2-65.4
College Graduate	1483	222,805	46	2.0	01.4-02.6	38	2.0	01.0-03.0	402	23.7	21.0-26.4	997	72.2	69.3-75.1
Less than \$15,000	155	25,830	22	13.0	06.9-19.1	10	6.4	01.5-11.3	52	33.6	24.0-43.2	71	47.1	36.9-57.3
\$15,000-24,999	265	49,846	33	10.6	06.1-15.1	16	4.6	02.1-07.1	68	25.0	17.7-32.3	148	59.9	51.9-67.9
\$25,000-34,999	351	70,780	31	7.7	04.2-11.2	13	2.0	00.6-03.4	148	44.2	36.8-51.6	159	46.0	38.4-53.6
\$35,000-49,999	402	82,589	21	4.3	01.8-06.8	19	3.8	01.8-05.8	128	29.2	22.7-35.7	234	62.7	55.8-69.6
\$50,000-99,999	1017	208,351	62	5.5	03.7-07.3	33	3.2	01.6-04.8	341	30.2	26.5-33.9	581	61.1	57.0-65.2
\$100,000-199,999	611	124,165	21	3.2	01.2-05.2	10	1.5	00.5-02.5	178	28.9	24.2-33.6	402	66.4	61.5-71.3
\$200,000+	150	34,032	4	3.4	00.0-06.9	3	2.2	00.0-04.7	32	21.9	13.9-29.9	111	72.5	63.9-81.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 13: LUNG CANCER SCREENING
 TABLE 2: SMOKING GROUP (_SMOKGRP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker, 20+ Pack Years			Former smoker, 20+ Pack Years, quit < 15 years			All other current and former smokers			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1616	355,462	111	6.0	04.6-07.4	46	2.4	01.4-03.4	536	31.8	28.9-34.7	923	59.8	56.7-62.9
White/Non-Hisp	1123	210,055	93	7.6	05.6-09.6	32	2.7	01.7-03.7	388	34.1	30.4-37.8	610	55.6	51.9-59.3
Black or Afr. Am./Non-Hisp	206	71,274	9	4.2	01.1-07.3	6	1.9	00.0-04.3	64	29.1	21.1-37.1	127	64.8	56.4-73.2
Oth. Race/Non-Hisp.	62	21,499	1	1.9	00.0-05.4	1	3.6	00.0-10.5	17	25.7	13.2-38.2	43	68.9	55.4-82.4
Hispanic	141	28,334	5	3.9	00.0-08.4	2	0.4	00.0-01.0	36	24.1	15.1-33.1	98	71.6	62.0-81.2
18-24	128	42,618							16	9.6	04.5-14.7	112	90.4	85.3-95.5
25-34	160	58,866	2	0.4	00.0-01.0	1	0.7	00.0-02.1	46	33.0	23.6-42.4	111	65.9	56.5-75.3
35-44	221	56,111	15	5.3	02.0-08.6	3	1.2	00.0-02.8	81	41.1	32.9-49.3	122	52.4	44.2-60.6
45-54	218	48,356	20	9.4	04.7-14.1	5	1.9	00.1-03.7	57	28.9	20.9-36.9	136	59.8	51.4-68.2
55-64	288	61,434	33	10.8	06.5-15.1	17	6.3	02.2-10.4	72	21.8	15.9-27.7	166	61.1	53.7-68.5
65+	601	88,076	41	7.7	04.6-10.8	20	3.0	01.4-04.6	264	44.5	39.2-49.8	276	44.8	39.5-50.1
Less Than H.S.	102	34,345	12	11.0	04.1-17.9	4	3.8	00.1-07.5	33	32.7	21.3-44.1	53	52.4	40.4-64.4
H.S. or G.E.D.	426	113,631	45	7.6	04.9-10.3	17	2.6	01.2-04.0	159	36.5	30.6-42.4	205	53.3	47.2-59.4
Some Post-H.S.	410	102,979	29	5.9	03.2-08.6	10	2.0	00.2-03.8	144	30.4	24.7-36.1	227	61.8	55.7-67.9
College Graduate	671	103,636	25	2.6	01.4-03.8	14	2.0	00.4-03.6	198	27.9	23.6-32.2	434	67.5	63.0-72.0
Less than \$15,000	60	9,239	10	14.9	05.5-24.3	3	5.0	00.0-10.7	15	26.3	12.2-40.4	32	53.8	38.7-68.9
\$15,000- 24,999	96	19,123	15	12.6	03.8-21.4	7	6.3	01.0-11.6	24	25.3	12.6-38.0	50	55.8	42.3-69.3
\$25,000- 34,999	133	28,665	16	8.2	03.7-12.7	4	1.7	00.0-04.1	62	50.5	38.9-62.1	51	39.6	28.4-50.8
\$35,000- 49,999	172	38,750	7	2.9	00.0-06.0	9	4.5	01.2-07.8	59	31.2	21.4-41.0	97	61.4	51.2-71.6
\$50,000- 99,999	455	101,565	32	7.0	04.1-09.9	13	2.9	00.5-05.3	156	32.2	26.5-37.9	254	58.0	51.9-64.1
\$100,000 - 199,999	330	75,990	14	4.0	01.1-06.9	4	1.3	00.0-02.7	108	32.3	25.8-38.8	204	62.4	55.5-69.3
\$200,000+	92	20,291	3	5.1	00.0-11.0	1	1.2	00.0-03.6	20	21.7	11.9-31.5	68	72.0	61.2-82.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 13: LUNG CANCER SCREENING
 TABLE 3: SMOKING GROUP (_SMOKGRP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker, 20+ Pack Years			Former smoker, 20+ Pack Years, quit < 15 years			All other current and former smokers			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2023	381,782	109	4.6	03.4-05.8	75	3.2	02.2-04.2	616	27.5	25.0-30.0	1223	64.6	61.9-67.3
White/Non-Hisp	1420	232,246	90	6.1	04.5-07.7	67	4.7	03.3-06.1	478	33.0	29.7-36.3	785	56.2	52.7-59.7
Black or Afr. Am./Non-Hisp	307	79,052	15	3.7	01.3-06.1	5	1.1	00.0-02.3	76	22.2	16.1-28.3	211	72.9	66.4-79.4
Hispanic	178	39,477	2	0.3	00.0-00.9				25	12.2	06.1-18.3	151	87.5	81.4-93.6
18-24	85	38,329							5	7.7	00.0-15.5	80	92.3	84.5-0100
25-34	185	56,357				2	1.7	00.0-04.2	60	32.4	24.0-40.8	123	65.9	57.3-74.5
35-44	233	56,391	10	4.8	01.3-08.3	3	0.7	00.0-01.7	63	27.7	20.3-35.1	157	66.7	58.9-74.5
45-54	301	54,783	19	6.6	03.1-10.1	14	4.4	01.7-07.1	79	25.9	19.6-32.2	189	63.1	56.0-70.2
55-64	402	67,585	47	11.3	07.4-15.2	24	6.1	03.4-08.8	116	29.0	23.1-34.9	215	53.6	47.1-60.1
65+	817	108,336	33	3.4	02.0-04.8	32	4.0	02.2-05.8	293	31.8	27.5-36.1	459	60.8	56.3-65.3
Less Than H.S.	128	37,171	9	3.8	01.1-06.5	3	2.0	00.0-04.2	34	22.8	13.6-32.0	82	71.5	61.7-81.3
H.S. or G.E.D.	519	112,215	42	6.9	04.4-09.4	24	3.9	02.1-05.7	192	35.4	29.9-40.9	261	53.8	47.9-59.7
Some Post-H.S.	557	110,713	37	6.0	03.6-08.4	24	4.2	02.2-06.2	183	28.9	24.0-33.8	313	60.9	55.6-66.2
College Graduate	812	119,169	21	1.5	00.7-02.3	24	2.1	01.1-03.1	204	20.1	16.6-23.6	563	76.3	72.6-80.0
Less than \$15,000	95	16,592	12	11.9	04.3-19.5	7	7.1	00.2-14.0	37	37.6	24.9-50.3	39	43.3	29.8-56.8
\$15,000- 24,999	169	30,722	18	9.3	04.4-14.2	9	3.5	01.0-06.0	44	24.9	16.1-33.7	98	62.4	52.6-72.2
\$25,000- 34,999	218	42,115	15	7.4	02.3-12.5	9	2.3	00.7-03.9	86	39.9	30.5-49.3	108	50.4	40.4-60.4
\$35,000- 49,999	230	43,839	14	5.5	01.8-09.2	10	3.2	00.8-05.6	69	27.5	19.3-35.7	137	63.8	54.8-72.8
\$50,000- 99,999	562	106,786	30	4.2	02.2-06.2	20	3.5	01.5-05.5	185	28.4	23.5-33.3	327	64.0	58.5-69.5
\$100,000 - 199,999	281	48,174	7	2.0	00.4-03.6	6	2.0	00.2-03.8	70	23.4	17.3-29.5	198	72.6	66.1-79.1
\$200,000+	58	13,741	1	0.9	00.0-02.7	2	3.8	00.0-09.1	12	22.1	08.2-36.0	43	73.2	58.7-87.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 13: LUNG CANCER SCREENING**

**TABLE 4: LUNG CANCER SCREENING RECOMMENDATION STATUS (_LCSREC)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF recommendation: did have CAT			Does not meet USPSTF recommendation: did not have CAT		
	TOTAL	WEIGHTED	CT chest scan in last year N	%	C.I. (95%)	CT chest scan in last year N	%	C.I. (95%)
TOTAL	533	84,182	57	12.2	08.3-16.1	476	87.8	83.9-91.7
Male	254	44,363	24	12.3	06.4-18.2	230	87.7	81.8-93.6
Female	279	39,818	33	12.1	07.4-16.8	246	87.9	83.2-92.6
White/Non-Hisp	425	59,405	47	12.8	08.7-16.9	378	87.2	83.1-91.3
Black or Afr. Am./Non-Hisp	61	15,218	8	16.5	03.4-29.6	53	83.5	70.4-96.6
55-64	166	29,142	31	21.9	13.1-30.7	135	78.1	69.3-86.9
65+	320	43,740	26	8.8	04.9-12.7	294	91.2	87.3-95.1
H.S. or G.E.D.	173	30,936	22	10.3	05.2-15.4	151	89.7	84.6-94.8
Some Post-H.S.	153	24,911	19	18.3	08.9-27.7	134	81.7	72.3-91.1
College Graduate	173	19,577	11	5.0	01.7-08.3	162	95.0	91.7-98.3
\$25,000-34,999	69	11,435	10	13.5	04.5-22.5	59	86.5	77.5-95.5
\$35,000-49,999	62	10,677	5	9.6	00.8-18.4	57	90.4	81.6-99.2
\$50,000-99,999	159	25,407	16	10.8	03.0-18.6	143	89.2	81.4-97.0
\$100,000-199,999	59	9,631	2	6.7	00.0-17.9	57	93.3	82.1-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 13: LUNG CANCER SCREENING**

TABLE 5: LUNG CANCER SCREENING RECOMMENDATION STATUS (_LCSREC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF recommendation: did have CAT			Does not meet USPSTF recommendation: did not have CAT		
	TOTAL	WEIGHTED	CT chest scan in last year			CT chest scan in last year		
			N	%	C.I. (95%)	N	%	C.I. (95%)
Male	254	44,363	24	12.3	06.2-18.4	230	87.7	81.6-93.8
White/Non-Hisp	202	29,052	19	12.9	06.4-19.4	183	87.1	80.6-93.6
55-64	75	15,781	12	24.2	10.5-37.9	63	75.8	62.1-89.5
65+	159	22,553	12	7.2	02.3-12.1	147	92.8	87.9-97.7
H.S. or G.E.D.	78	15,895	8	5.8	01.5-10.1	70	94.2	89.9-98.5
Some Post-H.S.	64	11,675	9	24.4	07.5-41.3	55	75.6	58.7-92.5
College Graduate	96	12,014	3	2.9	00.0-06.2	93	97.1	93.8-0100
\$50,000- 99,999	77	14,782	8	13.5	00.8-26.2	69	86.5	73.8-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 13: LUNG CANCER SCREENING**

TABLE 6: LUNG CANCER SCREENING RECOMMENDATION STATUS (_LCSREC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF recommendation: did have CAT			Does not meet USPSTF recommendation: did not have CAT		
	TOTAL	WEIGHTED	CT chest scan in last year			CT chest scan in last year		
			N	%	C.I. (95%)	N	%	C.I. (95%)
Female	279	39,818	33	12.1	07.4-16.8	246	87.9	83.2-92.6
White/Non-Hisp	223	30,353	28	12.8	07.3-18.3	195	87.2	81.7-92.7
55-64	91	13,361	19	19.1	09.5-28.7	72	80.9	71.3-90.5
65+	161	21,187	14	10.6	04.1-17.1	147	89.4	82.9-95.9
H.S. or G.E.D.	95	15,041	14	15.2	06.4-24.0	81	84.8	76.0-93.6
Some Post-H.S.	89	13,236	10	12.8	04.2-21.4	79	87.2	78.6-95.8
College Graduate	77	7,563	8	8.2	01.9-14.5	69	91.8	85.5-98.1
\$50,000- 99,999	82	10,624	8	7.0	01.7-12.3	74	93.0	87.7-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 14: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)	
1 MALES AND FEMALES	154
2 MALES ONLY	155
3 FEMALES ONLY	156
DRINK-OCCASIONS-PER-DAY (DROCDY4_)	
4 MALES AND FEMALES	157
5 MALES ONLY	158
6 FEMALES ONLY	159
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)	
7 MALES AND FEMALES	160
8 MALES ONLY	161
9 FEMALES ONLY	162
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)	
10 MALES AND FEMALES	163
11 MALES ONLY	164
12 FEMALES ONLY	165
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)	
13 MALES AND FEMALES	166
14 MALES ONLY	167
15 FEMALES ONLY	168

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3510	701,669	1857	53.6	51.2-56.0	1653	46.4	44.0-48.8
Male	1545	335,918	901	56.9	53.6-60.2	644	43.1	39.8-46.4
Female	1965	365,750	956	50.7	47.6-53.8	1009	49.3	46.2-52.4
White/Non-Hisp	2462	424,947	1387	57.8	55.3-60.3	1075	42.2	39.7-44.7
Black or Afr. Am./Non-Hisp	491	139,068	222	48.3	42.2-54.4	269	51.7	45.6-57.8
Oth. Race/Non-Hisp.	99	31,392	41	48.5	36.0-61.0	58	51.5	39.0-64.0
MultiRacial/Non-Hisp.	68	27,045	39	61.9	46.8-77.0	29	38.1	23.0-53.2
Hispanic	309	65,779	127	36.6	29.3-43.9	182	63.4	56.1-70.7
18-24	200	75,764	103	53.0	44.4-61.6	97	47.0	38.4-55.6
25-34	327	108,876	190	60.1	53.2-67.0	137	39.9	33.0-46.8
35-44	436	105,920	258	59.0	53.1-64.9	178	41.0	35.1-46.9
45-54	495	98,118	282	55.9	50.0-61.8	213	44.1	38.2-50.0
55-64	659	123,383	349	53.3	48.2-58.4	310	46.7	41.6-51.8
65+	1393	189,607	675	46.3	42.8-49.8	718	53.7	50.2-57.2
Less Than H.S.	223	66,057	55	27.2	19.2-35.2	168	72.8	64.8-80.8
H.S. or G.E.D.	912	215,270	394	45.3	41.0-49.6	518	54.7	50.4-59.0
Some Post-H.S.	931	202,232	493	57.4	53.1-61.7	438	42.6	38.3-46.9
College Graduate	1434	215,732	910	66.8	63.5-70.1	524	33.2	29.9-36.5
Less than \$15,000	151	24,521	49	31.1	21.9-40.3	102	68.9	59.7-78.1
\$15,000-24,999	255	46,842	72	30.0	22.4-37.6	183	70.0	62.4-77.6
\$25,000-34,999	340	67,497	140	40.1	32.5-47.7	200	59.9	52.3-67.5
\$35,000-49,999	395	79,520	198	50.5	43.1-57.9	197	49.5	42.1-56.9
\$50,000-99,999	990	202,478	592	61.2	57.1-65.3	398	38.8	34.7-42.9
\$100,000-199,999	587	118,478	423	70.8	65.9-75.7	164	29.2	24.3-34.1
\$200,000+	148	33,883	114	76.1	67.3-84.9	34	23.9	15.1-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1545	335,918	901	56.9	53.6-60.2	644	43.1	39.8-46.4
White/Non-Hisp	1080	201,080	670	61.1	57.2-65.0	410	38.9	35.0-42.8
Black or Afr. Am./Non-Hisp	199	67,147	97	49.7	40.7-58.7	102	50.3	41.3-59.3
Oth. Race/Non-Hisp.	59	19,753	32	53.4	38.3-68.5	27	46.6	31.5-61.7
Hispanic	131	25,952	60	40.9	30.5-51.3	71	59.1	48.7-69.5
18-24	118	38,738	60	51.8	41.2-62.4	58	48.2	37.6-58.8
25-34	152	56,612	96	61.1	51.1-71.1	56	38.9	28.9-48.9
35-44	209	50,642	131	58.8	50.6-67.0	78	41.2	33.0-49.4
45-54	206	45,061	138	65.0	56.6-73.4	68	35.0	26.6-43.4
55-64	277	59,232	159	57.4	49.6-65.2	118	42.6	34.8-50.4
65+	583	85,634	317	50.6	45.3-55.9	266	49.4	44.1-54.7
Less Than H.S.	97	31,436	23	25.4	14.4-36.4	74	74.6	63.6-85.6
H.S. or G.E.D.	405	106,020	206	51.5	45.2-57.8	199	48.5	42.2-54.8
Some Post-H.S.	392	98,111	233	62.1	55.8-68.4	159	37.9	31.6-44.2
College Graduate	646	99,737	437	67.4	62.7-72.1	209	32.6	27.9-37.3
Less than \$15,000	58	8,720	25	37.9	23.2-52.6	33	62.1	47.4-76.8
\$15,000- 24,999	93	17,751	37	35.0	22.7-47.3	56	65.0	52.7-77.3
\$25,000- 34,999	126	27,893	52	33.2	22.8-43.6	74	66.8	56.4-77.2
\$35,000- 49,999	169	36,792	90	52.9	42.3-63.5	79	47.1	36.5-57.7
\$50,000- 99,999	443	98,596	284	64.8	58.7-70.9	159	35.2	29.1-41.3
\$100,000 - 199,999	316	71,596	232	69.4	62.5-76.3	84	30.6	23.7-37.5
\$200,000+	91	20,248	70	80.2	71.2-89.2	21	19.8	10.8-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1965	365,750	956	50.7	47.6-53.8	1009	49.3	46.2-52.4
White/Non-Hisp	1382	223,867	717	54.8	51.3-58.3	665	45.2	41.7-48.7
Black or Afr. Am./Non-Hisp	292	71,921	125	47.0	39.0-55.0	167	53.0	45.0-61.0
Hispanic	178	39,828	67	33.8	23.8-43.8	111	66.2	56.2-76.2
18-24	82	37,027	43	54.3	40.6-68.0	39	45.7	32.0-59.4
25-34	175	52,264	94	59.1	49.7-68.5	81	40.9	31.5-50.3
35-44	227	55,278	127	59.2	50.8-67.6	100	40.8	32.4-49.2
45-54	289	53,058	144	48.1	40.5-55.7	145	51.9	44.3-59.5
55-64	382	64,151	190	49.5	42.8-56.2	192	50.5	43.8-57.2
65+	810	103,974	358	42.7	38.0-47.4	452	57.3	52.6-62.0
Less Than H.S.	126	34,620	32	28.7	17.1-40.3	94	71.3	59.7-82.9
H.S. or G.E.D.	507	109,250	188	39.2	33.3-45.1	319	60.8	54.9-66.7
Some Post-H.S.	539	104,121	260	52.9	47.2-58.6	279	47.1	41.4-52.8
College Graduate	788	115,995	473	66.3	61.8-70.8	315	33.7	29.2-38.2
Less than \$15,000	93	15,800	24	27.4	15.8-39.0	69	72.6	61.0-84.2
\$15,000- 24,999	162	29,091	35	27.0	17.4-36.6	127	73.0	63.4-82.6
\$25,000- 34,999	214	39,604	88	44.9	34.5-55.3	126	55.1	44.7-65.5
\$35,000- 49,999	226	42,729	108	48.5	38.1-58.9	118	51.5	41.1-61.9
\$50,000- 99,999	547	103,882	308	57.9	52.0-63.8	239	42.1	36.2-48.0
\$100,000 - 199,999	271	46,882	191	73.0	66.3-79.7	80	27.0	20.3-33.7
\$200,000+	57	13,634	44	70.1	53.4-86.8	13	29.9	13.2-46.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 14: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY4_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3510	701,669	1090	33.7	31.3-36.1	385	10.9	09.5-12.3	156	4.0	03.0-05.0	226	5.0	04.2-05.8	1653	46.4	44.0-48.8
Male	1545	335,918	498	33.6	30.3-36.9	204	13.0	10.8-15.2	66	3.7	02.5-04.9	133	6.5	04.9-08.1	644	43.1	39.8-46.4
Female	1965	365,750	592	33.8	30.7-36.9	181	9.1	07.3-10.9	90	4.2	02.8-05.6	93	3.6	02.6-04.6	1009	49.3	46.2-52.4
White/Non-Hisp	2462	424,947	755	32.5	30.0-35.0	308	13.8	11.8-15.8	125	4.7	03.5-05.9	199	6.8	05.6-08.0	1075	42.2	39.7-44.7
Black or Afr. Am./Non-Hisp	491	139,068	158	36.2	30.3-42.1	34	7.0	04.1-09.9	14	2.2	00.6-03.8	16	3.0	00.8-05.2	269	51.7	45.6-57.8
Oth. Race/Non-Hisp.	99	31,392	30	37.2	24.3-50.1	7	7.2	01.3-13.1	3	2.9	00.0-06.2	1	1.3	00.0-03.8	58	51.5	39.0-64.0
MultiRacial/Non-Hisp.	68	27,045	28	49.3	33.2-65.4	7	9.0	00.2-17.8	3	1.5	00.0-03.5	1	2.0	00.0-05.9	29	38.1	23.0-53.2
Hispanic	309	65,779	94	27.7	21.2-34.2	22	4.5	02.1-06.9	6	3.6	00.0-08.3	5	0.8	00.0-01.8	182	63.4	56.1-70.7
18-24	200	75,764	79	40.8	32.2-49.4	17	8.0	03.7-12.3	4	3.2	00.0-07.5	3	1.0	00.0-02.2	97	47.0	38.4-55.6
25-34	327	108,876	119	39.7	32.4-47.0	44	11.9	08.0-15.8	20	5.3	02.6-08.0	7	3.3	00.4-06.2	137	39.9	33.0-46.8
35-44	436	105,920	168	37.7	31.8-43.6	56	14.7	10.0-19.4	15	2.4	01.0-03.8	19	4.2	02.0-06.4	178	41.0	35.1-46.9
45-54	495	98,118	172	34.7	29.2-40.2	62	13.3	09.4-17.2	23	3.8	01.8-05.8	25	4.1	02.1-06.1	213	44.1	38.2-50.0
55-64	659	123,383	194	31.5	26.6-36.4	88	12.0	08.9-15.1	27	4.3	02.1-06.5	40	5.4	03.4-07.4	310	46.7	41.6-51.8
65+	1393	189,607	358	26.1	23.0-29.2	118	7.6	05.8-09.4	67	4.2	02.8-05.6	132	8.3	06.5-10.1	718	53.7	50.2-57.2
Less Than H.S.	223	66,057	44	20.2	13.3-27.1	4	1.6	00.0-03.8	2	2.8	00.0-07.5	5	2.5	00.1-04.9	168	72.8	64.8-80.8
H.S. or G.E.D.	912	215,270	253	30.9	26.8-35.0	74	8.3	05.9-10.7	23	2.1	01.1-03.1	44	4.0	02.6-05.4	518	54.7	50.4-59.0
Some Post-H.S.	931	202,232	307	37.2	32.9-41.5	93	10.5	07.8-13.2	38	4.5	02.5-06.5	55	5.3	03.3-07.3	438	42.6	38.3-46.9
College Graduate	1434	215,732	484	37.6	33.9-41.3	213	17.0	14.3-19.7	92	5.6	04.0-07.2	121	6.6	05.0-08.2	524	33.2	29.9-36.5
Less than \$15,000	151	24,521	36	24.4	15.6-33.2	5	2.7	00.3-05.1	1	0.3	00.0-00.9	7	3.8	00.7-06.9	102	68.9	59.7-78.1
\$15,000-24,999	255	46,842	50	21.6	14.9-28.3	11	6.3	01.6-11.0	5	0.8	00.0-01.6	6	1.3	00.1-02.5	183	70.0	62.4-77.6
\$25,000-34,999	340	67,497	92	26.6	19.7-33.5	16	3.4	01.2-05.6	10	6.5	01.0-12.0	22	3.6	01.8-05.4	200	59.9	52.3-67.5
\$35,000-49,999	395	79,520	127	37.3	29.7-44.9	34	6.9	03.2-10.6	18	3.1	01.3-04.9	19	3.3	01.1-05.5	197	49.5	42.1-56.9
\$50,000-99,999	990	202,478	344	39.3	34.8-43.8	130	12.8	10.1-15.5	53	4.2	02.6-05.8	65	4.9	03.3-06.5	398	38.8	34.7-42.9
\$100,000-199,999	587	118,478	224	39.0	33.7-44.3	114	19.3	15.2-23.4	30	4.1	02.3-05.9	55	8.4	05.5-11.3	164	29.2	24.3-34.1
\$200,000+	148	33,883	48	32.8	23.6-42.0	36	27.3	18.3-36.3	12	6.5	02.0-11.0	18	9.6	04.3-14.9	34	23.9	15.1-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 14: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY4_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1545	335,918	498	33.6	30.3-36.9	204	13.0	10.8-15.2	66	3.7	02.5-04.9	133	6.5	04.9-08.1	644	43.1	39.8-46.4
White/Non-Hisp	1080	201,080	343	31.8	28.1-35.5	161	15.9	13.0-18.8	52	4.8	03.2-06.4	114	8.6	06.6-10.6	410	38.9	35.0-42.8
Black or Afr. Am./Non-Hisp	199	67,147	64	35.5	26.5-44.5	15	7.8	03.1-12.5	5	1.5	00.0-03.1	13	4.9	00.8-09.0	102	50.3	41.3-59.3
Oth. Race/Non-Hisp.	59	19,753	22	36.4	21.7-51.1	6	10.4	01.6-19.2	3	4.6	00.0-10.1	1	2.0	00.0-05.9	27	46.6	31.5-61.7
Hispanic	131	25,952	42	31.3	21.5-41.1	13	7.6	02.5-12.7	2	0.7	00.0-01.7	3	1.3	00.0-03.5	71	59.1	48.7-69.5
18-24	118	38,738	45	38.6	28.0-49.2	10	9.4	03.3-15.5	3	2.2	00.0-05.1	2	1.6	00.0-03.8	58	48.2	37.6-58.8
25-34	152	56,612	61	38.7	28.7-48.7	23	13.9	07.6-20.2	9	4.2	00.7-07.7	3	4.2	00.0-09.3	56	38.9	28.9-48.9
35-44	209	50,642	78	34.5	26.9-42.1	27	12.8	07.1-18.5	11	3.8	01.3-06.3	15	7.7	03.4-12.0	78	41.2	33.0-49.4
45-54	206	45,061	80	39.8	31.0-48.6	34	17.8	10.7-24.9	10	3.1	00.9-05.3	14	4.4	01.7-07.1	68	35.0	26.6-43.4
55-64	277	59,232	84	33.1	25.3-40.9	42	14.3	08.8-19.8	11	4.1	01.2-07.0	22	5.9	03.0-08.8	118	42.6	34.8-50.4
65+	583	85,634	150	24.7	20.0-29.4	68	10.7	07.6-13.8	22	3.9	01.7-06.1	77	11.3	08.4-14.2	266	49.4	44.1-54.7
Less Than H.S.	97	31,436	20	22.3	11.7-32.9	1	0.4	00.0-01.2				2	2.7	00.0-06.4	74	74.6	63.6-85.6
H.S. or G.E.D.	405	106,020	132	35.7	29.4-42.0	41	9.7	06.2-13.2	11	2.0	00.6-03.4	22	4.1	02.1-06.1	199	48.5	42.2-54.8
Some Post-H.S.	392	98,111	135	36.6	30.1-43.1	53	14.4	09.7-19.1	15	4.0	01.5-06.5	30	7.1	03.6-10.6	159	37.9	31.6-44.2
College Graduate	646	99,737	210	32.2	27.7-36.7	109	19.2	15.1-23.3	39	6.1	03.7-08.5	79	9.9	07.2-12.6	209	32.6	27.9-37.3
Less than \$15,000	58	8,720	19	29.1	15.2-43.0	2	2.9	00.0-07.0	1	0.9	00.0-02.7	3	5.0	00.0-11.1	33	62.1	47.4-76.8
\$15,000- 24,999	93	17,751	23	23.0	12.6-33.4	7	8.5	00.1-16.9	2	0.4	00.0-01.2	5	3.1	00.4-05.8	56	65.0	52.7-77.3
\$25,000- 34,999	126	27,893	33	21.0	12.2-29.8	5	3.6	00.0-07.7	3	3.3	00.0-07.0	11	5.4	01.7-09.1	74	66.8	56.4-77.2
\$35,000- 49,999	169	36,792	52	35.7	24.7-46.7	18	9.4	02.7-16.1	9	4.4	01.1-07.7	11	3.4	00.7-06.1	79	47.1	36.5-57.7
\$50,000- 99,999	443	98,596	161	41.9	35.4-48.4	62	12.5	08.8-16.2	19	3.7	01.5-05.9	42	6.7	04.2-09.2	159	35.2	29.1-41.3
\$100,000 - 199,999	316	71,596	118	35.9	29.2-42.6	65	20.4	14.5-26.3	12	3.4	01.0-05.8	37	9.7	05.2-14.2	84	30.6	23.7-37.5
\$200,000+	91	20,248	29	33.0	21.4-44.6	24	31.6	19.6-43.6	7	6.3	00.8-11.8	10	9.3	02.4-16.2	21	19.8	10.8-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 14: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY4_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1965	365,750	592	33.8	30.7-36.9	181	9.1	07.3-10.9	90	4.2	02.8-05.6	93	3.6	02.6-04.6	1009	49.3	46.2-52.4
White/Non-Hisp	1382	223,867	412	33.1	29.6-36.6	147	12.0	09.5-14.5	73	4.6	03.2-06.0	85	5.2	03.8-06.6	665	45.2	41.7-48.7
Black or Afr. Am./Non-Hisp	292	71,921	94	36.8	29.0-44.6	19	6.3	02.6-10.0	9	2.8	00.1-05.5	3	1.2	00.0-03.0	167	53.0	45.0-61.0
Hispanic	178	39,828	52	25.3	17.1-33.5	9	2.5	00.5-04.5	4	5.5	00.0-13.3	2	0.4	00.0-01.0	111	66.2	56.2-76.2
18-24	82	37,027	34	43.1	29.2-57.0	7	6.6	00.5-12.7	1	4.3	00.0-12.5	1	0.3	00.0-00.9	39	45.7	32.0-59.4
25-34	175	52,264	58	40.7	30.3-51.1	21	9.6	04.7-14.5	11	6.4	01.9-10.9	4	2.3	00.0-05.0	81	40.9	31.5-50.3
35-44	227	55,278	90	40.7	31.9-49.5	29	16.3	08.9-23.7	4	1.2	00.0-02.6	4	1.0	00.0-02.2	100	40.8	32.4-49.2
45-54	289	53,058	92	30.5	23.8-37.2	28	9.5	05.4-13.6	13	4.3	01.4-07.2	11	3.9	01.4-06.4	145	51.9	44.3-59.5
55-64	382	64,151	110	30.1	24.0-36.2	46	9.9	06.6-13.2	16	4.5	01.2-07.8	18	5.0	02.3-07.7	192	50.5	43.8-57.2
65+	810	103,974	208	27.3	23.2-31.4	50	5.1	03.3-06.9	45	4.5	02.9-06.1	55	5.8	03.8-07.8	452	57.3	52.6-62.0
Less Than H.S.	126	34,620	24	18.4	09.8-27.0	3	2.7	00.0-06.8	2	5.4	00.0-14.2	3	2.2	00.0-05.1	94	71.3	59.7-82.9
H.S. or G.E.D.	507	109,250	121	26.3	20.8-31.8	33	6.8	03.5-10.1	12	2.2	00.6-03.8	22	3.9	01.9-05.9	319	60.8	54.9-66.7
Some Post-H.S.	539	104,121	172	37.6	31.7-43.5	40	6.8	04.3-09.3	23	4.9	02.2-07.6	25	3.6	01.8-05.4	279	47.1	41.4-52.8
College Graduate	788	115,995	274	42.2	36.7-47.7	104	15.1	11.4-18.8	53	5.3	03.3-07.3	42	3.8	02.4-05.2	315	33.7	29.2-38.2
Less than \$15,000	93	15,800	17	21.8	10.6-33.0	3	2.5	00.0-05.4				4	3.1	00.0-06.6	69	72.6	61.0-84.2
\$15,000- 24,999	162	29,091	27	20.8	12.2-29.4	4	4.9	00.0-10.4	3	1.1	00.0-02.3	1	0.3	00.0-00.9	127	73.0	63.4-82.6
\$25,000- 34,999	214	39,604	59	30.5	20.7-40.3	11	3.3	00.9-05.7	7	8.8	00.0-17.6	11	2.3	00.7-03.9	126	55.1	44.7-65.5
\$35,000- 49,999	226	42,729	75	38.6	28.0-49.2	16	4.7	01.2-08.2	9	1.9	00.3-03.5	8	3.3	00.2-06.4	118	51.5	41.1-61.9
\$50,000- 99,999	547	103,882	183	36.8	30.7-42.9	68	13.1	09.0-17.2	34	4.8	02.6-07.0	23	3.2	01.4-05.0	239	42.1	36.2-48.0
\$100,000 - 199,999	271	46,882	106	43.6	35.8-51.4	49	17.8	12.1-23.5	18	5.2	02.1-08.3	18	6.4	03.1-09.7	80	27.0	20.3-33.7
\$200,000+	57	13,634	19	32.5	17.2-47.8	12	20.9	07.6-34.2	5	6.7	00.0-14.5	8	10.0	01.4-18.6	13	29.9	13.2-46.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3449	688,546	3024	86.0	84.2-87.8	425	14.0	12.2-15.8
Male	1511	328,808	1284	83.5	81.0-86.0	227	16.5	14.0-19.0
Female	1938	359,738	1740	88.4	86.2-90.6	198	11.6	09.4-13.8
White/Non-Hisp	2421	416,633	2093	83.5	81.3-85.7	328	16.5	14.3-18.7
Black or Afr. Am./Non-Hisp	483	136,489	444	91.0	87.5-94.5	39	9.0	05.5-12.5
Oth. Race/Non-Hisp.	97	30,969	93	95.4	90.5-0100	4	4.6	00.0-09.5
MultiRacial/Non-Hisp.	67	26,842	56	81.6	67.7-95.5	11	18.4	04.5-32.3
Hispanic	301	64,454	270	91.0	86.9-95.1	31	9.0	04.9-13.1
18-24	196	73,840	153	79.6	72.9-86.3	43	20.4	13.7-27.1
25-34	320	106,536	260	80.2	74.3-86.1	60	19.8	13.9-25.7
35-44	432	104,688	341	79.2	74.1-84.3	91	20.8	15.7-25.9
45-54	486	96,101	406	83.9	79.4-88.4	80	16.1	11.6-20.6
55-64	646	121,033	571	89.2	86.3-92.1	75	10.8	07.9-13.7
65+	1369	186,348	1293	94.9	93.5-96.3	76	5.1	03.7-06.5
Less Than H.S.	218	64,663	204	92.2	87.9-96.5	14	7.8	03.5-12.1
H.S. or G.E.D.	891	209,886	778	84.4	80.9-87.9	113	15.6	12.1-19.1
Some Post-H.S.	920	200,047	813	87.4	84.5-90.3	107	12.6	09.7-15.5
College Graduate	1410	211,573	1220	84.5	81.6-87.4	190	15.5	12.6-18.4
Less than \$15,000	147	24,051	137	93.3	88.6-98.0	10	6.7	02.0-11.4
\$15,000-24,999	253	45,809	234	92.4	88.5-96.3	19	7.6	03.7-11.5
\$25,000-34,999	336	66,643	299	87.3	81.2-93.4	37	12.7	06.6-18.8
\$35,000-49,999	386	77,878	344	88.4	83.5-93.3	42	11.6	06.7-16.5
\$50,000-99,999	976	200,344	855	85.1	81.8-88.4	121	14.9	11.6-18.2
\$100,000-199,999	580	116,923	467	79.6	75.3-83.9	113	20.4	16.1-24.7
\$200,000+	146	33,263	106	71.2	62.2-80.2	40	28.8	19.8-37.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 14: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1511	328,808	1284	83.5	81.0-86.0	227	16.5	14.0-19.0
White/Non-Hisp	1057	196,755	878	79.1	75.8-82.4	179	20.9	17.6-24.2
Black or Afr. Am./Non-Hisp	196	65,973	176	89.5	83.4-95.6	20	10.5	04.4-16.6
Oth. Race/Non-Hisp.	58	19,523	54	92.8	85.2-0100	4	7.2	00.0-14.8
Hispanic	125	24,849	111	90.2	83.7-96.7	14	9.8	03.3-16.3
18-24	115	38,035	88	77.6	68.8-86.4	27	22.4	13.6-31.2
25-34	146	54,460	115	76.9	68.1-85.7	31	23.1	14.3-31.9
35-44	208	50,557	160	77.2	70.3-84.1	48	22.8	15.9-29.7
45-54	203	44,298	159	79.8	72.2-87.4	44	20.2	12.6-27.8
55-64	272	58,172	236	88.2	83.5-92.9	36	11.8	07.1-16.5
65+	567	83,287	526	93.0	90.5-95.5	41	7.0	04.5-09.5
Less Than H.S.	96	31,377	88	91.3	85.0-97.6	8	8.7	02.4-15.0
H.S. or G.E.D.	392	103,617	325	79.6	74.1-85.1	67	20.4	14.9-25.9
Some Post-H.S.	388	96,699	332	85.1	80.4-89.8	56	14.9	10.2-19.6
College Graduate	630	96,502	534	83.4	79.7-87.1	96	16.6	12.9-20.3
Less than \$15,000	55	8,537	48	88.8	79.8-97.8	7	11.2	02.2-20.2
\$15,000- 24,999	93	17,751	82	89.8	83.1-96.5	11	10.2	03.5-16.9
\$25,000- 34,999	124	27,376	111	91.1	85.0-97.2	13	8.9	02.8-15.0
\$35,000- 49,999	165	35,971	142	84.0	75.6-92.4	23	16.0	07.6-24.4
\$50,000- 99,999	435	97,252	373	82.6	77.5-87.7	62	17.4	12.3-22.5
\$100,000 - 199,999	311	70,329	246	78.6	72.5-84.7	65	21.4	15.3-27.5
\$200,000+	90	19,822	62	66.9	55.1-78.7	28	33.1	21.3-44.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1938	359,738	1740	88.4	86.2-90.6	198	11.6	09.4-13.8
White/Non-Hisp	1364	219,878	1215	87.4	84.9-89.9	149	12.6	10.1-15.1
Black or Afr. Am./Non-Hisp	287	70,516	268	92.4	88.3-96.5	19	7.6	03.5-11.7
Hispanic	176	39,606	159	91.5	86.2-96.8	17	8.5	03.2-13.8
18-24	81	35,806	65	81.6	71.6-91.6	16	18.4	08.4-28.4
25-34	174	52,076	145	83.6	75.8-91.4	29	16.4	08.6-24.2
35-44	224	54,131	181	81.1	73.8-88.4	43	18.9	11.6-26.2
45-54	283	51,804	247	87.4	82.7-92.1	36	12.6	07.9-17.3
55-64	374	62,861	335	90.2	86.7-93.7	39	9.8	06.3-13.3
65+	802	103,061	767	96.3	94.7-97.9	35	3.7	02.1-05.3
Less Than H.S.	122	33,286	116	93.0	87.1-98.9	6	7.0	01.1-12.9
H.S. or G.E.D.	499	106,270	453	89.1	85.0-93.2	46	10.9	06.8-15.0
Some Post-H.S.	532	103,348	481	89.5	86.0-93.0	51	10.5	07.0-14.0
College Graduate	780	115,071	686	85.5	81.4-89.6	94	14.5	10.4-18.6
Less than \$15,000	92	15,514	89	95.9	90.8-0100	3	4.1	00.0-09.2
\$15,000- 24,999	160	28,058	152	94.1	89.2-99.0	8	5.9	01.0-10.8
\$25,000- 34,999	212	39,267	188	84.7	75.3-94.1	24	15.3	05.9-24.7
\$35,000- 49,999	221	41,907	202	92.1	86.8-97.4	19	7.9	02.6-13.2
\$50,000- 99,999	541	103,092	482	87.5	83.4-91.6	59	12.5	08.4-16.6
\$100,000 - 199,999	269	46,594	221	81.0	75.1-86.9	48	19.0	13.1-24.9
\$200,000+	56	13,442	44	77.4	64.1-90.7	12	22.6	09.3-35.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3490	698,836	632	18.7	16.7-20.7	286	8.4	07.0-09.8	407	12.2	10.6-13.8	286	8.3	06.9-09.7	215	5.4	04.4-06.4	1664	47.0	44.6-49.4
Male	1533	334,061	225	14.6	12.1-17.1	152	8.8	06.8-10.8	217	15.3	12.9-17.7	151	9.6	07.6-11.6	140	7.6	06.0-09.2	648	44.1	40.8-47.4
Female	1957	364,775	407	22.5	19.6-25.4	134	8.0	06.0-10.0	190	9.3	07.5-11.1	135	7.1	05.3-08.9	75	3.3	02.3-04.3	1016	49.7	46.6-52.8
White/Non-Hisp	2449	423,327	436	17.8	15.6-20.0	208	8.3	06.9-09.7	314	14.2	12.2-16.2	232	10.2	08.4-12.0	180	7.0	05.8-08.2	1079	42.5	40.0-45.0
Black or Afr. Am./Non-Hisp	489	138,611	100	21.5	16.2-26.8	33	7.7	04.4-11.0	44	9.1	05.8-12.4	26	5.8	02.9-08.7	15	2.6	00.4-04.8	271	53.3	47.2-59.4
Oth. Race/Non-Hisp.	99	31,392	15	22.1	09.4-34.8	6	6.3	00.4-12.2	11	10.1	04.0-16.2	4	3.3	00.0-06.8	4	5.4	00.0-10.9	59	52.9	40.2-65.6
MultiRacial/Non-Hisp.	68	27,045	16	26.3	11.0-41.6	5	12.5	00.0-25.0	7	8.1	01.0-15.2	8	13.4	02.8-24.0	2	0.8	00.0-01.8	30	38.8	23.7-53.9
Hispanic	305	65,365	52	14.0	09.3-18.7	25	9.1	04.8-13.4	25	8.8	03.5-14.1	13	2.9	00.7-05.1	8	1.4	00.2-02.6	182	63.8	56.5-71.1
18-24	199	75,584	30	17.2	09.8-24.6	20	9.9	04.6-15.2	27	13.1	07.2-19.0	14	8.5	03.8-13.2	10	4.0	01.3-06.7	98	47.3	38.7-55.9
25-34	326	108,791	66	23.8	16.9-30.7	33	8.9	05.0-12.8	40	13.5	08.8-18.2	35	8.5	05.0-12.0	15	5.3	02.0-08.6	137	39.9	33.0-46.8
35-44	433	105,422	73	14.7	10.6-18.8	57	13.9	09.4-18.4	54	12.4	08.7-16.1	36	9.7	05.4-14.0	32	6.9	04.2-09.6	181	42.5	36.4-48.6
45-54	492	97,590	88	17.2	12.9-21.5	49	9.7	06.4-13.0	66	13.8	09.9-17.7	41	8.8	05.5-12.1	34	5.9	03.5-08.3	214	44.6	38.7-50.5
55-64	656	123,067	109	18.3	14.2-22.4	44	6.5	04.0-09.0	94	14.1	10.6-17.6	54	8.3	05.6-11.0	42	4.8	03.0-06.6	313	48.0	42.7-53.3
65+	1384	188,383	266	19.7	16.8-22.6	83	5.1	03.7-06.5	126	8.8	06.8-10.8	106	7.1	05.3-08.9	82	5.1	03.7-06.5	721	54.2	50.7-57.7
Less Than H.S.	221	65,605	27	12.8	06.9-18.7	10	5.0	01.5-08.5	8	4.7	00.0-09.6	5	2.2	00.0-04.6	3	2.0	00.0-04.2	168	73.3	65.3-81.3
H.S. or G.E.D.	908	214,499	140	14.7	11.6-17.8	51	7.1	04.6-09.6	83	10.3	07.6-13.0	58	7.0	04.6-09.4	55	5.4	03.8-07.0	521	55.6	51.3-59.9
Some Post-H.S.	926	201,568	176	20.6	16.9-24.3	80	10.3	07.4-13.2	111	12.3	09.6-15.0	67	8.0	05.5-10.5	50	5.2	03.2-07.2	442	43.5	39.2-47.8
College Graduate	1425	214,786	287	22.8	19.3-26.3	145	9.1	07.3-10.9	204	16.4	13.9-18.9	155	11.8	09.4-14.2	106	6.4	04.8-08.0	528	33.5	30.2-36.8
Less than \$15,000	151	24,521	19	14.8	07.2-22.4	8	2.6	00.4-04.8	12	8.6	03.3-13.9	3	1.9	00.0-04.1	7	3.3	00.6-06.0	102	68.9	59.7-78.1
\$15,000-24,999	255	46,842	34	15.3	09.2-21.4	11	3.8	01.3-06.3	8	3.2	00.7-05.7	10	5.4	00.9-09.9	9	2.2	00.6-03.8	183	70.0	62.4-77.6
\$25,000-34,999	334	66,432	61	17.3	11.2-23.4	17	5.1	01.8-08.4	18	7.2	01.9-12.5	17	5.1	01.6-08.6	21	4.4	02.0-06.8	200	60.9	53.1-68.7
\$35,000-49,999	394	79,452	81	22.1	15.0-29.2	30	8.5	04.4-12.6	33	7.9	04.2-11.6	29	6.2	02.9-09.5	23	4.3	01.9-06.7	198	50.9	43.5-58.3
\$50,000-99,999	986	201,961	188	20.7	16.8-24.6	97	10.4	07.5-13.3	148	15.0	12.1-17.9	94	10.4	07.7-13.1	56	4.3	02.9-05.7	403	39.3	35.0-43.6
\$100,000-199,999	584	118,027	116	18.5	14.4-22.6	71	12.2	08.9-15.5	97	17.7	13.8-21.6	77	11.0	08.1-13.9	57	10.6	07.1-14.1	166	30.0	24.9-35.1
\$200,000+	147	33,541	21	13.0	06.7-19.3	13	9.5	03.4-15.6	37	25.2	16.8-33.6	21	16.6	08.8-24.4	20	10.9	05.4-16.4	35	24.8	16.0-33.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1533	334,061	225	14.6	12.1-17.1	152	8.8	06.8-10.8	217	15.3	12.9-17.7	151	9.6	07.6-11.6	140	7.6	06.0-09.2	648	44.1	40.8-47.4
White/Non-Hisp	1073	200,117	149	12.0	09.5-14.5	114	9.5	07.3-11.7	164	18.1	14.8-21.4	122	11.6	09.2-14.0	113	9.8	07.6-12.0	411	39.1	35.2-43.0
Black or Afr. Am./Non-Hisp	198	66,961	37	19.1	11.7-26.5	13	7.0	01.9-12.1	20	10.2	05.1-15.3	13	6.3	02.2-10.4	11	3.9	00.0-07.8	104	53.4	44.4-62.4
Oth. Race/Non-Hisp.	59	19,753	9	17.7	04.4-31.0	5	6.1	00.2-12.0	10	14.4	05.4-23.4	3	4.3	00.0-09.6	4	8.6	00.2-17.0	28	48.8	33.7-63.9
Hispanic	128	25,585	16	11.7	04.8-18.6	14	11.8	04.7-18.9	13	8.8	03.3-14.3	7	4.7	00.2-09.2	7	3.1	00.4-05.8	71	59.9	49.3-70.5
18-24	117	38,557	13	12.8	05.0-20.6	12	10.1	03.0-17.2	15	10.9	04.8-17.0	10	10.3	03.6-17.0	9	7.5	02.0-13.0	58	48.4	37.8-59.0
25-34	152	56,612	26	15.9	08.3-23.5	21	12.2	05.5-18.9	24	17.7	10.1-25.3	16	8.5	03.8-13.2	9	6.7	01.2-12.2	56	38.9	28.9-48.9
35-44	207	50,414	25	9.2	04.9-13.5	24	8.9	05.0-12.8	35	16.4	10.5-22.3	21	10.9	05.4-16.4	22	10.7	05.8-15.6	80	43.9	35.5-52.3
45-54	203	44,532	32	17.5	10.2-24.8	26	11.4	06.1-16.7	35	18.4	11.3-25.5	19	9.8	03.9-15.7	23	7.5	04.0-11.0	68	35.4	26.8-44.0
55-64	276	59,187	32	14.3	08.0-20.6	21	6.6	03.1-10.1	53	20.1	13.8-26.4	25	8.1	04.6-11.6	26	6.4	03.5-09.3	119	44.6	36.6-52.6
65+	578	84,757	97	16.4	12.1-20.7	48	6.2	04.0-08.4	55	10.0	06.7-13.3	60	10.2	06.9-13.5	51	7.3	04.8-09.8	267	50.0	44.5-55.5
Less Than H.S.	96	31,256	9	13.1	03.7-22.5	6	5.6	00.7-10.5	3	2.3	00.0-05.2	2	1.3	00.0-03.3	2	2.8	00.0-06.5	74	75.0	64.0-86.0
H.S. or G.E.D.	402	105,386	55	13.1	08.6-17.6	27	6.9	03.2-10.6	55	15.4	10.5-20.3	31	7.9	04.6-11.2	33	6.7	04.2-09.2	201	50.0	43.7-56.3
Some Post-H.S.	390	97,857	59	16.4	10.9-21.9	44	11.8	07.7-15.9	56	14.9	10.2-19.6	36	9.7	06.0-13.4	34	8.0	04.5-11.5	161	39.2	32.7-45.7
College Graduate	640	98,949	101	14.8	11.3-18.3	75	9.1	06.7-11.5	103	19.8	15.7-23.9	82	13.9	10.4-17.4	70	9.6	06.9-12.3	209	32.9	28.0-37.8
Less than \$15,000	58	8,720	5	11.7	00.0-23.5	8	7.4	01.5-13.3	6	9.9	01.3-18.5	1	1.4	00.0-04.1	5	7.4	00.5-14.3	33	62.1	47.4-76.8
\$15,000- 24,999	93	17,751	12	12.6	04.4-20.8	7	6.5	01.0-12.0	4	3.0	00.0-06.5	6	7.4	00.0-15.8	8	5.5	01.2-09.8	56	65.0	52.7-77.3
\$25,000- 34,999	122	27,165	16	8.4	03.1-13.7	5	2.5	00.0-05.2	10	9.1	02.2-16.0	8	7.1	01.2-13.0	9	4.3	01.2-07.4	74	68.5	58.1-78.9
\$35,000- 49,999	168	36,723	31	17.2	08.6-25.8	12	9.3	02.2-16.4	14	8.3	03.0-13.6	17	9.8	02.9-16.7	14	5.1	01.8-08.4	80	50.3	39.5-61.1
\$50,000- 99,999	441	98,351	70	18.5	13.0-24.0	56	12.0	07.7-16.3	76	18.8	13.7-23.9	40	8.6	05.5-11.7	38	6.2	03.8-08.6	161	35.8	29.7-41.9
\$100,000 - 199,999	314	71,230	47	13.6	08.7-18.5	39	10.1	06.2-14.0	56	18.7	13.2-24.2	45	12.1	07.8-16.4	42	13.5	08.2-18.8	85	31.9	24.8-39.0
\$200,000+	90	19,907	11	10.4	03.5-17.3	7	9.6	01.2-18.0	23	27.1	16.3-37.9	15	20.4	09.4-31.4	13	12.4	05.0-19.8	21	20.1	11.1-29.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1957	364,775	407	22.5	19.6-25.4	134	8.0	06.2-09.8	190	9.3	07.5-11.1	135	7.1	05.3-08.9	75	3.3	02.3-04.3	1016	49.7	46.6-52.8
White/Non-Hisp	1376	223,210	287	23.0	19.7-26.3	94	7.3	05.3-09.3	150	10.8	08.6-13.0	110	8.9	06.5-11.3	67	4.5	03.1-05.9	668	45.5	42.0-49.0
Black or Afr. Am./Non-Hisp	291	71,650	63	23.7	16.4-31.0	20	8.3	03.6-13.0	24	8.1	04.2-12.0	13	5.3	01.2-09.4	4	1.4	00.0-03.2	167	53.2	45.2-61.2
Hispanic	177	39,780	36	15.5	09.0-22.0	11	7.4	02.1-12.7	12	8.8	00.8-16.8	6	1.8	00.2-03.4	1	0.3	00.0-00.9	111	66.3	56.3-76.3
18-24	82	37,027	17	21.7	09.0-34.4	8	9.6	01.6-17.6	12	15.5	05.1-25.9	4	6.7	00.0-13.6	1	0.3	00.0-00.9	40	46.2	32.5-59.9
25-34	174	52,179	40	32.4	21.8-43.0	12	5.4	01.9-08.9	16	8.9	04.2-13.6	19	8.5	03.4-13.6	6	3.8	00.5-07.1	81	41.0	31.6-50.4
35-44	226	55,007	48	19.8	13.3-26.3	33	18.4	10.6-26.2	19	8.6	03.9-13.3	15	8.7	02.2-15.2	10	3.3	00.9-05.7	101	41.2	32.6-49.8
45-54	289	53,058	56	16.9	11.6-22.2	23	8.2	04.3-12.1	31	10.0	05.9-14.1	22	7.9	04.2-11.6	11	4.7	01.6-07.8	146	52.3	44.7-59.9
55-64	380	63,880	77	22.0	16.5-27.5	23	6.4	02.7-10.1	41	8.6	05.5-11.7	29	8.5	04.4-12.6	16	3.4	01.2-05.6	194	51.2	44.5-57.9
65+	806	103,626	169	22.5	18.6-26.4	35	4.2	02.4-06.0	71	7.9	05.7-10.1	46	4.5	02.7-06.3	31	3.3	01.9-04.7	454	57.7	53.0-62.4
Less Than H.S.	125	34,349	18	12.5	05.4-19.6	4	4.5	00.0-09.4	5	6.8	00.0-15.6	3	3.0	00.0-07.3	1	1.3	00.0-03.8	94	71.8	60.2-83.4
H.S. or G.E.D.	506	109,113	85	16.1	11.6-20.6	24	7.2	03.5-10.9	28	5.3	02.9-07.7	27	6.0	02.7-09.3	22	4.2	02.0-06.4	320	61.1	55.2-67.0
Some Post-H.S.	536	103,711	117	24.6	19.3-29.9	36	8.9	04.8-13.0	55	9.8	06.9-12.7	31	6.4	03.3-09.5	16	2.7	01.1-04.3	281	47.6	41.9-53.3
College Graduate	785	115,838	186	29.7	24.0-35.4	70	9.2	06.5-11.9	101	13.5	10.2-16.8	73	10.0	06.9-13.1	36	3.6	02.0-05.2	319	34.0	29.3-38.7
Less than \$15,000	93	15,800	14	16.5	06.5-26.5				6	7.8	01.1-14.5	2	2.1	00.0-05.2	2	1.0	00.0-02.6	69	72.6	61.0-84.2
\$15,000- 24,999	162	29,091	22	17.0	08.8-25.2	4	2.2	00.0-04.6	4	3.3	00.0-06.8	4	4.1	00.0-09.2	1	0.3	00.0-00.9	127	73.0	63.4-82.6
\$25,000- 34,999	212	39,267	45	23.4	14.0-32.8	12	6.9	01.6-12.2	8	5.9	00.0-13.5	9	3.8	00.0-08.1	12	4.4	01.1-07.7	126	55.6	45.2-66.0
\$35,000- 49,999	226	42,729	50	26.4	16.0-36.8	18	7.9	03.2-12.6	19	7.7	02.4-13.0	12	3.0	00.8-05.2	9	3.5	00.2-06.8	118	51.5	41.1-61.9
\$50,000- 99,999	545	103,611	118	22.7	17.0-28.4	41	8.8	04.9-12.7	72	11.4	08.3-14.5	54	12.1	07.8-16.4	18	2.5	01.1-03.9	242	42.6	36.7-48.5
\$100,000 - 199,999	270	46,797	69	25.9	18.6-33.2	32	15.5	09.4-21.6	41	16.1	10.4-21.8	32	9.3	05.6-13.0	15	6.1	02.8-09.4	81	27.1	20.4-33.8
\$200,000+	57	13,634	10	16.8	05.0-28.6	6	9.3	00.9-17.7	14	22.5	08.6-36.4	6	11.1	00.7-21.5	7	8.8	00.4-17.2	14	31.5	14.8-48.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3490	698,836	3290	94.5	93.5-95.5	200	5.5	04.5-06.5
Male	1533	334,061	1457	95.3	93.9-96.7	76	4.7	03.3-06.1
Female	1957	364,775	1833	93.9	92.3-95.5	124	6.1	04.5-07.7
White/Non-Hisp	2449	423,327	2288	93.3	91.9-94.7	161	6.7	05.3-08.1
Black or Afr. Am./Non-Hisp	489	138,611	470	96.2	93.7-98.7	19	3.8	01.3-06.3
Oth. Race/Non-Hisp.	99	31,392	97	96.8	92.3-0100	2	3.2	00.0-07.7
MultiRacial/Non-Hisp.	68	27,045	64	95.7	90.0-0100	4	4.3	00.0-10.0
Hispanic	305	65,365	295	98.0	96.6-99.4	10	2.0	00.6-03.4
18-24	199	75,584	189	95.4	92.1-98.7	10	4.6	01.3-07.9
25-34	326	108,791	303	93.1	89.4-96.8	23	6.9	03.2-10.6
35-44	433	105,422	401	92.2	88.7-95.7	32	7.8	04.3-11.3
45-54	492	97,590	461	94.4	92.0-96.8	31	5.6	03.2-08.0
55-64	656	123,067	614	94.5	92.3-96.7	42	5.5	03.3-07.7
65+	1384	188,383	1322	96.4	95.2-97.6	62	3.6	02.4-04.8
Less Than H.S.	221	65,605	217	96.9	93.8-0100	4	3.1	00.0-06.2
H.S. or G.E.D.	908	214,499	853	94.8	93.2-96.4	55	5.2	03.6-06.8
Some Post-H.S.	926	201,568	878	94.0	91.6-96.4	48	6.0	03.6-08.4
College Graduate	1425	214,786	1332	93.9	92.1-95.7	93	6.1	04.3-07.9
Less than \$15,000	151	24,521	146	98.3	96.7-99.9	5	1.7	00.1-03.3
\$15,000-24,999	255	46,842	246	96.8	93.7-99.9	9	3.2	00.1-06.3
\$25,000-34,999	334	66,432	313	95.1	92.0-98.2	21	4.9	01.8-08.0
\$35,000-49,999	394	79,452	370	95.8	93.4-98.2	24	4.2	01.8-06.6
\$50,000-99,999	986	201,961	930	94.9	93.3-96.5	56	5.1	03.5-06.7
\$100,000-199,999	584	118,027	534	90.6	87.3-93.9	50	9.4	06.1-12.7
\$200,000+	147	33,541	133	92.4	87.7-97.1	14	7.6	02.9-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1533	334,061	1457	95.3	93.9-96.7	76	4.7	03.3-06.1
White/Non-Hisp	1073	200,117	1012	93.9	92.1-95.7	61	6.1	04.3-07.9
Black or Afr. Am./Non-Hisp	198	66,961	192	97.3	93.6-0100	6	2.7	00.0-06.4
Oth. Race/Non-Hisp.	59	19,753	57	94.9	87.8-0100	2	5.1	00.0-12.2
Hispanic	128	25,585	124	98.0	95.5-0100	4	2.0	00.0-04.5
18-24	117	38,557	109	93.2	87.9-98.5	8	6.8	01.5-12.1
25-34	152	56,612	146	94.5	89.2-99.8	6	5.5	00.2-10.8
35-44	207	50,414	192	92.2	87.9-96.5	15	7.8	03.5-12.1
45-54	203	44,532	191	96.6	94.2-99.0	12	3.4	01.0-05.8
55-64	276	59,187	262	96.6	94.4-98.8	14	3.4	01.2-05.6
65+	578	84,757	557	96.9	95.3-98.5	21	3.1	01.5-04.7
Less Than H.S.	96	31,256	94	97.2	93.5-0100	2	2.8	00.0-06.5
H.S. or G.E.D.	402	105,386	377	95.0	92.6-97.4	25	5.0	02.6-07.4
Some Post-H.S.	390	97,857	373	95.0	91.7-98.3	17	5.0	01.7-08.3
College Graduate	640	98,949	608	95.2	93.0-97.4	32	4.8	02.6-07.0
Less than \$15,000	58	8,720	55	97.0	93.5-0100	3	3.0	00.0-06.5
\$15,000- 24,999	93	17,751	88	96.9	94.0-99.8	5	3.1	00.2-06.0
\$25,000- 34,999	122	27,165	116	98.0	96.2-99.8	6	2.0	00.2-03.8
\$35,000- 49,999	168	36,723	160	96.8	94.1-99.5	8	3.2	00.5-05.9
\$50,000- 99,999	441	98,351	421	96.1	94.1-98.1	20	3.9	01.9-05.9
\$100,000 - 199,999	314	71,230	291	90.5	85.6-95.4	23	9.5	04.6-14.4
\$200,000+	90	19,907	84	93.6	87.9-99.3	6	6.4	00.7-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1957	364,775	1833	93.9	92.3-95.5	124	6.1	04.5-07.7
White/Non-Hisp	1376	223,210	1276	92.7	90.7-94.7	100	7.3	05.3-09.3
Black or Afr. Am./Non-Hisp	291	71,650	278	95.2	91.5-98.9	13	4.8	01.1-08.5
Hispanic	177	39,780	171	98.1	96.3-99.9	6	1.9	00.1-03.7
18-24	82	37,027	80	97.6	93.7-0100	2	2.4	00.0-06.3
25-34	174	52,179	157	91.6	86.7-96.5	17	8.4	03.5-13.3
35-44	226	55,007	209	92.1	86.8-97.4	17	7.9	02.6-13.2
45-54	289	53,058	270	92.5	88.8-96.2	19	7.5	03.8-11.2
55-64	380	63,880	352	92.5	88.8-96.2	28	7.5	03.8-11.2
65+	806	103,626	765	96.1	94.5-97.7	41	3.9	02.3-05.5
Less Than H.S.	125	34,349	123	96.6	91.9-0100	2	3.4	00.0-08.1
H.S. or G.E.D.	506	109,113	476	94.7	92.3-97.1	30	5.3	02.9-07.7
Some Post-H.S.	536	103,711	505	93.1	90.0-96.2	31	6.9	03.8-10.0
College Graduate	785	115,838	724	92.8	90.1-95.5	61	7.2	04.5-09.9
Less than \$15,000	93	15,800	91	99.0	97.4-0100	2	1.0	00.0-02.6
\$15,000- 24,999	162	29,091	158	96.7	92.0-0100	4	3.3	00.0-08.0
\$25,000- 34,999	212	39,267	197	93.1	88.0-98.2	15	6.9	01.8-12.0
\$35,000- 49,999	226	42,729	210	94.9	91.4-98.4	16	5.1	01.6-08.6
\$50,000- 99,999	545	103,611	509	93.8	91.3-96.3	36	6.2	03.7-08.7
\$100,000 - 199,999	270	46,797	243	90.7	86.8-94.6	27	9.3	05.4-13.2
\$200,000+	57	13,634	49	90.7	82.3-99.1	8	9.3	00.9-17.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 15: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	170
2	MALES ONLY	171
3	FEMALES ONLY	172
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	173
5	MALES ONLY	174
6	FEMALES ONLY	175

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1378	187,067	982	67.6	64.1-71.1	396	32.4	28.9-35.9
Male	575	82,677	417	68.0	62.7-73.3	158	32.0	26.7-37.3
Female	803	104,390	565	67.2	62.5-71.9	238	32.8	28.1-37.5
White/Non-Hisp	1149	145,954	850	70.5	66.8-74.2	299	29.5	25.8-33.2
Black or Afr. Am./Non-Hisp	137	27,773	74	57.6	45.8-69.4	63	42.4	30.6-54.2
65+	1378	187,067	982	67.6	64.1-71.1	396	32.4	28.9-35.9
Less Than H.S.	64	15,365	39	72.3	59.6-85.0	25	27.7	15.0-40.4
H.S. or G.E.D.	370	63,186	250	64.6	57.9-71.3	120	35.4	28.7-42.1
Some Post-H.S.	383	55,215	262	63.1	56.4-69.8	121	36.9	30.2-43.6
College Graduate	557	52,557	429	74.7	69.8-79.6	128	25.3	20.4-30.2
\$15,000-24,999	112	17,311	65	55.0	40.7-69.3	47	45.0	30.7-59.3
\$25,000-34,999	157	24,542	110	71.1	60.7-81.5	47	28.9	18.5-39.3
\$35,000-49,999	172	21,584	129	70.3	61.1-79.5	43	29.7	20.5-38.9
\$50,000-99,999	392	51,139	304	71.9	65.6-78.2	88	28.1	21.8-34.4
\$100,000-199,999	169	22,074	121	73.9	65.9-81.9	48	26.1	18.1-34.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 15: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	575	82,677	417	68.0	62.7-73.3	158	32.0	26.7-37.3
White/Non-Hisp	478	65,311	364	73.7	68.6-78.8	114	26.3	21.2-31.4
Black or Afr. Am./Non-Hisp	50	10,234	24	42.8	24.6-61.0	26	57.2	39.0-75.4
65+	575	82,677	417	68.0	62.7-73.3	158	32.0	26.7-37.3
H.S. or G.E.D.	144	26,445	96	63.2	53.0-73.4	48	36.8	26.6-47.0
Some Post-H.S.	136	20,998	94	64.3	53.1-75.5	42	35.7	24.5-46.9
College Graduate	263	27,104	207	74.5	67.1-81.9	56	25.5	18.1-32.9
\$25,000- 34,999	57	8,773	43	75.3	59.0-91.6	14	24.7	08.4-41.0
\$35,000- 49,999	68	8,809	56	76.9	62.4-91.4	12	23.1	08.6-37.6
\$50,000- 99,999	178	25,633	144	75.7	66.9-84.5	34	24.3	15.5-33.1
\$100,000 - 199,999	99	13,977	70	74.1	63.9-84.3	29	25.9	15.7-36.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 15: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	803	104,390	565	67.2	62.5-71.9	238	32.8	28.1-37.5
White/Non-Hisp	671	80,643	486	68.0	63.1-72.9	185	32.0	27.1-36.9
Black or Afr. Am./Non-Hisp	87	17,538	50	66.3	52.8-79.8	37	33.7	20.2-47.2
65+	803	104,390	565	67.2	62.5-71.9	238	32.8	28.1-37.5
H.S. or G.E.D.	226	36,741	154	65.7	56.7-74.7	72	34.3	25.3-43.3
Some Post-H.S.	247	34,217	168	62.3	54.1-70.5	79	37.7	29.5-45.9
College Graduate	294	25,453	222	74.9	68.6-81.2	72	25.1	18.8-31.4
\$15,000- 24,999	67	10,261	44	67.1	50.6-83.6	23	32.9	16.4-49.4
\$25,000- 34,999	100	15,769	67	68.7	54.8-82.6	33	31.3	17.4-45.2
\$35,000- 49,999	104	12,776	73	65.8	53.6-78.0	31	34.2	22.0-46.4
\$50,000- 99,999	214	25,506	160	68.1	59.3-76.9	54	31.9	23.1-40.7
\$100,000 - 199,999	70	8,097	51	73.5	60.8-86.2	19	26.5	13.8-39.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 15: IMMUNIZATION

TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1329	181,473	997	74.6	71.5-77.7	332	25.4	22.3-28.5
Male	547	79,231	403	72.9	68.0-77.8	144	27.1	22.2-32.0
Female	782	102,242	594	75.8	71.7-79.9	188	24.2	20.1-28.3
White/Non-Hisp	1107	140,781	858	77.4	74.3-80.5	249	22.6	19.5-25.7
Black or Afr. Am./Non-Hisp	136	27,905	88	70.5	60.5-80.5	48	29.5	19.5-39.5
65+	1329	181,473	997	74.6	71.5-77.7	332	25.4	22.3-28.5
Less Than H.S.	60	14,361	40	73.0	59.5-86.5	20	27.0	13.5-40.5
H.S. or G.E.D.	357	61,475	270	76.4	70.9-81.9	87	23.6	18.1-29.1
Some Post-H.S.	369	54,329	270	70.3	64.0-76.6	99	29.7	23.4-36.0
College Graduate	540	50,764	416	77.4	72.7-82.1	124	22.6	17.9-27.3
\$15,000-24,999	105	16,652	76	79.9	70.3-89.5	29	20.1	10.5-29.7
\$25,000-34,999	151	24,241	112	78.6	70.2-87.0	39	21.4	13.0-29.8
\$35,000-49,999	171	21,645	130	73.0	64.0-82.0	41	27.0	18.0-36.0
\$50,000-99,999	387	50,429	305	79.2	73.9-84.5	82	20.8	15.5-26.1
\$100,000-199,999	163	21,389	123	73.1	64.5-81.7	40	26.9	18.3-35.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	547	79,231	403	72.9	68.0-77.8	144	27.1	22.2-32.0
White/Non-Hisp	455	62,138	351	76.3	71.4-81.2	104	23.7	18.8-28.6
Black or Afr. Am./Non-Hisp	50	10,443	30	69.8	53.3-86.3	20	30.2	13.7-46.7
65+	547	79,231	403	72.9	68.0-77.8	144	27.1	22.2-32.0
H.S. or G.E.D.	139	25,869	98	75.6	67.2-84.0	41	24.4	16.0-32.8
Some Post-H.S.	129	20,713	91	67.0	56.2-77.8	38	33.0	22.2-43.8
College Graduate	251	25,671	199	79.3	72.2-86.4	52	20.7	13.6-27.8
\$25,000- 34,999	54	8,639	44	82.7	70.4-95.0	10	17.3	05.0-29.6
\$35,000- 49,999	67	8,869	50	69.8	54.1-85.5	17	30.2	14.5-45.9
\$50,000- 99,999	175	25,014	142	80.2	72.2-88.2	33	19.8	11.8-27.8
\$100,000 - 199,999	95	13,501	72	71.5	59.9-83.1	23	28.5	16.9-40.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	782	102,242	594	75.8	71.7-79.9	188	24.2	20.1-28.3
White/Non-Hisp	652	78,643	507	78.2	74.1-82.3	145	21.8	17.7-25.9
Black or Afr. Am./Non-Hisp	86	17,462	58	71.0	58.5-83.5	28	29.0	16.5-41.5
65+	782	102,242	594	75.8	71.7-79.9	188	24.2	20.1-28.3
H.S. or G.E.D.	218	35,606	172	77.1	69.7-84.5	46	22.9	15.5-30.3
Some Post-H.S.	240	33,615	179	72.4	64.6-80.2	61	27.6	19.8-35.4
College Graduate	289	25,093	217	75.5	69.4-81.6	72	24.5	18.4-30.6
\$15,000- 24,999	64	9,909	51	86.5	76.1-96.9	13	13.5	03.1-23.9
\$25,000- 34,999	97	15,602	68	76.3	64.9-87.7	29	23.7	12.3-35.1
\$35,000- 49,999	104	12,776	80	75.2	64.4-86.0	24	24.8	14.0-35.6
\$50,000- 99,999	212	25,415	163	78.1	71.4-84.8	49	21.9	15.2-28.6
\$100,000 - 199,999	68	7,888	51	75.8	63.5-88.1	17	24.2	11.9-36.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	177
2	MALES ONLY	178
3	FEMALES ONLY	179

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 16: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3331	669,817	1276	40.6	38.2-43.0	2055	59.4	57.0-61.8
Male	1463	321,366	540	38.4	35.1-41.7	923	61.6	58.3-64.9
Female	1868	348,451	736	42.7	39.4-46.0	1132	57.3	54.0-60.6
White/Non-Hisp	2327	400,890	761	35.0	32.3-37.7	1566	65.0	62.3-67.7
Black or Afr. Am./Non-Hisp	476	136,374	281	56.3	50.0-62.6	195	43.7	37.4-50.0
Oth. Race/Non-Hisp.	93	29,391	31	34.9	22.0-47.8	62	65.1	52.2-78.0
MultiRacial/Non-Hisp.	66	26,571	39	51.9	35.6-68.2	27	48.1	31.8-64.4
Hispanic	294	63,870	136	40.8	33.4-48.2	158	59.2	51.8-66.6
18-24	195	74,633	44	22.5	15.2-29.8	151	77.5	70.2-84.8
25-34	316	107,159	174	50.9	43.6-58.2	142	49.1	41.8-56.4
35-44	415	99,889	244	61.5	55.6-67.4	171	38.5	32.6-44.4
45-54	469	92,376	281	56.0	49.9-62.1	188	44.0	37.9-50.1
55-64	630	118,530	265	43.6	38.3-48.9	365	56.4	51.1-61.7
65+	1306	177,230	268	20.3	17.4-23.2	1038	79.7	76.8-82.6
Less Than H.S.	208	61,900	80	35.0	26.6-43.4	128	65.0	56.6-73.4
H.S. or G.E.D.	874	209,581	307	36.0	31.7-40.3	567	64.0	59.7-68.3
Some Post-H.S.	887	193,945	363	46.3	41.8-50.8	524	53.7	49.2-58.2
College Graduate	1353	203,040	523	41.7	38.0-45.4	830	58.3	54.6-62.0
Less than \$15,000	143	23,932	67	44.1	33.9-54.3	76	55.9	45.7-66.1
\$15,000-24,999	246	45,484	113	46.7	38.1-55.3	133	53.3	44.7-61.9
\$25,000-34,999	324	64,367	129	39.7	32.1-47.3	195	60.3	52.7-67.9
\$35,000-49,999	378	77,058	153	42.9	35.5-50.3	225	57.1	49.7-64.5
\$50,000-99,999	944	193,330	338	39.6	35.1-44.1	606	60.4	55.9-64.9
\$100,000-199,999	555	111,697	226	42.8	37.3-48.3	329	57.2	51.7-62.7
\$200,000+	137	30,132	61	45.0	35.0-55.0	76	55.0	45.0-65.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1463	321,366	540	38.4	35.1-41.7	923	61.6	58.3-64.9
White/Non-Hisp	1021	190,819	337	33.1	29.4-36.8	684	66.9	63.2-70.6
Black or Afr. Am./Non-Hisp	192	65,965	109	54.8	45.4-64.2	83	45.2	35.8-54.6
Oth. Race/Non-Hisp.	56	18,872	14	23.8	11.1-36.5	42	76.2	63.5-88.9
Hispanic	124	25,106	50	40.5	29.5-51.5	74	59.5	48.5-70.5
18-24	116	38,788	24	24.5	14.5-34.5	92	75.5	65.5-85.5
25-34	147	55,324	72	43.2	33.0-53.4	75	56.8	46.6-67.0
35-44	199	48,273	102	54.1	45.7-62.5	97	45.9	37.5-54.3
45-54	193	42,225	104	48.4	39.2-57.6	89	51.6	42.4-60.8
55-64	266	58,006	118	44.1	36.1-52.1	148	55.9	47.9-63.9
65+	542	78,751	120	22.5	17.8-27.2	422	77.5	72.8-82.2
Less Than H.S.	90	28,919	31	31.4	20.2-42.6	59	68.6	57.4-79.8
H.S. or G.E.D.	390	104,064	137	37.0	30.7-43.3	253	63.0	56.7-69.3
Some Post-H.S.	370	94,271	153	44.8	37.9-51.7	217	55.2	48.3-62.1
College Graduate	608	93,481	218	35.7	30.8-40.6	390	64.3	59.4-69.2
Less than \$15,000	56	8,583	25	46.5	30.8-62.2	31	53.5	37.8-69.2
\$15,000- 24,999	89	17,295	34	43.3	29.4-57.2	55	56.7	42.8-70.6
\$25,000- 34,999	119	26,497	44	28.1	18.1-38.1	75	71.9	61.9-81.9
\$35,000- 49,999	160	35,678	65	43.0	32.0-54.0	95	57.0	46.0-68.0
\$50,000- 99,999	420	94,257	147	35.7	29.4-42.0	273	64.3	58.0-70.6
\$100,000 - 199,999	297	67,306	106	38.9	31.6-46.2	191	61.1	53.8-68.4
\$200,000+	85	19,150	33	39.0	26.7-51.3	52	61.0	48.7-73.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1868	348,451	736	42.7	39.4-46.0	1132	57.3	54.0-60.6
White/Non-Hisp	1306	210,071	424	36.8	33.1-40.5	882	63.2	59.5-66.9
Black or Afr. Am./Non-Hisp	284	70,409	172	57.7	49.5-65.9	112	42.3	34.1-50.5
Hispanic	170	38,764	86	41.0	30.8-51.2	84	59.0	48.8-69.2
18-24	79	35,845	20	20.3	10.1-30.5	59	79.7	69.5-89.9
25-34	169	51,835	102	59.2	49.4-69.0	67	40.8	31.0-50.6
35-44	216	51,616	142	68.3	60.3-76.3	74	31.7	23.7-39.7
45-54	276	50,152	177	62.3	54.7-69.9	99	37.7	30.1-45.3
55-64	364	60,524	147	43.2	36.3-50.1	217	56.8	49.9-63.7
65+	764	98,479	148	18.5	15.0-22.0	616	81.5	78.0-85.0
Less Than H.S.	118	32,980	49	38.1	25.8-50.4	69	61.9	49.6-74.2
H.S. or G.E.D.	484	105,517	170	35.0	29.3-40.7	314	65.0	59.3-70.7
Some Post-H.S.	517	99,674	210	47.7	41.6-53.8	307	52.3	46.2-58.4
College Graduate	745	109,559	305	46.9	41.4-52.4	440	53.1	47.6-58.6
Less than \$15,000	87	15,349	42	42.8	29.7-55.9	45	57.2	44.1-70.3
\$15,000- 24,999	157	28,188	79	48.8	37.8-59.8	78	51.2	40.2-62.2
\$25,000- 34,999	205	37,870	85	47.9	37.5-58.3	120	52.1	41.7-62.5
\$35,000- 49,999	218	41,380	88	42.8	32.4-53.2	130	57.2	46.8-67.6
\$50,000- 99,999	524	99,072	191	43.3	36.8-49.8	333	56.7	50.2-63.2
\$100,000 - 199,999	258	44,391	120	48.8	40.8-56.8	138	51.2	43.2-59.2
\$200,000+	52	10,982	28	55.5	38.6-72.4	24	44.5	27.6-61.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2022**

End of Calculated Variable Data Report