


DELAWARE

2007 Module Variables Report

Behavioral Risk Factor Surveillance System

April 22, 2008



MODULE 3: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2) | |
| 1 MALES AND FEMALES | 4 |
| 2 MALES ONLY | 5 |
| 3 FEMALES ONLY | 6 |
| ARE YOU NOW TAKING INSULIN? (INSULIN) | |
| 4 MALES AND FEMALES | 7 |
| 5 MALES ONLY | 8 |
| 6 FEMALES ONLY | 9 |
| ARE YOU TAKING DIABETES PILLS? (DIABPILL) | |
| 7 MALES AND FEMALES | 10 |
| 8 MALES ONLY | 11 |
| 9 FEMALES ONLY | 12 |
| ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR) | |
| 10 MALES AND FEMALES | 13 |
| 11 MALES ONLY | 14 |
| 12 FEMALES ONLY | 15 |
| ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2) | |
| 13 MALES AND FEMALES | 16 |
| 14 MALES ONLY | 17 |
| 15 FEMALES ONLY | 18 |
| HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE) | |
| 16 MALES AND FEMALES | 19 |
| 17 MALES ONLY | 20 |
| 18 FEMALES ONLY | 21 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007**

MODULE 3: DIABETES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB) | |
| 19 | MALES AND FEMALES | 22 |
| 20 | MALES ONLY | 23 |
| 21 | FEMALES ONLY | 24 |
| | A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3) | |
| 22 | MALES AND FEMALES | 25 |
| 23 | MALES ONLY | 26 |
| 24 | FEMALES ONLY | 27 |
| | ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK) | |
| 25 | MALES AND FEMALES | 28 |
| 26 | MALES ONLY | 29 |
| 27 | FEMALES ONLY | 30 |
| | WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM) | |
| 28 | MALES AND FEMALES | 31 |
| 29 | MALES ONLY | 32 |
| 30 | FEMALES ONLY | 33 |
| | HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE) | |
| 31 | MALES AND FEMALES | 34 |
| 32 | MALES ONLY | 35 |
| 33 | FEMALES ONLY | 36 |
| | HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU) | |
| 34 | MALES AND FEMALES | 37 |
| 35 | MALES ONLY | 38 |
| 36 | FEMALES ONLY | 39 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-15 years old | | | 16-30 years old | | | 31-45 years old | | | 46-60 years old | | | 61+ years old | | |
|----------------------------|-------------------|----------|----------------|-----|------------|-----------------|------|------------|-----------------|------|------------|-----------------|------|------------|---------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 431 | 55,420 | 12 | 3.6 | 01.1-06.1 | 28 | 7.4 | 03.7-11.1 | 112 | 28.9 | 23.2-34.6 | 175 | 38.8 | 32.7-44.9 | 104 | 21.4 | 16.5-26.3 |
| Male | 172 | 26,442 | 7 | 3.9 | 00.4-07.4 | 9 | 5.6 | 00.5-10.7 | 46 | 28.8 | 20.2-37.4 | 74 | 42.6 | 33.2-52.0 | 36 | 19.1 | 11.7-26.5 |
| Female | 259 | 28,979 | 5 | 3.2 | 00.0-06.9 | 19 | 9.0 | 03.7-14.3 | 66 | 29.0 | 21.4-36.6 | 101 | 35.3 | 27.7-42.9 | 68 | 23.4 | 17.1-29.7 |
| White/Non-Hisp | 332 | 42,788 | 10 | 4.3 | 01.0-07.6 | 20 | 8.1 | 03.4-12.8 | 74 | 22.9 | 16.8-29.0 | 147 | 42.6 | 35.5-49.7 | 81 | 22.0 | 16.3-27.7 |
| Black or Afr. Am./Non-Hisp | 68 | 8,926 | 1 | 0.4 | 00.0-01.2 | 5 | 3.5 | 00.2-06.8 | | | | | | | | | |
| 45-54 | 70 | 9,368 | 5 | 8.0 | 00.0-18.2 | 7 | 5.1 | 01.0-09.2 | | | | | | | | | |
| 55-64 | 121 | 15,019 | 1 | 0.2 | 00.0-00.6 | 5 | 2.5 | 00.0-05.4 | 24 | 19.3 | 09.5-29.1 | | | | 6 | 2.7 | 00.5-04.9 |
| 65+ | 193 | 21,899 | 2 | 1.7 | 00.0-04.4 | 3 | 1.0 | 00.0-02.2 | 27 | 14.2 | 08.1-20.3 | 63 | 30.9 | 22.7-39.1 | 98 | 52.2 | 43.4-61.0 |
| Less Than H.S. | 54 | 4,885 | 1 | 0.7 | 00.0-02.1 | 4 | 5.0 | 00.0-10.5 | | | | | | | | | |
| H.S. or G.E.D. | 167 | 21,088 | 7 | 5.8 | 00.1-11.5 | 10 | 6.3 | 01.6-11.0 | 38 | 26.9 | 17.5-36.3 | 68 | 37.8 | 28.0-47.6 | 44 | 23.2 | 15.4-31.0 |
| Some Post-H.S. | 115 | 17,478 | 1 | 1.3 | 00.0-03.8 | 13 | 14.0 | 04.4-23.6 | | | | | | | 19 | 16.5 | 07.7-25.3 |
| College Graduate | 94 | 11,942 | 3 | 4.1 | 00.0-09.4 | 1 | 0.6 | 00.0-01.8 | | | | | | | | | |
| Less than \$15,000 | 65 | 7,344 | 3 | 4.3 | 00.0-10.4 | 3 | 1.4 | 00.0-03.2 | 10 | 12.1 | 03.5-20.7 | | | | | | |
| \$15,000- 24,999 | 85 | 7,321 | 3 | 2.0 | 00.0-04.4 | 7 | 8.7 | 02.0-15.4 | | | | | | | | | |
| \$35,000- 49,999 | 65 | 9,947 | 2 | 5.2 | 00.0-12.5 | 5 | 9.2 | 00.2-18.2 | | | | | | | | | |
| \$75,000+ | 83 | 13,254 | 3 | 3.7 | 00.0-08.6 | 5 | 5.8 | 00.0-12.5 | | | | | | | 13 | 12.8 | 04.0-21.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-15 years old | | | 16-30 years old | | | 31-45 years old | | | 46-60 years old | | | 61+ years old | | |
|--------------------|-------------------|----------|----------------|-----|------------|-----------------|-----|------------|-----------------|------|------------|-----------------|------|------------|---------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 172 | 26,442 | 7 | 3.9 | 00.4-07.4 | 9 | 5.6 | 00.5-10.7 | 46 | 28.8 | 20.0-37.6 | 74 | 42.6 | 33.0-52.2 | 36 | 19.1 | 11.7-26.5 |
| White/Non-Hisp | 139 | 20,899 | 6 | 4.8 | 00.3-09.3 | 8 | 6.2 | 00.0-12.5 | 33 | 21.2 | 13.0-29.4 | | | | 29 | 21.3 | 12.5-30.1 |
| 55-64 | 52 | 8,381 | | | | 1 | 0.6 | 00.0-01.8 | | | | | | | 3 | 2.6 | 00.0-05.5 |
| 65+ | 76 | 10,615 | 1 | 2.9 | 00.0-08.4 | 2 | 1.3 | 00.0-03.1 | 13 | 16.8 | 06.8-26.8 | | | | | | |
| H.S. or G.E.D. | 52 | 7,727 | 3 | 5.2 | 00.0-12.8 | 2 | 1.3 | 00.0-03.3 | | | | | | | | | |
| \$75,000+ | 50 | 7,911 | 2 | 4.7 | 00.0-12.3 | | | | | | | | | | 5 | 4.8 | 00.1-09.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-15 years old | | | 16-30 years old | | | 31-45 years old | | | 46-60 years old | | | 61+ years old | | |
|--------------------|-------------------|----------|----------------|-----|------------|-----------------|------|------------|-----------------|------|------------|-----------------|------|------------|---------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 259 | 28,979 | 5 | 3.2 | 00.0-06.9 | 19 | 9.0 | 03.7-14.3 | 66 | 29.0 | 21.4-36.6 | 101 | 35.3 | 27.7-42.9 | 68 | 23.4 | 17.1-29.7 |
| White/Non-Hisp | 193 | 21,889 | 4 | 3.9 | 00.0-08.8 | 12 | 9.9 | 03.0-16.8 | 41 | 24.6 | 15.8-33.4 | 84 | 38.8 | 29.8-47.8 | 52 | 22.7 | 15.4-30.0 |
| 55-64 | 69 | 6,637 | 1 | 0.5 | 00.0-01.5 | 4 | 4.9 | 00.0-11.6 | 14 | 15.1 | 06.5-23.7 | | | | 3 | 2.9 | 00.0-06.2 |
| 65+ | 117 | 11,283 | 1 | 0.7 | 00.0-02.1 | 1 | 0.7 | 00.0-02.1 | 14 | 11.8 | 04.7-18.9 | | | | | | |
| H.S. or G.E.D. | 115 | 13,361 | 4 | 6.2 | 00.0-14.0 | 8 | 9.2 | 01.9-16.5 | | | | | | | | | |
| Some Post-H.S. | 66 | 8,012 | | | | | | | | | | | | | 11 | 14.4 | 05.0-23.8 |
| \$15,000- 24,999 | 68 | 5,516 | 2 | 2.0 | 00.0-04.9 | 7 | 11.5 | 02.7-20.3 | | | | | | | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 444 | 56,640 | 109 | 22.8 | 17.9-27.7 | 335 | 77.2 | 72.3-82.1 |
| Male | 176 | 27,074 | 51 | 29.5 | 21.1-37.9 | 125 | 70.5 | 62.1-78.9 |
| Female | 268 | 29,566 | 58 | 16.7 | 11.4-22.0 | 210 | 83.3 | 78.0-88.6 |
| White/Non-Hisp | 342 | 43,725 | 83 | 20.7 | 15.4-26.0 | 259 | 79.3 | 74.0-84.6 |
| 55-64 | 123 | 15,115 | 27 | 21.0 | 11.4-30.6 | 96 | 79.0 | 69.4-88.6 |
| 65+ | 200 | 22,828 | 51 | 25.5 | 18.1-32.9 | 149 | 74.5 | 67.1-81.9 |
| H.S. or G.E.D. | 173 | 21,610 | 44 | 22.8 | 14.8-30.8 | 129 | 77.2 | 69.2-85.2 |
| Some Post-H.S. | 116 | 17,554 | 27 | 18.8 | 10.0-27.6 | 89 | 81.2 | 72.4-90.0 |
| College Graduate | 96 | 12,080 | 22 | 22.0 | 12.0-32.0 | 74 | 78.0 | 68.0-88.0 |
| \$35,000- 49,999 | 65 | 9,947 | 8 | 13.2 | 03.2-23.2 | 57 | 86.8 | 76.8-96.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|-----------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 176 | 27,074 | 51 | 29.5 | 20.9-38.1 | 125 | 70.5 | 61.9-79.1 |
| White/Non-Hisp | 143 | 21,531 | 42 | 28.6 | 19.4-37.8 | 101 | 71.4 | 62.2-80.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 268 | 29,566 | 58 | 16.7 | 11.4-22.0 | 210 | 83.3 | 78.0-88.6 |
| White/Non-Hisp | 199 | 22,194 | 41 | 13.0 | 08.1-17.9 | 158 | 87.0 | 82.1-91.9 |
| 55-64 | 71 | 6,733 | 13 | 14.0 | 05.0-23.0 | 58 | 86.0 | 77.0-95.0 |
| 65+ | 120 | 11,580 | 26 | 19.0 | 11.0-27.0 | 94 | 81.0 | 73.0-89.0 |
| H.S. or G.E.D. | 119 | 13,547 | 25 | 14.5 | 07.2-21.8 | 94 | 85.5 | 78.2-92.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 7: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 444 | 56,640 | 323 | 73.9 | 68.6-79.2 | 121 | 26.1 | 20.8-31.4 |
| Male | 176 | 27,074 | 132 | 74.6 | 66.4-82.8 | 44 | 25.4 | 17.2-33.6 |
| Female | 268 | 29,566 | 191 | 73.2 | 66.3-80.1 | 77 | 26.8 | 19.9-33.7 |
| White/Non-Hisp | 342 | 43,725 | 251 | 75.6 | 69.5-81.7 | 91 | 24.4 | 18.3-30.5 |
| 65+ | 200 | 22,828 | 151 | 77.6 | 70.5-84.7 | 49 | 22.4 | 15.3-29.5 |
| H.S. or G.E.D. | 173 | 21,610 | 124 | 73.3 | 64.5-82.1 | 49 | 26.7 | 17.9-35.5 |
| College Graduate | 96 | 12,080 | 80 | 84.4 | 75.2-93.6 | 16 | 15.6 | 06.4-24.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 8: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 176 | 27,074 | 132 | 74.6 | 66.4-82.8 | 44 | 25.4 | 17.2-33.6 |
| White/Non-Hisp | 143 | 21,531 | 109 | 76.5 | 67.3-85.7 | 34 | 23.5 | 14.3-32.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 9: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 268 | 29,566 | 191 | 73.2 | 66.3-80.1 | 77 | 26.8 | 19.9-33.7 |
| White/Non-Hisp | 199 | 22,194 | 142 | 74.7 | 66.9-82.5 | 57 | 25.3 | 17.5-33.1 |
| 65+ | 120 | 11,580 | 90 | 78.6 | 70.2-87.0 | 30 | 21.4 | 13.0-29.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | < 1 time per Day | | | 1-5 times per Day | | | > 5 times per Day | | | No Feet | | |
|----------------------------|-------------------|----------|-------|------|------------|------------------|------|------------|-------------------|------|------------|-------------------|-----|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 447 | 57,379 | 48 | 11.6 | 07.5-15.7 | 102 | 22.4 | 17.5-27.3 | 289 | 63.9 | 58.0-69.8 | 3 | 0.6 | 00.0-01.4 | 5 | 1.5 | 00.0-03.3 |
| Male | 176 | 27,074 | 16 | 8.3 | 03.6-13.0 | 47 | 26.7 | 18.5-34.9 | 112 | 64.9 | 56.3-73.5 | 1 | 0.1 | 00.0-00.3 | | | |
| Female | 271 | 30,305 | 32 | 14.5 | 08.2-20.8 | 55 | 18.6 | 12.9-24.3 | 177 | 63.0 | 55.2-70.8 | 2 | 1.1 | 00.0-02.7 | 5 | 2.8 | 00.0-06.3 |
| White/Non-Hisp | 343 | 43,889 | 38 | 12.4 | 07.5-17.3 | 79 | 23.2 | 17.5-28.9 | 220 | 62.9 | 56.2-69.6 | 3 | 0.8 | 00.0-02.0 | 3 | 0.7 | 00.0-01.7 |
| Black or Afr. Am./Non-Hisp | 71 | 9,245 | 7 | 8.6 | 01.5-15.7 | 15 | 14.0 | 05.6-22.4 | | | | | | | 1 | 0.9 | 00.0-02.7 |
| 45-54 | 70 | 9,375 | | | | | | | | | | 2 | 1.6 | 00.0-04.0 | | | |
| 55-64 | 124 | 15,170 | 11 | 6.8 | 02.1-11.5 | | | | | | | 1 | 1.4 | 00.0-04.1 | 1 | 0.4 | 00.0-01.2 |
| 65+ | 201 | 22,869 | 26 | 13.4 | 07.1-19.7 | 35 | 16.9 | 10.2-23.6 | 138 | 69.2 | 61.2-77.2 | | | | 2 | 0.5 | 00.0-01.3 |
| Less Than H.S. | 60 | 5,618 | 4 | 7.0 | 00.0-14.4 | | | | | | | 1 | 2.0 | 00.0-05.9 | 2 | 4.4 | 00.0-11.3 |
| H.S. or G.E.D. | 175 | 21,728 | 17 | 11.5 | 04.4-18.6 | 36 | 21.8 | 13.6-30.0 | 118 | 64.9 | 55.3-74.5 | 2 | 1.2 | 00.0-03.2 | 2 | 0.5 | 00.0-01.3 |
| Some Post-H.S. | 114 | 17,431 | 13 | 13.0 | 04.8-21.2 | 28 | 24.6 | 14.6-34.6 | | | | | | | | | |
| College Graduate | 97 | 12,575 | 14 | 11.7 | 04.8-18.6 | 26 | 22.4 | 12.6-32.2 | | | | | | | 1 | 3.9 | 00.0-11.3 |
| Less than \$15,000 | 66 | 7,424 | 3 | 2.0 | 00.0-04.4 | | | | | | | 1 | 0.5 | 00.0-01.5 | 1 | 1.1 | 00.0-03.3 |
| \$15,000- 24,999 | 91 | 7,710 | 4 | 3.5 | 00.0-07.6 | 17 | 17.9 | 08.3-27.5 | | | | 1 | 1.4 | 00.0-04.1 | 2 | 1.2 | 00.0-03.0 |
| \$35,000- 49,999 | 64 | 9,899 | 8 | 7.5 | 01.8-13.2 | | | | | | | | | | | | |
| \$75,000+ | 84 | 13,750 | | | | | | | | | | | | | 1 | 3.6 | 00.0-10.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | < 1 time per Day | | | 1-5 times per Day | | | > 5 times per Day | | |
|--------------------|-------------------|----------|-------|-----|------------|------------------|------|------------|-------------------|------|------------|-------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 176 | 27,074 | 16 | 8.3 | 03.6-13.0 | 47 | 26.7 | 18.7-34.7 | 112 | 64.9 | 56.7-73.1 | 1 | 0.1 | 00.0-00.3 |
| White/Non-Hisp | 143 | 21,531 | 10 | 7.0 | 01.7-12.3 | 39 | 26.9 | 18.3-35.5 | 93 | 65.9 | 57.3-74.5 | 1 | 0.2 | 00.0-00.6 |
| 55-64 | 52 | 8,381 | 2 | 2.5 | 00.0-06.0 | | | | | | | | | |
| 65+ | 80 | 11,248 | 9 | 9.1 | 02.0-16.2 | | | | | | | | | |
| H.S. or G.E.D. | 54 | 8,063 | 6 | 8.8 | 00.2-17.4 | | | | | | | 1 | 0.4 | 00.0-01.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | < 1 time per Day | | | 1-5 times per Day | | | > 5 times per Day | | | No Feet | | |
|--------------------|-------------------|----------|-------|------|------------|------------------|------|------------|-------------------|------|------------|-------------------|-----|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 271 | 30,305 | 32 | 14.5 | 08.2-20.8 | 55 | 18.6 | 12.9-24.3 | 177 | 63.0 | 55.2-70.8 | 2 | 1.1 | 00.0-02.7 | 5 | 2.8 | 00.0-06.3 |
| White/Non-Hisp | 200 | 22,358 | 28 | 17.6 | 09.8-25.4 | 40 | 19.6 | 12.5-26.7 | 127 | 60.0 | 50.6-69.4 | 2 | 1.5 | 00.0-03.7 | 3 | 1.3 | 00.0-03.1 |
| 55-64 | 72 | 6,789 | 9 | 12.2 | 03.2-21.2 | | | | | | | 1 | 3.2 | 00.0-09.5 | 1 | 0.8 | 00.0-02.4 |
| 65+ | 121 | 11,622 | 17 | 17.5 | 07.7-27.3 | 17 | 12.1 | 05.4-18.8 | | | | | | | 2 | 1.0 | 00.0-02.6 |
| H.S. or G.E.D. | 121 | 13,665 | 11 | 13.1 | 03.1-23.1 | 22 | 17.9 | 08.9-26.9 | | | | 1 | 1.6 | 00.0-04.7 | 2 | 0.9 | 00.0-02.1 |
| \$15,000- 24,999 | 74 | 5,904 | 4 | 4.6 | 00.0-09.9 | | | | | | | 1 | 1.9 | 00.0-05.6 | 2 | 1.6 | 00.0-03.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 13: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | Times per Year | | | Never | | | No Feet | | |
|----------------------------|-------------------|----------|---------------|------|------------|----------------|------|------------|-----------------|-----|------------|----------------|-----|------------|-------|------|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 440 | 56,312 | 318 | 72.0 | 66.5-77.5 | 54 | 11.2 | 07.7-14.7 | 11 | 2.6 | 00.8-04.4 | 6 | 1.8 | 00.0-03.8 | 50 | 12.2 | 08.1-16.3 | 1 | 0.2 | 00.0-00.6 |
| Male | 173 | 26,822 | 120 | 71.8 | 63.6-80.0 | 20 | 10.2 | 04.5-15.9 | 6 | 2.4 | 00.0-04.9 | 2 | 0.8 | 00.0-02.0 | 24 | 14.3 | 07.8-20.8 | 1 | 0.5 | 00.0-01.5 |
| Female | 267 | 29,491 | 198 | 72.2 | 64.9-79.5 | 34 | 12.1 | 07.6-16.6 | 5 | 2.7 | 00.0-05.4 | 4 | 2.7 | 00.0-06.2 | 26 | 10.3 | 05.2-15.4 | | | |
| White/Non-Hisp | 338 | 43,398 | 240 | 70.1 | 63.6-76.6 | 41 | 10.4 | 06.5-14.3 | 9 | 3.1 | 00.7-05.5 | 5 | 1.9 | 00.0-04.3 | 43 | 14.5 | 09.4-19.6 | | | |
| Black or Afr. Am./Non-Hisp | 70 | 9,165 | | | | | | | 2 | 1.2 | 00.0-03.0 | 1 | 2.0 | 00.0-05.9 | 5 | 3.7 | 00.2-07.2 | 1 | 1.4 | 00.0-03.9 |
| 45-54 | 69 | 9,244 | | | | 11 | 11.0 | 03.4-18.6 | 3 | 4.7 | 00.0-11.4 | 2 | 6.2 | 00.0-16.4 | | | | | | |
| 55-64 | 122 | 15,061 | | | | 15 | 15.2 | 06.2-24.2 | 3 | 3.2 | 00.0-07.7 | | | | 9 | 7.1 | 01.8-12.4 | | | |
| 65+ | 200 | 22,828 | 139 | 71.6 | 64.0-79.2 | 21 | 8.5 | 04.4-12.6 | 5 | 2.3 | 00.0-04.7 | 4 | 2.0 | 00.0-04.2 | 30 | 15.1 | 08.6-21.6 | 1 | 0.5 | 00.0-01.5 |
| Less Than H.S. | 57 | 5,265 | | | | 7 | 10.8 | 02.6-19.0 | 1 | 0.7 | 00.0-02.1 | 2 | 4.2 | 00.0-10.3 | | | | 1 | 2.4 | 00.0-06.9 |
| H.S. or G.E.D. | 171 | 21,462 | 117 | 70.5 | 61.5-79.5 | 21 | 11.1 | 04.8-17.4 | 7 | 3.7 | 00.2-07.2 | 3 | 3.4 | 00.0-08.1 | 23 | 11.2 | 05.5-16.9 | | | |
| Some Post-H.S. | 115 | 17,479 | 95 | 79.1 | 69.5-88.7 | 7 | 6.4 | 01.3-11.5 | 2 | 1.7 | 00.0-04.2 | 1 | 0.4 | 00.0-01.2 | 10 | 12.3 | 03.9-20.7 | | | |
| College Graduate | 96 | 12,080 | | | | 19 | 18.5 | 09.3-27.7 | 1 | 2.5 | 00.0-07.2 | | | | 6 | 10.2 | 01.2-19.2 | | | |
| Less than \$15,000 | 65 | 7,344 | | | | | | | 1 | 1.9 | 00.0-05.6 | | | | 10 | 10.4 | 03.1-17.7 | 1 | 1.7 | 00.0-05.0 |
| \$15,000- 24,999 | 86 | 7,383 | 69 | 85.9 | 78.5-93.3 | 5 | 4.9 | 00.2-09.6 | 3 | 2.2 | 00.0-04.9 | | | | 9 | 6.9 | 01.6-12.2 | | | |
| \$35,000- 49,999 | 65 | 9,947 | | | | 6 | 8.3 | 01.2-15.4 | 2 | 4.0 | 00.0-10.5 | | | | | | | | | |
| \$75,000+ | 82 | 13,160 | | | | 15 | 16.3 | 07.1-25.5 | 3 | 3.8 | 00.0-08.7 | 1 | 1.1 | 00.0-03.3 | | | | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 14: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | Times per Year | | | Never | | | No Feet | | |
|--------------------|-------------------|----------|---------------|------|------------|----------------|------|------------|-----------------|-----|------------|----------------|-----|------------|-------|------|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 173 | 26,822 | 120 | 71.8 | 63.4-80.2 | 20 | 10.2 | 04.5-15.9 | 6 | 2.4 | 00.0-04.9 | 2 | 0.8 | 00.0-02.0 | 24 | 14.3 | 07.8-20.8 | 1 | 0.5 | 00.0-01.5 |
| White/Non-Hisp | 140 | 21,279 | 98 | 70.8 | 61.2-80.4 | 14 | 8.8 | 02.7-14.9 | 5 | 2.8 | 00.0-05.9 | 2 | 1.0 | 00.0-02.6 | 21 | 16.5 | 08.9-24.1 | | | |
| 55-64 | 51 | 8,327 | | | | | | | 1 | 1.2 | 00.0-03.6 | | | | 6 | 9.9 | 00.7-19.1 | | | |
| 65+ | 80 | 11,248 | | | | 6 | 4.9 | 00.6-09.2 | 2 | 0.9 | 00.0-02.3 | 1 | 1.3 | 00.0-03.8 | | | | 1 | 1.1 | 00.0-03.3 |
| H.S. or G.E.D. | 52 | 7,914 | | | | | | | 3 | 2.6 | 00.0-05.9 | | | | 6 | 9.8 | 00.6-19.0 | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 15: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | Times per Year | | | Never | | |
|--------------------|-------------------|----------|---------------|------|------------|----------------|------|------------|-----------------|-----|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 267 | 29,491 | 198 | 72.2 | 64.9-79.5 | 34 | 12.1 | 07.6-16.6 | 5 | 2.7 | 00.0-05.4 | 4 | 2.7 | 00.0-06.2 | 26 | 10.3 | 05.2-15.4 |
| White/Non-Hisp | 198 | 22,119 | 142 | 69.4 | 60.6-78.2 | 27 | 11.9 | 06.8-17.0 | 4 | 3.3 | 00.0-06.8 | 3 | 2.8 | 00.0-07.3 | 22 | 12.6 | 05.9-19.3 |
| 55-64 | 71 | 6,733 | | | | 7 | 12.3 | 02.5-22.1 | 2 | 5.7 | 00.0-14.9 | | | | 3 | 3.6 | 00.0-07.9 |
| 65+ | 120 | 11,580 | 84 | 72.0 | 62.6-81.4 | 15 | 12.0 | 05.3-18.7 | 3 | 3.6 | 00.0-07.9 | 3 | 2.6 | 00.0-05.9 | 15 | 9.9 | 04.0-15.8 |
| H.S. or G.E.D. | 119 | 13,547 | | | | 13 | 8.4 | 03.1-13.7 | 4 | 4.4 | 00.0-09.7 | 3 | 5.3 | 00.0-12.6 | 17 | 12.1 | 04.7-19.5 |
| Some Post-H.S. | 66 | 8,013 | | | | 4 | 7.2 | 00.0-14.8 | 1 | 2.5 | 00.0-07.4 | 1 | 0.9 | 00.0-02.9 | | | |
| \$15,000- 24,999 | 71 | 5,736 | 59 | 88.9 | 81.8-96.0 | 4 | 5.0 | 00.0-10.5 | 2 | 2.3 | 00.0-05.4 | | | | 6 | 3.8 | 00.7-06.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 16: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 444 | 56,640 | 48 | 9.4 | 06.1-12.7 | 396 | 90.6 | 87.3-93.9 |
| Male | 176 | 27,074 | 12 | 8.2 | 03.3-13.1 | 164 | 91.8 | 86.9-96.7 |
| Female | 268 | 29,566 | 36 | 10.4 | 05.7-15.1 | 232 | 89.6 | 84.9-94.3 |
| White/Non-Hisp | 342 | 43,725 | 33 | 8.8 | 04.9-12.7 | 309 | 91.2 | 87.3-95.1 |
| Black or Afr. Am./Non-Hisp | 70 | 9,165 | 10 | 8.1 | 02.0-14.2 | 60 | 91.9 | 85.8-98.0 |
| 45-54 | 71 | 9,423 | 7 | 13.2 | 03.2-23.2 | 64 | 86.8 | 76.8-96.8 |
| 55-64 | 123 | 15,115 | 12 | 9.1 | 02.4-15.8 | 111 | 90.9 | 84.2-97.6 |
| 65+ | 200 | 22,828 | 21 | 7.2 | 03.9-10.5 | 179 | 92.8 | 89.5-96.1 |
| Less Than H.S. | 58 | 5,368 | 6 | 7.9 | 00.0-16.9 | 52 | 92.1 | 83.1-0100 |
| H.S. or G.E.D. | 173 | 21,610 | 19 | 7.9 | 04.0-11.8 | 154 | 92.1 | 88.2-96.0 |
| Some Post-H.S. | 116 | 17,554 | 15 | 12.2 | 04.2-20.2 | 101 | 87.8 | 79.8-95.8 |
| College Graduate | 96 | 12,080 | 7 | 8.4 | 01.1-15.7 | 89 | 91.6 | 84.3-98.9 |
| Less than \$15,000 | 65 | 7,344 | 11 | 10.9 | 03.6-18.2 | 54 | 89.1 | 81.8-96.4 |
| \$15,000- 24,999 | 89 | 7,616 | 15 | 14.3 | 05.9-22.7 | 74 | 85.7 | 77.3-94.1 |
| \$35,000- 49,999 | 65 | 9,947 | 4 | 4.2 | 00.0-08.9 | 61 | 95.8 | 91.1-0100 |
| \$75,000+ | 83 | 13,254 | 7 | 10.7 | 02.1-19.3 | 76 | 89.3 | 80.7-97.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 17: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|-----|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 176 | 27,074 | 12 | 8.2 | 03.1-13.3 | 164 | 91.8 | 86.7-96.9 |
| White/Non-Hisp | 143 | 21,531 | 9 | 7.1 | 02.0-12.2 | 134 | 92.9 | 87.8-98.0 |
| 65+ | 80 | 11,248 | 5 | 4.3 | 00.4-08.2 | 75 | 95.7 | 91.8-99.6 |
| H.S. or G.E.D. | 54 | 8,063 | 4 | 6.4 | 00.0-13.1 | 50 | 93.6 | 86.9-0100 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 18: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 268 | 29,566 | 36 | 10.4 | 05.7-15.1 | 232 | 89.6 | 84.9-94.3 |
| White/Non-Hisp | 199 | 22,194 | 24 | 10.5 | 04.6-16.4 | 175 | 89.5 | 83.6-95.4 |
| 55-64 | 71 | 6,733 | 9 | 7.9 | 02.0-13.8 | 62 | 92.1 | 86.2-98.0 |
| 65+ | 120 | 11,580 | 16 | 10.0 | 04.7-15.3 | 104 | 90.0 | 84.7-95.3 |
| H.S. or G.E.D. | 119 | 13,547 | 15 | 8.7 | 03.8-13.6 | 104 | 91.3 | 86.4-96.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 time | | | 2 times | | | 3 times | | | 4 times | | | 5 or more times | | | None | | |
|----------------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|------|------------|---------|------|------------|-----------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 439 | 56,493 | 37 | 10.6 | 06.5-14.7 | 77 | 19.1 | 14.4-23.8 | 56 | 10.0 | 06.7-13.3 | 152 | 35.1 | 29.2-41.0 | 86 | 17.5 | 13.2-21.8 | 31 | 7.7 | 04.2-11.2 |
| Male | 174 | 27,000 | 18 | 10.7 | 04.4-17.0 | 36 | 20.7 | 13.4-28.0 | 22 | 11.6 | 05.5-17.7 | 54 | 36.1 | 26.9-45.3 | 31 | 14.7 | 08.6-20.8 | 13 | 6.3 | 02.0-10.6 |
| Female | 265 | 29,493 | 19 | 10.6 | 05.1-16.1 | 41 | 17.7 | 11.4-24.0 | 34 | 8.6 | 05.3-11.9 | 98 | 34.1 | 26.5-41.7 | 55 | 20.0 | 13.7-26.3 | 18 | 9.1 | 03.8-14.4 |
| White/Non-Hisp | 338 | 43,621 | 27 | 10.6 | 05.7-15.5 | 59 | 16.9 | 12.2-21.6 | 46 | 9.9 | 06.2-13.6 | 113 | 36.4 | 29.5-43.3 | 68 | 17.8 | 12.7-22.9 | 25 | 8.4 | 04.1-12.7 |
| Black or Afr. Am./Non-Hisp | 70 | 9,165 | 8 | 10.5 | 02.3-18.7 | | | | | | | | | | 14 | 18.0 | 08.2-27.8 | 4 | 4.1 | 00.0-09.0 |
| 45-54 | 71 | 9,423 | | | | | | | 5 | 3.7 | 00.4-07.0 | | | | 19 | 16.8 | 08.0-25.6 | | | |
| 55-64 | 121 | 15,041 | 12 | 6.8 | 01.7-11.9 | 21 | 20.3 | 10.3-30.3 | 18 | 14.7 | 06.1-23.3 | | | | 20 | 17.1 | 08.1-26.1 | 9 | 5.9 | 01.2-10.6 |
| 65+ | 198 | 22,797 | 9 | 4.9 | 01.2-08.6 | 32 | 15.8 | 09.9-21.7 | 26 | 10.5 | 05.2-15.8 | 80 | 44.0 | 35.2-52.8 | 40 | 18.8 | 12.7-24.9 | 11 | 6.1 | 01.2-11.0 |
| Less Than H.S. | 57 | 5,325 | 2 | 1.2 | 00.0-03.0 | 8 | 13.9 | 03.9-23.9 | 5 | 6.7 | 00.6-12.8 | | | | | | | 2 | 1.7 | 00.0-04.2 |
| H.S. or G.E.D. | 170 | 21,455 | 13 | 10.1 | 04.0-16.2 | 30 | 18.1 | 10.7-25.5 | 25 | 10.2 | 05.1-15.3 | 54 | 34.8 | 25.0-44.6 | 35 | 17.3 | 10.6-24.0 | 13 | 9.5 | 02.6-16.4 |
| Some Post-H.S. | 114 | 17,454 | 10 | 11.0 | 02.8-19.2 | | | | 12 | 10.0 | 02.4-17.6 | | | | 19 | 14.5 | 06.3-22.7 | 12 | 11.0 | 03.9-18.1 |
| College Graduate | 97 | 12,231 | | | | 14 | 15.1 | 06.7-23.5 | 14 | 11.3 | 04.8-17.8 | | | | 18 | 18.3 | 08.5-28.1 | 4 | 2.6 | 00.0-05.5 |
| Less than \$15,000 | 65 | 7,344 | 6 | 6.6 | 00.0-13.3 | | | | 3 | 3.3 | 00.0-07.4 | | | | 9 | 8.4 | 02.1-14.7 | 6 | 7.9 | 00.6-15.2 |
| \$15,000- 24,999 | 87 | 7,498 | | | | 9 | 12.0 | 03.4-20.6 | 12 | 9.6 | 03.7-15.5 | | | | | | | 8 | 8.1 | 01.2-15.0 |
| \$35,000- 49,999 | 65 | 9,947 | | | | | | | 9 | 11.3 | 01.9-20.7 | | | | 8 | 9.4 | 02.0-16.8 | 2 | 2.6 | 00.0-06.7 |
| \$75,000+ | 84 | 13,406 | | | | 16 | 16.9 | 08.1-25.7 | 14 | 12.5 | 04.3-20.7 | | | | 13 | 8.3 | 02.2-14.4 | 6 | 10.5 | 00.9-20.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 time | | | 2 times | | | 3 times | | | 4 times | | | 5 or more times | | | None | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|------|------------|---------|------|------------|-----------------|------|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 174 | 27,000 | 18 | 10.7 | 04.4-17.0 | 36 | 20.7 | 13.4-28.0 | 22 | 11.6 | 05.5-17.7 | 54 | 36.1 | 26.9-45.3 | 31 | 14.7 | 08.8-20.6 | 13 | 6.3 | 02.0-10.6 |
| White/Non-Hisp | 141 | 21,457 | 13 | 9.7 | 02.6-16.8 | 28 | 18.5 | 11.1-25.9 | 17 | 10.2 | 03.7-16.7 | | | | 28 | 16.4 | 09.5-23.3 | 10 | 6.0 | 01.3-10.7 |
| 55-64 | 50 | 8,307 | 5 | 5.7 | 00.4-11.0 | | | | | | | | | | | | | 3 | 4.3 | 00.0-09.8 |
| 65+ | 80 | 11,248 | 5 | 5.6 | 00.0-11.7 | 14 | 15.2 | 06.6-23.8 | 10 | 12.3 | 02.9-21.7 | | | | 15 | 14.4 | 06.6-22.2 | 5 | 2.7 | 00.2-05.2 |
| H.S. or G.E.D. | 53 | 8,014 | 5 | 8.4 | 00.0-17.0 | | | | | | | | | | | | | 5 | 6.0 | 00.0-12.1 |
| \$75,000+ | 50 | 7,911 | | | | | | | | | | | | | 5 | 8.2 | 00.0-17.2 | 2 | 7.6 | 00.0-18.4 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 time | | | 2 times | | | 3 times | | | 4 times | | | 5 or more times | | | None | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|------|------------|---------|------|------------|-----------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 265 | 29,493 | 19 | 10.6 | 04.9-16.3 | 41 | 17.7 | 11.4-24.0 | 34 | 8.6 | 05.3-11.9 | 98 | 34.1 | 26.5-41.7 | 55 | 20.0 | 13.7-26.3 | 18 | 9.1 | 03.8-14.4 |
| White/Non-Hisp | 197 | 22,164 | 14 | 11.4 | 04.5-18.3 | 31 | 15.3 | 09.2-21.4 | 29 | 9.7 | 05.6-13.8 | 68 | 33.8 | 24.8-42.8 | 40 | 19.2 | 11.8-26.6 | 15 | 10.7 | 03.8-17.6 |
| 55-64 | 71 | 6,733 | 7 | 8.1 | 00.0-17.5 | | | | 9 | 11.2 | 02.8-19.6 | | | | | | | 6 | 8.0 | 00.4-15.6 |
| 65+ | 118 | 11,550 | 4 | 4.1 | 00.0-08.4 | 18 | 16.4 | 08.2-24.6 | 16 | 8.7 | 04.0-13.4 | | | | 25 | 23.1 | 13.9-32.3 | 6 | 9.3 | 00.3-18.3 |
| H.S. or G.E.D. | 117 | 13,442 | 8 | 11.0 | 02.6-19.4 | 18 | 17.3 | 07.5-27.1 | 21 | 10.4 | 05.5-15.3 | | | | 26 | 19.6 | 11.2-28.0 | | | |
| Some Post-H.S. | 66 | 8,012 | | | | | | | 6 | 5.8 | 00.0-11.7 | | | | | | | 7 | 10.9 | 02.1-19.7 |
| \$15,000- 24,999 | 71 | 5,742 | | | | 6 | 10.7 | 00.9-20.5 | 12 | 12.6 | 05.2-20.0 | | | | | | | 7 | 9.9 | 01.3-18.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 22: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-2 per yr | | | 3-4 per yr | | | 5-9 per yr | | | 10 or more per yr | | | NONE | | | Never Heard of | | |
|----------------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|-------------------|-----|------------|------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 417 | 53,978 | 165 | 41.7 | 35.4-48.0 | 164 | 35.7 | 29.8-41.6 | 9 | 1.7 | 00.3-03.1 | 7 | 1.9 | 00.1-03.7 | 28 | 9.7 | 05.4-14.0 | 44 | 9.3 | 06.0-12.6 |
| Male | 167 | 26,285 | 67 | 42.4 | 32.8-52.0 | 60 | 31.4 | 23.0-39.8 | 5 | 2.1 | 00.0-04.5 | 2 | 2.1 | 00.0-05.2 | 13 | 11.0 | 04.1-17.9 | 20 | 10.9 | 05.2-16.6 |
| Female | 250 | 27,693 | 98 | 41.0 | 33.0-49.0 | 104 | 39.7 | 31.5-47.9 | 4 | 1.3 | 00.0-02.7 | 5 | 1.7 | 00.1-03.3 | 15 | 8.5 | 03.2-13.8 | 24 | 7.8 | 03.9-11.7 |
| White/Non-Hisp | 324 | 42,031 | 127 | 40.4 | 33.3-47.5 | 128 | 38.1 | 31.0-45.2 | 8 | 1.6 | 00.4-02.8 | 5 | 2.0 | 00.0-04.2 | 21 | 9.1 | 04.2-14.0 | 35 | 8.9 | 05.2-12.6 |
| Black or Afr. Am./Non-Hisp | 64 | 8,414 | | | | | | | 1 | 3.2 | 00.0-09.3 | 1 | 1.4 | 00.0-04.1 | | | | | | |
| 45-54 | 67 | 9,134 | | | | | | | 3 | 2.7 | 00.0-05.8 | 1 | 0.8 | 00.0-02.4 | | | | 5 | 5.2 | 00.3-10.1 |
| 55-64 | 119 | 14,835 | | | | | | | 2 | 2.2 | 00.0-05.7 | 2 | 3.4 | 00.0-08.9 | 7 | 7.0 | 00.0-14.1 | 8 | 5.2 | 00.7-09.7 |
| 65+ | 186 | 21,435 | 57 | 33.2 | 24.6-41.8 | 85 | 39.6 | 31.0-48.2 | 3 | 1.2 | 00.0-02.6 | 4 | 2.1 | 00.0-04.3 | 8 | 8.2 | 01.5-14.9 | 29 | 15.8 | 09.1-22.5 |
| Less Than H.S. | 51 | 4,859 | | | | | | | 1 | 1.3 | 00.0-03.8 | | | | 4 | 6.4 | 00.0-13.5 | | | |
| H.S. or G.E.D. | 160 | 20,182 | 59 | 35.6 | 26.0-45.2 | | | | 3 | 1.4 | 00.0-03.0 | 3 | 3.1 | 00.0-07.2 | 10 | 10.3 | 02.9-17.7 | 19 | 8.8 | 04.1-13.5 |
| Some Post-H.S. | 113 | 17,101 | | | | | | | 2 | 2.3 | 00.0-05.6 | 3 | 1.7 | 00.0-03.9 | 11 | 13.7 | 04.5-22.9 | 6 | 6.4 | 00.0-12.9 |
| College Graduate | 93 | 11,836 | | | | | | | 3 | 1.7 | 00.0-03.7 | 1 | 0.9 | 00.0-02.7 | 3 | 4.3 | 00.0-10.0 | 4 | 3.4 | 00.0-07.1 |
| Less than \$15,000 | 62 | 7,136 | | | | | | | 1 | 1.5 | 00.0-04.4 | | | | 4 | 6.0 | 00.0-13.1 | | | |
| \$15,000- 24,999 | 81 | 7,068 | | | | | | | 2 | 2.7 | 00.0-06.6 | 3 | 4.0 | 00.0-08.7 | 7 | 8.0 | 00.9-15.1 | | | |
| \$35,000- 49,999 | 63 | 9,665 | | | | 16 | 14.2 | 05.8-22.6 | 1 | 0.6 | 00.0-01.8 | 2 | 1.8 | 00.0-04.3 | | | | 3 | 4.8 | 00.0-10.3 |
| \$75,000+ | 82 | 13,168 | | | | | | | 3 | 3.3 | 00.0-07.6 | | | | 4 | 8.0 | 00.0-16.0 | 1 | 0.7 | 00.0-02.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 23: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-2 per yr | | | 3-4 per yr | | | 5-9 per yr | | | 10 or more per yr | | | NONE | | | Never Heard of | | |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|-------------------|-----|------------|------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 167 | 26,285 | 67 | 42.4 | 32.8-52.0 | 60 | 31.4 | 23.0-39.8 | 5 | 2.1 | 00.0-04.5 | 2 | 2.1 | 00.0-05.2 | 13 | 11.0 | 04.1-17.9 | 20 | 10.9 | 05.2-16.6 |
| White/Non-Hisp | 136 | 20,861 | | | | 51 | 35.1 | 25.1-45.1 | 4 | 1.4 | 00.0-02.8 | 2 | 2.7 | 00.0-06.8 | 10 | 11.9 | 03.9-19.9 | 16 | 9.8 | 03.9-15.7 |
| 65+ | 75 | 10,751 | | | | | | | 1 | 0.6 | 00.0-01.8 | 1 | 1.4 | 00.0-04.1 | | | | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 24: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-2 per yr | | | 3-4 per yr | | | 5-9 per yr | | | 10 or more per yr | | | NONE | | | Never Heard of | | |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|-------------------|-----|------------|------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 250 | 27,693 | 98 | 41.0 | 33.0-49.0 | 104 | 39.7 | 31.3-48.1 | 4 | 1.3 | 00.0-02.7 | 5 | 1.7 | 00.1-03.3 | 15 | 8.5 | 03.2-13.8 | 24 | 7.8 | 03.9-11.7 |
| White/Non-Hisp | 188 | 21,170 | 74 | 41.5 | 32.1-50.9 | 77 | 41.0 | 31.0-51.0 | 4 | 1.7 | 00.0-03.5 | 3 | 1.3 | 00.0-02.9 | 11 | 6.4 | 01.1-11.7 | 19 | 8.0 | 03.5-12.5 |
| 55-64 | 70 | 6,651 | | | | | | | | | | 1 | 1.5 | 00.0-04.4 | | | | 2 | 1.0 | 00.0-02.6 |
| 65+ | 111 | 10,684 | | | | | | | 2 | 1.8 | 00.0-04.3 | 3 | 2.7 | 00.0-05.8 | 3 | 2.7 | 00.0-06.0 | 18 | 14.1 | 06.7-21.5 |
| H.S. or G.E.D. | 111 | 12,586 | | | | | | | 2 | 1.4 | 00.0-03.4 | 2 | 1.7 | 00.0-04.1 | | | | 13 | 7.5 | 02.6-12.4 |
| Some Post-H.S. | 64 | 7,635 | | | | | | | 1 | 1.6 | 00.0-04.7 | 2 | 1.9 | 00.0-04.6 | 6 | 8.0 | 00.6-15.4 | 2 | 5.6 | 00.0-14.0 |
| \$15,000- 24,999 | 65 | 5,312 | | | | | | | 2 | 3.6 | 00.0-08.7 | 3 | 5.3 | 00.0-11.4 | 6 | 10.0 | 00.8-19.2 | 11 | 14.9 | 05.1-24.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 25: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 time | | | 2 times | | | 3 times | | | 4 times | | | 5 or more times | | | None | | |
|----------------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|------|------------|---------|------|------------|-----------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 436 | 55,864 | 66 | 18.3 | 13.4-23.2 | 65 | 16.6 | 12.1-21.1 | 41 | 8.3 | 05.0-11.6 | 100 | 20.8 | 15.9-25.7 | 65 | 14.0 | 09.7-18.3 | 99 | 21.9 | 16.8-27.0 |
| Male | 173 | 26,876 | 28 | 16.5 | 09.6-23.4 | 34 | 21.8 | 14.0-29.6 | 17 | 9.9 | 04.0-15.8 | 43 | 22.2 | 14.8-29.6 | 25 | 14.5 | 07.6-21.4 | 26 | 15.2 | 08.5-21.9 |
| Female | 263 | 28,988 | 38 | 19.9 | 13.0-26.8 | 31 | 11.8 | 07.1-16.5 | 24 | 7.0 | 04.1-09.9 | 57 | 19.5 | 13.0-26.0 | 40 | 13.6 | 08.1-19.1 | 73 | 28.2 | 20.8-35.6 |
| White/Non-Hisp | 338 | 43,465 | 53 | 18.7 | 13.0-24.4 | 48 | 14.9 | 10.0-19.8 | 30 | 8.4 | 04.7-12.1 | 73 | 19.9 | 14.4-25.4 | 57 | 16.6 | 11.3-21.9 | 77 | 21.5 | 15.6-27.4 |
| Black or Afr. Am./Non-Hisp | 68 | 8,856 | | | | | | | 7 | 8.0 | 00.7-15.3 | | | | 7 | 7.0 | 00.9-13.1 | | | |
| 45-54 | 70 | 9,354 | | | | | | | 5 | 7.0 | 00.7-13.3 | 12 | 12.5 | 04.7-20.3 | 4 | 6.5 | 00.0-13.4 | | | |
| 55-64 | 121 | 15,041 | 23 | 18.6 | 09.8-27.4 | 16 | 13.3 | 05.5-21.1 | 16 | 14.2 | 04.8-23.6 | 21 | 14.2 | 06.4-22.0 | 16 | 14.4 | 05.8-23.0 | | | |
| 65+ | 195 | 22,194 | 18 | 11.1 | 05.0-17.2 | 29 | 17.7 | 10.8-24.6 | 17 | 7.4 | 03.7-11.1 | 56 | 28.7 | 20.5-36.9 | 37 | 15.2 | 09.7-20.7 | 38 | 19.8 | 12.2-27.4 |
| Less Than H.S. | 55 | 4,921 | | | | 3 | 7.5 | 00.0-16.1 | 5 | 6.9 | 00.4-13.4 | | | | | | | | | |
| H.S. or G.E.D. | 172 | 21,561 | 26 | 17.3 | 09.9-24.7 | 21 | 14.5 | 07.8-21.2 | 21 | 13.1 | 06.2-20.0 | 37 | 17.7 | 10.1-25.3 | 23 | 12.3 | 06.4-18.2 | 44 | 25.2 | 16.2-34.2 |
| Some Post-H.S. | 112 | 17,246 | 16 | 17.7 | 08.3-27.1 | 24 | 18.4 | 09.6-27.2 | 6 | 4.2 | 00.1-08.3 | 19 | 16.4 | 07.6-25.2 | 20 | 17.9 | 07.9-27.9 | | | |
| College Graduate | 96 | 12,108 | | | | | | | 9 | 6.4 | 01.9-10.9 | | | | 14 | 11.0 | 04.1-17.9 | 15 | 12.5 | 05.4-19.6 |
| \$15,000- 24,999 | 85 | 7,175 | | | | 5 | 5.8 | 00.1-11.5 | 9 | 11.2 | 03.6-18.8 | 24 | 22.8 | 13.0-32.6 | | | | | | |
| \$35,000- 49,999 | 65 | 9,947 | | | | | | | 5 | 4.9 | 00.4-09.4 | | | | 9 | 6.5 | 02.0-11.0 | | | |
| \$75,000+ | 84 | 13,406 | | | | | | | 8 | 9.5 | 01.7-17.3 | | | | 11 | 9.1 | 02.2-16.0 | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 26: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 time | | | 2 times | | | 3 times | | | 4 times | | | 5 or more times | | | None | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|------|------------|---------|------|------------|-----------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 173 | 26,876 | 28 | 16.5 | 09.6-23.4 | 34 | 21.8 | 14.0-29.6 | 17 | 9.9 | 04.0-15.8 | 43 | 22.2 | 14.8-29.6 | 25 | 14.5 | 07.8-21.2 | 26 | 15.2 | 08.3-22.1 |
| White/Non-Hisp | 141 | 21,457 | 21 | 14.8 | 07.4-22.2 | 29 | 21.4 | 13.0-29.8 | 13 | 10.2 | 03.3-17.1 | 33 | 21.3 | 13.3-29.3 | 25 | 18.2 | 10.0-26.4 | 20 | 14.1 | 07.0-21.2 |
| 55-64 | 50 | 8,307 | 8 | 12.0 | 02.8-21.2 | | | | | | | | | | | | | | | |
| 65+ | 79 | 11,124 | | | | | | | 6 | 6.0 | 00.9-11.1 | | | | 13 | 12.2 | 04.9-19.5 | | | |
| \$75,000+ | 50 | 7,911 | | | | | | | | | | 9 | 11.6 | 02.0-21.2 | | | | 4 | 7.4 | 00.0-15.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 27: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 time | | | 2 times | | | 3 times | | | 4 times | | | 5 or more times | | | None | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|------|------------|---------|------|------------|-----------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 263 | 28,988 | 38 | 19.9 | 13.0-26.8 | 31 | 11.8 | 07.1-16.5 | 24 | 7.0 | 04.1-09.9 | 57 | 19.5 | 13.0-26.0 | 40 | 13.6 | 08.1-19.1 | 73 | 28.2 | 20.8-35.6 |
| White/Non-Hisp | 197 | 22,008 | 32 | 22.5 | 14.3-30.7 | 19 | 8.6 | 04.1-13.1 | 17 | 6.6 | 03.3-09.9 | 40 | 18.5 | 10.9-26.1 | 32 | 15.0 | 08.3-21.7 | 57 | 28.8 | 20.2-37.4 |
| 55-64 | 71 | 6,733 | | | | 5 | 5.8 | 00.0-12.5 | 7 | 6.3 | 00.8-11.8 | 13 | 13.7 | 04.7-22.7 | 8 | 11.3 | 02.9-19.7 | | | |
| 65+ | 116 | 11,070 | 8 | 7.3 | 01.8-12.8 | 16 | 16.3 | 07.9-24.7 | 11 | 8.8 | 03.3-14.3 | | | | 24 | 18.3 | 10.3-26.3 | | | |
| H.S. or G.E.D. | 119 | 13,547 | | | | 11 | 10.3 | 03.4-17.2 | 15 | 9.8 | 04.5-15.1 | | | | 16 | 12.2 | 05.3-19.1 | | | |
| Some Post-H.S. | 64 | 7,804 | | | | | | | 3 | 2.8 | 00.0-06.3 | | | | | | | | | |
| \$15,000- 24,999 | 69 | 5,419 | | | | 3 | 3.8 | 00.0-08.7 | 8 | 13.5 | 03.9-23.1 | 17 | 17.5 | 07.9-27.1 | | | | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 28: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 1 Month Ago | | | 1 Month but < 12 Months | | | 1+ Yrs but < 2 Years | | | 2 or more Years | | | Never | | |
|----------------------------|-------------------|----------|---------------|------|------------|-------------------------|------|------------|----------------------|------|------------|-----------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 438 | 55,943 | 90 | 17.7 | 13.4-22.0 | 245 | 56.4 | 50.3-62.5 | 51 | 9.8 | 06.5-13.1 | 37 | 12.8 | 08.1-17.5 | 15 | 3.3 | 01.1-05.5 |
| Male | 173 | 26,712 | 34 | 18.4 | 11.5-25.3 | 95 | 56.2 | 47.0-65.4 | 24 | 10.7 | 05.4-16.0 | 12 | 10.3 | 03.8-16.8 | 8 | 4.3 | 00.6-08.0 |
| Female | 265 | 29,232 | 56 | 17.0 | 11.7-22.3 | 150 | 56.6 | 48.6-64.6 | 27 | 9.0 | 04.9-13.1 | 25 | 15.1 | 08.2-22.0 | 7 | 2.3 | 00.1-04.5 |
| White/Non-Hisp | 338 | 43,240 | 65 | 16.6 | 11.9-21.3 | 189 | 56.2 | 49.1-63.3 | 40 | 9.7 | 06.0-13.4 | 32 | 14.3 | 08.6-20.0 | 12 | 3.2 | 00.8-05.6 |
| Black or Afr. Am./Non-Hisp | 68 | 8,953 | | | | | | | 7 | 11.5 | 01.9-21.1 | 3 | 8.8 | 00.0-19.8 | 1 | 2.1 | 00.0-06.2 |
| 45-54 | 71 | 9,423 | 12 | 11.0 | 04.1-17.9 | | | | 15 | 17.2 | 07.2-27.2 | | | | 2 | 1.3 | 00.0-03.5 |
| 55-64 | 122 | 14,980 | 24 | 14.0 | 07.1-20.9 | | | | 20 | 13.8 | 06.7-20.9 | | | | 5 | 1.9 | 00.0-03.9 |
| 65+ | 195 | 22,265 | 48 | 26.1 | 18.1-34.1 | 126 | 62.5 | 53.7-71.3 | 10 | 3.7 | 00.6-06.8 | 9 | 6.5 | 00.8-12.2 | 2 | 1.2 | 00.0-03.0 |
| Less Than H.S. | 56 | 5,080 | | | | | | | 3 | 5.8 | 00.0-14.2 | 5 | 6.5 | 00.4-12.6 | 1 | 2.0 | 00.0-05.9 |
| H.S. or G.E.D. | 171 | 21,363 | 36 | 19.2 | 12.1-26.3 | 94 | 51.5 | 41.5-61.5 | 20 | 10.4 | 04.9-15.9 | 13 | 15.6 | 06.8-24.4 | 8 | 3.3 | 00.6-06.0 |
| Some Post-H.S. | 115 | 17,420 | 16 | 12.8 | 05.7-19.9 | | | | 14 | 8.0 | 02.7-13.3 | 17 | 18.4 | 08.4-28.4 | 5 | 5.3 | 00.0-10.8 |
| College Graduate | 96 | 12,080 | 22 | 20.1 | 10.3-29.9 | | | | 14 | 13.1 | 04.9-21.3 | 2 | 2.5 | 00.0-06.2 | 1 | 0.8 | 00.0-02.4 |
| Less than \$15,000 | 63 | 7,097 | | | | | | | 5 | 3.9 | 00.0-08.2 | | | | 1 | 0.9 | 00.0-02.7 |
| \$15,000- 24,999 | 88 | 7,432 | | | | | | | 8 | 10.5 | 02.1-18.9 | 8 | 10.8 | 02.6-19.0 | 5 | 4.5 | 00.2-08.8 |
| \$35,000- 49,999 | 65 | 9,947 | | | | | | | 6 | 5.5 | 00.4-10.6 | | | | 1 | 2.1 | 00.0-06.2 |
| \$75,000+ | 83 | 13,254 | 13 | 12.4 | 04.8-20.0 | | | | 13 | 13.1 | 04.5-21.7 | 5 | 8.2 | 00.0-16.6 | 5 | 7.4 | 00.1-14.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 29: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 1 Month Ago | | | 1 Month but < 12 Months | | | 1+ Yrs but < 2 Years | | | 2 or more Years | | | Never | | |
|--------------------|-------------------|----------|---------------|------|------------|-------------------------|------|------------|----------------------|------|------------|-----------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 173 | 26,712 | 34 | 18.4 | 11.3-25.5 | 95 | 56.2 | 47.0-65.4 | 24 | 10.7 | 05.6-15.8 | 12 | 10.3 | 03.8-16.8 | 8 | 4.3 | 00.6-08.0 |
| White/Non-Hisp | 140 | 21,169 | 29 | 20.2 | 12.0-28.4 | | | | 19 | 10.5 | 04.6-16.4 | 11 | 12.1 | 04.3-19.9 | 7 | 4.6 | 00.1-09.1 |
| 55-64 | 51 | 8,247 | 7 | 10.5 | 01.1-19.9 | | | | 8 | 12.5 | 02.5-22.5 | | | | 3 | 2.1 | 00.0-04.8 |
| 65+ | 78 | 11,020 | | | | | | | 6 | 5.8 | 00.0-11.9 | 1 | 0.6 | 00.0-01.8 | | | |
| H.S. or G.E.D. | 53 | 7,939 | | | | | | | 8 | 9.9 | 01.1-18.7 | | | | 3 | 4.3 | 00.0-09.6 |
| \$75,000+ | 50 | 7,911 | 6 | 8.9 | 00.7-17.1 | | | | | | | 1 | 3.4 | 00.0-10.1 | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 30: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 1 Month Ago | | | 1 Month but < 12 Months | | | 1+ Yrs but < 2 Years | | | 2 or more Years | | | Never | | |
|--------------------|-------------------|----------|---------------|------|------------|-------------------------|------|------------|----------------------|------|------------|-----------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 265 | 29,232 | 56 | 17.0 | 11.7-22.3 | 150 | 56.6 | 48.6-64.6 | 27 | 9.0 | 04.9-13.1 | 25 | 15.1 | 08.2-22.0 | 7 | 2.3 | 00.1-04.5 |
| White/Non-Hisp | 198 | 22,071 | 36 | 13.1 | 08.0-18.2 | 115 | 59.7 | 50.3-69.1 | 21 | 8.9 | 04.4-13.4 | 21 | 16.5 | 08.3-24.7 | 5 | 1.9 | 00.0-04.1 |
| 55-64 | 71 | 6,733 | | | | | | | | | | | | | 2 | 1.6 | 00.0-04.1 |
| 65+ | 117 | 11,245 | 27 | 21.0 | 12.4-29.6 | | | | 4 | 1.6 | 00.0-03.2 | | | | 2 | 2.3 | 00.0-05.8 |
| H.S. or G.E.D. | 118 | 13,424 | 22 | 13.1 | 06.6-19.6 | | | | 12 | 10.7 | 03.6-17.8 | | | | 5 | 2.8 | 00.0-05.9 |
| Some Post-H.S. | 67 | 8,088 | | | | | | | 5 | 3.9 | 00.4-07.4 | | | | 2 | 3.7 | 00.0-09.2 |
| \$15,000- 24,999 | 71 | 5,627 | | | | | | | | | | | | | 3 | 3.2 | 00.0-07.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 31: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 440 | 56,210 | 85 | 16.3 | 12.0-20.6 | 355 | 83.7 | 79.4-88.0 |
| Male | 175 | 26,950 | 36 | 15.5 | 09.6-21.4 | 139 | 84.5 | 78.6-90.4 |
| Female | 265 | 29,260 | 49 | 17.0 | 10.7-23.3 | 216 | 83.0 | 76.7-89.3 |
| White/Non-Hisp | 339 | 43,479 | 65 | 15.3 | 10.6-20.0 | 274 | 84.7 | 80.0-89.4 |
| 45-54 | 71 | 9,423 | 13 | 11.2 | 03.9-18.5 | 58 | 88.8 | 81.5-96.1 |
| 55-64 | 123 | 15,115 | 23 | 17.6 | 08.6-26.6 | 100 | 82.4 | 73.4-91.4 |
| 65+ | 197 | 22,462 | 41 | 17.5 | 11.6-23.4 | 156 | 82.5 | 76.6-88.4 |
| Less Than H.S. | 57 | 5,184 | 10 | 14.5 | 05.1-23.9 | 47 | 85.5 | 76.1-94.9 |
| H.S. or G.E.D. | 170 | 21,364 | 36 | 19.8 | 11.6-28.0 | 134 | 80.2 | 72.0-88.4 |
| Some Post-H.S. | 116 | 17,554 | 23 | 14.9 | 07.3-22.5 | 93 | 85.1 | 77.5-92.7 |
| College Graduate | 96 | 12,080 | 16 | 12.9 | 05.8-20.0 | 80 | 87.1 | 80.0-94.2 |
| Less than \$15,000 | 63 | 7,155 | 9 | 11.2 | 01.6-20.8 | 54 | 88.8 | 79.2-98.4 |
| \$15,000- 24,999 | 88 | 7,432 | 25 | 22.0 | 12.8-31.2 | 63 | 78.0 | 68.8-87.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 32: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Yes | | | N | No | | |
|--------------------|-------------------|----------|----|------|------------|-----|------|------------|--|--|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | % | | C.I. (95%) | | |
| Male | 175 | 26,950 | 36 | 15.5 | 09.6-21.4 | 139 | 84.5 | 78.6-90.4 | | |
| White/Non-Hisp | 142 | 21,407 | 29 | 14.3 | 08.4-20.2 | 113 | 85.7 | 79.8-91.6 | | |
| 55-64 | 52 | 8,381 | 8 | 11.3 | 02.1-20.5 | 44 | 88.7 | 79.5-97.9 | | |
| 65+ | 79 | 11,124 | 22 | 20.4 | 11.2-29.6 | 57 | 79.6 | 70.4-88.8 | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 33: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 265 | 29,260 | 49 | 17.0 | 10.7-23.3 | 216 | 83.0 | 76.7-89.3 |
| White/Non-Hisp | 197 | 22,072 | 36 | 16.3 | 09.2-23.4 | 161 | 83.7 | 76.6-90.8 |
| 65+ | 118 | 11,338 | 19 | 14.5 | 07.4-21.6 | 99 | 85.5 | 78.4-92.6 |
| Some Post-H.S. | 67 | 8,088 | 12 | 9.1 | 03.4-14.8 | 55 | 90.9 | 85.2-96.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 34: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 443 | 56,456 | 215 | 46.8 | 40.7-52.9 | 228 | 53.2 | 47.1-59.3 |
| Male | 176 | 27,074 | 81 | 44.5 | 35.3-53.7 | 95 | 55.5 | 46.3-64.7 |
| Female | 267 | 29,382 | 134 | 49.0 | 41.0-57.0 | 133 | 51.0 | 43.0-59.0 |
| White/Non-Hisp | 342 | 43,725 | 163 | 45.4 | 38.3-52.5 | 179 | 54.6 | 47.5-61.7 |
| 65+ | 199 | 22,643 | 87 | 39.8 | 31.4-48.2 | 112 | 60.2 | 51.8-68.6 |
| H.S. or G.E.D. | 173 | 21,610 | 73 | 36.0 | 26.8-45.2 | 100 | 64.0 | 54.8-73.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 35: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|-----------------------|-------------------|----------|----|------|------------|----|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| Male | 176 | 27,074 | 81 | 44.5 | 35.3-53.7 | 95 | 55.5 | 46.3-64.7 | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 36: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| Female | 267 | 29,382 | 134 | 49.0 | 41.0-57.0 | 133 | 51.0 | 43.0-59.0 | |
| White/Non-Hisp | 199 | 22,194 | 95 | 45.5 | 36.1-54.9 | 104 | 54.5 | 45.1-63.9 | |
| 65+ | 119 | 11,395 | 49 | 34.8 | 25.0-44.6 | 70 | 65.2 | 55.4-75.0 | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007**

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|--|------|
| | ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT) | |
| 1 | MALES AND FEMALES | 42 |
| 2 | MALES ONLY | 43 |
| 3 | FEMALES ONLY | 44 |
| | [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT) | |
| 4 | MALES AND FEMALES | 45 |
| 5 | MALES ONLY | 46 |
| 6 | FEMALES ONLY | 47 |
| | [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL) | |
| 7 | MALES AND FEMALES | 48 |
| 8 | MALES ONLY | 49 |
| 9 | FEMALES ONLY | 50 |
| | [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER) | |
| 10 | MALES AND FEMALES | 51 |
| 11 | MALES ONLY | 52 |
| 12 | FEMALES ONLY | 53 |
| | HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV) | |
| 13 | MALES AND FEMALES | 54 |
| 14 | MALES ONLY | 55 |
| 15 | FEMALES ONLY | 56 |
| | [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV) | |
| 16 | MALES AND FEMALES | 57 |
| 17 | MALES ONLY | 58 |
| 18 | FEMALES ONLY | 59 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007**

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
 * * * * *

| TABLE | PAGE |
|---|------|
| [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV) | |
| 19 MALES AND FEMALES | 60 |
| 20 MALES ONLY | 61 |
| 21 FEMALES ONLY | 62 |

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
 * * * * *

| TABLE | PAGE |
|--|------|
| [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV) | |
| 22 MALES AND FEMALES | 63 |
| 23 MALES ONLY | 64 |
| 24 FEMALES ONLY | 65 |
| [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV) | |
| 25 MALES AND FEMALES | 66 |
| 26 MALES ONLY | 67 |
| 27 FEMALES ONLY | 68 |
| WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR) | |
| 28 MALES AND FEMALES | 69 |
| 29 MALES ONLY | 70 |
| 30 FEMALES ONLY | 71 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 1: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| TOTAL | 1463 | 192,336 | 1014 | 70.0 | 66.9-73.1 | 449 | 30.0 | 26.9-33.1 | |
| Male | 573 | 98,755 | 383 | 68.7 | 63.8-73.6 | 190 | 31.3 | 26.4-36.2 | |
| Female | 890 | 93,581 | 631 | 71.3 | 67.6-75.0 | 259 | 28.7 | 25.0-32.4 | |
| White/Non-Hisp | 1182 | 154,606 | 792 | 68.5 | 65.0-72.0 | 390 | 31.5 | 28.0-35.0 | |
| Black or Afr. Am./Non-Hisp | 188 | 25,236 | 155 | 80.7 | 73.1-88.3 | 33 | 19.3 | 11.7-26.9 | |
| 35-44 | 124 | 24,409 | 89 | 74.8 | 65.0-84.6 | 35 | 25.2 | 15.4-35.0 | |
| 45-54 | 251 | 35,946 | 191 | 76.0 | 68.7-83.3 | 60 | 24.0 | 16.7-31.3 | |
| 55-64 | 377 | 44,576 | 275 | 74.7 | 69.2-80.2 | 102 | 25.3 | 19.8-30.8 | |
| 65+ | 651 | 72,921 | 429 | 67.7 | 63.4-72.0 | 222 | 32.3 | 28.0-36.6 | |
| H.S. or G.E.D. | 535 | 69,574 | 379 | 70.2 | 64.9-75.5 | 156 | 29.8 | 24.5-35.1 | |
| Some Post-H.S. | 373 | 50,569 | 252 | 70.4 | 64.7-76.1 | 121 | 29.6 | 23.9-35.3 | |
| College Graduate | 405 | 55,895 | 280 | 71.3 | 65.8-76.8 | 125 | 28.7 | 23.2-34.2 | |
| Less than \$15,000 | 203 | 24,641 | 140 | 70.7 | 62.9-78.5 | 63 | 29.3 | 21.5-37.1 | |
| \$15,000- 24,999 | 208 | 19,409 | 144 | 65.3 | 56.1-74.5 | 64 | 34.7 | 25.5-43.9 | |
| \$35,000- 49,999 | 200 | 25,460 | 146 | 75.0 | 67.7-82.3 | 54 | 25.0 | 17.7-32.3 | |
| \$50,000- 74,999 | 177 | 26,978 | 121 | 70.6 | 61.8-79.4 | 56 | 29.4 | 20.6-38.2 | |
| \$75,000+ | 324 | 52,226 | 233 | 72.1 | 65.6-78.6 | 91 | 27.9 | 21.4-34.4 | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 2: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 573 | 98,755 | 383 | 68.7 | 63.8-73.6 | 190 | 31.3 | 26.4-36.2 |
| White/Non-Hisp | 466 | 78,999 | 299 | 67.6 | 62.1-73.1 | 167 | 32.4 | 26.9-37.9 |
| 55-64 | 145 | 21,868 | 96 | 71.2 | 62.4-80.0 | 49 | 28.8 | 20.0-37.6 |
| 65+ | 231 | 32,570 | 151 | 69.1 | 62.0-76.2 | 80 | 30.9 | 23.8-38.0 |
| H.S. or G.E.D. | 185 | 33,203 | 127 | 66.1 | 56.9-75.3 | 58 | 33.9 | 24.7-43.1 |
| Some Post-H.S. | 138 | 25,510 | 93 | 75.3 | 67.3-83.3 | 45 | 24.7 | 16.7-32.7 |
| College Graduate | 188 | 31,362 | 120 | 68.0 | 60.0-76.0 | 68 | 32.0 | 24.0-40.0 |
| \$75,000+ | 184 | 34,185 | 124 | 67.1 | 58.3-75.9 | 60 | 32.9 | 24.1-41.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2007
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 3: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 890 | 93,581 | 631 | 71.3 | 67.6-75.0 | 259 | 28.7 | 25.0-32.4 |
| White/Non-Hisp | 716 | 75,607 | 493 | 69.5 | 65.4-73.6 | 223 | 30.5 | 26.4-34.6 |
| 45-54 | 144 | 17,143 | 111 | 78.0 | 69.0-87.0 | 33 | 22.0 | 13.0-31.0 |
| 55-64 | 232 | 22,708 | 179 | 78.2 | 71.7-84.7 | 53 | 21.8 | 15.3-28.3 |
| 65+ | 420 | 40,351 | 278 | 66.5 | 61.0-72.0 | 142 | 33.5 | 28.0-39.0 |
| H.S. or G.E.D. | 350 | 36,371 | 252 | 73.9 | 68.0-79.8 | 98 | 26.1 | 20.2-32.0 |
| Some Post-H.S. | 235 | 25,058 | 159 | 65.4 | 57.6-73.2 | 76 | 34.6 | 26.8-42.4 |
| College Graduate | 217 | 24,532 | 160 | 75.6 | 68.7-82.5 | 57 | 24.4 | 17.5-31.3 |
| \$15,000- 24,999 | 162 | 13,406 | 115 | 66.0 | 56.4-75.6 | 47 | 34.0 | 24.4-43.6 |
| \$35,000- 49,999 | 127 | 14,057 | 93 | 72.8 | 63.2-82.4 | 34 | 27.2 | 17.6-36.8 |
| \$75,000+ | 140 | 18,042 | 109 | 81.6 | 74.3-88.9 | 31 | 18.4 | 11.1-25.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 4: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Do not use salt | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1465 | 192,622 | 998 | 66.4 | 63.1-69.7 | 217 | 16.4 | 13.7-19.1 | 250 | 17.2 | 14.7-19.7 |
| Male | 572 | 98,510 | 376 | 64.3 | 59.0-69.6 | 101 | 18.2 | 13.7-22.7 | 95 | 17.5 | 13.4-21.6 |
| Female | 893 | 94,113 | 622 | 68.5 | 64.6-72.4 | 116 | 14.5 | 11.4-17.6 | 155 | 17.0 | 13.9-20.1 |
| White/Non-Hisp | 1184 | 154,892 | 786 | 65.0 | 61.3-68.7 | 188 | 17.4 | 14.3-20.5 | 210 | 17.6 | 14.7-20.5 |
| Black or Afr. Am./Non-Hisp | 188 | 25,236 | 145 | 74.7 | 66.3-83.1 | 18 | 10.7 | 04.6-16.8 | 25 | 14.7 | 07.8-21.6 |
| 35-44 | 123 | 24,445 | | | | | | | 16 | 11.7 | 03.3-20.1 |
| 45-54 | 252 | 35,969 | 173 | 68.3 | 60.7-75.9 | 44 | 17.5 | 11.0-24.0 | 35 | 14.2 | 08.7-19.7 |
| 55-64 | 376 | 44,477 | 253 | 67.3 | 61.2-73.4 | 54 | 13.9 | 09.6-18.2 | 69 | 18.8 | 13.5-24.1 |
| 65+ | 654 | 73,249 | 453 | 68.9 | 64.4-73.4 | 81 | 11.5 | 08.6-14.4 | 120 | 19.7 | 15.8-23.6 |
| Less Than H.S. | 145 | 15,927 | | | | | | | 30 | 19.4 | 11.6-27.2 |
| H.S. or G.E.D. | 538 | 69,929 | 381 | 65.7 | 59.8-71.6 | 75 | 17.4 | 12.3-22.5 | 82 | 16.9 | 12.2-21.6 |
| Some Post-H.S. | 374 | 50,599 | 247 | 64.5 | 58.2-70.8 | 51 | 14.3 | 09.8-18.8 | 76 | 21.2 | 15.7-26.7 |
| College Graduate | 405 | 55,889 | 275 | 69.8 | 64.1-75.5 | 68 | 16.7 | 12.0-21.4 | 62 | 13.5 | 09.4-17.6 |
| Less than \$15,000 | 203 | 24,641 | 143 | 72.3 | 64.3-80.3 | 24 | 11.4 | 05.7-17.1 | 36 | 16.3 | 09.6-23.0 |
| \$15,000- 24,999 | 210 | 19,684 | 147 | 66.3 | 57.7-74.9 | 27 | 14.9 | 08.0-21.8 | 36 | 18.8 | 11.5-26.1 |
| \$25,000- 34,999 | 153 | 20,442 | | | | | | | 30 | 16.5 | 09.1-23.9 |
| \$35,000- 49,999 | 200 | 25,460 | 139 | 64.5 | 55.3-73.7 | 25 | 11.3 | 05.8-16.8 | 36 | 24.2 | 15.4-33.0 |
| \$50,000- 74,999 | 178 | 27,179 | | | | | | | 21 | 11.0 | 05.3-16.7 |
| \$75,000+ | 324 | 52,226 | 213 | 66.1 | 59.4-72.8 | 59 | 18.1 | 12.8-23.4 | 52 | 15.8 | 10.3-21.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 5: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Do not use salt | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 572 | 98,510 | 376 | 64.3 | 59.0-69.6 | 101 | 18.2 | 13.7-22.7 | 95 | 17.5 | 13.4-21.6 |
| White/Non-Hisp | 465 | 78,754 | 297 | 63.3 | 57.4-69.2 | 88 | 19.0 | 13.9-24.1 | 80 | 17.6 | 12.9-22.3 |
| Black or Afr. Am./Non-Hisp | 74 | 12,720 | | | | 8 | 11.3 | 02.3-20.3 | | | |
| 45-54 | 107 | 18,804 | | | | 20 | 15.5 | 06.7-24.3 | 22 | 21.3 | 12.1-30.5 |
| 55-64 | 144 | 21,769 | 93 | 67.0 | 57.6-76.4 | 26 | 15.0 | 08.3-21.7 | 25 | 18.0 | 10.0-26.0 |
| 65+ | 233 | 32,709 | 164 | 71.2 | 63.9-78.5 | 32 | 11.4 | 06.7-16.1 | 37 | 17.4 | 10.9-23.9 |
| Less Than H.S. | 62 | 8,679 | | | | | | | 14 | 15.7 | 06.1-25.3 |
| H.S. or G.E.D. | 185 | 33,096 | | | | 27 | 19.2 | 10.0-28.4 | 28 | 17.5 | 09.5-25.5 |
| Some Post-H.S. | 138 | 25,471 | | | | 23 | 14.7 | 08.0-21.4 | 29 | 23.6 | 14.4-32.8 |
| College Graduate | 187 | 31,264 | 126 | 68.5 | 60.3-76.7 | 37 | 18.6 | 11.5-25.7 | 24 | 12.9 | 07.0-18.8 |
| Less than \$15,000 | 70 | 11,802 | | | | 8 | 8.8 | 01.9-15.7 | | | |
| \$35,000- 49,999 | 73 | 11,403 | | | | 10 | 11.6 | 02.6-20.6 | | | |
| \$50,000- 74,999 | 85 | 16,789 | | | | | | | 9 | 10.0 | 02.9-17.1 |
| \$75,000+ | 184 | 34,185 | 114 | 62.3 | 53.3-71.3 | 37 | 19.2 | 12.1-26.3 | 33 | 18.6 | 11.0-26.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 6: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Do not use salt | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 893 | 94,113 | 622 | 68.5 | 64.6-72.4 | 116 | 14.5 | 11.4-17.6 | 155 | 17.0 | 13.9-20.1 |
| White/Non-Hisp | 719 | 76,138 | 489 | 66.7 | 62.2-71.2 | 100 | 15.7 | 12.2-19.2 | 130 | 17.6 | 14.1-21.1 |
| Black or Afr. Am./Non-Hisp | 114 | 12,517 | | | | 10 | 10.0 | 01.8-18.2 | 14 | 11.2 | 03.9-18.5 |
| 35-44 | 66 | 9,585 | | | | 8 | 11.9 | 03.1-20.7 | 9 | 8.5 | 02.2-14.8 |
| 45-54 | 145 | 17,166 | 108 | 74.0 | 64.0-84.0 | 24 | 19.7 | 10.3-29.1 | 13 | 6.4 | 01.5-11.3 |
| 55-64 | 232 | 22,708 | 160 | 67.5 | 59.7-75.3 | 28 | 12.9 | 07.4-18.4 | 44 | 19.6 | 12.7-26.5 |
| 65+ | 421 | 40,540 | 289 | 67.0 | 61.3-72.7 | 49 | 11.5 | 07.6-15.4 | 83 | 21.5 | 16.6-26.4 |
| Less Than H.S. | 83 | 7,248 | | | | 8 | 9.5 | 02.8-16.2 | | | |
| H.S. or G.E.D. | 353 | 36,833 | 251 | 68.0 | 61.3-74.7 | 48 | 15.7 | 10.4-21.0 | 54 | 16.3 | 11.2-21.4 |
| Some Post-H.S. | 236 | 25,128 | 161 | 67.3 | 59.7-74.9 | 28 | 13.9 | 07.8-20.0 | 47 | 18.8 | 12.7-24.9 |
| College Graduate | 218 | 24,625 | 149 | 71.4 | 64.0-78.8 | 31 | 14.2 | 08.3-20.1 | 38 | 14.4 | 08.9-19.9 |
| Less than \$15,000 | 133 | 12,839 | | | | 16 | 13.8 | 05.0-22.6 | 24 | 17.9 | 09.7-26.1 |
| \$15,000- 24,999 | 162 | 13,542 | 117 | 67.1 | 57.5-76.7 | 18 | 14.4 | 06.8-22.0 | 27 | 18.5 | 10.7-26.3 |
| \$25,000- 34,999 | 87 | 9,783 | | | | | | | 19 | 17.0 | 07.8-26.2 |
| \$35,000- 49,999 | 127 | 14,057 | | | | 15 | 11.1 | 04.6-17.6 | 24 | 20.8 | 11.6-30.0 |
| \$50,000- 74,999 | 93 | 10,389 | | | | 14 | 14.2 | 05.2-23.2 | 12 | 12.7 | 03.7-21.7 |
| \$75,000+ | 140 | 18,042 | 99 | 73.5 | 64.5-82.5 | 22 | 16.1 | 08.5-23.7 | 19 | 10.4 | 04.9-15.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 7: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Do not drink | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1467 | 192,103 | 332 | 25.2 | 22.1-28.3 | 415 | 30.8 | 27.7-33.9 | 720 | 44.0 | 40.7-47.3 |
| Male | 572 | 97,883 | 153 | 30.6 | 25.5-35.7 | 202 | 34.8 | 29.7-39.9 | 217 | 34.6 | 29.5-39.7 |
| Female | 895 | 94,220 | 179 | 19.5 | 16.2-22.8 | 213 | 26.7 | 23.0-30.4 | 503 | 53.8 | 49.7-57.9 |
| White/Non-Hisp | 1186 | 154,374 | 267 | 24.7 | 21.2-28.2 | 372 | 33.8 | 30.3-37.3 | 547 | 41.5 | 37.8-45.2 |
| Black or Afr. Am./Non-Hisp | 188 | 25,236 | 43 | 24.3 | 16.1-32.5 | 24 | 14.9 | 07.8-22.0 | 121 | 60.8 | 51.6-70.0 |
| 35-44 | 124 | 24,587 | | | | 29 | 23.2 | 14.4-32.0 | | | |
| 45-54 | 251 | 35,370 | 68 | 29.2 | 21.8-36.6 | 81 | 33.3 | 25.7-40.9 | 102 | 37.5 | 29.9-45.1 |
| 55-64 | 376 | 44,307 | 94 | 27.5 | 21.2-33.8 | 102 | 29.4 | 23.3-35.5 | 180 | 43.1 | 36.6-49.6 |
| 65+ | 656 | 73,356 | 114 | 19.5 | 15.4-23.6 | 174 | 29.0 | 24.5-33.5 | 368 | 51.5 | 46.6-56.4 |
| Less Than H.S. | 146 | 15,981 | | | | 22 | 18.6 | 09.2-28.0 | | | |
| H.S. or G.E.D. | 537 | 69,330 | 116 | 24.8 | 19.5-30.1 | 115 | 23.2 | 18.3-28.1 | 306 | 52.0 | 46.1-57.9 |
| Some Post-H.S. | 374 | 50,473 | 104 | 28.2 | 22.1-34.3 | 106 | 30.3 | 24.2-36.4 | 164 | 41.6 | 35.1-48.1 |
| College Graduate | 407 | 56,041 | 88 | 23.8 | 18.3-29.3 | 172 | 44.3 | 38.2-50.4 | 147 | 31.8 | 26.1-37.5 |
| Less than \$15,000 | 202 | 24,371 | 47 | 26.2 | 17.2-35.2 | 39 | 22.9 | 14.7-31.1 | 116 | 50.9 | 41.5-60.3 |
| \$15,000- 24,999 | 211 | 19,737 | 32 | 15.5 | 08.8-22.2 | 29 | 15.4 | 07.8-23.0 | 150 | 69.1 | 60.3-77.9 |
| \$25,000- 34,999 | 154 | 20,585 | 44 | 29.5 | 20.7-38.3 | 43 | 33.1 | 23.3-42.9 | 67 | 37.4 | 27.8-47.0 |
| \$35,000- 49,999 | 200 | 25,460 | 48 | 24.1 | 16.1-32.1 | 66 | 34.7 | 25.9-43.5 | 86 | 41.2 | 32.2-50.2 |
| \$50,000- 74,999 | 178 | 27,179 | 54 | 33.8 | 24.0-43.6 | 58 | 29.3 | 21.1-37.5 | 66 | 36.9 | 26.9-46.9 |
| \$75,000+ | 323 | 51,627 | 79 | 26.3 | 19.8-32.8 | 138 | 42.0 | 35.1-48.9 | 106 | 31.7 | 25.0-38.4 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 8: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Do not drink | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 572 | 97,883 | 153 | 30.6 | 25.3-35.9 | 202 | 34.8 | 29.7-39.9 | 217 | 34.6 | 29.5-39.7 |
| White/Non-Hisp | 465 | 78,128 | 125 | 29.8 | 24.1-35.5 | 178 | 37.7 | 32.0-43.4 | 162 | 32.5 | 26.8-38.2 |
| 55-64 | 144 | 21,599 | | | | 56 | 35.3 | 25.5-45.1 | | | |
| 65+ | 233 | 32,709 | 49 | 25.1 | 17.7-32.5 | 78 | 34.6 | 27.0-42.2 | 106 | 40.3 | 32.5-48.1 |
| H.S. or G.E.D. | 184 | 32,497 | 54 | 32.6 | 23.2-42.0 | 48 | 26.1 | 17.9-34.3 | 82 | 41.4 | 31.4-51.4 |
| Some Post-H.S. | 138 | 25,345 | | | | | | | 43 | 31.2 | 21.4-41.0 |
| College Graduate | 188 | 31,362 | 47 | 26.8 | 18.6-35.0 | 88 | 46.9 | 38.1-55.7 | 53 | 26.3 | 18.5-34.1 |
| \$75,000+ | 183 | 33,586 | 47 | 29.0 | 20.2-37.8 | 83 | 42.4 | 33.4-51.4 | 53 | 28.6 | 20.0-37.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 9: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Do not drink | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 895 | 94,220 | 179 | 19.5 | 16.2-22.8 | 213 | 26.7 | 23.0-30.4 | 503 | 53.8 | 49.7-57.9 |
| White/Non-Hisp | 721 | 76,246 | 142 | 19.5 | 15.8-23.2 | 194 | 29.7 | 25.4-34.0 | 385 | 50.8 | 46.1-55.5 |
| Black or Afr. Am./Non-Hisp | 114 | 12,517 | 24 | 18.2 | 09.2-27.2 | 10 | 10.3 | 02.1-18.5 | | | |
| 35-44 | 66 | 9,585 | 17 | 13.5 | 06.4-20.6 | | | | | | |
| 45-54 | 145 | 17,166 | 35 | 25.2 | 15.8-34.6 | | | | | | |
| 55-64 | 232 | 22,708 | 57 | 26.5 | 18.9-34.1 | 46 | 23.9 | 16.6-31.2 | 129 | 49.6 | 41.4-57.8 |
| 65+ | 423 | 40,647 | 65 | 15.0 | 11.1-18.9 | 96 | 24.5 | 19.4-29.6 | 262 | 60.5 | 54.8-66.2 |
| Less Than H.S. | 84 | 7,302 | 14 | 17.4 | 07.6-27.2 | 9 | 12.5 | 04.7-20.3 | | | |
| H.S. or G.E.D. | 353 | 36,833 | 62 | 17.9 | 12.6-23.2 | 67 | 20.7 | 15.0-26.4 | 224 | 61.4 | 54.5-68.3 |
| Some Post-H.S. | 236 | 25,128 | 62 | 22.2 | 15.9-28.5 | 53 | 25.8 | 18.5-33.1 | 121 | 52.0 | 44.0-60.0 |
| College Graduate | 219 | 24,678 | 41 | 20.1 | 13.6-26.6 | 84 | 41.0 | 33.0-49.0 | 94 | 38.9 | 31.1-46.7 |
| Less than \$15,000 | 133 | 12,839 | 28 | 20.3 | 12.1-28.5 | 25 | 20.2 | 11.0-29.4 | | | |
| \$15,000- 24,999 | 163 | 13,595 | 25 | 13.5 | 06.8-20.2 | 18 | 11.0 | 04.7-17.3 | 120 | 75.5 | 67.1-83.9 |
| \$35,000- 49,999 | 127 | 14,057 | 31 | 21.9 | 13.1-30.7 | 36 | 27.7 | 18.3-37.1 | | | |
| \$75,000+ | 140 | 18,042 | 32 | 21.4 | 12.6-30.2 | | | | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2007
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 10: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1466 | 192,460 | 903 | 63.5 | 60.2-66.8 | 563 | 36.5 | 33.2-39.8 |
| Male | 572 | 98,316 | 371 | 66.8 | 61.9-71.7 | 201 | 33.2 | 28.3-38.1 |
| Female | 894 | 94,144 | 532 | 60.1 | 56.0-64.2 | 362 | 39.9 | 35.8-44.0 |
| White/Non-Hisp | 1185 | 154,730 | 733 | 65.5 | 62.0-69.0 | 452 | 34.5 | 31.0-38.0 |
| Black or Afr. Am./Non-Hisp | 188 | 25,236 | 115 | 57.3 | 47.9-66.7 | 73 | 42.7 | 33.3-52.1 |
| 35-44 | 124 | 24,587 | 83 | 71.3 | 61.5-81.1 | 41 | 28.7 | 18.9-38.5 |
| 45-54 | 252 | 35,969 | 161 | 64.8 | 57.2-72.4 | 91 | 35.2 | 27.6-42.8 |
| 55-64 | 377 | 44,576 | 244 | 67.8 | 61.7-73.9 | 133 | 32.2 | 26.1-38.3 |
| 65+ | 653 | 72,845 | 381 | 59.3 | 54.6-64.0 | 272 | 40.7 | 36.0-45.4 |
| H.S. or G.E.D. | 536 | 69,542 | 310 | 60.9 | 55.2-66.6 | 226 | 39.1 | 33.4-44.8 |
| Some Post-H.S. | 375 | 50,742 | 231 | 62.6 | 56.1-69.1 | 144 | 37.4 | 30.9-43.9 |
| College Graduate | 406 | 55,917 | 278 | 69.4 | 63.7-75.1 | 128 | 30.6 | 24.9-36.3 |
| Less than \$15,000 | 203 | 24,641 | 114 | 57.2 | 48.2-66.2 | 89 | 42.8 | 33.8-51.8 |
| \$15,000- 24,999 | 211 | 19,737 | 123 | 61.6 | 53.0-70.2 | 88 | 38.4 | 29.8-47.0 |
| \$35,000- 49,999 | 199 | 25,148 | 121 | 60.2 | 51.0-69.4 | 78 | 39.8 | 30.6-49.0 |
| \$50,000- 74,999 | 177 | 27,103 | 111 | 64.8 | 55.4-74.2 | 66 | 35.2 | 25.8-44.6 |
| \$75,000+ | 323 | 52,102 | 215 | 69.2 | 62.7-75.7 | 108 | 30.8 | 24.3-37.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2007
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 11: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 572 | 98,316 | 371 | 66.8 | 61.9-71.7 | 201 | 33.2 | 28.3-38.1 |
| White/Non-Hisp | 465 | 78,560 | 301 | 68.6 | 63.3-73.9 | 164 | 31.4 | 26.1-36.7 |
| 55-64 | 145 | 21,868 | 97 | 68.2 | 58.8-77.6 | 48 | 31.8 | 22.4-41.2 |
| 65+ | 231 | 32,273 | 141 | 60.7 | 52.7-68.7 | 90 | 39.3 | 31.3-47.3 |
| H.S. or G.E.D. | 184 | 32,784 | 113 | 65.1 | 56.3-73.9 | 71 | 34.9 | 26.1-43.7 |
| Some Post-H.S. | 139 | 25,614 | 94 | 68.2 | 58.4-78.0 | 45 | 31.8 | 22.0-41.6 |
| College Graduate | 187 | 31,238 | 131 | 70.9 | 62.7-79.1 | 56 | 29.1 | 20.9-37.3 |
| \$75,000+ | 183 | 34,061 | 120 | 69.7 | 61.5-77.9 | 63 | 30.3 | 22.1-38.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2007
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 12: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 894 | 94,144 | 532 | 60.1 | 56.0-64.2 | 362 | 39.9 | 35.8-44.0 |
| White/Non-Hisp | 720 | 76,170 | 432 | 62.4 | 57.9-66.9 | 288 | 37.6 | 33.1-42.1 |
| 55-64 | 232 | 22,708 | 147 | 67.5 | 60.1-74.9 | 85 | 32.5 | 25.1-39.9 |
| 65+ | 422 | 40,571 | 240 | 58.1 | 52.2-64.0 | 182 | 41.9 | 36.0-47.8 |
| H.S. or G.E.D. | 352 | 36,757 | 197 | 57.3 | 50.4-64.2 | 155 | 42.7 | 35.8-49.6 |
| Some Post-H.S. | 236 | 25,128 | 137 | 56.9 | 48.9-64.9 | 99 | 43.1 | 35.1-51.1 |
| College Graduate | 219 | 24,678 | 147 | 67.5 | 59.9-75.1 | 72 | 32.5 | 24.9-40.1 |
| \$15,000- 24,999 | 163 | 13,595 | 92 | 60.9 | 51.7-70.1 | 71 | 39.1 | 29.9-48.3 |
| \$75,000+ | 140 | 18,042 | 95 | 68.1 | 58.1-78.1 | 45 | 31.9 | 21.9-41.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 13: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1465 | 192,596 | 825 | 59.1 | 55.8-62.4 | 640 | 40.9 | 37.6-44.2 |
| Male | 572 | 98,509 | 333 | 61.6 | 56.5-66.7 | 239 | 38.4 | 33.3-43.5 |
| Female | 893 | 94,087 | 492 | 56.4 | 52.3-60.5 | 401 | 43.6 | 39.5-47.7 |
| White/Non-Hisp | 1185 | 154,901 | 638 | 56.8 | 53.1-60.5 | 547 | 43.2 | 39.5-46.9 |
| Black or Afr. Am./Non-Hisp | 187 | 25,202 | 130 | 71.6 | 63.6-79.6 | 57 | 28.4 | 20.4-36.4 |
| 35-44 | 124 | 24,587 | 95 | 79.1 | 69.7-88.5 | 29 | 20.9 | 11.5-30.3 |
| 45-54 | 250 | 35,728 | 161 | 65.4 | 57.8-73.0 | 89 | 34.6 | 27.0-42.2 |
| 55-64 | 377 | 44,576 | 235 | 60.9 | 54.4-67.4 | 142 | 39.1 | 32.6-45.6 |
| 65+ | 654 | 73,223 | 302 | 48.6 | 43.7-53.5 | 352 | 51.4 | 46.5-56.3 |
| Less Than H.S. | 145 | 15,946 | 88 | 64.3 | 54.3-74.3 | | | |
| H.S. or G.E.D. | 536 | 69,796 | 299 | 59.8 | 54.1-65.5 | 237 | 40.2 | 34.5-45.9 |
| Some Post-H.S. | 375 | 50,742 | 209 | 57.6 | 51.1-64.1 | 166 | 42.4 | 35.9-48.9 |
| College Graduate | 406 | 55,834 | 227 | 58.2 | 52.1-64.3 | 179 | 41.8 | 35.7-47.9 |
| Less than \$15,000 | 202 | 24,612 | 112 | 58.3 | 49.3-67.3 | 90 | 41.7 | 32.7-50.7 |
| \$15,000- 24,999 | 209 | 19,598 | 118 | 56.9 | 48.3-65.5 | 91 | 43.1 | 34.5-51.7 |
| \$25,000- 34,999 | 154 | 20,585 | 77 | 47.4 | 37.4-57.4 | 77 | 52.6 | 42.6-62.6 |
| \$35,000- 49,999 | 200 | 25,460 | 113 | 61.5 | 52.7-70.3 | 87 | 38.5 | 29.7-47.3 |
| \$50,000- 74,999 | 177 | 26,972 | 106 | 65.0 | 56.2-73.8 | 71 | 35.0 | 26.2-43.8 |
| \$75,000+ | 324 | 52,226 | 202 | 64.0 | 57.3-70.7 | 122 | 36.0 | 29.3-42.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2007
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 14: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 572 | 98,509 | 333 | 61.6 | 56.5-66.7 | 239 | 38.4 | 33.3-43.5 |
| White/Non-Hisp | 466 | 78,789 | 261 | 59.9 | 54.2-65.6 | 205 | 40.1 | 34.4-45.8 |
| 65+ | 233 | 32,709 | 108 | 50.7 | 42.7-58.7 | 125 | 49.3 | 41.3-57.3 |
| H.S. or G.E.D. | 185 | 33,096 | 110 | 63.5 | 54.3-72.7 | 75 | 36.5 | 27.3-45.7 |
| College Graduate | 187 | 31,155 | 106 | 59.5 | 50.7-68.3 | 81 | 40.5 | 31.7-49.3 |
| \$75,000+ | 184 | 34,185 | 116 | 65.3 | 56.7-73.9 | 68 | 34.7 | 26.1-43.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2007
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 15: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 893 | 94,087 | 492 | 56.4 | 52.3-60.5 | 401 | 43.6 | 39.5-47.7 |
| White/Non-Hisp | 719 | 76,113 | 377 | 53.5 | 48.8-58.2 | 342 | 46.5 | 41.8-51.2 |
| 35-44 | 66 | 9,585 | 50 | 82.4 | 72.4-92.4 | 16 | 17.6 | 07.6-27.6 |
| 55-64 | 232 | 22,708 | 146 | 61.3 | 53.3-69.3 | 86 | 38.7 | 30.7-46.7 |
| 65+ | 421 | 40,514 | 194 | 46.9 | 41.0-52.8 | 227 | 53.1 | 47.2-59.0 |
| H.S. or G.E.D. | 351 | 36,700 | 189 | 56.4 | 49.7-63.1 | 162 | 43.6 | 36.9-50.3 |
| Some Post-H.S. | 236 | 25,128 | 126 | 55.4 | 47.4-63.4 | 110 | 44.6 | 36.6-52.6 |
| College Graduate | 219 | 24,678 | 121 | 56.6 | 48.6-64.6 | 98 | 43.4 | 35.4-51.4 |
| \$15,000- 24,999 | 162 | 13,491 | 94 | 53.9 | 44.1-63.7 | 68 | 46.1 | 36.3-55.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 16: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Do not use salt | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1455 | 191,452 | 879 | 60.8 | 57.5-64.1 | 419 | 28.3 | 25.2-31.4 | 157 | 10.9 | 08.7-13.1 |
| Male | 569 | 98,188 | 349 | 63.4 | 58.3-68.5 | 170 | 27.3 | 22.6-32.0 | 50 | 9.3 | 06.2-12.4 |
| Female | 886 | 93,263 | 530 | 58.1 | 54.0-62.2 | 249 | 29.4 | 25.5-33.3 | 107 | 12.5 | 09.8-15.2 |
| White/Non-Hisp | 1175 | 153,797 | 684 | 59.7 | 56.0-63.4 | 360 | 29.2 | 25.9-32.5 | 131 | 11.1 | 08.7-13.5 |
| Black or Afr. Am./Non-Hisp | 188 | 25,236 | 142 | 75.6 | 67.8-83.4 | 30 | 15.8 | 09.1-22.5 | 16 | 8.6 | 03.5-13.7 |
| 35-44 | 123 | 24,374 | 92 | 80.2 | 71.8-88.6 | 23 | 13.4 | 06.7-20.1 | 8 | 6.3 | 00.6-12.0 |
| 45-54 | 251 | 35,923 | 155 | 60.9 | 53.1-68.7 | 79 | 31.8 | 24.2-39.4 | 17 | 7.3 | 03.4-11.2 |
| 55-64 | 375 | 44,418 | 224 | 57.7 | 51.0-64.4 | 110 | 30.9 | 24.8-37.0 | 41 | 11.3 | 07.0-15.6 |
| 65+ | 646 | 72,254 | 378 | 58.6 | 53.9-63.3 | 185 | 27.2 | 22.9-31.5 | 83 | 14.2 | 10.7-17.7 |
| Less Than H.S. | 146 | 15,981 | | | | | | | 20 | 15.1 | 07.8-22.4 |
| H.S. or G.E.D. | 531 | 69,098 | 335 | 65.2 | 59.7-70.7 | 141 | 23.6 | 18.9-28.3 | 55 | 11.2 | 07.5-14.9 |
| Some Post-H.S. | 372 | 50,283 | 215 | 56.8 | 50.1-63.5 | 111 | 31.8 | 25.5-38.1 | 46 | 11.4 | 07.5-15.3 |
| College Graduate | 403 | 55,811 | 231 | 58.7 | 52.6-64.8 | 136 | 32.3 | 26.6-38.0 | 36 | 9.0 | 05.5-12.5 |
| Less than \$15,000 | 203 | 24,641 | 126 | 60.1 | 51.1-69.1 | 50 | 25.6 | 17.4-33.8 | 27 | 14.3 | 07.8-20.8 |
| \$15,000- 24,999 | 210 | 19,667 | 132 | 59.5 | 50.7-68.3 | 53 | 25.2 | 17.9-32.5 | 25 | 15.3 | 08.2-22.4 |
| \$25,000- 34,999 | 151 | 20,053 | | | | 50 | 32.9 | 23.3-42.5 | 16 | 10.6 | 03.9-17.3 |
| \$35,000- 49,999 | 198 | 25,276 | 116 | 55.8 | 46.6-65.0 | 57 | 30.1 | 21.3-38.9 | 25 | 14.1 | 07.8-20.4 |
| \$50,000- 74,999 | 178 | 27,179 | 111 | 65.8 | 56.4-75.2 | 53 | 27.3 | 18.5-36.1 | 14 | 6.9 | 02.4-11.4 |
| \$75,000+ | 321 | 51,911 | 194 | 64.1 | 57.4-70.8 | 103 | 29.3 | 23.0-35.6 | 24 | 6.6 | 03.1-10.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 17: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Do not use salt | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 569 | 98,188 | 349 | 63.4 | 58.3-68.5 | 170 | 27.3 | 22.6-32.0 | 50 | 9.3 | 06.2-12.4 |
| White/Non-Hisp | 463 | 78,508 | 281 | 64.3 | 58.6-70.0 | 141 | 26.5 | 21.4-31.6 | 41 | 9.2 | 05.9-12.5 |
| Black or Afr. Am./Non-Hisp | 74 | 12,720 | | | | 15 | 16.9 | 07.1-26.7 | 6 | 8.4 | 00.8-16.0 |
| 35-44 | 58 | 15,003 | | | | 9 | 12.3 | 03.1-21.5 | 5 | 7.9 | 00.0-16.7 |
| 45-54 | 107 | 18,804 | | | | | | | 9 | 9.2 | 03.1-15.3 |
| 55-64 | 144 | 21,819 | | | | 41 | 28.2 | 18.8-37.6 | 13 | 9.9 | 03.4-16.4 |
| 65+ | 229 | 32,195 | 135 | 63.5 | 55.9-71.1 | 73 | 25.5 | 19.0-32.0 | 21 | 10.9 | 05.4-16.4 |
| Less Than H.S. | 62 | 8,679 | | | | | | | 7 | 9.5 | 01.7-17.3 |
| H.S. or G.E.D. | 183 | 32,709 | 120 | 69.4 | 60.6-78.2 | 49 | 21.3 | 14.0-28.6 | 14 | 9.3 | 03.4-15.2 |
| Some Post-H.S. | 139 | 25,614 | | | | 43 | 32.5 | 22.5-42.5 | 15 | 10.3 | 04.4-16.2 |
| College Graduate | 185 | 31,186 | 112 | 63.0 | 54.6-71.4 | 59 | 28.5 | 20.7-36.3 | 14 | 8.6 | 03.5-13.7 |
| Less than \$15,000 | 70 | 11,802 | | | | | | | 5 | 10.5 | 00.5-20.5 |
| \$35,000- 49,999 | 72 | 11,328 | | | | | | | 6 | 8.5 | 00.9-16.1 |
| \$50,000- 74,999 | 85 | 16,789 | | | | | | | 5 | 6.5 | 00.4-12.6 |
| \$75,000+ | 182 | 34,083 | 111 | 66.2 | 57.8-74.6 | 57 | 26.4 | 18.6-34.2 | 14 | 7.3 | 02.4-12.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 18: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Do not use salt | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 886 | 93,263 | 530 | 58.1 | 54.0-62.2 | 249 | 29.4 | 25.5-33.3 | 107 | 12.5 | 09.8-15.2 |
| White/Non-Hisp | 712 | 75,289 | 403 | 54.9 | 50.2-59.6 | 219 | 32.0 | 27.7-36.3 | 90 | 13.1 | 10.0-16.2 |
| Black or Afr. Am./Non-Hisp | 114 | 12,517 | | | | 15 | 14.7 | 05.9-23.5 | 10 | 8.8 | 02.1-15.5 |
| 35-44 | 65 | 9,371 | 48 | 80.9 | 70.9-90.9 | 14 | 15.3 | 06.3-24.3 | 3 | 3.8 | 00.0-08.7 |
| 45-54 | 144 | 17,120 | | | | | | | 8 | 5.2 | 00.5-09.9 |
| 55-64 | 231 | 22,599 | 134 | 53.7 | 45.5-61.9 | 69 | 33.5 | 25.7-41.3 | 28 | 12.7 | 06.8-18.6 |
| 65+ | 417 | 40,058 | 243 | 54.6 | 48.7-60.5 | 112 | 28.6 | 23.1-34.1 | 62 | 16.9 | 12.4-21.4 |
| Less Than H.S. | 84 | 7,302 | | | | 11 | 13.3 | 05.1-21.5 | | | |
| H.S. or G.E.D. | 348 | 36,389 | 215 | 61.4 | 54.7-68.1 | 92 | 25.8 | 19.9-31.7 | 41 | 12.9 | 08.2-17.6 |
| Some Post-H.S. | 233 | 24,669 | 134 | 56.4 | 48.2-64.6 | 68 | 31.0 | 23.2-38.8 | 31 | 12.6 | 07.5-17.7 |
| College Graduate | 218 | 24,625 | 119 | 53.3 | 45.1-61.5 | 77 | 37.3 | 29.3-45.3 | 22 | 9.4 | 04.5-14.3 |
| Less than \$15,000 | 133 | 12,839 | | | | | | | 22 | 17.8 | 09.6-26.0 |
| \$15,000- 24,999 | 162 | 13,526 | 107 | 61.8 | 52.2-71.4 | 36 | 23.1 | 14.9-31.3 | 19 | 15.0 | 07.4-22.6 |
| \$25,000- 34,999 | 85 | 9,562 | | | | | | | 9 | 7.7 | 01.8-13.6 |
| \$35,000- 49,999 | 126 | 13,948 | | | | 33 | 24.8 | 15.4-34.2 | 19 | 18.7 | 09.5-27.9 |
| \$50,000- 74,999 | 93 | 10,389 | | | | | | | 9 | 7.7 | 00.8-14.6 |
| \$75,000+ | 139 | 17,828 | | | | | | | 10 | 5.3 | 01.0-09.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 19: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Do not drink | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1465 | 192,250 | 226 | 17.9 | 15.2-20.6 | 632 | 45.2 | 41.9-48.5 | 607 | 36.9 | 33.6-40.2 |
| Male | 571 | 98,136 | 133 | 25.1 | 20.2-30.0 | 262 | 47.4 | 42.1-52.7 | 176 | 27.6 | 22.7-32.5 |
| Female | 894 | 94,114 | 93 | 10.3 | 07.8-12.8 | 370 | 42.9 | 38.8-47.0 | 431 | 46.7 | 42.6-50.8 |
| White/Non-Hisp | 1186 | 154,896 | 190 | 18.2 | 15.1-21.3 | 539 | 47.1 | 43.4-50.8 | 457 | 34.7 | 31.2-38.2 |
| Black or Afr. Am./Non-Hisp | 187 | 24,967 | 27 | 18.0 | 10.2-25.8 | 56 | 32.8 | 23.8-41.8 | 104 | 49.2 | 39.8-58.6 |
| 45-54 | 252 | 35,969 | 56 | 23.8 | 16.7-30.9 | 111 | 47.6 | 39.6-55.6 | 85 | 28.6 | 21.5-35.7 |
| 55-64 | 376 | 44,307 | 67 | 16.7 | 11.8-21.6 | 171 | 49.0 | 42.3-55.7 | 138 | 34.3 | 28.0-40.6 |
| 65+ | 654 | 73,010 | 67 | 12.6 | 08.9-16.3 | 260 | 41.5 | 36.8-46.2 | 327 | 45.9 | 41.2-50.6 |
| Less Than H.S. | 146 | 15,981 | 22 | 16.6 | 07.2-26.0 | | | | | | |
| H.S. or G.E.D. | 537 | 69,895 | 72 | 18.2 | 13.1-23.3 | 206 | 37.8 | 32.1-43.5 | 259 | 44.0 | 38.1-49.9 |
| Some Post-H.S. | 374 | 50,473 | 75 | 20.8 | 15.1-26.5 | 160 | 44.2 | 37.5-50.9 | 139 | 34.9 | 28.6-41.2 |
| College Graduate | 405 | 55,623 | 57 | 15.3 | 10.8-19.8 | 233 | 60.5 | 54.4-66.6 | 115 | 24.3 | 19.2-29.4 |
| Less than \$15,000 | 202 | 24,606 | 28 | 18.5 | 09.9-27.1 | 69 | 34.9 | 26.1-43.7 | 105 | 46.6 | 37.4-55.8 |
| \$15,000- 24,999 | 211 | 19,737 | 29 | 13.9 | 07.4-20.4 | 54 | 23.8 | 15.8-31.8 | 128 | 62.3 | 53.3-71.3 |
| \$25,000- 34,999 | 153 | 20,479 | 24 | 15.5 | 08.6-22.4 | | | | 56 | 32.6 | 23.2-42.0 |
| \$35,000- 49,999 | 200 | 25,460 | 29 | 15.2 | 07.9-22.5 | 97 | 50.0 | 40.8-59.2 | 74 | 34.8 | 26.2-43.4 |
| \$50,000- 74,999 | 178 | 27,179 | 36 | 24.3 | 15.7-32.9 | 91 | 45.7 | 35.9-55.5 | 51 | 29.9 | 20.1-39.7 |
| \$75,000+ | 322 | 51,645 | 65 | 20.9 | 15.0-26.8 | 180 | 57.2 | 50.1-64.3 | 77 | 21.9 | 15.8-28.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 20: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Do not drink | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 571 | 98,136 | 133 | 25.1 | 20.2-30.0 | 262 | 47.4 | 42.1-52.7 | 176 | 27.6 | 22.7-32.5 |
| White/Non-Hisp | 465 | 78,650 | 110 | 25.0 | 19.7-30.3 | 222 | 48.6 | 42.7-54.5 | 133 | 26.4 | 21.1-31.7 |
| 45-54 | 107 | 18,804 | | | | | | | 30 | 23.2 | 14.0-32.4 |
| 55-64 | 144 | 21,599 | 35 | 20.0 | 11.8-28.2 | | | | 36 | 27.5 | 17.7-37.3 |
| 65+ | 231 | 32,363 | 38 | 20.1 | 12.8-27.4 | 101 | 45.0 | 37.0-53.0 | 92 | 34.9 | 27.5-42.3 |
| H.S. or G.E.D. | 184 | 33,061 | 41 | 26.6 | 17.6-35.6 | 76 | 40.4 | 31.0-49.8 | 67 | 33.0 | 23.4-42.6 |
| Some Post-H.S. | 138 | 25,345 | 44 | 31.2 | 21.4-41.0 | | | | 34 | 24.4 | 15.2-33.6 |
| College Graduate | 187 | 31,051 | 40 | 21.0 | 13.7-28.3 | 107 | 59.8 | 51.0-68.6 | 40 | 19.2 | 12.1-26.3 |
| \$75,000+ | 182 | 33,604 | 48 | 25.0 | 17.0-33.0 | 98 | 57.6 | 48.2-67.0 | 36 | 17.3 | 10.0-24.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 21: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Do not drink | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 894 | 94,114 | 93 | 10.3 | 07.8-12.8 | 370 | 42.9 | 38.8-47.0 | 431 | 46.7 | 42.6-50.8 |
| White/Non-Hisp | 721 | 76,246 | 80 | 11.1 | 08.2-14.0 | 317 | 45.5 | 40.8-50.2 | 324 | 43.4 | 38.9-47.9 |
| Black or Afr. Am./Non-Hisp | 114 | 12,517 | 10 | 7.9 | 01.6-14.2 | | | | | | |
| 35-44 | 65 | 9,478 | 7 | 10.0 | 01.8-18.2 | | | | | | |
| 45-54 | 145 | 17,166 | 23 | 15.9 | 07.7-24.1 | | | | | | |
| 55-64 | 232 | 22,708 | 32 | 13.6 | 07.9-19.3 | 98 | 45.6 | 37.4-53.8 | 102 | 40.8 | 32.8-48.8 |
| 65+ | 423 | 40,647 | 29 | 6.7 | 04.0-09.4 | 159 | 38.8 | 33.1-44.5 | 235 | 54.6 | 48.7-60.5 |
| Less Than H.S. | 84 | 7,302 | 14 | 17.1 | 07.5-26.7 | 14 | 16.3 | 07.3-25.3 | | | |
| H.S. or G.E.D. | 353 | 36,833 | 31 | 10.6 | 05.9-15.3 | 130 | 35.5 | 29.0-42.0 | 192 | 54.0 | 47.1-60.9 |
| Some Post-H.S. | 236 | 25,128 | 31 | 10.4 | 06.1-14.7 | 100 | 44.1 | 36.1-52.1 | 105 | 45.5 | 37.5-53.5 |
| College Graduate | 218 | 24,572 | 17 | 8.0 | 03.9-12.1 | 126 | 61.3 | 53.5-69.1 | 75 | 30.6 | 23.3-37.9 |
| Less than \$15,000 | 133 | 12,839 | 14 | 11.4 | 04.3-18.5 | | | | | | |
| \$15,000- 24,999 | 163 | 13,595 | 19 | 9.9 | 04.0-15.8 | 43 | 23.0 | 15.2-30.8 | 101 | 67.1 | 58.1-76.1 |
| \$25,000- 34,999 | 86 | 9,676 | 10 | 11.6 | 03.8-19.4 | | | | | | |
| \$35,000- 49,999 | 127 | 14,057 | 14 | 9.7 | 03.8-15.6 | | | | | | |
| \$50,000- 74,999 | 93 | 10,389 | 11 | 11.7 | 04.4-19.0 | | | | | | |
| \$75,000+ | 140 | 18,042 | 17 | 13.2 | 05.4-21.0 | | | | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 22: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1461 | 191,364 | 985 | 69.9 | 67.0-72.8 | 476 | 30.1 | 27.2-33.0 |
| Male | 572 | 98,055 | 392 | 71.8 | 67.1-76.5 | 180 | 28.2 | 23.5-32.9 |
| Female | 889 | 93,309 | 593 | 68.0 | 64.1-71.9 | 296 | 32.0 | 28.1-35.9 |
| White/Non-Hisp | 1181 | 153,655 | 797 | 69.3 | 65.8-72.8 | 384 | 30.7 | 27.2-34.2 |
| Black or Afr. Am./Non-Hisp | 187 | 25,216 | 133 | 76.4 | 69.3-83.5 | 54 | 23.6 | 16.5-30.7 |
| 35-44 | 124 | 24,587 | 98 | 81.1 | 72.1-90.1 | 26 | 18.9 | 09.9-27.9 |
| 45-54 | 251 | 35,470 | 177 | 72.2 | 65.5-78.9 | 74 | 27.8 | 21.1-34.5 |
| 55-64 | 373 | 44,296 | 262 | 68.8 | 62.3-75.3 | 111 | 31.2 | 24.7-37.7 |
| 65+ | 654 | 73,190 | 407 | 65.2 | 60.7-69.7 | 247 | 34.8 | 30.3-39.3 |
| Less Than H.S. | 146 | 15,357 | 93 | 67.9 | 58.5-77.3 | 53 | 32.1 | 22.7-41.5 |
| H.S. or G.E.D. | 533 | 69,198 | 347 | 69.0 | 63.7-74.3 | 186 | 31.0 | 25.7-36.3 |
| Some Post-H.S. | 372 | 50,489 | 266 | 71.4 | 65.5-77.3 | 106 | 28.6 | 22.7-34.5 |
| College Graduate | 407 | 56,041 | 277 | 70.3 | 64.8-75.8 | 130 | 29.7 | 24.2-35.2 |
| Less than \$15,000 | 202 | 24,606 | 120 | 59.8 | 50.8-68.8 | 82 | 40.2 | 31.2-49.2 |
| \$15,000- 24,999 | 210 | 18,950 | 132 | 62.8 | 54.8-70.8 | 78 | 37.2 | 29.2-45.2 |
| \$25,000- 34,999 | 153 | 20,517 | 90 | 61.7 | 51.9-71.5 | 63 | 38.3 | 28.5-48.1 |
| \$35,000- 49,999 | 198 | 25,370 | 147 | 78.1 | 71.2-85.0 | 51 | 21.9 | 15.0-28.8 |
| \$50,000- 74,999 | 178 | 27,179 | 130 | 73.8 | 65.2-82.4 | 48 | 26.2 | 17.6-34.8 |
| \$75,000+ | 324 | 52,226 | 240 | 74.9 | 68.8-81.0 | 84 | 25.1 | 19.0-31.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 23: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 572 | 98,055 | 392 | 71.8 | 67.3-76.3 | 180 | 28.2 | 23.7-32.7 |
| White/Non-Hisp | 465 | 78,299 | 324 | 71.6 | 66.3-76.9 | 141 | 28.4 | 23.1-33.7 |
| 45-54 | 107 | 18,804 | 73 | 72.3 | 62.9-81.7 | 34 | 27.7 | 18.3-37.1 |
| 65+ | 232 | 32,674 | 148 | 70.0 | 63.1-76.9 | 84 | 30.0 | 23.1-36.9 |
| H.S. or G.E.D. | 184 | 33,061 | 128 | 71.1 | 62.5-79.7 | 56 | 28.9 | 20.3-37.5 |
| Some Post-H.S. | 139 | 25,614 | 105 | 76.0 | 67.2-84.8 | 34 | 24.0 | 15.2-32.8 |
| College Graduate | 188 | 31,362 | 127 | 71.1 | 63.5-78.7 | 61 | 28.9 | 21.3-36.5 |
| \$35,000- 49,999 | 73 | 11,403 | 57 | 82.4 | 72.6-92.2 | 16 | 17.6 | 07.8-27.4 |
| \$75,000+ | 184 | 34,185 | 137 | 75.7 | 67.7-83.7 | 47 | 24.3 | 16.3-32.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 24: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 889 | 93,309 | 593 | 68.0 | 64.1-71.9 | 296 | 32.0 | 28.1-35.9 |
| White/Non-Hisp | 716 | 75,355 | 473 | 67.0 | 62.7-71.3 | 243 | 33.0 | 28.7-37.3 |
| Black or Afr. Am./Non-Hisp | 113 | 12,496 | 83 | 77.7 | 68.7-86.7 | 30 | 22.3 | 13.3-31.3 |
| 35-44 | 66 | 9,585 | 52 | 85.4 | 76.8-94.0 | 14 | 14.6 | 06.0-23.2 |
| 45-54 | 144 | 16,666 | 104 | 72.1 | 62.5-81.7 | 40 | 27.9 | 18.3-37.5 |
| 55-64 | 228 | 22,428 | 159 | 70.8 | 63.5-78.1 | 69 | 29.2 | 21.9-36.5 |
| 65+ | 422 | 40,515 | 259 | 61.3 | 55.6-67.0 | 163 | 38.7 | 33.0-44.4 |
| H.S. or G.E.D. | 349 | 36,137 | 219 | 67.0 | 60.7-73.3 | 130 | 33.0 | 26.7-39.3 |
| Some Post-H.S. | 233 | 24,875 | 161 | 66.7 | 58.9-74.5 | 72 | 33.3 | 25.5-41.1 |
| College Graduate | 219 | 24,678 | 150 | 69.3 | 61.9-76.7 | 69 | 30.7 | 23.3-38.1 |
| \$15,000- 24,999 | 163 | 13,470 | 108 | 65.6 | 56.4-74.8 | 55 | 34.4 | 25.2-43.6 |
| \$35,000- 49,999 | 125 | 13,967 | 90 | 74.7 | 65.5-83.9 | 35 | 25.3 | 16.1-34.5 |
| \$50,000- 74,999 | 93 | 10,389 | 71 | 80.7 | 71.3-90.1 | 22 | 19.3 | 09.9-28.7 |
| \$75,000+ | 140 | 18,042 | 103 | 73.4 | 64.0-82.8 | 37 | 26.6 | 17.2-36.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 25: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1468 | 192,750 | 1350 | 88.9 | 86.5-91.3 | 118 | 11.1 | 08.7-13.5 |
| Male | 573 | 98,561 | 514 | 87.0 | 83.1-90.9 | 59 | 13.0 | 09.1-16.9 |
| Female | 895 | 94,189 | 836 | 91.0 | 88.3-93.7 | 59 | 9.0 | 06.3-11.7 |
| White/Non-Hisp | 1188 | 155,210 | 1105 | 90.3 | 87.8-92.8 | 83 | 9.7 | 07.2-12.2 |
| Black or Afr. Am./Non-Hisp | 188 | 25,236 | 163 | 83.7 | 76.4-91.0 | 25 | 16.3 | 09.0-23.6 |
| 35-44 | 123 | 24,397 | 95 | 80.3 | 71.9-88.7 | 28 | 19.7 | 11.3-28.1 |
| 45-54 | 252 | 35,969 | 220 | 84.0 | 77.3-90.7 | 32 | 16.0 | 09.3-22.7 |
| 55-64 | 377 | 44,576 | 355 | 94.4 | 91.5-97.3 | 22 | 5.6 | 02.7-08.5 |
| 65+ | 656 | 73,325 | 640 | 97.0 | 95.4-98.6 | 16 | 3.0 | 01.4-04.6 |
| H.S. or G.E.D. | 537 | 69,860 | 497 | 90.1 | 86.4-93.8 | 40 | 9.9 | 06.2-13.6 |
| Some Post-H.S. | 375 | 50,742 | 346 | 88.9 | 84.2-93.6 | 29 | 11.1 | 06.4-15.8 |
| College Graduate | 407 | 56,041 | 369 | 88.0 | 83.5-92.5 | 38 | 12.0 | 07.5-16.5 |
| Less than \$15,000 | 203 | 24,641 | 191 | 91.7 | 86.0-97.4 | 12 | 8.3 | 02.6-14.0 |
| \$15,000- 24,999 | 210 | 19,515 | 194 | 89.3 | 83.4-95.2 | 16 | 10.7 | 04.8-16.6 |
| \$25,000- 34,999 | 154 | 20,585 | 140 | 87.5 | 80.1-94.9 | 14 | 12.5 | 05.1-19.9 |
| \$35,000- 49,999 | 200 | 25,460 | 187 | 89.7 | 82.8-96.6 | 13 | 10.3 | 03.4-17.2 |
| \$50,000- 74,999 | 178 | 27,179 | 149 | 81.8 | 73.4-90.2 | 29 | 18.2 | 09.8-26.6 |
| \$75,000+ | 324 | 52,226 | 299 | 89.9 | 85.2-94.6 | 25 | 10.1 | 05.4-14.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 26: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 573 | 98,561 | 514 | 87.0 | 83.1-90.9 | 59 | 13.0 | 09.1-16.9 |
| White/Non-Hisp | 467 | 78,996 | 427 | 89.2 | 85.3-93.1 | 40 | 10.8 | 06.9-14.7 |
| 45-54 | 107 | 18,804 | 89 | 80.3 | 70.3-90.3 | 18 | 19.7 | 09.7-29.7 |
| 55-64 | 145 | 21,868 | 135 | 93.8 | 89.1-98.5 | 10 | 6.2 | 01.5-10.9 |
| 65+ | 233 | 32,709 | 227 | 98.4 | 97.0-99.8 | 6 | 1.6 | 00.2-03.0 |
| H.S. or G.E.D. | 185 | 33,096 | 165 | 89.8 | 84.3-95.3 | 20 | 10.2 | 04.7-15.7 |
| Some Post-H.S. | 139 | 25,614 | 126 | 87.9 | 80.3-95.5 | 13 | 12.1 | 04.5-19.7 |
| College Graduate | 188 | 31,362 | 169 | 84.8 | 77.5-92.1 | 19 | 15.2 | 07.9-22.5 |
| Less than \$15,000 | 70 | 11,802 | 68 | 95.0 | 87.6-100.0 | 2 | 5.0 | 00.0-12.4 |
| \$25,000- 34,999 | 67 | 10,803 | 60 | 87.2 | 77.2-97.2 | 7 | 12.8 | 02.8-22.8 |
| \$75,000+ | 184 | 34,185 | 169 | 89.7 | 83.6-95.8 | 15 | 10.3 | 04.2-16.4 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 27: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 895 | 94,189 | 836 | 91.0 | 88.3-93.7 | 59 | 9.0 | 06.3-11.7 |
| White/Non-Hisp | 721 | 76,215 | 678 | 91.6 | 88.7-94.5 | 43 | 8.4 | 05.5-11.3 |
| Black or Afr. Am./Non-Hisp | 114 | 12,517 | 103 | 88.1 | 79.3-96.9 | 11 | 11.9 | 03.1-20.7 |
| 35-44 | 66 | 9,585 | 53 | 83.4 | 73.8-93.0 | 13 | 16.6 | 07.0-26.2 |
| 45-54 | 145 | 17,166 | 131 | 87.9 | 79.5-96.3 | 14 | 12.1 | 03.7-20.5 |
| 55-64 | 232 | 22,708 | 220 | 95.0 | 91.5-98.5 | 12 | 5.0 | 01.5-08.5 |
| 65+ | 423 | 40,616 | 413 | 95.9 | 93.2-98.6 | 10 | 4.1 | 01.4-06.8 |
| Less Than H.S. | 85 | 7,340 | 81 | 93.0 | 85.4-0100 | 4 | 7.0 | 00.0-14.6 |
| H.S. or G.E.D. | 352 | 36,764 | 332 | 90.5 | 85.6-95.4 | 20 | 9.5 | 04.6-14.4 |
| Some Post-H.S. | 236 | 25,128 | 220 | 90.0 | 84.3-95.7 | 16 | 10.0 | 04.3-15.7 |
| College Graduate | 219 | 24,678 | 200 | 92.0 | 87.7-96.3 | 19 | 8.0 | 03.7-12.3 |
| Less than \$15,000 | 133 | 12,839 | 123 | 88.8 | 80.4-97.2 | 10 | 11.2 | 02.8-19.6 |
| \$15,000- 24,999 | 163 | 13,564 | 154 | 90.6 | 83.5-97.7 | 9 | 9.4 | 02.3-16.5 |
| \$35,000- 49,999 | 127 | 14,057 | 121 | 91.8 | 85.1-98.5 | 6 | 8.2 | 01.5-14.9 |
| \$50,000- 74,999 | 93 | 10,389 | 80 | 89.0 | 81.7-96.3 | 13 | 11.0 | 03.7-18.3 |
| \$75,000+ | 140 | 18,042 | 130 | 90.3 | 82.9-97.7 | 10 | 9.7 | 02.3-17.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 28: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | Yes, during pregnancy | | | No | | | Told Borderline, pre-hypertensive | | |
|----------------------------|-------------------|----------|------|------|------------|-----------------------|-----|------------|-----|------|------------|-----------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1451 | 190,747 | 1157 | 76.9 | 73.8-80.0 | 3 | 0.3 | 00.0-00.7 | 280 | 21.9 | 19.0-24.8 | 11 | 0.8 | 00.2-01.4 |
| Male | 566 | 97,652 | 445 | 74.2 | 69.3-79.1 | | | | 115 | 24.7 | 19.8-29.6 | 6 | 1.1 | 00.1-02.1 |
| Female | 885 | 93,095 | 712 | 79.8 | 76.3-83.3 | 3 | 0.6 | 00.0-01.4 | 165 | 19.0 | 15.7-22.3 | 5 | 0.6 | 00.0-01.2 |
| White/Non-Hisp | 1173 | 153,350 | 939 | 77.3 | 74.0-80.6 | 1 | 0.1 | 00.0-00.3 | 223 | 21.6 | 18.3-24.9 | 10 | 1.0 | 00.2-01.8 |
| Black or Afr. Am./Non-Hisp | 186 | 25,093 | 148 | 79.5 | 71.9-87.1 | 2 | 1.5 | 00.0-04.0 | 35 | 18.7 | 11.4-26.0 | 1 | 0.3 | 00.0-00.9 |
| 35-44 | 123 | 24,397 | | | | 2 | 2.2 | 00.0-05.3 | | | | 2 | 1.2 | 00.0-03.0 |
| 45-54 | 251 | 35,858 | 190 | 76.1 | 69.4-82.8 | | | | 58 | 22.7 | 16.0-29.4 | 3 | 1.2 | 00.0-02.8 |
| 55-64 | 374 | 44,050 | 320 | 84.2 | 78.9-89.5 | | | | 53 | 15.5 | 10.2-20.8 | 1 | 0.3 | 00.0-00.9 |
| 65+ | 645 | 72,102 | 525 | 80.8 | 76.9-84.7 | | | | 116 | 18.5 | 14.6-22.4 | 4 | 0.7 | 00.0-01.7 |
| H.S. or G.E.D. | 529 | 68,899 | 413 | 78.3 | 73.4-83.2 | 1 | 0.1 | 00.0-00.3 | 115 | 21.6 | 16.7-26.5 | | | |
| Some Post-H.S. | 371 | 50,279 | 294 | 72.6 | 66.1-79.1 | 2 | 1.1 | 00.0-02.7 | 70 | 24.8 | 18.3-31.3 | 5 | 1.5 | 00.0-03.1 |
| College Graduate | 403 | 55,535 | 325 | 78.5 | 73.2-83.8 | | | | 72 | 19.9 | 14.8-25.0 | 6 | 1.5 | 00.1-02.9 |
| Less than \$15,000 | 199 | 24,284 | 159 | 78.7 | 70.9-86.5 | 1 | 0.3 | 00.0-00.9 | 38 | 20.9 | 13.1-28.7 | 1 | 0.1 | 00.0-00.3 |
| \$15,000- 24,999 | 210 | 19,481 | 170 | 79.3 | 72.0-86.6 | | | | 40 | 20.7 | 13.4-28.0 | | | |
| \$25,000- 34,999 | 152 | 20,426 | 121 | 75.0 | 65.6-84.4 | | | | 30 | 24.6 | 15.2-34.0 | 1 | 0.3 | 00.0-00.9 |
| \$35,000- 49,999 | 199 | 25,414 | 166 | 83.4 | 76.1-90.7 | 1 | 1.3 | 00.0-03.8 | 31 | 14.9 | 07.8-22.0 | 1 | 0.4 | 00.0-01.2 |
| \$50,000- 74,999 | 177 | 27,068 | 137 | 73.2 | 63.6-82.8 | | | | 36 | 23.9 | 14.5-33.3 | 4 | 2.9 | 00.2-05.6 |
| \$75,000+ | 320 | 51,397 | 259 | 76.1 | 69.6-82.6 | 1 | 0.4 | 00.0-01.2 | 58 | 23.1 | 16.6-29.6 | 2 | 0.3 | 00.0-00.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2007
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 29: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Told Borderline, pre-hypertensive | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|-----------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 566 | 97,652 | 445 | 74.2 | 69.3-79.1 | 115 | 24.7 | 19.8-29.6 | 6 | 1.1 | 00.1-02.1 |
| White/Non-Hisp | 460 | 78,086 | 362 | 74.4 | 68.9-79.9 | 93 | 24.3 | 18.8-29.8 | 5 | 1.3 | 00.1-02.5 |
| Black or Afr. Am./Non-Hisp | 74 | 12,720 | | | | | | | 1 | 0.5 | 00.0-01.5 |
| 35-44 | 57 | 14,813 | | | | | | | 1 | 1.3 | 00.0-03.8 |
| 45-54 | 107 | 18,804 | 75 | 74.3 | 64.7-83.9 | 30 | 24.6 | 15.0-34.2 | 2 | 1.1 | 00.0-02.7 |
| 55-64 | 143 | 21,397 | 122 | 82.4 | 73.2-91.6 | 20 | 17.0 | 07.8-26.2 | 1 | 0.6 | 00.0-01.8 |
| 65+ | 228 | 32,270 | 193 | 82.0 | 75.3-88.7 | 34 | 17.1 | 10.6-23.6 | 1 | 1.0 | 00.0-03.0 |
| H.S. or G.E.D. | 182 | 32,836 | 143 | 77.7 | 69.5-85.9 | 39 | 22.3 | 14.1-30.5 | | | |
| Some Post-H.S. | 137 | 25,308 | | | | | | | 1 | 1.2 | 00.0-03.6 |
| College Graduate | 187 | 31,093 | 151 | 76.7 | 68.9-84.5 | 31 | 20.9 | 13.3-28.5 | 5 | 2.4 | 00.0-04.8 |
| \$50,000- 74,999 | 85 | 16,789 | | | | | | | 3 | 3.3 | 00.0-07.0 |
| \$75,000+ | 182 | 33,713 | 142 | 72.9 | 64.3-81.5 | 39 | 26.9 | 18.3-35.5 | 1 | 0.2 | 00.0-00.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 30: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | Yes, during pregnancy | | | No | | | Told Borderline, pre-hypertensive | | |
|----------------------------|-------------------|----------|-----|------|------------|-----------------------|-----|------------|-----|------|------------|-----------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 885 | 93,095 | 712 | 79.8 | 76.3-83.3 | 3 | 0.6 | 00.0-01.4 | 165 | 19.0 | 15.7-22.3 | 5 | 0.6 | 00.0-01.2 |
| White/Non-Hisp | 713 | 75,264 | 577 | 80.3 | 76.4-84.2 | 1 | 0.3 | 00.0-00.9 | 130 | 18.7 | 15.0-22.4 | 5 | 0.7 | 00.0-01.5 |
| Black or Afr. Am./Non-Hisp | 112 | 12,374 | | | | 2 | 3.1 | 00.0-08.2 | 20 | 17.1 | 07.9-26.3 | | | |
| 35-44 | 66 | 9,585 | | | | 2 | 5.6 | 00.0-13.2 | | | | 1 | 1.0 | 00.0-03.0 |
| 45-54 | 144 | 17,055 | 115 | 78.1 | 68.7-87.5 | | | | 28 | 20.6 | 11.4-29.8 | 1 | 1.3 | 00.0-03.8 |
| 55-64 | 231 | 22,653 | 198 | 86.0 | 80.5-91.5 | | | | 33 | 14.0 | 08.5-19.5 | | | |
| 65+ | 417 | 39,832 | 332 | 79.8 | 74.9-84.7 | | | | 82 | 19.7 | 14.8-24.6 | 3 | 0.5 | 00.0-01.1 |
| H.S. or G.E.D. | 347 | 36,063 | 270 | 78.8 | 73.3-84.3 | 1 | 0.2 | 00.0-00.6 | 76 | 21.0 | 15.5-26.5 | | | |
| Some Post-H.S. | 234 | 24,971 | 194 | 79.6 | 72.3-86.9 | 2 | 2.1 | 00.0-05.0 | 34 | 16.5 | 09.6-23.4 | 4 | 1.7 | 00.0-03.7 |
| College Graduate | 216 | 24,442 | 174 | 80.8 | 74.3-87.3 | | | | 41 | 18.8 | 12.3-25.3 | 1 | 0.4 | 00.0-01.2 |
| Less than \$15,000 | 132 | 12,742 | 105 | 78.0 | 68.4-87.6 | 1 | 0.5 | 00.0-01.5 | 25 | 21.2 | 11.6-30.8 | 1 | 0.3 | 00.0-00.9 |
| \$15,000- 24,999 | 164 | 13,633 | 133 | 78.9 | 70.7-87.1 | | | | 31 | 21.1 | 12.9-29.3 | | | |
| \$25,000- 34,999 | 85 | 9,623 | | | | | | | | | | 1 | 0.7 | 00.0-02.1 |
| \$35,000- 49,999 | 126 | 14,011 | 105 | 84.5 | 76.5-92.5 | 1 | 2.3 | 00.0-06.8 | 19 | 12.5 | 05.4-19.6 | 1 | 0.7 | 00.0-02.1 |
| \$50,000- 74,999 | 92 | 10,278 | 74 | 83.0 | 74.2-91.8 | | | | 17 | 14.8 | 06.8-22.8 | 1 | 2.2 | 00.0-06.3 |
| \$75,000+ | 138 | 17,684 | 117 | 82.4 | 73.6-91.2 | 1 | 1.2 | 00.0-03.6 | 19 | 15.8 | 07.2-24.4 | 1 | 0.6 | 00.0-01.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007

MODULE 9: WOMENS HEALTH CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| 1 A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY | 73 |
| 2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY | 74 |
| 3 A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY | 75 |
| 4 HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY | 76 |
| 5 A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY | 77 |
| 6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY | 78 |
| 7 HAVE YOU HAD A HYSTERECTOMY? A HYSTERECTOMY IS AN OPERATION TO REMOVE THE UTERUS (WOMB). (HADHYST2) FEMALES ONLY | 79 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 9: WOMENS HEALTH**

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2470 | 343,182 | 1968 | 68.8 | 65.9-71.7 | 502 | 31.2 | 28.3-34.1 |
| White/Non-Hisp | 1991 | 266,613 | 1627 | 72.3 | 69.2-75.4 | 364 | 27.7 | 24.6-30.8 |
| Black or Afr. Am./Non-Hisp | 292 | 43,977 | 215 | 60.1 | 50.9-69.3 | 77 | 39.9 | 30.7-49.1 |
| 18-24 | 95 | 41,571 | 19 | 18.4 | 09.2-27.6 | 76 | 81.6 | 72.4-90.8 |
| 25-34 | 258 | 56,867 | 44 | 19.1 | 12.0-26.2 | 214 | 80.9 | 73.8-88.0 |
| 35-44 | 440 | 63,613 | 299 | 69.3 | 64.2-74.4 | 141 | 30.7 | 25.6-35.8 |
| 45-54 | 482 | 62,748 | 447 | 92.6 | 89.7-95.5 | 35 | 7.4 | 04.5-10.3 |
| 55-64 | 492 | 50,301 | 477 | 96.9 | 94.9-98.9 | 15 | 3.1 | 01.1-05.1 |
| 65+ | 684 | 66,004 | 663 | 97.7 | 96.5-98.9 | 21 | 2.3 | 01.1-03.5 |
| Less Than H.S. | 161 | 17,645 | 133 | 75.6 | 66.0-85.2 | 28 | 24.4 | 14.8-34.0 |
| H.S. or G.E.D. | 823 | 112,041 | 665 | 71.0 | 65.5-76.5 | 158 | 29.0 | 23.5-34.5 |
| Some Post-H.S. | 678 | 99,672 | 538 | 65.6 | 59.5-71.7 | 140 | 34.4 | 28.3-40.5 |
| College Graduate | 805 | 113,546 | 629 | 68.3 | 63.8-72.8 | 176 | 31.7 | 27.2-36.2 |
| Less than \$15,000 | 278 | 30,729 | 229 | 73.7 | 65.3-82.1 | 49 | 26.3 | 17.9-34.7 |
| \$15,000- 24,999 | 298 | 30,889 | 250 | 75.4 | 66.2-84.6 | 48 | 24.6 | 15.4-33.8 |
| \$35,000- 49,999 | 365 | 50,627 | 277 | 66.3 | 58.7-73.9 | 88 | 33.7 | 26.1-41.3 |
| \$50,000- 74,999 | 367 | 52,828 | 278 | 63.5 | 55.9-71.1 | 89 | 36.5 | 28.9-44.1 |
| \$75,000+ | 598 | 97,281 | 457 | 66.8 | 61.3-72.3 | 141 | 33.2 | 27.7-38.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 9: WOMENS HEALTH**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-12 months | | | 1-2 years | | | 2-3 years | | | 3-5 years | | | More than 5 years | | |
|----------------------------|-------------------|----------|-------------|------|------------|-----------|------|------------|-----------|-----|------------|-----------|-----|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1963 | 235,636 | 1421 | 71.3 | 68.6-74.0 | 266 | 13.8 | 11.8-15.8 | 96 | 5.3 | 03.9-06.7 | 87 | 4.7 | 03.1-06.3 | 93 | 4.9 | 03.3-06.5 |
| White/Non-Hisp | 1622 | 192,230 | 1182 | 72.7 | 69.8-75.6 | 209 | 12.3 | 10.3-14.3 | 79 | 5.1 | 03.7-06.5 | 74 | 4.7 | 02.9-06.5 | 78 | 5.3 | 03.5-07.1 |
| Black or Afr. Am./Non-Hisp | 215 | 26,424 | 151 | 66.4 | 58.0-74.8 | 38 | 19.8 | 12.7-26.9 | 7 | 4.7 | 00.0-09.4 | 7 | 5.2 | 00.9-09.5 | 12 | 3.9 | 01.4-06.4 |
| 35-44 | 299 | 44,098 | 185 | 65.1 | 58.8-71.4 | 51 | 16.2 | 11.3-21.1 | 26 | 8.6 | 04.9-12.3 | 18 | 5.3 | 02.6-08.0 | 19 | 4.8 | 02.4-07.2 |
| 45-54 | 446 | 58,113 | 331 | 73.5 | 68.2-78.8 | 57 | 12.3 | 08.4-16.2 | 20 | 4.5 | 02.1-06.9 | 26 | 5.7 | 03.0-08.4 | 12 | 3.9 | 01.4-06.4 |
| 55-64 | 477 | 48,735 | 356 | 74.9 | 69.8-80.0 | 68 | 15.0 | 10.7-19.3 | 20 | 4.2 | 01.8-06.6 | 15 | 3.1 | 00.9-05.3 | 18 | 2.7 | 01.3-04.1 |
| 65+ | 659 | 64,082 | 502 | 77.4 | 73.5-81.3 | 73 | 10.9 | 08.0-13.8 | 26 | 4.3 | 02.1-06.5 | 20 | 2.1 | 00.9-03.3 | 38 | 5.4 | 03.4-07.4 |
| Less Than H.S. | 133 | 13,334 | | | | | | | 9 | 6.1 | 01.2-11.0 | 12 | 9.3 | 02.8-15.8 | 14 | 10.9 | 04.8-17.0 |
| H.S. or G.E.D. | 663 | 79,382 | 468 | 71.0 | 66.3-75.7 | 102 | 15.4 | 11.7-19.1 | 32 | 4.7 | 02.3-07.1 | 25 | 3.8 | 01.8-05.8 | 36 | 5.2 | 03.0-07.4 |
| Some Post-H.S. | 537 | 65,142 | 383 | 68.6 | 62.7-74.5 | 80 | 14.8 | 11.1-18.5 | 30 | 5.5 | 03.1-07.9 | 24 | 5.9 | 01.8-10.0 | 20 | 5.2 | 01.3-09.1 |
| College Graduate | 627 | 77,500 | 488 | 76.5 | 72.2-80.8 | 66 | 10.8 | 07.7-13.9 | 25 | 5.5 | 03.1-07.9 | 26 | 3.8 | 02.0-05.6 | 22 | 3.4 | 01.6-05.2 |
| Less than \$15,000 | 229 | 22,645 | 147 | 65.6 | 57.4-73.8 | 44 | 19.6 | 12.7-26.5 | 13 | 7.8 | 02.7-12.9 | 12 | 2.8 | 00.6-05.0 | 13 | 4.2 | 01.5-06.9 |
| \$15,000- 24,999 | 249 | 23,215 | 158 | 59.5 | 51.5-67.5 | 43 | 19.5 | 12.8-26.2 | 12 | 7.4 | 01.9-12.9 | 14 | 5.6 | 01.7-09.5 | 22 | 8.0 | 04.5-11.5 |
| \$25,000- 34,999 | 166 | 18,082 | | | | | | | 14 | 5.8 | 02.5-09.1 | 6 | 3.0 | 00.6-05.4 | 11 | 8.5 | 03.0-14.0 |
| \$35,000- 49,999 | 276 | 33,498 | 202 | 68.0 | 59.6-76.4 | 40 | 14.4 | 08.9-19.9 | 11 | 5.3 | 01.6-09.0 | 12 | 8.0 | 00.6-15.4 | 11 | 4.2 | 01.5-06.9 |
| \$50,000- 74,999 | 277 | 33,517 | 189 | 69.9 | 63.2-76.6 | 47 | 16.8 | 11.3-22.3 | 15 | 5.3 | 02.2-08.4 | 20 | 6.5 | 03.4-09.6 | 6 | 1.5 | 00.0-03.1 |
| \$75,000+ | 457 | 64,939 | 366 | 79.0 | 74.3-83.7 | 46 | 10.3 | 06.8-13.8 | 19 | 4.3 | 01.9-06.7 | 13 | 3.0 | 01.0-05.0 | 13 | 3.4 | 01.2-05.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 9: WOMENS HEALTH**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2466 | 342,635 | 2301 | 91.5 | 89.5-93.5 | 165 | 8.5 | 06.5-10.5 |
| White/Non-Hisp | 1989 | 266,298 | 1865 | 93.1 | 91.3-94.9 | 124 | 6.9 | 05.1-08.7 |
| Black or Afr. Am./Non-Hisp | 291 | 43,814 | 266 | 81.0 | 71.2-90.8 | 25 | 19.0 | 09.2-28.8 |
| Oth. Race/Non-Hisp. | 55 | 9,898 | 49 | 92.6 | 85.7-99.5 | 6 | 7.4 | 00.5-14.3 |
| MultiRacial/Non-Hisp. | 59 | 9,083 | 55 | 93.9 | 87.0-0100 | 4 | 6.1 | 00.0-13.0 |
| Hispanic | 53 | 11,511 | 48 | 90.7 | 82.1-99.3 | 5 | 9.3 | 00.7-17.9 |
| 25-34 | 258 | 56,867 | 249 | 96.5 | 93.8-99.2 | 9 | 3.5 | 00.8-06.2 |
| 35-44 | 440 | 63,613 | 426 | 96.5 | 94.5-98.5 | 14 | 3.5 | 01.5-05.5 |
| 45-54 | 482 | 62,748 | 470 | 97.5 | 95.7-99.3 | 12 | 2.5 | 00.7-04.3 |
| 55-64 | 491 | 50,138 | 467 | 95.3 | 93.1-97.5 | 24 | 4.7 | 02.5-06.9 |
| 65+ | 681 | 65,620 | 597 | 86.9 | 83.8-90.0 | 84 | 13.1 | 10.0-16.2 |
| Less Than H.S. | 160 | 17,576 | 131 | 79.5 | 71.5-87.5 | 29 | 20.5 | 12.5-28.5 |
| H.S. or G.E.D. | 821 | 111,808 | 742 | 84.7 | 79.8-89.6 | 79 | 15.3 | 10.4-20.2 |
| Some Post-H.S. | 677 | 99,426 | 644 | 94.6 | 91.5-97.7 | 33 | 5.4 | 02.3-08.5 |
| College Graduate | 805 | 113,546 | 782 | 97.3 | 95.9-98.7 | 23 | 2.7 | 01.3-04.1 |
| Less than \$15,000 | 278 | 30,729 | 249 | 85.2 | 77.9-92.5 | 29 | 14.8 | 07.5-22.1 |
| \$15,000- 24,999 | 297 | 30,819 | 257 | 79.9 | 70.9-88.9 | 40 | 20.1 | 11.1-29.1 |
| \$25,000- 34,999 | 212 | 29,048 | 192 | 88.2 | 79.8-96.6 | 20 | 11.8 | 03.4-20.2 |
| \$35,000- 49,999 | 365 | 50,627 | 350 | 96.1 | 93.7-98.5 | 15 | 3.9 | 01.5-06.3 |
| \$50,000- 74,999 | 367 | 52,828 | 358 | 97.5 | 95.5-99.5 | 9 | 2.5 | 00.5-04.5 |
| \$75,000+ | 598 | 97,281 | 583 | 95.7 | 92.2-99.2 | 15 | 4.3 | 00.8-07.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 9: WOMENS HEALTH**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a clinical breast exam.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-12 months | | | 1-2 years | | | 2-3 years | | | 3-5 years | | | More than 5 years | | |
|----------------------------|-------------------|----------|-------------|------|------------|-----------|------|------------|-----------|-----|------------|-----------|-----|------------|-------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2293 | 312,616 | 1753 | 78.2 | 75.8-80.6 | 286 | 11.5 | 09.7-13.3 | 100 | 4.5 | 03.3-05.7 | 71 | 3.1 | 01.9-04.3 | 83 | 2.7 | 01.9-03.5 |
| White/Non-Hisp | 1860 | 247,409 | 1405 | 77.7 | 75.2-80.2 | 240 | 12.3 | 10.3-14.3 | 80 | 4.2 | 03.0-05.4 | 65 | 3.0 | 02.0-04.0 | 70 | 2.8 | 02.0-03.6 |
| Black or Afr. Am./Non-Hisp | 263 | 35,204 | 215 | 82.5 | 76.8-88.2 | 28 | 9.8 | 05.5-14.1 | 7 | 2.9 | 00.4-05.4 | 2 | 0.7 | 00.0-01.9 | 11 | 4.2 | 01.3-07.1 |
| MultiRacial/Non-Hisp. | 55 | 8,526 | | | | | | | | | | 2 | 4.2 | 00.0-11.6 | 1 | 1.3 | 00.0-03.8 |
| 18-24 | 72 | 28,940 | | | | | | | 2 | 3.7 | 00.0-09.8 | 2 | 5.2 | 00.0-13.4 | | | |
| 25-34 | 248 | 54,691 | 204 | 84.1 | 78.8-89.4 | 31 | 10.1 | 06.0-14.2 | 6 | 2.4 | 00.0-04.8 | 4 | 2.5 | 00.0-05.0 | 3 | 0.9 | 00.0-02.1 |
| 35-44 | 426 | 61,401 | 331 | 78.9 | 74.2-83.6 | 59 | 13.1 | 09.2-17.0 | 14 | 3.5 | 01.3-05.7 | 7 | 1.5 | 00.1-02.9 | 15 | 3.1 | 01.3-04.9 |
| 45-54 | 470 | 61,192 | 358 | 75.1 | 70.0-80.2 | 49 | 10.4 | 06.9-13.9 | 21 | 5.6 | 02.7-08.5 | 23 | 5.3 | 02.6-08.0 | 19 | 3.6 | 01.4-05.8 |
| 55-64 | 467 | 47,756 | 356 | 79.5 | 75.2-83.8 | 51 | 8.9 | 06.2-11.6 | 27 | 5.6 | 03.1-08.1 | 15 | 3.0 | 01.0-05.0 | 18 | 3.0 | 01.2-04.8 |
| 65+ | 591 | 56,555 | 433 | 73.6 | 69.1-78.1 | 84 | 14.3 | 10.8-17.8 | 29 | 5.9 | 03.2-08.6 | 18 | 1.9 | 00.9-02.9 | 27 | 4.3 | 02.1-06.5 |
| Less Than H.S. | 129 | 13,782 | | | | 10 | 5.8 | 02.1-09.5 | | | | 8 | 6.5 | 00.8-12.2 | 6 | 3.8 | 00.3-07.3 |
| H.S. or G.E.D. | 740 | 94,420 | 527 | 74.1 | 69.8-78.4 | 102 | 11.5 | 09.0-14.0 | 37 | 4.3 | 02.5-06.1 | 27 | 5.0 | 01.9-08.1 | 47 | 5.1 | 03.1-07.1 |
| Some Post-H.S. | 642 | 93,790 | 509 | 81.0 | 76.7-85.3 | 77 | 11.0 | 07.3-14.7 | 29 | 5.0 | 02.8-07.2 | 14 | 1.9 | 00.5-03.3 | 13 | 1.1 | 00.3-01.9 |
| College Graduate | 780 | 110,373 | 620 | 79.9 | 76.4-83.4 | 97 | 12.6 | 09.7-15.5 | 25 | 3.4 | 01.8-05.0 | 22 | 2.2 | 01.0-03.4 | 16 | 1.9 | 00.7-03.1 |
| Less than \$15,000 | 247 | 26,028 | 178 | 76.6 | 70.1-83.1 | 37 | 12.2 | 07.7-16.7 | 10 | 4.7 | 01.0-08.4 | 7 | 1.8 | 00.0-03.6 | 15 | 4.7 | 01.6-07.8 |
| \$15,000- 24,999 | 252 | 23,961 | 179 | 74.9 | 68.2-81.6 | 33 | 13.5 | 08.0-19.0 | 10 | 4.3 | 01.0-07.6 | 8 | 1.9 | 00.3-03.5 | 22 | 5.4 | 02.9-07.9 |
| \$25,000- 34,999 | 192 | 25,630 | 147 | 78.5 | 69.7-87.3 | 17 | 5.7 | 02.6-08.8 | 14 | 8.3 | 00.9-15.7 | 5 | 2.2 | 00.2-04.2 | 9 | 5.3 | 01.0-09.6 |
| \$35,000- 49,999 | 349 | 48,586 | 265 | 76.6 | 70.1-83.1 | 50 | 12.0 | 08.1-15.9 | 11 | 3.3 | 00.9-05.7 | 12 | 4.9 | 00.0-10.0 | 11 | 3.3 | 00.9-05.7 |
| \$50,000- 74,999 | 358 | 51,521 | 262 | 72.0 | 65.1-78.9 | 57 | 18.3 | 11.6-25.0 | 16 | 4.1 | 01.7-06.5 | 16 | 4.3 | 01.8-06.8 | 7 | 1.2 | 00.0-02.4 |
| \$75,000+ | 583 | 93,088 | 476 | 82.4 | 78.5-86.3 | 65 | 10.5 | 07.6-13.4 | 23 | 3.9 | 01.9-05.9 | 13 | 2.2 | 00.6-03.8 | 6 | 1.0 | 00.0-02.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 9: WOMENS HEALTH**

**TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|----|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| Female | 2466 | 342,809 | 2394 | 95.1 | 93.3-96.9 | 72 | 4.9 | 03.1-06.7 | |
| White/Non-Hisp | 1989 | 266,507 | 1936 | 96.5 | 94.9-98.1 | 53 | 3.5 | 01.9-05.1 | |
| Black or Afr. Am./Non-Hisp | 290 | 43,710 | 280 | 87.6 | 78.0-97.2 | 10 | 12.4 | 02.8-22.0 | |
| Oth. Race/Non-Hisp. | 56 | 9,968 | 52 | 92.1 | 82.9-0100 | 4 | 7.9 | 00.0-17.1 | |
| MultiRacial/Non-Hisp. | 59 | 9,083 | 56 | 94.0 | 86.9-0100 | 3 | 6.0 | 00.0-13.1 | |
| Hispanic | 53 | 11,511 | 51 | 95.3 | 88.6-0100 | 2 | 4.7 | 00.0-11.4 | |
| 25-34 | 258 | 56,867 | 254 | 98.7 | 97.3-0100 | 4 | 1.3 | 00.0-02.7 | |
| 35-44 | 440 | 63,613 | 436 | 98.7 | 97.1-0100 | 4 | 1.3 | 00.0-02.9 | |
| 45-54 | 482 | 62,748 | 477 | 98.9 | 97.9-99.9 | 5 | 1.1 | 00.1-02.1 | |
| 55-64 | 491 | 50,138 | 490 | 99.7 | 99.1-0100 | 1 | 0.3 | 00.0-00.9 | |
| 65+ | 681 | 65,794 | 645 | 95.5 | 93.7-97.3 | 36 | 4.5 | 02.7-06.3 | |
| Less Than H.S. | 159 | 17,472 | 149 | 94.1 | 90.0-98.2 | 10 | 5.9 | 01.8-10.0 | |
| H.S. or G.E.D. | 821 | 111,841 | 782 | 90.5 | 85.8-95.2 | 39 | 9.5 | 04.8-14.2 | |
| Some Post-H.S. | 678 | 99,672 | 661 | 96.2 | 93.1-99.3 | 17 | 3.8 | 00.7-06.9 | |
| College Graduate | 805 | 113,546 | 799 | 99.0 | 98.0-0100 | 6 | 1.0 | 00.0-02.0 | |
| Less than \$15,000 | 278 | 30,729 | 265 | 92.9 | 86.8-99.0 | 13 | 7.1 | 01.0-13.2 | |
| \$15,000- 24,999 | 297 | 30,784 | 285 | 90.7 | 82.1-99.3 | 12 | 9.3 | 00.7-17.9 | |
| \$25,000- 34,999 | 212 | 29,048 | 208 | 94.8 | 86.8-0100 | 4 | 5.2 | 00.0-13.2 | |
| \$35,000- 49,999 | 365 | 50,627 | 358 | 97.6 | 95.1-0100 | 7 | 2.4 | 00.0-04.9 | |
| \$50,000- 74,999 | 367 | 52,828 | 365 | 99.4 | 98.4-0100 | 2 | 0.6 | 00.0-01.6 | |
| \$75,000+ | 598 | 97,281 | 588 | 96.3 | 93.0-99.6 | 10 | 3.7 | 00.4-07.0 | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 9: WOMENS HEALTH**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-12 months | | | 1-2 years | | | 2-3 years | | | 3-5 years | | | More than 5 years | | |
|----------------------------|-------------------|----------|-------------|------|------------|-----------|------|------------|-----------|-----|------------|-----------|-----|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2381 | 325,064 | 1566 | 69.9 | 67.4-72.4 | 331 | 13.5 | 11.5-15.5 | 147 | 4.8 | 03.8-05.8 | 101 | 3.8 | 02.8-04.8 | 236 | 8.0 | 06.8-09.2 |
| White/Non-Hisp | 1927 | 256,534 | 1228 | 68.2 | 65.5-70.9 | 278 | 13.8 | 11.6-16.0 | 124 | 5.0 | 03.8-06.2 | 88 | 4.0 | 03.0-05.0 | 209 | 8.9 | 07.3-10.5 |
| Black or Afr. Am./Non-Hisp | 278 | 38,187 | 207 | 74.1 | 67.4-80.8 | 31 | 13.0 | 07.5-18.5 | 11 | 3.9 | 01.2-06.6 | 8 | 2.8 | 00.4-05.2 | 21 | 6.2 | 03.3-09.1 |
| Oth. Race/Non-Hisp. | 52 | 9,179 | | | | 4 | 5.0 | 00.0-10.7 | 3 | 3.9 | 00.0-09.0 | | | | 1 | 1.0 | 00.0-03.0 |
| MultiRacial/Non-Hisp. | 54 | 8,168 | | | | 8 | 10.3 | 01.7-18.9 | 8 | 9.3 | 01.5-17.1 | 1 | 0.9 | 00.0-02.7 | 4 | 6.5 | 00.0-13.8 |
| Hispanic | 51 | 10,965 | | | | | | | 1 | 0.4 | 00.0-01.2 | 1 | 0.6 | 00.0-01.8 | | | |
| 18-24 | 73 | 30,254 | | | | | | | 2 | 1.5 | 00.0-03.7 | 2 | 1.7 | 00.0-04.1 | | | |
| 25-34 | 254 | 56,135 | 206 | 81.4 | 75.5-87.3 | 34 | 12.8 | 07.7-17.9 | 6 | 2.0 | 00.2-03.8 | 6 | 3.2 | 00.5-05.9 | 2 | 0.7 | 00.0-01.7 |
| 35-44 | 436 | 62,763 | 337 | 78.1 | 73.4-82.8 | 52 | 11.5 | 07.8-15.2 | 15 | 2.7 | 01.1-04.3 | 11 | 2.7 | 00.9-04.5 | 21 | 5.0 | 02.5-07.5 |
| 45-54 | 476 | 61,752 | 336 | 70.5 | 65.2-75.8 | 56 | 11.2 | 07.7-14.7 | 26 | 6.3 | 03.4-09.2 | 20 | 4.6 | 02.2-07.0 | 38 | 7.4 | 04.5-10.3 |
| 55-64 | 489 | 49,906 | 304 | 63.9 | 58.4-69.4 | 70 | 14.2 | 10.3-18.1 | 37 | 6.6 | 03.9-09.3 | 23 | 4.2 | 02.0-06.4 | 55 | 11.3 | 07.6-15.0 |
| 65+ | 634 | 62,175 | 310 | 49.5 | 44.8-54.2 | 111 | 17.9 | 14.4-21.4 | 57 | 7.8 | 05.4-10.2 | 38 | 5.4 | 03.2-07.6 | 118 | 19.5 | 15.6-23.4 |
| Less Than H.S. | 145 | 16,215 | 84 | 64.1 | 54.1-74.1 | 15 | 7.7 | 03.4-12.0 | 17 | 7.8 | 03.3-12.3 | 10 | 8.3 | 02.4-14.2 | 19 | 12.1 | 06.0-18.2 |
| H.S. or G.E.D. | 778 | 100,959 | 467 | 63.5 | 58.8-68.2 | 117 | 15.1 | 11.4-18.8 | 54 | 4.9 | 03.1-06.7 | 32 | 4.2 | 02.4-06.0 | 108 | 12.3 | 09.4-15.2 |
| Some Post-H.S. | 658 | 95,378 | 444 | 72.1 | 67.2-77.0 | 85 | 13.0 | 08.9-17.1 | 46 | 6.1 | 03.9-08.3 | 31 | 3.6 | 02.0-05.2 | 52 | 5.1 | 03.3-06.9 |
| College Graduate | 797 | 112,232 | 570 | 74.6 | 70.9-78.3 | 114 | 13.5 | 10.6-16.4 | 30 | 3.1 | 01.7-04.5 | 27 | 3.0 | 01.4-04.6 | 56 | 5.8 | 04.0-07.6 |
| Less than \$15,000 | 264 | 28,467 | 152 | 63.7 | 56.4-71.0 | 41 | 14.5 | 09.4-19.6 | 24 | 7.8 | 03.7-11.9 | 11 | 2.9 | 00.7-05.1 | 36 | 11.1 | 06.8-15.4 |
| \$15,000- 24,999 | 282 | 27,716 | 163 | 60.1 | 52.7-67.5 | 42 | 14.7 | 09.0-20.4 | 20 | 7.4 | 03.3-11.5 | 12 | 3.4 | 00.7-06.1 | 45 | 14.3 | 09.4-19.2 |
| \$25,000- 34,999 | 207 | 27,475 | 133 | 70.9 | 62.5-79.3 | 25 | 9.2 | 04.5-13.9 | 13 | 4.2 | 01.3-07.1 | 7 | 3.5 | 00.6-06.4 | 29 | 12.2 | 06.7-17.7 |
| \$35,000- 49,999 | 358 | 49,395 | 232 | 67.8 | 60.9-74.7 | 59 | 16.4 | 10.5-22.3 | 21 | 4.9 | 02.4-07.4 | 14 | 3.9 | 01.4-06.4 | 32 | 7.0 | 04.1-09.9 |
| \$50,000- 74,999 | 365 | 52,497 | 247 | 68.8 | 61.9-75.7 | 50 | 15.9 | 09.4-22.4 | 19 | 4.5 | 02.0-07.0 | 27 | 6.4 | 03.5-09.3 | 22 | 4.4 | 02.2-06.6 |
| \$75,000+ | 587 | 93,345 | 443 | 77.2 | 72.9-81.5 | 75 | 12.0 | 08.7-15.3 | 26 | 3.6 | 01.8-05.4 | 14 | 2.3 | 00.7-03.9 | 29 | 4.9 | 02.7-07.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 9: WOMENS HEALTH**

**TABLE 7: HAVE YOU HAD A HYSTERECTOMY? A HYSTERECTOMY IS AN OPERATION TO REMOVE THE UTERUS (WOMB). (HADHYST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|----------------------------|-------------------|----------|----|-----|------------|-----|-------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| Female | 774 | 155,175 | 54 | 5.0 | 03.2-06.8 | 720 | 95.0 | 93.2-96.8 | |
| White/Non-Hisp | 561 | 109,212 | 42 | 4.7 | 02.9-06.5 | 519 | 95.3 | 93.5-97.1 | |
| Black or Afr. Am./Non-Hisp | 125 | 24,007 | 9 | 9.2 | 02.3-16.1 | 116 | 90.8 | 83.9-97.7 | |
| 18-24 | 83 | 38,008 | | | | 83 | 100.0 | 0100-0100 | |
| 25-34 | 238 | 52,672 | 8 | 3.2 | 00.3-06.1 | 230 | 96.8 | 93.9-99.7 | |
| 35-44 | 434 | 62,416 | 39 | 9.1 | 05.8-12.4 | 395 | 90.9 | 87.6-94.2 | |
| H.S. or G.E.D. | 206 | 44,820 | 16 | 6.6 | 02.5-10.7 | 190 | 93.4 | 89.3-97.5 | |
| Some Post-H.S. | 244 | 51,237 | 23 | 4.7 | 02.3-07.1 | 221 | 95.3 | 92.9-97.7 | |
| College Graduate | 286 | 52,730 | 10 | 3.3 | 00.8-05.8 | 276 | 96.7 | 94.2-99.2 | |
| Less than \$15,000 | 60 | 9,119 | 6 | 6.5 | 00.0-13.0 | 54 | 93.5 | 87.0-0100 | |
| \$25,000- 34,999 | 68 | 14,758 | 6 | 8.1 | 01.0-15.2 | 62 | 91.9 | 84.8-99.0 | |
| \$35,000- 49,999 | 123 | 25,449 | 6 | 2.3 | 00.0-05.0 | 117 | 97.7 | 95.0-0100 | |
| \$50,000- 74,999 | 152 | 29,958 | 10 | 4.8 | 01.3-08.3 | 142 | 95.2 | 91.7-98.7 | |
| \$75,000+ | 247 | 48,299 | 13 | 3.7 | 01.0-06.4 | 234 | 96.3 | 93.6-99.0 | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007

MODULE 10: PROSTATE CANCER SCREENING CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|--|------|
| | &tit11a. &tit11b. | |
| 1 | MALES ONLY HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME) | 81 |
| 2 | MALES ONLY &tit13a. &tit13b. | 82 |
| 3 | MALES ONLY HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRETIME) | 83 |
| 4 | MALES ONLY HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE) | 84 |
| 5 | MALES ONLY | 85 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 10: PROSTATE CANCER SCREENING

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 10: PROSTATE CANCER SCREENING

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 10: PROSTATE CANCER SCREENING

TABLE 3: A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 10: PROSTATE CANCER SCREENING

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRETIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a digital rectal exam.

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 10: PROSTATE CANCER SCREENING

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007**

MODULE 19: GENERAL PREPAREDNESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | THE NEXT SERIES OF QUESTIONS ASKS ABOUT LARGE-SCALE DISASTERS OR EMERGENCIES. BY LARGE-SCALE DISASTER OR EMERGENCY WE MEAN ANY EVENT THAT LEAVES YOU ISOLATED IN YOUR HOME OR DISPLACES YOU FROM YOUR HOME FOR AT LEAST 3 DAYS. THIS MIGHT INCLUDE NATURAL DISASTERS SUCH AS HURRICANES, TORNADOS, FLOODS, AND ICE STORMS, OR MAN-MADE DISASTERS SUCH AS EXPLOSIONS, TERRORIST EVENTS, OR BLACKOUTS. HOW PREPARED DO YOU FEEL YOUR HOUSEHOLD IS TO HANDLE A LARGE-SCALE DISASTER OR EMERGENCY? WOULD YOU SAY (GPWELPR2) | |
| 1 | MALES AND FEMALES | 88 |
| 2 | MALES ONLY | 89 |
| 3 | FEMALES ONLY | 90 |
| | DOES YOUR HOUSEHOLD HAVE A DISASTER EVACUATION PLAN, A WRITTEN PLAN FOR HOW YOU WILL LEAVE YOUR HOME, IN CASE OF A LARGE-SCALE DISASTER OR EMERGENCY THAT REQUIRES EVACUATION? (GPVACPLN) | |
| 4 | MALES AND FEMALES | 91 |
| 5 | MALES ONLY | 92 |
| 6 | FEMALES ONLY | 93 |
| | DOES YOUR HOUSEHOLD HAVE A 3-DAY SUPPLY OF WATER FOR EVERYONE WHO LIVES THERE? A 3-DAY SUPPLY OF WATER IS 1 GALLON OF WATER PER PERSON PER DAY. (GP3DYWTR) | |
| 7 | MALES AND FEMALES | 94 |
| 8 | MALES ONLY | 95 |
| 9 | FEMALES ONLY | 96 |
| | DOES YOUR HOUSEHOLD HAVE A 3-DAY SUPPLY OF NON-PERISHABLE FOOD FOR EVERYONE WHO LIVES THERE? BY NON-PERISHABLE WE MEAN FOOD THAT DOES NOT REQUIRE REFRIGERATION OR COOKING. (GP3DYFOD) | |
| 10 | MALES AND FEMALES | 97 |
| 11 | MALES ONLY | 98 |
| 12 | FEMALES ONLY | 99 |
| | DOES YOUR HOUSEHOLD HAVE A 3-DAY SUPPLY OF PRESCRIPTION MEDICATION FOR EACH PERSON WHO TAKES PRESCRIBED MEDICINES? (GP3DYPRS) | |
| 13 | MALES AND FEMALES | 100 |
| 14 | MALES ONLY | 101 |
| 15 | FEMALES ONLY | 102 |
| | DOES YOUR HOUSEHOLD HAVE A WORKING BATTERY OPERATED RADIO AND WORKING BATTERIES FOR YOUR USE IF THE ELECTRICITY IS OUT? (GPBATRAD) | |
| 16 | MALES AND FEMALES | 103 |
| 17 | MALES ONLY | 104 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007**

MODULE 19: GENERAL PREPAREDNESS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| 18 FEMALES ONLY DOES YOUR HOUSEHOLD HAVE A WORKING FLASHLIGHT AND WORKING BATTERIES FOR YOUR USE IF THE ELECTRICITY IS OUT? (GPFLSLIT) | 105 |
| 19 MALES AND FEMALES | 106 |
| 20 MALES ONLY | 107 |
| 21 FEMALES ONLY IF PUBLIC AUTHORITIES ANNOUNCED A MANDATORY EVACUATION FROM YOUR COMMUNITY DUE TO A LARGE-SCALE DISASTER OR EMERGENCY, WOULD YOU EVACUATE? (GPMNDEVC) | 108 |
| 22 MALES AND FEMALES | 109 |
| 23 MALES ONLY | 110 |
| 24 FEMALES ONLY WHAT WOULD BE THE MAIN REASON WHY YOU MIGHT NOT EVACUATE IF ASKED TO DO SO? (GPNOTEVC) | 111 |
| 25 MALES AND FEMALES | 112 |
| 26 MALES ONLY | 113 |
| 27 FEMALES ONLY IN A LARGE-SCALE DISASTER OR EMERGENCY, WHAT WOULD BE YOUR MAIN METHOD OF COMMUNICATING WITH RELATIVES AND FRIENDS? (GPEMRCOM) | 114 |
| 28 MALES AND FEMALES | 115 |
| 29 MALES ONLY | 116 |
| 30 FEMALES ONLY WHAT WOULD BE YOUR MAIN METHOD OF GETTING INFORMATION FROM AUTHORITIES IN A LARGE-SCALE DISASTER OR EMERGENCY? (GPEMRINF) | 117 |
| 31 MALES AND FEMALES | 118 |
| 32 MALES ONLY | 119 |
| 33 FEMALES ONLY | 120 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 1: THE NEXT SERIES OF QUESTIONS ASKS ABOUT LARGE-SCALE DISASTERS OR EMERGENCIES. BY LARGE-SCALE DISASTER OR EMERGENCY WE MEAN ANY EVENT THAT LEAVES YOU ISOLATED IN YOUR HOME OR DISPLACES YOU FROM YOUR HOME FOR AT LEAST 3 DAYS. THIS MIGHT INCLUDE NATURAL DISASTERS SUCH AS HURRICANES, TORNADOS, FLOODS, AND ICE STORMS, OR MAN-MADE DISASTERS SUCH AS EXPLOSIONS, TERRORIST EVENTS, OR BLACKOUTS. HOW PREPARED DO YOU FEEL YOUR HOUSEHOLD IS TO HANDLE A LARGE-SCALE DISASTER OR EMERGENCY? WOULD YOU SAY (GPWELPR2)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Well prepared | | | Somewhat prepared | | | Not prepared at all | | |
|----------------------------|-------------------|----------|---------------|------|------------|-------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3873 | 647,770 | 970 | 24.3 | 22.1-26.5 | 2208 | 56.3 | 53.9-58.7 | 695 | 19.4 | 17.6-21.2 |
| Male | 1455 | 310,531 | 463 | 30.3 | 26.6-34.0 | 786 | 54.6 | 50.9-58.3 | 206 | 15.1 | 12.6-17.6 |
| Female | 2418 | 337,239 | 507 | 18.8 | 16.6-21.0 | 1422 | 57.8 | 54.9-60.7 | 489 | 23.4 | 20.9-25.9 |
| White/Non-Hisp | 3153 | 503,825 | 791 | 23.7 | 21.5-25.9 | 1841 | 58.8 | 56.4-61.2 | 521 | 17.5 | 15.5-19.5 |
| Black or Afr. Am./Non-Hisp | 433 | 82,312 | 104 | 28.2 | 18.8-37.6 | 226 | 47.4 | 39.4-55.4 | 103 | 24.5 | 18.2-30.8 |
| Oth. Race/Non-Hisp. | 97 | 22,744 | 20 | 17.2 | 08.8-25.6 | | | | | | |
| 18-24 | 183 | 82,676 | 43 | 26.3 | 18.1-34.5 | 107 | 54.1 | 44.9-63.3 | 33 | 19.5 | 11.9-27.1 |
| 25-34 | 403 | 110,698 | 54 | 16.5 | 08.3-24.7 | 229 | 55.1 | 47.7-62.5 | 120 | 28.4 | 22.7-34.1 |
| 35-44 | 683 | 124,188 | 131 | 21.6 | 17.5-25.7 | 397 | 56.1 | 51.4-60.8 | 155 | 22.4 | 18.5-26.3 |
| 45-54 | 795 | 119,534 | 181 | 24.2 | 20.3-28.1 | 464 | 56.6 | 52.1-61.1 | 150 | 19.1 | 15.6-22.6 |
| 55-64 | 778 | 94,548 | 203 | 24.1 | 20.4-27.8 | 443 | 58.9 | 54.4-63.4 | 132 | 17.1 | 13.6-20.6 |
| 65+ | 1005 | 112,878 | 353 | 33.9 | 30.2-37.6 | 551 | 56.0 | 52.1-59.9 | 101 | 10.1 | 07.7-12.5 |
| Less Than H.S. | 271 | 37,928 | 90 | 30.5 | 22.7-38.3 | 128 | 49.8 | 41.0-58.6 | 53 | 19.7 | 12.4-27.0 |
| H.S. or G.E.D. | 1225 | 201,538 | 322 | 26.8 | 22.7-30.9 | 677 | 52.9 | 48.6-57.2 | 226 | 20.3 | 17.0-23.6 |
| Some Post-H.S. | 1015 | 180,678 | 241 | 23.7 | 18.6-28.8 | 590 | 57.5 | 52.4-62.6 | 184 | 18.8 | 15.1-22.5 |
| College Graduate | 1359 | 227,347 | 316 | 21.5 | 18.8-24.2 | 812 | 59.4 | 56.1-62.7 | 231 | 19.2 | 16.5-21.9 |
| Less than \$15,000 | 410 | 56,096 | 103 | 24.9 | 18.8-31.0 | 232 | 56.5 | 49.6-63.4 | 75 | 18.6 | 13.5-23.7 |
| \$15,000- 24,999 | 375 | 44,063 | 105 | 25.7 | 19.2-32.2 | 172 | 47.0 | 39.6-54.4 | 98 | 27.3 | 20.0-34.6 |
| \$25,000- 34,999 | 330 | 51,671 | 91 | 24.9 | 18.2-31.6 | 180 | 52.8 | 44.6-61.0 | 59 | 22.2 | 14.4-30.0 |
| \$35,000- 49,999 | 558 | 86,454 | 132 | 26.0 | 20.5-31.5 | 331 | 56.8 | 50.9-62.7 | 95 | 17.2 | 12.7-21.7 |
| \$50,000- 74,999 | 591 | 100,967 | 118 | 18.4 | 14.3-22.5 | 369 | 60.1 | 54.6-65.6 | 104 | 21.5 | 16.6-26.4 |
| \$75,000+ | 1144 | 227,970 | 273 | 24.8 | 20.3-29.3 | 670 | 56.0 | 51.5-60.5 | 201 | 19.3 | 16.2-22.4 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 2: THE NEXT SERIES OF QUESTIONS ASKS ABOUT LARGE-SCALE DISASTERS OR EMERGENCIES. BY LARGE-SCALE DISASTER OR EMERGENCY WE MEAN ANY EVENT THAT LEAVES YOU ISOLATED IN YOUR HOME OR DISPLACES YOU FROM YOUR HOME FOR AT LEAST 3 DAYS. THIS MIGHT INCLUDE NATURAL DISASTERS SUCH AS HURRICANES, TORNADOS, FLOODS, AND ICE STORMS, OR MAN-MADE DISASTERS SUCH AS EXPLOSIONS, TERRORIST EVENTS, OR BLACKOUTS. HOW PREPARED DO YOU FEEL YOUR HOUSEHOLD IS TO HANDLE A LARGE-SCALE DISASTER OR EMERGENCY? WOULD YOU SAY (GPWELPR2)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Well prepared | | | Somewhat prepared | | | Not prepared at all | | |
|----------------------------|-------------------|----------|---------------|------|------------|-------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1455 | 310,531 | 463 | 30.3 | 26.6-34.0 | 786 | 54.6 | 50.9-58.3 | 206 | 15.1 | 12.6-17.6 |
| White/Non-Hisp | 1196 | 241,399 | 382 | 29.6 | 25.9-33.3 | 660 | 57.1 | 53.2-61.0 | 154 | 13.3 | 10.8-15.8 |
| Black or Afr. Am./Non-Hisp | 153 | 39,522 | | | | | | | 31 | 20.5 | 11.5-29.5 |
| 18-24 | 90 | 41,664 | | | | | | | 13 | 12.2 | 04.9-19.5 |
| 25-34 | 149 | 54,195 | | | | | | | 37 | 23.5 | 14.7-32.3 |
| 35-44 | 247 | 61,127 | 70 | 28.6 | 21.5-35.7 | 139 | 55.1 | 47.5-62.7 | 38 | 16.3 | 10.6-22.0 |
| 45-54 | 321 | 58,281 | 97 | 30.5 | 24.0-37.0 | 176 | 55.6 | 48.7-62.5 | 48 | 13.9 | 09.2-18.6 |
| 55-64 | 295 | 44,807 | 100 | 27.9 | 21.6-34.2 | 159 | 57.7 | 50.4-65.0 | 36 | 14.4 | 09.1-19.7 |
| 65+ | 345 | 49,122 | 150 | 42.2 | 35.7-48.7 | 163 | 48.7 | 42.0-55.4 | 32 | 9.1 | 05.2-13.0 |
| H.S. or G.E.D. | 426 | 92,244 | 140 | 32.7 | 25.8-39.6 | 227 | 53.6 | 46.7-60.5 | 59 | 13.7 | 09.6-17.8 |
| Some Post-H.S. | 349 | 82,380 | 101 | 30.6 | 21.2-40.0 | 206 | 58.9 | 49.9-67.9 | 42 | 10.5 | 06.4-14.6 |
| College Graduate | 568 | 115,500 | 181 | 27.5 | 23.2-31.8 | 303 | 54.2 | 48.9-59.5 | 84 | 18.4 | 14.1-22.7 |
| Less than \$15,000 | 141 | 26,394 | | | | | | | 25 | 18.2 | 10.2-26.2 |
| \$15,000- 24,999 | 86 | 14,162 | | | | | | | 15 | 14.0 | 05.4-22.6 |
| \$25,000- 34,999 | 121 | 23,066 | 44 | 29.8 | 19.8-39.8 | | | | 13 | 11.7 | 03.9-19.5 |
| \$35,000- 49,999 | 199 | 36,229 | 64 | 27.0 | 19.7-34.3 | 106 | 57.1 | 48.3-65.9 | 29 | 15.9 | 08.6-23.2 |
| \$50,000- 74,999 | 232 | 48,814 | 65 | 24.9 | 17.6-32.2 | 138 | 60.8 | 52.6-69.0 | 29 | 14.3 | 08.0-20.6 |
| \$75,000+ | 552 | 131,648 | 173 | 31.9 | 24.8-39.0 | 300 | 52.4 | 45.9-58.9 | 79 | 15.7 | 11.8-19.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 3: THE NEXT SERIES OF QUESTIONS ASKS ABOUT LARGE-SCALE DISASTERS OR EMERGENCIES. BY LARGE-SCALE DISASTER OR EMERGENCY WE MEAN ANY EVENT THAT LEAVES YOU ISOLATED IN YOUR HOME OR DISPLACES YOU FROM YOUR HOME FOR AT LEAST 3 DAYS. THIS MIGHT INCLUDE NATURAL DISASTERS SUCH AS HURRICANES, TORNADOS, FLOODS, AND ICE STORMS, OR MAN-MADE DISASTERS SUCH AS EXPLOSIONS, TERRORIST EVENTS, OR BLACKOUTS. HOW PREPARED DO YOU FEEL YOUR HOUSEHOLD IS TO HANDLE A LARGE-SCALE DISASTER OR EMERGENCY? WOULD YOU SAY (GPWELPR2)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Well prepared | | | Somewhat prepared | | | Not prepared at all | | |
|----------------------------|-------------------|----------|---------------|------|------------|-------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2418 | 337,239 | 507 | 18.8 | 16.6-21.0 | 1422 | 57.8 | 54.9-60.7 | 489 | 23.4 | 20.9-25.9 |
| White/Non-Hisp | 1957 | 262,426 | 409 | 18.2 | 15.8-20.6 | 1181 | 60.4 | 57.3-63.5 | 367 | 21.4 | 18.7-24.1 |
| Black or Afr. Am./Non-Hisp | 280 | 42,790 | 60 | 20.9 | 13.6-28.2 | 148 | 50.9 | 42.1-59.7 | 72 | 28.1 | 19.9-36.3 |
| 25-34 | 254 | 56,503 | 31 | 11.5 | 06.6-16.4 | 140 | 55.5 | 47.9-63.1 | 83 | 33.0 | 25.7-40.3 |
| 35-44 | 436 | 63,062 | 61 | 14.7 | 10.6-18.8 | 258 | 57.0 | 51.3-62.7 | 117 | 28.3 | 23.0-33.6 |
| 45-54 | 474 | 61,253 | 84 | 18.2 | 13.5-22.9 | 288 | 57.6 | 51.7-63.5 | 102 | 24.1 | 18.8-29.4 |
| 55-64 | 483 | 49,741 | 103 | 20.6 | 15.9-25.3 | 284 | 59.9 | 54.2-65.6 | 96 | 19.5 | 15.0-24.0 |
| 65+ | 660 | 63,755 | 203 | 27.5 | 23.6-31.4 | 388 | 61.7 | 57.2-66.2 | 69 | 10.8 | 07.9-13.7 |
| Less Than H.S. | 159 | 17,521 | 49 | 27.0 | 17.8-36.2 | | | | 32 | 17.3 | 10.4-24.2 |
| H.S. or G.E.D. | 799 | 109,295 | 182 | 21.8 | 17.3-26.3 | 450 | 52.3 | 47.0-57.6 | 167 | 25.9 | 21.0-30.8 |
| Some Post-H.S. | 666 | 98,298 | 140 | 17.9 | 13.8-22.0 | 384 | 56.4 | 50.5-62.3 | 142 | 25.7 | 20.2-31.2 |
| College Graduate | 791 | 111,847 | 135 | 15.3 | 12.4-18.2 | 509 | 64.7 | 60.6-68.8 | 147 | 20.0 | 16.5-23.5 |
| Less than \$15,000 | 269 | 29,702 | 59 | 19.7 | 13.2-26.2 | 160 | 61.3 | 53.3-69.3 | 50 | 19.0 | 12.7-25.3 |
| \$15,000- 24,999 | 289 | 29,901 | 81 | 24.8 | 17.9-31.7 | 125 | 41.6 | 33.6-49.6 | 83 | 33.6 | 24.4-42.8 |
| \$25,000- 34,999 | 209 | 28,605 | 47 | 21.0 | 11.8-30.2 | | | | | | |
| \$35,000- 49,999 | 359 | 50,225 | 68 | 25.3 | 17.5-33.1 | 225 | 56.6 | 48.8-64.4 | 66 | 18.1 | 12.6-23.6 |
| \$50,000- 74,999 | 359 | 52,153 | 53 | 12.2 | 08.3-16.1 | 231 | 59.4 | 52.1-66.7 | 75 | 28.4 | 21.1-35.7 |
| \$75,000+ | 592 | 96,322 | 100 | 15.0 | 11.5-18.5 | 370 | 60.9 | 55.6-66.2 | 122 | 24.2 | 19.5-28.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 4: DOES YOUR HOUSEHOLD HAVE A DISASTER EVACUATION PLAN, A WRITTEN PLAN FOR HOW YOU WILL LEAVE YOUR HOME, IN CASE OF A LARGE-SCALE DISASTER OR EMERGENCY THAT REQUIRES EVACUATION? (GPVACPLN)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3914 | 652,913 | 947 | 22.8 | 20.6-25.0 | 2967 | 77.2 | 75.0-79.4 |
| Male | 1465 | 312,542 | 367 | 25.6 | 21.9-29.3 | 1098 | 74.4 | 70.7-78.1 |
| Female | 2449 | 340,371 | 580 | 20.2 | 18.0-22.4 | 1869 | 79.8 | 77.6-82.0 |
| White/Non-Hisp | 3185 | 508,938 | 737 | 21.8 | 19.6-24.0 | 2448 | 78.2 | 76.0-80.4 |
| Black or Afr. Am./Non-Hisp | 439 | 82,694 | 122 | 28.1 | 19.1-37.1 | 317 | 71.9 | 62.9-80.9 |
| Hispanic | 82 | 20,407 | 20 | 18.3 | 08.5-28.1 | 62 | 81.7 | 71.9-91.5 |
| 18-24 | 185 | 82,528 | 47 | 22.7 | 15.4-30.0 | 138 | 77.3 | 70.0-84.6 |
| 25-34 | 408 | 111,520 | 70 | 19.6 | 11.4-27.8 | 338 | 80.4 | 72.2-88.6 |
| 35-44 | 682 | 124,232 | 149 | 22.2 | 18.1-26.3 | 533 | 77.8 | 73.7-81.9 |
| 45-54 | 802 | 121,167 | 179 | 20.7 | 17.2-24.2 | 623 | 79.3 | 75.8-82.8 |
| 55-64 | 785 | 94,995 | 197 | 23.4 | 19.5-27.3 | 588 | 76.6 | 72.7-80.5 |
| 65+ | 1025 | 115,055 | 304 | 29.0 | 25.5-32.5 | 721 | 71.0 | 67.5-74.5 |
| Less Than H.S. | 269 | 37,566 | 98 | 32.6 | 24.4-40.8 | 171 | 67.4 | 59.2-75.6 |
| H.S. or G.E.D. | 1244 | 204,254 | 312 | 24.5 | 20.8-28.2 | 932 | 75.5 | 71.8-79.2 |
| Some Post-H.S. | 1024 | 180,578 | 260 | 24.8 | 19.7-29.9 | 764 | 75.2 | 70.1-80.3 |
| College Graduate | 1374 | 230,236 | 276 | 18.2 | 15.7-20.7 | 1098 | 81.8 | 79.3-84.3 |
| Less than \$15,000 | 415 | 56,598 | 137 | 31.9 | 25.6-38.2 | 278 | 68.1 | 61.8-74.4 |
| \$15,000- 24,999 | 380 | 44,881 | 131 | 29.9 | 23.6-36.2 | 249 | 70.1 | 63.8-76.4 |
| \$25,000- 34,999 | 332 | 51,454 | 76 | 19.7 | 13.8-25.6 | 256 | 80.3 | 74.4-86.2 |
| \$35,000- 49,999 | 561 | 86,717 | 140 | 24.0 | 19.1-28.9 | 421 | 76.0 | 71.1-80.9 |
| \$50,000- 74,999 | 601 | 101,864 | 127 | 20.2 | 15.7-24.7 | 474 | 79.8 | 75.3-84.3 |
| \$75,000+ | 1150 | 229,296 | 214 | 20.2 | 15.7-24.7 | 936 | 79.8 | 75.3-84.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 5: DOES YOUR HOUSEHOLD HAVE A DISASTER EVACUATION PLAN, A WRITTEN PLAN FOR HOW YOU WILL LEAVE YOUR HOME, IN CASE OF A LARGE-SCALE DISASTER OR EMERGENCY THAT REQUIRES EVACUATION? (GPVACPLN)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1465 | 312,542 | 367 | 25.6 | 21.9-29.3 | 1098 | 74.4 | 70.7-78.1 |
| White/Non-Hisp | 1209 | 243,497 | 289 | 24.7 | 21.2-28.2 | 920 | 75.3 | 71.8-78.8 |
| 35-44 | 245 | 60,842 | 59 | 25.1 | 18.0-32.2 | 186 | 74.9 | 67.8-82.0 |
| 45-54 | 321 | 58,487 | 73 | 22.6 | 16.9-28.3 | 248 | 77.4 | 71.7-83.1 |
| 55-64 | 298 | 45,050 | 74 | 24.9 | 18.2-31.6 | 224 | 75.1 | 68.4-81.8 |
| 65+ | 352 | 49,847 | 106 | 31.0 | 24.9-37.1 | 246 | 69.0 | 62.9-75.1 |
| H.S. or G.E.D. | 431 | 93,054 | 115 | 29.2 | 22.5-35.9 | 316 | 70.8 | 64.1-77.5 |
| Some Post-H.S. | 349 | 82,324 | 94 | 29.1 | 19.7-38.5 | 255 | 70.9 | 61.5-80.3 |
| College Graduate | 572 | 116,890 | 122 | 19.5 | 15.6-23.4 | 450 | 80.5 | 76.6-84.4 |
| \$25,000- 34,999 | 123 | 23,913 | 28 | 18.5 | 10.5-26.5 | 95 | 81.5 | 73.5-89.5 |
| \$35,000- 49,999 | 199 | 36,290 | 54 | 23.1 | 16.2-30.0 | 145 | 76.9 | 70.0-83.8 |
| \$50,000- 74,999 | 234 | 49,036 | 57 | 26.3 | 18.3-34.3 | 177 | 73.7 | 65.7-81.7 |
| \$75,000+ | 554 | 132,290 | 111 | 23.9 | 16.8-31.0 | 443 | 76.1 | 69.0-83.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 6: DOES YOUR HOUSEHOLD HAVE A DISASTER EVACUATION PLAN, A WRITTEN PLAN FOR HOW YOU WILL LEAVE YOUR HOME, IN CASE OF A LARGE-SCALE DISASTER OR EMERGENCY THAT REQUIRES EVACUATION? (GPVACPLN)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2449 | 340,371 | 580 | 20.2 | 18.0-22.4 | 1869 | 79.8 | 77.6-82.0 |
| White/Non-Hisp | 1976 | 265,441 | 448 | 19.1 | 16.7-21.5 | 1528 | 80.9 | 78.5-83.3 |
| Black or Afr. Am./Non-Hisp | 290 | 43,899 | 78 | 23.2 | 16.9-29.5 | 212 | 76.8 | 70.5-83.1 |
| 25-34 | 258 | 56,867 | 40 | 13.4 | 08.3-18.5 | 218 | 86.6 | 81.5-91.7 |
| 35-44 | 437 | 63,391 | 90 | 19.4 | 14.9-23.9 | 347 | 80.6 | 76.1-85.1 |
| 45-54 | 481 | 62,679 | 106 | 18.9 | 14.6-23.2 | 375 | 81.1 | 76.8-85.4 |
| 55-64 | 487 | 49,946 | 123 | 21.9 | 17.2-26.6 | 364 | 78.1 | 73.4-82.8 |
| 65+ | 673 | 65,208 | 198 | 27.6 | 23.5-31.7 | 475 | 72.4 | 68.3-76.5 |
| H.S. or G.E.D. | 813 | 111,201 | 197 | 20.6 | 16.7-24.5 | 616 | 79.4 | 75.5-83.3 |
| Some Post-H.S. | 675 | 98,255 | 166 | 21.1 | 16.8-25.4 | 509 | 78.9 | 74.6-83.2 |
| College Graduate | 802 | 113,346 | 154 | 16.8 | 13.7-19.9 | 648 | 83.2 | 80.1-86.3 |
| Less than \$15,000 | 275 | 30,497 | 87 | 27.4 | 20.3-34.5 | 188 | 72.6 | 65.5-79.7 |
| \$15,000- 24,999 | 293 | 30,578 | 100 | 28.0 | 21.3-34.7 | 193 | 72.0 | 65.3-78.7 |
| \$25,000- 34,999 | 209 | 27,541 | 48 | 20.8 | 12.4-29.2 | 161 | 79.2 | 70.8-87.6 |
| \$35,000- 49,999 | 362 | 50,427 | 86 | 24.7 | 17.8-31.6 | 276 | 75.3 | 68.4-82.2 |
| \$50,000- 74,999 | 367 | 52,828 | 70 | 14.5 | 10.4-18.6 | 297 | 85.5 | 81.4-89.6 |
| \$75,000+ | 596 | 97,006 | 103 | 15.2 | 11.7-18.7 | 493 | 84.8 | 81.3-88.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

**TABLE 7: DOES YOUR HOUSEHOLD HAVE A 3-DAY SUPPLY OF WATER FOR EVERYONE WHO LIVES THERE? A 3-DAY SUPPLY OF WATER IS 1 GALLON OF WATER PER PERSON PER DAY.
(GP3DYWTR)**

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3918 | 654,327 | 2374 | 60.2 | 58.0-62.4 | 1544 | 39.8 | 37.6-42.0 |
| Male | 1464 | 312,500 | 918 | 63.3 | 60.0-66.6 | 546 | 36.7 | 33.4-40.0 |
| Female | 2454 | 341,827 | 1456 | 57.4 | 54.7-60.1 | 998 | 42.6 | 39.9-45.3 |
| White/Non-Hisp | 3182 | 508,737 | 1929 | 60.1 | 57.7-62.5 | 1253 | 39.9 | 37.5-42.3 |
| Black or Afr. Am./Non-Hisp | 443 | 83,167 | 269 | 63.3 | 56.2-70.4 | 174 | 36.7 | 29.6-43.8 |
| 18-24 | 185 | 83,634 | 108 | 62.3 | 53.7-70.9 | 77 | 37.7 | 29.1-46.3 |
| 25-34 | 408 | 111,520 | 197 | 52.3 | 45.2-59.4 | 211 | 47.7 | 40.6-54.8 |
| 35-44 | 686 | 124,526 | 387 | 57.8 | 53.1-62.5 | 299 | 42.2 | 37.5-46.9 |
| 45-54 | 800 | 120,950 | 457 | 59.2 | 54.7-63.7 | 343 | 40.8 | 36.3-45.3 |
| 55-64 | 786 | 94,999 | 510 | 65.2 | 60.7-69.7 | 276 | 34.8 | 30.3-39.3 |
| 65+ | 1026 | 115,283 | 700 | 65.7 | 62.0-69.4 | 326 | 34.3 | 30.6-38.0 |
| Less Than H.S. | 274 | 38,162 | 181 | 65.9 | 57.5-74.3 | 93 | 34.1 | 25.7-42.5 |
| H.S. or G.E.D. | 1251 | 205,280 | 763 | 60.3 | 56.2-64.4 | 488 | 39.7 | 35.6-43.8 |
| Some Post-H.S. | 1021 | 181,410 | 602 | 60.9 | 56.4-65.4 | 419 | 39.1 | 34.6-43.6 |
| College Graduate | 1369 | 229,196 | 826 | 58.6 | 55.3-61.9 | 543 | 41.4 | 38.1-44.7 |
| Less than \$15,000 | 416 | 56,980 | 251 | 60.2 | 53.5-66.9 | 165 | 39.8 | 33.1-46.5 |
| \$15,000- 24,999 | 383 | 44,766 | 231 | 58.1 | 50.8-65.4 | 152 | 41.9 | 34.6-49.2 |
| \$25,000- 34,999 | 332 | 52,570 | 201 | 55.9 | 47.7-64.1 | 131 | 44.1 | 35.9-52.3 |
| \$35,000- 49,999 | 562 | 86,780 | 337 | 60.3 | 54.6-66.0 | 225 | 39.7 | 34.0-45.4 |
| \$50,000- 74,999 | 598 | 101,493 | 346 | 58.3 | 52.8-63.8 | 252 | 41.7 | 36.2-47.2 |
| \$75,000+ | 1151 | 229,451 | 689 | 60.4 | 56.5-64.3 | 462 | 39.6 | 35.7-43.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

**TABLE 8: DOES YOUR HOUSEHOLD HAVE A 3-DAY SUPPLY OF WATER FOR EVERYONE WHO LIVES THERE? A 3-DAY SUPPLY OF WATER IS 1 GALLON OF WATER PER PERSON PER DAY.
(GP3DYWTR)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1464 | 312,500 | 918 | 63.3 | 60.0-66.6 | 546 | 36.7 | 33.4-40.0 |
| White/Non-Hisp | 1206 | 243,265 | 763 | 63.1 | 59.4-66.8 | 443 | 36.9 | 33.2-40.6 |
| 35-44 | 247 | 61,127 | 155 | 62.4 | 55.0-69.8 | 92 | 37.6 | 30.2-45.0 |
| 45-54 | 321 | 58,477 | 189 | 60.6 | 53.7-67.5 | 132 | 39.4 | 32.5-46.3 |
| 55-64 | 297 | 44,951 | 207 | 68.8 | 61.5-76.1 | 90 | 31.2 | 23.9-38.5 |
| 65+ | 351 | 49,893 | 234 | 65.9 | 59.6-72.2 | 117 | 34.1 | 27.8-40.4 |
| H.S. or G.E.D. | 433 | 93,436 | 280 | 64.6 | 58.1-71.1 | 153 | 35.4 | 28.9-41.9 |
| Some Post-H.S. | 349 | 82,354 | 212 | 63.2 | 55.8-70.6 | 137 | 36.8 | 29.4-44.2 |
| College Graduate | 569 | 116,193 | 351 | 61.4 | 56.3-66.5 | 218 | 38.6 | 33.5-43.7 |
| Less than \$15,000 | 141 | 26,400 | 93 | 68.6 | 58.8-78.4 | 48 | 31.4 | 21.6-41.2 |
| \$35,000- 49,999 | 199 | 36,235 | 122 | 61.9 | 53.3-70.5 | 77 | 38.1 | 29.5-46.7 |
| \$50,000- 74,999 | 234 | 49,036 | 139 | 61.3 | 53.1-69.5 | 95 | 38.7 | 30.5-46.9 |
| \$75,000+ | 554 | 132,192 | 352 | 64.2 | 58.5-69.9 | 202 | 35.8 | 30.1-41.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

**TABLE 9: DOES YOUR HOUSEHOLD HAVE A 3-DAY SUPPLY OF WATER FOR EVERYONE WHO LIVES THERE? A 3-DAY SUPPLY OF WATER IS 1 GALLON OF WATER PER PERSON PER DAY.
(GP3DYWTR)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2454 | 341,827 | 1456 | 57.4 | 54.7-60.1 | 998 | 42.6 | 39.9-45.3 |
| White/Non-Hisp | 1976 | 265,472 | 1166 | 57.3 | 54.2-60.4 | 810 | 42.7 | 39.6-45.8 |
| Black or Afr. Am./Non-Hisp | 292 | 43,977 | 181 | 62.1 | 53.9-70.3 | 111 | 37.9 | 29.7-46.1 |
| 25-34 | 258 | 56,867 | 121 | 46.3 | 38.5-54.1 | 137 | 53.7 | 45.9-61.5 |
| 35-44 | 439 | 63,399 | 232 | 53.5 | 47.8-59.2 | 207 | 46.5 | 40.8-52.2 |
| 45-54 | 479 | 62,473 | 268 | 57.9 | 52.2-63.6 | 211 | 42.1 | 36.4-47.8 |
| 55-64 | 489 | 50,048 | 303 | 62.0 | 56.3-67.7 | 186 | 38.0 | 32.3-43.7 |
| 65+ | 675 | 65,391 | 466 | 65.6 | 61.1-70.1 | 209 | 34.4 | 29.9-38.9 |
| H.S. or G.E.D. | 818 | 111,844 | 483 | 56.7 | 51.6-61.8 | 335 | 43.3 | 38.2-48.4 |
| Some Post-H.S. | 672 | 99,056 | 390 | 59.0 | 53.3-64.7 | 282 | 41.0 | 35.3-46.7 |
| College Graduate | 800 | 113,003 | 475 | 55.7 | 51.2-60.2 | 325 | 44.3 | 39.8-48.8 |
| Less than \$15,000 | 275 | 30,580 | 158 | 52.9 | 44.7-61.1 | 117 | 47.1 | 38.9-55.3 |
| \$15,000- 24,999 | 296 | 30,691 | 183 | 61.0 | 53.2-68.8 | 113 | 39.0 | 31.2-46.8 |
| \$35,000- 49,999 | 363 | 50,545 | 215 | 59.2 | 51.6-66.8 | 148 | 40.8 | 33.2-48.4 |
| \$50,000- 74,999 | 364 | 52,458 | 207 | 55.5 | 48.2-62.8 | 157 | 44.5 | 37.2-51.8 |
| \$75,000+ | 597 | 97,258 | 337 | 55.3 | 50.0-60.6 | 260 | 44.7 | 39.4-50.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 10: DOES YOUR HOUSEHOLD HAVE A 3-DAY SUPPLY OF NON-PERISHABLE FOOD FOR EVERYONE WHO LIVES THERE? BY NON-PERISHABLE WE MEAN FOOD THAT DOES NOT REQUIRE REFRIGERATION OR COOKING. (GP3DYFOD)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3923 | 653,916 | 3402 | 85.6 | 84.0-87.2 | 521 | 14.4 | 12.8-16.0 |
| Male | 1467 | 312,996 | 1291 | 86.6 | 84.2-89.0 | 176 | 13.4 | 11.0-15.8 |
| Female | 2456 | 340,920 | 2111 | 84.6 | 82.4-86.8 | 345 | 15.4 | 13.2-17.6 |
| White/Non-Hisp | 3186 | 507,888 | 2798 | 87.0 | 85.4-88.6 | 388 | 13.0 | 11.4-14.6 |
| Black or Afr. Am./Non-Hisp | 442 | 83,092 | 360 | 81.3 | 75.8-86.8 | 82 | 18.7 | 13.2-24.2 |
| MultiRacial/Non-Hisp. | 80 | 13,624 | 72 | 93.9 | 88.6-99.2 | 8 | 6.1 | 00.8-11.4 |
| 18-24 | 185 | 83,678 | 148 | 83.1 | 76.6-89.6 | 37 | 16.9 | 10.4-23.4 |
| 25-34 | 407 | 111,190 | 315 | 78.3 | 73.0-83.6 | 92 | 21.7 | 16.4-27.0 |
| 35-44 | 685 | 124,454 | 578 | 85.6 | 82.5-88.7 | 107 | 14.4 | 11.3-17.5 |
| 45-54 | 800 | 120,504 | 683 | 85.1 | 81.8-88.4 | 117 | 14.9 | 11.6-18.2 |
| 55-64 | 787 | 95,121 | 702 | 90.5 | 88.0-93.0 | 85 | 9.5 | 07.0-12.0 |
| 65+ | 1032 | 115,554 | 950 | 90.3 | 87.9-92.7 | 82 | 9.7 | 07.3-12.1 |
| Less Than H.S. | 275 | 38,231 | 237 | 82.7 | 75.3-90.1 | 38 | 17.3 | 09.9-24.7 |
| H.S. or G.E.D. | 1250 | 204,527 | 1081 | 86.0 | 83.3-88.7 | 169 | 14.0 | 11.3-16.7 |
| Some Post-H.S. | 1024 | 181,602 | 894 | 86.4 | 83.3-89.5 | 130 | 13.6 | 10.5-16.7 |
| College Graduate | 1371 | 229,277 | 1188 | 84.9 | 82.4-87.4 | 183 | 15.1 | 12.6-17.6 |
| Less than \$15,000 | 420 | 57,198 | 361 | 84.2 | 79.5-88.9 | 59 | 15.8 | 11.1-20.5 |
| \$15,000- 24,999 | 381 | 44,727 | 307 | 74.3 | 66.7-81.9 | 74 | 25.7 | 18.1-33.3 |
| \$25,000- 34,999 | 336 | 53,031 | 289 | 82.9 | 76.2-89.6 | 47 | 17.1 | 10.4-23.8 |
| \$35,000- 49,999 | 561 | 86,524 | 485 | 85.2 | 80.9-89.5 | 76 | 14.8 | 10.5-19.1 |
| \$50,000- 74,999 | 596 | 100,856 | 521 | 87.8 | 84.5-91.1 | 75 | 12.2 | 08.9-15.5 |
| \$75,000+ | 1152 | 229,744 | 1000 | 86.1 | 83.4-88.8 | 152 | 13.9 | 11.2-16.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 11: DOES YOUR HOUSEHOLD HAVE A 3-DAY SUPPLY OF NON-PERISHABLE FOOD FOR EVERYONE WHO LIVES THERE? BY NON-PERISHABLE WE MEAN FOOD THAT DOES NOT REQUIRE REFRIGERATION OR COOKING. (GP3DYFOD)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1467 | 312,996 | 1291 | 86.6 | 84.2-89.0 | 176 | 13.4 | 11.0-15.8 |
| White/Non-Hisp | 1208 | 243,414 | 1080 | 88.4 | 86.0-90.8 | 128 | 11.6 | 09.2-14.0 |
| Black or Afr. Am./Non-Hisp | 151 | 39,237 | 122 | 82.8 | 74.8-90.8 | 29 | 17.2 | 09.2-25.2 |
| 18-24 | 91 | 42,326 | 72 | 83.5 | 75.3-91.7 | 19 | 16.5 | 08.3-24.7 |
| 25-34 | 150 | 54,654 | 120 | 81.4 | 73.8-89.0 | 30 | 18.6 | 11.0-26.2 |
| 35-44 | 245 | 60,842 | 217 | 88.8 | 84.1-93.5 | 28 | 11.2 | 06.5-15.9 |
| 45-54 | 323 | 58,852 | 281 | 84.1 | 78.4-89.8 | 42 | 15.9 | 10.2-21.6 |
| 55-64 | 297 | 44,923 | 270 | 91.8 | 88.3-95.3 | 27 | 8.2 | 04.7-11.7 |
| 65+ | 353 | 50,064 | 323 | 90.0 | 86.1-93.9 | 30 | 10.0 | 06.1-13.9 |
| H.S. or G.E.D. | 432 | 93,322 | 377 | 87.1 | 83.0-91.2 | 55 | 12.9 | 08.8-17.0 |
| Some Post-H.S. | 350 | 82,457 | 308 | 88.0 | 83.5-92.5 | 42 | 12.0 | 07.5-16.5 |
| College Graduate | 571 | 116,632 | 507 | 86.5 | 82.8-90.2 | 64 | 13.5 | 09.8-17.2 |
| Less than \$15,000 | 142 | 26,469 | 116 | 80.6 | 72.4-88.8 | 26 | 19.4 | 11.2-27.6 |
| \$25,000- 34,999 | 124 | 23,983 | 108 | 84.4 | 76.0-92.8 | 16 | 15.6 | 07.2-24.0 |
| \$35,000- 49,999 | 198 | 36,066 | 179 | 87.7 | 81.2-94.2 | 19 | 12.3 | 05.8-18.8 |
| \$50,000- 74,999 | 233 | 48,909 | 209 | 89.7 | 84.6-94.8 | 24 | 10.3 | 05.2-15.4 |
| \$75,000+ | 554 | 132,463 | 490 | 87.6 | 84.1-91.1 | 64 | 12.4 | 08.9-15.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 12: DOES YOUR HOUSEHOLD HAVE A 3-DAY SUPPLY OF NON-PERISHABLE FOOD FOR EVERYONE WHO LIVES THERE? BY NON-PERISHABLE WE MEAN FOOD THAT DOES NOT REQUIRE REFRIGERATION OR COOKING. (GP3DYFOD)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2456 | 340,920 | 2111 | 84.6 | 82.4-86.8 | 345 | 15.4 | 13.2-17.6 |
| White/Non-Hisp | 1978 | 264,474 | 1718 | 85.8 | 83.6-88.0 | 260 | 14.2 | 12.0-16.4 |
| Black or Afr. Am./Non-Hisp | 291 | 43,854 | 238 | 80.0 | 72.6-87.4 | 53 | 20.0 | 12.6-27.4 |
| MultiRacial/Non-Hisp. | 59 | 9,083 | 52 | 92.1 | 84.7-99.5 | 7 | 7.9 | 00.5-15.3 |
| 25-34 | 257 | 56,536 | 195 | 75.4 | 68.5-82.3 | 62 | 24.6 | 17.7-31.5 |
| 35-44 | 440 | 63,613 | 361 | 82.5 | 78.4-86.6 | 79 | 17.5 | 13.4-21.6 |
| 45-54 | 477 | 61,652 | 402 | 86.0 | 82.3-89.7 | 75 | 14.0 | 10.3-17.7 |
| 55-64 | 490 | 50,198 | 432 | 89.3 | 85.8-92.8 | 58 | 10.7 | 07.2-14.2 |
| 65+ | 679 | 65,490 | 627 | 90.4 | 87.5-93.3 | 52 | 9.6 | 06.7-12.5 |
| Less Than H.S. | 161 | 17,645 | 138 | 87.0 | 80.9-93.1 | 23 | 13.0 | 06.9-19.1 |
| H.S. or G.E.D. | 818 | 111,206 | 704 | 85.1 | 81.2-89.0 | 114 | 14.9 | 11.0-18.8 |
| Some Post-H.S. | 674 | 99,145 | 586 | 85.1 | 80.6-89.6 | 88 | 14.9 | 10.4-19.4 |
| College Graduate | 800 | 112,646 | 681 | 83.3 | 80.0-86.6 | 119 | 16.7 | 13.4-20.0 |
| Less than \$15,000 | 278 | 30,729 | 245 | 87.3 | 82.2-92.4 | 33 | 12.7 | 07.6-17.8 |
| \$15,000- 24,999 | 294 | 30,540 | 236 | 74.2 | 65.2-83.2 | 58 | 25.8 | 16.8-34.8 |
| \$25,000- 34,999 | 212 | 29,048 | 181 | 81.7 | 71.9-91.5 | 31 | 18.3 | 08.5-28.1 |
| \$35,000- 49,999 | 363 | 50,458 | 306 | 83.4 | 77.5-89.3 | 57 | 16.6 | 10.7-22.5 |
| \$50,000- 74,999 | 363 | 51,947 | 312 | 86.0 | 81.5-90.5 | 51 | 14.0 | 09.5-18.5 |
| \$75,000+ | 598 | 97,281 | 510 | 83.9 | 79.8-88.0 | 88 | 16.1 | 12.0-20.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 13: DOES YOUR HOUSEHOLD HAVE A 3-DAY SUPPLY OF PRESCRIPTION MEDICATION FOR EACH PERSON WHO TAKES PRESCRIBED MEDICINES? (GP3DYPRS)
Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | No one in household requires prescription meds. | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3927 | 652,795 | 3232 | 79.6 | 77.6-81.6 | 244 | 7.4 | 06.2-08.6 | 451 | 13.1 | 11.5-14.7 |
| Male | 1467 | 311,873 | 1176 | 77.1 | 74.0-80.2 | 93 | 7.9 | 05.9-09.9 | 198 | 15.0 | 12.3-17.7 |
| Female | 2460 | 340,922 | 2056 | 81.8 | 79.4-84.2 | 151 | 7.0 | 05.6-08.4 | 253 | 11.3 | 09.3-13.3 |
| White/Non-Hisp | 3192 | 507,765 | 2688 | 82.0 | 79.8-84.2 | 157 | 6.0 | 04.8-07.2 | 347 | 12.0 | 10.2-13.8 |
| Black or Afr. Am./Non-Hisp | 443 | 83,075 | 331 | 71.8 | 65.3-78.3 | 57 | 13.9 | 09.4-18.4 | 55 | 14.4 | 09.3-19.5 |
| Oth. Race/Non-Hisp. | 100 | 22,874 | | | | 10 | 9.4 | 02.0-16.8 | 21 | 20.2 | 10.2-30.2 |
| MultiRacial/Non-Hisp. | 79 | 13,536 | | | | 3 | 2.4 | 00.0-05.3 | | | |
| Hispanic | 83 | 21,083 | | | | 13 | 14.7 | 04.7-24.7 | | | |
| 18-24 | 183 | 82,675 | 123 | 67.6 | 59.4-75.8 | 27 | 13.7 | 08.0-19.4 | 33 | 18.7 | 11.4-26.0 |
| 25-34 | 404 | 110,007 | 275 | 69.3 | 63.0-75.6 | 47 | 10.1 | 06.6-13.6 | 82 | 20.6 | 14.9-26.3 |
| 35-44 | 686 | 124,327 | 500 | 71.9 | 67.6-76.2 | 62 | 9.3 | 06.8-11.8 | 124 | 18.8 | 15.1-22.5 |
| 45-54 | 803 | 121,387 | 655 | 83.0 | 79.5-86.5 | 40 | 5.1 | 02.9-07.3 | 108 | 12.0 | 09.1-14.9 |
| 55-64 | 788 | 95,208 | 683 | 88.0 | 84.7-91.3 | 38 | 5.2 | 02.7-07.7 | 67 | 6.8 | 04.6-09.0 |
| 65+ | 1036 | 115,775 | 974 | 95.2 | 93.6-96.8 | 27 | 2.7 | 01.5-03.9 | 35 | 2.2 | 01.4-03.0 |
| Less Than H.S. | 271 | 37,727 | 219 | 76.7 | 69.1-84.3 | 28 | 13.3 | 06.8-19.8 | 24 | 10.0 | 04.9-15.1 |
| H.S. or G.E.D. | 1254 | 204,308 | 1042 | 77.1 | 73.0-81.2 | 85 | 10.0 | 07.3-12.7 | 127 | 12.9 | 09.4-16.4 |
| Some Post-H.S. | 1023 | 180,452 | 835 | 81.9 | 78.6-85.2 | 67 | 6.5 | 04.5-08.5 | 121 | 11.6 | 08.7-14.5 |
| College Graduate | 1376 | 230,029 | 1133 | 80.4 | 77.7-83.1 | 64 | 4.8 | 03.2-06.4 | 179 | 14.9 | 12.4-17.4 |
| Less than \$15,000 | 420 | 57,198 | 342 | 79.3 | 73.4-85.2 | 43 | 9.6 | 06.1-13.1 | 35 | 11.1 | 05.8-16.4 |
| \$15,000- 24,999 | 385 | 45,192 | 322 | 81.2 | 74.7-87.7 | 34 | 11.8 | 06.3-17.3 | 29 | 7.0 | 02.7-11.3 |
| \$25,000- 34,999 | 333 | 52,098 | 273 | 75.6 | 68.0-83.2 | 24 | 12.6 | 06.5-18.7 | 36 | 11.8 | 05.9-17.7 |
| \$35,000- 49,999 | 563 | 86,222 | 451 | 76.0 | 70.7-81.3 | 36 | 8.1 | 05.0-11.2 | 76 | 15.9 | 11.2-20.6 |
| \$50,000- 74,999 | 598 | 101,420 | 482 | 79.2 | 74.9-83.5 | 27 | 4.7 | 02.5-06.9 | 89 | 16.1 | 12.2-20.0 |
| \$75,000+ | 1152 | 229,573 | 951 | 80.4 | 76.9-83.9 | 58 | 5.4 | 03.6-07.2 | 143 | 14.2 | 11.1-17.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 14: DOES YOUR HOUSEHOLD HAVE A 3-DAY SUPPLY OF PRESCRIPTION MEDICATION FOR EACH PERSON WHO TAKES PRESCRIBED MEDICINES? (GP3DYPRS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | No one in household requires prescription meds. | | |
|----------------------------|-------------------|----------|------|------|------------|----|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1467 | 311,873 | 1176 | 77.1 | 74.0-80.2 | 93 | 7.9 | 05.9-09.9 | 198 | 15.0 | 12.3-17.7 |
| White/Non-Hisp | 1208 | 242,467 | 994 | 79.3 | 76.0-82.6 | 56 | 6.0 | 04.0-08.0 | 158 | 14.7 | 11.6-17.8 |
| Black or Afr. Am./Non-Hisp | 152 | 39,211 | | | | 24 | 15.9 | 08.1-23.7 | 17 | 12.3 | 05.4-19.2 |
| 18-24 | 90 | 41,444 | | | | 15 | 15.0 | 07.2-22.8 | 18 | 16.1 | 07.9-24.3 |
| 25-34 | 149 | 54,468 | | | | 20 | 11.3 | 05.6-17.0 | | | |
| 35-44 | 246 | 60,715 | 163 | 67.0 | 59.9-74.1 | 23 | 8.5 | 04.6-12.4 | 60 | 24.5 | 18.0-31.0 |
| 45-54 | 323 | 58,753 | 257 | 80.2 | 74.3-86.1 | 16 | 6.0 | 01.9-10.1 | 50 | 13.9 | 09.2-18.6 |
| 55-64 | 297 | 44,942 | 260 | 87.7 | 82.0-93.4 | 12 | 5.9 | 01.0-10.8 | 25 | 6.4 | 03.1-09.7 |
| 65+ | 354 | 50,215 | 338 | 96.6 | 94.6-98.6 | 6 | 1.6 | 00.0-03.2 | 10 | 1.9 | 00.5-03.3 |
| Less Than H.S. | 114 | 20,586 | | | | | | | 13 | 9.3 | 02.6-16.0 |
| H.S. or G.E.D. | 433 | 93,045 | 345 | 73.3 | 66.6-80.0 | 35 | 11.1 | 06.6-15.6 | 53 | 15.7 | 09.6-21.8 |
| Some Post-H.S. | 348 | 81,390 | 271 | 77.6 | 71.5-83.7 | 26 | 7.3 | 04.0-10.6 | 51 | 15.1 | 10.0-20.2 |
| College Graduate | 572 | 116,852 | 470 | 80.1 | 75.8-84.4 | 21 | 4.5 | 02.1-06.9 | 81 | 15.3 | 11.6-19.0 |
| Less than \$15,000 | 142 | 26,469 | 116 | 82.1 | 73.1-91.1 | 11 | 5.4 | 01.9-08.9 | 15 | 12.6 | 03.8-21.4 |
| \$25,000- 34,999 | 124 | 23,983 | | | | | | | 14 | 12.6 | 04.4-20.8 |
| \$35,000- 49,999 | 200 | 36,385 | 155 | 74.3 | 66.3-82.3 | 17 | 10.5 | 05.0-16.0 | 28 | 15.2 | 08.5-21.9 |
| \$50,000- 74,999 | 231 | 48,592 | 182 | 78.5 | 72.0-85.0 | 9 | 3.2 | 00.8-05.6 | 40 | 18.3 | 12.0-24.6 |
| \$75,000+ | 555 | 132,379 | 455 | 78.8 | 73.7-83.9 | 24 | 5.7 | 03.2-08.2 | 76 | 15.5 | 10.8-20.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 15: DOES YOUR HOUSEHOLD HAVE A 3-DAY SUPPLY OF PRESCRIPTION MEDICATION FOR EACH PERSON WHO TAKES PRESCRIBED MEDICINES? (GP3DYPRS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | No one in household requires prescription meds. | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2460 | 340,922 | 2056 | 81.8 | 79.4-84.2 | 151 | 7.0 | 05.6-08.4 | 253 | 11.3 | 09.3-13.3 |
| White/Non-Hisp | 1984 | 265,297 | 1694 | 84.4 | 82.0-86.8 | 101 | 6.0 | 04.4-07.6 | 189 | 9.5 | 07.5-11.5 |
| Black or Afr. Am./Non-Hisp | 291 | 43,864 | 220 | 71.7 | 63.7-79.7 | 33 | 12.1 | 07.2-17.0 | 38 | 16.2 | 08.9-23.5 |
| Oth. Race/Non-Hisp. | 56 | 9,968 | | | | 4 | 4.8 | 00.0-09.9 | 10 | 13.2 | 03.4-23.0 |
| MultiRacial/Non-Hisp. | 58 | 8,995 | | | | 1 | 1.8 | 00.0-05.3 | | | |
| Hispanic | 52 | 10,767 | | | | 8 | 11.4 | 01.4-21.4 | | | |
| 18-24 | 93 | 41,231 | | | | 12 | 12.3 | 04.5-20.1 | | | |
| 25-34 | 255 | 55,539 | 181 | 74.1 | 67.8-80.4 | 27 | 8.9 | 05.0-12.8 | 47 | 17.0 | 11.7-22.3 |
| 35-44 | 440 | 63,613 | 337 | 76.7 | 72.0-81.4 | 39 | 10.0 | 06.5-13.5 | 64 | 13.3 | 09.6-17.0 |
| 45-54 | 480 | 62,634 | 398 | 85.6 | 81.7-89.5 | 24 | 4.2 | 02.2-06.2 | 58 | 10.2 | 06.9-13.5 |
| 55-64 | 491 | 50,267 | 423 | 88.2 | 84.7-91.7 | 26 | 4.6 | 02.2-07.0 | 42 | 7.2 | 04.5-09.9 |
| 65+ | 682 | 65,559 | 636 | 94.1 | 91.9-96.3 | 21 | 3.5 | 01.5-05.5 | 25 | 2.4 | 01.4-03.4 |
| Less Than H.S. | 157 | 17,141 | 129 | 77.6 | 68.0-87.2 | 17 | 11.5 | 05.0-18.0 | 11 | 10.9 | 02.9-18.9 |
| H.S. or G.E.D. | 821 | 111,263 | 697 | 80.3 | 75.4-85.2 | 50 | 9.1 | 05.8-12.4 | 74 | 10.6 | 06.7-14.5 |
| Some Post-H.S. | 675 | 99,062 | 564 | 85.3 | 81.6-89.0 | 41 | 5.9 | 03.7-08.1 | 70 | 8.7 | 05.6-11.8 |
| College Graduate | 804 | 113,177 | 663 | 80.6 | 76.9-84.3 | 43 | 5.0 | 03.2-06.8 | 98 | 14.4 | 10.9-17.9 |
| Less than \$15,000 | 278 | 30,729 | 226 | 77.0 | 69.2-84.8 | 32 | 13.2 | 07.5-18.9 | 20 | 9.8 | 03.1-16.5 |
| \$15,000- 24,999 | 297 | 30,854 | 257 | 88.8 | 84.1-93.5 | 21 | 7.7 | 03.4-12.0 | 19 | 3.5 | 01.7-05.3 |
| \$25,000- 34,999 | 209 | 28,115 | 174 | 80.6 | 71.2-90.0 | 13 | 8.2 | 02.7-13.7 | 22 | 11.1 | 02.7-19.5 |
| \$35,000- 49,999 | 363 | 49,837 | 296 | 77.2 | 70.1-84.3 | 19 | 6.4 | 02.9-09.9 | 48 | 16.4 | 09.9-22.9 |
| \$50,000- 74,999 | 367 | 52,828 | 300 | 79.9 | 74.2-85.6 | 18 | 6.0 | 02.7-09.3 | 49 | 14.1 | 09.2-19.0 |
| \$75,000+ | 597 | 97,193 | 496 | 82.5 | 78.0-87.0 | 34 | 5.2 | 02.8-07.6 | 67 | 12.3 | 08.4-16.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 16: DOES YOUR HOUSEHOLD HAVE A WORKING BATTERY OPERATED RADIO AND WORKING BATTERIES FOR YOUR USE IF THE ELECTRICITY IS OUT? (GPBATRAD)
Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| TOTAL | 3895 | 651,979 | 3062 | 78.9 | 77.1-80.7 | 833 | 21.1 | 19.3-22.9 | |
| Male | 1464 | 312,818 | 1193 | 82.1 | 79.6-84.6 | 271 | 17.9 | 15.4-20.4 | |
| Female | 2431 | 339,160 | 1869 | 76.0 | 73.5-78.5 | 562 | 24.0 | 21.5-26.5 | |
| White/Non-Hisp | 3158 | 506,029 | 2522 | 81.1 | 79.3-82.9 | 636 | 18.9 | 17.1-20.7 | |
| Black or Afr. Am./Non-Hisp | 445 | 83,499 | 322 | 70.7 | 63.8-77.6 | 123 | 29.3 | 22.4-36.2 | |
| 18-24 | 186 | 83,897 | 153 | 81.4 | 74.3-88.5 | 33 | 18.6 | 11.5-25.7 | |
| 25-34 | 405 | 111,132 | 283 | 71.1 | 65.2-77.0 | 122 | 28.9 | 23.0-34.8 | |
| 35-44 | 681 | 123,917 | 520 | 76.6 | 72.7-80.5 | 161 | 23.4 | 19.5-27.3 | |
| 45-54 | 793 | 119,990 | 628 | 80.9 | 77.4-84.4 | 165 | 19.1 | 15.6-22.6 | |
| 55-64 | 780 | 94,636 | 633 | 82.6 | 79.3-85.9 | 147 | 17.4 | 14.1-20.7 | |
| 65+ | 1023 | 114,992 | 823 | 81.9 | 79.2-84.6 | 200 | 18.1 | 15.4-20.8 | |
| Less Than H.S. | 272 | 38,024 | 209 | 81.4 | 75.5-87.3 | 63 | 18.6 | 12.7-24.5 | |
| H.S. or G.E.D. | 1247 | 204,337 | 978 | 78.1 | 74.6-81.6 | 269 | 21.9 | 18.4-25.4 | |
| Some Post-H.S. | 1016 | 180,938 | 815 | 81.4 | 77.9-84.9 | 201 | 18.6 | 15.1-22.1 | |
| College Graduate | 1357 | 228,401 | 1060 | 77.5 | 74.6-80.4 | 297 | 22.5 | 19.6-25.4 | |
| Less than \$15,000 | 416 | 56,925 | 306 | 76.0 | 70.3-81.7 | 110 | 24.0 | 18.3-29.7 | |
| \$15,000- 24,999 | 383 | 45,055 | 267 | 65.2 | 57.6-72.8 | 116 | 34.8 | 27.2-42.4 | |
| \$25,000- 34,999 | 333 | 52,783 | 262 | 76.9 | 69.3-84.5 | 71 | 23.1 | 15.5-30.7 | |
| \$35,000- 49,999 | 560 | 86,440 | 443 | 79.4 | 74.9-83.9 | 117 | 20.6 | 16.1-25.1 | |
| \$50,000- 74,999 | 596 | 101,305 | 486 | 81.4 | 77.1-85.7 | 110 | 18.6 | 14.3-22.9 | |
| \$75,000+ | 1137 | 228,147 | 914 | 79.6 | 76.5-82.7 | 223 | 20.4 | 17.3-23.5 | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 17: DOES YOUR HOUSEHOLD HAVE A WORKING BATTERY OPERATED RADIO AND WORKING BATTERIES FOR YOUR USE IF THE ELECTRICITY IS OUT? (GPBATRAD)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|--|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | |
| Male | 1464 | 312,818 | 1193 | 82.1 | 79.6-84.6 | 271 | 17.9 | 15.4-20.4 | |
| White/Non-Hisp | 1204 | 243,261 | 993 | 83.6 | 80.9-86.3 | 211 | 16.4 | 13.7-19.1 | |
| Black or Afr. Am./Non-Hisp | 153 | 39,522 | 114 | 77.1 | 67.7-86.5 | 39 | 22.9 | 13.5-32.3 | |
| 18-24 | 91 | 42,326 | 79 | 88.3 | 81.2-95.4 | 12 | 11.7 | 04.6-18.8 | |
| 25-34 | 149 | 54,592 | 109 | 73.2 | 64.0-82.4 | 40 | 26.8 | 17.6-36.0 | |
| 35-44 | 246 | 60,818 | 192 | 78.4 | 72.1-84.7 | 54 | 21.6 | 15.3-27.9 | |
| 45-54 | 321 | 58,724 | 262 | 83.5 | 78.2-88.8 | 59 | 16.5 | 11.2-21.8 | |
| 55-64 | 296 | 44,876 | 251 | 85.4 | 80.5-90.3 | 45 | 14.6 | 09.7-19.5 | |
| 65+ | 353 | 50,146 | 292 | 86.1 | 82.0-90.2 | 61 | 13.9 | 09.8-18.0 | |
| Less Than H.S. | 113 | 20,524 | 83 | 80.1 | 70.7-89.5 | 30 | 19.9 | 10.5-29.3 | |
| H.S. or G.E.D. | 435 | 93,768 | 355 | 82.8 | 78.1-87.5 | 80 | 17.2 | 12.5-21.9 | |
| Some Post-H.S. | 350 | 82,539 | 300 | 86.7 | 82.2-91.2 | 50 | 13.3 | 08.8-17.8 | |
| College Graduate | 566 | 115,988 | 455 | 78.7 | 74.2-83.2 | 111 | 21.3 | 16.8-25.8 | |
| Less than \$15,000 | 141 | 26,407 | 102 | 77.3 | 68.9-85.7 | 39 | 22.7 | 14.3-31.1 | |
| \$25,000- 34,999 | 124 | 23,983 | 107 | 89.0 | 81.6-96.4 | 17 | 11.0 | 03.6-18.4 | |
| \$35,000- 49,999 | 199 | 36,316 | 164 | 82.1 | 75.2-89.0 | 35 | 17.9 | 11.0-24.8 | |
| \$50,000- 74,999 | 234 | 49,036 | 194 | 82.4 | 76.1-88.7 | 40 | 17.6 | 11.3-23.9 | |
| \$75,000+ | 552 | 132,466 | 458 | 81.9 | 77.6-86.2 | 94 | 18.1 | 13.8-22.4 | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 18: DOES YOUR HOUSEHOLD HAVE A WORKING BATTERY OPERATED RADIO AND WORKING BATTERIES FOR YOUR USE IF THE ELECTRICITY IS OUT? (GPBATRAD)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| Female | 2431 | 339,160 | 1869 | 76.0 | 73.5-78.5 | 562 | 24.0 | 21.5-26.5 | |
| White/Non-Hisp | 1954 | 262,768 | 1529 | 78.7 | 76.3-81.1 | 425 | 21.3 | 18.9-23.7 | |
| Black or Afr. Am./Non-Hisp | 292 | 43,977 | 208 | 65.1 | 56.3-73.9 | 84 | 34.9 | 26.1-43.7 | |
| 25-34 | 256 | 56,540 | 174 | 69.1 | 62.0-76.2 | 82 | 30.9 | 23.8-38.0 | |
| 35-44 | 435 | 63,099 | 328 | 74.8 | 69.9-79.7 | 107 | 25.2 | 20.3-30.1 | |
| 45-54 | 472 | 61,265 | 366 | 78.5 | 73.8-83.2 | 106 | 21.5 | 16.8-26.2 | |
| 55-64 | 484 | 49,759 | 382 | 80.1 | 75.6-84.6 | 102 | 19.9 | 15.4-24.4 | |
| 65+ | 670 | 64,846 | 531 | 78.6 | 74.9-82.3 | 139 | 21.4 | 17.7-25.1 | |
| Less Than H.S. | 159 | 17,500 | 126 | 83.0 | 75.9-90.1 | 33 | 17.0 | 09.9-24.1 | |
| H.S. or G.E.D. | 812 | 110,569 | 623 | 74.1 | 69.2-79.0 | 189 | 25.9 | 21.0-30.8 | |
| Some Post-H.S. | 666 | 98,399 | 515 | 76.9 | 72.0-81.8 | 151 | 23.1 | 18.2-28.0 | |
| College Graduate | 791 | 112,413 | 605 | 76.2 | 72.5-79.9 | 186 | 23.8 | 20.1-27.5 | |
| Less than \$15,000 | 275 | 30,518 | 204 | 74.9 | 67.5-82.3 | 71 | 25.1 | 17.7-32.5 | |
| \$15,000- 24,999 | 295 | 30,717 | 207 | 65.0 | 56.0-74.0 | 88 | 35.0 | 26.0-44.0 | |
| \$35,000- 49,999 | 361 | 50,125 | 279 | 77.5 | 71.6-83.4 | 82 | 22.5 | 16.6-28.4 | |
| \$50,000- 74,999 | 362 | 52,269 | 292 | 80.5 | 74.6-86.4 | 70 | 19.5 | 13.6-25.4 | |
| \$75,000+ | 585 | 95,681 | 456 | 76.3 | 71.8-80.8 | 129 | 23.7 | 19.2-28.2 | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 19: DOES YOUR HOUSEHOLD HAVE A WORKING FLASHLIGHT AND WORKING BATTERIES FOR YOUR USE IF THE ELECTRICITY IS OUT? (GPFLSLIT)
Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| TOTAL | 3932 | 655,294 | 3771 | 95.7 | 94.7-96.7 | 161 | 4.3 | 03.3-05.3 | |
| Male | 1470 | 313,226 | 1423 | 96.9 | 95.7-98.1 | 47 | 3.1 | 01.9-04.3 | |
| Female | 2462 | 342,068 | 2348 | 94.6 | 93.2-96.0 | 114 | 5.4 | 04.0-06.8 | |
| White/Non-Hisp | 3197 | 509,424 | 3110 | 97.6 | 97.0-98.2 | 87 | 2.4 | 01.8-03.0 | |
| Black or Afr. Am./Non-Hisp | 442 | 83,193 | 395 | 90.5 | 87.0-94.0 | 47 | 9.5 | 06.0-13.0 | |
| Oth. Race/Non-Hisp. | 100 | 22,874 | 89 | 86.4 | 77.0-95.8 | 11 | 13.6 | 04.2-23.0 | |
| 18-24 | 184 | 83,133 | 171 | 93.5 | 89.0-98.0 | 13 | 6.5 | 02.0-11.0 | |
| 25-34 | 406 | 111,040 | 373 | 93.9 | 91.4-96.4 | 33 | 6.1 | 03.6-08.6 | |
| 35-44 | 685 | 124,589 | 649 | 95.1 | 93.1-97.1 | 36 | 4.9 | 02.9-06.9 | |
| 45-54 | 806 | 121,803 | 771 | 95.8 | 93.6-98.0 | 35 | 4.2 | 02.0-06.4 | |
| 55-64 | 788 | 95,208 | 773 | 98.2 | 97.0-99.4 | 15 | 1.8 | 00.6-03.0 | |
| 65+ | 1036 | 116,106 | 1008 | 97.4 | 96.0-98.8 | 28 | 2.6 | 01.2-04.0 | |
| Less Than H.S. | 272 | 37,953 | 245 | 92.2 | 87.9-96.5 | 27 | 7.8 | 03.5-12.1 | |
| H.S. or G.E.D. | 1252 | 204,933 | 1199 | 95.3 | 93.5-97.1 | 53 | 4.7 | 02.9-06.5 | |
| Some Post-H.S. | 1028 | 181,732 | 995 | 96.2 | 94.2-98.2 | 33 | 3.8 | 01.8-05.8 | |
| College Graduate | 1377 | 230,397 | 1329 | 96.3 | 94.9-97.7 | 48 | 3.7 | 02.3-05.1 | |
| Less than \$15,000 | 420 | 57,198 | 396 | 93.5 | 90.0-97.0 | 24 | 6.5 | 03.0-10.0 | |
| \$15,000- 24,999 | 384 | 44,645 | 340 | 87.0 | 81.7-92.3 | 44 | 13.0 | 07.7-18.3 | |
| \$25,000- 34,999 | 334 | 52,777 | 314 | 91.0 | 84.9-97.1 | 20 | 9.0 | 02.9-15.1 | |
| \$35,000- 49,999 | 563 | 86,796 | 545 | 96.1 | 93.6-98.6 | 18 | 3.9 | 01.4-06.4 | |
| \$50,000- 74,999 | 600 | 101,508 | 583 | 97.7 | 96.5-98.9 | 17 | 2.3 | 01.1-03.5 | |
| \$75,000+ | 1153 | 229,948 | 1128 | 97.3 | 95.9-98.7 | 25 | 2.7 | 01.3-04.1 | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 20: DOES YOUR HOUSEHOLD HAVE A WORKING FLASHLIGHT AND WORKING BATTERIES FOR YOUR USE IF THE ELECTRICITY IS OUT? (GPFLSLIT)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|----|-----|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| Male | 1470 | 313,226 | 1423 | 96.9 | 95.7-98.1 | 47 | 3.1 | 01.9-04.3 | |
| White/Non-Hisp | 1210 | 243,575 | 1181 | 98.0 | 97.0-99.0 | 29 | 2.0 | 01.0-03.0 | |
| Black or Afr. Am./Non-Hisp | 153 | 39,522 | 141 | 94.2 | 89.9-98.5 | 12 | 5.8 | 01.5-10.1 | |
| 18-24 | 90 | 42,110 | 87 | 96.9 | 93.2-0100 | 3 | 3.1 | 00.0-06.8 | |
| 25-34 | 148 | 54,174 | 140 | 95.5 | 92.0-99.0 | 8 | 4.5 | 01.0-08.0 | |
| 35-44 | 247 | 61,127 | 237 | 96.1 | 93.2-99.0 | 10 | 3.9 | 01.0-06.8 | |
| 45-54 | 325 | 59,214 | 313 | 96.8 | 93.7-99.9 | 12 | 3.2 | 00.1-06.3 | |
| 55-64 | 298 | 45,050 | 294 | 99.1 | 98.1-0100 | 4 | 0.9 | 00.0-01.9 | |
| 65+ | 354 | 50,215 | 344 | 97.8 | 95.8-99.8 | 10 | 2.2 | 00.2-04.2 | |
| Less Than H.S. | 114 | 20,586 | 104 | 93.2 | 86.5-99.9 | 10 | 6.8 | 00.1-13.5 | |
| H.S. or G.E.D. | 432 | 93,072 | 421 | 96.7 | 94.2-99.2 | 11 | 3.3 | 00.8-05.8 | |
| Some Post-H.S. | 351 | 82,608 | 345 | 98.8 | 97.6-0100 | 6 | 1.2 | 00.0-02.4 | |
| College Graduate | 573 | 116,960 | 553 | 96.5 | 94.5-98.5 | 20 | 3.5 | 01.5-05.5 | |
| Less than \$15,000 | 142 | 26,469 | 135 | 94.7 | 89.8-99.6 | 7 | 5.3 | 00.4-10.2 | |
| \$25,000- 34,999 | 123 | 23,767 | 116 | 93.3 | 86.6-0100 | 7 | 6.7 | 00.0-13.4 | |
| \$35,000- 49,999 | 200 | 36,385 | 197 | 98.2 | 96.0-0100 | 3 | 1.8 | 00.0-04.0 | |
| \$50,000- 74,999 | 233 | 48,680 | 227 | 98.4 | 97.0-99.8 | 6 | 1.6 | 00.2-03.0 | |
| \$75,000+ | 555 | 132,667 | 545 | 97.7 | 95.9-99.5 | 10 | 2.3 | 00.5-04.1 | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 21: DOES YOUR HOUSEHOLD HAVE A WORKING FLASHLIGHT AND WORKING BATTERIES FOR YOUR USE IF THE ELECTRICITY IS OUT? (GPFLSLIT)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| Female | 2462 | 342,068 | 2348 | 94.6 | 93.2-96.0 | 114 | 5.4 | 04.0-06.8 | |
| White/Non-Hisp | 1987 | 265,849 | 1929 | 97.3 | 96.5-98.1 | 58 | 2.7 | 01.9-03.5 | |
| Black or Afr. Am./Non-Hisp | 289 | 43,671 | 254 | 87.2 | 81.9-92.5 | 35 | 12.8 | 07.5-18.1 | |
| 18-24 | 94 | 41,023 | 84 | 90.0 | 81.8-98.2 | 10 | 10.0 | 01.8-18.2 | |
| 25-34 | 258 | 56,867 | 233 | 92.3 | 88.6-96.0 | 25 | 7.7 | 04.0-11.4 | |
| 35-44 | 438 | 63,463 | 412 | 94.2 | 91.7-96.7 | 26 | 5.8 | 03.3-08.3 | |
| 45-54 | 481 | 62,589 | 458 | 94.9 | 92.2-97.6 | 23 | 5.1 | 02.4-07.8 | |
| 55-64 | 490 | 50,158 | 479 | 97.4 | 95.6-99.2 | 11 | 2.6 | 00.8-04.4 | |
| 65+ | 682 | 65,890 | 664 | 97.2 | 95.6-98.8 | 18 | 2.8 | 01.2-04.4 | |
| Less Than H.S. | 158 | 17,367 | 141 | 91.0 | 85.9-96.1 | 17 | 9.0 | 03.9-14.1 | |
| H.S. or G.E.D. | 820 | 111,862 | 778 | 94.1 | 91.6-96.6 | 42 | 5.9 | 03.4-08.4 | |
| Some Post-H.S. | 677 | 99,124 | 650 | 94.0 | 90.7-97.3 | 27 | 6.0 | 02.7-09.3 | |
| College Graduate | 804 | 113,437 | 776 | 96.1 | 94.3-97.9 | 28 | 3.9 | 02.1-05.7 | |
| Less than \$15,000 | 278 | 30,729 | 261 | 92.4 | 87.5-97.3 | 17 | 7.6 | 02.7-12.5 | |
| \$15,000- 24,999 | 296 | 30,307 | 263 | 87.0 | 81.5-92.5 | 33 | 13.0 | 07.5-18.5 | |
| \$25,000- 34,999 | 211 | 29,010 | 198 | 89.1 | 79.7-98.5 | 13 | 10.9 | 01.5-20.3 | |
| \$35,000- 49,999 | 363 | 50,411 | 348 | 94.6 | 90.7-98.5 | 15 | 5.4 | 01.5-09.3 | |
| \$50,000- 74,999 | 367 | 52,828 | 356 | 97.1 | 95.1-99.1 | 11 | 2.9 | 00.9-04.9 | |
| \$75,000+ | 598 | 97,281 | 583 | 96.7 | 94.7-98.7 | 15 | 3.3 | 01.3-05.3 | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

**TABLE 22: IF PUBLIC AUTHORITIES ANNOUNCED A MANDATORY EVACUATION FROM YOUR COMMUNITY DUE TO A LARGE-SCALE DISASTER OR EMERGENCY, WOULD YOU EVACUATE?
(GPMNDEVIC)**

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3595 | 602,216 | 3387 | 94.6 | 93.6-95.6 | 208 | 5.4 | 04.4-06.4 |
| Male | 1299 | 280,223 | 1182 | 91.6 | 89.6-93.6 | 117 | 8.4 | 06.4-10.4 |
| Female | 2296 | 321,993 | 2205 | 97.2 | 96.6-97.8 | 91 | 2.8 | 02.2-03.4 |
| White/Non-Hisp | 2891 | 462,609 | 2715 | 94.4 | 93.2-95.6 | 176 | 5.6 | 04.4-06.8 |
| Black or Afr. Am./Non-Hisp | 432 | 81,295 | 419 | 97.1 | 94.7-99.5 | 13 | 2.9 | 00.5-05.3 |
| Oth. Race/Non-Hisp. | 95 | 22,424 | 85 | 89.0 | 80.0-98.0 | 10 | 11.0 | 02.0-20.0 |
| MultiRacial/Non-Hisp. | 71 | 11,762 | 67 | 97.9 | 95.7-0100 | 4 | 2.1 | 00.0-04.3 |
| Hispanic | 80 | 20,540 | 78 | 98.4 | 96.2-0100 | 2 | 1.6 | 00.0-03.8 |
| 18-24 | 178 | 81,356 | 168 | 94.5 | 90.4-98.6 | 10 | 5.5 | 01.4-09.6 |
| 25-34 | 384 | 106,301 | 368 | 95.2 | 92.5-97.9 | 16 | 4.8 | 02.1-07.5 |
| 35-44 | 637 | 115,391 | 609 | 96.2 | 94.4-98.0 | 28 | 3.8 | 02.0-05.6 |
| 45-54 | 724 | 108,651 | 674 | 94.0 | 91.6-96.4 | 50 | 6.0 | 03.6-08.4 |
| 55-64 | 705 | 82,589 | 659 | 94.2 | 92.0-96.4 | 46 | 5.8 | 03.6-08.0 |
| 65+ | 944 | 104,853 | 887 | 93.7 | 91.5-95.9 | 57 | 6.3 | 04.1-08.5 |
| Less Than H.S. | 245 | 34,052 | 230 | 92.6 | 87.1-98.1 | 15 | 7.4 | 01.9-12.9 |
| H.S. or G.E.D. | 1162 | 191,797 | 1089 | 94.5 | 92.5-96.5 | 73 | 5.5 | 03.5-07.5 |
| Some Post-H.S. | 926 | 165,921 | 876 | 94.8 | 92.6-97.0 | 50 | 5.2 | 03.0-07.4 |
| College Graduate | 1259 | 210,168 | 1189 | 94.9 | 93.3-96.5 | 70 | 5.1 | 03.5-06.7 |
| Less than \$15,000 | 393 | 52,981 | 370 | 92.9 | 89.4-96.4 | 23 | 7.1 | 03.6-10.6 |
| \$15,000- 24,999 | 349 | 40,987 | 328 | 95.7 | 93.5-97.9 | 21 | 4.3 | 02.1-06.5 |
| \$25,000- 34,999 | 312 | 50,266 | 301 | 96.0 | 92.7-99.3 | 11 | 4.0 | 00.7-07.3 |
| \$35,000- 49,999 | 523 | 81,666 | 497 | 96.1 | 94.3-97.9 | 26 | 3.9 | 02.1-05.7 |
| \$50,000- 74,999 | 555 | 94,766 | 516 | 93.5 | 90.8-96.2 | 39 | 6.5 | 03.8-09.2 |
| \$75,000+ | 1033 | 207,039 | 970 | 94.5 | 92.5-96.5 | 63 | 5.5 | 03.5-07.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

**TABLE 23: IF PUBLIC AUTHORITIES ANNOUNCED A MANDATORY EVACUATION FROM YOUR COMMUNITY DUE TO A LARGE-SCALE DISASTER OR EMERGENCY, WOULD YOU EVACUATE?
(GPMNDEVIC)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1299 | 280,223 | 1182 | 91.6 | 89.6-93.6 | 117 | 8.4 | 06.4-10.4 |
| White/Non-Hisp | 1055 | 214,472 | 959 | 91.5 | 89.1-93.9 | 96 | 8.5 | 06.1-10.9 |
| Black or Afr. Am./Non-Hisp | 145 | 37,647 | 135 | 94.4 | 89.3-99.5 | 10 | 5.6 | 00.5-10.7 |
| 18-24 | 86 | 40,397 | 79 | 90.5 | 82.7-98.3 | 7 | 9.5 | 01.7-17.3 |
| 25-34 | 137 | 51,026 | 122 | 90.2 | 84.5-95.9 | 15 | 9.8 | 04.1-15.5 |
| 35-44 | 221 | 55,190 | 203 | 94.0 | 90.7-97.3 | 18 | 6.0 | 02.7-09.3 |
| 45-54 | 282 | 51,860 | 255 | 92.0 | 87.9-96.1 | 27 | 8.0 | 03.9-12.1 |
| 55-64 | 260 | 37,546 | 239 | 92.8 | 89.1-96.5 | 21 | 7.2 | 03.5-10.9 |
| 65+ | 307 | 43,019 | 279 | 90.7 | 86.2-95.2 | 28 | 9.3 | 04.8-13.8 |
| H.S. or G.E.D. | 393 | 85,665 | 360 | 92.3 | 88.6-96.0 | 33 | 7.7 | 04.0-11.4 |
| Some Post-H.S. | 308 | 73,681 | 280 | 91.3 | 86.8-95.8 | 28 | 8.7 | 04.2-13.2 |
| College Graduate | 504 | 103,226 | 460 | 92.1 | 89.2-95.0 | 44 | 7.9 | 05.0-10.8 |
| Less than \$15,000 | 127 | 23,547 | 114 | 90.3 | 83.6-97.0 | 13 | 9.7 | 03.0-16.4 |
| \$15,000- 24,999 | 75 | 12,656 | 67 | 95.3 | 91.4-99.2 | 8 | 4.7 | 00.8-08.6 |
| \$25,000- 34,999 | 114 | 22,529 | 110 | 94.2 | 87.1-0100 | 4 | 5.8 | 00.0-12.9 |
| \$35,000- 49,999 | 181 | 33,349 | 169 | 94.4 | 90.9-97.9 | 12 | 5.6 | 02.1-09.1 |
| \$50,000- 74,999 | 207 | 44,148 | 183 | 88.7 | 83.0-94.4 | 24 | 11.3 | 05.6-17.0 |
| \$75,000+ | 484 | 117,040 | 440 | 91.9 | 88.6-95.2 | 44 | 8.1 | 04.8-11.4 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

**TABLE 24: IF PUBLIC AUTHORITIES ANNOUNCED A MANDATORY EVACUATION FROM YOUR COMMUNITY DUE TO A LARGE-SCALE DISASTER OR EMERGENCY, WOULD YOU EVACUATE?
(GPMNDEVIC)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|----|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2296 | 321,993 | 2205 | 97.2 | 96.6-97.8 | 91 | 2.8 | 02.2-03.4 |
| White/Non-Hisp | 1836 | 248,137 | 1756 | 96.8 | 96.0-97.6 | 80 | 3.2 | 02.4-04.0 |
| Black or Afr. Am./Non-Hisp | 287 | 43,648 | 284 | 99.4 | 98.6-0100 | 3 | 0.6 | 00.0-01.4 |
| Oth. Race/Non-Hisp. | 53 | 9,762 | 51 | 96.9 | 92.2-0100 | 2 | 3.1 | 00.0-07.8 |
| MultiRacial/Non-Hisp. | 52 | 7,953 | 48 | 96.9 | 93.6-0100 | 4 | 3.1 | 00.0-06.4 |
| Hispanic | 50 | 10,677 | 49 | 98.4 | 95.3-0100 | 1 | 1.6 | 00.0-04.7 |
| 18-24 | 92 | 40,959 | 89 | 98.5 | 96.7-0100 | 3 | 1.5 | 00.0-03.3 |
| 25-34 | 247 | 55,275 | 246 | 99.8 | 99.4-0100 | 1 | 0.2 | 00.0-00.6 |
| 35-44 | 416 | 60,201 | 406 | 98.3 | 97.1-99.5 | 10 | 1.7 | 00.5-02.9 |
| 45-54 | 442 | 56,791 | 419 | 95.7 | 93.7-97.7 | 23 | 4.3 | 02.3-06.3 |
| 55-64 | 445 | 45,043 | 420 | 95.3 | 92.9-97.7 | 25 | 4.7 | 02.3-07.1 |
| 65+ | 637 | 61,834 | 608 | 95.7 | 93.7-97.7 | 29 | 4.3 | 02.3-06.3 |
| Less Than H.S. | 151 | 16,400 | 148 | 98.6 | 96.4-0100 | 3 | 1.4 | 00.0-03.6 |
| H.S. or G.E.D. | 769 | 106,132 | 729 | 96.2 | 94.8-97.6 | 40 | 3.8 | 02.4-05.2 |
| Some Post-H.S. | 618 | 92,240 | 596 | 97.6 | 96.4-98.8 | 22 | 2.4 | 01.2-03.6 |
| College Graduate | 755 | 106,942 | 729 | 97.7 | 96.7-98.7 | 26 | 2.3 | 01.3-03.3 |
| Less than \$15,000 | 266 | 29,434 | 256 | 94.9 | 91.4-98.4 | 10 | 5.1 | 01.6-08.6 |
| \$15,000- 24,999 | 274 | 28,331 | 261 | 95.9 | 93.2-98.6 | 13 | 4.1 | 01.4-06.8 |
| \$25,000- 34,999 | 198 | 27,737 | 191 | 97.5 | 95.5-99.5 | 7 | 2.5 | 00.5-04.5 |
| \$35,000- 49,999 | 342 | 48,317 | 328 | 97.2 | 95.4-99.0 | 14 | 2.8 | 01.0-04.6 |
| \$50,000- 74,999 | 348 | 50,618 | 333 | 97.7 | 96.3-99.1 | 15 | 2.3 | 00.9-03.7 |
| \$75,000+ | 549 | 90,000 | 530 | 97.8 | 96.6-99.0 | 19 | 2.2 | 01.0-03.4 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2007
 MODULE 19: GENERAL PREPAREDNESS**

**TABLE 25: WHAT WOULD BE THE MAIN REASON WHY YOU MIGHT NOT EVACUATE IF ASKED TO DO SO? (GPNOTEVC)
 Denominator excludes: Respondents with refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Lack, Transp. | | | Lack, Trust Public Officials | | | (3,6) Concern, leaving property pets behind | | | (4,5) Concern, personal or family safety | | | Other | | |
|--------------------|-------------------|----------|---------------|-----|------------|------------------------------|------|------------|---|------|------------|--|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 533 | 84,975 | 20 | 2.0 | 00.8-03.2 | 92 | 19.9 | 15.2-24.6 | 156 | 27.0 | 21.9-32.1 | 57 | 11.7 | 08.0-15.4 | 208 | 39.4 | 33.7-45.1 |
| Male | 281 | 55,658 | 4 | 0.4 | 00.0-00.8 | 68 | 24.7 | 18.0-31.4 | 58 | 21.9 | 15.0-28.8 | 26 | 9.9 | 05.6-14.2 | 125 | 43.0 | 35.4-50.6 |
| Female | 252 | 29,317 | 16 | 5.0 | 01.9-08.1 | 24 | 10.9 | 06.0-15.8 | 98 | 36.5 | 29.1-43.9 | 31 | 15.2 | 08.3-22.1 | 83 | 32.4 | 25.0-39.8 |
| White/Non-Hisp | 466 | 71,876 | 16 | 1.7 | 00.7-02.7 | 72 | 17.2 | 12.5-21.9 | 141 | 27.2 | 21.7-32.7 | 52 | 12.6 | 08.3-16.9 | 185 | 41.3 | 35.2-47.4 |
| 35-44 | 74 | 13,312 | 2 | 2.3 | 00.0-05.6 | | | | | | | 9 | 9.2 | 02.3-16.1 | | | |
| 45-54 | 132 | 19,578 | 2 | 2.1 | 00.0-05.4 | 27 | 21.0 | 11.4-30.6 | 46 | 26.3 | 17.5-35.1 | 13 | 11.8 | 04.9-18.7 | | | |
| 55-64 | 126 | 17,092 | 6 | 1.9 | 00.1-03.7 | 21 | 17.1 | 08.9-25.3 | | | | 7 | 7.5 | 00.0-16.7 | | | |
| 65+ | 141 | 17,286 | 10 | 3.9 | 01.2-06.6 | | | | 34 | 22.5 | 13.9-31.1 | 17 | 11.5 | 05.2-17.8 | | | |
| H.S. or G.E.D. | 160 | 23,878 | 10 | 3.6 | 00.5-06.7 | 27 | 21.8 | 12.4-31.2 | 53 | 28.5 | 18.7-38.3 | 16 | 8.6 | 03.5-13.7 | | | |
| Some Post-H.S. | 150 | 24,623 | 7 | 1.9 | 00.5-03.3 | 27 | 17.6 | 10.2-25.0 | | | | 15 | 11.5 | 04.4-18.6 | | | |
| College Graduate | 181 | 30,180 | 2 | 1.1 | 00.0-02.7 | 32 | 18.8 | 11.5-26.1 | 42 | 21.2 | 13.6-28.8 | 24 | 16.4 | 08.8-24.0 | 81 | 42.5 | 32.9-52.1 |
| \$15,000- 24,999 | 54 | 5,566 | 6 | 7.1 | 01.0-13.2 | | | | | | | 4 | 6.6 | 00.0-13.5 | | | |
| \$35,000- 49,999 | 65 | 8,359 | 2 | 1.8 | 00.0-04.7 | | | | | | | 7 | 6.3 | 01.4-11.2 | | | |
| \$50,000- 74,999 | 83 | 13,076 | | | | 13 | 13.7 | 04.9-22.5 | | | | 9 | 12.8 | 04.0-21.6 | | | |
| \$75,000+ | 180 | 33,866 | 1 | 0.6 | 00.0-01.8 | 38 | 22.1 | 14.1-30.1 | 50 | 27.4 | 18.0-36.8 | 22 | 13.7 | 07.0-20.4 | 69 | 36.2 | 26.6-45.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 26: WHAT WOULD BE THE MAIN REASON WHY YOU MIGHT NOT EVACUATE IF ASKED TO DO SO? (GPNOTEVC)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Lack, Transp. | | | Lack, Trust Public Officials | | | (3,6) Concern, leaving property pets behind | | | (4,5) Concern, personal or family safety | | | Other | | |
|--------------------|-------------------|----------|---------------|-----|------------|------------------------------|------|------------|---|------|------------|--|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 281 | 55,658 | 4 | 0.4 | 00.0-00.8 | 68 | 24.7 | 18.0-31.4 | 58 | 21.9 | 15.0-28.8 | 26 | 9.9 | 05.6-14.2 | 125 | 43.0 | 35.2-50.8 |
| White/Non-Hisp | 243 | 46,309 | 4 | 0.5 | 00.0-01.1 | 55 | 21.7 | 15.0-28.4 | 51 | 21.2 | 14.1-28.3 | 23 | 10.8 | 05.7-15.9 | 110 | 45.8 | 37.4-54.2 |
| 45-54 | 69 | 11,188 | | | | | | | 13 | 9.9 | 03.6-16.2 | 4 | 6.4 | 00.0-13.3 | | | |
| 55-64 | 56 | 9,792 | 1 | 0.5 | 00.0-01.5 | | | | | | | 2 | 2.1 | 00.0-05.2 | | | |
| 65+ | 73 | 11,048 | 2 | 0.9 | 00.0-02.3 | | | | | | | 7 | 11.3 | 02.5-20.1 | | | |
| H.S. or G.E.D. | 71 | 14,231 | 1 | 0.3 | 00.0-00.9 | | | | | | | 5 | 6.3 | 00.0-12.6 | | | |
| Some Post-H.S. | 70 | 15,155 | 2 | 0.9 | 00.0-02.3 | | | | | | | | | | | | |
| College Graduate | 109 | 21,351 | | | | 25 | 23.5 | 13.9-33.1 | 19 | 17.0 | 07.8-26.2 | 12 | 11.9 | 04.6-19.2 | | | |
| \$75,000+ | 113 | 24,703 | | | | | | | | | | 13 | 12.5 | 04.7-20.3 | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

**TABLE 26: WHAT WOULD BE THE MAIN REASON WHY YOU MIGHT NOT EVACUATE IF ASKED TO DO SO? (GPNOTEVC)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Lack, Transp. | | | Lack, Trust Public Officials | | | (3,6) Concern, leaving property pets behind | | | (4,5) Concern, personal or family safety | | | Other | | |
|--------------------|-------------------|----------|---------------|-----|------------|------------------------------|------|------------|---|------|------------|--|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 252 | 29,317 | 16 | 5.0 | 01.9-08.1 | 24 | 10.9 | 06.0-15.8 | 98 | 36.5 | 29.1-43.9 | 31 | 15.2 | 08.3-22.1 | 83 | 32.4 | 25.1-39.7 |
| White/Non-Hisp | 223 | 25,567 | 12 | 3.8 | 01.3-06.3 | 17 | 9.1 | 04.2-14.0 | 90 | 38.0 | 29.8-46.2 | 29 | 15.8 | 08.4-23.2 | 75 | 33.2 | 25.4-41.0 |
| 45-54 | 63 | 8,390 | 2 | 4.8 | 00.0-12.4 | 7 | 11.5 | 01.9-21.1 | | | | | | | | | |
| 55-64 | 70 | 7,300 | 5 | 3.9 | 00.0-07.8 | 7 | 11.5 | 01.9-21.1 | | | | | | | | | |
| 65+ | 68 | 6,239 | 8 | 9.2 | 02.3-16.1 | | | | | | | 10 | 11.9 | 04.1-19.7 | | | |
| H.S. or G.E.D. | 89 | 9,646 | 9 | 8.3 | 00.9-15.7 | 6 | 11.6 | 01.8-21.4 | | | | 11 | 11.9 | 03.5-20.3 | | | |
| Some Post-H.S. | 80 | 9,467 | 5 | 3.5 | 00.4-06.6 | 11 | 15.1 | 05.9-24.3 | | | | 7 | 8.8 | 01.0-16.6 | | | |
| College Graduate | 72 | 8,829 | 2 | 3.8 | 00.0-09.3 | 7 | 7.3 | 01.2-13.4 | | | | | | | | | |
| \$75,000+ | 67 | 9,163 | 1 | 2.3 | 00.0-06.8 | | | | | | | | | | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

**TABLE 27: IN A LARGE-SCALE DISASTER OR EMERGENCY, WHAT WOULD BE YOUR MAIN METHOD OF COMMUNICATING WITH RELATIVES AND FRIENDS? (GPEMRCOM)
Denominator excludes: Respondents with refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Reg. home phones | | | Cell phones | | | Email | | | Pager | | 2-way radios | | | Other | | | |
|----------------------------|-------------------|----------|------------------|------|------------|-------------|------|------------|-------|-----|------------|-------|-----|--------------|----|-----|------------|----|-----|-----------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| TOTAL | 3887 | 648,723 | 723 | 14.1 | 12.7-15.5 | 3058 | 83.3 | 81.7-84.9 | 25 | 0.5 | 0.3-0.7 | 1 | 0.1 | 0.0-0.3 | 20 | 0.7 | 0.3-0.1.1 | 60 | 1.3 | 0.7-0.1.9 |
| Male | 1455 | 310,069 | 267 | 12.9 | 10.7-15.1 | 1140 | 83.9 | 81.5-86.3 | 14 | 0.6 | 0.2-0.1.0 | | | | 8 | 1.1 | 0.1-0.2.1 | 26 | 1.5 | 0.7-0.2.3 |
| Female | 2432 | 338,654 | 456 | 15.2 | 13.4-17.0 | 1918 | 82.8 | 80.8-84.8 | 11 | 0.3 | 0.1-0.0.5 | 1 | 0.1 | 0.0-0.0.3 | 12 | 0.4 | 0.0-0.0.8 | 34 | 1.1 | 0.5-0.1.7 |
| White/Non-Hisp | 3155 | 503,069 | 600 | 14.4 | 12.8-16.0 | 2480 | 83.5 | 81.9-85.1 | 17 | 0.4 | 0.2-0.0.6 | | | | 11 | 0.5 | 0.1-0.0.9 | 47 | 1.2 | 0.8-0.1.6 |
| Black or Afr. Am./Non-Hisp | 441 | 83,118 | 74 | 13.5 | 09.6-17.4 | 351 | 83.0 | 78.5-87.5 | 5 | 0.8 | 0.0-0.1.6 | 1 | 0.4 | 0.0-0.1.2 | 2 | 1.1 | 0.0-0.2.7 | 8 | 1.2 | 0.2-0.2.2 |
| Oth. Race/Non-Hisp. | 99 | 22,806 | | | | | | | 1 | 0.7 | 0.0-0.2.1 | | | | 2 | 1.8 | 0.0-0.4.3 | 1 | 0.5 | 0.0-0.1.5 |
| MultiRacial/Non-Hisp. | 80 | 13,624 | 15 | 11.9 | 04.3-19.5 | | | | 1 | 0.7 | 0.0-0.2.1 | | | | 4 | 3.1 | 0.0-0.7.0 | 2 | 7.2 | 0.0-19.5 |
| Hispanic | 83 | 21,720 | 6 | 4.3 | 00.0-09.0 | 74 | 92.6 | 86.5-98.7 | 1 | 1.4 | 0.0-0.4.1 | | | | 1 | 1.5 | 0.0-0.4.4 | 1 | 0.3 | 0.0-0.0.9 |
| 18-24 | 183 | 82,093 | 15 | 6.1 | 02.2-10.0 | 162 | 90.2 | 85.1-95.3 | | | | | | | 2 | 1.8 | 0.0-0.4.3 | 4 | 1.9 | 0.0-0.4.3 |
| 25-34 | 407 | 111,190 | 34 | 9.8 | 05.7-13.9 | 367 | 89.4 | 85.3-93.5 | | | | | | | 4 | 0.6 | 0.0-0.1.4 | 2 | 0.2 | 0.0-0.0.6 |
| 35-44 | 678 | 123,658 | 53 | 6.2 | 04.2-08.2 | 600 | 90.8 | 88.3-93.3 | 5 | 0.5 | 0.0-0.1.1 | | | | 6 | 1.1 | 0.0-0.2.3 | 14 | 1.3 | 0.3-0.2.3 |
| 45-54 | 796 | 120,585 | 115 | 12.4 | 09.7-15.1 | 654 | 83.8 | 80.7-86.9 | 10 | 1.0 | 0.2-0.1.8 | 1 | 0.3 | 0.0-0.0.9 | 7 | 1.0 | 0.0-0.2.2 | 9 | 1.5 | 0.1-0.2.9 |
| 55-64 | 780 | 94,497 | 133 | 15.4 | 11.9-18.9 | 632 | 82.8 | 79.3-86.3 | 4 | 0.4 | 0.0-0.1.0 | | | | 1 | 0.1 | 0.0-0.0.3 | 10 | 1.3 | 0.1-0.2.5 |
| 65+ | 1016 | 113,284 | 364 | 33.4 | 29.9-36.9 | 626 | 64.2 | 60.5-67.9 | 6 | 0.7 | 0.1-0.1.3 | | | | | | | 20 | 1.7 | 0.7-0.2.7 |
| Less Than H.S. | 266 | 37,472 | 100 | 26.3 | 19.8-32.8 | 154 | 68.4 | 60.8-76.0 | 2 | 0.3 | 0.0-0.0.7 | | | | 2 | 0.8 | 0.0-0.2.0 | 8 | 4.2 | 0.0-0.9.1 |
| H.S. or G.E.D. | 1230 | 202,079 | 267 | 17.0 | 14.3-19.7 | 931 | 80.2 | 77.3-83.1 | 3 | 0.2 | 0.0-0.0.4 | 1 | 0.2 | 0.0-0.0.6 | 5 | 0.8 | 0.0-0.1.6 | 23 | 1.7 | 0.7-0.2.7 |
| Some Post-H.S. | 1023 | 180,938 | 152 | 10.8 | 08.3-13.3 | 843 | 86.8 | 84.1-89.5 | 6 | 0.3 | 0.1-0.0.5 | | | | 6 | 1.0 | 0.0-0.2.0 | 16 | 1.1 | 0.3-0.1.9 |
| College Graduate | 1365 | 227,954 | 203 | 12.1 | 09.9-14.3 | 1129 | 85.9 | 83.7-88.1 | 13 | 0.8 | 0.2-0.1.4 | | | | 7 | 0.5 | 0.0-0.1.1 | 13 | 0.7 | 0.3-0.1.1 |
| Less than \$15,000 | 414 | 56,449 | 119 | 23.3 | 18.0-28.6 | 275 | 72.7 | 67.0-78.4 | 3 | 0.4 | 0.0-0.1.0 | 1 | 0.6 | 0.0-0.1.8 | 1 | 0.1 | 0.0-0.0.3 | 15 | 2.9 | 0.9-0.4.9 |
| \$15,000- 24,999 | 372 | 43,817 | 150 | 34.2 | 27.7-40.7 | 210 | 63.8 | 57.1-70.5 | 2 | 0.3 | 0.0-0.0.7 | | | | 1 | 0.2 | 0.0-0.0.6 | 9 | 1.4 | 0.2-0.2.6 |
| \$25,000- 34,999 | 332 | 52,461 | 75 | 19.0 | 13.1-24.9 | 245 | 76.7 | 70.0-83.4 | 2 | 0.3 | 0.0-0.0.7 | | | | 1 | 0.2 | 0.0-0.0.6 | 9 | 3.7 | 0.0-0.7.4 |
| \$35,000- 49,999 | 561 | 86,135 | 84 | 11.8 | 08.7-14.9 | 461 | 85.4 | 81.9-88.9 | 6 | 0.9 | 0.0-0.1.9 | | | | 3 | 1.0 | 0.0-0.2.2 | 7 | 0.9 | 0.1-0.1.7 |
| \$50,000- 74,999 | 595 | 101,172 | 66 | 9.5 | 06.6-12.4 | 520 | 88.4 | 85.1-91.7 | | | | | | | 3 | 0.8 | 0.0-0.2.0 | 6 | 1.3 | 0.0-0.2.7 |
| \$75,000+ | 1147 | 228,544 | 105 | 7.7 | 05.7-09.7 | 1020 | 90.9 | 88.7-93.1 | 8 | 0.4 | 0.0-0.0.8 | | | | 9 | 0.6 | 0.0-0.1.2 | 5 | 0.4 | 0.0-0.0.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 28: IN A LARGE-SCALE DISASTER OR EMERGENCY, WHAT WOULD BE YOUR MAIN METHOD OF COMMUNICATING WITH RELATIVES AND FRIENDS? (GPEMRCOM)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Reg. home phones | | | Cell phones | | | Email | | | 2-way radios | | | Other | | |
|----------------------------|-------------------|----------|------------------|------|------------|-------------|------|------------|-------|-----|------------|--------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1455 | 310,069 | 267 | 12.9 | 10.7-15.1 | 1140 | 83.9 | 81.5-86.3 | 14 | 0.6 | 00.2-01.0 | 8 | 1.1 | 00.1-02.1 | 26 | 1.5 | 00.7-02.3 |
| White/Non-Hisp | 1197 | 240,462 | 222 | 12.4 | 10.2-14.6 | 941 | 84.7 | 82.3-87.1 | 8 | 0.4 | 00.0-00.8 | 5 | 0.9 | 00.0-01.9 | 21 | 1.5 | 00.7-02.3 |
| Black or Afr. Am./Non-Hisp | 152 | 39,487 | 30 | 15.5 | 08.2-22.8 | 115 | 80.4 | 72.2-88.6 | 3 | 0.9 | 00.0-02.1 | 1 | 1.6 | 00.0-04.7 | 3 | 1.7 | 00.0-03.7 |
| 18-24 | 88 | 40,522 | 8 | 6.6 | 00.9-12.3 | 77 | 88.9 | 81.3-96.5 | | | | 2 | 3.6 | 00.0-08.7 | 1 | 0.9 | 00.0-02.7 |
| 25-34 | 150 | 54,654 | 11 | 7.5 | 02.0-13.0 | 137 | 92.0 | 86.5-97.5 | | | | 2 | 0.5 | 00.0-01.3 | | | |
| 35-44 | 245 | 61,032 | 20 | 5.9 | 02.8-09.0 | 213 | 90.4 | 86.5-94.3 | 2 | 0.2 | 00.0-00.6 | 3 | 1.6 | 00.0-03.8 | 7 | 1.9 | 00.1-03.7 |
| 45-54 | 320 | 58,742 | 48 | 10.0 | 06.7-13.3 | 259 | 84.8 | 80.1-89.5 | 6 | 1.5 | 00.1-02.9 | 1 | 1.0 | 00.0-03.0 | 6 | 2.7 | 00.0-05.4 |
| 55-64 | 297 | 44,646 | 50 | 15.2 | 09.3-21.1 | 239 | 83.1 | 77.0-89.2 | 2 | 0.3 | 00.0-00.7 | | | | 6 | 1.4 | 00.0-02.8 |
| 65+ | 347 | 49,137 | 128 | 34.2 | 28.1-40.3 | 210 | 62.6 | 56.3-68.9 | 4 | 1.3 | 00.0-02.7 | | | | 5 | 1.9 | 00.0-03.9 |
| Less Than H.S. | 110 | 20,324 | 42 | 22.1 | 13.1-31.1 | 62 | 74.3 | 64.7-83.9 | 1 | 0.2 | 00.0-00.6 | 2 | 1.4 | 00.0-03.8 | 3 | 1.9 | 00.0-04.3 |
| H.S. or G.E.D. | 426 | 92,074 | 85 | 15.2 | 10.9-19.5 | 330 | 81.5 | 76.6-86.4 | 1 | 0.1 | 00.0-00.3 | 2 | 1.3 | 00.0-03.1 | 8 | 1.9 | 00.1-03.7 |
| Some Post-H.S. | 348 | 81,997 | 46 | 8.1 | 05.0-11.2 | 289 | 88.4 | 84.3-92.5 | 4 | 0.5 | 00.0-01.1 | 3 | 1.5 | 00.0-03.7 | 6 | 1.5 | 00.0-03.1 |
| College Graduate | 571 | 115,674 | 94 | 12.8 | 09.5-16.1 | 459 | 84.4 | 80.9-87.9 | 8 | 1.1 | 00.3-01.9 | 1 | 0.5 | 00.0-01.5 | 9 | 1.1 | 00.1-02.1 |
| Less than \$15,000 | 140 | 26,005 | 48 | 26.0 | 16.8-35.2 | 86 | 70.0 | 60.4-79.6 | | | | 1 | 0.2 | 00.0-00.6 | 5 | 3.7 | 00.0-07.6 |
| \$15,000- 24,999 | 84 | 14,003 | | | | | | | 1 | 0.5 | 00.0-01.5 | | | | 3 | 2.6 | 00.0-05.7 |
| \$25,000- 34,999 | 122 | 23,632 | 34 | 21.2 | 11.4-31.0 | | | | 1 | 0.4 | 00.0-01.2 | | | | 3 | 3.0 | 00.0-06.5 |
| \$35,000- 49,999 | 198 | 35,811 | 34 | 13.7 | 08.2-19.2 | 154 | 82.6 | 76.5-88.7 | 5 | 2.1 | 00.0-04.3 | | | | 5 | 1.6 | 00.0-03.2 |
| \$50,000- 74,999 | 233 | 48,886 | 33 | 9.3 | 05.6-13.0 | 195 | 87.3 | 82.2-92.4 | | | | 2 | 1.7 | 00.0-04.2 | 3 | 1.8 | 00.0-04.5 |
| \$75,000+ | 554 | 132,263 | 53 | 7.6 | 04.7-10.5 | 491 | 91.1 | 88.0-94.2 | 4 | 0.3 | 00.1-00.5 | 3 | 0.7 | 00.0-01.7 | 3 | 0.3 | 00.0-00.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

**TABLE 29: IN A LARGE-SCALE DISASTER OR EMERGENCY, WHAT WOULD BE YOUR MAIN METHOD OF COMMUNICATING WITH RELATIVES AND FRIENDS? (GPEMRCOM)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Reg. home phones | | | Cell phones | | | Email | | | Pager | | 2-way radios | | | Other | | | |
|----------------------------|-------------------|----------|------------------|------|------------|-------------|------|------------|-------|-----|------------|-------|-----|--------------|----|-----|------------|----|-----|----------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Female | 2432 | 338,654 | 456 | 15.2 | 13.4-17.0 | 1918 | 82.8 | 80.8-84.8 | 11 | 0.3 | 0.1-0.5 | 1 | 0.1 | 0.0-0.3 | 12 | 0.4 | 0.0-0.8 | 34 | 1.1 | 0.5-0.17 |
| White/Non-Hisp | 1958 | 262,607 | 378 | 16.2 | 14.0-18.4 | 1539 | 82.4 | 80.2-84.6 | 9 | 0.3 | 0.1-0.5 | | | | 6 | 0.2 | 0.0-0.4 | 26 | 0.9 | 0.5-0.13 |
| Black or Afr. Am./Non-Hisp | 289 | 43,630 | 44 | 11.6 | 7.5-15.7 | 236 | 85.4 | 80.5-90.3 | 2 | 0.7 | 0.0-0.17 | 1 | 0.8 | 0.0-0.24 | 1 | 0.8 | 0.0-0.24 | 5 | 0.8 | 0.0-0.16 |
| Oth. Race/Non-Hisp. | 55 | 9,899 | 13 | 14.7 | 0.9-24.5 | | | | | | | | | | | | | 1 | 1.2 | 0.0-0.36 |
| MultiRacial/Non-Hisp. | 59 | 9,083 | | | | | | | | | | | | | 4 | 4.7 | 0.0-10.6 | | | |
| Hispanic | 52 | 11,404 | 4 | 3.8 | 0.0-07.9 | 46 | 92.8 | 85.7-99.9 | | | | | | | 1 | 2.8 | 0.0-08.3 | 1 | 0.6 | 0.0-0.18 |
| 18-24 | 95 | 41,571 | 7 | 5.6 | 0.5-10.7 | 85 | 91.5 | 84.8-98.2 | | | | | | | | | | 3 | 2.9 | 0.0-0.72 |
| 25-34 | 257 | 56,536 | 23 | 12.0 | 0.6-17.9 | 230 | 86.9 | 80.8-93.0 | | | | | | | 2 | 0.7 | 0.0-0.19 | 2 | 0.4 | 0.0-0.10 |
| 35-44 | 433 | 62,626 | 33 | 6.5 | 0.3-09.2 | 387 | 91.2 | 88.1-94.3 | 3 | 0.8 | 0.0-0.18 | | | | 3 | 0.7 | 0.0-0.17 | 7 | 0.7 | 0.1-0.13 |
| 45-54 | 476 | 61,843 | 67 | 14.7 | 10.6-18.8 | 395 | 82.9 | 78.4-87.4 | 4 | 0.5 | 0.0-0.11 | 1 | 0.5 | 0.0-0.15 | 6 | 1.0 | 0.0-0.20 | 3 | 0.4 | 0.0-0.12 |
| 55-64 | 483 | 49,851 | 83 | 15.6 | 11.7-19.5 | 393 | 82.5 | 78.2-86.8 | 2 | 0.5 | 0.0-0.13 | | | | 1 | 0.1 | 0.0-0.03 | 4 | 1.3 | 0.0-0.31 |
| 65+ | 669 | 64,147 | 236 | 32.8 | 28.7-36.9 | 416 | 65.4 | 61.1-69.7 | 2 | 0.1 | 0.0-0.03 | | | | | | | 15 | 1.6 | 0.6-0.26 |
| Less Than H.S. | 156 | 17,149 | 58 | 31.2 | 22.0-40.4 | | | | 1 | 0.5 | 0.0-0.15 | | | | | | | 5 | 6.9 | 0.0-16.9 |
| H.S. or G.E.D. | 804 | 110,005 | 182 | 18.5 | 15.0-22.0 | 601 | 79.1 | 75.4-82.8 | 2 | 0.2 | 0.0-0.06 | 1 | 0.3 | 0.0-0.09 | 3 | 0.4 | 0.0-0.10 | 15 | 1.6 | 0.6-0.26 |
| Some Post-H.S. | 675 | 98,941 | 106 | 13.1 | 0.9-16.8 | 554 | 85.5 | 81.6-89.4 | 2 | 0.1 | 0.0-0.03 | | | | 3 | 0.5 | 0.0-0.13 | 10 | 0.7 | 0.1-0.13 |
| College Graduate | 794 | 112,281 | 109 | 11.4 | 0.8-13.9 | 670 | 87.5 | 84.8-90.2 | 5 | 0.5 | 0.0-0.11 | | | | 6 | 0.5 | 0.0-0.11 | 4 | 0.1 | 0.0-0.03 |
| Less than \$15,000 | 274 | 30,445 | 71 | 21.0 | 15.1-26.9 | 189 | 74.9 | 68.4-81.4 | 3 | 0.7 | 0.0-0.19 | 1 | 1.1 | 0.0-0.33 | | | | 10 | 2.3 | 0.5-0.41 |
| \$15,000- 24,999 | 288 | 29,813 | 109 | 31.9 | 24.8-39.0 | 171 | 66.7 | 59.6-73.8 | 1 | 0.3 | 0.0-0.09 | | | | 1 | 0.3 | 0.0-0.09 | 6 | 0.9 | 0.1-0.17 |
| \$25,000- 34,999 | 210 | 28,828 | 41 | 17.2 | 10.3-24.1 | 161 | 77.8 | 69.2-86.4 | 1 | 0.3 | 0.0-0.09 | | | | 1 | 0.4 | 0.0-0.12 | 6 | 4.3 | 0.0-10.4 |
| \$35,000- 49,999 | 363 | 50,324 | 50 | 10.4 | 0.6-13.9 | 307 | 87.3 | 83.2-91.4 | 1 | 0.1 | 0.0-0.03 | | | | 3 | 1.8 | 0.0-0.38 | 2 | 0.4 | 0.0-0.10 |
| \$50,000- 74,999 | 362 | 52,286 | 33 | 9.6 | 0.5-13.9 | 325 | 89.5 | 85.0-94.0 | | | | | | | 1 | 0.1 | 0.0-0.03 | 3 | 0.8 | 0.0-0.18 |
| \$75,000+ | 593 | 96,281 | 52 | 7.9 | 0.5-10.6 | 529 | 90.6 | 87.7-93.5 | 4 | 0.5 | 0.0-0.11 | | | | 6 | 0.4 | 0.0-0.08 | 2 | 0.6 | 0.0-0.16 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 30: WHAT WOULD BE YOUR MAIN METHOD OF GETTING INFORMATION FROM AUTHORITIES IN A LARGE-SCALE DISASTER OR EMERGENCY? (GPEMRINF)

Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Television | | | Radio | | | Internet | | | Print Media | | | Neighbors | | | Other | | |
|----------------------------|-------------------|----------|------------|------|------------|-------|------|------------|----------|-----|------------|-------------|-----|------------|-----------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3883 | 649,611 | 1469 | 34.9 | 32.7-37.1 | 1864 | 49.6 | 47.2-52.0 | 171 | 5.6 | 04.4-06.8 | 9 | 0.2 | 00.0-00.4 | 95 | 2.3 | 01.5-03.1 | 275 | 7.3 | 06.1-08.5 |
| Male | 1454 | 310,722 | 478 | 29.7 | 26.6-32.8 | 766 | 54.4 | 50.7-58.1 | 64 | 6.2 | 04.4-08.0 | 4 | 0.3 | 00.0-00.7 | 24 | 1.6 | 00.6-02.6 | 118 | 7.8 | 06.0-09.6 |
| Female | 2429 | 338,889 | 991 | 39.7 | 37.0-42.4 | 1098 | 45.3 | 42.6-48.0 | 107 | 5.0 | 03.8-06.2 | 5 | 0.1 | 00.0-00.3 | 71 | 3.0 | 01.8-04.2 | 157 | 6.9 | 05.3-08.5 |
| White/Non-Hisp | 3157 | 504,857 | 1163 | 34.0 | 31.6-36.4 | 1581 | 51.8 | 49.3-54.3 | 124 | 5.3 | 04.1-06.5 | 6 | 0.1 | 00.1-00.1 | 68 | 1.6 | 01.0-02.2 | 215 | 7.2 | 06.0-08.4 |
| Black or Afr. Am./Non-Hisp | 436 | 82,305 | 183 | 34.5 | 27.6-41.4 | 173 | 45.4 | 37.0-53.8 | 28 | 6.0 | 03.3-08.7 | 1 | 0.6 | 00.0-01.8 | 17 | 4.7 | 01.2-08.2 | 34 | 8.8 | 04.5-13.1 |
| Oth. Race/Non-Hisp. | 97 | 22,692 | | | | | | | 8 | 9.0 | 01.7-16.3 | | | | 5 | 7.5 | 00.1-14.9 | 10 | 6.4 | 01.7-11.1 |
| MultiRacial/Non-Hisp. | 79 | 13,588 | | | | | | | | | | | | | | | | 5 | 4.4 | 00.1-08.7 |
| Hispanic | 84 | 21,708 | | | | | | | 6 | 4.9 | 00.4-09.4 | 1 | 0.4 | 00.0-01.2 | 1 | 1.5 | 00.0-04.4 | 7 | 4.2 | 00.7-07.7 |
| 18-24 | 184 | 82,760 | 75 | 39.7 | 30.9-48.5 | 69 | 38.2 | 29.4-47.0 | 18 | 9.3 | 04.2-14.4 | | | | 6 | 4.6 | 00.1-09.1 | 16 | 8.2 | 03.3-13.1 |
| 25-34 | 408 | 111,520 | 147 | 32.5 | 26.4-38.6 | 179 | 49.3 | 42.0-56.6 | 31 | 7.2 | 04.1-10.3 | 1 | 0.4 | 00.0-01.2 | 8 | 1.4 | 00.2-02.6 | 42 | 9.2 | 06.1-12.3 |
| 35-44 | 681 | 123,930 | 244 | 33.7 | 29.4-38.0 | 334 | 50.5 | 45.8-55.2 | 42 | 7.4 | 04.7-10.1 | 3 | 0.3 | 00.0-00.7 | 15 | 2.4 | 00.8-04.0 | 43 | 5.7 | 03.5-07.9 |
| 45-54 | 797 | 120,942 | 271 | 32.0 | 27.9-36.1 | 415 | 56.0 | 51.5-60.5 | 38 | 4.0 | 02.6-05.4 | | | | 16 | 1.2 | 00.4-02.0 | 57 | 6.8 | 04.4-09.2 |
| 55-64 | 778 | 94,165 | 269 | 29.7 | 25.6-33.8 | 419 | 57.4 | 52.7-62.1 | 28 | 4.8 | 02.6-07.0 | 1 | 0.1 | 00.0-00.3 | 17 | 2.1 | 00.7-03.5 | 44 | 6.0 | 03.6-08.4 |
| 65+ | 1008 | 112,879 | 448 | 42.1 | 38.4-45.8 | 438 | 44.5 | 40.6-48.4 | 14 | 1.7 | 00.5-02.9 | 3 | 0.1 | 00.0-00.3 | 33 | 3.0 | 01.6-04.4 | 72 | 8.5 | 06.1-10.9 |
| Less Than H.S. | 266 | 37,503 | 121 | 42.4 | 33.8-51.0 | 93 | 37.2 | 28.6-45.8 | 6 | 4.0 | 00.1-07.9 | | | | 18 | 6.7 | 01.6-11.8 | 28 | 9.8 | 05.1-14.5 |
| H.S. or G.E.D. | 1233 | 202,756 | 507 | 37.0 | 33.1-40.9 | 572 | 47.8 | 43.5-52.1 | 28 | 3.8 | 01.8-05.8 | 2 | 0.2 | 00.0-00.6 | 28 | 2.5 | 00.9-04.1 | 96 | 8.7 | 06.3-11.1 |
| Some Post-H.S. | 1019 | 180,928 | 372 | 34.0 | 29.5-38.5 | 486 | 50.3 | 45.4-55.2 | 56 | 5.6 | 03.6-07.6 | 4 | 0.2 | 00.0-00.4 | 23 | 2.4 | 01.0-03.8 | 78 | 7.5 | 05.3-09.7 |
| College Graduate | 1362 | 228,145 | 467 | 32.6 | 29.5-35.7 | 712 | 52.7 | 49.4-56.0 | 81 | 7.4 | 05.4-09.4 | 3 | 0.2 | 00.0-00.4 | 26 | 1.5 | 00.7-02.3 | 73 | 5.6 | 03.8-07.4 |
| Less than \$15,000 | 410 | 56,197 | 178 | 40.4 | 33.7-47.1 | 177 | 43.1 | 36.2-50.0 | 13 | 5.0 | 00.9-09.1 | | | | 5 | 1.5 | 00.0-03.1 | 37 | 10.0 | 06.1-13.9 |
| \$15,000- 24,999 | 382 | 44,977 | 183 | 43.1 | 36.0-50.2 | 123 | 32.3 | 25.6-39.0 | 8 | 3.0 | 00.3-05.7 | | | | 30 | 9.1 | 03.0-15.2 | 38 | 12.6 | 07.5-17.7 |
| \$25,000- 34,999 | 332 | 52,272 | 133 | 38.4 | 30.4-46.4 | 161 | 42.5 | 34.7-50.3 | 13 | 6.6 | 02.1-11.1 | 2 | 1.0 | 00.0-02.8 | 5 | 2.8 | 00.0-06.5 | 18 | 8.7 | 03.0-14.4 |
| \$35,000- 49,999 | 555 | 86,124 | 207 | 35.4 | 29.9-40.9 | 278 | 52.3 | 46.4-58.2 | 18 | 3.8 | 01.3-06.3 | 1 | 0.0 | 00.0-00.0 | 9 | 1.2 | 00.2-02.2 | 42 | 7.2 | 04.7-09.7 |
| \$50,000- 74,999 | 597 | 101,365 | 189 | 32.4 | 27.1-37.7 | 326 | 54.5 | 49.0-60.0 | 31 | 3.9 | 02.3-05.5 | 2 | 0.3 | 00.0-00.7 | 7 | 0.9 | 00.0-01.9 | 42 | 7.9 | 04.8-11.0 |
| \$75,000+ | 1146 | 229,277 | 387 | 30.4 | 26.9-33.9 | 604 | 55.0 | 50.9-59.1 | 70 | 7.5 | 05.3-09.7 | 1 | 0.1 | 00.0-00.3 | 18 | 1.5 | 00.5-02.5 | 66 | 5.5 | 03.7-07.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

TABLE 31: WHAT WOULD BE YOUR MAIN METHOD OF GETTING INFORMATION FROM AUTHORITIES IN A LARGE-SCALE DISASTER OR EMERGENCY? (GPEMRINF)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Television | | | Radio | | | Internet | | | Print Media | | | Neighbors | | | Other | | |
|----------------------------|-------------------|----------|------------|------|------------|-------|------|------------|----------|------|------------|-------------|-----|------------|-----------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1454 | 310,722 | 478 | 29.7 | 26.6-32.8 | 766 | 54.4 | 50.7-58.1 | 64 | 6.2 | 04.4-08.0 | 4 | 0.3 | 00.0-00.7 | 24 | 1.6 | 00.6-02.6 | 118 | 7.8 | 06.0-09.6 |
| White/Non-Hisp | 1199 | 241,667 | 389 | 29.2 | 25.9-32.5 | 643 | 55.4 | 51.7-59.1 | 49 | 6.1 | 04.1-08.1 | 1 | 0.0 | 00.0-00.0 | 19 | 1.5 | 00.5-02.5 | 98 | 7.9 | 05.9-09.9 |
| Black or Afr. Am./Non-Hisp | 149 | 39,048 | | | | | | | 8 | 5.3 | 00.8-09.8 | 1 | 1.2 | 00.0-03.6 | 3 | 1.3 | 00.0-03.3 | 10 | 8.6 | 02.5-14.7 |
| 18-24 | 90 | 41,444 | | | | | | | 9 | 11.1 | 03.1-19.1 | | | | 2 | 2.6 | 00.0-07.3 | 8 | 6.0 | 01.5-10.5 |
| 25-34 | 150 | 54,654 | 44 | 24.8 | 16.2-33.4 | | | | 10 | 6.8 | 02.1-11.5 | 1 | 0.8 | 00.0-02.4 | 5 | 2.3 | 00.0-04.7 | 24 | 11.7 | 06.2-17.2 |
| 35-44 | 246 | 60,936 | 82 | 29.9 | 23.0-36.8 | 128 | 53.2 | 45.6-60.8 | 13 | 7.5 | 03.0-12.0 | 1 | 0.2 | 00.0-00.6 | 3 | 2.0 | 00.0-04.5 | 19 | 7.2 | 03.5-10.9 |
| 45-54 | 320 | 58,902 | 90 | 24.2 | 18.7-29.7 | 189 | 64.7 | 58.2-71.2 | 11 | 2.8 | 01.0-04.6 | | | | 5 | 0.9 | 00.0-01.9 | 25 | 7.5 | 03.8-11.2 |
| 55-64 | 293 | 44,170 | 86 | 24.0 | 17.5-30.5 | 174 | 61.7 | 54.3-69.1 | 15 | 7.3 | 03.2-11.4 | 1 | 0.2 | 00.0-00.6 | 1 | 0.9 | 00.0-02.7 | 16 | 5.9 | 02.2-09.6 |
| 65+ | 347 | 49,280 | 141 | 38.9 | 32.4-45.4 | 166 | 48.9 | 42.2-55.6 | 6 | 2.9 | 00.2-05.6 | | | | 8 | 1.2 | 00.2-02.2 | 26 | 8.1 | 04.6-11.6 |
| Less Than H.S. | 110 | 20,278 | | | | | | | 3 | 5.0 | 00.0-11.9 | | | | 7 | 3.9 | 00.8-07.0 | 13 | 10.1 | 02.7-17.5 |
| H.S. or G.E.D. | 430 | 93,121 | 140 | 29.7 | 23.6-35.8 | 234 | 55.0 | 48.3-61.7 | 8 | 4.5 | 01.2-07.8 | 1 | 0.5 | 00.0-01.5 | 7 | 1.1 | 00.0-02.3 | 40 | 9.2 | 05.7-12.7 |
| Some Post-H.S. | 348 | 81,945 | 113 | 28.7 | 21.8-35.6 | 185 | 55.7 | 47.7-63.7 | 17 | 5.8 | 02.5-09.1 | 1 | 0.1 | 00.0-00.3 | 4 | 2.2 | 00.0-04.9 | 28 | 7.5 | 04.2-10.8 |
| College Graduate | 566 | 115,378 | 183 | 29.1 | 24.4-33.8 | 302 | 54.9 | 49.8-60.0 | 36 | 8.0 | 05.1-10.9 | 2 | 0.3 | 00.0-00.7 | 6 | 1.3 | 00.0-02.7 | 37 | 6.5 | 04.0-09.0 |
| Less than \$15,000 | 139 | 25,996 | | | | | | | 7 | 8.7 | 00.3-17.1 | | | | 1 | 0.8 | 00.0-02.4 | 16 | 9.2 | 03.7-14.7 |
| \$15,000- 24,999 | 87 | 14,303 | | | | | | | 2 | 4.2 | 00.0-10.7 | | | | 6 | 4.0 | 00.5-07.5 | | | |
| \$25,000- 34,999 | 123 | 23,781 | | | | | | | 3 | 5.8 | 00.0-12.5 | 1 | 1.9 | 00.0-05.6 | 1 | 1.5 | 00.0-04.4 | 11 | 9.1 | 02.8-15.4 |
| \$35,000- 49,999 | 196 | 36,140 | 67 | 32.3 | 24.1-40.5 | 104 | 54.1 | 45.1-63.1 | 2 | 3.3 | 00.0-08.2 | | | | 4 | 1.1 | 00.0-02.5 | 19 | 9.2 | 04.5-13.9 |
| \$50,000- 74,999 | 232 | 48,696 | 68 | 26.3 | 19.2-33.4 | 132 | 59.2 | 51.0-67.4 | 8 | 2.5 | 00.7-04.3 | 1 | 0.2 | 00.0-00.6 | 2 | 0.9 | 00.0-02.5 | 21 | 10.9 | 05.2-16.6 |
| \$75,000+ | 554 | 132,653 | 170 | 26.3 | 21.4-31.2 | 307 | 58.6 | 52.7-64.5 | 33 | 7.3 | 04.4-10.2 | 1 | 0.2 | 00.0-00.6 | 6 | 1.7 | 00.0-03.5 | 37 | 5.9 | 03.7-08.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007
MODULE 19: GENERAL PREPAREDNESS**

**TABLE 32: WHAT WOULD BE YOUR MAIN METHOD OF GETTING INFORMATION FROM AUTHORITIES IN A LARGE-SCALE DISASTER OR EMERGENCY? (GPEMRINF)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Television | | | Radio | | | Internet | | | Print Media | | | Neighbors | | | Other | | |
|----------------------------|-------------------|----------|------------|------|------------|-------|------|------------|----------|-----|------------|-------------|-----|------------|-----------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2429 | 338,889 | 991 | 39.7 | 37.0-42.4 | 1098 | 45.3 | 42.6-48.0 | 107 | 5.0 | 03.8-06.2 | 5 | 0.1 | 00.0-00.3 | 71 | 3.0 | 01.8-04.2 | 157 | 6.9 | 05.3-08.5 |
| White/Non-Hisp | 1958 | 263,190 | 774 | 38.5 | 35.6-41.4 | 938 | 48.5 | 45.4-51.6 | 75 | 4.5 | 03.1-05.9 | 5 | 0.1 | 00.0-00.3 | 49 | 1.8 | 01.2-02.4 | 117 | 6.6 | 05.0-08.2 |
| Black or Afr. Am./Non-Hisp | 287 | 43,256 | 126 | 37.9 | 29.9-45.9 | 103 | 38.8 | 30.4-47.2 | 20 | 6.6 | 03.1-10.1 | | | | 14 | 7.7 | 01.2-14.2 | 24 | 9.0 | 03.1-14.9 |
| Oth. Race/Non-Hisp. | 54 | 9,855 | | | | 11 | 14.0 | 04.6-23.4 | | | | | | | 3 | 6.4 | 00.0-15.2 | 6 | 7.2 | 00.0-14.6 |
| MultiRacial/Non-Hisp. | 58 | 9,047 | | | | | | | 3 | 7.0 | 00.0-14.8 | | | | | | | 3 | 4.6 | 00.0-10.3 |
| Hispanic | 53 | 11,511 | | | | | | | 3 | 3.0 | 00.0-07.5 | | | | 1 | 2.8 | 00.0-08.3 | 4 | 4.0 | 00.0-08.5 |
| 18-24 | 94 | 41,316 | | | | | | | 9 | 7.4 | 01.5-13.3 | | | | 4 | 6.6 | 00.0-14.2 | 8 | 10.4 | 02.0-18.8 |
| 25-34 | 258 | 56,867 | 103 | 40.0 | 32.4-47.6 | 113 | 45.3 | 37.7-52.9 | 21 | 7.5 | 03.6-11.4 | | | | 3 | 0.5 | 00.0-01.1 | 18 | 6.8 | 03.1-10.5 |
| 35-44 | 435 | 62,993 | 162 | 37.3 | 31.8-42.8 | 206 | 47.8 | 42.1-53.5 | 29 | 7.4 | 04.3-10.5 | 2 | 0.4 | 00.0-01.0 | 12 | 2.8 | 00.8-04.8 | 24 | 4.3 | 02.3-06.3 |
| 45-54 | 477 | 62,040 | 181 | 39.5 | 33.8-45.2 | 226 | 47.7 | 41.8-53.6 | 27 | 5.2 | 03.0-07.4 | | | | 11 | 1.6 | 00.4-02.8 | 32 | 6.1 | 03.4-08.8 |
| 55-64 | 485 | 49,995 | 183 | 34.7 | 29.2-40.2 | 245 | 53.6 | 47.9-59.3 | 13 | 2.5 | 00.9-04.1 | | | | 16 | 3.2 | 01.4-05.0 | 28 | 6.0 | 03.3-08.7 |
| 65+ | 661 | 63,600 | 307 | 44.7 | 40.2-49.2 | 272 | 41.1 | 36.6-45.6 | 8 | 0.8 | 00.2-01.4 | 3 | 0.2 | 00.0-00.4 | 25 | 4.4 | 02.2-06.6 | 46 | 8.8 | 05.7-11.9 |
| Less Than H.S. | 156 | 17,226 | | | | 48 | 30.5 | 20.9-40.1 | 3 | 2.9 | 00.0-06.2 | | | | 11 | 9.9 | 00.0-19.9 | 15 | 9.5 | 03.8-15.2 |
| H.S. or G.E.D. | 803 | 109,635 | 367 | 43.2 | 38.1-48.3 | 338 | 41.8 | 36.7-46.9 | 20 | 3.1 | 00.9-05.3 | 1 | 0.0 | 00.0-00.0 | 21 | 3.7 | 01.0-06.4 | 56 | 8.2 | 04.9-11.5 |
| Some Post-H.S. | 671 | 98,983 | 259 | 38.5 | 32.8-44.2 | 301 | 45.8 | 40.1-51.5 | 39 | 5.5 | 03.3-07.7 | 3 | 0.3 | 00.0-00.7 | 19 | 2.5 | 01.1-03.9 | 50 | 7.5 | 05.0-10.0 |
| College Graduate | 796 | 112,767 | 284 | 36.2 | 31.9-40.5 | 410 | 50.6 | 46.1-55.1 | 45 | 6.8 | 04.4-09.2 | 1 | 0.1 | 00.0-00.3 | 20 | 1.7 | 00.7-02.7 | 36 | 4.7 | 02.5-06.9 |
| Less than \$15,000 | 271 | 30,201 | 121 | 41.3 | 33.3-49.3 | 119 | 44.0 | 35.8-52.2 | 6 | 1.9 | 00.3-03.5 | | | | 4 | 2.2 | 00.0-04.9 | 21 | 10.7 | 05.0-16.4 |
| \$15,000- 24,999 | 295 | 30,674 | 148 | 46.7 | 38.5-54.9 | 85 | 27.1 | 20.2-34.0 | 6 | 2.4 | 00.0-04.9 | | | | 24 | 11.4 | 03.0-19.8 | 32 | 12.4 | 07.3-17.5 |
| \$25,000- 34,999 | 209 | 28,491 | | | | | | | 10 | 7.3 | 01.0-13.6 | 1 | 0.2 | 00.0-00.6 | 4 | 3.8 | 00.0-09.9 | 7 | 8.4 | 00.0-17.2 |
| \$35,000- 49,999 | 359 | 49,985 | 140 | 37.7 | 30.3-45.1 | 174 | 51.0 | 43.4-58.6 | 16 | 4.3 | 01.8-06.8 | 1 | 0.1 | 00.0-00.3 | 5 | 1.3 | 00.1-02.5 | 23 | 5.8 | 03.1-08.5 |
| \$50,000- 74,999 | 365 | 52,670 | 121 | 38.1 | 30.7-45.5 | 194 | 50.2 | 42.9-57.5 | 23 | 5.2 | 02.7-07.7 | 1 | 0.4 | 00.0-01.2 | 5 | 0.9 | 00.0-01.9 | 21 | 5.2 | 02.5-07.9 |
| \$75,000+ | 592 | 96,624 | 217 | 36.0 | 31.1-40.9 | 297 | 50.0 | 44.7-55.3 | 37 | 7.6 | 04.5-10.7 | | | | 12 | 1.2 | 00.4-02.0 | 29 | 5.1 | 02.4-07.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2007**

End of Module Data Report