

DELAWARE

2010 Module Variables Report

Behavioral Risk Factor Surveillance System

March 20, 2011



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010

MODULE 1: PRE-DIABETES CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 1: PRE-DIABETES**

**TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3534	598,253	2364	60.0	57.5-62.5	1170	40.0	37.5-42.5
Male	1243	284,747	833	59.0	54.9-63.1	410	41.0	36.9-45.1
Female	2291	313,506	1531	60.8	57.9-63.7	760	39.2	36.3-42.1
White/Non-Hisp	2829	448,235	1919	61.4	58.7-64.1	910	38.6	35.9-41.3
Black or Afr. Am./Non-Hisp	441	81,528	293	58.4	51.0-65.8	148	41.6	34.2-49.0
25-34	316	108,843	179	52.3	45.4-59.2	137	47.7	40.8-54.6
35-44	515	110,737	311	58.8	53.7-63.9	204	41.2	36.1-46.3
45-54	678	114,528	445	66.2	61.9-70.5	233	33.8	29.5-38.1
55-64	781	83,437	552	71.3	67.2-75.4	229	28.7	24.6-32.8
65+	1083	96,376	816	75.4	72.3-78.5	267	24.6	21.5-27.7
H.S. or G.E.D.	1037	155,591	673	57.8	53.3-62.3	364	42.2	37.7-46.7
Some Post-H.S.	918	171,422	625	56.9	51.6-62.2	293	43.1	37.8-48.4
College Graduate	1374	237,312	932	63.9	60.4-67.4	442	36.1	32.6-39.6
Less than \$15,000	351	46,707	231	63.3	55.1-71.5	120	36.7	28.5-44.9
\$15,000- 24,999	314	39,863	219	65.4	55.6-75.2	95	34.6	24.8-44.4
\$25,000- 34,999	294	43,768	187	52.6	43.8-61.4	107	47.4	38.6-56.2
\$35,000- 49,999	470	70,654	319	60.6	53.7-67.5	151	39.4	32.5-46.3
\$50,000- 74,999	541	87,302	362	60.4	54.5-66.3	179	39.6	33.7-45.5
\$75,000+	1000	213,049	689	63.4	59.3-67.5	311	36.6	32.5-40.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 1: PRE-DIABETES**

**TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1243	284,747	833	59.0	54.9-63.1	410	41.0	36.9-45.1
White/Non-Hisp	1019	218,370	690	59.9	55.4-64.4	329	40.1	35.6-44.6
35-44	180	54,852	106	59.5	51.5-67.5	74	40.5	32.5-48.5
45-54	261	55,131	176	69.4	62.9-75.9	85	30.6	24.1-37.1
55-64	292	40,190	210	72.5	66.0-79.0	82	27.5	21.0-34.0
65+	362	39,669	277	74.5	69.0-80.0	85	25.5	20.0-31.0
H.S. or G.E.D.	370	70,702	241	58.7	51.4-66.0	129	41.3	34.0-48.6
Some Post-H.S.	293	81,681	195	50.3	41.3-59.3	98	49.7	40.7-58.7
College Graduate	499	113,324	347	66.2	60.7-71.7	152	33.8	28.3-39.3
\$75,000+	427	111,213	310	64.5	58.0-71.0	117	35.5	29.0-42.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 1: PRE-DIABETES**

**TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2291	313,506	1531	60.8	57.9-63.7	760	39.2	36.3-42.1
White/Non-Hisp	1810	229,864	1229	62.8	59.7-65.9	581	37.2	34.1-40.3
Black or Afr. Am./Non-Hisp	315	49,197	213	62.2	54.4-70.0	102	37.8	30.0-45.6
25-34	218	54,978	133	58.1	50.7-65.5	85	41.9	34.5-49.3
35-44	335	55,885	205	58.2	51.9-64.5	130	41.8	35.5-48.1
45-54	417	59,397	269	63.2	57.9-68.5	148	36.8	31.5-42.1
55-64	489	43,247	342	70.2	65.3-75.1	147	29.8	24.9-34.7
65+	721	56,707	539	76.0	72.5-79.5	182	24.0	20.5-27.5
H.S. or G.E.D.	667	84,889	432	57.1	51.6-62.6	235	42.9	37.4-48.4
Some Post-H.S.	625	89,741	430	63.0	57.3-68.7	195	37.0	31.3-42.7
College Graduate	875	123,988	585	61.7	57.2-66.2	290	38.3	33.8-42.8
Less than \$15,000	244	25,107	165	67.2	59.0-75.4	79	32.8	24.6-41.0
\$15,000- 24,999	233	25,632	163	70.6	61.8-79.4	70	29.4	20.6-38.2
\$35,000- 49,999	303	37,252	204	62.0	53.4-70.6	99	38.0	29.4-46.6
\$50,000- 74,999	344	46,240	229	59.7	53.0-66.4	115	40.3	33.6-47.0
\$75,000+	573	101,836	379	62.1	56.8-67.4	194	37.9	32.6-43.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 1: PRE-DIABETES**

**TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3659	615,244	301	6.3	05.3-07.3	48	1.3	00.7-01.9	3310	92.3	91.3-93.3
Male	1288	291,372	131	7.3	05.7-08.9				1157	92.7	91.1-94.3
Female	2371	323,871	170	5.5	04.5-06.5	48	2.5	01.5-03.5	2153	91.9	90.5-93.3
White/Non-Hisp	2938	461,809	241	6.3	05.3-07.3	39	1.5	00.9-02.1	2658	92.2	91.0-93.4
Black or Afr. Am./Non-Hisp	450	82,633	34	5.3	02.9-07.7	6	1.0	00.2-01.8	410	93.7	91.2-96.2
Oth. Race/Non-Hisp.	99	26,998	10	11.2	03.8-18.6	2	1.7	00.0-04.2	87	87.0	79.2-94.8
Hispanic	101	31,138	9	5.1	01.0-09.2	1	0.3	00.0-00.9	91	94.7	90.6-98.8
18-24	126	82,538							126	100.0	0100-0100
25-34	321	109,789	10	3.0	00.8-05.2	7	2.0	00.2-03.8	304	95.0	92.3-97.7
35-44	530	113,903	26	4.9	02.7-07.1	23	3.0	01.4-04.6	481	92.2	89.7-94.7
45-54	703	118,840	70	9.9	07.2-12.6	12	1.7	00.5-02.9	621	88.4	85.5-91.3
55-64	803	85,733	87	9.8	07.3-12.3	2	0.5	00.0-01.3	714	89.7	87.2-92.2
65+	1136	100,983	106	9.6	07.6-11.6	4	0.2	00.0-00.4	1026	90.2	88.2-92.2
Less Than H.S.	202	33,784	20	5.6	02.5-08.7	3	0.7	00.0-01.5	179	93.7	90.4-97.0
H.S. or G.E.D.	1066	159,247	91	6.8	04.8-08.8	13	1.8	00.4-03.2	962	91.4	89.0-93.8
Some Post-H.S.	948	175,365	83	6.2	04.4-08.0	12	0.9	00.3-01.5	853	92.9	91.1-94.7
College Graduate	1435	245,926	107	6.3	04.9-07.7	20	1.4	00.6-02.2	1308	92.3	90.7-93.9
Less than \$15,000	364	47,571	36	6.6	04.1-09.1	5	1.2	00.0-02.6	323	92.2	89.3-95.1
\$15,000- 24,999	320	40,829	32	8.4	04.3-12.5	3	0.6	00.0-01.4	285	91.0	86.9-95.1
\$25,000- 34,999	303	44,835	31	7.7	04.0-11.4	4	2.2	00.0-05.5	268	90.1	85.2-95.0
\$35,000- 49,999	484	72,254	43	6.6	04.1-09.1	5	1.0	00.0-02.2	436	92.4	89.7-95.1
\$50,000- 74,999	554	89,393	48	7.8	05.1-10.5	10	1.9	00.5-03.3	496	90.3	87.4-93.2
\$75,000+	1038	219,196	77	6.2	04.4-08.0	18	1.6	00.6-02.6	943	92.1	90.1-94.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 1: PRE-DIABETES**

**TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	1288	291,372	131	7.3	05.7-08.9	1157	92.7	91.1-94.3
White/Non-Hisp	1059	223,455	107	7.0	05.2-08.8	952	93.0	91.2-94.8
Black or Afr. Am./Non-Hisp	128	32,348	11	6.8	01.7-11.9	117	93.2	88.1-98.3
25-34	98	53,865	3	2.7	00.0-06.2	95	97.3	93.8-0100
35-44	184	55,557	12	6.3	02.4-10.2	172	93.7	89.8-97.6
45-54	271	56,598	31	11.3	06.8-15.8	240	88.7	84.2-93.2
55-64	298	40,998	38	11.1	07.2-15.0	260	88.9	85.0-92.8
65+	385	41,982	46	12.0	08.3-15.7	339	88.0	84.3-91.7
Less Than H.S.	81	18,736	10	6.0	01.5-10.5	71	94.0	89.5-98.5
H.S. or G.E.D.	380	71,874	41	8.5	04.8-12.2	339	91.5	87.8-95.2
Some Post-H.S.	302	83,635	30	5.8	03.3-08.3	272	94.2	91.7-96.7
College Graduate	523	116,695	50	7.7	05.2-10.2	473	92.3	89.8-94.8
Less than \$15,000	112	21,919	11	5.4	01.5-09.3	101	94.6	90.7-98.5
\$15,000- 24,999	83	14,402	8	7.6	00.2-15.0	75	92.4	85.0-99.8
\$25,000- 34,999	100	20,072	15	10.6	03.2-18.0	85	89.4	82.0-96.8
\$35,000- 49,999	173	34,297	23	8.8	04.5-13.1	150	91.2	86.9-95.5
\$50,000- 74,999	199	41,369	21	9.1	04.4-13.8	178	90.9	86.2-95.6
\$75,000+	444	113,879	44	7.7	05.0-10.4	400	92.3	89.6-95.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 1: PRE-DIABETES**

**TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2371	323,871	170	5.5	04.5-06.5	48	2.5	01.5-03.5	2153	91.9	90.5-93.3
White/Non-Hisp	1879	238,354	134	5.7	04.5-06.9	39	2.9	01.7-04.1	1706	91.5	89.9-93.1
Black or Afr. Am./Non-Hisp	322	50,285	23	4.3	02.3-06.3	6	1.6	00.2-03.0	293	94.1	91.7-96.5
Oth. Race/Non-Hisp.	58	14,118	2	3.6	00.0-10.1	2	3.3	00.0-08.0	54	93.1	85.3-0100
Hispanic	62	14,026	7	6.9	00.6-13.2	1	0.6	00.0-01.8	54	92.5	86.2-98.8
18-24	79	40,981							79	100.0	0100-0100
25-34	223	55,924	7	3.2	00.5-05.9	7	4.0	00.5-07.5	209	92.8	88.5-97.1
35-44	346	58,346	14	3.5	01.3-05.7	23	5.8	02.9-08.7	309	90.7	87.2-94.2
45-54	432	62,243	39	8.7	05.8-11.6	12	3.2	01.0-05.4	381	88.1	84.6-91.6
55-64	505	44,736	49	8.6	05.7-11.5	2	0.9	00.0-02.5	454	90.5	87.2-93.8
65+	751	59,001	60	7.9	05.7-10.1	4	0.3	00.0-00.7	687	91.7	89.5-93.9
Less Than H.S.	121	15,048	10	5.0	00.7-09.3	3	1.6	00.0-03.6	108	93.4	88.7-98.1
H.S. or G.E.D.	686	87,373	50	5.4	03.6-07.2	13	3.3	00.9-05.7	623	91.3	88.4-94.2
Some Post-H.S.	646	91,730	53	6.6	04.2-09.0	12	1.7	00.5-02.9	581	91.7	89.2-94.2
College Graduate	912	129,231	57	4.9	03.3-06.5	20	2.7	01.3-04.1	835	92.4	90.4-94.4
Less than \$15,000	252	25,652	25	7.6	04.1-11.1	5	2.2	00.0-04.7	222	90.2	85.9-94.5
\$15,000- 24,999	237	26,427	24	8.8	04.1-13.5	3	0.9	00.0-02.1	210	90.3	85.4-95.2
\$25,000- 34,999	203	24,763	16	5.3	02.2-08.4	4	4.0	00.0-10.1	183	90.7	84.2-97.2
\$35,000- 49,999	311	37,956	20	4.6	02.1-07.1	5	1.9	00.0-04.1	286	93.5	90.2-96.8
\$50,000- 74,999	355	48,024	27	6.8	03.9-09.7	10	3.5	01.1-05.9	318	89.7	86.0-93.4
\$75,000+	594	105,317	33	4.7	02.7-06.7	18	3.4	01.6-05.2	543	91.9	89.2-94.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13
	ARE YOU NOW TAKING INSULIN? (INSULIN)	
4	MALES AND FEMALES	14
5	MALES ONLY	15
6	FEMALES ONLY	16
	ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7	MALES AND FEMALES	17
8	MALES ONLY	18
9	FEMALES ONLY	19
	ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10	MALES AND FEMALES	20
11	MALES ONLY	21
12	FEMALES ONLY	22
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13	MALES AND FEMALES	23
14	MALES ONLY	24
15	FEMALES ONLY	25
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16	MALES AND FEMALES	26
17	MALES ONLY	27
18	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \* \* \* \* \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
 \* \* \* \* \*

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28 MALES AND FEMALES	38
29 MALES ONLY	39
30 FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	505	54,947	10	1.5	00.5-02.5	29	8.0	04.7-11.3	95	24.1	18.6-29.6	229	43.6	38.1-49.1	142	22.9	18.8-27.0
Male	205	26,606	5	2.0	00.2-03.8	8	4.4	00.9-07.9	33	25.6	16.6-34.6	96	45.4	36.6-54.2	63	22.6	16.5-28.7
Female	300	28,341	5	1.0	00.0-02.0	21	11.3	05.6-17.0	62	22.6	16.5-28.7	133	41.8	34.9-48.7	79	23.3	17.8-28.8
White/Non-Hisp	394	40,940	7	1.3	00.3-02.3	19	5.9	02.8-09.0	62	20.1	14.4-25.8	185	47.5	41.2-53.8	121	25.3	20.6-30.0
Black or Afr. Am./Non-Hisp	79	8,588	2	2.3	00.0-05.8	6	9.0	01.9-16.1							14	18.4	08.4-28.4
45-54	65	9,472	3	3.0	00.0-06.3	6	10.1	01.3-18.9									
55-64	146	15,139	4	2.2	00.0-04.6	6	2.8	00.4-05.2	26	18.8	10.6-27.0	101	71.2	62.0-80.4	9	4.9	01.2-08.6
65+	265	23,876	2	0.6	00.0-01.6	6	1.9	00.3-03.5	19	7.4	03.7-11.1	105	40.5	33.6-47.4	133	49.6	42.7-56.5
Less Than H.S.	62	6,582	2	3.8	00.0-09.1	2	3.2	00.0-07.9									
H.S. or G.E.D.	176	17,831	2	0.4	00.0-01.0	14	15.3	06.7-23.9	23	15.6	09.1-22.1	88	45.6	36.8-54.4	49	23.1	16.0-30.2
Some Post-H.S.	147	16,941	2	0.9	00.0-02.3	6	4.4	00.7-08.1	28	23.0	13.4-32.6	66	49.0	39.0-59.0	45	22.8	15.5-30.1
College Graduate	120	13,594	4	2.5	00.1-04.9	7	5.1	00.6-09.6							25	20.9	12.5-29.3
Less than \$15,000	79	8,072	2	3.1	00.0-07.4	6	9.0	01.4-16.6									
\$15,000- 24,999	83	7,427	1	0.4	00.0-01.2												
\$25,000- 34,999	56	5,644				2	7.4	00.0-17.0									
\$35,000- 49,999	73	8,080	2	2.5	00.0-05.8												
\$50,000- 74,999	65	7,001	2	1.9	00.0-04.6	3	3.6	00.0-07.7									
\$75,000+	80	12,020	2	1.2	00.0-03.0	4	5.7	00.0-12.6							13	13.9	05.9-21.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	205	26,606	5	2.0	00.2-03.8	8	4.4	00.9-07.9	33	25.6	16.6-34.6	96	45.4	36.6-54.2	63	22.6	16.5-28.7
White/Non-Hisp	163	20,544	3	1.4	00.0-03.0	5	3.8	00.0-07.7	22	20.7	11.9-29.5	81	51.5	41.9-61.1	52	22.6	15.9-29.3
55-64	52	7,104	2	3.3	00.0-08.0	2	2.3	00.0-05.4							2	2.6	00.0-06.3
65+	120	12,171	1	0.8	00.0-02.4	2	1.5	00.0-03.7	6	6.4	00.9-11.9	50	43.5	33.7-53.3	61	47.9	37.9-57.9
H.S. or G.E.D.	67	7,501													18	20.1	10.7-29.5
College Graduate	59	8,068	2	2.3	00.0-05.4												

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	300	28,341	5	1.0	00.0-02.0	21	11.3	05.6-17.0	62	22.6	16.5-28.7	133	41.8	35.1-48.5	79	23.3	17.8-28.8
White/Non-Hisp	231	20,396	4	1.1	00.0-02.3	14	8.0	03.5-12.5	40	19.5	12.8-26.2	104	43.4	35.8-51.0	69	28.0	21.3-34.7
Black or Afr. Am./Non-Hisp	51	5,311	1	0.9	00.0-02.7	4	9.2	00.2-18.2							6	10.7	01.1-20.3
55-64	94	8,035	2	1.3	00.0-03.3	4	3.3	00.0-06.8	17	16.8	08.2-25.4				7	7.0	00.7-13.3
65+	145	11,705	1	0.4	00.0-01.2	4	2.3	00.0-04.7	13	8.4	03.1-13.7	55	37.4	28.0-46.8	72	51.5	41.9-61.1
H.S. or G.E.D.	109	10,330	2	0.8	00.0-02.0				14	14.2	06.2-22.2						
Some Post-H.S.	98	9,730	1	0.5	00.0-01.5	5	6.6	00.3-12.9	21	19.9	10.7-29.1				28	22.8	13.8-31.8
College Graduate	61	5,525	2	2.7	00.0-06.4												
\$15,000- 24,999	58	5,289	1	0.6	00.0-01.8												

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	529	58,107	133	26.4	21.3-31.5	396	73.6	68.5-78.7	
Male	215	28,899	58	25.9	18.3-33.5	157	74.1	66.5-81.7	
Female	314	29,208	75	26.9	20.2-33.6	239	73.1	66.4-79.8	
White/Non-Hisp	416	43,628	101	24.7	19.2-30.2	315	75.3	69.8-80.8	
55-64	152	15,645	44	24.6	16.4-32.8	108	75.4	67.2-83.6	
65+	279	25,259	53	19.4	13.7-25.1	226	80.6	74.9-86.3	
H.S. or G.E.D.	187	19,679	50	37.4	27.4-47.4	137	62.6	52.6-72.6	
Some Post-H.S.	149	17,010	31	18.3	11.0-25.6	118	81.7	74.4-89.0	
College Graduate	126	14,539	35	24.8	16.0-33.6	91	75.2	66.4-84.0	
\$75,000+	81	12,234	16	16.7	07.3-26.1	65	83.3	73.9-92.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	215	28,899	58	25.9	18.3-33.5	157	74.1	66.5-81.7	
White/Non-Hisp	171	22,295	44	25.5	16.7-34.3	127	74.5	65.7-83.3	
65+	124	12,941	28	22.9	14.5-31.3	96	77.1	68.7-85.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	314	29,208	75	26.9	20.0-33.8	239	73.1	66.2-80.0	
White/Non-Hisp	245	21,333	57	23.9	17.0-30.8	188	76.1	69.2-83.0	
55-64	97	8,128	27	24.2	14.4-34.0	70	75.8	66.0-85.6	
65+	155	12,318	25	15.7	08.3-23.1	130	84.3	76.9-91.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	519	56,083	46	8.8	05.7-11.9	146	28.5	23.6-33.4	313	60.3	55.0-65.6	8	1.3	00.3-02.3	6	1.1	00.1-02.1
Male	208	26,911	19	10.7	05.2-16.2	68	30.4	22.8-38.0	116	57.2	48.8-65.6	3	1.1	00.0-02.3	2	0.6	00.0-01.6
Female	311	29,172	27	7.1	04.0-10.2	78	26.6	20.3-32.9	197	63.3	56.6-70.0	5	1.5	00.0-03.1	4	1.5	00.0-03.1
White/Non-Hisp	406	41,683	36	8.7	05.4-12.0	121	31.7	26.0-37.4	238	57.3	51.2-63.4	8	1.8	00.4-03.2	3	0.6	00.0-01.4
Black or Afr. Am./Non-Hisp	81	8,582	7	7.9	01.4-14.4							2	2.6	00.0-06.5			
45-54	66	9,230										3	3.1	00.0-06.6			
55-64	147	15,115	11	6.3	02.0-10.6	42	28.8	19.6-38.0	90	62.8	52.8-72.8	2	1.2	00.0-03.0	2	0.9	00.0-02.3
65+	274	24,876	23	8.6	03.9-13.3	83	32.0	25.5-38.5	162	56.9	50.0-63.8	3	1.1	00.0-02.7	3	1.3	00.0-02.9
Less Than H.S.	69	7,028	7	6.3	01.2-11.4							1	1.4	00.0-04.1	1	1.8	00.0-05.3
H.S. or G.E.D.	183	18,664	15	8.6	03.3-13.9	48	24.3	17.2-31.4	118	66.3	58.3-74.3				2	0.7	00.0-01.7
Some Post-H.S.	145	16,383	15	10.1	04.6-15.6	51	34.0	24.6-43.4	75	53.6	43.8-63.4	2	1.0	00.0-02.4	2	1.2	00.0-03.2
College Graduate	121	13,860	9	8.8	01.5-16.1							5	3.5	00.2-06.8			
Less than \$15,000	78	7,458				19	17.7	08.5-26.9				1	1.3	00.0-03.8			
\$15,000- 24,999	91	7,949	12	11.8	04.5-19.1	17	19.0	09.8-28.2				1	0.3	00.0-00.9	1	0.9	00.0-02.7
\$25,000- 34,999	55	5,541	2	4.5	00.0-11.4												
\$35,000- 49,999	70	8,106	9	11.2	03.6-18.8							1	1.2	00.0-03.6			
\$50,000- 74,999	62	6,718	6	7.6	00.7-14.5							4	6.5	00.0-13.2			
\$75,000+	78	11,670	5	7.2	00.9-13.5							1	0.7	00.0-02.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	208	26,911	19	10.7	05.2-16.2	68	30.4	22.8-38.0	116	57.2	48.8-65.6	3	1.1	00.0-02.3	2	0.6	00.0-01.6
White/Non-Hisp	167	20,739	13	9.4	03.9-14.9	59	33.7	24.9-42.5	90	54.7	45.3-64.1	3	1.5	00.0-03.1	2	0.8	00.0-02.0
55-64	53	7,297	4	6.2	00.0-13.1												
65+	121	12,525	9	10.5	02.5-18.5	42	35.1	25.7-44.5	67	52.3	42.3-62.3	1	0.8	00.0-02.4	2	1.3	00.0-03.3
College Graduate	60	8,536	4	9.4	00.0-20.0							1	1.2	00.0-03.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	311	29,172	27	7.1	04.0-10.2	78	26.6	20.3-32.9	197	63.3	56.6-70.0	5	1.5	00.0-03.1	4	1.5	00.0-03.1
White/Non-Hisp	239	20,944	23	8.0	04.1-11.9	62	29.6	22.2-37.0	148	59.9	52.3-67.5	5	2.1	00.0-04.3	1	0.4	00.0-01.2
Black or Afr. Am./Non-Hisp	54	5,557	4	7.1	00.0-15.1							2	4.0	00.0-09.9			
55-64	94	7,818	7	6.4	01.3-11.5							2	2.2	00.0-05.3	2	1.8	00.0-04.3
65+	153	12,351	14	6.8	02.3-11.3	41	28.9	20.3-37.5	95	61.6	52.4-70.8	2	1.5	00.0-04.0	1	1.3	00.0-03.8
H.S. or G.E.D.	116	10,989	8	4.7	00.2-09.2	26	21.0	12.4-29.6	80	73.0	63.6-82.4				2	1.3	00.0-03.1
Some Post-H.S.	98	9,832	10	9.2	02.9-15.5							1	0.7	00.0-02.1	1	1.6	00.0-04.7
College Graduate	61	5,324	5	7.9	00.0-15.9							4	7.1	00.0-14.7			
Less than \$15,000	51	4,547	5	3.6	00.3-06.9												
\$15,000- 24,999	64	5,595	8	9.8	02.2-17.4							1	0.4	00.0-01.2	1	1.3	00.0-03.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	511	55,323	335	60.1	54.4-65.8	80	17.2	12.3-22.1	23	7.2	03.5-10.9	11	1.6	00.4-02.8	55	12.8	08.9-16.7	7	1.0	00.2-01.8
Male	202	26,396	128	54.3	45.1-63.5	29	19.2	10.4-28.0	13	7.8	02.5-13.1	3	0.7	00.0-01.5	26	16.8	09.7-23.9	3	1.2	00.0-02.6
Female	309	28,927	207	65.3	58.4-72.2	51	15.5	10.8-20.2	10	6.7	01.4-12.0	8	2.5	00.3-04.7	29	9.1	05.2-13.0	4	0.9	00.1-01.7
White/Non-Hisp	401	41,267	264	61.6	55.3-67.9	61	15.4	10.5-20.3	15	5.7	02.0-09.4	9	1.6	00.2-03.0	47	14.8	10.1-19.5	5	0.9	00.1-01.7
Black or Afr. Am./Non-Hisp	78	8,317				11	14.3	05.7-22.9	4	6.0	00.0-13.8	1	0.7	00.0-02.1	4	4.1	00.0-08.4	2	2.5	00.0-06.2
45-54	67	9,800				7	8.8	02.1-15.5				2	2.2	00.0-05.7				1	1.4	00.0-04.1
55-64	147	15,077							3	0.9	00.0-01.9	1	0.3	00.0-00.9	12	9.5	03.2-15.8			
65+	267	23,774	172	63.6	56.7-70.5	38	13.8	09.1-18.5	15	7.3	03.2-11.4	7	1.8	00.4-03.2	29	11.8	06.7-16.9	6	1.8	00.4-03.2
Less Than H.S.	68	6,966							4	5.6	00.0-11.5	1	0.8	00.0-02.4	7	8.4	01.7-15.1	3	3.2	00.0-07.1
H.S. or G.E.D.	179	18,300	123	63.4	54.2-72.6	24	12.5	07.0-18.0	6	8.6	00.8-16.4	3	1.8	00.0-04.2	20	12.3	06.2-18.4	3	1.5	00.0-03.3
Some Post-H.S.	142	15,946				26	15.3	09.0-21.6	6	7.2	00.0-15.0	4	2.5	00.0-05.6	16	13.3	05.9-20.7			
College Graduate	122	14,112				22	19.7	10.1-29.3	7	6.4	01.1-11.7	3	0.8	00.0-01.8	12	15.0	05.6-24.4	1	0.5	00.0-01.5
Less than \$15,000	77	7,740				14	15.7	06.1-25.3				4	4.1	00.0-09.0	9	11.2	01.6-20.8	1	0.9	00.0-02.7
\$15,000- 24,999	89	7,833				7	9.0	02.1-15.9				2	1.8	00.0-04.9	9	10.6	03.7-17.5	2	2.5	00.0-06.2
\$25,000- 34,999	54	5,480										1	4.2	00.0-12.2	6	7.6	01.1-14.1	2	2.3	00.0-05.4
\$35,000- 49,999	72	8,087				13	16.6	07.2-26.0	5	9.4	00.0-19.0	2	1.6	00.0-04.0	7	10.1	02.3-17.9			
\$50,000- 74,999	62	6,573							4	3.2	00.0-06.5				5	8.0	00.4-15.6			
\$75,000+	77	11,509							4	9.4	00.8-18.0	1	0.4	00.0-01.2						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	202	26,396	128	54.3	45.1-63.5	29	19.2	10.4-28.0	13	7.8	02.5-13.1	3	0.7	00.0-01.5	26	16.8	09.9-23.7	3	1.2	00.0-02.6
White/Non-Hisp	160	20,155				20	15.0	06.8-23.2	10	8.7	02.0-15.4	2	0.7	00.0-01.7	21	17.8	10.2-25.4	1	0.5	00.0-01.5
55-64	53	7,172							1	0.8	00.0-02.4									
65+	114	11,566				11	11.0	04.3-17.7	10	9.5	03.0-16.0	3	1.6	00.0-03.4	13	14.7	05.9-23.5	2	1.5	00.0-03.7
H.S. or G.E.D.	66	7,578				9	12.1	03.3-20.9	2	5.2	00.0-13.8							1	1.9	00.0-05.4
College Graduate	59	8,494							5	7.1	00.0-14.2									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	309	28,927	207	65.3	58.4-72.2	51	15.5	10.8-20.2	10	6.7	01.4-12.0	8	2.5	00.3-04.7	29	9.1	05.2-13.0	4	0.9	00.1-01.7
White/Non-Hisp	241	21,112	158	65.6	58.3-72.9	41	15.8	10.5-21.1	5	2.8	00.0-05.7	7	2.6	00.1-05.1	26	12.0	06.9-17.1	4	1.2	00.0-02.4
Black or Afr. Am./Non-Hisp	51	5,292										2	2.0	00.0-05.1						
55-64	94	7,906							2	1.0	00.0-02.4	1	0.6	00.0-01.8	7	7.5	00.8-14.2			
65+	153	12,208	97	65.3	56.5-74.1	27	16.5	10.0-23.0	5	5.2	00.1-10.3	4	1.9	00.0-04.1	16	9.0	03.9-14.1	4	2.1	00.1-04.1
H.S. or G.E.D.	113	10,722				15	12.7	05.4-20.0				3	3.1	00.0-07.0	12	10.5	03.4-17.6	2	1.2	00.0-02.8
Some Post-H.S.	99	9,752				20	18.1	09.7-26.5	3	3.9	00.0-10.2	2	2.8	00.0-07.5	8	7.6	01.3-13.9			
College Graduate	63	5,618							2	5.2	00.0-13.0	3	2.1	00.0-04.6	6	9.9	00.7-19.1	1	1.3	00.0-03.8
Less than \$15,000	50	4,452							1	2.2	00.0-06.5	2	4.8	00.0-12.4	7	8.6	01.5-15.7			
\$15,000- 24,999	62	5,479				5	7.8	00.5-15.1				2	2.6	00.0-06.9	4	5.4	00.1-10.7	1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	518	56,446	56	13.3	09.2-17.4	111	22.0	17.5-26.5	88	14.9	11.4-18.4	158	28.7	23.6-33.8	59	12.6	08.9-16.3	46	8.6	05.7-11.5
Male	210	27,689	22	13.6	06.5-20.7	50	23.9	16.5-31.3	34	14.3	09.0-19.6	53	25.2	17.4-33.0	27	11.5	06.8-16.2	24	11.5	06.2-16.8
Female	308	28,756	34	12.9	08.4-17.4	61	20.1	14.6-25.6	54	15.6	10.7-20.5	105	32.1	25.6-38.6	32	13.6	07.7-19.5	22	5.8	03.1-08.5
White/Non-Hisp	407	42,091	41	12.6	08.3-16.9	93	24.4	18.9-29.9	73	15.7	11.6-19.8	124	27.9	22.6-33.2	38	10.5	06.8-14.2	38	8.9	05.6-12.2
Black or Afr. Am./Non-Hisp	79	8,558	10	11.5	03.7-19.3				11	14.4	05.4-23.4				15	16.4	07.6-25.2	6	6.9	01.0-12.8
45-54	67	9,800							5	5.6	00.0-11.3							7	10.8	02.2-19.4
55-64	149	15,435	17	10.5	04.8-16.2				26	16.8	09.4-24.2	49	28.4	19.2-37.6	18	12.8	05.9-19.7	13	7.7	02.8-12.6
65+	272	24,728	26	10.7	06.4-15.0	61	24.1	18.0-30.2	51	16.3	11.6-21.0	89	32.6	25.9-39.3	22	6.9	04.0-09.8	23	9.4	04.7-14.1
Less Than H.S.	66	6,825	7	9.0	01.6-16.4													3	4.2	00.0-09.3
H.S. or G.E.D.	181	18,530	17	9.5	04.4-14.6	38	21.1	14.2-28.0	35	16.2	10.5-21.9	54	27.6	19.8-35.4	23	18.0	09.6-26.4	14	7.5	02.6-12.4
Some Post-H.S.	148	16,928	18	16.8	08.0-25.6	29	17.4	10.3-24.5	30	17.2	10.3-24.1	41	28.3	18.9-37.7	13	10.3	04.0-16.6	17	10.1	04.6-15.6
College Graduate	123	14,162	14	16.0	06.0-26.0	29	26.6	17.0-36.2	15	10.6	04.1-17.1	44	30.7	21.1-40.3	9	5.9	01.8-10.0	12	10.2	03.1-17.3
Less than \$15,000	79	7,891				16	17.3	07.9-26.7	9	8.0	01.7-14.3									
\$15,000- 24,999	90	7,824	9	11.0	03.2-18.8	16	15.9	07.5-24.3	8	9.2	02.5-15.9							9	8.9	02.4-15.4
\$25,000- 34,999	56	5,644	5	6.6	00.1-13.1													1	1.6	00.0-04.7
\$35,000- 49,999	74	8,308	5	7.3	00.8-13.8	12	16.8	06.8-26.8										4	4.7	00.0-09.4
\$50,000- 74,999	63	6,787	7	11.1	02.5-19.7										3	4.9	00.0-10.8	10	14.1	04.3-23.9
\$75,000+	80	12,135							10	8.0	02.3-13.7				7	8.7	01.1-16.3	5	6.7	00.8-12.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	210	27,689	22	13.6	06.5-20.7	50	23.9	16.5-31.3	34	14.3	09.0-19.6	53	25.2	17.4-33.0	27	11.5	06.8-16.2	24	11.5	06.2-16.8
White/Non-Hisp	167	21,217	18	12.5	05.4-19.6	40	25.1	16.5-33.7	29	15.3	09.4-21.2	41	24.2	16.2-32.2	18	10.8	05.1-16.5	21	12.2	06.5-17.9
55-64	54	7,385	7	7.8	01.5-14.1										6	8.7	01.4-16.0	5	10.0	00.8-19.2
65+	121	12,646	9	7.3	02.0-12.6	29	24.7	15.9-33.5	23	17.2	09.9-24.5	32	28.1	18.5-37.7	13	9.0	04.1-13.9	15	13.8	05.6-22.0
H.S. or G.E.D.	69	7,845	5	4.9	00.2-09.6															
College Graduate	61	8,736							6	9.2	00.4-18.0				4	4.3	00.0-08.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	308	28,756	34	12.9	08.4-17.4	61	20.1	14.6-25.6	54	15.6	10.5-20.7	105	32.1	25.6-38.6	32	13.6	07.7-19.5	22	5.8	03.1-08.5
White/Non-Hisp	240	20,874	23	12.7	07.6-17.8	53	23.8	17.1-30.5	44	16.3	10.4-22.2	83	31.6	24.5-38.7	20	10.1	04.8-15.4	17	5.5	02.6-08.4
Black or Afr. Am./Non-Hisp	51	5,302	9	14.2	04.4-24.0	4	6.5	00.0-13.9										5	9.5	00.5-18.5
55-64	95	8,049	10	13.0	04.2-21.8	14	17.6	07.6-27.6	18	17.2	08.0-26.4							8	5.6	01.5-09.7
65+	151	12,083	17	14.3	07.6-21.0	32	23.5	15.3-31.7	28	15.3	09.4-21.2	57	37.4	28.0-46.8	9	4.7	01.6-07.8	8	4.7	00.6-08.8
H.S. or G.E.D.	112	10,685	12	12.9	05.1-20.7	21	18.6	10.0-27.2	20	13.6	07.3-19.9							6	3.7	00.2-07.2
Some Post-H.S.	100	9,799	11	13.5	05.3-21.7				21	16.8	08.4-25.2				7	9.3	00.9-17.7	10	9.0	02.7-15.3
College Graduate	62	5,426	5	7.9	00.5-15.3				9	12.8	03.0-22.6				5	8.5	00.5-16.5	5	6.0	00.3-11.7
Less than \$15,000	50	4,322				9	13.2	03.4-23.0	7	10.9	01.3-20.5							8	8.5	01.6-15.4
\$15,000- 24,999	63	5,521							5	8.5	00.9-16.1							6	8.1	00.8-15.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	496	54,603	216	41.0	35.5-46.5	199	38.9	33.2-44.6	14	2.8	01.0-04.6	10	3.2	00.7-05.7	38	10.6	06.1-15.1	19	3.5	01.7-05.3
Male	201	26,772	98	43.5	34.9-52.1	65	32.5	23.9-41.1	5	2.4	00.2-04.6	4	2.6	00.0-05.5	20	15.5	07.5-23.5	9	3.5	01.1-05.9
Female	295	27,831	118	38.7	31.8-45.6	134	45.0	37.9-52.1	9	3.1	00.4-05.8	6	3.8	00.0-07.9	18	5.9	02.8-09.0	10	3.5	01.0-06.0
White/Non-Hisp	391	40,846	173	43.0	36.9-49.1	160	38.7	32.6-44.8	9	1.8	00.6-03.0	5	1.8	00.0-03.8	30	11.4	06.1-16.7	14	3.3	01.3-05.3
Black or Afr. Am./Non-Hisp	74	8,061							4	5.0	00.0-11.1	3	4.6	00.0-10.3	7	8.9	01.8-16.0	5	6.7	00.8-12.6
45-54	64	9,580										1	0.8	00.0-02.4				2	2.3	00.0-05.6
55-64	147	15,257							4	2.4	00.0-04.8	3	3.7	00.0-08.4	10	10.4	00.8-20.0	5	3.1	00.0-06.4
65+	254	23,051	115	46.2	38.9-53.5	99	36.4	29.3-43.5	9	3.4	00.9-05.9	4	1.8	00.0-03.8	16	7.9	03.2-12.6	11	4.4	01.7-07.1
Less Than H.S.	59	6,188										1	1.6	00.0-04.7				1	0.9	00.0-02.7
H.S. or G.E.D.	172	17,787	74	40.1	31.5-48.7	65	37.4	28.6-46.2	8	5.0	00.5-09.5	4	4.5	00.0-10.6	11	7.4	02.3-12.5	10	5.6	01.7-09.5
Some Post-H.S.	145	16,628	58	39.1	29.3-48.9	63	39.0	29.0-49.0	5	3.3	00.0-06.6	2	3.0	00.0-07.3	11	12.0	03.4-20.6	6	3.5	00.4-06.6
College Graduate	120	14,001							1	0.5	00.0-01.5	3	2.5	00.0-05.6	6	7.2	00.5-13.9	2	1.9	00.0-04.4
Less than \$15,000	79	8,005							3	3.0	00.0-06.5	1	2.3	00.0-06.8				2	3.2	00.0-08.7
\$15,000- 24,999	84	7,358							3	2.4	00.0-05.3				10	11.3	03.9-18.7	8	9.3	02.4-16.2
\$25,000- 34,999	54	5,463							3	4.6	00.0-09.7				2	4.4	00.0-10.7	1	1.1	00.0-03.3
\$35,000- 49,999	70	7,874							1	0.9	00.0-02.7	3	7.6	00.0-16.6	4	4.5	00.0-09.0	2	3.9	00.0-09.4
\$50,000- 74,999	61	6,610							1	1.7	00.0-05.0							1	1.9	00.0-05.6
\$75,000+	80	12,135							3	5.4	00.0-12.1				5	9.6	01.0-18.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 17: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	201	26,772	98	43.5	34.9-52.1	65	32.5	23.9-41.1	5	2.4	00.2-04.6	4	2.6	00.0-05.5	20	15.5	07.3-23.7	9	3.5	01.1-05.9
White/Non-Hisp	162	20,666	78	44.0	34.4-53.6	54	30.7	22.1-39.3	4	1.9	00.0-03.9	3	3.0	00.0-06.7	17	17.4	07.6-27.2	6	3.0	00.5-05.5
55-64	53	7,319							2	3.0	00.0-07.1	1	4.4	00.0-12.8				3	2.7	00.0-06.2
65+	113	11,795				34	26.9	18.1-35.7	3	3.4	00.0-07.7	3	3.1	00.0-07.0	9	10.5	02.3-18.7	5	5.0	00.5-09.5
H.S. or G.E.D.	67	7,576							2	2.3	00.0-05.4				6	10.7	00.7-20.7	6	8.4	01.3-15.5
College Graduate	58	8,487										2	3.2	00.0-08.1	3	7.6	00.0-17.6	1	1.4	00.0-04.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 18: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	295	27,831	118	38.7	31.8-45.6	134	45.0	37.9-52.1	9	3.1	00.4-05.8	6	3.8	00.0-07.9	18	5.9	02.8-09.0	10	3.5	01.0-06.0
White/Non-Hisp	229	20,180	95	41.8	34.0-49.6	106	46.9	39.1-54.7	5	1.7	00.1-03.3	2	0.6	00.0-01.6	13	5.3	02.0-08.6	8	3.7	00.6-06.8
55-64	94	7,938							2	1.7	00.0-04.1	2	3.1	00.0-07.8	5	4.5	00.0-09.0	2	3.4	00.0-08.9
65+	141	11,256	56	41.1	31.5-50.7	65	46.3	36.5-56.1	6	3.4	00.7-06.1	1	0.4	00.0-01.2	7	5.0	00.7-09.3	6	3.8	00.5-07.1
H.S. or G.E.D.	105	10,211							6	6.9	00.0-14.2	4	7.8	00.0-18.2	5	5.0	00.0-10.1	4	3.6	00.0-08.1
Some Post-H.S.	100	9,799							2	1.0	00.0-02.6	1	1.9	00.0-05.6	6	5.5	00.4-10.6	5	4.7	00.0-09.4
College Graduate	62	5,514							1	1.3	00.0-03.8	1	1.5	00.0-04.4	3	6.4	00.0-13.7	1	2.6	00.0-07.7
Less than \$15,000	51	4,538							2	2.9	00.0-07.0	1	4.0	00.0-11.6	5	7.5	00.0-15.3	2	5.7	00.0-15.1
\$15,000- 24,999	57	5,054							3	3.4	00.0-07.7				6	9.0	01.0-17.0	3	4.0	00.0-08.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	502	54,614	90	17.9	13.8-22.0	92	20.4	15.5-25.3	60	10.7	07.6-13.8	88	16.8	12.3-21.3	55	10.3	07.2-13.4	117	23.9	19.0-28.8
Male	200	26,480	42	17.9	11.6-24.2	39	21.5	13.7-29.3	24	10.1	05.6-14.6	32	17.0	09.6-24.4	23	10.0	05.3-14.7	40	23.5	15.7-31.3
Female	302	28,135	48	17.9	12.2-23.6	53	19.3	13.4-25.2	36	11.3	07.0-15.6	56	16.6	11.5-21.7	32	10.5	06.2-14.8	77	24.4	18.5-30.3
White/Non-Hisp	393	40,548	68	19.1	14.0-24.2	73	20.2	14.9-25.5	49	10.5	07.2-13.8	68	16.0	11.7-20.3	37	8.8	05.5-12.1	98	25.6	20.1-31.1
Black or Afr. Am./Non-Hisp	77	8,269	14	16.4	07.6-25.2	12	13.8	05.4-22.2	6	11.7	01.9-21.5				11	12.4	04.4-20.4			
45-54	64	9,532							5	5.9	00.0-12.8	7	7.9	01.2-14.6	7	12.3	02.7-21.9			
55-64	147	14,897	30	23.3	14.3-32.3				16	10.7	04.2-17.2	22	12.1	05.8-18.4	14	9.0	03.5-14.5	37	23.8	15.4-32.2
65+	260	23,471	40	13.5	09.2-17.8	42	16.3	11.2-21.4	37	13.9	09.2-18.6	56	24.2	17.7-30.7	30	9.6	05.9-13.3	55	22.4	15.9-28.9
Less Than H.S.	61	6,351							5	5.8	00.1-11.5							11	11.5	03.5-19.5
H.S. or G.E.D.	174	17,948	32	16.7	10.6-22.8	33	23.9	15.3-32.5	17	9.4	04.5-14.3	24	12.4	06.5-18.3	21	13.4	06.5-20.3	47	24.2	16.8-31.6
Some Post-H.S.	144	16,044	26	19.6	11.0-28.2	23	13.8	07.7-19.9	26	15.8	08.7-22.9	24	16.5	09.1-23.9	13	8.3	03.0-13.6	32	25.9	16.3-35.5
College Graduate	123	14,270	21	17.4	09.6-25.2	28	22.8	13.0-32.6	12	8.9	02.8-15.0	25	17.6	10.0-25.2	10	6.4	02.1-10.7			
Less than \$15,000	77	7,516	14	14.6	05.8-23.4				7	6.1	01.2-11.0				11	11.5	03.1-19.9			
\$15,000- 24,999	85	7,390	10	10.4	03.0-17.8				8	9.4	02.7-16.1	12	11.6	04.5-18.7	16	17.8	08.4-27.2			
\$25,000- 34,999	51	5,319							7	12.1	03.1-21.1							7	8.8	01.9-15.7
\$35,000- 49,999	74	8,308	10	11.9	03.7-20.1				8	10.2	02.4-18.0							16	19.4	09.4-29.4
\$50,000- 74,999	62	6,664										12	15.7	05.9-25.5	4	4.5	00.0-09.0	12	14.5	05.3-23.7
\$75,000+	79	11,831							11	10.4	03.0-17.8	11	11.2	03.2-19.2	3	4.9	00.0-11.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	200	26,480	42	17.9	11.4-24.4	39	21.5	13.7-29.3	24	10.1	05.4-14.8	32	17.0	09.6-24.4	23	10.0	05.3-14.7	40	23.5	15.7-31.3
White/Non-Hisp	159	20,217	31	18.6	11.0-26.2	31	21.3	12.7-29.9	20	9.9	05.2-14.6	25	14.7	08.2-21.2	17	10.1	04.6-15.6	35	25.4	16.4-34.4
55-64	52	7,185							4	9.2	00.0-19.6				3	4.1	00.0-09.2			
65+	114	11,777	19	11.9	06.6-17.2	17	15.2	07.9-22.5	20	17.2	09.6-24.8	24	23.3	14.1-32.5	14	11.0	04.9-17.1	20	21.5	11.7-31.3
H.S. or G.E.D.	64	7,341	15	18.1	08.9-27.3				8	11.5	03.1-19.9	8	9.9	01.9-17.9						
College Graduate	60	8,613	11	14.3	05.1-23.5				5	7.6	00.0-15.8				5	6.3	00.2-12.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	302	28,135	48	17.9	12.2-23.6	53	19.3	13.4-25.2	36	11.3	07.0-15.6	56	16.6	11.7-21.5	32	10.5	06.2-14.8	77	24.4	18.5-30.3
White/Non-Hisp	234	20,331	37	19.5	12.4-26.6	42	19.0	12.9-25.1	29	11.0	06.5-15.5	43	17.2	11.5-22.9	20	7.4	03.5-11.3	63	25.8	18.9-32.7
Black or Afr. Am./Non-Hisp	51	5,223				5	6.8	00.1-13.5												
55-64	95	7,712				16	16.6	07.8-25.4	12	12.1	04.1-20.1	15	11.1	05.2-17.0	11	13.6	04.8-22.4			
65+	146	11,694	21	15.2	08.3-22.1	25	17.4	10.3-24.5	17	10.7	05.2-16.2	32	25.1	16.1-34.1	16	8.3	04.0-12.6	35	23.4	15.2-31.6
H.S. or G.E.D.	110	10,607	17	15.7	07.5-23.9				9	7.9	02.2-13.6	16	14.0	06.0-22.0	13	11.5	03.5-19.5	33	25.3	15.9-34.7
Some Post-H.S.	99	9,430	16	14.2	06.8-21.6	13	13.1	05.3-20.9	20	18.4	08.8-28.0	18	18.4	08.8-28.0	9	10.0	02.2-17.8			
College Graduate	63	5,657							7	10.8	01.6-20.0	13	14.6	06.2-23.0	5	6.5	00.4-12.6			
Less than \$15,000	51	4,216							6	7.9	01.2-14.6									
\$15,000- 24,999	59	5,228	3	7.0	00.0-15.6				3	4.8	00.0-10.1	10	13.3	04.3-22.3	11	15.4	05.6-25.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	521	56,715	100	20.0	15.7-24.3	300	54.4	48.7-60.1	60	12.0	08.3-15.7	51	11.3	07.4-15.2	10	2.5	00.5-04.5
Male	209	27,547	46	23.6	16.5-30.7	116	53.4	44.8-62.0	18	6.3	03.2-09.4	22	13.0	06.3-19.7	7	3.7	00.2-07.2
Female	312	29,169	54	16.5	11.6-21.4	184	55.3	48.2-62.4	42	17.3	11.2-23.4	29	9.6	05.3-13.9	3	1.3	00.0-02.9
White/Non-Hisp	408	42,275	76	20.4	15.5-25.3	231	52.8	46.7-58.9	47	10.8	07.1-14.5	45	12.9	08.2-17.6	9	3.2	00.7-05.7
Black or Afr. Am./Non-Hisp	80	8,590	15	17.6	08.0-27.2							4	5.5	00.0-11.2	1	0.6	00.0-02.0
45-54	67	9,800													2	1.4	00.0-03.6
55-64	149	15,430	30	22.3	13.9-30.7				17	9.0	04.3-13.7	17	14.6	06.6-22.6	7	7.4	00.9-13.9
65+	275	24,970	56	22.1	16.0-28.2	172	63.0	56.1-69.9	25	7.7	04.6-10.8	21	6.8	02.7-10.9	1	0.4	00.0-01.2
Less Than H.S.	68	6,954	11	11.8	04.0-19.6							8	10.6	02.2-19.0	1	0.8	00.0-02.4
H.S. or G.E.D.	182	18,642	43	26.4	18.6-34.2	95	47.7	38.9-56.5	20	14.4	07.0-21.8	20	8.7	04.0-13.4	4	2.8	00.0-05.7
Some Post-H.S.	146	16,627	24	17.0	09.7-24.3				24	14.1	07.6-20.6	13	15.0	05.6-24.4	3	3.5	00.0-08.6
College Graduate	125	14,493	22	19.0	10.2-27.8				8	5.0	01.1-08.9	10	10.6	02.6-18.6	2	1.7	00.0-04.1
Less than \$15,000	81	8,154							13	13.8	04.8-22.8				3	4.3	00.0-10.0
\$15,000- 24,999	89	7,834										12	9.6	03.3-15.9	4	4.8	00.1-09.5
\$25,000- 34,999	56	5,644										3	3.9	00.0-08.4			
\$35,000- 49,999	73	8,109							6	6.8	00.7-12.9	5	7.4	00.5-14.3	1	1.3	00.0-03.8
\$50,000- 74,999	62	6,684							8	10.7	02.7-18.7	3	3.6	00.0-08.1			
\$75,000+	81	12,234							9	10.3	02.9-17.7	8	12.5	03.1-21.9	1	1.1	00.0-03.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	209	27,547	46	23.6	16.7-30.5	116	53.4	44.8-62.0	18	6.3	03.2-09.4	22	13.0	06.1-19.9	7	3.7	00.2-07.2
White/Non-Hisp	166	21,075	34	22.8	15.0-30.6	91	51.8	42.2-61.4	15	6.5	03.0-10.0	20	14.3	06.5-22.1	6	4.6	00.1-09.1
55-64	53	7,348							4	5.6	00.0-11.3						
65+	122	12,738	27	24.5	15.7-33.3				11	6.5	02.4-10.6	10	7.8	00.7-14.9			
H.S. or G.E.D.	68	7,808							7	10.0	02.4-17.6	8	11.3	01.9-20.7	3	3.8	00.0-08.1
College Graduate	62	8,836							4	4.2	00.0-08.5				1	1.5	00.0-04.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	312	29,169	54	16.5	11.4-21.6	184	55.3	48.2-62.4	42	17.3	11.2-23.4	29	9.6	05.3-13.9	3	1.3	00.0-02.9
White/Non-Hisp	242	21,201	42	18.1	12.0-24.2	140	53.7	45.9-61.5	32	15.0	08.9-21.1	25	11.5	06.0-17.0	3	1.7	00.0-03.9
Black or Afr. Am./Non-Hisp	52	5,334	8	10.7	02.3-19.1							3	6.2	00.0-14.0			
55-64	96	8,082							13	12.1	04.7-19.5				1	2.7	00.0-08.0
65+	153	12,232	29	19.7	11.7-27.7	98	64.8	55.6-74.0	14	8.9	04.0-13.8	11	5.7	01.6-09.8	1	0.9	00.0-02.7
H.S. or G.E.D.	114	10,834										12	6.8	02.7-10.9	1	2.0	00.0-05.9
Some Post-H.S.	100	9,799	12	10.2	03.3-17.1				20	20.8	11.2-30.4	7	10.9	01.7-20.1	1	0.4	00.0-01.2
College Graduate	63	5,657	10	13.1	03.9-22.3				4	6.2	00.0-13.3				1	1.9	00.0-05.6
Less than \$15,000	52	4,585													2	5.7	00.0-15.1
\$15,000- 24,999	63	5,521										8	10.1	01.9-18.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	521	56,546	106	20.6	16.1-25.1	415	79.4	74.9-83.9	
Male	212	27,817	51	23.8	16.5-31.1	161	76.2	68.9-83.5	
Female	309	28,729	55	17.4	12.1-22.7	254	82.6	77.3-87.9	
White/Non-Hisp	409	42,207	77	19.7	14.6-24.8	332	80.3	75.2-85.4	
55-64	149	15,245	33	24.0	15.0-33.0	116	76.0	67.0-85.0	
65+	274	24,788	51	18.1	12.6-23.6	223	81.9	76.4-87.4	
H.S. or G.E.D.	180	18,239	37	23.4	15.4-31.4	143	76.6	68.6-84.6	
Some Post-H.S.	147	16,807	26	20.5	10.9-30.1	121	79.5	69.9-89.1	
College Graduate	125	14,493	17	12.2	05.7-18.7	108	87.8	81.3-94.3	
\$75,000+	81	12,234	13	13.8	05.4-22.2	68	86.2	77.8-94.6	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	212	27,817	51	23.8	16.4-31.2	161	76.2	68.8-83.6	
White/Non-Hisp	170	21,446	45	27.2	18.6-35.8	125	72.8	64.2-81.4	
65+	123	12,774	27	20.4	12.2-28.6	96	79.6	71.4-87.8	
College Graduate	62	8,836	5	9.5	01.3-17.7	57	90.5	82.3-98.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	309	28,729	55	17.4	12.1-22.7	254	82.6	77.3-87.9	
White/Non-Hisp	239	20,761	32	12.0	06.9-17.1	207	88.0	82.9-93.1	
65+	151	12,014	24	15.7	08.1-23.3	127	84.3	76.7-91.9	
Some Post-H.S.	100	9,799	12	10.5	02.5-18.5	88	89.5	81.5-97.5	
College Graduate	63	5,657	12	16.4	06.6-26.2	51	83.6	73.8-93.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
TOTAL	523	56,942	279	50.2	44.7-55.7	244	49.8	44.3-55.3		
Male	212	27,868	101	46.1	37.5-54.7	111	53.9	45.3-62.5		
Female	311	29,073	178	54.1	47.0-61.2	133	45.9	38.8-53.0		
White/Non-Hisp	410	42,501	208	47.7	41.6-53.8	202	52.3	46.2-58.4		
65+	275	24,961	138	48.1	41.2-55.0	137	51.9	45.0-58.8		
H.S. or G.E.D.	181	18,533	94	48.1	39.1-57.1	87	51.9	42.9-60.9		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	212	27,868	101	46.1	37.7-54.5	111	53.9	45.5-62.3	
White/Non-Hisp	169	21,396	76	42.9	33.7-52.1	93	57.1	47.9-66.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 2: DIABETES**

**TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	311	29,073	178	54.1	47.0-61.2	133	45.9	38.8-53.0
White/Non-Hisp	241	21,105	132	52.7	45.1-60.3	109	47.3	39.7-54.9
65+	152	12,136	78	49.4	40.0-58.8	74	50.6	41.2-60.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010**

**MODULE 3: HEALTHY DAYS (Symptoms) CONTENTS**

\* NOTE \* \* \* \* \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
 \* \* \* \* \*

TABLE	PAGE
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (PAINACT2)	
1 MALES AND FEMALES	42
2 MALES ONLY	43
3 FEMALES ONLY	44
DURING THE PAST 30 DAYS, FOR ABOUT HOW MAY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)	
4 MALES AND FEMALES	45
5 MALES ONLY	46
6 FEMALES ONLY	47
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)	
7 MALES AND FEMALES	48
8 MALES ONLY	49
9 FEMALES ONLY	50
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)	
10 MALES AND FEMALES	51
11 MALES ONLY	52
12 FEMALES ONLY	53

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 1: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION?  
(PAINACT2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4167	671,516	110	2.8	02.0-03.6	405	9.7	08.3-11.1	160	3.5	02.7-04.3	168	3.4	02.6-04.2	369	6.5	05.5-07.5	2955	74.0	72.0-76.0
Male	1495	319,251	44	3.2	01.8-04.6	127	9.0	06.8-11.2	37	2.4	01.2-03.6	45	2.6	01.6-03.6	116	5.8	04.4-07.2	1126	76.9	74.0-79.8
Female	2672	352,265	66	2.5	01.7-03.3	278	10.3	08.5-12.1	123	4.6	03.4-05.8	123	4.1	03.1-05.1	253	7.2	06.0-08.4	1829	71.3	68.9-73.7
White/Non-Hisp	3332	504,084	97	3.3	02.3-04.3	337	10.4	08.8-12.0	126	3.3	02.5-04.1	132	3.5	02.7-04.3	300	6.8	05.8-07.8	2340	72.8	70.6-75.0
Black or Afr. Am./Non-Hisp	532	91,381	8	2.0	00.2-03.8	43	7.8	04.1-11.5	24	3.8	02.0-05.6	22	2.8	01.4-04.2	41	5.7	03.2-08.2	394	77.9	72.8-83.0
Oth. Race/Non-Hisp.	106	27,551	1	0.5	00.0-01.5	9	8.4	02.1-14.7	3	2.0	00.0-04.7	6	3.8	00.0-07.7	8	5.8	01.3-10.3	79	79.4	70.6-88.2
MultiRacial/Non-Hisp.	56	10,789	2	3.1	00.0-07.6	3	3.3	00.0-07.6	1	0.9	00.0-02.7	3	5.9	00.0-14.1	8	10.8	01.4-20.2			
Hispanic	110	33,448	2	1.0	00.0-02.6	12	8.6	02.7-14.5	5	8.9	00.1-17.7	3	1.6	00.0-03.6	11	5.2	01.1-09.3			
18-24	129	84,238	5	4.4	00.3-08.5	17	9.9	04.2-15.6	8	5.0	01.1-08.9	3	0.9	00.0-01.9	1	0.9	00.0-02.7	95	78.9	71.1-86.7
25-34	323	110,135	5	1.4	00.0-03.0	24	7.4	03.5-11.3	9	3.6	00.9-06.3	9	3.6	00.9-06.3	15	4.4	01.7-07.1	261	79.6	73.9-85.3
35-44	551	118,435	15	2.4	01.0-03.8	47	9.7	06.4-13.0	20	2.8	01.4-04.2	17	2.7	01.3-04.1	39	5.3	03.3-07.3	413	77.1	73.0-81.2
45-54	770	128,553	23	3.1	01.7-04.5	82	11.7	08.8-14.6	27	3.2	01.8-04.6	37	4.5	02.7-06.3	87	8.7	06.3-11.1	514	68.9	65.0-72.8
55-64	953	101,321	34	4.5	02.5-06.5	101	9.7	07.5-11.9	37	3.5	02.1-04.9	42	3.9	02.3-05.5	95	9.7	07.3-12.1	644	68.7	65.0-72.4
65+	1396	124,846	28	2.0	01.2-02.8	128	9.5	07.7-11.3	57	3.6	02.4-04.8	58	4.0	02.6-05.4	128	8.5	06.9-10.1	997	72.4	69.7-75.1
Less Than H.S.	266	40,317	5	4.9	00.0-11.0	23	7.0	02.9-11.1	13	6.3	00.6-12.0	14	4.6	01.3-07.9	58	13.5	08.6-18.4	153	63.7	54.1-73.3
H.S. or G.E.D.	1246	178,347	29	3.3	01.7-04.9	119	11.8	08.7-14.9	58	4.8	02.8-06.8	59	4.6	02.8-06.4	117	7.7	05.7-09.7	864	67.8	63.9-71.7
Some Post-H.S.	1088	192,037	26	2.1	00.7-03.5	115	9.8	07.4-12.2	46	3.3	01.9-04.7	49	2.9	01.9-03.9	107	7.3	05.5-09.1	745	74.5	71.0-78.0
College Graduate	1558	259,760	50	2.8	01.8-03.8	148	8.6	06.6-10.6	42	2.4	01.4-03.4	46	2.8	01.6-04.0	85	4.0	02.8-05.2	1187	79.4	76.9-81.9
Less than \$15,000	437	55,062	8	1.1	00.3-01.9	39	10.4	06.1-14.7	25	5.7	02.6-08.8	35	5.7	03.3-08.1	58	11.5	07.8-15.2	272	65.5	58.8-72.2
\$15,000- 24,999	409	48,723	5	1.9	00.0-04.4	35	7.9	04.6-11.2	20	5.8	02.3-09.3	26	6.8	03.3-10.3	103	18.2	13.7-22.7	220	59.3	51.9-66.7
\$25,000- 34,999	356	50,445	12	5.0	00.5-09.5	38	12.0	05.1-18.9	13	3.8	01.1-06.5	13	4.3	00.8-07.8	34	12.0	06.3-17.7	246	63.0	54.6-71.4
\$35,000- 49,999	553	80,244	15	3.6	01.1-06.1	64	10.4	06.3-14.5	19	5.6	01.9-09.3	22	3.2	01.6-04.8	37	4.7	02.9-06.5	396	72.5	66.8-78.2
\$50,000- 74,999	617	96,388	12	1.6	00.6-02.6	70	11.1	08.2-14.0	30	4.8	02.1-07.5	21	3.0	01.4-04.6	44	5.7	03.3-08.1	440	73.7	69.0-78.4
\$75,000+	1118	231,380	36	3.0	01.6-04.4	107	9.5	07.1-11.9	27	1.8	01.0-02.6	25	2.0	01.0-03.0	45	3.2	02.0-04.4	878	80.5	77.4-83.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 2: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION?  
(PAINACT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1495	319,251	44	3.2	01.8-04.6	127	9.0	06.8-11.2	37	2.4	01.2-03.6	45	2.6	01.6-03.6	116	5.8	04.4-07.2	1126	76.9	74.0-79.8
White/Non-Hisp	1223	245,391	39	3.6	02.0-05.2	110	10.1	07.6-12.6	30	2.4	01.2-03.6	37	2.8	01.6-04.0	101	6.2	04.4-08.0	906	74.9	71.4-78.4
Black or Afr. Am./Non-Hisp	157	35,669	3	2.7	00.0-06.4	4	1.7	00.0-03.7	5	1.6	00.0-03.6	4	1.9	00.0-03.9	7	4.1	00.0-08.8	134	87.9	81.0-94.8
25-34	98	53,865	2	2.1	00.0-05.2	7	8.1	01.0-15.2	2	3.0	00.0-07.5	2	2.1	00.0-05.2	2	2.9	00.0-07.0	83	81.7	72.3-91.1
35-44	192	57,440	3	1.8	00.0-04.0	22	13.6	07.5-19.7	4	1.8	00.0-03.8	4	1.8	00.0-03.6	14	5.5	02.4-08.6	145	75.6	68.5-82.7
45-54	298	61,935	13	4.1	01.6-06.6	31	10.9	06.4-15.4	11	3.1	00.7-05.5	12	4.3	01.6-07.0	26	7.9	04.0-11.8	205	69.6	63.1-76.1
55-64	353	48,566	12	4.7	01.6-07.8	31	8.0	04.9-11.1	7	1.9	00.3-03.5	12	3.5	00.8-06.2	32	9.1	05.2-13.0	259	72.8	66.9-78.7
65+	500	54,156	11	1.9	00.5-03.3	34	7.3	04.8-09.8	11	1.7	00.5-02.9	14	3.2	01.0-05.4	41	6.9	04.5-09.3	389	78.9	74.8-83.0
Less Than H.S.	112	22,502	2	3.1	00.0-08.6	8	5.7	00.0-11.4	3	5.1	00.0-14.1	5	3.9	00.0-08.8	16	5.7	02.2-09.2			
H.S. or G.E.D.	446	80,226	13	4.3	01.4-07.2	39	12.1	06.4-17.8	16	4.5	01.2-07.8	15	4.0	01.3-06.7	39	7.5	03.8-11.2	324	67.5	60.6-74.4
Some Post-H.S.	351	91,017	5	1.8	00.0-04.3	32	8.2	04.7-11.7	10	1.3	00.3-02.3	13	2.3	00.9-03.7	31	6.8	03.9-09.7	260	79.6	74.1-85.1
College Graduate	583	124,940	24	3.6	02.0-05.2	48	8.1	05.2-11.0	8	1.4	00.2-02.6	12	1.8	00.6-03.0	30	4.1	02.1-06.1	461	81.0	77.1-84.9
Less than \$15,000	136	25,006	1	0.2	00.0-00.6	12	12.1	04.1-20.1	5	2.9	00.0-06.6	7	2.5	00.0-05.0	16	7.4	02.9-11.9			
\$15,000- 24,999	111	16,775	2	4.2	00.0-11.6	5	6.5	00.0-13.4	1	0.8	00.0-02.4	7	8.6	00.8-16.4	28	17.1	08.3-25.9			
\$25,000- 34,999	124	22,548	2	0.9	00.0-02.3				3	1.0	00.0-02.4	2	1.7	00.0-04.4						
\$35,000- 49,999	206	38,868	7	4.3	00.0-08.8	10	3.8	01.1-06.5	7	5.2	00.0-10.9	8	3.5	00.8-06.2	14	4.2	01.7-06.7	160	79.0	71.2-86.8
\$50,000- 74,999	237	46,136	6	2.2	00.2-04.2	29	9.7	05.8-13.6	8	5.0	00.0-10.3	8	2.9	00.2-05.6	17	6.1	02.4-09.8	169	74.1	66.5-81.7
\$75,000+	488	121,237	18	3.6	01.2-06.0	44	10.1	06.2-14.0	9	1.7	00.5-02.9	6	1.1	00.1-02.1	18	2.9	01.1-04.7	393	80.6	75.9-85.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 3: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION?  
(PAINACT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2672	352,265	66	2.5	01.7-03.3	278	10.3	08.5-12.1	123	4.6	03.4-05.8	123	4.1	03.1-05.1	253	7.2	06.0-08.4	1829	71.3	68.9-73.7
White/Non-Hisp	2109	258,692	58	2.9	01.7-04.1	227	10.7	08.9-12.5	96	4.1	02.9-05.3	95	4.2	03.0-05.4	199	7.3	06.1-08.5	1434	70.8	68.3-73.3
Black or Afr. Am./Non-Hisp	375	55,712	5	1.6	00.0-03.2	39	11.6	05.7-17.5	19	5.2	02.5-07.9	18	3.3	01.3-05.3	34	6.7	04.0-09.4	260	71.5	65.0-78.0
Oth. Race/Non-Hisp.	61	14,533	1	1.0	00.0-03.0	4	6.4	00.0-13.1	3	3.8	00.0-08.9	6	7.3	00.0-14.6	5	5.8	00.0-11.7			
Hispanic	68	15,333				6	8.1	00.7-15.5				3	3.5	00.0-07.8	7	6.6	00.1-13.1			
18-24	81	41,899	2	3.6	00.0-09.1	15	15.4	06.0-24.8	6	7.0	00.9-13.1	3	1.7	00.0-03.9						
25-34	225	56,270	3	0.7	00.0-01.5	17	6.8	03.1-10.5	7	4.1	00.6-07.6	7	5.1	00.8-09.4	13	5.8	02.3-09.3	178	77.5	70.8-84.2
35-44	359	60,995	12	3.0	01.0-05.0	25	6.0	03.3-08.7	16	3.8	01.8-05.8	13	3.5	01.5-05.5	25	5.2	02.7-07.7	268	78.5	73.8-83.2
45-54	472	66,618	10	2.1	00.7-03.5	51	12.4	08.7-16.1	16	3.2	01.4-05.0	25	4.7	02.7-06.7	61	9.4	06.7-12.1	309	68.3	63.4-73.2
55-64	600	52,755	22	4.3	02.1-06.5	70	11.2	08.3-14.1	30	5.0	02.8-07.2	30	4.3	02.5-06.1	63	10.2	07.3-13.1	385	64.9	60.4-69.4
65+	896	70,689	17	2.1	01.1-03.1	94	11.1	08.6-13.6	46	5.1	03.3-06.9	44	4.7	03.1-06.3	87	9.6	07.2-12.0	608	67.4	63.9-70.9
Less Than H.S.	154	17,815	3	7.2	00.0-18.6	15	8.7	02.8-14.6	10	7.9	01.4-14.4	9	5.4	01.5-09.3	42	23.4	14.2-32.6			
H.S. or G.E.D.	800	98,121	16	2.4	01.0-03.8	80	11.5	08.2-14.8	42	5.1	03.1-07.1	44	5.1	02.9-07.3	78	7.9	05.7-10.1	540	68.1	63.6-72.6
Some Post-H.S.	737	101,020	21	2.4	01.2-03.6	83	11.3	08.2-14.4	36	5.1	02.6-07.6	36	3.5	02.1-04.9	76	7.9	05.7-10.1	485	69.9	65.4-74.4
College Graduate	975	134,820	26	2.1	01.1-03.1	100	9.0	06.5-11.5	34	3.3	01.7-04.9	34	3.7	01.9-05.5	55	4.0	02.6-05.4	726	77.9	74.4-81.4
Less than \$15,000	301	30,057	7	1.9	00.3-03.5	27	9.0	04.7-13.3	20	8.1	03.4-12.8	28	8.4	04.9-11.9	42	14.9	09.4-20.4	177	57.8	50.0-65.6
\$15,000- 24,999	298	31,949	3	0.8	00.0-01.8	30	8.6	04.9-12.3	19	8.5	03.4-13.6	19	5.9	02.2-09.6	75	18.8	13.5-24.1	152	57.5	49.3-65.7
\$25,000- 34,999	232	27,897	10	8.3	00.3-16.3	26	9.2	04.5-13.9	10	6.0	01.3-10.7	11	6.4	00.5-12.3	24	9.4	04.5-14.3	151	60.7	51.1-70.3
\$35,000- 49,999	347	41,376	8	2.9	00.5-05.3	54	16.5	09.4-23.6	12	6.1	01.4-10.8	14	2.9	01.1-04.7	23	5.3	02.8-07.8	236	66.3	58.5-74.1
\$50,000- 74,999	380	50,251	6	1.0	00.0-02.0	41	12.4	07.9-16.9	22	4.7	02.5-06.9	13	3.2	01.2-05.2	27	5.3	02.8-07.8	271	73.4	67.9-78.9
\$75,000+	630	110,143	18	2.3	01.1-03.5	63	8.9	06.2-11.6	18	1.8	00.8-02.8	19	3.0	01.2-04.8	27	3.6	02.0-05.2	485	80.3	76.6-84.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 4: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4149	669,516	277	6.9	05.5-08.3	811	19.8	18.0-21.6	193	4.5	03.5-05.5	177	3.8	03.0-04.6	193	4.2	03.4-05.0	2498	60.8	58.6-63.0
Male	1488	318,950	67	5.6	03.4-07.8	238	16.4	13.7-19.1	56	4.1	02.5-05.7	39	2.4	01.4-03.4	50	2.9	01.7-04.1	1038	68.6	65.1-72.1
Female	2661	350,567	210	8.1	06.5-09.7	573	22.9	20.5-25.3	137	4.8	03.8-05.8	138	5.1	03.9-06.3	143	5.3	04.1-06.5	1460	53.8	51.1-56.5
White/Non-Hisp	3327	503,051	220	6.4	05.2-07.6	659	20.1	18.1-22.1	154	4.2	03.4-05.0	145	4.1	03.1-05.1	150	4.1	03.1-05.1	1999	61.1	58.7-63.5
Black or Afr. Am./Non-Hisp	525	90,730	38	9.5	03.6-15.4	102	23.3	17.4-29.2	28	5.2	02.5-07.9	16	1.9	00.9-02.9	25	3.3	01.7-04.9	316	56.8	49.9-63.7
Oth. Race/Non-Hisp.	106	27,979	6	5.2	00.0-11.1	19	15.0	07.7-22.3	3	3.0	00.0-07.1	4	2.6	00.0-05.5	7	3.6	00.7-06.5			
MultiRacial/Non-Hisp.	55	10,728	5	4.1	00.2-08.0				1	1.3	00.0-03.8	5	8.4	00.0-17.4						
Hispanic	105	32,761	7	8.3	00.5-16.1	17	12.8	03.8-21.8				7	4.6	00.0-09.5	7	6.5	00.6-12.4			
18-24	129	84,238	6	7.7	00.4-15.0	35	22.9	14.3-31.5	4	4.2	00.0-09.1	9	5.8	01.5-10.1	4	3.5	00.0-07.2			
25-34	321	109,644	20	4.7	02.3-07.1	66	19.9	14.8-25.0	17	4.2	01.8-06.6	15	3.4	01.2-05.6	9	3.6	00.9-06.3	194	64.2	57.9-70.5
35-44	547	117,776	42	7.7	04.6-10.8	132	23.8	19.5-28.1	35	6.2	03.8-08.6	29	3.8	02.0-05.6	26	4.7	02.5-06.9	283	53.8	48.7-58.9
45-54	770	128,716	49	7.0	04.8-09.2	172	20.6	17.3-23.9	46	5.1	03.1-07.1	36	3.5	02.1-04.9	56	5.7	03.9-07.5	411	58.0	53.9-62.1
55-64	948	100,978	77	8.8	06.4-11.2	194	18.3	15.4-21.2	42	3.6	02.2-05.0	47	4.3	02.9-05.7	42	4.0	02.4-05.6	546	61.1	57.2-65.0
65+	1391	124,270	82	6.0	04.4-07.6	203	14.3	12.1-16.5	48	3.3	02.3-04.3	41	2.8	01.6-04.0	55	3.2	02.2-04.2	962	70.4	67.7-73.1
Less Than H.S.	260	39,875	10	5.8	00.0-11.7				18	3.8	01.8-05.8	21	10.9	04.0-17.8	30	7.0	03.9-10.1			
H.S. or G.E.D.	1242	177,771	58	5.1	03.3-06.9	240	20.7	17.4-24.0	67	5.9	03.9-07.9	60	4.5	02.9-06.1	69	5.8	03.6-08.0	748	58.0	53.9-62.1
Some Post-H.S.	1079	190,874	75	6.8	03.7-09.9	221	18.9	15.6-22.2	45	3.7	01.5-05.9	45	3.5	02.1-04.9	64	5.0	03.2-06.8	629	62.2	57.7-66.7
College Graduate	1559	259,941	134	8.5	06.5-10.5	306	18.8	16.3-21.3	62	4.1	02.7-05.5	51	2.5	01.5-03.5	29	2.0	01.0-03.0	977	64.1	61.0-67.2
Less than \$15,000	439	54,990	23	5.9	03.0-08.8	95	25.7	18.8-32.6	31	8.4	01.5-15.3	23	3.9	01.9-05.9	39	7.0	04.1-09.9	228	49.1	41.5-56.7
\$15,000- 24,999	402	47,906	17	3.4	00.9-05.9	70	23.5	15.5-31.5	36	7.5	04.4-10.6	34	8.0	04.3-11.7	68	14.8	10.3-19.3	177	42.8	34.8-50.8
\$25,000- 34,999	357	51,029	24	7.1	02.4-11.8	65	17.3	12.0-22.6	20	6.6	03.1-10.1	19	7.7	02.8-12.6	14	6.0	01.5-10.5	215	55.4	47.4-63.4
\$35,000- 49,999	553	80,113	37	5.0	03.0-07.0	131	22.3	17.4-27.2	28	4.1	02.3-05.9	23	4.4	01.5-07.3	11	2.9	00.5-05.3	323	61.3	55.4-67.2
\$50,000- 74,999	618	96,273	41	6.8	04.3-09.3	146	22.5	18.4-26.6	27	4.5	02.3-06.7	17	1.9	00.9-02.9	17	2.7	00.9-04.5	370	61.7	56.6-66.8
\$75,000+	1118	231,265	91	7.9	05.7-10.1	211	18.5	15.4-21.6	32	3.2	01.8-04.6	25	1.6	00.8-02.4	19	1.9	00.7-03.1	740	66.9	63.2-70.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 5: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1488	318,950	67	5.6	03.4-07.8	238	16.4	13.7-19.1	56	4.1	02.5-05.7	39	2.4	01.4-03.4	50	2.9	01.7-04.1	1038	68.6	65.1-72.1
White/Non-Hisp	1219	244,813	54	4.8	03.2-06.4	199	16.6	13.7-19.5	46	3.6	02.2-05.0	32	2.5	01.1-03.9	40	3.0	01.6-04.4	848	69.5	65.8-73.2
Black or Afr. Am./Non-Hisp	155	35,451							6	4.1	00.0-08.4	3	1.0	00.0-02.4	4	1.7	00.0-03.7			
25-34	97	53,584	2	1.8	00.0-04.2	17	16.3	08.5-24.1	2	2.1	00.0-05.0	2	1.1	00.0-02.9	2	2.9	00.0-06.8	72	75.8	66.8-84.8
35-44	191	57,683	13	8.7	03.2-14.2	45	24.1	17.0-31.2	14	6.5	02.8-10.2	5	2.0	00.0-04.0	6	3.3	00.4-06.2	108	55.2	47.0-63.4
45-54	300	62,222	9	3.7	00.8-06.6	51	13.8	09.5-18.1	15	5.0	01.9-08.1	9	1.8	00.4-03.2	11	3.2	00.8-05.6	205	72.4	66.5-78.3
55-64	350	48,279	18	7.7	03.6-11.8	56	14.7	10.6-18.8	12	2.9	00.9-04.9	12	3.4	01.2-05.6	15	3.6	01.2-06.0	237	67.7	61.6-73.8
65+	496	53,894	23	5.4	03.0-07.8	58	11.2	08.1-14.3	11	2.2	00.8-03.6	9	2.1	00.3-03.9	15	2.4	01.0-03.8	380	76.7	72.4-81.0
Less Than H.S.	111	22,530	4	2.1	00.0-04.5				6	2.4	00.2-04.6	5	6.1	00.0-15.1	10	4.7	01.4-08.0			
H.S. or G.E.D.	447	80,428	13	3.1	00.9-05.3	76	18.5	13.2-23.8	20	5.3	02.4-08.2	14	1.7	00.7-02.7	21	5.4	02.1-08.7	303	66.0	59.7-72.3
Some Post-H.S.	345	90,134	19	6.9	00.8-13.0	51	12.0	07.7-16.3	9	3.6	00.0-07.9	10	2.7	00.7-04.7	14	3.1	00.9-05.3	242	71.7	64.1-79.3
College Graduate	582	125,291	31	6.9	03.8-10.0	92	15.2	11.7-18.7	21	4.0	01.8-06.2	10	1.9	00.3-03.5	5	0.9	00.0-01.9	423	71.2	66.3-76.1
Less than \$15,000	138	25,317	8	5.0	00.9-09.1	23	18.9	08.9-28.9				4	1.3	00.0-02.7	12	5.9	01.6-10.2			
\$15,000- 24,999	110	16,692	1	0.2	00.0-00.6				8	7.6	00.7-14.5	7	3.9	00.6-07.2	16	12.6	04.8-20.4			
\$25,000- 34,999	124	23,044	5	1.8	00.0-03.8	26	16.5	08.7-24.3	8	6.9	01.0-12.8	4	5.4	00.0-12.5	4	7.7	00.0-16.9			
\$35,000- 49,999	206	38,832	4	1.7	00.0-03.7	38	15.8	09.9-21.7	5	1.6	00.0-03.2	6	5.3	00.0-11.0	4	1.2	00.0-02.8	149	74.4	66.6-82.2
\$50,000- 74,999	235	45,815	11	4.9	01.4-08.4	37	13.6	08.5-18.7	11	5.4	01.5-09.3	4	0.8	00.0-01.6	4	1.8	00.0-04.2	168	73.6	66.2-81.0
\$75,000+	486	121,047	25	6.7	03.6-09.8	71	15.6	10.9-20.3	10	2.4	00.6-04.2	5	0.7	00.1-01.3	4	1.0	00.0-02.4	371	73.7	68.2-79.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 6: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2661	350,567	210	8.1	06.5-09.7	573	22.9	20.5-25.3	137	4.8	03.8-05.8	138	5.1	03.9-06.3	143	5.3	04.1-06.5	1460	53.8	51.1-56.5
White/Non-Hisp	2108	258,238	166	8.0	06.4-09.6	460	23.5	21.0-26.0	108	4.7	03.5-05.9	113	5.5	04.1-06.9	110	5.1	03.7-06.5	1151	53.1	50.2-56.0
Black or Afr. Am./Non-Hisp	370	55,279	30	8.0	04.9-11.1	78	25.5	18.4-32.6	22	5.9	02.4-09.4	13	2.5	00.9-04.1	21	4.3	02.1-06.5	206	53.7	46.4-61.0
Oth. Race/Non-Hisp.	60	14,366	4	4.4	00.0-09.3				2	1.9	00.0-04.6	3	2.7	00.0-06.2	3	2.0	00.0-04.5			
Hispanic	64	14,695				10	8.4	01.9-14.9	4	5.8	00.0-11.9	6	9.6	00.0-20.0						
18-24	81	41,899	5	8.9	00.9-16.9				2	2.4	00.0-06.3	7	7.3	01.2-13.4	3	5.2	00.0-11.5			
25-34	224	56,060	18	7.5	03.8-11.2	49	23.4	16.9-29.9	15	6.2	02.5-09.9	13	5.5	01.8-09.2	7	4.3	00.8-07.8	122	53.1	45.7-60.5
35-44	356	60,094	29	6.7	04.0-09.4	87	23.4	18.3-28.5	21	6.0	03.1-08.9	24	5.5	02.8-08.2	20	6.1	03.0-09.2	175	52.4	46.3-58.5
45-54	470	66,494	40	10.1	06.8-13.4	121	27.0	22.3-31.7	31	5.3	03.1-07.5	27	5.1	02.9-07.3	45	7.9	05.2-10.6	206	44.5	39.4-49.6
55-64	598	52,698	59	9.7	07.0-12.4	138	21.6	17.7-25.5	30	4.3	02.5-06.1	35	5.1	03.1-07.1	27	4.4	02.4-06.4	309	54.9	50.2-59.6
65+	895	70,376	59	6.5	04.7-08.3	145	16.7	13.8-19.6	37	4.0	02.6-05.4	32	3.4	02.0-04.8	40	3.8	02.4-05.2	582	65.6	61.9-69.3
Less Than H.S.	149	17,344				24	18.8	09.6-28.0	12	5.7	02.2-09.2				20	9.9	04.2-15.6			
H.S. or G.E.D.	795	97,343	45	6.7	04.2-09.2	164	22.6	18.1-27.1	47	6.4	03.9-08.9	46	6.8	04.1-09.5	48	6.1	03.4-08.8	445	51.4	46.5-56.3
Some Post-H.S.	734	100,740	56	6.6	04.4-08.8	170	25.0	20.5-29.5	36	3.7	02.3-05.1	35	4.2	02.2-06.2	50	6.7	04.2-09.2	387	53.7	48.4-59.0
College Graduate	977	134,650	103	10.0	07.5-12.5	214	22.2	18.7-25.7	41	4.2	02.4-06.0	41	3.0	01.8-04.2	24	3.0	01.2-04.8	554	57.5	53.4-61.6
Less than \$15,000	301	29,673	15	6.7	02.6-10.8	72	31.4	22.8-40.0	21	4.8	02.4-07.2	19	6.0	02.9-09.1	27	8.0	04.1-11.9	147	43.0	35.2-50.8
\$15,000- 24,999	292	31,214	16	5.1	01.2-09.0	51	23.2	14.4-32.0	28	7.5	04.4-10.6	27	10.1	04.8-15.4	52	16.0	10.7-21.3	118	38.2	29.4-47.0
\$25,000- 34,999	233	27,985	19	11.5	03.5-19.5	39	18.0	10.9-25.1	12	6.2	02.3-10.1	15	9.6	02.9-16.3	10	4.5	01.4-07.6	138	50.1	40.9-59.3
\$35,000- 49,999	347	41,281	33	8.1	04.8-11.4	93	28.3	20.9-35.7	23	6.6	03.5-09.7	17	3.5	01.5-05.5	7	4.5	00.0-09.0	174	49.0	41.2-56.8
\$50,000- 74,999	383	50,459	30	8.6	05.1-12.1	109	30.5	24.6-36.4	16	3.6	01.4-05.8	13	2.9	01.1-04.7	13	3.5	01.1-05.9	202	51.0	44.7-57.3
\$75,000+	632	110,218	66	9.2	06.3-12.1	140	21.7	17.6-25.8	22	4.1	01.9-06.3	20	2.7	01.1-04.3	15	2.9	00.9-04.9	369	59.4	54.5-64.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4131	667,773	281	7.1	05.9-08.3	1079	28.3	26.1-30.5	312	8.0	06.8-09.2	263	5.9	04.9-06.9	380	9.2	07.8-10.6	1816	41.5	39.3-43.7
Male	1482	318,307	93	7.4	05.2-09.6	341	25.1	21.8-28.4	90	6.6	04.6-08.6	67	4.7	03.1-06.3	116	8.0	05.6-10.4	775	48.3	44.6-52.0
Female	2649	349,466	188	6.9	05.7-08.1	738	31.2	28.7-33.7	222	9.2	07.6-10.8	196	7.0	05.8-08.2	264	10.3	08.5-12.1	1041	35.4	32.9-37.9
White/Non-Hisp	3306	500,847	229	7.3	05.9-08.7	880	29.7	27.3-32.1	259	8.1	06.7-09.5	215	6.4	05.2-07.6	296	8.7	07.3-10.1	1427	39.8	37.4-42.2
Black or Afr. Am./Non-Hisp	527	90,725	35	8.0	04.9-11.1	131	24.9	19.6-30.2	30	5.5	02.8-08.2	32	4.6	02.6-06.6	45	11.3	05.0-17.6	254	45.6	39.1-52.1
Oth. Race/Non-Hisp.	106	28,074	7	6.6	01.5-11.7	29	24.5	14.5-34.5	5	4.0	00.0-08.1	4	3.8	00.0-08.3	11	5.9	02.0-09.8			
MultiRacial/Non-Hisp.	55	10,718	6	6.1	00.2-12.0				4	7.5	00.0-18.1	4	6.9	00.0-15.3						
Hispanic	107	33,232	4	3.5	00.0-07.4							7	4.2	00.1-08.3	18	11.5	04.4-18.6			
18-24	129	84,238	8	8.3	02.2-14.4	39	31.9	22.3-41.5	11	8.7	02.6-14.8	10	3.9	01.0-06.8	13	10.2	02.9-17.5	48	37.0	27.0-47.0
25-34	320	109,605	18	4.8	02.3-07.3	104	30.3	24.2-36.4	32	8.7	05.0-12.4	28	7.9	04.6-11.2	31	8.8	05.3-12.3	107	39.5	32.8-46.2
35-44	550	118,371	39	7.6	04.5-10.7	175	30.9	26.4-35.4	57	10.1	07.2-13.0	46	7.3	04.8-09.8	67	10.8	07.9-13.7	166	33.2	28.3-38.1
45-54	769	128,329	53	7.5	05.1-09.9	220	30.2	26.3-34.1	74	9.6	07.1-12.1	62	7.3	05.1-09.5	94	10.2	07.7-12.7	266	35.2	31.1-39.3
55-64	949	101,028	59	7.3	05.1-09.5	250	25.5	22.2-28.8	67	6.4	04.4-08.4	58	5.0	03.6-06.4	95	10.5	08.0-13.0	420	45.4	41.3-49.5
65+	1371	122,358	98	7.2	05.6-08.8	281	21.7	19.2-24.2	71	4.6	03.4-05.8	56	3.5	02.3-04.7	76	5.2	03.8-06.6	789	57.8	54.7-60.9
Less Than H.S.	262	40,033	5	3.0	00.0-06.1				14	6.3	00.6-12.0	25	7.5	03.6-11.4	46	14.6	08.9-20.3			
H.S. or G.E.D.	1239	177,341	61	5.6	03.6-07.6	286	25.6	21.9-29.3	94	8.2	05.8-10.6	83	5.2	03.8-06.6	130	12.1	09.2-15.0	585	43.3	39.4-47.2
Some Post-H.S.	1073	190,389	81	8.8	05.9-11.7	287	27.5	23.4-31.6	75	7.1	04.6-09.6	71	6.4	04.4-08.4	113	10.4	07.1-13.7	446	39.8	35.1-44.5
College Graduate	1548	258,955	133	7.6	05.8-09.4	464	31.2	28.1-34.3	127	8.7	06.7-10.7	84	5.8	04.2-07.4	90	5.6	04.2-07.0	650	41.2	37.9-44.5
Less than \$15,000	433	54,727	16	3.0	01.0-05.0	97	23.4	17.3-29.5	35	12.1	04.8-19.4	34	5.7	03.3-08.1	53	13.2	08.7-17.7	198	42.6	35.0-50.2
\$15,000- 24,999	405	48,036	11	2.1	00.5-03.7	77	23.5	15.5-31.5	31	6.7	03.4-10.0	37	9.1	05.0-13.2	88	21.5	15.8-27.2	161	37.2	29.2-45.2
\$25,000- 34,999	353	50,878	29	8.6	04.1-13.1	78	26.8	18.8-34.8	28	7.7	04.2-11.2	22	6.8	02.5-11.1	36	10.7	05.6-15.8	160	39.4	32.0-46.8
\$35,000- 49,999	551	79,684	42	7.1	03.4-10.8	146	29.4	23.7-35.1	44	8.1	04.6-11.6	37	6.7	04.2-09.2	42	7.6	04.5-10.7	240	41.1	35.2-47.0
\$50,000- 74,999	615	96,134	41	6.0	03.6-08.4	188	31.6	26.7-36.5	64	10.3	06.8-13.8	36	5.9	03.4-08.4	39	5.9	03.7-08.1	247	40.3	34.6-46.0
\$75,000+	1114	230,458	92	8.0	05.8-10.2	369	32.8	29.1-36.5	76	7.3	05.3-09.3	65	5.4	03.6-07.2	60	5.8	04.0-07.6	452	40.7	36.8-44.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1482	318,307	93	7.4	05.2-09.6	341	25.1	21.8-28.4	90	6.6	04.6-08.6	67	4.7	03.1-06.3	116	8.0	05.6-10.4	775	48.3	44.6-52.0
White/Non-Hisp	1213	244,088	80	8.3	05.8-10.8	286	27.0	23.3-30.7	80	6.5	04.7-08.3	57	5.2	03.4-07.0	88	6.8	05.0-08.6	622	46.2	42.3-50.1
Black or Afr. Am./Non-Hisp	157	35,759	10	6.6	02.1-11.1	31	18.3	10.3-26.3	1	0.4	00.0-01.2	6	3.0	00.0-06.1						
25-34	98	53,865	4	4.0	00.0-08.1				5	4.8	00.0-09.7	9	8.1	02.6-13.6	8	6.0	01.3-10.7			
35-44	191	57,758	10	7.2	02.1-12.3	55	26.3	19.2-33.4	24	10.5	06.0-15.0	10	5.2	01.7-08.7	22	9.6	05.3-13.9	70	41.1	33.1-49.1
45-54	299	62,121	16	6.3	02.8-09.8	79	27.9	21.8-34.0	24	7.7	04.4-11.0	14	4.2	01.3-07.1	31	10.3	05.8-14.8	135	43.7	37.0-50.4
55-64	351	48,437	24	8.4	04.5-12.3	81	21.8	16.7-26.9	15	4.5	01.8-07.2	14	2.9	01.3-04.5	32	9.3	05.6-13.0	185	53.0	46.5-59.5
65+	489	52,839	32	6.6	04.1-09.1	86	19.6	15.5-23.7	19	3.2	01.6-04.8	17	3.3	01.1-05.5	20	3.9	01.9-05.9	315	63.4	58.5-68.3
Less Than H.S.	111	22,413	2	2.1	00.0-05.6				5	6.2	00.0-15.2	6	2.1	00.1-04.1	12	6.2	02.1-10.3			
H.S. or G.E.D.	445	80,060	21	5.6	02.5-08.7	94	25.2	18.7-31.7	25	6.4	02.9-09.9	24	3.4	01.8-05.0	40	10.4	06.1-14.7	241	49.0	42.3-55.7
Some Post-H.S.	344	90,331	29	11.0	05.5-16.5	69	23.3	16.4-30.2	22	7.2	02.5-11.9	13	4.3	01.6-07.0	33	10.3	04.2-16.4	178	43.9	35.9-51.9
College Graduate	579	124,938	41	6.9	04.0-09.8	157	25.5	21.2-29.8	38	6.4	04.0-08.8	24	6.3	03.4-09.2	31	5.1	02.9-07.3	288	49.8	44.3-55.3
Less than \$15,000	134	24,972	4	1.7	00.0-04.1							6	2.5	00.0-05.2	21	14.0	06.6-21.4			
\$15,000- 24,999	111	16,772	1	1.3	00.0-03.8				7	3.7	00.6-06.8	6	2.7	00.3-05.1	18	16.2	07.2-25.2			
\$25,000- 34,999	124	23,050	9	9.3	00.7-17.9				4	2.7	00.0-05.6	5	7.7	00.0-16.5	13	9.1	01.7-16.5			
\$35,000- 49,999	204	38,611	9	6.2	00.0-13.3	48	24.6	16.8-32.4	10	7.3	01.4-13.2	10	5.0	01.3-08.7	9	4.8	01.3-08.3	118	52.2	42.8-61.6
\$50,000- 74,999	234	45,857	14	5.6	02.1-09.1	62	26.5	19.1-33.9	16	7.7	02.2-13.2	13	5.5	01.6-09.4	11	4.2	01.1-07.3	118	50.4	41.0-59.8
\$75,000+	485	120,727	37	7.6	04.3-10.9	130	27.0	21.5-32.5	34	6.5	04.0-09.0	18	4.6	02.1-07.1	28	5.7	03.2-08.2	238	48.6	42.5-54.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2649	349,466	188	6.9	05.7-08.1	738	31.2	28.7-33.7	222	9.2	07.6-10.8	196	7.0	05.8-08.2	264	10.3	08.5-12.1	1041	35.4	32.9-37.9
White/Non-Hisp	2093	256,759	149	6.4	05.0-07.8	594	32.3	29.6-35.0	179	9.6	07.8-11.4	158	7.5	06.1-08.9	208	10.4	08.4-12.4	805	33.7	31.0-36.4
Black or Afr. Am./Non-Hisp	370	54,966	25	8.9	04.6-13.2	100	29.2	22.3-36.1	29	8.9	04.8-13.0	26	5.6	03.2-08.0	31	7.7	04.0-11.4	159	39.6	32.7-46.5
Oth. Race/Non-Hisp.	61	14,533	5	9.1	01.1-17.1				5	7.7	00.0-15.5	3	3.5	00.0-08.4	6	4.2	00.5-07.9			
Hispanic	67	15,269	3	4.5	00.0-10.0				6	8.5	00.9-16.1	6	8.5	00.0-17.1						
18-24	81	41,899	2	3.3	00.0-07.8				8	8.8	02.3-15.3	7	3.7	00.4-07.0	11	12.1	04.1-20.1			
25-34	222	55,740	14	5.5	02.4-08.6	80	34.7	27.8-41.6	27	12.5	07.4-17.6	19	7.7	03.8-11.6	23	11.4	06.1-16.7	59	28.3	21.6-35.0
35-44	359	60,613	29	8.0	04.5-11.5	120	35.3	29.4-41.2	33	9.7	06.0-13.4	36	9.3	05.8-12.8	45	12.0	07.9-16.1	96	25.6	20.3-30.9
45-54	470	66,208	37	8.6	05.7-11.5	141	32.4	27.5-37.3	50	11.4	07.9-14.9	48	10.2	07.1-13.3	63	10.2	07.5-12.9	131	27.3	22.8-31.8
55-64	598	52,591	35	6.2	04.0-08.4	169	28.9	24.6-33.2	52	8.1	05.4-10.8	44	6.8	04.4-09.2	63	11.6	08.3-14.9	235	38.4	33.7-43.1
65+	882	69,519	66	7.7	05.5-09.9	195	23.3	20.0-26.6	52	5.6	03.8-07.4	39	3.6	02.2-05.0	56	6.2	04.4-08.0	474	53.6	49.7-57.5
Less Than H.S.	151	17,620	3	4.0	00.0-09.5				9	6.4	00.9-11.9	19	14.3	06.1-22.5				66	29.9	20.5-39.3
H.S. or G.E.D.	794	97,282	40	5.7	03.2-08.2	192	25.9	21.6-30.2	69	9.6	06.5-12.7	59	6.6	04.4-08.8	90	13.5	09.6-17.4	344	38.7	34.0-43.4
Some Post-H.S.	729	100,058	52	6.7	04.3-09.1	218	31.3	26.4-36.2	53	7.1	04.7-09.5	58	8.3	05.8-10.8	80	10.4	07.5-13.3	268	36.1	30.8-41.4
College Graduate	969	134,017	92	8.2	06.2-10.2	307	36.4	32.3-40.5	89	10.8	08.1-13.5	60	5.4	03.8-07.0	59	5.9	03.9-07.9	362	33.2	29.5-36.9
Less than \$15,000	299	29,754	12	4.2	01.3-07.1	72	24.2	17.5-30.9	24	10.0	04.7-15.3	28	8.4	04.9-11.9	32	12.5	07.0-18.0	131	40.8	32.6-49.0
\$15,000- 24,999	294	31,264	10	2.5	00.5-04.5	56	21.8	13.8-29.8	24	8.3	03.6-13.0	31	12.5	06.6-18.4	70	24.4	17.1-31.7	103	30.6	22.2-39.0
\$25,000- 34,999	229	27,828	20	8.1	03.6-12.6	51	26.9	17.9-35.9	24	11.9	06.2-17.6	17	6.0	02.7-09.3	23	12.0	05.1-18.9	94	35.1	26.9-43.3
\$35,000- 49,999	347	41,072	33	8.0	04.7-11.3	98	33.8	25.8-41.8	34	8.9	05.2-12.6	27	8.4	04.7-12.1	33	10.3	05.4-15.2	122	30.6	23.5-37.7
\$50,000- 74,999	381	50,277	27	6.3	03.0-09.6	126	36.2	30.1-42.3	48	12.7	08.4-17.0	23	6.2	03.1-09.3	28	7.6	04.5-10.7	129	31.0	25.3-36.7
\$75,000+	629	109,730	55	8.5	05.8-11.2	239	39.3	34.4-44.2	42	8.1	05.2-11.0	47	6.3	04.1-08.5	32	5.9	03.5-08.3	214	31.9	27.2-36.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 10 DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4088	661,699	38	1.0	00.6-01.4	300	7.1	05.9-08.3	243	6.1	04.9-07.3	790	20.4	18.4-22.4	2228	56.0	53.8-58.2	489	9.5	08.3-10.7
Male	1468	315,532	10	0.4	00.2-00.6	88	5.5	04.1-06.9	77	5.6	03.8-07.4	274	20.2	17.1-23.3	851	60.7	57.0-64.4	168	7.7	06.1-09.3
Female	2620	346,167	28	1.5	00.7-02.3	212	8.5	06.9-10.1	166	6.6	05.4-07.8	516	20.5	18.3-22.7	1377	51.8	49.1-54.5	321	11.1	09.5-12.7
White/Non-Hisp	3274	497,072	29	0.8	00.4-01.2	242	7.6	06.2-09.0	198	6.8	05.4-08.2	636	20.6	18.6-22.6	1764	54.5	52.0-57.0	405	9.8	08.6-11.0
Black or Afr. Am./Non-Hisp	518	89,374	3	1.0	00.0-02.6	37	5.7	03.5-07.9	28	3.9	02.1-05.7	103	18.5	14.2-22.8	305	64.8	59.1-70.5	42	6.1	03.7-08.5
Oth. Race/Non-Hisp.	103	27,384	2	1.5	00.0-03.9	10	9.3	01.9-16.7	9	5.8	01.5-10.1							6	6.3	00.8-11.8
MultiRacial/Non-Hisp.	56	10,789	2	6.3	00.0-15.5	3	5.3	00.0-12.2	2	4.5	00.0-11.9									
Hispanic	107	32,975	2	2.9	00.0-07.2	7	2.2	00.4-04.0	5	2.5	00.1-04.9							19	13.8	06.2-21.4
18-24	126	83,051	4	2.6	00.0-05.3	8	5.2	01.1-09.3	10	6.3	01.6-11.0	24	17.4	09.2-25.6	75	64.1	54.1-74.1	5	4.4	00.5-08.3
25-34	320	109,442	6	0.9	00.1-01.7	23	7.2	03.9-10.5	22	6.3	02.6-10.0	86	26.6	20.5-32.7	164	52.6	45.9-59.3	19	6.5	03.4-09.6
35-44	550	118,119	4	0.8	00.0-01.8	52	9.5	06.6-12.4	37	6.7	04.2-09.2	125	22.2	17.9-26.5	285	53.8	48.7-58.9	47	6.9	04.5-09.3
45-54	763	127,579	8	0.7	00.1-01.3	56	6.8	04.6-09.0	57	6.6	04.6-08.6	176	22.4	18.9-25.9	380	54.4	50.1-58.7	86	9.2	06.8-11.6
55-64	938	99,985	7	0.5	00.1-00.9	69	6.7	04.9-08.5	56	6.6	04.4-08.8	180	19.3	16.2-22.4	512	54.9	51.0-58.8	114	12.0	09.5-14.5
65+	1349	119,723	8	0.8	00.0-01.6	91	6.6	05.0-08.2	60	4.4	03.0-05.8	196	14.1	11.9-16.3	779	57.7	54.6-60.8	215	16.5	14.1-18.9
Less Than H.S.	256	39,306	1	0.3	00.0-00.9	22	6.8	02.7-10.9	18	7.2	01.3-13.1	37	10.7	05.2-16.2	117	60.5	50.7-70.3	61	14.5	09.6-19.4
H.S. or G.E.D.	1217	174,472	13	1.7	00.5-02.9	93	8.1	05.9-10.3	77	6.7	04.3-09.1	228	20.0	16.7-23.3	630	50.9	46.8-55.0	176	12.6	10.1-15.1
Some Post-H.S.	1074	189,996	10	0.9	00.1-01.7	82	6.4	04.4-08.4	65	6.5	04.3-08.7	210	19.4	15.7-23.1	561	56.3	51.6-61.0	146	10.6	08.2-13.0
College Graduate	1533	257,013	14	0.8	00.2-01.4	103	6.9	05.1-08.7	83	5.3	03.9-06.7	315	22.8	19.9-25.7	915	58.5	55.2-61.8	103	5.7	04.3-07.1
Less than \$15,000	432	54,810	7	1.4	00.0-03.0	44	8.4	05.3-11.5	26	5.6	02.9-08.3	86	24.9	16.7-33.1	180	44.2	36.6-51.8	89	15.5	11.4-19.6
\$15,000- 24,999	397	47,749	11	4.2	00.9-07.5	44	10.7	05.6-15.8	30	7.0	03.5-10.5	54	14.0	08.9-19.1	156	45.4	37.0-53.8	102	18.7	14.0-23.4
\$25,000- 34,999	354	50,780	1	1.1	00.0-03.3	29	9.8	04.9-14.7	26	12.3	05.0-19.6	54	10.9	07.4-14.4	196	53.3	45.3-61.3	48	12.6	07.3-17.9
\$35,000- 49,999	540	77,819	2	0.3	00.0-00.7	37	7.4	04.3-10.5	35	7.4	03.9-10.9	110	19.3	14.4-24.2	299	55.4	49.3-61.5	57	10.2	06.9-13.5
\$50,000- 74,999	606	94,773	5	0.5	00.1-00.9	51	8.6	05.9-11.3	38	5.1	03.1-07.1	135	24.7	19.2-30.2	331	54.2	48.5-59.9	46	7.0	04.5-09.5
\$75,000+	1110	230,346	7	0.9	00.1-01.7	62	5.6	03.8-07.4	64	5.7	03.9-07.5	243	22.3	19.2-25.4	664	59.9	56.2-63.6	70	5.7	04.1-07.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 11: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1468	315,532	10	0.4	00.2-00.6	88	5.5	04.1-06.9	77	5.6	03.8-07.4	274	20.2	17.1-23.3	851	60.7	57.0-64.4	168	7.7	06.1-09.3
White/Non-Hisp	1205	242,788	9	0.5	00.1-00.9	78	6.3	04.5-08.1	65	6.4	04.0-08.8	224	19.7	16.6-22.8	685	59.0	55.1-62.9	144	8.2	06.4-10.0
Black or Afr. Am./Non-Hisp	152	34,626				8	3.2	00.7-05.7	5	1.8	00.0-04.0	30	15.1	08.2-22.0	102	77.4	69.2-85.6	7	2.5	00.1-04.9
25-34	98	53,865	1	0.4	00.0-01.2	5	5.4	00.7-10.1	4	5.3	00.0-11.8	21	23.5	13.5-33.5				3	3.4	00.0-07.5
35-44	192	57,737	1	0.2	00.0-00.6	18	9.5	04.8-14.2	11	5.0	01.9-08.1	45	24.2	16.9-31.5	104	55.7	47.7-63.7	13	5.3	02.2-08.4
45-54	297	61,759	2	0.4	00.0-01.0	16	5.0	02.1-07.9	16	4.9	02.2-07.6	63	19.0	13.9-24.1	168	62.5	56.0-69.0	32	8.3	05.0-11.6
55-64	347	47,855	2	0.3	00.0-00.7	20	5.1	02.6-07.6	24	8.6	04.7-12.5	66	18.9	13.8-24.0	200	58.3	51.8-64.8	35	8.8	05.5-12.1
65+	482	51,746	3	0.8	00.0-01.8	29	6.5	03.8-09.2	19	3.4	01.6-05.2	71	14.7	11.0-18.4	277	57.6	52.5-62.7	83	17.0	12.9-21.1
Less Than H.S.	108	22,066	1	0.6	00.0-01.8	5	2.3	00.0-04.8	4	5.9	00.0-15.1	16	10.7	02.1-19.3				27	10.3	05.2-15.4
H.S. or G.E.D.	440	78,919	4	0.6	00.0-01.2	30	5.5	03.0-08.0	24	6.7	02.2-11.2	83	21.1	15.2-27.0	239	54.7	48.0-61.4	60	11.4	07.5-15.3
Some Post-H.S.	344	90,074	2	0.5	00.0-01.1	21	4.3	01.9-06.7	17	5.1	01.8-08.4	67	20.1	13.2-27.0	195	62.8	55.0-70.6	42	7.3	04.4-10.2
College Graduate	573	123,908	3	0.2	00.0-00.4	32	6.9	04.2-09.6	32	5.2	03.0-07.4	108	21.5	16.6-26.4	359	61.0	55.5-66.5	39	5.1	03.1-07.1
Less than \$15,000	136	25,074	2	1.1	00.0-02.9	9	4.2	00.9-07.5	3	3.1	00.0-07.0							35	14.8	08.3-21.3
\$15,000- 24,999	109	16,611	1	0.8	00.0-02.4	9	5.9	01.0-10.8	5	2.3	00.0-05.0	16	14.8	05.2-24.4				29	15.9	08.5-23.3
\$25,000- 34,999	123	22,980				10	8.0	00.9-15.1				18	8.4	03.9-12.9				15	11.5	02.1-20.9
\$35,000- 49,999	200	37,919				15	6.8	02.9-10.7	12	8.2	01.9-14.5	40	19.9	11.7-28.1	113	56.1	46.5-65.7	20	9.0	04.7-13.3
\$50,000- 74,999	231	45,116	3	0.7	00.0-01.5	15	6.1	02.0-10.2	12	3.0	01.0-05.0	47	26.0	16.2-35.8	132	57.7	48.1-67.3	22	6.5	03.0-10.0
\$75,000+	484	120,674	1	0.1	00.0-00.3	22	5.2	02.7-07.7	26	5.0	02.5-07.5	96	19.9	15.2-24.6	312	65.1	59.4-70.8	27	4.7	02.5-06.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 12: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2620	346,167	28	1.5	00.7-02.3	212	8.5	06.9-10.1	166	6.6	05.4-07.8	516	20.5	18.3-22.7	1377	51.8	49.1-54.5	321	11.1	09.5-12.7
White/Non-Hisp	2069	254,284	20	1.0	00.4-01.6	164	8.8	06.8-10.8	133	7.2	05.6-08.8	412	21.4	19.0-23.8	1079	50.3	47.4-53.2	261	11.3	09.5-13.1
Black or Afr. Am./Non-Hisp	366	54,748	3	1.6	00.0-04.1	29	7.3	04.2-10.4	23	5.2	02.7-07.7	73	20.6	15.1-26.1	203	56.8	49.9-63.7	35	8.5	05.0-12.0
Oth. Race/Non-Hisp.	59	14,123	1	2.2	00.0-06.5				8	9.1	02.0-16.2							1	3.3	00.0-09.6
Hispanic	66	14,962	2	6.3	00.0-15.5	7	4.8	00.9-08.7												
18-24	79	41,298	4	5.3	00.0-10.6	8	10.4	02.4-18.4	7	5.3	00.4-10.2	16	13.9	06.3-21.5				3	6.0	00.0-12.9
25-34	222	55,577	5	1.4	00.0-02.8	18	9.0	04.1-13.9	18	7.2	03.7-10.7	65	29.5	22.6-36.4	100	43.4	36.1-50.7	16	9.4	04.7-14.1
35-44	358	60,382	3	1.3	00.0-03.1	34	9.6	06.1-13.1	26	8.3	04.6-12.0	80	20.3	15.6-25.0	181	52.0	45.9-58.1	34	8.5	05.2-11.8
45-54	466	65,820	6	1.0	00.2-01.8	40	8.5	05.6-11.4	41	8.2	05.3-11.1	113	25.5	21.0-30.0	212	46.8	41.5-52.1	54	10.0	06.9-13.1
55-64	591	52,130	5	0.7	00.1-01.3	49	8.2	05.7-10.7	32	4.9	02.9-06.9	114	19.6	15.7-23.5	312	51.8	46.9-56.7	79	14.8	11.3-18.3
65+	867	67,976	5	0.9	00.0-02.1	62	6.6	04.8-08.4	41	5.1	03.3-06.9	125	13.7	11.2-16.2	502	57.7	53.8-61.6	132	16.1	13.2-19.0
Less Than H.S.	148	17,240				17	12.6	04.4-20.8	14	8.8	02.1-15.5	21	10.6	04.3-16.9				34	19.8	11.4-28.2
H.S. or G.E.D.	777	95,553	9	2.5	00.3-04.7	63	10.2	06.9-13.5	53	6.8	04.4-09.2	145	19.2	15.3-23.1	391	47.7	42.8-52.6	116	13.7	10.4-17.0
Some Post-H.S.	730	99,923	8	1.2	00.0-02.4	61	8.3	05.2-11.4	48	7.7	05.0-10.4	143	18.7	15.0-22.4	366	50.4	45.1-55.7	104	13.6	10.3-16.9
College Graduate	960	133,105	11	1.3	00.3-02.3	71	7.0	05.0-09.0	51	5.3	03.5-07.1	207	24.1	20.6-27.6	556	56.2	52.1-60.3	64	6.2	04.4-08.0
Less than \$15,000	296	29,736	5	1.8	00.0-04.2	35	12.0	07.3-16.7	23	7.7	04.0-11.4	57	17.9	12.0-23.8	122	44.6	36.4-52.8	54	16.1	10.8-21.4
\$15,000- 24,999	288	31,138	10	5.9	01.0-10.8	35	13.3	06.0-20.6	25	9.5	04.4-14.6	38	13.6	07.9-19.3	107	37.4	28.4-46.4	73	20.2	14.5-25.9
\$25,000- 34,999	231	27,799	1	2.0	00.0-05.9	19	11.3	04.4-18.2	14	5.9	02.4-09.4	36	12.9	07.6-18.2	128	54.3	45.3-63.3	33	13.5	07.8-19.2
\$35,000- 49,999	340	39,901	2	0.5	00.0-01.3	22	8.0	03.1-12.9	23	6.7	03.4-10.0	70	18.8	13.7-23.9	186	54.8	47.0-62.6	37	11.3	06.2-16.4
\$50,000- 74,999	375	49,657	2	0.2	00.0-00.6	36	10.8	06.9-14.7	26	7.1	04.0-10.2	88	23.4	18.1-28.7	199	51.0	44.7-57.3	24	7.4	03.9-10.9
\$75,000+	626	109,671	6	1.7	00.1-03.3	40	6.0	03.5-08.5	38	6.4	04.0-08.8	147	24.8	20.5-29.1	352	54.2	49.3-59.1	43	6.9	04.5-09.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010**

**MODULE 6: INADEQUATE SLEEP CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE	PAGE
ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? THINK ABOUT THE TIME YOU ACTUALLY SPEND SLEEPING OR NAPPING, NOT JUST THE AMOUNT OF SLEEP YOU THINK YOU SHOULD GET. (SLEPTIME)	
1 MALES AND FEMALES	55
2 MALES ONLY	56
3 FEMALES ONLY	57
DO YOU SNORE? (SLEPSNOR)	
4 MALES AND FEMALES	58
5 MALES ONLY	59
6 FEMALES ONLY	60
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID YOU FIND YOURSELF UNINTENTIONALLY FALLING ASLEEP DURING THE DAY? (SLEPDAY)	
7 MALES AND FEMALES	61
8 MALES ONLY	62
9 FEMALES ONLY	63
DURING THE PAST 30 DAYS, HAVE YOU EVER NODDED OFF OR FALLEN ASLEEP, EVEN JUST FOR A BRIEF MOMENT, WHILE DRIVING? (SLEPDRIV)	
10 MALES AND FEMALES	64
11 MALES ONLY	65
12 FEMALES ONLY	66

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
 MODULE 6: INADEQUATE SLEEP**

**TABLE 1: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? THINK ABOUT THE TIME YOU ACTUALLY SPEND SLEEPING OR NAPPING, NOT JUST THE AMOUNT OF SLEEP YOU THINK YOU SHOULD GET. (SLEPTIME)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			1-5 hrs.		6-10 hrs.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4175	671,226	400	9.1	07.9-10.3	3549	86.1	84.5-87.7
Male	1497	319,549	135	9.0	07.0-11.0	1275	86.0	83.5-88.5
Female	2678	351,677	265	9.2	07.8-10.6	2274	86.2	84.4-88.0
White/Non-Hisp	3351	504,573	305	8.4	07.2-09.6	2875	87.1	85.5-88.7
Black or Afr. Am./Non-Hisp	526	90,861	63	10.9	07.0-14.8	426	82.7	77.8-87.6
Oth. Race/Non-Hisp.	105	27,835	13	10.1	03.8-16.4	89	88.5	81.8-95.2
MultiRacial/Non-Hisp.	55	10,728	3	4.6	00.0-10.1			
Hispanic	108	33,289	14	15.0	05.2-24.8			
18-24	128	84,079	11	7.9	02.4-13.4	112	86.4	79.0-93.8
25-34	321	109,372	40	10.7	07.0-14.4	271	86.1	81.8-90.4
35-44	553	118,936	62	9.5	06.8-12.2	474	86.8	83.7-89.9
45-54	771	128,480	99	10.6	08.2-13.0	644	86.9	84.2-89.6
55-64	950	101,068	96	10.2	07.8-12.6	812	85.1	82.2-88.0
65+	1408	125,378	88	5.6	04.2-07.0	1198	85.3	82.9-87.7
Less Than H.S.	261	39,385	37	15.1	07.3-22.9			
H.S. or G.E.D.	1251	178,676	130	10.0	07.6-12.4	1026	83.4	80.5-86.3
Some Post-H.S.	1093	191,615	112	9.7	07.2-12.2	919	84.4	81.3-87.5
College Graduate	1561	260,495	119	7.0	05.4-08.6	1408	91.3	89.5-93.1
Less than \$15,000	444	55,506	49	8.7	05.8-11.6	350	80.7	75.6-85.8
\$15,000- 24,999	405	47,737	59	15.8	09.3-22.3	298	74.3	66.9-81.7
\$25,000- 34,999	358	50,940	39	11.4	06.7-16.1	291	81.8	75.9-87.7
\$35,000- 49,999	557	80,518	53	12.0	07.9-16.1	479	82.9	78.4-87.4
\$50,000- 74,999	619	96,428	64	10.0	07.1-12.9	540	88.7	85.8-91.6
\$75,000+	1120	231,585	83	6.8	05.0-08.6	1018	90.8	88.3-93.3
	<b>11-15 hrs.</b>				<b>16-24 hrs.</b>		<b>5</b>	
<b>N</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>N</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>N</b>	<b>%</b>	<b>C.I. (95%)</b>
40	0.8	00.4-01.2	8	0.2	00.0-00.4	178	3.8	02.8-04.8
19	0.8	00.4-01.2	3	0.2	00.0-00.4	65	4.1	02.5-05.7
21	0.8	00.2-01.4	5	0.2	00.0-00.4	113	3.6	02.6-04.6
28	0.8	00.4-01.2	7	0.2	00.0-00.4	136	3.5	02.5-04.5
9	0.7	00.1-01.3	1	0.2	00.0-00.6	27	5.5	02.4-08.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 1: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? THINK ABOUT THE TIME YOU ACTUALLY SPEND SLEEPING OR NAPPING, NOT JUST THE AMOUNT OF SLEEP YOU THINK YOU SHOULD GET. (SLEPTIME)**

Denominator excludes: Respondents with do not know/refused/missing responses

N	11-15 hrs.		N	16-24 hrs.		N	5	
	%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
1	0.2	00.0-00.6				2	1.1	00.0-02.7
2	4.6	00.0-12.4				5	3.1	00.0-06.4
2	1.2	00.0-03.2				3	4.5	00.0-09.8
1	0.4	00.0-01.2				9	2.8	00.8-04.8
4	0.7	00.0-01.5	1	0.2	00.0-00.6	12	2.8	01.0-04.6
7	0.4	00.0-00.8	3	0.4	00.0-00.8	18	1.7	00.5-02.9
8	0.7	00.1-01.3	3	0.6	00.0-01.4	31	3.5	01.9-05.1
17	1.4	00.6-02.2	1	0.0	00.0-00.0	104	7.8	06.0-09.6
6	1.3	00.1-02.5				28	10.2	01.0-19.4
13	0.9	00.3-01.5	4	0.3	00.0-00.7	78	5.5	03.7-07.3
13	1.2	00.2-02.2	2	0.4	00.0-01.0	47	4.4	02.6-06.2
8	0.4	00.0-00.8	2	0.1	00.1-00.1	24	1.3	00.5-02.1
8	1.3	00.3-02.3	1	0.1	00.0-00.3	36	9.2	05.1-13.3
12	1.5	00.5-02.5	1	0.2	00.0-00.6	35	8.2	03.5-12.9
3	0.7	00.0-01.7	2	0.5	00.0-01.3	23	5.6	02.1-09.1
4	0.9	00.0-01.9	1	0.2	00.0-00.6	20	4.0	01.8-06.2
4	0.4	00.0-00.8				11	0.9	00.3-01.5
5	0.3	00.1-00.5	2	0.1	00.0-00.3	12	2.0	00.2-03.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 2: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? THINK ABOUT THE TIME YOU ACTUALLY SPEND SLEEPING OR NAPPING, NOT JUST THE AMOUNT OF SLEEP YOU THINK YOU SHOULD GET. (SLEPTIME)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			1-5 hrs.		6-10 hrs.			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1497	319,549	135	9.0	07.0-11.0	1275	86.0	83.5-88.5	
White/Non-Hisp	1227	245,550	104	8.0	06.0-10.0	1055	87.1	84.4-89.8	
Black or Afr. Am./Non-Hisp	156	35,614	16	11.9	03.3-20.5	129	82.6	73.2-92.0	
25-34	97	53,567	11	10.4	04.1-16.7	82	86.1	79.0-93.2	
35-44	193	58,035	20	8.5	04.6-12.4	166	87.6	82.7-92.5	
45-54	299	61,818	39	10.9	07.0-14.8	250	86.6	82.1-91.1	
55-64	353	48,663	33	10.2	06.3-14.1	307	85.9	81.4-90.4	
65+	501	54,178	28	4.9	02.7-07.1	422	84.6	80.7-88.5	
Less Than H.S.	109	22,027							
H.S. or G.E.D.	450	80,689	46	10.2	06.3-14.1	368	82.9	78.0-87.8	
Some Post-H.S.	349	90,563	34	9.2	05.1-13.3	292	85.5	80.6-90.4	
College Graduate	586	125,704	43	6.8	04.3-09.3	529	91.1	88.4-93.8	
Less than \$15,000	139	25,344	12	5.8	01.7-09.9	110	83.5	75.5-91.5	
\$15,000- 24,999	109	16,697							
\$25,000- 34,999	125	22,918	14	11.0	03.2-18.8	98	81.6	71.6-91.6	
\$35,000- 49,999	208	39,080	18	11.8	05.5-18.1	177	81.3	74.0-88.6	
\$50,000- 74,999	236	45,996	29	11.7	06.6-16.8	197	86.3	81.0-91.6	
\$75,000+	488	121,237	30	5.6	03.2-08.0	450	91.5	87.6-95.4	
	<b>N</b>	<b>11-15 hrs.</b>	<b>N</b>	<b>16-24 hrs.</b>	<b>5</b>	<b>N</b>	<b>%</b>	<b>C.I. (95%)</b>	
		<b>%</b>		<b>%</b>					
		<b>C.I. (95%)</b>		<b>C.I. (95%)</b>					
	19	0.8	00.4-01.2	3	0.2	00.0-00.4	65	4.1	02.5-05.7
	12	0.6	00.2-01.0	3	0.2	00.0-00.6	53	4.0	02.0-06.0
	5	1.2	00.0-02.4				6	4.2	00.0-08.5
	1	0.9	00.0-02.7				3	2.7	00.0-05.8
	2	0.6	00.0-01.4				5	3.4	00.3-06.5
	2	0.3	00.0-00.7	1	0.2	00.0-00.6	7	2.0	00.0-04.0
	4	0.8	00.0-01.6	1	0.9	00.0-02.7	8	2.3	00.5-04.1
	10	2.1	00.3-03.9	1	0.1	00.0-00.3	40	8.3	05.2-11.4
	4	1.7	00.0-03.5						
	6	0.5	00.1-00.9	2	0.2	00.0-00.4	28	6.2	03.1-09.3
	5	1.0	00.0-02.2	1	0.5	00.0-01.5	17	3.8	01.4-06.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
 MODULE 6: INADEQUATE SLEEP**

**TABLE 2: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? THINK ABOUT THE TIME YOU ACTUALLY SPEND SLEEPING OR NAPPING, NOT JUST THE AMOUNT OF SLEEP YOU THINK YOU SHOULD GET. (SLEPTIME)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

N	11-15 hrs.		N	16-24 hrs.		N	5	
	%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
4	0.6	00.0-01.4				10	1.4	00.2-02.6
3	1.2	00.0-02.6				14	9.5	02.6-16.4
5	1.9	00.1-03.7	1	0.6	00.0-01.8	7	5.2	00.0-10.5
			1	0.2	00.0-00.6	12	7.2	00.3-14.1
3	1.0	00.0-02.2				10	5.8	01.7-09.9
4	0.9	00.0-01.9				6	1.2	00.0-02.4
1	0.1	00.0-00.3				7	2.7	00.0-06.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 3: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? THINK ABOUT THE TIME YOU ACTUALLY SPEND SLEEPING OR NAPPING, NOT JUST THE AMOUNT OF SLEEP YOU THINK YOU SHOULD GET. (SLEPTIME)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			1-5 hrs.		6-10 hrs.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2678	351,677	265	9.2	07.8-10.6	2274	86.2	84.4-88.0
White/Non-Hisp	2124	259,023	201	8.7	07.1-10.3	1820	87.1	85.3-88.9
Black or Afr. Am./Non-Hisp	370	55,247	47	10.3	07.0-13.6	297	82.8	77.7-87.9
Oth. Race/Non-Hisp.	59	14,222	5	5.8	00.1-11.5	53	92.9	86.6-99.2
Hispanic	67	15,277						
18-24	80	41,740	7	7.0	01.1-12.9	70	88.2	80.0-96.4
25-34	224	55,805	29	10.9	06.8-15.0	189	86.2	81.5-90.9
35-44	360	60,901	42	10.5	07.0-14.0	308	86.0	81.9-90.1
45-54	472	66,662	60	10.4	07.7-13.1	394	87.2	84.1-90.3
55-64	597	52,405	63	10.2	07.3-13.1	505	84.4	80.9-87.9
65+	907	71,200	60	6.0	04.2-07.8	776	85.8	83.1-88.5
Less Than H.S.	152	17,358	26	16.3	08.3-24.3	106	75.6	66.6-84.6
H.S. or G.E.D.	801	97,987	84	9.8	07.1-12.5	658	83.8	80.5-87.1
Some Post-H.S.	744	101,053	78	10.1	07.2-13.0	627	83.4	79.5-87.3
College Graduate	975	134,791	76	7.1	05.3-08.9	879	91.5	89.5-93.5
Less than \$15,000	305	30,163	37	11.1	07.0-15.2	240	78.3	72.0-84.6
\$15,000- 24,999	296	31,041	41	13.1	08.2-18.0	220	75.7	68.1-83.3
\$25,000- 34,999	233	28,022	25	11.7	05.8-17.6	193	81.9	75.0-88.8
\$35,000- 49,999	349	41,438	35	12.1	06.8-17.4	302	84.4	78.9-89.9
\$50,000- 74,999	383	50,432	35	8.4	05.3-11.5	343	91.0	87.9-94.1
\$75,000+	632	110,348	53	8.1	05.6-10.6	568	90.0	87.1-92.9
N	11-15 hrs.		16-24 hrs.		5			
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
21	0.8	00.2-01.4	5	0.2	00.0-00.4	113	3.6	02.6-04.6
16	1.0	00.2-01.8	4	0.2	00.0-00.4	83	3.0	02.2-03.8
4	0.3	00.0-00.7	1	0.3	00.0-00.9	21	6.3	02.2-10.4
						1	1.3	00.0-03.8
						3	3.9	00.0-09.0
2	2.4	00.0-06.3				1	2.4	00.0-07.1
						6	2.9	00.4-05.4
2	0.9	00.0-02.1	1	0.4	00.0-01.2	7	2.2	00.0-04.4
5	0.5	00.1-00.9	2	0.6	00.0-01.4	11	1.4	00.4-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 3: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? THINK ABOUT THE TIME YOU ACTUALLY SPEND SLEEPING OR NAPPING, NOT JUST THE AMOUNT OF SLEEP YOU THINK YOU SHOULD GET. (SLEPTIME)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

N	11-15 hrs.		N	16-24 hrs.		N	5	
	%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
4	0.6	00.0-01.4	2	0.3	00.0-00.7	23	4.6	02.2-07.0
7	0.8	00.0-01.6				64	7.4	05.4-09.4
2	0.8	00.0-02.0				18	7.3	03.6-11.0
7	1.1	00.1-02.1	2	0.4	00.0-01.0	50	5.0	03.2-06.8
8	1.3	00.0-02.9	1	0.3	00.0-00.9	30	5.0	02.5-07.5
4	0.2	00.0-00.4	2	0.1	00.0-00.3	14	1.1	00.3-01.9
5	1.3	00.0-02.9	1	0.2	00.0-00.6	22	9.0	04.1-13.9
7	1.4	00.4-02.4				28	9.8	03.3-16.3
3	1.3	00.0-03.1	1	0.8	00.0-02.4	11	4.3	01.2-07.4
1	0.8	00.0-02.4	1	0.3	00.0-00.9	10	2.3	00.7-03.9
						5	0.6	00.0-01.2
4	0.4	00.0-00.8	2	0.3	00.0-00.7	5	1.2	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 4: DO YOU SNORE? (SLEPSNOR)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3666	607,750	2047	52.5	50.1-54.9	1619	47.5	45.1-49.9
Male	1353	292,116	822	57.6	53.7-61.5	531	42.4	38.5-46.3
Female	2313	315,634	1225	47.9	45.2-50.6	1088	52.1	49.4-54.8
White/Non-Hisp	2918	458,468	1649	52.9	50.4-55.4	1269	47.1	44.6-49.6
Black or Afr. Am./Non-Hisp	477	83,121	261	56.3	49.4-63.2	216	43.7	36.8-50.6
25-34	297	98,550	113	40.8	33.9-47.7	184	59.2	52.3-66.1
35-44	515	110,783	260	52.6	47.3-57.9	255	47.4	42.1-52.7
45-54	717	120,814	442	62.0	57.7-66.3	275	38.0	33.7-42.3
55-64	854	92,666	540	65.2	61.3-69.1	314	34.8	30.9-38.7
65+	1135	104,775	643	55.1	51.8-58.4	492	44.9	41.6-48.2
H.S. or G.E.D.	1077	158,970	620	52.5	48.2-56.8	457	47.5	43.2-51.8
Some Post-H.S.	950	172,530	553	54.2	49.1-59.3	397	45.8	40.7-50.9
College Graduate	1406	239,961	736	50.1	46.6-53.6	670	49.9	46.4-53.4
Less than \$15,000	362	46,811	211	54.3	45.7-62.9	151	45.7	37.1-54.3
\$15,000- 24,999	343	43,627	193	54.7	45.9-63.5	150	45.3	36.5-54.1
\$25,000- 34,999	305	44,763	171	52.4	44.0-60.8	134	47.6	39.2-56.0
\$35,000- 49,999	479	71,254	267	56.7	50.2-63.2	212	43.3	36.8-49.8
\$50,000- 74,999	563	87,718	317	55.6	49.9-61.3	246	44.4	38.7-50.1
\$75,000+	1061	220,108	591	50.6	46.5-54.7	470	49.4	45.3-53.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 5: DO YOU SNORE? (SLEPSNOR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1353	292,116	822	57.6	53.7-61.5	531	42.4	38.5-46.3
White/Non-Hisp	1106	227,148	680	57.6	53.3-61.9	426	42.4	38.1-46.7
35-44	177	53,673	105	58.1	49.7-66.5	72	41.9	33.5-50.3
45-54	280	58,832	195	68.7	62.0-75.4	85	31.3	24.6-38.0
55-64	323	45,348	212	68.1	61.8-74.4	111	31.9	25.6-38.2
65+	438	48,120	247	56.0	50.5-61.5	191	44.0	38.5-49.5
H.S. or G.E.D.	399	72,643	242	55.9	48.8-63.0	157	44.1	37.0-51.2
Some Post-H.S.	308	80,966	194	58.1	49.3-66.9	114	41.9	33.1-50.7
College Graduate	545	117,377	325	56.2	50.5-61.9	220	43.8	38.1-49.5
\$35,000- 49,999	189	35,150	113	61.9	52.7-71.1	76	38.1	28.9-47.3
\$50,000- 74,999	214	41,236	138	63.1	53.5-72.7	76	36.9	27.3-46.5
\$75,000+	464	116,665	288	54.7	48.4-61.0	176	45.3	39.0-51.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 6: DO YOU SNORE? (SLEPSNOR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2313	315,634	1225	47.9	45.2-50.6	1088	52.1	49.4-54.8
White/Non-Hisp	1812	231,320	969	48.3	45.2-51.4	843	51.7	48.6-54.8
Black or Afr. Am./Non-Hisp	332	49,432	180	54.6	47.2-62.0	152	45.4	38.0-52.8
25-34	209	51,888	71	37.2	29.6-44.8	138	62.8	55.2-70.4
35-44	338	57,111	155	47.4	41.1-53.7	183	52.6	46.3-58.9
45-54	437	61,982	247	55.7	50.2-61.2	190	44.3	38.8-49.8
55-64	531	47,318	328	62.4	57.5-67.3	203	37.6	32.7-42.5
65+	697	56,655	396	54.4	50.1-58.7	301	45.6	41.3-49.9
H.S. or G.E.D.	678	86,327	378	49.7	44.4-55.0	300	50.3	45.0-55.6
Some Post-H.S.	642	91,564	359	50.8	45.3-56.3	283	49.2	43.7-54.7
College Graduate	861	122,583	411	44.2	39.9-48.5	450	55.8	51.5-60.1
Less than \$15,000	241	25,399	145	53.2	44.0-62.4	96	46.8	37.6-56.0
\$15,000- 24,999	248	28,144	143	54.6	44.8-64.4	105	45.4	35.6-55.2
\$25,000- 34,999	200	24,350	104	47.3	38.1-56.5	96	52.7	43.5-61.9
\$35,000- 49,999	290	36,104	154	51.5	42.9-60.1	136	48.5	39.9-57.1
\$50,000- 74,999	349	46,483	179	49.0	42.5-55.5	170	51.0	44.5-57.5
\$75,000+	597	103,443	303	45.9	41.0-50.8	294	54.1	49.2-59.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID YOU FIND YOURSELF UNINTENTIONALLY FALLING ASLEEP DURING THE DAY? (SLEPDAY)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3953	641,265	2759	70.4	68.2-72.6	460	12.4	10.8-14.0	431	11.2	09.6-12.8	303	6.1	05.1-07.1
Male	1415	304,817	973	69.3	65.8-72.8	180	13.9	11.0-16.8	159	12.0	09.5-14.5	103	4.9	03.7-06.1
Female	2538	336,448	1786	71.4	68.9-73.9	280	11.0	09.2-12.8	272	10.4	08.6-12.2	200	7.2	05.8-08.6
White/Non-Hisp	3179	484,582	2261	72.0	69.6-74.4	360	12.3	10.5-14.1	323	10.2	08.4-12.0	235	5.6	04.6-06.6
Black or Afr. Am./Non-Hisp	491	84,409	307	62.8	55.9-69.7	62	14.4	07.9-20.9	73	14.1	09.8-18.4	49	8.7	05.6-11.8
Oth. Race/Non-Hisp.	102	27,215				11	6.4	02.1-10.7				9	8.9	02.4-15.4
Hispanic	104	32,303				15	8.5	03.2-13.8	14	12.4	04.6-20.2	8	6.5	00.2-12.8
18-24	126	80,480				19	15.4	07.0-23.8	19	16.2	08.6-23.8	10	6.3	01.8-10.8
25-34	307	105,363	226	73.6	67.3-79.9	30	11.9	07.2-16.6	33	9.9	05.6-14.2	18	4.6	02.1-07.1
35-44	539	115,224	422	78.4	74.1-82.7	53	9.3	06.4-12.2	43	8.8	05.7-11.9	21	3.5	01.7-05.3
45-54	754	126,618	544	73.1	69.2-77.0	91	12.3	09.6-15.0	70	9.6	06.9-12.3	49	5.1	03.3-06.9
55-64	910	96,699	633	67.3	63.4-71.2	111	14.4	11.3-17.5	97	11.7	08.8-14.6	69	6.6	04.8-08.4
65+	1274	113,163	827	64.8	61.7-67.9	152	12.3	10.1-14.5	163	12.5	10.3-14.7	132	10.4	08.4-12.4
Less Than H.S.	232	35,622				35	14.5	07.2-21.8	34	19.1	10.1-28.1	31	9.3	04.8-13.8
H.S. or G.E.D.	1155	167,023	786	68.7	64.8-72.6	129	12.5	09.6-15.4	133	11.8	08.7-14.9	107	7.0	05.2-08.8
Some Post-H.S.	1038	183,086	718	68.8	64.1-73.5	126	12.6	08.9-16.3	112	11.2	08.3-14.1	82	7.4	05.0-09.8
College Graduate	1520	254,574	1116	74.3	71.4-77.2	170	11.9	09.5-14.3	151	9.6	07.4-11.8	83	4.2	03.0-05.4
Less than \$15,000	398	49,658	247	66.9	60.0-73.8	41	12.1	06.8-17.4	55	11.7	07.8-15.6	55	9.3	06.4-12.2
\$15,000- 24,999	364	43,754	216	54.4	45.8-63.0	40	12.6	07.3-17.9	55	18.0	09.8-26.2	53	15.0	08.5-21.5
\$25,000- 34,999	328	46,965	205	60.1	51.5-68.7	55	16.0	10.5-21.5	42	17.7	09.1-26.3	26	6.3	03.4-09.2
\$35,000- 49,999	526	75,926	363	68.0	62.1-73.9	61	13.4	08.7-18.1	63	10.4	07.3-13.5	39	8.2	04.7-11.7
\$50,000- 74,999	606	95,353	426	69.3	63.8-74.8	76	13.6	09.5-17.7	67	12.3	08.2-16.4	37	4.8	03.0-06.6
\$75,000+	1104	226,082	850	76.9	73.6-80.2	110	9.8	07.6-12.0	97	9.7	07.3-12.1	47	3.6	02.4-04.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID YOU FIND YOURSELF UNINTENTIONALLY FALLING ASLEEP DURING THE DAY? (SLEPDAY)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1415	304,817	973	69.3	65.6-73.0	180	13.9	11.0-16.8	159	12.0	09.5-14.5	103	4.9	03.7-06.1
White/Non-Hisp	1160	234,534	813	70.7	67.0-74.4	151	14.3	11.4-17.2	118	10.7	08.0-13.4	78	4.3	03.1-05.5
Black or Afr. Am./Non-Hisp	149	33,901							25	16.5	08.3-24.7	20	9.9	04.2-15.6
25-34	94	52,122				12	14.4	06.0-22.8	9	9.3	01.9-16.7	4	3.8	00.1-07.5
35-44	188	56,082	149	79.1	72.2-86.0	21	10.2	05.3-15.1	13	8.6	03.5-13.7	5	2.1	00.0-04.3
45-54	292	60,884	210	72.4	66.1-78.7	34	12.2	07.7-16.7	32	11.4	06.7-16.1	16	4.0	01.8-06.2
55-64	339	47,031	226	62.1	55.4-68.8	46	16.7	11.2-22.2	41	14.9	09.8-20.0	26	6.4	03.5-09.3
65+	450	48,146	287	62.6	57.3-67.9	57	13.7	10.0-17.4	56	12.7	09.0-16.4	50	11.0	07.7-14.3
Less Than H.S.	100	19,447										13	6.1	02.2-10.0
H.S. or G.E.D.	412	74,663	287	68.1	61.4-74.8	49	13.6	08.7-18.5	45	12.5	07.0-18.0	31	5.7	03.0-08.4
Some Post-H.S.	331	87,121	225	69.5	61.5-77.5	43	13.0	06.1-19.9	37	11.8	06.5-17.1	26	5.7	03.0-08.4
College Graduate	569	123,020	403	71.4	66.3-76.5	72	14.4	10.3-18.5	61	10.6	06.9-14.3	33	3.6	02.0-05.2
Less than \$15,000	123	22,702				14	13.6	04.2-23.0	18	9.1	03.6-14.6	10	4.3	01.0-07.6
\$15,000- 24,999	99	15,444				9	7.6	01.7-13.5				14	10.0	02.4-17.6
\$25,000- 34,999	110	21,001				18	16.4	06.4-26.4				12	7.3	02.4-12.2
\$35,000- 49,999	192	35,935	121	62.1	52.3-71.9	32	19.0	10.0-28.0	22	10.1	05.4-14.8	17	8.7	03.4-14.0
\$50,000- 74,999	230	45,531	158	66.1	56.7-75.5	31	16.2	08.6-23.8	25	13.1	05.5-20.7	16	4.6	02.1-07.1
\$75,000+	481	117,936	353	75.4	70.5-80.3	56	11.1	07.8-14.4	48	10.1	06.6-13.6	24	3.4	01.6-05.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID YOU FIND YOURSELF UNINTENTIONALLY FALLING ASLEEP DURING THE DAY? (SLEPDAY)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2538	336,448	1786	71.4	68.9-73.9	280	11.0	09.2-12.8	272	10.4	08.6-12.2	200	7.2	05.8-08.6
White/Non-Hisp	2019	250,049	1448	73.2	70.5-75.9	209	10.4	08.4-12.4	205	9.6	07.8-11.4	157	6.8	05.2-08.4
Black or Afr. Am./Non-Hisp	342	50,507	218	65.9	59.2-72.6	47	13.6	08.9-18.3	48	12.5	07.8-17.2	29	7.9	04.4-11.4
Oth. Race/Non-Hisp.	59	14,040				7	7.0	01.3-12.7				5	7.3	00.4-14.2
Hispanic	65	14,737				8	10.1	01.7-18.5						
18-24	80	40,877				10	12.9	04.5-21.3	12	15.6	06.2-25.0	9	10.8	03.0-18.6
25-34	213	53,242	157	74.6	67.9-81.3	18	9.5	04.8-14.2	24	10.5	05.8-15.2	14	5.4	02.3-08.5
35-44	351	59,142	273	77.8	72.7-82.9	32	8.4	05.3-11.5	30	9.0	05.3-12.7	16	4.9	02.2-07.6
45-54	462	65,734	334	73.7	69.2-78.2	57	12.3	08.8-15.8	38	7.9	05.2-10.6	33	6.1	03.6-08.6
55-64	571	49,668	407	72.2	67.9-76.5	65	12.2	09.1-15.3	56	8.7	06.0-11.4	43	6.9	04.5-09.3
65+	824	65,017	540	66.4	62.7-70.1	95	11.3	08.8-13.8	107	12.4	09.9-14.9	82	9.9	07.5-12.3
Less Than H.S.	132	16,174				19	12.5	04.5-20.5				18	13.2	05.0-21.4
H.S. or G.E.D.	743	92,361	499	69.2	64.5-73.9	80	11.6	08.1-15.1	88	11.3	07.8-14.8	76	8.0	05.6-10.4
Some Post-H.S.	707	95,966	493	68.2	63.1-73.3	83	12.2	08.9-15.5	75	10.7	07.6-13.8	56	9.0	05.5-12.5
College Graduate	951	131,554	713	77.1	73.8-80.4	98	9.5	07.1-11.9	90	8.7	06.5-10.9	50	4.7	03.1-06.3
Less than \$15,000	275	26,956	166	61.8	54.0-69.6	27	10.8	05.5-16.1	37	13.9	08.4-19.4	45	13.5	09.0-18.0
\$15,000- 24,999	265	28,309	157	54.9	45.5-64.3	31	15.3	08.0-22.6	38	12.0	05.7-18.3	39	17.8	09.2-26.4
\$25,000- 34,999	218	25,963	136	62.9	53.5-72.3	37	15.6	09.7-21.5	31	16.1	07.3-24.9	14	5.4	02.1-08.7
\$35,000- 49,999	334	39,990	242	73.2	66.5-79.9	29	8.3	04.8-11.8	41	10.8	06.7-14.9	22	7.7	02.8-12.6
\$50,000- 74,999	376	49,823	268	72.2	66.7-77.7	45	11.2	07.5-14.9	42	11.5	07.6-15.4	21	5.0	02.5-07.5
\$75,000+	623	108,146	497	78.4	74.1-82.7	54	8.5	05.8-11.2	49	9.3	06.0-12.6	23	3.8	02.0-05.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 10 DURING THE PAST 30 DAYS, HAVE YOU EVER NODDED OFF OR FALLEN ASLEEP, EVEN JUST FOR A BRIEF MOMENT, WHILE DRIVING? (SLEPDRIV)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Don't drive			Don't have license		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4200	673,457	104	2.8	02.0-03.6	3944	94.6	93.6-95.6	145	2.3	01.9-02.7	7	0.3	00.0-00.7
Male	1505	319,633	45	3.2	01.8-04.6	1424	95.3	93.7-96.9	34	1.4	00.8-02.0	2	0.0	00.0-00.0
Female	2695	353,824	59	2.4	01.4-03.4	2520	93.9	92.5-95.3	111	3.0	02.4-03.6	5	0.6	00.0-01.4
White/Non-Hisp	3365	505,593	73	2.3	01.3-03.3	3179	95.1	93.9-96.3	108	2.2	01.6-02.8	5	0.4	00.0-01.0
Black or Afr. Am./Non-Hisp	533	91,603	20	3.9	01.5-06.3	487	93.5	91.0-96.0	24	2.4	01.2-03.6	2	0.2	00.0-00.4
Oth. Race/Non-Hisp.	107	28,146	4	3.2	00.0-06.5	100	95.1	91.2-99.0	3	1.7	00.0-03.7			
MultiRacial/Non-Hisp.	56	10,789	1	4.5	00.0-13.1									
Hispanic	109	33,345	6	6.1	00.0-12.2	100	93.2	87.1-99.3	3	0.7	00.0-01.7			
18-24	129	84,238	5	5.7	00.8-10.6	122	92.1	86.4-97.8				2	2.3	00.0-05.4
25-34	320	108,768	6	1.3	00.1-02.5	310	98.2	96.8-99.6	4	0.5	00.1-00.9			
35-44	553	118,936	20	3.8	01.8-05.8	525	94.8	92.4-97.2	8	1.4	00.4-02.4			
45-54	774	129,048	26	2.6	01.2-04.0	732	96.1	94.5-97.7	16	1.3	00.5-02.1			
55-64	956	101,549	28	2.9	01.5-04.3	903	94.1	92.1-96.1	22	2.8	01.2-04.4	3	0.2	00.0-00.4
65+	1423	126,930	16	0.9	00.3-01.5	1312	92.4	90.8-94.0	93	6.6	05.0-08.2	2	0.1	00.0-00.3
Less Than H.S.	271	40,813	10	4.9	00.8-09.0	222	83.9	76.8-91.0	35	7.8	04.5-11.1	4	3.3	00.0-08.6
H.S. or G.E.D.	1258	179,267	20	1.0	00.4-01.6	1179	95.6	94.4-96.8	57	3.3	02.3-04.3	2	0.0	00.0-00.0
Some Post-H.S.	1097	191,490	32	4.2	02.0-06.4	1034	93.3	90.8-95.8	30	2.1	01.1-03.1	1	0.4	00.0-01.2
College Graduate	1565	260,832	42	2.7	01.5-03.9	1501	96.6	95.4-97.8	22	0.8	00.4-01.2			
Less than \$15,000	447	55,810	14	2.3	00.7-03.9	408	93.3	90.6-96.0	23	4.3	02.1-06.5	2	0.1	00.0-00.3
\$15,000- 24,999	413	48,898	10	2.2	00.4-04.0	343	86.7	82.8-90.6	57	10.5	07.2-13.8	3	0.5	00.0-01.1
\$25,000- 34,999	359	50,963	10	3.1	00.7-05.5	336	92.1	87.2-97.0	12	2.6	00.8-04.4	1	2.2	00.0-06.3
\$35,000- 49,999	558	80,658	9	3.3	00.0-07.0	543	95.8	91.9-99.7	6	0.9	00.0-01.9			
\$50,000- 74,999	621	96,690	21	3.4	01.4-05.4	592	95.7	93.5-97.9	8	0.9	00.0-01.9			
\$75,000+	1121	231,641	29	2.2	01.2-03.2	1089	97.7	96.7-98.7	3	0.1	00.0-00.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 11: DURING THE PAST 30 DAYS, HAVE YOU EVER NODDED OFF OR FALLEN ASLEEP, EVEN JUST FOR A BRIEF MOMENT, WHILE DRIVING? (SLEPDRIV)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Don't drive			Don't have license		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1505	319,633	45	3.2	01.8-04.6	1424	95.3	93.7-96.9	34	1.4	00.8-02.0	2	0.0	00.0-00.0
White/Non-Hisp	1233	245,357	32	3.1	01.3-04.9	1172	95.5	93.7-97.3	27	1.3	00.7-01.9	2	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	158	35,891	9	4.3	00.4-08.2	145	94.6	90.5-98.7	4	1.2	00.0-02.4			
25-34	96	52,562	1	0.9	00.0-02.7	94	98.8	97.0-0100	1	0.3	00.0-00.9			
35-44	193	58,035	9	3.9	01.0-06.8	180	94.5	91.0-98.0	4	1.6	00.0-03.4			
45-54	300	62,222	10	2.5	00.3-04.7	286	96.5	94.0-99.0	4	1.0	00.0-02.4			
55-64	353	48,663	13	3.2	01.0-05.4	329	93.9	90.8-97.0	9	2.5	00.1-04.9	2	0.3	00.0-00.7
65+	509	54,864	7	1.2	00.2-02.2	486	95.9	93.7-98.1	16	2.9	00.9-04.9			
Less Than H.S.	115	22,832	4	2.8	00.0-05.7	100	92.5	87.6-97.4	10	4.2	00.7-07.7	1	0.5	00.0-01.5
H.S. or G.E.D.	451	80,761	9	1.0	00.4-01.6	428	97.3	96.1-98.5	13	1.7	00.7-02.7	1	0.0	00.0-00.0
Some Post-H.S.	349	89,697	12	5.7	01.6-09.8	330	92.6	88.3-96.9	7	1.7	00.1-03.3			
College Graduate	587	125,776	20	3.0	01.0-05.0	563	96.5	94.5-98.5	4	0.5	00.0-01.3			
Less than \$15,000	141	25,488	6	3.3	00.2-06.4	130	95.0	91.5-98.5	4	1.5	00.0-03.1	1	0.1	00.0-00.3
\$15,000- 24,999	111	16,772	1	0.4	00.0-01.2	93	90.0	83.9-96.1	16	9.0	03.1-14.9	1	0.7	00.0-02.1
\$25,000- 34,999	125	22,918	4	1.7	00.0-03.5	119	97.6	95.4-99.8	2	0.7	00.0-01.7			
\$35,000- 49,999	208	39,080	3	3.8	00.0-10.5	203	95.6	88.9-0100	2	0.5	00.0-01.3			
\$50,000- 74,999	237	46,136	11	3.7	01.0-06.4	225	95.5	92.4-98.6	1	0.8	00.0-02.4			
\$75,000+	488	121,237	15	2.2	00.8-03.6	472	97.7	96.3-99.1	1	0.1	00.0-00.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 6: INADEQUATE SLEEP**

**TABLE 12: DURING THE PAST 30 DAYS, HAVE YOU EVER NODDED OFF OR FALLEN ASLEEP, EVEN JUST FOR A BRIEF MOMENT, WHILE DRIVING? (SLEPDRIV)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Don't drive			Don't have license		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2695	353,824	59	2.4	01.4-03.4	2520	93.9	92.5-95.3	111	3.0	02.4-03.6	5	0.6	00.0-01.4
White/Non-Hisp	2132	260,236	41	1.6	01.0-02.2	2007	94.7	93.3-96.1	81	3.0	02.2-03.8	3	0.8	00.0-01.8
Black or Afr. Am./Non-Hisp	375	55,712	11	3.7	00.8-06.6	342	92.8	89.5-96.1	20	3.2	01.6-04.8	2	0.3	00.0-00.7
Oth. Race/Non-Hisp.	61	14,533	2	3.6	00.0-08.9	57	93.8	87.3-0100	2	2.6	00.0-06.3			
Hispanic	68	15,333	4	8.8	00.0-19.6				3	1.5	00.0-03.5			
18-24	81	41,899	2	3.6	00.0-08.5	77	91.8	84.0-99.6				2	4.6	00.0-10.9
25-34	224	56,206	5	1.7	00.0-03.5	216	97.6	95.8-99.4	3	0.7	00.0-01.5			
35-44	360	60,901	11	3.7	01.0-06.4	345	95.1	92.2-98.0	4	1.2	00.0-02.6			
45-54	474	66,826	16	2.7	01.1-04.3	446	95.8	94.0-97.6	12	1.5	00.5-02.5			
55-64	603	52,886	15	2.7	00.9-04.5	574	94.3	91.8-96.8	13	3.0	01.0-05.0	1	0.1	00.0-00.3
65+	914	72,066	9	0.7	00.1-01.3	826	89.7	87.3-92.1	77	9.4	07.0-11.8	2	0.2	00.0-00.6
Less Than H.S.	156	17,981	6	7.6	00.0-16.0				25	12.4	06.7-18.1	3	7.0	00.0-18.4
H.S. or G.E.D.	807	98,505	11	1.1	00.3-01.9	751	94.2	92.4-96.0	44	4.7	03.1-06.3	1	0.0	00.0-00.0
Some Post-H.S.	748	101,793	20	3.0	01.0-05.0	704	93.8	91.1-96.5	23	2.4	01.2-03.6	1	0.8	00.0-02.4
College Graduate	978	135,056	22	2.3	01.1-03.5	938	96.6	95.2-98.0	18	1.0	00.4-01.6			
Less than \$15,000	306	30,322	8	1.4	00.2-02.6	278	91.8	88.1-95.5	19	6.6	03.1-10.1	1	0.1	00.0-00.3
\$15,000- 24,999	302	32,125	9	3.2	00.5-05.9	250	85.1	80.2-90.0	41	11.3	07.4-15.2	2	0.5	00.0-01.3
\$25,000- 34,999	234	28,045	6	4.3	00.2-08.4	217	87.6	79.4-95.8	10	4.2	01.3-07.1	1	3.9	00.0-11.3
\$35,000- 49,999	350	41,578	6	2.9	00.0-06.8	340	95.9	91.8-0100	4	1.2	00.0-02.8			
\$50,000- 74,999	384	50,554	10	3.1	00.2-06.0	367	95.9	93.0-98.8	7	1.0	00.2-01.8			
\$75,000+	633	110,404	14	2.2	00.6-03.8	617	97.6	96.0-99.2	2	0.2	00.0-00.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010**

**MODULE 7: FAMILY PLANNING CONTENTS**

**\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\***

TABLE	PAGE
SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT "HUSBAND/PARTNER," IF MALE, INSERT "WIFE/PARTNER"] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT "YOU," IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (BRTHCNT3)	
1 MALES AND FEMALES	68
2 MALES ONLY	69
3 FEMALES ONLY	70
WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR5)	
4 MALES AND FEMALES	71
5 MALES ONLY	72
6 FEMALES ONLY	73
WHAT IS YOUR MAIN REASON FOR NOT DOING ANYTHING NOW TO KEEP [IF FEMALE, "YOU", IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (NOBCUSE3)	
7 MALES AND FEMALES	74
8 MALES ONLY	75
9 FEMALES ONLY	76
HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDF2)	
10 MALES AND FEMALES	77
11 MALES ONLY	78
12 FEMALES ONLY	79

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 7: FAMILY PLANNING**

**TABLE 1: SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT "HUSBAND/PARTNER," IF MALE, INSERT "WIFE/PARTNER"] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT "YOU," IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (BRTHCNT3)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Female respondents that report being 45 years of age or older  
Denominator excludes: Female respondents that report being pregnant  
Denominator excludes: Female respondents that report having had a hysterectomy  
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1393	378,506	786	59.3	55.8-62.8	401	25.9	22.8-29.0	198	14.5	11.8-17.2	8	0.4	00.0-00.8
Male	785	236,035	377	54.2	49.3-59.1	271	30.1	25.8-34.4	131	15.2	11.5-18.9	6	0.5	00.1-00.9
Female	608	142,471	409	67.7	62.6-72.8	130	19.0	15.3-22.7	67	13.3	09.0-17.6	2	0.1	00.0-00.3
White/Non-Hisp	1015	268,827	596	61.2	57.3-65.1	281	24.8	21.5-28.1	130	13.5	10.2-16.8	8	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	228	56,996	117	54.1	44.3-63.9	68	30.7	20.9-40.5	43	15.2	08.9-21.5			
18-24	120	79,396				14	12.7	04.5-20.9				1	0.1	00.0-00.3
25-34	297	104,190	206	67.5	60.8-74.2	61	22.4	16.5-28.3	30	10.1	05.4-14.8			
35-44	504	109,763	339	68.0	63.1-72.9	109	23.2	18.7-27.7	53	8.4	05.7-11.1	3	0.4	00.0-00.8
45-54	289	60,313	119	44.5	37.6-51.4	113	41.7	34.8-48.6	53	12.3	08.4-16.2	4	1.5	00.0-03.1
55-64	162	23,125	48	32.6	23.6-41.6	88	54.5	44.9-64.1	26	12.8	06.7-18.9			
H.S. or G.E.D.	370	92,933	195	56.2	49.5-62.9	116	29.2	23.1-35.3	58	14.6	09.3-19.9	1	0.0	00.0-00.0
Some Post-H.S.	343	108,555	203	60.0	52.4-67.6	83	21.7	15.4-28.0	54	17.7	11.6-23.8	3	0.6	00.0-01.4
College Graduate	602	152,516	355	62.1	57.2-67.0	174	27.1	22.8-31.4	69	10.3	07.0-13.6	4	0.4	00.0-00.8
Less than \$15,000	100	25,148							25	17.8	08.8-26.8	1	0.3	00.0-00.9
\$15,000- 24,999	105	23,602				29	18.6	09.6-27.6				2	1.1	00.0-02.9
\$25,000- 34,999	110	29,305				21	17.4	08.4-26.4						
\$35,000- 49,999	178	41,336				47	24.3	16.1-32.5	25	13.7	05.1-22.3			
\$50,000- 74,999	234	54,881	137	58.6	50.0-67.2	70	27.8	20.2-35.4	25	12.3	05.6-19.0	2	1.2	00.0-02.8
\$75,000+	506	147,363	312	62.4	56.9-67.9	153	26.7	22.2-31.2	39	10.7	06.2-15.2	2	0.2	00.0-00.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 7: FAMILY PLANNING**

**TABLE 2: SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT "HUSBAND/PARTNER," IF MALE, INSERT "WIFE/PARTNER"] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT "YOU," IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (BRTHCNT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	785	236,035	377	54.2	49.3-59.1	271	30.1	25.8-34.4	131	15.2	11.5-18.9	6	0.5	00.1-00.9
White/Non-Hisp	615	175,557	304	55.1	49.8-60.4	211	29.8	25.3-34.3	94	14.3	10.0-18.6	6	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	95	28,672							22	15.1	07.1-23.1			
25-34	96	53,286				24	25.4	15.6-35.2	13	13.0	04.6-21.4			
35-44	190	56,971	124	64.0	56.2-71.8	41	25.2	17.8-32.6	23	10.1	05.4-14.8	2	0.7	00.0-01.7
45-54	289	60,313	119	44.5	37.6-51.4	113	41.7	34.8-48.6	53	12.3	08.4-16.2	4	1.5	00.0-03.1
55-64	162	23,125	48	32.6	23.6-41.6	88	54.5	44.9-64.1	26	12.8	06.7-18.9			
H.S. or G.E.D.	234	57,998	107	48.5	39.9-57.1	81	31.6	23.6-39.6	46	19.8	11.8-27.8			
Some Post-H.S.	190	70,376				57	25.8	16.8-34.8	32	15.3	08.0-22.6	2	0.8	00.0-02.0
College Graduate	314	91,063	157	56.9	50.2-63.6	113	32.7	26.4-39.0	40	9.6	05.5-13.7	4	0.7	00.0-01.5
\$15,000- 24,999	53	11,731				14	13.7	03.9-23.5				1	1.8	00.0-05.3
\$35,000- 49,999	92	24,139							18	11.0	04.7-17.3			
\$50,000- 74,999	129	33,781							16	13.4	04.0-22.8	2	1.9	00.0-04.6
\$75,000+	310	96,583	171	57.0	49.9-64.1	111	31.2	24.9-37.5	26	11.6	05.5-17.7	2	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 7: FAMILY PLANNING**

**TABLE 3: SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT "HUSBAND/PARTNER," IF MALE, INSERT "WIFE/PARTNER"] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT "YOU," IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (BRTHCNT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	608	142,471	409	67.7	62.6-72.8	130	19.0	15.3-22.7	67	13.3	09.0-17.6	2	0.1	00.0-00.3
White/Non-Hisp	400	93,270	292	72.8	66.9-78.7	70	15.3	11.0-19.6	36	11.8	06.7-16.9	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	133	28,324				33	24.4	14.6-34.2	21	15.2	05.4-25.0			
18-24	72	37,057				9	12.8	03.4-22.2				1	0.2	00.0-00.6
25-34	201	50,903	147	73.7	66.8-80.6	37	19.3	13.2-25.4	17	7.0	03.3-10.7			
35-44	314	52,792	215	72.3	66.8-77.8	68	21.1	16.0-26.2	30	6.5	03.8-09.2	1	0.1	00.0-00.3
H.S. or G.E.D.	136	34,935	88	68.9	59.1-78.7	35	25.2	15.8-34.6	12	5.8	02.1-09.5	1	0.1	00.0-00.3
Some Post-H.S.	153	38,178				26	14.1	07.8-20.4				1	0.2	00.0-00.6
College Graduate	288	61,454	198	69.9	62.8-77.0	61	18.8	13.5-24.1	29	11.3	05.4-17.2			
\$15,000- 24,999	52	11,871										1	0.4	00.0-01.2
\$25,000- 34,999	55	12,453				7	8.9	01.3-16.5						
\$35,000- 49,999	86	17,198				17	17.0	08.0-26.0						
\$50,000- 74,999	105	21,100				17	14.3	06.5-22.1	9	10.7	02.9-18.5			
\$75,000+	196	50,780	141	72.6	65.0-80.2	42	18.3	12.4-24.2	13	9.1	03.0-15.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 7: FAMILY PLANNING**

**TABLE 4: WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR5)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Female respondents that report being 45 years of age or older  
Denominator excludes: Female respondents that report being pregnant  
Denominator excludes: Female respondents that report having had a hysterectomy  
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)			Drugs (04,06,07,08,09)			Condoms (05)			External Contraceptives (10,11,15)			Emergencies (12)			Withdrawal, Rhythm, No Sex (13,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	768	219,139	510	61.7	57.0-66.4	156	24.8	20.5-29.1	2	0.2	00.0-00.6	41	4.9	02.9-06.9	41	5.5	03.3-07.7	18	2.9	01.3-04.5
Male	369	124,796	247	60.1	53.2-67.0	81	26.7	20.4-33.0	1	0.2	00.0-00.6	19	5.5	02.4-08.6	11	4.4	01.3-07.5	10	3.2	01.0-05.4
Female	399	94,343	263	63.9	57.8-70.0	75	22.3	16.8-27.8	1	0.2	00.0-00.6	22	4.1	02.1-06.1	30	7.1	04.4-09.8	8	2.4	00.2-04.6
White/Non-Hisp	585	161,945	407	65.7	60.6-70.8	101	20.9	16.4-25.4				28	4.8	02.3-07.3	33	5.1	02.9-07.3	16	3.4	01.4-05.4
Black or Afr. Am./Non-Hisp	112	28,625							2	1.8	00.0-04.3	10	7.6	02.1-13.1	2	2.3	00.0-05.6	1	1.7	00.0-05.0
18-24	70	44,576										1	3.5	00.0-10.2	3	2.1	00.0-04.6	2	1.9	00.0-04.4
25-34	203	69,334	124	56.3	47.7-64.9	39	23.1	15.3-30.9				11	4.4	01.5-07.3	20	10.5	04.8-16.2	9	5.7	01.6-09.8
35-44	331	72,650	225	66.4	60.3-72.5	58	19.6	14.3-24.9	2	0.7	00.0-01.7	23	6.5	03.4-09.6	16	4.8	02.3-07.3	7	2.1	00.5-03.7
45-54	115	25,141	90	78.0	69.6-86.4	20	16.6	09.2-24.0				3	3.7	00.0-08.0	2	1.7	00.0-04.1			
H.S. or G.E.D.	188	50,075	137	69.2	61.0-77.4	29	17.3	10.4-24.2				12	6.0	02.1-09.9	5	3.4	00.0-07.1	5	4.1	00.2-08.0
Some Post-H.S.	198	63,735				42	28.3	18.5-38.1	1	0.5	00.0-01.5	10	6.0	00.7-11.3	12	4.6	01.7-07.5	5	2.2	00.0-04.6
College Graduate	349	93,113	227	61.6	55.1-68.1	73	23.4	17.7-29.1	1	0.2	00.0-00.6	17	3.9	01.7-06.1	23	7.9	03.8-12.0	8	3.0	00.6-05.4
\$25,000- 34,999	67	18,948										4	3.9	00.0-09.0	1	0.8	00.0-02.4	3	7.2	00.0-16.2
\$35,000- 49,999	104	25,180										5	4.0	00.1-07.9	6	5.1	00.4-09.8			
\$50,000- 74,999	135	31,882				23	17.5	09.5-25.5	1	0.7	00.0-02.1	9	7.2	02.1-12.3	11	10.7	01.9-19.5	3	2.6	00.0-05.9
\$75,000+	307	90,127	220	68.6	61.9-75.3	47	18.1	12.4-23.8	1	0.3	00.0-00.9	13	3.4	01.4-05.4	19	6.8	03.3-10.3	7	2.8	00.3-05.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 7: FAMILY PLANNING**

**TABLE 5: WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)			Drugs (04,06,07,08,09)			Condoms (05)			External Contraceptives (10,11,15)			Emergencies (12)			Withdrawal, Rhythm, No Sex (13,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	369	124,796	247	60.1	53.2-67.0	81	26.7	20.4-33.0	1	0.2	00.0-00.6	19	5.5	02.4-08.6	11	4.4	01.3-07.5	10	3.2	01.0-05.4
White/Non-Hisp	299	95,186	215	64.7	57.4-72.0	54	22.3	15.8-28.8				13	5.5	01.6-09.4	8	3.5	00.8-06.2	9	3.9	01.2-06.6
25-34	59	32,800										4	4.4	00.0-09.1				5	8.0	00.7-15.3
35-44	121	35,343	80	62.3	52.3-72.3	24	23.9	14.7-33.1	1	0.8	00.0-02.4	8	6.9	01.8-12.0	4	3.1	00.0-06.2	4	2.9	00.0-05.8
45-54	115	25,141	90	78.0	69.6-86.4	20	16.6	09.2-24.0				3	3.7	00.0-08.0	2	1.7	00.0-04.1			
H.S. or G.E.D.	103	26,702				17	18.0	08.6-27.4				6	7.0	01.1-12.9	2	4.4	00.0-10.9	4	4.9	00.0-09.8
Some Post-H.S.	97	40,148							1	0.7	00.0-02.1	5	7.1	00.0-15.1	4	2.8	00.0-05.7	3	2.9	00.0-06.4
College Graduate	155	50,911	105	61.4	51.6-71.2	37	26.1	17.5-34.7				6	3.7	00.6-06.8	4	5.9	00.0-12.4	3	3.0	00.0-06.7
\$50,000- 74,999	58	16,363										5	9.9	00.7-19.1				1	2.9	00.0-08.6
\$75,000+	168	53,826	125	69.5	60.7-78.3	26	18.0	10.6-25.4	1	0.6	00.0-01.8	5	2.5	00.1-04.9	6	5.5	00.6-10.4	5	4.0	00.1-07.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 7: FAMILY PLANNING**

**TABLE 6: WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)			Drugs (04,06,07,08,09)			Condoms (05)			External Contraceptives (10,11,15)			Emergencies (12)			Withdrawal, Rhythm, No Sex (13,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	399	94,343	263	63.9	57.8-70.0	75	22.3	16.8-27.8	1	0.2	00.0-00.6	22	4.1	02.1-06.1	30	7.1	04.4-09.8	8	2.4	00.2-04.6
White/Non-Hisp	286	66,759	192	67.1	60.4-73.8	47	18.9	13.2-24.6				15	3.9	01.5-06.3	25	7.4	04.3-10.5	7	2.7	00.2-05.2
Black or Afr. Am./Non-Hisp	76	16,308							1	1.3	00.0-03.8	6	7.2	00.5-13.9	2	4.1	00.0-10.0	1	2.9	00.0-08.6
25-34	144	36,534	91	60.6	51.2-70.0	27	22.1	13.9-30.3				7	4.4	00.9-07.9	15	9.3	04.2-14.4	4	3.6	00.0-08.1
35-44	210	37,307	145	70.3	63.2-77.4	34	15.5	10.0-21.0	1	0.6	00.0-01.8	15	6.0	02.5-09.5	12	6.4	02.3-10.5	3	1.3	00.0-02.9
H.S. or G.E.D.	85	23,373				12	16.5	06.5-26.5				6	4.9	00.2-09.6	3	2.2	00.0-04.7	1	3.3	00.0-09.6
Some Post-H.S.	101	23,587										5	4.0	00.0-08.5	8	7.8	01.9-13.7	2	1.1	00.0-02.7
College Graduate	194	42,202	122	61.8	53.4-70.2	36	20.3	12.9-27.7	1	0.5	00.0-01.5	11	4.2	01.7-06.7	19	10.2	05.3-15.1	5	2.9	00.0-05.8
\$35,000- 49,999	60	10,824										2	2.9	00.0-07.6	3	4.9	00.0-12.0			
\$50,000- 74,999	77	15,519							1	1.4	00.0-04.1	4	4.3	00.2-08.4	10	13.2	04.4-22.0	2	2.2	00.0-05.3
\$75,000+	139	36,301	95	67.2	57.4-77.0	21	18.4	09.6-27.2				8	4.7	01.0-08.4	13	8.8	03.7-13.9	2	1.0	00.0-02.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 7: FAMILY PLANNING**

**TABLE 7: WHAT IS YOUR MAIN REASON FOR NOT DOING ANYTHING NOW TO KEEP [IF FEMALE, "YOU", IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (NOBCUSE3)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Female respondents that report being 45 years of age or older  
Denominator excludes: Female respondents that report being pregnant  
Denominator excludes: Female respondents that report having had a hysterectomy  
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Inactive, no partner(01)			Want to get pregnant don't care about pregnancy (02,16,17)			Don't want to, can't use BC, can't pay for BC (03,04,05)			Surgical (09,10,11)			Physical (8,12,13,14)			Lapse Method or Other (06,07,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	343	82,821	8	2.0	00.0-04.0	72	25.5	19.4-31.6	9	4.8	01.7-07.9	71	19.8	14.5-25.1	112	25.9	20.2-31.6	71	22.1	14.8-29.4
Male	232	61,212	8	2.7	00.2-05.2	32	19.6	12.3-26.9	5	3.8	00.3-07.3	55	22.0	15.3-28.7	83	28.7	21.4-36.0	49	23.3	14.1-32.5
Female	111	21,609							4	7.6	00.5-14.7	16	13.5	06.4-20.6	29	17.7	10.3-25.1	22	19.0	10.2-27.8
White/Non-Hisp	243	55,690	3	0.5	00.0-01.1	48	26.1	18.7-33.5	5	4.1	00.6-07.6	50	22.0	15.3-28.7	91	29.9	23.2-36.6	46	17.4	11.7-23.1
Black or Afr. Am./Non-Hisp	55	14,434	2	2.2	00.0-06.1				2	8.2	00.0-19.4	11	12.2	02.6-21.8	13	11.5	03.1-19.9			
25-34	54	20,060	1	1.4	00.0-04.1				4	8.8	00.4-17.2	4	5.6	00.0-11.7						
35-44	89	21,080	1	2.8	00.0-08.3				3	7.2	00.0-15.0				17	15.8	07.6-24.0	20	20.5	10.9-30.1
45-54	97	21,880	2	2.1	00.0-05.6	9	6.4	02.1-10.7	1	0.5	00.0-01.5							18	18.7	09.9-27.5
55-64	79	11,467	4	2.6	00.0-05.7	1	1.9	00.0-05.6												
H.S. or G.E.D.	99	22,814	4	1.3	00.0-02.9				4	7.0	00.0-14.3									
Some Post-H.S.	72	20,119	2	3.4	00.0-08.1				3	7.2	00.0-15.2	14	13.4	04.8-22.0						
College Graduate	147	34,352	1	1.7	00.0-05.0	33	25.3	17.3-33.3	2	2.7	00.0-06.4	30	22.2	14.0-30.4	48	27.9	19.7-36.1	33	20.1	12.5-27.7
\$50,000- 74,999	61	13,254	2	3.4	00.0-08.3															
\$75,000+	132	34,492	2	2.9	00.0-06.8	32	28.2	18.8-37.6	2	2.7	00.0-06.4	28	22.9	14.1-31.7	42	27.0	18.6-35.4	26	16.3	09.0-23.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 7: FAMILY PLANNING**

**TABLE 8: WHAT IS YOUR MAIN REASON FOR NOT DOING ANYTHING NOW TO KEEP [IF FEMALE, "YOU", IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (NOBCUSE3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Inactive, no partner(01)			Want to get pregnant don't care about pregnancy (02,16,17)			Don't want to, can't use BC, can't pay for BC (03,04,05)			Surgical (09,10,11)			Physical (8,12,13,14)			Lapse Method or Other (06,07,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	232	61,212	8	2.7	00.2-05.2	32	19.6	12.3-26.9	5	3.8	00.3-07.3	55	22.0	15.3-28.7	83	28.7	21.4-36.0	49	23.3	14.1-32.5
White/Non-Hisp	180	43,940	3	0.6	00.0-01.4	27	23.4	14.6-32.2	2	2.4	00.0-05.7	44	25.1	17.1-33.1	68	30.6	22.8-38.4	36	17.9	11.2-24.6
45-54	97	21,880	2	2.1	00.0-05.6	9	6.4	02.1-10.7	1	0.5	00.0-01.5							18	18.7	09.9-27.5
55-64	79	11,467	4	2.6	00.0-05.7	1	1.9	00.0-05.6												
H.S. or G.E.D.	68	16,214	4	1.8	00.0-04.2				3	7.0	00.0-15.6									
Some Post-H.S.	50	15,473	2	4.4	00.0-10.7				1	3.8	00.0-11.2	8	9.2	01.4-17.0						
College Graduate	95	24,987	1	2.4	00.0-07.1	10	13.8	05.2-22.4	1	2.4	00.0-07.1							22	20.5	10.9-30.1
\$75,000+	93	25,815	2	3.9	00.0-09.2				1	2.3	00.0-06.8							20	17.8	08.8-26.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 7: FAMILY PLANNING**

**TABLE 9: WHAT IS YOUR MAIN REASON FOR NOT DOING ANYTHING NOW TO KEEP [IF FEMALE, "YOU", IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (NOBCUSE3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Don't want to, can't use BC, can't pay for BC (03,04,05)			Surgical (09,10,11)			Physical (8,12,13,14)			Lapse Method or Other (06,07,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	111	21,609	4	7.6	00.5-14.7	16	13.5	06.4-20.6	29	17.7	10.3-25.1	22	19.0	10.2-27.8
White/Non-Hisp	63	11,750				6	10.3	01.7-18.9				10	15.3	05.3-25.3
35-44	59	9,726	1	3.4	00.0-09.9									
College Graduate	52	9,365	1	3.5	00.0-10.2	3	4.2	00.0-09.3	14	17.2	07.4-27.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 7: FAMILY PLANNING**

**TABLE 10: HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDF2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		You Do Not Want To Have One			LT 12 months from now			12 months to less than 2 years from now			2 years to less than 5 years from now			5 or more years from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	552	160,953	343	50.1	44.4-55.8	62	11.4	08.1-14.7	64	11.3	08.0-14.6	44	11.9	07.6-16.2	39	15.3	10.0-20.6
Male	315	101,938	229	56.0	48.2-63.8	24	9.6	05.1-14.1	23	8.2	04.3-12.1	18	11.4	05.5-17.3	21	14.8	07.5-22.1
Female	237	59,015	114	39.8	32.4-47.2	38	14.4	09.5-19.3	41	16.7	11.0-22.4	26	12.7	06.6-18.8	18	16.3	08.7-23.9
White/Non-Hisp	384	105,316	251	53.1	46.6-59.6	41	11.6	07.7-15.5	44	12.1	08.2-16.0	25	11.3	06.2-16.4	23	11.9	06.6-17.2
Black or Afr. Am./Non-Hisp	100	28,640				10	7.3	02.4-12.2	14	14.3	04.9-23.7	11	8.5	02.2-14.8			
18-24	50	32,187				2	1.3	00.0-03.3	5	4.9	00.0-09.8						
25-34	136	52,353	41	27.5	18.9-36.1	29	22.3	13.7-30.9	32	21.1	13.1-29.1	21	17.2	08.6-25.8	13	11.9	04.8-19.0
35-44	188	42,672	127	66.9	58.9-74.9	26	13.1	07.8-18.4	23	11.8	06.5-17.1	9	4.8	01.1-08.5	3	3.3	00.0-07.2
45-54	100	22,398	88	90.1	84.0-96.2	4	2.8	00.0-05.7	3	2.0	00.0-04.4	1	1.2	00.0-03.6	4	3.9	00.0-08.2
55-64	78	11,343	76	98.7	96.7-0100	1	0.3	00.0-00.9	1	1.0	00.0-03.0						
H.S. or G.E.D.	139	37,727				9	5.8	01.3-10.3	20	14.2	07.3-21.1				8	10.0	02.9-17.1
Some Post-H.S.	131	47,390				9	5.4	00.9-09.9	19	10.1	04.4-15.8	13	15.0	05.0-25.0			
College Graduate	249	66,736	162	57.3	49.5-65.1	44	20.4	13.9-26.9	21	10.9	05.6-16.2	15	6.1	02.2-10.0	7	5.3	00.8-09.8
\$35,000- 49,999	71	16,392				5	7.3	00.0-14.6									
\$50,000- 74,999	100	24,525							16	17.7	07.9-27.5	5	7.4	00.0-16.6	4	7.8	00.0-15.8
\$75,000+	195	57,125	133	60.9	52.3-69.5	31	16.5	10.2-22.8	14	7.3	03.0-11.6	9	5.5	01.4-09.6	8	9.7	03.2-16.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 7: FAMILY PLANNING**

**TABLE 11: HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDF2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		You Do Not Want To Have One			LT 12 months from now			12 months to less than 2 years from now			2 years to less than 5 years from now			5 or more years from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	315	101,938	229	56.0	48.2-63.8	24	9.6	05.1-14.1	23	8.2	04.3-12.1	18	11.4	05.5-17.3	21	14.8	07.5-22.1
White/Non-Hisp	231	69,800	167	56.8	48.2-65.4	21	11.4	06.1-16.7	17	8.7	04.2-13.2	11	10.1	03.6-16.6	15	13.1	06.0-20.2
Black or Afr. Am./Non-Hisp	51	16,461				1	1.3	00.0-04.0				2	4.3	00.0-10.4			
35-44	69	22,779				7	9.9	02.5-17.3	11	14.4	05.6-23.2	3	5.6	00.0-11.9	2	5.2	00.0-12.1
45-54	100	22,398	88	90.1	84.0-96.2	4	2.8	00.0-05.7	3	2.0	00.0-04.4	1	1.2	00.0-03.6	4	3.9	00.0-08.2
55-64	78	11,343	76	98.7	96.7-0100	1	0.3	00.0-00.9	1	1.0	00.0-03.0						
H.S. or G.E.D.	89	22,923				3	3.7	00.0-08.8	9	11.0	03.2-18.8				5	9.2	01.0-17.4
Some Post-H.S.	77	33,867				6	6.6	00.5-12.7	3	4.2	00.0-09.7						
College Graduate	126	39,560				15	17.0	07.6-26.4	10	10.9	03.5-18.3	6	7.3	01.2-13.4	1	1.4	00.0-04.1
\$50,000- 74,999	52	14,623													2	6.9	00.0-16.9
\$75,000+	115	36,730				11	13.7	05.3-22.1	5	3.9	00.0-07.8	3	4.2	00.0-09.1	5	7.6	01.1-14.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 7: FAMILY PLANNING**

**TABLE 12: HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDF2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		You Do Not Want To Have One			LT 12 months from now			12 months to less than 2 years from now			2 years to less than 5 years from now			5 or more years from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	251	60,128	127	40.8	33.4-48.2	38	14.2	09.5-18.9	41	16.4	10.9-21.9	26	12.5	06.6-18.4	19	16.1	08.5-23.7
White/Non-Hisp	159	36,002	90	46.4	37.0-55.8	20	11.9	06.4-17.4	27	18.6	11.0-26.2	14	13.5	05.3-21.7	8	9.6	02.3-16.9
Black or Afr. Am./Non-Hisp	54	12,520				9	14.9	04.9-24.9									
25-34	87	23,914				18	20.9	11.7-30.1				12	13.5	05.1-21.9	6	8.3	01.0-15.6
35-44	119	19,893	81	69.3	59.9-78.7	19	16.9	09.5-24.3	12	8.8	03.3-14.3	6	3.9	00.2-07.6	1	1.2	00.0-03.6
H.S. or G.E.D.	53	15,067				6	8.9	00.9-16.9									
Some Post-H.S.	58	13,782				3	2.3	00.0-05.0				6	9.9	00.9-18.9			
College Graduate	129	27,704				29	24.8	16.2-33.4	11	10.7	03.6-17.8	9	4.3	01.2-07.4	7	11.0	01.4-20.6
\$50,000- 74,999	50	10,045										3	3.8	00.0-08.3			
\$75,000+	80	20,395				20	21.6	12.2-31.0	9	13.4	04.2-22.6	6	7.9	00.6-15.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010**

**MODULE 19: SOCIAL CONTEXT CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
1 MALES AND FEMALES	82
2 MALES ONLY	83
3 FEMALES ONLY	84
HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMONY)	
4 MALES AND FEMALES	85
5 MALES ONLY	86
6 FEMALES ONLY	87
HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMEAL)	
7 MALES AND FEMALES	88
8 MALES ONLY	89
9 FEMALES ONLY	90
AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)	
10 MALES AND FEMALES	91
11 MALES ONLY	92
12 FEMALES ONLY	93
ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWORK)	
13 MALES AND FEMALES	94
14 MALES ONLY	95
15 FEMALES ONLY	96

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010**

**MODULE 19: SOCIAL CONTEXT CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)	
16 MALES AND FEMALES	97
17 MALES ONLY	98
18 FEMALES ONLY	99
THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWRK)	
19 MALES AND FEMALES	100
20 MALES ONLY	101
21 FEMALES ONLY	102
DID YOU VOTE IN THE LAST PRESIDENTIAL ELECTION? THE NOVEMBER 2008 ELECTION BETWEEN BARACK OBAMA AND JOHN MCCAIN? (SCNTVOTE)	
22 MALES AND FEMALES	103
23 MALES ONLY	104
24 FEMALES ONLY	105

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 1: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4180	672,020	3481	78.5	76.3-80.7	585	15.5	13.7-17.3	114	6.1	04.5-07.7
Male	1498	319,592	1272	78.3	74.6-82.0	189	15.5	12.6-18.4	37	6.1	03.4-08.8
Female	2682	352,428	2209	78.6	76.2-81.0	396	15.4	13.4-17.4	77	6.0	04.0-08.0
White/Non-Hisp	3350	504,779	2900	82.4	80.2-84.6	360	12.1	10.3-13.9	90	5.5	03.9-07.1
Black or Afr. Am./Non-Hisp	529	91,305	360	64.3	57.4-71.2	155	27.3	21.6-33.0	14	8.4	01.9-14.9
Oth. Race/Non-Hisp.	107	28,146				22	21.1	11.3-30.9	2	2.7	00.0-07.2
MultiRacial/Non-Hisp.	56	10,789							4	9.0	00.0-19.4
18-24	128	84,079				27	17.3	10.0-24.6			
25-34	320	109,493	206	65.0	58.5-71.5	104	30.9	24.6-37.2	10	4.1	01.4-06.8
35-44	553	118,827	429	80.4	76.7-84.1	110	17.0	13.5-20.5	14	2.6	00.8-04.4
45-54	770	128,607	650	87.1	84.6-89.6	106	11.2	08.7-13.7	14	1.6	00.6-02.6
55-64	952	101,064	836	88.0	85.5-90.5	107	11.1	08.6-13.6	9	1.0	00.2-01.8
65+	1417	126,317	1261	90.0	88.2-91.8	128	7.4	06.0-08.8	28	2.6	01.4-03.8
Less Than H.S.	268	40,548				83	35.3	25.3-45.3	7	3.9	00.4-07.4
H.S. or G.E.D.	1257	179,290	1016	75.5	71.8-79.2	206	20.2	16.7-23.7	35	4.3	02.3-06.3
Some Post-H.S.	1092	191,639	879	73.4	68.5-78.3	172	16.2	12.7-19.7	41	10.4	05.9-14.9
College Graduate	1555	259,620	1401	87.0	84.3-89.7	123	8.6	06.6-10.6	31	4.5	02.3-06.7
Less than \$15,000	446	55,608	316	57.9	50.1-65.7	114	33.5	26.4-40.6	16	8.6	01.5-15.7
\$15,000- 24,999	412	48,842	238	47.1	39.3-54.9	154	43.6	35.6-51.6	20	9.3	03.6-15.0
\$25,000- 34,999	359	50,963	280	68.4	60.2-76.6	70	27.3	19.1-35.5	9	4.3	00.6-08.0
\$35,000- 49,999	557	80,608	468	80.8	75.5-86.1	78	14.5	10.6-18.4	11	4.6	00.5-08.7
\$50,000- 74,999	621	96,690	553	85.6	81.5-89.7	57	11.2	07.7-14.7	11	3.2	00.8-05.6
\$75,000+	1119	231,472	1061	91.0	88.1-93.9	42	4.9	03.1-06.7	16	4.1	01.6-06.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 2: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1498	319,592	1272	78.3	74.6-82.0	189	15.5	12.6-18.4	37	6.1	03.4-08.8
White/Non-Hisp	1228	245,422	1075	82.0	78.5-85.5	128	13.2	10.3-16.1	25	4.8	02.3-07.3
25-34	96	53,286							1	0.6	00.0-01.8
35-44	193	58,035	155	81.7	75.8-87.6	34	16.4	10.7-22.1	4	1.9	00.0-04.1
45-54	297	61,919	245	85.5	81.2-89.8	44	12.1	08.0-16.2	8	2.4	00.4-04.4
55-64	351	48,519	307	88.3	84.4-92.2	41	11.0	07.1-14.9	3	0.7	00.0-01.5
65+	508	54,677	473	93.8	91.4-96.2	31	4.7	02.9-06.5	4	1.5	00.0-03.1
Less Than H.S.	114	22,777							3	2.9	00.0-06.8
H.S. or G.E.D.	450	80,711	373	75.5	69.0-82.0	69	21.9	15.6-28.2	8	2.6	00.4-04.8
Some Post-H.S.	349	90,422	284	69.0	60.2-77.8	47	15.9	10.0-21.8	18	15.1	06.7-23.5
College Graduate	583	125,249	534	90.1	86.6-93.6	41	7.4	04.5-10.3	8	2.5	00.3-04.7
\$15,000- 24,999	110	16,716							5	6.0	00.0-12.5
\$25,000- 34,999	125	22,918							4	3.1	00.0-06.8
\$35,000- 49,999	207	39,030	180	83.9	76.6-91.2	23	11.9	06.0-17.8	4	4.2	00.0-09.3
\$50,000- 74,999	237	46,136	207	84.7	78.2-91.2	25	13.6	07.3-19.9	5	1.8	00.0-03.6
\$75,000+	487	121,187	463	91.0	86.5-95.5	18	4.7	02.0-07.4	6	4.3	00.6-08.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 3: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2682	352,428	2209	78.6	76.2-81.0	396	15.4	13.4-17.4	77	6.0	04.0-08.0
White/Non-Hisp	2122	259,357	1825	82.8	80.3-85.3	232	11.1	09.3-12.9	65	6.1	03.9-08.3
Black or Afr. Am./Non-Hisp	373	55,520	250	65.7	58.6-72.8	116	28.1	22.0-34.2	7	6.2	00.5-11.9
18-24	80	41,740				17	17.1	08.1-26.1			
25-34	224	56,206	140	63.1	55.8-70.4	75	29.4	22.9-35.9	9	7.4	02.3-12.5
35-44	360	60,792	274	79.2	74.5-83.9	76	17.5	13.2-21.8	10	3.3	00.8-05.8
45-54	473	66,687	405	88.6	85.5-91.7	62	10.4	07.5-13.3	6	0.9	00.1-01.7
55-64	601	52,545	529	87.7	84.4-91.0	66	11.1	08.0-14.2	6	1.2	00.0-02.4
65+	909	71,640	788	87.1	84.6-89.6	97	9.5	07.3-11.7	24	3.4	01.6-05.2
Less Than H.S.	154	17,771							4	5.2	00.0-11.7
H.S. or G.E.D.	807	98,579	643	75.5	71.0-80.0	137	18.8	14.9-22.7	27	5.7	02.8-08.6
Some Post-H.S.	743	101,217	595	77.4	72.7-82.1	125	16.5	12.6-20.4	23	6.1	02.8-09.4
College Graduate	972	134,371	867	84.0	80.1-87.9	82	9.6	07.2-12.0	23	6.3	02.8-09.8
Less than \$15,000	306	30,322	218	61.3	53.3-69.3	77	33.4	25.6-41.2	11	5.3	01.6-09.0
\$15,000- 24,999	302	32,125	174	46.3	37.9-54.7	113	42.6	33.8-51.4	15	11.1	03.5-18.7
\$25,000- 34,999	234	28,045	179	71.1	62.7-79.5	50	23.6	16.3-30.9	5	5.3	00.0-11.2
\$35,000- 49,999	350	41,578	288	77.9	70.5-85.3	55	17.0	11.7-22.3	7	5.0	00.0-11.5
\$50,000- 74,999	384	50,554	346	86.4	81.3-91.5	32	9.0	05.5-12.5	6	4.5	00.4-08.6
\$75,000+	632	110,285	598	91.0	87.3-94.7	24	5.1	02.7-07.5	10	3.9	00.8-07.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 4: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMONY)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never			N.A.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4053	627,070	250	6.7	05.5-07.9	117	3.3	02.5-04.1	354	11.2	09.6-12.8	367	10.8	09.4-12.2	2616	61.4	59.2-63.6	349	6.6	05.4-07.8
Male	1456	297,194	70	5.3	03.5-07.1	34	3.0	01.6-04.4	113	10.8	08.1-13.5	136	11.8	09.3-14.3	977	63.1	59.4-66.8	126	6.1	04.5-07.7
Female	2597	329,877	180	8.1	06.5-09.7	83	3.6	02.6-04.6	241	11.5	09.7-13.3	231	10.0	08.4-11.6	1639	59.8	57.1-62.5	223	7.1	05.5-08.7
White/Non-Hisp	3253	474,928	170	5.8	04.6-07.0	88	3.2	02.2-04.2	235	9.1	07.5-10.7	286	10.5	08.9-12.1	2154	63.9	61.5-66.3	320	7.5	06.1-08.9
Black or Afr. Am./Non-Hisp	514	83,185	48	9.5	05.8-13.2	22	5.1	02.4-07.8	87	17.9	13.4-22.4	54	11.4	07.7-15.1	284	53.2	47.1-59.3	19	2.9	01.1-04.7
Oth. Race/Non-Hisp.	101	26,317	13	10.5	04.0-17.0	2	1.9	00.0-04.6										3	1.5	00.0-03.3
MultiRacial/Non-Hisp.	52	9,817	7	7.4	01.1-13.7	2	1.9	00.0-04.6				5	8.7	00.0-17.9						
Hispanic	103	28,843	12	12.4	02.6-22.2	3	1.1	00.0-02.3										4	5.5	00.0-13.7
18-24	87	55,483	8	11.7	03.7-19.7				19	19.0	09.8-28.2	8	8.7	01.8-15.6				10	14.8	05.4-24.2
25-34	309	104,892	18	4.9	02.4-07.4	15	6.0	02.7-09.3	46	14.3	09.0-19.6	43	15.6	10.3-20.9	186	58.7	51.8-65.6	1	0.5	00.0-01.5
35-44	535	114,225	59	9.9	07.0-12.8	25	4.4	02.4-06.4	82	15.6	11.9-19.3	88	16.9	13.0-20.8	278	52.6	47.5-57.7	3	0.6	00.0-01.4
45-54	755	126,118	74	8.2	06.0-10.4	30	3.5	01.9-05.1	90	11.4	08.5-14.3	77	9.9	07.4-12.4	461	64.6	60.5-68.7	23	2.4	01.2-03.6
55-64	942	100,022	58	6.3	03.9-08.7	20	2.7	01.3-04.1	70	7.9	05.7-10.1	79	8.4	06.2-10.6	649	68.8	65.1-72.5	66	5.9	04.1-07.7
65+	1386	122,762	31	1.9	01.1-02.7	26	1.8	01.0-02.6	42	3.3	02.1-04.5	70	5.1	03.7-06.5	972	69.3	66.4-72.2	245	18.6	16.1-21.1
Less Than H.S.	261	38,950	40	14.6	08.1-21.1	16	3.6	01.6-05.6	24	14.7	06.9-22.5	9	7.3	01.2-13.4				35	7.2	04.3-10.1
H.S. or G.E.D.	1219	170,212	90	8.3	05.9-10.7	38	4.5	02.5-06.5	126	13.9	10.6-17.2	104	9.0	06.8-11.2	724	54.8	50.7-58.9	137	9.5	07.1-11.9
Some Post-H.S.	1045	170,375	64	7.1	04.6-09.6	27	2.5	01.3-03.7	88	9.7	07.0-12.4	108	13.7	10.2-17.2	666	59.4	54.7-64.1	92	7.5	04.6-10.4
College Graduate	1520	246,610	55	4.1	02.7-05.5	36	2.9	01.7-04.1	116	9.8	07.4-12.2	144	10.7	08.5-12.9	1085	68.6	65.5-71.7	84	3.8	02.8-04.8
Less than \$15,000	430	50,838	46	14.7	09.0-20.4	13	3.1	01.1-05.1	60	19.9	13.2-26.6	41	7.9	04.0-11.8	213	45.6	38.3-52.9	57	8.9	06.0-11.8
\$15,000- 24,999	392	44,290	72	19.5	13.2-25.8	28	5.1	02.9-07.3	36	11.7	06.4-17.0	22	6.4	03.1-09.7	179	44.5	36.3-52.7	55	12.8	05.9-19.7
\$25,000- 34,999	350	48,774	29	11.3	06.0-16.6	10	4.0	00.3-07.7	37	19.9	11.5-28.3	36	10.3	06.0-14.6	207	49.5	41.5-57.5	31	5.0	03.0-07.0
\$35,000- 49,999	544	76,738	40	9.5	05.6-13.4	12	3.9	01.4-06.4	58	13.9	09.8-18.0	49	11.5	07.2-15.8	331	53.7	47.6-59.8	54	7.6	05.1-10.1
\$50,000- 74,999	609	93,450	24	4.7	02.3-07.1	15	2.7	01.1-04.3	65	12.9	08.2-17.6	67	14.7	10.8-18.6	413	62.2	56.5-67.9	25	2.8	01.6-04.0
\$75,000+	1099	219,767	16	1.6	00.6-02.6	27	2.9	01.7-04.1	69	7.0	05.0-09.0	116	11.7	09.2-14.2	827	73.1	69.6-76.6	44	3.6	02.0-05.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 5: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMONY)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never			N.A.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1456	297,194	70	5.3	03.5-07.1	34	3.0	01.6-04.4	113	10.8	08.1-13.5	136	11.8	09.3-14.3	977	63.1	59.4-66.8	126	6.1	04.5-07.7
White/Non-Hisp	1200	231,871	50	4.6	02.8-06.4	28	2.9	01.5-04.3	79	8.3	05.9-10.7	109	11.5	09.0-14.0	821	66.1	62.4-69.8	113	6.7	04.9-08.5
Black or Afr. Am./Non-Hisp	149	31,542	12	9.0	02.3-15.7	3	5.0	00.0-11.1	21	16.2	08.0-24.4	15	11.0	04.5-17.5				7	4.0	00.3-07.7
25-34	95	52,989	2	1.9	00.0-05.0	5	6.5	00.8-12.2	12	14.2	04.8-23.6	21	21.2	12.0-30.4				1	1.1	00.0-03.3
35-44	186	55,701	12	7.1	02.8-11.4	5	3.1	00.4-05.8	32	16.8	10.5-23.1	35	17.8	11.5-24.1	100	54.3	46.1-62.5	2	1.0	00.0-02.6
45-54	288	60,047	24	6.6	03.5-09.7	11	3.0	00.6-05.4	25	10.2	05.3-15.1	24	7.4	03.9-10.9	193	70.2	63.7-76.7	11	2.6	01.0-04.2
55-64	348	48,176	18	6.4	02.3-10.5	7	2.5	00.3-04.7	28	8.3	04.8-11.8	29	9.7	05.8-13.6	239	66.9	60.6-73.2	27	6.2	03.5-08.9
65+	504	53,869	10	1.5	00.5-02.5	6	1.3	00.0-02.7	12	3.3	01.1-05.5	24	4.8	02.6-07.0	370	70.5	65.6-75.4	82	18.5	14.2-22.8
Less Than H.S.	111	22,107	16	11.8	03.2-20.4	2	0.4	00.0-01.0	10	12.8	03.0-22.6	5	7.1	00.0-15.1				18	6.9	02.8-11.0
H.S. or G.E.D.	440	77,287	26	6.1	02.6-09.6	16	5.8	02.1-09.5	45	14.2	08.7-19.7	31	9.0	05.1-12.9	278	57.2	50.3-64.1	44	7.8	04.9-10.7
Some Post-H.S.	330	76,241	12	5.4	01.5-09.3	6	2.3	00.3-04.3	24	8.4	03.9-12.9	35	15.9	09.6-22.2	228	62.1	54.1-70.1	25	5.9	01.6-10.2
College Graduate	573	121,126	16	3.6	01.4-05.8	10	2.1	00.5-03.7	34	9.9	05.6-14.2	65	11.8	08.3-15.3	409	67.7	62.4-73.0	39	4.9	03.1-06.7
Less than \$15,000	135	22,120	16	12.3	04.9-19.7	5	3.4	00.0-06.9				11	9.8	01.6-18.0				13	5.9	01.4-10.4
\$15,000- 24,999	105	15,716	14	12.0	03.6-20.4	6	2.9	00.4-05.4	9	10.3	00.9-19.7	6	7.2	00.3-14.1						
\$25,000- 34,999	121	22,218	7	9.9	00.5-19.3	3	5.6	00.0-13.0				11	9.5	02.8-16.2				12	5.0	01.7-08.3
\$35,000- 49,999	203	37,372	11	6.7	01.2-12.2	4	3.4	00.0-07.5	20	12.4	06.5-18.3	16	10.9	05.0-16.8	128	57.5	48.1-66.9	24	9.1	04.6-13.6
\$50,000- 74,999	232	45,310	6	3.7	00.0-07.4	3	1.8	00.0-04.3	21	14.1	05.3-22.9	28	13.5	07.6-19.4	164	64.3	54.7-73.9	10	2.6	00.8-04.4
\$75,000+	478	114,042	6	1.6	00.2-03.0	9	2.1	00.5-03.7	24	5.7	02.8-08.6	51	12.6	08.7-16.5	361	74.0	68.9-79.1	27	4.1	02.3-05.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 6: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMONY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never			N.A.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2597	329,877	180	8.1	06.5-09.7	83	3.6	02.6-04.6	241	11.5	09.7-13.3	231	10.0	08.4-11.6	1639	59.8	57.1-62.5	223	7.1	05.5-08.7
White/Non-Hisp	2053	243,056	120	6.9	05.3-08.5	60	3.5	02.3-04.7	156	9.8	07.8-11.8	177	9.6	07.8-11.4	1333	61.8	58.9-64.7	207	8.4	06.6-10.2
Black or Afr. Am./Non-Hisp	365	51,643	36	9.7	05.2-14.2	19	5.2	02.7-07.7	66	18.9	13.6-24.2	39	11.6	06.9-16.3	193	52.3	45.4-59.2	12	2.3	00.7-03.9
Oth. Race/Non-Hisp.	58	14,064				1	1.7	00.0-05.0										1	1.1	00.0-03.3
Hispanic	65	13,666				2	1.5	00.0-03.7	9	12.5	02.7-22.3	6	6.2	00.7-11.7						
18-24	57	29,887										5	9.2	00.0-18.6						
25-34	214	51,904	16	8.1	04.0-12.2	10	5.5	01.8-09.2	34	14.4	09.3-19.5	22	9.8	05.3-14.3	132	62.3	55.0-69.6			
35-44	349	58,524	47	12.6	08.5-16.7	20	5.7	03.0-08.4	50	14.4	09.9-18.9	53	16.0	11.3-20.7	178	51.0	44.9-57.1	1	0.2	00.0-00.6
45-54	467	66,071	50	9.6	06.7-12.5	19	3.9	01.7-06.1	65	12.6	09.3-15.9	53	12.2	08.5-15.9	268	59.4	54.3-64.5	12	2.2	00.8-03.6
55-64	594	51,846	40	6.3	03.9-08.7	13	2.8	01.2-04.4	42	7.4	04.7-10.1	50	7.2	04.8-09.6	410	70.6	66.3-74.9	39	5.6	03.4-07.8
65+	882	68,893	21	2.3	01.3-03.3	20	2.1	01.1-03.1	30	3.3	01.9-04.7	46	5.2	03.6-06.8	602	68.3	64.8-71.8	163	18.7	15.8-21.6
Less Than H.S.	150	16,843	24	18.2	09.0-27.4	14	7.7	03.2-12.2				4	7.6	00.0-16.6				17	7.7	03.4-12.0
H.S. or G.E.D.	779	92,925	64	10.2	06.9-13.5	22	3.5	01.7-05.3	81	13.7	10.0-17.4	73	8.9	06.4-11.4	446	52.7	47.8-57.6	93	10.9	07.4-14.4
Some Post-H.S.	715	94,134	52	8.6	05.3-11.9	21	2.8	01.4-04.2	64	10.7	07.4-14.0	73	11.9	08.0-15.8	438	57.3	51.8-62.8	67	8.7	04.8-12.6
College Graduate	947	125,485	39	4.7	02.9-06.5	26	3.7	01.9-05.5	82	9.8	07.4-12.2	79	9.5	07.1-11.9	676	69.5	65.8-73.2	45	2.8	01.8-03.8
Less than \$15,000	295	28,718	30	16.5	08.3-24.7	8	2.9	00.5-05.3	44	21.0	13.9-28.1	30	6.5	04.0-09.0	139	41.9	34.1-49.7	44	11.2	07.3-15.1
\$15,000- 24,999	287	28,574	58	23.6	15.6-31.6	22	6.3	03.4-09.2	27	12.4	06.1-18.7	16	6.0	02.7-09.3	122	40.6	32.2-49.0	42	11.1	07.0-15.2
\$25,000- 34,999	229	26,556	22	12.4	06.5-18.3	7	2.7	00.5-04.9	26	20.1	10.3-29.9	25	11.0	05.5-16.5	130	48.9	39.9-57.9	19	4.9	02.5-07.3
\$35,000- 49,999	341	39,366	29	12.1	06.6-17.6	8	4.3	01.0-07.6	38	15.3	09.4-21.2	33	12.1	05.6-18.6	203	50.0	42.6-57.4	30	6.2	03.5-08.9
\$50,000- 74,999	377	48,140	18	5.7	03.0-08.4	12	3.5	01.3-05.7	44	11.8	07.9-15.7	39	15.9	10.4-21.4	249	60.2	53.9-66.5	15	3.0	01.2-04.8
\$75,000+	621	105,725	10	1.7	00.3-03.1	18	3.8	01.8-05.8	45	8.4	05.7-11.1	65	10.8	07.7-13.9	466	72.1	67.4-76.8	17	3.1	00.6-05.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 7: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMEAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never			N.A.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4188	672,087	149	3.4	02.6-04.2	79	2.5	01.7-03.3	329	9.0	07.6-10.4	351	10.1	08.5-11.7	3270	74.1	71.9-76.3	10	0.8	00.2-01.4
Male	1501	319,067	36	2.6	01.2-04.0	16	1.7	00.5-02.9	97	8.0	06.0-10.0	111	9.4	06.9-11.9	1236	77.5	74.2-80.8	5	0.9	00.0-01.9
Female	2687	353,020	113	4.2	03.2-05.2	63	3.2	02.0-04.4	232	10.0	08.2-11.8	240	10.8	09.0-12.6	2034	71.0	68.5-73.5	5	0.7	00.0-01.5
White/Non-Hisp	3357	505,946	103	3.1	02.1-04.1	60	2.4	01.4-03.4	242	8.0	06.6-09.4	264	9.9	08.3-11.5	2680	75.8	73.4-78.2	8	0.7	00.0-01.5
Black or Afr. Am./Non-Hisp	531	91,071	31	4.8	02.6-07.0	9	1.7	00.3-03.1	64	14.6	09.5-19.7	60	9.7	06.8-12.6	366	68.6	62.7-74.5	1	0.5	00.0-01.5
Oth. Race/Non-Hisp.	106	27,551	3	1.7	00.0-03.7	2	0.8	00.0-02.0	9	8.5	01.8-15.2	6	5.6	00.9-10.3	86	83.4	75.2-91.6			
MultiRacial/Non-Hisp.	56	10,789	4	6.7	00.0-14.9	1	2.1	00.0-06.2				6	6.7	00.6-12.8						
Hispanic	108	32,750	8	5.0	01.1-08.9	7	7.8	00.0-16.2	7	3.5	00.2-06.8							1	3.8	00.0-11.1
18-24	128	83,780	3	3.5	00.0-07.6	3	2.6	00.0-05.7	16	10.1	04.4-15.8	17	13.1	05.5-20.7				6	6.0	00.9-11.1
25-34	320	109,493	12	3.6	01.2-06.0	13	5.8	02.1-09.5	39	11.5	07.2-15.8	42	12.7	08.2-17.2	214	66.5	60.0-73.0			
35-44	552	117,962	28	4.6	02.6-06.6	17	2.9	01.3-04.5	68	12.9	09.2-16.6	73	13.8	10.3-17.3	366	65.8	60.9-70.7			
45-54	773	128,998	48	4.4	03.0-05.8	21	2.1	01.1-03.1	81	8.5	06.3-10.7	77	10.2	07.7-12.7	545	74.6	71.1-78.1	1	0.1	00.0-00.3
55-64	953	101,337	38	3.5	01.9-05.1	13	1.3	00.5-02.1	58	7.7	05.2-10.2	65	6.0	04.2-07.8	778	81.5	78.2-84.8	1	0.0	00.0-00.0
65+	1421	126,784	19	1.2	00.6-01.8	12	0.7	00.3-01.1	64	4.2	03.0-05.4	71	5.6	04.0-07.2	1253	88.2	86.2-90.2	2	0.1	00.0-00.3
Less Than H.S.	269	40,699	22	8.3	03.4-13.2	6	2.4	00.0-04.9	35	13.4	06.7-20.1							1	0.1	00.0-00.3
H.S. or G.E.D.	1257	179,338	68	5.3	03.5-07.1	26	3.4	01.4-05.4	123	12.3	09.6-15.0	113	9.4	07.0-11.8	922	68.0	64.1-71.9	5	1.5	00.0-03.1
Some Post-H.S.	1093	191,539	42	3.7	01.7-05.7	26	3.2	01.2-05.2	91	7.5	05.5-09.5	101	11.9	08.4-15.4	829	72.4	67.9-76.9	4	1.4	00.0-03.2
College Graduate	1560	259,456	17	1.2	00.4-02.0	20	1.4	00.6-02.2	80	7.3	04.9-09.7	115	8.6	06.6-10.6	1328	81.5	78.6-84.4			
Less than \$15,000	445	55,640	34	7.9	04.4-11.4	19	8.2	02.1-14.3	55	14.2	09.5-18.9	54	15.1	08.0-22.2	282	54.4	46.6-62.2	1	0.1	00.0-00.3
\$15,000- 24,999	412	48,833	52	14.3	07.6-21.0	17	5.1	02.0-08.2	67	16.3	10.4-22.2	38	12.2	06.5-17.9	238	52.1	44.1-60.1			
\$25,000- 34,999	359	50,963	18	7.2	02.9-11.5	10	2.3	00.7-03.9	44	16.0	09.9-22.1	31	12.1	06.2-18.0	255	62.3	54.5-70.1	1	0.2	00.0-00.6
\$35,000- 49,999	556	80,534	14	2.7	01.1-04.3	6	1.7	00.1-03.3	46	11.8	07.3-16.3	54	12.3	08.2-16.4	436	71.6	65.9-77.3			
\$50,000- 74,999	621	96,690	11	1.4	00.4-02.4	7	0.8	00.2-01.4	41	10.4	06.3-14.5	72	13.6	09.9-17.3	490	73.7	68.6-78.8			
\$75,000+	1120	231,046	4	0.7	00.0-01.5	10	0.9	00.3-01.5	33	3.7	02.1-05.3	71	7.8	05.3-10.3	998	85.4	82.1-88.7	4	1.4	00.0-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 8: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMEAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never			N.A.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1501	319,067	36	2.6	01.2-04.0	16	1.7	00.5-02.9	97	8.0	06.0-10.0	111	9.4	06.9-11.9	1236	77.5	74.2-80.8	5	0.9	00.0-01.9
White/Non-Hisp	1231	245,982	27	2.5	00.9-04.1	12	1.4	00.2-02.6	70	6.7	04.7-08.7	89	9.0	06.5-11.5	1029	79.3	75.8-82.8	4	1.0	00.0-02.4
Black or Afr. Am./Non-Hisp	158	35,891	6	3.7	00.0-07.6				16	12.1	05.0-19.2	10	4.4	01.3-07.5	125	78.5	69.7-87.3	1	1.3	00.0-03.8
25-34	96	53,286	1	0.8	00.0-02.4	4	6.5	00.0-13.2	13	12.0	04.7-19.3	14	14.9	06.7-23.1						
35-44	191	56,844	6	3.3	00.4-06.2	2	1.0	00.0-02.6	24	13.6	07.3-19.9	25	12.6	07.3-17.9	134	69.5	61.9-77.1			
45-54	299	62,171	9	2.1	00.5-03.7	7	1.5	00.3-02.7	25	7.2	04.1-10.3	20	6.5	03.0-10.0	238	82.7	77.8-87.6			
55-64	353	48,663	13	3.4	00.7-06.1	2	0.7	00.0-02.1	19	7.7	03.4-12.0	24	6.5	03.6-09.4	295	81.7	76.2-87.2			
65+	508	54,814	5	1.0	00.0-02.0	1	0.2	00.0-00.6	13	2.7	00.7-04.7	23	4.9	02.5-07.3	464	91.0	87.9-94.1	2	0.2	00.0-00.6
Less Than H.S.	114	22,783	7	5.0	00.0-10.1	2	1.1	00.0-02.7	10	9.3	01.1-17.5							1	0.2	00.0-00.6
H.S. or G.E.D.	450	80,711	20	4.4	01.7-07.1	7	3.0	00.0-06.1	37	11.1	06.8-15.4	36	8.9	05.2-12.6	347	70.3	63.8-76.8	3	2.1	00.0-05.0
Some Post-H.S.	349	90,422	5	2.6	00.0-06.1	6	2.8	00.0-05.9	24	5.9	03.2-08.6	30	10.7	04.8-16.6	283	76.8	69.4-84.2	1	1.3	00.0-03.8
College Graduate	585	124,585	4	0.9	00.0-01.9	1	0.1	00.0-00.3	26	7.2	03.7-10.7	38	8.3	05.2-11.4	516	83.5	79.0-88.0			
Less than \$15,000	141	25,488	9	5.9	00.8-11.0	6	9.0	00.0-19.4	18	15.8	07.6-24.0							1	0.2	00.0-00.6
\$15,000- 24,999	111	16,772				3	3.6	00.0-08.5	12	8.8	01.9-15.7	9	6.4	00.9-11.9						
\$25,000- 34,999	125	22,918	4	4.4	00.0-11.1	3	2.0	00.0-04.2				9	9.1	02.6-15.6				1	0.4	00.0-01.2
\$35,000- 49,999	207	39,030	2	1.3	00.0-03.1				15	9.7	04.2-15.2	21	13.4	06.7-20.1	169	75.6	67.4-83.8			
\$50,000- 74,999	237	46,136	3	1.1	00.0-02.5				12	8.6	01.7-15.5	25	12.6	06.7-18.5	197	77.7	69.5-85.9			
\$75,000+	487	120,642	2	0.7	00.0-01.7	2	0.3	00.0-00.7	11	3.1	00.7-05.5	21	6.4	02.5-10.3	449	87.6	82.5-92.7	2	1.9	00.0-04.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 9: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMEAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never			N.A.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2687	353,020	113	4.2	03.2-05.2	63	3.2	02.0-04.4	232	10.0	08.2-11.8	240	10.8	09.0-12.6	2034	71.0	68.5-73.5	5	0.7	00.0-01.5
White/Non-Hisp	2126	259,965	76	3.7	02.5-04.9	48	3.4	02.0-04.8	172	9.3	07.5-11.1	175	10.7	08.5-12.9	1651	72.4	69.5-75.3	4	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	373	55,179	25	5.6	03.2-08.0	9	2.9	00.7-05.1	48	16.2	09.3-23.1	50	13.2	08.9-17.5	241	62.2	54.9-69.5			
Oth. Race/Non-Hisp.	61	14,533	2	1.8	00.0-04.5	1	0.6	00.0-01.8	3	1.9	00.0-04.1	5	8.4	00.8-16.0	50	87.4	79.0-95.8			
Hispanic	68	15,333	8	10.7	02.5-18.9	4	5.0	00.0-10.5	7	7.5	00.6-14.4	5	8.2	00.0-18.6						
18-24	80	41,441	1	1.4	00.0-03.9	3	5.2	00.0-11.7	13	16.5	06.5-26.5	12	14.5	05.3-23.7				3	5.4	00.0-12.3
25-34	224	56,206	11	6.2	02.1-10.3	9	5.2	01.3-09.1	26	11.0	06.5-15.5	28	10.6	06.5-14.7	150	67.1	60.0-74.2			
35-44	361	61,118	22	5.8	03.1-08.5	15	4.6	01.7-07.5	44	12.3	08.2-16.4	48	15.0	10.3-19.7	232	62.3	56.2-68.4			
45-54	474	66,826	39	6.6	04.2-09.0	14	2.7	01.1-04.3	56	9.8	06.9-12.7	57	13.7	09.8-17.6	307	67.0	62.1-71.9	1	0.3	00.0-00.9
55-64	600	52,674	25	3.7	01.9-05.5	11	1.7	00.5-02.9	39	7.8	04.9-10.7	41	5.6	03.6-07.6	483	81.2	77.5-84.9	1	0.1	00.0-00.3
65+	913	71,970	14	1.3	00.5-02.1	11	1.1	00.3-01.9	51	5.4	03.8-07.0	48	6.1	04.1-08.1	789	86.0	83.3-88.7			
Less Than H.S.	155	17,916	15	12.5	04.1-20.9	4	4.1	00.0-09.6												
H.S. or G.E.D.	807	98,627	48	6.0	03.8-08.2	19	3.7	01.2-06.2	86	13.3	09.8-16.8	77	9.9	07.2-12.6	575	66.1	61.4-70.8	2	1.0	00.0-02.6
Some Post-H.S.	744	101,117	37	4.7	02.7-06.7	20	3.5	01.3-05.7	67	8.9	06.0-11.8	71	13.0	09.1-16.9	546	68.5	63.4-73.6	3	1.4	00.0-03.8
College Graduate	975	134,871	13	1.5	00.3-02.7	19	2.5	00.9-04.1	54	7.3	04.6-10.0	77	8.9	06.7-11.1	812	79.7	76.0-83.4			
Less than \$15,000	304	30,152	25	9.6	04.7-14.5	13	7.5	00.4-14.6	37	12.9	07.6-18.2	37	12.9	08.0-17.8	192	57.0	48.8-65.2			
\$15,000- 24,999	301	32,061	38	11.4	06.9-15.9	14	5.8	01.9-09.7	55	20.2	12.6-27.8	29	15.3	07.5-23.1	165	47.3	38.7-55.9			
\$25,000- 34,999	234	28,045	14	9.5	04.0-15.0	7	2.6	00.4-04.8	28	12.2	06.9-17.5	22	14.5	05.7-23.3	163	61.1	51.7-70.5			
\$35,000- 49,999	349	41,504	12	4.0	01.5-06.5	6	3.2	00.3-06.1	31	13.8	06.7-20.9	33	11.3	06.2-16.4	267	67.8	59.8-75.8			
\$50,000- 74,999	384	50,554	8	1.7	00.5-02.9	7	1.6	00.2-03.0	29	12.0	06.9-17.1	47	14.6	10.1-19.1	293	70.1	64.0-76.2			
\$75,000+	633	110,404	2	0.7	00.0-01.9	8	1.6	00.2-03.0	22	4.4	02.2-06.6	50	9.4	06.5-12.3	549	83.0	79.1-86.9	2	0.9	00.0-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 10: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2066	397,044	939	45.3	42.4-48.2	853	43.4	40.5-46.3	156	6.0	04.8-07.2	118	5.3	03.9-06.7
Male	789	202,818	360	45.6	40.9-50.3	288	40.5	35.8-45.2	81	7.2	05.2-09.2	60	6.7	04.3-09.1
Female	1277	194,225	579	44.9	41.4-48.4	565	46.4	42.9-49.9	75	4.7	03.3-06.1	58	3.9	02.5-05.3
White/Non-Hisp	1586	294,935	726	45.9	42.6-49.2	635	41.8	38.5-45.1	129	6.5	05.1-07.9	96	5.8	04.2-07.4
Black or Afr. Am./Non-Hisp	314	56,624	136	41.6	34.5-48.7	152	50.6	43.2-58.0	15	4.2	01.5-06.9	11	3.6	00.0-07.5
Oth. Race/Non-Hisp.	61	15,726							8	10.5	02.5-18.5	5	5.3	00.4-10.2
Hispanic	65	21,198							2	1.1	00.0-02.9	3	3.4	00.0-07.7
18-24	58	32,413	6	5.3	00.2-10.4				4	2.9	00.0-05.8	5	9.5	00.0-19.3
25-34	253	89,930	124	46.4	39.0-53.8	117	48.9	41.3-56.5	6	2.0	00.2-03.8	6	2.7	00.0-05.4
35-44	441	94,957	233	57.8	52.3-63.3	159	32.4	27.3-37.5	26	5.5	03.1-07.9	23	4.3	02.3-06.3
45-54	596	102,333	272	46.4	41.5-51.3	240	40.2	35.5-44.9	49	7.2	04.8-09.6	35	6.2	03.7-08.7
55-64	513	57,375	240	46.8	41.3-52.3	203	38.4	33.1-43.7	40	9.3	05.8-12.8	30	5.5	03.1-07.9
65+	183	18,241	56	35.0	26.6-43.4	82	38.8	30.4-47.2	26	14.9	08.8-21.0	19	11.2	05.3-17.1
Less Than H.S.	65	14,402	6	8.2	00.0-18.8				10	12.6	03.0-22.2	9	4.8	00.9-08.7
H.S. or G.E.D.	530	94,564	139	24.2	19.7-28.7	310	63.2	57.9-68.5	49	7.7	05.2-10.2	32	4.9	02.7-07.1
Some Post-H.S.	552	110,668	202	32.0	26.9-37.1	286	57.4	51.7-63.1	43	5.9	03.7-08.1	21	4.7	01.6-07.8
College Graduate	916	176,875	590	67.7	63.8-71.6	217	21.7	18.2-25.2	53	4.6	03.0-06.2	56	6.0	04.0-08.0
Less than \$15,000	144	21,322	20	16.7	07.5-25.9				9	5.3	01.0-09.6			
\$15,000- 24,999	73	12,682	4	3.5	00.0-07.6							8	3.5	00.8-06.2
\$25,000- 34,999	149	26,262	31	18.7	10.7-26.7	95	70.1	60.7-79.5	12	5.9	02.2-09.6	11	5.2	01.5-08.9
\$35,000- 49,999	281	45,195	103	35.6	28.2-43.0	141	49.6	41.4-57.8	22	7.8	03.3-12.3	15	7.0	00.7-13.3
\$50,000- 74,999	371	62,327	186	48.3	41.4-55.2	142	41.1	34.2-48.0	32	7.5	04.6-10.4	11	3.1	00.9-05.3
\$75,000+	814	179,499	500	60.4	56.1-64.7	224	30.8	26.5-35.1	47	4.1	02.7-05.5	43	4.7	02.9-06.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 11: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	789	202,818	360	45.6	40.9-50.3	288	40.5	35.8-45.2	81	7.2	05.2-09.2	60	6.7	04.3-09.1
White/Non-Hisp	630	155,545	290	46.3	41.2-51.4	223	39.1	33.8-44.4	69	8.0	05.8-10.2	48	6.6	04.1-09.1
Black or Afr. Am./Non-Hisp	92	22,720							5	4.5	00.0-09.8	4	6.8	00.0-16.2
25-34	85	47,833							2	2.1	00.0-05.0	3	4.0	00.0-09.1
35-44	162	49,378	95	65.1	57.1-73.1	45	23.4	16.3-30.5	13	6.9	03.0-10.8	9	4.6	01.5-07.7
45-54	243	51,412	105	45.2	37.8-52.6	94	38.1	30.8-45.4	25	8.1	04.6-11.6	19	8.5	04.2-12.8
55-64	200	29,091	96	45.9	37.3-54.5	66	34.9	26.3-43.5	21	12.0	05.9-18.1	17	7.2	03.3-11.1
H.S. or G.E.D.	217	47,527	54	22.6	15.7-29.5	122	64.1	56.1-72.1	27	8.6	04.9-12.3	14	4.7	01.4-08.0
Some Post-H.S.	183	54,738	65	29.6	21.6-37.6	93	58.4	49.0-67.8	18	7.2	03.3-11.1	7	4.8	00.0-09.9
College Graduate	358	90,074	237	71.3	65.4-77.2	55	13.7	09.2-18.2	30	5.9	03.4-08.4	36	9.2	05.5-12.9
\$35,000- 49,999	97	22,270							11	13.0	04.2-21.8			
\$50,000- 74,999	132	29,353							18	9.7	04.6-14.8	1	1.1	00.0-03.3
\$75,000+	373	97,835	222	61.7	55.2-68.2	90	27.0	20.7-33.3	31	5.0	03.0-07.0	30	6.2	03.7-08.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 12: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1277	194,225	579	44.9	41.4-48.4	565	46.4	42.9-49.9	75	4.7	03.3-06.1	58	3.9	02.5-05.3
White/Non-Hisp	956	139,391	436	45.4	41.5-49.3	412	44.8	40.7-48.9	60	4.9	03.5-06.3	48	4.8	03.0-06.6
Black or Afr. Am./Non-Hisp	222	33,903	98	43.7	35.9-51.5	107	50.8	42.8-58.8	10	4.1	01.0-07.2	7	1.4	00.2-02.6
25-34	168	42,096	83	51.5	43.1-59.9	78	45.4	37.0-53.8	4	1.8	00.0-03.8	3	1.3	00.0-02.9
35-44	279	45,579	138	49.8	42.9-56.7	114	42.2	35.3-49.1	13	4.0	01.5-06.5	14	3.9	01.7-06.1
45-54	353	50,921	167	47.7	41.6-53.8	146	42.3	36.2-48.4	24	6.2	03.3-09.1	16	3.8	01.4-06.2
55-64	313	28,284	144	47.7	41.0-54.4	137	42.1	35.6-48.6	19	6.5	02.8-10.2	13	3.7	01.5-05.9
65+	106	9,219							9	8.2	02.3-14.1	8	6.4	01.7-11.1
H.S. or G.E.D.	313	47,037	85	25.9	20.0-31.8	188	62.2	55.5-68.9	22	6.8	03.7-09.9	18	5.1	02.4-07.8
Some Post-H.S.	369	55,930	137	34.3	28.2-40.4	193	56.3	49.6-63.0	25	4.7	02.5-06.9	14	4.7	01.2-08.2
College Graduate	558	86,800	353	64.0	59.1-68.9	162	30.1	25.2-35.0	23	3.2	01.6-04.8	20	2.7	01.5-03.9
Less than \$15,000	104	11,722							6	6.0	00.0-12.5	8	8.3	01.8-14.8
\$15,000- 24,999	59	8,569	4	5.2	00.0-11.3							6	3.7	00.4-07.0
\$25,000- 34,999	101	13,144							7	5.4	01.3-09.5	7	4.3	00.8-07.8
\$35,000- 49,999	184	22,925	72	37.7	29.1-46.3	93	56.4	47.4-65.4	11	2.6	00.8-04.4	8	3.3	00.6-06.0
\$50,000- 74,999	239	32,974	128	51.5	43.7-59.3	87	38.0	30.4-45.6	14	5.5	02.4-08.6	10	4.9	01.6-08.2
\$75,000+	441	81,665	278	58.9	53.2-64.6	134	35.3	29.6-41.0	16	3.0	01.2-04.8	13	2.8	00.6-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 13. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWORK)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2048	394,450	195	7.7	06.3-09.1	1164	55.6	52.7-58.5	596	32.2	29.5-34.9	82	4.2	03.0-05.4	4	0.1	00.1-00.1	7	0.3	00.1-00.5
Male	782	201,921	41	4.1	02.5-05.7	379	49.3	44.6-54.0	297	39.6	35.1-44.1	62	6.7	04.5-08.9	2	0.1	00.0-00.3	1	0.1	00.0-00.3
Female	1266	192,528	154	11.4	09.2-13.6	785	62.3	59.0-65.6	299	24.4	21.5-27.3	20	1.5	00.7-02.3	2	0.1	00.0-00.3	6	0.4	00.0-00.8
White/Non-Hisp	1572	292,876	166	8.6	06.8-10.4	862	53.8	50.5-57.1	472	33.5	30.4-36.6	65	3.8	02.6-05.0	3	0.1	00.0-00.3	4	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	311	56,237	18	5.0	01.9-08.1	205	62.3	54.9-69.7	76	28.4	21.3-35.5	9	3.9	00.6-07.2	1	0.1	00.0-00.3	2	0.3	00.0-00.7
Oth. Race/Non-Hisp.	61	15,726	9	12.9	03.7-22.1							3	4.8	00.0-10.5						
Hispanic	65	21,198										3	6.0	00.0-12.9						
18-24	57	32,173	11	14.7	05.1-24.3													1	1.3	00.0-03.8
25-34	252	89,697	14	4.1	01.7-06.5	156	61.5	54.2-68.8	74	31.6	24.5-38.7	8	2.8	00.6-05.0						
35-44	434	93,660	31	7.1	04.4-09.8	240	51.1	45.4-56.8	144	36.9	31.2-42.6	17	4.7	02.3-07.1				2	0.2	00.0-00.6
45-54	591	102,052	28	4.5	02.5-06.5	335	54.5	49.6-59.4	196	35.6	30.9-40.3	27	4.8	02.4-07.2	2	0.1	00.0-00.3	3	0.4	00.0-01.0
55-64	508	56,863	46	7.4	05.0-09.8	291	55.0	49.5-60.5	146	31.0	25.9-36.1	24	6.6	03.3-09.9	1	0.1	00.0-00.3			
65+	184	18,223	63	34.2	26.0-42.4	94	49.3	40.7-57.9	21	12.0	06.5-17.5	4	3.6	00.0-08.3	1	0.7	00.0-02.1	1	0.1	00.0-00.3
Less Than H.S.	64	14,063	8	10.3	00.5-20.1							5	6.1	00.0-13.0						
H.S. or G.E.D.	525	93,834	46	7.7	04.8-10.6	329	65.1	59.8-70.4	125	23.0	18.5-27.5	18	3.1	01.1-05.1	3	0.3	00.0-00.7	4	0.7	00.0-01.7
Some Post-H.S.	548	110,127	64	9.5	06.6-12.4	334	57.8	51.9-63.7	140	30.1	24.4-35.8	9	2.4	00.6-04.2				1	0.2	00.0-00.6
College Graduate	907	175,757	77	6.3	04.5-08.1	458	48.9	44.6-53.2	320	39.2	35.1-43.3	49	5.5	03.7-07.3	1	0.0	00.0-00.0	2	0.1	00.0-00.3
Less than \$15,000	144	21,391	26	13.4	06.7-20.1				20	15.4	07.4-23.4	3	1.0	00.0-02.2						
\$15,000- 24,999	72	12,463										2	6.6	00.0-15.6				2	1.3	00.0-03.5
\$25,000- 34,999	147	25,989	14	4.9	02.0-07.8							3	1.4	00.0-03.4						
\$35,000- 49,999	278	45,032	32	10.6	06.1-15.1	166	54.9	46.7-63.1	70	30.0	22.0-38.0	6	3.7	00.4-07.0	3	0.6	00.0-01.2	1	0.2	00.0-00.6
\$50,000- 74,999	368	62,094	26	5.6	03.1-08.1	226	64.1	57.8-70.4	109	28.8	22.9-34.7	6	1.5	00.3-02.7				1	0.0	00.0-00.0
\$75,000+	805	177,910	46	4.6	03.0-06.2	396	49.1	44.6-53.6	311	40.1	35.8-44.4	52	6.1	03.9-08.3						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 14. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWORK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	782	201,921	41	4.1	02.5-05.7	379	49.3	44.6-54.0	297	39.6	35.1-44.1	62	6.7	04.5-08.9	2	0.1	00.0-00.3	1	0.1	00.0-00.3
White/Non-Hisp	624	154,698	34	4.3	02.3-06.3	292	47.4	42.1-52.7	246	41.8	36.7-46.9	50	6.2	04.0-08.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	91	22,670	2	2.7	00.0-07.4							6	6.8	00.0-14.2	1	0.2	00.0-00.6			
25-34	85	47,833	1	1.2	00.0-03.6							6	4.5	00.6-08.4						
35-44	159	48,825	4	3.3	00.0-06.6	79	46.2	37.4-55.0	63	43.0	34.0-52.0	13	7.4	03.1-11.7						
45-54	241	51,262	4	1.8	00.0-03.8	111	46.2	38.8-53.6	105	44.1	36.7-51.5	19	7.4	03.3-11.5	1	0.1	00.0-00.3	1	0.4	00.0-01.2
55-64	198	28,912	11	4.4	01.5-07.3	90	46.1	37.3-54.9	77	38.3	29.9-46.7	20	11.1	04.8-17.4						
65+	76	8,873							11	15.1	06.1-24.1	3	6.6	00.0-16.0	1	1.4	00.0-04.1			
H.S. or G.E.D.	213	47,113	8	2.9	00.4-05.4	122	65.8	57.8-73.8	64	24.9	17.8-32.0	17	6.1	02.0-10.2	2	0.4	00.0-01.0			
Some Post-H.S.	182	54,526	16	7.1	02.6-11.6	89	46.2	36.2-56.2	69	42.3	32.5-52.1	7	4.0	00.5-07.5				1	0.4	00.0-01.2
College Graduate	356	89,820	15	2.9	00.9-04.9	150	41.6	34.9-48.3	157	47.1	40.4-53.8	34	8.4	05.1-11.7						
\$35,000- 49,999	97	22,270	9	7.3	01.0-13.6							5	6.9	00.2-13.6	2	0.8	00.0-02.0			
\$50,000- 74,999	131	29,230	6	3.0	00.5-05.5							6	3.2	00.5-05.9						
\$75,000+	369	97,219	10	1.4	00.4-02.4	150	41.5	35.0-48.0	167	47.6	41.1-54.1	42	9.5	06.0-13.0						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 15. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWORK)  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1266	192,528	154	11.4	09.2-13.6	785	62.3	59.0-65.6	299	24.4	21.5-27.3	20	1.5	00.7-02.3	2	0.1	00.0-00.3	6	0.4	00.0-00.8
White/Non-Hisp	948	138,178	132	13.4	10.7-16.1	570	60.9	57.0-64.8	226	24.3	21.0-27.6	15	1.1	00.3-01.9	2	0.1	00.0-00.3	3	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	220	33,567	16	6.5	02.6-10.4	153	68.7	61.3-76.1	46	22.4	15.7-29.1	3	1.9	00.0-04.3				2	0.5	00.0-01.3
25-34	167	41,864	13	7.4	03.1-11.7	111	65.8	57.8-73.8	41	25.9	18.3-33.5	2	0.9	00.0-02.3						
35-44	275	44,835	27	11.3	06.6-16.0	161	56.4	49.5-63.3	81	30.1	23.8-36.4	4	1.7	00.0-03.5				2	0.5	00.0-01.1
45-54	350	50,790	24	7.4	04.1-10.7	224	62.8	56.9-68.7	91	27.1	21.6-32.6	8	2.2	00.2-04.2	1	0.2	00.0-00.6	2	0.4	00.0-01.0
55-64	310	27,951	35	10.4	06.7-14.1	201	64.2	57.7-70.7	69	23.4	17.7-29.1	4	1.8	00.0-04.2	1	0.2	00.0-00.6			
65+	108	9,350							10	9.1	02.8-15.4	1	0.8	00.0-02.4				1	0.3	00.0-00.9
H.S. or G.E.D.	312	46,722	38	12.6	07.3-17.9	207	64.4	57.3-71.5	61	21.2	15.3-27.1	1	0.2	00.0-00.6	1	0.1	00.0-00.3	4	1.4	00.0-03.4
Some Post-H.S.	366	55,601	48	11.9	08.0-15.8	245	69.1	63.2-75.0	71	18.2	13.3-23.1	2	0.8	00.0-02.0						
College Graduate	551	85,937	62	9.8	06.9-12.7	308	56.5	51.4-61.6	163	30.9	26.2-35.6	15	2.5	00.9-04.1	1	0.1	00.0-00.3	2	0.2	00.0-00.6
Less than \$15,000	104	11,791	22	17.3	08.7-25.9				11	14.3	04.3-24.3	2	1.4	00.0-03.4						
\$15,000- 24,999	59	8,410							3	3.2	00.0-06.9	1	4.1	00.0-11.9				2	2.0	00.0-05.1
\$25,000- 34,999	100	12,971	10	5.6	01.9-09.3							3	2.9	00.0-06.6						
\$35,000- 49,999	181	22,762	23	13.9	07.6-20.2	115	61.1	52.1-70.1	40	23.8	16.2-31.4	1	0.6	00.0-01.8	1	0.4	00.0-01.2	1	0.4	00.0-01.2
\$50,000- 74,999	237	32,863	20	7.9	03.8-12.0	157	68.4	61.3-75.5	59	23.7	17.2-30.2							1	0.1	00.0-00.3
\$75,000+	436	80,690	36	8.5	05.4-11.6	246	58.2	52.7-63.7	144	31.2	26.1-36.3	10	2.1	00.5-03.7						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 16. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	203	50,331	72	35.9	26.3-45.5	10	2.9	00.7-05.1	8	6.7	00.0-13.6
Male	80	24,872				8	5.1	01.0-09.2			
Female	123	25,459				2	0.7	00.0-01.7	4	1.3	00.0-02.9
White/Non-Hisp	152	36,341				7	2.2	00.2-04.2	6	3.2	00.0-06.9
45-54	52	8,366				5	7.9	00.3-15.5	1	0.6	00.0-01.8
55-64	52	7,097				2	5.2	00.0-13.8	1	2.5	00.0-07.4
H.S. or G.E.D.	80	18,127				4	2.3	00.0-04.8	3	4.8	00.0-11.9
Some Post-H.S.	55	12,692				2	2.5	00.0-06.2			
College Graduate	50	12,847				3	5.0	00.0-11.3	3	2.3	00.0-05.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 17. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	80	24,872	8	5.1	00.8-09.4			
White/Non-Hisp	66	19,116	6	4.0	00.3-07.7	2	4.3	00.0-11.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 18. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	123	25,459	2	0.7	00.0-01.7	4	1.3	00.0-02.9
White/Non-Hisp	86	17,225	1	0.3	00.0-00.9	4	2.0	00.0-04.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 19. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWRK)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2012	263,615	203	13.4	10.1-16.7	1185	54.9	51.4-58.4	484	23.8	21.1-26.5	72	3.3	02.3-04.3	12	0.6	00.2-01.0	56	4.0	02.6-05.4
Male	679	112,054	43	13.6	07.3-19.9	344	47.5	41.0-54.0	238	31.1	25.8-36.4	45	5.5	03.5-07.5	3	0.6	00.0-01.4	6	1.7	00.0-03.5
Female	1333	151,561	160	13.3	10.2-16.4	841	60.4	56.3-64.5	246	18.5	15.6-21.4	27	1.7	00.9-02.5	9	0.6	00.0-01.2	50	5.6	03.6-07.6
White/Non-Hisp	1688	201,772	160	12.7	09.2-16.2	1011	56.5	52.8-60.2	408	23.6	20.9-26.3	58	3.3	02.3-04.3	11	0.6	00.0-01.2	40	3.4	01.8-05.0
Black or Afr. Am./Non-Hisp	200	32,957	24	7.8	03.9-11.7				48	22.9	14.1-31.7	4	0.7	00.0-01.5				9	6.5	01.6-11.4
18-24	68	50,740							7	10.0	02.0-18.0							10	7.7	02.2-13.2
25-34	62	18,012	5	3.2	00.3-06.1										1	0.7	00.0-02.1	4	6.9	00.0-14.2
35-44	108	22,490	14	11.7	05.0-18.4							5	6.2	00.1-12.3	2	3.2	00.0-07.5	4	4.3	00.0-08.8
45-54	170	25,632	19	9.6	04.9-14.3	80	47.0	38.0-56.0	54	32.4	24.0-40.8	10	6.2	02.1-10.3	1	0.6	00.0-01.8	6	4.1	00.0-09.2
55-64	420	42,183	23	4.6	02.2-07.0	263	61.3	55.4-67.2	110	27.2	21.9-32.5	17	5.5	02.4-08.6	2	0.2	00.0-00.4	5	1.2	00.0-02.4
65+	1164	102,758	121	10.0	08.0-12.0	711	59.2	55.9-62.5	260	24.5	21.6-27.4	39	3.3	02.1-04.5	6	0.5	00.0-01.1	27	2.6	01.4-03.8
Less Than H.S.	184	23,842							30	14.6	07.3-21.9	8	3.8	00.9-06.7	1	0.2	00.0-00.6	10	4.3	01.2-07.4
H.S. or G.E.D.	697	81,716	79	12.9	08.2-17.6	461	61.6	55.9-67.3	113	16.9	12.6-21.2	19	2.2	01.0-03.4	4	0.6	00.0-01.4	21	5.7	02.8-08.6
Some Post-H.S.	516	78,727	47	17.2	09.4-25.0	302	52.3	44.3-60.3	132	23.2	17.3-29.1	21	3.7	01.7-05.7	5	0.7	00.0-01.5	9	3.0	00.3-05.7
College Graduate	611	78,979	49	7.9	05.0-10.8	314	50.5	44.6-56.4	209	34.6	29.5-39.7	24	3.9	01.7-06.1	2	0.5	00.0-01.5	13	2.6	00.6-04.6
Less than \$15,000	288	32,640				173	57.6	47.6-67.6	61	20.4	14.1-26.7	15	6.3	02.4-10.2				7	2.7	00.2-05.2
\$15,000- 24,999	321	34,070	40	14.3	05.7-22.9	189	56.7	47.3-66.1	71	24.3	16.7-31.9	10	2.7	00.7-04.7	3	0.3	00.0-00.7	8	1.7	00.3-03.1
\$25,000- 34,999	203	23,677	20	6.4	03.3-09.5				47	26.1	16.1-36.1	6	2.9	00.0-05.8	1	0.2	00.0-00.6	3	1.6	00.0-03.6
\$35,000- 49,999	266	34,702	18	9.6	02.3-16.9	174	62.0	53.0-71.0	65	25.3	17.9-32.7	5	1.9	00.0-03.9	1	0.6	00.0-01.8	3	0.7	00.0-01.5
\$50,000- 74,999	244	33,764	20	7.6	03.9-11.3	131	51.9	42.3-61.5	76	31.9	22.5-41.3	9	3.3	00.9-05.7	2	1.3	00.0-03.3	6	4.0	00.0-08.3
\$75,000+	296	50,205				145	43.2	34.6-51.8	101	28.4	21.7-35.1	14	3.8	01.1-06.5	4	1.4	00.0-03.2	4	2.3	00.0-04.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 20. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWRK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	679	112,054	43	13.6	07.3-19.9	344	47.5	41.0-54.0	238	31.1	25.8-36.4	45	5.5	03.3-07.7	3	0.6	00.0-01.4	6	1.7	00.0-03.5
White/Non-Hisp	577	87,099	31	12.5	05.6-19.4	301	49.1	42.8-55.4	202	30.8	25.5-36.1	36	5.3	03.1-07.5	3	0.8	00.0-01.8	4	1.6	00.0-03.6
Black or Afr. Am./Non-Hisp	60	12,246	6	6.5	00.0-13.4							2	0.8	00.0-02.0	1	3.9	00.0-11.3			
45-54	53	10,280	4	3.7	00.0-07.6							4	7.2	00.0-14.8	1	1.5	00.0-04.4	2	7.0	00.0-19.2
55-64	148	18,970	5	3.1	00.0-06.6	80	55.5	45.7-65.3	50	31.5	22.5-40.5	12	9.4	03.3-15.5				1	0.6	00.0-01.8
65+	410	43,807	21	5.4	02.9-07.9	212	50.7	45.0-56.4	149	37.7	32.2-43.2	26	5.8	03.3-08.3	1	0.3	00.0-00.9	1	0.1	00.0-00.3
Less Than H.S.	74	11,346										5	4.7	00.0-09.6						
H.S. or G.E.D.	227	32,143	14	10.0	02.0-18.0	140	59.0	49.2-68.8	58	25.4	16.8-34.0	12	3.7	01.2-06.2	1	0.4	00.0-01.2	2	1.6	00.0-04.5
Some Post-H.S.	162	35,069										14	6.6	02.3-10.9	1	0.4	00.0-01.2	3	2.1	00.0-05.4
College Graduate	216	33,496	9	3.4	00.9-05.9	94	44.7	35.1-54.3	97	42.4	33.4-51.4	14	6.3	02.0-10.6	1	1.2	00.0-03.6	1	2.0	00.0-05.9
Less than \$15,000	95	14,660										8	9.9	01.7-18.1						
\$15,000- 24,999	91	12,034										5	3.8	00.1-07.5				2	1.3	00.0-03.3
\$25,000- 34,999	73	9,416	3	2.7	00.0-05.8							5	6.5	00.0-13.8						
\$35,000- 49,999	107	16,513	4	4.8	00.0-09.7							3	2.7	00.0-06.4						
\$50,000- 74,999	104	16,634	2	2.0	00.0-04.9							7	5.5	01.0-10.0				1	4.0	00.0-11.6
\$75,000+	111	22,355										13	8.4	01.9-14.9	3	3.0	00.0-06.9	1	2.6	00.0-07.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 21. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWRK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1333	151,561	160	13.3	10.2-16.4	841	60.4	56.3-64.5	246	18.5	15.6-21.4	27	1.7	00.9-02.5	9	0.6	00.0-01.2	50	5.6	03.6-07.6
White/Non-Hisp	1111	114,673	129	12.8	09.5-16.1	710	62.1	57.8-66.4	206	18.1	15.2-21.0	22	1.7	00.9-02.5	8	0.5	00.1-00.9	36	4.8	02.6-07.0
Black or Afr. Am./Non-Hisp	140	20,711	18	8.7	03.8-13.6				28	20.5	11.1-29.9	2	0.7	00.0-01.7				8	8.0	01.5-14.5
25-34	52	12,708	5	4.5	00.4-08.6										1	1.0	00.0-03.0	4	9.8	00.0-19.8
35-44	79	15,024	12	13.7	05.3-22.1							2	2.1	00.0-05.0	1	2.2	00.0-06.3	4	6.4	00.0-13.1
45-54	117	15,352	15	13.6	06.3-20.9				34	27.9	18.7-37.1	6	5.5	00.8-10.2				4	2.2	00.0-04.6
55-64	272	23,212	18	5.9	02.8-09.0	183	66.1	59.2-73.0	60	23.8	17.5-30.1	5	2.2	00.0-04.7	2	0.3	00.0-00.7	4	1.7	00.0-03.5
65+	754	58,951	100	13.4	10.7-16.1	499	65.5	61.6-69.4	111	14.6	11.7-17.5	13	1.4	00.6-02.2	5	0.6	00.0-01.4	26	4.5	02.3-06.7
Less Than H.S.	110	12,496	18	15.3	06.3-24.3				14	12.6	03.8-21.4	3	2.9	00.0-06.6	1	0.3	00.0-00.9	10	8.3	02.4-14.2
H.S. or G.E.D.	470	49,573	65	14.8	09.1-20.5	321	63.4	56.7-70.1	55	11.4	07.5-15.3	7	1.3	00.1-02.5	3	0.8	00.0-02.2	19	8.3	04.0-12.6
Some Post-H.S.	354	43,658	37	13.3	06.0-20.6	235	63.1	54.7-71.5	65	17.6	11.9-23.3	7	1.3	00.1-02.5	4	1.0	00.0-02.2	6	3.7	00.0-07.8
College Graduate	395	45,483	40	11.2	06.5-15.9	220	54.7	47.4-62.0	112	28.8	22.7-34.9	10	2.2	00.6-03.8	1	0.1	00.0-00.3	12	3.1	00.9-05.3
Less than \$15,000	193	17,980	22	9.0	04.7-13.3	127	65.4	56.2-74.6	30	17.3	10.2-24.4	7	3.4	00.7-06.1				7	4.9	00.2-09.6
\$15,000- 24,999	230	22,036	33	12.4	07.3-17.5				40	22.9	13.3-32.5	5	2.0	00.0-04.2	3	0.5	00.0-01.1	6	1.9	00.1-03.7
\$25,000- 34,999	130	14,261	17	8.9	04.0-13.8				24	15.8	07.4-24.2	1	0.5	00.0-01.5	1	0.3	00.0-00.9	3	2.7	00.0-06.0
\$35,000- 49,999	159	18,189							27	14.4	07.9-20.9	2	1.2	00.0-03.0	1	1.2	00.0-03.6	3	1.3	00.0-02.9
\$50,000- 74,999	140	17,130	18	13.0	06.7-19.3	82	60.6	50.6-70.6	31	18.7	11.3-26.1	2	1.0	00.0-02.8	2	2.6	00.0-06.5	5	4.0	00.3-07.7
\$75,000+	185	27,850							56	28.1	19.7-36.5	1	0.1	00.0-00.3	1	0.1	00.0-00.3	3	2.0	00.0-04.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 22. DID YOU VOTE IN THE LAST PRESIDENTIAL ELECTION? THE NOVEMBER 2008 ELECTION BETWEEN BARACK OBAMA AND JOHN MCCAIN? (SCNTVOTE)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N.A. (Did not register, Not a U.S. citizen)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4189	673,452	3526	78.5	76.3-80.7	657	21.1	18.9-23.3	6	0.5	00.0-01.1
Male	1500	319,998	1228	74.7	71.0-78.4	270	24.7	21.0-28.4	2	0.6	00.0-01.6
Female	2689	353,454	2298	81.9	79.5-84.3	387	17.8	15.6-20.0	4	0.3	00.0-00.7
White/Non-Hisp	3356	505,748	2866	81.7	79.5-83.9	487	18.0	15.8-20.2	3	0.3	00.0-00.9
Black or Afr. Am./Non-Hisp	531	91,443	436	75.5	68.8-82.2	94	24.4	17.7-31.1	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	107	28,146							2	5.2	00.0-12.3
18-24	129	84,238							4	3.6	00.0-07.5
25-34	320	109,493	234	69.6	62.9-76.3	86	30.4	23.7-37.1			
35-44	554	119,153	446	79.3	75.2-83.4	107	20.6	16.5-24.7	1	0.1	00.0-00.3
45-54	773	128,998	633	83.4	80.5-86.3	140	16.6	13.7-19.5			
55-64	955	101,461	840	90.5	88.5-92.5	114	9.5	07.5-11.5	1	0.1	00.0-00.3
65+	1414	126,232	1269	91.2	89.4-93.0	145	8.8	07.0-10.6			
H.S. or G.E.D.	1254	179,071	963	70.4	66.3-74.5	289	29.2	25.1-33.3	2	0.5	00.0-01.3
Some Post-H.S.	1094	191,977	950	75.6	70.5-80.7	142	23.3	18.4-28.2	2	1.1	00.0-02.7
College Graduate	1564	260,792	1460	91.2	89.0-93.4	102	8.7	06.5-10.9	2	0.1	00.1-00.1
Less than \$15,000	447	55,810	348	70.1	62.7-77.5	99	29.9	22.5-37.3			
\$15,000- 24,999	413	48,898	282	70.7	64.0-77.4	130	27.6	21.3-33.9	1	1.7	00.0-05.0
\$25,000- 34,999	358	50,891	289	70.7	62.3-79.1	69	29.3	20.9-37.7			
\$35,000- 49,999	556	80,520	470	76.2	69.9-82.5	86	23.8	17.5-30.1			
\$50,000- 74,999	621	96,690	556	83.2	77.9-88.5	65	16.8	11.5-22.1			
\$75,000+	1121	231,641	1017	85.6	82.3-88.9	102	14.1	10.8-17.4	2	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 23. DID YOU VOTE IN THE LAST PRESIDENTIAL ELECTION? THE NOVEMBER 2008 ELECTION BETWEEN BARACK OBAMA AND JOHN MCCAIN? (SCNTVOTE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N.A. (Did not register, Not a U.S. citizen)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1500	319,998	1228	74.7	71.0-78.4	270	24.7	21.0-28.4	2	0.6	00.0-01.6
White/Non-Hisp	1230	245,882	1021	78.5	74.6-82.4	208	21.0	17.3-24.7	1	0.6	00.0-01.8
35-44	193	58,035	150	77.4	70.5-84.3	43	22.6	15.7-29.5			
45-54	299	62,171	233	81.7	76.8-86.6	66	18.3	13.4-23.2			
55-64	352	48,575	305	89.9	86.8-93.0	47	10.1	07.0-13.2			
65+	506	54,643	452	91.0	88.1-93.9	54	9.0	06.1-11.9			
H.S. or G.E.D.	448	80,540	329	68.3	61.6-75.0	118	30.8	24.1-37.5	1	0.8	00.0-02.4
Some Post-H.S.	349	90,422	289	66.4	57.6-75.2	59	32.1	23.3-40.9	1	1.5	00.0-04.4
College Graduate	587	125,776	552	91.4	87.7-95.1	35	8.6	04.9-12.3			
\$35,000- 49,999	206	38,942	164	70.3	60.3-80.3						
\$50,000- 74,999	237	46,136	206	79.0	69.4-88.6	31	21.0	11.4-30.6			
\$75,000+	488	121,237	443	85.3	80.0-90.6	44	14.2	08.9-19.5	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 19: SOCIAL CONTEXT**

**TABLE 24. DID YOU VOTE IN THE LAST PRESIDENTIAL ELECTION? THE NOVEMBER 2008 ELECTION BETWEEN BARACK OBAMA AND JOHN MCCAIN? (SCNTVOTE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N.A. (Did not register, Not a U.S. citizen)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2689	353,454	2298	81.9	79.5-84.3	387	17.8	15.6-20.0	4	0.3	00.0-00.7
White/Non-Hisp	2126	259,865	1845	84.7	82.3-87.1	279	15.2	12.8-17.6	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	375	55,712	313	80.5	74.8-86.2	61	19.4	13.7-25.1	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	61	14,533							1	5.7	00.0-16.3
18-24	81	41,899							2	2.4	00.0-06.3
25-34	224	56,206	170	76.5	70.2-82.8	54	23.5	17.2-29.8			
35-44	361	61,118	296	81.1	76.2-86.0	64	18.7	13.8-23.6	1	0.1	00.0-00.3
45-54	474	66,826	400	85.1	81.6-88.6	74	14.9	11.4-18.4			
55-64	603	52,886	535	90.9	88.2-93.6	67	8.9	06.2-11.6	1	0.1	00.0-00.3
65+	908	71,589	817	91.3	89.3-93.3	91	8.7	06.7-10.7			
H.S. or G.E.D.	806	98,531	634	72.0	67.1-76.9	171	27.8	22.9-32.7	1	0.2	00.0-00.6
Some Post-H.S.	745	101,555	661	83.7	79.2-88.2	83	15.5	11.2-19.8	1	0.8	00.0-02.4
College Graduate	977	135,016	908	91.1	88.7-93.5	67	8.8	06.4-11.2	2	0.1	00.0-00.3
Less than \$15,000	306	30,322	248	74.7	66.5-82.9	58	25.3	17.1-33.5			
\$15,000- 24,999	302	32,125	211	70.2	62.4-78.0	90	27.2	20.1-34.3	1	2.6	00.0-07.5
\$25,000- 34,999	234	28,045	198	81.3	73.9-88.7	36	18.7	11.3-26.1			
\$35,000- 49,999	350	41,578	306	81.7	74.3-89.1	44	18.3	10.9-25.7			
\$50,000- 74,999	384	50,554	350	87.1	82.4-91.8	34	12.9	08.2-17.6			
\$75,000+	633	110,404	574	86.0	82.1-89.9	58	13.9	10.0-17.8	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010**

**MODULE 23: RANDOM CHILD SELECTION CONTENTS**

**\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\***

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	107
2 MALES ONLY	108
3 FEMALES ONLY	109
IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4 MALES AND FEMALES	110
5 MALES ONLY	111
6 FEMALES ONLY	112
IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7 MALES AND FEMALES	113
8 MALES ONLY	114
9 FEMALES ONLY	115
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10 MALES AND FEMALES	116
11 MALES ONLY	117
12 FEMALES ONLY	118
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13 MALES AND FEMALES	119
14 MALES ONLY	120
15 FEMALES ONLY	121
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	122
17 MALES ONLY	123
18 FEMALES ONLY	124

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1992			1993-1997			1998-2002			2003-2007			2008-2009			2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1079	203,014	45	2.7	01.7-03.7	388	27.4	24.5-30.3	280	26.7	23.4-30.0	253	29.7	26.2-33.2	100	12.2	09.7-14.7	13	1.3	00.3-02.3
Male	357	64,631	13	2.2	00.8-03.6	131	29.1	23.8-34.4	103	27.8	22.3-33.3	84	31.7	25.4-38.0	24	8.7	04.6-12.8	2	0.5	00.0-01.3
Female	722	138,384	32	2.9	01.7-04.1	257	26.6	23.1-30.1	177	26.1	22.0-30.2	169	28.8	24.5-33.1	76	13.8	10.5-17.1	11	1.7	00.3-03.1
White/Non-Hisp	750	136,862	32	2.9	01.7-04.1	277	28.1	24.4-31.8	190	25.9	22.0-29.8	172	30.2	25.9-34.5	71	11.7	08.8-14.6	8	1.3	00.1-02.5
Black or Afr. Am./Non-Hisp	215	43,637	10	3.0	01.0-05.0	74	25.0	18.5-31.5	60	31.6	23.6-39.6	50	26.5	19.1-33.9	18	12.4	05.7-19.1	3	1.4	00.0-03.2
Oth. Race/Non-Hisp.	51	9,806	1	1.1	00.0-03.3										3	6.8	00.0-14.6	1	1.1	00.0-03.3
18-24	61	10,999	4	4.9	00.0-10.4													2	3.1	00.0-07.4
25-34	221	49,080	2	0.6	00.0-01.4	17	5.9	02.8-09.0	57	26.9	19.8-34.0	83	36.4	29.0-43.8	56	28.4	21.1-35.7	6	1.9	00.1-03.7
35-44	404	83,101	11	1.4	00.4-02.4	122	23.5	18.8-28.2	128	28.9	23.6-34.2	116	37.0	30.9-43.1	23	7.7	04.2-11.2	4	1.5	00.0-03.5
45-54	284	42,604	20	5.8	03.1-08.5	171	52.8	45.9-59.7	59	25.6	19.3-31.9	28	13.6	08.1-19.1	5	1.9	00.1-03.7	1	0.5	00.0-01.3
55-64	76	11,378	5	5.5	00.0-11.2				17	19.4	09.6-29.2									
Less Than H.S.	62	11,715	3	3.4	00.0-07.3															
H.S. or G.E.D.	260	45,057	11	3.3	01.1-05.5	104	29.4	23.1-35.7	64	27.7	20.8-34.6	53	24.0	17.1-30.9	23	13.9	07.8-20.0	5	1.6	00.0-03.2
Some Post-H.S.	289	49,605	11	2.2	00.8-03.6	120	35.9	29.2-42.6	79	26.5	20.2-32.8	58	25.7	18.8-32.6	20	8.2	04.3-12.1	1	1.6	00.0-04.5
College Graduate	468	96,638	20	2.6	01.2-04.0	146	23.0	18.9-27.1	117	25.6	20.9-30.3	131	34.6	29.1-40.1	47	13.0	09.1-16.9	7	1.2	00.2-02.2
Less than \$15,000	81	13,585	5	4.5	00.2-08.8										8	11.3	02.9-19.7	2	3.1	00.0-07.4
\$15,000- 24,999	69	11,273	2	2.9	00.0-07.0															
\$25,000- 34,999	84	15,938	4	3.7	00.0-07.4							15	19.1	09.3-28.9						
\$35,000- 49,999	130	24,205	5	1.7	00.1-03.3	52	28.2	19.8-36.6	31	30.5	20.7-40.3	29	26.0	16.6-35.4	12	13.2	05.4-21.0	1	0.3	00.0-00.9
\$50,000- 74,999	179	33,130	9	3.8	00.9-06.7	59	21.7	15.0-28.4	43	23.0	15.4-30.6	49	37.6	28.0-47.2	17	13.1	05.8-20.4	2	0.8	00.0-02.0
\$75,000+	435	85,945	17	2.2	01.0-03.4	151	27.0	22.3-31.7	119	26.9	22.0-31.8	109	32.0	26.3-37.7	33	9.9	06.4-13.4	6	2.0	00.0-04.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1992			1993-1997			1998-2002			2003-2007			2008-2009			2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	357	64,631	13	2.2	00.8-03.6	131	29.1	23.8-34.4	103	27.8	22.3-33.3	84	31.7	25.4-38.0	24	8.7	04.4-13.0	2	0.5	00.0-01.3
White/Non-Hisp	271	49,121	9	2.1	00.5-03.7	104	29.6	23.5-35.7	78	29.4	22.9-35.9	58	30.4	23.1-37.7	20	7.9	04.2-11.6	2	0.6	00.0-01.6
Black or Afr. Am./Non-Hisp	50	9,068	2	2.9	00.0-07.0															
25-34	54	11,962	1	0.9	00.0-02.7	3	4.7	00.0-10.2										2	2.6	00.0-06.7
35-44	126	25,763	3	1.1	00.0-02.5	35	25.0	16.8-33.2	43	28.5	19.7-37.3				9	7.2	01.7-12.7			
45-54	112	18,106	4	3.5	00.0-07.0										3	3.3	00.0-07.2			
H.S. or G.E.D.	92	14,428	1	0.7	00.0-02.1													2	2.2	00.0-05.5
Some Post-H.S.	89	14,133	3	2.2	00.0-04.9										4	4.7	00.0-10.4			
College Graduate	156	32,280	7	2.4	00.4-04.4	52	26.0	18.7-33.3	39	25.5	17.7-33.3	47	39.3	30.1-48.5	11	6.8	02.5-11.1			
\$50,000- 74,999	57	8,994	2	1.6	00.0-04.1										2	3.0	00.0-07.5			
\$75,000+	167	31,884	7	2.8	00.6-05.0	63	30.3	22.7-37.9	50	30.1	22.1-38.1	38	30.9	22.1-39.7	8	5.7	01.4-10.0	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1992			1993-1997			1998-2002			2003-2007			2008-2009			2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	722	138,384	32	2.9	01.7-04.1	257	26.6	23.1-30.1	177	26.1	22.0-30.2	169	28.8	24.5-33.1	76	13.8	10.5-17.1	11	1.7	00.3-03.1
White/Non-Hisp	479	87,741	23	3.3	01.7-04.9	173	27.2	22.7-31.7	112	23.9	19.2-28.6	114	30.1	24.6-35.6	51	13.8	09.9-17.7	6	1.7	00.0-03.5
Black or Afr. Am./Non-Hisp	165	34,569	8	3.1	00.7-05.5	55	23.1	16.0-30.2	48	33.9	24.5-43.3	36	25.9	17.3-34.5	15	12.2	05.3-19.1	3	1.8	00.0-04.0
25-34	167	37,118	1	0.4	00.0-01.2	14	6.2	02.7-09.7	43	27.1	19.1-35.1	58	33.7	25.1-42.3	47	30.8	22.6-39.0	4	1.6	00.0-03.4
35-44	278	57,338	8	1.6	00.2-03.0	87	22.8	17.3-28.3	85	29.1	22.4-35.8	80	36.4	29.0-43.8	14	7.9	03.4-12.4	4	2.2	00.0-04.9
45-54	172	24,498	16	7.4	03.3-11.5	113	61.1	52.5-69.7	25	20.1	12.5-27.7	15	9.7	04.6-14.8	2	0.9	00.0-02.3	1	0.8	00.0-02.4
H.S. or G.E.D.	168	30,629	10	4.5	01.6-07.4	65	27.9	20.5-35.3	39	28.1	19.5-36.7	36	26.2	17.6-34.8	15	12.0	05.9-18.1	3	1.4	00.0-03.0
Some Post-H.S.	200	35,472	8	2.2	00.6-03.8	86	36.6	28.6-44.6	47	24.3	16.7-31.9	42	25.2	17.0-33.4	16	9.6	04.5-14.7	1	2.2	00.0-06.3
College Graduate	312	64,358	13	2.7	00.9-04.5	94	21.5	16.6-26.4	78	25.6	19.7-31.5	84	32.2	25.5-38.9	36	16.1	10.8-21.4	7	1.9	00.3-03.5
Less than \$15,000	61	10,357	4	5.1	00.0-10.6													1	1.9	00.0-05.4
\$15,000- 24,999	57	10,156	2	3.2	00.0-07.7															
\$25,000- 34,999	61	11,826	2	2.8	00.0-06.7															
\$35,000- 49,999	91	15,758	5	2.7	00.2-05.2							20	23.0	13.2-32.8				1	0.5	00.0-01.5
\$50,000- 74,999	122	24,136	7	4.7	00.8-08.6	38	18.7	11.1-26.3	28	22.5	13.1-31.9				15	16.9	07.3-26.5	2	1.1	00.0-02.9
\$75,000+	268	54,061	10	1.9	00.5-03.3	88	25.1	19.4-30.8	69	25.0	18.7-31.3	71	32.6	25.3-39.9	25	12.4	07.5-17.3	5	3.0	00.0-06.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Boy Male		N	Girl Female	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	1110	207,604	567	51.8	48.3-55.3	543	48.2	44.7-51.7
Male	368	66,619	178	49.1	42.8-55.4	190	50.9	44.6-57.2
Female	742	140,984	389	53.0	48.5-57.5	353	47.0	42.5-51.5
White/Non-Hisp	765	139,199	393	50.7	46.4-55.0	372	49.3	45.0-53.6
Black or Afr. Am./Non-Hisp	222	44,541	109	54.1	45.9-62.3	113	45.9	37.7-54.1
25-34	223	49,276	110	53.0	45.4-60.6	113	47.0	39.4-54.6
35-44	415	84,672	217	52.0	46.1-57.9	198	48.0	42.1-53.9
45-54	291	43,858	144	49.4	42.7-56.1	147	50.6	43.9-57.3
H.S. or G.E.D.	267	45,895	139	52.8	45.4-60.2	128	47.2	39.8-54.6
Some Post-H.S.	296	50,922	155	53.0	45.9-60.1	141	47.0	39.9-54.1
College Graduate	482	98,733	237	50.3	45.0-55.6	245	49.7	44.4-55.0
\$35,000- 49,999	133	24,649				60	42.6	32.6-52.6
\$50,000- 74,999	181	33,401	94	52.0	42.6-61.4	87	48.0	38.6-57.4
\$75,000+	444	87,476	206	46.1	40.6-51.6	238	53.9	48.4-59.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
 MODULE 23: RANDOM CHILD SELECTION**

**TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	368	66,619	178	49.1	42.8-55.4	190	50.9	44.6-57.2	
White/Non-Hisp	276	50,069	133	47.3	40.0-54.6	143	52.7	45.4-60.0	
College Graduate	162	33,425	73	46.8	37.8-55.8	89	53.2	44.2-62.2	
\$75,000+	172	32,753	75	43.0	34.4-51.6	97	57.0	48.4-65.6	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
 MODULE 23: RANDOM CHILD SELECTION**

**TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable**

**Denominator excludes respondents not reporting children**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	742	140,984	389	53.0	48.5-57.5	353	47.0	42.5-51.5
White/Non-Hisp	489	89,130	260	52.6	47.1-58.1	229	47.4	41.9-52.9
Black or Afr. Am./Non-Hisp	168	34,893	84	54.4	45.0-63.8	84	45.6	36.2-55.0
25-34	168	37,226	84	53.4	44.6-62.2	84	46.6	37.8-55.4
35-44	286	58,345	153	52.5	45.2-59.8	133	47.5	40.2-54.8
45-54	176	25,014	86	50.6	42.0-59.2	90	49.4	40.8-58.0
H.S. or G.E.D.	175	31,449	89	51.4	42.4-60.4	86	48.6	39.6-57.6
Some Post-H.S.	204	36,206	110	54.4	45.8-63.0	94	45.6	37.0-54.2
College Graduate	320	65,308	164	52.1	45.4-58.8	156	47.9	41.2-54.6
\$75,000+	272	54,723	131	47.9	40.6-55.2	141	52.1	44.8-59.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1099	206,105	62	6.2	04.4-08.0	1037	93.8	92.0-95.6	
Male	366	66,112	18	5.6	02.7-08.5	348	94.4	91.5-97.3	
Female	733	139,993	44	6.4	04.2-08.6	689	93.6	91.4-95.8	
White/Non-Hisp	761	138,480	12	1.5	00.5-02.5	749	98.5	97.5-99.5	
Black or Afr. Am./Non-Hisp	221	44,455	8	3.1	00.7-05.5	213	96.9	94.5-99.3	
Oth. Race/Non-Hisp.	52	10,137	1	2.6	00.0-07.7	51	97.4	92.3-0100	
25-34	223	49,276	17	7.2	03.5-10.9	206	92.8	89.1-96.5	
35-44	413	84,509	25	6.6	03.7-09.5	388	93.4	90.5-96.3	
45-54	285	42,835	7	1.9	00.5-03.3	278	98.1	96.7-99.5	
55-64	80	12,023	5	8.9	01.1-16.7	75	91.1	83.3-98.9	
H.S. or G.E.D.	264	45,538	18	8.0	03.9-12.1	246	92.0	87.9-96.1	
Some Post-H.S.	294	50,468	22	8.7	04.8-12.6	272	91.3	87.4-95.2	
College Graduate	476	98,046	15	3.2	01.2-05.2	461	96.8	94.8-98.8	
Less than \$15,000	83	13,809	8	9.8	02.9-16.7	75	90.2	83.3-97.1	
\$15,000- 24,999	72	11,605	9	11.2	03.6-18.8	63	88.8	81.2-96.4	
\$25,000- 34,999	85	16,044	10	9.1	02.8-15.4	75	90.9	84.6-97.2	
\$35,000- 49,999	132	24,631	6	9.3	02.2-16.4	126	90.7	83.6-97.8	
\$50,000- 74,999	180	33,314	8	4.6	00.9-08.3	172	95.4	91.7-99.1	
\$75,000+	441	87,023	14	4.1	01.7-06.5	427	95.9	93.5-98.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	366	66,112	18	5.6	02.7-08.5	348	94.4	91.5-97.3	
White/Non-Hisp	275	49,691	4	1.5	00.0-03.3	271	98.5	96.7-0100	
Black or Afr. Am./Non-Hisp	54	9,648	2	3.7	00.0-08.8	52	96.3	91.2-0100	
25-34	55	12,050	4	7.6	00.0-15.8	51	92.4	84.2-0100	
35-44	129	26,327	8	8.3	02.0-14.6	121	91.7	85.4-98.0	
45-54	113	18,337	3	2.0	00.0-04.4	110	98.0	95.6-0100	
H.S. or G.E.D.	93	14,499	6	8.1	00.3-15.9	87	91.9	84.1-99.7	
Some Post-H.S.	91	14,391	5	5.7	00.4-11.0	86	94.3	89.0-99.6	
College Graduate	160	33,189	4	2.4	00.0-05.1	156	97.6	94.9-0100	
\$50,000- 74,999	57	9,050	1	1.3	00.0-03.8	56	98.7	96.2-0100	
\$75,000+	171	32,624	4	2.6	00.0-05.3	167	97.4	94.7-0100	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	733	139,993	44	6.4	04.2-08.6	689	93.6	91.4-95.8	
White/Non-Hisp	486	88,788	8	1.5	00.3-02.7	478	98.5	97.3-99.7	
Black or Afr. Am./Non-Hisp	167	34,807	6	3.0	00.5-05.5	161	97.0	94.5-99.5	
25-34	168	37,226	13	7.1	02.8-11.4	155	92.9	88.6-97.2	
35-44	284	58,182	17	5.9	02.8-09.0	267	94.1	91.0-97.2	
45-54	172	24,498	4	1.8	00.0-03.6	168	98.2	96.4-0100	
H.S. or G.E.D.	171	31,038	12	8.0	03.1-12.9	159	92.0	87.1-96.9	
Some Post-H.S.	203	36,077	17	9.9	04.8-15.0	186	90.1	85.0-95.2	
College Graduate	316	64,856	11	3.6	01.1-06.1	305	96.4	93.9-98.9	
Less than \$15,000	62	10,494	7	11.4	02.8-20.0	55	88.6	80.0-97.2	
\$15,000- 24,999	58	10,244	8	11.6	03.2-20.0	50	88.4	80.0-96.8	
\$25,000- 34,999	62	11,933	6	8.2	01.1-15.3	56	91.8	84.7-98.9	
\$35,000- 49,999	92	16,089	3	6.7	00.0-14.1	89	93.3	85.9-0100	
\$50,000- 74,999	123	24,264	7	5.9	01.0-10.8	116	94.1	89.2-99.0	
\$75,000+	270	54,400	10	5.0	01.7-08.3	260	95.0	91.7-98.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1093	204,885	739	66.3	62.8-69.8	222	21.6	18.5-24.7	32	3.5	02.1-04.9	1	0.1	00.0-00.3	3	0.2	00.0-00.4	96	8.3	06.3-10.3
Male	366	65,835	267	73.7	68.2-79.2	54	13.9	09.6-18.2	8	2.6	00.6-04.6	1	0.4	00.0-01.2	2	0.4	00.0-01.0	34	9.1	05.6-12.6
Female	727	139,050	472	62.8	58.5-67.1	168	25.3	21.2-29.4	24	3.9	02.1-05.7				1	0.2	00.0-00.6	62	7.9	05.5-10.3
White/Non-Hisp	760	138,508	715	95.3	93.7-96.9	4	0.5	00.0-01.1	3	0.4	00.0-00.8				1	0.1	00.0-00.3	37	3.8	02.4-05.2
Black or Afr. Am./Non-Hisp	221	44,455	1	0.6	00.0-01.8	203	91.5	86.8-96.2							1	0.5	00.0-01.5	16	7.4	02.9-11.9
Oth. Race/Non-Hisp.	52	10,137	6	6.7	00.4-13.0							1	2.4	00.0-07.1	1	1.3	00.0-03.8			
18-24	61	10,628							3	4.4	00.0-10.7							6	9.4	01.0-17.8
25-34	222	49,114	139	61.4	53.8-69.0	53	26.6	19.2-34.0	8	3.7	01.2-06.2	1	0.5	00.0-01.5				21	7.7	04.2-11.2
35-44	409	83,911	286	69.0	63.5-74.5	74	17.5	13.0-22.0	12	4.2	01.7-06.7				2	0.3	00.0-00.7	35	9.0	05.5-12.5
45-54	285	42,835	216	76.3	70.6-82.0	44	15.8	10.9-20.7	7	2.2	00.4-04.0							18	5.7	02.8-08.6
55-64	80	12,023							1	1.1	00.0-03.3				1	1.8	00.0-05.3	14	15.5	06.7-24.3
Less Than H.S.	64	11,948																11	13.2	04.0-22.4
H.S. or G.E.D.	262	44,942	177	62.4	55.0-69.8	58	26.7	19.6-33.8	5	2.0	00.0-04.2				1	0.2	00.0-00.6	21	8.7	04.6-12.8
Some Post-H.S.	293	50,305	192	66.3	59.6-73.0	63	21.3	15.4-27.2	4	2.2	00.0-04.6				1	0.3	00.0-00.9	33	10.0	06.3-13.7
College Graduate	474	97,690	342	70.3	65.2-75.4	76	17.4	13.1-21.7	23	5.2	02.8-07.6	1	0.2	00.0-00.6	1	0.2	00.0-00.6	31	6.6	03.9-09.3
Less than \$15,000	82	13,673													1	1.6	00.0-04.5	13	13.9	05.5-22.3
\$15,000- 24,999	71	11,499							2	1.9	00.0-04.6							11	12.1	04.3-19.9
\$25,000- 34,999	82	15,758							3	5.0	00.0-10.9				2	1.5	00.0-03.7	9	11.5	04.1-18.9
\$35,000- 49,999	131	24,172				38	28.5	19.5-37.5	2	3.4	00.0-08.1							8	7.2	01.3-13.1
\$50,000- 74,999	181	33,421	131	71.3	62.5-80.1	33	18.5	11.1-25.9	4	2.5	00.0-05.2							13	7.7	02.0-13.4
\$75,000+	439	86,544	324	72.7	67.6-77.8	64	15.9	11.6-20.2	19	4.8	02.4-07.2							32	6.6	04.1-09.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	366	65,835	267	73.7	68.2-79.2	54	13.9	09.4-18.4	8	2.6	00.6-04.6	1	0.4	00.0-01.2	2	0.4	00.0-01.0	34	9.1	05.6-12.6
White/Non-Hisp	276	49,798	258	95.1	92.6-97.6	3	0.9	00.0-02.1	1	0.3	00.0-00.9				1	0.2	00.0-00.6	13	3.6	01.4-05.8
25-34	55	12,050							1	2.1	00.0-06.2	1	2.0	00.0-05.9				3	4.8	00.0-11.7
35-44	128	25,943	91	70.5	61.1-79.9	18	12.0	06.1-17.9	3	3.8	00.0-08.1				2	0.9	00.0-02.1	14	12.8	05.5-20.1
45-54	114	18,443	94	84.2	76.8-91.6	8	6.4	01.5-11.3	2	1.7	00.0-04.1							10	7.6	02.3-12.9
H.S. or G.E.D.	93	14,499							1	0.2	00.0-00.6				1	0.7	00.0-02.1	9	12.7	03.3-22.1
Some Post-H.S.	91	14,391	63	73.3	63.3-83.3	17	17.0	08.4-25.6							1	0.9	00.0-02.7	10	8.8	03.1-14.5
College Graduate	160	32,912	125	78.0	70.7-85.3	16	9.5	04.6-14.4	7	5.2	01.3-09.1	1	0.7	00.0-02.1				11	6.6	02.3-10.9
\$50,000- 74,999	58	9,156																4	3.9	00.0-08.2
\$75,000+	170	32,240	136	82.0	75.7-88.3	14	6.7	02.8-10.6	6	3.7	00.4-07.0							14	7.6	03.5-11.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			White			Black or African American			Asian			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	727	139,050	472	62.8	58.5-67.1	168	25.3	21.4-29.2	24	3.9	02.1-05.7	1	0.2	00.0-00.6	62	7.9	05.5-10.3	
White/Non-Hisp	484	88,710	457	95.4	93.4-97.4	1	0.3	00.0-00.9	2	0.5	00.0-01.1				24	3.9	02.1-05.7	
Black or Afr. Am./Non-Hisp	167	34,807	1	0.7	00.0-02.1	156	93.3	88.0-98.6				1	0.6	00.0-01.8	9	5.3	00.4-10.2	
25-34	167	37,063	100	58.3	49.5-67.1	42	28.8	20.4-37.2	7	4.2	01.1-07.3				18	8.7	04.6-12.8	
35-44	281	57,968	195	68.3	61.4-75.2	56	20.0	13.9-26.1	9	4.4	01.5-07.3				21	7.3	03.4-11.2	
45-54	171	24,392	122	70.3	62.3-78.3	36	22.8	15.4-30.2	5	2.6	00.1-05.1				8	4.2	01.1-07.3	
H.S. or G.E.D.	169	30,443	109	59.4	50.4-68.4	44	31.1	22.5-39.7	4	2.8	00.0-05.7				12	6.8	02.7-10.9	
Some Post-H.S.	202	35,915	129	63.5	55.1-71.9	46	23.0	15.7-30.3	4	3.1	00.0-06.4				23	10.4	05.7-15.1	
College Graduate	314	64,778	217	66.3	59.8-72.8	60	21.4	15.5-27.3	16	5.3	02.6-08.0	1	0.3	00.0-00.9	20	6.6	03.1-10.1	
Less than \$15,000	61	10,357										1	2.1	00.0-06.0	8	10.2	02.6-17.8	
\$15,000- 24,999	57	10,138							2	2.2	00.0-05.3				9	12.0	03.4-20.6	
\$25,000- 34,999	59	11,646							1	2.1	00.0-06.2				8	13.6	04.2-23.0	
\$35,000- 49,999	91	15,629							2	5.2	00.0-12.3				4	4.0	00.0-08.1	
\$50,000- 74,999	123	24,264				21	17.3	08.1-26.5	4	3.4	00.0-07.3				9	9.2	01.8-16.6	
\$75,000+	269	54,304	188	67.2	60.3-74.1	50	21.3	15.0-27.6	13	5.4	02.3-08.5				18	6.1	03.0-09.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1104	206,566	933	86.4	84.0-88.8	94	7.8	05.8-09.8	9	0.7	00.1-01.3	32	2.0	01.2-02.8	26	2.3	01.1-03.5	10	0.7	00.1-01.3
Male	367	66,089	310	87.3	83.4-91.2	22	5.0	02.5-07.5	4	1.0	00.0-02.0	16	2.6	01.0-04.2	8	2.6	00.4-04.8	7	1.5	00.1-02.9
Female	737	140,477	623	86.0	82.9-89.1	72	9.2	06.7-11.7	5	0.6	00.0-01.2	16	1.8	00.8-02.8	18	2.1	00.7-03.5	3	0.3	00.0-00.7
White/Non-Hisp	763	138,728	663	89.6	87.1-92.1	55	5.9	04.1-07.7	5	0.6	00.0-01.2	21	1.8	00.8-02.8	11	1.4	00.2-02.6	8	0.8	00.0-01.6
Black or Afr. Am./Non-Hisp	220	44,196	163	75.1	67.8-82.4	35	16.1	09.6-22.6	4	1.6	00.0-03.4	5	1.7	00.0-03.5	12	5.1	02.0-08.2	1	0.4	00.0-01.2
Oth. Race/Non-Hisp.	52	10,137	47	91.6	83.2-0100	1	2.6	00.0-07.7				4	5.8	00.0-12.7						
25-34	223	49,276	214	96.2	93.3-99.1				2	1.0	00.0-02.6	1	0.2	00.0-00.6	5	1.8	00.0-03.6	1	0.8	00.0-02.4
35-44	416	84,883	400	96.7	94.5-98.9	4	1.4	00.0-03.4	2	0.3	00.0-00.7				4	0.8	00.0-01.8	6	0.8	00.0-01.6
45-54	287	43,071	259	89.1	84.8-93.4	21	9.1	05.0-13.2	2	0.8	00.0-02.0				4	1.0	00.0-02.0	1	0.1	00.0-00.3
55-64	79	11,764							2	3.0	00.0-07.3				4	4.0	00.0-08.1	1	0.7	00.0-02.3
Less Than H.S.	65	12,054							1	0.8	00.0-02.4	3	1.9	00.0-04.3	6	11.6	01.6-21.6	2	2.3	00.0-05.6
H.S. or G.E.D.	266	45,769	209	80.1	74.2-86.0	33	11.6	06.9-16.3	2	1.0	00.0-02.6	12	4.1	01.4-06.8	7	1.8	00.4-03.2	3	1.3	00.0-03.1
Some Post-H.S.	294	50,468	240	83.8	78.5-89.1	22	6.9	03.2-10.6	4	1.2	00.0-02.4	15	3.6	01.4-05.8	9	3.7	00.4-07.0	4	0.8	00.0-01.6
College Graduate	479	98,275	448	93.7	91.0-96.4	22	5.0	02.5-07.5	2	0.4	00.0-01.0	2	0.3	00.0-00.7	4	0.6	00.0-01.4	1	0.1	00.0-00.3
Less than \$15,000	83	13,809	67	81.3	72.1-90.5	11	14.1	05.9-22.3	2	2.4	00.0-05.9	1	0.4	00.0-01.2	2	1.8	00.0-04.3			
\$15,000- 24,999	72	11,605				13	15.8	06.6-25.0				3	2.7	00.0-06.2	5	5.3	00.6-10.0	2	2.1	00.0-05.4
\$25,000- 34,999	85	16,044	68	85.3	77.5-93.1	10	8.9	02.8-15.0	1	2.1	00.0-06.2	2	1.5	00.0-03.7	3	1.8	00.0-04.0	1	0.3	00.0-00.9
\$35,000- 49,999	132	24,631	109	84.0	76.9-91.1	14	8.7	03.8-13.6	1	0.7	00.0-02.1	3	2.0	00.0-04.7	3	2.5	00.0-06.0	2	2.0	00.0-05.3
\$50,000- 74,999	182	33,454	163	88.4	81.7-95.1	14	10.0	03.5-16.5	1	0.4	00.0-01.2	1	0.3	00.0-00.9	2	0.7	00.0-01.7	1	0.3	00.0-00.9
\$75,000+	443	87,351	402	92.6	89.7-95.5	21	4.0	01.6-06.4	1	0.2	00.0-00.6	14	2.3	00.7-03.9	2	0.5	00.0-01.3	3	0.4	00.0-01.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	367	66,089	310	87.3	83.4-91.2	22	5.0	02.5-07.5	4	1.0	00.0-02.0	16	2.6	01.0-04.2	8	2.6	00.4-04.8	7	1.5	00.1-02.9
White/Non-Hisp	276	49,798	237	88.1	83.6-92.6	15	4.9	01.8-08.0	3	0.9	00.0-02.1	12	2.9	00.9-04.9	3	1.4	00.0-03.2	6	1.9	00.1-03.7
Black or Afr. Am./Non-Hisp	53	9,389				7	9.6	02.2-17.0	1	1.8	00.0-05.3	1	0.6	00.0-01.8						
25-34	55	12,050	50	90.3	80.9-99.7				1	1.4	00.0-04.1	1	0.9	00.0-02.7	2	4.1	00.0-10.6	1	3.3	00.0-09.8
35-44	129	26,327	124	98.0	96.0-0100	1	0.5	00.0-01.5										4	1.5	00.0-03.1
45-54	115	18,573	108	93.7	88.8-98.6	4	3.9	00.0-07.8	2	1.8	00.0-04.5				1	0.7	00.0-02.1			
H.S. or G.E.D.	93	14,499				8	9.9	01.1-18.7				5	3.9	00.0-08.6	1	0.5	00.0-01.5	2	3.9	00.0-09.6
Some Post-H.S.	91	14,391	72	82.8	74.6-91.0	4	4.0	00.0-08.3	2	1.7	00.0-04.2	8	6.6	01.7-11.5	2	3.0	00.0-07.7	3	2.0	00.0-04.2
College Graduate	161	33,166	150	95.9	93.2-98.6	5	2.0	00.0-04.0	2	1.2	00.0-03.0	1	0.2	00.0-00.6	2	0.7	00.0-01.7	1	0.2	00.0-00.6
\$50,000- 74,999	58	9,156																1	1.1	00.0-03.3
\$75,000+	172	32,753	158	94.4	91.1-97.7	4	1.7	00.0-03.7	1	0.4	00.0-01.2	6	2.3	00.1-04.5	1	0.4	00.0-01.2	2	0.8	00.0-02.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 23: RANDOM CHILD SELECTION**

**TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	737	140,477	623	86.0	82.9-89.1	72	9.2	06.7-11.7	5	0.6	00.0-01.2	16	1.8	00.8-02.8	18	2.1	00.7-03.5	3	0.3	00.0-00.7
White/Non-Hisp	487	88,931	426	90.4	87.5-93.3	40	6.4	04.0-08.8	2	0.4	00.0-01.0	9	1.1	00.1-02.1	8	1.4	00.0-03.2	2	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	167	34,807	123	74.2	65.8-82.6	28	17.8	10.0-25.6	3	1.6	00.0-03.8	4	2.0	00.0-04.2	8	3.8	01.1-06.5	1	0.5	00.0-01.5
25-34	168	37,226	164	98.1	95.9-0100				1	0.9	00.0-02.7				3	1.0	00.0-02.2			
35-44	287	58,556	276	96.1	93.0-99.2	3	1.7	00.0-04.4	2	0.4	00.0-01.0				4	1.2	00.0-02.6	2	0.5	00.0-01.3
45-54	172	24,498	151	85.6	79.1-92.1	17	13.0	06.7-19.3							3	1.2	00.0-02.6	1	0.2	00.0-00.6
H.S. or G.E.D.	173	31,270	132	79.4	72.5-86.3	25	12.4	06.9-17.9	2	1.4	00.0-03.6	7	4.2	00.7-07.7	6	2.4	00.4-04.4	1	0.2	00.0-00.6
Some Post-H.S.	203	36,077	168	84.3	77.6-91.0	18	8.0	03.1-12.9	2	1.0	00.0-02.4	7	2.4	00.2-04.6	7	4.0	00.0-08.3	1	0.4	00.0-01.2
College Graduate	318	65,109	298	92.5	88.6-96.4	17	6.6	02.9-10.3				1	0.3	00.0-00.9	2	0.6	00.0-01.6			
Less than \$15,000	62	10,494							2	3.1	00.0-07.6				1	1.5	00.0-04.4			
\$15,000- 24,999	58	10,244										1	1.0	00.0-03.0	4	4.3	00.0-08.6	2	2.3	00.0-06.0
\$25,000- 34,999	62	11,933	53	88.1	79.5-96.7	5	6.3	00.2-12.4	1	2.8	00.0-08.3	1	1.2	00.0-03.6	2	1.6	00.0-04.0			
\$35,000- 49,999	92	16,089	80	87.5	79.9-95.1	9	9.1	02.8-15.4				1	2.1	00.0-06.0	2	1.4	00.0-03.6			
\$50,000- 74,999	124	24,297	109	88.0	80.2-95.8	11	10.1	02.5-17.7	1	0.6	00.0-01.8	1	0.4	00.0-01.2	2	0.9	00.0-02.3			
\$75,000+	271	54,598	244	91.5	87.4-95.6	17	5.3	01.8-08.8				8	2.4	00.4-04.4	1	0.6	00.0-01.8	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010**

**MODULE 25: CHILDHOOD IMMUNIZATION CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAS [FILL: HE/SHE] HAD A SEASONAL FLU VACCINATION? THERE ARE TWO TYPES OF FLU VACCINATIONS. ONE IS A SHOT AND THE OTHER IS A SPRAY IN THE NOSE. (FLUSHCH2)	
1 MALES AND FEMALES	126
2 MALES ONLY	127
3 FEMALES ONLY	128
DURING WHAT MONTH AND YEAR DID [FILL: HE/SHE] RECEIVE [FILL: HIS/HER] MOST RECENT SEASONAL FLU VACCINATION? THE SEASONAL FLU VACCINATION MAY HAVE BEEN EITHER THE FLU SHOT OR THE FLU SPRAY. THE FLU SPRAY IS THE FLU VACCINATION THAT IS SPRAYED IN THE NOSE. (RCV FVCH4)	
4 MALES AND FEMALES	129
5 MALES ONLY	130
6 FEMALES ONLY	131



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 25: CHILDHOOD IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAS [FILL: HE/SHE] HAD A SEASONAL FLU VACCINATION? THERE ARE TWO TYPES OF FLU VACCINATIONS. ONE IS A SHOT AND THE OTHER IS A SPRAY IN THE NOSE. (FLUSHCH2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	961	179,075	475	51.5	47.6-55.4	486	48.5	44.6-52.4
Male	306	55,459	151	52.8	45.9-59.7	155	47.2	40.3-54.1
Female	655	123,616	324	50.9	46.2-55.6	331	49.1	44.4-53.8
White/Non-Hisp	670	121,917	333	52.4	47.7-57.1	337	47.6	42.9-52.3
Black or Afr. Am./Non-Hisp	192	37,481	85	44.3	35.7-52.9	107	55.7	47.1-64.3
25-34	197	44,795	114	56.1	47.7-64.5	83	43.9	35.5-52.3
35-44	370	74,662	190	54.6	48.3-60.9	180	45.4	39.1-51.7
45-54	261	38,969	102	40.0	33.1-46.9	159	60.0	53.1-66.9
H.S. or G.E.D.	227	37,972	113	49.7	41.7-57.7	114	50.3	42.3-58.3
Some Post-H.S.	253	42,669	112	49.3	41.7-56.9	141	50.7	43.1-58.3
College Graduate	426	88,124	220	52.5	46.8-58.2	206	47.5	41.8-53.2
\$50,000- 74,999	163	29,485	73	42.7	33.3-52.1	90	57.3	47.9-66.7
\$75,000+	387	76,139	196	54.3	48.4-60.2	191	45.7	39.8-51.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
 MODULE 25: CHILDHOOD IMMUNIZATION**

**TABLE 2: DURING THE PAST 12 MONTHS, HAS [FILL: HE/SHE] HAD A SEASONAL FLU VACCINATION? THERE ARE TWO TYPES OF FLU VACCINATIONS. ONE IS A SHOT AND THE OTHER IS A SPRAY IN THE NOSE. (FLUSHCH2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	306	55,459	151	52.8	45.9-59.7	155	47.2	40.3-54.1
White/Non-Hisp	232	41,875	110	51.2	43.4-59.0	122	48.8	41.0-56.6
College Graduate	143	30,095	76	57.0	47.6-66.4	67	43.0	33.6-52.4
\$75,000+	148	28,797	75	55.7	46.5-64.9	73	44.3	35.1-53.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 25: CHILDHOOD IMMUNIZATION**

**TABLE 3: DURING THE PAST 12 MONTHS, HAS [FILL: HE/SHE] HAD A SEASONAL FLU VACCINATION? THERE ARE TWO TYPES OF FLU VACCINATIONS. ONE IS A SHOT AND THE OTHER IS A SPRAY IN THE NOSE. (FLUSHCH2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	655	123,616	324	50.9	46.2-55.6	331	49.1	44.4-53.8
White/Non-Hisp	438	80,042	223	53.0	47.1-58.9	215	47.0	41.1-52.9
Black or Afr. Am./Non-Hisp	150	29,616	65	43.9	34.1-53.7	85	56.1	46.3-65.9
25-34	152	34,596	90	57.3	47.9-66.7	62	42.7	33.3-52.1
35-44	256	51,021	124	50.6	43.0-58.2	132	49.4	41.8-57.0
45-54	160	22,778	66	42.1	33.3-50.9	94	57.9	49.1-66.7
H.S. or G.E.D.	153	27,239	81	54.3	44.7-63.9	72	45.7	36.1-55.3
Some Post-H.S.	180	31,346	77	47.7	38.5-56.9	103	52.3	43.1-61.5
College Graduate	283	58,030	144	50.1	43.0-57.2	139	49.9	42.8-57.0
\$75,000+	239	47,342	121	53.4	45.8-61.0	118	46.6	39.0-54.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 25: CHILDHOOD IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID [FILL: HE/SHE] RECEIVE [FILL: HIS/HER] MOST RECENT SEASONAL FLU VACCINATION? THE SEASONAL FLU VACCINATION MAY HAVE BEEN EITHER THE FLU SHOT OR THE FLU SPRAY. THE FLU SPRAY IS THE FLU VACCINATION THAT IS SPRAYED IN THE NOSE. (RCVFVCH4)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		012009-062009			072009-122009			042010-062010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	400	78,455	67	16.9	12.4-21.4	331	82.6	78.1-87.1	2	0.5	00.0-01.3
Male	118	23,569	21	16.3	08.1-24.5	96	82.6	74.4-90.8	1	1.1	00.0-03.3
Female	282	54,886	46	17.2	11.9-22.5	235	82.6	77.3-87.9	1	0.2	00.0-00.6
White/Non-Hisp	284	55,232	44	14.8	09.9-19.7	239	85.0	80.1-89.9	1	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	71	13,764							1	1.9	00.0-05.6
25-34	94	20,805	19	20.5	11.3-29.7	74	78.2	68.8-87.6	1	1.3	00.0-03.8
35-44	167	36,779	25	15.9	09.2-22.6	141	83.8	76.9-90.7	1	0.3	00.0-00.9
45-54	86	12,524	12	10.6	03.5-17.7	74	89.4	82.3-96.5			
Some Post-H.S.	98	19,157	19	15.5	07.3-23.7	79	84.5	76.3-92.7			
College Graduate	195	40,627	24	13.3	07.4-19.2	169	85.7	79.8-91.6	2	0.9	00.0-02.3
\$35,000- 49,999	50	10,047							1	1.1	00.0-03.3
\$75,000+	168	35,934	19	11.0	05.7-16.3	149	89.0	83.7-94.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
 MODULE 25: CHILDHOOD IMMUNIZATION**

**TABLE 5: DURING WHAT MONTH AND YEAR DID [FILL: HE/SHE] RECEIVE [FILL: HIS/HER] MOST RECENT SEASONAL FLU VACCINATION? THE SEASONAL FLU VACCINATION MAY HAVE BEEN EITHER THE FLU SHOT OR THE FLU SPRAY. THE FLU SPRAY IS THE FLU VACCINATION THAT IS SPRAYED IN THE NOSE. (RCVFCVCH4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		012009-062009			072009-122009			042010-062010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	118	23,569	21	16.3	08.1-24.5	96	82.6	74.2-91.0	1	1.1	00.0-03.3
White/Non-Hisp	87	17,755	17	17.8	08.2-27.4	70	82.2	72.6-91.8			
College Graduate	63	14,430							1	1.8	00.0-05.3
\$75,000+	59	12,779	8	13.7	03.7-23.7	51	86.3	76.3-96.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010  
MODULE 25: CHILDHOOD IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID [FILL: HE/SHE] RECEIVE [FILL: HIS/HER] MOST RECENT SEASONAL FLU VACCINATION? THE SEASONAL FLU VACCINATION MAY HAVE BEEN EITHER THE FLU SHOT OR THE FLU SPRAY. THE FLU SPRAY IS THE FLU VACCINATION THAT IS SPRAYED IN THE NOSE. (RCVFCVCH4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		012009-062009			072009-122009			042010-062010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	282	54,886	46	17.2	11.9-22.5	235	82.6	77.3-87.9	1	0.2	00.0-00.6
White/Non-Hisp	197	37,477	27	13.3	07.6-19.0	169	86.4	80.7-92.1	1	0.3	00.0-00.9
35-44	115	23,928	16	15.1	07.3-22.9	98	84.4	76.6-92.2	1	0.5	00.0-01.5
45-54	59	8,397	7	10.3	01.3-19.3	52	89.7	80.7-98.7			
Some Post-H.S.	70	13,991	16	16.7	06.9-26.5	54	83.3	73.5-93.1			
College Graduate	132	26,197	12	10.2	04.1-16.3	119	89.4	83.1-95.7	1	0.4	00.0-01.2
\$75,000+	109	23,154	11	9.6	03.5-15.7	98	90.4	84.3-96.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2010**

End of Module Data Report