

DELAWARE

2013 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 29, 2014



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4267	616,434	2764	58.7	56.5-60.9	1503	41.3	39.1-43.5
Male	1705	295,709	1075	55.7	52.4-59.0	630	44.3	41.0-47.6
Female	2562	320,724	1689	61.6	58.9-64.3	873	38.4	35.7-41.1
White/Non-Hisp	3149	408,950	2087	60.6	58.2-63.0	1062	39.4	37.0-41.8
Black or Afr. Am./Non-Hisp	592	115,791	395	62.4	57.1-67.7	197	37.6	32.3-42.9
Oth. Race/Non-Hisp.	184	29,505	97	41.5	31.3-51.7	87	58.5	48.3-68.7
MultiRacial/Non-Hisp.	61	4,658	35	56.4	41.5-71.3	26	43.6	28.7-58.5
Hispanic	217	49,300	116	48.4	40.4-56.4	101	51.6	43.6-59.6
18-24	266	86,386	75	28.4	21.9-34.9	191	71.6	65.1-78.1
25-34	449	109,696	225	46.6	40.9-52.3	224	53.4	47.7-59.1
35-44	553	102,240	323	58.3	53.4-63.2	230	41.7	36.8-46.6
45-54	747	111,215	496	68.6	64.5-72.7	251	31.4	27.3-35.5
55-64	891	94,808	650	72.1	68.0-76.2	241	27.9	23.8-32.0
65+	1318	108,072	967	73.6	70.5-76.7	351	26.4	23.3-29.5
Less Than H.S.	320	79,902	173	49.1	41.8-56.4	147	50.9	43.6-58.2
H.S. or G.E.D.	1228	189,506	752	56.0	52.1-59.9	476	44.0	40.1-47.9
Some Post-H.S.	1099	182,262	733	60.5	56.4-64.6	366	39.5	35.4-43.6
College Graduate	1606	163,624	1097	64.7	61.8-67.6	509	35.3	32.4-38.2
Less than \$15,000	331	48,782	183	43.7	36.1-51.3	148	56.3	48.7-63.9
\$15,000- 24,999	572	79,342	348	54.1	48.6-59.6	224	45.9	40.4-51.4
\$25,000- 34,999	385	53,453	246	57.3	50.4-64.2	139	42.7	35.8-49.6
\$35,000- 49,999	571	83,865	370	55.4	49.5-61.3	201	44.6	38.7-50.5
\$50,000- 74,999	586	81,109	384	58.2	52.5-63.9	202	41.8	36.1-47.5
\$75,000+	1202	184,073	841	68.9	65.4-72.4	361	31.1	27.6-34.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1705	295,709	1075	55.7	52.6-58.8	630	44.3	41.2-47.4
White/Non-Hisp	1246	194,350	823	58.1	54.4-61.8	423	41.9	38.2-45.6
Black or Afr. Am./Non-Hisp	227	54,817	137	59.0	50.6-67.4	90	41.0	32.6-49.4
Oth. Race/Non-Hisp.	89	16,614	46	39.5	25.0-54.0	43	60.5	46.0-75.0
Hispanic	91	22,632	43	43.8	32.2-55.4	48	56.2	44.6-67.8
18-24	132	44,393	30	22.3	13.9-30.7	102	77.7	69.3-86.1
25-34	196	56,315	81	38.1	30.1-46.1	115	61.9	53.9-69.9
35-44	233	48,776	130	55.0	47.6-62.4	103	45.0	37.6-52.4
45-54	304	52,981	206	71.6	65.5-77.7	98	28.4	22.3-34.5
55-64	334	44,718	250	72.6	65.7-79.5	84	27.4	20.5-34.3
65+	496	47,469	373	75.2	70.5-79.9	123	24.8	20.1-29.5
Less Than H.S.	144	41,536	71	41.2	31.2-51.2	73	58.8	48.8-68.8
H.S. or G.E.D.	522	98,780	308	54.6	49.1-60.1	214	45.4	39.9-50.9
Some Post-H.S.	372	78,794	241	56.7	49.8-63.6	131	43.3	36.4-50.2
College Graduate	660	75,790	452	64.1	59.4-68.8	208	35.9	31.2-40.6
Less than \$15,000	99	19,041	40	24.5	14.7-34.3	59	75.5	65.7-85.3
\$15,000- 24,999	208	37,316	119	46.7	38.1-55.3	89	53.3	44.7-61.9
\$25,000- 34,999	158	26,809	90	52.4	42.0-62.8	68	47.6	37.2-58.0
\$35,000- 49,999	240	41,521	152	54.5	45.5-63.5	88	45.5	36.5-54.5
\$50,000- 74,999	248	40,574	153	50.4	42.0-58.8	95	49.6	41.2-58.0
\$75,000+	554	94,477	397	70.5	65.4-75.6	157	29.5	24.4-34.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2562	320,724	1689	61.6	58.9-64.3	873	38.4	35.7-41.1
White/Non-Hisp	1903	214,600	1264	62.8	59.7-65.9	639	37.2	34.1-40.3
Black or Afr. Am./Non-Hisp	365	60,974	258	65.4	58.7-72.1	107	34.6	27.9-41.3
Oth. Race/Non-Hisp.	95	12,891	51	44.2	30.7-57.7	44	55.8	42.3-69.3
Hispanic	126	26,668	73	52.4	41.0-63.8	53	47.6	36.2-59.0
18-24	134	41,992	45	34.9	25.3-44.5	89	65.1	55.5-74.7
25-34	253	53,381	144	55.5	47.7-63.3	109	44.5	36.7-52.3
35-44	320	53,464	193	61.4	54.7-68.1	127	38.6	31.9-45.3
45-54	443	58,234	290	65.9	60.4-71.4	153	34.1	28.6-39.6
55-64	557	50,091	400	71.7	66.8-76.6	157	28.3	23.4-33.2
65+	822	60,603	594	72.3	68.4-76.2	228	27.7	23.8-31.6
Less Than H.S.	176	38,366	102	57.6	47.8-67.4	74	42.4	32.6-52.2
H.S. or G.E.D.	706	90,727	444	57.7	52.2-63.2	262	42.3	36.8-47.8
Some Post-H.S.	727	103,467	492	63.4	58.5-68.3	235	36.6	31.7-41.5
College Graduate	946	87,834	645	65.1	61.2-69.0	301	34.9	31.0-38.8
Less than \$15,000	232	29,741	143	56.1	46.5-65.7	89	43.9	34.3-53.5
\$15,000- 24,999	364	42,026	229	60.6	53.9-67.3	135	39.4	32.7-46.1
\$25,000- 34,999	227	26,644	156	62.3	53.5-71.1	71	37.7	28.9-46.5
\$35,000- 49,999	331	42,345	218	56.3	48.5-64.1	113	43.7	35.9-51.5
\$50,000- 74,999	338	40,536	231	66.0	59.1-72.9	107	34.0	27.1-40.9
\$75,000+	648	89,596	444	67.1	62.2-72.0	204	32.9	28.0-37.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4417	635,695	427	8.2	07.2-09.2	47	1.2	00.8-01.6	3943	90.6	89.6-91.6
Male	1773	304,223	179	8.6	07.0-10.2				1594	91.4	89.8-93.0
Female	2644	331,472	248	7.8	06.6-09.0	47	2.3	01.5-03.1	2349	89.9	88.5-91.3
White/Non-Hisp	3289	426,681	326	8.2	07.0-09.4	40	1.4	00.8-02.0	2923	90.4	89.2-91.6
Black or Afr. Am./Non-Hisp	601	116,908	61	10.2	06.9-13.5	3	0.6	00.0-01.4	537	89.1	85.8-92.4
Oth. Race/Non-Hisp.	184	29,598	13	5.6	02.1-09.1	3	2.2	00.0-04.7	168	92.1	87.8-96.4
MultiRacial/Non-Hisp.	61	4,658	5	11.2	00.0-22.8				56	88.8	77.2-0100
Hispanic	217	49,585	15	4.7	02.0-07.4	1	0.2	00.0-00.6	201	95.1	92.4-97.8
18-24	274	89,454	8	2.0	00.6-03.4				266	98.0	96.6-99.4
25-34	458	111,074	11	2.1	00.5-03.7	10	1.6	00.4-02.8	437	96.2	94.2-98.2
35-44	572	105,410	33	6.7	04.0-09.4	14	2.6	01.0-04.2	525	90.7	87.6-93.8
45-54	775	115,375	74	10.6	07.9-13.3	7	1.2	00.0-02.4	694	88.2	85.3-91.1
55-64	911	97,390	106	12.2	09.5-14.9	9	0.9	00.1-01.7	796	86.9	84.0-89.8
65+	1381	112,861	190	14.6	12.2-17.0	6	0.3	00.1-00.5	1185	85.2	82.8-87.6
Less Than H.S.	323	80,536	31	6.6	03.9-09.3	2	0.1	00.0-00.3	290	93.3	90.6-96.0
H.S. or G.E.D.	1277	196,479	136	9.4	07.2-11.6	15	1.3	00.5-02.1	1126	89.3	87.1-91.5
Some Post-H.S.	1133	187,064	117	8.8	06.8-10.8	14	1.7	00.7-02.7	1002	89.5	87.3-91.7
College Graduate	1668	170,072	141	6.8	05.4-08.2	16	0.9	00.3-01.5	1511	92.3	90.9-93.7
Less than \$15,000	341	50,649	35	8.2	04.5-11.9	1	0.1	00.0-00.3	305	91.7	88.0-95.4
\$15,000- 24,999	585	80,625	66	9.5	06.8-12.2	5	0.8	00.0-01.8	514	89.7	87.0-92.4
\$25,000- 34,999	401	54,638	45	9.2	05.9-12.5	4	1.5	00.0-03.1	352	89.3	85.6-93.0
\$35,000- 49,999	591	86,005	68	8.9	06.5-11.3	4	0.8	00.0-01.6	519	90.4	87.9-92.9
\$50,000- 74,999	603	83,477	63	8.9	06.2-11.6	6	1.9	00.1-03.7	534	89.2	85.9-92.5
\$75,000+	1243	189,471	87	7.1	05.1-09.1	14	1.2	00.4-02.0	1142	91.7	89.5-93.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1773	304,223	179	8.6	07.0-10.2	1594	91.4	89.8-93.0
White/Non-Hisp	1306	201,769	141	9.3	07.5-11.1	1165	90.7	88.9-92.5
Black or Afr. Am./Non-Hisp	231	55,141	18	8.8	03.5-14.1	213	91.2	85.9-96.5
Oth. Race/Non-Hisp.	90	16,803	9	7.8	02.1-13.5	81	92.2	86.5-97.9
Hispanic	93	23,176	6	3.1	00.2-06.0	87	96.9	94.0-99.8
18-24	134	44,871	1	0.6	00.0-01.8	133	99.4	98.2-0100
25-34	201	56,971	5	2.2	00.0-04.7	196	97.8	95.3-0100
35-44	246	51,292	12	6.9	02.4-11.4	234	93.1	88.6-97.6
45-54	320	55,379	34	11.6	06.9-16.3	286	88.4	83.7-93.1
55-64	340	45,707	38	12.3	07.8-16.8	302	87.7	83.2-92.2
65+	518	48,801	88	18.6	14.3-22.9	430	81.4	77.1-85.7
Less Than H.S.	144	41,704	16	5.9	02.6-09.2	128	94.1	90.8-97.4
H.S. or G.E.D.	545	102,511	56	10.1	06.8-13.4	489	89.9	86.6-93.2
Some Post-H.S.	384	80,154	41	8.8	05.5-12.1	343	91.2	87.9-94.5
College Graduate	691	78,640	64	7.9	05.5-10.3	627	92.1	89.7-94.5
Less than \$15,000	101	19,649	11	5.6	01.3-09.9	90	94.4	90.1-98.7
\$15,000- 24,999	211	37,560	21	7.4	03.9-10.9	190	92.6	89.1-96.1
\$25,000- 34,999	164	27,240	18	8.6	03.5-13.7	146	91.4	86.3-96.5
\$35,000- 49,999	250	42,655	34	9.5	06.0-13.0	216	90.5	87.0-94.0
\$50,000- 74,999	257	42,111	32	11.1	06.2-16.0	225	88.9	84.0-93.8
\$75,000+	573	97,125	46	9.2	05.9-12.5	527	90.8	87.5-94.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2644	331,472	248	7.8	06.6-09.0	47	2.3	01.5-03.1	2349	89.9	88.5-91.3
White/Non-Hisp	1983	224,912	185	7.2	05.8-08.6	40	2.6	01.6-03.6	1758	90.1	88.5-91.7
Black or Afr. Am./Non-Hisp	370	61,767	43	11.5	07.6-15.4	3	1.2	00.0-02.6	324	87.3	83.2-91.4
Oth. Race/Non-Hisp.	94	12,795	4	2.8	00.0-06.3	3	5.1	00.0-11.0	87	92.0	85.3-98.7
Hispanic	124	26,409	9	6.1	01.6-10.6	1	0.4	00.0-01.2	114	93.5	89.0-98.0
18-24	140	44,583	7	3.4	00.9-05.9				133	96.6	94.1-99.1
25-34	257	54,103	6	2.0	00.2-03.8	10	3.4	01.0-05.8	241	94.6	91.7-97.5
35-44	326	54,118	21	6.5	03.2-09.8	14	5.1	02.0-08.2	291	88.4	84.1-92.7
45-54	455	59,996	40	9.7	06.4-13.0	7	2.4	00.2-04.6	408	87.9	84.0-91.8
55-64	571	51,683	68	12.2	08.7-15.7	9	1.7	00.3-03.1	494	86.1	82.4-89.8
65+	863	64,060	102	11.5	09.0-14.0	6	0.5	00.1-00.9	755	88.0	85.5-90.5
Less Than H.S.	179	38,832	15	7.3	02.8-11.8	2	0.3	00.0-00.7	162	92.4	87.9-96.9
H.S. or G.E.D.	732	93,968	80	8.7	06.3-11.1	15	2.7	00.9-04.5	637	88.6	85.9-91.3
Some Post-H.S.	749	106,911	76	8.8	06.4-11.2	14	3.0	01.2-04.8	659	88.2	85.5-90.9
College Graduate	977	91,432	77	5.9	04.3-07.5	16	1.7	00.7-02.7	884	92.4	90.6-94.2
Less than \$15,000	240	31,000	24	9.9	04.6-15.2	1	0.1	00.0-00.3	215	90.0	84.7-95.3
\$15,000- 24,999	374	43,064	45	11.3	07.4-15.2	5	1.5	00.0-03.3	324	87.2	83.1-91.3
\$25,000- 34,999	237	27,398	27	9.9	05.6-14.2	4	2.9	00.0-05.8	206	87.2	82.1-92.3
\$35,000- 49,999	341	43,350	34	8.3	05.2-11.4	4	1.5	00.0-03.3	303	90.2	86.7-93.7
\$50,000- 74,999	346	41,365	31	6.7	04.0-09.4	6	3.8	00.3-07.3	309	89.5	85.2-93.8
\$75,000+	670	92,346	41	4.9	02.9-06.9	14	2.5	00.9-04.1	615	92.6	90.2-95.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 2: DIABETES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13
	ARE YOU NOW TAKING INSULIN? (INSULIN)	
4	MALES AND FEMALES	14
5	MALES ONLY	15
6	FEMALES ONLY	16
	ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7	MALES AND FEMALES	17
8	MALES ONLY	18
9	FEMALES ONLY	19
	ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10	MALES AND FEMALES	20
11	MALES ONLY	21
12	FEMALES ONLY	22
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13	MALES AND FEMALES	23
14	MALES ONLY	24
15	FEMALES ONLY	25
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16	MALES AND FEMALES	26
17	MALES ONLY	27
18	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 2: DIABETES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28	MALES AND FEMALES	38
29	MALES ONLY	39
30	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	691	74,896	13	2.3	00.9-03.7	56	11.9	07.8-16.0	167	28.2	23.7-32.7	298	39.6	34.7-44.5	157	18.0	14.9-21.1
Male	277	35,194	7	3.1	00.7-05.5	18	8.3	03.8-12.8	70	29.6	22.7-36.5	118	40.0	32.9-47.1	64	18.9	13.8-24.0
Female	414	39,702	6	1.7	00.3-03.1	38	15.1	08.6-21.6	97	26.9	21.0-32.8	180	39.2	32.5-45.9	93	17.1	13.0-21.2
White/Non-Hisp	487	50,605	12	3.2	01.2-05.2	33	11.8	06.7-16.9	101	25.5	20.4-30.6	216	39.0	33.3-44.7	125	20.6	16.7-24.5
Black or Afr. Am./Non-Hisp	144	19,289				15	12.0	04.0-20.0	45	33.2	22.8-43.6	60	41.8	30.6-53.0	24	13.0	06.9-19.1
45-54	102	13,988	2	2.4	00.0-05.9	12	9.8	02.2-17.4	52	53.3	40.4-66.2	36	34.5	22.0-47.0			
55-64	178	21,130	4	2.7	00.0-05.6	10	5.5	01.4-09.6	47	27.1	18.5-35.7	109	59.2	49.6-68.8	8	5.4	01.3-09.5
65+	357	29,757	1	0.2	00.0-00.6	9	1.8	00.4-03.2	45	15.3	10.4-20.2	153	41.4	35.1-47.7	149	41.3	35.0-47.6
Less Than H.S.	83	13,984				7	16.2	02.5-29.9	21	26.0	14.6-37.4	37	44.7	29.4-60.0	18	13.1	05.5-20.7
H.S. or G.E.D.	263	27,886	4	1.9	00.0-03.9	23	11.6	05.9-17.3	59	28.7	21.4-36.0	114	38.9	31.6-46.2	63	18.9	13.8-24.0
Some Post-H.S.	189	21,260	6	4.1	00.6-07.6	13	10.3	03.0-17.6	51	29.2	21.2-37.2	83	38.0	29.6-46.4	36	18.5	11.8-25.2
College Graduate	153	11,413	3	3.1	00.0-06.6	13	10.8	04.1-17.5	36	28.8	18.4-39.2	61	36.1	26.7-45.5	40	21.2	14.1-28.3
Less than \$15,000	97	10,388	1	0.6	00.0-01.8	8	19.4	01.4-37.4	28	31.9	18.0-45.8	42	34.3	21.2-47.4	18	13.9	05.7-22.1
\$15,000- 24,999	139	15,825	1	0.6	00.0-01.8	21	17.9	09.1-26.7	32	28.2	17.8-38.6	62	41.1	29.7-52.5	23	12.1	06.4-17.8
\$25,000- 34,999	90	9,563	5	7.9	00.8-15.0	8	9.8	02.2-17.4	21	22.1	11.7-32.5	39	46.1	31.0-61.2	17	14.2	06.4-22.0
\$35,000- 49,999	87	8,504	1	2.0	00.0-05.7	5	13.1	00.9-25.3	13	16.1	06.7-25.5	44	43.6	30.7-56.5	24	25.2	13.8-36.6
\$50,000- 74,999	76	9,539				6	10.0	01.4-18.6	25	36.9	23.4-50.4	31	39.6	26.1-53.1	14	13.5	05.7-21.3
\$75,000+	91	10,579	4	4.2	00.0-08.5	4	4.1	00.0-09.0	26	38.4	25.7-51.1	37	39.2	27.4-51.0	20	14.1	06.8-21.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	277	35,194	7	3.1	00.7-05.5	18	8.3	04.0-12.6	70	29.6	22.9-36.3	118	40.0	33.1-46.9	64	18.9	13.8-24.0
White/Non-Hisp	202	25,909	7	4.2	00.9-07.5	12	8.7	03.6-13.8	45	26.4	19.0-33.8	89	41.6	33.6-49.6	49	19.1	13.2-25.0
55-64	74	10,411	4	5.6	00.0-11.5	3	5.7	00.0-12.4	18	27.1	14.6-39.6	47	58.5	44.8-72.2	2	3.2	00.0-07.5
65+	143	14,277				5	1.8	00.0-03.6	21	15.7	08.6-22.8	55	38.1	28.5-47.7	62	44.3	34.5-54.1
H.S. or G.E.D.	92	12,291	2	2.5	00.0-05.8	8	9.4	02.1-16.7	25	31.1	19.1-43.1	41	42.4	30.4-54.4	16	14.7	07.1-22.3
Some Post-H.S.	80	10,456	3	5.4	00.0-11.7	2	2.7	00.0-07.0	19	28.2	16.2-40.2	34	38.2	26.2-50.2	22	25.5	14.7-36.3
College Graduate	73	6,542	2	3.3	00.0-08.2	5	7.7	00.0-15.7	16	30.1	14.6-45.6	31	39.5	25.6-53.4	19	19.4	10.0-28.8
\$75,000+	59	8,021	3	4.4	00.0-09.5	1	2.8	00.0-08.3	16	38.7	23.2-54.2	27	41.8	27.5-56.1	12	12.3	04.3-20.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	414	39,702	6	1.7	00.3-03.1	38	15.1	08.8-21.4	97	26.9	21.0-32.8	180	39.2	32.5-45.9	93	17.1	13.2-21.0
White/Non-Hisp	285	24,697	5	2.2	00.2-04.2	21	15.1	06.9-23.3	56	24.4	17.7-31.1	127	36.2	29.3-43.1	76	22.1	16.6-27.6
Black or Afr. Am./Non-Hisp	95	12,206				12	16.4	04.4-28.4	28	27.9	15.7-40.1	40	45.1	30.4-59.8	15	10.6	03.9-17.3
45-54	59	6,447	1	1.8	00.0-05.3	9	9.3	02.2-16.4	29	53.7	37.4-70.0	20	35.2	19.7-50.7			
55-64	104	10,719				7	5.3	00.4-10.2	29	27.1	16.3-37.9	62	60.0	47.3-72.7	6	7.6	00.9-14.3
65+	214	15,479	1	0.4	00.0-01.2	4	1.7	00.0-03.7	24	14.9	08.4-21.4	98	44.4	36.2-52.6	87	38.6	30.8-46.4
Less Than H.S.	51	8,079				4	15.8	00.0-35.6	11	23.9	09.6-38.2	25	48.9	28.5-69.3	11	11.4	03.0-19.8
H.S. or G.E.D.	171	15,595	2	1.6	00.0-03.8	15	13.3	05.3-21.3	34	26.9	17.7-36.1	73	36.1	27.1-45.1	47	22.1	15.2-29.0
Some Post-H.S.	109	10,804	3	2.7	00.0-06.0	11	17.6	04.9-30.3	32	30.2	19.2-41.2	49	37.8	26.4-49.2	14	11.7	04.1-19.3
College Graduate	80	4,871	1	2.8	00.0-08.1	8	15.1	03.7-26.5	20	27.0	14.5-39.5	30	31.6	19.6-43.6	21	23.6	13.2-34.0
Less than \$15,000	67	6,357	1	0.9	00.0-02.7	7	31.4	05.9-56.9	19	28.5	12.8-44.2	29	28.6	14.5-42.7	11	10.6	02.8-18.4
\$15,000- 24,999	94	10,802				15	20.0	08.2-31.8	23	28.6	15.7-41.5	41	42.0	27.3-56.7	15	9.4	03.7-15.1
\$25,000- 34,999	63	5,601	4	9.2	00.6-17.8	8	16.7	04.4-29.0	14	26.3	12.2-40.4	26	36.7	20.8-52.6	11	11.1	03.5-18.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	734	78,725	229	31.3	27.0-35.6	505	68.7	64.4-73.0
Male	291	36,714	103	35.3	28.6-42.0	188	64.7	58.0-71.4
Female	443	42,011	126	27.9	22.4-33.4	317	72.1	66.6-77.6
White/Non-Hisp	507	51,899	153	31.8	26.7-36.9	354	68.2	63.1-73.3
Black or Afr. Am./Non-Hisp	163	21,463	53	29.0	20.0-38.0	110	71.0	62.0-80.0
45-54	104	14,326	38	37.6	25.3-49.9	66	62.4	50.1-74.7
55-64	183	21,820	67	33.2	24.8-41.6	116	66.8	58.4-75.2
65+	390	32,288	107	28.9	23.2-34.6	283	71.1	65.4-76.8
Less Than H.S.	93	15,488	28	26.2	15.2-37.2	65	73.8	62.8-84.8
H.S. or G.E.D.	276	28,755	87	31.3	24.4-38.2	189	68.7	61.8-75.6
Some Post-H.S.	199	22,129	68	34.3	26.3-42.3	131	65.7	57.7-73.7
College Graduate	162	11,933	45	33.3	23.3-43.3	117	66.7	56.7-76.7
Less than \$15,000	107	11,492	42	33.7	21.5-45.9	65	66.3	54.1-78.5
\$15,000- 24,999	148	16,983	54	36.9	26.3-47.5	94	63.1	52.5-73.7
\$25,000- 34,999	91	9,571	33	37.4	23.9-50.9	58	62.6	49.1-76.1
\$35,000- 49,999	92	8,804	29	34.1	21.9-46.3	63	65.9	53.7-78.1
\$50,000- 74,999	78	9,675	17	20.9	09.9-31.9	61	79.1	68.1-90.1
\$75,000+	94	10,773	24	27.1	15.7-38.5	70	72.9	61.5-84.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	291	36,714	103	35.3	28.6-42.0	188	64.7	58.0-71.4
White/Non-Hisp	210	26,650	77	37.3	29.3-45.3	133	62.7	54.7-70.7
Black or Afr. Am./Non-Hisp	54	7,817	20	34.3	19.0-49.6	34	65.7	50.4-81.0
55-64	77	10,811	26	30.4	18.8-42.0	51	69.6	58.0-81.2
65+	153	15,263	50	31.8	22.8-40.8	103	68.2	59.2-77.2
H.S. or G.E.D.	97	12,813	35	33.3	22.3-44.3	62	66.7	55.7-77.7
Some Post-H.S.	83	10,653	33	40.2	27.9-52.5	50	59.8	47.5-72.1
College Graduate	78	6,971	24	35.8	21.5-50.1	54	64.2	49.9-78.5
\$75,000+	60	8,154	15	26.7	13.0-40.4	45	73.3	59.6-87.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	443	42,011	126	27.9	22.4-33.4	317	72.1	66.6-77.6
White/Non-Hisp	297	25,248	76	25.9	19.6-32.2	221	74.1	67.8-80.4
Black or Afr. Am./Non-Hisp	109	13,646	33	26.0	15.0-37.0	76	74.0	63.0-85.0
45-54	60	6,651	19	30.1	14.4-45.8	41	69.9	54.2-85.6
55-64	106	11,009	41	35.9	23.4-48.4	65	64.1	51.6-76.6
65+	237	17,025	57	26.3	19.2-33.4	180	73.7	66.6-80.8
Less Than H.S.	60	9,212	17	23.5	10.2-36.8	43	76.5	63.2-89.8
H.S. or G.E.D.	179	15,941	52	29.7	20.9-38.5	127	70.3	61.5-79.1
Some Post-H.S.	116	11,476	35	28.8	18.6-39.0	81	71.2	61.0-81.4
College Graduate	84	4,962	21	29.8	17.3-42.3	63	70.2	57.7-82.7
Less than \$15,000	75	7,201	27	30.9	16.4-45.4	48	69.1	54.6-83.6
\$15,000- 24,999	100	11,396	33	32.4	19.1-45.7	67	67.6	54.3-80.9
\$25,000- 34,999	64	5,609	24	37.1	22.4-51.8	40	62.9	48.2-77.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	714	76,541	81	12.4	08.7-16.1	161	24.5	20.2-28.8	460	61.6	56.7-66.5	12	1.4	00.4-02.4
Male	284	35,317	37	14.8	08.7-20.9	67	24.2	18.1-30.3	174	59.2	51.9-66.5	6	1.7	00.1-03.3
Female	430	41,224	44	10.3	06.0-14.6	94	24.8	18.5-31.1	286	63.7	57.0-70.4	6	1.2	00.0-02.4
White/Non-Hisp	495	50,610	59	13.5	09.0-18.0	110	21.9	17.4-26.4	317	62.6	56.9-68.3	9	2.0	00.6-03.4
Black or Afr. Am./Non-Hisp	156	20,703	15	9.4	02.1-16.7	34	28.4	18.2-38.6	105	61.8	51.0-72.6	2	0.4	00.0-01.0
45-54	100	13,796	14	19.8	07.1-32.5	16	14.6	06.8-22.4	68	63.0	49.9-76.1	2	2.6	00.0-06.3
55-64	179	21,388	17	9.7	04.0-15.4	39	27.8	17.8-37.8	120	61.6	51.4-71.8	3	0.9	00.0-02.1
65+	381	31,308	44	10.5	07.0-14.0	91	24.8	19.5-30.1	242	64.3	58.4-70.2	4	0.4	00.0-00.8
Less Than H.S.	89	14,892	6	11.2	00.0-22.8	16	20.9	08.0-33.8	67	67.9	52.6-83.2			
H.S. or G.E.D.	272	28,346	22	8.7	04.8-12.6	68	29.8	22.5-37.1	180	61.0	53.6-68.4	2	0.5	00.0-01.5
Some Post-H.S.	191	21,588	26	15.1	07.3-22.9	42	22.7	15.4-30.0	117	58.5	49.7-67.3	6	3.6	00.5-06.7
College Graduate	158	11,295	27	18.4	10.8-26.0	34	20.4	13.0-27.8	93	59.9	50.5-69.3	4	1.4	00.0-03.0
Less than \$15,000	104	11,118	9	13.0	00.8-25.2	18	18.4	07.4-29.4	75	67.9	53.6-82.2	2	0.7	00.0-01.7
\$15,000- 24,999	145	16,761	7	4.0	00.7-07.3	34	31.1	19.1-43.1	102	63.9	52.1-75.7	2	1.0	00.0-02.4
\$25,000- 34,999	89	9,408	10	17.4	02.1-32.7	15	14.6	06.0-23.2	62	66.2	50.9-81.5	2	1.8	00.0-04.7
\$35,000- 49,999	90	8,561	16	18.0	06.4-29.6	19	19.8	10.2-29.4	55	62.2	49.3-75.1			
\$50,000- 74,999	76	9,235	13	19.4	07.6-31.2	23	28.9	16.7-41.1	38	48.5	35.0-62.0	2	3.1	00.0-07.4
\$75,000+	92	10,561	16	17.0	08.4-25.6	26	31.4	19.6-43.2	48	50.2	37.9-62.5	2	1.4	00.0-03.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	284	35,317	37	14.8	08.9-20.7	67	24.2	18.3-30.1	174	59.2	51.8-66.6	6	1.7	00.1-03.3
White/Non-Hisp	205	25,702	25	15.6	08.2-23.0	46	21.7	15.2-28.2	129	60.5	51.7-69.3	5	2.1	00.0-04.3
Black or Afr. Am./Non-Hisp	52	7,368	7	10.0	02.4-17.6	13	30.5	14.6-46.4	31	58.8	42.5-75.1	1	0.7	00.0-02.1
55-64	75	10,481	7	11.6	01.8-21.4	22	33.9	20.6-47.2	44	53.0	38.9-67.1	2	1.5	00.0-03.7
65+	149	14,563	23	13.8	07.9-19.7	34	22.9	14.9-30.9	90	62.7	53.7-71.7	2	0.6	00.0-01.6
H.S. or G.E.D.	95	12,483	10	11.5	04.4-18.6	30	36.4	24.6-48.2	53	50.9	38.9-62.9	2	1.2	00.0-03.4
Some Post-H.S.	81	10,436	8	11.2	02.2-20.2	14	18.1	08.5-27.7	57	67.6	55.4-79.8	2	3.1	00.0-07.6
College Graduate	77	6,605	14	17.4	07.8-27.0	19	22.7	12.3-33.1	42	58.1	45.0-71.2	2	1.8	00.0-04.3
\$75,000+	59	7,991	11	15.9	05.9-25.9	17	32.3	18.2-46.4	30	50.1	35.2-65.0	1	1.7	00.0-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	430	41,224	44	10.3	06.0-14.6	94	24.8	18.5-31.1	286	63.7	56.8-70.6	6	1.2	00.0-02.4
White/Non-Hisp	290	24,907	34	11.3	07.0-15.6	64	22.1	15.6-28.6	188	64.8	57.5-72.1	4	1.8	00.0-03.8
Black or Afr. Am./Non-Hisp	104	13,335	8	9.0	00.0-19.4	21	27.3	13.4-41.2	74	63.4	48.5-78.3	1	0.2	00.0-00.6
45-54	57	6,487	7	11.3	01.1-21.5	9	15.8	04.0-27.6	40	70.9	56.2-85.6	1	2.0	00.0-05.9
55-64	104	10,907	10	7.9	02.2-13.6	17	22.0	06.1-37.9	76	69.8	54.3-85.3	1	0.3	00.0-00.9
65+	232	16,745	21	7.6	03.7-11.5	57	26.4	19.3-33.5	152	65.8	58.4-73.2	2	0.2	00.0-00.4
Less Than H.S.	58	9,099	1	2.0	00.0-05.9	12	27.3	08.3-46.3	45	70.7	51.7-89.7			
H.S. or G.E.D.	177	15,863	12	6.5	02.2-10.8	38	24.6	15.6-33.6	127	68.9	59.7-78.1			
Some Post-H.S.	110	11,152	18	18.8	06.5-31.1	28	27.1	16.7-37.5	60	50.0	37.7-62.3	4	4.1	00.0-08.4
College Graduate	81	4,690	13	19.9	07.7-32.1	15	17.0	06.2-27.8	51	62.4	48.5-76.3	2	0.7	00.0-01.7
Less than \$15,000	73	7,112	5	13.4	00.0-31.0	13	12.3	04.3-20.3	55	74.3	56.7-91.9			
\$15,000- 24,999	98	11,315	4	3.4	00.0-07.3	28	39.6	23.7-55.5	66	57.0	41.3-72.7			
\$25,000- 34,999	62	5,446	5	4.8	00.0-10.3	10	16.1	05.1-27.1	45	76.0	63.3-88.7	2	3.1	00.0-08.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	709	77,022	460	65.2	60.5-69.9	105	15.2	11.9-18.5	38	6.2	03.3-09.1	10	1.3	00.3-02.3	89	11.3	08.4-14.2	7	0.7	00.1-01.3
Male	285	36,078	178	65.1	58.4-71.8	42	14.7	09.6-19.8	19	6.1	03.0-09.2	7	2.0	00.0-04.0	36	11.5	07.4-15.6	3	0.6	00.0-01.4
Female	424	40,943	282	65.3	58.6-72.0	63	15.6	11.1-20.1	19	6.4	01.5-11.3	3	0.7	00.0-01.5	53	11.2	06.9-15.5	4	0.8	00.0-02.0
White/Non-Hisp	491	50,839	320	67.3	62.2-72.4	72	14.7	10.8-18.6	25	5.3	02.8-07.8	7	1.3	00.3-02.3	62	10.9	07.8-14.0	5	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	156	20,988	101	62.0	50.8-73.2	29	19.1	11.3-26.9	10	9.0	00.2-17.8	1	0.6	00.0-01.8	14	9.0	01.9-16.1	1	0.3	00.0-00.9
45-54	102	14,239	69	68.8	57.4-80.2	15	17.1	07.5-26.7	6	7.7	01.0-14.4	1	0.6	00.0-01.8	10	5.7	01.4-10.0	1	0.1	00.0-00.3
55-64	180	21,614	131	71.0	61.2-80.8	26	14.7	08.6-20.8	9	8.2	00.0-16.8	2	0.9	00.0-02.1	12	5.2	01.3-09.1			
65+	373	31,098	232	63.4	57.5-69.3	55	15.4	10.7-20.1	21	5.1	02.7-07.5	6	1.7	00.1-03.3	55	13.7	09.6-17.8	4	0.7	00.1-01.3
Less Than H.S.	88	15,107	58	71.4	58.5-84.3	8	5.8	01.5-10.1	8	9.9	00.0-21.7	2	2.9	00.0-07.0	12	9.9	03.4-16.4			
H.S. or G.E.D.	271	28,374	178	66.8	59.9-73.7	49	18.3	12.4-24.2	11	5.2	01.9-08.5	2	0.6	00.0-01.4	28	8.7	04.8-12.6	3	0.4	00.0-00.8
Some Post-H.S.	192	21,565	129	61.8	52.8-70.8	27	18.3	11.2-25.4	11	5.6	01.7-09.5	1	0.6	00.0-01.8	22	13.2	05.9-20.5	2	0.5	00.0-01.3
College Graduate	155	11,583	92	58.3	48.1-68.5	21	14.6	06.2-23.0	8	5.3	01.2-09.4	5	2.5	00.1-04.9	27	16.5	09.2-23.8	2	2.7	00.0-06.8
Less than \$15,000	104	11,311	83	79.2	66.7-91.7	9	7.7	01.8-13.6	2	1.4	00.0-03.4				9	11.2	00.0-23.2	1	0.5	00.0-01.5
\$15,000- 24,999	145	16,725	97	66.3	54.9-77.7	18	10.9	04.8-17.0	10	10.8	00.0-21.6				20	12.0	06.1-17.9			
\$25,000- 34,999	89	9,518	51	59.4	45.7-73.1	17	20.5	09.5-31.5	4	5.5	00.0-11.2				17	14.6	06.2-23.0			
\$35,000- 49,999	89	8,453	55	57.8	44.5-71.1	17	20.3	09.3-31.3	4	3.9	00.0-08.0	3	1.8	00.0-04.0	9	15.3	04.5-26.1	1	0.9	00.0-02.7
\$50,000- 74,999	75	9,479	44	65.4	53.1-77.7	12	15.8	06.0-25.6	9	12.2	03.6-20.8				10	6.7	01.8-11.6			
\$75,000+	90	10,590	54	53.3	41.0-65.6	14	21.2	09.8-32.6	4	5.8	00.0-12.1	3	2.1	00.0-04.5	13	15.3	06.9-23.7	2	2.3	00.0-06.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	285	36,078	178	65.1	58.4-71.8	42	14.7	09.6-19.8	19	6.1	03.0-09.2	7	2.0	00.0-04.0	36	11.5	07.4-15.6	3	0.6	00.0-01.2
White/Non-Hisp	206	26,253	133	66.5	58.9-74.1	27	13.2	07.7-18.7	15	7.2	02.9-11.5	5	1.8	00.0-03.6	24	10.7	06.0-15.4	2	0.6	00.0-01.4
Black or Afr. Am./Non-Hisp	53	7,725	33	68.0	53.3-82.7	12	21.6	07.9-35.3	2	2.9	00.0-07.0				5	6.7	00.2-13.2	1	0.7	00.0-02.1
55-64	76	10,705	55	75.0	64.0-86.0	10	11.2	03.9-18.5	4	4.9	00.0-10.0	1	0.6	00.0-01.8	6	8.3	00.9-15.7			
65+	148	14,734	86	59.2	49.6-68.8	24	18.0	10.2-25.8	11	5.7	01.8-09.6	5	2.9	00.0-06.0	20	13.2	06.9-19.5	2	0.9	00.0-02.1
H.S. or G.E.D.	95	12,534	60	65.8	54.6-77.0	17	14.7	06.9-22.5	5	7.1	00.6-13.6				12	12.0	04.6-19.4	1	0.4	00.0-01.2
Some Post-H.S.	82	10,576	50	60.0	47.7-72.3	14	19.4	09.2-29.6	6	7.1	00.4-13.8				11	12.7	04.9-20.5	1	0.7	00.0-02.1
College Graduate	76	6,799	45	59.7	45.4-74.0	8	14.7	01.6-27.8	5	4.4	00.0-08.9	5	4.3	00.4-08.2	12	15.5	06.1-24.9	1	1.2	00.0-03.6
\$75,000+	60	8,154	34	52.2	37.3-67.1	10	22.3	08.2-36.4	3	6.6	00.0-14.6	2	1.8	00.0-04.3	11	17.0	06.6-27.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	424	40,943	282	65.3	58.6-72.0	63	15.6	11.1-20.1	19	6.4	01.5-11.3	3	0.7	00.0-01.5	53	11.2	06.9-15.5	4	0.8	00.0-02.0
White/Non-Hisp	285	24,586	187	68.2	61.5-74.9	45	16.3	11.0-21.6	10	3.3	00.9-05.7	2	0.7	00.0-01.7	38	11.2	06.9-15.5	3	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	103	13,263	68	58.5	43.6-73.4	17	17.6	08.2-27.0	8	12.6	00.0-26.1	1	0.9	00.0-02.7	9	10.4	00.0-21.0			
45-54	58	6,564	41	70.9	56.0-85.8	9	20.8	06.9-34.7	2	4.4	00.0-11.1	1	1.2	00.0-03.6	4	2.4	00.0-05.7	1	0.3	00.0-00.9
55-64	104	10,908	76	67.2	51.5-82.9	16	18.2	08.4-28.0	5	11.4	00.0-27.3	1	1.1	00.0-03.3	6	2.1	00.1-04.1			
65+	225	16,364	146	67.2	59.8-74.6	31	13.1	07.4-18.8	10	4.6	01.7-07.5	1	0.6	00.0-01.8	35	14.1	08.8-19.4	2	0.4	00.0-01.0
Less Than H.S.	56	8,936	35	66.8	47.8-85.8	5	5.0	00.3-09.7	5	14.1	00.0-33.1				11	14.1	04.3-23.9			
H.S. or G.E.D.	176	15,840	118	67.7	58.9-76.5	32	21.2	13.0-29.4	6	3.7	00.4-07.0	2	1.1	00.0-02.7	16	6.0	02.5-09.5	2	0.4	00.0-01.0
Some Post-H.S.	110	10,989	79	63.4	50.5-76.3	13	17.3	07.7-26.9	5	4.2	00.0-08.7	1	1.1	00.0-03.3	11	13.7	01.5-25.9	1	0.3	00.0-00.9
College Graduate	79	4,785	47	56.1	42.2-70.0	13	14.5	05.7-23.3	3	6.6	00.0-14.0				15	18.0	06.6-29.4	1	4.8	00.0-13.8
Less than \$15,000	72	7,019	56	72.6	54.4-90.8	7	8.9	01.1-16.7	1	0.8	00.0-02.4				8	17.7	00.0-35.7			
\$15,000- 24,999	98	11,214	70	67.7	52.0-83.4	10	9.2	01.9-16.5	6	13.0	00.0-28.5				12	10.1	03.2-17.0			
\$25,000- 34,999	62	5,556	33	47.1	31.2-63.0	13	29.4	13.7-45.1	4	9.4	00.0-19.0				12	14.2	04.2-24.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 time		2 times			3 times			4 times			5 or more times			None			
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	709	76,040	104	15.9	12.0-19.8	126	16.3	13.0-19.6	108	13.3	10.4-16.2	187	25.7	21.6-29.8	108	15.3	12.0-18.6	76	13.6	09.5-17.7
Male	283	36,032	41	15.9	10.6-21.2	50	15.4	10.5-20.3	36	11.7	07.4-16.0	76	27.4	20.9-33.9	46	15.9	10.8-21.0	34	13.7	07.8-19.6
Female	426	40,008	63	15.8	10.1-21.5	76	17.0	12.5-21.5	72	14.7	10.6-18.8	111	24.2	18.9-29.5	62	14.7	10.4-19.0	42	13.5	07.4-19.6
White/Non-Hisp	493	50,771	75	15.5	11.4-19.6	85	14.7	11.2-18.2	81	15.0	11.1-18.9	139	28.0	22.9-33.1	62	13.7	10.0-17.4	51	13.0	07.9-18.1
Black or Afr. Am./Non-Hisp	157	20,258	21	16.4	06.4-26.4	31	19.8	11.6-28.0	22	11.0	05.9-16.1	33	19.9	12.5-27.3	32	18.5	11.4-25.6	18	14.4	05.4-23.4
45-54	103	13,841	24	23.5	12.7-34.3	15	11.2	03.8-18.6	19	16.2	08.0-24.4	18	21.2	11.2-31.2	17	16.3	07.7-24.9	10	11.6	00.4-22.8
55-64	180	21,395	32	20.6	11.0-30.2	26	14.9	08.4-21.4	21	12.0	05.9-18.1	50	25.7	17.7-33.7	42	20.8	13.9-27.7	9	6.0	00.5-11.5
65+	370	30,759	44	12.4	08.3-16.5	74	19.2	14.3-24.1	61	15.0	10.7-19.3	104	27.7	22.0-33.4	43	13.0	08.5-17.5	44	12.7	08.4-17.0
Less Than H.S.	85	14,618	10	18.1	04.4-31.8	17	14.3	06.5-22.1	13	12.9	05.1-20.7	19	18.7	08.7-28.7	14	14.7	06.3-23.1	12	21.4	07.3-35.5
H.S. or G.E.D.	268	27,574	45	18.1	12.2-24.0	46	18.0	12.3-23.7	44	14.1	09.2-19.0	72	24.6	18.5-30.7	40	14.8	09.7-19.9	21	10.5	04.8-16.2
Some Post-H.S.	194	21,668	28	14.9	09.0-20.8	29	11.3	06.8-15.8	26	11.3	06.2-16.4	57	31.1	22.9-39.3	32	18.4	11.7-25.1	22	12.8	05.5-20.1
College Graduate	159	11,787	21	10.0	05.1-14.9	33	23.9	14.3-33.5	25	15.8	08.5-23.1	37	25.2	16.4-34.0	22	11.9	06.4-17.4	21	13.2	06.9-19.5
Less than \$15,000	100	11,102	16	13.1	05.7-20.5	15	13.1	04.7-21.5	12	8.5	02.4-14.6	22	15.5	07.7-23.3	21	20.5	10.1-30.9	14	29.3	11.9-46.7
\$15,000- 24,999	143	16,115	25	21.3	09.5-33.1	24	14.9	07.8-22.0	21	9.9	04.8-15.0	37	24.0	15.0-33.0	25	18.0	10.4-25.6	11	11.8	03.6-20.0
\$25,000- 34,999	90	9,370	11	15.4	04.8-26.0	17	15.9	06.1-25.7	14	12.4	04.6-20.2	22	25.1	13.1-37.1	12	12.8	04.6-21.0	14	18.4	03.3-33.5
\$35,000- 49,999	91	8,775	10	18.1	05.6-30.6	16	13.9	06.6-21.2	15	14.8	06.4-23.2	25	23.1	12.7-33.5	14	16.7	06.9-26.5	11	13.5	04.9-22.1
\$50,000- 74,999	78	9,675	11	9.9	03.0-16.8	12	13.9	05.7-22.1	13	18.3	07.1-29.5	21	33.2	19.7-46.7	10	13.6	04.6-22.6	11	11.1	03.8-18.4
\$75,000+	92	10,582	16	15.3	07.1-23.5	23	25.9	14.5-37.3	14	17.9	07.9-27.9	23	29.3	17.9-40.7	9	6.5	01.4-11.6	7	5.1	01.2-09.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	283	36,032	41	15.9	10.6-21.2	50	15.4	10.5-20.3	36	11.7	07.4-16.0	76	27.4	20.9-33.9	46	15.9	10.8-21.0	34	13.7	07.8-19.6
White/Non-Hisp	206	26,370	31	17.1	10.4-23.8	36	12.8	08.1-17.5	26	12.9	07.2-18.6	59	30.7	22.7-38.7	32	15.1	09.4-20.8	22	11.5	04.6-18.4
Black or Afr. Am./Non-Hisp	53	7,721	7	11.6	02.6-20.6	10	24.5	09.0-40.0	8	8.7	02.2-15.2	9	14.4	05.0-23.8	11	20.9	08.2-33.6	8	19.9	04.2-35.6
55-64	77	10,811	12	17.1	07.5-26.7	11	12.9	04.5-21.3	7	10.1	01.5-18.7	22	27.1	15.1-39.1	19	23.4	12.6-34.2	6	9.4	00.0-19.4
65+	146	14,828	19	13.7	07.0-20.4	29	17.8	10.5-25.1	20	13.8	07.3-20.3	39	26.8	18.2-35.4	17	12.2	05.5-18.9	22	15.8	08.5-23.1
H.S. or G.E.D.	96	12,768	17	17.5	08.9-26.1	17	18.6	09.4-27.8	15	14.5	06.1-22.9	24	22.8	13.6-32.0	13	13.5	05.5-21.5	10	13.1	03.5-22.7
Some Post-H.S.	80	10,452	15	19.4	09.6-29.2	12	9.2	03.5-14.9	10	10.9	03.8-18.0	24	36.0	23.1-48.9	12	15.2	06.2-24.2	7	9.3	01.9-16.7
College Graduate	77	6,939	6	7.5	01.0-14.0	18	26.0	12.3-39.7	7	10.4	00.8-20.0	23	32.2	19.1-45.3	12	13.3	05.3-21.3	11	10.6	04.1-17.1
\$75,000+	60	8,154	11	17.4	07.0-27.8	13	23.5	10.2-36.8	10	18.1	06.1-30.1	18	33.8	19.7-47.9	3	2.9	00.0-06.6	5	4.3	00.4-08.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	426	40,008	63	15.8	10.1-21.5	76	17.0	12.5-21.5	72	14.7	10.6-18.8	111	24.2	18.9-29.5	62	14.7	10.4-19.0	42	13.5	07.4-19.6
White/Non-Hisp	287	24,402	44	13.8	09.1-18.5	49	16.8	11.5-22.1	55	17.3	11.8-22.8	80	25.2	18.9-31.5	30	12.3	07.2-17.4	29	14.7	06.9-22.5
Black or Afr. Am./Non-Hisp	104	12,537	14	19.3	04.6-34.0	21	16.9	07.9-25.9	14	12.4	05.1-19.7	24	23.4	12.6-34.2	21	17.1	08.7-25.5	10	10.9	00.1-21.7
45-54	59	6,167	15	24.6	11.1-38.1	9	10.5	02.7-18.3	11	19.9	07.0-32.8	10	22.5	08.8-36.2	9	18.5	05.8-31.2	5	3.9	00.0-08.0
55-64	103	10,583	20	24.1	08.0-40.2	15	16.9	07.1-26.7	14	14.0	05.4-22.6	28	24.4	13.6-35.2	23	18.1	09.7-26.5	3	2.6	00.0-06.1
65+	224	15,932	25	11.2	06.1-16.3	45	20.5	14.0-27.0	41	16.1	10.4-21.8	65	28.5	21.1-35.9	26	13.8	07.7-19.9	22	9.9	05.4-14.4
Less Than H.S.	55	8,746	7	19.5	00.1-38.9	14	19.0	07.0-31.0	9	15.7	04.3-27.1	14	20.3	07.2-33.4	5	7.5	00.6-14.4	6	18.1	00.0-36.7
H.S. or G.E.D.	172	14,806	28	18.6	10.6-26.6	29	17.4	10.1-24.7	29	13.7	08.0-19.4	48	26.2	18.2-34.2	27	15.9	09.2-22.6	11	8.2	01.3-15.1
Some Post-H.S.	114	11,215	13	10.8	04.3-17.3	17	13.4	06.5-20.3	16	11.7	04.4-19.0	33	26.6	16.4-36.8	20	21.4	11.4-31.4	15	16.1	04.3-27.9
College Graduate	82	4,848	15	13.6	06.2-21.0	15	20.9	08.7-33.1	18	23.5	12.1-34.9	14	15.1	06.3-23.9	10	10.0	03.3-16.7	10	16.9	05.3-28.5
Less than \$15,000	69	6,856	13	15.4	05.4-25.4	11	12.9	03.5-22.3	10	12.7	03.1-22.3	17	18.1	07.3-28.9	10	11.7	02.7-20.7	8	29.1	04.8-53.4
\$15,000- 24,999	98	10,753	15	20.5	04.4-36.6	16	15.2	05.8-24.6	15	10.5	03.8-17.2	28	27.9	15.7-40.1	15	13.5	05.7-21.3	9	12.3	02.1-22.5
\$25,000- 34,999	63	5,408	10	24.2	08.3-40.1	11	12.8	02.2-23.4	10	14.3	03.7-24.9	13	21.7	09.2-34.2	10	16.3	05.5-27.1	9	10.8	02.6-19.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 16: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	675	73,330	310	44.5	39.4-49.6	258	39.3	34.4-44.2	22	2.8	01.4-04.2	11	2.4	00.6-04.2	57	9.5	06.2-12.8	17	1.5	00.7-02.3
Male	269	34,210	126	43.6	36.3-50.9	99	41.1	33.7-48.5	10	3.5	01.1-05.9	7	2.4	00.2-04.6	22	8.1	03.6-12.6	5	1.3	00.1-02.5
Female	406	39,120	184	45.4	38.3-52.5	159	37.7	31.2-44.2	12	2.2	00.6-03.8	4	2.4	00.0-05.1	35	10.7	05.8-15.6	12	1.7	00.5-02.9
White/Non-Hisp	473	49,325	220	45.0	39.1-50.9	185	41.7	35.8-47.6	14	3.1	01.3-04.9	6	1.9	00.3-03.5	36	6.9	04.0-09.8	12	1.4	00.4-02.4
Black or Afr. Am./Non-Hisp	144	19,190	64	44.4	33.2-55.6	49	32.3	22.5-42.1	6	2.2	00.0-04.4	4	3.6	00.0-08.5	16	15.5	05.7-25.3	5	2.1	00.0-04.3
45-54	98	13,757	54	45.8	33.1-58.5	28	40.0	26.5-53.5	2	1.6	00.0-04.1	3	7.0	00.0-15.0	10	5.4	01.5-09.3	1	0.2	00.0-00.6
55-64	175	21,052	78	46.1	36.1-56.1	72	39.8	30.6-49.0	7	4.5	01.0-08.0	5	2.3	00.0-04.7	11	6.6	00.9-12.3	2	0.7	00.0-01.7
65+	350	29,032	158	44.3	37.8-50.8	138	41.2	34.7-47.7	13	3.0	01.0-05.0	3	1.1	00.0-02.5	24	7.2	03.5-10.9	14	3.2	01.0-05.4
Less Than H.S.	71	13,056	28	42.8	26.1-59.5	29	42.0	26.1-57.9				2	2.7	00.0-06.8	9	10.2	02.0-18.4	3	2.3	00.0-05.2
H.S. or G.E.D.	255	26,673	113	45.7	38.1-53.3	94	34.3	27.2-41.4	15	5.3	02.2-08.4	3	2.9	00.0-06.6	20	9.6	03.7-15.5	10	2.1	00.5-03.7
Some Post-H.S.	194	21,674	92	43.4	35.0-51.8	76	41.7	33.1-50.3	4	2.0	00.0-04.2	3	2.2	00.0-04.7	17	10.4	03.3-17.5	2	0.3	00.0-00.9
College Graduate	153	11,548	76	46.8	36.8-56.8	58	42.0	31.8-52.2	3	1.6	00.0-03.6	3	1.5	00.0-03.3	11	6.8	01.7-11.9	2	1.4	00.0-03.4
Less than \$15,000	94	10,433	42	45.2	29.5-60.9	30	22.7	12.7-32.7	4	4.1	00.0-08.8	3	3.3	00.0-07.6	11	22.1	06.6-37.6	4	2.6	00.0-06.1
\$15,000- 24,999	134	15,473	54	42.0	30.2-53.8	49	35.0	24.2-45.8	9	4.2	00.9-07.5	3	4.8	00.0-11.1	17	13.1	04.5-21.7	2	1.0	00.0-02.4
\$25,000- 34,999	83	8,989	36	38.2	23.9-52.5	32	44.5	28.8-60.2	3	4.6	00.0-10.1	1	2.4	00.0-07.1	7	8.0	00.9-15.1	4	2.3	00.0-05.4
\$35,000- 49,999	90	8,729	42	48.1	35.0-61.2	36	38.4	25.9-50.9	2	2.6	00.0-06.9				8	8.3	01.6-15.0	2	2.7	00.0-06.4
\$50,000- 74,999	75	9,360	36	42.8	29.5-56.1	30	49.3	35.6-63.0	1	1.1	00.0-03.3	1	0.7	00.0-02.1	6	5.4	00.5-10.3	1	0.7	00.0-02.1
\$75,000+	91	10,417	49	51.8	39.5-64.1	37	44.6	32.3-56.9	1	0.8	00.0-02.4	1	0.6	00.0-01.8	2	1.6	00.0-03.8	1	0.7	00.0-02.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	269	34,210	126	43.6	36.3-50.9	99	41.1	33.7-48.5	10	3.5	01.1-05.9	7	2.4	00.2-04.6	22	8.1	03.6-12.6	5	1.3	00.1-02.5
White/Non-Hisp	200	25,648	96	44.9	36.5-53.3	74	42.8	34.0-51.6	9	4.5	01.4-07.6	4	2.4	00.0-04.9	13	4.0	01.5-06.5	4	1.4	00.0-03.0
55-64	75	10,471	30	38.9	25.8-52.0	29	40.1	26.8-53.4	3	4.4	00.0-09.3	4	3.9	00.0-08.4	7	11.3	00.7-21.9	2	1.3	00.0-03.1
65+	139	13,864	67	45.6	35.6-55.6	51	38.4	28.8-48.0	5	3.7	00.2-07.2	2	1.2	00.0-02.8	11	9.1	02.2-16.0	3	2.2	00.0-04.9
H.S. or G.E.D.	86	11,480	38	43.0	30.8-55.2	28	31.5	20.5-42.5	6	6.6	01.1-12.1	1	1.8	00.0-05.3	10	14.1	03.7-24.5	3	3.0	00.0-06.5
Some Post-H.S.	81	10,548	43	51.1	38.6-63.6	31	41.9	29.2-54.6	2	2.8	00.0-06.9	1	0.9	00.0-02.7	4	3.3	00.0-06.8			
College Graduate	76	6,844	39	49.1	35.0-63.2	27	41.7	27.2-56.2	2	2.2	00.0-05.3	3	2.5	00.0-05.4	4	3.5	00.0-07.2	1	0.9	00.0-02.7
\$75,000+	59	7,837	33	53.3	38.4-68.2	22	43.1	28.0-58.2	1	1.0	00.0-03.0	1	0.8	00.0-02.4	1	0.8	00.0-02.4	1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 18: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	406	39,120	184	45.4	38.3-52.5	159	37.7	31.2-44.2	12	2.2	0.6-03.8	4	2.4	0.0-05.1	35	10.7	05.8-15.6	12	1.7	0.5-02.9
White/Non-Hisp	273	23,676	124	45.1	36.9-53.3	111	40.4	32.6-48.2	5	1.7	0.0-03.5	2	1.3	0.0-03.3	23	10.0	04.7-15.3	8	1.4	0.2-02.6
Black or Afr. Am./Non-Hisp	98	12,460	46	48.7	34.6-62.8	32	30.8	18.6-43.0	6	3.3	0.0-06.6	1	3.9	0.0-11.3	9	10.7	00.0-21.7	4	2.6	0.0-05.7
45-54	57	6,314	32	48.3	31.6-65.0	16	33.7	17.6-49.8				2	11.1	00.0-26.2	6	6.4	00.1-12.7	1	0.5	0.0-01.5
55-64	100	10,582	48	53.2	39.7-66.7	43	39.6	26.5-52.7	4	4.5	0.0-09.4	1	0.8	0.0-02.4	4	1.9	0.0-04.1			
65+	211	15,169	91	43.2	34.8-51.6	87	43.8	35.4-52.2	8	2.4	0.4-04.4	1	1.0	0.0-03.0	13	5.5	02.0-09.0	11	4.1	01.0-07.2
H.S. or G.E.D.	169	15,193	75	47.8	38.0-57.6	66	36.4	27.4-45.4	9	4.4	0.9-07.9	2	3.7	0.0-09.8	10	6.3	00.0-12.6	7	1.4	0.2-02.6
Some Post-H.S.	113	11,126	49	36.2	25.6-46.8	45	41.4	29.4-53.4	2	1.3	0.0-03.1	2	3.4	0.0-08.1	13	17.2	04.9-29.5	2	0.7	0.0-01.7
College Graduate	77	4,704	37	43.3	30.0-56.6	31	42.3	28.6-56.0	1	0.8	0.0-02.4				7	11.4	00.8-22.0	1	2.1	0.0-06.2
Less than \$15,000	67	6,712	32	50.1	29.9-70.3	22	23.3	11.0-35.6	3	3.9	0.0-09.4				7	19.1	00.1-38.1	3	3.6	0.0-08.9
\$15,000- 24,999	92	10,618	34	43.1	28.0-58.2	35	33.7	20.8-46.6	5	2.0	0.0-04.0	2	6.0	0.0-15.0	14	13.8	03.4-24.2	2	1.4	0.0-03.6
\$25,000- 34,999	58	5,140	28	46.0	29.1-62.9	21	36.2	20.7-51.7	1	3.5	0.0-10.4	1	4.2	0.0-12.2	4	8.6	00.0-18.8	3	1.5	0.0-03.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	707	76,135	137	21.5	17.0-26.0	107	15.0	11.9-18.1	67	9.0	06.3-11.7	134	18.6	15.1-22.1	86	10.8	08.1-13.5	176	25.1	20.6-29.6
Male	285	35,966	62	21.5	15.6-27.4	46	15.1	10.4-19.8	30	10.1	05.8-14.4	62	20.3	14.8-25.8	30	8.5	05.0-12.0	55	24.5	17.6-31.4
Female	422	40,168	75	21.4	14.7-28.1	61	14.9	10.6-19.2	37	8.0	04.7-11.3	72	17.0	12.5-21.5	56	13.0	08.7-17.3	121	25.7	20.0-31.4
White/Non-Hisp	489	50,112	102	23.7	18.2-29.2	75	14.3	10.8-17.8	45	9.5	06.0-13.0	92	19.3	15.0-23.6	55	10.6	07.5-13.7	120	22.7	17.6-27.8
Black or Afr. Am./Non-Hisp	158	20,994	26	17.9	08.3-27.5	21	14.4	07.3-21.5	16	8.6	03.7-13.5	31	16.8	09.9-23.7	26	13.2	06.5-19.9	38	29.1	18.9-39.3
45-54	101	14,078	26	25.7	14.9-36.5	17	12.5	05.6-19.4	7	7.8	01.5-14.1	17	20.0	09.8-30.2	7	8.4	00.4-16.4	27	25.5	13.2-37.8
55-64	176	21,133	38	25.3	15.3-35.3	24	13.9	07.6-20.2	14	9.4	03.9-14.9	30	14.3	08.4-20.2	25	11.9	06.6-17.2	45	25.2	16.8-33.6
65+	376	31,074	66	18.8	13.9-23.7	55	16.1	11.4-20.8	40	9.2	05.9-12.5	79	22.8	17.5-28.1	48	11.1	07.4-14.8	88	22.1	16.8-27.4
Less Than H.S.	89	14,678	17	28.9	13.0-44.8	12	12.3	04.5-20.1	9	8.8	02.3-15.3	20	18.9	09.1-28.7	7	4.1	00.6-07.6	24	27.0	13.9-40.1
H.S. or G.E.D.	266	28,171	57	21.5	15.4-27.6	41	15.3	09.8-20.8	29	10.5	06.0-15.0	48	15.5	10.8-20.2	31	12.3	07.0-17.6	60	24.8	17.7-31.9
Some Post-H.S.	190	21,331	32	17.1	10.2-24.0	32	16.6	10.5-22.7	15	8.4	03.1-13.7	36	19.5	12.6-26.4	23	13.6	07.7-19.5	52	24.8	16.8-32.8
College Graduate	159	11,562	31	20.5	12.9-28.1	21	14.4	08.1-20.7	14	7.2	02.9-11.5	29	21.9	13.3-30.5	25	11.1	05.6-16.6	39	24.9	15.3-34.5
Less than \$15,000	101	11,192	20	26.0	11.5-40.5	15	12.2	04.2-20.2	6	4.9	00.6-09.2	20	15.5	07.3-23.7	14	9.8	03.3-16.3	26	31.6	16.9-46.3
\$15,000- 24,999	144	16,532	39	28.3	17.1-39.5	15	10.5	04.2-16.8	11	7.2	02.1-12.3	28	15.7	08.3-23.1	15	12.1	04.7-19.5	36	26.2	16.4-36.0
\$25,000- 34,999	87	8,890	12	15.6	05.2-26.0	13	14.8	04.8-24.8	8	7.2	00.9-13.5	15	21.7	10.5-32.9	10	7.9	01.8-14.0	29	32.8	17.1-48.5
\$35,000- 49,999	91	8,728	15	23.1	10.2-36.0	22	23.8	13.4-34.2	7	5.8	00.1-11.5	16	15.5	07.1-23.9	11	12.5	03.7-21.3	20	19.2	09.8-28.6
\$50,000- 74,999	77	9,659	13	17.0	05.6-28.4	15	20.8	10.0-31.6	8	11.2	02.6-19.8	12	18.5	07.3-29.7	9	11.5	03.7-19.3	20	21.0	11.0-31.0
\$75,000+	91	10,486	22	21.6	12.0-31.2	12	12.2	04.8-19.6	8	9.4	02.0-16.8	13	16.9	07.7-26.1	10	8.4	02.1-14.7	26	31.5	19.3-43.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	285	35,966	62	21.5	15.6-27.4	46	15.1	10.4-19.8	30	10.1	05.8-14.4	62	20.3	14.8-25.8	30	8.5	05.0-12.0	55	24.5	17.6-31.4
White/Non-Hisp	205	25,959	48	24.3	16.9-31.7	33	13.9	08.8-19.0	20	10.6	05.3-15.9	48	23.2	16.1-30.3	23	9.3	05.0-13.6	33	18.7	11.3-26.1
Black or Afr. Am./Non-Hisp	53	7,761	10	15.0	05.0-25.0	6	14.1	02.1-26.1	7	9.4	02.0-16.8	8	9.5	02.4-16.6	5	7.3	00.0-14.6	17	44.7	27.6-61.8
55-64	77	10,811	19	24.5	12.9-36.1	7	9.9	02.1-17.7	5	8.4	01.0-15.8	18	19.1	09.7-28.5	10	8.9	02.4-15.4	18	29.3	16.2-42.4
65+	148	14,600	30	19.7	12.3-27.1	29	20.5	12.5-28.5	19	10.7	05.4-16.0	32	19.3	12.2-26.4	14	8.2	03.5-12.9	24	21.6	12.8-30.4
H.S. or G.E.D.	95	12,712	26	25.9	15.9-35.9	13	14.5	05.9-23.1	11	10.9	03.5-18.3	21	16.9	09.3-24.5	7	6.9	01.0-12.8	17	24.8	13.2-36.4
Some Post-H.S.	82	10,578	18	23.9	12.1-35.7	14	16.4	07.6-25.2	10	11.6	03.2-20.0	15	17.7	08.1-27.3	10	12.5	04.5-20.5	15	17.9	08.7-27.1
College Graduate	77	6,887	13	17.2	07.2-27.2	16	19.3	09.7-28.9	5	4.2	00.3-08.1	19	27.2	14.5-39.9	9	6.4	01.9-10.9	15	25.6	11.1-40.1
\$75,000+	60	8,154	13	19.1	08.3-29.9	9	13.6	04.4-22.8	4	8.1	00.0-16.7	12	19.8	08.4-31.2	5	5.7	00.0-11.6	17	33.6	18.7-48.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	422	40,168	75	21.4	14.7-28.1	61	14.9	10.6-19.2	37	8.0	04.7-11.3	72	17.0	12.3-21.7	56	13.0	08.7-17.3	121	25.7	20.0-31.4
White/Non-Hisp	284	24,153	54	23.0	15.0-31.0	42	14.7	09.6-19.8	25	8.3	04.2-12.4	44	15.0	09.9-20.1	32	11.9	07.2-16.6	87	27.0	20.3-33.7
Black or Afr. Am./Non-Hisp	105	13,233	16	19.6	05.7-33.5	15	14.6	05.8-23.4	9	8.2	01.9-14.5	23	21.0	11.0-31.0	21	16.6	07.0-26.2	21	19.9	08.7-31.1
45-54	57	6,403	15	27.2	12.9-41.5	12	19.3	07.0-31.6	5	11.4	00.4-22.4	8	14.3	03.3-25.3	2	7.9	00.0-21.8	15	19.9	07.9-31.9
55-64	99	10,322	19	26.1	09.6-42.6	17	18.1	08.1-28.1	9	10.5	02.3-18.7	12	9.3	02.2-16.4	15	15.0	06.6-23.4	27	20.9	11.7-30.1
65+	228	16,474	36	17.9	11.6-24.2	26	12.3	06.8-17.8	21	7.8	03.9-11.7	47	25.8	18.4-33.2	34	13.7	08.2-19.2	64	22.6	16.5-28.7
Less Than H.S.	58	8,888	12	39.3	17.9-60.7	9	14.5	03.5-25.5	5	6.2	00.0-12.7	13	15.3	04.7-25.9	3	2.4	00.0-05.3	16	22.3	09.6-35.0
H.S. or G.E.D.	171	15,459	31	18.0	10.7-25.3	28	16.0	09.1-22.9	18	10.2	04.7-15.7	27	14.3	08.2-20.4	24	16.7	08.7-24.7	43	24.8	16.2-33.4
Some Post-H.S.	108	10,753	14	10.4	03.9-16.9	18	16.8	08.2-25.4	5	5.2	00.0-11.5	21	21.3	11.5-31.1	13	14.6	06.0-23.2	37	31.6	19.1-44.1
College Graduate	82	4,675	18	25.4	13.8-37.0	5	7.3	00.4-14.2	9	11.5	03.1-19.9	10	14.1	04.3-23.9	16	17.9	06.7-29.1	24	23.8	13.8-33.8
Less than \$15,000	71	7,001	13	29.4	09.2-49.6	13	14.6	04.8-24.4	4	5.4	00.0-11.1	14	14.4	05.0-23.8	8	9.5	00.9-18.1	19	26.6	08.8-44.4
\$15,000- 24,999	96	10,945	19	23.6	07.9-39.3	11	12.1	03.3-20.9	8	7.3	00.8-13.8	21	16.9	07.9-25.9	10	11.9	02.1-21.7	27	28.2	15.7-40.7
\$25,000- 34,999	61	5,310	10	20.5	05.8-35.2	10	16.6	04.4-28.8	6	10.3	00.5-20.1	5	14.1	02.3-25.9	9	10.9	02.1-19.7	21	27.5	13.8-41.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	726	77,582	169	23.4	19.5-27.3	414	55.1	50.2-60.0	58	9.2	06.3-12.1	65	8.3	05.2-11.4	20	4.0	01.5-06.5
Male	289	36,568	69	21.1	15.6-26.6	168	58.1	50.8-65.4	27	11.6	06.7-16.5	17	4.9	02.4-07.4	8	4.4	00.0-08.9
Female	437	41,014	100	25.5	19.8-31.2	246	52.4	45.9-58.9	31	7.2	04.1-10.3	48	11.3	06.2-16.4	12	3.7	01.2-06.2
White/Non-Hisp	503	51,538	117	20.9	16.6-25.2	287	57.0	51.3-62.7	41	9.1	06.0-12.2	47	9.1	04.8-13.4	11	3.9	00.6-07.2
Black or Afr. Am./Non-Hisp	159	20,681	41	29.7	20.3-39.1	88	51.4	41.0-61.8	14	10.6	03.5-17.7	10	5.4	01.7-09.1	6	2.9	00.0-06.0
45-54	103	14,305	17	14.4	05.6-23.2	56	58.3	45.6-71.0	13	11.8	04.5-19.1	9	6.1	01.8-10.4	8	9.4	00.0-20.0
55-64	183	21,820	32	20.5	12.7-28.3	104	55.3	45.7-64.9	19	13.7	06.4-21.0	25	9.1	05.0-13.2	3	1.5	00.0-03.3
65+	384	31,866	109	30.9	25.0-36.8	231	60.2	54.1-66.3	21	5.3	02.6-08.0	20	3.1	01.3-04.9	3	0.5	00.0-01.1
Less Than H.S.	92	15,383	25	21.8	12.0-31.6	47	52.0	37.5-66.5	2	2.1	00.0-05.8	12	12.2	01.0-23.4	6	11.9	00.9-22.9
H.S. or G.E.D.	272	28,499	66	25.1	18.4-31.8	151	50.6	43.2-58.0	23	11.7	06.0-17.4	27	10.6	05.7-15.5	5	2.1	00.1-04.1
Some Post-H.S.	198	21,429	40	22.8	15.7-29.9	115	58.5	50.3-66.7	20	11.3	05.8-16.8	18	5.4	02.5-08.3	5	2.0	00.0-04.4
College Graduate	160	11,851	36	20.4	12.8-28.0	99	65.3	56.1-74.5	13	9.2	03.5-14.9	8	3.1	00.7-05.5	4	1.9	00.0-04.1
Less than \$15,000	104	10,730	23	19.7	09.5-29.9	47	36.6	24.6-48.6	11	16.6	04.6-28.6	20	23.8	09.1-38.5	3	3.3	00.0-07.2
\$15,000- 24,999	147	16,960	38	27.0	17.4-36.6	72	45.8	34.4-57.2	13	9.1	03.6-14.6	17	12.0	04.6-19.4	7	6.1	00.8-11.4
\$25,000- 34,999	91	9,571	15	20.0	08.4-31.6	56	55.9	40.8-71.0	7	7.5	00.8-14.2	8	4.8	00.9-08.7	5	11.8	00.0-26.9
\$35,000- 49,999	92	8,804	21	23.7	12.5-34.9	59	63.0	50.5-75.5	5	6.4	00.0-13.1	5	3.3	00.4-06.2	2	3.7	00.0-09.0
\$50,000- 74,999	78	9,675	18	21.1	10.9-31.3	45	63.6	51.4-75.8	8	9.2	01.9-16.5	5	4.5	00.2-08.8	2	1.5	00.0-04.2
\$75,000+	92	10,541	18	19.6	09.8-29.4	62	67.2	55.6-78.8	8	10.2	02.2-18.2	4	3.0	00.0-06.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	289	36,568	69	21.1	15.6-26.6	168	58.1	50.8-65.4	27	11.6	06.7-16.5	17	4.9	02.4-07.4	8	4.4	00.0-08.9
White/Non-Hisp	208	26,505	50	19.4	13.5-25.3	123	60.8	52.2-69.4	19	10.3	05.4-15.2	11	4.3	01.4-07.2	5	5.1	00.0-11.2
Black or Afr. Am./Non-Hisp	54	7,817	14	25.9	11.8-40.0	29	49.8	34.1-65.5	6	16.6	01.7-31.5	4	7.1	00.0-14.2	1	0.7	00.0-02.1
55-64	77	10,811	15	19.7	09.3-30.1	46	55.2	41.9-68.5	9	18.2	06.0-30.4	6	5.8	00.7-10.9	1	1.3	00.0-03.8
65+	151	15,118	43	28.1	19.3-36.9	91	61.1	51.7-70.5	12	8.6	03.1-14.1	4	1.9	00.0-04.3	1	0.3	00.0-00.9
H.S. or G.E.D.	97	12,813	22	18.9	09.9-27.9	51	52.4	40.8-64.0	12	16.8	06.2-27.4	9	9.1	03.0-15.2	3	2.8	00.0-06.1
Some Post-H.S.	83	10,653	19	23.2	12.6-33.8	52	61.7	49.5-73.9	7	9.5	02.2-16.8	3	2.5	00.0-05.6	2	3.1	00.0-07.6
College Graduate	77	6,931	17	17.0	08.0-26.0	48	68.1	55.8-80.4	7	11.3	02.5-20.1	3	1.8	00.0-04.2	2	1.7	00.0-04.2
\$75,000+	59	8,114	11	18.1	07.1-29.1	41	67.9	54.2-81.6	6	11.9	01.7-22.1	1	2.1	00.0-06.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	437	41,014	100	25.5	19.8-31.2	246	52.4	45.9-58.9	31	7.2	04.1-10.3	48	11.3	06.2-16.4	12	3.7	01.2-06.2
White/Non-Hisp	295	25,033	67	22.4	16.5-28.3	164	53.0	45.2-60.8	22	7.7	03.8-11.6	36	14.2	06.6-21.8	6	2.7	00.2-05.2
Black or Afr. Am./Non-Hisp	105	12,864	27	32.1	19.4-44.8	59	52.4	39.1-65.7	8	7.0	00.7-13.3	6	4.4	00.5-08.3	5	4.2	00.0-08.9
45-54	59	6,630	9	18.3	03.2-33.4	34	58.3	41.8-74.8	8	14.4	03.2-25.6	4	5.1	00.0-10.4	4	3.9	00.0-09.0
55-64	106	11,009	17	21.3	09.5-33.1	58	55.4	41.5-69.3	10	9.3	02.2-16.4	19	12.4	05.7-19.1	2	1.7	00.0-04.4
65+	233	16,748	66	33.4	25.8-41.0	140	59.4	51.6-67.2	9	2.3	00.5-04.1	16	4.2	01.8-06.6	2	0.7	00.0-01.9
Less Than H.S.	60	9,212	14	18.8	06.6-31.0	30	51.8	32.6-71.0	1	0.3	00.0-00.9	10	17.7	00.5-34.9	5	11.3	01.3-21.3
H.S. or G.E.D.	175	15,685	44	30.1	20.7-39.5	100	49.0	39.6-58.4	11	7.6	02.3-12.9	18	11.8	04.5-19.1	2	1.5	00.0-04.0
Some Post-H.S.	115	10,776	21	22.4	12.8-32.0	63	55.2	44.2-66.2	13	13.2	05.2-21.2	15	8.3	03.4-13.2	3	1.0	00.0-02.2
College Graduate	83	4,920	19	25.3	12.4-38.2	51	61.4	48.1-74.7	6	6.2	00.5-11.9	5	4.9	00.2-09.6	2	2.3	00.0-06.2
Less than \$15,000	72	6,438	14	16.5	05.9-27.1	34	41.4	25.1-57.7	5	5.7	00.0-12.0	17	33.6	12.6-54.6	2	2.9	00.0-07.4
\$15,000- 24,999	99	11,373	26	31.3	17.8-44.8	50	42.9	27.6-58.2	6	6.1	00.4-11.8	12	11.5	02.1-20.9	5	8.3	00.7-15.9
\$25,000- 34,999	64	5,609	11	22.9	08.0-37.8	39	56.5	40.4-72.6	6	10.2	00.2-20.2	5	5.8	00.1-11.5	3	4.6	00.0-11.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	724	77,494	166	24.4	20.3-28.5	558	75.6	71.5-79.7
Male	285	35,606	75	29.4	22.5-36.3	210	70.6	63.7-77.5
Female	439	41,887	91	20.2	15.3-25.1	348	79.8	74.9-84.7
White/Non-Hisp	500	51,058	106	22.8	17.9-27.7	394	77.2	72.3-82.1
Black or Afr. Am./Non-Hisp	161	21,102	42	27.2	17.8-36.6	119	72.8	63.4-82.2
45-54	103	14,227	29	34.1	21.6-46.6	74	65.9	53.4-78.4
55-64	182	21,767	57	30.1	21.3-38.9	125	69.9	61.1-78.7
65+	382	31,209	69	18.5	13.8-23.2	313	81.5	76.8-86.2
Less Than H.S.	92	15,107	28	30.2	18.4-42.0	64	69.8	58.0-81.6
H.S. or G.E.D.	270	28,120	73	28.4	21.3-35.5	197	71.6	64.5-78.7
Some Post-H.S.	198	22,100	39	18.4	12.1-24.7	159	81.6	75.3-87.9
College Graduate	160	11,747	25	19.4	09.4-29.4	135	80.6	70.6-90.6
Less than \$15,000	104	11,102	37	36.4	22.9-49.9	67	63.6	50.1-77.1
\$15,000- 24,999	146	16,873	34	24.0	14.8-33.2	112	76.0	66.8-85.2
\$25,000- 34,999	89	9,056	21	26.2	14.2-38.2	68	73.8	61.8-85.8
\$35,000- 49,999	92	8,804	22	27.3	14.8-39.8	70	72.7	60.2-85.2
\$50,000- 74,999	78	9,675	12	16.0	05.8-26.2	66	84.0	73.8-94.2
\$75,000+	93	10,641	14	19.4	07.8-31.0	79	80.6	69.0-92.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	285	35,606	75	29.4	22.5-36.3	210	70.6	63.7-77.5
White/Non-Hisp	206	25,904	49	25.8	18.4-33.2	157	74.2	66.8-81.6
Black or Afr. Am./Non-Hisp	52	7,455	16	39.3	22.1-56.5	36	60.7	43.5-77.9
55-64	76	10,758	21	31.9	18.4-45.4	55	68.1	54.6-81.6
65+	149	14,308	32	20.6	13.0-28.2	117	79.4	71.8-87.0
H.S. or G.E.D.	94	12,273	29	33.7	21.5-45.9	65	66.3	54.1-78.5
Some Post-H.S.	83	10,653	16	19.0	09.4-28.6	67	81.0	71.4-90.6
College Graduate	76	6,785	16	27.4	11.7-43.1	60	72.6	56.9-88.3
\$75,000+	59	8,022	9	22.2	07.7-36.7	50	77.8	63.3-92.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	439	41,887	91	20.2	15.3-25.1	348	79.8	74.9-84.7
White/Non-Hisp	294	25,154	57	19.7	14.0-25.4	237	80.3	74.6-86.0
Black or Afr. Am./Non-Hisp	109	13,646	26	20.6	10.8-30.4	83	79.4	69.6-89.2
45-54	60	6,651	11	21.1	06.0-36.2	49	78.9	63.8-94.0
55-64	106	11,009	36	28.4	17.8-39.0	70	71.6	61.0-82.2
65+	233	16,901	37	16.7	10.6-22.8	196	83.3	77.2-89.4
Less Than H.S.	60	9,212	14	23.2	10.3-36.1	46	76.8	63.9-89.7
H.S. or G.E.D.	176	15,847	44	24.2	15.8-32.6	132	75.8	67.4-84.2
Some Post-H.S.	115	11,447	23	17.9	09.7-26.1	92	82.1	73.9-90.3
College Graduate	84	4,962	9	8.5	02.2-14.8	75	91.5	85.2-97.8
Less than \$15,000	74	7,171	23	24.1	11.6-36.6	51	75.9	63.4-88.4
\$15,000- 24,999	99	11,384	23	25.3	13.3-37.3	76	74.7	62.7-86.7
\$25,000- 34,999	64	5,609	12	24.4	10.1-38.7	52	75.6	61.3-89.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	730	78,485	362	48.7	43.8-53.6	368	51.3	46.4-56.2
Male	290	36,647	147	49.6	42.3-56.9	143	50.4	43.1-57.7
Female	440	41,838	215	48.0	41.3-54.7	225	52.0	45.3-58.7
White/Non-Hisp	505	51,808	246	46.8	41.1-52.5	259	53.2	47.5-58.9
Black or Afr. Am./Non-Hisp	163	21,463	75	49.7	39.1-60.3	88	50.3	39.7-60.9
45-54	103	14,259	48	48.7	36.0-61.4	55	51.3	38.6-64.0
55-64	182	21,796	94	48.4	38.8-58.0	88	51.6	42.0-61.2
65+	388	32,138	189	48.8	42.7-54.9	199	51.2	45.1-57.3
Less Than H.S.	92	15,379	33	40.3	26.6-54.0	59	59.7	46.0-73.4
H.S. or G.E.D.	275	28,688	133	46.7	39.3-54.1	142	53.3	45.9-60.7
Some Post-H.S.	197	22,065	107	56.0	47.4-64.6	90	44.0	35.4-52.6
College Graduate	162	11,933	88	52.6	42.8-62.4	74	47.4	37.6-57.2
Less than \$15,000	105	11,359	52	50.0	35.3-64.7	53	50.0	35.3-64.7
\$15,000- 24,999	147	16,943	81	49.4	38.2-60.6	66	50.6	39.4-61.8
\$25,000- 34,999	91	9,571	38	39.7	25.8-53.6	53	60.3	46.4-74.2
\$35,000- 49,999	91	8,737	51	58.1	45.4-70.8	40	41.9	29.2-54.6
\$50,000- 74,999	78	9,675	37	48.7	35.2-62.2	41	51.3	37.8-64.8
\$75,000+	94	10,773	44	46.0	33.7-58.3	50	54.0	41.7-66.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	290	36,647	147	49.6	42.3-56.9	143	50.4	43.1-57.7
White/Non-Hisp	209	26,583	108	49.3	40.9-57.7	101	50.7	42.3-59.1
Black or Afr. Am./Non-Hisp	54	7,817	24	47.7	31.0-64.4	30	52.3	35.6-69.0
55-64	77	10,811	37	45.6	32.5-58.7	40	54.4	41.3-67.5
65+	153	15,263	76	48.5	38.9-58.1	77	51.5	41.9-61.1
H.S. or G.E.D.	96	12,746	47	43.3	31.5-55.1	49	56.7	44.9-68.5
Some Post-H.S.	83	10,653	46	56.4	44.1-68.7	37	43.6	31.3-55.9
College Graduate	78	6,971	41	52.5	38.4-66.6	37	47.5	33.4-61.6
\$75,000+	60	8,154	26	45.5	30.6-60.4	34	54.5	39.6-69.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	440	41,838	215	48.0	41.3-54.7	225	52.0	45.3-58.7
White/Non-Hisp	296	25,225	138	44.1	36.7-51.5	158	55.9	48.5-63.3
Black or Afr. Am./Non-Hisp	109	13,646	51	50.9	37.2-64.6	58	49.1	35.4-62.8
45-54	60	6,651	27	48.0	31.7-64.3	33	52.0	35.7-68.3
55-64	105	10,985	57	51.2	36.9-65.5	48	48.8	34.5-63.1
65+	235	16,875	113	49.2	41.2-57.2	122	50.8	42.8-58.8
Less Than H.S.	59	9,102	20	35.0	18.1-51.9	39	65.0	48.1-81.9
H.S. or G.E.D.	179	15,941	86	49.5	39.9-59.1	93	50.5	40.9-60.1
Some Post-H.S.	114	11,412	61	55.6	43.8-67.4	53	44.4	32.6-56.2
College Graduate	84	4,962	47	52.7	39.2-66.2	37	47.3	33.8-60.8
Less than \$15,000	73	7,067	38	51.7	32.3-71.1	35	48.3	28.9-67.7
\$15,000- 24,999	99	11,356	52	44.6	30.3-58.9	47	55.4	41.1-69.7
\$25,000- 34,999	64	5,609	27	44.9	28.8-61.0	37	55.1	39.0-71.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DO YOU HAVE MEDICARE? (MEDICARE)	
1	MALES AND FEMALES	43
2	MALES ONLY	44
3	FEMALES ONLY	45
	ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)	
4	MALES AND FEMALES	46
5	MALES ONLY	47
6	FEMALES ONLY	48
	OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)	
7	MALES AND FEMALES	49
8	MALES ONLY	50
9	FEMALES ONLY	51
	DELAYED GETTING MEDICAL CARE OTHER RESPONSE (DLYOTHER)	
10	MALES AND FEMALES	52
11	MALES ONLY	53
12	FEMALES ONLY	54
	IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)	
13	MALES AND FEMALES	55
14	MALES ONLY	56
15	FEMALES ONLY	57
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)	
16	MALES AND FEMALES	58
17	MALES ONLY	59
18	FEMALES ONLY	60

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)	
19 MALES AND FEMALES	61
20 MALES ONLY	62
21 FEMALES ONLY	63
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)	
22 MALES AND FEMALES	64
23 MALES ONLY	65
24 FEMALES ONLY	66
IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY- (CARERCVD)	
25 MALES AND FEMALES	67
26 MALES ONLY	68
27 FEMALES ONLY	69
DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)	
28 MALES AND FEMALES	70
29 MALES ONLY	71
30 FEMALES ONLY	72

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4689	625,310	2093	32.8	31.0-34.6	2596	67.2	65.4-69.0
Male	1831	287,769	804	32.8	30.1-35.5	1027	67.2	64.5-69.9
Female	2858	337,540	1289	32.7	30.5-34.9	1569	67.3	65.1-69.5
White/Non-Hisp	3551	437,514	1662	33.8	31.8-35.8	1889	66.2	64.2-68.2
Black or Afr. Am./Non-Hisp	669	116,255	270	31.6	27.3-35.9	399	68.4	64.1-72.7
Oth. Race/Non-Hisp.	174	26,048	57	27.0	16.4-37.6	117	73.0	62.4-83.6
MultiRacial/Non-Hisp.	59	4,200	29	44.6	28.7-60.5	30	55.4	39.5-71.3
Hispanic	166	33,115	48	25.3	17.5-33.1	118	74.7	66.9-82.5
18-24	200	67,404	44	19.6	13.7-25.5	156	80.4	74.5-86.3
25-34	398	92,679	43	13.3	09.0-17.6	355	86.7	82.4-91.0
35-44	515	92,629	58	11.9	08.4-15.4	457	88.1	84.6-91.6
45-54	783	115,435	91	9.8	07.3-12.3	692	90.2	87.7-92.7
55-64	1003	109,357	185	18.6	15.1-22.1	818	81.4	77.9-84.9
65+	1742	143,339	1656	94.3	92.7-95.9	86	5.7	04.1-07.3
Less Than H.S.	330	67,875	217	48.4	41.0-55.8	113	51.6	44.2-59.0
H.S. or G.E.D.	1375	191,830	734	39.1	35.8-42.4	641	60.9	57.6-64.2
Some Post-H.S.	1210	189,630	521	29.9	26.8-33.0	689	70.1	67.0-73.2
College Graduate	1754	173,987	614	23.0	20.8-25.2	1140	77.0	74.8-79.2
Less than \$15,000	367	47,073	243	52.4	44.2-60.6	124	47.6	39.4-55.8
\$15,000- 24,999	621	76,894	407	56.8	51.5-62.1	214	43.2	37.9-48.5
\$25,000- 34,999	422	50,542	233	42.6	36.3-48.9	189	57.4	51.1-63.7
\$35,000- 49,999	631	84,093	280	35.3	30.4-40.2	351	64.7	59.8-69.6
\$50,000- 74,999	642	86,472	232	26.1	22.2-30.0	410	73.9	70.0-77.8
\$75,000+	1300	192,815	286	13.8	11.8-15.8	1014	86.2	84.2-88.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1831	287,769	804	32.8	30.1-35.5	1027	67.2	64.5-69.9
White/Non-Hisp	1394	202,396	637	33.1	30.2-36.0	757	66.9	64.0-69.8
Black or Afr. Am./Non-Hisp	244	51,195	93	30.1	23.2-37.0	151	69.9	63.0-76.8
Oth. Race/Non-Hisp.	84	15,604	28	32.0	15.7-48.3	56	68.0	51.7-84.3
Hispanic	55	11,658	20	36.5	21.8-51.2	35	63.5	48.8-78.2
18-24	89	31,235	27	27.0	16.8-37.2	62	73.0	62.8-83.2
25-34	160	42,891	26	18.3	10.7-25.9	134	81.7	74.1-89.3
35-44	209	42,094	30	14.2	08.9-19.5	179	85.8	80.5-91.1
45-54	317	54,578	33	8.0	04.9-11.1	284	92.0	88.9-95.1
55-64	378	52,326	55	16.8	10.9-22.7	323	83.2	77.3-89.1
65+	664	63,210	628	92.7	89.6-95.8	36	7.3	04.2-10.4
Less Than H.S.	130	29,388	80	47.8	36.2-59.4	50	52.2	40.6-63.8
H.S. or G.E.D.	531	93,502	259	36.4	31.3-41.5	272	63.6	58.5-68.7
Some Post-H.S.	424	81,795	170	29.5	24.4-34.6	254	70.5	65.4-75.6
College Graduate	736	81,821	293	27.0	23.5-30.5	443	73.0	69.5-76.5
Less than \$15,000	94	15,434	63	53.3	37.2-69.4	31	46.7	30.6-62.8
\$15,000- 24,999	210	32,307	133	58.6	50.0-67.2	77	41.4	32.8-50.0
\$25,000- 34,999	151	21,615	96	49.6	38.6-60.6	55	50.4	39.4-61.4
\$35,000- 49,999	268	42,033	126	38.7	30.7-46.7	142	61.3	53.3-69.3
\$50,000- 74,999	271	43,013	115	29.7	23.4-36.0	156	70.3	64.0-76.6
\$75,000+	609	99,889	161	16.4	13.3-19.5	448	83.6	80.5-86.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2858	337,540	1289	32.7	30.5-34.9	1569	67.3	65.1-69.5
White/Non-Hisp	2157	235,118	1025	34.5	32.0-37.0	1132	65.5	63.0-68.0
Black or Afr. Am./Non-Hisp	425	65,060	177	32.8	27.1-38.5	248	67.2	61.5-72.9
Oth. Race/Non-Hisp.	90	10,443	29	19.5	10.3-28.7	61	80.5	71.3-89.7
Hispanic	111	21,457	28	19.3	10.9-27.7	83	80.7	72.3-89.1
18-24	111	36,169	17	13.1	06.4-19.8	94	86.9	80.2-93.6
25-34	238	49,788	17	8.9	04.0-13.8	221	91.1	86.2-96.0
35-44	306	50,535	28	10.1	05.4-14.8	278	89.9	85.2-94.6
45-54	466	60,857	58	11.5	07.8-15.2	408	88.5	84.8-92.2
55-64	625	57,031	130	20.2	16.1-24.3	495	79.8	75.7-83.9
65+	1078	80,128	1028	95.7	94.3-97.1	50	4.3	02.9-05.7
Less Than H.S.	200	38,487	137	48.8	39.2-58.4	63	51.2	41.6-60.8
H.S. or G.E.D.	844	98,327	475	41.6	37.3-45.9	369	58.4	54.1-62.7
Some Post-H.S.	786	107,835	351	30.2	26.5-33.9	435	69.8	66.1-73.5
College Graduate	1018	92,166	321	19.5	17.0-22.0	697	80.5	78.0-83.0
Less than \$15,000	273	31,639	180	52.0	42.8-61.2	93	48.0	38.8-57.2
\$15,000- 24,999	411	44,587	274	55.6	49.1-62.1	137	44.4	37.9-50.9
\$25,000- 34,999	271	28,927	137	37.4	30.1-44.7	134	62.6	55.3-69.9
\$35,000- 49,999	363	42,059	154	31.9	26.0-37.8	209	68.1	62.2-74.0
\$50,000- 74,999	371	43,459	117	22.5	17.6-27.4	254	77.5	72.6-82.4
\$75,000+	691	92,926	125	11.1	08.6-13.6	566	88.9	86.4-91.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 4: ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		CURRENTLY covered by 1 health coverage plan			CURRENTLY covered by 2 health coverage plans			CURRENTLY covered by 3 health coverage plans			CURRENTLY covered by 4 or more health coverage plans			Some other source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4630	624,429	3616	80.8	79.2-82.4	186	4.2	03.4-05.0	16	0.3	00.1-00.5	8	0.1	00.0-00.3	353	5.7	04.9-06.5	451	8.8	07.8-09.8
Male	1821	289,406	1408	79.3	76.9-81.7	87	4.7	03.5-05.9	6	0.3	00.1-00.5	4	0.1	00.0-00.3	131	5.2	04.0-06.4	185	10.4	08.6-12.2
Female	2809	335,023	2208	82.1	80.3-83.9	99	3.8	02.8-04.8	10	0.3	00.1-00.5	4	0.1	00.0-00.3	222	6.2	05.0-07.4	266	7.5	06.3-08.7
White/Non-Hisp	3474	432,503	2728	81.3	79.5-83.1	147	4.4	03.4-05.4	10	0.3	00.1-00.5	3	0.0	00.0-00.0	281	6.2	05.2-07.2	305	7.8	06.6-09.0
Black or Afr. Am./Non-Hisp	677	117,777	523	80.5	76.8-84.2	19	2.8	01.2-04.4	2	0.3	00.0-00.7	1	0.1	00.0-00.3	48	5.5	03.5-07.5	84	10.9	08.0-13.8
Oth. Race/Non-Hisp.	179	27,363	143	82.9	76.0-89.8	8	6.5	01.4-11.6	2	0.4	00.0-01.0	2	1.5	00.0-03.7	9	3.3	00.8-05.8	15	5.3	02.0-08.6
MultiRacial/Non-Hisp.	62	4,267	46	72.1	57.4-86.8	2	8.9	00.0-21.1	1	0.6	00.0-01.8				5	6.8	00.0-14.6	8	11.6	02.6-20.6
Hispanic	174	35,182	127	75.7	68.3-83.1	8	5.8	01.7-09.9	1	0.4	00.0-01.2	2	0.5	00.0-01.1	8	2.2	00.4-04.0	28	15.5	09.2-21.8
18-24	195	66,324	151	78.2	71.3-85.1	14	7.1	02.8-11.4	1	0.3	00.0-00.9				9	5.4	01.3-09.5	20	9.1	04.8-13.4
25-34	416	97,191	358	85.6	81.7-89.5	17	3.9	01.9-05.9				1	0.2	00.0-00.6	7	1.4	00.2-02.6	33	8.9	05.6-12.2
35-44	525	94,142	462	87.0	83.5-90.5	17	3.6	01.6-05.6	1	0.3	00.0-00.9	1	0.2	00.0-00.6	11	1.9	00.7-03.1	33	7.0	04.3-09.7
45-54	794	117,005	692	88.7	86.2-91.2	31	3.3	01.9-04.7	3	0.4	00.0-00.8	1	0.1	00.0-00.3	20	2.3	00.9-03.7	47	5.2	03.4-07.0
55-64	1008	110,142	830	83.2	80.5-85.9	41	4.0	02.4-05.6	4	0.3	00.1-00.5	2	0.2	00.0-00.4	55	4.9	03.3-06.5	76	7.5	05.3-09.7
65+	1649	135,821	1085	65.2	62.3-68.1	66	4.6	03.2-06.0	7	0.5	00.1-00.9	3	0.1	00.0-00.3	250	15.3	13.1-17.5	238	14.3	12.1-16.5
Less Than H.S.	333	72,609	210	68.2	61.7-74.7	10	3.3	00.8-05.8	1	0.2	00.0-00.6				36	9.2	05.3-13.1	76	19.2	13.9-24.5
H.S. or G.E.D.	1350	190,494	1009	78.9	76.2-81.6	50	3.5	02.1-04.9	6	0.5	00.1-00.9	3	0.1	00.1-00.1	111	6.2	04.6-07.8	171	10.8	08.8-12.8
Some Post-H.S.	1205	188,191	946	80.6	77.9-83.3	67	6.4	04.6-08.2	6	0.4	00.0-00.8	2	0.2	00.0-00.4	81	4.7	03.5-05.9	103	7.9	05.9-09.9
College Graduate	1724	171,219	1438	88.3	86.7-89.9	59	3.1	02.1-04.1	2	0.0	00.0-00.0	3	0.2	00.0-00.4	125	4.9	03.9-05.9	97	3.4	02.6-04.2
Less than \$15,000	377	51,053	242	64.5	57.4-71.6	7	1.7	00.1-03.3	2	0.5	00.0-01.3	1	0.1	00.0-00.3	40	8.3	04.6-12.0	85	24.8	18.5-31.1
\$15,000- 24,999	615	77,253	427	72.0	67.3-76.7	21	3.4	01.4-05.4	2	0.3	00.0-00.9	1	0.1	00.0-00.3	55	6.8	04.6-09.0	109	17.4	13.3-21.5
\$25,000- 34,999	419	49,960	306	77.2	72.3-82.1	15	3.1	01.1-05.1	2	0.5	00.0-01.3	1	0.1	00.0-00.3	38	6.3	03.6-09.0	57	12.9	09.0-16.8
\$35,000- 49,999	640	87,067	505	81.2	77.3-85.1	27	4.8	02.3-07.3	2	0.4	00.0-01.0	1	0.2	00.0-00.6	58	6.5	04.5-08.5	47	6.9	04.4-09.4
\$50,000- 74,999	634	86,722	535	85.5	82.0-89.0	27	4.3	02.1-06.5						42	5.9	03.5-08.3	30	4.3	02.3-06.3	
\$75,000+	1283	190,808	1123	89.3	86.9-91.7	64	5.1	03.5-06.7	5	0.3	00.0-00.7	4	0.2	00.0-00.4	51	2.9	01.7-04.1	36	2.2	01.0-03.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 5: ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		CURRENTLY covered by 1 health coverage plan			CURRENTLY covered by 2 health coverage plans			CURRENTLY covered by 3 health coverage plans			CURRENTLY covered by 4 or more health coverage plans			Some other source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	289,406	1408	79.3	76.9-81.7	87	4.7	03.5-05.9	6	0.3	00.1-00.5	4	0.1	00.0-00.3	131	5.2	04.0-06.4	185	10.4	08.6-12.2
White/Non-Hisp	1375	202,067	1068	79.5	76.8-82.2	67	4.7	03.3-06.1	4	0.3	00.0-00.7	2	0.0	00.0-00.0	111	5.9	04.3-07.5	123	9.5	07.3-11.7
Black or Afr. Am./Non-Hisp	247	52,587	191	80.2	74.3-86.1	8	3.3	00.4-06.2	1	0.3	00.0-00.9				12	3.7	01.2-06.2	35	12.6	07.7-17.5
Oth. Race/Non-Hisp.	87	16,039	70	84.7	75.9-93.5	6	7.1	00.6-13.6				1	1.4	00.0-04.1	4	3.2	00.0-06.7	6	3.6	00.1-07.1
Hispanic	59	12,430	41	69.8	56.5-83.1	3	6.9	00.0-14.5				1	0.8	00.0-02.4	3	2.8	00.0-06.3	11	19.7	07.9-31.5
18-24	87	30,516	63	72.6	61.6-83.6	9	7.9	02.2-13.6							1	3.3	00.0-09.6	14	16.3	07.7-24.9
25-34	168	45,633	141	83.4	76.7-90.1	7	3.6	00.7-06.5							4	1.8	00.0-03.8	16	11.2	05.3-17.1
35-44	215	43,254	186	86.2	80.9-91.5	9	3.7	01.0-06.4	1	0.7	00.0-02.1	1	0.5	00.0-01.5	3	0.6	00.0-01.4	15	8.3	04.0-12.6
45-54	321	55,378	275	87.8	83.9-91.7	14	3.9	01.7-06.1							5	0.9	00.0-01.9	27	7.4	04.1-10.7
55-64	382	52,920	318	84.0	79.7-88.3	17	4.1	01.7-06.5				1	0.2	00.0-00.6	24	5.0	02.6-07.4	22	6.7	03.6-09.8
65+	636	60,454	413	62.1	57.2-67.0	31	6.0	03.6-08.4	5	1.0	00.0-02.0	2	0.1	00.0-00.3	94	16.1	12.4-19.8	91	14.7	11.0-18.4
Less Than H.S.	136	33,160	80	63.4	53.0-73.8	3	2.5	00.0-05.4	1	0.4	00.0-01.2				15	7.4	02.7-12.1	37	26.3	16.9-35.7
H.S. or G.E.D.	534	94,054	388	76.5	72.2-80.8	26	4.0	02.2-05.8	3	0.7	00.0-01.5	1	0.0	00.0-00.0	38	6.1	03.4-08.8	78	12.7	09.4-16.0
Some Post-H.S.	420	80,772	332	80.2	75.5-84.9	32	8.1	05.0-11.2	1	0.0	00.0-00.0	1	0.1	00.0-00.3	22	3.0	01.4-04.6	32	8.5	05.2-11.8
College Graduate	723	80,230	600	87.7	85.2-90.2	26	3.2	01.8-04.6	1	0.1	00.0-00.3	2	0.3	00.0-00.9	56	5.4	03.6-07.2	38	3.3	02.1-04.5
Less than \$15,000	104	18,517	56	52.5	38.6-66.4	5	3.8	00.0-07.7	1	0.7	00.0-02.1				6	5.5	00.2-10.8	36	37.5	24.6-50.4
\$15,000- 24,999	212	33,126	136	64.7	56.3-73.1	8	4.5	01.0-08.0	2	0.7	00.0-01.9				19	6.2	02.7-09.7	47	23.9	16.1-31.7
\$25,000- 34,999	147	20,522	99	71.8	62.8-80.8	6	4.1	00.4-07.8	1	0.8	00.0-02.4	1	0.1	00.0-00.3	14	8.0	02.3-13.7	26	15.1	08.6-21.6
\$35,000- 49,999	273	43,231	212	81.8	76.3-87.3	14	4.6	01.9-07.3							25	5.6	03.1-08.1	22	8.0	03.9-12.1
\$50,000- 74,999	263	42,648	220	85.9	80.8-91.0	12	5.3	01.6-09.0							19	4.4	02.0-06.8	12	4.4	01.5-07.3
\$75,000+	601	99,093	520	88.0	84.5-91.5	30	4.3	02.5-06.1	1	0.3	00.0-00.9	3	0.4	00.0-01.0	27	3.8	01.4-06.2	20	3.3	01.1-05.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 6: ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		CURRENTLY covered by 1 health coverage plan			CURRENTLY covered by 2 health coverage plans			CURRENTLY covered by 3 health coverage plans			CURRENTLY covered by 4 or more health coverage plans			Some other source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2809	335,023	2208	82.1	80.3-83.9	99	3.8	02.8-04.8	10	0.3	00.1-00.5	4	0.1	00.0-00.3	222	6.2	05.0-07.4	266	7.5	06.3-08.7
White/Non-Hisp	2099	230,437	1660	82.8	80.6-85.0	80	4.1	02.7-05.5	6	0.3	00.1-00.5	1	0.0	00.0-00.0	170	6.5	05.1-07.9	182	6.3	05.1-07.5
Black or Afr. Am./Non-Hisp	430	65,189	332	80.8	76.1-85.5	11	2.4	00.8-04.0	1	0.3	00.0-00.9	1	0.1	00.0-00.3	36	6.9	04.0-09.8	49	9.5	06.0-13.0
Oth. Race/Non-Hisp.	92	11,324	73	80.5	69.5-91.5	2	5.7	00.0-13.9	2	1.1	00.0-02.7	1	1.7	00.0-05.0	5	3.4	00.0-07.3	9	7.8	01.5-14.1
Hispanic	115	22,751	86	78.9	70.5-87.3	5	5.3	00.6-10.0	1	0.6	00.0-01.8	1	0.3	00.0-00.9	5	1.8	00.0-03.6	17	13.1	06.2-20.0
18-24	108	35,808	88	82.9	74.3-91.5	5	6.5	00.0-13.0	1	0.5	00.0-01.5				8	7.2	01.5-12.9	6	2.9	00.4-05.4
25-34	248	51,558	217	87.6	82.9-92.3	10	4.1	01.4-06.8				1	0.4	00.0-01.2	3	1.1	00.0-02.5	17	6.9	03.4-10.4
35-44	310	50,888	276	87.6	82.5-92.7	8	3.5	00.6-06.4							8	2.9	00.7-05.1	18	5.9	02.2-09.6
45-54	473	61,627	417	89.6	86.3-92.9	17	2.7	01.1-04.3	3	0.8	00.0-01.8	1	0.1	00.0-00.3	15	3.5	01.1-05.9	20	3.3	01.5-05.1
55-64	626	57,221	512	82.5	78.8-86.2	24	4.0	02.2-05.8	4	0.5	00.0-01.1	1	0.1	00.0-00.3	31	4.7	02.5-06.9	54	8.2	05.5-10.9
65+	1013	75,367	672	67.6	64.1-71.1	35	3.4	02.0-04.8	2	0.2	00.0-00.4	1	0.1	00.0-00.3	156	14.7	12.0-17.4	147	13.9	11.4-16.4
Less Than H.S.	197	39,449	130	72.2	64.2-80.2	7	3.9	00.2-07.6							21	10.7	04.6-16.8	39	13.2	08.1-18.3
H.S. or G.E.D.	816	96,440	621	81.3	78.0-84.6	24	3.1	00.9-05.3	3	0.3	00.0-00.7	2	0.1	00.0-00.3	73	6.2	04.4-08.0	93	9.0	06.8-11.2
Some Post-H.S.	785	107,419	614	80.9	77.4-84.4	35	5.1	02.9-07.3	5	0.6	00.0-01.2	1	0.2	00.0-00.6	59	5.9	04.1-07.7	71	7.4	05.2-09.6
College Graduate	1001	90,989	838	88.8	86.8-90.8	33	3.1	01.9-04.3	1	0.0	00.0-00.0	1	0.1	00.0-00.3	69	4.6	03.4-05.8	59	3.4	02.4-04.4
Less than \$15,000	273	32,536	186	71.4	63.6-79.2	2	0.6	00.0-01.6	1	0.4	00.0-01.2	1	0.2	00.0-00.6	34	9.8	04.9-14.7	49	17.6	11.1-24.1
\$15,000- 24,999	403	44,127	291	77.5	72.6-82.4	13	2.6	00.6-04.6				1	0.1	00.0-00.3	36	7.1	04.2-10.0	62	12.6	08.9-16.3
\$25,000- 34,999	272	29,438	207	80.9	75.4-86.4	9	2.3	00.5-04.1	1	0.3	00.0-00.9				24	5.0	02.6-07.4	31	11.4	06.7-16.1
\$35,000- 49,999	367	43,835	293	80.6	74.9-86.3	13	4.9	00.4-09.4	2	0.8	00.0-02.0	1	0.4	00.0-01.2	33	7.4	04.3-10.5	25	5.8	03.1-08.5
\$50,000- 74,999	371	44,073	315	85.2	80.3-90.1	15	3.4	01.4-05.4							23	7.2	03.1-11.3	18	4.1	01.7-06.5
\$75,000+	682	91,716	603	90.6	87.7-93.5	34	6.0	03.3-08.7	4	0.3	00.0-00.7	1	0.1	00.0-00.3	24	2.0	01.2-02.8	16	1.0	00.4-01.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 7: OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5153	713,938	59	1.5	00.9-02.1	283	5.6	04.8-06.4	149	3.5	02.7-04.3	49	1.0	00.6-01.4	364	7.6	06.4-08.8	4249	80.9	79.3-82.5
Male	2067	340,595	19	1.3	00.5-02.1	90	4.4	03.4-05.4	52	3.1	02.1-04.1	14	0.7	00.3-01.1	139	8.0	06.2-09.8	1753	82.5	80.1-84.9
Female	3086	373,342	40	1.6	01.0-02.2	193	6.7	05.5-07.9	97	3.8	02.8-04.8	35	1.3	00.7-01.9	225	7.2	06.0-08.4	2496	79.4	77.4-81.4
White/Non-Hisp	3791	476,993	40	1.2	00.6-01.8	193	5.4	04.4-06.4	81	2.6	01.8-03.4	29	0.7	00.5-00.9	220	5.7	04.7-06.7	3228	84.3	82.7-85.9
Black or Afr. Am./Non-Hisp	766	139,129	10	1.9	00.5-03.3	41	4.0	02.6-05.4	33	4.4	02.6-06.2	8	1.2	00.2-02.2	85	12.8	09.3-16.3	589	75.8	71.7-79.9
Oth. Race/Non-Hisp.	210	31,311	2	0.6	00.0-01.4	16	7.8	02.7-12.9	12	5.9	01.8-10.0	4	1.4	00.0-03.2	18	7.2	03.1-11.3	158	77.2	69.6-84.8
MultiRacial/Non-Hisp.	70	5,267				4	6.1	00.0-12.4	3	6.4	00.0-15.6	1	1.9	00.0-05.6	11	16.3	06.5-26.1	51	69.3	56.0-82.6
Hispanic	237	51,813	7	3.4	00.5-06.3	21	10.1	04.8-15.4	17	7.2	03.3-11.1	6	2.6	00.2-05.0	25	9.8	05.3-14.3	161	66.8	59.4-74.2
18-24	276	90,490	4	1.3	00.1-02.5	13	5.4	02.1-08.7	13	3.8	01.4-06.2	4	1.1	00.0-02.3	32	10.9	06.6-15.2	210	77.6	71.9-83.3
25-34	478	114,459	14	3.2	01.2-05.2	34	5.5	03.5-07.5	22	4.0	02.0-06.0	6	0.9	00.1-01.7	41	11.4	07.3-15.5	361	75.0	70.1-79.9
35-44	601	109,636	7	1.5	00.0-03.1	44	7.9	05.4-10.4	26	4.1	02.1-06.1	3	0.7	00.0-01.5	48	8.1	05.4-10.8	473	77.6	73.5-81.7
45-54	878	129,717	17	2.0	01.0-03.0	60	5.8	04.0-07.6	30	4.5	02.7-06.3	14	1.8	00.8-02.8	65	6.4	04.6-08.2	692	79.5	76.4-82.6
55-64	1091	119,151	8	0.7	00.1-01.3	68	5.9	04.3-07.5	29	3.4	01.8-05.0	6	0.4	00.0-00.8	83	6.9	05.1-08.7	897	82.6	79.9-85.3
65+	1775	145,658	9	0.5	00.1-00.9	59	3.6	02.4-04.8	28	1.6	00.8-02.4	16	0.9	00.3-01.5	93	3.8	02.8-04.8	1570	89.7	87.9-91.5
Less Than H.S.	420	96,112	7	2.0	00.2-03.8	17	4.1	01.4-06.8	20	5.4	02.7-08.1	5	0.8	00.0-01.6	53	13.7	09.0-18.4	318	74.1	68.4-79.8
H.S. or G.E.D.	1553	225,457	16	0.9	00.3-01.5	77	5.1	03.7-06.5	51	3.7	02.3-05.1	14	0.9	00.3-01.5	122	7.2	05.4-09.0	1273	82.2	79.7-84.7
Some Post-H.S.	1330	208,291	24	2.3	01.1-03.5	82	6.5	04.9-08.1	43	3.2	02.0-04.4	13	1.0	00.4-01.6	104	8.1	05.9-10.3	1064	79.0	76.1-81.9
College Graduate	1830	182,091	12	1.1	00.1-02.1	106	6.1	04.7-07.5	35	2.4	01.4-03.4	17	1.2	00.4-02.0	84	4.3	03.1-05.5	1576	84.9	82.7-87.1
Less than \$15,000	448	62,099	9	3.0	00.3-05.7	22	6.9	02.8-11.0	27	6.1	03.0-09.2	3	1.4	00.0-03.0	72	19.6	13.3-25.9	315	63.1	56.0-70.2
\$15,000- 24,999	729	97,423	9	1.8	00.4-03.2	50	7.0	04.6-09.4	33	5.3	03.1-07.5	13	1.4	00.4-02.4	92	12.5	09.4-15.6	532	72.0	67.7-76.3
\$25,000- 34,999	492	64,292	7	1.9	00.0-03.9	31	6.9	04.0-09.8	13	3.2	01.0-05.4	3	0.5	00.0-01.1	41	10.2	05.9-14.5	397	77.3	71.8-82.8
\$35,000- 49,999	682	94,925	8	1.0	00.0-02.0	28	4.8	02.8-06.8	16	2.3	00.9-03.7	6	0.9	00.1-01.7	41	6.0	03.5-08.5	583	84.9	81.4-88.4
\$50,000- 74,999	678	91,681	6	1.1	00.1-02.1	39	5.6	03.6-07.6	20	4.1	01.6-06.6	9	1.6	00.4-02.8	28	3.7	02.1-05.3	576	83.9	80.2-87.6
\$75,000+	1337	200,537	15	1.7	00.7-02.7	76	5.7	04.1-07.3	23	2.2	01.2-03.2	11	0.9	00.3-01.5	42	3.7	02.1-05.3	1170	85.8	83.3-88.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 8: OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2067	340,595	19	1.3	00.5-02.1	90	4.4	03.4-05.4	52	3.1	02.1-04.1	14	0.7	00.3-01.1	139	8.0	06.2-09.8	1753	82.5	80.1-84.9
White/Non-Hisp	1515	227,148	11	1.0	00.2-01.8	62	4.6	03.2-06.0	32	2.5	01.3-03.7	9	0.5	00.1-00.9	78	5.2	03.6-06.8	1323	86.2	83.8-88.6
Black or Afr. Am./Non-Hisp	286	63,422	3	1.2	00.0-02.6	11	2.2	00.8-03.6	11	4.4	01.5-07.3	1	0.5	00.0-01.5	34	16.2	09.7-22.7	226	75.5	68.4-82.6
Oth. Race/Non-Hisp.	101	17,693				6	4.9	00.0-09.8	2	3.6	00.0-08.5				8	5.9	00.2-11.6	85	85.6	76.8-94.4
Hispanic	98	23,740	5	5.9	00.0-11.8	8	9.2	02.9-15.5	4	4.2	00.0-08.5	3	2.6	00.0-05.7	11	11.6	04.0-19.2	67	66.5	55.7-77.3
18-24	135	45,335				2	1.0	00.0-02.4	2	0.6	00.0-01.8	2	1.5	00.0-03.7	17	12.9	06.0-19.8	112	84.0	76.7-91.3
25-34	204	56,397	7	4.4	00.7-08.1	11	4.1	01.6-06.6	6	3.8	00.5-07.1	1	0.3	00.0-00.9	18	14.6	07.2-22.0	161	72.9	64.7-81.1
35-44	259	53,621	1	0.6	00.0-01.8	19	8.6	04.7-12.5	12	5.2	02.1-08.3				18	7.5	03.6-11.4	209	78.1	72.2-84.0
45-54	363	62,798	5	1.5	00.0-03.1	20	5.0	02.3-07.7	14	4.5	01.8-07.2	4	1.2	00.0-02.4	25	5.5	03.1-07.9	295	82.2	77.5-86.9
55-64	416	56,585	3	0.9	00.0-02.1	20	4.8	02.4-07.2	8	2.6	00.2-05.0	1	0.2	00.0-00.6	27	6.5	03.8-09.2	357	85.1	80.8-89.4
65+	674	64,367	3	0.3	00.0-00.7	18	3.0	01.4-04.6	9	1.4	00.2-02.6	6	0.8	00.0-01.6	34	3.3	01.9-04.7	604	91.3	88.9-93.7
Less Than H.S.	178	48,057	5	2.5	00.0-05.2	3	1.5	00.0-03.5	7	4.4	00.5-08.3	2	1.0	00.0-02.6	20	15.0	07.2-22.8	141	75.5	66.9-84.1
H.S. or G.E.D.	644	115,659	5	0.7	00.0-01.5	28	4.3	02.5-06.1	22	3.3	01.7-04.9	5	0.5	00.0-01.1	46	6.7	04.2-09.2	538	84.6	81.1-88.1
Some Post-H.S.	465	89,701	5	1.3	00.1-02.5	31	6.6	04.1-09.1	13	2.9	00.9-04.9	5	1.1	00.0-02.3	34	9.5	05.6-13.4	377	78.5	73.6-83.4
College Graduate	770	85,915	4	1.5	00.0-03.3	28	4.2	02.4-06.0	10	2.2	00.4-04.0	2	0.1	00.0-00.3	39	4.5	02.7-06.3	687	87.6	84.3-90.9
Less than \$15,000	134	23,992	1	0.7	00.0-02.1	7	3.9	00.4-07.4	9	6.8	01.1-12.5	3	3.5	00.0-07.6	20	22.4	09.7-35.1	94	62.7	50.2-75.2
\$15,000- 24,999	260	43,612	2	1.4	00.0-03.4	18	6.4	03.1-09.7	9	3.1	00.7-05.5	4	0.8	00.0-01.8	39	15.0	09.5-20.5	188	73.3	66.6-80.0
\$25,000- 34,999	190	31,060	2	2.1	00.0-05.8	8	5.4	01.1-09.7	6	2.7	00.3-05.1	1	0.4	00.0-01.2	19	12.6	04.8-20.4	154	76.9	67.9-85.9
\$35,000- 49,999	296	47,812	2	0.7	00.0-01.9	12	4.3	01.8-06.8	5	2.3	00.1-04.5	1	0.4	00.0-01.2	19	7.2	02.9-11.5	257	85.2	79.9-90.5
\$50,000- 74,999	292	45,914				13	5.4	02.3-08.5	6	4.2	00.0-08.5	2	0.3	00.0-00.7	7	2.6	00.4-04.8	264	87.4	81.9-92.9
\$75,000+	634	105,460	8	2.1	00.3-03.9	29	4.8	02.8-06.8	9	2.1	00.5-03.7	3	0.5	00.0-01.1	19	3.4	01.2-05.6	566	87.0	83.5-90.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 9: OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3086	373,342	40	1.6	01.0-02.2	193	6.7	05.5-07.9	97	3.8	02.8-04.8	35	1.3	00.7-01.9	225	7.2	06.0-08.4	2496	79.4	77.4-81.4
White/Non-Hisp	2276	249,844	29	1.5	00.9-02.1	131	6.2	04.8-07.6	49	2.7	01.7-03.7	20	0.9	00.5-01.3	142	6.1	04.7-07.5	1905	82.6	80.4-84.8
Black or Afr. Am./Non-Hisp	480	75,707	7	2.6	00.2-05.0	30	5.5	03.3-07.7	22	4.4	02.2-06.6	7	1.7	00.3-03.1	51	9.9	06.4-13.4	363	76.0	71.1-80.9
Oth. Race/Non-Hisp.	109	13,618	2	1.3	00.0-03.3	10	11.6	02.2-21.0	10	8.9	01.8-16.0	4	3.3	00.0-07.2	10	8.8	02.5-15.1	73	66.2	53.9-78.5
Hispanic	139	28,074	2	1.3	00.0-03.1	13	10.9	02.7-19.1	13	9.8	03.3-16.3	3	2.6	00.0-05.7	14	8.2	03.1-13.3	94	67.1	56.7-77.5
18-24	141	45,155	4	2.5	00.0-05.0	11	9.8	03.3-16.3	11	6.9	02.4-11.4	2	0.7	00.0-01.9	15	8.8	03.7-13.9	98	71.2	62.4-80.0
25-34	274	58,062	7	2.1	00.3-03.9	23	6.9	03.8-10.0	16	4.1	01.7-06.5	5	1.4	00.0-02.8	23	8.3	04.6-12.0	200	77.2	71.7-82.7
35-44	342	56,015	6	2.5	00.0-05.4	25	7.3	04.2-10.4	14	3.1	00.9-05.3	3	1.4	00.0-03.0	30	8.7	05.0-12.4	264	77.1	71.4-82.8
45-54	515	66,919	12	2.3	00.7-03.9	40	6.6	04.2-09.0	16	4.5	02.1-06.9	10	2.4	00.8-04.0	40	7.2	04.5-09.9	397	77.0	72.5-81.5
55-64	675	62,567	5	0.5	00.1-00.9	48	7.0	04.8-09.2	21	4.1	01.7-06.5	5	0.7	00.1-01.3	56	7.3	04.9-09.7	540	80.4	76.7-84.1
65+	1101	81,291	6	0.6	00.0-01.2	41	4.1	02.5-05.7	19	1.7	00.5-02.9	10	1.0	00.2-01.8	59	4.2	02.8-05.6	966	88.4	86.0-90.8
Less Than H.S.	242	48,055	2	1.4	00.0-03.4	14	6.8	01.9-11.7	13	6.4	02.7-10.1	3	0.5	00.0-01.1	33	12.4	07.1-17.7	177	72.6	65.0-80.2
H.S. or G.E.D.	909	109,798	11	1.1	00.3-01.9	49	6.0	04.0-08.0	29	4.2	02.0-06.4	9	1.2	00.2-02.2	76	7.8	05.4-10.2	735	79.7	76.2-83.2
Some Post-H.S.	865	118,590	19	3.0	01.2-04.8	51	6.4	04.2-08.6	30	3.4	02.0-04.8	8	0.8	00.2-01.4	70	7.0	04.8-09.2	687	79.3	75.8-82.8
College Graduate	1060	96,177	8	0.7	00.1-01.3	78	7.8	05.8-09.8	25	2.7	01.5-03.9	15	2.2	00.8-03.6	45	4.1	02.7-05.5	889	82.5	79.6-85.4
Less than \$15,000	314	38,107	8	4.5	00.0-09.0	15	8.8	02.5-15.1	18	5.7	02.2-09.2				52	17.8	11.7-23.9	221	63.3	54.9-71.7
\$15,000- 24,999	469	53,811	7	2.1	00.3-03.9	32	7.5	04.4-10.6	24	7.1	03.8-10.4	9	1.8	00.4-03.2	53	10.5	07.0-14.0	344	71.0	65.5-76.5
\$25,000- 34,999	302	33,232	5	1.6	00.0-03.2	23	8.3	04.6-12.0	7	3.8	00.5-07.1	2	0.6	00.0-01.8	22	8.0	04.1-11.9	243	77.6	71.5-83.7
\$35,000- 49,999	386	47,113	6	1.4	00.0-02.8	16	5.4	02.5-08.3	11	2.4	00.6-04.2	5	1.5	00.1-02.9	22	4.7	02.3-07.1	326	84.6	80.1-89.1
\$50,000- 74,999	386	45,767	6	2.2	00.0-04.4	26	5.8	03.3-08.3	14	3.9	01.4-06.4	7	2.9	00.5-05.3	21	4.9	02.4-07.4	312	80.3	75.2-85.4
\$75,000+	703	95,078	7	1.1	00.1-02.1	47	6.7	04.3-09.1	14	2.2	00.8-03.6	8	1.3	00.3-02.3	23	4.1	01.9-06.3	604	84.5	81.0-88.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 13: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4703	627,522	213	6.3	05.1-07.5	4490	93.7	92.5-94.9
Male	1835	288,605	78	5.9	04.1-07.7	1757	94.1	92.3-95.9
Female	2868	338,917	135	6.6	05.0-08.2	2733	93.4	91.8-95.0
White/Non-Hisp	3562	440,226	121	4.6	03.4-05.8	3441	95.4	94.2-96.6
Black or Afr. Am./Non-Hisp	667	115,587	55	11.6	07.7-15.5	612	88.4	84.5-92.3
Oth. Race/Non-Hisp.	177	26,438	14	9.1	03.4-14.8	163	90.9	85.2-96.6
MultiRacial/Non-Hisp.	60	4,257	2	2.8	00.0-06.7	58	97.2	93.3-0100
Hispanic	165	32,697	18	9.4	04.5-14.3	147	90.6	85.7-95.5
18-24	207	69,264	27	12.2	07.3-17.1	180	87.8	82.9-92.7
25-34	397	92,272	45	13.3	08.0-18.6	352	86.7	81.4-92.0
35-44	516	92,809	35	7.4	04.3-10.5	481	92.6	89.5-95.7
45-54	783	115,515	35	4.3	02.7-05.9	748	95.7	94.1-97.3
55-64	1004	109,395	48	4.5	03.1-05.9	956	95.5	94.1-96.9
65+	1746	143,661	21	1.4	00.4-02.4	1725	98.6	97.6-99.6
Less Than H.S.	331	68,865	19	10.4	04.5-16.3	312	89.6	83.7-95.5
H.S. or G.E.D.	1374	191,588	73	6.8	04.6-09.0	1301	93.2	91.0-95.4
Some Post-H.S.	1217	190,365	66	6.5	04.5-08.5	1151	93.5	91.5-95.5
College Graduate	1760	174,691	55	4.0	02.6-05.4	1705	96.0	94.6-97.4
Less than \$15,000	368	47,114	40	15.7	08.6-22.8	328	84.3	77.2-91.4
\$15,000- 24,999	617	76,254	55	11.6	08.1-15.1	562	88.4	84.9-91.9
\$25,000- 34,999	424	50,911	22	5.8	03.1-08.5	402	94.2	91.5-96.9
\$35,000- 49,999	630	84,012	26	5.9	03.2-08.6	604	94.1	91.4-96.8
\$50,000- 74,999	643	86,956	17	4.8	01.7-07.9	626	95.2	92.1-98.3
\$75,000+	1306	194,095	28	2.4	01.4-03.4	1278	97.6	96.6-98.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 14: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1835	288,605	78	5.9	04.1-07.7	1757	94.1	92.3-95.9
White/Non-Hisp	1399	204,120	44	4.0	02.4-05.6	1355	96.0	94.4-97.6
Black or Afr. Am./Non-Hisp	240	50,124	24	15.2	07.9-22.5	216	84.8	77.5-92.1
Oth. Race/Non-Hisp.	86	15,855	5	4.7	00.0-09.8	81	95.3	90.2-0100
Hispanic	55	11,533	2	2.5	00.0-06.0	53	97.5	94.0-0100
18-24	93	32,147	10	10.4	03.5-17.3	83	89.6	82.7-96.5
25-34	160	42,776	15	12.5	04.3-20.7	145	87.5	79.3-95.7
35-44	208	41,914	14	7.2	03.3-11.1	194	92.8	88.9-96.7
45-54	318	54,699	13	3.7	01.3-06.1	305	96.3	93.9-98.7
55-64	378	52,326	18	4.2	02.0-06.4	360	95.8	93.6-98.0
65+	664	63,307	8	1.9	00.1-03.7	656	98.1	96.3-99.9
Less Than H.S.	130	29,863	6	11.4	00.6-22.2	124	88.6	77.8-99.4
H.S. or G.E.D.	529	93,039	29	5.2	03.0-07.4	500	94.8	92.6-97.0
Some Post-H.S.	426	82,210	24	7.0	03.7-10.3	402	93.0	89.7-96.3
College Graduate	740	82,230	19	3.8	01.8-05.8	721	96.2	94.2-98.2
Less than \$15,000	94	15,454	11	20.9	04.2-37.6	83	79.1	62.4-95.8
\$15,000- 24,999	207	31,708	20	14.0	07.5-20.5	187	86.0	79.5-92.5
\$25,000- 34,999	153	21,984	10	5.7	01.6-09.8	143	94.3	90.2-98.4
\$35,000- 49,999	268	42,033	12	6.1	01.8-10.4	256	93.9	89.6-98.2
\$50,000- 74,999	271	43,256	4	3.1	00.0-06.8	267	96.9	93.2-0100
\$75,000+	611	100,102	15	2.8	01.0-04.6	596	97.2	95.4-99.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 15: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2868	338,917	135	6.6	05.0-08.2	2733	93.4	91.8-95.0
White/Non-Hisp	2163	236,106	77	5.1	03.3-06.9	2086	94.9	93.1-96.7
Black or Afr. Am./Non-Hisp	427	65,463	31	8.8	04.7-12.9	396	91.2	87.1-95.3
Oth. Race/Non-Hisp.	91	10,583	9	15.7	04.5-26.9	82	84.3	73.1-95.5
Hispanic	110	21,165	16	13.2	05.8-20.6	94	86.8	79.4-94.2
18-24	114	37,117	17	13.7	06.8-20.6	97	86.3	79.4-93.2
25-34	237	49,495	30	14.0	06.9-21.1	207	86.0	78.9-93.1
35-44	308	50,895	21	7.6	02.9-12.3	287	92.4	87.7-97.1
45-54	465	60,816	22	4.7	02.5-06.9	443	95.3	93.1-97.5
55-64	626	57,069	30	4.7	02.7-06.7	596	95.3	93.3-97.3
65+	1082	80,353	13	1.1	00.5-01.7	1069	98.9	98.3-99.5
Less Than H.S.	201	39,003	13	9.6	03.3-15.9	188	90.4	84.1-96.7
H.S. or G.E.D.	845	98,549	44	8.3	04.6-12.0	801	91.7	88.0-95.4
Some Post-H.S.	791	108,154	42	6.2	03.8-08.6	749	93.8	91.4-96.2
College Graduate	1020	92,461	36	4.1	02.3-05.9	984	95.9	94.1-97.7
Less than \$15,000	274	31,660	29	13.2	06.9-19.5	245	86.8	80.5-93.1
\$15,000- 24,999	410	44,546	35	9.9	06.2-13.6	375	90.1	86.4-93.8
\$25,000- 34,999	271	28,927	12	5.9	02.2-09.6	259	94.1	90.4-97.8
\$35,000- 49,999	362	41,978	14	5.7	02.0-09.4	348	94.3	90.6-98.0
\$50,000- 74,999	372	43,700	13	6.5	01.4-11.6	359	93.5	88.4-98.6
\$75,000+	695	93,993	13	2.0	00.8-03.2	682	98.0	96.8-99.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 16: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	425	81,115	84	18.3	13.8-22.8	55	14.1	09.8-18.4	99	21.3	16.4-26.2	125	28.8	23.1-34.5	62	17.5	12.6-22.4
Male	217	48,326	29	13.9	08.2-19.6	28	13.1	07.6-18.6	55	23.6	16.7-30.5	71	32.4	24.6-40.2	34	17.0	11.1-22.9
Female	208	32,789	55	24.9	17.3-32.5	27	15.7	08.6-22.8	44	17.8	10.9-24.7	54	23.5	16.2-30.8	28	18.2	10.2-26.2
White/Non-Hisp	223	35,753	43	18.8	12.1-25.5	31	15.0	09.3-20.7	51	22.9	15.6-30.2	79	35.6	27.0-44.2	19	7.7	03.6-11.8
Black or Afr. Am./Non-Hisp	86	19,756	21	23.5	12.5-34.5	16	23.7	11.2-36.2	18	17.0	07.8-26.2	19	21.7	11.1-32.3	12	14.1	05.7-22.5
Hispanic	70	18,848	10	9.1	02.8-15.4	4	5.0	00.1-09.9	15	22.5	10.9-34.1	18	26.3	14.7-37.9	23	37.1	24.2-50.0
18-24	58	16,714	13	19.7	08.9-30.5	12	22.3	09.4-35.2	17	29.4	15.7-43.1	8	14.0	03.8-24.2	8	14.6	02.6-26.6
25-34	76	22,329	19	26.9	15.1-38.7	14	14.0	06.4-21.6	13	17.5	07.7-27.3	19	26.6	14.8-38.4	11	15.1	05.7-24.5
35-44	85	16,857	5	3.9	00.2-07.6	12	11.5	04.1-18.9	25	25.0	14.4-35.6	24	28.2	16.4-40.0	19	31.4	19.2-43.6
45-54	93	13,677	26	24.3	14.1-34.5	9	7.2	02.1-12.3	14	13.0	04.4-21.6	38	49.1	36.0-62.2	6	6.4	00.3-12.5
55-64	85	9,633	12	10.8	03.9-17.7	7	16.4	00.0-33.5	26	23.1	12.5-33.7	33	36.6	23.1-50.1	7	13.1	02.5-23.7
Less Than H.S.	82	24,839	10	8.2	02.1-14.3	7	10.8	02.0-19.6	12	14.5	05.7-23.3	28	36.4	23.7-49.1	25	30.0	19.0-41.0
H.S. or G.E.D.	162	30,342	29	13.2	07.5-18.9	19	13.9	06.6-21.2	38	25.5	17.1-33.9	54	31.1	22.5-39.7	22	16.3	08.1-24.5
Some Post-H.S.	113	18,776	29	34.9	23.1-46.7	16	14.7	07.1-22.3	30	24.2	14.2-34.2	29	20.5	12.1-28.9	9	5.7	00.6-10.8
College Graduate	68	7,159	16	31.8	15.1-48.5	13	25.4	11.5-39.3	19	18.9	09.1-28.7	14	14.3	05.5-23.1	6	9.6	01.6-17.6
Less than \$15,000	77	13,981	14	23.7	10.6-36.8	5	5.7	00.4-11.0	15	15.4	06.0-24.8	29	34.0	21.7-46.3	14	21.3	09.5-33.1
\$15,000- 24,999	109	20,687	16	6.2	02.5-09.9	15	19.5	08.7-30.3	27	17.3	09.1-25.5	28	27.2	16.4-38.0	23	29.8	18.6-41.0
\$25,000- 34,999	67	13,175	12	14.6	05.8-23.4	9	11.2	02.8-19.6	23	35.5	20.8-50.2	17	28.5	14.4-42.6	6	10.2	01.4-19.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 17: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	217	48,326	29	13.9	08.2-19.6	28	13.1	07.6-18.6	55	23.6	16.7-30.5	71	32.4	24.6-40.2	34	17.0	11.1-22.9
White/Non-Hisp	113	22,930	14	13.4	05.6-21.2	15	13.2	06.1-20.3	25	23.5	13.9-33.1	48	41.6	29.8-53.4	11	8.3	02.8-13.8
H.S. or G.E.D.	100	19,426	11	10.1	03.4-16.8	16	19.9	09.1-30.7	24	25.1	15.1-35.1	36	31.5	21.1-41.9	13	13.4	05.2-21.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 18: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	208	32,789	55	24.9	17.3-32.5	27	15.7	09.8-21.6	44	17.8	10.9-24.7	54	23.5	16.2-30.8	28	18.2	10.4-26.0
White/Non-Hisp	110	12,822	29	28.5	17.3-39.7	16	18.2	08.6-27.8	26	21.8	11.4-32.2	31	24.9	15.1-34.7	8	6.6	00.7-12.5
45-54	50	5,768	19	38.1	22.2-54.0	6	11.3	01.9-20.7	7	8.9	02.0-15.8	16	39.4	22.9-55.9	2	2.2	00.0-05.3
H.S. or G.E.D.	62	10,916	18	18.8	07.8-29.8	3	3.1	00.0-06.6	14	26.3	10.6-42.0	18	30.5	15.6-45.4	9	21.4	04.5-38.3
Some Post-H.S.	71	9,716	21	41.8	26.3-57.3	10	15.8	05.2-26.4	17	19.5	09.1-29.9	18	20.5	09.7-31.3	5	2.5	00.0-05.0
\$15,000- 24,999	60	9,517	14	11.1	03.5-18.7	7	23.3	04.7-41.9	16	22.2	08.7-35.7	14	20.5	07.8-33.2	9	22.9	08.2-37.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 19: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-87 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5193	721,590	4224	81.1	79.7-82.5	240	3.9	0.3-04.5	61	0.8	00.6-01.0	57	1.1	00.7-01.5	190	3.4	02.6-04.2	421	9.7	08.5-10.9
Male	2081	345,161	1651	79.1	76.7-81.5	81	2.8	02.0-03.6	23	0.6	00.2-01.0	24	0.8	00.4-01.2	55	2.2	01.4-03.0	247	14.5	12.5-16.5
Female	3112	376,430	2573	82.9	81.1-84.7	159	5.0	04.0-06.0	38	1.0	00.6-01.4	33	1.3	00.7-01.9	135	4.5	03.3-05.7	174	5.4	04.2-06.6
White/Non-Hisp	3824	482,547	3120	81.2	79.4-83.0	196	4.6	03.8-05.4	50	0.9	00.5-01.3	42	1.2	00.6-01.8	137	3.3	02.5-04.1	279	8.9	07.5-10.3
Black or Afr. Am./Non-Hisp	771	140,825	656	85.0	81.9-88.1	24	2.7	01.3-04.1	7	0.7	00.1-01.3	7	0.8	00.2-01.4	24	3.1	01.5-04.7	53	7.6	05.2-10.0
Oth. Race/Non-Hisp.	211	31,433	163	77.5	69.9-85.1	2	0.3	00.0-00.7	2	0.7	00.0-01.9	4	1.1	00.0-02.3	12	5.2	01.1-09.3	28	15.3	08.8-21.8
MultiRacial/Non-Hisp.	70	5,267	51	79.8	70.0-89.6	4	3.9	00.0-08.4				1	1.1	00.0-03.3	3	2.9	00.0-06.4	11	12.3	04.5-20.1
Hispanic	239	52,287	176	72.2	65.3-79.1	9	3.3	00.8-05.8	2	0.7	00.0-01.7	3	1.1	00.0-02.5	8	3.3	00.6-06.0	41	19.4	13.3-25.5
18-24	279	91,765	218	80.7	75.4-86.0	7	2.4	00.4-04.4	1	0.2	00.0-00.6	1	1.0	00.0-03.0	9	2.6	00.6-04.6	43	13.0	08.7-17.3
25-34	489	117,896	379	78.3	73.8-82.8	16	2.6	01.2-04.0	6	0.7	00.1-01.3	3	0.4	00.0-01.0	16	3.7	01.3-06.1	69	14.3	10.4-18.2
35-44	607	110,490	489	79.1	75.2-83.0	19	3.6	01.6-05.6	5	0.7	00.1-01.3	3	0.3	00.0-00.7	12	2.3	00.7-03.9	79	14.0	10.7-17.3
45-54	886	130,608	736	81.9	78.6-85.2	33	3.2	02.0-04.4	8	0.6	00.2-01.0	15	2.2	00.8-03.6	22	3.9	01.9-05.9	72	8.1	05.7-10.5
55-64	1101	120,302	889	81.6	78.7-84.5	57	5.4	03.6-07.2	23	1.9	00.9-02.9	19	1.5	00.7-02.3	29	1.9	01.1-02.7	84	7.7	05.7-09.7
65+	1778	145,960	1474	84.0	81.8-86.2	106	5.5	04.1-06.9	18	0.9	00.3-01.5	16	0.9	00.3-01.5	94	4.7	03.5-05.9	70	4.0	02.8-05.2
Less Than H.S.	423	97,991	303	71.3	65.6-77.0	19	3.9	01.7-06.1	8	1.2	00.2-02.2	4	1.7	00.0-03.7	31	5.6	02.9-08.3	58	16.3	11.6-21.0
H.S. or G.E.D.	1561	226,161	1266	82.2	79.7-84.7	65	3.1	02.1-04.1	18	0.6	00.2-01.0	13	0.9	00.3-01.5	67	3.3	02.3-04.3	132	9.8	07.6-12.0
Some Post-H.S.	1343	211,634	1081	81.7	79.2-84.2	79	4.9	03.5-06.3	13	0.9	00.3-01.5	21	1.1	00.5-01.7	46	3.4	02.0-04.8	103	8.0	06.2-09.8
College Graduate	1846	183,813	1560	84.0	81.8-86.2	76	3.7	02.5-04.9	22	0.9	00.5-01.3	18	0.9	00.3-01.5	45	2.3	01.3-03.3	125	8.2	06.4-10.0
Less than \$15,000	452	62,856	326	76.7	71.4-82.0	40	5.6	03.4-07.8	6	1.0	00.0-02.0	11	1.5	00.3-02.7	22	2.4	01.2-03.6	47	12.9	08.2-17.6
\$15,000- 24,999	737	98,689	577	74.4	70.1-78.7	29	4.1	02.1-06.1	18	1.8	00.8-02.8	6	0.8	00.0-01.6	35	4.9	02.7-07.1	72	13.9	10.4-17.4
\$25,000- 34,999	495	64,822	397	79.2	74.1-84.3	20	3.2	01.4-05.0	6	0.9	00.1-01.7	6	1.8	00.0-03.8	22	5.4	02.3-08.5	44	9.5	05.8-13.2
\$35,000- 49,999	687	95,552	565	82.7	78.8-86.6	27	3.1	01.7-04.5	9	0.8	00.2-01.4	6	0.5	00.0-01.1	23	3.5	01.1-05.9	57	9.4	06.5-12.3
\$50,000- 74,999	686	93,975	573	83.1	79.6-86.6	33	4.4	02.6-06.2	7	0.9	00.1-01.7	6	0.7	00.1-01.3	13	1.6	00.6-02.6	54	9.4	06.5-12.3
\$75,000+	1349	201,673	1167	85.7	83.2-88.2	50	3.1	01.9-04.3	9	0.5	00.1-00.9	15	1.1	00.5-01.7	23	1.6	00.6-02.6	85	7.9	05.7-10.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 20: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-87 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2081	345,161	1651	79.1	76.7-81.5	81	2.8	02.0-03.6	23	0.6	00.2-01.0	24	0.8	00.4-01.2	55	2.2	01.4-03.0	247	14.5	12.5-16.5
White/Non-Hisp	1529	230,650	1225	80.0	77.5-82.5	67	3.2	02.2-04.2	20	0.8	00.4-01.2	19	1.0	00.4-01.6	42	2.2	01.2-03.2	156	12.7	10.3-15.1
Black or Afr. Am./Non-Hisp	288	64,799	239	82.5	77.0-88.0	7	2.5	00.1-04.9	2	0.4	00.0-01.0	3	0.6	00.0-01.4	3	1.2	00.0-02.8	34	12.7	08.0-17.4
Oth. Race/Non-Hisp.	101	17,693	75	73.4	61.4-85.4				1	0.1	00.0-00.3	2	0.9	00.0-02.3	4	5.1	00.0-11.2	19	20.5	09.9-31.1
Hispanic	98	23,740	66	64.3	53.3-75.3	2	1.3	00.0-03.1							2	2.5	00.0-06.0	28	31.9	21.1-42.7
18-24	136	46,270	98	76.4	68.4-84.4	1	0.4	00.0-01.2							4	3.1	00.0-06.2	33	20.1	12.5-27.7
25-34	211	58,969	155	75.7	69.0-82.4	1	0.6	00.0-01.8							4	1.0	00.0-02.2	51	22.8	16.1-29.5
35-44	259	53,638	199	75.7	69.6-81.8	9	4.0	00.9-07.1	2	0.9	00.0-02.1	1	0.3	00.0-00.9	3	0.8	00.0-01.8	45	18.4	12.9-23.9
45-54	364	63,150	303	81.9	76.8-87.0	5	1.5	00.1-02.9	3	0.3	00.0-00.7	5	1.3	00.0-02.7	10	3.8	00.9-06.7	38	11.2	07.1-15.3
55-64	421	57,143	329	79.5	74.8-84.2	17	3.7	01.5-05.9	8	1.1	00.1-02.1	9	1.8	00.4-03.2	7	1.3	00.1-02.5	51	12.5	08.6-16.4
65+	674	64,499	554	83.5	80.2-86.8	47	5.9	03.9-07.9	10	1.4	00.4-02.4	9	1.4	00.2-02.6	26	2.9	01.5-04.3	28	4.9	02.7-07.1
Less Than H.S.	179	49,083	121	68.8	60.4-77.2	4	2.2	00.0-05.1	3	0.8	00.0-01.8	1	0.4	00.0-01.2	11	4.4	00.7-08.1	39	23.5	15.9-31.1
H.S. or G.E.D.	646	116,051	507	79.9	76.0-83.8	20	1.7	00.9-02.5	8	0.5	00.1-00.9	7	0.6	00.0-01.2	19	2.3	00.9-03.7	85	14.9	11.2-18.6
Some Post-H.S.	471	92,081	374	81.3	77.2-85.4	24	3.8	02.0-05.6	4	0.8	00.0-01.6	7	1.2	00.2-02.2	8	1.4	00.0-02.8	54	11.5	08.0-15.0
College Graduate	776	86,706	642	81.3	77.8-84.8	33	3.5	01.9-05.1	8	0.7	00.1-01.3	8	1.0	00.2-01.8	17	1.4	00.6-02.2	68	12.1	09.0-15.2
Less than \$15,000	135	24,308	88	70.8	61.0-80.6	10	3.0	00.3-05.7	2	1.0	00.0-02.4	5	2.7	00.2-05.2	4	0.7	00.0-01.5	26	21.9	12.9-30.9
\$15,000- 24,999	261	43,801	190	69.9	62.6-77.2	8	2.2	00.4-04.0	5	1.7	00.0-03.5	3	0.6	00.0-01.4	12	4.4	01.3-07.5	43	21.3	14.6-28.0
\$25,000- 34,999	192	31,366	156	79.4	71.4-87.4	4	1.3	00.0-02.7	3	0.7	00.0-01.7				6	4.7	00.0-10.0	23	13.9	07.2-20.6
\$35,000- 49,999	299	48,263	235	80.9	75.4-86.4	11	2.9	00.9-04.9	4	0.3	00.0-00.7	5	0.9	00.0-01.9	8	1.7	00.3-03.1	36	13.3	08.4-18.2
\$50,000- 74,999	295	47,511	236	79.2	73.3-85.1	12	3.2	01.2-05.2	4	1.3	00.1-02.5	3	0.8	00.0-01.8	6	1.3	00.3-02.3	34	14.3	09.0-19.6
\$75,000+	639	106,065	550	84.9	81.2-88.6	20	2.0	01.0-03.0	2	0.1	00.0-00.3	6	1.0	00.2-01.8	7	0.6	00.0-01.2	54	11.4	07.9-14.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 21: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-87 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3112	376,430	2573	82.9	81.1-84.7	159	5.0	04.0-06.0	38	1.0	00.6-01.4	33	1.3	00.7-01.9	135	4.5	03.3-05.7	174	5.4	04.2-06.6
White/Non-Hisp	2295	251,897	1895	82.2	79.8-84.6	129	5.8	04.4-07.2	30	1.0	00.6-01.4	23	1.3	00.3-02.3	95	4.3	02.9-05.7	123	5.3	03.9-06.7
Black or Afr. Am./Non-Hisp	483	76,026	417	87.1	83.4-90.8	17	2.9	01.3-04.5	5	1.0	00.0-02.0	4	0.9	00.0-01.9	21	4.8	02.1-07.5	19	3.3	01.5-05.1
Oth. Race/Non-Hisp.	110	13,740	88	82.8	74.2-91.4	2	0.6	00.0-01.6	1	1.4	00.0-04.1	2	1.4	00.0-03.8	8	5.3	00.4-10.2	9	8.5	02.0-15.0
Hispanic	141	28,548	110	78.7	70.5-86.9	7	5.0	00.5-09.5	2	1.3	00.0-03.3	3	2.0	00.0-04.4	6	3.9	00.0-08.2	13	9.0	03.3-14.7
18-24	143	45,495	120	85.1	78.4-91.8	6	4.5	00.6-08.4	1	0.4	00.0-01.2	1	2.0	00.0-05.9	5	2.2	00.2-04.2	10	5.8	01.9-09.7
25-34	278	58,927	224	80.9	74.8-87.0	15	4.7	02.0-07.4	6	1.5	00.1-02.9	3	0.8	00.0-01.8	12	6.4	02.1-10.7	18	5.7	02.0-09.4
35-44	348	56,853	290	82.3	77.2-87.4	10	3.3	00.9-05.7	3	0.5	00.0-01.1	2	0.3	00.0-00.7	9	3.7	00.8-06.6	34	9.9	06.0-13.8
45-54	522	67,458	433	82.0	77.7-86.3	28	4.8	02.8-06.8	5	0.9	00.1-01.7	10	3.1	00.7-05.5	12	4.0	01.3-06.7	34	5.2	03.0-07.4
55-64	680	63,159	560	83.4	79.9-86.9	40	7.0	04.3-09.7	15	2.5	01.1-03.9	10	1.2	00.2-02.2	22	2.4	01.2-03.6	33	3.4	02.0-04.8
65+	1104	81,461	920	84.4	81.7-87.1	59	5.2	03.4-07.0	8	0.4	00.0-00.8	7	0.6	00.0-01.2	68	6.1	04.3-07.9	42	3.3	02.1-04.5
Less Than H.S.	244	48,908	182	73.9	66.5-81.3	15	5.7	02.4-09.0	5	1.6	00.0-03.2	3	3.0	00.0-06.9	20	6.7	02.8-10.6	19	9.1	04.0-14.2
H.S. or G.E.D.	915	110,110	759	84.6	81.5-87.7	45	4.6	02.8-06.4	10	0.8	00.2-01.4	6	1.2	00.0-02.4	48	4.4	02.8-06.0	47	4.5	02.9-06.1
Some Post-H.S.	872	119,554	707	82.0	78.7-85.3	55	5.8	03.8-07.8	9	0.9	00.1-01.7	14	1.1	00.3-01.9	38	4.8	02.4-07.2	49	5.3	03.3-07.3
College Graduate	1070	97,107	918	86.5	83.8-89.2	43	3.9	02.1-05.7	14	1.2	00.4-02.0	10	0.8	00.2-01.4	28	3.0	01.4-04.6	57	4.7	03.1-06.3
Less than \$15,000	317	38,548	238	80.4	74.3-86.5	30	7.2	04.1-10.3	4	1.1	00.0-02.3	6	0.7	00.1-01.3	18	3.5	01.5-05.5	21	7.2	02.3-12.1
\$15,000- 24,999	476	54,888	387	78.1	72.8-83.4	21	5.7	02.6-08.8	13	1.9	00.5-03.3	3	1.0	00.0-02.2	23	5.4	02.3-08.5	29	7.9	04.4-11.4
\$25,000- 34,999	303	33,455	241	79.0	72.7-85.3	16	4.9	01.6-08.2	3	1.0	00.0-02.2	6	3.6	00.0-07.3	16	6.1	02.6-09.6	21	5.3	02.0-08.6
\$35,000- 49,999	388	47,289	330	84.5	79.0-90.0	16	3.3	01.5-05.1	5	1.3	00.1-02.5	1	0.1	00.0-00.3	15	5.3	00.8-09.8	21	5.5	02.4-08.6
\$50,000- 74,999	391	46,464	337	87.1	83.0-91.2	21	5.6	02.7-08.5	3	0.6	00.0-01.2	3	0.6	00.0-01.2	7	1.9	00.1-03.7	20	4.4	02.0-06.8
\$75,000+	710	95,608	617	86.6	83.3-89.9	30	4.4	02.2-06.6	7	0.9	00.1-01.7	9	1.3	00.3-02.3	16	2.8	01.0-04.6	31	4.0	02.2-05.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 22: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5166	716,088	387	8.6	07.4-09.8	4429	83.5	81.9-85.1	350	7.9	06.7-09.1
Male	2071	342,315	125	6.9	05.3-08.5	1769	82.9	80.5-85.3	177	10.2	08.2-12.2
Female	3095	373,773	262	10.2	08.6-11.8	2660	84.1	82.1-86.1	173	5.8	04.6-07.0
White/Non-Hisp	3802	479,235	244	7.2	06.0-08.4	3326	85.6	84.0-87.2	232	7.1	05.9-08.3
Black or Afr. Am./Non-Hisp	764	138,545	91	14.4	10.7-18.1	615	75.9	71.6-80.2	58	9.7	06.8-12.6
Oth. Race/Non-Hisp.	212	31,340	13	5.8	01.9-09.7	180	86.8	81.1-92.5	19	7.4	03.3-11.5
MultiRacial/Non-Hisp.	70	5,267	10	8.6	02.3-14.9	52	80.7	70.7-90.7	8	10.7	02.7-18.7
Hispanic	239	52,276	22	7.9	04.2-11.6	188	81.6	76.1-87.1	29	10.5	06.2-14.8
18-24	277	90,668	26	10.4	05.9-14.9	214	76.4	70.3-82.5	37	13.3	08.4-18.2
25-34	479	115,609	40	9.0	05.5-12.5	389	79.9	75.2-84.6	50	11.2	07.7-14.7
35-44	603	110,017	64	10.7	07.6-13.8	478	79.8	75.9-83.7	61	9.5	06.8-12.2
45-54	881	129,915	84	9.0	06.8-11.2	730	84.1	81.2-87.0	67	6.9	04.9-08.9
55-64	1095	119,628	101	10.6	07.9-13.3	928	83.8	80.7-86.9	66	5.6	03.8-07.4
65+	1779	145,905	70	3.8	02.6-05.0	1642	92.4	90.6-94.2	67	3.9	02.5-05.3
Less Than H.S.	422	96,782	52	14.4	09.3-19.5	342	78.0	72.3-83.7	28	7.6	04.3-10.9
H.S. or G.E.D.	1557	225,467	137	8.9	07.1-10.7	1311	82.1	79.4-84.8	109	9.0	06.8-11.2
Some Post-H.S.	1330	209,446	118	9.1	07.1-11.1	1115	83.2	80.5-85.9	97	7.8	05.6-10.0
College Graduate	1836	182,380	78	4.7	03.1-06.3	1642	88.3	86.3-90.3	116	7.0	05.4-08.6
Less than \$15,000	449	62,211	60	15.2	09.5-20.9	355	73.4	66.7-80.1	34	11.4	06.7-16.1
\$15,000- 24,999	732	97,939	102	14.4	10.9-17.9	573	77.7	73.6-81.8	57	7.9	05.4-10.4
\$25,000- 34,999	492	64,216	59	12.4	08.7-16.1	403	80.0	75.3-84.7	30	7.6	04.5-10.7
\$35,000- 49,999	684	95,199	48	8.7	05.6-11.8	589	84.8	81.1-88.5	47	6.5	04.1-08.9
\$50,000- 74,999	681	93,164	43	6.5	04.0-09.0	590	84.9	81.2-88.6	48	8.6	05.5-11.7
\$75,000+	1340	200,538	36	3.7	02.1-05.3	1207	88.5	86.0-91.0	97	7.8	05.8-09.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 23: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2071	342,315	125	6.9	05.3-08.5	1769	82.9	80.5-85.3	177	10.2	08.2-12.2
White/Non-Hisp	1519	229,002	79	5.6	04.0-07.2	1329	85.3	82.8-87.8	111	9.0	06.8-11.2
Black or Afr. Am./Non-Hisp	285	63,255	28	12.6	06.7-18.5	225	73.8	66.5-81.1	32	13.5	08.0-19.0
Oth. Race/Non-Hisp.	102	17,727	3	1.2	00.0-02.6	88	89.9	83.6-96.2	11	9.0	02.9-15.1
Hispanic	98	23,740	8	8.0	02.3-13.7	73	76.5	67.5-85.5	17	15.5	07.9-23.1
18-24	135	45,335	8	4.7	01.2-08.2	102	75.2	66.2-84.2	25	20.2	11.6-28.8
25-34	206	57,764	11	8.0	02.1-13.9	165	76.6	68.8-84.4	30	15.4	09.3-21.5
35-44	258	53,455	20	9.3	04.8-13.8	200	77.9	72.0-83.8	38	12.8	08.5-17.1
45-54	364	63,054	39	8.9	05.6-12.2	302	85.5	81.4-89.6	23	5.6	02.7-08.5
55-64	418	56,893	31	8.5	05.0-12.0	351	84.5	80.2-88.8	36	7.0	04.1-09.9
65+	674	64,323	16	2.2	01.0-03.4	633	93.7	91.2-96.2	25	4.1	01.7-06.5
Less Than H.S.	179	48,313	20	13.1	05.7-20.5	139	74.9	66.3-83.5	20	12.0	06.1-17.9
H.S. or G.E.D.	644	115,660	48	7.1	04.7-09.5	525	80.2	76.1-84.3	71	12.7	09.0-16.4
Some Post-H.S.	465	90,988	34	7.3	04.6-10.0	396	82.9	78.2-87.6	35	9.9	06.0-13.8
College Graduate	773	86,091	23	2.8	01.4-04.2	699	90.8	88.4-93.2	51	6.5	04.5-08.5
Less than \$15,000	133	23,956	14	19.1	06.8-31.4	101	60.8	47.9-73.7	18	20.1	09.9-30.3
\$15,000- 24,999	259	43,445	36	13.9	08.8-19.0	193	74.1	67.6-80.6	30	12.0	07.3-16.7
\$25,000- 34,999	191	31,202	18	9.3	04.0-14.6	156	80.4	73.1-87.7	17	10.4	04.9-15.9
\$35,000- 49,999	298	48,081	17	5.9	02.8-09.0	261	87.5	83.2-91.8	20	6.6	03.5-09.7
\$50,000- 74,999	293	47,130	10	2.7	00.5-04.9	259	87.5	82.2-92.8	24	9.7	04.8-14.6
\$75,000+	635	105,501	17	3.2	01.2-05.2	568	88.3	84.8-91.8	50	8.5	05.4-11.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 24: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3095	373,773	262	10.2	08.6-11.8	2660	84.1	82.1-86.1	173	5.8	04.6-07.0
White/Non-Hisp	2283	250,234	165	8.7	06.9-10.5	1997	85.9	83.7-88.1	121	5.4	04.2-06.6
Black or Afr. Am./Non-Hisp	479	75,290	63	15.9	11.2-20.6	390	77.6	72.5-82.7	26	6.5	03.6-09.4
Oth. Race/Non-Hisp.	110	13,613	10	11.9	03.3-20.5	92	82.7	72.9-92.5	8	5.4	00.1-10.7
Hispanic	141	28,537	14	7.9	03.0-12.8	115	85.7	79.2-92.2	12	6.4	02.1-10.7
18-24	142	45,333	18	16.1	08.3-23.9	112	77.6	69.2-86.0	12	6.3	02.4-10.2
25-34	273	57,845	29	9.9	06.0-13.8	224	83.2	78.1-88.3	20	6.9	03.4-10.4
35-44	345	56,563	44	12.0	07.7-16.3	278	81.7	76.6-86.8	23	6.3	03.0-09.6
45-54	517	66,861	45	9.2	06.3-12.1	428	82.8	78.9-86.7	44	8.0	05.3-10.7
55-64	677	62,735	70	12.5	08.4-16.6	577	83.3	79.0-87.6	30	4.2	02.2-06.2
65+	1105	81,582	54	5.0	03.2-06.8	1009	91.3	89.1-93.5	42	3.7	02.3-05.1
Less Than H.S.	243	48,470	32	15.7	08.8-22.6	203	81.2	74.1-88.3	8	3.1	00.4-05.8
H.S. or G.E.D.	913	109,806	89	10.7	07.8-13.6	786	84.2	80.9-87.5	38	5.1	03.1-07.1
Some Post-H.S.	865	118,458	84	10.4	07.9-12.9	719	83.4	80.3-86.5	62	6.2	04.2-08.2
College Graduate	1063	96,289	55	6.5	04.1-08.9	943	86.0	82.9-89.1	65	7.5	05.3-09.7
Less than \$15,000	316	38,256	46	12.8	08.3-17.3	254	81.2	75.5-86.9	16	5.9	02.2-09.6
\$15,000- 24,999	473	54,493	66	14.7	09.8-19.6	380	80.7	75.6-85.8	27	4.6	02.2-07.0
\$25,000- 34,999	301	33,015	41	15.3	10.0-20.6	247	79.7	73.8-85.6	13	5.0	01.7-08.3
\$35,000- 49,999	386	47,118	31	11.6	06.3-16.9	328	82.1	76.2-88.0	27	6.4	03.3-09.5
\$50,000- 74,999	388	46,034	33	10.3	05.8-14.8	331	82.2	76.7-87.7	24	7.5	03.8-11.2
\$75,000+	705	95,037	19	4.3	01.9-06.7	639	88.7	85.4-92.0	47	7.0	04.6-09.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 25: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5134	711,980	3435	64.7	62.9-66.5	1455	29.9	28.1-31.7	176	4.0	03.2-04.8	68	1.4	01.0-01.8
Male	2055	340,091	1334	61.7	58.8-64.6	603	31.4	28.7-34.1	76	4.9	03.5-06.3	42	2.0	01.2-02.8
Female	3079	371,889	2101	67.4	65.0-69.8	852	28.6	26.4-30.8	100	3.1	02.3-03.9	26	0.8	00.4-01.2
White/Non-Hisp	3785	477,542	2614	66.5	64.3-68.7	1017	28.5	26.5-30.5	112	3.8	02.8-04.8	42	1.2	00.8-01.6
Black or Afr. Am./Non-Hisp	759	137,507	490	63.8	59.3-68.3	229	31.0	26.7-35.3	35	4.8	02.8-06.8	5	0.4	00.0-00.8
Oth. Race/Non-Hisp.	210	31,036	121	54.5	43.7-65.3	70	38.4	27.4-49.4	12	3.6	00.9-06.3	7	3.5	00.0-07.4
MultiRacial/Non-Hisp.	69	5,188	32	43.4	29.3-57.5	30	46.4	32.1-60.7	5	7.5	00.4-14.6	2	2.8	00.0-06.5
Hispanic	235	51,480	135	59.0	51.6-66.4	83	34.4	27.1-41.7	9	3.2	01.0-05.4	8	3.4	00.9-05.9
18-24	275	90,287	166	63.8	56.9-70.7	88	29.4	22.9-35.9	17	5.8	02.7-08.9	4	0.9	00.0-01.9
25-34	478	115,288	261	54.5	48.8-60.2	177	35.7	30.2-41.2	30	7.3	04.0-10.6	10	2.6	00.8-04.4
35-44	598	108,165	366	60.8	56.1-65.5	198	33.4	28.9-37.9	20	3.4	01.6-05.2	14	2.4	00.8-04.0
45-54	875	129,497	552	63.8	59.9-67.7	272	31.4	27.5-35.3	39	3.9	02.3-05.5	12	0.8	00.2-01.4
55-64	1091	119,207	754	68.7	65.2-72.2	289	27.6	24.1-31.1	32	2.6	01.6-03.6	16	1.2	00.6-01.8
65+	1764	144,735	1306	74.0	71.5-76.5	411	23.4	20.9-25.9	37	1.9	01.1-02.7	10	0.7	00.1-01.3
Less Than H.S.	413	94,873	236	56.0	49.5-62.5	133	32.0	25.9-38.1	30	8.2	04.9-11.5	14	3.8	01.4-06.2
H.S. or G.E.D.	1548	224,659	988	63.6	60.5-66.7	474	31.7	28.6-34.8	70	3.9	02.7-05.1	16	0.8	00.4-01.2
Some Post-H.S.	1322	208,499	863	63.7	60.2-67.2	398	31.4	27.9-34.9	40	3.6	01.8-05.4	21	1.4	00.6-02.2
College Graduate	1832	182,261	1342	72.0	69.3-74.7	440	24.8	22.3-27.3	34	2.2	01.2-03.2	16	1.0	00.4-01.6
Less than \$15,000	440	61,604	257	54.5	47.4-61.6	147	38.9	31.8-46.0	24	4.2	02.0-06.4	12	2.4	00.6-04.2
\$15,000- 24,999	730	97,504	423	57.9	53.2-62.6	246	34.2	29.7-38.7	50	6.1	03.9-08.3	11	1.8	00.6-03.0
\$25,000- 34,999	490	63,726	303	59.5	53.6-65.4	157	32.1	26.6-37.6	23	7.1	03.8-10.4	7	1.4	00.0-02.8
\$35,000- 49,999	680	94,475	445	60.7	55.4-66.0	210	35.0	29.7-40.3	16	2.2	00.8-03.6	9	2.2	00.4-04.0
\$50,000- 74,999	680	92,523	477	67.1	62.2-72.0	180	28.0	23.5-32.5	16	4.0	00.9-07.1	7	0.9	00.1-01.7
\$75,000+	1338	200,526	1015	73.5	70.4-76.6	285	22.8	19.9-25.7	27	3.0	01.4-04.6	11	0.7	00.3-01.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 26: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2055	340,091	1334	61.7	58.8-64.6	603	31.4	28.7-34.1	76	4.9	03.5-06.3	42	2.0	01.2-02.8
White/Non-Hisp	1509	227,680	1019	63.2	59.9-66.5	416	30.2	27.1-33.3	49	5.0	03.2-06.8	25	1.6	00.8-02.4
Black or Afr. Am./Non-Hisp	284	62,945	181	63.7	56.4-71.0	87	30.7	23.6-37.8	15	5.5	02.4-08.6	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	100	17,392	56	54.2	38.1-70.3	35	36.8	20.3-53.3	5	3.8	00.0-07.7	4	5.1	00.0-12.0
Hispanic	97	23,679	51	52.5	41.1-63.9	37	38.6	27.6-49.6	3	3.1	00.0-06.6	6	5.8	00.9-10.7
18-24	135	45,335	81	63.7	53.7-73.7	41	29.5	19.7-39.3	9	4.9	01.2-08.6	4	1.9	00.1-03.7
25-34	204	57,225	108	47.7	39.3-56.1	72	37.5	29.1-45.9	17	10.4	04.1-16.7	7	4.4	00.9-07.9
35-44	256	52,874	144	55.5	48.4-62.6	89	36.0	29.1-42.9	12	4.7	01.8-07.6	11	3.8	01.3-06.3
45-54	361	62,879	213	61.3	55.0-67.6	127	33.7	27.6-39.8	13	4.0	01.5-06.5	8	1.1	00.3-01.9
55-64	415	56,525	274	64.9	59.2-70.6	123	31.1	25.4-36.8	11	2.9	01.1-04.7	7	1.1	00.1-02.1
65+	668	63,760	503	75.4	71.3-79.5	148	21.2	17.3-25.1	14	3.1	01.3-04.9	3	0.3	00.0-00.7
Less Than H.S.	175	47,908	96	50.0	40.4-59.6	53	33.4	24.2-42.6	18	11.2	05.3-17.1	8	5.5	01.2-09.8
H.S. or G.E.D.	636	114,606	370	59.3	54.4-64.2	222	34.8	30.1-39.5	31	4.7	02.9-06.5	13	1.3	00.5-02.1
Some Post-H.S.	464	90,650	303	61.8	55.7-67.9	141	32.0	26.1-37.9	12	4.8	01.3-08.3	8	1.5	00.3-02.7
College Graduate	771	85,965	563	71.9	67.8-76.0	182	24.7	20.8-28.6	14	1.8	00.8-02.8	12	1.6	00.6-02.6
Less than \$15,000	130	23,725	68	46.4	34.2-58.6	49	45.0	32.5-57.5	7	4.3	00.8-07.8	6	4.4	00.0-08.9
\$15,000- 24,999	258	43,492	137	55.7	48.1-63.3	96	34.5	27.2-41.8	19	7.4	03.9-10.9	6	2.4	00.0-04.8
\$25,000- 34,999	190	30,711	110	57.3	47.9-66.7	64	31.6	22.8-40.4	12	8.8	03.3-14.3	4	2.4	00.0-05.1
\$35,000- 49,999	294	47,511	187	56.6	48.4-64.8	95	38.2	30.0-46.4	6	2.5	00.1-04.9	6	2.7	00.0-05.6
\$50,000- 74,999	294	47,306	205	65.1	57.5-72.7	76	27.7	20.8-34.6	8	5.8	00.1-11.5	5	1.4	00.0-02.8
\$75,000+	633	105,335	468	70.8	66.3-75.3	138	23.7	19.6-27.8	19	4.6	02.1-07.1	8	0.9	00.1-01.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 27: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3079	371,889	2101	67.4	65.0-69.8	852	28.6	26.4-30.8	100	3.1	02.3-03.9	26	0.8	00.4-01.2
White/Non-Hisp	2276	249,862	1595	69.5	67.0-72.0	601	27.0	24.6-29.4	63	2.7	01.7-03.7	17	0.8	00.2-01.4
Black or Afr. Am./Non-Hisp	475	74,563	309	63.9	58.2-69.6	142	31.3	25.8-36.8	20	4.2	02.0-06.4	4	0.6	00.0-01.2
Oth. Race/Non-Hisp.	110	13,644	65	54.8	41.1-68.5	35	40.5	26.8-54.2	7	3.4	00.0-07.1	3	1.3	00.0-02.9
Hispanic	138	27,801	84	64.6	54.8-74.4	46	30.8	21.4-40.2	6	3.2	00.5-05.9	2	1.4	00.0-03.6
18-24	140	44,952	85	64.0	54.8-73.2	47	29.3	20.9-37.7	8	6.7	01.8-11.6			
25-34	274	58,062	153	61.1	54.0-68.2	105	33.8	26.9-40.7	13	4.2	01.7-06.7	3	0.8	00.0-01.8
35-44	342	55,291	222	65.8	59.5-72.1	109	31.0	24.9-37.1	8	2.1	00.5-03.7	3	1.0	00.0-02.6
45-54	514	66,617	339	66.2	61.1-71.3	145	29.3	24.4-34.2	26	3.8	02.0-05.6	4	0.6	00.0-01.4
55-64	676	62,682	480	72.1	68.0-76.2	166	24.3	20.2-28.4	21	2.3	01.1-03.5	9	1.2	00.2-02.2
65+	1096	80,975	803	72.9	69.6-76.2	263	25.1	21.8-28.4	23	1.0	00.6-01.4	7	1.0	00.2-01.8
Less Than H.S.	238	46,966	140	62.2	54.2-70.2	80	30.5	22.9-38.1	12	5.2	01.9-08.5	6	2.1	00.3-03.9
H.S. or G.E.D.	912	110,053	618	68.2	64.1-72.3	252	28.4	24.5-32.3	39	3.2	01.8-04.6	3	0.2	00.0-00.4
Some Post-H.S.	858	117,849	560	65.2	60.9-69.5	257	30.9	26.8-35.0	28	2.7	01.3-04.1	13	1.2	00.2-02.2
College Graduate	1061	96,297	779	72.1	68.6-75.6	258	25.0	21.7-28.3	20	2.5	00.7-04.3	4	0.4	00.0-00.8
Less than \$15,000	310	37,879	189	59.5	51.3-67.7	98	35.1	26.9-43.3	17	4.2	01.7-06.7	6	1.2	00.2-02.2
\$15,000- 24,999	472	54,012	286	59.7	53.8-65.6	150	33.9	28.2-39.6	31	5.1	02.4-07.8	5	1.3	00.0-02.7
\$25,000- 34,999	300	33,016	193	61.6	54.3-68.9	93	32.5	25.6-39.4	11	5.4	01.9-08.9	3	0.5	00.0-01.1
\$35,000- 49,999	386	46,964	258	64.8	58.1-71.5	115	31.8	25.3-38.3	10	1.8	00.4-03.2	3	1.6	00.0-03.8
\$50,000- 74,999	386	45,216	272	69.3	63.4-75.2	104	28.3	22.6-34.0	8	2.1	00.3-03.9	2	0.3	00.0-00.7
\$75,000+	705	95,191	547	76.5	72.4-80.6	147	21.7	17.8-25.6	8	1.3	00.1-02.5	3	0.5	00.0-01.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 28: DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5150	712,930	872	19.7	18.1-21.3	4278	80.3	78.7-81.9
Male	2063	340,309	297	16.7	14.3-19.1	1766	83.3	80.9-85.7
Female	3087	372,621	575	22.4	20.2-24.6	2512	77.6	75.4-79.8
White/Non-Hisp	3793	477,591	553	17.9	16.1-19.7	3240	82.1	80.3-83.9
Black or Afr. Am./Non-Hisp	762	137,922	200	27.0	22.9-31.1	562	73.0	68.9-77.1
Oth. Race/Non-Hisp.	212	31,340	39	15.0	09.3-20.7	173	85.0	79.3-90.7
MultiRacial/Non-Hisp.	70	5,267	12	13.1	04.9-21.3	58	86.9	78.7-95.1
Hispanic	236	51,744	59	21.6	15.7-27.5	177	78.4	72.5-84.3
18-24	273	89,534	50	18.9	13.4-24.4	223	81.1	75.6-86.6
25-34	479	115,534	125	28.9	23.6-34.2	354	71.1	65.8-76.4
35-44	601	109,782	130	22.1	18.0-26.2	471	77.9	73.8-82.0
45-54	878	129,522	197	21.6	18.3-24.9	681	78.4	75.1-81.7
55-64	1096	119,630	202	19.8	16.9-22.7	894	80.2	77.3-83.1
65+	1772	144,836	163	9.5	07.7-11.3	1609	90.5	88.7-92.3
Less Than H.S.	418	95,724	97	23.2	17.9-28.5	321	76.8	71.5-82.1
H.S. or G.E.D.	1553	224,657	285	20.8	18.1-23.5	1268	79.2	76.5-81.9
Some Post-H.S.	1327	208,754	273	22.9	19.8-26.0	1054	77.1	74.0-80.2
College Graduate	1833	182,141	213	12.9	10.9-14.9	1620	87.1	85.1-89.1
Less than \$15,000	446	61,777	98	22.2	16.5-27.9	348	77.8	72.1-83.5
\$15,000- 24,999	728	96,639	184	27.0	22.7-31.3	544	73.0	68.7-77.3
\$25,000- 34,999	492	64,331	108	26.2	20.7-31.7	384	73.8	68.3-79.3
\$35,000- 49,999	683	95,117	128	21.9	17.4-26.4	555	78.1	73.6-82.6
\$50,000- 74,999	682	93,177	106	20.8	16.1-25.5	576	79.2	74.5-83.9
\$75,000+	1340	200,572	153	14.6	11.9-17.3	1187	85.4	82.7-88.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 29: DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2063	340,309	297	16.7	14.3-19.1	1766	83.3	80.9-85.7
White/Non-Hisp	1515	228,247	192	15.4	12.7-18.1	1323	84.6	81.9-87.3
Black or Afr. Am./Non-Hisp	284	62,597	67	23.9	17.8-30.0	217	76.1	70.0-82.2
Oth. Race/Non-Hisp.	102	17,727	9	8.4	02.1-14.7	93	91.6	85.3-97.9
Hispanic	97	23,506	20	17.6	09.0-26.2	77	82.4	73.8-91.0
18-24	133	44,842	23	18.1	10.1-26.1	110	81.9	73.9-89.9
25-34	205	57,471	45	26.5	18.5-34.5	160	73.5	65.5-81.5
35-44	257	53,366	38	14.6	09.9-19.3	219	85.4	80.7-90.1
45-54	362	62,694	73	18.4	13.7-23.1	289	81.6	76.9-86.3
55-64	419	56,948	58	15.2	10.9-19.5	361	84.8	80.5-89.1
65+	672	63,833	59	8.4	06.0-10.8	613	91.6	89.2-94.0
Less Than H.S.	177	47,497	41	23.6	15.8-31.4	136	76.4	68.6-84.2
H.S. or G.E.D.	642	115,319	110	19.4	15.3-23.5	532	80.6	76.5-84.7
Some Post-H.S.	465	90,700	66	15.1	10.6-19.6	399	84.9	80.4-89.4
College Graduate	771	85,889	79	10.8	08.1-13.5	692	89.2	86.5-91.9
Less than \$15,000	133	23,964	26	18.4	10.4-26.4	107	81.6	73.6-89.6
\$15,000- 24,999	257	42,904	53	20.1	14.0-26.2	204	79.9	73.8-86.0
\$25,000- 34,999	191	31,202	40	24.5	15.9-33.1	151	75.5	66.9-84.1
\$35,000- 49,999	297	47,999	45	16.7	10.8-22.6	252	83.3	77.4-89.2
\$50,000- 74,999	294	47,142	41	21.8	14.0-29.6	253	78.2	70.4-86.0
\$75,000+	635	105,501	61	11.4	07.9-14.9	574	88.6	85.1-92.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 30: DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3087	372,621	575	22.4	20.2-24.6	2512	77.6	75.4-79.8
White/Non-Hisp	2278	249,344	361	20.3	17.8-22.8	1917	79.7	77.2-82.2
Black or Afr. Am./Non-Hisp	478	75,326	133	29.5	24.0-35.0	345	70.5	65.0-76.0
Oth. Race/Non-Hisp.	110	13,613	30	23.5	13.7-33.3	80	76.5	66.7-86.3
Hispanic	139	28,238	39	24.9	16.5-33.3	100	75.1	66.7-83.5
18-24	140	44,692	27	19.8	12.2-27.4	113	80.2	72.6-87.8
25-34	274	58,062	80	31.2	24.1-38.3	194	68.8	61.7-75.9
35-44	344	56,416	92	29.3	23.0-35.6	252	70.7	64.4-77.0
45-54	516	66,827	124	24.6	19.9-29.3	392	75.4	70.7-80.1
55-64	677	62,681	144	23.9	19.8-28.0	533	76.1	72.0-80.2
65+	1100	81,003	104	10.4	08.0-12.8	996	89.6	87.2-92.0
Less Than H.S.	241	48,227	56	22.8	15.7-29.9	185	77.2	70.1-84.3
H.S. or G.E.D.	911	109,338	175	22.2	18.3-26.1	736	77.8	73.9-81.7
Some Post-H.S.	862	118,054	207	28.9	24.8-33.0	655	71.1	67.0-75.2
College Graduate	1062	96,252	134	14.8	11.9-17.7	928	85.2	82.3-88.1
Less than \$15,000	313	37,813	72	24.6	17.0-32.2	241	75.4	67.8-83.0
\$15,000- 24,999	471	53,736	131	32.5	26.8-38.2	340	67.5	61.8-73.2
\$25,000- 34,999	301	33,130	68	27.8	20.7-34.9	233	72.2	65.1-79.3
\$35,000- 49,999	386	47,118	83	27.1	20.2-34.0	303	72.9	66.0-79.8
\$50,000- 74,999	388	46,034	65	19.8	14.7-24.9	323	80.2	75.1-85.3
\$75,000+	705	95,071	92	18.1	14.0-22.2	613	81.9	77.8-86.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 13: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	74
2	MALES ONLY	75
3	FEMALES ONLY	76
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	77
5	MALES ONLY	78
6	FEMALES ONLY	79
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7	MALES AND FEMALES	80
8	MALES ONLY	81
9	FEMALES ONLY	82
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL)	
10	MALES AND FEMALES	83
11	MALES ONLY	84
12	FEMALES ONLY	85
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	86
14	MALES ONLY	87
15	FEMALES ONLY	88

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 13: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3146	316,935	900	26.3	24.3-28.3	2246	73.7	71.7-75.7
Male	1213	146,680	315	22.9	20.2-25.6	898	77.1	74.4-79.8
Female	1933	170,255	585	29.2	26.7-31.7	1348	70.8	68.3-73.3
White/Non-Hisp	2573	246,705	760	27.3	25.1-29.5	1813	72.7	70.5-74.9
Black or Afr. Am./Non-Hisp	377	51,146	100	25.5	19.6-31.4	277	74.5	68.6-80.4
Oth. Race/Non-Hisp.	70	6,339	15	18.9	05.8-32.0	55	81.1	68.0-94.2
Hispanic	60	8,084	5	3.5	00.4-06.6	55	96.5	93.4-99.6
45-54	472	69,064	65	13.3	09.8-16.8	407	86.7	83.2-90.2
55-64	1030	112,041	253	23.1	19.8-26.4	777	76.9	73.6-80.2
65+	1644	135,829	582	35.5	32.6-38.4	1062	64.5	61.6-67.4
Less Than H.S.	245	38,005	59	23.9	16.6-31.2	186	76.1	68.8-83.4
H.S. or G.E.D.	999	106,744	265	24.4	21.3-27.5	734	75.6	72.5-78.7
Some Post-H.S.	782	86,990	227	27.8	24.1-31.5	555	72.2	68.5-75.9
College Graduate	1115	84,933	346	28.0	24.9-31.1	769	72.0	68.9-75.1
Less than \$15,000	274	24,083	63	19.7	14.0-25.4	211	80.3	74.6-86.0
\$15,000- 24,999	471	47,512	140	30.7	24.6-36.8	331	69.3	63.2-75.4
\$25,000- 34,999	312	30,306	83	23.4	17.9-28.9	229	76.6	71.1-82.1
\$35,000- 49,999	436	43,081	137	29.4	24.3-34.5	299	70.6	65.5-75.7
\$50,000- 74,999	415	42,819	124	25.2	20.3-30.1	291	74.8	69.9-79.7
\$75,000+	748	85,424	208	25.5	21.8-29.2	540	74.5	70.8-78.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 13: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1213	146,680	315	22.9	20.2-25.6	898	77.1	74.4-79.8
White/Non-Hisp	1002	114,417	275	24.9	21.8-28.0	727	75.1	72.0-78.2
Black or Afr. Am./Non-Hisp	130	22,381	25	16.6	09.3-23.9	105	83.4	76.1-90.7
45-54	203	33,734	22	10.0	05.3-14.7	181	90.0	85.3-94.7
55-64	396	53,608	79	18.1	13.6-22.6	317	81.9	77.4-86.4
65+	614	59,338	214	34.6	29.9-39.3	400	65.4	60.7-70.1
Less Than H.S.	98	18,428	18	15.9	07.1-24.7	80	84.1	75.3-92.9
H.S. or G.E.D.	369	49,009	73	18.2	13.5-22.9	296	81.8	77.1-86.5
Some Post-H.S.	251	35,168	75	27.7	21.2-34.2	176	72.3	65.8-78.8
College Graduate	493	43,872	148	27.2	22.7-31.7	345	72.8	68.3-77.3
Less than \$15,000	73	7,912	12	14.6	04.4-24.8	61	85.4	75.2-95.6
\$15,000- 24,999	158	20,702	49	28.3	18.9-37.7	109	71.7	62.3-81.1
\$25,000- 34,999	114	13,246	30	20.3	11.9-28.7	84	79.7	71.3-88.1
\$35,000- 49,999	181	19,969	46	23.4	16.1-30.7	135	76.6	69.3-83.9
\$50,000- 74,999	177	21,484	51	24.0	16.6-31.4	126	76.0	68.6-83.4
\$75,000+	371	47,405	96	23.1	18.2-28.0	275	76.9	72.0-81.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 13: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1933	170,255	585	29.2	26.7-31.7	1348	70.8	68.3-73.3
White/Non-Hisp	1571	132,288	485	29.4	26.7-32.1	1086	70.6	67.9-73.3
Black or Afr. Am./Non-Hisp	247	28,765	75	32.3	24.1-40.5	172	67.7	59.5-75.9
45-54	269	35,330	43	16.4	11.1-21.7	226	83.6	78.3-88.9
55-64	634	58,434	174	27.6	22.9-32.3	460	72.4	67.7-77.1
65+	1030	76,491	368	36.3	32.6-40.0	662	63.7	60.0-67.4
Less Than H.S.	147	19,576	41	31.5	20.7-42.3	106	68.5	57.7-79.3
H.S. or G.E.D.	630	57,735	192	29.8	25.5-34.1	438	70.2	65.9-74.5
Some Post-H.S.	531	51,823	152	27.8	23.3-32.3	379	72.2	67.7-76.7
College Graduate	622	41,062	198	28.9	24.6-33.2	424	71.1	66.8-75.4
Less than \$15,000	201	16,171	51	22.2	15.3-29.1	150	77.8	70.9-84.7
\$15,000- 24,999	313	26,811	91	32.6	24.8-40.4	222	67.4	59.6-75.2
\$25,000- 34,999	198	17,059	53	25.7	18.3-33.1	145	74.3	66.9-81.7
\$35,000- 49,999	255	23,112	91	34.7	27.6-41.8	164	65.3	58.2-72.4
\$50,000- 74,999	238	21,335	73	26.3	19.8-32.8	165	73.7	67.2-80.2
\$75,000+	377	38,019	112	28.6	22.9-34.3	265	71.4	65.7-77.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 13: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	867	81,222	209	24.2	20.3-28.1	101	11.1	08.6-13.6	81	10.3	07.6-13.0	111	13.4	10.7-16.1	365	41.0	36.9-45.1
Male	309	33,155	67	20.9	15.4-26.4	36	11.0	06.9-15.1	25	9.9	05.2-14.6	43	12.5	08.4-16.6	138	45.7	38.8-52.6
Female	558	48,067	142	26.5	21.2-31.8	65	11.2	08.1-14.3	56	10.6	07.5-13.7	68	14.0	10.3-17.7	227	37.7	32.8-42.6
White/Non-Hisp	732	65,552	170	23.1	19.2-27.0	79	9.9	07.4-12.4	68	10.0	07.1-12.9	94	13.5	10.4-16.6	321	43.4	38.9-47.9
Black or Afr. Am./Non-Hisp	96	12,866	30	29.8	16.1-43.5	16	17.6	08.2-27.0	11	13.2	05.0-21.4	14	13.4	06.0-20.8	25	26.0	14.8-37.2
45-54	64	9,132	17	26.9	14.0-39.8	7	13.1	03.1-23.1	6	12.1	02.1-22.1	8	9.0	02.3-15.7	26	39.0	24.9-53.1
55-64	246	25,240	64	25.1	17.1-33.1	26	9.8	05.3-14.3	21	7.5	03.8-11.2	27	11.9	07.0-16.8	108	45.6	37.6-53.6
65+	557	46,850	128	23.3	18.8-27.8	68	11.4	08.3-14.5	54	11.4	07.7-15.1	76	15.0	11.1-18.9	231	38.9	33.8-44.0
Less Than H.S.	59	9,093	20	33.9	15.7-52.1	10	17.3	05.7-28.9	7	15.0	01.7-28.3	7	12.4	01.8-23.0	15	21.4	09.8-33.0
H.S. or G.E.D.	256	25,435	69	26.8	20.1-33.5	30	10.6	06.5-14.7	25	10.9	06.2-15.6	31	11.7	07.2-16.2	101	40.0	32.6-47.4
Some Post-H.S.	215	23,362	45	21.0	14.5-27.5	28	11.8	06.7-16.9	14	5.7	02.4-09.0	31	15.1	09.4-20.8	97	46.4	38.4-54.4
College Graduate	334	23,191	73	20.8	15.5-26.1	33	8.6	05.3-11.9	34	12.1	07.4-16.8	42	13.9	09.2-18.6	152	44.5	38.0-51.0
Less than \$15,000	63	4,739	18	27.2	13.3-41.1	9	15.3	04.5-26.1	4	5.1	00.0-10.4	6	10.0	01.0-19.0	26	42.5	27.2-57.8
\$15,000- 24,999	135	14,316	38	25.8	13.6-38.0	14	11.7	04.6-18.8	14	14.1	04.9-23.3	19	13.4	05.8-21.0	50	35.0	24.0-46.0
\$25,000- 34,999	80	6,858	19	26.0	12.9-39.1	11	15.5	05.1-25.9	7	10.1	02.5-17.7	7	9.4	01.8-17.0	36	39.1	26.6-51.6
\$35,000- 49,999	128	12,223	32	28.4	18.6-38.2	15	8.8	03.7-13.9	15	9.2	04.1-14.3	17	15.8	08.4-23.2	49	37.7	27.7-47.7
\$50,000- 74,999	119	10,499	32	26.7	17.1-36.3	8	6.1	01.6-10.6	9	8.0	02.5-13.5	18	12.6	06.1-19.1	52	46.6	35.2-58.0
\$75,000+	203	21,362	38	18.4	11.7-25.1	22	9.5	05.0-14.0	20	11.3	05.8-16.8	23	11.9	06.6-17.2	100	48.8	40.4-57.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 13: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	309	33,155	67	20.9	15.4-26.4	36	11.0	06.9-15.1	25	9.9	05.2-14.6	43	12.5	08.4-16.6	138	45.7	38.6-52.8
White/Non-Hisp	270	28,089	54	19.7	13.8-25.6	29	9.2	05.3-13.1	23	10.9	05.6-16.2	41	14.0	09.3-18.7	123	46.3	39.0-53.6
55-64	78	9,556	16	18.2	07.8-28.6	8	10.6	02.0-19.2	6	8.2	00.9-15.5	10	13.2	04.6-21.8	38	49.8	36.3-63.3
65+	209	20,231	45	21.8	14.9-28.7	24	9.7	05.6-13.8	18	11.5	04.8-18.2	30	12.9	07.6-18.2	92	44.1	35.7-52.5
H.S. or G.E.D.	73	8,902	18	24.1	11.6-36.6	9	10.3	03.0-17.6	5	10.2	01.8-18.6	9	10.9	03.3-18.5	32	44.4	30.1-58.7
Some Post-H.S.	73	9,556	16	21.5	10.7-32.3	9	14.3	04.7-23.9	6	7.9	01.2-14.6	7	9.4	01.8-17.0	35	46.9	33.4-60.4
College Graduate	144	11,671	26	16.0	09.5-22.5	16	9.3	04.4-14.2	10	6.3	02.2-10.4	26	17.8	10.4-25.2	66	50.6	41.0-60.2
\$50,000- 74,999	50	5,135	11	21.9	09.0-34.8	5	8.7	00.7-16.7	5	8.8	00.6-17.0	7	12.5	02.7-22.3	22	48.1	30.7-65.5
\$75,000+	93	10,670	16	14.1	06.3-21.9	8	7.6	01.7-13.5	9	11.5	03.7-19.3	12	12.2	04.6-19.8	48	54.6	42.6-66.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 13: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	558	48,067	142	26.5	21.2-31.8	65	11.2	08.1-14.3	56	10.6	07.5-13.7	68	14.0	10.3-17.7	227	37.7	32.8-42.6
White/Non-Hisp	462	37,462	116	25.7	20.6-30.8	50	10.4	07.1-13.7	45	9.4	06.3-12.5	53	13.2	09.1-17.3	198	41.3	35.8-46.8
Black or Afr. Am./Non-Hisp	71	9,142	22	31.0	13.4-48.6	9	13.0	03.0-23.0	9	16.1	05.1-27.1	12	16.5	06.5-26.5	19	23.3	11.5-35.1
55-64	168	15,684	48	29.3	18.3-40.3	18	9.4	04.3-14.5	15	7.1	03.2-11.0	17	11.2	05.5-16.9	70	43.1	33.1-53.1
65+	348	26,619	83	24.4	18.5-30.3	44	12.8	08.3-17.3	36	11.4	07.3-15.5	46	16.5	11.0-22.0	139	34.9	29.0-40.8
H.S. or G.E.D.	183	16,533	51	28.3	20.5-36.1	21	10.8	05.9-15.7	20	11.2	05.7-16.7	22	12.1	06.6-17.6	69	37.6	29.2-46.0
Some Post-H.S.	142	13,806	29	20.7	12.5-28.9	19	10.1	04.8-15.4	8	4.2	00.9-07.5	24	19.1	11.3-26.9	62	46.0	36.2-55.8
College Graduate	190	11,520	47	25.6	17.2-34.0	17	7.9	03.6-12.2	24	18.0	10.0-26.0	16	10.0	04.3-15.7	86	38.4	30.2-46.6
Less than \$15,000	51	3,585	13	21.5	09.2-33.8	8	18.4	04.9-31.9	4	6.7	00.0-13.8	5	11.0	00.2-21.8	21	42.5	26.2-58.8
\$15,000- 24,999	86	8,450	24	28.1	09.9-46.3	7	9.1	00.7-17.5	9	12.4	03.2-21.6	14	19.5	07.3-31.7	32	30.9	17.6-44.2
\$25,000- 34,999	50	4,163	14	28.0	12.9-43.1	6	17.0	02.3-31.7	4	9.3	00.3-18.3	3	6.5	00.0-15.5	23	39.2	23.3-55.1
\$35,000- 49,999	83	7,656	21	25.3	14.1-36.5	10	8.1	02.8-13.4	14	13.6	06.0-21.2	11	19.6	09.0-30.2	27	33.4	21.4-45.4
\$50,000- 74,999	69	5,364	21	31.3	17.8-44.8	3	3.6	00.0-08.1	4	7.2	00.0-14.6	11	12.7	04.3-21.1	30	45.2	30.7-59.7
\$75,000+	110	10,693	22	22.6	12.0-33.2	14	11.5	04.6-18.4	11	11.2	03.2-19.2	11	11.6	04.0-19.2	52	43.1	31.9-54.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 13: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3151	317,521	2429	75.7	73.7-77.7	722	24.3	22.3-26.3
Male	1215	146,670	917	73.1	69.8-76.4	298	26.9	23.6-30.2
Female	1936	170,851	1512	78.0	75.6-80.4	424	22.0	19.6-24.4
White/Non-Hisp	2583	247,773	2003	77.2	75.0-79.4	580	22.8	20.6-25.0
Black or Afr. Am./Non-Hisp	373	50,756	288	72.9	66.6-79.2	85	27.1	20.8-33.4
Oth. Race/Non-Hisp.	71	6,355	48	53.5	29.2-77.8	23	46.5	22.2-70.8
Hispanic	59	8,071	43	67.1	52.6-81.6	16	32.9	18.4-47.4
45-54	470	68,768	253	55.7	50.2-61.2	217	44.3	38.8-49.8
55-64	1028	111,880	789	75.6	71.9-79.3	239	24.4	20.7-28.1
65+	1653	136,874	1387	85.9	83.7-88.1	266	14.1	11.9-16.3
Less Than H.S.	244	38,161	168	64.9	56.5-73.3	76	35.1	26.7-43.5
H.S. or G.E.D.	1003	106,853	742	74.1	70.6-77.6	261	25.9	22.4-29.4
Some Post-H.S.	786	87,230	626	79.6	75.9-83.3	160	20.4	16.7-24.1
College Graduate	1113	85,015	889	78.4	75.3-81.5	224	21.6	18.5-24.7
Less than \$15,000	272	24,159	195	72.1	64.7-79.5	77	27.9	20.5-35.3
\$15,000- 24,999	470	47,483	331	67.2	60.7-73.7	139	32.8	26.3-39.3
\$25,000- 34,999	314	30,387	234	74.8	68.5-81.1	80	25.2	18.9-31.5
\$35,000- 49,999	437	43,129	343	77.4	72.5-82.3	94	22.6	17.7-27.5
\$50,000- 74,999	418	42,954	327	76.2	70.5-81.9	91	23.8	18.1-29.5
\$75,000+	749	85,382	613	79.7	76.0-83.4	136	20.3	16.6-24.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 13: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1215	146,670	917	73.1	69.8-76.4	298	26.9	23.6-30.2
White/Non-Hisp	1006	114,619	770	76.4	73.3-79.5	236	23.6	20.5-26.7
Black or Afr. Am./Non-Hisp	129	22,265	88	60.2	49.0-71.4	41	39.8	28.6-51.0
45-54	201	33,539	99	50.7	42.1-59.3	102	49.3	40.7-57.9
55-64	393	53,239	293	73.1	66.8-79.4	100	26.9	20.6-33.2
65+	621	59,891	525	85.6	82.1-89.1	96	14.4	10.9-17.9
Less Than H.S.	97	18,353	58	54.6	41.1-68.1	39	45.4	31.9-58.9
H.S. or G.E.D.	370	48,819	249	67.7	61.8-73.6	121	32.3	26.4-38.2
Some Post-H.S.	254	35,402	203	79.2	72.7-85.7	51	20.8	14.3-27.3
College Graduate	492	43,893	405	81.8	77.5-86.1	87	18.2	13.9-22.5
Less than \$15,000	72	7,832	44	69.3	56.0-82.6	28	30.7	17.4-44.0
\$15,000- 24,999	157	20,672	102	55.0	43.4-66.6	55	45.0	33.4-56.6
\$25,000- 34,999	114	13,181	79	68.2	57.4-79.0	35	31.8	21.0-42.6
\$35,000- 49,999	182	20,016	134	71.8	64.0-79.6	48	28.2	20.4-36.0
\$50,000- 74,999	178	21,539	139	76.3	67.5-85.1	39	23.7	14.9-32.5
\$75,000+	370	47,260	311	81.8	76.9-86.7	59	18.2	13.3-23.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 13: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1936	170,851	1512	78.0	75.6-80.4	424	22.0	19.6-24.4
White/Non-Hisp	1577	133,154	1233	77.9	75.4-80.4	344	22.1	19.6-24.6
Black or Afr. Am./Non-Hisp	244	28,491	200	82.8	76.7-88.9	44	17.2	11.1-23.3
45-54	269	35,228	154	60.4	53.3-67.5	115	39.6	32.5-46.7
55-64	635	58,641	496	77.8	73.5-82.1	139	22.2	17.9-26.5
65+	1032	76,982	862	86.2	83.8-88.6	170	13.8	11.4-16.2
Less Than H.S.	147	19,808	110	74.5	65.5-83.5	37	25.5	16.5-34.5
H.S. or G.E.D.	633	58,034	493	79.6	75.7-83.5	140	20.4	16.5-24.3
Some Post-H.S.	532	51,828	423	80.0	75.7-84.3	109	20.0	15.7-24.3
College Graduate	621	41,123	484	74.9	70.6-79.2	137	25.1	20.8-29.4
Less than \$15,000	200	16,327	151	73.5	64.5-82.5	49	26.5	17.5-35.5
\$15,000- 24,999	313	26,811	229	76.5	70.6-82.4	84	23.5	17.6-29.4
\$25,000- 34,999	200	17,205	155	79.8	72.9-86.7	45	20.2	13.3-27.1
\$35,000- 49,999	255	23,113	209	82.3	76.4-88.2	46	17.7	11.8-23.6
\$50,000- 74,999	240	21,415	188	76.1	69.2-83.0	52	23.9	17.0-30.8
\$75,000+	379	38,122	302	77.2	71.9-82.5	77	22.8	17.5-28.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 13: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2368	234,911	78	2.7	01.9-03.5	2290	97.3	96.5-98.1
Male	888	104,040	26	2.7	01.5-03.9	862	97.3	96.1-98.5
Female	1480	130,871	52	2.6	01.8-03.4	1428	97.4	96.6-98.2
White/Non-Hisp	1959	187,225	66	2.8	02.0-03.6	1893	97.2	96.4-98.0
Black or Afr. Am./Non-Hisp	279	36,141	6	1.1	00.1-02.1	273	98.9	97.9-99.9
45-54	247	37,356	8	3.6	00.9-06.3	239	96.4	93.7-99.1
55-64	780	83,411	20	2.0	01.0-03.0	760	98.0	97.0-99.0
65+	1341	114,144	50	2.9	01.9-03.9	1291	97.1	96.1-98.1
Less Than H.S.	158	23,400	3	1.7	00.0-03.9	155	98.3	96.1-0100
H.S. or G.E.D.	723	77,430	18	1.9	00.7-03.1	705	98.1	96.9-99.3
Some Post-H.S.	611	68,134	19	2.6	01.2-04.0	592	97.4	96.0-98.8
College Graduate	872	65,702	38	4.0	02.4-05.6	834	96.0	94.4-97.6
Less than \$15,000	191	17,074	5	2.0	00.0-04.2	186	98.0	95.8-0100
\$15,000- 24,999	319	30,739	7	1.7	00.3-03.1	312	98.3	96.9-99.7
\$25,000- 34,999	226	22,231	5	1.4	00.0-02.8	221	98.6	97.2-0100
\$35,000- 49,999	341	33,220	12	3.8	01.4-06.2	329	96.2	93.8-98.6
\$50,000- 74,999	323	32,261	11	1.8	00.4-03.2	312	98.2	96.8-99.6
\$75,000+	604	66,885	22	3.1	01.5-04.7	582	96.9	95.3-98.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 13: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	888	104,040	26	2.7	01.3-04.1	862	97.3	95.9-98.7
White/Non-Hisp	748	84,965	21	2.5	01.1-03.9	727	97.5	96.1-98.9
Black or Afr. Am./Non-Hisp	86	13,222	1	1.0	00.0-03.0	85	99.0	97.0-0100
45-54	96	16,409	4	5.4	00.0-10.9	92	94.6	89.1-0100
55-64	289	38,457	8	2.3	00.5-04.1	281	97.7	95.9-99.5
65+	503	49,175	14	2.2	00.8-03.6	489	97.8	96.4-99.2
Less Than H.S.	52	9,072				52	100.0	0100-0100
H.S. or G.E.D.	239	31,952	5	2.4	00.0-04.8	234	97.6	95.2-0100
Some Post-H.S.	199	27,372	5	2.3	00.0-04.7	194	97.7	95.3-0100
College Graduate	396	35,442	16	4.1	01.7-06.5	380	95.9	93.5-98.3
\$15,000- 24,999	98	10,891	1	1.2	00.0-03.6	97	98.8	96.4-0100
\$25,000- 34,999	78	8,956				78	100.0	0100-0100
\$35,000- 49,999	133	14,284	2	2.0	00.0-05.5	131	98.0	94.5-0100
\$50,000- 74,999	136	16,147	4	1.8	00.0-04.0	132	98.2	96.0-0100
\$75,000+	304	37,714	12	3.9	01.4-06.4	292	96.1	93.6-98.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 13: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1480	130,871	52	2.6	01.8-03.4	1428	97.4	96.6-98.2
White/Non-Hisp	1211	102,260	45	3.0	02.0-04.0	1166	97.0	96.0-98.0
Black or Afr. Am./Non-Hisp	193	22,920	5	1.2	00.0-02.6	188	98.8	97.4-0100
45-54	151	20,948	4	2.2	00.0-04.6	147	97.8	95.4-0100
55-64	491	44,954	12	1.8	00.6-03.0	479	98.2	97.0-99.4
65+	838	64,969	36	3.4	02.0-04.8	802	96.6	95.2-98.0
Less Than H.S.	106	14,329	3	2.8	00.0-06.3	103	97.2	93.7-0100
H.S. or G.E.D.	484	45,479	13	1.6	00.6-02.6	471	98.4	97.4-99.4
Some Post-H.S.	412	40,761	14	2.9	01.3-04.5	398	97.1	95.5-98.7
College Graduate	476	30,260	22	3.8	01.8-05.8	454	96.2	94.2-98.2
Less than \$15,000	150	11,953	4	2.4	00.0-05.3	146	97.6	94.7-0100
\$15,000- 24,999	221	19,847	6	1.9	00.1-03.7	215	98.1	96.3-99.9
\$25,000- 34,999	148	13,275	5	2.4	00.2-04.6	143	97.6	95.4-99.8
\$35,000- 49,999	208	18,935	10	5.2	01.9-08.5	198	94.8	91.5-98.1
\$50,000- 74,999	187	16,114	7	1.8	00.0-03.6	180	98.2	96.4-0100
\$75,000+	300	29,171	10	2.2	00.6-03.8	290	97.8	96.2-99.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 13: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2394	237,918	579	24.7	22.5-26.9	425	17.8	15.8-19.8	350	14.7	12.9-16.5	533	22.5	20.3-24.7	388	16.2	14.2-18.2	119	4.3	0.3-05.3
Male	907	106,392	221	25.0	21.5-28.5	176	18.8	15.9-21.7	132	14.6	11.9-17.3	194	21.9	18.4-25.4	142	15.3	12.4-18.2	42	4.3	0.2-05.9
Female	1487	131,526	358	24.4	21.7-27.1	249	16.9	14.5-19.3	218	14.7	12.5-16.9	339	22.9	20.2-25.6	246	16.8	14.3-19.3	77	4.2	0.3-05.4
White/Non-Hisp	1978	189,390	457	23.6	21.2-26.0	346	17.7	15.5-19.9	294	15.2	13.2-17.2	445	22.4	20.0-24.8	327	16.4	14.4-18.4	109	4.7	0.3-05.9
Black or Afr. Am./Non-Hisp	284	36,598	89	29.2	22.3-36.1	52	18.2	12.9-23.5	39	13.2	08.7-17.7	62	24.9	17.6-32.2	36	12.5	06.6-18.4	6	2.1	0.3-03.9
45-54	251	38,199	81	28.7	22.0-35.4	52	19.1	13.6-24.6	36	15.0	09.5-20.5	53	25.5	18.1-32.9	23	8.9	04.8-13.0	6	2.8	0.1-05.5
55-64	785	84,166	178	21.4	17.9-24.9	125	15.2	12.3-18.1	123	16.0	12.9-19.1	173	22.4	18.7-26.1	149	20.2	16.5-23.9	37	4.8	0.3-06.6
65+	1358	115,553	320	25.8	22.9-28.7	248	19.1	16.4-21.8	191	13.7	11.5-15.9	307	21.4	18.9-23.9	216	15.6	13.2-18.0	76	4.3	0.3-05.5
Less Than H.S.	165	24,358	43	32.7	23.3-42.1	29	15.6	08.5-22.7	27	12.6	07.3-17.9	37	20.9	13.1-28.7	21	15.3	06.5-24.1	8	3.0	0.5-05.5
H.S. or G.E.D.	724	78,014	171	24.4	20.5-28.3	141	18.3	15.0-21.6	109	15.0	11.9-18.1	152	21.0	16.9-25.1	113	16.4	13.1-19.7	38	4.8	0.2-06.8
Some Post-H.S.	619	68,979	157	23.8	19.9-27.7	101	18.4	14.7-22.1	91	14.8	11.3-18.3	145	24.0	19.7-28.3	95	15.0	11.7-18.3	30	4.0	0.2-05.8
College Graduate	882	66,322	205	22.9	19.6-26.2	154	17.3	14.4-20.2	123	15.0	12.1-17.9	199	23.2	19.7-26.7	158	17.3	14.4-20.2	43	4.3	0.2-05.9
Less than \$15,000	189	17,119	53	32.3	23.1-41.5	29	12.4	06.7-18.1	33	12.9	07.8-18.0	42	25.6	16.6-34.6	29	15.4	09.3-21.5	3	1.4	0.0-03.0
\$15,000- 24,999	327	31,552	75	22.3	16.4-28.2	75	22.3	16.4-28.2	39	12.5	08.2-16.8	68	19.9	14.4-25.4	48	17.6	10.7-24.5	22	5.4	0.2-08.1
\$25,000- 34,999	230	22,422	57	24.8	17.4-32.2	30	14.3	08.2-20.4	40	18.6	12.3-24.9	55	22.3	16.0-28.6	35	16.5	10.0-23.0	13	3.5	0.1-05.9
\$35,000- 49,999	339	33,216	81	23.7	18.4-29.0	49	15.5	10.8-20.2	51	15.0	10.5-19.5	86	24.8	19.3-30.3	57	15.8	11.1-20.5	15	5.3	0.2-08.2
\$50,000- 74,999	324	32,269	74	26.9	20.4-33.4	62	20.1	14.8-25.4	48	13.9	09.6-18.2	61	18.0	12.5-23.5	63	18.2	12.9-23.5	16	2.8	0.1-04.4
\$75,000+	609	67,698	135	21.2	17.3-25.1	109	17.6	14.1-21.1	95	17.0	13.1-20.9	134	22.6	18.1-27.1	108	16.8	13.3-20.3	28	4.8	0.2-07.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 13: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	907	106,392	221	25.0	21.5-28.5	176	18.8	15.9-21.7	132	14.6	11.9-17.3	194	21.9	18.4-25.4	142	15.3	12.4-18.2	42	4.3	02.7-05.9
White/Non-Hisp	764	86,930	177	23.8	20.1-27.5	146	18.7	15.4-22.0	113	14.8	11.7-17.9	170	22.3	18.6-26.0	120	15.8	12.7-18.9	38	4.6	02.8-06.4
Black or Afr. Am./Non-Hisp	88	13,403	28	30.4	17.7-43.1	22	20.6	11.2-30.0	12	14.2	05.8-22.6	13	22.1	08.2-36.0	11	10.1	03.8-16.4	2	2.5	00.0-06.0
45-54	98	16,949	37	30.4	19.6-41.2	18	15.8	08.2-23.4	13	14.7	06.3-23.1	17	25.8	13.1-38.5	11	9.8	03.1-16.5	2	3.5	00.0-09.0
55-64	293	38,927	64	21.2	15.5-26.9	50	15.3	10.8-19.8	44	16.2	10.9-21.5	68	24.3	18.2-30.4	54	18.1	13.0-23.2	13	4.8	02.1-07.5
65+	516	50,517	120	26.2	21.3-31.1	108	22.6	18.1-27.1	75	13.3	10.0-16.6	109	18.6	14.7-22.5	77	15.0	11.1-18.9	27	4.2	02.2-06.2
Less Than H.S.	57	9,822	11	27.7	12.6-42.8	11	18.8	05.3-32.3	10	12.8	04.0-21.6	13	17.3	06.1-28.5	9	19.7	06.6-32.8	3	3.7	00.0-08.8
H.S. or G.E.D.	246	32,818	64	25.0	18.3-31.7	55	20.5	14.8-26.2	34	13.9	08.4-19.4	44	19.2	11.9-26.5	33	15.0	09.3-20.7	16	6.5	02.6-10.4
Some Post-H.S.	199	27,716	58	28.0	20.7-35.3	34	17.4	11.5-23.3	33	16.7	10.4-23.0	41	23.9	16.1-31.7	28	11.9	07.2-16.6	5	2.1	00.1-04.1
College Graduate	403	35,832	87	21.9	17.0-26.8	76	18.6	14.3-22.9	55	14.3	10.4-18.2	96	24.1	19.0-29.2	71	17.0	12.7-21.3	18	4.2	01.7-06.7
\$15,000- 24,999	101	11,240	23	18.1	10.1-26.1	26	29.4	17.4-41.4	16	14.9	06.7-23.1	20	16.9	07.9-25.9	12	16.4	06.6-26.2	4	4.3	00.0-09.2
\$25,000- 34,999	79	8,994	22	30.2	17.7-42.7	9	9.8	02.0-17.6	14	21.8	10.4-33.2	22	22.9	12.7-33.1	9	13.4	03.0-23.8	3	1.9	00.0-04.3
\$35,000- 49,999	133	14,321	37	28.4	19.2-37.6	20	15.8	08.5-23.1	22	17.9	10.1-25.7	25	18.8	11.0-26.6	23	14.4	07.7-21.1	6	4.5	00.6-08.4
\$50,000- 74,999	138	16,254	34	29.2	19.4-39.0	29	20.6	13.2-28.0	19	11.8	06.1-17.5	23	17.3	09.1-25.5	26	18.7	10.5-26.9	7	2.5	00.3-04.7
\$75,000+	310	38,619	61	19.5	14.2-24.8	60	18.5	13.6-23.4	44	15.6	10.3-20.9	69	22.9	16.4-29.4	58	16.8	11.9-21.7	18	6.7	03.0-10.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 13: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1487	131,526	358	24.4	21.7-27.1	249	16.9	14.5-19.3	218	14.7	12.5-16.9	339	22.9	20.2-25.6	246	16.8	14.3-19.3	77	4.2	03.0-05.4
White/Non-Hisp	1214	102,460	280	23.4	20.5-26.3	200	16.9	14.2-19.6	181	15.6	13.1-18.1	275	22.4	19.5-25.3	207	17.0	14.5-19.5	71	4.8	03.4-06.2
Black or Afr. Am./Non-Hisp	196	23,195	61	28.4	20.4-36.4	30	16.9	10.4-23.4	27	12.6	07.3-17.9	49	26.5	18.5-34.5	25	13.8	05.2-22.4	4	1.8	00.0-03.8
45-54	153	21,250	44	27.4	19.0-35.8	34	21.8	14.2-29.4	23	15.2	07.9-22.5	36	25.3	16.5-34.1	12	8.2	03.1-13.3	4	2.1	00.0-04.5
55-64	492	45,239	114	21.6	17.3-25.9	75	15.2	11.1-19.3	79	15.7	12.0-19.4	105	20.8	16.3-25.3	95	21.9	16.4-27.4	24	4.8	02.6-07.0
65+	842	65,037	200	25.4	21.5-29.3	140	16.5	13.4-19.6	116	13.9	11.2-16.6	198	23.6	20.1-27.1	139	16.1	13.0-19.2	49	4.5	02.9-06.1
Less Than H.S.	108	14,536	32	36.0	23.8-48.2	18	13.4	06.0-20.8	17	12.4	05.9-18.9	24	23.3	12.5-34.1	12	12.4	00.2-24.6	5	2.5	00.1-04.9
H.S. or G.E.D.	478	45,196	107	24.0	19.1-28.9	86	16.7	12.6-20.8	75	15.8	11.9-19.7	108	22.4	17.7-27.1	80	17.4	13.3-21.5	22	3.6	01.6-05.6
Some Post-H.S.	420	41,263	99	21.0	16.5-25.5	67	19.1	14.2-24.0	58	13.5	09.2-17.8	104	24.0	19.3-28.7	67	17.1	12.6-21.6	25	5.3	02.8-07.8
College Graduate	479	30,490	118	24.1	19.6-28.6	78	15.8	11.9-19.7	68	16.0	11.9-20.1	103	22.1	17.4-26.8	87	17.7	13.6-21.8	25	4.3	02.3-06.3
Less than \$15,000	146	11,738	43	31.6	22.0-41.2	21	11.9	05.4-18.4	25	14.6	08.3-20.9	31	24.3	14.1-34.5	23	15.6	08.5-22.7	3	2.0	00.0-04.4
\$15,000- 24,999	226	20,312	52	24.6	16.8-32.4	49	18.4	12.3-24.5	23	11.2	06.1-16.3	48	21.5	14.6-28.4	36	18.3	09.3-27.3	18	6.0	02.7-09.3
\$25,000- 34,999	151	13,428	35	21.2	12.4-30.0	21	17.3	08.9-25.7	26	16.5	09.4-23.6	33	21.9	13.9-29.9	26	18.6	10.6-26.6	10	4.6	00.9-08.3
\$35,000- 49,999	206	18,895	44	20.1	13.8-26.4	29	15.2	09.3-21.1	29	12.7	07.2-18.2	61	29.3	21.9-36.7	34	16.8	10.1-23.5	9	5.9	01.6-10.2
\$50,000- 74,999	186	16,015	40	24.5	16.5-32.5	33	19.7	12.3-27.1	29	16.0	09.7-22.3	38	18.8	11.5-26.1	37	17.8	11.3-24.3	9	3.2	00.8-05.6
\$75,000+	299	29,079	74	23.5	17.6-29.4	49	16.3	11.2-21.4	51	18.8	12.9-24.7	65	22.3	16.6-28.0	50	16.8	11.7-21.9	10	2.4	00.8-04.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 14: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
 * * * * *

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)	
1	MALES ONLY	90
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)	
2	MALES ONLY	91
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)	
3	MALES ONLY	92
	HAVE YOU EVER HAD A PSA TEST? (PSATEST1)	
4	MALES ONLY	93
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
5	MALES ONLY	94
	WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1)	
6	MALES ONLY	95

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 14: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1429	190,899	958	62.5	59.2-65.8	471	37.5	34.2-40.8
White/Non-Hisp	1135	140,984	779	64.5	61.0-68.0	356	35.5	32.0-39.0
Black or Afr. Am./Non-Hisp	180	33,678	118	63.0	54.0-72.0	62	37.0	28.0-46.0
35-44	125	25,429	34	29.1	19.3-38.9	91	70.9	61.1-80.7
45-54	330	57,051	187	58.0	51.3-64.7	143	42.0	35.3-48.7
55-64	384	51,372	266	65.2	58.5-71.9	118	34.8	28.1-41.5
65+	590	57,048	471	79.5	75.4-83.6	119	20.5	16.4-24.6
Less Than H.S.	108	22,072	51	44.7	32.7-56.7	57	55.3	43.3-67.3
H.S. or G.E.D.	436	64,811	251	56.6	50.5-62.7	185	43.4	37.3-49.5
Some Post-H.S.	318	48,033	217	66.4	60.1-72.7	101	33.6	27.3-39.9
College Graduate	564	55,735	436	72.9	68.2-77.6	128	27.1	22.4-31.8
Less than \$15,000	80	9,376	40	43.9	30.0-57.8	40	56.1	42.2-70.0
\$15,000- 24,999	178	24,939	99	49.1	39.1-59.1	79	50.9	40.9-60.9
\$25,000- 34,999	124	15,415	74	59.7	48.9-70.5	50	40.3	29.5-51.1
\$35,000- 49,999	212	25,469	136	58.5	50.3-66.7	76	41.5	33.3-49.7
\$50,000- 74,999	219	29,482	165	66.3	57.7-74.9	54	33.7	25.1-42.3
\$75,000+	461	66,875	339	68.5	63.0-74.0	122	31.5	26.0-37.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 14: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1413	189,408	412	26.8	23.9-29.7	1001	73.2	70.3-76.1
White/Non-Hisp	1124	140,460	320	26.0	22.9-29.1	804	74.0	70.9-77.1
Black or Afr. Am./Non-Hisp	178	33,076	66	33.3	24.9-41.7	112	66.7	58.3-75.1
35-44	123	25,086	16	11.7	05.4-18.0	107	88.3	82.0-94.6
45-54	329	56,896	84	24.1	18.6-29.6	245	75.9	70.4-81.4
55-64	374	50,387	118	30.5	24.8-36.2	256	69.5	63.8-75.2
65+	587	57,040	194	32.7	27.8-37.6	393	67.3	62.4-72.2
Less Than H.S.	108	21,724	23	22.5	12.1-32.9	85	77.5	67.1-87.9
H.S. or G.E.D.	429	64,343	96	21.1	16.4-25.8	333	78.9	74.2-83.6
Some Post-H.S.	307	47,367	89	28.6	22.5-34.7	218	71.4	65.3-77.5
College Graduate	567	55,831	204	33.4	28.7-38.1	363	66.6	61.9-71.3
Less than \$15,000	78	9,281	17	20.2	09.4-31.0	61	79.8	69.0-90.6
\$15,000- 24,999	176	24,604	44	22.6	14.6-30.6	132	77.4	69.4-85.4
\$25,000- 34,999	125	15,416	27	22.1	13.1-31.1	98	77.9	68.9-86.9
\$35,000- 49,999	210	24,992	56	24.0	17.1-30.9	154	76.0	69.1-82.9
\$50,000- 74,999	215	29,029	69	29.8	22.0-37.6	146	70.2	62.4-78.0
\$75,000+	457	66,461	151	28.0	23.1-32.9	306	72.0	67.1-76.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 14: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1413	188,912	863	56.5	53.2-59.8	550	43.5	40.2-46.8
White/Non-Hisp	1128	140,781	705	57.8	54.1-61.5	423	42.2	38.5-45.9
Black or Afr. Am./Non-Hisp	175	32,462	103	56.3	46.7-65.9	72	43.7	34.1-53.3
35-44	120	24,521	22	19.0	10.8-27.2	98	81.0	72.8-89.2
45-54	326	56,612	162	50.8	43.9-57.7	164	49.2	42.3-56.1
55-64	379	50,719	234	59.4	53.1-65.7	145	40.6	34.3-46.9
65+	588	57,060	445	75.8	71.5-80.1	143	24.2	19.9-28.5
Less Than H.S.	107	21,866	49	49.4	37.1-61.7	58	50.6	38.3-62.9
H.S. or G.E.D.	432	63,889	233	50.9	44.8-57.0	199	49.1	43.0-55.2
Some Post-H.S.	312	47,643	193	59.3	52.8-65.8	119	40.7	34.2-47.2
College Graduate	559	55,265	385	63.4	58.3-68.5	174	36.6	31.5-41.7
Less than \$15,000	81	9,404	37	41.0	27.3-54.7	44	59.0	45.3-72.7
\$15,000- 24,999	172	23,767	94	53.0	42.8-63.2	78	47.0	36.8-57.2
\$25,000- 34,999	130	16,040	75	59.6	49.0-70.2	55	40.4	29.8-51.0
\$35,000- 49,999	210	25,335	121	51.0	42.8-59.2	89	49.0	40.8-57.2
\$50,000- 74,999	214	29,100	145	57.9	49.1-66.7	69	42.1	33.3-50.9
\$75,000+	457	66,035	303	58.9	53.0-64.8	154	41.1	35.2-47.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 14: PROSTATE CANCER SCREENING**

TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1412	188,494	922	60.3	57.0-63.6	490	39.7	36.4-43.0
White/Non-Hisp	1127	140,277	767	64.1	60.6-67.6	360	35.9	32.4-39.4
Black or Afr. Am./Non-Hisp	174	32,275	99	53.9	44.3-63.5	75	46.1	36.5-55.7
35-44	120	24,502	19	15.9	08.3-23.5	101	84.1	76.5-91.7
45-54	328	57,023	147	48.5	41.6-55.4	181	51.5	44.6-58.4
55-64	373	49,447	254	67.8	61.3-74.3	119	32.2	25.7-38.7
65+	591	57,523	502	84.6	80.9-88.3	89	15.4	11.7-19.1
Less Than H.S.	108	21,673	51	41.4	29.8-53.0	57	58.6	47.0-70.2
H.S. or G.E.D.	432	63,886	253	55.8	49.7-61.9	179	44.2	38.1-50.3
Some Post-H.S.	315	48,000	212	66.2	59.9-72.5	103	33.8	27.5-40.1
College Graduate	555	54,792	404	67.9	62.8-73.0	151	32.1	27.0-37.2
Less than \$15,000	78	9,096	38	45.3	30.8-59.8	40	54.7	40.2-69.2
\$15,000- 24,999	174	24,773	95	45.7	35.9-55.5	79	54.3	44.5-64.1
\$25,000- 34,999	130	15,866	83	62.6	52.0-73.2	47	37.4	26.8-48.0
\$35,000- 49,999	210	25,178	139	60.3	52.1-68.5	71	39.7	31.5-47.9
\$50,000- 74,999	216	28,759	147	59.3	50.7-67.9	69	40.7	32.1-49.3
\$75,000+	454	65,250	316	64.9	59.2-70.6	138	35.1	29.4-40.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 14: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	911	111,528	610	66.3	62.2-70.4	110	12.7	10.0-15.4	73	7.7	05.7-09.7	53	6.3	03.9-08.7	65	7.0	04.6-09.4
White/Non-Hisp	757	88,275	506	67.0	62.9-71.1	88	12.0	09.3-14.7	60	7.9	05.5-10.3	48	6.2	04.0-08.4	55	7.0	04.6-09.4
Black or Afr. Am./Non-Hisp	98	16,828	67	59.9	46.0-73.8	15	16.7	06.3-27.1	6	5.6	00.7-10.5	4	9.2	00.0-20.4	6	8.6	00.6-16.6
45-54	146	27,264	90	62.3	51.9-72.7	28	18.4	10.6-26.2	15	8.6	03.7-13.5	6	5.9	00.0-13.0	7	4.9	00.4-09.4
55-64	252	33,047	164	63.2	56.1-70.3	28	10.9	06.4-15.4	26	10.0	05.9-14.1	20	8.7	04.6-12.8	14	7.2	02.3-12.1
65+	494	47,320	345	71.3	66.4-76.2	52	10.7	07.4-14.0	30	5.5	03.1-07.9	26	4.6	02.6-06.6	41	7.9	05.0-10.8
H.S. or G.E.D.	250	35,223	158	62.0	53.8-70.2	34	13.5	07.6-19.4	16	5.6	02.5-08.7	21	9.9	03.6-16.2	21	8.9	03.8-14.0
Some Post-H.S.	210	30,993	140	68.2	60.9-75.5	24	12.3	07.2-17.4	16	6.8	02.9-10.7	15	6.0	02.7-09.3	15	6.7	02.8-10.6
College Graduate	402	37,126	278	67.0	61.3-72.7	47	13.5	09.4-17.6	37	10.7	06.8-14.6	17	4.6	01.9-07.3	23	4.3	01.9-06.7
\$15,000- 24,999	92	10,819	57	68.1	57.1-79.1	8	7.4	01.5-13.3	7	7.6	01.1-14.1	10	8.3	02.4-14.2	10	8.7	02.8-14.6
\$25,000- 34,999	82	9,896	50	63.8	51.1-76.5	11	11.9	04.5-19.3	7	6.5	01.2-11.8	5	6.4	00.5-12.3	9	11.4	01.2-21.6
\$35,000- 49,999	139	15,176	96	65.6	56.2-75.0	15	12.8	06.3-19.3	8	7.8	01.9-13.7	8	6.2	01.3-11.1	12	7.6	02.7-12.5
\$50,000- 74,999	143	16,195	99	67.8	57.8-77.8	21	16.9	09.5-24.3	5	3.4	00.1-06.7	5	2.6	00.2-05.0	13	9.3	01.7-16.9
\$75,000+	316	42,356	219	64.9	57.8-72.0	36	13.6	08.3-18.9	33	10.0	06.1-13.9	14	6.7	01.6-11.8	14	4.7	01.8-07.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013
MODULE 14: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 = Part of a routine exam			Because of a prostate problem			Family history of prostate cancer			Were told you had prostate cancer			Some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	861	106,361	624	73.2	69.5-76.9	100	9.9	07.5-12.3	43	5.7	03.7-07.7	25	2.3	01.1-03.5	69	9.0	06.3-11.7
White/Non-Hisp	716	84,212	522	74.6	70.7-78.5	88	10.6	08.1-13.1	33	5.1	03.1-07.1	21	2.5	01.1-03.9	52	7.2	04.8-09.6
Black or Afr. Am./Non-Hisp	92	15,912	68	71.9	58.6-85.2	9	8.3	02.0-14.6	3	2.7	00.0-06.0	3	1.6	00.0-03.6	9	15.5	03.0-28.0
45-54	134	25,929	91	69.2	59.0-79.4	13	6.6	02.7-10.5	12	9.4	03.7-15.1	1	1.0	00.0-03.0	17	13.8	05.2-22.4
55-64	240	31,589	181	77.0	70.9-83.1	19	7.5	03.8-11.2	17	5.9	02.8-09.0	1	0.2	00.0-00.6	22	9.5	05.2-13.8
65+	470	45,252	342	74.7	70.0-79.4	66	12.6	09.1-16.1	11	2.8	00.8-04.8	23	4.6	02.4-06.8	28	5.3	02.9-07.7
H.S. or G.E.D.	237	33,376	174	74.0	66.4-81.6	27	9.7	05.4-14.0	8	2.7	00.5-04.9	8	3.3	00.8-05.8	20	10.4	03.9-16.9
Some Post-H.S.	194	29,838	131	69.4	61.8-77.0	27	9.9	05.6-14.2	17	11.2	05.7-16.7	5	1.4	00.0-03.0	14	8.1	03.6-12.6
College Graduate	382	34,884	285	76.5	71.4-81.6	40	9.4	05.9-12.9	17	4.1	01.9-06.3	9	1.5	00.5-02.5	31	8.4	04.7-12.1
\$15,000- 24,999	91	11,138	65	74.2	63.8-84.6	10	8.4	02.5-14.3	4	4.0	00.0-08.1	2	1.1	00.0-02.7	10	12.3	04.1-20.5
\$25,000- 34,999	77	9,455	53	75.2	64.2-86.2	9	6.5	00.8-12.2	2	2.9	00.0-07.0	5	4.8	00.0-09.7	8	10.6	02.8-18.4
\$35,000- 49,999	130	14,121	97	78.3	70.3-86.3	19	10.0	04.9-15.1	4	4.1	00.0-08.4	2	0.9	00.0-02.3	8	6.7	01.4-12.0
\$50,000- 74,999	136	15,983	96	71.2	61.8-80.6	13	9.9	03.6-16.2	10	8.0	02.7-13.3	6	4.0	00.3-07.7	11	6.8	01.7-11.9
\$75,000+	301	40,224	226	72.7	65.8-79.6	34	10.3	06.4-14.2	14	5.3	02.4-08.2	6	1.4	00.0-03.0	21	10.3	04.4-16.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013

MODULE 15: PROSTATE CANCER SCREENING DECISION MAKING MODULE CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
1	WHICH OF THE FOLLOWING BEST DESCRIBES THE DECISION TO HAVE THE PSA TEST DONE? (PCPSADE1) MALES ONLY	97
2	WHO MADE THE DECISION WITH YOU? (MARK ALL THAT APPLY) (PCDMDECN) MALES ONLY	98

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 15: PROSTATE CANCER SCREENING DECISION MAKING MODULE
 TABLE 1: WHICH OF THE FOLLOWING BEST DESCRIBES THE DECISION TO HAVE THE PSA TEST DONE? (PCPSADE1)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 40 years old.
 Denominator excludes: Respondents that have never had a digital rectal exam.**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		You made decision			Your doctor, nurse, health care provider alone			Your doctor, nurse, health care provider together			You don't remember how decision was made		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	918	113,458	228	25.6	21.9-29.3	319	33.8	30.1-37.5	289	31.5	27.6-35.4	82	9.1	06.7-11.5
White/Non-Hisp	765	89,698	181	23.6	19.7-27.5	269	34.5	30.4-38.6	244	32.6	28.3-36.9	71	9.3	06.9-11.7
Black or Afr. Am./Non-Hisp	99	17,407	35	35.7	23.0-48.4	33	32.9	20.7-45.1	24	25.1	12.8-37.4	7	6.3	00.4-12.2
45-54	146	27,606	40	30.5	20.5-40.5	44	26.3	17.9-34.7	46	31.0	21.0-41.0	16	12.2	05.5-18.9
55-64	254	33,527	65	27.0	20.1-33.9	78	32.9	26.0-39.8	92	32.7	26.2-39.2	19	7.4	03.9-10.9
65+	499	48,428	119	22.5	18.2-26.8	191	39.3	33.8-44.8	143	29.4	24.3-34.5	46	8.9	06.2-11.6
Less Than H.S.	51	8,965	8	15.8	04.2-27.4	29	52.2	35.3-69.1	11	24.1	08.8-39.4	3	7.9	00.0-16.5
H.S. or G.E.D.	251	35,535	64	32.5	24.3-40.7	92	31.2	24.5-37.9	68	27.2	19.6-34.8	27	9.1	05.4-12.8
Some Post-H.S.	211	31,725	48	18.9	12.8-25.0	75	37.0	29.0-45.0	64	32.0	24.4-39.6	24	12.2	06.9-17.5
College Graduate	403	37,089	108	27.2	21.9-32.5	122	29.1	24.0-34.2	145	36.9	31.0-42.8	28	6.8	03.7-09.9
\$15,000- 24,999	95	11,313	26	25.7	15.3-36.1	33	34.3	22.9-45.7	30	33.4	20.5-46.3	6	6.7	00.8-12.6
\$25,000- 34,999	82	9,856	17	18.5	08.3-28.7	39	45.9	32.4-59.4	20	25.1	12.8-37.4	6	10.5	00.9-20.1
\$35,000- 49,999	139	15,176	27	20.6	12.6-28.6	55	40.5	30.7-50.3	42	27.7	19.3-36.1	15	11.2	05.5-16.9
\$50,000- 74,999	146	16,944	41	28.4	18.8-38.0	52	39.5	28.9-50.1	40	25.0	16.6-33.4	13	7.0	02.9-11.1
\$75,000+	316	42,356	86	30.4	23.3-37.5	92	27.5	21.6-33.4	111	33.9	27.0-40.8	27	8.1	04.6-11.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 15: PROSTATE CANCER SCREENING DECISION MAKING MODULE
 TABLE 2: WHO MADE THE DECISION WITH YOU? (MARK ALL THAT APPLY) (PCDMDECN)**
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 40 years old.
 Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Doctor, nurse health care provider			Spouse significant other			Other family member			Friend non-relative			Multiple responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	289	35,696	260	90.7	87.0-94.4	15	5.9	02.8-09.0	2	0.7	00.0-01.9	2	0.6	00.0-01.4	10	2.2	00.8-03.6
White/Non-Hisp	244	29,234	219	89.8	85.5-94.1	14	6.6	02.9-10.3	1	0.7	00.0-02.1	2	0.7	00.0-01.7	8	2.2	00.6-03.8
55-64	92	10,956	79	85.0	76.6-93.4	7	10.2	02.6-17.8	1	0.5	00.0-01.5	2	1.8	00.0-04.3	3	2.5	00.0-05.4
65+	144	14,283	132	92.0	87.1-96.9	7	5.3	00.8-09.8							5	2.6	00.2-05.0
H.S. or G.E.D.	67	9,619	53	83.1	73.3-92.9	10	13.9	04.5-23.3	1	0.5	00.0-01.5	1	1.1	00.0-03.3	2	1.3	00.0-03.3
Some Post-H.S.	65	10,185	58	89.1	80.9-97.3	4	7.1	00.0-14.2	1	1.9	00.0-05.6				2	2.0	00.0-04.7
College Graduate	145	13,689	137	95.9	93.0-98.8	1	0.2	00.0-00.6				1	0.7	00.0-02.1	6	3.2	00.7-05.7
\$75,000+	111	14,378	104	93.9	89.0-98.8	4	4.1	00.0-08.6				1	0.7	00.0-02.1	2	1.3	00.0-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2013**

End of Module Data Report