

DELAWARE

2014 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 28, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3465	614,779	2299	61.1	58.7-63.5	1166	38.9	36.5-41.3
Male	1378	289,752	891	56.9	53.0-60.8	487	43.1	39.2-47.0
Female	2087	325,027	1408	64.8	61.9-67.7	679	35.2	32.3-38.1
White/Non-Hisp	2359	400,064	1603	62.7	59.8-65.6	756	37.3	34.4-40.2
Black or Afr. Am./Non-Hisp	461	118,741	302	61.0	54.3-67.7	159	39.0	32.3-45.7
Oth. Race/Non-Hisp.	94	23,190	48	49.5	35.2-63.8	46	50.5	36.2-64.8
MultiRacial/Non-Hisp.	249	8,522	177	67.8	58.8-76.8	72	32.2	23.2-41.2
Hispanic	224	51,396	125	52.3	44.3-60.3	99	47.7	39.7-55.7
18-24	161	82,352	70	40.3	31.1-49.5	91	59.7	50.5-68.9
25-34	340	112,252	175	47.0	40.3-53.7	165	53.0	46.3-59.7
35-44	377	97,452	235	62.7	56.6-68.8	142	37.3	31.2-43.4
45-54	624	109,234	429	69.3	64.8-73.8	195	30.7	26.2-35.2
55-64	784	97,839	554	70.6	66.5-74.7	230	29.4	25.3-33.5
65+	1132	109,978	805	73.0	69.9-76.1	327	27.0	23.9-30.1
Less Than H.S.	311	81,676	181	52.4	44.8-60.0	130	47.6	40.0-55.2
H.S. or G.E.D.	1032	193,017	657	61.4	57.1-65.7	375	38.6	34.3-42.9
Some Post-H.S.	844	179,583	579	61.5	56.6-66.4	265	38.5	33.6-43.4
College Graduate	1260	158,349	873	64.6	61.1-68.1	387	35.4	31.9-38.9
Less than \$15,000	285	47,511	168	51.2	42.4-60.0	117	48.8	40.0-57.6
\$15,000- 24,999	514	94,779	315	56.5	50.2-62.8	199	43.5	37.2-49.8
\$25,000- 34,999	295	47,751	190	61.9	53.9-69.9	105	38.1	30.1-46.1
\$35,000- 49,999	407	73,051	275	59.8	52.5-67.1	132	40.2	32.9-47.5
\$50,000- 74,999	460	75,268	336	67.2	60.9-73.5	124	32.8	26.5-39.1
\$75,000+	942	178,826	660	65.4	60.9-69.9	282	34.6	30.1-39.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1378	289,752	891	56.9	53.0-60.8	487	43.1	39.2-47.0
White/Non-Hisp	945	186,785	643	60.9	56.2-65.6	302	39.1	34.4-43.8
Black or Afr. Am./Non-Hisp	153	52,982	83	47.7	36.9-58.5	70	52.3	41.5-63.1
MultiRacial/Non-Hisp.	93	3,427	70	71.7	54.6-88.8	23	28.3	11.2-45.4
Hispanic	107	27,244	52	45.9	34.5-57.3	55	54.1	42.7-65.5
18-24	68	39,508	22	26.5	15.3-37.7	46	73.5	62.3-84.7
25-34	129	56,387	50	35.0	24.8-45.2	79	65.0	54.8-75.2
35-44	162	47,295	96	60.7	51.1-70.3	66	39.3	29.7-48.9
45-54	260	52,528	180	70.4	63.3-77.5	80	29.6	22.5-36.7
55-64	311	46,075	222	70.8	64.1-77.5	89	29.2	22.5-35.9
65+	436	46,300	313	75.7	70.8-80.6	123	24.3	19.4-29.2
Less Than H.S.	147	47,521	79	45.6	35.0-56.2	68	54.4	43.8-65.0
H.S. or G.E.D.	407	93,348	248	58.2	51.3-65.1	159	41.8	34.9-48.7
Some Post-H.S.	318	79,707	217	56.5	48.5-64.5	101	43.5	35.5-51.5
College Graduate	499	67,657	343	63.2	57.3-69.1	156	36.8	30.9-42.7
Less than \$15,000	102	21,937	49	41.1	26.8-55.4	53	58.9	44.6-73.2
\$15,000- 24,999	196	41,263	107	47.2	37.6-56.8	89	52.8	43.2-62.4
\$25,000- 34,999	86	17,684	49	51.8	37.3-66.3	37	48.2	33.7-62.7
\$35,000- 49,999	191	40,501	118	50.6	40.2-61.0	73	49.4	39.0-59.8
\$50,000- 74,999	185	32,843	133	64.5	53.7-75.3	52	35.5	24.7-46.3
\$75,000+	443	96,607	322	68.8	62.5-75.1	121	31.2	24.9-37.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2087	325,027	1408	64.8	61.9-67.7	679	35.2	32.3-38.1
White/Non-Hisp	1414	213,278	960	64.3	61.0-67.6	454	35.7	32.4-39.0
Black or Afr. Am./Non-Hisp	308	65,758	219	71.7	64.1-79.3	89	28.3	20.7-35.9
Oth. Race/Non-Hisp.	54	11,978	26	44.9	27.1-62.7	28	55.1	37.3-72.9
MultiRacial/Non-Hisp.	156	5,095	107	65.1	55.1-75.1	49	34.9	24.9-44.9
Hispanic	117	24,152	73	59.5	48.3-70.7	44	40.5	29.3-51.7
18-24	93	42,844	48	53.1	40.4-65.8	45	46.9	34.2-59.6
25-34	211	55,865	125	59.1	51.1-67.1	86	40.9	32.9-48.9
35-44	215	50,158	139	64.6	57.0-72.2	76	35.4	27.8-43.0
45-54	364	56,706	249	68.3	62.4-74.2	115	31.7	25.8-37.6
55-64	473	51,764	332	70.5	65.4-75.6	141	29.5	24.4-34.6
65+	696	63,677	492	71.0	66.9-75.1	204	29.0	24.9-33.1
Less Than H.S.	164	34,155	102	61.8	52.0-71.6	62	38.2	28.4-48.0
H.S. or G.E.D.	625	99,669	409	64.4	58.9-69.9	216	35.6	30.1-41.1
Some Post-H.S.	526	99,876	362	65.4	59.5-71.3	164	34.6	28.7-40.5
College Graduate	761	90,692	530	65.7	61.2-70.2	231	34.3	29.8-38.8
Less than \$15,000	183	25,573	119	60.0	49.4-70.6	64	40.0	29.4-50.6
\$15,000- 24,999	318	53,516	208	63.7	56.1-71.3	110	36.3	28.7-43.9
\$25,000- 34,999	209	30,067	141	67.8	58.4-77.2	68	32.2	22.8-41.6
\$35,000- 49,999	216	32,550	157	71.4	63.0-79.8	59	28.6	20.2-37.0
\$50,000- 74,999	275	42,425	203	69.3	61.9-76.7	72	30.7	23.3-38.1
\$75,000+	499	82,220	338	61.5	55.4-67.6	161	38.5	32.4-44.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

**TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3585	636,331	385	8.6	07.4-09.8	51	1.5	00.9-02.1	3149	89.9	88.7-91.1
Male	1424	300,731	169	8.9	07.1-10.7				1255	91.1	89.3-92.9
Female	2161	335,600	216	8.4	07.0-09.8	51	2.9	01.7-04.1	1894	88.7	86.9-90.5
White/Non-Hisp	2449	416,054	269	9.0	07.6-10.4	26	1.2	00.4-02.0	2154	89.8	88.2-91.4
Black or Afr. Am./Non-Hisp	469	120,272	56	9.5	06.2-12.8	11	1.4	00.4-02.4	402	89.1	85.6-92.6
Oth. Race/Non-Hisp.	101	25,495	5	1.6	00.0-03.6	3	4.1	00.0-09.2	93	94.3	88.8-99.8
MultiRacial/Non-Hisp.	260	8,770	31	9.8	05.1-14.5	3	0.9	00.0-02.1	226	89.3	84.4-94.2
Hispanic	225	51,919	13	5.4	02.3-08.5	7	2.8	00.1-05.5	205	91.9	87.8-96.0
18-24	167	87,129	5	2.8	00.1-05.5	4	3.5	00.0-07.0	158	93.7	89.2-98.2
25-34	350	115,863	10	2.3	00.7-03.9	10	1.6	00.6-02.6	330	96.1	94.1-98.1
35-44	386	100,125	22	6.2	03.3-09.1	12	1.9	00.7-03.1	352	91.9	88.8-95.0
45-54	636	112,040	73	11.3	08.2-14.4	7	0.8	00.0-01.6	556	87.9	84.6-91.2
55-64	811	100,656	114	15.1	12.0-18.2	8	0.9	00.1-01.7	689	84.0	80.9-87.1
65+	1183	114,677	155	13.3	10.9-15.7	6	0.2	00.0-00.4	1022	86.4	84.0-88.8
Less Than H.S.	319	82,919	28	7.7	04.2-11.2	5	1.0	00.0-02.0	286	91.3	87.6-95.0
H.S. or G.E.D.	1067	200,168	105	6.7	04.9-08.5	11	1.1	00.3-01.9	951	92.2	90.2-94.2
Some Post-H.S.	863	184,623	125	11.8	09.3-14.3	17	2.2	00.6-03.8	721	85.9	83.0-88.8
College Graduate	1317	166,463	127	8.0	06.2-09.8	17	1.4	00.4-02.4	1173	90.6	88.6-92.6
Less than \$15,000	292	47,926	32	7.3	04.0-10.6	2	2.8	00.0-07.9	258	90.0	84.1-95.9
\$15,000- 24,999	526	97,168	60	9.5	06.6-12.4	16	3.0	01.4-04.6	450	87.5	84.2-90.8
\$25,000- 34,999	309	50,133	42	10.2	06.3-14.1	2	0.6	00.0-01.6	265	89.2	85.3-93.1
\$35,000- 49,999	418	74,212	58	9.5	06.4-12.6	3	0.5	00.0-01.1	357	90.0	86.9-93.1
\$50,000- 74,999	477	77,641	47	11.5	07.0-16.0	5	0.9	00.0-02.3	425	87.5	82.8-92.2
\$75,000+	978	188,908	89	7.2	05.2-09.2	10	0.6	00.0-01.2	879	92.1	90.1-94.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1424	300,731	169	8.9	07.1-10.7	1255	91.1	89.3-92.9
White/Non-Hisp	977	194,488	130	9.7	07.7-11.7	847	90.3	88.3-92.3
Black or Afr. Am./Non-Hisp	157	53,799	17	9.2	03.7-14.7	140	90.8	85.3-96.3
MultiRacial/Non-Hisp.	97	3,586	9	8.3	00.9-15.7	88	91.7	84.3-99.1
Hispanic	108	27,688	6	4.7	00.8-08.6	102	95.3	91.4-99.2
18-24	73	43,696	1	1.6	00.0-04.7	72	98.4	95.3-0100
25-34	131	57,678	6	3.0	00.3-05.7	125	97.0	94.3-99.7
35-44	164	48,350	7	5.3	01.2-09.4	157	94.7	90.6-98.8
45-54	268	54,320	36	12.3	07.2-17.4	232	87.7	82.6-92.8
55-64	323	47,183	46	16.1	10.8-21.4	277	83.9	78.6-89.2
65+	452	47,835	71	15.3	11.6-19.0	381	84.7	81.0-88.4
Less Than H.S.	151	47,831	12	7.6	02.3-12.9	139	92.4	87.1-97.7
H.S. or G.E.D.	422	98,165	44	5.7	03.7-07.7	378	94.3	92.3-96.3
Some Post-H.S.	325	82,787	57	13.1	08.8-17.4	268	86.9	82.6-91.2
College Graduate	519	70,429	56	9.4	06.5-12.3	463	90.6	87.7-93.5
Less than \$15,000	104	22,175	14	7.8	02.1-13.5	90	92.2	86.5-97.9
\$15,000- 24,999	201	42,434	25	8.5	04.4-12.6	176	91.5	87.4-95.6
\$25,000- 34,999	92	18,786	17	14.9	06.3-23.5	75	85.1	76.5-93.7
\$35,000- 49,999	193	40,656	29	10.1	05.4-14.8	164	89.9	85.2-94.6
\$50,000- 74,999	188	33,287	22	10.3	03.6-17.0	166	89.7	83.0-96.4
\$75,000+	463	103,459	43	7.6	04.9-10.3	420	92.4	89.7-95.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2161	335,600	216	8.4	07.0-09.8	51	2.9	01.7-04.1	1894	88.7	86.9-90.5
White/Non-Hisp	1472	221,566	139	8.4	06.6-10.2	26	2.3	00.9-03.7	1307	89.3	87.1-91.5
Black or Afr. Am./Non-Hisp	312	66,474	39	9.8	05.7-13.9	11	2.5	00.9-04.1	262	87.6	83.3-91.9
Oth. Race/Non-Hisp.	58	13,349	2	1.9	00.0-05.2	3	7.8	00.0-17.4	53	90.3	80.1-0100
MultiRacial/Non-Hisp.	163	5,184	22	10.8	04.5-17.1	3	1.6	00.0-03.8	138	87.6	81.1-94.1
Hispanic	117	24,231	7	6.1	01.4-10.8	7	6.0	00.1-11.9	103	88.0	80.7-95.3
18-24	94	43,432	4	4.0	00.0-08.5	4	7.1	00.0-14.2	86	88.9	80.7-97.1
25-34	219	58,185	4	1.6	00.0-03.4	10	3.2	01.0-05.4	205	95.2	92.5-97.9
35-44	222	51,775	15	7.1	02.8-11.4	12	3.7	01.3-06.1	195	89.2	84.5-93.9
45-54	368	57,720	37	10.4	06.5-14.3	7	1.6	00.0-03.2	324	88.0	83.9-92.1
55-64	488	53,474	68	14.3	10.6-18.0	8	1.6	00.2-03.0	412	84.1	80.2-88.0
65+	731	66,842	84	11.9	08.8-15.0	6	0.4	00.0-00.8	641	87.7	84.6-90.8
Less Than H.S.	168	35,088	16	7.8	03.1-12.5	5	2.5	00.1-04.9	147	89.7	84.6-94.8
H.S. or G.E.D.	645	102,003	61	7.6	04.9-10.3	11	2.2	00.4-04.0	573	90.2	87.1-93.3
Some Post-H.S.	538	101,836	68	10.8	07.7-13.9	17	4.1	01.2-07.0	453	85.2	81.1-89.3
College Graduate	798	96,034	71	7.0	05.0-09.0	17	2.4	00.8-04.0	710	90.6	88.1-93.1
Less than \$15,000	188	25,751	18	6.8	02.9-10.7	2	5.2	00.0-14.4	168	88.0	78.6-97.4
\$15,000- 24,999	325	54,734	35	10.4	06.3-14.5	16	5.2	02.5-07.9	274	84.4	79.5-89.3
\$25,000- 34,999	217	31,347	25	7.3	03.8-10.8	2	1.0	00.0-02.4	190	91.7	87.8-95.6
\$35,000- 49,999	225	33,556	29	8.7	05.0-12.4	3	1.1	00.0-02.5	193	90.2	86.3-94.1
\$50,000- 74,999	289	44,354	25	12.4	06.3-18.5	5	1.6	00.0-04.0	259	86.0	79.5-92.5
\$75,000+	515	85,449	46	6.8	04.3-09.3	10	1.4	00.2-02.6	459	91.8	89.1-94.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014**

MODULE 2: DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	649	80,080	201	29.2	24.3-34.1	448	70.8	65.9-75.7
Male	295	39,997	101	33.7	25.9-41.5	194	66.3	58.5-74.1
Female	354	40,082	100	24.8	19.3-30.3	254	75.2	69.7-80.7
White/Non-Hisp	406	49,459	122	28.9	23.6-34.2	284	71.1	65.8-76.4
Black or Afr. Am./Non-Hisp	134	22,673	45	27.5	17.1-37.9	89	72.5	62.1-82.9
MultiRacial/Non-Hisp.	63	1,468	24	49.7	32.8-66.6	39	50.3	33.4-67.2
45-54	78	12,925	27	36.5	22.2-50.8	51	63.5	49.2-77.8
55-64	162	19,177	48	25.5	17.5-33.5	114	74.5	66.5-82.5
65+	360	36,019	114	34.0	26.7-41.3	246	66.0	58.7-73.3
Less Than H.S.	92	13,595	30	34.3	20.4-48.2	62	65.7	51.8-79.6
H.S. or G.E.D.	196	26,091	59	21.3	14.6-28.0	137	78.7	72.0-85.4
Some Post-H.S.	161	22,937	52	34.9	24.5-45.3	109	65.1	54.7-75.5
College Graduate	197	17,233	60	30.1	22.1-38.1	137	69.9	61.9-77.9
Less than \$15,000	74	11,115	24	14.8	06.4-23.2	50	85.2	76.8-93.6
\$15,000- 24,999	134	13,680	51	40.2	29.4-51.0	83	59.8	49.0-70.6
\$25,000- 34,999	61	7,556	20	30.0	16.3-43.7	41	70.0	56.3-83.7
\$35,000- 49,999	83	10,676	23	25.1	14.7-35.5	60	74.9	64.5-85.3
\$50,000- 74,999	80	9,916	20	21.6	11.0-32.2	60	78.4	67.8-89.0
\$75,000+	97	12,801	29	27.3	16.7-37.9	68	72.7	62.1-83.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	295	39,997	101	33.7	25.9-41.5	194	66.3	58.5-74.1
White/Non-Hisp	194	24,115	67	35.8	27.8-43.8	127	64.2	56.2-72.2
Black or Afr. Am./Non-Hisp	50	11,477	17	27.1	09.9-44.3	33	72.9	55.7-90.1
55-64	74	8,948	24	26.7	14.9-38.5	50	73.3	61.5-85.1
65+	171	18,996	61	39.7	28.7-50.7	110	60.3	49.3-71.3
H.S. or G.E.D.	85	13,179	27	21.3	10.7-31.9	58	78.7	68.1-89.3
Some Post-H.S.	66	10,457	28	46.6	29.9-63.3	38	53.4	36.7-70.1
College Graduate	106	9,582	35	32.1	20.7-43.5	71	67.9	56.5-79.3
\$15,000- 24,999	53	6,496	21	42.4	24.6-60.2	32	57.6	39.8-75.4
\$75,000+	55	7,307	19	29.1	14.8-43.4	36	70.9	56.6-85.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	354	40,082	100	24.8	19.3-30.3	254	75.2	69.7-80.7
White/Non-Hisp	212	25,343	55	22.3	15.8-28.8	157	77.7	71.2-84.2
Black or Afr. Am./Non-Hisp	84	11,196	28	28.0	16.6-39.4	56	72.0	60.6-83.4
55-64	88	10,229	24	24.4	13.6-35.2	64	75.6	64.8-86.4
65+	189	17,024	53	27.7	19.3-36.1	136	72.3	63.9-80.7
Less Than H.S.	55	6,921	19	28.0	12.7-43.3	36	72.0	56.7-87.3
H.S. or G.E.D.	111	12,912	32	21.3	13.3-29.3	79	78.7	70.7-86.7
Some Post-H.S.	95	12,480	24	25.1	14.3-35.9	71	74.9	64.1-85.7
College Graduate	91	7,651	25	27.5	15.9-39.1	66	72.5	60.9-84.1
Less than \$15,000	50	6,399	15	15.9	04.9-26.9	35	84.1	73.1-95.1
\$15,000- 24,999	81	7,184	30	38.1	25.4-50.8	51	61.9	49.2-74.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	634	78,480	84	13.8	09.5-18.1	119	19.5	15.0-24.0	421	65.0	59.7-70.3	10	1.7	00.5-02.9
Male	290	39,135	37	13.1	06.6-19.6	60	22.3	14.9-29.7	186	61.9	53.5-70.3	7	2.7	00.3-05.1
Female	344	39,344	47	14.5	09.0-20.0	59	16.8	11.9-21.7	235	68.1	61.4-74.8	3	0.7	00.0-01.5
White/Non-Hisp	398	48,497	63	15.3	10.6-20.0	78	16.6	12.5-20.7	250	65.8	59.9-71.7	7	2.3	00.3-04.3
Black or Afr. Am./Non-Hisp	131	22,304	9	11.3	00.9-21.7	24	23.4	12.6-34.2	97	64.7	52.2-77.2	1	0.5	00.0-01.5
MultiRacial/Non-Hisp.	62	1,428	5	5.3	00.2-10.4	11	16.5	06.3-26.7	45	75.9	63.9-87.9	1	2.3	00.0-06.8
45-54	76	12,638	7	11.2	01.4-21.0	21	25.9	12.6-39.2	46	58.9	44.4-73.4	2	4.0	00.0-10.1
55-64	160	19,002	16	8.7	03.6-13.8	32	17.9	10.8-25.0	109	71.5	63.1-79.9	3	1.9	00.0-04.4
65+	351	35,203	52	12.6	08.5-16.7	57	15.7	10.8-20.6	240	71.2	65.1-77.3	2	0.5	00.0-01.1
Less Than H.S.	85	12,843	9	10.7	02.7-18.7	9	12.6	00.3-24.9	67	76.7	63.2-90.2			
H.S. or G.E.D.	194	25,883	23	15.2	05.8-24.6	38	19.8	11.8-27.8	130	62.9	52.5-73.3	3	2.1	00.0-05.0
Some Post-H.S.	158	22,614	21	15.5	07.5-23.5	28	15.6	08.9-22.3	107	67.7	58.1-77.3	2	1.2	00.0-02.8
College Graduate	194	16,915	31	11.8	06.9-16.7	44	29.8	19.8-39.8	114	55.3	45.7-64.9	5	3.1	00.0-06.2
Less than \$15,000	71	10,711	6	21.5	01.5-41.5	7	12.1	01.7-22.5	57	64.5	44.9-84.1	1	1.9	00.0-05.6
\$15,000- 24,999	131	13,383	9	5.0	00.9-09.1	22	18.4	09.2-27.6	100	76.5	66.9-86.1			
\$25,000- 34,999	60	7,446	6	12.1	00.3-23.9	8	9.9	02.1-17.7	44	74.5	60.8-88.2	2	3.5	00.0-08.4
\$35,000- 49,999	83	10,676	14	19.2	08.2-30.2	16	14.6	06.6-22.6	51	64.5	52.2-76.8	2	1.8	00.0-04.3
\$50,000- 74,999	77	9,546	12	11.7	01.9-21.5	19	26.6	13.9-39.3	46	61.7	47.6-75.8			
\$75,000+	96	12,595	14	13.3	04.5-22.1	23	25.4	12.9-37.9	58	60.3	47.2-73.4	1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	290	39,135	37	13.1	06.6-19.6	60	22.3	14.9-29.7	186	61.9	53.7-70.1	7	2.7	00.3-05.1
White/Non-Hisp	191	23,540	27	12.4	06.7-18.1	40	18.0	11.7-24.3	118	65.3	57.1-73.5	6	4.3	00.4-08.2
55-64	74	8,948	4	4.9	00.0-11.6	18	19.9	09.3-30.5	51	73.0	60.7-85.3	1	2.3	00.0-06.8
65+	169	18,626	28	15.4	08.7-22.1	31	17.0	09.7-24.3	108	66.7	57.5-75.9	2	0.9	00.0-02.1
H.S. or G.E.D.	84	13,082	7	14.4	00.0-30.5	23	25.8	12.1-39.5	53	57.0	40.5-73.5	1	2.9	00.0-08.4
Some Post-H.S.	65	10,263	7	9.6	01.6-17.6	8	12.2	02.2-22.2	48	75.6	62.9-88.3	2	2.5	00.0-06.0
College Graduate	105	9,376	19	15.8	07.8-23.8	23	30.1	15.6-44.6	59	49.7	36.8-62.6	4	4.4	00.0-09.3
\$15,000- 24,999	52	6,321	1	1.0	00.0-03.0	12	22.8	06.9-38.7	39	76.2	60.3-92.1			
\$75,000+	54	7,101	10	17.2	04.5-29.9	12	27.7	08.9-46.5	31	53.3	35.5-71.1	1	1.7	00.0-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	344	39,344	47	14.5	09.0-20.0	59	16.8	11.9-21.7	235	68.1	61.2-75.0	3	0.7	00.0-01.5
White/Non-Hisp	207	24,957	36	18.1	10.5-25.7	38	15.3	10.0-20.6	132	66.2	57.8-74.6	1	0.5	00.0-01.5
Black or Afr. Am./Non-Hisp	82	11,017	5	8.9	00.0-18.3	14	19.3	08.3-30.3	62	70.7	57.6-83.8	1	1.1	00.0-03.3
55-64	86	10,054	12	12.0	04.4-19.6	14	16.2	06.6-25.8	58	70.2	58.6-81.8	2	1.6	00.0-04.1
65+	182	16,576	24	9.5	04.8-14.2	26	14.2	07.9-20.5	132	76.3	68.7-83.9			
Less Than H.S.	50	6,534	5	9.3	00.1-18.5	3	5.1	00.0-11.8	42	85.6	74.2-97.0			
H.S. or G.E.D.	110	12,802	16	16.1	06.5-25.7	15	13.7	05.5-21.9	77	69.0	57.6-80.4	2	1.2	00.0-03.2
Some Post-H.S.	93	12,351	14	20.5	08.0-33.0	20	18.4	09.4-27.4	59	61.1	48.0-74.2			
College Graduate	89	7,539	12	6.7	02.2-11.2	21	29.5	16.4-42.6	55	62.3	49.0-75.6	1	1.6	00.0-04.7
\$15,000- 24,999	79	7,063	8	8.7	01.3-16.1	10	14.5	04.3-24.7	61	76.8	65.0-88.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	626	77,378	395	62.3	57.0-67.6	99	14.9	11.4-18.4	31	5.9	03.5-08.3	11	1.4	00.4-02.4	83	14.6	10.3-18.9	7	1.0	00.0-02.0
Male	277	37,654	181	66.9	58.7-75.1	36	12.3	07.4-17.2	15	4.0	01.6-06.4	5	1.6	00.0-03.2	34	13.6	06.5-20.7	6	1.6	00.0-03.6
Female	349	39,725	214	58.0	51.1-64.9	63	17.3	12.2-22.4	16	7.7	03.6-11.8	6	1.2	00.2-02.2	49	15.4	10.1-20.7	1	0.4	00.0-01.2
White/Non-Hisp	391	47,264	238	61.0	54.9-67.1	59	14.6	10.5-18.7	25	7.8	04.3-11.3	7	1.4	00.2-02.6	58	13.8	09.7-17.9	4	1.4	00.0-03.2
Black or Afr. Am./Non-Hisp	133	22,588	94	65.6	53.4-77.8	20	13.6	06.2-21.0	5	3.0	00.0-06.1	1	0.5	00.0-01.5	13	17.3	05.5-29.1			
MultiRacial/Non-Hisp.	59	1,380	40	64.6	46.4-82.8	9	8.6	02.5-14.7	1	11.2	00.0-31.0	1	1.4	00.0-04.1	5	8.4	01.0-15.8	3	5.7	00.0-12.6
45-54	72	12,158	52	71.5	58.8-84.2	10	13.7	04.3-23.1	3	4.8	00.0-11.1				7	10.1	01.5-18.7			
55-64	160	18,901	99	63.1	53.9-72.3	30	19.0	11.4-26.6	9	6.9	02.0-11.8	2	1.3	00.0-03.3	19	8.8	04.1-13.5	1	0.8	00.0-02.4
65+	346	34,566	216	62.3	55.4-69.2	52	14.7	09.8-19.6	17	5.8	02.5-09.1	7	1.8	00.2-03.4	49	14.7	10.0-19.4	5	0.7	00.1-01.3
Less Than H.S.	84	12,736	55	72.3	60.9-83.7	9	7.7	01.8-13.6	2	0.8	00.0-02.0	3	2.9	00.0-06.8	15	16.2	07.2-25.2			
H.S. or G.E.D.	191	25,214	123	59.9	49.5-70.3	27	13.3	07.2-19.4	10	5.9	01.6-10.2				27	19.5	09.1-29.9	4	1.4	00.0-03.0
Some Post-H.S.	157	22,433	95	57.9	47.7-68.1	34	20.0	12.4-27.6	11	10.6	04.3-16.9	2	0.8	00.0-02.0	14	9.2	02.9-15.5	1	1.6	00.0-04.7
College Graduate	192	16,782	120	63.8	54.8-72.8	29	16.1	08.7-23.5	8	3.4	00.9-05.9	6	3.2	00.3-06.1	27	13.3	07.2-19.4	2	0.2	00.0-00.6
Less than \$15,000	72	10,672	49	62.8	43.6-82.0	7	7.1	00.0-14.4	3	4.5	00.0-10.6	2	1.3	00.0-03.5	11	24.4	04.6-44.2			
\$15,000- 24,999	129	13,070	79	65.9	55.7-76.1	23	14.8	07.5-22.1	3	3.0	00.0-06.9	3	1.8	00.0-04.0	19	13.8	06.4-21.2	2	0.8	00.0-01.8
\$25,000- 34,999	57	7,160	34	57.7	41.6-73.8	11	15.6	04.8-26.4	6	14.8	01.7-27.9				6	12.0	00.0-24.0			
\$35,000- 49,999	79	10,317	52	61.0	47.9-74.1	15	18.5	08.3-28.7	4	6.0	00.0-12.1	2	2.8	00.0-07.3	6	11.7	02.3-21.1			
\$50,000- 74,999	77	9,769	43	55.8	41.5-70.1	13	20.6	07.5-33.7	4	6.8	00.0-14.1	1	0.5	00.0-01.5	13	11.5	04.4-18.6	3	4.8	00.0-12.1
\$75,000+	96	12,595	64	66.9	55.1-78.7	14	12.1	04.7-19.5	5	6.5	00.0-13.2	2	2.2	00.0-05.3	10	12.1	04.3-19.9	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	277	37,654	181	66.9	58.7-75.1	36	12.3	07.4-17.2	15	4.0	01.6-06.4	5	1.6	00.0-03.2	34	13.6	06.5-20.7	6	1.6	00.0-03.6
White/Non-Hisp	182	22,237	116	65.4	57.2-73.6	26	16.1	09.4-22.8	10	3.9	01.4-06.4	4	1.8	00.0-04.0	23	10.6	05.9-15.3	3	2.3	00.0-05.6
55-64	73	8,917	47	68.4	55.5-81.3	14	17.6	07.0-28.2	5	7.8	00.5-15.1	2	2.7	00.0-06.8	5	3.5	00.2-06.8			
65+	160	17,596	101	65.8	56.2-75.4	17	11.9	05.2-18.6	10	4.6	01.3-07.9	3	2.0	00.0-04.7	24	14.4	08.1-20.7	5	1.3	00.0-02.7
H.S. or G.E.D.	80	12,302	50	58.8	41.6-76.0	10	13.5	04.1-22.9	5	3.4	00.0-06.9				12	22.7	04.7-40.7	3	1.6	00.0-03.6
Some Post-H.S.	64	10,258	46	71.7	58.0-85.4	11	16.6	05.4-27.8	3	5.2	00.0-11.3				3	3.0	00.0-06.5	1	3.5	00.0-10.4
College Graduate	101	9,132	63	66.8	55.4-78.2	14	11.6	04.9-18.3	7	6.0	01.3-10.7	4	4.0	00.0-08.5	11	11.2	03.8-18.6	2	0.4	00.0-01.0
\$75,000+	54	7,101	36	70.0	54.7-85.3	8	14.2	02.6-25.8	2	1.8	00.0-04.3	1	2.6	00.0-07.7	6	11.1	01.3-20.9	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	349	39,725	214	58.0	51.1-64.9	63	17.3	12.0-22.6	16	7.7	03.6-11.8	6	1.2	00.2-02.2	49	15.4	10.1-20.7	1	0.4	00.0-01.2
White/Non-Hisp	209	25,027	122	57.1	48.5-65.7	33	13.3	08.2-18.4	15	11.4	05.3-17.5	3	0.9	00.0-02.1	35	16.6	09.9-23.3	1	0.6	00.0-01.8
Black or Afr. Am./Non-Hisp	84	11,196	57	61.4	47.5-75.3	16	20.2	08.2-32.2	1	1.7	00.0-05.0	1	1.0	00.0-03.0	9	15.6	04.6-26.6			
55-64	87	9,984	52	58.5	45.6-71.4	16	20.3	09.1-31.5	4	6.0	00.0-12.5				14	13.6	05.4-21.8	1	1.6	00.0-04.7
65+	186	16,971	115	58.7	48.7-68.7	35	17.6	10.2-25.0	7	7.1	01.2-13.0	4	1.5	00.0-03.1	25	15.1	08.2-22.0			
Less Than H.S.	53	6,880	34	70.2	54.5-85.9	8	11.0	02.0-20.0	2	1.5	00.0-03.7	2	2.0	00.0-05.3	7	15.4	03.1-27.7			
H.S. or G.E.D.	111	12,912	73	61.0	49.2-72.8	17	13.1	05.3-20.9	5	8.2	00.8-15.6				15	16.4	06.8-26.0	1	1.2	00.0-03.6
Some Post-H.S.	93	12,175	49	46.2	33.3-59.1	23	22.8	12.4-33.2	8	15.2	05.0-25.4	2	1.4	00.0-03.4	11	14.4	03.8-25.0			
College Graduate	91	7,651	57	60.3	46.2-74.4	15	21.4	07.9-34.9	1	0.3	00.0-00.9	2	2.3	00.0-05.6	16	15.7	06.1-25.3			
\$15,000- 24,999	80	7,162	48	62.1	49.0-75.2	16	14.6	06.4-22.8	1	2.0	00.0-05.9	2	2.8	00.0-06.7	13	18.4	06.6-30.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	619	77,360	72	13.2	08.7-17.7	146	21.0	17.1-24.9	84	14.0	10.1-17.9	160	25.2	20.5-29.9	90	14.7	11.2-18.2	67	11.9	07.8-16.0
Male	285	38,891	30	11.4	04.7-18.1	71	21.2	15.3-27.1	36	14.7	08.6-20.8	63	24.1	17.0-31.2	47	15.4	10.1-20.7	38	13.2	06.7-19.7
Female	334	38,469	42	15.0	08.9-21.1	75	20.7	15.4-26.0	48	13.4	08.9-17.9	97	26.2	20.1-32.3	43	14.1	09.2-19.0	29	10.6	05.5-15.7
White/Non-Hisp	395	48,381	50	13.7	08.8-18.6	101	23.5	18.6-28.4	62	14.3	10.2-18.4	88	22.8	17.7-27.9	47	13.5	09.2-17.8	47	12.2	07.9-16.5
Black or Afr. Am./Non-Hisp	123	21,515	12	14.5	03.1-25.9	24	14.5	07.6-21.4	15	15.6	06.0-25.2	37	25.6	15.6-35.6	27	18.2	10.2-26.2	8	11.6	00.6-22.6
MultiRacial/Non-Hisp.	58	1,331	5	9.8	00.6-19.0	14	26.7	07.5-45.9	4	7.7	00.0-15.7	20	34.3	18.4-50.2	9	12.3	03.1-21.5	6	9.1	01.3-16.9
45-54	74	12,363	12	14.4	05.2-23.6	16	20.4	09.8-31.0	5	11.0	01.6-20.4	16	21.0	07.5-34.5	17	18.9	08.3-29.5	8	14.4	03.2-25.6
55-64	156	18,667	13	6.3	02.2-10.4	40	26.0	17.8-34.2	16	10.5	03.8-17.2	43	28.4	19.0-37.8	29	18.9	11.3-26.5	15	10.0	04.5-15.5
65+	340	34,371	42	17.1	09.5-24.7	81	20.3	15.2-25.4	54	15.1	10.2-20.0	91	28.2	21.7-34.7	34	9.8	05.9-13.7	38	9.5	05.8-13.2
Less Than H.S.	81	12,625	12	17.5	03.6-31.4	13	10.9	03.1-18.7	9	14.1	03.9-24.3	23	30.6	15.9-45.3	15	17.1	07.5-26.7	9	9.9	01.7-18.1
H.S. or G.E.D.	191	25,650	20	8.7	03.8-13.6	53	20.9	14.0-27.8	25	17.6	09.2-26.0	48	25.2	17.0-33.4	29	14.9	08.2-21.6	16	12.6	03.4-21.8
Some Post-H.S.	156	22,516	21	15.8	06.0-25.6	35	23.0	14.8-31.2	15	9.2	04.1-14.3	43	24.5	16.5-32.5	20	11.8	05.7-17.9	22	15.6	07.6-23.6
College Graduate	190	16,464	18	12.7	03.9-21.5	45	26.0	18.0-34.0	35	15.2	08.9-21.5	46	22.0	14.4-29.6	26	16.8	09.4-24.2	20	7.3	03.8-10.8
Less than \$15,000	73	10,925	10	17.0	01.3-32.7	13	16.6	05.2-28.0	11	13.9	01.6-26.2	16	17.2	06.6-27.8	18	15.1	05.9-24.3	5	20.2	00.0-40.4
\$15,000- 24,999	123	12,723	20	12.3	06.2-18.4	28	17.7	09.7-25.7	6	10.1	01.9-18.3	38	31.2	19.6-42.8	21	18.9	10.3-27.5	10	9.8	02.9-16.7
\$25,000- 34,999	58	7,278	6	14.1	03.1-25.1	15	24.5	11.2-37.8	6	8.6	01.5-15.7	17	28.4	13.5-43.3	8	12.5	01.9-23.1	6	11.9	00.0-24.1
\$35,000- 49,999	81	10,475	6	11.4	02.6-20.2	22	21.7	11.7-31.7	15	15.7	06.1-25.3	25	34.0	20.9-47.1	9	13.6	03.8-23.4	4	3.5	00.0-07.8
\$50,000- 74,999	78	9,768	8	8.8	01.5-16.1	13	14.0	04.8-23.2	15	17.4	07.4-27.4	20	27.1	14.4-39.8	10	18.3	05.8-30.8	12	14.3	03.9-24.7
\$75,000+	96	12,793	8	13.5	01.3-25.7	26	27.4	16.4-38.4	17	15.1	06.9-23.3	19	16.0	07.4-24.6	15	15.0	06.4-23.6	11	13.0	04.4-21.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	285	38,891	30	11.4	04.5-18.3	71	21.2	15.5-26.9	36	14.7	08.6-20.8	63	24.1	17.0-31.2	47	15.4	10.1-20.7	38	13.2	06.7-19.7
White/Non-Hisp	189	23,534	21	8.0	04.1-11.9	54	28.5	20.9-36.1	25	13.8	07.7-19.9	38	22.1	15.0-29.2	26	17.2	09.9-24.5	25	10.4	05.9-14.9
55-64	72	8,687	4	2.1	00.0-04.6	22	29.8	16.9-42.7	6	13.0	00.7-25.3	18	26.8	12.7-40.9	14	19.2	08.2-30.2	8	9.1	02.0-16.2
65+	165	18,381	20	15.3	04.1-26.5	39	20.1	12.8-27.4	25	15.6	08.2-23.0	38	26.6	17.4-35.8	19	9.3	04.2-14.4	24	13.1	07.0-19.2
H.S. or G.E.D.	85	13,179	9	5.5	00.6-10.4	22	15.3	07.9-22.7	12	20.7	07.0-34.4	19	23.5	11.0-36.0	13	17.4	06.0-28.8	10	17.6	01.7-33.5
Some Post-H.S.	62	10,090	6	16.4	00.0-35.4	16	29.3	14.6-44.0	8	10.2	02.6-17.8	14	24.4	11.7-37.1	10	10.6	02.4-18.8	8	9.1	02.2-16.0
College Graduate	102	9,074	12	18.4	03.7-33.1	27	26.0	15.6-36.4	11	7.9	02.2-13.6	21	19.9	09.7-30.1	18	18.3	08.9-27.7	13	9.5	03.8-15.2
\$75,000+	55	7,307	1	10.0	00.0-28.0	17	30.5	15.2-45.8	8	10.1	01.9-18.3	11	18.8	05.5-32.1	10	16.6	04.4-28.8	8	14.0	03.2-24.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	334	38,469	42	15.0	08.9-21.1	75	20.7	15.2-26.2	48	13.4	08.9-17.9	97	26.2	20.1-32.3	43	14.1	09.2-19.0	29	10.6	05.5-15.7
White/Non-Hisp	206	24,847	29	19.2	10.6-27.8	47	18.8	12.9-24.7	37	14.7	09.2-20.2	50	23.4	16.1-30.7	21	9.9	05.0-14.8	22	13.9	06.6-21.2
Black or Afr. Am./Non-Hisp	76	10,506	7	7.2	01.3-13.1	16	22.5	10.7-34.3	9	13.1	03.1-23.1	25	29.2	16.3-42.1	16	23.1	10.8-35.4	3	4.9	00.0-12.5
55-64	84	9,980	9	9.9	02.6-17.2	18	22.6	12.0-33.2	10	8.3	02.2-14.4	25	29.8	16.9-42.7	15	18.6	07.8-29.4	7	10.7	02.7-18.7
65+	175	15,990	22	19.0	07.6-30.4	42	20.5	13.2-27.8	29	14.6	08.5-20.7	53	30.0	20.6-39.4	15	10.4	04.3-16.5	14	5.5	01.8-09.2
H.S. or G.E.D.	106	12,471	11	12.1	03.5-20.7	31	26.9	16.3-37.5	13	14.4	05.8-23.0	29	27.1	16.3-37.9	16	12.3	05.6-19.0	6	7.3	00.0-14.6
Some Post-H.S.	94	12,426	15	15.4	07.0-23.8	19	18.0	09.2-26.8	7	8.3	01.6-15.0	29	24.6	14.2-35.0	10	12.8	04.0-21.6	14	20.9	08.4-33.4
College Graduate	88	7,390	6	5.7	01.0-10.4	18	26.1	13.6-38.6	24	24.1	12.5-35.7	25	24.5	12.7-36.3	8	15.0	02.7-27.3	7	4.6	00.7-08.5
Less than \$15,000	50	6,399	8	26.6	03.1-50.1	9	23.3	06.2-40.4	7	7.6	00.0-16.0	13	21.5	06.2-36.8	10	10.6	02.0-19.2	3	10.4	00.0-27.5
\$15,000- 24,999	74	6,578	7	10.2	02.0-18.4	17	18.5	09.1-27.9	1	1.1	00.0-03.3	30	36.1	22.8-49.4	13	22.6	10.6-34.6	6	11.5	01.7-21.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 13: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	596	75,186	257	42.7	37.2-48.2	257	42.6	37.1-48.1	14	2.0	00.6-03.4	5	0.6	00.0-01.2	51	10.6	06.5-14.7	12	1.6	00.4-02.8
Male	276	38,192	122	42.0	33.8-50.2	118	44.7	36.3-53.1	7	2.7	00.2-05.2	1	0.0	00.0-00.0	21	8.9	02.4-15.4	7	1.7	00.1-03.3
Female	320	36,994	135	43.4	36.1-50.7	139	40.3	33.2-47.4	7	1.3	00.1-02.5	4	1.1	00.0-02.3	30	12.4	06.9-17.9	5	1.4	00.0-03.0
White/Non-Hisp	380	47,290	160	43.7	37.4-50.0	164	41.5	35.4-47.6	10	2.5	00.5-04.5	2	0.6	00.0-01.4	38	10.0	05.9-14.1	6	1.8	00.2-03.4
Black or Afr. Am./Non-Hisp	124	21,588	50	38.0	25.8-50.2	59	45.7	33.2-58.2	3	1.3	00.0-03.1	2	0.7	00.0-01.9	7	13.3	01.9-24.7	3	0.9	00.0-01.9
MultiRacial/Non-Hisp.	55	1,309	27	54.0	36.8-71.2	22	38.3	22.0-54.6	1	1.0	00.0-03.0	1	1.4	00.0-04.1	2	2.5	00.0-06.0	2	2.9	00.0-06.8
45-54	72	12,212	29	39.2	25.3-53.1	31	41.6	27.1-56.1	2	4.1	00.0-10.4	1	0.8	00.0-02.4	9	14.3	03.7-24.9			
55-64	148	17,750	66	49.5	39.3-59.7	64	36.1	26.7-45.5	4	3.0	00.0-06.3				11	9.1	02.0-16.2	3	2.2	00.0-04.9
65+	331	33,746	149	46.2	38.6-53.8	139	43.5	36.2-50.8	8	1.4	00.2-02.6	3	0.6	00.0-01.6	25	6.5	03.6-09.4	7	1.8	00.0-03.6
Less Than H.S.	73	11,678	22	33.8	17.5-50.1	32	45.6	29.3-61.9	2	2.0	00.0-05.1	1	1.4	00.0-04.1	12	14.9	04.9-24.9	4	2.3	00.0-05.0
H.S. or G.E.D.	176	24,657	80	38.6	29.0-48.2	70	42.5	32.3-52.7	6	2.6	00.0-05.7	2	0.5	00.0-01.3	13	13.7	03.9-23.5	5	2.1	00.0-04.3
Some Post-H.S.	152	22,163	71	52.5	42.3-62.7	66	37.0	27.6-46.4	2	1.1	00.0-02.7				12	8.3	01.8-14.8	1	1.1	00.0-03.3
College Graduate	194	16,580	83	41.5	32.5-50.5	89	48.2	38.6-57.8	4	2.4	00.0-05.1	2	0.8	00.0-02.2	14	6.1	02.2-10.0	2	1.0	00.0-02.4
Less than \$15,000	65	10,262	27	37.5	18.9-56.1	25	25.9	12.0-39.8	2	3.8	00.0-09.1	1	1.0	00.0-03.0	9	30.8	09.6-52.0	1	1.1	00.0-03.3
\$15,000- 24,999	122	12,491	49	41.6	29.6-53.6	56	45.5	33.9-57.1	4	2.5	00.0-05.2				9	6.8	01.7-11.9	4	3.5	00.0-07.8
\$25,000- 34,999	57	7,278	30	49.5	33.4-65.6	17	24.9	11.8-38.0				2	2.7	00.0-07.2	8	22.8	06.9-38.7			
\$35,000- 49,999	77	10,122	31	39.5	26.0-53.0	39	54.7	41.2-68.2				1	1.2	00.0-03.6	5	4.0	00.0-08.1	1	0.6	00.0-01.8
\$50,000- 74,999	77	9,251	35	41.1	27.0-55.2	35	53.2	38.9-67.5	1	0.5	00.0-01.5	1	0.2	00.0-00.6	3	3.9	00.0-08.2	2	1.1	00.0-03.1
\$75,000+	95	12,663	41	44.3	31.6-57.0	44	48.5	35.4-61.6	5	2.1	00.1-04.1				5	5.1	00.0-11.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 14: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	276	38,192	122	42.0	33.8-50.2	118	44.7	36.3-53.1	7	2.7	00.2-05.2	1	0.0	00.0-00.0	21	8.9	02.2-15.6	7	1.7	00.1-03.3
White/Non-Hisp	185	23,155	83	44.1	35.5-52.7	80	46.0	37.4-54.6	5	3.5	00.0-07.2				12	3.9	01.4-06.4	5	2.5	00.1-04.9
55-64	71	8,758	31	45.1	30.2-60.0	29	36.7	22.8-50.6	3	4.9	00.0-11.0				5	8.8	00.0-20.4	3	4.5	00.0-10.2
65+	159	17,933	73	46.6	35.6-57.6	69	47.4	36.6-58.2	3	1.2	00.0-02.8	1	0.1	00.0-00.3	9	3.3	00.9-05.7	4	1.5	00.0-03.1
H.S. or G.E.D.	77	12,636	34	34.9	20.8-49.0	30	43.1	27.0-59.2	4	4.3	00.0-10.4				5	14.2	00.0-31.3	4	3.5	00.0-07.6
Some Post-H.S.	62	9,943	26	52.9	36.4-69.4	32	44.0	27.9-60.1							4	3.1	00.0-06.4			
College Graduate	105	9,453	53	50.1	37.0-63.2	41	40.9	27.2-54.6	2	3.0	00.0-07.5	1	0.2	00.0-00.6	7	4.9	00.6-09.2	1	0.9	00.0-02.7
\$75,000+	53	7,169	22	42.1	24.9-59.3	28	55.4	38.0-72.8	1	1.1	00.0-03.3				2	1.4	00.0-03.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 15: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEM03)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	320	36,994	135	43.4	36.1-50.7	139	40.3	33.4-47.2	7	1.3	00.1-02.5	4	1.1	00.0-02.3	30	12.4	07.1-17.7	5	1.4	00.0-03.0
White/Non-Hisp	195	24,135	77	43.3	34.1-52.5	84	37.1	28.9-45.3	5	1.6	00.0-03.2	2	1.1	00.0-02.7	26	15.9	08.6-23.2	1	1.0	00.0-03.0
Black or Afr. Am./Non-Hisp	78	10,566	32	42.3	28.2-56.4	37	47.2	33.1-61.3	2	1.0	00.0-02.4	2	1.4	00.0-03.8	3	6.7	00.0-15.1	2	1.3	00.0-03.1
55-64	77	8,992	35	53.8	40.1-67.5	35	35.6	23.1-48.1	1	1.2	00.0-03.6				6	9.4	01.0-17.8			
65+	172	15,813	76	45.7	34.7-56.7	70	39.1	29.3-48.9	5	1.6	00.0-03.2	2	1.3	00.0-03.5	16	10.1	04.4-15.8	3	2.2	00.0-05.3
H.S. or G.E.D.	99	12,020	46	42.5	30.3-54.7	40	41.9	29.7-54.1	2	0.8	00.0-02.0	2	1.1	00.0-02.9	8	13.2	03.6-22.8	1	0.6	00.0-01.8
Some Post-H.S.	90	12,220	45	52.1	39.2-65.0	34	31.3	19.9-42.7	2	1.9	00.0-04.6				8	12.6	01.6-23.6	1	2.1	00.0-06.0
College Graduate	89	7,127	30	30.2	18.4-42.0	48	57.8	44.7-70.9	2	1.6	00.0-03.8	1	1.7	00.0-05.0	7	7.8	00.9-14.7	1	1.0	00.0-03.0
\$15,000- 24,999	73	6,387	27	35.1	21.8-48.4	35	46.3	32.2-60.4	3	4.7	00.0-10.2				5	8.5	00.9-16.1	3	5.4	00.0-13.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	621	77,387	110	21.1	16.4-25.8	123	18.7	14.8-22.6	63	10.1	06.8-13.4	116	16.9	13.0-20.8	73	9.4	06.7-12.1	136	23.8	18.5-29.1
Male	281	38,489	49	21.8	14.2-29.4	70	22.0	16.1-27.9	25	8.2	03.5-12.9	48	17.2	10.9-23.5	33	9.7	05.4-14.0	56	21.1	13.7-28.5
Female	340	38,898	61	20.4	14.9-25.9	53	15.5	10.6-20.4	38	11.9	07.2-16.6	68	16.7	12.0-21.4	40	9.2	05.7-12.7	80	26.4	19.3-33.5
White/Non-Hisp	392	48,062	74	22.6	17.3-27.9	77	19.2	14.5-23.9	46	9.7	06.4-13.0	66	14.9	11.0-18.8	42	9.2	05.9-12.5	87	24.4	18.3-30.5
Black or Afr. Am./Non-Hisp	128	21,905	24	20.2	09.0-31.4	30	18.3	10.3-26.3	10	11.7	03.1-20.3	27	18.6	10.4-26.8	16	9.0	03.5-14.5	21	22.1	10.1-34.1
MultiRacial/Non-Hisp.	58	1,329	6	9.0	01.0-17.0	9	22.7	03.1-42.3	5	8.2	00.0-16.6	17	26.9	13.4-40.4	7	8.2	01.3-15.1	14	24.9	10.4-39.4
45-54	74	12,513	15	18.8	08.4-29.2	12	17.0	06.6-27.4	2	3.4	00.0-08.3	10	15.6	02.5-28.7	11	11.2	03.0-19.4	24	34.1	20.8-47.4
55-64	156	18,577	32	26.7	17.7-35.7	33	24.4	15.8-33.0	14	9.2	02.5-15.9	31	16.6	09.9-23.3	18	9.5	04.0-15.0	28	13.6	07.5-19.7
65+	345	35,079	58	21.0	13.7-28.3	73	19.6	14.5-24.7	38	9.8	06.1-13.5	67	19.9	14.2-25.6	37	8.6	05.1-12.1	72	21.1	14.4-27.8
Less Than H.S.	87	13,041	10	13.4	03.8-23.0	9	7.7	01.4-14.0	6	9.3	00.3-18.3	19	25.2	11.5-38.9	13	12.8	04.6-21.0	30	31.6	17.1-46.1
H.S. or G.E.D.	186	25,145	28	16.4	09.1-23.7	41	21.2	13.8-28.6	19	9.1	04.2-14.0	35	17.9	11.0-24.8	24	8.5	03.8-13.2	39	26.9	16.3-37.5
Some Post-H.S.	157	22,373	35	29.2	18.6-39.8	29	19.4	12.0-26.8	14	7.5	02.8-12.2	26	11.8	06.3-17.3	19	10.0	04.5-15.5	34	22.1	13.7-30.5
College Graduate	190	16,720	36	22.8	14.8-30.8	44	22.7	15.3-30.1	24	15.5	06.1-24.9	36	16.0	09.5-22.5	17	7.7	03.2-12.2	33	15.3	09.2-21.4
Less than \$15,000	72	10,868	17	22.0	08.3-35.7	10	8.9	01.8-16.0	2	0.6	00.0-01.6	15	18.5	07.1-29.9	11	8.4	01.7-15.1	17	41.6	21.4-61.8
\$15,000- 24,999	125	12,961	12	10.8	03.2-18.4	22	21.0	10.8-31.2	9	8.3	01.6-15.0	30	22.5	12.9-32.1	21	14.4	07.0-21.8	31	23.0	14.0-32.0
\$25,000- 34,999	58	7,429	9	23.3	09.2-37.4	13	21.8	09.1-34.5	8	10.5	03.1-17.9	7	5.1	00.8-09.4	6	8.3	00.5-16.1	15	30.9	14.6-47.2
\$35,000- 49,999	81	10,363	15	26.9	14.2-39.6	15	16.0	07.2-24.8	13	19.8	07.6-32.0	20	22.0	12.0-32.0	7	6.7	01.2-12.2	11	8.7	02.8-14.6
\$50,000- 74,999	76	9,355	10	15.4	04.4-26.4	17	22.9	10.2-35.6	9	12.7	02.7-22.7	14	17.8	07.2-28.4	9	10.3	01.5-19.1	17	20.9	10.5-31.3
\$75,000+	96	12,780	22	25.9	15.1-36.7	23	22.6	12.8-32.4	12	12.8	01.4-24.2	14	13.1	04.7-21.5	9	7.2	01.7-12.7	16	18.4	08.2-28.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	281	38,489	49	21.8	14.2-29.4	70	22.0	16.1-27.9	25	8.2	03.5-12.9	48	17.2	10.9-23.5	33	9.7	05.4-14.0	56	21.1	13.7-28.5
White/Non-Hisp	187	23,275	33	23.2	15.4-31.0	49	24.6	17.5-31.7	19	8.9	04.2-13.6	30	14.2	08.9-19.5	21	11.6	05.7-17.5	35	17.5	11.0-24.0
55-64	72	8,768	15	25.8	12.1-39.5	21	36.3	21.6-51.0	3	1.8	00.0-04.0	12	16.6	06.2-27.0	8	8.2	01.5-14.9	13	11.3	04.0-18.6
65+	164	18,640	24	22.2	10.4-34.0	42	22.4	14.8-30.0	20	11.5	05.2-17.8	31	18.7	11.1-26.3	18	9.3	03.6-15.0	29	16.0	09.3-22.7
H.S. or G.E.D.	80	12,629	13	18.0	06.0-30.0	24	25.6	13.3-37.9	7	6.9	00.8-13.0	12	15.0	05.2-24.8	11	9.5	01.5-17.5	13	25.0	07.4-42.6
Some Post-H.S.	65	10,096	11	31.1	12.3-49.9	16	23.9	11.6-36.2	6	5.2	00.5-09.9	9	11.9	02.9-20.9	10	9.5	01.9-17.1	13	18.4	07.6-29.2
College Graduate	101	9,322	22	22.3	12.3-32.3	27	24.8	14.8-34.8	9	12.7	00.0-26.8	22	20.5	10.5-30.5	7	6.9	00.6-13.2	14	12.8	05.0-20.6
\$75,000+	54	7,286	11	25.0	10.1-39.9	15	24.4	11.1-37.7	7	14.3	00.0-32.1	10	17.7	04.6-30.8	4	6.4	00.0-14.2	7	12.1	01.9-22.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	340	38,898	61	20.4	14.9-25.9	53	15.5	10.6-20.4	38	11.9	07.2-16.6	68	16.7	12.0-21.4	40	9.2	05.7-12.7	80	26.4	19.1-33.7
White/Non-Hisp	205	24,788	41	22.1	15.2-29.0	28	14.1	07.8-20.4	27	10.4	05.9-14.9	36	15.7	10.0-21.4	21	6.8	03.5-10.1	52	30.8	21.2-40.4
Black or Afr. Am./Non-Hisp	80	10,893	13	17.6	06.8-28.4	17	16.8	08.0-25.6	7	14.4	02.6-26.2	17	18.9	08.9-28.9	12	13.1	04.1-22.1	14	19.2	07.6-30.8
55-64	84	9,809	17	27.6	15.4-39.8	12	13.6	05.4-21.8	11	15.8	04.0-27.6	19	16.5	08.3-24.7	10	10.8	02.2-19.4	15	15.7	06.3-25.1
65+	181	16,440	34	19.6	12.2-27.0	31	16.5	09.8-23.2	18	8.0	03.9-12.1	36	21.3	13.1-29.5	19	7.8	03.5-12.1	43	26.9	16.1-37.7
Less Than H.S.	52	6,599	7	12.8	02.6-23.0	6	7.7	00.3-15.1	3	9.5	00.0-23.2	14	25.4	09.9-40.9	8	11.1	01.9-20.3	14	33.4	10.9-55.9
H.S. or G.E.D.	106	12,517	15	14.8	06.4-23.2	17	16.7	08.3-25.1	12	11.4	04.0-18.8	23	20.8	11.2-30.4	13	7.4	02.3-12.5	26	28.9	16.9-40.9
Some Post-H.S.	92	12,277	24	27.6	16.6-38.6	13	15.7	06.3-25.1	8	9.4	02.0-16.8	17	11.8	04.7-18.9	9	10.4	02.8-18.0	21	25.1	12.8-37.4
College Graduate	89	7,398	14	23.5	10.2-36.8	17	20.0	08.8-31.2	15	19.1	06.9-31.3	14	10.4	03.7-17.1	10	8.6	01.9-15.3	19	18.4	09.2-27.6
\$15,000- 24,999	77	6,731	7	10.6	01.6-19.6	12	16.7	07.1-26.3	5	4.0	00.0-08.3	22	28.3	15.6-41.0	12	16.1	06.3-25.9	19	24.2	12.4-36.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	640	78,945	170	29.1	24.0-34.2	332	46.3	41.0-51.6	75	11.7	08.4-15.0	44	7.8	04.9-10.7	19	5.3	01.8-08.8
Male	290	39,066	79	28.6	21.0-36.2	147	46.5	38.3-54.7	34	11.9	06.8-17.0	20	5.8	02.5-09.1	10	7.2	00.5-13.9
Female	350	39,878	91	29.5	22.6-36.4	185	46.0	39.1-52.9	41	11.4	07.1-15.7	24	9.6	04.9-14.3	9	3.4	00.7-06.1
White/Non-Hisp	403	48,943	102	27.5	21.8-33.2	222	51.7	45.4-58.0	41	10.2	06.3-14.1	28	8.3	04.4-12.2	10	2.4	00.6-04.2
Black or Afr. Am./Non-Hisp	132	22,344	38	32.3	20.3-44.3	65	36.6	25.8-47.4	16	13.1	05.8-20.4	7	6.2	00.9-11.5	6	11.7	00.3-23.1
MultiRacial/Non-Hisp.	61	1,418	18	24.6	12.4-36.8	32	62.0	47.3-76.7	8	8.9	02.2-15.6	3	4.5	00.0-09.6			
45-54	78	12,925	17	22.4	11.4-33.4	37	46.7	32.4-61.0	11	12.6	03.6-21.6	9	12.0	03.8-20.2	4	6.3	00.0-13.4
55-64	161	19,063	41	28.9	19.7-38.1	78	44.9	35.3-54.5	18	11.6	05.7-17.5	18	10.5	04.2-16.8	6	4.2	00.5-07.9
65+	355	35,550	100	32.5	24.9-40.1	198	53.0	45.6-60.4	42	11.4	06.7-16.1	11	2.5	00.9-04.1	4	0.6	00.0-01.4
Less Than H.S.	91	13,481	25	26.9	13.2-40.6	39	44.0	29.5-58.5	12	14.3	05.3-23.3	9	9.9	01.7-18.1	6	4.9	00.8-09.0
H.S. or G.E.D.	193	25,332	49	26.8	18.6-35.0	101	42.5	33.1-51.9	22	12.6	06.1-19.1	13	7.1	02.2-12.0	8	10.9	00.7-21.1
Some Post-H.S.	159	22,852	42	30.5	20.1-40.9	82	47.0	36.8-57.2	19	9.6	03.9-15.3	13	10.3	03.6-17.0	3	2.6	00.0-05.5
College Graduate	194	17,056	53	32.0	22.4-41.6	109	52.5	42.9-62.1	22	11.1	05.0-17.2	9	3.8	01.1-06.5	1	0.7	00.0-02.1
Less than \$15,000	73	10,988	15	25.0	07.6-42.4	35	31.4	16.5-46.3	13	18.4	06.2-30.6	7	13.1	00.9-25.3	3	12.1	00.0-30.5
\$15,000- 24,999	132	13,377	31	23.3	14.1-32.5	72	54.6	43.4-65.8	16	12.7	04.9-20.5	11	7.7	02.4-13.0	2	1.7	00.0-04.1
\$25,000- 34,999	61	7,556	16	25.5	12.0-39.0	39	63.9	48.4-79.4	1	0.2	00.0-00.6	2	3.8	00.0-09.1	3	6.4	00.0-16.8
\$35,000- 49,999	82	10,401	28	35.2	22.7-47.7	39	40.3	27.6-53.0	7	6.7	01.2-12.2	6	14.8	02.6-27.0	2	3.0	00.0-07.3
\$50,000- 74,999	80	9,916	24	29.8	17.1-42.5	40	50.5	36.4-64.6	9	9.4	01.2-17.6	5	8.0	00.0-16.2	2	2.3	00.0-05.6
\$75,000+	95	12,543	30	34.4	21.3-47.5	47	41.9	29.7-54.1	14	20.5	09.1-31.9	3	1.8	00.0-04.2	1	1.4	00.0-04.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	290	39,066	79	28.6	21.0-36.2	147	46.5	38.3-54.7	34	11.9	06.8-17.0	20	5.8	02.5-09.1	10	7.2	00.5-13.9
White/Non-Hisp	192	23,631	49	24.8	17.7-31.9	104	54.1	45.5-62.7	22	11.9	05.8-18.0	12	6.8	02.1-11.5	5	2.5	00.1-04.9
55-64	74	8,948	20	29.7	15.6-43.8	33	46.1	31.6-60.6	8	13.1	03.1-23.1	9	6.6	01.9-11.3	4	4.6	00.0-09.5
65+	168	18,612	49	33.5	22.3-44.7	91	50.7	39.7-61.7	21	13.0	05.6-20.4	6	2.5	00.1-04.9	1	0.2	00.0-00.6
H.S. or G.E.D.	82	12,420	28	29.1	16.0-42.2	38	39.7	24.6-54.8	5	6.0	00.0-13.1	7	8.8	00.4-17.2	4	16.4	00.0-34.8
Some Post-H.S.	66	10,457	14	30.2	12.2-48.2	40	52.1	35.2-69.0	8	12.5	01.9-23.1	2	1.7	00.0-04.2	2	3.4	00.0-08.1
College Graduate	104	9,410	27	30.3	16.6-44.0	56	51.3	38.4-64.2	14	12.8	03.8-21.8	7	5.5	00.8-10.2			
\$15,000- 24,999	52	6,225	11	24.5	08.8-40.2	29	56.3	38.3-74.3	6	11.7	00.0-25.0	6	7.4	00.1-14.7			
\$75,000+	53	7,049	18	35.8	17.2-54.4	24	38.5	22.8-54.2	8	21.2	05.5-36.9	2	2.0	00.0-05.3	1	2.5	00.0-07.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	350	39,878	91	29.5	22.4-36.6	185	46.0	38.9-53.1	41	11.4	06.9-15.9	24	9.6	04.7-14.5	9	3.4	00.7-06.1
White/Non-Hisp	211	25,312	53	29.9	21.1-38.7	118	49.4	40.4-58.4	19	8.6	03.9-13.3	16	9.8	03.7-15.9	5	2.3	00.0-04.7
Black or Afr. Am./Non-Hisp	83	11,143	22	27.6	15.4-39.8	42	41.2	28.1-54.3	12	16.6	06.0-27.2	4	8.6	00.0-18.0	3	6.0	00.0-13.6
55-64	87	10,115	21	28.2	15.9-40.5	45	43.8	31.1-56.5	10	10.2	03.5-16.9	9	14.1	03.3-24.9	2	3.8	00.0-09.1
65+	187	16,938	51	31.3	20.5-42.1	107	55.6	45.0-66.2	21	9.6	04.5-14.7	5	2.4	00.0-04.8	3	1.1	00.0-02.7
Less Than H.S.	54	6,807	15	30.8	09.0-52.6	27	45.3	26.1-64.5	5	7.9	00.1-15.7	5	12.3	00.0-26.2	2	3.7	00.0-08.8
H.S. or G.E.D.	111	12,912	21	24.6	13.8-35.4	63	45.3	33.7-56.9	17	19.0	08.8-29.2	6	5.5	00.2-10.8	4	5.7	00.0-12.4
Some Post-H.S.	93	12,394	28	30.7	18.9-42.5	42	42.8	30.3-55.3	11	7.1	01.6-12.6	11	17.5	06.1-28.9	1	2.0	00.0-05.9
College Graduate	90	7,646	26	34.0	20.3-47.7	53	54.0	40.1-67.9	8	8.9	00.9-16.9	2	1.6	00.0-04.0	1	1.5	00.0-04.4
Less than \$15,000	50	6,399	8	25.0	00.7-49.3	24	29.1	12.6-45.6	10	23.4	06.3-40.5	6	19.5	00.7-38.3	2	3.0	00.0-07.5
\$15,000- 24,999	80	7,152	20	22.3	11.7-32.9	43	53.1	40.0-66.2	10	13.5	04.3-22.7	5	7.9	00.5-15.3	2	3.2	00.0-07.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	637	78,676	117	19.7	15.0-24.4	520	80.3	75.6-85.0
Male	289	39,592	63	23.1	15.7-30.5	226	76.9	69.5-84.3
Female	348	39,084	54	16.1	10.2-22.0	294	83.9	78.0-89.8
White/Non-Hisp	400	48,420	70	18.9	13.6-24.2	330	81.1	75.8-86.4
Black or Afr. Am./Non-Hisp	131	22,504	27	21.3	10.1-32.5	104	78.7	67.5-89.9
MultiRacial/Non-Hisp.	62	1,426	12	19.9	08.1-31.7	50	80.1	68.3-91.9
45-54	77	12,827	13	11.4	03.8-19.0	64	88.6	81.0-96.2
55-64	160	18,986	29	18.1	10.8-25.4	131	81.9	74.6-89.2
65+	353	35,543	66	23.8	16.2-31.4	287	76.2	68.6-83.8
Less Than H.S.	88	13,294	18	24.2	10.1-38.3	70	75.8	61.7-89.9
H.S. or G.E.D.	191	25,694	31	13.7	08.0-19.4	160	86.3	80.6-92.0
Some Post-H.S.	160	22,338	32	22.9	12.5-33.3	128	77.1	66.7-87.5
College Graduate	195	17,127	35	21.1	12.1-30.1	160	78.9	69.9-87.9
Less than \$15,000	71	10,359	15	22.8	05.4-40.2	56	77.2	59.8-94.6
\$15,000- 24,999	131	13,496	34	23.2	14.8-31.6	97	76.8	68.4-85.2
\$25,000- 34,999	60	7,530	12	22.0	09.1-34.9	48	78.0	65.1-90.9
\$35,000- 49,999	82	10,534	13	15.8	06.2-25.4	69	84.2	74.6-93.8
\$50,000- 74,999	80	9,916	12	14.3	04.7-23.9	68	85.7	76.1-95.3
\$75,000+	96	12,734	16	18.9	07.1-30.7	80	81.1	69.3-92.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	289	39,592	63	23.1	15.7-30.5	226	76.9	69.5-84.3
White/Non-Hisp	191	23,850	40	21.9	14.6-29.2	151	78.1	70.8-85.4
55-64	74	8,948	12	14.9	05.7-24.1	62	85.1	75.9-94.3
65+	166	18,630	37	26.7	15.3-38.1	129	73.3	61.9-84.7
H.S. or G.E.D.	81	12,880	15	15.5	06.1-24.9	66	84.5	75.1-93.9
Some Post-H.S.	66	10,457	17	28.6	10.4-46.8	49	71.4	53.2-89.6
College Graduate	104	9,476	24	29.6	15.7-43.5	80	70.4	56.5-84.3
\$15,000- 24,999	51	6,397	13	15.5	04.9-26.1	38	84.5	73.9-95.1
\$75,000+	54	7,240	11	25.4	07.0-43.8	43	74.6	56.2-93.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	348	39,084	54	16.1	10.2-22.0	294	83.9	78.0-89.8
White/Non-Hisp	209	24,570	30	16.0	08.0-24.0	179	84.0	76.0-92.0
Black or Afr. Am./Non-Hisp	82	11,086	16	16.0	07.0-25.0	66	84.0	75.0-93.0
55-64	86	10,038	17	21.0	10.2-31.8	69	79.0	68.2-89.8
65+	187	16,913	29	20.7	09.9-31.5	158	79.3	68.5-90.1
Less Than H.S.	51	6,620	11	27.9	05.4-50.4	40	72.1	49.6-94.6
H.S. or G.E.D.	110	12,813	16	11.8	05.7-17.9	94	88.2	82.1-94.3
Some Post-H.S.	94	11,881	15	18.0	08.2-27.8	79	82.0	72.2-91.8
College Graduate	91	7,651	11	10.6	03.5-17.7	80	89.4	82.3-96.5
\$15,000- 24,999	80	7,099	21	30.2	18.0-42.4	59	69.8	57.6-82.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	645	79,768	345	52.7	47.2-58.2	300	47.3	41.8-52.8
Male	294	39,939	156	54.0	45.8-62.2	138	46.0	37.8-54.2
Female	351	39,829	189	51.5	44.4-58.6	162	48.5	41.4-55.6
White/Non-Hisp	406	49,459	221	53.5	47.2-59.8	185	46.5	40.2-52.8
Black or Afr. Am./Non-Hisp	131	22,399	73	52.7	40.4-65.0	58	47.3	35.0-59.6
MultiRacial/Non-Hisp.	62	1,431	31	51.3	34.4-68.2	31	48.7	31.8-65.6
45-54	77	12,763	40	53.2	39.1-67.3	37	46.8	32.7-60.9
55-64	161	19,140	87	52.9	43.1-62.7	74	47.1	37.3-56.9
65+	358	35,907	189	52.1	44.7-59.5	169	47.9	40.5-55.3
Less Than H.S.	92	13,595	33	37.7	23.8-51.6	59	62.3	48.4-76.2
H.S. or G.E.D.	194	25,870	96	44.6	35.0-54.2	98	55.4	45.8-65.0
Some Post-H.S.	160	22,883	93	63.3	54.1-72.5	67	36.7	27.5-45.9
College Graduate	196	17,195	120	62.3	53.5-71.1	76	37.7	28.9-46.5
Less than \$15,000	72	10,894	31	31.7	15.8-47.6	41	68.3	52.4-84.2
\$15,000- 24,999	134	13,680	76	54.8	43.8-65.8	58	45.2	34.2-56.2
\$25,000- 34,999	61	7,556	29	46.8	31.1-62.5	32	53.2	37.5-68.9
\$35,000- 49,999	83	10,676	50	51.8	38.5-65.1	33	48.2	34.9-61.5
\$50,000- 74,999	79	9,879	47	64.4	51.1-77.7	32	35.6	22.3-48.9
\$75,000+	97	12,801	54	56.3	43.6-69.0	43	43.7	31.0-56.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	294	39,939	156	54.0	45.8-62.2	138	46.0	37.8-54.2
White/Non-Hisp	194	24,115	110	57.2	48.8-65.6	84	42.8	34.4-51.2
55-64	74	8,948	41	55.2	40.5-69.9	33	44.8	30.1-59.5
65+	170	18,937	88	55.8	45.8-65.8	82	44.2	34.2-54.2
H.S. or G.E.D.	84	13,121	45	48.5	33.0-64.0	39	51.5	36.0-67.0
Some Post-H.S.	66	10,457	39	65.2	51.3-79.1	27	34.8	20.9-48.7
College Graduate	106	9,582	61	59.3	47.0-71.6	45	40.7	28.4-53.0
\$15,000- 24,999	53	6,496	32	56.0	37.8-74.2	21	44.0	25.8-62.2
\$75,000+	55	7,307	31	60.0	43.1-76.9	24	40.0	23.1-56.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	351	39,829	189	51.5	44.4-58.6	162	48.5	41.4-55.6
White/Non-Hisp	212	25,343	111	50.0	41.0-59.0	101	50.0	41.0-59.0
Black or Afr. Am./Non-Hisp	82	10,981	49	55.0	41.1-68.9	33	45.0	31.1-58.9
55-64	87	10,192	46	50.8	37.9-63.7	41	49.2	36.3-62.1
65+	188	16,970	101	48.0	38.0-58.0	87	52.0	42.0-62.0
Less Than H.S.	55	6,921	23	36.6	19.4-53.8	32	63.4	46.2-80.6
H.S. or G.E.D.	110	12,750	51	40.5	28.9-52.1	59	59.5	47.9-71.1
Some Post-H.S.	94	12,426	54	61.8	49.5-74.1	40	38.2	25.9-50.5
College Graduate	90	7,614	59	66.0	52.9-79.1	31	34.0	20.9-47.1
\$15,000- 24,999	81	7,184	44	53.8	40.7-66.9	37	46.2	33.1-59.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DO YOU HAVE MEDICARE? (MEDICARE)	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
DELAYED GETTING MEDICAL CARE (DELAYMED)	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014**

MODULE 4: HEALTH CARE ACCESS CONTENTS

*** NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY- (CARERCVD)	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
37	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3946	645,458	1873	34.5	32.5-36.5	2073	65.5	63.5-67.5
Male	1576	297,735	759	34.2	31.1-37.3	817	65.8	62.7-68.9
Female	2370	347,723	1114	34.7	32.2-37.2	1256	65.3	62.8-67.8
White/Non-Hisp	2739	434,639	1336	34.1	31.9-36.3	1403	65.9	63.7-68.1
Black or Afr. Am./Non-Hisp	565	132,919	260	38.1	32.4-43.8	305	61.9	56.2-67.6
Oth. Race/Non-Hisp.	98	21,560	29	17.8	08.8-26.8	69	82.2	73.2-91.2
MultiRacial/Non-Hisp.	314	10,039	166	43.5	35.7-51.3	148	56.5	48.7-64.3
Hispanic	155	34,491	52	32.2	22.6-41.8	103	67.8	58.2-77.4
18-24	136	73,146	28	21.8	13.4-30.2	108	78.2	69.8-86.6
25-34	286	93,584	45	17.8	12.1-23.5	241	82.2	76.5-87.9
35-44	361	94,057	36	7.9	05.0-10.8	325	92.1	89.2-95.0
45-54	662	117,229	97	13.8	10.5-17.1	565	86.2	82.9-89.5
55-64	915	111,573	164	17.8	14.7-20.9	751	82.2	79.1-85.3
65+	1532	149,590	1473	95.7	94.3-97.1	59	4.3	02.9-05.7
Less Than H.S.	338	74,800	231	53.3	45.5-61.1	107	46.7	38.9-54.5
H.S. or G.E.D.	1156	199,110	624	39.2	35.3-43.1	532	60.8	56.9-64.7
Some Post-H.S.	965	194,159	463	31.9	28.2-35.6	502	68.1	64.4-71.8
College Graduate	1467	175,180	545	23.8	21.3-26.3	922	76.2	73.7-78.7
Less than \$15,000	316	47,543	203	54.0	45.2-62.8	113	46.0	37.2-54.8
\$15,000- 24,999	580	94,228	388	55.0	48.9-61.1	192	45.0	38.9-51.1
\$25,000- 34,999	338	50,172	193	45.1	37.8-52.4	145	54.9	47.6-62.2
\$35,000- 49,999	473	77,189	224	32.8	27.1-38.5	249	67.2	61.5-72.9
\$50,000- 74,999	535	82,751	205	27.6	23.1-32.1	330	72.4	67.9-76.9
\$75,000+	1051	191,549	262	14.0	11.8-16.2	789	86.0	83.8-88.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1576	297,735	759	34.2	31.1-37.3	817	65.8	62.7-68.9
White/Non-Hisp	1114	199,695	544	31.9	28.6-35.2	570	68.1	64.8-71.4
Black or Afr. Am./Non-Hisp	190	59,520	98	42.0	32.4-51.6	92	58.0	48.4-67.6
MultiRacial/Non-Hisp.	121	4,243	63	45.8	31.9-59.7	58	54.2	40.3-68.1
Hispanic	73	18,481	27	37.9	23.6-52.2	46	62.1	47.8-76.4
18-24	54	34,213	13	23.2	10.9-35.5	41	76.8	64.5-89.1
25-34	103	44,963	18	17.5	08.3-26.7	85	82.5	73.3-91.7
35-44	145	43,560	18	8.1	03.4-12.8	127	91.9	87.2-96.6
45-54	272	55,714	47	17.4	11.5-23.3	225	82.6	76.7-88.5
55-64	371	51,272	66	17.8	12.7-22.9	305	82.2	77.1-87.3
65+	619	66,086	591	94.9	92.2-97.6	28	5.1	02.4-07.8
Less Than H.S.	147	41,182	95	47.4	36.2-58.6	52	52.6	41.4-63.8
H.S. or G.E.D.	452	93,456	235	36.2	30.1-42.3	217	63.8	57.7-69.9
Some Post-H.S.	360	84,231	173	31.7	25.4-38.0	187	68.3	62.0-74.6
College Graduate	610	77,371	254	27.6	23.3-31.9	356	72.4	68.1-76.7
Less than \$15,000	107	21,002	76	62.7	47.0-78.4	31	37.3	21.6-53.0
\$15,000- 24,999	209	38,374	152	59.5	49.5-69.5	57	40.5	30.5-50.5
\$25,000- 34,999	104	17,757	64	46.0	33.3-58.7	40	54.0	41.3-66.7
\$35,000- 49,999	216	39,565	110	36.0	26.8-45.2	106	64.0	54.8-73.2
\$50,000- 74,999	222	35,680	100	32.0	24.2-39.8	122	68.0	60.2-75.8
\$75,000+	505	103,596	138	14.2	11.1-17.3	367	85.8	82.7-88.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2370	347,723	1114	34.7	32.2-37.2	1256	65.3	62.8-67.8
White/Non-Hisp	1625	234,943	792	36.0	33.1-38.9	833	64.0	61.1-66.9
Black or Afr. Am./Non-Hisp	375	73,398	162	35.0	27.9-42.1	213	65.0	57.9-72.1
Oth. Race/Non-Hisp.	58	13,041	17	18.3	06.0-30.6	41	81.7	69.4-94.0
MultiRacial/Non-Hisp.	193	5,796	103	41.8	33.0-50.6	90	58.2	49.4-67.0
Hispanic	82	16,010	25	25.7	13.9-37.5	57	74.3	62.5-86.1
18-24	82	38,933	15	20.5	08.9-32.1	67	79.5	67.9-91.1
25-34	183	48,621	27	18.1	11.0-25.2	156	81.9	74.8-89.0
35-44	216	50,497	18	7.8	04.1-11.5	198	92.2	88.5-95.9
45-54	390	61,515	50	10.6	07.1-14.1	340	89.4	85.9-92.9
55-64	544	60,301	98	17.8	13.9-21.7	446	82.2	78.3-86.1
65+	913	83,504	882	96.3	94.7-97.9	31	3.7	02.1-05.3
Less Than H.S.	191	33,618	136	60.5	50.7-70.3	55	39.5	29.7-49.3
H.S. or G.E.D.	704	105,654	389	41.9	36.8-47.0	315	58.1	53.0-63.2
Some Post-H.S.	605	109,928	290	32.1	27.4-36.8	315	67.9	63.2-72.6
College Graduate	857	97,809	291	20.9	18.0-23.8	566	79.1	76.2-82.0
Less than \$15,000	209	26,541	127	47.1	37.3-56.9	82	52.9	43.1-62.7
\$15,000- 24,999	371	55,854	236	52.0	44.4-59.6	135	48.0	40.4-55.6
\$25,000- 34,999	234	32,415	129	44.6	35.8-53.4	105	55.4	46.6-64.2
\$35,000- 49,999	257	37,624	114	29.5	23.0-36.0	143	70.5	64.0-77.0
\$50,000- 74,999	313	47,071	105	24.3	18.8-29.8	208	75.7	70.2-81.2
\$75,000+	546	87,953	124	13.7	10.6-16.8	422	86.3	83.2-89.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 4: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3922	644,479	1788	53.9	51.5-56.3	262	7.8	06.4-09.2	1627	32.8	30.8-34.8	107	2.1	01.7-02.5	111	2.8	02.0-03.6	27	0.6	00.4-00.8
Male	1570	297,360	732	56.1	52.6-59.6	102	8.4	06.0-10.8	611	29.2	26.1-32.3	68	3.0	02.0-04.0	43	2.5	01.5-03.5	14	0.7	00.1-01.3
Female	2352	347,119	1056	52.0	49.1-54.9	160	7.3	05.5-09.1	1016	35.8	33.1-38.5	39	1.4	01.0-01.8	68	3.1	02.1-04.1	13	0.5	00.3-00.7
White/Non-Hisp	2724	432,985	1248	55.8	53.3-58.3	190	7.8	06.0-09.6	1131	31.8	29.6-34.0	68	2.0	01.4-02.6	73	2.2	01.6-02.8	14	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	560	133,357	233	48.2	42.1-54.3	26	6.8	03.1-10.5	253	37.7	32.0-43.4	19	1.9	00.7-03.1	20	4.5	02.0-07.0	9	0.9	00.1-01.7
Oth. Race/Non-Hisp.	100	22,648	57	56.2	42.9-69.5	5	11.5	00.9-22.1	32	26.7	15.1-38.3	2	0.6	00.0-01.8	4	5.0	00.1-09.9			
MultiRacial/Non-Hisp.	314	10,030	137	51.7	43.7-59.7	22	4.2	02.0-06.4	141	37.2	29.8-44.6	8	3.9	00.0-07.8	5	1.9	00.0-04.1	1	1.2	00.0-03.6
Hispanic	153	34,195	76	52.4	42.4-62.4	9	7.1	02.2-12.0	54	33.7	24.3-43.1	7	3.8	00.7-06.9	4	1.5	00.0-03.3	3	1.4	00.0-03.2
18-24	135	72,153	60	44.3	34.1-54.5	23	23.7	14.3-33.1	43	27.8	19.0-36.6	4	1.3	00.0-02.9	4	2.7	00.0-05.6	1	0.2	00.0-00.6
25-34	289	94,905	170	60.7	53.6-67.8	14	5.8	02.5-09.1	82	27.4	20.9-33.9	9	1.8	00.4-03.2	10	3.5	00.8-06.2	4	0.9	00.0-01.9
35-44	364	95,601	270	76.6	71.7-81.5	20	5.4	02.9-07.9	57	13.0	09.3-16.7	7	1.8	00.4-03.2	9	2.6	00.6-04.6	1	0.6	00.0-01.8
45-54	658	116,337	447	72.3	68.0-76.6	43	4.9	03.1-06.7	137	19.2	15.5-22.9	15	1.6	00.8-02.4	14	2.0	00.8-03.2	2	0.1	00.0-00.3
55-64	911	111,049	602	67.7	64.0-71.4	63	5.9	04.3-07.5	179	19.1	15.8-22.4	31	3.3	01.9-04.7	32	3.7	02.3-05.1	4	0.3	00.0-00.7
65+	1510	147,942	209	14.3	11.9-16.7	93	6.5	04.7-08.3	1111	72.6	69.7-75.5	40	2.6	01.6-03.6	42	2.9	01.9-03.9	15	1.1	00.5-01.7
Less Than H.S.	330	75,321	59	26.7	19.1-34.3	19	8.2	03.3-13.1	224	58.1	50.3-65.9	7	1.3	00.1-02.5	11	3.3	00.8-05.8	10	2.5	00.5-04.5
H.S. or G.E.D.	1145	196,230	440	48.9	44.8-53.0	69	7.0	04.3-09.7	559	38.3	34.4-42.2	29	1.8	01.0-02.6	41	3.6	02.0-05.2	7	0.3	00.1-00.5
Some Post-H.S.	960	194,295	414	54.2	49.7-58.7	71	9.8	06.7-12.9	407	30.7	27.0-34.4	34	2.6	01.6-03.6	26	2.2	01.2-03.2	8	0.5	00.1-00.9
College Graduate	1467	176,344	866	70.5	67.8-73.2	100	6.4	04.8-08.0	429	18.2	16.0-20.4	37	2.3	01.3-03.3	33	2.5	01.1-03.9	2	0.1	00.0-00.3
Less than \$15,000	309	45,494	32	14.1	06.3-21.9	19	10.4	03.0-17.8	237	69.4	60.0-78.8	4	1.2	00.0-02.6	10	3.0	00.8-05.2	7	1.9	00.1-03.7
\$15,000- 24,999	576	94,126	106	23.4	17.7-29.1	41	6.5	03.8-09.2	380	63.2	57.3-69.1	16	1.7	00.7-02.7	25	3.9	02.1-05.7	8	1.3	00.3-02.3
\$25,000- 34,999	336	49,823	121	42.0	34.6-49.4	18	5.7	02.0-09.4	169	45.3	37.9-52.7	14	3.9	01.2-06.6	12	2.8	01.0-04.6	2	0.4	00.0-01.0
\$35,000- 49,999	473	77,213	237	62.0	55.9-68.1	34	6.4	03.7-09.1	166	24.3	19.4-29.2	20	3.2	01.6-04.8	14	3.9	01.2-06.6	2	0.2	00.0-00.6
\$50,000- 74,999	534	82,885	311	67.0	61.7-72.3	45	9.7	05.6-13.8	155	19.6	15.7-23.5	14	2.6	01.0-04.2	9	1.1	00.3-01.9			
\$75,000+	1051	191,909	764	81.0	77.7-84.3	50	6.5	03.6-09.4	200	10.1	08.3-11.9	22	1.5	00.7-02.3	15	0.9	00.3-01.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 5: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1570	297,360	732	56.1	52.6-59.6	102	8.4	06.0-10.8	611	29.2	26.1-32.3	68	3.0	02.0-04.0	43	2.5	01.5-03.5	14	0.7	00.1-01.3
White/Non-Hisp	1110	199,539	526	58.9	54.8-63.0	77	8.8	05.9-11.7	432	27.3	24.0-30.6	42	2.9	01.9-03.9	25	1.4	00.8-02.0	8	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	188	58,776	70	47.9	37.9-57.9	7	5.4	00.3-10.5	84	36.9	27.7-46.1	14	3.7	01.3-06.1	10	5.4	01.1-09.7	3	0.7	00.0-01.7
MultiRacial/Non-Hisp.	121	4,234	52	50.6	36.7-64.5	9	2.9	00.7-05.1	52	36.7	23.6-49.8	6	4.9	00.0-09.8	1	2.1	00.0-06.2	1	2.8	00.0-08.1
Hispanic	72	18,233	40	56.7	42.6-70.8	4	6.4	00.0-12.9	21	31.0	17.7-44.3	3	3.3	00.0-07.4	2	0.5	00.0-01.3	2	2.0	00.0-04.9
18-24	55	33,664	21	39.2	24.1-54.3	15	34.2	19.1-49.3	15	22.6	11.2-34.0	2	1.8	00.0-04.7	2	2.2	00.0-05.3			
25-34	102	44,792	72	71.0	60.0-82.0	5	5.5	00.4-10.6	18	18.4	08.6-28.2	2	1.6	00.0-03.8	3	2.8	00.0-06.9	2	0.8	00.0-02.0
35-44	147	44,931	115	81.8	74.5-89.1	7	3.4	00.5-06.3	19	9.7	04.4-15.0	3	1.7	00.0-03.7	2	2.1	00.0-05.4	1	1.3	00.0-03.8
45-54	271	55,503	179	68.9	61.8-76.0	18	5.2	02.5-07.9	57	21.1	14.6-27.6	11	2.7	00.9-04.5	4	1.8	00.0-04.0	2	0.3	00.0-00.7
55-64	369	50,813	244	68.8	62.9-74.7	26	5.3	02.9-07.7	60	16.1	11.2-21.0	21	5.5	02.8-08.2	16	4.0	01.8-06.2	2	0.3	00.0-00.7
65+	612	65,562	90	15.4	11.5-19.3	30	5.9	02.8-09.0	440	71.2	66.3-76.1	29	4.0	02.2-05.8	16	2.2	01.0-03.4	7	1.3	00.1-02.5
Less Than H.S.	144	41,381	33	34.0	22.0-46.0	8	10.3	01.9-18.7	91	51.3	39.7-62.9	1	0.1	00.0-00.3	4	1.1	00.0-02.3	7	3.1	00.0-06.2
H.S. or G.E.D.	450	91,730	197	54.5	48.0-61.0	24	7.0	02.9-11.1	193	32.6	26.7-38.5	22	2.8	01.4-04.2	12	2.9	00.7-05.1	2	0.2	00.0-00.4
Some Post-H.S.	359	85,251	165	58.2	50.9-65.5	24	11.1	05.6-16.6	132	23.6	18.1-29.1	23	4.2	02.0-06.4	11	2.2	00.6-03.8	4	0.7	00.0-01.5
College Graduate	609	77,375	331	67.0	62.3-71.7	46	6.4	04.0-08.8	193	19.8	16.3-23.3	22	3.5	01.5-05.5	16	3.2	00.7-05.7	1	0.0	00.0-00.0
Less than \$15,000	104	19,789	16	23.1	07.0-39.2	5	9.9	00.0-21.1	76	64.9	48.2-81.6	2	0.7	00.0-01.7	2	0.5	00.0-01.3	3	0.9	00.0-01.9
\$15,000- 24,999	211	38,632	39	25.5	16.5-34.5	14	7.0	01.7-12.3	130	57.9	48.3-67.5	11	2.5	00.7-04.3	11	4.4	01.5-07.3	6	2.6	00.2-05.0
\$25,000- 34,999	104	17,757	28	36.4	23.1-49.7	6	6.9	00.0-15.3	54	43.8	31.3-56.3	11	9.9	02.6-17.2	5	3.0	00.3-05.7			
\$35,000- 49,999	216	39,720	107	61.0	51.6-70.4	10	5.3	01.0-09.6	84	26.7	18.7-34.7	11	2.8	00.8-04.8	3	3.9	00.0-08.8	1	0.3	00.0-00.9
\$50,000- 74,999	222	35,680	113	60.3	51.1-69.5	21	12.5	04.7-20.3	73	20.4	14.1-26.7	10	4.9	01.4-08.4	5	1.9	00.1-03.7			
\$75,000+	503	102,982	354	80.6	75.9-85.3	28	7.1	03.2-11.0	99	9.7	07.2-12.2	15	2.1	00.7-03.5	7	0.5	00.1-00.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 6: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2352	347,119	1056	52.0	49.1-54.9	160	7.3	05.5-09.1	1016	35.8	33.1-38.5	39	1.4	01.0-01.8	68	3.1	02.1-04.1	13	0.5	00.3-00.7
White/Non-Hisp	1614	233,447	722	53.1	50.0-56.2	113	6.9	05.1-08.7	699	35.6	32.7-38.5	26	1.3	00.7-01.9	48	2.8	01.8-03.8	6	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	372	74,581	163	48.4	41.0-55.8	19	7.8	02.7-12.9	169	38.4	31.3-45.5	5	0.6	00.0-01.2	10	3.9	00.6-07.2	6	1.0	00.0-02.0
Oth. Race/Non-Hisp.	57	12,818	33	59.5	42.1-76.9	2	3.3	00.0-08.0	20	32.7	15.8-49.6				2	4.4	00.0-10.7			
MultiRacial/Non-Hisp.	193	5,796	85	52.5	43.3-61.7	13	5.1	01.8-08.4	89	37.6	29.0-46.2	2	3.1	00.0-08.8	4	1.7	00.0-03.7			
Hispanic	81	15,962	36	47.5	33.4-61.6	5	7.9	00.6-15.2	33	36.8	23.5-50.1	4	4.5	00.0-09.4	2	2.7	00.0-06.4	1	0.7	00.0-02.1
18-24	80	38,489	39	48.7	34.8-62.6	8	14.4	03.2-25.6	28	32.4	19.7-45.1	2	0.8	00.0-02.0	2	3.1	00.0-07.8	1	0.5	00.0-01.5
25-34	187	50,113	98	51.5	42.9-60.1	9	6.0	01.5-10.5	64	35.4	27.0-43.8	7	1.9	00.3-03.5	7	4.1	00.4-07.8	2	0.9	00.0-02.3
35-44	217	50,669	155	72.0	65.3-78.7	13	7.2	03.1-11.3	38	16.0	10.7-21.3	4	1.8	00.0-03.6	7	3.0	00.6-05.4			
45-54	387	60,834	268	75.4	70.5-80.3	25	4.6	02.4-06.8	80	17.4	13.1-21.7	4	0.6	00.0-01.2	10	2.1	00.5-03.7			
55-64	542	60,235	358	66.9	62.2-71.6	37	6.4	04.0-08.8	119	21.7	17.4-26.0	10	1.4	00.4-02.4	16	3.4	01.4-05.4	2	0.3	00.0-00.7
65+	898	82,380	119	13.4	10.7-16.1	63	7.0	04.8-09.2	671	73.7	70.2-77.2	11	1.5	00.5-02.5	26	3.4	01.8-05.0	8	0.9	00.1-01.7
Less Than H.S.	186	33,940	26	17.7	10.1-25.3	11	5.5	02.0-09.0	133	66.3	57.1-75.5	6	2.8	00.3-05.3	7	5.9	00.6-11.2	3	1.7	00.0-03.7
H.S. or G.E.D.	695	104,500	243	44.0	38.7-49.3	45	7.0	03.3-10.7	366	43.4	38.1-48.7	7	0.9	00.1-01.7	29	4.3	02.1-06.5	5	0.4	00.0-00.8
Some Post-H.S.	601	109,045	249	51.2	45.5-56.9	47	8.7	05.2-12.2	275	36.1	31.0-41.2	11	1.4	00.4-02.4	15	2.2	00.8-03.6	4	0.4	00.0-00.8
College Graduate	858	98,969	535	73.2	69.7-76.7	54	6.4	04.2-08.6	236	16.9	14.2-19.6	15	1.3	00.5-02.1	17	2.0	00.8-03.2	1	0.2	00.0-00.6
Less than \$15,000	205	25,705	16	7.2	03.1-11.3	14	10.8	01.0-20.6	161	73.0	62.8-83.2	2	1.5	00.0-03.9	8	5.0	01.3-08.7	4	2.6	00.0-05.5
\$15,000- 24,999	365	55,495	67	21.9	14.8-29.0	27	6.2	03.3-09.1	250	66.9	59.5-74.3	5	1.1	00.0-02.3	14	3.5	01.1-05.9	2	0.5	00.0-01.1
\$25,000- 34,999	232	32,066	93	45.0	36.2-53.8	12	5.0	01.5-08.5	115	46.1	37.1-55.1	3	0.6	00.0-01.2	7	2.7	00.5-04.9	2	0.6	00.0-01.6
\$35,000- 49,999	257	37,493	130	63.0	55.7-70.3	24	7.6	03.9-11.3	82	21.8	16.3-27.3	9	3.6	01.1-06.1	11	3.9	01.4-06.4	1	0.2	00.0-00.6
\$50,000- 74,999	312	47,205	198	72.0	65.9-78.1	24	7.7	03.6-11.8	82	18.9	14.0-23.8	4	0.9	00.0-01.9	4	0.5	00.0-01.1			
\$75,000+	548	88,927	410	81.4	76.7-86.1	22	5.9	01.6-10.2	101	10.6	08.1-13.1	7	0.9	00.1-01.7	8	1.2	00.2-02.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 7: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4211	710,323	54	1.7	01.1-02.3	260	6.5	05.3-07.7	109	2.7	01.9-03.5	22	0.6	00.2-01.0	301	7.5	06.3-08.7	3465	80.9	79.1-82.7
Male	1712	339,236	21	2.0	00.8-03.2	104	6.7	04.7-08.7	41	3.0	01.6-04.4	9	0.4	00.0-00.8	108	7.6	05.6-09.6	1429	80.3	77.4-83.2
Female	2499	371,086	33	1.5	00.9-02.1	156	6.4	05.2-07.6	68	2.5	01.7-03.3	13	0.7	00.1-01.3	193	7.4	06.0-08.8	2036	81.5	79.5-83.5
White/Non-Hisp	2846	464,770	35	1.4	00.6-02.2	150	5.5	04.3-06.7	65	2.7	01.7-03.7	13	0.3	00.1-00.5	192	7.1	05.7-08.5	2391	83.0	81.0-85.0
Black or Afr. Am./Non-Hisp	598	139,750	9	2.4	00.4-04.4	30	5.8	02.7-08.9	21	2.7	01.1-04.3	5	1.1	00.0-02.3	57	9.9	06.2-13.6	476	78.0	73.1-82.9
Oth. Race/Non-Hisp.	114	26,493	2	1.1	00.0-02.7	8	8.6	02.1-15.1	4	2.7	00.0-06.0	1	1.8	00.0-05.1	11	6.1	01.8-10.4	88	79.8	70.8-88.8
MultiRacial/Non-Hisp.	319	10,235	2	0.7	00.0-01.7	25	8.8	04.9-12.7	6	1.2	00.0-02.4	1	0.6	00.0-01.8	19	8.3	02.8-13.8	266	80.4	73.9-86.9
Hispanic	245	55,140	6	2.9	00.4-05.4	36	14.5	09.4-19.6	12	3.8	01.1-06.5	2	0.5	00.0-01.1	19	6.9	03.6-10.2	170	71.4	64.7-78.1
18-24	168	86,440	4	2.3	00.0-04.7	12	7.0	02.7-11.3	5	4.2	00.1-08.3	2	1.4	00.0-03.4	22	10.6	05.3-15.9	123	74.4	66.8-82.0
25-34	353	115,846	9	3.8	00.9-06.7	38	7.8	04.9-10.7	9	3.0	00.8-05.2				29	7.7	04.4-11.0	268	77.7	72.4-83.0
35-44	413	107,334	4	0.6	00.0-01.2	35	9.6	05.1-14.1	18	3.5	01.7-05.3	3	0.3	00.0-00.7	28	6.9	04.0-09.8	325	79.1	73.8-84.4
45-54	713	124,260	11	1.3	00.3-02.3	51	5.7	03.9-07.5	19	2.0	00.8-03.2	9	1.5	00.3-02.7	60	8.9	06.4-11.4	563	80.6	77.1-84.1
55-64	966	119,230	11	1.5	00.5-02.5	57	5.8	04.0-07.6	26	2.6	01.4-03.8	5	0.2	00.0-00.4	80	7.5	05.1-09.9	787	82.5	79.4-85.6
65+	1534	150,089	14	0.8	00.2-01.4	64	4.5	03.1-05.9	32	2.0	01.0-03.0	3	0.1	00.0-00.3	80	5.2	03.8-06.6	1341	87.2	85.0-89.4
Less Than H.S.	409	96,165	4	2.1	00.0-04.3	27	7.0	02.9-11.1	14	3.4	00.7-06.1	2	0.3	00.0-00.7	56	12.5	08.4-16.6	306	74.7	68.6-80.8
H.S. or G.E.D.	1253	221,591	17	2.2	00.6-03.8	61	4.9	03.3-06.5	39	2.8	01.6-04.0	8	0.7	00.1-01.3	99	8.7	06.3-11.1	1029	80.7	77.6-83.8
Some Post-H.S.	1016	206,379	16	1.7	00.7-02.7	76	8.0	05.6-10.4	19	2.1	00.5-03.7	6	0.8	00.0-01.6	77	6.4	04.4-08.4	822	81.0	77.5-84.5
College Graduate	1511	183,805	17	1.0	00.4-01.6	96	6.8	05.0-08.6	36	3.0	01.8-04.2	6	0.2	00.0-00.4	68	4.5	02.9-06.1	1288	84.4	81.9-86.9
Less than \$15,000	364	58,768	2	0.9	00.0-02.1	27	6.9	03.4-10.4	11	3.4	00.0-06.9	4	0.9	00.0-01.9	74	21.7	15.0-28.4	246	66.3	58.7-73.9
\$15,000- 24,999	649	109,614	13	2.8	00.8-04.8	41	6.6	04.2-09.0	27	3.7	01.9-05.5	6	1.7	00.0-03.5	59	9.0	06.1-11.9	503	76.1	71.6-80.6
\$25,000- 34,999	367	57,357	10	5.7	01.2-10.2	20	6.0	02.9-09.1	15	2.6	01.0-04.2	1	0.1	00.0-00.3	24	4.2	02.0-06.4	297	81.4	75.7-87.1
\$35,000- 49,999	498	84,771	3	2.1	00.0-04.8	37	7.5	03.4-11.6	12	2.5	00.5-04.5				22	6.1	02.8-09.4	424	81.8	76.1-87.5
\$50,000- 74,999	556	87,395	7	1.3	00.1-02.5	39	6.5	04.1-08.9	11	1.8	00.4-03.2	3	0.8	00.0-02.0	20	4.8	02.3-07.3	476	84.7	80.8-88.6
\$75,000+	1071	199,145	12	0.7	00.1-01.3	62	6.5	04.0-09.0	18	1.8	00.8-02.8	3	0.2	00.0-00.4	45	4.9	02.9-06.9	931	85.9	82.8-89.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 8: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1712	339,236	21	2.0	00.8-03.2	104	6.7	04.7-08.7	41	3.0	01.6-04.4	9	0.4	00.0-00.8	108	7.6	05.6-09.6	1429	80.3	77.4-83.2
White/Non-Hisp	1171	218,431	14	1.7	00.3-03.1	64	5.6	03.4-07.8	27	3.3	01.5-05.1	6	0.3	00.1-00.5	69	6.9	04.9-08.9	991	82.1	78.6-85.6
Black or Afr. Am./Non-Hisp	207	65,276	2	2.2	00.0-05.3	10	7.7	01.8-13.6	5	1.7	00.0-03.5	2	0.8	00.0-02.4	20	12.7	05.8-19.6	168	74.9	66.1-83.7
MultiRacial/Non-Hisp.	122	4,294	1	1.2	00.0-03.6	12	11.2	03.9-18.5	1	0.7	00.0-02.3				7	10.1	00.0-21.1	101	76.7	64.5-88.9
Hispanic	116	29,581	4	4.6	00.0-09.3	10	8.2	02.9-13.5	5	4.6	00.0-09.3	1	0.5	00.0-01.5	10	6.5	02.2-10.8	86	75.7	66.9-84.5
18-24	73	44,548	2	1.9	00.0-04.6	6	8.3	01.2-15.4	3	6.1	00.0-13.5	1	1.1	00.0-03.3	9	12.6	04.0-21.2	52	70.0	57.8-82.2
25-34	132	57,447	5	6.4	00.7-12.1	12	6.3	02.4-10.2	4	3.2	00.1-06.3				9	7.1	01.8-12.4	102	77.0	68.4-85.6
35-44	176	52,486	2	0.6	00.0-01.4	16	12.3	03.9-20.7	7	3.5	00.8-06.2				10	5.5	01.6-09.4	141	78.1	69.3-86.9
45-54	299	59,864	6	1.7	00.1-03.3	17	3.7	01.5-05.9	4	1.5	00.0-03.3	3	0.7	00.0-01.5	23	8.7	04.8-12.6	246	83.7	78.6-88.8
55-64	396	56,121	4	1.1	00.0-02.3	24	6.2	03.3-09.1	9	2.5	00.5-04.5	3	0.3	00.0-00.7	34	9.5	05.0-14.0	322	80.4	75.1-85.7
65+	619	66,470	2	0.3	00.0-00.7	29	4.6	02.6-06.6	14	2.5	00.9-04.1	2	0.3	00.0-00.7	23	4.3	02.1-06.5	549	88.0	84.7-91.3
Less Than H.S.	188	54,468	4	3.7	00.0-07.6	9	6.2	00.0-12.5	8	5.1	00.6-09.6	2	0.6	00.0-01.4	22	11.6	05.5-17.7	143	72.9	63.7-82.1
H.S. or G.E.D.	504	110,459	5	2.5	00.0-05.0	31	5.3	02.6-08.0	12	2.3	00.7-03.9	3	0.6	00.0-01.6	38	9.5	05.6-13.4	415	79.9	74.6-85.2
Some Post-H.S.	388	92,593	6	1.4	00.0-02.8	28	9.8	05.1-14.5	6	2.6	00.0-05.5				26	5.3	02.6-08.0	322	80.9	75.0-86.8
College Graduate	624	80,092	6	0.8	00.2-01.4	36	5.4	03.0-07.8	15	3.2	01.2-05.2	4	0.4	00.0-00.8	21	4.6	01.9-07.3	542	85.6	81.7-89.5
Less than \$15,000	128	26,891	1	0.9	00.0-02.7	9	8.1	01.4-14.8	2	4.5	00.0-11.9	1	0.6	00.0-01.8	23	23.2	11.2-35.2	92	62.6	49.3-75.9
\$15,000- 24,999	248	48,098	5	3.2	00.1-06.3	9	4.0	00.9-07.1	14	5.4	02.1-08.7	3	1.3	00.0-03.3	18	6.8	02.7-10.9	199	79.3	72.6-86.0
\$25,000- 34,999	117	21,614	4	8.9	00.0-19.1	5	3.5	00.0-07.4	3	1.7	00.0-04.2				4	3.9	00.0-07.8	101	81.9	70.9-92.9
\$35,000- 49,999	235	45,614	3	3.8	00.0-08.9	17	8.2	01.3-15.1	4	3.0	00.0-06.3				16	9.6	03.7-15.5	195	75.4	66.0-84.8
\$50,000- 74,999	232	38,606	2	1.4	00.0-03.4	21	8.0	03.9-12.1	5	1.7	00.0-03.9	1	0.4	00.0-01.2	8	5.0	01.3-08.7	195	83.5	77.4-89.6
\$75,000+	516	109,803	5	0.5	00.1-00.9	28	6.6	02.7-10.5	8	1.8	00.4-03.2				22	5.4	02.3-08.5	453	85.8	80.7-90.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 9: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2499	371,086	33	1.5	00.9-02.1	156	6.4	05.2-07.6	68	2.5	01.7-03.3	13	0.7	00.1-01.3	193	7.4	06.0-08.8	2036	81.5	79.5-83.5
White/Non-Hisp	1675	246,339	21	1.2	00.6-01.8	86	5.3	03.9-06.7	38	2.1	01.3-02.9	7	0.4	00.0-00.8	123	7.2	05.6-08.8	1400	83.7	81.3-86.1
Black or Afr. Am./Non-Hisp	391	74,474	7	2.6	00.2-05.0	20	4.2	01.8-06.6	16	3.7	01.2-06.2	3	1.3	00.0-03.3	37	7.5	04.4-10.6	308	80.7	75.4-86.0
Oth. Race/Non-Hisp.	65	13,747	2	2.1	00.0-05.2	4	6.6	00.0-14.4	2	2.5	00.0-07.2	1	3.4	00.0-09.9	10	11.1	02.9-19.3	46	74.3	61.0-87.6
MultiRacial/Non-Hisp.	197	5,941	1	0.3	00.0-00.9	13	7.1	02.8-11.4	5	1.5	00.0-03.1	1	1.0	00.0-03.0	12	7.1	01.8-12.4	165	83.0	76.1-89.9
Hispanic	129	25,559	2	0.9	00.0-02.3	26	21.8	13.2-30.4	7	3.0	00.6-05.4	1	0.5	00.0-01.5	9	7.2	01.9-12.5	84	66.4	56.6-76.2
18-24	95	41,892	2	2.8	00.0-06.7	6	5.5	00.8-10.2	2	2.2	00.0-05.7	1	1.8	00.0-05.1	13	8.6	02.9-14.3	71	79.2	70.0-88.4
25-34	221	58,399	4	1.3	00.0-02.7	26	9.3	05.2-13.4	5	2.8	00.0-05.9				20	8.3	04.4-12.2	166	78.3	72.2-84.4
35-44	237	54,847	2	0.7	00.0-01.7	19	7.0	03.5-10.5	11	3.5	01.1-05.9	3	0.5	00.0-01.1	18	8.2	04.1-12.3	184	80.0	74.3-85.7
45-54	414	64,395	5	1.0	00.0-02.0	34	7.6	04.7-10.5	15	2.4	01.0-03.8	6	2.3	00.1-04.5	37	9.1	05.8-12.4	317	77.6	72.7-82.5
55-64	570	63,109	7	1.7	00.3-03.1	33	5.4	03.2-07.6	17	2.8	01.4-04.2	2	0.1	00.0-00.3	46	5.6	03.6-07.6	465	84.3	81.0-87.6
65+	915	83,618	12	1.3	00.3-02.3	35	4.4	02.6-06.2	18	1.7	00.7-02.7	1	0.0	00.0-00.0	57	6.0	04.0-08.0	792	86.6	83.9-89.3
Less Than H.S.	221	41,697				18	7.9	03.4-12.4	6	1.3	00.1-02.5				34	13.6	08.1-19.1	163	77.2	70.3-84.1
H.S. or G.E.D.	749	111,132	12	1.9	00.3-03.5	30	4.5	02.5-06.5	27	3.3	01.5-05.1	5	0.8	00.0-01.8	61	8.0	05.5-10.5	614	81.6	77.9-85.3
Some Post-H.S.	628	113,786	10	1.9	00.5-03.3	48	6.5	04.3-08.7	13	1.6	00.2-03.0	6	1.4	00.0-03.0	51	7.3	04.8-09.8	500	81.1	77.2-85.0
College Graduate	887	103,713	11	1.1	00.3-01.9	60	7.9	05.4-10.4	21	2.9	01.5-04.3	2	0.1	00.0-00.3	47	4.5	02.9-06.1	746	83.5	80.4-86.6
Less than \$15,000	236	31,877	1	0.8	00.0-02.4	18	5.8	02.3-09.3	9	2.4	00.6-04.2	3	1.1	00.0-02.3	51	20.5	13.4-27.6	154	69.4	61.4-77.4
\$15,000- 24,999	401	61,516	8	2.5	00.0-05.0	32	8.7	05.2-12.2	13	2.4	00.8-04.0	3	2.1	00.0-04.8	41	10.8	06.7-14.9	304	73.5	67.4-79.6
\$25,000- 34,999	250	35,742	6	3.7	00.2-07.2	15	7.6	03.1-12.1	12	3.1	01.1-05.1	1	0.1	00.0-00.3	20	4.4	02.0-06.8	196	81.1	74.8-87.4
\$35,000- 49,999	263	39,157				20	6.8	03.3-10.3	8	2.0	00.2-03.8				6	2.0	00.2-03.8	229	89.2	84.9-93.5
\$50,000- 74,999	324	48,789	5	1.3	00.1-02.5	18	5.3	02.4-08.2	6	1.9	00.1-03.7	2	1.1	00.0-03.1	12	4.7	01.4-08.0	281	85.7	80.8-90.6
\$75,000+	555	89,342	7	1.0	00.0-02.0	34	6.4	03.9-08.9	10	1.8	00.4-03.2	3	0.3	00.0-00.9	23	4.3	02.1-06.5	478	86.0	82.3-89.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 10: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3981	655,613	212	8.0	06.6-09.4	3769	92.0	90.6-93.4
Male	1594	304,050	68	7.5	05.3-09.7	1526	92.5	90.3-94.7
Female	2387	351,562	144	8.3	06.5-10.1	2243	91.7	89.9-93.5
White/Non-Hisp	2756	439,422	110	5.9	04.5-07.3	2646	94.1	92.7-95.5
Black or Afr. Am./Non-Hisp	571	135,568	51	12.7	08.2-17.2	520	87.3	82.8-91.8
Oth. Race/Non-Hisp.	104	23,681	9	6.2	00.9-11.5	95	93.8	88.5-99.1
MultiRacial/Non-Hisp.	315	10,046	17	6.0	02.3-09.7	298	94.0	90.3-97.7
Hispanic	154	34,437	23	17.6	09.8-25.4	131	82.4	74.6-90.2
18-24	142	77,585	26	16.0	09.3-22.7	116	84.0	77.3-90.7
25-34	292	95,578	40	13.8	09.1-18.5	252	86.2	81.5-90.9
35-44	364	95,792	24	8.3	03.8-12.8	340	91.7	87.2-96.2
45-54	664	117,284	52	8.2	05.5-10.9	612	91.8	89.1-94.5
55-64	918	112,075	53	6.4	04.4-08.4	865	93.6	91.6-95.6
65+	1537	150,056	16	1.1	00.3-01.9	1521	98.9	98.1-99.7
Less Than H.S.	340	76,795	29	11.1	06.4-15.8	311	88.9	84.2-93.6
H.S. or G.E.D.	1166	201,338	68	8.5	06.0-11.0	1098	91.5	89.0-94.0
Some Post-H.S.	974	197,360	62	8.6	05.7-11.5	912	91.4	88.5-94.3
College Graduate	1480	177,782	52	5.1	03.3-06.9	1428	94.9	93.1-96.7
Less than \$15,000	316	48,211	31	13.1	06.8-19.4	285	86.9	80.6-93.2
\$15,000- 24,999	586	94,732	53	14.0	09.3-18.7	533	86.0	81.3-90.7
\$25,000- 34,999	338	50,172	34	13.4	07.9-18.9	304	86.6	81.1-92.1
\$35,000- 49,999	475	77,548	23	8.2	03.5-12.9	452	91.8	87.1-96.5
\$50,000- 74,999	536	82,991	25	6.0	03.1-08.9	511	94.0	91.1-96.9
\$75,000+	1057	194,583	21	3.5	01.7-05.3	1036	96.5	94.7-98.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 11: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1594	304,050	68	7.5	05.3-09.7	1526	92.5	90.3-94.7
White/Non-Hisp	1124	203,631	40	5.5	03.5-07.5	1084	94.5	92.5-96.5
Black or Afr. Am./Non-Hisp	191	60,134	11	12.1	04.5-19.7	180	87.9	80.3-95.5
MultiRacial/Non-Hisp.	122	4,250	4	4.0	00.0-09.1	118	96.0	90.9-0100
Hispanic	72	18,428	9	17.9	06.3-29.5	63	82.1	70.5-93.7
18-24	59	37,517	10	15.7	05.9-25.5	49	84.3	74.5-94.1
25-34	105	45,465	13	13.2	05.8-20.6	92	86.8	79.4-94.2
35-44	147	45,123	5	8.8	00.8-16.8	142	91.2	83.2-99.2
45-54	274	55,806	18	6.0	02.9-09.1	256	94.0	90.9-97.1
55-64	373	51,654	13	4.7	01.8-07.6	360	95.3	92.4-98.2
65+	620	66,197	8	1.6	00.0-03.2	612	98.4	96.8-0100
Less Than H.S.	148	42,262	18	14.7	07.3-22.1	130	85.3	77.9-92.7
H.S. or G.E.D.	458	95,265	20	8.3	04.0-12.6	438	91.7	87.4-96.0
Some Post-H.S.	365	86,895	14	5.9	01.6-10.2	351	94.1	89.8-98.4
College Graduate	615	78,004	15	3.7	01.2-06.2	600	96.3	93.8-98.8
Less than \$15,000	108	21,595	10	13.4	02.0-24.8	98	86.6	75.2-98.0
\$15,000- 24,999	214	38,815	17	12.8	05.7-19.9	197	87.2	80.1-94.3
\$25,000- 34,999	104	17,757	8	14.7	03.1-26.3	96	85.3	73.7-96.9
\$35,000- 49,999	217	39,833	10	10.6	02.4-18.8	207	89.4	81.2-97.6
\$50,000- 74,999	222	35,680	4	2.0	00.0-04.0	218	98.0	96.0-0100
\$75,000+	509	105,490	11	3.8	01.3-06.3	498	96.2	93.7-98.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 12: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2387	351,562	144	8.3	06.5-10.1	2243	91.7	89.9-93.5
White/Non-Hisp	1632	235,791	70	6.3	04.5-08.1	1562	93.7	91.9-95.5
Black or Afr. Am./Non-Hisp	380	75,434	40	13.2	07.9-18.5	340	86.8	81.5-92.1
Oth. Race/Non-Hisp.	60	13,600	6	9.8	00.8-18.8	54	90.2	81.2-99.2
MultiRacial/Non-Hisp.	193	5,796	13	7.4	02.1-12.7	180	92.6	87.3-97.9
Hispanic	82	16,010	14	17.3	06.9-27.7	68	82.7	72.3-93.1
18-24	83	40,068	16	16.3	07.1-25.5	67	83.7	74.5-92.9
25-34	187	50,113	27	14.4	08.3-20.5	160	85.6	79.5-91.7
35-44	217	50,669	19	7.8	03.5-12.1	198	92.2	87.9-96.5
45-54	390	61,479	34	10.1	06.0-14.2	356	89.9	85.8-94.0
55-64	545	60,421	40	7.9	05.2-10.6	505	92.1	89.4-94.8
65+	917	83,859	8	0.8	00.2-01.4	909	99.2	98.6-99.8
Less Than H.S.	192	34,533	11	6.6	01.5-11.7	181	93.4	88.3-98.5
H.S. or G.E.D.	708	106,073	48	8.6	05.7-11.5	660	91.4	88.5-94.3
Some Post-H.S.	609	110,465	48	10.7	06.8-14.6	561	89.3	85.4-93.2
College Graduate	865	99,778	37	6.2	03.7-08.7	828	93.8	91.3-96.3
Less than \$15,000	208	26,616	21	12.9	06.4-19.4	187	87.1	80.6-93.6
\$15,000- 24,999	372	55,918	36	14.8	08.5-21.1	336	85.2	78.9-91.5
\$25,000- 34,999	234	32,415	26	12.7	07.2-18.2	208	87.3	81.8-92.8
\$35,000- 49,999	258	37,715	13	5.7	02.4-09.0	245	94.3	91.0-97.6
\$50,000- 74,999	314	47,311	21	9.1	04.4-13.8	293	90.9	86.2-95.6
\$75,000+	548	89,092	10	3.1	00.6-05.6	538	96.9	94.4-99.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 13: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	247	59,295	52	21.6	14.5-28.7	23	7.9	04.0-11.8	40	18.3	11.4-25.2	63	25.9	18.5-33.3	69	26.4	19.7-33.1
Male	128	37,091	20	16.6	08.2-25.0	13	7.4	02.5-12.3	22	20.3	10.5-30.1	34	28.2	17.6-38.8	39	27.5	18.3-36.7
Female	119	22,204	32	29.9	18.1-41.7	10	8.7	02.6-14.8	18	14.8	06.8-22.8	29	22.0	13.2-30.8	30	24.6	15.6-33.6
White/Non-Hisp	102	25,657	29	34.4	21.5-47.3	14	10.4	03.9-16.9	23	20.5	10.3-30.7	26	24.2	13.6-34.8	10	10.4	02.4-18.4
Hispanic	89	20,488	7	6.9	01.0-12.8	1	0.8	00.0-02.4	10	15.9	04.5-27.3	20	22.9	13.9-31.9	51	53.6	41.6-65.6
25-34	60	20,711	10	19.3	06.0-32.6	4	5.5	00.0-11.2	5	8.6	00.0-17.6	12	27.2	11.5-42.9	29	39.4	25.3-53.5
45-54	51	7,923	10	19.3	06.6-32.0	7	17.5	02.4-32.6	10	11.8	03.4-20.2	14	35.6	19.5-51.7	10	15.7	05.3-26.1
55-64	52	7,287	12	15.9	05.5-26.3	7	12.7	01.1-24.3	10	32.4	09.9-54.9	17	28.2	11.1-45.3	6	10.8	01.2-20.4
Less Than H.S.	62	18,395	7	14.5	02.5-26.5	2	4.6	00.0-10.9	8	23.2	07.7-38.7	11	16.4	06.2-26.6	34	41.4	27.3-55.5
H.S. or G.E.D.	91	23,984	19	26.1	13.0-39.2	7	3.3	00.2-06.4	19	17.4	08.2-26.6	25	31.9	17.8-46.0	21	21.3	11.5-31.1
Some Post-H.S.	53	10,804	11	18.1	06.1-30.1	6	12.8	01.8-23.8	9	18.3	03.0-33.6	19	32.8	17.7-47.9	8	18.1	03.2-33.0
\$15,000- 24,999	68	15,177	7	6.2	01.1-11.3	5	4.4	00.0-08.9	15	26.7	11.8-41.6	15	20.3	08.7-31.9	26	42.3	27.8-56.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 14: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	128	37,091	20	16.6	09.5-23.7	13	7.4	02.5-12.3	22	20.3	10.5-30.1	34	28.2	17.6-38.8	39	27.5	18.5-36.5
White/Non-Hisp	55	15,847	11	24.0	12.0-36.0	8	9.6	01.8-17.4	14	25.9	11.2-40.6	14	25.3	11.0-39.6	8	15.1	02.9-27.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 4: HEALTH CARE ACCESS**

**TABLE 15: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	119	22,204	32	29.9	18.1-41.7	10	8.7	02.6-14.8	18	14.8	06.8-22.8	29	22.0	13.2-30.8	30	24.6	15.6-33.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 16: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4090	701,693	3453	82.5	80.7-84.3	196	4.3	03.5-05.1	43	0.7	00.5-00.9	33	0.7	00.3-01.1	22	0.4	00.2-00.6	343	11.4	09.8-13.0
Male	1700	338,967	1376	78.2	75.3-81.1	81	3.5	02.5-04.5	17	0.5	00.3-00.7	12	0.5	00.1-00.9	8	0.2	00.0-00.4	206	17.0	14.1-19.9
Female	2390	362,726	2077	86.6	84.8-88.4	115	4.9	03.7-06.1	26	0.9	00.5-01.3	21	0.9	00.3-01.5	14	0.6	00.2-01.0	137	6.1	04.7-07.5
White/Non-Hisp	2778	459,729	2360	83.4	81.4-85.4	139	4.8	03.8-05.8	33	0.9	00.5-01.3	25	0.7	00.3-01.1	14	0.4	00.2-00.6	207	9.8	08.0-11.6
Black or Afr. Am./Non-Hisp	567	136,662	487	85.5	81.4-89.6	30	3.7	01.9-05.5	4	0.5	00.0-01.1	4	1.0	00.0-02.0	6	0.7	00.0-01.5	36	8.6	05.1-12.1
Oth. Race/Non-Hisp.	114	26,060	90	73.7	60.6-86.8	5	4.2	00.0-08.5	2	0.1	00.0-00.3	1	0.8	00.0-02.4				16	21.2	08.3-34.1
MultiRacial/Non-Hisp.	304	9,840	262	84.7	78.4-91.0	17	4.6	02.1-07.1	3	0.6	00.0-01.4	2	0.9	00.0-02.3	2	0.3	00.0-00.7	18	8.9	03.0-14.8
Hispanic	242	54,926	180	71.7	64.4-79.0	4	1.7	00.0-03.7	1	0.1	00.0-00.3	1	0.2	00.0-00.6				56	26.3	19.0-33.6
18-24	173	89,403	144	83.8	77.3-90.3				1	0.3	00.0-00.9	1	0.1	00.0-00.3	1	0.4	00.0-01.2	26	15.4	08.9-21.9
25-34	353	117,576	263	73.5	67.6-79.4	20	6.4	03.3-09.5	3	0.5	00.0-01.1	2	0.3	00.0-00.9	3	0.4	00.0-01.0	62	18.9	13.6-24.2
35-44	409	107,752	331	81.5	77.2-85.8	11	2.1	00.5-03.7	1	0.2	00.0-00.6	5	1.6	00.0-03.2	1	0.2	00.0-00.6	60	14.4	10.5-18.3
45-54	699	122,095	566	79.7	75.8-83.6	33	5.1	03.1-07.1	9	1.1	00.3-01.9	5	0.7	00.0-01.5	8	1.1	00.1-02.1	78	12.4	09.1-15.7
55-64	944	115,517	793	84.8	81.7-87.9	66	6.3	04.3-08.3	8	0.9	00.3-01.5	9	1.0	00.2-01.8	7	0.4	00.0-00.8	61	6.6	04.2-09.0
65+	1454	142,604	1304	90.3	88.3-92.3	62	4.4	03.0-05.8	21	1.2	00.4-02.0	11	0.6	00.2-01.0	2	0.1	00.0-00.3	54	3.5	02.5-04.5
Less Than H.S.	373	91,557	293	76.0	70.1-81.9	10	2.7	00.5-04.9	9	1.8	00.4-03.2	3	0.5	00.0-01.3	3	0.9	00.0-02.1	55	18.1	12.8-23.4
H.S. or G.E.D.	1213	220,391	1043	82.9	79.6-86.2	43	3.6	02.2-05.0	7	0.4	00.0-00.8	11	0.8	00.2-01.4	5	0.3	00.0-00.7	104	12.1	09.0-15.2
Some Post-H.S.	989	202,990	823	82.0	78.5-85.5	56	5.7	03.9-07.5	10	0.4	00.0-00.8	6	0.8	00.0-01.6	6	0.3	00.0-00.7	88	10.7	07.8-13.6
College Graduate	1496	184,147	1276	85.7	83.3-88.1	87	4.3	03.1-05.5	17	0.8	00.2-01.4	13	0.6	00.2-01.0	8	0.4	00.0-00.8	95	8.1	06.1-10.1
Less than \$15,000	336	57,096	256	72.8	65.4-80.2	23	5.2	02.3-08.1	7	1.2	00.2-02.2	6	2.0	00.0-04.0	3	0.6	00.0-01.4	41	18.3	11.2-25.4
\$15,000- 24,999	619	106,596	514	81.3	77.0-85.6	24	3.5	01.5-05.5	9	1.3	00.3-02.3	6	0.7	00.0-01.5	6	0.5	00.0-01.1	60	12.8	08.9-16.7
\$25,000- 34,999	355	55,422	299	81.3	75.4-87.2	12	3.7	01.2-06.2	6	1.4	00.0-02.8	5	0.8	00.0-01.6	5	0.8	00.0-01.6	28	12.2	06.9-17.5
\$35,000- 49,999	496	85,207	421	82.2	77.3-87.1	29	5.3	02.8-07.8	5	0.4	00.0-00.8	2	0.4	00.0-01.0	1	0.4	00.0-01.2	38	11.3	07.0-15.6
\$50,000- 74,999	547	85,441	460	83.7	79.6-87.8	34	6.7	03.8-09.6	4	0.5	00.1-00.9	4	0.3	00.0-00.7	3	0.5	00.0-01.3	42	8.3	05.2-11.4
\$75,000+	1078	202,618	935	85.3	82.0-88.6	52	3.6	02.4-04.8	6	0.4	00.0-00.8	6	0.5	00.0-01.1	2	0.2	00.0-00.4	77	10.0	06.9-13.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 17: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months				
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
Male	1700	338,967	1376	78.2	75.3-81.1	81	3.5	02.5-04.5	17	0.5	00.3-00.7	12	0.5	00.1-00.9	8	0.2	00.0-00.4	206	17.0	14.1-19.9		
White/Non-Hisp	1165	218,603	950	79.9	76.6-83.2	61	3.9	02.7-05.1	13	0.7	00.3-01.1	10	0.6	00.2-01.0	6	0.3	00.0-00.7	125	14.7	11.6-17.8		
Black or Afr. Am./Non-Hisp	200	63,228	168	82.7	75.6-89.8	9	3.5	00.6-06.4	1	0.3	00.0-00.9	2	0.8	00.0-02.2	1	0.1	00.0-00.3	19	12.7	06.2-19.2		
MultiRacial/Non-Hisp.	121	4,303	102	81.9	70.3-93.5	8	6.3	01.6-11.0	2	0.3	00.0-00.9				1	0.3	00.0-00.9	8	11.1	00.0-22.3		
Hispanic	117	29,886	80	62.4	51.2-73.6	1	1.5	00.0-04.4										36	36.0	24.8-47.2		
18-24	76	45,235	53	71.0	59.2-82.8									1	0.8	00.0-02.4				22	28.2	16.6-39.8
25-34	137	59,838	97	70.3	60.9-79.7	3	2.3	00.0-05.0				1	0.5	00.0-01.5				36	26.9	17.7-36.1		
35-44	178	53,373	138	79.5	72.8-86.2	3	1.7	00.0-04.1				1	0.5	00.0-01.5				36	18.3	11.8-24.8		
45-54	294	58,481	222	75.8	69.5-82.1	13	4.3	01.6-07.0	4	0.8	00.0-01.8	4	1.2	00.0-02.8	2	0.1	00.0-00.3	49	17.7	11.8-23.6		
55-64	387	54,437	312	80.5	75.0-86.0	30	7.5	04.0-11.0	3	0.8	00.0-01.8	4	0.5	00.0-01.1	4	0.5	00.0-01.1	34	10.2	05.7-14.7		
65+	610	65,070	539	90.0	87.3-92.7	31	4.6	02.8-06.4	10	1.1	00.3-01.9	2	0.2	00.0-00.6	1	0.1	00.0-00.3	27	4.0	02.2-05.8		
Less Than H.S.	178	53,384	127	70.9	62.3-79.5	7	3.1	00.2-06.0	4	0.8	00.0-01.6	1	0.1	00.0-00.3	1	0.6	00.0-01.8	38	24.5	16.3-32.7		
H.S. or G.E.D.	498	110,215	401	76.6	70.9-82.3	17	2.5	01.1-03.9	3	0.4	00.0-00.8	5	0.8	00.0-01.6	3	0.1	00.0-00.3	69	19.6	14.1-25.1		
Some Post-H.S.	383	90,433	310	79.0	72.9-85.1	20	5.0	02.5-07.5	4	0.3	00.0-00.7	3	0.6	00.0-01.6	2	0.1	00.0-00.3	44	15.1	09.4-20.8		
College Graduate	633	83,022	530	83.7	80.0-87.4	37	3.7	02.3-05.1	6	0.7	00.0-01.5	3	0.3	00.0-00.7	2	0.2	00.0-00.6	55	11.4	08.1-14.7		
Less than \$15,000	121	26,471	78	59.2	45.5-72.9	8	5.2	00.0-10.5	4	1.3	00.0-02.9	3	2.1	00.0-05.2	1	0.3	00.0-00.9	27	31.9	18.6-45.2		
\$15,000- 24,999	242	47,644	190	74.5	66.7-82.3	11	5.2	01.3-09.1	2	0.3	00.0-00.9	2	0.7	00.0-01.9	4	0.2	00.0-00.4	33	19.1	11.8-26.4		
\$25,000- 34,999	115	20,884	90	71.8	59.8-83.8	3	1.1	00.0-02.5	3	1.7	00.0-03.7	3	1.1	00.0-02.5				16	24.4	12.4-36.4		
\$35,000- 49,999	239	46,686	194	78.8	71.5-86.1	11	3.5	01.0-06.0	3	0.4	00.0-01.0	1	0.3	00.0-00.9				30	16.9	10.0-23.8		
\$50,000- 74,999	231	37,658	187	81.3	74.8-87.8	15	5.2	01.9-08.5	2	0.6	00.0-01.4	1	0.2	00.0-00.6	2	1.0	00.0-02.8	24	11.7	06.2-17.2		
\$75,000+	525	112,384	448	83.3	78.2-88.4	25	3.1	01.5-04.7	1	0.2	00.0-00.6	1	0.1	00.0-00.3	1	0.2	00.0-00.6	49	13.1	08.2-18.0		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 18: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2390	362,726	2077	86.6	84.8-88.4	115	4.9	03.7-06.1	26	0.9	00.5-01.3	21	0.9	00.3-01.5	14	0.6	00.2-01.0	137	6.1	04.7-07.5
White/Non-Hisp	1613	241,125	1410	86.5	84.1-88.9	78	5.7	04.1-07.3	20	1.2	00.6-01.8	15	0.8	00.2-01.4	8	0.5	00.1-00.9	82	5.4	04.0-06.8
Black or Afr. Am./Non-Hisp	367	73,434	319	87.9	83.6-92.2	21	4.0	01.8-06.2	3	0.6	00.0-01.4	2	1.2	00.0-02.8	5	1.2	00.0-02.6	17	5.2	02.1-08.3
Oth. Race/Non-Hisp.	65	13,143	54	86.1	75.5-96.7	3	3.7	00.0-08.4	1	0.1	00.0-00.3	1	1.6	00.0-04.7				6	8.6	00.0-17.8
MultiRacial/Non-Hisp.	183	5,537	160	86.8	80.3-93.3	9	3.3	00.8-05.8	1	0.7	00.0-02.1	2	1.7	00.0-04.2	1	0.3	00.0-00.9	10	7.1	01.6-12.6
Hispanic	125	25,040	100	82.8	75.7-89.9	3	2.0	00.0-04.4	1	0.2	00.0-00.6	1	0.4	00.0-01.2				20	14.7	08.0-21.4
18-24	97	44,169	91	97.0	93.9-0100				1	0.6	00.0-01.8	1	0.2	00.0-00.6				4	2.3	00.0-05.2
25-34	216	57,738	166	76.9	70.2-83.6	17	10.6	05.1-16.1	3	0.9	00.0-02.1	1	0.1	00.0-00.3	3	0.8	00.0-02.0	26	10.7	06.4-15.0
35-44	231	54,378	193	83.6	78.1-89.1	8	2.4	00.4-04.4	1	0.3	00.0-00.9	4	2.8	00.1-05.5	1	0.4	00.0-01.2	24	10.6	05.9-15.3
45-54	405	63,614	344	83.4	78.5-88.3	20	5.8	02.9-08.7	5	1.3	00.1-02.5	1	0.1	00.0-00.3	6	1.9	00.1-03.7	29	7.5	04.0-11.0
55-64	557	61,080	481	88.7	85.6-91.8	36	5.3	03.1-07.5	5	1.0	00.0-02.0	5	1.3	00.0-02.7	3	0.3	00.0-00.7	27	3.5	01.9-05.1
65+	844	77,533	765	90.6	88.1-93.1	31	4.2	02.2-06.2	11	1.3	00.1-02.5	9	0.8	00.2-01.4	1	0.1	00.0-00.3	27	3.0	01.6-04.4
Less Than H.S.	195	38,173	166	83.1	76.6-89.6	3	2.0	00.0-04.7	5	3.3	00.4-06.2	2	1.1	00.0-03.1	2	1.2	00.0-03.4	17	9.2	04.5-13.9
H.S. or G.E.D.	715	110,177	642	89.2	86.1-92.3	26	4.6	02.1-07.1	4	0.5	00.0-01.1	6	0.7	00.1-01.3	2	0.4	00.0-01.0	35	4.6	02.6-06.6
Some Post-H.S.	606	112,557	513	84.5	80.8-88.2	36	6.3	03.8-08.8	6	0.5	00.1-00.9	3	1.0	00.0-02.2	4	0.6	00.0-01.2	44	7.1	04.4-09.8
College Graduate	863	101,125	746	87.4	84.5-90.3	50	4.8	03.0-06.6	11	1.0	00.2-01.8	10	0.9	00.1-01.7	6	0.6	00.0-01.2	40	5.4	03.0-07.8
Less than \$15,000	215	30,625	178	84.5	78.6-90.4	15	5.1	01.8-08.4	3	1.1	00.0-02.5	3	1.8	00.0-04.3	2	1.0	00.0-02.4	14	6.4	02.5-10.3
\$15,000- 24,999	377	58,952	324	86.7	82.4-91.0	13	2.2	00.6-03.8	7	2.0	00.2-03.8	4	0.8	00.0-01.6	2	0.7	00.0-01.7	27	7.6	04.1-11.1
\$25,000- 34,999	240	34,538	209	87.0	81.5-92.5	9	5.2	01.3-09.1	3	1.2	00.0-03.2	2	0.6	00.0-01.4	5	1.3	00.1-02.5	12	4.8	01.5-08.1
\$35,000- 49,999	257	38,521	227	86.2	80.3-92.1	18	7.6	03.1-12.1	2	0.4	00.0-01.0	1	0.6	00.0-01.8	1	0.9	00.0-02.7	8	4.4	00.5-08.3
\$50,000- 74,999	316	47,783	273	85.6	80.1-91.1	19	7.9	03.6-12.2	2	0.3	00.0-00.9	3	0.5	00.0-01.1	1	0.0	00.0-00.0	18	5.7	02.2-09.2
\$75,000+	553	90,234	487	87.7	84.0-91.4	27	4.2	02.2-06.2	5	0.6	00.0-01.2	5	1.0	00.0-02.4	1	0.2	00.0-00.6	28	6.2	03.3-09.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 19: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4252	718,168	310	8.4	07.2-09.6	3690	84.3	82.7-85.9	252	7.4	06.2-08.6
Male	1728	341,631	103	7.6	05.6-09.6	1496	82.9	80.2-85.6	129	9.5	07.3-11.7
Female	2524	376,537	207	9.1	07.5-10.7	2194	85.5	83.5-87.5	123	5.4	04.0-06.8
White/Non-Hisp	2870	467,045	186	8.0	06.6-09.4	2539	85.7	83.7-87.7	145	6.3	04.9-07.7
Black or Afr. Am./Non-Hisp	603	142,854	54	9.1	06.0-12.2	520	85.7	81.8-89.6	29	5.2	02.8-07.6
Oth. Race/Non-Hisp.	117	27,410	14	7.7	02.2-13.2	97	83.3	74.1-92.5	6	8.9	01.1-16.7
MultiRacial/Non-Hisp.	324	10,318	21	7.4	02.9-11.9	292	89.8	84.9-94.7	11	2.8	00.8-04.8
Hispanic	248	55,824	28	10.2	06.1-14.3	165	67.9	60.8-75.0	55	21.9	15.6-28.2
18-24	171	89,632	16	6.1	02.8-09.4	136	82.1	75.4-88.8	19	11.8	05.7-17.9
25-34	355	116,970	34	10.7	06.6-14.8	284	80.1	75.0-85.2	37	9.2	05.9-12.5
35-44	416	107,540	46	11.3	07.8-14.8	325	78.6	74.1-83.1	45	10.0	06.9-13.1
45-54	717	125,458	74	9.8	07.1-12.5	592	82.1	78.4-85.8	51	8.1	05.4-10.8
55-64	976	120,180	72	7.9	05.5-10.3	851	87.3	84.6-90.0	53	4.8	03.2-06.4
65+	1552	151,135	65	5.2	03.2-07.2	1443	91.9	89.7-94.1	44	2.9	01.9-03.9
Less Than H.S.	412	96,538	41	12.1	07.8-16.4	327	76.7	71.2-82.2	44	11.3	07.4-15.2
H.S. or G.E.D.	1266	226,030	99	7.8	05.8-09.8	1094	84.6	81.7-87.5	73	7.6	05.2-10.0
Some Post-H.S.	1028	208,373	105	10.5	08.0-13.0	871	83.2	79.9-86.5	52	6.3	03.9-08.7
College Graduate	1524	184,844	63	4.5	03.1-05.9	1380	89.4	87.2-91.6	81	6.2	04.4-08.0
Less than \$15,000	366	58,703	50	15.8	10.3-21.3	295	77.2	70.9-83.5	21	7.0	03.3-10.7
\$15,000- 24,999	658	110,287	86	13.6	10.1-17.1	520	76.5	72.0-81.0	52	10.0	06.7-13.3
\$25,000- 34,999	370	57,727	43	15.2	09.5-20.9	310	77.4	70.9-83.9	17	7.4	03.3-11.5
\$35,000- 49,999	504	85,690	31	6.8	03.9-09.7	443	88.4	84.9-91.9	30	4.9	02.7-07.1
\$50,000- 74,999	558	87,565	32	6.7	04.0-09.4	496	88.3	85.0-91.6	30	5.0	02.8-07.2
\$75,000+	1080	202,468	28	3.7	01.9-05.5	999	89.4	86.5-92.3	53	6.9	04.5-09.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 20: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1728	341,631	103	7.6	05.6-09.6	1496	82.9	80.2-85.6	129	9.5	07.3-11.7
White/Non-Hisp	1179	219,303	64	6.9	04.7-09.1	1043	84.3	81.2-87.4	72	8.7	06.2-11.2
Black or Afr. Am./Non-Hisp	207	65,276	15	9.5	04.0-15.0	180	85.5	79.0-92.0	12	5.0	01.5-08.5
Oth. Race/Non-Hisp.	50	12,932	4	7.9	00.0-17.5	41	75.9	58.7-93.1	5	16.2	00.7-31.7
MultiRacial/Non-Hisp.	126	4,365	7	5.9	00.0-13.0	113	91.5	84.1-98.9	6	2.7	00.2-05.2
Hispanic	118	30,064	10	7.8	02.5-13.1	78	68.6	58.6-78.6	30	23.6	14.4-32.8
18-24	74	44,835	7	6.4	01.5-11.3	53	74.5	63.3-85.7	14	19.1	08.5-29.7
25-34	133	58,229	11	9.5	03.4-15.6	105	80.4	72.8-88.0	17	10.2	05.1-15.3
35-44	177	52,340	14	8.7	03.6-13.8	137	78.7	71.6-85.8	26	12.6	07.3-17.9
45-54	302	60,580	31	9.8	05.5-14.1	242	79.3	73.2-85.4	29	10.9	06.0-15.8
55-64	398	56,385	21	7.1	03.4-10.8	353	88.3	84.0-92.6	24	4.7	02.5-06.9
65+	627	66,964	19	4.6	01.1-08.1	590	92.3	88.6-96.0	18	3.1	01.3-04.9
Less Than H.S.	188	54,468	21	11.9	06.2-17.6	142	75.9	68.3-83.5	25	12.1	06.4-17.8
H.S. or G.E.D.	508	111,311	37	7.6	04.3-10.9	431	81.3	76.4-86.2	40	11.1	07.0-15.2
Some Post-H.S.	393	93,578	24	7.9	04.0-11.8	344	84.0	78.3-89.7	25	8.1	03.8-12.4
College Graduate	631	80,650	20	3.6	01.4-05.8	572	89.1	85.6-92.6	39	7.3	04.6-10.0
Less than \$15,000	128	26,891	15	14.6	05.6-23.6	101	76.7	66.3-87.1	12	8.7	02.8-14.6
\$15,000- 24,999	253	48,621	26	12.3	06.8-17.8	197	72.2	64.4-80.0	30	15.5	09.0-22.0
\$25,000- 34,999	118	21,711	10	12.0	02.0-22.0	99	74.4	62.2-86.6	9	13.6	04.2-23.0
\$35,000- 49,999	238	46,273	17	7.5	03.0-12.0	201	85.3	79.6-91.0	20	7.2	03.5-10.9
\$50,000- 74,999	232	38,164	12	5.1	01.8-08.4	205	88.3	83.2-93.4	15	6.6	02.7-10.5
\$75,000+	521	111,148	10	3.9	01.2-06.6	483	87.7	83.0-92.4	28	8.4	04.5-12.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 21: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2524	376,537	207	9.1	07.5-10.7	2194	85.5	83.5-87.5	123	5.4	04.0-06.8
White/Non-Hisp	1691	247,742	122	8.9	06.9-10.9	1496	86.9	84.5-89.3	73	4.2	02.8-05.6
Black or Afr. Am./Non-Hisp	396	77,578	39	8.7	05.2-12.2	340	85.9	81.2-90.6	17	5.4	02.1-08.7
Oth. Race/Non-Hisp.	67	14,478	10	7.6	01.9-13.3	56	89.9	82.5-97.3	1	2.5	00.0-07.4
MultiRacial/Non-Hisp.	198	5,953	14	8.5	02.6-14.4	179	88.6	82.1-95.1	5	2.9	00.0-05.8
Hispanic	130	25,760	18	13.1	06.4-19.8	87	67.0	57.4-76.6	25	19.9	11.7-28.1
18-24	97	44,798	9	5.7	01.2-10.2	83	89.7	82.6-96.8	5	4.6	00.0-10.3
25-34	222	58,741	23	12.0	06.5-17.5	179	79.7	73.2-86.2	20	8.3	04.2-12.4
35-44	239	55,200	32	13.9	08.8-19.0	188	78.6	72.5-84.7	19	7.5	03.6-11.4
45-54	415	64,878	43	9.8	06.3-13.3	350	84.7	80.4-89.0	22	5.5	02.6-08.4
55-64	578	63,795	51	8.7	06.0-11.4	498	86.4	83.1-89.7	29	4.9	02.7-07.1
65+	925	84,171	46	5.7	03.7-07.7	853	91.6	89.2-94.0	26	2.7	01.5-03.9
Less Than H.S.	224	42,070	20	12.3	06.0-18.6	185	77.6	70.2-85.0	19	10.1	05.2-15.0
H.S. or G.E.D.	758	114,719	62	8.0	05.6-10.4	663	87.7	84.6-90.8	33	4.3	02.3-06.3
Some Post-H.S.	635	114,796	81	12.6	09.3-15.9	527	82.5	78.4-86.6	27	4.9	02.2-07.6
College Graduate	893	104,194	43	5.1	03.1-07.1	808	89.5	86.8-92.2	42	5.3	03.1-07.5
Less than \$15,000	238	31,812	35	16.8	10.1-23.5	194	77.6	69.8-85.4	9	5.6	00.9-10.3
\$15,000- 24,999	405	61,666	60	14.5	10.0-19.0	323	79.8	74.7-84.9	22	5.6	02.9-08.3
\$25,000- 34,999	252	36,016	33	17.1	10.0-24.2	211	79.2	71.9-86.5	8	3.7	01.0-06.4
\$35,000- 49,999	266	39,418	14	5.9	02.2-09.6	242	92.0	87.9-96.1	10	2.2	00.6-03.8
\$50,000- 74,999	326	49,402	20	7.9	03.8-12.0	291	88.3	83.8-92.8	15	3.8	01.6-06.0
\$75,000+	559	91,320	18	3.4	01.4-05.4	516	91.6	88.5-94.7	25	5.1	02.6-07.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 22: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4215	712,358	2932	65.8	63.6-68.0	1090	29.0	26.8-31.2	125	3.3	02.3-04.3	68	1.8	01.2-02.4
Male	1711	338,291	1149	62.8	59.3-66.3	455	29.9	26.6-33.2	61	4.2	02.4-06.0	46	3.1	01.9-04.3
Female	2504	374,067	1783	68.6	65.9-71.3	635	28.2	25.7-30.7	64	2.5	01.7-03.3	22	0.7	00.3-01.1
White/Non-Hisp	2854	464,401	2075	70.1	67.7-72.5	656	25.4	23.0-27.8	84	3.1	02.1-04.1	39	1.4	00.8-02.0
Black or Afr. Am./Non-Hisp	598	141,760	369	55.9	50.0-61.8	206	40.5	34.6-46.4	18	2.7	00.3-05.1	5	0.9	00.0-01.9
Oth. Race/Non-Hisp.	113	26,891	70	55.3	41.8-68.8	40	34.6	22.6-46.6	3	10.0	00.0-22.2			
MultiRacial/Non-Hisp.	321	10,268	227	65.6	58.2-73.0	81	27.8	21.3-34.3	11	4.3	00.8-07.8	2	2.4	00.0-06.7
Hispanic	244	54,804	145	64.4	57.3-71.5	72	24.5	18.4-30.6	7	2.1	00.3-03.9	20	9.0	04.5-13.5
18-24	168	88,593	114	67.0	58.4-75.6	47	28.9	20.5-37.3	6	3.8	00.3-07.3	1	0.3	00.0-00.9
25-34	354	116,060	193	52.9	46.2-59.6	130	37.6	31.1-44.1	14	4.8	01.5-08.1	17	4.7	02.3-07.1
35-44	414	107,207	246	58.4	52.5-64.3	141	34.5	28.8-40.2	13	4.1	01.0-07.2	14	3.1	01.3-04.9
45-54	711	124,228	455	64.9	60.2-69.6	206	29.1	24.6-33.6	39	4.6	02.8-06.4	11	1.3	00.3-02.3
55-64	976	120,268	701	72.1	68.6-75.6	229	24.0	20.5-27.5	28	2.3	01.3-03.3	18	1.6	00.6-02.6
65+	1532	149,099	1187	76.9	74.2-79.6	314	21.6	18.9-24.3	24	1.1	00.5-01.7	7	0.4	00.0-00.8
Less Than H.S.	404	94,642	249	57.1	50.2-64.0	123	35.3	28.4-42.2	14	3.5	00.6-06.4	18	4.1	01.9-06.3
H.S. or G.E.D.	1255	225,536	856	64.5	60.6-68.4	335	29.5	25.6-33.4	47	4.1	02.3-05.9	17	2.0	01.0-03.0
Some Post-H.S.	1019	206,252	674	65.4	61.1-69.7	297	30.0	25.9-34.1	35	3.5	01.7-05.3	13	1.0	00.2-01.8
College Graduate	1515	183,544	1137	72.3	69.2-75.4	329	24.2	21.3-27.1	29	2.0	01.0-03.0	20	1.5	00.7-02.3
Less than \$15,000	360	58,194	218	60.7	52.7-68.7	104	28.4	20.8-36.0	26	7.0	02.7-11.3	12	3.9	01.2-06.6
\$15,000- 24,999	651	108,835	413	59.7	54.2-65.2	202	33.6	28.3-38.9	21	3.4	01.2-05.6	15	3.3	01.3-05.3
\$25,000- 34,999	367	57,172	245	63.7	56.8-70.6	103	32.1	25.2-39.0	13	2.3	00.7-03.9	6	2.0	00.2-03.8
\$35,000- 49,999	501	85,191	346	63.1	56.8-69.4	131	30.6	24.7-36.5	15	4.7	00.8-08.6	9	1.6	00.4-02.8
\$50,000- 74,999	557	87,873	407	71.2	66.1-76.3	121	23.3	18.6-28.0	18	3.7	01.7-05.7	11	1.8	00.6-03.0
\$75,000+	1078	200,993	819	69.6	65.1-74.1	235	27.3	23.0-31.6	18	2.4	00.6-04.2	6	0.7	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 23: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1711	338,291	1149	62.8	59.3-66.3	455	29.9	26.6-33.2	61	4.2	02.4-06.0	46	3.1	01.9-04.3
White/Non-Hisp	1173	217,665	825	67.0	62.9-71.1	283	27.3	23.4-31.2	41	3.6	02.2-05.0	24	2.1	01.1-03.1
Black or Afr. Am./Non-Hisp	205	64,484	131	54.2	44.6-63.8	65	40.8	31.2-50.4	6	3.3	00.0-08.0	3	1.7	00.0-03.7
MultiRacial/Non-Hisp.	123	4,315	73	51.8	37.9-65.7	42	34.9	22.9-46.9	7	7.8	00.0-15.8	1	5.4	00.0-15.6
Hispanic	117	29,801	67	60.1	49.5-70.7	30	23.1	14.5-31.7	3	2.4	00.0-05.3	17	14.4	06.8-22.0
18-24	72	44,083	48	68.3	56.1-80.5	21	28.1	16.3-39.9	2	3.1	00.0-07.8	1	0.5	00.0-01.5
25-34	132	57,093	63	45.5	35.1-55.9	47	39.1	28.7-49.5	9	7.3	01.0-13.6	13	8.1	03.4-12.8
35-44	177	52,505	95	51.0	41.8-60.2	67	38.5	29.3-47.7	7	6.4	00.1-12.7	8	4.1	00.8-07.4
45-54	298	59,861	185	64.7	57.1-72.3	84	27.8	20.4-35.2	19	4.9	02.4-07.4	10	2.6	00.6-04.6
55-64	399	56,552	278	70.1	64.2-76.0	98	24.3	18.6-30.0	13	3.1	01.3-04.9	10	2.5	00.7-04.3
65+	617	65,982	472	76.5	72.0-81.0	130	22.1	17.6-26.6	11	0.8	00.2-01.4	4	0.6	00.0-01.2
Less Than H.S.	184	53,881	105	54.7	44.7-64.7	59	36.4	26.6-46.2	7	3.1	00.0-07.0	13	5.7	02.2-09.2
H.S. or G.E.D.	503	110,924	328	61.1	54.8-67.4	133	29.2	23.3-35.1	26	5.8	02.5-09.1	16	3.9	01.7-06.1
Some Post-H.S.	388	91,624	254	64.1	56.8-71.4	113	29.7	22.8-36.6	15	4.8	01.1-08.5	6	1.4	00.0-03.2
College Graduate	628	80,238	457	69.1	64.0-74.2	147	26.8	21.9-31.7	13	2.0	00.4-03.6	11	2.1	00.5-03.7
Less than \$15,000	125	26,481	71	55.2	41.5-68.9	31	25.9	12.8-39.0	14	11.9	02.9-20.9	9	7.0	01.3-12.7
\$15,000- 24,999	248	47,651	148	56.4	47.6-65.2	79	34.6	26.2-43.0	8	1.8	00.2-03.4	13	7.2	02.7-11.7
\$25,000- 34,999	116	21,138	75	60.0	47.3-72.7	33	33.0	20.5-45.5	4	3.0	00.0-06.3	4	3.9	00.0-08.4
\$35,000- 49,999	236	46,006	157	60.1	50.7-69.5	61	30.2	21.4-39.0	12	7.9	01.0-14.8	6	1.9	00.3-03.5
\$50,000- 74,999	233	38,617	165	72.0	64.4-79.6	51	20.0	13.1-26.9	11	5.0	01.7-08.3	6	2.9	00.4-05.4
\$75,000+	520	109,990	374	62.6	55.9-69.3	134	33.1	26.6-39.6	8	3.1	00.0-06.4	4	1.1	00.0-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 24: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2504	374,067	1783	68.6	66.1-71.1	635	28.2	25.7-30.7	64	2.5	01.7-03.3	22	0.7	00.3-01.1
White/Non-Hisp	1681	246,736	1250	72.9	70.0-75.8	373	23.7	21.0-26.4	43	2.6	01.4-03.8	15	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	393	77,276	238	57.4	50.1-64.7	141	40.2	32.9-47.5	12	2.1	00.5-03.7	2	0.3	00.0-00.7
Oth. Race/Non-Hisp.	65	14,181	40	52.7	35.8-69.6	24	43.1	26.2-60.0	1	4.2	00.0-12.2			
MultiRacial/Non-Hisp.	198	5,953	154	75.5	67.9-83.1	39	22.6	15.2-30.0	4	1.7	00.0-03.5	1	0.2	00.0-00.6
Hispanic	127	25,003	78	69.6	60.6-78.6	42	26.1	17.5-34.7	4	1.8	00.0-03.8	3	2.5	00.0-05.2
18-24	96	44,510	66	65.8	53.5-78.1	26	29.7	17.5-41.9	4	4.5	00.0-09.4			
25-34	222	58,967	130	60.1	52.5-67.7	83	36.1	28.5-43.7	5	2.3	00.1-04.5	4	1.4	00.0-02.8
35-44	237	54,702	151	65.5	58.4-72.6	74	30.6	23.7-37.5	6	1.8	00.2-03.4	6	2.1	00.3-03.9
45-54	413	64,366	270	65.2	59.5-70.9	122	30.3	24.8-35.8	20	4.4	02.0-06.8	1	0.2	00.0-00.6
55-64	577	63,716	423	73.9	69.6-78.2	131	23.8	19.5-28.1	15	1.6	00.6-02.6	8	0.8	00.2-01.4
65+	915	83,117	715	77.3	73.8-80.8	184	21.1	17.6-24.6	13	1.3	00.3-02.3	3	0.3	00.0-00.7
Less Than H.S.	220	40,762	144	60.3	51.3-69.3	64	33.7	24.9-42.5	7	4.0	00.0-08.7	5	1.9	00.1-03.7
H.S. or G.E.D.	752	114,613	528	67.8	62.7-72.9	202	29.7	24.8-34.6	21	2.4	01.2-03.6	1	0.1	00.0-00.3
Some Post-H.S.	631	114,628	420	66.5	61.4-71.6	184	30.3	25.2-35.4	20	2.6	01.2-04.0	7	0.7	00.1-01.3
College Graduate	887	103,306	680	74.8	70.9-78.7	182	22.1	18.4-25.8	16	2.0	00.6-03.4	9	1.1	00.3-01.9
Less than \$15,000	235	31,713	147	65.3	56.3-74.3	73	30.6	21.8-39.4	12	2.9	00.7-05.1	3	1.3	00.0-02.9
\$15,000- 24,999	403	61,184	265	62.2	55.1-69.3	123	32.9	26.0-39.8	13	4.7	01.2-08.2	2	0.3	00.0-00.7
\$25,000- 34,999	251	36,035	170	65.8	57.8-73.8	70	31.5	23.7-39.3	9	1.8	00.4-03.2	2	0.9	00.0-02.1
\$35,000- 49,999	265	39,185	189	66.6	59.0-74.2	70	31.1	23.5-38.7	3	1.1	00.0-02.7	3	1.2	00.0-02.8
\$50,000- 74,999	324	49,256	242	70.6	63.9-77.3	70	25.8	19.3-32.3	7	2.7	00.3-05.1	5	0.9	00.0-01.9
\$75,000+	558	91,003	445	78.0	72.7-83.3	101	20.2	15.1-25.3	10	1.6	00.4-02.8	2	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 25: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4227	711,437	701	19.4	17.6-21.2	3526	80.6	78.8-82.4
Male	1716	338,080	262	17.2	14.5-19.9	1454	82.8	80.1-85.5
Female	2511	373,357	439	21.5	19.1-23.9	2072	78.5	76.1-80.9
White/Non-Hisp	2860	462,594	394	17.0	14.8-19.2	2466	83.0	80.8-85.2
Black or Afr. Am./Non-Hisp	597	142,297	166	28.6	23.3-33.9	431	71.4	66.1-76.7
Oth. Race/Non-Hisp.	114	26,289	20	9.7	04.4-15.0	94	90.3	85.0-95.6
MultiRacial/Non-Hisp.	322	10,290	50	20.0	13.1-26.9	272	80.0	73.1-86.9
Hispanic	245	55,333	55	20.8	14.7-26.9	190	79.2	73.1-85.3
18-24	162	84,316	26	14.7	08.2-21.2	136	85.3	78.8-91.8
25-34	355	117,239	75	23.5	17.8-29.2	280	76.5	70.8-82.2
35-44	415	107,551	104	24.5	19.4-29.6	311	75.5	70.4-80.6
45-54	710	124,518	151	22.0	17.7-26.3	559	78.0	73.7-82.3
55-64	974	120,097	179	19.6	16.3-22.9	795	80.4	77.1-83.7
65+	1548	150,836	154	12.6	10.1-15.1	1394	87.4	84.9-89.9
Less Than H.S.	407	95,739	93	24.3	18.2-30.4	314	75.7	69.6-81.8
H.S. or G.E.D.	1261	224,842	224	18.2	15.3-21.1	1037	81.8	78.9-84.7
Some Post-H.S.	1016	203,605	191	22.1	18.2-26.0	825	77.9	74.0-81.8
College Graduate	1521	184,868	188	15.4	12.9-17.9	1333	84.6	82.1-87.1
Less than \$15,000	362	57,683	79	22.6	15.2-30.0	283	77.4	70.0-84.8
\$15,000- 24,999	656	109,867	145	24.2	19.5-28.9	511	75.8	71.1-80.5
\$25,000- 34,999	369	57,678	81	21.8	16.3-27.3	288	78.2	72.7-83.7
\$35,000- 49,999	502	85,161	100	23.3	18.0-28.6	402	76.7	71.4-82.0
\$50,000- 74,999	556	87,514	87	19.5	14.8-24.2	469	80.5	75.8-85.2
\$75,000+	1078	201,379	119	15.2	11.7-18.7	959	84.8	81.3-88.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 26: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1716	338,080	262	17.2	14.5-19.9	1454	82.8	80.1-85.5
White/Non-Hisp	1175	217,479	156	15.3	12.2-18.4	1019	84.7	81.6-87.8
Black or Afr. Am./Non-Hisp	206	65,100	51	27.1	18.3-35.9	155	72.9	64.1-81.7
MultiRacial/Non-Hisp.	125	4,357	22	16.9	06.9-26.9	103	83.1	73.1-93.1
Hispanic	116	29,725	18	14.6	07.3-21.9	98	85.4	78.1-92.7
18-24	69	42,000	8	12.7	03.3-22.1	61	87.3	77.9-96.7
25-34	133	58,229	22	19.1	10.5-27.7	111	80.9	72.3-89.5
35-44	176	52,351	36	19.8	12.4-27.2	140	80.2	72.8-87.6
45-54	299	60,148	63	21.3	14.0-28.6	236	78.7	71.4-86.0
55-64	398	56,362	69	16.6	11.7-21.5	329	83.4	78.5-88.3
65+	625	66,775	61	12.6	08.7-16.5	564	87.4	83.5-91.3
Less Than H.S.	185	53,970	44	23.7	14.9-32.5	141	76.3	67.5-85.1
H.S. or G.E.D.	505	110,366	84	15.6	11.3-19.9	421	84.4	80.1-88.7
Some Post-H.S.	388	91,332	62	19.0	12.5-25.5	326	81.0	74.5-87.5
College Graduate	630	80,788	70	12.6	08.7-16.5	560	87.4	83.5-91.3
Less than \$15,000	127	26,468	27	15.5	03.9-27.1	100	84.5	72.9-96.1
\$15,000- 24,999	253	48,209	51	21.1	14.4-27.8	202	78.9	72.2-85.6
\$25,000- 34,999	117	21,649	21	16.3	08.3-24.3	96	83.7	75.7-91.7
\$35,000- 49,999	237	46,032	45	21.5	14.1-28.9	192	78.5	71.1-85.9
\$50,000- 74,999	231	38,131	37	19.6	11.8-27.4	194	80.4	72.6-88.2
\$75,000+	520	110,154	47	13.6	08.1-19.1	473	86.4	80.9-91.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 27: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2511	373,357	439	21.5	19.1-23.9	2072	78.5	76.1-80.9
White/Non-Hisp	1685	245,115	238	18.5	15.8-21.2	1447	81.5	78.8-84.2
Black or Afr. Am./Non-Hisp	391	77,197	115	29.9	23.6-36.2	276	70.1	63.8-76.4
Oth. Race/Non-Hisp.	67	14,478	13	12.0	03.8-20.2	54	88.0	79.8-96.2
MultiRacial/Non-Hisp.	197	5,934	28	22.2	13.0-31.4	169	77.8	68.6-87.0
Hispanic	129	25,607	37	27.9	18.1-37.7	92	72.1	62.3-81.9
18-24	93	42,316	18	16.6	07.6-25.6	75	83.4	74.4-92.4
25-34	222	59,010	53	27.8	20.5-35.1	169	72.2	64.9-79.5
35-44	239	55,200	68	28.9	22.0-35.8	171	71.1	64.2-78.0
45-54	411	64,371	88	22.7	17.6-27.8	323	77.3	72.2-82.4
55-64	576	63,735	110	22.1	17.6-26.6	466	77.9	73.4-82.4
65+	923	84,061	93	12.7	09.4-16.0	830	87.3	84.0-90.6
Less Than H.S.	222	41,769	49	25.1	16.7-33.5	173	74.9	66.5-83.3
H.S. or G.E.D.	756	114,477	140	20.8	16.7-24.9	616	79.2	75.1-83.3
Some Post-H.S.	628	112,272	129	24.7	19.8-29.6	499	75.3	70.4-80.2
College Graduate	891	104,080	118	17.5	14.2-20.8	773	82.5	79.2-85.8
Less than \$15,000	235	31,216	52	28.6	19.0-38.2	183	71.4	61.8-81.0
\$15,000- 24,999	403	61,659	94	26.7	20.4-33.0	309	73.3	67.0-79.6
\$25,000- 34,999	252	36,029	60	25.1	17.8-32.4	192	74.9	67.6-82.2
\$35,000- 49,999	265	39,129	55	25.4	18.1-32.7	210	74.6	67.3-81.9
\$50,000- 74,999	325	49,383	50	19.4	13.7-25.1	275	80.6	74.9-86.3
\$75,000+	558	91,225	72	17.2	12.7-21.7	486	82.8	78.3-87.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014

MODULE 11: ADULT HUMAN PAPILOMA VIRUS (HPV) CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)	
1	MALES AND FEMALES	71
2	MALES ONLY	72
3	FEMALES ONLY	73
	HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)	
4	MALES AND FEMALES	74
5	MALES ONLY	75
6	FEMALES ONLY	76

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 1: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Doctor refused when asked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1143	332,423	160	18.3	15.2-21.4	981	81.6	78.5-84.7	2	0.0	00.0-00.0
Male	451	159,180	17	5.5	02.8-08.2	434	94.5	91.8-97.2			
Female	692	173,242	143	30.1	25.0-35.2	547	69.9	64.8-75.0	2	0.1	00.1-00.1
White/Non-Hisp	621	185,738	82	16.8	12.9-20.7	537	83.1	79.2-87.0	2	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	214	78,430	48	25.1	16.9-33.3	166	74.9	66.7-83.1			
Oth. Race/Non-Hisp.	64	18,593	9	22.6	07.3-37.9	55	77.4	62.1-92.7			
MultiRacial/Non-Hisp.	64	3,433	4	5.9	00.0-11.8	60	94.1	88.2-0100			
Hispanic	147	38,102	15	13.3	05.7-20.9	132	86.7	79.1-94.3			
18-24	145	76,711	66	44.6	34.8-54.4	79	55.4	45.6-65.2			
25-34	313	103,878	75	22.0	16.5-27.5	238	78.0	72.5-83.5			
35-44	382	99,987	11	3.0	00.8-05.2	370	97.0	94.8-99.2	1	0.1	00.0-00.3
45-54	251	45,827	7	1.7	00.1-03.3	243	98.1	96.5-99.7	1	0.1	00.0-00.3
Less Than H.S.	114	40,975	7	6.4	01.3-11.5	107	93.6	88.5-98.7			
H.S. or G.E.D.	330	106,915	54	20.0	13.7-26.3	276	80.0	73.7-86.3			
Some Post-H.S.	271	99,103	54	24.8	17.7-31.9	217	75.2	68.1-82.3			
College Graduate	421	84,214	45	14.6	09.9-19.3	374	85.2	80.5-89.9	2	0.1	00.0-00.3
Less than \$15,000	100	28,034	19	20.6	09.6-31.6	81	79.4	68.4-90.4			
\$15,000- 24,999	180	51,400	32	24.8	15.8-33.8	148	75.2	66.2-84.2			
\$25,000- 34,999	103	27,710	18	14.7	07.3-22.1	84	85.1	77.7-92.5	1	0.2	00.0-00.6
\$35,000- 49,999	114	35,465	16	18.7	09.5-27.9	98	81.3	72.1-90.5			
\$50,000- 74,999	140	38,325	20	15.0	07.9-22.1	119	84.9	77.8-92.0	1	0.1	00.0-00.3
\$75,000+	349	105,806	23	11.9	06.0-17.8	326	88.1	82.2-94.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 2: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	451	159,180	17	5.5	02.8-08.2	434	94.5	91.8-97.2
White/Non-Hisp	251	91,188	9	4.8	01.5-08.1	242	95.2	91.9-98.5
Black or Afr. Am./Non-Hisp	55	31,021	5	10.2	00.8-19.6	50	89.8	80.4-99.2
Hispanic	67	19,818	2	2.8	00.0-06.9	65	97.2	93.1-0100
18-24	55	34,527	10	16.2	06.0-26.4	45	83.8	73.6-94.0
25-34	112	50,153	6	6.0	00.7-11.3	106	94.0	88.7-99.3
35-44	168	50,637	1	0.5	00.0-01.5	167	99.5	98.5-0100
45-54	103	21,903				103	100.0	0100-0100
Less Than H.S.	56	22,975	1	1.5	00.0-04.4	55	98.5	95.6-0100
H.S. or G.E.D.	150	57,524	7	5.7	00.8-10.6	143	94.3	89.4-99.2
Some Post-H.S.	89	42,422	5	7.6	00.9-14.3	84	92.4	85.7-99.1
College Graduate	153	35,324	4	5.6	00.1-11.1	149	94.4	88.9-99.9
\$15,000- 24,999	65	19,894	3	9.0	00.0-18.8	62	91.0	81.2-0100
\$35,000- 49,999	52	19,612	3	9.9	00.0-21.3	49	90.1	78.7-0100
\$50,000- 74,999	58	18,216	3	5.7	00.0-12.4	55	94.3	87.6-0100
\$75,000+	164	60,045	1	1.9	00.0-05.6	163	98.1	94.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 3: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Doctor refused when asked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	692	173,242	143	30.1	25.0-35.2	547	69.9	64.8-75.0	2	0.1	00.1-00.1
White/Non-Hisp	370	94,550	73	28.4	21.9-34.9	295	71.5	65.0-78.0	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	159	47,409	43	34.8	23.8-45.8	116	65.2	54.2-76.2			
Hispanic	80	18,284	13	24.7	11.0-38.4	67	75.3	61.6-89.0			
18-24	90	42,184	56	67.8	56.0-79.6	34	32.2	20.4-44.0			
25-34	201	53,724	69	37.0	29.0-45.0	132	63.0	55.0-71.0			
35-44	214	49,350	10	5.5	01.4-09.6	203	94.4	90.3-98.5	1	0.1	00.0-00.3
45-54	148	23,924	7	3.4	00.3-06.5	140	96.4	93.3-99.5	1	0.2	00.0-00.6
Less Than H.S.	58	18,000	6	12.6	02.0-23.2	52	87.4	76.8-98.0			
H.S. or G.E.D.	180	49,391	47	36.7	26.3-47.1	133	63.3	52.9-73.7			
Some Post-H.S.	182	56,681	49	37.7	28.1-47.3	133	62.3	52.7-71.9			
College Graduate	268	48,890	41	21.2	14.3-28.1	225	78.6	71.7-85.5	2	0.2	00.0-00.6
Less than \$15,000	67	14,907	16	31.2	14.9-47.5	51	68.8	52.5-85.1			
\$15,000- 24,999	115	31,506	29	34.8	22.6-47.0	86	65.2	53.0-77.4			
\$25,000- 34,999	76	18,021	17	21.0	10.4-31.6	58	78.7	68.1-89.3	1	0.3	00.0-00.9
\$35,000- 49,999	62	15,853	13	29.6	15.5-43.7	49	70.4	56.3-84.5			
\$50,000- 74,999	82	20,109	17	23.4	12.0-34.8	64	76.3	64.9-87.7	1	0.3	00.0-00.9
\$75,000+	185	45,761	22	25.1	14.1-36.1	163	74.9	63.9-85.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV)
 TABLE 4: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	138	53,559	26	22.0	13.2-30.8	21	14.7	07.6-21.8	91	63.3	53.1-73.5
Female	125	47,389	21	19.1	09.9-28.3	19	15.5	07.7-23.3	85	65.3	54.5-76.1
White/Non-Hisp	72	28,482	9	11.8	04.5-19.1	10	12.2	04.0-20.4	53	76.0	65.4-86.6
18-24	60	31,103	10	22.1	08.8-35.4	6	10.5	00.9-20.1	44	67.4	52.5-82.3
25-34	68	20,872	10	18.8	07.8-29.8	13	21.1	09.9-32.3	45	60.1	46.4-73.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV)
TABLE 5: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)**
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 6: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	125	47,389	21	19.1	09.9-28.3	19	15.5	07.7-23.3	85	65.3	54.5-76.1
White/Non-Hisp	65	25,354	7	8.9	03.2-14.6	9	12.3	03.3-21.3	49	78.8	68.4-89.2
18-24	52	26,999	5	15.5	01.6-29.4	5	10.8	00.0-21.6	42	73.7	57.8-89.6
25-34	63	18,806	10	20.9	08.9-32.9	12	22.6	10.4-34.8	41	56.5	42.0-71.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014

MODULE 16: SEXUAL ORIENTATION AND GENDER INDENTITY CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)	
1 MALES AND FEMALES	78
2 MALES ONLY	79
3 FEMALES ONLY	80
DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)	
4 MALES AND FEMALES	81
5 MALES ONLY	82
6 FEMALES ONLY	83

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 16: SEXUAL ORIENTATION AND GENDER IDENTITY
 TABLE 1: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3942	669,650	3803	96.1	95.1-97.1	73	1.8	01.2-02.4	55	1.9	01.1-02.7	11	0.2	00.0-00.4
Male	1605	318,054	1547	96.4	95.2-97.6	43	2.3	01.3-03.3	13	1.2	00.4-02.0	2	0.1	00.0-00.3
Female	2337	351,596	2256	95.7	94.3-97.1	30	1.3	00.5-02.1	42	2.6	01.4-03.8	9	0.3	00.1-00.5
White/Non-Hisp	2701	442,881	2606	95.9	94.9-96.9	54	2.1	01.3-02.9	35	1.8	01.0-02.6	6	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	561	133,763	543	96.7	94.5-98.9	9	1.2	00.2-02.2	8	2.0	00.0-04.0	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	104	24,420	98	93.7	86.3-0100	1	0.3	00.0-00.9	5	6.0	00.0-13.4			
MultiRacial/Non-Hisp.	301	9,797	291	96.6	93.7-99.5	6	1.6	00.0-03.6	3	1.6	00.0-03.8	1	0.1	00.0-00.3
Hispanic	209	47,162	202	95.9	92.6-99.2	3	2.2	00.0-04.7	1	0.9	00.0-02.7	3	1.1	00.0-02.5
18-24	152	80,953	139	91.1	85.8-96.4	3	1.8	00.0-04.2	10	7.0	02.3-11.7			
25-34	325	108,267	308	96.0	93.8-98.2	5	1.5	00.1-02.9	12	2.5	00.9-04.1			
35-44	390	102,812	371	95.3	92.9-97.7	11	3.0	01.0-05.0	7	1.6	00.2-03.0	1	0.1	00.0-00.3
45-54	665	116,138	635	96.2	94.6-97.8	20	2.3	01.1-03.5	6	0.7	00.0-01.5	4	0.7	00.0-01.5
55-64	922	114,648	891	96.9	95.7-98.1	19	1.8	00.8-02.8	12	1.3	00.5-02.1			
65+	1440	141,180	1411	98.5	97.9-99.1	15	0.9	00.5-01.3	8	0.4	00.0-00.8	6	0.3	00.1-00.5
Less Than H.S.	350	83,913	336	95.5	92.6-98.4	4	2.2	00.0-04.7	6	1.5	00.0-03.1	4	0.8	00.0-01.6
H.S. or G.E.D.	1180	212,985	1149	96.6	94.8-98.4	10	1.0	00.2-01.8	18	2.3	00.7-03.9	3	0.1	00.0-00.3
Some Post-H.S.	965	197,611	926	95.8	94.0-97.6	18	1.5	00.7-02.3	17	2.5	00.9-04.1	4	0.2	00.0-00.6
College Graduate	1436	173,686	1381	95.9	94.5-97.3	41	3.0	01.8-04.2	14	1.0	00.4-01.6			
Less than \$15,000	314	53,265	302	95.5	92.2-98.8	4	1.6	00.0-03.6	6	2.2	00.0-04.6	2	0.7	00.0-01.9
\$15,000- 24,999	603	101,068	583	95.0	92.1-97.9	9	2.0	00.0-04.0	8	2.8	00.6-05.0	3	0.2	00.0-00.4
\$25,000- 34,999	348	53,893	326	92.3	87.4-97.2	12	3.3	01.1-05.5	10	4.4	00.0-08.9			
\$35,000- 49,999	477	80,019	456	96.3	94.3-98.3	13	2.6	00.8-04.4	8	1.1	00.3-01.9			
\$50,000- 74,999	535	83,854	518	97.6	96.2-99.0	9	1.4	00.4-02.4	7	0.8	00.0-01.6	1	0.1	00.0-00.3
\$75,000+	1053	198,868	1027	97.3	95.9-98.7	20	1.6	00.6-02.6	4	0.9	00.0-01.9	2	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 16: SEXUAL ORIENTATION AND GENDER IDENTITY
 TABLE 2: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1605	318,054	1547	96.4	95.2-97.6	43	2.3	01.3-03.3	13	1.2	00.4-02.0	2	0.1	00.0-00.3
White/Non-Hisp	1113	208,608	1067	95.8	94.2-97.4	34	2.8	01.6-04.0	10	1.3	00.3-02.3	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	196	60,446	192	98.8	97.2-0100	3	1.1	00.0-02.7	1	0.1	00.0-00.3			
MultiRacial/Non-Hisp.	120	4,284	116	96.8	92.5-0100	4	3.2	00.0-07.5						
Hispanic	95	24,720	93	96.7	92.0-0100	2	3.3	00.0-08.0						
18-24	63	39,463	59	94.1	87.8-0100	1	0.5	00.0-01.5	3	5.4	00.0-11.5			
25-34	121	53,701	115	96.5	93.4-99.6	5	3.0	00.1-05.9	1	0.6	00.0-01.8			
35-44	167	50,521	160	96.1	92.8-99.4	6	3.9	00.6-07.2	1	0.1	00.0-00.3			
45-54	277	55,123	260	95.3	92.6-98.0	13	3.4	01.0-05.8	3	1.0	00.0-02.4	1	0.3	00.0-00.9
55-64	371	53,617	360	97.8	96.2-99.4	9	1.6	00.4-02.8	2	0.7	00.0-01.7			
65+	593	63,600	580	97.9	96.7-99.1	9	1.5	00.5-02.5	3	0.5	00.0-01.1	1	0.2	00.0-00.6
Less Than H.S.	159	46,583	156	98.1	95.9-0100	2	1.6	00.0-03.8				1	0.3	00.0-00.9
H.S. or G.E.D.	484	106,009	472	97.3	95.3-99.3	6	1.3	00.0-02.7	5	1.3	00.0-02.7	1	0.1	00.0-00.3
Some Post-H.S.	364	87,909	348	95.8	92.9-98.7	12	2.1	00.7-03.5	4	2.1	00.0-04.6			
College Graduate	595	76,584	568	94.9	92.5-97.3	23	4.5	02.1-06.9	4	0.6	00.0-01.2			
Less than \$15,000	107	23,632	104	96.6	92.3-0100	3	3.4	00.0-07.7						
\$15,000- 24,999	230	43,230	222	95.9	92.4-99.4	6	2.0	00.2-03.8	2	2.1	00.0-05.2			
\$25,000- 34,999	110	20,165	103	95.3	91.4-99.2	4	3.3	00.0-06.8	3	1.4	00.0-03.2			
\$35,000- 49,999	223	42,797	215	96.9	94.2-99.6	6	2.6	00.0-05.3	2	0.5	00.0-01.3			
\$50,000- 74,999	229	37,972	222	98.0	96.4-99.6	6	1.7	00.1-03.3				1	0.3	00.0-00.9
\$75,000+	506	109,328	488	96.1	93.6-98.6	14	2.4	00.6-04.2	3	1.4	00.0-03.2	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 16: SEXUAL ORIENTATION AND GENDER IDENTITY
 TABLE 3: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2337	351,596	2256	95.7	94.3-97.1	30	1.3	00.5-02.1	42	2.6	01.4-03.8	9	0.3	00.1-00.5
White/Non-Hisp	1588	234,272	1539	96.0	94.4-97.6	20	1.5	00.5-02.5	25	2.3	01.1-03.5	4	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	365	73,317	351	95.0	91.3-98.7	6	1.4	00.0-02.8	7	3.5	00.0-07.0	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	59	12,543	55	95.4	90.7-0100	1	0.6	00.0-01.8	3	3.9	00.0-08.4			
MultiRacial/Non-Hisp.	181	5,513	175	96.5	92.6-0100	2	0.4	00.0-01.0	3	2.9	00.0-06.8	1	0.2	00.0-00.6
Hispanic	114	22,443	109	95.0	90.1-99.9	1	0.9	00.0-02.7	1	1.9	00.0-05.6	3	2.3	00.0-05.0
18-24	89	41,490	80	88.3	79.9-96.7	2	3.1	00.0-07.8	7	8.6	01.3-15.9			
25-34	204	54,566	193	95.6	92.9-98.3				11	4.4	01.7-07.1			
35-44	223	52,291	211	94.6	91.3-97.9	5	2.1	00.1-04.1	6	3.0	00.3-05.7	1	0.2	00.0-00.6
45-54	388	61,015	375	97.0	95.2-98.8	7	1.3	00.3-02.3	3	0.5	00.0-01.1	3	1.1	00.0-02.5
55-64	551	61,031	531	96.1	94.1-98.1	10	2.0	00.4-03.6	10	1.9	00.5-03.3			
65+	847	77,581	831	99.0	98.4-99.6	6	0.4	00.0-00.8	5	0.3	00.1-00.5	5	0.4	00.0-00.8
Less Than H.S.	191	37,329	180	92.3	86.4-98.2	2	3.0	00.0-07.9	6	3.4	00.1-06.7	3	1.3	00.0-03.1
H.S. or G.E.D.	696	106,976	677	95.9	93.2-98.6	4	0.7	00.0-01.5	13	3.3	00.6-06.0	2	0.1	00.0-00.3
Some Post-H.S.	601	109,702	578	95.8	93.6-98.0	6	1.0	00.0-02.0	13	2.8	01.0-04.6	4	0.4	00.0-01.0
College Graduate	841	97,103	813	96.7	95.1-98.3	18	1.9	00.7-03.1	10	1.4	00.2-02.6			
Less than \$15,000	207	29,633	198	94.6	89.9-99.3	1	0.1	00.0-00.3	6	4.0	00.0-08.3	2	1.3	00.0-03.3
\$15,000- 24,999	373	57,838	361	94.4	90.1-98.7	3	1.9	00.0-05.0	6	3.4	00.3-06.5	3	0.3	00.0-00.7
\$25,000- 34,999	238	33,728	223	90.5	83.2-97.8	8	3.3	00.6-06.0	7	6.2	00.0-13.1			
\$35,000- 49,999	254	37,222	241	95.6	92.7-98.5	7	2.7	00.3-05.1	6	1.7	00.1-03.3			
\$50,000- 74,999	306	45,881	296	97.3	95.3-99.3	3	1.2	00.0-02.8	7	1.5	00.1-02.9			
\$75,000+	547	89,540	539	98.8	97.8-99.8	6	0.6	00.0-01.2	1	0.3	00.0-00.9	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 16: SEXUAL ORIENTATION AND GENDER IDENTITY
 TABLE 4: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3961	672,495	13	0.3	00.1-00.5	4	0.1	00.0-00.3	5	0.1	00.0-00.3	3939	99.5	99.3-99.7
Male	1602	318,314	9	0.6	00.0-01.2	2	0.2	00.0-00.4	2	0.1	00.0-00.3	1589	99.1	98.5-99.7
Female	2359	354,181	4	0.1	00.1-00.1	2	0.1	00.1-00.1	3	0.1	00.0-00.3	2350	99.8	99.6-0100
White/Non-Hisp	2705	443,438	10	0.3	00.1-00.5	2	0.1	00.0-00.3	3	0.1	00.0-00.3	2690	99.5	99.1-99.9
Black or Afr. Am./Non-Hisp	565	134,237	2	0.7	00.0-01.7	1	0.1	00.0-00.3				562	99.2	98.2-0100
Oth. Race/Non-Hisp.	106	25,329	1	0.2	00.0-00.6							105	99.8	99.4-0100
MultiRacial/Non-Hisp.	301	9,876							1	0.9	00.0-02.7	300	99.1	97.3-0100
Hispanic	214	47,683				1	0.2	00.0-00.6				213	99.8	99.4-0100
18-24	153	81,550							1	0.2	00.0-00.6	152	99.8	99.4-0100
25-34	329	108,978							2	0.4	00.0-01.0	327	99.6	99.0-0100
35-44	393	103,029	1	0.0	00.0-00.0	1	0.1	00.0-00.3				391	99.9	99.7-0100
45-54	676	118,274	3	0.7	00.0-01.7	1	0.1	00.0-00.3				672	99.2	98.2-0100
55-64	924	114,904	6	0.9	00.1-01.7				1	0.1	00.0-00.3	917	99.0	98.2-99.8
65+	1436	139,994	3	0.2	00.0-00.6	2	0.4	00.0-01.0	1	0.0	00.0-00.0	1430	99.4	98.8-0100
Less Than H.S.	348	83,039	2	0.5	00.0-01.1	1	0.4	00.0-01.2	1	0.0	00.0-00.0	344	99.1	98.1-0100
H.S. or G.E.D.	1180	213,240	8	0.4	00.0-00.8	1	0.1	00.0-00.3	3	0.2	00.0-00.6	1168	99.3	98.7-99.9
Some Post-H.S.	972	199,102	2	0.4	00.0-01.0				1	0.1	00.0-00.3	969	99.5	98.9-0100
College Graduate	1448	175,594	1	0.0	00.0-00.0	2	0.1	00.0-00.3				1445	99.9	99.7-0100
Less than \$15,000	313	52,567	3	1.0	00.0-02.2	1	0.3	00.0-00.9	1	0.0	00.0-00.0	308	98.7	97.3-0100
\$15,000- 24,999	603	101,455	2	0.3	00.0-00.9				2	0.4	00.0-01.0	599	99.3	98.5-0100
\$25,000- 34,999	346	53,569	2	0.3	00.0-00.7							344	99.7	99.3-0100
\$35,000- 49,999	475	79,917	3	0.6	00.0-01.4	1	0.4	00.0-01.2				471	99.0	97.8-0100
\$50,000- 74,999	537	83,907	2	0.8	00.0-02.2	1	0.1	00.0-00.3				534	99.1	97.5-0100
\$75,000+	1058	199,599										1058	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 16: SEXUAL ORIENTATION AND GENDER INDENTITY**

TABLE 5: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1602	318,314	9	0.6	00.0-01.2	2	0.2	00.0-00.4	2	0.1	00.0-00.3	1589	99.1	98.5-99.7
White/Non-Hisp	1108	208,348	6	0.5	00.1-00.9	1	0.2	00.0-00.6	1	0.1	00.0-00.3	1100	99.2	98.6-99.8
Black or Afr. Am./Non-Hisp	196	60,595	2	1.4	00.0-03.6	1	0.3	00.0-00.9				193	98.3	96.1-0100
MultiRacial/Non-Hisp.	119	4,259							1	2.1	00.0-06.2	118	97.9	93.8-0100
Hispanic	96	24,611										96	100.0	0100-0100
18-24	63	39,463										63	100.0	0100-0100
25-34	121	53,701							2	0.7	00.0-01.9	119	99.3	98.1-0100
35-44	170	50,904	1	0.1	00.0-00.3							169	99.9	99.7-0100
45-54	281	56,358	1	1.1	00.0-03.3							280	98.9	96.7-0100
55-64	373	53,590	5	1.8	00.0-03.6							368	98.2	96.4-0100
65+	582	62,336	2	0.4	00.0-01.0	2	0.8	00.0-02.0				578	98.8	97.4-0100
Less Than H.S.	155	45,731	2	0.9	00.0-02.1	1	0.7	00.0-02.1				152	98.4	96.4-0100
H.S. or G.E.D.	475	105,353	5	0.6	00.0-01.2	1	0.2	00.0-00.6	2	0.4	00.0-01.0	467	98.9	97.9-99.9
Some Post-H.S.	368	88,863	2	1.0	00.0-02.6							366	99.0	97.4-0100
College Graduate	601	77,397										601	100.0	0100-0100
Less than \$15,000	104	23,060	2	1.7	00.0-04.2	1	0.8	00.0-02.4				101	97.5	94.6-0100
\$15,000- 24,999	229	43,511	2	0.7	00.0-02.1				1	0.7	00.0-02.1	226	98.6	96.6-0100
\$25,000- 34,999	109	19,875	1	0.2	00.0-00.6							108	99.8	99.4-0100
\$35,000- 49,999	223	43,055	3	1.1	00.0-02.5	1	0.8	00.0-02.4				219	98.1	95.9-0100
\$50,000- 74,999	227	37,696	1	1.7	00.0-04.8							226	98.3	95.2-0100
\$75,000+	508	109,632										508	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014
MODULE 16: SEXUAL ORIENTATION AND GENDER INDENTITY**

TABLE 6: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2359	354,181	4	0.1	00.1-00.1	2	0.1	00.1-00.1	3	0.1	00.0-00.3	2350	99.8	99.6-0100
White/Non-Hisp	1597	235,089	4	0.1	00.0-00.3	1	0.0	00.0-00.0	2	0.1	00.0-00.3	1590	99.7	99.5-99.9
Black or Afr. Am./Non-Hisp	369	73,642										369	100.0	0100-0100
Oth. Race/Non-Hisp.	61	13,366										61	100.0	0100-0100
MultiRacial/Non-Hisp.	182	5,617										182	100.0	0100-0100
Hispanic	118	23,072				1	0.4	00.0-01.2				117	99.6	98.8-0100
18-24	90	42,088							1	0.4	00.0-01.2	89	99.6	98.8-0100
25-34	208	55,278										208	100.0	0100-0100
35-44	223	52,125				1	0.2	00.0-00.6				222	99.8	99.4-0100
45-54	395	61,916	2	0.3	00.0-00.7	1	0.2	00.0-00.6				392	99.5	98.9-0100
55-64	551	61,314	1	0.1	00.0-00.3				1	0.2	00.0-00.6	549	99.6	99.0-0100
65+	854	77,658	1	0.1	00.0-00.3				1	0.0	00.0-00.0	852	99.9	99.7-0100
Less Than H.S.	193	37,308							1	0.0	00.0-00.0	192	100.0	0100-0100
H.S. or G.E.D.	705	107,887	3	0.3	00.0-00.7				1	0.1	00.0-00.3	701	99.6	99.2-0100
Some Post-H.S.	604	110,238							1	0.2	00.0-00.6	603	99.8	99.4-0100
College Graduate	847	98,196	1	0.1	00.0-00.3	2	0.2	00.0-00.4				844	99.7	99.3-0100
Less than \$15,000	209	29,507	1	0.4	00.0-01.2				1	0.0	00.0-00.0	207	99.6	98.8-0100
\$15,000- 24,999	374	57,944							1	0.2	00.0-00.6	373	99.8	99.4-0100
\$25,000- 34,999	237	33,694	1	0.3	00.0-00.9							236	99.7	99.1-0100
\$35,000- 49,999	252	36,862										252	100.0	0100-0100
\$50,000- 74,999	310	46,211	1	0.1	00.0-00.3	1	0.2	00.0-00.6				308	99.7	99.3-0100
\$75,000+	550	89,967										550	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2014**

End of Module Data Report