



Delaware Weekly Influenza Surveillance Report
Week 41 (October 7-October 13, 2012)
Delaware Division of Public Health

National Synopsis-2012-2013:

NOTE: National data is updated Friday of each week. Please visit <http://www.cdc.gov/flu/weekly/> for the most current information.

Both national and state data are provisional and subject to change as additional reports are received.

Delaware Influenza Surveillance 2012-2013:

There was one confirmed case of influenza (Type B) among Delawareans during week 41.

NOTE: The 2012-2013 influenza season begins with week 40.

† Influenza positive and confirmed cases reported through week 41, (ending on October 13, 2012).

Confirmed Flu Cases by Subtype		wk 40	wk 41	YTD	YTD Total	YTD Cnty%
Statewide	A (2009 H1)	0	0	0	3	100%
	A (H3)	0	0	0		
	A subtyping not performed	0	0	0		
	B	2	1	3		
New Castle County	A (2009 H1)	0	0	0	1	33.33%
	A (H3)	0	0	0		
	A subtyping not performed	0	0	0		
	B	0	1	1		
Kent County	A (2009 H1)	0	0	0	1	33.33%
	A (H3)	0	0	0		
	A subtyping not performed	0	0	0		
	B	1	0	1		
Sussex County	A (2009 H1)	0	0	0	1	33.33%
	A (H3)	0	0	0		
	A subtyping not performed	0	0	0		
	B	1	0	1		

Confirmed Flu Cases by Age group		wk 40	wk 41	YTD	YTD Total	YTD Cnty%
Statewide	0-4 years	0	1	1	3	100%
	5-24 years	1	0	1		
	25-49 years	1	0	1		
	50-64 years	0	0	0		
	65+ years	0	0	0		
New Castle County	0-4 years	0	1	1	1	33.33%
	5-24 years	0	0	0		
	25-49 years	0	0	0		
	50-64 years	0	0	0		
	65+ years	0	0	0		
Kent County	0-4 years	0	0	0	1	33.33%
	5-24 years	1	0	1		
	25-49 years	0	0	0		
	50-64 years	0	0	0		
	65+ years	0	0	0		
Sussex County	0-4 years	0	0	0	1	33.33%
	5-24 years	0	0	0		
	25-49 years	1	0	1		
	50-64 years	0	0	0		
	65+ years	0	0	0		

† Reports are by date of specimen collection, not the date the results are obtained. As a result, prior weeks' counts may be adjusted to reflect additional cases received.

Total Flu-related Deaths in Delaware	Week 40	Week41	Cumulative as of week 41
	0	0	0

Annual Seasonal Flu Case Totals	
2004-2005	995
2005-2006	541
2006 -2007	508
2007-2008	1401
2008-2009	738
2009-2010	2247
2010-2011	1470
2011-2012	262

NOTE: The data provided may not be a true reflection of the total number of people who have been infected with influenza virus in Delaware, chiefly due to the following:

- Many people ill with influenza-like symptoms do not seek medical care; and
- Many who do seek medical care are not tested for influenza.

Level of Influenza Activity in Delaware, Week 41:

Sporadic	⇒	Isolated laboratory confirmed cases OR a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline ¹ for the season.
Influenza-like illness (ILI) is defined as patients presenting with fever over 100° F, cough and/or sore throat in the absence of a known cause other than influenza.		

No Activity: No laboratory confirmed cases of influenza and no increase in the number of reports of ILI above regional baseline for the season.

Sporadic: Isolated laboratory confirmed cases **OR** a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.

Local: Increased ILI above the regional baseline for the season in a single county; ILI activity in other counties is not increased above baseline AND recent (within the past three weeks) laboratory evidence of influenza in the county with increased ILI **OR** two or more institutional outbreaks (ILI or laboratory confirmed flu) in a single county AND recent (within the past three weeks) laboratory evidence of influenza in the county with the outbreaks; virus activity is no greater than sporadic in other counties.

Regional: Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in at least 2 but less than half the regions of the state. (This level of activity does not apply for small states with 4 or fewer regions.)


Widespread: Increase in ILI reports above the regional baseline and/or institutional outbreaks of influenza (ILI or lab confirmed) AND recent (within the past 3 weeks) laboratory confirmed influenza in at least two of the three counties.

¹2012-2013 Region3 (DE, DC, MD, PA, VA & WV) baseline = 2.20%.


ILINet (Sentinel) Provider Surveillance Network:

An ILINet (Sentinel) provider conducts surveillance for influenza-like illness (ILI) in collaboration with the Division of Public Health and the Centers for Disease Control and Prevention. Data reported by ILINet providers, in combination with other influenza surveillance data, provides a national and statewide picture of influenza activity in the U.S.


Influenza-Like Illness Reported from ILINet Providers (18 of 19 Reporting)




**Hospital Electronic Surveillance Data-Delaware 2012-2013
(7 of 7 hospitals reporting): A.I. DuPont, Bayhealth Kent & Milford, Beebe Medical Center, Christiana, Wilmington and St. Francis Hospital)**




**Hospital Manual Surveillance Data-Delaware 2012-2013:
1 of 1 Hospital reporting (Nanticoke Memorial Hospital)**




**Influenza-Like Illness (ILI) reported by Long Term Care Facilities (LTCFs) – Delaware 2012-2013
2 of 19 reporting**



**Influenza-Like Illness (ILI) reported by Colleges/Universities–Delaware 2012-2013:
1 of 3 schools reporting (University of Delaware)**



**Influenza-Like Illness (ILI) reported by Correctional Facilities–Delaware 2012-2013:
8 of 10 reporting**



Influenza-Like Illness (ILI) reported by Federally Qualified Health Centers and Daycare Providers –Delaware 2012-2013: No reports had been received at the time of this report was compiled.

The Division of Public Health is committed to serving you better. If you have not found the answers to your questions, please visit flu.delaware.gov or call (302)744-4704.