

DELAWARE VITAL STATISTICS ANNUAL REPORT MORTALITY, 2011




Suggested Citation:

*Delaware Health Statistics Center. Delaware Vital Statistics Annual Report, 2011.
Delaware Department of Health and Social Services, Division of Public Health: 2015.*


CHILD MORTALITY

From 2007 to 2011, 278 children and adolescents between the ages of 1 and 19 died in Delaware, representing 0.7 percent of the total deaths that occurred during that time. Males accounted for 64 percent of all child deaths in 2007-2011.

After small fluctuations throughout the 1990s, the mortality rate for children ages 1 to 19 began to decline. Since its peak of 36 in 2000-2004, the rate has decreased 31 percent, to 25 deaths per 100,000 children.




Accidents, homicide, cancer, and suicide were the four most common causes of child mortality in 2007-2011. Together, they accounted for almost three-quarters of all child deaths.



CHILD MORTALITY

From 2001-2005 to 2007-2011, rates for three of the four leading causes of child mortality declined. Unintentional injury mortality rates declined by 30 percent; cancer and suicide mortality rates also decreased, though the change was not statistically significant. Homicide rates were stable at 3.5 deaths per 100,000 children.



Source: Delaware Health Statistics Center


Detailed manner of the most common causes of child deaths in 2007-2011:

- Motor vehicle crashes accounted for 63 percent of all deaths due to unintentional injuries; the second and third most common causes of unintentional injury deaths of children were poisoning and drowning, which accounted for 12 and 9 percent of deaths respectively.
- Firearms and cutting/piercing accounted for over 90 percent of all homicides, 85 and 8 percent respectively.
- The majority of child cancer deaths were due to brain cancer (40 percent) and leukemia (28 percent).
- Suffocation, followed by firearms, were the most common methods of suicide, and accounted for 38 and 35 percent of the total suicide deaths.

MORTALITY

More Delaware residents died in 2011 than in 2010. A total of 7,816 residents died, 98 of whom were infants under the age of 1. Deaths were split almost equally between males and females. Cancer and heart disease were the most common causes of death, accounting for 47 percent of all deaths in 2011.

- Twenty-nine percent of the Delawareans who died in 2011 were 85 or older. Deaths of those 75 and older accounted for more than half of all deaths.




Source: Delaware Health Statistics Center

- A Delaware resident born in 2011 could expect to live an average of 79.1 years.
- Life expectancy at birth varied by race and sex; white females had the highest life expectancy (81.6) while black males had the lowest (73.7).
- In 1989, 80 percent of Delaware decedents were buried and 15 percent were cremated. By 2011, the distribution had shifted: 54 percent of decedents were buried and 42 percent were cremated.
- In 2011, the ten leading causes of death for residents of all ages were the same as the top 10 in 2010; the only change was the switch in the rank order of diabetes mellitus and Alzheimer's disease.

Rank	Leading Cause of Death	Number
1	Malignant neoplasms	1898
2	Diseases of heart	1796
3	Chronic lower respiratory diseases	458
4	Dementia	443
5	Cerebrovascular diseases	419
6	Accidents (unintentional injuries)	331
7	Diabetes mellitus	223
8	Alzheimer's disease	203
9	Nephritis, nephrotic syndrome & nephrosis	161
10	Influenza & pneumonia	130

MORTALITY


- There were 331 deaths due to unintentional injury in 2011 (4.2 percent of all deaths); 29 percent were due to motor vehicle accidents and 70 percent were due to non-transport accidents. Over half of the 233 nontransport accidents were caused by unintentional poisonings; the majority (92 percent) of unintentional poisonings were drug-induced poisonings.
- For the third year, unintentional poisonings surpassed motor vehicle injuries and became the leading cause of unintentional injury death in 2011.
 - For whites of both sexes, poisonings caused the most unintentional injuries, followed by motor vehicle accidents. For blacks of both sexes, motor vehicle accidents caused the greatest number of unintentional injuries.



- In 2007-2011, accidents were the number one cause of death for people 1-44 years of age, and they were responsible for 43 percent of all deaths of people 15-24 years of age. For decedents ages 15-24, accidents, homicides, and suicides were the three most frequent causes of death and accounted for three-fourths of total deaths (See Table F-11).

MORTALITY


The leading causes of death varied by race and ethnic group. In 2011, the most common causes of death for white, black, and Hispanic Delawareans were:



MORTALITY


Cancer mortality rates have decreased in all three counties since the early 1990s, though most recently Kent County rates leveled off. In 2007-2011, the 5-year age-adjusted cancer mortality rates ranged from 164.3 in Sussex County to 205.9 deaths per 100,000 population in Kent County.

Cancer mortality rates for black and white decedents followed the same declining trend, and though the gap between black and white cancer mortality rates has narrowed, black cancer mortality rates in 2007-2011 remained significantly higher than white rates.




The same decreases seen in the age-adjusted cancer mortality rates were reflected in the age-specific rates as well.

Cancer mortality rates declined for all age groups between 1990-1994 and 2007-2011. The 25-34 and 55-64 age groups experienced the largest decreases.




MORTALITY

Heart disease was the second most common cause of death for both black and white Delawareans in 2007-2011. Both black and white heart disease mortality rates have declined significantly since 1990-1994, with white rates declining 46.1 percent and black rates declining 45.2 percent.




Stroke mortality rates for both races continued their declining trends between 1990-1994 and 2007-2011, with rates for white and black races decreasing 34 and 39 percent, respectively. In 2007-2011, the black stroke mortality rate remained approximately 43 percent higher than white rate (50.9 versus 35.6).




MORTALITY

Though black mortality rates for diabetes have declined nearly 35 percent since 1990-1994, their rates were more than double that of whites in 2007-2011.




HIV/AIDS mortality has disproportionately affected Delaware's black population. Despite black HIV/AIDS mortality rates decreasing significantly since the 1993-1997 peak, their 2007-2011 mortality rate of 19.6 deaths per 100,000 was nearly 12 times that of whites. Though they made up only 23.1 percent of the total Delaware population in 2007-2011, blacks accounted for 76 percent of all deaths due to HIV/AIDS.

In 2007-2011, HIV was the eighth leading cause of death for black Delawareans; it ranked ninth for black males and seventh for black females.




MORTALITY

Suicide mortality trends for both black and white populations changed little between 1990-1994 and 2007-2011, with the white rate (13.6) remaining more than double that of the black rate (5.3).




After declining throughout most of the 1990s and reaching their lowest point in 1999-2003, homicide mortality rates have risen 73 percent. The majority of the increase was due to an 85 percent increase in black homicide mortality rates; white homicide mortality rates rose 47 percent during the same time period. In 2007-2011, black and white homicide mortality rates were 15.2 and 3.18 deaths per 100,000 population, respectively.



MORTALITY


Though black mortality rates for drug-induced deaths were historically higher than white rates, in 1994-1998 they began a four-year decline that moved them just below white rates by 1997-2001. Since then, white mortality rates have remained higher and continued to rise. By 2007-2011, the white drug-induced mortality rate (19.4) was more than twice the black rate (6.8).

**Five-year Age-adjusted Mortality Rates for Drug-Induced Deaths by Race
Delaware, 1980-2011**



Source: Delaware Health Statistics Center

**Distribution of Drug-induced Deaths by Race, Sex, and Age Group
Delaware, 2007-2011**



Source: Delaware Health Statistics

In 2007-2011, 51 percent of all drug-induced deaths were white males. Of all the race-age groups, white males ages 25-34 and white females ages 45-54 were responsible for the largest proportions (both 14 percent) of drug-induced deaths.

TABLE F-1
NUMBER OF DEATHS BY RACE

U.S., DELAWARE, COUNTIES AND CITY OF WILMINGTON, 1998-2011

Area/ Race	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
U.S.														
All Races	2337256	2391399	2403351	2416425	2443387	2448288	2397615	2448017	2426264	2423712	2471984	2437163	2468435	2513171
White	2015984	2061348	2071287	2079691	2102589	2103714	2056643	2098097	2077549	2074151	2120233	2086355	2114749	2153864
Black	278440	285064	285826	287709	290051	291300	287315	292808	289971	289585	289072	286623	286959	290135
Other	42832	44987	46238	49025	50747	53274	53657	57112	58744	59976	62679	64185	66727	69172
Delaware														
All Races	6577	6669	6872	7114	6860	7067	7124	7424	7144	7246	7602	7498	7667	7816
White	5453	5555	5696	5886	5694	5782	5862	6129	5856	5985	6309	6113	6274	6412
Black	1086	1072	1131	1180	1111	1241	1204	1235	1225	1181	1217	1270	1258	1256
Other	38	42	45	48	55	44	58	60	63	80	76	115	135	148
Kent														
All Races	1015	1102	1022	1102	1113	1114	1154	1250	1219	1255	1367	1379	1345	1368
White	835	924	822	900	916	878	948	1017	967	1018	1133	1096	1080	1092
Black	173	167	184	194	187	224	193	224	234	219	220	263	231	239
Other	7	11	16	8	10	12	13	9	18	18	14	20	34	37
New Castle														
All Races	4030	3931	4111	4234	3996	4129	4146	4229	4039	4101	4290	4100	4221	4394
White	3281	3217	3350	3435	3244	3299	3324	3381	3212	3294	3441	3234	3316	3486
Black	731	692	741	774	718	809	793	809	794	771	802	799	828	820
Other	18	22	20	25	34	21	29	39	33	36	47	67	77	88
Wilmington														
All Races	850	789	826	850	779	843	782	765	728	705	726	692	713	697
White	423	395	430	421	392	413	358	362	337	345	334	329	294	320
Black	425	392	394	425	380	430	419	401	385	359	389	360	406	362
Other	2	2	2	4	7	0	5	2	6	1	3	3	13	15
Balance of NC County														
All Races	3180	3142	3285	3384	3217	3286	3364	3464	3311	3396	3564	3408	3508	3697
White	2858	2822	2920	3014	2852	2886	2966	3019	2875	2949	3107	2905	3022	3166
Black	306	300	347	349	338	379	374	408	409	412	413	439	422	458
Other	16	20	18	21	27	21	24	37	27	35	44	64	64	73
Sussex														
All Races	1532	1636	1739	1778	1751	1824	1824	1945	1886	1890	1945	2019	2101	2054
White	1337	1414	1524	1551	1534	1605	1590	1731	1677	1673	1735	1783	1878	1834
Black	182	213	206	212	206	208	218	202	197	191	195	208	199	197
Other	13	9	9	15	11	11	16	12	12	26	15	28	24	23

NDRACE

Note:
2010 US data are preliminary numbers from NCHS.

Sources:
Delaware Health Statistics Center
National Center for Health Statistics

TABLE F-2
NUMBER OF DEATHS BY AGE, RACE, AND HISPANIC ORIGIN
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2011

Area/ Age	Race									Hispanic Origin ²
	All Races	White	Black	American Indian ¹	Asian or Pacific Islander (API)				All Other	
					Chinese	Japanese	Filipino	Other API		
Delaware	7816	6412	1256	14	11	6	6	32	79	144
<1	98	48	38	0	0	0	0	4	8	11
1-4	10	7	3	0	0	0	0	0	0	3
5-14	18	10	7	0	0	0	0	0	1	3
15-24	86	56	28	0	0	0	0	1	1	4
25-34	137	101	34	0	0	0	0	2	0	8
35-44	219	149	63	0	0	0	0	2	5	13
45-54	600	442	143	1	4	0	1	2	7	11
55-64	979	708	255	0	0	1	2	2	11	21
65-74	1357	1101	229	5	2	0	2	7	11	24
75+	4312	3790	456	8	5	5	1	12	35	46
Unknown	0	0	0	0	0	0	0	0	0	0
Kent	1368	1092	239	3	2	2	1	6	23	26
<1	17	13	3	0	0	0	0	0	1	3
1-4	0	0	0	0	0	0	0	0	0	0
5-14	5	2	3	0	0	0	0	0	0	1
15-24	14	8	6	0	0	0	0	0	0	1
25-34	21	15	5	0	0	0	0	1	0	1
35-44	37	26	9	0	0	0	0	0	2	1
45-54	112	87	22	0	2	0	0	1	0	3
55-64	177	123	49	0	0	0	0	2	3	6
65-74	261	204	52	1	0	0	1	1	2	4
75+	724	614	90	2	0	2	0	1	15	6
Unknown	0	0	0	0	0	0	0	0	0	0
New Castle	4394	3486	820	4	9	3	3	24	45	101
<1	74	29	34	0	0	0	0	4	7	7
1-4	6	5	1	0	0	0	0	0	0	3
5-14	6	4	2	0	0	0	0	0	0	1
15-24	55	33	21	0	0	0	0	1	0	3
25-34	93	68	25	0	0	0	0	0	0	6
35-44	135	90	42	0	0	0	0	1	2	8
45-54	344	235	100	0	2	0	0	1	6	7
55-64	586	400	176	0	0	1	1	0	8	14
65-74	713	550	145	1	2	0	1	6	8	19
75+	2382	2072	274	3	5	2	1	11	14	33
Unknown	0	0	0	0	0	0	0	0	0	0
Wilmington	697	320	362	0	0	0	0	4	11	29
<1	17	2	15	0	0	0	0	0	0	0
1-4	4	3	1	0	0	0	0	0	0	3
5-14	2	1	1	0	0	0	0	0	0	1
15-24	9	1	8	0	0	0	0	0	0	1
25-34	17	9	8	0	0	0	0	0	0	1
35-44	33	10	23	0	0	0	0	0	0	2
45-54	78	18	57	0	0	0	0	0	3	2
55-64	114	36	75	0	0	0	0	0	3	4
65-74	88	30	55	0	0	0	0	1	2	6
75+	335	210	119	0	0	0	0	3	3	9
Unknown	0	0	0	0	0	0	0	0	0	0
Balance of NC County	3697	3166	458	4	9	3	3	20	34	72
<1	57	27	19	0	0	0	0	4	7	7
1-4	2	2	0	0	0	0	0	0	0	0
5-14	4	3	1	0	0	0	0	0	0	0
15-24	46	32	13	0	0	0	0	1	0	2
25-34	76	59	17	0	0	0	0	0	0	5
35-44	102	80	19	0	0	0	0	1	2	6
45-54	266	217	43	0	2	0	0	1	3	5
55-64	472	364	101	0	0	1	1	0	5	10
65-74	625	520	90	1	2	0	1	5	6	13
75+	2047	1862	155	3	5	2	1	8	11	24
Unknown	0	0	0	0	0	0	0	0	0	0
Sussex	2054	1834	197	7	0	1	2	2	11	17
<1	7	6	1	0	0	0	0	0	0	1
1-4	4	2	2	0	0	0	0	0	0	0
5-14	7	4	2	0	0	0	0	0	1	1
15-24	17	15	1	0	0	0	0	0	1	0
25-34	23	18	4	0	0	0	0	1	0	1
35-44	47	33	12	0	0	0	0	1	1	4
45-54	144	120	21	1	0	0	1	0	1	1
55-64	216	185	30	0	0	0	1	0	0	1
65-74	383	347	32	3	0	0	0	0	1	1
75+	1206	1104	92	3	0	1	0	0	6	7
Unknown	0	0	0	0	0	0	0	0	0	0

DETRACE

Notes:

1. Includes any deaths that may have occurred to Aleut and Eskimo Indians.
2. People of Hispanic origin may be of any race. See *Hispanic Origin* and *Race* in the Technical Notes.

Source:

Delaware Health Statistics Center

TABLE F-3
NUMBER OF DEATHS BY AGE AND RACE
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2011

(BOTH SEXES)

Area/ Race	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Delaware														
All Races	7816	98	10	9	9	30	56	137	219	600	979	1357	4312	0
White	6412	48	7	6	4	20	36	101	149	442	708	1101	3790	0
Black	1256	38	3	2	5	10	18	34	63	143	255	229	456	0
Other	148	12	0	1	0	0	2	2	7	15	16	27	66	0
Kent														
All Races	1368	17	0	3	2	2	12	21	37	112	177	261	724	0
White	1092	13	0	1	1	0	8	15	26	87	123	204	614	0
Black	239	3	0	2	1	2	4	5	9	22	49	52	90	0
Other	37	1	0	0	0	0	0	1	2	3	5	5	20	0
New Castle														
All Races	4394	74	6	3	3	19	36	93	135	344	586	713	2382	0
White	3486	29	5	3	1	12	21	68	90	235	400	550	2072	0
Black	820	34	1	0	2	7	14	25	42	100	176	145	274	0
Other	88	11	0	0	0	0	1	0	3	9	10	18	36	0
Wilmington														
All Races	697	17	4	1	1	4	5	17	33	78	114	88	335	0
White	320	2	3	1	0	0	1	9	10	18	36	30	210	0
Black	362	15	1	0	1	4	4	8	23	57	75	55	119	0
Other	15	0	0	0	0	0	0	0	0	3	3	3	6	0
Balance of NC County														
All Races	3697	57	2	2	2	15	31	76	102	266	472	625	2047	0
White	3166	27	2	2	1	12	20	59	80	217	364	520	1862	0
Black	458	19	0	0	1	3	10	17	19	43	101	90	155	0
Other	73	11	0	0	0	0	1	0	3	6	7	15	30	0
Sussex														
All Races	2054	7	4	3	4	9	8	23	47	144	216	383	1206	0
White	1834	6	2	2	2	8	7	18	33	120	185	347	1104	0
Black	197	1	2	0	2	1	0	4	12	21	30	32	92	0
Other	23	0	0	1	0	0	1	1	2	3	1	4	10	0

Source:
Delaware Health Statistics Center

NDAGERAC

TABLE F-4
NUMBER OF DEATHS BY AGE AND RACE
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2011

(MALES)

Area/ Race	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Delaware														
All Races	3870	53	5	6	5	23	41	87	145	356	600	739	1810	0
White	3129	28	5	4	1	14	25	62	101	272	433	580	1604	0
Black	662	16	0	1	4	9	14	24	38	76	159	143	178	0
Other	79	9	0	1	0	0	2	1	6	8	8	16	28	0
Kent														
All Races	677	10	0	1	1	2	8	13	23	65	101	147	306	0
White	524	7	0	0	0	0	6	9	15	47	71	110	259	0
Black	131	2	0	1	1	2	2	3	6	15	28	34	37	0
Other	22	1	0	0	0	0	0	1	2	3	2	3	10	0
New Castle														
All Races	2183	40	3	3	2	17	28	56	91	202	363	398	980	0
White	1706	18	3	3	1	11	15	38	64	147	246	298	862	0
Black	435	14	0	0	1	6	12	18	25	51	111	90	107	0
Other	42	8	0	0	0	0	1	0	2	4	6	10	11	0
Wilmington														
All Races	328	7	2	1	1	4	4	11	22	41	75	45	115	0
White	130	1	2	1	0	0	1	5	8	8	22	13	69	0
Black	192	6	0	0	1	4	3	6	14	31	52	30	45	0
Other	6	0	0	0	0	0	0	0	0	2	1	2	1	0
Balance of NC County														
All Races	1855	33	1	2	1	13	24	45	69	161	288	353	865	0
White	1576	17	1	2	1	11	14	33	56	139	224	285	793	0
Black	243	8	0	0	0	2	9	12	11	20	59	60	62	0
Other	36	8	0	0	0	0	1	0	2	2	5	8	10	0
Sussex														
All Races	1010	3	2	2	2	4	5	18	31	89	136	194	524	0
White	899	3	2	1	0	3	4	15	22	78	116	172	483	0
Black	96	0	0	0	2	1	0	3	7	10	20	19	34	0
Other	15	0	0	1	0	0	1	0	2	1	0	3	7	0

Source:
Delaware Health Statistics Center

NDRCAGML

TABLE F-5
NUMBER OF DEATHS BY AGE AND RACE
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2011

(FEMALES)

Area/ Race	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Delaware														
All Races	3946	45	5	3	4	7	15	50	74	244	379	618	2502	0
White	3283	20	2	2	3	6	11	39	48	170	275	521	2186	0
Black	594	22	3	1	1	1	4	10	25	67	96	86	278	0
Other	69	3	0	0	0	0	0	1	1	7	8	11	38	0
Kent														
All Races	691	7	0	2	1	0	4	8	14	47	76	114	418	0
White	568	6	0	1	1	0	2	6	11	40	52	94	355	0
Black	108	1	0	1	0	0	2	2	3	7	21	18	53	0
Other	15	0	0	0	0	0	0	0	0	0	3	2	10	0
New Castle														
All Races	2211	34	3	0	1	2	8	37	44	142	223	315	1402	0
White	1780	11	2	0	0	1	6	30	26	88	154	252	1210	0
Black	385	20	1	0	1	1	2	7	17	49	65	55	167	0
Other	46	3	0	0	0	0	0	0	1	5	4	8	25	0
Wilmington														
All Races	369	10	2	0	0	0	1	6	11	37	39	43	220	0
White	190	1	1	0	0	0	0	4	2	10	14	17	141	0
Black	170	9	1	0	0	0	1	2	9	26	23	25	74	0
Other	9	0	0	0	0	0	0	0	0	1	2	1	5	0
Balance of NC County														
All Races	1842	24	1	0	1	2	7	31	33	105	184	272	1182	0
White	1590	10	1	0	0	1	6	26	24	78	140	235	1069	0
Black	215	11	0	0	1	1	1	5	8	23	42	30	93	0
Other	37	3	0	0	0	0	0	0	1	4	2	7	20	0
Sussex														
All Races	1044	4	2	1	2	5	3	5	16	55	80	189	682	0
White	935	3	0	1	2	5	3	3	11	42	69	175	621	0
Black	101	1	2	0	0	0	0	1	5	11	10	13	58	0
Other	8	0	0	0	0	0	0	1	0	2	1	1	3	0

Source:
Delaware Health Statistics Center

NDRCAGFE

TABLE F-6
MORTALITY TRENDS BY RACE, ETHNICITY, GENDER, AND AGE
DELAWARE, 2001-2011

CHARACTERISTIC	Year										
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Resident Deaths											
Number	7114	6860	7067	7124	7424	7144	7246	7602	7498	7667	7816
Crude Rate	894.0	850.9	863.9	857.5	878.4	831.4	831.2	860.1	840.8	852.1	861.7
AADR ²	894.6	838.8	835.9	814.5	818.1	762.7	748.3	760.5	730.8	727.8	726.4
Decedent's Race/Ethnicity											
White											
Number	5886	5694	5782	5862	6129	5856	5985	6309	6113	6274	6412
Percent	82.7%	83.0%	81.8%	82.3%	82.6%	82.0%	82.6%	83.0%	81.5%	81.8%	82.0%
AADR ²	862.5	813.6	800.3	788.1	794.6	741.0	734.8	753.4	713.6	718.2	721.8
Black											
Number	1180	1111	1241	1204	1235	1225	1181	1217	1270	1258	1256
Percent	16.6%	16.2%	17.6%	16.9%	16.6%	17.1%	16.3%	16.0%	16.9%	16.4%	16.1%
AADR ²	1113.4	1025.5	1099.6	1046.7	1024.3	943.9	889.2	860.7	866.5	834.4	795.7
Hispanic¹											
Number	90	95	105	121	121	126	178	189	164	142	144
Percent	1.3%	1.4%	1.5%	1.7%	1.6%	1.8%	2.5%	2.5%	2.2%	1.9%	1.8%
AADR ²	690.6	659.7	615.7	730.0	624.5	485.8	775.5	789.6	691.0	550.0	536.1
Decedent's Gender											
Female											
Number	3663	3486	3559	3517	3746	3590	3614	3850	3782	3802	3946
Percent	51.5%	50.8%	50.4%	49.4%	50.5%	50.3%	49.9%	50.6%	50.4%	49.6%	50.5%
AADR ²	773.4	714.3	706.2	679.7	694.2	647.3	630.3	651.9	624.0	610.8	625.0
Male											
Number	3451	3374	3508	3607	3678	3554	3632	3752	3716	3865	3870
Percent	48.5%	49.2%	49.6%	50.6%	49.5%	49.7%	50.1%	49.4%	49.6%	50.4%	49.5%
AADR ²	1059.0	1002.7	997.9	996.9	976.6	905.9	893.5	894.3	860.2	869.9	849.7
Decedent's age											
<1											
Number	114	96	107	97	106	99	91	101	91	88	98
Percent	1.6%	1.4%	1.5%	1.4%	1.4%	1.4%	1.3%	1.3%	1.2%	1.1%	1.3%
1-14											
Number	31	39	22	44	26	20	15	23	27	18	28
Percent	0.4%	0.6%	0.3%	0.6%	0.4%	0.3%	0.2%	0.3%	0.4%	0.2%	0.4%
15-24											
Number	86	85	101	97	78	92	88	91	92	97	86
Percent	1.2%	1.2%	1.4%	1.4%	1.1%	1.3%	1.2%	1.2%	1.2%	1.3%	1.1%
25-44											
Number	427	403	389	387	375	427	385	400	359	362	356
Percent	6.0%	5.9%	5.5%	5.4%	5.1%	6.0%	5.3%	5.3%	4.8%	4.7%	4.6%
45-64											
Number	1276	1214	1327	1338	1406	1410	1418	1552	1529	1578	1579
Percent	17.9%	17.7%	18.8%	18.8%	18.9%	19.7%	19.6%	20.4%	20.4%	20.6%	20.2%
65-74											
Number	1339	1276	1244	1310	1272	1232	1238	1276	1313	1307	1357
Percent	18.8%	18.6%	17.6%	18.4%	17.1%	17.2%	17.1%	16.8%	17.5%	17.0%	17.4%
75-84											
Number	2139	2061	2096	2039	2160	1960	2022	2043	1944	1976	2077
Percent	30.1%	30.0%	29.7%	28.6%	29.1%	27.4%	27.9%	26.9%	25.9%	25.8%	26.6%
85+											
Number	1702	1686	1781	1812	2001	1904	1985	2116	2143	2241	2235
Percent	23.9%	24.6%	25.2%	25.4%	27.0%	26.7%	27.4%	27.8%	28.6%	29.2%	28.6%

MORTREND

Notes:

1. Because of the small numbers of Hispanic deaths and the resulting variability in annual mortality rates, Hispanic mortality rates should be interpreted with caution.
2. Age-Adjusted Death Rate per 100,000, adjusted to 2000 U.S. Standard Population.
3. Figures for decedent's age may not equal total number of annual deaths due to deaths of unknown age.

Sources:

Delaware Health Statistics Center
U.S. Census

TABLE F-7
 NUMBER OF DEATHS AND MEDIAN AGE AT DEATH BY SEX
 FOR TWENTY LEADING CAUSES, ALCOHOL-INDUCED DEATHS, AND DRUG-INDUCED DEATHS

DELAWARE, 2011

Cause of Death ¹	Deaths		Median Age at Death	
	Number	Percent	Male	Female
All causes	7,816	100.0	73	80
Malignant neoplasms	1,898	24.3	71	72
Diseases of heart	1,796	23.0	76	84
Chronic lower respiratory diseases	458	5.9	77	80
Dementia	443	5.7	86	89
Cerebrovascular diseases	419	5.4	81	84
Accidents (unintentional injuries)	331	4.2	45	51
Diabetes mellitus	223	2.9	71	75
Alzheimer's disease	203	2.6	86	87
Nephritis, nephrotic syndrome & nephrosis	161	2.1	77	80
Influenza & pneumonia	130	1.7	81	83
Other diseases of respiratory system	115	1.5	72	79
Septicemia	114	1.5	71	73
Intentional self-harm (suicide)	105	1.3	46	44
Chronic liver disease & cirrhosis	91	1.2	59	62
Parkinson's disease	79	1.0	83	85
Other diseases of circulatory system	62	0.8	81	77
Certain conditions originating in the perinatal period	59	0.8	0	0
Assault	51	0.7	34	48
Pneumonitis due to solids & liquids	50	0.6	84	88
Essential (primary) hypertension & hypertensive renal disease	47	0.6	60	83
Alcohol-induced deaths²	60	0.8	54	55
Drug-induced deaths²	165	2.1	38	46

LCODARBS


Notes:

1. Classified according to ICD-10 Codes, Tenth Revision. See Appendix E for listing of ICD-10 Codes.
2. Included in selected categories.

Source:


Delaware Health Statistics Center

Figure F-1
Leading Causes of Death
Delaware, 2011



Source: Delaware Health Statistics Center

Figure F-2
Five-year Age-adjusted Drug- and Alcohol-Induced Mortality Rates by Sex
Delaware, 1990-2011



Source: Delaware Health Statistics Center

TABLE F-8
LEADING CAUSES OF DEATH
COUNTIES AND CITY OF WILMINGTON, 2007-2011

Kent

Cause of Death*	Deaths	
	#	%
Diseases of heart	1777	26.5
Malignant neoplasms	1678	25.0
Chronic lower respiratory diseases	439	6.5
Cerebrovascular diseases	289	4.3
Accidents (unintentional injuries)	275	4.1
Diabetes mellitus	206	3.1
Alzheimer's disease	174	2.6
Septicemia	140	2.1
Nephritis, nephrotic syndrome & nephrosis	130	1.9
Influenza & pneumonia	109	1.6
Intentional self-harm (suicide)	90	1.3
Chronic liver disease & cirrhosis	83	1.2
Essential (primary) hypertension & hypertensive renal disease	58	0.9
Parkinson's disease	40	0.6
Certain conditions originating in the perinatal period	38	0.6
In situ neoplasms, benign neoplasms & neoplasms of uncertain behavior	37	0.6
All other causes	1151	17.1
Total	6714	100.0

New Castle

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	5108	24.2
Diseases of heart	4686	22.2
Cerebrovascular diseases	1220	5.8
Chronic lower respiratory diseases	1146	5.4
Accidents (unintentional injuries)	945	4.5
Diabetes mellitus	609	2.9
Nephritis, nephrotic syndrome & nephrosis	505	2.4
Alzheimer's disease	438	2.1
Influenza & pneumonia	378	1.8
Septicemia	327	1.5
Intentional self-harm (suicide)	295	1.4
Chronic liver disease & cirrhosis	216	1.0
Assault (homicide)	197	0.9
Certain conditions originating in the perinatal period	193	0.9
Human immunodeficiency virus (HIV) disease	171	0.8
Parkinson's disease	166	0.8
All other causes	4506	21.3
Total	21106	100.0

City of Wilmington

Cause of Death*	Deaths	
	#	%
Diseases of heart	780	22.1
Malignant neoplasms	689	19.5
Cerebrovascular diseases	229	6.5
Chronic lower respiratory diseases	173	4.9
Diabetes mellitus	151	4.3
Accidents (unintentional injuries)	146	4.1
Human immunodeficiency virus (HIV) disease	112	3.2
Nephritis, nephrotic syndrome & nephrosis	101	2.9
Assault (homicide)	92	2.6
Alzheimer's disease	55	1.6
Certain conditions originating in the perinatal period	50	1.4
Influenza & pneumonia	50	1.4
Septicemia	50	1.4
Chronic liver disease & cirrhosis	45	1.3
Essential (primary) hypertension & hypertensive renal disease	37	1.0
Intentional self-harm (suicide)	31	0.9
All other causes	742	21.0
Total	3533	100.0

Sussex

Cause of Death*	Deaths	
	#	%
Diseases of heart	2546	25.4
Malignant neoplasms	2543	25.4
Chronic lower respiratory diseases	588	5.9
Cerebrovascular diseases	459	4.6
Accidents (unintentional injuries)	454	4.5
Alzheimer's disease	374	3.7
Diabetes mellitus	251	2.5
Nephritis, nephrotic syndrome & nephrosis	207	2.1
Influenza & pneumonia	159	1.6
Chronic liver disease & cirrhosis	137	1.4
Intentional self-harm (suicide)	132	1.3
Septicemia	125	1.2
Parkinson's disease	88	0.9
Pneumonitis due to solids & liquids	87	0.9
In situ neoplasms, benign neoplasms & neoplasms of uncertain behavior	64	0.6
Essential (primary) hypertension & hypertensive renal disease	60	0.6
All other causes	1735	17.3
Total	10009	100.0

Note:

*Cause of death categories were derived using the NCHS list of 50 rankable causes of death as specified by NCHS. For specific codes, see Appendix E.

Source:

Delaware Health Statistics Center

LCODCTWL

TABLE F-9
TEN LEADING CAUSES OF DEATH BY SEX AND RACE GROUP
DELAWARE, 2007-2011

All Races, Male

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	4852	25.8
Diseases of heart	4685	24.9
Accidents (unintentional injuries)	1071	5.7
Chronic lower respiratory diseases	973	5.2
Cerebrovascular diseases	803	4.3
Diabetes mellitus	538	2.9
Intentional self-harm (suicide)	409	2.2
Nephritis, nephrotic syndrome & nephrosis	406	2.2
Influenza & pneumonia	317	1.7
Chronic liver disease & cirrhosis	296	1.6
All other causes	4485	23.8
Total	18835	100.0

All Races, Female

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	4477	23.6
Diseases of heart	4324	22.8
Chronic lower respiratory diseases	1200	6.3
Cerebrovascular diseases	1165	6.1
Alzheimer's disease	694	3.7
Accidents (unintentional injuries)	603	3.2
Diabetes mellitus	528	2.8
Nephritis, nephrotic syndrome & nephrosis	436	2.3
Influenza & pneumonia	329	1.7
Septicemia	322	1.7
All other causes	4916	25.9
Total	18994	100.0

White, Both Sexes

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	7733	24.9
Diseases of heart	7546	24.3
Chronic lower respiratory diseases	1945	6.3
Cerebrovascular diseases	1588	5.1
Accidents (unintentional injuries)	1424	4.6
Alzheimer's disease	873	2.8
Diabetes mellitus	753	2.4
Nephritis, nephrotic syndrome & nephrosis	620	2.0
Influenza & pneumonia	552	1.8
Septicemia	463	1.5
All other causes	7596	24.4
Total	31093	100.0

Black, Both Sexes

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	1452	23.5
Diseases of heart	1344	21.7
Cerebrovascular diseases	350	5.7
Diabetes mellitus	293	4.7
Accidents (unintentional injuries)	220	3.6
Chronic lower respiratory diseases	218	3.5
Nephritis, nephrotic syndrome & nephrosis	210	3.4
Human immunodeficiency virus (HIV) disease	180	2.9
Assault (homicide)	158	2.6
Certain conditions originating in the perinatal period	145	2.3
All other causes	1612	26.1
Total	6182	100.0

LCODMFWB

Hispanic, Both Sexes

Cause of Death*	Deaths	
	#	%
Diseases of heart	143	17.5
Malignant neoplasms	140	17.1
Accidents (unintentional injuries)	89	10.9
Cerebrovascular diseases	39	4.8
Diabetes mellitus	35	4.3
Chronic lower respiratory diseases	33	4.0
Certain conditions originating in the perinatal period	26	3.2
Assault (homicide)	24	2.9
Intentional self-harm (suicide)	21	2.6
chromosomal abnormalities	20	2.4
All other causes	247	30.2
Total	817	100.0

Notes:

1. Cause of death categories were derived using the NCHS list of 50 rankable causes of death as specified by NCHS. For specific codes, see Appendix E.
2. There was a three-way tie for the tenth most common cause of Hispanic death; Alzheimer's disease also accounted for 19 deaths.

Source:

Delaware Health Statistics Center

TABLE F-10
TEN LEADING CAUSES OF DEATH BY RACE-SEX GROUP
DELAWARE, 2007-2011

White Male

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	4021	26.2
Diseases of heart	3910	25.5
Accidents (unintentional injuries)	902	5.9
Chronic lower respiratory diseases	849	5.5
Cerebrovascular diseases	618	4.0
Diabetes mellitus	393	2.6
Intentional self-harm (suicide)	359	2.3
Nephritis, nephrotic syndrome & nephrosis	295	1.9
Influenza & pneumonia	267	1.7
Alzheimer's disease	262	1.7
All other causes	3458	22.6
Total	15334	100.0

White Females

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	3712	23.6
Diseases of heart	3636	23.1
Chronic lower respiratory diseases	1096	7.0
Cerebrovascular diseases	970	6.2
Alzheimer's disease	611	3.9
Accidents (unintentional injuries)	522	3.3
Diabetes mellitus	360	2.3
Nephritis, nephrotic syndrome & nephrosis	325	2.1
Influenza & pneumonia	285	1.8
Septicemia	246	1.6
All other causes	3996	25.4
Total	15759	100.0

Black Males

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	757	23.6
Diseases of heart	709	22.1
Cerebrovascular diseases	171	5.3
Accidents (unintentional injuries)	148	4.6
Assault (homicide)	145	4.5
Diabetes mellitus	135	4.2
Chronic lower respiratory diseases	117	3.6
Nephritis, nephrotic syndrome & nephrosis	105	3.3
Human immunodeficiency virus (HIV) disease	105	3.3
Certain conditions originating in the perinatal period	74	2.3
All other causes	744	23.2
Total	3210	100.0

Black Females

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	695	23.4
Diseases of heart	635	21.4
Cerebrovascular diseases	179	6.0
Diabetes mellitus	158	5.3
Nephritis, nephrotic syndrome & nephrosis	105	3.5
Chronic lower respiratory diseases	101	3.4
Human immunodeficiency virus (HIV) disease	75	2.5
Alzheimer's disease	73	2.5
Accidents (unintentional injuries)	72	2.4
Certain conditions originating in the perinatal period	71	2.4
All other causes	808	27.2
Total	2972	100.0

Hispanic Males

Cause of Death*	Deaths	
	#	%
Diseases of heart	82	16.8
Malignant neoplasms	82	16.8
Accidents (unintentional injuries)	70	14.3
Cerebrovascular diseases	21	4.3
Assault (homicide)	20	4.1
Chronic lower respiratory diseases	20	4.1
Intentional self-harm (suicide)	18	3.7
Diabetes mellitus	17	3.5
Certain conditions originating in the perinatal period	16	3.3
chromosomal abnormalities	13	2.7
All other causes	129	26.4
Total	488	100.0

Hispanic Females

Cause of Death*	Deaths	
	#	%
Diseases of heart	61	18.5
Malignant neoplasms	58	17.6
Accidents (unintentional injuries)	19	5.8
Cerebrovascular diseases	18	5.5
Diabetes mellitus	18	5.5
Alzheimer's disease	15	4.6
Chronic lower respiratory diseases	13	4.0
Certain conditions originating in the perinatal period	10	3.0
chromosomal abnormalities	7	2.1
Nephritis, nephrotic syndrome & nephrosis	7	2.1
All other causes	103	31.3
Total	329	100.0

Note:

*Cause of death categories were derived using the NCHS list of 50 rankable causes of death as specified by NCHS. For specific codes, see Appendix E.

LCODRCSX

Source:

TABLE F-11
TEN LEADING CAUSES OF DEATH BY AGE
DELAWARE, 2007-2011

1-4 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	11	29.7
Congenital malformations, deformations, &	5	13.5
Influenza & pneumonia	3	8.1
Malignant neoplasms	3	8.1
Assault (homicide)	2	5.4
Diseases of heart	2	5.4
Cerebrovascular diseases	1	2.7
Certain conditions originating in the perinatal period	1	2.7
Chronic lower respiratory diseases	1	2.7
All other causes	8	21.6
Total	37	100.0

5-14 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	30	40.5
Malignant neoplasms	13	17.6
chromosomal abnormalities	4	5.4
Cerebrovascular diseases	3	4.1
Diseases of heart	3	4.1
Assault (homicide)	2	2.7
Chronic lower respiratory diseases	2	2.7
Diabetes mellitus	1	1.4
Anemias	1	1.4
Septicemia	1	1.4
All other causes	14	18.9
Total	74	100.0

15-24 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	194	42.7
Assault (homicide)	88	19.4
Intentional self-harm (suicide)	66	14.5
Malignant neoplasms	22	4.8
Diseases of heart	15	3.3
Congenital malformations, deformations, &	5	1.1
Complications of medical & surgical care	3	0.7
Nephritis, nephrotic syndrome & nephrosis	3	0.7
Pregnancy, childbirth & the puerperium	2	0.4
Chronic lower respiratory diseases	2	0.4
All other causes	54	11.9
Total	454	100.0

25-44 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	503	27.0
Diseases of heart	271	14.6
Malignant neoplasms	249	13.4
Intentional self-harm (suicide)	158	8.5
Assault (homicide)	113	6.1
Human immunodeficiency virus (HIV) disease	70	3.8
Diabetes mellitus	52	2.8
Cerebrovascular diseases	36	1.9
Chronic liver disease & cirrhosis	25	1.3
Septicemia	21	1.1
All other causes	364	19.5
Total	1862	100.0

45-64 Years

Cause of Death*	Deaths	
	Number	Percent
Malignant neoplasms	2567	33.5
Diseases of heart	1646	21.5
Accidents (unintentional injuries)	437	5.7
Chronic liver disease & cirrhosis	259	3.4
Chronic lower respiratory diseases	255	3.3
Diabetes mellitus	252	3.3
Cerebrovascular diseases	250	3.3
Intentional self-harm (suicide)	225	2.9
Human immunodeficiency virus (HIV) disease	152	2.0
Septicemia	142	1.9
All other causes	1471	19.2
Total	7656	100.0

65+ Years

Cause of Death*	Deaths	
	Number	Percent
Diseases of heart	7067	25.9
Malignant neoplasms	6472	23.7
Chronic lower respiratory diseases	1896	7.0
Cerebrovascular diseases	1671	6.1
Alzheimer's disease	976	3.6
Diabetes mellitus	759	2.8
Nephritis, nephrotic syndrome & nephrosis	684	2.5
Influenza & pneumonia	546	2.0
Accidents (unintentional injuries)	488	1.8
Septicemia	419	1.5
All other causes	6295	23.1
Total	27273	100.0

Note:

*Cause of death categories were derived using the NCHS list of 50 rankable causes of death as specified by NCHS. For specific codes, see Appendix E.

Source:

Delaware Health Statistics Center

LCODAGE

TABLE F-12
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2011
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	1796	1	0	0	0	1	3	11	40	109	190	281	1160	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	14	0	0	0	0	0	0	1	0	0	0	4	9	0
Hypertensive heart disease (I11)	58	0	0	0	0	0	0	0	4	12	13	5	24	0
Hypertensive heart and renal disease (I13)	9	0	0	0	0	0	0	0	0	2	0	2	5	0
Ischemic heart disease (I20-I25)	1229	0	0	0	0	0	1	2	23	72	144	199	788	0
All other forms of heart disease (I26-I51)	486	1	0	0	0	1	2	8	13	23	33	71	334	0
Malignant neoplasms (C00-C97)	1898	0	1	1	2	1	0	8	41	180	359	518	787	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	33	0	0	0	0	0	0	0	0	4	9	6	14	0
Malignant neoplasms of digestive organs (C15-C26)	465	0	0	0	0	0	0	1	13	43	116	118	174	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	574	0	0	0	0	0	0	0	4	55	106	191	218	0
Malignant neoplasms of breast (C50)	127	0	0	0	0	0	0	3	7	18	30	26	43	0
Malignant neoplasms of female genital organs, (C51-C58)	84	0	0	0	0	0	0	2	4	10	12	27	29	0
Malignant neoplasms of male genital organs, (C60-C63)	97	0	0	0	0	0	0	0	0	3	10	26	58	0
Malignant neoplasms of urinary tract (C64-C68)	96	0	0	1	0	0	0	0	1	7	14	18	55	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	44	0	1	0	1	1	0	0	4	7	4	11	15	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	159	0	0	0	1	0	0	1	3	10	23	43	78	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	219	0	0	0	0	0	0	1	5	23	35	52	103	0
Cerebrovascular diseases (I60-I69)	419	1	0	0	0	0	0	2	5	13	40	52	306	0

TABLE F-12 (continued)
(2011 - Delaware, All Races, Both Sexes)

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	458	0	1	0	1	1	0	1	3	11	43	92	305	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	331	2	2	4	1	9	23	57	43	62	38	19	71	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	96	1	1	3	1	5	12	17	14	20	8	4	10	0
Nontransport Accidents (W00-X59, Y86)	233	1	1	1	0	4	11	40	28	42	29	15	61	0
Diabetes mellitus (E10-E14)	223	0	0	0	0	0	0	6	9	13	41	53	101	0
Influenza and pneumonia (J10-J18)	130	1	1	0	0	0	0	2	3	3	8	24	88	0
Alzheimer's disease (G30)	203	0	0	0	0	0	0	0	0	0	1	14	188	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	161	0	0	0	0	0	1	1	1	6	19	30	103	0
Septicemia (A40-A41)	114	1	0	0	0	0	0	1	1	12	18	27	54	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	105	0	0	0	1	9	10	15	15	22	21	7	5	0
Chronic liver disease and cirrhosis (K70, K73-K74)	91	0	0	0	0	0	0	0	4	23	29	16	19	0
Essential hypertension and hypertensive renal disease (I10, I12)	47	0	0	0	0	0	0	1	3	0	7	8	28	0
Aortic aneurysm and dissection (I71)	32	0	0	0	0	0	0	0	1	1	3	10	17	0
Assault (homicide) (X85-Y09, Y87.1)	51	0	1	0	0	5	10	7	10	8	7	2	1	0
Human immunodeficiency virus (HIV) (B20-B24)	36	0	0	0	0	0	0	1	3	19	10	2	1	0
Certain conditions originating in the perinatal period (P00-P96)	59	59	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	28	14	1	2	1	1	0	2	1	0	4	0	2	0
All other causes	1634	19	3	2	3	3	9	22	36	118	141	202	1076	0
TOTAL	7816	98	10	9	9	30	56	137	219	600	979	1357	4312	0

Note:
*ICD Codes, Tenth Revision.

LCDAGEDE

Source:
Delaware Health Statistics Center

TABLE F-13
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
KENT, 2011
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	347	0	0	0	0	0	1	1	11	25	39	51	219	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	2	0	0	0	0	0	0	0	0	0	0	1	1	0
Hypertensive heart disease (I11)	10	0	0	0	0	0	0	0	2	3	0	0	5	0
Hypertensive heart and renal disease (I13)	4	0	0	0	0	0	0	0	0	2	0	1	1	0
Ischemic heart disease (I20-I25)	236	0	0	0	0	0	1	0	7	16	31	34	147	0
All other forms of heart disease (I26-I51)	95	0	0	0	0	0	0	1	2	4	8	15	65	0
Malignant neoplasms (C00-C97)	332	0	0	0	1	0	0	0	8	32	63	97	131	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	6	0	0	0	0	0	0	0	0	0	1	2	3	0
Malignant neoplasms of digestive organs (C15-C26)	79	0	0	0	0	0	0	0	1	6	21	18	33	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	93	0	0	0	0	0	0	0	1	10	17	30	35	0
Malignant neoplasms of breast (C50)	25	0	0	0	0	0	0	0	3	4	6	2	10	0
Malignant neoplasms of female genital organs, (C51-C58)	13	0	0	0	0	0	0	0	0	3	1	5	4	0
Malignant neoplasms of male genital organs, (C60-C63)	12	0	0	0	0	0	0	0	0	1	2	3	6	0
Malignant neoplasms of urinary tract (C64-C68)	25	0	0	0	0	0	0	0	0	0	4	9	12	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	6	0	0	0	0	0	0	0	0	2	1	2	1	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	32	0	0	0	1	0	0	0	2	1	3	15	10	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	41	0	0	0	0	0	0	0	1	5	7	11	17	0
Cerebrovascular diseases (I60-I69)	53	0	0	0	0	0	0	0	3	1	7	8	34	0

TABLE F-13 (continued)
(2011 - Kent, All Races, Both Sexes)

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	84	0	0	0	0	0	0	1	1	3	5	19	55	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	52	0	0	1	0	0	4	10	4	13	6	5	9	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	14	0	0	1	0	0	1	3	1	2	3	1	2	0
Nontransport Accidents (W00-X59, Y86)	38	0	0	0	0	0	3	7	3	11	3	4	7	0
Diabetes mellitus (E10-E14)	36	0	0	0	0	0	0	0	0	2	9	10	15	0
Influenza and pneumonia (J10-J18)	23	0	0	0	0	0	0	0	0	0	2	8	13	0
Alzheimer's disease (G30)	43	0	0	0	0	0	0	0	0	0	0	4	39	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	25	0	0	0	0	0	0	0	0	2	3	8	12	0
Septicemia (A40-A41)	29	1	0	0	0	0	0	1	0	2	5	10	10	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	20	0	0	0	1	1	3	3	5	4	2	1	0	0
Chronic liver disease and cirrhosis (K70, K73-K74)	18	0	0	0	0	0	0	0	0	3	5	5	5	0
Essential hypertension and hypertensive renal disease (I10, I12)	12	0	0	0	0	0	0	0	1	0	3	1	7	0
Aortic aneurysm and dissection (I71)	5	0	0	0	0	0	0	0	0	0	0	2	3	0
Assault (homicide) (X85-Y09, Y87.1)	7	0	0	0	0	1	1	0	0	2	2	0	1	0
Human immunodeficiency virus (HIV) (B20-B24)	5	0	0	0	0	0	0	0	0	2	2	1	0	0
Certain conditions originating in the perinatal period (P00-P96)	9	9	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	7	4	0	0	0	0	0	1	1	0	1	0	0	0
All other causes	261	3	0	2	0	0	3	4	3	21	23	31	171	0
TOTAL	1368	17	0	3	2	2	12	21	37	112	177	261	724	0

LCDAGEKT

Note:
*ICD Codes, Tenth Revision.

Source:
Delaware Health Statistics Center

TABLE F-14
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
NEW CASTLE, 2011
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent													Unk
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
Diseases of the heart (I00-I09, I11, I13, I20-I51)	914	1	0	0	0	0	2	9	22	59	104	144	573	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	6	0	0	0	0	0	0	0	0	0	0	1	5	0
Hypertensive heart disease (I11)	40	0	0	0	0	0	0	0	1	7	12	4	16	0
Hypertensive heart and renal disease (I13)	3	0	0	0	0	0	0	0	0	0	0	1	2	0
Ischemic heart disease (I20-I25)	612	0	0	0	0	0	0	2	13	38	76	103	380	0
All other forms of heart disease (I26-I51)	253	1	0	0	0	0	2	7	8	14	16	35	170	0
Malignant neoplasms (C00-C97)	1074	0	1	1	1	1	0	6	25	104	218	270	447	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	20	0	0	0	0	0	0	0	0	3	5	3	9	0
Malignant neoplasms of digestive organs (C15-C26)	273	0	0	0	0	0	0	1	8	24	72	67	101	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	325	0	0	0	0	0	0	0	3	34	68	104	116	0
Malignant neoplasms of breast (C50)	77	0	0	0	0	0	0	2	2	12	19	18	24	0
Malignant neoplasms of female genital organs, (C51-C58)	45	0	0	0	0	0	0	2	3	4	8	8	20	0
Malignant neoplasms of male genital organs, (C60-C63)	56	0	0	0	0	0	0	0	0	2	7	15	32	0
Malignant neoplasms of urinary tract (C64-C68)	54	0	0	1	0	0	0	0	1	4	8	6	34	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	25	0	1	0	1	1	0	0	4	3	2	6	7	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	79	0	0	0	0	0	0	0	0	4	13	18	44	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	120	0	0	0	0	0	0	1	4	14	16	25	60	0
Cerebrovascular diseases (I60-I69)	267	1	0	0	0	0	0	1	1	6	21	34	203	0

TABLE F-14 (continued)
(2011 - New Castle, All Races, Both Sexes)

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	254	0	1	0	0	1	0	0	2	5	28	45	172	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	196	2	1	2	1	4	14	36	28	37	23	10	38	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	47	1	1	1	1	1	8	8	9	9	4	2	2	0
Nontransport Accidents (W00-X59, Y86)	148	1	0	1	0	3	6	28	18	28	19	8	36	0
Diabetes mellitus (E10-E14)	135	0	0	0	0	0	0	6	7	7	25	32	58	0
Influenza and pneumonia (J10-J18)	77	1	0	0	0	0	0	1	2	2	6	8	57	0
Alzheimer's disease (G30)	77	0	0	0	0	0	0	0	0	0	1	3	73	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	91	0	0	0	0	0	1	1	1	2	12	15	59	0
Septicemia (A40-A41)	59	0	0	0	0	0	0	0	1	9	11	13	25	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	63	0	0	0	0	6	6	10	7	13	12	5	4	0
Chronic liver disease and cirrhosis (K70, K73-K74)	45	0	0	0	0	0	0	0	2	13	17	7	6	0
Essential hypertension and hypertensive renal disease (I10, I12)	26	0	0	0	0	0	0	1	2	0	3	6	14	0
Aortic aneurysm and dissection (I71)	18	0	0	0	0	0	0	0	1	1	3	4	9	0
Assault (homicide) (X85-Y09, Y87.1)	39	0	1	0	0	4	8	7	9	5	4	1	0	0
Human immunodeficiency virus (HIV) (B20-B24)	25	0	0	0	0	0	0	0	2	13	8	1	1	0
Certain conditions originating in the perinatal period (P00-P96)	48	48	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	16	9	0	0	0	1	0	1	0	0	3	0	2	0
All other causes	970	12	2	0	1	2	5	14	23	68	87	115	641	0
TOTAL	4394	74	6	3	3	19	36	93	135	344	586	713	2382	0

LCDAGENC

Note:
*ICD Codes, Tenth Revision.

Source:
Delaware Health Statistics Center

TABLE F-15
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
CITY OF WILMINGTON, 2011
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	128	0	0	0	0	0	0	3	5	8	22	19	71	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hypertensive heart disease (I11)	6	0	0	0	0	0	0	0	1	0	3	1	1	0
Hypertensive heart and renal disease (I13)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ischemic heart disease (I20-I25)	89	0	0	0	0	0	0	1	2	6	17	15	48	0
All other forms of heart disease (I26-I51)	33	0	0	0	0	0	0	2	2	2	2	3	22	0
Malignant neoplasms (C00-C97)	147	0	0	0	0	0	0	1	4	19	38	29	56	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	4	0	0	0	0	0	0	0	0	1	1	2	0	0
Malignant neoplasms of digestive organs (C15-C26)	32	0	0	0	0	0	0	0	1	7	9	7	8	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	44	0	0	0	0	0	0	0	2	3	17	11	11	0
Malignant neoplasms of breast (C50)	10	0	0	0	0	0	0	0	0	1	4	1	4	0
Malignant neoplasms of female genital organs, (C51-C58)	5	0	0	0	0	0	0	0	0	0	1	1	3	0
Malignant neoplasms of male genital organs, (C60-C63)	7	0	0	0	0	0	0	0	0	0	1	1	5	0
Malignant neoplasms of urinary tract (C64-C68)	9	0	0	0	0	0	0	0	0	0	1	0	8	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	2	0	0	0	0	0	0	0	1	0	0	0	1	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	13	0	0	0	0	0	0	0	0	1	1	2	9	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	21	0	0	0	0	0	0	1	0	6	3	4	7	0
Cerebrovascular diseases (I60-I69)	36	0	0	0	0	0	0	0	1	1	5	1	28	0

TABLE F-15 (continued)
(2011 - City of Wilmington, All Races, Both Sexes)

	Age of Decedent													Unk
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
Chronic lower respiratory diseases (J40-J47)	43	0	0	0	0	0	0	0	1	4	4	5	29	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	38	0	1	1	0	0	0	6	7	11	5	3	4	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	9	0	1	1	0	0	0	1	1	4	0	1	0	0
Nontransport Accidents (W00-X59, Y86)	29	0	0	0	0	0	0	5	6	7	5	2	4	0
Diabetes mellitus (E10-E14)	29	0	0	0	0	0	0	0	2	2	4	6	15	0
Influenza and pneumonia (J10-J18)	8	0	0	0	0	0	0	0	0	1	0	1	6	0
Alzheimer's disease (G30)	11	0	0	0	0	0	0	0	0	0	0	0	11	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	19	0	0	0	0	0	0	0	1	1	2	1	14	0
Septicemia (A40-A41)	13	0	0	0	0	0	0	0	0	4	1	2	6	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	7	0	0	0	0	0	1	1	0	3	1	0	1	0
Chronic liver disease and cirrhosis (K70, K73-K74)	9	0	0	0	0	0	0	0	0	2	4	2	1	0
Essential hypertension and hypertensive renal disease (I10, I12)	7	0	0	0	0	0	0	0	1	0	1	2	3	0
Aortic aneurysm and dissection (I71)	2	0	0	0	0	0	0	0	0	0	0	0	2	0
Assault (homicide) (X85-Y09, Y87.1)	21	0	1	0	0	4	3	5	5	1	1	1	0	0
Human immunodeficiency virus (HIV) (B20-B24)	15	0	0	0	0	0	0	0	0	7	7	0	1	0
Certain conditions originating in the perinatal period (P00-P96)	12	12	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	3	2	0	0	0	0	0	0	0	0	1	0	0	0
All other causes	149	3	2	0	1	0	1	1	6	14	18	16	87	0
TOTAL	697	17	4	1	1	4	5	17	33	78	114	88	335	0

Note:
*ICD Codes, Tenth Revision.

LCDAGEWLM

Source:
Delaware Health Statistics Center

TABLE F-16
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
SUSSEX, 2011
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	535	0	0	0	0	1	0	1	7	25	47	86	368	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	6	0	0	0	0	0	0	1	0	0	0	2	3	0
Hypertensive heart disease (I11)	8	0	0	0	0	0	0	0	1	2	1	1	3	0
Hypertensive heart and renal disease (I13)	2	0	0	0	0	0	0	0	0	0	0	0	2	0
Ischemic heart disease (I20-I25)	381	0	0	0	0	0	0	0	3	18	37	62	261	0
All other forms of heart disease (I26-I51)	138	0	0	0	0	1	0	0	3	5	9	21	99	0
Malignant neoplasms (C00-C97)	492	0	0	0	0	0	0	2	8	44	78	151	209	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	7	0	0	0	0	0	0	0	0	1	3	1	2	0
Malignant neoplasms of digestive organs (C15-C26)	113	0	0	0	0	0	0	0	4	13	23	33	40	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	156	0	0	0	0	0	0	0	0	11	21	57	67	0
Malignant neoplasms of breast (C50)	25	0	0	0	0	0	0	1	2	2	5	6	9	0
Malignant neoplasms of female genital organs, (C51-C58)	26	0	0	0	0	0	0	0	1	3	3	14	5	0
Malignant neoplasms of male genital organs, (C60-C63)	29	0	0	0	0	0	0	0	0	0	1	8	20	0
Malignant neoplasms of urinary tract (C64-C68)	17	0	0	0	0	0	0	0	0	3	2	3	9	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	13	0	0	0	0	0	0	0	0	2	1	3	7	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	48	0	0	0	0	0	0	1	1	5	7	10	24	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	58	0	0	0	0	0	0	0	0	4	12	16	26	0
Cerebrovascular diseases (I60-I69)	99	0	0	0	0	0	0	1	1	6	12	10	69	0

TABLE F-16 (continued)
(2011 - Sussex, All Races, Both Sexes)

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	120	0	0	0	1	0	0	0	0	3	10	28	78	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	83	0	1	1	0	5	5	11	11	12	9	4	24	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	35	0	0	1	0	4	3	6	4	9	1	1	6	0
Nontransport Accidents (W00-X59, Y86)	47	0	1	0	0	1	2	5	7	3	7	3	18	0
Diabetes mellitus (E10-E14)	52	0	0	0	0	0	0	0	2	4	7	11	28	0
Influenza and pneumonia (J10-J18)	30	0	1	0	0	0	0	1	1	1	0	8	18	0
Alzheimer's disease (G30)	83	0	0	0	0	0	0	0	0	0	0	7	76	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	45	0	0	0	0	0	0	0	0	2	4	7	32	0
Septicemia (A40-A41)	26	0	0	0	0	0	0	0	0	1	2	4	19	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	22	0	0	0	0	2	1	2	3	5	7	1	1	0
Chronic liver disease and cirrhosis (K70, K73-K74)	28	0	0	0	0	0	0	0	2	7	7	4	8	0
Essential hypertension and hypertensive renal disease (I10, I12)	9	0	0	0	0	0	0	0	0	0	1	1	7	0
Aortic aneurysm and dissection (I71)	9	0	0	0	0	0	0	0	0	0	0	4	5	0
Assault (homicide) (X85-Y09, Y87.1)	5	0	0	0	0	0	1	0	1	1	1	1	0	0
Human immunodeficiency virus (HIV) (B20-B24)	6	0	0	0	0	0	0	1	1	4	0	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	2	2	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	5	1	1	2	1	0	0	0	0	0	0	0	0	0
All other causes	403	4	1	0	2	1	1	4	10	29	31	56	264	0
TOTAL	2054	7	4	3	4	9	8	23	47	144	216	383	1206	0

LCDAGESX

Note:
*ICD Codes, Tenth Revision.

Source:
Delaware Health Statistics Center

TABLE F-17
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2011
(ALL RACES, MALES)

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	963	0	0	0	0	1	2	7	29	75	146	181	522	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	4	0	0	0	0	0	0	1	0	0	0	1	2	0
Hypertensive heart disease (I11)	31	0	0	0	0	0	0	0	3	10	7	2	9	0
Hypertensive heart and renal disease (I13)	4	0	0	0	0	0	0	0	0	1	0	1	2	0
Ischemic heart disease (I20-I25)	675	0	0	0	0	0	0	2	21	48	117	133	354	0
All other forms of heart disease (I26-I51)	249	0	0	0	0	1	2	4	5	16	22	44	155	0
Malignant neoplasms (C00-C97)	965	0	0	1	1	1	0	1	20	88	196	275	382	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	26	0	0	0	0	0	0	0	0	2	9	5	10	0
Malignant neoplasms of digestive organs (C15-C26)	250	0	0	0	0	0	0	0	11	25	68	70	76	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	320	0	0	0	0	0	0	0	3	30	68	108	111	0
Malignant neoplasms of breast (C50)	1	0	0	0	0	0	0	0	0	0	0	1	0	0
Malignant neoplasms of male genital organs, (C60-C63)	97	0	0	0	0	0	0	0	0	3	10	26	58	0
Malignant neoplasms of urinary tract (C64-C68)	60	0	0	1	0	0	0	0	1	4	7	11	36	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	20	0	0	0	0	1	0	0	2	6	2	4	5	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	79	0	0	0	1	0	0	1	2	6	13	22	34	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	112	0	0	0	0	0	0	0	1	12	19	28	52	0
Cerebrovascular diseases (I60-I69)	189	1	0	0	0	0	0	1	5	6	22	25	129	0

TABLE F-17 (continued)
(2011 - All Races, Male)

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	202	0	1	0	1	1	0	1	1	6	24	45	122	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	203	2	0	4	1	6	16	37	31	36	27	9	34	0
Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	65	1	0	3	1	3	9	9	10	16	7	3	3	0
Nontransport Accidents (W00-X59, Y86)	136	1	0	1	0	3	7	28	20	20	19	6	31	0
Diabetes mellitus (E10-E14)	103	0	0	0	0	0	0	3	5	6	24	26	39	0
Influenza and pneumonia (J10-J18)	60	0	0	0	0	0	0	1	2	2	4	13	38	0
Alzheimer's disease (G30)	59	0	0	0	0	0	0	0	0	0	0	4	55	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	76	0	0	0	0	0	1	0	1	3	10	14	47	0
Septicemia (A40-A41)	53	0	0	0	0	0	0	1	1	2	9	15	25	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	81	0	0	0	0	7	9	11	11	19	17	3	4	0
Chronic liver disease and cirrhosis (K70, K73-K74)	66	0	0	0	0	0	0	0	3	17	22	11	13	0
Essential hypertension and hypertensive renal disease (I10, I12)	13	0	0	0	0	0	0	1	3	0	3	3	3	0
Aortic aneurysm and dissection (I71)	14	0	0	0	0	0	0	0	0	0	2	4	8	0
Assault (homicide) (X85-Y09, Y87.1)	42	0	0	0	0	5	9	7	8	6	6	0	1	0
Human immunodeficiency virus (HIV) (B20-B24)	28	0	0	0	0	0	0	1	3	15	6	2	1	0
Certain conditions originating in the perinatal period (P00-P96)	33	33	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	12	5	1	1	0	0	0	2	0	0	2	0	1	0
All other causes	708	12	3	0	2	2	4	13	22	75	80	109	386	0
TOTAL	3870	53	5	6	5	23	41	87	145	356	600	739	1810	0

Note:
*ICD Codes, Tenth Revision.

LCDAGMAL

Source:
Delaware Health Statistics Center

TABLE F-18
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2011
(ALL RACES, FEMALES)

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	833	1	0	0	0	0	1	4	11	34	44	100	638	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	10	0	0	0	0	0	0	0	0	0	0	3	7	0
Hypertensive heart disease (I11)	27	0	0	0	0	0	0	0	1	2	6	3	15	0
Hypertensive heart and renal disease (I13)	5	0	0	0	0	0	0	0	0	1	0	1	3	0
Ischemic heart disease (I20-I25)	554	0	0	0	0	0	1	0	2	24	27	66	434	0
All other forms of heart disease (I26-I51)	237	1	0	0	0	0	0	4	8	7	11	27	179	0
Malignant neoplasms (C00-C97)	933	0	1	0	1	0	0	7	21	92	163	243	405	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	7	0	0	0	0	0	0	0	0	2	0	1	4	0
Malignant neoplasms of digestive organs (C15-C26)	215	0	0	0	0	0	0	1	2	18	48	48	98	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	254	0	0	0	0	0	0	0	1	25	38	83	107	0
Malignant neoplasms of breast (C50)	126	0	0	0	0	0	0	3	7	18	30	25	43	0
Malignant neoplasms of female genital organs, (C51-C58)	84	0	0	0	0	0	0	2	4	10	12	27	29	0
Malignant neoplasms of urinary tract (C64-C68)	36	0	0	0	0	0	0	0	0	3	7	7	19	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	24	0	1	0	1	0	0	0	2	1	2	7	10	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	80	0	0	0	0	0	0	0	1	4	10	21	44	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	107	0	0	0	0	0	0	1	4	11	16	24	51	0
Cerebrovascular diseases (I60-I69)	230	0	0	0	0	0	0	1	0	7	18	27	177	0

TABLE F-18 (continued)
(2011 - All Races, Female)

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	256	0	0	0	0	0	0	0	2	5	19	47	183	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	128	0	2	0	0	3	7	20	12	26	11	10	37	0
Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	31	0	1	0	0	2	3	8	4	4	1	1	7	0
Nontransport Accidents (W00-X59, Y86)	97	0	1	0	0	1	4	12	8	22	10	9	30	0
Diabetes mellitus (E10-E14)	120	0	0	0	0	0	0	3	4	7	17	27	62	0
Influenza and pneumonia (J10-J18)	70	1	1	0	0	0	0	1	1	1	4	11	50	0
Alzheimer's disease (G30)	144	0	0	0	0	0	0	0	0	0	1	10	133	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	85	0	0	0	0	0	0	1	0	3	9	16	56	0
Septicemia (A40-A41)	61	1	0	0	0	0	0	0	0	10	9	12	29	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	24	0	0	0	1	2	1	4	4	3	4	4	1	0
Chronic liver disease and cirrhosis (K70, K73-K74)	25	0	0	0	0	0	0	0	1	6	7	5	6	0
Essential hypertension and hypertensive renal disease (I10, I12)	34	0	0	0	0	0	0	0	0	0	4	5	25	0
Aortic aneurysm and dissection (I71)	18	0	0	0	0	0	0	0	1	1	1	6	9	0
Assault (homicide) (X85-Y09, Y87.1)	9	0	1	0	0	0	1	0	2	2	1	2	0	0
Human immunodeficiency virus (HIV) (B20-B24)	8	0	0	0	0	0	0	0	0	4	4	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	26	26	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	16	9	0	1	1	1	0	0	1	0	2	0	1	0
All Other Causes	926	7	0	2	1	1	5	9	14	43	61	93	690	0
TOTAL	3946	45	5	3	4	7	15	50	74	244	379	618	2502	0

LCDAGFEM

Note:
*ICD Codes, Tenth Revision.

Source:
Delaware Health Statistics Center

TABLE F-19
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2011
(WHITE, BOTH SEXES)

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	1516	1	0	0	0	1	3	7	21	78	147	228	1030	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	14	0	0	0	0	0	0	1	0	0	0	4	9	0
Hypertensive heart disease (I11)	41	0	0	0	0	0	0	0	2	7	9	3	20	0
Hypertensive heart and renal disease (I13)	7	0	0	0	0	0	0	0	0	1	0	1	5	0
Ischemic heart disease (I20-I25)	1050	0	0	0	0	0	1	2	14	54	113	160	706	0
All other forms of heart disease (I26-I51)	404	1	0	0	0	1	2	4	5	16	25	60	290	0
Malignant neoplasms (C00-C97)	1549	0	1	1	0	0	0	7	30	138	257	435	680	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	23	0	0	0	0	0	0	0	0	3	3	5	12	0
Malignant neoplasms of digestive organs (C15-C26)	367	0	0	0	0	0	0	1	9	32	85	93	147	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	487	0	0	0	0	0	0	0	2	46	78	162	199	0
Malignant neoplasms of breast (C50)	96	0	0	0	0	0	0	2	6	13	22	22	31	0
Malignant neoplasms of female genital organs, (C51-C58)	67	0	0	0	0	0	0	2	2	9	9	22	23	0
Malignant neoplasms of male genital organs, (C60-C63)	75	0	0	0	0	0	0	0	0	3	3	23	46	0
Malignant neoplasms of urinary tract (C64-C68)	81	0	0	1	0	0	0	0	0	6	12	15	47	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	41	0	1	0	0	0	0	0	4	6	4	11	15	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	129	0	0	0	0	0	0	1	2	5	15	38	68	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	183	0	0	0	0	0	0	1	5	15	26	44	92	0
Cerebrovascular diseases (I60-I69)	354	0	0	0	0	0	0	2	4	10	24	37	277	0

TABLE F-19 (continued)
(2011 - White, Both Sexes)

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	404	0	1	0	0	1	0	0	2	8	35	79	278	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	282	2	1	3	1	8	19	45	36	55	29	13	70	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	71	1	1	2	1	4	8	10	9	17	5	3	10	0
Nontransport Accidents (W00-X59, Y86)	209	1	0	1	0	4	11	35	26	38	23	10	60	0
Diabetes mellitus (E10-E14)	146	0	0	0	0	0	0	4	5	4	23	38	72	0
Influenza and pneumonia (J10-J18)	105	1	0	0	0	0	0	2	2	2	6	19	73	0
Alzheimer's disease (G30)	181	0	0	0	0	0	0	0	0	0	1	13	167	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	123	0	0	0	0	0	1	1	0	2	12	21	86	0
Septicemia (A40-A41)	91	1	0	0	0	0	0	1	1	6	14	22	46	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	94	0	0	0	1	6	8	13	13	21	20	7	5	0
Chronic liver disease and cirrhosis (K70, K73-K74)	77	0	0	0	0	0	0	0	3	21	25	10	18	0
Essential hypertension and hypertensive renal disease (I10, I12)	35	0	0	0	0	0	0	1	0	0	3	6	25	0
Aortic aneurysm and dissection (I71)	27	0	0	0	0	0	0	0	1	0	3	10	13	0
Assault (homicide) (X85-Y09, Y87.1)	21	0	0	0	0	0	1	2	6	5	4	2	1	0
Human immunodeficiency virus (HIV) (B20-B24)	7	0	0	0	0	0	0	0	1	3	2	1	0	0
Certain conditions originating in the perinatal period (P00-P96)	20	20	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	21	11	1	1	1	1	0	0	1	0	3	0	2	0
All other causes	1359	12	3	1	1	3	4	16	23	89	100	160	947	0
TOTAL	6412	48	7	6	4	20	36	101	149	442	708	1101	3790	0

LCDAGWHT

Note:
*ICD Codes, Tenth Revision.

Source:
Delaware Health Statistics Center

TABLE F-20
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2011
(WHITE MALES)

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	800	0	0	0	0	1	2	3	17	57	115	142	463	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	4	0	0	0	0	0	0	1	0	0	0	1	2	0
Hypertensive heart disease (I11)	21	0	0	0	0	0	0	0	2	6	5	0	8	0
Hypertensive heart and renal disease (I13)	2	0	0	0	0	0	0	0	0	0	0	0	2	0
Ischemic heart disease (I20-I25)	569	0	0	0	0	0	0	2	13	38	92	104	320	0
All other forms of heart disease (I26-I51)	204	0	0	0	0	1	2	0	2	13	18	37	131	0
Malignant neoplasms (C00-C97)	784	0	0	1	0	0	0	1	12	71	134	228	337	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	19	0	0	0	0	0	0	0	0	2	3	5	9	0
Malignant neoplasms of digestive organs (C15-C26)	194	0	0	0	0	0	0	0	7	18	49	56	64	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	270	0	0	0	0	0	0	0	1	28	49	88	104	0
Malignant neoplasms of breast (C50)	1	0	0	0	0	0	0	0	0	0	0	1	0	0
Malignant neoplasms of male genital organs, (C60-C63)	75	0	0	0	0	0	0	0	0	3	3	23	46	0
Malignant neoplasms of urinary tract (C64-C68)	50	0	0	1	0	0	0	0	0	4	6	9	30	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	18	0	0	0	0	0	0	0	2	5	2	4	5	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	62	0	0	0	0	0	0	1	1	3	7	19	31	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	95	0	0	0	0	0	0	0	1	8	15	23	48	0
Cerebrovascular diseases (I60-I69)	154	0	0	0	0	0	0	1	4	5	12	17	115	0

TABLE F-20 (continued)
(2011 - White Males)

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	170	0	1	0	0	1	0	0	0	4	20	36	108	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	174	2	0	3	1	5	13	30	27	32	21	6	34	0
Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	47	1	0	2	1	2	6	6	7	13	4	2	3	0
Nontransport Accidents (W00-X59, Y86)	125	1	0	1	0	3	7	24	19	19	16	4	31	0
Diabetes mellitus (E10-E14)	73	0	0	0	0	0	0	2	3	2	16	20	30	0
Influenza and pneumonia (J10-J18)	48	0	0	0	0	0	0	1	1	1	3	8	34	0
Alzheimer's disease (G30)	52	0	0	0	0	0	0	0	0	0	0	4	48	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	56	0	0	0	0	0	1	0	0	2	6	9	38	0
Septicemia (A40-A41)	45	0	0	0	0	0	0	1	1	1	8	12	22	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	72	0	0	0	0	5	7	9	10	18	16	3	4	0
Chronic liver disease and cirrhosis (K70, K73-K74)	53	0	0	0	0	0	0	0	3	15	18	5	12	0
Essential hypertension and hypertensive renal disease (I10, I12)	6	0	0	0	0	0	0	1	0	0	1	2	2	0
Aortic aneurysm and dissection (I71)	13	0	0	0	0	0	0	0	0	0	2	4	7	0
Assault (homicide) (X85-Y09, Y87.1)	14	0	0	0	0	0	0	2	5	3	3	0	1	0
Human immunodeficiency virus (HIV) (B20-B24)	7	0	0	0	0	0	0	0	1	3	2	1	0	0
Certain conditions originating in the perinatal period (P00-P96)	14	14	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	7	4	1	0	0	0	0	0	0	0	1	0	1	0
All other causes	587	8	3	0	0	2	2	11	17	58	55	83	348	0
TOTAL	3129	28	5	4	1	14	25	62	101	272	433	580	1604	0

LCDAGEWM

Note:
*ICD Codes, Tenth Revision.

Source:
Delaware Health Statistics Center

TABLE F-21
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2011
(WHITE FEMALES)

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (100-109, I11, I13, I20-I51)	716	1	0	0	0	0	1	4	4	21	32	86	567	0
Acute rheumatic fever and chronic rheumatic heart disease (100-109)	10	0	0	0	0	0	0	0	0	0	0	3	7	0
Hypertensive heart disease (I11)	20	0	0	0	0	0	0	0	0	1	4	3	12	0
Hypertensive heart and renal disease (I13)	5	0	0	0	0	0	0	0	0	1	0	1	3	0
Ischemic heart disease (I20-I25)	481	0	0	0	0	0	1	0	1	16	21	56	386	0
All other forms of heart disease (I26-I51)	200	1	0	0	0	0	0	4	3	3	7	23	159	0
Malignant neoplasms (C00-C97)	765	0	1	0	0	0	0	6	18	67	123	207	343	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	4	0	0	0	0	0	0	0	0	1	0	0	3	0
Malignant neoplasms of digestive organs (C15-C26)	173	0	0	0	0	0	0	1	2	14	36	37	83	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	217	0	0	0	0	0	0	0	1	18	29	74	95	0
Malignant neoplasms of breast (C50)	95	0	0	0	0	0	0	2	6	13	22	21	31	0
Malignant neoplasms of female genital organs, (C51-C58)	67	0	0	0	0	0	0	2	2	9	9	22	23	0
Malignant neoplasms of urinary tract (C64-C68)	31	0	0	0	0	0	0	0	0	2	6	6	17	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	23	0	1	0	0	0	0	0	2	1	2	7	10	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	67	0	0	0	0	0	0	0	1	2	8	19	37	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	88	0	0	0	0	0	0	1	4	7	11	21	44	0
Cerebrovascular diseases (I60-I69)	200	0	0	0	0	0	0	1	0	5	12	20	162	0

TABLE F-21 (continued)
(2011 - White Females)

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	234	0	0	0	0	0	0	0	2	4	15	43	170	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	108	0	1	0	0	3	6	15	9	23	8	7	36	0
Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	24	0	1	0	0	2	2	4	2	4	1	1	7	0
Nontransport Accidents (W00-X59, Y86)	84	0	0	0	0	1	4	11	7	19	7	6	29	0
Diabetes mellitus (E10-E14)	73	0	0	0	0	0	0	2	2	2	7	18	42	0
Influenza and pneumonia (J10-J18)	57	1	0	0	0	0	0	1	1	1	3	11	39	0
Alzheimer's disease (G30)	129	0	0	0	0	0	0	0	0	0	1	9	119	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	67	0	0	0	0	0	0	1	0	0	6	12	48	0
Septicemia (A40-A41)	46	1	0	0	0	0	0	0	0	5	6	10	24	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	22	0	0	0	1	1	1	4	3	3	4	4	1	0
Chronic liver disease and cirrhosis (K70, K73-K74)	24	0	0	0	0	0	0	0	0	6	7	5	6	0
Essential hypertension and hypertensive renal disease (I10, I12)	29	0	0	0	0	0	0	0	0	0	2	4	23	0
Aortic aneurysm and dissection (I71)	14	0	0	0	0	0	0	0	1	0	1	6	6	0
Assault (homicide) (X85-Y09, Y87.1)	7	0	0	0	0	0	1	0	1	2	1	2	0	0
Human immunodeficiency virus (HIV) (B20-B24)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	6	6	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	14	7	0	1	1	1	0	0	1	0	2	0	1	0
All other causes	772	4	0	1	1	1	2	5	6	31	45	77	599	0
TOTAL	3283	20	2	2	3	6	11	39	48	170	275	521	2186	0

LCDAGEWF

Note:
*ICD Codes, Tenth Revision.

Source:
Delaware Health Statistics Center

TABLE F-22
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2011
(BLACK, BOTH SEXES)

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	247	0	0	0	0	0	0	4	18	27	42	43	113	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hypertensive heart disease (I11)	15	0	0	0	0	0	0	0	2	5	4	0	4	0
Hypertensive heart and renal disease (I13)	2	0	0	0	0	0	0	0	0	1	0	1	0	0
Ischemic heart disease (I20-I25)	160	0	0	0	0	0	0	0	8	15	31	31	75	0
All other forms of heart disease (I26-I51)	70	0	0	0	0	0	0	4	8	6	7	11	34	0
Malignant neoplasms (C00-C97)	314	0	0	0	2	1	0	1	7	39	95	78	91	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	9	0	0	0	0	0	0	0	0	1	5	1	2	0
Malignant neoplasms of digestive organs (C15-C26)	83	0	0	0	0	0	0	0	1	11	27	23	21	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	81	0	0	0	0	0	0	0	2	8	27	29	15	0
Malignant neoplasms of breast (C50)	26	0	0	0	0	0	0	1	1	5	7	3	9	0
Malignant neoplasms of female genital organs, (C51-C58)	16	0	0	0	0	0	0	0	1	1	3	5	6	0
Malignant neoplasms of male genital organs, (C60-C63)	22	0	0	0	0	0	0	0	0	0	7	3	12	0
Malignant neoplasms of urinary tract (C64-C68)	13	0	0	0	0	0	0	0	1	1	2	3	6	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	2	0	0	0	1	1	0	0	0	0	0	0	0	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	29	0	0	0	1	0	0	0	1	5	8	5	9	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	33	0	0	0	0	0	0	0	0	7	9	6	11	0
Cerebrovascular diseases (I60-I69)	56	0	0	0	0	0	0	0	1	3	15	14	23	0

TABLE F-22 (continued)
(2011 - Black, Both Sexes)

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	52	0	0	0	1	0	0	0	1	3	8	12	27	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	42	0	1	1	0	1	3	11	7	5	8	4	1	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	22	0	0	1	0	1	3	6	5	2	3	1	0	0
Nontransport Accidents (W00-X59, Y86)	20	0	1	0	0	0	0	5	2	3	5	3	1	0
Diabetes mellitus (E10-E14)	73	0	0	0	0	0	0	2	4	9	18	15	25	0
Influenza and pneumonia (J10-J18)	21	0	1	0	0	0	0	0	1	1	2	4	12	0
Alzheimer's disease (G30)	20	0	0	0	0	0	0	0	0	0	0	1	19	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	37	0	0	0	0	0	0	0	1	4	7	9	16	0
Septicemia (A40-A41)	21	0	0	0	0	0	0	0	0	5	4	5	7	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	10	0	0	0	0	3	2	2	1	1	1	0	0	0
Chronic liver disease and cirrhosis (K70, K73-K74)	13	0	0	0	0	0	0	0	1	2	4	5	1	0
Essential hypertension and hypertensive renal disease (I10, I12)	9	0	0	0	0	0	0	0	2	0	3	2	2	0
Aortic aneurysm and dissection (I71)	3	0	0	0	0	0	0	0	0	1	0	0	2	0
Assault (homicide) (X85-Y09, Y87.1)	28	0	1	0	0	5	8	5	4	3	2	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	29	0	0	0	0	0	0	1	2	16	8	1	1	0
Certain conditions originating in the perinatal period (P00-P96)	31	31	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	6	3	0	0	0	0	0	2	0	0	1	0	0	0
All other causes	244	4	0	1	2	0	5	6	13	24	37	36	116	0
TOTAL	1256	38	3	2	5	10	18	34	63	143	255	229	456	0

LCDAGBLK

Note:
*ICD Codes, Tenth Revision.

Source:
Delaware Health Statistics Center

TABLE F-23
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2011
(BLACK MALES)

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	142	0	0	0	0	0	0	4	11	16	30	32	49	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hypertensive heart disease (I11)	8	0	0	0	0	0	0	0	1	4	2	0	1	0
Hypertensive heart and renal disease (I13)	2	0	0	0	0	0	0	0	0	1	0	1	0	0
Ischemic heart disease (I20-I25)	94	0	0	0	0	0	0	0	7	8	25	24	30	0
All other forms of heart disease (I26-I51)	38	0	0	0	0	0	0	4	3	3	3	7	18	0
Malignant neoplasms (C00-C97)	161	0	0	0	1	1	0	0	5	15	57	44	38	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	6	0	0	0	0	0	0	0	0	0	5	0	1	0
Malignant neoplasms of digestive organs (C15-C26)	46	0	0	0	0	0	0	0	1	7	16	13	9	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	47	0	0	0	0	0	0	0	2	2	18	20	5	0
Malignant neoplasms of breast (C50)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of male genital organs, (C60-C63)	22	0	0	0	0	0	0	0	0	0	7	3	12	0
Malignant neoplasms of urinary tract (C64-C68)	8	0	0	0	0	0	0	0	1	0	1	2	4	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	1	0	0	0	0	1	0	0	0	0	0	0	0	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	17	0	0	0	1	0	0	0	1	3	6	3	3	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	14	0	0	0	0	0	0	0	0	3	4	3	4	0
Cerebrovascular diseases (I60-I69)	31	0	0	0	0	0	0	0	1	1	10	8	11	0

TABLE F-23 (continued)
(2011 - Black Males)

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	30	0	0	0	1	0	0	0	1	2	4	8	14	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	27	0	0	1	0	1	2	7	4	3	6	3	0	0
Motor Vehicle Accidents (V02-V04, V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	16	0	0	1	0	1	2	3	3	2	3	1	0	0
Nontransport Accidents (W00-X59, Y86)	11	0	0	0	0	0	0	4	1	1	3	2	0	0
Diabetes mellitus (E10-E14)	29	0	0	0	0	0	0	1	2	4	8	6	8	0
Influenza and pneumonia (J10-J18)	11	0	0	0	0	0	0	0	1	1	1	4	4	0
Alzheimer's disease (G30)	5	0	0	0	0	0	0	0	0	0	0	0	5	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	20	0	0	0	0	0	0	0	1	1	4	5	9	0
Septicemia (A40-A41)	8	0	0	0	0	0	0	0	0	1	1	3	3	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	8	0	0	0	0	2	2	2	0	1	1	0	0	0
Chronic liver disease and cirrhosis (K70, K73-K74)	12	0	0	0	0	0	0	0	0	2	4	5	1	0
Essential hypertension and hypertensive renal disease (I10, I12)	6	0	0	0	0	0	0	0	2	0	2	1	1	0
Aortic aneurysm and dissection (I71)	1	0	0	0	0	0	0	0	0	0	0	0	1	0
Assault (homicide) (X85-Y09, Y87.1)	26	0	0	0	0	5	8	5	3	3	2	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	21	0	0	0	0	0	0	1	2	12	4	1	1	0
Certain conditions originating in the perinatal period (P00-P96)	13	13	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	4	1	0	0	0	0	0	2	0	0	1	0	0	0
All other causes	107	2	0	0	2	0	2	2	5	14	24	23	33	0
TOTAL	662	16	0	1	4	9	14	24	38	76	159	143	178	0

Note:
*ICD Codes, Tenth Revision.

Source:
Delaware Health Statistics Center

LCDAGEBM

TABLE F-24
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2011
(BLACK FEMALES)

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	105	0	0	0	0	0	0	0	7	11	12	11	64	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hypertensive heart disease (I11)	7	0	0	0	0	0	0	0	1	1	2	0	3	0
Hypertensive heart and renal disease (I13)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ischemic heart disease (I20-I25)	66	0	0	0	0	0	0	0	1	7	6	7	45	0
All other forms of heart disease (I26-I51)	32	0	0	0	0	0	0	0	5	3	4	4	16	0
Malignant neoplasms (C00-C97)	153	0	0	0	1	0	0	1	2	24	38	34	53	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	3	0	0	0	0	0	0	0	0	1	0	1	1	0
Malignant neoplasms of digestive organs (C15-C26)	37	0	0	0	0	0	0	0	0	4	11	10	12	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	34	0	0	0	0	0	0	0	0	6	9	9	10	0
Malignant neoplasms of breast (C50)	26	0	0	0	0	0	0	1	1	5	7	3	9	0
Malignant neoplasms of female genital organs, (C51-C58)	16	0	0	0	0	0	0	0	1	1	3	5	6	0
Malignant neoplasms of urinary tract (C64-C68)	5	0	0	0	0	0	0	0	0	1	1	1	2	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	1	0	0	0	1	0	0	0	0	0	0	0	0	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	12	0	0	0	0	0	0	0	0	2	2	2	6	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	19	0	0	0	0	0	0	0	0	4	5	3	7	0
Cerebrovascular diseases (I60-I69)	25	0	0	0	0	0	0	0	0	2	5	6	12	0

TABLE F-24 (continued)
(2011 - Black Females)

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	22	0	0	0	0	0	0	0	0	1	4	4	13	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	15	0	1	0	0	0	1	4	3	2	2	1	1	0
Motor Vehicle Accidents (V02-V04, V09.0-V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	6	0	0	0	0	0	1	3	2	0	0	0	0	0
Nontransport Accidents (W00-X59, Y86)	9	0	1	0	0	0	0	1	1	2	2	1	1	0
Diabetes mellitus (E10-E14)	44	0	0	0	0	0	0	1	2	5	10	9	17	0
Influenza and pneumonia (J10-J18)	10	0	1	0	0	0	0	0	0	0	1	0	8	0
Alzheimer's disease (G30)	15	0	0	0	0	0	0	0	0	0	0	1	14	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	17	0	0	0	0	0	0	0	3	3	4	7	0	0
Septicemia (A40-A41)	13	0	0	0	0	0	0	0	4	3	2	4	0	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	2	0	0	0	0	1	0	0	1	0	0	0	0	0
Chronic liver disease and cirrhosis (K70, K73-K74)	1	0	0	0	0	0	0	0	1	0	0	0	0	0
Essential hypertension and hypertensive renal disease (I10, I12)	3	0	0	0	0	0	0	0	0	0	1	1	1	0
Aortic aneurysm and dissection (I71)	2	0	0	0	0	0	0	0	0	1	0	0	1	0
Assault (homicide) (X85-Y09, Y87.1)	2	0	1	0	0	0	0	0	1	0	0	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	8	0	0	0	0	0	0	0	0	4	4	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	18	18	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	2	2	0	0	0	0	0	0	0	0	0	0	0	0
All other causes	137	2	0	1	0	0	3	4	8	10	13	13	83	0
TOTAL	594	22	3	1	1	1	4	10	25	67	96	86	278	0

Note:
*ICD Codes, Tenth Revision.

LCDAGEBF

Source:
Delaware Health Statistics Center

TABLE F-25
HIV INFECTION/AIDS¹ DEATHS BY COUNTY, RACE, HISPANIC² ORIGIN AND SEX

U.S., DELAWARE, AND COUNTIES, 1997-2011

Area/ Race	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Delaware	60	55	65	68	67	70	80	58	63	53	55	58	41	46	36
Males	45	47	49	46	47	51	58	36	43	33	33	27	27	33	28
White	10	8	14	11	10	14	18	7	8	9	13	11	5	7	7
Black	35	39	34	35	37	37	40	29	35	24	20	16	22	26	21
Females	15	8	16	22	20	19	22	22	20	20	22	31	14	13	8
White	1	1	2	2	1	6	3	6	2	1	1	6	2	4	0
Black	14	7	14	20	19	13	19	16	18	19	21	25	12	9	8
Kent	6	5	8	4	9	4	8	8	5	11	9	8	5	10	5
Males	6	3	5	0	5	4	7	5	2	7	5	2	5	6	5
White	1	0	3	0	2	0	2	2	0	1	2	1	2	2	2
Black	5	3	2	0	3	4	5	3	2	6	3	1	3	4	3
Females	0	2	3	4	4	0	1	3	3	4	4	6	0	4	0
White	0	0	0	2	0	0	1	0	0	0	0	1	0	0	0
Black	0	2	3	2	4	0	0	3	3	4	4	5	0	4	0
New Castle	49	44	45	54	52	56	69	46	51	34	39	42	34	31	25
Males	34	38	34	37	38	40	49	29	35	19	21	17	21	23	18
White	6	7	7	6	6	9	15	4	6	5	6	4	2	2	4
Black	28	31	27	31	32	31	34	25	29	14	15	13	19	21	14
Females	15	6	11	17	14	16	20	17	16	15	18	25	13	8	7
White	1	1	2	0	1	4	2	5	2	1	1	5	1	4	0
Black	14	5	9	17	13	12	18	12	14	14	17	20	12	4	7
Wilmington	27	28	23	35	37	28	43	25	33	19	22	29	27	19	15
Males	15	24	20	25	28	22	30	15	21	7	10	13	16	16	9
White	2	2	2	4	3	4	5	0	2	0	0	1	1	0	0
Black	13	22	18	21	25	18	25	15	19	7	10	12	15	16	9
Females	12	4	3	10	9	6	13	10	12	12	12	16	11	3	6
White	0	1	0	1	0	0	1	1	1	1	1	3	1	1	0
Black	12	3	3	10	8	6	13	9	11	11	11	13	10	2	6
Bal of NCCo	22	16	22	19	15	28	26	21	18	15	17	13	7	12	10
Males	19	14	14	12	10	18	19	14	14	12	11	4	5	7	9
White	4	5	5	2	3	5	10	4	4	5	6	3	1	2	4
Black	15	9	9	10	7	13	9	10	10	7	5	1	4	5	5
Females	3	2	8	7	5	10	7	7	4	3	6	9	2	5	1
White	1	0	2	0	0	4	2	4	1	0	0	2	0	3	0
Black	2	2	6	7	5	6	5	3	3	3	6	7	2	2	1
Sussex	5	6	12	10	6	10	3	4	7	8	7	8	2	5	6
Males	5	6	10	9	4	7	2	2	6	7	7	8	1	4	5
White	3	1	4	5	2	5	1	1	2	3	5	6	1	3	1
Black	2	5	5	4	2	2	1	1	4	4	2	2	0	1	4
Females	0	0	2	1	2	3	1	2	1	1	0	0	1	1	1
White	0	0	0	0	0	2	0	1	0	0	0	0	1	0	0
Black	0	0	2	1	2	1	1	1	1	1	0	0	0	1	1
Hispanic	1	3	1	1	3	4	2	1	2	1	1	1	1	1	2
Males	1	3	1	1	2	4	1	0	2	0	0	1	1	1	2
Females	0	0	0	0	1	0	1	1	0	1	1	0	0	0	0

Notes:

1. See Table F-12 for ICD-9 and ICD-10 Codes.
2. People of Hispanic origin may be of any race. See Hispanic Origin in the Technical Notes.


Sources:

Delaware Health Statistics Center
National Center for Health Statistics

AIDS

Figure F-3
Number of HIV Deaths by Race and Sex

Delaware, 1986-2011



Source: Delaware Health Statistics Center

TABLE F-26
NUMBER AND PERCENT OF DEATHS BY METHOD OF DISPOSITION AND RACE
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2011

Area/ Method of Disposition	Race							
	All Races		White		Black		Other	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Delaware	7816	100.0	6412	100.0	1256	100.0	148	100.0
Burial	4219	54.0	3292	51.3	864	68.8	63	42.6
Cremation	3251	41.6	2794	43.6	377	30.0	80	54.1
Donation	92	1.2	89	1.4	3	0.2	0	0.0
Entombment	164	2.1	160	2.5	4	0.3	0	0.0
Removal from State	62	0.8	52	0.8	6	0.5	4	2.7
Unknown	28	0.4	25	0.4	2	0.2	1	0.7
Kent	1368	100.0	1092	100.0	239	100.0	37	100.0
Burial	764	55.8	580	53.1	169	70.7	15	40.5
Cremation	559	40.9	474	43.4	64	26.8	21	56.8
Donation	20	1.5	19	1.7	1	0.4	0	0.0
Entombment	4	0.3	3	0.3	1	0.4	0	0.0
Removal from State	16	1.2	12	1.1	4	1.7	0	0.0
Unknown	5	0.4	4	0.4	0	0.0	1	2.7
New Castle	4394	100.0	3486	100.0	820	100.0	88	100.0
Burial	2400	54.6	1835	52.6	531	64.8	34	38.6
Cremation	1783	40.6	1453	41.7	280	34.1	50	56.8
Donation	32	0.7	30	0.9	2	0.2	0	0.0
Entombment	144	3.3	141	4.0	3	0.4	0	0.0
Removal from State	22	0.5	16	0.5	2	0.2	4	4.5
Unknown	13	0.3	11	0.3	2	0.2	0	0.0
Wilmington	697	100.0	320	100.0	362	100.0	15	100.0
Burial	405	58.1	160	50.0	233	64.4	12	80.0
Cremation	255	36.6	123	38.4	129	35.6	3	20.0
Donation	1	0.1	1	0.3	0	0.0	0	0.0
Entombment	32	4.6	32	10.0	0	0.0	0	0.0
Removal from State	2	0.3	2	0.6	0	0.0	0	0.0
Unknown	2	0.3	2	0.6	0	0.0	0	0.0
Balance of NC County	3697	100.0	3166	100.0	458	100.0	73	100.0
Burial	1995	54.0	1675	52.9	298	65.1	22	30.1
Cremation	1528	41.3	1330	42.0	151	33.0	47	64.4
Donation	31	0.8	29	0.9	2	0.4	0	0.0
Entombment	112	3.0	109	3.4	3	0.7	0	0.0
Removal from State	20	0.5	14	0.4	2	0.4	4	5.5
Unknown	11	0.3	9	0.3	2	0.4	0	0.0
Sussex	2054	100.0	1834	100.0	197	100.0	23	100.0
Burial	1055	51.4	877	47.8	164	83.2	14	60.9
Cremation	909	44.3	867	47.3	33	16.8	9	39.1
Donation	40	1.9	40	2.2	0	0.0	0	0.0
Entombment	16	0.8	16	0.9	0	0.0	0	0.0
Removal from State	24	1.2	24	1.3	0	0.0	0	0.0
Unknown	10	0.5	10	0.5	0	0.0	0	0.0

DISPRACE

Note:
Percentages are calculated based upon the total number of deaths in each race category.

Source:
Delaware Health Statistics Center

TABLE F-27
LIFE EXPECTANCY AT BIRTH* BY RACE AND SEX

DELAWARE, 1991-2011

Year	Race and Sex								
	All Races			White			Black		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
2011	79.1	76.6	81.5	79.4	77.0	81.6	77.3	73.7	80.6
2010	79.1	76.4	81.7	79.4	76.9	81.7	76.7	72.5	80.7
2009	78.9	76.3	81.4	79.6	77.1	82.1	76.0	72.7	79.0
2008	78.3	75.7	80.8	78.9	76.3	81.4	75.7	72.7	78.4
2007	78.8	76.0	81.5	79.2	76.5	81.9	76.2	72.9	79.3
2006	78.4	75.7	81.0	79.1	76.4	81.7	74.8	71.4	77.8
2005	77.7	75.0	80.2	78.4	75.7	81.0	74.1	71.3	76.6
2004	77.8	74.9	80.5	78.3	75.5	80.9	73.8	70.4	77.0
2003	76.9	74.5	80.0	78.1	75.3	80.7	72.6	69.2	75.8
2002	77.3	74.6	79.8	77.8	75.4	80.1	73.8	69.5	77.9
2001	76.3	73.9	78.7	77.1	74.6	79.5	72.1	69.5	74.4
2000	76.5	73.9	79.0	77.1	74.5	79.6	72.5	69.4	75.5
1999	76.8	73.9	79.6	77.6	74.7	80.3	72.6	68.8	76.2
1998	75.9	73.3	78.4	77.0	74.5	79.4	70.3	66.9	73.5
1997	75.8	73.3	78.2	76.7	74.2	79.1	71.0	68.3	73.5
1996	75.4	72.5	78.1	76.7	73.9	79.4	68.8	65.2	72.2
1995	75.5	72.5	78.4	76.8	74.2	79.4	68.9	64.4	73.5
1994	75.1	71.4	78.7	76.1	72.6	79.6	69.5	65.0	74.1
1993	75.2	71.9	78.5	76.5	73.6	79.3	68.5	63.4	73.6
1992	75.4	72.4	78.2	76.3	73.5	78.9	70.3	66.2	74.3
1991	75.0	71.9	77.9	76.0	73.0	78.9	69.4	66.2	72.4

Note:

*Life expectancy at birth is the average expected lifetime of people born in the listed year.

LIFE_TB1

Source:

Delaware Health Statistics Center

TABLE F-28
AVERAGE REMAINING YEARS OF LIFE* BY AGE, RACE, AND SEX

DELAWARE, 2011

Age Group	Race and Sex								
	All Races			White			Black		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
0-5	79.1	76.6	81.5	79.4	77.0	81.6	77.3	73.7	80.6
5-10	74.8	72.3	77.2	74.9	72.6	77.1	73.3	69.5	76.8
10-15	69.9	67.4	72.2	70.0	67.7	72.1	68.3	64.5	71.9
15-20	64.9	62.5	67.3	65.0	62.7	67.2	63.4	59.7	66.9
20-25	60.1	57.7	62.3	60.2	57.9	62.3	58.6	55.0	61.9
25-30	55.4	53.1	57.5	55.4	53.3	57.4	53.9	50.4	57.1
30-35	45.9	43.8	47.9	46.1	44.1	48.0	44.5	41.2	47.4
35-40	45.9	43.8	47.9	46.1	44.1	48.0	44.5	41.2	47.4
40-45	41.3	39.2	43.2	41.4	39.5	43.2	39.9	36.7	42.8
45-50	36.7	34.8	38.5	36.9	35.1	38.5	35.4	32.3	38.2
50-55	32.3	30.5	34.0	32.5	30.8	34.0	31.1	28.0	33.8
55-60	28.2	26.4	29.7	28.3	26.8	29.6	27.0	24.0	29.7
60-65	24.1	22.6	25.4	24.1	22.8	25.3	23.4	20.8	25.6
65-70	20.2	18.9	21.3	20.2	19.0	21.1	20.1	17.7	22.0
70-75	16.7	15.5	17.6	16.6	15.5	17.4	16.7	14.6	18.5
75-80	13.5	12.4	14.2	13.3	12.3	14.1	14.1	12.8	14.9
80-85	10.7	9.8	11.3	10.6	9.6	11.2	11.8	10.9	12.2
85+	8.7	7.8	9.1	8.5	7.6	9.0	9.9	9.3	10.1

Note:

*Average number of years of life remaining at the beginning of the age interval.

LIFE_TB2

Source:

Delaware Health Statistics Center

TABLE F-29
MATERNAL DEATHS

DELAWARE AND COUNTIES, 1986-2011

Year	Area			
	Delaware	Kent	New Castle	Sussex
2011	1	0	0	1
2010	2	0	0	2
2009	4	1	3	0
2008	3	1	2	0
2007	1	0	1	0
2006	1	0	1	0
2005	3	0	3	0
2004	1	0	1	0
2003	2	0	2	0
2002	0	0	0	0
2001	2	0	1	1
2000	3	1	2	0
1999	1	0	1	0
1998	2	0	2	0
1997	1	0	1	0
1996	0	0	0	0
1995	0	0	0	0
1994	0	0	0	0
1993	0	0	0	0
1992	0	0	0	0
1991	1	0	0	1
1990	0	0	0	0
1989	2	0	1	1
1988	1	0	1	0
1987	0	0	0	0
1986	0	0	0	0

MATERNAL

Note:

Prior to 1999, maternal deaths included ICD-9 categories 630-676. For 1999 and later, maternal deaths include ICD-10 categories O00-O95, O98-O99, and A34.

Source:

Delaware Health Statistics Center

TABLE F-30
 FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED CAUSES OF DEATH
 DELAWARE AND COUNTIES, 2007-2011

LEADING CAUSES OF DEATH	AREA				RACE	
	DE	Kent	NCC	Sussex	White	Black
Malignant neoplasms	181.4	205.9	184.4	164.3	181.2	197.8
Diseases of the heart	172.6	223.9	165.4	160.8	170.8	192.0
Chronic lower respiratory diseases	42.2	55.7	42.2	36.1	44.4	33.9
Cerebrovascular diseases	37.7	36.7	43.4	28.8	35.6	50.9
Dementia	36.4	35.7	45.8	21.1	36.2	41.8
Accidents (unintentional injuries)	36.4	35.0	34.4	45.9	41.7	24.4
Diabetes mellitus	20.7	25.2	21.9	16.3	17.5	41.1
Alzheimer's disease	18.5	22.7	15.5	21.9	18.8	17.2
Nephritis, nephrotic syndrome, and nephrosis	16.2	16.3	18.0	12.8	13.9	30.2
Influenza and pneumonia	12.4	13.8	13.4	10.2	12.5	12.2
Septicemia	11.5	17.4	11.6	8.2	10.8	15.9
Intentional self-harm (suicide)	11.3	11.3	10.7	13.1	13.7	5.3
Other diseases of respiratory system	9.0	11.7	9.3	7.2	8.8	10.4
Chronic liver disease and cirrhosis	8.5	9.9	7.4	10.1	9.1	7.0
Certain conditions originating in the perinatal period	6.1	4.7	7.4	3.5	3.4	13.1
Assault (homicide)	6.1	3.9	7.4	3.7	3.2	15.2
Parkinson's disease	5.7	5.2	6.1	5.2	6.2	NA
Human immunodeficiency virus (HIV)	5.1	4.7	6.0	3.2	1.7	19.6
Essential hypertension and hypertensive renal disease	5.0	7.3	5.1	3.8	4.3	9.1
Pneumonitis due to solids and liquids	4.6	3.4	4.6	5.4	4.7	3.9
Aortic aneurysm and dissection	3.2	2.8	3.3	3.2	3.2	3.4
Congenital malformations, deformations, and chromosomal abnormalities	2.8	3.2	2.6	3.0	3.0	2.4

AADR

Notes:

1. Rates per 100,000, adjusted to U.S. 2000 population.
2. See Appendix E for ICD-10 cause of death codes.
3. "NA" indicates rate does not meet standards of reliability or precision; based on fewer than 20 deaths in the numerator.

Source:

Delaware Health Statistics Center

TABLE F-31
 FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED LEADING CAUSES OF DEATH
 DELAWARE AND COUNTIES, 1991-2011

Cause of Death/ Area	1991 -1995	1992 -1996	1993 -1997	1994 -1998	1995 -1999	1996 -2000	1997 -2001	1998 -2002	1999 -2003	2000 -2004	2001 -2005	2002 -2006	2003 -2007	2004 -2008	2005 -2009	2006 -2010	2007 -2011
Diseases of the heart																	
Delaware	313.8	306.8	301.5	292.1	283.6	275.1	267.4	257.5	252.3	244.2	236.7	223.9	215.1	201.7	190.0	178.8	172.6
Kent	322.5	317.3	317.0	313.5	312.7	308.3	304.4	296.9	291.0	279.6	275.3	267.2	262.7	251.6	243.1	233.7	223.9
New Castle	309.7	303.1	296.8	287.7	276.5	267.1	259.7	250.9	246.2	240.3	233.5	220.1	211.3	196.1	182.9	171.0	165.4
Sussex	320.2	311.1	305.0	290.6	284.5	276.3	265.3	251.9	246.4	235.3	224.0	209.7	198.6	187.4	176.6	166.1	160.8
Malignant neoplasms																	
Delaware	240.0	238.9	236.1	231.2	228.2	221.2	218.0	210.9	206.7	202.9	201.3	195.0	193.9	192.0	186.1	183.5	181.4
Kent	230.2	230.6	222.4	222.5	228.8	220.4	221.9	219.0	217.8	211.9	213.8	206.3	208.8	210.6	208.1	206.8	205.9
New Castle	242.0	240.1	238.2	235.2	230.5	223.4	219.9	212.7	206.7	203.2	202.3	195.2	192.8	192.8	187.1	184.2	184.4
Sussex	242.2	241.8	241.0	227.4	223.4	218.0	213.1	203.9	202.0	198.6	194.2	190.6	190.4	183.0	175.0	171.3	164.3
Cerebrovascular diseases																	
Delaware	56.3	53.7	52.6	52.0	50.8	51.8	51.6	51.7	51.0	48.8	45.9	44.1	41.5	39.0	38.9	38.2	37.7
Kent	66.4	69.2	70.1	69.0	63.4	60.6	55.1	55.8	53.8	50.6	49.4	48.4	42.6	39.4	41.2	39.0	36.7
New Castle	54.0	51.7	49.7	49.9	50.0	53.1	53.8	54.0	54.1	52.4	49.4	48.0	47.3	44.6	44.1	43.3	43.4
Sussex	56.0	49.6	49.4	47.1	45.5	44.1	45.0	44.3	42.9	40.6	36.8	34.1	30.0	28.5	28.4	29.0	28.8
Chronic lower respiratory diseases																	
Delaware	39.7	40.2	40.4	40.9	41.4	42.5	41.9	42.2	41.3	40.5	41.0	40.6	39.8	41.4	41.9	41.2	42.2
Kent	46.3	49.3	52.8	54.0	54.2	52.5	49.4	45.1	44.7	45.7	48.9	49.6	51.4	55.5	55.9	54.7	55.7
New Castle	34.8	35.8	37.2	38.2	39.2	41.5	41.8	41.5	40.5	40.0	39.4	39.2	39.2	41.2	41.5	40.9	42.2
Sussex	48.7	45.9	40.9	39.6	38.9	38.7	37.7	41.8	40.6	38.5	40.0	38.8	35.8	35.5	36.0	35.5	36.1
Diabetes mellitus																	
Delaware	29.3	29.0	28.0	28.4	27.9	26.9	26.9	26.4	25.8	25.8	26.0	24.6	24.0	22.8	22.0	20.6	20.7
Kent	30.8	32.0	32.7	31.2	31.9	28.8	27.6	28.3	28.0	27.3	30.6	30.5	29.0	28.6	28.8	26.3	25.2
New Castle	27.8	27.1	26.7	27.5	26.6	26.6	27.3	26.2	25.1	26.1	26.1	24.4	24.4	23.3	22.2	21.1	21.9
Sussex	32.7	32.0	28.3	28.9	28.6	26.6	25.9	26.0	26.2	24.6	23.7	21.8	20.8	18.9	18.0	16.5	16.3
Influenza and pneumonia																	
Delaware	33.9	33.3	32.2	33.1	30.6	30.2	28.7	26.2	22.2	21.1	18.7	16.9	15.0	14.7	13.8	12.9	12.4
Kent	32.0	32.4	30.3	31.5	32.9	36.5	34.1	31.7	27.3	24.9	20.4	19.9	18.1	17.3	16.1	15.0	13.8
New Castle	31.3	31.7	30.6	30.7	28.2	27.5	25.1	23.2	19.2	17.7	15.8	14.4	13.0	13.6	13.6	13.4	13.4
Sussex	42.2	38.3	37.9	40.1	35.1	33.3	34.4	30.2	26.3	26.9	23.9	20.4	17.6	15.5	13.0	11.1	10.2
Alzheimer's disease																	
Delaware	7.0	7.3	7.6	7.8	9.4	11.1	13.2	14.6	16.5	17.0	18.0	18.5	19.2	19.5	18.9	18.9	18.5
Kent	---	4.4	---	---	4.0	5.0	8.8	10.1	12.1	12.8	14.1	13.2	15.9	17.9	18.6	20.3	22.7
New Castle	7.9	8.3	8.9	9.7	11.7	13.8	16.0	17.4	18.8	18.1	18.1	18.4	18.6	17.8	17.1	17.0	15.5
Sussex	6.1	6.3	6.6	6.3	6.9	8.2	9.1	10.8	13.7	16.9	19.8	21.4	22.2	23.7	22.4	21.7	21.9
Nephritis, nephrotic syndrome, and nephrosis																	
Delaware	13.6	13.6	12.9	13.3	13.2	13.5	13.6	14.1	14.2	14.5	14.4	14.9	15.3	16.0	16.4	16.5	16.2
Kent	9.9	10.2	10.2	11.5	10.8	12.4	15.3	17.6	18.0	19.9	18.3	16.7	15.8	17.5	16.1	16.5	16.3
New Castle	15.1	14.7	14.2	14.5	14.5	14.2	13.8	13.6	13.4	13.8	14.0	15.0	16.3	17.4	18.0	18.3	18.0
Sussex	12.0	12.9	11.1	11.3	11.5	12.8	12.2	13.7	14.3	13.1	13.0	13.5	13.1	12.4	13.6	13.2	12.8
Septicemia																	
Delaware	13.5	14.2	14.6	15.1	14.4	15.2	15.6	16.0	16.0	15.9	15.1	14.3	13.4	13.1	12.6	11.9	11.5
Kent	10.7	10.7	11.6	12.0	11.9	13.8	14.4	15.7	17.0	18.3	17.7	18.5	18.1	18.2	17.3	18.0	17.4
New Castle	15.5	16.3	16.9	17.3	16.6	17.5	17.5	17.4	17.1	16.6	15.7	14.8	13.9	13.8	13.3	12.0	11.6
Sussex	10.3	11.2	10.8	11.6	10.9	10.8	12.0	12.8	13.0	13.3	12.8	11.4	10.2	9.4	9.2	8.6	8.2

TABLE F-31 (continued)

Cause of Death/ Area	1991 -1995	1992 -1996	1993 -1997	1994 -1998	1995 -1999	1996 -2000	1997 -2001	1998 -2002	1999 -2003	2000 -2004	2001 -2005	2002 -2006	2003 -2007	2004 -2008	2005 -2009	2006 -2010	2007 -2011
Intentional self-harm (suicide)																	
Delaware	11.8	12.1	12.0	11.2	11.2	11.0	11.2	10.7	11.1	11.1	11.0	10.2	10.4	10.6	10.7	11.0	11.3
Kent	9.9	11.7	11.6	11.4	11.9	12.6	12.1	11.7	11.5	10.5	10.1	10.3	9.8	10.3	11.2	11.2	11.3
New Castle	11.7	11.8	11.3	10.2	10.1	9.8	10.3	9.9	10.7	11.0	11.2	10.0	10.4	10.3	10.1	10.2	10.7
Sussex	14.0	13.8	14.5	14.2	14.0	13.3	12.8	12.2	11.8	11.4	10.4	10.8	11.0	11.8	12.1	13.5	13.1
Chronic liver disease and cirrhosis																	
Delaware	9.8	9.9	9.5	9.1	9.2	9.3	9.0	9.4	9.8	9.8	9.5	9.1	8.5	8.0	8.1	8.4	8.5
Kent	11.1	10.2	10.3	10.0	9.8	10.5	10.8	11.4	12.1	11.5	10.7	10.1	9.7	8.7	9.2	9.5	9.9
New Castle	9.7	9.9	9.4	8.7	8.8	9.0	8.3	8.6	9.1	9.5	8.9	8.9	8.0	7.6	7.3	7.6	7.4
Sussex	9.2	9.6	9.0	9.4	9.5	9.0	9.7	10.1	10.5	10.1	10.5	9.3	9.2	8.7	9.0	9.3	10.1
Assault (homicide)																	
Delaware	5.2	5.4	5.2	4.9	4.7	4.2	3.6	3.7	3.5	3.8	4.5	4.9	5.0	5.9	6.1	6.1	6.1
Kent	6.1	5.5	4.1	3.4	---	---	---	---	---	---	---	3.0	3.6	4.4	4.0	4.1	3.9
New Castle	4.9	5.2	5.3	5.3	5.3	5.1	4.5	4.6	4.3	4.6	5.3	5.9	6.0	7.1	7.4	7.5	7.4
Sussex	5.9	5.9	5.6	5.0	4.6	2.8	---	---	---	---	3.6	3.3	2.9	3.2	3.6	3.5	3.7
Certain conditions originating in the perinatal period																	
Delaware	6.1	5.4	5.3	5.3	5.8	6.7	7.8	8.3	8.4	8.2	8.2	7.4	7.0	6.8	6.9	6.1	6.1
Kent	5.2	5.3	5.5	5.6	5.9	6.8	7.2	7.9	8.1	8.1	7.9	6.5	5.1	4.9	5.4	4.2	4.7
New Castle	6.8	5.8	5.5	5.1	5.9	6.9	8.2	8.8	9.2	8.7	8.7	8.1	7.8	7.6	7.8	7.1	7.4
Sussex	4.1	3.6	4.2	5.8	5.5	5.8	7.2	6.8	6.0	6.3	6.6	6.1	6.4	6.1	5.8	4.6	3.5
Congenital malformations																	
Delaware	4.3	4.2	4.4	4.1	4.1	3.9	3.7	3.5	3.4	3.4	3.1	3.1	2.8	2.8	2.6	2.9	2.8
Kent	5.2	4.7	3.6	3.5	3.3	3.2	3.3	3.9	3.5	3.4	3.0	3.4	2.8	3.2	2.8	3.4	3.2
New Castle	3.7	3.7	4.0	3.8	3.9	3.9	3.6	3.2	3.1	3.2	3.0	2.9	2.7	2.6	2.5	2.6	2.6
Sussex	6.0	5.7	6.5	5.9	5.5	4.8	4.6	4.0	3.9	3.8	3.7	3.6	3.4	3.0	2.6	3.2	3.0
Human immunodeficiency virus (HIV)																	
Delaware	14.6	16.5	16.2	14.6	12.5	9.9	8.1	8.2	8.8	8.4	8.2	7.7	7.2	6.5	6.0	5.5	5.1
Kent	11.5	11.7	10.5	9.4	8.0	5.9	5.2	4.8	5.2	5.1	5.1	5.2	5.8	5.6	5.1	5.6	4.7
New Castle	16.2	18.8	19.0	17.2	14.9	12.1	9.8	9.9	10.8	10.7	10.4	9.6	8.8	7.7	7.1	6.3	6.0
Sussex	11.8	12.3	11.0	10.0	8.3	5.9	5.2	5.8	5.5	4.3	3.7	3.9	3.5	3.9	3.8	3.4	3.2
Accidents (unintentional injuries)																	
Delaware	35.7	35.4	36.1	36.4	35.8	36.0	36.9	36.4	36.0	35.8	35.1	35.2	34.7	35.6	35.9	36.8	36.4
Kent	39.6	38.0	35.2	35.0	37.8	37.5	38.9	37.7	37.6	38.3	38.9	40.5	39.5	39.7	38.0	37.5	35.0
New Castle	30.7	31.0	32.4	33.4	33.4	34.0	34.5	34.6	33.7	32.3	31.6	31.8	31.6	32.7	33.2	34.2	34.4
Sussex	51.3	49.6	50.8	48.6	42.2	42.1	44.0	42.1	43.0	46.4	44.1	42.5	42.4	43.9	44.8	46.6	45.9
Essential hypertension and hypertensive renal disease																	
Delaware	3.4	3.8	3.7	4.2	4.2	4.8	5.2	5.7	5.9	6.9	7.2	6.8	6.3	6.0	5.4	5.1	5.0
Kent	5.9	5.5	5.7	5.2	4.9	4.5	5.5	6.3	6.3	7.1	8.9	9.1	7.8	7.8	7.6	7.4	7.3
New Castle	2.6	3.0	2.8	3.5	3.6	4.4	4.9	5.4	5.9	7.2	7.5	7.0	6.9	6.3	5.6	5.1	5.1
Sussex	4.1	4.8	4.6	5.5	5.6	6.1	5.7	5.9	5.6	5.9	5.4	5.0	4.4	4.4	4.1	4.0	3.8
Aortic aneurysm and dissection																	
Delaware	8.4	7.1	7.0	6.7	6.5	6.4	6.6	6.3	6.7	6.3	5.8	5.0	4.5	3.7	3.4	3.2	3.2
Kent	9.1	7.8	7.7	8.0	8.6	9.0	9.3	9.9	10.0	9.3	8.3	7.2	5.5	4.0	3.0	2.8	2.8
New Castle	7.6	6.2	6.2	6.0	5.9	5.8	6.2	5.9	6.3	5.8	5.4	4.5	3.8	3.2	3.2	3.2	3.3
Sussex	10.3	9.2	8.7	7.7	6.6	6.5	6.0	5.4	5.9	6.1	5.7	5.3	5.4	4.7	4.1	3.5	3.2

TABLE F-31 (continued)

Cause of Death/ Area	1991 -1995	1992 -1996	1993 -1997	1994 -1998	1995 -1999	1996 -2000	1997 -2001	1998 -2002	1999 -2003	2000 -2004	2001 -2005	2002 -2006	2003 -2007	2004 -2008	2005 -2009	2006 -2010	2007 -2011
Pneumonitis due to solids and liquids																	
Delaware	4.2	4.5	5.2	5.7	7.0	7.8	8.9	9.1	9.7	8.9	8.2	7.1	6.3	5.4	5.2	4.8	4.6
Kent	---	---	---	---	4.5	4.8	4.1	5.0	5.9	5.3	5.4	5.0	3.9	3.3	3.4	3.0	3.4
New Castle	5.4	5.4	6.3	6.9	8.3	8.9	10.6	10.5	10.9	9.9	9.2	7.5	6.6	5.5	5.2	4.7	4.6
Sussex	---	3.1	3.7	4.2	5.3	7.1	7.7	8.5	9.3	9.1	7.8	7.5	7.1	6.3	6.1	5.8	5.4
Other diseases of respiratory system																	
Delaware	7.2	7.4	7.6	7.9	7.9	8.3	8.4	8.8	8.4	8.7	8.5	8.9	8.8	9.0	8.8	8.8	9.0
Kent	5.6	4.9	5.5	6.2	7.2	9.2	8.9	9.6	9.5	9.5	9.0	10.3	10.6	10.5	10.6	11.3	11.7
New Castle	7.0	7.2	7.5	7.4	7.5	7.8	8.1	8.3	8.2	8.8	8.7	8.7	8.3	9.0	8.7	8.4	9.3
Sussex	8.4	9.4	9.3	10.1	9.3	9.3	8.9	9.4	8.4	8.3	7.6	8.4	8.6	8.3	8.3	8.3	7.2
Parkinson's disease																	
Delaware	3.4	3.5	3.4	3.8	4.0	4.6	5.1	5.5	5.5	5.4	5.7	5.5	5.6	5.6	5.6	5.2	5.7
Kent	---	---	---	---	---	---	4.3	4.6	4.7	4.1	4.7	4.6	4.4	4.4	5.5	5.1	5.2
New Castle	4.2	4.1	4.0	4.3	4.4	5.0	5.5	6.0	5.9	5.9	6.2	6.1	6.4	6.3	6.1	5.6	6.1
Sussex	---	2.7	2.5	2.7	3.4	4.1	4.7	5.0	4.9	5.1	5.3	4.7	4.8	5.1	4.9	4.6	5.2
Dementia																	
Delaware	5.7	5.6	5.9	6.4	5.8	6.5	7.2	8.5	9.5	10.6	12.1	16.1	19.8	24.7	30.0	34.4	36.4
Kent	7.2	7.0	6.9	7.4	6.8	8.6	8.8	12.6	13.9	14.6	13.1	14.2	15.3	20.5	26.3	30.3	35.7
New Castle	4.7	4.8	5.0	5.8	5.5	6.3	7.3	8.3	9.2	10.6	13.2	18.8	24.8	31.8	38.6	43.8	45.8
Sussex	7.2	6.7	7.5	7.1	5.9	5.8	5.9	6.7	7.7	8.6	9.7	11.7	12.2	13.4	16.1	19.8	21.1

AADR_TRND(2)

Notes:

1. Rates per 100,000, adjusted to U.S. 2000 population.
2. See Appendix E for ICD-9 and ICD-10 cause of death codes.
3. "----" indicates rate does not meet standards of reliability or precision; based on fewer than 20 deaths in the numerator.

Source:

Delaware Health Statistics Center

TABLE F-32
 FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED LEADING CAUSES OF DEATH BY RACE AND SEX
 DELAWARE, 1991-2011

Cause of Death/ Race-Sex	1991 -1995	1992 -1996	1993 -1997	1994 -1998	1995 -1999	1996 -2000	1997 -2001	1998 -2002	1999 -2003	2000 -2004	2001 -2005	2002 -2006	2003 -2007	2004 -2008	2005 -2009	2006 -2010	2007 -2011
Diseases of the heart																	
White	309.1	301.5	296.8	286.5	278.6	270.1	262.1	251.9	246.3	237.2	229.4	217.3	209.0	197.2	186.5	176.0	170.8
Male	389.0	382.2	378.2	363.3	348.7	341.3	328.7	312.4	303.9	294.7	283.0	268.7	261.6	248.9	234.3	222.1	217.3
Female	252.3	244.3	237.5	229.2	225.8	215.9	210.6	205.2	201.1	192.0	187.0	176.7	167.2	157.0	148.6	139.7	133.9
Black	340.8	339.0	330.7	329.4	321.5	311.9	306.3	296.9	298.4	298.7	293.4	278.4	268.3	241.3	220.1	206.0	192.0
Male	410.6	415.5	402.3	404.5	393.2	378.9	364.6	356.0	357.2	362.7	347.8	338.1	325.2	293.0	263.7	261.0	245.2
Female	287.2	284.1	279.8	276.7	271.0	264.8	263.9	254.8	257.1	252.8	253.7	235.1	224.5	202.5	186.4	166.1	152.5
Malignant neoplasms																	
White	229.7	228.4	225.6	222.9	219.7	214.1	212.8	206.7	201.6	199.2	198.0	191.7	191.7	191.5	185.3	182.8	181.2
Male	293.5	294.1	289.0	282.3	275.3	264.9	259.5	253.3	247.7	245.9	244.5	237.1	233.0	231.6	222.4	220.1	214.6
Female	190.0	188.2	186.5	186.1	185.8	182.6	182.9	176.2	171.1	167.8	166.7	160.9	163.5	163.7	159.0	156.0	157.2
Black	328.2	328.1	326.6	306.3	302.7	285.0	267.6	253.6	254.8	241.8	240.0	233.3	223.8	212.2	207.8	202.2	197.8
Male	473.3	468.0	449.2	408.4	406.7	371.3	343.0	334.0	334.1	309.9	311.5	300.6	283.3	263.4	261.0	256.4	250.0
Female	240.7	245.8	253.0	246.9	243.1	235.3	223.7	208.4	207.6	199.2	195.2	189.8	184.9	178.0	173.0	166.8	162.6
Cerebrovascular diseases																	
White	52.5	50.1	49.2	48.7	48.0	49.2	49.3	49.2	48.8	46.4	43.4	41.9	39.0	36.6	36.3	35.8	35.6
Male	54.6	52.5	52.0	51.6	50.0	50.5	52.0	50.8	50.3	48.7	47.0	42.5	38.7	35.5	34.0	33.1	34.9
Female	50.3	47.8	46.8	46.0	45.8	47.3	46.7	47.5	47.1	44.6	41.1	41.2	38.6	36.9	37.3	36.9	35.4
Black	84.3	81.1	77.5	75.2	71.0	70.7	68.6	69.9	66.8	67.2	64.5	61.1	60.2	57.8	57.3	54.3	50.9
Male	90.6	92.6	84.7	87.5	80.5	78.1	66.8	67.4	63.8	60.0	61.8	64.1	66.7	66.1	66.0	63.5	61.5
Female	79.4	72.7	71.5	65.6	62.7	64.4	67.2	68.6	66.4	68.7	64.4	58.5	55.6	52.3	51.5	47.4	43.3
Chronic lower respiratory diseases																	
White	41.1	41.6	41.9	42.1	42.5	43.5	42.7	43.1	42.2	41.3	42.3	42.0	41.4	43.1	43.8	43.1	44.4
Male	52.8	53.6	53.5	55.6	55.5	54.5	52.3	51.1	47.7	46.0	46.7	45.4	45.0	47.9	47.7	45.5	46.3
Female	35.4	35.8	36.8	36.0	36.5	38.3	38.0	38.9	39.4	38.6	39.6	39.9	38.9	39.5	41.0	41.3	43.0
Black	30.3	30.8	31.6	33.0	34.4	35.6	35.8	35.1	34.0	34.4	32.2	32.5	32.3	34.1	33.2	33.2	33.9
Male	54.1	53.6	50.2	44.3	48.7	51.1	50.9	53.0	51.9	50.3	46.3	47.7	46.6	51.4	48.7	47.3	47.6
Female	15.4	17.0	20.2	25.3	26.0	25.8	26.0	24.0	22.4	23.9	23.6	23.7	24.2	24.9	25.0	25.6	26.0
Diabetes mellitus																	
White	24.7	24.6	24.1	24.5	23.8	23.2	23.5	22.7	22.4	22.2	22.8	21.5	20.8	19.8	19.3	17.8	17.5
Male	25.9	26.5	25.6	26.2	26.6	26.0	25.7	26.0	25.8	25.7	26.3	25.5	25.4	24.0	23.1	21.5	21.2
Female	23.4	23.0	23.0	23.2	21.9	21.3	21.8	20.3	19.7	19.6	20.2	18.6	17.5	16.7	16.2	14.6	14.3
Black	64.5	62.4	56.4	57.5	58.6	55.1	53.0	54.0	50.8	51.7	50.8	47.2	46.7	44.1	40.9	38.7	41.1
Male	55.1	58.4	55.0	62.3	62.4	59.1	59.5	62.1	54.7	56.1	54.4	50.9	49.6	50.5	46.5	45.0	45.0
Female	69.6	64.5	57.1	55.7	57.0	54.0	49.9	50.2	48.4	49.1	48.6	45.7	44.7	39.9	37.0	33.9	37.3
Influenza and pneumonia																	
White	32.9	32.1	31.3	32.6	30.5	30.3	29.2	26.7	22.6	21.4	18.8	17.0	15.0	14.7	14.1	13.1	12.5
Male	44.6	42.3	38.9	41.7	38.6	38.2	36.3	33.2	27.0	26.1	22.6	20.8	18.4	17.8	17.1	16.3	15.4
Female	27.1	26.8	27.0	27.6	25.8	25.9	25.1	22.8	19.7	18.5	16.4	14.4	12.9	12.8	12.1	11.0	10.5
Black	38.2	40.4	37.8	35.0	31.7	30.1	25.5	23.1	20.1	20.3	18.2	17.4	15.6	15.2	12.6	12.0	12.2
Male	56.9	62.6	62.8	56.0	46.6	45.0	39.0	32.8	28.7	31.8	28.5	26.1	24.3	24.8	18.6	17.6	17.3
Female	29.6	29.5	25.6	24.0	23.1	21.6	17.4	16.8	14.7	14.1	12.4	12.7	11.4	10.7	9.8	9.2	9.2

TABLE F-32 (continued)

Cause of Death/ Race-Sex	1991 -1995	1992 -1996	1993 -1997	1994 -1998	1995 -1999	1996 -2000	1997 -2001	1998 -2002	1999 -2003	2000 -2004	2001 -2005	2002 -2006	2003 -2007	2004 -2008	2005 -2009	2006 -2010	2007 -2011
Alzheimer's disease																	
White	7.4	7.6	8.0	8.2	9.8	11.5	13.8	15.3	17.1	17.4	18.5	18.9	19.7	20.2	19.5	19.2	18.8
Male	8.1	7.7	6.9	6.9	8.9	10.0	12.4	14.3	15.1	14.8	15.6	16.2	17.0	17.5	17.2	16.5	15.4
Female	7.1	7.5	8.4	8.8	10.3	12.1	14.6	15.8	18.1	18.9	20.1	20.3	21.1	21.6	20.6	20.8	20.9
Black	---	---	---	---	5.8	8.2	8.8	9.8	12.7	14.1	14.4	14.5	15.7	14.5	14.8	16.6	17.2
Male	---	---	---	---	---	---	---	---	---	14.2	---	---	13.4	12.7	12.3	13.6	13.7
Female	---	---	---	---	---	8.2	8.3	8.8	12.1	13.7	15.6	15.5	16.4	14.9	15.8	17.7	18.7
Nephritis, nephrotic syndrome, and nephrosis																	
White	11.7	12.1	11.4	11.5	11.3	11.2	11.1	11.9	12.2	12.6	12.5	13.0	13.1	13.8	14.0	14.2	13.9
Male	15.5	15.9	15.1	15.7	15.2	14.9	15.2	16.7	16.4	17.4	17.5	17.6	17.6	18.0	17.5	17.5	16.6
Female	9.8	10.5	9.5	9.3	9.3	9.2	8.7	9.1	9.7	9.7	9.5	9.9	10.1	10.9	11.6	11.9	12.2
Black	27.4	24.9	24.7	28.1	28.4	31.1	31.8	30.6	28.1	27.2	27.4	28.5	31.1	32.2	32.8	31.8	30.2
Male	31.7	29.7	27.5	30.8	32.7	38.7	35.8	39.0	37.4	36.6	35.3	39.7	41.8	42.5	40.8	40.0	38.3
Female	24.0	21.4	22.6	26.1	25.9	26.1	28.9	25.7	22.4	21.9	23.5	22.2	25.1	26.5	27.5	26.6	25.7
Septicemia																	
White	12.5	13.1	13.3	13.7	13.0	13.8	14.0	14.5	14.4	14.7	13.9	13.1	12.2	12.2	11.5	10.9	10.8
Male	13.7	13.5	13.8	15.6	15.3	16.0	16.0	16.7	15.8	16.5	15.5	14.9	14.3	14.0	12.6	12.1	12.1
Female	11.7	12.8	12.9	12.5	11.5	12.7	12.9	13.4	13.6	13.6	12.9	11.9	10.7	11.0	10.8	10.1	9.8
Black	21.1	21.9	23.7	25.2	25.7	25.9	28.7	28.1	28.9	25.7	24.6	23.2	21.9	19.9	19.7	18.1	15.9
Male	26.3	29.1	31.7	33.3	30.1	32.7	34.0	31.8	33.7	28.1	25.1	23.4	21.7	19.1	18.6	17.3	15.8
Female	19.1	19.0	20.5	22.0	23.7	22.1	25.7	26.3	26.1	23.9	24.6	23.2	21.9	20.3	20.3	18.3	15.9
Intentional self-harm (suicide)																	
White	13.2	13.5	13.4	12.6	12.7	12.8	12.9	12.3	13.0	12.9	12.6	12.0	12.5	12.5	12.7	13.3	13.7
Male	21.0	22.3	22.7	21.4	21.9	21.9	21.8	21.1	21.7	21.0	21.0	19.9	19.8	20.2	20.6	21.4	21.8
Female	6.4	5.9	5.1	4.5	4.3	4.4	4.7	4.4	5.1	5.5	5.0	4.8	5.7	5.3	5.3	5.5	5.9
Black	5.5	5.8	5.8	5.4	4.9	4.1	4.8	5.1	4.9	5.6	6.1	5.2	4.6	5.4	5.6	5.4	5.3
Male	11.6	12.4	11.7	11.2	9.7	7.7	8.9	10.0	9.3	10.1	10.8	9.9	8.2	9.5	10.8	10.3	9.7
Female	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Chronic liver disease and cirrhosis																	
White	9.1	9.4	9.1	8.9	9.1	9.5	9.0	9.5	10.0	10.0	9.8	9.7	9.0	8.6	8.8	9.0	9.1
Male	14.2	13.7	12.5	12.2	13.0	12.6	11.8	11.6	12.1	11.5	11.8	12.4	11.8	11.7	12.5	12.9	13.0
Female	4.8	5.7	6.0	5.9	5.7	6.7	6.5	7.7	8.1	8.5	8.0	7.2	6.6	5.7	5.5	5.4	5.5
Black	14.7	13.5	12.6	10.7	10.0	8.6	9.1	9.0	9.5	9.3	8.2	7.3	6.6	6.4	6.3	7.0	7.0
Male	25.9	22.2	19.2	15.8	13.1	12.1	12.2	12.8	14.0	14.5	12.1	12.2	10.9	11.0	9.9	11.5	12.0
Female	---	---	---	---	7.1	---	6.4	---	5.8	---	---	---	---	---	---	---	---
Assault (homicide)																	
White	3.7	3.6	3.5	3.2	3.1	2.4	2.2	2.2	2.0	2.1	2.6	2.5	2.4	2.9	3.0	3.0	3.2
Male	4.6	4.1	4.2	3.9	3.7	2.9	2.7	2.6	2.5	2.5	3.5	3.4	3.3	4.1	4.1	4.1	4.4
Female	3.0	3.2	2.8	2.6	2.4	1.9	1.7	1.8	1.6	1.7	1.7	1.5	1.5	1.7	1.9	1.9	2.0
Black	11.7	12.8	12.3	12.4	11.7	11.7	9.0	9.0	8.9	9.8	11.3	13.5	14.1	16.2	16.2	16.5	15.2
Male	18.2	20.1	19.8	18.9	18.8	18.2	14.4	15.0	15.9	16.9	20.2	24.6	25.8	30.1	30.7	31.1	28.7
Female	6.0	6.4	5.8	6.5	5.4	5.7	---	---	---	---	---	---	---	---	---	---	---

TABLE F-32 (continued)

Cause of Death/ Race-Sex	1991 -1995	1992 -1996	1993 -1997	1994 -1998	1995 -1999	1996 -2000	1997 -2001	1998 -2002	1999 -2003	2000 -2004	2001 -2005	2002 -2006	2003 -2007	2004 -2008	2005 -2009	2006 -2010	2007 -2011
Certain conditions originating in the perinatal period																	
White	4.0	3.3	3.2	3.2	3.3	4.2	5.1	5.8	6.2	6.2	5.7	5.1	4.8	4.5	4.2	3.6	3.4
Male	4.2	3.6	3.3	3.1	3.4	4.7	5.7	6.3	6.9	6.5	5.9	5.3	5.4	5.1	5.1	4.4	4.2
Female	3.8	2.9	3.0	3.2	3.1	3.7	4.5	5.4	5.5	5.8	5.5	4.8	4.2	3.9	3.4	2.8	2.6
Black	12.9	12.0	11.7	11.9	13.9	14.7	16.7	16.6	16.2	15.1	16.4	14.9	14.6	14.2	15.0	13.2	13.1
Male	15.6	14.9	15.7	14.0	16.4	16.8	18.8	19.0	18.9	17.1	19.1	16.8	15.7	14.8	16.0	13.8	13.4
Female	10.1	9.0	7.5	9.7	11.4	12.5	14.5	14.1	13.4	13.2	13.8	13.1	13.4	13.5	14.0	12.6	12.7
Congenital malformations																	
White	4.4	4.5	4.6	4.2	4.2	4.0	3.7	3.3	3.3	3.3	3.1	3.1	2.8	2.8	2.6	3.0	3.0
Male	4.9	4.9	4.7	4.2	4.3	4.2	3.7	3.6	3.9	3.7	3.3	3.3	3.0	2.7	2.4	2.9	2.8
Female	3.9	4.2	4.6	4.3	4.2	3.9	3.7	3.1	2.7	2.9	2.8	2.8	2.7	2.8	2.8	3.1	3.3
Black	3.9	3.1	3.2	3.4	3.4	3.5	3.9	4.0	3.6	3.7	3.6	3.3	2.9	3.0	2.6	2.5	2.4
Male	4.9	4.9	4.7	4.2	4.3	4.2	3.7	3.6	3.9	3.7	3.3	3.3	3.0	2.7	2.4	2.9	2.8
Female	3.9	4.2	4.6	4.3	4.2	3.9	3.7	3.1	2.7	2.9	2.8	2.8	2.7	2.8	2.8	3.1	3.3
Human immunodeficiency virus (HIV)																	
White	7.7	8.1	7.2	5.9	4.7	3.0	2.0	2.2	2.6	2.5	2.4	2.3	2.1	2.0	1.8	1.8	1.7
Male	13.7	14.2	12.8	10.6	8.4	5.4	3.6	3.7	4.4	3.9	3.6	3.5	3.5	3.0	2.9	2.8	2.7
Female	1.8	2.0	1.7	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Black	48.8	57.7	59.3	55.5	48.8	42.0	36.4	35.6	36.4	35.5	34.3	31.5	29.4	26.3	24.1	21.6	19.6
Male	83.0	97.0	97.3	93.3	80.3	66.9	56.7	55.8	54.8	52.6	51.3	46.1	40.0	32.7	29.5	26.7	25.4
Female	20.0	24.4	27.1	23.6	22.0	20.9	19.2	18.5	21.1	21.3	20.2	19.5	20.7	21.5	19.9	17.6	15.0
Accidents (unintentional injuries)																	
White	34.1	33.9	34.8	36.2	36.1	37.3	38.2	37.5	37.2	37.5	37.4	38.0	38.3	39.9	40.6	41.5	41.7
Male	51.3	49.8	50.2	51.1	48.4	50.1	50.9	50.6	51.4	51.5	51.8	53.2	54.5	55.7	57.1	57.0	57.0
Female	18.8	19.6	20.8	22.3	24.2	25.4	26.5	25.6	24.3	24.7	24.2	24.0	23.3	25.1	25.2	27.1	27.5
Black	46.3	44.9	44.5	39.9	36.5	34.2	36.2	37.5	37.3	35.2	32.1	29.6	26.4	24.2	24.6	26.1	24.4
Male	74.8	71.5	68.2	60.9	56.7	53.0	52.8	56.6	56.0	50.3	47.0	44.3	38.2	34.4	35.7	37.2	35.2
Female	26.8	26.2	27.8	24.0	21.4	18.6	22.0	21.1	21.7	21.9	19.7	17.6	16.6	15.4	15.4	16.5	14.9
Essential hypertension and hypertensive renal disease																	
White	2.5	2.8	2.9	3.5	3.5	4.2	4.5	5.0	5.1	5.7	6.0	5.7	5.2	4.8	4.4	4.3	4.3
Male	2.4	2.5	2.9	3.7	3.8	4.3	4.4	4.7	5.0	5.3	5.6	5.5	4.8	4.4	4.5	4.2	3.8
Female	2.7	3.0	2.9	3.4	3.3	4.0	4.3	5.0	5.0	5.8	6.1	5.7	5.4	4.8	4.3	4.2	4.4
Black	10.1	10.7	9.7	9.9	9.8	10.0	10.5	11.4	12.2	15.4	16.4	15.2	14.3	14.5	11.6	9.8	9.1
Male	---	---	---	---	12.7	12.9	13.1	11.8	14.2	19.8	20.4	19.5	20.2	18.1	12.0	10.4	10.1
Female	11.2	11.2	9.7	9.4	8.4	8.1	9.2	10.9	11.0	13.1	14.3	12.5	10.3	11.7	10.4	8.4	7.6
Aortic aneurysm and dissection																	
White	8.4	7.0	7.0	6.7	6.5	6.5	6.8	6.4	6.8	6.3	5.8	5.0	4.4	3.7	3.4	3.2	3.2
Male	13.6	11.3	11.3	10.8	10.6	10.4	11.3	10.0	9.6	8.8	8.3	6.9	6.2	5.5	5.1	4.7	4.4
Female	5.0	4.3	4.3	4.1	3.9	4.0	3.9	4.2	4.8	4.4	4.0	3.6	2.9	2.3	2.1	1.9	2.2
Black	8.4	7.5	6.6	6.1	5.6	5.0	5.0	5.5	6.0	6.9	6.4	5.4	5.1	4.1	3.7	3.6	3.4
Male	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Female	---	---	---	---	---	---	---	---	---	7.0	6.6	---	---	---	---	---	---

TABLE F-32 (continued)

Cause of Death/ Race-Sex	1991 -1995	1992 -1996	1993 -1997	1994 -1998	1995 -1999	1996 -2000	1997 -2001	1998 -2002	1999 -2003	2000 -2004	2001 -2005	2002 -2006	2003 -2007	2004 -2008	2005 -2009	2006 -2010	2007 -2011
Pneumonitis due to solids and liquids																	
White	4.1	4.3	5.0	5.4	6.8	7.5	8.5	8.9	9.4	8.6	7.8	6.8	6.1	5.4	5.1	4.8	4.7
Male	5.8	5.8	7.3	8.8	10.1	10.5	11.8	11.5	11.6	10.5	9.5	7.9	7.4	6.4	6.3	6.1	6.2
Female	3.3	3.6	4.0	3.8	5.1	5.8	6.7	7.3	8.0	7.4	6.8	5.9	5.2	4.6	4.3	3.8	3.7
Black	---	6.0	6.4	7.4	8.8	10.5	11.3	10.4	11.7	10.6	10.7	9.0	8.1	5.6	5.5	4.4	3.9
Male	---	---	---	---	---	15.4	19.8	17.9	19.9	18.5	18.0	15.2	12.9	---	---	9.1	---
Female	---	---	---	---	---	---	---	---	6.8	---	6.7	---	---	---	---	---	---
Other diseases of respiratory system																	
White	7.1	7.3	7.6	8.1	8.2	8.5	8.6	8.8	8.5	8.9	8.6	9.1	9.0	9.0	8.7	8.6	8.8
Male	9.6	10.3	10.4	10.7	10.0	10.6	10.2	9.8	9.7	10.1	10.1	11.3	11.0	10.4	10.3	10.2	9.9
Female	5.4	5.5	5.7	6.2	6.6	7.0	7.3	8.1	7.8	8.1	7.7	7.7	7.5	8.0	7.6	7.5	7.9
Black	7.6	7.4	7.6	6.7	6.1	6.9	7.1	7.9	7.3	7.4	7.1	7.0	7.4	9.3	9.8	10.1	10.4
Male	11.6	---	---	---	---	---	---	---	---	9.1	10.5	9.6	9.7	11.4	12.7	13.7	14.6
Female	---	---	---	---	---	7.9	8.2	7.7	6.5	6.4	---	5.5	5.9	8.0	8.3	8.2	8.0
Parkinson's disease																	
White	3.6	3.7	3.6	3.9	4.3	5.0	5.5	6.0	5.9	5.9	6.1	5.8	6.0	6.1	6.0	5.7	6.2
Male	6.5	6.3	5.9	6.1	6.0	6.8	8.0	8.5	8.7	8.9	9.1	8.8	9.0	8.8	8.4	8.0	8.0
Female	2.0	2.2	2.3	2.8	3.4	3.9	4.2	4.6	4.3	4.2	4.4	4.1	4.2	4.5	4.6	4.4	5.1
Black	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Male	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Female	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Dementia																	
White	6.0	5.8	6.2	6.6	6.1	6.6	7.4	8.6	9.5	10.1	11.8	15.5	18.8	23.9	29.3	34.0	36.2
Male	7.5	7.1	7.3	7.5	7.0	7.9	7.8	7.9	8.3	8.7	9.4	12.8	15.6	20.0	24.9	29.3	31.1
Female	5.2	5.2	5.6	6.0	5.6	6.1	7.2	8.9	10.1	10.9	13.0	16.9	20.5	25.8	31.6	36.4	38.9
Black	---	---	---	---	---	6.0	5.8	8.7	10.4	15.4	16.3	23.1	30.1	34.3	37.1	40.4	41.8
Male	---	---	---	---	---	---	---	19.0	18.2	22.5	22.3	29.6	29.2	35.4	40.8	42.3	40.2
Female	---	---	---	---	---	---	---	---	---	12.5	13.5	20.1	30.2	33.8	34.9	39.1	42.3

AADR_TRND(3)

Notes:

1. Rates per 100,000, adjusted to U.S. 2000 population.
2. See Appendix E for ICD-9 and ICD-10 cause of death codes.
3. "---" indicates rate does not meet standards of reliability or precision; based on fewer than 20 deaths in the numerator.

Source:

Delaware Health Statistics Center