



Microbiology Lab

AFBs (Micro)

	Negatives	Positives	Total
CULTURE_AFB	39 95%	2 4%	41 100%
MYCOBACT_REFER	0 0%	6 100%	6 100%
PCR_M_TB	25 100%	0 0%	25 100%
Q_FERON_TB	53 58%	38 41%	91 100%
Total	117 71%	46 28%	163 100%

BT (Micro)

	Negatives	Total
BT_B_ANTHRACIS	1 100%	1 100%
BT_ENVIRON_UNKN	1 100%	1 100%
Total	2 100%	2 100%

HIV

	Negatives	Positives	Total
HIV	1 16%	5 83%	6 100%
HIV_RAPID	252 98%	5 1%	257 100%
HIV_WB	1 10%	9 90%	10 100%
Total	254 93%	19 6%	273 100%



Cultures (Micro)

	Negatives	Positives	Total
CULTURE_BACT	16 45%	19 54%	35 100%
CULTURE_GC	2 100%	0 0%	2 100%
CULTURE_STREP	10 83%	2 16%	12 100%
CULTURE_URINE	54 56%	42 43%	96 100%
Total	82 56%	63 43%	145 100%

Serotyping (Micro)

	Negatives	Positives	Total
PFGE	3 100%	0 0%	3 100%
SEROTYPING_SALM	0 0%	3 100%	3 100%
Total	3 50%	3 50%	6 100%



STDs (Micro)

	Negatives	Positives	Total
CTGC_DNA	2,346 92%	195 7%	2,541 100%
SYPHILIS_RPR	622 97%	17 2%	639 100%
SYPHILIS_RPR_T	0 0%	17 100%	17 100%
SYPHILIS_TPPA	7 41%	10 58%	17 100%
SYPHILIS_VDRL	3 100%	0 0%	3 100%
Total	2,978 92%	239 7%	3,217 100%