

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcomes Measures

### Pregnant Only tab

#### Variable Name

*Previous Pregnancy Complications* for all known previous events

Outcomes of all known previous pregnancies; can have multiple complications

Other previous complication - miscarriage, multiple birth (eg triplets), high number of births, etc

*Current Medical Complications*

Can have multiple complications

Other Diseases - Any other diseases, place note below this chart

*Current Social Complications*

Smoking - currently smoking, smoking while pregnant. If stopped before pregnant don't list

Other Social - Other complications. Put note below this table.

### Infant Tab

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

Two sections to this tab - Infant death section and Live birth section

#### Infant deaths

#### Variable Name

*Infant deaths* - Record time of death

*Pregnancy Complications at time of Delivery* - record complications that occurred

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event.

Live Birth

#### Variable Name

*Gestational Age at birth*

*Birth weight*

*Pregnancy Complications at time of Delivery*

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event .

### Miscarriage Abortion tab

## II. Outcome Measures

Miscarriage Only - Unduplicated - At Time of Event

#### Variable Name

Pregnancy Loss - there are three parts to this table

*Spontaneous Abortion/Miscarriage* - record gestational time

*Fetal Death/Stillbirth*

*Elective Abortion* - record gestation time

#### Variable Name

*Previous Pregnancy Complications* - NOT this event but before, if any

Other previous complication - miscarriage, multiple birth (eg triplets), high of number of births, etc

*Current Pregnancy Complications*- associated with this pregnancy loss

*Current Chronic Complications* - associated with this pregnancy loss

*Current Social Complications* - associated with this pregnancy loss

Smoking - currently smoking or while pregnant. Not if stopped before pregnancy

*Months since Previous Pregnancy or Delivery* - interval from previous event to conception if known

### Preconception tab

Preconception Program - Track over time - follow clients month to month, time in program, not visits

#### Variable Name

*Months between pregnancies* - time since last pregnancy

*Current Medical Complications*

*Current Social Complications*

Smoking - currently smoking in preconception program

### For Lost to Follow-up and Transfer tabs

**Lost to Follow-up Participants** - Client no longer in your program after repeated attempts

(call attempts and/or months lapse and client does not respond)

"Lost" varies by client type - preconception, pregnancy, infant care

There are four sections

**Pregnant Only Participants**

**Post-partum Program Participants, women** - women getting postpartum care, not children

**Preconception Program Participants**

**Infants of participants** - Infants in pediatric care program

#### Variable Name

##### **Race**

White - Not Hispanic

Black or African American - Not Hispanic

American Indian or Alaskan Native

Asian

Native Hawaiian or Pacific Islander - Include Hispanic here

Other - include Hispanic here

Unknown

##### **Total**

Ethnicity

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

#### Transfers

There are three sections

Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere

Not expected to return to your program

**Pregnant Only Participants**

**Post-partum & Preconception Participants, women** - women getting postpartum care, not children

**Infants of participants** - Infants and toddlers under care

#### Variable Name

*Race/ethnicity as above*

### Lost to follow-up and Transfer guidelines

**Postpartum and Preconception Care** - All attempts should be made to engage the client into care. A provider may consider a client "lost to follow-up" if four appropriately spaced attempts to contact the client for a needed appointment or referral have been unsuccessful to communicate with the client (or another appropriate caretaker where needed). Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered "transferred" when it is discovered that the client is under the appropriate full care of another provider(s).

**Pregnancy program, prenatal clients** – All attempts should be made to engage a pregnant client into care throughout the pregnancy. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the client is in the appropriate full care of another provider(s). If there is not a transfer of care, then the client is lost to follow-up.

**Infant Care/pediatric** - All attempts should be made to engage a child under the age of 1 into care. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the child under the age of 1 is in the appropriate full care of another provider(s). Where a child is over the age of 1 (and has had all immunizations required through age 1), a child may be considered “lost to follow-up” if four appropriately spaced attempts to communicate with an appropriate adult caretaker have been unsuccessful. Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered “transferred” when it is discovered that the client is under the appropriate full care of another provider(s).

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

### Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere

Not expected to return See Comments sheet

#### Pregnant Only Participants

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
<b>Total</b>		0	0	0	0	0	0	0
Ethnicity								
	Hispanic or Latina	0						0

Variable Name		Calendar Month Year 3						
Age		January	February	March	April	May	June	Total
	< 15 years old	0						0
	15 - 17	0						0
	18 - 19	0						0
	20 - 24	0						0
	25 - 29	0						0
	30 - 34	0						0
	35 - 39	0						0
	40+	0						0
<b>Total</b>		0	0	0	0	0	0	0

Variable Name		Calendar Month Year 3						
Initiation of Prenatal Care		January	February	March	April	May	June	Total
	1st Trimester (1 - 14 weeks)	0						0
	2nd Trimester (15 - 27 weeks)	0						0
	3rd Trimester (28 - 40 weeks)	0						0
<b>Total</b>		0	0	0	0	0	0	0

## Data Tables in Fulfillment of Monthly Reporting Requirements

### II. Outcome Measures

*Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere*

#### Post-partum Participants

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
<b>Total</b>		0	0	0	0	0	0	0
Ethnicity								
	Hispanic or Latina	0						0

Variable Name		Calendar Month Year 3						
Age		January	February	March	April	May	June	Total
	< 15 years old	0						0
	15 - 17	0						0
	18 - 19	0						0
	20 - 24	0						0
	25 - 29	0						0
	30 - 34	0						0
	35 - 39	0						0
	40+	0						0
<b>Total</b>		0	0	0	0	0	0	0

#### Preconception Participants

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
<b>Total</b>		0	0	0	0	0	0	0
Ethnicity								
	Hispanic or Latina	0						0

## Data Tables in Fulfillment of Monthly Reporting Requirements

### II. Outcome Measures

**Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere**

Variable Name		Calendar Month Year 3						
Age		January	February	March	April	May	June	<b>Total</b>
	< 15 years old	0						0
	15 - 17	0						0
	18 - 19	0						0
	20 - 24	0						0
	25 - 29	0						0
	30 - 34	0						0
	35 - 39	0						0
	40+	0						0
	<b>Total</b>	0	0	0	0	0	0	0

### Infants of participants

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	<b>Total</b>
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
	<b>Total</b>	0	0	0	0	0	0	0
	Ethnicity							
	Hispanic or Latina	0						0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcomes Measures

### Pregnant Only tab

#### Variable Name

*Previous Pregnancy Complications* for all known previous events

Outcomes of all known previous pregnancies; can have multiple complications

Other previous complication - miscarriage, multiple birth (eg triplets), high number of births, etc

*Current Medical Complications*

Can have multiple complications

Other Diseases - Any other diseases, place note below this chart

*Current Social Complications*

Smoking - currently smoking, smoking while pregnant. If stopped before pregnant don't list

Other Social - Other complications. Put note below this table.

### Infant Tab

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

Two sections to this tab - Infant death section and Live birth section

#### Infant deaths

#### Variable Name

*Infant deaths* - Record time of death

*Pregnancy Complications at time of Delivery* - record complications that occurred

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event.

Live Birth

#### Variable Name

*Gestational Age at birth*

*Birth weight*

*Pregnancy Complications at time of Delivery*

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event .

### Miscarriage Abortion tab

## II. Outcome Measures

Miscarriage Only - Unduplicated - At Time of Event

#### Variable Name

Pregnancy Loss - there are three parts to this table

*Spontaneous Abortion/Miscarriage* - record gestational time

*Fetal Death/Stillbirth*

*Elective Abortion* - record gestation time

#### Variable Name

*Previous Pregnancy Complications* - NOT this event but before, if any

Other previous complication - miscarriage, multiple birth (eg triplets), high of number of births, etc

*Current Pregnancy Complications*- associated with this pregnancy loss

*Current Chronic Complications* - associated with this pregnancy loss

*Current Social Complications* - associated with this pregnancy loss

Smoking - currently smoking or while pregnant. Not if stopped before pregnancy

*Months since Previous Pregnancy or Delivery* - interval from previous event to conception if known

### Preconception tab

Preconception Program - Track over time - follow clients month to month, time in program, not visits

#### Variable Name

*Months between pregnancies* - time since last pregnancy

*Current Medical Complications*

*Current Social Complications*

Smoking - currently smoking in preconception program

### For Lost to Follow-up and Transfer tabs

**Lost to Follow-up Participants** - Client no longer in your program after repeated attempts

(call attempts and/or months lapse and client does not respond)

"Lost" varies by client type - preconception, pregnancy, infant care

There are four sections

**Pregnant Only Participants**

**Post-partum Program Participants, women** - women getting postpartum care, not children

**Preconception Program Participants**

**Infants of participants** - Infants in pediatric care program

#### Variable Name

##### **Race**

White - Not Hispanic

Black or African American - Not Hispanic

American Indian or Alaskan Native

Asian

Native Hawaiian or Pacific Islander - Include Hispanic here

Other - include Hispanic here

Unknown

##### **Total**

Ethnicity

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

#### Transfers

There are three sections

Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere

Not expected to return to your program

**Pregnant Only Participants**

**Post-partum & Preconception Participants, women** - women getting postpartum care, not children

**Infants of participants** - Infants and toddlers under care

#### Variable Name

*Race/ethnicity as above*

### Lost to follow-up and Transfer guidelines

**Postpartum and Preconception Care** - All attempts should be made to engage the client into care. A provider may consider a client "lost to follow-up" if four appropriately spaced attempts to contact the client for a needed appointment or referral have been unsuccessful to communicate with the client (or another appropriate caretaker where needed). Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered "transferred" when it is discovered that the client is under the appropriate full care of another provider(s).

**Pregnancy program, prenatal clients** – All attempts should be made to engage a pregnant client into care throughout the pregnancy. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the client is in the appropriate full care of another provider(s). If there is not a transfer of care, then the client is lost to follow-up.

**Infant Care/pediatric** - All attempts should be made to engage a child under the age of 1 into care. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the child under the age of 1 is in the appropriate full care of another provider(s). Where a child is over the age of 1 (and has had all immunizations required through age 1), a child may be considered “lost to follow-up” if four appropriately spaced attempts to communicate with an appropriate adult caretaker have been unsuccessful. Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered “transferred” when it is discovered that the client is under the appropriate full care of another provider(s).

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcomes Measures

### Pregnant Only tab

#### Variable Name

*Previous Pregnancy Complications* for all known previous events

Outcomes of all known previous pregnancies; can have multiple complications

Other previous complication - miscarriage, multiple birth (eg triplets), high number of births, etc

*Current Medical Complications*

Can have multiple complications

Other Diseases - Any other diseases, place note below this chart

*Current Social Complications*

Smoking - currently smoking, smoking while pregnant. If stopped before pregnant don't list

Other Social - Other complications. Put note below this table.

### Infant Tab

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

Two sections to this tab - Infant death section and Live birth section

#### Infant deaths

#### Variable Name

*Infant deaths* - Record time of death

*Pregnancy Complications at time of Delivery* - record complications that occurred

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event.

Live Birth

#### Variable Name

*Gestational Age at birth*

*Birth weight*

*Pregnancy Complications at time of Delivery*

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event .

### Miscarriage Abortion tab

## II. Outcome Measures

Miscarriage Only - Unduplicated - At Time of Event

#### Variable Name

Pregnancy Loss - there are three parts to this table

*Spontaneous Abortion/Miscarriage* - record gestational time

*Fetal Death/Stillbirth*

*Elective Abortion* - record gestation time

#### Variable Name

*Previous Pregnancy Complications* - NOT this event but before, if any

Other previous complication - miscarriage, multiple birth (eg triplets), high of number of births, etc

*Current Pregnancy Complications*- associated with this pregnancy loss

*Current Chronic Complications* - associated with this pregnancy loss

*Current Social Complications* - associated with this pregnancy loss

Smoking - currently smoking or while pregnant. Not if stopped before pregnancy

*Months since Previous Pregnancy or Delivery* - interval from previous event to conception if known

### Preconception tab

Preconception Program - Track over time - follow clients month to month, time in program, not visits

#### Variable Name

*Months between pregnancies* - time since last pregnancy

*Current Medical Complications*

*Current Social Complications*

Smoking - currently smoking in preconception program

### For Lost to Follow-up and Transfer tabs

**Lost to Follow-up Participants** - Client no longer in your program after repeated attempts

(call attempts and/or months lapse and client does not respond)

"Lost" varies by client type - preconception, pregnancy, infant care

There are four sections

**Pregnant Only Participants**

**Post-partum Program Participants, women** - women getting postpartum care, not children

**Preconception Program Participants**

**Infants of participants** - Infants in pediatric care program

#### Variable Name

##### **Race**

White - Not Hispanic

Black or African American - Not Hispanic

American Indian or Alaskan Native

Asian

Native Hawaiian or Pacific Islander - Include Hispanic here

Other - include Hispanic here

Unknown

##### **Total**

Ethnicity

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

#### Transfers

There are three sections

Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere

Not expected to return to your program

**Pregnant Only Participants**

**Post-partum & Preconception Participants, women** - women getting postpartum care, not children

**Infants of participants** - Infants and toddlers under care

#### Variable Name

*Race/ethnicity as above*

### Lost to follow-up and Transfer guidelines

**Postpartum and Preconception Care** - All attempts should be made to engage the client into care. A provider may consider a client "lost to follow-up" if four appropriately spaced attempts to contact the client for a needed appointment or referral have been unsuccessful to communicate with the client (or another appropriate caretaker where needed). Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered "transferred" when it is discovered that the client is under the appropriate full care of another provider(s).

**Pregnancy program, prenatal clients** – All attempts should be made to engage a pregnant client into care throughout the pregnancy. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the client is in the appropriate full care of another provider(s). If there is not a transfer of care, then the client is lost to follow-up.

**Infant Care/pediatric** - All attempts should be made to engage a child under the age of 1 into care. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the child under the age of 1 is in the appropriate full care of another provider(s). Where a child is over the age of 1 (and has had all immunizations required through age 1), a child may be considered “lost to follow-up” if four appropriately spaced attempts to communicate with an appropriate adult caretaker have been unsuccessful. Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered “transferred” when it is discovered that the client is under the appropriate full care of another provider(s).

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

### Infant death section

Variable Name	Calendar Month Year 3						
<i>Infant deaths</i>	January	February	March	April	May	June	<i>Total</i>
<i>Time to death</i>							
0 - 24 hours from birth	0						0
25 - 72 hours from birth	0						0
4 - 7 days from birth	0						0
8 - 28 days after birth	0						0
1 to 3 months old	0						0
4 to 6 months old	0						0
7 to 12 months old	0						0
13 to 18 months old	0						0
19 to 24 months old	0						0
<b>Total</b>	0	0	0	0	0	0	0

Variable Name	Calendar Month Year 3						
<i>Pregnancy Complications at time of Delivery</i>	January	February	March	April	May	June	<i>Total</i>
Pre-eclampsia/Eclampsia	0						0
Gestational Diabetes	0						0
<b>Total Conditions</b>	0	0	0	0	0	0	0

Variable Name	Calendar Month Year 3						
<i>for Infant deaths</i>	January	February	March	April	May	June	<i>Total</i>
<i>Gestational Age at birth</i>							
<= 21 weeks	0						0
22 - 25 weeks at birth	0						0
26 - 30 weeks at birth	0						0
31 - 34 weeks at birth	0						0
35 - 37 weeks at birth	0						0
38 - 40 weeks at birth	0						0
41+ weeks at birth	0						0
<b>Total</b>	0	0	0	0	0	0	0

Variable Name

Calendar Month Year 3

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

<i>for Infant deaths</i>	January	February	March	April	May	June	<b>Total</b>
<i>Birth weight</i>							
<= 500 grams	0						0
501 - 750 grams	0						0
751 - 1500 grams	0						0
1501 - 2500 grams	0						0
2501+ grams	0						0
<b>Total</b>	0	0	0	0	0	0	0

<b>Variable Name</b>	<b>Calendar Month Year 3</b>						
<i>Pregnancy Complications at time of Delivery</i>	January	February	March	April	May	June	<b>Total</b>
Pre-eclampsia/Eclampsia	0						0
Gestational Diabetes	0						0
<b>Total Conditions</b>	0	0	0	0	0	0	0

<b>Variable Name</b>	<b>Calendar Month Year 3</b>						
<i>Months since Previous Pregnancy or Delivery</i>	January	February	March	April	May	June	<b>Total</b>
Never Pregnant	0						0
<= 9 Months	0						0
10 - 18 Months	0						0
19 - 24 Months	0						0
25+ Months	0						0
<b>Total</b>	0	0	0	0	0	0	0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

### Live birth section

Variable Name	Calendar Month Year 3						
	January	February	March	April	May	June	Total
<i>Live Births</i>							
<i>Gestational Age at birth</i>							
<= 21 weeks	0						0
22 - 25 weeks at birth	0						0
26 - 30 weeks at birth	0						0
31 - 34 weeks at birth	0						0
35 - 37 weeks at birth	0						0
38 - 40 weeks at birth	0						0
41+ weeks at birth	0						0
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

Variable Name	Calendar Month Year 3						
	January	February	March	April	May	June	Total
<i>Live Births</i>							
<i>Birth weight</i>							
<= 500 grams	0						0
501 - 750 grams	0						0
751 - 1500 grams	0						0
1501 - 2500 grams	0						0
2501+ grams	0						0
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

## Data Tables in Fulfillment of Monthly Reporting Requirements

### II. Outcome Measures

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

Variable Name <i>Pregnancy Complications at time of Delivery</i>	Calendar Month Year 3						
	January	February	March	April	May	June	<b>Total</b>
Pre-eclampsia/Eclampsia	0						0
Gestational Diabetes	0						0
<b>Total Conditions</b>	0	0	0	0	0	0	0

Variable Name <i>Months since Previous Pregnancy or Delivery</i>	Calendar Month Year 3						
	January	February	March	April	May	June	<b>Total</b>
Never Pregnant	0						0
<= 9 Months	0						0
10 - 18 Months	0						0
19 - 24 Months	0						0
25+ Months	0						0
<b>Total</b>	0	0	0	0	0	0	0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Miscarriage Only - Unduplicated - At Time of Event

Variable Name		Calendar Month Year 3						
		January	February	March	April	May	June	Total
<i>Pregnancy Loss</i>								
<i>Spontaneous Abortion/Miscarriage</i>								
	≤ 10 weeks gestation	0						0
	11 - 20 weeks gestation	0						0
	<b>Total</b>	0	0	0	0	0	0	0
<i>Fetal Death/Stillbirth</i>								
	<b>Total</b>	0						0
<i>Elective Abortion</i>								
	≤ 10 weeks gestation	0						0
	> 11 weeks gestation	0						0
	<b>Total</b>	0	0	0	0	0	0	0
<b>Total all three events</b>		0	0	0	0	0	0	0

Variable Name		Calendar Month Year 3						
		January	February	March	April	May	June	Total
<i>Previous Pregnancy Complications</i>								
	Previous premature birth (EGA < 37 weeks)	0						0
	Previous low birth weight delivery (≤ 2500 grams; 5lbs. 8ozs.)	0						0
	Previous infant death							
	Other previous complication	0						0
<b>Total Number of Conditions</b>		0	0	0	0	0	0	0

Variable Name		Calendar Month Year 3						
		January	February	March	April	May	June	Total
<i>Current Pregnancy Complications</i>								
	Pre-eclampsia/Eclampsia	0						0
	Gestational Diabetes	0						0
<b>Total Number of Conditions</b>		0	0	0	0	0	0	0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Miscarriage Only - Unduplicated - At Time of Event

Variable Name		Calendar Month Year 3						
		January	February	March	April	May	June	Total
<i>Current Chronic Complications</i>								
	Heart disease	0						0
	Type II Diabetes	0						0
	Hypertension/HBP	0						0
	Thyroid	0						0
	Pulmonary Disease							
	Depression/Mental Health							
	Other Diseases							
<b>Total Number of Conditions</b>		0	0	0	0	0	0	0

Variable Name		Calendar Month Year 3						
		January	February	March	April	May	June	Total
<i>Current Social Complications</i>								
	Domestic violence	0						0
	Rape victim	0						0
	Homeless/living in shelter	0						0
	Substance abuse							
	Smoking							
	Other Social	0						0
<b>Total Social Conditions</b>		0	0	0	0	0	0	0

Variable Name		Calendar Month Year 3						
		January	February	March	April	May	June	Total
<i>Months since Previous Pregnancy or Delivery</i>								
	Never Pregnant	0						0
	<= 9 Months	0						0
	10 - 18 Months	0						0
	19 - 24 Months	0						0
	25+ Months	0						0
<b>Total</b>		0	0	0	0	0	0	0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Preconception Program - Track over time - follow clients month to month Time in program, not visits

Variable Name	Calendar Month Year 3						
	January	February	March	April	May	June	Total
<i>Months between pregnancies</i>							
Never Pregnant	0						
<= 9 Months	0						0
10 - 18 Months	0						0
19 - 24 Months	0						0
25+ Months	0						0
<b>Total</b>	0	0	0	0	0	0	0

Variable Name	Calendar Month Year 3						
	January	February	March	April	May	June	Total
<i>Current Medical Complications</i>							
Heart disease	0						0
Type II Diabetes	0						0
Hypertension/HBP	0						0
Thyroid							
Pulmonary Disease							
Depression/Mental Health							
Other Diseases	0						0
<b>Total Medical Conditions</b>	0	0	0	0	0	0	0

Variable Name	Calendar Month Year 3						
	January	February	March	April	May	June	Total
<i>Current Social Complications</i>							
Domestic violence	0						0
Rape victim	0						0
Homeless/living in shelter	0						0
Substance abuse							
Smoking							
Other Social							
<b>Total Social Conditions</b>	0	0	0	0	0	0	0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

### Lost to Follow-up Participants - Client no longer in your program after repeated attempts

(call attempts and/or months lapse and client does not respond See Comments sheet)

### Pregnant Only Participants

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
<b>Total</b>		0	0	0	0	0	0	0
Ethnicity								
	Hispanic or Latina	0						0

Variable Name		Calendar Month Year 3							
Age		January	February	March	April	May	June	Total	Average
	< 15 years old	0						0	
	15 - 17	0						0	
	18 - 19	0						0	
	20 - 24	0						0	
	25 - 29	0						0	
	30 - 34	0						0	
	35 - 39	0						0	
	40+	0						0	
<b>Total</b>		0	0	0	0	0	0	0	

Variable Name		Calendar Month Year 3							
Initiation of Prenatal Care		January	February	March	April	May	June	Total	Average
	1st Trimester (1 - 14 weeks)	0						0	
	2nd Trimester (15 - 27 weeks)	0						0	
	3rd Trimester (28 - 40 weeks)	0						0	
<b>Total</b>		0	0	0	0	0	0	0	

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

**Lost to Follow-up Participants - Client no longer in your program after repeated attempts**

Post-partum Program Participants, women

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
<b>Total</b>		0	0	0	0	0	0	0
Ethnicity								
	Hispanic or Latina	0						0

Variable Name		Calendar Month Year 3							
Age		January	February	March	April	May	June	Total	Average
	< 15 years old	0						0	
	15 - 17	0						0	
	18 - 19	0						0	
	20 - 24	0						0	
	25 - 29	0						0	
	30 - 34	0						0	
	35 - 39	0						0	
	40+	0						0	
<b>Total</b>		0	0	0	0	0	0	0	0

Preconception Program Participants

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

### Lost to Follow-up Participants - Client no longer in your program after repeated attempts

Other	0							0
Unknown	0							0
<b>Total</b>	<b>0</b>							
Ethnicity								
Hispanic or Latina	0							0

Variable Name		Calendar Month Year 3							
Age		January	February	March	April	May	June	<b>Total</b>	Average
< 15 years old		0						0	
15 - 17		0						0	
18 - 19		0						0	
20 - 24		0						0	
25 - 29		0						0	
30 - 34		0						0	
35 - 39		0						0	
40+		0						0	
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

**Lost to Follow-up Participants - Client no longer in your program after repeated attempts**

Infants of participants

Variable Name		Calendar Month Year 3						Total
		January	February	March	April	May	June	
Race	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
Ethnicity								
	Hispanic or Latina	0						0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcomes Measures

### Pregnant Only tab

#### Variable Name

*Previous Pregnancy Complications* for all known previous events

Outcomes of all known previous pregnancies; can have multiple complications

Other previous complication - miscarriage, multiple birth (eg triplets), high number of births, etc

*Current Medical Complications*

Can have multiple complications

Other Diseases - Any other diseases, place note below this chart

*Current Social Complications*

Smoking - currently smoking, smoking while pregnant. If stopped before pregnant don't list

Other Social - Other complications. Put note below this table.

### Infant Tab

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

Two sections to this tab - Infant death section and Live birth section

#### Infant deaths

#### Variable Name

*Infant deaths* - Record time of death

*Pregnancy Complications at time of Delivery* - record complications that occurred

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event.

Live Birth

#### Variable Name

*Gestational Age at birth*

*Birth weight*

*Pregnancy Complications at time of Delivery*

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event .

### Miscarriage Abortion tab

## II. Outcome Measures

Miscarriage Only - Unduplicated - At Time of Event

#### Variable Name

Pregnancy Loss - there are three parts to this table

*Spontaneous Abortion/Miscarriage* - record gestational time

*Fetal Death/Stillbirth*

*Elective Abortion* - record gestation time

#### Variable Name

*Previous Pregnancy Complications* - NOT this event but before, if any

Other previous complication - miscarriage, multiple birth (eg triplets), high of number of births, etc

*Current Pregnancy Complications*- associated with this pregnancy loss

*Current Chronic Complications* - associated with this pregnancy loss

*Current Social Complications* - associated with this pregnancy loss

Smoking - currently smoking or while pregnant. Not if stopped before pregnancy

*Months since Previous Pregnancy or Delivery* - interval from previous event to conception if known

### Preconception tab

Preconception Program - Track over time - follow clients month to month, time in program, not visits

#### Variable Name

*Months between pregnancies* - time since last pregnancy

*Current Medical Complications*

*Current Social Complications*

Smoking - currently smoking in preconception program

### For Lost to Follow-up and Transfer tabs

**Lost to Follow-up Participants** - Client no longer in your program after repeated attempts

(call attempts and/or months lapse and client does not respond)

"Lost" varies by client type - preconception, pregnancy, infant care

There are four sections

**Pregnant Only Participants**

**Post-partum Program Participants, women** - women getting postpartum care, not children

**Preconception Program Participants**

**Infants of participants** - Infants in pediatric care program

#### Variable Name

##### **Race**

White - Not Hispanic

Black or African American - Not Hispanic

American Indian or Alaskan Native

Asian

Native Hawaiian or Pacific Islander - Include Hispanic here

Other - include Hispanic here

Unknown

##### **Total**

Ethnicity

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

#### Transfers

There are three sections

Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere

Not expected to return to your program

**Pregnant Only Participants**

**Post-partum & Preconception Participants, women** - women getting postpartum care, not children

**Infants of participants** - Infants and toddlers under care

#### Variable Name

*Race/ethnicity as above*

### Lost to follow-up and Transfer guidelines

**Postpartum and Preconception Care** - All attempts should be made to engage the client into care. A provider may consider a client "lost to follow-up" if four appropriately spaced attempts to contact the client for a needed appointment or referral have been unsuccessful to communicate with the client (or another appropriate caretaker where needed). Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered "transferred" when it is discovered that the client is under the appropriate full care of another provider(s).

**Pregnancy program, prenatal clients** – All attempts should be made to engage a pregnant client into care throughout the pregnancy. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the client is in the appropriate full care of another provider(s). If there is not a transfer of care, then the client is lost to follow-up.

**Infant Care/pediatric** - All attempts should be made to engage a child under the age of 1 into care. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the child under the age of 1 is in the appropriate full care of another provider(s). Where a child is over the age of 1 (and has had all immunizations required through age 1), a child may be considered “lost to follow-up” if four appropriately spaced attempts to communicate with an appropriate adult caretaker have been unsuccessful. Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered “transferred” when it is discovered that the client is under the appropriate full care of another provider(s).

# Data Tables in Fulfillment of Monthly Reporting Requirements

## I. Demographics

New participants into programs,  
follows left side tables.

Infant born is event only,  
not care program

January				
Variable	Payment Type			
Participant Description	Medicaid Eligible	Other Public Insurer	Private Insurer	Patient Pay
Pregnant Only program	0	0	0	0
Infants Born to Participants	0	0	0	0
Infant/pediatric in program				
≤ 2 Years Post-partum/FPTM Program Part.	0	0	0	0
Preconception Program Participants	0	0	0	0
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

February				
Variable	Payment Type			
Participant Description	Medicaid Eligible	Other Public Insurer	Private Insurer	Patient Pay
Pregnant Only program				
Infants Born to Participants				
Infant/pediatric in program				
≤ 2 Years Post-partum/FPTM Program Part.				
Preconception Program Participants				
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

March				
Variable	Payment Type			
Participant Description	Medicaid Eligible	Other Public Insurer	Private Insurer	Patient Pay
Pregnant Only program				
Infants Born to Participants				
Infant/pediatric in program				
≤ 2 Years Post-partum/FPTM Program Part.				
Preconception Program Participants				
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

# Data Tables in Fulfillment of Monthly Reporting Requirements

## I. Demographics

New participants into programs,  
follows left side tables.

Infant born is event only,  
not care program

April					
Variable	Payment Type				
Participant Description	Medicaid Eligible	Other Public Insurer	Private Insurer	Patient Pay	
Pregnant Only program					
Infants Born to Participants					
Infant/pediatric in program					
≤ 2 Years Post-partum/FPTM Program Part.					
Preconception Program Participants					
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	

May					
Variable	Payment Type				
Participant Description	Medicaid Eligible	Other Public Insurer	Private Insurer	Patient Pay	
Pregnant Only program					
Infants Born to Participants					
Infant/pediatric in program					
≤ 2 Years Post-partum/FPTM Program Part.					
Preconception Program Participants					
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	

June					
Variable	Payment Type				
Participant Description	Medicaid Eligible	Other Public Insurer	Private Insurer	Patient Pay	
Pregnant Only program					
Infants Born to Participants					
Infant/pediatric in program					
≤ 2 Years Post-partum/FPTM Program Part.					
Preconception Program Participants					
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcomes Measures

### Pregnant Only tab

#### Variable Name

*Previous Pregnancy Complications* for all known previous events

Outcomes of all known previous pregnancies; can have multiple complications

Other previous complication - miscarriage, multiple birth (eg triplets), high number of births, etc

*Current Medical Complications*

Can have multiple complications

Other Diseases - Any other diseases, place note below this chart

*Current Social Complications*

Smoking - currently smoking, smoking while pregnant. If stopped before pregnant don't list

Other Social - Other complications. Put note below this table.

### Infant Tab

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

Two sections to this tab - Infant death section and Live birth section

#### Infant deaths

#### Variable Name

*Infant deaths* - Record time of death

*Pregnancy Complications at time of Delivery* - record complications that occurred

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event.

Live Birth

#### Variable Name

*Gestational Age at birth*

*Birth weight*

*Pregnancy Complications at time of Delivery*

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event .

### Miscarriage Abortion tab

## II. Outcome Measures

Miscarriage Only - Unduplicated - At Time of Event

#### Variable Name

Pregnancy Loss - there are three parts to this table

*Spontaneous Abortion/Miscarriage* - record gestational time

*Fetal Death/Stillbirth*

*Elective Abortion* - record gestation time

#### Variable Name

*Previous Pregnancy Complications* - NOT this event but before, if any

Other previous complication - miscarriage, multiple birth (eg triplets), high of number of births, etc

*Current Pregnancy Complications*- associated with this pregnancy loss

*Current Chronic Complications* - associated with this pregnancy loss

*Current Social Complications* - associated with this pregnancy loss

Smoking - currently smoking or while pregnant. Not if stopped before pregnancy

*Months since Previous Pregnancy or Delivery* - interval from previous event to conception if known

### Preconception tab

Preconception Program - Track over time - follow clients month to month, time in program, not visits

#### Variable Name

*Months between pregnancies* - time since last pregnancy

*Current Medical Complications*

*Current Social Complications*

Smoking - currently smoking in preconception program

### For Lost to Follow-up and Transfer tabs

**Lost to Follow-up Participants** - Client no longer in your program after repeated attempts

(call attempts and/or months lapse and client does not respond)

"Lost" varies by client type - preconception, pregnancy, infant care

There are four sections

**Pregnant Only Participants**

**Post-partum Program Participants, women** - women getting postpartum care, not children

**Preconception Program Participants**

**Infants of participants** - Infants in pediatric care program

#### Variable Name

##### **Race**

White - Not Hispanic

Black or African American - Not Hispanic

American Indian or Alaskan Native

Asian

Native Hawaiian or Pacific Islander - Include Hispanic here

Other - include Hispanic here

Unknown

##### **Total**

Ethnicity

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

#### Transfers

There are three sections

Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere

Not expected to return to your program

**Pregnant Only Participants**

**Post-partum & Preconception Participants, women** - women getting postpartum care, not children

**Infants of participants** - Infants and toddlers under care

#### Variable Name

*Race/ethnicity as above*

### Lost to follow-up and Transfer guidelines

**Postpartum and Preconception Care** - All attempts should be made to engage the client into care. A provider may consider a client "lost to follow-up" if four appropriately spaced attempts to contact the client for a needed appointment or referral have been unsuccessful to communicate with the client (or another appropriate caretaker where needed). Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered "transferred" when it is discovered that the client is under the appropriate full care of another provider(s).

**Pregnancy program, prenatal clients** – All attempts should be made to engage a pregnant client into care throughout the pregnancy. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the client is in the appropriate full care of another provider(s). If there is not a transfer of care, then the client is lost to follow-up.

**Infant Care/pediatric** - All attempts should be made to engage a child under the age of 1 into care. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the child under the age of 1 is in the appropriate full care of another provider(s). Where a child is over the age of 1 (and has had all immunizations required through age 1), a child may be considered “lost to follow-up” if four appropriately spaced attempts to communicate with an appropriate adult caretaker have been unsuccessful. Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered “transferred” when it is discovered that the client is under the appropriate full care of another provider(s).

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

### Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere

Not expected to return See Comments sheet

#### Pregnant Only Participants

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
<b>Total</b>		0	0	0	0	0	0	0
Ethnicity								
	Hispanic or Latina	0						0

Variable Name		Calendar Month Year 3						
Age		January	February	March	April	May	June	Total
	< 15 years old	0						0
	15 - 17	0						0
	18 - 19	0						0
	20 - 24	0						0
	25 - 29	0						0
	30 - 34	0						0
	35 - 39	0						0
	40+	0						0
<b>Total</b>		0	0	0	0	0	0	0

Variable Name		Calendar Month Year 3						
Initiation of Prenatal Care		January	February	March	April	May	June	Total
	1st Trimester (1 - 14 weeks)	0						0
	2nd Trimester (15 - 27 weeks)	0						0
	3rd Trimester (28 - 40 weeks)	0						0
<b>Total</b>		0	0	0	0	0	0	0

## Data Tables in Fulfillment of Monthly Reporting Requirements

### II. Outcome Measures

*Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere*

#### Post-partum Participants

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
<b>Total</b>		0	0	0	0	0	0	0
Ethnicity								
	Hispanic or Latina	0						0

Variable Name		Calendar Month Year 3						
Age		January	February	March	April	May	June	Total
	< 15 years old	0						0
	15 - 17	0						0
	18 - 19	0						0
	20 - 24	0						0
	25 - 29	0						0
	30 - 34	0						0
	35 - 39	0						0
	40+	0						0
<b>Total</b>		0	0	0	0	0	0	0

#### Preconception Participants

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
<b>Total</b>		0	0	0	0	0	0	0
Ethnicity								
	Hispanic or Latina	0						0

## Data Tables in Fulfillment of Monthly Reporting Requirements

### II. Outcome Measures

#### Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere

Variable Name		Calendar Month Year 3						
Age		January	February	March	April	May	June	<b>Total</b>
	< 15 years old	0						0
	15 - 17	0						0
	18 - 19	0						0
	20 - 24	0						0
	25 - 29	0						0
	30 - 34	0						0
	35 - 39	0						0
	40+	0						0
	<b>Total</b>	0	0	0	0	0	0	0

#### Infants of participants

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	<b>Total</b>
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
	<b>Total</b>	0	0	0	0	0	0	0
	Ethnicity							
	Hispanic or Latina	0						0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcomes Measures

### Pregnant Only tab

**Variable Name**

*Previous Pregnancy Complications* for all known previous events

Outcomes of all known previous pregnancies; can have multiple complications

Other previous complication - miscarriage, multiple birth (eg triplets), high number of births, etc

*Current Medical Complications*

Can have multiple complications

Other Diseases - Any other diseases, place note below this chart

*Current Social Complications*

Smoking - currently smoking, smoking while pregnant. If stopped before pregnant don't list

Other Social - Other complications. Put note below this table.

### Infant Tab

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

Two sections to this tab - Infant death section and Live birth section

#### Infant deaths

**Variable Name**

*Infant deaths* - Record time of death

*Pregnancy Complications at time of Delivery* - record complications that occurred

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event.

Live Birth

**Variable Name**

*Gestational Age at birth*

*Birth weight*

*Pregnancy Complications at time of Delivery*

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event .

### Miscarriage Abortion tab

## II. Outcome Measures

Miscarriage Only - Unduplicated - At Time of Event

**Variable Name**

Pregnancy Loss - there are three parts to this table

*Spontaneous Abortion/Miscarriage* - record gestational time

*Fetal Death/Stillbirth*

*Elective Abortion* - record gestation time

**Variable Name**

*Previous Pregnancy Complications* - NOT this event but before, if any

Other previous complication - miscarriage, multiple birth (eg triplets), high of number of births, etc

*Current Pregnancy Complications*- associated with this pregnancy loss

*Current Chronic Complications* - associated with this pregnancy loss

*Current Social Complications* - associated with this pregnancy loss

Smoking - currently smoking or while pregnant. Not if stopped before pregnancy

*Months since Previous Pregnancy or Delivery* - interval from previous event to conception if known

### Preconception tab

Preconception Program - Track over time - follow clients month to month, time in program, not visits

#### Variable Name

*Months between pregnancies* - time since last pregnancy

*Current Medical Complications*

*Current Social Complications*

Smoking - currently smoking in preconception program

### For Lost to Follow-up and Transfer tabs

**Lost to Follow-up Participants** - Client no longer in your program after repeated attempts

(call attempts and/or months lapse and client does not respond)

"Lost" varies by client type - preconception, pregnancy, infant care

There are four sections

**Pregnant Only Participants**

**Post-partum Program Participants, women** - women getting postpartum care, not children

**Preconception Program Participants**

**Infants of participants** - Infants in pediatric care program

#### Variable Name

##### **Race**

White - Not Hispanic

Black or African American - Not Hispanic

American Indian or Alaskan Native

Asian

Native Hawaiian or Pacific Islander - Include Hispanic here

Other - include Hispanic here

Unknown

##### **Total**

Ethnicity

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

#### Transfers

There are three sections

Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere

Not expected to return to your program

**Pregnant Only Participants**

**Post-partum & Preconception Participants, women** - women getting postpartum care, not children

**Infants of participants** - Infants and toddlers under care

#### Variable Name

*Race/ethnicity as above*

### Lost to follow-up and Transfer guidelines

**Postpartum and Preconception Care** - All attempts should be made to engage the client into care. A provider may consider a client "lost to follow-up" if four appropriately spaced attempts to contact the client for a needed appointment or referral have been unsuccessful to communicate with the client (or another appropriate caretaker where needed). Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered "transferred" when it is discovered that the client is under the appropriate full care of another provider(s).

**Pregnancy program, prenatal clients** – All attempts should be made to engage a pregnant client into care throughout the pregnancy. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the client is in the appropriate full care of another provider(s). If there is not a transfer of care, then the client is lost to follow-up.

**Infant Care/pediatric** - All attempts should be made to engage a child under the age of 1 into care. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the child under the age of 1 is in the appropriate full care of another provider(s). Where a child is over the age of 1 (and has had all immunizations required through age 1), a child may be considered “lost to follow-up” if four appropriately spaced attempts to communicate with an appropriate adult caretaker have been unsuccessful. Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered “transferred” when it is discovered that the client is under the appropriate full care of another provider(s).

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcomes Measures

### Pregnant Only tab

#### Variable Name

*Previous Pregnancy Complications* for all known previous events

Outcomes of all known previous pregnancies; can have multiple complications

Other previous complication - miscarriage, multiple birth (eg triplets), high number of births, etc

*Current Medical Complications*

Can have multiple complications

Other Diseases - Any other diseases, place note below this chart

*Current Social Complications*

Smoking - currently smoking, smoking while pregnant. If stopped before pregnant don't list

Other Social - Other complications. Put note below this table.

### Infant Tab

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

Two sections to this tab - Infant death section and Live birth section

#### Infant deaths

#### Variable Name

*Infant deaths* - Record time of death

*Pregnancy Complications at time of Delivery* - record complications that occurred

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event.

Live Birth

#### Variable Name

*Gestational Age at birth*

*Birth weight*

*Pregnancy Complications at time of Delivery*

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event .

### Miscarriage Abortion tab

## II. Outcome Measures

Miscarriage Only - Unduplicated - At Time of Event

#### Variable Name

Pregnancy Loss - there are three parts to this table

*Spontaneous Abortion/Miscarriage* - record gestational time

*Fetal Death/Stillbirth*

*Elective Abortion* - record gestation time

#### Variable Name

*Previous Pregnancy Complications* - NOT this event but before, if any

Other previous complication - miscarriage, multiple birth (eg triplets), high of number of births, etc

*Current Pregnancy Complications*- associated with this pregnancy loss

*Current Chronic Complications* - associated with this pregnancy loss

*Current Social Complications* - associated with this pregnancy loss

Smoking - currently smoking or while pregnant. Not if stopped before pregnancy

*Months since Previous Pregnancy or Delivery* - interval from previous event to conception if known

### Preconception tab

Preconception Program - Track over time - follow clients month to month, time in program, not visits

#### Variable Name

*Months between pregnancies* - time since last pregnancy

*Current Medical Complications*

*Current Social Complications*

Smoking - currently smoking in preconception program

### For Lost to Follow-up and Transfer tabs

**Lost to Follow-up Participants** - Client no longer in your program after repeated attempts

(call attempts and/or months lapse and client does not respond)

"Lost" varies by client type - preconception, pregnancy, infant care

There are four sections

**Pregnant Only Participants**

**Post-partum Program Participants, women** - women getting postpartum care, not children

**Preconception Program Participants**

**Infants of participants** - Infants in pediatric care program

#### Variable Name

##### **Race**

White - Not Hispanic

Black or African American - Not Hispanic

American Indian or Alaskan Native

Asian

Native Hawaiian or Pacific Islander - Include Hispanic here

Other - include Hispanic here

Unknown

##### **Total**

Ethnicity

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

#### Transfers

There are three sections

Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere

Not expected to return to your program

**Pregnant Only Participants**

**Post-partum & Preconception Participants, women** - women getting postpartum care, not children

**Infants of participants** - Infants and toddlers under care

#### Variable Name

*Race/ethnicity as above*

### Lost to follow-up and Transfer guidelines

**Postpartum and Preconception Care** - All attempts should be made to engage the client into care. A provider may consider a client "lost to follow-up" if four appropriately spaced attempts to contact the client for a needed appointment or referral have been unsuccessful to communicate with the client (or another appropriate caretaker where needed). Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered "transferred" when it is discovered that the client is under the appropriate full care of another provider(s).

**Pregnancy program, prenatal clients** – All attempts should be made to engage a pregnant client into care throughout the pregnancy. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the client is in the appropriate full care of another provider(s). If there is not a transfer of care, then the client is lost to follow-up.

**Infant Care/pediatric** - All attempts should be made to engage a child under the age of 1 into care. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the child under the age of 1 is in the appropriate full care of another provider(s). Where a child is over the age of 1 (and has had all immunizations required through age 1), a child may be considered “lost to follow-up” if four appropriately spaced attempts to communicate with an appropriate adult caretaker have been unsuccessful. Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered “transferred” when it is discovered that the client is under the appropriate full care of another provider(s).

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

### Infant death section

Variable Name	Calendar Month Year 3						
<i>Infant deaths</i>	January	February	March	April	May	June	<i>Total</i>
<i>Time to death</i>							
0 - 24 hours from birth	0						0
25 - 72 hours from birth	0						0
4 - 7 days from birth	0						0
8 - 28 days after birth	0						0
1 to 3 months old	0						0
4 to 6 months old	0						0
7 to 12 months old	0						0
13 to 18 months old	0						0
19 to 24 months old	0						0
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

Variable Name	Calendar Month Year 3						
<i>Pregnancy Complications at time of Delivery</i>	January	February	March	April	May	June	<i>Total</i>
Pre-eclampsia/Eclampsia	0						0
Gestational Diabetes	0						0
<b>Total Conditions</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

Variable Name	Calendar Month Year 3						
<i>for Infant deaths</i>	January	February	March	April	May	June	<i>Total</i>
<i>Gestational Age at birth</i>							
<= 21 weeks	0						0
22 - 25 weeks at birth	0						0
26 - 30 weeks at birth	0						0
31 - 34 weeks at birth	0						0
35 - 37 weeks at birth	0						0
38 - 40 weeks at birth	0						0
41+ weeks at birth	0						0
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

Variable Name

Calendar Month Year 3

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

<i>for Infant deaths</i>	January	February	March	April	May	June	<b>Total</b>
<i>Birth weight</i>							
<= 500 grams	0						0
501 - 750 grams	0						0
751 - 1500 grams	0						0
1501 - 2500 grams	0						0
2501+ grams	0						0
<b>Total</b>	0	0	0	0	0	0	0

<b>Variable Name</b>	<b>Calendar Month Year 3</b>						
<i>Pregnancy Complications at time of Delivery</i>	January	February	March	April	May	June	<b>Total</b>
Pre-eclampsia/Eclampsia	0						0
Gestational Diabetes	0						0
<b>Total Conditions</b>	0	0	0	0	0	0	0

<b>Variable Name</b>	<b>Calendar Month Year 3</b>						
<i>Months since Previous Pregnancy or Delivery</i>	January	February	March	April	May	June	<b>Total</b>
Never Pregnant	0						0
<= 9 Months	0						0
10 - 18 Months	0						0
19 - 24 Months	0						0
25+ Months	0						0
<b>Total</b>	0	0	0	0	0	0	0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

### Live birth section

Variable Name	Calendar Month Year 3						
	January	February	March	April	May	June	Total
<i>Live Births</i>							
<i>Gestational Age at birth</i>							
<= 21 weeks	0						0
22 - 25 weeks at birth	0						0
26 - 30 weeks at birth	0						0
31 - 34 weeks at birth	0						0
35 - 37 weeks at birth	0						0
38 - 40 weeks at birth	0						0
41+ weeks at birth	0						0
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

Variable Name	Calendar Month Year 3						
	January	February	March	April	May	June	Total
<i>Live Births</i>							
<i>Birth weight</i>							
<= 500 grams	0						0
501 - 750 grams	0						0
751 - 1500 grams	0						0
1501 - 2500 grams	0						0
2501+ grams	0						0
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

Variable Name <i>Pregnancy Complications at time of Delivery</i>	Calendar Month Year 3						
	January	February	March	April	May	June	<b>Total</b>
Pre-eclampsia/Eclampsia	0						0
Gestational Diabetes	0						0
<b>Total Conditions</b>	0	0	0	0	0	0	0

Variable Name <i>Months since Previous Pregnancy or Delivery</i>	Calendar Month Year 3						
	January	February	March	April	May	June	<b>Total</b>
Never Pregnant	0						0
<= 9 Months	0						0
10 - 18 Months	0						0
19 - 24 Months	0						0
25+ Months	0						0
<b>Total</b>	0	0	0	0	0	0	0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Miscarriage Only - Unduplicated - At Time of Event

Variable Name		Calendar Month Year 3						
		January	February	March	April	May	June	Total
<i>Pregnancy Loss</i>								
<i>Spontaneous Abortion/Miscarriage</i>								
	≤ 10 weeks gestation	0						0
	11 - 20 weeks gestation	0						0
	<b>Total</b>	0	0	0	0	0	0	0
<i>Fetal Death/Stillbirth</i>								
	<b>Total</b>	0						0
<i>Elective Abortion</i>								
	≤ 10 weeks gestation	0						0
	> 11 weeks gestation	0						0
	<b>Total</b>	0	0	0	0	0	0	0
<b>Total all three events</b>		0	0	0	0	0	0	0

Variable Name		Calendar Month Year 3						
		January	February	March	April	May	June	Total
<i>Previous Pregnancy Complications</i>								
	Previous premature birth (EGA < 37 weeks)	0						0
	Previous low birth weight delivery (≤ 2500 grams; 5lbs. 8ozs.)	0						0
	Previous infant death							
	Other previous complication	0						0
<b>Total Number of Conditions</b>		0	0	0	0	0	0	0

Variable Name		Calendar Month Year 3						
		January	February	March	April	May	June	Total
<i>Current Pregnancy Complications</i>								
	Pre-eclampsia/Eclampsia	0						0
	Gestational Diabetes	0						0
<b>Total Number of Conditions</b>		0	0	0	0	0	0	0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Miscarriage Only - Unduplicated - At Time of Event

Variable Name		Calendar Month Year 3						
		January	February	March	April	May	June	Total
<i>Current Chronic Complications</i>								
	Heart disease	0						0
	Type II Diabetes	0						0
	Hypertension/HBP	0						0
	Thyroid	0						0
	Pulmonary Disease							
	Depression/Mental Health							
	Other Diseases							
<b>Total Number of Conditions</b>		0	0	0	0	0	0	0

Variable Name		Calendar Month Year 3						
		January	February	March	April	May	June	Total
<i>Current Social Complications</i>								
	Domestic violence	0						0
	Rape victim	0						0
	Homeless/living in shelter	0						0
	Substance abuse							
	Smoking							
	Other Social	0						0
<b>Total Social Conditions</b>		0	0	0	0	0	0	0

Variable Name		Calendar Month Year 3						
		January	February	March	April	May	June	Total
<i>Months since Previous Pregnancy or Delivery</i>								
	Never Pregnant	0						0
	<= 9 Months	0						0
	10 - 18 Months	0						0
	19 - 24 Months	0						0
	25+ Months	0						0
<b>Total</b>		0	0	0	0	0	0	0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

Preconception Program - Track over time - follow clients month to month Time in program, not visits

Variable Name	Calendar Month Year 3						
	January	February	March	April	May	June	Total
<i>Months between pregnancies</i>							
Never Pregnant	0						
<= 9 Months	0						0
10 - 18 Months	0						0
19 - 24 Months	0						0
25+ Months	0						0
<b>Total</b>	0	0	0	0	0	0	0

Variable Name	Calendar Month Year 3						
	January	February	March	April	May	June	Total
<i>Current Medical Complications</i>							
Heart disease	0						0
Type II Diabetes	0						0
Hypertension/HBP	0						0
Thyroid							
Pulmonary Disease							
Depression/Mental Health							
Other Diseases	0						0
<b>Total Medical Conditions</b>	0	0	0	0	0	0	0

Variable Name	Calendar Month Year 3						
	January	February	March	April	May	June	Total
<i>Current Social Complications</i>							
Domestic violence	0						0
Rape victim	0						0
Homeless/living in shelter	0						0
Substance abuse							
Smoking							
Other Social							
<b>Total Social Conditions</b>	0	0	0	0	0	0	0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

### Lost to Follow-up Participants - Client no longer in your program after repeated attempts

(call attempts and/or months lapse and client does not respond See Comments sheet)

### Pregnant Only Participants

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
<b>Total</b>		0	0	0	0	0	0	0
Ethnicity								
	Hispanic or Latina	0						0

Variable Name		Calendar Month Year 3							
Age		January	February	March	April	May	June	Total	Average
	< 15 years old	0						0	
	15 - 17	0						0	
	18 - 19	0						0	
	20 - 24	0						0	
	25 - 29	0						0	
	30 - 34	0						0	
	35 - 39	0						0	
	40+	0						0	
<b>Total</b>		0	0	0	0	0	0	0	

Variable Name		Calendar Month Year 3							
Initiation of Prenatal Care		January	February	March	April	May	June	Total	Average
	1st Trimester (1 - 14 weeks)	0						0	
	2nd Trimester (15 - 27 weeks)	0						0	
	3rd Trimester (28 - 40 weeks)	0						0	
<b>Total</b>		0	0	0	0	0	0	0	

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

### Lost to Follow-up Participants - Client no longer in your program after repeated attempts

#### Post-partum Program Participants, women

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
<b>Total</b>		0	0	0	0	0	0	0
Ethnicity								
	Hispanic or Latina	0						0

Variable Name		Calendar Month Year 3							Average
Age		January	February	March	April	May	June	Total	
	< 15 years old	0						0	
	15 - 17	0						0	
	18 - 19	0						0	
	20 - 24	0						0	
	25 - 29	0						0	
	30 - 34	0						0	
	35 - 39	0						0	
	40+	0						0	
<b>Total</b>		0	0	0	0	0	0	0	

#### Preconception Program Participants

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

### Lost to Follow-up Participants - Client no longer in your program after repeated attempts

Other	0							0
Unknown	0							0
<b>Total</b>	<b>0</b>							
Ethnicity								
Hispanic or Latina	0							0

Variable Name		Calendar Month Year 3							
Age		January	February	March	April	May	June	<b>Total</b>	Average
< 15 years old		0						0	
15 - 17		0						0	
18 - 19		0						0	
20 - 24		0						0	
25 - 29		0						0	
30 - 34		0						0	
35 - 39		0						0	
40+		0						0	
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcome Measures

**Lost to Follow-up Participants - Client no longer in your program after repeated attempts**

Infants of participants

Variable Name		Calendar Month Year 3						Total
		January	February	March	April	May	June	
Race	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
Ethnicity								
	Hispanic or Latina	0						0

# Data Tables in Fulfillment of Monthly Reporting Requirements

## II. Outcomes Measures

### Pregnant Only tab

#### Variable Name

*Previous Pregnancy Complications* for all known previous events

Outcomes of all known previous pregnancies; can have multiple complications

Other previous complication - miscarriage, multiple birth (eg triplets), high number of births, etc

*Current Medical Complications*

Can have multiple complications

Other Diseases - Any other diseases, place note below this chart

*Current Social Complications*

Smoking - currently smoking, smoking while pregnant. If stopped before pregnant don't list

Other Social - Other complications. Put note below this table.

### Infant Tab

Infants born to participants (FPTM participants only) - Including deaths, Unduplicated (One Time Event)

Two sections to this tab - Infant death section and Live birth section

#### Infant deaths

#### Variable Name

*Infant deaths* - Record time of death

*Pregnancy Complications at time of Delivery* - record complications that occurred

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event.

Live Birth

#### Variable Name

*Gestational Age at birth*

*Birth weight*

*Pregnancy Complications at time of Delivery*

*Months since Previous Pregnancy or Delivery* - Time interval of previous event to this conception, not event to event .

### Miscarriage Abortion tab

## II. Outcome Measures

Miscarriage Only - Unduplicated - At Time of Event

#### Variable Name

Pregnancy Loss - there are three parts to this table

*Spontaneous Abortion/Miscarriage* - record gestational time

*Fetal Death/Stillbirth*

*Elective Abortion* - record gestation time

#### Variable Name

*Previous Pregnancy Complications* - NOT this event but before, if any

Other previous complication - miscarriage, multiple birth (eg triplets), high of number of births, etc

*Current Pregnancy Complications*- associated with this pregnancy loss

*Current Chronic Complications* - associated with this pregnancy loss

*Current Social Complications* - associated with this pregnancy loss

Smoking - currently smoking or while pregnant. Not if stopped before pregnancy

*Months since Previous Pregnancy or Delivery* - interval from previous event to conception if known

### Preconception tab

Preconception Program - Track over time - follow clients month to month, time in program, not visits

#### Variable Name

*Months between pregnancies* - time since last pregnancy

*Current Medical Complications*

*Current Social Complications*

Smoking - currently smoking in preconception program

### For Lost to Follow-up and Transfer tabs

**Lost to Follow-up Participants** - Client no longer in your program after repeated attempts

(call attempts and/or months lapse and client does not respond)

"Lost" varies by client type - preconception, pregnancy, infant care

There are four sections

**Pregnant Only Participants**

**Post-partum Program Participants, women** - women getting postpartum care, not children

**Preconception Program Participants**

**Infants of participants** - Infants in pediatric care program

#### Variable Name

##### **Race**

White - Not Hispanic

Black or African American - Not Hispanic

American Indian or Alaskan Native

Asian

Native Hawaiian or Pacific Islander - Include Hispanic here

Other - include Hispanic here

Unknown

##### **Total**

Ethnicity

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

#### Transfers

There are three sections

Transferred Participants to Other Programs or Facilities - No longer under your care but care is elsewhere

Not expected to return to your program

**Pregnant Only Participants**

**Post-partum & Preconception Participants, women** - women getting postpartum care, not children

**Infants of participants** - Infants and toddlers under care

#### Variable Name

*Race/ethnicity as above*

### Lost to follow-up and Transfer guidelines

**Postpartum and Preconception Care** - All attempts should be made to engage the client into care. A provider may consider a client "lost to follow-up" if four appropriately spaced attempts to contact the client for a needed appointment or referral have been unsuccessful to communicate with the client (or another appropriate caretaker where needed). Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered "transferred" when it is discovered that the client is under the appropriate full care of another provider(s).

**Pregnancy program, prenatal clients** – All attempts should be made to engage a pregnant client into care throughout the pregnancy. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the client is in the appropriate full care of another provider(s). If there is not a transfer of care, then the client is lost to follow-up.

**Infant Care/pediatric** - All attempts should be made to engage a child under the age of 1 into care. A provider should only discontinue attempts (and consider a client “transferred”) when it is discovered that the child under the age of 1 is in the appropriate full care of another provider(s). Where a child is over the age of 1 (and has had all immunizations required through age 1), a child may be considered “lost to follow-up” if four appropriately spaced attempts to communicate with an appropriate adult caretaker have been unsuccessful. Where a client has not been able to comply with a visit or referral due to transportation, social or financial reasons, the communication should not be considered unsuccessful. The client is considered “transferred” when it is discovered that the client is under the appropriate full care of another provider(s).

## Section I Data Tables

### Pregnant - Worksheet

#### I. Demographics

Pregnant Only - Unduplicated - New clients as they come into FPTM program, *not visits or visits per month*.

##### Variable Name - Race

White - Not Hispanic

Black - Not Hispanic

Other - Include Hispanic Here

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

##### Variable Name - Participant History

Participants with NO existing medical chart (new to FPTM program) - New to FPTM and contractor

#### I. Demographics (right side table)

Pregnant Only - All current participants to date. Running total, active in FPTM, - not necessary to have a visit in a given month

##### Variable Name - Race

Categories as above

### Infant - Worksheet

#### I. Demographics (left side table)

Infants Delivered to Program Participants - Birth event, Unduplicated, **Report at time of discovery/notification**

##### Variable Name - Race

White - Not Hispanic

Black - Not Hispanic

Other - Include Hispanic Here

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

ZIP Code - ZIP Code of mother, not hospital

#### I. Demographics (right side table)

Infants Delivered to Program Participants - All infants participating in infant/pediatric care program to 24 months, running total

##### Variable Name

Race - categories as above

Age in months - age as they move through program

### Postpartum

#### I. Demographics (left side table)

Postpartum Program Participants - New participants in program, from your FPTM pregnancy program

##### Variable Name - Race

White - Not Hispanic

Black - Not Hispanic

Other - Include Hispanic Here

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

**I. Demographics (right side table)**

**Variable Name - Race**

Postpartum Only - All current participants to date. Running total, active in FPTM, - not necessary to have a visit in a given month  
Categories as above

**Preconception - Worksheet**

**I. Demographics (left side table)**

Preconception Program Participants - All participants in program, new participants

**Variable Name - Race**

White - Not Hispanic

Black - Not Hispanic

Other - Include Hispanic Here

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

**I. Demographics (right side table)**

Preconception Only - All current participants to date. Running total, active in FPTM, - not necessary to have a visit in a given month

**Variable Name - Race**

Categories as above

**Payment Type**

**I. Demographics**

**Variable**

Pregnant only program

Infants Born to Participants - Birth event only

Infant/pediatric in program - Kids getting post-partum care, birth through 24 months old

≤ 2 Years Post-partum/FPTM Program Part. - Women only, up to 24 months

Preconception Program Participants

Medicaid Eligible - Eligible as deemed from intake, not actual Medicaid approval

Other Public Insurer - any other sources Medicare, Screening for Life, etc

Private Insurer

Patient Pay

# Data Tables in Fulfillment of Monthly Reporting Requirements

## I. Demographics

Infants Delivered to Program Participants - Unduplicated, Report at time of discovery/notification

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American							0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other							0
	Unknown	0						0
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
Ethnicity								
	Hispanic or Latina							0

Variable Name		Calendar Month Year 3						
Zip code - <u>Parent home</u> , not hospital		January	February	March	April	May	June	Total
<i>New Castle</i>								
	19701	0						0
	19702	0						0
	19703	0						0
	19711	0						0
	19713	0						0
	19720	0						0
	19801	0						0
	19802	0						0
	19805	0						0
	19908	0						0
<i>Kent</i>								
	19901	0						0
	19904	0						0
<i>Sussex</i>								
	19956	0						0
	19966	0						0
	19973	0						0
	Other							0
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

## I. Demographics

Infants Delivered to Program Participants - All infants participating in the infant/pediatric care program

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	
	White							
	Black or African American							
	American Indian or Alaskan Native	0						
	Asian	0						
	Native Hawaiian or Pacific Islander	0						
	Other							
	Unknown	0						
	<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	
	<b>Ethnicity</b>							
	Hispanic or Latina							

Variable Name		Calendar Month Year 3						
Age in Months - Infants in program		January	February	March	April	May	June	
	< 1 month							
	1 - 2 months							
	3 - 6 months							
	7 - 12 months							
	12 - 18 months	0						
	19 - 24 months	0						
	24+							
	<b>Totals</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	

# Data Tables in Fulfillment of Monthly Reporting Requirements

## I. Demographics

Preconception Program Participants - Unduplicated - New to Precon program, at entry, not visits

Variable Name		Calendar Month Year 3						
Race		January	February	March	April	May	June	Total
	White	0						0
	Black or African American	0						0
	American Indian or Alaskan Native	0						0
	Asian	0						0
	Native Hawaiian or Pacific Islander	0						0
	Other	0						0
	Unknown	0						0
	<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
	Ethnicity							
	Hispanic or Latina	0						0

Variable Name		Calendar Month Year 3						
Age		January	February	March	April	May	June	Total
	< 15 years old	0						0
	15 - 17	0						0
	18 - 19	0						0
	20 - 24	0						0
	25 - 29	0						0
	30 - 34	0						0
	35 - 39	0						0
	40+	0						0
	<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

# Data Tables in Fulfillment of Monthly Reporting Requirements

## I. Demographics

Preconception Program Participants - Unduplicated - New to Precon program, at entry, not visits

Variable Name		Calendar Month Year 3						Total
Zip code		January	February	March	April	May	June	Total
<i>New Castle</i>								
	19701	0						0
	19702	0						0
	19703	0						0
	19711	0						0
	19713	0						0
	19720	0						0
	19801	0						0
	19802	0						0
	19805	0						0
	19908	0						0
<i>Kent</i>								
	19901	0						0
	19904	0						0
<i>Sussex</i>								
	19956	0						0
	19966	0						0
	19973	0						0
	Other	0						0
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

Variable Name		Calendar Month Year 3						Total
Participant History		January	February	March	April	May	June	Total
Participants with NO existing medical chart (new to Precon & contractor)		0						0
Participants with medical chart (existing previously with contractor)		0						0
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

# Data Tables in Fulfillment of Monthly Reporting Requirements

## I. Demographics

Preconception Program Participants - All participants in program, Running total, continuing in program

Variable Name		Calendar Month Year 3					
Race		January	February	March	April	May	June
	White						
	Black or African American	0					
	American Indian or Alaskan Native	0					
	Asian	0					
	Native Hawaiian or Pacific Islander	0					
	Other	0					
	Unknown	0					
	<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
Ethnicity							
	Hispanic or Latina	0					

Variable Name		Calendar Month Year 3					
Age		January	February	March	April	May	June
	< 15 years old	0					
	15 - 17	0					
	18 - 19	0					
	20 - 24	0					
	25 - 29						
	30 - 34	0					
	35 - 39	0					
	40+	0					
	<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

# Data Tables in Fulfillment of Monthly Reporting Requirements

## I. Demographics

Preconception Program Participants - All participants in program, Running total, continuing in program

## Section I Data Tables

### Pregnant - Worksheet

#### I. Demographics

Pregnant Only - Unduplicated - New clients as they come into FPTM program, *not visits or visits per month*.

##### Variable Name - Race

White - Not Hispanic

Black - Not Hispanic

Other - Include Hispanic Here

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

##### Variable Name - Participant History

Participants with NO existing medical chart (new to FPTM program) - New to FPTM and contractor

#### I. Demographics (right side table)

Pregnant Only - All current participants to date. Running total, active in FPTM, - not necessary to have a visit in a given month

##### Variable Name - Race

Categories as above

### Infant - Worksheet

#### I. Demographics (left side table)

Infants Delivered to Program Participants - Birth event, Unduplicated, **Report at time of discovery/notification**

##### Variable Name - Race

White - Not Hispanic

Black - Not Hispanic

Other - Include Hispanic Here

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

ZIP Code - ZIP Code of mother, not hospital

#### I. Demographics (right side table)

Infants Delivered to Program Participants - All infants participating in infant/pediatric care program to 24 months, running total

##### Variable Name

Race - categories as above

Age in months - age as they move through program

### Postpartum

#### I. Demographics (left side table)

Postpartum Program Participants - New participants in program, from your FPTM pregnancy program

##### Variable Name - Race

White - Not Hispanic

Black - Not Hispanic

Other - Include Hispanic Here

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

**I. Demographics (right side table)**

**Variable Name - Race**

Postpartum Only - All current participants to date. Running total, active in FPTM, - not necessary to have a visit in a given month  
Categories as above

**Preconception - Worksheet**

**I. Demographics (left side table)**

Preconception Program Participants - All participants in program, new participants

**Variable Name - Race**

White - Not Hispanic

Black - Not Hispanic

Other - Include Hispanic Here

Hispanic or Latina - All Hispanics go here, W-H, B-H, etc

**I. Demographics (right side table)**

Preconception Only - All current participants to date. Running total, active in FPTM, - not necessary to have a visit in a given month

**Variable Name - Race**

Categories as above

**Payment Type**

**I. Demographics**

**Variable**

Pregnant only program

Infants Born to Participants - Birth event only

Infant/pediatric in program - Kids getting post-partum care, birth through 24 months old

≤ 2 Years Post-partum/FPTM Program Part. - Women only, up to 24 months

Preconception Program Participants

Medicaid Eligible - Eligible as deemed from intake, not actual Medicaid approval

Other Public Insurer - any other sources Medicare, Screening for Life, etc

Private Insurer

Patient Pay