Please check the box next to your answer or follow the directions included with the question. You may be asked to skip some questions that do not apply to you.

	BEFORE PREGNANCY
T	he first questions are about you.
1.	How tall are <i>you</i> without shoes?
	Feet Inches
	OR Centimeters
2.	Just before you got pregnant with your new baby, how much did you weigh?
	Pounds OR Kilos
3.	What is <u>your</u> date of birth?
	Month Day Year
<b>1</b> .	Before you got pregnant with your new baby, did you ever have any other babies who were born alive?
<b>↓</b>	□ No → Go to Question 7 □ Yes
5.	Did the baby born <i>just before</i> your new one weigh 5 pounds, 8 ounces (2.5 kilos) or <i>less</i> at birth?
	□ No □ Yes

υ.	born earlier than 3 weeks before h due date?		her	
	□ No □ Yes			
be	The next questions are about the time before you got pregnant with your new baby.			
7.	At any time during the 12 months you got pregnant with your new by you do any of the following things each item, check No if you did not de Yes if you did it.	aby, c ? For	lid	
		No	Yes	
a.	I was dieting (changing my eating habits) to lose weight	□		
b.	I was exercising 3 or more days of the week	□		
c.	I was regularly taking prescription medicines other than birth control	□		
d.	I visited a health care worker and was checked for diabetes  I visited a health care worker	□		
e. f.	and was checked for high blood pressure	□		
	and was checked for depression or anxiety	□		
g.	I talked to a health care worker about my family medical history			
h.	I had my teeth cleaned by a dentist or dental hygienist			

Private health insurance purchased directly from an insurance company     Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care)     Delaware Healthy Children Program (DHCP/SCHIP)     CHAP—Community Healthcare Access Program     TRICARE or other military health care     Some other kind of health insurance during the month before I got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or folic acid vitamin in the month before I got pregnant     I to 3 times a week     Every day of the week     Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how to improve your health before pregnancy?     No Yes a. Type I or Type 2 diabetes (NOT the same as gestational diabetes or diabetes that starts during pregnancy)     b. High blood pressure or hypertension.     c. Depression     b. High blood pressure or hypertension.     c. Depression     During the 3 months before you got pregnant with your new baby, did you have any of the following health conditions? For each one, check No if you did not have the condition or Yes if you did.     No Yes		During the month before you got pregnant with your new baby, what kind of health insurance did you have?  Check ALL that apply  Private health insurance from my job or the job of my husband, partner, or parents		baby, did a doctor, nurse, or other health care worker tell you that you had any of the following health conditions? For each one, check No if you did not have the condition or Yes if you did.
Some other kind of health insurance → Please tell us:  □ I did not have any health insurance during the month before I got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin? □ I didn't take a multivitamin in the month before I got pregnant vitamin, or folic acid vitamin in the month before I got pregnant □ 1 to 3 times a week □ 4 to 6 times a week □ Every day of the week  □ Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how to improve your health before pregnancy? □ No		<ul> <li>□ Private health insurance purchased directly from an insurance company</li> <li>□ Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care)</li> <li>□ Delaware Healthy Children Program (DHCP/SCHIP)</li> <li>□ CHAP—Community Healthcare Access Program</li> </ul>	b.	Type 1 or Type 2 diabetes (NOT the same as gestational diabetes or diabetes that starts during pregnancy)
during the month before I got pregnant  a. Asthma		☐ Some other kind of	12.	pregnant with your new baby, did you have any of the following health conditions? For each one, check No if you did not have the
with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?  I didn't take a multivitamin, prenatal vitamin, or folic acid vitamin in the month before I got pregnant I to 3 times a week Every day of the week  0. Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how to improve your health before pregnancy?		during the month before I got pregnant	b.	Asthma
vitamin, or folic acid vitamin in the month before I got pregnant  1 to 3 times a week 4 to 6 times a week Every day of the week  0. Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how to improve your health before pregnancy?  No	١.	with your new baby, how many times a week did you take a multivitamin, a	d. e.	Epilepsy (seizures)
baby, did a doctor, nurse, or other health care worker talk to you about how to improve your health before pregnancy?  No		vitamin, or folic acid vitamin in the <i>month</i> before I got pregnant  1 to 3 times a week  4 to 6 times a week		
	0.	baby, did a doctor, nurse, or other health care worker talk to you about how to		

17. What were your reasons or your husband's

to keep from getting pregnant?

or partner's reasons for not doing anything

The next questions are about the time when you got pregnant with your new baby.

baby.	Check ALL that apply
13. Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant?  Check ONE answer  I wanted to be pregnant later I wanted to be pregnant sooner I wanted to be pregnant then	<ul> <li>☐ I didn't mind if I got pregnant</li> <li>☐ I thought I could not get pregnant at that time</li> <li>☐ I had side effects from the birth control method I was using</li> <li>☐ I had problems getting birth control when I needed it</li> <li>☐ I thought my husband or partner or I was</li> </ul>
☐ I didn't want to be pregnant then then or at any time in the future ☐ I wasn't sure what I wanted ☐ I wasn't sure what	sterile (could not get pregnant at all)  My husband or partner didn't want to use anything  I forgot to use a birth control method  Other   Please tell us:
14. How much longer did you want to wait to become pregnant?	
☐ Less than 1 year ☐ 1 year to less than 2 years ☐ 2 years to less than 3 years ☐ 3 years to 5 years ☐ More than 5 years	If you were <u>not trying</u> to get pregnant when you got pregnant with your new baby, go to Page 4, Question 19.
15. When you got pregnant with your new baby, were you trying to get pregnant?	18. Did you take any fertility drugs or receive any medical procedures from a doctor,
Ves — → Go to Question 18	nurse, or other health care worker to help you get pregnant with your new baby? This may include infertility treatments such as fertility-enhancing drugs or assisted
16. When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? Some things people do to keep from getting pregnant include using birth control pills, condoms, withdrawal, or natural family planning.	reproductive technology.  No Yes
No	

## **DURING PREGNANCY**

The next questions are about the prenatal care you received during your most recent pregnancy. Prenatal care includes visits to a doctor, nurse, or other health care worker before your baby was born to get checkups and advice about pregnancy. (It may help to look at the calendar when you answer these questions.)

19.	. How many weeks <i>or</i> months pregnant	
	were you when you were sure you were	
	pregnant? For example, you had a pregnancy	
	test or a doctor or nurse said you were	
	pregnant.	

\_\_\_\_ Weeks **OR** \_\_\_\_ Months

☐ I don't remember

20. How many weeks *or* months pregnant were you when you had your first visit for prenatal care? Do not count a visit that was only for a pregnancy test or only for WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children).

Weeks OR \_\_\_\_ Months

☐ I didn't go for prenatal care \_\_\_\_\_ Go to Question 22

Go to Question 21

21. Did you get prenatal care as early in your pregnancy as you wanted?	
Г	- No
	☐ Yes     Go to Question 23
22.	Did any of these things keep you from getting prenatal care when you wanted it? For each item, check No if it did not keep you from getting prenatal care or Yes if it did.
	No Yes
a.	I couldn't get an appointment when I wanted one
b.	I didn't have enough money or insurance to pay for my visits
c.	I didn't have any transportation to get to the clinic or doctor's office □ □
d.	The doctor or my health plan would not start care as early as I wanted
e.	I had too many other things going on □
f.	I couldn't take time off from work or school
g.	I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card
h.	I didn't have anyone to take care of my children
	I didn't know that I was pregnant
	I didn't want anyone else to know I
	was pregnant
ζ.	I didn't want prenatal care
	You did not get prenatal care, go to Page 6, question 26.

23. During your most recent pregnancy, what kind of health insurance did you have to pay for your prenatal care?  Check ALL that apply  Private health insurance from my job or the job of my husband, partner, or parents  Private health insurance purchased directly	24. During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not reading materials or videos. For each item, check No if no one talked with you about it or Yes if someone did.  No Yes
from an insurance company  Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care)  Delaware Healthy Children Program	<ul><li>a. How much weight I should gain during my pregnancy</li><li>b. How smoking during pregnancy</li></ul>
(DHCP/SCHIP)  □ CHAP—Community Healthcare Access Program  □ TRICARE or other military health care	could affect my baby
☐ Some other kind of health insurance → Please tell us:	e. Using a seat belt during my pregnancy
☐ I did not have any health insurance to pay for my <i>prenatal care</i>	g. How using illegal drugs could affect my baby
	i. The signs and symptoms of preterm labor (labor more than 3 weeks before the baby is due)
	<ul> <li>j. Getting tested for HIV (the virus that causes AIDS)</li> <li>k. What to do if I feel depressed during my pregnancy or after my baby</li> </ul>
	is born

25. How did you feel about the prenatal care you got during your most recent pregnancy? If you went to more than one place for prenatal care, answer for the place where you got most of your care. For each item, check No if you were not satisfied or Yes if you were satisfied.	29. During what month and year did you get the flu shot?  20  Month  Year  I don't remember
Were you satisfied with—	20 751: 4: 1 441 6
a. The amount of time you had to wait after you arrived for your visits	30. This question is about the care of your teeth <u>during</u> your most recent pregnancy.  For each item, check <b>No</b> if it is not true or does not apply to you or <b>Yes</b> if it is true.
or midwife spent with you during your visits	a. I knew it was important to care for my teeth and gums during my pregnancy
26. At any time during your most recent pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)?	or dental hygienist
□ No □ Yes □ I don't know	e. I needed to see a dentist for a problem
27. During the 12 months <i>before the delivery</i> of your new baby, did a doctor, nurse, or other health care worker <i>offer</i> you a flu shot or <i>tell</i> you to get one?	31. During your most recent pregnancy, did you take a class or classes to prepare for childbirth and learn what to expect during labor and delivery?
□ No □ Yes	□ No □ Yes
28. During the 12 months before the delivery of your new baby, did you get a flu shot?  Check ONE answer  No Go to Question 30  Yes, before my pregnancy Yes, during my pregnancy	32. During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby? A home visitor is a nurse, a health care worker, a social worker, or other person who works for a program that helps pregnant women.
Go to Question 29	☐ Yes

33.	During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?	The next questions are about smoking cigarettes around the time of pregnancy (before, during, and after).
	□ No □ Yes	36. Have you smoked any cigarettes in the <i>past</i> 2 years?
34.	During your most recent pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational diabetes (diabetes that started during this pregnancy)?	☐ No ☐ Yes ☐ Go to Page 8, Question 40☐ Yes ☐ 37. In the 3 months before you got pregnant, how many cigarettes did you smoke on an
	□ No □ Yes	average day? A pack has 20 cigarettes.  41 cigarettes or more
35.	Did you have any of the following problems during your most recent pregnancy? For each item, check No if you did not have the problem or Yes if you did.	☐ 21 to 40 cigarettes ☐ 11 to 20 cigarettes ☐ 6 to 10 cigarettes ☐ 1 to 5 cigarettes ☐ Less than 1 cigarette
a.	Vaginal bleeding	☐ I didn't smoke then
b.	Kidney or bladder (urinary tract) infection (UTI)	38. In the <u>last 3</u> months of your pregnancy, how many cigarettes did you smoke on an
C.	Severe nausea, vomiting, or dehydration that sent me to the doctor or hospital	average day? A pack has 20 cigarettes.  41 cigarettes or more
d.	doctor or hospital	☐ 21 to 40 cigarettes☐ 11 to 20 cigarettes
	High blood pressure, hypertension (including pregnancy-induced hypertension [PIH]), preeclampsia, or toxemia	☐ 6 to 10 cigarettes ☐ 1 to 5 cigarettes ☐ Less than 1 cigarette ☐ I didn't smoke then
	abruptio placentae or placenta previa)	<b>39.</b> How many cigarettes do you smoke on an average day <i>now</i> ? A pack has 20 cigarettes.
	Labor pains more than 3 weeks before my baby was due (preterm or early labor)	☐ 41 cigarettes or more ☐ 21 to 40 cigarettes ☐ 11 to 20 cigarettes
	Water broke more than 3 weeks before my baby was due (premature rupture of membranes [PROM])	☐ 6 to 10 cigarettes ☐ 1 to 5 cigarettes ☐ Less than 1 cigarette
1. j.	I had to have a blood transfusion	☐ I don't smoke now

40. Which of the following statements best describes the rules about smoking <i>inside</i> your home <i>now</i> , even if no one who lives in your home is a smoker?  Check ONE answer	Pregnancy can be a difficult time for some women. The next questions are about things that may have happened <u>before</u> and <u>during</u> your most recent pregnancy.
<ul> <li>□ No one is allowed to smoke anywhere inside my home</li> <li>□ Smoking is allowed in some rooms or at some times</li> <li>□ Smoking is permitted anywhere inside my</li> </ul>	44. This question is about things that may have happened during the 12 months before your new baby was born. For each
The next questions are about drinking alcohol around the time of pregnancy	item, check <b>No</b> if it did not happen to you or <b>Yes</b> if it did. (It may help to look at the calendar when you answer these questions.)
<ul> <li>(before and during).</li> <li>41. Have you had any alcoholic drinks in the past 2 years? A drink is 1 glass of wine, wine cooler, can or bottle of beer, shot of liquor, or mixed drink.</li> <li>□ No  Go to Question 44</li> <li>↓ Yes</li> <li>42. During the 3 months before you got</li> </ul>	a. A close family member was very sick and had to go into the hospital
pregnant, how many alcoholic drinks did you have in an average week?  14 drinks or more a week 7 to 13 drinks a week 4 to 6 drinks a week 1 to 3 drinks a week Less than 1 drink a week I didn't drink then	to go on working
43. During the <u>last 3 months</u> of your pregnancy, how many alcoholic drinks did you have in an average week?	k. I had problems paying the rent, mortgage, or other bills
☐ 14 drinks or more a week ☐ 7 to 13 drinks a week ☐ 4 to 6 drinks a week ☐ 1 to 3 drinks a week ☐ Less than 1 drink a week ☐ I didn't drink then	m. Someone very close to me had a problem with drinking or drugs

45. During the 12 months before you got	AFTER PREGNANCY
<pre>pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?</pre>	The next questions are about the time since your new baby was born.
·	
□ No □ Yes	49. After your baby was delivered, was he or she put in an intensive care unit (NICU)?
	□ No □ Yes
46. During <i>your most recent</i> pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any	☐ I don't know
other way?	50. After your baby was delivered, how long did he or she stay in the hospital?
□ No □ Yes	Less than 24 hours (less than 1 day) 24 to 48 hours (1 to 2 days) 3 to 5 days 6 to 14 days
The next questions are about your labor and delivery.	☐ More than 14 days ☐ My baby was not born in a hospital
47 33/1	☐ My baby is still in the hospital → Go to Question 53
47. When was your new baby born?	the hospital
/ / _20	51. Is your baby alive now?
Month Day Year	☐ No → We are very sorry for your loss. Go to Page 10, Question 60
48. By the end of <i>your most recent</i> pregnancy,	52. Is your baby living with you now?
how much weight had you gained?  Check ONE answer and fill in blank if needed	□ No → Go to Page 10, Question 59 □ Yes
☐ I gained pounds ☐ I didn't gain any weight, but I lost	53. Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?
pounds ☐ My weight didn't change during my pregnancy	☐ No ——— Go to Page 10, Question 56 ☐ Yes
☐ I don't know	Go to Page 10, Question 54

54. Are you currently breastfeeding or feeding pumped milk to your new baby?  ☐ No ☐ Yes ☐ Go to Question 56  55. How many weeks or months did you breastfeed or pump milk to feed your baby?	58. Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born?  No Yes My baby was still in the hospital at that time
Weeks OR Months  ☐ Less than 1 week  If your baby is still in the hospital, go to	59. Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby? A home visitor is a nurse, a health care worker, a social worker, or other person who works for a program that helps mothers of newborns.
Question 59.	□ No □ Yes
56. In which one position do you most often lay your baby down to sleep now?  Check ONE answer  On his or her side On his or her back On his or her stomach	60. Are you or your husband or partner doing anything now to keep from getting pregnant? Some things people do to keep from getting pregnant include using birth control pills, condoms, withdrawal, or natura family planning.
57. How often does your new baby sleep in the same bed with you or anyone else?	$ \begin{array}{c c} \hline  & \text{No} \\ \hline  & \text{Yes} \\ \hline \end{array} $ \text{ \text{Go to Question 62}}
☐ Always ☐ Often ☐ Sometimes ☐ Rarely ☐ Never	Go to Question 61

61. What are your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant <i>now</i> ?  Check ALL that apply	62. What kind of birth control are you or your husband or partner using <i>now</i> to keep from getting pregnant?  Check ALL that apply
☐ I am not having sex ☐ I want to get pregnant ☐ I don't want to use birth control ☐ I am worried about side effects from birth control ☐ My husband or partner doesn't want to use anything ☐ I have problems getting birth control when I need it ☐ I had my tubes tied or blocked ☐ My husband or partner had a vasectomy ☐ I am pregnant now ☐ Other — Please tell us: ☐ If you or your husband or partner is not doing anything to keep from getting pregnant now, go to Question 63.	□ Tubes tied or blocked (female sterilization, Essure®, Adiana®) □ Vasectomy (male sterilization) □ Birth control pill □ Condoms □ Injection (Depo-Provera®) □ Contraceptive implant (Implanon®) □ Contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) □ IUD (including Mirena® or ParaGard®) □ Natural family planning (including rhythm method) □ Withdrawal (pulling out) □ Not having sex (abstinence) □ Other → Please tell us:
	□ No □ Yes  64. Since your new baby was born, how often have you felt down, depressed, or hopeless? □ Always □ Often □ Sometimes □ Rarely □ Never

65. Since your new baby was born, how often have you had little interest or little pleasure in doing things?	68. During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth?
☐ Always ☐ Often ☐ Sometimes ☐ Rarely	□ No → Go to Question 70  Ves
<ul><li>Never</li><li>66. What kind of health insurance do you have now?</li><li>Check ALL that apply</li></ul>	If you had more than one miscarriage, fetal death, or stillbirth during the 12 months before you got pregnant with your new baby, please answer the next question for the most recent one.
☐ Private health insurance from my job or the	69. How long ago did that pregnancy end?
job of my husband, partner, or parents  ☐ Private health insurance purchased directly from an insurance company  ☐ Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care)  ☐ Delaware Healthy Children Program	<ul> <li>□ Less than 6 months before getting pregnant with my new baby</li> <li>□ 6 to 12 months before getting pregnant with my new baby</li> </ul>
(DHCP/SCHIP)  ☐ CHAP—Community Healthcare Access Program ☐ TRICARE or other military health care ☐ Some other kind of health insurance → Please tell us:	70. How did you feel when you found out you were pregnant with your new baby?  Were you—
	<ul> <li>□ Very unhappy to be pregnant</li> <li>□ Unhappy to be pregnant</li> <li>□ Not sure</li> <li>□ Happy to be pregnant</li> <li>□ Very happy to be pregnant</li> </ul>
☐ I do not have health insurance <i>now</i>	Very nappy to be pregnant
OTHER EXPERIENCES	If you did not get prenatal care, go to Question 72.
The next questions are on a variety of topics.	71. During any of your prenatal care visits,
67. How old were you when you got pregnant with your <i>first</i> baby?	did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them? Please count only discussions, not reading materials or videos.
Years old	□ No □ Yes

72. During the <i>last 3 months</i> of your most recent pregnancy, about how many servings of <i>fruit</i> did you have in a day?  Check ONE answer	75. During your most recent pregnancy, did you receive any of the following services?  For each one, check No if you did not receive the service or Yes if you received the service.
☐ Zero servings (none) ☐ 1 or 2 servings per day ☐ 3 or 4 servings per day ☐ 5 or more servings per day  73. During the <i>last 3 months</i> of your most recent pregnancy, about how many servings of <i>vegetables</i> did you have in a day?  Check ONE answer	a. Food stamps, WIC vouchers, or money to buy food
☐ Zero servings (none) ☐ 1 or 2 servings per day ☐ 3 or 4 servings per day ☐ 5 or more servings per day  74. During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had:	76. During your most recent pregnancy, would you have had the kinds of help listed below if you needed them? For each one, check No if you would have not had it or Yes if you would have had it.
a. Genital warts (HPV)	a. Someone to loan me \$50
h. Bacterial vaginosis	77. Since your new baby was born, have you used any of these services? For each one, check No if you did not use the service or Yes if you used the service.
1. Other	a. Parenting classes

78. Did you receive a Tdap vaccination  before, during or after your most recent pregnancy? A Tdap vaccination is a shot that protects against tetanus, diphtheria, and pertussis (or whooping cough). Tdap was new	80. During the 12 months before your new baby was born, how many people, including yourself, depended on this income?
in 2005.  Check ONE answer	People
☐ No ☐ Yes, I received Tdap <u>before</u> my pregnancy  8	81. What is today's date?
☐ Yes, I received Tdap <u>during</u> my pregnancy ☐ Yes, I received Tdap <u>after</u> my pregnancy ☐ I don't know	/ / 20
	Month Day Year
The last questions are about the time during the 12 months before your new baby was born.	
79. During the 12 months before your new baby was born, what was your yearly total household income before taxes? Include your income, your husband's or partner's	
income, and any other income you may have received. <i>All information will be kept private</i> and will not affect any services you are now getting.	
\$0 to \$10,000 \$10,001 to \$15,000 \$15,001 to \$19,000 \$19,001 to \$22,000	
□ \$22,001 to \$26,000 □ \$26,001 to \$29,000 □ \$29,001 to \$37,000 □ \$37,001 to \$44,000	
\$44,001 to \$52,000 \$52,001 to \$56,000 \$56,001 to \$67,000	
□ \$67,001 to \$79,000 □ \$79,001 to \$99,999 □ \$100,000 or more	

Please use this space for any additional comments you would like to make about your experiences around the time of your pregnancy or the health of mothers and babies in Delaware.

Thanks for answering our questions!

Your answers will help us work to make Delaware mothers and babies healthier.