

DELAWARE

2020 Calculated Variables Report

Behavioral Risk Factor Surveillance System

July 6, 2021



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4024	780,379	3404	86.2	84.8-87.6	620	13.8	12.4-15.2
Male	1788	372,939	1502	86.6	84.4-88.8	286	13.4	11.2-15.6
Female	2236	407,440	1902	85.9	83.9-87.9	334	14.1	12.1-16.1
White/Non-Hisp	2627	489,719	2267	87.7	86.1-89.3	360	12.3	10.7-13.9
Black or Afr. Am./Non-Hisp	535	161,080	435	83.6	79.5-87.7	100	16.4	12.3-20.5
Oth. Race/Non-Hisp.	135	30,212	117	90.9	85.6-96.2	18	9.1	3.8-14.4
MultiRacial/Non-Hisp.	98	16,652	77	79.3	65.2-93.4	21	20.7	6.6-34.8
Hispanic	540	64,847	433	81.0	76.3-85.7	107	19.0	14.3-23.7
18-24	277	86,788	259	91.5	85.8-97.2	18	8.5	2.8-14.2
25-34	470	126,351	418	88.9	84.8-93.0	52	11.1	7.0-15.2
35-44	551	116,861	485	91.1	88.2-94.0	66	8.9	6.0-11.8
45-54	627	117,282	527	87.1	84.2-90.0	100	12.9	10.0-15.8
55-64	813	136,436	663	83.4	80.3-86.5	150	16.6	13.5-19.7
65+	1286	196,661	1052	80.7	77.6-83.8	234	19.3	16.2-22.4
Less Than H.S.	455	82,829	330	76.7	71.6-81.8	125	23.3	18.2-28.4
H.S. or G.E.D.	1157	245,693	931	82.1	79.0-85.2	226	17.9	14.8-21.0
Some Post-H.S.	1015	221,805	874	89.2	86.7-91.7	141	10.8	8.3-13.3
College Graduate	1383	228,212	1257	91.3	89.1-93.5	126	8.7	6.5-10.9
Less than \$15,000	348	51,228	248	74.1	67.8-80.4	100	25.9	19.6-32.2
\$15,000- 24,999	534	90,584	400	78.0	73.3-82.7	134	22.0	17.3-26.7
\$25,000- 34,999	335	65,445	268	80.7	74.6-86.8	67	19.3	13.2-25.4
\$35,000- 49,999	391	75,372	330	87.0	83.1-90.9	61	13.0	9.1-16.9
\$50,000- 74,999	493	98,756	433	88.3	84.0-92.6	60	11.7	7.4-16.0
\$75,000+	1123	246,206	1058	93.6	91.4-95.8	65	6.4	4.2- 8.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1788	372,939	1502	86.6	84.4-88.8	286	13.4	11.2-15.6
White/Non-Hisp	1195	233,065	1011	86.5	84.0-89.0	184	13.5	11.0-16.0
Black or Afr. Am./Non-Hisp	188	74,047	158	88.3	82.8-93.8	30	11.7	6.2-17.2
Oth. Race/Non-Hisp.	65	16,092	59	94.0	88.3-99.7	6	6.0	0.3-11.7
Hispanic	250	33,582	203	81.2	74.1-88.3	47	18.8	11.7-25.9
18-24	144	44,041	137	94.5	87.2- 100	7	5.5	0.0-12.8
25-34	208	63,671	183	87.2	80.5-93.9	25	12.8	6.1-19.5
35-44	236	57,387	204	92.7	89.8-95.6	32	7.3	4.4-10.2
45-54	274	56,273	234	88.5	84.4-92.6	40	11.5	7.4-15.6
55-64	361	63,707	292	82.8	78.1-87.5	69	17.2	12.5-21.9
65+	565	87,860	452	79.9	75.2-84.6	113	20.1	15.4-24.8
Less Than H.S.	222	45,416	170	79.8	73.1-86.5	52	20.2	13.5-26.9
H.S. or G.E.D.	533	124,047	431	85.5	81.6-89.4	102	14.5	10.6-18.4
Some Post-H.S.	420	99,596	361	88.9	85.2-92.6	59	11.1	7.4-14.8
College Graduate	610	103,396	537	88.7	84.6-92.8	73	11.3	7.2-15.4
Less than \$15,000	143	20,991	104	78.3	69.5-87.1	39	21.7	12.9-30.5
\$15,000- 24,999	195	34,953	143	72.8	64.0-81.6	52	27.2	18.4-36.0
\$25,000- 34,999	143	33,517	108	78.9	69.1-88.7	35	21.1	11.3-30.9
\$35,000- 49,999	166	30,521	130	83.9	77.6-90.2	36	16.1	9.8-22.4
\$50,000- 74,999	229	48,642	198	92.6	89.5-95.7	31	7.4	4.3-10.5
\$75,000+	590	132,566	558	93.2	89.9-96.5	32	6.8	3.5-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2236	407,440	1902	85.9	83.9-87.9	334	14.1	12.1-16.1
White/Non-Hisp	1432	256,654	1256	88.9	86.9-90.9	176	11.1	9.1-13.1
Black or Afr. Am./Non-Hisp	347	87,033	277	79.7	73.6-85.8	70	20.3	14.2-26.4
Oth. Race/Non-Hisp.	70	14,120	58	87.3	78.3-96.3	12	12.7	3.7-21.7
MultiRacial/Non-Hisp.	55	10,754	44	74.6	54.0-95.2	11	25.4	4.8-46.0
Hispanic	290	31,265	230	80.8	74.7-86.9	60	19.2	13.1-25.3
18-24	133	42,747	122	88.4	79.8-97.0	11	11.6	3.0-20.2
25-34	262	62,680	235	90.6	85.7-95.5	27	9.4	4.5-14.3
35-44	315	59,474	281	89.6	84.5-94.7	34	10.4	5.3-15.5
45-54	353	61,009	293	85.8	81.5-90.1	60	14.2	9.9-18.5
55-64	452	72,729	371	84.0	79.9-88.1	81	16.0	11.9-20.1
65+	721	108,801	600	81.3	77.2-85.4	121	18.7	14.6-22.8
Less Than H.S.	233	37,413	160	72.9	65.1-80.7	73	27.1	19.3-34.9
H.S. or G.E.D.	624	121,647	500	78.6	73.9-83.3	124	21.4	16.7-26.1
Some Post-H.S.	595	122,209	513	89.3	86.0-92.6	82	10.7	7.4-14.0
College Graduate	773	124,816	720	93.3	90.9-95.7	53	6.7	4.3- 9.1
Less than \$15,000	205	30,237	144	71.2	62.8-79.6	61	28.8	20.4-37.2
\$15,000- 24,999	339	55,631	257	81.4	76.5-86.3	82	18.6	13.7-23.5
\$25,000- 34,999	192	31,928	160	82.7	75.6-89.8	32	17.3	10.2-24.4
\$35,000- 49,999	225	44,851	200	89.2	84.3-94.1	25	10.8	5.9-15.7
\$50,000- 74,999	264	50,114	235	84.1	76.7-91.5	29	15.9	8.5-23.3
\$75,000+	533	113,640	500	94.1	91.6-96.6	33	5.9	3.4- 8.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3970	768,288	2820	71.9	69.9-73.9	712	17.6	16.0-19.2	438	10.5	9.1-11.9
Male	1766	367,351	1299	74.5	71.6-77.4	294	16.5	14.0-19.0	173	9.0	7.2-10.8
Female	2204	400,937	1521	69.5	67.0-72.0	418	18.5	16.3-20.7	265	12.0	10.2-13.8
White/Non-Hisp	2599	484,997	1844	71.7	69.3-74.1	474	17.6	15.6-19.6	281	10.7	9.1-12.3
Black or Afr. Am./Non-Hisp	525	155,976	371	72.1	67.0-77.2	92	17.6	13.1-22.1	62	10.2	7.1-13.3
Oth. Race/Non-Hisp.	133	29,906	100	78.0	68.2-87.8	15	12.3	3.9-20.7	18	9.7	3.6-15.8
MultiRacial/Non-Hisp.	94	16,288	48	54.4	39.1-69.7	28	23.9	12.9-34.9	18	21.7	7.2-36.2
Hispanic	532	64,017	393	73.5	67.6-79.4	86	17.1	12.2-22.0	53	9.4	5.5-13.3
18-24	273	85,423	218	78.1	71.2-85.0	48	20.6	13.7-27.5	7	1.4	0.2- 2.6
25-34	466	125,788	345	71.9	66.2-77.6	82	17.5	13.0-22.0	39	10.6	6.5-14.7
35-44	546	116,069	401	76.7	72.0-81.4	103	16.7	12.8-20.6	42	6.6	3.7- 9.5
45-54	621	116,153	443	74.3	70.0-78.6	104	14.9	11.4-18.4	74	10.8	7.9-13.7
55-64	801	134,108	538	67.3	63.2-71.4	149	19.1	15.6-22.6	114	13.6	10.7-16.5
65+	1263	190,747	875	67.9	64.4-71.4	226	17.4	14.5-20.3	162	14.8	11.9-17.7
Less Than H.S.	445	81,327	312	70.1	63.8-76.4	73	16.9	11.6-22.2	60	13.1	8.8-17.4
H.S. or G.E.D.	1141	240,318	777	70.2	66.7-73.7	200	15.9	13.2-18.6	164	13.9	11.2-16.6
Some Post-H.S.	1003	218,950	686	70.2	66.3-74.1	193	18.8	15.5-22.1	124	11.0	8.3-13.7
College Graduate	1367	225,853	1036	75.9	72.8-79.0	243	18.4	15.5-21.3	88	5.7	4.1- 7.3
Less than \$15,000	339	50,215	208	63.0	55.4-70.6	60	16.8	11.1-22.5	71	20.2	14.1-26.3
\$15,000- 24,999	529	89,984	330	63.9	58.4-69.4	110	20.0	15.5-24.5	89	16.2	11.9-20.5
\$25,000- 34,999	331	63,400	230	69.7	62.6-76.8	56	18.4	11.9-24.9	45	11.9	7.6-16.2
\$35,000- 49,999	390	75,336	264	70.6	64.9-76.3	78	17.9	13.2-22.6	48	11.5	7.6-15.4
\$50,000- 74,999	489	98,053	355	73.0	67.5-78.5	91	16.9	12.6-21.2	43	10.1	5.8-14.4
\$75,000+	1110	243,530	865	76.7	73.2-80.2	190	17.2	14.1-20.3	55	6.2	4.2- 8.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 2: HEALTHY DAYS

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1766	367,351	1299	74.5	71.6-77.4	294	16.5	14.0-19.0	173	9.0	7.2-10.8
White/Non-Hisp	1187	231,832	870	74.6	71.3-77.9	196	15.7	13.0-18.4	121	9.7	7.3-12.1
Black or Afr. Am./Non-Hisp	183	70,686	135	73.6	65.0-82.2	32	18.5	10.7-26.3	16	7.9	3.2-12.6
Oth. Race/Non-Hisp.	64	16,049	51	84.4	71.5-97.3	6	8.2	0.0-19.0	7	7.3	0.0-15.3
Hispanic	244	32,889	185	74.1	65.9-82.3	38	17.0	10.5-23.5	21	8.9	2.6-15.2
18-24	141	43,023	117	77.4	66.8-88.0	21	22.1	11.5-32.7	3	0.5	0.0- 1.1
25-34	206	63,386	164	75.3	67.1-83.5	27	13.4	6.9-19.9	15	11.3	5.0-17.6
35-44	233	56,885	175	79.0	72.3-85.7	46	18.4	11.9-24.9	12	2.6	0.8- 4.4
45-54	273	56,127	208	79.8	74.1-85.5	35	10.0	6.1-13.9	30	10.2	5.7-14.7
55-64	355	63,171	246	67.7	61.4-74.0	68	20.1	14.8-25.4	41	12.2	7.5-16.9
65+	558	84,759	389	70.9	65.6-76.2	97	16.5	12.2-20.8	72	12.6	8.7-16.5
Less Than H.S.	216	44,292	159	76.0	68.0-84.0	36	17.1	9.8-24.4	21	6.9	3.2-10.6
H.S. or G.E.D.	526	121,195	373	74.6	69.7-79.5	82	14.1	10.4-17.8	71	11.3	7.8-14.8
Some Post-H.S.	416	98,773	304	71.8	65.7-77.9	71	18.2	12.9-23.5	41	10.0	5.9-14.1
College Graduate	605	102,606	460	76.1	71.2-81.0	105	17.7	13.0-22.4	40	6.2	3.7- 8.7
Less than \$15,000	140	20,829	90	70.8	60.0-81.6	22	12.1	5.2-19.0	28	17.2	8.6-25.8
\$15,000- 24,999	192	34,594	124	62.9	53.3-72.5	36	20.5	12.7-28.3	32	16.6	8.6-24.6
\$25,000- 34,999	140	31,536	98	70.6	59.4-81.8	22	17.3	6.9-27.7	20	12.1	5.8-18.4
\$35,000- 49,999	166	30,521	108	69.7	60.9-78.5	33	19.7	11.9-27.5	25	10.6	5.5-15.7
\$50,000- 74,999	226	47,964	163	78.7	72.2-85.2	42	13.1	8.2-18.0	21	8.2	3.7-12.7
\$75,000+	586	131,949	485	79.2	74.3-84.1	84	15.8	11.3-20.3	17	5.1	2.4- 7.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2204	400,937	1521	69.5	67.0-72.0	418	18.5	16.3-20.7	265	12.0	10.2-13.8
White/Non-Hisp	1412	253,165	974	69.1	66.0-72.2	278	19.4	16.7-22.1	160	11.6	9.4-13.8
Black or Afr. Am./Non-Hisp	342	85,290	236	70.9	64.8-77.0	60	16.9	11.8-22.0	46	12.2	7.9-16.5
Oth. Race/Non-Hisp.	69	13,857	49	70.5	56.0-85.0	9	17.0	3.9-30.1	11	12.5	3.3-21.7
MultiRacial/Non-Hisp.	52	10,503	24	51.0	30.2-71.8	17	20.7	8.2-33.2	11	28.4	7.6-49.2
Hispanic	288	31,128	208	72.9	64.7-81.1	48	17.3	10.0-24.6	32	9.8	5.3-14.3
18-24	132	42,400	101	78.8	70.2-87.4	27	19.0	10.6-27.4	4	2.3	0.0- 4.7
25-34	260	62,401	181	68.5	60.9-76.1	55	21.7	15.2-28.2	24	9.8	4.5-15.1
35-44	313	59,184	226	74.6	68.1-81.1	57	15.0	10.5-19.5	30	10.4	5.1-15.7
45-54	348	60,027	235	69.2	62.9-75.5	69	19.5	14.0-25.0	44	11.3	7.4-15.2
55-64	446	70,937	292	66.9	61.4-72.4	81	18.2	13.7-22.7	73	14.9	11.0-18.8
65+	705	105,988	486	65.4	60.5-70.3	129	18.1	14.2-22.0	90	16.5	12.4-20.6
Less Than H.S.	229	37,035	153	63.0	53.2-72.8	37	16.6	9.0-24.2	39	20.4	12.4-28.4
H.S. or G.E.D.	615	119,123	404	65.7	60.8-70.6	118	17.8	13.9-21.7	93	16.5	12.6-20.4
Some Post-H.S.	587	120,176	382	68.9	63.8-74.0	122	19.3	15.0-23.6	83	11.8	8.3-15.3
College Graduate	762	123,248	576	75.7	71.8-79.6	138	19.0	15.5-22.5	48	5.3	3.3- 7.3
Less than \$15,000	199	29,385	118	57.6	47.8-67.4	38	20.1	11.9-28.3	43	22.4	14.2-30.6
\$15,000- 24,999	337	55,390	206	64.5	57.8-71.2	74	19.7	14.2-25.2	57	15.9	11.0-20.8
\$25,000- 34,999	191	31,864	132	68.9	60.1-77.7	34	19.4	11.8-27.0	25	11.7	5.8-17.6
\$35,000- 49,999	224	44,814	156	71.2	63.8-78.6	45	16.6	10.9-22.3	23	12.1	6.6-17.6
\$50,000- 74,999	263	50,089	192	67.5	59.1-75.9	49	20.5	13.8-27.2	22	11.9	4.8-19.0
\$75,000+	524	111,581	380	73.7	68.8-78.6	106	18.8	14.5-23.1	38	7.5	4.6-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3959	769,525	2648	65.2	63.0-67.4	829	22.5	20.7-24.3	482	12.3	10.9-13.7
Male	1765	368,031	1293	71.9	69.0-74.8	296	17.9	15.4-20.4	176	10.2	8.0-12.4
Female	2194	401,494	1355	59.1	56.4-61.8	533	26.7	24.2-29.2	306	14.3	12.3-16.3
White/Non-Hisp	2584	482,933	1714	64.7	62.3-67.1	559	22.7	20.5-24.9	311	12.6	10.8-14.4
Black or Afr. Am./Non-Hisp	530	158,665	351	63.9	58.4-69.4	114	24.7	19.6-29.8	65	11.5	8.0-15.0
Oth. Race/Non-Hisp.	132	29,973	90	71.9	61.7-82.1	24	20.1	10.9-29.3	18	8.0	3.1-12.9
MultiRacial/Non-Hisp.	97	16,540	48	46.7	31.8-61.6	24	23.3	11.7-34.9	25	30.1	14.0-46.2
Hispanic	529	63,939	384	70.9	64.8-77.0	99	20.4	15.1-25.7	46	8.7	5.0-12.4
18-24	276	86,718	147	52.5	44.3-60.7	84	30.1	22.8-37.4	45	17.4	11.5-23.3
25-34	465	125,330	280	56.4	50.1-62.7	126	27.9	22.2-33.6	59	15.7	10.8-20.6
35-44	544	116,224	339	62.1	56.6-67.6	126	24.9	20.0-29.8	79	13.0	9.3-16.7
45-54	617	114,673	396	64.1	59.4-68.8	128	22.0	17.9-26.1	93	13.9	10.6-17.2
55-64	796	133,896	526	67.3	63.2-71.4	164	20.6	17.1-24.1	106	12.1	9.2-15.0
65+	1261	192,685	960	77.7	74.6-80.8	201	15.8	13.1-18.5	100	6.5	4.7- 8.3
Less Than H.S.	446	81,743	320	69.5	63.0-76.0	76	18.9	13.2-24.6	50	11.5	7.2-15.8
H.S. or G.E.D.	1139	242,330	759	66.6	62.9-70.3	227	19.9	16.8-23.0	153	13.6	10.9-16.3
Some Post-H.S.	998	217,844	630	60.3	56.2-64.4	218	24.4	20.7-28.1	150	15.3	12.2-18.4
College Graduate	1362	225,769	930	66.8	63.3-70.3	307	24.9	21.8-28.0	125	8.2	6.2-10.2
Less than \$15,000	338	50,414	215	61.6	54.0-69.2	64	21.2	14.9-27.5	59	17.2	11.3-23.1
\$15,000- 24,999	528	89,683	313	59.8	54.3-65.3	112	22.0	17.3-26.7	103	18.2	14.1-22.3
\$25,000- 34,999	328	62,569	216	62.4	54.6-70.2	68	21.2	14.7-27.7	44	16.4	9.7-23.1
\$35,000- 49,999	385	75,009	229	55.3	48.4-62.2	96	27.2	20.7-33.7	60	17.4	12.1-22.7
\$50,000- 74,999	491	98,651	323	63.4	57.3-69.5	120	24.2	19.1-29.3	48	12.4	7.7-17.1
\$75,000+	1110	243,107	787	68.4	64.7-72.1	236	24.1	20.6-27.6	87	7.4	5.4- 9.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1765	368,031	1293	71.9	69.0-74.8	296	17.9	15.4-20.4	176	10.2	8.0-12.4
White/Non-Hisp	1180	230,604	860	71.3	67.8-74.8	205	18.2	15.3-21.1	115	10.5	8.0-13.0
Black or Afr. Am./Non-Hisp	186	72,145	133	70.0	61.2-78.8	32	19.0	11.2-26.8	21	11.0	5.3-16.7
Oth. Race/Non-Hisp.	63	15,979	49	81.2	68.1-94.3	7	14.4	1.9-26.9	7	4.3	0.2- 8.4
Hispanic	248	33,409	189	75.2	67.0-83.4	42	18.0	10.9-25.1	17	6.7	1.2-12.2
18-24	143	43,971	86	59.2	48.0-70.4	40	26.0	16.4-35.6	17	14.9	6.7-23.1
25-34	205	62,978	137	58.8	49.2-68.4	45	25.7	17.1-34.3	23	15.4	7.8-23.0
35-44	235	57,286	174	75.6	68.5-82.7	38	17.0	10.5-23.5	23	7.3	3.6-11.0
45-54	270	55,180	189	71.7	65.2-78.2	46	15.9	10.8-21.0	35	12.4	7.7-17.1
55-64	354	63,183	256	74.1	68.4-79.8	54	14.4	10.1-18.7	44	11.5	7.4-15.6
65+	558	85,433	451	84.2	80.3-88.1	73	12.5	8.8-16.2	34	3.3	1.9- 4.7
Less Than H.S.	220	44,940	169	74.9	66.3-83.5	30	17.8	9.8-25.8	21	7.3	3.2-11.4
H.S. or G.E.D.	525	121,996	372	71.5	66.2-76.8	93	17.5	13.2-21.8	60	10.9	7.2-14.6
Some Post-H.S.	414	98,101	279	63.8	57.3-70.3	91	24.1	18.2-30.0	44	12.1	7.4-16.8
College Graduate	603	102,509	470	78.8	74.3-83.3	82	12.6	9.3-15.9	51	8.6	5.3-11.9
Less than \$15,000	139	20,724	99	70.6	59.0-82.2	18	14.2	6.0-22.4	22	15.2	6.2-24.2
\$15,000- 24,999	194	34,888	122	60.6	51.2-70.0	38	22.6	14.6-30.6	34	16.8	9.7-23.9
\$25,000- 34,999	140	31,513	95	59.6	46.9-72.3	26	20.0	10.0-30.0	19	20.5	8.5-32.5
\$35,000- 49,999	164	30,338	107	60.2	49.6-70.8	34	25.0	14.6-35.4	23	14.8	7.5-22.1
\$50,000- 74,999	228	48,562	157	70.4	62.4-78.4	53	22.2	14.9-29.5	18	7.4	2.5-12.3
\$75,000+	583	131,072	465	78.0	73.3-82.7	88	16.9	12.4-21.4	30	5.1	2.7- 7.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

**TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2194	401,494	1355	59.1	56.4-61.8	533	26.7	24.2-29.2	306	14.3	12.3-16.3
White/Non-Hisp	1404	252,329	854	58.8	55.5-62.1	354	26.8	23.9-29.7	196	14.4	12.0-16.8
Black or Afr. Am./Non-Hisp	344	86,520	218	58.7	51.6-65.8	82	29.4	22.7-36.1	44	11.8	7.5-16.1
Oth. Race/Non-Hisp.	69	13,994	41	61.3	46.6-76.0	17	26.5	13.2-39.8	11	12.2	3.4-21.0
MultiRacial/Non-Hisp.	55	10,754	22	35.6	17.8-53.4	18	27.0	11.1-42.9	15	37.4	15.6-59.2
Hispanic	281	30,530	195	66.2	57.4-75.0	57	23.0	15.0-31.0	29	10.8	5.7-15.9
18-24	133	42,747	61	45.7	33.9-57.5	44	34.4	23.4-45.4	28	20.0	11.4-28.6
25-34	260	62,351	143	53.9	45.7-62.1	81	30.1	22.8-37.4	36	16.1	10.0-22.2
35-44	309	58,938	165	49.0	41.6-56.4	88	32.6	25.5-39.7	56	18.4	12.5-24.3
45-54	347	59,493	207	57.2	50.5-63.9	82	27.5	21.2-33.8	58	15.3	10.8-19.8
55-64	442	70,712	270	61.2	55.3-67.1	110	26.1	20.6-31.6	62	12.7	8.8-16.6
65+	703	107,252	509	72.5	68.0-77.0	128	18.4	14.5-22.3	66	9.1	6.2-12.0
Less Than H.S.	226	36,803	151	63.0	53.2-72.8	46	20.3	12.7-27.9	29	16.7	8.7-24.7
H.S. or G.E.D.	614	120,334	387	61.6	56.5-66.7	134	22.2	17.9-26.5	93	16.2	12.3-20.1
Some Post-H.S.	584	119,743	351	57.5	52.0-63.0	127	24.6	19.7-29.5	106	17.9	13.6-22.2
College Graduate	759	123,259	460	56.9	52.2-61.6	225	35.2	30.5-39.9	74	7.9	5.5-10.3
Less than \$15,000	199	29,691	116	55.3	45.5-65.1	46	26.1	17.5-34.7	37	18.6	11.0-26.2
\$15,000- 24,999	334	54,795	191	59.3	52.4-66.2	74	21.6	15.9-27.3	69	19.0	13.9-24.1
\$25,000- 34,999	188	31,056	121	65.4	56.4-74.4	42	22.4	14.2-30.6	25	12.2	6.7-17.7
\$35,000- 49,999	221	44,671	122	52.0	42.8-61.2	62	28.7	20.3-37.1	37	19.2	11.8-26.6
\$50,000- 74,999	263	50,089	166	56.7	48.3-65.1	67	26.1	18.8-33.4	30	17.3	9.7-24.9
\$75,000+	527	112,035	322	57.2	51.5-62.9	148	32.5	27.2-37.8	57	10.2	6.9-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2668	566,819	2215	86.8	85.0-88.6	453	13.2	11.4-15.0
Male	1190	276,209	955	83.9	81.2-86.6	235	16.1	13.4-18.8
Female	1478	290,609	1260	89.6	87.4-91.8	218	10.4	8.2-12.6
White/Non-Hisp	1542	331,029	1420	91.5	89.7-93.3	122	8.5	6.7-10.3
Black or Afr. Am./Non-Hisp	404	126,712	364	90.3	86.2-94.4	40	9.7	5.6-13.8
Oth. Race/Non-Hisp.	101	23,768	91	93.5	88.4-98.6	10	6.5	1.4-11.6
MultiRacial/Non-Hisp.	75	13,781	69	95.4	90.9-99.9	6	4.6	0.1- 9.1
Hispanic	504	61,724	234	50.6	43.7-57.5	270	49.4	42.5-56.3
18-24	270	85,432	202	81.5	74.8-88.2	68	18.5	11.8-25.2
25-34	468	126,175	353	83.4	79.1-87.7	115	16.6	12.3-20.9
35-44	541	114,811	426	86.5	83.2-89.8	115	13.5	10.2-16.8
45-54	590	106,366	503	89.4	86.7-92.1	87	10.6	7.9-13.3
55-64	799	134,033	731	91.7	89.3-94.1	68	8.3	5.9-10.7
Less Than H.S.	364	62,449	149	50.6	42.8-58.4	215	49.4	41.6-57.2
H.S. or G.E.D.	775	182,940	652	87.7	85.0-90.4	123	12.3	9.6-15.0
Some Post-H.S.	653	158,410	585	92.3	89.8-94.8	68	7.7	5.2-10.2
College Graduate	872	162,585	826	94.5	92.0-97.0	46	5.5	3.0- 8.0
Less than \$15,000	275	39,744	164	69.1	61.5-76.7	111	30.9	23.3-38.5
\$15,000- 24,999	361	66,773	265	80.3	75.0-85.6	96	19.7	14.4-25.0
\$25,000- 34,999	200	42,605	150	76.1	67.3-84.9	50	23.9	15.1-32.7
\$35,000- 49,999	246	53,232	214	85.4	79.3-91.5	32	14.6	8.5-20.7
\$50,000- 74,999	323	72,677	297	92.0	88.3-95.7	26	8.0	4.3-11.7
\$75,000+	803	195,519	774	95.6	93.1-98.1	29	4.4	1.9- 6.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1190	276,209	955	83.9	81.2-86.6	235	16.1	13.4-18.8
White/Non-Hisp	709	162,511	636	88.5	85.4-91.6	73	11.5	8.4-14.6
Black or Afr. Am./Non-Hisp	142	57,374	125	87.2	79.4-95.0	17	12.8	5.0-20.6
Hispanic	237	32,473	102	48.3	38.7-57.9	135	51.7	42.1-61.3
18-24	138	42,866	97	76.1	65.9-86.3	41	23.9	13.7-34.1
25-34	206	63,495	149	80.1	73.0-87.2	57	19.9	12.8-27.0
35-44	233	56,980	177	84.1	78.6-89.6	56	15.9	10.4-21.4
45-54	258	49,851	214	87.9	83.6-92.2	44	12.1	7.8-16.4
55-64	355	63,018	318	89.7	85.8-93.6	37	10.3	6.4-14.2
Less Than H.S.	186	36,328	75	50.7	40.3-61.1	111	49.3	38.9-59.7
H.S. or G.E.D.	391	98,903	317	85.0	80.7-89.3	74	15.0	10.7-19.3
Some Post-H.S.	271	71,673	242	91.0	86.1-95.9	29	9.0	4.1-13.9
College Graduate	341	69,214	321	92.7	87.6-97.8	20	7.3	2.2-12.4
Less than \$15,000	123	18,528	62	62.1	48.8-75.4	61	37.9	24.6-51.2
\$15,000- 24,999	128	25,500	86	74.1	63.7-84.5	42	25.9	15.5-36.3
\$25,000- 34,999	90	23,949	61	68.8	54.9-82.7	29	31.2	17.3-45.1
\$35,000- 49,999	106	22,539	85	80.4	69.8-91.0	21	19.6	9.0-30.2
\$50,000- 74,999	147	36,538	128	88.2	81.9-94.5	19	11.8	5.5-18.1
\$75,000+	399	102,567	382	94.9	91.4-98.4	17	5.1	1.6- 8.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1478	290,609	1260	89.6	87.4-91.8	218	10.4	8.2-12.6
White/Non-Hisp	833	168,519	784	94.3	92.3-96.3	49	5.7	3.7- 7.7
Black or Afr. Am./Non-Hisp	262	69,338	239	92.8	89.3-96.3	23	7.2	3.7-10.7
Oth. Race/Non-Hisp.	53	10,202	47	88.3	77.9-98.7	6	11.7	1.3-22.1
Hispanic	267	29,252	132	53.2	42.8-63.6	135	46.8	36.4-57.2
18-24	132	42,566	105	86.8	78.2-95.4	27	13.2	4.6-21.8
25-34	262	62,680	204	86.8	82.1-91.5	58	13.2	8.5-17.9
35-44	308	57,832	249	88.8	84.7-92.9	59	11.2	7.1-15.3
45-54	332	56,516	289	90.8	87.3-94.3	43	9.2	5.7-12.7
55-64	444	71,016	413	93.5	90.6-96.4	31	6.5	3.6- 9.4
Less Than H.S.	178	26,120	74	50.4	38.1-62.7	104	49.6	37.3-61.9
H.S. or G.E.D.	384	84,037	335	90.8	87.5-94.1	49	9.2	5.9-12.5
Some Post-H.S.	382	86,737	343	93.4	90.9-95.9	39	6.6	4.1- 9.1
College Graduate	531	93,371	505	95.8	93.6-98.0	26	4.2	2.0- 6.4
Less than \$15,000	152	21,215	102	75.1	66.1-84.1	50	24.9	15.9-33.9
\$15,000- 24,999	233	41,273	179	84.2	78.9-89.5	54	15.8	10.5-21.1
\$25,000- 34,999	110	18,656	89	85.4	76.6-94.2	21	14.6	5.8-23.4
\$35,000- 49,999	140	30,694	129	89.1	82.0-96.2	11	10.9	3.8-18.0
\$50,000- 74,999	176	36,139	169	95.8	92.5-99.1	7	4.2	0.9- 7.5
\$75,000+	404	92,952	392	96.4	92.5- 100	12	3.6	0.0- 7.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4021	780,099	2936	75.3	73.3-77.3	1085	24.7	22.7-26.7
Male	1788	372,911	1352	77.3	74.6-80.0	436	22.7	20.0-25.4
Female	2233	407,188	1584	73.5	71.0-76.0	649	26.5	24.0-29.0
White/Non-Hisp	2625	489,433	2000	78.5	76.3-80.7	625	21.5	19.3-23.7
Black or Afr. Am./Non-Hisp	534	161,026	347	68.8	63.5-74.1	187	31.2	25.9-36.5
Oth. Race/Non-Hisp.	135	30,212	105	82.4	74.0-90.8	30	17.6	9.2-26.0
MultiRacial/Non-Hisp.	98	16,652	70	72.7	58.4-87.0	28	27.3	13.0-41.6
Hispanic	540	64,908	343	62.2	55.3-69.1	197	37.8	30.9-44.7
18-24	276	86,714	222	82.5	75.8-89.2	54	17.5	10.8-24.2
25-34	470	126,351	351	76.7	71.4-82.0	119	23.3	18.0-28.6
35-44	550	116,698	418	80.0	75.5-84.5	132	20.0	15.5-24.5
45-54	627	117,282	459	75.7	71.4-80.0	168	24.3	20.0-28.6
55-64	813	136,436	601	76.5	72.8-80.2	212	23.5	19.8-27.2
65+	1285	196,618	885	67.2	63.5-70.9	400	32.8	29.1-36.5
Less Than H.S.	455	82,890	248	56.0	48.9-63.1	207	44.0	36.9-51.1
H.S. or G.E.D.	1156	245,570	751	67.4	63.7-71.1	405	32.6	28.9-36.3
Some Post-H.S.	1014	221,750	771	79.4	76.1-82.7	243	20.6	17.3-23.9
College Graduate	1382	228,049	1156	86.8	84.6-89.0	226	13.2	11.0-15.4
Less than \$15,000	347	51,105	189	49.0	41.0-57.0	158	51.0	43.0-59.0
\$15,000- 24,999	534	90,584	326	63.0	57.5-68.5	208	37.0	31.5-42.5
\$25,000- 34,999	335	65,445	225	66.8	59.0-74.6	110	33.2	25.4-41.0
\$35,000- 49,999	390	75,209	279	73.4	67.7-79.1	111	26.6	20.9-32.3
\$50,000- 74,999	493	98,756	383	77.1	71.6-82.6	110	22.9	17.4-28.4
\$75,000+	1123	246,206	963	87.5	84.8-90.2	160	12.5	9.8-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1788	372,911	1352	77.3	74.6-80.0	436	22.7	20.0-25.4
White/Non-Hisp	1194	232,902	934	80.6	77.7-83.5	260	19.4	16.5-22.3
Black or Afr. Am./Non-Hisp	188	74,047	125	68.0	59.0-77.0	63	32.0	23.0-41.0
Oth. Race/Non-Hisp.	65	16,092	55	88.8	78.4-99.2	10	11.2	0.8-21.6
Hispanic	251	33,717	170	66.2	57.0-75.4	81	33.8	24.6-43.0
18-24	144	44,041	114	83.5	74.7-92.3	30	16.5	7.7-25.3
25-34	208	63,671	162	77.2	69.2-85.2	46	22.8	14.8-30.8
35-44	235	57,224	186	81.4	74.5-88.3	49	18.6	11.7-25.5
45-54	274	56,273	215	81.3	75.4-87.2	59	18.7	12.8-24.6
55-64	361	63,707	268	75.6	69.9-81.3	93	24.4	18.7-30.1
65+	566	87,995	407	70.2	64.5-75.9	159	29.8	24.1-35.5
Less Than H.S.	223	45,551	134	59.3	49.5-69.1	89	40.7	30.9-50.5
H.S. or G.E.D.	533	124,047	365	68.9	63.2-74.6	168	31.1	25.4-36.8
Some Post-H.S.	420	99,596	335	85.4	81.3-89.5	85	14.6	10.5-18.7
College Graduate	609	103,233	515	87.3	84.0-90.6	94	12.7	9.4-16.0
Less than \$15,000	143	20,991	84	52.1	38.2-66.0	59	47.9	34.0-61.8
\$15,000- 24,999	195	34,953	124	65.6	56.6-74.6	71	34.4	25.4-43.4
\$25,000- 34,999	143	33,517	92	61.7	49.0-74.4	51	38.3	25.6-51.0
\$35,000- 49,999	165	30,358	114	71.5	62.7-80.3	51	28.5	19.7-37.3
\$50,000- 74,999	229	48,642	181	81.0	73.9-88.1	48	19.0	11.9-26.1
\$75,000+	590	132,566	519	89.9	87.0-92.8	71	10.1	7.2-13.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2233	407,188	1584	73.5	71.0-76.0	649	26.5	24.0-29.0
White/Non-Hisp	1431	256,531	1066	76.5	73.6-79.4	365	23.5	20.6-26.4
Black or Afr. Am./Non-Hisp	346	86,979	222	69.5	63.2-75.8	124	30.5	24.2-36.8
Oth. Race/Non-Hisp.	70	14,120	50	75.1	61.8-88.4	20	24.9	11.6-38.2
MultiRacial/Non-Hisp.	55	10,754	39	68.9	48.5-89.3	16	31.1	10.7-51.5
Hispanic	289	31,191	173	57.8	47.6-68.0	116	42.2	32.0-52.4
18-24	132	42,673	108	81.5	71.3-91.7	24	18.5	8.3-28.7
25-34	262	62,680	189	76.2	69.3-83.1	73	23.8	16.9-30.7
35-44	315	59,474	232	78.6	72.5-84.7	83	21.4	15.3-27.5
45-54	353	61,009	244	70.6	64.3-76.9	109	29.4	23.1-35.7
55-64	452	72,729	333	77.4	72.7-82.1	119	22.6	17.9-27.3
65+	719	108,623	478	64.9	60.0-69.8	241	35.1	30.2-40.0
Less Than H.S.	232	37,339	114	51.9	41.7-62.1	118	48.1	37.9-58.3
H.S. or G.E.D.	623	121,524	386	65.9	61.0-70.8	237	34.1	29.2-39.0
Some Post-H.S.	594	122,154	436	74.5	69.4-79.6	158	25.5	20.4-30.6
College Graduate	773	124,816	641	86.5	83.6-89.4	132	13.5	10.6-16.4
Less than \$15,000	204	30,114	105	46.9	37.1-56.7	99	53.1	43.3-62.9
\$15,000- 24,999	339	55,631	202	61.4	54.5-68.3	137	38.6	31.7-45.5
\$25,000- 34,999	192	31,928	133	72.2	63.8-80.6	59	27.8	19.4-36.2
\$35,000- 49,999	225	44,851	165	74.7	67.1-82.3	60	25.3	17.7-32.9
\$50,000- 74,999	264	50,114	202	73.3	65.3-81.3	62	26.7	18.7-34.7
\$75,000+	533	113,640	444	84.6	80.1-89.1	89	15.4	10.9-19.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4002	776,328	356	7.6	6.6- 8.6	3646	92.4	91.4-93.4
Male	1776	371,363	215	9.4	7.8-11.0	1561	90.6	89.0-92.2
Female	2226	404,965	141	5.9	4.5- 7.3	2085	94.1	92.7-95.5
White/Non-Hisp	2617	488,445	273	9.4	8.0-10.8	2344	90.6	89.2-92.0
Black or Afr. Am./Non-Hisp	528	158,729	35	4.2	2.4- 6.0	493	95.8	94.0-97.6
Oth. Race/Non-Hisp.	135	30,212	10	4.4	0.0- 9.3	125	95.6	90.7- 100
MultiRacial/Non-Hisp.	97	16,503	10	8.8	1.4-16.2	87	91.2	83.8-98.6
Hispanic	538	64,752	19	2.9	1.3- 4.5	519	97.1	95.5-98.7
18-24	274	86,272	1	0.1	0.0- 0.3	273	99.9	99.7- 100
25-34	470	126,351	9	2.2	0.2- 4.2	461	97.8	95.8-99.8
35-44	548	116,349	10	2.5	0.7- 4.3	538	97.5	95.7-99.3
45-54	626	116,704	19	2.2	0.8- 3.6	607	97.8	96.4-99.2
55-64	809	135,741	78	8.1	5.9-10.3	731	91.9	89.7-94.1
65+	1275	194,911	239	20.2	17.1-23.3	1036	79.8	76.7-82.9
Less Than H.S.	451	82,459	43	10.8	6.7-14.9	408	89.2	85.1-93.3
H.S. or G.E.D.	1153	244,292	118	8.4	6.4-10.4	1035	91.6	89.6-93.6
Some Post-H.S.	1008	220,645	80	7.4	5.2- 9.6	928	92.6	90.4-94.8
College Graduate	1377	227,199	115	5.7	4.3- 7.1	1262	94.3	92.9-95.7
Less than \$15,000	345	50,519	24	7.6	3.3-11.9	321	92.4	88.1-96.7
\$15,000- 24,999	530	90,007	60	11.5	7.4-15.6	470	88.5	84.4-92.6
\$25,000- 34,999	334	65,132	44	12.5	8.0-17.0	290	87.5	83.0-92.0
\$35,000- 49,999	391	75,372	38	6.4	3.5- 9.3	353	93.6	90.7-96.5
\$50,000- 74,999	490	97,990	31	5.3	2.8- 7.8	459	94.7	92.2-97.2
\$75,000+	1121	245,792	85	5.9	4.1- 7.7	1036	94.1	92.3-95.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1776	371,363	215	9.4	7.8-11.0	1561	90.6	89.0-92.2
White/Non-Hisp	1188	232,562	179	12.9	10.5-15.3	1009	87.1	84.7-89.5
Black or Afr. Am./Non-Hisp	185	73,181	7	1.8	0.2- 3.4	178	98.2	96.6-99.8
Oth. Race/Non-Hisp.	65	16,092	3	0.8	0.0- 2.0	62	99.2	98.0- 100
Hispanic	250	33,598	11	4.4	1.5- 7.3	239	95.6	92.7-98.5
18-24	144	44,041	1	0.2	0.0- 0.6	143	99.8	99.4- 100
25-34	208	63,671	6	2.9	0.0- 6.2	202	97.1	93.8- 100
35-44	234	56,929	4	1.9	0.0- 3.9	230	98.1	96.1- 100
45-54	274	56,273	9	2.2	0.4- 4.0	265	97.8	96.0-99.6
55-64	359	63,204	45	11.6	7.7-15.5	314	88.4	84.5-92.3
65+	557	87,245	150	26.8	21.7-31.9	407	73.2	68.1-78.3
Less Than H.S.	221	45,348	22	9.7	4.8-14.6	199	90.3	85.4-95.2
H.S. or G.E.D.	531	123,589	67	9.1	6.2-12.0	464	90.9	88.0-93.8
Some Post-H.S.	416	98,980	45	10.2	6.5-13.9	371	89.8	86.1-93.5
College Graduate	605	102,961	81	9.0	6.5-11.5	524	91.0	88.5-93.5
Less than \$15,000	142	20,954	10	7.2	1.5-12.9	132	92.8	87.1-98.5
\$15,000- 24,999	192	34,461	29	16.3	8.5-24.1	163	83.7	75.9-91.5
\$25,000- 34,999	143	33,517	23	12.0	5.9-18.1	120	88.0	81.9-94.1
\$35,000- 49,999	166	30,521	24	8.2	3.9-12.5	142	91.8	87.5-96.1
\$50,000- 74,999	227	48,454	23	6.5	3.0-10.0	204	93.5	90.0-97.0
\$75,000+	588	132,153	63	8.4	5.7-11.1	525	91.6	88.9-94.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2226	404,965	141	5.9	4.5- 7.3	2085	94.1	92.7-95.5
White/Non-Hisp	1429	255,883	94	6.2	4.4- 8.0	1335	93.8	92.0-95.6
Black or Afr. Am./Non-Hisp	343	85,548	28	6.2	3.1- 9.3	315	93.8	90.7-96.9
Oth. Race/Non-Hisp.	70	14,120	7	8.4	0.0-18.4	63	91.6	81.6- 100
MultiRacial/Non-Hisp.	55	10,754	3	7.4	0.0-17.4	52	92.6	82.6- 100
Hispanic	288	31,154	8	1.3	0.3- 2.3	280	98.7	97.7-99.7
18-24	130	42,231				130	100.0	100.0- 100
25-34	262	62,680	3	1.5	0.0- 3.9	259	98.5	96.1- 100
35-44	314	59,420	6	3.0	0.0- 6.1	308	97.0	93.9- 100
45-54	352	60,431	10	2.2	0.2- 4.2	342	97.8	95.8-99.8
55-64	450	72,536	33	5.1	2.9- 7.3	417	94.9	92.7-97.1
65+	718	107,666	89	14.8	10.9-18.7	629	85.2	81.3-89.1
Less Than H.S.	230	37,111	21	12.1	5.0-19.2	209	87.9	80.8-95.0
H.S. or G.E.D.	622	120,703	51	7.7	5.0-10.4	571	92.3	89.6-95.0
Some Post-H.S.	592	121,665	35	5.2	2.8- 7.6	557	94.8	92.4-97.2
College Graduate	772	124,238	34	3.0	1.8- 4.2	738	97.0	95.8-98.2
Less than \$15,000	203	29,565	14	7.8	1.7-13.9	189	92.2	86.1-98.3
\$15,000- 24,999	338	55,546	31	8.6	4.3-12.9	307	91.4	87.1-95.7
\$25,000- 34,999	191	31,615	21	13.1	6.4-19.8	170	86.9	80.2-93.6
\$35,000- 49,999	225	44,851	14	5.2	1.3- 9.1	211	94.8	90.9-98.7
\$50,000- 74,999	263	49,536	8	4.1	0.4- 7.8	255	95.9	92.2-99.6
\$75,000+	533	113,640	22	3.0	1.2- 4.8	511	97.0	95.2-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4017	778,991	3468	85.5	83.9-87.1	549	14.5	12.9-16.1
Male	1785	372,571	1587	86.6	84.1-89.1	198	13.4	10.9-15.9
Female	2232	406,420	1881	84.6	82.4-86.8	351	15.4	13.2-17.6
White/Non-Hisp	2623	489,146	2269	87.0	85.4-88.6	354	13.0	11.4-14.6
Black or Afr. Am./Non-Hisp	534	160,502	436	78.7	73.6-83.8	98	21.3	16.2-26.4
Oth. Race/Non-Hisp.	135	30,212	123	89.6	79.4-99.8	12	10.4	0.2-20.6
MultiRacial/Non-Hisp.	98	16,652	80	77.5	63.2-91.8	18	22.5	8.2-36.8
Hispanic	539	64,718	483	90.2	86.7-93.7	56	9.8	6.3-13.3
18-24	277	86,788	229	79.3	72.0-86.6	48	20.7	13.4-28.0
25-34	469	126,190	395	82.5	77.6-87.4	74	17.5	12.6-22.4
35-44	550	116,716	472	87.8	84.5-91.1	78	12.2	8.9-15.5
45-54	625	116,635	528	83.4	79.5-87.3	97	16.6	12.7-20.5
55-64	809	135,865	703	88.2	85.5-90.9	106	11.8	9.1-14.5
65+	1287	196,796	1141	88.3	85.8-90.8	146	11.7	9.2-14.2
Less Than H.S.	455	82,886	402	86.4	81.5-91.3	53	13.6	8.7-18.5
H.S. or G.E.D.	1155	245,388	999	84.6	81.5-87.7	156	15.4	12.3-18.5
Some Post-H.S.	1014	221,685	845	83.0	79.7-86.3	169	17.0	13.7-20.3
College Graduate	1380	227,299	1211	88.6	86.4-90.8	169	11.4	9.2-13.6
Less than \$15,000	347	51,083	293	84.8	79.7-89.9	54	15.2	10.1-20.3
\$15,000- 24,999	534	90,584	445	80.8	75.7-85.9	89	19.2	14.1-24.3
\$25,000- 34,999	335	65,445	284	85.9	80.4-91.4	51	14.1	8.6-19.6
\$35,000- 49,999	391	75,372	347	89.8	86.3-93.3	44	10.2	6.7-13.7
\$50,000- 74,999	491	98,100	420	84.4	79.7-89.1	71	15.6	10.9-20.3
\$75,000+	1121	245,871	983	86.6	83.7-89.5	138	13.4	10.5-16.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1785	372,571	1587	86.6	84.1-89.1	198	13.4	10.9-15.9
White/Non-Hisp	1193	232,826	1055	87.2	84.7-89.7	138	12.8	10.3-15.3
Black or Afr. Am./Non-Hisp	188	74,047	164	80.7	72.5-88.9	24	19.3	11.1-27.5
Oth. Race/Non-Hisp.	65	16,092	57	83.8	65.8- 100	8	16.2	0.0-34.2
Hispanic	249	33,453	231	92.5	88.2-96.8	18	7.5	3.2-11.8
18-24	144	44,041	121	82.0	72.2-91.8	23	18.0	8.2-27.8
25-34	207	63,510	167	75.1	66.5-83.7	40	24.9	16.3-33.5
35-44	235	57,242	210	90.5	86.2-94.8	25	9.5	5.2-13.8
45-54	274	56,273	246	90.4	85.9-94.9	28	9.6	5.1-14.1
55-64	359	63,509	329	92.3	88.6-96.0	30	7.7	4.0-11.4
65+	566	87,995	514	87.9	83.4-92.4	52	12.1	7.6-16.6
Less Than H.S.	222	45,473	196	84.0	76.2-91.8	26	16.0	8.2-23.8
H.S. or G.E.D.	531	123,741	483	88.9	84.8-93.0	48	11.1	7.0-15.2
Some Post-H.S.	419	99,477	362	81.4	75.5-87.3	57	18.6	12.7-24.5
College Graduate	610	103,396	543	89.8	86.7-92.9	67	10.2	7.1-13.3
Less than \$15,000	142	20,846	129	89.0	80.4-97.6	13	11.0	2.4-19.6
\$15,000- 24,999	195	34,953	172	83.3	74.9-91.7	23	16.7	8.3-25.1
\$25,000- 34,999	143	33,517	129	90.1	82.3-97.9	14	9.9	2.1-17.7
\$35,000- 49,999	166	30,521	154	93.0	88.5-97.5	12	7.0	2.5-11.5
\$50,000- 74,999	228	48,564	196	83.6	76.5-90.7	32	16.4	9.3-23.5
\$75,000+	590	132,566	520	85.5	81.0-90.0	70	14.5	10.0-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2232	406,420	1881	84.6	82.4-86.8	351	15.4	13.2-17.6
White/Non-Hisp	1430	256,320	1214	86.8	84.6-89.0	216	13.2	11.0-15.4
Black or Afr. Am./Non-Hisp	346	86,455	272	76.9	70.6-83.2	74	23.1	16.8-29.4
Oth. Race/Non-Hisp.	70	14,120	66	96.4	92.7- 100	4	3.6	0.0- 7.3
MultiRacial/Non-Hisp.	55	10,754	43	70.8	50.2-91.4	12	29.2	8.6-49.8
Hispanic	290	31,265	252	87.8	82.1-93.5	38	12.2	6.5-17.9
18-24	133	42,747	108	76.6	66.0-87.2	25	23.4	12.8-34.0
25-34	262	62,680	228	90.1	85.8-94.4	34	9.9	5.6-14.2
35-44	315	59,474	262	85.1	79.8-90.4	53	14.9	9.6-20.2
45-54	351	60,362	282	77.0	70.9-83.1	69	23.0	16.9-29.1
55-64	450	72,356	374	84.6	80.5-88.7	76	15.4	11.3-19.5
65+	721	108,801	627	88.6	85.7-91.5	94	11.4	8.5-14.3
Less Than H.S.	233	37,413	206	89.3	84.6-94.0	27	10.7	6.0-15.4
H.S. or G.E.D.	624	121,647	516	80.3	75.6-85.0	108	19.7	15.0-24.4
Some Post-H.S.	595	122,209	483	84.3	80.4-88.2	112	15.7	11.8-19.6
College Graduate	770	123,904	668	87.7	84.8-90.6	102	12.3	9.4-15.2
Less than \$15,000	205	30,237	164	81.9	75.6-88.2	41	18.1	11.8-24.4
\$15,000- 24,999	339	55,631	273	79.2	72.9-85.5	66	20.8	14.5-27.1
\$25,000- 34,999	192	31,928	155	81.5	74.1-88.9	37	18.5	11.1-25.9
\$35,000- 49,999	225	44,851	193	87.7	82.8-92.6	32	12.3	7.4-17.2
\$50,000- 74,999	263	49,536	224	85.2	78.7-91.7	39	14.8	8.3-21.3
\$75,000+	531	113,305	463	87.9	84.2-91.6	68	12.1	8.4-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4005	776,058	3606	89.2	87.8-90.6	399	10.8	9.4-12.2
Male	1778	370,143	1656	91.4	89.2-93.6	122	8.6	6.4-10.8
Female	2227	405,915	1950	87.3	85.3-89.3	277	12.7	10.7-14.7
White/Non-Hisp	2618	487,200	2361	90.7	89.3-92.1	257	9.3	7.9-10.7
Black or Afr. Am./Non-Hisp	533	160,435	452	82.6	77.9-87.3	81	17.4	12.7-22.1
Oth. Race/Non-Hisp.	133	29,894	125	91.3	81.1- 100	8	8.7	0.0-18.9
MultiRacial/Non-Hisp.	98	16,652	87	86.4	73.1-99.7	11	13.6	0.3-26.9
Hispanic	535	64,117	501	93.7	90.8-96.6	34	6.3	3.4- 9.2
18-24	276	86,441	245	86.0	79.5-92.5	31	14.0	7.5-20.5
25-34	464	124,678	422	88.5	84.0-93.0	42	11.5	7.0-16.0
35-44	548	116,253	491	90.7	87.6-93.8	57	9.3	6.2-12.4
45-54	625	116,635	546	86.5	83.0-90.0	79	13.5	10.0-17.0
55-64	807	135,359	728	91.6	89.2-94.0	79	8.4	6.0-10.8
65+	1285	196,692	1174	90.4	88.0-92.8	111	9.6	7.2-12.0
Less Than H.S.	454	82,445	413	90.2	85.9-94.5	41	9.8	5.5-14.1
H.S. or G.E.D.	1151	243,872	1037	88.0	85.1-90.9	114	12.0	9.1-14.9
Some Post-H.S.	1011	221,305	889	87.8	84.7-90.9	122	12.2	9.1-15.3
College Graduate	1376	226,704	1255	91.7	89.9-93.5	121	8.3	6.5-10.1
Less than \$15,000	346	51,046	302	87.8	83.3-92.3	44	12.2	7.7-16.7
\$15,000- 24,999	533	90,236	461	84.1	79.2-89.0	72	15.9	11.0-20.8
\$25,000- 34,999	335	65,445	299	91.3	87.6-95.0	36	8.7	5.0-12.4
\$35,000- 49,999	390	75,315	357	92.1	89.0-95.2	33	7.9	4.8-11.0
\$50,000- 74,999	489	97,134	443	90.7	87.0-94.4	46	9.3	5.6-13.0
\$75,000+	1118	245,006	1022	89.9	87.2-92.6	96	10.1	7.4-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1778	370,143	1656	91.4	89.2-93.6	122	8.6	6.4-10.8
White/Non-Hisp	1189	231,064	1102	92.1	90.1-94.1	87	7.9	5.9- 9.9
Black or Afr. Am./Non-Hisp	188	74,047	174	87.0	79.7-94.3	14	13.0	5.7-20.3
Oth. Race/Non-Hisp.	63	15,773	59	86.8	68.4- 100	4	13.2	0.0-31.6
Hispanic	248	33,106	239	96.6	93.9-99.3	9	3.4	0.7- 6.1
18-24	143	43,694	133	92.5	85.1-99.9	10	7.5	0.1-14.9
25-34	204	62,188	188	85.7	77.9-93.5	16	14.3	6.5-22.1
35-44	234	56,963	221	94.8	91.5-98.1	13	5.2	1.9- 8.5
45-54	274	56,273	251	92.2	88.5-95.9	23	7.8	4.1-11.5
55-64	358	63,068	337	94.6	91.3-97.9	21	5.4	2.1- 8.7
65+	565	87,958	526	89.8	85.5-94.1	39	10.2	5.9-14.5
Less Than H.S.	221	45,032	205	90.5	83.6-97.4	16	9.5	2.6-16.4
H.S. or G.E.D.	529	122,467	503	93.0	89.3-96.7	26	7.0	3.3-10.7
Some Post-H.S.	417	99,160	379	88.1	83.0-93.2	38	11.9	6.8-17.0
College Graduate	608	103,000	566	93.0	90.5-95.5	42	7.0	4.5- 9.5
Less than \$15,000	141	20,809	133	93.4	86.3- 100	8	6.6	0.0-13.7
\$15,000- 24,999	194	34,605	178	86.4	78.2-94.6	16	13.6	5.4-21.8
\$25,000- 34,999	143	33,517	136	97.3	94.9-99.7	7	2.7	0.3- 5.1
\$35,000- 49,999	166	30,521	156	94.4	90.3-98.5	10	5.6	1.5- 9.7
\$50,000- 74,999	226	47,598	211	94.5	91.2-97.8	15	5.5	2.2- 8.8
\$75,000+	588	131,768	544	89.4	85.1-93.7	44	10.6	6.3-14.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2227	405,915	1950	87.3	85.3-89.3	277	12.7	10.7-14.7
White/Non-Hisp	1429	256,136	1259	89.4	87.4-91.4	170	10.6	8.6-12.6
Black or Afr. Am./Non-Hisp	345	86,388	278	78.9	72.6-85.2	67	21.1	14.8-27.4
Oth. Race/Non-Hisp.	70	14,120	66	96.4	92.7- 100	4	3.6	0.0- 7.3
MultiRacial/Non-Hisp.	55	10,754	48	83.2	63.8- 100	7	16.8	0.0-36.2
Hispanic	287	31,011	262	90.5	85.0-96.0	25	9.5	4.0-15.0
18-24	133	42,747	112	79.3	68.9-89.7	21	20.7	10.3-31.1
25-34	260	62,490	234	91.2	86.9-95.5	26	8.8	4.5-13.1
35-44	314	59,290	270	86.8	81.7-91.9	44	13.2	8.1-18.3
45-54	351	60,362	295	81.1	75.2-87.0	56	18.9	13.0-24.8
55-64	449	72,291	391	89.0	85.5-92.5	58	11.0	7.5-14.5
65+	720	108,734	648	90.8	88.1-93.5	72	9.2	6.5-11.9
Less Than H.S.	233	37,413	208	89.8	85.1-94.5	25	10.2	5.5-14.9
H.S. or G.E.D.	622	121,405	534	83.0	78.5-87.5	88	17.0	12.5-21.5
Some Post-H.S.	594	122,144	510	87.5	83.8-91.2	84	12.5	8.8-16.2
College Graduate	768	123,704	689	90.5	88.0-93.0	79	9.5	7.0-12.0
Less than \$15,000	205	30,237	169	84.0	78.1-89.9	36	16.0	10.1-21.9
\$15,000- 24,999	339	55,631	283	82.7	76.8-88.6	56	17.3	11.4-23.2
\$25,000- 34,999	192	31,928	163	85.0	77.9-92.1	29	15.0	7.9-22.1
\$35,000- 49,999	224	44,793	201	90.5	86.0-95.0	23	9.5	5.0-14.0
\$50,000- 74,999	263	49,536	232	87.1	80.8-93.4	31	12.9	6.6-19.2
\$75,000+	530	113,238	478	90.5	87.2-93.8	52	9.5	6.2-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4005	776,058	399	10.8	9.4-12.2	138	3.4	2.6- 4.2	3468	85.9	84.3-87.5
Male	1778	370,143	122	8.6	6.4-10.8	69	4.3	2.9- 5.7	1587	87.1	84.7-89.5
Female	2227	405,915	277	12.7	10.7-14.7	69	2.6	1.8- 3.4	1881	84.7	82.5-86.9
White/Non-Hisp	2618	487,200	257	9.3	7.9-10.7	92	3.3	2.5- 4.1	2269	87.4	85.8-89.0
Black or Afr. Am./Non-Hisp	533	160,435	81	17.4	12.7-22.1	16	4.0	1.6- 6.4	436	78.7	73.6-83.8
Oth. Race/Non-Hisp.	133	29,894	8	8.7	0.0-18.9	2	0.7	0.0- 2.1	123	90.6	80.4- 100
MultiRacial/Non-Hisp.	98	16,652	11	13.6	0.3-26.9	7	8.9	0.7-17.1	80	77.5	63.2-91.8
Hispanic	535	64,117	34	6.3	3.4- 9.2	18	2.6	1.0- 4.2	483	91.1	87.8-94.4
18-24	276	86,441	31	14.0	7.5-20.5	16	6.3	2.2-10.4	229	79.6	72.3-86.9
25-34	464	124,678	42	11.5	7.0-16.0	27	4.9	2.7- 7.1	395	83.5	78.6-88.4
35-44	548	116,253	57	9.3	6.2-12.4	19	2.6	1.2- 4.0	472	88.1	84.8-91.4
45-54	625	116,635	79	13.5	10.0-17.0	18	3.0	1.0- 5.0	528	83.4	79.5-87.3
55-64	807	135,359	79	8.4	6.0-10.8	25	3.0	1.6- 4.4	703	88.5	85.8-91.2
65+	1285	196,692	111	9.6	7.2-12.0	33	2.0	1.0- 3.0	1141	88.3	85.8-90.8
Less Than H.S.	454	82,445	41	9.8	5.5-14.1	11	3.3	0.9- 5.7	402	86.9	82.2-91.6
H.S. or G.E.D.	1151	243,872	114	12.0	9.1-14.9	38	2.8	1.6- 4.0	999	85.1	82.0-88.2
Some Post-H.S.	1011	221,305	122	12.2	9.1-15.3	44	4.6	2.8- 6.4	845	83.1	79.8-86.4
College Graduate	1376	226,704	121	8.3	6.5-10.1	44	2.8	1.6- 4.0	1211	88.9	86.7-91.1
Less than \$15,000	346	51,046	44	12.2	7.7-16.7	9	2.9	0.4- 5.4	293	84.9	79.8-90.0
\$15,000- 24,999	533	90,236	72	15.9	11.0-20.8	16	3.0	1.2- 4.8	445	81.1	76.0-86.2
\$25,000- 34,999	335	65,445	36	8.7	5.0-12.4	15	5.4	1.3- 9.5	284	85.9	80.4-91.4
\$35,000- 49,999	390	75,315	33	7.9	4.8-11.0	10	2.2	0.6- 3.8	347	89.9	86.4-93.4
\$50,000- 74,999	489	97,134	46	9.3	5.6-13.0	23	5.5	2.6- 8.4	420	85.2	80.7-89.7
\$75,000+	1118	245,006	96	10.1	7.4-12.8	39	3.0	1.8- 4.2	983	86.9	84.0-89.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1778	370,143	122	8.6	6.4-10.8	69	4.3	2.9- 5.7	1587	87.1	84.7-89.5
White/Non-Hisp	1189	231,064	87	7.9	5.9- 9.9	47	4.2	2.6- 5.8	1055	87.9	85.5-90.3
Black or Afr. Am./Non-Hisp	188	74,047	14	13.0	5.7-20.3	10	6.3	1.8-10.8	164	80.7	72.5-88.9
Oth. Race/Non-Hisp.	63	15,773	4	13.2	0.0-31.6	2	1.3	0.0- 3.8	57	85.4	67.0- 100
Hispanic	248	33,106	9	3.4	0.7- 6.1	8	3.2	0.3- 6.1	231	93.5	89.6-97.4
18-24	143	43,694	10	7.5	0.1-14.9	12	9.9	2.6-17.2	121	82.7	72.9-92.5
25-34	204	62,188	16	14.3	6.5-22.1	21	9.0	4.7-13.3	167	76.7	68.3-85.1
35-44	234	56,963	13	5.2	1.9- 8.5	11	3.8	1.1- 6.5	210	91.0	86.7-95.3
45-54	274	56,273	23	7.8	4.1-11.5	5	1.9	0.0- 4.4	246	90.4	85.9-94.9
55-64	358	63,068	21	5.4	2.1- 8.7	8	1.6	0.0- 3.2	329	92.9	89.4-96.4
65+	565	87,958	39	10.2	5.9-14.5	12	1.8	0.2- 3.4	514	88.0	83.5-92.5
Less Than H.S.	221	45,032	16	9.5	2.6-16.4	9	5.7	1.4-10.0	196	84.8	77.2-92.4
H.S. or G.E.D.	529	122,467	26	7.0	3.3-10.7	20	3.2	1.4- 5.0	483	89.8	85.9-93.7
Some Post-H.S.	417	99,160	38	11.9	6.8-17.0	17	6.4	2.7-10.1	362	81.6	75.7-87.5
College Graduate	608	103,000	42	7.0	4.5- 9.5	23	2.8	1.0- 4.6	543	90.2	87.1-93.3
Less than \$15,000	141	20,809	8	6.6	0.0-13.7	4	4.2	0.0- 9.5	129	89.2	80.6-97.8
\$15,000- 24,999	194	34,605	16	13.6	5.4-21.8	6	2.2	0.0- 4.4	172	84.2	76.0-92.4
\$25,000- 34,999	143	33,517	7	2.7	0.3- 5.1	7	7.2	0.0-14.8	129	90.1	82.3-97.9
\$35,000- 49,999	166	30,521	10	5.6	1.5- 9.7	2	1.5	0.0- 3.9	154	93.0	88.5-97.5
\$50,000- 74,999	226	47,598	15	5.5	2.2- 8.8	15	9.2	3.5-14.9	196	85.3	78.8-91.8
\$75,000+	588	131,768	44	10.6	6.3-14.9	24	3.4	1.6- 5.2	520	86.0	81.5-90.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2227	405,915	277	12.7	10.7-14.7	69	2.6	1.8- 3.4	1881	84.7	82.5-86.9
White/Non-Hisp	1429	256,136	170	10.6	8.6-12.6	45	2.5	1.7- 3.3	1214	86.9	84.7-89.1
Black or Afr. Am./Non-Hisp	345	86,388	67	21.1	14.8-27.4	6	1.9	0.1- 3.7	272	77.0	70.7-83.3
Oth. Race/Non-Hisp.	70	14,120	4	3.6	0.0- 7.3				66	96.4	92.7- 100
MultiRacial/Non-Hisp.	55	10,754	7	16.8	0.0-36.2	5	12.5	0.0-25.0	43	70.8	50.2-91.4
Hispanic	287	31,011	25	9.5	4.0-15.0	10	1.9	0.5- 3.3	252	88.6	83.1-94.1
18-24	133	42,747	21	20.7	10.3-31.1	4	2.7	0.0- 5.8	108	76.6	66.0-87.2
25-34	260	62,490	26	8.8	4.5-13.1	6	0.8	0.0- 1.6	228	90.3	86.0-94.6
35-44	314	59,290	44	13.2	8.1-18.3	8	1.5	0.3- 2.7	262	85.4	80.1-90.7
45-54	351	60,362	56	18.9	13.0-24.8	13	4.1	1.4- 6.8	282	77.0	70.9-83.1
55-64	449	72,291	58	11.0	7.5-14.5	17	4.3	1.9- 6.7	374	84.7	80.6-88.8
65+	720	108,734	72	9.2	6.5-11.9	21	2.2	1.0- 3.4	627	88.6	85.7-91.5
Less Than H.S.	233	37,413	25	10.2	5.5-14.9	2	0.5	0.0- 1.1	206	89.3	84.6-94.0
H.S. or G.E.D.	622	121,405	88	17.0	12.5-21.5	18	2.5	1.1- 3.9	516	80.5	75.8-85.2
Some Post-H.S.	594	122,144	84	12.5	8.8-16.2	27	3.1	1.7- 4.5	483	84.4	80.5-88.3
College Graduate	768	123,704	79	9.5	7.0-12.0	21	2.8	1.2- 4.4	668	87.8	84.9-90.7
Less than \$15,000	205	30,237	36	16.0	10.1-21.9	5	2.0	0.0- 4.2	164	81.9	75.6-88.2
\$15,000- 24,999	339	55,631	56	17.3	11.4-23.2	10	3.5	0.8- 6.2	273	79.2	72.9-85.5
\$25,000- 34,999	192	31,928	29	15.0	7.9-22.1	8	3.5	0.8- 6.2	155	81.5	74.1-88.9
\$35,000- 49,999	224	44,793	23	9.5	5.0-14.0	8	2.7	0.5- 4.9	193	87.8	82.9-92.7
\$50,000- 74,999	263	49,536	31	12.9	6.6-19.2	8	2.0	0.2- 3.8	224	85.2	78.7-91.7
\$75,000+	530	113,238	52	9.5	6.2-12.8	15	2.5	0.9- 4.1	463	88.0	84.3-91.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	777,908	1178	26.7	24.9-28.5	2832	73.3	71.5-75.1
Male	1785	372,483	454	22.2	19.7-24.7	1331	77.8	75.3-80.3
Female	2225	405,425	724	30.8	28.3-33.3	1501	69.2	66.7-71.7
White/Non-Hisp	2622	488,738	884	29.8	27.6-32.0	1738	70.2	68.0-72.4
Black or Afr. Am./Non-Hisp	531	160,090	153	26.5	21.6-31.4	378	73.5	68.6-78.4
Oth. Race/Non-Hisp.	135	30,212	30	15.2	7.6-22.8	105	84.8	77.2-92.4
MultiRacial/Non-Hisp.	98	16,652	35	26.7	12.8-40.6	63	73.3	59.4-87.2
Hispanic	538	64,679	49	7.9	5.0-10.8	489	92.1	89.2-95.0
18-24	276	86,746	7	1.7	0.3- 3.1	269	98.3	96.9-99.7
25-34	468	125,824	28	7.9	4.0-11.8	440	92.1	88.2-96.0
35-44	549	116,565	73	13.8	9.9-17.7	476	86.2	82.3-90.1
45-54	624	116,472	161	27.7	23.0-32.4	463	72.3	67.6-77.0
55-64	810	136,174	303	35.6	31.3-39.9	507	64.4	60.1-68.7
65+	1283	196,128	606	50.6	46.9-54.3	677	49.4	45.7-53.1
Less Than H.S.	455	82,923	94	25.3	19.0-31.6	361	74.7	68.4-81.0
H.S. or G.E.D.	1153	245,149	376	28.7	25.4-32.0	777	71.3	68.0-74.6
Some Post-H.S.	1011	221,203	333	28.1	24.4-31.8	678	71.9	68.2-75.6
College Graduate	1378	226,902	371	23.4	20.5-26.3	1007	76.6	73.7-79.5
Less than \$15,000	347	51,186	100	29.9	22.6-37.2	247	70.1	62.8-77.4
\$15,000- 24,999	533	90,457	190	33.0	27.7-38.3	343	67.0	61.7-72.3
\$25,000- 34,999	334	65,389	106	27.3	21.0-33.6	228	72.7	66.4-79.0
\$35,000- 49,999	388	74,998	117	24.2	18.9-29.5	271	75.8	70.5-81.1
\$50,000- 74,999	492	98,178	149	29.2	23.5-34.9	343	70.8	65.1-76.5
\$75,000+	1121	245,715	277	22.4	19.3-25.5	844	77.6	74.5-80.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1785	372,483	454	22.2	19.7-24.7	1331	77.8	75.3-80.3
White/Non-Hisp	1193	232,790	359	25.6	22.5-28.7	834	74.4	71.3-77.5
Black or Afr. Am./Non-Hisp	187	73,851	42	22.2	14.4-30.0	145	77.8	70.0-85.6
Oth. Race/Non-Hisp.	65	16,092	9	5.9	0.0-11.8	56	94.1	88.2- 100
Hispanic	250	33,598	17	5.2	2.3- 8.1	233	94.8	91.9-97.7
18-24	144	44,041	2	0.5	0.0- 1.3	142	99.5	98.7- 100
25-34	208	63,671	17	10.3	4.0-16.6	191	89.7	83.4-96.0
35-44	235	57,147	26	12.0	6.7-17.3	209	88.0	82.7-93.3
45-54	274	56,273	60	23.2	16.5-29.9	214	76.8	70.1-83.5
55-64	359	63,552	123	33.5	27.0-40.0	236	66.5	60.0-73.0
65+	565	87,799	226	39.5	33.8-45.2	339	60.5	54.8-66.2
Less Than H.S.	223	45,551	36	20.3	11.9-28.7	187	79.7	71.3-88.1
H.S. or G.E.D.	533	124,047	146	22.3	17.8-26.8	387	77.7	73.2-82.2
Some Post-H.S.	418	99,280	115	23.3	18.0-28.6	303	76.7	71.4-82.0
College Graduate	608	103,120	156	21.7	17.4-26.0	452	78.3	74.0-82.6
Less than \$15,000	143	20,991	28	14.7	7.6-21.8	115	85.3	78.2-92.4
\$15,000- 24,999	195	34,953	62	29.1	20.5-37.7	133	70.9	62.3-79.5
\$25,000- 34,999	143	33,517	33	14.6	8.1-21.1	110	85.4	78.9-91.9
\$35,000- 49,999	164	30,290	45	18.8	12.1-25.5	119	81.2	74.5-87.9
\$50,000- 74,999	229	48,642	63	24.8	17.2-32.4	166	75.2	67.6-82.8
\$75,000+	590	132,566	127	20.4	16.1-24.7	463	79.6	75.3-83.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2225	405,425	724	30.8	28.3-33.3	1501	69.2	66.7-71.7
White/Non-Hisp	1429	255,948	525	33.6	30.5-36.7	904	66.4	63.3-69.5
Black or Afr. Am./Non-Hisp	344	86,239	111	30.1	23.6-36.6	233	69.9	63.4-76.4
Oth. Race/Non-Hisp.	70	14,120	21	25.8	12.1-39.5	49	74.2	60.5-87.9
MultiRacial/Non-Hisp.	55	10,754	18	23.4	4.4-42.4	37	76.6	57.6-95.6
Hispanic	288	31,081	32	10.8	5.7-15.9	256	89.2	84.1-94.3
18-24	132	42,705	5	2.8	0.1- 5.5	127	97.2	94.5-99.9
25-34	260	62,153	11	5.6	1.3- 9.9	249	94.4	90.1-98.7
35-44	314	59,418	47	15.4	9.9-20.9	267	84.6	79.1-90.1
45-54	350	60,199	101	31.9	25.4-38.4	249	68.1	61.6-74.6
55-64	451	72,622	180	37.4	31.7-43.1	271	62.6	56.9-68.3
65+	718	108,329	380	59.5	54.6-64.4	338	40.5	35.6-45.4
Less Than H.S.	232	37,371	58	31.5	22.5-40.5	174	68.5	59.5-77.5
H.S. or G.E.D.	620	121,103	230	35.3	30.2-40.4	390	64.7	59.6-69.8
Some Post-H.S.	593	121,922	218	32.1	27.0-37.2	375	67.9	62.8-73.0
College Graduate	770	123,781	215	24.8	20.9-28.7	555	75.2	71.3-79.1
Less than \$15,000	204	30,195	72	40.4	30.4-50.4	132	59.6	49.6-69.6
\$15,000- 24,999	338	55,505	128	35.4	28.7-42.1	210	64.6	57.9-71.3
\$25,000- 34,999	191	31,872	73	40.7	31.3-50.1	118	59.3	49.9-68.7
\$35,000- 49,999	224	44,709	72	27.8	20.2-35.4	152	72.2	64.6-79.8
\$50,000- 74,999	263	49,536	86	33.5	25.3-41.7	177	66.5	58.3-74.7
\$75,000+	531	113,149	150	24.7	20.2-29.2	381	75.3	70.8-79.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)	
1 MALES AND FEMALES	38
2 MALES ONLY	39
3 FEMALES ONLY	40
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)	
4 MALES AND FEMALES	41
5 MALES ONLY	42
6 FEMALES ONLY	43
ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)	
7 MALES AND FEMALES	44
8 MALES ONLY	45
9 FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3927	763,935	2022	57.8	55.6-60.0	1905	42.2	40.0-44.4
Male	1762	369,131	906	58.1	55.0-61.2	856	41.9	38.8-45.0
Female	2165	394,804	1116	57.6	54.9-60.3	1049	42.4	39.7-45.1
White/Non-Hisp	2553	478,417	1313	57.9	55.4-60.4	1240	42.1	39.6-44.6
Black or Afr. Am./Non-Hisp	524	158,339	264	56.5	50.8-62.2	260	43.5	37.8-49.2
Oth. Race/Non-Hisp.	134	29,684	72	66.6	56.2-77.0	62	33.4	23.0-43.8
MultiRacial/Non-Hisp.	98	16,652	58	64.4	49.5-79.3	40	35.6	20.7-50.5
Hispanic	533	63,942	278	57.6	51.1-64.1	255	42.4	35.9-48.9
18-24	274	86,328	241	94.3	91.9-96.7	33	5.7	3.3- 8.1
25-34	468	125,085	334	72.4	66.9-77.9	134	27.6	22.1-33.1
35-44	549	116,710	340	67.5	62.4-72.6	209	32.5	27.4-37.6
45-54	618	115,624	345	57.4	52.3-62.5	273	42.6	37.5-47.7
55-64	797	132,857	353	47.3	42.8-51.8	444	52.7	48.2-57.2
65+	1221	187,332	409	33.1	29.6-36.6	812	66.9	63.4-70.4
Less Than H.S.	442	80,306	171	39.2	32.1-46.3	271	60.8	53.7-67.9
H.S. or G.E.D.	1116	239,363	509	53.8	49.9-57.7	607	46.2	42.3-50.1
Some Post-H.S.	995	217,310	506	59.1	55.0-63.2	489	40.9	36.8-45.0
College Graduate	1363	225,617	831	67.7	64.4-71.0	532	32.3	29.0-35.6
Less than \$15,000	341	50,590	135	45.1	36.9-53.3	206	54.9	46.7-63.1
\$15,000- 24,999	519	88,907	203	46.8	40.9-52.7	316	53.2	47.3-59.1
\$25,000- 34,999	332	64,604	148	47.0	39.2-54.8	184	53.0	45.2-60.8
\$35,000- 49,999	383	73,834	175	52.2	45.3-59.1	208	47.8	40.9-54.7
\$50,000- 74,999	481	97,607	254	54.9	48.8-61.0	227	45.1	39.0-51.2
\$75,000+	1113	243,854	702	69.5	66.0-73.0	411	30.5	27.0-34.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1762	369,131	906	58.1	55.0-61.2	856	41.9	38.8-45.0
White/Non-Hisp	1176	230,695	602	58.9	55.4-62.4	574	41.1	37.6-44.6
Black or Afr. Am./Non-Hisp	186	73,706	93	55.1	45.7-64.5	93	44.9	35.5-54.3
Oth. Race/Non-Hisp.	64	15,564	33	69.4	54.3-84.5	31	30.6	15.5-45.7
Hispanic	247	33,087	135	56.7	47.5-65.9	112	43.3	34.1-52.5
18-24	142	43,771	126	95.0	92.3-97.7	16	5.0	2.3- 7.7
25-34	208	63,671	153	68.3	59.3-77.3	55	31.7	22.7-40.7
35-44	236	57,387	139	67.8	60.2-75.4	97	32.2	24.6-39.8
45-54	271	55,670	152	59.0	51.6-66.4	119	41.0	33.6-48.4
55-64	355	62,822	153	47.3	40.4-54.2	202	52.7	45.8-59.6
65+	550	85,809	183	32.6	27.1-38.1	367	67.4	61.9-72.9
Less Than H.S.	219	44,733	96	38.9	29.7-48.1	123	61.1	51.9-70.3
H.S. or G.E.D.	520	122,194	252	57.7	52.0-63.4	268	42.3	36.6-48.0
Some Post-H.S.	415	99,075	207	59.2	52.9-65.5	208	40.8	34.5-47.1
College Graduate	605	102,644	349	65.9	61.0-70.8	256	34.1	29.2-39.0
Less than \$15,000	140	20,786	60	53.0	39.5-66.5	80	47.0	33.5-60.5
\$15,000- 24,999	191	34,720	80	51.6	42.0-61.2	111	48.4	38.8-58.0
\$25,000- 34,999	142	33,419	58	45.9	33.6-58.2	84	54.1	41.8-66.4
\$35,000- 49,999	165	30,501	75	50.5	40.1-60.9	90	49.5	39.1-59.9
\$50,000- 74,999	227	48,327	104	46.8	37.8-55.8	123	53.2	44.2-62.2
\$75,000+	587	131,672	359	67.5	62.6-72.4	228	32.5	27.6-37.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2165	394,804	1116	57.6	54.9-60.3	1049	42.4	39.7-45.1
White/Non-Hisp	1377	247,722	711	57.1	53.8-60.4	666	42.9	39.6-46.2
Black or Afr. Am./Non-Hisp	338	84,633	171	57.7	50.8-64.6	167	42.3	35.4-49.2
Oth. Race/Non-Hisp.	70	14,120	39	63.6	49.5-77.7	31	36.4	22.3-50.5
MultiRacial/Non-Hisp.	55	10,754	37	66.2	45.6-86.8	18	33.8	13.2-54.4
Hispanic	286	30,855	143	58.6	49.6-67.6	143	41.4	32.4-50.4
18-24	132	42,557	115	93.5	89.8-97.2	17	6.5	2.8-10.2
25-34	260	61,414	181	76.8	70.5-83.1	79	23.2	16.9-29.5
35-44	313	59,323	201	67.1	60.2-74.0	112	32.9	26.0-39.8
45-54	347	59,953	193	55.9	49.0-62.8	154	44.1	37.2-51.0
55-64	442	70,035	200	47.4	41.5-53.3	242	52.6	46.7-58.5
65+	671	101,523	226	33.5	28.6-38.4	445	66.5	61.6-71.4
Less Than H.S.	223	35,573	75	39.4	28.4-50.4	148	60.6	49.6-71.6
H.S. or G.E.D.	596	117,169	257	49.7	44.2-55.2	339	50.3	44.8-55.8
Some Post-H.S.	580	118,235	299	59.0	53.7-64.3	281	41.0	35.7-46.3
College Graduate	758	122,973	482	69.1	64.8-73.4	276	30.9	26.6-35.2
Less than \$15,000	201	29,804	75	39.5	29.9-49.1	126	60.5	50.9-70.1
\$15,000- 24,999	328	54,188	123	43.7	36.4-51.0	205	56.3	49.0-63.6
\$25,000- 34,999	190	31,185	90	48.2	38.6-57.8	100	51.8	42.2-61.4
\$35,000- 49,999	218	43,333	100	53.3	44.3-62.3	118	46.7	37.7-55.7
\$50,000- 74,999	254	49,280	150	63.0	55.0-71.0	104	37.0	29.0-45.0
\$75,000+	526	112,182	343	71.9	67.0-76.8	183	28.1	23.2-33.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 7: ORAL HEALTH

TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1212	186,204	1080	87.1	84.0-90.2	132	12.9	9.8-16.0
Male	548	85,754	490	87.2	81.9-92.5	58	12.8	7.5-18.1
Female	664	100,450	590	87.1	83.4-90.8	74	12.9	9.2-16.6
White/Non-Hisp	984	142,612	888	89.7	87.0-92.4	96	10.3	7.6-13.0
Black or Afr. Am./Non-Hisp	117	28,650	96	72.4	58.7-86.1	21	27.6	13.9-41.3
65+	1212	186,204	1080	87.1	84.0-90.2	132	12.9	9.8-16.0
Less Than H.S.	80	18,405	52	59.6	43.1-76.1	28	40.4	23.9-56.9
H.S. or G.E.D.	340	54,784	275	80.0	73.3-86.7	65	20.0	13.3-26.7
Some Post-H.S.	328	56,892	304	94.0	90.7-97.3	24	6.0	2.7- 9.3
College Graduate	461	55,662	446	96.2	93.5-98.9	15	3.8	1.1- 6.5
Less than \$15,000	65	10,871	46	73.9	59.2-88.6	19	26.1	11.4-40.8
\$15,000- 24,999	162	22,496	125	81.1	74.0-88.2	37	18.9	11.8-26.0
\$25,000- 34,999	130	21,746	111	77.0	63.5-90.5	19	23.0	9.5-36.5
\$35,000- 49,999	132	19,996	121	89.5	80.3-98.7	11	10.5	1.3-19.7
\$50,000- 74,999	156	22,945	150	95.8	91.9-99.7	6	4.2	0.3- 8.1
\$75,000+	302	46,488	294	95.9	91.8- 100	8	4.1	0.0- 8.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	548	85,754	490	87.2	81.9-92.5	58	12.8	7.5-18.1
White/Non-Hisp	456	65,697	414	91.4	87.9-94.9	42	8.6	5.1-12.1
65+	548	85,754	490	87.2	81.9-92.5	58	12.8	7.5-18.1
H.S. or G.E.D.	126	21,590	104	78.7	65.6-91.8	22	21.3	8.2-34.4
Some Post-H.S.	134	24,653	121	92.8	87.7-97.9	13	7.2	2.1-12.3
College Graduate	253	30,505	242	97.0	95.0-99.0	11	3.0	1.0- 5.0
\$15,000- 24,999	63	9,222	48	83.2	73.2-93.2	15	16.8	6.8-26.8
\$25,000- 34,999	52	9,470	41	68.5	43.8-93.2	11	31.5	6.8-56.2
\$35,000- 49,999	58	7,886	53	93.7	87.4- 100	5	6.3	0.0-12.6
\$50,000- 74,999	77	10,039	73	94.9	88.8- 100	4	5.1	0.0-11.2
\$75,000+	184	28,110	178	93.5	86.6- 100	6	6.5	0.0-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 7: ORAL HEALTH

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	664	100,450	590	87.1	83.4-90.8	74	12.9	9.2-16.6
White/Non-Hisp	528	76,915	474	88.3	84.4-92.2	54	11.7	7.8-15.6
Black or Afr. Am./Non-Hisp	78	16,058	65	79.0	66.3-91.7	13	21.0	8.3-33.7
65+	664	100,450	590	87.1	83.4-90.8	74	12.9	9.2-16.6
H.S. or G.E.D.	214	33,193	171	80.9	74.0-87.8	43	19.1	12.2-26.0
Some Post-H.S.	194	32,239	183	94.9	90.4-99.4	11	5.1	0.6- 9.6
College Graduate	208	25,156	204	95.3	90.0- 100	4	4.7	0.0-10.0
\$15,000- 24,999	99	13,274	77	79.6	69.8-89.4	22	20.4	10.6-30.2
\$25,000- 34,999	78	12,275	70	83.6	71.1-96.1	8	16.4	3.9-28.9
\$35,000- 49,999	74	12,110	68	86.8	72.5- 100	6	13.2	0.0-27.5
\$50,000- 74,999	79	12,906	77	96.6	91.7- 100	2	3.4	0.0- 8.3
\$75,000+	118	18,378	116	99.5	98.9- 100	2	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3984	773,025	2491	64.5	62.3-66.7	1493	35.5	33.3-37.7
Male	1771	368,622	1035	60.2	57.1-63.3	736	39.8	36.7-42.9
Female	2213	404,403	1456	68.4	65.7-71.1	757	31.6	28.9-34.3
White/Non-Hisp	2606	484,910	1791	68.7	66.3-71.1	815	31.3	28.9-33.7
Black or Afr. Am./Non-Hisp	531	160,292	278	55.1	49.4-60.8	253	44.9	39.2-50.6
Oth. Race/Non-Hisp.	132	30,051	76	67.4	56.8-78.0	56	32.6	22.0-43.2
MultiRacial/Non-Hisp.	97	16,620	57	72.2	60.6-83.8	40	27.8	16.2-39.4
Hispanic	531	63,571	235	51.7	45.0-58.4	296	48.3	41.6-55.0
18-24	271	85,465	159	64.4	56.6-72.2	112	35.6	27.8-43.4
25-34	463	124,387	231	56.8	50.7-62.9	232	43.2	37.1-49.3
35-44	550	116,709	312	63.3	58.0-68.6	238	36.7	31.4-42.0
45-54	622	116,584	389	65.9	61.2-70.6	233	34.1	29.4-38.8
55-64	805	135,504	521	66.0	61.7-70.3	284	34.0	29.7-38.3
65+	1273	194,375	879	68.2	64.5-71.9	394	31.8	28.1-35.5
Less Than H.S.	443	80,818	149	37.7	30.6-44.8	294	62.3	55.2-69.4
H.S. or G.E.D.	1143	243,539	602	57.9	54.0-61.8	541	42.1	38.2-46.0
Some Post-H.S.	1011	221,016	648	66.2	62.3-70.1	363	33.8	29.9-37.7
College Graduate	1374	225,958	1082	79.5	76.6-82.4	292	20.5	17.6-23.4
Less than \$15,000	346	51,149	119	40.7	32.5-48.9	227	59.3	51.1-67.5
\$15,000- 24,999	528	89,629	236	47.1	41.4-52.8	292	52.9	47.2-58.6
\$25,000- 34,999	334	64,999	180	50.6	42.8-58.4	154	49.4	41.6-57.2
\$35,000- 49,999	391	75,372	240	60.1	53.4-66.8	151	39.9	33.2-46.6
\$50,000- 74,999	490	97,263	346	70.1	64.6-75.6	144	29.9	24.4-35.4
\$75,000+	1122	246,046	902	80.0	76.7-83.3	220	20.0	16.7-23.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 7: ORAL HEALTH

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1771	368,622	1035	60.2	57.1-63.3	736	39.8	36.7-42.9
White/Non-Hisp	1187	230,213	775	65.2	61.7-68.7	412	34.8	31.3-38.3
Black or Afr. Am./Non-Hisp	186	73,658	77	47.3	37.7-56.9	109	52.7	43.1-62.3
Oth. Race/Non-Hisp.	64	16,049	36	67.3	51.8-82.8	28	32.7	17.2-48.2
Hispanic	247	32,869	102	48.6	39.2-58.0	145	51.4	42.0-60.8
18-24	140	43,025	75	64.2	53.6-74.8	65	35.8	25.2-46.4
25-34	205	62,084	97	51.9	42.3-61.5	108	48.1	38.5-57.7
35-44	235	57,235	115	56.8	48.6-65.0	120	43.2	35.0-51.4
45-54	272	55,886	157	58.5	50.9-66.1	115	41.5	33.9-49.1
55-64	356	63,069	223	64.0	57.5-70.5	133	36.0	29.5-42.5
65+	563	87,323	368	64.6	58.9-70.3	195	35.4	29.7-41.1
Less Than H.S.	215	43,756	68	37.7	27.7-47.7	147	62.3	52.3-72.3
H.S. or G.E.D.	528	123,219	254	54.9	49.0-60.8	274	45.1	39.2-51.0
Some Post-H.S.	419	99,345	259	62.2	55.7-68.7	160	37.8	31.3-44.3
College Graduate	606	101,817	451	74.0	69.1-78.9	155	26.0	21.1-30.9
Less than \$15,000	141	20,911	47	40.8	26.7-54.9	94	59.2	45.1-73.3
\$15,000- 24,999	194	34,921	75	42.9	33.3-52.5	119	57.1	47.5-66.7
\$25,000- 34,999	143	33,517	67	45.1	32.8-57.4	76	54.9	42.6-67.2
\$35,000- 49,999	166	30,521	88	51.7	41.3-62.1	78	48.3	37.9-58.7
\$50,000- 74,999	226	47,149	147	65.7	57.3-74.1	79	34.3	25.9-42.7
\$75,000+	590	132,566	454	75.9	71.0-80.8	136	24.1	19.2-29.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 7: ORAL HEALTH

TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2213	404,403	1456	68.4	65.7-71.1	757	31.6	28.9-34.3
White/Non-Hisp	1419	254,697	1016	71.8	68.7-74.9	403	28.2	25.1-31.3
Black or Afr. Am./Non-Hisp	345	86,634	201	61.8	54.9-68.7	144	38.2	31.3-45.1
Oth. Race/Non-Hisp.	68	14,003	40	67.4	53.5-81.3	28	32.6	18.7-46.5
MultiRacial/Non-Hisp.	55	10,754	40	79.4	65.5-93.3	15	20.6	6.7-34.5
Hispanic	284	30,702	133	55.1	45.1-65.1	151	44.9	34.9-54.9
18-24	131	42,441	84	64.7	53.1-76.3	47	35.3	23.7-46.9
25-34	258	62,302	134	61.7	54.1-69.3	124	38.3	30.7-45.9
35-44	315	59,474	197	69.5	63.0-76.0	118	30.5	24.0-37.0
45-54	350	60,699	232	72.7	67.2-78.2	118	27.3	21.8-32.8
55-64	449	72,435	298	67.7	62.0-73.4	151	32.3	26.6-38.0
65+	710	107,052	511	71.2	66.5-75.9	199	28.8	24.1-33.5
Less Than H.S.	228	37,062	81	37.6	27.8-47.4	147	62.4	52.6-72.2
H.S. or G.E.D.	615	120,320	348	60.9	55.8-66.0	267	39.1	34.0-44.2
Some Post-H.S.	592	121,671	389	69.4	64.5-74.3	203	30.6	25.7-35.5
College Graduate	768	124,141	631	84.0	80.7-87.3	137	16.0	12.7-19.3
Less than \$15,000	205	30,237	72	40.5	30.7-50.3	133	59.5	49.7-69.3
\$15,000- 24,999	334	54,708	161	49.7	42.6-56.8	173	50.3	43.2-57.4
\$25,000- 34,999	191	31,482	113	56.5	46.9-66.1	78	43.5	33.9-53.1
\$35,000- 49,999	225	44,851	152	65.8	57.4-74.2	73	34.2	25.8-42.6
\$50,000- 74,999	264	50,114	199	74.2	67.1-81.3	65	25.8	18.7-32.9
\$75,000+	532	113,481	448	84.8	80.3-89.3	84	15.2	10.7-19.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	50
2 MALES ONLY	51
3 FEMALES ONLY	52
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	53
5 MALES ONLY	54
6 FEMALES ONLY	55
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	56
8 MALES ONLY	57
9 FEMALES ONLY	58
RACE/ETHNICITY CATEGORIES (_RACEPRV).	
10 MALES AND FEMALES	59
11 MALES ONLY	60
12 FEMALES ONLY	61
WHITE/HISPANIC RACE GROUP (_RACEG21).	
13 MALES AND FEMALES	62
14 MALES ONLY	63
15 FEMALES ONLY	64
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
16 MALES AND FEMALES	65
17 MALES ONLY	66
18 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
19 MALES AND FEMALES	68
20 MALES ONLY	69
21 FEMALES ONLY	70
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
22 MALES AND FEMALES	71
23 MALES ONLY	72
24 FEMALES ONLY	73
REPORTED HEIGHT IN INCHES (HTIN4).	
25 MALES AND FEMALES	74
26 MALES ONLY	75
27 FEMALES ONLY	76
REPORTED HEIGHT IN METERS (HTM4).	
28 MALES AND FEMALES	77
29 MALES ONLY	78
30 FEMALES ONLY	79
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
31 MALES AND FEMALES	80
32 MALES ONLY	81
33 FEMALES ONLY	82
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
34 MALES AND FEMALES	83
35 MALES ONLY	84
36 FEMALES ONLY	85
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
37 MALES AND FEMALES	86
38 MALES ONLY	87
39 FEMALES ONLY	88

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
40 MALES AND FEMALES	89
41 MALES ONLY	90
42 FEMALES ONLY	91
RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
43 MALES AND FEMALES	92
44 MALES ONLY	93
45 FEMALES ONLY	94
RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).	
46 MALES AND FEMALES	95
47 MALES ONLY	96
48 FEMALES ONLY	97
RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).	
49 MALES AND FEMALES	98
50 MALES ONLY	99
51 FEMALES ONLY	100

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3833	748,403	2858	69.2	67.0-71.4	608	22.8	20.6-25.0	42	0.6	0.4- 0.8	74	2.7	1.9- 3.5	10	0.2	0.0- 0.4	241	4.4	3.6- 5.2
Male	1699	355,903	1290	68.9	65.4-72.4	228	22.3	19.0-25.6	25	0.6	0.2- 1.0	38	3.3	1.9- 4.7	5	0.2	0.0- 0.4	113	4.7	3.3- 6.1
Female	2134	392,500	1568	69.6	66.9-72.3	380	23.3	20.6-26.0	17	0.5	0.1- 0.9	36	2.2	1.2- 3.2	5	0.2	0.0- 0.4	128	4.2	3.2- 5.2
18-24	253	81,550	153	56.5	47.9-65.1	62	34.3	25.7-42.9	5	0.6	0.0- 1.2	11	5.1	0.6- 9.6	1	0.1	0.0- 0.3	21	3.4	1.6- 5.2
25-34	426	116,707	268	67.4	61.3-73.5	82	20.7	15.2-26.2	2	0.3	0.0- 0.9	12	2.2	0.8- 3.6	3	0.6	0.0- 1.4	59	8.8	5.3-12.3
35-44	515	114,044	340	62.1	56.2-68.0	75	22.5	16.8-28.2	4	0.4	0.0- 0.8	26	7.2	3.9-10.5	2	0.3	0.0- 0.9	68	7.4	5.0- 9.8
45-54	591	112,125	419	64.7	59.4-70.0	119	28.7	23.4-34.0	4	0.7	0.0- 1.5	8	1.9	0.1- 3.7	2	0.1	0.0- 0.3	39	4.0	2.2- 5.8
55-64	792	132,637	601	72.7	68.4-77.0	143	23.3	19.0-27.6	9	0.5	0.1- 0.9	10	1.3	0.3- 2.3	2	0.3	0.0- 0.9	27	2.1	1.1- 3.1
65+	1256	191,340	1077	80.4	76.9-83.9	127	15.6	12.1-19.1	18	0.8	0.2- 1.4	7	1.0	0.0- 2.0				27	2.3	1.1- 3.5
Less Than H.S.	361	67,430	185	55.2	47.8-62.6	58	24.2	16.8-31.6	6	0.9	0.1- 1.7	3	0.8	0.0- 1.8				109	18.9	14.2-23.6
H.S. or G.E.D.	1125	240,776	824	67.9	63.8-72.0	227	26.9	23.0-30.8	12	0.6	0.2- 1.0	8	1.4	0.0- 3.0	4	0.4	0.0- 0.8	50	2.8	1.8- 3.8
Some Post-H.S.	985	215,713	760	72.5	68.4-76.6	152	21.4	17.5-25.3	14	0.6	0.2- 1.0	11	1.3	0.3- 2.3	2	0.1	0.0- 0.3	46	4.1	2.3- 5.9
College Graduate	1353	223,167	1081	71.7	68.0-75.4	171	19.5	16.0-23.0	10	0.4	0.0- 0.8	52	6.3	4.3- 8.3	4	0.2	0.0- 0.4	35	2.0	1.0- 3.0
Less than \$15,000	304	47,460	167	49.2	40.8-57.6	70	34.4	25.4-43.4	8	1.5	0.1- 2.9	3	1.5	0.0- 4.0				56	13.4	8.5-18.3
\$15,000- 24,999	504	87,906	347	66.1	60.4-71.8	97	24.9	19.4-30.4	7	0.7	0.1- 1.3	6	2.2	0.2- 4.2	1	0.3	0.0- 0.9	46	5.7	3.5- 7.9
\$25,000- 34,999	319	61,341	221	62.6	54.4-70.8	66	29.3	21.1-37.5	5	0.5	0.0- 1.1	6	1.4	0.0- 3.0				21	6.1	2.6- 9.6
\$35,000- 49,999	380	73,360	289	74.2	67.7-80.7	64	20.8	14.3-27.3	8	1.7	0.0- 3.5	3	0.7	0.0- 1.5				16	2.6	1.2- 4.0
\$50,000- 74,999	481	96,504	371	69.3	63.2-75.4	83	26.5	20.4-32.6	5	0.8	0.0- 1.6	5	0.8	0.0- 1.6	3	0.6	0.0- 1.4	19	2.8	1.0- 4.6
\$75,000+	1106	241,558	929	77.1	73.2-81.0	105	14.7	11.4-18.0	3	0.1	0.0- 0.3	35	4.9	2.7- 7.1	4	0.2	0.0- 0.6	30	2.9	1.3- 4.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1699	355,903	1290	68.9	65.4-72.4	228	22.3	19.0-25.6	25	0.6	0.2- 1.0	38	3.3	1.9- 4.7	5	0.2	0.0- 0.4	113	4.7	3.3- 6.1
18-24	128	41,549	81	58.0	45.3-70.7	27	31.4	18.7-44.1	3	0.6	0.0- 1.4	8	7.4	0.0-15.4				9	2.5	0.3- 4.7
25-34	188	57,197	117	67.1	57.7-76.5	33	19.8	11.4-28.2				4	1.6	0.0- 3.2	2	0.8	0.0- 2.0	32	10.8	4.7-16.9
35-44	225	56,269	150	62.8	54.0-71.6	28	20.6	12.2-29.0	2	0.3	0.0- 0.7	12	8.0	2.9-13.1	2	0.7	0.0- 1.7	31	7.7	4.0-11.4
45-54	256	53,284	189	65.9	57.9-73.9	46	27.8	20.0-35.6	3	1.1	0.0- 2.9	3	2.6	0.0- 5.9	1	0.1	0.0- 0.3	14	2.5	0.9- 4.1
55-64	354	62,635	274	70.5	63.4-77.6	52	24.6	17.5-31.7	6	0.5	0.0- 1.1	7	1.6	0.2- 3.0				15	2.8	1.0- 4.6
65+	548	84,969	479	80.1	74.0-86.2	42	15.4	9.5-21.3	11	1.1	0.1- 2.1	4	1.2	0.0- 2.4				12	2.3	0.5- 4.1
Less Than H.S.	184	37,884	88	49.9	39.3-60.5	30	27.9	16.5-39.3	5	1.5	0.0- 3.1	3	1.4	0.0- 3.0				58	19.4	12.7-26.1
H.S. or G.E.D.	518	121,382	389	68.4	62.3-74.5	95	26.9	21.0-32.8	6	0.7	0.0- 1.5	4	1.5	0.0- 4.0	2	0.4	0.0- 1.0	22	2.1	0.9- 3.3
Some Post-H.S.	403	96,011	310	69.1	62.2-76.0	54	21.5	15.0-28.0	6	0.3	0.1- 0.5	7	2.5	0.1- 4.9	1	0.0	0.0- 0.0	25	6.6	2.9-10.3
College Graduate	592	100,232	501	76.3	70.6-82.0	49	15.3	10.0-20.6	8	0.6	0.0- 1.2	24	7.0	3.7-10.3	2	0.3	0.0- 0.9	8	0.4	0.0- 0.8
Less than \$15,000	127	18,990	69	42.9	29.4-56.4	18	33.4	16.3-50.5	6	2.7	0.0- 5.6	1	0.4	0.0- 1.2				33	20.5	10.5-30.5
\$15,000- 24,999	179	33,493	123	66.7	57.3-76.1	30	24.5	15.3-33.7	3	0.7	0.0- 1.5	3	2.5	0.0- 5.4				20	5.6	2.3- 8.9
\$25,000- 34,999	132	29,757	87	58.8	45.5-72.1	27	33.4	19.7-47.1	5	1.1	0.0- 2.3	2	0.4	0.0- 1.0				11	6.2	1.5-10.9
\$35,000- 49,999	159	29,130	131	78.2	67.8-88.6	16	16.2	6.0-26.4	3	2.0	0.0- 5.1	1	0.7	0.0- 2.1				8	2.9	0.5- 5.3
\$50,000- 74,999	222	47,322	178	68.7	59.3-78.1	32	26.4	17.0-35.8				1	0.7	0.0- 2.1	3	1.2	0.0- 2.8	8	2.9	0.0- 5.8
\$75,000+	581	130,448	493	76.8	71.1-82.5	48	13.3	8.8-17.8	2	0.0	0.0- 0.0	23	6.6	3.1-10.1	1	0.1	0.0- 0.3	14	3.2	0.7- 5.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2134	392,500	1568	69.6	66.9-72.3	380	23.3	20.6-26.0	17	0.5	0.1- 0.9	36	2.2	1.2- 3.2	5	0.2	0.0- 0.4	128	4.2	3.2- 5.2
18-24	125	40,001	72	54.8	43.0-66.6	35	37.4	25.4-49.4	2	0.6	0.0- 1.4	3	2.6	0.0- 6.1	1	0.2	0.0- 0.6	12	4.4	1.5- 7.3
25-34	238	59,510	151	67.8	60.2-75.4	49	21.5	14.6-28.4	2	0.7	0.0- 1.9	8	2.7	0.3- 5.1	1	0.5	0.0- 1.5	27	6.8	3.1-10.5
35-44	290	57,775	190	61.4	53.8-69.0	47	24.4	17.0-31.8	2	0.5	0.0- 1.3	14	6.5	2.4-10.6				37	7.1	4.2-10.0
45-54	335	58,840	230	63.5	56.4-70.6	73	29.5	22.4-36.6	1	0.3	0.0- 0.9	5	1.3	0.0- 2.7	1	0.2	0.0- 0.6	25	5.3	2.4- 8.2
55-64	438	70,003	327	74.6	69.1-80.1	91	22.1	16.8-27.4	3	0.4	0.0- 1.0	3	1.0	0.0- 2.2	2	0.5	0.0- 1.5	12	1.4	0.4- 2.4
65+	708	106,371	598	80.6	76.3-84.9	85	15.7	11.6-19.8	7	0.6	0.2- 1.0	3	0.8	0.0- 2.2				15	2.3	0.7- 3.9
Less Than H.S.	177	29,545	97	62.1	52.3-71.9	28	19.4	11.2-27.6	1	0.2	0.0- 0.6							51	18.4	11.7-25.1
H.S. or G.E.D.	607	119,394	435	67.4	62.1-72.7	132	26.9	21.6-32.2	6	0.5	0.0- 1.1	4	1.2	0.0- 2.8	2	0.4	0.0- 1.0	28	3.6	1.8- 5.4
Some Post-H.S.	582	119,702	450	75.2	70.3-80.1	98	21.3	16.4-26.2	8	0.9	0.1- 1.7	4	0.3	0.1- 0.5	1	0.2	0.0- 0.6	21	2.1	0.9- 3.3
College Graduate	761	122,936	580	67.9	63.0-72.8	122	22.9	18.2-27.6	2	0.2	0.0- 0.6	28	5.6	3.1- 8.1	2	0.1	0.0- 0.3	27	3.3	1.5- 5.1
Less than \$15,000	177	28,470	98	53.4	43.2-63.6	52	35.1	25.3-44.9	2	0.8	0.0- 2.2	2	2.2	0.0- 6.3				23	8.6	3.9-13.3
\$15,000- 24,999	325	54,413	224	65.7	58.6-72.8	67	25.2	18.5-31.9	4	0.7	0.0- 1.5	3	2.0	0.0- 4.7	1	0.5	0.0- 1.5	26	5.8	2.9- 8.7
\$25,000- 34,999	187	31,584	134	66.2	57.0-75.4	39	25.4	16.8-34.0				4	2.4	0.0- 5.1				10	6.0	0.9-11.1
\$35,000- 49,999	221	44,230	158	71.6	63.2-80.0	48	23.9	15.7-32.1	5	1.6	0.0- 3.6	2	0.6	0.0- 1.6				8	2.3	0.5- 4.1
\$50,000- 74,999	259	49,182	193	69.8	61.8-77.8	51	26.6	18.8-34.4				4	0.9	0.0- 1.9				11	2.7	0.9- 4.5
\$75,000+	525	111,110	436	77.5	72.2-82.8	57	16.4	11.5-21.3	1	0.2	0.0- 0.6	12	2.9	0.9- 4.9	3	0.4	0.0- 1.0	16	2.6	1.0- 4.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3833	748,403	2820	68.3	66.1-70.5	580	22.2	20.0-24.4	33	0.5	0.3- 0.7	69	2.7	1.9- 3.5	9	0.2	0.0- 0.4	322	6.2	5.2- 7.2
Male	1699	355,903	1273	68.4	64.9-71.9	216	21.7	18.4-25.0	19	0.5	0.1- 0.9	35	3.3	1.9- 4.7	4	0.2	0.0- 0.4	152	5.9	4.5- 7.3
Female	2134	392,500	1547	68.3	65.4-71.2	364	22.6	19.9-25.3	14	0.4	0.2- 0.6	34	2.2	1.2- 3.2	5	0.2	0.0- 0.4	170	6.4	5.0- 7.8
18-24	253	81,550	150	54.9	46.3-63.5	54	32.4	23.6-41.2	3	0.3	0.0- 0.7	11	5.1	0.6- 9.6	1	0.1	0.0- 0.3	34	7.2	3.7-10.7
25-34	426	116,707	262	66.7	60.6-72.8	73	19.5	14.0-25.0	2	0.3	0.0- 0.9	12	2.2	0.8- 3.6	3	0.6	0.0- 1.4	74	10.6	6.9-14.3
35-44	515	114,044	331	59.7	53.8-65.6	73	21.9	16.4-27.4	3	0.2	0.0- 0.4	24	7.1	3.8-10.4	1	0.1	0.0- 0.3	83	11.1	7.6-14.6
45-54	591	112,125	415	64.4	59.1-69.7	114	28.0	22.7-33.3	3	0.6	0.0- 1.4	7	1.8	0.0- 3.6	2	0.1	0.0- 0.3	50	5.1	3.1- 7.1
55-64	792	132,637	596	72.5	68.2-76.8	140	23.0	18.7-27.3	7	0.3	0.0- 0.7	8	1.2	0.2- 2.2	2	0.3	0.0- 0.9	39	2.7	1.5- 3.9
65+	1256	191,340	1066	79.7	76.0-83.4	126	15.5	12.0-19.0	15	0.7	0.1- 1.3	7	1.0	0.0- 2.0				42	3.1	1.7- 4.5
Less Than H.S.	361	67,430	180	52.8	45.4-60.2	56	23.3	15.9-30.7	6	0.9	0.1- 1.7	3	0.8	0.0- 1.8				116	22.2	16.7-27.7
H.S. or G.E.D.	1125	240,776	811	67.1	63.0-71.2	219	26.0	22.1-29.9	10	0.5	0.1- 0.9	8	1.4	0.0- 3.0	3	0.3	0.0- 0.7	74	4.8	3.2- 6.4
Some Post-H.S.	985	215,713	748	71.4	67.3-75.5	142	20.8	16.9-24.7	10	0.5	0.1- 0.9	11	1.3	0.3- 2.3	2	0.1	0.0- 0.3	72	5.9	3.7- 8.1
College Graduate	1353	223,167	1073	71.3	67.6-75.0	163	19.1	15.6-22.6	7	0.3	0.0- 0.7	47	6.1	4.1- 8.1	4	0.2	0.0- 0.4	59	2.9	1.9- 3.9
Less than \$15,000	304	47,460	165	49.0	40.6-57.4	66	33.0	24.0-42.0	6	1.4	0.0- 2.8	3	1.5	0.0- 4.0				64	15.2	10.1-20.3
\$15,000- 24,999	504	87,906	339	64.8	59.1-70.5	88	22.8	17.5-28.1	6	0.7	0.1- 1.3	6	2.2	0.2- 4.2	1	0.3	0.0- 0.9	64	9.1	6.2-12.0
\$25,000- 34,999	319	61,341	219	62.4	54.2-70.6	64	29.0	20.8-37.2	3	0.3	0.0- 0.7	6	1.4	0.0- 3.0				27	6.9	3.4-10.4
\$35,000- 49,999	380	73,360	287	72.7	66.0-79.4	61	20.0	13.7-26.3	6	1.6	0.0- 3.2	3	0.7	0.0- 1.5				23	5.0	1.9- 8.1
\$50,000- 74,999	481	96,504	362	67.2	60.9-73.5	80	26.2	20.1-32.3				4	0.7	0.0- 1.5	2	0.3	0.0- 0.9	33	5.6	2.5- 8.7
\$75,000+	1106	241,558	921	76.8	72.9-80.7	102	14.3	11.0-17.6	2	0.0	0.0- 0.0	31	4.8	2.6- 7.0	4	0.2	0.0- 0.6	46	3.8	2.0- 5.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1699	355,903	1273	68.4	64.9-71.9	216	21.7	18.4-25.0	19	0.5	0.1- 0.9	35	3.3	1.9- 4.7	4	0.2	0.0- 0.4	152	5.9	4.5- 7.3
18-24	128	41,549	81	58.0	45.3-70.7	25	31.2	18.5-43.9	3	0.6	0.0- 1.4	8	7.4	0.0-15.4				11	2.7	0.5- 4.9
25-34	188	57,197	112	65.9	56.5-75.3	28	18.7	10.3-27.1				4	1.6	0.0-3.2	2	0.8	0.0- 2.0	42	13.1	6.8-19.4
35-44	225	56,269	145	61.3	52.5-70.1	26	19.2	10.8-27.6	2	0.3	0.0- 0.7	11	7.8	2.7-12.9	1	0.2	0.0- 0.6	40	11.2	6.7-15.7
45-54	256	53,284	189	65.9	57.9-73.9	43	27.0	19.2-34.8	2	1.0	0.0- 2.8	3	2.6	0.0- 5.9	1	0.1	0.0- 0.3	18	3.5	1.5- 5.5
55-64	354	62,635	270	70.2	63.1-77.3	52	24.6	17.5-31.7	4	0.3	0.0- 0.7	5	1.4	0.0- 2.8				23	3.5	1.5- 5.5
65+	548	84,969	476	79.9	73.8-86.0	42	15.4	9.5-21.3	8	1.0	0.0- 2.0	4	1.2	0.0- 2.4				18	2.6	0.8- 4.4
Less Than H.S.	184	37,884	87	49.7	39.1-60.3	28	26.4	15.0-37.8	5	1.5	0.0- 3.1	3	1.4	0.0- 3.0				61	21.1	14.2-28.0
H.S. or G.E.D.	518	121,382	383	67.9	61.8-74.0	92	26.2	20.3-32.1	5	0.6	0.0- 1.4	4	1.5	0.0- 4.0	1	0.2	0.0- 0.6	33	3.6	1.8- 5.4
Some Post-H.S.	403	96,011	305	68.5	61.6-75.4	51	21.2	14.7-27.7	4	0.2	0.0- 0.4	7	2.5	0.1- 4.9	1	0.0	0.0- 0.0	35	7.5	3.6-11.4
College Graduate	592	100,232	496	75.8	70.1-81.5	45	15.1	9.8-20.4	5	0.5	0.0- 1.1	21	6.8	3.5-10.1	2	0.3	0.0- 0.9	23	1.5	0.7- 2.3
Less than \$15,000	127	18,990	67	42.4	28.9-55.9	16	31.4	14.2-48.6	4	2.3	0.0- 5.0	1	0.4	0.0- 1.2				39	23.5	12.9-34.1
\$15,000- 24,999	179	33,493	121	66.6	57.2-76.0	27	23.5	14.3-32.7	2	0.6	0.0- 1.4	3	2.5	0.0- 5.4				26	6.8	3.3-10.3
\$25,000- 34,999	132	29,757	87	58.8	45.5-72.1	26	33.2	19.5-46.9	3	0.6	0.0- 1.2	2	0.4	0.0- 1.0				14	6.9	2.0-11.8
\$35,000- 49,999	159	29,130	131	78.2	67.8-88.6	16	16.2	6.0-26.4	2	1.8	0.0- 4.9	1	0.7	0.0- 2.1				9	3.1	0.7- 5.5
\$50,000- 74,999	222	47,322	174	67.5	58.1-76.9	29	25.7	16.3-35.1				1	0.7	0.0- 2.1	2	0.6	0.0- 1.6	16	5.5	2.0- 9.0
\$75,000+	581	130,448	488	76.3	70.6-82.0	47	12.7	8.2-17.2	2	0.0	0.0- 0.0	20	6.5	3.0-10.0	1	0.1	0.0- 0.3	23	4.3	1.6- 7.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2134	392,500	1547	68.3	65.4-71.2	364	22.6	19.9-25.3	14	0.4	0.2- 0.6	34	2.2	1.2- 3.2	5	0.2	0.0- 0.4	170	6.4	5.0- 7.8
18-24	125	40,001	69	51.7	39.9-63.5	29	33.6	21.6-45.6				3	2.6	0.0- 6.1	1	0.2	0.0- 0.6	23	11.9	5.2-18.6
25-34	238	59,510	150	67.5	59.9-75.1	45	20.3	13.4-27.2	2	0.7	0.0- 1.9	8	2.7	0.3- 5.1	1	0.5	0.0- 1.5	32	8.3	4.4-12.2
35-44	290	57,775	186	58.1	50.3-65.9	47	24.4	17.0-31.8	1	0.1	0.0- 0.3	13	6.4	2.3-10.5				43	10.9	5.8-16.0
45-54	335	58,840	226	62.9	55.8-70.0	71	28.9	21.8-36.0	1	0.3	0.0- 0.9	4	1.1	0.0- 2.5	1	0.2	0.0- 0.6	32	6.5	3.4- 9.6
55-64	438	70,003	326	74.5	69.0-80.0	88	21.7	16.4-27.0	3	0.4	0.0- 1.0	3	1.0	0.0- 2.2	2	0.5	0.0- 1.5	16	1.9	0.7- 3.1
65+	708	106,371	590	79.5	75.0-84.0	84	15.7	11.6-19.8	7	0.6	0.2- 1.0	3	0.8	0.0- 2.2				24	3.5	1.5- 5.5
Less Than H.S.	177	29,545	93	56.8	46.4-67.2	28	19.4	11.2-27.6	1	0.2	0.0- 0.6							55	23.6	14.8-32.4
H.S. or G.E.D.	607	119,394	428	66.2	60.9-71.5	127	25.8	20.7-30.9	5	0.3	0.0- 0.7	4	1.2	0.0- 2.8	2	0.4	0.0- 1.0	41	6.1	3.6- 8.6
Some Post-H.S.	582	119,702	443	73.7	68.6-78.8	91	20.4	15.5-25.3	6	0.7	0.0- 1.5	4	0.3	0.1- 0.5	1	0.2	0.0- 0.6	37	4.6	2.2- 7.0
College Graduate	761	122,936	577	67.7	62.8-72.6	118	22.4	17.7-27.1	2	0.2	0.0- 0.6	26	5.5	3.0- 8.0	2	0.1	0.0- 0.3	36	4.1	2.3- 5.9
Less than \$15,000	177	28,470	98	53.4	43.2-63.6	50	34.0	24.2-43.8	2	0.8	0.0- 2.2	2	2.2	0.0- 6.3				25	9.6	4.7-14.5
\$15,000- 24,999	325	54,413	218	63.7	56.6-70.8	61	22.4	15.9-28.9	4	0.7	0.0- 1.5	3	2.0	0.0- 4.7	1	0.5	0.0- 1.5	38	10.5	6.2-14.8
\$25,000- 34,999	187	31,584	132	65.7	56.5-74.9	38	25.1	16.5-33.7				4	2.4	0.0- 5.1				13	6.8	1.5-12.1
\$35,000- 49,999	221	44,230	156	69.1	60.3-77.9	45	22.6	14.4-30.8	4	1.4	0.0- 3.2	2	0.6	0.0- 1.6				14	6.3	1.4-11.2
\$50,000- 74,999	259	49,182	188	66.8	58.4-75.2	51	26.6	18.8-34.4				3	0.8	0.0- 1.8				17	5.8	0.9-10.7
\$75,000+	525	111,110	433	77.3	72.0-82.6	55	16.2	11.3-21.1				11	2.8	0.8- 4.8	3	0.4	0.0- 1.0	23	3.3	1.7- 4.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3936	762,646	2627	64.2	62.0-66.4	535	21.1	18.9-23.3	33	0.6	0.4- 0.8	65	2.5	1.7- 3.3	135	3.1	2.3- 3.9	541	8.5	7.3- 9.7
Male	1742	362,818	1195	64.2	60.9-67.5	188	20.4	17.1-23.7	16	0.5	0.1- 0.9	33	2.9	1.5- 4.3	59	2.6	1.6- 3.6	251	9.3	7.5-11.1
Female	2194	399,827	1432	64.2	61.3-67.1	347	21.8	19.1-24.5	17	0.6	0.2- 1.0	32	2.1	1.1- 3.1	76	3.6	2.4- 4.8	290	7.8	6.4- 9.2
18-24	273	85,662	120	47.3	39.1-55.5	47	29.8	21.4-38.2	1	0.1	0.0- 0.3	9	4.7	0.4- 9.0	14	4.0	1.1- 6.9	82	14.1	9.0-19.2
25-34	462	124,357	208	57.3	51.0-63.6	64	17.6	12.5-22.7	4	0.9	0.0- 1.9	12	2.0	0.6- 3.4	23	4.2	1.7- 6.7	151	17.9	13.6-22.2
35-44	545	115,384	282	53.8	48.1-59.5	61	20.7	15.2-26.2	1	0.1	0.0- 0.3	22	6.1	3.2- 9.0	25	5.3	2.4- 8.2	154	14.1	11.0-17.2
45-54	606	113,198	386	61.6	56.3-66.9	106	27.1	22.0-32.2	4	0.7	0.0- 1.5	7	1.8	0.0- 3.6	20	2.5	1.1- 3.9	83	6.3	4.5- 8.1
55-64	797	132,916	581	71.2	66.9-75.5	135	22.5	18.2-26.8	9	0.6	0.0- 1.2	8	1.2	0.2- 2.2	23	1.3	0.5- 2.1	41	3.2	2.0- 4.4
65+	1253	191,129	1050	79.3	75.6-83.0	122	15.3	11.8-18.8	14	0.7	0.1- 1.3	7	1.0	0.0- 2.0	30	2.3	1.1- 3.5	30	1.5	0.9- 2.1
Less Than H.S.	450	81,655	102	32.7	26.0-39.4	43	17.5	11.0-24.0	3	0.5	0.0- 1.1	2	0.5	0.0- 1.3	14	4.0	1.1- 6.9	286	44.8	37.9-51.7
H.S. or G.E.D.	1134	240,327	764	64.6	60.5-68.7	201	25.1	21.2-29.0	10	0.6	0.0- 1.2	8	1.4	0.0- 3.0	32	2.4	1.2- 3.6	119	5.9	4.3- 7.5
Some Post-H.S.	990	216,711	716	69.5	65.2-73.8	139	20.6	16.7-24.5	10	0.6	0.2- 1.0	10	1.2	0.2- 2.2	44	4.2	2.2- 6.2	71	3.9	2.3- 5.5
College Graduate	1352	222,545	1038	70.1	66.4-73.8	152	18.8	15.3-22.3	10	0.5	0.1- 0.9	45	5.6	3.6- 7.6	44	2.4	1.4- 3.4	63	2.5	1.7- 3.3
Less than \$15,000	345	50,694	116	37.3	29.7-44.9	57	29.9	21.3-38.5	5	1.1	0.0- 2.5	2	1.2	0.0- 3.6	9	1.6	0.2- 3.0	156	28.8	22.5-35.1
\$15,000- 24,999	524	89,282	298	57.8	52.1-63.5	85	22.3	17.0-27.6	5	0.8	0.0- 1.6	6	2.2	0.2- 4.2	27	4.8	2.4- 7.2	103	12.1	9.2-15.0
\$25,000- 34,999	330	64,478	197	55.9	47.9-63.9	57	26.3	18.3-34.3	3	0.3	0.0- 0.7	6	1.4	0.0- 2.8	9	2.3	0.3- 4.3	58	13.9	8.4-19.4
\$35,000- 49,999	383	73,969	276	69.4	62.5-76.3	57	19.2	12.9-25.5	5	1.5	0.0- 3.1	3	0.6	0.0- 1.4	12	3.4	0.5- 6.3	30	5.9	3.2- 8.6
\$50,000- 74,999	481	96,603	350	65.9	59.6-72.2	74	25.4	19.3-31.5	1	0.3	0.0- 0.9	4	0.7	0.0- 1.5	25	4.6	1.7- 7.5	27	3.2	1.6- 4.8
\$75,000+	1105	242,067	902	75.7	71.8-79.6	97	14.0	10.7-17.3	5	0.2	0.0- 0.6	30	4.4	2.4- 6.4	30	2.5	1.1- 3.9	41	3.2	1.4- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1742	362,818	1195	64.2	60.9-67.5	188	20.4	17.1-23.7	16	0.5	0.1- 0.9	33	2.9	1.5- 4.3	59	2.6	1.6- 3.6	251	9.3	7.5-11.1
18-24	140	42,915	66	51.2	39.2-63.2	18	28.2	15.7-40.7	1	0.2	0.0- 0.6	7	7.0	0.0-14.8				48	13.4	8.5-18.3
25-34	202	62,036	96	56.2	46.6-65.8	22	16.1	8.3-23.9	2	0.7	0.0- 1.7	4	1.4	0.0- 2.8	14	5.9	1.4-10.4	64	19.6	12.5-26.7
35-44	233	56,201	120	55.4	46.8-64.0	19	17.7	9.3-26.1				10	6.3	2.0-10.6	13	4.8	1.7- 7.9	71	15.8	10.9-20.7
45-54	264	54,154	177	63.1	55.3-70.9	40	26.3	18.7-33.9	2	1.0	0.0- 2.8	3	2.5	0.0- 5.8	6	1.1	0.1- 2.1	36	6.1	3.4- 8.8
55-64	355	62,463	264	69.4	62.5-76.3	49	23.8	16.9-30.7	4	0.3	0.0- 0.7	5	1.4	0.0- 2.8	12	1.0	0.2- 1.8	21	4.1	1.9- 6.3
65+	548	85,050	472	79.5	73.4-85.6	40	15.1	9.2-21.0	7	0.9	0.0- 1.9	4	1.2	0.0- 2.4	14	2.0	0.2- 3.8	11	1.3	0.5- 2.1
Less Than H.S.	218	44,525	52	31.7	22.7-40.7	17	19.7	9.5-29.9	2	0.7	0.0- 1.9	2	1.0	0.0- 2.4	6	2.0	0.2- 3.8	139	44.8	35.4-54.2
H.S. or G.E.D.	523	121,364	365	65.4	59.3-71.5	81	25.0	19.1-30.9	5	0.7	0.0- 1.5	4	1.5	0.0- 4.0	16	2.1	0.5- 3.7	52	5.2	3.2- 7.2
Some Post-H.S.	405	96,762	292	66.5	59.6-73.4	49	20.9	14.4-27.4	3	0.1	0.0- 0.3	7	2.5	0.1- 4.9	18	4.7	1.6- 7.8	36	5.4	2.5- 8.3
College Graduate	593	99,683	484	75.1	69.4-80.8	41	14.8	9.5-20.1	6	0.7	0.0- 1.5	20	6.0	3.1- 8.9	19	1.3	0.5- 2.1	23	2.1	0.9- 3.3
Less than \$15,000	142	20,721	45	30.0	19.0-41.0	14	28.1	11.6-44.6	3	1.8	0.0- 4.3				3	0.6	0.0- 1.4	77	39.5	27.2-51.8
\$15,000- 24,999	192	34,435	108	59.6	50.2-69.0	25	22.5	13.7-31.3				3	2.4	0.0- 5.1	11	2.7	0.7- 4.7	45	12.8	8.1-17.5
\$25,000- 34,999	139	32,606	80	50.2	37.7-62.7	20	27.8	14.5-41.1	3	0.5	0.0- 1.1	2	0.4	0.0- 1.0	5	3.4	0.0- 6.9	29	17.8	8.6-27.0
\$35,000- 49,999	161	29,423	126	72.9	62.1-83.7	13	14.5	4.3-24.7	1	1.6	0.0- 4.7	1	0.7	0.0- 2.1	2	1.0	0.0- 2.6	18	9.4	3.9-14.9
\$50,000- 74,999	222	47,421	166	65.7	56.3-75.1	26	24.7	15.3-34.1	1	0.5	0.0- 1.5	1	0.7	0.0- 2.1	14	5.1	1.6- 8.6	14	3.3	1.1- 5.5
\$75,000+	580	129,591	478	76.1	70.4-81.8	44	12.7	8.2-17.2	2	0.0	0.0- 0.0	19	5.9	2.4- 9.4	15	2.7	0.3- 5.1	22	2.6	0.8- 4.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2194	399,827	1432	64.2	61.3-67.1	347	21.8	19.1-24.5	17	0.6	0.2- 1.0	32	2.1	1.1- 3.1	76	3.6	2.4- 4.8	290	7.8	6.4- 9.2
18-24	133	42,747	54	43.4	32.0-54.8	29	31.4	19.8-43.0				2	2.3	0.0- 5.4	14	8.0	2.1-13.9	34	14.8	6.0-23.6
25-34	260	62,321	112	58.5	50.7-66.3	42	19.0	12.3-25.7	2	1.1	0.0- 2.7	8	2.6	0.4- 4.8	9	2.6	0.6- 4.6	87	16.3	11.2-21.4
35-44	312	59,183	162	52.3	44.9-59.7	42	23.5	16.2-30.8	1	0.1	0.0- 0.3	12	5.9	2.0- 9.8	12	5.7	1.0-10.4	83	12.6	8.9-16.3
45-54	342	59,044	209	60.2	53.1-67.3	66	27.8	20.7-34.9	2	0.4	0.0- 1.0	4	1.1	0.0- 2.5	14	3.8	1.3- 6.3	47	6.6	4.2- 9.0
55-64	442	70,453	317	72.7	67.2-78.2	86	21.3	16.0-26.6	5	0.9	0.0- 2.1	3	1.0	0.0- 2.2	11	1.6	0.4- 2.8	20	2.5	1.1- 3.9
65+	705	106,079	578	79.1	74.6-83.6	82	15.5	11.4-19.6	7	0.6	0.2- 1.0	3	0.8	0.0- 2.2	16	2.4	0.6- 4.2	19	1.6	0.6- 2.6
Less Than H.S.	232	37,130	50	33.8	24.0-43.6	26	14.9	8.2-21.6	1	0.1	0.0- 0.3				8	6.4	0.3-12.5	147	44.8	34.8-54.8
H.S. or G.E.D.	611	118,963	399	63.7	58.4-69.0	120	25.2	20.1-30.3	5	0.6	0.0- 1.2	4	1.2	0.0- 2.8	16	2.7	0.9- 4.5	67	6.6	4.2- 9.0
Some Post-H.S.	585	119,950	424	72.0	66.9-77.1	90	20.4	15.5-25.3	7	0.9	0.1- 1.7	3	0.2	0.0- 0.4	26	3.8	1.4- 6.2	35	2.7	1.5- 3.9
College Graduate	759	122,861	554	66.1	61.2-71.0	111	22.1	17.4-26.8	4	0.3	0.0- 0.7	25	5.3	2.8- 7.8	25	3.3	1.5- 5.1	40	2.8	1.6- 4.0
Less than \$15,000	203	29,973	71	42.4	32.6-52.2	43	31.2	21.8-40.6	2	0.7	0.0- 2.1	2	2.1	0.0- 6.0	6	2.2	0.0- 4.4	79	21.4	14.9-27.9
\$15,000- 24,999	332	54,847	190	56.7	49.6-63.8	60	22.2	15.7-28.7	5	1.3	0.0- 2.7	3	2.0	0.0- 4.7	16	6.1	2.4- 9.8	58	11.7	7.8-15.6
\$25,000- 34,999	191	31,872	117	61.7	52.3-71.1	37	24.8	16.4-33.2				4	2.4	0.0- 5.1	4	1.2	0.0- 2.4	29	9.9	4.2-15.6
\$35,000- 49,999	222	44,546	150	67.2	58.4-76.0	44	22.2	14.2-30.2	4	1.4	0.0- 3.2	2	0.6	0.0- 1.6	10	4.9	0.2- 9.6	12	3.6	1.1- 6.1
\$50,000- 74,999	259	49,182	184	66.0	57.6-74.4	48	26.1	18.3-33.9				3	0.8	0.0- 1.8	11	4.2	0.0- 8.9	13	3.0	1.0- 5.0
\$75,000+	525	112,476	424	75.1	69.4-80.8	53	15.5	10.6-20.4	3	0.4	0.0- 1.0	11	2.8	1.0- 4.6	15	2.3	0.9- 3.7	19	3.9	0.6- 7.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 10: RACE/ETHNICITY CATEGORIES (_RACEPRV).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4025	780,514	2706	64.7	62.5-66.9	539	20.8	18.8-22.8	34	0.6	0.4- 0.8	66	2.5	1.7- 3.3	139	3.1	2.3- 3.9	541	8.3	7.3- 9.3
Male	1789	373,074	1236	64.8	61.5-68.1	190	20.0	16.9-23.1	17	0.5	0.1- 0.9	34	3.1	1.7- 4.5	61	2.6	1.6- 3.6	251	9.0	7.4-10.6
Female	2236	407,440	1470	64.7	61.8-67.6	349	21.5	19.0-24.0	17	0.6	0.2- 1.0	32	2.0	1.0- 3.0	78	3.6	2.4- 4.8	290	7.7	6.3- 9.1
18-24	277	86,788	124	48.0	39.8-56.2	47	29.4	21.0-37.8	1	0.1	0.0- 0.3	9	4.6	0.3- 8.9	14	4.0	1.1- 6.9	82	14.0	8.9-19.1
25-34	470	126,351	213	57.8	51.7-63.9	65	17.4	12.3-22.5	4	0.9	0.0- 1.9	12	2.0	0.6- 3.4	25	4.3	1.8- 6.8	151	17.6	13.3-21.9
35-44	551	116,861	286	53.5	47.8-59.2	61	20.4	14.9-25.9	1	0.1	0.0- 0.3	23	6.7	3.6- 9.8	26	5.3	2.6- 8.0	154	13.9	11.0-16.8
45-54	627	117,282	406	62.5	57.4-67.6	107	26.6	21.5-31.7	4	0.7	0.0- 1.5	7	1.7	0.0- 3.5	20	2.4	1.0- 3.8	83	6.1	4.3- 7.9
55-64	813	136,436	595	71.6	67.3-75.9	136	22.1	17.8-26.4	9	0.6	0.0- 1.2	8	1.1	0.1- 2.1	24	1.4	0.8- 2.0	41	3.2	2.0- 4.4
65+	1287	196,796	1082	79.8	76.3-83.3	123	15.0	11.7-18.3	15	0.7	0.1- 1.3	7	0.9	0.0- 1.9	30	2.2	1.0- 3.4	30	1.4	0.8- 2.0
Less Than H.S.	456	82,965	105	33.0	26.5-39.5	44	17.7	11.4-24.0	3	0.5	0.0- 1.1	2	0.5	0.0- 1.3	16	4.2	1.3- 7.1	286	44.1	37.2-51.0
H.S. or G.E.D.	1157	245,693	784	65.0	61.1-68.9	203	24.8	20.9-28.7	10	0.6	0.0- 1.2	8	1.3	0.0- 2.9	33	2.4	1.2- 3.6	119	5.8	4.4- 7.2
Some Post-H.S.	1015	221,805	740	70.2	66.1-74.3	139	20.1	16.2-24.0	11	0.6	0.2- 1.0	10	1.2	0.2- 2.2	44	4.1	2.1- 6.1	71	3.8	2.4- 5.2
College Graduate	1383	228,212	1066	70.4	66.7-74.1	153	18.4	14.9-21.9	10	0.5	0.1- 0.9	46	5.9	3.9- 7.9	45	2.4	1.4- 3.4	63	2.4	1.6- 3.2
Less than \$15,000	348	51,228	119	37.9	30.3-45.5	57	29.6	21.0-38.2	5	1.1	0.0- 2.5	2	1.2	0.0- 3.6	9	1.5	0.1- 2.9	156	28.5	22.4-34.6
\$15,000- 24,999	534	90,584	308	58.4	52.7-64.1	85	22.0	16.9-27.1	5	0.8	0.0- 1.6	6	2.1	0.1- 4.1	27	4.7	2.3- 7.1	103	11.9	9.0-14.8
\$25,000- 34,999	335	65,445	201	56.0	48.0-64.0	58	26.4	18.6-34.2	3	0.3	0.0- 0.7	6	1.4	0.0- 2.8	9	2.3	0.3- 4.3	58	13.7	8.2-19.2
\$35,000- 49,999	391	75,372	283	69.9	63.2-76.6	57	18.8	12.5-25.1	6	1.5	0.0- 3.1	3	0.6	0.0- 1.4	12	3.3	0.4- 6.2	30	5.8	3.1- 8.5
\$50,000- 74,999	493	98,756	361	66.5	60.4-72.6	74	24.8	18.7-30.9	1	0.2	0.0- 0.6	4	0.7	0.0- 1.5	26	4.6	1.7- 7.5	27	3.1	1.7- 4.5
\$75,000+	1123	246,206	917	75.5	71.6-79.4	98	13.9	10.6-17.2	5	0.2	0.0- 0.6	31	4.7	2.5- 6.9	31	2.5	1.1- 3.9	41	3.2	1.4- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 11: RACE/ETHNICITY CATEGORIES (_RACEPRV).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1789	373,074	1236	64.8	61.5-68.1	190	20.0	16.9-23.1	17	0.5	0.1- 0.9	34	3.1	1.7- 4.5	61	2.6	1.6- 3.6	251	9.0	7.4-10.6
18-24	144	44,041	70	52.4	40.6-64.2	18	27.5	15.2-39.8	1	0.2	0.0- 0.6	7	6.8	0.0-14.4				48	13.1	8.2-18.0
25-34	208	63,671	100	57.0	47.6-66.4	23	15.9	8.3-23.5	2	0.7	0.0- 1.7	4	1.4	0.0- 2.8	15	5.9	1.4-10.4	64	19.1	12.2-26.0
35-44	236	57,387	121	54.6	46.2-63.0	19	17.3	9.1-25.5				11	7.7	2.6-12.8	14	4.9	1.8- 8.0	71	15.4	10.5-20.3
45-54	274	56,273	187	64.4	56.8-72.0	40	25.3	17.9-32.7	2	0.9	0.0- 2.5	3	2.4	0.0- 5.5	6	1.0	0.0- 2.0	36	5.8	3.3- 8.3
55-64	361	63,707	269	69.5	62.6-76.4	50	23.9	17.0-30.8	4	0.3	0.0- 0.7	5	1.4	0.0- 2.8	12	1.0	0.2- 1.8	21	4.0	1.8- 6.2
65+	566	87,995	489	80.1	74.2-86.0	40	14.6	8.9-20.3	8	1.0	0.0- 2.0	4	1.1	0.0- 2.3	14	2.0	0.2- 3.8	11	1.2	0.4- 2.0
Less Than H.S.	223	45,551	54	32.0	23.2-40.8	18	20.0	10.0-30.0	2	0.7	0.0- 1.9	2	1.0	0.0- 2.4	8	2.5	0.7- 4.3	139	43.8	34.6-53.0
H.S. or G.E.D.	533	124,047	375	66.1	60.0-72.2	81	24.5	18.6-30.4	5	0.7	0.0- 1.5	4	1.5	0.0- 4.0	16	2.1	0.7- 3.5	52	5.1	3.1- 7.1
Some Post-H.S.	420	99,596	306	67.4	60.7-74.1	49	20.3	14.0-26.6	4	0.2	0.0- 0.4	7	2.4	0.2- 4.6	18	4.5	1.4- 7.6	36	5.2	2.3- 8.1
College Graduate	610	103,396	499	75.1	69.6-80.6	42	14.3	9.2-19.4	6	0.7	0.0- 1.5	21	6.6	3.5- 9.7	19	1.2	0.4- 2.0	23	2.1	1.1- 3.1
Less than \$15,000	143	20,991	46	30.9	19.9-41.9	14	27.8	11.5-44.1	3	1.7	0.0- 4.2				3	0.6	0.0- 1.4	77	39.0	26.8-51.2
\$15,000- 24,999	195	34,953	111	60.2	50.8-69.6	25	22.1	13.3-30.9				3	2.4	0.0- 5.1	11	2.6	0.6- 4.6	45	12.6	7.9-17.3
\$25,000- 34,999	143	33,517	83	50.5	38.2-62.8	21	28.0	15.1-40.9	3	0.5	0.0- 1.1	2	0.4	0.0- 1.0	5	3.3	0.0- 6.8	29	17.3	8.3-26.3
\$35,000- 49,999	166	30,521	130	73.7	63.3-84.1	13	14.0	4.2-23.8	2	1.7	0.0- 4.6	1	0.6	0.0- 1.8	2	1.0	0.0- 2.6	18	9.1	3.8-14.4
\$50,000- 74,999	229	48,642	172	66.3	57.1-75.5	26	24.1	14.9-33.3	1	0.5	0.0- 1.5	1	0.7	0.0- 2.1	15	5.2	1.9- 8.5	14	3.2	1.0- 5.4
\$75,000+	590	132,566	487	76.0	70.5-81.5	44	12.4	7.9-16.9	2	0.0	0.0- 0.0	20	6.4	2.9- 9.9	15	2.6	0.4- 4.8	22	2.5	0.9- 4.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE12: RACE/ETHNICITY CATEGORIES (_RACEPRV).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2236	407,440	1470	64.7	61.8-67.6	349	21.5	19.0-24.0	17	0.6	0.2- 1.0	32	2.0	1.0- 3.0	78	3.6	2.4- 4.8	290	7.7	6.3- 9.1
18-24	133	42,747	54	43.4	32.0-54.8	29	31.4	19.8-43.0				2	2.3	0.0- 5.4	14	8.0	2.1-13.9	34	14.8	6.0-23.6
25-34	262	62,680	113	58.5	50.7-66.3	42	18.9	12.4-25.4	2	1.1	0.0- 2.7	8	2.6	0.4- 4.8	10	2.8	0.8- 4.8	87	16.2	11.1-21.3
35-44	315	59,474	165	52.5	45.1-59.9	42	23.4	16.1-30.7	1	0.1	0.0- 0.3	12	5.8	1.9- 9.7	12	5.6	1.1-10.1	83	12.5	8.8-16.2
45-54	353	61,009	219	60.8	53.9-67.7	67	27.7	20.8-34.6	2	0.4	0.0- 1.0	4	1.1	0.0- 2.5	14	3.7	1.2- 6.2	47	6.4	4.0- 8.8
55-64	452	72,729	326	73.5	68.2-78.8	86	20.6	15.5-25.7	5	0.9	0.0- 2.1	3	0.9	0.0- 2.1	12	1.7	0.5- 2.9	20	2.4	1.0- 3.8
65+	721	108,801	593	79.5	75.2-83.8	83	15.2	11.3-19.1	7	0.5	0.1- 0.9	3	0.8	0.0- 2.2	16	2.4	0.8- 4.0	19	1.6	0.6- 2.6
Less Than H.S.	233	37,413	51	34.3	24.7-43.9	26	14.8	8.1-21.5	1	0.1	0.0- 0.3				8	6.3	0.2-12.4	147	44.5	34.5-54.5
H.S. or G.E.D.	624	121,647	409	63.9	58.6-69.2	122	25.1	20.0-30.2	5	0.6	0.0- 1.2	4	1.2	0.0- 2.8	17	2.7	0.9- 4.5	67	6.5	4.3- 8.7
Some Post-H.S.	595	122,209	434	72.5	67.4-77.6	90	20.0	15.3-24.7	7	0.9	0.1- 1.7	3	0.2	0.0- 0.4	26	3.7	1.5- 5.9	35	2.7	1.5- 3.9
College Graduate	773	124,816	567	66.6	61.7-71.5	111	21.7	17.0-26.4	4	0.3	0.0- 0.7	25	5.3	2.9- 7.7	26	3.3	1.5- 5.1	40	2.8	1.6- 4.0
Less than \$15,000	205	30,237	73	42.9	33.1-52.7	43	30.9	21.7-40.1	2	0.7	0.0- 2.1	2	2.1	0.0- 6.0	6	2.2	0.0- 4.4	79	21.2	14.9-27.5
\$15,000- 24,999	339	55,631	197	57.3	50.2-64.4	60	21.9	15.6-28.2	5	1.2	0.0- 2.4	3	2.0	0.0- 4.7	16	6.1	2.4- 9.8	58	11.5	7.6-15.4
\$25,000- 34,999	192	31,928	118	61.8	52.6-71.0	37	24.8	16.4-33.2				4	2.4	0.0- 5.1	4	1.2	0.0- 2.4	29	9.9	4.2-15.6
\$35,000- 49,999	225	44,851	153	67.4	58.6-76.2	44	22.1	14.1-30.1	4	1.4	0.0- 3.2	2	0.6	0.0- 1.6	10	4.9	0.2- 9.6	12	3.6	1.1- 6.1
\$50,000- 74,999	264	50,114	189	66.6	58.4-74.8	48	25.6	17.8-33.4				3	0.7	0.0- 1.7	11	4.1	0.0- 8.8	13	2.9	0.9- 4.9
\$75,000+	533	113,640	430	74.9	69.2-80.6	54	15.7	10.8-20.6	3	0.4	0.0- 1.0	11	2.7	0.9- 4.5	16	2.3	0.9- 3.7	19	3.9	0.6- 7.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 8: DEMOGRAPHICS**

TABLE 13: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3936	762,646	2627	64.2	62.0-66.4	1309	35.8	33.6-38.0
Male	1742	362,818	1195	64.2	60.9-67.5	547	35.8	32.5-39.1
Female	2194	399,827	1432	64.2	61.3-67.1	762	35.8	32.9-38.7
18-24	273	85,662	120	47.3	39.1-55.5	153	52.7	44.5-60.9
25-34	462	124,357	208	57.3	51.0-63.6	254	42.7	36.4-49.0
35-44	545	115,384	282	53.8	48.1-59.5	263	46.2	40.5-51.9
45-54	606	113,198	386	61.6	56.3-66.9	220	38.4	33.1-43.7
55-64	797	132,916	581	71.2	66.9-75.5	216	28.8	24.5-33.1
65+	1253	191,129	1050	79.3	75.6-83.0	203	20.7	17.0-24.4
Less Than H.S.	450	81,655	102	32.7	26.0-39.4	348	67.3	60.6-74.0
H.S. or G.E.D.	1134	240,327	764	64.6	60.5-68.7	370	35.4	31.3-39.5
Some Post-H.S.	990	216,711	716	69.5	65.2-73.8	274	30.5	26.2-34.8
College Graduate	1352	222,545	1038	70.1	66.4-73.8	314	29.9	26.2-33.6
Less than \$15,000	345	50,694	116	37.3	29.7-44.9	229	62.7	55.1-70.3
\$15,000- 24,999	524	89,282	298	57.8	52.1-63.5	226	42.2	36.5-47.9
\$25,000- 34,999	330	64,478	197	55.9	47.9-63.9	133	44.1	36.1-52.1
\$35,000- 49,999	383	73,969	276	69.4	62.5-76.3	107	30.6	23.7-37.5
\$50,000- 74,999	481	96,603	350	65.9	59.6-72.2	131	34.1	27.8-40.4
\$75,000+	1105	242,067	902	75.7	71.8-79.6	203	24.3	20.4-28.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 8: DEMOGRAPHICS**

TABLE 14: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1742	362,818	1195	64.2	60.9-67.5	547	35.8	32.5-39.1
18-24	140	42,915	66	51.2	39.2-63.2	74	48.8	36.8-60.8
25-34	202	62,036	96	56.2	46.6-65.8	106	43.8	34.2-53.4
35-44	233	56,201	120	55.4	46.8-64.0	113	44.6	36.0-53.2
45-54	264	54,154	177	63.1	55.3-70.9	87	36.9	29.1-44.7
55-64	355	62,463	264	69.4	62.5-76.3	91	30.6	23.7-37.5
65+	548	85,050	472	79.5	73.4-85.6	76	20.5	14.4-26.6
Less Than H.S.	218	44,525	52	31.7	22.7-40.7	166	68.3	59.3-77.3
H.S. or G.E.D.	523	121,364	365	65.4	59.3-71.5	158	34.6	28.5-40.7
Some Post-H.S.	405	96,762	292	66.5	59.6-73.4	113	33.5	26.6-40.4
College Graduate	593	99,683	484	75.1	69.4-80.8	109	24.9	19.2-30.6
Less than \$15,000	142	20,721	45	30.0	19.0-41.0	97	70.0	59.0-81.0
\$15,000- 24,999	192	34,435	108	59.6	50.2-69.0	84	40.4	31.0-49.8
\$25,000- 34,999	139	32,606	80	50.2	37.7-62.7	59	49.8	37.3-62.3
\$35,000- 49,999	161	29,423	126	72.9	62.1-83.7	35	27.1	16.3-37.9
\$50,000- 74,999	222	47,421	166	65.7	56.3-75.1	56	34.3	24.9-43.7
\$75,000+	580	129,591	478	76.1	70.4-81.8	102	23.9	18.2-29.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 15: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2194	399,827	1432	64.2	61.3-67.1	762	35.8	32.9-38.7
18-24	133	42,747	54	43.4	32.0-54.8	79	56.6	45.2-68.0
25-34	260	62,321	112	58.5	50.7-66.3	148	41.5	33.7-49.3
35-44	312	59,183	162	52.3	44.9-59.7	150	47.7	40.3-55.1
45-54	342	59,044	209	60.2	53.1-67.3	133	39.8	32.7-46.9
55-64	442	70,453	317	72.7	67.2-78.2	125	27.3	21.8-32.8
65+	705	106,079	578	79.1	74.6-83.6	127	20.9	16.4-25.4
Less Than H.S.	232	37,130	50	33.8	24.0-43.6	182	66.2	56.4-76.0
H.S. or G.E.D.	611	118,963	399	63.7	58.4-69.0	212	36.3	31.0-41.6
Some Post-H.S.	585	119,950	424	72.0	66.9-77.1	161	28.0	22.9-33.1
College Graduate	759	122,861	554	66.1	61.2-71.0	205	33.9	29.0-38.8
Less than \$15,000	203	29,973	71	42.4	32.6-52.2	132	57.6	47.8-67.4
\$15,000- 24,999	332	54,847	190	56.7	49.6-63.8	142	43.3	36.2-50.4
\$25,000- 34,999	191	31,872	117	61.7	52.3-71.1	74	38.3	28.9-47.7
\$35,000- 49,999	222	44,546	150	67.2	58.4-76.0	72	32.8	24.0-41.6
\$50,000- 74,999	259	49,182	184	66.0	57.6-74.4	75	34.0	25.6-42.4
\$75,000+	525	112,476	424	75.1	69.4-80.8	101	24.9	19.2-30.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 16: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3936	762,646	2627	64.2	62.0-66.4	535	21.1	18.9-23.3	135	4.0	3.0- 5.0	98	2.2	1.6- 2.8	541	8.5	7.3- 9.7
Male	1742	362,818	1195	64.2	60.9-67.5	188	20.4	17.1-23.7	65	4.4	2.8- 6.0	43	1.6	0.8- 2.4	251	9.3	7.5-11.1
Female	2194	399,827	1432	64.2	61.3-67.1	347	21.8	19.1-24.5	70	3.5	2.5- 4.5	55	2.7	1.7- 3.7	290	7.8	6.4- 9.2
18-24	273	85,662	120	47.3	39.1-55.5	47	29.8	21.4-38.2	11	4.9	0.6- 9.2	13	3.9	1.0- 6.8	82	14.1	9.0-19.2
25-34	462	124,357	208	57.3	51.0-63.6	64	17.6	12.5-22.7	24	5.2	2.5- 7.9	15	2.0	0.8- 3.2	151	17.9	13.6-22.2
35-44	545	115,384	282	53.8	48.1-59.5	61	20.7	15.2-26.2	27	6.8	3.9- 9.7	21	4.6	1.9- 7.3	154	14.1	11.0-17.2
45-54	606	113,198	386	61.6	56.3-66.9	106	27.1	22.0-32.2	17	3.3	1.1- 5.5	14	1.7	0.5- 2.9	83	6.3	4.5- 8.1
55-64	797	132,916	581	71.2	66.9-75.5	135	22.5	18.2-26.8	25	2.3	1.1- 3.5	15	0.8	0.2- 1.4	41	3.2	2.0- 4.4
65+	1253	191,129	1050	79.3	75.6-83.0	122	15.3	11.8-18.8	31	2.6	1.2- 4.0	20	1.3	0.3- 2.3	30	1.5	0.9- 2.1
Less Than H.S.	450	81,655	102	32.7	26.0-39.4	43	17.5	11.0-24.0	11	2.4	0.6- 4.2	8	2.7	0.2- 5.2	286	44.8	37.9-51.7
H.S. or G.E.D.	1134	240,327	764	64.6	60.5-68.7	201	25.1	21.2-29.0	24	2.3	0.7- 3.9	26	2.1	0.9- 3.3	119	5.9	4.3- 7.5
Some Post-H.S.	990	216,711	716	69.5	65.2-73.8	139	20.6	16.7-24.5	32	3.4	1.6- 5.2	32	2.6	1.2- 4.0	71	3.9	2.3- 5.5
College Graduate	1352	222,545	1038	70.1	66.4-73.8	152	18.8	15.3-22.3	67	6.9	4.9- 8.9	32	1.7	0.9- 2.5	63	2.5	1.7- 3.3
Less than \$15,000	345	50,694	116	37.3	29.7-44.9	57	29.9	21.3-38.5	9	2.9	0.2- 5.6	7	1.0	0.0- 2.2	156	28.8	22.5-35.1
\$15,000- 24,999	524	89,282	298	57.8	52.1-63.5	85	22.3	17.0-27.6	16	3.9	1.5- 6.3	22	3.9	1.7- 6.1	103	12.1	9.2-15.0
\$25,000- 34,999	330	64,478	197	55.9	47.9-63.9	57	26.3	18.3-34.3	11	2.4	0.4- 4.4	7	1.5	0.1- 2.9	58	13.9	8.4-19.4
\$35,000- 49,999	383	73,969	276	69.4	62.5-76.3	57	19.2	12.9-25.5	10	2.3	0.5- 4.1	10	3.1	0.2- 6.0	30	5.9	3.2- 8.6
\$50,000- 74,999	481	96,603	350	65.9	59.6-72.2	74	25.4	19.3-31.5	11	2.0	0.4- 3.6	19	3.6	0.9- 6.3	27	3.2	1.6- 4.8
\$75,000+	1105	242,067	902	75.7	71.8-79.6	97	14.0	10.7-17.3	45	5.7	3.3- 8.1	20	1.4	0.4- 2.4	41	3.2	1.4- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 17: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1742	362,818	1195	64.2	60.9-67.5	188	20.4	17.1-23.7	65	4.4	2.8- 6.0	43	1.6	0.8- 2.4	251	9.3	7.5-11.1
18-24	140	42,915	66	51.2	39.2-63.2	18	28.2	15.7-40.7	8	7.2	0.0-15.0				48	13.4	8.5-18.3
25-34	202	62,036	96	56.2	46.6-65.8	22	16.1	8.3-23.9	10	5.5	1.0-10.0	10	2.6	0.8- 4.4	64	19.6	12.5-26.7
35-44	233	56,201	120	55.4	46.8-64.0	19	17.7	9.3-26.1	12	7.0	2.5-11.5	11	4.2	1.1- 7.3	71	15.8	10.9-20.7
45-54	264	54,154	177	63.1	55.3-70.9	40	26.3	18.7-33.9	7	4.0	0.3- 7.7	4	0.6	0.0- 1.4	36	6.1	3.4- 8.8
55-64	355	62,463	264	69.4	62.5-76.3	49	23.8	16.9-30.7	12	1.9	0.3- 3.5	9	0.8	0.0- 1.6	21	4.1	1.9- 6.3
65+	548	85,050	472	79.5	73.4-85.6	40	15.1	9.2-21.0	16	2.8	1.0- 4.6	9	1.3	0.0- 2.7	11	1.3	0.5- 2.1
Less Than H.S.	218	44,525	52	31.7	22.7-40.7	17	19.7	9.5-29.9	7	2.7	0.5- 4.9	3	1.0	0.0- 2.2	139	44.8	35.4-54.2
H.S. or G.E.D.	523	121,364	365	65.4	59.3-71.5	81	25.0	19.1-30.9	12	2.5	0.0- 5.2	13	1.9	0.5- 3.3	52	5.2	3.2- 7.2
Some Post-H.S.	405	96,762	292	66.5	59.6-73.4	49	20.9	14.4-27.4	16	5.0	1.5- 8.5	12	2.3	0.7- 3.9	36	5.4	2.5- 8.3
College Graduate	593	99,683	484	75.1	69.4-80.8	41	14.8	9.5-20.1	30	7.0	3.9-10.1	15	1.0	0.4- 1.6	23	2.1	0.9- 3.3
Less than \$15,000	142	20,721	45	30.0	19.0-41.0	14	28.1	11.6-44.6	3	1.8	0.0- 4.3	3	0.6	0.0- 1.4	77	39.5	27.2-51.8
\$15,000- 24,999	192	34,435	108	59.6	50.2-69.0	25	22.5	13.7-31.3	4	2.6	0.0- 5.3	10	2.5	0.5- 4.5	45	12.8	8.1-17.5
\$25,000- 34,999	139	32,606	80	50.2	37.7-62.7	20	27.8	14.5-41.1	7	2.5	0.0- 5.2	3	1.8	0.0- 4.3	29	17.8	8.6-27.0
\$35,000- 49,999	161	29,423	126	72.9	62.1-83.7	13	14.5	4.3-24.7	2	2.3	0.0- 5.6	2	1.0	0.0- 2.6	18	9.4	3.9-14.9
\$50,000- 74,999	222	47,421	166	65.7	56.3-75.1	26	24.7	15.3-34.1	6	2.9	0.0- 5.8	10	3.3	0.8- 5.8	14	3.3	1.1- 5.5
\$75,000+	580	129,591	478	76.1	70.4-81.8	44	12.7	8.2-17.2	27	7.1	3.2-11.0	9	1.4	0.0- 2.8	22	2.6	0.8- 4.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 18: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2194	399,827	1432	64.2	61.3-67.1	347	21.8	19.1-24.5	70	3.5	2.5- 4.5	55	2.7	1.7- 3.7	290	7.8	6.4- 9.2
18-24	133	42,747	54	43.4	32.0-54.8	29	31.4	19.8-43.0	3	2.5	0.0- 5.8	13	7.8	1.9-13.7	34	14.8	6.0-23.6
25-34	260	62,321	112	58.5	50.7-66.3	42	19.0	12.3-25.7	14	4.9	2.0- 7.8	5	1.4	0.0- 3.0	87	16.3	11.2-21.4
35-44	312	59,183	162	52.3	44.9-59.7	42	23.5	16.2-30.8	15	6.7	2.6-10.8	10	5.0	0.5- 9.5	83	12.6	8.9-16.3
45-54	342	59,044	209	60.2	53.1-67.3	66	27.8	20.7-34.9	10	2.6	0.6- 4.6	10	2.7	0.3- 5.1	47	6.6	4.2- 9.0
55-64	442	70,453	317	72.7	67.2-78.2	86	21.3	16.0-26.6	13	2.7	0.9- 4.5	6	0.9	0.1- 1.7	20	2.5	1.1- 3.9
65+	705	106,079	578	79.1	74.6-83.6	82	15.5	11.4-19.6	15	2.5	0.5- 4.5	11	1.3	0.1- 2.5	19	1.6	0.6- 2.6
Less Than H.S.	232	37,130	50	33.8	24.0-43.6	26	14.9	8.2-21.6	4	1.9	0.0- 4.6	5	4.6	0.0-10.1	147	44.8	34.8-54.8
H.S. or G.E.D.	611	118,963	399	63.7	58.4-69.0	120	25.2	20.1-30.3	12	2.1	0.3- 3.9	13	2.4	0.6- 4.2	67	6.6	4.2- 9.0
Some Post-H.S.	585	119,950	424	72.0	66.9-77.1	90	20.4	15.5-25.3	16	2.0	0.8- 3.2	20	2.9	0.7- 5.1	35	2.7	1.5- 3.9
College Graduate	759	122,861	554	66.1	61.2-71.0	111	22.1	17.4-26.8	37	6.8	4.3- 9.3	17	2.2	0.8- 3.6	40	2.8	1.6- 4.0
Less than \$15,000	203	29,973	71	42.4	32.6-52.2	43	31.2	21.8-40.6	6	3.7	0.0- 8.0	4	1.3	0.0- 3.1	79	21.4	14.9-27.9
\$15,000- 24,999	332	54,847	190	56.7	49.6-63.8	60	22.2	15.7-28.7	12	4.7	1.4- 8.0	12	4.7	1.4- 8.0	58	11.7	7.8-15.6
\$25,000- 34,999	191	31,872	117	61.7	52.3-71.1	37	24.8	16.4-33.2	4	2.4	0.0- 5.1	4	1.2	0.0- 2.4	29	9.9	4.2-15.6
\$35,000- 49,999	222	44,546	150	67.2	58.4-76.0	44	22.2	14.2-30.2	8	2.4	0.2- 4.6	8	4.6	0.0- 9.3	12	3.6	1.1- 6.1
\$50,000- 74,999	259	49,182	184	66.0	57.6-74.4	48	26.1	18.3-33.9	5	1.1	0.0- 2.3	9	3.8	0.0- 8.5	13	3.0	1.0- 5.0
\$75,000+	525	112,476	424	75.1	69.4-80.8	53	15.5	10.6-20.4	18	4.1	1.9- 6.3	11	1.4	0.2- 2.6	19	3.9	0.6- 7.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 19: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3958	764,224	489	18.7	16.7-20.7	537	16.2	14.4-18.0	534	14.5	12.9-16.1	712	16.4	15.0-17.8	764	16.8	15.2-18.4	922	17.4	16.0-18.8
Male	1762	365,542	242	20.0	17.1-22.9	229	16.9	14.2-19.6	232	14.3	12.1-16.5	313	16.1	13.9-18.3	337	16.1	13.9-18.3	409	16.6	14.4-18.8
Female	2196	398,682	247	17.5	15.0-20.0	308	15.5	13.3-17.7	302	14.7	12.7-16.7	399	16.7	14.7-18.7	427	17.4	15.2-19.6	513	18.2	16.2-20.2
White/Non-Hisp	2591	482,520	218	15.0	12.8-17.2	249	14.1	12.1-16.1	294	12.8	11.0-14.6	494	17.1	15.3-18.9	564	19.4	17.4-21.4	772	21.7	19.9-23.5
Black or Afr. Am./Non-Hisp	526	155,978	78	23.8	18.1-29.5	68	14.6	10.3-18.9	75	15.4	11.3-19.5	118	19.3	15.0-23.6	110	14.5	11.2-17.8	77	12.4	8.5-16.3
Oth. Race/Non-Hisp.	133	28,902	24	24.4	12.4-36.4	24	23.0	11.8-34.2	20	18.3	9.3-27.3	24	14.1	7.2-21.0	22	8.2	3.1-13.3	19	12.0	4.6-19.4
MultiRacial/Non-Hisp.	95	16,305	17	24.1	10.2-38.0	20	21.0	10.2-31.8	20	30.3	14.6-46.0	9	5.0	0.9-9.1	17	12.5	3.7-21.3	12	7.1	0.8-13.4
Hispanic	536	64,596	144	31.1	24.4-37.8	171	33.8	27.3-40.3	115	19.1	14.6-23.6	54	8.4	5.5-11.3	31	5.3	2.9-7.7	21	2.3	1.1-3.5
Less Than H.S.	452	82,272	90	20.3	14.0-26.6	113	25.6	19.1-32.1	78	11.6	8.1-15.1	52	10.4	6.9-13.9	51	12.2	8.1-16.3	68	19.9	14.0-25.8
H.S. or G.E.D.	1151	243,825	168	22.4	18.5-26.3	132	13.5	10.8-16.2	132	12.8	10.3-15.3	227	18.1	15.2-21.0	234	17.9	15.2-20.6	258	15.4	12.9-17.9
Some Post-H.S.	995	217,267	127	20.9	17.0-24.8	129	15.3	12.0-18.6	118	13.4	10.5-16.3	180	15.2	12.5-17.9	196	17.0	14.1-19.9	245	18.2	15.5-20.9
College Graduate	1352	219,678	103	11.9	9.0-14.8	163	16.6	13.7-19.5	206	18.7	15.8-21.6	252	18.0	15.5-20.5	281	17.2	14.8-19.6	347	17.7	15.3-20.1
Less than \$15,000	344	50,962	51	18.9	11.3-26.5	83	22.4	15.5-29.3	48	11.0	6.9-15.1	65	18.6	12.9-24.3	54	16.1	10.4-21.8	43	12.9	7.8-18.0
\$15,000- 24,999	534	90,584	78	22.8	17.5-28.1	78	15.6	11.3-19.9	71	11.1	8.0-14.2	89	16.1	11.8-20.4	98	17.4	13.5-21.3	120	17.0	13.1-20.9
\$25,000- 34,999	333	65,192	43	18.6	11.5-25.7	48	19.1	12.0-26.2	37	9.9	6.2-13.6	40	9.3	5.8-12.8	67	15.6	10.5-20.7	98	27.5	20.6-34.4
\$35,000- 49,999	386	74,295	50	23.2	16.1-30.3	53	16.6	11.5-21.7	36	10.3	6.6-14.0	65	13.4	9.5-17.3	80	16.2	11.5-20.9	102	20.3	15.4-25.2
\$50,000- 74,999	487	96,328	59	17.6	12.5-22.7	73	19.8	14.5-25.1	56	12.5	8.4-16.6	79	16.4	12.1-20.7	105	18.5	14.2-22.8	115	15.3	11.6-19.0
\$75,000+	1112	243,563	79	14.3	10.6-18.0	134	16.3	13.2-19.4	206	21.4	18.1-24.7	254	19.2	16.5-21.9	221	16.5	13.8-19.2	218	12.2	10.0-14.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 20: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1762	365,542	242	20.0	17.1-22.9	229	16.9	14.2-19.6	232	14.3	12.1-16.5	313	16.1	13.9-18.3	337	16.1	13.9-18.3	409	16.6	14.4-18.8
White/Non-Hisp	1183	230,622	113	16.4	13.3-19.5	103	13.8	10.7-16.9	141	14.3	11.6-17.0	224	16.7	14.2-19.2	256	19.0	16.3-21.7	346	19.9	17.4-22.4
Black or Afr. Am./Non-Hisp	182	70,241	29	26.2	16.6-35.8	23	15.0	7.7-22.3	23	10.5	5.4-15.6	40	20.0	12.9-27.1	41	14.4	9.1-19.7	26	13.9	6.8-21.0
Oth. Race/Non-Hisp.	65	16,092	14	27.1	8.5-45.7	13	29.6	12.0-47.2	6	16.0	2.7-29.3	11	10.3	1.9-18.7	11	8.1	1.4-14.8	10	8.9	1.1-16.7
Hispanic	249	33,572	75	29.5	21.3-37.7	77	37.1	27.5-46.7	49	17.6	11.3-23.9	27	9.8	5.1-14.5	12	3.3	1.1- 5.5	9	2.7	0.7- 4.7
Less Than H.S.	221	45,406	52	21.5	13.9-29.1	55	27.1	17.9-36.3	30	10.5	5.6-15.4	29	10.9	6.0-15.8	24	12.9	6.6-19.2	31	17.0	9.0-25.0
H.S. or G.E.D.	531	122,964	93	25.6	19.7-31.5	68	14.3	10.2-18.4	65	13.6	9.9-17.3	108	18.2	13.9-22.5	102	16.2	12.5-19.9	95	12.0	8.5-15.5
Some Post-H.S.	408	96,766	55	21.0	14.7-27.3	42	15.8	9.9-21.7	58	15.2	10.5-19.9	81	15.4	11.3-19.5	77	15.2	11.1-19.3	95	17.5	13.2-21.8
College Graduate	600	100,081	41	11.5	7.0-16.0	64	16.5	11.6-21.4	79	16.2	11.9-20.5	95	16.6	12.7-20.5	134	18.3	14.6-22.0	187	20.9	17.0-24.8
Less than \$15,000	140	20,786	30	28.8	14.1-43.5	35	25.4	12.9-37.9	17	9.3	2.6-16.0	28	19.5	10.5-28.5	22	11.4	5.7-17.1	8	5.6	1.3- 9.9
\$15,000- 24,999	195	34,953	28	23.1	13.9-32.3	22	10.6	4.3-16.9	25	10.6	5.3-15.9	35	17.5	10.1-24.9	45	24.4	16.6-32.2	40	13.7	8.0-19.4
\$25,000- 34,999	143	33,517	21	20.5	9.7-31.3	25	27.2	15.0-39.4	16	7.5	3.2-11.8	16	8.9	3.8-14.0	22	12.8	5.5-20.1	43	23.1	13.1-33.1
\$35,000- 49,999	165	30,445	21	23.0	12.6-33.4	19	15.8	7.4-24.2	22	16.9	9.5-24.3	25	10.7	5.8-15.6	28	11.6	6.1-17.1	50	22.1	14.7-29.5
\$50,000- 74,999	225	46,852	32	19.6	12.2-27.0	31	21.0	12.6-29.4	19	9.2	4.1-14.3	38	17.1	10.2-24.0	50	19.2	13.1-25.3	55	14.0	8.9-19.1
\$75,000+	586	131,203	42	14.1	9.0-19.2	69	17.2	12.5-21.9	99	19.7	15.4-24.0	123	18.2	14.5-21.9	119	16.6	12.9-20.3	134	14.1	11.0-17.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 21: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2196	398,682	247	17.5	15.0-20.0	308	15.5	13.3-17.7	302	14.7	12.7-16.7	399	16.7	14.7-18.7	427	17.4	15.2-19.6	513	18.2	16.2-20.2
White/Non-Hisp	1408	251,898	105	13.8	10.9-16.7	146	14.3	11.8-16.8	153	11.4	9.2-13.6	270	17.4	15.0-19.8	308	19.8	17.3-22.3	426	23.4	20.7-26.1
Black or Afr. Am./Non-Hisp	344	85,737	49	21.8	15.1-28.5	45	14.2	9.3-19.1	52	19.4	13.5-25.3	78	18.7	13.4-24.0	69	14.6	10.1-19.1	51	11.2	7.3-15.1
Oth. Race/Non-Hisp.	68	12,810	10	20.9	7.8-34.0	11	14.7	4.3-25.1	14	21.2	9.4-33.0	13	18.8	7.8-29.8	11	8.3	0.5-16.1	9	16.0	3.1-28.9
MultiRacial/Non-Hisp.	54	10,694	13	31.2	11.6-50.8	10	17.2	4.1-30.3	12	31.2	10.2-52.2	3	3.6	0.0- 8.1	10	12.3	1.1-23.5	6	4.5	0.2- 8.8
Hispanic	287	31,024	69	32.9	22.1-43.7	94	30.2	21.8-38.6	66	20.7	14.2-27.2	27	6.9	3.6-10.2	19	7.5	3.4-11.6	12	1.8	0.6- 3.0
Less Than H.S.	231	36,866	38	18.7	8.3-29.1	58	23.8	15.4-32.2	48	13.0	8.3-17.7	23	9.7	4.2-15.2	27	11.3	6.2-16.4	37	23.5	14.7-32.3
H.S. or G.E.D.	620	120,861	75	19.1	14.2-24.0	64	12.6	8.9-16.3	67	11.9	8.6-15.2	119	17.9	14.0-21.8	132	19.5	15.6-23.4	163	18.9	15.2-22.6
Some Post-H.S.	587	120,501	72	20.9	15.6-26.2	87	14.8	11.1-18.5	60	12.0	8.1-15.9	99	15.0	11.3-18.7	119	18.4	14.1-22.7	150	18.9	15.2-22.6
College Graduate	752	119,597	62	12.2	8.5-15.9	99	16.6	12.9-20.3	127	20.8	16.7-24.9	157	19.2	15.7-22.7	147	16.2	13.1-19.3	160	15.0	11.9-18.1
Less than \$15,000	204	30,176	21	12.1	5.2-19.0	48	20.3	12.9-27.7	31	12.2	6.9-17.5	37	18.1	11.0-25.2	32	19.4	10.8-28.0	35	17.9	10.1-25.7
\$15,000- 24,999	339	55,631	50	22.6	16.3-28.9	56	18.7	13.0-24.4	46	11.4	7.5-15.3	54	15.3	10.0-20.6	53	13.0	8.9-17.1	80	19.0	13.7-24.3
\$25,000- 34,999	190	31,675	22	16.6	7.8-25.4	23	10.6	5.3-15.9	21	12.4	6.1-18.7	24	9.7	5.0-14.4	45	18.6	11.7-25.5	55	32.1	23.1-41.1
\$35,000- 49,999	221	43,850	29	23.4	14.0-32.8	34	17.2	10.7-23.7	14	5.7	2.2- 9.2	40	15.3	9.6-21.0	52	19.3	12.4-26.2	52	19.1	12.4-25.8
\$50,000- 74,999	262	49,476	27	15.7	8.6-22.8	42	18.6	12.1-25.1	37	15.6	9.1-22.1	41	15.8	10.3-21.3	55	17.8	11.9-23.7	60	16.5	11.0-22.0
\$75,000+	526	112,361	37	14.6	9.1-20.1	65	15.3	11.2-19.4	107	23.4	18.5-28.3	131	20.3	16.2-24.4	102	16.4	12.5-20.3	84	10.0	7.3-12.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 22: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3958	764,224	2680	74.4	72.6-76.2	1278	25.6	23.8-27.4
Male	1762	365,542	1198	75.9	73.4-78.4	564	24.1	21.6-26.6
Female	2196	398,682	1482	73.0	70.6-75.4	714	27.0	24.6-29.4
White/Non-Hisp	2591	482,520	1549	68.8	66.6-71.0	1042	31.2	29.0-33.4
Black or Afr. Am./Non-Hisp	526	155,978	404	81.2	76.9-85.5	122	18.8	14.5-23.1
Oth. Race/Non-Hisp.	133	28,902	102	82.7	74.5-90.9	31	17.3	9.1-25.5
MultiRacial/Non-Hisp.	95	16,305	75	84.5	74.3-94.7	20	15.5	5.3-25.7
Hispanic	536	64,596	506	95.6	93.6-97.6	30	4.4	2.4- 6.4
Less Than H.S.	452	82,272	365	75.9	69.6-82.2	87	24.1	17.8-30.4
H.S. or G.E.D.	1151	243,825	781	75.6	72.5-78.7	370	24.4	21.3-27.5
Some Post-H.S.	995	217,267	654	73.0	69.5-76.5	341	27.0	23.5-30.5
College Graduate	1352	219,678	876	74.1	71.2-77.0	476	25.9	23.0-28.8
Less than \$15,000	344	50,962	276	78.0	71.3-84.7	68	22.0	15.3-28.7
\$15,000- 24,999	534	90,584	363	73.9	69.2-78.6	171	26.1	21.4-30.8
\$25,000- 34,999	333	65,192	200	65.4	58.1-72.7	133	34.6	27.3-41.9
\$35,000- 49,999	386	74,295	247	71.8	66.1-77.5	139	28.2	22.5-33.9
\$50,000- 74,999	487	96,328	323	75.4	70.7-80.1	164	24.6	19.9-29.3
\$75,000+	1112	243,563	804	80.3	77.6-83.0	308	19.7	17.0-22.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 8: DEMOGRAPHICS**

TABLE 23: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1762	365,542	1198	75.9	73.4-78.4	564	24.1	21.6-26.6
White/Non-Hisp	1183	230,622	713	70.7	67.6-73.8	470	29.3	26.2-32.4
Black or Afr. Am./Non-Hisp	182	70,241	142	81.7	74.3-89.1	40	18.3	10.9-25.7
Oth. Race/Non-Hisp.	65	16,092	49	85.2	75.4-95.0	16	14.8	5.0-24.6
Hispanic	249	33,572	238	96.8	94.6-99.0	11	3.2	1.0- 5.4
Less Than H.S.	221	45,406	186	80.0	71.4-88.6	35	20.0	11.4-28.6
H.S. or G.E.D.	531	122,964	396	81.3	77.2-85.4	135	18.7	14.6-22.8
Some Post-H.S.	408	96,766	272	74.2	69.1-79.3	136	25.8	20.7-30.9
College Graduate	600	100,081	343	69.3	64.8-73.8	257	30.7	26.2-35.2
Less than \$15,000	140	20,786	123	89.1	83.0-95.2	17	10.9	4.8-17.0
\$15,000- 24,999	195	34,953	129	73.0	65.2-80.8	66	27.0	19.2-34.8
\$25,000- 34,999	143	33,517	90	71.5	60.9-82.1	53	28.5	17.9-39.1
\$35,000- 49,999	165	30,445	106	74.0	66.0-82.0	59	26.0	18.0-34.0
\$50,000- 74,999	225	46,852	147	78.0	71.7-84.3	78	22.0	15.7-28.3
\$75,000+	586	131,203	400	78.3	74.4-82.2	186	21.7	17.8-25.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 8: DEMOGRAPHICS**

TABLE 24: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2196	398,682	1482	73.0	70.6-75.4	714	27.0	24.6-29.4
White/Non-Hisp	1408	251,898	836	67.0	63.9-70.1	572	33.0	29.9-36.1
Black or Afr. Am./Non-Hisp	344	85,737	262	80.9	75.8-86.0	82	19.1	14.0-24.2
Oth. Race/Non-Hisp.	68	12,810	53	79.6	65.9-93.3	15	20.4	6.7-34.1
MultiRacial/Non-Hisp.	54	10,694	43	87.0	75.6-98.4	11	13.0	1.6-24.4
Hispanic	287	31,024	268	94.4	91.1-97.7	19	5.6	2.3- 8.9
Less Than H.S.	231	36,866	179	70.9	61.7-80.1	52	29.1	19.9-38.3
H.S. or G.E.D.	620	120,861	385	69.7	65.2-74.2	235	30.3	25.8-34.8
Some Post-H.S.	587	120,501	382	72.0	67.3-76.7	205	28.0	23.3-32.7
College Graduate	752	119,597	533	78.2	74.7-81.7	219	21.8	18.3-25.3
Less than \$15,000	204	30,176	153	70.4	60.6-80.2	51	29.6	19.8-39.4
\$15,000- 24,999	339	55,631	234	74.5	68.6-80.4	105	25.5	19.6-31.4
\$25,000- 34,999	190	31,675	110	58.9	49.5-68.3	80	41.1	31.7-50.5
\$35,000- 49,999	221	43,850	141	70.2	62.2-78.2	80	29.8	21.8-37.8
\$50,000- 74,999	262	49,476	176	73.0	65.9-80.1	86	27.0	19.9-34.1
\$75,000+	526	112,361	404	82.7	79.0-86.4	122	17.3	13.6-21.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3577	709,050	208	5.2	4.2- 6.2	1547	41.5	39.3-43.7	1507	42.1	39.9-44.3	315	11.2	9.6-12.8
Male	1595	339,216	10	0.9	0.1- 1.7	191	11.8	9.4-14.2	1091	64.6	61.3-67.9	303	22.8	19.7-25.9
Female	1982	369,834	198	9.1	7.5-10.7	1356	68.8	66.1-71.5	416	21.5	19.0-24.0	12	0.5	0.1- 0.9
White/Non-Hisp	2488	463,638	108	4.3	3.3- 5.3	1028	40.2	37.7-42.7	1116	43.9	41.4-46.4	236	11.6	9.8-13.4
Black or Afr. Am./Non-Hisp	497	150,578	29	4.8	2.6- 7.0	249	45.2	39.3-51.1	172	36.9	31.2-42.6	47	13.1	8.2-18.0
Oth. Race/Non-Hisp.	119	26,423	12	12.5	2.1-22.9	55	45.9	32.8-59.0	44	37.2	23.9-50.5	8	4.4	0.5- 8.3
MultiRacial/Non-Hisp.	93	15,763	6	5.5	0.0-12.4	37	49.9	34.2-65.6	45	41.5	26.8-56.2	5	3.1	0.2- 6.0
Hispanic	306	36,765	48	12.3	7.8-16.8	158	44.6	36.6-52.6	89	38.3	29.7-46.9	11	4.8	1.5- 8.1
18-24	223	76,321	6	1.5	0.0- 3.1	97	45.0	36.2-53.8	94	38.1	29.9-46.3	26	15.4	8.3-22.5
25-34	361	107,763	29	5.3	2.4- 8.2	148	39.7	33.0-46.4	152	43.0	36.1-49.9	32	12.0	7.1-16.9
35-44	455	103,765	30	5.8	3.1- 8.5	193	38.5	32.6-44.4	192	44.1	38.2-50.0	40	11.6	7.7-15.5
45-54	557	107,889	27	4.3	2.3- 6.3	237	41.4	36.1-46.7	235	42.0	36.7-47.3	58	12.3	8.8-15.8
55-64	750	125,606	31	3.8	2.2- 5.4	314	40.2	35.7-44.7	326	44.9	40.2-49.6	79	11.1	8.4-13.8
65+	1231	187,707	85	7.7	5.5- 9.9	558	43.8	39.9-47.7	508	40.4	36.7-44.1	80	8.1	5.4-10.8
Less Than H.S.	263	57,702	41	11.0	6.5-15.5	125	38.7	30.7-46.7	76	35.6	27.0-44.2	21	14.7	7.6-21.8
H.S. or G.E.D.	1058	228,663	66	5.7	3.9- 7.5	455	40.5	36.4-44.6	451	43.8	39.7-47.9	86	10.0	7.3-12.7
Some Post-H.S.	946	208,535	50	4.7	2.9- 6.5	425	42.2	37.9-46.5	381	41.1	36.8-45.4	90	11.9	9.0-14.8
College Graduate	1305	213,399	49	3.4	2.0- 4.8	540	42.6	38.9-46.3	598	43.2	39.5-46.9	118	10.7	8.2-13.2
Less than \$15,000	250	40,264	30	9.9	4.4-15.4	130	51.9	42.3-61.5	71	26.3	18.3-34.3	19	11.8	3.2-20.4
\$15,000- 24,999	480	84,897	44	9.7	6.2-13.2	242	46.1	40.2-52.0	166	36.2	30.3-42.1	28	8.1	4.6-11.6
\$25,000- 34,999	309	60,809	24	7.6	3.9-11.3	153	46.9	38.7-55.1	111	35.5	27.7-43.3	21	10.0	4.1-15.9
\$35,000- 49,999	383	74,327	15	3.0	1.0- 5.0	170	48.2	41.3-55.1	172	41.3	34.6-48.0	26	7.5	4.2-10.8
\$50,000- 74,999	485	97,396	23	3.2	1.2- 5.2	197	43.3	37.2-49.4	220	44.7	38.6-50.8	45	8.8	5.7-11.9
\$75,000+	1098	238,752	35	3.5	1.9- 5.1	388	33.6	29.9-37.3	543	48.2	44.3-52.1	132	14.6	11.5-17.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1595	339,216	10	0.9	0.1- 1.7	191	11.8	9.4-14.2	1091	64.6	61.3-67.9	303	22.8	19.7-25.9
White/Non-Hisp	1138	221,620	2	0.4	0.0- 1.0	94	7.8	5.8- 9.8	815	68.2	64.5-71.9	227	23.7	20.4-27.0
Black or Afr. Am./Non-Hisp	178	69,607	34	21.2	13.2-29.2	99	51.2	41.4-61.0	45	27.6	18.2-37.0			
Oth. Race/Non-Hisp.	55	13,849	3	11.2	0.0-27.5	8	19.3	4.0-34.6	36	61.1	40.9-81.3	8	8.4	0.6-16.2
Hispanic	143	19,184	4	2.3	0.0- 5.2	51	23.6	15.4-31.8	77	64.9	54.5-75.3	11	9.2	2.9-15.5
18-24	111	38,858	1	0.2	0.0- 0.6	15	17.3	6.5-28.1	69	52.3	39.4-65.2	26	30.2	17.9-42.5
25-34	162	53,894	4	3.1	0.0- 7.6	21	9.4	3.9-14.9	105	63.5	53.3-73.7	32	24.0	15.0-33.0
35-44	193	50,813	3	0.9	0.0- 2.1	25	12.5	5.8-19.2	127	63.6	54.8-72.4	38	23.1	15.5-30.7
45-54	244	51,201	33	14.5	8.2-20.8	154	59.9	52.1-67.7	57	25.6	18.7-32.5			
55-64	340	59,774	31	8.7	4.6-12.8	235	69.6	63.3-75.9	74	21.7	16.4-27.0			
65+	545	84,676	2	0.9	0.0- 2.3	66	10.8	7.5-14.1	401	70.9	65.0-76.8	76	17.5	12.0-23.0
Less Than H.S.	133	33,245	5	2.4	0.0- 4.8	41	19.5	11.1-27.9	67	53.6	41.4-65.8	20	24.5	13.3-35.7
H.S. or G.E.D.	496	116,910	2	0.2	0.0- 0.4	66	14.3	9.6-19.0	346	66.3	60.2-72.4	82	19.2	14.1-24.3
Some Post-H.S.	393	94,001	2	1.4	0.0- 3.9	40	9.3	5.0-13.6	264	63.3	56.6-70.0	87	26.0	19.9-32.1
College Graduate	573	95,061	1	0.6	0.0- 1.8	44	8.3	5.2-11.4	414	67.6	61.9-73.3	114	23.4	18.1-28.7
Less than \$15,000	96	15,864	1	0.2	0.0- 0.6	26	21.0	9.2-32.8	51	49.4	32.3-66.5	18	29.4	11.2-47.6
\$15,000- 24,999	174	32,668	1	0.5	0.0- 1.5	32	14.0	7.5-20.5	115	65.3	55.7-74.9	26	20.2	12.0-28.4
\$25,000- 34,999	130	30,756	1	0.4	0.0- 1.2	29	25.5	13.7-37.3	80	54.9	41.8-68.0	20	19.2	8.2-30.2
\$35,000- 49,999	162	30,081	2	0.8	0.0- 2.0	21	14.6	5.6-23.6	115	67.8	57.4-78.2	24	16.8	9.2-24.4
\$50,000- 74,999	227	48,406	22	13.7	7.0-20.4	161	68.6	60.4-76.8	44	17.7	11.4-24.0			
\$75,000+	578	130,531	1	0.9	0.0- 2.7	33	5.1	2.6- 7.6	416	67.8	62.3-73.3	128	26.2	21.1-31.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1982	369,834	198	9.1	7.5-10.7	1356	68.8	66.1-71.5	416	21.5	19.0-24.0	12	0.5	0.1- 0.9
White/Non-Hisp	1350	242,018	106	7.9	5.9- 9.9	934	69.9	66.8-73.0	301	21.7	18.8-24.6	9	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	319	80,971	29	9.0	5.1-12.9	215	65.9	58.8-73.0	73	24.5	18.0-31.0	2	0.6	0.0- 1.6
Oth. Race/Non-Hisp.	64	12,574	9	14.0	1.7-26.3	47	75.2	61.5-88.9	8	10.8	2.8-18.8			
MultiRacial/Non-Hisp.	53	10,148	5	7.1	0.0-17.5	35	76.1	61.6-90.6	12	16.2	5.6-26.8	1	0.6	0.0- 1.8
Hispanic	163	17,582	44	23.3	14.9-31.7	107	67.5	57.9-77.1	12	9.2	3.1-15.3			
18-24	112	37,463	5	2.8	0.0- 5.9	82	73.8	63.6-84.0	25	23.5	13.5-33.5			
25-34	199	53,868	25	7.5	3.6-11.4	127	70.1	62.1-78.1	47	22.5	15.1-29.9			
35-44	262	52,952	27	10.5	5.4-15.6	168	63.6	56.2-71.0	65	25.4	18.7-32.1	2	0.6	0.0- 1.4
45-54	313	56,687	27	8.2	4.5-11.9	204	65.6	58.7-72.5	81	25.9	19.4-32.4	1	0.3	0.0- 0.9
55-64	410	65,832	31	7.2	4.3-10.1	283	68.8	62.9-74.7	91	22.6	17.1-28.1	5	1.4	0.0- 2.8
65+	686	103,031	83	13.4	9.7-17.1	492	70.9	66.2-75.6	107	15.3	11.6-19.0	4	0.4	0.0- 0.8
Less Than H.S.	130	24,457	36	22.6	13.0-32.2	84	64.8	53.2-76.4	9	11.2	2.6-19.8	1	1.4	0.0- 4.1
H.S. or G.E.D.	562	111,754	64	11.5	8.0-15.0	389	67.9	62.6-73.2	105	20.2	15.5-24.9	4	0.4	0.0- 0.8
Some Post-H.S.	553	114,534	48	7.4	4.9- 9.9	385	69.3	64.0-74.6	117	23.0	18.1-27.9	3	0.3	0.0- 0.7
College Graduate	732	118,339	48	5.7	3.3- 8.1	496	70.2	65.9-74.5	184	23.6	19.7-27.5	4	0.5	0.0- 1.1
Less than \$15,000	154	24,400	29	16.2	7.6-24.8	104	72.0	62.2-81.8	20	11.3	5.4-17.2	1	0.4	0.0- 1.2
\$15,000- 24,999	306	52,229	43	15.4	9.9-20.9	210	66.1	58.8-73.4	51	17.9	11.8-24.0	2	0.5	0.0- 1.3
\$25,000- 34,999	179	30,053	23	14.9	7.8-22.0	124	68.9	59.9-77.9	31	15.7	8.8-22.6	1	0.6	0.0- 1.8
\$35,000- 49,999	221	44,246	13	4.5	1.4- 7.6	149	71.1	63.5-78.7	57	23.2	15.9-30.5	2	1.1	0.0- 2.7
\$50,000- 74,999	258	48,990	23	6.4	2.7-10.1	175	72.5	65.4-79.6	59	21.1	14.8-27.4	1	0.1	0.0- 0.3
\$75,000+	520	108,221	34	6.7	4.0- 9.4	355	68.1	62.8-73.4	127	24.7	19.8-29.6	4	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED HEIGHT IN METERS (HTM4).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3670	719,592	8	0.1	0.0- 0.3	232	5.5	4.5- 6.5	1591	41.6	39.4-43.8	1521	41.8	39.6-44.0	318	11.1	9.5-12.7
Male	1644	345,459	2	0.1	0.1- 0.1	17	1.2	0.4- 2.0	217	12.3	9.9-14.7	1102	63.9	60.6-67.2	306	22.5	19.6-25.4
Female	2026	374,133	6	0.2	0.0- 0.4	215	9.5	7.9-11.1	1374	68.5	65.8-71.2	419	21.4	18.9-23.9	12	0.5	0.1- 0.9
White/Non-Hisp	2491	464,118				108	4.3	3.3- 5.3	1028	40.2	37.7-42.7	1119	44.0	41.5-46.5	236	11.6	9.8-13.4
Black or Afr. Am./Non-Hisp	498	150,716				29	4.8	2.6- 7.0	250	45.3	39.4-51.2	172	36.8	31.1-42.5	47	13.1	8.2-18.0
Oth. Race/Non-Hisp.	121	27,135	1	0.4	0.0- 1.2	12	12.2	2.2-22.2	56	46.9	34.0-59.8	44	36.2	23.1-49.3	8	4.3	0.4- 8.2
MultiRacial/Non-Hisp.	93	15,763				6	5.5	0.0-12.4	37	49.9	34.2-65.6	45	41.5	26.8-56.2	5	3.1	0.2- 6.0
Hispanic	391	45,578	7	1.7	0.0- 3.5	72	16.2	11.5-20.9	198	43.3	36.4-50.2	100	33.9	26.5-41.3	14	4.9	2.0- 7.8
18-24	234	78,088	1	0.2	0.0- 0.6	9	1.7	0.1- 3.3	102	45.5	36.9-54.1	96	37.6	29.4-45.8	26	15.0	8.1-21.9
25-34	392	111,609	4	0.2	0.0- 0.4	37	6.2	3.3- 9.1	164	40.0	33.5-46.5	155	42.0	35.3-48.7	32	11.6	6.9-16.3
35-44	487	106,857	1	0.3	0.0- 0.9	39	6.4	3.7- 9.1	207	38.3	32.6-44.0	199	43.5	37.6-49.4	41	11.5	7.6-15.4
45-54	570	108,874	2	0.1	0.0- 0.3	29	4.3	2.3- 6.3	244	41.5	36.2-46.8	236	41.8	36.5-47.1	59	12.2	8.7-15.7
55-64	755	126,269				33	4.1	2.3- 5.9	316	40.1	35.6-44.6	326	44.7	40.0-49.4	80	11.1	8.4-13.8
65+	1232	187,896				85	7.7	5.5- 9.9	558	43.7	39.8-47.6	509	40.4	36.7-44.1	80	8.1	5.4-10.8
Less Than H.S.	330	65,807	7	1.3	0.1- 2.5	61	13.8	9.3-18.3	155	38.5	31.1-45.9	83	32.9	25.1-40.7	24	13.6	7.3-19.9
H.S. or G.E.D.	1073	230,114	1	0.0	0.0- 0.0	68	5.7	3.9- 7.5	464	40.7	36.6-44.8	454	43.6	39.5-47.7	86	10.0	7.3-12.7
Some Post-H.S.	949	208,738				50	4.7	2.9- 6.5	427	42.2	37.9-46.5	382	41.2	36.9-45.5	90	11.9	9.0-14.8
College Graduate	1313	214,184				51	3.5	2.1- 4.9	543	42.6	38.9-46.3	601	43.2	39.5-46.9	118	10.7	8.2-13.2
Less than \$15,000	294	46,041	4	1.2	0.0- 2.8	41	12.0	6.7-17.3	150	50.7	41.9-59.5	78	25.3	18.0-32.6	21	10.8	3.2-18.4
\$15,000- 24,999	501	86,541	1	0.1	0.0- 0.3	50	10.2	6.7-13.7	255	46.3	40.4-52.2	167	35.5	29.6-41.4	28	7.9	4.6-11.2
\$25,000- 34,999	314	61,313	1	0.2	0.0- 0.6	24	7.5	3.8-11.2	156	46.9	38.9-54.9	112	35.5	27.7-43.3	21	9.9	4.0-15.8
\$35,000- 49,999	386	74,713				15	3.0	1.0- 5.0	171	48.2	41.3-55.1	174	41.4	34.7-48.1	26	7.4	4.1-10.7
\$50,000- 74,999	486	97,521				23	3.2	1.2- 5.2	198	43.3	37.2-49.4	220	44.6	38.5-50.7	45	8.8	5.7-11.9
\$75,000+	1099	238,915				35	3.5	1.9- 5.1	388	33.6	29.9-37.3	544	48.3	44.4-52.2	132	14.6	11.5-17.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1644	345,459	2	0.1	0.1- 0.1	17	1.2	0.4- 2.0	217	12.3	9.9-14.7	1102	63.9	60.6-67.2	306	22.5	19.6-25.4
White/Non-Hisp	1140	221,946				2	0.4	0.0- 1.0	94	7.8	5.8- 9.8	817	68.3	64.6-72.0	227	23.6	20.3-26.9
Black or Afr. Am./Non-Hisp	178	69,607							34	21.2	13.2-29.2	99	51.2	41.4-61.0	45	27.6	18.2-37.0
Oth. Race/Non-Hisp.	55	13,849				3	11.2	0.0-27.5	8	19.3	4.0-34.6	36	61.1	40.9-81.3	8	8.4	0.6-16.2
Hispanic	188	24,702	2	1.0	0.0- 2.4	11	6.9	2.2-11.6	75	27.5	19.5-35.5	86	55.6	45.6-65.6	14	9.0	3.7-14.3
18-24	117	39,590	1	0.3	0.0- 0.9	2	0.4	0.0- 1.0	18	18.1	7.5-28.7	70	51.5	38.8-64.2	26	29.7	17.5-41.9
25-34	178	56,267				6	3.5	0.0- 7.8	32	11.7	6.0-17.4	108	61.9	52.1-71.7	32	22.9	14.3-31.5
35-44	211	52,834				5	1.9	0.0- 3.9	35	13.1	6.6-19.6	132	62.3	53.7-70.9	39	22.7	15.3-30.1
45-54	250	51,717	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	35	14.6	8.3-20.9	155	59.7	51.9-67.5	58	25.4	18.5-32.3
55-64	342	60,187				1	0.5	0.0- 1.5	31	8.6	4.5-12.7	235	69.1	62.8-75.4	75	21.8	16.5-27.1
65+	546	84,865				2	0.9	0.0- 2.3	66	10.8	7.5-14.1	402	70.9	65.0-76.8	76	17.5	12.0-23.0
Less Than H.S.	172	38,632	2	0.6	0.0- 1.4	12	5.3	2.0- 8.6	62	23.0	15.0-31.0	73	48.8	38.0-59.6	23	22.3	12.3-32.3
H.S. or G.E.D.	502	117,392				2	0.2	0.0- 0.4	69	14.5	9.8-19.2	349	66.3	60.2-72.4	82	19.1	14.0-24.2
Some Post-H.S.	395	94,049				2	1.4	0.0- 3.9	42	9.4	5.1-13.7	264	63.2	56.5-69.9	87	26.0	19.9-32.1
College Graduate	575	95,386				1	0.6	0.0- 1.8	44	8.3	5.2-11.4	416	67.7	62.0-73.4	114	23.3	18.0-28.6
Less than \$15,000	122	19,239				4	2.8	0.0- 6.1	41	26.1	14.7-37.5	57	45.9	31.4-60.4	20	25.3	9.4-41.2
\$15,000- 24,999	182	33,477				4	1.8	0.0- 4.0	36	14.6	8.1-21.1	116	63.9	54.5-73.3	26	19.7	11.5-27.9
\$25,000- 34,999	135	31,260	1	0.4	0.0- 1.2	1	0.4	0.0- 1.2	32	25.8	14.2-37.4	81	54.6	41.7-67.5	20	18.9	8.1-29.7
\$35,000- 49,999	163	30,244				2	0.8	0.0- 2.0	21	14.5	5.5-23.5	116	68.0	57.6-78.4	24	16.7	9.1-24.3
\$50,000- 74,999	228	48,531							23	13.9	7.2-20.6	161	68.4	60.2-76.6	44	17.6	11.3-23.9
\$75,000+	579	130,694				1	0.9	0.0- 2.7	33	5.1	2.6- 7.6	417	67.8	62.3-73.3	128	26.2	21.1-31.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2026	374,133	6	0.2	0.0- 0.4	215	9.5	7.9-11.1	1374	68.5	65.8-71.2	419	21.4	18.9-23.9	12	0.5	0.1- 0.9
White/Non-Hisp	1351	242,172				106	7.9	5.9- 9.9	934	69.9	66.8-73.0	302	21.7	18.8-24.6	9	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	320	81,109				29	9.0	5.1-12.9	216	65.9	58.8-73.0	73	24.5	18.0-31.0	2	0.6	0.0- 1.6
Oth. Race/Non-Hisp.	66	13,286	1	0.9	0.0- 2.7	9	13.2	1.4-25.0	48	75.7	62.4-89.0	8	10.2	2.6-17.8			
MultiRacial/Non-Hisp.	53	10,148				5	7.1	0.0-17.5	35	76.1	61.6-90.6	12	16.2	5.6-26.8	1	0.6	0.0- 1.8
Hispanic	203	20,876	5	2.5	0.0- 6.0	61	27.2	19.0-35.4	123	62.0	52.8-71.2	14	8.3	3.0-13.6			
18-24	117	38,499				7	3.1	0.0- 6.2	84	73.7	63.7-83.7	26	23.2	13.6-32.8			
25-34	214	55,342	4	0.4	0.0- 0.8	31	9.0	4.9-13.1	132	68.7	60.9-76.5	47	21.9	14.6-29.2			
35-44	276	54,023	1	0.7	0.0- 2.1	34	10.8	5.9-15.7	172	62.8	55.4-70.2	67	25.1	18.4-31.8	2	0.6	0.0- 1.4
45-54	320	57,157	1	0.0	0.0- 0.0	28	8.2	4.5-11.9	209	65.8	58.9-72.7	81	25.6	19.1-32.1	1	0.3	0.0- 0.9
55-64	413	66,082				32	7.4	4.3-10.5	285	68.7	62.8-74.6	91	22.5	17.0-28.0	5	1.4	0.0- 2.8
65+	686	103,031				83	13.4	9.7-17.1	492	70.9	66.2-75.6	107	15.3	11.6-19.0	4	0.4	0.0- 0.8
Less Than H.S.	158	27,175	5	2.2	0.0- 4.9	49	25.7	16.5-34.9	93	60.5	49.7-71.3	10	10.3	2.7-17.9	1	1.3	0.0- 3.7
H.S. or G.E.D.	571	112,722	1	0.0	0.0- 0.0	66	11.4	7.9-14.9	395	68.1	62.8-73.4	105	20.0	15.5-24.5	4	0.4	0.0- 0.8
Some Post-H.S.	554	114,689				48	7.4	4.9- 9.9	385	69.2	63.9-74.5	118	23.1	18.2-28.0	3	0.3	0.0- 0.7
College Graduate	738	118,798				50	5.7	3.3- 8.1	499	70.2	65.9-74.5	185	23.6	19.7-27.5	4	0.5	0.0- 1.1
Less than \$15,000	172	26,802	4	2.1	0.0- 4.8	37	18.7	10.3-27.1	109	68.4	58.8-78.0	21	10.5	5.0-16.0	1	0.4	0.0- 1.2
\$15,000- 24,999	319	53,064	1	0.1	0.0- 0.3	46	15.4	9.9-20.9	219	66.3	59.2-73.4	51	17.6	11.7-23.5	2	0.5	0.0- 1.3
\$25,000- 34,999	179	30,053				23	14.9	7.8-22.0	124	68.9	59.9-77.9	31	15.7	8.8-22.6	1	0.6	0.0- 1.8
\$35,000- 49,999	223	44,469				13	4.5	1.4- 7.6	150	71.1	63.5-78.7	58	23.3	16.2-30.4	2	1.1	0.0- 2.7
\$50,000- 74,999	258	48,990				23	6.4	2.7-10.1	175	72.5	65.4-79.6	59	21.1	14.8-27.4	1	0.1	0.0- 0.3
\$75,000+	520	108,221				34	6.7	4.0- 9.4	355	68.1	62.8-73.4	127	24.7	19.8-29.6	4	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 31: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3684	710,224	36	1.0	0.6- 1.4	1057	27.0	25.0-29.0	1632	44.2	41.8-46.6	693	19.5	17.7-21.3	211	6.2	5.0- 7.4	55	2.1	1.3- 2.9
Male	1689	350,669	3	0.1	0.0- 0.3	228	12.9	10.5-15.3	815	48.5	45.2-51.8	447	26.0	23.3-28.7	154	9.1	7.3-10.9	42	3.3	1.9- 4.7
Female	1995	359,556	33	1.8	1.0- 2.6	829	40.7	37.8-43.6	817	40.0	37.1-42.9	246	13.1	10.9-15.3	57	3.4	2.2- 4.6	13	0.9	0.1- 1.7
White/Non-Hisp	2411	447,685	24	1.1	0.5- 1.7	667	27.3	24.9-29.7	1058	43.8	41.3-46.3	488	20.1	17.9-22.3	139	6.0	4.8- 7.2	35	1.7	1.1- 2.3
Black or Afr. Am./Non-Hisp	485	146,228	3	0.3	0.0- 0.7	101	20.6	15.7-25.5	205	41.7	35.6-47.8	116	23.6	18.7-28.5	50	10.1	6.6-13.6	10	3.6	0.7- 6.5
Oth. Race/Non-Hisp.	124	28,229				39	36.8	23.9-49.7	67	53.6	40.7-66.5	14	4.7	1.8- 7.6	2	0.3	0.0- 0.7	2	4.6	0.0-12.8
MultiRacial/Non-Hisp.	92	15,607				23	26.9	12.4-41.4	40	40.9	26.0-55.8	20	25.8	10.5-41.1	6	4.4	0.0- 9.9	3	2.0	0.0- 4.5
Hispanic	502	58,817	8	2.0	0.4- 3.6	211	37.7	31.0-44.4	230	48.0	41.1-54.9	39	9.7	5.8-13.6	11	2.4	0.2- 4.6	3	0.2	0.0- 0.4
18-24	256	81,094	6	2.1	0.1- 4.1	116	44.0	35.4-52.6	104	41.3	32.9-49.7	24	9.4	4.5-14.3	1	0.4	0.0- 1.2	5	2.8	0.0- 6.9
25-34	434	115,152	7	1.8	0.2- 3.4	154	26.6	21.1-32.1	187	48.2	41.7-54.7	51	13.1	8.8-17.4	26	7.2	3.5-10.9	9	3.2	0.7- 5.7
35-44	506	106,667	3	0.5	0.0- 1.1	136	23.1	18.2-28.0	229	42.8	37.1-48.5	104	25.3	20.0-30.6	23	5.8	2.9- 8.7	11	2.4	0.8- 4.0
45-54	560	106,228	1	0.2	0.0- 0.6	137	23.1	18.8-27.4	246	41.5	36.2-46.8	120	22.8	18.3-27.3	46	10.0	6.7-13.3	10	2.4	0.2- 4.6
55-64	731	120,145	4	0.3	0.0- 0.7	170	23.1	19.2-27.0	319	42.4	37.7-47.1	169	24.4	20.5-28.3	61	8.9	6.2-11.6	8	0.9	0.3- 1.5
65+	1197	180,938	15	1.1	0.3- 1.9	344	26.9	23.4-30.4	547	46.6	42.7-50.5	225	19.4	16.3-22.5	54	4.5	2.9- 6.1	12	1.5	0.3- 2.7
Less Than H.S.	426	78,402	9	1.6	0.4- 2.8	165	32.2	25.3-39.1	188	46.0	38.7-53.3	42	13.0	8.3-17.7	19	6.8	3.3-10.3	3	0.5	0.0- 1.3
H.S. or G.E.D.	1048	222,768	10	1.0	0.2- 1.8	271	25.8	22.1-29.5	468	45.0	40.9-49.1	210	19.0	16.1-21.9	73	7.4	5.2- 9.6	16	1.8	0.6- 3.0
Some Post-H.S.	920	198,368	10	1.2	0.2- 2.2	267	29.2	25.1-33.3	370	38.9	34.6-43.2	190	21.3	17.8-24.8	59	6.0	4.0- 8.0	24	3.5	1.7- 5.3
College Graduate	1287	210,235	7	0.5	0.0- 1.1	352	24.2	21.3-27.1	606	47.8	44.1-51.5	250	20.8	17.7-23.9	60	5.0	3.2- 6.8	12	1.7	0.0- 3.5
Less than \$15,000	338	49,845	4	1.1	0.0- 2.5	130	36.5	28.9-44.1	145	44.7	36.5-52.9	36	11.5	6.6-16.4	19	5.7	2.4- 9.0	4	0.4	0.0- 0.8
\$15,000- 24,999	514	87,050	5	0.8	0.0- 1.6	152	30.4	25.1-35.7	231	42.1	36.4-47.8	92	19.1	14.4-23.8	26	4.7	2.3- 7.1	8	2.8	0.1- 5.5
\$25,000- 34,999	322	63,130	6	1.2	0.2- 2.2	94	26.3	19.6-33.0	144	47.7	39.5-55.9	52	14.9	9.6-20.2	20	6.9	3.2-10.6	6	3.0	0.3- 5.7
\$35,000- 49,999	380	73,800	6	1.8	0.0- 3.6	106	28.2	21.7-34.7	164	43.6	36.7-50.5	72	18.6	13.1-24.1	26	6.7	3.6- 9.8	6	1.0	0.0- 2.0
\$50,000- 74,999	472	93,637	1	0.3	0.0- 0.9	123	25.7	20.2-31.2	210	43.1	37.0-49.2	90	21.1	15.6-26.6	37	7.4	4.1-10.7	11	2.4	0.8- 4.0
\$75,000+	1081	236,959	6	0.7	0.1- 1.3	246	23.3	19.6-27.0	503	43.5	39.6-47.4	252	23.1	20.0-26.2	60	7.0	4.8- 9.2	14	2.4	0.6- 4.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 32: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1689	350,669	3	0.1	0.0- 0.3	228	12.9	10.5-15.3	815	48.5	45.2-51.8	447	26.0	23.3-28.7	154	9.1	7.3-10.9	42	3.3	1.9- 4.7
White/Non-Hisp	1136	221,354	1	0.1	0.0- 0.3	115	9.7	7.3-12.1	541	47.7	43.8-51.6	336	29.3	25.8-32.8	114	10.2	7.8-12.6	29	3.0	1.6- 4.4
Black or Afr. Am./Non-Hisp	176	68,506				25	17.9	9.9-25.9	71	41.8	32.0-51.6	50	24.6	17.0-32.2	24	11.1	5.6-16.6	6	4.6	0.0- 9.5
Oth. Race/Non-Hisp.	60	15,139				7	21.7	1.9-41.5	39	62.9	42.3-83.5	10	6.3	1.2-11.4	2	0.5	0.0- 1.3	2	8.6	0.0-23.5
Hispanic	236	30,864	2	0.5	0.0- 1.3	73	23.2	16.5-29.9	124	57.9	48.9-66.9	27	14.2	7.7-20.7	8	3.9	0.0- 7.8	2	0.3	0.0- 0.7
18-24	133	40,832	2	0.4	0.0- 1.0	46	37.0	25.0-49.0	63	46.6	34.4-58.8	17	9.8	4.3-15.3	1	0.8	0.0- 2.4	4	5.4	0.0-13.2
25-34	191	58,848				43	15.5	8.4-22.6	97	53.9	44.1-63.7	30	16.4	9.3-23.5	14	8.6	2.7-14.5	7	5.7	0.8-10.6
35-44	227	55,072	1	0.4	0.0- 1.2	23	6.5	2.0-11.0	118	50.0	41.4-58.6	64	33.5	25.3-41.7	13	5.9	2.2- 9.6	8	3.6	0.9- 6.3
45-54	254	52,353				26	8.9	4.6-13.2	108	43.7	35.9-51.5	79	31.3	24.2-38.4	33	13.3	8.0-18.6	8	2.8	0.6- 5.0
55-64	341	60,115				27	8.5	4.4-12.6	147	41.8	34.7-48.9	115	33.9	27.6-40.2	46	14.6	9.7-19.5	6	1.3	0.1- 2.5
65+	543	83,449				63	9.4	6.5-12.3	282	52.5	46.6-58.4	142	26.9	21.8-32.0	47	8.9	5.8-12.0	9	2.3	0.3- 4.3
Less Than H.S.	212	43,941	2	0.4	0.0- 1.0	66	21.1	14.0-28.2	106	54.3	44.5-64.1	23	14.0	6.9-21.1	13	9.4	3.5-15.3	2	0.8	0.0- 2.2
H.S. or G.E.D.	508	117,810	1	0.2	0.0- 0.6	68	15.0	10.1-19.9	239	47.9	41.8-54.0	135	24.8	20.1-29.5	54	9.9	6.6-13.2	11	2.1	0.7- 3.5
Some Post-H.S.	390	92,226				55	13.8	8.7-18.9	155	40.2	33.5-46.9	119	29.7	23.8-35.6	43	10.3	6.2-14.4	18	5.9	2.4- 9.4
College Graduate	579	96,692				39	5.8	3.4- 8.2	315	54.6	48.9-60.3	170	29.4	24.3-34.5	44	6.7	4.2- 9.2	11	3.4	0.0- 6.9
Less than \$15,000	141	20,844	1	0.4	0.0- 1.2	40	17.2	10.3-24.1	72	59.6	46.9-72.3	15	16.3	6.3-26.3	9	5.5	0.0-11.2	4	1.0	0.0- 2.0
\$15,000- 24,999	193	34,731				34	17.2	9.8-24.6	100	49.3	39.7-58.9	41	24.4	15.8-33.0	15	7.0	2.5-11.5	3	2.2	0.0- 5.1
\$25,000- 34,999	141	33,280				21	11.7	4.4-19.0	70	53.9	41.7-66.1	32	19.5	10.7-28.3	13	9.3	3.4-15.2	5	5.6	0.3-10.9
\$35,000- 49,999	165	30,363				25	17.2	7.6-26.8	81	50.6	40.2-61.0	38	18.4	11.5-25.3	16	11.6	5.1-18.1	5	2.2	0.0- 4.6
\$50,000- 74,999	228	48,366				27	15.1	8.4-21.8	98	42.3	33.5-51.1	61	27.2	19.0-35.4	33	11.3	6.2-16.4	9	4.0	0.9- 7.1
\$75,000+	579	130,924	1	0.2	0.0- 0.6	38	8.8	4.7-12.9	277	44.8	39.3-50.3	201	32.5	27.6-37.4	48	9.4	6.1-12.7	14	4.4	1.1- 7.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 33: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1995	359,556	33	1.8	1.0- 2.6	829	40.7	37.8-43.6	817	40.0	37.1-42.9	246	13.1	10.9-15.3	57	3.4	2.2- 4.6	13	0.9	0.1- 1.7
White/Non-Hisp	1275	226,331	23	2.1	0.9- 3.3	552	44.5	41.0-48.0	517	40.0	36.5-43.5	152	11.1	8.9-13.3	25	1.9	0.9- 2.9	6	0.4	0.0- 0.8
Black or Afr. Am./Non-Hisp	309	77,722	3	0.6	0.0- 1.4	76	23.0	16.9-29.1	134	41.6	34.2-49.0	66	22.7	16.2-29.2	26	9.3	4.8-13.8	4	2.7	0.0- 5.8
Oth. Race/Non-Hisp.	64	13,090				32	54.3	38.2-70.4	28	42.9	27.0-58.8	4	2.8	0.0- 5.9						
MultiRacial/Non-Hisp.	53	10,148				19	38.1	17.5-58.7	22	35.0	16.8-53.2	8	19.8	0.0-40.2	3	6.2	0.0-14.6	1	0.9	0.0- 2.7
Hispanic	266	27,953	6	3.6	0.3- 6.9	138	53.8	44.0-63.6	106	37.0	27.8-46.2	12	4.6	0.9- 8.3	3	0.8	0.0- 1.8	1	0.2	0.0- 0.6
18-24	123	40,262	4	3.8	0.0- 7.7	70	51.1	38.8-63.4	41	35.9	24.1-47.7	7	8.9	0.7-17.1				1	0.2	0.0- 0.6
25-34	243	56,304	7	3.8	0.5- 7.1	111	38.2	30.2-46.2	90	42.2	33.8-50.6	21	9.7	4.4-15.0	12	5.6	1.3- 9.9	2	0.5	0.0- 1.5
35-44	279	51,595	2	0.6	0.0- 1.4	113	40.9	33.3-48.5	111	35.1	27.8-42.4	40	16.6	10.3-22.9	10	5.7	1.2-10.2	3	1.1	0.0- 2.9
45-54	306	53,875	1	0.3	0.0- 0.9	111	36.9	30.0-43.8	138	39.4	32.3-46.5	41	14.7	9.4-20.0	13	6.7	2.6-10.8	2	2.0	0.0- 5.7
55-64	390	60,030	4	0.6	0.0- 1.2	143	37.7	31.6-43.8	172	43.1	36.8-49.4	54	15.0	10.5-19.5	15	3.2	1.4- 5.0	2	0.5	0.0- 1.1
65+	654	97,489	15	2.1	0.7- 3.5	281	41.8	36.5-47.1	265	41.5	36.2-46.8	83	13.0	9.5-16.5	7	0.7	0.0- 1.5	3	0.8	0.0- 2.0
Less Than H.S.	214	34,461	7	3.1	0.6- 5.6	99	46.3	35.5-57.1	82	35.4	25.6-45.2	19	11.7	5.8-17.6	6	3.3	0.4- 6.2	1	0.1	0.0- 0.3
H.S. or G.E.D.	540	104,958	9	1.9	0.3- 3.5	203	38.0	32.5-43.5	229	41.8	36.1-47.5	75	12.4	8.9-15.9	19	4.5	1.8- 7.2	5	1.4	0.0- 3.4
Some Post-H.S.	530	106,142	10	2.3	0.5- 4.1	212	42.5	36.8-48.2	215	37.7	32.0-43.4	71	13.9	9.8-18.0	16	2.2	1.0- 3.4	6	1.4	0.0- 2.8
College Graduate	708	113,543	7	1.0	0.0- 2.0	313	39.8	35.1-44.5	291	42.0	37.1-46.9	80	13.4	9.5-17.3	16	3.6	1.2- 6.0	1	0.2	0.0- 0.6
Less than \$15,000	197	29,000	3	1.7	0.0- 4.1	90	50.4	40.4-60.4	73	33.9	24.7-43.1	21	8.1	3.8-12.4	10	5.9	1.8-10.0			
\$15,000- 24,999	321	52,319	5	1.4	0.0- 2.8	118	39.2	32.1-46.3	131	37.3	30.4-44.2	51	15.6	10.5-20.7	11	3.2	0.8- 5.6	5	3.3	0.0- 7.4
\$25,000- 34,999	181	29,850	6	2.5	0.3- 4.7	73	42.7	32.7-52.7	74	40.8	31.0-50.6	20	9.8	4.5-15.1	7	4.1	0.0- 8.4	1	0.2	0.0- 0.6
\$35,000- 49,999	215	43,438	6	3.1	0.2- 6.0	81	35.8	27.2-44.4	83	38.8	29.8-47.8	34	18.8	10.8-26.8	10	3.2	0.8- 5.6	1	0.2	0.0- 0.6
\$50,000- 74,999	244	45,272	1	0.7	0.0- 2.1	96	37.0	28.8-45.2	112	43.9	35.5-52.3	29	14.6	7.7-21.5	4	3.2	0.0- 7.7	2	0.6	0.0- 1.6
\$75,000+	502	106,035	5	1.3	0.0- 2.7	208	41.2	35.3-47.1	226	41.9	36.2-47.6	51	11.5	7.8-15.2	12	4.1	1.4- 6.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 34: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3520	686,837	40	1.2	0.6- 1.8	1002	30.2	28.0-32.4	1219	32.3	30.1-34.5	731	21.0	19.0-23.0	528	15.3	13.5-17.1
Male	1622	340,665	15	1.0	0.2- 1.8	404	28.3	25.0-31.6	634	35.8	32.7-38.9	352	20.9	18.2-23.6	217	14.0	11.6-16.4
Female	1898	346,172	25	1.4	0.6- 2.2	598	32.0	29.1-34.9	585	28.9	26.2-31.6	379	21.1	18.6-23.6	311	16.5	14.1-18.9
White/Non-Hisp	2387	443,231	29	1.2	0.6- 1.8	706	31.3	28.8-33.8	853	34.4	31.9-36.9	466	19.3	17.1-21.5	333	13.8	12.0-15.6
Black or Afr. Am./Non-Hisp	476	144,257	5	1.3	0.0- 3.3	99	23.8	18.3-29.3	134	25.2	19.9-30.5	129	26.9	21.8-32.0	109	22.8	17.7-27.9
Oth. Race/Non-Hisp.	117	26,365	1	1.1	0.0- 3.3	43	43.5	30.0-57.0	41	30.0	19.2-40.8	21	18.0	7.8-28.2	11	7.4	0.0-16.2
MultiRacial/Non-Hisp.	90	15,449	2	0.9	0.0- 2.3	23	29.0	14.3-43.7	31	35.6	20.9-50.3	14	18.8	4.1-33.5	20	15.8	6.6-25.0
Hispanic	382	44,084	1	0.1	0.0- 0.3	112	31.5	24.6-38.4	140	35.3	28.4-42.2	84	22.2	16.1-28.3	45	10.9	6.4-15.4
18-24	225	75,365	7	2.4	0.2- 4.6	122	55.8	47.0-64.6	53	23.6	16.0-31.2	32	11.4	6.7-16.1	11	6.8	0.9-12.7
25-34	378	106,517	7	2.6	0.0- 5.3	125	33.1	26.8-39.4	126	29.0	23.1-34.9	52	16.4	10.9-21.9	68	18.9	13.4-24.4
35-44	470	102,483	1	0.3	0.0- 0.9	136	27.7	22.4-33.0	156	33.2	27.5-38.9	108	24.1	18.6-29.6	69	14.7	10.6-18.8
45-54	537	103,294	1	0.2	0.0- 0.6	124	24.3	19.6-29.0	192	33.6	28.5-38.7	120	23.0	18.3-27.7	100	19.0	14.7-23.3
55-64	721	118,988	6	0.9	0.0- 1.9	174	24.6	20.5-28.7	253	34.7	30.2-39.2	167	23.8	19.9-27.7	121	15.9	12.6-19.2
65+	1189	180,189	18	1.2	0.4- 2.0	321	26.1	22.4-29.8	439	35.2	31.5-38.9	252	23.1	19.6-26.6	159	14.5	11.6-17.4
Less Than H.S.	325	64,900				78	27.9	20.3-35.5	114	31.6	24.3-38.9	75	22.4	15.9-28.9	58	18.1	12.6-23.6
H.S. or G.E.D.	1022	220,311	10	0.8	0.0- 1.6	296	33.1	29.0-37.2	320	28.9	25.2-32.6	227	21.4	18.1-24.7	169	15.8	12.9-18.7
Some Post-H.S.	902	195,803	20	2.5	0.7- 4.3	244	29.0	24.9-33.1	296	30.3	26.2-34.4	188	22.8	19.1-26.5	154	15.5	12.4-18.6
College Graduate	1268	205,371	10	0.7	0.1- 1.3	382	28.8	25.5-32.1	489	38.3	34.8-41.8	241	18.6	15.7-21.5	146	13.6	10.5-16.7
Less than \$15,000	286	45,371	5	0.8	0.0- 1.6	83	36.3	27.3-45.3	95	27.1	19.8-34.4	48	21.1	13.5-28.7	55	14.7	9.4-20.0
\$15,000- 24,999	488	83,850	5	0.5	0.0- 1.1	132	33.6	27.7-39.5	158	27.8	22.7-32.9	103	20.5	15.6-25.4	90	17.5	13.0-22.0
\$25,000- 34,999	306	60,099	4	0.7	0.0- 1.7	85	27.1	19.5-34.7	97	32.4	24.8-40.0	68	24.4	17.0-31.8	52	15.4	10.1-20.7
\$35,000- 49,999	376	73,196	4	1.3	0.0- 2.9	114	33.2	26.3-40.1	122	29.4	23.3-35.5	72	18.5	13.4-23.6	64	17.7	12.2-23.2
\$50,000- 74,999	469	93,260	8	1.3	0.3- 2.3	126	27.8	22.1-33.5	151	31.4	25.7-37.1	103	21.0	15.9-26.1	81	18.5	13.4-23.6
\$75,000+	1069	232,501	6	1.3	0.0- 2.7	286	27.8	24.1-31.5	434	36.9	33.2-40.6	221	20.4	17.3-23.5	122	13.7	10.6-16.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 35: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1622	340,665	15	1.0	0.2- 1.8	404	28.3	25.0-31.6	634	35.8	32.7-38.9	352	20.9	18.2-23.6	217	14.0	11.6-16.4
White/Non-Hisp	1128	219,989	11	0.8	0.2- 1.4	269	26.1	22.6-29.6	452	38.5	34.8-42.2	241	20.1	17.0-23.2	155	14.4	11.7-17.1
Black or Afr. Am./Non-Hisp	174	67,631	1	2.0	0.0- 5.9	43	30.6	20.8-40.4	54	27.0	18.6-35.4	49	25.5	17.5-33.5	27	14.9	7.8-22.0
Oth. Race/Non-Hisp.	55	13,849				18	46.9	25.9-67.9	24	31.2	15.1-47.3	7	10.8	0.0-22.2	6	11.1	0.0-27.2
Hispanic	187	24,618				57	32.5	22.3-42.7	76	35.2	25.2-45.2	40	22.7	14.1-31.3	14	9.5	3.2-15.8
18-24	114	38,436	3	1.3	0.0- 2.9	66	66.8	55.0-78.6	26	18.2	9.2-27.2	14	7.6	2.7-12.5	5	6.0	0.0-14.2
25-34	176	56,060	3	2.8	0.0- 7.5	59	33.1	23.7-42.5	65	30.4	21.4-39.4	22	13.3	5.9-20.7	27	20.3	11.7-28.9
35-44	209	52,561				49	21.6	14.2-29.0	83	41.2	32.6-49.8	51	25.6	17.6-33.6	26	11.6	6.5-16.7
45-54	245	50,723				46	19.1	13.0-25.2	98	39.7	31.9-47.5	54	22.4	15.5-29.3	47	18.9	12.8-25.0
55-64	339	59,882	3	1.1	0.0- 2.7	56	18.6	12.5-24.7	133	37.5	30.8-44.2	98	28.4	22.3-34.5	49	14.5	9.8-19.2
65+	539	83,003	6	0.9	0.0- 1.9	128	24.0	18.3-29.7	229	40.5	34.8-46.2	113	22.9	18.0-27.8	63	11.7	8.0-15.4
Less Than H.S.	172	38,632				51	32.7	22.1-43.3	62	31.6	21.6-41.6	36	20.3	11.9-28.7	23	15.4	8.1-22.7
H.S. or G.E.D.	497	116,715	4	0.5	0.0- 1.1	140	34.7	28.4-41.0	168	30.5	25.2-35.8	115	20.3	15.6-25.0	70	14.0	10.1-17.9
Some Post-H.S.	385	91,290	9	2.7	0.0- 5.8	91	25.4	19.3-31.5	138	32.7	26.4-39.0	84	22.6	17.1-28.1	63	16.5	11.4-21.6
College Graduate	568	94,028	2	0.4	0.0- 1.0	122	21.2	16.5-25.9	266	47.1	41.4-52.8	117	20.3	15.6-25.0	61	11.0	6.7-15.3
Less than \$15,000	121	19,183	1	0.1	0.0- 0.3	40	38.0	22.9-53.1	48	33.0	19.7-46.3	19	18.2	7.4-29.0	13	10.7	2.3-19.1
\$15,000- 24,999	182	33,477	3	0.8	0.0- 2.0	46	36.3	26.3-46.3	75	32.9	24.1-41.7	37	19.9	11.7-28.1	21	10.1	5.0-15.2
\$25,000- 34,999	133	31,024				32	23.8	12.0-35.6	47	35.4	23.1-47.7	34	24.8	13.4-36.2	20	16.0	8.0-24.0
\$35,000- 49,999	163	30,244	1	0.5	0.0- 1.5	46	35.1	24.1-46.1	62	34.5	25.1-43.9	31	17.0	9.7-24.3	23	13.0	6.9-19.1
\$50,000- 74,999	227	48,254	5	1.4	0.2- 2.6	53	27.4	19.0-35.8	81	35.1	26.7-43.5	43	17.4	10.3-24.5	45	18.7	11.8-25.6
\$75,000+	573	129,957	3	1.6	0.0- 3.8	122	23.2	18.1-28.3	248	38.9	33.6-44.2	132	21.9	17.6-26.2	68	14.4	9.9-18.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 36: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1898	346,172	25	1.4	0.6- 2.2	598	32.0	29.1-34.9	585	28.9	26.2-31.6	379	21.1	18.6-23.6	311	16.5	14.1-18.9
White/Non-Hisp	1259	223,241	18	1.6	0.6- 2.6	437	36.5	33.0-40.0	401	30.3	27.0-33.6	225	18.4	15.5-21.3	178	13.2	10.8-15.6
Black or Afr. Am./Non-Hisp	302	76,626	4	0.7	0.0- 1.5	56	17.9	12.4-23.4	80	23.7	17.0-30.4	80	28.1	21.4-34.8	82	29.7	22.4-37.0
Oth. Race/Non-Hisp.	62	12,516	1	2.3	0.0- 6.8	25	39.7	23.8-55.6	17	28.7	14.2-43.2	14	26.0	9.9-42.1	5	3.3	0.0- 6.6
MultiRacial/Non-Hisp.	52	10,011				15	34.4	13.8-55.0	18	30.1	12.5-47.7	8	19.5	0.0-40.1	11	15.9	3.9-27.9
Hispanic	195	19,466	1	0.3	0.0- 0.9	55	30.3	21.3-39.3	64	35.3	26.1-44.5	44	21.6	13.0-30.2	31	12.5	6.4-18.6
18-24	111	36,929	4	3.6	0.0- 7.5	56	44.5	32.5-56.5	27	29.1	16.9-41.3	18	15.2	7.4-23.0	6	7.7	0.0-15.9
25-34	202	50,457	4	2.2	0.0- 4.9	66	33.1	24.7-41.5	61	27.6	20.0-35.2	30	19.8	11.8-27.8	41	17.3	10.4-24.2
35-44	261	49,922	1	0.6	0.0- 1.8	87	34.1	26.7-41.5	73	24.7	18.0-31.4	57	22.5	15.4-29.6	43	18.0	11.7-24.3
45-54	292	52,571	1	0.3	0.0- 0.9	78	29.3	22.4-36.2	94	27.7	21.4-34.0	66	23.6	17.1-30.1	53	19.1	12.8-25.4
55-64	382	59,106	3	0.8	0.0- 1.8	118	30.7	24.8-36.6	120	31.9	26.0-37.8	69	19.2	14.1-24.3	72	17.4	12.9-21.9
65+	650	97,186	12	1.4	0.2- 2.6	193	27.9	23.2-32.6	210	30.6	25.9-35.3	139	23.2	18.5-27.9	96	16.9	12.6-21.2
Less Than H.S.	153	26,268				27	20.9	10.5-31.3	52	31.7	21.3-42.1	39	25.5	15.3-35.7	35	22.0	13.8-30.2
H.S. or G.E.D.	525	103,595	6	1.2	0.0- 2.6	156	31.2	25.9-36.5	152	27.1	22.0-32.2	112	22.7	17.8-27.6	99	17.9	13.4-22.4
Some Post-H.S.	517	104,513	11	2.3	0.5- 4.1	153	32.0	26.5-37.5	158	28.1	22.8-33.4	104	23.0	17.7-28.3	91	14.6	10.9-18.3
College Graduate	700	111,343	8	1.1	0.1- 2.1	260	35.2	30.5-39.9	223	30.9	26.4-35.4	124	17.1	13.4-20.8	85	15.8	11.5-20.1
Less than \$15,000	165	26,187	4	1.3	0.0- 2.7	43	35.1	24.3-45.9	47	22.8	15.2-30.4	29	23.2	12.8-33.6	42	17.6	10.9-24.3
\$15,000- 24,999	306	50,373	2	0.3	0.0- 0.7	86	31.8	24.9-38.7	83	24.5	18.4-30.6	66	21.0	15.1-26.9	69	22.5	16.0-29.0
\$25,000- 34,999	173	29,075	4	1.4	0.0- 3.2	53	30.7	20.9-40.5	50	29.3	20.5-38.1	34	24.0	14.8-33.2	32	14.7	8.2-21.2
\$35,000- 49,999	213	42,952	3	1.9	0.0- 4.3	68	31.8	23.2-40.4	60	25.8	17.6-34.0	41	19.6	12.5-26.7	41	21.0	12.8-29.2
\$50,000- 74,999	242	45,006	3	1.1	0.0- 2.7	73	28.3	21.0-35.6	70	27.5	19.7-35.3	60	24.8	17.2-32.4	36	18.3	10.9-25.7
\$75,000+	496	102,544	3	0.9	0.0- 2.1	164	33.5	28.0-39.0	186	34.4	29.1-39.7	89	18.4	13.7-23.1	54	12.8	8.7-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 37: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3520	686,837	64	2.1	1.3- 2.9	976	29.2	27.0-31.4	1217	32.1	29.9-34.3	1263	36.5	34.3-38.7
Male	1622	340,665	23	1.9	0.7- 3.1	394	27.3	24.0-30.6	632	35.4	32.3-38.5	573	35.3	32.0-38.6
Female	1898	346,172	41	2.3	1.5- 3.1	582	31.1	28.4-33.8	585	28.9	26.2-31.6	690	37.7	34.8-40.6
White/Non-Hisp	2387	443,231	45	1.9	1.3- 2.5	688	30.6	28.1-33.1	851	34.1	31.6-36.6	803	33.4	30.9-35.9
Black or Afr. Am./Non-Hisp	476	144,257	11	3.3	0.6- 6.0	93	21.8	16.3-27.3	134	25.2	19.9-30.5	238	49.6	43.5-55.7
Oth. Race/Non-Hisp.	117	26,365	3	2.4	0.0- 5.3	41	42.1	28.6-55.6	41	30.0	19.2-40.8	32	25.4	13.1-37.7
MultiRacial/Non-Hisp.	90	15,449	2	0.9	0.0- 2.3	23	29.0	14.3-43.7	31	35.6	20.9-50.3	34	34.6	19.3-49.9
Hispanic	382	44,084	1	0.1	0.0- 0.3	112	31.5	24.6-38.4	140	35.3	28.4-42.2	129	33.1	26.2-40.0
18-24	225	75,365	10	4.1	1.0- 7.2	119	54.1	45.3-62.9	53	23.6	16.0-31.2	43	18.2	11.1-25.3
25-34	378	106,517	12	4.7	1.2- 8.2	120	30.9	24.8-37.0	125	28.8	22.9-34.7	121	35.6	28.7-42.5
35-44	470	102,483	2	0.4	0.0- 1.0	135	27.6	22.3-32.9	154	32.2	26.7-37.7	179	39.8	33.9-45.7
45-54	537	103,294	5	1.0	0.0- 2.0	119	23.4	18.9-27.9	193	33.7	28.6-38.8	220	42.0	36.5-47.5
55-64	721	118,988	9	1.3	0.3- 2.3	171	24.2	20.1-28.3	252	34.6	30.1-39.1	289	39.9	35.4-44.4
65+	1189	180,189	26	1.8	0.8- 2.8	312	25.4	21.9-28.9	440	35.2	31.5-38.9	411	37.6	33.7-41.5
Less Than H.S.	325	64,900	3	1.0	0.0- 2.2	75	26.9	19.5-34.3	113	30.8	23.5-38.1	134	41.3	33.7-48.9
H.S. or G.E.D.	1022	220,311	15	1.5	0.5- 2.5	290	32.3	28.2-36.4	319	28.7	25.0-32.4	398	37.4	33.3-41.5
Some Post-H.S.	902	195,803	28	3.7	1.7- 5.7	236	27.8	23.7-31.9	295	30.0	25.9-34.1	343	38.6	34.3-42.9
College Graduate	1268	205,371	18	1.5	0.7- 2.3	373	28.0	24.7-31.3	490	38.4	34.9-41.9	387	32.2	28.5-35.9
Less than \$15,000	286	45,371	6	1.1	0.1- 2.1	82	36.0	27.0-45.0	95	27.1	19.8-34.4	103	35.8	27.4-44.2
\$15,000- 24,999	488	83,850	14	2.9	1.1- 4.7	122	31.1	25.4-36.8	159	27.9	22.8-33.0	193	38.1	32.2-44.0
\$25,000- 34,999	306	60,099	7	1.4	0.2- 2.6	82	26.4	18.8-34.0	97	32.4	24.8-40.0	120	39.8	31.8-47.8
\$35,000- 49,999	376	73,196	10	2.7	0.5- 4.9	108	31.7	25.0-38.4	121	29.0	22.9-35.1	137	36.5	29.8-43.2
\$50,000- 74,999	469	93,260	9	2.1	0.1- 4.1	125	27.0	21.5-32.5	151	31.4	25.7-37.1	184	39.5	33.2-45.8
\$75,000+	1069	232,501	8	1.5	0.1- 2.9	283	27.5	23.8-31.2	433	36.7	33.0-40.4	345	34.3	30.4-38.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 38: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1622	340,665	23	1.9	0.7- 3.1	394	27.3	24.0-30.6	632	35.4	32.3-38.5	573	35.3	32.0-38.6
White/Non-Hisp	1128	219,989	16	1.2	0.4- 2.0	262	25.7	22.2-29.2	450	37.9	34.2-41.6	400	35.2	31.5-38.9
Black or Afr. Am./Non-Hisp	174	67,631	4	5.3	0.0-10.6	40	27.3	17.7-36.9	54	27.0	18.6-35.4	76	40.4	30.8-50.0
Oth. Race/Non-Hisp.	55	13,849				18	46.9	25.9-67.9	24	31.2	15.1-47.3	13	21.9	3.7-40.1
Hispanic	187	24,618				57	32.5	22.3-42.7	76	35.2	25.2-45.2	54	32.3	22.5-42.1
18-24	114	38,436	4	3.4	0.0- 7.7	65	64.7	52.7-76.7	26	18.2	9.2-27.2	19	13.7	4.5-22.9
25-34	176	56,060	5	5.2	0.0-11.1	57	30.7	21.7-39.7	64	29.9	20.9-38.9	50	34.2	24.2-44.2
35-44	209	52,561				49	21.6	14.2-29.0	81	39.3	30.7-47.9	79	39.1	30.5-47.7
45-54	245	50,723	3	1.4	0.0- 3.2	42	17.5	11.6-23.4	99	39.9	32.1-47.7	101	41.2	33.4-49.0
55-64	339	59,882	3	1.1	0.0- 2.7	56	18.6	12.5-24.7	132	37.2	30.5-43.9	148	43.2	36.3-50.1
65+	539	83,003	8	1.0	0.0- 2.0	125	23.8	18.1-29.5	230	40.6	34.9-46.3	176	34.6	28.9-40.3
Less Than H.S.	172	38,632	2	1.2	0.0- 3.0	49	31.5	21.1-41.9	61	30.2	20.2-40.2	60	37.1	26.9-47.3
H.S. or G.E.D.	497	116,715	7	1.5	0.0- 3.1	136	33.7	27.4-40.0	167	30.2	24.9-35.5	187	34.6	29.1-40.1
Some Post-H.S.	385	91,290	11	3.9	0.2- 7.6	89	24.3	18.4-30.2	137	32.2	25.9-38.5	148	39.7	33.0-46.4
College Graduate	568	94,028	3	0.8	0.0- 1.8	120	20.7	16.0-25.4	267	47.2	41.5-52.9	178	31.3	25.6-37.0
Less than \$15,000	121	19,183	2	0.9	0.0- 2.5	39	37.2	22.1-52.3	48	33.0	19.7-46.3	32	28.9	16.2-41.6
\$15,000- 24,999	182	33,477	6	3.3	0.0- 6.6	42	33.5	23.5-43.5	76	33.1	24.3-41.9	58	30.0	21.0-39.0
\$25,000- 34,999	133	31,024				32	23.8	12.0-35.6	47	35.4	23.1-47.7	54	40.8	28.3-53.3
\$35,000- 49,999	163	30,244	3	1.0	0.0- 2.4	44	34.6	23.6-45.6	61	33.6	24.2-43.0	55	30.9	21.9-39.9
\$50,000- 74,999	227	48,254	6	3.0	0.0- 6.3	52	25.8	17.8-33.8	81	35.1	26.7-43.5	88	36.1	27.5-44.7
\$75,000+	573	129,957	3	1.6	0.0- 3.8	121	23.1	18.0-28.2	247	38.4	33.1-43.7	202	36.8	31.3-42.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 39: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1898	346,172	41	2.3	1.5- 3.1	582	31.1	28.4-33.8	585	28.9	26.2-31.6	690	37.7	34.8-40.6
White/Non-Hisp	1259	223,241	29	2.5	1.3- 3.7	426	35.5	32.0-39.0	401	30.3	27.0-33.6	403	31.7	28.4-35.0
Black or Afr. Am./Non-Hisp	302	76,626	7	1.6	0.2- 3.0	53	17.0	11.7-22.3	80	23.7	17.0-30.4	162	57.7	50.3-65.1
Oth. Race/Non-Hisp.	62	12,516	3	5.1	0.0-11.4	23	36.9	21.4-52.4	17	28.7	14.2-43.2	19	29.4	13.3-45.5
MultiRacial/Non-Hisp.	52	10,011				15	34.4	13.8-55.0	18	30.1	12.5-47.7	19	35.4	14.4-56.4
Hispanic	195	19,466	1	0.3	0.0- 0.9	55	30.3	21.3-39.3	64	35.3	26.1-44.5	75	34.1	24.7-43.5
18-24	111	36,929	6	4.9	0.6- 9.2	54	43.2	31.2-55.2	27	29.1	16.9-41.3	24	22.9	12.3-33.5
25-34	202	50,457	7	4.2	0.7- 7.7	63	31.1	22.9-39.3	61	27.6	20.0-35.2	71	37.1	28.1-46.1
35-44	261	49,922	2	0.7	0.0- 1.9	86	34.0	26.6-41.4	73	24.7	18.0-31.4	100	40.6	32.6-48.6
45-54	292	52,571	2	0.5	0.0- 1.3	77	29.2	22.3-36.1	94	27.7	21.4-34.0	119	42.7	35.3-50.1
55-64	382	59,106	6	1.5	0.1- 2.9	115	30.0	24.1-35.9	120	31.9	26.0-37.8	141	36.6	30.5-42.7
65+	650	97,186	18	2.5	0.9- 4.1	187	26.8	22.1-31.5	210	30.6	25.9-35.3	235	40.1	34.8-45.4
Less Than H.S.	153	26,268	1	0.7	0.0- 2.1	26	20.2	10.0-30.4	52	31.7	21.3-42.1	74	47.4	36.0-58.8
H.S. or G.E.D.	525	103,595	8	1.6	0.0- 3.2	154	30.8	25.5-36.1	152	27.1	22.0-32.2	211	40.6	34.9-46.3
Some Post-H.S.	517	104,513	17	3.5	1.5- 5.5	147	30.8	25.3-36.3	158	28.1	22.8-33.4	195	37.6	31.9-43.3
College Graduate	700	111,343	15	2.1	0.9- 3.3	253	34.1	29.4-38.8	223	30.9	26.4-35.4	209	32.9	28.0-37.8
Less than \$15,000	165	26,187	4	1.3	0.0- 2.7	43	35.1	24.3-45.9	47	22.8	15.2-30.4	71	40.8	30.2-51.4
\$15,000- 24,999	306	50,373	8	2.6	0.4- 4.8	80	29.5	22.6-36.4	83	24.5	18.4-30.6	135	43.4	36.0-50.8
\$25,000- 34,999	173	29,075	7	2.9	0.4- 5.4	50	29.2	19.6-38.8	50	29.3	20.5-38.1	66	38.7	28.7-48.7
\$35,000- 49,999	213	42,952	7	4.0	0.7- 7.3	64	29.7	21.3-38.1	60	25.8	17.6-34.0	82	40.5	31.3-49.7
\$50,000- 74,999	242	45,006	3	1.1	0.0- 2.7	73	28.3	21.0-35.6	70	27.5	19.7-35.3	96	43.1	34.3-51.9
\$75,000+	496	102,544	5	1.3	0.0- 2.7	162	33.1	27.6-38.6	186	34.4	29.1-39.7	143	31.2	25.7-36.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3520	686,837	1040	31.3	29.1-33.5	2480	68.7	66.5-70.9
Male	1622	340,665	417	29.2	25.9-32.5	1205	70.8	67.5-74.1
Female	1898	346,172	623	33.4	30.5-36.3	1275	66.6	63.7-69.5
White/Non-Hisp	2387	443,231	733	32.5	30.0-35.0	1654	67.5	65.0-70.0
Black or Afr. Am./Non-Hisp	476	144,257	104	25.1	19.4-30.8	372	74.9	69.2-80.6
Oth. Race/Non-Hisp.	117	26,365	44	44.6	31.1-58.1	73	55.4	41.9-68.9
MultiRacial/Non-Hisp.	90	15,449	25	29.8	15.1-44.5	65	70.2	55.5-84.9
Hispanic	382	44,084	113	31.7	24.8-38.6	269	68.3	61.4-75.2
18-24	225	75,365	129	58.3	49.5-67.1	96	41.7	32.9-50.5
25-34	378	106,517	132	35.7	29.2-42.2	246	64.3	57.8-70.8
35-44	470	102,483	137	28.0	22.7-33.3	333	72.0	66.7-77.3
45-54	537	103,294	124	24.4	19.7-29.1	413	75.6	70.9-80.3
55-64	721	118,988	180	25.5	21.2-29.8	541	74.5	70.2-78.8
65+	1189	180,189	338	27.2	23.5-30.9	851	72.8	69.1-76.5
Less Than H.S.	325	64,900	78	27.9	20.3-35.5	247	72.1	64.5-79.7
H.S. or G.E.D.	1022	220,311	305	33.8	29.7-37.9	717	66.2	62.1-70.3
Some Post-H.S.	902	195,803	264	31.4	27.1-35.7	638	68.6	64.3-72.9
College Graduate	1268	205,371	391	29.5	26.2-32.8	877	70.5	67.2-73.8
Less than \$15,000	286	45,371	88	37.1	28.3-45.9	198	62.9	54.1-71.7
\$15,000- 24,999	488	83,850	136	34.0	28.1-39.9	352	66.0	60.1-71.9
\$25,000- 34,999	306	60,099	89	27.8	20.2-35.4	217	72.2	64.6-79.8
\$35,000- 49,999	376	73,196	118	34.5	27.6-41.4	258	65.5	58.6-72.4
\$50,000- 74,999	469	93,260	134	29.1	23.4-34.8	335	70.9	65.2-76.6
\$75,000+	1069	232,501	291	29.0	25.1-32.9	778	71.0	67.1-74.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1622	340,665	417	29.2	25.9-32.5	1205	70.8	67.5-74.1
White/Non-Hisp	1128	219,989	278	26.8	23.3-30.3	850	73.2	69.7-76.7
Black or Afr. Am./Non-Hisp	174	67,631	44	32.6	22.6-42.6	130	67.4	57.4-77.4
Oth. Race/Non-Hisp.	55	13,849	18	46.9	25.9-67.9	37	53.1	32.1-74.1
Hispanic	187	24,618	57	32.5	22.3-42.7	130	67.5	57.3-77.7
18-24	114	38,436	69	68.1	56.3-79.9	45	31.9	20.1-43.7
25-34	176	56,060	62	35.9	26.1-45.7	114	64.1	54.3-73.9
35-44	209	52,561	49	21.6	14.2-29.0	160	78.4	71.0-85.8
45-54	245	50,723	45	18.9	12.8-25.0	200	81.1	75.0-87.2
55-64	339	59,882	59	19.6	13.3-25.9	280	80.4	74.1-86.7
65+	539	83,003	133	24.8	19.1-30.5	406	75.2	69.5-80.9
Less Than H.S.	172	38,632	51	32.7	22.1-43.3	121	67.3	56.7-77.9
H.S. or G.E.D.	497	116,715	143	35.2	28.9-41.5	354	64.8	58.5-71.1
Some Post-H.S.	385	91,290	100	28.2	21.7-34.7	285	71.8	65.3-78.3
College Graduate	568	94,028	123	21.5	16.8-26.2	445	78.5	73.8-83.2
Less than \$15,000	121	19,183	41	38.1	23.0-53.2	80	61.9	46.8-77.0
\$15,000- 24,999	182	33,477	48	36.9	26.9-46.9	134	63.1	53.1-73.1
\$25,000- 34,999	133	31,024	32	23.8	12.0-35.6	101	76.2	64.4-88.0
\$35,000- 49,999	163	30,244	47	35.6	24.6-46.6	116	64.4	53.4-75.4
\$50,000- 74,999	227	48,254	58	28.8	20.4-37.2	169	71.2	62.8-79.6
\$75,000+	573	129,957	124	24.8	19.5-30.1	449	75.2	69.9-80.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 42: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1898	346,172	623	33.4	30.5-36.3	1275	66.6	63.7-69.5
White/Non-Hisp	1259	223,241	455	38.0	34.5-41.5	804	62.0	58.5-65.5
Black or Afr. Am./Non-Hisp	302	76,626	60	18.6	13.1-24.1	242	81.4	75.9-86.9
Oth. Race/Non-Hisp.	62	12,516	26	42.0	25.9-58.1	36	58.0	41.9-74.1
MultiRacial/Non-Hisp.	52	10,011	15	34.4	13.8-55.0	37	65.6	45.0-86.2
Hispanic	195	19,466	56	30.6	21.6-39.6	139	69.4	60.4-78.4
18-24	111	36,929	60	48.0	35.8-60.2	51	52.0	39.8-64.2
25-34	202	50,457	70	35.4	26.8-44.0	132	64.6	56.0-73.2
35-44	261	49,922	88	34.7	27.3-42.1	173	65.3	57.9-72.7
45-54	292	52,571	79	29.7	22.8-36.6	213	70.3	63.4-77.2
55-64	382	59,106	121	31.5	25.6-37.4	261	68.5	62.6-74.4
65+	650	97,186	205	29.3	24.6-34.0	445	70.7	66.0-75.4
Less Than H.S.	153	26,268	27	20.9	10.5-31.3	126	79.1	68.7-89.5
H.S. or G.E.D.	525	103,595	162	32.3	27.0-37.6	363	67.7	62.4-73.0
Some Post-H.S.	517	104,513	164	34.3	28.6-40.0	353	65.7	60.0-71.4
College Graduate	700	111,343	268	36.3	31.6-41.0	432	63.7	59.0-68.4
Less than \$15,000	165	26,187	47	36.4	25.6-47.2	118	63.6	52.8-74.4
\$15,000- 24,999	306	50,373	88	32.1	25.2-39.0	218	67.9	61.0-74.8
\$25,000- 34,999	173	29,075	57	32.1	22.3-41.9	116	67.9	58.1-77.7
\$35,000- 49,999	213	42,952	71	33.7	25.1-42.3	142	66.3	57.7-74.9
\$50,000- 74,999	242	45,006	76	29.4	22.0-36.8	166	70.6	63.2-78.0
\$75,000+	496	102,544	167	34.4	28.9-39.9	329	65.6	60.1-71.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS

TABLE 43: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3933	759,449	2663	63.5	61.3-65.7	534	15.8	14.0-17.6	424	12.7	11.1-14.3	196	5.1	4.1- 6.1	72	1.9	1.3- 2.5	44	1.0	0.6- 1.4
Male	1745	359,244	1262	67.1	63.8-70.4	221	15.5	12.8-18.2	154	10.9	8.7-13.1	69	4.3	2.9- 5.7	25	1.4	0.8- 2.0	14	0.8	0.0- 1.6
Female	2188	400,205	1401	60.3	57.4-63.2	313	16.1	13.9-18.3	270	14.3	12.1-16.5	127	5.8	4.2- 7.4	47	2.3	1.5- 3.1	30	1.2	0.6- 1.8
White/Non-Hisp	2576	479,514	1951	69.9	67.5-72.3	302	14.0	12.0-16.0	208	10.3	8.7-11.9	78	3.9	2.7- 5.1	26	1.3	0.7- 1.9	11	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	520	155,782	318	57.6	51.7-63.5	94	19.4	14.5-24.3	60	15.3	10.8-19.8	29	4.9	2.7- 7.1	10	1.6	0.4- 2.8	9	1.2	0.2- 2.2
Oth. Race/Non-Hisp.	132	29,160	80	53.1	40.6-65.6	25	23.4	11.8-35.0	18	14.2	6.4-22.0	4	1.9	0.0- 4.1	2	2.1	0.0- 5.4	3	5.2	0.0-13.2
MultiRacial/Non-Hisp.	96	16,157	61	54.1	38.4-69.8	12	18.5	4.8-32.2	15	21.4	6.9-35.9	4	2.0	0.0- 4.2	3	3.6	0.0- 7.9	1	0.4	0.0- 1.2
Hispanic	528	62,764	192	34.5	28.4-40.6	92	17.0	12.5-21.5	117	22.6	17.1-28.1	76	16.2	9.9-22.5	31	6.6	3.3- 9.9	20	3.1	1.3- 4.9
18-24	274	86,202	165	56.5	48.1-64.9	59	30.0	21.6-38.4	30	7.1	3.8-10.4	13	4.5	0.2- 8.8	5	1.7	0.0- 3.5	2	0.2	0.0- 0.6
25-34	459	123,030	179	41.8	35.5-48.1	88	21.8	16.3-27.3	93	18.7	13.8-23.6	57	10.9	7.0-14.8	28	4.7	2.5- 6.9	14	2.2	0.0- 4.4
35-44	535	112,134	136	27.0	21.7-32.3	114	20.4	15.9-24.9	160	33.3	27.8-38.8	83	12.8	9.3-16.3	22	3.6	1.8- 5.4	20	2.9	1.5- 4.3
45-54	607	113,743	330	53.9	48.8-59.0	154	23.4	19.3-27.5	83	16.2	12.1-20.3	25	3.8	1.8- 5.8	13	1.9	0.5- 3.3	2	0.7	0.0- 1.9
55-64	788	131,960	660	85.2	82.3-88.1	72	7.7	5.5- 9.9	37	4.8	2.8- 6.8	11	1.1	0.3- 1.9	3	0.5	0.0- 1.1	5	0.6	0.0- 1.2
65+	1270	192,379	1193	92.7	90.3-95.1	47	4.0	2.6- 5.4	21	2.7	0.9- 4.5	7	0.5	0.0- 1.1	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0
Less Than H.S.	445	81,721	194	47.2	40.1-54.3	66	15.8	10.5-21.1	82	17.7	11.8-23.6	58	12.4	7.1-17.7	28	4.6	2.4- 6.8	17	2.2	0.8- 3.6
H.S. or G.E.D.	1132	238,890	783	65.3	61.4-69.2	160	16.0	12.7-19.3	102	10.4	7.9-12.9	49	4.7	2.7- 6.7	23	2.4	1.2- 3.6	15	1.3	0.5- 2.1
Some Post-H.S.	992	216,519	702	65.9	61.8-70.0	133	16.2	12.7-19.7	99	12.0	9.1-14.9	39	3.5	2.3- 4.7	11	1.2	0.4- 2.0	8	1.1	0.0- 2.3
College Graduate	1353	220,779	974	65.1	61.6-68.6	175	15.3	12.6-18.0	140	14.0	11.3-16.7	50	4.4	2.8- 6.0	10	1.0	0.2- 1.8	4	0.2	0.0- 0.4
Less than \$15,000	346	50,548	186	57.4	49.6-65.2	49	14.4	8.5-20.3	50	12.1	7.6-16.6	39	9.1	5.2-13.0	15	5.5	1.8- 9.2	7	1.5	0.1- 2.9
\$15,000- 24,999	533	90,408	349	66.2	60.9-71.5	71	13.2	9.5-16.9	58	11.2	7.7-14.7	34	6.4	3.9- 8.9	13	2.2	0.8- 3.6	8	0.8	0.2- 1.4
\$25,000- 34,999	331	63,516	223	65.1	57.5-72.7	41	10.1	6.2-14.0	33	11.1	5.6-16.6	21	9.2	3.3-15.1	6	2.0	0.0- 4.4	7	2.5	0.1- 4.9
\$35,000- 49,999	390	75,229	278	64.4	57.5-71.3	54	19.1	12.8-25.4	32	9.1	5.4-12.8	18	4.8	2.3- 7.3	4	1.2	0.0- 2.4	4	1.4	0.0- 2.8
\$50,000- 74,999	491	98,651	348	64.7	58.8-70.6	67	16.2	11.5-20.9	48	13.3	8.6-18.0	24	4.4	2.4- 6.4	3	1.0	0.0- 2.2	1	0.4	0.0- 1.2
\$75,000+	1117	244,145	745	58.2	54.1-62.3	176	19.6	16.1-23.1	139	15.6	12.7-18.5	35	4.2	2.2- 6.2	15	1.7	0.7- 2.7	7	0.8	0.0- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1745	359,244	1262	67.1	63.8-70.4	221	15.5	12.8-18.2	154	10.9	8.7-13.1	69	4.3	2.9- 5.7	25	1.4	0.8- 2.0	14	0.8	0.0- 1.6
White/Non-Hisp	1172	227,027	921	71.5	67.8-75.2	126	13.2	10.3-16.1	81	9.8	7.4-12.2	31	4.1	2.1- 6.1	10	1.2	0.4- 2.0	3	0.3	0.0- 0.7
Black or Afr. Am./Non-Hisp	181	70,211	131	67.7	58.3-77.1	25	17.4	9.4-25.4	17	12.1	5.2-19.0	4	1.4	0.0- 3.0	4	1.5	0.0- 3.1			
Oth. Race/Non-Hisp.	63	15,859	37	46.6	28.2-65.0	15	31.7	12.9-50.5	7	10.2	0.0-20.6	1	1.8	0.0- 5.3	1	0.7	0.0- 2.1	2	9.0	0.0-23.3
Hispanic	246	31,969	112	43.3	34.1-52.5	44	19.7	12.3-27.1	41	16.7	9.3-24.1	31	14.5	8.0-21.0	9	2.6	0.2- 5.0	9	3.2	0.5- 5.9
18-24	143	43,889	96	62.3	50.3-74.3	26	28.6	16.6-40.6	14	5.9	2.0- 9.8	5	2.2	0.0- 4.7	2	1.0	0.0- 2.6			
25-34	201	60,993	106	51.9	42.3-61.5	42	22.4	14.0-30.8	22	10.3	4.6-16.0	20	10.4	4.5-16.3	7	2.3	0.1- 4.5	4	2.6	0.0- 6.5
35-44	229	54,721	78	37.9	29.5-46.3	49	19.5	12.8-26.2	60	27.2	19.6-34.8	24	9.7	5.0-14.4	10	3.3	0.9- 5.7	8	2.3	0.3- 4.3
45-54	262	53,668	147	53.9	46.3-61.5	57	20.8	14.9-26.7	39	19.1	12.4-25.8	14	4.0	1.3- 6.7	5	2.1	0.0- 4.5			
55-64	348	60,794	300	86.6	82.3-90.9	28	7.7	4.6-10.8	14	4.6	1.7- 7.5	4	0.7	0.0- 1.5				2	0.4	0.0- 1.0
65+	562	85,178	535	93.7	89.8-97.6	19	3.4	1.4- 5.4	5	2.5	0.0- 6.0	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3			
Less Than H.S.	219	44,792	113	51.9	42.1-61.7	28	14.6	7.5-21.7	35	19.0	10.0-28.0	24	9.7	4.6-14.8	9	1.9	0.3- 3.5	10	2.8	0.6- 5.0
H.S. or G.E.D.	519	119,228	378	69.6	63.9-75.3	75	15.9	11.0-20.8	34	7.0	4.3- 9.7	21	5.0	2.1- 7.9	9	2.1	0.5- 3.7	2	0.3	0.0- 0.9
Some Post-H.S.	407	95,831	312	69.9	63.2-76.6	53	16.8	11.1-22.5	31	9.4	5.3-13.5	8	1.9	0.3- 3.5	2	0.7	0.0- 1.7	1	1.3	0.0- 3.8
College Graduate	597	98,909	456	68.2	62.7-73.7	65	14.1	9.6-18.6	54	13.3	9.4-17.2	16	3.4	1.2- 5.6	5	0.9	0.1- 1.7	1	0.2	0.0- 0.6
Less than \$15,000	142	20,412	86	62.9	49.8-76.0	20	17.5	5.7-29.3	16	7.9	3.2-12.6	13	9.4	2.0-16.8	3	0.8	0.0- 1.8	4	1.5	0.0- 3.3
\$15,000- 24,999	194	34,777	145	80.7	74.2-87.2	20	8.6	3.9-13.3	14	5.4	2.1- 8.7	9	4.0	1.1- 6.9	4	1.1	0.0- 2.5	2	0.3	0.0- 0.7
\$25,000- 34,999	141	31,838	100	69.1	57.1-81.1	17	8.5	3.6-13.4	11	12.2	2.8-21.6	9	8.4	0.0-17.2	3	1.0	0.0- 2.2	1	0.8	0.0- 2.4
\$35,000- 49,999	166	30,521	128	68.2	57.4-79.0	18	17.1	6.9-27.3	8	5.4	1.1- 9.7	10	7.7	2.0-13.4	2	1.6	0.0- 3.8			
\$50,000- 74,999	228	48,562	172	71.3	63.3-79.3	31	15.1	8.8-21.4	16	9.3	4.0-14.6	7	3.0	0.3- 5.7	1	0.6	0.0- 1.8	1	0.7	0.0- 2.1
\$75,000+	586	130,601	409	59.8	54.1-65.5	87	20.9	15.4-26.4	66	13.3	9.8-16.8	14	3.1	1.1- 5.1	8	1.8	0.4- 3.2	2	1.1	0.0- 2.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2188	400,205	1401	60.3	57.4-63.2	313	16.1	13.9-18.3	270	14.3	12.1-16.5	127	5.8	4.2- 7.4	47	2.3	1.5- 3.1	30	1.2	0.6- 1.8
White/Non-Hisp	1404	252,488	1030	68.4	65.1-71.7	176	14.7	12.2-17.2	127	10.8	8.6-13.0	47	3.8	2.4- 5.2	16	1.5	0.7- 2.3	8	0.7	0.1- 1.3
Black or Afr. Am./Non-Hisp	339	85,571	187	49.3	42.0-56.6	69	21.1	14.8-27.4	43	17.9	12.0-23.8	25	7.7	4.2-11.2	6	1.7	0.1- 3.3	9	2.2	0.4- 4.0
Oth. Race/Non-Hisp.	69	13,301	43	60.9	46.4-75.4	10	13.6	4.4-22.8	11	19.0	7.6-30.4	3	2.1	0.0- 4.6	1	3.7	0.0-10.8	1	0.7	0.0- 2.1
MultiRacial/Non-Hisp.	55	10,754	31	43.5	24.3-62.7	7	23.5	4.1-42.9	10	26.6	6.2-47.0	4	3.0	0.0- 6.1	2	2.8	0.0- 6.7	1	0.6	0.0- 1.8
Hispanic	282	30,795	80	25.3	18.0-32.6	48	14.1	9.0-19.2	76	28.6	20.4-36.8	45	18.1	7.5-28.7	22	10.8	4.3-17.3	11	3.0	0.8- 5.2
18-24	131	42,313	69	50.5	38.5-62.5	33	31.4	19.8-43.0	16	8.3	3.0-13.6	8	6.9	0.0-15.1	3	2.5	0.0- 5.6	2	0.4	0.0- 1.0
25-34	258	62,037	73	31.9	24.3-39.5	46	21.1	14.2-28.0	71	26.9	19.5-34.3	37	11.4	6.5-16.3	21	7.0	3.3-10.7	10	1.8	0.4- 3.2
35-44	306	57,412	58	16.7	11.4-22.0	65	21.2	15.3-27.1	100	39.0	31.6-46.4	59	15.8	10.5-21.1	12	3.9	1.2- 6.6	12	3.4	1.2- 5.6
45-54	345	60,075	183	54.0	47.1-60.9	97	25.8	20.1-31.5	44	13.6	8.7-18.5	11	3.6	0.9- 6.3	8	1.8	0.4- 3.2	2	1.4	0.0- 3.4
55-64	440	71,166	360	84.0	79.9-88.1	44	7.7	5.0-10.4	23	5.0	2.5- 7.5	7	1.5	0.1- 2.9	3	0.9	0.0- 2.1	3	0.9	0.0- 1.9
65+	708	107,201	658	91.9	89.2-94.6	28	4.5	2.5- 6.5	16	2.8	1.0- 4.6	5	0.7	0.0- 1.5				1	0.1	0.0- 0.3
Less Than H.S.	226	36,929	81	41.5	31.5-51.5	38	17.3	9.5-25.1	47	16.2	9.3-23.1	34	15.6	6.0-25.2	19	7.8	3.3-12.3	7	1.6	0.2- 3.0
H.S. or G.E.D.	613	119,662	405	61.0	55.7-66.3	85	16.0	11.7-20.3	68	13.7	9.6-17.8	28	4.5	2.1- 6.9	14	2.6	0.8- 4.4	13	2.2	0.8- 3.6
Some Post-H.S.	585	120,689	390	62.8	57.5-68.1	80	15.8	11.7-19.9	68	14.1	10.0-18.2	31	4.7	2.7- 6.7	9	1.6	0.2- 3.0	7	1.0	0.2- 1.8
College Graduate	756	121,869	518	62.6	57.9-67.3	110	16.2	12.5-19.9	86	14.6	11.1-18.1	34	5.2	2.8- 7.6	5	1.2	0.0- 2.4	3	0.3	0.0- 0.7
Less than \$15,000	204	30,137	100	53.7	44.1-63.3	29	12.3	7.0-17.6	34	14.9	8.2-21.6	26	8.9	4.6-13.2	12	8.7	2.8-14.6	3	1.5	0.0- 3.5
\$15,000- 24,999	339	55,631	204	57.1	50.2-64.0	51	16.0	10.7-21.3	44	14.9	9.6-20.2	25	7.9	4.2-11.6	9	2.9	0.7- 5.1	6	1.2	0.2- 2.2
\$25,000- 34,999	190	31,678	123	61.0	51.2-70.8	24	11.8	5.5-18.1	22	10.1	5.0-15.2	12	9.9	2.3-17.5	3	3.0	0.0- 7.3	6	4.2	0.1- 8.3
\$35,000- 49,999	224	44,708	150	61.8	53.0-70.6	36	20.5	12.5-28.5	24	11.6	6.1-17.1	8	2.8	0.6- 5.0	2	0.9	0.0- 2.3	4	2.4	0.0- 4.8
\$50,000- 74,999	263	50,089	176	58.4	50.0-66.8	36	17.3	10.4-24.2	32	17.1	9.7-24.5	17	5.8	2.9- 8.7	2	1.3	0.0- 3.5			
\$75,000+	531	113,543	336	56.2	50.3-62.1	89	18.0	13.7-22.3	73	18.2	13.5-22.9	21	5.4	1.7- 9.1	7	1.6	0.2- 3.0	5	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4011	778,674	456	10.7	9.3-12.1	1157	31.6	29.6-33.6	1015	28.5	26.5-30.5	1383	29.3	27.5-31.1
Male	1786	372,589	223	12.2	10.0-14.4	533	33.3	30.2-36.4	420	26.7	23.8-29.6	610	27.8	25.1-30.5
Female	2225	406,085	233	9.2	7.4-11.0	624	30.0	27.3-32.7	595	30.1	27.4-32.8	773	30.7	28.2-33.2
White/Non-Hisp	2620	488,620	102	5.5	4.1- 6.9	764	31.8	29.4-34.2	716	30.8	28.4-33.2	1038	31.9	29.7-34.1
Black or Afr. Am./Non-Hisp	535	161,080	43	8.9	5.4-12.4	201	37.4	31.7-43.1	139	27.7	22.6-32.8	152	26.0	21.1-30.9
Oth. Race/Non-Hisp.	134	30,060	11	6.4	1.7-11.1	24	18.3	6.9-29.7	32	24.3	13.3-35.3	67	50.9	38.6-63.2
MultiRacial/Non-Hisp.	98	16,652	8	13.0	1.0-25.0	26	30.8	16.9-44.7	32	34.0	19.3-48.7	32	22.2	11.2-33.2
Hispanic	539	64,826	286	56.4	49.9-62.9	119	21.9	16.8-27.0	71	13.0	8.3-17.7	63	8.6	5.9-11.3
18-24	277	86,788	46	10.2	5.1-15.3	98	37.6	29.6-45.6	88	36.7	28.9-44.5	45	15.5	9.6-21.4
25-34	469	126,260	106	16.0	11.7-20.3	129	31.1	25.2-37.0	110	29.2	23.1-35.3	124	23.7	18.8-28.6
35-44	550	116,795	100	13.3	9.6-17.0	127	24.6	19.9-29.3	109	21.0	16.3-25.7	214	41.1	35.6-46.6
45-54	622	116,653	60	5.9	3.9- 7.9	181	32.6	27.7-37.5	157	28.9	24.2-33.6	224	32.6	27.9-37.3
55-64	810	136,130	57	8.6	5.9-11.3	252	34.8	30.5-39.1	207	26.1	22.0-30.2	294	30.4	26.5-34.3
65+	1283	196,049	87	10.1	7.4-12.8	370	30.4	26.9-33.9	344	30.2	26.7-33.7	482	29.3	26.2-32.4
Less Than H.S.	456	82,965	456	100.0	100.0- 100									
H.S. or G.E.D.	1157	245,693				1157	100.0	100.0- 100						
Some Post-H.S.	1015	221,805							1015	100.0	100.0- 100			
College Graduate	1383	228,212										1383	100.0	100.0- 100
Less than \$15,000	347	51,138	146	40.7	32.9-48.5	121	36.1	28.1-44.1	56	16.9	10.8-23.0	24	6.3	3.0- 9.6
\$15,000- 24,999	533	90,492	95	15.3	11.6-19.0	229	47.2	41.5-52.9	137	26.7	21.6-31.8	72	10.9	7.8-14.0
\$25,000- 34,999	335	65,445	43	19.6	12.5-26.7	120	40.9	33.1-48.7	97	25.4	19.1-31.7	75	14.1	9.6-18.6
\$35,000- 49,999	391	75,372	18	8.9	4.2-13.6	133	35.1	28.6-41.6	121	34.2	27.7-40.7	119	21.8	16.5-27.1
\$50,000- 74,999	493	98,756	16	3.5	1.1- 5.9	126	29.8	24.1-35.5	148	33.5	27.6-39.4	203	33.1	27.6-38.6
\$75,000+	1123	246,206	14	2.1	0.3- 3.9	178	19.8	16.5-23.1	263	29.9	26.0-33.8	668	48.2	44.3-52.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1786	372,589	223	12.2	10.0-14.4	533	33.3	30.2-36.4	420	26.7	23.8-29.6	610	27.8	25.1-30.5
White/Non-Hisp	1193	232,671	52	6.1	4.1- 8.1	365	34.1	30.4-37.8	292	27.6	24.1-31.1	484	32.2	28.9-35.5
Black or Afr. Am./Non-Hisp	188	74,047	17	11.9	5.2-18.6	81	41.0	31.8-50.2	49	27.3	18.9-35.7	41	19.9	12.6-27.2
Oth. Race/Non-Hisp.	65	16,092	7	7.6	1.5-13.7	12	18.9	0.9-36.9	16	30.3	12.3-48.3	30	43.2	25.6-60.8
Hispanic	250	33,627	139	59.3	50.3-68.3	52	18.9	12.4-25.4	36	15.4	7.6-23.2	23	6.4	3.3- 9.5
18-24	144	44,041	29	10.0	5.3-14.7	57	46.1	34.3-57.9	37	28.0	18.0-38.0	21	15.9	7.1-24.7
25-34	207	63,580	49	18.5	11.4-25.6	63	30.3	21.9-38.7	46	32.5	22.9-42.1	49	18.6	12.1-25.1
35-44	236	57,387	50	17.2	10.5-23.9	67	29.7	22.3-37.1	39	16.7	10.6-22.8	80	36.3	28.1-44.5
45-54	273	56,114	26	6.0	2.9- 9.1	86	33.9	26.6-41.2	76	31.9	24.6-39.2	85	28.2	21.5-34.9
55-64	361	63,707	34	11.1	6.8-15.4	125	39.9	33.0-46.8	85	22.2	16.7-27.7	117	26.8	21.3-32.3
65+	565	87,760	35	10.3	5.6-15.0	135	26.2	20.7-31.7	137	28.5	23.4-33.6	258	35.0	29.9-40.1
Less Than H.S.	223	45,551	223	100.0	100.0- 100									
H.S. or G.E.D.	533	124,047				533	100.0	100.0- 100						
Some Post-H.S.	420	99,596							420	100.0	100.0- 100			
College Graduate	610	103,396										610	100.0	100.0- 100
Less than \$15,000	142	20,900	65	44.9	31.4-58.4	51	40.8	26.5-55.1	19	9.2	3.1-15.3	7	5.0	0.7- 9.3
\$15,000- 24,999	195	34,953	48	20.0	12.7-27.3	80	45.4	35.8-55.0	40	23.2	14.6-31.8	27	11.3	6.0-16.6
\$25,000- 34,999	143	33,517	30	30.5	18.5-42.5	51	35.9	23.7-48.1	35	22.3	12.9-31.7	27	11.3	5.0-17.6
\$35,000- 49,999	166	30,521	12	9.8	3.5-16.1	60	37.8	27.4-48.2	50	35.9	25.9-45.9	44	16.5	10.4-22.6
\$50,000- 74,999	229	48,642	10	5.4	1.1- 9.7	76	40.3	31.5-49.1	65	28.3	20.7-35.9	78	26.0	18.2-33.8
\$75,000+	590	132,566	5	1.8	0.0- 3.6	109	23.8	18.9-28.7	134	29.5	24.0-35.0	342	44.9	39.4-50.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2225	406,085	233	9.2	7.4-11.0	624	30.0	27.3-32.7	595	30.1	27.4-32.8	773	30.7	28.2-33.2
White/Non-Hisp	1427	255,949	50	4.9	3.1- 6.7	399	29.6	26.5-32.7	424	33.7	30.4-37.0	554	31.7	28.8-34.6
Black or Afr. Am./Non-Hisp	347	87,033	26	6.4	3.5- 9.3	120	34.4	27.5-41.3	90	28.1	21.6-34.6	111	31.2	24.5-37.9
Oth. Race/Non-Hisp.	69	13,968	4	5.1	0.0-12.4	12	17.6	4.5-30.7	16	17.4	7.4-27.4	37	59.8	44.5-75.1
MultiRacial/Non-Hisp.	55	10,754	5	15.9	0.0-33.5	13	26.8	9.6-44.0	20	32.3	12.7-51.9	17	24.9	9.4-40.4
Hispanic	289	31,199	147	53.3	43.9-62.7	67	25.2	17.4-33.0	35	10.4	5.7-15.1	40	11.0	6.3-15.7
18-24	133	42,747	17	10.4	1.2-19.6	41	28.9	18.5-39.3	51	45.7	34.1-57.3	24	15.0	7.0-23.0
25-34	262	62,680	57	13.4	8.5-18.3	66	31.9	23.9-39.9	64	25.9	18.6-33.2	75	28.8	21.7-35.9
35-44	314	59,408	50	9.5	5.8-13.2	60	19.7	14.2-25.2	70	25.2	18.5-31.9	134	45.6	38.2-53.0
45-54	349	60,539	34	5.8	3.4- 8.2	95	31.3	24.8-37.8	81	26.2	20.1-32.3	139	36.6	30.1-43.1
55-64	449	72,423	23	6.4	3.1- 9.7	127	30.3	24.8-35.8	122	29.6	23.7-35.5	177	33.6	28.3-38.9
65+	718	108,289	52	9.9	6.4-13.4	235	33.8	29.1-38.5	207	31.6	26.9-36.3	224	24.7	20.8-28.6
Less Than H.S.	233	37,413	233	100.0	100.0- 100									
H.S. or G.E.D.	624	121,647				624	100.0	100.0- 100						
Some Post-H.S.	595	122,209							595	100.0	100.0- 100			
College Graduate	773	124,816										773	100.0	100.0- 100
Less than \$15,000	205	30,237	81	37.8	28.4-47.2	70	32.8	24.0-41.6	37	22.1	13.1-31.1	17	7.2	2.5-11.9
\$15,000- 24,999	338	55,540	47	12.3	8.0-16.6	149	48.3	41.2-55.4	97	28.8	22.5-35.1	45	10.6	6.7-14.5
\$25,000- 34,999	192	31,928	13	8.0	2.5-13.5	69	46.3	36.7-55.9	62	28.7	20.9-36.5	48	17.0	10.7-23.3
\$35,000- 49,999	225	44,851	6	8.3	1.4-15.2	73	33.3	25.1-41.5	71	33.0	24.6-41.4	75	25.4	17.6-33.2
\$50,000- 74,999	264	50,114	6	1.6	0.0- 3.2	50	19.7	13.0-26.4	83	38.7	30.3-47.1	125	40.0	32.2-47.8
\$75,000+	533	113,640	9	2.4	0.0- 5.5	69	15.2	11.1-19.3	129	30.3	24.8-35.8	326	52.1	46.4-57.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 49: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3224	627,591	348	8.2	7.0- 9.4	534	14.4	12.8-16.0	335	10.4	8.8-12.0	391	12.0	10.4-13.6	1616	55.0	52.6-57.4
Male	1466	301,190	143	7.0	5.2- 8.8	195	11.6	9.4-13.8	143	11.1	8.6-13.6	166	10.1	8.1-12.1	819	60.2	56.7-63.7
Female	1758	326,402	205	9.3	7.5-11.1	339	17.0	14.8-19.2	192	9.8	8.0-11.6	225	13.7	11.3-16.1	797	50.2	47.1-53.3
White/Non-Hisp	2139	404,710	116	4.7	3.5- 5.9	298	12.8	11.0-14.6	197	8.9	7.3-10.5	276	12.7	10.7-14.7	1252	61.0	58.3-63.7
Black or Afr. Am./Non-Hisp	427	124,605	57	12.2	7.9-16.5	85	16.0	11.9-20.1	57	13.6	8.9-18.3	57	11.4	7.3-15.5	171	46.9	40.4-53.4
Oth. Race/Non-Hisp.	102	24,027	9	6.2	0.5-11.9	16	14.4	5.8-23.0	11	6.6	1.5-11.7	10	7.2	1.5-12.9	56	65.6	53.4-77.8
MultiRacial/Non-Hisp.	85	14,138	7	3.6	0.0- 7.5	22	24.5	11.4-37.6	7	6.8	0.3-13.3	10	16.4	2.3-30.5	39	48.7	32.0-65.4
Hispanic	415	49,613	156	29.4	23.3-35.5	103	21.8	16.5-27.1	58	18.1	11.4-24.8	30	8.8	4.9-12.7	68	21.9	14.1-29.7
18-24	197	66,828	28	9.8	3.9-15.7	46	20.1	13.6-26.6	23	7.6	2.9-12.3	26	16.5	8.9-24.1	74	45.9	36.1-55.7
25-34	385	105,911	64	8.4	5.5-11.3	69	14.4	10.1-18.7	41	13.1	7.8-18.4	52	12.8	8.7-16.9	159	51.2	44.3-58.1
35-44	475	100,616	68	8.6	5.3-11.9	72	10.5	7.4-13.6	48	9.3	6.0-12.6	41	8.7	5.6-11.8	246	62.9	57.4-68.4
45-54	514	95,601	49	5.9	3.9- 7.9	91	14.8	10.9-18.7	37	6.2	3.7- 8.7	42	7.2	4.5- 9.9	295	65.9	60.8-71.0
55-64	667	108,480	71	9.4	6.7-12.1	85	12.4	9.1-15.7	53	8.0	5.3-10.7	90	13.0	9.9-16.1	368	57.1	52.2-62.0
65+	986	150,155	68	7.4	4.9- 9.9	171	15.7	12.8-18.6	133	15.0	11.7-18.3	140	14.0	11.1-16.9	474	47.8	43.5-52.1
Less Than H.S.	332	62,708	146	33.2	26.1-40.3	95	22.1	16.4-27.8	43	20.4	13.1-27.7	18	10.7	5.0-16.4	30	13.6	6.5-20.7
H.S. or G.E.D.	907	192,715	121	9.6	7.1-12.1	229	22.2	18.7-25.7	120	13.9	10.6-17.2	133	13.7	10.8-16.6	304	40.6	36.1-45.1
Some Post-H.S.	822	181,853	56	4.7	2.7- 6.7	137	13.3	10.4-16.2	97	9.1	6.7-11.5	121	14.2	11.1-17.3	411	58.7	54.2-63.2
College Graduate	1161	190,133	24	1.7	0.7- 2.7	72	5.2	3.6- 6.8	75	4.8	3.2- 6.4	119	8.6	6.2-11.0	871	79.6	76.5-82.7
Less than \$15,000	348	51,228	348	100.0	100.0- 100												
\$15,000- 24,999	534	90,584				534	100.0	100.0- 100									
\$25,000- 34,999	335	65,445							335	100.0	100.0- 100						
\$35,000- 49,999	391	75,372										391	100.0	100.0- 100			
\$50,000- 74,999	493	98,756												493	100.0	100.0- 100	
\$75,000+	1123	246,206												1123	100.0	100.0- 100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 50: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1466	301,190	143	7.0	5.2- 8.8	195	11.6	9.4-13.8	143	11.1	8.6-13.6	166	10.1	8.1-12.1	819	60.2	56.7-63.7
White/Non-Hisp	1003	194,355	45	3.2	2.0- 4.4	108	10.6	8.1-13.1	80	8.4	5.9-10.9	126	11.0	8.6-13.4	644	66.8	62.9-70.7
Black or Afr. Am./Non-Hisp	142	55,020	14	10.6	3.0-18.2	25	14.1	7.8-20.4	20	16.5	7.5-25.5	13	7.8	1.9-13.7	70	51.1	40.1-62.1
Hispanic	205	26,117	77	31.4	22.6-40.2	45	16.9	10.8-23.0	29	22.2	11.8-32.6	18	10.6	4.5-16.7	36	19.0	10.6-27.4
18-24	101	33,506	17	11.1	1.3-20.9	17	13.7	6.3-21.1	13	11.2	2.4-20.0	11	13.3	3.7-22.9	43	50.8	36.7-64.9
25-34	170	53,426	28	8.6	4.1-13.1	20	10.7	4.4-17.0	19	15.0	6.6-23.4	22	10.3	5.0-15.6	81	55.4	45.0-65.8
35-44	205	48,462	29	8.5	2.8-14.2	26	7.6	3.9-11.3	22	12.2	6.3-18.1	17	9.1	4.2-14.0	111	62.6	54.0-71.2
45-54	225	45,350	19	4.5	2.0- 7.0	30	9.9	5.6-14.2	16	5.0	2.1- 7.9	19	7.3	3.2-11.4	141	73.3	66.6-80.0
55-64	306	52,500	33	8.1	4.6-11.6	36	13.4	7.9-18.9	20	7.6	3.3-11.9	38	9.4	5.7-13.1	179	61.4	54.3-68.5
65+	459	67,946	17	3.3	1.5- 5.1	66	13.9	9.8-18.0	53	14.1	8.6-19.6	59	11.6	7.9-15.3	264	57.1	50.6-63.6
Less Than H.S.	170	34,668	65	27.1	18.1-36.1	48	20.2	12.8-27.6	30	29.5	18.3-40.7	12	8.6	3.1-14.1	15	14.6	6.2-23.0
H.S. or G.E.D.	427	99,089	51	8.6	4.5-12.7	80	16.0	11.5-20.5	51	12.1	7.2-17.0	60	11.6	7.5-15.7	185	51.6	44.9-58.3
Some Post-H.S.	343	81,356	19	2.4	0.8- 4.0	40	10.0	5.9-14.1	35	9.2	5.1-13.3	50	13.5	9.0-18.0	199	65.0	58.3-71.7
College Graduate	525	85,986	7	1.2	0.2- 2.2	27	4.6	2.4- 6.8	27	4.4	1.9- 6.9	44	5.9	3.7- 8.1	420	83.9	80.0-87.8
Less than \$15,000	143	20,991	143	100.0	100.0- 100												
\$15,000- 24,999	195	34,953				195	100.0	100.0- 100									
\$25,000- 34,999	143	33,517							143	100.0	100.0- 100						
\$35,000- 49,999	166	30,521										166	100.0	100.0- 100			
\$50,000- 74,999	229	48,642													229	100.0	100.0- 100
\$75,000+	590	132,566													590	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 51: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1758	326,402	205	9.3	7.5-11.1	339	17.0	14.8-19.2	192	9.8	8.0-11.6	225	13.7	11.3-16.1	797	50.2	47.1-53.3
White/Non-Hisp	1136	210,355	71	6.0	4.0- 8.0	190	14.8	12.3-17.3	117	9.3	7.1-11.5	150	14.2	11.5-16.9	608	55.6	51.9-59.3
Black or Afr. Am./Non-Hisp	285	69,585	43	13.4	8.7-18.1	60	17.5	12.0-23.0	37	11.4	7.1-15.7	44	14.2	8.7-19.7	101	43.5	35.7-51.3
Oth. Race/Non-Hisp.	53	10,647	6	10.5	0.0-22.1	12	24.3	8.8-39.8	4	7.1	0.0-15.1	8	10.1	1.3-18.9	23	48.1	30.9-65.3
Hispanic	210	23,496	79	27.3	19.1-35.5	58	27.2	18.2-36.2	29	13.5	6.1-20.9	12	6.9	2.2-11.6	32	25.1	11.8-38.4
18-24	96	33,322	11	8.5	2.2-14.8	29	26.7	16.3-37.1	10	4.1	1.0- 7.2	15	19.8	8.0-31.6	31	41.0	27.3-54.7
25-34	215	52,484	36	8.3	4.8-11.8	49	18.2	12.1-24.3	22	11.1	5.2-17.0	30	15.4	9.3-21.5	78	47.0	38.2-55.8
35-44	270	52,154	39	8.7	4.8-12.6	46	13.2	8.5-17.9	26	6.6	3.7- 9.5	24	8.4	4.7-12.1	135	63.1	56.0-70.2
45-54	289	50,251	30	7.2	4.3-10.1	61	19.2	13.1-25.3	21	7.2	3.3-11.1	23	7.1	3.6-10.6	154	59.3	52.0-66.6
55-64	361	55,980	38	10.6	6.5-14.7	49	11.5	7.8-15.2	33	8.3	5.0-11.6	52	16.4	11.3-21.5	189	53.2	46.7-59.7
65+	527	82,209	51	10.9	6.8-15.0	105	17.2	13.1-21.3	80	15.8	11.5-20.1	81	15.9	11.4-20.4	210	40.2	34.5-45.9
Less Than H.S.	162	28,040	81	40.8	29.4-52.2	47	24.3	15.7-32.9	13	9.2	2.9-15.5	6	13.3	2.9-23.7	15	12.4	0.4-24.4
H.S. or G.E.D.	480	93,627	70	10.6	7.5-13.7	149	28.7	23.4-34.0	69	15.8	11.3-20.3	73	15.9	11.6-20.2	119	29.0	23.5-34.5
Some Post-H.S.	479	100,497	37	6.7	3.6- 9.8	97	15.9	12.0-19.8	62	9.1	6.4-11.8	71	14.7	10.6-18.8	212	53.5	47.4-59.6
College Graduate	636	104,147	17	2.1	0.7- 3.5	45	5.6	3.4- 7.8	48	5.2	3.2- 7.2	75	10.9	7.2-14.6	451	76.1	71.6-80.6
Less than \$15,000	205	30,237	205	100.0	100.0- 100												
\$15,000- 24,999	339	55,631				339	100.0	100.0- 100									
\$25,000- 34,999	192	31,928							192	100.0	100.0- 100						
\$35,000- 49,999	225	44,851										225	100.0	100.0- 100			
\$50,000- 74,999	264	50,114													264	100.0	100.0- 100
\$75,000+	533	113,640													533	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 10: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	102
2	MALES ONLY	103
3	FEMALES ONLY	104
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	105
5	MALES ONLY	106
6	FEMALES ONLY	107

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3730	719,708	381	10.6	9.2-12.0	153	4.5	3.5- 5.5	1039	26.1	24.1-28.1	2157	58.8	56.6-61.0
Male	1660	341,312	189	12.3	9.9-14.7	79	5.7	3.9- 7.5	521	28.4	25.5-31.3	871	53.6	50.3-56.9
Female	2070	378,396	192	9.1	7.5-10.7	74	3.4	2.4- 4.4	518	23.9	21.4-26.4	1286	63.5	60.8-66.2
White/Non-Hisp	2468	457,385	268	11.2	9.6-12.8	93	4.3	3.1- 5.5	808	30.7	28.3-33.1	1299	53.9	51.4-56.4
Black or Afr. Am./Non-Hisp	480	144,629	49	10.5	6.6-14.4	24	5.9	3.2- 8.6	93	16.8	12.5-21.1	314	66.9	61.2-72.6
Oth. Race/Non-Hisp.	122	28,026	11	4.3	1.0- 7.6	5	2.8	0.1- 5.5	28	19.8	10.8-28.8	78	73.1	63.1-83.1
MultiRacial/Non-Hisp.	92	15,876	14	10.6	2.8-18.4	7	6.2	0.3-12.1	23	24.9	10.0-39.8	48	58.3	42.8-73.8
Hispanic	495	59,159	33	9.8	5.1-14.5	21	4.2	1.8- 6.6	62	15.2	9.9-20.5	379	70.7	64.2-77.2
18-24	249	78,673	10	3.5	1.0- 6.0	6	3.7	0.2- 7.2	16	5.8	2.1- 9.5	217	87.0	81.5-92.5
25-34	428	116,093	53	15.6	10.7-20.5	29	8.0	4.5-11.5	59	15.6	10.9-20.3	287	60.9	54.4-67.4
35-44	501	106,343	70	14.6	10.5-18.7	21	3.5	1.5- 5.5	123	25.3	20.4-30.2	287	56.6	50.9-62.3
45-54	582	108,077	86	13.6	10.3-16.9	23	3.3	1.5- 5.1	124	21.8	17.5-26.1	349	61.3	56.2-66.4
55-64	755	125,331	90	10.8	8.3-13.3	39	5.4	2.9- 7.9	226	31.3	27.0-35.6	400	52.5	47.8-57.2
65+	1215	185,191	72	6.3	4.1- 8.5	35	3.5	1.9- 5.1	491	40.6	36.7-44.5	617	49.6	45.7-53.5
Less Than H.S.	415	75,270	54	21.2	14.9-27.5	26	6.7	3.2-10.2	78	21.8	15.5-28.1	257	50.2	42.8-57.6
H.S. or G.E.D.	1054	220,530	157	14.2	11.5-16.9	49	5.4	3.2- 7.6	322	27.6	24.1-31.1	526	52.8	48.7-56.9
Some Post-H.S.	952	208,529	120	11.3	8.6-14.0	41	4.4	2.6- 6.2	287	29.2	25.3-33.1	504	55.2	50.9-59.5
College Graduate	1301	214,272	50	2.6	1.6- 3.6	37	3.0	1.6- 4.4	351	23.0	20.1-25.9	863	71.3	68.2-74.4
Less than \$15,000	333	48,821	34	8.1	4.6-11.6	25	8.3	3.2-13.4	79	25.7	19.2-32.2	195	57.9	49.9-65.9
\$15,000- 24,999	513	85,989	87	17.5	13.4-21.6	37	10.7	6.6-14.8	126	21.2	16.7-25.7	263	50.7	44.8-56.6
\$25,000- 34,999	316	62,479	46	21.4	13.6-29.2	12	3.1	0.7- 5.5	108	29.6	22.7-36.5	150	45.9	37.9-53.9
\$35,000- 49,999	380	73,306	57	17.2	11.9-22.5	10	2.1	0.5- 3.7	101	23.3	17.8-28.8	212	57.4	50.5-64.3
\$50,000- 74,999	474	94,031	41	8.5	5.2-11.8	13	4.5	1.2- 7.8	137	25.8	20.7-30.9	283	61.2	55.1-67.3
\$75,000+	1095	239,966	64	5.6	3.8- 7.4	36	3.8	2.0- 5.6	323	26.3	23.0-29.6	672	64.2	60.5-67.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1660	341,312	189	12.3	9.9-14.7	79	5.7	3.9- 7.5	521	28.4	25.5-31.3	871	53.6	50.3-56.9
White/Non-Hisp	1124	216,182	129	12.0	9.5-14.5	42	5.5	3.3- 7.7	405	33.3	29.8-36.8	548	49.1	45.2-53.0
Black or Afr. Am./Non-Hisp	168	65,308	23	14.3	6.9-21.7	13	7.3	2.4-12.2	30	14.2	7.5-20.9	102	64.3	54.7-73.9
Oth. Race/Non-Hisp.	57	14,770	4	3.1	0.0- 7.0	4	3.9	0.0- 8.4	15	22.2	8.5-35.9	34	70.9	55.6-86.2
Hispanic	230	30,171	23	14.7	6.9-22.5	15	5.9	1.8-10.0	44	26.0	17.0-35.0	148	53.5	43.7-63.3
18-24	131	39,915	5	2.9	0.0- 6.0	6	7.4	0.7-14.1	11	6.4	1.7-11.1	109	83.3	74.9-91.7
25-34	184	57,296	25	17.5	9.7-25.3	24	13.6	6.9-20.3	30	19.4	11.4-27.4	105	49.5	39.5-59.5
35-44	221	52,695	31	15.5	9.2-21.8	10	3.0	0.5- 5.5	69	27.8	20.7-34.9	111	53.7	45.1-62.3
45-54	249	49,521	43	16.1	10.4-21.8	8	2.7	0.3- 5.1	61	23.5	17.0-30.0	137	57.8	50.2-65.4
55-64	340	59,490	43	11.1	7.2-15.0	17	6.8	1.9-11.7	117	34.6	28.1-41.1	163	47.6	40.5-54.7
65+	535	82,396	42	9.7	5.2-14.2	14	2.3	0.5- 4.1	233	44.3	38.2-50.4	246	43.7	37.8-49.6
Less Than H.S.	199	40,355	34	27.8	18.0-37.6	15	6.0	1.5-10.5	54	29.7	20.1-39.3	96	36.5	26.9-46.1
H.S. or G.E.D.	490	111,635	83	15.2	11.1-19.3	29	7.5	3.8-11.2	166	28.9	23.8-34.0	212	48.3	42.0-54.6
Some Post-H.S.	396	93,472	55	12.4	7.9-16.9	17	5.2	2.1- 8.3	126	31.5	25.2-37.8	198	50.9	44.0-57.8
College Graduate	573	95,601	17	2.1	0.7- 3.5	18	4.0	1.3- 6.7	175	24.4	20.1-28.7	363	69.4	64.5-74.3
Less than \$15,000	137	19,862	15	9.0	2.9-15.1	15	7.5	1.6-13.4	36	28.2	17.0-39.4	71	55.3	41.8-68.8
\$15,000- 24,999	188	33,172	30	17.2	10.3-24.1	20	18.0	9.2-26.8	55	24.9	16.7-33.1	83	39.9	30.3-49.5
\$25,000- 34,999	136	32,735	22	25.7	13.2-38.2	6	2.0	0.2- 3.8	55	33.0	22.2-43.8	53	39.3	27.0-51.6
\$35,000- 49,999	162	29,615	34	21.2	12.6-29.8	2	1.6	0.0- 4.1	43	22.8	14.8-30.8	83	54.3	43.9-64.7
\$50,000- 74,999	224	46,875	24	9.7	4.4-15.0	6	6.8	0.3-13.3	74	26.8	19.5-34.1	120	56.8	47.8-65.8
\$75,000+	575	128,884	38	6.6	4.1- 9.1	16	4.9	2.0- 7.8	188	28.6	23.7-33.5	333	60.0	54.5-65.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2070	378,396	192	9.1	7.5-10.7	74	3.4	2.4- 4.4	518	23.9	21.4-26.4	1286	63.5	60.8-66.2
White/Non-Hisp	1344	241,203	139	10.4	8.2-12.6	51	3.2	2.0- 4.4	403	28.3	25.2-31.4	751	58.1	54.6-61.6
Black or Afr. Am./Non-Hisp	312	79,320	26	7.3	3.8-10.8	11	4.7	1.6- 7.8	63	19.0	13.3-24.7	212	69.0	62.3-75.7
Oth. Race/Non-Hisp.	65	13,256	7	5.8	0.3-11.3	1	1.6	0.0- 4.7	13	17.1	5.3-28.9	44	75.6	62.7-88.5
MultiRacial/Non-Hisp.	53	10,558	8	10.8	0.2-21.4	3	4.3	0.0-10.0	12	22.1	2.3-41.9	30	62.9	42.5-83.3
Hispanic	265	28,988	10	4.7	0.6- 8.8	6	2.5	0.0- 5.0	18	4.0	1.3- 6.7	231	88.7	83.2-94.2
18-24	118	38,758	5	4.2	0.3- 8.1				5	5.1	0.0-10.8	108	90.7	83.8-97.6
25-34	244	58,797	28	13.8	7.9-19.7	5	2.4	0.0- 4.9	29	11.9	7.0-16.8	182	71.9	64.5-79.3
35-44	280	53,648	39	13.8	8.7-18.9	11	3.9	1.0- 6.8	54	22.9	16.0-29.8	176	59.4	51.6-67.2
45-54	333	58,557	43	11.5	7.4-15.6	15	3.8	1.3- 6.3	63	20.4	14.7-26.1	212	64.3	57.6-71.0
55-64	415	65,841	47	10.5	7.0-14.0	22	4.2	2.2- 6.2	109	28.3	22.4-34.2	237	57.0	50.9-63.1
65+	680	102,795	30	3.6	2.0- 5.2	21	4.4	2.0- 6.8	258	37.7	32.8-42.6	371	54.3	49.2-59.4
Less Than H.S.	216	34,916	20	13.5	6.8-20.2	11	7.6	2.3-12.9	24	12.7	5.8-19.6	161	66.1	56.3-75.9
H.S. or G.E.D.	564	108,895	74	13.1	9.4-16.8	20	3.3	1.5- 5.1	156	26.3	21.6-31.0	314	57.4	51.9-62.9
Some Post-H.S.	556	115,057	65	10.4	7.3-13.5	24	3.6	1.6- 5.6	161	27.3	22.2-32.4	306	58.7	53.2-64.2
College Graduate	728	118,672	33	3.0	1.6- 4.4	19	2.2	0.8- 3.6	176	21.9	18.2-25.6	500	72.9	68.8-77.0
Less than \$15,000	196	28,959	19	7.5	3.4-11.6	10	8.9	1.5-16.3	43	24.0	16.0-32.0	124	59.6	49.8-69.4
\$15,000- 24,999	325	52,816	57	17.7	12.4-23.0	17	6.1	2.6- 9.6	71	18.8	13.5-24.1	180	57.5	50.4-64.6
\$25,000- 34,999	180	29,743	24	16.6	8.2-25.0	6	4.4	0.0- 8.9	53	25.8	17.6-34.0	97	53.2	43.4-63.0
\$35,000- 49,999	218	43,691	23	14.5	7.8-21.2	8	2.4	0.4- 4.4	58	23.7	16.4-31.0	129	59.5	50.7-68.3
\$50,000- 74,999	250	47,155	17	7.4	3.3-11.5	7	2.3	0.3- 4.3	63	24.7	17.3-32.1	163	65.6	57.6-73.6
\$75,000+	520	111,082	26	4.5	2.3- 6.7	20	2.6	1.2- 4.0	135	23.7	19.0-28.4	339	69.1	64.0-74.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3730	719,708	3196	84.9	83.3-86.5	534	15.1	13.5-16.7
Male	1660	341,312	1392	82.0	79.3-84.7	268	18.0	15.3-20.7
Female	2070	378,396	1804	87.4	85.4-89.4	266	12.6	10.6-14.6
White/Non-Hisp	2468	457,385	2107	84.5	82.5-86.5	361	15.5	13.5-17.5
Black or Afr. Am./Non-Hisp	480	144,629	407	83.7	79.0-88.4	73	16.3	11.6-21.0
Oth. Race/Non-Hisp.	122	28,026	106	92.9	88.6-97.2	16	7.1	2.8-11.4
MultiRacial/Non-Hisp.	92	15,876	71	83.3	73.7-92.9	21	16.7	7.1-26.3
Hispanic	495	59,159	441	86.0	80.9-91.1	54	14.0	8.9-19.1
18-24	249	78,673	233	92.7	88.4-97.0	16	7.3	3.0-11.6
25-34	428	116,093	346	76.5	70.8-82.2	82	23.5	17.8-29.2
35-44	501	106,343	410	81.9	77.6-86.2	91	18.1	13.8-22.4
45-54	582	108,077	473	83.1	79.4-86.8	109	16.9	13.2-20.6
55-64	755	125,331	626	83.8	80.3-87.3	129	16.2	12.7-19.7
65+	1215	185,191	1108	90.2	87.5-92.9	107	9.8	7.1-12.5
Less Than H.S.	415	75,270	335	72.1	65.4-78.8	80	27.9	21.2-34.6
H.S. or G.E.D.	1054	220,530	848	80.4	77.1-83.7	206	19.6	16.3-22.9
Some Post-H.S.	952	208,529	791	84.3	81.2-87.4	161	15.7	12.6-18.8
College Graduate	1301	214,272	1214	94.4	92.6-96.2	87	5.6	3.8- 7.4
Less than \$15,000	333	48,821	274	83.6	77.7-89.5	59	16.4	10.5-22.3
\$15,000- 24,999	513	85,989	389	71.8	66.5-77.1	124	28.2	22.9-33.5
\$25,000- 34,999	316	62,479	258	75.5	67.7-83.3	58	24.5	16.7-32.3
\$35,000- 49,999	380	73,306	313	80.7	75.2-86.2	67	19.3	13.8-24.8
\$50,000- 74,999	474	94,031	420	87.0	82.5-91.5	54	13.0	8.5-17.5
\$75,000+	1095	239,966	995	90.6	88.2-93.0	100	9.4	7.0-11.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1660	341,312	1392	82.0	79.3-84.7	268	18.0	15.3-20.7
White/Non-Hisp	1124	216,182	953	82.5	79.4-85.6	171	17.5	14.4-20.6
Black or Afr. Am./Non-Hisp	168	65,308	132	78.4	70.0-86.8	36	21.6	13.2-30.0
Oth. Race/Non-Hisp.	57	14,770	49	93.0	87.1-98.9	8	7.0	1.1-12.9
Hispanic	230	30,171	192	79.5	71.1-87.9	38	20.5	12.1-28.9
18-24	131	39,915	120	89.8	82.5-97.1	11	10.2	2.9-17.5
25-34	184	57,296	135	68.9	59.5-78.3	49	31.1	21.7-40.5
35-44	221	52,695	180	81.5	74.8-88.2	41	18.5	11.8-25.2
45-54	249	49,521	198	81.2	75.3-87.1	51	18.8	12.9-24.7
55-64	340	59,490	280	82.2	76.3-88.1	60	17.8	11.9-23.7
65+	535	82,396	479	88.0	83.3-92.7	56	12.0	7.3-16.7
Less Than H.S.	199	40,355	150	66.2	56.0-76.4	49	33.8	23.6-44.0
H.S. or G.E.D.	490	111,635	378	77.2	71.9-82.5	112	22.8	17.5-28.1
Some Post-H.S.	396	93,472	324	82.4	77.1-87.7	72	17.6	12.3-22.9
College Graduate	573	95,601	538	93.8	90.7-96.9	35	6.2	3.1- 9.3
Less than \$15,000	137	19,862	107	83.5	75.1-91.9	30	16.5	8.1-24.9
\$15,000- 24,999	188	33,172	138	64.8	55.0-74.6	50	35.2	25.4-45.0
\$25,000- 34,999	136	32,735	108	72.3	59.8-84.8	28	27.7	15.2-40.2
\$35,000- 49,999	162	29,615	126	77.2	68.4-86.0	36	22.8	14.0-31.6
\$50,000- 74,999	224	46,875	194	83.6	76.0-91.2	30	16.4	8.8-24.0
\$75,000+	575	128,884	521	88.6	84.9-92.3	54	11.4	7.7-15.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2070	378,396	1804	87.4	85.4-89.4	266	12.6	10.6-14.6
White/Non-Hisp	1344	241,203	1154	86.4	84.0-88.8	190	13.6	11.2-16.0
Black or Afr. Am./Non-Hisp	312	79,320	275	88.0	83.5-92.5	37	12.0	7.5-16.5
Oth. Race/Non-Hisp.	65	13,256	57	92.6	86.3-98.9	8	7.4	1.1-13.7
MultiRacial/Non-Hisp.	53	10,558	42	84.9	72.9-96.9	11	15.1	3.1-27.1
Hispanic	265	28,988	249	92.7	88.0-97.4	16	7.3	2.6-12.0
18-24	118	38,758	113	95.8	91.9-99.7	5	4.2	0.3- 8.1
25-34	244	58,797	211	83.8	77.5-90.1	33	16.2	9.9-22.5
35-44	280	53,648	230	82.3	76.6-88.0	50	17.7	12.0-23.4
45-54	333	58,557	275	84.7	80.0-89.4	58	15.3	10.6-20.0
55-64	415	65,841	346	85.3	81.2-89.4	69	14.7	10.6-18.8
65+	680	102,795	629	92.0	89.1-94.9	51	8.0	5.1-10.9
Less Than H.S.	216	34,916	185	78.8	70.6-87.0	31	21.2	13.0-29.4
H.S. or G.E.D.	564	108,895	470	83.6	79.7-87.5	94	16.4	12.5-20.3
Some Post-H.S.	556	115,057	467	86.0	82.3-89.7	89	14.0	10.3-17.7
College Graduate	728	118,672	676	94.8	92.8-96.8	52	5.2	3.2- 7.2
Less than \$15,000	196	28,959	167	83.7	75.5-91.9	29	16.3	8.1-24.5
\$15,000- 24,999	325	52,816	251	76.2	70.3-82.1	74	23.8	17.9-29.7
\$25,000- 34,999	180	29,743	150	79.0	70.0-88.0	30	21.0	12.0-30.0
\$35,000- 49,999	218	43,691	187	83.2	76.3-90.1	31	16.8	9.9-23.7
\$50,000- 74,999	250	47,155	226	90.3	85.8-94.8	24	9.7	5.2-14.2
\$75,000+	520	111,082	474	92.9	90.4-95.4	46	7.1	4.6- 9.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	109
2 MALES ONLY	110
3 FEMALES ONLY	111
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	112
5 MALES ONLY	113
6 FEMALES ONLY	114
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	115
8 MALES ONLY	116
9 FEMALES ONLY	117
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)	
10 MALES AND FEMALES	118
11 MALES ONLY	119
12 FEMALES ONLY	120
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)	
13 MALES AND FEMALES	121
14 MALES ONLY	122
15 FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3702	714,595	1815	51.1	48.7-53.5	1887	48.9	46.5-51.3
Male	1647	339,037	911	57.1	53.8-60.4	736	42.9	39.6-46.2
Female	2055	375,558	904	45.8	42.9-48.7	1151	54.2	51.3-57.1
White/Non-Hisp	2450	453,897	1313	54.6	52.1-57.1	1137	45.4	42.9-47.9
Black or Afr. Am./Non-Hisp	478	143,815	201	48.3	42.0-54.6	277	51.7	45.4-58.0
Oth. Race/Non-Hisp.	119	27,746	44	33.1	21.1-45.1	75	66.9	54.9-78.9
MultiRacial/Non-Hisp.	91	15,805	54	56.7	41.4-72.0	37	43.3	28.0-58.6
Hispanic	491	58,532	167	37.8	31.1-44.5	324	62.2	55.5-68.9
18-24	248	78,510	115	50.2	41.4-59.0	133	49.8	41.0-58.6
25-34	423	114,658	209	54.1	47.6-60.6	214	45.9	39.4-52.4
35-44	497	105,444	269	57.4	51.5-63.3	228	42.6	36.7-48.5
45-54	574	107,170	295	53.5	48.2-58.8	279	46.5	41.2-51.8
55-64	745	123,949	384	52.5	47.8-57.2	361	47.5	42.8-52.2
65+	1215	184,865	543	43.9	40.0-47.8	672	56.1	52.2-60.0
Less Than H.S.	415	75,525	94	28.3	21.4-35.2	321	71.7	64.8-78.6
H.S. or G.E.D.	1044	219,162	424	44.0	39.9-48.1	620	56.0	51.9-60.1
Some Post-H.S.	941	206,837	494	56.5	52.2-60.8	447	43.5	39.2-47.8
College Graduate	1295	212,071	803	61.7	58.0-65.4	492	38.3	34.6-42.0
Less than \$15,000	327	48,191	84	29.7	21.1-38.3	243	70.3	61.7-78.9
\$15,000- 24,999	511	86,227	184	37.9	32.2-43.6	327	62.1	56.4-67.8
\$25,000- 34,999	316	62,308	141	48.1	39.9-56.3	175	51.9	43.7-60.1
\$35,000- 49,999	378	72,778	195	52.0	44.9-59.1	183	48.0	40.9-55.1
\$50,000- 74,999	470	93,391	247	54.3	48.0-60.6	223	45.7	39.4-52.0
\$75,000+	1086	238,053	724	63.9	59.8-68.0	362	36.1	32.0-40.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1647	339,037	911	57.1	53.8-60.4	736	42.9	39.6-46.2
White/Non-Hisp	1112	214,340	651	59.6	55.7-63.5	461	40.4	36.5-44.3
Black or Afr. Am./Non-Hisp	169	65,310	91	56.7	46.7-66.7	78	43.3	33.3-53.3
Oth. Race/Non-Hisp.	56	14,524	26	35.5	16.9-54.1	30	64.5	45.9-83.1
Hispanic	229	29,778	97	49.5	39.9-59.1	132	50.5	40.9-60.1
18-24	131	39,906	63	49.2	36.9-61.5	68	50.8	38.5-63.1
25-34	182	56,569	102	60.2	50.2-70.2	80	39.8	29.8-49.8
35-44	219	52,449	131	65.4	57.2-73.6	88	34.6	26.4-42.8
45-54	247	49,537	144	60.4	52.6-68.2	103	39.6	31.8-47.4
55-64	336	58,734	181	54.4	47.5-61.3	155	45.6	38.7-52.5
65+	532	81,842	290	53.4	47.3-59.5	242	46.6	40.5-52.7
Less Than H.S.	199	40,565	61	36.7	26.5-46.9	138	63.3	53.1-73.5
H.S. or G.E.D.	485	110,912	241	51.7	45.4-58.0	244	48.3	42.0-54.6
Some Post-H.S.	394	93,204	230	63.0	56.5-69.5	164	37.0	30.5-43.5
College Graduate	567	94,107	379	66.6	61.1-72.1	188	33.4	27.9-38.9
Less than \$15,000	134	19,314	46	44.4	29.3-59.5	88	55.6	40.5-70.7
\$15,000- 24,999	187	33,469	78	48.0	38.2-57.8	109	52.0	42.2-61.8
\$25,000- 34,999	136	32,723	66	51.7	39.2-64.2	70	48.3	35.8-60.8
\$35,000- 49,999	161	29,330	88	54.4	43.6-65.2	73	45.6	34.8-56.4
\$50,000- 74,999	224	46,920	118	52.8	43.8-61.8	106	47.2	38.2-56.2
\$75,000+	568	127,499	409	69.1	63.4-74.8	159	30.9	25.2-36.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2055	375,558	904	45.8	42.9-48.7	1151	54.2	51.3-57.1
White/Non-Hisp	1338	239,557	662	50.2	46.7-53.7	676	49.8	46.3-53.3
Black or Afr. Am./Non-Hisp	309	78,505	110	41.2	33.6-48.8	199	58.8	51.2-66.4
Oth. Race/Non-Hisp.	63	13,222	18	30.6	15.7-45.5	45	69.4	54.5-84.3
MultiRacial/Non-Hisp.	53	10,558	30	52.3	31.9-72.7	23	47.7	27.3-68.1
Hispanic	262	28,753	70	25.7	18.1-33.3	192	74.3	66.7-81.9
18-24	117	38,604	52	51.2	38.7-63.7	65	48.8	36.3-61.3
25-34	241	58,089	107	48.3	39.9-56.7	134	51.7	43.3-60.1
35-44	278	52,995	138	49.6	41.6-57.6	140	50.4	42.4-58.4
45-54	327	57,632	151	47.5	40.4-54.6	176	52.5	45.4-59.6
55-64	409	65,215	203	50.8	44.5-57.1	206	49.2	42.9-55.5
65+	683	103,024	253	36.3	31.4-41.2	430	63.7	58.8-68.6
Less Than H.S.	216	34,961	33	18.6	10.2-27.0	183	81.4	73.0-89.8
H.S. or G.E.D.	559	108,250	183	36.2	30.7-41.7	376	63.8	58.3-69.3
Some Post-H.S.	547	113,634	264	51.2	45.5-56.9	283	48.8	43.1-54.5
College Graduate	728	117,965	424	57.8	52.9-62.7	304	42.2	37.3-47.1
Less than \$15,000	193	28,877	38	19.9	11.5-28.3	155	80.1	71.7-88.5
\$15,000- 24,999	324	52,758	106	31.5	25.0-38.0	218	68.5	62.0-75.0
\$25,000- 34,999	180	29,585	75	44.0	34.0-54.0	105	56.0	46.0-66.0
\$35,000- 49,999	217	43,447	107	50.4	41.2-59.6	110	49.6	40.4-58.8
\$50,000- 74,999	246	46,471	129	55.8	47.4-64.2	117	44.2	35.8-52.6
\$75,000+	518	110,554	315	57.9	52.0-63.8	203	42.1	36.2-48.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 11: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3702	714,595	1079	30.7	28.5-32.9	374	10.9	9.5-12.3	139	4.3	3.3- 5.3	223	5.2	4.2- 6.2	1887	48.9	46.5-51.3
Male	1647	339,037	488	31.3	28.2-34.4	184	12.1	9.9-14.3	87	5.8	4.2- 7.4	152	7.8	6.0- 9.6	736	42.9	39.6-46.2
Female	2055	375,558	591	30.1	27.4-32.8	190	9.8	8.0-11.6	52	3.0	1.8- 4.2	71	2.9	1.9- 3.9	1151	54.2	51.3-57.1
White/Non-Hisp	2450	453,897	723	30.2	27.8-32.6	289	12.9	11.1-14.7	108	4.7	3.5- 5.9	193	6.8	5.4- 8.2	1137	45.4	42.9-47.9
Black or Afr. Am./Non-Hisp	478	143,815	140	33.6	27.5-39.7	36	8.1	4.8-11.4	15	4.2	1.1- 7.3	10	2.4	0.4- 4.4	277	51.7	45.4-58.0
Oth. Race/Non-Hisp.	119	27,746	26	18.4	8.2-28.6	7	7.8	0.9-14.7	4	3.3	0.0- 6.8	7	3.7	0.2- 7.2	75	66.9	54.9-78.9
MultiRacial/Non-Hisp.	91	15,805	39	43.7	27.6-59.8	8	5.3	1.2- 9.4	3	1.5	0.0- 3.7	4	6.2	0.0-14.8	37	43.3	28.0-58.6
Hispanic	491	58,532	126	28.1	21.8-34.4	28	6.2	3.3- 9.1	6	2.2	0.0- 4.4	7	1.4	0.0- 2.8	324	62.2	55.5-68.9
18-24	248	78,510	73	29.1	21.1-37.1	30	12.2	6.9-17.5	7	6.0	0.3-11.7	5	2.8	0.0- 5.9	133	49.8	41.0-58.6
25-34	423	114,658	139	35.3	28.8-41.8	49	12.3	8.4-16.2	13	3.9	1.4- 6.4	8	2.7	0.3- 5.1	214	45.9	39.4-52.4
35-44	497	105,444	173	36.6	30.9-42.3	55	11.2	7.7-14.7	18	4.0	2.0- 6.0	23	5.6	2.9- 8.3	228	42.6	36.7-48.5
45-54	574	107,170	181	34.4	29.3-39.5	65	10.5	7.4-13.6	22	3.6	1.8- 5.4	27	4.9	2.7- 7.1	279	46.5	41.2-51.8
55-64	745	123,949	219	28.9	24.6-33.2	90	13.4	10.3-16.5	32	4.8	2.8- 6.8	43	5.5	3.0- 8.0	361	47.5	42.8-52.2
65+	1215	184,865	294	24.1	20.8-27.4	85	7.9	5.7-10.1	47	4.2	2.6- 5.8	117	7.6	5.8- 9.4	672	56.1	52.2-60.0
Less Than H.S.	415	75,525	66	18.7	12.6-24.8	10	3.4	0.3- 6.5	6	2.0	0.0- 4.0	12	4.2	1.5- 6.9	321	71.7	64.8-78.6
H.S. or G.E.D.	1044	219,162	265	27.8	23.9-31.7	92	10.1	7.7-12.5	25	2.4	1.4- 3.4	42	3.7	2.1- 5.3	620	56.0	51.9-60.1
Some Post-H.S.	941	206,837	302	34.2	29.9-38.5	96	11.8	8.9-14.7	47	5.6	3.6- 7.6	49	4.9	2.9- 6.9	447	43.5	39.2-47.8
College Graduate	1295	212,071	446	34.6	31.1-38.1	176	13.6	11.2-16.0	61	6.0	3.6- 8.4	120	7.5	5.7- 9.3	492	38.3	34.6-42.0
Less than \$15,000	327	48,191	58	18.4	10.6-26.2	16	7.5	2.4-12.6	5	2.2	0.0- 4.7	5	1.6	0.0- 3.4	243	70.3	61.7-78.9
\$15,000- 24,999	511	86,227	122	21.9	17.4-26.4	28	8.3	4.6-12.0	12	3.2	1.0- 5.4	22	4.5	1.8- 7.2	327	62.1	56.4-67.8
\$25,000- 34,999	316	62,308	101	33.4	25.4-41.4	19	8.7	3.0-14.4	7	2.4	0.2- 4.6	14	3.6	1.1- 6.1	175	51.9	43.7-60.1
\$35,000- 49,999	378	72,778	119	31.7	25.4-38.0	35	9.1	5.2-13.0	17	6.9	2.2-11.6	24	4.3	2.1- 6.5	183	48.0	40.9-55.1
\$50,000- 74,999	470	93,391	150	33.9	27.8-40.0	51	12.3	8.4-16.2	16	3.3	1.5- 5.1	30	4.8	2.1- 7.5	223	45.7	39.4-52.0
\$75,000+	1086	238,053	383	35.7	31.8-39.6	173	14.1	11.6-16.6	64	5.9	3.9- 7.9	104	8.3	6.1-10.5	362	36.1	32.0-40.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 11: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1647	339,037	488	31.3	28.2-34.4	184	12.1	9.9-14.3	87	5.8	4.2- 7.4	152	7.8	6.2- 9.4	736	42.9	39.6-46.2
White/Non-Hisp	1112	214,340	328	31.0	27.3-34.7	133	13.0	10.5-15.5	64	6.0	4.2- 7.8	126	9.6	7.4-11.8	461	40.4	36.5-44.3
Black or Afr. Am./Non-Hisp	169	65,310	49	32.1	22.5-41.7	23	13.4	6.7-20.1	12	6.8	1.3-12.3	7	4.5	0.4- 8.6	78	43.3	33.3-53.3
Oth. Race/Non-Hisp.	56	14,524	11	16.2	0.0-32.5	5	7.3	0.0-15.9	3	4.8	0.0-11.1	7	7.1	0.4-13.8	30	64.5	45.9-83.1
Hispanic	229	29,778	70	36.3	26.5-46.1	16	7.2	2.9-11.5	4	3.4	0.0- 7.3	7	2.7	0.0- 5.4	132	50.5	40.9-60.1
18-24	131	39,906	42	28.3	17.5-39.1	14	12.4	4.4-20.4	4	6.6	0.0-14.8	3	1.9	0.0- 4.8	68	50.8	38.5-63.1
25-34	182	56,569	60	35.7	25.7-45.7	27	14.1	8.0-20.2	7	4.8	0.7- 8.9	8	5.5	1.0-10.0	80	39.8	29.8-49.8
35-44	219	52,449	79	39.0	30.4-47.6	25	12.2	6.3-18.1	11	5.0	1.9- 8.1	16	9.2	4.1-14.3	88	34.6	26.4-42.8
45-54	247	49,537	82	35.7	28.1-43.3	31	12.1	7.0-17.2	17	6.3	2.8- 9.8	14	6.3	2.4-10.2	103	39.6	31.8-47.4
55-64	336	58,734	86	24.7	18.6-30.8	46	14.4	9.5-19.3	20	6.1	3.2- 9.0	29	9.2	4.5-13.9	155	45.6	38.7-52.5
65+	532	81,842	139	27.0	21.5-32.5	41	8.9	5.4-12.4	28	6.3	3.4- 9.2	82	11.2	8.1-14.3	242	46.6	40.5-52.7
Less Than H.S.	199	40,565	38	21.5	12.7-30.3	8	5.3	0.0-10.6	6	3.7	0.2- 7.2	9	6.2	1.5-10.9	138	63.3	53.1-73.5
H.S. or G.E.D.	485	110,912	139	30.1	24.0-36.2	52	11.5	7.8-15.2	19	4.0	2.0- 6.0	31	6.1	3.0- 9.2	244	48.3	42.0-54.6
Some Post-H.S.	394	93,204	124	35.3	28.6-42.0	46	13.6	8.9-18.3	29	7.5	4.4-10.6	31	6.6	3.5- 9.7	164	37.0	30.5-43.5
College Graduate	567	94,107	187	33.2	27.9-38.5	78	14.4	10.7-18.1	33	7.3	3.4-11.2	81	11.6	8.3-14.9	188	33.4	27.9-38.9
Less than \$15,000	134	19,314	32	30.8	14.7-46.9	8	7.2	0.9-13.5	4	4.9	0.0-11.0	2	1.5	0.0- 4.0	88	55.6	40.5-70.7
\$15,000- 24,999	187	33,469	44	22.2	14.4-30.0	16	12.9	5.6-20.2	6	5.1	0.6- 9.6	12	7.9	1.6-14.2	109	52.0	42.2-61.8
\$25,000- 34,999	136	32,723	40	30.4	17.9-42.9	10	12.2	2.2-22.2	6	3.2	0.1- 6.3	10	5.9	1.2-10.6	70	48.3	35.8-60.8
\$35,000- 49,999	161	29,330	48	31.6	22.2-41.0	11	6.1	1.2-11.0	11	9.0	3.3-14.7	18	7.7	3.0-12.4	73	45.6	34.8-56.4
\$50,000- 74,999	224	46,920	67	28.2	20.4-36.0	24	14.0	7.7-20.3	7	3.4	0.5- 6.3	20	7.2	1.9-12.5	106	47.2	38.2-56.2
\$75,000+	568	127,499	204	37.8	32.3-43.3	86	13.1	9.8-16.4	43	7.7	4.4-11.0	76	10.6	7.5-13.7	159	30.9	25.2-36.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 11: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2055	375,558	591	30.1	27.4-32.8	190	9.8	8.0-11.6	52	3.0	1.8- 4.2	71	2.9	1.9- 3.9	1151	54.2	51.3-57.1
White/Non-Hisp	1338	239,557	395	29.4	26.1-32.7	156	12.9	10.5-15.3	44	3.6	2.2- 5.0	67	4.3	2.9- 5.7	676	49.8	46.3-53.3
Black or Afr. Am./Non-Hisp	309	78,505	91	34.8	27.4-42.2	13	3.7	1.3- 6.1	3	2.0	0.0- 5.7	3	0.7	0.0- 1.7	199	58.8	51.2-66.4
Oth. Race/Non-Hisp.	63	13,222	15	20.7	8.5-32.9	2	8.3	0.0-19.3	1	1.6	0.0- 4.7				45	69.4	54.5-84.3
MultiRacial/Non-Hisp.	53	10,558	23	44.9	23.7-66.1	5	5.8	0.3-11.3	1	0.5	0.0- 1.5	1	1.0	0.0- 3.2	23	47.7	27.3-68.1
Hispanic	262	28,753	56	19.7	13.0-26.4	12	5.2	1.1- 9.3	2	0.8	0.0- 2.0				192	74.3	66.7-81.9
18-24	117	38,604	31	30.0	17.8-42.2	16	12.1	5.4-18.8	3	5.5	0.0-13.1	2	3.6	0.0- 9.1	65	48.8	36.3-61.3
25-34	241	58,089	79	34.9	26.5-43.3	22	10.4	5.5-15.3	6	3.0	0.1- 5.9				134	51.7	43.3-60.1
35-44	278	52,995	94	34.3	26.7-41.9	30	10.3	6.2-14.4	7	2.9	0.5- 5.3	7	2.1	0.5- 3.7	140	50.4	42.4-58.4
45-54	327	57,632	99	33.3	26.6-40.0	34	9.2	5.5-12.9	5	1.3	0.0- 2.7	13	3.7	1.3- 6.1	176	52.5	45.4-59.6
55-64	409	65,215	133	32.6	26.7-38.5	44	12.5	8.4-16.6	12	3.6	1.2- 6.0	14	2.1	0.5- 3.7	206	49.2	42.9-55.5
65+	683	103,024	155	21.8	17.7-25.9	44	7.2	4.3-10.1	19	2.6	1.0- 4.2	35	4.7	2.7- 6.7	430	63.7	58.8-68.6
Less Than H.S.	216	34,961	28	15.6	7.6-23.6	2	1.2	0.0- 3.4				3	1.8	0.0- 4.0	183	81.4	73.0-89.8
H.S. or G.E.D.	559	108,250	126	25.4	20.1-30.7	40	8.7	5.6-11.8	6	0.8	0.0- 1.6	11	1.3	0.5- 2.1	376	63.8	58.3-69.3
Some Post-H.S.	547	113,634	178	33.3	27.6-39.0	50	10.3	7.0-13.6	18	4.1	1.9- 6.3	18	3.5	1.1- 5.9	283	48.8	43.1-54.5
College Graduate	728	117,965	259	35.7	31.0-40.4	98	13.1	10.2-16.0	28	4.9	2.0- 7.8	39	4.2	2.6- 5.8	304	42.2	37.3-47.1
Less than \$15,000	193	28,877	26	10.0	5.1-14.9	8	7.8	0.5-15.1	1	0.5	0.0- 1.5	3	1.6	0.0- 4.0	155	80.1	71.7-88.5
\$15,000- 24,999	324	52,758	78	21.7	16.2-27.2	12	5.3	1.6- 9.0	6	2.1	0.0- 4.3	10	2.4	0.6- 4.2	218	68.5	62.0-75.0
\$25,000- 34,999	180	29,585	61	36.6	26.8-46.4	9	4.9	1.0- 8.8	1	1.5	0.0- 4.4	4	1.1	0.0- 2.3	105	56.0	46.0-66.0
\$35,000- 49,999	217	43,447	71	31.7	23.3-40.1	24	11.1	5.4-16.8	6	5.6	0.0-12.5	6	2.1	0.1- 4.1	110	49.6	40.4-58.8
\$50,000- 74,999	246	46,471	83	39.6	30.8-48.4	27	10.7	6.2-15.2	9	3.2	0.8- 5.6	10	2.4	0.6- 4.2	117	44.2	35.8-52.6
\$75,000+	518	110,554	179	33.2	27.7-38.7	87	15.3	11.6-19.0	21	3.9	1.9- 5.9	28	5.5	2.8- 8.2	203	42.1	36.2-48.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3639	704,164	3207	85.7	84.1-87.3	432	14.3	12.7-15.9
Male	1616	332,768	1346	80.7	78.0-83.4	270	19.3	16.6-22.0
Female	2023	371,396	1861	90.2	88.2-92.2	162	9.8	7.8-11.8
White/Non-Hisp	2406	447,454	2098	84.0	82.0-86.0	308	16.0	14.0-18.0
Black or Afr. Am./Non-Hisp	473	141,256	434	88.4	83.9-92.9	39	11.6	7.1-16.1
Oth. Race/Non-Hisp.	114	27,235	105	94.7	90.4-99.0	9	5.3	1.0- 9.6
MultiRacial/Non-Hisp.	89	15,637	77	79.8	64.7-94.9	12	20.2	5.1-35.3
Hispanic	485	57,874	426	87.7	84.0-91.4	59	12.3	8.6-16.0
18-24	247	78,463	189	75.2	67.6-82.8	58	24.8	17.2-32.4
25-34	416	113,515	345	81.5	76.6-86.4	71	18.5	13.6-23.4
35-44	487	103,347	392	78.3	73.4-83.2	95	21.7	16.8-26.6
45-54	563	105,474	491	87.0	83.5-90.5	72	13.0	9.5-16.5
55-64	731	122,439	646	87.6	84.5-90.7	85	12.4	9.3-15.5
65+	1195	180,925	1144	95.0	93.2-96.8	51	5.0	3.2- 6.8
Less Than H.S.	410	74,574	378	89.4	84.7-94.1	32	10.6	5.9-15.3
H.S. or G.E.D.	1024	214,779	888	85.6	82.9-88.3	136	14.4	11.7-17.1
Some Post-H.S.	925	204,444	796	82.8	79.3-86.3	129	17.2	13.7-20.7
College Graduate	1273	209,367	1138	87.2	84.3-90.1	135	12.8	9.9-15.7
Less than \$15,000	324	47,704	297	92.9	89.8-96.0	27	7.1	4.0-10.2
\$15,000- 24,999	503	85,178	439	82.3	77.4-87.2	64	17.7	12.8-22.6
\$25,000- 34,999	312	60,566	280	87.7	81.8-93.6	32	12.3	6.4-18.2
\$35,000- 49,999	371	71,426	334	87.8	82.3-93.3	37	12.2	6.7-17.7
\$50,000- 74,999	465	92,921	398	81.1	75.8-86.4	67	18.9	13.6-24.2
\$75,000+	1064	234,943	897	82.5	79.4-85.6	167	17.5	14.4-20.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1616	332,768	1346	80.7	78.0-83.4	270	19.3	16.6-22.0
White/Non-Hisp	1095	211,360	907	78.6	75.3-81.9	188	21.4	18.1-24.7
Black or Afr. Am./Non-Hisp	166	63,139	139	80.9	72.7-89.1	27	19.1	10.9-27.3
Oth. Race/Non-Hisp.	51	14,013	46	94.5	88.6- 100	5	5.5	0.0-11.4
Hispanic	224	29,208	183	83.3	77.4-89.2	41	16.7	10.8-22.6
18-24	130	39,860	96	73.1	62.1-84.1	34	26.9	15.9-37.9
25-34	178	56,154	134	75.8	67.6-84.0	44	24.2	16.0-32.4
35-44	211	50,557	158	72.4	64.6-80.2	53	27.6	19.8-35.4
45-54	243	48,861	191	78.7	72.2-85.2	52	21.3	14.8-27.8
55-64	330	57,888	277	82.9	77.6-88.2	53	17.1	11.8-22.4
65+	524	79,449	490	92.7	89.6-95.8	34	7.3	4.2-10.4
Less Than H.S.	195	39,943	170	83.9	76.1-91.7	25	16.1	8.3-23.9
H.S. or G.E.D.	473	107,734	371	78.4	73.7-83.1	102	21.6	16.9-26.3
Some Post-H.S.	388	92,214	321	79.6	73.9-85.3	67	20.4	14.7-26.1
College Graduate	558	92,628	482	82.9	78.0-87.8	76	17.1	12.2-22.0
Less than \$15,000	132	19,157	112	86.7	79.6-93.8	20	13.3	6.2-20.4
\$15,000- 24,999	184	32,979	148	71.2	61.4-81.0	36	28.8	19.0-38.6
\$25,000- 34,999	133	31,049	115	82.9	72.3-93.5	18	17.1	6.5-27.7
\$35,000- 49,999	157	28,548	136	88.2	81.9-94.5	21	11.8	5.5-18.1
\$50,000- 74,999	223	46,778	181	75.6	67.6-83.6	42	24.4	16.4-32.4
\$75,000+	556	125,733	444	78.0	73.3-82.7	112	22.0	17.3-26.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2023	371,396	1861	90.2	88.2-92.2	162	9.8	7.8-11.8
White/Non-Hisp	1311	236,094	1191	88.8	86.4-91.2	120	11.2	8.8-13.6
Black or Afr. Am./Non-Hisp	307	78,117	295	94.5	90.2-98.8	12	5.5	1.2- 9.8
Oth. Race/Non-Hisp.	63	13,222	59	95.0	88.7- 100	4	5.0	0.0-11.3
MultiRacial/Non-Hisp.	52	10,425	46	77.8	56.8-98.8	6	22.2	1.2-43.2
Hispanic	261	28,666	243	92.1	87.2-97.0	18	7.9	3.0-12.8
18-24	117	38,604	93	77.3	66.7-87.9	24	22.7	12.1-33.3
25-34	238	57,361	211	87.2	81.7-92.7	27	12.8	7.3-18.3
35-44	276	52,790	234	84.1	78.0-90.2	42	15.9	9.8-22.0
45-54	320	56,613	300	94.1	90.8-97.4	20	5.9	2.6- 9.2
55-64	401	64,552	369	91.8	88.5-95.1	32	8.2	4.9-11.5
65+	671	101,476	654	96.8	95.0-98.6	17	3.2	1.4- 5.0
Less Than H.S.	215	34,631	208	95.8	92.1-99.5	7	4.2	0.5- 7.9
H.S. or G.E.D.	551	107,045	517	92.8	89.9-95.7	34	7.2	4.3-10.1
Some Post-H.S.	537	112,230	475	85.3	81.0-89.6	62	14.7	10.4-19.0
College Graduate	715	116,740	656	90.7	87.4-94.0	59	9.3	6.0-12.6
Less than \$15,000	192	28,547	185	97.0	94.5-99.5	7	3.0	0.5- 5.5
\$15,000- 24,999	319	52,199	291	89.3	84.8-93.8	28	10.7	6.2-15.2
\$25,000- 34,999	179	29,517	165	92.8	88.3-97.3	14	7.2	2.7-11.7
\$35,000- 49,999	214	42,878	198	87.6	79.6-95.6	16	12.4	4.4-20.4
\$50,000- 74,999	242	46,143	217	86.8	80.1-93.5	25	13.2	6.5-19.9
\$75,000+	508	109,210	453	87.6	83.9-91.3	55	12.4	8.7-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3661	707,341	662	18.6	16.6-20.6	240	6.6	5.6- 7.6	346	10.1	8.7-11.5	281	8.0	6.8- 9.2	236	7.1	5.9- 8.3	1896	49.6	47.2-52.0
Male	1626	334,833	260	17.1	14.4-19.8	106	6.3	4.9- 7.7	173	10.6	8.6-12.6	175	11.3	9.1-13.5	173	11.1	8.9-13.3	739	43.7	40.4-47.0
Female	2035	372,507	402	19.9	17.4-22.4	134	6.8	5.4- 8.2	173	9.6	7.8-11.4	106	5.1	3.9- 6.3	63	3.5	2.1- 4.9	1157	54.9	52.0-57.8
White/Non-Hisp	2420	448,651	442	17.6	15.4-19.8	171	7.2	5.8- 8.6	265	12.0	10.2-13.8	209	8.7	7.3-10.1	189	8.3	6.7- 9.9	1144	46.1	43.6-48.6
Black or Afr. Am./Non-Hisp	475	142,635	91	23.7	18.0-29.4	33	5.8	3.3- 8.3	29	5.4	2.9- 7.9	27	6.4	3.3- 9.5	17	6.1	2.4- 9.8	278	52.6	46.3-58.9
Oth. Race/Non-Hisp.	116	27,407	20	14.0	4.4-23.6	3	3.8	0.0- 8.7	6	5.0	0.0-10.1	9	8.2	2.1-14.3	3	1.3	0.0- 3.1	75	67.7	55.5-79.9
MultiRacial/Non-Hisp.	90	15,694	27	23.5	10.2-36.8	5	5.9	0.0-13.0	7	13.3	0.0-27.8	5	6.9	0.0-15.7	9	6.7	1.0-12.4	37	43.7	28.4-59.0
Hispanic	487	58,153	68	13.3	8.8-17.8	23	5.1	2.6- 7.6	30	8.2	3.7-12.7	27	6.8	3.7- 9.9	15	4.1	1.4- 6.8	324	62.6	55.9-69.3
18-24	247	78,431	34	15.3	8.2-22.4	15	7.2	2.9-11.5	29	10.0	5.7-14.3	18	8.1	3.0-13.2	18	9.5	3.6-15.4	133	49.9	41.1-58.7
25-34	420	113,941	74	19.2	13.3-25.1	33	6.4	3.9- 8.9	45	12.2	7.9-16.5	29	8.2	4.9-11.5	24	7.6	4.1-11.1	215	46.4	39.7-53.1
35-44	486	102,605	97	21.4	16.3-26.5	32	7.0	4.3- 9.7	43	9.7	6.0-13.4	47	9.3	6.2-12.4	38	8.7	5.4-12.0	229	43.9	38.0-49.8
45-54	568	106,142	105	19.2	14.9-23.5	38	7.7	5.0-10.4	64	11.5	8.2-14.8	43	7.0	4.5- 9.5	37	7.0	4.5- 9.5	281	47.5	42.2-52.8
55-64	736	123,151	140	19.6	15.7-23.5	51	6.2	4.0- 8.4	83	11.3	8.6-14.0	54	7.8	5.3-10.3	45	7.0	4.3- 9.7	363	48.1	43.4-52.8
65+	1204	183,071	212	17.0	14.1-19.9	71	5.7	4.1- 7.3	82	7.3	5.3- 9.3	90	7.9	5.7-10.1	74	5.1	3.7- 6.5	675	57.0	53.1-60.9
Less Than H.S.	410	74,849	35	9.8	4.9-14.7	8	1.4	0.2- 2.6	14	5.3	1.6- 9.0	14	4.5	2.0- 7.0	16	6.2	2.3-10.1	323	72.9	66.0-79.8
H.S. or G.E.D.	1030	216,131	160	16.5	13.0-20.0	56	6.0	4.0- 8.0	65	7.0	5.0- 9.0	60	6.0	4.0- 8.0	67	7.5	5.1- 9.9	622	56.9	52.6-61.2
Some Post-H.S.	928	204,701	177	20.9	17.0-24.8	65	6.0	4.2- 7.8	97	12.2	9.3-15.1	74	9.0	6.6-11.4	64	7.5	5.0-10.0	451	44.5	40.2-48.8
College Graduate	1286	210,661	290	21.7	18.8-24.6	111	9.6	7.4-11.8	170	12.9	10.5-15.3	133	10.4	8.0-12.8	89	6.8	4.6- 9.0	493	38.6	34.9-42.3
Less than \$15,000	325	48,001	35	12.1	4.3-19.9	13	5.1	1.6- 8.6	12	4.4	0.5- 8.3	14	6.2	2.5- 9.9	8	1.7	0.1- 3.3	243	70.6	62.0-79.2
\$15,000- 24,999	502	84,619	72	11.6	8.5-14.7	22	4.9	2.4- 7.4	23	6.0	2.9- 9.1	26	6.3	3.4- 9.2	29	7.6	3.9-11.3	330	63.6	57.9-69.3
\$25,000- 34,999	314	61,646	62	22.3	14.5-30.1	18	5.1	2.2- 8.0	25	7.7	3.4-12.0	14	4.3	1.4- 7.2	19	7.8	2.5-13.1	176	52.8	44.6-61.0
\$35,000- 49,999	371	70,947	79	20.5	15.0-26.0	15	3.0	1.0- 5.0	40	12.2	7.9-16.5	25	5.1	2.6- 7.6	27	9.2	4.1-14.3	185	49.9	42.8-57.0
\$50,000- 74,999	467	93,088	83	15.8	11.5-20.1	36	7.2	4.5- 9.9	50	12.6	8.1-17.1	45	11.6	7.5-15.7	29	6.3	3.0- 9.6	224	46.4	40.1-52.7
\$75,000+	1079	237,233	227	21.1	17.8-24.4	104	9.6	7.2-12.0	153	12.6	10.2-15.0	136	11.6	9.1-14.1	95	8.8	6.6-11.0	364	36.3	32.2-40.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1626	334,833	260	17.1	14.4-19.8	106	6.3	4.9- 7.7	173	10.6	8.6-12.6	175	11.3	9.1-13.5	173	11.1	8.9-13.3	739	43.7	40.4-47.0
White/Non-Hisp	1099	211,565	178	15.6	12.7-18.5	72	7.0	5.0- 9.0	132	13.1	10.4-15.8	121	10.6	8.2-13.0	133	12.5	10.0-15.0	463	41.1	37.2-45.0
Black or Afr. Am./Non-Hisp	167	64,512	29	23.4	14.0-32.8	14	5.6	2.3- 8.9	10	3.6	0.7- 6.5	22	13.2	6.3-20.1	14	10.4	3.7-17.1	78	43.8	33.8-53.8
Oth. Race/Non-Hisp.	53	14,185	8	11.0	0.0-26.7				4	6.1	0.0-13.5	8	14.3	2.7-25.9	3	2.5	0.0- 5.8	30	66.1	47.3-84.9
Hispanic	226	29,487	31	15.7	8.3-23.1	14	6.0	2.5- 9.5	17	9.1	1.8-16.4	19	10.6	4.9-16.3	13	7.5	2.2-12.8	132	51.0	41.2-60.8
18-24	130	39,827	16	12.7	3.7-21.7	9	6.9	1.4-12.4	17	8.6	3.3-13.9	9	10.7	1.7-19.7	11	10.1	2.7-17.5	68	50.9	38.6-63.2
25-34	180	56,183	30	19.2	10.0-28.4	9	3.1	0.6- 5.6	20	12.3	5.6-19.0	21	12.7	6.6-18.8	20	12.5	6.2-18.8	80	40.1	30.1-50.1
35-44	211	49,926	33	19.0	11.2-26.8	15	7.7	3.4-12.0	22	10.3	5.2-15.4	26	12.2	6.7-17.7	27	14.4	7.9-20.9	88	36.4	27.8-45.0
45-54	244	48,748	36	15.8	9.9-21.7	19	9.2	4.9-13.5	35	14.3	8.6-20.0	24	8.9	4.8-13.0	27	11.6	6.7-16.5	103	40.2	32.4-48.0
55-64	334	58,652	49	15.3	10.0-20.6	19	5.0	2.5- 7.5	38	11.0	7.1-14.9	36	9.8	5.9-13.7	36	12.7	7.4-18.0	156	46.1	39.0-53.2
65+	527	81,498	96	18.5	13.6-23.4	35	6.6	3.9- 9.3	41	7.8	4.9-10.7	59	12.4	8.3-16.5	52	7.2	4.7- 9.7	244	47.4	41.3-53.5
Less Than H.S.	195	39,998	16	8.4	2.1-14.7	2	1.1	0.0- 2.7	12	8.3	1.8-14.8	12	7.1	2.8-11.4	14	10.2	3.3-17.1	139	64.9	54.7-75.1
H.S. or G.E.D.	479	109,280	70	15.7	10.2-21.2	36	7.3	4.4-10.2	34	7.6	4.7-10.5	40	7.9	4.8-11.0	54	12.2	8.1-16.3	245	49.3	43.0-55.6
Some Post-H.S.	388	92,244	65	19.9	14.0-25.8	18	4.1	1.7- 6.5	48	12.6	8.3-16.9	46	13.3	8.8-17.8	46	12.3	7.8-16.8	165	37.6	31.1-44.1
College Graduate	562	93,061	109	19.6	15.1-24.1	50	9.6	6.5-12.7	79	12.9	9.4-16.4	77	15.0	10.3-19.7	59	9.1	6.2-12.0	188	33.8	28.1-39.5
Less than \$15,000	132	19,124	15	21.1	3.9-38.3	7	4.6	0.7- 8.5	6	3.7	0.2- 7.2	10	12.6	3.8-21.4	6	1.9	0.1- 3.7	88	56.1	40.8-71.4
\$15,000- 24,999	182	32,158	24	9.7	5.0-14.4	6	4.4	0.7- 8.1	9	5.7	0.2-11.2	13	9.2	3.3-15.1	21	17.0	8.2-25.8	109	54.1	44.1-64.1
\$25,000- 34,999	135	32,621	22	21.0	8.7-33.3	6	2.4	0.2- 4.6	12	7.8	0.9-14.7	8	6.0	0.9-11.1	16	13.8	4.0-23.6	71	49.0	36.5-61.5
\$35,000- 49,999	157	28,299	28	15.8	8.9-22.7	2	0.8	0.0- 2.0	18	16.3	7.9-24.7	17	8.0	3.3-12.7	18	10.9	4.8-17.0	74	48.2	37.2-59.2
\$50,000- 74,999	224	46,920	32	10.1	5.8-14.4	16	7.9	3.6-12.2	22	8.6	4.1-13.1	29	16.7	9.6-23.8	19	9.5	3.4-15.6	106	47.2	38.2-56.2
\$75,000+	564	126,990	105	20.3	15.6-25.0	55	9.4	6.5-12.3	85	13.4	9.9-16.9	86	13.8	9.9-17.7	73	12.0	8.7-15.3	160	31.2	25.5-36.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2035	372,507	402	19.9	17.4-22.4	134	6.8	5.4- 8.2	173	9.6	7.8-11.4	106	5.1	3.9- 6.3	63	3.5	2.1- 4.9	1157	54.9	52.0-57.8
White/Non-Hisp	1321	237,086	264	19.4	16.5-22.3	99	7.4	5.6- 9.2	133	11.0	8.8-13.2	88	7.0	5.2- 8.8	56	4.6	3.0- 6.2	681	50.6	47.1-54.1
Black or Afr. Am./Non-Hisp	308	78,123	62	23.9	16.8-31.0	19	6.0	2.5- 9.5	19	6.9	3.0-10.8	5	0.9	0.0- 1.9	3	2.5	0.0- 6.2	200	59.8	52.0-67.6
Oth. Race/Non-Hisp.	63	13,222	12	17.2	6.2-28.2	3	7.9	0.0-17.9	2	3.9	0.0-11.2	1	1.6	0.0- 4.7				45	69.4	54.5-84.3
MultiRacial/Non-Hisp.	52	10,448	17	25.0	6.8-43.2	3	7.2	0.0-17.4	4	14.4	0.0-34.4	3	3.1	0.0- 7.2	2	2.1	0.0- 5.2	23	48.2	27.6-68.8
Hispanic	261	28,666	37	10.8	6.5-15.1	9	4.1	0.6- 7.6	13	7.2	2.1-12.3	8	2.8	0.3- 5.3	2	0.6	0.0- 1.4	192	74.5	66.9-82.1
18-24	117	38,604	18	18.0	7.0-29.0	6	7.5	0.8-14.2	12	11.4	4.5-18.3	9	5.5	1.4- 9.6	7	8.8	0.0-17.8	65	48.8	36.3-61.3
25-34	240	57,758	44	19.1	11.7-26.5	24	9.6	5.1-14.1	25	12.0	6.3-17.7	8	3.9	0.8- 7.0	4	2.9	0.0- 6.2	135	52.4	43.8-61.0
35-44	275	52,679	64	23.6	16.7-30.5	17	6.4	3.1- 9.7	21	9.2	3.9-14.5	21	6.6	3.3- 9.9	11	3.4	1.0- 5.8	141	50.9	42.9-58.9
45-54	324	57,394	69	22.2	16.3-28.1	19	6.4	2.9- 9.9	29	9.1	5.4-12.8	19	5.4	2.5- 8.3	10	3.1	0.7- 5.5	178	53.8	46.7-60.9
55-64	402	64,499	91	23.5	18.0-29.0	32	7.4	4.3-10.5	45	11.6	7.7-15.5	18	5.9	2.8- 9.0	9	1.7	0.1- 3.3	207	49.9	43.6-56.2
65+	677	101,573	116	15.8	12.1-19.5	36	5.0	2.8- 7.2	41	6.9	4.2- 9.6	31	4.3	2.3- 6.3	22	3.3	1.7- 4.9	431	64.7	59.8-69.6
Less Than H.S.	215	34,850	19	11.3	3.7-18.9	6	1.8	0.0- 3.6	2	1.8	0.0- 4.5	2	1.5	0.0- 3.9	2	1.5	0.0- 3.7	184	82.0	73.6-90.4
H.S. or G.E.D.	551	106,851	90	17.3	12.6-22.0	20	4.7	2.2- 7.2	31	6.4	3.7- 9.1	20	4.1	1.9- 6.3	13	2.7	0.7- 4.7	377	64.7	59.0-70.4
Some Post-H.S.	540	112,457	112	21.7	16.6-26.8	47	7.5	4.8-10.2	49	11.8	7.7-15.9	28	5.5	3.1- 7.9	18	3.4	1.0- 5.8	286	50.1	44.2-56.0
College Graduate	724	117,599	181	23.4	19.3-27.5	61	9.6	6.7-12.5	91	12.9	9.8-16.0	56	6.8	4.6- 9.0	30	4.9	2.0- 7.8	305	42.4	37.5-47.3
Less than \$15,000	193	28,877	20	6.2	2.7- 9.7	6	5.4	0.3-10.5	6	4.8	0.0-10.9	4	1.9	0.0- 4.1	2	1.6	0.0- 4.0	155	80.1	71.7-88.5
\$15,000- 24,999	320	52,461	48	12.7	8.6-16.8	16	5.2	1.9- 8.5	14	6.2	2.3-10.1	13	4.6	1.5- 7.7	8	1.9	0.3- 3.5	221	69.4	62.9-75.9
\$25,000- 34,999	179	29,024	40	23.8	14.6-33.0	12	8.0	2.5-13.5	13	7.6	2.7-12.5	6	2.5	0.1- 4.9	3	1.1	0.0- 2.5	105	57.1	47.3-66.9
\$35,000- 49,999	214	42,648	51	23.6	15.8-31.4	13	4.5	1.2- 7.8	22	9.5	5.0-14.0	8	3.1	0.4- 5.8	9	8.1	0.5-15.7	111	51.1	41.7-60.5
\$50,000- 74,999	243	46,168	51	21.7	14.4-29.0	20	6.5	3.4- 9.6	28	16.7	9.1-24.3	16	6.5	2.8-10.2	10	3.1	0.9- 5.3	118	45.6	37.0-54.2
\$75,000+	515	110,243	122	22.0	17.3-26.7	49	9.9	6.6-13.2	68	11.7	8.6-14.8	50	9.0	6.1-11.9	22	5.1	2.4- 7.8	204	42.2	36.3-48.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3661	707,341	3464	94.1	92.9-95.3	197	5.9	4.7- 7.1
Male	1626	334,833	1533	93.7	91.9-95.5	93	6.3	4.5- 8.1
Female	2035	372,507	1931	94.5	93.1-95.9	104	5.5	4.1- 6.9
White/Non-Hisp	2420	448,651	2263	93.0	91.6-94.4	157	7.0	5.6- 8.4
Black or Afr. Am./Non-Hisp	475	142,635	463	95.4	92.1-98.7	12	4.6	1.3- 7.9
Oth. Race/Non-Hisp.	116	27,407	112	98.0	95.6- 100	4	2.0	0.0- 4.4
MultiRacial/Non-Hisp.	90	15,694	84	95.6	91.9-99.3	6	4.4	0.7- 8.1
Hispanic	487	58,153	471	96.1	93.4-98.8	16	3.9	1.2- 6.6
18-24	247	78,431	226	89.6	83.7-95.5	21	10.4	4.5-16.3
25-34	420	113,941	400	94.0	90.7-97.3	20	6.0	2.7- 9.3
35-44	486	102,605	453	93.3	90.6-96.0	33	6.7	4.0- 9.4
45-54	568	106,142	535	94.4	92.2-96.6	33	5.6	3.4- 7.8
55-64	736	123,151	696	94.3	91.8-96.8	40	5.7	3.2- 8.2
65+	1204	183,071	1154	96.1	94.7-97.5	50	3.9	2.5- 5.3
Less Than H.S.	410	74,849	397	95.7	93.0-98.4	13	4.3	1.6- 7.0
H.S. or G.E.D.	1030	216,131	976	94.0	91.8-96.2	54	6.0	3.8- 8.2
Some Post-H.S.	928	204,701	875	93.7	91.3-96.1	53	6.3	3.9- 8.7
College Graduate	1286	210,661	1209	93.9	91.9-95.9	77	6.1	4.1- 8.1
Less than \$15,000	325	48,001	319	98.4	96.8- 100	6	1.6	0.0- 3.2
\$15,000- 24,999	502	84,619	472	91.4	87.5-95.3	30	8.6	4.7-12.5
\$25,000- 34,999	314	61,646	302	95.7	91.6-99.8	12	4.3	0.2- 8.4
\$35,000- 49,999	371	70,947	344	90.6	85.5-95.7	27	9.4	4.3-14.5
\$50,000- 74,999	467	93,088	438	94.0	90.9-97.1	29	6.0	2.9- 9.1
\$75,000+	1079	237,233	1008	93.5	91.5-95.5	71	6.5	4.5- 8.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1626	334,833	1533	93.7	91.9-95.5	93	6.3	4.5- 8.1
White/Non-Hisp	1099	211,565	1029	93.2	91.2-95.2	70	6.8	4.8- 8.8
Black or Afr. Am./Non-Hisp	167	64,512	160	93.2	87.5-98.9	7	6.8	1.1-12.5
Oth. Race/Non-Hisp.	53	14,185	50	97.5	94.2- 100	3	2.5	0.0- 5.8
Hispanic	226	29,487	217	95.0	90.3-99.7	9	5.0	0.3- 9.7
18-24	130	39,827	121	91.1	83.8-98.4	9	8.9	1.6-16.2
25-34	180	56,183	167	91.5	86.0-97.0	13	8.5	3.0-14.0
35-44	211	49,926	195	92.2	87.7-96.7	16	7.8	3.3-12.3
45-54	244	48,748	228	93.8	90.1-97.5	16	6.2	2.5- 9.9
55-64	334	58,652	313	93.6	89.3-97.9	21	6.4	2.1-10.7
65+	527	81,498	509	97.3	95.7-98.9	18	2.7	1.1- 4.3
Less Than H.S.	195	39,998	184	93.2	88.3-98.1	11	6.8	1.9-11.7
H.S. or G.E.D.	479	109,280	443	91.8	88.3-95.3	36	8.2	4.7-11.7
Some Post-H.S.	388	92,244	369	94.2	90.5-97.9	19	5.8	2.1- 9.5
College Graduate	562	93,061	535	95.6	93.4-97.8	27	4.4	2.2- 6.6
Less than \$15,000	132	19,124	128	98.4	96.6- 100	4	1.6	0.0- 3.4
\$15,000- 24,999	182	32,158	166	84.9	76.3-93.5	16	15.1	6.5-23.7
\$25,000- 34,999	135	32,621	127	92.9	85.5- 100	8	7.1	0.0-14.5
\$35,000- 49,999	157	28,299	143	91.2	85.5-96.9	14	8.8	3.1-14.5
\$50,000- 74,999	224	46,920	214	95.3	90.4- 100	10	4.7	0.0- 9.6
\$75,000+	564	126,990	531	94.3	91.9-96.7	33	5.7	3.3- 8.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2035	372,507	1931	94.5	93.1-95.9	104	5.5	4.1- 6.9
White/Non-Hisp	1321	237,086	1234	92.9	90.9-94.9	87	7.1	5.1- 9.1
Black or Afr. Am./Non-Hisp	308	78,123	303	97.3	93.6- 100	5	2.7	0.0- 6.4
Oth. Race/Non-Hisp.	63	13,222	62	98.4	95.3- 100	1	1.6	0.0- 4.7
MultiRacial/Non-Hisp.	52	10,448	49	97.3	94.0- 100	3	2.7	0.0- 6.0
Hispanic	261	28,666	254	97.3	94.8-99.8	7	2.7	0.2- 5.2
18-24	117	38,604	105	88.0	78.8-97.2	12	12.0	2.8-21.2
25-34	240	57,758	233	96.4	93.1-99.7	7	3.6	0.3- 6.9
35-44	275	52,679	258	94.4	91.3-97.5	17	5.6	2.5- 8.7
45-54	324	57,394	307	95.0	92.3-97.7	17	5.0	2.3- 7.7
55-64	402	64,499	383	95.0	92.3-97.7	19	5.0	2.3- 7.7
65+	677	101,573	645	95.2	93.2-97.2	32	4.8	2.8- 6.8
Less Than H.S.	215	34,850	213	98.5	96.3- 100	2	1.5	0.0- 3.7
H.S. or G.E.D.	551	106,851	533	96.3	94.1-98.5	18	3.7	1.5- 5.9
Some Post-H.S.	540	112,457	506	93.4	90.5-96.3	34	6.6	3.7- 9.5
College Graduate	724	117,599	674	92.6	89.5-95.7	50	7.4	4.3-10.5
Less than \$15,000	193	28,877	191	98.4	96.0- 100	2	1.6	0.0- 4.0
\$15,000- 24,999	320	52,461	306	95.4	92.5-98.3	14	4.6	1.7- 7.5
\$25,000- 34,999	179	29,024	175	98.7	97.3- 100	4	1.3	0.0- 2.7
\$35,000- 49,999	214	42,648	201	90.3	82.7-97.9	13	9.7	2.1-17.3
\$50,000- 74,999	243	46,168	224	92.7	89.0-96.4	19	7.3	3.6-11.0
\$75,000+	515	110,243	477	92.6	89.7-95.5	38	7.4	4.5-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 12: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1205	183,847	841	67.8	63.9-71.7	364	32.2	28.3-36.1
Male	532	82,412	376	66.1	59.8-72.4	156	33.9	27.6-40.2
Female	673	101,435	465	69.1	64.2-74.0	208	30.9	26.0-35.8
White/Non-Hisp	988	142,739	714	71.1	67.2-75.0	274	28.9	25.0-32.8
Black or Afr. Am./Non-Hisp	115	26,956	60	50.1	36.8-63.4	55	49.9	36.6-63.2
65+	1205	183,847	841	67.8	63.9-71.7	364	32.2	28.3-36.1
Less Than H.S.	80	17,522	48	52.4	36.1-68.7	32	47.6	31.3-63.9
H.S. or G.E.D.	341	54,795	220	63.2	55.6-70.8	121	36.8	29.2-44.4
Some Post-H.S.	325	56,627	228	71.7	65.2-78.2	97	28.3	21.8-34.8
College Graduate	456	54,390	345	73.9	68.2-79.6	111	26.1	20.4-31.8
Less than \$15,000	66	10,973	41	61.6	43.6-79.6	25	38.4	20.4-56.4
\$15,000- 24,999	164	23,178	106	65.6	56.2-75.0	58	34.4	25.0-43.8
\$25,000- 34,999	129	21,785	91	64.1	50.8-77.4	38	35.9	22.6-49.2
\$35,000- 49,999	135	20,291	94	72.3	61.5-83.1	41	27.7	16.9-38.5
\$50,000- 74,999	162	23,190	113	66.0	55.8-76.2	49	34.0	23.8-44.2
\$75,000+	304	47,628	231	75.1	68.2-82.0	73	24.9	18.0-31.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	532	82,412	376	66.1	59.8-72.4	156	33.9	27.6-40.2
White/Non-Hisp	445	63,662	326	71.1	65.4-76.8	119	28.9	23.2-34.6
65+	532	82,412	376	66.1	59.8-72.4	156	33.9	27.6-40.2
H.S. or G.E.D.	123	21,147	78	54.2	40.7-67.7	45	45.8	32.3-59.3
Some Post-H.S.	132	24,392	90	70.7	60.9-80.5	42	29.3	19.5-39.1
College Graduate	245	28,842	190	75.9	68.6-83.2	55	24.1	16.8-31.4
\$15,000- 24,999	62	9,172	39	60.5	44.6-76.4	23	39.5	23.6-55.4
\$25,000- 34,999	51	9,440	34	49.2	27.6-70.8	17	50.8	29.2-72.4
\$35,000- 49,999	57	7,600	40	79.3	68.1-90.5	17	20.7	9.5-31.9
\$50,000- 74,999	78	10,314	54	63.2	48.5-77.9	24	36.8	22.1-51.5
\$75,000+	185	28,465	139	73.2	63.8-82.6	46	26.8	17.4-36.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	673	101,435	465	69.1	64.2-74.0	208	30.9	26.0-35.8
White/Non-Hisp	543	79,078	388	71.0	65.5-76.5	155	29.0	23.5-34.5
Black or Afr. Am./Non-Hisp	77	15,145	46	64.3	50.0-78.6	31	35.7	21.4-50.0
65+	673	101,435	465	69.1	64.2-74.0	208	30.9	26.0-35.8
H.S. or G.E.D.	218	33,648	142	68.8	60.6-77.0	76	31.2	23.0-39.4
Some Post-H.S.	193	32,235	138	72.5	63.9-81.1	55	27.5	18.9-36.1
College Graduate	211	25,549	155	71.7	63.1-80.3	56	28.3	19.7-36.9
Less than \$15,000	50	8,903	33	63.1	41.7-84.5	17	36.9	15.5-58.3
\$15,000- 24,999	102	14,006	67	69.0	57.6-80.4	35	31.0	19.6-42.4
\$25,000- 34,999	78	12,345	57	75.6	62.5-88.7	21	24.4	11.3-37.5
\$35,000- 49,999	78	12,691	54	68.1	52.6-83.6	24	31.9	16.4-47.4
\$50,000- 74,999	84	12,876	59	68.2	54.1-82.3	25	31.8	17.7-45.9
\$75,000+	119	19,163	92	77.8	68.4-87.2	27	22.2	12.8-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1167	179,552	866	71.6	67.9-75.3	301	28.4	24.7-32.1
Male	515	80,566	372	68.3	62.4-74.2	143	31.7	25.8-37.6
Female	652	98,986	494	74.3	69.6-79.0	158	25.7	21.0-30.4
White/Non-Hisp	961	139,653	737	75.4	71.7-79.1	224	24.6	20.9-28.3
Black or Afr. Am./Non-Hisp	107	26,104	59	52.0	38.3-65.7	48	48.0	34.3-61.7
65+	1167	179,552	866	71.6	67.9-75.3	301	28.4	24.7-32.1
Less Than H.S.	76	17,208	45	51.8	35.5-68.1	31	48.2	31.9-64.5
H.S. or G.E.D.	332	53,562	239	71.2	63.9-78.5	93	28.8	21.5-36.1
Some Post-H.S.	315	55,136	240	75.4	69.3-81.5	75	24.6	18.5-30.7
College Graduate	441	53,134	342	75.2	69.5-80.9	99	24.8	19.1-30.5
Less than \$15,000	64	10,765	40	63.1	45.5-80.7	24	36.9	19.3-54.5
\$15,000- 24,999	157	22,784	110	71.2	62.4-80.0	47	28.8	20.0-37.6
\$25,000- 34,999	123	21,457	92	68.6	54.9-82.3	31	31.4	17.7-45.1
\$35,000- 49,999	132	19,755	97	71.4	60.2-82.6	35	28.6	17.4-39.8
\$50,000- 74,999	158	22,777	122	71.3	61.3-81.3	36	28.7	18.7-38.7
\$75,000+	299	46,929	236	75.9	69.2-82.6	63	24.1	17.4-30.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	515	80,566	372	68.3	62.4-74.2	143	31.7	25.8-37.6
White/Non-Hisp	432	62,135	323	71.6	65.9-77.3	109	28.4	22.7-34.1
65+	515	80,566	372	68.3	62.4-74.2	143	31.7	25.8-37.6
H.S. or G.E.D.	118	20,482	74	56.9	43.2-70.6	44	43.1	29.4-56.8
Some Post-H.S.	127	23,697	93	72.2	62.8-81.6	34	27.8	18.4-37.2
College Graduate	239	28,445	188	78.4	71.5-85.3	51	21.6	14.7-28.5
\$15,000- 24,999	59	8,968	37	65.8	51.1-80.5	22	34.2	19.5-48.9
\$35,000- 49,999	57	7,600	44	72.8	57.5-88.1	13	27.2	11.9-42.5
\$50,000- 74,999	76	10,109	57	65.8	51.5-80.1	19	34.2	19.9-48.5
\$75,000+	181	28,039	141	73.3	64.3-82.3	40	26.7	17.7-35.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	652	98,986	494	74.3	69.6-79.0	158	25.7	21.0-30.4
White/Non-Hisp	529	77,519	414	78.4	73.5-83.3	115	21.6	16.7-26.5
Black or Afr. Am./Non-Hisp	72	14,569	45	55.2	39.7-70.7	27	44.8	29.3-60.3
65+	652	98,986	494	74.3	69.6-79.0	158	25.7	21.0-30.4
H.S. or G.E.D.	214	33,080	165	80.1	72.8-87.4	49	19.9	12.6-27.2
Some Post-H.S.	188	31,438	147	77.8	70.2-85.4	41	22.2	14.6-29.8
College Graduate	202	24,689	154	71.5	62.3-80.7	48	28.5	19.3-37.7
\$15,000- 24,999	98	13,816	73	74.7	63.5-85.9	25	25.3	14.1-36.5
\$25,000- 34,999	74	12,128	62	81.5	68.4-94.6	12	18.5	5.4-31.6
\$35,000- 49,999	75	12,154	53	70.4	55.1-85.7	22	29.6	14.3-44.9
\$50,000- 74,999	82	12,668	65	75.7	62.2-89.2	17	24.3	10.8-37.8
\$75,000+	118	18,890	95	79.7	70.3-89.1	23	20.3	10.9-29.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 14: SEATBELT USE CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1 MALES AND FEMALES	132
2 MALES ONLY	133
3 FEMALES ONLY	134
ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4 MALES AND FEMALES	135
5 MALES ONLY	136
6 FEMALES ONLY	137
DRINKING AND DRIVING (_DRNKDRV)	
7 MALES AND FEMALES	138
8 MALES ONLY	139
9 FEMALES ONLY	140

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 14: SEATBELT USE

TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3651	704,972	3521	95.5	94.3-96.7	130	4.5	3.3- 5.7
Male	1629	335,019	1547	93.5	91.5-95.5	82	6.5	4.5- 8.5
Female	2022	369,953	1974	97.3	96.3-98.3	48	2.7	1.7- 3.7
White/Non-Hisp	2423	450,077	2349	96.5	95.5-97.5	74	3.5	2.5- 4.5
Black or Afr. Am./Non-Hisp	468	140,988	449	93.8	90.1-97.5	19	6.2	2.5- 9.9
Oth. Race/Non-Hisp.	118	26,122	108	88.9	79.3-98.5	10	11.1	1.5-20.7
MultiRacial/Non-Hisp.	89	15,105	82	86.8	75.2-98.4	7	13.2	1.6-24.8
Hispanic	481	57,988	463	96.5	94.3-98.7	18	3.5	1.3- 5.7
18-24	244	76,334	235	93.8	88.3-99.3	9	6.2	0.7-11.7
25-34	414	113,346	395	93.5	89.6-97.4	19	6.5	2.6-10.4
35-44	486	103,373	460	93.5	90.6-96.4	26	6.5	3.6- 9.4
45-54	565	105,783	551	97.0	95.2-98.8	14	3.0	1.2- 4.8
55-64	738	122,842	714	97.5	96.3-98.7	24	2.5	1.3- 3.7
65+	1204	183,295	1166	96.3	94.9-97.7	38	3.7	2.3- 5.1
Less Than H.S.	410	74,414	390	95.3	92.8-97.8	20	4.7	2.2- 7.2
H.S. or G.E.D.	1023	213,473	973	93.6	91.1-96.1	50	6.4	3.9- 8.9
Some Post-H.S.	934	205,589	902	95.2	92.8-97.6	32	4.8	2.4- 7.2
College Graduate	1276	210,389	1249	97.7	96.7-98.7	27	2.3	1.3- 3.3
Less than \$15,000	322	47,808	304	91.1	84.0-98.2	18	8.9	1.8-16.0
\$15,000- 24,999	498	83,756	474	94.4	91.7-97.1	24	5.6	2.9- 8.3
\$25,000- 34,999	310	61,249	301	94.5	89.8-99.2	9	5.5	0.8-10.2
\$35,000- 49,999	371	71,408	351	94.6	91.9-97.3	20	5.4	2.7- 8.1
\$50,000- 74,999	465	92,069	455	97.0	94.6-99.4	10	3.0	0.6- 5.4
\$75,000+	1068	234,891	1040	96.1	94.1-98.1	28	3.9	1.9- 5.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 14: SEATBELT USE

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1629	335,019	1547	93.5	91.5-95.5	82	6.5	4.5- 8.5
White/Non-Hisp	1103	213,408	1052	94.8	93.0-96.6	51	5.2	3.4- 7.0
Black or Afr. Am./Non-Hisp	165	63,859	153	90.7	83.4-98.0	12	9.3	2.0-16.6
Oth. Race/Non-Hisp.	55	12,900	48	81.4	63.8-99.0	7	18.6	1.0-36.2
Hispanic	226	29,849	220	97.3	94.8-99.8	6	2.7	0.2- 5.2
18-24	129	38,389	123	89.3	79.1-99.5	6	10.7	0.5-20.9
25-34	179	56,783	168	90.7	83.8-97.6	11	9.3	2.4-16.2
35-44	216	51,642	200	91.7	87.0-96.4	16	8.3	3.6-13.0
45-54	243	48,609	236	96.1	93.0-99.2	7	3.9	0.8- 7.0
55-64	332	57,733	316	96.3	94.1-98.5	16	3.7	1.5- 5.9
65+	530	81,863	504	95.1	92.9-97.3	26	4.9	2.7- 7.1
Less Than H.S.	197	39,907	186	95.2	92.3-98.1	11	4.8	1.9- 7.7
H.S. or G.E.D.	475	107,696	440	91.5	87.4-95.6	35	8.5	4.4-12.6
Some Post-H.S.	392	92,834	373	92.1	87.4-96.8	19	7.9	3.2-12.6
College Graduate	563	94,332	546	96.4	94.4-98.4	17	3.6	1.6- 5.6
Less than \$15,000	132	19,450	124	86.6	71.3- 100	8	13.4	0.0-28.7
\$15,000- 24,999	183	32,608	168	92.4	87.9-96.9	15	7.6	3.1-12.1
\$25,000- 34,999	133	32,219	125	89.5	80.9-98.1	8	10.5	1.9-19.1
\$35,000- 49,999	157	28,680	144	92.0	86.7-97.3	13	8.0	2.7-13.3
\$50,000- 74,999	222	45,996	215	95.0	90.5-99.5	7	5.0	0.5- 9.5
\$75,000+	563	126,007	541	94.0	90.7-97.3	22	6.0	2.7- 9.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 14: SEATBELT USE

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2022	369,953	1974	97.3	96.3-98.3	48	2.7	1.7- 3.7
White/Non-Hisp	1320	236,668	1297	98.1	97.1-99.1	23	1.9	0.9- 2.9
Black or Afr. Am./Non-Hisp	303	77,129	296	96.4	93.3-99.5	7	3.6	0.5- 6.7
Oth. Race/Non-Hisp.	63	13,222	60	96.3	91.4- 100	3	3.7	0.0- 8.6
MultiRacial/Non-Hisp.	51	9,823	48	89.9	77.9- 100	3	10.1	0.0-22.1
Hispanic	255	28,139	243	95.6	92.1-99.1	12	4.4	0.9- 7.9
18-24	115	37,945	112	98.3	96.1- 100	3	1.7	0.0- 3.9
25-34	235	56,563	227	96.3	92.6- 100	8	3.7	0.0- 7.4
35-44	270	51,731	260	95.4	91.9-98.9	10	4.6	1.1- 8.1
45-54	322	57,174	315	97.7	95.7-99.7	7	2.3	0.3- 4.3
55-64	406	65,109	398	98.5	97.1-99.9	8	1.5	0.1- 2.9
65+	674	101,433	662	97.2	95.4-99.0	12	2.8	1.0- 4.6
Less Than H.S.	213	34,507	204	95.3	91.0-99.6	9	4.7	0.4- 9.0
H.S. or G.E.D.	548	105,777	533	95.8	93.1-98.5	15	4.2	1.5- 6.9
Some Post-H.S.	542	112,755	529	97.8	96.4-99.2	13	2.2	0.8- 3.6
College Graduate	713	116,057	703	98.8	97.8-99.8	10	1.2	0.2- 2.2
Less than \$15,000	190	28,358	180	94.2	89.1-99.3	10	5.8	0.7-10.9
\$15,000- 24,999	315	51,147	306	95.7	92.4-99.0	9	4.3	1.0- 7.6
\$25,000- 34,999	177	29,030	176	99.9	99.7- 100	1	0.1	0.0- 0.3
\$35,000- 49,999	214	42,728	207	96.3	93.4-99.2	7	3.7	0.8- 6.6
\$50,000- 74,999	243	46,072	240	99.0	97.4- 100	3	1.0	0.0- 2.6
\$75,000+	505	108,884	499	98.6	97.2- 100	6	1.4	0.0- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 14: SEATBELT USE

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3651	704,972	3391	91.7	90.3-93.1	260	8.3	6.9- 9.7
Male	1629	335,019	1468	88.3	85.9-90.7	161	11.7	9.3-14.1
Female	2022	369,953	1923	94.7	93.3-96.1	99	5.3	3.9- 6.7
White/Non-Hisp	2423	450,077	2264	93.0	91.6-94.4	159	7.0	5.6- 8.4
Black or Afr. Am./Non-Hisp	468	140,988	428	89.1	84.6-93.6	40	10.9	6.4-15.4
Oth. Race/Non-Hisp.	118	26,122	105	84.1	73.3-94.9	13	15.9	5.1-26.7
MultiRacial/Non-Hisp.	89	15,105	75	75.7	60.0-91.4	14	24.3	8.6-40.0
Hispanic	481	57,988	450	94.7	92.2-97.2	31	5.3	2.8- 7.8
18-24	244	76,334	222	87.2	80.3-94.1	22	12.8	5.9-19.7
25-34	414	113,346	381	91.3	87.2-95.4	33	8.7	4.6-12.8
35-44	486	103,373	439	89.1	85.2-93.0	47	10.9	7.0-14.8
45-54	565	105,783	531	92.6	89.9-95.3	34	7.4	4.7-10.1
55-64	738	122,842	688	94.0	91.6-96.4	50	6.0	3.6- 8.4
65+	1204	183,295	1130	93.2	91.4-95.0	74	6.8	5.0- 8.6
Less Than H.S.	410	74,414	375	89.2	84.3-94.1	35	10.8	5.9-15.7
H.S. or G.E.D.	1023	213,473	936	89.6	86.7-92.5	87	10.4	7.5-13.3
Some Post-H.S.	934	205,589	863	91.1	88.4-93.8	71	8.9	6.2-11.6
College Graduate	1276	210,389	1210	95.2	93.8-96.6	66	4.8	3.4- 6.2
Less than \$15,000	322	47,808	287	87.8	80.5-95.1	35	12.2	4.9-19.5
\$15,000- 24,999	498	83,756	462	91.2	87.9-94.5	36	8.8	5.5-12.1
\$25,000- 34,999	310	61,249	291	88.9	82.6-95.2	19	11.1	4.8-17.4
\$35,000- 49,999	371	71,408	337	89.4	85.1-93.7	34	10.6	6.3-14.9
\$50,000- 74,999	465	92,069	441	94.5	91.8-97.2	24	5.5	2.8- 8.2
\$75,000+	1068	234,891	989	91.2	88.7-93.7	79	8.8	6.3-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1629	335,019	1468	88.3	85.9-90.7	161	11.7	9.3-14.1
White/Non-Hisp	1103	213,408	995	89.3	86.9-91.7	108	10.7	8.3-13.1
Black or Afr. Am./Non-Hisp	165	63,859	146	85.7	77.5-93.9	19	14.3	6.1-22.5
Oth. Race/Non-Hisp.	55	12,900	46	74.4	55.4-93.4	9	25.6	6.6-44.6
Hispanic	226	29,849	211	94.4	90.9-97.9	15	5.6	2.1- 9.1
18-24	129	38,389	116	82.5	71.1-93.9	13	17.5	6.1-28.9
25-34	179	56,783	158	87.7	80.4-95.0	21	12.3	5.0-19.6
35-44	216	51,642	186	84.5	77.8-91.2	30	15.5	8.8-22.2
45-54	243	48,609	224	90.8	86.3-95.3	19	9.2	4.7-13.7
55-64	332	57,733	300	90.1	85.8-94.4	32	9.9	5.6-14.2
65+	530	81,863	484	90.9	88.0-93.8	46	9.1	6.2-12.0
Less Than H.S.	197	39,907	176	87.0	80.1-93.9	21	13.0	6.1-19.9
H.S. or G.E.D.	475	107,696	418	85.9	81.0-90.8	57	14.1	9.2-19.0
Some Post-H.S.	392	92,834	350	86.4	81.1-91.7	42	13.6	8.3-18.9
College Graduate	563	94,332	522	93.3	90.9-95.7	41	6.7	4.3- 9.1
Less than \$15,000	132	19,450	118	84.0	68.7-99.3	14	16.0	0.7-31.3
\$15,000- 24,999	183	32,608	162	89.3	84.0-94.6	21	10.7	5.4-16.0
\$25,000- 34,999	133	32,219	118	81.0	69.8-92.2	15	19.0	7.8-30.2
\$35,000- 49,999	157	28,680	137	86.3	79.4-93.2	20	13.7	6.8-20.6
\$50,000- 74,999	222	45,996	204	91.3	86.2-96.4	18	8.7	3.6-13.8
\$75,000+	563	126,007	504	86.7	82.4-91.0	59	13.3	9.0-17.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 14: SEATBELT USE

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2022	369,953	1923	94.7	93.3-96.1	99	5.3	3.9- 6.7
White/Non-Hisp	1320	236,668	1269	96.3	95.1-97.5	51	3.7	2.5- 4.9
Black or Afr. Am./Non-Hisp	303	77,129	282	92.0	87.9-96.1	21	8.0	3.9-12.1
Oth. Race/Non-Hisp.	63	13,222	59	93.6	86.5- 100	4	6.4	0.0-13.5
MultiRacial/Non-Hisp.	51	9,823	44	77.8	57.4-98.2	7	22.2	1.8-42.6
Hispanic	255	28,139	239	95.0	91.5-98.5	16	5.0	1.5- 8.5
18-24	115	37,945	106	91.9	85.2-98.6	9	8.1	1.4-14.8
25-34	235	56,563	223	94.8	90.7-98.9	12	5.2	1.1- 9.3
35-44	270	51,731	253	93.6	89.7-97.5	17	6.4	2.5-10.3
45-54	322	57,174	307	94.0	90.5-97.5	15	6.0	2.5- 9.5
55-64	406	65,109	388	97.4	95.8-99.0	18	2.6	1.0- 4.2
65+	674	101,433	646	95.0	92.8-97.2	28	5.0	2.8- 7.2
Less Than H.S.	213	34,507	199	91.9	85.0-98.8	14	8.1	1.2-15.0
H.S. or G.E.D.	548	105,777	518	93.4	90.5-96.3	30	6.6	3.7- 9.5
Some Post-H.S.	542	112,755	513	94.9	92.7-97.1	29	5.1	2.9- 7.3
College Graduate	713	116,057	688	96.8	95.2-98.4	25	3.2	1.6- 4.8
Less than \$15,000	190	28,358	169	90.3	84.6-96.0	21	9.7	4.0-15.4
\$15,000- 24,999	315	51,147	300	92.4	88.1-96.7	15	7.6	3.3-11.9
\$25,000- 34,999	177	29,030	173	97.6	94.7- 100	4	2.4	0.0- 5.3
\$35,000- 49,999	214	42,728	200	91.5	85.8-97.2	14	8.5	2.8-14.2
\$50,000- 74,999	243	46,072	237	97.8	95.6- 100	6	2.2	0.0- 4.4
\$75,000+	505	108,884	485	96.5	94.5-98.5	20	3.5	1.5- 5.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 14: SEATBELT USE

TABLE 7: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1760	356,351	32	2.1	1.1- 3.1	1728	97.9	96.9-98.9
Male	883	188,612	25	2.7	1.3- 4.1	858	97.3	95.9-98.7
Female	877	167,739	7	1.4	0.2- 2.6	870	98.6	97.4-99.8
White/Non-Hisp	1276	243,209	22	2.0	0.8- 3.2	1254	98.0	96.8-99.2
Black or Afr. Am./Non-Hisp	192	65,514	5	2.5	0.0- 5.0	187	97.5	95.0- 100
MultiRacial/Non-Hisp.	51	8,634	2	5.8	0.0-14.4	49	94.2	85.6- 100
Hispanic	164	22,262	2	0.8	0.0- 2.0	162	99.2	98.0- 100
18-24	113	39,422	3	2.0	0.0- 5.1	110	98.0	94.9- 100
25-34	201	61,081	7	3.4	0.5- 6.3	194	96.6	93.7-99.5
35-44	258	58,815	7	3.1	0.4- 5.8	251	96.9	94.2-99.6
45-54	289	56,075	4	2.0	0.0- 4.2	285	98.0	95.8- 100
55-64	373	63,636	7	1.1	0.0- 2.3	366	98.9	97.7- 100
65+	526	77,322	4	1.0	0.0- 2.2	522	99.0	97.8- 100
Less Than H.S.	94	21,431	2	1.1	0.0- 2.7	92	98.9	97.3- 100
H.S. or G.E.D.	406	91,399	16	3.1	1.1- 5.1	390	96.9	94.9-98.9
Some Post-H.S.	479	114,234	6	2.3	0.3- 4.3	473	97.7	95.7-99.7
College Graduate	780	129,180	8	1.2	0.0- 2.4	772	98.8	97.6- 100
Less than \$15,000	82	14,496	3	2.7	0.0- 5.8	79	97.3	94.2- 100
\$15,000- 24,999	173	30,691	7	5.5	0.6-10.4	166	94.5	89.6-99.4
\$25,000- 34,999	135	27,566	2	0.7	0.0- 2.1	133	99.3	97.9- 100
\$35,000- 49,999	183	35,528	5	1.4	0.0- 3.2	178	98.6	96.8- 100
\$50,000- 74,999	241	50,173	4	2.6	0.0- 5.3	237	97.4	94.7- 100
\$75,000+	705	150,064	11	2.1	0.5- 3.7	694	97.9	96.3-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 8: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	883	188,612	25	2.7	1.3- 4.1	858	97.3	95.9-98.7
White/Non-Hisp	634	125,848	17	2.7	0.9- 4.5	617	97.3	95.5-99.1
Black or Afr. Am./Non-Hisp	86	34,189	3	2.6	0.0- 5.7	83	97.4	94.3- 100
Hispanic	94	14,841	2	1.3	0.0- 3.1	92	98.7	96.9- 100
18-24	62	19,740	2	1.0	0.0- 2.4	60	99.0	97.6- 100
25-34	99	34,292	3	2.6	0.0- 5.9	96	97.4	94.1- 100
35-44	128	33,791	7	5.4	0.7-10.1	121	94.6	89.9-99.3
45-54	140	28,965	3	3.2	0.0- 7.3	137	96.8	92.7- 100
55-64	173	30,428	7	2.4	0.0- 4.8	166	97.6	95.2- 100
65+	281	41,395	3	1.1	0.0- 2.9	278	98.9	97.1- 100
Less Than H.S.	61	15,127	2	1.5	0.0- 3.7	59	98.5	96.3- 100
H.S. or G.E.D.	228	53,571	13	4.3	1.2- 7.4	215	95.7	92.6-98.8
Some Post-H.S.	221	57,056	3	2.1	0.0- 4.5	218	97.9	95.5- 100
College Graduate	373	62,857	7	2.0	0.0- 4.0	366	98.0	96.0- 100
\$15,000- 24,999	73	14,903	4	4.6	0.0- 9.9	69	95.4	90.1- 100
\$25,000- 34,999	61	14,973	1	0.1	0.0- 0.3	60	99.9	99.7- 100
\$35,000- 49,999	81	14,530	4	1.4	0.0- 3.0	77	98.6	97.0- 100
\$50,000- 74,999	116	24,498	4	5.4	0.0-11.1	112	94.6	88.9- 100
\$75,000+	402	87,697	10	2.9	0.7- 5.1	392	97.1	94.9-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 9: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	877	167,739	7	1.4	0.2- 2.6	870	98.6	97.4-99.8
White/Non-Hisp	642	117,361	5	1.3	0.0- 2.7	637	98.7	97.3- 100
Black or Afr. Am./Non-Hisp	106	31,325	2	2.4	0.0- 6.3	104	97.6	93.7- 100
Hispanic	70	7,421				70	100.0	100.0- 100
18-24	51	19,682	1	3.1	0.0- 9.2	50	96.9	90.8- 100
25-34	102	26,789	4	4.5	0.0- 9.8	98	95.5	90.2- 100
35-44	130	25,025				130	100.0	100.0- 100
45-54	149	27,109	1	0.7	0.0- 2.1	148	99.3	97.9- 100
55-64	200	33,207				200	100.0	100.0- 100
65+	245	35,927	1	0.8	0.0- 2.4	244	99.2	97.6- 100
H.S. or G.E.D.	178	37,827	3	1.5	0.0- 3.3	175	98.5	96.7- 100
Some Post-H.S.	258	57,178	3	2.5	0.0- 5.6	255	97.5	94.4- 100
College Graduate	407	66,322	1	0.4	0.0- 1.2	406	99.6	98.8- 100
\$15,000- 24,999	100	15,788	3	6.4	0.0-14.4	97	93.6	85.6- 100
\$25,000- 34,999	74	12,593	1	1.4	0.0- 4.1	73	98.6	95.9- 100
\$35,000- 49,999	102	20,997	1	1.4	0.0- 4.1	101	98.6	95.9- 100
\$50,000- 74,999	125	25,675				125	100.0	100.0- 100
\$75,000+	303	62,366	1	1.1	0.0- 3.3	302	98.9	96.7- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)	
1	FEMALES ONLY	142
	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)	
2	FEMALES ONLY	143
	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP35)	
3	FEMALES ONLY	144

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1477	243,991	1095	73.2	70.1-76.3	382	26.8	23.7-29.9
White/Non-Hisp	1062	168,066	797	73.4	69.7-77.1	265	26.6	22.9-30.3
Black or Afr. Am./Non-Hisp	217	48,871	168	75.7	67.9-83.5	49	24.3	16.5-32.1
Hispanic	106	10,267	65	63.4	51.8-75.0	41	36.6	25.0-48.2
40-44	123	27,818	64	52.6	40.6-64.6	59	47.4	35.4-59.4
45-54	302	52,970	226	74.7	68.4-81.0	76	25.3	19.0-31.6
55-64	391	63,277	317	80.9	75.8-86.0	74	19.1	14.0-24.2
65+	661	99,926	488	73.3	68.4-78.2	173	26.7	21.8-31.6
Less Than H.S.	121	19,318	70	52.7	40.4-65.0	51	47.3	35.0-59.6
H.S. or G.E.D.	416	72,547	303	74.4	68.9-79.9	113	25.6	20.1-31.1
Some Post-H.S.	388	71,360	284	72.6	66.5-78.7	104	27.4	21.3-33.5
College Graduate	547	80,016	436	77.8	72.7-82.9	111	22.2	17.1-27.3
Less than \$15,000	121	18,845	72	61.0	48.1-73.9	49	39.0	26.1-51.9
\$15,000- 24,999	217	31,216	155	69.4	61.2-77.6	62	30.6	22.4-38.8
\$25,000- 34,999	134	21,308	91	69.1	59.1-79.1	43	30.9	20.9-40.9
\$35,000- 49,999	150	24,744	113	78.5	70.3-86.7	37	21.5	13.3-29.7
\$50,000- 74,999	178	30,443	139	71.7	61.9-81.5	39	28.3	18.5-38.1
\$75,000+	403	76,300	325	75.7	69.8-81.6	78	24.3	18.4-30.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	919	148,479	730	78.8	75.3-82.3	189	21.2	17.7-24.7
White/Non-Hisp	691	108,861	543	77.6	73.3-81.9	148	22.4	18.1-26.7
Black or Afr. Am./Non-Hisp	140	27,971	119	83.8	75.6-92.0	21	16.2	8.0-24.4
50-54	156	26,730	122	77.2	68.4-86.0	34	22.8	14.0-31.6
55-64	391	63,277	317	80.9	75.8-86.0	74	19.1	14.0-24.2
65+	372	58,471	291	77.2	71.1-83.3	81	22.8	16.7-28.9
Less Than H.S.	54	9,465	40	65.1	47.9-82.3	14	34.9	17.7-52.1
H.S. or G.E.D.	264	45,592	203	77.4	70.9-83.9	61	22.6	16.1-29.1
Some Post-H.S.	251	45,833	198	79.0	71.9-86.1	53	21.0	13.9-28.1
College Graduate	348	47,352	288	82.7	77.4-88.0	60	17.3	12.0-22.6
Less than \$15,000	72	11,622	50	66.5	49.4-83.6	22	33.5	16.4-50.6
\$15,000- 24,999	121	17,632	95	76.9	67.1-86.7	26	23.1	13.3-32.9
\$25,000- 34,999	83	11,395	55	69.5	57.9-81.1	28	30.5	18.9-42.1
\$35,000- 49,999	111	18,156	85	79.3	69.9-88.7	26	20.7	11.3-30.1
\$50,000- 74,999	113	19,085	91	71.7	59.4-84.0	22	28.3	16.0-40.6
\$75,000+	258	44,761	218	83.6	77.9-89.3	40	16.4	10.7-22.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP35)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1078	214,719	828	77.0	73.5-80.5	250	23.0	19.5-26.5
White/Non-Hisp	631	129,945	496	78.0	73.7-82.3	135	22.0	17.7-26.3
Black or Afr. Am./Non-Hisp	170	47,088	138	82.4	75.1-89.7	32	17.6	10.3-24.9
Hispanic	197	21,580	136	64.3	50.8-77.8	61	35.7	22.2-49.2
18-24	64	21,547	38	65.5	48.3-82.7	26	34.5	17.3-51.7
25-34	216	52,155	164	75.4	67.4-83.4	52	24.6	16.6-32.6
35-44	235	46,224	181	80.7	74.6-86.8	54	19.3	13.2-25.4
45-54	242	42,766	195	80.6	73.5-87.7	47	19.4	12.3-26.5
55-64	298	49,113	235	77.9	71.6-84.2	63	22.1	15.8-28.4
Less Than H.S.	137	19,814	96	59.2	43.7-74.7	41	40.8	25.3-56.3
H.S. or G.E.D.	247	55,321	181	73.5	65.9-81.1	66	26.5	18.9-34.1
Some Post-H.S.	274	62,611	206	77.9	71.4-84.4	68	22.1	15.6-28.6
College Graduate	419	76,882	344	83.4	78.9-87.9	75	16.6	12.1-21.1
Less than \$15,000	115	15,245	80	70.3	58.7-81.9	35	29.7	18.1-41.3
\$15,000- 24,999	164	28,011	124	74.5	65.1-83.9	40	25.5	16.1-34.9
\$25,000- 34,999	86	14,888	61	74.1	60.0-88.2	25	25.9	11.8-40.0
\$35,000- 49,999	105	22,866	77	70.6	58.8-82.4	28	29.4	17.6-41.2
\$50,000- 74,999	137	29,096	108	77.4	67.8-87.0	29	22.6	13.0-32.2
\$75,000+	316	74,715	267	83.1	77.0-89.2	49	16.9	10.8-23.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA23)	
1 MALES ONLY	146

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA23)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1112	198,746	414	33.2	29.7-36.7	698	66.8	63.3-70.3
White/Non-Hisp	836	139,590	337	36.2	32.3-40.1	499	63.8	59.9-67.7
Black or Afr. Am./Non-Hisp	109	34,908	36	26.6	17.0-36.2	73	73.4	63.8-83.0
Hispanic	89	10,094	17	17.2	7.8-26.6	72	82.8	73.4-92.2
40-44	105	26,891	3	5.0	0.0-11.5	102	95.0	88.5- 100
45-54	225	43,168	36	14.4	8.9-19.9	189	85.6	80.1-91.1
55-64	305	53,621	120	38.2	31.1-45.3	185	61.8	54.7-68.9
65+	477	75,066	255	50.7	44.4-57.0	222	49.3	43.0-55.6
Less Than H.S.	93	18,032	14	19.4	8.6-30.2	79	80.6	69.8-91.4
H.S. or G.E.D.	317	62,515	89	25.0	19.1-30.9	228	75.0	69.1-80.9
Some Post-H.S.	274	54,798	108	38.3	31.0-45.6	166	61.7	54.4-69.0
College Graduate	428	63,401	203	40.9	35.0-46.8	225	59.1	53.2-65.0
Less than \$15,000	65	8,625	10	11.3	2.9-19.7	55	88.7	80.3-97.1
\$15,000- 24,999	128	20,473	34	31.8	20.4-43.2	94	68.2	56.8-79.6
\$25,000- 34,999	83	15,943	21	21.3	10.5-32.1	62	78.7	67.9-89.5
\$35,000- 49,999	110	16,148	47	40.3	28.5-52.1	63	59.7	47.9-71.5
\$50,000- 74,999	146	23,958	62	40.5	29.9-51.1	84	59.5	48.9-70.1
\$75,000+	435	82,497	194	38.4	32.9-43.9	241	61.6	56.1-67.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)	
1	MALES AND FEMALES	149
2	MALES ONLY	150
3	FEMALES ONLY	151
	RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)	
4	MALES AND FEMALES	152
5	MALES ONLY	153
6	FEMALES ONLY	154
	RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)	
7	MALES AND FEMALES	155
8	MALES ONLY	156
9	FEMALES ONLY	157
	RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLDS4)	
10	MALES AND FEMALES	158
11	MALES ONLY	159
12	FEMALES ONLY	160
	RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)	
13	MALES AND FEMALES	161
14	MALES ONLY	162
15	FEMALES ONLY	163
	RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)	
16	MALES AND FEMALES	164
17	MALES ONLY	165
18	FEMALES ONLY	166
	RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)	
19	MALES AND FEMALES	167
20	MALES ONLY	168
21	FEMALES ONLY	169
	RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)	
22	MALES AND FEMALES	170

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
23	MALES ONLY	171
24	FEMALES ONLY	172

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy in the past 10 years			Colonoscopy in the past 10+ years			Have never had a colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1665	279,548	1191	71.5	68.8-74.2	100	5.8	4.4- 7.2	374	22.7	20.2-25.2
Male	733	128,322	526	71.7	67.6-75.8	41	5.4	3.2- 7.6	166	22.8	18.9-26.7
Female	932	151,226	665	71.2	67.5-74.9	59	6.2	4.2- 8.2	208	22.6	19.1-26.1
White/Non-Hisp	1263	203,405	915	71.9	68.8-75.0	78	5.9	4.3- 7.5	270	22.2	19.3-25.1
Black or Afr. Am./Non-Hisp	220	52,229	165	76.0	68.7-83.3	10	5.3	0.8- 9.8	45	18.8	12.5-25.1
Hispanic	77	8,025	35	40.9	27.4-54.4	9	14.4	4.4-24.4	33	44.7	30.6-58.8
50-54	267	48,059	128	47.5	39.9-55.1	10	5.5	1.4- 9.6	129	47.0	39.4-54.6
55-64	689	117,014	491	70.0	65.5-74.5	40	6.0	3.6- 8.4	158	24.0	19.9-28.1
65+	709	114,475	572	83.0	79.7-86.3	50	5.8	3.8- 7.8	87	11.2	8.3-14.1
Less Than H.S.	105	19,063	50	47.3	35.1-59.5	11	9.9	3.6-16.2	44	42.9	30.9-54.9
H.S. or G.E.D.	489	89,728	342	71.8	66.7-76.9	27	5.1	2.4- 7.8	120	23.1	18.4-27.8
Some Post-H.S.	442	82,797	321	74.2	69.1-79.3	26	5.0	2.8- 7.2	95	20.8	15.9-25.7
College Graduate	626	87,437	478	74.2	69.7-78.7	35	6.2	3.5- 8.9	113	19.7	15.6-23.8
Less than \$15,000	121	18,901	72	56.2	43.9-68.5	9	5.5	1.6- 9.4	40	38.4	25.9-50.9
\$15,000- 24,999	217	34,134	139	65.1	56.9-73.3	15	5.4	2.1- 8.7	63	29.5	21.5-37.5
\$25,000- 34,999	132	21,135	94	71.1	60.5-81.7	6	5.5	0.0-13.5	32	23.4	14.6-32.2
\$35,000- 49,999	175	26,339	116	71.8	63.4-80.2	11	6.0	1.7-10.3	48	22.1	14.5-29.7
\$50,000- 74,999	213	37,114	168	77.9	71.0-84.8	8	4.4	0.5- 8.3	37	17.8	11.7-23.9
\$75,000+	559	98,901	414	72.5	67.8-77.2	40	7.2	4.5- 9.9	105	20.3	16.0-24.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 2: RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy in the past 10 years			Colonoscopy in the past 10+ years			Have never had a colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	733	128,322	526	71.7	67.6-75.8	41	5.4	3.2- 7.6	166	22.8	18.9-26.7
White/Non-Hisp	559	92,314	411	72.2	67.5-76.9	35	6.1	3.7- 8.5	113	21.7	17.4-26.0
Black or Afr. Am./Non-Hisp	82	23,963	63	76.9	65.3-88.5	2	4.2	0.0-11.5	17	18.9	8.7-29.1
50-54	113	21,554	53	46.9	35.5-58.3				60	53.1	41.7-64.5
55-64	307	54,583	222	71.1	64.2-78.0	17	6.0	1.9-10.1	68	22.8	16.5-29.1
65+	313	52,185	251	82.6	77.7-87.5	24	7.0	3.7-10.3	38	10.4	6.7-14.1
Less Than H.S.	52	10,077	20	44.4	27.2-61.6	4	6.5	0.0-13.6	28	49.1	32.2-66.0
H.S. or G.E.D.	221	42,943	151	70.4	62.6-78.2	14	6.4	1.5-11.3	56	23.2	16.1-30.3
Some Post-H.S.	188	35,964	137	73.3	65.5-81.1	9	4.5	1.2- 7.8	42	22.2	14.8-29.6
College Graduate	272	39,337	218	78.8	72.3-85.3	14	4.9	1.6- 8.2	40	16.4	10.5-22.3
\$15,000- 24,999	89	15,461	55	68.1	55.4-80.8	6	4.0	0.5- 7.5	28	27.9	15.4-40.4
\$35,000- 49,999	66	8,735	43	65.6	50.7-80.5	3	8.5	0.0-19.5	20	25.9	13.4-38.4
\$50,000- 74,999	100	17,796	79	80.7	72.1-89.3	6	4.4	0.7- 8.1	15	14.9	6.9-22.9
\$75,000+	299	54,273	231	75.3	69.0-81.6	15	4.7	1.8- 7.6	53	20.0	14.1-25.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy in the past 10 years			Colonoscopy in the past 10+ years			Have never had a colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	932	151,226	665	71.2	67.3-75.1	59	6.2	4.2- 8.2	208	22.6	19.1-26.1
White/Non-Hisp	704	111,091	504	71.7	67.4-76.0	43	5.7	3.5- 7.9	157	22.7	18.6-26.8
Black or Afr. Am./Non-Hisp	138	28,266	102	75.2	66.0-84.4	8	6.2	0.7-11.7	28	18.7	10.7-26.7
50-54	154	26,505	75	47.9	37.5-58.3	10	10.0	2.7-17.3	69	42.1	32.1-52.1
55-64	382	62,431	269	69.0	63.1-74.9	23	5.9	3.2- 8.6	90	25.1	19.4-30.8
65+	396	62,291	321	83.4	78.5-88.3	26	4.8	2.4- 7.2	49	11.9	7.4-16.4
Less Than H.S.	53	8,986	30	50.6	33.4-67.8	7	13.6	3.2-24.0	16	35.8	18.2-53.4
H.S. or G.E.D.	268	46,785	191	73.0	66.3-79.7	13	3.9	1.2- 6.6	64	23.0	16.5-29.5
Some Post-H.S.	254	46,833	184	74.9	68.0-81.8	17	5.3	2.4- 8.2	53	19.7	13.2-26.2
College Graduate	354	48,099	260	70.4	63.9-76.9	21	7.3	3.2-11.4	73	22.3	16.6-28.0
Less than \$15,000	72	12,245	44	62.1	45.6-78.6	6	5.4	0.5-10.3	22	32.5	15.8-49.2
\$15,000- 24,999	128	18,672	84	62.7	51.7-73.7	9	6.5	1.4-11.6	35	30.8	20.2-41.4
\$25,000- 34,999	84	12,055	63	79.8	69.8-89.8	5	2.1	0.1- 4.1	16	18.1	8.3-27.9
\$35,000- 49,999	109	17,604	73	74.9	64.9-84.9	8	4.8	1.3- 8.3	28	20.3	10.7-29.9
\$50,000- 74,999	113	19,317	89	75.3	64.9-85.7	2	4.3	0.0-11.0	22	20.4	11.4-29.4
\$75,000+	260	44,628	183	69.1	62.0-76.2	25	10.2	5.5-14.9	52	20.8	14.7-26.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 5 years			No sigmoidoscopy in the past 5+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1593	264,632	59	4.4	2.8- 6.0	160	10.2	8.2-12.2	1374	85.4	83.0-87.8
Male	702	122,351	38	7.0	4.1- 9.9	73	10.2	7.5-12.9	591	82.8	79.1-86.5
Female	891	142,282	21	2.2	1.0- 3.4	87	10.2	7.5-12.9	783	87.6	84.7-90.5
White/Non-Hisp	1215	195,701	43	3.2	2.0- 4.4	142	11.9	9.5-14.3	1030	85.0	82.5-87.5
Black or Afr. Am./Non-Hisp	206	47,375	10	9.5	2.6-16.4	9	5.3	1.0- 9.6	187	85.2	77.6-92.8
Hispanic	75	7,426	1	2.6	0.0- 7.5	3	4.2	0.0- 9.7	71	93.2	85.9- 100
50-54	259	46,240	4	1.3	0.0- 2.9	6	2.7	0.2- 5.2	249	96.0	93.1-98.9
55-64	665	112,066	23	5.2	2.3- 8.1	40	6.5	4.3- 8.7	602	88.3	84.8-91.8
65+	669	106,327	32	4.9	2.9- 6.9	114	17.5	13.6-21.4	523	77.6	73.5-81.7
Less Than H.S.	98	17,654	2	2.4	0.0- 5.7	5	5.2	0.0-10.5	91	92.4	86.3-98.5
H.S. or G.E.D.	464	84,649	12	4.5	1.0- 8.0	19	3.9	1.4- 6.4	433	91.5	87.2-95.8
Some Post-H.S.	419	77,661	21	4.2	2.0- 6.4	59	14.7	10.4-19.0	339	81.1	76.4-85.8
College Graduate	610	84,432	24	4.8	2.4- 7.2	77	13.5	10.0-17.0	509	81.7	77.6-85.8
Less than \$15,000	113	16,595	5	2.3	0.0- 4.7	4	1.7	0.0- 3.9	104	96.0	92.9-99.1
\$15,000- 24,999	204	31,384	8	5.3	1.4- 9.2	15	6.8	2.7-10.9	181	87.8	82.3-93.3
\$25,000- 34,999	127	19,968	5	5.4	0.0-13.8	18	16.2	7.8-24.6	104	78.4	67.4-89.4
\$35,000- 49,999	167	25,468	9	6.1	1.8-10.4	11	5.1	1.4- 8.8	147	88.8	83.1-94.5
\$50,000- 74,999	203	35,939	6	5.2	0.0-11.7	23	12.4	5.7-19.1	174	82.4	73.8-91.0
\$75,000+	546	96,147	18	3.7	1.7- 5.7	61	11.8	8.5-15.1	467	84.5	80.6-88.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 5 years			No sigmoidoscopy in the past 5+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	702	122,351	38	7.0	3.9-10.1	73	10.2	7.5-12.9	591	82.8	79.1-86.5
White/Non-Hisp	536	88,671	26	4.4	2.4- 6.4	62	11.6	8.5-14.7	448	84.0	80.5-87.5
Black or Afr. Am./Non-Hisp	81	23,219	6	16.1	3.4-28.8	4	4.4	0.0- 9.1	71	79.5	66.6-92.4
50-54	109	20,886	2	2.4	0.0- 5.9	5	5.7	0.4-11.0	102	91.9	85.6-98.2
55-64	296	51,816	16	9.4	3.3-15.5	17	6.2	2.9- 9.5	263	84.4	77.9-90.9
65+	297	49,648	20	6.4	2.9- 9.9	51	16.4	11.5-21.3	226	77.2	71.5-82.9
H.S. or G.E.D.	211	41,461	10	8.7	1.6-15.8	5	1.8	0.2- 3.4	196	89.6	82.5-96.7
Some Post-H.S.	176	33,553	13	6.5	2.0-11.0	27	15.7	9.2-22.2	136	77.8	70.4-85.2
College Graduate	267	38,142	13	6.2	2.1-10.3	38	15.5	10.0-21.0	216	78.3	71.8-84.8
\$15,000- 24,999	83	13,881	4	8.1	0.3-15.9	6	6.4	0.7-12.1	73	85.5	76.1-94.9
\$35,000- 49,999	61	7,962	5	9.7	0.1-19.3	4	9.6	0.0-20.0	52	80.7	67.4-94.0
\$50,000- 74,999	95	17,123	4	9.1	0.0-21.6	7	4.3	0.8- 7.8	84	86.6	74.1-99.1
\$75,000+	293	53,083	15	5.9	2.4- 9.4	39	13.7	8.8-18.6	239	80.4	74.7-86.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 5 years			No sigmoidoscopy in the past 5+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	891	142,282	21	2.2	1.0- 3.4	87	10.2	7.5-12.9	783	87.6	84.7-90.5
White/Non-Hisp	679	107,030	17	2.2	1.0- 3.4	80	12.0	8.7-15.3	582	85.8	82.5-89.1
Black or Afr. Am./Non-Hisp	125	24,156	4	3.1	0.0- 6.8	5	6.3	0.0-13.4	116	90.6	82.8-98.4
50-54	150	25,354	2	0.5	0.0- 1.3	1	0.2	0.0- 0.6	147	99.4	98.6- 100
55-64	369	60,249	7	1.6	0.2- 3.0	23	6.7	3.8- 9.6	339	91.7	88.4-95.0
65+	372	56,678	12	3.6	1.2- 6.0	63	18.4	12.7-24.1	297	78.0	71.9-84.1
Less Than H.S.	50	8,459				2	3.8	0.0-10.1	48	96.2	89.9- 100
H.S. or G.E.D.	253	43,187	2	0.6	0.0- 1.4	14	6.0	1.5-10.5	237	93.4	88.9-97.9
Some Post-H.S.	243	44,108	8	2.5	0.5- 4.5	32	13.9	8.0-19.8	203	83.6	77.5-89.7
College Graduate	343	46,290	11	3.7	1.0- 6.4	39	11.9	7.6-16.2	293	84.4	79.5-89.3
Less than \$15,000	65	10,193	1	1.0	0.0- 3.0	1	0.4	0.0- 1.2	63	98.6	96.4- 100
\$15,000- 24,999	121	17,503	4	3.1	0.0- 6.4	9	7.2	1.5-12.9	108	89.7	83.2-96.2
\$25,000- 34,999	81	11,364	3	0.9	0.0- 2.1	13	20.0	7.7-32.3	65	79.1	66.8-91.4
\$35,000- 49,999	106	17,506	4	4.4	0.0- 8.9	7	3.0	0.5- 5.5	95	92.5	87.2-97.8
\$50,000- 74,999	108	18,816	2	1.6	0.0- 4.1	16	19.7	7.9-31.5	90	78.7	66.9-90.5
\$75,000+	253	43,064	3	1.0	0.0- 2.2	22	9.5	4.8-14.2	228	89.5	84.6-94.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 10 years			Sigmoidoscopy in the past 10+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1593	264,632	90	6.1	4.3- 7.9	129	8.5	6.7-10.3	1374	85.4	83.0-87.8
Male	702	122,351	58	9.7	6.4-13.0	53	7.5	5.1- 9.9	591	82.8	79.1-86.5
Female	891	142,282	32	3.0	1.8- 4.2	76	9.4	6.7-12.1	783	87.6	84.7-90.5
White/Non-Hisp	1215	195,701	64	4.7	3.3- 6.1	121	10.3	8.1-12.5	1030	85.0	82.5-87.5
Black or Afr. Am./Non-Hisp	206	47,375	12	10.1	3.2-17.0	7	4.7	0.6- 8.8	187	85.2	77.6-92.8
Hispanic	75	7,426	4	6.8	0.0-14.1				71	93.2	85.9- 100
50-54	259	46,240	8	2.4	0.4- 4.4	2	1.6	0.0- 3.8	249	96.0	93.1-98.9
55-64	665	112,066	34	6.9	3.8-10.0	29	4.8	2.8- 6.8	602	88.3	84.8-91.8
65+	669	106,327	48	6.9	4.5- 9.3	98	15.5	11.8-19.2	523	77.6	73.5-81.7
Less Than H.S.	98	17,654	5	5.7	0.4-11.0	2	1.8	0.0- 4.9	91	92.4	86.3-98.5
H.S. or G.E.D.	464	84,649	17	5.1	1.6- 8.6	14	3.3	0.9- 5.7	433	91.5	87.2-95.8
Some Post-H.S.	419	77,661	34	7.0	4.1- 9.9	46	12.0	7.9-16.1	339	81.1	76.4-85.8
College Graduate	610	84,432	34	6.4	3.9- 8.9	67	12.0	8.7-15.3	509	81.7	77.6-85.8
Less than \$15,000	113	16,595	8	3.1	0.6- 5.6	1	0.9	0.0- 2.7	104	96.0	92.9-99.1
\$15,000- 24,999	204	31,384	13	7.8	3.1-12.5	10	4.4	1.1- 7.7	181	87.8	82.3-93.3
\$25,000- 34,999	127	19,968	8	8.8	0.0-18.0	15	12.8	5.2-20.4	104	78.4	67.4-89.4
\$35,000- 49,999	167	25,468	10	6.7	2.2-11.2	10	4.5	1.0- 8.0	147	88.8	83.1-94.5
\$50,000- 74,999	203	35,939	12	6.5	0.0-13.0	17	11.0	4.3-17.7	174	82.4	73.8-91.0
\$75,000+	546	96,147	26	5.4	3.0- 7.8	53	10.1	7.0-13.2	467	84.5	80.6-88.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 8: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 10 years			Sigmoidoscopy in the past 10+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	702	122,351	58	9.7	6.4-13.0	53	7.5	5.1- 9.9	591	82.8	79.1-86.5
White/Non-Hisp	536	88,671	38	6.6	4.2- 9.0	50	9.4	6.5-12.3	448	84.0	80.5-87.5
Black or Afr. Am./Non-Hisp	81	23,219	7	16.7	4.0-29.4	3	3.8	0.0- 8.3	71	79.5	66.6-92.4
50-54	109	20,886	5	4.6	0.3- 8.9	2	3.5	0.0- 8.2	102	91.9	85.6-98.2
55-64	296	51,816	22	11.6	5.3-17.9	11	4.0	1.3- 6.7	263	84.4	77.9-90.9
65+	297	49,648	31	9.9	5.6-14.2	40	12.9	8.6-17.2	226	77.2	71.5-82.9
H.S. or G.E.D.	211	41,461	12	9.4	2.3-16.5	3	1.0	0.0- 2.2	196	89.6	82.5-96.7
Some Post-H.S.	176	33,553	21	10.8	5.1-16.5	19	11.4	5.9-16.9	136	77.8	70.4-85.2
College Graduate	267	38,142	20	8.8	4.3-13.3	31	12.9	7.8-18.0	216	78.3	71.8-84.8
\$15,000- 24,999	83	13,881	7	12.7	3.5-21.9	3	1.8	0.0- 4.2	73	85.5	76.1-94.9
\$35,000- 49,999	61	7,962	5	9.7	0.1-19.3	4	9.6	0.0-20.0	52	80.7	67.4-94.0
\$50,000- 74,999	95	17,123	6	9.5	0.0-22.0	5	3.9	0.4- 7.4	84	86.6	74.1-99.1
\$75,000+	293	53,083	23	8.9	4.6-13.2	31	10.7	6.4-15.0	239	80.4	74.7-86.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 9: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 10 years			Sigmoidoscopy in the past 10+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	891	142,282	32	3.0	1.8- 4.2	76	9.4	6.7-12.1	783	87.6	84.7-90.5
White/Non-Hisp	679	107,030	26	3.0	1.6- 4.4	71	11.2	8.1-14.3	582	85.8	82.5-89.1
Black or Afr. Am./Non-Hisp	125	24,156	5	3.8	0.0- 7.7	4	5.6	0.0-12.7	116	90.6	82.8-98.4
50-54	150	25,354	3	0.6	0.0- 1.4				147	99.4	98.6- 100
55-64	369	60,249	12	2.8	1.0- 4.6	18	5.5	2.8- 8.2	339	91.7	88.4-95.0
65+	372	56,678	17	4.2	1.8- 6.6	58	17.7	12.0-23.4	297	78.0	71.9-84.1
Less Than H.S.	50	8,459				2	3.8	0.0-10.1	48	96.2	89.9- 100
H.S. or G.E.D.	253	43,187	5	1.0	0.0- 2.0	11	5.5	1.0-10.0	237	93.4	88.9-97.9
Some Post-H.S.	243	44,108	13	4.1	1.7- 6.5	27	12.4	6.5-18.3	203	83.6	77.5-89.7
College Graduate	343	46,290	14	4.4	1.5- 7.3	36	11.2	6.9-15.5	293	84.4	79.5-89.3
Less than \$15,000	65	10,193	2	1.4	0.0- 3.6				63	98.6	96.4- 100
\$15,000- 24,999	121	17,503	6	3.8	0.3- 7.3	7	6.5	0.8-12.2	108	89.7	83.2-96.2
\$25,000- 34,999	81	11,364	4	3.2	0.0- 7.9	12	17.7	5.9-29.5	65	79.1	66.8-91.4
\$35,000- 49,999	106	17,506	5	5.3	0.4-10.2	6	2.1	0.1- 4.1	95	92.5	87.2-97.8
\$50,000- 74,999	108	18,816	6	3.8	0.3- 7.3	12	17.5	5.7-29.3	90	78.7	66.9-90.5
\$75,000+	253	43,064	3	1.0	0.0- 2.2	22	9.5	4.8-14.2	228	89.5	84.6-94.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLS4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test in the past year			Had a blood stool test one or more years ago			Have never had a blood stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1642	275,399	103	6.0	4.4- 7.6	281	16.4	14.0-18.8	1258	77.6	74.9-80.3
Male	719	125,931	48	6.3	3.8- 8.8	120	15.5	12.0-19.0	551	78.2	74.1-82.3
Female	923	149,468	55	5.7	3.7- 7.7	161	17.2	13.9-20.5	707	77.1	73.4-80.8
White/Non-Hisp	1243	200,221	74	6.1	4.3- 7.9	211	15.8	13.3-18.3	958	78.1	75.2-81.0
Black or Afr. Am./Non-Hisp	220	52,132	13	6.1	1.8-10.4	37	19.0	11.7-26.3	170	74.8	67.0-82.6
Hispanic	77	7,791	6	5.7	0.8-10.6	11	15.4	5.4-25.4	60	78.9	68.1-89.7
50-54	264	47,265	15	5.3	2.0- 8.6	17	4.9	2.4- 7.4	232	89.8	85.7-93.9
55-64	681	115,272	43	5.7	3.5- 7.9	93	13.8	10.1-17.5	545	80.5	76.4-84.6
65+	697	112,862	45	6.5	3.8- 9.2	171	24.0	19.7-28.3	481	69.5	64.8-74.2
Less Than H.S.	101	18,219	8	7.7	1.0-14.4	14	13.8	4.4-23.2	79	78.5	67.7-89.3
H.S. or G.E.D.	478	87,539	28	5.1	2.2- 8.0	71	17.4	12.5-22.3	379	77.5	72.2-82.8
Some Post-H.S.	439	82,161	32	7.3	4.0-10.6	82	17.8	13.1-22.5	325	74.9	69.4-80.4
College Graduate	621	86,956	33	4.7	2.7- 6.7	114	14.9	11.6-18.2	474	80.4	76.7-84.1
Less than \$15,000	119	18,641	13	10.0	2.2-17.8	19	18.4	7.6-29.2	87	71.6	59.6-83.6
\$15,000- 24,999	213	33,320	14	5.8	1.1-10.5	39	17.0	10.5-23.5	160	77.1	69.7-84.5
\$25,000- 34,999	129	20,510	5	3.0	0.1- 5.9	26	20.9	11.7-30.1	98	76.2	66.8-85.6
\$35,000- 49,999	173	25,807	12	6.2	0.9-11.5	26	11.7	6.0-17.4	135	82.1	74.8-89.4
\$50,000- 74,999	212	37,081	9	2.6	0.8- 4.4	41	19.9	11.5-28.3	162	77.6	69.2-86.0
\$75,000+	556	98,252	37	7.6	4.3-10.9	89	15.4	11.5-19.3	430	77.0	72.3-81.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLS4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test in the past year			Had a blood stool test one or more years ago			Have never had a blood stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	719	125,931	48	6.3	3.8- 8.8	120	15.5	12.0-19.0	551	78.2	74.1-82.3
White/Non-Hisp	549	91,004	38	6.9	3.8-10.0	90	14.7	11.2-18.2	421	78.5	74.2-82.8
Black or Afr. Am./Non-Hisp	81	23,750	3	5.8	0.0-12.9	14	19.2	7.4-31.0	64	75.0	62.3-87.7
50-54	113	21,326	6	4.3	0.0- 9.2	6	4.2	0.5- 7.9	101	91.4	85.3-97.5
55-64	302	53,537	18	5.3	1.8- 8.8	41	13.3	7.4-19.2	243	81.4	74.9-87.9
65+	304	51,067	24	8.2	3.3-13.1	73	22.5	16.6-28.4	207	69.3	62.4-76.2
H.S. or G.E.D.	215	41,891	16	6.0	0.9-11.1	23	12.9	6.0-19.8	176	81.2	73.2-89.2
Some Post-H.S.	186	35,641	13	8.7	2.8-14.6	39	20.7	13.4-28.0	134	70.6	62.2-79.0
College Graduate	270	39,166	16	4.4	2.0- 6.8	55	15.9	10.8-21.0	199	79.8	74.3-85.3
\$15,000- 24,999	87	15,184	5	6.4	0.0-15.4	17	19.4	8.4-30.4	65	74.3	61.4-87.2
\$35,000- 49,999	65	8,342	6	9.9	0.0-21.5	11	11.3	3.3-19.3	48	78.8	65.7-91.9
\$50,000- 74,999	100	17,816	5	3.0	0.3- 5.7	16	19.6	6.5-32.7	79	77.3	64.4-90.2
\$75,000+	299	54,333	21	7.9	3.0-12.8	51	16.3	11.0-21.6	227	75.8	69.3-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLS4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test in the past year			Had a blood stool test one or more years ago			Have never had a blood stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	923	149,468	55	5.7	3.7- 7.7	161	17.2	13.9-20.5	707	77.1	73.4-80.8
White/Non-Hisp	694	109,216	36	5.4	3.2- 7.6	121	16.7	12.8-20.6	537	77.8	73.7-81.9
Black or Afr. Am./Non-Hisp	139	28,382	10	6.4	0.9-11.9	23	18.9	10.1-27.7	106	74.7	64.9-84.5
50-54	151	25,938	9	6.0	1.3-10.7	11	5.5	1.8- 9.2	131	88.5	82.6-94.4
55-64	379	61,735	25	6.0	3.1- 8.9	52	14.2	9.1-19.3	302	79.8	74.3-85.3
65+	393	61,795	21	5.2	2.3- 8.1	98	25.2	19.1-31.3	274	69.6	63.3-75.9
Less Than H.S.	53	8,986	5	8.5	0.0-17.1	11	22.1	5.4-38.8	37	69.3	52.1-86.5
H.S. or G.E.D.	263	45,649	12	4.3	1.2- 7.4	48	21.5	14.6-28.4	203	74.2	66.9-81.5
Some Post-H.S.	253	46,520	19	6.2	2.5- 9.9	43	15.5	9.2-21.8	191	78.3	71.2-85.4
College Graduate	351	47,790	17	5.0	2.1- 7.9	59	14.1	9.8-18.4	275	80.9	75.8-86.0
Less than \$15,000	72	12,245	8	11.4	0.0-22.8	15	24.2	8.9-39.5	49	64.4	47.9-80.9
\$15,000- 24,999	126	18,136	9	5.4	1.5- 9.3	22	15.1	7.8-22.4	95	79.5	71.5-87.5
\$25,000- 34,999	83	11,896	2	1.7	0.0- 4.2	17	27.0	13.5-40.5	64	71.4	57.9-84.9
\$35,000- 49,999	108	17,465	6	4.5	0.0- 9.8	15	11.9	4.5-19.3	87	83.6	74.8-92.4
\$50,000- 74,999	112	19,265	4	2.1	0.0- 4.3	25	20.1	9.1-31.1	83	77.7	66.7-88.7
\$75,000+	257	43,919	16	7.2	3.1-11.3	38	14.3	8.2-20.4	203	78.5	71.6-85.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test in the past 3 years			Had a stool DNA test in past 3 or more years			Have never had a stool DNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1638	273,430	99	5.0	3.8- 6.2	46	2.5	1.5- 3.5	1493	92.4	90.8-94.0
Male	720	125,709	36	4.5	2.7- 6.3	19	1.8	0.8- 2.8	665	93.7	91.7-95.7
Female	918	147,721	63	5.5	3.9- 7.1	27	3.2	1.4- 5.0	828	91.4	89.0-93.8
White/Non-Hisp	1247	200,191	67	4.7	3.3- 6.1	26	1.6	0.6- 2.6	1154	93.7	92.1-95.3
Black or Afr. Am./Non-Hisp	214	50,477	17	5.2	2.1- 8.3	8	3.9	0.8- 7.0	189	90.9	86.6-95.2
Hispanic	76	7,655	4	5.0	0.0-10.3	4	7.3	0.0-15.3	68	87.7	78.5-96.9
50-54	262	46,638	12	3.7	1.3- 6.1	4	0.7	0.0- 1.5	246	95.6	93.1-98.1
55-64	678	114,778	37	4.0	2.4- 5.6	13	2.5	0.7- 4.3	628	93.5	91.1-95.9
65+	698	112,014	50	6.6	4.2- 9.0	29	3.3	1.5- 5.1	619	90.1	87.4-92.8
Less Than H.S.	102	18,426	10	6.6	2.1-11.1	9	11.2	1.8-20.6	83	82.3	72.3-92.3
H.S. or G.E.D.	475	86,788	25	3.6	1.8- 5.4	18	3.5	1.3- 5.7	432	92.8	90.1-95.5
Some Post-H.S.	433	80,652	33	6.0	3.5- 8.5	8	1.2	0.2- 2.2	392	92.9	90.2-95.6
College Graduate	626	87,326	30	5.1	2.9- 7.3	11	1.0	0.2- 1.8	585	93.9	91.5-96.3
Less than \$15,000	114	17,850	6	3.5	0.0- 7.0	6	7.6	0.0-16.2	102	88.9	79.9-97.9
\$15,000- 24,999	211	32,848	16	6.4	2.3-10.5	7	1.5	0.1- 2.9	188	92.1	87.8-96.4
\$25,000- 34,999	129	20,473	8	5.9	1.0-10.8	4	3.5	0.0- 7.2	117	90.7	84.8-96.6
\$35,000- 49,999	174	25,720	13	5.9	1.6-10.2	4	1.2	0.0- 2.4	157	93.0	88.5-97.5
\$50,000- 74,999	211	36,433	15	4.8	1.9- 7.7	8	4.0	0.0- 8.1	188	91.2	86.3-96.1
\$75,000+	554	97,875	26	4.6	2.4- 6.8	6	0.8	0.0- 1.6	522	94.6	92.4-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 14: RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test in the past 3 years			Had a stool DNA test in past 3 or more years			Have never had a stool DNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	720	125,709	36	4.5	2.7- 6.3	19	1.8	0.8- 2.8	665	93.7	91.7-95.7
White/Non-Hisp	551	91,031	25	4.0	2.0- 6.0	11	1.5	0.5- 2.5	515	94.5	92.3-96.7
Black or Afr. Am./Non-Hisp	81	23,750	5	5.7	0.2-11.2	1	0.7	0.0- 2.1	75	93.5	87.8-99.2
50-54	112	21,244	2	0.9	0.0- 2.1	1	0.5	0.0- 1.5	109	98.6	97.0- 100
55-64	304	53,691	12	2.8	0.8- 4.8	5	1.5	0.0- 3.1	287	95.7	93.3-98.1
65+	304	50,773	22	7.9	4.0-11.8	13	2.6	0.8- 4.4	269	89.5	85.2-93.8
H.S. or G.E.D.	214	41,765	9	2.0	0.4- 3.6	7	1.9	0.1- 3.7	198	96.1	93.7-98.5
Some Post-H.S.	185	35,237	14	8.4	3.1-13.7	6	2.0	0.0- 4.0	165	89.6	84.1-95.1
College Graduate	272	39,267	11	3.9	1.4- 6.4	3	0.6	0.0- 1.6	258	95.6	92.9-98.3
\$15,000- 24,999	86	14,883	8	7.5	0.1-14.9	2	0.8	0.0- 2.2	76	91.7	84.3-99.1
\$35,000- 49,999	65	8,342	3	5.0	0.0-11.1	2	1.2	0.0- 3.0	60	93.8	87.3- 100
\$50,000- 74,999	100	17,816	3	2.3	0.0- 4.8	4	3.5	0.0- 7.4	93	94.2	89.5-98.9
\$75,000+	297	53,651	15	4.9	2.0- 7.8	4	1.1	0.0- 2.5	278	94.0	90.7-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 15: RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test in the past 3 years			Had a stool DNA test in past 3 or more years			Have never had a stool DNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	918	147,721	63	5.5	3.9- 7.1	27	3.2	1.4- 5.0	828	91.4	89.0-93.8
White/Non-Hisp	696	109,160	42	5.2	3.2- 7.2	15	1.7	0.1- 3.3	639	93.1	90.7-95.5
Black or Afr. Am./Non-Hisp	133	26,727	12	4.8	1.7- 7.9	7	6.7	0.8-12.6	114	88.6	82.1-95.1
50-54	150	25,394	10	6.2	1.9-10.5	3	0.8	0.0- 1.8	137	93.0	88.5-97.5
55-64	374	61,086	25	5.1	2.6- 7.6	8	3.4	0.5- 6.3	341	91.5	87.8-95.2
65+	394	61,241	28	5.6	3.1- 8.1	16	3.9	1.0- 6.8	350	90.5	86.8-94.2
Less Than H.S.	53	8,986	8	9.5	2.1-16.9	6	17.3	0.4-34.2	39	73.1	56.2-90.0
H.S. or G.E.D.	261	45,023	16	5.1	2.0- 8.2	11	5.1	1.2- 9.0	234	89.9	85.0-94.8
Some Post-H.S.	248	45,416	19	4.0	1.8- 6.2	2	0.5	0.0- 1.3	227	95.5	93.3-97.7
College Graduate	354	48,059	19	6.2	2.9- 9.5	8	1.3	0.1- 2.5	327	92.6	89.1-96.1
Less than \$15,000	67	11,296	4	2.9	0.0- 6.2	3	9.9	0.0-23.0	60	87.2	74.1- 100
\$15,000- 24,999	125	17,965	8	5.5	1.0-10.0	5	2.0	0.0- 4.2	112	92.4	87.5-97.3
\$25,000- 34,999	83	11,858	6	7.5	0.2-14.8	4	6.0	0.0-12.5	73	86.5	77.3-95.7
\$35,000- 49,999	109	17,378	10	6.3	0.6-12.0	2	1.2	0.0- 2.8	97	92.6	86.7-98.5
\$50,000- 74,999	111	18,617	12	7.3	2.4-12.2	4	4.5	0.0-11.4	95	88.2	80.0-96.4
\$75,000+	257	44,223	11	4.4	1.5- 7.3	2	0.4	0.0- 1.2	244	95.2	92.3-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy in the past 5 years			Not had a virtual colonoscopy in the past 5+ years			Have never had a virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1616	270,398	57	3.7	2.3- 5.1	36	2.0	1.2- 2.8	1523	94.3	92.7-95.9
Male	709	122,857	24	4.3	2.1- 6.5	19	2.2	1.0- 3.4	666	93.5	91.1-95.9
Female	907	147,540	33	3.2	1.6- 4.8	17	1.7	0.7- 2.7	857	95.0	93.0-97.0
White/Non-Hisp	1233	199,181	31	2.5	1.3- 3.7	24	1.8	1.0- 2.6	1178	95.7	94.3-97.1
Black or Afr. Am./Non-Hisp	210	49,550	17	7.9	3.2-12.6	8	2.8	0.4- 5.2	185	89.3	84.2-94.4
Hispanic	74	7,314	3	3.8	0.0- 8.5	2	2.4	0.0- 5.7	69	93.9	88.2-99.6
50-54	261	46,448	6	1.4	0.0- 3.0	6	1.9	0.1- 3.7	249	96.7	94.3-99.1
55-64	666	112,827	18	3.3	1.5- 5.1	10	1.0	0.2- 1.8	638	95.7	93.7-97.7
65+	689	111,122	33	5.2	2.7- 7.7	20	3.0	1.4- 4.6	636	91.9	89.0-94.8
Less Than H.S.	98	17,467	10	10.5	3.1-17.9	6	4.2	0.3- 8.1	82	85.3	77.1-93.5
H.S. or G.E.D.	468	85,717	14	2.7	0.9- 4.5	16	2.9	1.1- 4.7	438	94.4	92.0-96.8
Some Post-H.S.	427	80,164	19	4.5	1.8- 7.2	10	2.0	0.6- 3.4	398	93.5	90.4-96.6
College Graduate	620	86,527	14	2.7	0.5- 4.9	4	0.5	0.0- 1.1	602	96.8	94.6-99.0
Less than \$15,000	117	18,646	7	5.4	0.5-10.3	4	1.9	0.0- 4.1	106	92.6	87.3-97.9
\$15,000- 24,999	204	31,752	10	4.9	1.4- 8.4	9	4.4	1.1- 7.7	185	90.7	85.8-95.6
\$25,000- 34,999	123	19,346	5	2.4	0.0- 4.9	5	5.7	0.0-11.6	113	91.9	85.6-98.2
\$35,000- 49,999	171	25,389	4	1.3	0.0- 3.1	3	1.4	0.0- 3.0	164	97.3	94.8-99.8
\$50,000- 74,999	210	36,514	8	6.6	0.9-12.3	3	1.4	0.0- 3.4	199	92.0	86.1-97.9
\$75,000+	552	97,388	11	2.2	0.4- 4.0	6	0.7	0.1- 1.3	535	97.1	95.3-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 17: RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy in the past 5 years			Not had a virtual colonoscopy in the past 5+ years			Have never had a virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	709	122,857	24	4.3	2.1- 6.5	19	2.2	1.0- 3.4	666	93.5	91.1-95.9
White/Non-Hisp	544	89,786	15	2.7	1.1- 4.3	12	1.6	0.6- 2.6	517	95.7	93.9-97.5
Black or Afr. Am./Non-Hisp	78	22,233	5	10.4	1.6-19.2	6	5.4	0.5-10.3	67	84.2	74.4-94.0
50-54	112	21,062	1	0.2	0.0- 0.6	3	2.8	0.0- 6.3	108	97.0	93.3- 100
55-64	296	52,359	9	4.7	1.4- 8.0	4	0.6	0.0- 1.2	283	94.7	91.2-98.2
65+	301	49,436	14	5.7	2.0- 9.4	12	3.6	1.4- 5.8	275	90.8	86.5-95.1
H.S. or G.E.D.	210	40,573	7	3.5	0.4- 6.6	7	2.0	0.4- 3.6	196	94.5	91.0-98.0
Some Post-H.S.	183	34,480	7	4.8	0.7- 8.9	6	3.5	0.4- 6.6	170	91.7	86.6-96.8
College Graduate	269	39,005	8	4.1	0.0- 8.2	3	0.9	0.0- 2.1	258	95.0	90.9-99.1
\$15,000- 24,999	84	14,141	5	5.7	0.0-12.0	4	5.6	0.0-11.5	75	88.8	80.4-97.2
\$35,000- 49,999	63	7,702	3	3.9	0.0- 9.8	2	2.8	0.0- 6.9	58	93.2	86.1- 100
\$50,000- 74,999	97	17,197	5	8.0	0.6-15.4	1	2.1	0.0- 6.2	91	89.8	81.4-98.2
\$75,000+	295	53,466	5	2.6	0.0- 5.3	4	1.0	0.0- 2.0	286	96.5	93.6-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 18: RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy in the past 5 years			Not had a virtual colonoscopy in the past 5+ years			Have never had a virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	907	147,540	33	3.2	1.6- 4.8	17	1.7	0.7- 2.7	857	95.0	93.0-97.0
White/Non-Hisp	689	109,395	16	2.4	0.6- 4.2	12	2.0	0.6- 3.4	661	95.6	93.4-97.8
Black or Afr. Am./Non-Hisp	132	27,316	12	5.9	2.0- 9.8	2	0.6	0.0- 1.6	118	93.5	89.4-97.6
50-54	149	25,386	5	2.4	0.0- 5.1	3	1.1	0.0- 2.5	141	96.5	93.6-99.4
55-64	370	60,468	9	2.0	0.4- 3.6	6	1.3	0.1- 2.5	355	96.6	94.6-98.6
65+	388	61,686	19	4.8	1.5- 8.1	8	2.4	0.2- 4.6	361	92.8	89.1-96.5
Less Than H.S.	51	8,668	8	13.9	2.9-24.9	3	5.0	0.0-11.7	40	81.1	68.8-93.4
H.S. or G.E.D.	258	45,143	7	2.0	0.2- 3.8	9	3.7	0.8- 6.6	242	94.3	90.8-97.8
Some Post-H.S.	244	45,684	12	4.3	0.4- 8.2	4	0.8	0.0- 1.6	228	94.9	91.0-98.8
College Graduate	351	47,522	6	1.5	0.0- 3.1	1	0.2	0.0- 0.6	344	98.2	96.4- 100
Less than \$15,000	70	12,098	6	7.9	0.5-15.3	1	0.4	0.0- 1.2	63	91.7	84.1-99.3
\$15,000- 24,999	120	17,611	5	4.2	0.1- 8.3	5	3.5	0.0- 7.2	110	92.3	86.8-97.8
\$25,000- 34,999	79	11,220	5	4.1	0.0- 8.4	4	9.2	0.0-19.0	70	86.7	76.3-97.1
\$35,000- 49,999	108	17,687	1	0.1	0.0- 0.3	1	0.8	0.0- 2.4	106	99.1	97.5- 100
\$50,000- 74,999	113	19,317	3	5.3	0.0-13.5	2	0.8	0.0- 2.0	108	93.9	85.7- 100
\$75,000+	257	43,922	6	1.7	0.0- 3.5	2	0.4	0.0- 1.0	249	97.9	95.9-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 19: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1907	318,941	8	0.3	0.1- 0.5	838	43.2	40.3-46.1	1061	56.5	53.6-59.4
Male	841	147,895	4	0.3	0.0- 0.7	383	44.7	40.4-49.0	454	55.0	50.7-59.3
Female	1066	171,047	4	0.3	0.0- 0.7	455	41.9	38.0-45.8	607	57.7	53.8-61.6
White/Non-Hisp	1419	227,535	6	0.3	0.1- 0.5	617	42.0	38.7-45.3	796	57.7	54.4-61.0
Black or Afr. Am./Non-Hisp	264	62,065	1	0.3	0.0- 0.9	111	45.4	37.4-53.4	152	54.3	46.3-62.3
Oth. Race/Non-Hisp.	52	7,132	1	1.1	0.0- 3.3	22	34.5	17.4-51.6	29	64.4	47.2-81.6
Hispanic	95	9,741				41	45.8	32.9-58.7	54	54.2	41.3-67.1
50-54	320	57,218				101	30.1	23.8-36.4	219	69.9	63.6-76.2
55-64	800	134,141	4	0.3	0.0- 0.7	322	40.4	35.9-44.9	474	59.3	54.8-63.8
65+	787	127,583	4	0.4	0.0- 0.8	415	52.1	47.4-56.8	368	47.5	42.8-52.2
Less Than H.S.	130	25,264				61	51.0	39.8-62.2	69	49.0	37.8-60.2
H.S. or G.E.D.	574	103,851	3	0.3	0.0- 0.7	227	40.0	34.7-45.3	344	59.6	54.3-64.9
Some Post-H.S.	498	92,132	4	0.5	0.0- 1.1	240	46.8	41.1-52.5	254	52.7	47.0-58.4
College Graduate	700	96,829	1	0.2	0.0- 0.6	306	40.9	36.2-45.6	393	58.9	54.2-63.6
Less than \$15,000	138	20,718	1	0.1	0.0- 0.3	62	42.7	31.3-54.1	75	57.2	45.8-68.6
\$15,000- 24,999	237	36,284	1	0.5	0.0- 1.5	100	40.2	32.0-48.4	136	59.3	51.1-67.5
\$25,000- 34,999	147	23,320	2	0.6	0.0- 1.4	66	48.2	37.4-59.0	79	51.2	40.4-62.0
\$35,000- 49,999	198	30,543	1	0.5	0.0- 1.5	83	39.0	30.4-47.6	114	60.6	52.0-69.2
\$50,000- 74,999	236	40,970				100	39.0	30.6-47.4	136	61.0	52.6-69.4
\$75,000+	602	105,389	1	0.2	0.0- 0.6	234	39.1	34.2-44.0	367	60.7	55.8-65.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 20: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	841	147,895	4	0.3	0.0- 0.7	383	44.7	40.4-49.0	454	55.0	50.7-59.3
White/Non-Hisp	639	105,804	3	0.3	0.0- 0.7	292	43.7	39.0-48.4	344	56.0	51.3-60.7
Black or Afr. Am./Non-Hisp	93	27,789				35	44.8	32.1-57.5	58	55.2	42.5-67.9
50-54	140	27,377				48	35.4	25.4-45.4	92	64.6	54.6-74.6
55-64	355	63,018	3	0.4	0.0- 1.0	143	41.6	34.7-48.5	209	57.9	51.0-64.8
65+	346	57,500	1	0.3	0.0- 0.9	192	52.5	45.8-59.2	153	47.2	40.5-53.9
Less Than H.S.	66	14,067				31	51.3	35.8-66.8	35	48.7	33.2-64.2
H.S. or G.E.D.	253	49,316	3	0.7	0.0- 1.7	87	35.9	27.7-44.1	163	63.4	55.2-71.6
Some Post-H.S.	209	39,308	1	0.2	0.0- 0.6	112	52.4	44.0-60.8	96	47.4	39.0-55.8
College Graduate	312	44,969				152	45.3	38.2-52.4	160	54.7	47.6-61.8
Less than \$15,000	54	7,092	1	0.3	0.0- 0.9	22	33.0	18.3-47.7	31	66.7	52.0-81.4
\$15,000- 24,999	97	16,856				43	46.7	33.8-59.6	54	53.3	40.4-66.2
\$25,000- 34,999	55	9,864	1	0.8	0.0- 2.4	26	45.7	28.3-63.1	28	53.5	36.1-70.9
\$35,000- 49,999	76	10,511				38	52.8	38.7-66.9	38	47.2	33.1-61.3
\$50,000- 74,999	110	20,072				41	37.3	24.4-50.2	69	62.7	49.8-75.6
\$75,000+	322	58,138	1	0.3	0.0- 0.9	136	42.0	35.1-48.9	185	57.7	50.8-64.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 21: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1066	171,047	4	0.3	0.0- 0.7	455	41.9	38.0-45.8	607	57.7	53.8-61.6
White/Non-Hisp	780	121,731	3	0.3	0.0- 0.7	325	40.5	36.0-45.0	452	59.2	54.7-63.7
Black or Afr. Am./Non-Hisp	171	34,276	1	0.5	0.0- 1.5	76	45.9	35.7-56.1	94	53.6	43.4-63.8
Hispanic	51	4,792				24	42.2	25.1-59.3	27	57.8	40.7-74.9
50-54	180	29,840				53	25.2	17.6-32.8	127	74.8	67.2-82.4
55-64	445	71,123	1	0.2	0.0- 0.6	179	39.3	33.2-45.4	265	60.5	54.4-66.6
65+	441	70,083	3	0.5	0.0- 1.1	223	51.8	45.5-58.1	215	47.7	41.4-54.0
Less Than H.S.	64	11,197				30	50.6	34.7-66.5	34	49.4	33.5-65.3
H.S. or G.E.D.	321	54,535				140	43.7	36.6-50.8	181	56.3	49.2-63.4
Some Post-H.S.	289	52,823	3	0.8	0.0- 1.8	128	42.6	34.8-50.4	158	56.7	48.9-64.5
College Graduate	388	51,860	1	0.3	0.0- 0.9	154	37.1	31.0-43.2	233	62.6	56.5-68.7
Less than \$15,000	84	13,627				40	47.7	32.6-62.8	44	52.3	37.2-67.4
\$15,000- 24,999	140	19,428	1	0.9	0.0- 2.7	57	34.7	24.9-44.5	82	64.4	54.6-74.2
\$25,000- 34,999	92	13,456	1	0.5	0.0- 1.5	40	50.1	36.6-63.6	51	49.4	35.9-62.9
\$35,000- 49,999	122	20,032	1	0.7	0.0- 2.1	45	31.7	21.5-41.9	76	67.6	57.2-78.0
\$50,000- 74,999	126	20,899				59	40.6	29.4-51.8	67	59.4	48.2-70.6
\$75,000+	280	47,251				98	35.7	28.4-43.0	182	64.3	57.0-71.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 22: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received one or more of the recommended CRC tests within the recommended time interval			Did not receive one or more of the recommended CRC tests within the recommended time interval			Have never received any of the recommended CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1637	275,028	1269	77.2	74.5-79.9	107	6.4	4.8- 8.0	261	16.5	14.1-18.9
Male	721	126,485	563	77.7	73.8-81.6	44	5.8	3.8- 7.8	114	16.6	13.1-20.1
Female	916	148,543	706	76.8	73.1-80.5	63	6.8	4.6- 9.0	147	16.4	13.3-19.5
White/Non-Hisp	1246	200,881	976	77.4	74.5-80.3	79	6.2	4.4- 8.0	191	16.3	13.6-19.0
Black or Afr. Am./Non-Hisp	217	51,665	169	79.7	73.0-86.4	13	5.2	1.7- 8.7	35	15.0	8.9-21.1
Hispanic	73	7,179	39	51.4	37.1-65.7	12	18.4	7.8-29.0	22	30.3	16.8-43.8
50-54	262	46,867	142	54.0	46.4-61.6	16	7.4	3.1-11.7	104	38.6	31.2-46.0
55-64	674	114,543	529	77.1	73.0-81.2	42	6.2	3.8- 8.6	103	16.7	13.0-20.4
65+	701	113,618	598	86.8	83.7-89.9	49	6.1	3.9- 8.3	54	7.1	4.6- 9.6
Less Than H.S.	98	17,602	56	55.7	43.2-68.2	11	15.0	4.8-25.2	31	29.3	18.5-40.1
H.S. or G.E.D.	481	88,264	359	76.2	71.3-81.1	33	5.3	2.9- 7.7	89	18.5	14.0-23.0
Some Post-H.S.	435	81,652	344	80.3	75.6-85.0	28	5.5	3.1- 7.9	63	14.2	9.9-18.5
College Graduate	620	86,988	508	79.5	75.2-83.8	35	6.5	3.8- 9.2	77	14.0	10.3-17.7
Less than \$15,000	117	18,416	79	62.0	49.3-74.7	13	12.4	3.4-21.4	25	25.5	13.7-37.3
\$15,000- 24,999	213	33,230	150	70.4	62.2-78.6	14	5.9	2.2- 9.6	49	23.7	16.1-31.3
\$25,000- 34,999	130	20,570	101	82.7	75.4-90.0	7	3.3	0.0- 6.6	22	14.0	7.3-20.7
\$35,000- 49,999	169	25,148	124	77.0	69.2-84.8	16	7.1	2.6-11.6	29	15.9	9.0-22.8
\$50,000- 74,999	211	36,932	176	81.2	74.5-87.9	9	5.3	1.0- 9.6	26	13.5	8.0-19.0
\$75,000+	555	98,478	441	78.5	74.2-82.8	36	6.3	3.9- 8.7	78	15.2	11.3-19.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 23: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received one or more of the recommended CRC tests within the recommended time interval			Did not receive one or more of the recommended CRC tests within the recommended time interval			Have never received any of the recommended CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	721	126,485	563	77.7	73.8-81.6	44	5.8	3.8- 7.8	114	16.6	13.1-20.1
White/Non-Hisp	553	91,569	438	77.3	72.8-81.8	35	6.7	4.2- 9.2	80	16.0	12.1-19.9
Black or Afr. Am./Non-Hisp	82	23,963	66	82.5	72.5-92.5	3	2.3	0.0- 5.6	13	15.2	5.6-24.8
50-54	112	21,186	58	51.7	40.3-63.1	5	6.0	0.5-11.5	49	42.3	30.9-53.7
55-64	301	53,790	241	78.9	72.8-85.0	20	5.7	2.6- 8.8	40	15.4	9.7-21.1
65+	308	51,509	264	87.0	82.7-91.3	19	5.8	2.7- 8.9	25	7.2	4.1-10.3
H.S. or G.E.D.	217	42,464	162	75.5	68.2-82.8	14	5.5	2.2- 8.8	41	19.0	12.1-25.9
Some Post-H.S.	186	35,700	148	80.9	74.0-87.8	12	5.8	1.9- 9.7	26	13.3	7.4-19.2
College Graduate	271	39,312	229	82.2	75.9-88.5	14	5.6	1.9- 9.3	28	12.2	6.7-17.7
\$15,000- 24,999	89	15,461	61	71.0	58.5-83.5	8	6.5	1.2-11.8	20	22.4	10.2-34.6
\$35,000- 49,999	64	8,208	45	70.6	56.1-85.1	6	10.3	0.0-21.5	13	19.1	7.5-30.7
\$50,000- 74,999	99	17,770	82	83.2	74.8-91.6	5	4.9	0.4- 9.4	12	11.9	4.6-19.2
\$75,000+	299	54,273	246	80.5	74.6-86.4	14	5.1	2.0- 8.2	39	14.5	9.2-19.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 24: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received one or more of the recommended CRC tests within the recommended time interval			Did not receive one or more of the recommended CRC tests within the recommended time interval			Have never received any of the recommended CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	916	148,543	706	76.8	73.1-80.5	63	6.8	4.6- 9.0	147	16.4	13.3-19.5
White/Non-Hisp	693	109,312	538	77.5	73.4-81.6	44	5.9	3.5- 8.3	111	16.6	12.9-20.3
Black or Afr. Am./Non-Hisp	135	27,702	103	77.3	68.1-86.5	10	7.8	1.7-13.9	22	14.9	7.3-22.5
50-54	150	25,682	84	55.9	45.5-66.3	11	8.6	2.1-15.1	55	35.5	25.7-45.3
55-64	373	60,752	288	75.4	69.7-81.1	22	6.7	3.2-10.2	63	17.9	13.0-22.8
65+	393	62,109	334	86.7	82.2-91.2	30	6.3	3.6- 9.0	29	7.1	3.4-10.8
Less Than H.S.	51	8,593	32	56.7	38.9-74.5	7	22.2	4.8-39.6	12	21.1	7.6-34.6
H.S. or G.E.D.	264	45,800	197	76.9	70.6-83.2	19	5.2	2.1- 8.3	48	18.0	12.1-23.9
Some Post-H.S.	249	45,951	196	79.9	73.2-86.6	16	5.2	2.3- 8.1	37	14.9	8.8-21.0
College Graduate	349	47,676	279	77.2	71.1-83.3	21	7.3	3.2-11.4	49	15.4	10.3-20.5
Less than \$15,000	71	12,194	45	62.7	46.0-79.4	10	15.5	2.6-28.4	16	21.7	7.0-36.4
\$15,000- 24,999	124	17,769	89	69.9	59.1-80.7	6	5.3	0.0-10.8	29	24.8	14.8-34.8
\$25,000- 34,999	83	11,858	67	86.1	78.3-93.9	6	4.7	0.0-10.0	10	9.2	3.3-15.1
\$35,000- 49,999	105	16,940	79	80.1	70.9-89.3	10	5.6	1.7- 9.5	16	14.3	5.7-22.9
\$50,000- 74,999	112	19,161	94	79.3	69.1-89.5	4	5.7	0.0-12.8	14	15.0	6.6-23.4
\$75,000+	256	44,204	195	76.1	69.6-82.6	22	7.8	4.1-11.5	39	16.1	10.4-21.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	174
2	MALES ONLY	175
3	FEMALES ONLY	176

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 18: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3351	655,187	1385	43.4	41.0-45.8	1966	56.6	54.2-59.0
Male	1495	313,699	591	42.3	38.8-45.8	904	57.7	54.2-61.2
Female	1856	341,488	794	44.4	41.3-47.5	1062	55.6	52.5-58.7
White/Non-Hisp	2213	417,014	821	36.9	34.2-39.6	1392	63.1	60.4-65.8
Black or Afr. Am./Non-Hisp	429	132,659	257	60.3	53.8-66.8	172	39.7	33.2-46.2
Oth. Race/Non-Hisp.	107	23,992	46	44.4	31.3-57.5	61	55.6	42.5-68.7
MultiRacial/Non-Hisp.	80	13,559	44	57.7	41.0-74.4	36	42.3	25.6-59.0
Hispanic	460	55,447	187	46.3	38.9-53.7	273	53.7	46.3-61.1
18-24	236	74,500	63	30.5	21.7-39.3	173	69.5	60.7-78.3
25-34	397	109,733	213	56.8	50.1-63.5	184	43.2	36.5-49.9
35-44	459	96,447	266	57.9	51.8-64.0	193	42.1	36.0-48.2
45-54	518	97,277	292	55.3	49.8-60.8	226	44.7	39.2-50.2
55-64	666	112,127	289	44.7	39.8-49.6	377	55.3	50.4-60.2
65+	1075	165,103	262	23.9	20.2-27.6	813	76.1	72.4-79.8
Less Than H.S.	379	69,208	147	46.4	38.4-54.4	232	53.6	45.6-61.6
H.S. or G.E.D.	938	197,786	373	41.8	37.5-46.1	565	58.2	53.9-62.5
Some Post-H.S.	855	191,502	374	43.8	39.1-48.5	481	56.2	51.5-60.9
College Graduate	1172	195,692	490	43.6	39.7-47.5	682	56.4	52.5-60.3
Less than \$15,000	298	44,617	124	39.6	31.4-47.8	174	60.4	52.2-68.6
\$15,000- 24,999	463	78,766	226	50.5	44.4-56.6	237	49.5	43.4-55.6
\$25,000- 34,999	287	58,183	120	48.1	39.5-56.7	167	51.9	43.3-60.5
\$35,000- 49,999	339	65,231	143	39.5	32.4-46.6	196	60.5	53.4-67.6
\$50,000- 74,999	423	86,284	169	45.4	38.7-52.1	254	54.6	47.9-61.3
\$75,000+	999	221,613	431	45.4	41.1-49.7	568	54.6	50.3-58.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1495	313,699	591	42.3	38.8-45.8	904	57.7	54.2-61.2
White/Non-Hisp	1002	198,516	369	36.3	32.4-40.2	633	63.7	59.8-67.6
Black or Afr. Am./Non-Hisp	156	61,386	88	57.6	47.2-68.0	68	42.4	32.0-52.8
Oth. Race/Non-Hisp.	50	11,869	24	53.9	33.9-73.9	26	46.1	26.1-66.1
Hispanic	214	28,166	75	42.8	32.4-53.2	139	57.2	46.8-67.6
18-24	127	37,934	27	24.8	13.4-36.2	100	75.2	63.8-86.6
25-34	174	55,684	88	55.1	44.9-65.3	86	44.9	34.7-55.1
35-44	207	48,422	107	50.0	41.0-59.0	100	50.0	41.0-59.0
45-54	224	45,877	126	56.4	48.2-64.6	98	43.6	35.4-51.8
55-64	298	52,636	116	43.8	36.2-51.4	182	56.2	48.6-63.8
65+	465	73,147	127	26.6	20.5-32.7	338	73.4	67.3-79.5
Less Than H.S.	180	36,833	64	44.5	33.3-55.7	116	55.5	44.3-66.7
H.S. or G.E.D.	439	102,635	177	42.5	36.0-49.0	262	57.5	51.0-64.0
Some Post-H.S.	363	86,371	159	45.4	38.1-52.7	204	54.6	47.3-61.9
College Graduate	511	87,610	191	38.1	32.0-44.2	320	61.9	55.8-68.0
Less than \$15,000	125	18,903	43	33.3	20.8-45.8	82	66.7	54.2-79.2
\$15,000- 24,999	169	30,863	74	48.7	38.3-59.1	95	51.3	40.9-61.7
\$25,000- 34,999	123	30,642	57	53.6	40.5-66.7	66	46.4	33.3-59.5
\$35,000- 49,999	142	25,853	52	32.2	22.4-42.0	90	67.8	58.0-77.6
\$50,000- 74,999	203	43,502	76	44.3	34.7-53.9	127	55.7	46.1-65.3
\$75,000+	524	118,621	220	45.5	39.6-51.4	304	54.5	48.6-60.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1856	341,488	794	44.4	41.3-47.5	1062	55.6	52.5-58.7
White/Non-Hisp	1211	218,498	452	37.6	34.1-41.1	759	62.4	58.9-65.9
Black or Afr. Am./Non-Hisp	273	71,273	169	62.7	54.7-70.7	104	37.3	29.3-45.3
Oth. Race/Non-Hisp.	57	12,123	22	35.2	19.5-50.9	35	64.8	49.1-80.5
Hispanic	246	27,281	112	49.9	39.3-60.5	134	50.1	39.5-60.7
18-24	109	36,566	36	36.4	23.3-49.5	73	63.6	50.5-76.7
25-34	223	54,050	125	58.5	49.7-67.3	98	41.5	32.7-50.3
35-44	252	48,026	159	65.9	58.1-73.7	93	34.1	26.3-41.9
45-54	294	51,400	166	54.3	46.9-61.7	128	45.7	38.3-53.1
55-64	368	59,491	173	45.4	38.9-51.9	195	54.6	48.1-61.1
65+	610	91,956	135	21.7	17.4-26.0	475	78.3	74.0-82.6
Less Than H.S.	199	32,375	83	48.5	37.3-59.7	116	51.5	40.3-62.7
H.S. or G.E.D.	499	95,151	196	41.1	35.0-47.2	303	58.9	52.8-65.0
Some Post-H.S.	492	105,131	215	42.4	36.5-48.3	277	57.6	51.7-63.5
College Graduate	661	108,082	299	48.0	42.7-53.3	362	52.0	46.7-57.3
Less than \$15,000	173	25,714	81	44.2	33.6-54.8	92	55.8	45.2-66.4
\$15,000- 24,999	294	47,903	152	51.6	44.2-59.0	142	48.4	41.0-55.8
\$25,000- 34,999	164	27,541	63	42.0	31.6-52.4	101	58.0	47.6-68.4
\$35,000- 49,999	197	39,378	91	44.4	34.8-54.0	106	55.6	46.0-65.2
\$50,000- 74,999	220	42,782	93	46.6	37.4-55.8	127	53.4	44.2-62.6
\$75,000+	475	102,992	211	45.3	39.2-51.4	264	54.7	48.6-60.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2020**

End of Calculated Variable Data Report