

DELAWARE

2021 Calculated Variables Report

Behavioral Risk Factor Surveillance System

August 11, 2022



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3635	796,709	3069	85.4	83.8-87.0	566	14.6	13.0-16.2
Male	1625	380,695	1394	85.7	83.3-88.1	231	14.3	11.9-16.7
Female	2010	416,014	1675	85.1	83.1-87.1	335	14.9	12.9-16.9
White/Non-Hisp	2468	498,701	2100	85.8	84.0-87.6	368	14.2	12.4-16.0
Black or Afr. Am./Non-Hisp	553	165,774	456	83.7	79.6-87.8	97	16.3	12.2-20.4
Oth. Race/Non-Hisp.	122	37,223	107	94.2	90.7-97.7	15	5.8	2.3- 9.3
MultiRacial/Non-Hisp.	76	11,147	60	85.7	77.1-94.3	16	14.3	5.7-22.9
Hispanic	332	66,108	279	82.3	76.6-88.0	53	17.7	12.0-23.4
18-24	210	87,192	198	93.6	89.7-97.5	12	6.4	2.5-10.3
25-34	373	126,649	332	88.9	84.8-93.0	41	11.1	7.0-15.2
35-44	488	120,374	420	83.9	79.0-88.8	68	16.1	11.2-21.0
45-54	564	116,671	480	86.1	82.6-89.6	84	13.9	10.4-17.4
55-64	750	138,393	625	84.8	81.7-87.9	125	15.2	12.1-18.3
65+	1250	207,430	1014	80.6	77.7-83.5	236	19.4	16.5-22.3
Less Than H.S.	234	79,093	167	74.9	67.8-82.0	67	25.1	18.0-32.2
H.S. or G.E.D.	926	250,133	739	82.4	79.3-85.5	187	17.6	14.5-20.7
Some Post-H.S.	956	225,630	786	84.9	82.2-87.6	170	15.1	12.4-17.8
College Graduate	1490	236,006	1354	92.6	91.0-94.2	136	7.4	5.8- 9.0
Less than \$15,000	137	28,709	84	62.6	51.6-73.6	53	37.4	26.4-48.4
\$15,000-24,999	285	61,369	189	71.4	64.0-78.8	96	28.6	21.2-36.0
\$25,000-34,999	373	78,328	305	83.1	78.0-88.2	68	16.9	11.8-22.0
\$35,000-49,999	374	85,224	305	79.0	72.9-85.1	69	21.0	14.9-27.1
\$50,000-99,999	936	192,898	830	89.5	87.0-92.0	106	10.5	8.0-13.0
\$100,000-199,999	605	137,029	567	94.1	91.9-96.3	38	5.9	3.7- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1625	380,695	1394	85.7	83.3-88.1	231	14.3	11.9-16.7
White/Non-Hisp	1105	236,263	957	86.4	83.7-89.1	148	13.6	10.9-16.3
Black or Afr. Am./Non-Hisp	209	75,576	171	83.4	76.9-89.9	38	16.6	10.1-23.1
Oth. Race/Non-Hisp.	70	19,911	61	92.3	86.4-98.2	9	7.7	1.8-13.6
Hispanic	156	31,058	132	80.5	72.1-88.9	24	19.5	11.1-27.9
18-24	115	44,144	110	95.4	91.3-99.5	5	4.6	0.5- 8.7
25-34	176	63,813	159	89.3	83.2-95.4	17	10.7	4.6-16.8
35-44	219	59,106	191	83.5	76.1-90.9	28	16.5	9.1-23.9
45-54	241	55,880	213	89.3	85.0-93.6	28	10.7	6.4-15.0
55-64	345	64,836	288	84.5	79.8-89.2	57	15.5	10.8-20.2
65+	529	92,916	433	78.9	74.2-83.6	96	21.1	16.4-25.8
Less Than H.S.	125	43,278	92	73.7	64.1-83.3	33	26.3	16.7-35.9
H.S. or G.E.D.	423	122,915	341	82.6	77.9-87.3	82	17.4	12.7-22.1
Some Post-H.S.	404	100,521	349	86.7	82.6-90.8	55	13.3	9.2-17.4
College Graduate	652	109,373	596	93.3	91.1-95.5	56	6.7	4.5- 8.9
\$15,000- 24,999	120	28,537	88	71.4	60.4-82.4	32	28.6	17.6-39.6
\$25,000- 34,999	155	35,427	127	81.8	73.6-90.0	28	18.2	10.0-26.4
\$35,000- 49,999	152	40,763	122	73.3	62.9-83.7	30	26.7	16.3-37.1
\$50,000- 99,999	418	93,020	365	87.7	83.8-91.6	53	12.3	8.4-16.2
\$100,000 - 199,999	304	75,379	290	96.8	94.8-98.8	14	3.2	1.2- 5.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2010	416,014	1675	85.1	83.1-87.1	335	14.9	12.9-16.9
White/Non-Hisp	1363	262,438	1143	85.4	83.0-87.8	220	14.6	12.2-17.0
Black or Afr. Am./Non-Hisp	344	90,198	285	83.9	78.6-89.2	59	16.1	10.8-21.4
Oth. Race/Non-Hisp.	52	17,312	46	96.4	93.1-99.7	6	3.6	0.3- 6.9
Hispanic	176	35,049	147	83.9	76.6-91.2	29	16.1	8.8-23.4
18-24	95	43,048	88	91.8	85.1-98.5	7	8.2	1.5-14.9
25-34	197	62,836	173	88.6	83.3-93.9	24	11.4	6.1-16.7
35-44	269	61,268	229	84.4	78.1-90.7	40	15.6	9.3-21.9
45-54	323	60,791	267	83.3	78.0-88.6	56	16.7	11.4-22.0
55-64	405	73,557	337	85.1	80.8-89.4	68	14.9	10.6-19.2
65+	721	114,514	581	82.0	78.5-85.5	140	18.0	14.5-21.5
Less Than H.S.	109	35,815	75	76.4	66.4-86.4	34	23.6	13.6-33.6
H.S. or G.E.D.	503	127,218	398	82.3	78.0-86.6	105	17.7	13.4-22.0
Some Post-H.S.	552	125,109	437	83.5	79.8-87.2	115	16.5	12.8-20.2
College Graduate	838	126,633	758	92.0	89.6-94.4	80	8.0	5.6-10.4
Less than \$15,000	92	18,909	57	60.5	46.6-74.4	35	39.5	25.6-53.4
\$15,000- 24,999	165	32,832	101	71.3	61.3-81.3	64	28.7	18.7-38.7
\$25,000- 34,999	218	42,900	178	84.2	77.9-90.5	40	15.8	9.5-22.1
\$35,000- 49,999	222	44,461	183	84.1	78.0-90.2	39	15.9	9.8-22.0
\$50,000- 99,999	518	99,879	465	91.2	88.3-94.1	53	8.8	5.9-11.7
\$100,000 - 199,999	301	61,650	277	90.8	86.5-95.1	24	9.2	4.9-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3578	783,468	2439	68.2	66.0-70.4	722	20.9	18.9-22.9	417	10.9	9.5-12.3
Male	1600	374,544	1126	69.9	66.8-73.0	310	20.3	17.6-23.0	164	9.8	7.8-11.8
Female	1978	408,924	1313	66.7	63.8-69.6	412	21.4	18.9-23.9	253	11.9	9.9-13.9
White/Non-Hisp	2434	490,471	1637	67.6	65.1-70.1	499	20.8	18.4-23.2	298	11.6	9.8-13.4
Black or Afr. Am./Non-Hisp	541	163,068	363	64.4	58.9-69.9	123	25.8	20.7-30.9	55	9.9	6.8-13.0
Oth. Race/Non-Hisp.	120	37,129	96	79.0	69.2-88.8	13	9.4	3.3-15.5	11	11.5	3.1-19.9
MultiRacial/Non-Hisp.	75	10,974	44	61.2	47.5-74.9	17	24.8	12.6-37.0	14	14.0	4.4-23.6
Hispanic	325	64,496	239	77.0	71.1-82.9	55	14.9	10.0-19.8	31	8.1	4.6-11.6
18-24	205	85,837	156	68.8	60.0-77.6	41	26.6	18.0-35.2	8	4.7	1.2- 8.2
25-34	369	125,448	255	68.0	61.9-74.1	92	25.1	19.4-30.8	22	6.9	3.4-10.4
35-44	478	117,611	330	68.0	62.1-73.9	103	22.2	16.9-27.5	45	9.9	6.2-13.6
45-54	555	114,336	367	69.7	65.0-74.4	127	21.1	17.0-25.2	61	9.2	6.5-11.9
55-64	738	136,695	476	64.5	60.0-69.0	148	19.1	15.4-22.8	114	16.4	12.7-20.1
65+	1233	203,540	855	70.0	66.7-73.3	211	16.1	13.6-18.6	167	13.9	11.4-16.4
Less Than H.S.	229	78,281	149	65.7	57.7-73.7	32	14.6	8.5-20.7	48	19.7	13.4-26.0
H.S. or G.E.D.	911	246,500	612	67.4	63.1-71.7	168	20.5	16.6-24.4	131	12.1	9.4-14.8
Some Post-H.S.	939	220,501	610	64.6	60.5-68.7	205	23.8	20.1-27.5	124	11.6	9.1-14.1
College Graduate	1470	232,339	1048	73.3	70.6-76.0	310	20.6	18.1-23.1	112	6.1	4.7- 7.5
Less than \$15,000	134	27,726	72	56.3	44.9-67.7	22	14.6	7.2-22.0	40	29.1	18.5-39.7
\$15,000-24,999	281	60,741	155	59.5	51.5-67.5	53	20.2	13.1-27.3	73	20.3	14.6-26.0
\$25,000-34,999	366	76,579	226	61.9	55.2-68.6	85	22.2	16.5-27.9	55	15.9	10.8-21.0
\$35,000-49,999	367	83,519	237	61.1	53.5-68.7	79	24.0	16.7-31.3	51	14.9	9.4-20.4
\$50,000-99,999	920	189,309	643	70.3	66.2-74.4	204	22.1	18.4-25.8	73	7.6	5.2-10.0
\$100,000-199,999	603	136,575	449	73.5	68.8-78.2	120	21.5	17.0-26.0	34	5.0	3.0- 7.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1600	374,544	1126	69.9	66.8-73.0	310	20.3	17.6-23.0	164	9.8	7.8-11.8
White/Non-Hisp	1093	233,081	772	70.5	66.8-74.2	207	19.3	16.0-22.6	114	10.1	7.7-12.5
Black or Afr. Am./Non-Hisp	204	74,160	129	63.6	55.4-71.8	50	27.3	19.3-35.3	25	9.2	4.9-13.5
Oth. Race/Non-Hisp.	67	19,265	51	67.0	51.7-82.3	9	15.7	4.9-26.5	7	17.3	3.0-31.6
Hispanic	154	30,825	118	82.1	75.0-89.2	25	11.6	5.9-17.3	11	6.4	2.1-10.7
18-24	114	44,002	87	69.6	58.0-81.2	25	28.7	17.1-40.3	2	1.7	0.0- 4.1
25-34	175	63,450	126	69.3	60.7-77.9	39	23.9	16.1-31.7	10	6.8	1.7-11.9
35-44	215	57,853	151	68.9	60.5-77.3	48	22.1	14.5-29.7	16	9.0	3.5-14.5
45-54	240	55,497	169	72.2	65.5-78.9	52	20.0	14.1-25.9	19	7.8	4.1-11.5
55-64	338	63,730	223	67.5	61.0-74.0	64	16.5	12.0-21.0	51	16.0	10.5-21.5
65+	518	90,011	370	71.5	66.6-76.4	82	15.4	11.3-19.5	66	13.1	9.6-16.6
Less Than H.S.	120	42,097	79	66.4	56.0-76.8	19	14.0	6.2-21.8	22	19.6	11.0-28.2
H.S. or G.E.D.	418	121,235	290	69.5	63.6-75.4	74	19.6	14.3-24.9	54	10.9	7.2-14.6
Some Post-H.S.	398	98,680	274	66.3	60.0-72.6	80	24.1	18.0-30.2	44	9.5	6.2-12.8
College Graduate	643	107,923	468	74.7	70.6-78.8	132	20.0	16.1-23.9	43	5.3	3.5- 7.1
\$15,000- 24,999	120	28,537	73	63.7	52.5-74.9	25	20.2	10.6-29.8	22	16.1	8.1-24.1
\$25,000- 34,999	149	33,699	90	59.2	48.8-69.6	31	22.2	13.2-31.2	28	18.5	10.7-26.3
\$35,000- 49,999	150	40,168	100	62.8	52.0-73.6	27	19.7	10.3-29.1	23	17.5	8.9-26.1
\$50,000- 99,999	411	91,752	289	70.0	63.7-76.3	91	22.9	17.0-28.8	31	7.0	3.7-10.3
\$100,000 - 199,999	304	75,379	232	75.5	69.0-82.0	57	21.1	14.6-27.6	15	3.4	1.4- 5.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1978	408,924	1313	66.7	63.8-69.6	412	21.4	18.9-23.9	253	11.9	9.9-13.9
White/Non-Hisp	1341	257,390	865	64.9	61.4-68.4	292	22.2	18.9-25.5	184	12.9	10.5-15.3
Black or Afr. Am./Non-Hisp	337	88,908	234	65.0	57.9-72.1	73	24.5	17.8-31.2	30	10.5	5.8-15.2
Oth. Race/Non-Hisp.	53	17,864	45	92.0	84.7-99.3	4	2.6	0.0- 5.5	4	5.4	0.0-12.1
Hispanic	171	33,671	121	72.3	63.5-81.1	30	18.0	10.4-25.6	20	9.7	4.4-15.0
18-24	91	41,834	69	67.9	54.8-81.0	16	24.4	11.7-37.1	6	7.8	1.1-14.5
25-34	194	61,998	129	66.7	58.1-75.3	53	26.3	18.5-34.1	12	7.0	2.3-11.7
35-44	263	59,758	179	67.0	59.0-75.0	55	22.3	15.0-29.6	29	10.7	5.4-16.0
45-54	315	58,839	198	67.4	60.9-73.9	75	22.1	16.6-27.6	42	10.5	6.4-14.6
55-64	400	72,965	253	61.8	55.3-68.3	84	21.4	15.9-26.9	63	16.7	11.6-21.8
65+	715	113,529	485	68.8	64.3-73.3	129	16.7	13.4-20.0	101	14.5	11.0-18.0
Less Than H.S.	109	36,184	70	64.8	52.5-77.1	13	15.3	5.9-24.7	26	19.9	10.5-29.3
H.S. or G.E.D.	493	125,265	322	65.3	59.2-71.4	94	21.3	15.6-27.0	77	13.3	9.4-17.2
Some Post-H.S.	541	121,820	336	63.1	57.8-68.4	125	23.5	18.8-28.2	80	13.3	9.6-17.0
College Graduate	827	124,416	580	72.1	68.4-75.8	178	21.1	17.6-24.6	69	6.8	4.8- 8.8
Less than \$15,000	92	18,601	49	55.2	41.3-69.1	16	15.8	6.2-25.4	27	29.0	15.9-42.1
\$15,000- 24,999	161	32,204	82	55.9	44.1-67.7	28	20.2	9.8-30.6	51	23.9	15.5-32.3
\$25,000- 34,999	217	42,880	136	64.0	55.4-72.6	54	22.3	15.0-29.6	27	13.8	7.1-20.5
\$35,000- 49,999	217	43,351	137	59.6	49.0-70.2	52	27.9	17.1-38.7	28	12.5	6.0-19.0
\$50,000- 99,999	509	97,558	354	70.5	65.2-75.8	113	21.3	16.6-26.0	42	8.2	4.9-11.5
\$100,000 - 199,999	299	61,197	217	71.0	64.1-77.9	63	21.9	15.6-28.2	19	7.1	3.4-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3571	782,218	2311	63.0	60.8-65.2	830	24.1	22.1-26.1	430	13.0	11.4-14.6
Male	1593	373,142	1146	69.3	66.2-72.4	313	21.4	18.7-24.1	134	9.3	7.1-11.5
Female	1978	409,076	1165	57.2	54.3-60.1	517	26.5	23.8-29.2	296	16.3	13.9-18.7
White/Non-Hisp	2422	489,339	1566	62.4	59.9-64.9	564	24.0	21.6-26.4	292	13.6	11.6-15.6
Black or Afr. Am./Non-Hisp	541	162,102	350	62.5	57.0-68.0	129	25.1	20.4-29.8	62	12.5	8.6-16.4
Oth. Race/Non-Hisp.	121	37,432	77	64.8	53.6-76.0	33	30.1	19.3-40.9	11	5.1	1.4- 8.8
MultiRacial/Non-Hisp.	75	10,974	37	54.2	40.1-68.3	24	31.9	18.8-45.0	14	13.9	5.3-22.5
Hispanic	328	64,659	225	66.8	59.9-73.7	66	19.6	14.3-24.9	37	13.6	8.1-19.1
18-24	207	86,327	98	44.4	36.0-52.8	79	35.0	27.0-43.0	30	20.6	12.6-28.6
25-34	363	123,712	172	48.7	42.2-55.2	125	32.1	26.4-37.8	66	19.1	14.0-24.2
35-44	478	117,880	281	61.0	55.1-66.9	122	24.7	19.6-29.8	75	14.3	10.2-18.4
45-54	556	113,879	363	66.9	61.8-72.0	123	22.5	17.8-27.2	70	10.6	7.7-13.5
55-64	738	137,180	474	65.7	61.2-70.2	167	22.5	18.6-26.4	97	11.8	8.9-14.7
65+	1229	203,239	923	76.6	73.7-79.5	214	16.1	13.6-18.6	92	7.3	5.5- 9.1
Less Than H.S.	226	76,549	164	75.0	68.1-81.9	34	14.3	9.0-19.6	28	10.7	6.0-15.4
H.S. or G.E.D.	907	245,736	591	61.3	57.0-65.6	192	23.4	19.7-27.1	124	15.3	11.8-18.8
Some Post-H.S.	939	221,425	584	60.4	56.3-64.5	211	23.7	20.2-27.2	144	15.9	12.6-19.2
College Graduate	1471	232,747	954	63.0	59.9-66.1	388	28.7	25.8-31.6	129	8.3	6.5-10.1
Less than \$15,000	133	28,199	71	56.8	45.4-68.2	28	18.4	10.0-26.8	34	24.7	14.9-34.5
\$15,000-24,999	277	58,926	159	57.3	49.1-65.5	57	20.0	13.7-26.3	61	22.6	15.7-29.5
\$25,000-34,999	367	77,504	211	53.0	46.1-59.9	92	26.6	20.5-32.7	64	20.3	14.8-25.8
\$35,000-49,999	365	83,084	234	61.9	54.5-69.3	85	23.7	17.8-29.6	46	14.4	7.9-20.9
\$50,000-99,999	925	190,443	590	61.9	57.6-66.2	233	26.1	22.4-29.8	102	12.1	9.0-15.2
\$100,000-199,999	597	135,692	395	64.1	58.8-69.4	164	28.4	23.5-33.3	38	7.5	4.6-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1593	373,142	1146	69.3	66.2-72.4	313	21.4	18.7-24.1	134	9.3	7.1-11.5
White/Non-Hisp	1085	231,963	788	69.4	65.7-73.1	205	20.3	17.2-23.4	92	10.2	7.5-12.9
Black or Afr. Am./Non-Hisp	203	73,702	139	69.2	61.0-77.4	44	22.2	14.9-29.5	20	8.6	3.3-13.9
Oth. Race/Non-Hisp.	69	19,769	45	58.7	43.8-73.6	18	35.0	20.1-49.9	6	6.3	0.0-12.6
Hispanic	153	30,112	116	73.7	64.5-82.9	29	19.8	11.8-27.8	8	6.5	0.6-12.4
18-24	113	43,781	58	48.0	36.4-59.6	46	39.0	27.8-50.2	9	13.0	3.4-22.6
25-34	172	62,274	87	50.4	41.6-59.2	59	31.9	24.1-39.7	26	17.7	10.3-25.1
35-44	213	57,198	149	69.3	61.1-77.5	42	22.1	14.5-29.7	22	8.5	4.4-12.6
45-54	240	55,468	182	76.3	69.8-82.8	38	16.8	10.9-22.7	20	6.9	3.4-10.4
55-64	338	63,751	252	77.4	71.9-82.9	57	14.6	10.1-19.1	29	7.9	4.2-11.6
65+	517	90,671	418	82.6	78.7-86.5	71	12.7	9.2-16.2	28	4.7	2.7- 6.7
Less Than H.S.	118	41,402	91	80.4	72.4-88.4	17	12.5	6.0-19.0	10	7.1	2.0-12.2
H.S. or G.E.D.	412	119,958	282	65.0	58.9-71.1	87	24.0	18.5-29.5	43	11.0	6.9-15.1
Some Post-H.S.	397	98,544	277	65.3	59.0-71.6	74	21.5	16.2-26.8	46	13.2	8.1-18.3
College Graduate	646	108,717	483	73.3	68.8-77.8	132	22.3	18.0-26.6	31	4.3	2.3- 6.3
\$15,000- 24,999	118	27,621	78	68.4	57.8-79.0	24	18.7	10.1-27.3	16	12.9	5.5-20.3
\$25,000- 34,999	149	34,072	84	51.9	41.5-62.3	39	29.2	19.2-39.2	26	18.9	10.9-26.9
\$35,000- 49,999	149	40,038	105	66.9	56.5-77.3	33	25.2	16.0-34.4	11	8.0	1.1-14.9
\$50,000- 99,999	412	92,144	299	68.6	62.1-75.1	83	21.8	16.3-27.3	30	9.6	4.7-14.5
\$100,000 - 199,999	301	74,631	225	72.3	65.4-79.2	62	22.2	15.9-28.5	14	5.6	1.5- 9.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

**TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1978	409,076	1165	57.2	54.3-60.1	517	26.5	23.8-29.2	296	16.3	13.9-18.7
White/Non-Hisp	1337	257,375	778	56.1	52.4-59.8	359	27.3	24.0-30.6	200	16.6	13.7-19.5
Black or Afr. Am./Non-Hisp	338	88,400	211	56.8	49.5-64.1	85	27.5	21.0-34.0	42	15.7	10.0-21.4
Oth. Race/Non-Hisp.	52	17,662	32	71.7	56.6-86.8	15	24.7	10.2-39.2	5	3.6	0.1- 7.1
Hispanic	175	34,547	109	60.7	50.7-70.7	37	19.5	12.2-26.8	29	19.8	11.2-28.4
18-24	94	42,546	40	40.7	28.5-52.9	33	30.9	19.5-42.3	21	28.5	16.0-41.0
25-34	191	61,438	85	47.0	37.4-56.6	66	32.4	24.0-40.8	40	20.6	13.3-27.9
35-44	265	60,683	132	53.1	44.9-61.3	80	27.2	20.3-34.1	53	19.7	13.0-26.4
45-54	316	58,412	181	57.9	50.6-65.2	85	28.0	21.1-34.9	50	14.1	9.4-18.8
55-64	400	73,429	222	55.5	49.0-62.0	110	29.3	23.2-35.4	68	15.2	10.9-19.5
65+	712	112,568	505	71.8	67.5-76.1	143	18.7	15.0-22.4	64	9.4	6.7-12.1
Less Than H.S.	108	35,147	73	68.6	57.0-80.2	17	16.4	7.6-25.2	18	15.0	6.8-23.2
H.S. or G.E.D.	495	125,778	309	57.8	51.7-63.9	105	22.9	17.6-28.2	81	19.3	14.0-24.6
Some Post-H.S.	542	122,881	307	56.4	50.9-61.9	137	25.5	20.6-30.4	98	18.1	13.8-22.4
College Graduate	825	124,031	471	53.9	49.6-58.2	256	34.2	30.1-38.3	98	11.9	9.0-14.8
Less than \$15,000	91	18,756	47	55.5	41.6-69.4	20	20.0	9.0-31.0	24	24.5	12.3-36.7
\$15,000- 24,999	159	31,305	81	47.6	35.6-59.6	33	21.2	12.2-30.2	45	31.3	20.5-42.1
\$25,000- 34,999	218	43,432	127	53.9	45.1-62.7	53	24.6	17.0-32.2	38	21.5	13.7-29.3
\$35,000- 49,999	216	43,046	129	57.3	46.9-67.7	52	22.3	14.9-29.7	35	20.4	10.0-30.8
\$50,000- 99,999	513	98,299	291	55.6	49.9-61.3	150	30.1	24.8-35.4	72	14.3	10.2-18.4
\$100,000 - 199,999	296	61,061	170	54.2	46.4-62.0	102	36.0	28.4-43.6	24	9.8	5.3-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)	
1 MALES AND FEMALES	14
2 MALES ONLY	15
3 FEMALES ONLY	16
RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)	
4 MALES AND FEMALES	17
5 MALES ONLY	18
6 FEMALES ONLY	19

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3511	763,849	3286	92.7	91.5-93.9	225	7.3	6.1- 8.5
Male	1560	363,253	1423	90.3	88.3-92.3	137	9.7	7.7-11.7
Female	1951	400,596	1863	95.0	93.6-96.4	88	5.0	3.6- 6.4
White/Non-Hisp	2394	479,971	2334	96.5	95.3-97.7	60	3.5	2.3- 4.7
Black or Afr. Am./Non-Hisp	529	157,881	512	95.6	93.2-98.0	17	4.4	2.0- 6.8
Oth. Race/Non-Hisp.	118	36,680	109	92.5	86.2-98.8	9	7.5	1.2-13.8
MultiRacial/Non-Hisp.	71	9,809	68	94.9	89.2- 100	3	5.1	0.0-10.8
Hispanic	326	65,524	195	58.4	51.0-65.8	131	41.6	34.2-49.0
18-24	181	74,510	147	86.8	81.3-92.3	34	13.2	7.7-18.7
25-34	365	124,199	302	82.8	77.9-87.7	63	17.2	12.3-22.1
35-44	477	116,708	410	90.1	87.2-93.0	67	9.9	7.0-12.8
45-54	539	111,513	510	94.3	91.6-97.0	29	5.7	3.0- 8.4
55-64	734	136,967	707	96.1	94.1-98.1	27	3.9	1.9- 5.9
65+	1215	199,951	1210	99.5	99.1-99.9	5	0.5	0.1- 0.9
Less Than H.S.	230	78,790	138	68.2	60.6-75.8	92	31.8	24.2-39.4
H.S. or G.E.D.	875	233,669	793	91.8	89.4-94.2	82	8.2	5.8-10.6
Some Post-H.S.	930	217,292	894	96.4	95.0-97.8	36	3.6	2.2- 5.0
College Graduate	1454	229,844	1441	98.7	97.7-99.7	13	1.3	0.3- 2.3
Less than \$15,000	133	28,057	103	73.6	62.6-84.6	30	26.4	15.4-37.4
\$15,000-24,999	279	58,664	228	84.4	79.3-89.5	51	15.6	10.5-20.7
\$25,000-34,999	361	76,215	323	88.0	83.1-92.9	38	12.0	7.1-16.9
\$35,000-49,999	365	82,898	339	89.5	84.4-94.6	26	10.5	5.4-15.6
\$50,000-99,999	923	190,016	903	97.2	95.6-98.8	20	2.8	1.2- 4.4
\$100,000-199,999	596	134,347	588	98.3	96.7-99.9	8	1.7	0.1- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1560	363,253	1423	90.3	88.3-92.3	137	9.7	7.7-11.7
White/Non-Hisp	1067	226,385	1024	94.3	92.1-96.5	43	5.7	3.5- 7.9
Black or Afr. Am./Non-Hisp	200	73,082	189	93.4	89.1-97.7	11	6.6	2.3-10.9
Oth. Race/Non-Hisp.	67	19,361	60	88.0	77.0-99.0	7	12.0	1.0-23.0
Hispanic	152	30,637	81	54.0	43.4-64.6	71	46.0	35.4-56.6
18-24	96	37,121	79	85.8	77.6-94.0	17	14.2	6.0-22.4
25-34	173	62,607	137	79.6	72.2-87.0	36	20.4	13.0-27.8
35-44	215	57,751	174	86.4	81.3-91.5	41	13.6	8.5-18.7
45-54	229	52,563	209	91.5	86.4-96.6	20	8.5	3.4-13.6
55-64	334	63,549	313	93.0	89.1-96.9	21	7.0	3.1-10.9
65+	513	89,662	511	99.6	99.0- 100	2	0.4	0.0- 1.0
Less Than H.S.	120	42,395	63	62.5	51.9-73.1	57	37.5	26.9-48.1
H.S. or G.E.D.	397	113,476	353	90.4	86.5-94.3	44	9.6	5.7-13.5
Some Post-H.S.	392	97,696	367	94.4	91.7-97.1	25	5.6	2.9- 8.3
College Graduate	634	106,002	625	97.6	95.6-99.6	9	2.4	0.4- 4.4
\$15,000- 24,999	118	27,760	87	79.6	71.2-88.0	31	20.4	12.0-28.8
\$25,000- 34,999	152	34,753	128	80.6	71.8-89.4	24	19.4	10.6-28.2
\$35,000- 49,999	145	38,771	126	82.5	72.9-92.1	19	17.5	7.9-27.1
\$50,000- 99,999	410	91,295	395	95.8	93.3-98.3	15	4.2	1.7- 6.7
\$100,000 - 199,999	298	73,011	292	97.2	94.5-99.9	6	2.8	0.1- 5.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1951	400,596	1863	95.0	93.6-96.4	88	5.0	3.6- 6.4
White/Non-Hisp	1327	253,586	1310	98.5	97.5-99.5	17	1.5	0.5- 2.5
Black or Afr. Am./Non-Hisp	329	84,799	323	97.5	95.3-99.7	6	2.5	0.3- 4.7
Oth. Race/Non-Hisp.	51	17,319	49	97.6	94.1- 100	2	2.4	0.0- 5.9
Hispanic	174	34,887	114	62.2	51.8-72.6	60	37.8	27.4-48.2
18-24	85	37,389	68	87.9	80.6-95.2	17	12.1	4.8-19.4
25-34	192	61,592	165	86.0	79.5-92.5	27	14.0	7.5-20.5
35-44	262	58,957	236	93.8	90.9-96.7	26	6.2	3.3- 9.1
45-54	310	58,949	301	96.8	94.3-99.3	9	3.2	0.7- 5.7
55-64	400	73,418	394	98.7	97.3- 100	6	1.3	0.0- 2.7
65+	702	110,290	699	99.5	98.7- 100	3	0.5	0.0- 1.3
Less Than H.S.	110	36,395	75	75.0	64.0-86.0	35	25.0	14.0-36.0
H.S. or G.E.D.	478	120,193	440	93.0	90.5-95.5	38	7.0	4.5- 9.5
Some Post-H.S.	538	119,596	527	98.0	96.6-99.4	11	2.0	0.6- 3.4
College Graduate	820	123,841	816	99.7	99.3- 100	4	0.3	0.0- 0.7
Less than \$15,000	90	18,448	73	79.9	68.9-90.9	17	20.1	9.1-31.1
\$15,000- 24,999	161	30,903	141	88.7	82.8-94.6	20	11.3	5.4-17.2
\$25,000- 34,999	209	41,462	195	94.3	90.2-98.4	14	5.7	1.6- 9.8
\$35,000- 49,999	220	44,127	213	95.7	92.0-99.4	7	4.3	0.6- 8.0
\$50,000- 99,999	513	98,721	508	98.4	96.8- 100	5	1.6	0.0- 3.2
\$100,000 - 199,999	298	61,336	296	99.6	99.0- 100	2	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2247	553,900	2029	90.2	88.6-91.8	218	9.8	8.2-11.4
Male	1016	267,579	883	87.1	84.4-89.8	133	12.9	10.2-15.6
Female	1231	286,321	1146	93.2	91.2-95.2	85	6.8	4.8-8.8
White/Non-Hisp	1364	315,499	1307	94.9	93.1-96.7	57	5.1	3.3-6.9
Black or Afr. Am./Non-Hisp	387	124,631	372	94.9	92.0-97.8	15	5.1	2.2-8.0
Oth. Race/Non-Hisp.	96	33,012	89	92.3	85.4-99.2	7	7.7	0.8-14.6
MultiRacial/Non-Hisp.	60	8,778	57	94.2	87.7-100	3	5.8	0.0-12.3
Hispanic	300	62,349	169	56.2	48.4-64.0	131	43.8	36.0-51.6
18-24	181	74,510	147	86.8	81.3-92.3	34	13.2	7.7-18.7
25-34	365	124,199	302	82.8	77.9-87.7	63	17.2	12.3-22.1
35-44	473	116,045	407	90.2	87.3-93.1	66	9.8	6.9-12.7
45-54	512	106,165	483	94.0	91.1-96.9	29	6.0	3.1-8.9
55-64	716	132,981	690	96.0	94.0-98.0	26	4.0	2.0-6.0
Less Than H.S.	180	64,061	89	61.1	51.9-70.3	91	38.9	29.7-48.1
H.S. or G.E.D.	551	168,616	473	89.1	86.0-92.2	78	10.9	7.8-14.0
Some Post-H.S.	597	154,327	561	94.9	92.9-96.9	36	5.1	3.1-7.1
College Graduate	906	163,820	894	98.3	97.1-99.5	12	1.7	0.5-2.9
Less than \$15,000	103	24,083	74	69.7	57.4-82.0	29	30.3	18.0-42.6
\$15,000-24,999	168	38,010	120	77.9	70.5-85.3	48	22.1	14.7-29.5
\$25,000-34,999	210	53,116	172	82.9	76.2-89.6	38	17.1	10.4-23.8
\$35,000-49,999	203	57,300	177	84.9	77.6-92.2	26	15.1	7.8-22.4
\$50,000-99,999	613	139,889	593	96.1	94.1-98.1	20	3.9	1.9-5.9
\$100,000-199,999	453	113,258	445	98.0	96.2-99.8	8	2.0	0.2-3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 3: HEALTH CARE ACCESS**

TABLE 5: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1016	267,579	883	87.1	84.4-89.8	133	12.9	10.2-15.6
White/Non-Hisp	619	153,271	578	91.8	88.7-94.9	41	8.2	5.1-11.3
Black or Afr. Am./Non-Hisp	146	56,316	135	91.5	86.0-97.0	11	8.5	3.0-14.0
Oth. Race/Non-Hisp.	54	17,140	49	87.7	75.4- 100	5	12.3	0.0-24.6
Hispanic	146	29,998	75	53.0	42.2-63.8	71	47.0	36.2-57.8
18-24	96	37,121	79	85.8	77.6-94.0	17	14.2	6.0-22.4
25-34	173	62,607	137	79.6	72.2-87.0	36	20.4	13.0-27.8
35-44	213	57,343	173	86.4	81.3-91.5	40	13.6	8.5-18.7
45-54	212	48,726	192	90.8	85.3-96.3	20	9.2	3.7-14.7
55-64	322	61,781	302	93.0	89.1-96.9	20	7.0	3.1-10.9
Less Than H.S.	101	35,917	44	55.7	43.7-67.7	57	44.3	32.3-56.3
H.S. or G.E.D.	275	85,840	233	87.8	82.7-92.9	42	12.2	7.1-17.3
Some Post-H.S.	254	70,520	229	92.2	88.5-95.9	25	7.8	4.1-11.5
College Graduate	375	72,581	367	96.6	93.9-99.3	8	3.4	0.7- 6.1
\$15,000- 24,999	79	18,725	50	71.6	60.0-83.2	29	28.4	16.8-40.0
\$25,000- 34,999	88	24,605	64	72.6	60.6-84.6	24	27.4	15.4-39.4
\$35,000- 49,999	83	27,037	64	74.9	61.8-88.0	19	25.1	12.0-38.2
\$50,000- 99,999	264	65,070	249	94.1	90.6-97.6	15	5.9	2.4- 9.4
\$100,000 - 199,999	222	60,568	216	96.7	93.4- 100	6	3.3	0.0- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1231	286,321	1146	93.2	91.2-95.2	85	6.8	4.8- 8.8
White/Non-Hisp	745	162,229	729	97.7	96.3-99.1	16	2.3	0.9- 3.7
Black or Afr. Am./Non-Hisp	241	68,315	237	97.6	95.1- 100	4	2.4	0.0- 4.9
Hispanic	154	32,351	94	59.2	48.0-70.4	60	40.8	29.6-52.0
18-24	85	37,389	68	87.9	80.6-95.2	17	12.1	4.8-19.4
25-34	192	61,592	165	86.0	79.5-92.5	27	14.0	7.5-20.5
35-44	260	58,702	234	93.8	90.9-96.7	26	6.2	3.3- 9.1
45-54	300	57,439	291	96.8	94.3-99.3	9	3.2	0.7- 5.7
55-64	394	71,199	388	98.7	97.3- 100	6	1.3	0.0- 2.7
Less Than H.S.	79	28,144	45	68.1	54.2-82.0	34	31.9	18.0-45.8
H.S. or G.E.D.	276	82,776	240	90.4	86.7-94.1	36	9.6	5.9-13.3
Some Post-H.S.	343	83,807	332	97.2	95.4-99.0	11	2.8	1.0- 4.6
College Graduate	531	91,240	527	99.6	99.2- 100	4	0.4	0.0- 0.8
Less than \$15,000	68	15,654	52	77.1	64.4-89.8	16	22.9	10.2-35.6
\$15,000- 24,999	89	19,285	70	84.0	75.4-92.6	19	16.0	7.4-24.6
\$25,000- 34,999	122	28,510	108	91.7	85.6-97.8	14	8.3	2.2-14.4
\$35,000- 49,999	120	30,263	113	93.8	88.5-99.1	7	6.2	0.9-11.5
\$50,000- 99,999	349	74,819	344	97.9	95.7- 100	5	2.1	0.0- 4.3
\$100,000 - 199,999	231	52,690	229	99.5	98.7- 100	2	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	21
2	MALES ONLY	22
3	FEMALES ONLY	23

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3628	795,239	2647	72.8	70.8-74.8	981	27.2	25.2-29.2
Male	1620	380,054	1255	77.7	75.0-80.4	365	22.3	19.6-25.0
Female	2008	415,185	1392	68.2	65.5-70.9	616	31.8	29.1-34.5
White/Non-Hisp	2462	497,278	1842	74.6	72.2-77.0	620	25.4	23.0-27.8
Black or Afr. Am./Non-Hisp	552	165,495	378	71.2	66.3-76.1	174	28.8	23.9-33.7
Oth. Race/Non-Hisp.	122	37,476	87	66.6	54.3-78.9	35	33.4	21.1-45.7
MultiRacial/Non-Hisp.	75	11,052	58	82.8	74.0-91.6	17	17.2	8.4-26.0
Hispanic	332	66,108	213	61.6	54.3-68.9	119	38.4	31.1-45.7
18-24	210	87,192	163	78.7	72.0-85.4	47	21.3	14.6-28.0
25-34	372	126,389	282	75.3	69.6-81.0	90	24.7	19.0-30.4
35-44	487	120,187	372	77.7	73.0-82.4	115	22.3	17.6-27.0
45-54	562	116,255	424	74.4	69.7-79.1	138	25.6	20.9-30.3
55-64	749	137,986	545	69.7	65.2-74.2	204	30.3	25.8-34.8
65+	1248	207,230	861	66.8	63.3-70.3	387	33.2	29.7-36.7
Less Than H.S.	234	79,193	115	48.0	39.4-56.6	119	52.0	43.4-60.6
H.S. or G.E.D.	924	250,009	600	68.9	65.2-72.6	324	31.1	27.4-34.8
Some Post-H.S.	953	224,444	665	73.6	70.1-77.1	288	26.4	22.9-29.9
College Graduate	1488	235,747	1243	84.1	81.7-86.5	245	15.9	13.5-18.3
Less than \$15,000	138	28,798	75	51.9	40.5-63.3	63	48.1	36.7-59.5
\$15,000-24,999	284	61,166	167	58.7	50.3-67.1	117	41.3	32.9-49.7
\$25,000-34,999	371	77,961	224	61.4	54.9-67.9	147	38.6	32.1-45.1
\$35,000-49,999	374	85,224	258	71.1	64.8-77.4	116	28.9	22.6-35.2
\$50,000-99,999	934	192,828	722	77.6	74.1-81.1	212	22.4	18.9-25.9
\$100,000-199,999	603	136,444	515	85.3	81.6-89.0	88	14.7	11.0-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1620	380,054	1255	77.7	75.0-80.4	365	22.3	19.6-25.0
White/Non-Hisp	1103	236,295	872	79.9	76.8-83.0	231	20.1	17.0-23.2
Black or Afr. Am./Non-Hisp	208	75,297	159	75.4	67.8-83.0	49	24.6	17.0-32.2
Oth. Race/Non-Hisp.	69	19,612	48	64.7	49.6-79.8	21	35.3	20.2-50.4
Hispanic	156	31,058	106	69.0	59.8-78.2	50	31.0	21.8-40.2
18-24	115	44,144	95	81.8	72.4-91.2	20	18.2	8.8-27.6
25-34	176	63,813	145	82.3	75.4-89.2	31	17.7	10.8-24.6
35-44	219	59,106	179	81.6	74.9-88.3	40	18.4	11.7-25.1
45-54	240	55,785	177	72.8	65.4-80.2	63	27.2	19.8-34.6
55-64	343	64,258	260	74.7	68.6-80.8	83	25.3	19.2-31.4
65+	527	92,948	399	75.0	70.1-79.9	128	25.0	20.1-29.9
Less Than H.S.	124	42,979	70	55.5	44.3-66.7	54	44.5	33.3-55.7
H.S. or G.E.D.	422	122,923	309	75.9	70.8-81.0	113	24.1	19.0-29.2
Some Post-H.S.	403	100,241	312	80.3	75.6-85.0	91	19.7	15.0-24.4
College Graduate	650	109,302	548	86.0	82.9-89.1	102	14.0	10.9-17.1
\$15,000- 24,999	118	28,228	76	62.9	51.3-74.5	42	37.1	25.5-48.7
\$25,000- 34,999	154	35,128	100	67.5	58.3-76.7	54	32.5	23.3-41.7
\$35,000- 49,999	152	40,763	110	73.4	63.8-83.0	42	26.6	17.0-36.2
\$50,000- 99,999	416	92,949	337	80.2	74.7-85.7	79	19.8	14.3-25.3
\$100,000 - 199,999	304	75,379	258	85.6	80.5-90.7	46	14.4	9.3-19.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2008	415,185	1392	68.2	65.5-70.9	616	31.8	29.1-34.5
White/Non-Hisp	1359	260,983	970	69.9	66.6-73.2	389	30.1	26.8-33.4
Black or Afr. Am./Non-Hisp	344	90,198	219	67.7	61.4-74.0	125	32.3	26.0-38.6
Oth. Race/Non-Hisp.	53	17,864	39	68.7	48.3-89.1	14	31.3	10.9-51.7
Hispanic	176	35,049	107	55.0	44.4-65.6	69	45.0	34.4-55.6
18-24	95	43,048	68	75.5	65.7-85.3	27	24.5	14.7-34.3
25-34	196	62,576	137	68.2	59.2-77.2	59	31.8	22.8-40.8
35-44	268	61,081	193	74.0	67.1-80.9	75	26.0	19.1-32.9
45-54	322	60,469	247	75.9	69.8-82.0	75	24.1	18.0-30.2
55-64	406	73,728	285	65.4	59.1-71.7	121	34.6	28.3-40.9
65+	721	114,282	462	60.2	55.3-65.1	259	39.8	34.9-44.7
Less Than H.S.	110	36,214	45	39.2	26.1-52.3	65	60.8	47.7-73.9
H.S. or G.E.D.	502	127,086	291	62.2	56.5-67.9	211	37.8	32.1-43.5
Some Post-H.S.	550	124,203	353	68.1	63.2-73.0	197	31.9	27.0-36.8
College Graduate	838	126,444	695	82.5	79.2-85.8	143	17.5	14.2-20.8
Less than \$15,000	93	18,998	44	42.0	28.5-55.5	49	58.0	44.5-71.5
\$15,000- 24,999	166	32,939	91	55.1	43.1-67.1	75	44.9	32.9-56.9
\$25,000- 34,999	217	42,833	124	56.4	47.6-65.2	93	43.6	34.8-52.4
\$35,000- 49,999	222	44,461	148	69.0	60.6-77.4	74	31.0	22.6-39.4
\$50,000- 99,999	518	99,879	385	75.2	70.5-79.9	133	24.8	20.1-29.5
\$100,000 - 199,999	299	61,065	257	85.0	79.5-90.5	42	15.0	9.5-20.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021

SECTION 5: HYPERTENSION AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)	
1	MALES AND FEMALES	25
2	MALES ONLY	26
3	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 5: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3627	794,920	2163	63.8	61.8-65.8	1464	36.2	34.2-38.2
Male	1619	379,103	921	62.3	59.4-65.2	698	37.7	34.8-40.6
Female	2008	415,818	1242	65.1	62.4-67.8	766	34.9	32.2-37.6
White/Non-Hisp	2463	497,783	1408	62.3	59.9-64.7	1055	37.7	35.3-40.1
Black or Afr. Am./Non-Hisp	553	165,774	292	57.3	52.0-62.6	261	42.7	37.4-48.0
Oth. Race/Non-Hisp.	123	37,775	86	71.3	60.7-81.9	37	28.7	18.1-39.3
MultiRacial/Non-Hisp.	75	11,052	54	70.9	57.8-84.0	21	29.1	16.0-42.2
Hispanic	330	65,339	274	84.2	78.9-89.5	56	15.8	10.5-21.1
18-24	210	87,192	193	91.9	87.6-96.2	17	8.1	3.8-12.4
25-34	371	125,880	320	86.3	82.0-90.6	51	13.7	9.4-18.0
35-44	488	120,374	379	73.5	68.0-79.0	109	26.5	21.0-32.0
45-54	561	115,880	373	67.2	62.3-72.1	188	32.8	27.9-37.7
55-64	752	139,052	412	53.3	48.6-58.0	340	46.7	42.0-51.4
65+	1245	206,542	486	37.6	34.1-41.1	759	62.4	58.9-65.9
Less Than H.S.	234	78,988	154	64.7	56.7-72.7	80	35.3	27.3-43.3
H.S. or G.E.D.	924	250,009	525	62.1	58.2-66.0	399	37.9	34.0-41.8
Some Post-H.S.	952	224,752	533	62.3	58.4-66.2	419	37.7	33.8-41.6
College Graduate	1489	235,492	928	66.2	63.3-69.1	561	33.8	30.9-36.7
Less than \$15,000	137	28,727	87	66.3	55.9-76.7	50	33.7	23.3-44.1
\$15,000-24,999	283	61,063	141	49.6	41.2-58.0	142	50.4	42.0-58.8
\$25,000-34,999	373	78,748	207	59.9	53.4-66.4	166	40.1	33.6-46.6
\$35,000-49,999	374	85,224	214	63.4	56.7-70.1	160	36.6	29.9-43.3
\$50,000-99,999	936	192,898	555	64.4	60.5-68.3	381	35.6	31.7-39.5
\$100,000-199,999	605	137,029	391	66.9	62.2-71.6	214	33.1	28.4-37.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 5: HYPERTENSION AWARENESS**

TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1619	379,103	921	62.3	59.4-65.2	698	37.7	34.8-40.6
White/Non-Hisp	1104	236,167	578	58.8	55.3-62.3	526	41.2	37.7-44.7
Black or Afr. Am./Non-Hisp	209	75,576	117	63.5	55.7-71.3	92	36.5	28.7-44.3
Oth. Race/Non-Hisp.	70	19,911	45	61.9	47.2-76.6	25	38.1	23.4-52.8
Hispanic	154	30,290	124	77.8	68.6-87.0	30	22.2	13.0-31.4
18-24	115	44,144	108	94.6	90.5-98.7	7	5.4	1.3- 9.5
25-34	174	63,044	142	82.0	75.1-88.9	32	18.0	11.1-24.9
35-44	219	59,106	155	68.7	60.7-76.7	64	31.3	23.3-39.3
45-54	239	55,587	151	63.4	56.0-70.8	88	36.6	29.2-44.0
55-64	345	64,836	174	50.5	43.6-57.4	171	49.5	42.6-56.4
65+	527	92,386	191	36.8	31.5-42.1	336	63.2	57.9-68.5
Less Than H.S.	124	42,612	86	65.9	55.3-76.5	38	34.1	23.5-44.7
H.S. or G.E.D.	422	122,923	251	64.9	59.4-70.4	171	35.1	29.6-40.6
Some Post-H.S.	400	99,586	214	59.8	53.9-65.7	186	40.2	34.3-46.1
College Graduate	652	109,373	353	59.4	54.7-64.1	299	40.6	35.9-45.3
\$15,000- 24,999	117	28,125	61	49.4	37.6-61.2	56	50.6	38.8-62.4
\$25,000- 34,999	155	35,427	85	58.5	48.5-68.5	70	41.5	31.5-51.5
\$35,000- 49,999	152	40,763	87	61.7	51.7-71.7	65	38.3	28.3-48.3
\$50,000- 99,999	418	93,020	222	61.4	55.5-67.3	196	38.6	32.7-44.5
\$100,000 - 199,999	304	75,379	177	62.3	55.4-69.2	127	37.7	30.8-44.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 5: HYPERTENSION AWARENESS**

TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2008	415,818	1242	65.1	62.4-67.8	766	34.9	32.2-37.6
White/Non-Hisp	1359	261,615	830	65.5	62.2-68.8	529	34.5	31.2-37.8
Black or Afr. Am./Non-Hisp	344	90,198	175	52.1	45.0-59.2	169	47.9	40.8-55.0
Oth. Race/Non-Hisp.	53	17,864	41	81.8	69.1-94.5	12	18.2	5.5-30.9
Hispanic	176	35,049	150	89.7	84.6-94.8	26	10.3	5.2-15.4
18-24	95	43,048	85	89.2	81.6-96.8	10	10.8	3.2-18.4
25-34	197	62,836	178	90.5	85.4-95.6	19	9.5	4.4-14.6
35-44	269	61,268	224	78.2	70.6-85.8	45	21.8	14.2-29.4
45-54	322	60,294	222	70.7	64.2-77.2	100	29.3	22.8-35.8
55-64	407	74,216	238	55.8	49.3-62.3	169	44.2	37.7-50.7
65+	718	114,156	295	38.2	33.5-42.9	423	61.8	57.1-66.5
Less Than H.S.	110	36,377	68	63.2	50.9-75.5	42	36.8	24.5-49.1
H.S. or G.E.D.	502	127,086	274	59.5	53.6-65.4	228	40.5	34.6-46.4
Some Post-H.S.	552	125,166	319	64.2	59.1-69.3	233	35.8	30.7-40.9
College Graduate	837	126,119	575	72.1	68.4-75.8	262	27.9	24.2-31.6
Less than \$15,000	93	18,998	60	64.4	51.3-77.5	33	35.6	22.5-48.7
\$15,000- 24,999	166	32,939	80	49.9	38.1-61.7	86	50.1	38.3-61.9
\$25,000- 34,999	218	43,321	122	61.1	52.7-69.5	96	38.9	30.5-47.3
\$35,000- 49,999	222	44,461	127	65.1	56.3-73.9	95	34.9	26.1-43.7
\$50,000- 99,999	518	99,879	333	67.2	61.9-72.5	185	32.8	27.5-38.1
\$100,000 - 199,999	301	61,650	214	72.7	66.2-79.2	87	27.3	20.8-33.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)	
1	MALES AND FEMALES	29
2	MALES ONLY	30
3	FEMALES ONLY	31
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)	
4	MALES AND FEMALES	32
5	MALES ONLY	33
6	FEMALES ONLY	34

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS
TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3467	748,071	3182	89.5	87.9-91.1	101	3.4	2.6- 4.2	184	7.1	5.7- 8.5
Male	1546	355,886	1387	88.0	85.8-90.2	58	4.1	2.7- 5.5	101	7.9	6.1- 9.7
Female	1921	392,185	1795	90.8	88.6-93.0	43	2.8	1.8- 3.8	83	6.5	4.5- 8.5
White/Non-Hisp	2372	471,532	2217	89.9	87.9-91.9	63	3.6	2.4- 4.8	92	6.5	4.9- 8.1
Black or Afr. Am./Non-Hisp	526	157,967	486	92.0	89.3-94.7	11	2.0	0.6- 3.4	29	6.0	3.6- 8.4
Oth. Race/Non-Hisp.	115	35,486	104	88.0	76.6-99.4	2	1.6	0.0- 4.1	9	10.5	0.0-21.7
MultiRacial/Non-Hisp.	71	10,115	58	83.6	73.2-94.0	6	9.6	0.4-18.8	7	6.9	1.2-12.6
Hispanic	303	56,743	247	81.5	76.2-86.8	14	4.9	1.8- 8.0	42	13.7	9.2-18.2
18-24	168	70,031	104	65.3	56.5-74.1	7	3.8	0.5- 7.1	57	30.9	22.5-39.3
25-34	330	113,295	244	74.4	68.3-80.5	32	9.0	5.5-12.5	54	16.6	11.1-22.1
35-44	460	113,657	407	91.7	89.0-94.4	21	3.6	1.6- 5.6	32	4.6	2.6- 6.6
45-54	543	111,739	509	95.5	93.7-97.3	15	2.1	0.9- 3.3	19	2.5	1.1- 3.9
55-64	743	137,438	718	96.2	94.4-98.0	16	2.7	1.1- 4.3	9	1.1	0.3- 1.9
65+	1223	201,912	1200	97.0	95.4-98.6	10	1.3	0.3- 2.3	13	1.6	0.4- 2.8
Less Than H.S.	221	72,856	183	84.8	78.1-91.5	13	6.3	2.4-10.2	25	9.0	3.1-14.9
H.S. or G.E.D.	873	233,900	764	85.4	82.1-88.7	34	3.6	2.0- 5.2	75	11.0	8.1-13.9
Some Post-H.S.	897	206,874	830	90.3	87.6-93.0	25	3.4	1.8- 5.0	42	6.3	4.1- 8.5
College Graduate	1450	229,196	1383	94.4	92.8-96.0	29	2.4	1.4- 3.4	38	3.2	2.0- 4.4
Less than \$15,000	129	25,595	110	84.8	77.2-92.4	4	3.5	0.0- 7.4	15	11.7	4.8-18.6
\$15,000-24,999	272	58,658	232	79.9	71.9-87.9	16	5.9	2.6- 9.2	24	14.2	6.4-22.0
\$25,000-34,999	339	68,662	300	85.8	80.5-91.1	14	4.7	1.4- 8.0	25	9.5	5.2-13.8
\$35,000-49,999	358	80,495	319	85.3	79.8-90.8	17	4.8	2.3- 7.3	22	10.0	5.1-14.9
\$50,000-99,999	908	186,350	849	92.7	90.3-95.1	21	2.2	1.0- 3.4	38	5.1	3.1- 7.1
\$100,000-199,999	587	133,461	556	92.1	88.6-95.6	13	2.6	0.8- 4.4	18	5.3	2.2- 8.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1546	355,886	1387	88.0	85.8-90.2	58	4.1	2.7- 5.5	101	7.9	6.1- 9.7
White/Non-Hisp	1060	224,054	969	88.0	85.1-90.9	38	4.4	2.6- 6.2	53	7.6	5.2-10.0
Black or Afr. Am./Non-Hisp	199	71,504	179	89.8	84.9-94.7	4	2.1	0.0- 4.5	16	8.1	3.8-12.4
Oth. Race/Non-Hisp.	66	18,427	63	96.7	91.8- 100	1	2.5	0.0- 7.4	2	0.8	0.0- 1.8
Hispanic	142	25,619	112	82.1	75.2-89.0	9	4.8	1.3- 8.3	21	13.1	7.0-19.2
18-24	94	36,228	58	64.7	52.9-76.5	5	4.9	0.0-10.2	31	30.4	19.2-41.6
25-34	153	55,351	109	73.7	65.7-81.7	22	12.2	6.5-17.9	22	14.1	7.4-20.8
35-44	208	55,787	173	88.8	84.5-93.1	12	4.3	1.4- 7.2	23	7.0	3.7-10.3
45-54	229	52,706	212	94.9	92.2-97.6	7	1.8	0.2- 3.4	10	3.3	0.9- 5.7
55-64	344	64,767	329	95.1	92.0-98.2	8	2.9	0.2- 5.6	7	2.0	0.2- 3.8
65+	518	91,047	506	96.5	94.0-99.0	4	1.1	0.0- 2.3	8	2.5	0.3- 4.7
Less Than H.S.	118	38,965	91	82.3	74.7-89.9	11	10.4	3.7-17.1	16	7.4	3.3-11.5
H.S. or G.E.D.	395	113,442	328	81.7	76.6-86.8	18	3.7	1.5- 5.9	49	14.6	9.9-19.3
Some Post-H.S.	382	93,131	350	90.4	86.7-94.1	11	3.0	0.8- 5.2	21	6.6	3.5- 9.7
College Graduate	633	106,340	603	94.8	92.6-97.0	18	3.5	1.5- 5.5	12	1.7	0.7- 2.7
\$15,000- 24,999	117	27,426	93	79.9	70.9-88.9	10	7.3	2.0-12.6	14	12.8	5.2-20.4
\$25,000- 34,999	141	30,871	117	79.8	71.0-88.6	8	5.8	0.9-10.7	16	14.4	6.4-22.4
\$35,000- 49,999	145	38,171	130	87.2	79.2-95.2	6	3.4	0.3- 6.5	9	9.4	1.8-17.0
\$50,000- 99,999	405	89,333	368	90.2	86.5-93.9	15	3.0	1.2- 4.8	22	6.8	3.3-10.3
\$100,000 - 199,999	292	72,749	274	92.3	88.2-96.4	9	4.0	1.1- 6.9	9	3.7	0.8- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1921	392,185	1795	90.8	88.6-93.0	43	2.8	1.8- 3.8	83	6.5	4.5- 8.5
White/Non-Hisp	1312	247,478	1248	91.7	89.2-94.2	25	2.8	1.4- 4.2	39	5.5	3.3- 7.7
Black or Afr. Am./Non-Hisp	327	86,463	307	93.9	90.8-97.0	7	1.9	0.1- 3.7	13	4.2	1.5- 6.9
Hispanic	161	31,124	135	80.9	72.9-88.9	5	5.0	0.1- 9.9	21	14.1	7.2-21.0
18-24	74	33,803	46	65.9	52.8-79.0	2	2.6	0.0- 6.5	26	31.5	18.6-44.4
25-34	177	57,944	135	75.1	66.1-84.1	10	5.9	1.6-10.2	32	19.0	10.6-27.4
35-44	252	57,870	234	94.6	91.5-97.7	9	3.0	0.6- 5.4	9	2.3	0.1- 4.5
45-54	314	59,033	297	96.0	93.8-98.2	8	2.3	0.5- 4.1	9	1.8	0.4- 3.2
55-64	399	72,671	389	97.3	95.5-99.1	8	2.5	0.7- 4.3	2	0.2	0.0- 0.6
65+	705	110,865	694	97.5	95.5-99.5	6	1.5	0.0- 3.3	5	1.0	0.0- 2.2
Less Than H.S.	103	33,891	92	87.6	75.8-99.4	2	1.6	0.0- 4.1	9	10.8	0.0-22.4
H.S. or G.E.D.	478	120,458	436	88.8	84.7-92.9	16	3.5	1.3- 5.7	26	7.6	3.9-11.3
Some Post-H.S.	515	113,742	480	90.2	86.3-94.1	14	3.8	1.3- 6.3	21	6.0	2.9- 9.1
College Graduate	817	122,856	780	94.1	91.9-96.3	11	1.5	0.5- 2.5	26	4.4	2.4- 6.4
Less than \$15,000	88	17,498	78	86.8	77.6-96.0				10	13.2	4.0-22.4
\$15,000- 24,999	155	31,232	139	79.9	67.0-92.8	6	4.7	0.4- 9.0	10	15.4	2.5-28.3
\$25,000- 34,999	198	37,791	183	90.8	84.5-97.1	6	3.8	0.0- 8.3	9	5.4	0.9- 9.9
\$35,000- 49,999	213	42,324	189	83.5	76.2-90.8	11	6.0	1.9-10.1	13	10.5	4.0-17.0
\$50,000- 99,999	503	97,017	481	95.0	92.5-97.5	6	1.5	0.1- 2.9	16	3.5	1.3- 5.7
\$100,000 - 199,999	295	60,712	282	91.9	85.8-98.0	4	0.8	0.0- 1.6	9	7.3	1.2-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3264	690,901	1903	62.3	60.1-64.5	1361	37.7	35.5-39.9
Male	1437	326,410	822	60.4	57.1-63.7	615	39.6	36.3-42.9
Female	1827	364,492	1081	64.1	61.2-67.0	746	35.9	33.0-38.8
White/Non-Hisp	2267	438,240	1245	59.2	56.7-61.7	1022	40.8	38.3-43.3
Black or Afr. Am./Non-Hisp	493	147,673	312	66.2	60.5-71.9	181	33.8	28.1-39.5
Oth. Race/Non-Hisp.	105	31,588	66	68.9	58.1-79.7	39	31.1	20.3-41.9
MultiRacial/Non-Hisp.	64	9,422	42	61.9	46.6-77.2	22	38.1	22.8-53.4
Hispanic	260	48,890	194	74.3	67.0-81.6	66	25.7	18.4-33.0
18-24	111	48,368	98	86.1	77.9-94.3	13	13.9	5.7-22.1
25-34	275	93,986	226	81.8	76.3-87.3	49	18.2	12.7-23.7
35-44	425	107,922	326	78.1	72.8-83.4	99	21.9	16.6-27.2
45-54	519	107,657	327	61.9	56.4-67.4	192	38.1	32.6-43.6
55-64	731	135,503	382	51.5	46.8-56.2	349	48.5	43.8-53.2
65+	1203	197,467	544	46.2	42.5-49.9	659	53.8	50.1-57.5
Less Than H.S.	193	65,797	116	60.5	51.5-69.5	77	39.5	30.5-48.5
H.S. or G.E.D.	792	206,981	482	65.4	61.1-69.7	310	34.6	30.3-38.9
Some Post-H.S.	853	193,145	479	61.8	57.7-65.9	374	38.2	34.1-42.3
College Graduate	1404	220,486	811	60.1	57.0-63.2	593	39.9	36.8-43.0
Less than \$15,000	114	22,601	69	64.3	52.7-75.9	45	35.7	24.1-47.3
\$15,000-24,999	247	50,051	140	49.0	40.4-57.6	107	51.0	42.4-59.6
\$25,000-34,999	311	61,777	187	66.1	59.4-72.8	124	33.9	27.2-40.6
\$35,000-49,999	335	71,993	176	62.6	55.5-69.7	159	37.4	30.3-44.5
\$50,000-99,999	868	176,586	500	61.8	57.5-66.1	368	38.2	33.9-42.5
\$100,000-199,999	568	126,227	344	64.1	59.0-69.2	224	35.9	30.8-41.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 6: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1437	326,410	822	60.4	57.1-63.7	615	39.6	36.3-42.9
White/Non-Hisp	1001	205,847	545	58.9	55.0-62.8	456	41.1	37.2-45.0
Black or Afr. Am./Non-Hisp	182	65,489	107	60.9	51.9-69.9	75	39.1	30.1-48.1
Oth. Race/Non-Hisp.	64	18,287	36	57.7	42.8-72.6	28	42.3	27.4-57.2
Hispanic	120	22,160	89	71.5	60.1-82.9	31	28.5	17.1-39.9
18-24	63	25,224	55	84.4	72.4-96.4	8	15.6	3.6-27.6
25-34	131	47,559	109	81.5	73.3-89.7	22	18.5	10.3-26.7
35-44	183	51,512	138	76.6	68.6-84.6	45	23.4	15.4-31.4
45-54	218	50,781	119	53.8	45.6-62.0	99	46.2	38.0-54.4
55-64	335	63,164	163	45.6	38.7-52.5	172	54.4	47.5-61.3
65+	507	88,170	238	46.9	41.4-52.4	269	53.1	47.6-58.6
Less Than H.S.	100	35,710	63	59.1	46.8-71.4	37	40.9	28.6-53.2
H.S. or G.E.D.	342	96,060	205	62.7	56.0-69.4	137	37.3	30.6-44.0
Some Post-H.S.	360	86,771	196	61.0	54.7-67.3	164	39.0	32.7-45.3
College Graduate	620	104,441	348	57.8	52.9-62.7	272	42.2	37.3-47.1
\$15,000- 24,999	102	23,625	61	50.7	37.8-63.6	41	49.3	36.4-62.2
\$25,000- 34,999	125	26,414	72	67.3	57.7-76.9	53	32.7	23.1-42.3
\$35,000- 49,999	135	34,125	71	58.1	47.3-68.9	64	41.9	31.1-52.7
\$50,000- 99,999	383	83,258	210	58.0	51.1-64.9	173	42.0	35.1-48.9
\$100,000 - 199,999	283	70,030	165	61.6	54.3-68.9	118	38.4	31.1-45.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 6: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1827	364,492	1081	64.1	61.2-67.0	746	35.9	33.0-38.8
White/Non-Hisp	1266	232,394	700	59.5	56.0-63.0	566	40.5	37.0-44.0
Black or Afr. Am./Non-Hisp	311	82,184	205	70.4	63.3-77.5	106	29.6	22.5-36.7
Hispanic	140	26,730	105	76.7	67.3-86.1	35	23.3	13.9-32.7
25-34	144	46,426	117	82.1	74.7-89.5	27	17.9	10.5-25.3
35-44	242	56,410	188	79.4	72.5-86.3	54	20.6	13.7-27.5
45-54	301	56,876	208	69.2	62.3-76.1	93	30.8	23.9-37.7
55-64	396	72,339	219	56.7	50.2-63.2	177	43.3	36.8-49.8
65+	696	109,296	306	45.7	40.8-50.6	390	54.3	49.4-59.2
Less Than H.S.	93	30,087	53	62.2	49.3-75.1	40	37.8	24.9-50.7
H.S. or G.E.D.	450	110,920	277	67.8	61.9-73.7	173	32.2	26.3-38.1
Some Post-H.S.	493	106,373	283	62.6	57.1-68.1	210	37.4	31.9-42.9
College Graduate	784	116,045	463	62.3	58.2-66.4	321	37.7	33.6-41.8
Less than \$15,000	78	15,184	48	68.0	54.5-81.5	30	32.0	18.5-45.5
\$15,000- 24,999	145	26,426	79	47.6	36.0-59.2	66	52.4	40.8-64.0
\$25,000- 34,999	186	35,363	115	65.2	56.2-74.2	71	34.8	25.8-43.8
\$35,000- 49,999	200	37,868	105	66.7	58.1-75.3	95	33.3	24.7-41.9
\$50,000- 99,999	485	93,328	290	65.1	59.6-70.6	195	34.9	29.4-40.4
\$100,000 - 199,999	285	56,197	179	67.3	60.4-74.2	106	32.7	25.8-39.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	36
2 MALES ONLY	37
3 FEMALES ONLY	38
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	39
5 MALES ONLY	40
6 FEMALES ONLY	41
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	42
8 MALES ONLY	43
9 FEMALES ONLY	44
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	45
11 MALES ONLY	46
12 FEMALES ONLY	47

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3612	793,017	297	7.1	6.1- 8.1	3315	92.9	91.9-93.9
Male	1610	377,844	157	8.6	6.8-10.4	1453	91.4	89.6-93.2
Female	2002	415,173	140	5.7	4.5- 6.9	1862	94.3	93.1-95.5
White/Non-Hisp	2452	495,893	230	7.7	6.5- 8.9	2222	92.3	91.1-93.5
Black or Afr. Am./Non-Hisp	548	164,743	36	6.8	3.9- 9.7	512	93.2	90.3-96.1
Oth. Race/Non-Hisp.	123	37,775	7	6.4	0.0-13.1	116	93.6	86.9- 100
MultiRacial/Non-Hisp.	76	11,147	5	6.7	0.0-13.8	71	93.3	86.2- 100
Hispanic	329	65,717	10	3.3	0.4- 6.2	319	96.7	93.8-99.6
18-24	210	87,192				210	100.0	100.0- 100
25-34	372	126,435	7	1.5	0.3- 2.7	365	98.5	97.3-99.7
35-44	485	119,772	12	3.2	0.7- 5.7	473	96.8	94.3-99.3
45-54	561	116,089	18	4.4	1.5- 7.3	543	95.6	92.7-98.5
55-64	745	137,402	66	10.6	7.3-13.9	679	89.4	86.1-92.7
65+	1239	206,127	194	14.9	12.5-17.3	1045	85.1	82.7-87.5
Less Than H.S.	232	78,845	33	15.8	9.1-22.5	199	84.2	77.5-90.9
H.S. or G.E.D.	920	248,901	91	7.3	5.3- 9.3	829	92.7	90.7-94.7
Some Post-H.S.	950	224,397	77	6.2	4.4- 8.0	873	93.8	92.0-95.6
College Graduate	1482	235,116	95	5.0	3.8- 6.2	1387	95.0	93.8-96.2
Less than \$15,000	133	27,865	18	11.5	4.2-18.8	115	88.5	81.2-95.8
\$15,000-24,999	282	60,489	30	9.3	4.8-13.8	252	90.7	86.2-95.2
\$25,000-34,999	374	78,880	39	9.0	5.7-12.3	335	91.0	87.7-94.3
\$35,000-49,999	371	84,634	37	7.3	4.4-10.2	334	92.7	89.8-95.6
\$50,000-99,999	930	191,912	70	8.0	5.3-10.7	860	92.0	89.3-94.7
\$100,000-199,999	605	137,029	26	3.1	1.3- 4.9	579	96.9	95.1-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1610	377,844	157	8.6	6.8-10.4	1453	91.4	89.6-93.2
White/Non-Hisp	1093	233,810	125	9.7	7.7-11.7	968	90.3	88.3-92.3
Black or Afr. Am./Non-Hisp	209	75,576	16	9.2	3.7-14.7	193	90.8	85.3-96.3
Oth. Race/Non-Hisp.	70	19,911	4	3.1	0.0- 6.6	66	96.9	93.4- 100
Hispanic	154	30,749	5	4.4	0.0- 9.7	149	95.6	90.3- 100
18-24	115	44,144				115	100.0	100.0- 100
25-34	175	63,599	3	1.1	0.0- 2.5	172	98.9	97.5- 100
35-44	217	58,746	3	1.6	0.0- 4.0	214	98.4	96.0- 100
45-54	239	55,556	10	7.0	1.1-12.9	229	93.0	87.1-98.9
55-64	341	63,718	41	15.4	9.7-21.1	300	84.6	78.9-90.3
65+	523	92,080	100	18.7	14.6-22.8	423	81.3	77.2-85.4
Less Than H.S.	122	42,500	18	15.7	6.5-24.9	104	84.3	75.1-93.5
H.S. or G.E.D.	420	122,167	41	8.1	5.2-11.0	379	91.9	89.0-94.8
Some Post-H.S.	401	100,032	37	8.4	5.3-11.5	364	91.6	88.5-94.7
College Graduate	647	108,624	60	6.9	4.9- 8.9	587	93.1	91.1-95.1
\$15,000- 24,999	117	27,590	13	13.1	4.5-21.7	104	86.9	78.3-95.5
\$25,000- 34,999	155	35,427	17	9.8	4.5-15.1	138	90.2	84.9-95.5
\$35,000- 49,999	151	40,286	14	7.1	3.0-11.2	137	92.9	88.8-97.0
\$50,000- 99,999	415	92,468	45	11.0	6.5-15.5	370	89.0	84.5-93.5
\$100,000 - 199,999	304	75,379	21	4.9	1.8- 8.0	283	95.1	92.0-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2002	415,173	140	5.7	4.5- 6.9	1862	94.3	93.1-95.5
White/Non-Hisp	1359	262,084	105	5.9	4.5- 7.3	1254	94.1	92.7-95.5
Black or Afr. Am./Non-Hisp	339	89,167	20	4.7	1.8- 7.6	319	95.3	92.4-98.2
Oth. Race/Non-Hisp.	53	17,864	3	10.1	0.0-23.2	50	89.9	76.8- 100
Hispanic	175	34,968	5	2.3	0.0- 5.0	170	97.7	95.0- 100
18-24	95	43,048				95	100.0	100.0- 100
25-34	197	62,836	4	1.8	0.0- 4.0	193	98.2	96.0- 100
35-44	268	61,026	9	4.7	0.2- 9.2	259	95.3	90.8-99.8
45-54	322	60,533	8	2.0	0.2- 3.8	314	98.0	96.2-99.8
55-64	404	73,684	25	6.5	3.2- 9.8	379	93.5	90.2-96.8
65+	716	114,047	94	11.9	9.2-14.6	622	88.1	85.4-90.8
Less Than H.S.	110	36,345	15	16.0	6.4-25.6	95	84.0	74.4-93.6
H.S. or G.E.D.	500	126,734	50	6.5	4.1- 8.9	450	93.5	91.1-95.9
Some Post-H.S.	549	124,365	40	4.3	2.7- 5.9	509	95.7	94.1-97.3
College Graduate	835	126,492	35	3.3	1.9- 4.7	800	96.7	95.3-98.1
Less than \$15,000	90	18,271	11	11.8	2.2-21.4	79	88.2	78.6-97.8
\$15,000- 24,999	165	32,899	17	6.1	2.6- 9.6	148	93.9	90.4-97.4
\$25,000- 34,999	219	43,453	22	8.3	3.8-12.8	197	91.7	87.2-96.2
\$35,000- 49,999	220	44,348	23	7.5	3.6-11.4	197	92.5	88.6-96.4
\$50,000- 99,999	515	99,444	25	5.2	2.3- 8.1	490	94.8	91.9-97.7
\$100,000 - 199,999	301	61,650	5	0.8	0.0- 1.6	296	99.2	98.4- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3627	794,911	3135	86.1	84.5-87.7	492	13.9	12.3-15.5
Male	1623	380,510	1460	88.6	86.2-91.0	163	11.4	9.0-13.8
Female	2004	414,401	1675	83.8	81.6-86.0	329	16.2	14.0-18.4
White/Non-Hisp	2459	496,414	2149	87.2	85.4-89.0	310	12.8	11.0-14.6
Black or Afr. Am./Non-Hisp	553	165,774	451	80.7	76.2-85.2	102	19.3	14.8-23.8
Oth. Race/Non-Hisp.	122	37,638	107	88.8	81.0-96.6	15	11.2	3.4-19.0
MultiRacial/Non-Hisp.	76	11,147	58	81.5	72.1-90.9	18	18.5	9.1-27.9
Hispanic	332	66,108	293	88.3	83.6-93.0	39	11.7	7.0-16.4
18-24	209	86,912	176	84.1	77.4-90.8	33	15.9	9.2-22.6
25-34	372	126,512	321	85.9	81.4-90.4	51	14.1	9.6-18.6
35-44	488	120,374	406	81.5	76.6-86.4	82	18.5	13.6-23.4
45-54	564	116,671	480	86.7	83.0-90.4	84	13.3	9.6-17.0
55-64	751	138,893	655	87.0	83.9-90.1	96	13.0	9.9-16.1
65+	1243	205,549	1097	88.9	86.5-91.3	146	11.1	8.7-13.5
Less Than H.S.	235	79,623	200	83.6	76.9-90.3	35	16.4	9.7-23.1
H.S. or G.E.D.	921	248,470	809	87.2	84.3-90.1	112	12.8	9.9-15.7
Some Post-H.S.	954	225,172	801	84.4	81.3-87.5	153	15.6	12.5-18.7
College Graduate	1488	235,799	1300	87.3	85.1-89.5	188	12.7	10.5-14.9
Less than \$15,000	138	28,798	107	70.5	59.5-81.5	31	29.5	18.5-40.5
\$15,000-24,999	285	61,317	237	81.8	74.9-88.7	48	18.2	11.3-25.1
\$25,000-34,999	371	78,435	312	86.4	82.1-90.7	59	13.6	9.3-17.9
\$35,000-49,999	373	85,128	323	88.4	84.3-92.5	50	11.6	7.5-15.7
\$50,000-99,999	932	192,498	795	83.4	79.7-87.1	137	16.6	12.9-20.3
\$100,000-199,999	605	137,029	534	87.5	83.8-91.2	71	12.5	8.8-16.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1623	380,510	1460	88.6	86.2-91.0	163	11.4	9.0-13.8
White/Non-Hisp	1104	236,215	1005	89.7	87.2-92.2	99	10.3	7.8-12.8
Black or Afr. Am./Non-Hisp	209	75,576	178	82.6	75.0-90.2	31	17.4	9.8-25.0
Oth. Race/Non-Hisp.	69	19,775	60	92.0	85.1-98.9	9	8.0	1.1-14.9
Hispanic	156	31,058	144	92.3	86.8-97.8	12	7.7	2.2-13.2
18-24	114	43,864	94	81.8	71.6-92.0	20	18.2	8.0-28.4
25-34	175	63,676	154	87.3	81.2-93.4	21	12.7	6.6-18.8
35-44	219	59,106	192	88.1	82.2-94.0	27	11.9	6.0-17.8
45-54	241	55,880	220	88.3	81.8-94.8	21	11.7	5.2-18.2
55-64	345	64,836	314	90.6	86.3-94.9	31	9.4	5.1-13.7
65+	529	93,148	486	91.8	88.5-95.1	43	8.2	4.9-11.5
Less Than H.S.	125	43,278	112	86.8	77.8-95.8	13	13.2	4.2-22.2
H.S. or G.E.D.	423	122,952	389	90.6	86.5-94.7	34	9.4	5.3-13.5
Some Post-H.S.	403	100,434	359	86.8	81.9-91.7	44	13.2	8.3-18.1
College Graduate	651	109,236	581	88.6	85.5-91.7	70	11.4	8.3-14.5
\$15,000- 24,999	120	28,537	104	85.9	76.9-94.9	16	14.1	5.1-23.1
\$25,000- 34,999	154	35,147	137	90.6	85.3-95.9	17	9.4	4.1-14.7
\$35,000- 49,999	152	40,763	140	93.2	88.3-98.1	12	6.8	1.9-11.7
\$50,000- 99,999	416	92,797	369	84.0	77.7-90.3	47	16.0	9.7-22.3
\$100,000 - 199,999	304	75,379	273	88.0	82.7-93.3	31	12.0	6.7-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2004	414,401	1675	83.8	81.6-86.0	329	16.2	14.0-18.4
White/Non-Hisp	1355	260,199	1144	85.0	82.5-87.5	211	15.0	12.5-17.5
Black or Afr. Am./Non-Hisp	344	90,198	273	79.2	73.5-84.9	71	20.8	15.1-26.5
Oth. Race/Non-Hisp.	53	17,864	47	85.2	70.9-99.5	6	14.8	0.5-29.1
Hispanic	176	35,049	149	84.8	77.4-92.2	27	15.2	7.8-22.6
18-24	95	43,048	82	86.4	78.2-94.6	13	13.6	5.4-21.8
25-34	197	62,836	167	84.5	78.0-91.0	30	15.5	9.0-22.0
35-44	269	61,268	214	75.2	67.6-82.8	55	24.8	17.2-32.4
45-54	323	60,791	260	85.1	80.8-89.4	63	14.9	10.6-19.2
55-64	406	74,057	341	83.8	79.3-88.3	65	16.2	11.7-20.7
65+	714	112,402	611	86.5	83.2-89.8	103	13.5	10.2-16.8
Less Than H.S.	110	36,345	88	79.7	69.7-89.7	22	20.3	10.3-30.3
H.S. or G.E.D.	498	125,518	420	83.9	79.6-88.2	78	16.1	11.8-20.4
Some Post-H.S.	551	124,737	442	82.5	78.4-86.6	109	17.5	13.4-21.6
College Graduate	837	126,563	719	86.2	83.3-89.1	118	13.8	10.9-16.7
Less than \$15,000	93	18,998	69	64.2	50.1-78.3	24	35.8	21.7-49.9
\$15,000- 24,999	165	32,779	133	78.2	68.2-88.2	32	21.8	11.8-31.8
\$25,000- 34,999	217	43,288	175	83.0	76.5-89.5	42	17.0	10.5-23.5
\$35,000- 49,999	221	44,365	183	84.0	77.7-90.3	38	16.0	9.7-22.3
\$50,000- 99,999	516	99,701	426	82.9	78.6-87.2	90	17.1	12.8-21.4
\$100,000 - 199,999	301	61,650	261	87.0	81.9-92.1	40	13.0	7.9-18.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3610	790,499	3249	90.2	88.8-91.6	361	9.8	8.4-11.2
Male	1618	378,913	1519	93.1	91.3-94.9	99	6.9	5.1- 8.7
Female	1992	411,585	1730	87.4	85.4-89.4	262	12.6	10.6-14.6
White/Non-Hisp	2449	494,198	2218	90.9	89.3-92.5	231	9.1	7.5-10.7
Black or Afr. Am./Non-Hisp	549	165,144	474	86.5	82.6-90.4	75	13.5	9.6-17.4
Oth. Race/Non-Hisp.	120	36,151	111	94.9	90.4-99.4	9	5.1	0.6- 9.6
MultiRacial/Non-Hisp.	76	11,147	63	86.7	78.7-94.7	13	13.3	5.3-21.3
Hispanic	331	66,029	306	91.1	86.6-95.6	25	8.9	4.4-13.4
18-24	208	86,670	189	90.3	84.8-95.8	19	9.7	4.2-15.2
25-34	369	125,959	334	90.4	86.5-94.3	35	9.6	5.7-13.5
35-44	483	118,482	434	87.6	83.3-91.9	49	12.4	8.1-16.7
45-54	563	116,626	491	89.0	86.1-91.9	72	11.0	8.1-13.9
55-64	750	137,902	671	90.0	87.5-92.5	79	10.0	7.5-12.5
65+	1237	204,860	1130	92.2	90.2-94.2	107	7.8	5.8- 9.8
Less Than H.S.	233	78,390	207	88.6	83.5-93.7	26	11.4	6.3-16.5
H.S. or G.E.D.	917	246,895	830	90.5	87.8-93.2	87	9.5	6.8-12.2
Some Post-H.S.	950	224,533	838	89.5	87.0-92.0	112	10.5	8.0-13.0
College Graduate	1481	234,833	1348	91.0	89.0-93.0	133	9.0	7.0-11.0
Less than \$15,000	137	28,719	110	72.8	62.0-83.6	27	27.2	16.4-38.0
\$15,000-24,999	283	60,973	249	86.1	79.4-92.8	34	13.9	7.2-20.6
\$25,000-34,999	369	78,149	327	91.2	87.9-94.5	42	8.8	5.5-12.1
\$35,000-49,999	373	85,128	332	90.7	87.2-94.2	41	9.3	5.8-12.8
\$50,000-99,999	926	190,594	833	89.6	86.7-92.5	93	10.4	7.5-13.3
\$100,000-199,999	603	135,797	553	92.3	89.6-95.0	50	7.7	5.0-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1618	378,913	1519	93.1	91.3-94.9	99	6.9	5.1- 8.7
White/Non-Hisp	1100	234,860	1039	93.7	91.5-95.9	61	6.3	4.1- 8.5
Black or Afr. Am./Non-Hisp	208	75,335	191	90.4	84.5-96.3	17	9.6	3.7-15.5
Oth. Race/Non-Hisp.	69	19,775	64	96.5	93.0- 100	5	3.5	0.0- 7.0
Hispanic	156	31,058	150	94.6	89.5-99.7	6	5.4	0.3-10.5
18-24	113	43,622	106	93.3	85.9- 100	7	6.7	0.0-14.1
25-34	173	63,397	160	91.5	86.0-97.0	13	8.5	3.0-14.0
35-44	218	59,021	205	91.8	86.3-97.3	13	8.2	2.7-13.7
45-54	241	55,880	224	92.2	88.1-96.3	17	7.8	3.7-11.9
55-64	344	63,845	321	94.3	91.8-96.8	23	5.7	3.2- 8.2
65+	529	93,148	503	94.8	91.9-97.7	26	5.2	2.3- 8.1
Less Than H.S.	125	43,278	115	91.7	85.4-98.0	10	8.3	2.0-14.6
H.S. or G.E.D.	422	121,962	400	94.2	90.9-97.5	22	5.8	2.5- 9.1
Some Post-H.S.	401	100,027	374	92.4	88.3-96.5	27	7.6	3.5-11.7
College Graduate	649	109,038	610	93.2	90.5-95.9	39	6.8	4.1- 9.5
\$15,000- 24,999	120	28,537	109	88.8	80.0-97.6	11	11.2	2.4-20.0
\$25,000- 34,999	154	35,147	144	95.2	91.9-98.5	10	4.8	1.5- 8.1
\$35,000- 49,999	152	40,763	143	95.1	91.0-99.2	9	4.9	0.8- 9.0
\$50,000- 99,999	415	92,684	387	90.3	85.2-95.4	28	9.7	4.6-14.8
\$100,000 - 199,999	302	74,146	287	95.0	91.7-98.3	15	5.0	1.7- 8.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1992	411,585	1730	87.4	85.4-89.4	262	12.6	10.6-14.6
White/Non-Hisp	1349	259,338	1179	88.4	86.2-90.6	170	11.6	9.4-13.8
Black or Afr. Am./Non-Hisp	341	89,810	283	83.1	77.8-88.4	58	16.9	11.6-22.2
Oth. Race/Non-Hisp.	51	16,376	47	93.0	84.2- 100	4	7.0	0.0-15.8
Hispanic	175	34,970	156	88.0	80.9-95.1	19	12.0	4.9-19.1
18-24	95	43,048	83	87.3	79.3-95.3	12	12.7	4.7-20.7
25-34	196	62,561	174	89.3	83.8-94.8	22	10.7	5.2-16.2
35-44	265	59,461	229	83.4	76.7-90.1	36	16.6	9.9-23.3
45-54	322	60,746	267	86.1	81.8-90.4	55	13.9	9.6-18.2
55-64	406	74,057	350	86.3	82.2-90.4	56	13.7	9.6-17.8
65+	708	111,712	627	90.1	87.6-92.6	81	9.9	7.4-12.4
Less Than H.S.	108	35,113	92	84.8	76.2-93.4	16	15.2	6.6-23.8
H.S. or G.E.D.	495	124,934	430	86.9	82.8-91.0	65	13.1	9.0-17.2
Some Post-H.S.	549	124,506	464	87.2	83.7-90.7	85	12.8	9.3-16.3
College Graduate	832	125,795	738	89.1	86.6-91.6	94	10.9	8.4-13.4
Less than \$15,000	92	18,919	71	65.6	51.5-79.7	21	34.4	20.3-48.5
\$15,000- 24,999	163	32,436	140	83.8	74.2-93.4	23	16.2	6.6-25.8
\$25,000- 34,999	215	43,003	183	87.9	82.6-93.2	32	12.1	6.8-17.4
\$35,000- 49,999	221	44,365	189	86.7	80.8-92.6	32	13.3	7.4-19.2
\$50,000- 99,999	511	97,910	446	88.9	85.8-92.0	65	11.1	8.0-14.2
\$100,000 - 199,999	301	61,650	266	88.9	84.2-93.6	35	11.1	6.4-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3610	790,499	361	9.8	8.4-11.2	114	3.6	2.6- 4.6	3135	86.6	85.0-88.2
Male	1618	378,913	99	6.9	5.1- 8.7	59	4.2	2.6- 5.8	1460	89.0	86.6-91.4
Female	1992	411,585	262	12.6	10.6-14.6	55	3.0	1.8- 4.2	1675	84.4	82.2-86.6
White/Non-Hisp	2449	494,198	231	9.1	7.5-10.7	69	3.3	2.3- 4.3	2149	87.6	85.8-89.4
Black or Afr. Am./Non-Hisp	549	165,144	75	13.5	9.6-17.4	23	5.4	2.5- 8.3	451	81.0	76.5-85.5
Oth. Race/Non-Hisp.	120	36,151	9	5.1	0.6- 9.6	4	2.4	0.0- 5.7	107	92.5	87.0-98.0
MultiRacial/Non-Hisp.	76	11,147	13	13.3	5.3-21.3	5	5.2	0.1-10.3	58	81.5	72.1-90.9
Hispanic	331	66,029	25	8.9	4.4-13.4	13	2.6	1.0- 4.2	293	88.4	83.7-93.1
18-24	208	86,670	19	9.7	4.2-15.2	13	6.0	1.7-10.3	176	84.3	77.6-91.0
25-34	369	125,959	35	9.6	5.7-13.5	13	4.1	1.6- 6.6	321	86.3	81.8-90.8
35-44	483	118,482	49	12.4	8.1-16.7	28	4.7	2.5- 6.9	406	82.8	78.1-87.5
45-54	563	116,626	72	11.0	8.1-13.9	11	2.3	0.0- 5.0	480	86.7	83.0-90.4
55-64	750	137,902	79	10.0	7.5-12.5	16	2.4	0.8- 4.0	655	87.6	84.7-90.5
65+	1237	204,860	107	7.8	5.8- 9.8	33	3.0	1.6- 4.4	1097	89.2	86.8-91.6
Less Than H.S.	233	78,390	26	11.4	6.3-16.5	7	3.7	0.0- 7.8	200	84.9	78.6-91.2
H.S. or G.E.D.	917	246,895	87	9.5	6.8-12.2	21	2.7	1.3- 4.1	809	87.8	84.9-90.7
Some Post-H.S.	950	224,533	112	10.5	8.0-13.0	37	4.9	2.9- 6.9	801	84.7	81.6-87.8
College Graduate	1481	234,833	133	9.0	7.0-11.0	48	3.3	2.1- 4.5	1300	87.7	85.5-89.9
Less than \$15,000	137	28,719	27	27.2	16.4-38.0	3	2.1	0.0- 5.0	107	70.7	59.7-81.7
\$15,000-24,999	283	60,973	34	13.9	7.2-20.6	12	3.9	1.4- 6.4	237	82.3	75.4-89.2
\$25,000-34,999	369	78,149	42	8.8	5.5-12.1	15	4.5	1.4- 7.6	312	86.7	82.4-91.0
\$35,000-49,999	373	85,128	41	9.3	5.8-12.8	9	2.3	0.3- 4.3	323	88.4	84.3-92.5
\$50,000-99,999	926	190,594	93	10.4	7.5-13.3	38	5.3	2.8- 7.8	795	84.3	80.6-88.0
\$100,000-199,999	603	135,797	50	7.7	5.0-10.4	19	3.9	1.5- 6.3	534	88.3	84.8-91.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1618	378,913	99	6.9	5.1- 8.7	59	4.2	2.6- 5.8	1460	89.0	86.6-91.4
White/Non-Hisp	1100	234,860	61	6.3	4.1- 8.5	34	3.5	1.9- 5.1	1005	90.2	87.7-92.7
Black or Afr. Am./Non-Hisp	208	75,335	17	9.6	3.7-15.5	13	7.6	2.1-13.1	178	82.8	75.2-90.4
Oth. Race/Non-Hisp.	69	19,775	5	3.5	0.0- 7.0	4	4.5	0.0-10.4	60	92.0	85.1-98.9
Hispanic	156	31,058	6	5.4	0.3-10.5	6	2.3	0.3- 4.3	144	92.3	86.8-97.8
18-24	113	43,622	7	6.7	0.0-14.1	12	11.1	3.3-18.9	94	82.2	72.0-92.4
25-34	173	63,397	13	8.5	3.0-14.0	6	3.8	0.7- 6.9	154	87.7	81.6-93.8
35-44	218	59,021	13	8.2	2.7-13.7	13	3.6	1.2- 6.0	192	88.2	82.3-94.1
45-54	241	55,880	17	7.8	3.7-11.9	4	3.9	0.0- 9.4	220	88.3	81.8-94.8
55-64	344	63,845	23	5.7	3.2- 8.2	7	2.3	0.3- 4.3	314	92.0	88.7-95.3
65+	529	93,148	26	5.2	2.3- 8.1	17	3.0	1.4- 4.6	486	91.8	88.5-95.1
Less Than H.S.	125	43,278	10	8.3	2.0-14.6	3	4.9	0.0-12.0	112	86.8	77.8-95.8
H.S. or G.E.D.	422	121,962	22	5.8	2.5- 9.1	11	2.9	0.7- 5.1	389	91.3	87.4-95.2
Some Post-H.S.	401	100,027	27	7.6	3.5-11.7	15	5.3	2.2- 8.4	359	87.2	82.3-92.1
College Graduate	649	109,038	39	6.8	4.1- 9.5	29	4.4	2.4- 6.4	581	88.8	85.7-91.9
\$15,000- 24,999	120	28,537	11	11.2	2.4-20.0	5	2.8	0.1- 5.5	104	85.9	76.9-94.9
\$25,000- 34,999	154	35,147	10	4.8	1.5- 8.1	7	4.6	0.3- 8.9	137	90.6	85.3-95.9
\$35,000- 49,999	152	40,763	9	4.9	0.8- 9.0	3	1.9	0.0- 4.6	140	93.2	88.3-98.1
\$50,000- 99,999	415	92,684	28	9.7	4.6-14.8	18	6.2	1.9-10.5	369	84.1	77.8-90.4
\$100,000 - 199,999	302	74,146	15	5.0	1.7- 8.3	14	5.6	1.7- 9.5	273	89.4	84.5-94.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1992	411,585	262	12.6	10.6-14.6	55	3.0	1.8- 4.2	1675	84.4	82.2-86.6
White/Non-Hisp	1349	259,338	170	11.6	9.4-13.8	35	3.0	1.6- 4.4	1144	85.3	82.8-87.8
Black or Afr. Am./Non-Hisp	341	89,810	58	16.9	11.6-22.2	10	3.6	1.1- 6.1	273	79.5	73.8-85.2
Oth. Race/Non-Hisp.	51	16,376	4	7.0	0.0-15.8				47	93.0	84.2- 100
Hispanic	175	34,970	19	12.0	4.9-19.1	7	2.9	0.4- 5.4	149	85.0	77.6-92.4
18-24	95	43,048	12	12.7	4.7-20.7	1	0.9	0.0- 2.7	82	86.4	78.2-94.6
25-34	196	62,561	22	10.7	5.2-16.2	7	4.4	0.7- 8.1	167	84.9	78.4-91.4
35-44	265	59,461	36	16.6	9.9-23.3	15	5.9	2.2- 9.6	214	77.5	70.2-84.8
45-54	322	60,746	55	13.9	9.6-18.2	7	0.9	0.1- 1.7	260	85.2	80.9-89.5
55-64	406	74,057	56	13.7	9.6-17.8	9	2.5	0.1- 4.9	341	83.8	79.3-88.3
65+	708	111,712	81	9.9	7.4-12.4	16	3.1	0.9- 5.3	611	87.0	83.9-90.1
Less Than H.S.	108	35,113	16	15.2	6.6-23.8	4	2.3	0.0- 4.7	88	82.5	73.7-91.3
H.S. or G.E.D.	495	124,934	65	13.1	9.0-17.2	10	2.5	0.7- 4.3	420	84.3	80.0-88.6
Some Post-H.S.	549	124,506	85	12.8	9.3-16.3	22	4.5	2.0- 7.0	442	82.7	78.6-86.8
College Graduate	832	125,795	94	10.9	8.4-13.4	19	2.3	0.7- 3.9	719	86.7	83.8-89.6
Less than \$15,000	92	18,919	21	34.4	20.3-48.5	2	1.1	0.0- 2.7	69	64.5	50.4-78.6
\$15,000- 24,999	163	32,436	23	16.2	6.6-25.8	7	4.8	0.7- 8.9	133	79.0	69.0-89.0
\$25,000- 34,999	215	43,003	32	12.1	6.8-17.4	8	4.3	0.0- 8.6	175	83.6	77.1-90.1
\$35,000- 49,999	221	44,365	32	13.3	7.4-19.2	6	2.7	0.0- 5.6	183	84.0	77.7-90.3
\$50,000- 99,999	511	97,910	65	11.1	8.0-14.2	20	4.5	2.0- 7.0	426	84.4	80.5-88.3
\$100,000 - 199,999	301	61,650	35	11.1	6.4-15.8	5	1.9	0.0- 4.1	261	87.0	81.9-92.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021

SECTION 8: ARTHRITIS BURDEN CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR3)	
1	MALES AND FEMALES	49
2	MALES ONLY	50
3	FEMALES ONLY	51
	LIMITED USUAL ACTIVITIES (_LMTACT3)	
4	MALES AND FEMALES	52
5	MALES ONLY	53
6	FEMALES ONLY	54
	LIMITED WORK ACTIVITIES (_LMTWRK3)	
7	MALES AND FEMALES	55
8	MALES ONLY	56
9	FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

**TABLE 1: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3627	795,203	1169	27.3	25.5-29.1	2458	72.7	70.9-74.5
Male	1619	378,895	429	22.2	19.7-24.7	1190	77.8	75.3-80.3
Female	2008	416,309	740	31.9	29.2-34.6	1268	68.1	65.4-70.8
White/Non-Hisp	2464	498,109	913	32.0	29.6-34.4	1551	68.0	65.6-70.4
Black or Afr. Am./Non-Hisp	551	165,202	159	24.3	19.8-28.8	392	75.7	71.2-80.2
Oth. Race/Non-Hisp.	123	37,775	19	12.8	5.4-20.2	104	87.2	79.8-94.6
MultiRacial/Non-Hisp.	75	11,101	24	29.1	16.6-41.6	51	70.9	58.4-83.4
Hispanic	331	66,069	31	6.9	3.8-10.0	300	93.1	90.0-96.2
18-24	210	87,192	11	4.1	1.4- 6.8	199	95.9	93.2-98.6
25-34	373	126,649	26	9.7	5.2-14.2	347	90.3	85.8-94.8
35-44	486	119,895	74	15.9	11.6-20.2	412	84.1	79.8-88.4
45-54	563	116,625	149	25.4	20.9-29.9	414	74.6	70.1-79.1
55-64	750	138,599	301	37.6	33.1-42.1	449	62.4	57.9-66.9
65+	1245	206,243	608	48.5	45.0-52.0	637	51.5	48.0-55.0
Less Than H.S.	235	79,430	58	22.7	15.8-29.6	177	77.3	70.4-84.2
H.S. or G.E.D.	923	249,312	309	29.2	25.5-32.9	614	70.8	67.1-74.5
Some Post-H.S.	954	224,979	363	31.4	27.9-34.9	591	68.6	65.1-72.1
College Graduate	1486	235,636	435	23.3	20.8-25.8	1051	76.7	74.2-79.2
Less than \$15,000	137	28,666	48	29.0	19.0-39.0	89	71.0	61.0-81.0
\$15,000-24,999	285	61,447	122	40.6	32.6-48.6	163	59.4	51.4-67.4
\$25,000-34,999	374	78,880	125	27.7	22.0-33.4	249	72.3	66.6-78.0
\$35,000-49,999	373	84,747	133	29.9	23.8-36.0	240	70.1	64.0-76.2
\$50,000-99,999	935	192,765	320	30.1	26.4-33.8	615	69.9	66.2-73.6
\$100,000-199,999	602	136,461	158	20.8	16.9-24.7	444	79.2	75.3-83.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 2: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1619	378,895	429	22.2	19.7-24.7	1190	77.8	75.3-80.3
White/Non-Hisp	1102	235,787	329	26.3	23.0-29.6	773	73.7	70.4-77.0
Black or Afr. Am./Non-Hisp	208	75,135	57	20.4	14.1-26.7	151	79.6	73.3-85.9
Oth. Race/Non-Hisp.	70	19,911	9	9.7	1.1-18.3	61	90.3	81.7-98.9
Hispanic	156	31,058	12	3.5	0.8- 6.2	144	96.5	93.8-99.2
18-24	115	44,144	3	1.3	0.0- 3.1	112	98.7	96.9- 100
25-34	176	63,813	9	9.8	2.9-16.7	167	90.2	83.3-97.1
35-44	218	58,665	24	10.7	5.8-15.6	194	89.3	84.4-94.2
45-54	241	55,880	46	19.7	13.4-26.0	195	80.3	74.0-86.6
55-64	344	64,515	122	31.4	25.5-37.3	222	68.6	62.7-74.5
65+	525	91,878	225	43.1	37.8-48.4	300	56.9	51.6-62.2
Less Than H.S.	124	42,956	22	19.7	10.7-28.7	102	80.3	71.3-89.3
H.S. or G.E.D.	422	122,315	124	25.0	19.9-30.1	298	75.0	69.9-80.1
Some Post-H.S.	402	99,826	117	24.0	19.1-28.9	285	76.0	71.1-80.9
College Graduate	650	109,189	164	19.1	15.8-22.4	486	80.9	77.6-84.2
\$15,000- 24,999	119	28,508	42	37.5	26.1-48.9	77	62.5	51.1-73.9
\$25,000- 34,999	155	35,427	44	21.4	13.4-29.4	111	78.6	70.6-86.6
\$35,000- 49,999	151	40,286	44	26.5	17.3-35.7	107	73.5	64.3-82.7
\$50,000- 99,999	418	93,020	125	26.3	20.8-31.8	293	73.7	68.2-79.2
\$100,000 - 199,999	303	74,938	73	17.7	12.8-22.6	230	82.3	77.4-87.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 3: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2008	416,309	740	31.9	29.2-34.6	1268	68.1	65.4-70.8
White/Non-Hisp	1362	262,322	584	37.1	33.8-40.4	778	62.9	59.6-66.2
Black or Afr. Am./Non-Hisp	343	90,067	102	27.5	21.2-33.8	241	72.5	66.2-78.8
Oth. Race/Non-Hisp.	53	17,864	10	16.3	3.8-28.8	43	83.7	71.2-96.2
Hispanic	175	35,011	19	10.0	4.5-15.5	156	90.0	84.5-95.5
18-24	95	43,048	8	7.0	1.9-12.1	87	93.0	87.9-98.1
25-34	197	62,836	17	9.6	4.1-15.1	180	90.4	84.9-95.9
35-44	268	61,229	50	20.9	14.0-27.8	218	79.1	72.2-86.0
45-54	322	60,745	103	30.7	24.2-37.2	219	69.3	62.8-75.8
55-64	406	74,085	179	43.0	36.5-49.5	227	57.0	50.5-63.5
65+	720	114,366	383	52.9	48.0-57.8	337	47.1	42.2-52.0
Less Than H.S.	111	36,474	36	26.3	15.9-36.7	75	73.7	63.3-84.1
H.S. or G.E.D.	501	126,997	185	33.3	27.8-38.8	316	66.7	61.2-72.2
Some Post-H.S.	552	125,152	246	37.3	32.2-42.4	306	62.7	57.6-67.8
College Graduate	836	126,447	271	27.0	23.3-30.7	565	73.0	69.3-76.7
Less than \$15,000	92	18,867	38	35.9	22.6-49.2	54	64.1	50.8-77.4
\$15,000- 24,999	166	32,939	80	43.3	31.9-54.7	86	56.7	45.3-68.1
\$25,000- 34,999	219	43,453	81	33.0	25.0-41.0	138	67.0	59.0-75.0
\$35,000- 49,999	222	44,461	89	32.9	24.5-41.3	133	67.1	58.7-75.5
\$50,000- 99,999	517	99,746	195	33.5	28.2-38.8	322	66.5	61.2-71.8
\$100,000 - 199,999	299	61,523	85	24.6	18.5-30.7	214	75.4	69.3-81.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

**TABLE 4: LIMITED USUAL ACTIVITIES (_LMTACT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and usual activities limited			Told have arthritis and usual activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3617	793,758	476	11.2	9.8-12.6	683	16.0	14.4-17.6	2458	72.9	71.1-74.7
Male	1616	378,362	158	8.2	6.6- 9.8	268	13.9	11.9-15.9	1190	77.9	75.4-80.4
Female	2001	415,396	318	13.9	11.9-15.9	415	17.9	15.7-20.1	1268	68.3	65.6-71.0
White/Non-Hisp	2456	496,937	366	13.0	11.4-14.6	539	18.8	16.8-20.8	1551	68.2	65.8-70.6
Black or Afr. Am./Non-Hisp	550	165,157	61	9.9	6.8-13.0	97	14.4	10.9-17.9	392	75.7	71.2-80.2
Oth. Race/Non-Hisp.	123	37,775	11	6.9	1.4-12.4	8	5.9	0.6-11.2	104	87.2	79.8-94.6
MultiRacial/Non-Hisp.	75	11,101	16	18.4	8.2-28.6	8	10.7	1.9-19.5	51	70.9	58.4-83.4
Hispanic	330	65,841	12	2.5	0.5- 4.5	18	4.1	1.6- 6.6	300	93.4	90.3-96.5
18-24	210	87,192	6	2.6	0.4- 4.8	5	1.5	0.0- 3.1	199	95.9	93.2-98.6
25-34	372	126,303	9	2.6	0.2- 5.0	16	6.8	2.9-10.7	347	90.6	86.1-95.1
35-44	485	119,678	31	6.8	3.9- 9.7	42	8.9	5.4-12.4	412	84.2	79.9-88.5
45-54	561	116,432	62	11.2	7.7-14.7	85	14.1	10.6-17.6	414	74.7	70.2-79.2
55-64	747	138,306	137	17.3	13.8-20.8	161	20.1	16.6-23.6	449	62.6	58.1-67.1
65+	1242	205,848	231	18.4	15.7-21.1	374	30.0	26.7-33.3	637	51.6	48.1-55.1
Less Than H.S.	233	78,977	30	12.7	7.2-18.2	26	9.6	5.1-14.1	177	77.7	70.8-84.6
H.S. or G.E.D.	923	249,312	128	12.4	9.7-15.1	181	16.9	14.0-19.8	614	70.8	67.1-74.5
Some Post-H.S.	951	224,603	155	12.0	9.6-14.4	205	19.3	16.2-22.4	591	68.7	65.2-72.2
College Graduate	1481	235,018	161	8.8	7.2-10.4	269	14.3	12.3-16.3	1051	76.9	74.4-79.4
Less than \$15,000	136	28,577	27	16.9	8.5-25.3	20	11.9	5.0-18.8	89	71.2	61.0-81.4
\$15,000-24,999	283	60,994	72	23.3	16.6-30.0	48	16.9	10.6-23.2	163	59.8	51.8-67.8
\$25,000-34,999	374	78,880	53	10.9	7.2-14.6	72	16.9	12.0-21.8	249	72.3	66.6-78.0
\$35,000-49,999	373	84,747	56	12.1	7.8-16.4	77	17.7	12.8-22.6	240	70.1	64.0-76.2
\$50,000-99,999	933	192,419	113	10.8	8.4-13.2	205	19.1	15.8-22.4	615	70.1	66.4-73.8
\$100,000-199,999	600	136,095	51	6.9	4.5- 9.3	105	13.7	10.4-17.0	444	79.4	75.5-83.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 5: LIMITED USUAL ACTIVITIES (_LMTACT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and usual activities limited			Told have arthritis and usual activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1616	378,362	158	8.2	6.6- 9.8	268	13.9	11.9-15.9	1190	77.9	75.4-80.4
White/Non-Hisp	1099	235,254	116	9.2	7.0-11.4	210	16.9	14.2-19.6	773	73.9	70.6-77.2
Black or Afr. Am./Non-Hisp	208	75,135	20	7.5	3.2-11.8	37	13.0	8.3-17.7	151	79.6	73.3-85.9
Oth. Race/Non-Hisp.	70	19,911	7	8.9	0.5-17.3	2	0.8	0.0- 2.0	61	90.3	81.7-98.9
Hispanic	156	31,058	2	0.3	0.0- 0.7	10	3.3	0.8- 5.8	144	96.5	93.8-99.2
18-24	115	44,144	2	1.2	0.0- 3.0	1	0.1	0.0- 0.3	112	98.7	96.9- 100
25-34	175	63,467	3	2.9	0.0- 7.0	5	6.4	0.5-12.3	167	90.7	83.8-97.6
35-44	218	58,665	11	6.0	1.9-10.1	13	4.7	2.0- 7.4	194	89.3	84.4-94.2
45-54	241	55,880	14	6.4	2.1-10.7	32	13.3	8.4-18.2	195	80.3	74.0-86.6
55-64	342	64,328	56	13.5	9.6-17.4	64	17.6	12.5-22.7	222	68.8	62.7-74.9
65+	525	91,878	72	14.0	10.1-17.9	153	29.1	24.2-34.0	300	56.9	51.6-62.2
Less Than H.S.	123	42,610	6	7.5	0.8-14.2	15	11.5	4.4-18.6	102	81.0	72.0-90.0
H.S. or G.E.D.	422	122,315	51	10.3	6.8-13.8	73	14.7	10.6-18.8	298	75.0	69.9-80.1
Some Post-H.S.	401	99,757	40	7.3	4.6-10.0	76	16.7	12.4-21.0	285	76.0	71.1-80.9
College Graduate	649	109,071	60	7.3	5.1- 9.5	103	11.7	9.2-14.2	486	81.0	77.7-84.3
\$15,000- 24,999	118	28,162	25	25.1	14.1-36.1	16	11.6	5.1-18.1	77	63.2	51.8-74.6
\$25,000- 34,999	155	35,427	14	4.2	1.7- 6.7	30	17.1	9.5-24.7	111	78.6	70.6-86.6
\$35,000- 49,999	151	40,286	16	10.7	3.6-17.8	28	15.8	8.9-22.7	107	73.5	64.3-82.7
\$50,000- 99,999	417	92,902	44	10.2	6.7-13.7	80	16.1	11.4-20.8	293	73.8	68.3-79.3
\$100,000 - 199,999	303	74,938	23	5.1	2.6- 7.6	50	12.6	8.3-16.9	230	82.3	77.4-87.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 6: LIMITED USUAL ACTIVITIES (_LMTACT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and usual activities limited			Told have arthritis and usual activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2001	415,396	318	13.9	11.9-15.9	415	17.9	15.7-20.1	1268	68.3	65.6-71.0
White/Non-Hisp	1357	261,683	250	16.4	13.9-18.9	329	20.6	17.9-23.3	778	63.0	59.7-66.3
Black or Afr. Am./Non-Hisp	342	90,022	41	12.0	7.3-16.7	60	15.5	10.6-20.4	241	72.5	66.2-78.8
Oth. Race/Non-Hisp.	53	17,864	4	4.7	0.0-11.0	6	11.6	0.6-22.6	43	83.7	71.2-96.2
Hispanic	174	34,782	10	4.5	1.0- 8.0	8	4.9	0.6- 9.2	156	90.6	85.1-96.1
18-24	95	43,048	4	4.1	0.0- 8.2	4	2.9	0.0- 5.8	87	93.0	87.9-98.1
25-34	197	62,836	6	2.4	0.0- 4.8	11	7.2	2.1-12.3	180	90.4	84.9-95.9
35-44	267	61,012	20	7.6	3.5-11.7	29	13.0	6.9-19.1	218	79.4	72.5-86.3
45-54	320	60,552	48	15.6	10.5-20.7	53	14.8	9.7-19.9	219	69.6	62.9-76.3
55-64	405	73,978	81	20.6	14.9-26.3	97	22.3	17.2-27.4	227	57.1	50.6-63.6
65+	717	113,970	159	22.0	18.1-25.9	221	30.8	26.5-35.1	337	47.2	42.3-52.1
Less Than H.S.	110	36,367	24	18.9	9.7-28.1	11	7.2	2.1-12.3	75	73.9	63.5-84.3
H.S. or G.E.D.	501	126,997	77	14.3	10.4-18.2	108	18.9	14.6-23.2	316	66.7	61.2-72.2
Some Post-H.S.	550	124,846	115	15.8	12.3-19.3	129	21.4	17.1-25.7	306	62.8	57.7-67.9
College Graduate	832	125,947	101	10.1	7.7-12.5	166	16.6	13.5-19.7	565	73.3	69.6-77.0
Less than \$15,000	91	18,777	23	23.7	11.5-35.9	14	12.0	3.4-20.6	54	64.4	51.1-77.7
\$15,000- 24,999	165	32,832	47	21.7	13.9-29.5	32	21.5	11.3-31.7	86	56.9	45.3-68.5
\$25,000- 34,999	219	43,453	39	16.3	10.0-22.6	42	16.7	10.4-23.0	138	67.0	59.0-75.0
\$35,000- 49,999	222	44,461	40	13.4	8.1-18.7	49	19.5	12.6-26.4	133	67.1	58.7-75.5
\$50,000- 99,999	516	99,517	69	11.4	8.1-14.7	125	21.9	17.2-26.6	322	66.6	61.3-71.9
\$100,000 - 199,999	297	61,157	28	9.2	5.1-13.3	55	14.9	9.8-20.0	214	75.9	69.8-82.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 7: LIMITED WORK ACTIVITIES (_LMTWRK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3600	790,983	328	8.3	7.1-9.5	814	18.6	17.0-20.2	2458	73.1	71.3-74.9
Male	1610	377,397	116	6.5	4.9-8.1	304	15.4	13.2-17.6	1190	78.1	75.6-80.6
Female	1990	413,586	212	9.9	8.1-11.7	510	21.6	19.2-24.0	1268	68.6	65.9-71.3
White/Non-Hisp	2446	495,745	222	8.1	6.7-9.5	673	23.5	21.3-25.7	1551	68.3	65.9-70.7
Black or Afr. Am./Non-Hisp	548	164,331	62	10.0	6.9-13.1	94	13.9	10.4-17.4	392	76.1	71.6-80.6
Oth. Race/Non-Hisp.	121	37,116	11	9.2	2.3-16.1	6	2.1	0.1-4.1	104	88.7	81.6-95.8
MultiRacial/Non-Hisp.	72	10,848	11	13.7	4.5-22.9	10	13.8	3.8-23.8	51	72.6	60.1-85.1
Hispanic	331	66,069	12	2.1	0.3-3.9	19	4.8	2.1-7.5	300	93.1	90.0-96.2
18-24	210	87,192	6	2.7	0.5-4.9	5	1.4	0.0-2.8	199	95.9	93.2-98.6
25-34	372	126,487	12	4.3	1.4-7.2	13	5.3	1.8-8.8	347	90.4	85.9-94.9
35-44	486	119,895	30	6.5	3.6-9.4	44	9.4	5.9-12.9	412	84.1	79.8-88.4
45-54	561	116,421	69	11.5	8.2-14.8	78	13.8	10.1-17.5	414	74.7	70.2-79.2
55-64	741	137,107	108	14.5	11.0-18.0	184	22.4	18.9-25.9	449	63.1	58.6-67.6
65+	1230	203,880	103	8.1	6.1-10.1	490	39.8	36.3-43.3	637	52.1	48.6-55.6
Less Than H.S.	233	78,746	27	11.6	6.3-16.9	29	10.4	5.7-15.1	177	77.9	71.2-84.6
H.S. or G.E.D.	917	248,632	94	9.4	7.0-11.8	209	19.6	16.5-22.7	614	71.0	67.3-74.7
Some Post-H.S.	945	223,238	119	9.6	7.4-11.8	235	21.3	18.2-24.4	591	69.1	65.6-72.6
College Graduate	1477	234,556	87	4.8	3.6-6.0	339	18.2	15.8-20.6	1051	77.0	74.5-79.5
Less than \$15,000	136	28,565	30	19.7	10.5-28.9	17	9.1	3.8-14.4	89	71.2	61.0-81.4
\$15,000-24,999	284	60,946	58	17.5	11.8-23.2	63	22.6	15.5-29.7	163	59.9	51.9-67.9
\$25,000-34,999	368	77,770	41	10.3	6.4-14.2	78	16.5	11.8-21.2	249	73.3	67.6-79.0
\$35,000-49,999	370	84,262	42	10.5	6.0-15.0	88	19.0	14.3-23.7	240	70.5	64.4-76.6
\$50,000-99,999	932	192,407	67	6.5	4.7-8.3	250	23.4	19.9-26.9	615	70.1	66.4-73.8
\$100,000-199,999	601	136,305	25	3.2	1.8-4.6	132	17.5	13.8-21.2	444	79.3	75.4-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 8: LIMITED WORK ACTIVITIES (_LMTWRK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1610	377,397	116	6.5	4.9- 8.1	304	15.4	13.2-17.6	1190	78.1	75.6-80.6
White/Non-Hisp	1095	235,069	73	6.2	4.4- 8.0	249	19.8	16.9-22.7	773	73.9	70.6-77.2
Black or Afr. Am./Non-Hisp	206	74,355	22	8.4	4.1-12.7	33	11.2	6.5-15.9	151	80.4	74.3-86.5
Oth. Race/Non-Hisp.	70	19,911	7	9.1	0.7-17.5	2	0.6	0.0- 1.4	61	90.3	81.7-98.9
Hispanic	156	31,058	4	0.6	0.0- 1.2	8	3.0	0.5- 5.5	144	96.5	93.8-99.2
18-24	115	44,144	1	0.9	0.0- 2.7	2	0.4	0.0- 1.0	112	98.7	96.9- 100
25-34	176	63,813	4	3.4	0.0- 7.5	5	6.4	0.5-12.3	167	90.2	83.3-97.1
35-44	218	58,665	10	5.1	1.6- 8.6	14	5.6	2.3- 8.9	194	89.3	84.4-94.2
45-54	240	55,809	17	7.9	3.4-12.4	28	11.7	6.8-16.6	195	80.4	74.1-86.7
55-64	341	64,118	45	12.1	7.8-16.4	74	18.8	14.1-23.5	222	69.1	63.2-75.0
65+	520	90,848	39	7.5	4.6-10.4	181	34.9	29.6-40.2	300	57.6	52.3-62.9
Less Than H.S.	124	42,956	7	8.4	1.7-15.1	15	11.3	4.2-18.4	102	80.3	71.3-89.3
H.S. or G.E.D.	421	122,211	42	7.6	4.7-10.5	81	17.3	12.8-21.8	298	75.1	70.0-80.2
Some Post-H.S.	398	98,843	36	7.1	4.4- 9.8	77	16.2	12.1-20.3	285	76.7	71.8-81.6
College Graduate	646	108,777	30	4.2	2.4- 6.0	130	14.6	11.7-17.5	486	81.2	77.9-84.5
\$15,000- 24,999	118	28,008	21	18.5	9.3-27.7	20	17.9	8.7-27.1	77	63.6	52.2-75.0
\$25,000- 34,999	152	35,118	10	4.2	1.3- 7.1	31	16.5	8.9-24.1	111	79.3	71.3-87.3
\$35,000- 49,999	151	40,286	14	11.0	3.4-18.6	30	15.5	9.0-22.0	107	73.5	64.3-82.7
\$50,000- 99,999	417	92,971	34	6.3	3.9- 8.7	90	20.0	14.9-25.1	293	73.7	68.2-79.2
\$100,000 - 199,999	302	74,782	9	2.1	0.5- 3.7	63	15.4	10.9-19.9	230	82.5	77.6-87.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 9: LIMITED WORK ACTIVITIES (_LMTWRK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1990	413,586	212	9.9	8.1-11.7	510	21.6	19.2-24.0	1268	68.6	65.9-71.3
White/Non-Hisp	1351	260,676	149	9.8	7.8-11.8	424	26.9	24.0-29.8	778	63.2	59.9-66.5
Black or Afr. Am./Non-Hisp	342	89,976	40	11.4	6.9-15.9	61	16.1	11.0-21.2	241	72.5	66.2-78.8
Oth. Race/Non-Hisp.	51	17,205	4	9.2	0.0-20.2	4	3.9	0.0- 8.0	43	86.9	75.3-98.5
Hispanic	175	35,011	8	3.5	0.2- 6.8	11	6.5	2.0-11.0	156	90.0	84.5-95.5
18-24	95	43,048	5	4.6	0.5- 8.7	3	2.4	0.0- 5.3	87	93.0	87.9-98.1
25-34	196	62,674	8	5.1	0.8- 9.4	8	4.2	0.5- 7.9	180	90.7	85.2-96.2
35-44	268	61,229	20	7.9	3.4-12.4	30	13.0	7.1-18.9	218	79.1	72.2-86.0
45-54	321	60,612	52	14.8	10.1-19.5	50	15.7	10.2-21.2	219	69.5	63.0-76.0
55-64	400	72,989	63	16.6	11.1-22.1	110	25.5	20.2-30.8	227	57.9	51.4-64.4
65+	710	113,033	64	8.6	6.1-11.1	309	43.8	38.9-48.7	337	47.6	42.7-52.5
Less Than H.S.	109	35,789	20	15.5	7.1-23.9	14	9.4	3.1-15.7	75	75.1	64.9-85.3
H.S. or G.E.D.	496	126,421	52	11.1	7.4-14.8	128	21.8	17.1-26.5	316	67.0	61.5-72.5
Some Post-H.S.	547	124,395	83	11.7	8.6-14.8	158	25.3	20.8-29.8	306	63.1	58.0-68.2
College Graduate	831	125,779	57	5.3	3.5- 7.1	209	21.3	18.0-24.6	565	73.4	69.7-77.1
Less than \$15,000	91	18,765	25	27.1	14.2-40.0	12	8.5	2.6-14.4	54	64.4	51.1-77.7
\$15,000- 24,999	166	32,939	37	16.6	9.3-23.9	43	26.7	16.5-36.9	86	56.7	45.3-68.1
\$25,000- 34,999	216	42,652	31	15.2	8.5-21.9	47	16.5	11.0-22.0	138	68.3	60.3-76.3
\$35,000- 49,999	219	43,976	28	10.0	4.9-15.1	58	22.2	15.3-29.1	133	67.9	59.5-76.3
\$50,000- 99,999	515	99,435	33	6.6	3.9- 9.3	160	26.7	21.8-31.6	322	66.7	61.4-72.0
\$100,000 - 199,999	299	61,523	16	4.5	2.0- 7.0	69	20.0	14.3-25.7	214	75.4	69.3-81.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	61
2 MALES ONLY	62
3 FEMALES ONLY	63
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	64
5 MALES ONLY	65
6 FEMALES ONLY	66
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	67
8 MALES ONLY	68
9 FEMALES ONLY	69
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	70
11 MALES ONLY	71
12 FEMALES ONLY	72
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	73
14 MALES ONLY	74
15 FEMALES ONLY	75
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	76
17 MALES ONLY	77
18 FEMALES ONLY	78

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	79
20 MALES ONLY	80
21 FEMALES ONLY	81
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	82
23 MALES ONLY	83
24 FEMALES ONLY	84
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	85
26 MALES ONLY	86
27 FEMALES ONLY	87
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	88
29 MALES ONLY	89
30 FEMALES ONLY	90
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	91
32 MALES ONLY	92
33 FEMALES ONLY	93
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	94
35 MALES ONLY	95
36 FEMALES ONLY	96
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	97
38 MALES ONLY	98
39 FEMALES ONLY	99

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	100
41	MALES ONLY	101
42	FEMALES ONLY	102
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	103
44	MALES ONLY	104
45	FEMALES ONLY	105
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	106
47	MALES ONLY	107
48	FEMALES ONLY	108

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3530	776,618	2639	68.4	66.2-70.6	604	22.9	20.9-24.9	45	1.5	0.9- 2.1	81	3.6	2.6- 4.6	7	0.2	0.0- 0.4	154	3.4	2.6- 4.2
Male	1564	368,161	1171	67.5	64.4-70.6	239	22.6	19.5-25.7	22	1.4	0.8- 2.0	48	4.4	3.0- 5.8	2	0.1	0.0- 0.3	82	3.8	2.8- 4.8
Female	1966	408,457	1468	69.2	66.3-72.1	365	23.2	20.5-25.9	23	1.5	0.5- 2.5	33	2.8	1.4- 4.2	5	0.3	0.0- 0.7	72	3.0	2.0- 4.0
18-24	202	85,371	120	62.9	54.7-71.1	47	26.7	18.9-34.5	4	1.0	0.0- 2.0	9	2.7	0.7- 4.7	2	0.5	0.0- 1.3	20	6.1	2.8- 9.4
25-34	359	123,051	217	61.3	55.0-67.6	85	23.5	18.2-28.8	10	2.5	0.1- 4.9	16	6.6	2.5-10.7	2	0.6	0.0- 1.8	29	5.4	3.0- 7.8
35-44	469	115,816	303	56.9	50.6-63.2	97	28.1	22.0-34.2	5	1.5	0.0- 3.5	24	7.7	4.2-11.2	2	0.2	0.0- 0.6	38	5.6	3.2- 8.0
45-54	536	110,899	376	64.6	59.1-70.1	110	27.3	21.8-32.8	6	1.6	0.0- 3.2	12	3.0	1.0- 5.0				32	3.6	2.0- 5.2
55-64	735	136,843	568	70.0	65.3-74.7	123	23.2	18.7-27.7	15	2.3	0.9- 3.7	7	2.4	0.4- 4.4	1	0.1	0.0- 0.3	21	1.9	0.7- 3.1
65+	1229	204,638	1055	82.4	79.3-85.5	142	15.5	12.4-18.6	5	0.3	0.0- 0.7	13	0.9	0.3- 1.5				14	0.8	0.2- 1.4
Less Than H.S.	211	74,996	118	54.4	45.4-63.4	25	18.9	11.1-26.7	6	3.8	0.1- 7.5	5	5.8	0.0-11.9	1	0.1	0.0- 0.3	56	17.0	11.5-22.5
H.S. or G.E.D.	904	245,439	671	69.2	65.1-73.3	169	24.8	20.9-28.7	12	1.5	0.3- 2.7	10	1.6	0.4- 2.8	3	0.4	0.0- 1.0	39	2.5	1.5- 3.5
Some Post-H.S.	935	220,890	708	70.2	66.1-74.3	172	24.0	20.1-27.9	14	1.4	0.6- 2.2	11	2.2	0.6- 3.8				30	2.3	1.1- 3.5
College Graduate	1462	232,205	1128	70.3	67.2-73.4	236	21.2	18.3-24.1	13	0.8	0.4- 1.2	55	6.4	4.6- 8.2	3	0.2	0.0- 0.6	27	1.1	0.5- 1.7
Less than \$15,000	128	27,386	75	54.5	42.7-66.3	30	27.9	17.3-38.5				2	5.0	0.0-11.7	1	0.3	0.0- 0.9	20	12.2	5.9-18.5
\$15,000-24,999	272	60,145	182	58.1	49.3-66.9	48	25.0	16.8-33.2	4	1.2	0.0- 2.4	8	7.1	0.0-14.2	1	1.1	0.0- 3.3	29	7.4	3.9-10.9
\$25,000-34,999	365	77,379	258	65.0	58.3-71.7	73	25.6	19.3-31.9	7	3.4	0.7- 6.1	5	1.1	0.0- 2.3	1	0.2	0.0- 0.6	21	4.7	2.0- 7.4
\$35,000-49,999	365	81,984	269	66.3	59.0-73.6	69	26.0	19.1-32.9	6	1.2	0.2- 2.2	7	3.4	0.1- 6.7	1	0.1	0.0- 0.3	13	2.9	0.9- 4.9
\$50,000-99,999	931	191,799	717	71.6	67.3-75.9	166	22.6	18.7-26.5	11	1.3	0.0- 2.7	16	2.9	1.1- 4.7	2	0.2	0.0- 0.4	19	1.4	0.6- 2.2
\$100,000-199,999	598	136,048	489	75.9	71.0-80.8	84	19.4	14.9-23.9	2	0.3	0.0- 0.7	13	3.5	1.5- 5.5				10	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1564	368,161	1171	67.5	64.4-70.6	239	22.6	19.7-25.5	22	1.4	0.8- 2.0	48	4.4	3.0- 5.8	2	0.1	0.0- 0.3	82	3.8	2.8- 4.8
18-24	112	43,546	73	65.3	54.1-76.5	26	27.2	16.2-38.2	1	0.4	0.0- 1.2	5	3.6	0.3- 6.9	1	0.7	0.0- 2.1	6	2.9	0.4- 5.4
25-34	166	60,940	103	65.5	57.3-73.7	32	19.8	12.7-26.9	3	1.5	0.0- 3.3	9	5.7	1.8- 9.6				19	7.5	3.6-11.4
35-44	210	57,362	138	57.2	48.2-66.2	35	27.2	18.4-36.0	1	0.2	0.0- 0.6	13	8.5	3.2-13.8				23	7.0	3.3-10.7
45-54	223	51,542	154	61.1	52.5-69.7	41	26.9	18.3-35.5	4	3.0	0.0- 6.1	9	5.3	1.4- 9.2				15	3.8	1.6- 6.0
55-64	336	63,344	253	67.8	60.9-74.7	51	21.3	15.0-27.6	11	3.5	1.3- 5.7	4	3.9	0.0- 7.8	1	0.2	0.0- 0.6	16	3.3	1.1- 5.5
65+	517	91,427	450	79.9	74.6-85.2	54	18.0	12.9-23.1	2	0.4	0.0- 1.0	8	1.4	0.2- 2.6				3	0.3	0.0- 0.7
Less Than H.S.	111	40,288	57	54.5	42.7-66.3	12	18.5	7.7-29.3	4	2.9	0.0- 6.0	4	5.6	0.0-11.5				34	18.5	11.2-25.8
H.S. or G.E.D.	411	119,735	310	69.7	63.6-75.8	65	23.4	17.5-29.3	9	1.6	0.4- 2.8	5	2.2	0.0- 4.6	1	0.1	0.0- 0.3	21	2.9	1.3- 4.5
Some Post-H.S.	392	98,649	289	67.3	61.0-73.6	77	26.7	20.6-32.8	7	1.7	0.1- 3.3	5	2.3	0.1- 4.5				14	2.0	0.6- 3.4
College Graduate	638	107,210	506	70.2	65.3-75.1	84	19.4	14.9-23.9	2	0.5	0.0- 1.3	34	8.6	5.5-11.7	1	0.3	0.0- 0.9	11	1.0	0.4- 1.6
\$15,000- 24,999	114	27,926	71	58.1	45.9-70.3	20	25.9	14.1-37.7	2	1.6	0.0- 3.8	4	5.4	0.0-11.7				17	9.1	3.8-14.4
\$25,000- 34,999	149	34,287	109	66.6	56.6-76.6	23	20.8	12.2-29.4	5	5.1	0.2-10.0							12	7.5	1.8-13.2
\$35,000- 49,999	149	40,080	107	65.1	54.3-75.9	27	26.0	15.4-36.6	2	1.0	0.0- 2.4	5	3.9	0.0- 8.6				8	4.0	0.7- 7.3
\$50,000- 99,999	415	92,569	329	71.0	64.3-77.7	60	21.6	15.3-27.9	4	0.9	0.0- 1.9	12	4.8	1.5- 8.1	1	0.2	0.0- 0.6	9	1.6	0.4- 2.8
\$100,000 - 199,999	301	74,777	244	74.9	68.2-81.6	46	20.8	14.5-27.1				8	4.0	1.1- 6.9				3	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1966	408,457	1468	69.2	66.3-72.1	365	23.2	20.5-25.9	23	1.5	0.5- 2.5	33	2.8	1.4- 4.2	5	0.3	0.0- 0.7	72	3.0	2.0- 4.0
18-24	90	41,825	47	60.5	48.3-72.7	21	26.2	15.2-37.2	3	1.6	0.0- 3.6	4	1.9	0.0- 3.9	1	0.4	0.0- 1.2	14	9.5	3.2-15.8
25-34	193	62,111	114	57.2	47.8-66.6	53	27.1	19.3-34.9	7	3.5	0.0- 7.8	7	7.6	0.3-14.9	2	1.2	0.0- 3.4	10	3.4	0.9- 5.9
35-44	259	58,454	165	56.6	48.0-65.2	62	29.0	20.6-37.4	4	2.9	0.0- 6.8	11	6.9	2.4-11.4	2	0.4	0.0- 1.0	15	4.2	1.3- 7.1
45-54	313	59,357	222	67.7	60.6-74.8	69	27.6	20.7-34.5	2	0.4	0.0- 1.0	3	1.0	0.0- 2.4				17	3.4	1.0- 5.8
55-64	399	73,499	315	71.9	65.4-78.4	72	24.9	18.6-31.2	4	1.3	0.0- 2.9	3	1.1	0.0- 2.5				5	0.7	0.0- 1.5
65+	712	113,211	605	84.4	80.7-88.1	88	13.5	10.0-17.0	3	0.3	0.0- 0.7	5	0.6	0.0- 1.2				11	1.2	0.4- 2.0
Less Than H.S.	100	34,708	61	54.4	40.1-68.7	13	19.3	7.7-30.9	2	4.9	0.0-12.0	1	6.0	0.0-17.2	1	0.2	0.0- 0.6	22	15.2	6.8-23.6
H.S. or G.E.D.	493	125,704	361	68.7	62.8-74.6	104	26.1	20.6-31.6	3	1.3	0.0- 3.5	5	1.0	0.0- 2.2	2	0.7	0.0- 1.9	18	2.1	0.9- 3.3
Some Post-H.S.	543	122,241	419	72.5	67.2-77.8	95	21.9	17.0-26.8	7	1.1	0.1- 2.1	6	2.1	0.0- 4.3				16	2.5	0.9- 4.1
College Graduate	824	124,994	622	70.4	66.3-74.5	152	22.6	18.7-26.5	11	1.1	0.5- 1.7	21	4.5	2.3- 6.7	2	0.2	0.0- 0.4	16	1.1	0.3- 1.9
Less than \$15,000	89	18,234	54	55.1	40.8-69.4	23	32.1	18.6-45.6				1	3.8	0.0-11.1	1	0.4	0.0- 1.2	10	8.6	2.3-14.9
\$15,000- 24,999	158	32,219	111	58.2	45.3-71.1	28	24.3	12.9-35.7	2	0.8	0.0- 2.0	4	8.6	0.0-20.6	1	2.1	0.0- 6.2	12	6.0	1.5-10.5
\$25,000- 34,999	216	43,092	149	63.7	54.9-72.5	50	29.5	20.9-38.1	2	2.1	0.0- 5.0	5	2.0	0.0- 4.0	1	0.4	0.0- 1.2	9	2.4	0.4- 4.4
\$35,000- 49,999	216	41,904	162	67.5	57.9-77.1	42	26.1	17.3-34.9	4	1.5	0.0- 3.1	2	2.9	0.0- 7.6	1	0.2	0.0- 0.6	5	1.9	0.0- 3.9
\$50,000- 99,999	516	99,230	388	72.3	67.0-77.6	106	23.6	18.7-28.5	7	1.8	0.0- 4.2	4	1.1	0.0- 2.5	1	0.2	0.0- 0.6	10	1.1	0.3- 1.9
\$100,000 - 199,999	297	61,271	245	77.1	69.8-84.4	38	17.8	10.9-24.7	2	0.6	0.0- 1.4	5	2.9	0.0- 5.8				7	1.6	0.2- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3530	776,618	2608	67.9	65.7-70.1	588	22.4	20.4-24.4	38	1.3	0.7- 1.9	78	3.5	2.5- 4.5	6	0.2	0.0- 0.4	212	4.7	3.9- 5.5
Male	1564	368,161	1159	67.1	64.0-70.2	230	22.1	19.2-25.0	18	1.1	0.5- 1.7	46	4.2	2.8- 5.6	2	0.1	0.0- 0.3	109	5.4	4.2- 6.6
Female	1966	408,457	1449	68.5	65.6-71.4	358	22.8	20.1-25.5	20	1.4	0.4- 2.4	32	2.8	1.4- 4.2	4	0.2	0.0- 0.6	103	4.2	3.0- 5.4
18-24	202	85,371	116	61.7	53.5-69.9	44	25.4	17.8-33.0	3	0.8	0.0- 1.8	9	2.7	0.7- 4.7	2	0.5	0.0- 1.3	28	8.9	4.8-13.0
25-34	359	123,051	212	60.7	54.4-67.0	82	23.0	17.7-28.3	8	2.1	0.0- 4.3	15	6.2	2.1-10.3	2	0.6	0.0- 1.8	40	7.4	4.7-10.1
35-44	469	115,816	295	56.2	49.9-62.5	95	27.7	21.6-33.8	4	1.4	0.0- 3.4	23	7.4	3.9-10.9	1	0.1	0.0- 0.3	51	7.1	4.6- 9.6
45-54	536	110,899	372	64.3	58.8-69.8	106	27.0	21.5-32.5	5	1.5	0.0- 3.1	12	3.0	1.0- 5.0				41	4.2	2.4- 6.0
55-64	735	136,843	564	69.6	64.9-74.3	121	22.8	18.3-27.3	13	2.0	0.8- 3.2	7	2.4	0.4- 4.4	1	0.1	0.0- 0.3	29	3.1	1.7- 4.5
65+	1229	204,638	1049	82.1	79.0-85.2	140	15.2	12.1-18.3	5	0.3	0.0- 0.7	12	0.9	0.3- 1.5				23	1.4	0.6- 2.2
Less Than H.S.	211	74,996	117	54.4	45.4-63.4	24	18.6	10.8-26.4	5	3.2	0.0- 6.7	5	5.8	0.0-11.9	1	0.1	0.0- 0.3	59	17.9	12.2-23.6
H.S. or G.E.D.	904	245,439	662	68.5	64.4-72.6	165	24.2	20.3-28.1	12	1.5	0.3- 2.7	10	1.6	0.4- 2.8	3	0.4	0.0- 1.0	52	3.8	2.6- 5.0
Some Post-H.S.	935	220,890	699	69.5	65.4-73.6	165	23.5	19.6-27.4	9	1.0	0.2- 1.8	9	1.8	0.4- 3.2				53	4.2	2.8- 5.6
College Graduate	1462	232,205	1116	69.8	66.7-72.9	232	20.8	17.9-23.7	12	0.8	0.4- 1.2	54	6.4	4.6- 8.2	2	0.2	0.0- 0.4	46	2.1	1.3- 2.9
Less than \$15,000	128	27,386	72	52.6	40.8-64.4	29	27.5	16.9-38.1				2	5.0	0.0-11.7	1	0.3	0.0- 0.9	24	14.6	7.7-21.5
\$15,000-24,999	272	60,145	179	56.9	48.1-65.7	48	25.0	16.8-33.2	4	1.2	0.0- 2.4	8	7.1	0.0-14.2	1	1.1	0.0- 3.3	32	8.7	4.8-12.6
\$25,000-34,999	365	77,379	252	64.0	57.3-70.7	73	25.6	19.3-31.9	6	3.2	0.5- 5.9	5	1.1	0.0- 2.3	1	0.2	0.0- 0.6	28	5.8	2.9- 8.7
\$35,000-49,999	365	81,984	264	65.5	58.2-72.8	68	25.8	18.9-32.7	4	0.9	0.0- 1.9	7	3.4	0.1- 6.7	1	0.1	0.0- 0.3	21	4.3	2.1- 6.5
\$50,000-99,999	931	191,799	708	71.0	66.7-75.3	160	22.0	18.1-25.9	9	1.2	0.0- 2.4	15	2.6	0.8- 4.4	1	0.1	0.0- 0.3	38	3.1	1.9- 4.3
\$100,000-199,999	598	136,048	487	75.7	70.8-80.6	81	18.9	14.4-23.4	2	0.3	0.0- 0.7	13	3.5	1.5- 5.5				15	1.5	0.5- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1564	368,161	1159	67.1	64.0-70.2	230	22.1	19.2-25.0	18	1.1	0.5- 1.7	46	4.2	2.8- 5.6	2	0.1	0.0- 0.3	109	5.4	4.2- 6.6
18-24	112	43,546	70	64.2	53.0-75.4	23	24.6	13.8-35.4				5	3.6	0.3- 6.9	1	0.7	0.0- 2.1	13	7.0	2.5-11.5
25-34	166	60,940	101	65.0	56.8-73.2	30	19.1	12.2-26.0	2	0.8	0.0- 2.0	8	4.8	1.3- 8.3				25	10.3	5.8-14.8
35-44	210	57,362	135	56.5	47.7-65.3	35	27.2	18.4-36.0	1	0.2	0.0- 0.6	12	8.0	2.7-13.3				27	8.2	4.3-12.1
45-54	223	51,542	153	60.8	52.2-69.4	38	26.3	17.7-34.9	4	3.0	0.0- 6.1	9	5.3	1.4- 9.2				19	4.6	2.2- 7.0
55-64	336	63,344	252	67.6	60.7-74.5	50	20.9	14.6-27.2	9	2.8	0.8- 4.8	4	3.9	0.0- 7.8	1	0.2	0.0- 0.6	20	4.6	2.1- 7.1
65+	517	91,427	448	79.7	74.4-85.0	54	18.0	12.9-23.1	2	0.4	0.0- 1.0	8	1.4	0.2- 2.6				5	0.5	0.0- 1.1
Less Than H.S.	111	40,288	57	54.5	42.7-66.3	11	18.0	7.2-28.8	3	1.8	0.0- 4.0	4	5.6	0.0-11.5				36	20.2	12.6-27.8
H.S. or G.E.D.	411	119,735	307	69.4	63.3-75.5	62	22.5	16.8-28.2	9	1.6	0.4- 2.8	5	2.2	0.0- 4.6	1	0.1	0.0- 0.3	27	4.1	2.1- 6.1
Some Post-H.S.	392	98,649	284	66.6	60.3-72.9	73	26.2	20.1-32.3	4	1.1	0.0- 2.5	3	1.4	0.0- 3.2				28	4.8	2.6- 7.0
College Graduate	638	107,210	502	69.8	64.9-74.7	83	19.2	14.7-23.7	2	0.5	0.0- 1.3	34	8.6	5.5-11.7	1	0.3	0.0- 0.9	16	1.7	0.7- 2.7
\$15,000- 24,999	114	27,926	71	58.1	45.9-70.3	20	25.9	14.1-37.7	2	1.6	0.0- 3.8	4	5.4	0.0-11.7				17	9.1	3.8-14.4
\$25,000- 34,999	149	34,287	106	65.7	55.7-75.7	23	20.8	12.2-29.4	4	4.6	0.0- 9.3							16	8.9	3.0-14.8
\$35,000- 49,999	149	40,080	103	63.8	53.0-74.6	26	25.5	14.9-36.1	2	1.0	0.0- 2.4	5	3.9	0.0- 8.6				13	5.9	2.2- 9.6
\$50,000- 99,999	415	92,569	326	70.5	63.8-77.2	58	21.3	15.0-27.6	3	0.7	0.0- 1.5	11	4.2	1.1- 7.3	1	0.2	0.0- 0.6	16	3.2	1.4- 5.0
\$100,000 - 199,999	301	74,777	243	74.7	68.0-81.4	43	19.9	13.6-26.2				8	4.0	1.1- 6.9				7	1.4	0.2- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1966	408,457	1449	68.5	65.6-71.4	358	22.8	20.1-25.5	20	1.4	0.4- 2.4	32	2.8	1.4- 4.2	4	0.2	0.0- 0.6	103	4.2	3.0- 5.4
18-24	90	41,825	46	59.1	46.9-71.3	21	26.2	15.2-37.2	3	1.6	0.0- 3.6	4	1.9	0.0- 3.9	1	0.4	0.0- 1.2	15	10.9	4.2-17.6
25-34	193	62,111	111	56.5	47.1-65.9	52	26.8	19.0-34.6	6	3.3	0.0- 7.6	7	7.6	0.3-14.9	2	1.2	0.0- 3.4	15	4.6	1.9- 7.3
35-44	259	58,454	160	55.9	47.3-64.5	60	28.2	19.8-36.6	3	2.7	0.0- 6.6	11	6.9	2.4-11.4	1	0.1	0.0- 0.3	24	6.1	2.8- 9.4
45-54	313	59,357	219	67.3	60.2-74.4	68	27.5	20.6-34.4	1	0.3	0.0- 0.9	3	1.0	0.0- 2.4				22	3.9	1.5- 6.3
55-64	399	73,499	312	71.3	64.8-77.8	71	24.4	18.1-30.7	4	1.3	0.0- 2.9	3	1.1	0.0- 2.5				9	1.8	0.2- 3.4
65+	712	113,211	601	84.0	80.3-87.7	86	13.0	9.5-16.5	3	0.3	0.0- 0.7	4	0.5	0.0- 1.1				18	2.2	0.8- 3.6
Less Than H.S.	100	34,708	60	54.2	39.9-68.5	13	19.3	7.7-30.9	2	4.9	0.0-12.0	1	6.0	0.0-17.2	1	0.2	0.0- 0.6	23	15.4	7.0-23.8
H.S. or G.E.D.	493	125,704	355	67.7	61.8-73.6	103	25.9	20.4-31.4	3	1.3	0.0- 3.5	5	1.0	0.0- 2.2	2	0.7	0.0- 1.9	25	3.4	1.8- 5.0
Some Post-H.S.	543	122,241	415	71.9	66.6-77.2	92	21.3	16.4-26.2	5	0.9	0.1- 1.7	6	2.1	0.0- 4.3				25	3.7	1.7- 5.7
College Graduate	824	124,994	614	69.9	65.8-74.0	149	22.2	18.3-26.1	10	1.0	0.4- 1.6	20	4.5	2.3- 6.7	1	0.1	0.0- 0.3	30	2.4	1.2- 3.6
Less than \$15,000	89	18,234	52	53.0	38.7-67.3	23	32.1	18.6-45.6				1	3.8	0.0-11.1	1	0.4	0.0- 1.2	12	10.6	3.5-17.7
\$15,000- 24,999	158	32,219	108	55.9	43.2-68.6	28	24.3	12.9-35.7	2	0.8	0.0- 2.0	4	8.6	0.0-20.6	1	2.1	0.0- 6.2	15	8.3	2.4-14.2
\$25,000- 34,999	216	43,092	146	62.7	53.9-71.5	50	29.5	20.9-38.1	2	2.1	0.0- 5.0	5	2.0	0.0- 4.0	1	0.4	0.0- 1.2	12	3.4	1.0- 5.8
\$35,000- 49,999	216	41,904	161	67.1	57.5-76.7	42	26.1	17.3-34.9	2	0.9	0.0- 2.3	2	2.9	0.0- 7.6	1	0.2	0.0- 0.6	8	2.8	0.6- 5.0
\$50,000- 99,999	516	99,230	382	71.5	66.2-76.8	102	22.7	17.8-27.6	6	1.7	0.0- 4.1	4	1.1	0.0- 2.5				22	3.0	1.4- 4.6
\$100,000 - 199,999	297	61,271	244	77.0	69.7-84.3	38	17.8	10.9-24.7	2	0.6	0.0- 1.4	5	2.9	0.0- 5.8				8	1.7	0.3- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3555	780,019	2471	64.0	61.8-66.2	553	21.3	19.3-23.3	33	1.2	0.6- 1.8	75	3.4	2.4- 4.4	91	1.7	1.3- 2.1	332	8.5	7.3- 9.7
Male	1576	369,535	1106	64.0	60.9-67.1	209	20.5	17.6-23.4	16	1.0	0.4- 1.6	45	4.1	2.7- 5.5	44	2.0	1.2- 2.8	156	8.4	6.6-10.2
Female	1979	410,484	1365	64.0	61.1-66.9	344	22.0	19.3-24.7	17	1.4	0.4- 2.4	30	2.7	1.3- 4.1	47	1.4	0.8- 2.0	176	8.5	6.7-10.3
18-24	210	87,192	96	53.5	45.1-61.9	37	22.8	15.4-30.2	2	0.4	0.0- 1.0	6	1.8	0.2- 3.4	8	2.2	0.4- 4.0	61	19.3	13.4-25.2
25-34	365	124,062	181	53.1	46.6-59.6	69	19.6	14.7-24.5	6	2.3	0.0- 4.7	15	6.2	2.1-10.3	15	2.4	1.0- 3.8	79	16.4	11.9-20.9
35-44	480	117,399	258	50.3	44.2-56.4	89	26.1	20.2-32.0	3	1.3	0.0- 3.3	23	7.3	4.0-10.6	18	2.0	1.0- 3.0	89	12.9	9.4-16.4
45-54	540	111,480	354	62.0	56.5-67.5	102	26.4	20.9-31.9	5	1.5	0.0- 3.1	12	3.0	1.0- 5.0	18	1.4	0.6- 2.2	49	5.7	3.7- 7.7
55-64	735	136,578	549	68.0	63.3-72.7	119	22.7	18.2-27.2	13	1.9	0.7- 3.1	7	2.4	0.4- 4.4	17	1.7	0.7- 2.7	30	3.3	1.5- 5.1
65+	1225	203,307	1033	81.5	78.4-84.6	137	14.9	12.0-17.8	4	0.3	0.0- 0.7	12	0.9	0.3- 1.5	15	0.9	0.3- 1.5	24	1.4	0.6- 2.2
Less Than H.S.	231	78,460	84	36.6	28.6-44.6	22	17.5	9.9-25.1	3	2.6	0.0- 5.7	4	5.1	0.0-10.8	4	1.0	0.0- 2.2	114	37.2	29.2-45.2
H.S. or G.E.D.	908	245,897	622	65.5	61.4-69.6	155	22.9	19.0-26.8	13	1.8	0.4- 3.2	9	1.5	0.3- 2.7	20	1.2	0.4- 2.0	89	7.1	5.3- 8.9
Some Post-H.S.	937	221,023	662	67.1	63.0-71.2	155	22.2	18.5-25.9	7	0.7	0.1- 1.3	9	1.8	0.4- 3.2	34	2.4	1.4- 3.4	70	5.8	4.0- 7.6
College Graduate	1461	231,549	1089	68.7	65.6-71.8	219	19.9	17.0-22.8	10	0.7	0.3- 1.1	53	6.3	4.5- 8.1	32	1.7	0.9- 2.5	58	2.8	1.8- 3.8
Less than \$15,000	134	28,535	54	36.7	25.7-47.7	29	26.4	16.2-36.6				2	4.8	0.0-11.3	7	3.0	0.3- 5.7	42	29.0	18.4-39.6
\$15,000-24,999	276	60,608	154	47.6	39.4-55.8	45	24.1	15.9-32.3	4	2.1	0.0- 4.6	7	6.6	0.0-13.7	6	0.8	0.0- 1.6	60	18.9	13.0-24.8
\$25,000-34,999	371	78,198	232	58.5	51.8-65.2	71	24.8	18.7-30.9	6	2.9	0.4- 5.4	4	0.9	0.0- 1.9	9	1.4	0.4- 2.4	49	11.5	7.4-15.6
\$35,000-49,999	366	82,844	252	61.8	54.5-69.1	66	25.4	18.5-32.3	4	0.9	0.0- 1.9	7	3.4	0.1- 6.7	12	2.0	0.8- 3.2	25	6.6	3.5- 9.7
\$50,000-99,999	931	191,799	681	68.9	64.6-73.2	152	20.9	17.0-24.8	9	1.3	0.1- 2.5	15	2.6	0.8- 4.4	30	2.3	1.3- 3.3	44	3.9	2.3- 5.5
\$100,000-199,999	598	135,453	478	75.5	70.6-80.4	71	17.0	12.7-21.3	2	0.3	0.0- 0.7	13	3.6	1.6- 5.6	8	1.0	0.2- 1.8	26	2.7	1.1- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1576	369,535	1106	64.0	60.9-67.1	209	20.5	17.6-23.4	16	1.0	0.4- 1.6	45	4.1	2.7- 5.5	44	2.0	1.2- 2.8	156	8.4	6.6-10.2
18-24	115	44,144	58	57.2	45.8-68.6	17	21.7	11.1-32.3				4	2.8	0.0- 5.7	7	4.1	0.6- 7.6	29	14.2	7.3-21.1
25-34	171	61,890	95	61.1	52.7-69.5	22	14.3	8.2-20.4	1	0.5	0.0- 1.5	8	4.8	1.3- 8.3	9	3.4	0.9- 5.9	36	16.0	10.1-21.9
35-44	214	57,713	122	52.0	43.2-60.8	34	25.9	17.3-34.5				12	7.9	2.6-13.2	8	1.6	0.4- 2.8	38	12.5	7.2-17.8
45-54	227	52,105	146	58.0	49.6-66.4	35	25.6	17.0-34.2	4	2.9	0.0- 6.0	9	5.2	1.3- 9.1	6	1.4	0.2- 2.6	27	6.9	4.0- 9.8
55-64	335	63,023	243	65.1	58.0-72.2	49	20.8	14.5-27.1	9	2.5	0.7- 4.3	4	3.9	0.0- 7.8	10	2.2	0.6- 3.8	20	5.5	2.2- 8.8
65+	514	90,659	442	79.7	74.4-85.0	52	17.4	12.3-22.5	2	0.4	0.0- 1.0	8	1.4	0.2- 2.6	4	0.4	0.0- 0.8	6	0.7	0.0- 1.5
Less Than H.S.	121	42,313	44	39.3	28.5-50.1	10	16.9	6.5-27.3	1	0.7	0.0- 2.1	3	4.6	0.0-10.1	2	1.5	0.0- 3.9	61	36.9	26.5-47.3
H.S. or G.E.D.	414	120,210	295	67.8	61.7-73.9	56	20.9	15.2-26.6	9	1.6	0.4- 2.8	5	2.2	0.0- 4.6	12	1.7	0.3- 3.1	37	5.8	3.4- 8.2
Some Post-H.S.	392	98,199	265	64.6	58.3-70.9	67	24.5	18.6-30.4	4	1.1	0.0- 2.5	3	1.4	0.0- 3.2	17	3.0	1.4- 4.6	36	5.5	3.1- 7.9
College Graduate	637	106,534	493	69.0	64.1-73.9	75	17.6	13.3-21.9	2	0.5	0.0- 1.3	34	8.7	5.6-11.8	12	1.5	0.5- 2.5	21	2.8	1.2- 4.4
\$15,000- 24,999	117	28,317	61	47.5	35.9-59.1	20	25.6	14.0-37.2	2	1.5	0.0- 3.7	4	5.3	0.0-11.4	2	0.9	0.0- 2.1	28	19.2	10.4-28.0
\$25,000- 34,999	152	34,746	100	63.6	53.8-73.4	21	19.2	10.8-27.6	4	4.5	0.0- 9.2				5	1.6	0.0- 3.2	22	11.0	4.9-17.1
\$35,000- 49,999	149	40,080	97	59.8	48.8-70.8	24	25.2	14.6-35.8	2	1.0	0.0- 2.4	5	3.9	0.0- 8.6	7	2.2	0.4- 4.0	14	8.0	2.9-13.1
\$50,000- 99,999	415	92,569	310	68.0	61.3-74.7	55	20.1	13.8-26.4	4	0.8	0.0- 1.8	11	4.2	1.1- 7.3	12	2.2	0.6- 3.8	23	4.6	2.2- 7.0
\$100,000 - 199,999	299	74,065	240	75.1	68.6-81.6	36	17.1	11.2-23.0				8	4.1	1.2- 7.0	5	1.2	0.0- 2.4	10	2.5	0.1- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1979	410,484	1365	64.0	61.1-66.9	344	22.0	19.3-24.7	17	1.4	0.4- 2.4	30	2.7	1.3- 4.1	47	1.4	0.8- 2.0	176	8.5	6.7-10.3
18-24	95	43,048	38	49.6	37.1-62.1	20	24.0	13.4-34.6	2	0.8	0.0- 2.0	2	0.8	0.0- 2.0	1	0.3	0.0- 0.9	32	24.5	14.7-34.3
25-34	194	62,172	86	45.2	36.0-54.4	47	24.9	17.3-32.5	5	4.1	0.0- 8.8	7	7.6	0.3-14.9	6	1.4	0.2- 2.6	43	16.8	10.1-23.5
35-44	266	59,685	136	48.6	40.4-56.8	55	26.3	18.1-34.5	3	2.6	0.0- 6.5	11	6.8	2.5-11.1	10	2.3	0.5- 4.1	51	13.3	8.6-18.0
45-54	313	59,374	208	65.5	58.4-72.6	67	27.1	20.2-34.0	1	0.3	0.0- 0.9	3	1.0	0.0- 2.4	12	1.4	0.4- 2.4	22	4.7	2.2- 7.2
55-64	400	73,556	306	70.5	64.0-77.0	70	24.3	18.0-30.6	4	1.3	0.0- 2.9	3	1.1	0.0- 2.5	7	1.3	0.0- 2.7	10	1.4	0.2- 2.6
65+	711	112,649	591	82.9	79.2-86.6	85	13.0	9.5-16.5	2	0.2	0.0- 0.4	4	0.5	0.0- 1.1	11	1.4	0.4- 2.4	18	2.0	0.8- 3.2
Less Than H.S.	110	36,147	40	33.4	21.4-45.4	12	18.1	6.9-29.3	2	4.7	0.0-11.4	1	5.7	0.0-16.3	2	0.4	0.0- 1.0	53	37.6	25.1-50.1
H.S. or G.E.D.	494	125,687	327	63.3	57.4-69.2	99	24.8	19.3-30.3	4	1.9	0.0- 4.3	4	0.9	0.0- 2.1	8	0.7	0.1- 1.3	52	8.3	5.6-11.0
Some Post-H.S.	545	122,825	397	69.0	63.7-74.3	88	20.3	15.4-25.2	3	0.5	0.0- 1.1	6	2.1	0.0- 4.3	17	2.0	0.8- 3.2	34	6.1	3.6- 8.6
College Graduate	824	125,016	596	68.4	64.3-72.5	144	21.9	18.0-25.8	8	0.9	0.3- 1.5	19	4.2	2.0- 6.4	20	1.8	0.8- 2.8	37	2.8	1.6- 4.0
Less than \$15,000	92	18,901	38	38.5	24.8-52.2	23	30.9	17.8-44.0				1	3.7	0.0-10.8	4	2.8	0.0- 6.3	26	24.0	13.0-35.0
\$15,000- 24,999	159	32,291	93	47.7	35.9-59.5	25	22.7	11.3-34.1	2	2.5	0.0- 6.6	3	7.7	0.0-19.5	4	0.7	0.0- 1.5	32	18.7	10.7-26.7
\$25,000- 34,999	219	43,453	132	54.3	45.3-63.3	50	29.2	20.6-37.8	2	1.6	0.0- 4.1	4	1.7	0.0- 3.5	4	1.2	0.0- 2.6	27	11.9	6.0-17.8
\$35,000- 49,999	217	42,764	155	63.7	54.1-73.3	42	25.6	16.8-34.4	2	0.8	0.0- 2.0	2	2.9	0.0- 7.6	5	1.9	0.1- 3.7	11	5.3	1.6- 9.0
\$50,000- 99,999	516	99,230	371	69.9	64.6-75.2	97	21.6	16.7-26.5	5	1.7	0.0- 4.1	4	1.1	0.0- 2.5	18	2.4	1.0- 3.8	21	3.3	1.3- 5.3
\$100,000 - 199,999	299	61,387	238	76.0	68.7-83.3	35	16.9	10.0-23.8	2	0.6	0.0- 1.4	5	2.9	0.0- 5.8	3	0.7	0.0- 1.9	16	2.8	0.8- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3555	780,019	2471	64.0	61.8-66.2	1084	36.0	33.8-38.2
Male	1576	369,535	1106	64.0	60.9-67.1	470	36.0	32.9-39.1
Female	1979	410,484	1365	64.0	61.1-66.9	614	36.0	33.1-38.9
18-24	210	87,192	96	53.5	45.1-61.9	114	46.5	38.1-54.9
25-34	365	124,062	181	53.1	46.6-59.6	184	46.9	40.4-53.4
35-44	480	117,399	258	50.3	44.2-56.4	222	49.7	43.6-55.8
45-54	540	111,480	354	62.0	56.5-67.5	186	38.0	32.5-43.5
55-64	735	136,578	549	68.0	63.3-72.7	186	32.0	27.3-36.7
65+	1225	203,307	1033	81.5	78.4-84.6	192	18.5	15.4-21.6
Less Than H.S.	231	78,460	84	36.6	28.6-44.6	147	63.4	55.4-71.4
H.S. or G.E.D.	908	245,897	622	65.5	61.4-69.6	286	34.5	30.4-38.6
Some Post-H.S.	937	221,023	662	67.1	63.0-71.2	275	32.9	28.8-37.0
College Graduate	1461	231,549	1089	68.7	65.6-71.8	372	31.3	28.2-34.4
Less than \$15,000	134	28,535	54	36.7	25.7-47.7	80	63.3	52.3-74.3
\$15,000-24,999	276	60,608	154	47.6	39.4-55.8	122	52.4	44.2-60.6
\$25,000-34,999	371	78,198	232	58.5	51.8-65.2	139	41.5	34.8-48.2
\$35,000-49,999	366	82,844	252	61.8	54.5-69.1	114	38.2	30.9-45.5
\$50,000-99,999	931	191,799	681	68.9	64.6-73.2	250	31.1	26.8-35.4
\$100,000-199,999	598	135,453	478	75.5	70.6-80.4	120	24.5	19.6-29.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 9: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1576	369,535	1106	64.0	60.9-67.1	470	36.0	32.9-39.1
18-24	115	44,144	58	57.2	45.8-68.6	57	42.8	31.4-54.2
25-34	171	61,890	95	61.1	52.7-69.5	76	38.9	30.5-47.3
35-44	214	57,713	122	52.0	43.2-60.8	92	48.0	39.2-56.8
45-54	227	52,105	146	58.0	49.6-66.4	81	42.0	33.6-50.4
55-64	335	63,023	243	65.1	58.0-72.2	92	34.9	27.8-42.0
65+	514	90,659	442	79.7	74.4-85.0	72	20.3	15.0-25.6
Less Than H.S.	121	42,313	44	39.3	28.5-50.1	77	60.7	49.9-71.5
H.S. or G.E.D.	414	120,210	295	67.8	61.7-73.9	119	32.2	26.1-38.3
Some Post-H.S.	392	98,199	265	64.6	58.3-70.9	127	35.4	29.1-41.7
College Graduate	637	106,534	493	69.0	64.1-73.9	144	31.0	26.1-35.9
\$15,000- 24,999	117	28,317	61	47.5	35.9-59.1	56	52.5	40.9-64.1
\$25,000- 34,999	152	34,746	100	63.6	53.8-73.4	52	36.4	26.6-46.2
\$35,000- 49,999	149	40,080	97	59.8	48.8-70.8	52	40.2	29.2-51.2
\$50,000- 99,999	415	92,569	310	68.0	61.3-74.7	105	32.0	25.3-38.7
\$100,000 - 199,999	299	74,065	240	75.1	68.6-81.6	59	24.9	18.4-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 9: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1979	410,484	1365	64.0	61.1-66.9	614	36.0	33.1-38.9
18-24	95	43,048	38	49.6	37.1-62.1	57	50.4	37.9-62.9
25-34	194	62,172	86	45.2	36.0-54.4	108	54.8	45.6-64.0
35-44	266	59,685	136	48.6	40.4-56.8	130	51.4	43.2-59.6
45-54	313	59,374	208	65.5	58.4-72.6	105	34.5	27.4-41.6
55-64	400	73,556	306	70.5	64.0-77.0	94	29.5	23.0-36.0
65+	711	112,649	591	82.9	79.2-86.6	120	17.1	13.4-20.8
Less Than H.S.	110	36,147	40	33.4	21.4-45.4	70	66.6	54.6-78.6
H.S. or G.E.D.	494	125,687	327	63.3	57.4-69.2	167	36.7	30.8-42.6
Some Post-H.S.	545	122,825	397	69.0	63.7-74.3	148	31.0	25.7-36.3
College Graduate	824	125,016	596	68.4	64.3-72.5	228	31.6	27.5-35.7
Less than \$15,000	92	18,901	38	38.5	24.8-52.2	54	61.5	47.8-75.2
\$15,000- 24,999	159	32,291	93	47.7	35.9-59.5	66	52.3	40.5-64.1
\$25,000- 34,999	219	43,453	132	54.3	45.3-63.3	87	45.7	36.7-54.7
\$35,000- 49,999	217	42,764	155	63.7	54.1-73.3	62	36.3	26.7-45.9
\$50,000- 99,999	516	99,230	371	69.9	64.6-75.2	145	30.1	24.8-35.4
\$100,000 - 199,999	299	61,387	238	76.0	68.7-83.3	61	24.0	16.7-31.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3555	780,019	2471	64.0	61.8-66.2	553	21.3	19.3-23.3	123	4.8	3.6- 6.0	76	1.4	1.0- 1.8	332	8.5	7.3- 9.7
Male	1576	369,535	1106	64.0	60.9-67.1	209	20.5	17.6-23.4	70	5.4	3.8- 7.0	35	1.7	0.9- 2.5	156	8.4	6.6-10.2
Female	1979	410,484	1365	64.0	61.1-66.9	344	22.0	19.3-24.7	53	4.4	2.8- 6.0	41	1.2	0.8- 1.6	176	8.5	6.7-10.3
18-24	210	87,192	96	53.5	45.1-61.9	37	22.8	15.4-30.2	8	2.2	0.4- 4.0	8	2.2	0.4- 4.0	61	19.3	13.4-25.2
25-34	365	124,062	181	53.1	46.6-59.6	69	19.6	14.7-24.5	22	8.5	4.0-13.0	14	2.3	0.9- 3.7	79	16.4	11.9-20.9
35-44	480	117,399	258	50.3	44.2-56.4	89	26.1	20.2-32.0	30	9.0	5.1-12.9	14	1.6	0.6- 2.6	89	12.9	9.4-16.4
45-54	540	111,480	354	62.0	56.5-67.5	102	26.4	20.9-31.9	20	4.8	2.3- 7.3	15	1.0	0.4- 1.6	49	5.7	3.7- 7.7
55-64	735	136,578	549	68.0	63.3-72.7	119	22.7	18.2-27.2	24	4.5	2.1- 6.9	13	1.5	0.5- 2.5	30	3.3	1.5- 5.1
65+	1225	203,307	1033	81.5	78.4-84.6	137	14.9	12.0-17.8	19	1.5	0.7- 2.3	12	0.6	0.2- 1.0	24	1.4	0.6- 2.2
Less Than H.S.	231	78,460	84	36.6	28.6-44.6	22	17.5	9.9-25.1	7	7.7	1.2-14.2	4	1.0	0.0- 2.2	114	37.2	29.2-45.2
H.S. or G.E.D.	908	245,897	622	65.5	61.4-69.6	155	22.9	19.0-26.8	26	3.5	1.7- 5.3	16	1.1	0.5- 1.7	89	7.1	5.3- 8.9
Some Post-H.S.	937	221,023	662	67.1	63.0-71.2	155	22.2	18.5-25.9	23	3.1	1.5- 4.7	27	1.9	1.1- 2.7	70	5.8	4.0- 7.6
College Graduate	1461	231,549	1089	68.7	65.6-71.8	219	19.9	17.0-22.8	66	7.1	5.1- 9.1	29	1.5	0.9- 2.1	58	2.8	1.8- 3.8
Less than \$15,000	134	28,535	54	36.7	25.7-47.7	29	26.4	16.2-36.6	3	5.1	0.0-11.6	6	2.8	0.1- 5.5	42	29.0	18.4-39.6
\$15,000-24,999	276	60,608	154	47.6	39.4-55.8	45	24.1	15.9-32.3	11	8.6	1.3-15.9	6	0.8	0.0- 1.6	60	18.9	13.0-24.8
\$25,000-34,999	371	78,198	232	58.5	51.8-65.2	71	24.8	18.7-30.9	10	3.8	1.1- 6.5	9	1.4	0.4- 2.4	49	11.5	7.4-15.6
\$35,000-49,999	366	82,844	252	61.8	54.5-69.1	66	25.4	18.5-32.3	13	4.5	1.2- 7.8	10	1.8	0.6- 3.0	25	6.6	3.5- 9.7
\$50,000-99,999	931	191,799	681	68.9	64.6-73.2	152	20.9	17.0-24.8	30	4.3	2.1- 6.5	24	1.9	0.9- 2.9	44	3.9	2.3- 5.5
\$100,000-199,999	598	135,453	478	75.5	70.6-80.4	71	17.0	12.7-21.3	17	4.1	1.9- 6.3	6	0.7	0.1- 1.3	26	2.7	1.1- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1576	369,535	1106	64.0	60.9-67.1	209	20.5	17.6-23.4	70	5.4	3.8- 7.0	35	1.7	0.9- 2.5	156	8.4	6.6-10.2
18-24	115	44,144	58	57.2	45.8-68.6	17	21.7	11.1-32.3	4	2.8	0.0- 5.7	7	4.1	0.6- 7.6	29	14.2	7.3-21.1
25-34	171	61,890	95	61.1	52.7-69.5	22	14.3	8.2-20.4	9	5.2	1.7- 8.7	9	3.4	0.9- 5.9	36	16.0	10.1-21.9
35-44	214	57,713	122	52.0	43.2-60.8	34	25.9	17.3-34.5	16	8.6	3.3-13.9	4	0.9	0.0- 1.9	38	12.5	7.2-17.8
45-54	227	52,105	146	58.0	49.6-66.4	35	25.6	17.0-34.2	14	8.5	3.6-13.4	5	1.0	0.0- 2.0	27	6.9	4.0- 9.8
55-64	335	63,023	243	65.1	58.0-72.2	49	20.8	14.5-27.1	17	6.9	2.6-11.2	6	1.7	0.3- 3.1	20	5.5	2.2- 8.8
65+	514	90,659	442	79.7	74.4-85.0	52	17.4	12.3-22.5	10	1.8	0.4- 3.2	4	0.4	0.0- 0.8	6	0.7	0.0- 1.5
Less Than H.S.	121	42,313	44	39.3	28.5-50.1	10	16.9	6.5-27.3	4	5.3	0.0-11.0	2	1.5	0.0- 3.9	61	36.9	26.5-47.3
H.S. or G.E.D.	414	120,210	295	67.8	61.7-73.9	56	20.9	15.2-26.6	17	4.0	1.5- 6.5	9	1.5	0.3- 2.7	37	5.8	3.4- 8.2
Some Post-H.S.	392	98,199	265	64.6	58.3-70.9	67	24.5	18.6-30.4	10	2.8	0.6- 5.0	14	2.7	1.1- 4.3	36	5.5	3.1- 7.9
College Graduate	637	106,534	493	69.0	64.1-73.9	75	17.6	13.3-21.9	38	9.3	6.2-12.4	10	1.3	0.3- 2.3	21	2.8	1.2- 4.4
\$15,000- 24,999	117	28,317	61	47.5	35.9-59.1	20	25.6	14.0-37.2	6	6.8	0.3-13.3	2	0.9	0.0- 2.1	28	19.2	10.4-28.0
\$25,000- 34,999	152	34,746	100	63.6	53.8-73.4	21	19.2	10.8-27.6	4	4.5	0.0- 9.2	5	1.6	0.0- 3.2	22	11.0	4.9-17.1
\$35,000- 49,999	149	40,080	97	59.8	48.8-70.8	24	25.2	14.6-35.8	8	5.1	0.2-10.0	6	2.0	0.2- 3.8	14	8.0	2.9-13.1
\$50,000- 99,999	415	92,569	310	68.0	61.3-74.7	55	20.1	13.8-26.4	18	5.5	2.2- 8.8	9	1.8	0.4- 3.2	23	4.6	2.2- 7.0
\$100,000 - 199,999	299	74,065	240	75.1	68.6-81.6	36	17.1	11.2-23.0	9	4.2	1.3- 7.1	4	1.1	0.0- 2.3	10	2.5	0.1- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1979	410,484	1365	64.0	61.1-66.9	344	22.0	19.3-24.7	53	4.4	2.8- 6.0	41	1.2	0.8- 1.6	176	8.5	6.7-10.3
18-24	95	43,048	38	49.6	37.1-62.1	20	24.0	13.4-34.6	4	1.6	0.0- 3.2	1	0.3	0.0- 0.9	32	24.5	14.7-34.3
25-34	194	62,172	86	45.2	36.0-54.4	47	24.9	17.3-32.5	13	11.8	3.6-20.0	5	1.2	0.0- 2.4	43	16.8	10.1-23.5
35-44	266	59,685	136	48.6	40.4-56.8	55	26.3	18.1-34.5	14	9.4	3.7-15.1	10	2.3	0.5- 4.1	51	13.3	8.6-18.0
45-54	313	59,374	208	65.5	58.4-72.6	67	27.1	20.2-34.0	6	1.6	0.2- 3.0	10	1.1	0.3- 1.9	22	4.7	2.2- 7.2
55-64	400	73,556	306	70.5	64.0-77.0	70	24.3	18.0-30.6	7	2.5	0.3- 4.7	7	1.3	0.0- 2.7	10	1.4	0.2- 2.6
65+	711	112,649	591	82.9	79.2-86.6	85	13.0	9.5-16.5	9	1.3	0.3- 2.3	8	0.8	0.0- 1.6	18	2.0	0.8- 3.2
Less Than H.S.	110	36,147	40	33.4	21.4-45.4	12	18.1	6.9-29.3	3	10.4	0.0-22.4	2	0.4	0.0- 1.0	53	37.6	25.1-50.1
H.S. or G.E.D.	494	125,687	327	63.3	57.4-69.2	99	24.8	19.3-30.3	9	2.9	0.4- 5.4	7	0.7	0.1- 1.3	52	8.3	5.6-11.0
Some Post-H.S.	545	122,825	397	69.0	63.7-74.3	88	20.3	15.4-25.2	13	3.2	0.8- 5.6	13	1.3	0.3- 2.3	34	6.1	3.6- 8.6
College Graduate	824	125,016	596	68.4	64.3-72.5	144	21.9	18.0-25.8	28	5.2	3.0- 7.4	19	1.7	0.7- 2.7	37	2.8	1.6- 4.0
Less than \$15,000	92	18,901	38	38.5	24.8-52.2	23	30.9	17.8-44.0	1	3.7	0.0-10.8	4	2.8	0.0- 6.3	26	24.0	13.0-35.0
\$15,000- 24,999	159	32,291	93	47.7	35.9-59.5	25	22.7	11.3-34.1	5	10.2	0.0-22.4	4	0.7	0.0- 1.5	32	18.7	10.7-26.7
\$25,000- 34,999	219	43,453	132	54.3	45.3-63.3	50	29.2	20.6-37.8	6	3.3	0.2- 6.4	4	1.2	0.0- 2.6	27	11.9	6.0-17.8
\$35,000- 49,999	217	42,764	155	63.7	54.1-73.3	42	25.6	16.8-34.4	5	3.9	0.0- 8.8	4	1.6	0.0- 3.4	11	5.3	1.6- 9.0
\$50,000- 99,999	516	99,230	371	69.9	64.6-75.2	97	21.6	16.7-26.5	12	3.2	0.5- 5.9	15	2.0	0.8- 3.2	21	3.3	1.3- 5.3
\$100,000 - 199,999	299	61,387	238	76.0	68.7-83.3	35	16.9	10.0-23.8	8	4.1	1.0- 7.2	2	0.2	0.0- 0.4	16	2.8	0.8- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3562	783,623	363	17.5	15.5-19.5	458	16.7	14.9-18.5	470	13.3	11.7-14.9	661	17.5	15.9-19.1	775	17.3	15.9-18.7	835	17.8	16.4-19.2
Male	1582	373,029	189	18.8	15.9-21.7	204	16.5	14.0-19.0	204	14.3	11.9-16.7	302	17.2	14.8-19.6	333	16.1	13.9-18.3	350	17.1	14.9-19.3
Female	1980	410,595	174	16.4	13.7-19.1	254	16.9	14.4-19.4	266	12.4	10.4-14.4	359	17.7	15.5-19.9	442	18.3	16.1-20.5	485	18.4	16.4-20.4
White/Non-Hisp	2427	492,532	164	14.2	11.8-16.6	238	14.5	12.3-16.7	272	10.9	9.3-12.5	463	17.9	15.9-19.9	589	19.8	18.0-21.6	701	22.7	20.7-24.7
Black or Afr. Am./Non-Hisp	542	162,220	64	18.8	14.1-23.5	79	15.0	11.1-18.9	95	18.5	14.0-23.0	109	19.6	15.3-23.9	110	15.4	11.9-18.9	85	12.8	9.3-16.3
Oth. Race/Non-Hisp.	118	36,646	17	14.6	7.0-22.2	24	29.1	16.4-41.8	22	21.0	10.6-31.4	23	17.8	9.4-26.2	22	13.8	6.5-21.1	10	3.7	1.0- 6.4
MultiRacial/Non-Hisp.	76	11,147	13	23.6	10.5-36.7	19	31.0	17.5-44.5	14	12.1	4.5-19.7	9	7.9	2.0-13.8	14	21.4	9.8-33.0	7	4.1	0.6- 7.6
Hispanic	330	65,852	99	40.9	33.3-48.5	90	27.9	21.4-34.4	60	14.3	9.6-19.0	44	10.0	6.3-13.7	20	3.7	1.0- 6.4	17	3.3	1.3- 5.3
Less Than H.S.	236	79,751	37	21.7	14.3-29.1	49	22.7	15.1-30.3	41	12.8	7.7-17.9	37	14.8	8.7-20.9	32	13.8	8.1-19.5	40	14.2	8.7-19.7
H.S. or G.E.D.	911	245,296	129	20.7	16.8-24.6	127	18.4	14.9-21.9	91	11.4	8.5-14.3	148	14.5	11.6-17.4	177	16.1	13.4-18.8	239	18.9	16.0-21.8
Some Post-H.S.	942	223,488	93	18.0	14.1-21.9	100	13.7	10.6-16.8	121	12.7	10.0-15.4	194	18.9	16.0-21.8	204	17.6	14.9-20.3	230	19.2	16.3-22.1
College Graduate	1455	231,179	103	12.3	9.8-14.8	176	15.3	12.9-17.7	215	16.0	13.5-18.5	278	20.1	17.6-22.6	359	19.6	17.2-22.0	324	16.6	14.4-18.8
Less than \$15,000	137	28,701	18	20.6	9.6-31.6	24	23.7	13.7-33.7	19	10.4	4.1-16.7	35	25.9	15.9-35.9	24	11.4	5.7-17.1	17	7.9	3.2-12.6
\$15,000-24,999	282	60,889	31	15.4	9.5-21.3	35	14.7	7.4-22.0	30	11.2	5.5-16.9	40	11.1	6.8-15.4	69	24.6	17.9-31.3	77	23.0	15.9-30.1
\$25,000-34,999	372	78,657	53	24.4	17.9-30.9	51	18.9	13.0-24.8	46	10.9	7.2-14.6	43	9.8	6.1-13.5	68	15.7	11.2-20.2	111	20.3	15.8-24.8
\$35,000-49,999	370	84,128	46	22.1	14.8-29.4	46	18.0	11.7-24.3	35	10.0	5.3-14.7	48	12.5	8.2-16.8	73	14.8	10.7-18.9	122	22.7	17.6-27.8
\$50,000-99,999	926	191,101	76	14.0	10.5-17.5	125	18.2	14.5-21.9	129	13.3	10.4-16.2	173	18.1	14.8-21.4	231	19.5	16.6-22.4	192	16.9	14.0-19.8
\$100,000-199,999	599	136,356	36	11.4	7.1-15.7	89	17.4	13.3-21.5	128	24.5	19.8-29.2	147	23.7	19.4-28.0	113	13.3	10.4-16.2	86	9.6	7.2-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1582	373,029	189	18.8	15.9-21.7	204	16.5	14.0-19.0	204	14.3	11.9-16.7	302	17.2	14.8-19.6	333	16.1	14.1-18.1	350	17.1	14.9-19.3
White/Non-Hisp	1080	232,540	96	17.0	13.5-20.5	122	16.5	13.4-19.6	112	11.2	8.8-13.6	207	16.4	13.9-18.9	247	17.5	15.0-20.0	296	21.4	18.7-24.1
Black or Afr. Am./Non-Hisp	204	74,160	27	18.4	11.0-25.8	18	10.3	5.2-15.4	42	21.7	14.4-29.0	41	19.6	12.5-26.7	43	14.5	9.4-19.6	33	15.5	9.4-21.6
Oth. Race/Non-Hisp.	66	19,032	7	13.1	3.1-23.1	10	15.9	6.1-25.7	14	23.4	9.5-37.3	16	25.9	12.6-39.2	14	18.5	6.9-30.1	5	3.2	0.1- 6.3
Hispanic	156	31,058	46	34.1	23.9-44.3	39	28.1	18.5-37.7	30	18.0	10.0-26.0	26	13.1	7.0-19.2	12	6.1	0.6-11.6	3	0.6	0.0- 1.4
Less Than H.S.	125	43,278	19	18.5	9.5-27.5	28	22.2	13.0-31.4	25	15.6	8.3-22.9	19	15.7	6.9-24.5	19	15.1	7.3-22.9	15	12.9	5.5-20.3
H.S. or G.E.D.	414	120,638	64	20.3	15.0-25.6	62	19.2	13.9-24.5	46	13.9	9.2-18.6	75	14.7	10.6-18.8	90	16.8	12.9-20.7	77	15.1	11.2-19.0
Some Post-H.S.	397	99,745	54	23.3	17.0-29.6	41	11.8	7.9-15.7	50	11.5	7.8-15.2	79	18.7	14.0-23.4	78	15.3	11.6-19.0	95	19.4	14.9-23.9
College Graduate	633	106,162	51	13.0	9.3-16.7	68	14.6	11.1-18.1	81	16.7	12.6-20.8	125	19.0	15.3-22.7	145	17.1	14.0-20.2	163	19.5	16.2-22.8
\$15,000- 24,999	117	28,023	14	11.5	4.8-18.2	15	12.8	5.5-20.1	15	12.7	4.9-20.5	19	14.2	6.4-22.0	34	29.8	19.2-40.4	20	19.1	8.3-29.9
\$25,000- 34,999	155	35,427	28	27.3	17.7-36.9	20	19.7	10.5-28.9	13	9.2	3.5-14.9	17	9.3	3.6-15.0	29	12.6	6.9-18.3	48	21.9	14.8-29.0
\$35,000- 49,999	151	40,358	19	20.4	11.2-29.6	19	14.6	6.4-22.8	16	11.7	3.5-19.9	18	14.7	7.1-22.3	31	15.3	8.4-22.2	48	23.3	15.7-30.9
\$50,000- 99,999	414	91,864	41	16.6	10.9-22.3	54	18.7	13.2-24.2	53	13.7	9.2-18.2	73	14.2	9.7-18.7	95	16.6	12.7-20.5	98	20.2	15.5-24.9
\$100,000 - 199,999	301	74,897	25	14.2	7.9-20.5	40	14.9	9.8-20.0	61	24.9	18.2-31.6	73	22.0	16.3-27.7	54	13.3	9.2-17.4	48	10.6	7.1-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1980	410,595	174	16.4	13.7-19.1	254	16.9	14.4-19.4	266	12.4	10.4-14.4	359	17.7	15.5-19.9	442	18.3	16.1-20.5	485	18.4	16.4-20.4
White/Non-Hisp	1347	259,992	68	11.7	8.6-14.8	116	12.8	10.1-15.5	160	10.6	8.6-12.6	256	19.3	16.6-22.0	342	21.7	19.0-24.4	405	23.8	21.1-26.5
Black or Afr. Am./Non-Hisp	338	88,060	37	19.0	12.9-25.1	61	18.9	13.4-24.4	53	15.8	10.1-21.5	68	19.6	14.3-24.9	67	16.1	11.4-20.8	52	10.6	6.7-14.5
Oth. Race/Non-Hisp.	52	17,614	10	16.2	4.2-28.2	14	43.2	22.2-64.2	8	18.5	3.0-34.0	7	9.0	1.2-16.8	8	8.7	1.1-16.3	5	4.3	0.0- 9.0
Hispanic	174	34,794	53	46.9	36.1-57.7	51	27.6	18.8-36.4	30	11.0	6.1-15.9	18	7.2	2.7-11.7	8	1.5	0.3- 2.7	14	5.7	2.2- 9.2
Less Than H.S.	111	36,474	18	25.4	13.2-37.6	21	23.2	10.3-36.1	16	9.6	2.5-16.7	18	13.8	5.8-21.8	13	12.3	4.1-20.5	25	15.7	7.3-24.1
H.S. or G.E.D.	497	124,658	65	21.2	15.5-26.9	65	17.5	12.6-22.4	45	8.9	5.4-12.4	73	14.3	10.2-18.4	87	15.4	11.5-19.3	162	22.7	18.6-26.8
Some Post-H.S.	545	123,743	39	13.6	8.9-18.3	59	15.2	10.7-19.7	71	13.7	9.6-17.8	115	19.0	15.1-22.9	126	19.5	15.6-23.4	135	19.0	15.1-22.9
College Graduate	822	125,017	52	11.8	8.5-15.1	108	15.9	12.6-19.2	134	15.4	12.3-18.5	153	21.1	17.4-24.8	214	21.7	18.4-25.0	161	14.1	11.6-16.6
Less than \$15,000	92	18,901	13	21.9	9.4-34.4	16	22.4	10.2-34.6	11	10.5	1.9-19.1	23	23.6	11.6-35.6	17	13.3	5.5-21.1	12	8.4	2.3-14.5
\$15,000- 24,999	165	32,867	17	18.7	9.3-28.1	20	16.3	4.5-28.1	15	10.0	1.8-18.2	21	8.5	4.2-12.8	35	20.3	12.3-28.3	57	26.3	16.9-35.7
\$25,000- 34,999	217	43,229	25	22.0	13.4-30.6	31	18.2	10.8-25.6	33	12.2	7.3-17.1	26	10.2	5.5-14.9	39	18.3	11.6-25.0	63	19.1	13.2-25.0
\$35,000- 49,999	219	43,769	27	23.5	12.5-34.5	27	21.3	12.1-30.5	19	8.4	3.3-13.5	30	10.4	6.1-14.7	42	14.3	9.2-19.4	74	22.2	15.7-28.7
\$50,000- 99,999	512	99,237	35	11.7	7.6-15.8	71	17.7	12.8-22.6	76	13.0	9.1-16.9	100	21.7	17.0-26.4	136	22.1	17.8-26.4	94	13.9	10.6-17.2
\$100,000 - 199,999	298	61,460	11	8.0	2.1-13.9	49	20.4	13.7-27.1	67	24.0	16.9-31.1	74	25.8	19.1-32.5	59	13.3	9.4-17.2	38	8.4	5.1-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3562	783,623	2327	73.7	71.9-75.5	1235	26.3	24.5-28.1
Male	1582	373,029	1059	75.1	72.6-77.6	523	24.9	22.4-27.4
Female	1980	410,595	1268	72.5	70.1-74.9	712	27.5	25.1-29.9
White/Non-Hisp	2427	492,532	1407	66.7	64.5-68.9	1020	33.3	31.1-35.5
Black or Afr. Am./Non-Hisp	542	162,220	406	81.3	77.4-85.2	136	18.7	14.8-22.6
Oth. Race/Non-Hisp.	118	36,646	100	92.2	87.9-96.5	18	7.8	3.5-12.1
MultiRacial/Non-Hisp.	76	11,147	64	88.9	81.3-96.5	12	11.1	3.5-18.7
Hispanic	330	65,852	306	95.6	93.4-97.8	24	4.4	2.2- 6.6
Less Than H.S.	236	79,751	185	81.3	75.0-87.6	51	18.7	12.4-25.0
H.S. or G.E.D.	911	245,296	583	73.5	70.2-76.8	328	26.5	23.2-29.8
Some Post-H.S.	942	223,488	615	72.0	68.7-75.3	327	28.0	24.7-31.3
College Graduate	1455	231,179	929	72.8	70.3-75.3	526	27.2	24.7-29.7
Less than \$15,000	137	28,701	106	85.0	78.3-91.7	31	15.0	8.3-21.7
\$15,000-24,999	282	60,889	171	65.1	57.3-72.9	111	34.9	27.1-42.7
\$25,000-34,999	372	78,657	216	69.3	63.8-74.8	156	30.7	25.2-36.2
\$35,000-49,999	370	84,128	209	70.1	64.4-75.8	161	29.9	24.2-35.6
\$50,000-99,999	926	191,101	623	74.5	71.2-77.8	303	25.5	22.2-28.8
\$100,000-199,999	599	136,356	461	84.8	81.9-87.7	138	15.2	12.3-18.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1582	373,029	1059	75.1	72.7-77.5	523	24.9	22.5-27.3
White/Non-Hisp	1080	232,540	643	69.1	66.0-72.2	437	30.9	27.8-34.0
Black or Afr. Am./Non-Hisp	204	74,160	153	78.8	72.1-85.5	51	21.2	14.5-27.9
Oth. Race/Non-Hisp.	66	19,032	56	91.2	84.7-97.7	10	8.8	2.3-15.3
Hispanic	156	31,058	150	97.9	95.5-100	6	2.1	0.0-4.5
Less Than H.S.	125	43,278	105	84.6	77.0-92.2	20	15.4	7.8-23.0
H.S. or G.E.D.	414	120,638	294	77.3	72.8-81.8	120	22.7	18.2-27.2
Some Post-H.S.	397	99,745	261	72.4	67.3-77.5	136	27.6	22.5-32.7
College Graduate	633	106,162	386	70.6	66.7-74.5	247	29.4	25.5-33.3
\$15,000- 24,999	117	28,023	80	67.1	55.3-78.9	37	32.9	21.1-44.7
\$25,000- 34,999	155	35,427	90	71.2	63.2-79.2	65	28.8	20.8-36.8
\$35,000- 49,999	151	40,358	87	70.4	62.0-78.8	64	29.6	21.2-38.0
\$50,000- 99,999	414	91,864	269	72.3	67.0-77.6	145	27.7	22.4-33.0
\$100,000 - 199,999	301	74,897	227	83.6	79.3-87.9	74	16.4	12.1-20.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 9: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1980	410,595	1268	72.5	70.1-74.9	712	27.5	25.1-29.9
White/Non-Hisp	1347	259,992	764	64.5	61.4-67.6	583	35.5	32.4-38.6
Black or Afr. Am./Non-Hisp	338	88,060	253	83.4	78.7-88.1	85	16.6	11.9-21.3
Oth. Race/Non-Hisp.	52	17,614	44	93.2	87.3-99.1	8	6.8	0.9-12.7
Hispanic	174	34,794	156	93.4	89.7-97.1	18	6.6	2.9-10.3
Less Than H.S.	111	36,474	80	77.4	67.0-87.8	31	22.6	12.2-33.0
H.S. or G.E.D.	497	124,658	289	69.9	65.2-74.6	208	30.1	25.4-34.8
Some Post-H.S.	545	123,743	354	71.7	67.2-76.2	191	28.3	23.8-32.8
College Graduate	822	125,017	543	74.6	71.3-77.9	279	25.4	22.1-28.7
Less than \$15,000	92	18,901	70	83.8	75.2-92.4	22	16.2	7.6-24.8
\$15,000- 24,999	165	32,867	91	63.4	52.8-74.0	74	36.6	26.0-47.2
\$25,000- 34,999	217	43,229	126	67.7	60.1-75.3	91	32.3	24.7-39.9
\$35,000- 49,999	219	43,769	122	69.9	62.3-77.5	97	30.1	22.5-37.7
\$50,000- 99,999	512	99,237	354	76.6	72.3-80.9	158	23.4	19.1-27.7
\$100,000 - 199,999	298	61,460	234	86.2	82.1-90.3	64	13.8	9.7-17.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3329	725,636	153	4.5	3.5- 5.5	1459	41.8	39.4-44.2	1394	43.7	41.3-46.1	323	10.0	8.6-11.4
Male	1497	350,117	5	0.2	0.0- 0.4	172	11.8	9.6-14.0	1000	67.3	64.2-70.4	320	20.7	18.0-23.4
Female	1832	375,519	148	8.5	6.7-10.3	1287	69.7	66.8-72.6	394	21.7	19.2-24.2	3	0.1	0.0- 0.3
White/Non-Hisp	2360	475,703	97	4.0	3.0- 5.0	1016	41.1	38.4-43.8	1011	44.7	42.0-47.4	236	10.2	8.6-11.8
Black or Afr. Am./Non-Hisp	513	150,645	23	3.4	1.6- 5.2	239	43.6	37.9-49.3	202	42.0	36.3-47.7	49	11.1	7.4-14.8
Oth. Race/Non-Hisp.	114	35,643	9	7.7	0.8-14.6	56	49.7	37.0-62.4	39	36.9	24.7-49.1	10	5.7	1.6- 9.8
MultiRacial/Non-Hisp.	72	10,716	4	3.6	0.0- 7.7	24	29.6	16.3-42.9	33	44.2	30.1-58.3	11	22.6	8.9-36.3
Hispanic	210	40,455	16	11.0	3.6-18.4	109	48.0	38.8-57.2	71	35.6	26.6-44.6	14	5.4	1.9- 8.9
18-24	178	76,066	8	3.8	0.9- 6.7	62	37.4	28.2-46.6	82	43.2	34.2-52.2	26	15.5	8.8-22.2
25-34	322	112,967	15	5.9	2.2- 9.6	129	37.5	30.8-44.2	152	50.1	43.2-57.0	26	6.5	3.6- 9.4
35-44	427	109,508	12	3.2	1.0- 5.4	179	40.1	33.8-46.4	182	42.9	36.6-49.2	54	13.8	9.3-18.3
45-54	512	104,599	18	2.5	1.1- 3.9	236	45.0	39.5-50.5	210	43.4	37.9-48.9	48	9.2	6.3-12.1
55-64	701	128,638	22	3.4	1.4- 5.4	296	41.0	36.3-45.7	319	47.0	42.3-51.7	64	8.6	6.1-11.1
65+	1189	193,860	78	6.4	4.6- 8.2	557	45.8	42.1-49.5	449	38.6	35.1-42.1	105	9.2	7.0-11.4
Less Than H.S.	157	57,402	7	6.2	0.5-11.9	81	42.2	31.8-52.6	62	45.8	35.4-56.2	7	5.8	1.3-10.3
H.S. or G.E.D.	845	231,294	63	6.2	4.2- 8.2	358	40.7	36.2-45.2	328	41.0	36.7-45.3	96	12.1	9.2-15.0
Some Post-H.S.	899	210,625	38	3.7	1.9- 5.5	410	43.4	39.3-47.5	364	43.0	38.7-47.3	87	9.9	7.5-12.3
College Graduate	1413	223,485	44	3.0	1.8- 4.2	606	41.6	38.5-44.7	631	46.2	42.9-49.5	132	9.2	7.4-11.0
Less than \$15,000	113	23,186	8	9.9	0.7-19.1	57	47.0	34.8-59.2	44	39.6	27.6-51.6	4	3.6	0.0- 8.1
\$15,000-24,999	245	52,806	12	3.3	0.9- 5.7	131	53.0	44.0-62.0	79	33.0	24.6-41.4	23	10.7	5.6-15.8
\$25,000-34,999	354	73,918	27	8.6	4.5-12.7	162	41.8	35.1-48.5	132	39.9	33.0-46.8	33	9.7	5.6-13.8
\$35,000-49,999	366	83,923	25	5.6	2.5- 8.7	171	40.0	32.7-47.3	135	44.0	36.7-51.3	35	10.5	5.6-15.4
\$50,000-99,999	922	190,251	31	3.1	1.7- 4.5	402	43.7	39.4-48.0	404	43.7	39.4-48.0	85	9.5	7.0-12.0
\$100,000-199,999	598	135,694	15	2.5	0.9- 4.1	229	34.8	29.7-39.9	283	50.8	45.5-56.1	71	11.9	8.6-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1497	350,117	5	0.2	0.0- 0.4	172	11.8	9.6-14.0	1000	67.3	64.2-70.4	320	20.7	18.0-23.4
White/Non-Hisp	1064	227,640	2	0.1	0.0- 0.3	96	9.0	6.6-11.4	733	69.8	66.3-73.3	233	21.1	18.0-24.2
Black or Afr. Am./Non-Hisp	199	70,970	1	0.4	0.0- 1.2	22	11.5	5.6-17.4	127	64.6	56.2-73.0	49	23.5	16.1-30.9
Oth. Race/Non-Hisp.	64	18,619				22	34.2	20.1-48.3	32	54.9	39.8-70.0	10	10.9	3.3-18.5
Hispanic	99	18,876	2	0.5	0.0- 1.3	26	26.1	15.3-36.9	57	61.8	49.8-73.8	14	11.5	4.2-18.8
18-24	103	40,023	1	0.1	0.0- 0.3	13	13.4	4.4-22.4	63	56.9	44.7-69.1	26	29.5	18.1-40.9
25-34	153	57,743				20	12.9	6.8-19.0	107	74.5	66.9-82.1	26	12.7	7.2-18.2
35-44	193	54,014				18	10.6	4.7-16.5	121	61.4	52.6-70.2	54	28.0	19.8-36.2
45-54	214	48,931	1	0.6	0.0- 1.8	28	11.8	7.1-16.5	137	68.0	60.7-75.3	48	19.6	13.7-25.5
55-64	322	60,169	1	0.1	0.0- 0.3	28	8.8	4.7-12.9	231	73.1	67.0-79.2	62	18.0	12.9-23.1
65+	512	89,237	2	0.2	0.0- 0.6	65	13.2	9.3-17.1	341	66.8	61.7-71.9	104	19.8	15.5-24.1
Less Than H.S.	87	32,025				33	28.8	17.8-39.8	47	60.9	48.6-73.2	7	10.4	2.6-18.2
H.S. or G.E.D.	395	116,533	1	0.1	0.0- 0.3	39	9.0	5.7-12.3	259	67.0	61.1-72.9	96	24.0	18.5-29.5
Some Post-H.S.	381	94,722	3	0.4	0.0- 1.0	36	10.1	5.4-14.8	256	67.7	61.6-73.8	86	21.8	16.7-26.9
College Graduate	624	104,644	1	0.1	0.0- 0.3	62	11.3	8.2-14.4	431	69.2	64.7-73.7	130	19.4	15.7-23.1
\$15,000- 24,999	101	23,686				17	12.2	5.7-18.7	61	63.9	52.3-75.5	23	23.9	13.5-34.3
\$25,000- 34,999	143	32,571	1	0.2	0.0- 0.6	21	13.3	6.8-19.8	88	64.6	54.6-74.6	33	21.9	13.1-30.7
\$35,000- 49,999	149	40,311	1	0.1	0.0- 0.3	19	15.0	7.4-22.6	95	63.4	52.8-74.0	34	21.5	12.1-30.9
\$50,000- 99,999	413	91,947	1	0.1	0.0- 0.3	46	13.7	8.6-18.8	282	66.7	60.4-73.0	84	19.5	14.6-24.4
\$100,000 - 199,999	302	74,988	1	0.4	0.0- 1.2	15	5.0	1.7- 8.3	216	73.3	67.0-79.6	70	21.3	15.6-27.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1832	375,519	148	8.5	6.7-10.3	1287	69.7	66.8-72.6	394	21.7	19.2-24.2	3	0.1	0.0- 0.3
White/Non-Hisp	1296	248,063	95	7.6	5.6- 9.6	920	70.5	67.2-73.8	278	21.7	18.6-24.8	3	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	314	79,675	22	6.0	2.9- 9.1	217	72.1	65.6-78.6	75	21.9	16.0-27.8			
Oth. Race/Non-Hisp.	50	17,025	9	16.1	2.2-30.0	34	66.6	47.4-85.8	7	17.3	1.0-33.6			
Hispanic	111	21,579	14	20.2	7.3-33.1	83	67.2	53.1-81.3	14	12.7	2.7-22.7			
18-24	75	36,042	7	7.9	1.6-14.2	49	64.1	51.2-77.0	19	28.0	15.7-40.3			
25-34	169	55,223	15	12.1	4.8-19.4	109	63.2	53.4-73.0	45	24.6	16.2-33.0			
35-44	234	55,494	12	6.3	2.2-10.4	161	68.9	60.7-77.1	61	24.9	17.3-32.5			
45-54	298	55,667	17	4.1	1.7- 6.5	208	74.1	68.0-80.2	73	21.7	16.0-27.4			
55-64	379	68,469	21	6.4	2.7-10.1	268	69.2	63.1-75.3	88	24.2	18.7-29.7	2	0.3	0.0- 0.7
65+	677	104,623	76	11.7	8.6-14.8	492	73.6	69.5-77.7	108	14.5	11.4-17.6	1	0.2	0.0- 0.6
Less Than H.S.	70	25,377	7	14.0	1.5-26.5	48	59.2	42.5-75.9	15	26.8	12.3-41.3			
H.S. or G.E.D.	450	114,761	62	12.5	8.8-16.2	319	72.8	67.5-78.1	69	14.7	10.4-19.0			
Some Post-H.S.	518	115,903	35	6.3	3.4- 9.2	374	70.7	65.2-76.2	108	22.9	17.8-28.0	1	0.1	0.0- 0.3
College Graduate	789	118,840	43	5.5	3.3- 7.7	544	68.3	64.2-72.4	200	26.0	22.1-29.9	2	0.2	0.0- 0.6
Less than \$15,000	76	15,618	8	14.7	1.4-28.0	46	58.1	42.6-73.6	22	27.3	13.8-40.8			
\$15,000- 24,999	144	29,120	12	6.0	1.7-10.3	114	86.2	79.7-92.7	18	7.8	3.1-12.5			
\$25,000- 34,999	211	41,346	26	15.3	8.4-22.2	141	64.3	55.5-73.1	44	20.4	13.3-27.5			
\$35,000- 49,999	217	43,612	24	10.7	4.8-16.6	152	63.0	53.0-73.0	40	26.0	16.8-35.2	1	0.3	0.0- 0.9
\$50,000- 99,999	509	98,305	30	6.0	3.3- 8.7	356	71.7	66.6-76.8	122	22.3	17.8-26.8	1	0.1	0.0- 0.3
\$100,000 - 199,999	296	60,706	14	5.0	1.7- 8.3	214	71.6	64.7-78.5	67	23.0	16.5-29.5	1	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3392	738,246	168	4.9	3.9- 5.9	1488	41.8	39.6-44.0	1409	43.4	41.0-45.8	327	9.9	8.5-11.3
Male	1533	357,585	7	0.3	0.1- 0.5	191	12.6	10.4-14.8	1012	66.7	63.6-69.8	323	20.4	17.9-22.9
Female	1859	380,660	161	9.2	7.2-11.2	1297	69.2	66.3-72.1	397	21.5	19.0-24.0	4	0.1	0.0- 0.3
White/Non-Hisp	2361	476,196	97	4.0	3.0- 5.0	1016	41.0	38.3-43.7	1011	44.7	42.0-47.4	237	10.3	8.7-11.9
Black or Afr. Am./Non-Hisp	513	150,645	23	3.4	1.6- 5.2	239	43.6	37.9-49.3	202	42.0	36.3-47.7	49	11.1	7.4-14.8
Oth. Race/Non-Hisp.	117	36,362	9	7.5	0.8-14.2	56	48.7	36.2-61.2	42	38.2	26.2-50.2	10	5.6	1.5- 9.7
MultiRacial/Non-Hisp.	72	10,716	4	3.6	0.0- 7.7	24	29.6	16.3-42.9	33	44.2	30.1-58.3	11	22.6	8.9-36.3
Hispanic	268	51,481	31	15.4	8.5-22.3	138	47.8	39.8-55.8	82	32.2	24.4-40.0	17	4.6	1.9- 7.3
18-24	189	78,445	12	5.1	1.8- 8.4	65	37.1	28.3-45.9	86	42.8	34.0-51.6	26	15.1	8.6-21.6
25-34	345	118,369	21	7.3	3.6-11.0	138	37.4	30.9-43.9	159	48.9	42.2-55.6	27	6.3	3.6- 9.0
35-44	443	111,209	15	3.3	1.1- 5.5	191	40.7	34.4-47.0	183	42.3	36.2-48.4	54	13.6	9.1-18.1
45-54	520	105,966	20	2.6	1.2- 4.0	239	44.8	39.3-50.3	211	43.1	37.6-48.6	50	9.5	6.6-12.4
55-64	705	130,312	22	3.4	1.4- 5.4	298	41.1	36.4-45.8	320	47.1	42.4-51.8	65	8.5	6.0-11.0
65+	1190	193,945	78	6.4	4.6- 8.2	557	45.8	42.1-49.5	450	38.6	35.1-42.1	105	9.2	7.0-11.4
Less Than H.S.	191	65,198	16	8.7	3.0-14.4	100	43.1	33.7-52.5	67	42.9	33.3-52.5	8	5.3	1.2- 9.4
H.S. or G.E.D.	861	233,984	69	6.7	4.7- 8.7	364	40.5	36.2-44.8	332	40.8	36.5-45.1	96	11.9	9.0-14.8
Some Post-H.S.	904	211,338	38	3.7	1.9- 5.5	413	43.5	39.4-47.6	366	43.0	38.9-47.1	87	9.8	7.4-12.2
College Graduate	1421	224,895	44	3.0	1.8- 4.2	607	41.4	38.3-44.5	635	46.3	43.0-49.6	135	9.4	7.6-11.2
Less than \$15,000	126	25,168	11	10.2	1.6-18.8	65	48.3	36.7-59.9	46	38.1	26.9-49.3	4	3.3	0.0- 7.4
\$15,000-24,999	265	57,008	19	5.6	2.5- 8.7	139	51.6	43.0-60.2	83	32.6	24.6-40.6	24	10.2	5.5-14.9
\$25,000-34,999	364	77,015	30	10.2	5.7-14.7	169	42.2	35.5-48.9	132	38.3	31.6-45.0	33	9.3	5.4-13.2
\$35,000-49,999	369	84,312	25	5.6	2.5- 8.7	173	40.0	32.9-47.1	136	44.0	36.7-51.3	35	10.4	5.5-15.3
\$50,000-99,999	925	190,739	31	3.1	1.7- 4.5	402	43.6	39.3-47.9	406	43.9	39.6-48.2	86	9.4	6.9-11.9
\$100,000-199,999	598	135,694	15	2.5	0.9- 4.1	229	34.8	29.7-39.9	283	50.8	45.5-56.1	71	11.9	8.6-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1533	357,585	7	0.3	0.1- 0.5	191	12.6	10.4-14.8	1012	66.7	63.6-69.8	323	20.4	17.9-22.9
White/Non-Hisp	1065	228,134	2	0.1	0.0- 0.3	96	9.0	6.6-11.4	733	69.6	66.1-73.1	234	21.3	18.2-24.4
Black or Afr. Am./Non-Hisp	199	70,970	1	0.4	0.0- 1.2	22	11.5	5.6-17.4	127	64.6	56.2-73.0	49	23.5	16.1-30.9
Oth. Race/Non-Hisp.	67	19,338				22	33.0	19.3-46.7	35	56.5	42.0-71.0	10	10.5	3.1-17.9
Hispanic	130	24,761	4	2.0	0.0- 4.4	45	34.4	24.0-44.8	65	54.5	43.5-65.5	16	9.1	3.4-14.8
18-24	108	40,913	2	0.7	0.0- 1.9	14	13.5	4.7-22.3	66	56.9	44.9-68.9	26	28.9	17.7-40.1
25-34	166	60,566	1	0.3	0.0- 0.9	26	14.6	8.5-20.7	113	73.0	65.4-80.6	26	12.1	6.8-17.4
35-44	201	54,900				25	11.8	5.9-17.7	122	60.6	51.8-69.4	54	27.6	19.6-35.6
45-54	220	50,127	1	0.6	0.0- 1.8	31	12.3	7.6-17.0	138	66.9	59.6-74.2	50	20.1	14.0-26.2
55-64	326	61,843	1	0.1	0.0- 0.3	30	9.9	5.6-14.2	232	72.4	66.1-78.7	63	17.6	12.5-22.7
65+	512	89,237	2	0.2	0.0- 0.6	65	13.2	9.3-17.1	341	66.8	61.7-71.9	104	19.8	15.5-24.1
Less Than H.S.	108	37,126	1	0.5	0.0- 1.5	49	33.7	23.1-44.3	51	56.8	45.2-68.4	7	9.0	2.1-15.9
H.S. or G.E.D.	400	117,224	2	0.3	0.0- 0.7	40	9.0	5.7-12.3	262	66.8	60.9-72.7	96	23.8	18.3-29.3
Some Post-H.S.	385	95,114	3	0.4	0.0- 1.0	38	10.3	5.6-15.0	258	67.6	61.5-73.7	86	21.7	16.8-26.6
College Graduate	630	105,929	1	0.1	0.0- 0.3	62	11.2	8.1-14.3	434	69.0	64.5-73.5	133	19.7	16.0-23.4
\$15,000- 24,999	112	26,311	2	1.6	0.0- 3.8	23	15.6	8.3-22.9	64	61.3	50.1-72.5	23	21.5	11.9-31.1
\$25,000- 34,999	149	34,038	1	0.2	0.0- 0.6	27	17.0	9.7-24.3	88	61.8	52.0-71.6	33	21.0	12.6-29.4
\$35,000- 49,999	151	40,606	1	0.1	0.0- 0.3	20	15.2	7.6-22.8	96	63.4	52.8-74.0	34	21.3	11.9-30.7
\$50,000- 99,999	416	92,434	1	0.1	0.0- 0.3	46	13.6	8.5-18.7	284	66.8	60.5-73.1	85	19.4	14.5-24.3
\$100,000 - 199,999	302	74,988	1	0.4	0.0- 1.2	15	5.0	1.7- 8.3	216	73.3	67.0-79.6	70	21.3	15.6-27.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1859	380,660	161	9.2	7.2-11.2	1297	69.2	66.3-72.1	397	21.5	19.0-24.0	4	0.1	0.0- 0.3
White/Non-Hisp	1296	248,063	95	7.6	5.6- 9.6	920	70.5	67.2-73.8	278	21.7	18.6-24.8	3	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	314	79,675	22	6.0	2.9- 9.1	217	72.1	65.6-78.6	75	21.9	16.0-27.8			
Oth. Race/Non-Hisp.	50	17,025	9	16.1	2.2-30.0	34	66.6	47.4-85.8	7	17.3	1.0-33.6			
Hispanic	138	26,720	27	27.8	15.8-39.8	93	60.2	48.0-72.4	17	11.5	3.1-19.9	1	0.5	0.0- 1.5
18-24	81	37,533	10	9.9	3.2-16.6	51	62.7	50.0-75.4	20	27.4	15.6-39.2			
25-34	179	57,804	20	14.7	7.3-22.1	112	61.3	51.7-70.9	46	23.7	15.7-31.7	1	0.2	0.0- 0.6
35-44	242	56,309	15	6.5	2.4-10.6	166	69.0	61.0-77.0	61	24.5	17.1-31.9			
45-54	300	55,839	19	4.4	2.0- 6.8	208	73.9	67.8-80.0	73	21.7	16.0-27.4			
55-64	379	68,469	21	6.4	2.7-10.1	268	69.2	63.1-75.3	88	24.2	18.7-29.7	2	0.3	0.0- 0.7
65+	678	104,708	76	11.7	8.6-14.8	492	73.5	69.4-77.6	109	14.6	11.5-17.7	1	0.2	0.0- 0.6
Less Than H.S.	83	28,072	15	19.5	7.0-32.0	51	55.5	39.8-71.2	16	24.5	11.2-37.8	1	0.5	0.0- 1.5
H.S. or G.E.D.	461	116,760	67	13.2	9.5-16.9	324	72.2	66.9-77.5	70	14.6	10.3-18.9			
Some Post-H.S.	519	116,224	35	6.3	3.4- 9.2	375	70.7	65.2-76.2	108	22.8	17.7-27.9	1	0.1	0.0- 0.3
College Graduate	791	118,966	43	5.5	3.3- 7.7	545	68.2	64.1-72.3	201	26.1	22.2-30.0	2	0.2	0.0- 0.6
Less than \$15,000	83	16,677	11	15.5	3.0-28.0	50	59.0	44.1-73.9	22	25.6	12.9-38.3			
\$15,000- 24,999	153	30,697	17	9.1	3.6-14.6	116	82.4	75.1-89.7	19	8.0	3.5-12.5	1	0.5	0.0- 1.5
\$25,000- 34,999	215	42,977	29	18.1	10.7-25.5	142	62.2	53.4-71.0	44	19.6	12.7-26.5			
\$35,000- 49,999	218	43,706	24	10.7	4.8-16.6	153	63.1	53.3-72.9	40	26.0	16.8-35.2	1	0.3	0.0- 0.9
\$50,000- 99,999	509	98,305	30	6.0	3.3- 8.7	356	71.7	66.6-76.8	122	22.3	17.8-26.8	1	0.1	0.0- 0.3
\$100,000 - 199,999	296	60,706	14	5.0	1.7- 8.3	214	71.6	64.7-78.5	67	23.0	16.5-29.5	1	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3283	717,023	18	0.9	0.1- 1.7	867	26.9	24.7-29.1	1431	44.2	41.8-46.6	697	19.7	17.9-21.5	209	6.3	5.1- 7.5	61	2.0	1.4- 2.6
Male	1523	355,797	3	0.4	0.0- 1.2	178	12.1	9.9-14.3	702	49.7	46.4-53.0	455	26.5	23.8-29.2	136	8.4	6.6-10.2	49	3.0	2.0- 4.0
Female	1760	361,226	15	1.3	0.1- 2.5	689	41.5	38.2-44.8	729	38.8	35.7-41.9	242	13.0	10.8-15.2	73	4.3	2.7- 5.9	12	1.1	0.3- 1.9
White/Non-Hisp	2259	455,204	14	0.8	0.2- 1.4	580	27.0	24.5-29.5	1003	44.9	42.2-47.6	488	19.8	17.6-22.0	136	5.6	4.4- 6.8	38	2.0	1.2- 2.8
Black or Afr. Am./Non-Hisp	495	146,305				95	21.1	16.0-26.2	221	45.3	39.6-51.0	125	22.7	18.2-27.2	43	8.6	5.5-11.7	11	2.3	0.3- 4.3
Oth. Race/Non-Hisp.	112	35,271	1	5.9	0.0-16.9	42	33.6	22.4-44.8	46	39.5	27.3-51.7	15	12.3	4.9-19.7	5	7.4	0.0-15.6	3	1.5	0.0- 3.5
MultiRacial/Non-Hisp.	68	9,740				17	21.1	9.1-33.1	28	45.8	31.5-60.1	12	16.9	6.9-26.9	10	14.3	5.1-23.5	1	1.9	0.0- 5.6
Hispanic	295	58,906	2	0.7	0.0- 1.7	119	38.3	30.7-45.9	114	40.1	32.5-47.7	43	14.8	8.7-20.9	13	4.9	1.2- 8.6	4	1.2	0.0- 2.6
18-24	189	78,663	1	0.3	0.0- 0.9	89	46.4	37.4-55.4	71	39.0	30.2-47.8	20	10.5	5.4-15.6	5	2.5	0.0- 5.2	3	1.3	0.0- 2.9
25-34	347	119,163	3	3.0	0.0- 6.9	112	28.2	22.5-33.9	154	46.6	39.9-53.3	54	15.8	10.9-20.7	15	4.2	1.5- 6.9	9	2.2	0.6- 3.8
35-44	442	110,188				101	22.0	16.9-27.1	187	42.5	36.2-48.8	104	21.2	16.5-25.9	38	10.3	6.4-14.2	12	4.0	0.7- 7.3
45-54	495	98,973	1	0.1	0.0- 0.3	116	22.2	17.3-27.1	209	44.3	38.6-50.0	118	23.3	18.8-27.8	40	7.9	5.0-10.8	11	2.2	0.6- 3.8
55-64	683	125,864	2	0.4	0.0- 1.0	137	19.6	15.7-23.5	305	45.0	40.1-49.9	178	26.1	22.0-30.2	46	6.6	4.2- 9.0	15	2.2	0.8- 3.6
65+	1127	184,173	11	1.1	0.3- 1.9	312	28.2	24.9-31.5	505	45.2	41.5-48.9	223	18.9	16.0-21.8	65	5.9	4.1- 7.7	11	0.7	0.1- 1.3
Less Than H.S.	213	71,813	2	3.2	0.0- 8.7	76	29.6	21.6-37.6	83	37.8	29.2-46.4	37	18.5	11.6-25.4	12	9.1	3.2-15.0	3	1.9	0.0- 4.8
H.S. or G.E.D.	837	225,598	5	1.2	0.0- 2.4	216	24.8	20.9-28.7	376	45.5	41.0-50.0	154	18.7	15.4-22.0	64	7.0	4.8- 9.2	22	2.9	1.3- 4.5
Some Post-H.S.	861	201,180	5	0.3	0.1- 0.5	214	27.8	23.7-31.9	377	45.0	40.7-49.3	186	19.3	16.2-22.4	60	5.6	4.0- 7.2	19	2.1	1.1- 3.1
College Graduate	1360	216,165	6	0.4	0.0- 0.8	356	27.2	24.1-30.3	591	44.5	41.2-47.8	317	21.4	18.9-23.9	73	5.4	3.8- 7.0	17	1.1	0.5- 1.7
Less than \$15,000	131	27,476	1	0.8	0.0- 2.4	41	30.9	19.9-41.9	57	39.4	28.2-50.6	19	14.4	5.8-23.0	9	11.2	2.0-20.4	4	3.3	0.0- 7.2
\$15,000-24,999	267	58,085	5	4.6	0.0-11.5	78	26.7	19.4-34.0	120	40.6	32.4-48.8	39	17.1	10.4-23.8	19	6.9	3.0-10.8	6	4.1	0.0- 8.8
\$25,000-34,999	361	75,703	1	0.2	0.0- 0.6	102	28.0	22.1-33.9	163	47.0	40.1-53.9	67	18.0	12.7-23.3	22	5.8	3.1- 8.5	6	1.1	0.1- 2.1
\$35,000-49,999	356	82,672	4	2.2	0.0- 5.3	106	27.0	20.1-33.9	144	45.7	38.3-53.1	70	15.4	10.9-19.9	27	8.5	4.2-12.8	5	1.2	0.0- 2.4
\$50,000-99,999	896	184,600	2	0.4	0.0- 1.0	198	23.5	19.6-27.4	411	46.5	42.0-51.0	214	22.7	19.2-26.2	51	4.6	3.0- 6.2	20	2.3	0.9- 3.7
\$100,000-199,999	581	132,411	1	0.1	0.0- 0.3	132	23.0	18.1-27.9	255	46.7	41.2-52.2	142	21.6	17.5-25.7	41	6.6	4.2- 9.0	10	2.0	0.6- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1523	355,797	3	0.4	0.0- 1.2	178	12.1	9.9-14.3	702	49.7	46.4-53.0	455	26.5	23.8-29.2	136	8.4	6.6-10.2	49	3.0	2.0- 4.0
White/Non-Hisp	1053	225,717	2	0.6	0.0- 1.8	87	8.8	6.6-11.0	504	50.5	46.6-54.4	337	28.6	25.3-31.9	91	8.0	6.0-10.0	32	3.4	1.8- 5.0
Black or Afr. Am./Non-Hisp	199	70,524				15	9.8	3.7-15.9	87	50.5	41.9-59.1	68	28.9	21.6-36.2	22	9.1	5.0-13.2	7	1.8	0.2- 3.4
Oth. Race/Non-Hisp.	66	19,210				21	30.8	17.5-44.1	28	48.8	33.7-63.9	11	12.0	3.8-20.2	3	5.7	0.0-13.5	3	2.7	0.0- 6.0
Hispanic	137	27,163	1	0.8	0.0- 2.4	42	25.9	15.9-35.9	58	45.9	34.5-57.3	23	15.5	7.9-23.1	9	9.3	1.7-16.9	4	2.6	0.0- 5.7
18-24	105	40,743				37	31.2	19.8-42.6	51	53.1	40.9-65.3	14	11.6	4.9-18.3	3	4.1	0.0- 9.2			
25-34	167	60,949	2	2.4	0.0- 6.5	34	17.0	10.7-23.3	82	55.6	46.8-64.4	30	16.5	9.8-23.2	11	4.5	1.4- 7.6	8	4.0	1.1- 6.9
35-44	202	54,571				14	5.6	2.1- 9.1	85	45.6	36.6-54.6	67	30.0	22.4-37.6	26	13.3	7.8-18.8	10	5.5	1.0-10.0
45-54	216	48,769				20	8.3	4.0-12.6	99	46.9	38.5-55.3	70	32.2	24.8-39.6	18	8.4	3.7-13.1	9	4.1	1.2- 7.0
55-64	329	62,744				23	7.4	3.5-11.3	142	45.0	37.9-52.1	116	34.2	27.7-40.7	34	9.4	5.9-12.9	14	4.0	1.5- 6.5
65+	504	88,021	1	0.1	0.0- 0.3	50	9.1	6.2-12.0	243	51.3	45.8-56.8	158	29.5	24.6-34.4	44	9.2	6.1-12.3	8	0.8	0.2- 1.4
Less Than H.S.	112	38,641	1	0.6	0.0- 1.8	31	21.8	12.4-31.2	56	51.7	39.9-63.5	16	16.1	7.7-24.5	5	6.3	0.2-12.4	3	3.4	0.0- 8.7
H.S. or G.E.D.	397	115,586	1	1.1	0.0- 3.3	49	11.0	7.3-14.7	189	52.1	45.8-58.4	98	23.2	18.1-28.3	44	9.2	6.1-12.3	16	3.4	1.4- 5.4
Some Post-H.S.	385	95,119				39	10.4	5.9-14.9	172	49.6	43.1-56.1	123	28.6	23.3-33.9	35	7.9	5.0-10.8	16	3.5	1.5- 5.5
College Graduate	619	104,402	1	0.1	0.0- 0.3	56	10.8	7.7-13.9	281	46.7	41.8-51.6	215	31.7	27.4-36.0	52	8.9	6.2-11.6	14	1.9	0.7- 3.1
\$15,000- 24,999	116	27,621				16	14.3	6.7-21.9	62	50.2	38.4-62.0	24	22.3	11.9-32.7	10	9.7	2.3-17.1	4	3.4	0.0- 7.3
\$25,000- 34,999	153	34,686				24	14.1	7.4-20.8	75	53.4	43.2-63.6	38	24.1	15.5-32.7	11	6.2	1.9-10.5	5	2.2	0.0- 4.4
\$35,000- 49,999	147	39,623	2	3.4	0.0- 9.5	20	9.9	4.6-15.2	72	58.9	48.5-69.3	32	14.6	8.3-20.9	16	10.7	4.8-16.6	5	2.6	0.2- 5.0
\$50,000- 99,999	415	92,208				32	8.8	4.5-13.1	182	46.7	40.2-53.2	146	33.1	27.2-39.0	39	7.6	4.9-10.3	16	3.8	1.1- 6.5
\$100,000 - 199,999	301	74,797				15	4.6	1.9- 7.3	141	53.7	46.6-60.8	103	28.6	22.5-34.7	34	10.3	6.4-14.2	8	2.9	0.7- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1760	361,226	15	1.3	0.1- 2.5	689	41.5	38.2-44.8	729	38.8	35.7-41.9	242	13.0	10.8-15.2	73	4.3	2.7- 5.9	12	1.1	0.3- 1.9
White/Non-Hisp	1206	229,487	12	0.9	0.3- 1.5	493	44.8	40.9-48.7	499	39.3	35.6-43.0	151	11.1	8.7-13.5	45	3.2	1.8- 4.6	6	0.6	0.0- 1.2
Black or Afr. Am./Non-Hisp	296	75,781				80	31.7	24.3-39.1	134	40.6	33.3-47.9	57	16.9	11.4-22.4	21	8.1	3.6-12.6	4	2.7	0.0- 6.2
Hispanic	158	31,743	1	0.7	0.0- 2.1	77	48.8	37.6-60.0	56	35.0	24.6-45.4	20	14.3	5.3-23.3	4	1.1	0.0- 2.3			
18-24	84	37,920	1	0.6	0.0- 1.8	52	62.7	50.2-75.2	20	23.9	12.9-34.9	6	9.3	1.5-17.1	2	0.8	0.0- 2.0	3	2.7	0.0- 5.8
25-34	180	58,215	1	3.5	0.0-10.2	78	39.9	30.5-49.3	72	37.2	28.0-46.4	24	15.1	8.0-22.2	4	3.9	0.0- 8.8	1	0.4	0.0- 1.2
35-44	240	55,616				87	38.1	29.5-46.7	102	39.3	30.9-47.7	37	12.5	7.2-17.8	12	7.4	1.9-12.9	2	2.6	0.0- 7.3
45-54	279	50,204	1	0.2	0.0- 0.6	96	35.7	27.9-43.5	110	41.8	34.2-49.4	48	14.6	9.7-19.5	22	7.3	3.6-11.0	2	0.4	0.0- 1.0
55-64	354	63,120	2	0.8	0.0- 2.2	114	31.6	25.3-37.9	163	45.1	38.4-51.8	62	18.1	12.8-23.4	12	3.8	0.3- 7.3	1	0.5	0.0- 1.5
65+	623	96,152	10	2.0	0.4- 3.6	262	45.7	40.6-50.8	262	39.6	34.7-44.5	65	9.3	6.2-12.4	21	2.8	1.4- 4.2	3	0.6	0.0- 1.4
Less Than H.S.	101	33,172	1	6.2	0.0-17.8	45	38.8	25.3-52.3	27	21.5	11.3-31.7	21	21.2	9.8-32.6	7	12.3	2.1-22.5			
H.S. or G.E.D.	440	110,012	4	1.2	0.0- 2.4	167	39.3	32.8-45.8	187	38.5	32.4-44.6	56	13.9	9.4-18.4	20	4.7	1.8- 7.6	6	2.4	0.0- 4.9
Some Post-H.S.	476	106,060	5	0.5	0.0- 1.1	175	43.4	37.3-49.5	205	40.8	35.1-46.5	63	10.9	7.6-14.2	25	3.5	1.9- 5.1	3	0.8	0.0- 1.8
College Graduate	741	111,763	5	0.7	0.0- 1.5	300	42.6	38.1-47.1	310	42.4	37.9-46.9	102	11.8	9.1-14.5	21	2.2	1.0- 3.4	3	0.3	0.0- 0.7
Less than \$15,000	87	17,815	1	1.3	0.0- 3.8	26	28.0	15.8-40.2	39	39.7	26.0-53.4	12	13.1	2.3-23.9	8	16.1	2.8-29.4	1	1.9	0.0- 5.6
\$15,000- 24,999	151	30,464	5	8.7	0.0-21.2	62	38.0	26.4-49.6	58	31.9	21.7-42.1	15	12.4	4.4-20.4	9	4.4	1.3- 7.5	2	4.7	0.0-13.1
\$25,000- 34,999	208	41,016	1	0.4	0.0- 1.2	78	39.7	30.9-48.5	88	41.5	32.3-50.7	29	12.8	6.5-19.1	11	5.4	1.7- 9.1	1	0.1	0.0- 0.3
\$35,000- 49,999	209	43,049	2	1.0	0.0- 2.4	86	42.7	32.3-53.1	72	33.6	24.6-42.6	38	16.2	9.7-22.7	11	6.6	0.3-12.9			
\$50,000- 99,999	481	92,392	2	0.7	0.0- 1.7	166	38.2	32.3-44.1	229	46.4	40.3-52.5	68	12.2	8.5-15.9	12	1.6	0.4- 2.8	4	0.9	0.0- 1.9
\$100,000 - 199,999	280	57,614	1	0.2	0.0- 0.6	117	46.9	38.7-55.1	114	37.6	30.2-45.0	39	12.5	7.4-17.6	7	1.9	0.3- 3.5	2	0.9	0.0- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3215	698,951	27	1.3	0.5- 2.1	866	29.9	27.7-32.1	1163	35.0	32.8-37.2	671	19.2	17.4-21.0	488	14.5	12.9-16.1
Male	1506	351,290	12	1.3	0.3- 2.3	354	27.1	24.0-30.2	627	40.2	37.1-43.3	318	19.4	16.9-21.9	195	12.1	10.1-14.1
Female	1709	347,661	15	1.4	0.2- 2.6	512	32.8	29.7-35.9	536	29.8	26.9-32.7	353	19.0	16.6-21.4	293	17.0	14.5-19.5
White/Non-Hisp	2243	450,839	19	1.2	0.4- 2.0	615	31.3	28.6-34.0	844	36.0	33.5-38.5	448	18.1	16.1-20.1	317	13.5	11.7-15.3
Black or Afr. Am./Non-Hisp	484	142,769	2	0.5	0.0- 1.5	90	23.4	18.1-28.7	168	36.0	30.3-41.7	126	22.1	17.8-26.4	98	17.8	13.5-22.1
Oth. Race/Non-Hisp.	109	34,131	2	7.1	0.0-18.5	46	39.6	27.4-51.8	32	27.8	16.8-38.8	16	11.0	3.7-18.3	13	14.4	4.6-24.2
MultiRacial/Non-Hisp.	67	9,695				17	29.5	15.4-43.6	23	29.7	17.4-42.0	14	22.1	10.1-34.1	13	18.6	8.4-28.8
Hispanic	260	50,316	3	0.8	0.0- 1.8	83	30.0	22.4-37.6	81	30.4	23.0-37.8	56	25.9	18.3-33.5	37	12.9	7.4-18.4
18-24	180	74,872	2	0.8	0.0- 2.0	100	59.1	50.3-67.9	45	22.5	15.2-29.8	20	9.9	5.0-14.8	13	7.6	3.1-12.1
25-34	329	113,507	8	4.9	0.6- 9.2	112	32.6	26.3-38.9	99	31.2	24.9-37.5	59	15.6	10.9-20.3	51	15.8	10.9-20.7
35-44	419	105,073	2	0.2	0.0- 0.6	97	26.1	20.4-31.8	152	35.9	29.8-42.0	91	18.6	13.9-23.3	77	19.2	14.1-24.3
45-54	489	97,703	3	0.2	0.0- 0.4	116	26.3	20.8-31.8	173	34.1	28.8-39.4	107	23.6	18.7-28.5	90	15.8	12.1-19.5
55-64	673	123,866	1	0.3	0.0- 0.9	159	22.7	18.6-26.8	245	37.7	33.0-42.4	156	21.6	17.9-25.3	112	17.6	13.9-21.3
65+	1125	183,929	11	1.2	0.2- 2.2	282	25.3	22.2-28.4	449	40.6	36.9-44.3	238	21.6	18.5-24.7	145	11.2	8.8-13.6
Less Than H.S.	184	61,763	4	5.1	0.0-11.8	50	28.6	19.6-37.6	64	30.9	22.5-39.3	37	18.2	11.1-25.3	29	17.3	9.9-24.7
H.S. or G.E.D.	816	221,190	6	1.2	0.0- 2.4	216	28.6	24.3-32.9	284	34.7	30.4-39.0	166	18.2	14.9-21.5	144	17.3	13.8-20.8
Some Post-H.S.	855	199,953	6	0.7	0.0- 1.5	216	30.6	26.3-34.9	312	35.2	31.1-39.3	185	20.4	17.1-23.7	136	13.1	10.6-15.6
College Graduate	1349	213,853	11	1.0	0.2- 1.8	380	31.0	27.9-34.1	499	36.4	33.3-39.5	281	19.2	16.7-21.7	178	12.3	10.1-14.5
Less than \$15,000	122	24,652				32	29.4	18.4-40.4	41	26.1	16.9-35.3	26	20.9	11.9-29.9	23	23.6	12.2-35.0
\$15,000-24,999	255	54,892	3	4.1	0.0-11.2	72	26.5	19.4-33.6	88	30.8	22.8-38.8	52	22.1	15.0-29.2	40	16.6	9.7-23.5
\$25,000-34,999	355	74,900	5	0.8	0.0- 1.8	98	29.0	22.7-35.3	117	36.3	29.6-43.0	72	18.6	13.5-23.7	63	15.3	10.6-20.0
\$35,000-49,999	348	80,189	2	2.1	0.0- 5.2	100	30.1	22.8-37.4	116	35.5	28.2-42.8	67	16.9	11.8-22.0	63	15.4	10.7-20.1
\$50,000-99,999	889	182,600	3	0.6	0.0- 1.2	211	26.9	22.8-31.0	335	36.7	32.4-41.0	204	22.3	18.6-26.0	136	13.5	10.6-16.4
\$100,000-199,999	577	131,631	4	0.6	0.0- 1.2	151	32.7	27.2-38.2	220	34.9	30.0-39.8	121	18.4	14.7-22.1	81	13.4	9.9-16.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1506	351,290	12	1.3	0.3- 2.3	354	27.1	24.0-30.2	627	40.2	37.1-43.3	318	19.4	16.9-21.9	195	12.1	10.1-14.1			
White/Non-Hisp	1050	225,119	7	1.4	0.0- 2.8	224	25.5	21.8-29.2	469	41.8	38.1-45.5	219	19.1	16.2-22.0	131	12.2	9.7-14.7			
Black or Afr. Am./Non-Hisp	196	69,811	2	1.1	0.0- 3.1	39	25.1	16.9-33.3	74	39.9	31.3-48.5	53	23.2	16.5-29.9	28	10.8	6.3-15.3			
Oth. Race/Non-Hisp.	66	19,210	1	1.9	0.0- 5.6	29	43.8	29.1-58.5	21	35.4	20.5-50.3	7	8.1	1.0-15.2	8	10.9	1.9-19.9			
Hispanic	128	24,363	2	1.1	0.0- 2.9	43	29.4	19.8-39.0	41	32.4	21.6-43.2	26	21.9	12.5-31.3	16	15.3	6.1-24.5			
18-24	104	39,539	1	0.6	0.0- 1.8	63	63.4	52.0-74.8	26	23.5	13.3-33.7	10	6.8	2.3-11.3	4	5.8	0.0-11.7			
25-34	164	59,942	5	4.9	0.0- 9.8	58	34.8	26.4-43.2	53	35.0	26.4-43.6	25	14.4	7.7-21.1	23	10.9	6.2-15.6			
35-44	198	53,845				33	19.5	12.2-26.8	88	44.4	35.4-53.4	45	17.9	11.6-24.2	32	18.3	11.2-25.4			
45-54	213	48,419	2	0.2	0.0- 0.6	43	24.0	15.8-32.2	96	40.7	32.7-48.7	44	23.4	16.3-30.5	28	11.6	6.5-16.7			
55-64	324	61,605				57	15.2	10.3-20.1	134	45.1	38.0-52.2	83	24.5	18.8-30.2	50	15.3	10.6-20.0			
65+	503	87,939	4	1.5	0.0- 3.3	100	20.1	15.8-24.4	230	44.9	39.4-50.4	111	23.6	18.5-28.7	58	9.9	7.0-12.8			
Less Than H.S.	105	35,844	2	2.6	0.0- 6.5	31	31.5	19.7-43.3	42	35.6	24.4-46.8	19	17.7	8.7-26.7	11	12.6	4.2-21.0			
H.S. or G.E.D.	392	114,728	2	1.1	0.0- 3.3	105	27.9	22.2-33.6	154	41.1	34.8-47.4	73	17.4	12.7-22.1	58	12.5	8.8-16.2			
Some Post-H.S.	383	94,708	4	1.4	0.0- 3.0	85	26.4	20.1-32.7	156	38.8	32.7-44.9	87	22.2	17.1-27.3	51	11.2	7.7-14.7			
College Graduate	617	104,036	4	1.0	0.0- 2.2	131	25.2	20.7-29.7	271	42.2	37.5-46.9	137	19.3	15.8-22.8	74	12.4	9.1-15.7			
\$15,000- 24,999	112	26,311				31	28.3	18.1-38.5	43	36.0	24.2-47.8	24	23.1	12.5-33.7	14	12.6	4.6-20.6			
\$25,000- 34,999	149	34,038	2	0.3	0.0- 0.7	46	35.3	25.1-45.5	60	41.4	31.2-51.6	22	13.3	6.8-19.8	19	9.8	4.7-14.9			
\$35,000- 49,999	145	39,383	2	4.2	0.0-10.7	36	23.3	14.5-32.1	61	47.9	36.9-58.9	26	11.8	6.5-17.1	20	12.8	6.3-19.3			
\$50,000- 99,999	415	92,208	1	0.5	0.0- 1.5	80	24.3	17.8-30.8	176	38.0	31.9-44.1	94	23.5	17.8-29.2	64	13.8	9.7-17.9			
\$100,000 - 199,999	301	74,797	1	0.2	0.0- 0.6	54	24.6	17.5-31.7	142	43.2	36.1-50.3	62	19.0	13.7-24.3	42	13.0	8.5-17.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1709	347,661	15	1.4	0.2- 2.6	512	32.8	29.7-35.9	536	29.8	26.9-32.7	353	19.0	16.6-21.4	293	17.0	14.5-19.5
White/Non-Hisp	1193	225,720	12	0.9	0.3- 1.5	391	37.1	33.2-41.0	375	30.2	26.7-33.7	229	17.1	14.4-19.8	186	14.7	12.0-17.4
Black or Afr. Am./Non-Hisp	288	72,959				51	21.9	15.2-28.6	94	32.4	25.1-39.7	73	21.2	15.7-26.7	70	24.6	17.7-31.5
Hispanic	132	25,953	1	0.5	0.0- 1.5	40	30.6	19.0-42.2	40	28.5	18.3-38.7	30	29.7	17.9-41.5	21	10.7	4.6-16.8
18-24	76	35,333	1	1.1	0.0- 3.3	37	54.4	40.7-68.1	19	21.5	11.1-31.9	10	13.5	4.7-22.3	9	9.5	2.4-16.6
25-34	165	53,565	3	4.8	0.0-12.2	54	30.1	21.1-39.1	46	26.9	17.9-35.9	34	17.0	10.1-23.9	28	21.2	12.4-30.0
35-44	221	51,228	2	0.5	0.0- 1.3	64	33.0	24.2-41.8	64	27.1	19.3-34.9	46	19.3	12.4-26.2	45	20.1	12.5-27.7
45-54	276	49,284	1	0.2	0.0- 0.6	73	28.6	21.2-36.0	77	27.5	20.4-34.6	63	23.7	17.0-30.4	62	20.0	14.3-25.7
55-64	349	62,261	1	0.7	0.0- 2.1	102	30.2	23.9-36.5	111	30.5	24.6-36.4	73	18.7	14.0-23.4	62	20.0	14.1-25.9
65+	622	95,990	7	1.0	0.0- 2.0	182	30.1	25.4-34.8	219	36.7	31.6-41.8	127	19.8	15.9-23.7	87	12.4	8.9-15.9
Less Than H.S.	79	25,920	2	8.5	0.0-23.0	19	24.4	10.7-38.1	22	24.5	11.8-37.2	18	18.7	7.3-30.1	18	23.8	10.3-37.3
H.S. or G.E.D.	424	106,462	4	1.2	0.0- 2.4	111	29.4	22.9-35.9	130	27.8	22.1-33.5	93	19.1	14.4-23.8	86	22.5	16.6-28.4
Some Post-H.S.	472	105,244	2	0.1	0.0- 0.3	131	34.3	28.4-40.2	156	32.0	26.5-37.5	98	18.8	14.5-23.1	85	14.8	11.1-18.5
College Graduate	732	109,817	7	1.0	0.0- 2.0	249	36.5	32.0-41.0	228	31.0	26.7-35.3	144	19.2	15.7-22.7	104	12.3	9.6-15.0
Less than \$15,000	80	16,298				14	24.1	10.6-37.6	32	28.9	16.7-41.1	16	18.2	8.0-28.4	18	28.7	13.2-44.2
\$15,000- 24,999	143	28,581	3	7.8	0.0-20.9	41	24.8	14.8-34.8	45	26.0	15.8-36.2	28	21.1	11.9-30.3	26	20.3	9.3-31.3
\$25,000- 34,999	206	40,862	3	1.3	0.0- 3.1	52	23.7	16.4-31.0	57	32.1	23.1-41.1	50	23.0	15.4-30.6	44	19.9	12.8-27.0
\$35,000- 49,999	203	40,806				64	36.6	25.8-47.4	55	23.6	16.2-31.0	41	21.8	13.6-30.0	43	17.9	10.8-25.0
\$50,000- 99,999	474	90,391	2	0.7	0.0- 1.7	131	29.5	24.0-35.0	159	35.3	29.2-41.4	110	21.2	16.5-25.9	72	13.3	9.4-17.2
\$100,000 - 199,999	276	56,834	3	1.0	0.0- 2.4	97	43.4	35.0-51.8	78	24.0	17.5-30.5	59	17.6	12.3-22.9	39	14.0	8.5-19.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3215	698,951	41	1.9	1.1- 2.7	851	29.4	27.2-31.6	1159	34.9	32.7-37.1	1164	33.9	31.7-36.1
Male	1506	351,290	18	1.8	0.8- 2.8	347	26.5	23.4-29.6	624	40.0	36.9-43.1	517	31.7	28.8-34.6
Female	1709	347,661	23	1.9	0.5- 3.3	504	32.2	29.1-35.3	535	29.7	26.8-32.6	647	36.1	33.0-39.2
White/Non-Hisp	2243	450,839	30	1.8	1.0- 2.6	603	30.6	27.9-33.3	841	35.9	33.4-38.4	769	31.7	29.2-34.2
Black or Afr. Am./Non-Hisp	484	142,769	3	1.0	0.0- 2.4	89	23.0	17.7-28.3	168	36.0	30.3-41.7	224	40.0	34.5-45.5
Oth. Race/Non-Hisp.	109	34,131	2	7.1	0.0-18.5	46	39.6	27.4-51.8	31	26.9	16.1-37.7	30	26.4	15.0-37.8
MultiRacial/Non-Hisp.	67	9,695	1	0.4	0.0- 1.2	16	29.2	15.1-43.3	23	29.7	17.4-42.0	27	40.8	26.9-54.7
Hispanic	260	50,316	4	1.3	0.0- 2.7	82	29.5	22.1-36.9	81	30.4	23.0-37.8	93	38.8	30.6-47.0
18-24	180	74,872	9	4.4	1.3- 7.5	93	55.5	46.5-64.5	45	22.5	15.2-29.8	33	17.5	11.0-24.0
25-34	329	113,507	10	5.1	0.8- 9.4	110	32.3	26.0-38.6	99	31.2	24.9-37.5	110	31.4	25.1-37.7
35-44	419	105,073	2	0.2	0.0- 0.6	96	26.0	20.3-31.7	151	35.5	29.4-41.6	170	38.3	32.2-44.4
45-54	489	97,703	3	0.2	0.0- 0.4	116	26.3	20.8-31.8	172	33.9	28.6-39.2	198	39.6	34.1-45.1
55-64	673	123,866	2	0.4	0.0- 1.0	158	22.7	18.6-26.8	244	37.6	32.9-42.3	269	39.3	34.6-44.0
65+	1125	183,929	15	1.6	0.4- 2.8	278	24.9	21.8-28.0	448	40.6	36.9-44.3	384	32.9	29.4-36.4
Less Than H.S.	184	61,763	4	5.1	0.0-11.8	50	28.6	19.6-37.6	64	30.9	22.5-39.3	66	35.5	26.3-44.7
H.S. or G.E.D.	816	221,190	11	2.1	0.5- 3.7	211	27.6	23.3-31.9	283	34.6	30.3-38.9	311	35.6	31.3-39.9
Some Post-H.S.	855	199,953	12	1.4	0.4- 2.4	209	29.8	25.5-34.1	311	34.9	30.8-39.0	323	33.8	29.9-37.7
College Graduate	1349	213,853	14	1.1	0.3- 1.9	377	30.9	27.8-34.0	497	36.3	33.2-39.4	461	31.7	28.8-34.6
Less than \$15,000	122	24,652	1	2.7	0.0- 7.8	31	26.7	16.3-37.1	41	26.1	16.9-35.3	49	44.5	32.5-56.5
\$15,000-24,999	255	54,892	5	5.2	0.0-12.5	70	25.4	18.3-32.5	88	30.8	22.8-38.8	92	38.7	30.1-47.3
\$25,000-34,999	355	74,900	6	1.1	0.0- 2.3	97	28.7	22.4-35.0	117	36.3	29.6-43.0	135	33.9	27.6-40.2
\$35,000-49,999	348	80,189	3	2.3	0.0- 5.4	98	29.8	22.5-37.1	116	35.5	28.2-42.8	131	32.5	26.0-39.0
\$50,000-99,999	889	182,600	7	1.1	0.1- 2.1	207	26.3	22.2-30.4	334	36.5	32.2-40.8	341	36.0	31.7-40.3
\$100,000-199,999	577	131,631	6	0.8	0.0- 1.6	149	32.5	27.0-38.0	218	34.7	29.8-39.6	204	32.0	27.3-36.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1506	351,290	18	1.8	0.8- 2.8	347	26.5	23.4-29.6	624	40.0	36.9-43.1	517	31.7	28.8-34.6
White/Non-Hisp	1050	225,119	12	2.1	0.5- 3.7	218	24.8	21.3-28.3	466	41.6	37.9-45.3	354	31.5	28.0-35.0
Black or Afr. Am./Non-Hisp	196	69,811	2	1.1	0.0- 3.1	39	25.1	16.9-33.3	74	39.9	31.3-48.5	81	33.9	26.3-41.5
Oth. Race/Non-Hisp.	66	19,210	1	1.9	0.0- 5.6	29	43.8	29.1-58.5	21	35.4	20.5-50.3	15	18.9	7.9-29.9
Hispanic	128	24,363	3	2.2	0.0- 4.9	42	28.3	18.9-37.7	41	32.4	21.6-43.2	42	37.1	25.9-48.3
18-24	104	39,539	6	4.7	0.8- 8.6	58	59.3	47.5-71.1	26	23.5	13.3-33.7	14	12.6	5.3-19.9
25-34	164	59,942	5	4.9	0.0- 9.8	58	34.8	26.4-43.2	53	35.0	26.4-43.6	48	25.3	17.7-32.9
35-44	198	53,845				32	19.3	12.0-26.6	88	44.0	35.0-53.0	78	36.7	28.3-45.1
45-54	213	48,419	2	0.2	0.0- 0.6	43	24.0	15.8-32.2	95	40.4	32.4-48.4	73	35.4	27.6-43.2
55-64	324	61,605				57	15.2	10.3-20.1	133	44.8	37.7-51.9	134	40.0	33.3-46.7
65+	503	87,939	5	1.6	0.0- 3.4	99	19.9	15.6-24.2	229	44.8	39.3-50.3	170	33.7	28.4-39.0
Less Than H.S.	105	35,844	2	2.6	0.0- 6.5	31	31.5	19.7-43.3	42	35.6	24.4-46.8	30	30.3	19.1-41.5
H.S. or G.E.D.	392	114,728	5	2.0	0.0- 4.4	102	27.0	21.3-32.7	153	41.0	34.7-47.3	132	30.0	24.5-35.5
Some Post-H.S.	383	94,708	7	2.2	0.2- 4.2	81	25.5	19.2-31.8	156	38.6	32.5-44.7	139	33.7	28.0-39.4
College Graduate	617	104,036	4	1.0	0.0- 2.2	131	25.2	20.7-29.7	269	41.9	37.2-46.6	213	31.9	27.4-36.4
\$15,000- 24,999	112	26,311	1	2.0	0.0- 5.9	30	26.3	16.5-36.1	43	36.0	24.2-47.8	38	35.7	23.9-47.5
\$25,000- 34,999	149	34,038	3	0.9	0.0- 2.3	45	34.6	24.4-44.8	60	41.4	31.2-51.6	41	23.0	15.0-31.0
\$35,000- 49,999	145	39,383	3	4.6	0.0-11.1	34	22.7	13.9-31.5	61	47.8	36.8-58.8	47	24.9	16.7-33.1
\$50,000- 99,999	415	92,208	1	0.5	0.0- 1.5	80	24.3	17.8-30.8	175	37.7	31.6-43.8	159	37.6	31.3-43.9
\$100,000 - 199,999	301	74,797	1	0.2	0.0- 0.6	54	24.6	17.5-31.7	140	42.8	35.7-49.9	106	32.3	25.8-38.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1709	347,661	23	1.9	0.5- 3.3	504	32.2	29.1-35.3	535	29.7	26.8-32.6	647	36.1	33.0-39.2
White/Non-Hisp	1193	225,720	18	1.5	0.7- 2.3	385	36.5	32.6-40.4	375	30.2	26.7-33.7	415	31.9	28.4-35.4
Black or Afr. Am./Non-Hisp	288	72,959	1	0.9	0.0- 2.7	50	21.0	14.3-27.7	94	32.4	25.1-39.7	143	45.8	38.2-53.4
Hispanic	132	25,953	1	0.5	0.0- 1.5	40	30.6	19.0-42.2	40	28.5	18.3-38.7	51	40.4	28.4-52.4
18-24	76	35,333	3	4.2	0.0- 9.1	35	51.3	37.4-65.2	19	21.5	11.1-31.9	19	23.0	12.2-33.8
25-34	165	53,565	5	5.3	0.0-12.7	52	29.6	20.6-38.6	46	26.9	17.9-35.9	62	38.2	28.2-48.2
35-44	221	51,228	2	0.5	0.0- 1.3	64	33.0	24.2-41.8	63	26.5	18.9-34.1	92	40.0	31.2-48.8
45-54	276	49,284	1	0.2	0.0- 0.6	73	28.6	21.2-36.0	77	27.5	20.4-34.6	125	43.7	36.1-51.3
55-64	349	62,261	2	0.8	0.0- 2.2	101	30.1	23.8-36.4	111	30.5	24.6-36.4	135	38.7	32.0-45.4
65+	622	95,990	10	1.6	0.2- 3.0	179	29.5	25.0-34.0	219	36.7	31.6-41.8	214	32.2	27.5-36.9
Less Than H.S.	79	25,920	2	8.5	0.0-23.0	19	24.4	10.7-38.1	22	24.5	11.8-37.2	36	42.6	26.9-58.3
H.S. or G.E.D.	424	106,462	6	2.2	0.2- 4.2	109	28.4	22.1-34.7	130	27.8	22.1-33.5	179	41.6	35.1-48.1
Some Post-H.S.	472	105,244	5	0.7	0.0- 1.5	128	33.7	27.8-39.6	155	31.7	26.2-37.2	184	33.9	28.6-39.2
College Graduate	732	109,817	10	1.3	0.3- 2.3	246	36.3	31.8-40.8	228	31.0	26.7-35.3	248	31.4	27.3-35.5
Less than \$15,000	80	16,298	1	4.1	0.0-11.7	13	20.1	7.9-32.3	32	28.9	16.7-41.1	34	47.0	31.9-62.1
\$15,000- 24,999	143	28,581	4	8.1	0.0-21.2	40	24.5	14.5-34.5	45	26.0	15.8-36.2	54	41.4	28.7-54.1
\$25,000- 34,999	206	40,862	3	1.3	0.0- 3.1	52	23.7	16.4-31.0	57	32.1	23.1-41.1	94	42.9	33.9-51.9
\$35,000- 49,999	203	40,806				64	36.6	25.8-47.4	55	23.6	16.2-31.0	84	39.7	29.9-49.5
\$50,000- 99,999	474	90,391	6	1.9	0.3- 3.5	127	28.4	22.9-33.9	159	35.3	29.2-41.4	182	34.4	28.7-40.1
\$100,000 - 199,999	276	56,834	5	1.5	0.0- 3.1	95	42.9	34.5-51.3	78	24.0	17.5-30.5	98	31.6	24.5-38.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3215	698,951	892	31.2	28.8-33.6	2323	68.8	66.4-71.2
Male	1506	351,290	365	28.3	25.2-31.4	1141	71.7	68.6-74.8
Female	1709	347,661	527	34.2	30.9-37.5	1182	65.8	62.5-69.1
White/Non-Hisp	2243	450,839	633	32.4	29.7-35.1	1610	67.6	64.9-70.3
Black or Afr. Am./Non-Hisp	484	142,769	92	24.0	18.7-29.3	392	76.0	70.7-81.3
Oth. Race/Non-Hisp.	109	34,131	48	46.7	33.8-59.6	61	53.3	40.4-66.2
MultiRacial/Non-Hisp.	67	9,695	17	29.5	15.4-43.6	50	70.5	56.4-84.6
Hispanic	260	50,316	86	30.8	23.2-38.4	174	69.2	61.6-76.8
18-24	180	74,872	102	60.0	51.2-68.8	78	40.0	31.2-48.8
25-34	329	113,507	120	37.4	30.7-44.1	209	62.6	55.9-69.3
35-44	419	105,073	98	26.2	20.5-31.9	321	73.8	68.1-79.5
45-54	489	97,703	119	26.6	21.1-32.1	370	73.4	67.9-78.9
55-64	673	123,866	160	23.1	19.0-27.2	513	76.9	72.8-81.0
65+	1125	183,929	293	26.6	23.3-29.9	832	73.4	70.1-76.7
Less Than H.S.	184	61,763	54	33.6	23.8-43.4	130	66.4	56.6-76.2
H.S. or G.E.D.	816	221,190	222	29.8	25.5-34.1	594	70.2	65.9-74.5
Some Post-H.S.	855	199,953	221	31.2	26.9-35.5	634	68.8	64.5-73.1
College Graduate	1349	213,853	391	32.0	28.7-35.3	958	68.0	64.7-71.3
Less than \$15,000	122	24,652	32	29.4	18.4-40.4	90	70.6	59.6-81.6
\$15,000-24,999	255	54,892	75	30.5	21.9-39.1	180	69.5	60.9-78.1
\$25,000-34,999	355	74,900	103	29.8	23.5-36.1	252	70.2	63.9-76.5
\$35,000-49,999	348	80,189	101	32.1	24.7-39.5	247	67.9	60.5-75.3
\$50,000-99,999	889	182,600	214	27.4	23.1-31.7	675	72.6	68.3-76.9
\$100,000-199,999	577	131,631	155	33.3	27.8-38.8	422	66.7	61.2-72.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1506	351,290	365	28.3	25.2-31.4	1141	71.7	68.6-74.8
White/Non-Hisp	1050	225,119	230	26.9	23.2-30.6	820	73.1	69.4-76.8
Black or Afr. Am./Non-Hisp	196	69,811	41	26.2	18.0-34.4	155	73.8	65.6-82.0
Oth. Race/Non-Hisp.	66	19,210	30	45.7	30.8-60.6	36	54.3	39.4-69.2
Hispanic	128	24,363	45	30.5	20.9-40.1	83	69.5	59.9-79.1
18-24	104	39,539	64	64.0	52.6-75.4	40	36.0	24.6-47.4
25-34	164	59,942	63	39.7	30.9-48.5	101	60.3	51.5-69.1
35-44	198	53,845	32	19.3	12.0-26.6	166	80.7	73.4-88.0
45-54	213	48,419	45	24.2	16.0-32.4	168	75.8	67.6-84.0
55-64	324	61,605	57	15.2	10.3-20.1	267	84.8	79.9-89.7
65+	503	87,939	104	21.6	17.1-26.1	399	78.4	73.9-82.9
Less Than H.S.	105	35,844	33	34.1	22.1-46.1	72	65.9	53.9-77.9
H.S. or G.E.D.	392	114,728	107	29.0	23.1-34.9	285	71.0	65.1-76.9
Some Post-H.S.	383	94,708	88	27.7	21.4-34.0	295	72.3	66.0-78.6
College Graduate	617	104,036	135	26.2	21.7-30.7	482	73.8	69.3-78.3
\$15,000- 24,999	112	26,311	31	28.3	18.1-38.5	81	71.7	61.5-81.9
\$25,000- 34,999	149	34,038	48	35.5	25.3-45.7	101	64.5	54.3-74.7
\$35,000- 49,999	145	39,383	37	27.3	17.3-37.3	108	72.7	62.7-82.7
\$50,000- 99,999	415	92,208	81	24.7	18.2-31.2	334	75.3	68.8-81.8
\$100,000 - 199,999	301	74,797	55	24.8	17.7-31.9	246	75.2	68.1-82.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1709	347,661	527	34.2	30.9-37.5	1182	65.8	62.5-69.1
White/Non-Hisp	1193	225,720	403	38.0	34.1-41.9	790	62.0	58.1-65.9
Black or Afr. Am./Non-Hisp	288	72,959	51	21.9	15.2-28.6	237	78.1	71.4-84.8
Hispanic	132	25,953	41	31.1	19.5-42.7	91	68.9	57.3-80.5
18-24	76	35,333	38	55.5	42.0-69.0	38	44.5	31.0-58.0
25-34	165	53,565	57	34.9	24.9-44.9	108	65.1	55.1-75.1
35-44	221	51,228	66	33.5	24.7-42.3	155	66.5	57.7-75.3
45-54	276	49,284	74	28.8	21.4-36.2	202	71.2	63.8-78.6
55-64	349	62,261	103	30.9	24.4-37.4	246	69.1	62.6-75.6
65+	622	95,990	189	31.1	26.4-35.8	433	68.9	64.2-73.6
Less Than H.S.	79	25,920	21	32.9	16.0-49.8	58	67.1	50.2-84.0
H.S. or G.E.D.	424	106,462	115	30.6	24.1-37.1	309	69.4	62.9-75.9
Some Post-H.S.	472	105,244	133	34.4	28.5-40.3	339	65.6	59.7-71.5
College Graduate	732	109,817	256	37.6	33.1-42.1	476	62.4	57.9-66.9
Less than \$15,000	80	16,298	14	24.1	10.6-37.6	66	75.9	62.4-89.4
\$15,000- 24,999	143	28,581	44	32.6	19.1-46.1	99	67.4	53.9-80.9
\$25,000- 34,999	206	40,862	55	25.0	17.6-32.4	151	75.0	67.6-82.4
\$35,000- 49,999	203	40,806	64	36.6	25.8-47.4	139	63.4	52.6-74.2
\$50,000- 99,999	474	90,391	133	30.2	24.5-35.9	341	69.8	64.1-75.5
\$100,000 - 199,999	276	56,834	100	44.4	36.0-52.8	176	55.6	47.2-64.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 9: DEMOGRAPHICS

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3537	774,736	2520	66.6	64.4-68.8	418	14.6	12.8-16.4	374	11.8	10.2-13.4	142	4.1	3.3- 4.9	62	1.9	1.3- 2.5	21	0.9	0.3- 1.5
Male	1580	370,431	1152	68.7	65.6-71.8	176	14.0	11.5-16.5	157	10.3	8.3-12.3	61	4.3	2.9- 5.7	25	1.7	0.9- 2.5	9	0.9	0.1- 1.7
Female	1957	404,305	1368	64.7	61.6-67.8	242	15.1	12.7-17.5	217	13.2	10.8-15.6	81	4.0	2.8- 5.2	37	2.1	1.3- 2.9	12	0.9	0.3- 1.5
White/Non-Hisp	2420	489,960	1890	73.9	71.4-76.4	229	11.8	9.8-13.8	205	9.6	8.0-11.2	58	2.7	1.9- 3.5	25	0.9	0.5- 1.3	13	1.0	0.2- 1.8
Black or Afr. Am./Non-Hisp	531	158,367	334	61.7	56.2-67.2	88	19.3	14.6-24.0	56	9.7	6.6-12.8	32	5.4	3.2- 7.6	17	3.3	1.3- 5.3	4	0.6	0.0- 1.2
Oth. Race/Non-Hisp.	122	37,558	77	50.7	38.5-62.9	14	12.4	5.3-19.5	26	32.5	19.8-45.2	4	3.5	0.0- 8.8	1	0.9	0.0- 2.7			
MultiRacial/Non-Hisp.	73	10,985	45	61.4	47.3-75.5	10	17.4	4.7-30.1	12	14.6	5.4-23.8	4	4.5	0.0- 9.8	2	2.1	0.0- 5.4			
Hispanic	318	62,832	117	31.8	25.1-38.5	67	24.5	17.6-31.4	70	22.4	15.5-29.3	43	12.7	8.2-17.2	17	7.0	3.1-10.9	4	1.6	0.0- 4.0
18-24	202	84,231	120	61.9	53.7-70.1	39	21.8	14.5-29.1	29	11.1	6.0-16.2	9	2.8	0.8- 4.8	3	1.2	0.0- 2.8	2	1.2	0.0- 3.0
25-34	363	123,906	168	46.3	39.8-52.8	64	19.1	13.8-24.4	64	17.4	11.9-22.9	39	9.5	6.0-13.0	23	5.2	2.7- 7.7	5	2.4	0.0- 4.9
35-44	474	116,255	129	26.6	21.3-31.9	95	24.1	18.4-29.8	157	33.3	27.6-39.0	60	10.3	7.2-13.4	23	3.8	2.0- 5.6	10	1.9	0.5- 3.3
45-54	542	111,804	289	59.1	54.0-64.2	141	23.9	19.4-28.4	78	12.2	9.1-15.3	26	3.6	2.0- 5.2	5	0.8	0.0- 1.6	3	0.4	0.0- 0.8
55-64	734	136,523	647	87.7	84.6-90.8	47	6.5	4.1- 8.9	29	3.4	2.0- 4.8	5	1.0	0.0- 2.4	6	1.4	0.0- 3.0			
65+	1222	202,017	1167	94.0	92.0-96.0	32	3.7	1.9- 5.5	17	1.9	0.7- 3.1	3	0.3	0.0- 0.7	2	0.1	0.1- 0.1	1	0.1	0.0- 0.3
Less Than H.S.	227	76,290	123	50.8	42.0-59.6	32	17.0	10.1-23.9	33	17.1	9.3-24.9	23	6.8	3.3-10.3	13	6.4	2.3-10.5	3	1.9	0.0- 4.4
H.S. or G.E.D.	901	243,875	637	66.2	62.1-70.3	106	15.3	12.0-18.6	89	10.6	7.9-13.3	45	4.8	3.0- 6.6	17	1.9	0.9- 2.9	7	1.2	0.0- 2.4
Some Post-H.S.	934	220,081	678	68.9	64.8-73.0	120	16.1	12.6-19.6	90	10.2	7.7-12.7	28	3.2	1.6- 4.8	12	1.1	0.3- 1.9	6	0.6	0.0- 1.2
College Graduate	1455	230,384	1064	69.6	66.7-72.5	159	11.8	9.6-14.0	162	13.3	10.9-15.7	45	3.5	2.1- 4.9	20	1.3	0.7- 1.9	5	0.6	0.0- 1.2
Less than \$15,000	138	28,798	88	56.8	45.2-68.4	17	14.9	6.5-23.3	19	16.2	6.6-25.8	10	6.0	1.7-10.3	3	3.6	0.0- 8.3	1	2.5	0.0- 7.4
\$15,000-24,999	283	60,904	206	66.8	58.0-75.6	32	14.0	7.3-20.7	26	12.6	5.3-19.9	11	3.0	0.6- 5.4	7	3.4	0.5- 6.3	1	0.2	0.0- 0.6
\$25,000-34,999	372	78,385	255	63.6	56.9-70.3	41	14.5	9.2-19.8	42	10.7	6.6-14.8	19	6.3	3.0- 9.6	12	4.5	1.6- 7.4	3	0.5	0.0- 1.1
\$35,000-49,999	370	84,402	289	72.8	66.1-79.5	30	10.8	5.7-15.9	31	9.8	5.5-14.1	15	5.1	2.0- 8.2	4	1.0	0.0- 2.2	1	0.6	0.0- 1.8
\$50,000-99,999	931	192,066	674	70.1	66.0-74.2	110	12.5	9.6-15.4	96	10.8	7.9-13.7	28	3.7	1.9- 5.5	18	1.7	0.7- 2.7	5	1.2	0.0- 2.6
\$100,000-199,999	602	136,795	383	59.1	53.8-64.4	92	18.3	13.6-23.0	85	15.7	12.0-19.4	31	5.3	2.9- 7.7	8	1.0	0.2- 1.8	3	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1580	370,431	1152	68.7	65.6-71.8	176	14.0	11.5-16.5	157	10.3	8.3-12.3	61	4.3	2.9- 5.7	25	1.7	0.9- 2.5	9	0.9	0.1- 1.7
White/Non-Hisp	1082	232,791	855	74.2	70.5-77.9	94	11.3	8.4-14.2	89	9.1	6.9-11.3	25	3.1	1.7- 4.5	11	1.0	0.4- 1.6	8	1.4	0.2- 2.6
Black or Afr. Am./Non-Hisp	203	72,519	132	66.3	58.5-74.1	33	17.1	10.6-23.6	20	8.2	4.3-12.1	11	5.3	1.8- 8.8	6	2.9	0.2- 5.6	1	0.3	0.0- 0.9
Oth. Race/Non-Hisp.	70	19,911	46	60.0	45.5-74.5	10	15.7	5.9-25.5	11	21.5	8.2-34.8	2	1.1	0.0- 2.7	1	1.8	0.0- 5.3			
Hispanic	148	29,222	63	38.2	28.0-48.4	27	22.6	13.0-32.2	30	20.1	10.7-29.5	21	13.2	6.3-20.1	7	5.9	0.6-11.2			
18-24	111	43,064	73	66.4	54.8-78.0	20	23.0	12.2-33.8	13	8.2	1.9-14.5	4	2.0	0.0- 4.2	1	0.4	0.0- 1.2			
25-34	172	62,742	100	59.9	51.3-68.5	27	15.7	9.2-22.2	25	11.5	6.6-16.4	14	8.4	3.5-13.3	5	2.4	0.0- 4.9	1	2.1	0.0- 6.2
35-44	212	56,903	68	31.3	22.9-39.7	38	21.3	13.9-28.7	64	31.0	23.0-39.0	25	9.3	4.8-13.8	11	4.0	1.3- 6.7	6	3.0	0.5- 5.5
45-54	227	52,046	123	62.2	54.9-69.5	50	18.1	12.8-23.4	35	12.1	7.6-16.6	14	5.5	2.2- 8.8	4	1.7	0.0- 3.5	1	0.4	0.0- 1.2
55-64	337	63,859	294	84.1	78.4-89.8	23	8.3	4.2-12.4	14	3.3	1.3- 5.3	3	1.8	0.0- 4.5	3	2.4	0.0- 5.5			
65+	521	91,817	494	92.0	88.3-95.7	18	5.8	2.5- 9.1	6	1.6	0.0- 3.4	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6
Less Than H.S.	121	41,857	66	52.8	41.4-64.2	18	20.2	10.4-30.0	16	11.9	4.3-19.5	13	8.1	2.6-13.6	8	7.0	1.3-12.7			
H.S. or G.E.D.	413	120,212	297	69.1	63.2-75.0	50	13.9	9.4-18.4	39	9.3	5.8-12.8	19	5.2	2.5- 7.9	5	0.9	0.0- 1.9	3	1.6	0.0- 3.8
Some Post-H.S.	395	98,134	298	73.3	67.6-79.0	44	13.7	8.8-18.6	36	8.9	5.6-12.2	11	2.7	0.9- 4.5	3	0.7	0.0- 1.7	3	0.8	0.0- 1.8
College Graduate	637	106,818	479	69.6	65.1-74.1	63	12.4	9.1-15.7	66	12.6	9.3-15.9	17	3.1	1.3- 4.9	9	1.6	0.4- 2.8	3	0.7	0.0- 1.5
\$15,000- 24,999	118	28,230	87	69.6	58.0-81.2	12	15.2	5.0-25.4	12	8.8	2.7-14.9	2	0.8	0.0- 2.0	5	5.6	0.0-11.3			
\$25,000- 34,999	154	35,296	118	73.1	63.9-82.3	14	11.4	4.5-18.3	11	7.1	2.0-12.2	9	6.4	1.7-11.1	2	2.0	0.0- 4.9			
\$35,000- 49,999	152	40,763	124	80.4	72.0-88.8	12	10.4	3.0-17.8	8	4.2	1.1- 7.3	6	4.0	0.5- 7.5	2	1.0	0.0- 2.6			
\$50,000- 99,999	417	92,885	315	72.0	66.1-77.9	39	10.2	6.3-14.1	41	10.4	6.5-14.3	12	4.1	1.4- 6.8	7	1.3	0.1- 2.5	3	1.9	0.0- 4.6
\$100,000 - 199,999	303	75,277	187	55.7	48.4-63.0	46	19.5	13.2-25.8	45	16.0	10.9-21.1	16	6.3	2.4-10.2	6	1.6	0.2- 3.0	3	0.9	0.0- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1957	404,305	1368	64.7	61.6-67.8	242	15.1	12.7-17.5	217	13.2	10.8-15.6	81	4.0	2.8- 5.2	37	2.1	1.3- 2.9	12	0.9	0.3- 1.5
White/Non-Hisp	1338	257,169	1035	73.7	70.4-77.0	135	12.2	9.7-14.7	116	10.1	7.7-12.5	33	2.4	1.4- 3.4	14	0.9	0.3- 1.5	5	0.7	0.1- 1.3
Black or Afr. Am./Non-Hisp	328	85,849	202	57.8	50.5-65.1	55	21.1	14.4-27.8	36	11.1	6.6-15.6	21	5.5	2.8- 8.2	11	3.6	1.1- 6.1	3	0.8	0.0- 1.8
Oth. Race/Non-Hisp.	52	17,647	31	40.3	22.1-58.5	4	8.6	0.0-18.6	15	45.0	24.4-65.6	2	6.1	0.0-17.1						
Hispanic	170	33,609	54	26.2	17.8-34.6	40	26.2	16.4-36.0	40	24.4	14.6-34.2	22	12.2	6.3-18.1	10	7.9	2.2-13.6	4	3.0	0.0- 7.3
18-24	91	41,167	47	57.1	44.8-69.4	19	20.6	11.0-30.2	16	14.2	6.0-22.4	5	3.6	0.3- 6.9	2	2.0	0.0- 5.1	2	2.5	0.0- 6.0
25-34	191	61,164	68	32.4	24.2-40.6	37	22.7	14.7-30.7	39	23.5	14.1-32.9	25	10.5	5.4-15.6	18	8.1	3.6-12.6	4	2.8	0.0- 5.7
35-44	262	59,352	61	22.0	15.3-28.7	57	26.7	18.3-35.1	93	35.6	27.6-43.6	35	11.2	6.7-15.7	12	3.5	1.3- 5.7	4	0.9	0.0- 1.9
45-54	315	59,758	166	56.4	49.3-63.5	91	29.0	22.3-35.7	43	12.3	8.0-16.6	12	1.9	0.7- 3.1	1	0.1	0.0- 0.3	2	0.3	0.0- 0.9
55-64	397	72,663	353	90.8	87.7-93.9	24	4.9	2.5- 7.3	15	3.5	1.5- 5.5	2	0.3	0.0- 0.7	3	0.5	0.0- 1.1			
65+	701	110,200	673	95.6	93.6-97.6	14	2.0	0.6- 3.4	11	2.1	0.7- 3.5	2	0.3	0.0- 0.7	1	0.0	0.0- 0.0			
Less Than H.S.	106	34,434	57	48.4	34.5-62.3	14	13.2	4.0-22.4	17	23.4	9.3-37.5	10	5.2	1.7- 8.7	5	5.7	0.0-11.4	3	4.2	0.0- 9.7
H.S. or G.E.D.	488	123,664	340	63.4	57.3-69.5	56	16.7	11.6-21.8	50	11.9	7.8-16.0	26	4.5	2.3- 6.7	12	2.9	1.1- 4.7	4	0.7	0.0- 1.5
Some Post-H.S.	539	121,947	380	65.4	59.7-71.1	76	18.1	13.4-22.8	54	11.2	7.3-15.1	17	3.5	1.3- 5.7	9	1.3	0.3- 2.3	3	0.5	0.0- 1.1
College Graduate	818	123,566	585	69.6	65.5-73.7	96	11.3	8.6-14.0	96	13.8	10.7-16.9	28	3.8	2.0- 5.6	11	1.0	0.4- 1.6	2	0.5	0.0- 1.3
Less than \$15,000	93	18,998	55	51.6	37.7-65.5	12	17.6	6.0-29.2	15	15.7	6.1-25.3	7	5.8	1.1-10.5	3	5.5	0.0-12.6	1	3.8	0.0-11.1
\$15,000- 24,999	165	32,674	119	64.3	51.6-77.0	20	12.9	4.1-21.7	14	15.8	3.6-28.0	9	5.0	0.9- 9.1	2	1.5	0.0- 3.7	1	0.5	0.0- 1.5
\$25,000- 34,999	218	43,089	137	55.7	46.7-64.7	27	17.1	9.5-24.7	31	13.6	7.3-19.9	10	6.2	1.7-10.7	10	6.6	1.7-11.5	3	0.9	0.0- 2.1
\$35,000- 49,999	218	43,639	165	65.6	55.8-75.4	18	11.2	4.3-18.1	23	15.0	7.4-22.6	9	6.1	0.8-11.4	2	1.1	0.0- 2.7	1	1.1	0.0- 3.3
\$50,000- 99,999	514	99,181	359	68.4	62.7-74.1	71	14.7	10.4-19.0	55	11.1	6.8-15.4	16	3.3	1.3- 5.3	11	2.0	0.4- 3.6	2	0.5	0.0- 1.3
\$100,000 - 199,999	299	61,518	196	63.4	55.8-71.0	46	16.9	10.2-23.6	40	15.2	9.7-20.7	15	4.2	1.5- 6.9	2	0.3	0.0- 0.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3611	792,002	236	10.1	8.5-11.7	927	31.6	29.4-33.8	957	28.5	26.5-30.5	1491	29.8	28.0-31.6
Male	1605	376,404	125	11.5	9.1-13.9	424	32.7	29.6-35.8	404	26.7	24.0-29.4	652	29.1	26.6-31.6
Female	2006	415,598	111	8.8	6.6-11.0	503	30.6	27.7-33.5	553	30.1	27.4-32.8	839	30.5	28.0-33.0
White/Non-Hisp	2457	496,954	84	5.8	4.4- 7.2	622	32.4	29.9-34.9	662	29.8	27.4-32.2	1089	32.0	29.8-34.2
Black or Afr. Am./Non-Hisp	551	165,124	22	8.3	4.4-12.2	155	34.1	28.8-39.4	155	29.7	24.6-34.8	219	27.9	23.6-32.2
Oth. Race/Non-Hisp.	122	37,696	7	16.0	3.7-28.3	26	22.5	11.9-33.1	23	17.9	9.1-26.7	66	43.6	32.2-55.0
MultiRacial/Non-Hisp.	76	11,147	4	7.0	0.0-15.4	16	23.5	10.8-36.2	27	37.8	24.1-51.5	29	31.6	19.3-43.9
Hispanic	331	66,009	114	44.3	36.9-51.7	89	26.5	20.4-32.6	70	19.5	14.0-25.0	58	9.8	6.5-13.1
18-24	209	86,794	20	10.1	4.8-15.4	99	48.0	39.4-56.6	54	29.5	21.5-37.5	36	12.4	7.9-16.9
25-34	370	125,962	42	14.4	9.3-19.5	96	30.2	24.1-36.3	83	25.7	20.0-31.4	149	29.7	24.6-34.8
35-44	483	119,140	51	12.4	7.9-16.9	112	30.1	24.2-36.0	122	25.2	20.1-30.3	198	32.3	27.2-37.4
45-54	555	114,532	34	9.1	5.2-13.0	112	24.4	19.5-29.3	165	32.0	27.1-36.9	244	34.5	29.8-39.2
55-64	747	138,497	38	9.1	5.8-12.4	179	30.2	25.7-34.7	200	27.2	23.1-31.3	330	33.4	29.5-37.3
65+	1247	207,078	51	7.2	4.7- 9.7	329	31.4	28.1-34.7	333	30.6	27.3-33.9	534	30.7	27.8-33.6
Less Than H.S.	236	79,751	236	100.0	100.0- 100									
H.S. or G.E.D.	927	250,451				927	100.0	100.0- 100						
Some Post-H.S.	957	225,719							957	100.0	100.0- 100			
College Graduate	1491	236,081										1491	100.0	100.0- 100
Less than \$15,000	138	28,798	46	40.8	29.2-52.4	44	30.9	20.7-41.1	35	23.5	14.3-32.7	13	4.8	1.3- 8.3
\$15,000-24,999	286	61,476	55	28.2	19.6-36.8	116	44.2	36.0-52.4	70	20.5	14.6-26.4	45	7.2	4.5- 9.9
\$25,000-34,999	373	78,742	40	15.3	10.0-20.6	156	47.1	40.4-53.8	111	29.1	23.2-35.0	66	8.5	6.0-11.0
\$35,000-49,999	374	85,224	22	7.9	3.6-12.2	121	42.3	34.9-49.7	119	31.3	24.8-37.8	112	18.4	13.9-22.9
\$50,000-99,999	935	192,799	15	4.2	1.7- 6.7	184	26.3	22.2-30.4	279	33.3	29.2-37.4	457	36.1	32.4-39.8
\$100,000-199,999	605	137,029	3	1.1	0.0- 2.5	75	19.9	15.0-24.8	133	28.2	23.1-33.3	394	50.8	45.5-56.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1605	376,404	125	11.5	9.1-13.9	424	32.7	29.6-35.8	404	26.7	23.8-29.6	652	29.1	26.6-31.6
White/Non-Hisp	1097	235,016	44	7.1	4.7- 9.5	295	34.7	31.0-38.4	265	27.0	23.5-30.5	493	31.3	28.2-34.4
Black or Afr. Am./Non-Hisp	208	75,040	10	9.5	3.2-15.8	56	33.5	25.3-41.7	67	32.0	24.2-39.8	75	25.0	18.3-31.7
Oth. Race/Non-Hisp.	69	19,832	4	11.4	0.0-22.8	17	24.5	11.2-37.8	10	14.1	3.7-24.5	38	50.1	35.4-64.8
Hispanic	155	30,960	61	50.5	39.9-61.1	37	22.6	14.4-30.8	36	17.3	10.0-24.6	21	9.6	4.1-15.1
18-24	114	43,746	8	7.2	0.9-13.5	54	49.7	38.1-61.3	33	32.1	20.7-43.5	19	10.9	5.6-16.2
25-34	174	63,298	25	15.3	8.8-21.8	44	29.4	21.0-37.8	40	25.9	18.3-33.5	65	29.4	22.1-36.7
35-44	214	57,872	29	15.1	8.4-21.8	55	33.2	24.4-42.0	50	20.3	14.0-26.6	80	31.3	23.9-38.7
45-54	233	53,878	21	13.7	6.4-21.0	54	25.2	18.1-32.3	65	28.6	21.5-35.7	93	32.5	25.6-39.4
55-64	341	64,463	22	11.9	6.4-17.4	97	35.0	28.3-41.7	76	23.4	17.7-29.1	146	29.7	24.2-35.2
65+	529	93,148	20	7.1	3.4-10.8	120	29.4	24.1-34.7	140	29.9	24.8-35.0	249	33.5	28.8-38.2
Less Than H.S.	125	43,278	125	100.0	100.0- 100									
H.S. or G.E.D.	424	123,233				424	100.0	100.0- 100						
Some Post-H.S.	404	100,521							404	100.0	100.0- 100			
College Graduate	652	109,373										652	100.0	100.0- 100
\$15,000- 24,999	120	28,537	32	38.1	26.1-50.1	50	40.1	28.9-51.3	24	16.5	8.5-24.5	14	5.3	2.0- 8.6
\$25,000- 34,999	155	35,427	22	21.2	12.0-30.4	62	44.9	34.7-55.1	46	26.0	17.6-34.4	25	7.9	4.2-11.6
\$35,000- 49,999	152	40,763	13	9.3	3.2-15.4	63	52.4	41.8-63.0	41	29.1	19.7-38.5	35	9.2	5.5-12.9
\$50,000- 99,999	417	92,920	9	5.3	1.0- 9.6	96	30.8	24.5-37.1	121	30.8	24.7-36.9	191	33.1	27.6-38.6
\$100,000 - 199,999	304	75,379	2	1.5	0.0- 3.9	49	23.4	16.7-30.1	70	28.0	21.3-34.7	183	47.0	39.9-54.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2006	415,598	111	8.8	6.6-11.0	503	30.6	27.7-33.5	553	30.1	27.4-32.8	839	30.5	28.1-32.9
White/Non-Hisp	1360	261,937	40	4.6	2.8- 6.4	327	30.4	26.9-33.9	397	32.4	29.1-35.7	596	32.6	29.7-35.5
Black or Afr. Am./Non-Hisp	343	90,084	12	7.3	2.6-12.0	99	34.7	27.6-41.8	88	27.7	21.2-34.2	144	30.4	24.5-36.3
Oth. Race/Non-Hisp.	53	17,864	3	21.1	0.0-42.9	9	20.4	3.9-36.9	13	22.2	7.5-36.9	28	36.3	19.8-52.8
Hispanic	176	35,049	53	38.8	28.0-49.6	52	29.8	21.0-38.6	34	21.4	13.2-29.6	37	10.0	5.9-14.1
18-24	95	43,048	12	13.1	4.5-21.7	45	46.2	33.5-58.9	21	26.8	15.8-37.8	17	13.9	6.8-21.0
25-34	196	62,664	17	13.6	5.4-21.8	52	31.0	22.4-39.6	43	25.4	17.0-33.8	84	30.0	22.6-37.4
35-44	269	61,268	22	9.8	3.5-16.1	57	27.1	19.3-34.9	72	29.8	22.2-37.4	118	33.2	26.1-40.3
45-54	322	60,654	13	5.0	2.1- 7.9	58	23.7	16.6-30.8	100	35.0	28.1-41.9	151	36.3	29.8-42.8
55-64	406	74,034	16	6.8	2.9-10.7	82	26.1	19.8-32.4	124	30.4	24.7-36.1	184	36.7	31.0-42.4
65+	718	113,930	31	7.2	3.7-10.7	209	33.0	28.5-37.5	193	31.3	26.8-35.8	285	28.4	24.5-32.3
Less Than H.S.	111	36,474	111	100.0	100.0- 100									
H.S. or G.E.D.	503	127,218				503	100.0	100.0- 100						
Some Post-H.S.	553	125,199							553	100.0	100.0- 100			
College Graduate	839	126,708										839	100.0	100.0- 100
Less than \$15,000	93	18,998	25	33.0	19.1-46.9	37	40.0	26.5-53.5	22	22.0	11.0-33.0	9	5.1	0.4- 9.8
\$15,000- 24,999	166	32,939	23	19.6	7.1-32.1	66	47.7	35.9-59.5	46	23.9	15.5-32.3	31	8.8	4.5-13.1
\$25,000- 34,999	218	43,315	18	10.4	4.5-16.3	94	49.0	40.0-58.0	65	31.6	23.4-39.8	41	9.0	5.7-12.3
\$35,000- 49,999	222	44,461	9	6.7	0.6-12.8	58	33.1	22.7-43.5	78	33.4	24.6-42.2	77	26.9	19.3-34.5
\$50,000- 99,999	518	99,879	6	3.2	0.3- 6.1	88	22.1	17.0-27.2	158	35.7	30.0-41.4	266	39.0	33.7-44.3
\$100,000 - 199,999	301	61,650	1	0.5	0.0- 1.5	26	15.6	8.2-23.0	63	28.5	20.9-36.1	211	55.4	47.2-63.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less Than 25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	2859	618,998	424	14.6	12.8-16.4	374	12.7	11.1-14.3	374	13.8	12.0-15.6	936	31.2	28.8-33.6	605	22.1	20.1-24.1	146	5.6	4.4- 6.8			
Male	1285	304,715	165	12.6	10.2-15.0	155	11.6	9.4-13.8	152	13.4	10.9-15.9	418	30.5	27.2-33.8	304	24.7	21.6-27.8	91	7.2	5.4- 9.0			
Female	1574	314,283	259	16.5	13.8-19.2	219	13.8	11.4-16.2	222	14.1	11.6-16.6	518	31.8	28.7-34.9	301	19.6	16.9-22.3	55	4.1	2.7- 5.5			
White/Non-Hisp	1959	392,902	208	10.0	8.2-11.8	232	11.6	9.8-13.4	252	13.0	10.8-15.2	681	33.7	31.0-36.4	478	26.0	23.5-28.5	108	5.6	4.2- 7.0			
Black or Afr. Am./Non-Hisp	453	133,458	74	16.6	11.9-21.3	71	14.5	10.6-18.4	66	15.7	11.2-20.2	152	30.0	24.5-35.5	71	17.3	12.8-21.8	19	5.8	2.9- 8.7			
Oth. Race/Non-Hisp.	95	30,446	14	21.9	8.0-35.8	10	9.8	2.9-16.7	13	12.2	3.2-21.2	30	27.0	15.0-39.0	17	18.3	9.1-27.5	11	10.8	4.1-17.5			
MultiRacial/Non-Hisp.	63	8,766	12	14.6	5.0-24.2	9	12.4	3.8-21.0	10	17.0	6.4-27.6	24	42.1	27.2-57.0	6	10.5	1.1-19.9	2	3.5	0.0- 8.4			
Hispanic	250	45,934	102	43.0	34.6-51.4	49	19.6	12.7-26.5	25	11.9	6.4-17.4	44	16.5	10.4-22.6	26	7.9	3.6-12.2	4	1.2	0.0- 2.4			
18-24	140	57,938	26	16.7	9.3-24.1	32	20.8	13.2-28.4	20	18.5	9.1-27.9	39	25.0	16.2-33.8	18	15.3	6.9-23.7	5	3.7	0.0- 8.0			
25-34	317	106,350	54	15.2	10.1-20.3	49	16.6	11.5-21.7	51	15.6	10.5-20.7	98	31.7	25.2-38.2	59	18.6	13.5-23.7	6	2.4	0.2- 4.6			
35-44	419	103,204	55	11.5	7.2-15.8	48	9.3	6.0-12.6	44	12.8	7.7-17.9	133	28.9	23.2-34.6	116	32.7	26.6-38.8	23	4.8	2.4- 7.2			
45-54	444	88,532	61	11.8	8.3-15.3	45	8.7	5.6-11.8	37	8.9	5.2-12.6	139	31.8	25.9-37.7	130	29.1	23.8-34.4	32	9.7	5.8-13.6			
55-64	590	109,426	85	15.1	11.2-19.0	43	7.0	4.5- 9.5	60	10.5	7.4-13.6	221	34.4	29.7-39.1	143	25.7	21.2-30.2	38	7.2	4.7- 9.7			
65+	949	153,547	143	16.7	13.2-20.2	157	15.8	12.9-18.7	162	16.5	13.6-19.4	306	32.0	28.3-35.7	139	13.5	11.0-16.0	42	5.6	3.6- 7.6			
Less Than H.S.	186	59,951	101	48.5	38.7-58.3	40	20.1	12.8-27.4	22	11.3	5.2-17.4	15	13.5	5.7-21.3	3	2.5	0.0- 5.4	5	4.1	0.4- 7.8			
H.S. or G.E.D.	707	190,600	160	18.9	15.4-22.4	156	19.5	15.8-23.2	121	18.9	14.6-23.2	184	26.6	22.3-30.9	75	14.3	10.6-18.0	11	1.8	0.4- 3.2			
Some Post-H.S.	766	178,424	105	10.8	8.3-13.3	111	12.8	9.9-15.7	119	14.9	11.6-18.2	279	36.0	31.5-40.5	133	21.7	17.6-25.8	19	3.7	1.7- 5.7			
College Graduate	1198	189,785	58	3.1	2.1- 4.1	66	3.5	2.5- 4.5	112	8.3	6.3-10.3	457	36.7	33.4-40.0	394	36.7	33.2-40.2	111	11.7	9.3-14.1			
Less than \$15,000	138	28,798	138	100.0	100.0- 100																		
\$15,000-24,999	286	61,476	286	100.0	100.0- 100																		
\$25,000-34,999	374	78,880				374	100.0	100.0- 100															
\$35,000-49,999	374	85,224							374	100.0	100.0- 100												
\$50,000-99,999	936	192,898										936	100.0	100.0- 100									
\$100,000-199,999	605	137,029													605	100.0	100.0- 100						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 9: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less Than 25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1285	304,715	165	12.6	10.2-15.0	155	11.6	9.4-13.8	152	13.4	10.9-15.9	418	30.5	27.2-33.8	304	24.7	21.6-27.8	91	7.2	5.4- 9.0			
White/Non-Hisp	894	195,907	77	8.5	6.3-10.7	100	11.3	8.6-14.0	97	12.2	9.3-15.1	310	32.1	28.2-36.0	240	28.4	24.5-32.3	70	7.5	5.3- 9.7			
Black or Afr. Am./Non-Hisp	172	61,208	26	14.6	8.1-21.1	21	10.9	5.8-16.0	24	16.5	8.9-24.1	55	30.5	21.5-39.5	36	20.7	13.3-28.1	10	6.9	2.4-11.4			
Oth. Race/Non-Hisp.	53	16,287	8	16.4	3.5-29.3	4	9.6	0.0-19.4	8	12.5	1.1-23.9	18	31.1	15.2-47.0	9	18.9	6.4-31.4	6	11.5	2.3-20.7			
Hispanic	114	22,464	44	40.8	28.1-53.5	22	17.0	8.0-26.0	14	14.3	5.5-23.1	23	19.0	9.8-28.2	10	8.4	1.1-15.7	1	0.6	0.0- 1.8			
18-24	76	29,860	10	11.2	2.2-20.2	18	18.3	9.1-27.5	10	15.1	5.3-24.9	24	31.8	18.1-45.5	12	18.2	6.0-30.4	2	5.3	0.0-13.1			
25-34	146	53,422	22	11.0	6.1-15.9	23	17.5	10.1-24.9	20	15.0	7.4-22.6	47	33.2	24.2-42.2	30	21.0	13.4-28.6	4	2.3	0.0- 4.7			
35-44	187	50,732	24	10.0	4.9-15.1	16	8.3	3.4-13.2	17	10.3	3.6-17.0	54	25.7	17.7-33.7	62	39.5	30.3-48.7	14	6.3	2.2-10.4			
45-54	183	41,954	24	12.1	6.4-17.8	14	7.4	2.9-11.9	17	11.9	5.0-18.8	53	29.9	20.9-38.9	54	25.6	18.5-32.7	21	13.1	7.4-18.8			
55-64	267	52,062	38	16.3	10.2-22.4	19	6.0	2.5- 9.5	24	11.7	6.4-17.0	94	28.2	21.9-34.5	72	30.1	22.8-37.4	20	7.7	3.8-11.6			
65+	426	76,686	47	13.7	8.6-18.8	65	13.3	9.6-17.0	64	15.6	11.3-19.9	146	33.3	27.6-39.0	74	16.0	11.9-20.1	30	8.1	4.8-11.4			
Less Than H.S.	103	35,842	53	45.7	33.5-57.9	22	21.0	11.4-30.6	13	10.6	3.5-17.7	9	13.8	3.2-24.4	2	3.2	0.0- 7.9	4	5.7	0.0-11.6			
H.S. or G.E.D.	334	98,007	57	13.0	8.9-17.1	62	16.2	11.5-20.9	63	21.8	15.7-27.9	96	29.2	22.9-35.5	49	18.0	12.5-23.5	7	1.7	0.3- 3.1			
Some Post-H.S.	330	82,879	37	8.8	5.1-12.5	46	11.1	7.2-15.0	41	14.3	9.4-19.2	121	34.5	28.0-41.0	70	25.5	19.2-31.8	15	5.8	2.3- 9.3			
College Graduate	517	87,887	18	2.2	1.0- 3.4	25	3.2	1.6- 4.8	35	4.3	2.7- 5.9	191	35.0	29.9-40.1	183	40.3	35.0-45.6	65	15.1	11.2-19.0			
\$15,000- 24,999	120	28,537	120	100.0	100.0- 100																		
\$25,000- 34,999	155	35,427				155	100.0	100.0- 100															
\$35,000- 49,999	152	40,763							152	100.0	100.0- 100												
\$50,000- 99,999	418	93,020										418	100.0	100.0- 100									
\$100,000 - 199,999	304	75,379													304	100.0	100.0- 100						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less Than 25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1574	314,283	259	16.5	13.8-19.2	219	13.8	11.4-16.2	222	14.1	11.6-16.6	518	31.8	28.7-34.9	301	19.6	16.9-22.3	55	4.1	2.7- 5.5
White/Non-Hisp	1065	196,995	131	11.5	9.0-14.0	132	12.0	9.5-14.5	155	13.8	10.5-17.1	371	35.2	31.3-39.1	238	23.7	20.2-27.2	38	3.8	2.4- 5.2
Black or Afr. Am./Non-Hisp	281	72,250	48	18.3	11.8-24.8	50	17.6	11.7-23.5	42	15.1	9.6-20.6	97	29.7	23.0-36.4	35	14.4	8.5-20.3	9	5.0	1.1- 8.9
Hispanic	136	23,471	58	45.1	33.9-56.3	27	22.1	12.1-32.1	11	9.6	2.9-16.3	21	14.1	6.5-21.7	16	7.4	2.5-12.3	3	1.7	0.0- 3.7
18-24	64	28,079	16	22.6	10.8-34.4	14	23.4	11.1-35.7	10	22.0	5.9-38.1	15	17.7	7.7-27.7	6	12.3	0.7-23.9	3	2.1	0.0- 4.6
25-34	171	52,928	32	19.4	10.6-28.2	26	15.6	8.5-22.7	31	16.2	9.5-22.9	51	30.2	21.2-39.2	29	16.2	9.3-23.1	2	2.4	0.0- 5.7
35-44	232	52,472	31	13.1	6.2-20.0	32	10.2	5.9-14.5	27	15.3	7.9-22.7	79	32.1	23.9-40.3	54	26.0	17.8-34.2	9	3.3	0.9- 5.7
45-54	261	46,578	37	11.4	7.1-15.7	31	9.9	5.8-14.0	20	6.3	3.2- 9.4	86	33.5	25.7-41.3	76	32.2	24.4-40.0	11	6.6	1.3-11.9
55-64	323	57,364	47	14.1	9.0-19.2	24	8.0	4.1-11.9	36	9.4	5.9-12.9	127	40.0	33.1-46.9	71	21.7	16.2-27.2	18	6.8	3.3-10.3
65+	523	76,862	96	19.6	14.7-24.5	92	18.3	14.0-22.6	98	17.4	13.5-21.3	160	30.6	25.5-35.7	65	11.1	8.0-14.2	12	3.1	1.1- 5.1
Less Than H.S.	83	24,110	48	52.8	36.7-68.9	18	18.7	7.9-29.5	9	12.3	1.3-23.3	6	13.2	1.6-24.8	1	1.3	0.0- 3.8	1	1.7	0.0- 5.0
H.S. or G.E.D.	373	92,594	103	25.2	19.3-31.1	94	22.9	17.4-28.4	58	15.9	10.0-21.8	88	23.9	18.2-29.6	26	10.4	5.3-15.5	4	1.8	0.0- 4.3
Some Post-H.S.	436	95,545	68	12.6	8.9-16.3	65	14.3	10.0-18.6	78	15.5	11.2-19.8	158	37.3	31.4-43.2	63	18.4	13.1-23.7	4	1.8	0.0- 3.8
College Graduate	681	101,898	40	3.8	2.2- 5.4	41	3.8	2.4- 5.2	77	11.7	8.6-14.8	266	38.3	33.6-43.0	211	33.5	29.0-38.0	46	8.9	6.2-11.6
Less than \$15,000	93	18,998	93	100.0	100.0- 100															
\$15,000- 24,999	166	32,939	166	100.0	100.0- 100															
\$25,000- 34,999	219	43,453				219	100.0	100.0- 100												
\$35,000- 49,999	222	44,461							222	100.0	100.0- 100									
\$50,000- 99,999	518	99,879										518	100.0	100.0- 100						
\$100,000 - 199,999	301	61,650													301	100.0	100.0- 100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021

SECTION 11: TOBACCO USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	110
2	MALES ONLY	111
3	FEMALES ONLY	112
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	113
5	MALES ONLY	114
6	FEMALES ONLY	115
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI1)	
7	MALES AND FEMALES	116
8	MALES ONLY	117
9	FEMALES ONLY	118

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker-Smoke everyday			Current smoker-Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3365	726,489	308	9.0	7.8-10.2	106	4.4	3.2- 5.6	955	25.9	23.9-27.9	1996	60.7	58.5-62.9
Male	1511	350,579	148	10.4	8.4-12.4	51	5.5	3.5- 7.5	452	27.3	24.4-30.2	860	56.8	53.5-60.1
Female	1854	375,910	160	7.7	6.1- 9.3	55	3.4	2.2- 4.6	503	24.6	22.1-27.1	1136	64.3	61.4-67.2
White/Non-Hisp	2328	466,265	227	10.2	8.6-11.8	62	3.9	2.5- 5.3	768	31.3	28.9-33.7	1271	54.5	51.8-57.2
Black or Afr. Am./Non-Hisp	496	145,345	37	6.6	3.9- 9.3	25	6.8	3.5-10.1	86	16.1	11.8-20.4	348	70.6	65.3-75.9
Oth. Race/Non-Hisp.	110	32,405	9	5.0	0.5- 9.5	3	3.1	0.0- 6.6	20	15.6	6.8-24.4	78	76.3	66.3-86.3
MultiRacial/Non-Hisp.	69	10,297	14	17.3	6.7-27.9	2	2.7	0.0- 6.4	18	25.1	12.4-37.8	35	54.9	40.2-69.6
Hispanic	296	58,727	14	4.3	1.4- 7.2	12	4.2	1.3- 7.1	42	14.0	8.9-19.1	228	77.6	71.3-83.9
18-24	194	78,717	6	3.4	0.5- 6.3	3	1.8	0.0- 4.0	8	3.1	0.7- 5.5	177	91.8	87.5-96.1
25-34	347	119,349	27	8.6	4.9-12.3	18	8.2	3.9-12.5	46	14.2	9.7-18.7	256	69.0	62.7-75.3
35-44	442	106,991	56	13.3	9.0-17.6	22	7.9	3.6-12.2	114	24.8	19.7-29.9	250	53.9	47.6-60.2
45-54	520	104,968	62	11.3	8.0-14.6	22	4.4	2.2- 6.6	124	24.6	19.5-29.7	312	59.7	54.2-65.2
55-64	698	126,689	96	12.5	9.6-15.4	16	1.8	0.8- 2.8	195	31.2	26.7-35.7	391	54.6	49.9-59.3
65+	1164	189,776	61	5.5	3.9- 7.1	25	3.0	1.4- 4.6	468	40.5	36.8-44.2	610	51.0	47.3-54.7
Less Than H.S.	211	71,026	37	15.3	9.6-21.0	11	6.9	2.2-11.6	57	29.8	21.4-38.2	106	48.0	38.8-57.2
H.S. or G.E.D.	842	222,706	120	11.9	9.4-14.4	41	7.3	4.4-10.2	240	25.7	22.0-29.4	441	55.2	50.7-59.7
Some Post-H.S.	885	206,508	98	9.7	7.3-12.1	27	3.2	1.6- 4.8	290	28.6	25.1-32.1	470	58.5	54.4-62.6
College Graduate	1406	221,892	51	3.4	2.0- 4.8	26	2.0	1.0- 3.0	364	22.4	19.9-24.9	965	72.2	69.5-74.9
Less than \$15,000	130	26,858	28	17.9	10.1-25.7	9	11.6	3.0-20.2	25	19.4	10.0-28.8	68	51.1	39.1-63.1
\$15,000-24,999	272	58,507	52	18.0	12.1-23.9	17	5.8	2.5- 9.1	82	29.5	22.1-36.9	121	46.8	38.2-55.4
\$25,000-34,999	352	73,781	51	16.5	11.0-22.0	20	6.5	2.8-10.2	97	23.6	18.1-29.1	184	53.3	46.4-60.2
\$35,000-49,999	360	82,001	29	7.4	3.7-11.1	15	7.9	2.6-13.2	116	28.6	22.3-34.9	200	56.1	48.7-63.5
\$50,000-99,999	912	184,180	81	8.7	6.5-10.9	16	3.1	0.9- 5.3	275	29.9	26.0-33.8	540	58.3	54.0-62.6
\$100,000-199,999	589	132,539	21	3.7	1.5- 5.9	14	3.2	1.2- 5.2	179	27.6	23.1-32.1	375	65.5	60.6-70.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker-Smoke everyday			Current smoker-Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1511	350,579	148	10.4	8.4-12.4	51	5.5	3.5- 7.5	452	27.3	24.4-30.2	860	56.8	53.5-60.1
White/Non-Hisp	1046	223,509	102	11.1	8.6-13.6	29	4.8	2.4- 7.2	350	30.6	27.1-34.1	565	53.4	49.5-57.3
Black or Afr. Am./Non-Hisp	193	68,716	20	9.6	4.3-14.9	10	7.5	2.0-13.0	40	20.5	12.9-28.1	123	62.4	53.8-71.0
Oth. Race/Non-Hisp.	63	16,989	7	8.6	0.6-16.6	3	5.9	0.0-12.6	14	25.6	11.1-40.1	39	60.0	44.9-75.1
Hispanic	137	26,839	10	6.5	1.6-11.4	7	7.2	1.1-13.3	26	18.9	9.9-27.9	94	67.4	56.8-78.0
18-24	109	41,214	3	1.8	0.0- 3.8	2	2.4	0.0- 6.1	8	5.9	1.6-10.2	96	90.0	84.1-95.9
25-34	168	61,222	18	11.9	5.8-18.0	10	11.1	3.8-18.4	28	18.9	11.8-26.0	112	58.1	49.1-67.1
35-44	199	52,879	27	16.2	9.3-23.1	15	11.8	4.4-19.2	47	21.4	14.3-28.5	110	50.5	41.5-59.5
45-54	216	48,142	30	15.9	9.8-22.0	9	4.8	1.3- 8.3	51	26.3	18.1-34.5	126	53.0	44.6-61.4
55-64	320	59,600	41	10.5	6.8-14.2	4	0.7	0.0- 1.7	99	33.5	26.6-40.4	176	55.2	48.1-62.3
65+	499	87,522	29	6.7	4.0- 9.4	11	3.0	0.8- 5.2	219	43.0	37.5-48.5	240	47.3	41.8-52.8
Less Than H.S.	110	39,093	25	21.2	12.2-30.2	7	8.8	1.5-16.1	38	37.6	25.8-49.4	40	32.4	21.4-43.4
H.S. or G.E.D.	396	112,330	67	13.0	9.3-16.7	24	10.4	5.5-15.3	119	27.6	22.3-32.9	186	49.0	42.7-55.3
Some Post-H.S.	374	92,219	39	10.9	7.0-14.8	10	2.6	0.6- 4.6	130	29.5	24.0-35.0	195	57.0	50.7-63.3
College Graduate	617	103,782	15	3.1	0.7- 5.5	9	1.5	0.3- 2.7	163	21.2	17.7-24.7	430	74.2	70.1-78.3
\$15,000- 24,999	113	26,779	26	23.2	13.4-33.0	8	7.4	1.5-13.3	40	40.4	28.2-52.6	39	29.0	18.4-39.6
\$25,000- 34,999	148	33,540	24	20.6	11.2-30.0	8	6.4	1.1-11.7	43	23.6	15.4-31.8	73	49.4	39.0-59.8
\$35,000- 49,999	147	39,674	13	7.0	2.5-11.5	11	14.3	4.1-24.5	53	33.3	23.3-43.3	70	45.3	34.7-55.9
\$50,000- 99,999	408	88,585	37	9.4	5.9-12.9	9	4.9	1.0- 8.8	132	29.5	23.6-35.4	230	56.2	49.5-62.9
\$100,000 - 199,999	295	72,701	11	5.0	1.3- 8.7	9	4.1	0.8- 7.4	91	28.6	22.3-34.9	184	62.3	55.2-69.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker-Smoke everyday			Current smoker-Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1854	375,910	160	7.7	6.1-9.3	55	3.4	2.2-4.6	503	24.6	22.1-27.1	1136	64.3	61.4-67.2
White/Non-Hisp	1282	242,755	125	9.5	7.3-11.7	33	3.1	1.7-4.5	418	31.9	28.4-35.4	706	55.5	51.8-59.2
Black or Afr. Am./Non-Hisp	303	76,629	17	3.9	1.7-6.1	15	6.1	2.2-10.0	46	12.1	8.2-16.0	225	77.9	72.2-83.6
Hispanic	159	31,888	4	2.4	0.0-6.1	5	1.7	0.1-3.3	16	9.8	4.3-15.3	134	86.1	79.4-92.8
18-24	85	37,503	3	5.2	0.0-10.9	1	1.1	0.0-3.3				81	93.8	87.7-99.9
25-34	179	58,127	9	5.1	1.2-9.0	8	5.2	0.9-9.5	18	9.2	4.1-14.3	144	80.4	73.1-87.7
35-44	243	54,112	29	10.5	5.2-15.8	7	4.1	0.4-7.8	67	28.2	20.6-35.8	140	57.3	48.7-65.9
45-54	304	56,826	32	7.3	4.4-10.2	13	4.1	1.2-7.0	73	23.3	17.2-29.4	186	65.3	58.6-72.0
55-64	378	67,089	55	14.2	9.9-18.5	12	2.8	1.0-4.6	96	29.0	22.9-35.1	215	54.0	47.5-60.5
65+	665	102,253	32	4.4	2.6-6.2	14	3.0	0.8-5.2	249	38.4	33.5-43.3	370	54.2	49.3-59.1
Less Than H.S.	101	31,933	12	8.1	2.4-13.8	4	4.5	0.0-10.2	19	20.3	9.1-31.5	66	67.1	54.4-79.8
H.S. or G.E.D.	446	110,376	53	10.8	7.1-14.5	17	4.1	1.6-6.6	121	23.7	18.6-28.8	255	61.5	55.4-67.6
Some Post-H.S.	511	114,289	59	8.7	5.8-11.6	17	3.6	1.4-5.8	160	28.0	23.3-32.7	275	59.7	54.2-65.2
College Graduate	789	118,110	36	3.7	2.1-5.3	17	2.4	1.0-3.8	201	23.5	20.0-27.0	535	70.4	66.5-74.3
Less than \$15,000	87	17,594	15	9.4	3.9-14.9	8	17.0	4.7-29.3	17	22.4	9.5-35.3	47	51.2	36.5-65.9
\$15,000- 24,999	159	31,727	26	13.6	6.9-20.3	9	4.4	1.1-7.7	42	20.3	12.7-27.9	82	61.8	51.2-72.4
\$25,000- 34,999	204	40,240	27	13.1	6.6-19.6	12	6.7	1.4-12.0	54	23.7	16.4-31.0	111	56.5	47.5-65.5
\$35,000- 49,999	213	42,328	16	7.8	1.9-13.7	4	1.8	0.0-3.8	63	24.2	16.8-31.6	130	66.2	57.2-75.2
\$50,000- 99,999	504	95,596	44	8.1	5.4-10.8	7	1.5	0.1-2.9	143	30.3	24.8-35.8	310	60.2	54.5-65.9
\$100,000 - 199,999	294	59,838	10	2.1	0.5-3.7	5	2.2	0.0-4.4	88	26.5	20.0-33.0	191	69.3	62.4-76.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3365	726,489	2951	86.6	85.0-88.2	414	13.4	11.8-15.0
Male	1511	350,579	1312	84.1	81.4-86.8	199	15.9	13.2-18.6
Female	1854	375,910	1639	88.9	86.9-90.9	215	11.1	9.1-13.1
White/Non-Hisp	2328	466,265	2039	85.8	83.8-87.8	289	14.2	12.2-16.2
Black or Afr. Am./Non-Hisp	496	145,345	434	86.6	82.5-90.7	62	13.4	9.3-17.5
Oth. Race/Non-Hisp.	110	32,405	98	91.9	86.2-97.6	12	8.1	2.4-13.8
MultiRacial/Non-Hisp.	69	10,297	53	80.0	69.0-91.0	16	20.0	9.0-31.0
Hispanic	296	58,727	270	91.5	87.4-95.6	26	8.5	4.4-12.6
18-24	194	78,717	185	94.9	91.4-98.4	9	5.1	1.6- 8.6
25-34	347	119,349	302	83.1	77.8-88.4	45	16.9	11.6-22.2
35-44	442	106,991	364	78.8	73.1-84.5	78	21.2	15.5-26.9
45-54	520	104,968	436	84.3	80.4-88.2	84	15.7	11.8-19.6
55-64	698	126,689	586	85.8	82.9-88.7	112	14.2	11.3-17.1
65+	1164	189,776	1078	91.5	89.3-93.7	86	8.5	6.3-10.7
Less Than H.S.	211	71,026	163	77.8	70.7-84.9	48	22.2	15.1-29.3
H.S. or G.E.D.	842	222,706	681	80.8	77.3-84.3	161	19.2	15.7-22.7
Some Post-H.S.	885	206,508	760	87.1	84.4-89.8	125	12.9	10.2-15.6
College Graduate	1406	221,892	1329	94.6	93.0-96.2	77	5.4	3.8- 7.0
Less than \$15,000	130	26,858	93	70.5	59.9-81.1	37	29.5	18.9-40.1
\$15,000-24,999	272	58,507	203	76.2	69.7-82.7	69	23.8	17.3-30.3
\$25,000-34,999	352	73,781	281	76.9	70.6-83.2	71	23.1	16.8-29.4
\$35,000-49,999	360	82,001	316	84.7	78.6-90.8	44	15.3	9.2-21.4
\$50,000-99,999	912	184,180	815	88.2	85.3-91.1	97	11.8	8.9-14.7
\$100,000-199,999	589	132,539	554	93.1	90.2-96.0	35	6.9	4.0- 9.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1511	350,579	1312	84.1	81.4-86.8	199	15.9	13.2-18.6
White/Non-Hisp	1046	223,509	915	84.1	80.8-87.4	131	15.9	12.6-19.2
Black or Afr. Am./Non-Hisp	193	68,716	163	82.9	75.6-90.2	30	17.1	9.8-24.4
Oth. Race/Non-Hisp.	63	16,989	53	85.5	75.3-95.7	10	14.5	4.3-24.7
Hispanic	137	26,839	120	86.2	78.6-93.8	17	13.8	6.2-21.4
18-24	109	41,214	104	95.8	91.7-99.9	5	4.2	0.1- 8.3
25-34	168	61,222	140	77.0	68.4-85.6	28	23.0	14.4-31.6
35-44	199	52,879	157	72.0	63.0-81.0	42	28.0	19.0-37.0
45-54	216	48,142	177	79.3	72.6-86.0	39	20.7	14.0-27.4
55-64	320	59,600	275	88.8	85.1-92.5	45	11.2	7.5-14.9
65+	499	87,522	459	90.3	87.0-93.6	40	9.7	6.4-13.0
Less Than H.S.	110	39,093	78	70.0	59.4-80.6	32	30.0	19.4-40.6
H.S. or G.E.D.	396	112,330	305	76.6	70.9-82.3	91	23.4	17.7-29.1
Some Post-H.S.	374	92,219	325	86.5	82.2-90.8	49	13.5	9.2-17.8
College Graduate	617	103,782	593	95.4	92.7-98.1	24	4.6	1.9- 7.3
\$15,000- 24,999	113	26,779	79	69.3	58.5-80.1	34	30.7	19.9-41.5
\$25,000- 34,999	148	33,540	116	73.0	63.0-83.0	32	27.0	17.0-37.0
\$35,000- 49,999	147	39,674	123	78.7	68.3-89.1	24	21.3	10.9-31.7
\$50,000- 99,999	408	88,585	362	85.7	80.6-90.8	46	14.3	9.2-19.4
\$100,000 - 199,999	295	72,701	275	90.9	86.2-95.6	20	9.1	4.4-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1854	375,910	1639	88.9	86.9-90.9	215	11.1	9.1-13.1
White/Non-Hisp	1282	242,755	1124	87.5	85.0-90.0	158	12.5	10.0-15.0
Black or Afr. Am./Non-Hisp	303	76,629	271	90.0	85.7-94.3	32	10.0	5.7-14.3
Hispanic	159	31,888	150	96.0	92.1-99.9	9	4.0	0.1- 7.9
18-24	85	37,503	81	93.8	87.7-99.9	4	6.2	0.1-12.3
25-34	179	58,127	162	89.6	83.9-95.3	17	10.4	4.7-16.1
35-44	243	54,112	207	85.4	79.1-91.7	36	14.6	8.3-20.9
45-54	304	56,826	259	88.6	84.5-92.7	45	11.4	7.3-15.5
55-64	378	67,089	311	83.1	78.6-87.6	67	16.9	12.4-21.4
65+	665	102,253	619	92.6	89.9-95.3	46	7.4	4.7-10.1
Less Than H.S.	101	31,933	85	87.4	79.6-95.2	16	12.6	4.8-20.4
H.S. or G.E.D.	446	110,376	376	85.2	80.9-89.5	70	14.8	10.5-19.1
Some Post-H.S.	511	114,289	435	87.7	84.2-91.2	76	12.3	8.8-15.8
College Graduate	789	118,110	736	93.9	91.9-95.9	53	6.1	4.1- 8.1
Less than \$15,000	87	17,594	64	73.6	60.7-86.5	23	26.4	13.5-39.3
\$15,000- 24,999	159	31,727	124	82.1	74.7-89.5	35	17.9	10.5-25.3
\$25,000- 34,999	204	40,240	165	80.2	72.4-88.0	39	19.8	12.0-27.6
\$35,000- 49,999	213	42,328	193	90.4	84.3-96.5	20	9.6	3.5-15.7
\$50,000- 99,999	504	95,596	453	90.5	87.4-93.6	51	9.5	6.4-12.6
\$100,000 - 199,999	294	59,838	279	95.8	93.3-98.3	15	4.2	1.7- 6.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

**TABLE 7: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CUREC1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3371	727,747	3215	93.9	92.7-95.1	156	6.1	4.9- 7.3
Male	1516	351,439	1439	93.1	91.3-94.9	77	6.9	5.1- 8.7
Female	1855	376,309	1776	94.6	93.2-96.0	79	5.4	4.0- 6.8
White/Non-Hisp	2333	467,678	2215	92.7	91.1-94.3	118	7.3	5.7- 8.9
Black or Afr. Am./Non-Hisp	495	144,943	480	96.8	94.8-98.8	15	3.2	1.2- 5.2
Oth. Race/Non-Hisp.	109	32,254	103	95.6	91.5-99.7	6	4.4	0.3- 8.5
MultiRacial/Non-Hisp.	70	10,333	63	85.6	74.8-96.4	7	14.4	3.6-25.2
Hispanic	297	58,927	287	95.1	91.6-98.6	10	4.9	1.4- 8.4
18-24	193	78,349	167	86.4	80.9-91.9	26	13.6	8.1-19.1
25-34	347	119,349	306	87.2	82.9-91.5	41	12.8	8.5-17.1
35-44	442	107,276	409	91.8	88.3-95.3	33	8.2	4.7-11.7
45-54	518	104,197	504	97.3	95.7-98.9	14	2.7	1.1- 4.3
55-64	705	128,086	681	96.6	95.0-98.2	24	3.4	1.8- 5.0
65+	1166	190,489	1148	98.6	97.8-99.4	18	1.4	0.6- 2.2
Less Than H.S.	210	70,988	198	90.6	85.1-96.1	12	9.4	3.9-14.9
H.S. or G.E.D.	845	223,888	796	92.8	90.4-95.2	49	7.2	4.8- 9.6
Some Post-H.S.	883	205,943	832	93.4	91.2-95.6	51	6.6	4.4- 8.8
College Graduate	1410	222,315	1367	96.4	95.0-97.8	43	3.6	2.2- 5.0
Less than \$15,000	130	26,858	125	95.2	89.7- 100	5	4.8	0.0-10.3
\$15,000-24,999	275	58,997	259	92.2	87.7-96.7	16	7.8	3.3-12.3
\$25,000-34,999	350	73,217	331	92.1	88.0-96.2	19	7.9	3.8-12.0
\$35,000-49,999	359	81,853	342	91.4	86.9-95.9	17	8.6	4.1-13.1
\$50,000-99,999	910	183,769	864	93.7	91.3-96.1	46	6.3	3.9- 8.7
\$100,000-199,999	588	132,672	564	95.4	93.4-97.4	24	4.6	2.6- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 8: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CUREC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1516	351,439	1439	93.1	91.3-94.9	77	6.9	5.1- 8.7
White/Non-Hisp	1050	224,148	993	91.9	89.4-94.4	57	8.1	5.6-10.6
Black or Afr. Am./Non-Hisp	191	68,216	183	95.6	92.1-99.1	8	4.4	0.9- 7.9
Oth. Race/Non-Hisp.	62	16,838	58	92.6	85.2- 100	4	7.4	0.0-14.8
Hispanic	139	27,170	137	97.4	93.5- 100	2	2.6	0.0- 6.5
18-24	108	40,847	94	87.5	80.1-94.9	14	12.5	5.1-19.9
25-34	168	61,222	146	83.5	76.6-90.4	22	16.5	9.6-23.4
35-44	199	52,852	184	91.4	85.9-96.9	15	8.6	3.1-14.1
45-54	216	48,155	208	96.8	94.4-99.2	8	3.2	0.8- 5.6
55-64	327	60,997	315	96.1	93.6-98.6	12	3.9	1.4- 6.4
65+	498	87,366	492	99.2	98.4- 100	6	0.8	0.0- 1.6
Less Than H.S.	111	39,315	102	86.7	78.1-95.3	9	13.3	4.7-21.9
H.S. or G.E.D.	394	111,812	370	92.7	89.4-96.0	24	7.3	4.0-10.6
Some Post-H.S.	375	92,497	352	92.4	88.9-95.9	23	7.6	4.1-11.1
College Graduate	621	104,440	600	96.2	94.4-98.0	21	3.8	2.0- 5.6
\$15,000- 24,999	114	26,929	109	93.4	86.9-99.9	5	6.6	0.1-13.1
\$25,000- 34,999	146	32,968	136	90.6	84.1-97.1	10	9.4	2.9-15.9
\$35,000- 49,999	146	39,525	137	87.7	79.7-95.7	9	12.3	4.3-20.3
\$50,000- 99,999	407	88,349	382	92.6	88.9-96.3	25	7.4	3.7-11.1
\$100,000 - 199,999	295	72,701	281	95.0	92.1-97.9	14	5.0	2.1- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 9: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CUREC1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1855	376,309	1776	94.6	93.2-96.0	79	5.4	4.0- 6.8
White/Non-Hisp	1283	243,529	1222	93.4	91.4-95.4	61	6.6	4.6- 8.6
Black or Afr. Am./Non-Hisp	304	76,727	297	97.8	95.8-99.8	7	2.2	0.2- 4.2
Hispanic	158	31,756	150	93.2	87.7-98.7	8	6.8	1.3-12.3
18-24	85	37,503	73	85.1	76.7-93.5	12	14.9	6.5-23.3
25-34	179	58,127	160	91.2	86.5-95.9	19	8.8	4.1-13.5
35-44	243	54,425	225	92.1	87.8-96.4	18	7.9	3.6-12.2
45-54	302	56,042	296	97.7	95.5-99.9	6	2.3	0.1- 4.5
55-64	378	67,089	366	97.0	95.2-98.8	12	3.0	1.2- 4.8
65+	668	103,123	656	98.2	97.0-99.4	12	1.8	0.6- 3.0
Less Than H.S.	99	31,673	96	95.5	90.0- 100	3	4.5	0.0-10.0
H.S. or G.E.D.	451	112,077	426	92.9	89.8-96.0	25	7.1	4.0-10.2
Some Post-H.S.	508	113,445	480	94.2	91.7-96.7	28	5.8	3.3- 8.3
College Graduate	789	117,875	767	96.6	94.8-98.4	22	3.4	1.6- 5.2
Less than \$15,000	87	17,594	83	95.1	88.0- 100	4	4.9	0.0-12.0
\$15,000- 24,999	161	32,069	150	91.2	85.1-97.3	11	8.8	2.7-14.9
\$25,000- 34,999	204	40,250	195	93.4	88.3-98.5	9	6.6	1.5-11.7
\$35,000- 49,999	213	42,328	205	94.8	90.5-99.1	8	5.2	0.9- 9.5
\$50,000- 99,999	503	95,421	482	94.7	92.2-97.2	21	5.3	2.8- 7.8
\$100,000 - 199,999	293	59,972	283	95.8	92.9-98.7	10	4.2	1.3- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 12: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	120
2 MALES ONLY	121
3 FEMALES ONLY	122
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	123
5 MALES ONLY	124
6 FEMALES ONLY	125
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	126
8 MALES ONLY	127
9 FEMALES ONLY	128
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)	
10 MALES AND FEMALES	129
11 MALES ONLY	130
12 FEMALES ONLY	131
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)	
13 MALES AND FEMALES	132
14 MALES ONLY	133
15 FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3313	714,440	1799	53.9	51.5-56.3	1514	46.1	43.7-48.5
Male	1480	343,780	883	58.0	54.7-61.3	597	42.0	38.7-45.3
Female	1833	370,661	916	50.1	47.0-53.2	917	49.9	46.8-53.0
White/Non-Hisp	2298	460,272	1357	59.5	56.8-62.2	941	40.5	37.8-43.2
Black or Afr. Am./Non-Hisp	489	142,747	214	46.8	40.9-52.7	275	53.2	47.3-59.1
Oth. Race/Non-Hisp.	105	31,761	41	34.4	22.4-46.4	64	65.6	53.6-77.6
MultiRacial/Non-Hisp.	69	10,236	34	53.2	38.3-68.1	35	46.8	31.9-61.7
Hispanic	290	57,070	121	38.7	31.1-46.3	169	61.3	53.7-68.9
18-24	192	78,088	88	47.6	38.6-56.6	104	52.4	43.4-61.4
25-34	343	118,373	197	54.6	47.9-61.3	146	45.4	38.7-52.1
35-44	433	104,343	268	62.0	55.7-68.3	165	38.0	31.7-44.3
45-54	505	101,303	295	60.4	55.1-65.7	210	39.6	34.3-44.9
55-64	689	125,049	370	52.1	47.4-56.8	319	47.9	43.2-52.6
65+	1151	187,285	581	49.4	45.7-53.1	570	50.6	46.9-54.3
Less Than H.S.	209	70,296	64	33.0	24.6-41.4	145	67.0	58.6-75.4
H.S. or G.E.D.	827	218,441	354	46.2	41.7-50.7	473	53.8	49.3-58.3
Some Post-H.S.	869	203,196	480	57.4	53.1-61.7	389	42.6	38.3-46.9
College Graduate	1389	218,879	895	65.4	62.3-68.5	494	34.6	31.5-37.7
Less than \$15,000	128	26,759	39	30.9	19.9-41.9	89	69.1	58.1-80.1
\$15,000-24,999	268	56,039	100	34.7	27.1-42.3	168	65.3	57.7-72.9
\$25,000-34,999	347	72,416	146	45.6	38.5-52.7	201	54.4	47.3-61.5
\$35,000-49,999	355	80,877	190	52.9	45.5-60.3	165	47.1	39.7-54.5
\$50,000-99,999	900	181,833	545	60.5	56.2-64.8	355	39.5	35.2-43.8
\$100,000-199,999	586	132,270	410	68.5	63.2-73.8	176	31.5	26.2-36.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1480	343,780	883	58.0	54.7-61.3	597	42.0	38.7-45.3
White/Non-Hisp	1029	219,565	660	62.9	59.0-66.8	369	37.1	33.2-41.0
Black or Afr. Am./Non-Hisp	190	68,291	98	53.6	44.8-62.4	92	46.4	37.6-55.2
Oth. Race/Non-Hisp.	58	16,345	30	41.5	26.8-56.2	28	58.5	43.8-73.2
Hispanic	134	25,770	62	45.0	33.6-56.4	72	55.0	43.6-66.4
18-24	107	40,585	50	45.7	33.7-57.7	57	54.3	42.3-66.3
25-34	168	61,222	97	57.1	48.3-65.9	71	42.9	34.1-51.7
35-44	195	51,863	134	69.0	60.2-77.8	61	31.0	22.2-39.8
45-54	206	45,852	125	62.5	54.5-70.5	81	37.5	29.5-45.5
55-64	316	58,995	173	50.9	43.8-58.0	143	49.1	42.0-56.2
65+	488	85,263	304	60.5	54.8-66.2	184	39.5	33.8-45.2
Less Than H.S.	110	38,622	39	39.0	27.2-50.8	71	61.0	49.2-72.8
H.S. or G.E.D.	383	109,187	195	50.9	44.4-57.4	188	49.1	42.6-55.6
Some Post-H.S.	368	91,475	235	64.5	58.0-71.0	133	35.5	29.0-42.0
College Graduate	607	101,932	410	67.5	62.8-72.2	197	32.5	27.8-37.2
\$15,000- 24,999	110	25,791	51	43.3	31.3-55.3	59	56.7	44.7-68.7
\$25,000- 34,999	146	32,990	67	48.3	37.9-58.7	79	51.7	41.3-62.1
\$35,000- 49,999	143	38,765	87	54.6	43.4-65.8	56	45.4	34.2-56.6
\$50,000- 99,999	402	87,283	259	62.8	56.3-69.3	143	37.2	30.7-43.7
\$100,000 - 199,999	294	72,599	207	71.2	64.3-78.1	87	28.8	21.9-35.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1833	370,661	916	50.1	47.0-53.2	917	49.9	46.8-53.0
White/Non-Hisp	1269	240,707	697	56.4	52.7-60.1	572	43.6	39.9-47.3
Black or Afr. Am./Non-Hisp	299	74,456	116	40.6	33.3-47.9	183	59.4	52.1-66.7
Hispanic	156	31,300	59	33.5	23.5-43.5	97	66.5	56.5-76.5
18-24	85	37,503	38	49.5	36.0-63.0	47	50.5	37.0-64.0
25-34	175	57,151	100	51.9	41.9-61.9	75	48.1	38.1-58.1
35-44	238	52,480	134	55.1	46.3-63.9	104	44.9	36.1-53.7
45-54	299	55,451	170	58.8	51.5-66.1	129	41.2	33.9-48.5
55-64	373	66,053	197	53.3	46.8-59.8	176	46.7	40.2-53.2
65+	663	102,022	277	40.0	35.3-44.7	386	60.0	55.3-64.7
Less Than H.S.	99	31,673	25	25.7	14.1-37.3	74	74.3	62.7-85.9
H.S. or G.E.D.	444	109,254	159	41.6	35.1-48.1	285	58.4	51.9-64.9
Some Post-H.S.	501	111,721	245	51.6	45.7-57.5	256	48.4	42.5-54.3
College Graduate	782	116,946	485	63.5	59.2-67.8	297	36.5	32.2-40.8
Less than \$15,000	87	17,594	24	31.2	17.3-45.1	63	68.8	54.9-82.7
\$15,000- 24,999	158	30,248	49	27.5	18.1-36.9	109	72.5	63.1-81.9
\$25,000- 34,999	201	39,426	79	43.4	34.0-52.8	122	56.6	47.2-66.0
\$35,000- 49,999	212	42,112	103	51.5	41.3-61.7	109	48.5	38.3-58.7
\$50,000- 99,999	498	94,551	286	58.5	52.6-64.4	212	41.5	35.6-47.4
\$100,000 - 199,999	292	59,671	203	65.2	56.8-73.6	89	34.8	26.4-43.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3313	714,440	1062	33.8	31.6-36.0	391	11.0	9.6-12.4	122	3.4	2.6- 4.2	224	5.7	4.7- 6.7	1514	46.1	43.7-48.5
Male	1480	343,780	469	33.8	30.7-36.9	208	12.6	10.6-14.6	70	4.1	2.9- 5.3	136	7.4	5.8- 9.0	597	42.0	38.7-45.3
Female	1833	370,661	593	33.7	30.8-36.6	183	9.6	7.6-11.6	52	2.7	1.7- 3.7	88	4.1	2.9- 5.3	917	49.9	46.8-53.0
White/Non-Hisp	2298	460,272	747	34.5	32.0-37.0	315	13.3	11.3-15.3	101	4.3	3.1- 5.5	194	7.4	6.2- 8.6	941	40.5	37.8-43.2
Black or Afr. Am./Non-Hisp	489	142,747	153	34.1	28.6-39.6	40	8.3	5.4-11.2	11	1.5	0.5- 2.5	10	3.0	0.8- 5.2	275	53.2	47.3-59.1
Oth. Race/Non-Hisp.	105	31,761	29	26.5	15.3-37.7	7	3.2	0.5- 5.9	3	3.8	0.0- 8.3	2	0.8	0.0- 2.0	64	65.6	53.6-77.6
MultiRacial/Non-Hisp.	69	10,236	21	39.8	24.9-54.7	7	7.4	1.3-13.5	2	2.1	0.0- 5.6	4	3.9	0.0- 8.4	35	46.8	31.9-61.7
Hispanic	290	57,070	96	30.6	23.5-37.7	11	3.8	1.1- 6.5	5	2.1	0.0- 4.5	9	2.2	0.2- 4.2	169	61.3	53.7-68.9
18-24	192	78,088	62	33.0	24.8-41.2	20	12.4	5.3-19.5	5	1.1	0.1- 2.1	1	1.1	0.0- 3.1	104	52.4	43.4-61.4
25-34	343	118,373	134	39.0	32.5-45.5	36	7.9	5.0-10.8	19	5.2	2.7- 7.7	8	2.4	0.2- 4.6	146	45.4	38.7-52.1
35-44	433	104,343	167	39.9	33.8-46.0	67	15.2	10.9-19.5	14	2.8	0.8- 4.8	20	4.2	2.0- 6.4	165	38.0	31.7-44.3
45-54	505	101,303	195	39.9	34.2-45.6	61	11.2	8.1-14.3	13	3.9	1.0- 6.8	26	5.5	3.0- 8.0	210	39.6	34.3-44.9
55-64	689	125,049	222	32.8	28.3-37.3	74	9.7	7.2-12.2	29	3.6	2.0- 5.2	45	6.0	3.8- 8.2	319	47.9	43.2-52.6
65+	1151	187,285	282	24.7	21.4-28.0	133	10.9	8.5-13.3	42	3.2	2.0- 4.4	124	10.5	8.3-12.7	570	50.6	46.9-54.3
Less Than H.S.	209	70,296	51	26.3	18.3-34.3	6	3.2	0.3- 6.1	2	1.7	0.0- 4.1	5	1.9	0.1- 3.7	145	67.0	58.6-75.4
H.S. or G.E.D.	827	218,441	225	30.2	25.9-34.5	66	8.3	5.6-11.0	20	2.7	1.1- 4.3	43	5.1	3.1- 7.1	473	53.8	49.3-58.3
Some Post-H.S.	869	203,196	281	35.5	31.4-39.6	100	11.9	9.2-14.6	32	3.3	1.9- 4.7	67	6.8	4.8- 8.8	389	42.6	38.3-46.9
College Graduate	1389	218,879	499	38.2	34.9-41.5	219	15.6	13.2-18.0	68	4.9	3.5- 6.3	109	6.7	5.3- 8.1	494	34.6	31.5-37.7
Less than \$15,000	128	26,759	27	19.8	10.6-29.0	5	4.0	0.0- 9.3				7	7.1	1.2-13.0	89	69.1	58.1-80.1
\$15,000-24,999	268	56,039	57	20.2	13.7-26.7	24	7.3	3.8-10.8	5	1.2	0.2- 2.2	14	6.1	2.2-10.0	168	65.3	57.7-72.9
\$25,000-34,999	347	72,416	91	29.4	22.9-35.9	20	5.8	2.5- 9.1	15	4.3	1.4- 7.2	20	6.2	2.5- 9.9	201	54.4	47.3-61.5
\$35,000-49,999	355	80,877	128	36.6	29.5-43.7	39	10.4	4.5-16.3	5	1.7	0.0- 3.5	18	4.3	1.8- 6.8	165	47.1	39.7-54.5
\$50,000-99,999	900	181,833	306	36.0	31.7-40.3	127	13.9	11.0-16.8	46	4.6	3.0- 6.2	66	6.0	4.2- 7.8	355	39.5	35.2-43.8
\$100,000-199,999	586	132,270	234	41.2	35.9-46.5	95	14.9	11.4-18.4	33	6.0	3.3- 8.7	48	6.4	4.2- 8.6	176	31.5	26.2-36.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 12: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1480	343,780	469	33.8	30.7-36.9	208	12.6	10.6-14.6	70	4.1	2.9- 5.3	136	7.4	5.8- 9.0	597	42.0	38.7-45.3
White/Non-Hisp	1029	219,565	319	33.2	29.5-36.9	163	14.7	12.2-17.2	57	5.1	3.5- 6.7	121	9.9	7.7-12.1	369	37.1	33.2-41.0
Black or Afr. Am./Non-Hisp	190	68,291	63	37.4	28.4-46.4	24	10.6	5.3-15.9	6	2.0	0.0- 4.0	5	3.6	0.3- 6.9	92	46.4	37.6-55.2
Oth. Race/Non-Hisp.	58	16,345	20	30.4	16.9-43.9	6	5.5	0.4-10.6	2	4.0	0.0- 9.9	2	1.6	0.0- 3.8	28	58.5	43.8-73.2
Hispanic	134	25,770	48	33.2	22.8-43.6	7	6.0	0.5-11.5	3	3.5	0.0- 8.6	4	2.2	0.0- 5.3	72	55.0	43.6-66.4
18-24	107	40,585	34	35.0	23.4-46.6	10	6.5	2.2-10.8	5	2.2	0.2- 4.2	1	2.0	0.0- 5.9	57	54.3	42.3-66.3
25-34	168	61,222	60	35.6	27.2-44.0	22	11.7	6.4-17.0	11	7.3	2.8-11.8	4	2.5	0.0- 5.2	71	42.9	34.1-51.7
35-44	195	51,863	80	42.3	33.5-51.1	37	18.4	11.5-25.3	7	2.9	0.0- 5.8	10	5.3	1.4- 9.2	61	31.0	22.2-39.8
45-54	206	45,852	74	38.2	29.6-46.8	29	14.3	8.6-20.0	5	2.3	0.0- 4.7	17	7.7	4.0-11.4	81	37.5	29.5-45.5
55-64	316	58,995	96	31.0	24.5-37.5	31	7.3	4.2-10.4	15	3.4	1.4- 5.4	31	9.1	5.2-13.0	143	49.1	42.0-56.2
65+	488	85,263	125	26.5	21.4-31.6	79	15.4	11.5-19.3	27	5.1	2.7- 7.5	73	13.6	10.1-17.1	184	39.5	33.8-45.2
Less Than H.S.	110	38,622	29	28.5	17.3-39.7	5	5.6	0.3-10.9	1	1.7	0.0- 5.0	4	3.2	0.1- 6.3	71	61.0	49.2-72.8
H.S. or G.E.D.	383	109,187	110	31.8	25.7-37.9	41	9.6	6.3-12.9	13	3.1	1.1- 5.1	31	6.3	3.6- 9.0	188	49.1	42.6-55.6
Some Post-H.S.	368	91,475	127	36.3	30.0-42.6	52	14.2	9.9-18.5	15	4.0	1.6- 6.4	41	10.0	6.3-13.7	133	35.5	29.0-42.0
College Graduate	607	101,932	199	35.7	31.0-40.4	110	17.3	13.6-21.0	41	6.4	4.0- 8.8	60	8.1	5.9-10.3	197	32.5	27.8-37.2
\$15,000- 24,999	110	25,791	27	24.5	13.9-35.1	14	10.2	4.1-16.3	1	0.5	0.0- 1.5	9	8.1	1.6-14.6	59	56.7	44.7-68.7
\$25,000- 34,999	146	32,990	34	26.5	17.1-35.9	6	5.5	0.2-10.8	11	6.6	1.3-11.9	16	9.7	3.6-15.8	79	51.7	41.3-62.1
\$35,000- 49,999	143	38,765	59	40.7	29.9-51.5	18	7.3	3.6-11.0	2	1.3	0.0- 3.3	8	5.3	0.6-10.0	56	45.4	34.2-56.6
\$50,000- 99,999	402	87,283	123	32.5	26.2-38.8	67	16.4	11.7-21.1	32	7.2	4.3-10.1	37	6.7	4.2- 9.2	143	37.2	30.7-43.7
\$100,000 - 199,999	294	72,599	108	41.6	34.3-48.9	52	16.2	11.1-21.3	20	6.5	3.2- 9.8	27	7.0	3.7-10.3	87	28.8	21.9-35.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 12: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1833	370,661	593	33.7	30.8-36.6	183	9.6	7.6-11.6	52	2.7	1.7- 3.7	88	4.1	2.9- 5.3	917	49.9	46.8-53.0
White/Non-Hisp	1269	240,707	428	35.8	32.3-39.3	152	11.9	9.2-14.6	44	3.5	1.9- 5.1	73	5.1	3.5- 6.7	572	43.6	39.9-47.3
Black or Afr. Am./Non-Hisp	299	74,456	90	31.0	24.1-37.9	16	6.1	2.8- 9.4	5	1.1	0.1- 2.1	5	2.4	0.0- 5.1	183	59.4	52.1-66.7
Hispanic	156	31,300	48	28.4	18.8-38.0	4	2.1	0.0- 4.3	2	0.8	0.0- 2.0	5	2.2	0.0- 4.7	97	66.5	56.5-76.5
18-24	85	37,503	28	30.7	19.3-42.1	10	18.8	5.7-31.9							47	50.5	37.0-64.0
25-34	175	57,151	74	42.7	32.9-52.5	14	3.9	1.7- 6.1	8	3.0	0.5- 5.5	4	2.3	0.0- 5.6	75	48.1	38.1-58.1
35-44	238	52,480	87	37.4	29.0-45.8	30	11.9	7.0-16.8	7	2.7	0.2- 5.2	10	3.1	0.9- 5.3	104	44.9	36.1-53.7
45-54	299	55,451	121	41.2	33.8-48.6	32	8.6	5.1-12.1	8	5.2	0.3-10.1	9	3.8	0.3- 7.3	129	41.2	33.9-48.5
55-64	373	66,053	126	34.4	28.3-40.5	43	11.8	7.9-15.7	14	3.7	1.3- 6.1	14	3.3	1.1- 5.5	176	46.7	40.2-53.2
65+	663	102,022	157	23.3	19.2-27.4	54	7.2	4.7- 9.7	15	1.7	0.7- 2.7	51	7.8	5.3-10.3	386	60.0	55.3-64.7
Less Than H.S.	99	31,673	22	23.5	12.3-34.7	1	0.2	0.0- 0.6	1	1.7	0.0- 5.0	1	0.3	0.0- 0.9	74	74.3	62.7-85.9
H.S. or G.E.D.	444	109,254	115	28.5	22.6-34.4	25	6.9	2.2-11.6	7	2.3	0.0- 4.8	12	3.8	1.1- 6.5	285	58.4	51.9-64.9
Some Post-H.S.	501	111,721	154	34.8	29.1-40.5	48	10.1	6.6-13.6	17	2.7	1.1- 4.3	26	4.1	2.1- 6.1	256	48.4	42.5-54.3
College Graduate	782	116,946	300	40.4	35.9-44.9	109	14.1	11.0-17.2	27	3.5	1.9- 5.1	49	5.5	3.7- 7.3	297	36.5	32.2-40.8
Less than \$15,000	87	17,594	18	24.6	11.7-37.5	5	6.1	0.0-13.9				1	0.5	0.0- 1.5	63	68.8	54.9-82.7
\$15,000- 24,999	158	30,248	30	16.6	9.3-23.9	10	4.8	0.9- 8.7	4	1.7	0.0- 3.5	5	4.4	0.0- 9.1	109	72.5	63.1-81.9
\$25,000- 34,999	201	39,426	57	31.8	23.0-40.6	14	6.1	1.6-10.6	4	2.3	0.0- 5.2	4	3.2	0.0- 7.9	122	56.6	47.2-66.0
\$35,000- 49,999	212	42,112	69	32.9	23.9-41.9	21	13.2	2.6-23.8	3	2.0	0.0- 4.7	10	3.4	0.9- 5.9	109	48.5	38.3-58.7
\$50,000- 99,999	498	94,551	183	39.2	33.3-45.1	60	11.6	8.1-15.1	14	2.2	0.6- 3.8	29	5.4	2.7- 8.1	212	41.5	35.6-47.4
\$100,000 - 199,999	292	59,671	126	40.8	33.2-48.4	43	13.4	8.9-17.9	13	5.4	1.1- 9.7	21	5.6	2.9- 8.3	89	34.8	26.4-43.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3269	705,153	2908	87.1	85.5-88.7	361	12.9	11.3-14.5
Male	1455	338,228	1239	83.6	81.1-86.1	216	16.4	13.9-18.9
Female	1814	366,925	1669	90.3	88.3-92.3	145	9.7	7.7-11.7
White/Non-Hisp	2270	454,766	2004	85.7	83.7-87.7	266	14.3	12.3-16.3
Black or Afr. Am./Non-Hisp	479	139,815	445	90.3	86.6-94.0	34	9.7	6.0-13.4
Oth. Race/Non-Hisp.	105	31,761	93	90.1	83.4-96.8	12	9.9	3.2-16.6
MultiRacial/Non-Hisp.	69	10,236	59	88.9	81.3-96.5	10	11.1	3.5-18.7
Hispanic	286	56,566	250	86.7	81.2-92.2	36	13.3	7.8-18.8
18-24	189	76,887	152	80.0	73.1-86.9	37	20.0	13.1-26.9
25-34	338	117,210	273	80.7	75.8-85.6	65	19.3	14.4-24.2
35-44	426	102,666	358	83.5	78.6-88.4	68	16.5	11.6-21.4
45-54	497	99,471	437	87.3	83.4-91.2	60	12.7	8.8-16.6
55-64	675	122,599	610	91.1	88.6-93.6	65	8.9	6.4-11.4
65+	1144	186,321	1078	93.4	91.4-95.4	66	6.6	4.6- 8.6
Less Than H.S.	206	69,151	185	89.2	84.1-94.3	21	10.8	5.7-15.9
H.S. or G.E.D.	813	215,622	710	85.2	81.9-88.5	103	14.8	11.5-18.1
Some Post-H.S.	859	200,306	755	86.0	82.9-89.1	104	14.0	10.9-17.1
College Graduate	1372	216,446	1239	89.1	86.9-91.3	133	10.9	8.7-13.1
Less than \$15,000	128	26,759	117	86.0	77.2-94.8	11	14.0	5.2-22.8
\$15,000-24,999	262	54,220	231	89.2	84.9-93.5	31	10.8	6.5-15.1
\$25,000-34,999	345	72,136	306	85.2	79.7-90.7	39	14.8	9.3-20.3
\$35,000-49,999	350	79,839	315	88.0	83.3-92.7	35	12.0	7.3-16.7
\$50,000-99,999	886	179,081	783	86.0	82.7-89.3	103	14.0	10.7-17.3
\$100,000-199,999	580	131,479	496	83.8	79.7-87.9	84	16.2	12.1-20.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1455	338,228	1239	83.6	81.1-86.1	216	16.4	13.9-18.9
White/Non-Hisp	1014	216,831	860	82.5	79.6-85.4	154	17.5	14.6-20.4
Black or Afr. Am./Non-Hisp	184	66,148	165	86.7	80.0-93.4	19	13.3	6.6-20.0
Oth. Race/Non-Hisp.	58	16,345	48	84.8	74.0-95.6	10	15.2	4.4-26.0
Hispanic	132	25,440	106	79.3	69.9-88.7	26	20.7	11.3-30.1
18-24	105	40,026	81	78.2	68.4-88.0	24	21.8	12.0-31.6
25-34	166	60,704	128	76.2	68.8-83.6	38	23.8	16.4-31.2
35-44	189	50,200	149	78.3	70.7-85.9	40	21.7	14.1-29.3
45-54	201	44,882	167	84.6	79.1-90.1	34	15.4	9.9-20.9
55-64	309	57,756	270	88.1	83.8-92.4	39	11.9	7.6-16.2
65+	485	84,660	444	91.1	88.0-94.2	41	8.9	5.8-12.0
Less Than H.S.	108	38,119	95	87.5	80.1-94.9	13	12.5	5.1-19.9
H.S. or G.E.D.	374	107,121	307	82.0	77.1-86.9	67	18.0	13.1-22.9
Some Post-H.S.	361	89,459	293	80.0	74.7-85.3	68	20.0	14.7-25.3
College Graduate	600	100,966	532	86.8	83.1-90.5	68	13.2	9.5-16.9
\$15,000- 24,999	104	23,973	88	86.6	79.3-93.9	16	13.4	6.1-20.7
\$25,000- 34,999	144	32,710	121	80.2	71.2-89.2	23	19.8	10.8-28.8
\$35,000- 49,999	140	38,170	118	84.8	77.2-92.4	22	15.2	7.6-22.8
\$50,000- 99,999	396	86,161	335	82.7	77.6-87.8	61	17.3	12.2-22.4
\$100,000 - 199,999	293	72,392	240	79.8	73.9-85.7	53	20.2	14.3-26.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1814	366,925	1669	90.3	88.3-92.3	145	9.7	7.7-11.7
White/Non-Hisp	1256	237,934	1144	88.7	86.0-91.4	112	11.3	8.6-14.0
Black or Afr. Am./Non-Hisp	295	73,667	280	93.6	89.9-97.3	15	6.4	2.7-10.1
Hispanic	154	31,126	144	92.7	86.8-98.6	10	7.3	1.4-13.2
18-24	84	36,861	71	82.1	72.3-91.9	13	17.9	8.1-27.7
25-34	172	56,506	145	85.5	79.0-92.0	27	14.5	8.0-21.0
35-44	237	52,465	209	88.6	82.9-94.3	28	11.4	5.7-17.1
45-54	296	54,589	270	89.5	84.0-95.0	26	10.5	5.0-16.0
55-64	366	64,844	340	93.7	90.8-96.6	26	6.3	3.4- 9.2
65+	659	101,660	634	95.2	92.8-97.6	25	4.8	2.4- 7.2
Less Than H.S.	98	31,032	90	91.4	84.5-98.3	8	8.6	1.7-15.5
H.S. or G.E.D.	439	108,501	403	88.4	83.9-92.9	36	11.6	7.1-16.1
Some Post-H.S.	498	110,847	462	90.9	87.4-94.4	36	9.1	5.6-12.6
College Graduate	772	115,480	707	91.2	88.7-93.7	65	8.8	6.3-11.3
Less than \$15,000	87	17,594	82	89.1	78.5-99.7	5	10.9	0.3-21.5
\$15,000- 24,999	158	30,248	143	91.2	85.9-96.5	15	8.8	3.5-14.1
\$25,000- 34,999	201	39,426	185	89.3	82.6-96.0	16	10.7	4.0-17.4
\$35,000- 49,999	210	41,669	197	90.9	85.0-96.8	13	9.1	3.2-15.0
\$50,000- 99,999	490	92,920	448	89.0	84.7-93.3	42	11.0	6.7-15.3
\$100,000 - 199,999	287	59,087	256	88.8	83.5-94.1	31	11.2	5.9-16.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3277	707,075	642	19.3	17.5-21.1	235	7.9	6.5- 9.3	407	12.4	11.0-13.8	247	7.5	6.3- 8.7	220	6.1	5.1- 7.1	1526	46.9	44.5-49.3
Male	1454	337,690	248	16.9	14.4-19.4	101	7.0	5.2- 8.8	215	15.3	12.9-17.7	134	8.6	6.8-10.4	152	9.2	7.4-11.0	604	43.0	39.7-46.3
Female	1823	369,385	394	21.5	19.0-24.0	134	8.8	6.6-11.0	192	9.7	7.9-11.5	113	6.4	4.8- 8.0	68	3.3	2.3- 4.3	922	50.4	47.3-53.5
White/Non-Hisp	2274	455,473	455	19.9	17.7-22.1	164	8.1	6.3- 9.9	318	13.8	12.0-15.6	208	9.3	7.7-10.9	181	7.5	6.1- 8.9	948	41.3	38.6-44.0
Black or Afr. Am./Non-Hisp	481	140,574	96	20.6	15.7-25.5	38	7.7	5.0-10.4	43	10.4	6.7-14.1	14	3.9	1.4- 6.4	13	3.1	1.1- 5.1	277	54.2	48.3-60.1
Oth. Race/Non-Hisp.	105	31,761	12	7.4	2.5-12.3	9	11.8	2.4-21.2	14	11.9	4.6-19.2				6	3.3	0.0- 6.6	64	65.6	53.6-77.6
MultiRacial/Non-Hisp.	69	10,236	9	11.8	3.8-19.8	5	11.2	1.2-21.2	10	18.8	5.7-31.9	5	5.2	0.1-10.3	5	6.2	0.3-12.1	35	46.8	31.9-61.7
Hispanic	288	56,810	57	18.9	12.8-25.0	16	4.3	1.8- 6.8	18	4.9	2.2- 7.6	13	5.5	1.4- 9.6	13	4.3	1.4- 7.2	171	62.1	54.5-69.7
18-24	191	77,662	23	10.8	5.9-15.7	16	12.5	4.9-20.1	29	14.7	8.8-20.6	14	6.7	2.6-10.8	5	2.6	0.1- 5.1	104	52.7	43.7-61.7
25-34	340	117,506	71	19.4	14.3-24.5	25	7.1	3.6-10.6	50	14.8	10.3-19.3	24	7.0	3.7-10.3	23	5.7	3.0- 8.4	147	45.9	39.2-52.6
35-44	428	103,216	97	22.9	17.8-28.0	40	10.2	6.5-13.9	59	12.3	8.6-16.0	26	7.6	4.1-11.1	41	8.6	5.5-11.7	165	38.4	32.1-44.7
45-54	499	99,788	126	26.7	21.2-32.2	39	8.3	5.2-11.4	55	9.5	6.6-12.4	40	8.9	5.4-12.4	28	6.2	3.7- 8.7	211	40.4	34.9-45.9
55-64	680	123,632	127	18.6	14.9-22.3	51	7.2	5.0- 9.4	85	12.3	9.2-15.4	53	7.6	5.2-10.0	40	5.0	3.0- 7.0	324	49.3	44.4-54.2
65+	1139	185,271	198	17.2	14.5-19.9	64	5.5	3.9- 7.1	129	11.5	9.0-14.0	90	7.1	5.3- 8.9	83	7.1	5.3- 8.9	575	51.7	48.0-55.4
Less Than H.S.	206	69,505	24	13.6	6.9-20.3	10	3.7	1.0- 6.4	12	6.7	2.2-11.2	8	4.7	1.2- 8.2	5	3.2	0.3- 6.1	147	68.2	59.6-76.8
H.S. or G.E.D.	816	215,995	124	16.5	13.0-20.0	44	6.6	3.7- 9.5	73	9.5	7.0-12.0	42	6.1	3.7- 8.5	55	6.3	4.3- 8.3	478	55.0	50.5-59.5
Some Post-H.S.	858	200,934	179	20.7	17.4-24.0	53	7.7	5.2-10.2	105	13.5	10.6-16.4	63	7.8	5.4-10.2	68	7.2	5.0- 9.4	390	43.1	38.8-47.4
College Graduate	1379	217,547	313	22.7	20.0-25.4	127	10.7	8.5-12.9	215	16.1	13.7-18.5	134	9.5	7.5-11.5	92	5.9	4.5- 7.3	498	35.1	32.0-38.2
Less than \$15,000	128	26,759	17	13.3	5.1-21.5	5	3.7	0.0- 7.8	6	3.0	0.0- 6.1	3	3.5	0.0- 8.8	6	6.8	0.9-12.7	91	69.6	58.6-80.6
\$15,000-24,999	261	54,682	35	10.7	6.4-15.0	8	2.1	0.5- 3.7	17	6.6	1.9-11.3	16	5.8	2.5- 9.1	17	7.9	3.4-12.4	168	66.9	59.3-74.5
\$25,000-34,999	345	72,045	58	19.3	13.6-25.0	15	3.9	1.5- 6.3	26	8.6	4.3-12.9	24	7.1	3.2-11.0	21	6.5	2.8-10.2	201	54.6	47.5-61.7
\$35,000-49,999	351	79,978	83	21.7	15.8-27.6	24	9.0	2.9-15.1	40	11.2	6.7-15.7	21	6.7	3.2-10.2	18	3.9	1.7- 6.1	165	47.6	40.0-55.2
\$50,000-99,999	891	179,772	182	20.0	16.5-23.5	75	9.1	6.7-11.5	121	13.5	10.6-16.4	82	10.0	7.3-12.7	71	6.9	4.9- 8.9	360	40.5	36.2-44.8
\$100,000-199,999	585	132,192	136	22.3	18.2-26.4	63	11.9	8.4-15.4	102	16.9	13.2-20.6	55	9.3	6.0-12.6	53	8.1	5.6-10.6	176	31.5	26.2-36.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1454	337,690	248	16.9	14.4-19.4	101	7.0	5.2- 8.8	215	15.3	12.9-17.7	134	8.6	6.8-10.4	152	9.2	7.4-11.0	604	43.0	39.7-46.3
White/Non-Hisp	1012	215,421	168	16.2	13.3-19.1	68	7.1	4.9- 9.3	164	16.7	13.8-19.6	113	10.5	8.1-12.9	127	11.4	9.0-13.8	372	38.1	34.2-42.0
Black or Afr. Am./Non-Hisp	185	66,740	37	21.5	13.7-29.3	16	7.0	3.1-10.9	22	13.6	7.1-20.1	9	5.2	1.1- 9.3	7	4.8	0.9- 8.7	94	47.8	38.8-56.8
Oth. Race/Non-Hisp.	58	16,345	8	10.1	2.1-18.1	5	7.2	0.7-13.7	11	17.8	6.2-29.4				6	6.5	0.2-12.8	28	58.5	43.8-73.2
Hispanic	132	25,510	24	15.6	8.0-23.2	9	5.8	1.5-10.1	11	6.6	1.9-11.3	8	9.7	1.5-17.9	7	5.8	0.1-11.5	73	56.4	45.0-67.8
18-24	106	40,159	11	9.2	2.5-15.9	6	8.3	0.9-15.7	18	17.7	8.5-26.9	9	5.0	1.3- 8.7	5	5.0	0.1- 9.9	57	54.8	42.6-67.0
25-34	165	60,355	23	13.0	6.9-19.1	14	8.1	3.4-12.8	28	17.0	10.5-23.5	13	9.8	4.3-15.3	15	8.3	3.8-12.8	72	43.9	34.9-52.9
35-44	191	50,833	45	24.2	16.9-31.5	13	8.1	3.0-13.2	35	15.3	9.6-21.0	13	9.6	3.3-15.9	24	11.2	5.9-16.5	61	31.6	22.6-40.6
45-54	200	44,337	43	24.6	15.8-33.4	16	7.4	3.5-11.3	22	11.0	6.3-15.7	15	5.5	2.4- 8.6	22	12.1	6.6-17.6	82	39.3	31.1-47.5
55-64	312	58,443	44	13.8	8.9-18.7	24	6.9	3.8-10.0	41	12.9	8.4-17.4	31	9.4	5.5-13.3	26	6.8	3.3-10.3	146	50.1	43.0-57.2
65+	480	83,562	82	17.1	13.0-21.2	28	4.8	2.8- 6.8	71	16.7	12.2-21.2	53	10.1	6.8-13.4	60	10.7	7.6-13.8	186	40.6	34.9-46.3
Less Than H.S.	107	37,832	12	11.4	2.2-20.6	3	1.6	0.0- 3.6	9	10.4	2.8-18.0	6	7.8	1.3-14.3	5	5.8	0.5-11.1	72	62.8	50.8-74.8
H.S. or G.E.D.	373	106,786	49	13.9	9.2-18.6	24	6.1	3.0- 9.2	44	13.5	8.8-18.2	26	6.6	3.9- 9.3	40	9.3	6.0-12.6	190	50.6	44.1-57.1
Some Post-H.S.	361	89,715	74	20.3	15.2-25.4	18	6.1	2.4- 9.8	56	16.6	11.9-21.3	30	8.7	4.8-12.6	49	12.0	8.1-15.9	134	36.2	29.7-42.7
College Graduate	602	101,331	113	19.5	15.6-23.4	55	10.6	7.5-13.7	104	17.7	14.0-21.4	72	11.2	7.9-14.5	58	8.0	5.6-10.4	200	33.0	28.3-37.7
\$15,000- 24,999	105	24,661	10	6.8	2.1-11.5	7	4.4	0.9- 7.9	9	10.4	1.0-19.8	11	10.4	3.5-17.3	9	8.8	1.7-15.9	59	59.3	47.1-71.5
\$25,000- 34,999	144	32,619	17	13.5	5.7-21.3	7	5.7	1.0-10.4	9	5.6	1.3- 9.9	15	10.1	3.6-16.6	17	13.0	5.4-20.6	79	52.2	41.6-62.8
\$35,000- 49,999	140	38,014	41	26.5	16.7-36.3	8	4.2	0.9- 7.5	15	11.0	3.9-18.1	8	7.0	1.3-12.7	12	5.0	1.7- 8.3	56	46.3	35.1-57.5
\$50,000- 99,999	396	85,820	64	16.1	11.0-21.2	24	5.4	2.9- 7.9	68	17.9	13.0-22.8	48	12.7	8.2-17.2	46	9.5	6.2-12.8	146	38.3	31.6-45.0
\$100,000 - 199,999	294	72,599	55	18.8	13.3-24.3	30	12.1	6.8-17.4	59	21.0	15.3-26.7	25	8.0	3.9-12.1	38	11.3	7.0-15.6	87	28.8	21.9-35.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1823	369,385	394	21.5	19.0-24.0	134	8.8	6.6-11.0	192	9.7	7.9-11.5	113	6.4	4.8- 8.0	68	3.3	2.3- 4.3	922	50.4	47.3-53.5
White/Non-Hisp	1262	240,052	287	23.2	20.1-26.3	96	9.0	6.3-11.7	154	11.3	9.1-13.5	95	8.2	6.0-10.4	54	4.0	2.6- 5.4	576	44.3	40.6-48.0
Black or Afr. Am./Non-Hisp	296	73,834	59	19.8	13.9-25.7	22	8.3	4.4-12.2	21	7.5	3.6-11.4	5	2.8	0.0- 5.7	6	1.6	0.0- 3.2	183	59.9	52.6-67.2
Hispanic	156	31,300	33	21.7	12.7-30.7	7	3.0	0.1- 5.9	7	3.4	0.1- 6.7	5	2.0	0.0- 4.0	6	3.1	0.2- 6.0	98	66.8	56.8-76.8
18-24	85	37,503	12	12.5	5.1-19.9	10	17.1	4.0-30.2	11	11.3	4.2-18.4	5	8.5	1.1-15.9				47	50.5	37.0-64.0
25-34	175	57,151	48	26.2	18.0-34.4	11	6.2	0.9-11.5	22	12.4	6.3-18.5	11	4.2	0.5- 7.9	8	2.9	0.4- 5.4	75	48.1	38.1-58.1
35-44	237	52,383	52	21.7	14.4-29.0	27	12.2	6.9-17.5	24	9.5	4.8-14.2	13	5.6	2.1- 9.1	17	6.0	2.7- 9.3	104	44.9	36.1-53.7
45-54	299	55,451	83	28.3	21.4-35.2	23	9.1	4.6-13.6	33	8.2	4.7-11.7	25	11.6	5.7-17.5	6	1.5	0.1- 2.9	129	41.2	33.9-48.5
55-64	368	65,189	83	23.0	17.5-28.5	27	7.5	4.4-10.6	44	11.8	7.7-15.9	22	5.9	3.2- 8.6	14	3.4	1.2- 5.6	178	48.5	42.0-55.0
65+	659	101,709	116	17.2	13.5-20.9	36	6.0	3.6- 8.4	58	7.2	4.7- 9.7	37	4.7	2.9- 6.5	23	4.1	2.1- 6.1	389	60.8	56.1-65.5
Less Than H.S.	99	31,673	12	16.3	6.3-26.3	7	6.2	0.7-11.7	3	2.2	0.0- 5.7	2	0.9	0.0- 2.1				75	74.5	62.9-86.1
H.S. or G.E.D.	443	109,210	75	19.1	14.0-24.2	20	7.1	2.2-12.0	29	5.6	3.2- 8.0	16	5.6	1.9- 9.3	15	3.2	1.2- 5.2	288	59.4	52.9-65.9
Some Post-H.S.	497	111,220	105	21.0	16.5-25.5	35	9.1	5.6-12.6	49	10.9	7.0-14.8	33	7.0	4.1- 9.9	19	3.4	1.4- 5.4	256	48.6	42.7-54.5
College Graduate	777	116,216	200	25.5	21.6-29.4	72	10.8	7.9-13.7	111	14.6	11.5-17.7	62	8.0	5.6-10.4	34	4.1	2.5- 5.7	298	37.0	32.7-41.3
Less than \$15,000	87	17,594	11	16.0	4.4-27.6	5	5.6	0.0-11.9	5	4.2	0.0- 8.9	2	4.9	0.0-12.7	1	0.5	0.0- 1.5	63	68.8	54.9-82.7
\$15,000- 24,999	156	30,021	25	13.9	7.0-20.8	1	0.3	0.0- 0.9	8	3.5	0.6- 6.4	5	2.1	0.0- 4.3	8	7.2	1.3-13.1	109	73.1	63.7-82.5
\$25,000- 34,999	201	39,426	41	24.2	16.2-32.2	8	2.4	0.4- 4.4	17	11.0	4.3-17.7	9	4.6	0.0- 9.5	4	1.1	0.0- 2.3	122	56.6	47.2-66.0
\$35,000- 49,999	211	41,964	42	17.4	10.9-23.9	16	13.3	2.5-24.1	25	11.3	5.6-17.0	13	6.4	2.1-10.7	6	2.9	0.0- 5.8	109	48.7	38.3-59.1
\$50,000- 99,999	495	93,952	118	23.5	18.4-28.6	51	12.5	8.8-16.2	53	9.5	6.4-12.6	34	7.5	4.0-11.0	25	4.5	2.3- 6.7	214	42.5	36.6-48.4
\$100,000 - 199,999	291	59,593	81	26.5	20.0-33.0	33	11.6	6.9-16.3	43	11.9	7.6-16.2	30	11.0	5.9-16.1	15	4.1	1.7- 6.5	89	34.8	26.4-43.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3277	707,075	3107	95.0	94.0-96.0	170	5.0	4.0- 6.0
Male	1454	337,690	1373	94.5	93.1-95.9	81	5.5	4.1- 6.9
Female	1823	369,385	1734	95.5	94.3-96.7	89	4.5	3.3- 5.7
White/Non-Hisp	2274	455,473	2138	93.9	92.5-95.3	136	6.1	4.7- 7.5
Black or Afr. Am./Non-Hisp	481	140,574	468	97.2	95.4-99.0	13	2.8	1.0- 4.6
Oth. Race/Non-Hisp.	105	31,761	103	99.2	98.0- 100	2	0.8	0.0- 2.0
MultiRacial/Non-Hisp.	69	10,236	66	95.3	89.8- 100	3	4.7	0.0-10.2
Hispanic	288	56,810	275	95.6	92.5-98.7	13	4.4	1.3- 7.5
18-24	191	77,662	186	96.9	94.0-99.8	5	3.1	0.2- 6.0
25-34	340	117,506	317	94.8	92.3-97.3	23	5.2	2.7- 7.7
35-44	428	103,216	396	93.5	90.8-96.2	32	6.5	3.8- 9.2
45-54	499	99,788	474	93.8	90.7-96.9	25	6.2	3.1- 9.3
55-64	680	123,632	646	95.8	94.0-97.6	34	4.2	2.4- 6.0
65+	1139	185,271	1088	95.3	93.7-96.9	51	4.7	3.1- 6.3
Less Than H.S.	206	69,505	201	96.8	93.9-99.7	5	3.2	0.3- 6.1
H.S. or G.E.D.	816	215,995	770	94.5	92.5-96.5	46	5.5	3.5- 7.5
Some Post-H.S.	858	200,934	808	94.5	92.5-96.5	50	5.5	3.5- 7.5
College Graduate	1379	217,547	1310	95.4	94.2-96.6	69	4.6	3.4- 5.8
Less than \$15,000	128	26,759	120	90.0	82.4-97.6	8	10.0	2.4-17.6
\$15,000-24,999	261	54,682	243	92.0	87.5-96.5	18	8.0	3.5-12.5
\$25,000-34,999	345	72,045	332	95.9	92.8-99.0	13	4.1	1.0- 7.2
\$35,000-49,999	351	79,978	337	96.6	94.4-98.8	14	3.4	1.2- 5.6
\$50,000-99,999	891	179,772	840	94.8	93.0-96.6	51	5.2	3.4- 7.0
\$100,000-199,999	585	132,192	542	93.3	90.6-96.0	43	6.7	4.0- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1454	337,690	1373	94.5	93.1-95.9	81	5.5	4.1- 6.9
White/Non-Hisp	1012	215,421	947	93.5	91.5-95.5	65	6.5	4.5- 8.5
Black or Afr. Am./Non-Hisp	185	66,740	179	96.2	92.9-99.5	6	3.8	0.5- 7.1
Oth. Race/Non-Hisp.	58	16,345	56	98.4	96.2- 100	2	1.6	0.0- 3.8
Hispanic	132	25,510	126	94.4	88.7- 100	6	5.6	0.0-11.3
18-24	106	40,159	102	95.7	91.0- 100	4	4.3	0.0- 9.0
25-34	165	60,355	154	93.6	89.5-97.7	11	6.4	2.3-10.5
35-44	191	50,833	179	93.7	89.2-98.2	12	6.3	1.8-10.8
45-54	200	44,337	186	92.4	87.9-96.9	14	7.6	3.1-12.1
55-64	312	58,443	297	96.3	93.9-98.7	15	3.7	1.3- 6.1
65+	480	83,562	455	95.0	92.8-97.2	25	5.0	2.8- 7.2
Less Than H.S.	107	37,832	102	94.2	88.9-99.5	5	5.8	0.5-11.1
H.S. or G.E.D.	373	106,786	345	93.5	90.6-96.4	28	6.5	3.6- 9.4
Some Post-H.S.	361	89,715	336	93.3	90.2-96.4	25	6.7	3.6- 9.8
College Graduate	602	101,331	579	96.6	95.0-98.2	23	3.4	1.8- 5.0
\$15,000- 24,999	105	24,661	97	91.7	84.6-98.8	8	8.3	1.2-15.4
\$25,000- 34,999	144	32,619	136	92.7	86.2-99.2	8	7.3	0.8-13.8
\$35,000- 49,999	140	38,014	132	96.1	93.0-99.2	8	3.9	0.8- 7.0
\$50,000- 99,999	396	85,820	375	94.8	92.1-97.5	21	5.2	2.5- 7.9
\$100,000 - 199,999	294	72,599	274	94.4	91.3-97.5	20	5.6	2.5- 8.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1823	369,385	1734	95.5	94.3-96.7	89	4.5	3.3- 5.7
White/Non-Hisp	1262	240,052	1191	94.2	92.4-96.0	71	5.8	4.0- 7.6
Black or Afr. Am./Non-Hisp	296	73,834	289	98.1	96.5-99.7	7	1.9	0.3- 3.5
Hispanic	156	31,300	149	96.7	93.8-99.6	7	3.3	0.4- 6.2
18-24	85	37,503	84	98.1	94.4- 100	1	1.9	0.0- 5.6
25-34	175	57,151	163	96.0	93.3-98.7	12	4.0	1.3- 6.7
35-44	237	52,383	217	93.4	89.9-96.9	20	6.6	3.1-10.1
45-54	299	55,451	288	95.0	90.5-99.5	11	5.0	0.5- 9.5
55-64	368	65,189	349	95.3	92.8-97.8	19	4.7	2.2- 7.2
65+	659	101,709	633	95.6	93.4-97.8	26	4.4	2.2- 6.6
Less Than H.S.	99	31,673	99	100.0	100.0- 100			
H.S. or G.E.D.	443	109,210	425	95.4	92.5-98.3	18	4.6	1.7- 7.5
Some Post-H.S.	497	111,220	472	95.4	93.0-97.8	25	4.6	2.2- 7.0
College Graduate	777	116,216	731	94.3	92.3-96.3	46	5.7	3.7- 7.7
Less than \$15,000	87	17,594	84	94.6	86.8- 100	3	5.4	0.0-13.2
\$15,000- 24,999	156	30,021	146	92.3	86.4-98.2	10	7.7	1.8-13.6
\$25,000- 34,999	201	39,426	196	98.6	97.4-99.8	5	1.4	0.2- 2.6
\$35,000- 49,999	211	41,964	205	97.1	94.2- 100	6	2.9	0.0- 5.8
\$50,000- 99,999	495	93,952	465	94.7	92.5-96.9	30	5.3	3.1- 7.5
\$100,000 - 199,999	291	59,593	268	92.1	87.4-96.8	23	7.9	3.2-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021

SECTION 13: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	136
2	MALES ONLY	137
3	FEMALES ONLY	138
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	139
5	MALES ONLY	140
6	FEMALES ONLY	141

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1135	186,152	844	73.7	70.4-77.0	291	26.3	23.0-29.6
Male	487	85,950	364	72.2	67.1-77.3	123	27.8	22.7-32.9
Female	648	100,203	480	75.1	70.8-79.4	168	24.9	20.6-29.2
White/Non-Hisp	938	148,092	715	76.1	72.8-79.4	223	23.9	20.6-27.2
Black or Afr. Am./Non-Hisp	124	28,263	80	62.6	51.0-74.2	44	37.4	25.8-49.0
65+	1135	186,152	844	73.7	70.4-77.0	291	26.3	23.0-29.6
H.S. or G.E.D.	294	56,530	208	71.2	65.1-77.3	86	28.8	22.7-34.9
Some Post-H.S.	301	57,011	213	70.2	63.7-76.7	88	29.8	23.3-36.3
College Graduate	491	58,535	391	80.5	76.4-84.6	100	19.5	15.4-23.6
\$15,000-24,999	104	19,746	73	65.2	51.9-78.5	31	34.8	21.5-48.1
\$25,000-34,999	146	22,258	105	74.7	66.1-83.3	41	25.3	16.7-33.9
\$35,000-49,999	152	23,634	107	71.0	62.4-79.6	45	29.0	20.4-37.6
\$50,000-99,999	295	47,342	227	77.3	71.4-83.2	68	22.7	16.8-28.6
\$100,000-199,999	134	20,203	109	79.6	71.2-88.0	25	20.4	12.0-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	487	85,950	364	72.2	66.9-77.5	123	27.8	22.5-33.1
White/Non-Hisp	405	66,107	308	74.2	68.9-79.5	97	25.8	20.5-31.1
65+	487	85,950	364	72.2	66.9-77.5	123	27.8	22.5-33.1
H.S. or G.E.D.	112	24,708	77	68.9	59.1-78.7	35	31.1	21.3-40.9
Some Post-H.S.	124	25,463	89	70.8	61.0-80.6	35	29.2	19.4-39.0
College Graduate	232	29,252	190	80.6	74.5-86.7	42	19.4	13.3-25.5
\$25,000- 34,999	59	8,969	43	75.7	63.4-88.0	16	24.3	12.0-36.6
\$35,000- 49,999	59	10,963	40	69.7	55.4-84.0	19	30.3	16.0-44.6
\$50,000- 99,999	142	24,864	111	74.4	65.4-83.4	31	25.6	16.6-34.6
\$100,000 - 199,999	73	12,030	60	77.8	66.0-89.6	13	22.2	10.4-34.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	648	100,203	480	75.1	70.8-79.4	168	24.9	20.6-29.2
White/Non-Hisp	533	81,984	407	77.7	73.2-82.2	126	22.3	17.8-26.8
Black or Afr. Am./Non-Hisp	75	13,021	48	62.4	47.3-77.5	27	37.6	22.5-52.7
65+	648	100,203	480	75.1	70.8-79.4	168	24.9	20.6-29.2
H.S. or G.E.D.	182	31,822	131	73.0	65.4-80.6	51	27.0	19.4-34.6
Some Post-H.S.	177	31,548	124	69.8	61.0-78.6	53	30.2	21.4-39.0
College Graduate	259	29,284	201	80.4	74.7-86.1	58	19.6	13.9-25.3
\$15,000- 24,999	69	11,356	53	74.9	61.6-88.2	16	25.1	11.8-38.4
\$25,000- 34,999	87	13,290	62	74.0	62.4-85.6	25	26.0	14.4-37.6
\$35,000- 49,999	93	12,671	67	72.0	61.8-82.2	26	28.0	17.8-38.2
\$50,000- 99,999	153	22,478	116	80.5	73.2-87.8	37	19.5	12.2-26.8
\$100,000 - 199,999	61	8,173	49	82.2	71.0-93.4	12	17.8	6.6-29.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 13: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
 Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1110	182,593	837	72.8	69.3-76.3	273	27.2	23.7-30.7
Male	474	84,328	338	68.7	63.4-74.0	136	31.3	26.0-36.6
Female	636	98,265	499	76.4	72.1-80.7	137	23.6	19.3-27.9
White/Non-Hisp	918	145,251	723	76.9	73.4-80.4	195	23.1	19.6-26.6
Black or Afr. Am./Non-Hisp	121	27,478	72	55.9	43.9-67.9	49	44.1	32.1-56.1
65+	1110	182,593	837	72.8	69.3-76.3	273	27.2	23.7-30.7
H.S. or G.E.D.	287	55,695	213	72.9	66.8-79.0	74	27.1	21.0-33.2
Some Post-H.S.	298	56,124	230	73.2	66.7-79.7	68	26.8	20.3-33.3
College Graduate	476	56,698	360	73.5	68.4-78.6	116	26.5	21.4-31.6
\$15,000-24,999	103	19,672	69	66.5	53.2-79.8	34	33.5	20.2-46.8
\$25,000-34,999	145	22,437	111	72.3	62.5-82.1	34	27.7	17.9-37.5
\$35,000-49,999	149	23,147	121	78.2	70.0-86.4	28	21.8	13.6-30.0
\$50,000-99,999	287	46,171	223	74.9	68.4-81.4	64	25.1	18.6-31.6
\$100,000-199,999	131	19,891	98	71.1	61.7-80.5	33	28.9	19.5-38.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	474	84,328	338	68.7	63.2-74.2	136	31.3	25.8-36.8
White/Non-Hisp	395	64,688	299	74.7	69.4-80.0	96	25.3	20.0-30.6
65+	474	84,328	338	68.7	63.2-74.2	136	31.3	25.8-36.8
H.S. or G.E.D.	108	24,119	71	69.3	59.5-79.1	37	30.7	20.9-40.5
Some Post-H.S.	123	25,394	91	71.5	61.5-81.5	32	28.5	18.5-38.5
College Graduate	224	28,288	164	69.9	62.5-77.3	60	30.1	22.7-37.5
\$25,000- 34,999	59	9,172	42	66.5	50.6-82.4	17	33.5	17.6-49.4
\$35,000- 49,999	58	10,890	45	78.9	66.9-90.9	13	21.1	9.1-33.1
\$50,000- 99,999	137	24,371	98	69.7	60.1-79.3	39	30.3	20.7-39.9
\$100,000 - 199,999	72	11,874	56	72.8	59.9-85.7	16	27.2	14.3-40.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	636	98,265	499	76.4	71.9-80.9	137	23.6	19.1-28.1
White/Non-Hisp	523	80,564	424	78.7	74.0-83.4	99	21.3	16.6-26.0
Black or Afr. Am./Non-Hisp	74	12,632	49	62.8	47.7-77.9	25	37.2	22.1-52.3
65+	636	98,265	499	76.4	71.9-80.9	137	23.6	19.1-28.1
H.S. or G.E.D.	179	31,576	142	75.7	67.7-83.7	37	24.3	16.3-32.3
Some Post-H.S.	175	30,730	139	74.7	66.1-83.3	36	25.3	16.7-33.9
College Graduate	252	28,410	196	77.1	70.6-83.6	56	22.9	16.4-29.4
\$15,000- 24,999	68	11,282	51	80.5	68.2-92.8	17	19.5	7.2-31.8
\$25,000- 34,999	86	13,265	69	76.3	63.8-88.8	17	23.7	11.2-36.2
\$35,000- 49,999	91	12,257	76	77.5	66.3-88.7	15	22.5	11.3-33.7
\$50,000- 99,999	150	21,800	125	80.8	72.4-89.2	25	19.2	10.8-27.6
\$100,000 - 199,999	59	8,018	42	68.6	54.3-82.9	17	31.4	17.1-45.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021

SECTION 14: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	143
2	MALES ONLY	144
3	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 14: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3157	680,542	1225	41.5	39.1-43.9	1932	58.5	56.1-60.9
Male	1421	328,967	555	41.4	38.1-44.7	866	58.6	55.3-61.9
Female	1736	351,575	670	41.5	38.2-44.8	1066	58.5	55.2-61.8
White/Non-Hisp	2174	436,106	745	36.6	33.9-39.3	1429	63.4	60.7-66.1
Black or Afr. Am./Non-Hisp	466	135,290	268	57.5	51.6-63.4	198	42.5	36.6-48.4
Oth. Race/Non-Hisp.	102	30,183	39	39.9	27.0-52.8	63	60.1	47.2-73.0
MultiRacial/Non-Hisp.	69	10,074	37	55.6	40.7-70.5	32	44.4	29.5-59.3
Hispanic	286	56,340	117	41.8	33.8-49.8	169	58.2	50.2-66.2
18-24	186	75,827	56	32.0	23.8-40.2	130	68.0	59.8-76.2
25-34	329	112,149	179	55.2	48.3-62.1	150	44.8	37.9-51.7
35-44	423	100,769	241	58.7	52.6-64.8	182	41.3	35.2-47.4
45-54	481	96,751	262	53.4	47.7-59.1	219	46.6	40.9-52.3
55-64	647	116,491	256	40.0	35.1-44.9	391	60.0	55.1-64.9
65+	1091	178,555	231	21.7	18.6-24.8	860	78.3	75.2-81.4
Less Than H.S.	199	66,901	74	43.7	34.3-53.1	125	56.3	46.9-65.7
H.S. or G.E.D.	787	208,622	290	39.3	34.8-43.8	497	60.7	56.2-65.2
Some Post-H.S.	822	192,411	338	43.7	39.2-48.2	484	56.3	51.8-60.8
College Graduate	1329	208,438	518	41.3	38.0-44.6	811	58.7	55.4-62.0
Less than \$15,000	128	26,673	58	41.5	29.9-53.1	70	58.5	46.9-70.1
\$15,000-24,999	255	53,066	126	46.0	37.4-54.6	129	54.0	45.4-62.6
\$25,000-34,999	331	69,236	150	49.5	42.4-56.6	181	50.5	43.4-57.6
\$35,000-49,999	335	75,253	115	39.4	31.8-47.0	220	60.6	53.0-68.2
\$50,000-99,999	870	176,546	341	42.1	37.6-46.6	529	57.9	53.4-62.4
\$100,000-199,999	543	124,071	212	42.1	36.4-47.8	331	57.9	52.2-63.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 14: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1421	328,967	555	41.4	38.1-44.7	866	58.6	55.3-61.9
White/Non-Hisp	981	209,253	357	39.0	35.1-42.9	624	61.0	57.1-64.9
Black or Afr. Am./Non-Hisp	180	64,339	102	54.3	45.3-63.3	78	45.7	36.7-54.7
Oth. Race/Non-Hisp.	59	15,851	21	37.8	22.7-52.9	38	62.2	47.1-77.3
Hispanic	134	25,742	48	33.9	23.3-44.5	86	66.1	55.5-76.7
18-24	105	39,951	31	29.3	18.5-40.1	74	70.7	59.9-81.5
25-34	161	57,857	75	47.7	38.7-56.7	86	52.3	43.3-61.3
35-44	194	50,644	100	54.2	45.4-63.0	94	45.8	37.0-54.6
45-54	193	42,946	100	54.1	45.3-62.9	93	45.9	37.1-54.7
55-64	303	55,755	141	46.7	39.3-54.1	162	53.3	45.9-60.7
65+	465	81,814	108	24.8	19.7-29.9	357	75.2	70.1-80.3
Less Than H.S.	104	36,210	34	43.1	30.8-55.4	70	56.9	44.6-69.2
H.S. or G.E.D.	371	105,126	151	42.0	35.7-48.3	220	58.0	51.7-64.3
Some Post-H.S.	347	86,473	151	43.3	36.6-50.0	196	56.7	50.0-63.4
College Graduate	586	98,090	216	39.4	34.3-44.5	370	60.6	55.5-65.7
\$15,000- 24,999	107	24,728	59	50.4	38.1-62.7	48	49.6	37.3-61.9
\$25,000- 34,999	139	30,976	63	52.0	41.4-62.6	76	48.0	37.4-58.6
\$35,000- 49,999	134	34,996	46	39.6	28.4-50.8	88	60.4	49.2-71.6
\$50,000- 99,999	388	85,085	143	38.3	31.6-45.0	245	61.7	55.0-68.4
\$100,000 - 199,999	277	69,341	115	44.0	36.4-51.6	162	56.0	48.4-63.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 14: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1736	351,575	670	41.5	38.2-44.8	1066	58.5	55.2-61.8
White/Non-Hisp	1193	226,852	388	34.4	30.7-38.1	805	65.6	61.9-69.3
Black or Afr. Am./Non-Hisp	286	70,951	166	60.4	53.0-67.8	120	39.6	32.2-47.0
Hispanic	152	30,598	69	48.4	37.0-59.8	83	51.6	40.2-63.0
18-24	81	35,876	25	35.0	22.1-47.9	56	65.0	52.1-77.9
25-34	168	54,292	104	63.2	53.2-73.2	64	36.8	26.8-46.8
35-44	229	50,125	141	63.2	54.8-71.6	88	36.8	28.4-45.2
45-54	288	53,805	162	52.8	45.2-60.4	126	47.2	39.6-54.8
55-64	344	60,736	115	33.9	27.4-40.4	229	66.1	59.6-72.6
65+	626	96,741	123	19.0	15.3-22.7	503	81.0	77.3-84.7
Less Than H.S.	95	30,691	40	44.3	29.8-58.8	55	55.7	41.2-70.2
H.S. or G.E.D.	416	103,496	139	36.6	30.1-43.1	277	63.4	56.9-69.9
Some Post-H.S.	475	105,938	187	43.9	37.8-50.0	288	56.1	50.0-62.2
College Graduate	743	110,348	302	43.0	38.5-47.5	441	57.0	52.5-61.5
Less than \$15,000	85	17,409	43	46.4	31.9-60.9	42	53.6	39.1-68.1
\$15,000- 24,999	148	28,338	67	42.2	30.4-54.0	81	57.8	46.0-69.6
\$25,000- 34,999	192	38,261	87	47.5	38.1-56.9	105	52.5	43.1-61.9
\$35,000- 49,999	201	40,257	69	39.2	28.8-49.6	132	60.8	50.4-71.2
\$50,000- 99,999	482	91,461	198	45.7	39.6-51.8	284	54.3	48.2-60.4
\$100,000 - 199,999	266	54,730	97	39.7	31.3-48.1	169	60.3	51.9-68.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 15: FRUITS AND VEGETABLES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)	
1 MALES AND FEMALES	147
2 MALES ONLY	148
3 FEMALES ONLY	149
FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)	
4 MALES AND FEMALES	150
5 MALES ONLY	151
6 FEMALES ONLY	152
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)	
7 MALES AND FEMALES	153
8 MALES ONLY	154
9 FEMALES ONLY	155
FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)	
10 MALES AND FEMALES	156
11 MALES ONLY	157
12 FEMALES ONLY	158
POTATO SERVINGS PER DAY (POTADA1_)	
13 MALES AND FEMALES	159
14 MALES ONLY	160
15 FEMALES ONLY	161
OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)	
16 MALES AND FEMALES	162
17 MALES ONLY	163
18 FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3184	683,038	1375	44.9	42.5-47.3	458	14.9	13.1-16.7	12	0.7	0.1- 1.3	12	0.6	0.0- 1.2	1	0.0	0.0- 0.0	1326	38.9	36.5-41.3
Male	1428	330,797	697	50.1	46.8-53.4	228	15.9	13.5-18.3	6	0.8	0.0- 1.8	5	0.7	0.0- 1.5				492	32.4	29.3-35.5
Female	1756	352,242	678	40.0	36.9-43.1	230	13.9	11.5-16.3	6	0.5	0.1- 0.9	7	0.5	0.0- 1.3	1	0.1	0.0- 0.3	834	45.0	41.7-48.3
White/Non-Hisp	2221	446,484	894	41.6	38.9-44.3	290	12.9	10.9-14.9	5	0.4	0.0- 0.8	4	0.6	0.0- 1.2				1028	44.6	41.9-47.3
Black or Afr. Am./Non-Hisp	459	133,240	247	57.3	51.4-63.2	92	19.3	14.8-23.8	3	1.8	0.0- 4.3	4	0.9	0.0- 2.1	1	0.2	0.0- 0.6	112	20.5	16.2-24.8
Oth. Race/Non-Hisp.	101	28,405	38	33.5	21.9-45.1	11	10.7	2.5-18.9	1	0.6	0.0- 1.8							51	55.1	42.2-68.0
MultiRacial/Non-Hisp.	69	10,106	36	52.3	37.4-67.2	7	9.7	1.5-17.9	1	1.0	0.0- 3.0	1	0.8	0.0- 2.4				24	36.3	22.0-50.6
Hispanic	278	54,189	141	45.7	37.7-53.7	48	23.5	15.7-31.3	2	0.5	0.0- 1.3	3	0.6	0.0- 1.4				84	29.7	22.3-37.1
18-24	179	73,965	106	53.1	43.7-62.5	26	14.7	8.4-21.0	2	2.7	0.0- 7.0							45	29.6	20.4-38.8
25-34	333	113,399	164	47.1	40.4-53.8	47	14.4	9.5-19.3				3	1.5	0.0- 3.5	1	0.2	0.0- 0.6	118	36.7	30.0-43.4
35-44	414	98,127	206	51.4	45.1-57.7	50	12.6	8.5-16.7	4	0.9	0.0- 2.1	3	0.2	0.0- 0.6				151	34.8	28.9-40.7
45-54	485	97,568	230	48.3	42.4-54.2	48	12.7	8.2-17.2	2	0.3	0.0- 0.9	1	0.2	0.0- 0.6				204	38.5	33.2-43.8
55-64	658	117,995	260	41.4	36.5-46.3	81	12.2	8.9-15.5	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3				315	46.0	41.1-50.9
65+	1115	181,984	409	37.2	33.5-40.9	206	19.5	16.4-22.6	3	0.5	0.0- 1.1	4	1.0	0.0- 2.4				493	41.9	38.2-45.6
Less Than H.S.	197	65,641	95	48.7	39.1-58.3	31	17.0	9.9-24.1	3	1.0	0.0- 2.2	4	3.5	0.0- 7.8				64	29.8	21.2-38.4
H.S. or G.E.D.	798	208,638	346	45.2	40.7-49.7	129	16.6	13.1-20.1	2	0.2	0.0- 0.6	5	0.6	0.0- 1.4				316	37.4	32.9-41.9
Some Post-H.S.	837	195,545	361	43.5	39.2-47.8	134	16.3	13.0-19.6	7	1.7	0.0- 3.5	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	333	38.2	33.9-42.5
College Graduate	1334	209,727	564	44.8	41.5-48.1	161	11.2	9.0-13.4				2	0.1	0.0- 0.3				607	44.0	40.7-47.3
Less than \$15,000	126	26,229	47	39.9	27.9-51.9	22	16.7	8.5-24.9	2	2.1	0.0- 5.6	2	0.7	0.0- 1.7				53	40.6	28.6-52.6
\$15,000-24,999	258	52,871	121	44.7	36.1-53.3	34	12.7	6.8-18.6	4	1.7	0.0- 3.5	1	0.1	0.0- 0.3				98	40.8	32.0-49.6
\$25,000-34,999	336	69,543	148	44.0	37.1-50.9	45	14.4	9.3-19.5	1	0.3	0.0- 0.9	5	2.9	0.0- 6.0				137	38.5	31.8-45.2
\$35,000-49,999	335	75,458	149	48.8	41.2-56.4	63	20.0	13.9-26.1	1	0.7	0.0- 2.1				1	0.4	0.0- 1.2	121	30.0	22.9-37.1
\$50,000-99,999	867	175,340	372	47.0	42.5-51.5	124	13.4	10.5-16.3	2	1.0	0.0- 2.8	2	0.3	0.0- 0.7				367	38.2	33.9-42.5
\$100,000-199,999	564	127,984	256	46.2	40.7-51.7	57	11.7	8.0-15.4										251	42.1	36.6-47.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 15: FRUITS AND VEGETABLES
 TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1428	330,797	697	50.1	46.8-53.4	228	15.9	13.5-18.3	6	0.8	0.0- 1.8	5	0.7	0.0- 1.5	492	32.4	29.3-35.5
White/Non-Hisp	999	214,482	461	46.4	42.5-50.3	154	15.3	12.6-18.0	2	0.3	0.0- 0.7	2	0.6	0.0- 1.4	380	37.3	33.4-41.2
Black or Afr. Am./Non-Hisp	176	63,714	108	63.5	54.7-72.3	40	18.8	12.1-25.5	1	2.6	0.0- 7.5	1	1.1	0.0- 3.3	26	14.0	8.1-19.9
Oth. Race/Non-Hisp.	59	15,344	24	42.1	27.2-57.0	4	6.6	0.0-13.7	1	1.2	0.0- 3.6				30	50.2	35.1-65.3
Hispanic	128	24,512	70	49.3	37.7-60.9	21	21.7	11.5-31.9	2	1.1	0.0- 2.7	2	1.1	0.0- 2.7	33	26.9	15.7-38.1
18-24	103	39,736	58	51.9	39.6-64.2	15	14.6	6.8-22.4	2	5.0	0.0-12.8				28	28.6	17.2-40.0
25-34	163	59,230	88	51.2	42.2-60.2	19	11.9	6.2-17.6				3	2.9	0.0- 6.6	53	34.0	25.2-42.8
35-44	188	48,922	105	56.1	47.3-64.9	25	15.2	8.5-21.9	2	0.5	0.0- 1.3	1	0.2	0.0- 0.6	55	27.9	20.1-35.7
45-54	192	43,464	100	53.1	44.3-61.9	19	11.2	4.9-17.5							73	35.7	27.7-43.7
55-64	306	55,877	137	45.6	38.3-52.9	43	12.8	8.1-17.5	1	0.7	0.0- 2.1				125	40.9	33.8-48.0
65+	476	83,568	209	46.4	40.7-52.1	107	24.5	19.6-29.4	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	158	28.4	23.5-33.3
Less Than H.S.	102	35,578	51	53.3	41.1-65.5	17	14.7	7.1-22.3	3	1.8	0.0- 4.2	3	3.1	0.0- 7.8	28	27.1	16.5-37.7
H.S. or G.E.D.	378	106,484	190	52.3	46.0-58.6	69	18.3	13.4-23.2	2	0.5	0.0- 1.3	1	0.7	0.0- 2.1	116	28.2	22.5-33.9
Some Post-H.S.	351	87,717	167	46.9	40.2-53.6	62	17.3	12.6-22.0	1	1.9	0.0- 5.4	1	0.4	0.0- 1.2	120	33.5	27.2-39.8
College Graduate	586	98,631	283	49.6	44.5-54.7	78	12.5	9.2-15.8							225	37.9	33.0-42.8
\$15,000- 24,999	108	24,659	59	57.2	45.2-69.2	19	14.1	6.8-21.4	2	2.2	0.0- 5.3				28	26.6	16.0-37.2
\$25,000- 34,999	143	32,407	71	48.1	37.5-58.7	16	11.7	4.8-18.6	1	0.6	0.0- 1.8	3	5.1	0.0-11.6	52	34.5	24.5-44.5
\$35,000- 49,999	133	35,007	65	50.9	39.9-61.9	28	24.4	14.6-34.2							40	24.7	15.9-33.5
\$50,000- 99,999	390	85,242	190	52.6	46.1-59.1	69	16.2	11.7-20.7	1	1.9	0.0- 5.6	1	0.4	0.0- 1.2	129	28.8	23.1-34.5
\$100,000 - 199,999	283	70,081	143	51.8	44.4-59.2	30	10.5	6.0-15.0							110	37.8	30.5-45.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 15: FRUITS AND VEGETABLES
 TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1756	352,242	678	40.0	36.9-43.1	230	13.9	11.5-16.3	6	0.5	0.1- 0.9	7	0.5	0.0- 1.3	1	0.1	0.0- 0.3	834	45.0	41.7-48.3
White/Non-Hisp	1222	232,002	433	37.1	33.4-40.8	136	10.7	8.2-13.2	3	0.4	0.0- 1.0	2	0.6	0.0- 1.6				648	51.3	47.4-55.2
Black or Afr. Am./Non-Hisp	283	69,526	139	51.7	44.1-59.3	52	19.8	13.5-26.1	2	1.0	0.0- 2.4	3	0.7	0.0- 1.5	1	0.4	0.0- 1.2	86	26.5	20.2-32.8
Hispanic	150	29,678	71	42.8	31.8-53.8	27	24.9	13.3-36.5				1	0.1	0.0- 0.3				51	32.1	21.9-42.3
18-24	76	34,229	48	54.5	40.0-69.0	11	14.8	4.6-25.0										17	30.7	15.8-45.6
25-34	170	54,169	76	42.6	32.8-52.4	28	17.2	9.2-25.2							1	0.5	0.0- 1.5	65	39.6	29.6-49.6
35-44	226	49,205	101	46.8	37.6-56.0	25	10.0	5.1-14.9	2	1.3	0.0- 3.7	2	0.3	0.0- 0.7				96	41.6	32.8-50.4
45-54	293	54,104	130	44.3	36.7-51.9	29	13.8	7.5-20.1	2	0.6	0.0- 1.6	1	0.4	0.0- 1.2				131	40.8	33.5-48.1
55-64	352	62,118	123	37.7	31.2-44.2	38	11.7	6.8-16.6				1	0.2	0.0- 0.6				190	50.5	43.8-57.2
65+	639	98,417	200	29.3	24.8-33.8	99	15.2	11.3-19.1	2	0.7	0.0- 1.7	3	1.5	0.0- 3.9				335	53.3	48.2-58.4
Less Than H.S.	95	30,062	44	43.2	28.7-57.7	14	19.7	7.2-32.2				1	4.0	0.0-11.6				36	33.1	19.2-47.0
H.S. or G.E.D.	420	102,154	156	37.7	31.4-44.0	60	14.9	10.0-19.8				4	0.5	0.0- 1.1				200	46.9	40.2-53.6
Some Post-H.S.	486	107,828	194	40.8	34.9-46.7	72	15.4	10.9-19.9	6	1.6	0.0- 3.2				1	0.3	0.0- 0.9	213	42.0	36.3-47.7
College Graduate	748	111,096	281	40.5	36.0-45.0	83	10.0	7.3-12.7				2	0.2	0.0- 0.4				382	49.3	44.8-53.8
Less than \$15,000	85	17,193	34	49.5	34.6-64.4	15	16.4	6.2-26.6	1	2.7	0.0- 7.8	2	1.1	0.0- 2.7				33	30.3	18.0-42.6
\$15,000- 24,999	150	28,211	62	33.8	23.2-44.4	15	11.5	2.7-20.3	2	1.2	0.0- 3.2	1	0.1	0.0- 0.3				70	53.3	41.1-65.5
\$25,000- 34,999	193	37,137	77	40.3	31.1-49.5	29	16.8	9.2-24.4				2	0.9	0.0- 2.3				85	41.9	32.7-51.1
\$35,000- 49,999	202	40,451	84	47.0	36.4-57.6	35	16.3	9.2-23.4	1	1.4	0.0- 4.1				1	0.7	0.0- 2.1	81	34.6	24.0-45.2
\$50,000- 99,999	477	90,098	182	41.8	35.9-47.7	55	10.8	7.1-14.5	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6				238	47.2	41.1-53.3
\$100,000 - 199,999	281	57,903	113	39.5	31.5-47.5	27	13.3	7.0-19.6										141	47.2	39.0-55.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 15: FRUITS AND VEGETABLES
 TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3187	681,615	1412	45.7	43.3-48.1	1415	42.8	40.4-45.2	193	6.0	5.0- 7.0	68	2.5	1.5- 3.5	3	0.1	0.1- 0.1	96	2.8	2.0- 3.6
Male	1427	330,401	681	49.8	46.5-53.1	582	39.3	36.0-42.6	86	6.3	4.7- 7.9	30	1.8	1.0- 2.6	1	0.0	0.0- 0.0	47	2.9	1.7- 4.1
Female	1760	351,214	731	41.9	38.8-45.0	833	46.1	42.8-49.4	107	5.8	4.4- 7.2	38	3.2	1.4- 5.0	2	0.1	0.0- 0.3	49	2.8	1.8- 3.8
White/Non-Hisp	2227	445,825	1001	45.8	43.1-48.5	987	43.4	40.7-46.1	125	5.9	4.5- 7.3	42	2.0	0.8- 3.2	3	0.1	0.0- 0.3	69	2.8	1.8- 3.8
Black or Afr. Am./Non-Hisp	463	133,611	222	50.3	44.2-56.4	183	36.3	30.8-41.8	33	6.1	3.6- 8.6	13	4.9	1.6- 8.2				12	2.4	0.4- 4.4
Oth. Race/Non-Hisp.	104	29,975	36	37.6	24.1-51.1	58	55.1	42.0-68.2	5	3.0	0.1- 5.9	1	0.6	0.0- 1.8				4	3.7	0.0- 8.0
MultiRacial/Non-Hisp.	68	10,070	25	38.5	23.8-53.2	34	51.6	36.5-66.7	5	5.5	0.0-12.0	2	1.8	0.0- 4.3				2	2.6	0.0- 6.3
Hispanic	276	52,645	112	41.5	33.5-49.5	133	46.2	38.2-54.2	18	6.9	3.2-10.6	8	2.2	0.6- 3.8				5	3.3	0.2- 6.4
18-24	178	72,648	87	51.6	42.2-61.0	69	34.6	26.2-43.0	12	6.1	2.2-10.0	5	4.9	0.0-11.4				5	2.9	0.0- 5.8
25-34	334	113,186	146	43.7	37.0-50.4	150	44.5	37.8-51.2	19	5.3	2.4- 8.2	12	3.9	1.2- 6.6				7	2.6	0.2- 5.0
35-44	420	99,124	193	47.5	41.2-53.8	185	41.3	35.0-47.6	25	6.7	3.4-10.0	6	2.5	0.0- 5.8				11	2.0	0.6- 3.4
45-54	483	96,269	236	51.5	45.8-57.2	193	38.9	33.4-44.4	23	4.0	2.0- 6.0	14	2.4	0.8- 4.0				17	3.3	1.5- 5.1
55-64	656	118,014	282	43.4	38.5-48.3	290	43.8	38.9-48.7	49	7.7	5.0-10.4	10	1.0	0.2- 1.8	1	0.0	0.0- 0.0	24	4.1	1.9- 6.3
65+	1116	182,373	468	42.2	38.5-45.9	528	47.3	43.4-51.2	65	6.1	4.3- 7.9	21	1.8	1.0- 2.6	2	0.2	0.0- 0.6	32	2.4	1.4- 3.4
Less Than H.S.	195	64,776	91	47.1	37.5-56.7	83	41.6	32.2-51.0	14	8.7	3.4-14.0	2	0.4	0.0- 1.0				5	2.1	0.0- 4.3
H.S. or G.E.D.	787	205,981	398	48.8	44.1-53.5	303	38.6	34.1-43.1	31	3.9	2.3- 5.5	20	3.8	1.1- 6.5	2	0.2	0.0- 0.4	33	4.7	2.7- 6.7
Some Post-H.S.	840	195,296	396	47.1	42.6-51.6	349	42.1	37.8-46.4	52	6.2	4.2- 8.2	12	2.0	0.2- 3.8				31	2.7	1.5- 3.9
College Graduate	1347	212,025	524	41.6	38.3-44.9	668	47.6	44.3-50.9	94	6.9	5.1- 8.7	33	2.4	1.4- 3.4	1	0.0	0.0- 0.0	27	1.5	0.7- 2.3
Less than \$15,000	121	24,629	50	39.3	27.7-50.9	51	41.0	29.0-53.0	10	9.4	3.1-15.7	3	3.5	0.0- 8.8				7	6.8	1.1-12.5
\$15,000-24,999	260	53,106	120	48.9	40.1-57.7	105	40.2	31.8-48.6	16	5.0	1.9- 8.1	6	2.2	0.2- 4.2	1	0.4	0.0- 1.2	12	3.2	1.0- 5.4
\$25,000-34,999	338	69,744	169	47.1	40.0-54.2	127	37.6	30.7-44.5	20	5.8	2.7- 8.9	8	4.6	0.9- 8.3				14	4.9	1.2- 8.6
\$35,000-49,999	336	75,862	165	51.5	43.9-59.1	135	37.6	30.3-44.9	16	4.5	2.0- 7.0	6	3.8	0.0- 9.7	1	0.2	0.0- 0.6	13	2.4	0.8- 4.0
\$50,000-99,999	872	175,398	387	45.7	41.2-50.2	396	43.9	39.4-48.4	54	6.8	4.4- 9.2	16	1.6	0.6- 2.6	1	0.0	0.0- 0.0	18	1.9	0.9- 2.9
\$100,000-199,999	568	128,977	248	49.0	43.5-54.5	257	40.7	35.4-46.0	33	4.9	2.9- 6.9	16	3.4	0.7- 6.1				14	1.9	0.7- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 15: FRUITS AND VEGETABLES
 TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1427	330,401	681	49.8	46.5-53.1	582	39.3	36.0-42.6	86	6.3	4.7- 7.9	30	1.8	1.0- 2.6	1	0.0	0.0- 0.0	47	2.9	1.7- 4.1
White/Non-Hisp	1002	214,606	488	49.6	45.5-53.7	400	39.3	35.4-43.2	55	6.2	4.2- 8.2	22	1.6	0.8- 2.4	1	0.0	0.0- 0.0	36	3.2	1.8- 4.6
Black or Afr. Am./Non-Hisp	177	63,806	94	56.3	47.3-65.3	65	32.0	23.8-40.2	12	6.3	2.2-10.4	4	3.4	0.1- 6.7				2	1.9	0.0- 4.6
Oth. Race/Non-Hisp.	60	16,667	23	39.6	24.5-54.7	32	55.5	40.4-70.6	3	2.3	0.0- 5.2							2	2.6	0.0- 6.5
Hispanic	127	23,379	56	49.6	38.4-60.8	55	40.4	29.6-51.2	10	7.0	1.9-12.1	4	1.6	0.0- 3.2				2	1.4	0.0- 3.4
18-24	101	38,155	51	57.2	45.2-69.2	40	34.7	23.5-45.9	5	4.3	0.4- 8.2	2	0.9	0.0- 2.5				3	2.8	0.0- 6.7
25-34	162	58,860	70	44.5	35.5-53.5	69	40.2	31.4-49.0	12	7.5	2.6-12.4	9	5.4	1.5- 9.3				2	2.5	0.0- 6.2
35-44	189	49,299	95	53.8	45.0-62.6	73	34.9	26.7-43.1	12	7.5	2.2-12.8	3	1.1	0.0- 2.5				6	2.7	0.3- 5.1
45-54	194	43,827	104	55.4	46.8-64.0	62	32.4	24.2-40.6	13	5.1	1.8- 8.4	4	1.3	0.0- 2.7				11	5.8	2.3- 9.3
55-64	304	56,438	137	48.0	40.7-55.3	123	38.7	31.8-45.6	24	8.8	4.3-13.3	6	1.0	0.2- 1.8	1	0.1	0.0- 0.3	13	3.3	1.1- 5.5
65+	477	83,823	224	46.0	40.3-51.7	215	47.2	41.5-52.9	20	4.4	2.2- 6.6	6	0.9	0.1- 1.7				12	1.4	0.6- 2.2
Less Than H.S.	101	35,132	47	48.1	35.8-60.4	42	37.5	25.9-49.1	8	12.0	3.0-21.0	1	0.3	0.0- 0.9				3	2.2	0.0- 4.7
H.S. or G.E.D.	371	104,921	197	51.9	45.4-58.4	133	38.5	32.2-44.8	15	3.4	1.4- 5.4	9	1.8	0.2- 3.4				17	4.5	1.8- 7.2
Some Post-H.S.	352	87,731	187	56.1	49.6-62.6	122	32.9	26.8-39.0	23	6.7	3.4-10.0	4	1.6	0.0- 3.4				16	2.7	1.1- 4.3
College Graduate	591	100,144	247	43.3	38.2-48.4	278	46.1	41.0-51.2	39	6.5	4.1- 8.9	15	2.5	1.1- 3.9	1	0.1	0.0- 0.3	11	1.6	0.4- 2.8
\$15,000- 24,999	108	24,748	56	55.5	43.3-67.7	37	36.2	24.2-48.2	6	3.1	0.4- 5.8	3	2.0	0.0- 4.4				6	3.2	0.3- 6.1
\$25,000- 34,999	142	31,948	72	46.8	36.2-57.4	53	36.7	26.3-47.1	7	4.6	0.7- 8.5	3	4.6	0.0-10.1				7	7.3	0.2-14.4
\$35,000- 49,999	133	35,539	69	53.9	42.7-65.1	47	37.0	26.2-47.8	7	5.0	0.7- 9.3	1	0.3	0.0- 0.9				9	3.9	1.0- 6.8
\$50,000- 99,999	391	85,291	203	55.3	48.6-62.0	149	35.0	28.7-41.3	21	6.4	2.9- 9.9	10	2.3	0.5- 4.1	1	0.1	0.0- 0.3	7	1.0	0.2- 1.8
\$100,000 - 199,999	284	70,560	140	55.7	48.4-63.0	112	35.3	28.4-42.2	19	5.2	2.5- 7.9	7	1.9	0.3- 3.5				6	2.0	0.2- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 15: FRUITS AND VEGETABLES
 TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1760	351,214	731	41.9	38.8-45.0	833	46.1	42.8-49.4	107	5.8	4.4- 7.2	38	3.2	1.4- 5.0	2	0.1	0.0- 0.3	49	2.8	1.8- 3.8
White/Non-Hisp	1225	231,219	513	42.2	38.5-45.9	587	47.1	43.2-51.0	70	5.6	3.8- 7.4	20	2.4	0.2- 4.6	2	0.2	0.0- 0.4	33	2.5	1.3- 3.7
Black or Afr. Am./Non-Hisp	286	69,806	128	44.8	37.2-52.4	118	40.1	32.7-47.5	21	5.9	3.0- 8.8	9	6.3	0.8-11.8				10	2.9	0.2- 5.6
Hispanic	149	29,266	56	35.0	24.4-45.6	78	50.8	39.2-62.4	8	6.8	1.5-12.1	4	2.6	0.1- 5.1				3	4.8	0.0-10.3
18-24	77	34,494	36	45.3	31.4-59.2	29	34.4	21.7-47.1	7	8.0	1.1-14.9	3	9.3	0.0-22.2				2	3.0	0.0- 7.1
25-34	172	54,326	76	42.9	32.9-52.9	81	49.2	39.2-59.2	7	3.0	0.5- 5.5	3	2.3	0.0- 5.8				5	2.6	0.0- 5.3
35-44	231	49,825	98	41.3	32.7-49.9	112	47.5	38.5-56.5	13	5.9	2.2- 9.6	3	3.9	0.0-10.2				5	1.4	0.0- 3.0
45-54	289	52,442	132	48.2	40.6-55.8	131	44.2	36.6-51.8	10	3.1	1.1- 5.1	10	3.3	0.8- 5.8				6	1.1	0.1- 2.1
55-64	352	61,577	145	39.2	32.7-45.7	167	48.5	41.8-55.2	25	6.6	3.7- 9.5	4	1.0	0.0- 2.0				11	4.8	1.1- 8.5
65+	639	98,551	244	38.9	34.0-43.8	313	47.3	42.2-52.4	45	7.6	4.9-10.3	15	2.6	1.2- 4.0	2	0.4	0.0- 1.0	20	3.2	1.4- 5.0
Less Than H.S.	94	29,644	44	45.8	30.7-60.9	41	46.6	31.5-61.7	6	4.9	0.8- 9.0	1	0.6	0.0- 1.8				2	2.1	0.0- 5.8
H.S. or G.E.D.	416	101,061	201	45.7	39.2-52.2	170	38.8	32.5-45.1	16	4.4	1.7- 7.1	11	5.9	0.8-11.0	2	0.4	0.0- 1.0	16	4.9	2.0- 7.8
Some Post-H.S.	488	107,565	209	39.7	34.0-45.4	227	49.6	43.7-55.5	29	5.7	3.2- 8.2	8	2.4	0.0- 5.3				15	2.6	1.0- 4.2
College Graduate	756	111,880	277	40.0	35.5-44.5	390	49.0	44.5-53.5	55	7.3	4.9- 9.7	18	2.3	1.1- 3.5				16	1.3	0.5- 2.1
Less than \$15,000	84	17,085	36	42.3	27.6-57.0	36	39.9	25.2-54.6	7	10.0	2.2-17.8	2	4.5	0.0-11.9				3	3.3	0.0- 7.8
\$15,000- 24,999	152	28,358	64	43.2	30.7-55.7	68	43.7	31.7-55.7	10	6.6	1.3-11.9	3	2.4	0.0- 5.3	1	0.8	0.0- 2.4	6	3.3	0.0- 6.6
\$25,000- 34,999	196	37,796	97	47.3	37.9-56.7	74	38.3	29.3-47.3	13	6.9	2.0-11.8	5	4.6	0.0- 9.9				7	3.0	0.0- 6.1
\$35,000- 49,999	203	40,323	96	49.4	38.8-60.0	88	38.2	28.2-48.2	9	4.1	1.2- 7.0	5	6.8	0.0-17.6	1	0.4	0.0- 1.2	4	1.1	0.0- 2.5
\$50,000- 99,999	481	90,107	184	36.5	30.8-42.2	247	52.4	46.5-58.3	33	7.2	4.1-10.3	6	1.0	0.2- 1.8				11	2.8	0.8- 4.8
\$100,000 - 199,999	284	58,417	108	41.0	33.0-49.0	145	47.3	39.3-55.3	14	4.7	1.8- 7.6	9	5.2	0.0-10.7				8	1.7	0.1- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 7: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3174	680,610	2248	71.2	69.0-73.4	672	19.2	17.4-21.0	24	0.8	0.4- 1.2	11	0.6	0.0- 1.2	219	8.2	6.8- 9.6
Male	1420	328,238	1033	73.6	70.7-76.5	253	15.0	12.8-17.2	6	0.6	0.0- 1.2	5	0.3	0.1- 0.5	123	10.4	8.0-12.8
Female	1754	352,372	1215	69.0	65.9-72.1	419	23.1	20.4-25.8	18	0.9	0.3- 1.5	6	1.0	0.0- 2.2	96	6.1	4.5- 7.7
White/Non-Hisp	2212	444,574	1585	72.4	69.9-74.9	466	19.2	17.0-21.4	17	0.7	0.3- 1.1	8	0.4	0.0- 0.8	136	7.3	5.7- 8.9
Black or Afr. Am./Non-Hisp	461	133,430	330	73.0	67.9-78.1	95	17.4	13.3-21.5	3	0.8	0.0- 1.8				33	8.7	5.0-12.4
Oth. Race/Non-Hisp.	99	27,841	55	48.1	34.8-61.4	32	33.3	21.3-45.3	1	1.0	0.0- 3.0	2	7.7	0.0-21.2	9	10.0	2.6-17.4
MultiRacial/Non-Hisp.	69	10,106	44	64.2	49.5-78.9	20	29.4	14.9-43.9							5	6.5	0.4-12.6
Hispanic	278	54,138	194	70.0	62.6-77.4	49	15.9	10.4-21.4	3	1.1	0.0- 2.7	1	0.5	0.0- 1.5	31	12.5	6.6-18.4
18-24	177	73,171	128	72.1	63.3-80.9	22	13.9	6.6-21.2	1	0.2	0.0- 0.6				26	13.8	7.3-20.3
25-34	331	112,660	237	71.3	65.0-77.6	57	15.6	10.9-20.3	3	0.9	0.0- 2.1	4	2.4	0.0- 5.9	30	9.7	6.0-13.4
35-44	417	99,062	305	70.8	65.1-76.5	78	18.9	14.2-23.6	3	0.9	0.0- 2.1				31	9.4	5.3-13.5
45-54	485	97,157	351	74.3	69.4-79.2	112	21.5	17.0-26.0	3	0.9	0.0- 2.1	2	0.3	0.0- 0.9	17	3.0	1.4- 4.6
55-64	651	116,352	453	70.9	66.4-75.4	145	20.4	16.5-24.3	5	1.0	0.0- 2.0				48	7.7	4.8-10.6
65+	1113	182,208	774	69.6	66.1-73.1	258	21.8	18.9-24.7	9	0.6	0.2- 1.0	5	0.7	0.0- 1.5	67	7.4	5.2- 9.6
Less Than H.S.	197	65,297	141	72.2	63.2-81.2	23	8.0	4.1-11.9	2	0.9	0.0- 2.3	1	3.2	0.0- 9.3	30	15.7	8.6-22.8
H.S. or G.E.D.	790	206,732	567	70.4	66.1-74.7	132	17.2	13.5-20.9	5	0.7	0.1- 1.3	3	0.3	0.0- 0.7	83	11.5	8.6-14.4
Some Post-H.S.	834	195,175	594	72.7	68.8-76.6	176	19.8	16.5-23.1	5	0.9	0.1- 1.7	2	0.2	0.0- 0.4	57	6.4	4.2- 8.6
College Graduate	1334	209,833	934	70.4	67.3-73.5	335	24.2	21.3-27.1	12	0.7	0.1- 1.3	5	0.6	0.0- 1.2	48	4.2	2.6- 5.8
Less than \$15,000	129	26,768	84	59.4	47.4-71.4	24	13.9	7.4-20.4	1	1.5	0.0- 4.4	1	0.9	0.0- 2.7	19	24.3	12.3-36.3
\$15,000-24,999	260	53,055	180	66.2	57.4-75.0	40	15.0	9.3-20.7	2	0.8	0.0- 2.0	2	4.0	0.0-11.4	36	14.0	8.1-19.9
\$25,000-34,999	332	68,874	244	76.7	71.0-82.4	58	14.3	9.6-19.0	4	1.0	0.0- 2.2				26	8.0	4.7-11.3
\$35,000-49,999	333	75,014	241	72.0	64.6-79.4	66	20.5	13.2-27.8	5	1.1	0.0- 2.3				21	6.4	3.1- 9.7
\$50,000-99,999	867	175,112	627	72.2	68.3-76.1	192	20.9	17.4-24.4	2	0.2	0.0- 0.4	2	0.2	0.0- 0.6	44	6.5	4.1- 8.9
\$100,000-199,999	563	127,799	409	76.0	71.5-80.5	133	19.6	15.7-23.5	5	0.7	0.0- 1.5	1	0.1	0.0- 0.3	15	3.6	1.2- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 8: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1420	328,238	1033	73.6	70.7-76.5	253	15.0	12.8-17.2	6	0.6	0.0- 1.2	5	0.3	0.1- 0.5	123	10.4	8.0-12.8
White/Non-Hisp	990	212,143	727	74.7	71.4-78.0	180	15.0	12.5-17.5	2	0.1	0.0- 0.3	5	0.4	0.0- 0.8	76	9.8	7.3-12.3
Black or Afr. Am./Non-Hisp	177	63,852	128	74.4	66.6-82.2	31	12.7	7.6-17.8	2	1.6	0.0- 3.8				16	11.4	4.9-17.9
Oth. Race/Non-Hisp.	58	15,045	37	61.5	46.8-76.2	14	26.4	13.1-39.7	1	1.9	0.0- 5.6				6	10.1	1.1-19.1
Hispanic	129	24,499	93	70.6	59.2-82.0	17	12.7	5.1-20.3	1	1.6	0.0- 4.7				18	15.1	5.3-24.9
18-24	101	38,942	73	69.8	58.0-81.6	10	9.7	3.2-16.2							18	20.5	9.5-31.5
25-34	163	59,230	111	71.7	64.1-79.3	27	14.3	8.4-20.2	2	1.5	0.0- 3.7	2	0.6	0.0- 1.4	21	11.9	6.6-17.2
35-44	191	49,627	143	74.3	66.7-81.9	26	13.0	7.5-18.5	1	0.8	0.0- 2.4				21	12.0	5.9-18.1
45-54	193	43,231	154	83.5	77.8-89.2	26	10.8	6.3-15.3	1	1.0	0.0- 2.8	2	0.7	0.0- 1.9	10	4.0	1.1- 6.9
55-64	299	54,288	210	72.1	65.4-78.8	62	16.9	12.0-21.8	1	0.3	0.0- 0.9				26	10.7	5.4-16.0
65+	473	82,920	342	72.4	67.3-77.5	102	20.3	15.8-24.8	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	27	6.9	3.6-10.2
Less Than H.S.	102	35,235	76	73.7	62.1-85.3	7	5.5	0.6-10.4	1	1.1	0.0- 3.3				18	19.7	8.7-30.7
H.S. or G.E.D.	371	104,940	269	72.6	66.9-78.3	53	13.0	9.1-16.9	2	0.7	0.0- 1.7	2	0.4	0.0- 1.0	45	13.3	8.8-17.8
Some Post-H.S.	346	86,312	252	74.9	69.2-80.6	58	15.0	10.7-19.3	1	0.7	0.0- 2.1	1	0.1	0.0- 0.3	34	9.3	5.4-13.2
College Graduate	589	99,278	428	73.6	69.3-77.9	132	20.7	16.8-24.6	2	0.3	0.0- 0.7	2	0.4	0.0- 1.0	25	5.0	2.6- 7.4
\$15,000- 24,999	109	24,761	81	76.8	66.6-87.0	10	8.7	2.8-14.6	2	1.7	0.0- 4.2	1	0.3	0.0- 0.9	15	12.5	3.5-21.5
\$25,000- 34,999	140	31,920	108	79.0	71.0-87.0	14	8.4	2.7-14.1							18	12.7	6.2-19.2
\$35,000- 49,999	130	34,434	102	81.7	73.3-90.1	20	12.9	5.3-20.5							8	5.3	1.2- 9.4
\$50,000- 99,999	390	84,805	279	71.7	66.0-77.4	79	16.8	12.5-21.1							32	11.4	6.9-15.9
\$100,000 - 199,999	282	70,030	218	80.9	75.2-86.6	50	13.4	9.1-17.7	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	12	5.2	1.1- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 9: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1754	352,372	1215	69.0	65.9-72.1	419	23.1	20.4-25.8	18	0.9	0.3- 1.5	6	1.0	0.0- 2.2	96	6.1	4.5- 7.7
White/Non-Hisp	1222	232,431	858	70.3	66.8-73.8	286	23.0	19.7-26.3	15	1.2	0.4- 2.0	3	0.4	0.0- 1.0	60	5.1	3.5- 6.7
Black or Afr. Am./Non-Hisp	284	69,577	202	71.8	65.1-78.5	64	21.7	15.6-27.8	1	0.2	0.0- 0.6				17	6.3	2.6-10.0
Hispanic	149	29,639	101	69.6	59.8-79.4	32	18.5	10.7-26.3	2	0.7	0.0- 1.9	1	0.8	0.0- 2.4	13	10.3	3.4-17.2
18-24	76	34,229	55	74.7	61.2-88.2	12	18.7	5.4-32.0	1	0.5	0.0- 1.5				8	6.2	1.5-10.9
25-34	168	53,430	126	71.0	61.0-81.0	30	17.1	9.8-24.4	1	0.3	0.0- 0.9	2	4.3	0.0-11.6	9	7.3	2.0-12.6
35-44	226	49,435	162	67.3	58.9-75.7	52	24.8	17.2-32.4	2	1.1	0.0- 2.7				10	6.8	1.3-12.3
45-54	292	53,926	197	66.9	59.8-74.0	86	30.0	23.1-36.9	2	0.9	0.0- 2.3				7	2.2	0.2- 4.2
55-64	352	62,065	243	69.9	63.8-76.0	83	23.5	17.8-29.2	4	1.6	0.0- 3.4				22	5.0	2.5- 7.5
65+	640	99,288	432	67.3	62.6-72.0	156	23.1	19.0-27.2	8	0.9	0.1- 1.7	4	1.0	0.0- 2.4	40	7.8	4.9-10.7
Less Than H.S.	95	30,062	65	70.4	56.3-84.5	16	11.0	4.5-17.5	1	0.6	0.0- 1.8	1	6.9	0.0-19.6	12	11.1	3.1-19.1
H.S. or G.E.D.	419	101,792	298	68.0	61.5-74.5	79	21.5	15.4-27.6	3	0.7	0.0- 1.7	1	0.2	0.0- 0.6	38	9.7	6.0-13.4
Some Post-H.S.	488	108,862	342	71.0	65.7-76.3	118	23.7	18.8-28.6	4	1.0	0.0- 2.0	1	0.2	0.0- 0.6	23	4.1	1.9- 6.3
College Graduate	745	110,554	506	67.5	63.2-71.8	203	27.3	23.2-31.4	10	1.1	0.3- 1.9	3	0.7	0.0- 1.9	23	3.4	1.6- 5.2
Less than \$15,000	87	17,594	59	63.8	49.5-78.1	19	17.6	8.4-26.8							9	18.6	5.1-32.1
\$15,000- 24,999	151	28,294	99	56.9	44.2-69.6	30	20.4	11.2-29.6				1	7.3	0.0-20.6	21	15.4	7.6-23.2
\$25,000- 34,999	192	36,954	136	74.8	67.0-82.6	44	19.4	12.1-26.7	4	1.8	0.0- 4.0				8	4.0	0.9- 7.1
\$35,000- 49,999	203	40,580	139	63.8	52.6-75.0	46	26.9	15.7-38.1	5	2.0	0.0- 4.4				13	7.3	2.2-12.4
\$50,000- 99,999	477	90,307	348	72.7	67.4-78.0	113	24.7	19.4-30.0	2	0.4	0.0- 1.0	2	0.4	0.0- 1.0	12	1.8	0.6- 3.0
\$100,000 - 199,999	281	57,769	191	70.0	62.9-77.1	83	27.1	20.2-34.0	4	1.3	0.0- 2.7				3	1.6	0.0- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 10: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3148	674,214	2597	84.9	83.3-86.5	75	2.4	1.6- 3.2	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	473	12.6	11.2-14.0
Male	1406	325,091	1204	86.6	84.2-89.0	44	3.4	2.2- 4.6	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	156	9.8	7.8-11.8
Female	1742	349,123	1393	83.3	81.1-85.5	31	1.5	0.7- 2.3	1	0.0	0.0- 0.0				317	15.2	13.0-17.4
White/Non-Hisp	2195	440,763	1806	84.1	82.1-86.1	54	2.6	1.6- 3.6				1	0.1	0.0- 0.3	334	13.2	11.4-15.0
Black or Afr. Am./Non-Hisp	455	131,717	385	88.2	84.7-91.7	11	2.4	0.4- 4.4							59	9.4	6.5-12.3
Oth. Race/Non-Hisp.	98	27,270	76	82.2	72.4-92.0	2	1.3	0.0- 3.1	1	0.3	0.0- 0.9				19	16.2	6.6-25.8
MultiRacial/Non-Hisp.	69	10,106	60	87.6	77.2-98.0										9	12.4	2.0-22.8
Hispanic	275	53,693	227	83.7	77.6-89.8	6	1.6	0.2- 3.0	1	0.7	0.0- 2.1				41	14.0	8.1-19.9
18-24	179	73,664	157	89.3	84.0-94.6	10	5.1	1.6- 8.6							12	5.6	1.5- 9.7
25-34	330	112,278	298	89.8	85.7-93.9	8	2.7	0.3- 5.1	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	22	6.8	3.3-10.3
35-44	412	97,415	363	90.9	87.8-94.0	9	2.6	0.4- 4.8	1	0.1	0.0- 0.3				39	6.4	4.0- 8.8
45-54	480	96,139	409	85.7	81.8-89.6	12	2.3	0.9- 3.7							59	12.0	8.3-15.7
55-64	650	116,016	527	83.6	80.3-86.9	14	1.5	0.7- 2.3							109	14.9	11.6-18.2
65+	1097	178,702	843	77.0	73.7-80.3	22	1.7	0.9- 2.5							232	21.3	18.2-24.4
Less Than H.S.	191	64,089	148	79.8	72.4-87.2	8	3.5	0.4- 6.6	1	0.6	0.0- 1.8				34	16.1	9.2-23.0
H.S. or G.E.D.	781	204,495	647	85.1	82.0-88.2	29	3.8	2.0- 5.6							105	11.1	8.6-13.6
Some Post-H.S.	828	192,899	686	86.3	83.6-89.0	16	1.6	0.6- 2.6				1	0.2	0.0- 0.6	125	11.9	9.2-14.6
College Graduate	1329	209,158	1101	84.9	82.5-87.3	20	1.3	0.7- 1.9	1	0.0	0.0- 0.0				207	13.7	11.5-15.9
Less than \$15,000	127	26,584	93	74.8	64.0-85.6	4	1.9	0.0- 3.9	1	1.4	0.0- 4.1				29	21.9	11.3-32.5
\$15,000-24,999	254	52,054	188	80.2	74.3-86.1	11	3.9	0.8- 7.0							55	15.8	10.7-20.9
\$25,000-34,999	331	68,198	260	80.5	75.2-85.8	12	5.1	1.6- 8.6							59	14.4	9.9-18.9
\$35,000-49,999	331	74,833	282	89.5	85.2-93.8	6	1.3	0.1- 2.5							43	9.2	4.9-13.5
\$50,000-99,999	864	174,348	740	87.7	85.0-90.4	15	1.7	0.5- 2.9	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	107	10.3	7.9-12.7
\$100,000-199,999	555	126,045	493	90.6	87.7-93.5	9	2.0	0.2- 3.8							53	7.5	5.0-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 11: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1406	325,091	1204	86.6	84.2-89.0	44	3.4	2.2- 4.6	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	156	9.8	7.8-11.8
White/Non-Hisp	981	210,506	843	87.2	84.7-89.7	31	3.4	1.8- 5.0				1	0.2	0.0- 0.6	106	9.2	7.0-11.4
Black or Afr. Am./Non-Hisp	172	62,080	146	86.0	79.7-92.3	7	4.4	0.5- 8.3							19	9.6	4.5-14.7
Oth. Race/Non-Hisp.	58	15,045	48	86.2	76.0-96.4	2	2.4	0.0- 5.7							8	11.4	1.8-21.0
Hispanic	130	24,771	114	84.7	74.7-94.7	2	1.5	0.0- 3.9	1	1.5	0.0- 4.4				13	12.2	2.6-21.8
18-24	103	39,435	91	87.0	78.8-95.2	7	6.9	1.4-12.4							5	6.2	0.0-12.7
25-34	162	58,848	143	86.7	80.2-93.2	7	5.1	0.8- 9.4	1	0.6	0.0- 1.8	1	0.7	0.0- 2.1	10	6.8	2.1-11.5
35-44	189	48,959	173	93.6	89.7-97.5	4	2.5	0.0- 5.6							12	3.8	1.3- 6.3
45-54	190	42,670	159	83.6	77.5-89.7	4	2.0	0.0- 4.0							27	14.5	8.6-20.4
55-64	299	54,058	251	86.2	81.5-90.9	10	2.4	0.6- 4.2							38	11.4	6.9-15.9
65+	463	81,121	387	83.8	79.5-88.1	12	2.5	0.9- 4.1							64	13.7	9.6-17.8
Less Than H.S.	99	34,672	80	81.0	71.2-90.8	5	5.6	0.0-11.3	1	1.1	0.0- 3.3				13	12.3	3.9-20.7
H.S. or G.E.D.	366	103,899	312	86.1	81.8-90.4	17	4.8	2.1- 7.5							37	9.1	5.4-12.8
Some Post-H.S.	343	85,083	296	88.1	83.8-92.4	7	2.1	0.1- 4.1				1	0.5	0.0- 1.5	39	9.4	5.7-13.1
College Graduate	586	98,964	507	87.9	85.0-90.8	13	2.0	0.8- 3.2							66	10.1	7.4-12.8
\$15,000- 24,999	107	24,494	83	82.7	74.3-91.1	7	5.4	0.0-11.3							17	11.9	5.4-18.4
\$25,000- 34,999	140	31,736	113	81.9	73.9-89.9	4	5.4	0.0-10.9							23	12.8	6.3-19.3
\$35,000- 49,999	129	34,316	118	94.1	88.6-99.6	2	1.4	0.0- 3.4							9	4.5	0.0- 9.6
\$50,000- 99,999	386	84,031	338	88.2	84.3-92.1	12	3.2	0.8- 5.6				1	0.5	0.0- 1.5	35	8.1	4.8-11.4
\$100,000 - 199,999	278	69,130	253	91.9	87.8-96.0	6	2.4	0.0- 4.9							19	5.6	2.3- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 15: FRUITS AND VEGETABLES
 TABLE 12: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1742	349,123	1393	83.3	81.1-85.5	31	1.5	0.7- 2.3	1	0.0	0.0- 0.0	317	15.2	13.0-17.4
White/Non-Hisp	1214	230,257	963	81.3	78.6-84.0	23	1.9	0.9- 2.9				228	16.9	14.2-19.6
Black or Afr. Am./Non-Hisp	283	69,637	239	90.2	86.7-93.7	4	0.7	0.0- 1.5				40	9.1	5.8-12.4
Hispanic	145	28,922	113	82.8	75.2-90.4	4	1.6	0.0- 3.2				28	15.6	8.2-23.0
18-24	76	34,229	66	91.9	85.6-98.2	3	3.1	0.0- 7.4				7	5.0	0.3- 9.7
25-34	168	53,430	155	93.2	88.1-98.3	1	0.1	0.0- 0.3				12	6.7	1.6-11.8
35-44	223	48,456	190	88.1	83.2-93.0	5	2.7	0.0- 5.6	1	0.2	0.0- 0.6	27	8.9	5.0-12.8
45-54	290	53,469	250	87.5	82.6-92.4	8	2.5	0.5- 4.5				32	10.0	5.3-14.7
55-64	351	61,958	276	81.4	76.7-86.1	4	0.7	0.1- 1.3				71	17.9	13.2-22.6
65+	634	97,580	456	71.3	66.6-76.0	10	1.0	0.4- 1.6				168	27.7	23.0-32.4
Less Than H.S.	92	29,416	68	78.4	67.2-89.6	3	1.1	0.0- 2.5				21	20.5	9.5-31.5
H.S. or G.E.D.	415	100,596	335	84.1	79.8-88.4	12	2.8	0.6- 5.0				68	13.1	9.2-17.0
Some Post-H.S.	485	107,816	390	84.9	81.0-88.8	9	1.3	0.3- 2.3				86	13.9	10.2-17.6
College Graduate	743	110,194	594	82.3	79.0-85.6	7	0.7	0.1- 1.3	1	0.1	0.0- 0.3	141	17.0	13.7-20.3
Less than \$15,000	85	17,409	62	78.4	67.4-89.4	2	1.3	0.0- 3.1				21	20.3	9.5-31.1
\$15,000- 24,999	147	27,560	105	78.0	69.8-86.2	4	2.6	0.0- 5.3				38	19.3	11.7-26.9
\$25,000- 34,999	191	36,462	147	79.3	72.0-86.6	8	4.9	0.6- 9.2				36	15.7	9.6-21.8
\$35,000- 49,999	202	40,517	164	85.6	78.9-92.3	4	1.2	0.0- 2.4				34	13.2	6.7-19.7
\$50,000- 99,999	478	90,317	402	87.2	83.7-90.7	3	0.4	0.0- 1.0	1	0.1	0.0- 0.3	72	12.3	8.8-15.8
\$100,000 - 199,999	277	56,915	240	88.9	84.4-93.4	3	1.4	0.0- 3.6				34	9.8	5.9-13.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 13: POTATO SERVINGS PER DAY (POTADA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3104	665,092	2686	86.6	85.0-88.2	65	1.6	1.0- 2.2	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	351	11.8	10.2-13.4
Male	1383	319,972	1227	87.8	85.4-90.2	27	1.4	0.8- 2.0	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	127	10.8	8.4-13.2
Female	1721	345,120	1459	85.5	83.3-87.7	38	1.9	1.1- 2.7							224	12.7	10.7-14.7
White/Non-Hisp	2166	434,178	1911	88.8	87.0-90.6	43	1.5	0.9- 2.1				1	0.0	0.0- 0.0	211	9.6	8.0-11.2
Black or Afr. Am./Non-Hisp	450	130,559	382	85.3	81.0-89.6	7	0.8	0.2- 1.4							61	13.9	9.6-18.2
Oth. Race/Non-Hisp.	99	27,841	76	77.8	67.8-87.8	4	2.9	0.0- 6.0							19	19.3	9.9-28.7
MultiRacial/Non-Hisp.	64	8,938	52	79.3	66.4-92.2	2	5.2	0.0-12.6							10	15.4	3.8-27.0
Hispanic	273	53,377	217	75.4	68.0-82.8	9	3.4	0.5- 6.3							47	21.2	13.9-28.5
18-24	175	71,938	149	83.9	76.6-91.2	2	1.4	0.0- 3.4							24	14.7	7.6-21.8
25-34	326	111,459	271	85.1	80.8-89.4	5	1.0	0.0- 2.0							50	13.9	9.6-18.2
35-44	406	96,957	353	85.1	80.4-89.8	5	1.5	0.0- 3.1							48	13.4	8.9-17.9
45-54	471	94,050	404	86.7	83.0-90.4	6	1.1	0.0- 2.3							61	12.3	8.8-15.8
55-64	640	112,712	545	85.4	81.9-88.9	17	1.9	0.9- 2.9				1	0.1	0.0- 0.3	77	12.6	9.3-15.9
65+	1086	177,976	964	90.1	87.9-92.3	30	2.3	1.3- 3.3	1	0.0	0.0- 0.0				91	7.6	5.4- 9.8
Less Than H.S.	192	64,300	157	82.4	75.5-89.3	6	1.6	0.2- 3.0							29	16.0	9.1-22.9
H.S. or G.E.D.	762	199,727	644	86.1	83.2-89.0	19	2.1	0.9- 3.3				1	0.0	0.0- 0.0	98	11.8	9.1-14.5
Some Post-H.S.	819	191,584	719	88.5	85.6-91.4	16	1.4	0.4- 2.4	1	0.0	0.0- 0.0				83	10.1	7.2-13.0
College Graduate	1312	205,909	1148	86.6	84.2-89.0	24	1.4	0.6- 2.2							140	12.0	9.6-14.4
Less than \$15,000	122	25,851	88	68.2	56.2-80.2	7	4.3	0.8- 7.8							27	27.6	15.8-39.4
\$15,000-24,999	251	52,073	204	83.8	78.5-89.1	9	4.0	0.9- 7.1	1	0.1	0.0- 0.3				37	12.1	7.6-16.6
\$25,000-34,999	333	68,420	284	85.8	81.3-90.3	5	1.2	0.0- 2.4							44	13.0	8.5-17.5
\$35,000-49,999	328	73,929	287	89.7	85.8-93.6	11	1.8	0.4- 3.2							30	8.5	4.8-12.2
\$50,000-99,999	854	172,977	764	89.3	86.2-92.4	13	0.8	0.2- 1.4							77	9.9	6.8-13.0
\$100,000-199,999	551	124,300	478	87.1	83.6-90.6	8	1.2	0.0- 2.4				1	0.1	0.0- 0.3	64	11.6	8.3-14.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 15: FRUITS AND VEGETABLES
 TABLE 14: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1383	319,972	1227	87.8	85.4-90.2	27	1.4	0.8- 2.0	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	127	10.8	8.4-13.2
White/Non-Hisp	966	206,609	869	89.8	87.3-92.3	20	1.4	0.6- 2.2				1	0.0	0.0- 0.0	76	8.7	6.2-11.2
Black or Afr. Am./Non-Hisp	173	62,423	152	85.0	77.7-92.3	1	0.3	0.0- 0.9							20	14.7	7.4-22.0
Oth. Race/Non-Hisp.	58	15,045	47	84.6	75.0-94.2	3	4.8	0.0-10.5							8	10.6	2.8-18.4
Hispanic	128	24,584	106	77.0	65.8-88.2	3	2.2	0.0- 4.9							19	20.8	9.8-31.8
18-24	100	38,443	85	80.5	69.3-91.7	1	1.1	0.0- 3.3							14	18.3	7.1-29.5
25-34	161	58,749	139	87.9	82.4-93.4	2	0.8	0.0- 2.0							20	11.3	6.0-16.6
35-44	182	47,793	163	88.8	82.7-94.9	2	0.8	0.0- 2.0							17	10.4	4.5-16.3
45-54	186	41,584	162	87.6	82.1-93.1	1	0.2	0.0- 0.6							23	12.2	6.7-17.7
55-64	296	52,750	262	86.8	81.3-92.3	9	2.2	0.6- 3.8				1	0.1	0.0- 0.3	24	10.8	5.5-16.1
65+	458	80,653	416	91.3	87.8-94.8	12	2.3	0.7- 3.9	1	0.0	0.0- 0.0				29	6.3	3.0- 9.6
Less Than H.S.	100	34,948	83	80.9	70.7-91.1	1	0.6	0.0- 1.8							16	18.5	8.3-28.7
H.S. or G.E.D.	358	101,216	308	86.8	82.5-91.1	11	2.1	0.7- 3.5				1	0.1	0.0- 0.3	38	11.0	6.9-15.1
Some Post-H.S.	339	84,503	304	88.3	83.0-93.6	6	1.2	0.0- 2.4	1	0.0	0.0- 0.0				28	10.4	5.3-15.5
College Graduate	574	96,833	521	91.0	88.3-93.7	9	1.1	0.1- 2.1							44	7.9	5.2-10.6
\$15,000- 24,999	104	24,196	84	84.9	77.8-92.0	3	2.3	0.0- 4.8	1	0.2	0.0- 0.6				16	12.6	5.9-19.3
\$25,000- 34,999	142	32,136	127	89.4	83.7-95.1	2	1.5	0.0- 3.7							13	9.1	3.8-14.4
\$35,000- 49,999	128	34,092	115	92.6	87.5-97.7	4	1.7	0.0- 3.9							9	5.7	1.0-10.4
\$50,000- 99,999	380	83,205	347	88.5	83.0-94.0	8	1.3	0.1- 2.5							25	10.2	4.7-15.7
\$100,000 - 199,999	271	66,748	245	90.9	86.8-95.0	3	0.6	0.0- 1.4				1	0.1	0.0- 0.3	22	8.4	4.3-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
 SECTION 15: FRUITS AND VEGETABLES
 TABLE 15: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1721	345,120	1459	85.5	83.3-87.7	38	1.9	1.1- 2.7	224	12.7	10.7-14.7
White/Non-Hisp	1200	227,569	1042	87.8	85.4-90.2	23	1.7	0.7- 2.7	135	10.5	8.3-12.7
Black or Afr. Am./Non-Hisp	277	68,136	230	85.6	80.9-90.3	6	1.2	0.2- 2.2	41	13.2	8.5-17.9
Hispanic	145	28,793	111	74.0	63.8-84.2	6	4.5	0.0- 9.2	28	21.6	12.0-31.2
18-24	75	33,496	64	87.7	79.7-95.7	1	1.8	0.0- 5.3	10	10.6	3.3-17.9
25-34	165	52,710	132	82.1	75.2-89.0	3	1.1	0.0- 2.5	30	16.8	9.9-23.7
35-44	224	49,164	190	81.6	74.7-88.5	3	2.1	0.0- 4.8	31	16.3	9.8-22.8
45-54	285	52,466	242	85.9	81.0-90.8	5	1.8	0.0- 4.0	38	12.3	7.8-16.8
55-64	344	59,962	283	84.1	79.6-88.6	8	1.7	0.3- 3.1	53	14.2	9.7-18.7
65+	628	97,323	548	89.1	86.2-92.0	18	2.3	0.9- 3.7	62	8.6	6.1-11.1
Less Than H.S.	92	29,352	74	84.1	75.1-93.1	5	2.8	0.3- 5.3	13	13.1	4.5-21.7
H.S. or G.E.D.	404	98,511	336	85.3	81.0-89.6	8	2.1	0.1- 4.1	60	12.6	8.7-16.5
Some Post-H.S.	480	107,081	415	88.6	85.3-91.9	10	1.6	0.4- 2.8	55	9.8	6.7-12.9
College Graduate	738	109,076	627	82.8	79.1-86.5	15	1.7	0.7- 2.7	96	15.5	12.0-19.0
Less than \$15,000	81	16,843	58	71.6	58.3-84.9	5	4.8	0.0- 9.7	18	23.6	10.7-36.5
\$15,000- 24,999	147	27,876	120	82.9	75.1-90.7	6	5.5	0.2-10.8	21	11.6	5.5-17.7
\$25,000- 34,999	191	36,283	157	82.6	75.7-89.5	3	1.0	0.0- 2.4	31	16.4	9.5-23.3
\$35,000- 49,999	200	39,838	172	87.3	81.4-93.2	7	2.0	0.4- 3.6	21	10.8	5.3-16.3
\$50,000- 99,999	474	89,772	417	90.0	86.9-93.1	5	0.4	0.0- 0.8	52	9.6	6.5-12.7
\$100,000 - 199,999	280	57,552	233	82.7	76.8-88.6	5	1.9	0.0- 4.3	42	15.4	9.7-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 16: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3110	666,446	1426	48.6	46.2-51.0	1518	45.9	43.5-48.3	79	2.5	1.7- 3.3	22	0.6	0.2- 1.0	2	0.1	0.0- 0.3	63	2.3	1.5- 3.1
Male	1392	322,208	751	56.6	53.3-59.9	574	37.7	34.4-41.0	23	2.2	1.0- 3.4	9	0.5	0.1- 0.9	1	0.1	0.0- 0.3	34	2.9	1.5- 4.3
Female	1718	344,238	675	41.1	37.8-44.4	944	53.6	50.3-56.9	56	2.9	2.1- 3.7	13	0.6	0.2- 1.0	1	0.2	0.0- 0.6	29	1.6	0.8- 2.4
White/Non-Hisp	2170	435,746	928	43.8	41.1-46.5	1129	50.6	47.9-53.3	56	2.8	1.8- 3.8	17	0.7	0.3- 1.1	1	0.1	0.0- 0.3	39	1.9	1.1- 2.7
Black or Afr. Am./Non-Hisp	451	130,591	237	60.2	54.5-65.9	194	35.8	30.3-41.3	11	2.2	0.6- 3.8	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	7	1.4	0.2- 2.6
Oth. Race/Non-Hisp.	99	27,841	36	39.2	25.3-53.1	58	57.1	43.4-70.8	2	1.6	0.0- 4.0							3	2.1	0.0- 4.6
MultiRacial/Non-Hisp.	64	9,543	28	44.9	29.6-60.2	31	51.6	36.1-67.1	4	2.7	0.0- 5.4	1	0.8	0.0- 2.4						
Hispanic	271	52,249	174	66.2	58.4-74.0	75	23.0	16.5-29.5	5	1.7	0.1- 3.3	3	1.2	0.0- 2.6				14	7.9	2.4-13.4
18-24	171	70,592	115	64.1	54.5-73.7	43	28.0	18.8-37.2	3	1.6	0.0- 3.4	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	8	5.7	0.6-10.8
25-34	323	110,738	168	52.5	45.6-59.4	123	38.9	32.2-45.6	16	5.3	2.2- 8.4	5	0.8	0.0- 1.6				11	2.5	0.9- 4.1
35-44	407	97,031	193	49.8	43.3-56.3	200	46.5	40.2-52.8	10	2.5	0.7- 4.3				1	0.6	0.0- 1.8	3	0.7	0.0- 1.5
45-54	470	94,105	202	46.7	40.8-52.6	240	48.1	42.2-54.0	15	2.6	1.0- 4.2	3	0.5	0.0- 1.1				10	2.1	0.5- 3.7
55-64	647	115,417	269	42.8	37.9-47.7	340	51.1	46.2-56.0	17	2.4	1.0- 3.8	7	0.8	0.0- 1.6				14	2.9	1.1- 4.7
65+	1092	178,564	479	44.1	40.2-48.0	572	52.5	48.6-56.4	18	1.3	0.7- 1.9	6	0.8	0.0- 1.6				17	1.3	0.5- 2.1
Less Than H.S.	188	62,778	125	68.0	59.0-77.0	48	25.6	17.2-34.0	3	1.4	0.0- 3.2	1	0.3	0.0- 0.9				11	4.7	0.6- 8.8
H.S. or G.E.D.	773	202,943	397	51.5	46.8-56.2	330	42.3	37.6-47.0	19	2.9	1.1- 4.7	6	0.6	0.0- 1.2				21	2.8	1.4- 4.2
Some Post-H.S.	819	191,474	394	47.4	42.9-51.9	388	48.3	43.8-52.8	19	2.1	0.9- 3.3	4	0.3	0.1- 0.5	1	0.3	0.0- 0.9	13	1.7	0.3- 3.1
College Graduate	1312	205,714	506	41.6	38.1-45.1	740	53.2	49.9-56.5	38	3.0	1.8- 4.2	11	1.0	0.2- 1.8	1	0.1	0.0- 0.3	16	1.1	0.5- 1.7
Less than \$15,000	125	26,362	64	48.6	36.4-60.8	50	40.9	28.9-52.9	2	1.2	0.0- 3.0	1	0.3	0.0- 0.9				8	9.0	0.0-18.0
\$15,000-24,999	253	52,124	148	60.0	51.6-68.4	91	35.3	27.3-43.3	4	1.7	0.0- 3.7	1	0.5	0.0- 1.5				9	2.6	0.6- 4.6
\$25,000-34,999	329	67,419	171	54.0	46.9-61.1	136	39.1	32.0-46.2	7	2.3	0.3- 4.3	3	0.7	0.0- 1.5				12	3.8	1.4- 6.2
\$35,000-49,999	328	74,389	163	53.2	45.4-61.0	149	42.6	35.0-50.2	6	1.6	0.0- 3.4	3	0.3	0.0- 0.7	1	0.8	0.0- 2.4	6	1.5	0.1- 2.9
\$50,000-99,999	852	172,855	373	45.4	40.9-49.9	436	49.4	44.9-53.9	30	3.8	1.8- 5.8	5	0.5	0.1- 0.9				8	0.9	0.1- 1.7
\$100,000-199,999	554	125,890	224	46.2	40.7-51.7	307	49.1	43.6-54.6	11	1.7	0.5- 2.9	4	0.6	0.0- 1.2				8	2.3	0.0- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 17: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1392	322,208	751	56.6	53.3-59.9	574	37.7	34.4-41.0	23	2.2	1.0- 3.4	9	0.5	0.1- 0.9	1	0.1	0.0- 0.3	34	2.9	1.5- 4.3
White/Non-Hisp	969	207,817	495	52.8	48.7-56.9	430	41.6	37.7-45.5	17	2.6	1.0- 4.2	6	0.5	0.1- 0.9				21	2.6	1.0- 4.2
Black or Afr. Am./Non-Hisp	175	62,947	105	67.2	59.0-75.4	60	27.9	20.1-35.7	3	1.5	0.0- 3.5	1	0.4	0.0- 1.2	1	0.4	0.0- 1.2	5	2.5	0.1- 4.9
Oth. Race/Non-Hisp.	58	15,045	27	46.5	31.2-61.8	28	48.5	33.2-63.8	1	1.9	0.0- 5.6							2	3.1	0.0- 7.6
Hispanic	128	24,206	94	73.1	62.1-84.1	25	16.0	8.7-23.3	1	0.8	0.0- 2.4	2	1.9	0.0- 4.6				6	8.1	0.0-17.7
18-24	99	38,493	66	67.7	56.1-79.3	24	20.3	11.1-29.5	3	3.0	0.0- 6.3				1	0.7	0.0- 2.1	5	8.3	0.0-16.9
25-34	159	58,140	90	60.0	51.2-68.8	51	29.4	21.4-37.4	7	6.3	1.0-11.6	4	1.3	0.0- 2.7				7	2.9	0.5- 5.3
35-44	185	48,146	101	56.6	47.8-65.4	79	40.9	32.1-49.7	3	1.9	0.0- 4.4							2	0.6	0.0- 1.6
45-54	186	41,596	103	58.4	49.8-67.0	77	37.9	29.5-46.3	1	0.3	0.0- 0.9	1	0.4	0.0- 1.2				4	3.0	0.0- 6.1
55-64	299	54,387	145	49.0	41.7-56.3	136	44.8	37.5-52.1	6	1.5	0.1- 2.9	3	1.0	0.0- 2.2				9	3.7	1.0- 6.4
65+	464	81,446	246	53.0	47.1-58.9	207	45.0	39.1-50.9	3	0.4	0.0- 1.0	1	0.3	0.0- 0.9				7	1.3	0.3- 2.3
Less Than H.S.	99	34,761	72	70.3	58.3-82.3	19	21.9	11.1-32.7	1	0.6	0.0- 1.8							7	7.3	0.0-14.6
H.S. or G.E.D.	362	103,092	209	59.1	52.6-65.6	130	33.8	27.7-39.9	9	3.8	0.7- 6.9	4	1.0	0.0- 2.0				10	2.4	0.6- 4.2
Some Post-H.S.	341	85,000	195	58.8	52.1-65.5	136	36.9	30.6-43.2	4	1.9	0.0- 3.9							6	2.3	0.0- 5.2
College Graduate	578	96,883	271	48.1	43.0-53.2	283	47.9	42.8-53.0	9	1.3	0.1- 2.5	5	0.7	0.1- 1.3	1	0.3	0.0- 0.9	9	1.6	0.4- 2.8
\$15,000- 24,999	105	24,208	72	66.3	54.3-78.3	27	28.8	17.0-40.6	1	1.2	0.0- 3.6	1	1.0	0.0- 3.0				4	2.7	0.0- 5.4
\$25,000- 34,999	139	31,676	88	69.3	60.1-78.5	41	23.4	15.0-31.8	1	1.2	0.0- 3.6	1	0.7	0.0- 2.1				8	5.3	1.0- 9.6
\$35,000- 49,999	130	34,446	77	65.5	55.5-75.5	47	30.9	21.3-40.5	3	1.5	0.0- 4.0							3	2.1	0.0- 4.5
\$50,000- 99,999	383	83,519	201	53.6	46.7-60.5	169	41.3	34.6-48.0	8	3.6	0.1- 7.1	1	0.4	0.0- 1.2				4	1.1	0.0- 2.3
\$100,000 - 199,999	275	68,419	135	54.7	47.3-62.1	129	40.4	33.1-47.7	2	0.9	0.0- 2.3	3	0.7	0.0- 1.5				6	3.3	0.0- 7.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 18: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1718	344,238	675	41.1	37.8-44.4	944	53.6	50.3-56.9	56	2.9	2.1- 3.7	13	0.6	0.2- 1.0	1	0.2	0.0- 0.6	29	1.6	0.8- 2.4
White/Non-Hisp	1201	227,929	433	35.7	32.2-39.2	699	58.9	55.2-62.6	39	3.0	2.0- 4.0	11	0.8	0.2- 1.4	1	0.2	0.0- 0.6	18	1.3	0.5- 2.1
Black or Afr. Am./Non-Hisp	276	67,644	132	53.6	46.0-61.2	134	43.2	35.6-50.8	8	2.8	0.6- 5.0							2	0.4	0.0- 1.0
Hispanic	143	28,043	80	60.3	49.1-71.5	50	29.0	19.0-39.0	4	2.4	0.0- 4.9	1	0.6	0.0- 1.8				8	7.7	1.6-13.8
18-24	72	32,099	49	59.8	44.3-75.3	19	37.1	21.4-52.8				1	0.5	0.0- 1.5				3	2.6	0.0- 6.5
25-34	164	52,597	78	44.2	34.0-54.4	72	49.3	39.1-59.5	9	4.1	1.2- 7.0	1	0.3	0.0- 0.9				4	2.1	0.0- 4.3
35-44	222	48,885	92	43.1	33.9-52.3	121	52.0	42.8-61.2	7	3.0	0.6- 5.4				1	1.2	0.0- 3.4	1	0.7	0.0- 2.1
45-54	284	52,509	99	37.4	29.8-45.0	163	56.3	48.7-63.9	14	4.4	1.7- 7.1	2	0.5	0.0- 1.3				6	1.4	0.2- 2.6
55-64	348	61,030	124	37.3	30.8-43.8	204	56.8	50.1-63.5	11	3.2	1.0- 5.4	4	0.6	0.0- 1.4				5	2.1	0.0- 4.6
65+	628	97,117	233	36.7	31.8-41.6	365	58.8	53.7-63.9	15	2.0	0.8- 3.2	5	1.2	0.0- 2.6				10	1.3	0.3- 2.3
Less Than H.S.	89	28,017	53	65.2	51.3-79.1	29	30.3	17.0-43.6	2	2.5	0.0- 6.0	1	0.6	0.0- 1.8				4	1.4	0.0- 3.0
H.S. or G.E.D.	411	99,851	188	43.6	37.1-50.1	200	51.1	44.4-57.8	10	1.9	0.5- 3.3	2	0.2	0.0- 0.4				11	3.2	0.8- 5.6
Some Post-H.S.	478	106,474	199	38.3	32.4-44.2	252	57.4	51.5-63.3	15	2.2	1.0- 3.4	4	0.5	0.0- 1.1	1	0.5	0.0- 1.5	7	1.1	0.1- 2.1
College Graduate	734	108,831	235	35.8	31.3-40.3	457	57.9	53.2-62.6	29	4.5	2.7- 6.3	6	1.2	0.0- 2.6				7	0.7	0.1- 1.3
Less than \$15,000	83	17,187	36	45.1	30.2-60.0	42	51.8	36.9-66.7	1	0.6	0.0- 1.8	1	0.5	0.0- 1.5				3	2.0	0.0- 4.4
\$15,000- 24,999	148	27,916	76	54.6	42.6-66.6	64	40.8	29.2-52.4	3	2.2	0.0- 5.5							5	2.4	0.0- 5.3
\$25,000- 34,999	190	35,744	83	40.5	31.3-49.7	95	53.1	43.7-62.5	6	3.3	0.4- 6.2	2	0.6	0.0- 1.6				4	2.4	0.0- 4.9
\$35,000- 49,999	198	39,943	86	42.7	32.3-53.1	102	52.7	42.1-63.3	3	1.7	0.0- 4.1	3	0.5	0.0- 1.1	1	1.4	0.0- 4.1	3	1.0	0.0- 2.2
\$50,000- 99,999	469	89,336	172	37.7	32.0-43.4	267	57.0	51.1-62.9	22	4.0	2.2- 5.8	4	0.6	0.0- 1.2				4	0.7	0.0- 1.7
\$100,000 - 199,999	279	57,471	89	36.2	28.2-44.2	178	59.6	51.6-67.6	9	2.7	0.5- 4.9	1	0.3	0.0- 0.9				2	1.2	0.0- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2021**

End of Calculated Variable Data Report