

DELAWARE

2022 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 31, 2023



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022**

MODULE 01: PRE-DIABETES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE		PAGE
	WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 01: PRE-DIABETES**

TABLE 1: WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past yr (LT 12 months ago)			Within past 2 yrs (1 yr but LT 2 yrs)			Within past 3 yrs (2 yrs but LT 3 yrs)			Within past 5 yrs (3 yrs but LT 5 yrs)			Within past 10 yrs (5 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3069	622,671	2171	65.5	63.1-67.9	292	10.2	08.8-11.6	127	4.7	03.5-05.9	104	4.4	03.2-05.6	56	2.5	01.7-03.3	319	12.8	11.0-14.6
Male	1309	291,654	887	62.5	58.8-66.2	129	10.5	08.1-12.9	60	5.9	03.9-07.9	47	4.9	02.9-06.9	29	2.7	01.5-03.9	157	13.6	11.1-16.1
Female	1760	331,017	1284	68.1	65.0-71.2	163	10.0	08.2-11.8	67	3.6	02.4-04.8	57	3.9	02.7-05.1	27	2.4	01.2-03.6	162	12.0	09.5-14.5
White/Non-Hisp	2106	367,543	1546	68.6	65.9-71.3	189	9.2	07.6-10.8	77	4.2	03.0-05.4	58	3.8	02.6-05.0	38	2.9	01.7-04.1	198	11.3	09.3-13.3
Black or Afr. Am./Non-Hisp	439	124,115	304	63.4	57.1-69.7	59	14.6	10.3-18.9	11	3.0	00.5-05.5	12	4.7	01.2-08.2	6	1.4	00.0-03.0	47	12.9	08.6-17.2
Oth. Race/Non-Hisp.	89	27,877	57	64.9	52.4-77.4	6	5.7	00.8-10.6	7	9.2	00.6-17.8	6	8.1	00.1-16.1	2	1.6	00.0-04.0	11	10.5	03.8-17.2
MultiRacial/Non-Hisp.	66	26,620	40	48.5	32.0-65.0	10	17.3	05.9-28.7	1	2.9	00.0-08.4	2	1.4	00.0-03.4	2	1.5	00.0-04.2	11	28.4	11.2-45.6
Hispanic	291	62,418	162	54.8	47.0-62.6	25	8.0	04.3-11.7	27	9.5	05.2-13.8	24	7.5	04.0-11.0	8	3.8	00.7-06.9	45	16.4	10.1-22.7
18-24	182	65,227	71	38.7	30.1-47.3	24	12.3	07.0-17.6	16	6.7	02.8-10.6	15	7.5	03.2-11.8	6	5.4	00.9-09.9	50	29.4	20.8-38.0
25-34	321	108,104	162	49.7	42.4-57.0	47	13.2	08.7-17.7	25	7.9	04.0-11.8	23	9.1	04.4-13.8	15	5.3	02.2-08.4	49	14.9	09.8-20.0
35-44	399	98,667	230	56.1	49.6-62.6	41	10.4	06.7-14.1	26	6.1	03.4-08.8	30	7.0	04.1-09.9	9	2.5	00.3-04.7	63	17.9	12.4-23.4
45-54	471	90,390	316	67.2	61.7-72.7	68	14.0	10.1-17.9	20	4.3	01.8-06.8	14	2.6	00.8-04.4	11	2.1	00.5-03.7	42	9.9	06.4-13.4
55-64	570	105,936	426	76.5	72.0-81.0	57	9.8	06.5-13.1	26	4.2	02.0-06.4	11	1.8	00.4-03.2	8	1.0	00.0-02.0	42	6.6	04.2-09.0
65+	1126	154,346	966	85.2	82.3-88.1	55	5.2	03.4-07.0	14	1.3	00.3-02.3	11	0.9	00.3-01.5	7	0.6	00.0-01.2	73	6.9	04.7-09.1
Less Than H.S.	173	59,230	101	58.0	48.2-67.8	9	5.6	00.7-10.5	15	8.0	03.1-12.9	10	6.0	01.1-10.9	6	4.2	00.5-07.9	32	18.2	10.2-26.2
H.S. or G.E.D.	797	188,595	547	63.0	58.5-67.5	89	11.3	08.6-14.0	34	4.8	02.8-06.8	27	5.2	02.7-07.7	15	1.9	00.5-03.3	85	13.8	10.5-17.1
Some Post-H.S.	787	176,911	558	66.5	61.8-71.2	79	10.8	07.9-13.7	31	4.7	02.3-07.1	31	4.3	02.3-06.3	16	3.1	01.3-04.9	72	10.6	07.5-13.7
College Graduate	1301	195,121	958	69.5	66.0-73.0	114	10.1	07.9-12.3	47	3.7	02.5-04.9	35	3.1	01.7-04.5	18	1.5	00.7-02.3	129	12.2	09.5-14.9
Less than \$15,000	115	19,706	73	60.7	49.5-71.9	10	9.6	02.7-16.5	8	5.2	01.1-09.3	3	2.7	00.0-05.8	3	2.7	00.0-06.0	18	19.1	09.9-28.3
\$15,000- 24,999	216	40,206	149	66.2	57.4-75.0	16	6.2	02.5-09.9	10	5.5	00.8-10.2	10	6.3	01.6-11.0	3	2.4	00.0-05.9	28	13.3	07.0-19.6
\$25,000- 34,999	299	60,710	204	59.2	50.6-67.8	26	9.1	04.6-13.6	16	5.5	02.2-08.8	9	4.3	00.0-09.0	10	3.1	00.7-05.5	34	18.7	10.5-26.9
\$35,000- 49,999	329	65,684	234	68.3	61.0-75.6	31	9.3	05.4-13.2	9	5.2	00.7-09.7	13	4.2	01.3-07.1	2	0.2	00.0-00.6	40	12.8	07.9-17.7
\$50,000- 99,999	830	167,554	584	65.0	60.3-69.7	81	10.8	07.9-13.7	28	2.9	01.5-04.3	35	5.5	03.0-08.0	14	2.7	00.9-04.5	88	13.3	09.8-16.8
\$100,000- 199,999	518	106,082	367	65.6	60.1-71.1	57	12.8	09.1-16.5	21	6.0	02.9-09.1	13	3.2	01.2-05.2	14	3.8	01.4-06.2	46	8.6	05.7-11.5
\$200,000+	132	31,038	100	73.3	63.5-83.1	10	7.6	01.5-13.7	7	4.5	00.8-08.2	1	1.6	00.0-04.7	3	4.9	00.0-11.8	11	8.2	03.1-13.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 01: PRE-DIABETES**

TABLE 2: WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past yr (LT 12 months ago)			Within past 2 yrs (1 yr but LT 2 yrs)			Within past 3 yrs (2 yrs but LT 3 yrs)			Within past 5 yrs (3 yrs but LT 5 yrs)			Within past 10 yrs (5 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1309	291,654	887	62.5	59.0-66.0	129	10.5	08.1-12.9	60	5.9	03.9-07.9	47	4.9	02.9-06.9	29	2.7	01.5-03.9	157	13.6	11.1-16.1
White/Non-Hisp	904	172,817	637	66.9	62.8-71.0	87	8.5	06.1-10.9	36	5.2	03.0-07.4	25	3.9	01.9-05.9	21	3.0	01.2-04.8	98	12.5	09.6-15.4
Black or Afr. Am./Non-Hisp	171	58,793	116	55.8	45.8-65.8	24	16.8	09.4-24.2	6	5.3	00.0-10.6	3	5.4	00.0-11.7	2	1.6	00.0-04.5	20	15.0	07.7-22.3
Oth. Race/Non-Hisp.	50	16,606	31	61.3	45.0-77.6	2	3.6	00.0-08.7	6	14.5	00.8-28.2	4	7.9	00.0-17.3				7	12.6	03.2-22.0
Hispanic	119	22,644	53	40.8	29.8-51.8	10	9.2	02.3-16.1	11	8.3	02.6-14.0	13	12.0	04.6-19.4	5	5.6	00.3-10.9	27	24.1	14.7-33.5
18-24	105	33,556	32	32.5	21.7-43.3	15	13.6	06.3-20.9	11	6.8	02.1-11.5	10	9.6	03.1-16.1	3	4.1	00.0-08.8	34	33.3	22.3-44.3
25-34	139	53,317	60	40.2	29.8-50.6	26	18.5	10.5-26.5	8	9.1	02.0-16.2	11	11.2	03.2-19.2	8	5.2	00.7-09.7	26	15.7	08.8-22.6
35-44	191	49,431	105	55.8	47.0-64.6	18	8.4	03.7-13.1	16	7.7	03.2-12.2	11	5.2	01.3-09.1	6	4.0	00.1-07.9	35	19.0	11.7-26.3
45-54	202	41,818	136	67.9	59.7-76.1	30	12.9	07.4-18.4	9	5.6	00.5-10.7	6	3.5	00.2-06.8	5	2.2	00.0-04.6	16	8.0	03.9-12.1
55-64	228	47,666	165	74.9	67.5-82.3	22	9.6	03.9-15.3	12	5.5	01.8-09.2	4	1.2	00.0-02.6	5	1.5	00.0-03.3	20	7.3	03.6-11.0
65+	444	65,867	389	88.3	84.2-92.4	18	2.9	01.1-04.7	4	1.9	00.0-04.1	5	0.8	00.0-01.6	2	0.2	00.0-00.4	26	6.0	03.1-08.9
Less Than H.S.	71	26,337	31	47.1	32.4-61.8	4	9.4	00.0-19.6	6	7.9	00.0-15.9	5	8.8	00.0-18.8	3	4.6	00.0-09.9	22	22.2	12.2-32.2
H.S. or G.E.D.	351	93,040	221	57.0	50.1-63.9	46	12.6	08.1-17.1	18	5.6	02.3-08.9	13	6.0	01.9-10.1	7	2.3	00.0-04.7	46	16.5	11.2-21.8
Some Post-H.S.	323	83,789	215	62.4	55.1-69.7	31	10.3	05.8-14.8	15	7.3	02.8-11.8	17	5.7	02.4-09.0	8	3.2	00.5-05.9	37	11.1	06.6-15.6
College Graduate	559	87,422	416	72.5	67.8-77.2	48	8.7	05.8-11.6	21	4.4	02.2-06.6	11	1.7	00.3-03.1	11	2.1	00.5-03.7	52	10.6	07.5-13.7
\$15,000- 24,999	73	15,064	48	60.3	44.8-75.8	4	3.1	00.0-07.0	3	3.3	00.0-07.2	4	9.5	00.0-20.3				14	23.8	09.7-37.9
\$25,000- 34,999	109	23,384	74	59.9	46.4-73.4	7	6.8	00.1-13.5	6	6.3	00.0-13.0	5	7.4	00.0-17.8	4	3.1	00.0-07.0	13	16.5	06.1-26.9
\$35,000- 49,999	134	30,970	96	67.9	56.1-79.7	13	7.3	02.2-12.4	3	7.8	00.0-16.8	2	2.1	00.0-05.6	2	0.5	00.0-01.3	18	14.4	06.2-22.6
\$50,000- 99,999	358	77,847	241	60.8	53.7-67.9	38	10.3	05.8-14.8	13	4.1	01.6-06.6	16	7.0	02.3-11.7	6	2.6	00.2-05.0	44	15.1	10.0-20.2
\$100,000- 199,999	273	64,549	183	62.2	54.6-69.8	34	14.3	09.0-19.6	11	6.1	01.6-10.6	8	3.6	00.7-06.5	12	5.1	01.6-08.6	25	8.7	04.6-12.8
\$200,000+	76	17,282	59	78.3	67.1-89.5	4	6.2	00.0-14.6	6	7.7	01.2-14.2				1	0.3	00.0-00.9	6	7.5	01.2-13.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 01: PRE-DIABETES**

TABLE 3: WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past yr (LT 12 months ago)			Within past 2 yrs (1 yr but LT 2 yrs)			Within past 3 yrs (2 yrs but LT 3 yrs)			Within past 5 yrs (3 yrs but LT 5 yrs)			Within past 10 yrs (5 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1760	331,017	1284	68.1	65.0-71.2	163	10.0	08.2-11.8	67	3.6	02.4-04.8	57	3.9	02.7-05.1	27	2.4	01.2-03.6	162	12.0	09.5-14.5
White/Non-Hisp	1202	194,726	909	70.1	66.4-73.8	102	9.8	07.4-12.2	41	3.4	02.0-04.8	33	3.7	02.1-05.3	17	2.8	01.0-04.6	100	10.2	07.5-12.9
Black or Afr. Am./Non-Hisp	268	65,322	188	70.3	63.2-77.4	35	12.6	07.9-17.3	5	1.0	00.0-02.0	9	4.0	00.9-07.1	4	1.1	00.0-02.3	27	11.0	05.9-16.1
Hispanic	172	39,775	109	62.8	52.6-73.0	15	7.2	02.7-11.7	16	10.2	04.1-16.3	11	4.9	01.6-08.2	3	2.8	00.0-06.7	18	12.1	03.9-20.3
18-24	77	31,671	39	45.2	31.7-58.7	9	11.0	03.6-18.4	5	6.6	00.3-12.9	5	5.4	00.0-11.3	3	6.7	00.0-14.5	16	25.2	11.5-38.9
25-34	182	54,787	102	58.9	49.5-68.3	21	8.1	04.4-11.8	17	6.7	03.4-10.0	12	7.0	02.5-11.5	7	5.3	01.0-09.6	23	14.1	06.3-21.9
35-44	208	49,237	125	56.5	47.3-65.7	23	12.3	06.4-18.2	10	4.5	01.2-07.8	19	8.7	04.2-13.2	3	1.1	00.0-02.5	28	16.9	08.9-24.9
45-54	269	48,572	180	66.7	59.4-74.0	38	14.9	09.4-20.4	11	3.0	00.8-05.2	8	1.8	00.4-03.2	6	2.1	00.0-04.3	26	11.5	06.2-16.8
55-64	342	58,270	261	77.8	72.3-83.3	35	9.9	06.2-13.6	14	3.2	00.8-05.6	7	2.3	00.1-04.5	3	0.7	00.0-01.7	22	6.0	02.7-09.3
65+	682	88,479	577	82.9	78.8-87.0	37	6.8	03.9-09.7	10	0.8	00.2-01.4	6	1.0	00.0-02.0	5	1.0	00.0-02.0	47	7.5	04.6-10.4
Less Than H.S.	102	32,893	70	66.8	53.7-79.9	5	2.5	00.1-04.9	9	8.1	01.8-14.4	5	3.7	00.0-07.4	3	3.9	00.0-09.0	10	15.0	02.7-27.3
H.S. or G.E.D.	446	95,555	326	68.8	62.9-74.7	43	10.1	06.6-13.6	16	4.0	01.6-06.4	14	4.4	01.7-07.1	8	1.6	00.4-02.8	39	11.1	06.8-15.4
Some Post-H.S.	464	93,122	343	70.1	64.2-76.0	48	11.2	07.5-14.9	16	2.4	01.0-03.8	14	3.0	01.2-04.8	8	3.1	00.6-05.6	35	10.3	05.8-14.8
College Graduate	742	107,698	542	66.9	61.8-72.0	66	11.1	07.8-14.4	26	3.1	01.7-04.5	24	4.3	02.1-06.5	7	1.1	00.1-02.1	77	13.5	09.2-17.8
Less than \$15,000	71	12,673	55	74.0	61.1-86.9	4	6.3	00.0-12.8	3	2.8	00.0-06.5	1	1.3	00.0-03.8	1	1.1	00.0-03.3	7	14.5	03.1-25.9
\$15,000- 24,999	143	25,142	101	69.8	59.4-80.2	12	8.1	02.6-13.6	7	6.8	00.0-13.9	6	4.5	00.6-08.4	3	3.8	00.0-09.5	14	6.9	02.6-11.2
\$25,000- 34,999	190	37,325	130	58.8	47.4-70.2	19	10.6	04.3-16.9	10	5.0	01.5-08.5	4	2.4	00.0-05.7	6	3.1	00.2-06.0	21	20.1	08.7-31.5
\$35,000- 49,999	195	34,714	138	68.7	59.9-77.5	18	11.0	04.9-17.1	6	2.9	00.0-05.8	11	6.0	01.3-10.7				22	11.3	05.4-17.2
\$50,000- 99,999	472	89,707	343	68.6	62.3-74.9	43	11.1	07.2-15.0	15	1.8	00.8-02.8	19	4.1	01.9-06.3	8	2.7	00.3-05.1	44	11.6	06.7-16.5
\$100,000- 199,999	245	41,533	184	70.8	63.4-78.2	23	10.6	05.5-15.7	10	5.8	01.9-09.7	5	2.5	00.0-05.0	2	1.8	00.0-04.3	21	8.6	04.5-12.7
\$200,000+	56	13,755	41	67.0	50.1-83.9	6	9.2	00.4-18.0	1	0.4	00.0-01.2	1	3.6	00.0-10.7	2	10.6	00.0-25.3	5	9.0	00.8-17.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 01: PRE-DIABETES**

TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3232	665,711	513	14.0	12.4-15.6	35	1.1	00.7-01.5	2684	85.0	83.4-86.6
Male	1385	310,368	240	15.2	12.7-17.7				1145	84.8	82.3-87.3
Female	1847	355,343	273	12.9	10.9-14.9	35	2.0	01.2-02.8	1539	85.1	82.9-87.3
White/Non-Hisp	2234	396,127	347	13.3	11.5-15.1	20	0.8	00.2-01.4	1867	85.9	84.1-87.7
Black or Afr. Am./Non-Hisp	452	132,714	85	16.2	11.7-20.7	7	1.4	00.2-02.6	360	82.4	77.9-86.9
Oth. Race/Non-Hisp.	91	29,156	13	11.5	02.9-20.1	2	2.4	00.0-05.7	76	86.1	76.9-95.3
MultiRacial/Non-Hisp.	70	27,506	13	14.2	05.0-23.4				57	85.8	76.6-95.0
Hispanic	303	65,076	34	12.6	06.9-18.3	5	1.5	00.0-03.1	264	85.9	80.0-91.8
18-24	206	78,251	9	4.1	01.0-07.2	1	0.1	00.0-00.3	196	95.8	92.7-98.9
25-34	347	117,233	27	8.7	04.8-12.6	9	2.3	00.5-04.1	311	89.0	84.7-93.3
35-44	430	107,732	38	8.4	05.1-11.7	11	2.4	00.6-04.2	381	89.2	85.5-92.9
45-54	489	93,588	78	18.6	13.9-23.3	4	0.7	00.0-01.5	407	80.7	75.8-85.6
55-64	595	109,863	110	17.6	13.7-21.5	3	0.3	00.0-00.7	482	82.0	78.1-85.9
65+	1165	159,044	251	21.2	18.1-24.3	7	0.5	00.1-00.9	907	78.3	75.2-81.4
Less Than H.S.	180	62,485	30	16.7	09.6-23.8	3	0.8	00.0-01.8	147	82.5	75.2-89.8
H.S. or G.E.D.	848	205,728	138	13.5	10.6-16.4	9	1.2	00.2-02.2	701	85.3	82.2-88.4
Some Post-H.S.	832	188,147	139	14.7	11.6-17.8	10	1.1	00.3-01.9	683	84.1	81.0-87.2
College Graduate	1357	206,099	203	12.9	10.7-15.1	13	1.0	00.4-01.6	1141	86.1	83.7-88.5
Less than \$15,000	120	20,096	15	9.4	04.1-14.7	2	2.6	00.0-06.1	103	88.0	81.7-94.3
\$15,000- 24,999	221	41,453	36	19.3	11.5-27.1	5	2.6	00.1-05.1	180	78.2	70.2-86.2
\$25,000- 34,999	310	63,775	52	16.3	10.2-22.4	2	0.1	00.0-00.3	256	83.6	77.5-89.7
\$35,000- 49,999	344	73,374	65	16.6	10.9-22.3	3	1.0	00.0-02.2	276	82.4	76.7-88.1
\$50,000- 99,999	864	175,844	146	13.6	10.7-16.5	12	1.7	00.5-02.9	706	84.7	81.6-87.8
\$100,000- 199,999	545	111,916	76	11.5	08.4-14.6	3	0.2	00.0-00.4	466	88.2	85.1-91.3
\$200,000+	141	33,115	19	11.1	05.6-16.6	1	0.4	00.0-01.2	121	88.5	83.0-94.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 01: PRE-DIABETES**

TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1385	310,368	240	15.2	12.7-17.7	1145	84.8	82.3-87.3
White/Non-Hisp	959	184,836	158	13.0	10.6-15.4	801	87.0	84.6-89.4
Black or Afr. Am./Non-Hisp	177	61,483	35	19.3	11.5-27.1	142	80.7	72.9-88.5
Oth. Race/Non-Hisp.	53	17,546	9	17.3	03.8-30.8	44	82.7	69.2-96.2
Hispanic	128	25,151	18	12.3	05.2-19.4	110	87.7	80.6-94.8
18-24	117	38,374	4	3.0	00.0-06.3	113	97.0	93.7-0100
25-34	155	57,906	13	10.6	03.7-17.5	142	89.4	82.5-96.3
35-44	211	54,467	23	9.2	04.7-13.7	188	90.8	86.3-95.3
45-54	209	42,749	41	22.9	14.9-30.9	168	77.1	69.1-85.1
55-64	235	49,041	43	15.2	10.1-20.3	192	84.8	79.7-89.9
65+	458	67,830	116	26.0	20.5-31.5	342	74.0	68.5-79.5
Less Than H.S.	75	28,315	14	19.5	07.7-31.3	61	80.5	68.7-92.3
H.S. or G.E.D.	375	100,049	65	13.6	09.5-17.7	310	86.4	82.3-90.5
Some Post-H.S.	342	89,096	58	14.4	09.7-19.1	284	85.6	80.9-90.3
College Graduate	584	91,404	101	16.4	12.7-20.1	483	83.6	79.9-87.3
\$15,000- 24,999	75	15,723	14	24.8	10.5-39.1	61	75.2	60.9-89.5
\$25,000- 34,999	113	24,775	19	20.4	08.6-32.2	94	79.6	67.8-91.4
\$35,000- 49,999	142	34,213	27	19.2	09.6-28.8	115	80.8	71.2-90.4
\$50,000- 99,999	373	80,937	82	17.1	12.2-22.0	291	82.9	78.0-87.8
\$100,000- 199,999	288	67,345	40	11.4	07.3-15.5	248	88.6	84.5-92.7
\$200,000+	82	18,680	13	14.2	06.2-22.2	69	85.8	77.8-93.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 01: PRE-DIABETES**

TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1847	355,343	273	12.9	10.9-14.9	35	2.0	01.2-02.8	1539	85.1	82.9-87.3
White/Non-Hisp	1275	211,291	189	13.5	11.0-16.0	20	1.6	00.6-02.6	1066	85.0	82.5-87.5
Black or Afr. Am./Non-Hisp	275	71,231	50	13.5	09.0-18.0	7	2.6	00.2-05.0	218	83.8	78.7-88.9
Hispanic	175	39,924	16	12.9	04.7-21.1	5	2.4	00.0-04.8	154	84.8	76.4-93.2
18-24	89	39,877	5	5.2	00.0-10.5	1	0.2	00.0-00.6	83	94.6	89.3-99.9
25-34	192	59,328	14	6.8	02.5-11.1	9	4.5	01.2-07.8	169	88.7	83.4-94.0
35-44	219	53,264	15	7.7	02.8-12.6	11	4.9	01.6-08.2	193	87.4	81.5-93.3
45-54	280	50,839	37	15.1	09.6-20.6	4	1.3	00.0-02.7	239	83.6	77.9-89.3
55-64	360	60,822	67	19.6	13.7-25.5	3	0.6	00.0-01.2	290	79.8	73.9-85.7
65+	707	91,213	135	17.6	13.9-21.3	7	0.9	00.1-01.7	565	81.5	77.8-85.2
Less Than H.S.	105	34,170	16	14.4	06.0-22.8	3	1.4	00.0-03.2	86	84.1	75.5-92.7
H.S. or G.E.D.	473	105,679	73	13.4	09.3-17.5	9	2.3	00.3-04.3	391	84.3	79.8-88.8
Some Post-H.S.	490	99,051	81	15.1	11.2-19.0	10	2.2	00.6-03.8	399	82.8	78.7-86.9
College Graduate	773	114,696	102	10.2	07.5-12.9	13	1.8	00.6-03.0	658	88.0	85.1-90.9
Less than \$15,000	75	12,986	10	9.9	03.0-16.8	2	4.0	00.0-09.5	63	86.1	77.5-94.7
\$15,000- 24,999	146	25,730	22	15.9	07.1-24.7	5	4.2	00.1-08.3	119	80.0	70.6-89.4
\$25,000- 34,999	197	39,000	33	13.7	07.2-20.2	2	0.2	00.0-00.6	162	86.1	79.6-92.6
\$35,000- 49,999	202	39,161	38	14.3	08.0-20.6	3	1.9	00.0-04.1	161	83.8	77.3-90.3
\$50,000- 99,999	491	94,907	64	10.7	07.4-14.0	12	3.2	00.8-05.6	415	86.2	82.3-90.1
\$100,000- 199,999	257	44,571	36	11.7	07.0-16.4	3	0.6	00.0-01.4	218	87.7	83.0-92.4
\$200,000+	59	14,435	6	7.1	00.6-13.6	1	0.9	00.0-02.9	52	91.9	85.0-98.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN1)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

**TABLE 1: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Type 1			Type 2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	557	103,676	48	9.1	06.0-12.2	509	90.9	87.8-94.0
Male	265	53,039	28	11.7	06.6-16.8	237	88.3	83.2-93.4
Female	292	50,637	20	6.3	03.0-09.6	272	93.7	90.4-97.0
White/Non-Hisp	378	57,574	32	8.1	04.8-11.4	346	91.9	88.6-95.2
Black or Afr. Am./Non-Hisp	118	31,209	11	9.9	03.2-16.6	107	90.1	83.4-96.8
45-54	64	18,216	5	7.7	00.0-15.5	59	92.3	84.5-0100
55-64	125	25,194	12	8.1	03.0-13.2	113	91.9	86.8-97.0
65+	326	47,657	23	6.5	03.4-09.6	303	93.5	90.4-96.6
Less Than H.S.	53	13,295	9	16.4	04.4-28.4	44	83.6	71.6-95.6
H.S. or G.E.D.	155	33,518	16	8.6	03.5-13.7	139	91.4	86.3-96.5
Some Post-H.S.	162	30,142	9	6.1	01.4-10.8	153	93.9	89.2-98.6
College Graduate	184	25,677	14	9.8	03.5-16.1	170	90.2	83.9-96.5
\$25,000- 34,999	60	10,830	6	11.3	00.9-21.7	54	88.7	78.3-99.1
\$35,000- 49,999	63	10,313	6	6.1	00.0-12.8	57	93.9	87.2-0100
\$50,000- 99,999	158	33,570	10	6.0	01.7-10.3	148	94.0	89.7-98.3
\$100,000- 199,999	62	11,849	4	11.4	00.2-22.6	58	88.6	77.4-99.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 2: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Type 1			Type 2		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Male	265	53,039	28	11.7	06.8-16.6	237	88.3	83.4-93.2	
White/Non-Hisp	182	28,861	20	11.2	05.7-16.7	162	88.8	83.3-94.3	
55-64	56	13,340	4	4.7	00.0-09.8	52	95.3	90.2-0100	
65+	162	24,207	15	8.1	03.6-12.6	147	91.9	87.4-96.4	
H.S. or G.E.D.	69	16,755	8	10.1	01.9-18.3	61	89.9	81.7-98.1	
Some Post-H.S.	63	14,345	7	11.5	02.1-20.9	56	88.5	79.1-97.9	
College Graduate	105	15,002	9	11.7	02.9-20.5	96	88.3	79.5-97.1	
\$50,000- 99,999	84	20,535	8	8.4	01.7-15.1	76	91.6	84.9-98.3	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 3: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Type 1			Type 2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	292	50,637	20	6.3	03.0-09.6	272	93.7	90.4-97.0
White/Non-Hisp	196	28,713	12	5.0	01.7-08.3	184	95.0	91.7-98.3
Black or Afr. Am./Non-Hisp	71	17,452	6	7.1	00.2-14.0	65	92.9	86.0-99.8
55-64	69	11,854	8	12.1	03.1-21.1	61	87.9	78.9-96.9
65+	164	23,449	8	4.8	00.3-09.3	156	95.2	90.7-99.7
H.S. or G.E.D.	86	16,763	8	7.0	00.5-13.5	78	93.0	86.5-99.5
Some Post-H.S.	99	15,798	2	1.3	00.0-03.3	97	98.7	96.7-0100
College Graduate	79	10,675	5	7.1	00.0-14.9	74	92.9	85.1-0100
\$50,000- 99,999	74	13,034	2	2.2	00.0-05.7	72	97.8	94.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	595	109,653	189	32.8	27.5-38.1	406	67.2	61.9-72.5
Male	282	55,942	102	37.7	30.1-45.3	180	62.3	54.7-69.9
Female	313	53,711	87	27.7	20.1-35.3	226	72.3	64.7-79.9
White/Non-Hisp	400	60,633	117	28.4	22.7-34.1	283	71.6	65.9-77.3
Black or Afr. Am./Non-Hisp	126	32,684	51	44.8	32.3-57.3	75	55.2	42.7-67.7
45-54	66	18,855	19	37.3	19.7-54.9	47	62.7	45.1-80.3
55-64	131	26,596	49	36.1	25.3-46.9	82	63.9	53.1-74.7
65+	352	50,757	106	28.2	22.1-34.3	246	71.8	65.7-77.9
Less Than H.S.	62	14,566	22	39.4	21.2-57.6	40	60.6	42.4-78.8
H.S. or G.E.D.	166	35,616	51	30.3	20.7-39.9	115	69.7	60.1-79.3
Some Post-H.S.	172	32,008	55	34.4	24.6-44.2	117	65.6	55.8-75.4
College Graduate	192	26,419	60	31.1	22.1-40.1	132	68.9	59.9-77.9
\$15,000- 24,999	56	11,714	22	34.7	17.1-52.3	34	65.3	47.7-82.9
\$25,000- 34,999	65	11,919	23	38.3	23.2-53.4	42	61.7	46.6-76.8
\$35,000- 49,999	67	11,441	18	37.8	16.6-59.0	49	62.2	41.0-83.4
\$50,000- 99,999	164	34,627	53	34.6	24.4-44.8	111	65.4	55.2-75.6
\$100,000- 199,999	67	12,252	18	34.6	18.9-50.3	49	65.4	49.7-81.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	282	55,942	102	37.7	30.1-45.3	180	62.3	54.7-69.9
White/Non-Hisp	192	30,372	66	33.1	24.7-41.5	126	66.9	58.5-75.3
Black or Afr. Am./Non-Hisp	50	14,109	23	55.1	37.3-72.9	27	44.9	27.1-62.7
55-64	59	14,085	27	46.2	29.7-62.7	32	53.8	37.3-70.3
65+	174	25,727	57	31.2	22.6-39.8	117	68.8	60.2-77.4
H.S. or G.E.D.	74	18,130	23	32.5	18.4-46.6	51	67.5	53.4-81.6
Some Post-H.S.	68	15,153	28	42.4	26.9-57.9	40	57.6	42.1-73.1
College Graduate	110	15,547	39	40.0	27.3-52.7	71	60.0	47.3-72.7
\$50,000- 99,999	88	21,057	34	43.8	29.7-57.9	54	56.2	42.1-70.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	313	53,711	87	27.7	20.1-35.3	226	72.3	64.7-79.9
White/Non-Hisp	208	30,261	51	23.6	16.0-31.2	157	76.4	68.8-84.0
Black or Afr. Am./Non-Hisp	76	18,575	28	37.0	20.1-53.9	48	63.0	46.1-79.9
55-64	72	12,511	22	24.8	13.2-36.4	50	75.2	63.6-86.8
65+	178	25,030	49	25.1	16.9-33.3	129	74.9	66.7-83.1
H.S. or G.E.D.	92	17,486	28	28.0	15.1-40.9	64	72.0	59.1-84.9
Some Post-H.S.	104	16,856	27	27.1	15.3-38.9	77	72.9	61.1-84.7
College Graduate	82	10,872	21	18.3	08.9-27.7	61	81.7	72.3-91.1
\$50,000- 99,999	76	13,570	19	20.4	09.8-31.0	57	79.6	69.0-90.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	569	104,210	337	61.4	55.9-66.9	174	27.9	23.0-32.8	24	4.3	02.3-06.3	10	2.1	00.3-03.9	21	3.5	01.7-05.3	3	0.7	00.0-01.5
Male	270	54,049	155	60.0	52.6-67.4	88	30.5	23.4-37.6	9	4.0	01.3-06.7	4	1.3	00.0-02.9	11	3.0	00.8-05.2	3	1.3	00.0-02.9
Female	299	50,162	182	62.9	55.3-70.5	86	25.2	18.5-31.9	15	4.6	01.7-07.5	6	3.1	00.0-06.2	10	4.1	01.2-07.0			
White/Non-Hisp	386	57,669	230	62.0	55.9-68.1	127	30.4	24.7-36.1	15	3.7	01.5-05.9	3	1.1	00.0-02.9	11	2.9	00.5-05.3			
Black or Afr. Am./Non-Hisp	119	31,376	71	64.2	52.4-76.0	31	22.8	12.6-33.0	6	5.1	00.6-09.6	5	4.0	00.0-08.5	4	2.7	00.0-05.6	2	1.3	00.0-03.5
45-54	66	18,463	36	59.3	43.0-75.6	23	34.6	18.7-50.5	1	0.9	00.0-02.7	2	3.3	00.0-08.2	3	1.5	00.0-03.7	1	0.5	00.0-01.5
55-64	128	26,018	68	56.9	45.7-68.1	41	28.0	18.2-37.8	10	8.4	02.7-14.1	2	1.1	00.0-02.7	7	5.6	01.1-10.1			
65+	331	46,957	208	65.8	59.3-72.3	98	26.2	20.5-31.9	11	3.1	01.1-05.1	5	1.8	00.0-04.2	7	1.9	00.3-03.5	2	1.3	00.0-03.1
Less Than H.S.	50	11,864	25	54.2	35.2-73.2	16	32.7	15.8-49.6	1	1.1	00.0-03.3	2	2.0	00.0-05.1	5	7.2	00.3-14.1	1	2.7	00.0-08.0
H.S. or G.E.D.	159	34,100	84	53.1	42.7-63.5	54	31.0	21.2-40.8	7	4.8	00.9-08.7	5	4.8	00.0-09.7	8	5.5	01.2-09.8	1	0.8	00.0-02.4
Some Post-H.S.	165	31,030	103	66.8	57.8-75.8	47	25.5	17.1-33.9	10	5.5	01.4-09.6	3	1.2	00.0-02.6	2	1.1	00.0-02.9			
College Graduate	192	26,172	123	69.7	61.5-77.9	56	23.8	16.5-31.1	6	3.9	00.4-07.4				6	2.2	00.0-04.4	1	0.4	00.0-01.2
\$25,000- 34,999	63	11,576	36	58.4	42.7-74.1	18	23.6	10.3-36.9	4	4.7	00.0-09.6	1	4.9	00.0-14.1	3	5.7	00.0-13.0	1	2.8	00.0-08.1
\$35,000- 49,999	62	10,513	37	72.9	58.8-87.0	20	21.1	09.1-33.1	1	0.3	00.0-00.9	1	0.5	00.0-01.7	2	4.2	00.0-10.7	1	0.9	00.0-02.7
\$50,000- 99,999	161	33,404	91	62.4	52.6-72.2	54	26.5	17.5-35.5	8	4.9	01.0-08.8	1	1.5	00.0-04.4	6	3.8	00.1-07.5	1	0.8	00.0-02.4
\$100,000- 199,999	67	12,184	46	71.7	59.2-84.2	14	16.9	07.5-26.3	5	10.6	01.6-19.6				2	0.9	00.0-02.1			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	270	54,049	155	60.0	52.6-67.4	88	30.5	23.4-37.6	9	4.0	01.3-06.7	4	1.3	00.0-02.9	11	3.0	00.8-05.2	3	1.3	00.0-02.9
White/Non-Hisp	187	29,438	111	62.2	53.8-70.6	65	32.5	24.5-40.5	3	2.2	00.0-04.7	1	0.2	00.0-00.6	7	2.8	00.3-05.3			
55-64	58	13,915	31	60.2	44.5-75.9	18	26.2	12.7-39.7	3	5.8	00.0-12.5	1	0.9	00.0-02.7	5	7.1	00.0-14.2			
65+	164	24,377	97	62.0	53.2-70.8	55	30.3	22.1-38.5	4	3.2	00.1-06.3	2	0.5	00.0-01.3	4	1.4	00.0-03.0	2	2.5	00.0-05.8
H.S. or G.E.D.	71	17,738	34	48.2	33.9-62.5	25	35.2	20.9-49.5	4	6.9	00.0-13.8	3	3.1	00.0-07.8	4	5.0	00.0-10.5	1	1.6	00.0-04.7
Some Post-H.S.	65	14,592	40	64.7	50.2-79.2	21	30.1	16.2-44.0	3	4.4	00.0-09.3	1	0.8	00.0-02.4						
College Graduate	110	15,547	69	69.4	58.8-80.0	34	25.5	15.7-35.3	1	1.2	00.0-03.6				5	3.4	00.0-06.9	1	0.6	00.0-01.8
\$50,000- 99,999	87	20,685	49	65.4	52.5-78.3	29	26.3	14.0-38.6	4	4.4	00.1-08.7				4	2.6	00.0-05.3	1	1.3	00.0-03.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	299	50,162	182	62.9	55.1-70.7	86	25.2	18.7-31.7	15	4.6	01.7-07.5	6	3.1	00.0-06.2	10	4.1	01.0-07.2
White/Non-Hisp	199	28,231	119	61.7	53.1-70.3	62	28.1	20.5-35.7	12	5.3	01.8-08.8	2	2.0	00.0-05.5	4	2.9	00.0-06.6
Black or Afr. Am./Non-Hisp	73	17,859	48	71.1	56.4-85.8	17	17.6	06.0-29.2	2	3.1	00.0-08.2	2	3.6	00.0-09.7	4	4.7	00.0-10.0
55-64	70	12,103	37	53.1	37.6-68.6	23	30.2	16.3-44.1	7	11.5	01.7-21.3	1	1.4	00.0-04.1	2	3.8	00.0-09.1
65+	167	22,581	111	69.8	60.8-78.8	43	21.8	14.7-28.9	7	2.9	00.4-05.4	3	3.1	00.0-08.0	3	2.4	00.0-05.5
H.S. or G.E.D.	88	16,362	50	58.3	43.6-73.0	29	26.4	13.5-39.3	3	2.6	00.0-05.7	2	6.5	00.0-15.1	4	6.1	00.0-13.2
Some Post-H.S.	100	16,438	63	68.6	57.0-80.2	26	21.4	11.8-31.0	7	6.4	00.1-12.7	2	1.4	00.0-03.6	2	2.1	00.0-05.6
College Graduate	82	10,625	54	70.2	57.7-82.7	22	21.4	11.2-31.6	5	7.9	00.1-15.7				1	0.5	00.0-01.5
\$50,000- 99,999	74	12,719	42	57.6	42.7-72.5	25	26.8	15.2-38.4	4	5.7	00.0-13.1	1	4.0	00.0-11.6	2	5.9	00.0-14.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 10: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	588	108,171	149	27.0	21.9-32.1	273	43.8	38.3-49.3	75	13.0	08.9-17.1	63	10.6	07.3-13.9	28	5.5	02.8-08.2
Male	277	54,587	70	28.6	21.3-35.9	127	44.0	36.4-51.6	34	10.6	06.3-14.9	31	10.6	06.1-15.1	15	6.2	01.9-10.5
Female	311	53,584	79	25.3	18.0-32.6	146	43.6	35.8-51.4	41	15.6	08.7-22.5	32	10.7	06.0-15.4	13	4.8	01.5-08.1
White/Non-Hisp	393	59,472	97	24.2	18.9-29.5	186	45.4	39.1-51.7	50	14.0	09.5-18.5	43	12.7	08.0-17.4	17	3.7	01.7-05.7
Black or Afr. Am./Non-Hisp	125	32,198	35	32.4	20.1-44.7	62	44.2	31.9-56.5	17	13.0	03.0-23.0	7	5.8	00.9-10.7	4	4.6	00.0-10.5
45-54	66	18,855	18	28.4	13.3-43.5	28	31.8	17.9-45.7	6	17.6	01.1-34.1	12	15.7	05.7-25.7	2	6.6	00.0-16.4
55-64	130	26,162	34	30.7	20.1-41.3	59	47.3	35.9-58.7	24	15.1	07.8-22.4	8	3.7	00.8-06.6	5	3.2	00.1-06.3
65+	346	49,709	90	26.7	19.8-33.6	170	47.6	40.5-54.7	38	10.5	06.6-14.4	35	11.4	06.5-16.3	13	3.7	01.2-06.2
Less Than H.S.	61	14,453	11	22.9	09.2-36.6	24	32.8	18.3-47.3	8	18.5	00.0-37.9	12	16.7	04.0-29.4	6	9.1	00.5-17.7
H.S. or G.E.D.	164	35,094	37	27.8	17.0-38.6	78	40.4	30.6-50.2	20	14.1	07.2-21.0	24	13.7	07.4-20.0	5	4.0	00.0-08.3
Some Post-H.S.	169	31,221	47	27.5	18.7-36.3	79	48.0	37.8-58.2	20	10.0	04.9-15.1	13	7.8	02.7-12.9	10	6.7	00.6-12.8
College Graduate	191	26,359	52	26.7	18.5-34.9	92	51.2	41.4-61.0	26	10.7	05.8-15.6	14	7.1	02.4-11.8	7	4.4	00.7-08.1
\$15,000- 24,999	54	11,460	17	48.3	27.3-69.3	25	33.0	16.5-49.5	7	8.2	00.9-15.5	4	9.8	00.0-23.7	1	0.8	00.0-02.4
\$25,000- 34,999	64	11,433	11	16.4	04.2-28.6	33	46.9	31.4-62.4	5	9.8	00.4-19.2	8	11.5	02.3-20.7	7	15.4	02.5-28.3
\$35,000- 49,999	67	11,441	17	20.8	08.3-33.3	22	30.4	14.7-46.1	14	28.5	06.5-50.5	8	11.1	02.3-19.9	6	9.1	00.9-17.3
\$50,000- 99,999	162	33,870	44	30.8	21.0-40.6	77	41.2	31.0-51.4	20	12.2	05.7-18.7	15	9.9	04.4-15.4	6	5.8	00.0-11.9
\$100,000- 199,999	67	12,252	15	21.4	09.1-33.7	35	59.8	44.9-74.7	7	7.7	01.2-14.2	6	6.4	00.0-14.6	4	4.7	00.0-09.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 11: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	277	54,587	70	28.6	21.5-35.7	127	44.0	36.6-51.4	34	10.6	06.3-14.9	31	10.6	06.1-15.1	15	6.2	01.9-10.5
White/Non-Hisp	188	29,502	44	23.2	16.1-30.3	96	49.7	41.1-58.3	20	11.0	05.5-16.5	20	12.9	06.2-19.6	8	3.2	00.8-05.6
55-64	58	13,599	14	32.7	16.4-49.0	24	44.8	28.1-61.5	13	14.7	05.9-23.5	3	2.4	00.0-05.3	4	5.3	00.0-11.2
65+	170	24,858	41	24.1	16.5-31.7	88	51.0	41.8-60.2	15	8.4	02.9-13.9	19	11.8	05.7-17.9	7	4.7	00.2-09.2
H.S. or G.E.D.	73	17,749	9	23.4	08.9-37.9	38	40.5	27.4-53.6	9	14.1	04.1-24.1	15	19.4	08.6-30.2	2	2.6	00.0-06.7
Some Post-H.S.	65	14,238	18	27.0	13.5-40.5	29	46.6	30.3-62.9	7	6.3	01.2-11.4	5	8.6	00.0-17.2	6	11.4	00.0-23.9
College Graduate	109	15,487	33	28.7	18.1-39.3	52	54.1	41.6-66.6	13	9.5	03.4-15.6	7	5.0	00.0-10.1	4	2.7	00.0-05.6
\$50,000- 99,999	86	20,300	27	36.8	22.9-50.7	36	35.7	22.4-49.0	9	7.9	01.6-14.2	9	10.5	02.9-18.1	5	9.1	00.0-19.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 12: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	311	53,584	79	25.3	18.2-32.4	146	43.6	35.8-51.4	41	15.6	08.7-22.5	32	10.7	06.0-15.4	13	4.8	01.5-08.1
White/Non-Hisp	205	29,969	53	25.2	17.6-32.8	90	41.2	32.6-49.8	30	16.9	09.8-24.0	23	12.5	05.6-19.4	9	4.2	01.3-07.1
Black or Afr. Am./Non-Hisp	76	18,575	21	29.6	12.7-46.5	42	48.3	30.9-65.7	9	16.7	00.4-33.0	3	4.0	00.0-08.7	1	1.5	00.0-04.4
55-64	72	12,562	20	28.5	15.2-41.8	35	49.9	34.6-65.2	11	15.6	04.0-27.2	5	5.1	00.0-10.4	1	0.9	00.0-02.7
65+	176	24,851	49	29.3	17.9-40.7	82	44.3	33.5-55.1	23	12.6	06.7-18.5	16	10.9	03.5-18.3	6	2.8	00.4-05.2
H.S. or G.E.D.	91	17,345	28	32.3	16.4-48.2	40	40.2	25.9-54.5	11	14.2	04.6-23.8	9	7.9	01.8-14.0	3	5.4	00.0-13.0
Some Post-H.S.	104	16,983	29	27.9	16.5-39.3	50	49.1	36.2-62.0	13	13.2	05.0-21.4	8	7.1	01.0-13.2	4	2.8	00.1-05.5
College Graduate	82	10,872	19	23.8	10.9-36.7	40	47.0	31.3-62.7	13	12.3	04.3-20.3	7	10.1	01.5-18.7	3	6.9	00.0-14.7
\$50,000- 99,999	76	13,570	17	21.9	11.1-32.7	41	49.5	34.4-64.6	11	18.6	06.1-31.1	6	9.0	01.0-17.0	1	0.9	00.0-02.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 13: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	513	94,251	101	20.1	15.2-25.0	232	42.5	36.6-48.4	64	12.9	08.4-17.4	58	12.0	07.7-16.3	58	12.5	08.6-16.4
Male	248	49,357	45	20.5	13.6-27.4	109	42.5	34.5-50.5	34	12.4	07.3-17.5	26	10.3	05.6-15.0	34	14.3	08.4-20.2
Female	265	44,894	56	19.7	13.0-26.4	123	42.5	33.9-51.1	30	13.4	05.6-21.2	32	13.9	06.5-21.3	24	10.6	05.3-15.9
White/Non-Hisp	344	51,684	65	19.0	13.9-24.1	153	43.1	36.4-49.8	44	12.9	08.4-17.4	44	13.0	08.5-17.5	38	12.1	07.2-17.0
Black or Afr. Am./Non-Hisp	112	29,015	28	25.4	14.4-36.4	54	42.2	29.1-55.3	15	13.0	01.8-24.2	7	11.5	00.7-22.3	8	7.8	01.9-13.7
45-54	57	16,371	12	20.5	06.0-35.0	27	38.1	21.2-55.0	5	17.8	00.0-36.2	10	16.1	03.2-29.0	3	7.6	00.0-16.0
55-64	112	22,651	25	24.7	14.1-35.3	49	44.2	32.4-56.0	17	12.2	05.5-18.9	10	8.1	02.6-13.6	11	10.8	02.8-18.8
65+	304	43,194	58	17.6	12.5-22.7	142	45.0	37.4-52.6	38	11.7	06.8-16.6	35	13.8	06.7-20.9	31	11.8	06.5-17.1
Less Than H.S.	51	12,179	3	5.9	00.0-13.0	20	30.5	15.2-45.8	8	26.1	03.6-48.6	11	17.7	05.7-29.7	9	19.9	04.2-35.6
H.S. or G.E.D.	149	32,904	25	19.5	10.3-28.7	65	36.1	26.3-45.9	15	13.0	05.7-20.3	22	17.2	07.4-27.0	22	14.2	07.5-20.9
Some Post-H.S.	145	26,227	37	23.6	14.8-32.4	68	51.5	40.7-62.3	20	10.8	05.1-16.5	10	6.8	01.7-11.9	10	7.3	01.8-12.8
College Graduate	167	22,630	35	23.4	14.4-32.4	79	48.4	37.4-59.4	21	8.1	03.8-12.4	15	7.7	02.4-13.0	17	12.3	04.3-20.3
\$25,000- 34,999	56	10,140	10	23.1	06.8-39.4	27	40.4	24.3-56.5	5	12.5	00.0-25.2	7	8.1	00.8-15.4	7	15.8	03.6-28.0
\$35,000- 49,999	57	9,530	12	21.9	06.4-37.4	18	24.5	09.6-39.4	13	30.4	05.3-55.5	5	12.5	00.7-24.3	9	10.7	01.9-19.5
\$50,000- 99,999	139	30,237	30	22.9	13.1-32.7	71	49.9	38.7-61.1	17	10.9	04.4-17.4	11	8.5	02.8-14.2	10	7.8	02.3-13.3
\$100,000- 199,999	62	11,338	9	15.2	03.4-27.0	29	50.9	34.4-67.4	5	6.0	00.0-12.3	9	7.4	01.7-13.1	10	20.5	05.4-35.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 14: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	248	49,357	45	20.5	13.6-27.4	109	42.5	34.7-50.3	34	12.4	07.3-17.5	26	10.3	05.6-15.0	34	14.3	08.4-20.2
White/Non-Hisp	173	27,260	27	14.6	08.7-20.5	79	44.0	35.0-53.0	23	14.6	07.9-21.3	21	14.5	07.2-21.8	23	12.3	06.2-18.4
55-64	52	12,475	8	21.0	05.9-36.1	24	45.8	28.2-63.4	10	12.4	03.8-21.0	4	7.3	00.0-14.9	6	13.5	00.6-26.4
65+	154	22,571	27	18.1	10.8-25.4	71	46.6	37.0-56.2	18	11.2	04.7-17.7	19	13.1	06.0-20.2	19	10.9	05.2-16.6
H.S. or G.E.D.	66	16,811	7	19.7	05.2-34.2	29	36.4	22.7-50.1	9	15.8	05.0-26.6	10	10.9	03.3-18.5	11	17.2	06.4-28.0
Some Post-H.S.	61	13,024	11	19.0	06.7-31.3	27	52.0	35.7-68.3	11	9.7	03.2-16.2	4	8.5	00.0-17.7	8	10.9	01.5-20.3
College Graduate	97	13,711	24	26.3	14.5-38.1	44	45.7	31.8-59.6	9	7.2	01.3-13.1	8	6.7	00.0-13.8	12	14.0	02.6-25.4
\$50,000- 99,999	76	18,497	17	24.5	10.8-38.2	35	46.4	31.7-61.1	8	8.6	01.3-15.9	7	8.6	01.2-16.0	9	11.9	03.3-20.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 15: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	265	44,894	56	19.7	13.0-26.4	123	42.5	33.9-51.1	30	13.4	05.6-21.2	32	13.9	06.3-21.5	24	10.6	05.3-15.9
White/Non-Hisp	171	24,424	38	23.8	15.2-32.4	74	42.1	32.3-51.9	21	11.0	04.9-17.1	23	11.2	05.7-16.7	15	11.8	04.0-19.6
Black or Afr. Am./Non-Hisp	68	16,243	14	13.4	03.8-23.0	36	42.0	24.4-59.6	9	20.4	01.8-39.0	5	17.8	00.0-36.0	4	6.4	00.0-12.9
55-64	60	10,176	17	29.2	14.7-43.7	25	42.3	27.0-57.6	7	11.8	01.2-22.4	6	9.2	01.4-17.0	5	7.5	00.0-15.1
65+	150	20,623	31	17.1	10.2-24.0	71	43.2	31.0-55.4	20	12.3	05.0-19.6	16	14.6	01.9-27.3	12	12.8	03.8-21.8
H.S. or G.E.D.	83	16,093	18	19.3	07.9-30.7	36	35.7	21.4-50.0	6	10.1	00.5-19.7	12	23.8	06.4-41.2	11	11.1	03.7-18.5
Some Post-H.S.	84	13,203	26	28.2	16.0-40.4	41	51.0	36.9-65.1	9	11.9	02.5-21.3	6	5.2	00.5-09.9	2	3.7	00.0-09.0
College Graduate	70	8,919	11	19.0	05.1-32.9	35	52.6	35.2-70.0	12	9.5	03.2-15.8	7	9.2	01.0-17.4	5	9.7	00.0-19.5
\$50,000- 99,999	63	11,740	13	20.5	08.2-32.8	36	55.3	39.0-71.6	9	14.5	02.7-26.3	4	8.4	00.0-17.0	1	1.3	00.0-03.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 16: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	570	103,986	60	9.9	06.8-13.0	27	5.5	02.8-08.2	28	4.6	02.4-06.8	38	8.2	04.9-11.5	33	5.3	02.6-08.0	384	66.5	61.0-72.0
Male	271	53,674	24	9.8	05.3-14.3	10	3.6	01.1-06.1	15	5.8	02.1-09.5	15	7.5	02.8-12.2	16	6.5	01.8-11.2	191	66.7	59.1-74.3
Female	299	50,312	36	10.1	06.0-14.2	17	7.4	02.5-12.3	13	3.2	01.2-05.2	23	9.0	04.5-13.5	17	4.0	01.3-06.7	193	66.3	58.9-73.7
White/Non-Hisp	389	58,849	32	9.2	05.5-12.9	15	4.1	01.6-06.6	16	4.4	01.7-07.1	26	8.5	04.6-12.4	23	3.9	01.7-06.1	277	69.9	64.0-75.8
Black or Afr. Am./Non-Hisp	118	30,541	22	14.1	06.8-21.4	9	9.4	01.6-17.2	10	4.8	01.3-08.3	7	8.1	00.7-15.5	9	9.1	01.1-17.1	61	54.4	41.5-67.3
45-54	65	18,571	11	15.4	04.6-26.2	3	2.5	00.0-05.8	3	4.6	00.0-10.7	5	11.0	00.0-22.2	5	11.4	00.0-23.7	38	55.0	38.1-71.9
55-64	128	25,628	19	13.0	05.9-20.1	8	4.6	00.9-08.3	4	4.6	00.0-09.9	6	6.2	00.9-11.5	7	3.1	00.4-05.8	84	68.6	58.6-78.6
65+	334	47,193	24	6.1	03.4-08.8	13	4.9	02.0-07.8	18	4.8	02.3-07.3	22	6.7	03.2-10.2	20	4.4	01.9-06.9	237	73.1	67.2-79.0
Less Than H.S.	55	13,447	3	3.9	00.0-08.8	2	1.9	00.0-04.6				5	8.1	00.0-16.5				45	86.1	75.9-96.3
H.S. or G.E.D.	161	34,534	18	8.8	03.9-13.7	6	3.9	00.4-07.4	10	5.4	01.1-09.7	9	6.2	01.5-10.9	10	7.5	00.8-14.2	108	68.2	58.6-77.8
Some Post-H.S.	168	30,922	15	9.9	03.8-16.0	9	6.1	01.2-11.0	8	4.5	00.6-08.4	16	13.6	05.4-21.8	11	5.5	01.6-09.4	109	60.4	50.2-70.6
College Graduate	183	24,039	24	15.4	08.1-22.7	10	9.0	00.8-17.2	10	6.3	01.8-10.8	8	4.6	00.9-08.3	12	5.0	00.3-09.7	119	59.6	49.4-69.8
\$15,000- 24,999	54	11,395	6	5.0	00.3-09.7	1	1.6	00.0-04.7	2	1.3	00.0-03.3	7	13.7	02.1-25.3	2	1.0	00.0-02.4	36	77.5	64.2-90.8
\$25,000- 34,999	61	11,073	4	8.1	00.0-17.3	3	9.0	00.0-20.6				4	4.8	00.0-10.5	4	5.4	00.0-11.7	46	72.8	57.9-87.7
\$35,000- 49,999	63	10,864	4	7.7	00.0-17.9	5	4.0	00.0-08.1	2	2.3	00.0-05.6	3	4.2	00.0-09.1	3	4.4	00.0-11.7	46	77.4	63.3-91.5
\$50,000- 99,999	158	32,650	17	10.5	04.4-16.6	10	9.0	02.1-15.9	13	7.9	02.4-13.4	11	8.6	01.7-15.5	11	8.3	01.0-15.6	96	55.8	45.0-66.6
\$100,000- 199,999	66	11,749	7	10.2	02.4-18.0	1	0.5	00.0-01.5	3	6.3	00.0-13.7	6	14.3	01.4-27.2	6	7.7	00.0-16.9	43	61.1	45.2-77.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 17: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	271	53,674	24	9.8	05.3-14.3	10	3.6	01.1-06.1	15	5.8	02.1-09.5	15	7.5	02.8-12.2	16	6.5	01.8-11.2	191	66.7	59.3-74.1
White/Non-Hisp	188	29,973	12	6.2	01.9-10.5	4	3.6	00.1-07.1	10	6.6	01.7-11.5	10	6.3	01.6-11.0	11	3.5	01.0-06.0	141	73.9	66.1-81.7
55-64	58	13,321	8	13.6	03.2-24.0	2	1.2	00.0-03.0	2	7.3	00.0-17.3	2	2.2	00.0-05.3	1	1.2	00.0-03.6	43	74.5	60.8-88.2
65+	166	24,667	9	5.4	01.3-09.5	5	5.1	00.6-09.6	10	4.4	01.3-07.5	10	7.2	01.7-12.7	12	5.4	01.7-09.1	120	72.5	63.9-81.1
H.S. or G.E.D.	70	17,453	3	5.0	00.0-11.1	1	2.2	00.0-06.5	5	6.5	00.0-13.9	7	9.9	01.5-18.3	5	9.3	00.0-20.9	49	67.1	52.6-81.6
Some Post-H.S.	67	15,058	5	10.2	00.6-19.8	2	2.5	00.0-06.0	5	7.9	00.1-15.7	4	11.1	00.0-23.8	5	6.8	00.0-13.7	46	61.5	45.6-77.4
College Graduate	106	14,221	13	16.4	06.2-26.6	5	6.6	00.3-12.9	5	5.7	00.0-11.8	3	1.7	00.0-03.7	6	5.9	00.0-13.3	74	63.6	50.9-76.3
\$50,000- 99,999	85	19,837	6	7.1	00.8-13.4	5	6.2	00.9-11.5	6	7.9	00.0-15.9	6	10.4	00.0-20.8	6	9.4	00.0-20.0	56	58.9	44.4-73.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 18: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	299	50,312	36	10.1	06.0-14.2	17	7.4	02.5-12.3	13	3.2	01.2-05.2	23	9.0	04.5-13.5	17	4.0	01.3-06.7	193	66.3	58.9-73.7
White/Non-Hisp	201	28,876	20	12.3	06.0-18.6	11	4.7	01.2-08.2	6	2.2	00.2-04.2	16	10.7	04.2-17.2	12	4.4	00.7-08.1	136	65.7	56.9-74.5
Black or Afr. Am./Non-Hisp	72	17,154	10	5.1	01.2-09.0	6	13.9	01.0-26.8	6	5.4	00.5-10.3	4	5.2	00.0-11.3	5	4.2	00.0-08.9	41	66.2	50.7-81.7
55-64	70	12,307	11	12.3	02.9-21.7	6	8.4	01.0-15.8	2	1.6	00.0-04.1	4	10.4	00.4-20.4	6	5.1	00.0-10.2	41	62.2	47.7-76.7
65+	168	22,526	15	6.9	03.2-10.6	8	4.6	00.9-08.3	8	5.1	01.2-09.0	12	6.2	01.9-10.5	8	3.3	00.2-06.4	117	73.8	65.8-81.8
H.S. or G.E.D.	91	17,080	15	12.7	04.9-20.5	5	5.7	00.2-11.2	5	4.2	00.0-08.5	2	2.5	00.0-06.4	5	5.6	00.0-12.1	59	69.4	57.4-81.4
Some Post-H.S.	101	15,864	10	9.6	02.2-17.0	7	9.6	00.6-18.6	3	1.2	00.0-02.6	12	16.1	05.1-27.1	6	4.2	00.0-08.5	63	59.3	46.2-72.4
College Graduate	77	9,818	11	14.0	04.2-23.8	5	12.5	00.0-29.9	5	7.2	00.7-13.7	5	8.7	00.3-17.1	6	3.7	00.2-07.2	45	53.7	37.2-70.2
\$50,000- 99,999	73	12,813	11	15.9	04.3-27.5	5	13.2	00.0-27.7	7	7.8	01.9-13.7	5	5.7	00.0-13.0	5	6.5	00.0-14.3	40	50.9	35.2-66.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 19: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	595	109,442	57	8.8	05.9-11.7	538	91.2	88.3-94.1
Male	282	55,942	28	11.1	06.0-16.2	254	88.9	83.8-94.0
Female	313	53,500	29	6.5	03.8-09.2	284	93.5	90.8-96.2
White/Non-Hisp	399	60,258	35	8.7	05.4-12.0	364	91.3	88.0-94.6
Black or Afr. Am./Non-Hisp	126	32,684	17	11.3	03.9-18.7	109	88.7	81.3-96.1
45-54	66	18,599	11	16.7	04.0-29.4	55	83.3	70.6-96.0
55-64	132	26,760	19	10.8	05.3-16.3	113	89.2	83.7-94.7
65+	351	50,638	24	6.1	03.4-08.8	327	93.9	91.2-96.6
Less Than H.S.	62	14,566	10	14.6	04.8-24.4	52	85.4	75.6-95.2
H.S. or G.E.D.	166	35,616	13	8.3	01.8-14.8	153	91.7	85.2-98.2
Some Post-H.S.	172	32,053	20	8.9	04.0-13.8	152	91.1	86.2-96.0
College Graduate	192	26,164	14	6.8	02.9-10.7	178	93.2	89.3-97.1
\$15,000- 24,999	56	11,714	7	12.9	02.3-23.5	49	87.1	76.5-97.7
\$25,000- 34,999	65	11,919	5	5.9	00.0-12.2	60	94.1	87.8-0100
\$35,000- 49,999	67	11,441	10	11.8	03.0-20.6	57	88.2	79.4-97.0
\$50,000- 99,999	163	34,318	9	6.2	00.0-12.5	154	93.8	87.5-0100
\$100,000- 199,999	68	12,305	3	3.1	00.0-07.0	65	96.9	93.0-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 20: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	282	55,942	28	11.1	06.0-16.2	254	88.9	83.8-94.0
White/Non-Hisp	192	30,372	15	9.6	04.1-15.1	177	90.4	84.9-95.9
Black or Afr. Am./Non-Hisp	50	14,109	10	20.5	05.2-35.8	40	79.5	64.2-94.8
55-64	59	14,085	10	11.6	03.4-19.8	49	88.4	80.2-96.6
65+	174	25,727	10	5.9	02.0-09.8	164	94.1	90.2-98.0
H.S. or G.E.D.	74	18,130	8	12.3	00.7-23.9	66	87.7	76.1-99.3
Some Post-H.S.	68	15,153	7	10.3	01.3-19.3	61	89.7	80.7-98.7
College Graduate	110	15,547	7	6.1	01.4-10.8	103	93.9	89.2-98.6
\$50,000- 99,999	88	21,057	5	7.0	00.0-16.6	83	93.0	83.4-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 2: DIABETES**

TABLE 21: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	313	53,500	29	6.5	03.8-09.2	284	93.5	90.8-96.2
White/Non-Hisp	207	29,886	20	7.7	03.8-11.6	187	92.3	88.4-96.2
Black or Afr. Am./Non-Hisp	76	18,575	7	4.3	00.6-08.0	69	95.7	92.0-99.4
55-64	73	12,675	9	9.9	02.5-17.3	64	90.1	82.7-97.5
65+	177	24,910	14	6.3	02.8-09.8	163	93.7	90.2-97.2
H.S. or G.E.D.	92	17,486	5	4.1	00.2-08.0	87	95.9	92.0-99.8
Some Post-H.S.	104	16,901	13	7.6	02.9-12.3	91	92.4	87.7-97.1
College Graduate	82	10,617	7	7.7	00.8-14.6	75	92.3	85.4-99.2
\$50,000- 99,999	75	13,261	4	4.9	00.0-10.0	71	95.1	90.0-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022

MODULE 04: Place of Flu Vaccination CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLA3)	
1	MALES AND FEMALES	33
2	MALES ONLY	34
3	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 04: Place of Flu Vaccination**

**TABLE 1: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLA3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Drs office, HMO, ER, Hospital			Health Dept, Clinic, Health Center			Senior, Recreation, Community Center			Store Drive thru location			Workplace, other place, a school			A school		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1781	314,930	512	27.0	24.3-29.7	102	7.3	05.3-09.3	14	1.0	00.0-02.0	1000	54.1	50.8-57.4	145	9.5	07.3-11.7	8	1.1	00.0-02.5
Male	741	139,762	201	26.0	21.9-30.1	46	6.6	04.1-09.1	1	0.0	00.0-00.0	442	60.6	55.9-65.3	49	6.4	04.0-08.8	2	0.3	00.0-00.7
Female	1040	175,168	311	27.7	24.0-31.4	56	7.9	05.2-10.6	13	1.8	00.0-03.6	558	49.0	44.5-53.5	96	12.0	08.7-15.3	6	1.7	00.0-04.1
White/Non-Hisp	1388	213,977	378	25.2	22.3-28.1	54	3.8	02.6-05.0	11	0.9	00.0-01.9	826	58.5	55.0-62.0	115	11.3	08.8-13.8	4	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	187	51,499	77	36.0	26.8-45.2	12	7.9	01.6-14.2	2	0.2	00.0-00.4	85	48.8	38.2-59.4	10	3.3	00.8-05.8	1	3.9	00.0-11.3
Hispanic	105	22,410	31	30.5	18.3-42.7	23	29.0	16.5-41.5	1	5.5	00.0-15.9	36	26.5	15.5-37.5	12	6.9	02.4-11.4	2	1.5	00.0-03.9
18-24	51	22,477	17	32.7	17.2-48.2	6	16.2	03.5-28.9				21	35.3	19.0-51.6	4	5.7	00.0-12.2	3	10.2	00.0-26.3
25-34	97	37,885	20	14.5	07.2-21.8	14	9.9	03.8-16.0	2	5.9	00.0-13.7	42	51.2	37.9-64.5	17	17.4	07.0-27.8	2	1.1	00.0-02.7
35-44	138	31,377	43	32.4	22.6-42.2	10	9.2	02.9-15.5				58	38.1	28.3-47.9	25	19.1	09.9-28.3	2	1.1	00.0-02.7
45-54	209	40,049	69	31.5	23.5-39.5	16	8.9	03.6-14.2	1	0.3	00.0-00.9	95	45.8	36.6-55.0	28	13.5	07.4-19.6			
55-64	351	63,817	102	29.7	23.6-35.8	17	5.7	02.4-09.0				191	54.0	47.1-60.9	41	10.5	06.6-14.4			
65+	935	119,325	261	25.3	21.8-28.8	39	4.7	02.2-07.2	11	0.7	00.1-01.3	593	65.7	61.6-69.8	30	3.4	02.0-04.8	1	0.2	00.0-00.6
Less Than H.S.	78	26,281	25	26.0	14.8-37.2	13	16.4	06.0-26.8	1	4.7	00.0-13.5	30	46.5	30.8-62.2	9	6.5	01.4-11.6			
H.S. or G.E.D.	395	79,209	146	34.0	27.7-40.3	20	7.3	02.8-11.8	4	0.5	00.0-01.1	205	53.6	46.7-60.5	19	4.3	01.9-06.7	1	0.3	00.0-00.9
Some Post-H.S.	460	88,393	147	29.0	23.7-34.3	32	8.2	04.7-11.7	2	0.2	00.0-00.6	239	52.1	46.0-58.2	37	9.7	06.0-13.4	3	0.7	00.0-01.5
College Graduate	845	120,630	194	21.1	17.4-24.8	36	4.6	02.6-06.6	7	1.1	00.0-02.7	524	57.6	52.5-62.7	80	13.5	09.4-17.6	4	2.0	00.0-05.1
Less than \$15,000	58	8,675	18	39.3	22.8-55.8	4	14.4	00.0-29.5				31	35.2	20.9-49.5	4	10.0	00.0-22.0	1	1.1	00.0-03.3
\$15,000- 24,999	105	17,943	34	33.8	21.3-46.3	13	22.7	07.4-38.0	1	1.0	00.0-03.0	51	39.4	26.1-52.7	6	3.1	00.2-06.0			
\$25,000- 34,999	163	28,594	51	27.0	17.8-36.2	10	4.8	00.7-08.9	2	0.2	00.0-00.4	95	65.2	55.2-75.2	5	2.7	00.2-05.2			
\$35,000- 49,999	210	38,459	69	28.6	19.4-37.8	11	8.8	01.7-15.9	2	3.3	00.0-09.4	109	45.7	34.7-56.7	17	7.8	02.9-12.7	2	5.8	00.0-15.6
\$50,000- 99,999	528	88,789	146	25.1	20.4-29.8	28	4.3	02.3-06.3	5	0.6	00.0-01.2	301	58.8	52.9-64.7	47	11.0	06.5-15.5	1	0.2	00.0-00.6
\$100,000- 199,999	307	59,889	76	22.5	16.8-28.2	11	5.2	01.7-08.7	1	1.7	00.0-04.8	179	55.1	47.7-62.5	38	14.8	09.3-20.3	2	0.8	00.0-01.8
\$200,000+	82	17,640	29	41.5	28.6-54.4	4	5.4	00.0-11.5				36	36.9	24.7-49.1	12	15.0	05.0-25.0	1	1.1	00.0-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 04: Place of Flu Vaccination**

TABLE 2: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLA3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Drs office, HMO, ER, Hospital			Health Dept, Clinic, Health Center			Senior, Recreation, Community Center			Store Drive thru location			Workplace, other place, a school			A school		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	741	139,762	201	26.0	21.9-30.1	46	6.6	04.1-09.1	1	0.0	00.0-00.0	442	60.6	55.9-65.3	49	6.4	04.0-08.8	2	0.3	00.0-00.7
White/Non-Hisp	586	96,530	151	23.8	19.5-28.1	28	3.8	02.0-05.6				368	64.6	59.7-69.5	38	7.7	04.6-10.8	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	67	21,912	29	37.3	22.8-51.8	3	3.4	00.0-08.1	1	0.2	00.0-00.6	29	55.5	40.2-70.8	5	3.6	00.0-07.5			
35-44	62	15,479	20	37.4	22.9-51.9	1	2.6	00.0-07.7				33	48.0	33.5-62.5	7	11.2	01.8-20.6	1	0.9	00.0-02.7
45-54	73	14,940	22	30.6	16.9-44.3	6	8.6	01.3-15.9				39	55.0	40.5-69.5	6	5.7	00.4-11.0			
55-64	145	30,596	41	29.0	19.6-38.4	8	4.0	00.3-07.7				82	59.9	49.7-70.1	14	7.1	02.6-11.6			
65+	394	51,726	105	24.9	19.8-30.0	19	4.3	01.9-06.7	1	0.1	00.0-00.3	253	67.4	61.7-73.1	16	3.3	01.3-05.3			
H.S. or G.E.D.	161	37,164	57	30.8	21.8-39.8	6	3.3	00.0-06.8				91	63.3	53.9-72.7	7	2.6	00.2-05.0			
Some Post-H.S.	168	37,825	55	32.0	22.8-41.2	14	9.5	03.0-16.0				89	52.7	42.3-63.1	10	5.8	01.3-10.3			
College Graduate	382	54,792	82	19.2	14.5-23.9	22	6.3	03.0-09.6	1	0.1	00.0-00.3	246	64.1	57.8-70.4	29	9.7	05.4-14.0	2	0.6	00.0-01.6
\$25,000- 34,999	60	10,716	15	23.5	09.4-37.6	7	10.5	00.5-20.5				37	64.8	49.1-80.5	1	1.3	00.0-03.8			
\$35,000- 49,999	87	14,680	24	29.2	15.7-42.7	6	11.9	00.0-25.2				49	51.0	36.1-65.9	7	6.5	00.6-12.4	1	1.5	00.0-04.4
\$50,000- 99,999	229	43,181	64	23.3	16.4-30.2	14	4.3	01.8-06.8	1	0.1	00.0-00.3	135	66.3	58.5-74.1	14	5.7	02.0-09.4	1	0.3	00.0-00.9
\$100,000- 199,999	147	31,645	32	19.3	11.5-27.1	6	5.1	00.2-10.0				96	63.8	53.4-74.2	13	11.8	04.4-19.2			
\$200,000+	52	10,895	19	45.9	30.0-61.8	2	4.3	00.0-11.2				26	43.2	28.1-58.3	5	6.6	00.0-13.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 04: Place of Flu Vaccination**

TABLE 3: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLA3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Drs office, HMO, ER, Hospital			Health Dept, Clinic, Health Center			Senior, Recreation, Community Center			Store Drive thru location			Workplace, other place, a school			A school		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1040	175,168	311	27.7	24.2-31.2	56	7.9	05.4-10.4	13	1.8	00.0-03.6	558	49.0	44.5-53.5	96	12.0	08.7-15.3	6	1.7	00.0-04.1
White/Non-Hisp	802	117,448	227	26.4	22.3-30.5	26	3.8	02.0-05.6	11	1.6	00.0-03.4	458	53.4	48.7-58.1	77	14.3	10.6-18.0	3	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	120	29,587	48	35.0	23.4-46.6	9	11.3	00.9-21.7	1	0.1	00.0-00.3	56	43.8	29.5-58.1	5	3.1	00.0-06.6	1	6.8	00.0-19.3
Hispanic	71	16,079	21	26.5	13.2-39.8	19	34.1	18.2-50.0	1	7.7	00.0-21.8	19	22.0	09.3-34.7	9	7.6	01.7-13.5	2	2.1	00.0-05.4
25-34	55	20,401	14	18.8	08.0-29.6	6	10.5	01.1-19.9	2	10.9	00.0-25.0	20	37.5	19.9-55.1	12	21.3	05.2-37.4	1	1.0	00.0-03.0
35-44	76	15,898	23	27.6	14.9-40.3	9	15.6	04.6-26.6				25	28.6	15.9-41.3	18	26.9	11.6-42.2	1	1.3	00.0-03.8
45-54	136	25,109	47	32.0	22.0-42.0	10	9.1	01.7-16.5	1	0.4	00.0-01.2	56	40.3	28.5-52.1	22	18.1	09.1-27.1			
55-64	206	33,222	61	30.4	22.6-38.2	9	7.3	02.0-12.6				109	48.6	39.8-57.4	27	13.7	07.6-19.8			
65+	541	67,599	156	25.7	21.0-30.4	20	4.9	00.6-09.2	10	1.2	00.2-02.2	340	64.4	58.5-70.3	14	3.4	01.4-05.4	1	0.4	00.0-01.2
Less Than H.S.	50	16,643	18	27.0	12.9-41.1	10	20.6	05.5-35.7	1	7.4	00.0-21.1	15	37.7	16.7-58.7	6	7.3	00.4-14.2			
H.S. or G.E.D.	234	42,045	89	36.8	28.4-45.2	14	10.8	03.2-18.4	4	0.9	00.0-02.1	114	45.0	36.2-53.8	12	5.8	02.1-09.5	1	0.6	00.0-01.8
Some Post-H.S.	292	50,568	92	26.8	20.7-32.9	18	7.3	03.6-11.0	2	0.4	00.0-01.0	150	51.7	44.3-59.1	27	12.7	07.4-18.0	3	1.2	00.0-02.6
College Graduate	463	65,838	112	22.7	17.2-28.2	14	3.2	00.8-05.6	6	2.0	00.0-04.9	278	52.2	44.8-59.6	51	16.6	09.9-23.3	2	3.2	00.0-09.1
\$15,000- 24,999	71	11,977	22	28.3	14.4-42.2	11	32.5	12.1-52.9	1	1.5	00.0-04.4	33	34.2	18.1-50.3	4	3.6	00.0-07.7			
\$25,000- 34,999	103	17,878	36	29.2	17.0-41.4	3	1.4	00.0-03.0	2	0.3	00.0-00.7	58	65.5	52.4-78.6	4	3.6	00.0-07.5			
\$35,000- 49,999	123	23,779	45	28.3	16.0-40.6	5	7.0	00.0-14.6	2	5.3	00.0-15.1	60	42.5	27.6-57.4	10	8.6	01.3-15.9	1	8.4	00.0-23.7
\$50,000- 99,999	299	45,608	82	26.8	20.3-33.3	14	4.4	01.7-07.1	4	1.1	00.0-02.3	166	51.8	43.8-59.8	33	16.0	08.4-23.6			
\$100,000- 199,999	160	28,244	44	26.1	17.7-34.5	5	5.3	00.0-10.6	1	3.5	00.0-10.2	83	45.3	35.3-55.3	25	18.2	09.8-26.6	2	1.6	00.0-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022

MODULE 5:HPV VACCINATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)	
1	MALES AND FEMALES	37
2	MALES ONLY	38
3	FEMALES ONLY	39
	HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)	
4	MALES AND FEMALES	40
5	MALES ONLY	41
6	FEMALES ONLY	42

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 5:HPV VACCINATION**

**TABLE 1: HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	971	264,220	262	29.6	25.7-33.5	709	70.4	66.5-74.3
Male	456	128,226	89	20.1	15.4-24.8	367	79.9	75.2-84.6
Female	515	135,994	173	38.4	32.5-44.3	342	61.6	55.7-67.5
White/Non-Hisp	527	130,744	154	31.2	26.1-36.3	373	68.8	63.7-73.9
Black or Afr. Am./Non-Hisp	161	53,843	48	33.6	23.8-43.4	113	66.4	56.6-76.2
Hispanic	183	45,431	32	20.5	12.1-28.9	151	79.5	71.1-87.9
18-24	155	59,324	68	44.9	34.9-54.9	87	55.1	45.1-65.1
25-34	262	85,308	109	40.4	32.8-48.0	153	59.6	52.0-67.2
35-44	349	81,937	69	18.2	12.9-23.5	280	81.8	76.5-87.1
45-54	185	34,693	15	5.7	01.8-09.6	170	94.3	90.4-98.2
Less Than H.S.	83	29,022	11	16.7	05.7-27.7	72	83.3	72.3-94.3
H.S. or G.E.D.	252	79,087	59	28.3	21.0-35.6	193	71.7	64.4-79.0
Some Post-H.S.	243	74,405	78	33.1	25.8-40.4	165	66.9	59.6-74.2
College Graduate	388	80,232	114	32.7	25.6-39.8	274	67.3	60.2-74.4
Less than \$15,000	53	10,458	8	14.8	02.3-27.3	45	85.2	72.7-97.7
\$15,000- 24,999	65	15,342	13	23.0	09.9-36.1	52	77.0	63.9-90.1
\$25,000- 34,999	88	25,392	23	30.8	16.3-45.3	65	69.2	54.7-83.7
\$35,000- 49,999	102	31,764	31	35.8	21.7-49.9	71	64.2	50.1-78.3
\$50,000- 99,999	268	72,788	96	36.6	29.2-44.0	172	63.4	56.0-70.8
\$100,000- 199,999	189	48,474	49	23.6	16.5-30.7	140	76.4	69.3-83.5
\$200,000+	55	16,272	9	18.2	06.2-30.2	46	81.8	69.8-93.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 5:HPV VACCINATION**

TABLE 2: HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	456	128,226	89	20.1	15.4-24.8	367	79.9	75.2-84.6
White/Non-Hisp	256	65,151	53	21.4	14.9-27.9	203	78.6	72.1-85.1
Black or Afr. Am./Non-Hisp	69	28,015	18	24.5	13.1-35.9	51	75.5	64.1-86.9
Hispanic	80	17,629	7	8.4	01.3-15.5	73	91.6	84.5-98.7
18-24	93	30,719	35	39.1	27.3-50.9	58	60.9	49.1-72.7
25-34	117	42,237	29	21.5	12.5-30.5	88	78.5	69.5-87.5
35-44	162	38,631	16	8.9	03.8-14.0	146	91.1	86.0-96.2
45-54	79	15,794	9	8.4	01.0-15.8	70	91.6	84.2-99.0
H.S. or G.E.D.	130	41,580	21	19.5	10.9-28.1	109	80.5	71.9-89.1
Some Post-H.S.	124	42,202	34	27.3	17.7-36.9	90	72.7	63.1-82.3
College Graduate	164	31,387	32	17.2	10.7-23.7	132	82.8	76.3-89.3
\$35,000- 49,999	50	14,742	10	21.2	05.9-36.5	40	78.8	63.5-94.1
\$50,000- 99,999	124	34,398	31	22.0	12.8-31.2	93	78.0	68.8-87.2
\$100,000- 199,999	100	30,389	23	22.1	12.7-31.5	77	77.9	68.5-87.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 5:HPV VACCINATION**

TABLE 3: HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	515	135,994	173	38.4	32.5-44.3	342	61.6	55.7-67.5
White/Non-Hisp	271	65,593	101	40.8	33.0-48.6	170	59.2	51.4-67.0
Black or Afr. Am./Non-Hisp	92	25,828	30	43.4	28.7-58.1	62	56.6	41.9-71.3
Hispanic	103	27,802	25	28.1	15.8-40.4	78	71.9	59.6-84.2
18-24	62	28,605	33	51.1	35.0-67.2	29	48.9	32.8-65.0
25-34	145	43,070	80	59.0	48.4-69.6	65	41.0	30.4-51.6
35-44	187	43,305	53	26.4	18.0-34.8	134	73.6	65.2-82.0
45-54	106	18,899	6	3.6	00.7-06.5	100	96.4	93.5-99.3
H.S. or G.E.D.	122	37,507	38	38.1	26.7-49.5	84	61.9	50.5-73.3
Some Post-H.S.	119	32,203	44	40.7	29.5-51.9	75	59.3	48.1-70.5
College Graduate	224	48,846	82	42.6	32.6-52.6	142	57.4	47.4-67.4
\$25,000- 34,999	54	15,627	19	38.1	18.3-57.9	35	61.9	42.1-81.7
\$35,000- 49,999	52	17,022	21	48.5	27.9-69.1	31	51.5	30.9-72.1
\$50,000- 99,999	144	38,390	65	49.7	38.9-60.5	79	50.3	39.5-61.1
\$100,000- 199,999	89	18,085	26	26.1	15.1-37.1	63	73.9	62.9-84.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 5:HPV VACCINATION**

**TABLE 4: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	207	62,830	33	18.2	11.3-25.1	75	37.0	27.8-46.2	99	44.8	35.6-54.0
Male	67	20,320	16	27.7	14.2-41.2	29	40.7	27.0-54.4	22	31.6	17.7-45.5
Female	140	42,510	17	13.7	06.3-21.1	46	35.2	23.2-47.2	77	51.1	39.3-62.9
White/Non-Hisp	120	31,612	16	15.9	07.1-24.7	40	34.1	22.9-45.3	64	50.0	38.2-61.8
18-24	51	21,406	10	18.5	06.7-30.3	24	49.4	31.8-67.0	17	32.1	16.4-47.8
25-34	88	27,665	11	14.8	05.0-24.6	25	25.2	13.4-37.0	52	59.9	46.4-73.4
35-44	54	11,782	10	25.9	08.5-43.3	20	38.4	20.4-56.4	24	35.6	19.7-51.5
Some Post-H.S.	64	20,726	11	18.3	06.7-29.9	23	34.6	20.5-48.7	30	47.0	32.1-61.9
College Graduate	94	22,566	11	9.9	02.8-17.0	33	34.4	18.7-50.1	50	55.7	40.0-71.4
\$50,000- 99,999	79	21,139	13	17.4	06.0-28.8	28	31.2	18.9-43.5	38	51.4	37.5-65.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 5:HPV VACCINATION**

TABLE 5: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	67	20,320	16	27.7	14.0-41.4	29	40.7	27.8-53.6	22	31.6	18.1-45.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 5:HPV VACCINATION**

TABLE 6: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	140	42,510	17	13.7	06.4-21.0	46	35.2	23.2-47.2	77	51.1	39.3-62.9
White/Non-Hisp	82	21,553	10	13.2	04.4-22.0	23	28.0	14.1-41.9	49	58.8	44.3-73.3
25-34	64	20,017	5	9.6	00.6-18.6	17	22.3	08.6-36.0	42	68.1	53.0-83.2
College Graduate	71	18,402	8	8.6	01.5-15.7	25	34.4	15.8-53.0	38	57.0	38.6-75.4
\$50,000- 99,999	51	14,096	7	16.0	02.7-29.3	12	17.2	06.0-28.4	32	66.9	51.4-82.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022**

MODULE 7: COVID Vaccination CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU RECEIVED AT LEAST ONE DOSE OF A COVID-19 VACCINATION? (COVIDVA1)	
1 MALES AND FEMALES	44
2 MALES ONLY	45
3 FEMALES ONLY	46
WOULD YOU SAY YOU WOULD DEFINITELY GET A VACCINE, PROBABLY GET A VACCINE, PROBABLY NOT GET A VACCINE, DEFINITELY NOT GET A VACCINE, OR ARE NOT SURE? (COVACGET)	
4 MALES AND FEMALES	47
5 MALES ONLY	48
6 FEMALES ONLY	49
HOW MANY COVID-19 VACCINATIONS HAVE YOU RECEIVED? (COVIDNU1)	
7 MALES AND FEMALES	50
8 MALES ONLY	51
9 FEMALES ONLY	52
WHICH OF THE FOLLOWING BEST DESCRIBES YOUR INTENT TO TAKE THE RECOMMENDED COVID VACCINATIONS... WOULD YOU SAY YOU HAVE ALREADY RECEIVED ALL RECOMMENDED DOSES, PLAN TO RECEIVE ALL RECOMMENDED DOSES OR DO NOT PLAN TO RECEIVE ALL RECOMMENDED DOSES? (COVIDINT)	
10 MALES AND FEMALES	53
11 MALES ONLY	54
12 FEMALES ONLY	55
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR (FIRST) COVID-19 VACCINATION? (COVIDFS1)	
13 MALES AND FEMALES	56
14 MALES ONLY	57
15 FEMALES ONLY	58
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR SECOND COVID-19 VACCINATION? (COVIDSE1)	
16 MALES AND FEMALES	59
17 MALES ONLY	60
18 FEMALES ONLY	61

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

**TABLE 1: HAVE YOU RECEIVED AT LEAST ONE DOSE OF A COVID-19 VACCINATION? (COVIDVA1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3292	660,576	2833	84.2	82.4-86.0	459	15.8	14.0-17.6
Male	1424	309,775	1224	83.3	80.6-86.0	200	16.7	14.0-19.4
Female	1868	350,801	1609	84.9	82.7-87.1	259	15.1	12.9-17.3
White/Non-Hisp	2308	396,158	2023	85.8	83.8-87.8	285	14.2	12.2-16.2
Black or Afr. Am./Non-Hisp	472	136,222	407	85.5	81.2-89.8	65	14.5	10.2-18.8
Oth. Race/Non-Hisp.	90	28,004	83	91.7	84.8-98.6	7	8.3	01.4-15.2
MultiRacial/Non-Hisp.	65	25,912	49	79.9	68.5-91.3	16	20.1	08.7-31.5
Hispanic	285	61,680	218	73.0	66.1-79.9	67	27.0	20.1-33.9
18-24	179	70,274	129	76.5	69.2-83.8	50	23.5	16.2-30.8
25-34	301	100,548	210	71.8	65.5-78.1	91	28.2	21.9-34.5
35-44	404	97,668	302	74.1	68.6-79.6	102	25.9	20.4-31.4
45-54	467	93,703	402	85.6	81.3-89.9	65	14.4	10.1-18.7
55-64	621	118,606	556	92.5	90.3-94.7	65	7.5	05.3-09.7
65+	1320	179,777	1234	93.3	91.5-95.1	86	6.7	04.9-08.5
Less Than H.S.	209	63,792	148	71.2	63.2-79.2	61	28.8	20.8-36.8
H.S. or G.E.D.	857	202,839	679	77.2	73.5-80.9	178	22.8	19.1-26.5
Some Post-H.S.	868	189,590	738	84.9	81.8-88.0	130	15.1	12.0-18.2
College Graduate	1347	201,898	1259	94.9	93.5-96.3	88	5.1	03.7-06.5
Less than \$15,000	139	22,433	105	70.5	60.5-80.5	34	29.5	19.5-39.5
\$15,000- 24,999	240	44,437	188	76.2	69.1-83.3	52	23.8	16.7-30.9
\$25,000- 34,999	321	64,904	265	80.8	74.3-87.3	56	19.2	12.7-25.7
\$35,000- 49,999	369	75,026	318	83.0	77.3-88.7	51	17.0	11.3-22.7
\$50,000- 99,999	933	191,641	830	86.6	83.5-89.7	103	13.4	10.3-16.5
\$100,000- 199,999	551	110,056	499	90.5	87.4-93.6	52	9.5	06.4-12.6
\$200,000+	135	31,016	125	86.4	77.4-95.4	10	13.6	04.6-22.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

TABLE 2: HAVE YOU RECEIVED AT LEAST ONE DOSE OF A COVID-19 VACCINATION? (COVIDVA1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1424	309,775	1224	83.3	80.6-86.0	200	16.7	14.0-19.4
White/Non-Hisp	1001	185,491	880	86.2	83.3-89.1	121	13.8	10.9-16.7
Black or Afr. Am./Non-Hisp	187	64,235	159	81.2	73.6-88.8	28	18.8	11.2-26.4
Oth. Race/Non-Hisp.	52	16,681	46	86.7	75.5-97.9	6	13.3	02.1-24.5
Hispanic	116	23,285	86	69.2	58.2-80.2	30	30.8	19.8-41.8
18-24	104	35,505	73	74.6	65.4-83.8	31	25.4	16.2-34.6
25-34	135	50,500	97	69.8	60.0-79.6	38	30.2	20.4-40.0
35-44	190	45,727	139	74.4	66.8-82.0	51	25.6	18.0-33.2
45-54	188	41,769	160	81.6	73.8-89.4	28	18.4	10.6-26.2
55-64	261	57,000	241	94.2	91.1-97.3	20	5.8	02.7-08.9
65+	546	79,273	514	93.9	91.2-96.6	32	6.1	03.4-08.8
Less Than H.S.	88	28,680	60	62.7	49.8-75.6	28	37.3	24.4-50.2
H.S. or G.E.D.	376	99,476	294	77.1	71.6-82.6	82	22.9	17.4-28.4
Some Post-H.S.	353	89,942	298	84.0	79.1-88.9	55	16.0	11.1-20.9
College Graduate	601	90,984	567	95.8	94.0-97.6	34	4.2	02.4-06.0
Less than \$15,000	54	8,035	40	71.4	56.9-85.9	14	28.6	14.1-43.1
\$15,000- 24,999	84	16,552	65	72.3	59.2-85.4	19	27.7	14.6-40.8
\$25,000- 34,999	117	25,789	98	80.5	68.9-92.1	19	19.5	07.9-31.1
\$35,000- 49,999	156	34,230	130	77.2	67.6-86.8	26	22.8	13.2-32.4
\$50,000- 99,999	410	91,380	364	86.5	82.0-91.0	46	13.5	09.0-18.0
\$100,000- 199,999	291	65,178	261	89.3	84.6-94.0	30	10.7	06.0-15.4
\$200,000+	82	18,197	77	89.7	80.1-99.3	5	10.3	00.7-19.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

TABLE 3: HAVE YOU RECEIVED AT LEAST ONE DOSE OF A COVID-19 VACCINATION? (COVIDVA1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1868	350,801	1609	84.9	82.7-87.1	259	15.1	12.9-17.3
White/Non-Hisp	1307	210,668	1143	85.5	82.8-88.2	164	14.5	11.8-17.2
Black or Afr. Am./Non-Hisp	285	71,987	248	89.3	85.4-93.2	37	10.7	06.8-14.6
Hispanic	169	38,396	132	75.2	66.6-83.8	37	24.8	16.2-33.4
18-24	75	34,769	56	78.5	67.5-89.5	19	21.5	10.5-32.5
25-34	166	50,048	113	73.8	66.0-81.6	53	26.2	18.4-34.0
35-44	214	51,941	163	73.8	66.0-81.6	51	26.2	18.4-34.0
45-54	279	51,934	242	88.8	84.7-92.9	37	11.2	07.1-15.3
55-64	360	61,606	315	90.9	87.8-94.0	45	9.1	06.0-12.2
65+	774	100,504	720	92.7	90.3-95.1	54	7.3	04.9-09.7
Less Than H.S.	121	35,112	88	78.2	69.4-87.0	33	21.8	13.0-30.6
H.S. or G.E.D.	481	103,364	385	77.3	72.2-82.4	96	22.7	17.6-27.8
Some Post-H.S.	515	99,648	440	85.7	81.8-89.6	75	14.3	10.4-18.2
College Graduate	746	110,914	692	94.2	92.4-96.0	54	5.8	04.0-07.6
Less than \$15,000	85	14,398	65	70.0	56.9-83.1	20	30.0	16.9-43.1
\$15,000- 24,999	156	27,884	123	78.5	70.5-86.5	33	21.5	13.5-29.5
\$25,000- 34,999	204	39,116	167	80.9	73.3-88.5	37	19.1	11.5-26.7
\$35,000- 49,999	213	40,796	188	88.0	81.9-94.1	25	12.0	05.9-18.1
\$50,000- 99,999	523	100,261	466	86.7	82.4-91.0	57	13.3	09.0-17.6
\$100,000- 199,999	260	44,878	238	92.4	88.7-96.1	22	7.6	03.9-11.3
\$200,000+	53	12,819	48	81.8	65.1-98.5	5	18.2	01.5-34.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

**TABLE 4: WOULD YOU SAY YOU WOULD DEFINITELY GET A VACCINE, PROBABLY GET A VACCINE, PROBABLY NOT GET A VACCINE, DEFINITELY NOT GET A VACCINE, OR ARE NOT SURE?
(COVACGET)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1						2			3			4		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	344	77,183	12	3.8	01.4-06.2	27	9.9	05.6-14.2	84	24.5	18.2-30.8	221	61.7	54.8-68.6			
Male	157	41,320	4	2.7	00.0-05.4	14	11.6	04.5-18.7	41	25.9	16.5-35.3	98	59.8	49.6-70.0			
Female	187	35,863	8	5.2	01.1-09.3	13	7.9	03.2-12.6	43	23.0	15.4-30.6	123	63.9	55.3-72.5			
White/Non-Hisp	233	45,626	5	2.1	00.1-04.1	7	2.8	00.4-05.2	59	27.8	20.0-35.6	162	67.3	59.3-75.3			
25-34	63	19,795	1	0.6	00.0-01.8	8	10.7	01.9-19.5	18	33.4	17.7-49.1	36	55.3	39.6-71.0			
35-44	79	20,280	5	7.6	00.5-14.7	6	9.5	01.9-17.1	22	24.0	12.4-35.6	46	58.9	45.4-72.4			
45-54	52	10,435	2	4.0	00.0-09.7	2	9.9	00.0-26.8	12	20.9	07.4-34.4	36	65.3	46.7-83.9			
55-64	53	7,590	1	1.5	00.0-04.4	1	2.3	00.0-06.8	13	16.0	06.4-25.6	38	80.2	69.4-91.0			
65+	67	9,643	1	1.1	00.0-03.3	3	5.2	00.0-12.3	12	20.7	07.6-33.8	51	73.0	58.9-87.1			
H.S. or G.E.D.	127	33,497	6	3.7	00.6-06.8	7	5.9	00.8-11.0	37	30.2	20.0-40.4	77	60.3	49.5-71.1			
Some Post-H.S.	104	23,326	3	4.8	00.0-10.5	2	1.4	00.0-03.8	25	20.2	11.6-28.8	74	73.6	63.6-83.6			
College Graduate	72	8,068	2	3.3	00.0-07.8	5	6.4	00.1-12.7	16	24.2	12.0-36.4	49	66.2	53.1-79.3			
\$50,000- 99,999	87	22,474	2	3.6	00.0-08.7	4	3.0	00.0-06.3	18	16.1	07.5-24.7	63	77.3	67.1-87.5			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

**TABLE 5: WOULD YOU SAY YOU WOULD DEFINITELY GET A VACCINE, PROBABLY GET A VACCINE, PROBABLY NOT GET A VACCINE, DEFINITELY NOT GET A VACCINE, OR ARE NOT SURE?
(COVACGET)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1						2			3			4		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	157	41,320	4	2.7	00.0-05.4	14	11.6	04.7-18.5	41	25.9	16.5-35.3	98	59.8	49.6-70.0			
White/Non-Hisp	103	21,645	2	1.7	00.0-04.2	4	2.6	00.0-05.7	30	33.3	21.0-45.6	67	62.3	50.0-74.6			
H.S. or G.E.D.	61	17,081	2	2.2	00.0-05.5	4	7.6	00.0-16.4	17	30.0	14.7-45.3	38	60.2	44.3-76.1			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 7: COVID Vaccination**

**TABLE 6: WOULD YOU SAY YOU WOULD DEFINITELY GET A VACCINE, PROBABLY GET A VACCINE, PROBABLY NOT GET A VACCINE, DEFINITELY NOT GET A VACCINE, OR ARE NOT SURE?
 (COVACGET)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1						2			3			4		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	187	35,863	8	5.2	01.1-09.3	13	7.9	03.2-12.6	43	23.0	15.4-30.6	123	63.9	55.3-72.5			
White/Non-Hisp	130	23,981	3	2.4	00.0-05.3	3	2.8	00.0-05.9	29	22.8	13.4-32.2	95	71.9	61.9-81.9			
H.S. or G.E.D.	66	16,416	4	5.2	00.0-10.5	3	4.1	00.0-09.2	20	30.4	17.1-43.7	39	60.3	46.0-74.6			
Some Post-H.S.	59	10,769	2	7.0	00.0-17.0	1	2.6	00.0-07.7	11	16.7	05.7-27.7	45	73.7	59.8-87.6			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

**TABLE 7: HOW MANY COVID-19 VACCINATIONS HAVE YOU RECEIVED? (COVIDNU1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One			Two			Three			Four or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2810	553,116	140	5.6	04.4-06.8	795	33.6	31.1-36.1	1231	43.1	40.6-45.6	644	17.6	15.8-19.4
Male	1214	256,856	77	7.8	05.6-10.0	356	34.7	31.0-38.4	497	38.2	34.5-41.9	284	19.3	16.6-22.0
Female	1596	296,260	63	3.7	02.5-04.9	439	32.6	29.1-36.1	734	47.4	43.7-51.1	360	16.2	14.0-18.4
White/Non-Hisp	2005	337,803	92	5.3	03.9-06.7	483	28.6	25.7-31.5	900	44.2	41.3-47.1	530	21.9	19.7-24.1
Black or Afr. Am./Non-Hisp	406	116,289	21	6.3	03.0-09.6	145	39.7	33.0-46.4	176	41.2	34.5-47.9	64	12.8	08.7-16.9
Oth. Race/Non-Hisp.	83	25,686	5	3.8	00.0-07.7	22	36.1	21.4-50.8	44	48.3	34.4-62.2	12	11.9	04.5-19.3
Hispanic	216	44,774	15	6.7	02.6-10.8	115	56.4	46.8-66.0	69	31.7	22.3-41.1	17	5.2	01.9-08.5
18-24	128	53,603	12	8.6	03.5-13.7	57	45.1	34.1-56.1	55	43.2	32.2-54.2	4	3.1	00.0-06.6
25-34	209	71,969	23	11.3	05.8-16.8	114	56.6	47.6-65.6	66	28.9	20.9-36.9	6	3.1	00.4-05.8
35-44	301	72,269	20	5.0	02.3-07.7	113	38.3	31.2-45.4	139	47.5	40.2-54.8	29	9.2	05.5-12.9
45-54	401	80,062	25	5.4	02.9-07.9	151	38.9	32.4-45.4	175	46.2	39.7-52.7	50	9.5	06.6-12.4
55-64	550	108,521	28	5.8	03.1-08.5	152	28.8	23.5-34.1	253	44.1	38.4-49.8	117	21.3	16.8-25.8
65+	1221	166,692	32	2.5	01.3-03.7	208	18.4	15.3-21.5	543	45.3	41.4-49.2	438	33.8	30.3-37.3
Less Than H.S.	145	44,756	12	6.8	02.1-11.5	72	54.4	43.0-65.8	45	31.0	20.2-41.8	16	7.7	03.4-12.0
H.S. or G.E.D.	677	156,458	38	6.3	03.9-08.7	241	37.7	32.6-42.8	280	40.2	35.1-45.3	118	15.7	12.2-19.2
Some Post-H.S.	733	160,127	45	6.8	04.1-09.5	210	34.8	29.7-39.9	337	43.9	39.0-48.8	141	14.4	11.5-17.3
College Graduate	1246	190,441	45	3.9	02.3-05.5	270	24.3	20.8-27.8	566	47.8	43.9-51.7	365	24.0	21.1-26.9
Less than \$15,000	103	15,493	5	6.6	00.1-13.1	41	41.1	28.6-53.6	48	45.8	33.1-58.5	9	6.6	01.9-11.3
\$15,000- 24,999	188	33,855	16	10.0	03.9-16.1	73	40.1	30.3-49.9	77	35.9	25.9-45.9	22	14.0	06.9-21.1
\$25,000- 34,999	264	52,262	11	3.7	00.6-06.8	88	38.1	29.1-47.1	113	39.3	30.9-47.7	52	18.9	12.2-25.6
\$35,000- 49,999	317	62,248	13	3.0	01.0-05.0	105	41.9	33.3-50.5	145	44.6	36.0-53.2	54	10.5	07.0-14.0
\$50,000- 99,999	826	165,520	39	6.4	03.9-08.9	216	31.9	27.0-36.8	347	41.2	36.5-45.9	224	20.5	17.0-24.0
\$100,000- 199,999	494	99,110	25	5.7	02.6-08.8	113	29.6	23.7-35.5	217	41.9	36.2-47.6	139	22.8	18.5-27.1
\$200,000+	124	26,763	7	5.5	01.0-10.0	28	22.3	13.7-30.9	60	52.6	42.2-63.0	29	19.6	12.2-27.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

TABLE 8: HOW MANY COVID-19 VACCINATIONS HAVE YOU RECEIVED? (COVIDNU1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One			Two			Three			Four or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1214	256,856	77	7.8	05.6-10.0	356	34.7	31.0-38.4	497	38.2	34.5-41.9	284	19.3	16.6-22.0
White/Non-Hisp	874	159,194	55	7.9	05.4-10.4	227	30.0	25.9-34.1	355	37.8	33.7-41.9	237	24.4	20.9-27.9
Black or Afr. Am./Non-Hisp	158	51,987	11	9.0	02.7-15.3	57	41.6	31.2-52.0	68	37.2	27.4-47.0	22	12.2	06.1-18.3
Hispanic	85	15,946	6	7.8	00.4-15.2	47	60.3	46.8-73.8	24	24.0	12.2-35.8	8	7.8	00.5-15.1
18-24	72	26,325	10	14.1	05.1-23.1	30	43.7	29.8-57.6	30	39.8	26.3-53.3	2	2.3	00.0-05.4
25-34	97	35,249	15	15.1	05.9-24.3	48	56.7	44.0-69.4	29	22.7	12.9-32.5	5	5.6	00.3-10.9
35-44	138	33,926	10	4.6	01.5-07.7	54	40.5	30.9-50.1	60	43.8	34.2-53.4	14	11.1	05.2-17.0
45-54	159	33,946	11	7.0	02.7-11.3	61	36.2	26.4-46.0	65	46.5	36.3-56.7	22	10.3	05.6-15.0
55-64	238	53,232	15	8.5	03.4-13.6	74	33.2	24.8-41.6	100	37.8	29.6-46.0	49	20.6	14.1-27.1
65+	510	74,178	16	3.5	01.3-05.7	89	18.8	14.1-23.5	213	39.0	33.5-44.5	192	38.7	33.0-44.4
Less Than H.S.	59	17,799	6	8.8	00.8-16.8	32	57.5	41.8-73.2	13	20.6	07.9-33.3	8	13.1	03.7-22.5
H.S. or G.E.D.	294	76,670	21	8.1	04.2-12.0	110	39.6	32.0-47.2	110	34.6	27.5-41.7	53	17.7	12.2-23.2
Some Post-H.S.	297	75,421	22	9.2	04.5-13.9	93	38.5	30.7-46.3	131	40.2	32.8-47.6	51	12.1	07.8-16.4
College Graduate	559	86,351	28	6.3	03.4-09.2	119	22.3	17.8-26.8	242	43.5	38.2-48.8	170	28.0	23.5-32.5
\$15,000- 24,999	65	11,965	7	13.7	03.1-24.3	25	31.5	17.2-45.8	24	32.8	17.7-47.9	9	21.9	06.4-37.4
\$25,000- 34,999	97	20,614	7	8.0	00.6-15.4	30	30.1	17.9-42.3	43	42.8	30.1-55.5	17	19.1	08.3-29.9
\$35,000- 49,999	130	26,414	4	2.8	00.0-05.7	46	44.1	31.6-56.6	60	43.4	30.9-55.9	20	9.7	04.4-15.0
\$50,000- 99,999	363	79,039	22	8.6	04.5-12.7	97	34.4	27.0-41.8	143	36.0	29.3-42.7	101	21.1	16.0-26.2
\$100,000- 199,999	257	57,688	20	9.2	03.9-14.5	63	30.7	22.7-38.7	105	37.9	30.3-45.5	69	22.3	16.6-28.0
\$200,000+	76	16,284	6	8.1	01.0-15.2	22	28.7	16.9-40.5	29	38.5	26.0-51.0	19	24.7	13.9-35.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

TABLE 9: HOW MANY COVID-19 VACCINATIONS HAVE YOU RECEIVED? (COVIDNU1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One			Two			Three			Four or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1596	296,260	63	3.7	02.5-04.9	439	32.6	29.1-36.1	734	47.4	43.7-51.1	360	16.2	14.0-18.4
White/Non-Hisp	1131	178,609	37	3.0	01.6-04.4	256	27.5	23.6-31.4	545	49.9	45.8-54.0	293	19.6	16.9-22.3
Black or Afr. Am./Non-Hisp	248	64,302	10	4.2	00.7-07.7	88	38.2	29.4-47.0	108	44.5	35.5-53.5	42	13.2	07.7-18.7
Hispanic	131	28,828	9	6.1	01.2-11.0	68	54.2	41.3-67.1	45	35.9	23.2-48.6	9	3.8	00.7-06.9
18-24	56	27,278	2	3.2	00.0-07.7	27	46.5	29.6-63.4	25	46.5	29.4-63.6	2	3.8	00.0-10.1
25-34	112	36,720	8	7.6	01.5-13.7	66	56.6	44.1-69.1	37	35.0	22.8-47.2	1	0.8	00.0-02.4
35-44	163	38,343	10	5.4	01.1-09.7	59	36.3	26.1-46.5	79	50.8	40.0-61.6	15	7.5	03.0-12.0
45-54	242	46,116	14	4.2	01.3-07.1	90	40.9	32.3-49.5	110	46.0	37.6-54.4	28	8.8	05.3-12.3
55-64	312	55,288	13	3.3	00.8-05.8	78	24.6	18.3-30.9	153	50.1	42.7-57.5	68	22.0	15.5-28.5
65+	711	92,514	16	1.7	00.7-02.7	119	18.1	13.8-22.4	330	50.3	45.0-55.6	246	29.9	25.4-34.4
Less Than H.S.	86	26,957	6	5.5	00.0-11.2	40	52.4	36.5-68.3	32	37.9	22.6-53.2	8	4.2	00.9-07.5
H.S. or G.E.D.	383	79,787	17	4.6	02.1-07.1	131	36.0	29.1-42.9	170	45.6	38.5-52.7	65	13.8	09.1-18.5
Some Post-H.S.	436	84,706	23	4.7	02.2-07.2	117	31.6	25.1-38.1	206	47.2	40.7-53.7	90	16.5	12.2-20.8
College Graduate	687	104,090	17	1.9	00.3-03.5	151	25.9	20.6-31.2	324	51.5	45.8-57.2	195	20.7	17.0-24.4
Less than \$15,000	65	10,081	3	7.7	00.0-16.9	26	37.8	21.9-53.7	30	49.3	32.6-66.0	6	5.2	00.3-10.1
\$15,000- 24,999	123	21,889	9	7.9	00.8-15.0	48	44.8	32.1-57.5	53	37.6	24.7-50.5	13	9.7	03.4-16.0
\$25,000- 34,999	167	31,648	4	0.9	00.0-01.9	58	43.3	31.0-55.6	70	37.1	25.9-48.3	35	18.8	10.4-27.2
\$35,000- 49,999	187	35,835	9	3.1	00.4-05.8	59	40.4	28.6-52.2	85	45.5	33.7-57.3	34	11.0	06.5-15.5
\$50,000- 99,999	463	86,481	17	4.3	01.6-07.0	119	29.7	23.2-36.2	204	46.0	39.3-52.7	123	20.0	15.1-24.9
\$100,000- 199,999	237	41,421	5	0.9	00.1-01.7	50	28.1	20.1-36.1	112	47.4	39.2-55.6	70	23.6	17.3-29.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

TABLE 10: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR INTENT TO TAKE THE RECOMMENDED COVID VACCINATIONS... WOULD YOU SAY YOU HAVE ALREADY RECEIVED ALL RECOMMENDED DOSES, PLAN TO RECEIVE ALL RECOMMENDED DOSES OR DO NOT PLAN TO RECEIVE ALL RECOMMENDED DOSES? (COVIDINT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Already received all recommended doses			Plan to receive all recommended doses			Do not plan to receive all recommended doses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	143	29,638	37	26.0	15.6-36.4	39	32.1	21.5-42.7	67	42.0	31.4-52.6
Male	78	19,085	21	24.9	11.4-38.4	17	28.6	15.5-41.7	40	46.5	32.2-60.8
Female	65	10,552	16	27.8	11.7-43.9	22	38.4	21.0-55.8	27	33.7	18.6-48.8
White/Non-Hisp	99	18,227	26	20.0	11.0-29.0	22	31.4	18.5-44.3	51	48.6	35.5-61.7
College Graduate	51	7,083	20	47.3	28.3-66.3	2	1.4	00.0-03.6	29	51.3	32.3-70.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 7: COVID Vaccination**

TABLE 11: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR INTENT TO TAKE THE RECOMMENDED COVID VACCINATIONS... WOULD YOU SAY YOU HAVE ALREADY RECEIVED ALL RECOMMENDED DOSES, PLAN TO RECEIVE ALL RECOMMENDED DOSES OR DO NOT PLAN TO RECEIVE ALL RECOMMENDED DOSES? (COVIDINT)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Already received all recommended doses			Plan to receive all recommended doses			Do not plan to receive all recommended doses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	78	19,085	21	24.9	11.2-38.6	17	28.6	15.3-41.9	40	46.5	32.2-60.8
White/Non-Hisp	56	12,276	14	17.2	06.2-28.2	11	32.3	15.8-48.8	31	50.5	33.8-67.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

TABLE 12: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR INTENT TO TAKE THE RECOMMENDED COVID VACCINATIONS... WOULD YOU SAY YOU HAVE ALREADY RECEIVED ALL RECOMMENDED DOSES, PLAN TO RECEIVE ALL RECOMMENDED DOSES OR DO NOT PLAN TO RECEIVE ALL RECOMMENDED DOSES? (COVIDINT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Already received all recommended doses			Plan to receive all recommended doses			Do not plan to receive all recommended doses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	65	10,552	16	27.8	11.9-43.7	22	38.4	20.6-56.2	27	33.7	18.8-48.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

**TABLE 13: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR (FIRST) COVID-19 VACCINATION? (COVIDFS1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1st COVID-VAX Jan-Dec 2020			1st COVID-VAX Jan-Jun 2021			1st COVID-VAX Jul-Dec 2021			1st COVID-VAX Jan-Jun 2022			1st COVID-VAX Jul-Dec 2022		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2341	459,630	275	11.3	09.5-13.1	1663	68.1	65.4-70.8	312	16.3	13.9-18.7	79	3.6	02.4-04.8	12	0.7	00.3-01.1
Male	995	208,866	118	12.6	09.9-15.3	695	65.2	60.9-69.5	149	17.6	14.1-21.1	27	3.8	01.6-06.0	6	0.9	00.1-01.7
Female	1346	250,764	157	10.2	08.0-12.4	968	70.6	67.1-74.1	163	15.3	12.2-18.4	52	3.5	02.3-04.7	6	0.5	00.1-00.9
White/Non-Hisp	1672	282,724	210	12.0	10.0-14.0	1231	71.8	68.9-74.7	182	12.2	10.0-14.4	41	3.2	01.6-04.8	8	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	350	97,072	30	8.4	04.5-12.3	222	59.0	51.6-66.4	67	25.7	18.6-32.8	28	6.1	03.4-08.8	3	0.9	00.0-01.9
Oth. Race/Non-Hisp.	74	23,347	10	16.1	05.3-26.9	57	76.6	64.8-88.4	7	7.3	01.4-13.2						
Hispanic	165	33,073	13	11.2	03.4-19.0	96	55.6	44.4-66.8	47	29.1	19.5-38.7	8	3.7	00.4-07.0	1	0.4	00.0-01.2
18-24	106	43,883	10	8.1	02.4-13.8	64	66.6	55.8-77.4	23	19.8	10.8-28.8	7	3.8	00.5-07.1	2	1.7	00.0-04.4
25-34	182	63,493	14	4.4	01.7-07.1	106	60.4	50.8-70.0	50	28.4	19.4-37.4	10	6.0	00.7-11.3	2	0.7	00.0-01.9
35-44	258	61,166	26	10.9	05.8-16.0	174	67.3	60.0-74.6	50	18.9	12.8-25.0	8	3.0	00.8-05.2			
45-54	351	68,357	42	13.9	08.4-19.4	244	68.8	61.9-75.7	53	15.3	10.0-20.6	12	2.0	00.6-03.4			
55-64	465	89,708	57	14.2	09.9-18.5	333	68.2	62.3-74.1	56	12.5	08.0-17.0	16	4.4	01.9-06.9	3	0.7	00.0-01.7
65+	979	133,024	126	12.5	10.0-15.0	742	72.3	68.0-76.6	80	11.3	07.6-15.0	26	3.0	01.0-05.0	5	0.9	00.0-01.9
Less Than H.S.	106	35,489	10	9.5	02.6-16.4	58	52.8	39.3-66.3	29	23.6	12.8-34.4	7	12.0	01.8-22.2	2	2.1	00.0-05.0
H.S. or G.E.D.	538	124,771	66	11.5	08.0-15.0	367	65.3	59.6-71.0	80	18.2	13.3-23.1	22	4.1	02.1-06.1	3	0.9	00.0-02.1
Some Post-H.S.	614	130,879	81	11.6	08.3-14.9	418	64.8	59.5-70.1	82	18.9	14.0-23.8	27	3.9	01.9-05.9	6	0.8	00.0-01.6
College Graduate	1078	167,504	117	11.2	08.7-13.7	816	76.0	72.5-79.5	121	11.4	08.7-14.1	23	1.3	00.5-02.1	1	0.0	00.0-00.0
Less than \$15,000	82	12,441	4	3.7	00.0-07.6	58	63.5	49.2-77.8	17	27.3	13.6-41.0	3	5.4	00.0-12.7			
\$15,000- 24,999	151	26,610	17	11.5	04.6-18.4	84	51.0	39.6-62.4	36	29.4	17.6-41.2	14	8.0	03.1-12.9			
\$25,000- 34,999	211	42,360	17	5.5	02.4-08.6	147	67.3	58.1-76.5	34	20.0	11.6-28.4	11	6.1	02.0-10.2	2	1.2	00.0-03.2
\$35,000- 49,999	267	50,706	17	5.0	02.3-07.7	204	77.5	70.2-84.8	34	13.0	06.9-19.1	10	3.2	00.3-06.1	2	1.3	00.0-03.1
\$50,000- 99,999	719	141,568	92	12.1	08.8-15.4	517	68.2	63.1-73.3	86	16.3	11.8-20.8	22	3.2	01.2-05.2	2	0.3	00.0-00.9
\$100,000- 199,999	444	88,949	68	16.4	11.9-20.9	315	65.9	59.6-72.2	51	13.0	08.3-17.7	8	3.9	00.0-07.8	2	0.8	00.0-02.2
\$200,000+	108	23,563	22	18.9	10.5-27.3	78	74.3	64.7-83.9	8	6.9	01.4-12.4						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

TABLE 14: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR (FIRST) COVID-19 VACCINATION? (COVIDFS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1st COVID-VAX Jan-Dec 2020			1st COVID-VAX Jan-Jun 2021			1st COVID-VAX Jul-Dec 2021			1st COVID-VAX Jan-Jun 2022			1st COVID-VAX Jul-Dec 2022		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	995	208,866	118	12.6	09.9-15.3	695	65.2	60.9-69.5	149	17.6	14.1-21.1	27	3.8	01.6-06.0	6	0.9	00.1-01.7
White/Non-Hisp	723	130,194	88	11.6	08.7-14.5	521	69.4	64.9-73.9	97	14.1	10.8-17.4	13	3.7	00.8-06.6	4	1.1	00.0-02.3
Black or Afr. Am./Non-Hisp	131	40,997	13	13.1	04.9-21.3	79	53.4	41.6-65.2	27	26.9	15.5-38.3	11	6.1	01.8-10.4	1	0.6	00.0-01.8
Hispanic	61	11,485	5	12.3	00.0-24.8	37	54.6	37.9-71.3	16	30.5	15.2-45.8	2	1.6	00.0-04.3	1	1.0	00.0-03.0
18-24	57	19,973	4	8.4	00.0-17.2	33	55.6	39.7-71.5	15	27.5	13.0-42.0	3	4.8	00.0-10.3	2	3.7	00.0-09.8
25-34	84	30,954	4	2.5	00.0-05.6	49	60.1	45.8-74.4	27	31.0	17.5-44.5	3	6.0	00.0-15.4	1	0.4	00.0-01.2
35-44	116	28,934	10	9.0	03.1-14.9	85	72.4	63.2-81.6	18	17.0	09.0-25.0	3	1.7	00.0-03.7			
45-54	134	28,086	13	13.7	03.7-23.7	96	67.5	55.9-79.1	22	18.0	08.8-27.2	3	0.8	00.0-01.8			
55-64	195	43,044	26	18.2	10.6-25.8	137	63.7	54.3-73.1	23	11.8	05.1-18.5	7	4.9	00.4-09.4	2	1.4	00.0-03.4
65+	409	57,874	61	16.4	11.7-21.1	295	67.6	61.3-73.9	44	11.4	07.1-15.7	8	3.9	00.0-07.8	1	0.6	00.0-01.8
H.S. or G.E.D.	230	60,741	32	15.6	09.1-22.1	153	63.0	54.4-71.6	36	17.2	10.1-24.3	7	3.0	00.3-05.7	2	1.2	00.0-03.2
Some Post-H.S.	242	59,623	31	10.4	05.9-14.9	159	60.0	51.4-68.6	40	25.4	17.0-33.8	10	3.7	01.0-06.4	2	0.6	00.0-01.4
College Graduate	478	74,005	51	12.1	08.0-16.2	361	76.4	71.5-81.3	59	10.6	07.5-13.7	7	0.9	00.1-01.7			
\$15,000- 24,999	50	9,089	5	15.5	00.4-30.6	25	47.5	30.1-64.9	16	32.3	16.2-48.4	4	4.7	00.0-09.6			
\$25,000- 34,999	78	16,687	5	4.2	00.0-08.5	51	65.1	52.0-78.2	18	23.4	12.0-34.8	3	6.6	00.0-14.0	1	0.7	00.0-02.1
\$35,000- 49,999	103	20,373	4	3.2	00.0-06.9	82	76.1	63.0-89.2	13	14.5	02.9-26.1	3	4.3	00.0-10.8	1	1.9	00.0-05.6
\$50,000- 99,999	308	65,367	49	17.6	11.3-23.9	204	59.1	50.9-67.3	47	20.4	13.0-27.8	8	2.8	00.0-05.7			
\$100,000- 199,999	227	50,562	27	13.1	07.4-18.8	162	64.3	55.5-73.1	29	14.3	07.8-20.8	7	6.8	00.1-13.5	2	1.4	00.0-03.8
\$200,000+	66	14,351	12	14.4	05.2-23.6	49	78.5	67.7-89.3	5	7.1	00.2-14.0						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

TABLE 15: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR (FIRST) COVID-19 VACCINATION? (COVIDFS1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1st COVID-VAX Jan-Dec 2020			1st COVID-VAX Jan-Jun 2021			1st COVID-VAX Jul-Dec 2021			1st COVID-VAX Jan-Jun 2022			1st COVID-VAX Jul-Dec 2022		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1346	250,764	157	10.2	08.0-12.4	968	70.6	67.1-74.1	163	15.3	12.2-18.4	52	3.5	02.3-04.7	6	0.5	00.1-00.9
White/Non-Hisp	949	152,530	122	12.3	09.6-15.0	710	73.9	70.0-77.8	85	10.6	07.5-13.7	28	2.8	01.4-04.2	4	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	219	56,075	17	5.0	02.3-07.7	143	63.1	53.9-72.3	40	24.7	15.7-33.7	17	6.0	02.7-09.3	2	1.1	00.0-02.7
Hispanic	104	21,588	8	10.6	00.6-20.6	59	56.1	41.6-70.6	31	28.4	16.2-40.6	6	4.9	00.0-09.8			
25-34	98	32,538	10	6.2	01.7-10.7	57	60.6	47.7-73.5	23	26.0	14.2-37.8	7	6.0	00.7-11.3	1	1.1	00.0-03.3
35-44	142	32,231	16	12.6	04.8-20.4	89	62.7	51.5-73.9	32	20.6	11.4-29.8	5	4.2	00.5-07.9			
45-54	217	40,271	29	14.0	07.9-20.1	148	69.6	61.6-77.6	31	13.5	07.4-19.6	9	2.9	00.5-05.3			
55-64	270	46,664	31	10.5	06.2-14.8	196	72.5	65.4-79.6	33	13.1	07.2-19.0	9	3.9	01.0-06.8	1	0.1	00.0-00.3
65+	570	75,150	65	9.5	06.8-12.2	447	76.0	70.3-81.7	36	11.2	05.7-16.7	18	2.3	00.9-03.7	4	1.0	00.0-02.2
Less Than H.S.	63	21,335	6	8.2	00.0-16.8	38	63.1	46.4-79.8	15	23.8	08.3-39.3	4	4.9	00.0-10.0			
H.S. or G.E.D.	308	64,030	34	7.7	04.6-10.8	214	67.5	60.1-74.9	44	19.1	12.0-26.2	15	5.1	02.2-08.0	1	0.6	00.0-01.8
Some Post-H.S.	372	71,255	50	12.6	07.9-17.3	259	68.8	62.3-75.3	42	13.5	08.6-18.4	17	4.0	01.5-06.5	4	1.0	00.0-02.2
College Graduate	600	93,499	66	10.5	07.4-13.6	455	75.7	70.6-80.8	62	12.1	07.8-16.4	16	1.7	00.5-02.9	1	0.1	00.0-00.3
Less than \$15,000	55	8,736	3	3.3	00.0-07.4	38	61.8	44.0-79.6	11	27.1	10.2-44.0	3	7.8	00.0-18.0			
\$15,000- 24,999	101	17,521	12	9.5	02.8-16.2	59	52.9	38.2-67.6	20	27.9	12.2-43.6	10	9.8	02.7-16.9			
\$25,000- 34,999	133	25,673	12	6.3	01.8-10.8	96	68.7	56.4-81.0	16	17.8	06.0-29.6	8	5.7	01.0-10.4	1	1.5	00.0-04.4
\$35,000- 49,999	164	30,333	13	6.1	02.4-09.8	122	78.5	70.3-86.7	21	12.0	05.5-18.5	7	2.6	00.6-04.6	1	0.8	00.0-02.4
\$50,000- 99,999	411	76,201	43	7.3	04.6-10.0	313	75.9	70.0-81.8	39	12.7	07.6-17.8	14	3.6	01.1-06.1	2	0.5	00.0-01.5
\$100,000- 199,999	217	38,387	41	20.6	13.5-27.7	153	68.0	59.6-76.4	22	11.2	04.5-17.9	1	0.1	00.0-00.3			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

**TABLE 16: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR SECOND COVID-19 VACCINATION? (COVIDSE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		2nd COVID-VAX Jan-Dec 2020			2nd COVID-VAX Jan-Jun 2021			2nd COVID-VAX Jul-Dec 2021			2nd COVID-VAX Jan-Jun 2022			2nd COVID-VAX Jul-Dec 2022		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2146	424,096	137	5.9	04.5-07.3	1326	58.1	55.2-61.0	495	26.0	23.3-28.7	160	8.8	07.0-10.6	28	1.2	00.6-01.8
Male	897	187,466	63	7.3	04.9-09.7	512	53.1	48.6-57.6	235	28.1	24.0-32.2	75	10.3	07.2-13.4	12	1.1	00.3-01.9
Female	1249	236,630	74	4.9	03.5-06.3	814	62.1	58.0-66.2	260	24.2	20.5-27.9	85	7.6	05.4-09.8	16	1.2	00.4-02.0
White/Non-Hisp	1529	257,422	108	6.2	04.6-07.8	1015	63.4	60.1-66.7	295	21.3	18.4-24.2	97	8.2	05.8-10.6	14	0.9	00.3-01.5
Black or Afr. Am./Non-Hisp	321	89,803	16	5.4	01.9-08.9	152	42.8	35.2-50.4	108	36.6	29.0-44.2	37	13.1	08.0-18.2	8	2.0	00.2-03.8
Oth. Race/Non-Hisp.	69	22,613	2	6.8	00.0-15.8	50	75.6	63.6-87.6	16	17.2	08.0-26.4				1	0.4	00.0-01.2
Hispanic	154	31,681	5	4.8	00.0-09.9	61	40.4	28.2-52.6	64	43.0	31.6-54.4	20	10.3	04.6-16.0	4	1.6	00.0-03.6
18-24	95	40,645	5	4.2	00.3-08.1	46	55.7	43.0-68.4	29	29.9	18.3-41.5	13	9.1	03.0-15.2	2	1.0	00.0-02.6
25-34	164	56,847	7	2.9	00.5-05.3	86	55.1	44.7-65.5	53	30.8	21.2-40.4	15	10.0	03.1-16.9	3	1.1	00.0-02.5
35-44	240	58,597	11	4.5	00.6-08.4	138	59.1	51.3-66.9	67	26.6	19.7-33.5	22	8.7	04.2-13.2	2	1.1	00.0-02.7
45-54	325	64,719	21	6.3	02.6-10.0	190	59.4	52.3-66.5	99	29.2	22.7-35.7	15	5.1	01.8-08.4			
55-64	423	81,744	24	8.0	04.1-11.9	250	51.2	44.7-57.7	104	26.1	20.2-32.0	38	12.8	07.7-17.9	7	1.9	00.1-03.7
65+	899	121,543	69	7.1	05.1-09.1	616	63.8	59.1-68.5	143	20.2	15.9-24.5	57	7.5	04.8-10.2	14	1.3	00.3-02.3
Less Than H.S.	97	33,754	5	5.2	00.1-10.3	39	40.2	25.7-54.7	38	35.6	22.7-48.5	12	15.8	04.6-27.0	3	3.2	00.0-06.7
H.S. or G.E.D.	486	111,007	39	6.9	04.2-09.6	272	50.7	44.4-57.0	124	30.1	24.0-36.2	46	11.4	07.1-15.7	5	0.9	00.0-01.9
Some Post-H.S.	563	121,921	36	5.8	03.1-08.5	348	58.2	52.5-63.9	121	25.1	20.0-30.2	48	9.9	06.6-13.2	10	1.0	00.2-01.8
College Graduate	995	156,426	56	5.5	03.5-07.5	663	67.1	63.0-71.2	212	21.8	18.3-25.3	54	4.7	03.1-06.3	10	1.0	00.0-02.0
Less than \$15,000	75	10,647	2	2.3	00.0-05.4	32	33.4	21.1-45.7	29	45.2	30.5-59.9	10	18.4	05.5-31.3	2	0.6	00.0-01.6
\$15,000- 24,999	137	24,620	6	6.4	00.0-12.9	63	38.5	27.7-49.3	44	42.2	29.5-54.9	21	11.8	05.3-18.3	3	1.0	00.0-02.2
\$25,000- 34,999	200	39,994	12	4.6	01.5-07.7	111	53.4	43.2-63.6	54	30.5	20.9-40.1	18	9.2	04.1-14.3	5	2.3	00.0-04.8
\$35,000- 49,999	246	47,358	11	3.7	01.2-06.2	165	69.7	61.3-78.1	48	17.1	10.2-24.0	20	8.1	03.6-12.6	2	1.3	00.0-03.3
\$50,000- 99,999	651	128,303	39	5.7	03.0-08.4	418	59.5	53.8-65.2	144	24.7	19.6-29.8	46	9.4	05.7-13.1	4	0.7	00.0-01.7
\$100,000- 199,999	405	82,149	34	7.9	04.8-11.0	262	60.7	54.2-67.2	86	22.6	17.1-28.1	20	8.4	03.7-13.1	3	0.5	00.0-01.3
\$200,000+	98	22,001	10	7.8	02.5-13.1	65	69.0	58.6-79.4	18	18.4	09.6-27.2	5	4.7	00.2-09.2			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

**TABLE 17: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR SECOND COVID-19 VACCINATION? (COVIDSE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		2nd COVID-VAX Jan-Dec 2020			2nd COVID-VAX Jan-Jun 2021			2nd COVID-VAX Jul-Dec 2021			2nd COVID-VAX Jan-Jun 2022			2nd COVID-VAX Jul-Dec 2022		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	897	187,466	63	7.3	04.9-09.7	512	53.1	48.6-57.6	235	28.1	24.0-32.2	75	10.3	07.2-13.4	12	1.1	00.3-01.9
White/Non-Hisp	646	114,186	47	5.8	03.8-07.8	392	57.9	52.8-63.0	150	23.8	19.5-28.1	52	11.5	07.2-15.8	5	1.0	00.0-02.0
Black or Afr. Am./Non-Hisp	117	36,933	7	9.0	01.2-16.8	46	35.9	24.1-47.7	46	40.6	28.4-52.8	15	13.4	05.0-21.8	3	1.1	00.0-02.5
Hispanic	58	10,873	3	11.6	00.0-24.7	23	35.6	18.7-52.5	23	40.5	24.0-57.0	6	8.2	01.1-15.3	3	4.1	00.0-09.8
18-24	50	17,393	2	5.8	00.0-13.6	23	45.9	28.5-63.3	17	35.9	19.2-52.6	6	10.0	00.8-19.2	2	2.4	00.0-05.9
25-34	71	26,393	1	0.5	00.0-01.5	39	54.1	38.4-69.8	23	32.1	17.4-46.8	6	12.0	00.0-24.5	2	1.3	00.0-03.1
35-44	109	28,270	3	2.4	00.0-05.5	65	62.5	52.3-72.7	31	25.9	16.9-34.9	10	9.2	02.7-15.7			
45-54	119	25,123	6	7.2	00.0-15.4	65	54.9	42.9-66.9	43	34.8	23.4-46.2	5	3.1	00.0-06.6			
55-64	176	38,364	13	12.8	05.0-20.6	93	42.7	33.1-52.3	51	30.7	21.3-40.1	16	12.1	04.1-20.1	3	1.8	00.0-04.2
65+	372	51,924	38	9.9	06.4-13.4	227	56.8	49.9-63.7	70	19.7	14.2-25.2	32	12.4	06.9-17.9	5	1.2	00.0-02.8
H.S. or G.E.D.	203	52,873	19	8.8	03.7-13.9	102	46.6	37.2-56.0	57	31.0	22.2-39.8	23	13.2	06.1-20.3	2	0.4	00.0-01.0
Some Post-H.S.	222	55,116	14	5.9	02.0-09.8	127	51.0	42.2-59.8	56	31.6	23.0-40.2	21	10.4	05.3-15.5	4	1.1	00.0-02.3
College Graduate	432	66,770	27	6.7	03.2-10.2	267	64.2	58.5-69.9	108	23.7	18.8-28.6	26	4.6	02.4-06.8	4	0.7	00.0-01.7
\$25,000- 34,999	70	14,409	3	3.1	00.0-07.6	33	47.1	31.6-62.6	26	40.7	25.4-56.0	7	8.2	01.5-14.9	1	0.8	00.0-02.4
\$35,000- 49,999	98	19,440	3	2.6	00.0-06.1	62	65.5	51.2-79.8	24	22.3	09.6-35.0	8	7.5	00.0-15.1	1	2.0	00.0-05.9
\$50,000- 99,999	276	58,024	25	10.0	04.5-15.5	162	49.9	41.3-58.5	65	29.7	21.3-38.1	23	10.0	04.1-15.9	1	0.4	00.0-01.2
\$100,000- 199,999	199	44,599	16	7.7	02.8-12.6	112	55.5	46.5-64.5	57	24.5	17.4-31.6	13	12.0	04.0-20.0	1	0.3	00.0-00.9
\$200,000+	59	13,204	5	6.1	00.2-12.0	38	66.7	53.4-80.0	12	20.2	08.6-31.8	4	7.0	00.0-14.3			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 7: COVID Vaccination**

**TABLE 18: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR SECOND COVID-19 VACCINATION? (COVIDSE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		2nd COVID-VAX Jan-Dec 2020			2nd COVID-VAX Jan-Jun 2021			2nd COVID-VAX Jul-Dec 2021			2nd COVID-VAX Jan-Jun 2022			2nd COVID-VAX Jul-Dec 2022		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1249	236,630	74	4.9	03.5-06.3	814	62.1	58.0-66.2	260	24.2	20.5-27.9	85	7.6	05.4-09.8	16	1.2	00.4-02.0
White/Non-Hisp	883	143,236	61	6.6	04.4-08.8	623	67.8	63.3-72.3	145	19.2	15.3-23.1	45	5.5	03.5-07.5	9	0.8	00.0-01.6
Black or Afr. Am./Non-Hisp	204	52,870	9	3.0	00.6-05.4	106	47.6	37.8-57.4	62	33.9	24.3-43.5	22	12.9	06.4-19.4	5	2.7	00.0-05.6
Hispanic	96	20,808	2	1.2	00.0-03.4	38	42.9	26.8-59.0	41	44.3	29.0-59.6	14	11.4	03.6-19.2	1	0.2	00.0-00.8
25-34	93	30,455	6	5.0	00.7-09.3	47	56.0	42.1-69.9	30	29.7	17.4-42.0	9	8.2	01.5-14.9	1	1.0	00.0-03.0
35-44	131	30,327	8	6.4	00.0-13.3	73	56.0	44.0-68.0	36	27.2	16.8-37.6	12	8.3	01.8-14.8	2	2.2	00.0-05.1
45-54	206	39,596	15	5.7	02.6-08.8	125	62.2	53.4-71.0	56	25.7	17.9-33.5	10	6.4	01.5-11.3			
55-64	247	43,380	11	3.8	01.3-06.3	157	58.8	50.6-67.0	53	22.0	14.9-29.1	22	13.4	06.9-19.9	4	2.1	00.0-04.8
65+	527	69,620	31	5.0	03.0-07.0	389	69.0	62.7-75.3	73	20.7	14.2-27.2	25	3.9	02.1-05.7	9	1.4	00.2-02.6
Less Than H.S.	59	21,389	2	2.0	00.0-05.1	25	46.5	27.1-65.9	24	41.6	23.4-59.8	7	8.4	01.0-15.8	1	1.5	00.0-04.4
H.S. or G.E.D.	283	58,134	20	5.1	02.6-07.6	170	54.4	46.2-62.6	67	29.3	21.1-37.5	23	9.8	04.9-14.7	3	1.4	00.0-03.2
Some Post-H.S.	341	66,805	22	5.7	02.0-09.4	221	64.0	56.9-71.1	65	19.7	14.2-25.2	27	9.6	04.9-14.3	6	0.9	00.0-01.9
College Graduate	563	89,656	29	4.6	02.6-06.6	396	69.2	63.5-74.9	104	20.3	15.2-25.4	28	4.7	02.3-07.1	6	1.2	00.0-02.6
Less than \$15,000	50	6,739	2	3.6	00.0-08.5	22	35.3	19.2-51.4	19	41.2	23.2-59.2	5	19.0	00.6-37.4	2	1.0	00.0-02.6
\$15,000- 24,999	93	17,139	3	3.0	00.0-07.5	45	37.4	24.1-50.7	32	49.4	33.9-64.9	12	9.4	02.9-15.9	1	0.7	00.0-02.1
\$25,000- 34,999	130	25,585	9	5.4	01.1-09.7	78	56.9	43.8-70.0	28	24.8	12.8-36.8	11	9.7	02.6-16.8	4	3.2	00.0-07.1
\$35,000- 49,999	148	27,918	8	4.5	01.2-07.8	103	72.6	62.6-82.6	24	13.4	06.3-20.5	12	8.5	02.8-14.2	1	0.9	00.0-02.7
\$50,000- 99,999	375	70,279	14	2.2	01.0-03.4	256	67.3	60.4-74.2	79	20.5	14.6-26.4	23	8.9	04.2-13.6	3	1.1	00.0-02.7
\$100,000- 199,999	206	37,551	18	8.1	04.0-12.2	150	66.8	57.8-75.8	29	20.3	11.7-28.9	7	4.0	00.9-07.1	2	0.8	00.0-02.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022**

MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIFF)	
1 MALES AND FEMALES	63
2 MALES ONLY	64
3 FEMALES ONLY	65
AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)	
4 MALES AND FEMALES	66
5 MALES ONLY	67
6 FEMALES ONLY	68
WHAT KIND OF CANCER IS IT? (CNCRTYP2)	
7 MALES AND FEMALES	69
8 MALES ONLY	70
9 FEMALES ONLY	71

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER
 TABLE 1: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	573	84,790	456	80.3	76.2-84.4	100	17.2	13.3-21.1	17	2.5	00.9-04.1
Male	250	38,041	195	77.9	71.0-84.8	48	19.9	13.4-26.4	7	2.2	00.0-04.6
Female	323	46,749	261	82.3	77.2-87.4	52	15.0	10.3-19.7	10	2.7	00.5-04.9
White/Non-Hisp	518	70,630	405	78.2	73.7-82.7	97	19.4	14.9-23.9	16	2.4	00.8-04.0
55-64	104	20,066	82	78.1	67.9-88.3	19	18.6	09.0-28.2	3	3.3	00.0-07.6
65+	408	49,945	321	78.4	73.3-83.5	73	18.7	13.8-23.6	14	2.9	00.9-04.9
H.S. or G.E.D.	151	25,714	119	77.1	68.3-85.9	28	21.7	12.9-30.5	4	1.3	00.0-02.7
Some Post-H.S.	156	23,758	126	84.0	77.3-90.7	27	13.4	07.3-19.5	3	2.6	00.0-06.1
College Graduate	245	28,854	195	80.6	74.7-86.5	41	16.8	11.1-22.5	9	2.6	00.6-04.6
\$25,000- 34,999	66	10,933	54	84.2	73.6-94.8	11	14.8	04.4-25.2	1	0.9	00.0-02.7
\$35,000- 49,999	66	7,725	57	81.8	68.3-95.3	8	12.7	02.3-23.1	1	5.4	00.0-15.6
\$50,000- 99,999	151	23,746	121	82.2	74.2-90.2	25	16.0	08.2-23.8	5	1.9	00.0-03.9
\$100,000- 199,999	95	13,855	77	81.4	72.4-90.4	16	17.0	08.2-25.8	2	1.6	00.0-04.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER**

TABLE 2: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	250	38,041	195	77.9	71.0-84.8	48	19.9	13.2-26.6	7	2.2	00.0-04.6
Female	236	34,421	186	78.8	72.1-85.5	42	17.8	11.7-23.9	8	3.4	00.5-06.3
White/Non-Hisp	436	58,984	335	75.6	70.3-80.9	87	21.7	16.6-26.8	14	2.7	00.9-04.5
55-64	86	16,636	65	74.3	62.3-86.3	18	21.7	10.5-32.9	3	3.9	00.0-09.2
65+	348	42,940	271	76.7	70.8-82.6	65	20.1	14.6-25.6	12	3.1	00.7-05.5
H.S. or G.E.D.	129	22,662	100	75.0	65.2-84.8	26	23.9	14.1-33.7	3	1.2	00.0-02.6
Some Post-H.S.	129	19,383	103	82.3	74.3-90.3	23	14.5	07.4-21.6	3	3.2	00.0-07.5
College Graduate	209	24,085	164	78.4	71.5-85.3	37	18.7	12.0-25.4	8	2.9	00.5-05.3
\$25,000- 34,999	55	9,020	43	80.9	67.8-94.0	11	18.0	05.3-30.7	1	1.1	00.0-03.3
\$35,000- 49,999	59	7,077	50	80.2	65.5-94.9	8	13.9	02.5-25.3	1	5.9	00.0-17.1
\$50,000- 99,999	125	20,447	101	81.9	72.9-90.9	20	16.2	07.4-25.0	4	1.9	00.0-04.3
\$100,000- 199,999	81	11,449	65	79.3	68.9-89.7	14	18.7	08.5-28.9	2	2.0	00.0-04.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER**

TABLE 3: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	159	23,129	120	74.0	65.2-82.8	34	23.2	14.8-31.6	5	2.8	00.0-06.5
Female	323	46,749	261	82.3	77.2-87.4	52	15.0	10.3-19.7	10	2.7	00.5-04.9
White/Non-Hisp	433	58,045	336	77.6	72.7-82.5	83	19.8	15.1-24.5	14	2.6	00.8-04.4
55-64	94	17,850	74	79.7	69.7-89.7	17	16.7	07.9-25.5	3	3.7	00.0-08.6
65+	338	40,609	264	76.8	70.9-82.7	62	20.1	14.6-25.6	12	3.1	00.7-05.5
H.S. or G.E.D.	127	21,526	101	78.6	69.4-87.8	22	19.9	10.9-28.9	4	1.5	00.0-03.1
Some Post-H.S.	137	21,067	109	83.0	75.6-90.4	26	14.6	07.9-21.3	2	2.4	00.0-06.1
College Graduate	201	23,216	158	78.1	71.0-85.2	35	19.1	12.2-26.0	8	2.9	00.5-05.3
\$25,000- 34,999	60	9,266	49	82.5	70.7-94.3	11	17.5	05.7-29.3			
\$35,000- 49,999	59	6,756	51	80.1	64.8-95.4	7	13.6	02.0-25.2	1	6.2	00.0-17.8
\$50,000- 99,999	117	17,712	95	83.5	74.9-92.1	18	14.5	06.3-22.7	4	2.0	00.0-04.5
\$100,000- 199,999	77	11,789	59	78.2	67.6-88.8	16	19.9	09.7-30.1	2	1.9	00.0-04.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER
 TABLE 4: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	533	78,249	8	4.0	00.1-07.9	55	14.2	09.7-18.7	125	26.5	21.4-31.6	191	33.5	28.2-38.8	150	21.5	17.4-25.6	4	0.4	00.0-00.8
Male	234	35,475	2	4.8	00.0-12.1	13	7.8	02.9-12.7	61	31.5	23.3-39.7	82	30.0	22.9-37.1	75	25.8	18.7-32.9	1	0.2	00.0-00.6
Female	299	42,774	6	3.3	00.0-07.2	42	19.5	12.4-26.6	64	22.3	16.0-28.6	109	36.5	28.9-44.1	75	17.9	13.0-22.8	3	0.5	00.0-01.1
White/Non-Hisp	486	65,892	3	0.7	00.0-01.5	46	12.5	08.2-16.8	118	29.1	23.6-34.6	173	33.3	28.2-38.4	142	24.0	19.3-28.7	4	0.4	00.0-00.8
55-64	98	19,265	2	1.6	00.0-04.0	11	13.4	02.4-24.4	29	34.0	21.5-46.5	55	50.3	36.8-63.8	1	0.7	00.0-02.1			
65+	378	45,160	1	0.1	00.0-00.3	22	6.3	03.2-09.4	68	19.9	14.4-25.4	134	36.2	30.1-42.3	149	37.0	30.7-43.3	4	0.6	00.0-01.2
H.S. or G.E.D.	141	22,994	3	2.8	00.0-06.3	13	11.5	04.1-18.9	31	23.7	14.3-33.1	54	39.4	28.4-50.4	37	21.8	13.0-30.6	3	0.8	00.0-01.8
Some Post-H.S.	146	22,552	2	0.9	00.0-02.5	15	16.3	06.7-25.9	24	20.6	11.2-30.0	62	39.3	29.3-49.3	42	22.4	14.8-30.0	1	0.4	00.0-01.2
College Graduate	228	26,648	1	0.6	00.0-01.8	25	16.6	09.0-24.2	64	33.1	25.1-41.1	71	27.0	19.9-34.1	67	22.8	16.3-29.3			
\$25,000- 34,999	59	10,367	1	12.6	00.0-34.6	6	9.4	00.0-20.4	9	16.8	04.5-29.1	24	35.7	19.2-52.2	18	24.9	09.6-40.2	1	0.7	00.0-02.1
\$35,000- 49,999	64	7,586				8	15.1	03.7-26.5	11	18.3	04.6-32.0	22	38.5	22.8-54.2	22	26.8	13.1-40.5	1	1.3	00.0-03.8
\$50,000- 99,999	143	22,518	1	0.5	00.0-01.5	13	11.5	04.4-18.6	37	33.5	22.5-44.5	52	32.4	21.8-43.0	40	22.1	13.9-30.3			
\$100,000- 199,999	94	13,686	1	1.1	00.0-03.3	7	15.7	03.9-27.5	30	32.0	21.0-43.0	39	37.7	25.9-49.5	17	13.4	05.8-21.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER**

TABLE 5: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	234	35,475	2	4.8	00.0-12.1	13	7.8	02.9-12.7	61	31.5	23.1-39.9	82	30.0	22.9-37.1	75	25.8	18.7-32.9	1	0.2	00.0-00.6			
White/Non-Hisp	215	30,531				11	6.6	01.9-11.3	58	34.1	25.3-42.9	76	31.4	24.1-38.7	69	27.7	20.1-35.3	1	0.2	00.0-00.6			
65+	178	23,174				6	4.0	00.3-07.7	29	20.4	12.0-28.8	67	35.9	27.3-44.5	75	39.5	30.1-48.9	1	0.3	00.0-00.9			
H.S. or G.E.D.	61	10,837	1	3.5	00.0-10.2	4	9.8	00.0-20.0	17	30.7	15.4-46.0	24	34.7	20.4-49.0	14	20.7	07.0-34.4	1	0.6	00.0-01.8			
Some Post-H.S.	52	7,965				8	20.3	05.6-35.0	7	20.1	04.0-36.2	19	30.2	16.5-43.9	18	29.5	14.8-44.2						
College Graduate	112	12,798				1	0.6	00.0-01.8	33	37.5	25.5-49.5	37	29.2	19.6-38.8	41	32.7	22.1-43.3						
\$50,000- 99,999	71	11,400				1	3.3	00.0-09.6	21	45.1	29.0-61.2	24	24.2	13.4-35.0	25	27.5	14.8-40.2						
\$100,000- 199,999	53	7,530				4	15.3	00.0-30.6	13	21.8	09.6-34.0	25	45.2	29.3-61.1	11	17.6	06.0-29.2						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER**

TABLE 6: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	299	42,774	6	3.3	00.0-07.2	42	19.5	12.4-26.6	64	22.3	16.0-28.6	109	36.5	28.9-44.1	75	17.9	13.2-22.6	3	0.5	00.0-01.1
White/Non-Hisp	271	35,362	3	1.3	00.0-02.9	35	17.6	10.7-24.5	60	24.7	17.8-31.6	97	34.9	27.6-42.2	73	20.8	15.3-26.3	3	0.6	00.0-01.4
55-64	64	12,770	2	2.5	00.0-06.0	10	19.6	03.9-35.3	11	19.4	07.1-31.7	40	57.6	40.4-74.8	1	1.0	00.0-03.0			
65+	200	21,986	1	0.2	00.0-00.6	16	8.7	03.8-13.6	39	19.3	12.4-26.2	67	36.5	28.3-44.7	74	34.3	26.3-42.3	3	0.9	00.0-02.1
H.S. or G.E.D.	80	12,157	2	2.1	00.0-05.0	9	13.0	02.0-24.0	14	17.5	07.1-27.9	30	43.6	27.9-59.3	23	22.8	11.2-34.4	2	0.9	00.0-02.3
Some Post-H.S.	94	14,587	2	1.4	00.0-03.8	7	14.2	01.5-26.9	17	20.8	09.0-32.6	43	44.4	30.9-57.9	24	18.5	10.3-26.7	1	0.7	00.0-02.1
College Graduate	116	13,850	1	1.1	00.0-03.3	24	31.3	18.6-44.0	31	29.0	18.2-39.8	34	24.9	14.5-35.3	26	13.6	06.7-20.5			
\$50,000- 99,999	72	11,118	1	0.9	00.0-02.7	12	19.9	07.2-32.6	16	21.7	09.0-34.4	28	40.9	24.0-57.8	15	16.6	06.4-26.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER
TABLE 7: WHAT KIND OF CANCER IS IT? (CNCRTYP2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	558	82,794	92	15.6	11.3-19.9	51	8.8	05.5-12.1	26	5.0	02.6-07.4	117	19.4	14.7-24.1	198	37.7	32.2-43.2	74	13.4	09.7-17.1
Male	244	37,309	6	2.4	00.0-05.1	15	4.5	01.8-07.2	12	5.9	01.8-10.0	80	31.3	22.9-39.7	106	43.5	35.3-51.7	25	12.5	07.4-17.6
Female	314	45,486	86	26.5	19.6-33.4	36	12.4	07.1-17.7	14	4.3	01.6-07.0	37	9.6	05.5-13.7	92	33.0	25.7-40.3	49	14.1	08.8-19.4
White/Non-Hisp	505	69,265	78	14.1	10.0-18.2	42	7.0	04.3-09.7	26	6.0	03.1-08.9	106	19.1	14.6-23.6	189	41.7	36.0-47.4	64	12.1	08.8-15.4
55-64	99	19,036	14	16.0	04.2-27.8	13	12.4	04.4-20.4	6	4.4	00.0-09.3	22	20.0	10.6-29.4	28	31.9	20.1-43.7	16	15.1	04.9-25.3
65+	398	48,979	70	16.7	11.8-21.6	29	5.9	03.2-08.6	18	6.1	02.8-09.4	87	18.5	13.8-23.2	150	41.5	35.0-48.0	44	11.3	07.6-15.0
H.S. or G.E.D.	149	25,572	23	19.8	09.8-29.8	13	8.0	02.3-13.7	9	6.9	01.6-12.2	29	17.0	09.4-24.6	52	35.8	25.0-46.6	23	12.6	06.9-18.3
Some Post-H.S.	152	23,408	26	14.4	07.7-21.1	14	7.2	02.9-11.5	8	6.2	01.3-11.1	30	17.7	10.1-25.3	55	38.3	28.3-48.3	19	16.2	07.2-25.2
College Graduate	236	27,351	40	14.1	08.2-20.0	19	7.3	03.2-11.4	8	1.9	00.5-03.3	57	22.9	15.8-30.0	86	43.3	35.1-51.5	26	10.4	05.9-14.9
\$25,000- 34,999	65	10,838	11	15.2	03.6-26.8	8	13.6	01.6-25.6	6	9.8	00.8-18.8	15	26.8	07.0-46.6	16	24.3	09.4-39.2	9	10.3	01.7-18.9
\$35,000- 49,999	65	7,643	16	20.8	06.9-34.7	6	9.3	00.5-18.1	3	10.1	00.0-22.3	13	13.4	05.4-21.4	18	29.2	14.7-43.7	9	17.2	05.2-29.2
\$50,000- 99,999	147	22,981	25	17.8	08.0-27.6	7	3.6	00.5-06.7	6	4.1	00.0-08.4	32	21.7	12.9-30.5	63	44.9	34.1-55.7	14	7.8	03.5-12.1
\$100,000- 199,999	94	13,760	10	11.0	01.8-20.2	9	9.2	02.5-15.9	1	0.6	00.0-01.8	26	30.7	19.1-42.3	36	36.1	24.7-47.5	12	12.4	04.6-20.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER
TABLE 8: WHAT KIND OF CANCER IS IT? (CNCRTYP2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	244	37,309	6	2.4	00.0-05.1	15	4.5	01.6-07.4	12	5.9	01.8-10.0	80	31.3	22.9-39.7	106	43.5	35.3-51.7	25	12.5	07.4-17.6
White/Non-Hisp	221	31,297	5	2.3	00.0-05.4	13	4.1	01.4-06.8	12	7.0	02.1-11.9	69	28.3	20.7-35.9	101	47.5	39.1-55.9	21	10.8	05.9-15.7
65+	185	24,261	5	3.0	00.0-06.9	9	3.6	00.7-06.5	9	6.5	01.2-11.8	61	28.5	20.7-36.3	85	46.5	37.1-55.9	16	11.9	05.8-18.0
H.S. or G.E.D.	64	11,902	3	6.2	00.0-14.4	3	4.5	00.0-10.4	4	8.3	00.0-17.7	21	30.6	16.5-44.7	24	36.4	21.3-51.5	9	13.9	04.5-23.3
Some Post-H.S.	54	8,325	1	0.5	00.0-01.5	1	1.7	00.0-05.0	2	4.9	00.0-12.7	17	29.9	14.2-45.6	24	44.2	27.9-60.5	9	19.0	06.5-31.5
College Graduate	117	13,208	2	0.8	00.0-02.2	9	4.6	01.1-08.1	5	2.8	00.3-05.3	41	32.2	22.2-42.2	55	54.0	42.8-65.2	5	5.6	00.3-10.9
\$50,000- 99,999	74	12,046	2	1.0	00.0-02.6	2	1.7	00.0-04.4	3	4.7	00.0-12.0	24	31.7	17.4-46.0	38	54.1	39.0-69.2	5	6.8	00.5-13.1
\$100,000- 199,999	53	7,604				5	8.5	00.0-17.5	1	1.1	00.0-03.3	20	42.8	26.5-59.1	22	33.5	19.6-47.4	5	14.1	01.8-26.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER
TABLE 9: WHAT KIND OF CANCER IS IT? (CNCRTYP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	314	45,486	86	26.5	19.8-33.2	36	12.4	07.1-17.7	14	4.3	01.6-07.0	37	9.6	05.5-13.7	92	33.0	25.7-40.3	49	14.1	08.8-19.4
White/Non-Hisp	284	37,969	73	23.7	17.0-30.4	29	9.3	05.0-13.6	14	5.2	01.9-08.5	37	11.5	06.6-16.4	88	37.0	29.4-44.6	43	13.2	08.7-17.7
55-64	65	12,450	13	23.2	06.3-40.1	10	14.6	03.6-25.6	3	1.9	00.0-04.3	9	11.7	03.1-20.3	19	31.4	16.3-46.5	11	17.3	02.6-32.0
65+	213	24,718	65	30.1	21.9-38.3	20	8.1	03.8-12.4	9	5.7	01.4-10.0	26	8.8	04.7-12.9	65	36.6	27.4-45.8	28	10.7	06.2-15.2
H.S. or G.E.D.	85	13,670	20	31.6	15.5-47.7	10	11.0	01.8-20.2	5	5.6	00.1-11.1	8	5.1	01.0-09.2	28	35.3	20.0-50.6	14	11.4	04.5-18.3
Some Post-H.S.	98	15,083	25	22.1	11.9-32.3	13	10.3	04.0-16.6	6	7.0	00.5-13.5	13	10.9	03.8-18.0	31	35.0	22.7-47.3	10	14.6	02.4-26.8
College Graduate	119	14,143	38	26.5	16.1-36.9	10	9.9	02.6-17.2	3	1.1	00.0-02.3	16	14.3	04.7-23.9	31	33.4	22.0-44.8	21	14.8	07.4-22.2
\$50,000- 99,999	73	10,936	23	36.3	19.2-53.4	5	5.8	00.0-11.7	3	3.4	00.0-07.7	8	10.7	02.3-19.1	25	34.8	20.1-49.5	9	9.0	02.7-15.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022**

MODULE 10: Cancer Survivorship: Course of Treatment CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVRT3)	
1 MALES AND FEMALES	74
2 MALES ONLY	75
3 FEMALES ONLY	76
WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? IS IT A... (CSRVDOC1)	
4 MALES AND FEMALES	77
5 MALES ONLY	78
6 FEMALES ONLY	79
DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)	
7 MALES AND FEMALES	80
8 MALES ONLY	81
9 FEMALES ONLY	82
HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)	
10 MALES AND FEMALES	83
11 MALES ONLY	84
12 FEMALES ONLY	85
WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)	
13 MALES AND FEMALES	86
14 MALES ONLY	87
15 FEMALES ONLY	88
WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)	
16 MALES AND FEMALES	89
17 MALES ONLY	90
18 FEMALES ONLY	91
WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEIN)	
19 MALES AND FEMALES	92
20 MALES ONLY	93
21 FEMALES ONLY	94

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022

MODULE 10: Cancer Survivorship: Course of Treatment CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)	
22	MALES AND FEMALES	95
23	MALES ONLY	96
24	FEMALES ONLY	97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 10: Cancer Survivorship: Course of Treatment**

**TABLE 1: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVTRT3)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	575	84,775	55	10.8	06.7-14.9	364	62.3	56.8-67.8	4	0.5	00.0-01.1	22	3.8	01.8-05.8	130	22.5	17.8-27.2
Male	251	38,176	27	13.1	05.7-20.5	153	60.6	52.2-69.0	2	0.9	00.0-02.3	12	4.9	01.6-08.2	57	20.5	14.2-26.8
Female	324	46,599	28	9.0	05.1-12.9	211	63.7	56.4-71.0	2	0.3	00.0-00.7	10	2.9	00.5-05.3	73	24.2	17.5-30.9
White/Non-Hisp	520	70,933	45	8.9	05.8-12.0	333	62.7	57.2-68.2	4	0.7	00.0-01.5	21	4.1	01.9-06.3	117	23.7	18.8-28.6
55-64	103	20,006	14	12.1	04.8-19.4	60	62.9	51.1-74.7	1	0.4	00.0-01.2	3	1.6	00.0-03.6	25	23.0	13.0-33.0
65+	409	49,631	36	9.3	05.8-12.8	265	62.4	56.1-68.7	2	0.5	00.0-01.5	17	4.9	02.0-07.8	89	22.7	17.0-28.4
H.S. or G.E.D.	152	25,545	15	9.3	03.6-15.0	94	59.6	48.8-70.4	1	0.5	00.0-01.5	7	5.8	00.7-10.9	35	24.9	15.1-34.7
Some Post-H.S.	158	23,879	16	11.9	05.2-18.6	98	61.1	51.3-70.9	1	0.3	00.0-00.9	5	1.8	00.2-03.4	38	24.9	16.3-33.5
College Graduate	245	29,036	20	6.7	03.6-09.8	163	69.1	61.8-76.4	2	0.9	00.0-02.5	10	4.5	01.2-07.8	50	18.8	12.5-25.1
\$25,000- 34,999	66	10,647	6	20.3	00.0-41.5	43	61.2	41.8-80.6				2	2.2	00.0-05.9	15	16.3	06.7-25.9
\$35,000- 49,999	66	7,725	5	10.8	00.0-23.0	43	54.8	38.5-71.1	2	1.6	00.0-04.0	3	4.4	00.0-09.5	13	28.4	12.5-44.3
\$50,000- 99,999	152	24,022	16	10.7	04.2-17.2	96	61.8	51.4-72.2				7	5.6	00.5-10.7	33	21.9	13.3-30.5
\$100,000- 199,999	95	13,855	6	5.6	00.9-10.3	66	73.0	62.8-83.2				4	3.3	00.0-07.0	19	18.2	09.4-27.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 2: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVTRT3)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	251	38,176	27	13.1	05.7-20.5	153	60.6	52.4-68.8	2	0.9	00.0-02.3	12	4.9	01.6-08.2	57	20.5	14.2-26.8
Female	235	34,003	26	11.7	06.4-17.0	157	63.9	55.1-72.7	2	0.4	00.0-01.0	7	2.9	00.0-05.8	43	21.1	13.3-28.9
White/Non-Hisp	436	59,018	43	10.4	06.7-14.1	282	62.8	56.7-68.9	4	0.8	00.0-01.8	18	4.3	01.8-06.8	89	21.7	16.2-27.2
55-64	85	16,576	14	14.5	05.7-23.3	49	61.6	48.1-75.1	1	0.5	00.0-01.5	3	1.9	00.0-04.3	18	21.5	10.3-32.7
65+	348	42,600	34	10.4	06.3-14.5	227	62.1	55.0-69.2	2	0.6	00.0-01.6	14	5.0	01.7-08.3	71	21.9	15.6-28.2
H.S. or G.E.D.	130	22,493	14	10.3	04.0-16.6	80	59.0	47.2-70.8	1	0.5	00.0-01.5	7	6.6	00.9-12.3	28	23.7	13.1-34.3
Some Post-H.S.	130	19,477	16	14.6	06.6-22.6	81	58.3	47.1-69.5	1	0.4	00.0-01.2	4	1.6	00.0-03.2	28	25.1	15.3-34.9
College Graduate	208	24,025	19	7.5	03.8-11.2	140	72.0	64.6-79.4	2	1.1	00.0-02.9	8	4.6	00.7-08.5	39	14.8	08.9-20.7
\$25,000- 34,999	55	8,733	6	24.7	00.0-49.4	37	60.5	38.0-83.0				2	2.7	00.0-07.2	10	12.1	03.5-20.7
\$35,000- 49,999	59	7,077	5	11.8	00.0-24.9	37	51.3	34.2-68.4	2	1.7	00.0-04.2	3	4.8	00.0-10.5	12	30.4	13.3-47.5
\$50,000- 99,999	125	20,482	15	11.8	04.4-19.2	79	62.0	50.4-73.6				6	5.9	00.0-11.8	25	20.3	10.9-29.7
\$100,000- 199,999	81	11,449	6	6.7	01.2-12.2	58	75.9	65.5-86.3				3	3.3	00.0-07.6	14	14.1	05.9-22.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 3: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVTRT3)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	159	23,170	18	12.2	05.5-18.9	101	64.7	55.3-74.1	1	0.5	00.0-01.5	6	4.1	00.2-08.0	33	18.5	11.2-25.8
Female	324	46,599	28	9.0	05.1-12.9	211	63.7	56.4-71.0	2	0.3	00.0-00.7	10	2.9	00.5-05.3	73	24.2	17.5-30.9
White/Non-Hisp	434	58,253	37	9.4	05.7-13.1	283	63.4	57.3-69.5	3	0.4	00.0-01.0	15	3.3	01.1-05.5	96	23.5	18.0-29.0
55-64	93	17,790	11	10.8	03.2-18.4	55	61.9	49.2-74.6	1	0.5	00.0-01.5	2	1.3	00.0-03.3	24	25.5	14.3-36.7
65+	338	40,200	31	10.6	06.3-14.9	226	64.0	56.9-71.1	1	0.1	00.0-00.3	12	4.0	01.1-06.9	68	21.3	15.0-27.6
H.S. or G.E.D.	128	21,357	13	9.9	03.4-16.4	79	60.1	48.3-71.9	1	0.5	00.0-01.5	5	4.4	00.0-09.1	30	25.0	14.2-35.8
Some Post-H.S.	138	21,093	14	12.3	04.9-19.7	91	64.5	54.1-74.9	1	0.4	00.0-01.2	3	1.2	00.0-02.6	29	21.6	13.0-30.2
College Graduate	201	23,397	16	6.6	03.1-10.1	135	68.0	59.8-76.2	1	0.2	00.0-00.6	8	4.7	00.8-08.6	41	20.5	13.1-27.9
\$25,000- 34,999	60	8,980	4	8.7	00.0-18.3	40	70.5	56.6-84.4				2	2.6	00.0-06.9	14	18.2	07.8-28.6
\$35,000- 49,999	59	6,756	4	11.5	00.0-25.0	40	54.1	36.7-71.5	2	1.8	00.0-04.3	2	2.6	00.0-06.3	11	29.9	12.5-47.3
\$50,000- 99,999	117	17,893	13	12.8	04.4-21.2	76	63.4	51.4-75.4				4	4.1	00.0-09.4	24	19.7	10.1-29.3
\$100,000- 199,999	77	11,789	4	4.2	00.0-08.5	55	74.0	62.8-85.2				2	2.6	00.0-06.5	16	19.3	09.1-29.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 10: Cancer Survivorship: Course of Treatment**

**TABLE 4: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? IS IT A.... (CSRVDOC1)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	359	51,990	18	3.6	01.6-05.6	241	67.5	61.0-74.0	10	2.8	00.6-05.0	3	0.6	00.0-01.6	25	6.4	03.1-09.7	62	19.2	13.5-24.9
Male	148	22,326	10	5.1	01.4-08.8	101	67.4	57.8-77.0				2	1.2	00.0-03.2	9	7.2	01.1-13.3	26	19.1	11.1-27.1
Female	211	29,664	8	2.4	00.4-04.4	140	67.5	58.7-76.3	10	4.8	00.9-08.7	1	0.2	00.0-00.6	16	5.8	02.3-09.3	36	19.2	11.6-26.8
White/Non-Hisp	328	43,623	17	4.0	01.8-06.2	217	64.0	56.9-71.1	9	2.5	00.3-04.7	3	0.7	00.0-01.7	22	6.8	03.1-10.5	60	22.0	15.7-28.3
55-64	60	12,591	3	4.2	00.0-09.5	36	59.4	42.2-76.6	4	3.7	00.0-08.4				5	10.2	00.0-20.8	12	22.6	07.9-37.3
65+	261	30,305	13	3.7	01.3-06.1	186	74.5	68.2-80.8	5	2.1	00.0-04.5	3	1.0	00.0-02.6	15	3.7	01.2-06.2	39	15.0	09.7-20.3
H.S. or G.E.D.	93	14,796	5	4.8	00.0-09.7	64	65.7	52.2-79.2	4	4.0	00.0-08.9				2	1.8	00.0-04.9	18	23.7	11.2-36.2
Some Post-H.S.	96	14,322	9	5.7	01.6-09.8	62	68.2	56.2-80.2	3	5.1	00.0-11.2	1	0.3	00.0-00.9	5	7.9	00.0-16.5	16	12.8	05.5-20.1
College Graduate	161	19,933	4	1.7	00.0-03.7	108	66.9	57.5-76.3	3	0.6	00.0-01.2	2	1.4	00.0-03.8	18	9.6	04.1-15.1	26	19.9	11.3-28.5
\$50,000- 99,999	96	14,855	6	3.7	00.2-07.2	66	68.1	55.0-81.2	3	4.9	00.0-10.8	1	0.3	00.0-00.9	6	7.8	00.0-16.2	14	15.2	05.0-25.4
\$100,000- 199,999	66	10,107	2	3.5	00.0-09.2	40	63.2	49.5-76.9	1	0.5	00.0-01.5	1	2.2	00.0-06.5	6	9.2	01.2-17.2	16	21.3	10.3-32.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 5 WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? IS IT A.... (CSRVD0C1)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	148	22,326	10	5.1	01.6-08.6	101	67.4	57.6-77.2	2	1.2	00.0-03.2	9	7.2	01.1-13.3	26	19.1	11.1-27.1
White/Non-Hisp	139	19,981	9	5.1	01.2-09.0	95	65.8	55.2-76.4	2	1.3	00.0-03.5	8	6.9	00.4-13.4	25	20.9	11.9-29.9
65+	115	15,266	7	4.2	00.9-07.5	80	72.2	63.0-81.4	2	1.7	00.0-04.6	7	5.4	00.7-10.1	19	16.5	08.5-24.5
College Graduate	72	9,342				53	71.7	59.7-83.7	1	2.4	00.0-07.1	6	8.1	00.7-15.5	12	17.8	07.2-28.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

**TABLE 6: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? IS IT A.... (CSRVD0C1)
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	211	29,664	8	2.4	00.4-04.4	140	67.5	58.7-76.3	10	4.8	00.9-08.7	1	0.2	00.0-00.6	16	5.8	02.3-09.3	36	19.2	11.6-26.8
White/Non-Hisp	189	23,642	8	3.1	00.7-05.5	122	62.5	53.3-71.7	9	4.6	00.7-08.5	1	0.2	00.0-00.6	14	6.7	02.4-11.0	35	22.9	14.3-31.5
65+	146	15,039	6	3.2	00.3-06.1	106	76.8	68.0-85.6	5	4.2	00.0-08.9	1	0.3	00.0-00.9	8	2.1	00.5-03.7	20	13.4	06.1-20.7
H.S. or G.E.D.	51	7,444				37	66.4	47.0-85.8	4	7.9	00.0-17.5				2	3.6	00.0-09.9	8	22.1	04.1-40.1
Some Post-H.S.	67	10,079	4	3.9	00.0-08.0	45	71.6	58.5-84.7	3	7.3	00.0-15.7				2	2.8	00.0-07.1	13	14.5	05.3-23.7
College Graduate	89	10,590	4	3.1	00.0-06.8	55	62.5	49.2-75.8	3	1.1	00.0-02.5	1	0.5	00.0-01.5	12	11.0	03.4-18.6	14	21.8	08.9-34.7
\$50,000- 99,999	51	7,369	4	5.5	00.0-12.0	34	73.5	58.0-89.0	3	9.8	00.0-21.2				3	2.1	00.0-04.6	7	9.2	01.0-17.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 7: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
 Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	348	50,778	155	43.5	36.4-50.6	193	56.5	49.4-63.6
Male	148	22,285	69	47.2	36.8-57.6	79	52.8	42.4-63.2
Female	200	28,493	86	40.7	30.9-50.5	114	59.3	49.5-69.1
White/Non-Hisp	319	42,832	144	44.3	37.4-51.2	175	55.7	48.8-62.6
55-64	58	12,244	25	47.2	29.6-64.8	33	52.8	35.2-70.4
65+	251	29,302	109	40.3	32.5-48.1	142	59.7	51.9-67.5
H.S. or G.E.D.	92	14,851	34	45.5	30.6-60.4	58	54.5	39.6-69.4
Some Post-H.S.	89	13,672	44	45.9	32.2-59.6	45	54.1	40.4-67.8
College Graduate	158	19,316	75	44.5	34.5-54.5	83	55.5	45.5-65.5
\$50,000- 99,999	91	14,152	40	47.3	33.0-61.6	51	52.7	38.4-67.0
\$100,000- 199,999	64	9,812	30	47.2	32.1-62.3	34	52.8	37.7-67.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 8: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	148	22,285	69	47.2	37.0-57.4	79	52.8	42.6-63.0
White/Non-Hisp	140	20,219	66	47.4	37.0-57.8	74	52.6	42.2-63.0
65+	115	15,166	54	45.1	33.1-57.1	61	54.9	42.9-66.9
College Graduate	72	9,039	34	41.4	27.7-55.1	38	58.6	44.9-72.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 9: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	200	28,493	86	40.7	31.1-50.3	114	59.3	49.7-68.9
White/Non-Hisp	179	22,613	78	41.5	32.5-50.5	101	58.5	49.5-67.5
65+	136	14,136	55	35.0	25.0-45.0	81	65.0	55.0-75.0
H.S. or G.E.D.	50	7,353	15	35.5	12.8-58.2	35	64.5	41.8-87.2
Some Post-H.S.	60	9,313	29	42.8	27.1-58.5	31	57.2	41.5-72.9
College Graduate	86	10,277	41	47.2	34.1-60.3	45	52.8	39.7-65.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 10: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	353	51,002	266	77.3	71.8-82.8	87	22.7	17.2-28.2
Male	148	22,457	116	77.5	69.1-85.9	32	22.5	14.1-30.9
Female	205	28,545	150	77.1	70.0-84.2	55	22.9	15.8-30.0
White/Non-Hisp	322	42,635	245	77.7	72.0-83.4	77	22.3	16.6-28.0
55-64	59	12,552	46	88.9	81.3-96.5	13	11.1	03.5-18.7
65+	257	30,000	191	72.8	65.7-79.9	66	27.2	20.1-34.3
H.S. or G.E.D.	89	14,560	62	72.9	60.7-85.1	27	27.1	14.9-39.3
Some Post-H.S.	95	14,314	73	81.8	72.6-91.0	22	18.2	09.0-27.4
College Graduate	161	19,267	126	79.1	71.8-86.4	35	20.9	13.6-28.2
\$50,000- 99,999	96	14,855	76	80.9	71.9-89.9	20	19.1	10.1-28.1
\$100,000- 199,999	63	9,260	49	81.9	70.1-93.7	14	18.1	06.3-29.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 11: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	148	22,457	116	77.5	69.1-85.9	32	22.5	14.1-30.9
White/Non-Hisp	139	20,112	111	79.8	71.4-88.2	28	20.2	11.8-28.6
65+	115	15,449	89	75.7	65.9-85.5	26	24.3	14.5-34.1
College Graduate	73	9,270	59	82.1	72.5-91.7	14	17.9	08.3-27.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 12: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	205	28,545	150	77.1	70.0-84.2	55	22.9	15.8-30.0
White/Non-Hisp	183	22,524	134	75.8	68.0-83.6	49	24.2	16.4-32.0
65+	142	14,551	102	69.8	59.8-79.8	40	30.2	20.2-40.2
Some Post-H.S.	65	9,876	51	81.3	69.3-93.3	14	18.7	06.7-30.7
College Graduate	88	9,997	67	76.4	65.6-87.2	21	23.6	12.8-34.4
\$50,000- 99,999	51	7,369	40	81.3	69.3-93.3	11	18.7	06.7-30.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 10: Cancer Survivorship: Course of Treatment**

**TABLE 13: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	249	37,612	194	80.3	73.6-87.0	55	19.7	13.0-26.4
Male	112	16,973	86	81.2	72.4-90.0	26	18.8	10.0-27.6
Female	137	20,639	108	79.5	69.5-89.5	29	20.5	10.5-30.5
White/Non-Hisp	229	31,397	178	80.4	73.9-86.9	51	19.6	13.1-26.1
65+	177	20,399	133	78.6	71.2-86.0	44	21.4	14.0-28.8
H.S. or G.E.D.	61	10,463	49	87.7	78.3-97.1	12	12.3	02.9-21.7
Some Post-H.S.	70	11,279	58	82.0	70.0-94.0	12	18.0	06.0-30.0
College Graduate	113	14,033	84	77.5	68.3-86.7	29	22.5	13.3-31.7
\$50,000- 99,999	72	11,694	58	84.2	73.8-94.6	14	15.8	05.4-26.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 14: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	112	16,973	86	81.2	72.4-90.0	26	18.8	10.0-27.6
White/Non-Hisp	107	15,618	81	79.6	70.2-89.0	26	20.4	11.0-29.8
65+	86	11,407	63	78.4	67.4-89.4	23	21.6	10.6-32.6
College Graduate	56	7,218	40	75.2	61.3-89.1	16	24.8	10.9-38.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 15: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	137	20,639	108	79.5	69.5-89.5	29	20.5	10.5-30.5
White/Non-Hisp	122	15,779	97	81.2	72.2-90.2	25	18.8	09.8-27.8
65+	91	8,992	70	79.0	69.2-88.8	21	21.0	11.2-30.8
College Graduate	57	6,815	44	79.9	67.6-92.2	13	20.1	07.8-32.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 16: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	356	52,006	344	96.9	94.5-99.3	12	3.1	00.7-05.5
Male	150	22,695	148	98.7	96.9-0100	2	1.3	00.0-03.1
Female	206	29,310	196	95.4	91.7-99.1	10	4.6	00.9-08.3
White/Non-Hisp	325	43,639	315	96.7	94.2-99.2	10	3.3	00.8-05.8
55-64	59	12,554	58	98.6	95.9-0100	1	1.4	00.0-04.1
65+	258	30,219	250	96.5	93.2-99.8	8	3.5	00.2-06.8
H.S. or G.E.D.	92	15,074	87	93.0	85.9-0100	5	7.0	00.0-14.1
Some Post-H.S.	96	14,418	95	99.6	98.8-0100	1	0.4	00.0-01.2
College Graduate	159	19,575	153	97.4	95.0-99.8	6	2.6	00.2-05.0
\$50,000- 99,999	96	14,855	93	97.5	94.6-0100	3	2.5	00.0-05.4
\$100,000- 199,999	65	10,059	64	98.1	94.4-0100	1	1.9	00.0-05.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 17: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	150	22,695	148	98.7	96.9-0100	2	1.3	00.0-03.1
White/Non-Hisp	141	20,351	139	98.6	96.6-0100	2	1.4	00.0-03.4
65+	116	15,498	115	99.4	98.2-0100	1	0.6	00.0-01.8
College Graduate	72	9,069	71	99.0	97.0-0100	1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 18: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	206	29,310	196	95.4	91.7-99.1	10	4.6	00.9-08.3
White/Non-Hisp	184	23,288	176	95.1	90.6-99.6	8	4.9	00.4-09.4
65+	142	14,721	135	93.5	86.8-0100	7	6.5	00.0-13.2
Some Post-H.S.	66	9,957	65	99.4	98.2-0100	1	0.6	00.0-01.8
College Graduate	87	10,506	82	96.1	92.0-0100	5	3.9	00.0-08.0
\$50,000- 99,999	51	7,369	49	96.2	90.7-0100	2	3.8	00.0-09.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 19: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	358	52,221	19	5.0	02.1-07.9	339	95.0	92.1-97.9
Male	151	22,896	6	3.0	00.5-05.5	145	97.0	94.5-99.5
Female	207	29,325	13	6.6	01.7-11.5	194	93.4	88.5-98.3
White/Non-Hisp	327	43,854	16	5.2	01.9-08.5	311	94.8	91.5-98.1
55-64	60	12,591	4	2.2	00.0-04.6	56	97.8	95.4-0100
65+	259	30,398	10	3.6	01.1-06.1	249	96.4	93.9-98.9
H.S. or G.E.D.	93	15,145	3	2.8	00.0-06.3	90	97.2	93.7-0100
Some Post-H.S.	96	14,418	5	3.0	00.1-05.9	91	97.0	94.1-99.9
College Graduate	160	19,719	11	9.0	02.1-15.9	149	91.0	84.1-97.9
\$50,000- 99,999	95	14,786	2	2.3	00.0-05.8	93	97.7	94.2-0100
\$100,000- 199,999	65	10,035	5	10.5	00.0-22.1	60	89.5	77.9-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 20: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	151	22,896	6	3.0	00.5-05.5	145	97.0	94.5-99.5
White/Non-Hisp	142	20,551	6	3.3	00.6-06.0	136	96.7	94.0-99.4
65+	117	15,699	3	1.7	00.0-03.7	114	98.3	96.3-0100
College Graduate	73	9,270	4	5.1	00.0-10.4	69	94.9	89.6-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 21: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	207	29,325	13	6.6	03.7-09.5	194	93.4	90.5-96.3
White/Non-Hisp	185	23,303	10	6.9	03.6-10.2	175	93.1	89.8-96.4
65+	142	14,699	7	5.7	01.0-10.4	135	94.3	89.6-99.0
H.S. or G.E.D.	50	7,368	3	5.7	00.0-13.1	47	94.3	86.9-0100
Some Post-H.S.	66	9,957	3	2.3	00.0-05.2	63	97.7	94.8-0100
College Graduate	87	10,449	7	12.5	06.0-19.0	80	87.5	81.0-94.0
\$50,000- 99,999	50	7,300	1	3.5	00.0-10.4	49	96.5	89.6-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 10: Cancer Survivorship: Course of Treatment**

**TABLE 22: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	349	51,634	20	5.3	02.2-08.4	329	94.7	91.6-97.8
Male	147	22,542	3	1.4	00.0-03.0	144	98.6	97.0-0100
Female	202	29,092	17	8.3	03.0-13.6	185	91.7	86.4-97.0
White/Non-Hisp	318	43,268	20	6.3	02.6-10.0	298	93.7	90.0-97.4
55-64	60	12,591	2	1.6	00.0-04.1	58	98.4	95.9-0100
65+	250	29,812	16	6.0	02.5-09.5	234	94.0	90.5-97.5
H.S. or G.E.D.	90	14,945	3	2.6	00.0-06.1	87	97.4	93.9-0100
Some Post-H.S.	96	14,418	3	2.3	00.0-05.0	93	97.7	95.0-0100
College Graduate	155	19,410	13	8.7	01.8-15.6	142	91.3	84.4-98.2
\$50,000- 99,999	95	14,786	5	3.9	00.0-08.0	90	96.1	92.0-0100
\$100,000- 199,999	65	9,999	6	10.7	00.0-22.3	59	89.3	77.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

TABLE 23: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	147	22,542	3	1.4	00.0-03.0	144	98.6	97.0-0100
White/Non-Hisp	138	20,198	3	1.5	00.0-03.3	135	98.5	96.7-0100
65+	113	15,345	3	2.0	00.0-04.4	110	98.0	95.6-0100
College Graduate	70	8,994	1	0.9	00.0-02.7	69	99.1	97.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 10: Cancer Survivorship: Course of Treatment**

**TABLE 24: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	202	29,092	17	8.3	04.4-12.2	185	91.7	87.8-95.6
White/Non-Hisp	180	23,070	17	10.4	05.7-15.1	163	89.6	84.9-94.3
65+	137	14,467	13	10.2	03.3-17.1	124	89.8	82.9-96.7
Some Post-H.S.	66	9,957	2	1.8	00.0-04.5	64	98.2	95.5-0100
College Graduate	85	10,416	12	15.4	08.1-22.7	73	84.6	77.3-91.9
\$50,000- 99,999	50	7,300	5	7.9	00.0-16.3	45	92.1	83.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022

MODULE 11: Cancer Survivorship: Pain Management CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)	
1	MALES AND FEMALES	99
2	MALES ONLY	100
3	FEMALES ONLY	101
	WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)	
4	MALES AND FEMALES	102
5	MALES ONLY	103
6	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 11: Cancer Survivorship: Pain Management**

**TABLE 1: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRPAIN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	567	83,753	55	11.9	07.6-16.2	512	88.1	83.8-92.4
Male	248	37,660	19	11.8	04.2-19.4	229	88.2	80.6-95.8
Female	319	46,094	36	12.0	07.3-16.7	283	88.0	83.3-92.7
White/Non-Hisp	512	69,911	44	10.3	06.6-14.0	468	89.7	86.0-93.4
55-64	104	20,066	16	13.2	05.4-21.0	88	86.8	79.0-94.6
65+	401	48,692	20	5.0	02.5-07.5	381	95.0	92.5-97.5
H.S. or G.E.D.	151	25,469	12	6.5	02.6-10.4	139	93.5	89.6-97.4
Some Post-H.S.	153	23,384	19	14.4	06.6-22.2	134	85.6	77.8-93.4
College Graduate	244	28,959	20	9.7	04.2-15.2	224	90.3	84.8-95.8
\$25,000- 34,999	64	10,510	7	20.6	00.0-41.8	57	79.4	58.2-0100
\$35,000- 49,999	63	7,312	6	11.3	00.0-22.7	57	88.7	77.3-0100
\$50,000- 99,999	151	23,918	13	9.8	02.9-16.7	138	90.2	83.3-97.1
\$100,000- 199,999	96	14,109	7	11.0	01.6-20.4	89	89.0	79.6-98.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 11: Cancer Survivorship: Pain Management**

TABLE 2: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	248	37,660	19	11.8	04.2-19.4	229	88.2	80.6-95.8
White/Non-Hisp	224	31,547	15	7.8	02.7-12.9	209	92.2	87.1-97.3
65+	187	24,364	9	4.9	01.0-08.8	178	95.1	91.2-99.0
H.S. or G.E.D.	66	12,085	2	1.7	00.0-04.1	64	98.3	95.9-100.0
Some Post-H.S.	54	8,362	6	16.3	01.2-31.4	48	83.7	68.6-98.8
College Graduate	120	13,712	8	6.5	01.8-11.2	112	93.5	88.8-98.2
\$50,000- 99,999	74	12,046	5	7.8	00.0-17.4	69	92.2	82.6-100.0
\$100,000- 199,999	55	7,952	3	4.5	00.0-09.8	52	95.5	90.2-100.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 11: Cancer Survivorship: Pain Management**

TABLE 3: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	319	46,094	36	12.0	07.9-16.1	283	88.0	83.9-92.1
White/Non-Hisp	288	38,364	29	12.3	07.8-16.8	259	87.7	83.2-92.2
55-64	68	13,232	12	12.2	04.2-20.2	56	87.8	79.8-95.8
65+	214	24,328	11	5.0	01.7-08.3	203	95.0	91.7-98.3
H.S. or G.E.D.	85	13,384	10	10.9	03.6-18.2	75	89.1	81.8-96.4
Some Post-H.S.	99	15,022	13	13.4	04.6-22.2	86	86.6	77.8-95.4
College Graduate	124	15,247	12	12.7	06.4-19.0	112	87.3	81.0-93.6
\$50,000- 99,999	77	11,873	8	11.8	01.8-21.8	69	88.2	78.2-98.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 11: Cancer Survivorship: Pain Management
 TABLE 4: WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)
 Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, medication (or treatment)			Yes, without meds. (or treatment)			No, with medication (or treatment)			No, without meds. (or treatment)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	54	9,775	21	50.4	30.2-70.6	21	35.4	17.0-53.8	5	6.2	00.0-12.9	7	8.0	01.3-14.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 11: Cancer Survivorship: Pain Management
TABLE 5: WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 11: Cancer Survivorship: Pain Management
TABLE 6: WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022**

MODULE 12: Prostate Cancer Screening CONTENTS

*** NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
1 HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1) MALES ONLY	106
2 ABOUT HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT P.S.A. TEST? (PSATIME1) MALES ONLY	107
3 WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST - WAS IT ...? (PCPSARS2) MALES ONLY	108
4 WHO FIRST SUGGESTED THIS PSA TEST: YOU, YOUR DOCTOR, OR SOMEONE ELSE? (PSASUGST) MALES ONLY	109
5 WHEN YOU MET WITH A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL, DID THEY TALK ABOUT THE ADVANTAGES, THE DISADVANTAGES, OR BOTH ADVANTAGES AND DISADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST? (PCSTALK1) MALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 12: Prostate Cancer Screening**

TABLE 1: HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
Male	609	100,892	609	100.0	0100-0100
White/Non-Hisp	484	71,253	484	100.0	0100-0100
Black or Afr. Am./Non-Hisp	67	18,315	67	100.0	0100-0100
55-64	142	31,719	142	100.0	0100-0100
65+	421	60,710	421	100.0	0100-0100
H.S. or G.E.D.	140	30,880	140	100.0	0100-0100
Some Post-H.S.	131	24,967	131	100.0	0100-0100
College Graduate	319	40,044	319	100.0	0100-0100
\$35,000- 49,999	62	10,365	62	100.0	0100-0100
\$50,000- 99,999	181	32,120	181	100.0	0100-0100
\$100,000- 199,999	137	22,455	137	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 12: Prostate Cancer Screening**

TABLE 2: ABOUT HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT P.S.A. TEST? (PSATIME1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	587	98,614	389	65.7	60.6-70.8	86	14.7	11.0-18.4	35	5.9	03.5-08.3	39	7.4	04.5-10.3	38	6.3	03.6-09.0
White/Non-Hisp	465	69,350	304	61.6	55.9-67.3	71	16.5	12.0-21.0	27	6.3	03.6-09.0	33	8.8	05.3-12.3	30	6.7	03.6-09.8
Black or Afr. Am./Non-Hisp	67	18,315	51	80.1	67.9-92.3	8	8.0	00.9-15.1	4	4.8	00.0-10.9	2	3.5	00.0-09.6	2	3.5	00.0-09.8
55-64	139	31,393	90	67.9	57.9-77.9	20	10.7	05.0-16.4	10	6.9	02.2-11.6	11	8.9	02.4-15.4	8	5.7	00.8-10.6
65+	403	59,099	276	67.2	61.1-73.3	57	14.7	10.0-19.4	19	4.5	02.1-06.9	23	6.7	03.6-09.8	28	6.9	03.6-10.2
H.S. or G.E.D.	136	30,347	96	67.6	57.4-77.8	15	12.6	05.5-19.7	6	4.4	00.5-08.3	7	6.5	00.6-12.4	12	8.9	03.0-14.8
Some Post-H.S.	128	24,630	78	60.6	49.4-71.8	23	16.6	08.4-24.8	10	8.0	02.3-13.7	8	7.5	01.4-13.6	9	7.3	02.0-12.6
College Graduate	305	38,715	202	65.8	58.9-72.7	48	16.9	11.4-22.4	17	5.5	02.4-08.6	22	8.2	04.1-12.3	16	3.6	00.7-06.5
\$35,000- 49,999	57	10,004	32	56.2	37.4-75.0	11	19.0	05.1-32.9	3	5.8	00.0-12.5	5	11.0	00.0-23.5	6	8.0	00.0-16.0
\$50,000- 99,999	175	31,661	115	64.3	54.7-73.9	23	12.6	05.9-19.3	9	4.6	01.1-08.1	14	9.2	03.7-14.7	14	9.3	03.4-15.2
\$100,000- 199,999	132	21,676	91	71.7	62.7-80.7	20	14.0	07.5-20.5	12	10.9	04.0-17.8	6	2.8	00.3-05.3	3	0.6	00.0-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 12: Prostate Cancer Screening**

TABLE 3: WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST – WAS IT ...? (PCPSARS2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 = Part of a routine exam			Because of a problem			Some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	598	98,374	486	83.0	79.3-86.7	69	10.1	07.2-13.0	43	6.9	04.4-09.4
White/Non-Hisp	476	69,601	389	82.4	78.1-86.7	54	11.4	07.7-15.1	33	6.2	03.7-08.7
Black or Afr. Am./Non-Hisp	66	17,901	53	86.3	76.9-95.7	8	5.0	01.1-08.9	5	8.8	00.2-17.4
55-64	141	31,545	112	83.3	75.9-90.7	15	8.2	02.9-13.5	14	8.5	03.2-13.8
65+	411	58,365	337	82.7	78.0-87.4	48	11.2	07.3-15.1	26	6.1	03.2-09.0
H.S. or G.E.D.	137	30,158	112	83.2	75.8-90.6	18	12.1	05.4-18.8	7	4.6	00.9-08.3
Some Post-H.S.	129	24,328	103	82.3	73.9-90.7	13	8.0	02.1-13.9	13	9.7	03.2-16.2
College Graduate	314	39,260	259	84.6	79.7-89.5	33	8.7	05.2-12.2	22	6.7	03.2-10.2
\$35,000- 49,999	62	10,365	46	75.8	61.1-90.5	11	14.6	04.0-25.2	5	9.5	00.0-20.7
\$50,000- 99,999	176	30,726	147	86.3	80.0-92.6	16	8.4	02.9-13.9	13	5.3	02.0-08.6
\$100,000- 199,999	135	22,320	113	83.2	75.6-90.8	13	8.8	03.5-14.1	9	8.0	01.7-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 12: Prostate Cancer Screening**

TABLE 4: WHO FIRST SUGGESTED THIS PSA TEST: YOU, YOUR DOCTOR, OR SOMEONE ELSE? (PSASUGST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Self			Doctor, nurse, health care professional			Someone else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	595	97,980	48	7.4	04.9-09.9	537	91.0	88.3-93.7	10	1.6	00.4-02.8
White/Non-Hisp	473	69,356	33	6.2	03.8-08.6	435	92.5	89.8-95.2	5	1.3	00.0-02.7
Black or Afr. Am./Non-Hisp	65	17,672	9	12.2	02.6-21.8	55	86.3	76.3-96.3	1	1.5	00.0-04.2
55-64	141	31,346	15	7.3	03.0-11.6	123	90.9	86.0-95.8	3	1.8	00.0-04.0
65+	408	58,170	27	6.9	03.6-10.2	377	92.6	89.3-95.9	4	0.5	00.0-01.1
H.S. or G.E.D.	137	29,790	9	3.7	01.0-06.4	127	95.4	92.1-98.7	1	1.0	00.0-03.0
Some Post-H.S.	128	24,232	13	9.5	02.6-16.4	111	89.1	82.0-96.2	4	1.4	00.0-02.8
College Graduate	311	38,957	26	10.0	05.9-14.1	280	87.6	82.9-92.3	5	2.4	00.0-04.8
\$35,000- 49,999	61	10,335	7	9.1	01.8-16.4	52	89.3	81.7-96.9	2	1.6	00.0-03.8
\$50,000- 99,999	177	30,837	5	2.2	00.0-04.4	167	94.4	90.3-98.5	5	3.4	00.1-06.7
\$100,000- 199,999	133	22,020	13	12.0	05.3-18.7	120	88.0	81.3-94.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 12: Prostate Cancer Screening**

TABLE 5: WHEN YOU MET WITH A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL, DID THEY TALK ABOUT THE ADVANTAGES, THE DISADVANTAGES, OR BOTH ADVANTAGES AND DISADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST? (PCSTALK1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Advantages			Disadvantages			Both Advantages and Disadvantages			Neither		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	522	85,927	84	16.5	12.2-20.8	3	0.8	00.0-02.0	293	53.6	47.7-59.5	142	29.1	23.6-34.6
White/Non-Hisp	409	58,644	66	16.6	11.7-21.5	2	0.4	00.0-01.0	230	54.5	48.2-60.8	111	28.5	22.8-34.2
Black or Afr. Am./Non-Hisp	59	16,977	9	13.0	03.4-22.6				37	57.7	40.3-75.1	13	29.3	12.4-46.2
55-64	126	28,728	23	18.7	09.7-27.7				65	47.0	35.0-59.0	38	34.4	22.6-46.2
65+	356	50,084	55	15.6	10.7-20.5	3	1.4	00.0-03.6	201	55.6	48.7-62.5	97	27.3	21.4-33.2
H.S. or G.E.D.	123	27,931	17	14.5	06.9-22.1	1	0.5	00.0-01.5	65	50.7	38.9-62.5	40	34.3	22.5-46.1
Some Post-H.S.	116	21,721	24	23.0	12.4-33.6				60	53.6	41.3-65.9	32	23.3	14.1-32.5
College Graduate	269	32,609	41	14.4	09.1-19.7	1	0.2	00.0-00.6	161	57.5	49.9-65.1	66	27.8	20.7-34.9
\$35,000- 49,999	55	9,486	5	7.6	00.0-15.4				32	63.1	44.7-81.5	18	29.3	11.9-46.7
\$50,000- 99,999	147	25,838	26	24.0	13.8-34.2	2	2.5	00.0-06.4	80	43.1	32.1-54.1	39	30.4	19.0-41.8
\$100,000- 199,999	121	19,907	19	14.2	06.6-21.8	1	0.4	00.0-01.2	66	54.5	43.5-65.5	35	30.9	20.7-41.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022**

MODULE 16: Social Determinants and Health Equity CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
1 MALES AND FEMALES	113
2 MALES ONLY	114
3 FEMALES ONLY	115
HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
4 MALES AND FEMALES	116
5 MALES ONLY	117
6 FEMALES ONLY	118
HOW OFTEN DO YOU FEEL SOCIALLY ISOLATED FROM OTHERS? IS IT... (SDHISOLT)	
7 MALES AND FEMALES	119
8 MALES ONLY	120
9 FEMALES ONLY	121
IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLY)	
10 MALES AND FEMALES	122
11 MALES ONLY	123
12 FEMALES ONLY	124
DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD? (FOODSTMP)	
13 MALES AND FEMALES	125
14 MALES ONLY	126
15 FEMALES ONLY	127
DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)	
16 MALES AND FEMALES	128
17 MALES ONLY	129
18 FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022**

MODULE 16: Social Determinants and Health Equity CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)	
19	MALES AND FEMALES	131
20	MALES ONLY	132
21	FEMALES ONLY	133
	DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)	
22	MALES AND FEMALES	134
23	MALES ONLY	135
24	FEMALES ONLY	136
	DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)	
25	MALES AND FEMALES	137
26	MALES ONLY	138
27	FEMALES ONLY	139
	STRESS MEANS A SITUATION IN WHICH A PERSON FEELS TENSE, RESTLESS, NERVOUS, OR ANXIOUS, OR IS UNABLE TO SLEEP AT NIGHT BECAUSE HIS/HER MIND IS TROUBLED ALL THE TIME. WITHIN THE LAST 30 DAYS, HOW OFTEN HAVE YOU FELT THIS KIND OF STRESS? (SDHSTRE1)	
28	MALES AND FEMALES	140
29	MALES ONLY	141
30	FEMALES ONLY	142

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

**TABLE 1: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3248	649,068	1551	45.4	43.0-47.8	1524	48.5	46.1-50.9	143	5.0	03.8-06.2	30	1.0	00.4-01.6
Male	1406	305,193	654	43.8	40.3-47.3	679	50.1	46.6-53.6	59	4.9	03.1-06.7	14	1.2	00.2-02.2
Female	1842	343,875	897	46.9	43.6-50.2	845	47.2	43.9-50.5	84	5.1	03.5-06.7	16	0.8	00.2-01.4
White/Non-Hisp	2279	389,955	1143	49.2	46.5-51.9	1016	45.8	43.1-48.5	99	4.3	03.1-05.5	21	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	461	132,679	200	38.5	32.6-44.4	238	53.1	46.8-59.4	21	7.2	03.3-11.1	2	1.2	00.0-03.2
Oth. Race/Non-Hisp.	88	27,744	35	45.2	31.9-58.5	48	51.0	37.7-64.3	3	1.9	00.0-04.1	2	1.8	00.0-04.7
MultiRacial/Non-Hisp.	65	25,479	18	28.9	14.0-43.8	37	59.3	43.2-75.4	10	11.8	02.6-21.0			
Hispanic	281	60,215	122	42.2	34.2-50.2	148	52.3	44.3-60.3	8	4.1	00.8-07.4	3	1.4	00.0-03.2
18-24	176	67,521	45	22.7	15.6-29.8	116	70.0	62.2-77.8	13	6.7	02.6-10.8	2	0.6	00.0-01.6
25-34	300	99,695	118	35.5	28.6-42.4	164	56.5	49.2-63.8	16	6.5	02.4-10.6	2	1.5	00.0-04.0
35-44	401	96,769	187	47.0	40.7-53.3	193	47.1	40.8-53.4	14	4.1	01.2-07.0	7	1.7	00.3-03.1
45-54	464	92,948	219	46.1	40.0-52.2	221	46.9	40.8-53.0	21	6.4	02.3-10.5	3	0.6	00.0-01.4
55-64	608	115,320	316	57.7	52.6-62.8	253	36.7	31.8-41.6	34	5.1	03.1-07.1	5	0.5	00.1-00.9
65+	1299	176,815	666	50.5	46.8-54.2	577	45.2	41.5-48.9	45	3.2	02.0-04.4	11	1.1	00.3-01.9
Less Than H.S.	200	60,895	67	28.4	20.8-36.0	119	60.9	51.9-69.9	11	7.8	01.7-13.9	3	2.9	00.0-07.2
H.S. or G.E.D.	848	199,875	338	39.8	35.3-44.3	447	53.1	48.6-57.6	55	6.4	04.0-08.8	8	0.7	00.1-01.3
Some Post-H.S.	861	188,487	394	45.1	40.6-49.6	412	47.7	43.2-52.2	45	6.0	03.6-08.4	10	1.1	00.3-01.9
College Graduate	1330	198,477	748	56.7	52.8-60.6	543	41.0	37.1-44.9	31	1.8	01.0-02.6	8	0.6	00.2-01.0
Less than \$15,000	134	21,903	40	32.5	21.9-43.1	69	50.6	39.6-61.6	21	14.4	07.5-21.3	4	2.4	00.0-04.8
\$15,000- 24,999	231	42,282	68	30.1	22.1-38.1	140	59.5	50.9-68.1	22	10.2	04.9-15.5	1	0.2	00.0-00.6
\$25,000- 34,999	309	61,405	108	31.0	23.9-38.1	173	59.9	51.9-67.9	19	5.2	02.1-08.3	9	3.9	00.0-08.2
\$35,000- 49,999	364	74,658	160	38.3	31.0-45.6	192	55.9	48.3-63.5	10	5.4	00.7-10.1	2	0.4	00.0-01.0
\$50,000- 99,999	924	189,094	446	45.0	40.5-49.5	439	49.3	44.8-53.8	36	5.4	03.0-07.8	3	0.3	00.0-00.7
\$100,000- 199,999	550	109,778	343	59.3	53.8-64.8	199	39.0	33.5-44.5	6	1.6	00.0-03.2	2	0.1	00.0-00.3
\$200,000+	133	29,913	101	73.8	64.8-82.8	29	23.2	14.4-32.0	1	0.7	00.0-02.1	2	2.3	00.0-05.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

**TABLE 2: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Very Satisfied			Satisfied			Dissatisfied			Very dissatisfied		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1406	305,193	654	43.8	40.3-47.3	679	50.1	46.6-53.6	59	4.9	03.1-06.7	14	1.2	00.2-02.2
White/Non-Hisp	984	181,691	474	45.7	41.6-49.8	463	49.6	45.5-53.7	39	4.1	02.3-05.9	8	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	181	62,319	77	38.1	28.9-47.3	95	53.1	43.5-62.7	8	6.7	01.2-12.2	1	2.1	00.0-06.2
Oth. Race/Non-Hisp.	53	16,942	20	44.1	27.8-60.4	29	50.4	34.3-66.5	3	3.2	00.0-06.7	1	2.4	00.0-06.9
Hispanic	117	23,513	50	43.8	32.2-55.4	60	47.0	35.4-58.6	4	5.6	00.0-12.1	3	3.6	00.0-08.1
18-24	105	35,867	27	22.7	13.9-31.5	69	69.8	60.0-79.6	7	6.4	01.1-11.7	2	1.1	00.0-02.9
25-34	136	50,263	48	30.9	21.7-40.1	77	55.5	44.7-66.3	10	11.0	03.4-18.6	1	2.6	00.0-07.7
35-44	190	45,526	87	45.6	37.2-54.0	94	50.2	41.6-58.8	6	2.3	00.1-04.5	3	2.0	00.0-04.4
45-54	188	42,000	94	47.1	37.9-56.3	85	47.7	38.3-57.1	7	4.1	00.6-07.6	2	1.1	00.0-03.1
55-64	251	55,071	127	57.1	49.1-65.1	110	38.0	30.2-45.8	12	4.5	01.8-07.2	2	0.4	00.0-01.0
65+	536	76,467	271	49.5	43.8-55.2	244	47.2	41.5-52.9	17	2.7	01.1-04.3	4	0.6	00.0-01.2
Less Than H.S.	86	28,157	27	28.1	17.1-39.1	50	58.5	45.6-71.4	7	7.3	01.4-13.2	2	6.1	00.0-15.1
H.S. or G.E.D.	375	98,436	141	37.3	31.0-43.6	213	56.9	50.2-63.6	19	5.5	02.0-09.0	2	0.3	00.0-00.7
Some Post-H.S.	350	88,953	160	43.9	36.8-51.0	167	48.7	41.6-55.8	20	6.7	03.2-10.2	3	0.8	00.0-02.0
College Graduate	590	89,033	324	55.6	50.5-60.7	248	41.5	36.4-46.6	12	1.8	00.6-03.0	6	1.1	00.1-02.1
Less than \$15,000	50	7,654	13	23.8	10.9-36.7	27	53.8	37.5-70.1	9	20.4	07.1-33.7	1	2.0	00.0-05.9
\$15,000- 24,999	81	16,105	21	29.6	15.3-43.9	51	60.4	45.9-74.9	8	9.4	02.0-16.8	1	0.5	00.0-01.5
\$25,000- 34,999	112	23,873	36	29.4	18.4-40.4	67	59.6	46.7-72.5	5	4.3	00.0-10.2	4	6.6	00.0-16.8
\$35,000- 49,999	153	33,922	68	42.2	31.0-53.4	83	56.1	44.9-67.3	2	1.7	00.0-04.4			
\$50,000- 99,999	407	90,864	180	42.4	35.7-49.1	207	50.8	44.1-57.5	20	6.8	02.7-10.9			
\$100,000- 199,999	290	64,900	182	56.3	48.5-64.1	104	41.8	34.0-49.6	3	1.8	00.0-04.2	1	0.1	00.0-00.3
\$200,000+	82	18,197	60	71.5	59.9-83.1	20	24.6	13.6-35.6				2	3.9	00.0-09.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 3: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1842	343,875	897	46.9	43.6-50.2	845	47.2	43.9-50.5	84	5.1	03.5-06.7	16	0.8	00.2-01.4
White/Non-Hisp	1295	208,263	669	52.2	48.5-55.9	553	42.4	38.7-46.1	60	4.5	02.9-06.1	13	0.9	00.3-01.5
Black or Afr. Am./Non-Hisp	280	70,360	123	38.9	31.3-46.5	143	53.1	44.9-61.3	13	7.6	02.1-13.1	1	0.5	00.0-01.5
Hispanic	164	36,701	72	41.2	30.4-52.0	88	55.7	44.7-66.7	4	3.1	00.0-06.4			
18-24	71	31,654	18	22.7	11.3-34.1	47	70.2	57.7-82.7	6	7.1	00.6-13.6			
25-34	164	49,432	70	40.2	30.4-50.0	87	57.5	47.5-67.5	6	2.0	00.2-03.8	1	0.3	00.0-00.9
35-44	211	51,243	100	48.3	39.1-57.5	99	44.4	35.4-53.4	8	5.8	00.7-10.9	4	1.5	00.0-03.1
45-54	276	50,948	125	45.2	37.4-53.0	136	46.3	38.5-54.1	14	8.3	01.6-15.0	1	0.2	00.0-00.6
55-64	357	60,250	189	58.2	51.5-64.9	143	35.6	29.3-41.9	22	5.7	02.8-08.6	3	0.5	00.0-01.1
65+	763	100,348	395	51.2	46.1-56.3	333	43.6	38.5-48.7	28	3.7	01.9-05.5	7	1.5	00.1-02.9
Less Than H.S.	114	32,738	40	28.6	18.2-39.0	69	63.0	50.3-75.7	4	8.3	00.0-18.3	1	0.2	00.0-00.6
H.S. or G.E.D.	473	101,438	197	42.1	35.8-48.4	234	49.4	43.1-55.7	36	7.3	04.4-10.2	6	1.2	00.0-02.4
Some Post-H.S.	511	99,534	234	46.2	40.3-52.1	245	46.9	41.0-52.8	25	5.5	02.6-08.4	7	1.4	00.2-02.6
College Graduate	740	109,444	424	57.5	51.8-63.2	295	40.5	34.8-46.2	19	1.8	00.6-03.0	2	0.2	00.0-00.4
Less than \$15,000	84	14,249	27	37.2	22.9-51.5	42	48.9	34.8-63.0	12	11.2	03.6-18.8	3	2.7	00.0-05.8
\$15,000- 24,999	150	26,177	47	30.3	20.7-39.9	89	59.0	48.2-69.8	14	10.7	03.6-17.8			
\$25,000- 34,999	197	37,532	72	32.0	22.6-41.4	106	60.0	49.8-70.2	14	5.9	02.2-09.6	5	2.1	00.0-04.5
\$35,000- 49,999	211	40,736	92	35.0	25.8-44.2	109	55.7	45.1-66.3	8	8.4	00.2-16.6	2	0.8	00.0-02.0
\$50,000- 99,999	517	98,230	266	47.5	41.2-53.8	232	47.9	41.6-54.2	16	4.0	01.3-06.7	3	0.6	00.0-01.4
\$100,000- 199,999	260	44,878	161	63.5	56.1-70.9	95	35.1	27.7-42.5	3	1.3	00.0-02.9	1	0.1	00.0-00.3
\$200,000+	51	11,716	41	77.3	62.6-92.0	9	21.1	06.6-35.6	1	1.7	00.0-05.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

**TABLE 4: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3218	645,335	1661	48.4	46.0-50.8	915	29.4	27.2-31.6	392	13.6	11.8-15.4	125	4.2	03.2-05.2	125	4.4	03.4-05.4
Male	1381	300,013	719	48.0	44.5-51.5	379	28.6	25.3-31.9	154	13.8	11.1-16.5	48	4.0	02.6-05.4	81	5.7	04.1-07.3
Female	1837	345,322	942	48.8	45.5-52.1	536	30.1	27.0-33.2	238	13.5	11.1-15.9	77	4.4	03.0-05.8	44	3.2	01.8-04.6
White/Non-Hisp	2259	388,636	1185	49.8	47.1-52.5	695	31.9	29.2-34.6	234	12.0	10.0-14.0	74	3.0	02.2-03.8	71	3.3	02.1-04.5
Black or Afr. Am./Non-Hisp	456	130,064	243	49.3	43.0-55.6	93	22.0	16.9-27.1	83	19.3	14.0-24.6	23	5.6	03.1-08.1	14	3.8	01.3-06.3
Oth. Race/Non-Hisp.	88	27,580	39	49.0	35.5-62.5	23	25.3	14.3-36.3	13	10.3	04.2-16.4	7	8.3	00.0-16.7	6	7.2	00.5-13.9
MultiRacial/Non-Hisp.	66	26,232	24	34.3	19.6-49.0	26	45.8	29.1-62.5	8	11.1	01.9-20.3	3	1.5	00.0-03.3	5	7.3	00.6-14.0
Hispanic	280	60,477	139	43.8	36.0-51.6	60	23.3	15.9-30.7	45	16.2	10.7-21.7	15	8.5	03.0-14.0	21	8.2	03.5-12.9
18-24	176	67,879	60	29.9	21.3-38.5	63	40.2	31.0-49.4	34	20.6	13.2-28.0	11	6.0	02.3-09.7	8	3.3	00.0-06.6
25-34	300	99,806	125	40.3	33.0-47.6	93	31.9	25.0-38.8	60	18.8	13.1-24.5	16	5.8	02.1-09.5	6	3.2	00.1-06.3
35-44	397	95,980	164	40.6	34.5-46.7	135	35.6	29.3-41.9	51	12.4	08.1-16.7	26	5.3	02.8-07.8	21	6.1	03.2-09.0
45-54	464	93,240	242	49.6	43.5-55.7	134	28.0	22.7-33.3	61	16.3	11.0-21.6	13	3.3	01.1-05.5	14	2.7	01.1-04.3
55-64	606	115,773	327	56.5	51.2-61.8	165	25.3	20.8-29.8	62	9.4	06.5-12.3	27	4.6	02.4-06.8	25	4.2	01.7-06.7
65+	1275	172,658	743	58.6	54.9-62.3	325	23.8	20.7-26.9	124	10.0	07.6-12.4	32	2.2	01.2-03.2	51	5.5	03.5-07.5
Less Than H.S.	200	61,305	89	41.1	32.1-50.1	36	21.2	12.6-29.8	38	19.7	11.7-27.7	13	6.6	01.9-11.3	24	11.4	05.5-17.3
H.S. or G.E.D.	834	197,952	429	47.3	42.8-51.8	195	26.4	22.3-30.5	121	16.2	12.5-19.9	40	4.7	02.9-06.5	49	5.4	03.2-07.6
Some Post-H.S.	854	186,038	431	48.7	44.2-53.2	238	28.6	24.5-32.7	114	14.0	10.9-17.1	40	5.1	02.9-07.3	31	3.6	02.0-05.2
College Graduate	1319	197,584	708	51.6	47.9-55.3	443	35.8	32.1-39.5	118	9.0	07.0-11.0	32	2.2	01.2-03.2	18	1.3	00.5-02.1
Less than \$15,000	131	21,393	57	49.1	37.9-60.3	23	14.8	07.4-22.2	20	13.0	06.7-19.3	15	10.0	03.9-16.1	16	13.1	06.2-20.0
\$15,000- 24,999	234	43,064	91	39.6	31.0-48.2	48	18.1	11.4-24.8	56	25.9	17.9-33.9	17	8.1	03.8-12.4	22	8.3	04.2-12.4
\$25,000- 34,999	304	61,227	147	43.6	35.6-51.6	76	29.7	21.5-37.9	44	13.5	08.4-18.6	21	4.9	02.2-07.6	16	8.3	02.8-13.8
\$35,000- 49,999	359	73,101	194	51.0	43.2-58.8	98	23.2	17.3-29.1	43	15.8	09.1-22.5	15	7.3	02.4-12.2	9	2.7	00.2-05.2
\$50,000- 99,999	921	189,195	465	46.6	42.1-51.1	304	34.3	30.0-38.6	103	12.1	09.0-15.2	27	3.6	01.8-05.4	22	3.4	01.6-05.2
\$100,000- 199,999	549	109,532	309	53.3	47.8-58.8	172	31.8	26.7-36.9	51	12.3	08.2-16.4	5	1.0	00.0-02.0	12	1.5	00.3-02.7
\$200,000+	134	30,956	79	52.2	41.8-62.6	43	33.4	23.8-43.0	6	6.4	00.7-12.1	3	2.4	00.0-05.3	3	5.6	00.0-12.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 5: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1381	300,013	719	48.0	44.5-51.5	379	28.6	25.3-31.9	154	13.8	11.1-16.5	48	4.0	02.6-05.4	81	5.7	04.1-07.3
White/Non-Hisp	968	179,112	512	47.7	43.6-51.8	286	31.8	27.9-35.7	96	13.1	10.0-16.2	24	2.4	01.2-03.6	50	5.0	03.2-06.8
Black or Afr. Am./Non-Hisp	180	60,673	97	49.2	39.6-58.8	39	23.3	15.1-31.5	29	18.4	10.6-26.2	9	5.5	01.4-09.6	6	3.6	00.0-07.9
Oth. Race/Non-Hisp.	52	16,827	25	49.1	33.0-65.2	14	28.2	14.1-42.3	4	4.2	00.0-08.5	6	13.0	00.1-25.9	3	5.5	00.0-12.0
Hispanic	114	23,205	55	45.9	34.1-57.7	24	19.9	10.9-28.9	17	16.6	07.4-25.8	7	7.9	01.2-14.6	11	9.7	03.6-15.8
18-24	103	34,428	36	30.5	20.1-40.9	33	35.7	24.7-46.7	20	23.7	13.3-34.1	7	6.6	01.5-11.7	7	3.5	00.8-06.2
25-34	134	49,737	51	33.0	23.0-43.0	42	33.3	22.9-43.7	30	23.0	13.6-32.4	7	4.9	00.0-09.8	4	5.7	00.0-11.8
35-44	186	45,003	74	42.0	33.4-50.6	68	35.4	27.4-43.4	25	12.4	06.9-17.9	9	4.7	01.0-08.4	10	5.6	01.5-09.7
45-54	187	41,745	101	48.5	39.3-57.7	53	29.1	20.5-37.7	23	15.9	07.7-24.1	3	2.4	00.0-05.5	7	4.1	00.8-07.4
55-64	249	54,770	139	62.4	54.6-70.2	63	20.8	14.1-27.5	19	7.3	03.4-11.2	12	5.5	01.8-09.2	16	4.1	01.9-06.3
65+	522	74,330	318	58.7	53.0-64.4	120	23.4	18.3-28.5	37	7.5	04.6-10.4	10	1.5	00.3-02.7	37	8.9	05.2-12.6
Less Than H.S.	85	27,959	35	37.8	25.6-50.0	12	15.0	05.2-24.8	17	23.6	11.1-36.1	6	6.5	00.8-12.2	15	17.1	06.1-28.1
H.S. or G.E.D.	364	96,365	185	45.9	39.2-52.6	87	29.3	22.8-35.8	48	14.9	09.6-20.2	13	3.6	01.2-06.0	31	6.3	03.6-09.0
Some Post-H.S.	342	86,473	172	48.1	41.0-55.2	94	27.0	20.7-33.3	41	14.6	09.7-19.5	17	5.7	02.0-09.4	18	4.6	02.1-07.1
College Graduate	584	88,523	324	53.2	48.1-58.3	185	33.6	28.7-38.5	48	8.8	05.9-11.7	12	2.0	00.6-03.4	15	2.4	00.8-04.0
\$15,000- 24,999	81	16,233	33	46.7	32.0-61.4	15	11.6	04.5-18.7	17	21.9	10.3-33.5	5	8.1	00.5-15.7	11	11.8	04.0-19.6
\$25,000- 34,999	106	23,350	53	41.4	29.1-53.7	24	25.7	14.5-36.9	12	12.2	03.0-21.4	7	5.4	00.1-10.7	10	15.3	03.3-27.3
\$35,000- 49,999	151	33,241	89	57.4	46.0-68.8	33	19.3	10.9-27.7	17	14.6	06.2-23.0	5	5.0	00.0-11.5	7	3.6	00.0-07.3
\$50,000- 99,999	403	89,966	212	47.1	40.4-53.8	118	31.7	25.2-38.2	46	12.4	07.7-17.1	12	4.1	01.4-06.8	15	4.7	01.8-07.6
\$100,000- 199,999	290	65,013	167	53.5	45.9-61.1	83	29.3	22.6-36.0	27	13.8	07.5-20.1	3	1.2	00.0-02.8	10	2.3	00.5-04.1
\$200,000+	82	18,197	50	57.4	44.9-69.9	26	33.5	21.7-45.3	3	4.9	00.0-10.8	2	2.7	00.0-07.0	1	1.5	00.0-04.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 6: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1837	345,322	942	48.8	45.5-52.1	536	30.1	27.0-33.2	238	13.5	11.1-15.9	77	4.4	03.0-05.8	44	3.2	01.8-04.6
White/Non-Hisp	1291	209,524	673	51.6	47.7-55.5	409	32.0	28.5-35.5	138	11.0	08.6-13.4	50	3.5	02.3-04.7	21	1.9	00.7-03.1
Black or Afr. Am./Non-Hisp	276	69,392	146	49.3	40.9-57.7	54	20.9	14.4-27.4	54	20.2	12.9-27.5	14	5.7	02.4-09.0	8	3.9	01.0-06.8
Hispanic	166	37,273	84	42.5	32.1-52.9	36	25.4	14.8-36.0	28	16.0	09.1-22.9	8	8.9	01.1-16.7	10	7.3	00.6-14.0
18-24	73	33,450	24	29.3	15.6-43.0	30	44.8	29.9-59.7	14	17.5	06.9-28.1	4	5.3	00.0-11.0	1	3.1	00.0-09.2
25-34	166	50,068	74	47.4	37.2-57.6	51	30.6	21.4-39.8	30	14.6	08.7-20.5	9	6.6	00.9-12.3	2	0.8	00.0-02.0
35-44	211	50,977	90	39.4	30.6-48.2	67	35.8	26.6-45.0	26	12.5	06.2-18.8	17	5.9	02.6-09.2	11	6.5	02.2-10.8
45-54	277	51,495	141	50.6	42.8-58.4	81	27.2	20.7-33.7	38	16.7	09.6-23.8	10	4.0	01.3-06.7	7	1.6	00.2-03.0
55-64	357	61,003	188	51.2	44.1-58.3	102	29.2	22.9-35.5	43	11.3	07.2-15.4	15	3.9	01.5-06.3	9	4.3	00.0-08.6
65+	753	98,328	425	58.5	53.4-63.6	205	24.1	20.2-28.0	87	11.8	08.1-15.5	22	2.7	01.3-04.1	14	2.9	00.7-05.1
Less Than H.S.	115	33,345	54	43.9	31.0-56.8	24	26.4	13.1-39.7	21	16.4	06.2-26.6	7	6.7	00.0-14.1	9	6.6	02.1-11.1
H.S. or G.E.D.	470	101,587	244	48.7	42.4-55.0	108	23.7	18.4-29.0	73	17.3	12.2-22.4	27	5.7	03.2-08.2	18	4.5	01.4-07.6
Some Post-H.S.	512	99,565	259	49.3	43.4-55.2	144	30.0	24.5-35.5	73	13.4	09.5-17.3	23	4.5	02.1-06.9	13	2.7	00.7-04.7
College Graduate	735	109,061	384	50.3	44.8-55.8	258	37.6	32.3-42.9	70	9.2	06.5-11.9	20	2.4	01.2-03.6	3	0.5	00.0-01.3
Less than \$15,000	83	13,950	41	60.5	47.4-73.6	12	8.2	02.9-13.5	16	15.5	07.1-23.9	10	11.8	03.0-20.6	4	4.0	00.0-08.7
\$15,000- 24,999	153	26,830	58	35.3	25.1-45.5	33	22.0	12.4-31.6	39	28.3	17.5-39.1	12	8.1	03.0-13.2	11	6.2	01.7-10.7
\$25,000- 34,999	198	37,877	94	44.9	34.3-55.5	52	32.2	20.8-43.6	32	14.4	08.5-20.3	14	4.5	01.8-07.2	6	3.9	00.0-07.8
\$35,000- 49,999	208	39,860	105	45.7	34.9-56.5	65	26.4	18.0-34.8	26	16.8	07.0-26.6	10	9.1	02.0-16.2	2	2.0	00.0-05.5
\$50,000- 99,999	518	99,229	253	46.1	39.8-52.4	186	36.6	30.7-42.5	57	11.9	08.0-15.8	15	3.2	01.0-05.4	7	2.2	00.2-04.2
\$100,000- 199,999	259	44,519	142	53.1	45.3-60.9	89	35.5	27.9-43.1	24	10.2	05.7-14.7	2	0.8	00.0-02.0	2	0.4	00.0-01.0
\$200,000+	52	12,759	29	44.8	27.6-62.0	17	33.2	17.1-49.3	3	8.6	00.0-19.2	1	2.0	00.0-05.9	2	11.3	00.0-27.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

**TABLE 7: HOW OFTEN DO YOU FEEL SOCIALLY ISOLATED FROM OTHERS? IS IT... (SDHISOLT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3240	649,666	95	2.9	02.1-03.7	135	4.9	03.7-06.1	628	20.3	18.3-22.3	897	28.7	26.5-30.9	1485	43.3	40.9-45.7
Male	1400	303,514	41	2.9	01.7-04.1	62	5.6	03.8-07.4	254	18.4	15.7-21.1	371	27.6	24.5-30.7	672	45.5	42.0-49.0
Female	1840	346,152	54	2.9	01.9-03.9	73	4.2	02.6-05.8	374	21.9	19.0-24.8	526	29.7	26.6-32.8	813	41.3	38.2-44.4
White/Non-Hisp	2278	391,600	52	2.3	01.5-03.1	87	3.8	02.6-05.0	419	19.3	16.9-21.7	685	31.3	28.8-33.8	1035	43.2	40.5-45.9
Black or Afr. Am./Non-Hisp	457	131,369	19	3.7	01.2-06.2	20	6.2	02.9-09.5	93	22.0	16.5-27.5	102	22.9	17.6-28.2	223	45.3	39.0-51.6
Oth. Race/Non-Hisp.	89	28,050	2	1.0	00.0-02.6	2	2.1	00.0-05.2	22	16.9	08.9-24.9	27	37.6	24.1-51.1	36	42.5	29.4-55.6
MultiRacial/Non-Hisp.	64	25,619	3	2.5	00.0-05.6	5	14.4	00.9-27.9	17	26.5	12.2-40.8	15	29.9	13.4-46.4	24	26.7	14.2-39.2
Hispanic	280	60,554	17	5.2	02.5-07.9	19	5.7	02.6-08.8	59	22.5	15.2-29.8	54	21.6	14.7-28.5	131	45.0	37.0-53.0
18-24	178	69,622	7	2.0	00.4-03.6	10	9.1	02.4-15.8	56	32.4	23.4-41.4	56	33.2	24.8-41.6	49	23.3	16.0-30.6
25-34	300	99,802	7	3.1	00.0-06.2	23	7.4	03.9-10.9	66	23.4	17.1-29.7	100	33.1	25.8-40.4	104	33.1	26.2-40.0
35-44	396	95,851	16	4.4	01.7-07.1	22	5.4	02.3-08.5	88	21.1	16.0-26.2	116	31.6	25.5-37.7	154	37.6	31.5-43.7
45-54	466	93,789	16	2.8	01.2-04.4	17	3.3	01.3-05.3	86	19.9	14.8-25.0	135	29.2	23.7-34.7	212	44.8	38.9-50.7
55-64	608	115,142	15	2.0	00.8-03.2	29	4.0	02.0-06.0	110	16.3	12.6-20.0	169	28.7	23.8-33.6	285	48.9	43.4-54.4
65+	1292	175,461	34	2.9	01.7-04.1	34	2.9	01.5-04.3	222	16.0	13.3-18.7	321	22.6	19.7-25.5	681	55.6	51.9-59.3
Less Than H.S.	202	61,562	24	11.6	05.7-17.5	14	7.6	01.9-13.3	53	30.2	20.6-39.8	26	13.5	07.2-19.8	85	37.1	28.7-45.5
H.S. or G.E.D.	846	200,118	26	2.3	01.3-03.3	41	5.6	03.2-08.0	177	19.6	16.1-23.1	204	28.2	23.9-32.5	398	44.2	39.7-48.7
Some Post-H.S.	860	188,212	20	2.1	00.9-03.3	45	5.9	03.7-08.1	180	21.0	17.3-24.7	218	26.8	22.7-30.9	397	44.3	39.8-48.8
College Graduate	1321	197,317	24	1.4	00.8-02.0	34	2.3	01.3-03.3	217	17.3	14.2-20.4	447	36.1	32.4-39.8	599	42.8	39.1-46.5
Less than \$15,000	131	21,444	15	12.0	05.5-18.5	11	6.9	02.6-11.2	36	21.6	13.6-29.6	23	19.0	10.4-27.6	46	40.5	29.1-51.9
\$15,000- 24,999	238	43,463	15	7.1	02.8-11.4	17	6.0	02.7-09.3	60	27.9	20.3-35.5	51	20.3	13.6-27.0	95	38.7	29.9-47.5
\$25,000- 34,999	311	62,363	18	7.5	02.4-12.6	22	7.6	03.3-11.9	70	19.9	12.8-27.0	78	30.6	22.8-38.4	123	34.4	27.1-41.7
\$35,000- 49,999	359	73,516	9	2.4	00.2-04.6	11	3.5	00.2-06.8	69	22.0	14.4-29.6	98	28.1	21.2-35.0	172	44.0	36.4-51.6
\$50,000- 99,999	921	189,364	11	1.6	00.6-02.6	37	5.0	02.8-07.2	181	20.4	16.7-24.1	283	30.8	26.5-35.1	409	42.3	37.8-46.8
\$100,000- 199,999	549	109,126	7	0.7	00.1-01.3	12	3.4	00.9-05.9	69	15.7	11.2-20.2	185	33.4	28.3-38.5	276	46.8	41.3-52.3
\$200,000+	133	30,760	1	0.6	00.0-01.8	4	3.0	00.0-06.3	18	15.6	08.2-23.0	39	29.6	20.2-39.0	71	51.2	40.8-61.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 8: HOW OFTEN DO YOU FEEL SOCIALLY ISOLATED FROM OTHERS? IS IT... (SDHISOLT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1400	303,514	41	2.9	01.7-04.1	62	5.6	03.8-07.4	254	18.4	15.7-21.1	371	27.6	24.5-30.7	672	45.5	42.0-49.0
White/Non-Hisp	985	181,809	24	2.5	01.3-03.7	36	4.4	02.6-06.2	171	18.1	14.8-21.4	283	29.9	26.2-33.6	471	45.1	41.0-49.2
Black or Afr. Am./Non-Hisp	180	61,512	6	3.4	00.0-07.7	12	8.2	02.5-13.9	36	18.7	11.8-25.6	38	23.5	15.3-31.7	88	46.2	36.6-55.8
Oth. Race/Non-Hisp.	52	16,827				2	3.4	00.0-08.5	11	15.6	06.0-25.2	14	31.5	16.4-46.6	25	49.5	33.4-65.6
Hispanic	114	23,282	8	5.3	01.2-09.4	9	8.8	02.1-15.5	22	17.6	09.0-26.2	24	21.8	11.8-31.8	51	46.5	34.7-58.3
18-24	105	35,854	4	2.1	00.0-04.3	5	5.8	00.0-12.9	26	21.9	13.3-30.5	38	45.4	34.0-56.8	32	24.8	15.4-34.2
25-34	135	50,150	5	4.0	00.0-09.1	10	9.2	03.1-15.3	36	29.8	19.6-40.0	44	24.1	15.7-32.5	40	32.8	22.4-43.2
35-44	186	44,512	4	2.8	00.0-05.7	13	7.3	02.2-12.4	42	20.7	13.8-27.6	57	31.5	23.5-39.5	70	37.7	29.5-45.9
45-54	187	41,906	6	2.2	00.0-04.4	7	4.5	00.8-08.2	37	19.8	12.5-27.1	51	27.0	18.4-35.6	86	46.5	37.1-55.9
55-64	254	55,271	7	2.4	00.4-04.4	13	5.5	02.0-09.0	36	10.1	06.0-14.2	61	25.0	17.7-32.3	137	56.9	48.7-65.1
65+	533	75,822	15	3.2	01.2-05.2	14	2.8	00.8-04.8	77	13.3	09.4-17.2	120	21.2	16.9-25.5	307	59.5	54.0-65.0
Less Than H.S.	87	28,381	10	11.9	02.3-21.5	7	6.2	01.3-11.1	17	25.9	12.8-39.0	15	15.9	07.3-24.5	38	40.0	27.5-52.5
H.S. or G.E.D.	371	97,779	12	2.4	00.8-04.0	16	5.5	02.0-09.0	66	16.1	11.4-20.8	95	28.5	22.2-34.8	182	47.5	40.8-54.2
Some Post-H.S.	348	88,075	8	1.7	00.3-03.1	23	8.6	04.3-12.9	74	21.0	15.3-26.7	67	21.8	15.9-27.7	176	46.9	39.8-54.0
College Graduate	588	88,586	10	1.4	00.2-02.6	15	2.5	00.9-04.1	97	16.2	12.5-19.9	193	36.1	31.2-41.0	273	43.8	38.7-48.9
\$15,000- 24,999	84	16,552	3	2.9	00.0-06.6	5	7.6	00.3-14.9	21	26.6	14.3-38.9	20	25.9	13.0-38.8	35	36.9	23.2-50.6
\$25,000- 34,999	112	24,187	8	11.6	00.8-22.4	8	10.9	01.9-19.9	25	15.7	08.3-23.1	27	30.1	18.3-41.9	44	31.7	20.7-42.7
\$35,000- 49,999	149	32,824	6	2.2	00.2-04.2	1	0.8	00.0-02.4	24	15.8	07.4-24.2	40	28.1	17.9-38.3	78	53.1	41.7-64.5
\$50,000- 99,999	406	90,786	8	2.4	00.6-04.2	20	5.4	02.5-08.3	77	20.2	14.7-25.7	104	23.5	17.8-29.2	197	48.4	41.7-55.1
\$100,000- 199,999	290	64,805	1	0.2	00.0-00.6	6	4.3	00.4-08.2	41	17.6	11.1-24.1	90	31.0	24.3-37.7	152	46.8	39.2-54.4
\$200,000+	82	18,197				2	2.7	00.0-07.0	10	12.4	04.4-20.4	26	31.1	19.5-42.7	44	53.8	41.3-66.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 9: HOW OFTEN DO YOU FEEL SOCIALLY ISOLATED FROM OTHERS? IS IT... (SDHISOLT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always						Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	1840	346,152	54	2.9	01.9-03.9	73	4.2	02.6-05.8	374	21.9	19.0-24.8	526	29.7	26.6-32.8	813	41.3	38.2-44.4			
White/Non-Hisp	1293	209,791	28	2.1	01.1-03.1	51	3.4	02.0-04.8	248	20.4	17.3-23.5	402	32.5	28.8-36.2	564	41.6	37.9-45.3			
Black or Afr. Am./Non-Hisp	277	69,858	13	3.9	01.2-06.6	8	4.4	00.7-08.1	57	24.9	16.7-33.1	64	22.3	15.6-29.0	135	44.5	36.3-52.7			
Hispanic	166	37,273	9	5.1	01.2-09.0	10	3.8	01.1-06.5	37	25.6	15.2-36.0	30	21.5	12.1-30.9	80	44.0	33.2-54.8			
18-24	73	33,768	3	1.8	00.0-04.0	5	12.7	01.1-24.3	30	43.5	28.4-58.6	18	20.2	10.0-30.4	17	21.8	10.8-32.8			
25-34	165	49,651	2	2.2	00.0-05.3	13	5.5	02.2-08.8	30	16.9	10.0-23.8	56	42.1	31.5-52.7	64	33.3	24.3-42.3			
35-44	210	51,338	12	5.8	01.5-10.1	9	3.6	00.1-07.1	46	21.4	14.1-28.7	59	31.7	22.5-40.9	84	37.6	29.0-46.2			
45-54	279	51,883	10	3.2	00.8-05.6	10	2.4	00.6-04.2	49	20.0	12.9-27.1	84	31.0	23.9-38.1	126	43.3	35.7-50.9			
55-64	354	59,871	8	1.7	00.3-03.1	16	2.6	01.2-04.0	74	22.0	16.3-27.7	108	32.1	25.4-38.8	148	41.5	34.6-48.4			
65+	759	99,639	19	2.7	01.1-04.3	20	2.9	00.9-04.9	145	18.1	14.0-22.2	201	23.6	19.5-27.7	374	52.6	47.5-57.7			
Less Than H.S.	115	33,181	14	11.3	04.0-18.6	7	8.7	00.0-18.3	36	33.8	20.1-47.5	11	11.4	02.4-20.4	47	34.7	23.1-46.3			
H.S. or G.E.D.	475	102,339	14	2.3	00.9-03.7	25	5.8	02.5-09.1	111	22.9	17.6-28.2	109	27.9	22.2-33.6	216	41.2	35.3-47.1			
Some Post-H.S.	512	100,137	12	2.4	00.6-04.2	22	3.4	01.6-05.2	106	21.0	16.1-25.9	151	31.1	25.2-37.0	221	42.1	36.4-47.8			
College Graduate	733	108,730	14	1.4	00.6-02.2	19	2.2	00.8-03.6	120	18.3	13.4-23.2	254	36.1	30.6-41.6	326	42.1	36.8-47.4			
Less than \$15,000	82	13,906	7	9.5	01.7-17.3	5	4.0	00.3-07.7	26	24.3	13.5-35.1	16	19.1	08.3-29.9	28	43.1	28.2-58.0			
\$15,000- 24,999	154	26,910	12	9.6	02.9-16.3	12	5.0	01.9-08.1	39	28.6	18.8-38.4	31	16.9	09.6-24.2	60	39.9	28.5-51.3			
\$25,000- 34,999	199	38,176	10	4.9	00.6-09.2	14	5.6	01.5-09.7	45	22.6	12.2-33.0	51	30.8	20.6-41.0	79	36.2	26.4-46.0			
\$35,000- 49,999	210	40,692	3	2.5	00.0-06.0	10	5.7	00.0-11.6	45	27.1	15.5-38.7	58	28.1	18.9-37.3	94	36.6	27.2-46.0			
\$50,000- 99,999	515	98,578	3	0.8	00.0-02.0	17	4.6	01.7-07.5	104	20.5	15.6-25.4	179	37.4	30.9-43.9	212	36.6	30.9-42.3			
\$100,000- 199,999	259	44,321	6	1.5	00.3-02.7	6	2.1	00.0-04.3	28	12.9	07.4-18.4	95	36.9	29.3-44.5	124	46.7	38.9-54.5			
\$200,000+	51	12,563	1	1.6	00.0-04.7	2	3.4	00.0-09.1	8	20.2	06.3-34.1	13	27.3	11.2-43.4	27	47.5	29.7-65.3			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

**TABLE 10: IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3232	649,596	299	10.9	09.3-12.5	2933	89.1	87.5-90.7
Male	1396	303,373	140	12.1	09.7-14.5	1256	87.9	85.5-90.3
Female	1836	346,223	159	9.8	07.8-11.8	1677	90.2	88.2-92.2
White/Non-Hisp	2273	391,573	162	9.0	07.2-10.8	2111	91.0	89.2-92.8
Black or Afr. Am./Non-Hisp	456	131,291	59	12.9	09.2-16.6	397	87.1	83.4-90.8
Oth. Race/Non-Hisp.	90	28,165	5	5.9	00.0-12.0	85	94.1	88.0-0100
MultiRacial/Non-Hisp.	65	26,059	13	20.8	07.3-34.3	52	79.2	65.7-92.7
Hispanic	277	60,082	53	16.5	11.2-21.8	224	83.5	78.2-88.8
18-24	178	69,622	35	18.8	11.7-25.9	143	81.2	74.1-88.3
25-34	298	98,968	47	16.3	10.8-21.8	251	83.7	78.2-89.2
35-44	397	96,707	57	14.6	10.3-18.9	340	85.4	81.1-89.7
45-54	467	94,097	74	15.0	11.1-18.9	393	85.0	81.1-88.9
55-64	605	115,157	56	7.5	05.1-09.9	549	92.5	90.1-94.9
65+	1287	175,047	30	2.7	01.5-03.9	1257	97.3	96.1-98.5
Less Than H.S.	202	61,726	29	15.7	08.1-23.3	173	84.3	76.7-91.9
H.S. or G.E.D.	839	198,624	90	12.4	09.5-15.3	749	87.6	84.7-90.5
Some Post-H.S.	862	189,329	94	12.4	09.5-15.3	768	87.6	84.7-90.5
College Graduate	1318	197,460	86	6.6	05.0-08.2	1232	93.4	91.8-95.0
Less than \$15,000	133	21,841	29	20.9	12.7-29.1	104	79.1	70.9-87.3
\$15,000- 24,999	236	43,272	37	16.9	10.8-23.0	199	83.1	77.0-89.2
\$25,000- 34,999	309	61,666	43	14.0	08.7-19.3	266	86.0	80.7-91.3
\$35,000- 49,999	363	74,569	42	15.0	09.7-20.3	321	85.0	79.7-90.3
\$50,000- 99,999	920	189,293	63	7.6	05.4-09.8	857	92.4	90.2-94.6
\$100,000- 199,999	547	108,743	30	7.7	04.0-11.4	517	92.3	88.6-96.0
\$200,000+	133	30,760	7	5.7	01.2-10.2	126	94.3	89.8-98.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 11: IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1396	303,373	140	12.1	09.7-14.5	1256	87.9	85.5-90.3
White/Non-Hisp	984	181,789	75	11.1	08.0-14.2	909	88.9	85.8-92.0
Black or Afr. Am./Non-Hisp	180	61,432	30	15.7	09.6-21.8	150	84.3	78.2-90.4
Oth. Race/Non-Hisp.	53	16,942	1	1.0	00.0-03.0	52	99.0	97.0-0100
Hispanic	111	22,809	24	18.0	09.8-26.2	87	82.0	73.8-90.2
18-24	105	35,854	22	22.1	12.9-31.3	83	77.9	68.7-87.1
25-34	133	49,316	26	22.2	12.8-31.6	107	77.8	68.4-87.2
35-44	187	45,318	28	14.1	08.6-19.6	159	85.9	80.4-91.4
45-54	189	42,224	26	12.5	07.0-18.0	163	87.5	82.0-93.0
55-64	252	55,061	21	6.3	03.2-09.4	231	93.7	90.6-96.8
65+	530	75,601	17	3.7	01.5-05.9	513	96.3	94.1-98.5
Less Than H.S.	87	28,381	12	14.9	03.7-26.1	75	85.1	73.9-96.3
H.S. or G.E.D.	367	96,682	44	14.1	09.4-18.8	323	85.9	81.2-90.6
Some Post-H.S.	351	89,165	38	13.4	08.7-18.1	313	86.6	81.9-91.3
College Graduate	585	88,452	46	7.9	05.4-10.4	539	92.1	89.6-94.6
Less than \$15,000	50	7,652	15	30.0	14.7-45.3	35	70.0	54.7-85.3
\$15,000- 24,999	83	16,471	11	14.6	05.6-23.6	72	85.4	76.4-94.4
\$25,000- 34,999	108	23,140	14	14.6	04.8-24.4	94	85.4	75.6-95.2
\$35,000- 49,999	153	33,877	21	16.4	08.6-24.2	132	83.6	75.8-91.4
\$50,000- 99,999	405	90,549	29	7.8	04.5-11.1	376	92.2	88.9-95.5
\$100,000- 199,999	290	64,805	17	10.1	04.4-15.8	273	89.9	84.2-95.6
\$200,000+	82	18,197	4	4.6	00.0-09.3	78	95.4	90.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 16: Social Determinants and Health Equity**

TABLE 12: IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLY)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1836	346,223	159	9.8	07.8-11.8	1677	90.2	88.2-92.2
White/Non-Hisp	1289	209,784	87	7.2	05.4-09.0	1202	92.8	91.0-94.6
Black or Afr. Am./Non-Hisp	276	69,860	29	10.4	05.9-14.9	247	89.6	85.1-94.1
Hispanic	166	37,273	29	15.6	08.7-22.5	137	84.4	77.5-91.3
18-24	73	33,768	13	15.2	04.6-25.8	60	84.8	74.2-95.4
25-34	165	49,651	21	10.3	05.4-15.2	144	89.7	84.8-94.6
35-44	210	51,389	29	15.0	08.3-21.7	181	85.0	78.3-91.7
45-54	278	51,873	48	17.0	11.5-22.5	230	83.0	77.5-88.5
55-64	353	60,096	35	8.7	05.0-12.4	318	91.3	87.6-95.0
65+	757	99,446	13	1.9	00.7-03.1	744	98.1	96.9-99.3
Less Than H.S.	115	33,345	17	16.5	05.9-27.1	98	83.5	72.9-94.1
H.S. or G.E.D.	472	101,942	46	10.7	07.0-14.4	426	89.3	85.6-93.0
Some Post-H.S.	511	100,165	56	11.5	07.8-15.2	455	88.5	84.8-92.2
College Graduate	733	109,008	40	5.4	03.2-07.6	693	94.6	92.4-96.8
Less than \$15,000	83	14,189	14	16.0	06.6-25.4	69	84.0	74.6-93.4
\$15,000- 24,999	153	26,801	26	18.3	10.3-26.3	127	81.7	73.7-89.7
\$25,000- 34,999	201	38,526	29	13.6	07.5-19.7	172	86.4	80.3-92.5
\$35,000- 49,999	210	40,692	21	13.8	06.4-21.2	189	86.2	78.8-93.6
\$50,000- 99,999	515	98,744	34	7.5	04.6-10.4	481	92.5	89.6-95.4
\$100,000- 199,999	257	43,938	13	4.2	01.5-06.9	244	95.8	93.1-98.5
\$200,000+	51	12,563	3	7.3	00.0-16.3	48	92.7	83.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

**TABLE 13: DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD?
(FOODSTMP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3238	648,839	312	10.4	08.8-12.0	2926	89.6	88.0-91.2
Male	1400	303,588	92	7.3	05.3-09.3	1308	92.7	90.7-94.7
Female	1838	345,250	220	13.1	10.7-15.5	1618	86.9	84.5-89.3
White/Non-Hisp	2281	391,569	150	7.4	05.8-09.0	2131	92.6	91.0-94.2
Black or Afr. Am./Non-Hisp	456	131,243	74	14.7	10.2-19.2	382	85.3	80.8-89.8
Oth. Race/Non-Hisp.	90	28,165	13	9.5	03.6-15.4	77	90.5	84.6-96.4
MultiRacial/Non-Hisp.	66	26,232	10	11.3	03.1-19.5	56	88.7	80.5-96.9
Hispanic	278	60,086	51	18.6	12.7-24.5	227	81.4	75.5-87.3
18-24	178	69,622	20	10.4	05.1-15.7	158	89.6	84.3-94.9
25-34	296	98,436	42	13.7	08.4-19.0	254	86.3	81.0-91.6
35-44	396	96,386	64	18.0	12.9-23.1	332	82.0	76.9-87.1
45-54	465	93,453	67	14.4	09.7-19.1	398	85.6	80.9-90.3
55-64	608	115,217	69	9.4	06.7-12.1	539	90.6	87.9-93.3
65+	1295	175,726	50	3.0	02.0-04.0	1245	97.0	96.0-98.0
Less Than H.S.	201	61,219	58	27.4	19.0-35.8	143	72.6	64.2-81.0
H.S. or G.E.D.	841	198,633	113	11.9	09.2-14.6	728	88.1	85.4-90.8
Some Post-H.S.	863	189,245	79	9.4	06.7-12.1	784	90.6	87.9-93.3
College Graduate	1322	197,284	60	4.6	02.8-06.4	1262	95.4	93.6-97.2
Less than \$15,000	132	20,915	64	49.3	38.5-60.1	68	50.7	39.9-61.5
\$15,000- 24,999	235	43,048	71	30.0	22.4-37.6	164	70.0	62.4-77.6
\$25,000- 34,999	311	61,693	45	15.5	09.4-21.6	266	84.5	78.4-90.6
\$35,000- 49,999	363	74,569	31	11.2	05.7-16.7	332	88.8	83.3-94.3
\$50,000- 99,999	922	189,700	27	4.5	02.1-06.9	895	95.5	93.1-97.9
\$100,000- 199,999	548	108,904	6	1.8	00.0-03.6	542	98.2	96.4-0100
\$200,000+	132	30,418	1	1.3	00.0-03.7	131	98.7	96.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

**TABLE 14: DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD?
(FOODSTMP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1400	303,588	92	7.3	05.3-09.3	1308	92.7	90.7-94.7
White/Non-Hisp	987	182,177	46	4.6	02.8-06.4	941	95.4	93.6-97.2
Black or Afr. Am./Non-Hisp	180	61,244	17	10.1	03.8-16.4	163	89.9	83.6-96.2
Oth. Race/Non-Hisp.	53	16,942	5	4.7	00.2-09.2	48	95.3	90.8-99.8
Hispanic	113	23,171	14	19.5	09.3-29.7	99	80.5	70.3-90.7
18-24	105	35,854	8	9.9	02.1-17.7	97	90.1	82.3-97.9
25-34	132	49,094	7	8.3	01.2-15.4	125	91.7	84.6-98.8
35-44	187	45,318	20	10.6	05.7-15.5	167	89.4	84.5-94.3
45-54	187	41,659	16	10.2	04.5-15.9	171	89.8	84.1-95.5
55-64	253	55,092	22	7.0	03.3-10.7	231	93.0	89.3-96.7
65+	536	76,572	19	2.3	01.1-03.5	517	97.7	96.5-98.9
Less Than H.S.	86	28,157	17	21.2	09.6-32.8	69	78.8	67.2-90.4
H.S. or G.E.D.	370	97,398	33	7.5	04.0-11.0	337	92.5	89.0-96.0
Some Post-H.S.	350	88,943	27	7.5	04.0-11.0	323	92.5	89.0-96.0
College Graduate	588	88,397	14	2.4	01.0-03.8	574	97.6	96.2-99.0
\$15,000- 24,999	82	16,247	22	24.0	11.8-36.2	60	76.0	63.8-88.2
\$25,000- 34,999	111	23,476	10	13.9	02.5-25.3	101	86.1	74.7-97.5
\$35,000- 49,999	153	33,877	6	5.2	00.7-09.7	147	94.8	90.3-99.3
\$50,000- 99,999	407	90,864	7	2.9	00.5-05.3	400	97.1	94.7-99.5
\$100,000- 199,999	289	64,583	2	1.6	00.0-04.0	287	98.4	96.0-0100
\$200,000+	81	17,855				81	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

**TABLE 15: DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD?
(FOODSTMP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1838	345,250	220	13.1	10.7-15.5	1618	86.9	84.5-89.3
White/Non-Hisp	1294	209,392	104	9.8	07.1-12.5	1190	90.2	87.5-92.9
Black or Afr. Am./Non-Hisp	276	69,998	57	18.8	12.3-25.3	219	81.2	74.7-87.7
Hispanic	165	36,915	37	18.1	11.2-25.0	128	81.9	75.0-88.8
18-24	73	33,768	12	11.0	03.7-18.3	61	89.0	81.7-96.3
25-34	164	49,342	35	19.0	11.0-27.0	129	81.0	73.0-89.0
35-44	209	51,068	44	24.4	16.2-32.6	165	75.6	67.4-83.8
45-54	278	51,794	51	17.7	10.6-24.8	227	82.3	75.2-89.4
55-64	355	60,125	47	11.7	07.8-15.6	308	88.3	84.4-92.2
65+	759	99,153	31	3.5	01.9-05.1	728	96.5	94.9-98.1
Less Than H.S.	115	33,062	41	32.7	20.5-44.9	74	67.3	55.1-79.5
H.S. or G.E.D.	471	101,235	80	16.2	12.1-20.3	391	83.8	79.7-87.9
Some Post-H.S.	513	100,302	52	11.0	06.9-15.1	461	89.0	84.9-93.1
College Graduate	734	108,887	46	6.3	03.4-09.2	688	93.7	90.8-96.6
Less than \$15,000	83	13,441	43	52.1	38.2-66.0	40	47.9	34.0-61.8
\$15,000- 24,999	153	26,801	49	33.6	23.6-43.6	104	66.4	56.4-76.4
\$25,000- 34,999	200	38,216	35	16.5	09.8-23.2	165	83.5	76.8-90.2
\$35,000- 49,999	210	40,692	25	16.2	07.2-25.2	185	83.8	74.8-92.8
\$50,000- 99,999	515	98,836	20	5.9	02.0-09.8	495	94.1	90.2-98.0
\$100,000- 199,999	259	44,321	4	2.1	00.0-04.8	255	97.9	95.2-0100
\$200,000+	51	12,563	1	3.0	00.0-08.9	50	97.0	91.1-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

**TABLE 16: DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3222	645,189	52	1.5	00.9-02.1	63	2.0	01.2-02.8	251	8.6	07.2-10.0	285	10.3	08.7-11.9	2571	77.7	75.7-79.7
Male	1390	301,761	22	1.4	00.6-02.2	21	2.1	00.9-03.3	82	6.3	04.7-07.9	116	10.4	08.0-12.8	1149	79.8	76.9-82.7
Female	1832	343,428	30	1.6	00.8-02.4	42	1.8	01.0-02.6	169	10.6	08.4-12.8	169	10.2	08.2-12.2	1422	75.8	73.1-78.5
White/Non-Hisp	2268	389,137	26	1.0	00.6-01.4	32	1.5	00.7-02.3	96	4.7	03.5-05.9	152	8.2	06.4-10.0	1962	84.6	82.4-86.8
Black or Afr. Am./Non-Hisp	449	128,890	18	3.1	01.3-04.9	13	3.0	00.6-05.4	59	12.0	07.9-16.1	66	15.5	11.0-20.0	293	66.4	60.5-72.3
Oth. Race/Non-Hisp.	89	28,063	2	1.2	00.0-03.4				9	7.1	01.0-13.2	4	2.7	00.0-05.6	74	89.0	81.9-96.1
MultiRacial/Non-Hisp.	66	26,232	2	1.7	00.0-04.2	2	0.5	00.0-01.3	7	9.2	01.4-17.0	5	7.3	00.0-14.6	50	81.3	70.5-92.1
Hispanic	279	60,441	2	0.2	00.0-00.6	15	4.9	02.0-07.8	70	26.0	19.1-32.9	50	17.7	11.8-23.6	142	51.2	43.2-59.2
18-24	176	68,627	1	0.2	00.0-00.6	8	3.3	00.8-05.8	30	15.0	08.9-21.1	33	18.5	11.8-25.2	104	63.0	54.4-71.6
25-34	294	98,391	1	0.2	00.0-00.6	9	3.5	00.4-06.6	39	10.1	06.4-13.8	44	13.6	08.5-18.7	201	72.6	66.1-79.1
35-44	395	95,103	6	1.9	00.1-03.7	8	1.8	00.4-03.2	42	11.1	07.0-15.2	34	8.7	05.0-12.4	305	76.6	71.1-82.1
45-54	466	93,832	12	2.3	00.9-03.7	20	3.4	01.2-05.6	37	9.6	05.3-13.9	47	10.5	06.8-14.2	350	74.2	68.7-79.7
55-64	603	114,406	16	2.8	01.0-04.6	8	1.0	00.2-01.8	52	7.2	04.8-09.6	52	10.7	07.0-14.4	475	78.4	74.1-82.7
65+	1288	174,830	16	1.1	00.3-01.9	10	0.5	00.1-00.9	51	4.2	02.6-05.8	75	5.8	04.2-07.4	1136	88.3	85.9-90.7
Less Than H.S.	202	61,289	12	5.0	01.7-08.3	14	6.1	01.4-10.8	51	22.8	15.2-30.4	29	15.5	08.4-22.6	96	50.6	41.2-60.0
H.S. or G.E.D.	841	197,929	17	1.4	00.6-02.2	25	2.6	01.2-04.0	80	9.9	07.2-12.6	101	12.4	09.5-15.3	618	73.6	69.7-77.5
Some Post-H.S.	857	188,369	13	1.1	00.3-01.9	15	1.6	00.6-02.6	75	8.1	05.7-10.5	94	12.7	09.6-15.8	660	76.5	72.6-80.4
College Graduate	1311	195,145	10	0.8	00.2-01.4	9	0.3	00.1-00.5	44	3.3	01.9-04.7	60	4.3	02.9-05.7	1188	91.2	89.2-93.2
Less than \$15,000	133	21,093	13	8.7	03.4-14.0	11	9.8	02.7-16.9	35	26.4	17.2-35.6	20	15.4	07.2-23.6	54	39.7	29.3-50.1
\$15,000- 24,999	233	42,979	15	7.6	02.7-12.5	13	4.3	01.8-06.8	45	22.9	15.5-30.3	43	18.1	11.8-24.4	117	47.0	38.2-55.8
\$25,000- 34,999	311	61,491	8	1.6	00.2-03.0	15	8.0	02.3-13.7	46	12.0	08.1-15.9	43	11.8	07.3-16.3	199	66.7	59.3-74.1
\$35,000- 49,999	359	73,797	7	1.7	00.3-03.1	7	1.7	00.3-03.1	28	10.1	04.6-15.6	40	14.6	09.3-19.9	284	73.6	66.5-80.7
\$50,000- 99,999	917	188,423	7	0.8	00.0-01.6	5	0.3	00.0-00.7	32	4.9	02.9-06.9	78	12.3	09.0-15.6	795	81.6	77.9-85.3
\$100,000- 199,999	546	108,674	3	0.3	00.0-00.7	1	0.0	00.0-00.0	8	1.7	00.3-03.1	11	2.9	00.0-05.8	523	95.0	91.9-98.1
\$200,000+	132	30,588	2	2.3	00.0-05.4							2	1.2	00.0-03.0	128	96.6	93.1-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

**TABLE 17: DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1390	301,761	22	1.4	00.6-02.2	21	2.1	00.9-03.3	82	6.3	04.7-07.9	116	10.4	08.0-12.8	1149	79.8	76.9-82.7
White/Non-Hisp	979	181,153	13	1.0	00.2-01.8	7	1.1	00.0-02.3	27	3.2	01.6-04.8	63	8.2	05.5-10.9	869	86.4	83.3-89.5
Black or Afr. Am./Non-Hisp	177	60,025	4	1.3	00.0-02.9	8	4.8	00.1-09.5	22	11.0	05.7-16.3	24	17.1	09.5-24.7	119	65.8	56.6-75.0
Oth. Race/Non-Hisp.	52	16,840	1	1.8	00.0-05.3				3	3.1	00.0-06.6	1	1.1	00.0-03.3	47	94.0	88.5-99.5
Hispanic	113	23,169	1	0.6	00.0-01.8	6	6.9	00.6-13.2	23	20.3	11.1-29.5	23	20.5	11.1-29.9	60	51.7	39.9-63.5
18-24	104	35,481	1	0.4	00.0-01.2	4	4.4	00.0-08.9	13	10.0	04.1-15.9	21	23.9	13.9-33.9	65	61.4	50.4-72.4
25-34	130	48,911	1	0.4	00.0-01.2	5	5.5	00.0-11.6	14	7.0	02.5-11.5	15	13.2	05.0-21.4	95	73.9	63.7-84.1
35-44	185	44,810				1	1.0	00.0-03.0	18	8.5	04.2-12.8	11	5.4	01.9-08.9	155	85.1	79.4-90.8
45-54	187	41,917	4	1.4	00.0-02.8	7	3.1	00.2-06.0	9	6.5	02.0-11.0	16	10.2	03.7-16.7	151	78.8	71.0-86.6
55-64	251	54,494	7	3.2	00.5-05.9	2	0.5	00.0-01.5	14	4.9	01.8-08.0	18	9.1	03.4-14.8	210	82.2	75.5-88.9
65+	533	76,149	9	1.9	00.3-03.5	2	0.2	00.0-00.4	14	3.9	01.2-06.6	35	6.3	03.8-08.8	473	87.7	83.8-91.6
Less Than H.S.	86	27,870	1	0.6	00.0-01.8	5	8.8	00.0-18.4	15	12.6	05.5-19.7	16	23.4	10.5-36.3	49	54.6	41.1-68.1
H.S. or G.E.D.	367	96,475	10	1.9	00.5-03.3	8	2.2	00.0-04.4	30	8.4	04.9-11.9	40	10.2	06.5-13.9	279	77.4	72.1-82.7
Some Post-H.S.	350	88,872	5	1.3	00.0-02.7	5	1.8	00.0-03.6	23	6.3	03.2-09.4	34	13.1	07.8-18.4	283	77.5	71.4-83.6
College Graduate	581	87,851	6	1.1	00.1-02.1	3	0.3	00.0-00.9	13	2.1	00.9-03.3	26	3.9	02.1-05.7	533	92.6	90.2-95.0
Less than \$15,000	50	7,652	7	9.2	01.9-16.5	5	18.0	01.7-34.3	12	26.1	11.2-41.0	7	13.2	02.8-23.6	19	33.3	19.0-47.6
\$15,000- 24,999	81	16,297	4	5.2	00.0-11.3	3	3.3	00.0-07.2	11	16.5	05.3-27.7	17	23.3	11.3-35.3	46	51.7	37.4-66.0
\$25,000- 34,999	110	22,965	3	1.3	00.0-03.1	6	14.1	01.4-26.8	13	8.9	03.6-14.2	14	9.6	02.3-16.9	74	66.1	53.0-79.2
\$35,000- 49,999	150	33,233				2	0.9	00.0-02.3	9	4.8	01.3-08.3	19	17.9	08.7-27.1	120	76.4	66.8-86.0
\$50,000- 99,999	406	90,733	3	1.2	00.0-02.8				12	4.1	01.4-06.8	29	10.3	05.8-14.8	362	84.4	79.1-89.7
\$100,000- 199,999	287	64,353	1	0.2	00.0-00.6	1	0.1	00.0-00.3	4	2.1	00.0-04.3	5	3.3	00.0-08.0	276	94.4	89.5-99.3
\$200,000+	81	18,025	1	1.7	00.0-05.0							1	0.5	00.0-01.5	79	97.8	94.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 18: DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always						Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	1832	343,428	30	1.6	00.8-02.4	42	1.8	01.0-02.6	169	10.6	08.4-12.8	169	10.2	08.2-12.2	1422	75.8	73.1-78.5			
White/Non-Hisp	1289	207,984	13	0.9	00.3-01.5	25	1.8	00.8-02.8	69	6.1	04.3-07.9	89	8.2	06.0-10.4	1093	83.0	80.1-85.9			
Black or Afr. Am./Non-Hisp	272	68,865	14	4.6	01.7-07.5	5	1.5	00.1-02.9	37	13.0	07.1-18.9	42	14.0	09.1-18.9	174	67.0	59.4-74.6			
Hispanic	166	37,273	1	0.0	00.0-00.0	9	3.7	01.0-06.4	47	29.5	19.9-39.1	27	16.0	08.6-23.4	82	50.9	39.9-61.9			
18-24	72	33,146				4	2.1	00.0-04.5	17	20.4	09.6-31.2	12	12.7	04.5-20.9	39	64.8	51.7-77.9			
25-34	164	49,481				4	1.6	00.0-03.4	25	13.3	07.4-19.2	29	13.9	08.2-19.6	106	71.2	63.2-79.2			
35-44	210	50,293	6	3.6	00.1-07.1	7	2.4	00.4-04.4	24	13.4	06.9-19.9	23	11.7	05.4-18.0	150	69.0	60.4-77.6			
45-54	279	51,915	8	3.1	00.7-05.5	13	3.6	00.7-06.5	28	12.1	05.2-19.0	31	10.8	06.5-15.1	199	70.4	62.8-78.0			
55-64	352	59,912	9	2.4	00.4-04.4	6	1.4	00.2-02.6	38	9.2	05.9-12.5	34	12.1	07.4-16.8	265	74.9	69.0-80.8			
65+	755	98,682	7	0.5	00.1-00.9	8	0.8	00.2-01.4	37	4.5	02.7-06.3	40	5.4	03.4-07.4	663	88.8	86.1-91.5			
Less Than H.S.	116	33,420	11	8.7	02.6-14.8	9	3.8	01.1-06.5	36	31.3	19.0-43.6	13	8.9	03.0-14.8	47	47.3	33.8-60.8			
H.S. or G.E.D.	474	101,454	7	1.0	00.0-02.0	17	3.0	01.2-04.8	50	11.4	07.5-15.3	61	14.5	10.2-18.8	339	70.1	64.6-75.6			
Some Post-H.S.	507	99,497	8	0.9	00.1-01.7	10	1.5	00.3-02.7	52	9.7	06.4-13.0	60	12.3	08.6-16.0	377	75.6	70.7-80.5			
College Graduate	730	107,294	4	0.5	00.0-01.1	6	0.3	00.0-00.7	31	4.4	02.2-06.6	34	4.6	02.6-06.6	655	90.1	87.2-93.0			
Less than \$15,000	83	13,441	6	8.4	01.3-15.5	6	5.2	00.9-09.5	23	26.5	14.7-38.3	13	16.6	05.2-28.0	35	43.3	29.4-57.2			
\$15,000- 24,999	152	26,682	11	9.1	02.2-16.0	10	4.9	01.6-08.2	34	26.9	16.9-36.9	26	15.0	08.3-21.7	71	44.2	32.8-55.6			
\$25,000- 34,999	201	38,526	5	1.8	00.0-03.8	9	4.3	00.4-08.2	33	13.8	08.3-19.3	29	13.1	07.4-18.8	125	67.0	58.2-75.8			
\$35,000- 49,999	209	40,564				5	2.2	00.0-04.4	19	14.6	05.2-24.0	21	11.8	06.1-17.5	164	71.4	61.4-81.4			
\$50,000- 99,999	511	97,690	4	0.5	00.0-01.1	5	0.7	00.0-01.5	20	5.7	02.6-08.8	49	14.1	09.4-18.8	433	79.1	73.8-84.4			
\$100,000- 199,999	259	44,321	2	0.5	00.0-01.3				4	1.3	00.0-02.7	6	2.5	00.3-04.7	247	95.8	93.3-98.3			
\$200,000+	51	12,563	1	3.0	00.0-08.9							1	2.2	00.0-06.5	49	94.8	87.5-0100			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

**TABLE 19: DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3228	647,277	307	10.2	08.8-11.6	2921	89.8	88.4-91.2
Male	1395	302,603	105	9.1	06.7-11.5	1290	90.9	88.5-93.3
Female	1833	344,674	202	11.2	09.2-13.2	1631	88.8	86.8-90.8
White/Non-Hisp	2271	390,259	136	6.9	05.3-08.5	2135	93.1	91.5-94.7
Black or Afr. Am./Non-Hisp	453	130,441	84	15.2	11.1-19.3	369	84.8	80.7-88.9
Oth. Race/Non-Hisp.	88	27,507	6	5.4	00.7-10.1	82	94.6	89.9-99.3
MultiRacial/Non-Hisp.	66	26,232	7	6.6	00.3-12.9	59	93.4	87.1-99.7
Hispanic	279	60,411	69	26.2	19.3-33.1	210	73.8	66.9-80.7
18-24	175	68,075	23	8.3	04.6-12.0	152	91.7	88.0-95.4
25-34	296	98,575	55	19.3	13.2-25.4	241	80.7	74.6-86.8
35-44	396	96,504	62	14.5	10.4-18.6	334	85.5	81.4-89.6
45-54	466	93,832	67	13.1	09.2-17.0	399	86.9	83.0-90.8
55-64	606	115,154	55	8.7	05.6-11.8	551	91.3	88.2-94.4
65+	1289	175,136	45	3.0	02.0-04.0	1244	97.0	96.0-98.0
Less Than H.S.	203	61,801	55	26.7	18.5-34.9	148	73.3	65.1-81.5
H.S. or G.E.D.	842	198,380	99	10.2	07.8-12.6	743	89.8	87.4-92.2
Some Post-H.S.	858	188,657	82	10.1	07.4-12.8	776	89.9	87.2-92.6
College Graduate	1314	195,983	71	5.3	03.7-06.9	1243	94.7	93.1-96.3
Less than \$15,000	132	20,973	45	38.0	27.4-48.6	87	62.0	51.4-72.6
\$15,000- 24,999	235	43,230	58	26.2	18.8-33.6	177	73.8	66.4-81.2
\$25,000- 34,999	312	62,002	60	19.4	13.1-25.7	252	80.6	74.3-86.9
\$35,000- 49,999	359	73,984	46	11.9	07.6-16.2	313	88.1	83.8-92.4
\$50,000- 99,999	920	188,839	41	5.6	03.4-07.8	879	94.4	92.2-96.6
\$100,000- 199,999	545	108,058	12	4.6	00.9-08.3	533	95.4	91.7-99.1
\$200,000+	133	30,760				133	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 20: DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1395	302,603	105	9.1	06.7-11.5	1290	90.9	88.5-93.3
White/Non-Hisp	980	181,096	53	7.5	04.8-10.2	927	92.5	89.8-95.2
Black or Afr. Am./Non-Hisp	181	61,468	28	12.8	06.7-18.9	153	87.2	81.1-93.3
Oth. Race/Non-Hisp.	52	16,327	2	2.1	00.0-05.0	50	97.9	95.0-0100
Hispanic	113	23,139	17	18.6	09.0-28.2	96	81.4	71.8-91.0
18-24	103	34,929	12	8.7	03.4-14.0	91	91.3	86.0-96.6
25-34	132	49,094	21	20.1	10.3-29.9	111	79.9	70.1-89.7
35-44	186	45,197	18	8.6	04.3-12.9	168	91.4	87.1-95.7
45-54	187	41,917	21	10.0	04.9-15.1	166	90.0	84.9-95.1
55-64	253	55,177	19	8.4	03.1-13.7	234	91.6	86.3-96.9
65+	534	76,288	14	2.6	00.8-04.4	520	97.4	95.6-99.2
Less Than H.S.	87	28,381	18	26.2	12.9-39.5	69	73.8	60.5-87.1
H.S. or G.E.D.	368	96,926	37	8.3	05.0-11.6	331	91.7	88.4-95.0
Some Post-H.S.	351	88,993	26	10.2	05.7-14.7	325	89.8	85.3-94.3
College Graduate	583	87,610	24	3.5	01.9-05.1	559	96.5	94.9-98.1
Less than \$15,000	50	7,652	17	36.5	20.0-53.0	33	63.5	47.0-80.0
\$15,000- 24,999	83	16,471	16	21.0	09.8-32.2	67	79.0	67.8-90.2
\$25,000- 34,999	111	23,476	15	19.9	07.4-32.4	96	80.1	67.6-92.6
\$35,000- 49,999	151	33,621	15	7.4	02.9-11.9	136	92.6	88.1-97.1
\$50,000- 99,999	407	90,864	19	5.2	02.3-08.1	388	94.8	91.9-97.7
\$100,000- 199,999	286	63,738	5	5.8	00.0-11.9	281	94.2	88.1-0100
\$200,000+	82	18,197				82	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 21: DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1833	344,674	202	11.2	09.2-13.2	1631	88.8	86.8-90.8
White/Non-Hisp	1291	209,163	83	6.3	04.5-08.1	1208	93.7	91.9-95.5
Black or Afr. Am./Non-Hisp	272	68,973	56	17.3	11.8-22.8	216	82.7	77.2-88.2
Hispanic	166	37,273	52	30.9	21.5-40.3	114	69.1	59.7-78.5
18-24	72	33,146	11	7.9	02.4-13.4	61	92.1	86.6-97.6
25-34	164	49,481	34	18.6	11.7-25.5	130	81.4	74.5-88.3
35-44	210	51,307	44	19.7	13.0-26.4	166	80.3	73.6-87.0
45-54	279	51,915	46	15.6	10.1-21.1	233	84.4	78.9-89.9
55-64	353	59,977	36	9.0	05.3-12.7	317	91.0	87.3-94.7
65+	755	98,848	31	3.3	02.1-04.5	724	96.7	95.5-97.9
Less Than H.S.	116	33,420	37	27.1	16.7-37.5	79	72.9	62.5-83.3
H.S. or G.E.D.	474	101,454	62	12.0	08.5-15.5	412	88.0	84.5-91.5
Some Post-H.S.	507	99,664	56	10.1	07.0-13.2	451	89.9	86.8-93.0
College Graduate	731	108,373	47	6.8	04.3-09.3	684	93.2	90.7-95.7
Less than \$15,000	82	13,321	28	38.8	25.1-52.5	54	61.2	47.5-74.9
\$15,000- 24,999	152	26,759	42	29.5	19.7-39.3	110	70.5	60.7-80.3
\$25,000- 34,999	201	38,526	45	19.0	12.3-25.7	156	81.0	74.3-87.7
\$35,000- 49,999	208	40,364	31	15.6	08.5-22.7	177	84.4	77.3-91.5
\$50,000- 99,999	513	97,975	22	6.0	03.1-08.9	491	94.0	91.1-96.9
\$100,000- 199,999	259	44,321	7	2.9	00.4-05.4	252	97.1	94.6-99.6
\$200,000+	51	12,563				51	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

**TABLE 22: DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3222	645,635	205	7.6	06.2-09.0	3017	92.4	91.0-93.8
Male	1391	300,975	67	6.8	04.6-09.0	1324	93.2	91.0-95.4
Female	1831	344,660	138	8.4	06.4-10.4	1693	91.6	89.6-93.6
White/Non-Hisp	2265	389,128	90	4.8	03.2-06.4	2175	95.2	93.6-96.8
Black or Afr. Am./Non-Hisp	451	129,541	58	14.0	09.3-18.7	393	86.0	81.3-90.7
Oth. Race/Non-Hisp.	89	27,549	7	4.4	00.5-08.3	82	95.6	91.7-99.5
MultiRacial/Non-Hisp.	66	26,232	12	13.8	03.8-23.8	54	86.2	76.2-96.2
Hispanic	279	60,341	30	11.3	06.6-16.0	249	88.7	84.0-93.4
18-24	174	67,785	9	4.9	01.6-08.2	165	95.1	91.8-98.4
25-34	294	97,513	35	14.3	08.4-20.2	259	85.7	79.8-91.6
35-44	396	96,411	43	9.0	05.9-12.1	353	91.0	87.9-94.1
45-54	464	93,473	49	13.1	07.8-18.4	415	86.9	81.6-92.2
55-64	605	115,130	38	6.2	03.5-08.9	567	93.8	91.1-96.5
65+	1289	175,324	31	2.4	01.4-03.4	1258	97.6	96.6-98.6
Less Than H.S.	199	61,325	28	16.9	08.5-25.3	171	83.1	74.7-91.5
H.S. or G.E.D.	838	196,504	60	7.9	05.5-10.3	778	92.1	89.7-94.5
Some Post-H.S.	860	188,839	62	8.2	05.5-10.9	798	91.8	89.1-94.5
College Graduate	1314	196,510	54	3.9	02.5-05.3	1260	96.1	94.7-97.5
Less than \$15,000	131	20,768	28	25.1	15.5-34.7	103	74.9	65.3-84.5
\$15,000- 24,999	236	43,272	34	11.9	07.4-16.4	202	88.1	83.6-92.6
\$25,000- 34,999	310	61,291	39	13.6	07.9-19.3	271	86.4	80.7-92.1
\$35,000- 49,999	359	73,984	27	12.3	06.0-18.6	332	87.7	81.4-94.0
\$50,000- 99,999	918	188,810	42	6.6	03.9-09.3	876	93.4	90.7-96.1
\$100,000- 199,999	544	107,957	10	2.8	00.0-05.7	534	97.2	94.3-0100
\$200,000+	133	30,760				133	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 23: DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1391	300,975	67	6.8	04.6-09.0	1324	93.2	91.0-95.4
White/Non-Hisp	977	180,263	33	4.1	01.9-06.3	944	95.9	93.7-98.1
Black or Afr. Am./Non-Hisp	179	60,590	17	12.6	05.5-19.7	162	87.4	80.3-94.5
Oth. Race/Non-Hisp.	52	16,327	2	1.8	00.0-04.3	50	98.2	95.7-0100
Hispanic	114	23,221	6	8.7	01.4-16.0	108	91.3	84.0-98.6
18-24	103	34,706	6	5.5	01.0-10.0	97	94.5	90.0-99.0
25-34	130	47,768	12	13.7	04.7-22.7	118	86.3	77.3-95.3
35-44	187	45,282	16	7.1	03.2-11.0	171	92.9	89.0-96.8
45-54	186	41,845	14	13.1	04.9-21.3	172	86.9	78.7-95.1
55-64	253	55,177	13	3.9	01.2-06.6	240	96.1	93.4-98.8
65+	532	76,198	6	1.4	00.0-02.8	526	98.6	97.2-0100
Less Than H.S.	87	28,381	9	19.2	05.5-32.9	78	80.8	67.1-94.5
H.S. or G.E.D.	365	95,337	21	6.8	03.3-10.3	344	93.2	89.7-96.7
Some Post-H.S.	350	88,891	16	5.9	02.4-09.4	334	94.1	90.6-97.6
College Graduate	583	87,672	21	3.7	01.9-05.5	562	96.3	94.5-98.1
\$15,000- 24,999	83	16,471	9	11.8	03.6-20.0	74	88.2	80.0-96.4
\$25,000- 34,999	110	22,944	11	15.2	03.4-27.0	99	84.8	73.0-96.6
\$35,000- 49,999	151	33,621	8	10.0	01.4-18.6	143	90.0	81.4-98.6
\$50,000- 99,999	405	90,485	17	5.4	02.1-08.7	388	94.6	91.3-97.9
\$100,000- 199,999	285	63,636	4	3.3	00.0-08.0	281	96.7	92.0-0100
\$200,000+	82	18,197				82	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 24: DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1831	344,660	138	8.4	06.4-10.4	1693	91.6	89.6-93.6
White/Non-Hisp	1288	208,865	57	5.4	03.2-07.6	1231	94.6	92.4-96.8
Black or Afr. Am./Non-Hisp	272	68,950	41	15.2	08.9-21.5	231	84.8	78.5-91.1
Hispanic	165	37,120	24	13.0	06.7-19.3	141	87.0	80.7-93.3
18-24	71	33,079	3	4.2	00.0-09.3	68	95.8	90.7-0100
25-34	164	49,745	23	14.9	07.3-22.5	141	85.1	77.5-92.7
35-44	209	51,129	27	10.6	06.1-15.1	182	89.4	84.9-93.9
45-54	278	51,628	35	13.0	06.3-19.7	243	87.0	80.3-93.7
55-64	352	59,953	25	8.2	03.7-12.7	327	91.8	87.3-96.3
65+	757	99,126	25	3.1	01.7-04.5	732	96.9	95.5-98.3
Less Than H.S.	112	32,944	19	14.9	04.9-24.9	93	85.1	75.1-95.1
H.S. or G.E.D.	473	101,167	39	9.0	05.7-12.3	434	91.0	87.7-94.3
Some Post-H.S.	510	99,948	46	10.2	05.9-14.5	464	89.8	85.5-94.1
College Graduate	731	108,838	33	4.1	02.3-05.9	698	95.9	94.1-97.7
Less than \$15,000	82	13,154	20	28.1	15.9-40.3	62	71.9	59.7-84.1
\$15,000- 24,999	153	26,801	25	11.9	06.6-17.2	128	88.1	82.8-93.4
\$25,000- 34,999	200	38,347	28	12.6	06.9-18.3	172	87.4	81.7-93.1
\$35,000- 49,999	208	40,364	19	14.3	05.3-23.3	189	85.7	76.7-94.7
\$50,000- 99,999	513	98,325	25	7.7	03.6-11.8	488	92.3	88.2-96.4
\$100,000- 199,999	259	44,321	6	2.1	00.1-04.1	253	97.9	95.9-99.9
\$200,000+	51	12,563				51	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 16: Social Determinants and Health Equity**

TABLE 25: DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3215	643,367	201	6.8	05.6-08.0	3014	93.2	92.0-94.4
Male	1390	301,538	78	6.8	04.8-08.8	1312	93.2	91.2-95.2
Female	1825	341,830	123	6.8	05.2-08.4	1702	93.2	91.6-94.8
White/Non-Hisp	2260	387,998	100	4.5	03.3-05.7	2160	95.5	94.3-96.7
Black or Afr. Am./Non-Hisp	450	129,620	41	10.2	06.1-14.3	409	89.8	85.7-93.9
Oth. Race/Non-Hisp.	88	26,798	6	5.1	00.6-09.6	82	94.9	90.4-99.4
MultiRacial/Non-Hisp.	66	26,232	7	7.5	00.1-14.9	59	92.5	85.1-99.9
Hispanic	279	59,876	41	14.6	09.1-20.1	238	85.4	79.9-90.9
18-24	173	66,760	17	10.8	04.7-16.9	156	89.2	83.1-95.3
25-34	294	97,883	29	8.7	04.6-12.8	265	91.3	87.2-95.4
35-44	395	95,659	35	8.3	05.2-11.4	360	91.7	88.6-94.8
45-54	461	93,199	32	7.6	04.3-10.9	429	92.4	89.1-95.7
55-64	605	115,125	43	6.4	03.9-08.9	562	93.6	91.1-96.1
65+	1287	174,740	45	3.3	01.9-04.7	1242	96.7	95.3-98.1
Less Than H.S.	199	60,827	40	20.7	13.1-28.3	159	79.3	71.7-86.9
H.S. or G.E.D.	838	197,384	69	7.5	05.1-09.9	769	92.5	90.1-94.9
Some Post-H.S.	855	187,574	54	6.2	04.0-08.4	801	93.8	91.6-96.0
College Graduate	1313	196,169	38	2.4	01.2-03.6	1275	97.6	96.4-98.8
Less than \$15,000	129	20,042	34	28.7	18.9-38.5	95	71.3	61.5-81.1
\$15,000- 24,999	234	42,432	41	17.0	10.5-23.5	193	83.0	76.5-89.5
\$25,000- 34,999	311	61,824	32	11.6	05.9-17.3	279	88.4	82.7-94.1
\$35,000- 49,999	357	73,639	22	8.3	03.8-12.8	335	91.7	87.2-96.2
\$50,000- 99,999	917	188,731	22	3.1	01.3-04.9	895	96.9	95.1-98.7
\$100,000- 199,999	544	107,957	7	1.5	00.1-02.9	537	98.5	97.1-99.9
\$200,000+	131	29,639	2	1.9	00.0-04.6	129	98.1	95.4-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 26: DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1390	301,538	78	6.8	04.8-08.8	1312	93.2	91.2-95.2
White/Non-Hisp	977	181,164	41	4.9	03.1-06.7	936	95.1	93.3-96.9
Black or Afr. Am./Non-Hisp	179	61,003	18	11.8	04.7-18.9	161	88.2	81.1-95.3
Oth. Race/Non-Hisp.	51	15,575	2	1.8	00.0-04.3	49	98.2	95.7-0100
Hispanic	114	23,221	12	14.1	04.9-23.3	102	85.9	76.7-95.1
18-24	104	35,238	8	9.2	01.2-17.2	96	90.8	82.8-98.8
25-34	131	48,748	10	8.6	01.7-15.5	121	91.4	84.5-98.3
35-44	186	44,531	14	6.2	02.5-09.9	172	93.8	90.1-97.5
45-54	186	41,845	9	7.2	01.5-12.9	177	92.8	87.1-98.5
55-64	251	54,978	19	8.0	03.7-12.3	232	92.0	87.7-96.3
65+	532	76,198	18	3.9	01.7-06.1	514	96.1	93.9-98.3
Less Than H.S.	87	28,381	14	21.6	09.3-33.9	73	78.4	66.1-90.7
H.S. or G.E.D.	366	96,731	28	6.5	03.2-09.8	338	93.5	90.2-96.8
Some Post-H.S.	348	88,060	23	7.4	03.9-10.9	325	92.6	89.1-96.1
College Graduate	583	87,672	13	1.8	00.6-03.0	570	98.2	97.0-99.4
\$15,000- 24,999	82	15,720	13	13.8	05.2-22.4	69	86.2	77.6-94.8
\$25,000- 34,999	111	23,476	11	16.3	04.3-28.3	100	83.7	71.7-95.7
\$35,000- 49,999	151	33,621	12	9.6	02.5-16.7	139	90.4	83.3-97.5
\$50,000- 99,999	404	90,406	8	2.4	00.2-04.6	396	97.6	95.4-99.8
\$100,000- 199,999	285	63,636	4	1.6	00.0-03.8	281	98.4	96.2-0100
\$200,000+	82	18,197	1	1.1	00.0-03.3	81	98.9	96.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 27: DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1825	341,830	123	6.8	05.2-08.4	1702	93.2	91.6-94.8
White/Non-Hisp	1283	206,834	59	4.1	02.7-05.5	1224	95.9	94.5-97.3
Black or Afr. Am./Non-Hisp	271	68,617	23	8.8	04.3-13.3	248	91.2	86.7-95.7
Hispanic	165	36,654	29	15.0	08.3-21.7	136	85.0	78.3-91.7
18-24	69	31,522	9	12.5	03.3-21.7	60	87.5	78.3-96.7
25-34	163	49,135	19	8.8	04.1-13.5	144	91.2	86.5-95.9
35-44	209	51,129	21	10.0	05.1-14.9	188	90.0	85.1-94.9
45-54	275	51,355	23	7.9	04.0-11.8	252	92.1	88.2-96.0
55-64	354	60,146	24	5.0	02.5-07.5	330	95.0	92.5-97.5
65+	755	98,543	27	2.9	00.9-04.9	728	97.1	95.1-99.1
Less Than H.S.	112	32,446	26	19.9	10.7-29.1	86	80.1	70.9-89.3
H.S. or G.E.D.	472	100,653	41	8.4	04.9-11.9	431	91.6	88.1-95.1
Some Post-H.S.	507	99,513	31	5.2	03.0-07.4	476	94.8	92.6-97.0
College Graduate	730	108,497	25	2.9	01.1-04.7	705	97.1	95.3-98.9
Less than \$15,000	80	12,429	24	34.3	21.2-47.4	56	65.7	52.6-78.8
\$15,000- 24,999	152	26,712	28	18.9	10.1-27.7	124	81.1	72.3-89.9
\$25,000- 34,999	200	38,347	21	8.7	03.8-13.6	179	91.3	86.4-96.2
\$35,000- 49,999	206	40,018	10	7.2	01.3-13.1	196	92.8	86.9-98.7
\$50,000- 99,999	513	98,325	14	3.8	01.1-06.5	499	96.2	93.5-98.9
\$100,000- 199,999	259	44,321	3	1.3	00.0-02.9	256	98.7	97.1-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 28: STRESS MEANS A SITUATION IN WHICH A PERSON FEELS TENSE, RESTLESS, NERVOUS, OR ANXIOUS, OR IS UNABLE TO SLEEP AT NIGHT BECAUSE HIS/HER MIND IS TROUBLED ALL THE TIME. WITHIN THE LAST 30 DAYS, HOW OFTEN HAVE YOU FELT THIS KIND OF STRESS? (SDHSTRE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always						Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	3187	638,757	147	5.1	03.9-06.3	182	7.5	06.1-08.9	687	23.0	20.8-25.2	882	26.0	23.8-28.2	1289	38.3	35.9-40.7			
Male	1379	299,353	48	3.7	02.5-04.9	66	7.4	05.0-09.8	225	18.5	15.6-21.4	376	26.4	23.3-29.5	664	44.1	40.6-47.6			
Female	1808	339,404	99	6.4	04.4-08.4	116	7.6	05.6-09.6	462	27.0	24.1-29.9	506	25.7	22.8-28.6	625	33.3	30.2-36.4			
White/Non-Hisp	2243	385,646	96	4.4	03.2-05.6	117	7.5	05.7-09.3	447	21.3	18.9-23.7	669	28.9	26.4-31.4	914	37.9	35.2-40.6			
Black or Afr. Am./Non-Hisp	448	129,303	22	5.9	02.6-09.2	21	6.0	02.9-09.1	110	27.2	21.3-33.1	101	20.4	15.7-25.1	194	40.4	34.1-46.7			
Oth. Race/Non-Hisp.	87	26,568	9	7.3	02.0-12.6	6	12.3	00.1-24.5	18	16.0	07.0-25.0	12	16.0	05.4-26.6	42	48.5	35.0-62.0			
MultiRacial/Non-Hisp.	66	26,232	6	13.7	00.6-26.8	8	10.8	00.0-22.0	13	14.1	05.1-23.1	12	23.1	08.4-37.8	27	38.3	23.0-53.6			
Hispanic	274	58,788	12	4.0	00.9-07.1	23	6.9	03.6-10.2	80	30.4	23.1-37.7	72	26.8	19.0-34.6	87	31.9	24.3-39.5			
18-24	174	67,789	14	9.9	03.4-16.4	16	8.9	03.8-14.0	54	31.0	22.2-39.8	41	24.6	16.6-32.6	49	25.7	17.9-33.5			
25-34	289	96,706	12	2.4	00.6-04.2	49	20.4	13.7-27.1	77	24.7	18.2-31.2	77	27.3	20.4-34.2	74	25.2	18.7-31.7			
35-44	392	95,231	34	9.0	05.5-12.5	29	7.1	04.0-10.2	93	23.0	17.7-28.3	107	26.3	20.6-32.0	129	34.7	28.4-41.0			
45-54	454	91,421	34	8.1	04.0-12.2	32	6.4	03.5-09.3	129	30.3	24.6-36.0	120	25.7	20.4-31.0	139	29.5	24.2-34.8			
55-64	601	114,227	22	3.4	01.4-05.4	31	5.5	03.1-07.9	129	22.6	17.9-27.3	179	26.0	21.7-30.3	240	42.5	37.0-48.0			
65+	1277	173,383	31	2.2	01.2-03.2	25	1.9	00.7-03.1	205	15.5	12.8-18.2	358	25.8	22.7-28.9	658	54.5	50.8-58.2			
Less Than H.S.	199	60,827	13	11.0	03.4-18.6	14	9.1	02.4-15.8	74	33.2	24.8-41.6	38	22.3	14.1-30.5	60	24.3	17.2-31.4			
H.S. or G.E.D.	828	195,218	52	6.1	03.9-08.3	50	6.8	04.4-09.2	188	23.3	19.4-27.2	190	22.5	18.8-26.2	348	41.2	36.7-45.7			
Some Post-H.S.	846	185,647	40	4.2	02.4-06.0	61	9.3	06.4-12.2	181	22.6	18.7-26.5	234	25.3	21.4-29.2	330	38.5	34.0-43.0			
College Graduate	1303	194,608	42	3.2	02.0-04.4	56	6.0	03.6-08.4	243	20.2	16.9-23.5	419	31.6	28.1-35.1	543	39.1	35.4-42.8			
Less than \$15,000	127	19,806	15	13.1	05.8-20.4	17	12.2	05.7-18.7	35	28.3	18.7-37.9	26	22.1	12.7-31.5	34	24.2	14.8-33.6			
\$15,000- 24,999	232	42,277	14	6.3	02.0-10.6	12	4.5	01.6-07.4	74	31.8	24.0-39.6	48	21.0	13.9-28.1	84	36.4	27.6-45.2			
\$25,000- 34,999	309	61,378	21	5.5	02.6-08.4	27	11.5	05.6-17.4	75	23.4	16.3-30.5	76	27.2	19.2-35.2	110	32.3	25.2-39.4			
\$35,000- 49,999	352	72,415	16	5.6	01.1-10.1	16	6.1	02.0-10.2	71	22.3	15.0-29.6	90	25.0	18.3-31.7	159	41.1	33.5-48.7			
\$50,000- 99,999	911	187,272	32	4.4	02.4-06.4	50	7.6	04.7-10.5	182	22.1	18.2-26.0	284	26.5	22.8-30.2	363	39.3	34.8-43.8			
\$100,000- 199,999	540	106,937	18	3.3	01.1-05.5	23	7.3	03.6-11.0	113	22.2	17.5-26.9	155	29.2	24.1-34.3	231	38.0	32.7-43.3			
\$200,000+	131	30,575	6	6.1	00.8-11.4	7	9.4	02.0-16.8	23	21.4	12.6-30.2	38	23.8	15.8-31.8	57	39.3	29.1-49.5			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 29: STRESS MEANS A SITUATION IN WHICH A PERSON FEELS TENSE, RESTLESS, NERVOUS, OR ANXIOUS, OR IS UNABLE TO SLEEP AT NIGHT BECAUSE HIS/HER MIND IS TROUBLED ALL THE TIME. WITHIN THE LAST 30 DAYS, HOW OFTEN HAVE YOU FELT THIS KIND OF STRESS? (SDHSTRE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1379	299,353	48	3.7	02.3-05.1	66	7.4	05.0-09.8	225	18.5	15.8-21.2	376	26.4	23.3-29.5	664	44.1	40.6-47.6
White/Non-Hisp	972	180,048	34	4.0	02.4-05.6	42	7.1	04.4-09.8	145	18.3	14.8-21.8	278	27.3	23.8-30.8	473	43.2	39.3-47.1
Black or Afr. Am./Non-Hisp	179	61,003	7	3.4	00.5-06.3	6	5.9	00.6-11.2	36	19.0	11.6-26.4	45	25.6	17.4-33.8	85	46.1	36.3-55.9
Oth. Race/Non-Hisp.	50	15,346	3	4.9	00.0-10.8	4	10.1	00.5-19.7	9	13.5	02.7-24.3	5	16.3	01.4-31.2	29	55.2	38.5-71.9
Hispanic	111	22,590	3	3.9	00.0-10.2	9	6.6	01.3-11.9	23	24.9	14.5-35.3	32	29.2	18.6-39.8	44	35.4	24.2-46.6
18-24	103	34,710	4	3.3	00.0-06.8	8	7.3	01.8-12.8	26	27.4	16.6-38.2	28	29.4	19.0-39.8	37	32.7	21.7-43.7
25-34	129	48,444	8	4.0	00.5-07.5	20	23.2	12.6-33.8	30	19.8	11.4-28.2	31	23.7	14.5-32.9	40	29.3	19.5-39.1
35-44	184	44,250	14	8.6	03.1-14.1	9	4.9	01.4-08.4	34	17.5	11.2-23.8	54	30.5	22.7-38.3	73	38.5	30.3-46.7
45-54	185	41,716	8	3.6	00.7-06.5	12	8.0	02.7-13.3	43	26.0	17.8-34.2	54	28.6	20.0-37.2	68	33.9	25.3-42.5
55-64	250	54,901	6	2.0	00.2-03.8	11	3.7	01.0-06.4	37	17.6	10.5-24.7	71	23.4	17.1-29.7	125	53.4	45.2-61.6
65+	528	75,333	8	2.0	00.4-03.6	6	1.1	00.0-02.3	55	10.8	07.5-14.1	138	25.2	20.3-30.1	321	61.0	55.5-66.5
Less Than H.S.	87	28,381	5	6.5	00.2-12.8	6	13.2	00.5-25.9	24	26.6	15.4-37.8	23	27.1	15.7-38.5	29	26.6	16.2-37.0
H.S. or G.E.D.	364	95,998	19	5.0	02.3-07.7	15	4.9	01.8-08.0	78	23.1	17.2-29.0	78	22.2	16.7-27.7	174	44.9	38.2-51.6
Some Post-H.S.	342	87,020	11	2.6	00.8-04.4	27	11.8	06.7-16.9	48	15.6	10.3-20.9	97	26.6	20.3-32.9	159	43.5	36.4-50.6
College Graduate	580	87,261	13	2.4	00.8-04.0	18	3.9	01.7-06.1	75	14.0	10.3-17.7	178	30.7	26.0-35.4	296	49.0	43.9-54.1
\$15,000- 24,999	81	15,667	3	4.2	00.0-09.1	3	3.7	00.0-08.2	20	27.6	14.9-40.3	17	21.4	10.0-32.8	38	43.1	28.8-57.4
\$25,000- 34,999	111	23,476	7	7.4	01.1-13.7	4	10.4	00.0-22.2	23	17.8	08.8-26.8	36	29.2	18.0-40.4	41	35.2	23.4-47.0
\$35,000- 49,999	149	33,415	6	2.3	00.3-04.3	7	4.2	00.1-08.3	26	20.4	11.0-29.8	37	28.0	17.4-38.6	73	45.1	33.7-56.5
\$50,000- 99,999	402	89,748	10	2.2	00.6-03.8	15	5.7	02.0-09.4	59	18.2	12.7-23.7	114	23.8	18.5-29.1	204	50.0	43.1-56.9
\$100,000- 199,999	283	63,206	7	3.7	00.4-07.0	11	7.7	02.0-13.4	46	18.4	12.3-24.5	71	25.8	18.9-32.7	148	44.4	37.0-51.8
\$200,000+	82	18,197	2	4.6	00.0-10.9	5	9.4	00.0-18.8	8	11.5	03.7-19.3	26	30.9	19.5-42.3	41	43.6	31.4-55.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 16: Social Determinants and Health Equity**

TABLE 30: STRESS MEANS A SITUATION IN WHICH A PERSON FEELS TENSE, RESTLESS, NERVOUS, OR ANXIOUS, OR IS UNABLE TO SLEEP AT NIGHT BECAUSE HIS/HER MIND IS TROUBLED ALL THE TIME. WITHIN THE LAST 30 DAYS, HOW OFTEN HAVE YOU FELT THIS KIND OF STRESS? (SDHSTRE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	1808	339,404	99	6.4	04.4-08.4	116	7.6	05.6-09.6	462	27.0	24.1-29.9	506	25.7	22.8-28.6	625	33.3	30.2-36.4
White/Non-Hisp	1271	205,598	62	4.8	03.2-06.4	75	7.8	05.6-10.0	302	24.0	20.7-27.3	391	30.2	26.7-33.7	441	33.3	29.8-36.8
Black or Afr. Am./Non-Hisp	269	68,300	15	8.2	02.5-13.9	15	6.1	02.4-09.8	74	34.6	26.0-43.2	56	15.7	10.8-20.6	109	35.4	27.6-43.2
Hispanic	163	36,198	9	4.0	00.7-07.3	14	7.2	02.7-11.7	57	33.9	23.9-43.9	40	25.2	14.2-36.2	43	29.7	19.3-40.1
18-24	71	33,079	10	16.8	04.6-29.0	8	10.6	02.0-19.2	28	34.8	20.5-49.1	13	19.5	07.0-32.0	12	18.4	07.4-29.4
25-34	160	48,262	4	0.9	00.0-01.9	29	17.6	09.6-25.6	47	29.6	20.0-39.2	46	30.8	21.0-40.6	34	21.2	13.0-29.4
35-44	208	50,980	20	9.4	04.7-14.1	20	8.9	04.2-13.6	59	27.7	19.7-35.7	53	22.7	14.9-30.5	56	31.3	22.1-40.5
45-54	269	49,705	26	11.9	05.0-18.8	20	5.2	02.5-07.9	86	33.9	26.3-41.5	66	23.3	17.0-29.6	71	25.8	19.3-32.3
55-64	351	59,327	16	4.6	01.1-08.1	20	7.1	03.2-11.0	92	27.3	21.0-33.6	108	28.5	22.4-34.6	115	32.4	25.7-39.1
65+	749	98,051	23	2.4	01.2-03.6	19	2.5	00.9-04.1	150	19.1	15.0-23.2	220	26.4	22.3-30.5	337	49.6	44.5-54.7
Less Than H.S.	112	32,446	8	15.0	02.3-27.7	8	5.5	00.4-10.6	50	39.0	26.7-51.3	15	18.1	05.9-30.3	31	22.4	12.8-32.0
H.S. or G.E.D.	464	99,220	33	7.2	03.9-10.5	35	8.7	05.0-12.4	110	23.5	18.4-28.6	112	22.9	17.6-28.2	174	37.8	31.7-43.9
Some Post-H.S.	504	98,627	29	5.7	02.8-08.6	34	7.1	04.2-10.0	133	28.9	23.2-34.6	137	24.2	19.5-28.9	171	34.1	28.4-39.8
College Graduate	723	107,348	29	3.9	02.1-05.7	38	7.7	04.0-11.4	168	25.2	20.1-30.3	241	32.3	27.2-37.4	247	31.0	26.1-35.9
Less than \$15,000	79	12,270	11	14.7	05.3-24.1	9	10.9	02.5-19.3	25	34.6	21.3-47.9	16	17.3	07.1-27.5	18	22.5	09.6-35.4
\$15,000- 24,999	151	26,611	11	7.6	01.5-13.7	9	5.0	01.3-08.7	54	34.3	24.3-44.3	31	20.7	11.7-29.7	46	32.5	21.3-43.7
\$25,000- 34,999	198	37,902	14	4.3	01.8-06.8	23	12.2	05.9-18.5	52	26.9	16.9-36.9	40	26.0	14.8-37.2	69	30.5	21.5-39.5
\$35,000- 49,999	203	38,999	10	8.5	00.3-16.7	9	7.6	00.7-14.5	45	23.9	13.1-34.7	53	22.4	14.2-30.6	86	37.6	27.6-47.6
\$50,000- 99,999	509	97,524	22	6.4	02.9-09.9	35	9.3	05.0-13.6	123	25.7	20.0-31.4	170	29.1	23.8-34.4	159	29.6	23.9-35.3
\$100,000- 199,999	257	43,731	11	2.7	00.9-04.5	12	6.7	02.6-10.8	67	27.8	20.7-34.9	84	34.0	26.4-41.6	83	28.7	21.6-35.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022**

MODULE 17: MARIJUANA USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)	
1 MALES AND FEMALES	144
2 MALES ONLY	145
3 FEMALES ONLY	146
DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)	
4 MALES AND FEMALES	147
5 MALES ONLY	148
6 FEMALES ONLY	149
...EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)	
7 MALES AND FEMALES	150
8 MALES ONLY	151
9 FEMALES ONLY	152
...VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)	
10 MALES AND FEMALES	153
11 MALES ONLY	154
12 FEMALES ONLY	155
...DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)	
13 MALES AND FEMALES	156
14 MALES ONLY	157
15 FEMALES ONLY	158
...USE IT IN SOME OTHER WAY? (MARJOTHR)	
16 MALES AND FEMALES	159
17 MALES ONLY	160
18 FEMALES ONLY	161
DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN4)	
19 MALES AND FEMALES	162
20 MALES ONLY	163
21 FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3102	622,984	2777	86.1	84.1-88.1	36	2.1	0.1-0.3.1	67	2.6	0.1-0.3.4	37	1.6	0.0-0.2.4	50	1.8	0.1-0.2.4	135	5.8	0.4-0.7.0
Male	1329	290,408	1162	83.2	80.3-86.1	19	2.7	0.1-0.4.3	31	3.0	0.1-0.4.4	19	2.0	0.0-0.3.2	28	2.2	0.1-0.3.2	70	6.9	0.4-0.9.1
Female	1773	332,576	1615	88.7	86.3-91.1	17	1.6	0.0-0.2.8	36	2.3	0.1-0.3.3	18	1.3	0.0-0.2.3	22	1.4	0.0-0.2.2	65	4.7	0.3-0.6.1
White/Non-Hisp	2180	375,147	1958	86.1	83.9-88.3	25	1.8	0.0-0.2.8	41	2.0	0.1-0.2.8	26	2.0	0.1-0.3.0	34	1.6	0.1-0.2.2	96	6.6	0.5-0.8.2
Black or Afr. Am./Non-Hisp	437	126,075	383	85.3	80.8-89.8	4	0.7	0.0-0-0.1.5	16	5.4	0.2-3-0.8.5	9	1.9	0.0-3-0.3.5	8	2.5	0.0-5-0.4.5	17	4.3	0.1-6-0.7.0
Oth. Race/Non-Hisp.	85	26,147	77	90.5	82.7-98.3	2	3.8	0.0-0-0.9.7	2	2.9	0.0-0-0.7.4	1	0.2	0.0-0-0.0.6				3	2.6	0.0-0-0.5.7
MultiRacial/Non-Hisp.	63	25,011	49	68.4	51.3-85.5	4	16.6	0.0-9-3.2.3	3	1.7	0.0-0-0.4.1				2	3.6	0.0-0-0.8.7	5	9.6	0.0-0-2.0.0
Hispanic	270	58,377	253	94.3	91.2-97.4	1	0.5	0.0-0-0.1.5	4	1.2	0.0-0-0.2.6				3	1.2	0.0-0-0.2.8	9	2.7	0.0-7-0.4.7
18-24	170	66,448	130	73.3	64.9-81.7	7	5.7	0.1-4-10.0	10	6.1	0.1-4-10.8	5	3.7	0.0-0-0.7.8	6	2.9	0.0-4-0.5.4	12	8.3	0.3-0-13.6
25-34	284	95,450	222	74.0	66.9-81.1	7	5.3	0.0-6-10.0	7	3.1	0.0-6-0.5.6	6	2.6	0.0-1-0.5.1	9	2.2	0.0-6-0.3.8	33	12.7	0.7-4-18.0
35-44	381	93,086	314	81.7	76.8-86.6	6	1.5	0.0-0-0.3.1	13	3.0	0.1-2-0.4.8	6	1.9	0.0-0-0.3.9	13	4.0	0.1-5-0.6.5	29	7.8	0.4-7-10.9
45-54	446	89,810	399	89.6	85.9-93.3	6	1.2	0.0-0-0.2.4	11	1.6	0.0-6-0.2.6	5	1.0	0.0-0-0.2.0	6	1.6	0.0-2-0.3.0	19	4.9	0.2-0-0.7.8
55-64	579	110,015	521	90.5	87.4-93.6	4	0.9	0.0-0-0.2.3	11	2.5	0.0-7-0.4.3	9	1.4	0.0-2-0.2.6	11	1.5	0.0-3-0.2.7	23	3.2	0.1-6-0.4.8
65+	1242	168,175	1191	95.8	94.4-97.2	6	0.3	0.0-1-0.0.5	15	1.4	0.0-6-0.2.2	6	0.4	0.0-0-0.0.8	5	0.3	0.0-1-0.0.5	19	1.8	0.0-8-0.2.8
Less Than H.S.	194	59,372	185	94.8	90.9-98.7	1	0.1	0.0-0-0.0.3	2	1.1	0.0-0-0.2.7	2	1.6	0.0-0-0.4.0				4	2.4	0.0-0-0.5.1
H.S. or G.E.D.	804	190,726	696	80.8	76.7-84.9	6	1.3	0.0-1-0.2.5	18	3.5	0.1-5-0.5.5	13	2.5	0.0-7-0.4.3	22	3.4	0.1-6-0.5.2	49	8.5	0.5-6-11.4
Some Post-H.S.	829	181,863	737	85.7	82.4-89.0	11	2.5	0.0-5-0.4.5	19	3.0	0.1-4-0.4.6	8	1.3	0.0-3-0.2.3	8	0.9	0.0-3-0.1.5	46	6.6	0.4-2-0.9.0
College Graduate	1268	190,159	1152	89.1	86.4-91.8	18	3.1	0.0-9-0.5.3	28	1.8	0.1-0-0.2.6	14	1.0	0.0-4-0.1.6	20	1.6	0.0-8-0.2.4	36	3.3	0.2-1-0.4.5
Less than \$15,000	119	18,578	103	85.5	77.9-93.1				4	4.0	0.0-0-0.8.5	2	1.6	0.0-0-0.4.1	2	1.3	0.0-0-0.3.3	8	7.6	0.1-7-13.5
\$15,000- 24,999	228	41,134	203	87.0	81.1-92.9	3	0.5	0.0-0-0.1.1	3	1.8	0.0-0-0.4.2	4	2.8	0.0-0-0.6.5	7	3.9	0.0-6-0.7.2	8	3.9	0.1-0-0.6.8
\$25,000- 34,999	298	59,570	262	84.6	77.5-91.7	2	2.9	0.0-0-0.8.2	12	3.7	0.1-0-0.6.4	3	1.5	0.0-0-0.3.9	3	0.4	0.0-0-0.1.0	16	6.8	0.2-7-10.9
\$35,000- 49,999	340	71,292	295	82.8	76.5-89.1	4	2.6	0.0-0-0.5.3	8	4.0	0.0-7-0.7.3	7	1.7	0.0-1-0.3.3	6	1.3	0.0-0-0.2.7	20	7.5	0.2-8-12.2
\$50,000- 99,999	894	184,757	811	88.0	84.7-91.3	12	2.3	0.0-5-0.4.1	17	2.0	0.0-8-0.3.2	6	0.7	0.0-1-0.1.3	14	2.1	0.0-7-0.3.5	34	4.9	0.2-7-0.7.1
\$100,000- 199,999	529	104,487	468	85.0	80.7-89.3	7	2.2	0.0-2-0.4.2	11	1.9	0.0-7-0.3.1	7	1.6	0.0-0-0.3.2	9	1.7	0.0-5-0.2.9	27	7.6	0.4-1-11.1
\$200,000+	128	28,913	113	87.5	80.6-94.4	1	0.2	0.0-0-0.0.6	4	3.7	0.0-0-0.7.4	1	0.5	0.0-0-0.1.5	3	3.1	0.0-0-0.7.0	6	5.0	0.0-5-0.9.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

**TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1329	290,408	1162	83.2	80.3-86.1	19	2.7	01.1-04.3	31	3.0	01.6-04.4	19	2.0	00.8-03.2	28	2.2	01.2-03.2	70	6.9	04.7-09.1
White/Non-Hisp	935	173,912	819	82.7	79.2-86.2	13	2.5	00.9-04.1	17	2.0	00.8-03.2	14	2.6	00.8-04.4	18	1.8	00.8-02.8	54	8.3	05.6-11.0
Black or Afr. Am./Non-Hisp	174	59,784	148	82.4	74.8-90.0	1	0.4	00.0-01.2	9	7.3	01.8-12.8	5	1.8	00.0-03.8	5	2.8	00.1-05.5	6	5.2	00.1-10.3
Hispanic	108	22,344	99	91.1	84.8-97.4	1	1.3	00.0-03.8	2	1.9	00.0-04.6				1	2.0	00.0-05.9	5	3.7	00.0-07.4
18-24	100	34,411	74	69.1	57.9-80.3	5	7.5	00.6-14.4	6	7.9	00.3-15.5	3	2.7	00.0-06.2	6	5.6	00.7-10.5	6	7.2	01.1-13.3
25-34	125	47,145	92	68.5	57.5-79.5	4	5.0	00.0-11.1	2	2.1	00.0-05.0	5	5.1	00.0-10.4	4	2.2	00.0-04.6	18	17.2	08.2-26.2
35-44	177	42,979	144	81.6	75.1-88.1	4	2.9	00.0-06.0	8	3.5	00.8-06.2	3	2.0	00.0-04.5	6	3.4	00.5-06.3	12	6.6	02.5-10.7
45-54	180	40,552	157	86.7	79.8-93.6	3	1.6	00.0-03.8	2	0.6	00.0-01.6	3	1.2	00.0-02.6	4	2.8	00.0-05.9	11	7.0	01.3-12.7
55-64	240	53,373	213	88.8	83.5-94.1	2	1.5	00.0-04.2	4	3.0	00.0-06.3	4	1.7	00.0-03.7	5	1.4	00.0-02.8	12	3.5	01.3-05.7
65+	507	71,949	482	94.3	91.8-96.8	1	0.1	00.0-00.3	9	2.4	00.6-04.2	1	0.1	00.0-00.3	3	0.3	00.0-00.7	11	2.8	00.8-04.8
Less Than H.S.	83	27,197	79	96.1	92.2-0100				1	1.4	00.0-04.1							3	2.5	00.0-05.4
H.S. or G.E.D.	349	93,214	289	75.8	69.3-82.3	3	2.2	00.0-04.7	10	4.6	01.1-08.1	7	3.1	00.4-05.8	14	4.6	01.9-07.3	26	9.8	05.1-14.5
Some Post-H.S.	335	85,601	290	82.1	76.2-88.0	7	4.0	00.3-07.7	8	2.6	00.4-04.8	3	1.6	00.0-03.6	3	0.8	00.0-01.8	24	8.8	04.5-13.1
College Graduate	557	83,782	499	88.2	84.7-91.7	9	2.6	00.2-05.0	12	2.3	00.9-03.7	9	1.6	00.4-02.8	11	1.9	00.5-03.3	17	3.4	01.4-05.4
\$15,000- 24,999	78	14,846	66	83.4	73.4-93.4	1	0.4	00.0-01.2	2	3.2	00.0-08.3	2	2.8	00.0-06.9	4	5.9	00.0-12.6	3	4.4	00.0-09.5
\$25,000- 34,999	108	22,902	95	84.3	73.9-94.7				6	5.2	00.0-10.7	1	3.1	00.0-09.2				6	7.3	00.0-14.7
\$35,000- 49,999	141	32,249	117	77.6	67.6-87.6	3	5.4	00.0-11.5	3	3.6	00.0-08.3	5	3.4	00.1-06.7	5	2.6	00.0-05.5	8	7.4	00.3-14.5
\$50,000- 99,999	391	88,249	352	87.1	82.0-92.2	5	2.7	00.0-06.0	8	2.7	00.7-04.7	3	0.9	00.0-02.1	6	1.7	00.1-03.3	17	4.9	01.6-08.2
\$100,000- 199,999	275	61,207	235	80.3	73.6-87.0	5	3.5	00.2-06.8	3	1.1	00.0-02.5	6	2.5	00.0-05.0	6	2.2	00.4-04.0	20	10.5	05.0-16.0
\$200,000+	81	17,770	71	89.1	82.0-96.2	1	0.3	00.0-00.9	3	3.9	00.0-08.4	1	0.8	00.0-02.4	2	2.3	00.0-05.6	3	3.6	00.0-07.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1773	332,576	1615	88.7	86.3-91.1	17	1.6	00.4-02.8	36	2.3	01.3-03.3	18	1.3	00.3-02.3	22	1.4	00.6-02.2	65	4.7	03.3-06.1
White/Non-Hisp	1245	201,236	1139	89.0	86.3-91.7	12	1.1	00.1-02.1	24	2.0	01.0-03.0	12	1.4	00.0-02.8	16	1.4	00.6-02.2	42	5.1	03.1-07.1
Black or Afr. Am./Non-Hisp	263	66,290	235	87.9	82.6-93.2	3	0.9	00.0-02.3	7	3.7	00.6-06.8	4	1.9	00.0-04.3	3	2.2	00.0-05.1	11	3.4	01.0-05.8
Hispanic	162	36,034	154	96.3	93.4-99.2				2	0.8	00.0-02.0				2	0.8	00.0-02.0	4	2.1	00.0-04.5
18-24	70	32,036	56	77.8	65.3-90.3	2	3.7	00.0-09.0	4	4.3	00.0-09.0	2	4.8	00.0-12.2				6	9.4	00.4-18.4
25-34	159	48,306	130	79.5	70.5-88.5	3	5.6	00.0-13.0	5	4.1	00.2-08.0	1	0.3	00.0-00.9	5	2.1	00.0-04.5	15	8.4	03.5-13.3
35-44	204	50,107	170	81.8	74.9-88.7	2	0.3	00.0-00.7	5	2.5	00.1-04.9	3	1.8	00.0-04.5	7	4.6	00.5-08.7	17	8.9	04.0-13.8
45-54	266	49,258	242	92.1	88.4-95.8	3	0.9	00.0-02.1	9	2.4	00.6-04.2	2	0.8	00.0-02.0	2	0.5	00.0-01.3	8	3.2	00.5-05.9
55-64	339	56,642	308	92.1	88.8-95.4	2	0.4	00.0-01.0	7	2.1	00.3-03.9	5	1.1	00.1-02.1	6	1.5	00.0-03.1	11	2.8	00.8-04.8
65+	735	96,226	709	96.9	95.3-98.5	5	0.4	00.0-00.8	6	0.7	00.0-01.5	5	0.7	00.0-01.5	2	0.2	00.0-00.6	8	1.0	00.2-01.8
Less Than H.S.	111	32,175	106	93.8	87.5-0100	1	0.2	00.0-00.6	1	0.9	00.0-02.7	2	2.9	00.0-07.4				1	2.2	00.0-06.5
H.S. or G.E.D.	455	97,513	407	85.7	80.6-90.8	3	0.4	00.0-00.8	8	2.5	00.5-04.5	6	1.9	00.0-04.4	8	2.2	00.0-04.4	23	7.3	03.6-11.0
Some Post-H.S.	494	96,261	447	88.9	85.2-92.6	4	1.1	00.0-02.7	11	3.4	01.0-05.8	5	1.0	00.0-02.0	5	1.0	00.0-02.0	22	4.7	02.5-06.9
College Graduate	711	106,377	653	89.8	85.7-93.9	9	3.5	00.0-07.0	16	1.5	00.7-02.3	5	0.5	00.0-01.1	9	1.4	00.2-02.6	19	3.3	01.5-05.1
Less than \$15,000	77	12,117	64	82.8	72.6-93.0				3	3.6	00.0-08.5	2	2.5	00.0-06.2	2	1.9	00.0-04.8	6	9.1	00.9-17.3
\$15,000- 24,999	150	26,288	137	89.1	81.8-96.4	2	0.5	00.0-01.3	1	1.1	00.0-03.3	2	2.9	00.0-08.2	3	2.7	00.0-06.2	5	3.7	00.0-07.4
\$25,000- 34,999	190	36,668	167	84.8	75.4-94.2	2	4.7	00.0-13.1	6	2.8	00.0-05.7	2	0.5	00.0-01.3	3	0.7	00.0-01.5	10	6.5	01.6-11.4
\$35,000- 49,999	199	39,043	178	87.1	79.5-94.7	1	0.2	00.0-00.6	5	4.4	00.0-08.9	2	0.3	00.0-00.7	1	0.3	00.0-00.9	12	7.6	01.3-13.9
\$50,000- 99,999	503	96,508	459	88.9	84.8-93.0	7	1.9	00.0-03.9	9	1.4	00.4-02.4	3	0.5	00.0-01.1	8	2.4	00.2-04.6	17	4.9	02.0-07.8
\$100,000- 199,999	254	43,280	233	91.8	87.9-95.7	2	0.4	00.0-01.0	8	3.1	00.7-05.5	1	0.3	00.0-00.9	3	1.0	00.0-02.4	7	3.4	00.5-06.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

TABLE 4: DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	324	86,034	261	81.2	75.1-87.3	63	18.8	12.7-24.9
Male	167	48,859	136	81.9	74.1-89.7	31	18.1	10.3-25.9
Female	157	37,175	125	80.2	70.4-90.0	32	19.8	10.0-29.6
White/Non-Hisp	221	51,856	178	83.1	77.0-89.2	43	16.9	10.8-23.0
Black or Afr. Am./Non-Hisp	54	18,551	44	86.2	76.2-96.2	10	13.8	03.8-23.8
25-34	62	24,782	54	79.9	64.2-95.6	8	20.1	04.4-35.8
35-44	67	17,020	56	83.5	72.9-94.1	11	16.5	05.9-27.1
55-64	57	10,146	44	82.2	71.6-92.8	13	17.8	07.2-28.4
65+	51	7,049	35	68.0	52.1-83.9	16	32.0	16.1-47.9
H.S. or G.E.D.	108	36,546	98	89.8	82.9-96.7	10	10.2	03.3-17.1
Some Post-H.S.	91	25,662	77	79.6	67.3-91.9	14	20.4	08.1-32.7
College Graduate	116	20,763	79	67.7	53.8-81.6	37	32.3	18.4-46.2
\$50,000- 99,999	83	22,122	70	83.5	70.8-96.2	13	16.5	03.8-29.2
\$100,000- 199,999	61	15,621	43	77.7	66.1-89.3	18	22.3	10.7-33.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

TABLE 5: DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	167	48,859	136	81.9	74.1-89.7	31	18.1	10.3-25.9
White/Non-Hisp	116	30,053	94	81.3	72.5-90.1	22	18.7	09.9-27.5
H.S. or G.E.D.	60	22,598	53	88.2	78.6-97.8	7	11.8	02.2-21.4
College Graduate	58	9,909	40	68.4	53.9-82.9	18	31.6	17.1-46.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

TABLE 6: DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	157	37,175	125	80.2	70.4-90.0	32	19.8	10.0-29.6
White/Non-Hisp	105	21,803	84	85.6	78.2-93.0	21	14.4	07.0-21.8
College Graduate	58	10,854	39	67.0	44.1-89.9	19	33.0	10.1-55.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

**TABLE 7: ...EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	324	85,920	128	39.9	32.6-47.2	196	60.1	52.8-67.4
Male	166	48,446	68	38.2	28.6-47.8	98	61.8	52.2-71.4
Female	158	37,473	60	41.9	30.7-53.1	98	58.1	46.9-69.3
White/Non-Hisp	221	51,741	90	41.4	32.8-50.0	131	58.6	50.0-67.2
Black or Afr. Am./Non-Hisp	54	18,551	16	29.5	14.4-44.6	38	70.5	55.4-85.6
25-34	61	24,369	21	37.0	20.5-53.5	40	63.0	46.5-79.5
35-44	67	17,020	36	48.8	34.5-63.1	31	51.2	36.9-65.5
55-64	58	10,444	18	30.9	15.6-46.2	40	69.1	53.8-84.4
65+	51	7,049	20	46.7	29.8-63.6	31	53.3	36.4-70.2
H.S. or G.E.D.	107	36,134	37	37.4	25.2-49.6	70	62.6	50.4-74.8
Some Post-H.S.	92	25,960	33	39.2	26.3-52.1	59	60.8	47.9-73.7
College Graduate	116	20,763	56	48.3	35.0-61.6	60	51.7	38.4-65.0
\$50,000- 99,999	83	22,122	27	38.4	23.7-53.1	56	61.6	46.9-76.3
\$100,000- 199,999	61	15,621	27	36.7	22.2-51.2	34	63.3	48.8-77.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

TABLE 8: ...EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	166	48,446	68	38.2	28.6-47.8	98	61.8	52.2-71.4
White/Non-Hisp	115	29,640	53	43.3	31.7-54.9	62	56.7	45.1-68.3
H.S. or G.E.D.	59	22,185	20	34.3	19.2-49.4	39	65.7	50.6-80.8
College Graduate	58	9,909	29	47.9	32.6-63.2	29	52.1	36.8-67.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

**TABLE 9: ...EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	158	37,473	60	41.9	30.7-53.1	98	58.1	46.9-69.3
White/Non-Hisp	106	22,101	37	38.8	25.5-52.1	69	61.2	47.9-74.5
College Graduate	58	10,854	27	48.5	27.3-69.7	31	51.5	30.3-72.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

**TABLE 10: ...VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	324	85,920	86	27.9	21.4-34.4	238	72.1	65.6-78.6
Male	166	48,446	41	26.3	18.1-34.5	125	73.7	65.5-81.9
Female	158	37,473	45	30.1	19.9-40.3	113	69.9	59.7-80.1
White/Non-Hisp	221	51,741	59	31.2	23.0-39.4	162	68.8	60.6-77.0
Black or Afr. Am./Non-Hisp	54	18,551	14	22.8	09.3-36.3	40	77.2	63.7-90.7
25-34	61	24,369	17	22.2	10.2-34.2	44	77.8	65.8-89.8
35-44	67	17,020	24	41.7	27.2-56.2	43	58.3	43.8-72.8
55-64	58	10,444	12	15.2	05.0-25.4	46	84.8	74.6-95.0
65+	51	7,049	9	14.5	03.7-25.3	42	85.5	74.7-96.3
H.S. or G.E.D.	107	36,134	32	33.0	21.2-44.8	75	67.0	55.2-78.8
Some Post-H.S.	92	25,960	27	24.7	14.7-34.7	65	75.3	65.3-85.3
College Graduate	116	20,763	23	19.5	10.1-28.9	93	80.5	71.1-89.9
\$50,000- 99,999	83	22,122	18	24.3	10.8-37.8	65	75.7	62.2-89.2
\$100,000- 199,999	61	15,621	17	32.9	18.2-47.6	44	67.1	52.4-81.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

**TABLE 11: ...VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	166	48,446	41	26.3	18.1-34.5	125	73.7	65.5-81.9
White/Non-Hisp	115	29,640	31	32.7	21.7-43.7	84	67.3	56.3-78.3
H.S. or G.E.D.	59	22,185	16	27.0	13.3-40.7	43	73.0	59.3-86.7
College Graduate	58	9,909	11	25.1	10.8-39.4	47	74.9	60.6-89.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

**TABLE 12: ...VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	158	37,473	45	30.1	19.9-40.3	113	69.9	59.7-80.1
White/Non-Hisp	106	22,101	28	29.0	16.5-41.5	78	71.0	58.5-83.5
College Graduate	58	10,854	12	14.4	03.2-25.6	46	85.6	74.4-96.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

**TABLE 13: ...DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	324	85,920	86	27.9	21.4-34.4	238	72.1	65.6-78.6
Male	166	48,446	41	26.3	18.1-34.5	125	73.7	65.5-81.9
Female	158	37,473	45	30.1	19.9-40.3	113	69.9	59.7-80.1
White/Non-Hisp	221	51,741	59	31.2	23.0-39.4	162	68.8	60.6-77.0
Black or Afr. Am./Non-Hisp	54	18,551	14	22.8	09.3-36.3	40	77.2	63.7-90.7
25-34	61	24,369	17	22.2	10.2-34.2	44	77.8	65.8-89.8
35-44	67	17,020	24	41.7	27.2-56.2	43	58.3	43.8-72.8
55-64	58	10,444	12	15.2	05.0-25.4	46	84.8	74.6-95.0
65+	51	7,049	9	14.5	03.7-25.3	42	85.5	74.7-96.3
H.S. or G.E.D.	107	36,134	32	33.0	21.2-44.8	75	67.0	55.2-78.8
Some Post-H.S.	92	25,960	27	24.7	14.7-34.7	65	75.3	65.3-85.3
College Graduate	116	20,763	23	19.5	10.1-28.9	93	80.5	71.1-89.9
\$50,000- 99,999	83	22,122	18	24.3	10.8-37.8	65	75.7	62.2-89.2
\$100,000- 199,999	61	15,621	17	32.9	18.2-47.6	44	67.1	52.4-81.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

TABLE 14: ...DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	166	48,446	41	26.3	18.1-34.5	125	73.7	65.5-81.9
White/Non-Hisp	115	29,640	31	32.7	21.7-43.7	84	67.3	56.3-78.3
H.S. or G.E.D.	59	22,185	16	27.0	13.3-40.7	43	73.0	59.3-86.7
College Graduate	58	9,909	11	25.1	10.8-39.4	47	74.9	60.6-89.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

TABLE 15: ...DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	158	37,473	45	30.1	19.9-40.3	113	69.9	59.7-80.1
White/Non-Hisp	106	22,101	28	29.0	16.5-41.5	78	71.0	58.5-83.5
College Graduate	58	10,854	12	14.4	03.2-25.6	46	85.6	74.4-96.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

TABLE 16: ...USE IT IN SOME OTHER WAY? (MARJOTHR)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	324	85,920	86	27.9	21.4-34.4	238	72.1	65.6-78.6
Male	166	48,446	41	26.3	18.1-34.5	125	73.7	65.5-81.9
Female	158	37,473	45	30.1	19.9-40.3	113	69.9	59.7-80.1
White/Non-Hisp	221	51,741	59	31.2	23.0-39.4	162	68.8	60.6-77.0
Black or Afr. Am./Non-Hisp	54	18,551	14	22.8	09.3-36.3	40	77.2	63.7-90.7
25-34	61	24,369	17	22.2	10.2-34.2	44	77.8	65.8-89.8
35-44	67	17,020	24	41.7	27.2-56.2	43	58.3	43.8-72.8
55-64	58	10,444	12	15.2	05.0-25.4	46	84.8	74.6-95.0
65+	51	7,049	9	14.5	03.7-25.3	42	85.5	74.7-96.3
H.S. or G.E.D.	107	36,134	32	33.0	21.2-44.8	75	67.0	55.2-78.8
Some Post-H.S.	92	25,960	27	24.7	14.7-34.7	65	75.3	65.3-85.3
College Graduate	116	20,763	23	19.5	10.1-28.9	93	80.5	71.1-89.9
\$50,000- 99,999	83	22,122	18	24.3	10.8-37.8	65	75.7	62.2-89.2
\$100,000- 199,999	61	15,621	17	32.9	18.2-47.6	44	67.1	52.4-81.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

TABLE 17: ...USE IT IN SOME OTHER WAY? (MARJOTHR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	166	48,446	41	26.3	18.1-34.5	125	73.7	65.5-81.9
White/Non-Hisp	115	29,640	31	32.7	21.7-43.7	84	67.3	56.3-78.3
H.S. or G.E.D.	59	22,185	16	27.0	13.3-40.7	43	73.0	59.3-86.7
College Graduate	58	9,909	11	25.1	10.8-39.4	47	74.9	60.6-89.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

TABLE 18: ...USE IT IN SOME OTHER WAY? (MARJOTHR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	158	37,473	45	30.1	19.9-40.3	113	69.9	59.7-80.1
White/Non-Hisp	106	22,101	28	29.0	16.5-41.5	78	71.0	58.5-83.5
College Graduate	58	10,854	12	14.4	03.2-25.6	46	85.6	74.4-96.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

**TABLE 19: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It Drink It			Vaporize it			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	145	39,834	99	67.6	57.2-78.0	18	13.0	04.8-21.2	20	14.4	06.4-22.4	6	3.9	00.4-07.4	2	1.1	00.0-02.9
Male	73	21,223	52	64.3	49.4-79.2	8	15.9	02.6-29.2	8	12.7	01.9-23.5	5	7.1	00.6-13.6			
Female	72	18,611	47	71.3	57.8-84.8	10	9.7	01.9-17.5	12	16.4	04.8-28.0	1	0.2	00.0-00.6	2	2.4	00.0-06.3
White/Non-Hisp	97	24,634	69	71.1	59.3-82.9	10	9.3	02.4-16.2	13	15.6	05.2-26.0	4	3.6	00.0-07.9	1	0.4	00.0-01.2
H.S. or G.E.D.	57	20,157	47	77.7	63.0-92.4	3	4.8	00.0-11.7	5	15.6	02.1-29.1	2	1.9	00.0-04.6			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 17: MARIJUANA USE**

TABLE 20: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Smoke It		N	Eat It Drink It		N	Vaporize it		N	Dab It	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	73	21,223	52	64.3	49.6-79.0	8	15.9	02.8-29.0	8	12.7	01.9-23.5	5	7.1	00.4-13.8
White/Non-Hisp	54	13,947	37	61.4	45.5-77.3	6	13.2	02.0-24.4	8	19.3	04.2-34.4	3	6.1	00.0-13.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 17: MARIJUANA USE**

**TABLE 21: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
 (USEMRJN4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It Drink It			Vaporize it			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	72	18,611	47	71.3	57.8-84.8	10	9.7	01.7-17.7	12	16.4	04.8-28.0	1	0.2	00.0-00.6	2	2.4	00.0-06.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022

MODULE 18: TOBACCO CESSATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
1	MALES AND FEMALES	166
2	MALES ONLY	167
3	FEMALES ONLY	168
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
4	MALES AND FEMALES	169
5	MALES ONLY	170
6	FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 18: TOBACCO CESSATION**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1 to 5 years ago			5 to 10 years ago			10+ years ago			Never smoked regular		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	893	155,213	62	10.4	07.5-13.3	104	16.5	12.8-20.2	79	10.2	07.5-12.9	620	60.4	55.9-64.9	28	2.5	01.1-03.9
Male	398	75,746	33	12.6	07.7-17.5	39	13.3	08.4-18.2	33	10.8	06.5-15.1	285	62.4	55.9-68.9	8	0.9	00.1-01.7
Female	495	79,467	29	8.3	04.8-11.8	65	19.5	14.0-25.0	46	9.6	06.1-13.1	335	58.5	52.4-64.6	20	4.0	01.5-06.5
White/Non-Hisp	716	115,636	45	10.2	06.7-13.7	68	14.4	10.7-18.1	61	9.3	06.4-12.2	518	63.4	58.5-68.3	24	2.6	01.0-04.2
Black or Afr. Am./Non-Hisp	86	21,058	8	9.9	01.9-17.9	14	21.9	08.0-35.8	7	10.8	02.6-19.0	56	56.8	42.3-71.3	1	0.6	00.0-01.8
25-34	57	20,884	20	36.3	21.4-51.2	22	33.8	19.9-47.7	8	16.2	04.2-28.2	5	9.9	01.1-18.7	2	3.9	00.0-10.4
35-44	75	18,474	14	17.1	07.5-26.7	17	21.8	10.2-33.4	14	19.1	08.7-29.5	30	42.0	28.7-55.3			
45-54	97	20,044	9	9.1	01.8-16.4	15	19.0	07.6-30.4	18	18.1	09.1-27.1	54	51.1	38.8-63.4	1	2.7	00.0-07.8
55-64	159	28,873	9	5.3	01.6-09.0	19	17.7	08.5-26.9	18	8.7	04.0-13.4	109	66.8	57.0-76.6	4	1.5	00.0-03.3
65+	497	64,121	8	2.2	00.4-04.0	25	5.4	03.0-07.8	21	4.3	01.8-06.8	422	84.8	80.7-88.9	21	3.3	01.5-05.1
H.S. or G.E.D.	254	52,813	23	10.7	05.4-16.0	36	19.5	12.1-26.9	23	10.8	05.5-16.1	166	56.6	48.4-64.8	6	2.5	00.0-05.0
Some Post-H.S.	250	46,193	23	16.3	09.2-23.4	24	14.1	07.6-20.6	17	7.2	03.1-11.3	174	58.6	50.2-67.0	12	3.8	00.5-07.1
College Graduate	339	43,934	13	5.3	01.8-08.8	34	14.9	09.4-20.4	32	10.6	06.3-14.9	251	67.6	60.9-74.3	9	1.6	00.4-02.8
\$25,000- 34,999	98	18,828	6	12.6	01.8-23.4	10	9.3	02.8-15.8	12	14.4	04.4-24.4	65	59.4	45.9-72.9	5	4.2	00.0-09.9
\$35,000- 49,999	99	15,431	9	11.3	03.7-18.9	10	9.5	02.8-16.2	7	6.2	01.1-11.3	70	65.0	52.7-77.3	3	7.9	00.0-17.5
\$50,000- 99,999	282	51,080	20	10.1	04.8-15.4	38	24.3	16.3-32.3	23	9.0	04.3-13.7	193	55.0	46.8-63.2	8	1.7	00.3-03.1
\$100,000- 199,999	141	25,475	10	10.3	03.8-16.8	14	14.9	06.7-23.1	13	11.7	04.8-18.6	102	62.7	52.7-72.7	2	0.5	00.0-01.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 18: TOBACCO CESSATION**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1 to 5 years ago			5 to 10 years ago			10+ years ago			Never smoked regular		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	398	75,746	33	12.6	07.7-17.5	39	13.3	08.4-18.2	33	10.8	06.5-15.1	285	62.4	55.9-68.9	8	0.9	00.1-01.7
White/Non-Hisp	300	51,842	25	13.6	07.5-19.7	23	10.7	06.0-15.4	20	9.6	04.7-14.5	226	65.2	57.8-72.6	6	0.8	00.0-01.6
55-64	64	12,785	4	4.8	00.0-10.1	4	13.8	00.3-27.3	9	9.0	01.7-16.3	46	72.0	57.3-86.7	1	0.4	00.0-01.2
65+	225	32,206	5	2.6	00.0-05.3	11	4.4	01.5-07.3	5	2.3	00.0-04.8	198	89.0	84.3-93.7	6	1.6	00.2-03.0
H.S. or G.E.D.	110	25,284	13	15.0	05.4-24.6	14	14.4	04.8-24.0	8	10.7	02.5-18.9	73	59.1	46.8-71.4	2	0.7	00.0-01.9
Some Post-H.S.	99	19,704	13	22.3	10.1-34.5	7	9.3	01.1-17.5	7	6.1	00.6-11.6	70	61.4	48.3-74.5	2	1.0	00.0-02.4
College Graduate	163	23,316	5	4.1	00.0-08.4	14	14.8	06.4-23.2	13	10.7	04.2-17.2	128	69.6	59.8-79.4	3	0.7	00.0-01.5
\$50,000- 99,999	122	25,600	10	13.1	03.9-22.3	13	18.0	07.2-28.8	12	11.2	03.6-18.8	85	57.0	44.7-69.3	2	0.8	00.0-02.0
\$100,000- 199,999	80	15,463	7	12.1	03.3-20.9	6	13.8	02.4-25.2	5	10.0	00.8-19.2	61	63.5	50.0-77.0	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 18: TOBACCO CESSATION**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1 to 5 years ago			5 to 10 years ago			10+ years ago			Never smoked regular		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	495	79,467	29	8.3	04.8-11.8	65	19.5	14.0-25.0	46	9.6	06.1-13.1	335	58.5	52.4-64.6	20	4.0	01.5-06.5
White/Non-Hisp	416	63,794	20	7.5	03.6-11.4	45	17.4	11.7-23.1	41	9.1	05.8-12.4	292	62.0	55.5-68.5	18	4.0	01.3-06.7
45-54	60	11,184	8	15.1	02.9-27.3	10	16.9	06.3-27.5	13	19.8	07.5-32.1	28	43.4	28.1-58.7	1	4.8	00.0-13.8
55-64	95	16,089	5	5.6	00.3-10.9	15	20.8	08.3-33.3	9	8.5	02.4-14.6	63	62.6	49.9-75.3	3	2.4	00.0-05.3
65+	272	31,914	3	1.7	00.0-03.9	14	6.4	02.7-10.1	16	6.3	02.0-10.6	224	80.7	74.4-87.0	15	5.0	01.7-08.3
H.S. or G.E.D.	144	27,528	10	6.7	01.8-11.6	22	24.1	13.1-35.1	15	10.9	03.8-18.0	93	54.2	43.0-65.4	4	4.1	00.0-08.8
Some Post-H.S.	151	26,489	10	11.9	03.7-20.1	17	17.7	08.3-27.1	10	8.0	02.3-13.7	104	56.6	45.8-67.4	10	5.8	00.3-11.3
College Graduate	176	20,618	8	6.7	01.2-12.2	20	14.9	08.0-21.8	19	10.5	05.0-16.0	123	65.3	56.1-74.5	6	2.6	00.2-05.0
\$25,000- 34,999	55	9,980	3	10.6	00.0-25.9	8	14.0	03.2-24.8	8	19.5	03.4-35.6	32	48.5	30.5-66.5	4	7.4	00.0-17.8
\$35,000- 49,999	53	8,365	5	14.6	02.1-27.1	4	7.5	00.0-15.3	3	3.0	00.0-06.5	39	61.7	43.9-79.5	2	13.2	00.0-29.9
\$50,000- 99,999	160	25,480	10	7.1	01.8-12.4	25	30.6	18.8-42.4	11	6.8	01.5-12.1	108	53.0	42.0-64.0	6	2.5	00.1-04.9
\$100,000- 199,999	61	10,012	3	7.5	00.0-16.5	8	16.5	04.7-28.3	8	14.3	03.9-24.7	41	61.3	46.4-76.2	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 18: TOBACCO CESSATION**

TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	374	77,291	157	43.8	36.9-50.7	217	56.2	49.3-63.1
Male	179	41,882	65	38.3	28.5-48.1	114	61.7	51.9-71.5
Female	195	35,408	92	50.2	40.8-59.6	103	49.8	40.4-59.2
White/Non-Hisp	274	51,354	114	42.2	34.4-50.0	160	57.8	50.0-65.6
Black or Afr. Am./Non-Hisp	57	15,960	29	54.3	36.7-71.9	28	45.7	28.1-63.3
35-44	65	17,219	22	37.5	23.0-52.0	43	62.5	48.0-77.0
45-54	65	13,586	25	49.7	33.8-65.6	40	50.3	34.4-66.2
55-64	107	19,437	52	49.9	37.9-61.9	55	50.1	38.1-62.1
65+	97	12,717	44	46.0	33.1-58.9	53	54.0	41.1-66.9
H.S. or G.E.D.	156	35,821	66	46.8	36.6-57.0	90	53.2	43.0-63.4
Some Post-H.S.	111	22,559	47	45.6	32.9-58.3	64	54.4	41.7-67.1
College Graduate	75	8,772	32	43.5	29.8-57.2	43	56.5	42.8-70.2
\$15,000- 24,999	51	9,117	24	47.5	30.1-64.9	27	52.5	35.1-69.9
\$25,000- 34,999	63	13,288	24	31.8	16.7-46.9	39	68.2	53.1-83.3
\$50,000- 99,999	99	20,750	41	44.5	32.5-56.5	58	55.5	43.5-67.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 18: TOBACCO CESSATION**

TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	179	41,882	65	38.3	28.7-47.9	114	61.7	52.1-71.3
White/Non-Hisp	135	27,297	48	33.7	23.9-43.5	87	66.3	56.5-76.1
H.S. or G.E.D.	74	17,844	25	37.8	23.3-52.3	49	62.2	47.7-76.7
\$50,000- 99,999	51	11,726	18	39.8	23.7-55.9	33	60.2	44.1-76.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 18: TOBACCO CESSATION**

TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	195	35,408	92	50.2	40.8-59.6	103	49.8	40.4-59.2
White/Non-Hisp	139	24,057	66	51.8	40.4-63.2	73	48.2	36.8-59.6
55-64	65	11,236	33	50.6	34.5-66.7	32	49.4	33.3-65.5
H.S. or G.E.D.	82	17,977	41	55.7	42.0-69.4	41	44.3	30.6-58.0
Some Post-H.S.	62	10,328	26	45.3	29.8-60.8	36	54.7	39.2-70.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022

MODULE 19: OTHER TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175
	CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)	
4	MALES AND FEMALES	176
5	MALES ONLY	177
6	FEMALES ONLY	178
	BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)	
7	MALES AND FEMALES	179
8	MALES ONLY	180
9	FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 19: OTHER TOBACCO USE**

TABLE 1: CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	373	76,665	187	54.3	47.4-61.2	186	45.7	38.8-52.6
Male	179	41,340	76	48.2	38.2-58.2	103	51.8	41.8-61.8
Female	194	35,325	111	61.5	52.3-70.7	83	38.5	29.3-47.7
White/Non-Hisp	272	50,660	118	47.6	39.8-55.4	154	52.4	44.6-60.2
Black or Afr. Am./Non-Hisp	57	15,960	44	80.8	67.9-93.7	13	19.2	06.3-32.1
35-44	65	17,219	42	63.8	49.5-78.1	23	36.2	21.9-50.5
45-54	66	13,655	31	40.4	25.3-55.5	35	59.6	44.5-74.7
55-64	107	19,437	45	46.1	33.9-58.3	62	53.9	41.7-66.1
65+	96	12,633	39	46.5	33.0-60.0	57	53.5	40.0-67.0
H.S. or G.E.D.	155	35,210	74	46.4	36.4-56.4	81	53.6	43.6-63.6
Some Post-H.S.	111	22,544	63	66.0	54.6-77.4	48	34.0	22.6-45.4
College Graduate	75	8,772	30	35.5	22.6-48.4	45	64.5	51.6-77.4
\$15,000- 24,999	51	9,117	29	60.1	43.4-76.8	22	39.9	23.2-56.6
\$25,000- 34,999	63	13,288	33	65.2	49.5-80.9	30	34.8	19.1-50.5
\$50,000- 99,999	99	20,750	47	51.1	38.9-63.3	52	48.9	36.7-61.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 19: OTHER TOBACCO USE**

TABLE 2: CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	179	41,340	76	48.2	38.2-58.2	103	51.8	41.8-61.8
White/Non-Hisp	134	26,686	51	43.6	32.8-54.4	83	56.4	45.6-67.2
H.S. or G.E.D.	73	17,233	28	40.0	25.9-54.1	45	60.0	45.9-74.1
Some Post-H.S.	50	12,300	27	61.0	42.8-79.2	23	39.0	20.8-57.2
\$50,000- 99,999	51	11,726	21	42.1	26.0-58.2	30	57.9	41.8-74.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 19: OTHER TOBACCO USE**

TABLE 3: CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	194	35,325	111	61.5	52.1-70.9	83	38.5	29.1-47.9
White/Non-Hisp	138	23,973	67	52.0	40.4-63.6	71	48.0	36.4-59.6
55-64	65	11,236	30	57.3	41.8-72.8	35	42.7	27.2-58.2
H.S. or G.E.D.	82	17,977	46	52.5	38.2-66.8	36	47.5	33.2-61.8
Some Post-H.S.	61	10,244	36	72.1	60.3-83.9	25	27.9	16.1-39.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 19: OTHER TOBACCO USE**

TABLE 4: CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	139	37,385	51	38.5	27.3-49.7	88	61.5	50.3-72.7
Male	66	21,378	24	42.8	26.9-58.7	42	57.2	41.3-73.1
Female	73	16,007	27	32.9	19.0-46.8	46	67.1	53.2-81.0
White/Non-Hisp	86	22,219	26	29.2	17.4-41.0	60	70.8	59.0-82.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 19: OTHER TOBACCO USE**

TABLE 5: CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	66	21,378	24	42.8	27.1-58.5	42	57.2	41.5-72.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 19: OTHER TOBACCO USE**

TABLE 6: CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	73	16,007	27	32.9	18.8-47.0	46	67.1	53.0-81.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 19: OTHER TOBACCO USE**

**TABLE 7: BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3132	628,469	331	10.4	09.0-11.8	2801	89.6	88.2-91.0
Male	1353	293,535	186	13.5	11.0-16.0	1167	86.5	84.0-89.0
Female	1779	334,934	145	7.6	06.0-09.2	1634	92.4	90.8-94.0
White/Non-Hisp	2209	379,697	255	11.7	09.9-13.5	1954	88.3	86.5-90.1
Black or Afr. Am./Non-Hisp	434	126,953	45	10.4	06.5-14.3	389	89.6	85.7-93.5
Oth. Race/Non-Hisp.	87	26,503	5	4.2	00.3-08.1	82	95.8	91.9-99.7
MultiRacial/Non-Hisp.	62	24,885	9	11.3	01.3-21.3	53	88.7	78.7-98.7
Hispanic	272	58,078	11	4.3	01.0-07.6	261	95.7	92.4-99.0
18-24	170	65,708	5	2.8	00.0-06.1	165	97.2	93.9-0100
25-34	285	95,262	33	11.9	07.4-16.4	252	88.1	83.6-92.6
35-44	385	93,293	29	6.9	04.0-09.8	356	93.1	90.2-96.0
45-54	447	90,536	56	12.5	08.6-16.4	391	87.5	83.6-91.4
55-64	589	112,943	72	14.8	10.5-19.1	517	85.2	80.9-89.5
65+	1256	170,727	136	10.3	08.1-12.5	1120	89.7	87.5-91.9
Less Than H.S.	196	60,130	11	5.2	01.5-08.9	185	94.8	91.1-98.5
H.S. or G.E.D.	811	191,158	82	9.6	06.9-12.3	729	90.4	87.7-93.1
Some Post-H.S.	825	181,531	103	13.2	10.1-16.3	722	86.8	83.7-89.9
College Graduate	1289	193,194	135	10.2	08.0-12.4	1154	89.8	87.6-92.0
Less than \$15,000	125	19,531	13	13.6	05.4-21.8	112	86.4	78.2-94.6
\$15,000- 24,999	227	41,040	21	8.8	04.5-13.1	206	91.2	86.9-95.5
\$25,000- 34,999	301	60,149	35	6.9	04.2-09.6	266	93.1	90.4-95.8
\$35,000- 49,999	343	71,377	25	8.6	03.7-13.5	318	91.4	86.5-96.3
\$50,000- 99,999	899	185,211	108	12.2	09.3-15.1	791	87.8	84.9-90.7
\$100,000- 199,999	533	105,293	65	12.5	08.8-16.2	468	87.5	83.8-91.2
\$200,000+	128	29,429	16	12.1	05.6-18.6	112	87.9	81.4-94.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 19: OTHER TOBACCO USE**

TABLE 8: BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1353	293,535	186	13.5	11.0-16.0	1167	86.5	84.0-89.0
White/Non-Hisp	955	176,747	140	14.2	11.3-17.1	815	85.8	82.9-88.7
Black or Afr. Am./Non-Hisp	173	59,792	24	13.8	07.1-20.5	149	86.2	79.5-92.9
Oth. Race/Non-Hisp.	51	15,575	3	4.7	00.0-10.0	48	95.3	90.0-100
Hispanic	110	22,044	10	10.1	02.1-18.1	100	89.9	81.9-97.9
18-24	100	33,850	4	2.5	00.0-05.4	96	97.5	94.6-100
25-34	127	47,058	19	14.3	07.0-21.6	108	85.7	78.4-93.0
35-44	182	43,283	22	10.9	05.8-16.0	160	89.1	84.0-94.2
45-54	181	40,867	36	20.6	12.8-28.4	145	79.4	71.6-87.2
55-64	244	54,209	39	18.2	10.9-25.5	205	81.8	74.5-89.1
65+	519	74,269	66	12.3	08.8-15.8	453	87.7	84.2-91.2
Less Than H.S.	85	27,979	6	8.2	01.1-15.3	79	91.8	84.7-98.9
H.S. or G.E.D.	355	94,023	48	12.1	07.8-16.4	307	87.9	83.6-92.2
Some Post-H.S.	335	84,895	51	16.5	11.0-22.0	284	83.5	78.0-89.0
College Graduate	572	85,946	81	14.0	10.7-17.3	491	86.0	82.7-89.3
\$15,000- 24,999	80	15,360	9	10.7	03.3-18.1	71	89.3	81.9-96.7
\$25,000- 34,999	110	23,322	16	9.4	04.1-14.7	94	90.6	85.3-95.9
\$35,000- 49,999	144	32,453	11	12.7	02.9-22.5	133	87.3	77.5-97.1
\$50,000- 99,999	394	88,129	61	14.8	10.1-19.5	333	85.2	80.5-89.9
\$100,000- 199,999	277	61,604	48	16.7	11.0-22.4	229	83.3	77.6-89.0
\$200,000+	81	17,770	11	12.6	04.6-20.6	70	87.4	79.4-95.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 19: OTHER TOBACCO USE**

TABLE 9: BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1779	334,934	145	7.6	06.0-09.2	1634	92.4	90.8-94.0
White/Non-Hisp	1254	202,950	115	9.5	07.3-11.7	1139	90.5	88.3-92.7
Black or Afr. Am./Non-Hisp	261	67,161	21	7.3	03.2-11.4	240	92.7	88.6-96.8
Hispanic	162	36,034	1	0.8	00.0-02.4	161	99.2	97.6-0100
18-24	70	31,858	1	3.2	00.0-09.3	69	96.8	90.7-0100
25-34	158	48,203	14	9.5	04.2-14.8	144	90.5	85.2-95.8
35-44	203	50,009	7	3.3	00.4-06.2	196	96.7	93.8-99.6
45-54	266	49,670	20	5.7	03.0-08.4	246	94.3	91.6-97.0
55-64	345	58,735	33	11.7	06.6-16.8	312	88.3	83.2-93.4
65+	737	96,458	70	8.8	06.3-11.3	667	91.2	88.7-93.7
Less Than H.S.	111	32,151	5	2.5	00.0-05.0	106	97.5	95.0-0100
H.S. or G.E.D.	456	97,135	34	7.2	03.9-10.5	422	92.8	89.5-96.1
Some Post-H.S.	490	96,636	52	10.3	06.8-13.8	438	89.7	86.2-93.2
College Graduate	717	107,248	54	7.1	04.6-09.6	663	92.9	90.4-95.4
Less than \$15,000	78	12,174	7	12.0	01.8-22.2	71	88.0	77.8-98.2
\$15,000- 24,999	147	25,680	12	7.8	02.7-12.9	135	92.2	87.1-97.3
\$25,000- 34,999	191	36,827	19	5.3	02.6-08.0	172	94.7	92.0-97.4
\$35,000- 49,999	199	38,924	14	5.1	02.0-08.2	185	94.9	91.8-98.0
\$50,000- 99,999	505	97,082	47	9.9	06.0-13.8	458	90.1	86.2-94.0
\$100,000- 199,999	256	43,688	17	6.5	02.8-10.2	239	93.5	89.8-97.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022

MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI) CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	M20.01.a Which of the following best represents how you think of yourself? (SOMALE)	
1	MALES AND FEMALES	183
2	MALES ONLY	184
3	FEMALES ONLY	185
	M20.01.b Which of the following best represents how you think of yourself? (SOFEMALE)	
4	MALES AND FEMALES	186
5	MALES ONLY	187
6	FEMALES ONLY	188
	M20.02 Do you consider yourself to be transgender? (TRNSGNDR)	
7	MALES AND FEMALES	189
8	MALES ONLY	190
9	FEMALES ONLY	191

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)**

TABLE 1: M20.01.a Which of the following best represents how you think of yourself? (SOMALE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1630	360,308	51	2.6	01.6-03.6	1522	92.0	90.0-94.0	33	3.0	01.6-04.4	24	2.4	01.0-03.8
White/Non-Hisp	1129	212,335	38	3.1	01.7-04.5	1065	94.4	92.6-96.2	16	1.9	00.7-03.1	10	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	228	74,810	5	1.6	00.0-03.4	215	91.9	86.6-97.2	5	4.1	00.0-08.2	3	2.4	00.0-05.5
Oth. Race/Non-Hisp.	63	21,687	1	1.6	00.0-04.7	58	93.6	87.9-99.3	2	2.1	00.0-05.0	2	2.7	00.0-06.6
Hispanic	129	26,629	6	4.4	00.1-08.7	111	83.7	74.7-92.7	8	6.8	00.9-12.7	4	5.2	00.0-11.5
18-24	116	38,049	4	3.1	00.0-06.4	98	82.0	72.8-91.2	12	13.7	05.1-22.3	2	1.2	00.0-03.0
25-34	156	58,328	6	3.0	00.0-06.5	139	85.8	78.0-93.6	6	3.8	00.1-07.5	5	7.4	00.7-14.1
35-44	220	57,604	4	1.2	00.0-02.4	200	90.6	85.3-95.9	9	4.1	00.8-07.4	7	4.1	00.0-08.2
45-54	237	53,346	8	3.2	00.5-05.9	223	94.1	90.2-98.0	3	1.6	00.0-04.1	3	1.2	00.0-02.8
55-64	291	62,434	11	3.2	01.0-05.4	279	96.7	94.5-98.9				1	0.1	00.0-00.3
65+	610	90,547	18	2.2	01.0-03.4	583	96.7	95.1-98.3	3	0.3	00.0-00.7	6	0.9	00.1-01.7
Less Than H.S.	100	34,501	2	1.0	00.0-02.6	92	89.0	80.2-97.8	2	2.9	00.0-07.4	4	7.0	00.0-14.6
H.S. or G.E.D.	440	116,523	4	1.4	00.0-03.2	413	91.6	87.7-95.5	16	5.6	02.3-08.9	7	1.3	00.1-02.5
Some Post-H.S.	404	102,280	8	1.5	00.3-02.7	382	92.7	88.6-96.8	6	1.8	00.0-03.6	8	4.0	00.5-07.5
College Graduate	679	105,675	37	5.5	03.3-07.7	628	92.6	90.2-95.0	9	1.4	00.4-02.4	5	0.5	00.0-01.1
Less than \$15,000	54	8,353	2	7.4	00.0-18.8	51	91.2	79.6-0100	1	1.4	00.0-04.1			
\$15,000- 24,999	93	19,335	1	0.3	00.0-00.9	86	94.7	90.4-99.0	4	3.9	00.0-07.8	2	1.1	00.0-02.7
\$25,000- 34,999	133	28,676	10	4.2	01.1-07.3	115	89.2	82.3-96.1	5	4.2	00.0-09.9	3	2.3	00.0-05.4
\$35,000- 49,999	174	40,054	10	2.2	00.6-03.8	158	92.8	87.7-97.9	4	4.6	00.0-09.5	2	0.4	00.0-01.0
\$50,000- 99,999	456	101,259	7	1.3	00.3-02.3	436	95.1	92.0-98.2	8	1.8	00.4-03.2	5	1.8	00.0-04.5
\$100,000- 199,999	323	74,421	10	3.2	00.8-05.6	306	93.4	89.9-96.9	2	0.9	00.0-02.3	5	2.5	00.1-04.9
\$200,000+	90	20,428	4	3.1	00.0-06.4	83	93.2	87.5-98.9	1	0.4	00.0-01.2	2	3.3	00.0-07.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)**

TABLE 2: M20.01.b Which of the following best represents how you think of yourself? (SOFEMALE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Lesbian or Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2086	393,079	43	1.8	01.0-02.6	1950	91.2	89.2-93.2	63	5.0	03.4-06.6	30	2.0	01.0-03.0
White/Non-Hisp	1448	236,795	30	2.0	00.8-03.2	1371	93.2	91.2-95.2	33	3.6	02.0-05.2	14	1.2	00.4-02.0
Black or Afr. Am./Non-Hisp	345	87,334	5	1.1	00.0-02.3	325	94.4	91.3-97.5	12	3.8	01.1-06.5	3	0.7	00.0-01.7
Hispanic	175	38,932	5	2.1	00.0-04.5	155	84.9	77.1-92.7	7	8.1	01.4-14.8	8	4.8	00.7-08.9
18-24	86	38,872	4	4.1	00.0-09.6	62	67.2	54.3-80.1	14	20.9	09.3-32.5	6	7.8	00.9-14.7
25-34	183	55,725	6	2.9	00.0-05.8	151	84.1	77.8-90.4	20	10.6	05.3-15.9	6	2.5	00.3-04.7
35-44	233	57,995	7	2.4	00.4-04.4	210	91.5	87.2-95.8	10	4.2	00.7-07.7	6	1.9	00.1-03.7
45-54	306	57,037	3	1.1	00.0-02.7	288	93.1	89.2-97.0	11	3.3	00.6-06.0	4	2.5	00.0-05.0
55-64	419	71,069	10	1.3	00.3-02.3	405	98.0	96.8-99.2	3	0.6	00.0-01.4	1	0.1	00.0-00.3
65+	859	112,382	13	0.8	00.4-01.2	834	97.8	96.8-98.8	5	0.7	00.0-01.5	7	0.7	00.1-01.3
Less Than H.S.	128	39,408	2	1.3	00.0-03.1	114	84.6	74.8-94.4	6	11.1	01.7-20.5	6	3.1	00.4-05.8
H.S. or G.E.D.	545	118,646	9	1.7	00.3-03.1	518	90.9	86.8-95.0	12	4.8	01.7-07.9	6	2.6	00.2-05.0
Some Post-H.S.	576	112,232	7	0.8	00.0-01.6	538	92.6	89.9-95.3	21	4.8	02.4-07.2	10	1.8	00.4-03.2
College Graduate	830	120,780	24	2.1	01.1-03.1	775	93.3	90.9-95.7	23	3.4	01.6-05.2	8	1.2	00.2-02.2
Less than \$15,000	92	15,812	2	0.8	00.0-02.0	83	88.8	79.4-98.2	6	9.7	00.3-19.1	1	0.7	00.0-02.1
\$15,000- 24,999	168	31,691	1	0.1	00.0-00.3	161	93.5	86.8-0100	3	5.2	00.0-11.7	3	1.1	00.0-02.7
\$25,000- 34,999	231	43,346	5	2.3	00.1-04.5	213	90.9	86.2-95.6	10	5.4	01.7-09.1	3	1.4	00.0-03.2
\$35,000- 49,999	231	43,481	4	0.9	00.0-02.1	216	90.9	84.4-97.4	7	7.1	00.6-13.6	4	1.1	00.0-02.3
\$50,000- 99,999	557	107,453	9	0.8	00.2-01.4	524	92.5	89.2-95.8	18	4.3	01.8-06.8	6	2.4	00.2-04.6
\$100,000- 199,999	282	49,497	12	3.5	01.0-06.0	258	91.4	87.1-95.7	9	3.5	00.6-06.4	3	1.5	00.0-03.3
\$200,000+	57	13,995	2	8.0	00.0-21.7	53	86.1	70.6-0100	2	6.0	00.0-15.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)
 TABLE 3: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3805	769,814	4	0.5	00.0-01.1	10	0.5	00.1-00.9	9	0.5	00.1-00.9	3782	98.5	97.7-99.3
Male	1657	364,386	2	0.5	00.0-01.3	8	0.8	00.0-01.6	4	0.4	00.0-00.8	1643	98.4	97.2-99.6
Female	2148	405,428	2	0.5	00.0-01.3	2	0.2	00.0-00.4	5	0.6	00.0-01.4	2139	98.7	97.5-99.9
White/Non-Hisp	2620	454,038	1	0.1	00.0-00.3	4	0.1	00.0-00.3	5	0.5	00.0-01.1	2610	99.3	98.7-99.9
Black or Afr. Am./Non-Hisp	580	164,985				3	1.0	00.0-02.4	2	0.4	00.0-01.0	575	98.6	97.0-0100
Oth. Race/Non-Hisp.	109	34,403	1	1.7	00.0-05.0	1	0.7	00.0-02.1				107	97.6	94.1-0100
MultiRacial/Non-Hisp.	77	30,073	2	9.8	00.0-22.3							75	90.2	77.7-0100
Hispanic	330	70,621				2	1.4	00.0-03.4	2	1.4	00.0-03.6	326	97.2	94.5-99.9
18-24	208	78,865	2	2.4	00.0-06.3	2	1.3	00.0-03.1	5	3.6	00.0-07.3	199	92.7	87.2-98.2
25-34	352	119,197	2	1.6	00.0-04.0	4	1.6	00.0-03.6	2	0.5	00.0-01.3	344	96.2	93.1-99.3
35-44	467	116,846				1	0.2	00.0-00.6	2	0.4	00.0-01.0	464	99.4	98.8-0100
45-54	555	112,283										555	100.0	0100-0100
55-64	723	135,945				1	0.2	00.0-00.6				722	99.8	99.4-0100
65+	1500	206,678				2	0.0	00.0-00.0				1498	100.0	0100-0100
Less Than H.S.	240	76,250	1	2.1	00.0-06.0	3	2.6	00.0-05.9				236	95.3	90.2-0100
H.S. or G.E.D.	1012	241,049	1	0.1	00.0-00.3				3	1.0	00.0-02.2	1008	98.9	97.7-0100
Some Post-H.S.	993	216,983	2	0.9	00.0-02.3	2	0.3	00.0-00.7	2	0.2	00.0-00.4	987	98.6	97.2-0100
College Graduate	1545	232,487				5	0.4	00.0-00.8	4	0.5	00.0-01.1	1536	99.2	98.6-99.8
Less than \$15,000	152	25,168							1	0.5	00.0-01.5	151	99.5	98.5-0100
\$15,000- 24,999	276	53,248										276	100.0	0100-0100
\$25,000- 34,999	377	75,870										377	100.0	0100-0100
\$35,000- 49,999	410	84,757	1	0.7	00.0-02.1	2	0.2	00.0-00.4	3	2.5	00.0-05.6	404	96.6	93.3-99.9
\$50,000- 99,999	1026	211,160	2	0.8	00.0-02.2	3	0.3	00.0-00.7	3	0.4	00.0-00.8	1018	98.6	97.2-0100
\$100,000- 199,999	613	124,744				2	0.7	00.0-01.7				611	99.3	98.3-0100
\$200,000+	145	33,295										145	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)
 TABLE 5: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1657	364,386	2	0.5	00.0-01.3	8	0.8	00.0-01.6	4	0.4	00.0-00.8	1643	98.4	97.2-99.6
White/Non-Hisp	1144	214,433	1	0.1	00.0-00.3	4	0.3	00.0-00.7	2	0.2	00.0-00.6	1137	99.3	98.7-99.9
Black or Afr. Am./Non-Hisp	231	76,562				2	1.9	00.0-04.8	1	0.7	00.0-02.1	228	97.4	94.1-0100
Oth. Race/Non-Hisp.	64	21,770				1	1.1	00.0-03.3				63	98.9	96.7-0100
Hispanic	136	27,165				1	2.0	00.0-05.9	1	1.1	00.0-03.3	134	96.9	92.4-0100
18-24	118	39,046	1	0.8	00.0-02.4	2	2.6	00.0-06.1	2	2.1	00.0-05.0	113	94.5	89.6-99.4
25-34	158	58,900	1	2.3	00.0-06.8	2	2.1	00.0-05.8	1	0.3	00.0-00.9	154	95.2	89.3-0100
35-44	224	57,022				1	0.4	00.0-01.2	1	0.5	00.0-01.5	222	99.1	97.9-0100
45-54	239	53,691										239	100.0	0100-0100
55-64	295	63,146				1	0.5	00.0-01.5				294	99.5	98.5-0100
65+	623	92,581				2	0.1	00.0-00.3				621	99.9	99.7-0100
Less Than H.S.	102	34,654				3	5.8	00.0-12.9				99	94.2	87.1-0100
H.S. or G.E.D.	448	117,843	1	0.3	00.0-00.9				1	0.5	00.0-01.5	446	99.3	98.3-0100
Some Post-H.S.	408	103,283	1	1.3	00.0-03.8	1	0.4	00.0-01.2	1	0.2	00.0-00.6	405	98.0	95.3-0100
College Graduate	692	107,279				4	0.4	00.0-00.8	2	0.5	00.0-01.3	686	99.1	98.3-99.9
Less than \$15,000	57	8,529										57	100.0	0100-0100
\$15,000- 24,999	98	19,813										98	100.0	0100-0100
\$25,000- 34,999	138	29,203										138	100.0	0100-0100
\$35,000- 49,999	175	40,344				2	0.3	00.0-00.9	1	0.7	00.0-02.1	172	99.0	97.6-0100
\$50,000- 99,999	459	101,911	2	1.7	00.0-04.4	2	0.4	00.0-01.0	1	0.2	00.0-00.6	454	97.8	95.1-0100
\$100,000- 199,999	328	75,015				1	0.6	00.0-01.8				327	99.4	98.2-0100
\$200,000+	88	19,962										88	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2022
 MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)
 TABLE 6: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2148	405,428	2	0.5	00.0-01.3	2	0.2	00.0-00.4	5	0.6	00.0-01.4	2139	98.7	97.5-99.9
White/Non-Hisp	1476	239,605							3	0.7	00.0-01.7	1473	99.3	98.3-0100
Black or Afr. Am./Non-Hisp	349	88,423				1	0.3	00.0-00.9	1	0.2	00.0-00.6	347	99.5	98.9-0100
Hispanic	194	43,457				1	1.0	00.0-03.0	1	1.6	00.0-04.7	192	97.4	93.7-0100
18-24	90	39,820	1	3.9	00.0-11.3				3	5.0	00.0-11.5	86	91.0	81.4-0100
25-34	194	60,297	1	1.0	00.0-03.0	2	1.1	00.0-02.7	1	0.7	00.0-02.1	190	97.3	94.6-0100
35-44	243	59,824							1	0.3	00.0-00.9	242	99.7	99.1-0100
45-54	316	58,593										316	100.0	0100-0100
55-64	428	72,798										428	100.0	0100-0100
65+	877	114,097										877	100.0	0100-0100
Less Than H.S.	138	41,596	1	3.8	00.0-11.1							137	96.2	88.9-0100
H.S. or G.E.D.	564	123,206							2	1.5	00.0-03.7	562	98.5	96.3-0100
Some Post-H.S.	585	113,700	1	0.5	00.0-01.5	1	0.2	00.0-00.6	1	0.1	00.0-00.3	582	99.1	97.9-0100
College Graduate	853	125,208				1	0.3	00.0-00.9	2	0.4	00.0-01.0	850	99.2	98.2-0100
Less than \$15,000	95	16,639							1	0.7	00.0-02.1	94	99.3	97.9-0100
\$15,000- 24,999	178	33,435										178	100.0	0100-0100
\$25,000- 34,999	239	46,667										239	100.0	0100-0100
\$35,000- 49,999	235	44,413	1	1.3	00.0-03.8				2	4.2	00.0-10.1	232	94.4	88.1-0100
\$50,000- 99,999	567	109,249				1	0.2	00.0-00.6	2	0.5	00.0-01.3	564	99.3	98.3-0100
\$100,000- 199,999	285	49,729				1	0.8	00.0-02.4				284	99.2	97.6-0100
\$200,000+	57	13,333										57	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022**

MODULE 27: Family Planning CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	IN THE PAST 12 MONTHS, DID YOU HAVE SEXUAL INTERCOURSE? (HADSEX)	
1	FEMALES ONLY	193
2	THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	194
3	4	195
	THE LAST TIME YOU HAD SEXUAL INTERCOURSE, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR9)	
4	FEMALES ONLY	196
5	THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	197
6	4	198
	WHERE DID YOU GET THE [RESPONSE FROM Q3] YOU USED WHEN YOU LAST HAD SEXUAL INTERCOURSE? (WHEREGET)	
7	FEMALES ONLY	199
8	THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	200
9	4	201
	IF YOU COULD USE ANY BIRTH CONTROL METHOD YOU WANTED, WHAT METHOD WOULD YOU USE? (BCPREFER)	
10	FEMALES ONLY	202
11	THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	203
12	4	204
	17	
13	FEMALES ONLY	205
14	THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	206
15	4	207
	21	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022

MODULE 27: Family Planning CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
16	FEMALES ONLY	208
17	THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	209
18	4	210
	25	
19	FEMALES ONLY	211
20	THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	212
21	4	213

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 27: Family Planning**

TABLE 1: IN THE PAST 12 MONTHS, DID YOU HAVE SEXUAL INTERCOURSE? (HADSEX)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY	473	130,523	354	73.1	67.2-79.0	119	26.9	21.0-32.8
Female	473	130,523	354	73.1	67.2-79.0	119	26.9	21.0-32.8
White/Non-Hisp	243	58,654	194	78.7	71.4-86.0	49	21.3	14.0-28.6
Black or Afr. Am./Non-Hisp	84	27,749	55	61.5	46.0-77.0	29	38.5	23.0-54.0
Hispanic	103	26,971	77	74.9	64.3-85.5	26	25.1	14.5-35.7
18-24	65	29,041	46	66.6	51.5-81.7	19	33.4	18.3-48.5
25-34	128	40,031	104	78.6	68.4-88.8	24	21.4	11.2-31.6
35-44	177	43,685	138	79.1	71.3-86.9	39	20.9	13.1-28.7
45-54	92	16,370	63	59.5	42.8-76.2	29	40.5	23.8-57.2
H.S. or G.E.D.	106	32,040	66	61.9	50.3-73.5	40	38.1	26.5-49.7
Some Post-H.S.	107	31,203	81	74.1	63.3-84.9	26	25.9	15.1-36.7
College Graduate	211	48,598	169	77.3	67.1-87.5	42	22.7	12.5-32.9
\$25,000- 34,999	50	14,358	34	58.3	37.5-79.1	16	41.7	20.9-62.5
\$35,000- 49,999	51	18,077	37	59.6	37.6-81.6	14	40.4	18.4-62.4
\$50,000- 99,999	135	39,015	114	86.9	79.6-94.2	21	13.1	05.8-20.4
\$100,000- 199,999	84	16,470	70	85.7	77.1-94.3	14	14.3	05.7-22.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 27: Family Planning**

TABLE 2: THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY	348	93,135	264	79.3	73.6-85.0	84	20.7	15.0-26.4
Female	348	93,135	264	79.3	73.6-85.0	84	20.7	15.0-26.4
White/Non-Hisp	192	45,964	152	83.3	77.4-89.2	40	16.7	10.8-22.6
Black or Afr. Am./Non-Hisp	52	15,160	42	76.3	61.6-91.0	10	23.7	09.0-38.4
Hispanic	76	20,028	52	77.4	65.8-89.0	24	22.6	11.0-34.2
25-34	102	30,665	83	78.3	66.5-90.1	19	21.7	09.9-33.5
35-44	134	33,075	98	76.4	67.6-85.2	36	23.6	14.8-32.4
45-54	63	9,741	42	68.3	54.8-81.8	21	31.7	18.2-45.2
H.S. or G.E.D.	65	19,204	48	81.0	70.8-91.2	17	19.0	08.8-29.2
Some Post-H.S.	80	22,788	59	82.5	73.5-91.5	21	17.5	08.5-26.5
College Graduate	166	36,400	133	78.8	69.0-88.6	33	21.2	11.4-31.0
\$50,000- 99,999	111	32,518	87	80.4	69.6-91.2	24	19.6	08.8-30.4
\$100,000- 199,999	69	14,034	55	82.3	72.1-92.5	14	17.7	07.5-27.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 27: Family Planning**

TABLE 3: THE LAST TIME YOU HAD SEXUAL INTERCOURSE, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR9)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (1-4)			Contraceptives (5-8)			Withdrawal, Rhythm, no sex (9-10)			Other Method(12)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	246	68,819	130	49.8	41.2-58.4	97	40.2	31.6-48.8	8	3.9	00.6-07.2	11	6.1	01.8-10.4
White/Non-Hisp	140	36,195	80	55.4	43.8-67.0	51	36.8	25.6-48.0	4	3.4	00.0-07.3	5	4.3	00.0-08.8
25-34	78	22,737	32	42.3	27.2-57.4	39	44.7	29.8-59.6	2	2.5	00.0-06.4	5	10.4	01.4-19.4
35-44	90	23,772	59	60.9	46.6-75.2	26	34.5	20.4-48.6	1	0.4	00.0-01.2	4	4.2	00.0-10.1
Some Post-H.S.	55	17,928	28	59.8	42.7-76.9	25	32.1	17.2-47.0				2	8.1	00.0-18.9
College Graduate	125	27,283	72	52.8	40.5-65.1	43	38.8	26.3-51.3	6	6.1	00.2-12.0	4	2.3	00.0-05.0
\$50,000- 99,999	76	24,044	41	54.1	38.6-69.6	27	33.2	18.9-47.5	2	2.8	00.0-07.3	6	10.0	00.8-19.2
\$100,000- 199,999	54	11,440	32	53.9	37.0-70.8	19	40.9	23.8-58.0	1	3.6	00.0-10.7	2	1.6	00.0-04.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 27: Family Planning**

TABLE 4: THE LAST TIME YOU HAD SEXUAL INTERCOURSE, WHAT ELSE, IF ANYTHING, DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (BRTHCNT4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Nothing Else			Surgical (1-4)			Contraceptives (5-8)			Withdrawal, Rhythm, no sex (9-10)			Emergencies (11)			Other Method(12)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY	250	71,132	146	56.2	47.8-64.6	38	15.5	08.8-22.2	48	20.9	14.0-27.8	10	2.5	00.7-04.3	1	0.1	00.0-00.3	7	4.8	00.0-09.9
Female	250	71,132	146	56.2	47.8-64.6	38	15.5	08.8-22.2	48	20.9	14.0-27.8	10	2.5	00.7-04.3	1	0.1	00.0-00.3	7	4.8	00.0-09.9
White/Non-Hisp	142	36,716	85	60.2	49.4-71.0	24	18.2	09.4-27.0	23	17.1	09.3-24.9	6	3.6	00.7-06.5				4	1.0	00.0-02.0
Hispanic	50	14,748	34	56.8	35.4-78.2	3	3.6	00.0-08.1	9	22.4	04.0-40.8	1	1.0	00.0-03.0	1	0.3	00.0-00.9	2	16.0	00.0-36.4
25-34	78	22,915	44	58.2	43.5-72.9	13	14.9	05.9-23.9	15	22.0	08.9-35.1	5	4.5	00.2-08.8				1	0.4	00.0-01.2
35-44	93	24,315	58	63.8	50.9-76.7	14	12.1	04.1-20.1	16	19.6	08.8-30.4	1	0.4	00.0-01.2				4	4.1	00.0-09.8
Some Post-H.S.	56	18,179	27	52.5	34.5-70.5	8	14.3	02.7-25.9	15	23.3	09.6-37.0	4	5.4	00.0-10.9				2	4.6	00.0-12.6
College Graduate	127	27,754	77	63.1	52.1-74.1	23	16.4	08.6-24.2	19	17.2	08.0-26.4	4	2.0	00.0-04.2	1	0.1	00.0-00.3	3	1.1	00.0-02.3
\$50,000- 99,999	81	25,095	43	60.8	46.7-74.9	16	14.1	05.9-22.3	14	18.1	07.1-29.1	5	3.3	00.2-06.4				3	3.7	00.0-09.6
\$100,000- 199,999	54	11,440	35	63.9	47.2-80.6	7	9.3	01.9-16.7	8	20.1	04.4-35.8	2	4.9	00.0-11.8				2	1.8	00.0-04.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 27: Family Planning**

TABLE 5: WHERE DID YOU GET THE [RESPONSE FROM Q3] YOU USED WHEN YOU LAST HAD SEXUAL INTERCOURSE? (WHEREGET)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private doctors office (1)			Community health clinic (2,3)			School or school-based clinic (4)			Hospital outpatient clinic, ER (5,6)			In- store health clinic (7,8)			Website or app, Some other place (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	216	58,616	117	56.0	46.6-65.4	17	6.1	02.2-10.0	1	0.3	00.0-00.9	40	17.1	10.0-24.2	35	18.7	11.1-26.3	6	1.8	00.2-03.4
White/Non-Hisp	125	32,427	86	68.8	57.2-80.4	4	2.0	00.0-04.2				20	13.6	06.9-20.3	13	14.1	04.3-23.9	2	1.4	00.0-03.4
25-34	68	18,946	42	72.1	59.4-84.8	8	6.5	01.6-11.4				9	10.0	02.9-17.1	8	10.5	01.1-19.9	1	0.8	00.0-02.4
35-44	78	20,430	45	53.8	38.7-68.9	4	2.8	00.0-06.7				14	14.6	05.8-23.4	13	26.9	11.8-42.0	2	1.9	00.0-04.8
College Graduate	109	23,979	68	62.2	48.5-75.9	5	2.6	00.0-05.3	1	0.8	00.0-02.4	17	11.6	05.1-18.1	18	22.8	09.5-36.1			
\$50,000- 99,999	67	20,783	40	60.2	43.9-76.5	3	6.0	00.0-14.2	1	0.9	00.0-02.7	15	18.0	07.2-28.8	8	14.9	02.7-27.1			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 27: Family Planning**

TABLE 6: WHAT WAS YOUR MAIN REASON FOR NOT DOING ANYTHING TO PREVENT PREGNANCY THE LAST TIME YOU HAD SEXUAL INTERCOURSE? (NOBCUSE8)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Didn't think about sex(1,2)			Want to get pregnant Didn't care about pregnancy (3,4,5,8)			Pulling out, Vasectomy Tubes tied, just had baby (9,10,11,12)			Other Reasons (14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	76	18,636	1	0.5	00.0-01.5	39	52.5	35.4-69.6	15	13.3	03.7-22.9	21	33.7	16.8-50.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022
MODULE 27: Family Planning**

**TABLE 7: IF YOU COULD USE ANY BIRTH CONTROL METHOD YOU WANTED, WHAT METHOD WOULD YOU USE? (BCPREFER)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Women that are pregnant or Age GE 50.**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Female, Male Sterilizaion(1,2)			Contraceptive IUD(3,4)			Various forms Birth Control(5,6,7,8)			Preplanned Sex (9,10,11)			Other Method Using Preferred Method (12,13)			Don't want to use any method (14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	325	89,052	59	19.4	12.7-26.1	72	26.5	19.4-33.6	124	33.8	27.1-40.5	3	0.5	00.0-01.1	36	10.7	05.8-15.6	31	9.1	05.2-13.0
White/Non-Hisp	180	43,943	44	25.1	15.9-34.3	34	22.8	14.4-31.2	65	33.7	25.1-42.3	2	0.6	00.0-01.4	22	11.3	05.0-17.6	13	6.5	02.4-10.6
Hispanic	68	18,115	3	1.6	00.0-03.6	19	36.4	18.6-54.2	30	36.9	20.8-53.0				8	11.6	00.0-24.5	8	13.4	02.4-24.4
25-34	96	29,327	15	24.2	09.9-38.5	23	23.0	12.2-33.8	39	33.1	21.5-44.7				10	9.9	01.1-18.7	9	9.8	02.5-17.1
35-44	124	31,852	31	27.4	16.2-38.6	23	20.1	09.9-30.3	46	36.1	24.7-47.5	1	0.5	00.0-01.5	12	9.3	02.4-16.2	11	6.7	02.2-11.2
45-54	60	9,524	10	11.0	03.4-18.6	10	17.1	03.0-31.2	21	33.1	18.6-47.6	2	3.4	00.0-08.3	8	10.3	02.5-18.1	9	25.1	06.1-44.1
H.S. or G.E.D.	64	19,042	8	9.4	01.8-17.0	9	13.3	03.1-23.5	31	46.1	30.6-61.6	1	0.8	00.0-02.4	10	23.5	07.8-39.2	5	7.0	00.0-14.1
Some Post-H.S.	77	22,490	12	24.2	07.3-41.1	17	25.7	12.6-38.8	31	33.6	20.3-46.9	1	0.9	00.0-02.7	7	6.8	01.3-12.3	9	8.8	01.9-15.7
College Graduate	150	33,895	35	24.8	14.0-35.6	36	27.4	17.2-37.6	49	32.1	21.7-42.5	1	0.4	00.0-01.2	16	5.7	02.6-08.8	13	9.6	03.3-15.9
\$50,000- 99,999	108	32,550	21	26.9	12.6-41.2	22	20.4	10.6-30.2	41	33.6	21.6-45.6	2	1.0	00.0-02.4	10	9.1	02.0-16.2	12	9.0	03.3-14.7
\$100,000- 199,999	65	13,513	18	26.9	14.2-39.6	17	28.4	14.1-42.7	19	33.8	18.7-48.9				8	7.6	01.9-13.3	3	3.4	00.0-07.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2022**

End of Module Data Report