

DELAWARE

2009 Core Variables Report

Behavioral Risk Factor Surveillance System

March 9, 2010



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4352	671,822	731	19.0	17.2-20.8	1565	39.7	37.3-42.1	1332	28.3	26.3-30.3	543	10.1	08.7-11.5	181	2.8	02.2-03.4
Male	1601	319,903	271	18.9	16.2-21.6	581	39.1	35.6-42.6	482	28.4	25.3-31.5	201	10.8	08.6-13.0	66	2.8	01.8-03.8
Female	2751	351,919	460	19.1	16.7-21.5	984	40.3	37.4-43.2	850	28.3	25.8-30.8	342	9.6	08.0-11.2	115	2.7	02.1-03.3
White/Non-Hisp	3488	507,126	593	19.0	17.0-21.0	1303	41.6	39.1-44.1	1041	27.5	25.3-29.7	421	9.5	08.1-10.9	130	2.4	01.8-03.0
Black or Afr. Am./Non-Hisp	537	89,817	69	17.6	11.9-23.3	165	30.8	25.1-36.5	196	36.7	30.6-42.8	75	10.8	07.5-14.1	32	4.1	02.1-06.1
Oth. Race/Non-Hisp.	123	29,191										15	8.1	02.0-14.2	8	3.7	00.0-07.4
MultiRacial/Non-Hisp.	65	12,848							17	15.7	06.1-25.3				7	8.6	00.8-16.4
Hispanic	111	28,816	23	16.4	07.0-25.8										3	1.3	00.0-03.1
18-24	147	85,426	37	24.1	15.5-32.7				38	24.8	15.8-33.8	15	10.2	04.3-16.1	1	0.3	00.0-00.9
25-34	367	109,570	96	26.5	20.6-32.4	167	45.4	38.7-52.1	80	20.9	15.4-26.4	22	7.0	03.1-10.9	2	0.2	00.0-00.4
35-44	624	121,601	131	19.7	16.0-23.4	252	41.5	36.6-46.4	189	31.4	26.9-35.9	41	5.1	03.1-07.1	11	2.2	00.6-03.8
45-54	795	125,787	128	17.1	13.8-20.4	292	39.5	35.0-44.0	245	30.5	26.4-34.6	95	9.8	07.3-12.3	35	3.2	01.8-04.6
55-64	926	99,284	150	16.1	12.8-19.4	323	38.3	34.0-42.6	286	28.7	24.8-32.6	122	12.7	10.0-15.4	45	4.3	02.7-05.9
65+	1429	123,364	174	12.3	10.1-14.5	462	34.8	31.7-37.9	471	31.6	28.7-34.5	239	15.8	13.4-18.2	83	5.5	04.1-06.9
Less Than H.S.	320	46,207	28	9.9	04.2-15.6	64	23.6	15.4-31.8	97	24.1	17.0-31.2	91	34.1	24.9-43.3	40	8.2	04.9-11.5
H.S. or G.E.D.	1344	191,310	172	13.6	10.9-16.3	435	39.3	35.0-43.6	472	32.2	28.5-35.9	200	11.6	09.2-14.0	65	3.1	02.1-04.1
Some Post-H.S.	1125	167,103	168	17.3	13.8-20.8	423	38.9	34.6-43.2	357	31.1	26.8-35.4	135	10.3	07.8-12.8	42	2.3	01.3-03.3
College Graduate	1558	266,324	360	25.5	22.2-28.8	643	43.5	39.8-47.2	404	24.4	21.5-27.3	117	4.8	03.6-06.0	34	1.8	01.0-02.6
Less than \$15,000	452	51,800	48	10.1	06.0-14.2	100	23.6	17.1-30.1	160	32.0	25.5-38.5	100	25.4	18.3-32.5	44	8.9	05.6-12.2
\$15,000- 24,999	425	50,371	35	12.4	07.1-17.7	85	22.1	15.2-29.0	141	30.0	23.1-36.9	113	27.9	21.0-34.8	51	7.6	04.9-10.3
\$25,000- 34,999	398	53,157	55	13.0	07.5-18.5	111	28.4	21.5-35.3	146	39.4	31.4-47.4	70	16.4	10.7-22.1	16	2.8	01.0-04.6
\$35,000- 49,999	582	84,330	88	17.1	12.2-22.0	220	43.4	36.5-50.3	189	28.5	23.0-34.0	72	8.6	06.2-11.0	13	2.4	00.8-04.0
\$50,000- 74,999	675	118,581	112	21.3	15.8-26.8	299	44.3	38.2-50.4	204	27.8	22.9-32.7	49	5.6	03.2-08.0	11	0.9	00.1-01.7
\$75,000+	1168	220,963	287	24.7	21.4-28.0	523	46.0	42.1-49.9	291	24.9	21.4-28.4	54	3.3	02.1-04.5	13	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1601	319,903	271	18.9	16.2-21.6	581	39.1	35.6-42.6	482	28.4	25.3-31.5	201	10.8	08.6-13.0	66	2.8	01.8-03.8
White/Non-Hisp	1286	239,194	217	19.1	16.0-22.2	479	39.6	35.9-43.3	384	28.4	24.9-31.9	161	10.4	08.2-12.6	45	2.5	01.5-03.5
Black or Afr. Am./Non-Hisp	169	36,833	20	14.5	06.9-22.1							21	8.1	03.8-12.4	11	3.5	01.0-06.0
Oth. Race/Non-Hisp.	54	15,444													4	4.7	00.0-11.4
18-24	71	42,908										9	12.4	03.8-21.0	1	0.6	00.0-01.8
25-34	128	53,735	36	27.9	18.1-37.7				29	22.5	13.3-31.7	10	9.7	02.6-16.8	1	0.3	00.0-00.9
35-44	237	59,513	50	19.5	13.8-25.2	92	40.1	32.7-47.5	72	31.1	24.2-38.0	18	6.5	03.2-09.8	5	2.8	00.1-05.5
45-54	284	59,973	47	16.3	11.0-21.6	108	40.2	33.1-47.3	91	32.3	25.6-39.0	29	8.2	04.7-11.7	9	3.0	00.6-05.4
55-64	340	48,770	46	14.8	09.3-20.3	134	40.2	33.1-47.3	95	27.4	20.9-33.9	50	13.1	08.6-17.6	15	4.5	01.8-07.2
65+	531	53,251	74	13.9	10.4-17.4	165	32.4	27.5-37.3	176	32.6	27.9-37.3	83	15.7	11.8-19.6	33	5.3	03.1-07.5
Less Than H.S.	123	22,422	16	11.6	02.6-20.6				32	17.7	09.9-25.5				15	6.2	02.3-10.1
H.S. or G.E.D.	469	95,344	66	13.7	09.4-18.0	160	42.0	35.5-48.5	158	31.1	25.4-36.8	70	10.7	07.4-14.0	15	2.4	00.8-04.0
Some Post-H.S.	377	73,063	53	18.6	12.5-24.7	148	40.7	33.3-48.1	116	27.9	21.2-34.6	44	10.7	06.0-15.4	16	2.1	00.7-03.5
College Graduate	629	128,317	135	24.3	19.4-29.2	251	39.5	34.0-45.0	174	28.2	23.1-33.3	49	5.1	03.3-06.9	20	3.0	01.4-04.6
Less than \$15,000	128	21,847	9	6.8	01.5-12.1	29	19.3	09.9-28.7							16	10.4	03.7-17.1
\$15,000- 24,999	115	20,915	12	10.3	03.4-17.2										10	6.1	01.6-10.6
\$25,000- 34,999	133	21,561	21	11.1	04.0-18.2	30	22.2	12.4-32.0							6	2.2	00.2-04.2
\$35,000- 49,999	231	39,923	31	16.4	09.0-23.8	90	43.7	34.3-53.1	72	27.6	20.0-35.2	30	9.7	05.8-13.6	8	2.6	00.4-04.8
\$50,000- 74,999	295	59,305	51	21.0	13.4-28.6	113	39.7	30.9-48.5	93	30.4	22.8-38.0	30	7.2	03.1-11.3	8	1.6	00.2-03.0
\$75,000+	518	117,626	120	25.3	20.2-30.4	236	45.7	40.0-51.4	123	23.4	18.7-28.1	31	4.1	02.3-05.9	8	1.5	00.3-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	351,919	460	19.1	16.7-21.5	984	40.3	37.4-43.2	850	28.3	25.8-30.8	342	9.6	08.0-11.2	115	2.7	02.1-03.3
White/Non-Hisp	2202	267,932	376	19.0	16.5-21.5	824	43.4	40.1-46.7	657	26.6	23.9-29.3	260	8.6	07.0-10.2	85	2.3	01.7-02.9
Black or Afr. Am./Non-Hisp	368	52,984	49	19.8	12.0-27.6	109	26.8	20.5-33.1	135	36.2	28.8-43.6	54	12.7	07.8-17.6	21	4.5	01.8-07.2
Oth. Race/Non-Hisp.	69	13,746										8	4.8	00.3-09.3	4	2.4	00.0-05.3
Hispanic	65	12,536													3	3.0	00.0-06.9
18-24	76	42,518										6	8.1	00.5-15.7			
25-34	239	55,835	60	25.1	18.4-31.8	115	50.9	43.3-58.5	51	19.4	13.5-25.3	12	4.5	01.6-07.4	1	0.1	00.0-00.3
35-44	387	62,088	81	19.9	15.2-24.6	160	42.9	36.8-49.0	117	31.7	25.8-37.6	23	3.8	02.0-05.6	6	1.6	00.0-03.2
45-54	511	65,814	81	17.8	13.3-22.3	184	38.8	33.3-44.3	154	28.7	23.8-33.6	66	11.3	07.6-15.0	26	3.4	01.8-05.0
55-64	586	50,514	104	17.4	13.7-21.1	189	36.5	31.6-41.4	191	29.9	25.4-34.4	72	12.2	08.9-15.5	30	4.0	02.0-06.0
65+	898	70,113	100	11.1	08.6-13.6	297	36.6	32.5-40.7	295	30.8	27.1-34.5	156	15.8	13.1-18.5	50	5.7	03.7-07.7
Less Than H.S.	197	23,786	12	8.4	01.3-15.5										25	10.2	05.1-15.3
H.S. or G.E.D.	875	95,965	106	13.6	10.1-17.1	275	36.6	30.9-42.3	314	33.3	28.2-38.4	130	12.6	09.3-15.9	50	3.9	02.5-05.3
Some Post-H.S.	748	94,040	115	16.4	12.1-20.7	275	37.5	32.4-42.6	241	33.6	28.1-39.1	91	10.0	07.3-12.7	26	2.5	01.3-03.7
College Graduate	929	138,007	225	26.6	22.1-31.1	392	47.2	42.3-52.1	230	20.9	17.6-24.2	68	4.6	03.2-06.0	14	0.7	00.3-01.1
Less than \$15,000	324	29,952	39	12.5	06.6-18.4	71	26.6	18.0-35.2	122	34.5	27.2-41.8	64	18.5	12.8-24.2	28	7.9	04.6-11.2
\$15,000- 24,999	310	29,455	23	13.8	06.4-21.2	65	21.1	14.8-27.4	100	27.9	21.2-34.6	81	28.5	20.5-36.5	41	8.6	05.3-11.9
\$25,000- 34,999	265	31,596	34	14.4	06.4-22.4	81	32.7	23.1-42.3				47	14.7	08.2-21.2	10	3.2	00.5-05.9
\$35,000- 49,999	351	44,406	57	17.7	11.0-24.4	130	43.2	33.4-53.0	117	29.3	21.5-37.1	42	7.7	05.0-10.4	5	2.1	00.0-04.3
\$50,000- 74,999	380	59,277	61	21.7	13.7-29.7	186	48.9	40.5-57.3	111	25.1	19.2-31.0	19	4.0	01.6-06.4	3	0.2	00.0-00.4
\$75,000+	650	103,336	167	24.1	20.0-28.2	287	46.3	41.0-51.6	168	26.6	21.5-31.7	23	2.5	01.3-03.7	5	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7	MALES AND FEMALES	13
8	MALES ONLY	14
9	FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4322	669,235	2747	63.7	61.5-65.9	457	13.5	11.7-15.3	474	11.4	09.8-13.0	314	5.9	04.9-06.9	330	5.6	04.8-06.4
Male	1596	319,120	1048	64.6	61.3-67.9	177	14.3	11.6-17.0	163	10.9	08.5-13.3	106	5.4	04.0-06.8	102	4.9	03.5-06.3
Female	2726	350,114	1699	62.8	60.1-65.5	280	12.8	10.6-15.0	311	11.9	09.9-13.9	208	6.4	05.0-07.8	228	6.1	05.1-07.1
White/Non-Hisp	3463	504,931	2200	62.5	60.0-65.0	378	14.1	12.1-16.1	379	12.2	10.4-14.0	238	5.4	04.4-06.4	268	5.8	04.8-06.8
Black or Afr. Am./Non-Hisp	534	89,482	340	68.9	63.6-74.2	45	9.5	05.8-13.2	55	7.8	05.1-10.5	54	8.0	05.1-10.9	40	5.8	03.4-08.2
Oth. Race/Non-Hisp.	122	29,148							10	7.6	00.9-14.3	5	2.4	00.0-05.9	11	5.9	00.8-11.0
MultiRacial/Non-Hisp.	66	12,936				5	7.1	00.0-14.2				7	6.5	00.4-12.6	3	3.3	00.0-08.4
Hispanic	111	28,816				11	10.6	01.8-19.4	18	10.6	04.1-17.1	8	9.7	00.5-18.9	5	2.3	00.0-04.8
18-24	146	85,187	94	66.5	56.7-76.3	24	16.6	09.0-24.2	19	12.9	05.5-20.3	6	3.1	00.0-06.4	3	0.9	00.0-02.1
25-34	368	109,657	244	66.5	60.2-72.8	54	15.8	10.9-20.7	43	10.4	06.5-14.3	19	5.4	02.3-08.5	8	1.9	00.0-03.9
35-44	620	121,248	388	58.0	53.1-62.9	89	18.3	14.4-22.2	77	13.1	09.6-16.6	38	6.1	03.9-08.3	28	4.5	02.5-06.5
45-54	791	125,057	501	64.3	60.0-68.6	88	13.2	09.9-16.5	84	10.3	07.6-13.0	62	6.8	04.6-09.0	56	5.4	03.6-07.2
55-64	919	98,708	581	63.7	59.6-67.8	95	10.9	08.0-13.8	101	10.6	08.1-13.1	70	6.5	04.5-08.5	72	8.4	06.0-10.8
65+	1416	122,654	897	63.9	60.8-67.0	100	7.0	05.4-08.6	146	11.7	09.5-13.9	115	6.5	05.1-07.9	158	11.0	08.8-13.2
Less Than H.S.	313	45,684	174	55.5	46.1-64.9	18	7.0	02.3-11.7	33	11.2	05.3-17.1	34	12.5	05.1-19.9	54	13.9	08.2-19.6
H.S. or G.E.D.	1338	191,052	858	65.1	61.2-69.0	116	12.0	08.9-15.1	139	10.7	08.2-13.2	110	6.2	04.6-07.8	115	6.1	04.7-07.5
Some Post-H.S.	1117	166,497	707	62.3	57.8-66.8	119	15.4	11.5-19.3	131	11.1	08.6-13.6	81	6.2	04.2-08.2	79	5.0	03.6-06.4
College Graduate	1549	265,125	1003	64.8	61.3-68.3	204	14.5	12.0-17.0	171	12.2	09.5-14.9	89	4.4	03.2-05.6	82	4.1	02.9-05.3
Less than \$15,000	449	51,653	228	49.2	41.8-56.6	37	12.0	05.9-18.1	62	14.0	08.7-19.3	59	12.6	07.1-18.1	63	12.1	08.2-16.0
\$15,000- 24,999	417	49,865	197	55.1	47.5-62.7	30	9.1	03.8-14.4	51	12.5	06.8-18.2	51	6.9	04.5-09.3	88	16.4	11.9-20.9
\$25,000- 34,999	398	53,157	256	64.1	56.7-71.5	33	10.8	05.3-16.3	43	9.0	05.7-12.3	39	8.6	05.1-12.1	27	7.5	03.2-11.8
\$35,000- 49,999	579	84,063	377	67.9	62.4-73.4	56	10.2	06.7-13.7	67	9.8	06.9-12.7	45	6.4	03.7-09.1	34	5.7	03.3-08.1
\$50,000- 74,999	671	118,329	437	64.2	58.3-70.1	88	15.2	10.9-19.5	76	12.1	07.4-16.8	43	6.0	03.8-08.2	27	2.5	01.3-03.7
\$75,000+	1164	220,402	799	66.1	62.4-69.8	160	16.3	13.2-19.4	122	11.8	09.3-14.3	42	3.1	01.9-04.3	41	2.7	01.7-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1596	319,120	1048	64.6	61.3-67.9	177	14.3	11.6-17.0	163	10.9	08.5-13.3	106	5.4	04.0-06.8	102	4.9	03.5-06.3
White/Non-Hisp	1283	238,696	838	62.4	58.5-66.3	148	15.7	12.4-19.0	135	12.1	09.4-14.8	83	4.7	03.3-06.1	79	5.0	03.4-06.6
Black or Afr. Am./Non-Hisp	167	36,549	116	76.2	68.2-84.2	13	8.7	02.6-14.8	13	3.9	01.2-06.6	13	6.3	02.4-10.2	12	4.8	01.7-07.9
Oth. Race/Non-Hisp.	54	15,444										1	3.3	00.0-09.8	7	8.8	00.0-18.0
18-24	70	42,669							8	13.1	04.3-21.9	1	0.3	00.0-00.9	3	1.9	00.0-04.1
25-34	128	53,735				18	15.4	07.6-23.2	19	12.4	05.5-19.3	7	5.8	00.3-11.3	2	2.1	00.0-05.6
35-44	237	59,513	152	58.9	51.3-66.5	41	19.9	13.8-26.0	22	11.7	06.0-17.4	13	5.8	02.3-09.3	9	3.7	00.8-06.6
45-54	283	59,586	202	70.6	63.9-77.3	22	9.7	04.8-14.6	25	8.9	04.6-13.2	20	6.7	03.4-10.0	14	4.1	01.6-06.6
55-64	339	48,724	217	65.5	58.8-72.2	32	10.2	05.3-15.1	36	9.6	05.9-13.3	26	5.8	02.9-08.7	28	9.0	05.1-12.9
65+	529	53,141	346	65.0	60.1-69.9	48	9.7	06.6-12.8	53	10.6	07.5-13.7	38	6.2	03.8-08.6	44	8.6	05.3-11.9
Less Than H.S.	122	22,312				6	4.6	00.0-09.5	11	7.1	02.2-12.0				22	15.0	05.4-24.6
H.S. or G.E.D.	468	95,314	313	64.5	58.4-70.6	48	13.9	09.2-18.6	45	11.0	06.5-15.5	35	6.2	03.7-08.7	27	4.4	02.2-06.6
Some Post-H.S.	376	72,897	238	62.7	55.3-70.1	45	17.3	10.6-24.0	47	11.7	07.2-16.2	21	3.7	01.5-05.9	25	4.6	02.4-06.8
College Graduate	627	127,841	421	65.9	60.6-71.2	78	14.5	10.4-18.6	60	11.1	07.4-14.8	40	4.8	02.8-06.8	28	3.8	02.0-05.6
Less than \$15,000	126	21,658				10	9.5	01.7-17.3							22	14.1	06.3-21.9
\$15,000- 24,999	115	20,989				7	7.9	00.1-15.7				16	6.1	02.6-09.6	22	14.5	06.9-22.1
\$25,000- 34,999	133	21,561				11	11.8	02.0-21.6	19	12.2	05.5-18.9	15	12.9	05.3-20.5	7	9.5	00.3-18.7
\$35,000- 49,999	231	39,923	152	68.1	59.9-76.3	22	10.0	04.5-15.5	22	9.0	04.1-13.9	19	5.9	02.4-09.4	16	7.0	03.1-10.9
\$50,000- 74,999	294	59,255	193	63.8	55.6-72.0	44	19.3	12.0-26.6	29	10.2	05.5-14.9	17	5.0	02.3-07.7	11	1.8	00.6-03.0
\$75,000+	518	117,626	370	68.9	63.4-74.4	64	14.6	10.3-18.9	49	11.6	07.7-15.5	22	3.0	01.4-04.6	13	1.9	00.5-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2726	350,114	1699	62.8	59.9-65.7	280	12.8	10.6-15.0	311	11.9	09.9-13.9	208	6.4	05.0-07.8	228	6.1	05.1-07.1
White/Non-Hisp	2180	266,235	1362	62.6	59.5-65.7	230	12.6	10.4-14.8	244	12.3	09.9-14.7	155	6.1	04.7-07.5	189	6.4	05.2-07.6
Black or Afr. Am./Non-Hisp	367	52,933	224	63.8	56.7-70.9	32	10.0	05.5-14.5	42	10.5	06.4-14.6	41	9.2	05.3-13.1	28	6.5	03.4-09.6
Oth. Race/Non-Hisp.	68	13,704							6	4.5	00.4-08.6	4	1.4	00.0-03.0	4	2.7	00.0-05.6
Hispanic	65	12,536							11	13.4	03.8-23.0	4	5.3	00.0-11.2	3	3.8	00.0-09.3
18-24	76	42,518				10	11.3	01.7-20.9				5	5.9	00.0-12.6			
25-34	240	55,922	162	68.7	61.6-75.8	36	16.1	10.0-22.2	24	8.5	04.6-12.4	12	5.0	01.9-08.1	6	1.7	00.1-03.3
35-44	383	61,735	236	57.3	51.0-63.6	48	16.8	11.7-21.9	55	14.4	09.9-18.9	25	6.4	03.5-09.3	19	5.1	02.4-07.8
45-54	508	65,471	299	58.6	53.1-64.1	66	16.4	11.7-21.1	59	11.5	08.0-15.0	42	6.8	04.3-09.3	42	6.7	04.3-09.1
55-64	580	49,984	364	61.9	57.0-66.8	63	11.6	08.3-14.9	65	11.6	08.3-14.9	44	7.1	04.7-09.5	44	7.8	04.9-10.7
65+	887	69,513	551	63.1	59.2-67.0	52	5.0	03.4-06.6	93	12.5	09.6-15.4	77	6.7	04.9-08.5	114	12.8	10.1-15.5
Less Than H.S.	191	23,372				12	9.3	01.7-16.9				24	13.9	03.9-23.9	32	12.8	06.9-18.7
H.S. or G.E.D.	870	95,738	545	65.7	60.8-70.6	68	10.1	06.2-14.0	94	10.3	07.4-13.2	75	6.1	04.3-07.9	88	7.8	05.6-10.0
Some Post-H.S.	741	93,600	469	61.9	56.6-67.2	74	13.9	09.2-18.6	84	10.6	07.9-13.3	60	8.2	05.3-11.1	54	5.4	03.6-07.2
College Graduate	922	137,284	582	63.8	59.1-68.5	126	14.5	11.6-17.4	111	13.3	09.4-17.2	49	4.0	02.4-05.6	54	4.3	02.9-05.7
Less than \$15,000	323	29,995	162	47.8	39.6-56.0	27	13.8	05.2-22.4	44	13.8	08.7-18.9	49	13.8	09.1-18.5	41	10.7	06.8-14.6
\$15,000- 24,999	302	28,876	139	51.4	43.0-59.8	23	10.0	03.1-16.9	39	13.4	08.3-18.5	35	7.4	04.3-10.5	66	17.8	12.5-23.1
\$25,000- 34,999	265	31,596	175	71.3	62.9-79.7	22	10.2	03.7-16.7	24	6.8	03.5-10.1	24	5.6	02.7-08.5	20	6.0	02.5-09.5
\$35,000- 49,999	348	44,140	225	67.7	60.1-75.3	34	10.4	05.9-14.9	45	10.5	06.8-14.2	26	6.9	02.8-11.0	18	4.5	01.8-07.2
\$50,000- 74,999	377	59,074	244	64.7	56.5-72.9	44	11.0	07.1-14.9	47	14.1	06.3-21.9	26	7.0	03.7-10.3	16	3.2	01.2-05.2
\$75,000+	646	102,776	429	62.8	57.5-68.1	96	18.2	13.5-22.9	73	12.0	08.5-15.5	20	3.2	01.6-04.8	28	3.7	02.1-05.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4315	665,743	3022	66.5	64.3-68.7	338	9.7	08.3-11.1	433	11.7	10.1-13.3	300	7.7	06.3-09.1	222	4.4	03.6-05.2
Male	1587	316,746	1195	71.5	68.2-74.8	111	8.6	06.6-10.6	127	8.5	06.5-10.5	85	7.4	05.0-09.8	69	4.0	02.8-05.2
Female	2728	348,997	1827	62.0	59.1-64.9	227	10.8	09.0-12.6	306	14.5	12.1-16.9	215	8.0	06.4-09.6	153	4.7	03.7-05.7
White/Non-Hisp	3459	501,503	2424	66.5	64.1-68.9	283	10.3	08.7-11.9	360	12.0	10.2-13.8	218	7.0	05.6-08.4	174	4.2	03.4-05.0
Black or Afr. Am./Non-Hisp	531	89,515	365	67.0	61.1-72.9	35	7.9	04.6-11.2	44	9.9	05.8-14.0	59	10.5	06.8-14.2	28	4.7	02.5-06.9
Oth. Race/Non-Hisp.	121	29,112				5	4.0	00.0-08.1							7	3.2	00.0-06.9
MultiRacial/Non-Hisp.	65	12,772										7	11.0	02.0-20.0	5	2.3	00.0-04.7
Hispanic	111	28,816				6	10.4	00.6-20.2				6	6.0	00.3-11.7	8	8.2	00.8-15.6
18-24	144	83,853				18	9.7	04.2-15.2	24	19.3	10.7-27.9	15	11.8	04.2-19.4	6	3.7	00.2-07.2
25-34	367	109,015	224	61.8	55.5-68.1	46	12.6	08.5-16.7	49	12.7	08.4-17.0	38	11.0	06.9-15.1	10	1.8	00.6-03.0
35-44	617	120,351	381	62.2	57.5-66.9	61	12.7	09.0-16.4	88	12.2	09.3-15.1	56	8.1	05.6-10.6	31	4.8	02.8-06.8
45-54	790	125,211	492	63.8	59.5-68.1	80	11.0	08.1-13.9	91	11.8	08.9-14.7	72	8.0	05.8-10.2	55	5.4	03.4-07.4
55-64	920	98,692	641	71.3	67.4-75.2	71	7.6	05.2-10.0	76	8.3	05.9-10.7	72	6.1	04.3-07.9	60	6.7	04.5-08.9
65+	1413	121,825	1154	81.1	78.6-83.6	59	5.0	03.4-06.6	100	7.6	05.8-09.4	42	2.6	01.6-03.6	58	3.8	02.6-05.0
Less Than H.S.	312	44,336	217	62.2	53.0-71.4	18	9.0	02.5-15.5	25	11.7	04.6-18.8	19	6.1	02.2-10.0	33	11.0	06.3-15.7
H.S. or G.E.D.	1326	188,121	945	68.4	64.3-72.5	87	9.1	06.4-11.8	122	9.0	06.8-11.2	99	8.7	06.0-11.4	73	4.8	03.2-06.4
Some Post-H.S.	1118	166,678	766	64.4	59.9-68.9	83	9.0	06.6-11.4	110	12.5	08.8-16.2	95	9.4	06.9-11.9	64	4.7	02.9-06.5
College Graduate	1554	265,730	1091	67.2	63.7-70.7	149	10.7	08.5-12.9	175	13.0	10.5-15.5	87	6.3	03.9-08.7	52	2.8	01.8-03.8
Less than \$15,000	449	51,764	310	65.8	58.5-73.1	23	6.4	02.7-10.1	45	10.2	05.5-14.9	38	11.4	05.9-16.9	33	6.2	03.1-09.3
\$15,000- 24,999	420	49,783	250	57.2	49.6-64.8	27	10.5	04.2-16.8	31	7.4	03.5-11.3	47	9.1	05.8-12.4	65	15.8	10.3-21.3
\$25,000- 34,999	397	53,124	267	62.5	54.3-70.7	30	7.8	04.3-11.3	48	13.4	07.7-19.1	28	11.1	03.5-18.7	24	5.2	02.7-07.7
\$35,000- 49,999	578	83,726	414	67.8	61.3-74.3	45	8.5	05.2-11.8	54	12.3	06.8-17.8	44	8.2	04.9-11.5	21	3.2	01.4-05.0
\$50,000- 74,999	669	118,057	457	62.1	56.0-68.2	61	11.3	07.6-15.0	82	12.9	09.0-16.8	43	9.9	05.4-14.4	26	3.8	01.6-06.0
\$75,000+	1163	220,080	821	68.6	64.9-72.3	115	10.7	08.5-12.9	130	12.9	10.0-15.8	66	5.5	03.7-07.3	31	2.4	01.4-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1587	316,746	1195	71.5	68.2-74.8	111	8.6	06.6-10.6	127	8.5	06.5-10.5	85	7.4	05.0-09.8	69	4.0	02.8-05.2
White/Non-Hisp	1277	236,263	960	70.4	66.7-74.1	94	9.3	06.9-11.7	106	9.3	06.9-11.7	61	6.5	04.3-08.7	56	4.5	02.9-06.1
Black or Afr. Am./Non-Hisp	166	36,686	130	77.8	69.0-86.6	9	7.7	01.6-13.8	8	2.9	00.0-05.8	13	8.6	02.1-15.1	6	3.1	00.4-05.8
Oth. Race/Non-Hisp.	52	15,366				2	1.4	00.0-03.6	2	2.3	00.0-06.0				4	4.9	00.0-11.6
18-24	69	41,777				6	8.1	01.4-14.8	7	11.2	02.6-19.8				3	4.6	00.0-10.1
25-34	127	53,093				12	9.5	03.4-15.6	11	9.4	02.7-16.1	12	12.0	04.7-19.3	2	1.3	00.0-03.3
35-44	234	58,604	156	67.2	59.9-74.5	22	11.1	05.6-16.6	28	9.7	05.4-14.0	15	6.6	03.1-10.1	13	5.3	02.2-08.4
45-54	284	59,854	200	72.7	66.6-78.8	31	12.0	07.3-16.7	25	8.3	04.6-12.0	16	4.1	01.7-06.5	12	3.0	01.0-05.0
55-64	337	48,626	248	76.4	70.5-82.3	22	5.9	02.4-09.4	23	6.1	03.0-09.2	20	4.4	02.2-06.6	24	7.1	03.4-10.8
65+	526	53,040	451	84.5	80.6-88.4	17	3.7	01.5-05.9	33	6.8	04.1-09.5	10	1.8	00.2-03.4	15	3.2	01.4-05.0
Less Than H.S.	118	21,135				2	1.5	00.0-03.7	11	9.5	00.3-18.7	7	8.0	00.7-15.3	12	11.8	04.0-19.6
H.S. or G.E.D.	466	93,710	345	69.7	63.6-75.8	29	10.4	05.7-15.1	40	8.4	05.1-11.7	28	7.6	04.1-11.1	24	3.9	01.9-05.9
Some Post-H.S.	374	72,977	287	72.8	65.7-79.9	31	9.8	05.7-13.9	21	7.2	02.7-11.7	21	6.8	02.5-11.1	14	3.5	00.4-06.6
College Graduate	626	128,167	475	72.4	67.1-77.7	48	7.6	05.1-10.1	55	9.2	05.9-12.5	29	7.6	03.3-11.9	19	3.1	01.5-04.7
Less than \$15,000	127	21,798				4	1.5	00.0-03.3	15	11.2	02.0-20.4				8	7.1	00.8-13.4
\$15,000- 24,999	115	20,989							6	5.5	00.0-12.6	11	6.4	01.7-11.1	22	17.2	08.4-26.0
\$25,000- 34,999	132	21,528				10	7.2	02.1-12.3	9	10.8	01.2-20.4	6	9.0	00.0-18.6	8	4.3	00.6-08.0
\$35,000- 49,999	230	39,685	172	70.6	61.8-79.4	17	8.9	03.4-14.4	20	9.5	03.4-15.6	15	8.2	02.5-13.9	6	2.8	00.1-05.5
\$50,000- 74,999	292	59,126	219	65.9	56.9-74.9	23	10.6	05.1-16.1	28	8.4	04.7-12.1	12	10.7	02.5-18.9	10	4.3	00.6-08.0
\$75,000+	517	117,286	408	77.4	72.7-82.1	40	8.6	05.7-11.5	37	7.9	04.6-11.2	20	3.9	01.5-06.3	12	2.3	00.9-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2728	348,997	1827	62.0	59.1-64.9	227	10.8	09.0-12.6	306	14.5	12.1-16.9	215	8.0	06.4-09.6	153	4.7	03.7-05.7
White/Non-Hisp	2182	265,240	1464	63.1	60.0-66.2	189	11.1	09.1-13.1	254	14.3	11.8-16.8	157	7.4	05.6-09.2	118	4.1	03.1-05.1
Black or Afr. Am./Non-Hisp	365	52,829	235	59.5	51.9-67.1	26	8.0	04.3-11.7	36	14.7	08.2-21.2	46	11.9	07.6-16.2	22	5.8	02.7-08.9
Oth. Race/Non-Hisp.	69	13,746				3	6.9	00.0-15.1				3	2.4	00.0-05.3	3	1.2	00.0-02.8
Hispanic	65	12,536										5	8.7	00.3-17.1			
18-24	75	42,076				12	11.4	02.8-20.0				5	6.3	00.0-14.7	3	2.9	00.0-07.4
25-34	240	55,922	134	56.2	48.6-63.8	34	15.6	10.1-21.1	38	15.8	10.1-21.5	26	10.1	05.8-14.4	8	2.3	00.5-04.1
35-44	383	61,747	225	57.5	51.4-63.6	39	14.1	09.2-19.0	60	14.5	10.4-18.6	41	9.6	06.1-13.1	18	4.2	01.8-06.6
45-54	506	65,357	292	55.7	50.0-61.4	49	10.1	06.8-13.4	66	14.9	10.4-19.4	56	11.6	08.1-15.1	43	7.7	04.6-10.8
55-64	583	50,066	393	66.3	61.4-71.2	49	9.2	06.3-12.1	53	10.4	07.1-13.7	52	7.8	05.1-10.5	36	6.3	03.8-08.8
65+	887	68,785	703	78.5	75.0-82.0	42	6.0	03.8-08.2	67	8.1	05.7-10.5	32	3.2	01.8-04.6	43	4.2	02.6-05.8
Less Than H.S.	194	23,202										12	4.3	01.4-07.2	21	10.4	04.7-16.1
H.S. or G.E.D.	860	94,411	600	67.2	61.9-72.5	58	7.8	05.3-10.3	82	9.5	06.6-12.4	71	9.8	05.5-14.1	49	5.6	03.1-08.1
Some Post-H.S.	744	93,701	479	57.9	52.4-63.4	52	8.4	05.7-11.1	89	16.6	11.3-21.9	74	11.4	08.3-14.5	50	5.7	03.5-07.9
College Graduate	928	137,563	616	62.3	57.6-67.0	101	13.6	10.3-16.9	120	16.6	12.7-20.5	58	5.1	03.5-06.7	33	2.4	01.4-03.4
Less than \$15,000	322	29,966	220	67.6	60.0-75.2	19	10.0	03.9-16.1	30	9.5	05.0-14.0	28	7.4	04.1-10.7	25	5.5	02.8-08.2
\$15,000- 24,999	305	28,794	182	57.6	49.2-66.0	19	7.7	03.0-12.4	25	8.8	04.7-12.9	36	11.1	06.8-15.4	43	14.8	07.5-22.1
\$25,000- 34,999	265	31,596				20	8.2	03.5-12.9	39	15.2	07.9-22.5				16	5.7	02.2-09.2
\$35,000- 49,999	348	44,041	242	65.4	56.2-74.6	28	8.1	04.4-11.8	34	14.8	06.2-23.4	29	8.1	04.2-12.0	15	3.6	01.2-06.0
\$50,000- 74,999	377	58,931	238	58.2	50.0-66.4	38	12.0	06.7-17.3	54	17.5	10.8-24.2	31	9.1	05.4-12.8	16	3.2	01.2-05.2
\$75,000+	646	102,795	413	58.5	53.2-63.8	75	13.2	09.9-16.5	93	18.5	13.6-23.4	46	7.4	04.9-09.9	19	2.5	01.1-03.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2205	355,155	1292	59.5	56.4-62.6	266	14.1	11.7-16.5	245	12.9	10.4-15.4	233	8.5	06.9-10.1	169	4.9	03.9-05.9
Male	738	158,184	417	58.4	53.3-63.5	99	15.0	11.3-18.7	89	14.2	09.9-18.5	71	7.1	04.9-09.3	62	5.2	03.6-06.8
Female	1467	196,971	875	60.4	56.5-64.3	167	13.4	10.5-16.3	156	11.8	08.9-14.7	162	9.7	07.3-12.1	107	4.7	03.5-05.9
White/Non-Hisp	1774	272,073	1054	61.2	57.7-64.7	213	13.5	11.1-15.9	192	11.9	09.4-14.4	178	8.2	06.4-10.0	137	5.1	04.1-06.1
Black or Afr. Am./Non-Hisp	273	43,477	157	56.0	47.6-64.4	32	16.0	09.1-22.9	31	12.5	06.8-18.2	33	10.8	06.1-15.5	20	4.8	02.3-07.3
Oth. Race/Non-Hisp.	51	14,748										6	6.3	00.0-13.9	5	4.9	00.0-12.0
Hispanic	58	16,096				2	2.3	00.0-06.4							3	4.1	00.0-09.0
18-24	88	51,816				9	10.6	02.4-18.8				5	5.3	00.0-11.2	3	1.3	00.0-02.9
25-34	196	58,141	127	60.3	51.3-69.3	32	20.4	12.4-28.4	20	10.5	04.6-16.4	16	8.5	03.8-13.2	1	0.2	00.0-00.6
35-44	351	70,902	208	59.3	52.8-65.8	56	16.4	11.7-21.1	39	11.4	06.5-16.3	31	8.4	04.9-11.9	17	4.5	01.8-07.2
45-54	430	66,370	246	60.2	54.1-66.3	52	13.0	08.7-17.3	45	10.6	06.7-14.5	50	9.9	06.6-13.2	37	6.3	03.9-08.7
55-64	470	49,263	261	54.9	48.8-61.0	59	13.7	09.8-17.6	60	15.4	10.7-20.1	53	9.1	06.2-12.0	37	6.9	04.2-09.6
65+	642	55,656	377	59.6	54.9-64.3	53	9.4	06.5-12.3	67	11.5	08.4-14.6	74	9.1	06.6-11.6	71	10.5	07.8-13.2
Less Than H.S.	179	27,897				5	3.5	00.0-07.2				21	9.6	01.0-18.2	34	11.9	06.8-17.0
H.S. or G.E.D.	664	96,411	402	57.0	50.9-63.1	61	12.2	07.9-16.5	64	14.7	09.2-20.2	79	10.4	07.3-13.5	58	5.8	03.8-07.8
Some Post-H.S.	572	91,741	305	55.3	49.0-61.6	75	17.3	11.8-22.8	80	13.0	09.1-16.9	70	9.9	06.8-13.0	42	4.5	02.7-06.3
College Graduate	788	138,738	482	63.7	58.6-68.8	124	15.5	12.0-19.0	84	11.3	07.2-15.4	63	6.2	04.0-08.4	35	3.3	01.9-04.7
Less than \$15,000	267	31,659	126	47.3	37.3-57.3	14	8.4	00.8-16.0	38	19.1	10.1-28.1	50	14.0	08.7-19.3	39	11.2	06.3-16.1
\$15,000- 24,999	280	30,540	134	48.8	39.6-58.0	11	6.1	00.4-11.8	34	16.2	07.2-25.2	49	13.6	07.1-20.1	52	15.3	10.0-20.6
\$25,000- 34,999	201	27,591				18	6.5	02.2-10.8				23	8.7	04.4-13.0	12	3.1	00.9-05.3
\$35,000- 49,999	292	44,202	184	61.8	53.4-70.2	32	13.1	07.0-19.2	28	10.9	04.8-17.0	29	8.6	04.5-12.7	19	5.6	02.7-08.5
\$50,000- 74,999	353	68,457	223	64.7	56.7-72.7	49	11.9	07.4-16.4	47	13.5	06.6-20.4	27	8.5	04.4-12.6	7	1.5	00.1-02.9
\$75,000+	545	107,014	334	61.6	56.1-67.1	109	21.7	16.8-26.6	54	9.7	06.4-13.0	35	5.6	03.2-08.0	13	1.4	00.4-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	738	158,184	417	58.4	53.3-63.5	99	15.0	11.3-18.7	89	14.2	09.9-18.5	71	7.1	04.9-09.3	62	5.2	03.6-06.8
White/Non-Hisp	596	120,884	341	60.1	54.6-65.6	79	14.3	10.2-18.4	71	13.0	08.9-17.1	55	7.2	04.7-09.7	50	5.4	03.6-07.2
Black or Afr. Am./Non-Hisp	69	13,842										7	7.7	00.8-14.6	6	5.6	00.5-10.7
25-34	65	27,780										4	7.2	00.1-14.3	1	0.5	00.0-01.5
35-44	122	32,842				20	16.2	08.6-23.8	10	11.6	02.6-20.6	11	9.7	03.6-15.8	6	5.2	00.5-09.9
45-54	128	27,144				17	15.2	07.0-23.4	13	9.5	03.8-15.2	14	7.1	02.2-12.0	12	6.4	02.7-10.1
55-64	159	21,760				22	12.0	06.1-17.9	23	18.9	10.1-27.7	14	6.7	02.4-11.0	18	9.9	04.6-15.2
65+	216	22,048	117	54.7	46.7-62.7	22	13.0	07.3-18.7	29	13.8	08.1-19.5	25	9.1	04.6-13.6	23	9.4	05.3-13.5
Less Than H.S.	59	11,515				1	1.5	00.0-04.4				6	6.4	00.0-14.2	13	12.6	04.2-21.0
H.S. or G.E.D.	213	47,410	118	54.5	45.3-63.7	26	14.8	07.7-21.9	25	16.2	08.2-24.2	23	8.0	04.1-11.9	21	6.5	03.0-10.0
Some Post-H.S.	177	37,691				27	17.1	08.9-25.3	28	15.3	07.7-22.9	17	6.8	02.1-11.5	14	4.4	01.9-06.9
College Graduate	288	61,283	176	61.9	53.5-70.3	45	16.5	10.4-22.6	28	11.5	03.9-19.1	25	6.7	03.0-10.4	14	3.4	01.2-05.6
Less than \$15,000	74	13,746				2	1.7	00.0-04.2				6	8.1	00.0-16.5	13	12.3	02.9-21.7
\$15,000- 24,999	73	11,847										15	9.4	03.5-15.3			
\$25,000- 34,999	65	11,605				5	7.4	00.0-15.4				7	7.6	01.1-14.1	4	4.0	00.0-08.5
\$35,000- 49,999	109	20,421							7	5.7	00.8-10.6	11	9.5	02.4-16.6	9	6.8	02.1-11.5
\$50,000- 74,999	143	32,304				15	9.4	02.7-16.1				14	8.4	02.3-14.5	4	0.9	00.0-01.9
\$75,000+	203	48,783	115	58.3	49.7-66.9	49	23.2	15.9-30.5	20	11.7	05.6-17.8	13	5.4	01.7-09.1	6	1.4	00.0-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1467	196,971	875	60.4	56.5-64.3	167	13.4	10.5-16.3	156	11.8	08.9-14.7	162	9.7	07.3-12.1	107	4.7	03.5-05.9
White/Non-Hisp	1178	151,189	713	62.0	57.7-66.3	134	12.9	10.0-15.8	121	11.1	07.8-14.4	123	9.0	06.6-11.4	87	4.9	03.5-06.3
Black or Afr. Am./Non-Hisp	204	29,636	118	58.6	49.0-68.2	22	12.4	06.3-18.5	24	12.4	05.3-19.5	26	12.2	06.1-18.3	14	4.4	01.3-07.5
25-34	131	30,361				19	17.6	08.4-26.8	12	8.7	02.4-15.0	12	9.8	03.5-16.1			
35-44	229	38,060	133	60.9	53.3-68.5	36	16.6	10.7-22.5	29	11.3	06.4-16.2	20	7.3	03.6-11.0	11	3.8	00.9-06.7
45-54	302	39,226	174	59.1	51.8-66.4	35	11.5	07.0-16.0	32	11.4	06.3-16.5	36	11.8	07.1-16.5	25	6.2	03.3-09.1
55-64	311	27,503	179	56.8	49.9-63.7	37	15.1	09.8-20.4	37	12.7	07.8-17.6	39	11.0	06.9-15.1	19	4.4	01.9-06.9
65+	426	33,607	260	62.9	57.2-68.6	31	7.0	04.1-09.9	38	9.9	06.2-13.6	49	9.0	05.9-12.1	48	11.2	07.5-14.9
Less Than H.S.	120	16,382				4	4.9	00.0-11.0							21	11.4	05.1-17.7
H.S. or G.E.D.	451	49,002	284	59.4	51.6-67.2	35	9.6	04.3-14.9	39	13.3	05.5-21.1	56	12.7	07.8-17.6	37	5.1	03.1-07.1
Some Post-H.S.	395	54,050	214	54.6	47.0-62.2	48	17.4	10.1-24.7	52	11.4	07.7-15.1	53	12.1	07.8-16.4	28	4.5	02.1-06.9
College Graduate	500	77,455	306	65.1	59.2-71.0	79	14.7	10.8-18.6	56	11.2	06.9-15.5	38	5.8	03.4-08.2	21	3.3	01.5-05.1
Less than \$15,000	193	17,913							19	8.6	04.1-13.1	44	18.5	11.8-25.2	26	10.4	05.7-15.1
\$15,000- 24,999	207	18,693				6	3.1	00.0-07.4	23	11.7	05.8-17.6	34	16.3	06.7-25.9	34	12.8	07.1-18.5
\$25,000- 34,999	136	15,986				13	5.9	01.6-10.2				16	9.5	03.6-15.4	8	2.5	00.5-04.5
\$35,000- 49,999	183	23,781				21	11.4	05.5-17.3				18	7.8	03.3-12.3	10	4.5	01.0-08.0
\$50,000- 74,999	210	36,153	129	63.6	53.8-73.4	34	14.1	08.0-20.2	31	11.7	06.0-17.4	13	8.6	03.3-13.9	3	2.0	00.0-04.5
\$75,000+	342	58,231	219	64.4	57.3-71.5	60	20.5	13.6-27.4	34	8.0	04.9-11.1	22	5.8	03.1-08.5	7	1.3	00.1-02.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4358	672,036	4059	90.4	88.8-92.0	299	9.6	08.0-11.2
Male	1604	320,097	1467	86.5	83.8-89.2	137	13.5	10.8-16.2
Female	2754	351,939	2592	93.9	92.5-95.3	162	6.1	04.7-07.5
White/Non-Hisp	3492	507,088	3285	92.4	90.8-94.0	207	7.6	06.0-09.2
Black or Afr. Am./Non-Hisp	538	89,982	486	86.8	82.1-91.5	52	13.2	08.5-17.9
Oth. Race/Non-Hisp.	123	29,191	114	93.3	88.0-98.6	9	6.7	01.4-12.0
18-24	146	85,187	113	78.2	70.2-86.2	33	21.8	13.8-29.8
25-34	368	109,657	322	87.1	82.4-91.8	46	12.9	08.2-17.6
35-44	624	121,601	575	91.3	88.0-94.6	49	8.7	05.4-12.0
45-54	796	125,907	711	91.0	88.6-93.4	85	9.0	06.6-11.4
55-64	925	99,037	864	92.6	90.1-95.1	61	7.4	04.9-09.9
65+	1434	123,775	1412	98.1	97.1-99.1	22	1.9	00.9-02.9
Less Than H.S.	322	46,460	273	74.1	65.3-82.9	49	25.9	17.1-34.7
H.S. or G.E.D.	1345	191,088	1213	85.9	82.6-89.2	132	14.1	10.8-17.4
Some Post-H.S.	1126	167,222	1055	90.2	86.9-93.5	71	9.8	06.5-13.1
College Graduate	1560	266,389	1514	96.6	95.2-98.0	46	3.4	02.0-04.8
Less than \$15,000	452	51,676	398	79.7	72.4-87.0	54	20.3	13.0-27.6
\$15,000- 24,999	429	50,857	366	78.9	72.0-85.8	63	21.1	14.2-28.0
\$25,000- 34,999	397	52,910	353	87.0	81.9-92.1	44	13.0	07.9-18.1
\$35,000- 49,999	583	84,380	542	89.6	85.5-93.7	41	10.4	06.3-14.5
\$50,000- 74,999	675	118,581	637	93.2	90.3-96.1	38	6.8	03.9-09.7
\$75,000+	1169	221,045	1150	97.2	95.6-98.8	19	2.8	01.2-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1604	320,097	1467	86.5	83.8-89.2	137	13.5	10.8-16.2
White/Non-Hisp	1288	239,224	1192	88.9	86.0-91.8	96	11.1	08.2-14.0
Black or Afr. Am./Non-Hisp	170	36,998	148	80.6	71.8-89.4	22	19.4	10.6-28.2
Oth. Race/Non-Hisp.	54	15,444	48	89.5	79.7-99.3	6	10.5	00.7-20.3
25-34	128	53,735	107	82.1	73.3-90.9	21	17.9	09.1-26.7
35-44	237	59,513	211	87.6	81.7-93.5	26	12.4	06.5-18.3
45-54	285	60,092	249	89.6	85.7-93.5	36	10.4	06.5-14.3
55-64	340	48,770	314	90.0	85.3-94.7	26	10.0	05.3-14.7
65+	534	53,565	528	98.4	96.8-0100	6	1.6	00.0-03.2
H.S. or G.E.D.	470	95,255	409	80.7	74.8-86.6	61	19.3	13.4-25.2
Some Post-H.S.	378	73,182	349	85.6	79.3-91.9	29	14.4	08.1-20.7
College Graduate	629	128,317	610	96.2	93.7-98.7	19	3.8	01.3-06.3
\$35,000- 49,999	232	39,974	211	84.0	76.2-91.8	21	16.0	08.2-23.8
\$50,000- 74,999	295	59,305	277	93.7	90.4-97.0	18	6.3	03.0-09.6
\$75,000+	518	117,626	506	95.5	92.6-98.4	12	4.5	01.6-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2754	351,939	2592	93.9	92.5-95.3	162	6.1	04.7-07.5	
White/Non-Hisp	2204	267,864	2093	95.6	94.6-96.6	111	4.4	03.4-05.4	
Black or Afr. Am./Non-Hisp	368	52,984	338	91.2	86.3-96.1	30	8.8	03.9-13.7	
Oth. Race/Non-Hisp.	69	13,746	66	97.6	94.5-0100	3	2.4	00.0-05.5	
18-24	76	42,518	65	89.4	81.4-97.4	11	10.6	02.6-18.6	
25-34	240	55,922	215	91.9	88.4-95.4	25	8.1	04.6-11.6	
35-44	387	62,088	364	94.9	92.0-97.8	23	5.1	02.2-08.0	
45-54	511	65,814	462	92.3	89.8-94.8	49	7.7	05.2-10.2	
55-64	585	50,267	550	95.1	93.1-97.1	35	4.9	02.9-06.9	
65+	900	70,210	884	97.8	96.4-99.2	16	2.2	00.8-03.6	
Less Than H.S.	198	23,873	176	87.2	79.6-94.8	22	12.8	05.2-20.4	
H.S. or G.E.D.	875	95,833	804	91.2	88.3-94.1	71	8.8	05.9-11.7	
Some Post-H.S.	748	94,040	706	93.8	90.9-96.7	42	6.2	03.3-09.1	
College Graduate	931	138,072	904	97.0	95.6-98.4	27	3.0	01.6-04.4	
Less than \$15,000	325	30,067	289	85.1	78.8-91.4	36	14.9	08.6-21.2	
\$15,000- 24,999	312	29,657	278	83.5	76.1-90.9	34	16.5	09.1-23.9	
\$25,000- 34,999	264	31,349	240	93.8	90.9-96.7	24	6.2	03.3-09.1	
\$35,000- 49,999	351	44,406	331	94.7	92.0-97.4	20	5.3	02.6-08.0	
\$50,000- 74,999	380	59,277	360	92.7	88.0-97.4	20	7.3	02.6-12.0	
\$75,000+	651	103,419	644	99.1	98.3-99.9	7	0.9	00.1-01.7	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4355	672,053	3339	77.2	75.2-79.2	681	12.6	11.4-13.8	335	10.2	08.6-11.8
Male	1603	319,974	1196	75.3	72.4-78.2	228	10.8	09.0-12.6	179	13.9	11.2-16.6
Female	2752	352,078	2143	79.0	76.8-81.2	453	14.3	12.5-16.1	156	6.7	04.9-08.5
White/Non-Hisp	3491	507,225	2665	77.0	75.0-79.0	571	13.6	12.2-15.0	255	9.4	07.6-11.2
Black or Afr. Am./Non-Hisp	537	89,900	429	80.1	75.0-85.2	63	9.5	06.6-12.4	45	10.4	06.1-14.7
Oth. Race/Non-Hisp.	123	29,191	94	81.2	72.6-89.8	23	14.9	07.5-22.3	6	3.9	00.0-08.0
MultiRacial/Non-Hisp.	66	12,936				12	7.7	01.4-14.0			
Hispanic	111	28,816				9	5.6	00.3-10.9			
18-24	147	85,426	105	74.3	65.9-82.7	8	2.8	00.4-05.2	34	22.9	14.7-31.1
25-34	368	109,657	281	76.7	71.2-82.2	39	7.9	05.2-10.6	48	15.4	10.5-20.3
35-44	623	121,405	482	75.9	71.6-80.2	80	14.2	10.9-17.5	61	9.9	06.6-13.2
45-54	796	125,907	616	81.0	77.9-84.1	118	12.9	10.2-15.6	62	6.0	04.2-07.8
55-64	925	99,118	728	78.1	74.4-81.8	144	15.9	12.8-19.0	53	6.0	03.8-08.2
65+	1434	123,816	1082	76.7	74.0-79.4	279	18.5	16.0-21.0	73	4.7	03.3-06.1
Less Than H.S.	322	46,460	238	70.1	61.9-78.3	42	8.6	05.1-12.1	42	21.3	13.5-29.1
H.S. or G.E.D.	1342	190,969	1034	77.0	73.7-80.3	203	12.5	10.1-14.9	105	10.5	07.6-13.4
Some Post-H.S.	1125	167,194	850	74.3	70.2-78.4	174	12.0	09.6-14.4	101	13.6	09.7-17.5
College Graduate	1561	266,552	1212	80.3	77.6-83.0	262	13.8	11.6-16.0	87	5.8	04.0-07.6
Less than \$15,000	453	51,914	338	74.6	68.1-81.1	71	11.4	08.1-14.7	44	13.9	07.8-20.0
\$15,000- 24,999	427	50,652	298	66.1	58.5-73.7	76	14.0	09.5-18.5	53	20.0	12.6-27.4
\$25,000- 34,999	397	52,991	301	75.8	69.3-82.3	58	11.4	07.3-15.5	38	12.8	07.3-18.3
\$35,000- 49,999	583	84,380	464	76.1	70.4-81.8	79	11.8	08.5-15.1	40	12.1	06.8-17.4
\$50,000- 74,999	674	118,385	522	79.3	74.8-83.8	104	12.0	09.1-14.9	48	8.7	05.2-12.2
\$75,000+	1169	221,045	938	81.5	78.8-84.2	170	13.2	10.8-15.6	61	5.3	03.5-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1603	319,974	1196	75.3	72.4-78.2	228	10.8	09.0-12.6	179	13.9	11.2-16.6
White/Non-Hisp	1287	239,101	958	75.5	72.2-78.8	193	11.8	09.6-14.0	136	12.7	10.0-15.4
Black or Afr. Am./Non-Hisp	170	36,998	129	72.5	62.5-82.5	18	8.7	03.6-13.8	23	18.8	09.4-28.2
Oth. Race/Non-Hisp.	54	15,444				7	7.9	00.1-15.7	4	4.9	00.0-11.6
18-24	71	42,908				4	4.0	00.0-08.5			
25-34	128	53,735	90	73.4	64.2-82.6	9	3.6	00.7-06.5	29	23.0	14.2-31.8
35-44	236	59,317	176	75.6	68.7-82.5	27	11.0	06.3-15.7	33	13.4	07.7-19.1
45-54	285	60,092	225	81.9	76.8-87.0	29	10.1	06.0-14.2	31	8.0	04.9-11.1
55-64	339	48,604	253	75.0	68.7-81.3	55	16.5	11.2-21.8	31	8.5	04.6-12.4
65+	534	53,565	396	75.6	71.3-79.9	102	18.5	14.6-22.4	36	5.9	03.5-08.3
Less Than H.S.	124	22,587				14	8.8	03.1-14.5			
H.S. or G.E.D.	469	95,132	340	73.6	67.9-79.3	64	10.3	07.2-13.4	65	16.1	11.0-21.2
Some Post-H.S.	378	73,182	277	71.2	63.9-78.5	55	10.2	06.5-13.9	46	18.7	11.8-25.6
College Graduate	629	128,317	493	81.6	77.7-85.5	95	12.0	09.1-14.9	41	6.4	03.9-08.9
Less than \$15,000	128	21,847				25	11.1	05.4-16.8			
\$15,000- 24,999	117	21,200				16	11.1	03.1-19.1			
\$25,000- 34,999	132	21,395				21	11.8	05.7-17.9	21	18.8	08.8-28.8
\$35,000- 49,999	232	39,974	179	69.4	60.4-78.4	29	11.6	06.7-16.5	24	19.0	10.2-27.8
\$50,000- 74,999	294	59,109	223	81.7	76.2-87.2	42	9.0	05.5-12.5	29	9.2	04.9-13.5
\$75,000+	518	117,626	417	81.3	77.0-85.6	68	11.6	08.3-14.9	33	7.1	04.2-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2752	352,078	2143	79.0	76.8-81.2	453	14.3	12.5-16.1	156	6.7	04.9-08.5
White/Non-Hisp	2204	268,124	1707	78.4	75.9-80.9	378	15.2	13.2-17.2	119	6.4	04.6-08.2
Black or Afr. Am./Non-Hisp	367	52,901	300	85.5	81.0-90.0	45	10.0	06.3-13.7	22	4.5	02.0-07.0
Oth. Race/Non-Hisp.	69	13,746							2	2.8	00.0-07.3
Hispanic	65	12,536				6	5.2	00.0-11.1			
18-24	76	42,518				4	1.6	00.0-03.4			
25-34	240	55,922	191	79.9	73.8-86.0	30	12.0	07.3-16.7	19	8.2	03.9-12.5
35-44	387	62,088	306	76.2	70.7-81.7	53	17.2	12.3-22.1	28	6.6	03.3-09.9
45-54	511	65,814	391	80.2	76.1-84.3	89	15.5	11.8-19.2	31	4.3	02.3-06.3
55-64	586	50,514	475	81.1	77.0-85.2	89	15.2	11.5-18.9	22	3.6	01.6-05.6
65+	900	70,251	686	77.6	74.3-80.9	177	18.6	15.5-21.7	37	3.8	02.2-05.4
Less Than H.S.	198	23,873	155	80.4	72.0-88.8	28	8.4	04.3-12.5	15	11.2	03.6-18.8
H.S. or G.E.D.	873	95,837	694	80.5	76.8-84.2	139	14.7	11.6-17.8	40	4.8	02.8-06.8
Some Post-H.S.	747	94,013	573	76.8	72.1-81.5	119	13.5	10.4-16.6	55	9.7	05.4-14.0
College Graduate	932	138,235	719	79.1	75.4-82.8	167	15.6	12.7-18.5	46	5.3	02.8-07.8
Less than \$15,000	325	30,067	255	79.4	72.5-86.3	46	11.7	07.6-15.8	24	8.9	02.8-15.0
\$15,000- 24,999	310	29,452	224	73.2	66.1-80.3	60	16.1	10.8-21.4	26	10.7	05.4-16.0
\$25,000- 34,999	265	31,596	211	80.1	72.3-87.9	37	11.2	05.7-16.7	17	8.7	02.6-14.8
\$35,000- 49,999	351	44,406	285	82.1	75.4-88.8	50	12.0	07.7-16.3	16	6.0	00.5-11.5
\$50,000- 74,999	380	59,277	299	76.9	70.0-83.8	62	15.0	10.3-19.7	19	8.2	02.3-14.1
\$75,000+	651	103,419	521	81.7	78.2-85.2	102	15.1	11.8-18.4	28	3.2	01.6-04.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4356	672,191	415	10.9	09.3-12.5	3941	89.1	87.5-90.7
Male	1603	320,149	123	10.2	07.7-12.7	1480	89.8	87.3-92.3
Female	2753	352,042	292	11.4	09.4-13.4	2461	88.6	86.6-90.6
White/Non-Hisp	3492	507,385	282	8.9	07.3-10.5	3210	91.1	89.5-92.7
Black or Afr. Am./Non-Hisp	537	89,951	74	14.4	09.9-18.9	463	85.6	81.1-90.1
Hispanic	110	28,704	20	17.0	07.0-27.0	90	83.0	73.0-93.0
18-24	147	85,426	23	17.2	09.0-25.4	124	82.8	74.6-91.0
25-34	368	109,657	43	11.1	06.8-15.4	325	88.9	84.6-93.2
35-44	622	121,342	76	11.6	08.3-14.9	546	88.4	85.1-91.7
45-54	795	125,876	122	13.6	10.7-16.5	673	86.4	83.5-89.3
55-64	926	99,284	83	8.2	06.0-10.4	843	91.8	89.6-94.0
65+	1434	123,898	61	4.9	03.3-06.5	1373	95.1	93.5-96.7
Less Than H.S.	321	46,348	58	20.8	13.7-27.9	263	79.2	72.1-86.3
H.S. or G.E.D.	1344	191,338	156	14.0	10.7-17.3	1188	86.0	82.7-89.3
Some Post-H.S.	1125	167,075	121	11.5	08.6-14.4	1004	88.5	85.6-91.4
College Graduate	1561	266,552	80	6.5	04.1-08.9	1481	93.5	91.1-95.9
Less than \$15,000	453	51,914	80	21.7	15.4-28.0	373	78.3	72.0-84.6
\$15,000- 24,999	428	50,826	89	26.7	19.8-33.6	339	73.3	66.4-80.2
\$25,000- 34,999	398	53,157	57	22.4	13.8-31.0	341	77.6	69.0-86.2
\$35,000- 49,999	583	84,380	58	10.6	07.1-14.1	525	89.4	85.9-92.9
\$50,000- 74,999	674	118,434	47	10.0	05.3-14.7	627	90.0	85.3-94.7
\$75,000+	1168	221,005	39	4.2	02.4-06.0	1129	95.8	94.0-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1603	320,149	123	10.2	07.7-12.7	1480	89.8	87.3-92.3
White/Non-Hisp	1287	239,275	88	8.8	06.4-11.2	1199	91.2	88.8-93.6
Black or Afr. Am./Non-Hisp	170	36,998	19	12.5	05.4-19.6	151	87.5	80.4-94.6
25-34	128	53,735	13	11.3	04.0-18.6	115	88.7	81.4-96.0
35-44	236	59,366	24	11.1	06.2-16.0	212	88.9	84.0-93.8
45-54	285	60,092	33	11.5	07.0-16.0	252	88.5	84.0-93.0
55-64	340	48,770	20	5.5	02.4-08.6	320	94.5	91.4-97.6
65+	533	53,525	21	5.3	02.4-08.2	512	94.7	91.8-97.6
H.S. or G.E.D.	470	95,454	48	12.3	08.2-16.4	422	87.7	83.6-91.8
Some Post-H.S.	377	73,035	30	10.2	05.5-14.9	347	89.8	85.1-94.5
College Graduate	629	128,317	23	7.0	02.7-11.3	606	93.0	88.7-97.3
\$35,000- 49,999	232	39,974	19	9.7	04.4-15.0	213	90.3	85.0-95.6
\$50,000- 74,999	294	59,158	13	8.6	00.8-16.4	281	91.4	83.6-99.2
\$75,000+	517	117,586	17	5.5	02.4-08.6	500	94.5	91.4-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2753	352,042	292	11.4	09.4-13.4	2461	88.6	86.6-90.6
White/Non-Hisp	2205	268,110	194	8.9	06.9-10.9	2011	91.1	89.1-93.1
Black or Afr. Am./Non-Hisp	367	52,953	55	15.8	09.9-21.7	312	84.2	78.3-90.1
25-34	240	55,922	30	10.9	06.6-15.2	210	89.1	84.8-93.4
35-44	386	61,976	52	12.0	07.7-16.3	334	88.0	83.7-92.3
45-54	510	65,783	89	15.6	11.7-19.5	421	84.4	80.5-88.3
55-64	586	50,514	63	10.7	07.6-13.8	523	89.3	86.2-92.4
65+	901	70,373	40	4.5	02.7-06.3	861	95.5	93.7-97.3
Less Than H.S.	197	23,762	36	21.0	12.2-29.8	161	79.0	70.2-87.8
H.S. or G.E.D.	874	95,884	108	15.7	10.6-20.8	766	84.3	79.2-89.4
Some Post-H.S.	748	94,040	91	12.5	08.8-16.2	657	87.5	83.8-91.2
College Graduate	932	138,235	57	6.0	04.0-08.0	875	94.0	92.0-96.0
Less than \$15,000	325	30,067	60	23.0	15.7-30.3	265	77.0	69.7-84.3
\$15,000- 24,999	311	29,626	64	27.0	19.0-35.0	247	73.0	65.0-81.0
\$35,000- 49,999	351	44,406	39	11.5	07.0-16.0	312	88.5	84.0-93.0
\$50,000- 74,999	380	59,277	34	11.4	06.1-16.7	346	88.6	83.3-93.9
\$75,000+	651	103,419	22	2.7	01.3-04.1	629	97.3	95.9-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4333	667,621	3628	79.3	77.3-81.3	365	11.3	09.7-12.9	180	5.5	04.3-06.7	147	3.6	02.8-04.4	13	0.3	00.1-00.5
Male	1593	317,370	1306	77.2	74.1-80.3	138	12.8	10.1-15.5	78	5.5	03.9-07.1	67	4.2	02.8-05.6	4	0.2	00.0-00.4
Female	2740	350,251	2322	81.3	78.8-83.8	227	9.9	08.1-11.7	102	5.5	03.5-07.5	80	3.1	02.1-04.1	9	0.3	00.1-00.5
White/Non-Hisp	3474	504,275	2879	77.8	75.6-80.0	303	12.0	10.2-13.8	150	5.8	04.4-07.2	130	4.0	03.0-05.0	12	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	534	89,426	481	88.8	84.1-93.5	35	6.8	03.7-09.9	11	3.6	00.0-07.3	7	0.8	00.0-01.6			
Oth. Race/Non-Hisp.	123	29,191							8	6.5	01.2-11.8	4	1.2	00.0-02.4	1	0.4	00.0-01.2
MultiRacial/Non-Hisp.	66	12,936				4	2.6	00.0-05.5	3	5.0	00.0-12.4						
Hispanic	111	28,816							7	6.0	00.5-11.5	3	5.0	00.0-11.3			
18-24	143	84,049	104	71.1	61.3-80.9	20	16.5	08.3-24.7	15	11.1	04.0-18.2	3	1.2	00.0-02.6	1	0.1	00.0-00.3
25-34	363	108,509	256	70.9	65.0-76.8	56	15.1	10.4-19.8	29	7.6	04.5-10.7	20	6.1	03.0-09.2	2	0.3	00.0-00.7
35-44	620	120,722	467	74.0	69.7-78.3	89	14.3	11.0-17.6	30	5.6	03.2-08.0	32	5.8	03.4-08.2	2	0.3	00.0-00.7
45-54	795	125,783	630	79.2	75.7-82.7	75	10.9	08.0-13.8	45	5.4	03.4-07.4	42	4.1	02.7-05.5	3	0.5	00.0-01.3
55-64	924	99,143	800	85.4	82.3-88.5	68	8.6	05.9-11.3	29	3.2	01.8-04.6	26	2.8	01.2-04.4	1	0.0	00.0-00.0
65+	1423	122,542	1312	92.3	90.5-94.1	54	4.3	02.9-05.7	31	2.0	01.2-02.8	23	1.3	00.7-01.9	3	0.2	00.0-00.4
Less Than H.S.	316	45,666	272	80.1	72.3-87.9	21	10.7	04.0-17.4	8	2.1	00.3-03.9	13	6.9	02.2-11.6	2	0.2	00.0-00.4
H.S. or G.E.D.	1336	189,933	1121	80.1	76.6-83.6	104	10.1	07.4-12.8	52	5.4	03.0-07.8	56	4.0	02.6-05.4	3	0.3	00.0-00.7
Some Post-H.S.	1119	165,506	934	77.8	73.5-82.1	92	12.8	08.9-16.7	61	6.2	04.2-08.2	29	3.0	01.2-04.8	3	0.2	00.0-00.4
College Graduate	1557	265,639	1297	79.6	76.5-82.7	148	11.3	08.9-13.7	58	5.7	03.5-07.9	49	3.1	01.9-04.3	5	0.3	00.1-00.5
Less than \$15,000	450	51,465	386	83.1	77.0-89.2	32	6.1	03.6-08.6	11	3.5	00.4-06.6	19	7.0	01.9-12.1	2	0.3	00.0-00.7
\$15,000- 24,999	424	50,244	361	82.4	77.1-87.7	24	6.2	03.3-09.1	18	4.6	01.9-07.3	19	6.5	02.8-10.2	2	0.3	00.0-00.7
\$25,000- 34,999	398	53,157	332	77.7	69.9-85.5	27	8.1	03.8-12.4	19	7.1	00.4-13.8	18	6.1	02.0-10.2	2	1.0	00.0-02.6
\$35,000- 49,999	583	84,380	491	81.0	75.5-86.5	48	10.3	06.4-14.2	27	6.3	02.2-10.4	17	2.4	01.0-03.8			
\$50,000- 74,999	670	118,010	555	78.9	74.0-83.8	52	10.1	06.4-13.8	38	7.1	03.8-10.4	24	3.7	01.9-05.5	1	0.0	00.0-00.0
\$75,000+	1161	219,282	942	77.4	73.9-80.9	138	14.7	11.6-17.8	51	5.2	03.4-07.0	26	2.3	01.3-03.3	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1593	317,370	1306	77.2	74.1-80.3	138	12.8	10.1-15.5	78	5.5	03.9-07.1	67	4.2	02.8-05.6	4	0.2	00.0-00.4
White/Non-Hisp	1281	237,745	1034	74.9	71.4-78.4	120	14.2	11.1-17.3	66	5.9	04.1-07.7	57	4.6	03.2-06.0	4	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	168	36,761	152	88.0	80.9-95.1	7	7.4	00.9-13.9	5	3.1	00.0-06.2	4	1.5	00.0-03.3			
Oth. Race/Non-Hisp.	54	15,444							2	5.2	00.0-12.6	3	1.5	00.0-03.5			
18-24	68	41,605							6	5.5	00.8-10.2	1	0.9	00.0-02.7			
25-34	126	53,447	82	68.4	58.6-78.2	21	16.8	08.6-25.0	11	6.9	02.2-11.6	11	7.6	02.5-12.7	1	0.2	00.0-00.6
35-44	235	58,815	166	68.9	61.8-76.0	32	15.1	09.8-20.4	17	8.1	04.0-12.2	19	7.8	03.9-11.7	1	0.2	00.0-00.6
45-54	285	60,092	223	78.5	72.8-84.2	26	9.6	05.3-13.9	18	6.9	03.4-10.4	17	4.2	02.0-06.4	1	0.7	00.0-02.1
55-64	339	48,678	292	84.5	79.2-89.8	26	10.1	05.4-14.8	12	3.1	00.9-05.3	9	2.3	00.1-04.5			
65+	530	52,981	486	92.4	89.9-94.9	19	3.9	01.9-05.9	14	2.0	00.8-03.2	10	1.5	00.5-02.5	1	0.2	00.0-00.6
Less Than H.S.	122	22,064				10	12.1	02.7-21.5	5	2.9	00.0-06.0	8	9.2	01.9-16.5			
H.S. or G.E.D.	466	94,545	358	74.4	68.7-80.1	51	14.0	08.9-19.1	22	5.5	02.8-08.2	33	5.6	03.2-08.0	2	0.6	00.0-01.6
Some Post-H.S.	375	71,976	318	77.7	70.4-85.0	22	11.1	04.6-17.6	23	6.3	03.2-09.4	11	4.6	01.1-08.1	1	0.2	00.0-00.6
College Graduate	627	128,029	528	79.1	74.6-83.6	55	13.1	09.2-17.0	28	5.5	03.1-07.9	15	2.2	00.8-03.6	1	0.1	00.0-00.3
Less than \$15,000	127	21,627				8	5.3	01.0-09.6	5	5.2	00.0-11.1	6	9.0	00.0-18.6			
\$15,000- 24,999	114	20,695	87	77.9	68.1-87.7	9	5.4	00.9-09.9	6	4.7	00.4-09.0	12	12.1	04.3-19.9			
\$25,000- 34,999	133	21,561				12	12.2	03.4-21.0	5	2.9	00.0-06.0	10	9.0	01.9-16.1	2	2.6	00.0-06.5
\$35,000- 49,999	232	39,974	195	78.5	70.5-86.5	17	12.5	05.4-19.6	12	5.9	01.6-10.2	8	3.1	00.7-05.5			
\$50,000- 74,999	294	59,212	247	80.0	73.1-86.9	19	11.0	04.7-17.3	15	4.6	02.1-07.1	13	4.4	01.7-07.1			
\$75,000+	514	116,639	415	75.8	70.9-80.7	59	14.9	10.6-19.2	28	7.0	04.1-09.9	10	2.1	00.7-03.5	2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2740	350,251	2322	81.3	78.8-83.8	227	9.9	08.1-11.7	102	5.5	03.5-07.5	80	3.1	02.1-04.1	9	0.3	00.1-00.5
White/Non-Hisp	2193	266,530	1845	80.5	77.8-83.2	183	10.1	08.1-12.1	84	5.7	03.5-07.9	73	3.5	02.3-04.7	8	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	366	52,665	329	89.3	83.0-95.6	28	6.4	03.5-09.3	6	4.0	00.0-09.9	3	0.3	00.0-00.7			
Oth. Race/Non-Hisp.	69	13,746							6	7.9	00.5-15.3	1	0.8	00.0-02.4	1	0.8	00.0-02.4
Hispanic	65	12,536				6	8.2	00.4-16.0	3	6.2	00.0-14.0	2	7.5	00.0-19.5			
18-24	75	42,444				7	9.0	00.0-18.8				2	1.5	00.0-03.7	1	0.3	00.0-00.9
25-34	237	55,063	174	73.3	66.4-80.2	35	13.4	08.5-18.3	18	8.3	04.0-12.6	9	4.7	01.0-08.4	1	0.3	00.0-00.9
35-44	385	61,907	301	78.9	73.8-84.0	57	13.5	09.4-17.6	13	3.2	01.0-05.4	13	3.9	01.0-06.8	1	0.4	00.0-01.2
45-54	510	65,691	407	79.7	75.2-84.2	49	12.0	08.3-15.7	27	4.0	02.0-06.0	25	4.0	02.0-06.0	2	0.2	00.0-00.6
55-64	585	50,465	508	86.2	82.5-89.9	42	7.2	04.5-09.9	17	3.2	01.4-05.0	17	3.3	01.1-05.5	1	0.1	00.0-00.3
65+	893	69,560	826	92.2	89.8-94.6	35	4.7	02.7-06.7	17	2.0	00.8-03.2	13	1.1	00.3-01.9	2	0.1	00.0-00.3
Less Than H.S.	194	23,602				11	9.3	00.0-19.1	3	1.3	00.0-03.1	5	4.9	00.0-11.4	2	0.3	00.0-00.9
H.S. or G.E.D.	870	95,388	763	85.8	81.5-90.1	53	6.3	04.1-08.5	30	5.3	01.4-09.2	23	2.5	01.1-03.9	1	0.0	00.0-00.0
Some Post-H.S.	744	93,530	616	77.8	72.7-82.9	70	14.1	09.4-18.8	38	6.1	03.4-08.8	18	1.8	00.6-03.0	2	0.2	00.0-00.4
College Graduate	930	137,610	769	80.0	75.7-84.3	93	9.6	07.2-12.0	30	5.9	02.4-09.4	34	4.0	02.2-05.8	4	0.5	00.0-01.1
Less than \$15,000	323	29,838	278	84.9	78.4-91.4	24	6.7	03.6-09.8	6	2.3	00.0-05.4	13	5.6	00.3-10.9	2	0.5	00.0-01.3
\$15,000- 24,999	310	29,549	274	85.5	79.8-91.2	15	6.8	02.9-10.7	12	4.6	01.1-08.1	7	2.6	00.0-05.5	2	0.5	00.0-01.3
\$25,000- 34,999	265	31,596				15	5.3	01.8-08.8				8	4.1	00.0-09.0			
\$35,000- 49,999	351	44,406	296	83.2	75.8-90.6	31	8.4	04.9-11.9	15	6.7	00.0-13.8	9	1.8	00.4-03.2			
\$50,000- 74,999	376	58,798	308	77.9	71.0-84.8	33	9.3	05.4-13.2	23	9.7	03.6-15.8	11	3.0	01.0-05.0	1	0.1	00.0-00.3
\$75,000+	647	102,642	527	79.3	74.6-84.0	79	14.4	10.1-18.7	23	3.2	01.6-04.8	16	2.7	01.1-04.3	2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 4: SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 4: SLEEP**

TABLE 1: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4318	666,891	120	3.1	02.1-04.1	986	24.6	22.6-26.6	464	11.7	10.3-13.1	513	14.9	13.1-16.7	651	15.4	13.8-17.0	1584	30.2	28.2-32.2
Male	1585	317,074	46	3.6	02.2-05.0	359	24.4	21.3-27.5	140	10.3	08.1-12.5	173	14.8	11.9-17.7	223	15.1	12.6-17.6	644	31.8	28.7-34.9
Female	2733	349,817	74	2.7	01.5-03.9	627	24.9	22.4-27.4	324	13.0	11.0-15.0	340	14.9	12.7-17.1	428	15.7	13.7-17.7	940	28.8	26.1-31.5
White/Non-Hisp	3465	503,299	90	2.2	01.6-02.8	809	26.0	23.6-28.4	366	11.5	09.9-13.1	413	15.2	13.2-17.2	501	15.1	13.3-16.9	1286	30.0	27.8-32.2
Black or Afr. Am./Non-Hisp	528	88,826	17	6.4	01.9-10.9	122	23.6	18.3-28.9	64	12.5	08.2-16.8	68	11.5	07.6-15.4	89	17.9	13.0-22.8	168	28.1	22.6-33.6
Oth. Race/Non-Hisp.	122	29,087	5	2.3	00.0-05.2	21	14.7	06.7-22.7						25	16.0	06.8-25.2				
Hispanic	111	28,816	3	6.5	00.0-16.7				13	9.7	03.6-15.8			17	11.8	04.7-18.9				
18-24	144	83,927	8	6.3	00.8-11.8	30	21.7	12.9-30.5	25	14.4	07.3-21.5	21	18.9	10.1-27.7	26	13.2	06.9-19.5	34	25.5	16.1-34.9
25-34	365	108,730	6	1.7	00.1-03.3	84	23.3	17.6-29.0	48	12.4	08.3-16.5	76	21.6	15.9-27.3	88	23.0	17.5-28.5	63	18.1	12.8-23.4
35-44	619	120,912	10	1.3	00.3-02.3	186	32.1	27.4-36.8	85	13.0	09.9-16.1	111	16.9	13.6-20.2	116	19.3	15.4-23.2	111	17.4	13.7-21.1
45-54	792	125,323	19	2.9	01.1-04.7	198	25.8	21.9-29.7	104	13.4	10.5-16.3	116	15.7	12.4-19.0	155	16.8	13.7-19.9	200	25.4	21.5-29.3
55-64	920	98,961	27	3.8	01.8-05.8	241	26.3	22.4-30.2	104	11.1	08.6-13.6	108	13.2	10.1-16.3	118	11.8	09.1-14.5	322	33.7	29.6-37.8
65+	1415	122,288	48	3.8	02.4-05.2	240	18.6	16.1-21.1	91	6.8	05.0-08.6	76	4.8	03.4-06.2	139	8.2	06.6-09.8	821	57.7	54.6-60.8
Less Than H.S.	314	44,605	5	1.6	00.0-03.4	49	16.2	09.7-22.7	26	9.8	03.7-15.9	27	9.9	03.8-16.0	63	23.9	15.7-32.1	144	38.5	29.7-47.3
H.S. or G.E.D.	1333	190,468	36	4.0	01.8-06.2	249	22.7	19.2-26.2	128	9.1	06.9-11.3	139	10.9	08.5-13.3	215	16.0	13.3-18.7	566	37.2	33.1-41.3
Some Post-H.S.	1119	165,869	29	2.8	01.4-04.2	240	21.9	18.2-25.6	133	12.9	09.6-16.2	136	15.4	11.9-18.9	188	17.5	14.0-21.0	393	29.5	25.6-33.4
College Graduate	1547	265,073	50	2.9	01.5-04.3	447	29.3	26.0-32.6	176	13.1	10.7-15.5	210	18.2	14.9-21.5	185	12.3	09.9-14.7	479	24.2	21.5-26.9
Less than \$15,000	447	51,078	11	2.2	00.4-04.0	70	13.9	09.0-18.8	50	11.2	06.7-15.7	43	12.7	07.8-17.6	90	21.5	15.6-27.4	183	38.5	31.1-45.9
\$15,000- 24,999	423	50,531	7	2.2	00.2-04.2	68	20.8	13.7-27.9	32	5.8	03.3-08.3	48	10.7	06.8-14.6	83	18.1	13.0-23.2	185	42.4	34.8-50.0
\$25,000- 34,999	392	52,667	7	2.8	00.0-06.1	74	21.1	14.6-27.6	44	9.3	05.8-12.8	55	13.9	09.0-18.8	59	17.9	11.6-24.2	153	35.0	27.0-43.0
\$35,000- 49,999	575	83,443	18	2.3	01.1-03.5	145	27.1	21.4-32.8	62	12.0	07.7-16.3	55	9.7	05.0-14.4	77	14.6	10.1-19.1	218	34.3	27.8-40.8
\$50,000- 74,999	671	118,206	24	4.7	01.6-07.8	182	27.0	21.5-32.5	69	9.3	06.8-11.8	82	17.5	11.8-23.2	108	17.1	12.8-21.4	206	24.4	19.9-28.9
\$75,000+	1163	219,842	35	2.3	01.3-03.3	315	26.9	23.6-30.2	152	16.1	12.8-19.4	183	18.7	15.6-21.8	150	12.2	09.8-14.6	328	23.8	20.7-26.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 4: SLEEP**

**TABLE 2: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1585	317,074	46	3.6	02.2-05.0	359	24.4	21.3-27.5	140	10.3	08.1-12.5	173	14.8	11.9-17.7	223	15.1	12.6-17.6	644	31.8	28.7-34.9
White/Non-Hisp	1276	236,873	33	2.6	01.4-03.8	298	25.6	22.1-29.1	107	10.1	07.7-12.5	141	15.7	12.6-18.8	172	14.9	12.0-17.8	525	31.2	27.9-34.5
Black or Afr. Am./Non-Hisp	164	36,429	6	3.7	00.6-06.8	38	26.3	16.7-35.9	14	11.3	03.3-19.3	17	7.6	03.5-11.7	30	19.5	11.5-27.5	59	31.6	21.8-41.4
Oth. Race/Non-Hisp.	53	15,341	1	2.8	00.0-08.3				6	9.0	00.0-18.4									
18-24	69	41,519	4	7.3	00.0-15.3				10	10.4	03.0-17.8				12	14.8	05.8-23.8			
25-34	126	53,042	3	1.6	00.0-03.4	27	22.6	13.0-32.2	15	10.8	04.5-17.1	28	24.4	14.6-34.2	28	22.6	13.6-31.6	25	18.0	09.6-26.4
35-44	236	59,341	6	2.2	00.2-04.2	72	29.5	22.4-36.6	27	13.4	08.1-18.7	39	15.0	09.9-20.1	39	18.4	12.5-24.3	53	21.6	15.3-27.9
45-54	284	59,933	8	3.2	00.7-05.7	71	25.9	19.4-32.4	36	13.6	08.7-18.5	37	13.1	08.4-17.8	47	14.2	09.5-18.9	85	29.9	23.4-36.4
55-64	335	48,471	13	5.6	01.7-09.5	86	26.1	19.6-32.6	27	6.7	03.6-09.8	38	13.8	08.5-19.1	40	12.0	07.3-16.7	131	35.8	29.1-42.5
65+	525	53,015	12	2.8	01.0-04.6	85	17.4	13.3-21.5	24	5.9	03.2-08.6	21	4.2	02.0-06.4	55	8.1	05.7-10.5	328	61.6	56.5-66.7
Less Than H.S.	120	20,989	4	3.3	00.0-07.0				7	5.7	00.8-10.6	8	5.6	00.0-11.3						
H.S. or G.E.D.	464	94,926	13	5.3	01.4-09.2	82	23.0	17.1-28.9	35	8.5	05.0-12.0	50	11.8	07.9-15.7	72	14.6	10.5-18.7	212	36.7	30.8-42.6
Some Post-H.S.	375	72,443	11	3.6	01.1-06.1	79	21.8	14.9-28.7	37	10.7	06.0-15.4	40	13.9	08.4-19.4	57	17.1	11.2-23.0	151	32.8	26.1-39.5
College Graduate	623	127,960	18	2.3	01.1-03.5	181	27.8	23.1-32.5	61	12.2	08.7-15.7	74	19.0	13.3-24.7	68	12.4	08.7-16.1	221	26.3	22.0-30.6
Less than \$15,000	125	21,407	2	1.9	00.0-05.2	18	13.8	03.8-23.8	9	9.5	01.9-17.1	9	13.6	04.2-23.0						
\$15,000- 24,999	115	21,052	3	2.5	00.0-05.4				9	5.1	01.0-09.2	11	7.3	01.6-13.0	24	17.4	08.4-26.4			
\$25,000- 34,999	131	21,445	2	2.3	00.0-06.2				8	6.7	01.0-12.4	17	13.1	05.3-20.9						
\$35,000- 49,999	228	39,652	5	2.0	00.0-04.0	53	28.6	19.4-37.8	13	6.9	02.0-11.8	17	8.4	02.7-14.1	31	13.7	07.8-19.6	109	40.3	31.5-49.1
\$50,000- 74,999	292	58,980	11	3.3	00.6-06.0	63	21.2	14.5-27.9	26	9.1	05.2-13.0	33	17.7	08.7-26.7	39	16.9	10.0-23.8	120	31.8	24.5-39.1
\$75,000+	514	116,905	17	3.2	01.4-05.0	151	28.5	23.4-33.6	64	14.8	10.5-19.1	76	19.5	14.4-24.6	53	10.4	07.1-13.7	153	23.6	19.3-27.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 4: SLEEP**

**TABLE 3: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2733	349,817	74	2.7	01.5-03.9	627	24.9	22.4-27.4	324	13.0	11.0-15.0	340	14.9	12.7-17.1	428	15.7	13.7-17.7	940	28.8	26.1-31.5
White/Non-Hisp	2189	266,426	57	1.8	01.2-02.4	511	26.4	23.5-29.3	259	12.8	10.6-15.0	272	14.8	12.6-17.0	329	15.3	13.1-17.5	761	29.0	25.9-32.1
Black or Afr. Am./Non-Hisp	364	52,397	11	8.3	01.2-15.4	84	21.8	15.9-27.7	50	13.4	08.7-18.1	51	14.1	08.2-20.0	59	16.7	10.6-22.8	109	25.6	19.5-31.7
Oth. Race/Non-Hisp.	69	13,746	4	1.7	00.0-03.5	11	10.4	02.4-18.4				4	5.1	00.0-10.8	16	14.5	04.7-24.3			
Hispanic	65	12,536	1	0.6	00.0-01.8				7	10.1	01.5-18.7									
18-24	75	42,407	4	5.3	00.0-12.7									14	11.7	02.9-20.5				
25-34	239	55,688	3	1.8	00.0-04.3	57	23.9	17.4-30.4	33	14.0	08.7-19.3	48	19.0	13.3-24.7	60	23.3	17.0-29.6	38	18.1	11.4-24.8
35-44	383	61,571	4	0.5	00.0-01.1	114	34.7	28.6-40.8	58	12.7	09.0-16.4	72	18.7	14.0-23.4	77	20.2	15.3-25.1	58	13.3	09.0-17.6
45-54	508	65,389	11	2.5	00.0-05.0	127	25.8	20.9-30.7	68	13.3	09.8-16.8	79	18.0	13.5-22.5	108	19.2	15.1-23.3	115	21.2	16.5-25.9
55-64	585	50,490	14	2.1	00.9-03.3	155	26.6	22.1-31.1	77	15.4	11.3-19.5	70	12.7	09.4-16.0	78	11.5	08.6-14.4	191	31.7	27.0-36.4
65+	890	69,272	36	4.5	02.7-06.3	155	19.6	16.3-22.9	67	7.6	05.4-09.8	55	5.3	03.7-06.9	84	8.3	06.3-10.3	493	54.7	50.6-58.8
Less Than H.S.	194	23,615	1	0.2	00.0-00.6	32	13.0	07.1-18.9				19	13.7	03.7-23.7						
H.S. or G.E.D.	869	95,542	23	2.8	00.8-04.8	167	22.4	18.1-26.7	93	9.8	07.3-12.3	89	10.0	07.3-12.7	143	17.4	13.9-20.9	354	37.7	31.8-43.6
Some Post-H.S.	744	93,426	18	2.2	00.8-03.6	161	22.0	17.9-26.1	96	14.6	10.1-19.1	96	16.6	12.1-21.1	131	17.8	13.7-21.9	242	26.9	22.4-31.4
College Graduate	924	137,113	32	3.5	01.0-06.0	266	30.6	25.9-35.3	115	14.0	10.7-17.3	136	17.4	13.7-21.1	117	12.3	09.4-15.2	258	22.2	18.5-25.9
Less than \$15,000	322	29,672	9	2.4	00.4-04.4	52	14.0	09.5-18.5	41	12.4	07.1-17.7	34	12.1	07.0-17.2	61	19.6	13.5-25.7	125	39.5	30.9-48.1
\$15,000- 24,999	308	29,479	4	2.0	00.0-04.7	50	22.1	14.1-30.1	23	6.3	03.2-09.4	37	13.2	08.1-18.3	59	18.5	12.4-24.6	135	37.9	29.9-45.9
\$25,000- 34,999	261	31,221	5	3.1	00.0-08.2	51	19.8	12.5-27.1	36	11.0	06.3-15.7	38	14.5	08.2-20.8	37	15.3	08.0-22.6			
\$35,000- 49,999	347	43,791	13	2.5	00.7-04.3	92	25.7	18.8-32.6	49	16.6	09.7-23.5	38	10.9	03.8-18.0	46	15.4	08.7-22.1	109	28.9	19.1-38.7
\$50,000- 74,999	379	59,226	13	6.2	00.5-11.9	119	32.8	24.4-41.2	43	9.4	06.1-12.7	49	17.3	10.6-24.0	69	17.2	12.3-22.1	86	17.1	11.6-22.6
\$75,000+	649	102,937	18	1.4	00.6-02.2	164	25.0	20.7-29.3	88	17.5	12.6-22.4	107	17.8	14.3-21.3	97	14.3	11.0-17.6	175	24.0	19.7-28.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 5: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 5: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4359	672,480	3226	78.1	76.3-79.9	1133	21.9	20.1-23.7
Male	1605	320,336	1246	79.9	77.2-82.6	359	20.1	17.4-22.8
Female	2754	352,144	1980	76.4	74.2-78.6	774	23.6	21.4-25.8
White/Non-Hisp	3494	507,655	2641	80.2	78.4-82.0	853	19.8	18.0-21.6
Black or Afr. Am./Non-Hisp	537	89,859	352	69.7	64.0-75.4	185	30.3	24.6-36.0
18-24	147	85,426	114	86.0	80.1-91.9	33	14.0	08.1-19.9
25-34	368	109,657	299	81.7	76.6-86.8	69	18.3	13.2-23.4
35-44	624	121,601	490	80.1	76.4-83.8	134	19.9	16.2-23.6
45-54	795	125,825	595	76.8	73.1-80.5	200	23.2	19.5-26.9
55-64	925	99,161	692	76.2	72.7-79.7	233	23.8	20.3-27.3
65+	1435	123,938	990	70.7	67.8-73.6	445	29.3	26.4-32.2
Less Than H.S.	322	46,460	155	56.3	47.5-65.1	167	43.7	34.9-52.5
H.S. or G.E.D.	1346	191,491	886	70.5	67.0-74.0	460	29.5	26.0-33.0
Some Post-H.S.	1125	167,099	849	77.9	74.4-81.4	276	22.1	18.6-25.6
College Graduate	1561	266,552	1333	87.5	85.3-89.7	228	12.5	10.3-14.7
Less than \$15,000	453	51,914	279	63.5	56.6-70.4	174	36.5	29.6-43.4
\$15,000- 24,999	429	50,857	239	60.5	53.2-67.8	190	39.5	32.2-46.8
\$25,000- 34,999	398	53,157	266	69.8	62.9-76.7	132	30.2	23.3-37.1
\$35,000- 49,999	582	84,298	421	75.0	69.7-80.3	161	25.0	19.7-30.3
\$50,000- 74,999	675	118,581	538	82.5	78.6-86.4	137	17.5	13.6-21.4
\$75,000+	1169	221,045	1003	86.3	83.8-88.8	166	13.7	11.2-16.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 5: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1605	320,336	1246	79.9	77.2-82.6	359	20.1	17.4-22.8
White/Non-Hisp	1289	239,462	1020	82.2	79.5-84.9	269	17.8	15.1-20.5
Black or Afr. Am./Non-Hisp	170	36,998	118	72.2	63.0-81.4	52	27.8	18.6-37.0
18-24	71	42,908	57	85.2	76.6-93.8	14	14.8	06.2-23.4
25-34	128	53,735	109	83.3	74.9-91.7	19	16.7	08.3-25.1
35-44	237	59,513	193	79.9	74.0-85.8	44	20.1	14.2-26.0
45-54	285	60,092	220	79.0	73.5-84.5	65	21.0	15.5-26.5
55-64	340	48,770	259	76.7	70.8-82.6	81	23.3	17.4-29.2
65+	534	53,565	402	77.2	73.1-81.3	132	22.8	18.7-26.9
H.S. or G.E.D.	471	95,494	332	73.0	67.7-78.3	139	27.0	21.7-32.3
Some Post-H.S.	378	73,182	292	78.7	72.6-84.8	86	21.3	15.2-27.4
College Graduate	629	128,317	555	89.5	86.4-92.6	74	10.5	07.4-13.6
\$35,000- 49,999	232	39,974	179	77.4	69.2-85.6	53	22.6	14.4-30.8
\$50,000- 74,999	295	59,305	230	83.0	77.7-88.3	65	17.0	11.7-22.3
\$75,000+	518	117,626	454	87.4	83.9-90.9	64	12.6	09.1-16.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 5: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2754	352,144	1980	76.4	74.2-78.6	774	23.6	21.4-25.8
White/Non-Hisp	2205	268,192	1621	78.5	76.3-80.7	584	21.5	19.3-23.7
Black or Afr. Am./Non-Hisp	367	52,860	234	67.9	60.8-75.0	133	32.1	25.0-39.2
18-24	76	42,518	57	86.8	78.8-94.8	19	13.2	05.2-21.2
25-34	240	55,922	190	80.3	74.2-86.4	50	19.7	13.6-25.8
35-44	387	62,088	297	80.3	75.4-85.2	90	19.7	14.8-24.6
45-54	510	65,732	375	74.8	69.9-79.7	135	25.2	20.3-30.1
55-64	585	50,391	433	75.8	71.7-79.9	152	24.2	20.1-28.3
65+	901	70,373	588	65.8	61.9-69.7	313	34.2	30.3-38.1
H.S. or G.E.D.	875	95,998	554	68.1	63.6-72.6	321	31.9	27.4-36.4
Some Post-H.S.	747	93,917	557	77.3	73.0-81.6	190	22.7	18.4-27.0
College Graduate	932	138,235	778	85.7	82.8-88.6	154	14.3	11.4-17.2
Less than \$15,000	325	30,067	196	62.9	55.5-70.3	129	37.1	29.7-44.5
\$15,000- 24,999	312	29,657	170	56.4	48.2-64.6	142	43.6	35.4-51.8
\$25,000- 34,999	265	31,596	177	72.6	64.2-81.0	88	27.4	19.0-35.8
\$35,000- 49,999	350	44,324	242	72.9	66.0-79.8	108	27.1	20.2-34.0
\$50,000- 74,999	380	59,277	308	82.1	76.4-87.8	72	17.9	12.2-23.6
\$75,000+	651	103,419	549	85.1	81.6-88.6	102	14.9	11.4-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 6: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 6: DIABETES**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4354	671,929	529	8.1	07.1-09.1	19	0.5	00.3-00.7	3727	90.1	88.9-91.3	79	1.3	00.9-01.7
Male	1601	319,803	233	10.2	08.4-12.0				1346	88.6	86.6-90.6	22	1.1	00.5-01.7
Female	2753	352,126	296	6.2	05.2-07.2	19	0.9	00.5-01.3	2381	91.4	90.2-92.6	57	1.4	01.0-01.8
White/Non-Hisp	3491	507,434	389	7.2	06.2-08.2	16	0.6	00.2-01.0	3026	91.1	90.1-92.1	60	1.1	00.7-01.5
Black or Afr. Am./Non-Hisp	536	89,575	91	12.1	08.8-15.4	3	0.4	00.0-00.8	427	85.7	82.0-89.4	15	1.8	00.2-03.4
Oth. Race/Non-Hisp.	122	29,144	21	13.4	05.4-21.4				100	84.9	76.3-93.5	1	1.8	00.0-05.1
MultiRacial/Non-Hisp.	66	12,936	9	5.0	01.1-08.9				56	92.9	87.2-98.6	1	2.0	00.0-05.9
Hispanic	111	28,816	13	7.6	00.0-16.2				97	91.1	82.3-99.9	1	1.3	00.0-03.8
18-24	147	85,426	1	0.3	00.0-00.9				146	99.7	99.1-0100			
25-34	368	109,657	6	2.0	00.0-04.4	4	0.6	00.0-01.2	356	97.2	94.7-99.7	2	0.2	00.0-00.6
35-44	624	121,601	31	5.1	02.7-07.5	9	1.7	00.5-02.9	579	92.3	89.6-95.0	5	0.9	00.0-01.9
45-54	795	125,747	79	8.6	06.2-11.0	2	0.1	00.0-00.3	701	89.8	87.1-92.5	13	1.6	00.4-02.8
55-64	924	98,990	141	14.2	11.3-17.1	4	0.5	00.0-01.1	762	83.7	80.6-86.8	17	1.6	00.6-02.6
65+	1432	123,712	259	16.4	14.0-18.8				1131	80.6	78.1-83.1	42	3.0	01.8-04.2
Less Than H.S.	320	46,269	76	17.6	11.1-24.1				236	80.5	73.8-87.2	8	1.8	00.2-03.4
H.S. or G.E.D.	1344	191,169	192	9.1	07.3-10.9	4	0.2	00.0-00.4	1128	89.8	88.0-91.6	20	0.9	00.5-01.3
Some Post-H.S.	1124	167,062	123	7.1	05.5-08.7	7	0.9	00.1-01.7	966	90.1	87.9-92.3	28	2.0	00.8-03.2
College Graduate	1561	266,552	138	6.5	04.9-08.1	8	0.6	00.2-01.0	1392	92.0	90.4-93.6	23	1.0	00.4-01.6
Less than \$15,000	452	51,666	76	15.5	09.8-21.2				364	82.8	76.9-88.7	12	1.6	00.6-02.6
\$15,000- 24,999	429	50,857	87	14.3	09.8-18.8	1	0.2	00.0-00.6	330	83.6	78.9-88.3	11	1.8	00.4-03.2
\$25,000- 34,999	398	53,157	69	12.1	08.4-15.8	3	0.7	00.0-01.7	320	86.2	82.3-90.1	6	1.0	00.0-02.0
\$35,000- 49,999	583	84,380	75	8.0	05.8-10.2				491	89.8	87.3-92.3	17	2.2	01.0-03.4
\$50,000- 74,999	675	118,581	59	5.9	03.7-08.1	4	0.7	00.0-01.5	601	92.6	90.2-95.0	11	0.8	00.2-01.4
\$75,000+	1169	221,045	82	5.5	03.9-07.1	9	0.8	00.2-01.4	1069	92.9	91.1-94.7	9	0.8	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 6: DIABETES**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1601	319,803	233	10.2	08.4-12.0	1346	88.6	86.6-90.6	22	1.1	00.5-01.7
White/Non-Hisp	1288	239,382	168	8.8	07.0-10.6	1102	90.4	88.6-92.2	18	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	168	36,591	39	16.5	09.8-23.2	127	81.6	74.3-88.9	2	1.9	00.0-05.2
Oth. Race/Non-Hisp.	53	15,398							1	3.3	00.0-09.8
18-24	71	42,908	1	0.6	00.0-01.8	70	99.4	98.2-0100			
25-34	128	53,735	4	3.5	00.0-08.2	123	96.2	91.5-0100	1	0.3	00.0-00.9
35-44	237	59,513	15	6.8	02.7-10.9	221	92.3	88.0-96.6	1	0.9	00.0-02.7
45-54	284	59,933	32	11.6	07.1-16.1	249	86.4	81.3-91.5	3	1.9	00.0-04.3
55-64	338	48,476	69	17.9	12.6-23.2	266	81.5	76.2-86.8	3	0.6	00.0-01.4
65+	533	53,485	109	19.6	15.5-23.7	410	77.8	73.5-82.1	14	2.6	00.8-04.4
Less Than H.S.	123	22,427							1	0.2	00.0-00.6
H.S. or G.E.D.	469	95,166	65	8.7	06.0-11.4	400	90.7	87.8-93.6	4	0.6	00.0-01.4
Some Post-H.S.	377	73,136	61	10.5	07.2-13.8	306	86.8	82.7-90.9	10	2.7	00.3-05.1
College Graduate	629	128,317	78	9.6	06.7-12.5	544	89.7	86.8-92.6	7	0.7	00.0-01.5
Less than \$15,000	127	21,599							2	0.5	00.0-01.1
\$15,000- 24,999	117	21,200	21	17.1	07.5-26.7	95	82.7	73.1-92.3	1	0.2	00.0-00.6
\$25,000- 34,999	133	21,561	30	13.3	07.4-19.2	101	85.7	79.6-91.8	2	1.0	00.0-02.6
\$35,000- 49,999	232	39,974	35	7.8	04.9-10.7	190	89.8	86.3-93.3	7	2.4	00.4-04.4
\$50,000- 74,999	295	59,305	38	9.0	05.1-12.9	254	90.7	86.8-94.6	3	0.3	00.0-00.7
\$75,000+	518	117,626	52	8.3	05.6-11.0	461	90.7	87.8-93.6	5	1.0	00.0-02.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 6: DIABETES**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2753	352,126	296	6.2	05.2-07.2	19	0.9	00.5-01.3	2381	91.4	90.2-92.6	57	1.4	01.0-01.8
White/Non-Hisp	2203	268,052	221	5.8	04.8-06.8	16	1.1	00.5-01.7	1924	91.8	90.6-93.0	42	1.3	00.9-01.7
Black or Afr. Am./Non-Hisp	368	52,984	52	9.1	05.8-12.4	3	0.6	00.0-01.4	300	88.5	84.8-92.2	13	1.8	00.6-03.0
Oth. Race/Non-Hisp.	69	13,746	7	4.4	00.5-08.3				62	95.6	91.7-99.5			
Hispanic	65	12,536	9	4.3	01.0-07.6				55	92.8	86.1-99.5	1	2.9	00.0-08.6
18-24	76	42,518							76	100.0	0100-0100			
25-34	240	55,922	2	0.5	00.0-01.3	4	1.2	00.0-02.4	233	98.2	96.8-99.6	1	0.2	00.0-00.6
35-44	387	62,088	16	3.5	01.3-05.7	9	3.3	00.9-05.7	358	92.3	89.0-95.6	4	0.9	00.0-01.9
45-54	511	65,814	47	5.8	03.8-07.8	2	0.2	00.0-00.4	452	92.8	90.6-95.0	10	1.3	00.3-02.3
55-64	586	50,514	72	10.6	07.7-13.5	4	0.9	00.0-01.9	496	85.9	82.4-89.4	14	2.6	00.8-04.4
65+	899	70,227	150	14.0	11.5-16.5				721	82.7	80.0-85.4	28	3.2	01.8-04.6
Less Than H.S.	197	23,842	47	15.2	09.1-21.3				143	81.4	74.7-88.1	7	3.4	00.7-06.1
H.S. or G.E.D.	875	96,003	127	9.6	07.4-11.8	4	0.3	00.0-00.7	728	89.0	86.6-91.4	16	1.2	00.6-01.8
Some Post-H.S.	747	93,926	62	4.4	03.0-05.8	7	1.5	00.1-02.9	660	92.6	90.6-94.6	18	1.4	00.6-02.2
College Graduate	932	138,235	60	3.6	02.4-04.8	8	1.1	00.3-01.9	848	94.0	92.4-95.6	16	1.3	00.5-02.1
Less than \$15,000	325	30,067	46	9.3	06.2-12.4				269	88.2	84.5-91.9	10	2.5	00.9-04.1
\$15,000- 24,999	312	29,657	66	12.3	08.6-16.0	1	0.4	00.0-01.2	235	84.3	80.0-88.6	10	3.0	00.8-05.2
\$25,000- 34,999	265	31,596	39	11.2	06.5-15.9	3	1.2	00.0-02.8	219	86.6	81.5-91.7	4	1.0	00.0-02.2
\$35,000- 49,999	351	44,406	40	8.1	04.8-11.4				301	89.9	86.2-93.6	10	2.0	00.6-03.4
\$50,000- 74,999	380	59,277	21	2.9	01.3-04.5	4	1.4	00.0-03.0	347	94.6	92.2-97.0	8	1.2	00.0-02.4
\$75,000+	651	103,419	30	2.2	01.2-03.2	9	1.6	00.4-02.8	608	95.5	93.7-97.3	4	0.7	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 7: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	42
2	MALES ONLY	43
3	FEMALES ONLY	44
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	45
5	MALES ONLY	46
6	FEMALES ONLY	47

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4355	672,142	1789	30.8	28.8-32.8	16	0.3	00.1-00.5	2475	67.7	65.7-69.7	75	1.3	00.9-01.7
Male	1603	320,230	709	34.3	31.2-37.4	1	0.0	00.0-00.0	864	64.4	61.3-67.5	29	1.3	00.7-01.9
Female	2752	351,912	1080	27.5	25.3-29.7	15	0.5	00.1-00.9	1611	70.6	68.4-72.8	46	1.3	00.9-01.7
White/Non-Hisp	3490	507,240	1428	30.9	28.7-33.1	9	0.2	00.0-00.4	1993	67.6	65.4-69.8	60	1.3	00.9-01.7
Black or Afr. Am./Non-Hisp	538	89,982	245	34.0	28.7-39.3	5	0.5	00.1-00.9	278	64.3	58.8-69.8	10	1.1	00.3-01.9
Oth. Race/Non-Hisp.	122	29,144										1	0.2	00.0-00.6
MultiRacial/Non-Hisp.	66	12,936										2	5.4	00.0-14.8
Hispanic	111	28,816				2	1.5	00.0-03.9				2	1.1	00.0-03.1
18-24	147	85,426	13	5.2	01.9-08.5				133	94.5	91.0-98.0	1	0.3	00.0-00.9
25-34	368	109,657	43	12.3	07.6-17.0	7	1.0	00.2-01.8	313	85.6	80.7-90.5	5	1.1	00.0-02.3
35-44	624	121,601	126	20.3	16.4-24.2	5	0.4	00.0-00.8	484	77.7	73.8-81.6	9	1.6	00.4-02.8
45-54	796	125,907	257	32.0	27.7-36.3	3	0.2	00.0-00.4	526	66.7	62.4-71.0	10	1.0	00.2-01.8
55-64	925	99,238	443	46.7	42.4-51.0				466	52.1	47.8-56.4	16	1.2	00.4-02.0
65+	1432	123,600	877	60.2	57.1-63.3	1	0.1	00.0-00.3	521	37.6	34.5-40.7	33	2.2	01.4-03.0
Less Than H.S.	322	46,460	177	41.1	32.5-49.7	2	0.5	00.0-01.3	135	57.0	48.4-65.6	8	1.4	00.2-02.6
H.S. or G.E.D.	1345	191,437	626	35.8	32.1-39.5	2	0.2	00.0-00.6	699	63.2	59.5-66.9	18	0.8	00.2-01.4
Some Post-H.S.	1125	167,176	446	28.6	25.1-32.1	5	0.3	00.0-00.7	652	69.5	66.0-73.0	22	1.5	00.7-02.3
College Graduate	1558	266,192	539	26.7	23.8-29.6	7	0.3	00.1-00.5	985	71.6	68.7-74.5	27	1.5	00.7-02.3
Less than \$15,000	452	51,854	236	47.8	40.5-55.1	4	1.2	00.0-02.6	198	49.0	41.6-56.4	14	2.1	00.7-03.5
\$15,000- 24,999	429	50,857	233	40.8	33.9-47.7	3	0.6	00.0-01.4	185	57.0	49.9-64.1	8	1.5	00.1-02.9
\$25,000- 34,999	398	53,157	188	36.4	29.3-43.5	1	0.3	00.0-00.9	205	62.7	55.6-69.8	4	0.5	00.0-01.1
\$35,000- 49,999	583	84,380	263	32.9	27.6-38.2	1	0.1	00.0-00.3	311	66.3	61.0-71.6	8	0.6	00.0-01.2
\$50,000- 74,999	675	118,581	231	24.5	20.2-28.8	4	0.4	00.0-00.8	428	73.1	68.6-77.6	12	2.0	00.6-03.4
\$75,000+	1169	221,045	355	25.9	22.8-29.0	3	0.2	00.0-00.4	791	72.9	69.6-76.2	20	1.0	00.4-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1603	320,230	709	34.3	31.2-37.4	1	0.0	00.0-00.0	864	64.4	61.3-67.5	29	1.3	00.7-01.9
White/Non-Hisp	1288	239,402	571	35.1	31.8-38.4	1	0.0	00.0-00.0	691	63.6	60.1-67.1	25	1.3	00.7-01.9
Black or Afr. Am./Non-Hisp	170	36,998	87	35.0	26.0-44.0				81	64.3	55.3-73.3	2	0.7	00.0-01.9
18-24	71	42,908	9	8.1	01.8-14.4				62	91.9	85.6-98.2			
25-34	128	53,735	22	18.8	10.0-27.6				104	79.7	70.7-88.7	2	1.5	00.0-03.9
35-44	237	59,513	58	23.6	17.5-29.7				176	74.9	68.6-81.2	3	1.5	00.0-03.3
45-54	285	60,092	108	39.9	32.8-47.0				173	59.3	52.2-66.4	4	0.8	00.0-01.8
55-64	339	48,724	184	51.6	44.3-58.9				148	46.9	39.6-54.2	7	1.4	00.0-03.0
65+	533	53,505	322	59.4	54.3-64.5	1	0.2	00.0-00.6	198	38.5	33.4-43.6	12	1.9	00.7-03.1
Less Than H.S.	124	22,587										2	0.6	00.0-01.6
H.S. or G.E.D.	470	95,434	208	34.6	28.9-40.3				256	64.7	59.0-70.4	6	0.7	00.0-01.5
Some Post-H.S.	377	73,136	175	33.3	27.0-39.6				193	65.2	58.7-71.7	9	1.5	00.3-02.7
College Graduate	629	128,317	261	34.5	29.6-39.4	1	0.1	00.0-00.3	355	63.8	58.7-68.9	12	1.6	00.4-02.8
Less than \$15,000	127	21,788										7	2.5	00.1-04.9
\$25,000- 34,999	133	21,561										2	0.7	00.0-01.7
\$35,000- 49,999	232	39,974	115	36.4	28.4-44.4	1	0.2	00.0-00.6	111	62.3	54.3-70.3	5	1.1	00.1-02.1
\$50,000- 74,999	295	59,305	120	30.4	23.1-37.7				170	67.1	59.7-74.5	5	2.5	00.0-05.0
\$75,000+	518	117,626	204	33.8	28.7-38.9				308	65.7	60.6-70.8	6	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2752	351,912	1080	27.5	25.3-29.7	15	0.5	00.1-00.9	1611	70.6	68.4-72.8	46	1.3	00.9-01.7
White/Non-Hisp	2202	267,837	857	27.1	24.7-29.5	8	0.4	00.2-00.6	1302	71.2	68.8-73.6	35	1.3	00.7-01.9
Black or Afr. Am./Non-Hisp	368	52,984	158	33.3	26.6-40.0	5	0.9	00.1-01.7	197	64.3	57.4-71.2	8	1.4	00.2-02.6
Oth. Race/Non-Hisp.	69	13,746	25	16.9	06.9-26.9							1	0.4	00.0-01.2
Hispanic	65	12,536				2	3.4	00.0-08.5				1	2.2	00.0-06.5
18-24	76	42,518	4	2.2	00.0-04.7				71	97.1	94.4-99.8	1	0.7	00.0-02.1
25-34	240	55,922	21	6.0	03.1-08.9	7	1.9	00.3-03.5	209	91.3	88.0-94.6	3	0.8	00.0-01.6
35-44	387	62,088	68	17.1	12.4-21.8	5	0.9	00.1-01.7	308	80.5	75.6-85.4	6	1.6	00.2-03.0
45-54	511	65,814	149	24.9	20.0-29.8	3	0.4	00.0-01.0	353	73.5	68.6-78.4	6	1.1	00.1-02.1
55-64	586	50,514	259	42.0	37.1-46.9				318	57.0	52.1-61.9	9	1.0	00.2-01.8
65+	899	70,095	555	60.8	56.7-64.9				323	36.9	33.0-40.8	21	2.3	01.1-03.5
Less Than H.S.	198	23,873				2	1.0	00.0-02.4				6	2.2	00.2-04.2
H.S. or G.E.D.	875	96,003	418	37.0	32.3-41.7	2	0.5	00.0-01.3	443	61.6	56.7-66.5	12	0.8	00.2-01.4
Some Post-H.S.	748	94,040	271	25.0	21.1-28.9	5	0.6	00.0-01.2	459	72.9	68.8-77.0	13	1.5	00.5-02.5
College Graduate	929	137,875	278	19.4	16.5-22.3	6	0.5	00.1-00.9	630	78.8	75.7-81.9	15	1.3	00.5-02.1
Less than \$15,000	325	30,067	164	44.8	36.8-52.8	4	2.1	00.0-04.5	150	51.4	43.2-59.6	7	1.8	00.2-03.4
\$15,000- 24,999	312	29,657	180	49.8	41.6-58.0	3	1.1	00.0-02.5	121	46.5	38.1-54.9	8	2.6	00.2-05.0
\$25,000- 34,999	265	31,596	119	30.4	22.2-38.6	1	0.6	00.0-01.8	143	68.6	60.2-77.0	2	0.4	00.0-01.0
\$35,000- 49,999	351	44,406	148	29.9	23.2-36.6				200	69.9	63.0-76.8	3	0.2	00.0-00.6
\$50,000- 74,999	380	59,277	111	18.6	14.1-23.1	4	0.7	00.0-01.5	258	79.2	74.3-84.1	7	1.4	00.2-02.6
\$75,000+	651	103,419	151	16.9	13.6-20.2	3	0.3	00.0-00.7	483	81.1	77.6-84.6	14	1.6	00.6-02.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1787	206,726	1549	80.0	76.9-83.1	238	20.0	16.9-23.1
Male	709	109,931	589	74.6	69.5-79.7	120	25.4	20.3-30.5
Female	1078	96,795	960	86.1	83.0-89.2	118	13.9	10.8-17.0
White/Non-Hisp	1426	156,649	1242	80.8	77.3-84.3	184	19.2	15.7-22.7
Black or Afr. Am./Non-Hisp	245	30,597	216	83.8	77.1-90.5	29	16.2	09.5-22.9
45-54	257	40,347	203	78.5	72.0-85.0	54	21.5	15.0-28.0
55-64	443	46,368	383	85.2	80.1-90.3	60	14.8	09.7-19.9
65+	876	74,349	833	95.2	93.4-97.0	43	4.8	03.0-06.6
H.S. or G.E.D.	626	68,551	547	80.2	74.9-85.5	79	19.8	14.5-25.1
Some Post-H.S.	445	47,845	376	75.7	69.4-82.0	69	24.3	18.0-30.6
College Graduate	538	70,966	468	82.1	76.6-87.6	70	17.9	12.4-23.4
\$15,000- 24,999	232	20,722	203	81.5	73.5-89.5	29	18.5	10.5-26.5
\$25,000- 34,999	188	19,351	161	78.8	69.2-88.4	27	21.2	11.6-30.8
\$35,000- 49,999	263	27,802	230	83.3	77.0-89.6	33	16.7	10.4-23.0
\$50,000- 74,999	231	29,095	196	74.0	64.6-83.4	35	26.0	16.6-35.4
\$75,000+	355	57,276	304	82.9	77.0-88.8	51	17.1	11.2-23.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 7: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	709	109,931	589	74.6	69.5-79.7	120	25.4	20.3-30.5
White/Non-Hisp	571	84,019	473	74.7	69.0-80.4	98	25.3	19.6-31.0
45-54	108	23,951	83	76.7	67.3-86.1	25	23.3	13.9-32.7
55-64	184	25,151	157	83.3	75.1-91.5	27	16.7	08.5-24.9
65+	322	31,783	300	93.4	90.3-96.5	22	6.6	03.5-09.7
H.S. or G.E.D.	208	32,988	169	71.7	62.5-80.9	39	28.3	19.1-37.5
College Graduate	261	44,220	223	79.4	71.2-87.6	38	20.6	12.4-28.8
\$75,000+	204	39,801	173	81.6	73.8-89.4	31	18.4	10.6-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1078	96,795	960	86.1	83.0-89.2	118	13.9	10.8-17.0
White/Non-Hisp	855	72,630	769	87.7	84.6-90.8	86	12.3	09.2-15.4
Black or Afr. Am./Non-Hisp	158	17,649	140	87.5	80.8-94.2	18	12.5	05.8-19.2
45-54	149	16,396	120	81.2	73.2-89.2	29	18.8	10.8-26.8
55-64	259	21,217	226	87.5	82.6-92.4	33	12.5	07.6-17.4
65+	554	42,566	533	96.5	94.7-98.3	21	3.5	01.7-05.3
H.S. or G.E.D.	418	35,563	378	88.1	83.8-92.4	40	11.9	07.6-16.2
Some Post-H.S.	270	23,504	235	84.2	77.9-90.5	35	15.8	09.5-22.1
College Graduate	277	26,746	245	86.5	81.0-92.0	32	13.5	08.0-19.0
\$15,000- 24,999	179	14,743	160	87.2	80.7-93.7	19	12.8	06.3-19.3
\$25,000- 34,999	119	9,606	104	85.7	77.7-93.7	15	14.3	06.3-22.3
\$35,000- 49,999	148	13,262	137	91.4	84.7-98.1	11	8.6	01.9-15.3
\$50,000- 74,999	111	11,050	95	85.1	77.5-92.7	16	14.9	07.3-22.5
\$75,000+	151	17,475	131	85.8	78.4-93.2	20	14.2	06.8-21.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 8: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1 MALES AND FEMALES	49
2 MALES ONLY	50
3 FEMALES ONLY	51
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4 MALES AND FEMALES	52
5 MALES ONLY	53
6 FEMALES ONLY	54
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7 MALES AND FEMALES	55
8 MALES ONLY	56
9 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4320	664,544	3961	84.4	82.2-86.6	359	15.6	13.4-17.8
Male	1589	315,409	1444	84.7	81.8-87.6	145	15.3	12.4-18.2
Female	2731	349,134	2517	84.1	81.0-87.2	214	15.9	12.8-19.0
White/Non-Hisp	3462	500,857	3209	85.9	83.5-88.3	253	14.1	11.7-16.5
Black or Afr. Am./Non-Hisp	531	88,753	475	84.2	78.5-89.9	56	15.8	10.1-21.5
25-34	359	105,717	264	74.1	68.2-80.0	95	25.9	20.0-31.8
35-44	622	121,392	551	87.5	84.2-90.8	71	12.5	09.2-15.8
45-54	793	125,725	750	94.9	93.1-96.7	43	5.1	03.3-06.9
55-64	923	98,904	900	97.8	96.6-99.0	23	2.2	01.0-03.4
65+	1420	122,344	1371	97.1	96.1-98.1	49	2.9	01.9-03.9
Less Than H.S.	319	45,693	266	68.5	58.7-78.3	53	31.5	21.7-41.3
H.S. or G.E.D.	1329	188,391	1199	81.8	77.9-85.7	130	18.2	14.3-22.1
Some Post-H.S.	1113	164,849	1021	81.5	76.8-86.2	92	18.5	13.8-23.2
College Graduate	1554	264,734	1471	90.8	87.7-93.9	83	9.2	06.1-12.3
Less than \$15,000	447	50,735	407	82.3	75.6-89.0	40	17.7	11.0-24.4
\$15,000- 24,999	423	49,803	369	77.0	69.2-84.8	54	23.0	15.2-30.8
\$25,000- 34,999	395	52,655	356	77.5	68.5-86.5	39	22.5	13.5-31.5
\$35,000- 49,999	578	83,663	527	83.4	77.5-89.3	51	16.6	10.7-22.5
\$50,000- 74,999	672	118,303	608	80.7	74.4-87.0	64	19.3	13.0-25.6
\$75,000+	1167	219,914	1107	91.2	88.3-94.1	60	8.8	05.9-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1589	315,409	1444	84.7	81.8-87.6	145	15.3	12.4-18.2
White/Non-Hisp	1276	234,782	1173	85.7	82.4-89.0	103	14.3	11.0-17.6
Black or Afr. Am./Non-Hisp	168	36,784	144	82.2	73.4-91.0	24	17.8	09.0-26.6
25-34	124	50,986	93	74.6	64.8-84.4	31	25.4	15.6-35.2
35-44	236	59,341	210	88.8	83.9-93.7	26	11.2	06.3-16.1
45-54	284	60,044	268	94.8	91.7-97.9	16	5.2	02.1-08.3
55-64	338	48,439	326	97.2	94.8-99.6	12	2.8	00.4-05.2
65+	529	52,984	507	96.2	94.4-98.0	22	3.8	02.0-05.6
H.S. or G.E.D.	463	93,811	400	79.7	74.0-85.4	63	20.3	14.6-26.0
Some Post-H.S.	374	71,856	342	79.1	71.7-86.5	32	20.9	13.5-28.3
College Graduate	626	126,790	607	94.9	92.0-97.8	19	5.1	02.2-08.0
\$35,000- 49,999	230	39,630	210	81.8	73.0-90.6	20	18.2	09.4-27.0
\$50,000- 74,999	294	59,256	266	84.1	77.0-91.2	28	15.9	08.8-23.0
\$75,000+	517	116,662	497	92.9	89.2-96.6	20	7.1	03.4-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2731	349,134	2517	84.1	81.0-87.2	214	15.9	12.8-19.0
White/Non-Hisp	2186	266,074	2036	86.2	82.9-89.5	150	13.8	10.5-17.1
Black or Afr. Am./Non-Hisp	363	51,969	331	85.6	78.3-92.9	32	14.4	07.1-21.7
25-34	235	54,731	171	73.6	66.7-80.5	64	26.4	19.5-33.3
35-44	386	62,051	341	86.3	81.6-91.0	45	13.7	09.0-18.4
45-54	509	65,681	482	95.1	92.9-97.3	27	4.9	02.7-07.1
55-64	585	50,465	574	98.4	97.4-99.4	11	1.6	00.6-02.6
65+	891	69,359	864	97.8	96.8-98.8	27	2.2	01.2-03.2
H.S. or G.E.D.	866	94,580	799	83.8	78.3-89.3	67	16.2	10.7-21.7
Some Post-H.S.	739	92,994	679	83.3	77.6-89.0	60	16.7	11.0-22.4
College Graduate	928	137,944	864	87.1	82.0-92.2	64	12.9	07.8-18.0
Less than \$15,000	322	29,319	295	83.7	76.1-91.3	27	16.3	08.7-23.9
\$15,000- 24,999	308	29,159	276	79.0	69.6-88.4	32	21.0	11.6-30.4
\$35,000- 49,999	348	44,032	317	84.9	76.9-92.9	31	15.1	07.1-23.1
\$50,000- 74,999	378	59,047	342	77.2	67.2-87.2	36	22.8	12.8-32.8
\$75,000+	650	103,251	610	89.3	84.6-94.0	40	10.7	06.0-15.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3918	555,210	3172	76.5	74.5-78.5	407	12.7	11.1-14.3	232	7.3	05.9-08.7	107	3.5	02.5-04.5
Male	1428	264,495	1170	76.6	73.3-79.9	127	11.6	09.1-14.1	89	8.2	05.8-10.6	42	3.5	02.1-04.9
Female	2490	290,715	2002	76.5	74.0-79.0	280	13.6	11.6-15.6	143	6.5	04.9-08.1	65	3.4	02.2-04.6
White/Non-Hisp	3174	426,569	2546	74.7	72.3-77.1	333	13.4	11.6-15.2	201	8.1	06.5-09.7	94	3.8	02.8-04.8
Black or Afr. Am./Non-Hisp	470	74,015	402	83.3	78.0-88.6	46	10.2	06.5-13.9	15	4.9	01.2-08.6	7	1.6	00.2-03.0
Oth. Race/Non-Hisp.	105	22,610	84	81.7	72.1-91.3	11	10.9	03.3-18.5	8	4.3	00.8-07.8	2	3.0	00.0-07.7
MultiRacial/Non-Hisp.	57	9,464				6	9.4	01.2-17.6						
Hispanic	89	19,719				9	9.7	01.9-17.5	4	2.8	00.0-05.9	4	6.0	00.0-12.5
18-24	63	34,236										2	5.0	00.0-12.4
25-34	260	77,294	174	65.6	58.2-73.0	52	19.8	13.7-25.9	21	10.8	05.3-16.3	13	3.8	01.6-06.0
35-44	546	105,308	383	71.0	66.5-75.5	83	14.4	10.9-17.9	55	9.6	06.7-12.5	25	5.1	02.7-07.5
45-54	745	118,312	551	73.6	69.5-77.7	97	13.1	10.0-16.2	66	8.3	05.9-10.7	31	5.0	02.8-07.2
55-64	894	96,245	737	81.3	77.8-84.8	91	11.6	08.5-14.7	45	5.1	03.1-07.1	21	2.0	01.0-03.0
65+	1351	117,567	1237	90.6	88.6-92.6	65	5.7	04.1-07.3	35	2.7	01.5-03.9	14	1.0	00.4-01.6
Less Than H.S.	256	30,264	234	91.7	87.2-96.2	15	6.6	02.3-10.9	6	1.6	00.2-03.0	1	0.1	00.0-00.3
H.S. or G.E.D.	1180	151,902	959	77.2	73.5-80.9	116	13.1	10.0-16.2	67	5.6	03.8-07.4	38	4.2	02.6-05.8
Some Post-H.S.	1013	132,892	823	77.3	73.2-81.4	95	10.3	07.8-12.8	63	9.0	05.7-12.3	32	3.3	01.7-04.9
College Graduate	1465	239,561	1154	73.8	70.5-77.1	180	14.5	12.0-17.0	95	8.2	06.0-10.4	36	3.5	01.9-05.1
Less than \$15,000	403	41,080	334	78.6	71.7-85.5	35	11.9	05.8-18.0	21	5.3	02.6-08.0	13	4.1	01.0-07.2
\$15,000- 24,999	360	37,512	309	83.0	77.3-88.7	27	7.4	03.9-10.9	17	7.0	02.9-11.1	7	2.6	00.4-04.8
\$25,000- 34,999	355	40,466	286	80.5	74.6-86.4	32	8.5	04.4-12.6	26	6.1	03.4-08.8	11	4.9	01.2-08.6
\$35,000- 49,999	523	69,326	430	77.7	71.6-83.8	55	11.8	07.9-15.7	25	6.1	02.2-10.0	13	4.4	00.5-08.3
\$50,000- 74,999	606	94,974	488	75.3	70.2-80.4	59	11.1	07.8-14.4	40	9.5	05.4-13.6	19	4.1	01.9-06.3
\$75,000+	1098	199,239	842	73.2	69.7-76.7	153	16.5	13.4-19.6	76	7.5	05.3-09.7	27	2.7	01.5-03.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1428	264,495	1170	76.6	73.3-79.9	127	11.6	09.1-14.1	89	8.2	05.8-10.6	42	3.5	02.1-04.9
White/Non-Hisp	1160	199,617	936	73.7	69.8-77.6	107	12.9	10.0-15.8	80	9.7	06.8-12.6	37	3.8	02.2-05.4
Black or Afr. Am./Non-Hisp	143	30,087	126	84.4	76.0-92.8	11	9.7	02.6-16.8	4	4.0	00.0-08.7	2	1.9	00.0-04.6
25-34	90	37,169										2	1.2	00.0-03.0
35-44	207	52,093	149	72.5	65.4-79.6	25	11.2	06.5-15.9	19	9.1	04.6-13.6	14	7.2	02.9-11.5
45-54	265	56,512	195	75.3	69.2-81.4	29	9.2	05.3-13.1	28	9.1	05.4-12.8	13	6.4	02.7-10.1
55-64	326	47,104	278	82.0	75.9-88.1	23	11.0	05.5-16.5	18	5.7	02.4-09.0	7	1.4	00.2-02.6
65+	501	50,583	461	91.4	88.5-94.3	26	6.0	03.5-08.5	9	1.8	00.4-03.2	5	0.9	00.1-01.7
Less Than H.S.	89	14,165	81	93.2	87.3-99.1	7	6.5	00.6-12.4	1	0.2	00.0-00.6			
H.S. or G.E.D.	394	73,863	303	71.7	65.2-78.2	43	16.3	10.6-22.0	28	6.8	03.9-09.7	20	5.2	02.5-07.9
Some Post-H.S.	338	55,850	289	81.3	74.4-88.2	20	5.3	02.6-08.0	22	10.3	04.0-16.6	7	3.1	00.4-05.8
College Graduate	605	120,146	495	75.4	70.3-80.5	57	12.4	08.5-16.3	38	9.1	05.4-12.8	15	3.2	01.2-05.2
Less than \$15,000	110	16,604							3	3.6	00.0-07.9	4	5.8	00.0-12.9
\$15,000- 24,999	91	15,075				5	5.4	00.0-10.9	7	11.3	02.5-20.1	2	2.1	00.0-05.4
\$25,000- 34,999	112	15,929				11	9.8	01.4-18.2	9	5.6	01.3-09.9	5	9.6	00.6-18.6
\$35,000- 49,999	209	32,202	177	82.3	75.0-89.6	14	8.3	02.6-14.0	13	5.8	02.1-09.5	5	3.6	00.0-07.3
\$50,000- 74,999	265	49,572	223	78.3	70.3-86.3	18	7.6	03.1-12.1	16	10.0	03.3-16.7	8	4.1	01.0-07.2
\$75,000+	493	107,955	386	73.7	68.4-79.0	60	15.4	10.9-19.9	34	8.4	05.1-11.7	13	2.6	00.8-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2490	290,715	2002	76.5	74.0-79.0	280	13.6	11.6-15.6	143	6.5	04.9-08.1	65	3.4	02.2-04.6
White/Non-Hisp	2014	226,951	1610	75.6	72.9-78.3	226	13.9	11.7-16.1	121	6.8	05.2-08.4	57	3.8	02.2-05.4
Black or Afr. Am./Non-Hisp	327	43,929	276	82.5	75.8-89.2	35	10.6	06.5-14.7	11	5.5	00.0-11.0	5	1.4	00.0-03.0
Oth. Race/Non-Hisp.	58	9,107							6	7.6	00.3-14.9	1	1.8	00.0-05.3
25-34	170	40,125	113	66.6	58.2-75.0	35	20.4	13.3-27.5	11	6.8	02.1-11.5	11	6.2	02.3-10.1
35-44	339	53,215	234	69.4	63.5-75.3	58	17.5	12.4-22.6	36	10.0	06.3-13.7	11	3.1	00.9-05.3
45-54	480	61,800	356	72.0	66.7-77.3	68	16.7	12.2-21.2	38	7.5	04.4-10.6	18	3.8	01.6-06.0
55-64	568	49,140	459	80.6	76.5-84.7	68	12.3	09.0-15.6	27	4.5	02.3-06.7	14	2.6	00.8-04.4
65+	850	66,983	776	90.1	87.4-92.8	39	5.5	03.3-07.7	26	3.4	01.8-05.0	9	1.1	00.3-01.9
Less Than H.S.	167	16,099	153	90.4	83.9-96.9	8	6.7	00.6-12.8	5	2.7	00.2-05.2	1	0.2	00.0-00.6
H.S. or G.E.D.	786	78,039	656	82.3	78.6-86.0	73	10.0	07.1-12.9	39	4.4	02.6-06.2	18	3.2	01.4-05.0
Some Post-H.S.	675	77,042	534	74.4	69.5-79.3	75	14.0	10.3-17.7	41	8.1	04.4-11.8	25	3.5	01.7-05.3
College Graduate	860	119,415	659	72.2	67.9-76.5	123	16.6	13.3-19.9	57	7.4	05.0-09.8	21	3.8	01.4-06.2
Less than \$15,000	293	24,476	242	83.3	78.2-88.4	24	7.3	04.2-10.4	18	6.4	02.9-09.9	9	3.0	00.6-05.4
\$15,000- 24,999	269	22,437	232	84.1	78.0-90.2	22	8.8	04.3-13.3	10	4.1	00.6-07.6	5	3.0	00.3-05.7
\$25,000- 34,999	243	24,536	199	84.1	78.6-89.6	21	7.7	04.0-11.4	17	6.4	02.9-09.9	6	1.8	00.0-03.6
\$35,000- 49,999	314	37,124	253	73.7	64.5-82.9	41	14.8	09.1-20.5	12	6.3	00.0-12.8	8	5.1	00.0-11.4
\$50,000- 74,999	341	45,402	265	72.2	65.7-78.7	41	14.8	09.7-19.9	24	8.9	04.4-13.4	11	4.1	01.4-06.8
\$75,000+	605	91,284	456	72.7	68.0-77.4	93	17.9	13.8-22.0	42	6.4	04.0-08.8	14	2.9	01.1-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3937	556,480	1794	38.2	36.0-40.4	2143	61.8	59.6-64.0
Male	1433	264,201	672	39.7	36.2-43.2	761	60.3	56.8-63.8
Female	2504	292,279	1122	36.9	34.4-39.4	1382	63.1	60.6-65.6
White/Non-Hisp	3191	427,439	1504	41.1	38.7-43.5	1687	58.9	56.5-61.3
Black or Afr. Am./Non-Hisp	471	74,449	191	30.0	24.7-35.3	280	70.0	64.7-75.3
18-24	66	35,023	5	6.2	00.0-13.5	61	93.8	86.5-0100
25-34	261	76,218	44	18.1	11.8-24.4	217	81.9	75.6-88.2
35-44	549	105,686	156	29.6	24.9-34.3	393	70.4	65.7-75.1
45-54	747	118,806	287	37.2	32.7-41.7	460	62.8	58.3-67.3
55-64	891	96,149	473	51.8	47.3-56.3	418	48.2	43.7-52.7
65+	1365	118,426	800	58.0	54.7-61.3	565	42.0	38.7-45.3
Less Than H.S.	265	31,135	156	54.0	44.0-64.0	109	46.0	36.0-56.0
H.S. or G.E.D.	1189	153,173	572	40.3	36.2-44.4	617	59.7	55.6-63.8
Some Post-H.S.	1015	133,686	455	37.5	33.4-41.6	560	62.5	58.4-66.6
College Graduate	1464	237,894	611	35.3	32.0-38.6	853	64.7	61.4-68.0
Less than \$15,000	403	41,520	221	47.7	40.1-55.3	182	52.3	44.7-59.9
\$15,000- 24,999	368	38,331	203	43.8	36.5-51.1	165	56.2	48.9-63.5
\$25,000- 34,999	353	40,615	165	40.2	32.9-47.5	188	59.8	52.5-67.1
\$35,000- 49,999	525	69,586	269	43.4	36.7-50.1	256	56.6	49.9-63.3
\$50,000- 74,999	603	92,771	255	33.6	28.5-38.7	348	66.4	61.3-71.5
\$75,000+	1104	200,171	429	36.5	32.8-40.2	675	63.5	59.8-67.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1433	264,201	672	39.7	36.2-43.2	761	60.3	56.8-63.8
White/Non-Hisp	1166	199,423	573	44.1	40.2-48.0	593	55.9	52.0-59.8
Black or Afr. Am./Non-Hisp	142	30,052	57	27.7	18.9-36.5	85	72.3	63.5-81.1
25-34	91	36,086	16	18.1	08.1-28.1	75	81.9	71.9-91.9
35-44	209	52,331	73	35.5	27.9-43.1	136	64.5	56.9-72.1
45-54	267	56,751	121	44.6	37.3-51.9	146	55.4	48.1-62.7
55-64	321	46,794	183	56.2	48.9-63.5	138	43.8	36.5-51.1
65+	505	50,848	274	53.4	48.1-58.7	231	46.6	41.3-51.9
H.S. or G.E.D.	396	74,514	172	35.8	29.5-42.1	224	64.2	57.9-70.5
Some Post-H.S.	339	56,384	168	43.6	36.2-51.0	171	56.4	49.0-63.8
College Graduate	604	118,398	277	38.6	33.5-43.7	327	61.4	56.3-66.5
\$35,000- 49,999	209	32,306	108	45.2	36.0-54.4	101	54.8	45.6-64.0
\$50,000- 74,999	263	47,574	130	38.9	30.5-47.3	133	61.1	52.7-69.5
\$75,000+	496	108,360	218	40.6	35.1-46.1	278	59.4	53.9-64.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2504	292,279	1122	36.9	34.4-39.4	1382	63.1	60.6-65.6
White/Non-Hisp	2025	228,016	931	38.5	35.6-41.4	1094	61.5	58.6-64.4
Black or Afr. Am./Non-Hisp	329	44,397	134	31.5	25.0-38.0	195	68.5	62.0-75.0
25-34	170	40,132	28	18.0	10.2-25.8	142	82.0	74.2-89.8
35-44	340	53,355	83	23.9	18.4-29.4	257	76.1	70.6-81.6
45-54	480	62,055	166	30.5	25.4-35.6	314	69.5	64.4-74.6
55-64	570	49,356	290	47.6	42.5-52.7	280	52.4	47.3-57.5
65+	860	67,579	526	61.5	57.4-65.6	334	38.5	34.4-42.6
H.S. or G.E.D.	793	78,659	400	44.6	39.3-49.9	393	55.4	50.1-60.7
Some Post-H.S.	676	77,302	287	33.0	28.5-37.5	389	67.0	62.5-71.5
College Graduate	860	119,496	334	32.0	27.9-36.1	526	68.0	63.9-72.1
Less than \$15,000	292	24,342	160	50.8	42.4-59.2	132	49.2	40.8-57.6
\$15,000- 24,999	275	23,018	161	54.5	46.7-62.3	114	45.5	37.7-53.3
\$25,000- 34,999	243	24,823	123	41.6	32.8-50.4	120	58.4	49.6-67.2
\$35,000- 49,999	316	37,280	161	41.8	32.6-51.0	155	58.2	49.0-67.4
\$50,000- 74,999	340	45,196	125	28.1	22.2-34.0	215	71.9	66.0-77.8
\$75,000+	608	91,811	211	31.6	26.9-36.3	397	68.4	63.7-73.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	59
2	MALES ONLY	60
3	FEMALES ONLY	61
	[HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	62
5	MALES ONLY	63
6	FEMALES ONLY	64
	[HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	65
8	MALES ONLY	66
9	FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4356	672,115	282	4.4	03.6-05.2	4074	95.6	94.8-96.4
Male	1603	320,169	143	5.4	04.2-06.6	1460	94.6	93.4-95.8
Female	2753	351,946	139	3.6	02.8-04.4	2614	96.4	95.6-97.2
White/Non-Hisp	3491	507,196	232	4.7	03.9-05.5	3259	95.3	94.5-96.1
Black or Afr. Am./Non-Hisp	537	89,953	22	3.6	01.2-06.0	515	96.4	94.0-98.8
Oth. Race/Non-Hisp.	123	29,191	11	4.6	00.5-08.7	112	95.4	91.3-99.5
MultiRacial/Non-Hisp.	66	12,936	7	6.1	00.2-12.0	59	93.9	88.0-99.8
Hispanic	111	28,816	6	1.4	00.0-02.8	105	98.6	97.2-0100
18-24	147	85,426	1	0.5	00.0-01.5	146	99.5	98.5-0100
25-34	368	109,657	1	0.1	00.0-00.3	367	99.9	99.7-0100
35-44	624	121,601	6	0.5	00.1-00.9	618	99.5	99.1-99.9
45-54	795	125,577	26	3.5	01.5-05.5	769	96.5	94.5-98.5
55-64	926	99,284	69	8.3	05.8-10.8	857	91.7	89.2-94.2
65+	1431	123,698	177	12.8	10.6-15.0	1254	87.2	85.0-89.4
Less Than H.S.	321	46,358	43	9.1	05.6-12.6	278	90.9	87.4-94.4
H.S. or G.E.D.	1346	191,544	103	5.2	03.8-06.6	1243	94.8	93.4-96.2
Some Post-H.S.	1126	167,222	65	4.2	02.8-05.6	1061	95.8	94.4-97.2
College Graduate	1558	266,113	71	3.2	02.2-04.2	1487	96.8	95.8-97.8
Less than \$15,000	452	51,885	52	9.5	06.2-12.8	400	90.5	87.2-93.8
\$15,000- 24,999	429	50,857	53	9.3	05.8-12.8	376	90.7	87.2-94.2
\$25,000- 34,999	398	53,157	32	7.1	03.4-10.8	366	92.9	89.2-96.6
\$35,000- 49,999	583	84,380	40	4.9	03.1-06.7	543	95.1	93.3-96.9
\$50,000- 74,999	674	118,516	29	2.9	01.5-04.3	645	97.1	95.7-98.5
\$75,000+	1168	220,715	31	2.4	01.4-03.4	1137	97.6	96.6-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1603	320,169	143	5.4	04.2-06.6	1460	94.6	93.4-95.8
White/Non-Hisp	1287	239,296	116	5.8	04.4-07.2	1171	94.2	92.8-95.6
Black or Afr. Am./Non-Hisp	170	36,998	10	3.6	00.9-06.3	160	96.4	93.7-99.1
Oth. Race/Non-Hisp.	54	15,444	8	7.7	00.1-15.3	46	92.3	84.7-99.9
18-24	71	42,908				71	100.0	0100-0100
25-34	128	53,735	1	0.1	00.0-00.3	127	99.9	99.7-0100
35-44	237	59,513	2	0.4	00.0-01.0	235	99.6	99.0-0100
45-54	285	60,092	12	4.4	01.5-07.3	273	95.6	92.7-98.5
55-64	340	48,770	39	11.2	06.7-15.7	301	88.8	84.3-93.3
65+	532	53,398	88	16.4	12.5-20.3	444	83.6	79.7-87.5
Less Than H.S.	123	22,485	19	8.3	03.4-13.2	104	91.7	86.8-96.6
H.S. or G.E.D.	471	95,494	43	5.0	03.0-07.0	428	95.0	93.0-97.0
Some Post-H.S.	378	73,182	36	6.4	03.7-09.1	342	93.6	90.9-96.3
College Graduate	628	128,252	45	4.6	02.8-06.4	583	95.4	93.6-97.2
Less than \$15,000	128	21,847	26	12.7	06.0-19.4	102	87.3	80.6-94.0
\$15,000- 24,999	117	21,200	20	10.6	04.1-17.1	97	89.4	82.9-95.9
\$25,000- 34,999	133	21,561	18	9.7	04.4-15.0	115	90.3	85.0-95.6
\$35,000- 49,999	232	39,974	22	6.4	03.3-09.5	210	93.6	90.5-96.7
\$50,000- 74,999	294	59,240	20	3.7	01.3-06.1	274	96.3	93.9-98.7
\$75,000+	518	117,626	24	3.4	01.6-05.2	494	96.6	94.8-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2753	351,946	139	3.6	02.8-04.4	2614	96.4	95.6-97.2
White/Non-Hisp	2204	267,901	116	3.7	02.9-04.5	2088	96.3	95.5-97.1
Black or Afr. Am./Non-Hisp	367	52,955	12	3.5	00.2-06.8	355	96.5	93.2-99.8
Oth. Race/Non-Hisp.	69	13,746	3	1.2	00.0-02.6	66	98.8	97.4-0100
Hispanic	65	12,536	2	1.8	00.0-04.5	63	98.2	95.5-0100
18-24	76	42,518	1	1.0	00.0-03.0	75	99.0	97.0-0100
25-34	240	55,922				240	100.0	0100-0100
35-44	387	62,088	4	0.6	00.0-01.2	383	99.4	98.8-0100
45-54	510	65,485	14	2.7	00.2-05.2	496	97.3	94.8-99.8
55-64	586	50,514	30	5.5	03.3-07.7	556	94.5	92.3-96.7
65+	899	70,299	89	10.2	07.7-12.7	810	89.8	87.3-92.3
Less Than H.S.	198	23,873	24	9.9	05.0-14.8	174	90.1	85.2-95.0
H.S. or G.E.D.	875	96,051	60	5.5	03.3-07.7	815	94.5	92.3-96.7
Some Post-H.S.	748	94,040	29	2.5	01.3-03.7	719	97.5	96.3-98.7
College Graduate	930	137,861	26	1.8	00.8-02.8	904	98.2	97.2-99.2
Less than \$15,000	324	30,038	26	7.2	03.9-10.5	298	92.8	89.5-96.1
\$15,000- 24,999	312	29,657	33	8.4	04.7-12.1	279	91.6	87.9-95.3
\$25,000- 34,999	265	31,596	14	5.3	00.0-10.6	251	94.7	89.4-0100
\$35,000- 49,999	351	44,406	18	3.6	01.6-05.6	333	96.4	94.4-98.4
\$50,000- 74,999	380	59,277	9	2.1	00.7-03.5	371	97.9	96.5-99.3
\$75,000+	650	103,089	7	1.2	00.0-02.4	643	98.8	97.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 4: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4334	670,815	258	3.9	03.3-04.5	4076	96.1	95.5-96.7
Male	1598	319,665	130	5.0	03.8-06.2	1468	95.0	93.8-96.2
Female	2736	351,150	128	2.9	02.3-03.5	2608	97.1	96.5-97.7
White/Non-Hisp	3469	505,916	216	4.1	03.3-04.9	3253	95.9	95.1-96.7
Black or Afr. Am./Non-Hisp	538	89,982	22	3.6	01.8-05.4	516	96.4	94.6-98.2
Oth. Race/Non-Hisp.	123	29,191	9	4.4	00.3-08.5	114	95.6	91.5-99.7
MultiRacial/Non-Hisp.	65	12,887	5	4.5	00.0-10.0	60	95.5	90.0-0100
Hispanic	111	28,816	4	1.0	00.0-02.4	107	99.0	97.6-0100
18-24	147	85,426	1	0.1	00.0-00.3	146	99.9	99.7-0100
25-34	368	109,657				368	100.0	0100-0100
35-44	623	121,527	5	1.3	00.0-02.9	618	98.7	97.1-0100
45-54	794	125,635	17	1.8	00.8-02.8	777	98.2	97.2-99.2
55-64	921	98,925	68	8.1	05.7-10.5	853	91.9	89.5-94.3
65+	1416	122,773	163	11.3	09.1-13.5	1253	88.7	86.5-90.9
Less Than H.S.	317	45,996	33	7.2	03.9-10.5	284	92.8	89.5-96.1
H.S. or G.E.D.	1337	190,746	92	4.2	03.0-05.4	1245	95.8	94.6-97.0
Some Post-H.S.	1118	166,885	63	3.5	02.5-04.5	1055	96.5	95.5-97.5
College Graduate	1557	266,310	70	3.4	02.4-04.4	1487	96.6	95.6-97.6
Less than \$15,000	450	51,774	50	7.7	05.0-10.4	400	92.3	89.6-95.0
\$15,000- 24,999	423	50,450	43	8.1	04.0-12.2	380	91.9	87.8-96.0
\$25,000- 34,999	393	52,745	34	6.8	03.5-10.1	359	93.2	89.9-96.5
\$35,000- 49,999	577	83,953	35	5.0	03.0-07.0	542	95.0	93.0-97.0
\$50,000- 74,999	673	118,443	28	2.3	01.3-03.3	645	97.7	96.7-98.7
\$75,000+	1168	220,977	40	2.5	01.5-03.5	1128	97.5	96.5-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 5: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”-] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1598	319,665	130	5.0	03.8-06.2	1468	95.0	93.8-96.2
White/Non-Hisp	1282	238,791	108	5.3	03.9-06.7	1174	94.7	93.3-96.1
Black or Afr. Am./Non-Hisp	170	36,998	9	4.0	00.9-07.1	161	96.0	92.9-99.1
Oth. Race/Non-Hisp.	54	15,444	6	7.4	00.0-15.0	48	92.6	85.0-0100
18-24	71	42,908				71	100.0	0100-0100
25-34	128	53,735				128	100.0	0100-0100
35-44	237	59,513	3	2.3	00.0-05.2	234	97.7	94.8-0100
45-54	284	59,879	7	2.0	00.2-03.8	277	98.0	96.2-99.8
55-64	339	48,680	36	9.5	05.8-13.2	303	90.5	86.8-94.2
65+	529	53,198	82	16.6	12.7-20.5	447	83.4	79.5-87.3
Less Than H.S.	122	22,462	18	9.0	03.7-14.3	104	91.0	85.7-96.3
H.S. or G.E.D.	469	95,182	30	3.9	01.9-05.9	439	96.1	94.1-98.1
Some Post-H.S.	377	73,083	37	5.1	03.1-07.1	340	94.9	92.9-96.9
College Graduate	627	128,182	45	5.2	03.2-07.2	582	94.8	92.8-96.8
Less than \$15,000	128	21,847	21	9.0	04.1-13.9	107	91.0	86.1-95.9
\$15,000- 24,999	116	21,165	16	12.4	03.6-21.2	100	87.6	78.8-96.4
\$25,000- 34,999	132	21,347	14	9.1	03.0-15.2	118	90.9	84.8-97.0
\$35,000- 49,999	230	39,777	24	8.3	04.6-12.0	206	91.7	88.0-95.4
\$50,000- 74,999	294	59,215	20	3.0	01.4-04.6	274	97.0	95.4-98.6
\$75,000+	517	117,558	26	3.1	01.7-04.5	491	96.9	95.5-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 6: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”-] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2736	351,150	128	2.9	02.3-03.5	2608	97.1	96.5-97.7
White/Non-Hisp	2187	267,124	108	3.0	02.2-03.8	2079	97.0	96.2-97.8
Black or Afr. Am./Non-Hisp	368	52,984	13	3.3	00.9-05.7	355	96.7	94.3-99.1
Oth. Race/Non-Hisp.	69	13,746	3	1.1	00.0-02.5	66	98.9	97.5-0100
Hispanic	65	12,536	1	0.2	00.0-00.6	64	99.8	99.4-0100
18-24	76	42,518	1	0.3	00.0-00.9	75	99.7	99.1-0100
25-34	240	55,922				240	100.0	0100-0100
35-44	386	62,014	2	0.3	00.0-00.7	384	99.7	99.3-0100
45-54	510	65,757	10	1.6	00.4-02.8	500	98.4	97.2-99.6
55-64	582	50,245	32	6.7	04.0-09.4	550	93.3	90.6-96.0
65+	887	69,575	81	7.3	05.3-09.3	806	92.7	90.7-94.7
Less Than H.S.	195	23,535	15	5.6	01.7-09.5	180	94.4	90.5-98.3
H.S. or G.E.D.	868	95,565	62	4.5	02.9-06.1	806	95.5	93.9-97.1
Some Post-H.S.	741	93,802	26	2.2	01.2-03.2	715	97.8	96.8-98.8
College Graduate	930	138,128	25	1.7	00.9-02.5	905	98.3	97.5-99.1
Less than \$15,000	322	29,927	29	6.8	03.9-09.7	293	93.2	90.3-96.1
\$15,000- 24,999	307	29,286	27	5.0	02.6-07.4	280	95.0	92.6-97.4
\$25,000- 34,999	261	31,398	20	5.3	01.8-08.8	241	94.7	91.2-98.2
\$35,000- 49,999	347	44,176	11	1.9	00.5-03.3	336	98.1	96.7-99.5
\$50,000- 74,999	379	59,228	8	1.6	00.4-02.8	371	98.4	97.2-99.6
\$75,000+	651	103,419	14	1.9	00.7-03.1	637	98.1	96.9-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 7: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4350	671,579	169	2.7	02.1-03.3	4181	97.3	96.7-97.9	
Male	1602	320,044	70	2.8	02.0-03.6	1532	97.2	96.4-98.0	
Female	2748	351,535	99	2.7	01.9-03.5	2649	97.3	96.5-98.1	
White/Non-Hisp	3488	506,881	137	2.7	02.1-03.3	3351	97.3	96.7-97.9	
Black or Afr. Am./Non-Hisp	536	89,861	23	3.7	01.7-05.7	513	96.3	94.3-98.3	
Oth. Race/Non-Hisp.	123	29,191	6	1.7	00.0-03.7	117	98.3	96.3-0100	
MultiRacial/Non-Hisp.	64	12,806	1	0.5	00.0-01.5	63	99.5	98.5-0100	
Hispanic	111	28,816	1	2.0	00.0-05.9	110	98.0	94.1-0100	
18-24	147	85,426	1	0.5	00.0-01.5	146	99.5	98.5-0100	
25-34	368	109,657	4	0.9	00.0-02.1	364	99.1	97.9-0100	
35-44	624	121,601	3	0.1	00.0-00.3	621	99.9	99.7-0100	
45-54	795	125,866	13	1.8	00.4-03.2	782	98.2	96.8-99.6	
55-64	922	98,824	29	3.7	02.1-05.3	893	96.3	94.7-97.9	
65+	1429	123,333	118	8.8	06.8-10.8	1311	91.2	89.2-93.2	
Less Than H.S.	320	46,339	29	7.3	03.8-10.8	291	92.7	89.2-96.2	
H.S. or G.E.D.	1343	191,238	62	2.7	01.9-03.5	1281	97.3	96.5-98.1	
Some Post-H.S.	1123	166,903	32	2.8	01.4-04.2	1091	97.2	95.8-98.6	
College Graduate	1559	266,222	46	2.0	01.4-02.6	1513	98.0	97.4-98.6	
Less than \$15,000	446	51,184	31	6.3	03.0-09.6	415	93.7	90.4-97.0	
\$15,000- 24,999	427	50,770	38	7.0	04.1-09.9	389	93.0	90.1-95.9	
\$25,000- 34,999	397	52,991	20	3.8	01.8-05.8	377	96.2	94.2-98.2	
\$35,000- 49,999	582	84,258	19	1.8	00.8-02.8	563	98.2	97.2-99.2	
\$50,000- 74,999	675	118,581	6	0.5	00.0-01.1	669	99.5	98.9-0100	
\$75,000+	1169	221,045	24	1.5	00.7-02.3	1145	98.5	97.7-99.3	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 8: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Male	1602	320,044	70	2.8	02.0-03.6	1532	97.2	96.4-98.0	
White/Non-Hisp	1288	239,297	58	3.0	02.0-04.0	1230	97.0	96.0-98.0	
Black or Afr. Am./Non-Hisp	169	36,918	7	1.9	00.0-03.9	162	98.1	96.1-0100	
Oth. Race/Non-Hisp.	54	15,444	4	2.8	00.0-06.5	50	97.2	93.5-0100	
18-24	71	42,908				71	100.0	0100-0100	
25-34	128	53,735	2	1.4	00.0-03.6	126	98.6	96.4-0100	
35-44	237	59,513				237	100.0	0100-0100	
45-54	285	60,092	1	0.3	00.0-00.9	284	99.7	99.1-0100	
55-64	338	48,558	18	5.5	02.4-08.6	320	94.5	91.4-97.6	
65+	533	53,485	49	10.1	07.0-13.2	484	89.9	86.8-93.0	
Less Than H.S.	123	22,507	13	5.8	01.9-09.7	110	94.2	90.3-98.1	
H.S. or G.E.D.	471	95,494	17	2.1	00.9-03.3	454	97.9	96.7-99.1	
Some Post-H.S.	377	73,136	13	3.4	01.0-05.8	364	96.6	94.2-99.0	
College Graduate	628	128,152	27	2.5	01.3-03.7	601	97.5	96.3-98.7	
Less than \$15,000	127	21,768	17	10.2	03.1-17.3	110	89.8	82.7-96.9	
\$15,000- 24,999	116	21,153	11	6.5	01.8-11.2	105	93.5	88.8-98.2	
\$25,000- 34,999	132	21,395	10	5.1	01.4-08.8	122	94.9	91.2-98.6	
\$35,000- 49,999	232	39,974	7	2.0	00.4-03.6	225	98.0	96.4-99.6	
\$50,000- 74,999	295	59,305	6	1.1	00.1-02.1	289	98.9	97.9-99.9	
\$75,000+	518	117,626	12	1.7	00.5-02.9	506	98.3	97.1-99.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 9: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2748	351,535	99	2.7	01.9-03.5	2649	97.3	96.5-98.1	
White/Non-Hisp	2200	267,585	79	2.5	01.7-03.3	2121	97.5	96.7-98.3	
Black or Afr. Am./Non-Hisp	367	52,943	16	5.0	01.9-08.1	351	95.0	91.9-98.1	
Oth. Race/Non-Hisp.	69	13,746	2	0.5	00.0-01.3	67	99.5	98.7-0100	
Hispanic	65	12,536				65	100.0	0100-0100	
18-24	76	42,518	1	1.0	00.0-03.0	75	99.0	97.0-0100	
25-34	240	55,922	2	0.5	00.0-01.1	238	99.5	98.9-0100	
35-44	387	62,088	3	0.3	00.0-00.7	384	99.7	99.3-0100	
45-54	510	65,773	12	3.2	00.7-05.7	498	96.8	94.3-99.3	
55-64	584	50,266	11	1.9	00.5-03.3	573	98.1	96.7-99.5	
65+	896	69,848	69	7.7	05.5-09.9	827	92.3	90.1-94.5	
Less Than H.S.	197	23,832	16	8.8	03.1-14.5	181	91.2	85.5-96.9	
H.S. or G.E.D.	872	95,745	45	3.3	02.1-04.5	827	96.7	95.5-97.9	
Some Post-H.S.	746	93,767	19	2.3	00.7-03.9	727	97.7	96.1-99.3	
College Graduate	931	138,071	19	1.4	00.6-02.2	912	98.6	97.8-99.4	
Less than \$15,000	319	29,416	14	3.4	01.2-05.6	305	96.6	94.4-98.8	
\$15,000- 24,999	311	29,616	27	7.4	03.9-10.9	284	92.6	89.1-96.1	
\$25,000- 34,999	265	31,596	10	2.8	00.4-05.2	255	97.2	94.8-99.6	
\$35,000- 49,999	350	44,284	12	1.7	00.7-02.7	338	98.3	97.3-99.3	
\$50,000- 74,999	380	59,277				380	100.0	0100-0100	
\$75,000+	651	103,419	12	1.3	00.5-02.1	639	98.7	97.9-99.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 10: ASTHMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)	
1	MALES AND FEMALES	69
2	MALES ONLY	70
3	FEMALES ONLY	71
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
4	MALES AND FEMALES	72
5	MALES ONLY	73
6	FEMALES ONLY	74

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 10: ASTHMA**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4357	671,372	553	14.3	12.5-16.1	3804	85.7	83.9-87.5
Male	1603	319,481	138	12.1	09.6-14.6	1465	87.9	85.4-90.4
Female	2754	351,891	415	16.3	13.9-18.7	2339	83.7	81.3-86.1
White/Non-Hisp	3492	506,513	406	13.0	11.0-15.0	3086	87.0	85.0-89.0
Black or Afr. Am./Non-Hisp	538	89,982	96	21.0	15.1-26.9	442	79.0	73.1-84.9
Oth. Race/Non-Hisp.	122	29,101	20	10.8	04.5-17.1	102	89.2	82.9-95.5
18-24	146	85,131	32	22.0	13.6-30.4	114	78.0	69.6-86.4
25-34	368	109,657	55	20.3	14.4-26.2	313	79.7	73.8-85.6
35-44	623	120,836	91	12.7	09.6-15.8	532	87.3	84.2-90.4
45-54	796	125,907	103	11.4	08.7-14.1	693	88.6	85.9-91.3
55-64	926	99,284	110	11.9	09.2-14.6	816	88.1	85.4-90.8
65+	1433	123,686	151	10.1	08.1-12.1	1282	89.9	87.9-91.9
Less Than H.S.	322	46,460	55	19.7	12.1-27.3	267	80.3	72.7-87.9
H.S. or G.E.D.	1344	190,555	165	11.9	09.2-14.6	1179	88.1	85.4-90.8
Some Post-H.S.	1125	166,927	141	14.5	11.2-17.8	984	85.5	82.2-88.8
College Graduate	1561	266,552	192	15.0	12.1-17.9	1369	85.0	82.1-87.9
Less than \$15,000	453	51,914	78	20.0	13.3-26.7	375	80.0	73.3-86.7
\$15,000- 24,999	428	50,091	78	15.0	10.5-19.5	350	85.0	80.5-89.5
\$25,000- 34,999	396	52,773	42	12.8	06.5-19.1	354	87.2	80.9-93.5
\$35,000- 49,999	582	84,217	70	16.8	10.9-22.7	512	83.2	77.3-89.1
\$50,000- 74,999	675	118,581	90	14.9	10.4-19.4	585	85.1	80.6-89.6
\$75,000+	1169	221,045	116	12.1	09.4-14.8	1053	87.9	85.2-90.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1603	319,481	138	12.1	09.6-14.6	1465	87.9	85.4-90.4
White/Non-Hisp	1288	238,697	101	10.9	08.2-13.6	1187	89.1	86.4-91.8
Black or Afr. Am./Non-Hisp	170	36,998	21	20.3	10.7-29.9	149	79.7	70.1-89.3
Oth. Race/Non-Hisp.	53	15,355	7	9.5	00.5-18.5	46	90.5	81.5-99.5
18-24	71	42,908	13	17.8	08.0-27.6	58	82.2	72.4-92.0
25-34	128	53,735	21	24.4	14.4-34.4	107	75.6	65.6-85.6
35-44	236	58,748	19	8.7	04.4-13.0	217	91.3	87.0-95.6
45-54	285	60,092	21	7.8	03.9-11.7	264	92.2	88.3-96.1
55-64	340	48,770	25	7.8	04.1-11.5	315	92.2	88.5-95.9
65+	533	53,476	36	7.5	04.6-10.4	497	92.5	89.6-95.4
H.S. or G.E.D.	469	94,639	37	10.4	06.5-14.3	432	89.6	85.7-93.5
Some Post-H.S.	378	73,182	32	12.2	06.5-17.9	346	87.8	82.1-93.5
College Graduate	629	128,317	57	12.0	07.9-16.1	572	88.0	83.9-92.1
\$15,000- 24,999	116	20,434	11	7.8	01.7-13.9	105	92.2	86.1-98.3
\$25,000- 34,999	132	21,471	7	8.2	00.0-17.2	125	91.8	82.8-0100
\$35,000- 49,999	232	39,974	24	15.1	07.5-22.7	208	84.9	77.3-92.5
\$50,000- 74,999	295	59,305	27	11.9	06.0-17.8	268	88.1	82.2-94.0
\$75,000+	518	117,626	37	10.7	06.4-15.0	481	89.3	85.0-93.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2754	351,891	415	16.3	13.9-18.7	2339	83.7	81.3-86.1
White/Non-Hisp	2204	267,816	305	14.9	12.4-17.4	1899	85.1	82.6-87.6
Black or Afr. Am./Non-Hisp	368	52,984	75	21.5	14.1-28.9	293	78.5	71.1-85.9
Oth. Race/Non-Hisp.	69	13,746	13	12.2	03.6-20.8	56	87.8	79.2-96.4
25-34	240	55,922	34	16.3	09.8-22.8	206	83.7	77.2-90.2
35-44	387	62,088	72	16.4	12.1-20.7	315	83.6	79.3-87.9
45-54	511	65,814	82	14.7	11.0-18.4	429	85.3	81.6-89.0
55-64	586	50,514	85	15.9	12.0-19.8	501	84.1	80.2-88.0
65+	900	70,210	115	12.1	09.6-14.6	785	87.9	85.4-90.4
Less Than H.S.	198	23,873	43	18.9	11.5-26.3	155	81.1	73.7-88.5
H.S. or G.E.D.	875	95,916	128	13.4	09.5-17.3	747	86.6	82.7-90.5
Some Post-H.S.	747	93,745	109	16.4	12.3-20.5	638	83.6	79.5-87.7
College Graduate	932	138,235	135	17.9	13.6-22.2	797	82.1	77.8-86.4
Less than \$15,000	325	30,067	66	21.8	13.8-29.8	259	78.2	70.2-86.2
\$15,000- 24,999	312	29,657	67	20.0	13.9-26.1	245	80.0	73.9-86.1
\$25,000- 34,999	264	31,301	35	16.0	07.6-24.4	229	84.0	75.6-92.4
\$35,000- 49,999	350	44,243	46	18.4	09.4-27.4	304	81.6	72.6-90.6
\$50,000- 74,999	380	59,277	63	17.9	11.0-24.8	317	82.1	75.2-89.0
\$75,000+	651	103,419	79	13.7	10.2-17.2	572	86.3	82.8-89.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 4: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	502	84,913	368	68.5	61.8-75.2	134	31.5	24.8-38.2
Female	377	50,617	287	72.7	64.7-80.7	90	27.3	19.3-35.3
White/Non-Hisp	373	59,507	277	71.8	64.9-78.7	96	28.2	21.3-35.1
55-64	102	10,854	81	81.9	72.1-91.7	21	18.1	08.3-27.9
\$15,000- 24,999	71	6,457	59	91.5	85.8-97.2	12	8.5	02.8-14.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 10: ASTHMA

TABLE 5: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 6: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	377	50,617	287	72.7	64.7-80.7	90	27.3	19.3-35.3
White/Non-Hisp	279	35,683	215	75.2	67.6-82.8	64	24.8	17.2-32.4
\$15,000- 24,999	62	5,496	51	91.1	84.8-97.4	11	8.9	02.6-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 11: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	76
2 MALES ONLY	77
3 FEMALES ONLY	78
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	79
5 MALES ONLY	80
6 FEMALES ONLY	81
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	82
8 MALES ONLY	83
9 FEMALES ONLY	84
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)	
10 MALES AND FEMALES	85
11 MALES ONLY	86
12 FEMALES ONLY	87
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (SWEDISH FOR SNUFF) IS A MOIST SMOKELESS TOBACCO, USUALLY SOLD IN SMALL POUCHES THAT ARE PLACED UNDER THE LIP AGAINST THE GUM. (USENOW3)	
13 MALES AND FEMALES	88
14 MALES ONLY	89
15 FEMALES ONLY	90

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4349	671,220	2242	46.6	44.2-49.0	2107	53.4	51.0-55.8
Male	1602	319,867	936	51.3	47.8-54.8	666	48.7	45.2-52.2
Female	2747	351,353	1306	42.4	39.7-45.1	1441	57.6	54.9-60.3
White/Non-Hisp	3487	506,903	1888	50.2	47.7-52.7	1599	49.8	47.3-52.3
Black or Afr. Am./Non-Hisp	535	89,383	209	33.8	28.1-39.5	326	66.2	60.5-71.9
18-24	146	85,187	47	31.0	21.6-40.4	99	69.0	59.6-78.4
25-34	368	109,657	170	48.4	41.7-55.1	198	51.6	44.9-58.3
35-44	622	121,294	249	39.1	34.4-43.8	373	60.9	56.2-65.6
45-54	795	125,687	403	46.3	41.8-50.8	392	53.7	49.2-58.2
55-64	922	98,837	529	57.3	53.0-61.6	393	42.7	38.4-47.0
65+	1431	123,686	813	55.5	52.4-58.6	618	44.5	41.4-47.6
Less Than H.S.	320	46,184	200	61.9	52.9-70.9	120	38.1	29.1-47.1
H.S. or G.E.D.	1343	190,962	776	55.1	50.8-59.4	567	44.9	40.6-49.2
Some Post-H.S.	1122	166,763	610	49.9	45.4-54.4	512	50.1	45.6-54.6
College Graduate	1559	266,435	652	35.8	32.5-39.1	907	64.2	60.9-67.5
Less than \$15,000	451	51,729	270	61.7	54.8-68.6	181	38.3	31.4-45.2
\$15,000- 24,999	427	50,581	229	51.6	44.0-59.2	198	48.4	40.8-56.0
\$25,000- 34,999	397	53,042	240	61.0	53.0-69.0	157	39.0	31.0-47.0
\$35,000- 49,999	580	83,881	314	47.9	41.2-54.6	266	52.1	45.4-58.8
\$50,000- 74,999	674	118,547	343	43.9	38.0-49.8	331	56.1	50.2-62.0
\$75,000+	1169	221,045	528	40.3	36.6-44.0	641	59.7	56.0-63.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1602	319,867	936	51.3	47.8-54.8	666	48.7	45.2-52.2
White/Non-Hisp	1288	239,428	774	53.3	49.4-57.2	514	46.7	42.8-50.6
35-44	236	59,317	100	41.9	34.5-49.3	136	58.1	50.7-65.5
45-54	285	60,092	148	47.2	40.1-54.3	137	52.8	45.7-59.9
55-64	339	48,736	227	65.6	58.7-72.5	112	34.4	27.5-41.3
65+	534	53,565	370	66.7	61.8-71.6	164	33.3	28.4-38.2
H.S. or G.E.D.	470	95,298	305	59.7	53.2-66.2	165	40.3	33.8-46.8
Some Post-H.S.	377	72,943	231	53.4	45.8-61.0	146	46.6	39.0-54.2
College Graduate	628	128,283	300	40.1	34.6-45.6	328	59.9	54.4-65.4
\$35,000- 49,999	231	39,778	153	63.0	54.2-71.8	78	37.0	28.2-45.8
\$50,000- 74,999	294	59,270	168	49.1	40.3-57.9	126	50.9	42.1-59.7
\$75,000+	518	117,626	252	43.1	37.6-48.6	266	56.9	51.4-62.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2747	351,353	1306	42.4	39.7-45.1	1441	57.6	54.9-60.3
White/Non-Hisp	2199	267,475	1114	47.3	44.2-50.4	1085	52.7	49.6-55.8
Black or Afr. Am./Non-Hisp	367	52,819	124	26.5	20.4-32.6	243	73.5	67.4-79.6
Oth. Race/Non-Hisp.	69	13,746	23	14.3	06.1-22.5	46	85.7	77.5-93.9
25-34	240	55,922	106	45.4	37.8-53.0	134	54.6	47.0-62.2
35-44	386	61,977	149	36.5	30.6-42.4	237	63.5	57.6-69.4
45-54	510	65,594	255	45.5	40.0-51.0	255	54.5	49.0-60.0
55-64	583	50,102	302	49.2	44.1-54.3	281	50.8	45.7-55.9
65+	897	70,121	443	47.0	42.9-51.1	454	53.0	48.9-57.1
H.S. or G.E.D.	873	95,664	471	50.5	45.0-56.0	402	49.5	44.0-55.0
Some Post-H.S.	745	93,820	379	47.2	41.7-52.7	366	52.8	47.3-58.3
College Graduate	931	138,152	352	31.8	27.7-35.9	579	68.2	64.1-72.3
Less than \$15,000	323	29,881	180	53.8	45.6-62.0	143	46.2	38.0-54.4
\$15,000- 24,999	310	29,381	153	47.0	38.8-55.2	157	53.0	44.8-61.2
\$35,000- 49,999	349	44,103	161	34.3	26.9-41.7	188	65.7	58.3-73.1
\$50,000- 74,999	380	59,277	175	38.7	31.3-46.1	205	61.3	53.9-68.7
\$75,000+	651	103,419	276	37.2	32.5-41.9	375	62.8	58.1-67.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2242	313,075	554	28.5	25.6-31.4	179	10.7	08.5-12.9	1509	60.8	57.7-63.9
Male	936	164,107	221	28.8	24.3-33.3	59	10.5	07.2-13.8	656	60.7	56.0-65.4
Female	1306	148,968	333	28.1	24.4-31.8	120	11.0	08.3-13.7	853	60.9	57.0-64.8
White/Non-Hisp	1888	254,292	453	27.1	24.2-30.0	143	10.7	08.3-13.1	1292	62.2	58.9-65.5
Black or Afr. Am./Non-Hisp	209	30,244				24	13.0	05.7-20.3			
Hispanic	52	13,355				2	3.5	00.0-09.8			
25-34	170	53,057	62	38.3	28.9-47.7	23	14.9	07.8-22.0	85	46.8	37.2-56.4
35-44	249	47,454	92	33.7	26.4-41.0	31	11.2	06.3-16.1	126	55.1	47.5-62.7
45-54	403	58,195	148	32.0	26.5-37.5	35	8.1	04.8-11.4	220	59.9	54.0-65.8
55-64	529	56,640	126	22.3	17.6-27.0	43	9.8	05.9-13.7	360	67.9	62.4-73.4
65+	813	68,634	102	12.4	09.7-15.1	28	3.2	01.8-04.6	683	84.4	81.5-87.3
Less Than H.S.	200	28,570				18	15.9	06.1-25.7			
H.S. or G.E.D.	776	105,226	239	38.1	32.8-43.4	64	9.1	06.2-12.0	473	52.8	47.5-58.1
Some Post-H.S.	610	83,203	151	27.9	22.2-33.6	52	12.6	07.9-17.3	407	59.5	53.4-65.6
College Graduate	652	95,314	95	13.8	10.3-17.3	45	9.3	05.6-13.0	512	76.9	72.0-81.8
Less than \$15,000	270	31,893	78	35.6	25.8-45.4	17	9.0	02.9-15.1			
\$15,000- 24,999	229	26,079	91	51.9	42.3-61.5	25	13.8	07.3-20.3	113	34.3	25.9-42.7
\$25,000- 34,999	240	32,329	75	38.0	28.0-48.0	22	14.8	06.6-23.0	143	47.2	37.4-57.0
\$35,000- 49,999	314	40,193	85	36.3	27.5-45.1	23	9.3	03.8-14.8	206	54.4	46.0-62.8
\$50,000- 74,999	343	52,037	80	24.5	17.8-31.2	14	7.0	02.3-11.7	249	68.5	61.1-75.9
\$75,000+	528	89,128	81	15.2	11.1-19.3	42	9.6	05.7-13.5	405	75.2	70.1-80.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	936	164,107	221	28.8	24.3-33.3	59	10.5	07.2-13.8	656	60.7	56.0-65.4
White/Non-Hisp	774	127,643	178	27.9	23.2-32.6	40	9.9	06.2-13.6	556	62.2	57.1-67.3
35-44	100	24,831				7	6.1	00.8-11.4			
45-54	148	28,367	54	29.9	21.5-38.3	13	10.6	04.3-16.9	81	59.5	50.1-68.9
55-64	227	31,972	56	20.4	13.3-27.5	13	9.5	03.6-15.4	158	70.1	61.9-78.3
65+	370	35,705	35	9.8	06.3-13.3	10	2.5	00.7-04.3	325	87.7	83.8-91.6
H.S. or G.E.D.	305	56,910	91	38.6	30.6-46.6	17	7.1	03.2-11.0	197	54.3	46.5-62.1
Some Post-H.S.	231	38,922	61	30.6	20.8-40.4	18	16.3	07.5-25.1	152	53.0	43.0-63.0
College Graduate	300	51,389	37	12.0	06.9-17.1	16	9.0	03.1-14.9	247	79.0	71.7-86.3
Less than \$15,000	90	15,805				2	6.4	00.0-15.0			
\$35,000- 49,999	153	25,047				6	6.9	00.0-14.5			
\$50,000- 74,999	168	29,117	35	23.5	13.7-33.3	8	9.7	01.9-17.5			
\$75,000+	252	50,708	34	14.2	08.5-19.9	16	8.8	03.1-14.5	202	77.1	69.8-84.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1306	148,968	333	28.1	24.4-31.8	120	11.0	08.3-13.7	853	60.9	57.0-64.8
White/Non-Hisp	1114	126,649	275	26.2	22.5-29.9	103	11.6	08.5-14.7	736	62.2	57.9-66.5
Black or Afr. Am./Non-Hisp	124	14,007				12	9.3	03.2-15.4			
25-34	106	25,391	36	30.8	20.8-40.8	14	12.2	05.7-18.7			
35-44	149	22,623	53	30.2	21.0-39.4	24	16.7	08.7-24.7	72	53.0	43.0-63.0
45-54	255	29,827	94	34.0	26.7-41.3	22	5.7	03.0-08.4	139	60.3	52.9-67.7
55-64	302	24,668	70	24.7	18.8-30.6	30	10.2	05.7-14.7	202	65.2	58.5-71.9
65+	443	32,929	67	15.3	11.2-19.4	18	3.9	01.7-06.1	358	80.8	76.3-85.3
H.S. or G.E.D.	471	48,316	148	37.5	30.6-44.4	47	11.5	07.2-15.8	276	51.0	44.1-57.9
Some Post-H.S.	379	44,282	90	25.5	19.6-31.4	34	9.4	05.3-13.5	255	65.2	58.7-71.7
College Graduate	352	43,925	58	16.0	10.9-21.1	29	9.7	05.2-14.2	265	74.4	68.1-80.7
Less than \$15,000	180	16,088	48	26.6	18.0-35.2	15	11.5	03.1-19.9			
\$15,000- 24,999	153	13,819				17	12.3	05.6-19.0	78	38.5	28.7-48.3
\$25,000- 34,999	146	17,288				11	5.9	01.8-10.0			
\$35,000- 49,999	161	15,146	45	33.5	24.3-42.7	17	13.3	05.9-20.7	99	53.2	43.6-62.8
\$50,000- 74,999	175	22,920	45	25.8	17.0-34.6	6	3.6	00.5-06.7	124	70.6	61.6-79.6
\$75,000+	276	38,420	47	16.5	11.0-22.0	26	10.8	05.9-15.7	203	72.8	65.9-79.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	731	122,057	411	60.5	55.2-65.8	320	39.5	34.2-44.8
Male	278	63,795	142	56.0	47.8-64.2	136	44.0	35.8-52.2
Female	453	58,263	269	65.4	59.3-71.5	184	34.6	28.5-40.7
White/Non-Hisp	595	95,932	324	59.2	53.5-64.9	271	40.8	35.1-46.5
45-54	183	23,329	109	58.8	49.8-67.8	74	41.2	32.2-50.2
H.S. or G.E.D.	303	49,668	161	53.3	44.9-61.7	142	46.7	38.3-55.1
Some Post-H.S.	202	33,515	125	68.7	58.9-78.5	77	31.3	21.5-41.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 11: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	278	63,795	142	56.0	47.8-64.2	136	44.0	35.8-52.2	
White/Non-Hisp	217	48,047	109	56.0	46.8-65.2	108	44.0	34.8-53.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 11: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	453	58,263	269	65.4	59.3-71.5	184	34.6	28.5-40.7	
White/Non-Hisp	378	47,886	215	62.4	55.5-69.3	163	37.6	30.7-44.5	
H.S. or G.E.D.	195	23,666	107	58.6	48.6-68.6	88	41.4	31.4-51.4	
Some Post-H.S.	124	15,432	84	78.2	69.8-86.6	40	21.8	13.4-30.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1507	190,028	107	9.9	07.2-12.6	200	17.7	14.2-21.2	149	10.3	08.1-12.5	1031	60.1	56.2-64.0	20	2.1	00.9-03.3
Male	655	99,397	38	10.0	05.9-14.1	91	18.7	13.2-24.2	54	8.9	06.0-11.8	464	60.4	54.5-66.3	8	2.1	00.5-03.7
Female	852	90,631	69	9.7	06.4-13.0	109	16.5	12.4-20.6	95	11.8	08.9-14.7	567	59.8	54.9-64.7	12	2.1	00.1-04.1
White/Non-Hisp	1290	157,851	88	9.6	06.9-12.3	164	16.6	13.5-19.7	129	10.2	07.8-12.6	892	61.4	57.5-65.3	17	2.1	00.7-03.5
Black or Afr. Am./Non-Hisp	128	16,125	10	6.9	01.2-12.6	18	15.4	07.2-23.6	7	6.2	00.3-12.1				1	0.4	00.0-01.2
25-34	85	24,835							18	18.4	08.8-28.0	15	17.0	07.6-26.4	4	6.6	00.0-13.7
35-44	125	26,077	18	16.4	08.0-24.8	38	30.2	20.4-40.0	14	10.2	04.3-16.1	51	38.2	28.4-48.0	4	5.0	00.0-10.1
45-54	219	34,627	22	10.9	05.6-16.2	41	14.4	09.3-19.5	31	13.4	07.9-18.9	121	60.0	52.0-68.0	4	1.3	00.0-02.7
55-64	360	38,473	32	7.4	04.1-10.7	38	8.1	05.2-11.0	34	8.8	04.7-12.9	253	75.3	69.8-80.8	3	0.4	00.0-00.8
65+	683	57,929	14	1.9	00.5-03.3	42	6.3	03.9-08.7	50	7.0	04.6-09.4	572	84.0	80.5-87.5	5	0.8	00.0-01.6
Less Than H.S.	112	11,014				14	13.7	05.5-21.9	9	3.3	00.8-05.8				3	2.8	00.0-06.9
H.S. or G.E.D.	473	55,558	45	15.6	09.5-21.7	70	17.8	12.9-22.7	44	8.3	05.2-11.4	311	57.8	51.1-64.5	3	0.4	00.0-01.0
Some Post-H.S.	406	49,418	30	6.4	03.7-09.1	60	20.0	13.3-26.7	43	11.4	07.3-15.5	270	61.0	54.1-67.9	3	1.1	00.0-02.5
College Graduate	512	73,276	22	5.7	02.4-09.0	55	16.2	09.5-22.9	53	12.2	08.1-16.3	371	62.0	55.1-68.9	11	3.9	01.0-06.8
Less than \$15,000	174	17,433				22	13.6	06.2-21.0	18	7.6	02.7-12.5				1	0.2	00.0-00.6
\$15,000- 24,999	113	8,948				17	11.2	05.1-17.3	14	9.4	03.3-15.5				2	1.0	00.0-02.6
\$25,000- 34,999	143	15,264	11	6.8	01.7-11.9				11	5.1	01.8-08.4						
\$35,000- 49,999	206	21,851	15	9.0	03.1-14.9	19	15.8	07.8-23.8	18	11.6	05.3-17.9	153	63.2	53.8-72.6	1	0.4	00.0-01.2
\$50,000- 74,999	249	35,634	13	6.6	02.5-10.7				32	15.0	08.3-21.7				3	1.8	00.0-04.0
\$75,000+	404	66,950	23	7.0	03.3-10.7	55	16.2	11.3-21.1	40	10.2	06.5-13.9	274	61.9	55.6-68.2	12	4.6	01.5-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUF EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUF (SWEDISH FOR SNUFF) IS A MOIST SMOKELESS TOBACCO, USUALLY SOLD IN SMALL POUCHES THAT ARE PLACED UNDER THE LIP AGAINST THE GUM. (USENOW3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not used or tried smokeless tobacco products

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4359	672,470	33	0.7	00.3-01.1	32	1.2	00.6-01.8	4294	98.1	97.5-98.7
Male	1604	320,158	28	1.4	00.8-02.0	28	2.5	01.3-03.7	1548	96.1	94.7-97.5
Female	2755	352,312	5	0.1	00.0-00.3	4	0.1	00.1-00.1	2746	99.8	99.6-0100
White/Non-Hisp	3495	507,737	29	0.8	00.4-01.2	28	1.4	00.8-02.0	3438	97.7	96.9-98.5
Black or Afr. Am./Non-Hisp	538	89,982	1	0.1	00.0-00.3	4	0.9	00.0-02.1	533	99.0	97.8-0100
Oth. Race/Non-Hisp.	123	29,191							123	100.0	0100-0100
MultiRacial/Non-Hisp.	66	12,936							66	100.0	0100-0100
Hispanic	109	28,601	1	0.7	00.0-02.1				108	99.3	97.9-0100
18-24	147	85,426	2	1.0	00.0-02.6	4	2.0	00.0-04.0	141	97.0	94.5-99.5
25-34	368	109,657	4	0.5	00.0-01.1	7	2.8	00.6-05.0	357	96.7	94.5-98.9
35-44	623	121,564	7	1.2	00.2-02.2	4	1.1	00.0-02.5	612	97.7	95.9-99.5
45-54	796	125,907	6	0.9	00.1-01.7	5	0.7	00.1-01.3	785	98.5	97.5-99.5
55-64	926	99,284	7	0.4	00.2-00.6	3	0.3	00.0-00.7	916	99.4	99.0-99.8
65+	1434	123,760	7	0.4	00.0-00.8	9	0.8	00.2-01.4	1418	98.8	98.2-99.4
Less Than H.S.	322	46,460	5	0.9	00.1-01.7	2	1.7	00.0-04.2	315	97.4	94.7-0100
H.S. or G.E.D.	1347	191,573	14	1.1	00.3-01.9	8	1.4	00.2-02.6	1325	97.5	96.1-98.9
Some Post-H.S.	1126	167,222	6	0.5	00.0-01.1	11	1.1	00.3-01.9	1109	98.4	97.4-99.4
College Graduate	1559	266,337	8	0.6	00.0-01.2	11	1.0	00.2-01.8	1540	98.4	97.4-99.4
Less than \$15,000	452	51,877	2	0.3	00.0-00.7	3	1.5	00.0-03.7	447	98.2	96.0-0100
\$15,000- 24,999	429	50,857	4	0.9	00.0-02.1	3	3.3	00.0-07.2	422	95.8	91.9-99.7
\$25,000- 34,999	398	53,157	2	0.2	00.0-00.6	1	0.1	00.0-00.3	395	99.7	99.3-0100
\$35,000- 49,999	583	84,380	5	0.6	00.0-01.2	8	2.0	00.2-03.8	570	97.4	95.6-99.2
\$50,000- 74,999	675	118,581	7	1.1	00.1-02.1	3	0.7	00.0-01.7	665	98.2	96.8-99.6
\$75,000+	1169	221,045	10	0.7	00.1-01.3	10	1.0	00.2-01.8	1149	98.3	97.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUF EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUF (SWEDISH FOR SNUFF) IS A MOIST SMOKELESS TOBACCO, USUALLY SOLD IN SMALL POUCHES THAT ARE PLACED UNDER THE LIP AGAINST THE GUM. (USENOW3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not used or tried smokeless tobacco products

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1604	320,158	28	1.4	00.8-02.0	28	2.5	01.3-03.7	1548	96.1	94.7-97.5
White/Non-Hisp	1289	239,462	25	1.6	00.8-02.4	25	3.0	01.6-04.4	1239	95.4	93.8-97.0
Black or Afr. Am./Non-Hisp	170	36,998	1	0.1	00.0-00.3	3	2.1	00.0-04.6	166	97.8	95.3-0100
Oth. Race/Non-Hisp.	54	15,444							54	100.0	0100-0100
18-24	71	42,908	2	2.0	00.0-04.9	4	4.0	00.1-07.9	65	94.0	89.1-98.9
25-34	128	53,735	4	1.1	00.0-02.3	7	5.6	01.3-09.9	117	93.3	88.8-97.8
35-44	237	59,513	7	2.5	00.3-04.7	4	2.3	00.0-05.0	226	95.2	91.9-98.5
45-54	285	60,092	3	1.4	00.0-03.0	3	1.2	00.0-02.6	279	97.5	95.3-99.7
55-64	340	48,770	5	0.5	00.1-00.9	2	0.4	00.0-01.0	333	99.1	98.3-99.9
65+	533	53,387	7	1.0	00.2-01.8	8	1.6	00.4-02.8	518	97.4	95.8-99.0
Less Than H.S.	124	22,587	5	1.9	00.1-03.7	2	3.5	00.0-08.8	117	94.6	88.9-0100
H.S. or G.E.D.	471	95,494	11	1.9	00.3-03.5	8	2.9	00.5-05.3	452	95.3	92.6-98.0
Some Post-H.S.	378	73,182	5	1.1	00.0-02.3	8	2.2	00.4-04.0	365	96.6	94.4-98.8
College Graduate	628	128,139	7	1.1	00.1-02.1	10	2.1	00.5-03.7	611	96.8	95.0-98.6
Less than \$15,000	128	21,847	2	0.6	00.0-01.6	3	3.6	00.0-08.5	123	95.8	90.9-0100
\$15,000- 24,999	117	21,200	3	2.0	00.0-04.7	3	7.9	00.0-16.9	111	90.1	80.9-99.3
\$25,000- 34,999	133	21,561	2	0.5	00.0-01.3				131	99.5	98.7-0100
\$35,000- 49,999	232	39,974	4	0.8	00.0-01.6	6	4.0	00.3-07.7	222	95.2	91.5-98.9
\$50,000- 74,999	295	59,305	6	2.0	00.0-04.0	3	1.4	00.0-03.4	286	96.5	93.8-99.2
\$75,000+	518	117,626	8	1.2	00.2-02.2	9	1.7	00.3-03.1	501	97.0	95.2-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUF EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUF (SWEDISH FOR SNUFF) IS A MOIST SMOKELESS TOBACCO, USUALLY SOLD IN SMALL POUCHES THAT ARE PLACED UNDER THE LIP AGAINST THE GUM. (USENOW3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not used or tried smokeless tobacco products

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2755	352,312	5	0.1	00.0-00.3	4	0.1	00.1-00.1	2746	99.8	99.6-0100
White/Non-Hisp	2206	268,274	4	0.1	00.0-00.3	3	0.1	00.1-00.1	2199	99.8	99.6-0100
Black or Afr. Am./Non-Hisp	368	52,984				1	0.1	00.0-00.3	367	99.9	99.7-0100
Oth. Race/Non-Hisp.	69	13,746							69	100.0	0100-0100
Hispanic	64	12,499							64	100.0	0100-0100
18-24	76	42,518							76	100.0	0100-0100
25-34	240	55,922							240	100.0	0100-0100
35-44	386	62,051							386	100.0	0100-0100
45-54	511	65,814	3	0.5	00.0-01.1	2	0.2	00.0-00.4	506	99.4	98.8-0100
55-64	586	50,514	2	0.3	00.0-00.7	1	0.1	00.0-00.3	583	99.6	99.2-0100
65+	901	70,373				1	0.1	00.0-00.3	900	99.9	99.7-0100
Less Than H.S.	198	23,873							198	100.0	0100-0100
H.S. or G.E.D.	876	96,080	3	0.3	00.0-00.7				873	99.7	99.3-0100
Some Post-H.S.	748	94,040	1	0.1	00.0-00.3	3	0.2	00.0-00.4	744	99.8	99.6-0100
College Graduate	931	138,198	1	0.1	00.0-00.3	1	0.1	00.0-00.3	929	99.9	99.7-0100
Less than \$15,000	324	30,030							324	100.0	0100-0100
\$15,000- 24,999	312	29,657	1	0.2	00.0-00.6				311	99.8	99.4-0100
\$25,000- 34,999	265	31,596				1	0.1	00.0-00.3	264	99.9	99.7-0100
\$35,000- 49,999	351	44,406	1	0.4	00.0-01.2	2	0.3	00.0-00.7	348	99.4	98.6-0100
\$50,000- 74,999	380	59,277	1	0.1	00.0-00.3				379	99.9	99.7-0100
\$75,000+	651	103,419	2	0.1	00.0-00.3	1	0.1	00.0-00.3	648	99.8	99.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS YOUR AGE? (AGE)	
1	MALES AND FEMALES	94
2	MALES ONLY	95
3	FEMALES ONLY	96
	ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4	MALES AND FEMALES	97
5	MALES ONLY	98
6	FEMALES ONLY	99
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7	MALES AND FEMALES	100
8	MALES ONLY	101
9	FEMALES ONLY	102
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10	MALES AND FEMALES	103
11	MALES ONLY	104
12	FEMALES ONLY	105
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)	
13	MALES AND FEMALES	106
14	MALES ONLY	107
15	FEMALES ONLY	108
	ARE YOU: (MARITAL STATUS) (MARITAL)	
16	MALES AND FEMALES	109
17	MALES ONLY	110
18	FEMALES ONLY	111
	HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19	MALES AND FEMALES	112
20	MALES ONLY	113
21	FEMALES ONLY	114

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22	MALES AND FEMALES	115
23	MALES ONLY	116
24	FEMALES ONLY	117
	ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25	MALES AND FEMALES	118
26	MALES ONLY	119
27	FEMALES ONLY	120
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28	MALES AND FEMALES	121
29	MALES ONLY	122
30	FEMALES ONLY	123
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31	MALES AND FEMALES	124
32	MALES ONLY	125
33	FEMALES ONLY	126
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34	MALES AND FEMALES	127
35	MALES ONLY	128
36	FEMALES ONLY	129
	HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)	
37	MALES AND FEMALES	130
38	MALES ONLY	131
39	FEMALES ONLY	132
	WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)	
40	MALES AND FEMALES	133
41	MALES ONLY	134
42	FEMALES ONLY	135

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT COUNTY DO YOU LIVE IN? (CTYCODE)	
43 MALES AND FEMALES	136
44 MALES ONLY	137
45 FEMALES ONLY	138
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
46 MALES AND FEMALES	139
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
47 FEMALES ONLY	140
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
52 MALES AND FEMALES	145
53 MALES ONLY	146
54 FEMALES ONLY	147
DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV2)	
55 MALES AND FEMALES	148
56 MALES ONLY	149
57 FEMALES ONLY	150
INDICATE SEX OF RESPONDENT. (SEX)	
58 MALES AND FEMALES	151
59 MALES ONLY	152
60 FEMALES ONLY	153
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
61 MALES AND FEMALES	154
62 MALES ONLY	155
63 FEMALES ONLY	156

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4296	665,813	147	12.8	10.4-15.2	368	16.5	14.5-18.5	624	18.3	16.7-19.9	796	18.9	17.3-20.5	926	14.9	13.5-16.3	1435	18.6	17.4-19.8
Male	1595	318,583	71	13.5	10.2-16.8	128	16.9	13.8-20.0	237	18.7	16.2-21.2	285	18.9	16.4-21.4	340	15.3	13.1-17.5	534	16.8	15.0-18.6
Female	2701	347,229	76	12.2	08.7-15.7	240	16.1	13.9-18.3	387	17.9	15.7-20.1	511	19.0	17.0-21.0	586	14.5	12.9-16.1	901	20.3	18.5-22.1
White/Non-Hisp	3453	503,556	91	10.4	07.9-12.9	255	15.0	12.8-17.2	472	18.1	16.3-19.9	598	19.0	17.2-20.8	765	16.3	14.7-17.9	1272	21.3	19.7-22.9
Black or Afr. Am./Non-Hisp	532	89,265	28	15.7	09.0-22.4	63	18.2	13.1-23.3	100	19.3	15.0-23.6	131	20.5	16.0-25.0	115	14.6	10.9-18.3	95	11.7	08.6-14.8
Oth. Race/Non-Hisp.	117	28,108										27	16.3	08.1-24.5	17	5.0	02.1-07.9	23	8.6	03.5-13.7
MultiRacial/Non-Hisp.	65	12,812												9	6.1	00.4-11.8	20	13.2	05.2-21.2	
Hispanic	108	28,619							19	17.8	08.0-27.6	23	14.5	07.2-21.8	16	6.2	01.9-10.5	16	4.4	01.5-07.3
Less Than H.S.	321	46,378				23	15.9	07.9-23.9	31	11.4	06.3-16.5	32	8.7	05.2-12.2	42	10.2	05.9-14.5	175	30.7	24.0-37.4
H.S. or G.E.D.	1331	189,776	55	16.2	11.7-20.7	77	11.0	08.1-13.9	153	15.7	12.8-18.6	242	19.3	16.4-22.2	303	16.7	14.2-19.2	501	21.1	18.6-23.6
Some Post-H.S.	1104	165,576	54	15.8	10.9-20.7	110	17.9	14.0-21.8	144	15.5	12.6-18.4	215	19.6	16.5-22.7	255	14.3	11.9-16.7	326	17.0	14.6-19.4
College Graduate	1537	263,573	20	6.8	03.3-10.3	158	19.6	16.3-22.9	295	23.0	20.3-25.7	306	20.0	17.3-22.7	326	14.9	12.7-17.1	432	15.7	13.7-17.7
Less than \$15,000	447	51,482	20	11.6	05.7-17.5	27	18.3	10.5-26.1	29	10.2	05.3-15.1	53	13.3	08.8-17.8	85	12.2	08.7-15.7	233	34.3	28.4-40.2
\$15,000- 24,999	424	50,528	21	18.5	10.7-26.3	28	11.6	06.3-16.9	40	15.1	08.6-21.6	78	15.6	11.3-19.9	74	13.4	09.3-17.5	183	25.8	20.5-31.1
\$25,000- 34,999	393	52,683	12	14.7	05.7-23.7	33	15.3	09.2-21.4	42	13.8	08.5-19.1	62	18.1	12.2-24.0	91	16.5	11.8-21.2	153	21.7	17.0-26.4
\$35,000- 49,999	579	84,161	22	15.8	08.2-23.4	51	16.3	10.6-22.0	73	14.3	10.4-18.2	82	13.1	09.8-16.4	146	16.7	13.0-20.4	205	23.7	19.4-28.0
\$50,000- 74,999	669	117,985	20	14.5	07.4-21.6	84	22.3	17.0-27.6	125	18.6	14.9-22.3	139	16.9	13.4-20.4	150	15.7	12.4-19.0	151	12.0	09.5-14.5
\$75,000+	1162	219,920	15	5.2	02.3-08.1	125	18.8	15.3-22.3	257	24.4	21.3-27.5	306	26.8	23.5-30.1	270	15.5	13.1-17.9	189	9.3	07.7-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1595	318,583	71	13.5	10.2-16.8	128	16.9	13.8-20.0	237	18.7	16.2-21.2	285	18.9	16.4-21.4	340	15.3	13.1-17.5	534	16.8	15.0-18.6
White/Non-Hisp	1284	238,507	45	10.6	07.3-13.9	92	15.4	11.9-18.9	184	18.6	15.7-21.5	214	19.6	16.7-22.5	279	16.7	14.2-19.2	470	19.1	16.9-21.3
Black or Afr. Am./Non-Hisp	169	36,713				16	16.2	07.2-25.2	28	19.0	11.6-26.4	38	17.3	10.8-23.8	44	19.9	12.3-27.5	33	10.5	05.8-15.2
Oth. Race/Non-Hisp.	52	15,250												9	4.8	00.9-08.7	12	11.8	02.8-20.8	
Less Than H.S.	124	22,587							12	10.4	03.5-17.3	15	10.1	04.0-16.2	14	9.5	02.8-16.2	64	23.9	15.7-32.1
H.S. or G.E.D.	469	94,923	37	20.6	14.3-26.9	32	11.7	07.2-16.2	67	17.9	13.0-22.8	86	18.8	14.3-23.3	97	15.7	11.6-19.8	150	15.3	12.2-18.4
Some Post-H.S.	374	72,858	20	16.7	09.3-24.1	35	18.9	11.8-26.0	40	15.0	09.9-20.1	71	19.5	14.2-24.8	107	16.9	12.6-21.2	101	13.1	09.8-16.4
College Graduate	626	127,744	7	5.1	00.8-09.4	49	18.1	12.8-23.4	117	22.8	18.5-27.1	113	20.2	16.1-24.3	122	15.2	11.9-18.5	218	18.6	15.5-21.7
Less than \$15,000	127	21,750							8	11.7	03.3-20.1	14	12.7	04.9-20.5	22	12.1	05.2-19.0	67	26.4	17.6-35.2
\$15,000- 24,999	116	21,102				5	7.8	00.5-15.1				27	14.7	08.0-21.4	24	14.5	06.7-22.3	32	13.0	06.5-19.5
\$25,000- 34,999	132	21,275	3	9.0	00.0-19.6	10	13.6	03.6-23.6	11	14.2	05.2-23.2	21	20.1	10.7-29.5	33	19.2	10.6-27.8	54	24.0	16.2-31.8
\$35,000- 49,999	232	39,974	9	10.6	03.7-17.5	21	20.3	10.3-30.3	22	13.1	07.2-19.0	29	12.6	07.5-17.7	48	15.5	09.6-21.4	103	28.0	21.3-34.7
\$50,000- 74,999	295	59,305	10	13.0	04.0-22.0	27	20.6	12.2-29.0	48	17.1	11.8-22.4	54	16.8	11.5-22.1	67	18.7	13.0-24.4	89	13.8	10.1-17.5
\$75,000+	518	117,626	8	5.1	01.4-08.8	49	18.3	13.0-23.6	111	23.7	19.2-28.2	120	26.0	21.1-30.9	121	15.9	12.4-19.4	109	10.9	08.4-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2701	347,229	76	12.2	08.7-15.7	240	16.1	13.9-18.3	387	17.9	15.7-20.1	511	19.0	17.0-21.0	586	14.5	12.9-16.1	901	20.3	18.5-22.1
White/Non-Hisp	2169	265,049	46	10.2	06.5-13.9	163	14.5	12.0-17.0	288	17.7	15.3-20.1	384	18.4	16.2-20.6	486	15.9	14.1-17.7	802	23.2	21.0-25.4
Black or Afr. Am./Non-Hisp	363	52,552	18	14.8	06.2-23.4	47	19.6	13.3-25.9	72	19.5	14.2-24.8	93	22.6	16.5-28.7	71	11.0	07.7-14.3	62	12.6	08.5-16.7
Oth. Race/Non-Hisp.	65	12,858												8	5.3	00.8-09.8	11	4.7	01.0-08.4	
Hispanic	62	12,340												13	10.8	02.6-19.0	9	4.4	00.7-08.1	
Less Than H.S.	197	23,791				11	7.0	02.5-11.5	19	12.5	04.9-20.1	17	7.4	03.3-11.5	28	10.9	05.4-16.4	111	37.1	27.1-47.1
H.S. or G.E.D.	862	94,853	18	11.8	05.1-18.5	45	10.4	06.7-14.1	86	13.5	10.0-17.0	156	19.8	15.9-23.7	206	17.6	14.5-20.7	351	26.8	22.9-30.7
Some Post-H.S.	730	92,718	34	15.1	08.8-21.4	75	17.0	12.9-21.1	104	16.0	12.3-19.7	144	19.8	16.1-23.5	148	12.2	09.7-14.7	225	20.0	16.7-23.3
College Graduate	911	135,829	13	8.4	03.1-13.7	109	21.0	16.9-25.1	178	23.2	19.5-26.9	193	19.8	16.5-23.1	204	14.7	12.2-17.2	214	12.9	10.7-15.1
Less than \$15,000	320	29,732	13	8.6	03.3-13.9	18	16.2	07.4-25.0	21	9.1	03.4-14.8	39	13.8	08.7-18.9	63	12.3	08.6-16.0	166	40.0	32.6-47.4
\$15,000- 24,999	308	29,425	9	12.0	03.6-20.4	23	14.3	07.0-21.6	24	9.8	05.3-14.3	51	16.3	10.8-21.8	50	12.6	08.3-16.9	151	35.0	27.9-42.1
\$25,000- 34,999	261	31,407				23	16.4	08.8-24.0	31	13.6	07.3-19.9	41	16.7	09.3-24.1	58	14.6	09.5-19.7	99	20.2	14.7-25.7
\$35,000- 49,999	347	44,187				30	12.8	07.7-17.9	51	15.4	10.1-20.7	53	13.7	09.2-18.2	98	17.8	12.9-22.7	102	19.7	14.4-25.0
\$50,000- 74,999	374	58,680				57	23.9	17.2-30.6	77	20.0	14.7-25.3	85	17.0	12.5-21.5	83	12.7	09.2-16.2	62	10.3	07.2-13.4
\$75,000+	644	102,294	7	5.3	00.6-10.0	76	19.4	14.9-23.9	146	25.1	20.8-29.4	186	27.7	23.2-32.2	149	15.1	12.2-18.0	80	7.4	05.4-09.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 12: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4350	671,503	111	4.3	03.1-05.5	4239	95.7	94.5-96.9
Male	1600	319,470	46	5.1	03.1-07.1	1554	94.9	92.9-96.9
Female	2750	352,033	65	3.6	02.2-05.0	2685	96.4	95.0-97.8
18-24	146	85,187	13	10.0	03.7-16.3	133	90.0	83.7-96.3
25-34	368	109,657	21	7.1	02.8-11.4	347	92.9	88.6-97.2
35-44	624	121,601	19	4.2	01.8-06.6	605	95.8	93.4-98.2
45-54	795	125,479	23	3.3	01.7-04.9	772	96.7	95.1-98.3
55-64	925	99,215	16	1.8	00.6-03.0	909	98.2	97.0-99.4
65+	1429	123,611	16	1.0	00.4-01.6	1413	99.0	98.4-99.6
Less Than H.S.	320	46,327	19	12.7	04.1-21.3	301	87.3	78.7-95.9
H.S. or G.E.D.	1343	191,169	31	5.0	02.6-07.4	1312	95.0	92.6-97.4
Some Post-H.S.	1124	167,082	26	4.5	01.8-07.2	1098	95.5	92.8-98.2
College Graduate	1558	266,048	35	2.2	01.2-03.2	1523	97.8	96.8-98.8
Less than \$15,000	453	51,914	18	9.5	03.2-15.8	435	90.5	84.2-96.8
\$15,000- 24,999	427	50,584	18	7.0	02.3-11.7	409	93.0	88.3-97.7
\$25,000- 34,999	397	53,088	10	3.2	00.5-05.9	387	96.8	94.1-99.5
\$35,000- 49,999	582	84,348	17	5.1	01.0-09.2	565	94.9	90.8-99.0
\$50,000- 74,999	674	118,154	16	2.9	00.5-05.3	658	97.1	94.7-99.5
\$75,000+	1168	220,963	19	2.5	01.1-03.9	1149	97.5	96.1-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1600	319,470	46	5.1	03.1-07.1	1554	94.9	92.9-96.9
18-24	70	42,669	6	9.6	00.8-18.4	64	90.4	81.6-99.2
25-34	128	53,735	9	11.0	02.8-19.2	119	89.0	80.8-97.2
35-44	237	59,513	8	4.7	01.4-08.0	229	95.3	92.0-98.6
45-54	284	59,665	13	3.9	01.4-06.4	271	96.1	93.6-98.6
55-64	339	48,701	3	0.9	00.0-02.3	336	99.1	97.7-0100
65+	532	53,434	7	1.3	00.1-02.5	525	98.7	97.5-99.9
H.S. or G.E.D.	469	95,186	15	6.6	02.5-10.7	454	93.4	89.3-97.5
Some Post-H.S.	378	73,182	8	5.3	00.4-10.2	370	94.7	89.8-99.6
College Graduate	627	127,857	16	2.6	01.0-04.2	611	97.4	95.8-99.0
\$15,000- 24,999	116	20,961	6	4.7	00.2-09.2	110	95.3	90.8-99.8
\$25,000- 34,999	132	21,492	4	5.3	00.0-11.4	128	94.7	88.6-0100
\$35,000- 49,999	231	39,942	6	8.0	00.0-16.2	225	92.0	83.8-0100
\$50,000- 74,999	294	58,877	7	2.0	00.2-03.8	287	98.0	96.2-99.8
\$75,000+	518	117,626	12	3.1	01.1-05.1	506	96.9	94.9-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2750	352,033	65	3.6	02.2-05.0	2685	96.4	95.0-97.8
18-24	76	42,518	7	10.4	01.4-19.4	69	89.6	80.6-98.6
25-34	240	55,922	12	3.4	01.2-05.6	228	96.6	94.4-98.8
35-44	387	62,088	11	3.7	00.6-06.8	376	96.3	93.2-99.4
45-54	511	65,814	10	2.8	00.8-04.8	501	97.2	95.2-99.2
55-64	586	50,514	13	2.6	00.6-04.6	573	97.4	95.4-99.4
65+	897	70,177	9	0.8	00.2-01.4	888	99.2	98.6-99.8
H.S. or G.E.D.	874	95,983	16	3.3	00.9-05.7	858	96.7	94.3-99.1
Some Post-H.S.	746	93,900	18	3.9	01.2-06.6	728	96.1	93.4-98.8
College Graduate	931	138,191	19	1.8	00.6-03.0	912	98.2	97.0-99.4
Less than \$15,000	325	30,067	13	7.5	01.6-13.4	312	92.5	86.6-98.4
\$15,000- 24,999	311	29,623	12	8.7	01.4-16.0	299	91.3	84.0-98.6
\$25,000- 34,999	265	31,596	6	1.8	00.0-03.6	259	98.2	96.4-0100
\$35,000- 49,999	351	44,406	11	2.5	00.7-04.3	340	97.5	95.7-99.3
\$50,000- 74,999	380	59,277	9	3.8	00.0-07.9	371	96.2	92.1-0100
\$75,000+	650	103,336	7	1.8	00.2-03.4	643	98.2	96.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4361	672,685	4285	97.4	96.4-98.4	76	2.6	01.6-03.6
Male	1605	320,336	1566	96.3	94.7-97.9	39	3.7	02.1-05.3
Female	2756	352,349	2719	98.3	97.3-99.3	37	1.7	00.7-02.7
18-24	147	85,426	139	94.4	89.9-98.9	8	5.6	01.1-10.1
25-34	368	109,657	356	95.3	91.8-98.8	12	4.7	01.2-08.2
35-44	624	121,601	614	97.9	96.5-99.3	10	2.1	00.7-03.5
45-54	796	125,907	780	97.8	96.2-99.4	16	2.2	00.6-03.8
55-64	926	99,284	917	99.2	98.4-0100	9	0.8	00.0-01.6
65+	1435	123,938	1415	98.6	97.8-99.4	20	1.4	00.6-02.2
Less Than H.S.	322	46,460	318	99.2	98.4-0100	4	0.8	00.0-01.6
H.S. or G.E.D.	1347	191,573	1325	97.4	95.6-99.2	22	2.6	00.8-04.4
Some Post-H.S.	1126	167,222	1105	96.3	93.8-98.8	21	3.7	01.2-06.2
College Graduate	1561	266,552	1532	97.7	96.5-98.9	29	2.3	01.1-03.5
Less than \$15,000	453	51,914	443	95.5	91.2-99.8	10	4.5	00.2-08.8
\$15,000- 24,999	429	50,857	417	94.6	89.5-99.7	12	5.4	00.3-10.5
\$25,000- 34,999	398	53,157	392	97.4	94.5-0100	6	2.6	00.0-05.5
\$35,000- 49,999	583	84,380	579	97.6	94.3-0100	4	2.4	00.0-05.7
\$50,000- 74,999	675	118,581	656	96.3	93.8-98.8	19	3.7	01.2-06.2
\$75,000+	1169	221,045	1153	98.5	97.5-99.5	16	1.5	00.5-02.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1605	320,336	1566	96.3	94.7-97.9	39	3.7	02.1-05.3
18-24	71	42,908	67	94.5	88.8-0100	4	5.5	00.0-11.2
25-34	128	53,735	121	91.6	84.5-98.7	7	8.4	01.3-15.5
35-44	237	59,513	232	97.5	95.3-99.7	5	2.5	00.3-04.7
45-54	285	60,092	275	96.9	94.4-99.4	10	3.1	00.6-05.6
55-64	340	48,770	336	99.0	97.6-0100	4	1.0	00.0-02.4
65+	534	53,565	525	98.1	96.5-99.7	9	1.9	00.3-03.5
Less Than H.S.	124	22,587	123	99.7	99.1-0100	1	0.3	00.0-00.9
H.S. or G.E.D.	471	95,494	457	96.3	93.6-99.0	14	3.7	01.0-06.4
Some Post-H.S.	378	73,182	368	94.3	89.2-99.4	10	5.7	00.6-10.8
College Graduate	629	128,317	615	96.9	95.1-98.7	14	3.1	01.3-04.9
Less than \$15,000	128	21,847	124	91.9	82.3-0100	4	8.1	00.0-17.7
\$15,000- 24,999	117	21,200	111	93.4	85.0-0100	6	6.6	00.0-15.0
\$25,000- 34,999	133	21,561	129	96.9	92.8-0100	4	3.1	00.0-07.2
\$35,000- 49,999	232	39,974	228	94.9	87.8-0100	4	5.1	00.0-12.2
\$50,000- 74,999	295	59,305	287	96.7	94.0-99.4	8	3.3	00.6-06.0
\$75,000+	518	117,626	511	98.0	96.4-99.6	7	2.0	00.4-03.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2756	352,349	2719	98.3	97.3-99.3	37	1.7	00.7-02.7
18-24	76	42,518	72	94.4	87.3-0100	4	5.6	00.0-12.7
25-34	240	55,922	235	98.9	97.9-99.9	5	1.1	00.1-02.1
35-44	387	62,088	382	98.4	96.8-0100	5	1.6	00.0-03.2
45-54	511	65,814	505	98.5	96.5-0100	6	1.5	00.0-03.5
55-64	586	50,514	581	99.5	98.9-0100	5	0.5	00.0-01.1
65+	901	70,373	890	99.0	98.4-99.6	11	1.0	00.4-01.6
Less Than H.S.	198	23,873	195	98.8	97.2-0100	3	1.2	00.0-02.8
H.S. or G.E.D.	876	96,080	868	98.4	96.4-0100	8	1.6	00.0-03.6
Some Post-H.S.	748	94,040	737	97.9	95.4-0100	11	2.1	00.0-04.6
College Graduate	932	138,235	917	98.3	97.1-99.5	15	1.7	00.5-02.9
Less than \$15,000	325	30,067	319	98.1	96.5-99.7	6	1.9	00.3-03.5
\$15,000- 24,999	312	29,657	306	95.4	89.1-0100	6	4.6	00.0-10.9
\$25,000- 34,999	265	31,596	263	97.7	93.6-0100	2	2.3	00.0-06.4
\$35,000- 49,999	351	44,406	351	100.0	0100-0100			
\$50,000- 74,999	380	59,277	369	95.8	91.7-99.9	11	4.2	00.1-08.3
\$75,000+	651	103,419	642	99.2	98.6-99.8	9	0.8	00.2-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 12: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)
 Denominator Excludes: Respondents reporting only one race
 Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Native Hawaiian or P.I.			Am. Indian or Alaskan Native		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	57	12,078	1	0.3	00.0-00.9	7	6.1	00.0-12.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mths but not now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	827	133,348	147	16.7	13.2-20.2	680	83.3	79.8-86.8
Male	304	64,044	135	32.3	25.4-39.2	169	67.7	60.8-74.6
Female	523	69,303	12	2.3	00.3-04.3	511	97.7	95.7-99.7
35-44	122	26,034	16	12.8	05.5-20.1	106	87.2	79.9-94.5
45-54	147	23,575	20	15.7	07.9-23.5	127	84.3	76.5-92.1
55-64	185	20,184	32	24.1	14.3-33.9	153	75.9	66.1-85.7
65+	267	23,234	73	34.8	27.2-42.4	194	65.2	57.6-72.8
H.S. or G.E.D.	258	41,185	41	13.7	08.6-18.8	217	86.3	81.2-91.4
Some Post-H.S.	211	29,706	48	20.8	13.2-28.4	163	79.2	71.6-86.8
College Graduate	301	52,683	52	17.3	10.6-24.0	249	82.7	76.0-89.4
Less than \$15,000	82	10,237	10	9.5	02.4-16.6	72	90.5	83.4-97.6
\$15,000- 24,999	84	9,929	9	7.0	01.7-12.3	75	93.0	87.7-98.3
\$35,000- 49,999	119	15,964	28	23.8	14.4-33.2	91	76.2	66.8-85.6
\$50,000- 74,999	129	23,786	26	13.2	05.9-20.5	103	86.8	79.5-94.1
\$75,000+	224	45,876	39	17.8	10.4-25.2	185	82.2	74.8-89.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 12: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
 ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mnths but not now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	304	64,044	135	32.3	25.4-39.2	169	67.7	60.8-74.6
65+	101	10,982	72	73.3	63.3-83.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mths but not now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	523	69,303	12	2.3	00.3-04.3	511	97.7	95.7-99.7
35-44	78	13,494	5	2.3	00.1-04.5	73	97.7	95.5-99.9
45-54	97	12,753	4	6.0	00.0-14.2	93	94.0	85.8-0100
55-64	113	9,336	1	4.0	00.0-11.4	112	96.0	88.6-0100
65+	166	12,252	1	0.2	00.0-00.6	165	99.8	99.4-0100
H.S. or G.E.D.	163	21,325	3	0.6	00.0-01.2	160	99.4	98.8-0100
Some Post-H.S.	140	18,384	4	4.6	00.0-10.7	136	95.4	89.3-0100
College Graduate	177	23,393	4	1.1	00.0-02.3	173	98.9	97.7-0100
Less than \$15,000	56	6,357				56	100.0	0100-0100
\$15,000- 24,999	64	5,740	1	0.5	00.0-01.5	63	99.5	98.5-0100
\$25,000- 34,999	50	6,194	2	6.9	00.0-18.9	48	93.1	81.1-0100
\$35,000- 49,999	74	8,015	2	1.8	00.0-04.7	72	98.2	95.3-0100
\$50,000- 74,999	78	11,613	3	1.6	00.0-03.8	75	98.4	96.2-0100
\$75,000+	122	21,308	2	0.7	00.0-01.7	120	99.3	98.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4345	669,645	2451	59.1	56.7-61.5	599	8.8	07.8-09.8	619	6.5	05.7-07.3	74	1.3	00.9-01.7	507	20.5	18.1-22.9	95	3.9	02.7-05.1
Male	1597	318,033	1017	63.4	59.9-66.9	173	6.6	05.2-08.0	126	3.0	02.2-03.8	25	1.1	00.5-01.7	224	21.7	18.2-25.2	32	4.1	01.9-06.3
Female	2748	351,612	1434	55.1	52.2-58.0	426	10.7	09.1-12.3	493	9.6	08.4-10.8	49	1.4	01.0-01.8	283	19.4	16.1-22.7	63	3.7	02.3-05.1
White/Non-Hisp	3486	506,013	2042	62.6	60.1-65.1	466	8.7	07.5-09.9	539	7.1	06.3-07.9	43	0.9	00.5-01.3	318	17.0	14.5-19.5	78	3.7	02.5-04.9
Black or Afr. Am./Non-Hisp	537	89,943	215	43.2	37.1-49.3	96	11.7	08.4-15.0	61	6.0	04.0-08.0	24	3.2	01.6-04.8	131	33.5	26.8-40.2	10	2.5	00.7-04.3
Oth. Race/Non-Hisp.	121	29,055				10	2.2	00.4-04.0	6	2.6	00.0-06.1	1	0.6	00.0-01.8						
MultiRacial/Non-Hisp.	65	12,674				10	6.3	01.6-11.0	4	2.3	00.0-05.0	4	2.2	00.0-04.7				1	1.3	00.0-03.8
Hispanic	111	28,816				15	9.9	02.5-17.3	6	1.2	00.0-02.6	2	1.5	00.0-04.0						
18-24	145	83,621	8	4.3	00.8-07.8							2	0.6	00.0-01.6	121	83.3	75.3-91.3	14	11.9	04.5-19.3
25-34	367	109,482	228	61.1	54.4-67.8	18	3.9	01.5-06.3				5	0.7	00.1-01.3	96	27.7	21.4-34.0	20	6.7	03.0-10.4
35-44	623	121,339	417	72.5	68.0-77.0	83	9.4	06.5-12.3	7	0.5	00.1-00.9	18	2.1	01.1-03.1	84	13.2	09.7-16.7	14	2.4	01.0-03.8
45-54	795	125,868	485	71.0	67.3-74.7	155	14.2	11.3-17.1	30	2.1	00.9-03.3	14	1.2	00.4-02.0	93	9.6	07.2-12.0	18	1.9	00.9-02.9
55-64	924	99,203	549	68.8	65.1-72.5	174	13.6	11.1-16.1	93	6.4	04.6-08.2	19	1.9	00.7-03.1	69	6.5	04.3-08.7	20	2.9	01.3-04.5
65+	1429	123,394	730	60.8	57.7-63.9	161	8.8	07.0-10.6	475	26.3	23.6-29.0	15	1.1	00.3-01.9	40	2.3	01.5-03.1	8	0.7	00.1-01.3
Less Than H.S.	321	45,428	119	37.8	29.4-46.2	48	12.4	07.1-17.7	88	14.0	10.1-17.9	12	1.8	00.6-03.0	47	25.2	16.4-34.0	7	8.8	00.6-17.0
H.S. or G.E.D.	1346	191,484	698	52.6	48.3-56.9	192	10.6	08.2-13.0	253	8.5	07.1-09.9	29	1.9	01.1-02.7	153	23.9	19.2-28.6	21	2.5	01.1-03.9
Some Post-H.S.	1118	165,844	621	54.8	50.1-59.5	175	10.6	08.4-12.8	136	6.1	04.7-07.5	22	1.4	00.6-02.2	135	23.2	18.3-28.1	29	4.0	02.2-05.8
College Graduate	1557	266,132	1011	70.0	66.3-73.7	184	5.7	04.7-06.7	141	3.9	03.1-04.7	11	0.7	00.3-01.1	172	15.7	12.2-19.2	38	4.1	01.9-06.3
Less than \$15,000	451	51,779	133	35.6	28.5-42.7	96	15.0	10.7-19.3	134	16.1	12.4-19.8	11	3.0	00.8-05.2	65	24.0	16.9-31.1	12	6.3	00.8-11.8
\$15,000- 24,999	429	50,857	71	18.2	12.5-23.9	112	20.4	15.1-25.7	126	17.6	13.3-21.9	22	4.0	01.8-06.2	91	37.1	29.1-45.1	7	2.7	00.3-05.1
\$25,000- 34,999	397	52,982	176	46.0	38.2-53.8	77	13.3	08.8-17.8	75	9.5	06.6-12.4	10	2.5	00.9-04.1	55	27.6	18.8-36.4	4	1.1	00.0-02.3
\$35,000- 49,999	581	84,177	318	51.4	44.7-58.1	87	10.6	07.5-13.7	66	5.4	03.6-07.2	10	1.4	00.4-02.4	87	27.4	20.0-34.8	13	3.8	00.7-06.9
\$50,000- 74,999	673	118,270	452	60.7	54.2-67.2	70	6.7	04.5-08.9	51	3.1	02.1-04.1	9	1.0	00.2-01.8	76	22.6	15.9-29.3	15	5.9	01.6-10.2
\$75,000+	1169	221,045	945	80.9	77.4-84.4	84	4.1	02.9-05.3	32	1.2	00.6-01.8	6	0.3	00.0-00.7	67	10.4	07.1-13.7	35	3.0	01.8-04.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1597	318,033	1017	63.4	59.9-66.9	173	6.6	05.2-08.0	126	3.0	02.2-03.8	25	1.1	00.5-01.7	224	21.7	18.2-25.2	32	4.1	01.9-06.3
White/Non-Hisp	1284	238,068	845	67.1	63.2-71.0	138	6.9	05.3-08.5	106	3.1	02.3-03.9	13	0.7	00.3-01.1	159	19.3	15.6-23.0	23	2.9	01.3-04.5
Black or Afr. Am./Non-Hisp	170	36,998				20	7.0	03.3-10.7	12	2.0	00.6-03.4	8	3.5	00.6-06.4				4	2.9	00.0-06.0
Oth. Race/Non-Hisp.	52	15,309				4	1.9	00.0-04.1	2	3.8	00.0-10.3	1	1.1	00.0-03.3						
18-24	69	41,103	4	4.1	00.0-08.4							2	1.2	00.0-03.0						
25-34	128	53,735				4	3.7	00.0-07.4				2	0.6	00.0-01.4				5	7.3	00.8-13.8
35-44	237	59,513	165	74.7	68.0-81.4	29	8.0	04.3-11.7	1	0.1	00.0-00.3	3	0.7	00.0-01.5	35	15.4	09.3-21.5	4	1.1	00.0-02.3
45-54	285	60,092	173	72.8	67.1-78.5	46	10.5	07.0-14.0	5	1.4	00.0-03.4	3	0.7	00.0-01.7	51	12.7	08.6-16.8	7	1.9	00.5-03.3
55-64	338	48,689	226	74.4	68.5-80.3	48	9.6	06.1-13.1	20	3.4	01.4-05.4	5	1.5	00.0-03.1	32	8.3	04.4-12.2	7	2.8	00.3-05.3
65+	530	53,147	352	76.4	72.3-80.5	44	5.7	03.7-07.7	99	12.3	09.2-15.4	10	2.2	00.4-04.0	22	2.5	01.3-03.7	3	0.8	00.0-01.8
Less Than H.S.	123	21,555				17	9.7	02.8-16.6	20	6.3	02.8-09.8	4	1.2	00.0-02.6						
H.S. or G.E.D.	470	95,405	273	56.2	49.7-62.7	66	9.6	06.3-12.9	38	2.5	01.5-03.5	10	1.8	00.4-03.2	77	28.1	21.4-34.8	6	1.8	00.2-03.4
Some Post-H.S.	373	72,048	234	56.9	49.1-64.7	39	6.8	04.1-09.5	25	2.8	00.8-04.8	7	1.1	00.1-02.1	57	27.3	19.3-35.3	11	5.1	01.6-08.6
College Graduate	628	128,268	451	75.1	69.6-80.6	51	3.9	02.5-05.3	42	2.7	01.5-03.9	4	0.6	00.0-01.2	68	13.7	09.2-18.2	12	4.2	00.3-08.1
Less than \$15,000	126	21,712				23	10.0	04.3-15.7	22	6.8	02.7-10.9	4	3.8	00.0-07.9				2	6.6	00.0-17.6
\$15,000- 24,999	117	21,200	23	16.3	07.9-24.7	28	17.8	08.4-27.2	18	7.6	02.1-13.1	3	2.2	00.0-05.5				3	3.9	00.0-09.2
\$25,000- 34,999	133	21,561				22	11.9	05.4-18.4	15	5.2	01.7-08.7	4	2.4	00.0-04.8				1	0.6	00.0-01.8
\$35,000- 49,999	231	39,796	143	58.0	48.6-67.4	26	9.7	04.8-14.6	18	3.5	01.3-05.7	7	1.7	00.3-03.1	33	24.2	14.8-33.6	4	3.0	00.0-06.3
\$50,000- 74,999	294	59,255	207	66.0	56.6-75.4	24	4.8	02.4-07.2	20	2.3	00.9-03.7	3	1.1	00.0-02.5	33	17.1	09.5-24.7	7	8.9	00.7-17.1
\$75,000+	518	117,626	421	81.3	76.2-86.4	35	4.0	02.2-05.8	14	1.0	00.0-02.0	3	0.3	00.0-00.7	35	11.7	06.8-16.6	10	1.8	00.4-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2748	351,612	1434	55.1	52.2-58.0	426	10.7	09.1-12.3	493	9.6	08.4-10.8	49	1.4	01.0-01.8	283	19.4	16.1-22.7	63	3.7	02.3-05.1
White/Non-Hisp	2202	267,946	1197	58.6	55.3-61.9	328	10.2	08.6-11.8	433	10.7	09.3-12.1	30	1.2	00.6-01.8	159	14.9	11.2-18.6	55	4.3	02.5-06.1
Black or Afr. Am./Non-Hisp	367	52,945	126	34.4	27.5-41.3	76	14.9	10.0-19.8	49	8.7	05.6-11.8	16	3.0	01.2-04.8	94	36.7	28.3-45.1	6	2.2	00.2-04.2
Oth. Race/Non-Hisp.	69	13,746				6	2.5	00.0-05.2	4	1.4	00.0-03.0							1	1.2	00.0-03.6
Hispanic	65	12,536							3	0.8	00.0-01.8	1	0.7	00.0-02.1						
18-24	76	42,518	4	4.4	00.0-10.3													8	10.1	01.5-18.7
25-34	239	55,747	138	59.2	51.6-66.8	14	4.1	01.4-06.8				3	0.7	00.0-01.7	69	29.8	22.5-37.1	15	6.1	02.6-09.6
35-44	386	61,826	252	70.4	64.5-76.3	54	10.7	06.2-15.2	6	0.9	00.1-01.7	15	3.4	01.4-05.4	49	11.1	07.2-15.0	10	3.5	01.1-05.9
45-54	510	65,776	312	69.5	64.4-74.6	109	17.7	13.4-22.0	25	2.6	01.2-04.0	11	1.6	00.6-02.6	42	6.7	04.2-09.2	11	2.0	00.6-03.4
55-64	586	50,514	323	63.3	58.6-68.0	126	17.5	14.0-21.0	73	9.3	06.8-11.8	14	2.3	00.7-03.9	37	4.7	02.7-06.7	13	3.0	01.0-05.0
65+	899	70,247	378	49.0	44.9-53.1	117	11.1	08.6-13.6	376	36.9	33.0-40.8	5	0.3	00.1-00.5	18	2.1	00.9-03.3	5	0.6	00.0-01.2
Less Than H.S.	198	23,873	62	28.7	19.7-37.7	31	14.8	07.2-22.4	68	20.9	14.0-27.8	8	2.4	00.4-04.4				4	6.4	00.0-16.0
H.S. or G.E.D.	876	96,080	425	49.0	43.5-54.5	126	11.5	08.4-14.6	215	14.4	11.9-16.9	19	2.0	00.8-03.2	76	19.8	13.1-26.5	15	3.3	01.3-05.3
Some Post-H.S.	745	93,795	387	53.3	47.8-58.8	136	13.4	10.3-16.5	111	8.6	06.4-10.8	15	1.5	00.5-02.5	78	20.0	13.7-26.3	18	3.2	01.4-05.0
College Graduate	929	137,864	560	65.2	60.1-70.3	133	7.5	05.7-09.3	99	5.0	03.8-06.2	7	0.8	00.2-01.4	104	17.5	12.2-22.8	26	4.0	01.6-06.4
Less than \$15,000	325	30,067	87	34.4	26.2-42.6	73	18.6	12.5-24.7	112	22.8	17.3-28.3	7	2.5	00.3-04.7	36	15.7	09.4-22.0	10	6.1	01.4-10.8
\$15,000- 24,999	312	29,657	48	19.6	12.2-27.0	84	22.2	16.1-28.3	108	24.8	18.9-30.7	19	5.3	02.4-08.2	49	26.4	17.8-35.0	4	1.8	00.0-03.6
\$25,000- 34,999	264	31,421	106	38.0	28.4-47.6	55	14.3	08.0-20.6	60	12.4	08.1-16.7	6	2.6	00.2-05.0				3	1.4	00.0-03.2
\$35,000- 49,999	350	44,381	175	45.5	36.5-54.5	61	11.5	07.8-15.2	48	7.1	04.4-09.8	3	1.0	00.0-02.4				9	4.5	00.0-09.8
\$50,000- 74,999	379	59,015	245	55.5	46.7-64.3	46	8.7	05.4-12.0	31	3.9	02.3-05.5	6	0.8	00.0-01.6				8	2.9	00.7-05.1
\$75,000+	651	103,419	524	80.5	75.4-85.6	49	4.2	02.6-05.8	18	1.5	00.7-02.3	3	0.4	00.0-00.8	32	8.9	04.2-13.6	25	4.5	02.3-06.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4353	671,036	528	18.2	16.2-20.2	449	15.3	13.5-17.1	158	5.2	04.2-06.2	47	1.4	01.0-01.8	22	0.8	00.4-01.2	3149	59.1	56.7-61.5
Male	1603	319,390	183	16.3	13.6-19.0	168	15.0	12.3-17.7	46	4.7	02.9-06.5	15	1.3	00.5-02.1	6	0.5	00.1-00.9	1185	62.2	58.7-65.7
Female	2750	351,646	345	20.0	17.3-22.7	281	15.5	13.1-17.9	112	5.7	04.5-06.9	32	1.5	00.9-02.1	16	1.1	00.3-01.9	1964	56.3	53.4-59.2
White/Non-Hisp	3491	507,391	360	16.4	14.2-18.6	324	14.0	12.0-16.0	114	4.7	03.7-05.7	29	1.1	00.7-01.5	12	0.4	00.2-00.6	2652	63.4	60.9-65.9
Black or Afr. Am./Non-Hisp	538	89,982	112	27.9	21.6-34.2	72	16.9	12.0-21.8	24	5.6	02.9-08.3	14	2.8	00.8-04.8	8	2.2	00.4-04.0	308	44.5	38.4-50.6
Oth. Race/Non-Hisp.	122	28,944							9	7.0	02.1-11.9	1	0.5	00.0-01.5						
MultiRacial/Non-Hisp.	66	12,936	10	13.3	04.1-22.5							2	6.8	00.0-18.0						
Hispanic	110	28,705										1	0.1	00.0-00.3	2	4.2	00.0-10.9			
18-24	146	84,653	40	30.1	20.5-39.7	23	17.7	09.1-26.3	8	4.5	01.0-08.0	3	1.3	00.0-03.3	2	1.3	00.0-03.5			
25-34	368	109,657	97	24.9	19.2-30.6	100	22.8	17.5-28.1	47	11.6	07.3-15.9	11	1.9	00.5-03.3	7	1.6	00.4-02.8	106	37.2	30.5-43.9
35-44	623	121,429	147	24.2	19.9-28.5	205	33.7	29.2-38.2	70	11.0	08.1-13.9	22	3.1	01.5-04.7	9	1.6	00.4-02.8	170	26.4	21.9-30.9
45-54	795	125,687	172	23.3	19.4-27.2	98	14.1	11.0-17.2	25	3.2	01.8-04.6	8	1.4	00.4-02.4	3	0.3	00.0-00.7	489	57.7	53.2-62.2
55-64	925	99,173	47	7.2	04.5-09.9	15	2.3	00.9-03.7	7	1.1	00.0-02.5				1	0.2	00.0-00.6	855	89.1	86.0-92.2
65+	1434	123,895	17	2.2	01.0-03.4	5	0.7	00.0-01.5				3	0.4	00.0-01.0				1409	96.7	95.3-98.1
Less Than H.S.	321	46,349	31	21.8	12.2-31.4	20	8.1	02.8-13.4	12	5.9	01.2-10.6	3	0.9	00.0-02.1	5	1.8	00.0-03.6	250	61.6	51.8-71.4
H.S. or G.E.D.	1346	191,531	138	15.9	12.6-19.2	110	13.3	09.8-16.8	38	4.7	02.9-06.5	13	1.7	00.5-02.9	7	1.1	00.0-02.3	1040	63.3	59.0-67.6
Some Post-H.S.	1123	166,201	160	19.6	15.7-23.5	108	16.2	12.3-20.1	35	4.9	02.5-07.3	17	1.6	00.6-02.6	7	1.0	00.2-01.8	796	56.7	52.0-61.4
College Graduate	1558	266,078	198	18.5	15.4-21.6	210	17.4	14.9-19.9	73	5.7	04.1-07.3	14	1.1	00.5-01.7	3	0.2	00.0-00.4	1060	57.1	53.4-60.8
Less than \$15,000	452	51,887	43	16.2	09.3-23.1	16	5.0	01.7-08.3	13	8.3	03.0-13.6	4	0.9	00.0-01.9	4	1.6	00.0-03.4	372	68.0	60.2-75.8
\$15,000- 24,999	429	50,857	39	12.8	07.5-18.1	31	13.2	06.9-19.5	14	4.3	01.8-06.8	2	0.9	00.0-02.1	2	2.2	00.0-05.9	341	66.5	58.9-74.1
\$25,000- 34,999	398	53,157	50	25.5	16.9-34.1	20	6.7	03.0-10.4	9	3.8	00.7-06.9	5	1.1	00.0-02.3	3	1.0	00.0-02.2	311	61.9	53.5-70.3
\$35,000- 49,999	583	84,380	56	14.8	09.3-20.3	52	14.0	07.9-20.1	16	4.2	00.7-07.7	4	0.8	00.0-01.6	4	1.2	00.0-02.6	451	65.0	57.7-72.3
\$50,000- 74,999	675	118,581	94	20.3	15.2-25.4	87	15.6	11.7-19.5	31	4.9	02.7-07.1	14	2.2	00.8-03.6	4	0.9	00.0-01.9	445	56.1	50.2-62.0
\$75,000+	1168	220,798	204	21.5	18.2-24.8	200	21.5	18.2-24.8	60	6.0	04.2-07.8	12	1.3	00.5-02.1	5	0.4	00.0-00.8	687	49.4	45.5-53.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1603	319,390	183	16.3	13.6-19.0	168	15.0	12.5-17.5	46	4.7	02.9-06.5	15	1.3	00.5-02.1	6	0.5	00.1-00.9	1185	62.2	58.7-65.7
White/Non-Hisp	1289	239,462	131	15.8	12.9-18.7	118	13.1	10.4-15.8	29	3.6	02.0-05.2	9	0.8	00.2-01.4	4	0.4	00.0-00.8	998	66.4	62.7-70.1
Black or Afr. Am./Non-Hisp	170	36,998	28	18.0	10.0-26.0	22	21.7	11.9-31.5	7	5.1	00.6-09.6	4	3.4	00.0-07.3	2	1.7	00.0-04.1			
Oth. Race/Non-Hisp.	54	15,444							5	7.3	00.2-14.4	1	0.9	00.0-02.7						
18-24	70	42,135							4	6.1	00.0-12.4	1	1.8	00.0-05.3						
25-34	128	53,735	29	19.4	10.8-28.0	31	21.4	12.8-30.0	12	9.5	02.6-16.4	4	1.9	00.0-04.4	1	0.4	00.0-01.2			
35-44	236	59,341	52	23.6	17.1-30.1	76	31.7	24.8-38.6	16	7.6	03.5-11.7	8	3.0	00.8-05.2	4	1.8	00.0-03.6	80	32.3	25.0-39.6
45-54	285	60,092	55	21.8	15.9-27.7	39	15.0	09.9-20.1	11	3.2	01.2-05.2	2	0.9	00.0-02.3				178	59.2	52.1-66.3
55-64	340	48,770	21	8.0	03.5-12.5	10	3.5	01.0-06.0	2	1.6	00.0-04.3				1	0.4	00.0-01.2	306	86.6	81.1-92.1
65+	534	53,565	6	1.3	00.1-02.5	2	0.8	00.0-02.0										526	97.9	96.3-99.5
Less Than H.S.	124	22,587				8	11.1	01.3-20.9	2	5.2	00.0-13.8	1	0.6	00.0-01.8	2	1.7	00.0-04.1			
H.S. or G.E.D.	471	95,494	56	16.9	12.0-21.8	45	14.2	09.5-18.9	11	3.4	00.9-05.9	5	2.2	00.0-04.4	1	0.4	00.0-01.2	353	62.9	56.6-69.2
Some Post-H.S.	377	72,408	45	15.4	09.9-20.9	36	15.3	09.2-21.4	9	5.5	00.6-10.4	4	1.2	00.0-02.6	3	1.0	00.0-02.2	280	61.5	53.9-69.1
College Graduate	628	128,145	71	15.7	11.6-19.8	78	16.2	12.1-20.3	24	5.1	02.9-07.3	5	0.8	00.0-01.6				450	62.3	57.0-67.6
Less than \$15,000	128	21,847				3	5.9	00.0-12.6				1	0.8	00.0-02.4	1	1.1	00.0-03.3			
\$15,000- 24,999	117	21,200	9	8.3	02.0-14.6				1	0.5	00.0-01.5									
\$25,000- 34,999	133	21,561				6	5.0	00.1-09.9	2	4.2	00.0-10.5	1	0.7	00.0-02.1	1	1.4	00.0-04.1			
\$35,000- 49,999	232	39,974	20	9.9	04.2-15.6	18	12.0	05.3-18.7	5	5.9	00.0-13.0	1	0.3	00.0-00.9	2	0.9	00.0-02.1	186	71.1	61.7-80.5
\$50,000- 74,999	295	59,305	32	15.7	09.4-22.0	36	13.7	08.4-19.0	10	3.1	00.7-05.5	5	2.2	00.0-04.6	2	1.0	00.0-02.6	210	64.2	56.2-72.2
\$75,000+	518	117,626	85	19.7	15.2-24.2	83	20.0	15.5-24.5	18	4.3	02.1-06.5	5	1.2	00.2-02.2				327	54.8	49.1-60.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2750	351,646	345	20.0	17.3-22.7	281	15.5	13.1-17.9	112	5.7	04.5-06.9	32	1.5	00.9-02.1	16	1.1	00.3-01.9	1964	56.3	53.4-59.2
White/Non-Hisp	2202	267,929	229	16.9	14.0-19.8	206	14.8	12.3-17.3	85	5.6	04.2-07.0	20	1.4	00.8-02.0	8	0.5	00.1-00.9	1654	60.8	57.5-64.1
Black or Afr. Am./Non-Hisp	368	52,984	84	34.9	26.5-43.3	50	13.6	08.9-18.3	17	5.9	02.2-09.6	10	2.4	00.6-04.2	6	2.6	00.2-05.0	201	40.6	33.3-47.9
Oth. Race/Non-Hisp.	68	13,500							4	6.8	00.0-13.9									
Hispanic	64	12,425							5	8.1	00.0-16.5	1	0.3	00.0-00.9						
18-24	76	42,518							4	3.0	00.0-06.1	2	0.8	00.0-02.0	2	2.6	00.0-07.1			
25-34	240	55,922	68	30.2	22.9-37.5	69	24.2	18.3-30.1	35	13.7	08.6-18.8	7	1.8	00.2-03.4	6	2.7	00.3-05.1	55	27.4	20.0-34.8
35-44	387	62,088	95	24.7	19.2-30.2	129	35.6	29.7-41.5	54	14.2	10.1-18.3	14	3.3	01.1-05.5	5	1.4	00.0-02.8	90	20.8	15.7-25.9
45-54	510	65,594	117	24.8	19.7-29.9	59	13.3	09.4-17.2	14	3.2	01.2-05.2	6	1.8	00.2-03.4	3	0.7	00.0-01.5	311	56.3	50.6-62.0
55-64	585	50,403	26	6.5	03.6-09.4	5	1.2	00.0-02.4	5	0.7	00.1-01.3							549	91.6	88.5-94.7
65+	900	70,330	11	2.8	01.0-04.6	3	0.6	00.0-01.6				3	0.8	00.0-01.8				883	95.8	93.6-98.0
Less Than H.S.	197	23,762				12	5.2	01.7-08.7	10	6.5	02.2-10.8	2	1.2	00.0-03.2	3	2.0	00.0-04.4			
H.S. or G.E.D.	875	96,037	82	14.9	10.2-19.6	65	12.3	07.0-17.6	27	6.0	03.5-08.5	8	1.3	00.3-02.3	6	1.9	00.0-04.1	687	63.6	57.5-69.7
Some Post-H.S.	746	93,793	115	22.9	17.6-28.2	72	16.8	11.7-21.9	26	4.4	02.4-06.4	13	1.9	00.7-03.1	4	1.1	00.0-02.3	516	53.0	47.5-58.5
College Graduate	930	137,933	127	21.0	16.3-25.7	132	18.5	15.2-21.8	49	6.4	04.2-08.6	9	1.3	00.3-02.3	3	0.5	00.0-01.1	610	52.3	47.4-57.2
Less than \$15,000	324	30,039	34	12.3	07.2-17.4	13	4.4	01.7-07.1	8	5.7	01.4-10.0	3	0.9	00.0-01.9	3	2.1	00.0-04.6	263	74.6	67.5-81.7
\$15,000- 24,999	312	29,657	30	16.1	08.7-23.5	23	11.2	05.5-16.9	13	7.1	02.8-11.4	2	1.5	00.0-03.5	2	3.8	00.0-10.1	242	60.3	51.5-69.1
\$25,000- 34,999	265	31,596				14	7.8	02.5-13.1	7	3.5	00.8-06.2	4	1.4	00.0-03.2	2	0.8	00.0-02.0			
\$35,000- 49,999	351	44,406	36	19.3	10.3-28.3	34	15.9	05.9-25.9	11	2.7	00.7-04.7	3	1.2	00.0-02.6	2	1.4	00.0-03.6			
\$50,000- 74,999	380	59,277	62	24.8	16.8-32.8	51	17.6	11.7-23.5	21	6.7	03.2-10.2	9	2.2	00.4-04.0	2	0.7	00.0-01.7	235	48.0	39.8-56.2
\$75,000+	650	103,172	119	23.5	18.6-28.4	117	23.2	18.5-27.9	42	7.9	05.4-10.4	7	1.4	00.2-02.6	5	0.8	00.0-01.6	360	43.2	38.1-48.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4356	671,808	1	0.0	00.0-00.0	83	1.3	00.9-01.7	238	5.6	04.4-06.8	1347	28.5	26.5-30.5	1126	24.9	22.9-26.9	1561	39.7	37.5-41.9
Male	1602	319,580				43	1.6	00.8-02.4	81	5.4	03.6-07.2	471	29.9	26.8-33.0	378	22.9	20.0-25.8	629	40.2	36.7-43.7
Female	2754	352,228	1	0.0	00.0-00.0	40	1.0	00.6-01.4	157	5.7	04.1-07.3	876	27.3	24.8-29.8	748	26.7	24.2-29.2	932	39.2	36.3-42.1
White/Non-Hisp	3495	507,737	1	0.0	00.0-00.0	51	1.2	00.6-01.8	168	4.8	03.6-06.0	1098	28.8	26.4-31.2	891	23.8	21.8-25.8	1286	41.3	38.8-43.8
Black or Afr. Am./Non-Hisp	535	89,472				17	2.1	00.9-03.3	52	7.3	04.4-10.2	167	31.2	25.3-37.1	155	31.7	25.6-37.8	144	27.7	22.0-33.4
Oth. Race/Non-Hisp.	123	29,191				4	0.8	00.0-01.6	2	1.9	00.0-04.8	28	13.8	06.0-21.6						
MultiRacial/Non-Hisp.	66	12,936				1	0.5	00.0-01.5	3	2.2	00.0-05.1									
Hispanic	111	28,816				6	1.7	00.1-03.3										35	20.5	11.3-29.7
18-24	147	85,426				3	1.7	00.0-04.2	15	10.8	04.7-16.9	55	35.9	26.1-45.7	54	30.6	21.2-40.0	20	21.0	11.2-30.8
25-34	368	109,657				3	0.6	00.0-01.2	20	6.1	02.4-09.8	77	19.1	14.2-24.0	110	27.0	21.3-32.7	158	47.2	40.5-53.9
35-44	623	121,486				10	0.8	00.2-01.4	21	3.6	01.6-05.6	153	24.6	20.3-28.9	144	21.1	17.2-25.0	295	49.9	45.0-54.8
45-54	795	125,868				3	0.3	00.0-00.7	29	2.9	01.7-04.1	242	29.1	25.0-33.2	215	25.8	21.9-29.7	306	41.9	37.4-46.4
55-64	926	99,284				12	1.1	00.3-01.9	30	3.7	01.9-05.5	303	31.9	27.8-36.0	255	23.8	20.3-27.3	326	39.6	35.3-43.9
65+	1434	123,582	1	0.1	00.0-00.3	52	3.6	02.4-04.8	122	7.8	06.2-09.4	501	32.4	29.5-35.3	326	22.7	20.0-25.4	432	33.4	30.3-36.5
Less than \$15,000	453	51,914				12	1.8	00.6-03.0	54	15.9	09.6-22.2	202	47.5	40.1-54.9	121	23.2	17.3-29.1	64	11.5	07.8-15.2
\$15,000- 24,999	429	50,857				33	5.6	03.2-08.0	84	17.8	12.9-22.7	183	47.6	40.0-55.2	84	18.1	13.2-23.0	45	11.0	06.1-15.9
\$25,000- 34,999	396	52,757				6	0.8	00.2-01.4	23	10.2	04.5-15.9	172	43.5	35.3-51.7	114	26.9	20.4-33.4	81	18.6	12.9-24.3
\$35,000- 49,999	583	84,380				5	0.8	00.0-01.6	15	3.2	01.0-05.4	226	40.8	34.1-47.5	192	31.7	25.4-38.0	145	23.5	18.0-29.0
\$50,000- 74,999	675	118,581				7	0.8	00.2-01.4	10	1.4	00.0-03.0	170	23.2	18.9-27.5	200	30.5	25.0-36.0	288	44.0	37.9-50.1
\$75,000+	1169	221,045				2	0.1	00.0-00.3	9	1.0	00.0-02.2	157	12.5	10.0-15.0	264	21.1	18.0-24.2	737	65.4	61.7-69.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1602	319,580	43	1.6	00.8-02.4	81	5.4	03.6-07.2	471	29.9	26.8-33.0	378	22.9	20.0-25.8	629	40.2	36.7-43.7
White/Non-Hisp	1289	239,462	30	1.7	00.7-02.7	58	4.9	03.1-06.7	375	29.0	25.5-32.5	299	22.5	19.2-25.8	527	42.0	38.3-45.7
Black or Afr. Am./Non-Hisp	168	36,527	6	1.9	00.1-03.7	19	8.8	02.9-14.7				47	27.1	17.7-36.5	41	24.1	15.7-32.5
Oth. Race/Non-Hisp.	54	15,444	2	0.7	00.0-01.7							13	13.5	03.7-23.3			
18-24	71	42,908	2	3.2	00.0-08.1	5	7.8	00.9-14.7									
25-34	128	53,735	2	0.7	00.0-01.7	10	9.9	02.8-17.0	32	20.6	12.6-28.6	35	25.7	16.1-35.3			
35-44	236	59,398	3	0.6	00.0-01.4	9	3.4	00.9-05.9	67	28.6	21.5-35.7	40	18.3	12.4-24.2	117	49.1	41.7-56.5
45-54	285	60,092	2	0.5	00.0-01.3	13	3.3	01.1-05.5	86	29.7	23.2-36.2	71	23.6	17.7-29.5	113	42.9	35.8-50.0
55-64	340	48,770	5	0.9	00.0-01.9	9	3.5	00.6-06.4	97	30.6	23.7-37.5	107	25.2	19.5-30.9	122	39.7	32.6-46.8
65+	533	53,209	29	4.5	02.7-06.3	35	5.6	03.4-07.8	150	27.3	22.8-31.8	101	17.9	14.0-21.8	218	44.6	39.5-49.7
Less than \$15,000	128	21,847	6	2.7	00.2-05.2										23	11.8	05.3-18.3
\$15,000- 24,999	117	21,200	11	3.6	01.1-06.1	18	15.4	06.6-24.2				23	16.4	08.6-24.2	16	10.3	03.4-17.2
\$25,000- 34,999	131	21,160	5	1.8	00.0-03.6										28	18.0	09.8-26.2
\$35,000- 49,999	232	39,974	4	1.3	00.0-02.7	7	3.1	00.2-06.0	95	43.3	34.3-52.3	78	34.4	25.0-43.8	48	18.0	11.7-24.3
\$50,000- 74,999	295	59,305	7	1.7	00.3-03.1	5	2.2	00.0-05.3	80	27.5	20.2-34.8	79	26.8	19.4-34.2	124	41.9	32.9-50.9
\$75,000+	518	117,626	1	0.1	00.0-00.3	8	0.9	00.1-01.7	77	15.1	11.2-19.0	98	18.1	13.8-22.4	334	65.9	60.6-71.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2754	352,228	1	0.0	00.0-00.0	40	1.0	00.6-01.4	157	5.7	04.1-07.3	876	27.3	24.8-29.8	748	26.7	24.2-29.2	932	39.2	36.3-42.1
White/Non-Hisp	2206	268,274	1	0.1	00.0-00.3	21	0.7	00.3-01.1	110	4.8	03.2-06.4	723	28.5	25.6-31.4	592	25.1	22.6-27.6	759	40.8	37.7-43.9
Black or Afr. Am./Non-Hisp	367	52,945				11	2.2	00.4-04.0	33	6.2	03.5-08.9	112	26.5	20.2-32.8	108	34.9	27.3-42.5	103	30.2	22.6-37.8
Oth. Race/Non-Hisp.	69	13,746				2	0.9	00.0-02.3	2	4.1	00.0-10.2	16	12.5	03.3-21.7						
Hispanic	65	12,536				3	2.0	00.0-04.5												
18-24	76	42,518				1	0.2	00.0-00.6												
25-34	240	55,922				1	0.5	00.0-01.5	10	2.5	00.7-04.3	45	17.7	11.8-23.6	75	28.2	21.7-34.7	109	51.1	43.5-58.7
35-44	387	62,088				7	1.0	00.2-01.8	12	3.7	00.8-06.6	86	20.7	15.6-25.8	104	23.8	18.7-28.9	178	50.7	44.6-56.8
45-54	510	65,776				1	0.1	00.0-00.3	16	2.6	01.2-04.0	156	28.6	23.5-33.7	144	27.9	23.0-32.8	193	40.9	35.2-46.6
55-64	586	50,514				7	1.3	00.1-02.5	21	3.8	01.6-06.0	206	33.1	28.4-37.8	148	22.4	18.5-26.3	204	39.4	34.3-44.5
65+	901	70,373	1	0.2	00.0-00.6	23	2.8	01.2-04.4	87	9.5	07.1-11.9	351	36.2	32.3-40.1	225	26.3	22.6-30.0	214	25.0	21.5-28.5
Less than \$15,000	325	30,067				6	1.2	00.2-02.2	35	13.6	07.3-19.9	153	49.8	41.6-58.0	90	24.1	18.0-30.2	41	11.3	07.0-15.6
\$15,000- 24,999	312	29,657				22	6.9	03.2-10.6	66	19.5	14.0-25.0	134	42.8	34.4-51.2	61	19.3	13.2-25.4	29	11.5	04.8-18.2
\$25,000- 34,999	265	31,596				1	0.1	00.0-00.3	12	7.2	01.3-13.1				84	29.3	21.1-37.5	53	19.0	11.2-26.8
\$35,000- 49,999	351	44,406				1	0.3	00.0-00.9	8	3.4	00.5-06.3	131	38.5	28.9-48.1	114	29.2	21.2-37.2	97	28.6	20.0-37.2
\$50,000- 74,999	380	59,277							5	0.7	00.1-01.3	90	18.9	14.0-23.8	121	34.3	26.5-42.1	164	46.1	37.7-54.5
\$75,000+	651	103,419				1	0.1	00.0-00.3	1	1.2	00.0-03.6	80	9.5	07.0-12.0	166	24.5	19.8-29.2	403	64.8	59.7-69.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4357	671,503	2235	61.4	59.2-63.6	198	6.4	05.2-07.6	198	4.5	03.7-05.3	60	4.6	03.0-06.2	1495	20.0	18.6-21.4	171	3.0	02.4-03.6
Male	1604	319,305	877	66.7	63.6-69.8	82	7.6	05.4-09.8	2	0.1	00.0-00.3	18	3.2	01.4-05.0	563	19.2	17.0-21.4	62	3.3	02.3-04.3
Female	2753	352,199	1358	56.7	53.8-59.6	116	5.2	03.8-06.6	196	8.5	06.9-10.1	42	5.9	03.4-08.4	932	20.8	19.0-22.6	109	2.8	02.0-03.6
White/Non-Hisp	3492	506,637	1740	61.5	59.1-63.9	136	5.5	04.3-06.7	169	5.0	04.0-06.0	32	2.7	01.3-04.1	1302	22.7	21.1-24.3	113	2.6	01.8-03.4
Black or Afr. Am./Non-Hisp	538	89,982	312	61.6	55.5-67.7	43	11.7	07.2-16.2	9	1.2	00.2-02.2	10	4.8	00.7-08.9	124	15.5	12.0-19.0	40	5.3	02.9-07.7
Oth. Race/Non-Hisp.	123	29,191				7	4.1	00.2-08.0	6	8.2	00.0-16.8				25	8.4	03.5-13.3	6	2.6	00.0-06.1
MultiRacial/Non-Hisp.	66	12,936							2	1.6	00.0-04.3				15	10.1	03.0-17.2	5	2.8	00.0-05.7
Hispanic	111	28,816				6	6.0	00.5-11.5	9	5.2	01.1-09.3				20	4.8	01.9-07.7	7	4.0	00.3-07.7
18-24	146	84,395				15	9.0	03.9-14.1	4	3.5	00.0-07.6	42	31.8	21.8-41.8				1	0.7	00.0-02.1
25-34	368	109,657	297	79.6	74.3-84.9	29	10.1	05.8-14.4	26	5.6	03.2-08.0	7	2.4	00.2-04.6				9	2.2	00.4-04.0
35-44	624	121,601	510	83.4	80.1-86.7	36	5.5	03.5-07.5	47	6.4	04.4-08.4	5	0.5	00.0-01.1	1	0.2	00.0-00.6	25	3.9	01.9-05.9
45-54	796	125,907	613	79.0	75.3-82.7	61	9.4	06.5-12.3	34	4.1	02.5-05.7	4	0.4	00.0-00.8	26	2.4	01.2-03.6	58	4.7	03.1-06.3
55-64	926	99,284	520	56.9	52.6-61.2	41	4.0	02.2-05.8	29	3.1	01.7-04.5	2	0.2	00.0-00.6	280	31.0	27.1-34.9	54	4.8	03.2-06.4
65+	1434	123,895	186	15.0	12.5-17.5	15	1.1	00.3-01.9	56	4.0	02.6-05.4				1154	78.4	75.7-81.1	23	1.5	00.7-02.3
Less Than H.S.	321	45,428	92	41.7	32.3-51.1	17	7.5	03.4-11.6	19	7.4	01.9-12.9	5	6.7	00.0-13.6	152	28.7	22.2-35.2	36	8.0	04.7-11.3
H.S. or G.E.D.	1345	191,505	596	53.6	49.5-57.7	90	10.2	07.3-13.1	70	4.0	02.8-05.2	13	5.2	01.7-08.7	514	22.6	20.1-25.1	62	4.3	02.7-05.9
Some Post-H.S.	1126	167,222	584	60.8	56.5-65.1	52	5.9	03.5-08.3	44	3.8	02.4-05.2	30	7.6	04.1-11.1	362	18.5	16.0-21.0	54	3.4	02.2-04.6
College Graduate	1561	266,552	961	70.9	67.8-74.0	38	3.5	01.9-05.1	65	4.9	03.3-06.5	12	1.9	00.3-03.5	466	17.6	15.4-19.8	19	1.1	00.5-01.7
Less than \$15,000	453	51,914	140	37.5	30.2-44.8	34	15.6	08.3-22.9	15	2.7	00.9-04.5	4	1.9	00.0-04.1	222	33.8	27.9-39.7	38	8.6	05.1-12.1
\$15,000- 24,999	429	50,857	83	24.7	17.4-32.0	64	20.8	14.3-27.3	23	6.1	03.0-09.2	10	7.4	01.7-13.1	169	24.9	19.8-30.0	80	16.1	11.2-21.0
\$25,000- 34,999	397	53,131	181	53.5	45.7-61.3	15	6.4	02.3-10.5	7	1.2	00.2-02.2	9	7.4	01.9-12.9	173	28.3	22.6-34.0	12	3.3	00.9-05.7
\$35,000- 49,999	583	84,380	290	57.4	50.9-63.9	19	6.9	03.2-10.6	22	2.9	01.5-04.3	4	4.2	00.0-09.9	236	27.1	22.6-31.6	12	1.6	00.4-02.8
\$50,000- 74,999	675	118,581	430	71.9	67.0-76.8	18	2.4	01.0-03.8	40	5.7	03.5-07.9	11	5.1	01.2-09.0	167	13.6	10.9-16.3	9	1.2	00.2-02.2
\$75,000+	1169	221,045	881	80.4	77.3-83.5	24	2.8	01.2-04.4	55	5.0	03.2-06.8	7	1.4	00.0-03.2	195	9.9	08.1-11.7	7	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1604	319,305	877	66.7	63.6-69.8	82	7.6	05.4-09.8	2	0.1	00.0-00.3	18	3.2	01.4-05.0	563	19.2	17.2-21.2	62	3.3	02.1-04.5
White/Non-Hisp	1288	238,431	687	66.3	63.0-69.6	56	6.6	04.4-08.8	1	0.0	00.0-00.0	10	1.9	00.5-03.3	491	21.9	19.4-24.4	43	3.2	02.0-04.4
Black or Afr. Am./Non-Hisp	170	36,998	97	63.8	53.8-73.8	15	14.7	05.9-23.5				2	1.8	00.0-04.3	45	15.9	09.8-22.0	11	3.8	01.3-06.3
Oth. Race/Non-Hisp.	54	15,444				4	5.7	00.0-12.8				1	2.3	00.0-06.8	11	9.4	01.6-17.2	3	4.0	00.0-10.5
18-24	70	41,877				11	15.5	06.1-24.9												
25-34	128	53,735	114	87.4	80.1-94.7	12	11.2	04.1-18.3										2	1.5	00.0-03.9
35-44	237	59,513	209	88.0	83.1-92.9	15	5.9	02.6-09.2	1	0.4	00.0-01.2							12	5.7	01.8-09.6
45-54	285	60,092	235	84.1	79.0-89.2	22	8.6	04.1-13.1				1	0.1	00.0-00.3	9	2.3	00.5-04.1	18	4.9	02.4-07.4
55-64	340	48,770	195	57.8	50.7-64.9	16	4.6	01.7-07.5	1	0.2	00.0-00.6				105	32.0	25.3-38.7	23	5.5	02.8-08.2
65+	534	53,565	80	17.4	13.3-21.5	6	1.4	00.0-03.0							441	79.7	75.4-84.0	7	1.4	00.0-02.8
Less Than H.S.	123	21,555				8	10.2	02.4-18.0				1	4.8	00.0-13.8	57	24.4	15.6-33.2	13	8.2	02.9-13.5
H.S. or G.E.D.	471	95,494	242	60.8	54.7-66.9	40	11.4	06.9-15.9	1	0.3	00.0-00.9	8	4.8	00.9-08.7	163	18.4	14.7-22.1	17	4.4	01.7-07.1
Some Post-H.S.	378	73,182	207	66.3	59.4-73.2	18	7.7	03.0-12.4	1	0.1	00.0-00.3	9	6.1	01.6-10.6	119	16.3	12.4-20.2	24	3.4	01.8-05.0
College Graduate	629	128,317	383	74.0	69.7-78.3	15	4.0	01.5-06.5							223	20.4	17.1-23.7	8	1.6	00.2-03.0
Less than \$15,000	128	21,847										2	3.5	00.0-08.6				13	8.6	02.3-14.9
\$15,000- 24,999	117	21,200							1	1.2	00.0-03.6	4	4.7	00.0-10.0	38	16.2	08.8-23.6	23	17.5	08.3-26.7
\$25,000- 34,999	133	21,561				6	7.0	00.7-13.3							61	31.6	22.0-41.2	5	5.3	00.0-10.6
\$35,000- 49,999	232	39,974	99	53.2	44.0-62.4	11	11.1	03.8-18.4	1	0.2	00.0-00.6				115	33.2	25.8-40.6	6	2.2	00.0-04.4
\$50,000- 74,999	295	59,305	179	75.5	69.2-81.8	9	2.2	00.4-04.0				3	3.5	00.0-07.6	100	18.1	13.4-22.8	4	0.7	00.0-01.5
\$75,000+	518	117,626	413	85.6	82.1-89.1	10	3.4	00.9-05.9				1	0.4	00.0-01.2	92	10.0	07.5-12.5	2	0.6	00.0-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2753	352,199	1358	56.7	53.8-59.6	116	5.2	03.8-06.6	196	8.5	06.9-10.1	42	5.9	03.4-08.4	932	20.8	19.0-22.6	109	2.8	02.0-03.6
White/Non-Hisp	2204	268,206	1053	57.2	54.1-60.3	80	4.6	03.2-06.0	168	9.3	07.5-11.1	22	3.5	01.3-05.7	811	23.3	21.1-25.5	70	2.1	01.5-02.7
Black or Afr. Am./Non-Hisp	368	52,984	215	60.0	52.2-67.8	28	9.5	05.0-14.0	9	2.0	00.4-03.6	8	6.9	00.2-13.6	79	15.3	11.0-19.6	29	6.3	03.0-09.6
Oth. Race/Non-Hisp.	69	13,746				3	2.2	00.0-04.9							14	7.2	02.1-12.3	3	1.1	00.0-02.5
Hispanic	65	12,536				3	5.0	00.0-11.3	8	10.0	01.4-18.6				14	7.6	02.1-13.1	5	4.7	00.0-09.8
18-24	76	42,518				4	2.6	00.0-05.3	4	7.0	00.0-14.8							1	1.4	00.0-04.1
25-34	240	55,922	183	72.2	64.9-79.5	17	9.1	03.8-14.4	26	11.0	06.5-15.5	7	4.7	00.6-08.8				7	3.0	00.5-05.5
35-44	387	62,088	301	79.1	74.4-83.8	21	5.1	02.6-07.6	46	12.1	08.4-15.8	5	1.1	00.1-02.1	1	0.5	00.0-01.5	13	2.1	00.7-03.5
45-54	511	65,814	378	74.2	69.1-79.3	39	10.2	06.3-14.1	34	7.9	05.0-10.8	3	0.6	00.0-01.4	17	2.5	00.9-04.1	40	4.6	02.8-06.4
55-64	586	50,514	325	56.0	50.9-61.1	25	3.4	01.8-05.0	28	5.9	03.4-08.4	2	0.4	00.0-01.0	175	30.0	25.3-34.7	31	4.2	02.4-06.0
65+	900	70,330	106	13.1	10.2-16.0	9	0.9	00.3-01.5	56	7.1	04.9-09.3				713	77.3	73.8-80.8	16	1.6	00.6-02.6
Less Than H.S.	198	23,873				9	5.0	01.3-08.7	19	14.0	04.0-24.0	4	8.4	00.0-18.6	95	32.6	23.4-41.8	23	7.9	04.0-11.8
H.S. or G.E.D.	874	96,012	354	46.5	41.0-52.0	50	9.0	05.5-12.5	69	7.8	05.4-10.2	5	5.6	00.0-11.3	351	26.9	23.2-30.6	45	4.2	02.2-06.2
Some Post-H.S.	748	94,040	377	56.6	51.1-62.1	34	4.6	02.4-06.8	43	6.6	04.2-09.0	21	8.8	03.5-14.1	243	20.1	16.8-23.4	30	3.3	01.7-04.9
College Graduate	932	138,235	578	68.0	63.7-72.3	23	3.2	01.6-04.8	65	9.4	06.5-12.3	12	3.7	00.8-06.6	243	15.1	12.6-17.6	11	0.6	00.0-01.2
Less than \$15,000	325	30,067	108	37.7	29.7-45.7	23	12.4	04.4-20.4	15	4.6	01.7-07.5	2	0.7	00.0-01.7	152	36.0	28.9-43.1	25	8.6	04.3-12.9
\$15,000- 24,999	312	29,657	60	19.4	13.5-25.3	36	15.4	09.5-21.3	22	9.7	04.8-14.6	6	9.4	00.6-18.2	131	31.1	24.4-37.8	57	15.1	09.6-20.6
\$25,000- 34,999	264	31,571				9	6.0	00.5-11.5	7	1.9	00.1-03.7	9	12.4	03.4-21.4	112	26.0	18.9-33.1	7	1.9	00.1-03.7
\$35,000- 49,999	351	44,406	191	61.1	51.5-70.7	8	3.1	00.6-05.6	21	5.3	02.8-07.8	4	8.0	00.0-18.6	121	21.5	16.2-26.8	6	1.0	00.2-01.8
\$50,000- 74,999	380	59,277	251	68.3	60.7-75.9	9	2.6	00.4-04.8	40	11.5	07.2-15.8	8	6.7	00.2-13.2	67	9.2	06.3-12.1	5	1.7	00.0-03.7
\$75,000+	651	103,419	468	74.4	69.5-79.3	14	2.1	00.7-03.5	55	10.7	07.2-14.2	6	2.5	00.0-06.0	103	9.8	07.4-12.2	5	0.5	00.0-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3707	579,935	223	4.3	03.3-05.3	230	4.6	03.6-05.6	218	4.2	03.4-05.0	211	4.6	03.6-05.6	398	9.2	07.8-10.6	2427	73.1	70.9-75.3
Male	1423	281,513	60	3.1	01.9-04.3	68	4.6	03.0-06.2	56	3.4	02.2-04.6	61	4.1	02.5-05.7	133	7.7	05.9-09.5	1045	77.0	73.9-80.1
Female	2284	298,422	163	5.4	04.0-06.8	162	4.6	03.6-05.6	162	4.9	03.7-06.1	150	5.0	03.8-06.2	265	10.6	08.4-12.8	1382	69.4	66.7-72.1
White/Non-Hisp	2947	435,721	177	4.2	03.2-05.2	172	3.6	02.8-04.4	155	3.5	02.7-04.3	126	3.1	02.3-03.9	318	9.4	07.6-11.2	1999	76.1	73.9-78.3
Black or Afr. Am./Non-Hisp	484	81,026	30	4.8	02.6-07.0	37	6.2	03.5-08.9	39	5.6	03.1-08.1	62	11.0	06.9-15.1	51	8.6	05.5-11.7	265	63.8	57.7-69.9
Oth. Race/Non-Hisp.	103	26,022	3	1.1	00.0-02.3	7	5.5	00.2-10.8	8	6.3	00.0-13.7	6	4.5	00.0-09.2	12	7.9	02.0-13.8			
MultiRacial/Non-Hisp.	57	11,237	4	3.4	00.0-07.1							6	5.6	00.0-12.3	5	8.4	00.0-19.6			
Hispanic	98	23,335	9	9.1	00.9-17.3				11	7.0	01.3-12.7	7	8.2	00.0-16.8	10	7.3	01.2-13.4			
18-24	110	64,961	11	4.7	00.8-08.6	9	4.5	01.2-07.8	12	7.3	02.8-11.8	9	7.1	01.6-12.6	12	11.9	04.1-19.7			
25-34	348	104,678	11	3.9	01.2-06.6	16	5.1	01.8-08.4	13	3.3	00.9-05.7	15	2.3	01.1-03.5	33	7.7	04.4-11.0	260	77.7	72.2-83.2
35-44	566	107,725	18	3.1	01.1-05.1	11	1.8	00.4-03.2	16	2.5	00.7-04.3	24	4.6	01.9-07.3	42	6.8	04.3-09.3	455	81.3	77.0-85.6
45-54	720	114,283	31	2.7	01.5-03.9	22	3.3	01.5-05.1	30	2.4	01.4-03.4	48	4.6	03.0-06.2	62	8.3	05.6-11.0	527	78.7	75.0-82.4
55-64	816	88,457	34	3.2	01.6-04.8	51	4.0	02.6-05.4	47	4.3	02.7-05.9	27	3.3	01.5-05.1	91	9.8	07.1-12.5	566	75.4	71.7-79.1
65+	1114	96,655	116	8.9	06.9-10.9	117	9.4	07.4-11.4	98	6.9	05.1-08.7	85	6.6	04.6-08.6	153	11.8	09.6-14.0	545	56.4	52.9-59.9
Less Than H.S.	260	35,448	31	10.9	05.4-16.4	35	15.1	07.3-22.9	47	13.4	08.1-18.7	70	20.1	14.0-26.2	29	16.4	08.2-24.6	48	24.1	15.1-33.1
H.S. or G.E.D.	1110	161,262	95	7.8	05.3-10.3	107	7.5	05.5-09.5	100	7.2	05.0-09.4	83	7.8	04.9-10.7	172	14.2	10.7-17.7	553	55.5	51.0-60.0
Some Post-H.S.	975	144,958	59	3.6	02.4-04.8	62	4.7	02.7-06.7	46	3.3	02.1-04.5	38	3.0	01.8-04.2	114	9.8	07.3-12.3	656	75.5	71.8-79.2
College Graduate	1360	237,867	38	1.4	00.8-02.0	26	1.1	00.5-01.7	25	1.3	00.3-02.3	20	1.1	00.5-01.7	81	4.1	02.7-05.5	1170	91.0	89.0-93.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1423	281,513	60	3.1	01.9-04.3	68	4.6	03.0-06.2	56	3.4	02.2-04.6	61	4.1	02.5-05.7	133	7.7	05.9-09.5	1045	77.0	73.9-80.1
White/Non-Hisp	1145	212,276	52	3.4	02.0-04.8	42	2.5	01.5-03.5	43	3.3	01.9-04.7	31	2.4	01.0-03.8	102	8.0	05.8-10.2	875	80.2	77.1-83.3
Black or Afr. Am./Non-Hisp	155	33,102	4	2.0	00.0-04.2	16	9.8	03.9-15.7	6	2.7	00.0-05.6	19	12.9	04.5-21.3	15	5.4	02.3-08.5			
25-34	121	50,947	4	2.0	00.0-04.2	5	7.0	00.3-13.7	2	1.9	00.0-04.6	3	1.3	00.0-02.9	10	5.7	01.2-10.2	97	82.1	73.7-90.5
35-44	216	53,559	5	2.6	00.1-05.1	3	2.2	00.0-04.7	4	2.3	00.0-05.2	12	6.6	01.5-11.7	11	5.6	01.9-09.3	181	80.8	73.7-87.9
45-54	265	55,775	7	1.5	00.1-02.9	7	3.4	00.7-06.1	10	1.7	00.5-02.9	17	3.8	01.6-06.0	21	7.7	03.8-11.6	203	81.8	76.7-86.9
55-64	315	45,805	6	2.5	00.0-05.0	16	3.3	01.3-05.3	13	3.6	01.2-06.0	11	3.1	00.4-05.8	33	8.9	04.8-13.0	236	78.7	72.8-84.6
65+	454	45,829	35	5.7	03.5-07.9	32	6.8	03.9-09.7	18	2.9	01.3-04.5	14	3.0	00.6-05.4	54	11.1	08.0-14.2	301	70.4	65.5-75.3
Less Than H.S.	102	17,512	9	6.4	01.3-11.5				13	11.4	02.8-20.0	16	11.6	04.0-19.2						
H.S. or G.E.D.	407	81,456	30	7.0	03.3-10.7	19	4.9	02.2-07.6	20	5.8	02.3-09.3	29	8.3	03.6-13.0	57	10.9	07.4-14.4	252	63.0	56.3-69.7
Some Post-H.S.	339	64,073	11	1.6	00.4-02.8	20	5.9	01.8-10.0	14	3.3	01.3-05.3	9	2.1	00.5-03.7	30	7.7	03.6-11.8	255	79.3	73.2-85.4
College Graduate	573	118,071	10	0.8	00.2-01.4	13	1.4	00.4-02.4	9	0.6	00.2-01.0	7	1.3	00.1-02.5	28	3.2	01.6-04.8	506	92.7	90.3-95.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2284	298,422	163	5.4	04.0-06.8	162	4.6	03.6-05.6	162	4.9	03.7-06.1	150	5.0	03.8-06.2	265	10.6	08.4-12.8	1382	69.4	66.7-72.1
White/Non-Hisp	1802	223,445	125	5.0	03.6-06.4	130	4.6	03.6-05.6	112	3.6	02.8-04.4	95	3.8	02.8-04.8	216	10.8	08.3-13.3	1124	72.2	69.1-75.3
Black or Afr. Am./Non-Hisp	329	47,924	26	6.7	03.4-10.0	21	3.8	01.6-06.0	33	7.6	03.9-11.3	43	9.6	06.1-13.1	36	10.9	06.0-15.8	170	61.5	54.1-68.9
Oth. Race/Non-Hisp.	56	12,168	2	1.7	00.0-04.2	3	5.9	00.0-13.7				3	2.1	00.0-05.0	5	8.8	00.0-18.4			
Hispanic	58	10,550				5	6.1	00.0-13.0							6	5.4	00.1-10.7			
18-24	61	35,842	8	3.6	00.7-06.5	5	3.5	00.0-07.4	4	4.0	00.0-08.5	5	5.8	00.0-12.1						
25-34	227	53,731	7	5.8	00.7-10.9	11	3.2	01.0-05.4	11	4.6	00.9-08.3	12	3.2	01.2-05.2	23	9.6	04.9-14.3	163	73.6	66.3-80.9
35-44	350	54,166	13	3.5	00.4-06.6	8	1.5	00.3-02.7	12	2.8	01.0-04.6	12	2.6	00.8-04.4	31	7.9	04.4-11.4	274	81.8	76.7-86.9
45-54	455	58,508	24	3.9	02.1-05.7	15	3.1	01.1-05.1	20	3.0	01.4-04.6	31	5.2	02.8-07.6	41	9.0	05.1-12.9	324	75.8	70.7-80.9
55-64	501	42,653	28	3.9	02.1-05.7	35	4.7	02.9-06.5	34	5.1	02.9-07.3	16	3.6	01.4-05.8	58	10.7	07.4-14.0	330	72.0	67.3-76.7
65+	660	50,826	81	11.7	08.6-14.8	85	11.7	09.0-14.4	80	10.4	07.7-13.1	71	9.9	07.0-12.8	99	12.5	09.8-15.2	244	43.8	38.9-48.7
Less Than H.S.	158	17,935	22	15.4	06.0-24.8	19	9.4	04.3-14.5	34	15.3	08.8-21.8	54	28.5	19.1-37.9	13	12.9	03.3-22.5			
H.S. or G.E.D.	703	79,806	65	8.5	05.0-12.0	88	10.2	07.3-13.1	80	8.7	06.0-11.4	54	7.2	04.1-10.3	115	17.6	11.9-23.3	301	47.7	41.4-54.0
Some Post-H.S.	636	80,885	48	5.2	03.2-07.2	42	3.8	02.4-05.2	32	3.3	01.7-04.9	29	3.8	02.0-05.6	84	11.4	08.3-14.5	401	72.5	68.0-77.0
College Graduate	787	119,796	28	2.1	01.1-03.1	13	0.8	00.2-01.4	16	1.9	00.1-03.7	13	0.9	00.3-01.5	53	5.0	02.8-07.2	664	89.3	86.4-92.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4169	652,659	24	0.3	00.1-00.5	1351	31.3	29.1-33.5	1927	45.6	43.2-48.0	665	17.2	15.4-19.0	202	5.5	04.3-06.7
Male	1594	318,937				150	10.3	07.8-12.8	863	53.5	50.0-57.0	438	26.6	23.7-29.5	143	9.5	07.3-11.7
Female	2575	333,722	24	0.6	00.2-01.0	1201	51.4	48.3-54.5	1064	37.9	35.0-40.8	227	8.3	06.7-09.9	59	1.7	01.1-02.3
White/Non-Hisp	3345	492,022	21	0.4	00.2-00.6	1132	32.4	29.9-34.9	1528	44.9	42.4-47.4	526	17.8	15.8-19.8	138	4.5	03.5-05.5
Black or Afr. Am./Non-Hisp	515	87,982	1	0.2	00.0-00.6	117	19.2	14.7-23.7	247	49.1	42.6-55.6	104	21.4	16.1-26.7	46	10.1	05.8-14.4
Oth. Race/Non-Hisp.	116	28,312	2	0.3	00.0-00.7							8	4.3	00.8-07.8	3	2.3	00.0-05.8
Hispanic	109	28,740										12	6.9	02.0-11.8	6	8.0	00.0-17.2
18-24	146	85,187							56	36.7	26.9-46.5	16	9.0	03.9-14.1	4	2.2	00.0-04.9
25-34	362	108,644				128	29.1	23.6-34.6	159	45.9	39.2-52.6	60	17.9	12.8-23.0	15	7.1	02.8-11.4
35-44	606	118,814	2	0.1	00.0-00.3	182	25.2	21.3-29.1	279	48.0	43.1-52.9	103	19.2	15.3-23.1	40	7.5	05.0-10.0
45-54	756	120,981	2	0.3	00.0-00.9	228	27.2	23.3-31.1	354	45.5	41.0-50.0	132	20.7	16.8-24.6	40	6.3	03.8-08.8
55-64	874	94,827	4	0.5	00.1-00.9	251	25.1	21.6-28.6	398	47.1	42.6-51.6	166	21.4	17.5-25.3	55	5.8	03.6-08.0
65+	1384	119,601	16	1.0	00.4-01.6	468	32.7	29.6-35.8	668	48.7	45.4-52.0	186	14.3	11.9-16.7	46	3.4	02.2-04.6
Less Than H.S.	308	45,303	2	0.4	00.0-01.0	88	32.5	22.9-42.1	144	40.9	32.1-49.7	52	16.1	09.8-22.4	22	10.2	03.3-17.1
H.S. or G.E.D.	1292	186,845	8	0.4	00.0-00.8	432	29.2	25.3-33.1	578	46.5	42.2-50.8	214	19.1	15.8-22.4	60	4.8	03.2-06.4
Some Post-H.S.	1072	161,419	9	0.4	00.0-00.8	361	32.9	28.6-37.2	481	42.7	38.2-47.2	161	17.4	14.1-20.7	60	6.6	03.9-09.3
College Graduate	1494	258,582	5	0.2	00.0-00.4	470	31.8	28.1-35.5	721	47.4	43.7-51.1	238	16.0	13.5-18.5	60	4.6	03.0-06.2
Less than \$15,000	435	50,791	3	0.2	00.0-00.4	138	29.5	23.0-36.0	195	45.9	38.5-53.3	72	15.7	11.0-20.4	27	8.7	03.0-14.4
\$15,000- 24,999	421	50,371	4	0.6	00.0-01.2	148	30.3	23.8-36.8	175	45.7	38.1-53.3	71	18.8	12.7-24.9	23	4.6	02.4-06.8
\$25,000- 34,999	383	51,550	3	0.5	00.0-01.1	132	36.0	28.2-43.8	181	42.2	34.0-50.4	56	17.7	11.8-23.6	11	3.6	00.0-07.3
\$35,000- 49,999	561	82,582	3	0.3	00.0-00.7	159	31.7	24.4-39.0	274	47.2	40.5-53.9	91	14.5	10.8-18.2	34	6.4	03.1-09.7
\$50,000- 74,999	655	116,411	2	0.1	00.0-00.3	169	28.8	22.5-35.1	328	47.5	41.4-53.6	122	19.2	14.5-23.9	34	4.4	02.2-06.6
\$75,000+	1131	215,180	5	0.2	00.0-00.4	355	29.5	26.0-33.0	526	46.0	42.1-49.9	189	18.5	15.4-21.6	56	5.7	03.7-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1594	318,937	150	10.3	07.8-12.8	863	53.5	50.0-57.0	438	26.6	23.7-29.5	143	9.5	07.3-11.7
White/Non-Hisp	1282	238,691	111	8.1	05.9-10.3	703	54.6	50.7-58.5	367	29.5	26.0-33.0	101	7.8	05.6-10.0
Black or Afr. Am./Non-Hisp	169	36,941	16	7.8	02.7-12.9				48	27.3	18.5-36.1	27	19.0	09.8-28.2
Oth. Race/Non-Hisp.	53	15,398							5	3.0	00.3-05.7	2	3.8	00.0-10.3
18-24	70	42,669							11	13.3	04.9-21.7	3	4.1	00.0-09.6
25-34	127	53,591	9	6.4	00.5-12.3				37	26.2	17.0-35.4	10	12.9	04.7-21.1
35-44	236	59,456	15	4.5	02.0-07.0	126	54.2	46.8-61.6	65	27.9	21.2-34.6	30	13.4	08.3-18.5
45-54	284	59,947	27	7.7	04.4-11.0	143	49.3	42.2-56.4	85	32.6	25.7-39.5	29	10.4	05.7-15.1
55-64	337	48,586	27	6.9	03.4-10.4	170	51.7	44.4-59.0	108	33.4	26.7-40.1	32	8.0	04.1-11.9
65+	532	53,319	52	10.9	07.4-14.4	311	59.1	54.0-64.2	131	23.6	19.3-27.9	38	6.4	03.9-08.9
H.S. or G.E.D.	468	95,130	48	10.0	06.3-13.7	251	52.9	46.6-59.2	126	29.0	23.3-34.7	43	8.1	05.0-11.2
Some Post-H.S.	372	72,478	37	10.4	05.3-15.5	186	50.8	43.2-58.4	110	26.4	20.3-32.5	39	12.4	06.9-17.9
College Graduate	628	128,271	45	9.0	04.7-13.3	363	57.2	51.7-62.7	169	25.5	21.0-30.0	51	8.2	05.3-11.1
Less than \$15,000	127	21,801							34	22.5	12.9-32.1			
\$15,000- 24,999	116	20,961	20	15.7	07.5-23.9							8	4.2	00.9-07.5
\$25,000- 34,999	131	21,097	18	11.7	04.1-19.3							8	8.3	00.0-17.3
\$35,000- 49,999	231	39,907	18	12.9	04.5-21.3	130	54.1	44.9-63.3	61	22.8	16.1-29.5	22	10.1	03.8-16.4
\$50,000- 74,999	294	59,247	21	9.8	02.2-17.4	160	55.4	46.6-64.2	85	27.2	19.8-34.6	28	7.6	03.7-11.5
\$75,000+	517	117,482	37	7.4	04.3-10.5	277	53.0	47.3-58.7	155	30.1	24.8-35.4	48	9.5	06.2-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2575	333,722	24	0.6	00.2-01.0	1201	51.4	48.3-54.5	1064	37.9	35.0-40.8	227	8.3	06.7-09.9	59	1.7	01.1-02.3
White/Non-Hisp	2063	253,331	21	0.7	00.3-01.1	1021	55.4	52.1-58.7	825	35.8	32.7-38.9	159	6.8	05.4-08.2	37	1.4	00.8-02.0
Black or Afr. Am./Non-Hisp	346	51,042	1	0.3	00.0-00.9	101	27.4	20.9-33.9	169	51.4	43.4-59.4	56	17.1	10.8-23.4	19	3.7	01.7-05.7
Oth. Race/Non-Hisp.	63	12,914	2	0.6	00.0-01.6							3	5.8	00.0-12.7	1	0.6	00.0-02.0
Hispanic	63	12,460										5	6.4	00.0-13.3	2	2.3	00.0-06.0
18-24	76	42,518										5	4.7	00.0-10.6	1	0.3	00.0-00.9
25-34	235	55,053				119	51.2	43.4-59.0	88	37.6	29.8-45.4	23	9.8	05.1-14.5	5	1.4	00.0-02.8
35-44	370	59,358	2	0.2	00.0-00.6	167	45.9	39.6-52.2	153	41.8	35.5-48.1	38	10.4	06.5-14.3	10	1.7	00.3-03.1
45-54	472	61,034	2	0.6	00.0-01.6	201	46.3	40.4-52.2	211	41.8	36.1-47.5	47	9.0	05.9-12.1	11	2.3	00.7-03.9
55-64	537	46,242	4	1.0	00.0-02.0	224	44.2	38.9-49.5	228	42.3	37.2-47.4	58	8.9	06.2-11.6	23	3.6	01.8-05.4
65+	852	66,282	16	1.7	00.7-02.7	416	50.2	45.9-54.5	357	40.3	36.2-44.4	55	6.9	04.7-09.1	8	0.9	00.1-01.7
Less Than H.S.	184	22,717	2	0.8	00.0-02.0							19	8.6	03.5-13.7	12	6.3	02.2-10.4
H.S. or G.E.D.	824	91,715	8	0.8	00.0-01.6	384	49.1	43.4-54.8	327	39.9	34.2-45.6	88	8.9	06.5-11.3	17	1.3	00.5-02.1
Some Post-H.S.	700	88,940	9	0.7	00.1-01.3	324	51.2	45.5-56.9	295	36.1	31.0-41.2	51	10.0	06.1-13.9	21	2.0	01.0-03.0
College Graduate	866	130,311	5	0.4	00.0-00.8	425	54.1	49.2-59.0	358	37.7	33.0-42.4	69	6.7	04.5-08.9	9	1.0	00.2-01.8
Less than \$15,000	308	28,989	3	0.4	00.0-00.8	124	41.0	33.0-49.0	129	44.4	35.8-53.0	38	10.5	06.4-14.6	14	3.8	01.3-06.3
\$15,000- 24,999	305	29,410	4	1.0	00.0-02.2	128	40.7	32.3-49.1	116	39.8	31.6-48.0	42	13.6	08.5-18.7	15	4.9	02.0-07.8
\$25,000- 34,999	252	30,453	3	0.8	00.0-01.8							25	12.1	05.4-18.8	3	0.3	00.0-00.7
\$35,000- 49,999	330	42,675	3	0.6	00.0-01.2	141	49.3	39.5-59.1	144	40.7	31.7-49.7	30	6.6	03.5-09.7	12	2.8	00.8-04.8
\$50,000- 74,999	361	57,164	2	0.2	00.0-00.6	148	48.4	39.8-57.0	168	39.3	31.5-47.1	37	11.0	05.7-16.3	6	1.1	00.1-02.1
\$75,000+	614	97,698	5	0.5	00.1-00.9	318	56.1	50.8-61.4	249	37.7	32.6-42.8	34	4.6	02.6-06.6	8	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4341	670,343	277	4.3	03.5-05.1	2134	43.2	40.8-45.6	1668	44.0	41.6-46.4	255	8.2	06.8-09.6	7	0.3	00.0-00.7
Male	1598	318,767	3	0.1	00.1-00.1	165	11.3	08.8-13.8	1173	71.4	68.1-74.7	251	16.7	14.2-19.2	6	0.6	00.0-01.2
Female	2743	351,576	274	8.2	06.8-09.6	1969	72.2	69.7-74.7	495	19.1	16.7-21.5	4	0.5	00.0-01.3	1	0.0	00.0-00.0
White/Non-Hisp	3481	506,767	215	4.0	03.2-04.8	1688	42.5	40.0-45.0	1367	45.0	42.5-47.5	207	8.2	06.8-09.6	4	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	538	89,982	32	4.6	02.2-07.0	290	43.3	37.2-49.4	186	44.9	38.4-51.4	27	6.6	03.5-09.7	3	0.6	00.0-01.2
Oth. Race/Non-Hisp.	119	27,956	8	7.7	00.0-16.5							5	5.4	00.0-11.9			
MultiRacial/Non-Hisp.	66	12,936	4	2.1	00.0-04.3												
Hispanic	111	28,816	15	6.1	01.8-10.4							4	8.4	00.0-17.6			
18-24	147	85,426	8	4.6	00.7-08.5							11	6.4	02.1-10.7	1	0.3	00.0-00.9
25-34	367	108,694	11	2.1	00.5-03.7	171	40.2	33.9-46.5	154	44.9	38.2-51.6	31	12.8	07.7-17.9			
35-44	622	121,483	21	2.3	01.1-03.5	287	40.2	35.5-44.9	262	46.6	41.7-51.5	51	10.6	07.5-13.7	1	0.3	00.0-00.9
45-54	791	125,406	37	3.4	01.8-05.0	392	42.3	38.0-46.6	314	46.1	41.6-50.6	46	7.4	05.0-09.8	2	0.8	00.0-02.2
55-64	925	99,228	52	4.2	02.8-05.6	468	44.1	39.8-48.4	355	44.3	40.0-48.6	49	7.0	04.5-09.5	1	0.3	00.0-00.9
65+	1431	123,763	143	8.9	07.1-10.7	713	46.3	43.2-49.4	507	39.6	36.5-42.7	66	5.0	03.6-06.4	2	0.1	00.0-00.3
Less Than H.S.	321	46,428	35	6.3	03.8-08.8	163	47.7	38.5-56.9	116	40.9	31.9-49.9	6	4.7	00.0-10.4	1	0.3	00.0-00.9
H.S. or G.E.D.	1343	191,210	107	5.2	03.8-06.6	681	41.2	37.1-45.3	496	45.7	41.6-49.8	59	7.9	05.2-10.6			
Some Post-H.S.	1117	166,569	68	4.2	02.8-05.6	589	48.7	44.2-53.2	382	38.5	34.0-43.0	76	8.3	05.8-10.8	2	0.2	00.0-00.6
College Graduate	1556	265,341	67	3.4	02.0-04.8	700	40.6	37.1-44.1	671	46.5	42.8-50.2	114	8.9	06.9-10.9	4	0.6	00.0-01.4
Less than \$15,000	452	51,883	47	7.0	04.3-09.7	244	46.2	38.9-53.5	139	36.2	29.1-43.3	20	10.4	03.7-17.1	2	0.3	00.0-00.7
\$15,000- 24,999	427	50,800	45	9.4	05.5-13.3	231	43.7	36.4-51.0	137	42.4	34.6-50.2	14	4.5	01.4-07.6			
\$25,000- 34,999	396	53,099	26	4.5	02.1-06.9	215	48.5	40.5-56.5	137	38.5	30.7-46.3	18	8.5	03.0-14.0			
\$35,000- 49,999	583	84,380	31	3.1	01.7-04.5	284	45.9	39.2-52.6	233	42.5	36.0-49.0	35	8.4	04.9-11.9			
\$50,000- 74,999	670	117,166	35	2.8	01.6-04.0	293	43.4	37.3-49.5	292	45.7	39.6-51.8	50	8.0	05.1-10.9			
\$75,000+	1169	221,045	41	3.0	01.4-04.6	516	37.6	33.9-41.3	519	49.7	45.8-53.6	91	9.4	07.0-11.8	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1598	318,767	3	0.1	00.1-00.1	165	11.3	08.8-13.8	1173	71.4	68.1-74.7	251	16.7	14.2-19.2	6	0.6	00.0-01.2
White/Non-Hisp	1285	239,102	1	0.0	00.0-00.0	112	8.9	06.5-11.3	964	73.8	70.3-77.3	204	16.6	13.9-19.3	4	0.7	00.0-01.5
Black or Afr. Am./Non-Hisp	170	36,998				25	9.8	05.1-14.5	117	73.3	65.1-81.5	26	15.8	08.7-22.9	2	1.1	00.0-02.7
Oth. Race/Non-Hisp.	51	14,235	1	0.7	00.0-02.1												
18-24	71	42,908										10	9.9	03.2-16.6	1	0.6	00.0-01.8
25-34	127	52,772				9	8.7	03.0-14.4				30	25.9	16.1-35.7			
35-44	236	59,427				23	8.3	04.4-12.2	161	69.5	62.6-76.4	51	21.7	15.6-27.8	1	0.6	00.0-01.8
45-54	283	59,782				34	13.1	08.4-17.8	201	69.6	63.1-76.1	46	15.6	10.7-20.5	2	1.7	00.0-04.4
55-64	340	48,770				27	7.8	03.7-11.9	264	77.4	71.1-83.7	48	14.1	09.0-19.2	1	0.7	00.0-02.1
65+	532	53,453	1	0.1	00.0-00.3	61	11.8	08.3-15.3	404	76.7	72.4-81.0	65	11.4	08.3-14.5	1	0.1	00.0-00.3
Less Than H.S.	124	22,587	1	0.2	00.0-00.6	21	13.9	04.3-23.5							1	0.7	00.0-02.1
H.S. or G.E.D.	469	95,328				52	10.6	07.1-14.1	360	75.0	69.5-80.5	57	14.4	09.7-19.1			
Some Post-H.S.	375	72,839	2	0.3	00.0-00.7	35	12.8	06.9-18.7	262	67.9	60.6-75.2	75	18.7	13.2-24.2	1	0.3	00.0-00.9
College Graduate	627	127,258				57	10.5	06.2-14.8	453	69.8	64.5-75.1	113	18.5	14.4-22.6	4	1.2	00.0-02.8
Less than \$15,000	128	21,847	1	0.4	00.0-01.2	15	10.9	03.6-18.2							1	0.2	00.0-00.6
\$15,000- 24,999	117	21,200	1	0.2	00.0-00.6	15	10.1	03.6-16.6	87	78.9	69.1-88.7	14	10.8	03.4-18.2			
\$25,000- 34,999	132	21,528				25	20.1	10.3-29.9				17	15.4	07.0-23.8			
\$35,000- 49,999	232	39,974				24	9.9	05.2-14.6	173	72.4	64.6-80.2	35	17.7	10.8-24.6			
\$50,000- 74,999	291	57,945				25	13.8	05.2-22.4	217	70.5	61.5-79.5	49	15.7	09.8-21.6			
\$75,000+	518	117,626				41	7.8	04.9-10.7	385	74.0	69.1-78.9	90	17.6	13.5-21.7	2	0.6	00.0-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2743	351,576	274	8.2	06.8-09.6	1969	72.2	69.7-74.7	495	19.1	16.7-21.5	4	0.5	00.0-01.3	1	0.0	00.0-00.0
White/Non-Hisp	2196	267,665	214	7.6	06.2-09.0	1576	72.6	69.9-75.3	403	19.2	16.8-21.6	3	0.6	00.0-01.6			
Black or Afr. Am./Non-Hisp	368	52,984	32	7.9	04.0-11.8	265	66.7	58.7-74.7	69	25.1	17.1-33.1	1	0.1	00.0-00.3	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	68	13,721							4	5.5	00.0-12.8						
Hispanic	65	12,536	14	13.8	04.0-23.6				8	3.9	00.4-07.4						
18-24	76	42,518	8	9.2	01.6-16.8							1	2.8	00.0-08.3			
25-34	240	55,922	11	4.1	01.4-06.8	162	69.9	62.8-77.0	66	25.4	18.7-32.1	1	0.6	00.0-01.8			
35-44	386	62,056	21	4.5	02.1-06.9	264	70.8	65.5-76.1	101	24.8	19.7-29.9						
45-54	508	65,624	37	6.5	03.6-09.4	358	68.8	63.5-74.1	113	24.6	19.5-29.7						
55-64	585	50,458	52	8.3	05.6-11.0	441	79.2	75.5-82.9	91	12.4	09.5-15.3	1	0.1	00.0-00.3			
65+	899	70,310	142	15.6	12.7-18.5	652	72.5	68.8-76.2	103	11.4	08.7-14.1	1	0.2	00.0-00.6	1	0.2	00.0-00.6
Less Than H.S.	197	23,842	34	12.1	07.0-17.2	142	79.8	72.9-86.7	21	8.1	03.8-12.4						
H.S. or G.E.D.	874	95,883	107	10.4	07.7-13.1	629	71.6	66.9-76.3	136	16.6	13.1-20.1	2	1.4	00.0-03.9			
Some Post-H.S.	742	93,730	66	7.2	04.7-09.7	554	76.6	72.1-81.1	120	15.7	11.8-19.6	1	0.3	00.0-00.9	1	0.1	00.0-00.3
College Graduate	929	138,083	67	6.6	04.1-09.1	643	68.3	63.8-72.8	218	25.1	20.8-29.4	1	0.1	00.0-00.3			
Less than \$15,000	324	30,036	46	11.7	07.2-16.2	229	71.8	65.1-78.5	47	15.6	10.3-20.9	1	0.5	00.0-01.5	1	0.4	00.0-01.2
\$15,000- 24,999	310	29,600	44	16.0	09.5-22.5	216	67.7	60.1-75.3	50	16.3	10.8-21.8						
\$25,000- 34,999	264	31,571	26	7.5	03.4-11.6				47	20.7	12.1-29.3	1	3.8	00.0-11.1			
\$35,000- 49,999	351	44,406	31	6.0	03.5-08.5	260	78.4	72.5-84.3	60	15.7	10.8-20.6						
\$50,000- 74,999	379	59,221	35	5.6	03.4-07.8	268	72.4	64.6-80.2	75	21.4	13.8-29.0	1	0.5	00.0-01.5			
\$75,000+	651	103,419	41	6.5	03.4-09.6	475	71.4	66.7-76.1	134	22.0	17.9-26.1	1	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 37: HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4080	636,702	27	0.5	00.3-00.7	1295	31.8	29.4-34.2	1827	43.6	41.2-46.0	691	17.1	15.5-18.7	240	7.0	05.6-08.4
Male	1563	310,385				142	10.9	08.4-13.4	801	49.9	46.4-53.4	458	27.7	24.8-30.6	162	11.5	09.1-13.9
Female	2517	326,317	27	1.0	00.4-01.6	1153	51.6	48.5-54.7	1026	37.6	34.7-40.5	233	7.1	05.9-08.3	78	2.7	01.7-03.7
White/Non-Hisp	3279	481,858	21	0.4	00.2-00.6	1077	32.2	29.7-34.7	1453	43.2	40.7-45.7	553	18.3	16.3-20.3	175	5.9	04.5-07.3
Black or Afr. Am./Non-Hisp	498	85,203	3	0.7	00.0-01.7	117	22.2	16.9-27.5	229	46.0	39.5-52.5	103	18.7	14.0-23.4	46	12.3	07.2-17.4
Oth. Race/Non-Hisp.	113	27,103	3	2.0	00.0-05.3							9	4.1	01.0-07.2	5	3.7	00.0-08.0
MultiRacial/Non-Hisp.	63	12,345										7	5.2	00.0-10.5			
Hispanic	107	26,973										16	9.4	03.9-14.9	6	9.3	00.0-19.3
18-24	141	81,440	1	0.3	00.0-00.9							9	4.5	01.0-08.0	7	5.3	00.6-10.0
25-34	357	106,790	2	0.6	00.0-01.6	137	34.1	28.0-40.2	141	39.9	33.2-46.6	58	16.6	11.7-21.5	19	8.9	04.2-13.6
35-44	594	116,624	2	0.1	00.0-00.3	177	25.8	21.7-29.9	264	46.2	41.3-51.1	104	18.9	15.0-22.8	47	9.0	06.1-11.9
45-54	737	116,963	3	0.4	00.0-01.0	212	26.3	22.4-30.2	338	44.7	40.0-49.4	138	21.4	17.5-25.3	46	7.2	04.5-09.9
55-64	860	93,245	6	0.6	00.0-01.2	242	24.4	20.9-27.9	374	44.7	40.2-49.2	176	23.3	19.2-27.4	62	7.0	04.6-09.4
65+	1353	117,316	13	1.0	00.2-01.8	433	30.0	27.1-32.9	645	48.8	45.5-52.1	205	16.0	13.6-18.4	57	4.1	02.7-05.5
Less Than H.S.	294	43,258	2	1.0	00.0-02.6	82	31.2	21.4-41.0	138	39.6	30.8-48.4	49	15.8	09.3-22.3	23	12.4	04.2-20.6
H.S. or G.E.D.	1254	179,643	12	0.7	00.1-01.3	409	31.4	27.1-35.7	545	44.1	39.8-48.4	219	18.2	15.1-21.3	69	5.6	03.8-07.4
Some Post-H.S.	1055	159,437	7	0.4	00.0-00.8	353	32.1	27.8-36.4	444	41.2	36.7-45.7	179	17.8	14.5-21.1	72	8.5	05.4-11.6
College Graduate	1474	253,854	6	0.4	00.0-00.8	451	32.0	28.3-35.7	697	45.3	41.6-49.0	244	16.2	13.7-18.7	76	6.1	04.3-07.9
Less than \$15,000	422	48,938	3	0.3	00.0-00.7	131	32.7	25.4-40.0	184	41.8	34.4-49.2	72	16.7	11.8-21.6	32	8.5	02.8-14.2
\$15,000- 24,999	408	49,458	4	1.4	00.0-03.2	144	37.6	29.8-45.4	173	42.5	34.9-50.1	58	10.1	06.4-13.8	29	8.4	04.3-12.5
\$25,000- 34,999	378	50,641	5	1.5	00.0-03.5	127	32.3	24.9-39.7	163	43.0	34.6-51.4	67	17.8	12.3-23.3	16	5.5	01.2-09.8
\$35,000- 49,999	552	81,370	3	0.3	00.0-00.7	153	31.0	23.7-38.3	256	44.9	38.2-51.6	106	17.2	13.1-21.3	34	6.5	03.2-09.8
\$50,000- 74,999	646	113,627	4	0.4	00.0-00.8	165	26.8	20.9-32.7	318	49.2	42.9-55.5	124	18.3	14.0-22.6	35	5.3	02.4-08.2
\$75,000+	1113	211,913	4	0.2	00.0-00.4	347	31.0	27.3-34.7	492	42.0	38.1-45.9	199	19.7	16.6-22.8	71	7.2	05.0-09.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 38: HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1563	310,385	142	10.9	08.4-13.4	801	49.9	46.4-53.4	458	27.7	24.8-30.6	162	11.5	09.1-13.9
White/Non-Hisp	1264	233,912	104	8.5	06.1-10.9	655	50.7	46.8-54.6	385	30.9	27.4-34.4	120	9.9	07.4-12.4
Black or Afr. Am./Non-Hisp	160	35,923	14	10.3	02.7-17.9				48	27.3	18.1-36.5	26	20.5	11.1-29.9
Oth. Race/Non-Hisp.	50	14,189							6	5.3	00.0-10.6	3	4.7	00.0-12.0
18-24	66	39,336							8	9.0	01.7-16.3	4	7.1	00.0-14.7
25-34	124	52,166	15	10.6	03.3-17.9				36	25.9	16.7-35.1	12	15.8	06.8-24.8
35-44	235	59,369	17	6.1	02.8-09.4	119	50.5	43.1-57.9	65	28.2	21.5-34.9	34	15.2	09.7-20.7
45-54	275	57,596	23	7.0	03.7-10.3	135	46.1	38.8-53.4	88	35.1	28.0-42.2	29	11.8	06.7-16.9
55-64	332	47,860	23	4.9	02.5-07.3	156	48.2	40.9-55.5	117	37.1	30.0-44.2	36	9.7	05.6-13.8
65+	523	52,687	42	9.9	06.4-13.4	291	56.0	50.9-61.1	144	26.6	22.1-31.1	46	7.5	05.0-10.0
H.S. or G.E.D.	455	90,626	50	13.9	09.0-18.8	230	49.2	42.9-55.5	130	27.7	22.0-33.4	45	9.2	05.7-12.7
Some Post-H.S.	366	71,839	35	10.2	05.1-15.3	167	46.0	38.4-53.6	121	30.5	24.0-37.0	43	13.3	07.6-19.0
College Graduate	620	125,758	41	8.5	05.0-12.0	342	53.9	48.4-59.4	177	27.0	22.3-31.7	60	10.6	07.1-14.1
Less than \$15,000	124	20,880							31	21.5	12.1-30.9			
\$15,000- 24,999	113	20,718							23	11.9	04.6-19.2	11	11.4	02.8-20.0
\$25,000- 34,999	129	20,410	18	9.7	04.0-15.4							9	10.2	00.6-19.8
\$35,000- 49,999	227	39,439	17	12.7	04.3-21.1	119	49.7	40.5-58.9	67	26.8	19.4-34.2	24	10.8	04.3-17.3
\$50,000- 74,999	289	57,649	20	6.0	02.9-09.1	155	58.3	49.9-66.7	87	28.4	20.8-36.0	27	7.4	03.5-11.3
\$75,000+	507	115,280	35	8.5	04.8-12.2	253	47.6	41.9-53.3	161	32.2	26.9-37.5	58	11.7	07.8-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 39: HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2517	326,317	27	1.0	00.4-01.6	1153	51.6	48.5-54.7	1026	37.6	34.7-40.5	233	7.1	05.9-08.3	78	2.7	01.7-03.7
White/Non-Hisp	2015	247,945	21	0.8	00.4-01.2	973	54.6	51.3-57.9	798	36.1	33.0-39.2	168	6.4	05.0-07.8	55	2.1	01.3-02.9
Black or Afr. Am./Non-Hisp	338	49,281	3	1.3	00.0-02.9	103	30.8	23.5-38.1	157	49.0	40.8-57.2	55	12.5	08.2-16.8	20	6.4	01.3-11.5
Oth. Race/Non-Hisp.	63	12,914	3	4.2	00.0-11.3							3	2.8	00.0-06.5	2	2.6	00.0-06.7
Hispanic	62	12,241										5	6.4	00.0-12.9	1	0.4	00.0-01.2
18-24	75	42,103	1	0.5	00.0-01.5							1	0.4	00.0-01.2	3	3.6	00.0-09.3
25-34	233	54,624	2	1.2	00.0-03.0	122	56.4	48.8-64.0	80	32.4	25.1-39.7	22	7.6	04.1-11.1	7	2.3	00.5-04.1
35-44	359	57,254	2	0.2	00.0-00.6	160	46.2	39.7-52.7	145	41.7	35.2-48.2	39	9.3	05.8-12.8	13	2.6	00.8-04.4
45-54	462	59,367	3	0.8	00.0-02.0	189	45.0	39.1-50.9	203	43.4	37.5-49.3	50	8.1	05.4-10.8	17	2.7	01.1-04.3
55-64	528	45,385	6	1.2	00.2-02.2	219	44.9	39.6-50.2	218	41.0	35.7-46.3	59	8.8	06.1-11.5	26	4.1	02.3-05.9
65+	830	64,629	13	1.8	00.4-03.2	391	46.5	42.2-50.8	354	42.9	38.6-47.2	61	7.4	05.2-09.6	11	1.4	00.4-02.4
Less Than H.S.	174	21,568	2	1.9	00.0-05.0							19	9.0	03.7-14.3	9	4.1	01.0-07.2
H.S. or G.E.D.	799	89,017	12	1.4	00.4-02.4	359	49.3	43.4-55.2	315	38.9	33.2-44.6	89	8.5	06.1-10.9	24	1.9	00.9-02.9
Some Post-H.S.	689	87,597	7	0.6	00.0-01.2	318	50.1	44.4-55.8	277	37.3	32.0-42.6	58	7.4	04.9-09.9	29	4.6	01.7-07.5
College Graduate	854	128,096	6	0.8	00.0-01.6	410	55.0	50.1-59.9	355	36.9	32.2-41.6	67	5.7	03.9-07.5	16	1.7	00.7-02.7
Less than \$15,000	298	28,058	3	0.6	00.0-01.4	115	43.7	34.9-52.5	121	38.6	30.4-46.8	41	13.1	08.2-18.0	18	4.0	02.0-06.0
\$15,000- 24,999	295	28,740	4	2.4	00.0-05.3	127	48.1	39.5-56.7	111	34.5	27.1-41.9	35	8.8	05.3-12.3	18	6.2	02.9-09.5
\$25,000- 34,999	249	30,231	5	2.5	00.0-05.6							24	7.5	03.6-11.4	7	2.3	00.0-04.7
\$35,000- 49,999	325	41,931	3	0.6	00.0-01.4	136	48.1	38.1-58.1	137	40.5	31.3-49.7	39	8.2	04.9-11.5	10	2.5	00.5-04.5
\$50,000- 74,999	357	55,978	4	0.7	00.0-01.5	145	48.3	39.5-57.1	163	39.9	31.9-47.9	37	7.8	04.5-11.1	8	3.3	00.0-07.6
\$75,000+	606	96,633	4	0.3	00.0-00.7	312	57.7	52.4-63.0	239	35.4	30.5-40.3	38	4.7	02.7-06.7	13	1.8	00.6-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 40: WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2028	336,882	856	43.7	40.2-47.2	1172	56.3	52.8-59.8
Male	745	164,563	342	47.7	42.4-53.0	403	52.3	47.0-57.6
Female	1283	172,319	514	39.8	35.3-44.3	769	60.2	55.7-64.7
White/Non-Hisp	1519	231,230	636	42.6	38.7-46.5	883	57.4	53.5-61.3
Black or Afr. Am./Non-Hisp	329	56,895	143	47.7	39.5-55.9	186	52.3	44.1-60.5
25-34	205	65,926	85	40.2	31.6-48.8	120	59.8	51.2-68.4
35-44	303	60,912	133	43.8	36.7-50.9	170	56.2	49.1-63.3
45-54	376	57,604	160	46.6	39.9-53.3	216	53.4	46.7-60.1
55-64	432	45,165	179	40.2	33.7-46.7	253	59.8	53.3-66.3
65+	603	50,941	256	44.8	39.9-49.7	347	55.2	50.3-60.1
H.S. or G.E.D.	624	95,636	216	37.6	31.3-43.9	408	62.4	56.1-68.7
Some Post-H.S.	557	89,001	251	45.6	39.1-52.1	306	54.4	47.9-60.9
College Graduate	669	124,247	333	50.4	44.5-56.3	336	49.6	43.7-55.5
Less than \$15,000	235	31,704	90	35.5	25.9-45.1	145	64.5	54.9-74.1
\$15,000- 24,999	260	33,855	76	28.5	19.1-37.9	184	71.5	62.1-80.9
\$25,000- 34,999	206	27,833	79	29.6	20.8-38.4	127	70.4	61.6-79.2
\$35,000- 49,999	270	41,742	127	52.3	42.5-62.1	143	47.7	37.9-57.5
\$50,000- 74,999	306	61,425	141	43.3	33.7-52.9	165	56.7	47.1-66.3
\$75,000+	497	99,603	238	50.9	44.8-57.0	259	49.1	43.0-55.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 41: WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	745	164,563	342	47.7	42.4-53.0	403	52.3	47.0-57.6
White/Non-Hisp	557	113,426	254	45.3	39.4-51.2	303	54.7	48.8-60.6
65+	219	20,498	112	53.7	45.7-61.7	107	46.3	38.3-54.3
H.S. or G.E.D.	216	47,351	84	41.5	32.3-50.7	132	58.5	49.3-67.7
College Graduate	276	62,951	147	55.7	47.3-64.1	129	44.3	35.9-52.7
\$75,000+	222	53,416	114	55.4	46.8-64.0	108	44.6	36.0-53.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 42: WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1283	172,319	514	39.8	35.3-44.3	769	60.2	55.7-64.7
White/Non-Hisp	962	117,804	382	40.0	34.9-45.1	580	60.0	54.9-65.1
35-44	191	30,008	87	44.6	35.8-53.4	104	55.4	46.6-64.2
45-54	247	30,314	98	40.0	31.8-48.2	149	60.0	51.8-68.2
55-64	272	22,434	110	36.1	29.2-43.0	162	63.9	57.0-70.8
65+	384	30,443	144	38.8	32.7-44.9	240	61.2	55.1-67.3
Less Than H.S.	112	13,022	35	21.9	12.7-31.1	77	78.1	68.9-87.3
H.S. or G.E.D.	408	48,285	132	33.8	24.8-42.8	276	66.2	57.2-75.2
Some Post-H.S.	370	49,716	161	44.0	36.4-51.6	209	56.0	48.4-63.6
College Graduate	393	61,296	186	45.0	37.0-53.0	207	55.0	47.0-63.0
Less than \$15,000	168	17,534	64	29.8	20.8-38.8	104	70.2	61.2-79.2
\$15,000- 24,999	194	20,599	57	26.9	16.9-36.9	137	73.1	63.1-83.1
\$75,000+	275	46,187	124	45.8	37.2-54.4	151	54.2	45.6-62.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 43: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4361	672,685	4335	99.2	98.4-0100	21	0.7	00.0-01.5	5	0.1	00.1-00.1
Male	1605	320,336	1598	99.6	99.2-0100	5	0.3	00.0-00.7	2	0.1	00.0-00.3
Female	2756	352,349	2737	98.8	97.4-0100	16	1.1	00.0-02.5	3	0.1	00.0-00.3
White/Non-Hisp	3495	507,737	3483	99.3	98.3-0100	10	0.7	00.0-01.7	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	538	89,982	530	98.7	97.7-99.7	6	1.0	00.0-02.0	2	0.3	00.0-00.7
Oth. Race/Non-Hisp.	123	29,191	120	99.5	98.7-0100	3	0.5	00.0-01.3			
MultiRacial/Non-Hisp.	66	12,936	66	100.0	0100-0100						
Hispanic	111	28,816	109	99.0	97.6-0100	2	1.0	00.0-02.4			
18-24	147	85,426	145	96.9	91.4-0100	2	3.1	00.0-08.6			
25-34	368	109,657	366	99.6	99.0-0100	2	0.4	00.0-01.0			
35-44	624	121,601	620	99.5	99.1-99.9	2	0.2	00.0-00.4	2	0.3	00.0-00.7
45-54	796	125,907	791	99.5	99.1-99.9	4	0.4	00.0-00.8	1	0.1	00.0-00.3
55-64	926	99,284	924	99.8	99.6-0100	2	0.2	00.0-00.4			
65+	1435	123,938	1426	99.4	98.8-0100	9	0.6	00.0-01.2			
Less Than H.S.	322	46,460	318	99.0	98.0-0100	3	0.6	00.0-01.4	1	0.3	00.0-00.9
H.S. or G.E.D.	1347	191,573	1333	99.3	98.9-99.7	12	0.5	00.1-00.9	2	0.2	00.0-00.4
Some Post-H.S.	1126	167,222	1123	99.8	99.6-0100	2	0.2	00.0-00.4	1	0.0	00.0-00.0
College Graduate	1561	266,552	1558	98.9	97.1-0100	2	1.0	00.0-02.8	1	0.1	00.0-00.3
Less than \$15,000	453	51,914	450	99.5	98.7-0100	2	0.5	00.0-01.3	1	0.1	00.0-00.3
\$15,000- 24,999	429	50,857	423	99.1	98.1-0100	6	0.9	00.0-01.9			
\$25,000- 34,999	398	53,157	394	99.2	98.4-0100	3	0.5	00.0-01.1	1	0.3	00.0-00.9
\$35,000- 49,999	583	84,380	581	99.5	98.7-0100	2	0.5	00.0-01.3			
\$50,000- 74,999	675	118,581	673	97.9	94.0-0100	2	2.1	00.0-06.0			
\$75,000+	1169	221,045	1167	99.9	99.7-0100	2	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 44: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1605	320,336	1598	99.6	99.2-0100	5	0.3	00.0-00.7	2	0.1	00.0-00.3
White/Non-Hisp	1289	239,462	1287	99.9	99.7-0100	2	0.1	00.0-00.3			
Black or Afr. Am./Non-Hisp	170	36,998	167	98.3	96.1-0100	2	1.3	00.0-03.3	1	0.4	00.0-01.2
Oth. Race/Non-Hisp.	54	15,444	53	99.4	98.2-0100	1	0.6	00.0-01.8			
18-24	71	42,908	71	100.0	0100-0100						
25-34	128	53,735	127	99.5	98.5-0100	1	0.5	00.0-01.5			
35-44	237	59,513	235	99.5	98.9-0100	1	0.2	00.0-00.6	1	0.3	00.0-00.9
45-54	285	60,092	284	99.7	99.1-0100				1	0.3	00.0-00.9
55-64	340	48,770	340	100.0	0100-0100						
65+	534	53,565	531	99.1	97.7-0100	3	0.9	00.0-02.3			
Less Than H.S.	124	22,587	123	99.3	97.9-0100				1	0.7	00.0-02.1
H.S. or G.E.D.	471	95,494	469	99.9	99.7-0100	2	0.1	00.0-00.3			
Some Post-H.S.	378	73,182	378	100.0	0100-0100						
College Graduate	629	128,317	627	99.6	99.0-0100	1	0.2	00.0-00.6	1	0.1	00.0-00.3
Less than \$15,000	128	21,847	128	100.0	0100-0100						
\$15,000- 24,999	117	21,200	117	100.0	0100-0100						
\$25,000- 34,999	133	21,561	131	99.1	97.7-0100	2	0.9	00.0-02.3			
\$35,000- 49,999	232	39,974	231	99.3	97.9-0100	1	0.7	00.0-02.1			
\$50,000- 74,999	295	59,305	295	100.0	0100-0100						
\$75,000+	518	117,626	517	100.0	0100-0100	1	0.0	00.0-00.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 45: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2756	352,349	2737	98.8	97.4-0100	16	1.1	00.0-02.5	3	0.1	00.0-00.3
White/Non-Hisp	2206	268,274	2196	98.8	97.0-0100	8	1.1	00.0-02.9	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	368	52,984	363	98.9	97.9-99.9	4	0.8	00.0-01.6	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	69	13,746	67	99.6	99.0-0100	2	0.4	00.0-01.0			
Hispanic	65	12,536	63	97.8	94.7-0100	2	2.2	00.0-05.3			
18-24	76	42,518	74	93.8	83.0-0100	2	6.2	00.0-17.0			
25-34	240	55,922	239	99.7	99.1-0100	1	0.3	00.0-00.9			
35-44	387	62,088	385	99.6	99.0-0100	1	0.2	00.0-00.6	1	0.2	00.0-00.6
45-54	511	65,814	507	99.3	98.5-0100	4	0.7	00.0-01.5			
55-64	586	50,514	584	99.7	99.3-0100	2	0.3	00.0-00.7			
65+	901	70,373	895	99.6	99.2-0100	6	0.4	00.0-00.8			
Less Than H.S.	198	23,873	195	98.8	97.4-0100	3	1.2	00.0-02.6			
H.S. or G.E.D.	876	96,080	864	98.8	98.0-99.6	10	0.9	00.3-01.5	2	0.3	00.0-00.7
Some Post-H.S.	748	94,040	745	99.7	99.3-0100	2	0.3	00.0-00.7	1	0.0	00.0-00.0
College Graduate	932	138,235	931	98.2	94.9-0100	1	1.8	00.0-05.1			
Less than \$15,000	325	30,067	322	99.1	97.9-0100	2	0.8	00.0-02.0	1	0.1	00.0-00.3
\$15,000- 24,999	312	29,657	306	98.5	96.9-0100	6	1.5	00.0-03.1			
\$25,000- 34,999	265	31,596	263	99.3	98.3-0100	1	0.2	00.0-00.6	1	0.5	00.0-01.5
\$35,000- 49,999	351	44,406	350	99.8	99.4-0100	1	0.2	00.0-00.6			
\$50,000- 74,999	380	59,277	378	95.7	88.1-0100	2	4.3	00.0-11.9			
\$75,000+	651	103,419	650	99.8	99.4-0100	1	0.2	00.0-00.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 46: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4361	672,685	4287	98.3	97.5-99.1	38	1.1	00.3-01.9	36	0.6	00.4-00.8
Male	1605	320,336	1580	98.9	98.1-99.7	16	0.8	00.2-01.4	9	0.4	00.2-00.6
Female	2756	352,349	2707	97.9	96.5-99.3	22	1.4	00.0-02.8	27	0.7	00.3-01.1
White/Non-Hisp	3495	507,737	3438	98.3	97.1-99.5	31	1.3	00.3-02.3	26	0.5	00.3-00.7
Black or Afr. Am./Non-Hisp	538	89,982	529	98.7	97.7-99.7	4	0.4	00.0-01.0	5	0.9	00.1-01.7
Oth. Race/Non-Hisp.	123	29,191	120	99.0	97.8-0100	1	0.2	00.0-00.6	2	0.8	00.0-01.8
MultiRacial/Non-Hisp.	66	12,936	66	100.0	0100-0100						
Hispanic	111	28,816	110	99.3	97.9-0100				1	0.7	00.0-02.1
18-24	147	85,426	146	97.2	91.7-0100	1	2.8	00.0-08.3			
25-34	368	109,657	363	97.9	95.7-0100	3	1.9	00.0-04.1	2	0.2	00.0-00.6
35-44	624	121,601	618	99.1	98.3-99.9	1	0.2	00.0-00.6	5	0.6	00.0-01.2
45-54	796	125,907	789	99.2	98.6-99.8	2	0.3	00.0-00.7	5	0.5	00.1-00.9
55-64	926	99,284	916	99.1	98.5-99.7	2	0.2	00.0-00.4	8	0.7	00.1-01.3
65+	1435	123,938	1400	98.0	97.2-98.8	29	1.6	00.8-02.4	6	0.4	00.0-00.8
Less Than H.S.	322	46,460	310	97.8	96.2-99.4	10	1.8	00.4-03.2	2	0.4	00.0-01.0
H.S. or G.E.D.	1347	191,573	1322	98.8	98.2-99.4	13	0.5	00.1-00.9	12	0.7	00.1-01.3
Some Post-H.S.	1126	167,222	1116	99.4	99.0-99.8	2	0.2	00.0-00.6	8	0.4	00.0-00.8
College Graduate	1561	266,552	1535	97.5	95.5-99.5	13	2.0	00.0-04.0	13	0.5	00.1-00.9
Less than \$15,000	453	51,914	450	99.7	99.3-0100	1	0.1	00.0-00.3	2	0.2	00.0-00.6
\$15,000- 24,999	429	50,857	418	98.8	97.8-99.8	8	0.8	00.0-01.6	3	0.4	00.0-01.0
\$25,000- 34,999	398	53,157	391	98.8	97.8-99.8	4	0.6	00.0-01.2	3	0.5	00.0-01.3
\$35,000- 49,999	583	84,380	578	99.3	98.7-99.9	2	0.3	00.0-00.7	3	0.4	00.0-00.8
\$50,000- 74,999	675	118,581	669	97.0	92.9-0100	5	2.8	00.0-06.9	1	0.1	00.0-00.3
\$75,000+	1169	221,045	1157	99.0	98.0-0100	8	0.9	00.0-01.9	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 47: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1605	320,336	1580	98.9	98.1-99.7	16	0.8	00.2-01.4	9	0.4	00.2-00.6
White/Non-Hisp	1289	239,462	1275	99.2	98.4-0100	11	0.8	00.0-01.6	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	170	36,998	164	97.6	95.4-99.8	3	1.0	00.0-02.2	3	1.4	00.0-03.2
Oth. Race/Non-Hisp.	54	15,444	52	98.9	97.3-0100	1	0.4	00.0-01.2	1	0.7	00.0-02.1
18-24	71	42,908	71	100.0	0100-0100						
25-34	128	53,735	127	98.2	94.7-0100	1	1.8	00.0-05.3			
35-44	237	59,513	235	99.4	98.6-0100				2	0.6	00.0-01.4
45-54	285	60,092	283	99.3	98.3-0100	1	0.4	00.0-01.2	1	0.3	00.0-00.9
55-64	340	48,770	336	99.3	98.5-0100	2	0.3	00.0-00.7	2	0.4	00.0-01.0
65+	534	53,565	521	97.8	96.4-99.2	12	2.1	00.7-03.5	1	0.1	00.0-00.3
Less Than H.S.	124	22,587	119	97.1	94.4-99.8	4	2.2	00.0-04.6	1	0.7	00.0-02.1
H.S. or G.E.D.	471	95,494	463	99.0	98.2-99.8	6	0.6	00.2-01.0	2	0.4	00.0-01.0
Some Post-H.S.	378	73,182	376	99.8	99.4-0100				2	0.2	00.0-00.6
College Graduate	629	128,317	619	98.5	96.9-0100	6	1.1	00.0-02.7	4	0.4	00.0-00.8
Less than \$15,000	128	21,847	127	99.7	99.1-0100	1	0.3	00.0-00.9			
\$15,000- 24,999	117	21,200	115	98.7	96.9-0100	1	0.8	00.0-02.4	1	0.5	00.0-01.5
\$25,000- 34,999	133	21,561	131	98.9	97.3-0100	2	1.1	00.0-02.7			
\$35,000- 49,999	232	39,974	230	99.3	98.3-0100	2	0.7	00.0-01.7			
\$50,000- 74,999	295	59,305	293	99.7	99.3-0100	2	0.3	00.0-00.7			
\$75,000+	518	117,626	509	98.5	96.7-0100	6	1.2	00.0-02.8	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 48: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2756	352,349	2707	97.9	96.5-99.3	22	1.4	00.0-02.8	27	0.7	00.3-01.1
White/Non-Hisp	2206	268,274	2163	97.4	95.4-99.4	20	1.8	00.0-03.8	23	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	368	52,984	365	99.4	98.6-0100	1	0.1	00.0-00.3	2	0.6	00.0-01.4
Oth. Race/Non-Hisp.	69	13,746	68	99.2	97.4-0100				1	0.8	00.0-02.6
Hispanic	65	12,536	65	100.0	0100-0100						
18-24	76	42,518	75	94.3	83.7-0100	1	5.7	00.0-16.3			
25-34	240	55,922	236	97.7	94.8-0100	2	1.9	00.0-04.6	2	0.4	00.0-01.0
35-44	387	62,088	383	98.9	97.7-0100	1	0.5	00.0-01.5	3	0.6	00.0-01.4
45-54	511	65,814	506	99.1	98.1-0100	1	0.2	00.0-00.6	4	0.7	00.0-01.5
55-64	586	50,514	580	99.0	98.0-0100				6	1.0	00.0-02.0
65+	901	70,373	879	98.1	97.1-99.1	17	1.3	00.5-02.1	5	0.6	00.0-01.4
Less Than H.S.	198	23,873	191	98.5	97.1-99.9	6	1.4	00.2-02.6	1	0.1	00.0-00.3
H.S. or G.E.D.	876	96,080	859	98.5	97.7-99.3	7	0.4	00.0-00.8	10	1.1	00.3-01.9
Some Post-H.S.	748	94,040	740	99.1	98.3-99.9	2	0.4	00.0-01.0	6	0.5	00.0-01.1
College Graduate	932	138,235	916	96.6	93.1-0100	7	2.7	00.0-06.2	9	0.7	00.1-01.3
Less than \$15,000	325	30,067	323	99.6	99.0-0100				2	0.4	00.0-01.0
\$15,000- 24,999	312	29,657	303	98.9	98.1-99.7	7	0.8	00.2-01.4	2	0.4	00.0-01.0
\$25,000- 34,999	265	31,596	260	98.8	97.6-0100	2	0.3	00.0-00.7	3	0.9	00.0-02.1
\$35,000- 49,999	351	44,406	348	99.3	98.3-0100				3	0.7	00.0-01.7
\$50,000- 74,999	380	59,277	376	94.3	86.3-0100	3	5.4	00.0-13.4	1	0.3	00.0-00.9
\$75,000+	651	103,419	648	99.5	98.9-0100	2	0.5	00.0-01.1	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 49: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4353	671,668	256	4.6	03.8-05.4	4097	95.4	94.6-96.2
Male	1600	319,549	119	5.5	03.9-07.1	1481	94.5	92.9-96.1
Female	2753	352,119	137	3.8	03.0-04.6	2616	96.2	95.4-97.0
White/Non-Hisp	3490	507,226	210	5.1	04.1-06.1	3280	94.9	93.9-95.9
Black or Afr. Am./Non-Hisp	537	89,697	28	2.7	01.3-04.1	509	97.3	95.9-98.7
Oth. Race/Non-Hisp.	122	29,142	10	4.9	01.2-08.6	112	95.1	91.4-98.8
MultiRacial/Non-Hisp.	66	12,936	3	3.1	00.0-07.4	63	96.9	92.6-0100
Hispanic	111	28,816	3	1.3	00.0-02.9	108	98.7	97.1-0100
18-24	147	85,426	7	4.1	00.0-08.2	140	95.9	91.8-0100
25-34	368	109,657	9	1.1	00.1-02.1	359	98.9	97.9-99.9
35-44	623	121,429	37	4.8	02.8-06.8	586	95.2	93.2-97.2
45-54	794	125,641	58	5.9	03.9-07.9	736	94.1	92.1-96.1
55-64	925	99,235	65	6.8	04.6-09.0	860	93.2	91.0-95.4
65+	1433	123,790	74	4.4	03.0-05.8	1359	95.6	94.2-97.0
Less Than H.S.	322	46,460	4	0.7	00.0-01.5	318	99.3	98.5-0100
H.S. or G.E.D.	1343	190,998	59	3.6	02.4-04.8	1284	96.4	95.2-97.6
Some Post-H.S.	1125	167,125	78	5.8	03.4-08.2	1047	94.2	91.8-96.6
College Graduate	1558	266,209	115	5.2	03.8-06.6	1443	94.8	93.4-96.2
Less than \$15,000	453	51,914	14	2.8	00.6-05.0	439	97.2	95.0-99.4
\$15,000- 24,999	429	50,857	14	3.7	01.3-06.1	415	96.3	93.9-98.7
\$25,000- 34,999	398	53,157	12	1.6	00.4-02.8	386	98.4	97.2-99.6
\$35,000- 49,999	583	84,380	28	2.5	01.3-03.7	555	97.5	96.3-98.7
\$50,000- 74,999	674	118,439	45	4.5	02.7-06.3	629	95.5	93.7-97.3
\$75,000+	1168	220,922	102	6.2	04.6-07.8	1066	93.8	92.2-95.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 50: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMMHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1600	319,549	119	5.5	03.9-07.1	1481	94.5	92.9-96.1	
White/Non-Hisp	1286	239,133	97	6.4	04.4-08.4	1189	93.6	91.6-95.6	
Black or Afr. Am./Non-Hisp	169	36,713	11	3.3	00.9-05.7	158	96.7	94.3-99.1	
Oth. Race/Non-Hisp.	54	15,444	5	4.5	00.0-09.2	49	95.5	90.8-0100	
18-24	71	42,908	6	8.0	00.0-16.0	65	92.0	84.0-0100	
25-34	128	53,735	6	1.6	00.0-03.2	122	98.4	96.8-0100	
35-44	236	59,341	8	2.6	00.6-04.6	228	97.4	95.4-99.4	
45-54	284	59,950	21	5.5	02.4-08.6	263	94.5	91.4-97.6	
55-64	340	48,770	30	9.0	04.9-13.1	310	91.0	86.9-95.1	
65+	533	53,475	46	7.3	04.6-10.0	487	92.7	90.0-95.4	
Less Than H.S.	124	22,587	2	0.4	00.0-01.0	122	99.6	99.0-0100	
H.S. or G.E.D.	468	94,976	25	4.1	02.1-06.1	443	95.9	93.9-97.9	
Some Post-H.S.	377	73,085	29	6.3	01.8-10.8	348	93.7	89.2-98.2	
College Graduate	628	128,145	63	7.0	04.6-09.4	565	93.0	90.6-95.4	
Less than \$15,000	128	21,847	6	4.6	00.1-09.1	122	95.4	90.9-99.9	
\$15,000- 24,999	117	21,200	7	6.2	00.9-11.5	110	93.8	88.5-99.1	
\$25,000- 34,999	133	21,561	6	1.9	00.1-03.7	127	98.1	96.3-99.9	
\$35,000- 49,999	232	39,974	17	3.7	01.5-05.9	215	96.3	94.1-98.5	
\$50,000- 74,999	294	59,162	21	5.4	02.5-08.3	273	94.6	91.7-97.5	
\$75,000+	518	117,626	46	6.4	03.9-08.9	472	93.6	91.1-96.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2753	352,119	137	3.8	03.0-04.6	2616	96.2	95.4-97.0
White/Non-Hisp	2204	268,093	113	4.1	03.1-05.1	2091	95.9	94.9-96.9
Black or Afr. Am./Non-Hisp	368	52,984	17	2.3	00.9-03.7	351	97.7	96.3-99.1
Oth. Race/Non-Hisp.	68	13,698	5	5.2	00.0-11.3	63	94.8	88.7-0100
Hispanic	65	12,536	1	1.3	00.0-03.8	64	98.7	96.2-0100
18-24	76	42,518	1	0.2	00.0-00.6	75	99.8	99.4-0100
25-34	240	55,922	3	0.7	00.0-01.7	237	99.3	98.3-0100
35-44	387	62,088	29	6.9	03.8-10.0	358	93.1	90.0-96.2
45-54	510	65,691	37	6.2	03.7-08.7	473	93.8	91.3-96.3
55-64	585	50,465	35	4.6	02.6-06.6	550	95.4	93.4-97.4
65+	900	70,315	28	2.1	01.1-03.1	872	97.9	96.9-98.9
Less Than H.S.	198	23,873	2	1.0	00.0-02.4	196	99.0	97.6-0100
H.S. or G.E.D.	875	96,021	34	3.0	01.6-04.4	841	97.0	95.6-98.4
Some Post-H.S.	748	94,040	49	5.5	03.3-07.7	699	94.5	92.3-96.7
College Graduate	930	138,063	52	3.6	02.4-04.8	878	96.4	95.2-97.6
Less than \$15,000	325	30,067	8	1.4	00.0-02.8	317	98.6	97.2-0100
\$15,000- 24,999	312	29,657	7	1.8	00.0-03.6	305	98.2	96.4-0100
\$25,000- 34,999	265	31,596	6	1.4	00.0-03.0	259	98.6	97.0-0100
\$35,000- 49,999	351	44,406	11	1.4	00.4-02.4	340	98.6	97.6-99.6
\$50,000- 74,999	380	59,277	24	3.5	01.7-05.3	356	96.5	94.7-98.3
\$75,000+	650	103,296	56	6.0	04.0-08.0	594	94.0	92.0-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 52: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	252	30,075	86	50.5	40.9-60.1	146	45.4	36.0-54.8	18	3.4	00.5-06.3	1	0.1	00.0-00.3	1	0.6	00.0-01.8
Male	119	17,565							8	3.9	00.0-08.8				1	1.1	00.0-03.3
Female	133	12,510							10	2.7	00.5-04.9	1	0.2	00.0-00.6			
White/Non-Hisp	209	25,997							16	3.5	00.0-07.0						
45-54	58	7,381							6	3.6	00.1-07.1						
55-64	65	6,719							2	0.6	00.0-01.4						
65+	73	5,313							6	2.5	00.3-04.7						
Some Post-H.S.	76	9,284							7	2.0	00.4-03.6	1	0.2	00.0-00.6			
College Graduate	114	13,788							6	2.0	00.0-04.0				1	1.4	00.0-04.1
\$75,000+	102	13,704							4	0.9	00.1-01.7				1	1.4	00.0-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 12: DEMOGRAPHICS**

TABLE 53: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)
 Denominator excludes: Respondents reporting only one phone number in the household
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Three Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	119	17,565	8	3.9	00.0-08.8	1	1.1	00.0-03.3	
White/Non-Hisp	97	15,241	6	3.8	00.0-09.3				
College Graduate	63	8,960	3	1.0	00.0-02.2	1	2.2	00.0-06.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 12: DEMOGRAPHICS**

TABLE 54: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)
 Denominator excludes: Respondents reporting only one phone number in the household
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Three Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	133	12,510	10	2.7	00.5-04.9	1	0.2	00.0-00.6	
White/Non-Hisp	112	10,756	10	3.1	00.6-05.6				
College Graduate	51	4,827	3	3.9	00.0-09.0				
\$75,000+	56	6,204	1	0.4	00.0-01.2				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 55: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4347	669,244	162	4.0	03.0-05.0	4185	96.0	95.0-97.0
Male	1595	317,271	62	4.6	03.0-06.2	1533	95.4	93.8-97.0
Female	2752	351,973	100	3.4	02.4-04.4	2652	96.6	95.6-97.6
White/Non-Hisp	3486	505,648	98	2.8	02.0-03.6	3388	97.2	96.4-98.0
Black or Afr. Am./Non-Hisp	536	89,247	46	7.7	04.6-10.8	490	92.3	89.2-95.4
Oth. Race/Non-Hisp.	121	28,619	6	1.4	00.0-02.8	115	98.6	97.2-0100
18-24	144	83,540	4	2.1	00.0-04.3	140	97.9	95.7-0100
25-34	366	109,345	17	4.8	01.5-08.1	349	95.2	91.9-98.5
35-44	624	121,601	29	4.7	02.5-06.9	595	95.3	93.1-97.5
45-54	795	125,693	39	5.4	03.0-07.8	756	94.6	92.2-97.0
55-64	922	98,567	34	3.2	01.8-04.6	888	96.8	95.4-98.2
65+	1432	123,722	38	3.1	01.7-04.5	1394	96.9	95.5-98.3
Less Than H.S.	321	46,315	29	12.9	05.6-20.2	292	87.1	79.8-94.4
H.S. or G.E.D.	1342	190,484	59	4.9	02.9-06.9	1283	95.1	93.1-97.1
Some Post-H.S.	1120	166,397	46	3.7	02.3-05.1	1074	96.3	94.9-97.7
College Graduate	1559	265,171	27	1.8	00.8-02.8	1532	98.2	97.2-99.2
Less than \$15,000	452	51,852	26	11.7	05.0-18.4	426	88.3	81.6-95.0
\$15,000- 24,999	428	50,811	35	8.2	04.7-11.7	393	91.8	88.3-95.3
\$25,000- 34,999	397	53,093	16	6.1	01.8-10.4	381	93.9	89.6-98.2
\$35,000- 49,999	582	84,298	20	3.2	01.4-05.0	562	96.8	95.0-98.6
\$50,000- 74,999	672	118,056	14	2.5	00.5-04.5	658	97.5	95.5-99.5
\$75,000+	1168	219,756	26	1.8	00.8-02.8	1142	98.2	97.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 56: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Male	1595	317,271	62	4.6	03.0-06.2	1533	95.4	93.8-97.0	
White/Non-Hisp	1284	237,750	39	3.2	01.8-04.6	1245	96.8	95.4-98.2	
Black or Afr. Am./Non-Hisp	168	36,264	16	9.4	03.7-15.1	152	90.6	84.9-96.3	
Oth. Race/Non-Hisp.	52	14,873	1	0.5	00.0-01.5	51	99.5	98.5-0100	
18-24	68	41,022	3	3.7	00.0-08.0	65	96.3	92.0-0100	
25-34	127	53,591	4	6.5	00.0-13.0	123	93.5	87.0-0100	
35-44	237	59,513	7	3.8	00.7-06.9	230	96.2	93.1-99.3	
45-54	284	59,879	17	5.2	02.3-08.1	267	94.8	91.9-97.7	
55-64	337	48,136	16	4.4	01.7-07.1	321	95.6	92.9-98.3	
65+	533	53,475	15	4.1	01.6-06.6	518	95.9	93.4-98.4	
H.S. or G.E.D.	468	94,550	21	5.3	02.2-08.4	447	94.7	91.6-97.8	
Some Post-H.S.	374	72,586	15	3.9	01.5-06.3	359	96.1	93.7-98.5	
College Graduate	627	126,936	10	1.7	00.3-03.1	617	98.3	96.9-99.7	
\$15,000- 24,999	116	21,153	13	9.2	02.5-15.9	103	90.8	84.1-97.5	
\$25,000- 34,999	133	21,561	6	4.3	00.0-08.6	127	95.7	91.4-0100	
\$35,000- 49,999	232	39,974	8	3.4	00.5-06.3	224	96.6	93.7-99.5	
\$50,000- 74,999	293	58,947	4	2.5	00.0-05.8	289	97.5	94.2-0100	
\$75,000+	517	116,337	14	2.6	00.8-04.4	503	97.4	95.6-99.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 57: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2752	351,973	100	3.4	02.4-04.4	2652	96.6	95.6-97.6
White/Non-Hisp	2202	267,898	59	2.3	01.5-03.1	2143	97.7	96.9-98.5
Black or Afr. Am./Non-Hisp	368	52,984	30	6.6	03.1-10.1	338	93.4	89.9-96.9
Oth. Race/Non-Hisp.	69	13,746	5	2.5	00.0-05.0	64	97.5	95.0-0100
Hispanic	65	12,536	2	6.9	00.0-18.7	63	93.1	81.3-0100
18-24	76	42,518	1	0.5	00.0-01.5	75	99.5	98.5-0100
25-34	239	55,754	13	3.1	01.3-04.9	226	96.9	95.1-98.7
35-44	387	62,088	22	5.6	02.5-08.7	365	94.4	91.3-97.5
45-54	511	65,814	22	5.5	02.0-09.0	489	94.5	91.0-98.0
55-64	585	50,432	18	2.1	01.1-03.1	567	97.9	96.9-98.9
65+	899	70,247	23	2.3	01.1-03.5	876	97.7	96.5-98.9
Less Than H.S.	198	23,873	14	6.7	00.2-13.2	184	93.3	86.8-99.8
H.S. or G.E.D.	874	95,934	38	4.5	02.3-06.7	836	95.5	93.3-97.7
Some Post-H.S.	746	93,810	31	3.6	02.0-05.2	715	96.4	94.8-98.0
College Graduate	932	138,235	17	1.8	00.6-03.0	915	98.2	97.0-99.4
Less than \$15,000	324	30,004	17	6.3	01.0-11.6	307	93.7	88.4-99.0
\$15,000- 24,999	312	29,657	22	7.4	03.9-10.9	290	92.6	89.1-96.1
\$25,000- 34,999	264	31,533	10	7.3	00.8-13.8	254	92.7	86.2-99.2
\$35,000- 49,999	350	44,324	12	2.9	00.9-04.9	338	97.1	95.1-99.1
\$50,000- 74,999	379	59,109	10	2.5	00.5-04.5	369	97.5	95.5-99.5
\$75,000+	651	103,419	12	1.0	00.4-01.6	639	99.0	98.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 58: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4361	672,685	1605	47.6	45.2-50.0	2756	52.4	50.0-54.8
White/Non-Hisp	3495	507,737	1289	47.2	44.7-49.7	2206	52.8	50.3-55.3
Black or Afr. Am./Non-Hisp	538	89,982	170	41.1	34.8-47.4	368	58.9	52.6-65.2
25-34	368	109,657	128	49.0	42.3-55.7	240	51.0	44.3-57.7
35-44	624	121,601	237	48.9	44.0-53.8	387	51.1	46.2-56.0
45-54	796	125,907	285	47.7	43.2-52.2	511	52.3	47.8-56.8
55-64	926	99,284	340	49.1	44.8-53.4	586	50.9	46.6-55.2
65+	1435	123,938	534	43.2	40.1-46.3	901	56.8	53.7-59.9
Less Than H.S.	322	46,460	124	48.6	39.4-57.8	198	51.4	42.2-60.6
H.S. or G.E.D.	1347	191,573	471	49.8	45.7-53.9	876	50.2	46.1-54.3
Some Post-H.S.	1126	167,222	378	43.8	39.3-48.3	748	56.2	51.7-60.7
College Graduate	1561	266,552	629	48.1	44.4-51.8	932	51.9	48.2-55.6
Less than \$15,000	453	51,914	128	42.1	34.5-49.7	325	57.9	50.3-65.5
\$15,000- 24,999	429	50,857	117	41.7	33.9-49.5	312	58.3	50.5-66.1
\$25,000- 34,999	398	53,157	133	40.6	32.8-48.4	265	59.4	51.6-67.2
\$35,000- 49,999	583	84,380	232	47.4	40.7-54.1	351	52.6	45.9-59.3
\$50,000- 74,999	675	118,581	295	50.0	43.9-56.1	380	50.0	43.9-56.1
\$75,000+	1169	221,045	518	53.2	49.3-57.1	651	46.8	42.9-50.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	701	160,165	12	1.7	00.5-02.9	689	98.3	97.1-99.5
White/Non-Hisp	495	112,034	8	1.4	00.4-02.4	487	98.6	97.6-99.6
Black or Afr. Am./Non-Hisp	137	28,276	1	2.1	00.0-06.2	136	97.9	93.8-0100
18-24	76	42,518	2	1.7	00.0-04.6	74	98.3	95.4-0100
25-34	239	55,671	8	3.0	00.8-05.2	231	97.0	94.8-99.2
35-44	386	61,976	2	0.6	00.0-01.6	384	99.4	98.4-0100
H.S. or G.E.D.	149	33,896	2	2.3	00.0-05.8	147	97.7	94.2-0100
Some Post-H.S.	213	44,545	3	1.2	00.0-02.8	210	98.8	97.2-0100
College Graduate	298	71,097	6	1.8	00.2-03.4	292	98.2	96.6-99.8
Less than \$15,000	51	9,979				51	100.0	0100-0100
\$15,000- 24,999	56	10,611	2	7.3	00.0-18.5	54	92.7	81.5-0100
\$25,000- 34,999	63	15,246				63	100.0	0100-0100
\$35,000- 49,999	94	21,566	2	1.1	00.0-02.7	92	98.9	97.3-0100
\$50,000- 74,999	144	35,278	2	0.9	00.0-02.1	142	99.1	97.9-0100
\$75,000+	228	50,697	6	2.9	00.4-05.4	222	97.1	94.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 13: CAREGIVER STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY. DURING THE PAST MONTH, DID YOU PROVIDE ANY SUCH CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER? (CAREGIVE)	
1	MALES AND FEMALES	154
2	MALES ONLY	155
3	FEMALES ONLY	156

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 13: CAREGIVER STATUS**

TABLE 1: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY. DURING THE PAST MONTH, DID YOU PROVIDE ANY SUCH CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER? (CAREGIVE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4348	670,707	1218	27.5	25.5-29.5	3130	72.5	70.5-74.5
Male	1599	319,255	380	24.2	21.3-27.1	1219	75.8	72.9-78.7
Female	2749	351,452	838	30.5	28.0-33.0	1911	69.5	67.0-72.0
White/Non-Hisp	3485	506,137	981	28.3	26.1-30.5	2504	71.7	69.5-73.9
Black or Afr. Am./Non-Hisp	535	89,603	138	25.2	19.9-30.5	397	74.8	69.5-80.1
Oth. Race/Non-Hisp.	123	29,191	34	19.9	10.9-28.9	89	80.1	71.1-89.1
18-24	147	85,426	35	20.5	12.7-28.3	112	79.5	71.7-87.3
25-34	367	109,072	78	20.6	15.3-25.9	289	79.4	74.1-84.7
35-44	624	121,601	184	31.0	26.5-35.5	440	69.0	64.5-73.5
45-54	791	125,166	268	33.6	29.3-37.9	523	66.4	62.1-70.7
55-64	923	99,064	300	32.5	28.6-36.4	623	67.5	63.6-71.4
65+	1431	123,505	335	24.3	21.6-27.0	1096	75.7	73.0-78.4
Less Than H.S.	322	46,460	79	35.0	25.6-44.4	243	65.0	55.6-74.4
H.S. or G.E.D.	1343	191,199	361	25.4	21.9-28.9	982	74.6	71.1-78.1
Some Post-H.S.	1124	166,417	329	28.5	24.8-32.2	795	71.5	67.8-75.2
College Graduate	1554	265,753	448	27.0	23.9-30.1	1106	73.0	69.9-76.1
Less than \$15,000	450	51,703	130	30.4	23.9-36.9	320	69.6	63.1-76.1
\$15,000- 24,999	429	50,857	128	32.0	24.9-39.1	301	68.0	60.9-75.1
\$25,000- 34,999	396	53,039	129	36.3	28.5-44.1	267	63.7	55.9-71.5
\$35,000- 49,999	583	84,380	168	24.4	19.3-29.5	415	75.6	70.5-80.7
\$50,000- 74,999	673	118,336	178	23.2	19.1-27.3	495	76.8	72.7-80.9
\$75,000+	1165	220,089	319	25.6	22.3-28.9	846	74.4	71.1-77.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 13: CAREGIVER STATUS**

TABLE 2: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY. DURING THE PAST MONTH, DID YOU PROVIDE ANY SUCH CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER? (CAREGIVE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1599	319,255	380	24.2	21.3-27.1	1219	75.8	72.9-78.7
White/Non-Hisp	1283	238,381	311	26.3	22.8-29.8	972	73.7	70.2-77.2
Black or Afr. Am./Non-Hisp	170	36,998	30	16.4	09.3-23.5	140	83.6	76.5-90.7
18-24	71	42,908	15	19.2	09.2-29.2	56	80.8	70.8-90.8
25-34	127	53,150	24	20.7	11.7-29.7	103	79.3	70.3-88.3
35-44	237	59,513	60	28.1	21.0-35.2	177	71.9	64.8-79.0
45-54	283	59,759	80	28.1	21.6-34.6	203	71.9	65.4-78.4
55-64	338	48,632	86	24.3	18.4-30.2	252	75.7	69.8-81.6
65+	533	53,541	112	22.5	18.0-27.0	421	77.5	73.0-82.0
H.S. or G.E.D.	470	95,469	115	23.2	17.9-28.5	355	76.8	71.5-82.1
Some Post-H.S.	377	72,597	102	25.1	19.0-31.2	275	74.9	68.8-81.0
College Graduate	625	127,846	142	23.8	19.1-28.5	483	76.2	71.5-80.9
\$35,000- 49,999	232	39,974	62	23.7	16.6-30.8	170	76.3	69.2-83.4
\$50,000- 74,999	295	59,305	59	18.6	12.9-24.3	236	81.4	75.7-87.1
\$75,000+	516	116,972	115	22.7	17.8-27.6	401	77.3	72.4-82.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 13: CAREGIVER STATUS**

TABLE 3: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY. DURING THE PAST MONTH, DID YOU PROVIDE ANY SUCH CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER? (CAREGIVE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2749	351,452	838	30.5	28.0-33.0	1911	69.5	67.0-72.0
White/Non-Hisp	2202	267,756	670	30.1	27.4-32.8	1532	69.9	67.2-72.6
Black or Afr. Am./Non-Hisp	365	52,605	108	31.3	24.0-38.6	257	68.7	61.4-76.0
25-34	240	55,922	54	20.5	14.4-26.6	186	79.5	73.4-85.6
35-44	387	62,088	124	33.9	28.0-39.8	263	66.1	60.2-72.0
45-54	508	65,408	188	38.6	33.1-44.1	320	61.4	55.9-66.9
55-64	585	50,432	214	40.4	35.3-45.5	371	59.6	54.5-64.7
65+	898	69,965	223	25.6	21.9-29.3	675	74.4	70.7-78.1
H.S. or G.E.D.	873	95,730	246	27.6	23.1-32.1	627	72.4	67.9-76.9
Some Post-H.S.	747	93,821	227	31.2	26.3-36.1	520	68.8	63.9-73.7
College Graduate	929	137,908	306	29.9	25.8-34.0	623	70.1	66.0-74.2
Less than \$15,000	323	29,880	98	34.9	27.1-42.7	225	65.1	57.3-72.9
\$15,000- 24,999	312	29,657	96	33.7	26.1-41.3	216	66.3	58.7-73.9
\$35,000- 49,999	351	44,406	106	25.0	17.9-32.1	245	75.0	67.9-82.1
\$50,000- 74,999	378	59,031	119	27.9	21.6-34.2	259	72.1	65.8-78.4
\$75,000+	649	103,117	204	28.9	24.4-33.4	445	71.1	66.6-75.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 14: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	158
2	MALES ONLY	159
3	FEMALES ONLY	160
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	161
5	MALES ONLY	162
6	FEMALES ONLY	163

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 14: DISABILITY**

TABLE 1: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4347	671,367	949	18.3	16.7-19.9	3398	81.7	80.1-83.3
Male	1597	319,942	326	17.5	15.0-20.0	1271	82.5	80.0-85.0
Female	2750	351,426	623	19.1	16.9-21.3	2127	80.9	78.7-83.1
White/Non-Hisp	3485	506,772	780	19.3	17.3-21.3	2705	80.7	78.7-82.7
Black or Afr. Am./Non-Hisp	536	89,724	98	13.3	10.0-16.6	438	86.7	83.4-90.0
Oth. Race/Non-Hisp.	122	29,144	22	11.7	04.6-18.8	100	88.3	81.2-95.4
18-24	147	85,426	19	15.8	08.2-23.4	128	84.2	76.6-91.8
25-34	367	109,189	35	11.1	06.8-15.4	332	88.9	84.6-93.2
35-44	624	121,601	107	16.9	13.4-20.4	517	83.1	79.6-86.6
45-54	791	125,472	156	14.9	12.2-17.6	635	85.1	82.4-87.8
55-64	925	99,238	235	24.4	20.7-28.1	690	75.6	71.9-79.3
65+	1429	123,652	388	26.7	24.0-29.4	1041	73.3	70.6-76.0
Less Than H.S.	322	46,460	105	28.1	20.3-35.9	217	71.9	64.1-79.7
H.S. or G.E.D.	1343	191,372	322	19.8	16.7-22.9	1021	80.2	77.1-83.3
Some Post-H.S.	1122	166,874	259	19.8	16.5-23.1	863	80.2	76.9-83.5
College Graduate	1556	265,823	263	14.7	12.2-17.2	1293	85.3	82.8-87.8
Less than \$15,000	449	51,713	163	34.3	27.4-41.2	286	65.7	58.8-72.6
\$15,000- 24,999	428	50,808	188	36.0	29.1-42.9	240	64.0	57.1-70.9
\$25,000- 34,999	397	53,108	86	20.0	13.5-26.5	311	80.0	73.5-86.5
\$35,000- 49,999	583	84,380	125	18.4	13.9-22.9	458	81.6	77.1-86.1
\$50,000- 74,999	674	118,532	127	18.0	13.7-22.3	547	82.0	77.7-86.3
\$75,000+	1166	220,661	137	11.0	08.5-13.5	1029	89.0	86.5-91.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 14: DISABILITY**

TABLE 2: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1597	319,942	326	17.5	15.0-20.0	1271	82.5	80.0-85.0
White/Non-Hisp	1283	239,163	261	18.2	15.3-21.1	1022	81.8	78.9-84.7
Black or Afr. Am./Non-Hisp	170	36,998	32	14.0	08.1-19.9	138	86.0	80.1-91.9
18-24	71	42,908	10	15.7	05.7-25.7	61	84.3	74.3-94.3
25-34	128	53,735	11	12.0	04.6-19.4	117	88.0	80.6-95.4
35-44	237	59,513	36	16.5	10.8-22.2	201	83.5	77.8-89.2
45-54	282	59,916	53	14.0	09.5-18.5	229	86.0	81.5-90.5
55-64	339	48,724	93	26.2	20.1-32.3	246	73.8	67.7-79.9
65+	530	53,394	122	22.0	17.9-26.1	408	78.0	73.9-82.1
H.S. or G.E.D.	467	95,292	102	18.6	13.9-23.3	365	81.4	76.7-86.1
Some Post-H.S.	376	73,087	87	18.4	13.1-23.7	289	81.6	76.3-86.9
College Graduate	627	128,220	104	15.3	11.4-19.2	523	84.7	80.8-88.6
\$35,000- 49,999	232	39,974	48	16.8	11.1-22.5	184	83.2	77.5-88.9
\$50,000- 74,999	294	59,255	55	16.4	10.3-22.5	239	83.6	77.5-89.7
\$75,000+	518	117,626	62	11.6	07.7-15.5	456	88.4	84.5-92.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 14: DISABILITY**

TABLE 3: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2750	351,426	623	19.1	16.9-21.3	2127	80.9	78.7-83.1
White/Non-Hisp	2202	267,609	519	20.2	17.8-22.6	1683	79.8	77.4-82.2
Black or Afr. Am./Non-Hisp	366	52,726	66	12.8	08.9-16.7	300	87.2	83.3-91.1
Oth. Race/Non-Hisp.	69	13,746	12	11.6	02.0-21.2	57	88.4	78.8-98.0
25-34	239	55,454	24	10.2	05.5-14.9	215	89.8	85.1-94.5
35-44	387	62,088	71	17.3	12.8-21.8	316	82.7	78.2-87.2
45-54	509	65,556	103	15.6	12.1-19.1	406	84.4	80.9-87.9
55-64	586	50,514	142	22.7	18.6-26.8	444	77.3	73.2-81.4
65+	899	70,258	266	30.3	26.6-34.0	633	69.7	66.0-73.4
H.S. or G.E.D.	876	96,080	220	21.0	16.9-25.1	656	79.0	74.9-83.1
Some Post-H.S.	746	93,787	172	20.8	16.7-24.9	574	79.2	75.1-83.3
College Graduate	929	137,603	159	14.1	11.0-17.2	770	85.9	82.8-89.0
Less than \$15,000	325	30,067	115	30.5	24.0-37.0	210	69.5	63.0-76.0
\$15,000- 24,999	312	29,657	135	36.8	29.0-44.6	177	63.2	55.4-71.0
\$25,000- 34,999	265	31,596	61	20.3	12.1-28.5	204	79.7	71.5-87.9
\$35,000- 49,999	351	44,406	77	19.9	13.2-26.6	274	80.1	73.4-86.8
\$50,000- 74,999	380	59,277	72	19.7	13.4-26.0	308	80.3	74.0-86.6
\$75,000+	648	103,035	75	10.3	07.6-13.0	573	89.7	87.0-92.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 14: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4351	671,394	456	7.2	06.2-08.2	3895	92.8	91.8-93.8
Male	1600	319,876	152	7.1	05.5-08.7	1448	92.9	91.3-94.5
Female	2751	351,518	304	7.4	06.4-08.4	2447	92.6	91.6-93.6
White/Non-Hisp	3488	507,004	368	7.5	06.5-08.5	3120	92.5	91.5-93.5
Black or Afr. Am./Non-Hisp	536	89,470	60	8.0	05.3-10.7	476	92.0	89.3-94.7
Oth. Race/Non-Hisp.	122	29,144	10	2.3	00.7-03.9	112	97.7	96.1-99.3
MultiRacial/Non-Hisp.	66	12,936	9	6.5	00.6-12.4	57	93.5	87.6-99.4
Hispanic	111	28,816	5	4.9	00.2-09.6	106	95.1	90.4-99.8
18-24	147	85,426	3	2.3	00.0-05.2	144	97.7	94.8-0100
25-34	366	108,896	4	0.7	00.0-01.5	362	99.3	98.5-0100
35-44	624	121,601	30	5.0	02.8-07.2	594	95.0	92.8-97.2
45-54	794	125,638	67	7.2	05.0-09.4	727	92.8	90.6-95.0
55-64	924	99,210	98	10.2	07.8-12.6	826	89.8	87.4-92.2
65+	1431	123,750	249	16.6	14.2-19.0	1182	83.4	81.0-85.8
Less Than H.S.	322	46,460	67	13.7	09.4-18.0	255	86.3	82.0-90.6
H.S. or G.E.D.	1346	191,549	141	7.1	05.3-08.9	1205	92.9	91.1-94.7
Some Post-H.S.	1120	166,554	120	7.8	05.8-09.8	1000	92.2	90.2-94.2
College Graduate	1558	265,954	128	5.8	04.4-07.2	1430	94.2	92.8-95.6
Less than \$15,000	451	51,841	88	15.5	11.4-19.6	363	84.5	80.4-88.6
\$15,000- 24,999	428	50,564	117	20.1	15.0-25.2	311	79.9	74.8-85.0
\$25,000- 34,999	397	53,108	38	7.8	04.5-11.1	359	92.2	88.9-95.5
\$35,000- 49,999	582	84,353	48	6.3	03.9-08.7	534	93.7	91.3-96.1
\$50,000- 74,999	675	118,581	50	5.5	03.1-07.9	625	94.5	92.1-96.9
\$75,000+	1167	220,743	49	3.5	02.1-04.9	1118	96.5	95.1-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 14: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1600	319,876	152	7.1	05.5-08.7	1448	92.9	91.3-94.5
White/Non-Hisp	1286	239,341	120	7.5	05.7-09.3	1166	92.5	90.7-94.3
Black or Afr. Am./Non-Hisp	169	36,706	18	7.0	03.1-10.9	151	93.0	89.1-96.9
Oth. Race/Non-Hisp.	53	15,398	5	2.5	00.1-04.9	48	97.5	95.1-99.9
18-24	71	42,908	3	4.5	00.0-10.4	68	95.5	89.6-0100
25-34	127	53,442	2	1.0	00.0-02.6	125	99.0	97.4-0100
35-44	237	59,513	17	7.6	03.5-11.7	220	92.4	88.3-96.5
45-54	284	60,044	22	7.1	03.6-10.6	262	92.9	89.4-96.4
55-64	339	48,724	37	9.6	06.1-13.1	302	90.4	86.9-93.9
65+	532	53,492	70	12.2	08.9-15.5	462	87.8	84.5-91.1
Less Than H.S.	124	22,587	20	9.4	04.3-14.5	104	90.6	85.5-95.7
H.S. or G.E.D.	470	95,469	33	5.4	02.9-07.9	437	94.6	92.1-97.1
Some Post-H.S.	375	72,795	41	8.6	04.9-12.3	334	91.4	87.7-95.1
College Graduate	628	128,269	58	7.1	04.7-09.5	570	92.9	90.5-95.3
Less than \$15,000	126	21,775	29	14.8	07.7-21.9	97	85.2	78.1-92.3
\$15,000- 24,999	116	20,907	27	17.4	08.4-26.4	89	82.6	73.6-91.6
\$25,000- 34,999	132	21,512	9	5.6	00.9-10.3	123	94.4	89.7-99.1
\$35,000- 49,999	232	39,974	16	5.6	02.3-08.9	216	94.4	91.1-97.7
\$50,000- 74,999	295	59,305	26	6.9	02.8-11.0	269	93.1	89.0-97.2
\$75,000+	518	117,626	26	4.9	02.5-07.3	492	95.1	92.7-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 14: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	351,518	304	7.4	06.4-08.4	2447	92.6	91.6-93.6
White/Non-Hisp	2202	267,664	248	7.6	06.4-08.8	1954	92.4	91.2-93.6
Black or Afr. Am./Non-Hisp	367	52,764	42	8.7	05.2-12.2	325	91.3	87.8-94.8
Oth. Race/Non-Hisp.	69	13,746	5	2.0	00.0-04.0	64	98.0	96.0-0100
Hispanic	65	12,536	1	2.6	00.0-07.7	64	97.4	92.3-0100
18-24	76	42,518				76	100.0	0100-0100
25-34	239	55,454	2	0.4	00.0-01.0	237	99.6	99.0-0100
35-44	387	62,088	13	2.4	00.8-04.0	374	97.6	96.0-99.2
45-54	510	65,594	45	7.2	04.5-09.9	465	92.8	90.1-95.5
55-64	585	50,486	61	10.8	07.7-13.9	524	89.2	86.1-92.3
65+	899	70,258	179	19.9	16.6-23.2	720	80.1	76.8-83.4
Less Than H.S.	198	23,873	47	17.7	10.8-24.6	151	82.3	75.4-89.2
H.S. or G.E.D.	876	96,080	108	8.9	06.7-11.1	768	91.1	88.9-93.3
Some Post-H.S.	745	93,760	79	7.2	05.0-09.4	666	92.8	90.6-95.0
College Graduate	930	137,685	70	4.7	03.3-06.1	860	95.3	93.9-96.7
Less than \$15,000	325	30,067	59	16.0	11.3-20.7	266	84.0	79.3-88.7
\$15,000- 24,999	312	29,657	90	22.1	16.4-27.8	222	77.9	72.2-83.6
\$25,000- 34,999	265	31,596	29	9.3	04.8-13.8	236	90.7	86.2-95.2
\$35,000- 49,999	350	44,378	32	7.0	03.7-10.3	318	93.0	89.7-96.3
\$50,000- 74,999	380	59,277	24	4.2	02.2-06.2	356	95.8	93.8-97.8
\$75,000+	649	103,117	23	1.9	00.9-02.9	626	98.1	97.1-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)	
1 MALES AND FEMALES	165
2 MALES ONLY	166
3 FEMALES ONLY	167
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)	
4 MALES AND FEMALES	168
5 MALES ONLY	169
6 FEMALES ONLY	170
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? A 40 OUNCE BEER WOULD COUNT AS 3 DRINKS, OR A COCKTAIL DRINK WITH 2 SHOTS WOULD COUNT AS 2 DRINKS. (AVEDRINK2)	
7 MALES AND FEMALES	171
8 MALES ONLY	172
9 FEMALES ONLY	173
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
10 MALES AND FEMALES	174
11 MALES ONLY	175
12 FEMALES ONLY	176
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
13 MALES AND FEMALES	177
14 MALES ONLY	178
15 FEMALES ONLY	179

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4342	669,269	2270	57.8	55.6-60.0	2072	42.2	40.0-44.4
Male	1596	318,385	976	63.5	60.2-66.8	620	36.5	33.2-39.8
Female	2746	350,884	1294	52.7	49.8-55.6	1452	47.3	44.4-50.2
White/Non-Hisp	3478	504,833	1944	62.5	60.1-64.9	1534	37.5	35.1-39.9
Black or Afr. Am./Non-Hisp	536	89,470	193	42.1	35.6-48.6	343	57.9	51.4-64.4
25-34	365	108,506	224	65.0	58.9-71.1	141	35.0	28.9-41.1
35-44	624	121,601	387	63.5	58.8-68.2	237	36.5	31.8-41.2
45-54	792	124,454	428	59.4	55.1-63.7	364	40.6	36.3-44.9
55-64	923	99,156	489	56.5	52.2-60.8	434	43.5	39.2-47.8
65+	1427	123,335	639	47.4	44.3-50.5	788	52.6	49.5-55.7
Less Than H.S.	320	46,027	89	38.9	29.1-48.7	231	61.1	51.3-70.9
H.S. or G.E.D.	1345	191,220	563	46.8	42.7-50.9	782	53.2	49.1-57.3
Some Post-H.S.	1118	166,256	582	56.6	52.1-61.1	536	43.4	38.9-47.9
College Graduate	1554	264,889	1032	69.7	66.6-72.8	522	30.3	27.2-33.4
Less than \$15,000	450	51,807	156	41.2	33.6-48.8	294	58.8	51.2-66.4
\$15,000- 24,999	426	50,132	111	24.8	18.5-31.1	315	75.2	68.9-81.5
\$25,000- 34,999	397	53,108	184	50.3	42.3-58.3	213	49.7	41.7-57.7
\$35,000- 49,999	581	83,971	289	52.6	45.9-59.3	292	47.4	40.7-54.1
\$50,000- 74,999	674	118,403	388	58.5	52.8-64.2	286	41.5	35.8-47.2
\$75,000+	1166	220,699	844	74.9	71.6-78.2	322	25.1	21.8-28.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1596	318,385	976	63.5	60.2-66.8	620	36.5	33.2-39.8
White/Non-Hisp	1281	237,804	826	68.0	64.5-71.5	455	32.0	28.5-35.5
25-34	126	53,052	89	71.6	62.0-81.2	37	28.4	18.8-38.0
35-44	237	59,513	171	68.9	61.6-76.2	66	31.1	23.8-38.4
45-54	283	59,189	175	64.5	57.8-71.2	108	35.5	28.8-42.2
55-64	339	48,736	196	60.3	53.4-67.2	143	39.7	32.8-46.6
65+	530	53,234	305	57.7	52.6-62.8	225	42.3	37.2-47.4
H.S. or G.E.D.	470	95,469	247	52.9	46.6-59.2	223	47.1	40.8-53.4
Some Post-H.S.	374	72,628	214	62.6	55.5-69.7	160	37.4	30.3-44.5
College Graduate	626	127,334	461	75.4	70.9-79.9	165	24.6	20.1-29.1
\$35,000- 49,999	231	39,894	135	57.8	48.8-66.8	96	42.2	33.2-51.2
\$50,000- 74,999	294	59,126	186	61.5	53.1-69.9	108	38.5	30.1-46.9
\$75,000+	518	117,626	399	79.6	75.1-84.1	119	20.4	15.9-24.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2746	350,884	1294	52.7	49.8-55.6	1452	47.3	44.4-50.2
White/Non-Hisp	2197	267,029	1118	57.6	54.5-60.7	1079	42.4	39.3-45.5
Black or Afr. Am./Non-Hisp	367	52,764	114	39.6	31.4-47.8	253	60.4	52.2-68.6
25-34	239	55,454	135	58.6	51.0-66.2	104	41.4	33.8-49.0
35-44	387	62,088	216	58.3	52.2-64.4	171	41.7	35.6-47.8
45-54	509	65,265	253	54.6	49.1-60.1	256	45.4	39.9-50.9
55-64	584	50,421	293	52.9	47.8-58.0	291	47.1	42.0-52.2
65+	897	70,101	334	39.5	35.4-43.6	563	60.5	56.4-64.6
H.S. or G.E.D.	875	95,750	316	40.8	35.5-46.1	559	59.2	53.9-64.5
Some Post-H.S.	744	93,628	368	51.9	46.4-57.4	376	48.1	42.6-53.6
College Graduate	928	137,554	571	64.4	59.9-68.9	357	35.6	31.1-40.1
Less than \$15,000	325	30,067	109	40.2	31.6-48.8	216	59.8	51.2-68.4
\$15,000- 24,999	311	29,615	69	19.7	14.0-25.4	242	80.3	74.6-86.0
\$35,000- 49,999	350	44,077	154	47.9	38.5-57.3	196	52.1	42.7-61.5
\$50,000- 74,999	380	59,277	202	55.5	47.5-63.5	178	44.5	36.5-52.5
\$75,000+	648	103,073	445	69.5	64.4-74.6	203	30.5	25.4-35.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 4: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2231	380,057	513	23.5	21.0-26.0	102	3.5	02.3-04.7	1228	57.7	54.6-60.8	381	15.2	13.2-17.2	7	0.1	00.0-00.3
Male	959	198,369	220	24.1	20.2-28.0	58	5.0	02.8-07.2	452	51.5	47.0-56.0	224	19.2	15.9-22.5	5	0.2	00.0-00.4
Female	1272	181,688	293	22.8	19.5-26.1	44	1.9	01.3-02.5	776	64.5	60.6-68.4	157	10.8	08.4-13.2	2	0.1	00.0-00.3
White/Non-Hisp	1912	309,976	438	23.7	21.0-26.4	93	3.5	02.5-04.5	1016	55.8	52.5-59.1	359	16.8	14.6-19.0	6	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	188	36,645	38	17.1	10.6-23.6	5	2.2	00.0-05.1	131	73.1	64.5-81.7	14	7.6	02.1-13.1			
18-24	72	46,120										4	6.1	00.0-12.6			
25-34	224	70,502	65	23.8	16.7-30.9	4	4.4	00.0-09.3	138	62.3	53.9-70.7	17	9.5	04.2-14.8			
35-44	383	75,696	85	23.4	18.1-28.7	7	1.8	00.2-03.4	245	62.6	56.7-68.5	46	12.3	08.6-16.0			
45-54	424	73,000	101	22.4	17.7-27.1	9	1.9	00.3-03.5	245	57.0	51.1-62.9	69	18.8	13.9-23.7			
55-64	481	55,456	114	25.4	20.1-30.7	21	4.8	02.1-07.5	249	48.5	42.4-54.6	96	21.1	16.2-26.0	1	0.2	00.0-00.6
65+	622	56,259	120	21.3	17.2-25.4	61	8.7	06.2-11.2	288	46.2	41.3-51.1	147	23.1	19.2-27.0	6	0.7	00.1-01.3
Less Than H.S.	87	17,830				2	0.8	00.0-02.0							4	1.5	00.0-03.3
H.S. or G.E.D.	551	86,775	109	16.3	12.4-20.2	30	4.2	02.0-06.4	314	62.6	56.9-68.3	96	16.8	12.5-21.1	2	0.2	00.0-00.4
Some Post-H.S.	569	91,437	134	25.4	20.1-30.7	21	3.5	00.4-06.6	335	56.7	50.4-63.0	79	14.4	09.9-18.9			
College Graduate	1020	183,178	245	25.2	21.3-29.1	49	3.5	01.9-05.1	536	56.8	52.3-61.3	189	14.5	12.0-17.0	1	0.0	00.0-00.0
Less than \$15,000	153	21,140				6	1.7	00.1-03.3									
\$15,000- 24,999	108	11,999				3	1.7	00.0-03.7				13	13.8	03.8-23.8	3	1.2	00.0-02.6
\$25,000- 34,999	180	24,780				9	3.5	00.8-06.2				25	10.7	05.4-16.0			
\$35,000- 49,999	286	43,796	58	15.2	10.3-20.1	17	8.5	01.4-15.6	156	60.5	51.9-69.1	54	15.7	10.0-21.4	1	0.1	00.0-00.3
\$50,000- 74,999	385	68,766	80	18.6	12.3-24.9	19	4.2	01.1-07.3	220	61.0	53.0-69.0	65	16.0	10.5-21.5	1	0.1	00.0-00.3
\$75,000+	838	163,551	211	25.7	21.8-29.6	29	2.2	01.2-03.2	445	56.0	51.7-60.3	153	16.1	13.0-19.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 5: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	959	198,369	220	24.1	20.2-28.0	58	5.0	02.8-07.2	452	51.5	47.0-56.0	224	19.2	16.1-22.3	5	0.2	00.0-00.4
White/Non-Hisp	814	159,520	183	24.6	20.3-28.9	50	4.7	02.7-06.7	368	49.1	44.2-54.0	209	21.4	17.9-24.9	4	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	75	15,778				4	5.0	00.0-11.7				8	7.6	00.5-14.7			
25-34	89	37,985				4	8.2	00.0-17.2				11	13.7	04.7-22.7			
35-44	168	39,788	40	26.2	18.2-34.2	6	3.2	00.1-06.3	88	52.5	43.7-61.3	34	18.1	11.8-24.4			
45-54	173	37,588	36	19.4	12.9-25.9	8	3.4	00.5-06.3	88	50.6	41.6-59.6	41	26.6	18.4-34.8			
55-64	193	29,129	46	26.3	18.3-34.3	9	5.4	00.9-09.9	86	42.6	33.4-51.8	51	25.4	17.4-33.4	1	0.3	00.0-00.9
65+	297	29,474	61	23.9	18.0-29.8	31	9.2	05.5-12.9	116	40.3	33.6-47.0	85	25.7	20.0-31.4	4	0.8	00.0-01.8
H.S. or G.E.D.	245	50,068	42	16.2	10.5-21.9	18	5.5	02.0-09.0	124	56.8	48.4-65.2	60	21.4	14.7-28.1	1	0.1	00.0-00.3
Some Post-H.S.	206	43,258	53	28.7	19.5-37.9	10	4.7	00.0-11.2				39	15.6	09.1-22.1			
College Graduate	456	95,057	111	26.5	20.6-32.4	28	5.2	02.5-07.9	205	49.9	43.2-56.6	112	18.4	14.3-22.5			
\$25,000- 34,999	72	12,399				4	4.2	00.0-08.7				16	14.5	05.3-23.7			
\$35,000- 49,999	132	22,687	28	18.2	10.2-26.2							33	16.9	10.0-23.8	1	0.3	00.0-00.9
\$50,000- 74,999	183	35,854	28	16.5	07.5-25.5	16	7.5	01.6-13.4				44	19.4	12.1-26.7	1	0.3	00.0-00.9
\$75,000+	396	92,362	103	26.7	21.0-32.4	17	2.7	00.9-04.5	184	49.7	43.2-56.2	92	20.9	16.0-25.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 6: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1272	181,688	293	22.8	19.5-26.1	44	1.9	01.3-02.5	776	64.5	60.6-68.4	157	10.8	08.4-13.2	2	0.1	00.0-00.3
White/Non-Hisp	1098	150,456	255	22.8	19.3-26.3	43	2.3	01.5-03.1	648	62.9	58.8-67.0	150	11.9	09.4-14.4	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	113	20,867	16	9.7	03.4-16.0	1	0.1	00.0-00.3	90	82.6	72.6-92.6	6	7.5	00.0-15.7			
25-34	135	32,517	38	23.8	15.8-31.8				91	71.6	63.0-80.2	6	4.6	00.3-08.9			
35-44	215	35,908	45	20.2	13.3-27.1	1	0.2	00.0-00.6	157	73.8	66.4-81.2	12	5.8	02.1-09.5			
45-54	251	35,412	65	25.6	18.9-32.3	1	0.2	00.0-00.6	157	63.7	56.3-71.1	28	10.5	06.0-15.0			
55-64	288	26,327	68	24.5	18.0-31.0	12	4.2	01.5-06.9	163	55.0	47.7-62.3	45	16.4	11.1-21.7			
65+	325	26,785	59	18.4	12.7-24.1	30	8.1	04.8-11.4	172	52.6	45.7-59.5	62	20.3	14.8-25.8	2	0.6	00.0-01.4
H.S. or G.E.D.	306	36,706	67	16.5	11.4-21.6	12	2.3	00.7-03.9	190	70.5	64.0-77.0	36	10.5	06.4-14.6	1	0.2	00.0-00.6
Some Post-H.S.	363	48,179	81	22.5	16.6-28.4	11	2.4	00.6-04.2	231	61.9	54.5-69.3	40	13.3	07.0-19.6			
College Graduate	564	88,120	134	23.8	18.9-28.7	21	1.6	00.8-02.4	331	64.2	58.5-69.9	77	10.3	07.4-13.2	1	0.1	00.0-00.3
Less than \$15,000	108	12,047				5	2.6	00.0-05.3				8	4.7	01.0-08.4			
\$15,000- 24,999	68	5,786				1	1.4	00.0-04.1							1	1.2	00.0-03.6
\$25,000- 34,999	108	12,382				5	2.8	00.1-05.5				9	6.9	01.8-12.0			
\$35,000- 49,999	154	21,109	30	12.1	06.8-17.4	7	3.0	00.1-05.9				21	14.4	05.4-23.4			
\$50,000- 74,999	202	32,912	52	20.9	12.1-29.7	3	0.5	00.0-01.1				21	12.4	04.2-20.6			
\$75,000+	442	71,189	108	24.4	19.5-29.3	12	1.4	00.4-02.4	261	64.2	58.7-69.7	61	9.9	06.8-13.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 7. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? A 40 OUNCE BEER WOULD COUNT AS 3 DRINKS, OR A COCKTAIL DRINK WITH 2 SHOTS WOULD COUNT AS 2 DRINKS.
(AVEDRNK2)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2229	380,230	1052	39.8	36.9-42.7	681	29.9	27.0-32.8	247	14.5	12.1-16.9	101	7.0	05.0-09.0	148	8.8	06.8-10.8
Male	950	196,704	367	32.9	28.6-37.2	286	28.8	24.7-32.9	120	15.5	12.0-19.0	62	8.4	05.9-10.9	115	14.4	10.9-17.9
Female	1279	183,526	685	47.2	43.1-51.3	395	31.1	27.2-35.0	127	13.4	10.1-16.7	39	5.5	02.4-08.6	33	2.8	01.6-04.0
White/Non-Hisp	1919	312,506	902	38.7	35.6-41.8	584	29.8	26.9-32.7	218	15.3	12.8-17.8	86	7.4	05.0-09.8	129	8.9	06.7-11.1
Black or Afr. Am./Non-Hisp	183	35,878							18	9.2	03.3-15.1	9	4.3	00.8-07.8	10	5.0	01.5-08.5
18-24	73	47,195													16	16.5	07.9-25.1
25-34	218	68,650	67	27.5	20.1-34.9	70	28.9	20.9-36.9	38	19.3	12.4-26.2	18	9.2	04.7-13.7	25	15.2	08.1-22.3
35-44	383	76,267	140	37.6	31.7-43.5	121	30.3	24.8-35.8	57	14.8	10.5-19.1	31	8.3	04.8-11.8	34	8.8	05.5-12.1
45-54	422	72,612	161	39.1	33.2-45.0	154	34.3	28.6-40.0	55	14.6	10.3-18.9	17	4.8	02.1-07.5	35	7.1	04.4-09.8
55-64	483	55,764	253	49.2	43.3-55.1	149	32.8	27.1-38.5	43	10.1	06.4-13.8	18	4.1	01.4-06.8	20	3.9	01.9-05.9
65+	624	56,775	403	65.6	61.1-70.1	161	25.5	21.2-29.8	35	5.4	03.4-07.4	7	1.4	00.2-02.6	18	2.0	01.0-03.0
H.S. or G.E.D.	553	88,015	243	36.6	30.9-42.3	159	27.2	21.9-32.5	63	14.7	09.4-20.0	30	8.5	05.0-12.0	58	13.0	09.1-16.9
Some Post-H.S.	571	91,876	241	32.6	27.1-38.1	199	35.3	29.2-41.4	64	14.6	09.9-19.3	29	7.4	03.9-10.9	38	10.1	05.8-14.4
College Graduate	1021	182,448	534	45.2	40.7-49.7	307	29.8	25.7-33.9	108	14.5	11.0-18.0	33	5.2	02.3-08.1	39	5.2	02.8-07.6
Less than \$15,000	152	19,884							11	5.9	01.6-10.2	7	9.2	00.4-18.0			
\$15,000- 24,999	103	11,504										8	11.4	02.0-20.8	7	8.8	01.5-16.1
\$25,000- 34,999	184	26,697				49	24.3	15.7-32.9				5	2.7	00.0-05.6	16	13.4	04.6-22.2
\$35,000- 49,999	284	43,429	128	34.3	26.7-41.9	84	30.4	21.4-39.4	24	15.1	06.7-23.5	20	9.0	04.1-13.9	28	11.1	06.0-16.2
\$50,000- 74,999	384	68,527	178	34.8	27.0-42.6	105	30.8	22.6-39.0	53	16.6	10.5-22.7	16	9.6	02.3-16.9	32	8.2	04.7-11.7
\$75,000+	838	163,907	375	39.1	34.8-43.4	292	32.9	28.8-37.0	94	14.1	10.8-17.4	33	5.9	03.4-08.4	44	7.9	05.0-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 8: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? A 40 OUNCE BEER WOULD COUNT AS 3 DRINKS, OR A COCKTAIL DRINK WITH 2 SHOTS WOULD COUNT AS 2 DRINKS.
(AVEDRNC2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	950	196,704	367	32.9	28.6-37.2	286	28.8	24.7-32.9	120	15.5	12.0-19.0	62	8.4	05.9-10.9	115	14.4	10.9-17.9
White/Non-Hisp	813	159,957	310	31.0	26.7-35.3	248	29.6	25.1-34.1	104	16.0	12.3-19.7	52	8.9	06.0-11.8	99	14.5	10.8-18.2
Black or Afr. Am./Non-Hisp	72	15,311							7	10.0	01.6-18.4	7	9.6	01.4-17.8	8	9.2	01.8-16.6
25-34	85	36,433	18	15.6	06.6-24.6							10	10.4	03.3-17.5			
35-44	169	40,323	53	33.2	24.8-41.6	49	26.3	18.9-33.7	27	16.1	09.4-22.8	16	10.4	04.9-15.9	24	14.0	08.1-19.9
45-54	170	37,077	50	31.7	23.1-40.3	59	32.4	23.8-41.0	24	17.9	10.6-25.2	11	6.5	02.0-11.0	26	11.5	06.6-16.4
55-64	192	29,158	66	33.0	24.2-41.8	69	40.0	30.8-49.2	27	15.0	08.5-21.5	13	6.6	01.3-11.9	17	5.4	02.5-08.3
65+	296	29,666	173	62.1	55.6-68.6	81	26.5	20.6-32.4	20	5.4	02.7-08.1	6	2.5	00.3-04.7	16	3.5	01.5-05.5
H.S. or G.E.D.	241	49,481	68	23.8	16.7-30.9	69	26.9	19.5-34.3	33	16.7	09.1-24.3	23	12.0	06.1-17.9	48	20.7	14.0-27.4
Some Post-H.S.	207	43,411	71	26.2	17.4-35.0	63	29.5	20.1-38.9	24	13.6	07.1-20.1	21	14.1	07.0-21.2	28	16.6	08.4-24.8
College Graduate	455	94,328	211	40.9	34.4-47.4	146	30.3	24.2-36.4	56	16.3	11.4-21.2	14	4.1	01.6-06.6	28	8.5	04.2-12.8
\$25,000- 34,999	74	13,088										5	5.4	00.0-11.3			
\$35,000- 49,999	131	22,495	45	25.9	16.3-35.5				14	12.8	05.0-20.6	13	12.8	04.4-21.2	23	17.5	08.9-26.1
\$50,000- 74,999	183	35,689							24	18.2	09.8-26.6	13	11.0	04.3-17.7	27	13.5	07.2-19.8
\$75,000+	394	92,292	155	34.0	28.1-39.9	140	32.2	26.3-38.1	48	15.6	10.5-20.7	15	5.7	02.6-08.8	36	12.5	07.6-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 9: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? A 40 OUNCE BEER WOULD COUNT AS 3 DRINKS, OR A COCKTAIL DRINK WITH 2 SHOTS WOULD COUNT AS 2 DRINKS.
(AVEDRNC2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1279	183,526	685	47.2	43.1-51.3	395	31.1	27.2-35.0	127	13.4	10.1-16.7	39	5.5	02.4-08.6	33	2.8	01.6-04.0
White/Non-Hisp	1106	152,550	592	46.8	42.5-51.1	336	29.9	26.0-33.8	114	14.5	10.8-18.2	34	5.7	02.2-09.2	30	3.0	01.6-04.4
Black or Afr. Am./Non-Hisp	111	20,567							11	8.6	00.4-16.8	2	0.4	00.0-01.0	2	2.0	00.0-04.7
25-34	133	32,216				48	31.4	22.2-40.6	21	14.8	08.1-21.5	8	7.7	02.2-13.2	7	5.2	01.1-09.3
35-44	214	35,945	87	42.6	34.4-50.8	72	34.9	26.9-42.9	30	13.5	08.0-19.0	15	6.1	01.4-10.8	10	3.0	00.8-05.2
45-54	252	35,535	111	46.9	39.1-54.7	95	36.3	29.0-43.6	31	11.2	06.5-15.9	6	3.1	00.0-06.2	9	2.5	00.7-04.3
55-64	291	26,605	187	67.0	60.3-73.7	80	24.9	19.0-30.8	16	4.7	02.0-07.4	5	1.3	00.1-02.5	3	2.2	00.0-04.7
65+	328	27,109	230	69.6	63.1-76.1	80	24.4	18.1-30.7	15	5.5	02.4-08.6	1	0.2	00.0-00.6	2	0.3	00.0-00.9
H.S. or G.E.D.	312	38,534	175	53.1	44.9-61.3	90	27.5	20.4-34.6	30	12.2	05.5-18.9	7	3.9	00.6-07.2	10	3.2	00.8-05.6
Some Post-H.S.	364	48,465	170	38.3	31.4-45.2	136	40.6	33.0-48.2	40	15.6	08.9-22.3	8	1.4	00.4-02.4	10	4.2	01.1-07.3
College Graduate	566	88,121	323	49.8	43.5-56.1	161	29.4	23.7-35.1	52	12.7	08.0-17.4	19	6.5	01.0-12.0	11	1.7	00.5-02.9
Less than \$15,000	108	11,937							10	8.3	01.6-15.0				2	1.7	00.0-04.2
\$15,000- 24,999	67	5,636										3	4.1	00.0-09.0	2	4.8	00.0-11.3
\$25,000- 34,999	110	13,609													7	6.5	00.8-12.2
\$35,000- 49,999	153	20,934										7	5.0	00.5-09.5	5	4.3	00.0-09.0
\$50,000- 74,999	201	32,838							29	14.9	06.5-23.3				5	2.4	00.0-04.8
\$75,000+	444	71,615	220	45.7	39.8-51.6	152	33.9	28.4-39.4	46	12.2	08.3-16.1	18	6.1	02.0-10.2	8	2.1	00.3-03.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 10: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2227	379,855	202	12.8	10.4-15.2	102	7.1	05.1-09.1	34	1.9	01.1-02.7	45	2.4	01.6-03.2	134	8.1	05.9-10.3	1710	67.7	64.6-70.8
Male	950	198,002	93	14.3	10.6-18.0	57	9.3	06.4-12.2	21	2.7	01.3-04.1	28	3.3	01.7-04.9	93	10.7	07.8-13.6	658	59.7	55.0-64.4
Female	1277	181,853	109	11.1	08.4-13.8	45	4.8	02.6-07.0	13	1.0	00.2-01.8	17	1.4	00.6-02.2	41	5.4	02.3-08.5	1052	76.3	72.2-80.4
White/Non-Hisp	1910	310,272	174	12.6	10.1-15.1	92	7.4	05.2-09.6	26	1.8	01.0-02.6	38	2.3	01.5-03.1	120	9.1	06.6-11.6	1460	66.8	63.5-70.1
Black or Afr. Am./Non-Hisp	187	36,500	17	10.3	04.2-16.4	4	2.2	00.0-04.6	7	4.2	00.3-08.1	2	0.9	00.0-02.1	10	4.9	00.2-09.6	147	77.6	69.2-86.0
18-24	71	45,431							3	2.1	00.0-04.6									
25-34	223	70,390	28	17.2	09.8-24.6	22	11.9	05.8-18.0	7	2.7	00.5-04.9	13	5.7	02.2-09.2	18	12.4	06.1-18.7	135	50.1	41.5-58.7
35-44	381	76,055	60	15.7	11.4-20.0	26	6.8	03.7-09.9	6	2.0	00.4-03.6	11	2.8	00.8-04.8	22	4.9	02.5-07.3	256	67.8	62.1-73.5
45-54	425	73,506	42	10.5	06.4-14.6	15	4.8	02.1-07.5	6	1.7	00.0-03.5	7	2.1	00.3-03.9	39	8.5	05.6-11.4	316	72.4	66.9-77.9
55-64	482	55,214	40	10.9	06.8-15.0	13	3.3	01.1-05.5	7	2.1	00.0-04.3	8	1.9	00.3-03.5	26	4.4	02.4-06.4	388	77.3	72.0-82.6
65+	621	56,399	20	3.7	01.7-05.7	14	2.0	00.8-03.2	5	0.9	00.0-01.9	6	0.6	00.0-01.2	15	2.0	00.8-03.2	561	90.6	87.9-93.3
Less Than H.S.	80	16,849	7	8.3	00.7-15.9				2	1.3	00.0-03.3				12	8.3	02.4-14.2			
H.S. or G.E.D.	551	87,081	56	14.5	09.2-19.8	17	4.2	01.8-06.6	5	1.5	00.0-03.1	14	3.4	01.0-05.8	51	10.1	06.8-13.4	408	66.3	60.2-72.4
Some Post-H.S.	571	92,457	52	13.1	08.4-17.8	28	7.2	03.5-10.9	11	2.0	00.4-03.6	13	2.7	00.7-04.7	31	8.5	04.4-12.6	436	66.5	60.2-72.8
College Graduate	1021	182,629	86	12.0	08.7-15.3	48	7.3	04.6-10.0	16	2.1	00.9-03.3	18	2.0	01.0-03.0	40	7.1	03.6-10.6	813	69.5	64.8-74.2
Less than \$15,000	156	21,351	8	6.5	00.8-12.2				3	1.5	00.0-03.7	1	0.4	00.0-01.2	8	5.5	00.0-11.0			
\$15,000- 24,999	101	11,083	7	7.3	00.8-13.8	2	3.0	00.0-07.9	1	3.9	00.0-11.3	3	2.3	00.0-05.4	8	9.4	02.1-16.7			
\$25,000- 34,999	178	25,114	19	17.6	07.6-27.6	8	6.6	00.9-12.3	1	0.3	00.0-00.9	2	1.4	00.0-03.6	10	6.8	01.7-11.9			
\$35,000- 49,999	284	43,522	26	15.3	05.9-24.7	14	4.7	01.6-07.8	2	0.7	00.0-01.7	10	3.0	00.5-05.5	21	9.3	03.8-14.8	211	66.9	57.3-76.5
\$50,000- 74,999	386	68,774	37	13.5	07.4-19.6	18	8.1	03.4-12.8	7	2.2	00.2-04.2	6	2.2	00.2-04.2	33	13.7	05.9-21.5	285	60.2	51.4-69.0
\$75,000+	838	164,276	82	12.3	09.2-15.4	40	6.9	04.0-09.8	19	2.7	01.3-04.1	19	3.0	01.4-04.6	42	7.0	04.3-09.7	636	68.2	63.7-72.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 11: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	950	198,002	93	14.3	10.6-18.0	57	9.3	06.4-12.2	21	2.7	01.3-04.1	28	3.3	01.7-04.9	93	10.7	07.8-13.6	658	59.7	55.0-64.4
White/Non-Hisp	808	159,668	76	13.0	09.3-16.7	52	9.6	06.5-12.7	15	2.4	01.0-03.8	22	2.8	01.4-04.2	83	12.3	08.8-15.8	560	59.8	54.9-64.7
Black or Afr. Am./Non-Hisp	74	15,661	2	2.5	00.0-06.6	6	9.8	01.0-18.6	1	1.1	00.0-03.3	6	4.1	00.4-07.8						
25-34	88	37,873				6	3.8	00.5-07.1	10	9.1	02.8-15.4									
35-44	168	40,206	25	15.4	08.9-21.9	15	9.5	04.2-14.8	4	2.4	00.0-04.9	5	2.6	00.1-05.1	16	7.1	03.2-11.0	103	63.0	54.6-71.4
45-54	173	37,971	16	11.6	04.7-18.5	9	6.9	02.2-11.6	4	3.0	00.0-06.1	4	2.7	00.0-05.6	29	14.2	08.7-19.7	111	61.7	52.9-70.5
55-64	189	28,559	22	14.6	07.5-21.7	7	3.9	00.4-07.4	2	2.9	00.0-06.8	4	2.3	00.0-04.8	17	5.9	02.6-09.2	137	70.4	61.8-79.0
65+	294	29,346	13	5.7	02.0-09.4	9	2.9	00.7-05.1	3	0.7	00.0-01.5	5	1.1	00.1-02.1	13	3.6	01.2-06.0	251	86.0	81.3-90.7
H.S. or G.E.D.	241	49,787	30	19.0	10.4-27.6	10	5.2	01.5-08.9	4	2.6	00.0-05.3	10	5.1	01.2-09.0	42	16.1	10.2-22.0	145	52.0	43.2-60.8
Some Post-H.S.	207	44,218	22	14.8	06.4-23.2	15	12.0	04.7-19.3	4	2.3	00.0-04.8	7	4.0	00.3-07.7	16	8.3	02.8-13.8			
College Graduate	456	94,942	36	11.4	06.7-16.1	27	9.1	05.0-13.2	11	3.0	01.0-05.0	11	2.3	00.7-03.9	27	9.0	04.5-13.5	344	65.1	58.4-71.8
\$25,000- 34,999	70	12,791				2	4.9	00.0-12.7	1	0.5	00.0-01.5	2	2.7	00.0-06.8	5	9.1	00.1-18.1			
\$35,000- 49,999	130	22,413				7	5.6	00.1-11.1	2	1.4	00.0-03.4	6	4.6	00.0-09.3	15	10.7	03.6-17.8			
\$50,000- 74,999	184	35,862	20	18.0	08.0-28.0	11	8.7	03.0-14.4	3	2.3	00.0-05.2	3	2.6	00.0-05.9	27	14.8	07.2-22.4			
\$75,000+	393	92,638	32	10.8	06.3-15.3	29	9.7	05.4-14.0	11	3.6	01.4-05.8	15	4.2	01.7-06.7	26	9.5	04.8-14.2	280	62.3	55.6-69.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 12: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1277	181,853	109	11.1	08.4-13.8	45	4.8	02.6-07.0	13	1.0	00.2-01.8	17	1.4	00.6-02.2	41	5.4	02.3-08.5	1052	76.3	72.2-80.4
White/Non-Hisp	1102	150,604	98	12.2	09.1-15.3	40	5.1	02.6-07.6	11	1.2	00.2-02.2	16	1.6	00.6-02.6	37	5.7	02.2-09.2	900	74.2	69.5-78.9
Black or Afr. Am./Non-Hisp	113	20,839	7	5.8	00.0-12.7	2	1.9	00.0-04.6	1	0.1	00.0-00.3	1	0.7	00.0-02.3	4	5.5	00.0-13.1			
25-34	135	32,517	18	16.9	08.9-24.9	12	8.2	02.9-13.5	1	1.4	00.0-04.1	3	1.8	00.0-04.0	6	5.0	00.7-09.3	95	66.6	57.0-76.2
35-44	213	35,849	35	16.1	10.4-21.8	11	3.9	01.4-06.4	2	1.5	00.0-03.5	6	3.1	00.0-06.2	6	2.4	00.0-04.8	153	73.1	66.0-80.2
45-54	252	35,535	26	9.4	05.3-13.5	6	2.6	00.0-05.3	2	0.3	00.0-00.7	3	1.5	00.0-03.3	10	2.4	00.6-04.2	205	83.9	78.6-89.2
55-64	293	26,655	18	7.1	03.2-11.0	6	2.6	00.2-05.0	5	1.3	00.0-02.7	4	1.5	00.0-03.3	9	2.8	00.4-05.2	251	84.8	79.5-90.1
65+	327	27,053	7	1.6	00.2-03.0	5	1.1	00.1-02.1	2	1.1	00.0-02.9	1	0.1	00.0-00.3	2	0.3	00.0-00.9	310	95.7	93.2-98.2
H.S. or G.E.D.	310	37,293	26	8.4	04.5-12.3	7	2.8	00.3-05.3	1	0.1	00.0-00.3	4	1.2	00.0-02.6	9	2.0	00.4-03.6	263	85.5	80.6-90.4
Some Post-H.S.	364	48,239	30	11.4	06.7-16.1	13	2.9	01.1-04.7	7	1.7	00.1-03.3	6	1.6	00.0-03.2	15	8.7	02.4-15.0	293	73.7	66.4-81.0
College Graduate	565	87,687	50	12.7	08.0-17.4	21	5.3	02.0-08.6	5	1.1	00.0-02.3	7	1.6	00.2-03.0	13	4.9	00.0-10.2	469	74.3	67.4-81.2
Less than \$15,000	109	12,088	4	4.5	00.0-09.2	7	10.9	01.9-19.9	1	0.1	00.0-00.3	1	0.7	00.0-02.1	3	1.0	00.0-02.2			
\$15,000- 24,999	65	5,486	5	8.8	00.6-17.0							2	3.4	00.0-09.1	1	2.0	00.0-05.9			
\$25,000- 34,999	108	12,323	7	10.2	00.4-20.0	6	8.3	00.0-16.7						5	4.4	00.0-09.1				
\$35,000- 49,999	154	21,109				7	3.8	00.7-06.9				4	1.4	00.0-03.2	6	7.8	00.0-16.2			
\$50,000- 74,999	202	32,912	17	8.7	03.2-14.2	7	7.5	00.0-15.3	4	2.1	00.0-04.5	3	1.7	00.0-03.7						
\$75,000+	445	71,638	50	14.2	09.9-18.5	11	3.3	00.0-06.6	8	1.6	00.0-03.2	4	1.4	00.0-02.8	16	3.7	01.3-06.1	356	75.8	70.3-81.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 13: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2205	375,766	642	23.1	20.6-25.6	646	25.9	23.4-28.4	347	15.0	13.0-17.0	177	9.0	07.2-10.8	393	26.9	23.8-30.0
Male	933	193,245	195	16.7	13.2-20.2	228	20.1	16.8-23.4	159	16.0	12.9-19.1	76	8.5	06.1-10.9	275	38.7	34.0-43.4
Female	1272	182,521	447	29.8	26.3-33.3	418	32.1	28.2-36.0	188	14.0	11.5-16.5	101	9.6	07.1-12.1	118	14.5	10.4-18.6
White/Non-Hisp	1896	308,480	544	22.2	19.7-24.7	544	24.8	22.1-27.5	304	15.2	13.0-17.4	156	9.6	07.6-11.6	348	28.2	24.7-31.7
Black or Afr. Am./Non-Hisp	182	35,789	52	26.4	17.2-35.6				25	16.6	07.6-25.6	14	4.6	01.9-07.3	26	14.6	07.5-21.7
18-24	73	47,195	5	9.0	00.0-19.4				8	10.1	02.3-17.9	10	7.7	01.6-13.8			
25-34	216	66,963	40	17.0	10.7-23.3	57	19.9	13.8-26.0	27	9.6	05.1-14.1	22	11.1	05.8-16.4	70	42.4	33.4-51.4
35-44	380	75,880	76	17.9	13.4-22.4	99	25.7	20.4-31.0	63	18.4	13.5-23.3	43	11.4	07.5-15.3	99	26.6	21.3-31.9
45-54	419	71,937	86	21.2	15.9-26.5	133	28.1	23.0-33.2	81	18.0	13.7-22.3	37	10.5	06.6-14.4	82	22.2	16.9-27.5
55-64	475	54,642	158	29.9	24.6-35.2	138	28.8	23.3-34.3	75	16.4	11.9-20.9	43	9.5	06.0-13.0	61	15.4	10.7-20.1
65+	618	56,291	261	42.0	37.3-46.7	198	32.1	27.6-36.6	92	16.6	12.9-20.3	21	2.5	01.3-03.7	46	6.7	04.5-08.9
H.S. or G.E.D.	548	87,446	180	26.2	21.1-31.3	128	20.1	15.8-24.4	81	15.0	10.7-19.3	38	7.2	04.5-09.9	121	31.6	25.3-37.9
Some Post-H.S.	566	89,865	159	18.9	15.0-22.8	171	29.8	23.9-35.7	90	15.1	11.0-19.2	47	9.6	06.1-13.1	99	26.6	20.3-32.9
College Graduate	1010	180,589	279	23.5	19.8-27.2	329	27.7	24.0-31.4	165	14.8	12.1-17.5	86	9.0	06.6-11.4	151	25.0	20.3-29.7
Less than \$15,000	153	20,278				38	19.8	11.2-28.4	15	7.4	02.7-12.1	6	9.2	00.4-18.0			
\$15,000- 24,999	101	11,384	32	23.1	13.1-33.1							7	8.0	00.0-16.6			
\$25,000- 34,999	181	26,534	54	23.4	13.6-33.2	47	22.4	14.4-30.4	28	14.8	07.2-22.4	13	5.8	01.5-10.1			
\$35,000- 49,999	279	42,413	82	21.5	15.6-27.4	78	24.6	17.2-32.0	47	18.2	11.3-25.1	23	7.4	03.5-11.3	49	28.3	18.3-38.3
\$50,000- 74,999	381	67,594	105	23.2	15.8-30.6	107	24.6	17.3-31.9	58	10.4	07.1-13.7	26	7.3	03.8-10.8	85	34.5	25.5-43.5
\$75,000+	831	161,971	185	17.9	14.8-21.0	263	28.0	24.3-31.7	150	16.9	13.8-20.0	85	12.0	08.9-15.1	148	25.3	21.0-29.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 14: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	933	193,245	195	16.7	13.2-20.2	228	20.1	16.8-23.4	159	16.0	12.9-19.1	76	8.5	06.1-10.9	275	38.7	34.0-43.4
White/Non-Hisp	797	157,059	161	15.0	12.1-17.9	192	20.4	16.7-24.1	138	15.6	12.3-18.9	67	9.4	06.7-12.1	239	39.5	34.6-44.4
Black or Afr. Am./Non-Hisp	71	15,098										5	4.3	00.2-08.4			
25-34	83	35,040	10	9.0	01.9-16.1	14	9.8	02.9-16.7	7	9.0	01.4-16.6	8	9.2	01.6-16.8			
35-44	166	39,956	23	10.6	05.7-15.5	31	21.1	13.7-28.5	30	20.3	12.9-27.7	16	9.2	04.3-14.1	66	38.8	30.2-47.4
45-54	169	36,681	21	15.0	07.9-22.1	45	21.9	15.0-28.8	31	15.0	09.1-20.9	14	12.1	05.6-18.6	58	36.1	27.3-44.9
55-64	186	28,270	41	20.7	13.1-28.3	38	21.5	13.5-29.5	38	21.2	13.6-28.8	23	11.6	05.7-17.5	46	25.0	16.8-33.2
65+	291	29,251	96	35.7	29.0-42.4	95	33.0	26.7-39.3	49	16.7	11.6-21.8	12	2.9	01.1-04.7	39	11.7	07.6-15.8
H.S. or G.E.D.	237	49,131	40	12.1	07.6-16.6	46	15.9	10.6-21.2	40	17.3	10.4-24.2	18	6.8	03.1-10.5	93	48.0	39.2-56.8
Some Post-H.S.	205	41,855	45	13.6	08.3-18.9	49	21.3	12.5-30.1	32	15.3	08.0-22.6	17	10.8	04.7-16.9			
College Graduate	447	92,902	100	20.0	14.1-25.9	123	22.2	17.3-27.1	82	15.8	11.7-19.9	40	8.8	05.3-12.3	102	33.3	26.4-40.2
\$25,000- 34,999	72	12,949							14	14.5	05.3-23.7	7	6.0	00.7-11.3			
\$35,000- 49,999	126	21,377	25	12.9	06.6-19.2	33	20.2	11.8-28.6				8	6.9	01.2-12.6			
\$50,000- 74,999	179	34,682				38	16.3	08.7-23.9	23	8.3	04.0-12.6	14	8.5	03.0-14.0			
\$75,000+	390	91,048	66	13.9	09.8-18.0	104	22.0	17.1-26.9	76	16.9	12.4-21.4	37	10.7	06.6-14.8	107	36.5	29.8-43.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 15: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1272	182,521	447	29.8	26.3-33.3	418	32.1	28.2-36.0	188	14.0	11.5-16.5	101	9.6	07.1-12.1	118	14.5	10.4-18.6
White/Non-Hisp	1099	151,421	383	29.6	25.9-33.3	352	29.4	25.7-33.1	166	14.7	12.0-17.4	89	9.9	07.2-12.6	109	16.4	11.7-21.1
Black or Afr. Am./Non-Hisp	111	20,691							14	9.1	02.4-15.8	9	4.8	01.1-08.5	7	6.7	00.0-14.5
25-34	133	31,923	30	25.9	15.9-35.9	43	31.0	21.6-40.4	20	10.2	05.3-15.1	14	13.2	06.1-20.3	26	19.7	11.9-27.5
35-44	214	35,924	53	26.1	18.7-33.5	68	30.7	23.1-38.3	33	16.2	10.1-22.3	27	13.9	07.6-20.2	33	13.1	07.8-18.4
45-54	250	35,256	65	27.6	20.2-35.0	88	34.7	27.4-42.0	50	21.1	14.8-27.4	23	8.9	04.4-13.4	24	7.7	04.2-11.2
55-64	289	26,372	117	39.7	32.6-46.8	100	36.7	29.6-43.8	37	11.2	07.1-15.3	20	7.3	03.4-11.2	15	5.1	02.0-08.2
65+	327	27,040	165	48.9	42.0-55.8	103	31.1	24.6-37.6	43	16.5	11.0-22.0	9	2.1	00.5-03.7	7	1.4	00.4-02.4
H.S. or G.E.D.	311	38,316	140	44.3	36.1-52.5	82	25.5	18.4-32.6	41	12.1	07.6-16.6	20	7.6	03.5-11.7	28	10.6	04.1-17.1
Some Post-H.S.	361	48,010	114	23.5	18.0-29.0	122	37.1	29.5-44.7	58	15.0	10.5-19.5	30	8.6	04.7-12.5	37	15.8	08.9-22.7
College Graduate	563	87,688	179	27.1	22.2-32.0	206	33.5	27.8-39.2	83	13.8	10.3-17.3	46	9.3	06.2-12.4	49	16.2	09.3-23.1
Less than \$15,000	108	12,046							11	10.6	03.0-18.2				9	6.1	01.6-10.6
\$15,000- 24,999	65	5,389										5	6.9	00.6-13.2	2	5.0	00.0-11.9
\$25,000- 34,999	109	13,585										6	5.5	00.0-12.4			
\$35,000- 49,999	153	21,037							23	13.1	06.2-20.0	15	8.0	02.7-13.3			
\$50,000- 74,999	202	32,912	62	24.2	15.6-32.8				35	12.7	07.4-18.0	12	6.0	01.9-10.1			
\$75,000+	441	70,923	119	23.0	18.1-27.9	159	35.6	29.9-41.3	74	16.8	12.5-21.1	48	13.7	08.8-18.6	41	10.9	07.0-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 16: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)	
1	MALES AND FEMALES	181
2	MALES ONLY	182
3	FEMALES ONLY	183
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT? (FLUSHTMY)	
4	MALES AND FEMALES	184
5	MALES ONLY	185
6	FEMALES ONLY	186
	DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. (FLUSPRY2)	
7	MALES AND FEMALES	187
8	MALES ONLY	188
9	FEMALES ONLY	189
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRMY)	
10	MALES AND FEMALES	190
11	MALES ONLY	191
12	FEMALES ONLY	192
	A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
13	MALES AND FEMALES	193
14	MALES ONLY	194
15	FEMALES ONLY	195

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

**TABLE 1: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4328	668,214	2150	41.0	38.8-43.2	2178	59.0	56.8-61.2
Male	1587	318,026	760	39.7	36.4-43.0	827	60.3	57.0-63.6
Female	2741	350,188	1390	42.2	39.5-44.9	1351	57.8	55.1-60.5
White/Non-Hisp	3472	504,795	1796	42.4	40.0-44.8	1676	57.6	55.2-60.0
Black or Afr. Am./Non-Hisp	533	88,839	205	35.0	29.1-40.9	328	65.0	59.1-70.9
18-24	146	85,131	35	23.1	13.9-32.3	111	76.9	67.7-86.1
25-34	365	108,740	112	28.5	22.6-34.4	253	71.5	65.6-77.4
35-44	623	121,545	190	32.5	28.0-37.0	433	67.5	63.0-72.0
45-54	791	125,104	290	33.6	29.5-37.7	501	66.4	62.3-70.5
55-64	920	98,736	490	51.5	47.2-55.8	430	48.5	44.2-52.8
65+	1418	122,085	1000	71.6	68.7-74.5	418	28.4	25.5-31.3
Less Than H.S.	318	46,285	149	37.6	29.2-46.0	169	62.4	54.0-70.8
H.S. or G.E.D.	1341	191,102	646	39.3	35.4-43.2	695	60.7	56.8-64.6
Some Post-H.S.	1115	165,557	529	38.0	33.9-42.1	586	62.0	57.9-66.1
College Graduate	1549	264,393	824	44.7	41.0-48.4	725	55.3	51.6-59.0
Less than \$15,000	449	51,642	239	43.2	36.3-50.1	210	56.8	49.9-63.7
\$15,000- 24,999	425	50,447	206	42.1	34.8-49.4	219	57.9	50.6-65.2
\$25,000- 34,999	395	53,006	208	41.3	33.7-48.9	187	58.7	51.1-66.3
\$35,000- 49,999	579	83,793	289	42.3	36.0-48.6	290	57.7	51.4-64.0
\$50,000- 74,999	672	117,930	311	38.5	32.6-44.4	361	61.5	55.6-67.4
\$75,000+	1163	219,783	541	39.3	35.6-43.0	622	60.7	57.0-64.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 2: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1587	318,026	760	39.7	36.4-43.0	827	60.3	57.0-63.6
White/Non-Hisp	1277	238,086	625	39.3	35.8-42.8	652	60.7	57.2-64.2
25-34	127	53,442	38	26.0	16.6-35.4	89	74.0	64.6-83.4
35-44	237	59,513	71	33.0	25.7-40.3	166	67.0	59.7-74.3
45-54	284	60,044	90	29.3	23.0-35.6	194	70.7	64.4-77.0
55-64	335	48,278	168	50.5	43.2-57.8	167	49.5	42.2-56.8
65+	523	52,089	367	72.7	68.4-77.0	156	27.3	23.0-31.6
H.S. or G.E.D.	467	95,226	216	37.8	31.9-43.7	251	62.2	56.3-68.1
Some Post-H.S.	373	72,277	156	34.5	27.4-41.6	217	65.5	58.4-72.6
College Graduate	623	127,312	335	44.2	38.7-49.7	288	55.8	50.3-61.3
\$35,000- 49,999	229	39,682	125	46.0	36.8-55.2	104	54.0	44.8-63.2
\$50,000- 74,999	294	58,865	141	40.1	31.5-48.7	153	59.9	51.3-68.5
\$75,000+	515	116,995	229	37.4	32.1-42.7	286	62.6	57.3-67.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 3: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2741	350,188	1390	42.2	39.5-44.9	1351	57.8	55.1-60.5
White/Non-Hisp	2195	266,709	1171	45.1	42.0-48.2	1024	54.9	51.8-58.0
Black or Afr. Am./Non-Hisp	366	52,608	137	32.9	25.8-40.0	229	67.1	60.0-74.2
25-34	238	55,298	74	30.9	23.8-38.0	164	69.1	62.0-76.2
35-44	386	62,032	119	32.1	26.4-37.8	267	67.9	62.2-73.6
45-54	507	65,060	200	37.5	32.0-43.0	307	62.5	57.0-68.0
55-64	585	50,458	322	52.5	47.4-57.6	263	47.5	42.4-52.6
65+	895	69,996	633	70.8	66.9-74.7	262	29.2	25.3-33.1
Less Than H.S.	197	23,831				99	63.3	53.3-73.3
H.S. or G.E.D.	874	95,875	430	40.8	35.7-45.9	444	59.2	54.1-64.3
Some Post-H.S.	742	93,280	373	40.8	35.7-45.9	369	59.2	54.1-64.3
College Graduate	926	137,081	489	45.1	40.2-50.0	437	54.9	50.0-59.8
Less than \$15,000	324	29,902	175	44.8	37.0-52.6	149	55.2	47.4-63.0
\$15,000- 24,999	311	29,615	159	47.7	39.5-55.9	152	52.3	44.1-60.5
\$25,000- 34,999	264	31,541	145	41.5	31.5-51.5	119	58.5	48.5-68.5
\$35,000- 49,999	350	44,111	164	39.1	30.7-47.5	186	60.9	52.5-69.3
\$50,000- 74,999	378	59,065	170	36.8	28.8-44.8	208	63.2	55.2-71.2
\$75,000+	648	102,788	312	41.5	36.6-46.4	336	58.5	53.6-63.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT? (FLUSHTMY)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2008			May-Aug 2008			Sep-Dec 2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1419	174,497	6	0.6	00.0-01.2	16	2.1	00.5-03.7	1397	97.3	95.5-99.1
Male	491	80,662	5	1.3	00.0-02.7	9	3.6	00.1-07.1	477	95.2	91.5-98.9
Female	928	93,836	1	0.0	00.0-00.0	7	0.8	00.0-01.6	920	99.1	98.3-99.9
White/Non-Hisp	1210	141,369	5	0.7	00.0-01.5	11	1.1	00.3-01.9	1194	98.2	97.0-99.4
Black or Afr. Am./Non-Hisp	125	17,861	1	0.3	00.0-00.9						
25-34	64	16,756							64	100.0	0100-0100
35-44	107	21,720				1	0.3	00.0-00.9	106	99.7	99.1-0100
45-54	197	28,399	3	1.2	00.0-03.0	1	0.3	00.0-00.9	193	98.5	96.7-0100
55-64	340	35,472	2	0.6	00.0-01.6	1	0.1	00.0-00.3	337	99.3	98.3-0100
65+	671	59,534				9	1.8	00.2-03.4	662	98.2	96.6-99.8
Less Than H.S.	88	10,398				1	1.6	00.0-04.7	87	98.4	95.3-0100
H.S. or G.E.D.	408	45,656	4	2.1	00.0-04.6	7	3.0	00.0-06.5	397	94.9	90.6-99.2
Some Post-H.S.	346	36,861	1	0.1	00.0-00.3	3	3.8	00.0-09.9	342	96.1	90.0-0100
College Graduate	576	81,227	1	0.1	00.0-00.3	5	0.9	00.0-01.9	570	99.0	98.0-0100
Less than \$15,000	145	12,734							145	100.0	0100-0100
\$15,000- 24,999	121	10,576	1	4.9	00.0-14.1	3	2.4	00.0-05.3	117	92.7	83.3-0100
\$25,000- 34,999	144	15,917	2	1.3	00.0-03.5	1	1.1	00.0-03.3	141	97.6	94.7-0100
\$35,000- 49,999	187	19,768				4	6.8	00.0-14.8	183	93.2	85.2-0100
\$50,000- 74,999	214	29,242	1	0.2	00.0-00.6	1	0.4	00.0-01.2	212	99.5	98.7-0100
\$75,000+	376	59,566	2	0.5	00.0-01.3	3	2.2	00.0-05.9	371	97.3	93.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT? (FLUSHTMY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2008			May-Aug 2008			Sep-Dec 2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	491	80,662	5	1.3	00.0-02.7	9	3.6	00.3-06.9	477	95.2	91.5-98.9
White/Non-Hisp	412	61,630	4	1.6	00.0-03.6	5	1.3	00.0-02.7	403	97.1	94.7-99.5
45-54	61	11,229	3	3.0	00.0-07.3	1	0.9	00.0-02.7	57	96.1	91.4-0100
55-64	113	16,520	1	1.0	00.0-03.0				112	99.0	97.0-0100
65+	241	26,007				4	2.5	00.0-05.4	237	97.5	94.6-0100
H.S. or G.E.D.	120	19,032	3	4.8	00.0-10.7	3	4.6	00.0-12.2	114	90.5	81.1-99.9
Some Post-H.S.	113	15,401	1	0.3	00.0-00.9						
College Graduate	230	40,954	1	0.1	00.0-00.3	3	1.3	00.0-03.1	226	98.6	96.8-0100
\$50,000- 74,999	94	16,291	1	0.3	00.0-00.9	1	0.7	00.0-02.1	92	99.0	97.4-0100
\$75,000+	161	30,652	2	0.9	00.0-02.5	2	4.1	00.0-11.4	157	95.0	87.7-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT? (FLUSHTMY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2008			May-Aug 2008			Sep-Dec 2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	928	93,836	1	0.0	00.0-00.0	7	0.8	00.0-01.6	920	99.1	98.3-99.9
White/Non-Hisp	798	79,740	1	0.1	00.0-00.3	6	0.9	00.0-01.9	791	99.0	98.0-0100
Black or Afr. Am./Non-Hisp	80	8,649				1	0.6	00.0-01.8	79	99.4	98.2-0100
35-44	66	10,384							66	100.0	0100-0100
45-54	136	17,170							136	100.0	0100-0100
55-64	227	18,951	1	0.2	00.0-00.6	1	0.3	00.0-00.9	225	99.5	98.9-0100
65+	430	33,527				5	1.3	00.0-02.7	425	98.7	97.3-0100
Less Than H.S.	61	5,480							61	100.0	0100-0100
H.S. or G.E.D.	288	26,623	1	0.2	00.0-00.6	4	1.9	00.0-04.3	283	98.0	95.6-0100
Some Post-H.S.	233	21,460				1	0.4	00.0-01.2	232	99.6	98.8-0100
College Graduate	346	40,272				2	0.5	00.0-01.3	344	99.5	98.7-0100
Less than \$15,000	110	8,363							110	100.0	0100-0100
\$15,000- 24,999	95	6,911							95	100.0	0100-0100
\$25,000- 34,999	102	9,658	1	0.4	00.0-01.2	1	1.8	00.0-05.3	100	97.8	94.3-0100
\$35,000- 49,999	108	9,767				1	0.8	00.0-02.4	107	99.2	97.6-0100
\$50,000- 74,999	120	12,951							120	100.0	0100-0100
\$75,000+	215	28,914				1	0.2	00.0-00.6	214	99.8	99.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

**TABLE 7. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™.
(FLUSPRY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4339	669,770	43	0.9	00.5-01.3	4296	99.1	98.7-99.5	
Male	1590	318,444	26	1.3	00.7-01.9	1564	98.7	98.1-99.3	
Female	2749	351,327	17	0.4	00.0-00.8	2732	99.6	99.2-0100	
White/Non-Hisp	3480	506,088	30	0.8	00.4-01.2	3450	99.2	98.8-99.6	
Black or Afr. Am./Non-Hisp	533	88,836	4	0.4	00.0-00.8	529	99.6	99.2-0100	
Oth. Race/Non-Hisp.	122	29,111	3	3.3	00.0-08.6	119	96.7	91.4-0100	
MultiRacial/Non-Hisp.	66	12,936	2	3.2	00.0-07.9	64	96.8	92.1-0100	
Hispanic	110	28,776	4	0.9	00.0-02.1	106	99.1	97.9-0100	
18-24	147	85,426	2	1.2	00.0-03.0	145	98.8	97.0-0100	
25-34	365	108,680	10	1.3	00.3-02.3	355	98.7	97.7-99.7	
35-44	623	121,431	13	1.5	00.5-02.5	610	98.5	97.5-99.5	
45-54	793	125,479	10	0.7	00.1-01.3	783	99.3	98.7-99.9	
55-64	923	99,169	3	0.3	00.0-00.7	920	99.7	99.3-0100	
65+	1423	122,713	5	0.4	00.0-00.8	1418	99.6	99.2-0100	
Less Than H.S.	317	46,024	1	0.1	00.0-00.3	316	99.9	99.7-0100	
H.S. or G.E.D.	1343	191,188	12	1.2	00.2-02.2	1331	98.8	97.8-99.8	
Some Post-H.S.	1119	166,039	14	1.1	00.5-01.7	1105	98.9	98.3-99.5	
College Graduate	1555	265,641	16	0.6	00.2-01.0	1539	99.4	99.0-99.8	
Less than \$15,000	450	51,807	1	0.4	00.0-01.2	449	99.6	98.8-0100	
\$15,000- 24,999	425	50,447	1	0.0	00.0-00.0	424	100.0	0100-0100	
\$25,000- 34,999	397	53,108	5	1.3	00.0-02.7	392	98.7	97.3-0100	
\$35,000- 49,999	581	84,164	11	1.2	00.4-02.0	570	98.8	98.0-99.6	
\$50,000- 74,999	674	118,141	12	1.9	00.3-03.5	662	98.1	96.5-99.7	
\$75,000+	1166	220,664	12	0.8	00.2-01.4	1154	99.2	98.6-99.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™.
(FLUSPRY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1590	318,444	26	1.3	00.7-01.9	1564	98.7	98.1-99.3
White/Non-Hisp	1280	238,616	19	1.1	00.5-01.7	1261	98.9	98.3-99.5
Black or Afr. Am./Non-Hisp	166	36,072	2	0.7	00.0-01.7	164	99.3	98.3-0100
Oth. Race/Non-Hisp.	53	15,364	2	6.0	00.0-15.8	51	94.0	84.2-0100
18-24	71	42,908	2	2.4	00.0-06.1	69	97.6	93.9-0100
25-34	126	53,226	7	2.1	00.3-03.9	119	97.9	96.1-99.7
35-44	236	59,343	8	2.0	00.4-03.6	228	98.0	96.4-99.6
45-54	283	59,885	5	0.9	00.1-01.7	278	99.1	98.3-99.9
55-64	337	48,655	1	0.2	00.0-00.6	336	99.8	99.4-0100
65+	527	52,674	3	0.6	00.0-01.4	524	99.4	98.6-0100
Less Than H.S.	120	22,194				120	100.0	0100-0100
H.S. or G.E.D.	467	95,109	8	2.1	00.1-04.1	459	97.9	95.9-99.9
Some Post-H.S.	374	72,366	9	1.8	00.4-03.2	365	98.2	96.8-99.6
College Graduate	626	128,019	9	0.7	00.1-01.3	617	99.3	98.7-99.9
Less than \$15,000	125	21,740				125	100.0	0100-0100
\$15,000- 24,999	114	20,833				114	100.0	0100-0100
\$25,000- 34,999	132	21,512	3	2.8	00.0-05.9	129	97.2	94.1-0100
\$35,000- 49,999	230	39,758	6	1.7	00.3-03.1	224	98.3	96.9-99.7
\$50,000- 74,999	294	58,865	8	3.1	00.2-06.0	286	96.9	94.0-99.8
\$75,000+	517	117,546	9	1.0	00.2-01.8	508	99.0	98.2-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™.
(FLUSPRY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2749	351,327	17	0.4	00.0-00.8	2732	99.6	99.2-0100	
White/Non-Hisp	2200	267,472	11	0.5	00.1-00.9	2189	99.5	99.1-99.9	
Black or Afr. Am./Non-Hisp	367	52,764	2	0.1	00.0-00.3	365	99.9	99.7-0100	
Oth. Race/Non-Hisp.	69	13,746	1	0.3	00.0-00.9	68	99.7	99.1-0100	
Hispanic	65	12,536	3	1.7	00.0-04.4	62	98.3	95.6-0100	
18-24	76	42,518				76	100.0	0100-0100	
25-34	239	55,454	3	0.5	00.0-01.1	236	99.5	98.9-0100	
35-44	387	62,088	5	1.0	00.0-02.4	382	99.0	97.6-0100	
45-54	510	65,594	5	0.5	00.0-01.3	505	99.5	98.7-0100	
55-64	586	50,514	2	0.4	00.0-01.0	584	99.6	99.0-0100	
65+	896	70,038	2	0.2	00.0-00.4	894	99.8	99.6-0100	
Less Than H.S.	197	23,831	1	0.1	00.0-00.3	196	99.9	99.7-0100	
H.S. or G.E.D.	876	96,080	4	0.3	00.0-00.7	872	99.7	99.3-0100	
Some Post-H.S.	745	93,673	5	0.5	00.0-01.1	740	99.5	98.9-0100	
College Graduate	929	137,623	7	0.6	00.0-01.2	922	99.4	98.8-0100	
Less than \$15,000	325	30,067	1	0.7	00.0-02.1	324	99.3	97.9-0100	
\$15,000- 24,999	311	29,615	1	0.1	00.0-00.3	310	99.9	99.7-0100	
\$25,000- 34,999	265	31,596	2	0.3	00.0-00.7	263	99.7	99.3-0100	
\$35,000- 49,999	351	44,406	5	0.7	00.1-01.3	346	99.3	98.7-99.9	
\$50,000- 74,999	380	59,277	4	0.6	00.0-01.4	376	99.4	98.6-0100	
\$75,000+	649	103,117	3	0.5	00.0-01.3	646	99.5	98.7-0100	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION

TABLE 10: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRMY)
Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION

TABLE 11: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRMY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION

TABLE 12: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRMY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 13: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4149	628,176	1491	25.5	23.7-27.3	2658	74.5	72.7-76.3
Male	1491	292,392	525	25.8	22.9-28.7	966	74.2	71.3-77.1
Female	2658	335,784	966	25.2	23.0-27.4	1692	74.8	72.6-77.0
White/Non-Hisp	3349	476,813	1261	26.5	24.5-28.5	2088	73.5	71.5-75.5
Black or Afr. Am./Non-Hisp	503	84,449	150	25.3	19.8-30.8	353	74.7	69.2-80.2
Oth. Race/Non-Hisp.	110	25,929	26	11.4	04.7-18.1	84	88.6	81.9-95.3
18-24	132	77,533	14	9.3	03.4-15.2	118	90.7	84.8-96.6
25-34	320	93,356	34	13.6	07.9-19.3	286	86.4	80.7-92.1
35-44	582	113,634	75	11.6	08.5-14.7	507	88.4	85.3-91.5
45-54	767	121,044	122	13.1	10.2-16.0	645	86.9	84.0-89.8
55-64	890	95,419	256	28.7	24.6-32.8	634	71.3	67.2-75.4
65+	1394	120,482	955	66.5	63.4-69.6	439	33.5	30.4-36.6
Less Than H.S.	305	42,366	144	39.3	30.3-48.3	161	60.7	51.7-69.7
H.S. or G.E.D.	1281	178,403	493	26.4	23.3-29.5	788	73.6	70.5-76.7
Some Post-H.S.	1065	155,145	372	26.1	22.2-30.0	693	73.9	70.0-77.8
College Graduate	1493	251,386	481	22.2	19.7-24.7	1012	77.8	75.3-80.3
Less than \$15,000	435	47,334	221	43.2	36.1-50.3	214	56.8	49.7-63.9
\$15,000- 24,999	403	47,158	184	36.8	29.7-43.9	219	63.2	56.1-70.3
\$25,000- 34,999	378	48,148	180	35.7	28.4-43.0	198	64.3	57.0-71.6
\$35,000- 49,999	549	79,588	203	30.7	24.8-36.6	346	69.3	63.4-75.2
\$50,000- 74,999	650	113,955	176	16.8	13.3-20.3	474	83.2	79.7-86.7
\$75,000+	1114	207,853	246	15.6	13.1-18.1	868	84.4	81.9-86.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 14: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1491	292,392	525	25.8	22.9-28.7	966	74.2	71.3-77.1
White/Non-Hisp	1210	220,589	435	25.7	22.6-28.8	775	74.3	71.2-77.4
35-44	216	54,782	25	11.8	06.5-17.1	191	88.2	82.9-93.5
45-54	269	57,221	34	11.3	07.2-15.4	235	88.7	84.6-92.8
55-64	316	45,914	97	30.9	24.0-37.8	219	69.1	62.2-76.0
65+	512	51,446	333	62.1	57.0-67.2	179	37.9	32.8-43.0
H.S. or G.E.D.	433	86,259	141	22.7	17.8-27.6	292	77.3	72.4-82.2
Some Post-H.S.	344	64,691	118	27.4	20.1-34.7	226	72.6	65.3-79.9
College Graduate	593	119,737	209	24.0	19.9-28.1	384	76.0	71.9-80.1
\$35,000- 49,999	216	37,499	94	38.9	29.5-48.3	122	61.1	51.7-70.5
\$50,000- 74,999	279	56,389	85	17.8	12.1-23.5	194	82.2	76.5-87.9
\$75,000+	488	109,502	120	15.9	12.2-19.6	368	84.1	80.4-87.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 15: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2658	335,784	966	25.2	23.0-27.4	1692	74.8	72.6-77.0
White/Non-Hisp	2139	256,224	826	27.3	24.9-29.7	1313	72.7	70.3-75.1
Black or Afr. Am./Non-Hisp	347	50,310	96	21.4	15.3-27.5	251	78.6	72.5-84.7
Oth. Race/Non-Hisp.	65	12,398	14	9.2	02.5-15.9	51	90.8	84.1-97.5
18-24	69	40,266	3	1.6	00.0-03.6	66	98.4	96.4-0100
25-34	215	49,346	17	8.5	03.6-13.4	198	91.5	86.6-96.4
35-44	366	58,853	50	11.4	07.5-15.3	316	88.6	84.7-92.5
45-54	498	63,823	88	14.8	10.7-18.9	410	85.2	81.1-89.3
55-64	574	49,506	159	26.7	22.2-31.2	415	73.3	68.8-77.8
65+	882	69,035	622	69.8	65.9-73.7	260	30.2	26.3-34.1
Less Than H.S.	187	21,418	87	34.2	24.6-43.8	100	65.8	56.2-75.4
H.S. or G.E.D.	848	92,144	352	29.8	25.5-34.1	496	70.2	65.9-74.5
Some Post-H.S.	721	90,453	254	25.3	21.2-29.4	467	74.7	70.6-78.8
College Graduate	900	131,648	272	20.5	17.2-23.8	628	79.5	76.2-82.8
Less than \$15,000	317	27,922	160	40.9	33.6-48.2	157	59.1	51.8-66.4
\$15,000- 24,999	299	28,596	142	38.1	30.5-45.7	157	61.9	54.3-69.5
\$25,000- 34,999	257	30,397	129	36.8	27.2-46.4	128	63.2	53.6-72.8
\$35,000- 49,999	333	42,089	109	23.5	17.4-29.6	224	76.5	70.4-82.6
\$50,000- 74,999	371	57,567	91	15.8	11.5-20.1	280	84.2	79.9-88.5
\$75,000+	626	98,351	126	15.1	11.8-18.4	500	84.9	81.6-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 17: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)	
1	MALES AND FEMALES	197
2	MALES ONLY	198
3	FEMALES ONLY	199
	ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)	
4	MALES AND FEMALES	200
5	MALES ONLY	201
6	FEMALES ONLY	202
	IN THIS NEXT QUESTIONS WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
7	MALES AND FEMALES	203
8	MALES ONLY	204
9	FEMALES ONLY	205
	DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
10	MALES AND FEMALES	206
11	MALES ONLY	207
12	FEMALES ONLY	208
	PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)	
13	MALES AND FEMALES	209
14	MALES ONLY	210
15	FEMALES ONLY	211

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3969	615,039	1516	27.5	25.7-29.3	2453	72.5	70.7-74.3
Male	1456	294,123	472	23.5	20.8-26.2	984	76.5	73.8-79.2
Female	2513	320,916	1044	31.1	28.6-33.6	1469	68.9	66.4-71.4
White/Non-Hisp	3174	464,513	1253	29.1	26.9-31.3	1921	70.9	68.7-73.1
Black or Afr. Am./Non-Hisp	490	82,406	173	26.2	20.9-31.5	317	73.8	68.5-79.1
Oth. Race/Non-Hisp.	116	26,712	26	13.5	06.2-20.8	90	86.5	79.2-93.8
Hispanic	99	25,224	31	18.3	08.9-27.7	68	81.7	72.3-91.1
18-24	131	77,905	8	6.3	01.0-11.6	123	93.7	88.4-99.0
25-34	342	101,151	32	7.0	04.3-09.7	310	93.0	90.3-95.7
35-44	571	110,125	120	21.9	17.8-26.0	451	78.1	74.0-82.2
45-54	727	116,032	224	26.4	22.5-30.3	503	73.6	69.7-77.5
55-64	838	91,023	389	43.0	38.5-47.5	449	57.0	52.5-61.5
65+	1299	112,154	715	53.6	50.3-56.9	584	46.4	43.1-49.7
Less Than H.S.	299	44,024	154	35.8	27.8-43.8	145	64.2	56.2-72.2
H.S. or G.E.D.	1226	173,489	514	31.2	27.7-34.7	712	68.8	65.3-72.3
Some Post-H.S.	1017	151,640	390	28.7	25.0-32.4	627	71.3	67.6-75.0
College Graduate	1422	245,010	457	22.6	19.9-25.3	965	77.4	74.7-80.1
Less than \$15,000	408	45,833	210	43.6	36.3-50.9	198	56.4	49.1-63.7
\$15,000- 24,999	388	46,299	215	41.0	33.7-48.3	173	59.0	51.7-66.3
\$25,000- 34,999	359	48,108	155	32.3	25.4-39.2	204	67.7	60.8-74.6
\$35,000- 49,999	524	76,898	207	28.0	22.9-33.1	317	72.0	66.9-77.1
\$50,000- 74,999	616	108,613	200	23.7	19.2-28.2	416	76.3	71.8-80.8
\$75,000+	1061	201,602	306	22.1	19.2-25.0	755	77.9	75.0-80.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1456	294,123	472	23.5	20.8-26.2	984	76.5	73.8-79.2
White/Non-Hisp	1169	219,684	389	25.8	22.7-28.9	780	74.2	71.1-77.3
Black or Afr. Am./Non-Hisp	153	33,246	51	20.6	13.3-27.9	102	79.4	72.1-86.7
18-24	66	40,584	5	7.7	00.0-15.7	61	92.3	84.3-0100
25-34	120	50,172	9	5.0	01.3-08.7	111	95.0	91.3-98.7
35-44	218	53,674	47	23.0	16.5-29.5	171	77.0	70.5-83.5
45-54	263	55,368	66	21.2	15.5-26.9	197	78.8	73.1-84.5
55-64	306	44,839	120	37.7	30.6-44.8	186	62.3	55.2-69.4
65+	473	47,734	221	45.3	40.0-50.6	252	54.7	49.4-60.0
H.S. or G.E.D.	425	87,485	137	25.5	20.2-30.8	288	74.5	69.2-79.8
Some Post-H.S.	346	67,874	113	22.5	17.0-28.0	233	77.5	72.0-83.0
College Graduate	567	116,688	172	21.8	17.7-25.9	395	78.2	74.1-82.3
\$35,000- 49,999	214	37,140	75	25.9	18.8-33.0	139	74.1	67.0-81.2
\$50,000- 74,999	267	54,455	77	20.4	14.5-26.3	190	79.6	73.7-85.5
\$75,000+	472	108,020	137	21.8	17.3-26.3	335	78.2	73.7-82.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2513	320,916	1044	31.1	28.6-33.6	1469	68.9	66.4-71.4
White/Non-Hisp	2005	244,829	864	32.1	29.4-34.8	1141	67.9	65.2-70.6
Black or Afr. Am./Non-Hisp	337	49,159	122	29.9	22.6-37.2	215	70.1	62.8-77.4
18-24	65	37,321	3	4.7	00.0-11.4	62	95.3	88.6-0100
25-34	222	50,979	23	9.0	05.1-12.9	199	91.0	87.1-94.9
35-44	353	56,451	73	20.8	15.5-26.1	280	79.2	73.9-84.5
45-54	464	60,664	158	31.2	25.9-36.5	306	68.8	63.5-74.1
55-64	532	46,185	269	48.2	42.9-53.5	263	51.8	46.5-57.1
65+	826	64,420	494	59.6	55.3-63.9	332	40.4	36.1-44.7
H.S. or G.E.D.	801	86,004	377	36.9	32.0-41.8	424	63.1	58.2-68.0
Some Post-H.S.	671	83,766	277	33.6	28.7-38.5	394	66.4	61.5-71.3
College Graduate	855	128,321	285	23.3	20.0-26.6	570	76.7	73.4-80.0
Less than \$15,000	298	26,383	159	50.2	42.4-58.0	139	49.8	42.0-57.6
\$15,000- 24,999	287	27,351	169	49.7	40.9-58.5	118	50.3	41.5-59.1
\$25,000- 34,999	239	29,184	115	34.9	25.5-44.3	124	65.1	55.7-74.5
\$35,000- 49,999	310	39,759	132	30.0	22.6-37.4	178	70.0	62.6-77.4
\$50,000- 74,999	349	54,159	123	27.0	20.3-33.7	226	73.0	66.3-79.7
\$75,000+	589	93,582	169	22.5	18.6-26.4	420	77.5	73.6-81.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 4: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1512	168,451	619	39.1	35.8-42.4	893	60.9	57.6-64.2
Male	469	68,608	180	35.8	30.1-41.5	289	64.2	58.5-69.9
Female	1043	99,842	439	41.4	37.5-45.3	604	58.6	54.7-62.5
White/Non-Hisp	1250	134,836	495	38.1	34.6-41.6	755	61.9	58.4-65.4
45-54	223	30,495	93	36.2	28.2-44.2	130	63.8	55.8-71.8
55-64	389	39,147	170	44.4	37.9-50.9	219	55.6	49.1-62.1
65+	713	59,804	274	36.6	32.3-40.9	439	63.4	59.1-67.7
H.S. or G.E.D.	514	54,077	214	38.4	32.5-44.3	300	61.6	55.7-67.5
Some Post-H.S.	390	43,469	151	37.1	30.8-43.4	239	62.9	56.6-69.2
College Graduate	454	54,897	174	38.3	32.4-44.2	280	61.7	55.8-67.6
\$15,000- 24,999	214	18,941	123	55.4	46.6-64.2	91	44.6	35.8-53.4
\$35,000- 49,999	207	21,564	77	36.1	28.1-44.1	130	63.9	55.9-71.9
\$50,000- 74,999	199	25,544	74	34.7	26.3-43.1	125	65.3	56.9-73.7
\$75,000+	305	44,464	96	30.3	24.0-36.6	209	69.7	63.4-76.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 17: ARTHRITIS BURDEN**

TABLE 5: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	469	68,608	180	35.8	30.1-41.5	289	64.2	58.5-69.9
White/Non-Hisp	387	56,345	142	34.4	28.3-40.5	245	65.6	59.5-71.7
65+	219	21,386	72	32.0	24.7-39.3	147	68.0	60.7-75.3
H.S. or G.E.D.	137	22,317	46	28.7	18.9-38.5	91	71.3	61.5-81.1
College Graduate	170	25,054	62	37.6	28.0-47.2	108	62.4	52.8-72.0
\$75,000+	137	23,517	44	29.1	19.9-38.3	93	70.9	61.7-80.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 6: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1043	99,842	439	41.4	37.5-45.3	604	58.6	54.7-62.5
White/Non-Hisp	863	78,490	353	40.7	36.6-44.8	510	59.3	55.2-63.4
55-64	269	22,260	117	45.3	37.9-52.7	152	54.7	47.3-62.1
65+	494	38,418	202	39.2	33.9-44.5	292	60.8	55.5-66.1
H.S. or G.E.D.	377	31,761	168	45.3	38.6-52.0	209	54.7	48.0-61.4
Some Post-H.S.	277	28,174	103	36.6	29.0-44.2	174	63.4	55.8-71.0
College Graduate	284	29,843	112	38.9	31.8-46.0	172	61.1	54.0-68.2
\$15,000- 24,999	169	13,599	98	56.5	46.7-66.3	71	43.5	33.7-53.3
\$75,000+	168	20,947	52	31.6	23.0-40.2	116	68.4	59.8-77.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 7. IN THIS NEXT QUESTIONS WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1481	165,696	344	23.1	20.2-26.0	1137	76.9	74.0-79.8
Male	457	67,553	102	23.0	17.9-28.1	355	77.0	71.9-82.1
Female	1024	98,143	242	23.2	19.9-26.5	782	76.8	73.5-80.1
White/Non-Hisp	1226	132,683	270	22.5	19.4-25.6	956	77.5	74.4-80.6
Black or Afr. Am./Non-Hisp	166	20,972	50	25.4	17.0-33.8	116	74.6	66.2-83.0
35-44	119	23,852	34	23.7	14.9-32.5	85	76.3	67.5-85.1
45-54	223	30,616	66	23.9	17.6-30.2	157	76.1	69.8-82.4
55-64	380	37,757	109	31.5	25.2-37.8	271	68.5	62.2-74.8
65+	691	58,498	115	16.1	12.6-19.6	576	83.9	80.4-87.4
H.S. or G.E.D.	502	52,877	129	26.5	21.0-32.0	373	73.5	68.0-79.0
Some Post-H.S.	380	42,721	89	24.9	19.2-30.6	291	75.1	69.4-80.8
College Graduate	450	54,552	75	14.8	10.9-18.7	375	85.2	81.3-89.1
Less than \$15,000	204	19,495	67	32.4	23.6-41.2	137	67.6	58.8-76.4
\$15,000- 24,999	207	17,988	90	49.6	40.6-58.6	117	50.4	41.4-59.4
\$25,000- 34,999	152	15,376	27	17.8	10.0-25.6	125	82.2	74.4-90.0
\$35,000- 49,999	201	21,057	38	22.8	15.0-30.6	163	77.2	69.4-85.0
\$50,000- 74,999	197	25,533	40	20.5	13.2-27.8	157	79.5	72.2-86.8
\$75,000+	302	43,822	39	11.4	07.3-15.5	263	88.6	84.5-92.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 17: ARTHRITIS BURDEN**

TABLE 8: IN THIS NEXT QUESTIONS WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis
 Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	457	67,553	102	23.0	17.9-28.1	355	77.0	71.9-82.1
White/Non-Hisp	379	55,554	82	23.6	17.7-29.5	297	76.4	70.5-82.3
65+	211	21,094	32	15.1	09.4-20.8	179	84.9	79.2-90.6
College Graduate	169	25,266	19	10.6	05.1-16.1	150	89.4	83.9-94.9
\$75,000+	136	23,466	20	10.2	05.3-15.1	116	89.8	84.9-94.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 9: IN THIS NEXT QUESTIONS WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1024	98,143	242	23.2	19.9-26.5	782	76.8	73.5-80.1
White/Non-Hisp	847	77,129	188	21.7	18.2-25.2	659	78.3	74.8-81.8
45-54	157	18,863	45	24.2	16.4-32.0	112	75.8	68.0-83.6
55-64	265	21,793	79	32.5	25.4-39.6	186	67.5	60.4-74.6
65+	480	37,404	83	16.7	12.4-21.0	397	83.3	79.0-87.6
H.S. or G.E.D.	368	31,062	90	24.1	18.6-29.6	278	75.9	70.4-81.4
Some Post-H.S.	272	27,812	60	23.2	16.5-29.9	212	76.8	70.1-83.5
College Graduate	281	29,286	56	18.4	12.7-24.1	225	81.6	75.9-87.3
Less than \$15,000	155	12,862	52	31.4	21.8-41.0	103	68.6	59.0-78.2
\$15,000- 24,999	165	13,281	73	47.9	37.9-57.9	92	52.1	42.1-62.1
\$35,000- 49,999	130	11,832	24	20.0	11.2-28.8	106	80.0	71.2-88.8
\$50,000- 74,999	123	14,605	25	16.9	09.3-24.5	98	83.1	75.5-90.7
\$75,000+	166	20,356	19	12.8	06.1-19.5	147	87.2	80.5-93.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 17: ARTHRITIS BURDEN**

TABLE 10: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	A Lot		Very Little			Not at all		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1510	168,403	218	12.7	10.5-14.9	389	26.4	23.5-29.3	903	61.0	57.7-64.3
Male	469	68,826	59	11.8	08.1-15.5	91	20.9	16.2-25.6	319	67.3	61.8-72.8
Female	1041	99,577	159	13.2	10.7-15.7	298	30.2	26.5-33.9	584	56.6	52.5-60.7
White/Non-Hisp	1249	134,898	162	11.7	09.3-14.1	311	25.0	21.9-28.1	776	63.3	59.8-66.8
Black or Afr. Am./Non-Hisp	171	21,425	34	14.7	08.6-20.8	51	30.2	20.8-39.6			
35-44	120	24,114	23	15.0	07.9-22.1	34	30.6	20.8-40.4			
45-54	224	30,654	40	13.1	08.4-17.8	59	24.0	17.3-30.7	125	62.9	55.3-70.5
55-64	386	38,946	53	11.4	07.5-15.3	115	33.0	26.9-39.1	218	55.6	49.1-62.1
65+	712	59,716	92	11.7	09.0-14.4	159	22.3	18.4-26.2	461	65.9	61.6-70.2
Less Than H.S.	152	15,644	43	26.3	17.1-35.5						
H.S. or G.E.D.	512	53,745	87	14.5	10.4-18.6	139	26.9	21.8-32.0	286	58.6	52.7-64.5
Some Post-H.S.	388	43,371	48	12.9	08.6-17.2	101	27.1	21.2-33.0	239	60.1	53.4-66.8
College Graduate	457	55,358	40	7.0	04.5-09.5	103	23.2	18.1-28.3	314	69.8	64.3-75.3
Less than \$15,000	208	19,691	45	18.9	12.2-25.6	71	34.3	25.5-43.1			
\$15,000- 24,999	213	18,904	74	31.7	23.9-39.5	60	29.6	21.6-37.6	79	38.6	29.8-47.4
\$25,000- 34,999	155	15,537	11	6.0	01.7-10.3						
\$35,000- 49,999	206	21,461	25	13.6	07.7-19.5	47	22.3	15.4-29.2	134	64.1	56.1-72.1
\$50,000- 74,999	200	25,703	16	6.0	02.5-09.5	46	24.3	16.7-31.9	138	69.8	61.6-78.0
\$75,000+	306	44,546	15	3.9	01.7-06.1	63	22.0	15.9-28.1	228	74.1	67.8-80.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 11: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	A Lot		Very Little			Not at all		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	469	68,826	59	11.8	08.1-15.5	91	20.9	16.2-25.6	319	67.3	61.8-72.8
White/Non-Hisp	388	56,673	44	11.4	07.3-15.5	68	18.2	13.3-23.1	276	70.3	64.4-76.2
45-54	66	11,753	13	12.0	05.3-18.7	12	15.3	06.1-24.5			
55-64	117	16,686	13	11.9	04.6-19.2	22	19.9	10.7-29.1			
65+	221	21,646	20	8.1	04.2-12.0	38	17.2	11.3-23.1	163	74.7	68.0-81.4
H.S. or G.E.D.	136	22,214	19	12.6	05.0-20.2	18	17.4	08.8-26.0			
Some Post-H.S.	111	15,197	13	14.0	06.2-21.8						
College Graduate	172	25,433	15	7.6	03.1-12.1	29	18.9	11.5-26.3	128	73.5	65.1-81.9
\$35,000- 49,999	74	9,528	9	14.2	04.6-23.8	10	12.5	04.1-20.9			
\$50,000- 74,999	77	11,099	6	5.9	00.2-11.6						
\$75,000+	137	23,517	9	5.2	01.5-08.9	21	18.4	10.0-26.8	107	76.5	67.5-85.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 12: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	A Lot		Very Little			Not at all		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1041	99,577	159	13.2	10.7-15.7	298	30.2	26.5-33.9	584	56.6	52.7-60.5
White/Non-Hisp	861	78,225	118	11.9	09.4-14.4	243	29.9	26.0-33.8	500	58.3	54.2-62.4
Black or Afr. Am./Non-Hisp	122	14,716	25	14.5	07.2-21.8						
35-44	73	11,770	14	14.4	05.6-23.2						
45-54	158	18,902	27	13.8	07.5-20.1	47	29.5	20.7-38.3	84	56.7	46.9-66.5
55-64	269	22,260	40	11.0	07.1-14.9	93	42.8	35.4-50.2	136	46.2	38.9-53.5
65+	491	38,070	72	13.8	10.1-17.5	121	25.3	20.2-30.4	298	60.9	55.4-66.4
H.S. or G.E.D.	376	31,532	68	15.8	11.5-20.1	121	33.6	27.3-39.9	187	50.6	43.9-57.3
Some Post-H.S.	277	28,174	35	12.3	07.0-17.6	76	29.2	22.1-36.3	166	58.5	50.5-66.5
College Graduate	285	29,925	25	6.5	03.6-09.4	74	26.9	20.2-33.6	186	66.6	59.7-73.5
Less than \$15,000	158	13,010	35	19.8	12.0-27.6	56	35.5	25.9-45.1			
\$15,000- 24,999	168	13,567	60	33.4	24.2-42.6	48	30.3	21.3-39.3	60	36.3	26.7-45.9
\$25,000- 34,999	115	10,191	8	5.4	00.5-10.3						
\$35,000- 49,999	132	11,933	16	13.1	05.8-20.4						
\$50,000- 74,999	123	14,605	10	6.0	01.7-10.3						
\$75,000+	169	21,030	6	2.6	00.4-04.8	42	26.0	17.6-34.4	121	71.5	63.1-79.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

**TABLE 13: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	583	66,470	146	24.7	19.6-29.8	127	24.5	19.6-29.4	143	23.5	18.8-28.2	126	21.1	16.8-25.4	41	6.2	03.5-08.9
Male	184	26,359	52	24.5	17.4-31.6	50	29.9	20.9-38.9	39	20.2	13.1-27.3	31	17.7	10.4-25.0	12	7.6	01.9-13.3
Female	399	40,111	94	24.8	17.9-31.7	77	20.9	15.8-26.0	104	25.7	19.6-31.8	95	23.3	17.8-28.8	29	5.4	02.9-07.9
White/Non-Hisp	488	52,647	127	24.5	19.8-29.2	110	25.9	20.6-31.2	127	25.1	20.2-30.0	96	19.5	15.0-24.0	28	5.0	02.1-07.9
Black or Afr. Am./Non-Hisp	65	9,466							11	12.6	03.8-21.4						
45-54	79	10,730	15	16.1	07.3-24.9				19	17.6	08.4-26.8	18	19.1	09.5-28.7	9	7.1	01.2-13.0
55-64	145	13,760	23	11.7	05.8-17.6	40	29.4	19.6-39.2				29	20.0	11.8-28.2	13	7.8	02.5-13.1
65+	280	24,024	90	35.9	28.8-43.0	55	20.8	14.9-26.7	66	22.8	16.9-28.7	57	18.0	12.9-23.1	12	2.6	01.0-04.2
H.S. or G.E.D.	199	21,166	55	27.0	19.0-35.0	29	16.5	09.6-23.4	48	24.5	16.9-32.1	50	22.2	14.9-29.5	17	9.8	02.7-16.9
Some Post-H.S.	157	18,039							42	23.4	14.8-32.0	31	18.6	10.6-26.6	12	7.3	02.4-12.2
College Graduate	190	21,933	49	25.6	18.0-33.2	57	34.5	25.5-43.5	45	20.7	13.8-27.6	32	17.6	10.5-24.7	7	1.5	00.3-02.7
Less than \$15,000	76	7,471				7	5.5	00.8-10.2							12	12.6	04.0-21.2
\$15,000- 24,999	66	5,775													10	11.5	03.3-19.7
\$25,000- 34,999	60	5,738													5	4.0	00.3-07.7
\$35,000- 49,999	82	8,607				14	14.2	06.0-22.4							1	3.0	00.0-08.7
\$50,000- 74,999	87	11,799										19	17.7	08.3-27.1	3	3.7	00.0-08.6
\$75,000+	122	17,582	28	22.1	13.5-30.7				26	20.2	11.8-28.6	14	12.4	05.0-19.8	6	3.6	00.5-06.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 17: ARTHRITIS BURDEN**

TABLE 14: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	184	26,359	52	24.5	17.2-31.8	50	29.9	20.9-38.9	39	20.2	13.1-27.3	31	17.7	10.4-25.0	12	7.6	01.9-13.3
White/Non-Hisp	151	20,696	44	24.0	16.4-31.6				33	21.3	13.3-29.3	26	18.4	10.6-26.2	8	6.1	00.0-12.4
65+	88	8,703				20	17.2	09.2-25.2				11	12.5	04.3-20.7	1	1.3	00.0-03.8
College Graduate	70	8,916							9	8.5	02.2-14.8				1	1.1	00.0-03.3
\$75,000+	52	8,235													1	1.2	00.0-03.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

**TABLE 15: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	399	40,111	94	24.8	17.9-31.7	77	20.9	15.8-26.0	104	25.7	19.6-31.8	95	23.3	17.8-28.8	29	5.4	02.9-07.9
White/Non-Hisp	337	31,950	83	24.9	19.0-30.8	70	23.1	17.4-28.8	94	27.6	21.5-33.7	70	20.1	14.6-25.6	20	4.3	01.9-06.7
45-54	55	6,232	9	12.6	03.2-22.0										6	6.9	00.0-14.7
55-64	104	8,680	17	12.7	05.1-20.3										10	10.8	03.0-18.6
65+	192	15,321	55	31.0	22.6-39.4	35	22.8	15.0-30.6	45	21.8	14.7-28.9	46	21.1	14.6-27.6	11	3.3	01.1-05.5
H.S. or G.E.D.	143	11,780	39	28.3	18.5-38.1	16	12.0	05.3-18.7	35	23.1	14.9-31.3	41	28.2	19.4-37.0	12	8.4	02.3-14.5
Some Post-H.S.	108	11,675										22	16.8	07.8-25.8	7	5.2	00.5-09.9
College Graduate	120	13,017	25	20.6	11.2-30.0							20	17.7	08.9-26.5	6	1.8	00.2-03.4
Less than \$15,000	57	5,264				5	5.6	00.0-11.3									
\$15,000- 24,999	56	4,432				6	9.3	00.0-19.5							8	9.9	01.7-18.1
\$35,000- 49,999	54	4,625				8	11.9	02.9-20.9									
\$75,000+	70	9,348													5	5.6	00.1-11.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 18: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)	
1	MALES AND FEMALES	213
2	MALES ONLY	214
3	FEMALES ONLY	215
	NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)	
4	MALES AND FEMALES	216
5	MALES ONLY	217
6	FEMALES ONLY	218
	HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)	
7	MALES AND FEMALES	219
8	MALES ONLY	220
9	FEMALES ONLY	221
	HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)	
10	MALES AND FEMALES	222
11	MALES ONLY	223
12	FEMALES ONLY	224
	HOW OFTEN DO YOU EAT CARROTS? (CARROTS)	
13	MALES AND FEMALES	225
14	MALES ONLY	226
15	FEMALES ONLY	227
	NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? (EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS.) (VEGETABL)	
16	MALES AND FEMALES	228
17	MALES ONLY	229
18	FEMALES ONLY	230

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 1: HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3930	612,191	1433	35.6	33.2-38.0	1220	34.3	31.9-36.7	567	14.4	12.6-16.2	137	3.2	02.4-04.0	573	12.5	11.1-13.9
Male	1443	293,750	568	39.5	35.8-43.2	483	35.9	32.4-39.4	194	12.2	09.8-14.6	44	2.7	01.7-03.7	154	9.6	07.6-11.6
Female	2487	318,441	865	32.0	29.3-34.7	737	32.9	29.8-36.0	373	16.4	14.0-18.8	93	3.6	02.6-04.6	419	15.1	13.1-17.1
White/Non-Hisp	3150	463,242	1157	35.6	33.1-38.1	950	33.5	31.0-36.0	461	14.3	12.5-16.1	112	3.6	02.6-04.6	470	13.0	11.4-14.6
Black or Afr. Am./Non-Hisp	482	81,749	175	37.9	31.2-44.6	169	35.8	29.5-42.1	66	15.6	10.3-20.9	12	1.8	00.4-03.2	60	8.8	06.1-11.5
Oth. Race/Non-Hisp.	113	26,487										6	3.3	00.4-06.2			
MultiRacial/Non-Hisp.	63	12,205							6	4.1	00.4-07.8	2	0.7	00.0-01.7	9	11.3	02.5-20.1
Hispanic	97	24,599							15	12.5	02.7-22.3	4	1.2	00.0-02.6	10	4.9	01.0-08.8
18-24	131	77,905							15	14.3	05.7-22.9	1	1.6	00.0-04.5	9	5.3	01.0-09.6
25-34	340	100,963	111	39.9	32.8-47.0	145	38.0	31.5-44.5	47	11.4	07.5-15.3	8	2.0	00.4-03.6	29	8.6	05.1-12.1
35-44	570	110,503	160	28.0	23.5-32.5	198	35.1	30.2-40.0	113	19.8	15.9-23.7	19	3.2	01.4-05.0	80	13.9	10.2-17.6
45-54	720	115,265	209	29.4	25.1-33.7	238	35.4	30.9-39.9	114	16.0	12.7-19.3	40	4.7	02.9-06.5	119	14.5	11.4-17.6
55-64	826	90,138	277	32.3	28.0-36.6	246	32.3	27.8-36.8	132	13.9	11.0-16.8	41	6.0	03.8-08.2	130	15.5	12.2-18.8
65+	1286	111,102	585	45.7	42.4-49.0	337	27.1	24.0-30.2	140	10.7	08.5-12.9	28	1.7	00.9-02.5	196	14.8	12.3-17.3
Less Than H.S.	294	43,896	115	42.1	32.5-51.7	77	26.2	17.8-34.6	38	11.8	06.1-17.5	8	5.7	00.0-11.6	56	14.2	09.3-19.1
H.S. or G.E.D.	1209	171,524	429	33.6	29.5-37.7	366	36.4	31.7-41.1	183	13.7	11.2-16.2	42	3.1	01.9-04.3	189	13.2	10.5-15.9
Some Post-H.S.	1011	151,690	358	36.4	31.7-41.1	336	35.8	31.3-40.3	134	12.6	09.9-15.3	39	3.1	01.9-04.3	144	12.1	09.6-14.6
College Graduate	1411	244,203	529	35.3	31.6-39.0	439	33.5	29.8-37.2	212	16.5	13.2-19.8	48	2.8	01.8-03.8	183	11.8	09.6-14.0
Less than \$15,000	402	45,412	170	40.6	33.3-47.9	119	35.2	27.4-43.0	40	10.3	05.8-14.8	12	1.8	00.6-03.0	61	12.0	07.7-16.3
\$15,000- 24,999	382	45,697	146	37.4	29.8-45.0	110	31.8	24.2-39.4	44	7.8	05.1-10.5	9	3.6	00.7-06.5	73	19.4	12.3-26.5
\$25,000- 34,999	360	48,974	146	41.3	32.9-49.7	97	34.1	25.5-42.7	51	11.0	07.1-14.9	13	3.1	00.9-05.3	53	10.5	06.4-14.6
\$35,000- 49,999	520	76,524	180	33.2	26.7-39.7	178	36.2	29.1-43.3	70	14.5	08.8-20.2	19	2.9	01.3-04.5	73	13.3	09.4-17.2
\$50,000- 74,999	610	108,225	208	34.0	28.1-39.9	193	34.2	27.9-40.5	105	18.2	12.7-23.7	28	3.6	01.8-05.4	76	10.0	07.3-12.7
\$75,000+	1058	201,167	351	33.3	29.4-37.2	356	36.0	32.1-39.9	165	14.8	12.1-17.5	38	3.2	02.0-04.4	148	12.7	10.2-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 2: HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1443	293,750	568	39.5	35.8-43.2	483	35.9	32.4-39.4	194	12.2	09.8-14.6	44	2.7	01.7-03.7	154	9.6	07.6-11.6
White/Non-Hisp	1164	220,170	472	41.0	36.9-45.1	377	34.0	30.1-37.9	159	12.0	09.6-14.4	35	3.1	01.9-04.3	121	9.9	07.5-12.3
Black or Afr. Am./Non-Hisp	149	32,843							15	9.2	03.3-15.1	4	1.8	00.0-04.2	17	8.1	03.6-12.6
Oth. Race/Non-Hisp.	50	15,106										1	1.9	00.0-05.6			
18-24	66	40,584							12	7.4	02.7-12.1	3	2.7	00.0-05.8	5	5.9	00.4-11.4
25-34	119	50,100							40	18.0	12.3-23.7	5	2.6	00.0-05.3	20	10.4	04.5-16.3
35-44	217	53,872	71	32.4	25.0-39.8	81	36.6	29.2-44.0	43	14.6	09.7-19.5	12	3.7	01.3-06.1	29	9.4	05.5-13.3
45-54	261	55,129	75	29.5	22.6-36.4	102	42.8	35.4-50.2	38	10.2	05.9-14.5	9	4.5	01.4-07.6	41	13.7	08.6-18.8
55-64	301	44,785	116	36.1	28.8-43.4	97	35.6	28.2-43.0	15	2.5	00.9-04.1	49	12.0	08.1-15.9			
65+	471	47,657	223	48.2	42.7-53.7	130	26.9	22.2-31.6	14	12.4	02.4-22.4	4	4.5	00.0-10.2	17	12.1	04.8-19.4
Less Than H.S.	112	21,346							66	12.6	08.9-16.3	18	3.5	01.5-05.5	51	12.9	08.2-17.6
H.S. or G.E.D.	422	87,055	147	32.8	26.7-38.9	140	38.2	31.5-44.9	45	10.4	06.5-14.3	9	2.6	00.4-04.8	39	8.4	04.7-12.1
Some Post-H.S.	342	67,961	132	41.7	33.7-49.7	117	36.9	29.5-44.3	69	13.1	08.4-17.8	13	1.9	00.5-03.3	46	7.2	04.7-09.7
College Graduate	564	116,631	244	42.9	37.0-48.8	192	34.8	29.3-40.3	10	9.9	01.7-18.1	4	1.8	00.0-03.8	12	10.5	02.9-18.1
Less than \$15,000	107	19,257							11	5.8	01.7-09.9	4	5.7	00.0-12.6			
\$15,000- 24,999	98	18,450							12	7.5	02.0-13.0	6	5.2	00.1-10.3	13	8.0	01.1-14.9
\$25,000- 34,999	122	19,872							19	6.1	02.8-09.4	3	1.0	00.0-02.4	29	15.1	08.4-21.8
\$35,000- 49,999	213	37,036	81	39.4	29.8-49.0	81	38.3	28.9-47.7	47	18.2	09.6-26.8	10	3.6	00.7-06.5	27	7.2	04.1-10.3
\$50,000- 74,999	265	54,351	102	42.6	33.4-51.8	79	28.5	20.7-36.3	67	12.9	09.4-16.4	10	2.1	00.5-03.7	40	6.9	04.4-09.4
\$75,000+	470	107,792	182	38.6	32.7-44.5	171	39.5	33.6-45.4									

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 3: HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2487	318,441	865	32.0	29.3-34.7	737	32.9	30.0-35.8	373	16.4	14.0-18.8	93	3.6	02.6-04.6	419	15.1	13.1-17.1
White/Non-Hisp	1986	243,072	685	30.8	27.9-33.7	573	33.0	29.5-36.5	302	16.3	13.8-18.8	77	4.0	02.6-05.4	349	15.8	13.6-18.0
Black or Afr. Am./Non-Hisp	333	48,906	116	35.7	27.5-43.9	115	33.2	25.9-40.5	51	20.0	12.4-27.6	8	1.8	00.4-03.2	43	9.2	05.7-12.7
Oth. Race/Non-Hisp.	63	11,381										5	5.2	00.1-10.3			
Hispanic	60	10,400							10	9.8	02.4-17.2	1	0.6	00.0-01.8	9	10.1	01.5-18.7
18-24	65	37,321										1	3.2	00.0-09.5	4	4.7	00.0-11.2
25-34	221	50,863	60	27.1	20.0-34.2	100	44.8	37.0-52.6	35	15.3	09.4-21.2	5	1.3	00.1-02.5	21	11.4	05.9-16.9
35-44	353	56,630	89	23.8	18.5-29.1	117	33.8	27.7-39.9	73	21.5	16.0-27.0	14	3.7	01.3-06.1	60	17.2	12.5-21.9
45-54	459	60,136	134	29.3	23.8-34.8	136	28.6	23.3-33.9	71	17.3	12.6-22.0	28	5.6	03.2-08.0	90	19.1	14.6-23.6
55-64	525	45,353	161	28.5	23.8-33.2	149	29.1	24.2-34.0	94	17.5	13.4-21.6	32	7.6	04.7-10.5	89	17.3	13.2-21.4
65+	815	63,445	362	43.8	39.5-48.1	207	27.3	23.4-31.2	86	11.0	08.3-13.7	13	1.0	00.4-01.6	147	16.9	13.8-20.0
Less Than H.S.	182	22,550				43	22.4	13.2-31.6	24	11.2	05.1-17.3	4	6.8	00.0-16.8	39	16.2	09.3-23.1
H.S. or G.E.D.	787	84,469	282	34.5	29.2-39.8	226	34.5	28.2-40.8	117	14.7	11.2-18.2	24	2.7	01.3-04.1	138	13.5	10.6-16.4
Some Post-H.S.	669	83,730	226	32.1	26.8-37.4	219	34.8	29.5-40.1	89	14.4	10.5-18.3	30	3.6	02.0-05.2	105	15.1	11.6-18.6
College Graduate	847	127,572	285	28.4	24.3-32.5	247	32.3	27.2-37.4	143	19.6	15.1-24.1	35	3.6	02.2-05.0	137	16.0	12.5-19.5
Less than \$15,000	295	26,155	123	43.6	36.0-51.2	85	30.7	23.1-38.3	30	10.7	06.0-15.4	8	1.9	00.3-03.5	49	13.2	08.3-18.1
\$15,000- 24,999	284	27,246	111	37.5	29.5-45.5	80	31.2	22.6-39.8	33	9.1	05.4-12.8	5	2.1	00.1-04.1	55	20.0	12.2-27.8
\$25,000- 34,999	238	29,102							39	13.3	08.0-18.6	7	1.7	00.1-03.3	40	12.1	07.0-17.2
\$35,000- 49,999	307	39,488	99	27.3	19.1-35.5				51	22.4	12.4-32.4	16	4.6	01.9-07.3	44	11.5	07.2-15.8
\$50,000- 74,999	345	53,874	106	25.3	18.4-32.2	114	40.1	31.1-49.1	58	18.3	11.4-25.2	18	3.5	01.5-05.5	49	12.8	08.5-17.1
\$75,000+	588	93,375	169	27.2	22.5-31.9	185	32.0	27.1-36.9	98	16.9	12.8-21.0	28	4.5	02.5-06.5	108	19.4	15.1-23.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

**TABLE 4: NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3927	610,202	2004	49.7	47.3-52.1	1402	36.5	34.1-38.9	358	9.7	07.9-11.5	52	1.3	00.7-01.9	111	2.8	02.0-03.6
Male	1431	290,536	597	43.0	39.3-46.7	599	40.9	37.2-44.6	159	11.6	08.9-14.3	25	1.2	00.6-01.8	51	3.2	02.0-04.4
Female	2496	319,666	1407	55.8	52.7-58.9	803	32.5	29.6-35.4	199	7.9	05.9-09.9	27	1.4	00.6-02.2	60	2.5	01.7-03.3
White/Non-Hisp	3149	462,526	1643	50.8	48.3-53.3	1109	36.9	34.4-39.4	263	7.8	06.2-09.4	44	1.4	00.8-02.0	90	3.1	02.3-03.9
Black or Afr. Am./Non-Hisp	478	81,373	197	37.9	31.6-44.2	196	39.9	33.2-46.6	69	19.9	13.4-26.4	4	0.4	00.0-00.8	12	1.8	00.4-03.2
Oth. Race/Non-Hisp.	116	26,712													4	1.9	00.0-04.6
MultiRacial/Non-Hisp.	63	12,205							6	6.5	00.0-13.6	1	2.7	00.0-08.0	3	2.9	00.0-06.6
Hispanic	96	24,238							7	10.3	00.7-19.9	3	2.0	00.0-04.7	1	2.4	00.0-07.1
18-24	130	77,131							21	21.8	11.8-31.8	2	1.9	00.0-05.0	5	2.4	00.0-04.9
25-34	339	100,641	160	48.6	41.7-55.5	134	38.5	31.8-45.2	27	6.8	03.7-09.9	7	1.7	00.3-03.1	11	4.4	01.7-07.1
35-44	569	109,560	271	48.0	42.9-53.1	216	38.7	33.6-43.8	58	10.1	07.0-13.2	7	1.2	00.2-02.2	17	2.0	00.8-03.2
45-54	722	115,323	371	52.9	48.2-57.6	254	36.8	32.1-41.5	69	7.3	05.1-09.5	11	1.1	00.3-01.9	17	1.9	00.9-02.9
55-64	832	90,555	426	51.3	46.8-55.8	287	35.0	30.7-39.3	83	8.9	06.4-11.4	10	1.0	00.4-01.6	26	3.9	01.9-05.9
65+	1276	110,450	689	54.6	51.3-57.9	445	34.8	31.5-38.1	94	6.8	05.0-08.6	15	1.2	00.4-02.0	33	2.7	01.7-03.7
Less Than H.S.	290	43,165	110	42.0	32.2-51.8	119	36.7	27.7-45.7	38	12.0	06.3-17.7	7	4.4	00.0-09.9	16	5.0	01.5-08.5
H.S. or G.E.D.	1207	171,153	543	43.5	39.0-48.0	443	36.8	32.7-40.9	158	14.3	11.0-17.6	14	1.1	00.3-01.9	49	4.4	02.6-06.2
Some Post-H.S.	1016	151,156	500	45.0	40.5-49.5	388	41.8	37.1-46.5	84	8.5	05.6-11.4	18	1.7	00.7-02.7	26	3.1	01.5-04.7
College Graduate	1409	243,852	848	58.3	54.4-62.2	450	32.9	29.2-36.6	78	6.9	04.2-09.6	13	0.6	00.2-01.0	20	1.2	00.4-02.0
Less than \$15,000	402	44,901	201	46.9	39.3-54.5	145	37.7	30.3-45.1	34	9.7	05.2-14.2	6	1.2	00.0-02.4	16	4.5	01.4-07.6
\$15,000- 24,999	378	45,222	162	40.6	32.8-48.4	132	36.8	28.8-44.8	58	15.8	09.3-22.3	7	1.2	00.2-02.2	19	5.6	02.3-08.9
\$25,000- 34,999	355	48,581	171	46.4	38.0-54.8	127	37.0	29.0-45.0	38	11.1	03.8-18.4	5	1.9	00.0-03.9	14	3.6	00.7-06.5
\$35,000- 49,999	518	76,173	252	49.5	42.2-56.8	195	34.2	27.9-40.5	52	11.6	06.9-16.3	6	1.3	00.1-02.5	13	3.4	01.0-05.8
\$50,000- 74,999	610	107,615	312	45.3	39.0-51.6	232	41.4	34.9-47.9	52	11.1	05.8-16.4	5	0.7	00.0-01.5	9	1.4	00.4-02.4
\$75,000+	1059	201,664	580	54.2	50.1-58.3	368	36.2	32.3-40.1	75	6.5	04.3-08.7	14	1.1	00.3-01.9	22	1.9	00.9-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 5: NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1431	290,536	597	43.0	39.3-46.7	599	40.9	37.2-44.6	159	11.6	08.9-14.3	25	1.2	00.6-01.8	51	3.2	02.0-04.4
White/Non-Hisp	1154	218,414	490	43.2	39.3-47.1	484	42.7	38.6-46.8	115	9.1	06.6-11.6	23	1.4	00.6-02.2	42	3.6	02.2-05.0
Black or Afr. Am./Non-Hisp	146	32,468	48	31.9	21.9-41.9							1	0.2	00.0-00.6	4	1.2	00.0-02.6
Oth. Race/Non-Hisp.	52	15,275													3	3.1	00.0-07.8
18-24	65	39,810													3	2.3	00.0-05.2
25-34	119	50,100							10	7.0	01.7-12.3	4	2.1	00.0-04.5	4	4.9	00.2-09.6
35-44	215	52,806	88	40.8	33.0-48.6	93	44.8	36.8-52.8	28	11.9	06.8-17.0	2	1.2	00.0-02.8	4	1.3	00.0-02.9
45-54	259	54,876	108	46.2	38.8-53.6	111	43.6	36.2-51.0	28	7.5	04.4-10.6	3	0.6	00.0-01.2	9	2.2	00.4-04.0
55-64	303	44,563	117	42.8	35.4-50.2	128	40.9	33.5-48.3	37	9.1	04.8-13.4	6	1.3	00.1-02.5	15	6.0	02.1-09.9
65+	460	46,629	206	47.5	42.0-53.0	190	40.2	34.7-45.7	38	7.2	04.5-09.9	10	1.9	00.3-03.5	16	3.2	01.4-05.0
Less Than H.S.	110	20,789										1	0.4	00.0-01.2	6	6.2	00.0-12.7
H.S. or G.E.D.	414	85,781	161	37.8	31.3-44.3	161	39.2	32.5-45.9	62	16.0	10.9-21.1	8	1.2	00.0-02.4	22	5.8	02.7-08.9
Some Post-H.S.	345	67,397	124	35.7	28.1-43.3	163	49.6	41.8-57.4	40	10.5	05.0-16.0	7	1.7	00.1-03.3	11	2.4	00.4-04.4
College Graduate	559	115,812	281	52.2	46.3-58.1	219	37.0	31.3-42.7	38	8.4	03.7-13.1	9	1.1	00.3-01.9	12	1.4	00.4-02.4
Less than \$15,000	107	18,849							10	10.3	01.7-18.9	2	0.5	00.0-01.3	6	5.9	00.0-12.4
\$15,000- 24,999	94	17,967										3	1.1	00.0-02.5	8	8.2	00.6-15.8
\$25,000- 34,999	119	19,552							19	10.1	04.2-16.0	4	3.6	00.0-07.9	7	5.7	00.0-12.4
\$35,000- 49,999	211	36,737	85	37.8	28.4-47.2	88	40.4	31.0-49.8	29	15.7	07.9-23.5	2	1.5	00.0-03.7	7	4.6	00.3-08.9
\$50,000- 74,999	262	53,768	114	41.5	32.5-50.5	115	43.2	34.0-52.4	28	13.3	04.9-21.7	1	0.7	00.0-02.1	4	1.2	00.0-02.6
\$75,000+	470	107,879	218	49.3	43.2-55.4	195	40.8	34.9-46.7	37	7.1	03.8-10.4	9	1.2	00.2-02.2	11	1.7	00.5-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 6: NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2496	319,666	1407	55.8	52.7-58.9	803	32.5	29.6-35.4	199	7.9	05.9-09.9	27	1.4	00.6-02.2	60	2.5	01.7-03.3
White/Non-Hisp	1995	244,112	1153	57.6	54.3-60.9	625	31.7	28.6-34.8	148	6.6	04.8-08.4	21	1.5	00.3-02.7	48	2.6	01.6-03.6
Black or Afr. Am./Non-Hisp	332	48,905	149	42.0	34.2-49.8	133	39.4	31.4-47.4	39	15.8	08.2-23.4	3	0.5	00.0-01.3	8	2.3	00.3-04.3
Oth. Race/Non-Hisp.	64	11,437							5	4.5	00.0-09.0				1	0.4	00.0-01.2
Hispanic	60	10,550							3	4.2	00.0-09.5	3	4.5	00.0-10.8			
18-24	65	37,321										2	3.8	00.0-10.1	2	2.4	00.0-06.7
25-34	220	50,541	109	51.9	44.1-59.7	84	36.3	28.9-43.7	17	6.6	03.3-09.9	3	1.2	00.0-02.6	7	3.9	00.8-07.0
35-44	354	56,755	183	54.7	48.4-61.0	123	33.0	26.9-39.1	30	8.5	05.0-12.0	5	1.2	00.2-02.2	13	2.7	00.9-04.5
45-54	463	60,447	263	59.1	53.4-64.8	143	30.6	25.3-35.9	41	7.2	04.3-10.1	8	1.5	00.1-02.9	8	1.6	00.4-02.8
55-64	529	45,992	309	59.5	54.4-64.6	159	29.3	24.4-34.2	46	8.7	05.8-11.6	4	0.7	00.0-01.5	11	1.8	00.6-03.0
65+	816	63,822	483	59.7	55.4-64.0	255	30.9	26.8-35.0	56	6.4	04.2-08.6	5	0.7	00.0-01.5	17	2.3	01.1-03.5
Less Than H.S.	180	22,376							19	8.8	03.9-13.7	6	8.0	00.0-18.2	10	3.9	01.2-06.6
H.S. or G.E.D.	793	85,372	382	49.2	43.3-55.1	282	34.4	29.3-39.5	96	12.5	08.0-17.0	6	0.9	00.0-01.9	27	3.0	01.6-04.4
Some Post-H.S.	671	83,758	376	52.4	46.9-57.9	225	35.5	30.0-41.0	44	6.8	03.9-09.7	11	1.7	00.5-02.9	15	3.6	01.1-06.1
College Graduate	850	128,040	567	63.9	58.8-69.0	231	29.3	24.4-34.2	40	5.5	02.6-08.4	4	0.3	00.1-00.5	8	1.1	00.1-02.1
Less than \$15,000	295	26,052	155	48.9	41.1-56.7	102	36.6	28.8-44.4	24	9.4	04.9-13.9	4	1.7	00.0-03.5	10	3.5	01.0-06.0
\$15,000- 24,999	284	27,255	136	48.1	39.3-56.9	93	34.1	25.5-42.7	40	12.6	07.7-17.5	4	1.3	00.0-02.9	11	3.9	01.4-06.4
\$25,000- 34,999	236	29,030										1	0.8	00.0-02.4	7	2.2	00.2-04.2
\$35,000- 49,999	307	39,437	167	60.4	51.0-69.8	107	28.4	20.2-36.6	23	7.8	02.9-12.7	4	1.2	00.0-02.4	6	2.2	00.0-04.4
\$50,000- 74,999	348	53,846	198	49.1	40.5-57.7	117	39.7	30.5-48.9	24	9.0	02.7-15.3	4	0.7	00.0-01.5	5	1.6	00.0-03.2
\$75,000+	589	93,785	362	59.9	54.8-65.0	173	31.0	26.1-35.9	38	5.9	03.4-08.4	5	1.1	00.1-02.1	11	2.2	00.6-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 7: HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3922	610,831	867	20.9	18.9-22.9	2377	60.9	58.5-63.3	464	12.8	11.0-14.6	44	1.0	00.6-01.4	170	4.4	03.4-05.4
Male	1443	292,455	263	17.6	14.9-20.3	883	59.5	55.8-63.2	201	15.9	12.8-19.0	22	1.4	00.6-02.2	74	5.6	03.8-07.4
Female	2479	318,376	604	24.0	21.5-26.5	1494	62.2	59.3-65.1	263	9.8	08.0-11.6	22	0.6	00.2-01.0	96	3.4	02.4-04.4
White/Non-Hisp	3141	462,329	678	20.4	18.4-22.4	1971	64.4	61.9-66.9	332	10.8	09.0-12.6	34	0.9	00.5-01.3	126	3.4	02.6-04.2
Black or Afr. Am./Non-Hisp	480	81,459	96	20.7	15.0-26.4	250	49.4	42.7-56.1	100	21.9	16.2-27.6	9	1.8	00.0-03.6	25	6.2	02.5-09.9
MultiRacial/Non-Hisp.	63	12,205							10	11.1	02.1-20.1	1	2.9	00.0-08.6			
Hispanic	98	25,004													4	3.9	00.0-08.8
18-24	129	76,924	19	16.2	08.4-24.0				24	20.6	11.0-30.2	2	1.3	00.0-03.1	12	6.4	02.1-10.7
25-34	339	100,866	72	19.4	14.1-24.7	205	60.1	53.2-67.0	45	13.3	08.4-18.2	4	1.0	00.0-02.2	13	6.3	02.4-10.2
35-44	570	110,261	97	16.6	12.9-20.3	367	65.0	60.1-69.9	75	13.4	09.7-17.1	8	1.4	00.2-02.6	23	3.7	01.7-05.7
45-54	721	115,441	169	22.7	18.6-26.8	428	62.6	58.1-67.1	98	12.2	09.5-14.9	4	0.3	00.0-00.7	22	2.3	01.1-03.5
55-64	832	90,620	191	23.7	20.0-27.4	505	61.6	57.1-66.1	94	10.1	07.4-12.8	10	0.8	00.2-01.4	32	3.7	02.1-05.3
65+	1271	110,234	304	25.4	22.3-28.5	761	58.9	55.6-62.2	125	9.4	07.4-11.4	16	1.3	00.3-02.3	65	5.0	03.6-06.4
Less Than H.S.	291	42,895	46	19.3	10.7-27.9	150	51.8	42.0-61.6	44	14.1	07.6-20.6	15	5.4	01.7-09.1	36	9.5	05.2-13.8
H.S. or G.E.D.	1202	170,841	208	15.0	12.3-17.7	726	60.5	56.2-64.8	195	17.3	13.8-20.8	13	1.2	00.2-02.2	60	6.0	03.6-08.4
Some Post-H.S.	1011	151,644	217	20.6	16.9-24.3	632	60.2	55.5-64.9	109	14.4	10.3-18.5	11	0.8	00.2-01.4	42	4.0	02.2-05.8
College Graduate	1414	244,613	395	25.5	22.4-28.6	868	63.4	59.7-67.1	116	8.4	05.9-10.9	5	0.2	00.0-00.6	30	2.5	01.1-03.9
Less than \$15,000	400	44,777	81	15.8	11.5-20.1	221	57.0	49.6-64.4	60	15.8	10.9-20.7	6	0.6	00.0-01.2	32	10.8	05.1-16.5
\$15,000- 24,999	378	45,410	56	14.4	08.5-20.3	202	49.2	41.2-57.2	67	17.9	11.0-24.8	13	5.7	01.6-09.8	40	12.9	06.2-19.6
\$25,000- 34,999	357	48,591	65	17.5	11.4-23.6	232	67.4	59.8-75.0	42	11.5	06.2-16.8	6	0.8	00.0-01.6	12	2.8	01.0-04.6
\$35,000- 49,999	519	76,375	122	19.5	14.8-24.2	307	58.8	51.7-65.9	66	17.2	10.7-23.7	5	0.5	00.0-01.1	19	4.0	01.3-06.7
\$50,000- 74,999	614	107,725	138	20.5	15.8-25.2	376	59.4	53.1-65.7	81	16.7	11.2-22.2	7	0.8	00.0-01.6	12	2.5	00.5-04.5
\$75,000+	1057	201,513	275	24.8	21.3-28.3	673	65.4	61.7-69.1	80	6.8	05.0-08.6	4	0.7	00.0-01.5	25	2.2	01.0-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 8: HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1443	292,455	263	17.6	14.9-20.3	883	59.5	55.8-63.2	201	15.9	12.8-19.0	22	1.4	00.6-02.2	74	5.6	03.8-07.4
White/Non-Hisp	1163	219,390	202	17.0	14.1-19.9	744	63.7	59.8-67.6	152	14.1	11.2-17.0	17	1.5	00.5-02.5	48	3.8	02.2-05.4
Black or Afr. Am./Non-Hisp	149	32,729	27	16.3	07.9-24.7				32	23.3	13.7-32.9	4	1.8	00.0-03.8	13	11.0	02.6-19.4
18-24	65	39,810	8	14.0	04.4-23.6							1	0.9	00.0-02.7	9	11.4	03.4-19.4
25-34	119	50,100	22	16.9	08.7-25.1				17	13.7	05.5-21.9	2	1.6	00.0-04.0	5	8.0	01.1-14.9
35-44	217	53,686	29	14.7	09.0-20.4	133	59.9	52.1-67.7	38	18.6	11.9-25.3	6	2.7	00.3-05.1	11	4.1	01.0-07.2
45-54	261	55,146	46	18.4	12.3-24.5	159	62.3	55.0-69.6	43	15.8	10.7-20.9	2	0.5	00.0-01.3	11	2.9	00.9-04.9
55-64	304	44,649	56	17.9	12.4-23.4	184	63.8	56.7-70.9	44	13.5	08.2-18.8	5	0.8	00.0-01.8	15	4.0	01.5-06.5
65+	467	47,311	100	22.4	17.7-27.1	292	61.7	56.2-67.2	46	9.5	06.2-12.8	6	2.0	00.0-04.0	23	4.4	02.2-06.6
Less Than H.S.	111	20,541										8	8.1	01.0-15.2	16	10.9	03.5-18.3
H.S. or G.E.D.	420	86,364	57	12.9	08.4-17.4	246	55.4	48.5-62.3	87	22.6	16.5-28.7	5	1.3	00.0-02.7	25	7.8	03.5-12.1
Some Post-H.S.	343	68,069	55	14.3	09.2-19.4	218	61.5	53.7-69.3	48	18.0	10.7-25.3	6	1.3	00.0-02.7	16	4.9	01.4-08.4
College Graduate	566	116,726	131	22.8	18.1-27.5	366	64.0	58.1-69.9	51	9.8	05.5-14.1	3	0.4	00.0-01.0	15	3.0	00.8-05.2
Less than \$15,000	106	18,813	14	9.6	03.1-16.1				20	14.2	06.4-22.0	4	0.9	00.0-01.9			
\$15,000- 24,999	98	18,494										6	8.3	00.5-16.1			
\$25,000- 34,999	121	19,580	20	16.7	07.9-25.5							2	1.3	00.0-03.1	8	4.0	01.1-06.9
\$35,000- 49,999	213	37,036	44	14.7	09.0-20.4	129	58.7	48.9-68.5	32	20.7	11.1-30.3				8	5.9	00.6-11.2
\$50,000- 74,999	266	53,681	48	17.3	10.6-24.0	164	55.7	46.3-65.1	45	22.7	13.5-31.9	5	1.4	00.0-02.8	4	3.0	00.0-06.7
\$75,000+	470	107,879	97	20.4	15.7-25.1	311	68.1	62.6-73.6	45	7.9	05.2-10.6	4	1.3	00.0-02.7	13	2.2	00.4-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 9: HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2479	318,376	604	24.0	21.5-26.5	1494	62.2	59.3-65.1	263	9.8	08.0-11.6	22	0.6	00.2-01.0	96	3.4	02.4-04.4
White/Non-Hisp	1978	242,938	476	23.5	20.8-26.2	1227	65.0	61.9-68.1	180	7.9	06.1-09.7	17	0.4	00.2-00.6	78	3.1	02.3-03.9
Black or Afr. Am./Non-Hisp	331	48,730	69	23.6	16.0-31.2	177	50.6	42.2-59.0	68	20.9	14.2-27.6	5	1.9	00.0-04.4	12	3.0	00.8-05.2
Oth. Race/Non-Hisp.	64	11,437							4	6.8	00.0-15.6						
Hispanic	60	10,550							4	4.5	00.0-10.2				2	3.3	00.0-08.2
18-24	64	37,114										1	1.6	00.0-04.7	3	1.0	00.0-02.4
25-34	220	50,766	50	21.8	15.3-28.3	132	60.3	52.5-68.1	28	12.9	07.6-18.2	2	0.5	00.0-01.3	8	4.5	00.4-08.6
35-44	353	56,575	68	18.3	13.4-23.2	234	69.9	64.2-75.6	37	8.4	05.3-11.5	2	0.2	00.0-00.4	12	3.2	01.0-05.4
45-54	460	60,296	123	26.5	21.0-32.0	269	62.8	57.1-68.5	55	8.8	06.1-11.5	2	0.1	00.0-00.3	11	1.7	00.5-02.9
55-64	528	45,970	135	29.4	24.3-34.5	321	59.5	54.2-64.8	50	6.8	04.6-09.0	5	0.8	00.0-01.8	17	3.4	01.4-05.4
65+	804	62,924	204	27.7	23.8-31.6	469	56.7	52.4-61.0	79	9.4	06.9-11.9	10	0.8	00.2-01.4	42	5.4	03.6-07.2
Less Than H.S.	180	22,354							29	12.0	06.3-17.7	7	2.9	00.5-05.3	20	8.2	03.7-12.7
H.S. or G.E.D.	782	84,478	151	17.1	13.6-20.6	480	65.6	60.7-70.5	108	12.0	09.1-14.9	8	1.0	00.0-02.4	35	4.3	02.5-06.1
Some Post-H.S.	668	83,575	162	25.7	20.8-30.6	414	59.2	53.5-64.9	61	11.4	06.9-15.9	5	0.4	00.0-00.8	26	3.3	01.5-05.1
College Graduate	848	127,887	264	28.0	23.7-32.3	502	62.8	57.9-67.7	65	7.1	04.4-09.8	2	0.1	00.1-00.1	15	2.0	00.4-03.6
Less than \$15,000	294	25,964	67	20.3	14.6-26.0	163	55.3	47.7-62.9	40	16.9	10.6-23.2	2	0.4	00.0-01.0	22	7.0	03.5-10.5
\$15,000- 24,999	280	26,916	44	13.2	08.3-18.1	158	56.8	48.0-65.6	50	16.8	10.9-22.7	7	3.8	00.0-08.3	21	9.4	02.3-16.5
\$25,000- 34,999	236	29,011	45	18.0	09.8-26.2	161	74.4	65.6-83.2	22	5.1	02.6-07.6	4	0.5	00.0-01.1	4	1.9	00.0-04.1
\$35,000- 49,999	306	39,339	78	24.0	16.7-31.3	178	59.0	49.0-69.0	34	13.8	05.6-22.0	5	1.0	00.0-02.0	11	2.2	00.6-03.8
\$50,000- 74,999	348	54,044	90	23.8	17.3-30.3	212	63.2	55.2-71.2	36	10.8	05.5-16.1	2	0.2	00.0-00.4	8	2.1	00.3-03.9
\$75,000+	587	93,634	178	30.0	25.1-34.9	362	62.2	56.9-67.5	35	5.6	03.1-08.1				12	2.2	00.6-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 10: HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3918	609,024	129	2.7	01.9-03.5	2513	63.7	61.3-66.1	956	25.5	23.3-27.7	82	2.4	01.6-03.2	238	5.6	04.6-06.6
Male	1435	290,382	55	3.0	01.8-04.2	975	67.4	63.9-70.9	299	22.2	19.1-25.3	30	2.5	01.3-03.7	76	5.0	03.4-06.6
Female	2483	318,642	74	2.5	01.5-03.5	1538	60.4	57.3-63.5	657	28.6	25.5-31.7	52	2.4	01.4-03.4	162	6.1	04.7-07.5
White/Non-Hisp	3144	461,756	108	2.8	01.8-03.8	2095	66.3	63.8-68.8	707	23.8	21.4-26.2	57	2.2	01.4-03.0	177	4.8	03.8-05.8
Black or Afr. Am./Non-Hisp	476	80,766	10	1.3	00.3-02.3	244	51.1	44.2-58.0	169	35.1	28.6-41.6	16	3.6	00.9-06.3	37	8.9	04.8-13.0
Oth. Race/Non-Hisp.	112	25,606	3	1.1	00.0-02.5							5	4.5	00.2-08.8	12	10.3	02.1-18.5
MultiRacial/Non-Hisp.	62	12,142										1	1.3	00.0-03.8	7	9.4	00.6-18.2
Hispanic	97	24,775	2	0.5	00.0-01.3							2	1.7	00.0-04.6	2	0.8	00.0-02.0
18-24	128	76,836	6	5.2	00.5-09.9							3	3.0	00.0-06.7	14	6.1	02.0-10.2
25-34	340	100,063	6	1.8	00.0-03.6	215	65.3	58.8-71.8	92	24.5	19.0-30.0	6	2.4	00.0-04.8	21	6.0	02.9-09.1
35-44	568	109,737	12	1.6	00.6-02.6	373	67.3	62.6-72.0	139	23.9	19.8-28.0	18	2.6	01.2-04.0	26	4.6	02.4-06.8
45-54	720	115,290	26	2.8	01.2-04.4	450	64.1	59.6-68.6	195	26.4	22.3-30.5	22	3.8	01.8-05.8	27	3.0	01.6-04.4
55-64	829	90,187	23	2.4	01.2-03.6	523	63.9	59.6-68.2	214	26.0	21.9-30.1	21	2.3	01.1-03.5	48	5.4	03.4-07.4
65+	1274	110,481	56	3.5	02.3-04.7	846	68.5	65.4-71.6	264	19.1	16.4-21.8	11	0.6	00.2-01.0	97	8.4	06.4-10.4
Less Than H.S.	287	42,625	20	9.6	02.3-16.9	170	56.7	46.9-66.5	67	24.7	15.9-33.5	6	3.0	00.0-06.7	24	6.0	02.5-09.5
H.S. or G.E.D.	1209	171,502	55	3.7	02.1-05.3	780	63.6	59.1-68.1	292	25.8	21.5-30.1	16	0.8	00.2-01.4	66	6.0	03.8-08.2
Some Post-H.S.	1009	150,857	24	1.5	00.7-02.3	641	64.8	60.3-69.3	258	26.0	21.7-30.3	21	3.0	01.2-04.8	65	4.7	03.3-06.1
College Graduate	1408	243,162	30	1.6	00.8-02.4	917	64.2	60.5-67.9	339	25.3	21.8-28.8	39	3.1	01.7-04.5	83	5.7	04.1-07.3
Less than \$15,000	396	44,594	19	3.0	01.2-04.8	234	58.5	50.9-66.1	103	29.5	22.1-36.9	8	1.2	00.2-02.2	32	7.8	04.5-11.1
\$15,000- 24,999	377	44,917	23	5.9	01.8-10.0	214	55.5	47.3-63.7	103	23.5	17.6-29.4	7	1.1	00.0-02.3	30	14.1	06.3-21.9
\$25,000- 34,999	361	49,083	11	3.5	00.6-06.4	237	68.5	60.3-76.7	86	22.2	14.4-30.0	7	1.9	00.1-03.7	20	3.9	01.7-06.1
\$35,000- 49,999	516	75,943	15	2.3	00.7-03.9	340	61.3	53.9-68.7	117	26.5	19.2-33.8	12	4.8	00.7-08.9	32	5.1	02.7-07.5
\$50,000- 74,999	610	106,613	13	2.1	00.7-03.5	414	63.2	56.7-69.7	147	29.9	23.2-36.6	12	1.9	00.5-03.3	24	2.9	01.5-04.3
\$75,000+	1059	201,554	23	1.3	00.7-01.9	697	66.8	63.1-70.5	254	23.9	20.4-27.4	27	2.7	01.5-03.9	58	5.2	03.6-06.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 11: HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1435	290,382	55	3.0	01.8-04.2	975	67.4	63.9-70.9	299	22.2	19.1-25.3	30	2.5	01.3-03.7	76	5.0	03.4-06.6
White/Non-Hisp	1156	217,620	46	3.1	01.7-04.5	814	70.6	67.1-74.1	220	19.9	16.8-23.0	23	2.2	01.0-03.4	53	4.1	02.7-05.5
Black or Afr. Am./Non-Hisp	149	32,843	4	1.6	00.0-03.4							3	4.0	00.0-09.9	11	10.5	02.1-18.9
Oth. Race/Non-Hisp.	50	14,450	1	0.5	00.0-01.5							4	6.9	00.0-14.2	5	6.5	00.0-13.2
18-24	65	39,810	3	5.5	00.0-12.2							2	2.8	00.0-06.9	6	8.1	00.7-15.5
25-34	119	49,209	3	1.7	00.0-04.2	80	72.2	62.6-81.8	30	20.9	12.7-29.1	2	2.6	00.0-06.5	4	2.7	00.0-05.8
35-44	216	53,195	6	2.3	00.3-04.3	144	68.8	61.5-76.1	48	22.0	15.7-28.3	9	2.8	00.6-05.0	9	4.0	00.5-07.5
45-54	261	55,094	7	1.4	00.0-02.8	170	68.0	61.3-74.7	65	22.7	16.8-28.6	10	5.0	01.7-08.3	9	3.0	00.8-05.2
55-64	301	44,306	12	3.1	00.9-05.3	202	66.7	59.6-73.8	64	23.5	16.8-30.2	4	0.8	00.0-01.8	19	5.9	02.8-09.0
65+	463	47,014	24	4.7	02.5-06.9	335	72.3	67.2-77.4	74	15.5	11.2-19.8	3	0.4	00.0-01.0	27	7.0	04.1-09.9
Less Than H.S.	109	20,316	7	7.9	00.0-17.7				20	16.4	06.8-26.0	3	5.4	00.0-13.0	6	5.3	00.0-11.4
H.S. or G.E.D.	418	86,111	23	4.8	01.9-07.7	283	65.9	59.4-72.4	88	22.0	16.7-27.3	3	0.6	00.0-01.4	21	6.7	02.8-10.6
Some Post-H.S.	343	67,769	10	1.9	00.5-03.3	233	69.6	62.2-77.0	72	22.2	15.3-29.1	9	3.3	00.0-06.6	19	3.0	01.4-04.6
College Graduate	562	115,430	15	1.4	00.4-02.4	383	67.3	61.6-73.0	119	23.5	18.2-28.8	15	2.9	01.3-04.5	30	4.9	02.9-06.9
Less than \$15,000	102	18,564	10	4.1	00.8-07.4							1	0.2	00.0-00.8	7	5.7	00.6-10.8
\$15,000- 24,999	98	17,987	5	7.1	00.0-16.5				21	19.3	09.3-29.3	1	1.2	00.0-03.6			
\$25,000- 34,999	123	19,944	4	3.0	00.0-06.3				30	21.1	11.1-31.1	2	1.0	00.0-02.4	6	4.0	00.5-07.5
\$35,000- 49,999	211	36,778	6	2.0	00.0-04.0	144	66.6	57.4-75.8	41	20.9	13.3-28.5	8	6.0	00.3-11.7	12	4.5	01.2-07.8
\$50,000- 74,999	263	52,592	5	1.7	00.0-03.5	194	67.6	58.0-77.2	52	27.6	17.8-37.4	3	0.8	00.0-01.8	9	2.3	00.7-03.9
\$75,000+	470	107,757	13	1.9	00.7-03.1	325	71.0	65.7-76.3	98	20.4	15.7-25.1	11	2.6	00.8-04.4	23	4.0	02.0-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 12: HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2483	318,642	74	2.5	01.5-03.5	1538	60.4	57.3-63.5	657	28.6	25.5-31.7	52	2.4	01.4-03.4	162	6.1	04.7-07.5
White/Non-Hisp	1988	244,136	62	2.6	01.4-03.8	1281	62.5	59.0-66.0	487	27.3	23.8-30.8	34	2.1	00.9-03.3	124	5.5	04.3-06.7
Black or Afr. Am./Non-Hisp	327	47,923	6	1.1	00.1-02.1	163	52.5	44.1-60.9	119	35.4	27.4-43.4	13	3.3	00.9-05.7	26	7.8	03.7-11.9
Oth. Race/Non-Hisp.	62	11,155	2	1.9	00.0-04.8							1	1.5	00.0-04.4			
Hispanic	61	10,770	1	0.5	00.0-01.5							2	3.9	00.0-10.6	1	0.5	00.0-01.5
18-24	63	37,026	3	4.8	00.0-11.5							1	3.3	00.0-09.6	8	3.9	00.8-07.0
25-34	221	50,854	3	1.8	00.0-04.0	135	58.6	50.6-66.6	62	28.1	20.8-35.4	4	2.3	00.0-04.8	17	9.3	04.0-14.6
35-44	352	56,542	6	0.9	00.1-01.7	229	65.9	59.8-72.0	91	25.6	20.1-31.1	9	2.4	00.4-04.4	17	5.2	02.3-08.1
45-54	459	60,196	19	4.0	01.5-06.5	280	60.5	54.6-66.4	130	29.8	24.3-35.3	12	2.7	00.9-04.5	18	3.0	01.2-04.8
55-64	528	45,881	11	1.7	00.5-02.9	321	61.1	55.8-66.4	150	28.4	23.5-33.3	17	3.8	01.4-06.2	29	5.0	02.8-07.2
65+	811	63,467	32	2.6	01.6-03.6	511	65.6	61.5-69.7	190	21.7	18.2-25.2	8	0.7	00.1-01.3	70	9.3	06.8-11.8
Less Than H.S.	178	22,309										3	0.9	00.0-01.9	18	6.7	03.0-10.4
H.S. or G.E.D.	791	85,391	32	2.7	01.5-03.9	497	61.3	55.2-67.4	204	29.7	23.4-36.0	13	1.1	00.5-01.7	45	5.2	03.2-07.2
Some Post-H.S.	666	83,089	14	1.1	00.3-01.9	408	60.9	55.4-66.4	186	29.1	23.8-34.4	12	2.7	00.9-04.5	46	6.2	04.0-08.4
College Graduate	846	127,732	15	1.8	00.4-03.2	534	61.4	56.3-66.5	220	27.0	22.1-31.9	24	3.3	01.1-05.5	53	6.5	04.0-09.0
Less than \$15,000	294	26,029	9	2.3	00.3-04.3	170	57.1	49.5-64.7	83	29.5	22.4-36.6	7	1.9	00.3-03.5	25	9.2	04.9-13.5
\$15,000- 24,999	279	26,930	18	5.1	02.2-08.0	156	60.7	52.1-69.3	82	26.3	19.2-33.4	6	1.0	00.0-02.0	17	6.9	00.2-13.6
\$25,000- 34,999	238	29,139	7	3.9	00.0-08.4							5	2.5	00.0-05.4	14	3.8	01.1-06.5
\$35,000- 49,999	305	39,165	9	2.6	00.4-04.8							4	3.6	00.0-09.5	20	5.7	02.6-08.8
\$50,000- 74,999	347	54,021	8	2.4	00.2-04.6	220	59.1	50.3-67.9	95	32.2	23.2-41.2	9	3.0	00.6-05.4	15	3.4	01.2-05.6
\$75,000+	589	93,798	10	0.6	00.2-01.0	372	62.0	56.7-67.3	156	27.9	23.0-32.8	16	2.9	01.1-04.7	35	6.5	03.8-09.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 13: HOW OFTEN DO YOU EAT CARROTS? (CARROTS)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3876	604,847	281	6.8	05.6-08.0	1821	46.4	44.0-48.8	1209	30.9	28.5-33.3	135	3.4	02.4-04.4	430	12.5	10.7-14.3
Male	1424	289,451	89	5.9	04.3-07.5	658	45.4	41.7-49.1	457	31.8	28.3-35.3	48	3.7	02.1-05.3	172	13.2	10.7-15.7
Female	2452	315,396	192	7.6	06.0-09.2	1163	47.3	44.2-50.4	752	30.2	27.3-33.1	87	3.1	02.1-04.1	258	11.8	09.6-14.0
White/Non-Hisp	3112	458,955	214	6.7	05.5-07.9	1524	48.9	46.2-51.6	977	31.0	28.5-33.5	97	2.7	01.9-03.5	300	10.7	08.9-12.5
Black or Afr. Am./Non-Hisp	471	80,167	37	4.9	02.7-07.1	163	35.9	29.4-42.4	151	31.5	24.8-38.2	25	6.0	02.5-09.5	95	21.6	16.3-26.9
Oth. Race/Non-Hisp.	109	25,179										5	6.5	00.0-14.3	13	11.0	03.4-18.6
MultiRacial/Non-Hisp.	61	11,692	8	9.3	01.7-16.9							1	0.8	00.0-02.4			
Hispanic	97	24,929	8	4.8	00.7-08.9							5	4.0	00.1-07.9	7	8.6	00.0-18.2
18-24	129	77,057	9	5.1	01.0-09.2							5	3.7	00.0-07.6	29	19.7	11.5-27.9
25-34	337	100,256	26	7.0	03.7-10.3	147	46.2	39.1-53.3	103	26.8	20.9-32.7	12	4.6	01.5-07.7	49	15.4	10.3-20.5
35-44	565	109,397	34	6.6	03.9-09.3	269	50.3	45.2-55.4	176	29.7	25.2-34.2	13	1.8	00.6-03.0	73	11.6	08.7-14.5
45-54	714	113,911	55	6.7	04.3-09.1	306	45.2	40.5-49.9	237	32.3	28.0-36.6	33	5.0	03.0-07.0	83	10.8	07.9-13.7
55-64	826	89,972	60	7.5	05.1-09.9	386	47.8	43.3-52.3	263	31.0	26.9-35.1	37	3.5	01.9-05.1	80	10.2	07.1-13.3
65+	1250	108,401	93	7.5	05.5-09.5	642	51.7	48.2-55.2	371	29.0	25.9-32.1	31	2.0	01.0-03.0	113	9.8	07.6-12.0
Less Than H.S.	282	42,343	20	6.7	03.0-10.4	104	35.0	25.2-44.8	89	35.2	25.8-44.6	12	4.4	01.1-07.7	57	18.6	11.5-25.7
H.S. or G.E.D.	1200	170,315	63	4.6	03.0-06.2	514	42.0	37.7-46.3	427	35.7	31.4-40.0	48	3.1	01.9-04.3	148	14.6	11.3-17.9
Some Post-H.S.	995	149,677	83	8.0	05.6-10.4	462	44.3	39.8-48.8	311	31.0	26.5-35.5	39	4.2	02.0-06.4	100	12.5	09.0-16.0
College Graduate	1394	241,635	115	7.6	05.6-09.6	737	52.5	48.6-56.4	382	26.9	23.4-30.4	35	2.9	01.3-04.5	125	10.0	07.6-12.4
Less than \$15,000	396	44,636	34	7.1	04.0-10.2	172	40.2	32.8-47.6	130	33.4	26.1-40.7	16	3.1	00.7-05.5	44	16.2	09.7-22.7
\$15,000- 24,999	365	44,235	21	8.4	03.5-13.3	149	39.9	31.7-48.1	110	28.6	21.3-35.9	13	5.6	00.7-10.5	72	17.4	12.3-22.5
\$25,000- 34,999	357	48,722	26	5.8	02.7-08.9	156	41.3	33.3-49.3	123	34.8	26.8-42.8	14	3.1	00.9-05.3	38	14.9	06.5-23.3
\$35,000- 49,999	514	75,564	39	5.5	03.3-07.7	236	44.4	37.5-51.3	164	34.4	26.8-42.0	15	4.0	00.5-07.5	60	11.8	08.1-15.5
\$50,000- 74,999	608	106,759	34	4.5	02.5-06.5	286	45.3	38.8-51.8	205	35.6	29.3-41.9	18	2.1	00.9-03.3	65	12.4	08.3-16.5
\$75,000+	1048	199,565	77	7.7	05.3-10.1	528	50.7	46.6-54.8	303	26.4	23.1-29.7	39	4.1	02.3-05.9	101	11.1	08.4-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 14: HOW OFTEN DO YOU EAT CARROTS? (CARROTS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1424	289,451	89	5.9	04.3-07.5	658	45.4	41.7-49.1	457	31.8	28.3-35.3	48	3.7	02.1-05.3	172	13.2	10.7-15.7
White/Non-Hisp	1150	217,314	72	6.3	04.3-08.3	552	47.2	43.1-51.3	375	32.0	28.3-35.7	32	3.3	01.7-04.9	119	11.3	08.6-14.0
Black or Afr. Am./Non-Hisp	147	32,768	9	3.9	00.6-07.2							8	5.3	00.0-11.2	35	27.5	17.9-37.1
18-24	65	39,810	4	3.9	00.0-08.0							2	4.1	00.0-10.6	16	18.8	09.0-28.6
25-34	116	49,402	7	5.1	00.4-09.8				29	23.4	13.8-33.0	7	5.4	00.5-10.3	15	14.5	06.1-22.9
35-44	215	53,091	11	6.6	02.1-11.1	108	50.8	42.8-58.8	62	27.5	20.6-34.4	7	2.7	00.3-05.1	27	12.4	07.5-17.3
45-54	260	54,576	19	6.3	02.8-09.8	102	43.1	35.7-50.5	96	34.5	27.6-41.4	10	4.5	01.6-07.4	33	11.6	07.1-16.1
55-64	302	44,381	19	6.3	02.8-09.8	133	44.6	37.2-52.0	105	32.3	25.4-39.2	13	4.0	01.1-06.9	32	12.9	07.2-18.6
65+	457	46,535	29	6.9	03.8-10.0	231	50.6	45.1-56.1	139	30.1	25.0-35.2	9	1.7	00.0-03.5	49	10.7	07.4-14.0
Less Than H.S.	106	20,197	4	2.0	00.0-04.2							8	7.4	00.7-14.1	19	12.9	04.9-20.9
H.S. or G.E.D.	418	86,045	22	5.2	02.3-08.1	165	39.1	32.4-45.8	157	36.4	30.1-42.7	15	2.7	00.9-04.5	59	16.6	11.7-21.5
Some Post-H.S.	339	67,391	24	6.1	03.0-09.2	163	44.0	36.2-51.8	100	31.2	23.4-39.0	12	4.3	00.8-07.8	40	14.3	08.6-20.0
College Graduate	558	115,061	39	7.0	04.1-09.9	290	52.9	47.0-58.8	162	26.4	21.1-31.7	13	3.5	01.0-06.0	54	10.3	06.6-14.0
Less than \$15,000	104	18,708	6	2.4	00.2-04.6							4	1.1	00.0-02.3			
\$15,000- 24,999	93	17,693										5	6.3	00.0-13.6	19	12.8	05.5-20.1
\$25,000- 34,999	120	19,634	8	7.1	01.0-13.2							6	4.5	00.0-09.2			
\$35,000- 49,999	210	36,566	18	5.2	02.5-07.9	96	43.7	34.1-53.3	65	32.1	22.5-41.7	6	5.2	00.0-10.9	25	13.9	07.6-20.2
\$50,000- 74,999	265	53,341	12	3.9	01.2-06.6	130	45.7	36.5-54.9	80	33.0	23.4-42.6	9	2.7	00.5-04.9	34	14.7	09.0-20.4
\$75,000+	464	106,514	30	6.6	03.7-09.5	227	50.6	44.5-56.7	143	26.8	21.9-31.7	16	4.5	01.6-07.4	48	11.6	07.3-15.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 15: HOW OFTEN DO YOU EAT CARROTS? (CARROTS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2452	315,396	192	7.6	06.0-09.2	1163	47.3	44.2-50.4	752	30.2	27.3-33.1	87	3.1	02.1-04.1	258	11.8	09.6-14.0
White/Non-Hisp	1962	241,642	142	7.1	05.5-08.7	972	50.4	46.9-53.9	602	30.1	26.8-33.4	65	2.2	01.4-03.0	181	10.3	07.9-12.7
Black or Afr. Am./Non-Hisp	324	47,399	28	5.7	03.2-08.2	117	37.5	29.5-45.5	102	32.7	24.1-41.3	17	6.5	02.2-10.8	60	17.6	11.9-23.3
Oth. Race/Non-Hisp.	61	10,951							15	13.4	04.2-22.6						
Hispanic	61	10,770	7	9.2	00.6-17.8							2	3.6	00.0-09.5			
18-24	64	37,247	5	6.4	00.0-13.5							3	3.2	00.0-07.7			
25-34	221	50,854	19	8.8	04.3-13.3	89	41.0	33.2-48.8	74	30.0	23.1-36.9	5	3.9	00.0-08.0	34	16.2	10.1-22.3
35-44	350	56,307	23	6.6	03.1-10.1	161	49.7	43.2-56.2	114	31.8	25.7-37.9	6	1.0	00.0-02.0	46	10.8	07.3-14.3
45-54	454	59,335	36	7.0	03.9-10.1	204	47.1	41.0-53.2	141	30.4	24.9-35.9	23	5.4	02.7-08.1	50	10.1	06.4-13.8
55-64	524	45,591	41	8.6	05.5-11.7	253	51.0	45.7-56.3	158	29.9	25.0-34.8	24	3.0	01.4-04.6	48	7.6	05.2-10.0
65+	793	61,866	64	8.0	05.6-10.4	411	52.6	48.3-56.9	232	28.1	24.2-32.0	22	2.2	01.0-03.4	64	9.1	06.6-11.6
Less Than H.S.	176	22,146	16	11.1	04.4-17.8				51	25.6	15.8-35.4	4	1.6	00.0-03.6			
H.S. or G.E.D.	782	84,270	41	4.0	02.4-05.6	349	45.1	39.4-50.8	270	34.9	29.0-40.8	33	3.5	01.7-05.3	89	12.5	07.8-17.2
Some Post-H.S.	656	82,286	59	9.5	06.2-12.8	299	44.5	39.0-50.0	211	30.8	25.9-35.7	27	4.2	01.7-06.7	60	11.1	07.0-15.2
College Graduate	836	126,574	76	8.2	05.5-10.9	447	52.2	47.1-57.3	220	27.4	22.5-32.3	22	2.4	00.6-04.2	71	9.8	06.9-12.7
Less than \$15,000	292	25,929	28	10.4	05.3-15.5	129	43.0	35.4-50.6	97	31.9	24.5-39.3	12	4.6	00.7-08.5	26	10.0	05.5-14.5
\$15,000- 24,999	272	26,542	16	6.9	02.8-11.0	115	39.7	30.7-48.7	80	27.7	20.4-35.0	8	5.1	00.0-12.0	53	20.6	13.9-27.3
\$25,000- 34,999	237	29,088	18	4.9	02.0-07.8				71	28.0	18.4-37.6	8	2.1	00.3-03.9			
\$35,000- 49,999	304	38,998	21	5.8	02.5-09.1	140	45.0	35.0-55.0				9	2.9	00.0-07.0	35	9.8	05.7-13.9
\$50,000- 74,999	343	53,419	22	5.2	02.7-07.7	156	44.9	36.1-53.7	125	38.2	29.8-46.6	9	1.6	00.2-03.0	31	10.1	04.4-15.8
\$75,000+	584	93,050	47	9.0	05.3-12.7	301	50.9	45.6-56.2	160	25.9	21.4-30.4	23	3.6	01.8-05.4	53	10.5	07.2-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 16: NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? (EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS.) (VEGETABLE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3887	605,750	2859	72.5	70.3-74.7	853	22.1	19.9-24.3	120	3.5	02.5-04.5	6	0.4	00.0-00.8	49	1.6	01.0-02.2
Male	1418	288,632	957	67.2	63.7-70.7	370	25.0	21.7-28.3	63	5.3	03.5-07.1	5	0.3	00.0-00.7	23	2.1	00.9-03.3
Female	2469	317,118	1902	77.2	74.5-79.9	483	19.5	17.0-22.0	57	1.8	01.2-02.4	1	0.4	00.0-01.2	26	1.0	00.4-01.6
White/Non-Hisp	3116	459,488	2292	72.8	70.4-75.2	695	22.5	20.1-24.9	89	3.1	02.1-04.1	5	0.2	00.0-00.4	35	1.3	00.7-01.9
Black or Afr. Am./Non-Hisp	476	80,335	334	70.0	63.7-76.3	113	22.8	17.1-28.5	20	4.3	01.8-06.8				9	3.0	00.0-06.1
Oth. Race/Non-Hisp.	112	26,040	90	82.7	73.5-91.9	17	12.7	04.7-20.7	4	2.7	00.0-05.8				1	1.8	00.0-05.3
MultiRacial/Non-Hisp.	63	12,205				8	9.3	00.9-17.7	4	4.4	00.0-10.3				1	1.3	00.0-03.8
Hispanic	95	24,519							3	8.1	00.0-17.5	1	4.9	00.0-14.3	2	1.1	00.0-02.7
18-24	128	76,001							10	6.2	01.7-10.7	1	1.6	00.0-04.7	6	3.8	00.3-07.3
25-34	339	100,809	250	74.5	68.6-80.4	71	19.3	14.2-24.4	13	4.5	01.8-07.2				5	1.7	00.0-03.7
35-44	565	109,364	415	73.1	68.4-77.8	124	22.3	17.8-26.8	19	2.9	01.3-04.5	1	0.3	00.0-00.9	6	1.3	00.1-02.5
45-54	719	115,020	532	74.3	70.2-78.4	149	20.7	16.8-24.6	27	3.6	02.0-05.2	2	0.3	00.0-00.9	9	1.1	00.3-01.9
55-64	823	89,301	599	69.9	65.4-74.4	185	25.9	21.6-30.2	27	2.7	00.9-04.5	1	0.2	00.0-00.6	11	1.3	00.3-02.3
65+	1254	109,016	932	76.0	73.1-78.9	285	21.2	18.5-23.9	24	1.9	00.9-02.9	1	0.1	00.0-00.3	12	0.9	00.1-01.7
Less Than H.S.	278	41,749				70	29.2	20.0-38.4	12	6.2	00.7-11.7	2	3.4	00.0-09.1	6	1.8	00.0-03.8
H.S. or G.E.D.	1195	169,436	840	67.1	62.6-71.6	290	26.8	22.5-31.1	48	4.8	02.8-06.8	2	0.1	00.0-00.3	15	1.2	00.4-02.0
Some Post-H.S.	1007	150,366	731	71.9	67.6-76.2	231	22.2	18.3-26.1	30	3.3	01.7-04.9	1	0.2	00.0-00.6	14	2.3	00.5-04.1
College Graduate	1402	243,322	1097	78.9	76.0-81.8	261	17.6	14.9-20.3	29	2.1	01.1-03.1	1	0.1	00.0-00.3	14	1.3	00.3-02.3
Less than \$15,000	398	44,823	275	68.0	60.6-75.4	105	27.4	20.1-34.7	15	4.0	01.1-06.9				3	0.5	00.0-01.3
\$15,000- 24,999	372	44,003	246	65.2	57.4-73.0	101	28.2	20.6-35.8	16	3.1	00.9-05.3				9	3.4	00.7-06.1
\$25,000- 34,999	354	48,514	249	75.7	69.4-82.0	84	19.7	14.0-25.4	17	3.8	01.4-06.2	1	0.2	00.0-00.6	3	0.7	00.0-01.5
\$35,000- 49,999	514	75,256	373	71.1	64.2-78.0	115	22.8	16.1-29.5	19	5.4	02.1-08.7	1	0.1	00.0-00.3	6	0.7	00.1-01.3
\$50,000- 74,999	607	107,171	467	75.3	70.0-80.6	120	20.7	15.6-25.8	16	3.2	01.4-05.0	1	0.2	00.0-00.6	3	0.6	00.0-01.4
\$75,000+	1057	201,174	801	73.6	69.9-77.3	215	21.3	18.0-24.6	22	2.4	01.0-03.8	2	0.3	00.0-00.7	17	2.4	00.8-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 17: NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? (EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS.) (VEGETABLE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1418	288,632	957	67.2	63.7-70.7	370	25.0	21.7-28.3	63	5.3	03.5-07.1	5	0.3	00.0-00.7	23	2.1	00.9-03.3
White/Non-Hisp	1145	217,489	766	67.0	63.1-70.9	311	25.9	22.4-29.4	46	4.9	03.1-06.7	5	0.5	00.1-00.9	17	1.8	00.6-03.0
Black or Afr. Am./Non-Hisp	146	31,742				34	20.6	11.8-29.4	8	5.2	00.5-09.9				3	4.6	00.0-11.7
18-24	63	38,680							7	10.5	02.3-18.7				3	4.8	00.0-11.1
25-34	118	49,956	83	71.8	62.0-81.6	24	18.6	10.0-27.2	9	7.3	02.0-12.6				2	2.4	00.0-06.3
35-44	213	52,832	145	67.2	59.4-75.0	57	27.6	20.0-35.2	8	3.0	00.6-05.4	1	0.6	00.0-01.8	2	1.6	00.0-04.0
45-54	260	54,809	177	69.1	62.2-76.0	59	22.5	16.0-29.0	16	5.8	02.7-08.9	2	0.7	00.0-01.7	6	1.9	00.3-03.5
55-64	300	44,237	202	63.4	56.0-70.8	80	30.8	23.5-38.1	11	3.5	00.4-06.6	1	0.5	00.0-01.5	6	1.9	00.0-03.9
65+	454	46,365	306	69.9	65.0-74.8	131	26.4	21.7-31.1	12	2.8	00.8-04.8	1	0.1	00.0-00.3	4	0.7	00.0-01.5
Less Than H.S.	105	20,025										1	1.0	00.0-03.0	1	0.3	00.0-00.9
H.S. or G.E.D.	410	84,758	256	59.7	52.8-66.6	120	31.3	24.6-38.0	25	7.5	03.8-11.2	2	0.2	00.0-00.4	7	1.3	00.0-02.7
Some Post-H.S.	341	67,267	234	68.9	61.5-76.3	85	22.7	16.0-29.4	14	4.3	01.6-07.0	1	0.5	00.0-01.5	7	3.6	00.0-07.3
College Graduate	559	115,826	401	74.0	69.1-78.9	133	20.2	15.9-24.5	16	3.4	01.2-05.6	1	0.2	00.0-00.6	8	2.2	00.2-04.2
Less than \$15,000	104	18,647							4	4.7	00.0-11.0				1	0.9	00.0-02.7
\$15,000- 24,999	95	17,410							6	3.8	00.0-08.1				3	2.2	00.0-05.1
\$25,000- 34,999	119	19,629							10	5.9	01.4-10.4	1	0.4	00.0-01.2	2	1.2	00.0-03.0
\$35,000- 49,999	210	36,061	147	69.4	60.8-78.0	49	21.0	13.9-28.1	11	9.0	02.7-15.3	1	0.2	00.0-00.6	2	0.4	00.0-01.0
\$50,000- 74,999	261	53,734	184	72.7	65.3-80.1	65	21.6	14.7-28.5	10	4.6	01.5-07.7	1	0.4	00.0-01.2	1	0.6	00.0-01.8
\$75,000+	469	107,685	332	68.9	63.2-74.6	111	23.4	18.3-28.5	14	3.5	01.3-05.7	2	0.6	00.0-01.4	10	3.6	00.7-06.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 18: NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? (EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS.) (VEGETABLE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2469	317,118	1902	77.2	74.5-79.9	483	19.5	17.0-22.0	57	1.8	01.2-02.4	1	0.4	00.0-01.2	26	1.0	00.4-01.6
White/Non-Hisp	1971	241,999	1526	78.0	75.1-80.9	384	19.5	16.6-22.4	43	1.6	01.0-02.2				18	0.9	00.3-01.5
Black or Afr. Am./Non-Hisp	330	48,594	233	70.2	62.4-78.0	79	24.2	16.8-31.6	12	3.7	01.0-06.4				6	2.0	00.0-04.2
Oth. Race/Non-Hisp.	63	11,190	53	88.3	78.3-98.3	10	11.7	01.7-21.7									
Hispanic	60	10,658													1	0.8	00.0-02.4
18-24	65	37,321							3	1.8	00.0-04.2	1	3.2	00.0-09.5	3	2.8	00.0-06.1
25-34	221	50,854	167	77.3	71.0-83.6	47	20.0	14.1-25.9	4	1.7	00.0-03.9				3	1.0	00.0-02.4
35-44	352	56,532	270	78.6	73.5-83.7	67	17.5	12.8-22.2	11	2.9	00.9-04.9				4	1.0	00.0-02.2
45-54	459	60,211	355	79.1	74.6-83.6	90	19.0	14.5-23.5	11	1.5	00.5-02.5				3	0.4	00.0-01.0
55-64	523	45,064	397	76.2	71.5-80.9	105	21.1	16.6-25.6	16	1.9	00.7-03.1				5	0.7	00.1-01.3
65+	800	62,651	626	80.5	77.0-84.0	154	17.3	14.0-20.6	12	1.2	00.4-02.0				8	1.1	00.0-02.3
Less Than H.S.	173	21,724							5	2.7	00.0-05.6	1	5.6	00.0-16.0	5	3.1	00.0-06.6
H.S. or G.E.D.	785	84,678	584	74.5	68.8-80.2	170	22.3	16.6-28.0	23	2.1	00.9-03.3				8	1.1	00.1-02.1
Some Post-H.S.	666	83,099	497	74.4	69.5-79.3	146	21.8	17.1-26.5	16	2.6	00.8-04.4				7	1.3	00.0-02.7
College Graduate	843	127,496	696	83.4	79.7-87.1	128	15.2	11.5-18.9	13	1.0	00.4-01.6				6	0.5	00.1-00.9
Less than \$15,000	294	26,175	209	71.3	64.4-78.2	72	24.9	18.2-31.6	11	3.6	01.1-06.1				2	0.2	00.0-00.4
\$15,000- 24,999	277	26,594	193	69.8	62.0-77.6	68	23.4	16.3-30.5	10	2.6	00.6-04.6				6	4.3	00.2-08.4
\$25,000- 34,999	235	28,886	181	82.4	75.9-88.9	46	14.9	09.0-20.8	7	2.4	00.0-04.8				1	0.3	00.0-00.9
\$35,000- 49,999	304	39,194							8	2.1	00.3-03.9				4	0.9	00.0-01.9
\$50,000- 74,999	346	53,436	283	77.9	70.1-85.7	55	19.8	12.2-27.4	6	1.8	00.0-03.8				2	0.5	00.0-01.3
\$75,000+	588	93,489	469	79.0	74.5-83.5	104	19.0	14.7-23.3	8	1.1	00.1-02.1				7	1.0	00.0-02.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 19: PHYSICAL ACTIVITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? WOULD YOU SAY – (JOBACTIV)	
1	MALES AND FEMALES	233
2	MALES ONLY	234
3	FEMALES ONLY	235
	WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SOME INCREASE IN BREATHING OR HEART RATE? (MODPACT)	
4	MALES AND FEMALES	236
5	MALES ONLY	237
6	FEMALES ONLY	238
	HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)	
7	MALES AND FEMALES	239
8	MALES ONLY	240
9	FEMALES ONLY	241
	ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)	
10	MALES AND FEMALES	242
11	MALES ONLY	243
12	FEMALES ONLY	244
	NOW, THINKING ABOUT THE VIGOROUS ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)	
13	MALES AND FEMALES	245
14	MALES ONLY	246
15	FEMALES ONLY	247

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 19: PHYSICAL ACTIVITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)	
16	MALES AND FEMALES	248
17	MALES ONLY	249
18	FEMALES ONLY	250
	ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)	
19	MALES AND FEMALES	251
20	MALES ONLY	252
21	FEMALES ONLY	253

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 1: WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? WOULD YOU SAY — (JOBACTIV)

Denominator excludes: Respondents that are NOT employed,
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2008	373,756	1394	67.9	65.0-70.8	425	21.2	18.7-23.7	189	10.9	08.7-13.1
Male	783	191,639	490	61.7	57.0-66.4	163	21.1	17.2-25.0	130	17.2	13.7-20.7
Female	1225	182,117	904	74.4	70.7-78.1	262	21.3	17.8-24.8	59	4.3	02.5-06.1
White/Non-Hisp	1560	282,268	1093	68.3	65.0-71.6	309	19.9	17.0-22.8	158	11.8	09.4-14.2
Black or Afr. Am./Non-Hisp	280	49,258	191	67.6	59.4-75.8	71	25.7	18.1-33.3	18	6.6	01.3-11.9
Oth. Race/Non-Hisp.	71	18,009				19	17.3	07.3-27.3	2	3.4	00.0-09.1
18-24	75	43,839							16	17.5	07.7-27.3
25-34	271	79,900	163	59.4	51.6-67.2	75	27.0	19.9-34.1	33	13.6	08.1-19.1
35-44	460	89,915	308	68.5	63.4-73.6	107	21.9	17.4-26.4	45	9.6	06.3-12.9
45-54	550	90,224	395	70.6	65.7-75.5	108	18.9	14.8-23.0	47	10.5	06.8-14.2
55-64	460	50,373	342	75.6	70.1-81.1	82	18.0	12.7-23.3	36	6.4	03.9-08.9
65+	168	16,625	126	81.8	75.3-88.3	31	13.4	07.5-19.3	11	4.7	01.8-07.6
H.S. or G.E.D.	533	91,316	336	60.2	54.1-66.3	111	21.9	16.8-27.0	86	17.8	13.1-22.5
Some Post-H.S.	526	92,940	353	65.6	59.5-71.7	125	21.5	16.8-26.2	48	13.0	07.9-18.1
College Graduate	863	171,451	662	75.4	71.3-79.5	164	19.6	15.7-23.5	37	5.0	02.8-07.2
Less than \$15,000	126	17,437							19	17.9	08.1-27.7
\$15,000- 24,999	77	11,796							11	11.2	02.4-20.0
\$25,000- 34,999	162	25,872				31	15.4	08.0-22.8			
\$35,000- 49,999	255	42,973	188	67.8	58.6-77.0	42	19.7	11.3-28.1	25	12.5	06.6-18.4
\$50,000- 74,999	389	78,607	265	66.1	58.7-73.5	89	23.7	17.0-30.4	35	10.2	05.5-14.9
\$75,000+	785	159,291	565	72.4	68.3-76.5	166	19.4	15.9-22.9	54	8.2	05.5-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 2: WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? WOULD YOU SAY — (JOBACTIV)

Denominator excludes: Respondents that are NOT employed,

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	783	191,639	490	61.7	57.0-66.4	163	21.1	17.2-25.0	130	17.2	13.7-20.7
White/Non-Hisp	616	142,602	382	60.5	55.2-65.8	121	19.6	15.5-23.7	113	19.9	15.4-24.4
Black or Afr. Am./Non-Hisp	85	20,651							7	5.5	00.4-10.6
25-34	106	43,097							25	22.2	12.6-31.8
35-44	182	44,865	113	65.3	57.5-73.1	38	18.7	12.4-25.0	31	16.0	09.7-22.3
45-54	212	45,813	131	61.6	53.6-69.6	47	22.0	15.5-28.5	34	16.4	09.9-22.9
55-64	170	24,932	119	71.6	62.0-81.2	32	20.5	11.3-29.7	19	7.9	03.6-12.2
65+	71	8,303	54	83.4	74.4-92.4	10	9.9	02.3-17.5	7	6.7	01.6-11.8
H.S. or G.E.D.	216	52,564	106	48.1	39.3-56.9	51	25.9	18.1-33.7	59	26.1	18.5-33.7
Some Post-H.S.	187	44,316	108	57.0	47.0-67.0	44	20.9	13.6-28.2	35	22.1	13.3-30.9
College Graduate	338	83,812	258	76.4	70.3-82.5	58	16.4	11.1-21.7	22	7.2	03.5-10.9
\$50,000- 74,999	159	40,794				35	23.9	13.9-33.9	30	16.0	08.7-23.3
\$75,000+	366	89,280	253	69.0	62.9-75.1	73	18.1	13.4-22.8	40	12.9	08.2-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 3: WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? WOULD YOU SAY — (JOBACTIV)

Denominator excludes: Respondents that are NOT employed,

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1225	182,117	904	74.4	70.7-78.1	262	21.3	17.8-24.8	59	4.3	02.5-06.1
White/Non-Hisp	944	139,667	711	76.3	72.2-80.4	188	20.2	16.3-24.1	45	3.5	02.1-04.9
Black or Afr. Am./Non-Hisp	195	28,607	135	70.8	60.8-80.8	49	21.8	14.0-29.6	11	7.5	00.0-15.5
25-34	165	36,803	109	68.6	60.0-77.2	48	28.0	19.6-36.4	8	3.5	00.8-06.2
35-44	278	45,050	195	71.7	65.0-78.4	69	25.1	18.6-31.6	14	3.3	01.3-05.3
45-54	338	44,411	264	79.8	74.1-85.5	61	15.7	10.8-20.6	13	4.5	01.0-08.0
55-64	290	25,441	223	79.5	74.0-85.0	50	15.7	10.6-20.8	17	4.9	02.2-07.6
65+	97	8,322	72	80.3	71.3-89.3	21	16.9	08.1-25.7	4	2.8	00.1-05.5
H.S. or G.E.D.	317	38,752	230	76.8	70.9-82.7	60	16.6	11.5-21.7	27	6.7	03.8-09.6
Some Post-H.S.	339	48,624	245	73.4	66.1-80.7	81	21.9	15.6-28.2	13	4.6	00.0-09.5
College Graduate	525	87,639	404	74.4	68.7-80.1	106	22.7	17.2-28.2	15	2.9	00.9-04.9
Less than \$15,000	99	10,065							14	12.2	04.9-19.5
\$15,000- 24,999	56	5,230							3	4.0	00.0-08.9
\$25,000- 34,999	107	14,967				17	10.6	04.1-17.1	8	10.5	00.7-20.3
\$35,000- 49,999	163	23,503							5	2.3	00.1-04.5
\$50,000- 74,999	230	37,812	171	72.6	62.8-82.4	54	23.4	14.6-32.2	5	3.9	00.0-10.0
\$75,000+	419	70,010	312	76.7	71.6-81.8	93	21.0	16.1-25.9	14	2.3	00.7-03.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 4: WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SOME INCREASE IN BREATHING OR HEART RATE? (MODPACT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3923	609,599	3330	87.4	85.8-89.0	593	12.6	11.0-14.2
Male	1443	292,760	1238	87.9	85.7-90.1	205	12.1	09.9-14.3
Female	2480	316,839	2092	86.9	84.9-88.9	388	13.1	11.1-15.1
White/Non-Hisp	3138	460,161	2697	88.9	87.3-90.5	441	11.1	09.5-12.7
Black or Afr. Am./Non-Hisp	481	81,362	386	81.3	75.8-86.8	95	18.7	13.2-24.2
Oth. Race/Non-Hisp.	116	26,712	100	89.1	82.4-95.8	16	10.9	04.2-17.6
Hispanic	99	25,224	83	84.0	74.4-93.6	16	16.0	06.4-25.6
18-24	130	76,693	115	88.7	81.8-95.6	15	11.3	04.4-18.2
25-34	340	100,558	312	92.8	89.3-96.3	28	7.2	03.7-10.7
35-44	571	110,312	509	89.1	86.0-92.2	62	10.9	07.8-14.0
45-54	724	115,786	641	90.4	87.9-92.9	83	9.6	07.1-12.1
55-64	824	89,325	706	86.2	83.1-89.3	118	13.8	10.7-16.9
65+	1275	110,551	998	77.9	75.0-80.8	277	22.1	19.2-25.0
Less Than H.S.	291	42,500	192	70.5	62.1-78.9	99	29.5	21.1-37.9
H.S. or G.E.D.	1209	171,533	1007	86.5	84.0-89.0	202	13.5	11.0-16.0
Some Post-H.S.	1014	151,478	876	89.5	86.6-92.4	138	10.5	07.6-13.4
College Graduate	1404	243,211	1253	89.8	87.6-92.0	151	10.2	08.0-12.4
Less than \$15,000	398	45,120	320	80.4	74.3-86.5	78	19.6	13.5-25.7
\$15,000- 24,999	383	45,993	269	75.6	69.3-81.9	114	24.4	18.1-30.7
\$25,000- 34,999	358	48,856	292	84.4	78.5-90.3	66	15.6	09.7-21.5
\$35,000- 49,999	517	75,476	442	85.3	79.8-90.8	75	14.7	09.2-20.2
\$50,000- 74,999	609	107,745	545	91.1	87.8-94.4	64	8.9	05.6-12.2
\$75,000+	1055	200,459	960	92.0	90.0-94.0	95	8.0	06.0-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 5: WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SOME INCREASE IN BREATHING OR HEART RATE? (MODPACT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1443	292,760	1238	87.9	85.7-90.1	205	12.1	09.9-14.3
White/Non-Hisp	1160	218,984	1011	89.2	87.0-91.4	149	10.8	08.6-13.0
Black or Afr. Am./Non-Hisp	149	32,583	121	81.9	73.1-90.7	28	18.1	09.3-26.9
Oth. Race/Non-Hisp.	52	15,275	44	91.7	84.1-99.3	8	8.3	00.7-15.9
18-24	66	40,584	59	92.0	85.5-98.5	7	8.0	01.5-14.5
25-34	120	50,172	112	93.0	87.1-98.9	8	7.0	01.1-12.9
35-44	217	53,787	190	87.4	82.3-92.5	27	12.6	07.5-17.7
45-54	262	55,222	231	89.3	85.0-93.6	31	10.7	06.4-15.0
55-64	302	44,050	259	85.3	80.0-90.6	43	14.7	09.4-20.0
65+	466	47,194	379	81.1	76.8-85.4	87	18.9	14.6-23.2
H.S. or G.E.D.	418	86,185	358	87.0	82.9-91.1	60	13.0	08.9-17.1
Some Post-H.S.	345	68,171	299	91.5	88.2-94.8	46	8.5	05.2-11.8
College Graduate	564	116,312	497	88.9	85.8-92.0	67	11.1	08.0-14.2
\$35,000- 49,999	209	35,920	183	89.3	84.4-94.2	26	10.7	05.8-15.6
\$50,000- 74,999	267	54,455	236	90.9	86.2-95.6	31	9.1	04.4-13.8
\$75,000+	468	107,452	420	91.2	88.3-94.1	48	8.8	05.9-11.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 6: WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SOME INCREASE IN BREATHING OR HEART RATE? (MODPACT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2480	316,839	2092	86.9	84.9-88.9	388	13.1	11.1-15.1
White/Non-Hisp	1978	241,177	1686	88.6	86.6-90.6	292	11.4	09.4-13.4
Black or Afr. Am./Non-Hisp	332	48,779	265	80.8	73.7-87.9	67	19.2	12.1-26.3
25-34	220	50,386	200	92.6	88.9-96.3	20	7.4	03.7-11.1
35-44	354	56,525	319	90.6	86.7-94.5	35	9.4	05.5-13.3
45-54	462	60,564	410	91.4	88.5-94.3	52	8.6	05.7-11.5
55-64	522	45,276	447	87.2	83.7-90.7	75	12.8	09.3-16.3
65+	809	63,357	619	75.5	71.8-79.2	190	24.5	20.8-28.2
H.S. or G.E.D.	791	85,348	649	86.1	83.2-89.0	142	13.9	11.0-16.8
Some Post-H.S.	669	83,307	577	87.8	83.5-92.1	92	12.2	07.9-16.5
College Graduate	840	126,899	756	90.6	87.5-93.7	84	9.4	06.3-12.5
Less than \$15,000	291	25,888	235	79.4	72.3-86.5	56	20.6	13.5-27.7
\$15,000- 24,999	281	27,010	195	74.0	67.1-80.9	86	26.0	19.1-32.9
\$25,000- 34,999	236	29,046	191	85.6	78.7-92.5	45	14.4	07.5-21.3
\$35,000- 49,999	308	39,556	259	81.6	72.2-91.0	49	18.4	09.0-27.8
\$50,000- 74,999	342	53,290	309	91.3	86.4-96.2	33	8.7	03.8-13.6
\$75,000+	587	93,007	540	92.9	90.4-95.4	47	7.1	04.6-09.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 7: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days			3 or more days			None or <10 mins per week		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3308	530,221	142	3.9	03.1-04.7	328	8.9	07.7-10.1	2836	87.0	85.4-88.6	2	0.3	00.0-00.7
Male	1232	256,679	59	4.6	03.0-06.2	143	10.0	07.8-12.2	1029	85.3	82.8-87.8	1	0.1	00.0-00.3
Female	2076	273,542	83	3.2	02.2-04.2	185	7.9	06.3-09.5	1807	88.5	86.5-90.5	1	0.4	00.0-01.2
White/Non-Hisp	2680	407,601	100	3.4	02.4-04.4	256	8.8	07.4-10.2	2322	87.4	85.6-89.2	2	0.4	00.0-01.0
Black or Afr. Am./Non-Hisp	384	65,868	26	5.3	02.6-08.0	52	12.7	08.2-17.2	306	82.0	76.9-87.1			
Oth. Race/Non-Hisp.	99	23,656	10	8.9	02.2-15.6	5	3.9	00.0-08.4	84	87.2	79.2-95.2			
Hispanic	83	21,186	3	1.2	00.0-02.8	6	3.7	00.0-07.6	74	95.0	90.7-99.3			
18-24	115	68,023	5	2.6	00.2-05.0	5	3.8	00.3-07.3	104	91.9	86.6-97.2	1	1.8	00.0-05.3
25-34	310	93,020	5	2.0	00.0-04.0	32	8.0	04.7-11.3	273	90.0	86.1-93.9			
35-44	509	98,235	17	3.7	01.7-05.7	48	8.5	05.8-11.2	443	87.5	84.2-90.8	1	0.3	00.0-00.9
45-54	638	103,756	30	5.0	02.6-07.4	78	12.7	09.2-16.2	530	82.3	78.4-86.2			
55-64	703	76,863	32	5.3	02.9-07.7	74	10.1	07.4-12.8	597	84.6	81.1-88.1			
65+	985	85,125	50	4.1	02.7-05.5	87	8.9	06.7-11.1	848	87.0	84.5-89.5			
Less Than H.S.	188	29,694	17	7.9	03.0-12.8	18	10.4	04.3-16.5	152	77.6	67.8-87.4	1	4.1	00.0-11.7
H.S. or G.E.D.	1002	148,056	60	4.6	02.8-06.4	110	9.1	06.7-11.5	832	86.4	83.7-89.1			
Some Post-H.S.	868	134,657	25	2.4	01.2-03.6	94	10.6	07.9-13.3	749	87.1	84.2-90.0			
College Graduate	1248	217,447	40	3.8	02.2-05.4	106	7.5	05.7-09.3	1101	88.5	86.1-90.9	1	0.2	00.0-00.6
Less than \$15,000	320	36,281	19	7.0	02.7-11.3	34	8.0	04.3-11.7	267	84.9	79.4-90.4			
\$15,000- 24,999	264	34,461	19	6.1	02.4-09.8	37	12.5	07.0-18.0	208	81.4	74.9-87.9			
\$25,000- 34,999	287	40,136	8	2.1	00.0-04.5	27	7.4	03.9-10.9	252	90.4	86.3-94.5			
\$35,000- 49,999	441	64,295	18	3.4	01.2-05.6	46	9.3	05.6-13.0	377	87.3	83.0-91.6			
\$50,000- 74,999	544	98,169	19	3.0	01.2-04.8	61	10.3	07.0-13.6	464	86.7	83.0-90.4			
\$75,000+	958	184,164	29	3.6	02.0-05.2	82	8.3	06.1-10.5	845	87.2	84.5-89.9	2	0.8	00.0-02.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 8: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days			3 or more days			None or <10 mins per week		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1232	256,679	59	4.6	03.0-06.2	143	10.0	07.8-12.2	1029	85.3	82.8-87.8	1	0.1	00.0-00.3
White/Non-Hisp	1006	194,773	42	4.1	02.5-05.7	118	10.8	08.3-13.3	845	84.9	82.0-87.8	1	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	121	26,690	8	5.7	01.0-10.4	14	8.7	03.4-14.0	99	85.6	78.5-92.7			
18-24	59	37,347	3	2.8	00.0-05.9	3	3.6	00.0-07.7	53	93.6	88.3-98.9			
25-34	111	46,492	4	3.0	00.0-06.3	10	6.5	01.2-11.8	97	90.5	84.4-96.6			
35-44	190	47,007	6	3.7	00.4-07.0	21	10.3	05.6-15.0	162	85.2	79.5-90.9	1	0.7	00.0-02.1
45-54	230	49,176	12	6.7	02.4-11.0	43	19.7	13.2-26.2	175	73.6	66.3-80.9			
55-64	258	37,490	13	6.4	02.1-10.7	29	9.0	05.1-12.9	216	84.6	78.9-90.3			
65+	376	37,938	20	4.5	02.1-06.9	36	8.7	05.6-11.8	320	86.8	82.9-90.7			
Less Than H.S.	83	16,372	7	6.3	00.4-12.2	9	12.4	02.8-22.0						
H.S. or G.E.D.	356	74,777	19	4.3	01.8-06.8	36	8.3	04.6-12.0	301	87.4	83.1-91.7			
Some Post-H.S.	296	61,900	11	2.8	00.8-04.8	43	12.5	07.8-17.2	242	84.6	79.5-89.7			
College Graduate	496	103,344	22	5.7	02.8-08.6	55	9.3	06.2-12.4	418	84.7	80.6-88.8	1	0.3	00.0-00.9
Less than \$15,000	85	15,727	7	8.6	00.8-16.4	12	9.9	02.5-17.3						
\$15,000- 24,999	74	14,785	4	6.5	00.0-13.8	5	9.0	00.0-18.2						
\$25,000- 34,999	98	15,968	4	4.4	00.0-09.9	11	9.1	02.4-15.8	83	86.6	78.2-95.0			
\$35,000- 49,999	182	32,005	4	1.9	00.0-04.6	17	5.9	02.6-09.2	161	92.3	88.2-96.4			
\$50,000- 74,999	236	49,515	11	4.7	01.6-07.8	29	10.7	05.4-16.0	196	84.6	78.5-90.7			
\$75,000+	419	97,842	16	4.6	01.9-07.3	54	11.5	08.0-15.0	348	83.6	79.3-87.9	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 9: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days			3 or more days			None or <10 mins per week		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2076	273,542	83	3.2	02.2-04.2	185	7.9	06.3-09.5	1807	88.5	86.5-90.5	1	0.4	00.0-01.2
White/Non-Hisp	1674	212,828	58	2.8	01.8-03.8	138	6.9	05.5-08.3	1477	89.7	87.7-91.7	1	0.6	00.0-01.8
Black or Afr. Am./Non-Hisp	263	39,178	18	5.0	01.7-08.3	38	15.4	08.9-21.9	207	79.6	72.7-86.5			
Oth. Race/Non-Hisp.	56	9,800	4	6.5	00.0-13.6	2	0.7	00.0-01.7	50	92.9	85.8-0100			
Hispanic	53	8,669	2	1.2	00.0-03.0	3	2.8	00.0-06.7	48	96.0	91.7-0100			
18-24	56	30,676	2	2.4	00.0-05.9	2	3.9	00.0-09.6	51	89.7	79.9-99.5	1	3.9	00.0-11.5
25-34	199	46,528	1	1.0	00.0-03.0	22	9.5	05.2-13.8	176	89.5	84.8-94.2			
35-44	319	51,227	11	3.6	01.2-06.0	27	6.8	03.9-09.7	281	89.6	85.9-93.3			
45-54	408	54,580	18	3.5	01.5-05.5	35	6.5	03.8-09.2	355	90.0	86.7-93.3			
55-64	445	39,373	19	4.3	02.1-06.5	45	11.1	07.4-14.8	381	84.5	80.4-88.6			
65+	609	47,187	30	3.8	02.2-05.4	51	9.1	06.0-12.2	528	87.1	83.6-90.6			
Less Than H.S.	105	13,322	10	9.9	01.9-17.9	9	7.9	00.8-15.0						
H.S. or G.E.D.	646	73,278	41	4.9	02.7-07.1	74	9.8	07.1-12.5	531	85.3	81.8-88.8			
Some Post-H.S.	572	72,757	14	1.9	00.5-03.3	51	8.9	05.6-12.2	507	89.1	85.6-92.6			
College Graduate	752	114,102	18	2.1	01.1-03.1	51	5.9	03.9-07.9	683	92.0	89.6-94.4			
Less than \$15,000	235	20,555	12	5.8	00.9-10.7	22	6.6	03.3-09.9	201	87.6	81.9-93.3			
\$15,000- 24,999	190	19,676	15	5.8	02.3-09.3	32	15.2	08.5-21.9	143	79.0	71.6-86.4			
\$25,000- 34,999	189	24,168	4	0.7	00.0-01.5	16	6.4	02.7-10.1	169	93.0	89.1-96.9			
\$35,000- 49,999	259	32,290	14	4.9	01.6-08.2	29	12.7	06.0-19.4	216	82.4	75.1-89.7			
\$50,000- 74,999	308	48,653	8	1.3	00.3-02.3	32	9.8	05.7-13.9	268	88.9	84.6-93.2			
\$75,000+	539	86,322	13	2.5	00.9-04.1	28	4.7	02.7-06.7	497	91.4	87.9-94.9	1	1.4	00.0-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 10: ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of moderate physical activity

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3328	531,133	349	9.1	07.7-10.5	369	10.7	09.3-12.1	2610	80.2	78.2-82.2
Male	1237	257,051	123	8.5	06.5-10.5	119	8.8	06.8-10.8	995	82.7	80.0-85.4
Female	2091	274,082	226	9.7	07.7-11.7	250	12.4	10.4-14.4	1615	77.9	75.4-80.4
White/Non-Hisp	2695	407,426	271	8.4	07.0-09.8	294	10.7	09.1-12.3	2130	80.9	78.9-82.9
Black or Afr. Am./Non-Hisp	386	66,119	53	14.4	08.3-20.5	54	12.1	08.2-16.0	279	73.5	66.8-80.2
Oth. Race/Non-Hisp.	100	23,800	7	4.7	00.8-08.6	6	9.6	00.0-20.0			
Hispanic	83	21,186	6	4.2	00.1-08.3	11	8.9	01.8-16.0	66	86.9	78.7-95.1
18-24	114	66,812	8	7.2	01.3-13.1	8	6.2	01.1-11.3	98	86.5	78.9-94.1
25-34	312	93,300	30	7.5	04.2-10.8	42	11.3	07.4-15.2	240	81.2	76.1-86.3
35-44	508	97,894	47	8.6	05.9-11.3	66	13.1	09.6-16.6	395	78.3	74.0-82.6
45-54	641	104,683	69	8.6	06.1-11.1	66	9.1	06.6-11.6	506	82.3	79.0-85.6
55-64	706	77,040	64	9.9	06.8-13.0	72	10.8	07.7-13.9	570	79.3	75.0-83.6
65+	998	86,123	122	12.4	09.9-14.9	107	12.1	09.4-14.8	769	75.5	72.0-79.0
Less Than H.S.	191	28,767	29	11.5	06.2-16.8	16	8.8	01.5-16.1	146	79.7	71.3-88.1
H.S. or G.E.D.	1007	148,419	119	10.6	08.1-13.1	95	8.1	05.9-10.3	793	81.3	78.2-84.4
Some Post-H.S.	876	135,524	90	9.4	06.7-12.1	105	11.6	08.9-14.3	681	79.0	75.3-82.7
College Graduate	1252	218,055	110	7.5	05.3-09.7	153	12.1	09.6-14.6	989	80.4	77.3-83.5
Less than \$15,000	320	36,281	35	12.3	07.2-17.4	40	10.2	05.9-14.5	245	77.5	71.0-84.0
\$15,000- 24,999	269	34,785	45	10.1	06.4-13.8	29	9.7	05.2-14.2	195	80.2	74.3-86.1
\$25,000- 34,999	292	41,233	33	12.0	06.3-17.7	31	8.7	04.6-12.8	228	79.3	72.4-86.2
\$35,000- 49,999	442	64,360	47	10.1	05.8-14.4	43	9.4	05.9-12.9	352	80.5	75.2-85.8
\$50,000- 74,999	545	98,193	55	9.9	06.0-13.8	53	9.0	05.9-12.1	437	81.2	76.3-86.1
\$75,000+	958	182,853	73	6.6	04.6-08.6	120	13.0	10.3-15.7	765	80.4	77.1-83.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 11: ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1237	257,051	123	8.5	06.5-10.5	119	8.8	06.8-10.8	995	82.7	80.0-85.4
White/Non-Hisp	1010	195,001	99	8.5	06.3-10.7	98	9.7	07.3-12.1	813	81.9	78.8-85.0
Black or Afr. Am./Non-Hisp	121	26,690	12	9.2	01.4-17.0	12	5.8	01.7-09.9	97	85.0	76.4-93.6
18-24	59	37,347	4	5.9	00.0-12.2	5	6.5	00.0-13.0	50	87.5	78.7-96.3
25-34	112	46,636	10	6.8	01.3-12.3	10	6.4	01.7-11.1	92	86.8	79.7-93.9
35-44	189	46,667	17	8.9	04.4-13.4	23	12.4	06.9-17.9	149	78.7	72.0-85.4
45-54	231	49,335	22	6.7	03.6-09.8	18	6.5	03.2-09.8	191	86.8	82.3-91.3
55-64	259	37,559	29	12.6	06.9-18.3	21	8.8	04.1-13.5	209	78.6	71.7-85.5
65+	379	38,279	39	10.4	06.7-14.1	41	12.5	08.0-17.0	299	77.0	71.7-82.3
Less Than H.S.	83	16,372	11	10.0	02.7-17.3						
H.S. or G.E.D.	358	74,940	38	9.4	05.5-13.3	25	6.4	03.3-09.5	295	84.2	79.3-89.1
Some Post-H.S.	299	62,382	34	10.8	05.7-15.9	25	7.8	04.1-11.5	240	81.4	75.3-87.5
College Graduate	496	103,073	39	6.0	03.6-08.4	61	10.9	07.6-14.2	396	83.2	79.3-87.1
Less than \$15,000	85	15,727	7	6.2	00.0-12.5	8	8.9	01.3-16.5	70	84.9	75.1-94.7
\$15,000- 24,999	74	14,785	7	5.2	00.5-09.9	6	4.8	00.0-09.9	61	89.9	82.8-97.0
\$25,000- 34,999	101	16,360	13	13.8	04.0-23.6	9	9.8	02.0-17.6			
\$35,000- 49,999	183	32,070	19	10.8	03.4-18.2	18	8.0	03.5-12.5	146	81.2	73.0-89.4
\$50,000- 74,999	236	49,515	26	8.5	04.6-12.4	20	9.0	04.1-13.9	190	82.5	76.2-88.8
\$75,000+	419	97,660	36	7.7	04.8-10.6	45	9.4	06.3-12.5	338	82.9	78.6-87.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 12: ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2091	274,082	226	9.7	07.7-11.7	250	12.4	10.4-14.4	1615	77.9	75.4-80.4
White/Non-Hisp	1685	212,424	172	8.3	06.7-09.9	196	11.6	09.4-13.8	1317	80.0	77.5-82.5
Black or Afr. Am./Non-Hisp	265	39,429	41	17.9	09.5-26.3	42	16.3	10.4-22.2	182	65.7	56.9-74.5
Oth. Race/Non-Hisp.	56	9,800	2	3.4	00.0-08.9						
Hispanic	53	8,669	5	6.3	00.0-12.8						
18-24	55	29,465	4	8.9	00.0-19.9	3	5.9	00.0-14.1			
25-34	200	46,664	20	8.3	04.4-12.2	32	16.2	10.1-22.3	148	75.5	68.6-82.4
35-44	319	51,227	30	8.4	04.9-11.9	43	13.8	09.3-18.3	246	77.8	72.3-83.3
45-54	410	55,348	47	10.3	06.6-14.0	48	11.4	07.7-15.1	315	78.3	73.4-83.2
55-64	447	39,481	35	7.3	04.4-10.2	51	12.8	08.5-17.1	361	79.9	75.0-84.8
65+	619	47,844	83	13.9	10.4-17.4	66	11.7	08.0-15.4	470	74.3	69.8-78.8
Less Than H.S.	108	12,396	18	13.3	06.0-20.6	8	6.5	01.0-12.0	82	80.2	71.2-89.2
H.S. or G.E.D.	649	73,480	81	11.7	08.4-15.0	70	9.9	07.0-12.8	498	78.4	74.1-82.7
Some Post-H.S.	577	73,142	56	8.3	05.6-11.0	80	14.9	11.0-18.8	441	76.8	72.3-81.3
College Graduate	756	114,982	71	9.0	05.5-12.5	92	13.2	09.7-16.7	593	77.8	73.1-82.5
Less than \$15,000	235	20,555	28	16.9	09.8-24.0	32	11.2	06.5-15.9	175	71.9	64.1-79.7
\$15,000- 24,999	195	20,000	38	13.7	08.4-19.0	23	13.3	06.8-19.8	134	72.9	64.7-81.1
\$25,000- 34,999	191	24,873	20	10.8	03.9-17.7	22	8.1	03.8-12.4	149	81.2	73.2-89.2
\$35,000- 49,999	259	32,290	28	9.5	05.2-13.8	25	10.7	05.4-16.0	206	79.8	72.9-86.7
\$50,000- 74,999	309	48,677	29	11.3	04.4-18.2	33	8.9	05.2-12.6	247	79.8	72.4-87.2
\$75,000+	539	85,193	37	5.4	03.2-07.6	75	17.2	12.5-21.9	427	77.5	72.6-82.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 13: NOW, THINKING ABOUT THE VIGOROUS ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3945	613,616	1647	50.8	48.4-53.2	2298	49.2	46.8-51.6
Male	1447	294,003	756	61.3	57.8-64.8	691	38.7	35.2-42.2
Female	2498	319,613	891	41.1	38.0-44.2	1607	58.9	55.8-62.0
White/Non-Hisp	3159	464,209	1316	50.5	48.0-53.0	1843	49.5	47.0-52.0
Black or Afr. Am./Non-Hisp	483	81,671	190	47.7	41.0-54.4	293	52.3	45.6-59.0
25-34	339	100,745	213	69.0	62.9-75.1	126	31.0	24.9-37.1
35-44	569	110,467	304	56.9	52.0-61.8	265	43.1	38.2-48.0
45-54	723	115,508	336	50.3	45.6-55.0	387	49.7	45.0-54.4
55-64	835	90,994	332	40.5	36.0-45.0	503	59.5	55.0-64.0
65+	1287	111,349	352	26.6	23.7-29.5	935	73.4	70.5-76.3
Less Than H.S.	293	43,674	83	45.1	35.1-55.1			
H.S. or G.E.D.	1219	172,911	420	46.4	41.9-50.9	799	53.6	49.1-58.1
Some Post-H.S.	1014	151,716	442	51.8	47.1-56.5	572	48.2	43.5-52.9
College Graduate	1414	244,438	700	54.2	50.3-58.1	714	45.8	41.9-49.7
Less than \$15,000	403	45,412	111	33.2	25.4-41.0	292	66.8	59.0-74.6
\$15,000- 24,999	385	46,007	109	39.9	31.5-48.3	276	60.1	51.7-68.5
\$25,000- 34,999	359	48,769	135	47.4	38.8-56.0	224	52.6	44.0-61.2
\$35,000- 49,999	522	76,698	220	52.1	45.0-59.2	302	47.9	40.8-55.0
\$50,000- 74,999	613	108,281	298	51.8	45.5-58.1	315	48.2	41.9-54.5
\$75,000+	1057	201,488	551	58.3	54.4-62.2	506	41.7	37.8-45.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 14: NOW, THINKING ABOUT THE VIGOROUS ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1447	294,003	756	61.3	57.8-64.8	691	38.7	35.2-42.2
White/Non-Hisp	1163	219,886	595	59.5	55.8-63.2	568	40.5	36.8-44.2
Black or Afr. Am./Non-Hisp	150	32,924	83	66.1	56.1-76.1	67	33.9	23.9-43.9
25-34	119	50,028	96	82.1	73.7-90.5	23	17.9	09.5-26.3
35-44	218	54,127	152	71.0	64.1-77.9	66	29.0	22.1-35.9
45-54	262	55,225	146	59.4	52.1-66.7	116	40.6	33.3-47.9
55-64	305	44,980	138	44.5	37.1-51.9	167	55.5	48.1-62.9
65+	467	47,306	175	36.1	30.8-41.4	292	63.9	58.6-69.2
H.S. or G.E.D.	421	87,134	199	57.0	50.5-63.5	222	43.0	36.5-49.5
Some Post-H.S.	347	68,385	186	64.8	57.7-71.9	161	35.2	28.1-42.3
College Graduate	563	116,392	327	64.4	59.1-69.7	236	35.6	30.3-40.9
\$35,000- 49,999	212	36,947	108	58.9	49.9-67.9	104	41.1	32.1-50.1
\$50,000- 74,999	267	54,455	156	66.3	58.5-74.1	111	33.7	25.9-41.5
\$75,000+	468	107,674	281	68.5	63.4-73.6	187	31.5	26.4-36.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 15: NOW, THINKING ABOUT THE VIGOROUS ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2498	319,613	891	41.1	38.0-44.2	1607	58.9	55.8-62.0
White/Non-Hisp	1996	244,323	721	42.5	39.0-46.0	1275	57.5	54.0-61.0
Black or Afr. Am./Non-Hisp	333	48,747	107	35.3	27.3-43.3	226	64.7	56.7-72.7
25-34	220	50,718	117	56.1	48.3-63.9	103	43.9	36.1-51.7
35-44	351	56,339	152	43.4	37.1-49.7	199	56.6	50.3-62.9
45-54	461	60,283	190	42.0	36.1-47.9	271	58.0	52.1-63.9
55-64	530	46,013	194	36.6	31.5-41.7	336	63.4	58.3-68.5
65+	820	64,043	177	19.6	16.5-22.7	643	80.4	77.3-83.5
H.S. or G.E.D.	798	85,776	221	35.6	29.1-42.1	577	64.4	57.9-70.9
Some Post-H.S.	667	83,331	256	41.2	35.7-46.7	411	58.8	53.3-64.3
College Graduate	851	128,046	373	45.0	39.9-50.1	478	55.0	49.9-60.1
Less than \$15,000	295	26,113	72	25.4	18.9-31.9	223	74.6	68.1-81.1
\$15,000- 24,999	283	27,024	66	30.1	21.3-38.9	217	69.9	61.1-78.7
\$50,000- 74,999	346	53,827	142	37.2	29.4-45.0	204	62.8	55.0-70.6
\$75,000+	589	93,814	270	46.7	41.4-52.0	319	53.3	48.0-58.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 16: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)

Denominator excludes: Respondents reporting no vigorous physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days			3 or more days			None or <10 mins per week		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1635	310,412	323	17.3	14.8-19.8	367	22.6	19.5-25.7	944	60.1	56.6-63.6	1	0.0	00.0-00.0
Male	751	179,674	163	17.9	14.6-21.2	159	23.1	18.6-27.6	428	59.0	53.9-64.1	1	0.0	00.0-00.0
Female	884	130,738	160	16.3	12.8-19.8	208	22.0	17.9-26.1	516	61.7	56.8-66.6			
White/Non-Hisp	1308	233,895	264	18.4	15.5-21.3	293	22.4	19.1-25.7	750	59.2	55.3-63.1	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	186	38,660	38	15.7	09.4-22.0	45	19.9	12.3-27.5	103	64.4	55.0-73.8			
Oth. Race/Non-Hisp.	56	14,346	7	9.0	00.0-18.0									
18-24	83	51,930	13	10.6	03.5-17.7									
25-34	211	69,248	37	15.6	09.7-21.5	42	17.6	10.9-24.3	132	66.8	58.8-74.8			
35-44	304	62,879	55	17.6	12.5-22.7	65	20.7	15.2-26.2	184	61.7	55.0-68.4			
45-54	335	58,020	72	20.7	15.4-26.0	84	31.2	24.3-38.1	179	48.2	41.3-55.1			
55-64	329	36,597	75	22.4	16.5-28.3	78	22.5	16.6-28.4	176	55.2	47.9-62.5			
65+	348	29,373	66	17.7	13.0-22.4	74	22.4	16.9-27.9	207	59.7	53.4-66.0	1	0.2	00.0-00.6
H.S. or G.E.D.	415	79,749	103	21.4	15.9-26.9	86	18.5	13.0-24.0	226	60.1	52.8-67.4			
Some Post-H.S.	441	78,469	94	18.1	13.4-22.8	116	26.4	20.3-32.5	231	55.6	48.7-62.5			
College Graduate	695	132,172	99	13.1	09.8-16.4	149	23.2	18.1-28.3	446	63.7	58.4-69.0	1	0.0	00.0-00.0
Less than \$15,000	109	14,899	26	19.0	10.2-27.8									
\$25,000- 34,999	135	23,100	27	19.1	09.9-28.3	25	17.7	08.5-26.9						
\$35,000- 49,999	218	39,785	50	15.6	09.5-21.7	44	20.0	11.6-28.4						
\$50,000- 74,999	296	55,974	50	14.2	08.7-19.7	66	24.3	15.1-33.5	179	61.4	52.2-70.6	1	0.1	00.0-00.3
\$75,000+	549	117,293	97	16.3	12.4-20.2	130	22.7	18.0-27.4	322	61.0	55.5-66.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 17: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days			3 or more days			None or <10 mins per week		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	751	179,674	163	17.9	14.6-21.2	159	23.1	18.6-27.6	428	59.0	53.9-64.1	1	0.0	00.0-00.0
White/Non-Hisp	593	130,635	131	18.8	14.9-22.7	129	23.5	18.6-28.4	332	57.6	52.1-63.1	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	80	21,463				14	12.0	04.0-20.0						
25-34	95	40,937	14	14.6	06.2-23.0									
35-44	152	38,413	34	21.0	13.6-28.4	30	18.0	10.9-25.1	88	60.9	51.9-69.9			
45-54	146	32,791	36	22.4	14.8-30.0				69	40.4	31.0-49.8			
55-64	136	19,854	28	18.7	10.3-27.1	32	24.4	15.0-33.8						
65+	173	16,970	43	23.2	15.9-30.5	26	15.3	08.4-22.2	103	61.2	52.6-69.8	1	0.3	00.0-00.9
H.S. or G.E.D.	197	49,417	47	22.4	15.0-29.8	36	19.8	12.0-27.6	114	57.8	48.2-67.4			
Some Post-H.S.	186	44,283	53	20.9	13.8-28.0	48	25.9	17.1-34.7						
College Graduate	325	74,776	49	13.2	08.5-17.9	69	23.2	15.8-30.6	206	63.5	55.7-71.3	1	0.1	00.0-00.3
\$35,000- 49,999	107	21,681	27	19.5	10.1-28.9	19	12.8	05.9-19.7						
\$50,000- 74,999	155	36,027	30	15.1	07.5-22.7							1	0.1	00.0-00.3
\$75,000+	281	73,712	52	17.3	11.8-22.8	65	23.9	17.4-30.4	164	58.8	51.4-66.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 18: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days			3 or more days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	884	130,738	160	16.3	12.8-19.8	208	22.0	17.9-26.1	516	61.7	56.8-66.6
White/Non-Hisp	715	103,260	133	17.8	13.7-21.9	164	21.1	16.6-25.6	418	61.1	55.6-66.6
Black or Afr. Am./Non-Hisp	106	17,196	18	9.5	04.4-14.6						
25-34	116	28,311	23	17.0	09.4-24.6	22	14.7	07.8-21.6	71	68.3	58.7-77.9
35-44	152	24,466	21	12.3	06.4-18.2	35	24.8	16.6-33.0	96	63.0	54.0-72.0
45-54	189	25,229	36	18.4	11.7-25.1	43	23.2	15.6-30.8	110	58.3	49.3-67.3
55-64	193	16,743	47	26.7	18.7-34.7	46	20.2	13.5-26.9	100	53.1	44.5-61.7
65+	175	12,402	23	10.2	05.5-14.9	48	32.2	23.6-40.8	104	57.6	48.6-66.6
H.S. or G.E.D.	218	30,333	56	19.8	12.5-27.1	50	16.4	09.7-23.1			
Some Post-H.S.	255	34,187	41	14.4	08.1-20.7	68	26.9	19.3-34.5	146	58.6	50.0-67.2
College Graduate	370	57,396	50	12.8	08.5-17.1	80	23.1	16.4-29.8	240	64.1	57.0-71.2
\$25,000- 34,999	84	14,160	14	11.5	02.9-20.1	15	11.6	02.8-20.4			
\$35,000- 49,999	111	18,105	23	10.9	04.8-17.0						
\$50,000- 74,999	141	19,948	20	12.5	05.4-19.6						
\$75,000+	268	43,581	45	14.6	09.5-19.7	65	20.7	15.0-26.4	158	64.8	57.7-71.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 19: ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of vigorous physical activity

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1646	311,404	145	6.6	05.0-08.2	121	7.2	05.4-09.0	1380	86.2	84.0-88.4
Male	755	180,044	68	6.0	04.2-07.8	37	5.4	03.2-07.6	650	88.6	85.9-91.3
Female	891	131,360	77	7.5	05.0-10.0	84	9.5	07.0-12.0	730	83.0	79.5-86.5
White/Non-Hisp	1315	234,576	120	7.8	05.8-09.8	98	7.0	05.2-08.8	1097	85.2	82.7-87.7
Black or Afr. Am./Non-Hisp	190	38,971	18	4.7	02.2-07.2	17	8.0	02.9-13.1	155	87.3	81.6-93.0
Oth. Race/Non-Hisp.	56	14,346	2	1.0	00.0-02.4	1	2.3	00.0-06.8	53	96.6	91.7-0100
18-24	83	51,930	8	5.7	00.4-11.0	3	3.1	00.0-07.2	72	91.2	84.5-97.9
25-34	213	69,509	17	4.2	01.8-06.6	26	9.8	05.5-14.1	170	86.0	81.1-90.9
35-44	304	62,879	21	6.8	03.5-10.1	25	10.1	05.6-14.6	258	83.1	77.6-88.6
45-54	336	58,102	27	6.4	03.7-09.1	17	4.7	02.0-07.4	292	88.8	85.1-92.5
55-64	332	36,841	29	8.5	04.4-12.6	19	5.3	02.6-08.0	284	86.2	81.5-90.9
65+	351	29,588	37	10.5	06.6-14.4	26	7.8	04.1-11.5	288	81.7	76.6-86.8
Less Than H.S.	83	19,703				6	5.3	00.6-10.0			
H.S. or G.E.D.	420	80,211	52	10.0	06.7-13.3	28	7.7	03.8-11.6	340	82.3	77.2-87.4
Some Post-H.S.	442	78,634	40	6.6	04.1-09.1	29	7.1	03.8-10.4	373	86.3	82.2-90.4
College Graduate	699	132,489	44	3.9	02.3-05.5	57	6.9	04.5-09.3	598	89.2	86.5-91.9
Less than \$15,000	111	15,092	18	13.9	05.9-21.9						
\$15,000- 24,999	109	18,376	11	7.6	02.1-13.1	4	7.7	00.0-16.5			
\$25,000- 34,999	135	23,100	11	4.2	00.9-07.5	15	9.4	02.9-15.9	109	86.4	79.1-93.7
\$35,000- 49,999	220	39,959	20	8.1	03.6-12.6	11	4.1	01.0-07.2	189	87.8	82.3-93.3
\$50,000- 74,999	297	56,081	26	6.7	03.4-10.0	18	5.1	02.2-08.0	253	88.2	83.9-92.5
\$75,000+	551	117,541	37	4.2	02.4-06.0	47	8.1	05.4-10.8	467	87.7	84.6-90.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 20: ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of vigorous physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	755	180,044	68	6.0	04.2-07.8	37	5.4	03.2-07.6	650	88.6	85.9-91.3
White/Non-Hisp	594	130,720	58	7.6	05.2-10.0	30	5.1	02.6-07.6	506	87.3	84.0-90.6
Black or Afr. Am./Non-Hisp	83	21,749	7	2.7	00.3-05.1	2	3.4	00.0-08.5	74	93.8	88.3-99.3
25-34	96	41,081	5	2.1	00.0-04.3	7	4.9	00.4-09.4	84	92.9	88.0-97.8
35-44	152	38,413	12	7.8	02.9-12.7	9	8.8	02.5-15.1	131	83.5	76.1-90.9
45-54	146	32,791	12	6.3	02.4-10.2	5	4.1	00.4-07.8	129	89.6	84.3-94.9
55-64	138	20,015	14	8.6	02.3-14.9	2	0.9	00.0-02.3	122	90.5	84.2-96.8
65+	174	17,035	22	11.6	06.1-17.1	11	7.2	01.7-12.7	141	81.2	73.9-88.5
H.S. or G.E.D.	199	49,653	30	11.5	06.6-16.4	9	8.0	02.1-13.9	160	80.5	73.2-87.8
Some Post-H.S.	186	44,283	14	5.1	01.8-08.4	6	3.8	00.0-07.7	166	91.1	86.0-96.2
College Graduate	326	74,861	20	2.7	01.1-04.3	18	4.6	01.9-07.3	288	92.6	89.5-95.7
\$25,000- 34,999	51	8,940	4	3.1	00.0-06.6						
\$35,000- 49,999	108	21,773	15	11.7	04.1-19.3	1	0.7	00.0-02.1	92	87.6	80.0-95.2
\$50,000- 74,999	155	36,046	14	7.4	02.7-12.1	6	2.9	00.4-05.4	135	89.8	84.3-95.3
\$75,000+	281	73,712	15	2.5	00.9-04.1	17	6.1	02.8-09.4	249	91.4	87.7-95.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 21: ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of vigorous physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	891	131,360	77	7.5	05.0-10.0	84	9.5	07.0-12.0	730	83.0	79.5-86.5
White/Non-Hisp	721	103,857	62	8.0	05.1-10.9	68	9.4	06.7-12.1	591	82.6	78.7-86.5
Black or Afr. Am./Non-Hisp	107	17,222	11	7.2	02.1-12.3	15	13.8	04.4-23.2			
25-34	117	28,428	12	7.2	02.3-12.1	19	16.9	09.1-24.7	86	76.0	67.2-84.8
35-44	152	24,466	9	5.3	01.4-09.2	16	12.2	05.5-18.9	127	82.5	75.1-89.9
45-54	190	25,311	15	6.6	02.7-10.5	12	5.6	01.5-09.7	163	87.8	82.3-93.3
55-64	194	16,826	15	8.4	03.5-13.3	17	10.4	04.9-15.9	162	81.1	74.0-88.2
65+	177	12,552	15	9.1	03.8-14.4	15	8.6	03.9-13.3	147	82.3	75.6-89.0
H.S. or G.E.D.	221	30,558	22	7.4	03.5-11.3	19	7.4	03.1-11.7	180	85.2	79.1-91.3
Some Post-H.S.	256	34,351	26	8.5	04.6-12.4	23	11.5	05.8-17.2	207	80.1	73.4-86.8
College Graduate	373	57,628	24	5.3	02.6-08.0	39	9.8	06.1-13.5	310	84.9	80.4-89.4
Less than \$15,000	72	6,626	10	12.8	04.6-21.0	6	10.0	01.2-18.8			
\$15,000- 24,999	66	8,123	6	7.6	00.5-14.7	2	5.1	00.0-13.1			
\$25,000- 34,999	84	14,160	7	5.0	00.1-09.9	9	7.8	01.1-14.5	68	87.2	78.6-95.8
\$35,000- 49,999	112	18,187	5	3.7	00.0-07.4	10	8.2	01.1-15.3	97	88.0	80.0-96.0
\$50,000- 74,999	142	20,035	12	5.4	02.1-08.7	12	9.1	02.8-15.4	118	85.5	78.4-92.6
\$75,000+	270	43,829	22	7.2	03.5-10.9	30	11.4	06.7-16.1	218	81.4	75.5-87.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 20: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)	
1	MALES AND FEMALES	255
2	MALES ONLY	256
3	FEMALES ONLY	257
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD2)	
4	MALES AND FEMALES	258
5	MALES ONLY	259
6	FEMALES ONLY	260
	WHERE DID YOU HAVE YOUR LAST HIV TEST - AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)	
7	MALES AND FEMALES	261
8	MALES ONLY	262
9	FEMALES ONLY	263
	WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)	
10	MALES AND FEMALES	264
11	MALES ONLY	265
12	FEMALES ONLY	266
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)	
13	MALES AND FEMALES	267
14	MALES ONLY	268
15	FEMALES ONLY	269

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2557	488,566	1229	49.1	46.2-52.0	1328	50.9	48.0-53.8
Male	952	240,859	439	45.4	41.1-49.7	513	54.6	50.3-58.9
Female	1605	247,707	790	52.8	49.1-56.5	815	47.2	43.5-50.9
White/Non-Hisp	1946	356,995	847	45.0	41.9-48.1	1099	55.0	51.9-58.1
Black or Afr. Am./Non-Hisp	386	71,370	248	65.7	58.3-73.1	138	34.3	26.9-41.7
25-34	336	99,894	246	68.0	61.1-74.9	90	32.0	25.1-38.9
35-44	556	107,692	353	64.4	59.5-69.3	203	35.6	30.7-40.5
45-54	713	114,494	336	44.1	39.4-48.8	377	55.9	51.2-60.6
55-64	822	89,411	233	25.4	21.5-29.3	589	74.6	70.7-78.5
H.S. or G.E.D.	739	133,790	318	44.9	39.6-50.2	421	55.1	49.8-60.4
Some Post-H.S.	696	122,530	353	52.1	46.6-57.6	343	47.9	42.4-53.4
College Graduate	986	201,878	473	47.8	43.3-52.3	513	52.2	47.7-56.7
\$35,000- 49,999	332	58,288	160	55.5	46.7-64.3	172	44.5	35.7-53.3
\$50,000- 74,999	468	94,326	214	42.5	35.6-49.4	254	57.5	50.6-64.4
\$75,000+	867	178,995	409	48.6	44.3-52.9	458	51.4	47.1-55.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	952	240,859	439	45.4	41.1-49.7	513	54.6	50.3-58.9
White/Non-Hisp	732	174,748	311	42.1	37.4-46.8	421	57.9	53.2-62.6
35-44	209	51,992	121	58.3	50.3-66.3	88	41.7	33.7-49.7
45-54	259	54,526	124	43.7	36.3-51.1	135	56.3	48.9-63.7
55-64	299	43,975	91	25.9	19.6-32.2	208	74.1	67.8-80.4
H.S. or G.E.D.	283	72,854	136	47.5	39.7-55.3	147	52.5	44.7-60.3
Some Post-H.S.	249	58,059	111	43.6	34.8-52.4	138	56.4	47.6-65.2
College Graduate	365	94,074	158	41.7	34.8-48.6	207	58.3	51.4-65.2
\$50,000- 74,999	189	47,358	74	35.2	25.8-44.6	115	64.8	55.4-74.2
\$75,000+	362	93,885	150	43.1	36.4-49.8	212	56.9	50.2-63.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1605	247,707	790	52.8	49.1-56.5	815	47.2	43.5-50.9
White/Non-Hisp	1214	182,248	536	47.8	43.5-52.1	678	52.2	47.9-56.5
Black or Afr. Am./Non-Hisp	267	42,049	176	68.7	59.5-77.9	91	31.3	22.1-40.5
25-34	217	50,112	170	75.4	68.1-82.7	47	24.6	17.3-31.9
35-44	347	55,700	232	70.2	64.3-76.1	115	29.8	23.9-35.7
45-54	454	59,968	212	44.6	38.7-50.5	242	55.4	49.5-61.3
55-64	523	45,436	142	24.8	20.3-29.3	381	75.2	70.7-79.7
H.S. or G.E.D.	456	60,936	182	41.7	34.4-49.0	274	58.3	51.0-65.6
Some Post-H.S.	447	64,470	242	59.7	53.4-66.0	205	40.3	34.0-46.6
College Graduate	621	107,804	315	53.0	47.1-58.9	306	47.0	41.1-52.9
\$50,000- 74,999	279	46,967	140	49.9	40.1-59.7	139	50.1	40.3-59.9
\$75,000+	505	85,110	259	54.6	48.9-60.3	246	45.4	39.7-51.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	998	201,170	48	4.2	02.4-06.0	66	5.0	03.4-06.6	144	12.2	09.7-14.7	593	61.3	57.0-65.6	147	17.2	13.7-20.7
Male	354	92,314	15	3.9	01.2-06.6	20	3.6	01.8-05.4	47	13.1	08.4-17.8	210	60.9	54.0-67.8	62	18.6	12.9-24.3
Female	644	108,855	33	4.5	02.5-06.5	46	6.3	04.1-08.5	97	11.5	08.8-14.2	383	61.7	56.4-67.0	85	16.1	11.6-20.6
White/Non-Hisp	680	134,346	43	6.0	03.5-08.5	60	6.7	04.7-08.7	116	15.4	11.9-18.9	377	57.5	52.4-62.6	84	14.3	10.4-18.2
Black or Afr. Am./Non-Hisp	209	39,763	3	0.9	00.0-02.1	4	0.9	00.0-02.1	18	5.6	02.5-08.7	146	68.5	59.3-77.7	38	24.1	15.1-33.1
25-34	222	61,492				1	0.1	00.0-00.3	19	10.7	04.8-16.6	151	65.4	57.0-73.8	51	23.8	16.2-31.4
35-44	294	57,274	8	4.1	01.0-07.2	24	7.8	04.1-11.5	45	14.0	09.3-18.7	187	64.1	57.4-70.8	30	10.1	06.0-14.2
45-54	268	39,896	23	12.5	06.0-19.0	30	11.2	06.5-15.9	52	18.7	13.0-24.4	138	48.4	40.6-56.2	25	9.3	04.8-13.8
55-64	157	15,189	17	8.1	03.8-12.4	11	7.0	02.5-11.5	28	16.7	09.6-23.8	81	57.6	48.0-67.2	20	10.6	05.1-16.1
Less Than H.S.	66	16,151	2	1.2	00.0-03.4	2	1.2	00.0-03.0	7	3.4	00.5-06.3						
H.S. or G.E.D.	243	47,980	10	5.2	00.3-10.1	13	4.2	01.5-06.9	36	13.5	07.8-19.2	152	61.0	52.6-69.4	32	16.0	09.7-22.3
Some Post-H.S.	294	55,135	13	4.0	01.1-06.9	19	3.2	01.6-04.8	41	9.4	05.7-13.1	171	63.7	55.9-71.5	50	19.7	12.6-26.8
College Graduate	394	81,788	23	4.5	02.3-06.7	32	7.5	04.6-10.4	60	15.1	10.4-19.8	228	59.4	52.7-66.1	51	13.6	08.3-18.9
Less than \$15,000	79	15,262	4	2.9	00.0-06.0	4	1.4	00.0-03.0	5	4.3	00.0-08.8						
\$15,000- 24,999	100	15,069	3	0.6	00.0-01.2	2	1.1	00.0-02.7	12	6.3	02.2-10.4						
\$25,000- 34,999	93	17,895	2	0.4	00.0-01.0	3	1.7	00.0-03.9	9	6.8	01.1-12.5						
\$35,000- 49,999	140	29,694	6	2.2	00.2-04.2	3	1.4	00.0-03.2	20	8.1	03.6-12.6						
\$50,000- 74,999	174	32,510	9	5.4	01.1-09.7	15	4.9	02.2-07.6	29	13.6	06.5-20.7				21	18.2	09.6-26.8
\$75,000+	344	75,674	21	6.2	02.7-09.7	36	9.3	05.8-12.8	66	19.3	13.8-24.8	184	56.2	49.3-63.1	37	9.0	05.5-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	354	92,314	15	3.9	01.0-06.8	20	3.6	01.8-05.4	47	13.1	08.4-17.8	210	60.9	54.0-67.8	62	18.6	12.9-24.3
White/Non-Hisp	245	61,829	15	5.8	01.7-09.9	19	5.1	02.4-07.8	40	16.8	10.5-23.1	132	56.6	48.4-64.8	39	15.6	09.9-21.3
Black or Afr. Am./Non-Hisp	63	16,003				1	0.6	00.0-01.8	4	4.9	00.0-10.2						
35-44	92	23,422	3	4.2	00.0-09.1	9	7.2	02.1-12.3	12	15.0	06.4-23.6				13	13.1	05.7-20.5
45-54	103	19,671				8	6.6	01.1-12.1	15	15.9	07.5-24.3				11	12.7	04.3-21.1
55-64	61	7,022	7	7.9	01.6-14.2	3	4.3	00.0-09.4	10	13.0	04.2-21.8				11	14.4	04.8-24.0
H.S. or G.E.D.	102	28,166	4	6.7	00.0-14.7	5	3.4	00.0-06.9	14	12.6	04.4-20.8				16	16.1	07.7-24.5
Some Post-H.S.	93	22,851	4	1.4	00.0-03.0	4	2.0	00.0-04.0	9	8.7	02.2-15.2						
College Graduate	130	32,183	7	4.3	00.6-08.0	10	5.4	01.5-09.3	22	20.0	10.2-29.8				16	9.0	03.7-14.3
\$35,000- 49,999	61	16,229	3	2.3	00.0-05.2	1	1.0	00.0-03.0	8	7.5	01.6-13.4						
\$50,000- 74,999	60	13,905	3	6.4	00.0-14.0	4	3.6	00.0-07.3									
\$75,000+	120	34,243	7	6.5	00.0-13.2	12	7.0	02.5-11.5	21	21.7	12.1-31.3				15	8.1	03.2-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	644	108,855	33	4.5	02.5-06.5	46	6.3	04.1-08.5	97	11.5	08.8-14.2	383	61.7	56.4-67.0	85	16.1	11.6-20.6
White/Non-Hisp	435	72,517	28	6.2	03.3-09.1	41	8.1	05.2-11.0	76	14.2	10.3-18.1	245	58.3	52.0-64.6	45	13.2	07.5-18.9
Black or Afr. Am./Non-Hisp	146	23,759	3	1.5	00.0-03.5	3	1.1	00.0-02.9	14	6.0	01.9-10.1						
25-34	151	32,921				1	0.3	00.0-00.9	9	6.3	01.8-10.8	107	67.8	58.4-77.2	34	25.7	16.7-34.7
35-44	202	33,852	5	4.1	00.0-08.2	15	8.2	03.1-13.3	33	13.2	08.1-18.3	132	66.5	58.5-74.5	17	8.0	03.5-12.5
45-54	165	20,225	18	14.3	07.0-21.6	22	15.7	08.4-23.0	37	21.4	13.6-29.2				14	6.0	02.7-09.3
55-64	96	8,166	10	8.2	02.5-13.9	8	9.4	02.1-16.7							9	7.3	01.2-13.4
H.S. or G.E.D.	141	19,814	6	3.1	00.4-05.8	8	5.3	01.2-09.4	22	14.9	07.8-22.0				16	16.0	07.0-25.0
Some Post-H.S.	201	32,285	9	5.8	01.1-10.5	15	4.1	01.7-06.5	32	9.9	05.6-14.2	117	66.8	58.4-75.2	28	13.3	07.2-19.4
College Graduate	264	49,605	16	4.5	02.0-07.0	22	8.8	04.5-13.1	38	11.8	07.3-16.3	153	58.2	50.0-66.4	35	16.6	08.8-24.4
Less than \$15,000	54	7,102	3	4.8	00.0-10.5	4	2.9	00.0-06.2	3	3.2	00.0-07.1						
\$15,000- 24,999	67	8,145	2	0.6	00.0-01.4	1	1.0	00.0-03.0	10	9.7	02.8-16.6						
\$25,000- 34,999	62	11,324	2	0.7	00.0-01.7	3	2.8	00.0-06.3	5	5.1	00.2-10.0						
\$35,000- 49,999	79	13,465	3	2.0	00.0-04.5	2	1.8	00.0-05.1	12	8.9	02.2-15.6						
\$50,000- 74,999	114	18,605	6	4.7	00.0-09.4	11	5.9	02.2-09.6	20	12.8	05.9-19.7				9	13.2	03.6-22.8
\$75,000+	224	41,430	14	5.9	02.6-09.2	24	11.1	06.0-16.2	45	17.4	11.7-23.1	119	55.7	47.5-63.9	22	9.8	04.7-14.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1203	236,452	521	41.6	37.7-45.5	79	7.3	05.3-09.3	451	37.1	33.2-41.0	5	0.8	00.0-01.8	46	4.4	02.8-06.0	101	8.8	06.4-11.2
Male	428	107,475	141	32.9	27.0-38.8	29	7.1	04.0-10.2	190	42.5	36.2-48.8	4	1.8	00.0-04.0	16	5.2	02.3-08.1	48	10.4	06.7-14.1
Female	775	128,977	380	48.8	43.9-53.7	50	7.5	05.0-10.0	261	32.6	27.7-37.5	1	0.0	00.0-00.0	30	3.7	02.1-05.3	53	7.4	04.5-10.3
White/Non-Hisp	829	158,408	368	42.8	38.3-47.3	52	7.2	04.8-09.6	306	37.1	32.4-41.8	3	1.0	00.0-02.4	33	4.1	02.5-05.7	67	7.8	05.4-10.2
Black or Afr. Am./Non-Hisp	244	46,266	107	41.0	32.6-49.4	20	9.0	04.3-13.7	88	38.2	29.4-47.0	1	0.1	00.0-00.3	7	3.5	00.0-07.2	21	8.2	02.9-13.5
18-24	61	29,423				3	3.6	00.0-07.7				1	3.5	00.0-10.2	1	2.6	00.0-07.7			
25-34	243	67,164	120	46.8	38.6-55.0	15	6.5	02.4-10.6	85	35.0	27.0-43.0	1	0.6	00.0-01.8	6	3.4	00.3-06.5	16	7.6	02.9-12.3
35-44	347	68,430	163	45.4	39.1-51.7	26	9.4	05.5-13.3	117	31.9	26.0-37.8	1	0.2	00.0-00.6	13	5.1	02.2-08.0	27	8.1	04.6-11.6
45-54	328	49,837	151	41.7	34.8-48.6	19	7.4	03.7-11.1	113	35.7	28.6-42.8	1	0.9	00.0-02.7	15	5.6	02.3-08.9	29	8.8	05.1-12.5
55-64	224	21,598	67	27.7	20.4-35.0	16	8.4	03.9-12.9	105	48.2	39.8-56.6	1	0.1	00.0-00.3	11	4.5	01.6-07.4	24	11.0	04.9-17.1
Less Than H.S.	81	19,024				4	4.6	00.0-09.5				3	6.2	00.0-16.4						
H.S. or G.E.D.	309	58,816	129	42.6	35.2-50.0	19	5.4	02.7-08.1	121	37.5	30.2-44.8	2	1.4	00.0-03.4	12	5.6	01.5-09.7	26	7.5	04.0-11.0
Some Post-H.S.	346	62,965	152	41.9	34.5-49.3	22	7.6	03.9-11.3	131	36.0	28.7-43.3				8	3.3	00.6-06.0	33	11.3	06.0-16.6
College Graduate	466	95,532	208	41.9	36.0-47.8	34	8.9	05.4-12.4	162	37.2	30.9-43.5				26	5.2	02.8-07.6	36	6.9	04.2-09.6
Less than \$15,000	96	17,711				8	9.3	01.7-16.9							1	0.8	00.0-02.4	3	2.9	00.0-06.8
\$15,000- 24,999	132	19,066				5	6.5	00.6-12.4				1	0.1	00.0-00.3	4	3.1	00.0-06.8	6	2.9	00.0-06.4
\$25,000- 34,999	111	20,614				6	5.5	00.8-10.2				2	2.6	00.0-06.7	3	2.7	00.0-06.0	7	7.5	00.0-15.7
\$35,000- 49,999	158	32,260				12	7.0	02.5-11.5							1	2.4	00.0-07.1	15	13.3	04.3-22.3
\$50,000- 74,999	211	39,455	95	48.1	38.9-57.3	22	12.5	06.2-18.8	66	28.9	21.1-36.7	1	1.0	00.0-03.0	5	1.5	00.0-03.1	22	8.1	04.2-12.0
\$75,000+	400	85,890	189	46.0	39.7-52.3	16	4.9	02.0-07.8	133	34.6	28.1-41.1				26	7.4	04.1-10.7	36	7.1	04.4-09.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	428	107,475	141	32.9	27.0-38.8	29	7.1	04.0-10.2	190	42.5	36.2-48.8	4	1.8	00.0-04.0	16	5.2	02.3-08.1	48	10.4	06.5-14.3
White/Non-Hisp	304	72,722	101	33.1	26.0-40.2	20	7.7	03.8-11.6	135	44.1	36.7-51.5	3	2.1	00.0-05.0	11	3.9	01.4-06.4	34	9.0	05.1-12.9
Black or Afr. Am./Non-Hisp	70	17,435				6	6.8	00.9-12.7				1	4.4	00.0-12.8						
25-34	76	30,108				4	5.0	00.0-11.5				1	1.3	00.0-03.8	3	5.0	00.0-10.9	7	10.3	01.1-19.5
35-44	117	29,614				7	6.9	01.6-12.2				1	0.4	00.0-01.2	6	6.5	01.2-11.8	15	12.7	05.8-19.6
45-54	123	23,731				11	11.4	04.1-18.7				1	1.8	00.0-05.3	4	5.1	00.0-10.4	14	9.1	03.4-14.8
55-64	85	10,394				5	6.8	00.3-13.3							2	2.0	00.0-04.9	10	11.2	01.4-21.0
H.S. or G.E.D.	133	34,256				8	5.2	01.3-09.1				2	2.4	00.0-05.7	6	7.4	00.9-13.9	12	8.0	03.1-12.9
Some Post-H.S.	109	25,190				10	7.5	02.6-12.4							3	4.5	00.0-10.2			
College Graduate	155	38,570	54	29.6	21.0-38.2	9	8.7	02.0-15.4							7	5.1	01.0-09.2	16	8.6	03.3-13.9
\$35,000- 49,999	70	17,452				5	7.0	00.5-13.5							1	4.4	00.0-12.8			
\$50,000- 74,999	72	16,308										1	2.4	00.0-07.1	1	0.5	00.0-01.5	9	8.2	02.3-14.1
\$75,000+	147	40,034	44	28.4	19.6-37.2	5	4.4	00.3-08.5							10	9.0	03.1-14.9	21	8.0	03.7-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	775	128,977	380	48.8	43.9-53.7	50	7.5	05.0-10.0	261	32.6	27.7-37.5	1	0.0	00.0-00.0	30	3.7	02.1-05.3	53	7.4	04.5-10.3
White/Non-Hisp	525	85,686	267	51.1	45.2-57.0	32	6.8	04.1-09.5	171	31.3	25.6-37.0				22	4.2	02.0-06.4	33	6.7	03.8-09.6
Black or Afr. Am./Non-Hisp	174	28,831				14	10.3	03.8-16.8				1	0.1	00.0-00.3	6	3.0	00.1-05.9	11	3.6	00.7-06.5
25-34	167	37,056	91	53.1	43.9-62.3	11	7.7	02.4-13.0	53	31.6	23.2-40.0				3	2.2	00.0-04.9	9	5.5	01.4-09.6
35-44	230	38,816	125	54.6	46.8-62.4	19	11.3	05.8-16.8	67	25.5	18.8-32.2				7	4.1	01.0-07.2	12	4.6	01.7-07.5
45-54	205	26,106	106	47.5	38.5-56.5	8	3.7	01.0-06.4	65	34.3	25.1-43.5				11	6.0	01.9-10.1	15	8.5	03.4-13.6
55-64	139	11,204	43	30.0	20.6-39.4	11	9.8	03.7-15.9				1	0.2	00.0-00.6	9	6.8	01.7-11.9	14	10.9	03.6-18.2
Less Than H.S.	51	9,679				2	2.9	00.0-07.0				1	0.3	00.0-00.9						
H.S. or G.E.D.	176	24,560	84	50.6	41.0-60.2	11	5.8	02.1-09.5	61	33.8	24.4-43.2				6	3.0	00.3-05.7	14	6.8	02.3-11.3
Some Post-H.S.	237	37,775	121	49.2	40.2-58.2	12	7.7	02.6-12.8	84	34.3	25.5-43.1				5	2.4	00.0-04.8	15	6.4	02.7-10.1
College Graduate	311	56,963	154	50.2	42.6-57.8	25	9.0	04.9-13.1	93	29.9	22.5-37.3				19	5.4	02.5-08.3	20	5.7	02.6-08.8
Less than \$15,000	69	8,721				3	2.7	00.0-06.0										3	6.0	00.0-13.8
\$15,000- 24,999	91	10,976				3	7.5	00.0-16.1				1	0.3	00.0-00.9	3	2.2	00.0-04.9	4	4.0	00.0-09.9
\$25,000- 34,999	75	13,144				6	8.7	01.3-16.1							3	4.2	00.0-09.5			
\$35,000- 49,999	88	14,809				7	6.9	01.0-12.8										6	3.9	00.0-07.8
\$50,000- 74,999	139	23,146				14	11.3	04.8-17.8							4	2.2	00.0-04.6	13	7.9	02.8-13.0
\$75,000+	253	45,856	145	61.3	53.9-68.7	11	5.3	01.4-09.2	66	21.0	15.1-26.9				16	6.0	02.5-09.5	15	6.4	02.7-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 10: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	696	146,143	151	25.3	20.6-30.0	545	74.7	70.0-79.4	
Male	248	65,503	63	31.3	23.3-39.3	185	68.7	60.7-76.7	
Female	448	80,639	88	20.5	15.4-25.6	360	79.5	74.4-84.6	
White/Non-Hisp	444	90,346	70	19.4	13.9-24.9	374	80.6	75.1-86.1	
25-34	171	48,216	34	27.9	18.3-37.5	137	72.1	62.5-81.7	
35-44	190	37,108	34	18.5	11.8-25.2	156	81.5	74.8-88.2	
45-54	172	25,896	33	21.2	13.2-29.2	139	78.8	70.8-86.8	
H.S. or G.E.D.	162	32,956	39	28.5	18.7-38.3	123	71.5	61.7-81.3	
Some Post-H.S.	208	40,043	46	26.6	17.8-35.4	162	73.4	64.6-82.2	
College Graduate	275	59,150	51	21.4	14.3-28.5	224	78.6	71.5-85.7	
\$75,000+	233	51,654	33	16.5	09.4-23.6	200	83.5	76.4-90.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 20: HIV/AIDS**

TABLE 11: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	248	65,503	63	31.3	23.1-39.5	185	68.7	60.5-76.9
White/Non-Hisp	161	40,227	36	26.0	16.6-35.4	125	74.0	64.6-83.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 12: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	448	80,639	88	20.5	15.2-25.8	360	79.5	74.2-84.8
White/Non-Hisp	283	50,119	34	14.1	08.2-20.0	249	85.9	80.0-91.8
35-44	132	22,950	20	14.1	07.2-21.0	112	85.9	79.0-92.8
H.S. or G.E.D.	94	14,881	17	14.8	05.0-24.6	77	85.2	75.4-95.0
Some Post-H.S.	140	22,743	30	23.7	14.5-32.9	110	76.3	67.1-85.5
College Graduate	186	36,806	35	21.5	13.1-29.9	151	78.5	70.1-86.9
\$75,000+	157	30,116	19	14.5	06.7-22.3	138	85.5	77.7-93.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 13: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2589	493,646	62	4.0	02.6-05.4	2527	96.0	94.6-97.4
Male	964	243,513	28	4.1	02.1-06.1	936	95.9	93.9-97.9
Female	1625	250,132	34	3.8	01.6-06.0	1591	96.2	94.0-98.4
White/Non-Hisp	1977	362,598	45	4.0	02.2-05.8	1932	96.0	94.2-97.8
Black or Afr. Am./Non-Hisp	388	71,355	15	6.5	02.0-11.0	373	93.5	89.0-98.0
Oth. Race/Non-Hisp.	89	23,090	1	0.8	00.0-02.4	88	99.2	97.6-0100
Hispanic	80	23,554				80	100.0	0100-0100
18-24	130	77,075	13	10.8	03.7-17.9	117	89.2	82.1-96.3
25-34	338	100,792	17	6.4	02.7-10.1	321	93.6	89.9-97.3
35-44	567	109,867	16	2.8	01.2-04.4	551	97.2	95.6-98.8
45-54	720	115,049	8	1.0	00.2-01.8	712	99.0	98.2-99.8
55-64	834	90,862	8	0.8	00.2-01.4	826	99.2	98.6-99.8
Less Than H.S.	134	30,731	5	4.9	00.0-11.4	129	95.1	88.6-0100
H.S. or G.E.D.	747	134,049	23	6.0	02.5-09.5	724	94.0	90.5-97.5
Some Post-H.S.	708	125,168	18	4.6	01.5-07.7	690	95.4	92.3-98.5
College Graduate	998	203,545	16	2.1	00.7-03.5	982	97.9	96.5-99.3
Less than \$15,000	190	29,417	7	2.2	00.4-04.0	183	97.8	96.0-99.6
\$15,000- 24,999	219	33,725	7	2.0	00.2-03.8	212	98.0	96.2-99.8
\$35,000- 49,999	333	58,628	9	6.6	01.1-12.1	324	93.4	87.9-98.9
\$50,000- 74,999	472	95,080	12	3.1	00.9-05.3	460	96.9	94.7-99.1
\$75,000+	880	181,443	15	2.6	01.0-04.2	865	97.4	95.8-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 14: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	964	243,513	28	4.1	02.1-06.1	936	95.9	93.9-97.9
White/Non-Hisp	746	178,105	21	4.4	02.0-06.8	725	95.6	93.2-98.0
Black or Afr. Am./Non-Hisp	118	29,162	6	7.0	00.0-14.1	112	93.0	85.9-0100
18-24	66	40,584	5	7.8	00.5-15.1	61	92.2	84.9-99.5
25-34	120	50,172	6	7.7	01.0-14.4	114	92.3	85.6-99.0
35-44	215	53,417	9	3.7	01.2-06.2	206	96.3	93.8-98.8
45-54	259	54,526	3	1.0	00.0-02.2	256	99.0	97.8-0100
55-64	304	44,815	5	1.0	00.0-02.0	299	99.0	98.0-0100
H.S. or G.E.D.	283	72,633	10	4.1	01.0-07.2	273	95.9	92.8-99.0
Some Post-H.S.	257	60,060	6	5.4	00.3-10.5	251	94.6	89.5-99.7
College Graduate	369	94,432	9	2.5	00.1-04.9	360	97.5	95.1-99.9
Less than \$15,000	52	14,459	1	1.2	00.0-03.6	51	98.8	96.4-0100
\$15,000- 24,999	72	15,927	1	0.3	00.0-00.9	71	99.7	99.1-0100
\$35,000- 49,999	121	26,988	4	7.9	00.0-16.1	117	92.1	83.9-0100
\$50,000- 74,999	190	47,438	4	1.5	00.0-03.3	186	98.5	96.7-0100
\$75,000+	369	95,466	10	3.6	00.9-06.3	359	96.4	93.7-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 15: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1625	250,132	34	3.8	01.6-06.0	1591	96.2	94.0-98.4
White/Non-Hisp	1231	184,492	24	3.7	01.2-06.2	1207	96.3	93.8-98.8
Black or Afr. Am./Non-Hisp	270	42,193	9	6.1	00.2-12.0	261	93.9	88.0-99.8
Oth. Race/Non-Hisp.	50	9,985				50	100.0	0100-0100
25-34	218	50,620	11	5.1	01.4-08.8	207	94.9	91.2-98.6
35-44	352	56,451	7	1.9	00.1-03.7	345	98.1	96.3-99.9
45-54	461	60,523	5	0.9	00.0-02.1	456	99.1	97.9-0100
55-64	530	46,047	3	0.5	00.0-01.1	527	99.5	98.9-0100
Less Than H.S.	80	14,458	2	0.7	00.0-01.9	78	99.3	98.1-0100
H.S. or G.E.D.	464	61,416	13	8.3	01.4-15.2	451	91.7	84.8-98.6
Some Post-H.S.	451	65,107	12	3.8	00.1-07.5	439	96.2	92.5-99.9
College Graduate	629	109,113	7	1.7	00.1-03.3	622	98.3	96.7-99.9
Less than \$15,000	138	14,958	6	3.1	00.4-05.8	132	96.9	94.2-99.6
\$15,000- 24,999	147	17,798	6	3.5	00.2-06.8	141	96.5	93.2-99.8
\$35,000- 49,999	212	31,640	5	5.4	00.0-12.8	207	94.6	87.2-0100
\$50,000- 74,999	282	47,642	8	4.6	00.7-08.5	274	95.4	91.5-99.3
\$75,000+	511	85,977	5	1.4	00.0-02.8	506	98.6	97.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009

SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
1	MALES AND FEMALES	271
2	MALES ONLY	272
3	FEMALES ONLY	273
	IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
4	MALES AND FEMALES	274
5	MALES ONLY	275
6	FEMALES ONLY	276

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION

TABLE 1: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3887	607,561	2008	52.0	49.6-54.4	1139	30.9	28.7-33.1	453	10.5	08.9-12.1	157	3.6	02.8-04.4	130	3.0	02.2-03.8
Male	1408	289,130	779	55.2	51.5-58.9	355	27.9	24.6-31.2	150	9.5	07.1-11.9	60	3.6	02.4-04.8	64	3.8	02.4-05.2
Female	2479	318,431	1229	49.1	46.0-52.2	784	33.5	30.6-36.4	303	11.4	09.4-13.4	97	3.6	02.6-04.6	66	2.3	01.5-03.1
White/Non-Hisp	3119	460,134	1623	52.0	49.3-54.7	961	33.0	30.5-35.5	329	9.6	08.0-11.2	123	3.6	02.8-04.4	83	1.8	01.2-02.4
Black or Afr. Am./Non-Hisp	471	80,053	223	50.6	43.7-57.5	112	25.3	19.4-31.2	89	15.9	11.6-20.2	20	3.8	01.6-06.0	27	4.5	02.1-06.9
Oth. Race/Non-Hisp.	114	26,621				22	17.0	08.2-25.8				5	1.1	00.1-02.1			
MultiRacial/Non-Hisp.	62	12,173							3	2.3	00.0-05.2						
Hispanic	95	24,626							12	7.9	02.0-13.8	3	2.5	00.0-05.4	3	1.7	00.0-03.9
18-24	130	77,666							13	11.4	03.4-19.4	5	2.8	00.1-05.5	4	2.8	00.0-05.7
25-34	338	100,465	167	53.3	46.4-60.2	120	32.0	25.7-38.3	35	8.5	05.0-12.0	6	1.5	00.1-02.9	10	4.6	01.1-08.1
35-44	567	110,144	271	48.8	43.7-53.9	198	34.2	29.5-38.9	65	10.8	07.9-13.7	21	4.6	02.4-06.8	12	1.6	00.6-02.6
45-54	716	114,629	346	50.7	46.0-55.4	221	32.0	27.7-36.3	100	12.3	09.4-15.2	34	3.5	01.9-05.1	15	1.6	00.6-02.6
55-64	826	90,172	409	49.2	44.5-53.9	271	34.8	30.3-39.3	82	9.2	06.7-11.7	38	4.1	02.3-05.9	26	2.6	01.4-03.8
65+	1252	107,969	715	57.7	54.4-61.0	278	22.6	19.7-25.5	150	10.5	08.3-12.7	49	4.7	02.9-06.5	60	4.5	03.3-05.7
Less Than H.S.	283	42,587	131	46.6	36.6-56.6	58	24.6	15.6-33.6	51	14.8	09.5-20.1	21	9.4	03.9-14.9	22	4.6	02.4-06.8
H.S. or G.E.D.	1191	169,730	642	53.1	48.6-57.6	278	25.8	21.9-29.7	154	12.5	09.4-15.6	65	4.8	03.2-06.4	52	3.8	02.2-05.4
Some Post-H.S.	1007	150,970	508	53.2	48.5-57.9	306	28.9	25.0-32.8	118	10.8	08.1-13.5	48	3.9	02.5-05.3	27	3.1	01.3-04.9
College Graduate	1401	243,397	725	51.5	47.6-55.4	497	36.8	33.1-40.5	128	8.1	05.7-10.5	22	1.5	00.7-02.3	29	2.1	00.9-03.3
Less than \$15,000	397	44,946	190	47.9	40.3-55.5	89	21.7	15.6-27.8	67	16.8	10.9-22.7	30	8.0	04.1-11.9	21	5.6	01.3-09.9
\$15,000- 24,999	376	44,879	163	41.9	33.9-49.9	78	20.2	13.3-27.1	72	15.8	11.1-20.5	38	12.7	07.0-18.4	25	9.4	03.5-15.3
\$25,000- 34,999	356	48,645	174	45.1	36.7-53.5	96	28.3	20.7-35.9	55	19.4	11.4-27.4	15	4.1	01.6-06.6	16	3.1	01.5-04.7
\$35,000- 49,999	515	75,787	244	52.5	45.4-59.6	160	30.9	24.8-37.0	70	10.2	06.9-13.5	21	3.6	01.8-05.4	20	2.8	01.4-04.2
\$50,000- 74,999	602	107,122	307	45.9	39.6-52.2	213	37.7	31.4-44.0	50	10.5	05.4-15.6	19	2.7	01.3-04.1	13	3.2	00.7-05.7
\$75,000+	1051	200,681	573	55.9	52.0-59.8	367	34.4	30.7-38.1	82	7.2	05.2-09.2	18	1.3	00.5-02.1	11	1.1	00.3-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 2. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1408	289,130	779	55.2	51.5-58.9	355	27.9	24.6-31.2	150	9.5	07.1-11.9	60	3.6	02.4-04.8	64	3.8	02.4-05.2
White/Non-Hisp	1133	216,281	633	55.9	51.8-60.0	291	28.9	25.2-32.6	113	9.0	06.6-11.4	51	3.8	02.4-05.2	45	2.4	01.4-03.4
Black or Afr. Am./Non-Hisp	144	32,025							23	9.3	04.6-14.0	3	1.7	00.0-04.1	8	4.5	00.2-08.8
Oth. Race/Non-Hisp.	51	15,229										2	0.9	00.0-02.3			
18-24	65	40,345										3	3.7	00.0-08.2	4	5.4	00.0-10.9
25-34	118	49,670				32	24.7	15.3-34.1	11	6.9	01.8-12.0	2	1.6	00.0-04.0	4	5.6	00.0-11.5
35-44	216	53,757	113	53.6	45.8-61.4	67	30.8	23.7-37.9	23	9.6	05.3-13.9	7	3.9	00.4-07.4	6	2.1	00.1-04.1
45-54	256	54,201	133	57.1	49.7-64.5	70	28.5	21.6-35.4	33	9.1	05.6-12.6	13	3.5	01.0-06.0	7	1.8	00.4-03.2
55-64	300	44,515	167	53.0	45.4-60.6	82	31.4	24.1-38.7	28	9.3	05.2-13.4	15	4.2	01.5-06.9	8	2.0	00.4-03.6
65+	443	44,889	262	62.0	56.5-67.5	82	19.4	14.9-23.9	48	8.8	05.9-11.7	18	3.9	01.7-06.1	33	5.9	03.7-08.1
Less Than H.S.	106	20,414				19	15.4	06.6-24.2	20	12.6	05.3-19.9				8	3.5	00.6-06.4
H.S. or G.E.D.	403	84,866	222	52.6	45.7-59.5	88	28.7	22.0-35.4	45	9.7	06.0-13.4	21	4.0	01.6-06.4	27	5.0	02.3-07.7
Some Post-H.S.	339	67,315	188	56.5	48.7-64.3	82	25.6	18.9-32.3	37	9.6	05.1-14.1	20	3.9	01.5-06.3	12	4.4	00.9-07.9
College Graduate	557	115,778	320	56.6	50.7-62.5	166	31.1	25.8-36.4	47	8.7	04.2-13.2	7	0.9	00.1-01.7	17	2.7	00.7-04.7
Less than \$15,000	104	18,890										13	9.3	01.9-16.7	9	8.9	00.0-18.7
\$15,000- 24,999	95	17,920							17	11.6	04.7-18.5						
\$25,000- 34,999	120	19,642							21	17.6	08.6-26.6	7	6.3	00.8-11.8	11	5.3	01.8-08.8
\$35,000- 49,999	206	36,118	109	50.9	41.1-60.7	48	31.7	22.1-41.3	28	10.7	05.6-15.8	12	3.9	01.5-06.3	9	2.8	00.8-04.8
\$50,000- 74,999	260	53,571	139	47.0	37.8-56.2	84	33.7	25.3-42.1	20	12.0	03.2-20.8	6	2.0	00.0-04.0	11	5.3	00.6-10.0
\$75,000+	465	107,064	290	62.9	57.2-68.6	133	29.2	23.7-34.7	31	6.1	03.4-08.8	6	0.7	00.1-01.3	5	1.2	00.0-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 3. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2479	318,431	1229	49.1	46.0-52.2	784	33.5	30.6-36.4	303	11.4	09.4-13.4	97	3.6	02.6-04.6	66	2.3	01.5-03.1
White/Non-Hisp	1986	243,853	990	48.5	45.0-52.0	670	36.6	33.3-39.9	216	10.1	07.9-12.3	72	3.3	02.3-04.3	38	1.4	00.8-02.0
Black or Afr. Am./Non-Hisp	327	48,028	148	47.5	39.1-55.9	77	22.6	16.3-28.9	66	20.3	14.0-26.6	17	5.2	01.9-08.5	19	4.4	01.9-06.9
Oth. Race/Non-Hisp.	63	11,392							8	4.7	01.0-08.4	3	1.4	00.0-03.2			
Hispanic	59	10,494							9	10.6	01.6-19.6	3	5.9	00.0-12.8	1	0.8	00.0-02.4
18-24	65	37,321							6	8.1	00.0-17.7	2	1.9	00.0-05.2			
25-34	220	50,795	98	45.6	37.8-53.4	88	39.2	31.6-46.8	24	10.1	05.4-14.8	4	1.4	00.0-02.8	6	3.8	00.0-07.9
35-44	351	56,387	158	44.2	37.7-50.7	131	37.5	31.2-43.8	42	12.0	07.7-16.3	14	5.2	02.5-07.9	6	1.1	00.1-02.1
45-54	460	60,428	213	45.0	39.1-50.9	151	35.1	29.4-40.8	67	15.2	10.5-19.9	21	3.4	01.6-05.2	8	1.4	00.2-02.6
55-64	526	45,657	242	45.4	40.1-50.7	189	38.2	32.9-43.5	54	9.2	06.3-12.1	23	4.0	02.0-06.0	18	3.3	01.5-05.1
65+	809	63,080	453	54.7	50.4-59.0	196	24.9	21.2-28.6	102	11.7	08.8-14.6	31	5.3	02.8-07.8	27	3.5	02.1-04.9
Less Than H.S.	177	22,173							31	16.8	09.4-24.2	10	4.7	01.0-08.4	14	5.6	02.3-08.9
H.S. or G.E.D.	788	84,864	420	53.6	47.7-59.5	190	22.9	18.8-27.0	109	15.3	10.4-20.2	44	5.5	03.3-07.7	25	2.6	01.4-03.8
Some Post-H.S.	668	83,655	320	50.6	45.1-56.1	224	31.6	26.9-36.3	81	11.8	08.5-15.1	28	4.0	02.2-05.8	15	2.0	00.6-03.4
College Graduate	844	127,619	405	46.9	41.8-52.0	331	42.0	36.9-47.1	81	7.5	05.1-09.9	15	2.0	00.8-03.2	12	1.7	00.1-03.3
Less than \$15,000	293	26,055	149	51.1	43.3-58.9	71	23.9	17.4-30.4	44	14.8	09.5-20.1	17	7.1	03.2-11.0	12	3.1	01.1-05.1
\$15,000- 24,999	281	26,959	128	46.3	37.5-55.1	55	16.8	11.1-22.5	55	18.5	12.4-24.6	27	10.8	05.1-16.5	16	7.6	00.7-14.5
\$25,000- 34,999	236	29,004										8	2.7	00.3-05.1	5	1.6	00.0-03.2
\$35,000- 49,999	309	39,668	135	53.9	44.1-63.7	112	30.2	22.6-37.8	42	9.7	05.4-14.0	9	3.4	00.9-05.9	11	2.8	01.0-04.6
\$50,000- 74,999	342	53,551	168	44.8	36.2-53.4	129	41.6	32.6-50.6	30	9.1	04.8-13.4	13	3.3	01.3-05.3	2	1.2	00.0-03.0
\$75,000+	586	93,618	283	47.9	42.6-53.2	234	40.4	35.3-45.5	51	8.5	05.6-11.4	12	2.1	00.5-03.7	6	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION
 TABLE 4. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
 Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3914	607,322	1916	49.2	46.8-51.6	1786	45.9	43.5-48.3	168	4.2	03.2-05.2	44	0.6	00.4-00.8
Male	1426	288,015	710	50.7	47.0-54.4	632	43.8	40.1-47.5	75	5.2	03.6-06.8	9	0.3	00.1-00.5
Female	2488	319,306	1206	47.9	44.8-51.0	1154	47.9	44.8-51.0	93	3.3	02.5-04.1	35	0.9	00.5-01.3
White/Non-Hisp	3135	460,824	1559	50.0	47.5-52.5	1418	45.5	43.0-48.0	122	3.7	02.7-04.7	36	0.7	00.5-00.9
Black or Afr. Am./Non-Hisp	478	81,108	207	42.9	36.2-49.6	234	49.7	42.8-56.6	34	7.2	03.9-10.5	3	0.2	00.0-00.4
Oth. Race/Non-Hisp.	114	24,348							5	1.3	00.0-02.7	3	0.8	00.0-01.8
MultiRacial/Non-Hisp.	63	12,205										2	2.2	00.0-05.3
Hispanic	97	24,858							2	3.0	00.0-07.3			
18-24	130	75,587							10	7.0	02.3-11.7			
25-34	339	100,004	163	49.3	42.4-56.2	160	46.9	40.0-53.8	14	3.4	01.2-05.6	2	0.4	00.0-01.0
35-44	568	110,250	266	47.8	42.7-52.9	275	47.6	42.5-52.7	22	4.3	02.1-06.5	5	0.3	00.0-00.7
45-54	715	114,592	339	52.7	48.0-57.4	326	41.9	37.2-46.6	36	4.2	02.4-06.0	14	1.2	00.4-02.0
55-64	829	90,120	403	48.6	44.1-53.1	385	47.4	42.9-51.9	31	3.2	01.8-04.6	10	0.8	00.2-01.4
65+	1273	110,147	664	52.3	49.0-55.6	547	43.3	40.0-46.6	50	3.5	02.3-04.7	12	0.9	00.3-01.5
Less Than H.S.	287	42,834	106	39.9	29.9-49.9	153	51.7	41.9-61.5	21	6.7	02.4-11.0	7	1.7	00.1-03.3
H.S. or G.E.D.	1207	171,333	515	41.7	37.2-46.2	618	51.6	47.1-56.1	55	5.7	03.5-07.9	19	1.0	00.4-01.6
Some Post-H.S.	1008	151,274	485	47.0	42.3-51.7	453	47.5	42.8-52.2	59	5.0	03.2-06.8	11	0.4	00.2-00.6
College Graduate	1407	241,004	806	57.6	53.9-61.3	561	40.0	36.3-43.7	33	2.1	01.1-03.1	7	0.3	00.1-00.5
Less than \$15,000	398	45,167	137	30.1	23.0-37.2	218	57.8	50.2-65.4	32	9.8	05.1-14.5	11	2.3	00.7-03.9
\$15,000- 24,999	378	44,796	118	32.2	24.0-40.4	202	53.8	45.6-62.0	42	11.4	06.5-16.3	16	2.7	01.1-04.3
\$25,000- 34,999	360	48,882	131	33.8	26.0-41.6	211	60.8	52.8-68.8	14	4.2	01.3-07.1	4	1.1	00.0-02.5
\$35,000- 49,999	519	76,332	234	43.5	36.2-50.8	265	52.7	45.4-60.0	17	3.5	01.1-05.9	3	0.3	00.0-00.7
\$50,000- 74,999	606	105,301	305	46.2	39.9-52.5	283	50.9	44.6-57.2	18	3.0	01.2-04.8			
\$75,000+	1056	200,326	652	62.3	58.4-66.2	378	35.6	31.7-39.5	22	1.9	00.9-02.9	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 5. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1426	288,015	710	50.7	47.0-54.4	632	43.8	40.1-47.5	75	5.2	03.6-06.8	9	0.3	00.1-00.5
White/Non-Hisp	1149	216,969	571	49.9	45.8-54.0	516	45.1	41.0-49.2	54	4.6	02.8-06.4	8	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	146	32,473							14	9.8	03.1-16.5			
Oth. Race/Non-Hisp.	50	12,911							3	1.8	00.0-04.2			
18-24	65	38,266							9	13.5	04.7-22.3			
25-34	119	49,208							4	2.8	00.0-05.9			
35-44	216	53,757	98	48.2	40.4-56.0	109	47.3	39.5-55.1	9	4.5	00.8-08.2			
45-54	255	54,164	125	56.7	49.4-64.0	110	37.8	30.7-44.9	16	4.4	01.7-07.1	4	1.1	00.0-02.3
55-64	301	44,221	142	47.3	39.7-54.9	142	48.5	41.1-55.9	14	3.7	01.5-05.9	3	0.6	00.0-01.4
65+	460	46,646	250	55.4	49.9-60.9	187	40.6	35.1-46.1	21	3.8	01.8-05.8	2	0.2	00.0-00.6
Less Than H.S.	110	20,632							10	9.2	01.0-17.4	1	0.3	00.0-00.9
H.S. or G.E.D.	413	85,825	170	42.2	35.5-48.9	213	49.0	42.1-55.9	25	7.9	04.0-11.8	5	0.9	00.1-01.7
Some Post-H.S.	340	67,655	167	47.7	39.9-55.5	145	47.1	39.1-55.1	25	5.0	02.5-07.5	3	0.2	00.0-00.4
College Graduate	560	113,148	330	59.7	54.2-65.2	215	37.8	32.3-43.3	15	2.6	00.6-04.6			
Less than \$15,000	106	19,198										4	2.8	00.0-05.7
\$15,000- 24,999	97	17,887										3	0.9	00.0-01.9
\$25,000- 34,999	121	19,698							5	4.6	00.0-10.1	1	1.1	00.0-03.3
\$35,000- 49,999	210	36,630	94	44.6	34.8-54.4	108	51.3	41.5-61.1	8	4.1	00.0-08.4			
\$50,000- 74,999	262	51,511	131	46.5	37.9-55.1	121	50.1	41.5-58.7	10	3.3	00.4-06.2			
\$75,000+	467	106,569	292	64.0	58.3-69.7	166	34.4	28.9-39.9	9	1.5	00.0-03.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 6. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2488	319,306	1206	47.9	44.8-51.0	1154	47.9	44.8-51.0	93	3.3	02.5-04.1	35	0.9	00.5-01.3
White/Non-Hisp	1986	243,855	988	50.1	46.6-53.6	902	45.9	42.6-49.2	68	3.0	02.0-04.0	28	1.0	00.6-01.4
Black or Afr. Am./Non-Hisp	332	48,635	131	34.1	26.8-41.4	178	60.1	52.5-67.7	20	5.4	01.9-08.9	3	0.4	00.0-00.8
Oth. Race/Non-Hisp.	64	11,437							2	0.7	00.0-01.9	3	1.6	00.0-03.6
Hispanic	60	10,658							1	2.2	00.0-06.5			
18-24	65	37,321							1	0.3	00.0-00.9			
25-34	220	50,795	97	42.4	34.8-50.0	111	52.9	45.1-60.7	10	4.0	01.3-06.7	2	0.7	00.0-01.7
35-44	352	56,493	168	47.4	40.9-53.9	166	47.8	41.3-54.3	13	4.1	01.7-06.5	5	0.6	00.0-01.2
45-54	460	60,428	214	49.1	43.2-55.0	216	45.5	39.6-51.4	20	4.0	01.5-06.5	10	1.3	00.3-02.3
55-64	528	45,899	261	49.8	44.5-55.1	243	46.4	41.1-51.7	17	2.7	01.1-04.3	7	1.0	00.2-01.8
65+	813	63,501	414	50.1	45.8-54.4	360	45.3	41.0-49.6	29	3.2	01.8-04.6	10	1.4	00.4-02.4
Less Than H.S.	177	22,203							11	4.3	01.0-07.6	6	3.1	00.2-06.0
H.S. or G.E.D.	794	85,508	345	41.2	35.3-47.1	405	54.1	48.2-60.0	30	3.5	01.9-05.1	14	1.2	00.4-02.0
Some Post-H.S.	668	83,619	318	46.5	41.0-52.0	308	47.8	42.3-53.3	34	5.1	02.7-07.5	8	0.7	00.1-01.3
College Graduate	847	127,856	476	55.7	50.6-60.8	346	42.0	36.9-47.1	18	1.7	00.7-02.7	7	0.5	00.1-00.9
Less than \$15,000	292	25,969	106	30.6	23.7-37.5	162	62.4	55.1-69.7	17	5.1	02.0-08.2	7	2.0	00.4-03.6
\$15,000- 24,999	281	26,909	91	31.7	23.1-40.3	155	59.2	50.6-67.8	22	5.2	02.5-07.9	13	3.8	01.4-06.2
\$25,000- 34,999	239	29,184							9	4.0	00.9-07.1	3	1.2	00.0-03.0
\$35,000- 49,999	309	39,702							9	2.9	00.5-05.3	3	0.6	00.0-01.4
\$50,000- 74,999	344	53,790	174	45.8	37.0-54.6	162	51.6	42.8-60.4	8	2.6	00.2-05.0			
\$75,000+	589	93,757	360	60.3	55.0-65.6	212	37.0	31.9-42.1	13	2.3	00.9-03.7	4	0.5	00.0-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

SECTION 22: CANCER SURVIVORS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD CANCER? READ ONLY IF NECESSARY: BY, OTHER HEALTH PROFESSIONAL, WE MEAN A NURSE PRACTITIONER, A PHYSICIANS ASSISTANT, SOCIAL WORKER, OR SOME OTHER LICENSED PROFESSIONAL. (CNCRHAVE)	
1	MALES AND FEMALES	278
2	MALES ONLY	279
3	FEMALES ONLY	280
	HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIFF)	
4	MALES AND FEMALES	281
5	MALES ONLY	282
6	FEMALES ONLY	283
	AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "AT WHAT AGE WAS YOUR FIRST DIAGNOSIS OF CANCER?" (CNCRAGE)	
7	MALES AND FEMALES	284
8	MALES ONLY	285
9	FEMALES ONLY	286
	WHAT TYPE OF CANCER WAS IT? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "WITH YOUR MOST RECENT DIAGNOSES OF CANCER, WHAT TYPE OF CANCER WAS IT?" (CNCRTYPE)	
10	MALES AND FEMALES	287
11	MALES ONLY	288
12	FEMALES ONLY	289

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD CANCER? READ ONLY IF NECESSARY: BY, OTHER HEALTH PROFESSIONAL, WE MEAN A NURSE PRACTITIONER, A PHYSICIANS ASSISTANT, SOCIAL WORKER, OR SOME OTHER LICENSED PROFESSIONAL. (CNCRHAVE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3938	612,444	595	10.3	09.1-11.5	3343	89.7	88.5-90.9
Male	1441	292,574	214	8.9	07.3-10.5	1227	91.1	89.5-92.7
Female	2497	319,870	381	11.5	09.9-13.1	2116	88.5	86.9-90.1
White/Non-Hisp	3155	463,507	539	11.9	10.5-13.3	2616	88.1	86.7-89.5
Black or Afr. Am./Non-Hisp	480	81,216	40	6.7	04.0-09.4	440	93.3	90.6-96.0
Oth. Race/Non-Hisp.	116	26,712	6	4.0	00.0-08.1	110	96.0	91.9-0100
MultiRacial/Non-Hisp.	63	12,205	6	6.7	00.2-13.2	57	93.3	86.8-99.8
Hispanic	97	24,825	3	0.8	00.0-01.8	94	99.2	98.2-0100
18-24	131	77,905	2	0.5	00.0-01.3	129	99.5	98.7-0100
25-34	339	100,823	8	1.8	00.2-03.4	331	98.2	96.6-99.8
35-44	568	110,131	28	4.9	02.7-07.1	540	95.1	92.9-97.3
45-54	717	114,734	62	8.0	05.6-10.4	655	92.0	89.6-94.4
55-64	835	90,910	143	16.1	12.8-19.4	692	83.9	80.6-87.2
65+	1287	111,292	342	26.9	24.0-29.8	945	73.1	70.2-76.0
Less Than H.S.	291	43,489	35	5.7	03.3-08.1	256	94.3	91.9-96.7
H.S. or G.E.D.	1213	171,666	183	10.6	08.6-12.6	1030	89.4	87.4-91.4
Some Post-H.S.	1015	151,984	154	9.1	07.1-11.1	861	90.9	88.9-92.9
College Graduate	1414	244,427	222	11.6	09.6-13.6	1192	88.4	86.4-90.4
Less than \$15,000	405	45,560	89	16.2	11.7-20.7	316	83.8	79.3-88.3
\$15,000- 24,999	379	45,412	56	8.9	05.6-12.2	323	91.1	87.8-94.4
\$25,000- 34,999	360	48,934	62	11.9	08.2-15.6	298	88.1	84.4-91.8
\$35,000- 49,999	521	76,478	86	11.3	08.2-14.4	435	88.7	85.6-91.8
\$50,000- 74,999	610	107,831	86	8.7	06.2-11.2	524	91.3	88.8-93.8
\$75,000+	1056	201,051	121	9.0	07.0-11.0	935	91.0	89.0-93.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD CANCER? READ ONLY IF NECESSARY: BY, OTHER HEALTH PROFESSIONAL, WE MEAN A NURSE PRACTITIONER, A PHYSICIANS ASSISTANT, SOCIAL WORKER, OR SOME OTHER LICENSED PROFESSIONAL. (CNCRHAVE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1441	292,574	214	8.9	07.3-10.5	1227	91.1	89.5-92.7
White/Non-Hisp	1160	219,048	191	10.4	08.4-12.4	969	89.6	87.6-91.6
Black or Afr. Am./Non-Hisp	149	32,733	12	4.5	01.4-07.6	137	95.5	92.4-98.6
Oth. Race/Non-Hisp.	52	15,275	5	5.9	00.0-13.0	47	94.1	87.0-0100
18-24	66	40,584	2	1.0	00.0-02.6	64	99.0	97.4-0100
25-34	119	50,028				119	100.0	0100-0100
35-44	216	53,757	3	1.4	00.0-03.2	213	98.6	96.8-0100
45-54	258	54,367	14	5.4	02.1-08.7	244	94.6	91.3-97.9
55-64	304	44,815	49	14.4	09.5-19.3	255	85.6	80.7-90.5
65+	468	47,271	141	30.1	25.0-35.2	327	69.9	64.8-75.0
Less Than H.S.	111	21,032	16	5.3	02.4-08.2	95	94.7	91.8-97.6
H.S. or G.E.D.	418	86,213	59	8.6	05.7-11.5	359	91.4	88.5-94.3
Some Post-H.S.	345	68,179	43	6.0	03.6-08.4	302	94.0	91.6-96.4
College Graduate	564	116,393	95	11.4	08.5-14.3	469	88.6	85.7-91.5
Less than \$15,000	109	19,323	23	12.1	05.2-19.0	86	87.9	81.0-94.8
\$15,000- 24,999	99	18,543	9	5.4	00.0-10.9	90	94.6	89.1-0100
\$25,000- 34,999	123	19,944	19	9.9	04.4-15.4	104	90.1	84.6-95.6
\$35,000- 49,999	211	36,727	34	10.1	06.0-14.2	177	89.9	85.8-94.0
\$50,000- 74,999	265	54,004	50	10.1	06.2-14.0	215	89.9	86.0-93.8
\$75,000+	467	107,294	52	7.4	05.0-09.8	415	92.6	90.2-95.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD CANCER? READ ONLY IF NECESSARY: BY, OTHER HEALTH PROFESSIONAL, WE MEAN A NURSE PRACTITIONER, A PHYSICIANS ASSISTANT, SOCIAL WORKER, OR SOME OTHER LICENSED PROFESSIONAL. (CNCRHAVE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2497	319,870	381	11.5	09.9-13.1	2116	88.5	86.9-90.1
White/Non-Hisp	1995	244,459	348	13.3	11.5-15.1	1647	86.7	84.9-88.5
Black or Afr. Am./Non-Hisp	331	48,483	28	8.1	04.0-12.2	303	91.9	87.8-96.0
Oth. Race/Non-Hisp.	64	11,437	1	1.4	00.0-04.1	63	98.6	95.9-0100
Hispanic	61	10,770	3	1.8	00.0-04.2	58	98.2	95.8-0100
18-24	65	37,321				65	100.0	0100-0100
25-34	220	50,795	8	3.6	00.5-06.7	212	96.4	93.3-99.5
35-44	352	56,374	25	8.4	04.7-12.1	327	91.6	87.9-95.3
45-54	459	60,367	48	10.4	06.9-13.9	411	89.6	86.1-93.1
55-64	531	46,095	94	17.7	13.6-21.8	437	82.3	78.2-86.4
65+	819	64,021	201	24.5	20.8-28.2	618	75.5	71.8-79.2
Less Than H.S.	180	22,457	19	6.0	02.7-09.3	161	94.0	90.7-97.3
H.S. or G.E.D.	795	85,452	124	12.7	09.8-15.6	671	87.3	84.4-90.2
Some Post-H.S.	670	83,805	111	11.7	09.0-14.4	559	88.3	85.6-91.0
College Graduate	850	128,035	127	11.7	09.0-14.4	723	88.3	85.6-91.0
Less than \$15,000	296	26,236	66	19.2	13.7-24.7	230	80.8	75.3-86.3
\$15,000- 24,999	280	26,869	47	11.4	07.3-15.5	233	88.6	84.5-92.7
\$25,000- 34,999	237	28,990	43	13.3	08.2-18.4	194	86.7	81.6-91.8
\$35,000- 49,999	310	39,751	52	12.4	07.9-16.9	258	87.6	83.1-92.1
\$50,000- 74,999	345	53,827	36	7.3	04.4-10.2	309	92.7	89.8-95.6
\$75,000+	589	93,757	69	10.7	07.6-13.8	520	89.3	86.2-92.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

**TABLE 4: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	588	61,896	488	83.6	79.9-87.3	84	13.8	10.3-17.3	16	2.6	01.0-04.2
Male	211	25,333	179	82.1	75.6-88.6	28	15.8	09.5-22.1	4	2.0	00.0-04.4
Female	377	36,563	309	84.7	80.4-89.0	56	12.4	08.5-16.3	12	2.9	00.7-05.1
White/Non-Hisp	532	54,107	436	82.8	78.9-86.7	81	14.7	11.0-18.4	15	2.4	00.8-04.0
45-54	60	8,751	55	94.6	89.3-99.9	4	4.8	00.0-09.9	1	0.6	00.0-01.8
55-64	142	14,556	119	81.5	72.9-90.1	20	15.6	07.6-23.6	3	2.9	00.0-06.6
65+	339	29,652	275	79.9	74.6-85.2	53	17.2	12.1-22.3	11	2.9	00.9-04.9
H.S. or G.E.D.	180	17,953	151	86.6	81.1-92.1	23	11.4	06.1-16.7	6	2.1	00.3-03.9
Some Post-H.S.	151	13,378	117	74.2	64.6-83.8	29	22.1	13.1-31.1	5	3.7	00.0-07.8
College Graduate	221	27,815	190	86.7	81.4-92.0	26	10.7	06.0-15.4	5	2.6	00.1-05.1
Less than \$15,000	88	7,286	67	78.9	69.1-88.7	17	18.5	09.1-27.9	4	2.6	00.0-05.3
\$15,000- 24,999	55	3,910	49	92.1	85.4-98.8	5	6.4	00.3-12.5	1	1.5	00.0-04.4
\$25,000- 34,999	62	5,845	55	87.8	78.2-97.4	7	12.2	02.6-21.8			
\$35,000- 49,999	86	8,647				13	13.3	04.3-22.3	3	5.2	00.0-11.7
\$50,000- 74,999	86	9,406	75	86.1	77.3-94.9	8	8.1	02.2-14.0	3	5.8	00.0-12.9
\$75,000+	120	17,757	95	81.8	73.8-89.8	21	16.5	08.7-24.3	4	1.7	00.0-03.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2009
 SECTION 22: CANCER SURVIVORS**

TABLE 5: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	211	25,333	179	82.1	75.4-88.8	28	15.8	09.5-22.1	4	2.0	00.0-04.4
White/Non-Hisp	188	21,902	159	82.0	74.9-89.1	25	15.6	09.1-22.1	4	2.4	00.0-04.9
65+	140	14,139	118	81.0	72.8-89.2	20	17.8	09.6-26.0	2	1.2	00.0-02.8
College Graduate	94	12,836	81	84.3	75.3-93.3	10	12.4	04.2-20.6	3	3.2	00.0-07.3
\$50,000- 74,999	50	5,455				3	5.1	00.0-11.0	2	5.7	00.0-14.7
\$75,000+	51	7,693							1	1.3	00.0-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

TABLE 6: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	377	36,563	309	84.7	80.4-89.0	56	12.4	08.5-16.3	12	2.9	00.7-05.1
White/Non-Hisp	344	32,205	277	83.4	78.7-88.1	56	14.1	09.8-18.4	11	2.5	00.7-04.3
55-64	93	8,108				15	16.3	06.3-26.3	1	0.9	00.0-02.7
65+	199	15,513	157	79.0	72.1-85.9	33	16.6	10.3-22.9	9	4.4	00.9-07.9
H.S. or G.E.D.	122	10,632	104	89.2	83.7-94.7	12	7.3	02.6-12.0	6	3.5	00.6-06.4
Some Post-H.S.	109	9,600				24	20.8	11.0-30.6	4	4.1	00.0-09.6
College Graduate	127	14,979	109	88.8	82.7-94.9	16	9.2	03.9-14.5	2	2.0	00.0-05.1
Less than \$15,000	65	4,955							4	3.9	00.0-08.0
\$35,000- 49,999	52	4,935				8	8.2	02.1-14.3	2	7.1	00.0-17.7
\$75,000+	69	10,064	53	83.5	73.7-93.3	13	14.6	05.2-24.0	3	1.9	00.0-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

**TABLE 7: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "AT WHAT AGE WAS YOUR FIRST DIAGNOSIS OF CANCER?"
(CNCRAGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	574	60,643	2	0.3	00.0-00.7	56	14.6	10.1-19.1	169	31.3	26.2-36.4	192	31.9	27.0-36.8	155	21.9	17.8-26.0
Male	208	25,102	1	0.5	00.0-01.5	10	8.9	02.8-15.0	41	24.3	16.5-32.1	88	39.6	31.2-48.0	68	26.7	19.4-34.0
Female	366	35,541	1	0.2	00.0-00.6	46	18.5	12.4-24.6	128	36.3	29.8-42.8	104	26.5	20.8-32.2	87	18.6	13.9-23.3
White/Non-Hisp	521	53,310	2	0.3	00.0-00.7	48	13.1	08.8-17.4	150	31.4	26.1-36.7	175	32.8	27.7-37.9	146	22.3	18.2-26.4
45-54	60	8,751										6	9.0	00.6-17.4			
55-64	141	14,508				15	12.3	05.2-19.4									
65+	329	28,718				9	2.9	00.5-05.3	49	14.2	09.7-18.7	116	36.5	30.0-43.0	155	46.3	39.6-53.0
H.S. or G.E.D.	177	17,739	1	0.3	00.0-00.9	16	13.6	06.2-21.0	53	31.7	22.3-41.1	57	30.0	21.2-38.8	50	24.4	16.6-32.2
Some Post-H.S.	148	13,187	1	0.9	00.0-02.7	24	24.0	14.2-33.8	37	24.6	15.6-33.6	53	34.1	24.7-43.5	33	16.4	10.1-22.7
College Graduate	216	27,284				14	11.4	04.1-18.7	77	36.6	28.4-44.8	72	31.4	23.6-39.2	53	20.6	14.1-27.1
Less than \$15,000	86	7,164	1	0.8	00.0-02.4	5	3.6	00.0-07.9									
\$35,000- 49,999	84	8,537	1	1.4	00.0-04.1				15	11.1	04.8-17.4						
\$50,000- 74,999	85	9,321													16	14.1	06.5-21.7
\$75,000+	119	17,647				19	20.0	10.0-30.0				44	30.1	20.3-39.9	10	6.3	01.8-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

**TABLE 8: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "AT WHAT AGE WAS YOUR FIRST DIAGNOSIS OF CANCER?"
(CNCRAGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	208	25,102	1	0.5	00.0-01.5	10	8.9	02.6-15.2	41	24.3	16.3-32.3	88	39.6	31.0-48.2	68	26.7	19.4-34.0
White/Non-Hisp	186	21,768	1	0.5	00.0-01.5	10	10.3	03.2-17.4	35	24.2	15.6-32.8	79	40.3	31.3-49.3	61	24.7	18.0-31.4
65+	138	14,004				2	3.0	00.0-07.3	16	14.0	06.7-21.3	52	35.2	25.4-45.0			
H.S. or G.E.D.	57	7,296				3	7.9	00.0-16.9									
\$75,000+	50	7,583													8	13.1	03.3-22.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

**TABLE 9: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "AT WHAT AGE WAS YOUR FIRST DIAGNOSIS OF CANCER?"
(CNCRAGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	366	35,541	1	0.2	00.0-00.6	46	18.5	12.4-24.6	128	36.3	29.8-42.8	104	26.5	20.8-32.2	87	18.6	13.9-23.3
White/Non-Hisp	335	31,543	1	0.2	00.0-00.6	38	15.1	09.6-20.6	115	36.4	29.5-43.3	96	27.7	21.8-33.6	85	20.6	15.5-25.7
55-64	92	8,060				11	14.4	04.4-24.4									
65+	191	14,714				7	2.9	00.5-05.3	33	14.4	08.9-19.9	64	37.8	29.4-46.2	87	44.9	36.3-53.5
H.S. or G.E.D.	120	10,442	1	0.6	00.0-01.8							31	23.7	14.7-32.7			
Some Post-H.S.	107	9,506										28	22.3	13.1-31.5	24	16.5	08.9-24.1
College Graduate	123	14,558													19	10.7	05.2-16.2
Less than \$15,000	65	4,955	1	1.2	00.0-03.6	4	2.3	00.0-04.7									
\$75,000+	69	10,064													2	1.2	00.0-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

**TABLE 10: WHAT TYPE OF CANCER WAS IT? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "WITH YOUR MOST RECENT DIAGNOSES OF CANCER, WHAT TYPE OF CANCER WAS IT?"
(CNCRTYPE)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 16-20			Values 21-25		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	240	25,740	121	48.2	39.8-56.6	1	0.7	00.0-02.1	9	5.0	01.1-08.9	109	46.2	37.8-54.6
Female	195	19,775	120	61.9	53.1-70.7	1	0.9	00.0-02.7	6	3.4	00.1-06.7	68	33.8	25.4-42.2
White/Non-Hisp	223	22,814	109	44.3	35.9-52.7	1	0.8	00.0-02.4	6	3.5	00.0-07.0	107	51.5	42.9-60.1
65+	137	11,705	72	51.6	41.6-61.6	1	1.5	00.0-04.4	5	5.3	00.0-10.6	59	41.7	31.9-51.5
H.S. or G.E.D.	68	6,971							4	7.3	00.0-16.7			
Some Post-H.S.	54	4,593							1	4.9	00.0-14.1			
College Graduate	106	13,193				1	1.3	00.0-03.8	3	3.4	00.0-07.9			
\$75,000+	51	8,314							2	6.2	00.0-15.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS

TABLE 11: WHAT TYPE OF CANCER WAS IT? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "WITH YOUR MOST RECENT DIAGNOSES OF CANCER, WHAT TYPE OF CANCER WAS IT?"
(CNCRTYPE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

**TABLE 12: WHAT TYPE OF CANCER WAS IT? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "WITH YOUR MOST RECENT DIAGNOSES OF CANCER, WHAT TYPE OF CANCER WAS IT?"
(CNCRTYPE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 16-20			Values 21-25		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	195	19,775	120	61.9	53.1-70.7	1	0.9	00.0-02.7	6	3.4	00.1-06.7	68	33.8	25.4-42.2
White/Non-Hisp	180	17,186	109	58.8	49.4-68.2	1	1.0	00.0-03.0	4	2.1	00.0-04.8	66	38.1	28.9-47.3
65+	112	9,235				1	1.9	00.0-05.4	3	3.7	00.0-09.0	36	29.0	19.4-38.6
H.S. or G.E.D.	55	5,004							3	3.4	00.0-07.3			
Some Post-H.S.	50	4,303							1	5.2	00.0-15.0			
College Graduate	80	9,633				1	1.8	00.0-05.3	2	2.9	00.0-07.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2009**

End of Core Data Report