


DELAWARE

2009 Module Variables Report

Behavioral Risk Factor Surveillance System

March 10, 2010



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009

MODULE 1: PRE-DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3359	548,725	2136	57.9	55.4-60.4	1223	42.1	39.6-44.6
Male	1190	254,835	712	52.0	47.9-56.1	478	48.0	43.9-52.1
Female	2169	293,891	1424	62.9	59.6-66.2	745	37.1	33.8-40.4
White/Non-Hisp	2712	417,390	1737	58.8	55.9-61.7	975	41.2	38.3-44.1
Black or Afr. Am./Non-Hisp	396	71,572	251	58.5	51.1-65.9	145	41.5	34.1-48.9
25-34	328	96,565	175	52.1	45.0-59.2	153	47.9	40.8-55.0
35-44	525	101,546	299	57.5	52.2-62.8	226	42.5	37.2-47.8
45-54	625	101,604	394	62.4	57.5-67.3	231	37.6	32.7-42.5
55-64	691	75,935	478	67.8	62.9-72.7	213	32.2	27.3-37.1
65+	1015	90,171	718	71.1	67.6-74.6	297	28.9	25.4-32.4
H.S. or G.E.D.	1010	153,083	595	52.6	47.7-57.5	415	47.4	42.5-52.3
Some Post-H.S.	891	139,168	581	59.4	54.3-64.5	310	40.6	35.5-45.7
College Graduate	1242	221,167	836	61.5	57.2-65.8	406	38.5	34.2-42.8
Less than \$15,000	320	36,640	195	52.3	44.1-60.5	125	47.7	39.5-55.9
\$15,000- 24,999	297	38,415	171	46.5	37.7-55.3	126	53.5	44.7-62.3
\$25,000- 34,999	291	42,505	173	50.3	40.9-59.7	118	49.7	40.3-59.1
\$35,000- 49,999	450	69,942	300	62.6	55.0-70.2	150	37.4	29.8-45.0
\$50,000- 74,999	543	100,266	346	57.8	50.9-64.7	197	42.2	35.3-49.1
\$75,000+	952	182,819	642	63.6	59.5-67.7	310	36.4	32.3-40.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1190	254,835	712	52.0	47.9-56.1	478	48.0	43.9-52.1
White/Non-Hisp	972	192,919	591	52.4	47.9-56.9	381	47.6	43.1-52.1
35-44	195	48,213	108	54.3	45.9-62.7	87	45.7	37.3-54.1
45-54	220	46,198	134	61.7	53.9-69.5	86	38.3	30.5-46.1
55-64	234	35,454	155	63.2	54.8-71.6	79	36.8	28.4-45.2
65+	356	36,611	247	68.9	63.0-74.8	109	31.1	25.2-37.0
H.S. or G.E.D.	349	77,246	184	44.9	37.8-52.0	165	55.1	48.0-62.2
Some Post-H.S.	286	60,042	179	53.3	44.5-62.1	107	46.7	37.9-55.5
College Graduate	473	101,054	313	58.8	52.1-65.5	160	41.2	34.5-47.9
\$35,000- 49,999	179	33,705	120	64.1	54.1-74.1	59	35.9	25.9-45.9
\$50,000- 74,999	226	48,883	136	49.5	39.5-59.5	90	50.5	40.5-60.5
\$75,000+	405	94,003	273	61.0	54.5-67.5	132	39.0	32.5-45.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2169	293,891	1424	62.9	59.6-66.2	745	37.1	33.8-40.4
White/Non-Hisp	1740	224,471	1146	64.2	60.7-67.7	594	35.8	32.3-39.3
Black or Afr. Am./Non-Hisp	282	43,970	182	59.3	50.1-68.5	100	40.7	31.5-49.9
25-34	214	49,468	127	61.1	53.3-68.9	87	38.9	31.1-46.7
35-44	330	53,333	191	60.5	54.0-67.0	139	39.5	33.0-46.0
45-54	405	55,405	260	63.1	57.0-69.2	145	36.9	30.8-43.0
55-64	457	40,481	323	71.9	66.8-77.0	134	28.1	23.0-33.2
65+	659	53,560	471	72.7	68.4-77.0	188	27.3	23.0-31.6
H.S. or G.E.D.	661	75,837	411	60.5	54.2-66.8	250	39.5	33.2-45.8
Some Post-H.S.	605	79,127	402	64.1	58.6-69.6	203	35.9	30.4-41.4
College Graduate	769	120,113	523	63.7	58.4-69.0	246	36.3	31.0-41.6
Less than \$15,000	244	22,870	156	59.1	50.7-67.5	88	40.9	32.5-49.3
\$50,000- 74,999	317	51,383	210	65.6	57.2-74.0	107	34.4	26.0-42.8
\$75,000+	547	88,816	369	66.3	61.0-71.6	178	33.7	28.4-39.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3459	562,690	283	6.4	05.2-07.6	51	1.5	00.9-02.1	3125	92.1	90.7-93.5
Male	1233	262,488	91	5.8	04.2-07.4	1	0.1	00.0-00.3	1141	94.1	92.5-95.7
Female	2226	300,203	192	6.9	04.9-08.9	50	2.7	01.7-03.7	1984	90.4	88.4-92.4
White/Non-Hisp	2805	430,238	223	6.3	04.9-07.7	40	1.5	00.9-02.1	2542	92.2	90.6-93.8
Black or Afr. Am./Non-Hisp	398	71,803	44	7.0	03.7-10.3	7	1.4	00.0-02.8	347	91.5	88.0-95.0
Oth. Race/Non-Hisp.	95	22,846	4	2.9	00.0-07.4	3	2.3	00.0-05.4	88	94.8	89.3-0100
MultiRacial/Non-Hisp.	55	11,598	2	2.8	00.0-07.3				53	97.2	92.7-0100
Hispanic	85	22,674	7	10.1	01.5-18.7	1	1.4	00.0-04.1	77	88.6	79.6-97.6
18-24	130	77,666	4	3.8	00.0-09.9	2	1.1	00.0-02.7	124	95.1	89.0-0100
25-34	335	99,132	12	3.3	00.9-05.7	8	2.2	00.6-03.8	315	94.5	91.6-97.4
35-44	539	104,385	25	3.5	01.7-05.3	17	2.2	00.8-03.6	497	94.3	92.1-96.5
45-54	646	104,975	51	7.8	05.1-10.5	16	2.1	00.9-03.3	579	90.1	87.2-93.0
55-64	705	76,939	66	9.3	06.4-12.2	5	0.6	00.0-01.2	634	90.0	87.1-92.9
65+	1056	93,860	124	11.3	08.9-13.7	2	0.3	00.0-00.7	930	88.4	86.0-90.8
Less Than H.S.	221	35,855	20	5.1	02.4-07.8	2	0.8	00.0-02.0	199	94.1	91.2-97.0
H.S. or G.E.D.	1039	155,704	94	6.9	04.9-08.9	13	1.3	00.5-02.1	932	91.7	89.5-93.9
Some Post-H.S.	910	142,486	84	7.4	05.2-09.6	15	1.8	00.6-03.0	811	90.8	88.3-93.3
College Graduate	1284	227,768	85	5.5	03.1-07.9	21	1.6	00.8-02.4	1178	92.9	90.4-95.4
Less than \$15,000	334	38,054	45	9.9	06.0-13.8	3	1.1	00.0-02.9	286	89.1	84.8-93.4
\$15,000- 24,999	306	38,960	28	7.2	04.1-10.3	2	0.6	00.0-01.4	276	92.2	88.9-95.5
\$25,000- 34,999	297	43,347	20	4.3	01.9-06.7	5	2.2	00.0-04.9	272	93.5	90.0-97.0
\$35,000- 49,999	460	71,053	46	7.9	04.8-11.0	3	0.4	00.0-01.0	411	91.7	88.6-94.8
\$50,000- 74,999	553	101,410	49	8.3	03.4-13.2	10	2.2	00.6-03.8	494	89.5	84.4-94.6
\$75,000+	980	189,487	52	4.4	02.8-06.0	20	1.6	00.8-02.4	908	94.0	92.2-95.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1233	262,488	91	5.8	04.2-07.4	1	0.1	00.0-00.3	1141	94.1	92.5-95.7
White/Non-Hisp	1013	199,832	79	5.6	04.0-07.2	1	0.1	00.0-00.3	933	94.3	92.7-95.9
Black or Afr. Am./Non-Hisp	113	27,525	8	7.1	00.4-13.8				105	92.9	86.2-99.6
18-24	65	40,345	1	0.7	00.0-02.1	1	0.7	00.0-02.1	63	98.6	96.6-0100
25-34	117	48,599	4	3.1	00.0-06.6				113	96.9	93.4-0100
35-44	203	50,091	9	3.5	00.8-06.2				194	96.5	93.8-99.2
45-54	226	47,856	17	8.8	04.3-13.3				209	91.2	86.7-95.7
55-64	239	35,666	24	10.2	04.9-15.5				215	89.8	84.5-95.1
65+	376	38,658	35	9.7	05.8-13.6				341	90.3	86.4-94.2
Less Than H.S.	86	16,783	4	2.3	00.0-04.8				82	97.7	95.2-0100
H.S. or G.E.D.	357	78,156	24	6.3	03.2-09.4	1	0.4	00.0-01.2	332	93.3	90.0-96.6
Some Post-H.S.	293	62,190	29	8.0	04.1-11.9				264	92.0	88.1-95.9
College Graduate	494	104,602	34	4.7	02.7-06.7				460	95.3	93.3-97.3
Less than \$15,000	81	14,253	10	8.7	00.5-16.9				71	91.3	83.1-99.5
\$15,000- 24,999	83	14,913	5	4.0	00.1-07.9				78	96.0	92.1-99.9
\$25,000- 34,999	95	17,418	5	4.4	00.1-08.7				90	95.6	91.3-99.9
\$35,000- 49,999	183	34,276	21	10.3	04.8-15.8				162	89.7	84.2-95.2
\$50,000- 74,999	229	49,318	14	4.5	01.6-07.4				215	95.5	92.6-98.4
\$75,000+	421	98,283	27	5.2	02.7-07.7				394	94.8	92.3-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2226	300,203	192	6.9	04.9-08.9	50	2.7	01.7-03.7	1984	90.4	88.4-92.4
White/Non-Hisp	1792	230,407	144	6.9	04.5-09.3	39	2.7	01.7-03.7	1609	90.3	87.8-92.8
Black or Afr. Am./Non-Hisp	285	44,278	36	7.0	03.7-10.3	7	2.3	00.1-04.5	242	90.7	86.8-94.6
Oth. Race/Non-Hisp.	58	10,909	3	1.4	00.0-03.2	3	4.8	00.0-11.3	52	93.8	87.1-0100
Hispanic	52	10,242				1	3.1	00.0-09.0			
18-24	65	37,321	3	7.1	00.0-19.3	1	1.5	00.0-04.4			
25-34	218	50,533	8	3.4	00.1-06.7	8	4.3	01.2-07.4	202	92.3	87.8-96.8
35-44	336	54,294	16	3.4	01.4-05.4	17	4.3	01.8-06.8	303	92.3	89.2-95.4
45-54	420	57,119	34	7.0	04.1-09.9	16	3.9	01.7-06.1	370	89.1	85.4-92.8
55-64	466	41,273	42	8.6	05.5-11.7	5	1.2	00.0-02.4	419	90.2	86.9-93.5
65+	680	55,202	89	12.5	09.6-15.4	2	0.5	00.0-01.1	589	87.1	84.0-90.2
Less Than H.S.	135	19,072	16	7.6	03.1-12.1	2	1.5	00.0-03.7	117	90.9	85.8-96.0
H.S. or G.E.D.	682	77,548	70	7.5	05.3-09.7	12	2.3	00.7-03.9	600	90.2	87.5-92.9
Some Post-H.S.	617	80,296	55	7.0	04.6-09.4	15	3.2	01.0-05.4	547	89.8	86.7-92.9
College Graduate	790	123,166	51	6.3	02.2-10.4	21	2.9	01.5-04.3	718	90.8	86.7-94.9
Less than \$15,000	253	23,802	35	10.6	06.7-14.5	3	1.7	00.0-04.4	215	87.7	83.0-92.4
\$15,000- 24,999	223	24,047	23	9.1	04.6-13.6	2	1.0	00.0-02.4	198	89.9	85.2-94.6
\$25,000- 34,999	202	25,929	15	4.3	01.6-07.0	5	3.7	00.0-08.2	182	92.1	87.0-97.2
\$35,000- 49,999	277	36,777	25	5.7	02.8-08.6	3	0.8	00.0-01.8	249	93.5	90.4-96.6
\$50,000- 74,999	324	52,092	35	11.9	03.1-20.7	10	4.2	01.3-07.1	279	83.9	74.9-92.9
\$75,000+	559	91,204	25	3.5	01.7-05.3	20	3.3	01.5-05.1	514	93.2	90.8-95.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009**

MODULE 2: DIABETES CONTENTS

*** NOTE * * * * ***
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
*** * * * ***

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009

MODULE 2: DIABETES CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28	MALES AND FEMALES	38
29	MALES ONLY	39
30	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	448	47,445	5	1.4	00.0-02.8	22	5.7	02.0-09.4	106	33.1	26.0-40.2	197	39.8	33.3-46.3	118	19.9	15.6-24.2
Male	191	28,183	4	2.3	00.0-04.7	9	6.2	00.3-12.1				83	39.2	29.4-49.0	43	15.7	10.0-21.4
Female	257	19,262	1	0.1	00.0-00.3	13	4.9	02.0-07.8	54	28.1	20.3-35.9	114	40.6	33.2-48.0	75	26.2	19.9-32.5
White/Non-Hisp	327	31,315	4	1.4	00.0-03.0	11	5.3	00.4-10.2	66	26.8	19.7-33.9	145	42.0	34.9-49.1	101	24.5	19.2-29.8
Black or Afr. Am./Non-Hisp	78	9,208				8	9.4	01.6-17.2									
45-54	69	9,611	2	1.3	00.0-03.3	5	6.0	00.5-11.5									
55-64	119	12,233				4	1.8	00.0-03.8							7	5.5	00.8-10.2
65+	218	17,118				5	1.9	00.3-03.5	20	12.5	05.4-19.6	83	34.9	27.3-42.5	110	50.8	42.6-59.0
Less Than H.S.	68	7,805				7	7.2	01.1-13.3									
H.S. or G.E.D.	161	15,014	2	1.8	00.0-04.9				30	22.3	13.1-31.5				45	22.5	15.2-29.8
Some Post-H.S.	101	9,221				4	3.9	00.0-08.2							23	19.2	09.6-28.8
College Graduate	118	15,405	3	2.7	00.0-05.8	2	0.8	00.0-02.0							31	16.7	09.4-24.0
Less than \$15,000	66	7,389				2	1.3	00.0-03.3									
\$15,000- 24,999	71	6,256	2	4.2	00.0-11.5										17	15.7	06.5-24.9
\$25,000- 34,999	57	5,339				5	7.6	00.7-14.5									
\$35,000- 49,999	61	5,636				1	1.3	00.0-03.8									
\$50,000- 74,999	50	5,728	1	1.7	00.0-05.0	3	6.9	00.0-15.1									
\$75,000+	71	10,639	2	3.0	00.0-07.1	2	1.6	00.0-04.0							9	7.0	01.7-12.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	191	28,183	4	2.3	00.0-04.7	9	6.2	00.3-12.1	83	39.2	29.4-49.0	43	15.7	10.0-21.4
White/Non-Hisp	136	17,729	3	2.3	00.0-05.0	4	6.1	00.0-14.3				36	19.2	12.1-26.3
55-64	58	7,742				2	2.1	00.0-05.0				3	3.8	00.0-09.1
65+	85	8,289				2	1.7	00.0-04.1						
H.S. or G.E.D.	54	7,276	1	3.3	00.0-09.6							9	12.1	02.9-21.3
College Graduate	67	11,147	3	3.7	00.0-08.0	1	0.6	00.0-01.8				17	15.4	06.8-24.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	257	19,262	1	0.1	00.0-00.3	13	4.9	02.0-07.8	54	28.1	20.3-35.9	114	40.6	33.0-48.2	75	26.2	19.9-32.5
White/Non-Hisp	191	13,586	1	0.2	00.0-00.6	7	4.4	00.9-07.9	34	24.8	16.4-33.2	84	39.4	31.2-47.6	65	31.3	23.7-38.9
55-64	61	4,492				2	1.4	00.0-03.4							4	8.4	00.0-17.0
65+	133	8,829				3	2.0	00.0-04.2	8	8.7	01.8-15.6	51	36.4	26.8-46.0			
H.S. or G.E.D.	107	7,738	1	0.3	00.0-00.9	6	6.7	00.8-12.6									
Some Post-H.S.	55	3,746				3	5.4	00.0-12.1									
College Graduate	51	4,258				1	1.4	00.0-04.1									
\$15,000- 24,999	56	3,093	1	0.8	00.0-02.4	3	4.6	00.0-10.5									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	466	48,816	109	24.3	18.6-30.0	357	75.7	70.0-81.4
Male	199	28,986	49	25.6	17.2-34.0	150	74.4	66.0-82.8
Female	267	19,830	60	22.4	15.9-28.9	207	77.6	71.1-84.1
White/Non-Hisp	342	32,533	79	23.7	17.2-30.2	263	76.3	69.8-82.8
65+	226	17,611	54	24.9	17.3-32.5	172	75.1	67.5-82.7
\$50,000- 74,999	53	6,036	10	11.8	04.0-19.6	43	88.2	80.4-96.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	199	28,986	49	25.6	17.2-34.0	150	74.4	66.0-82.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	267	19,830	60	22.4	15.9-28.9	207	77.6	71.1-84.1	
White/Non-Hisp	199	14,021	49	22.9	16.2-29.6	150	77.1	70.4-83.8	
65+	136	8,963	35	23.7	15.7-31.7	101	76.3	68.3-84.3	
H.S. or G.E.D.	113	8,164	17	16.4	07.0-25.8	96	83.6	74.2-93.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	470	49,292	49	11.8	07.5-16.1	116	25.2	18.7-31.7	295	60.8	53.9-67.7	10	2.3	00.1-04.5
Male	205	29,764	19	10.6	04.5-16.7	54	28.7	18.9-38.5	124	57.1	47.1-67.1	8	3.6	00.1-07.1
Female	265	19,529	30	13.5	07.8-19.2	62	19.8	14.5-25.1	171	66.4	59.3-73.5	2	0.3	00.0-00.9
White/Non-Hisp	342	32,416	36	9.8	06.1-13.5	92	26.7	20.4-33.0	208	61.7	54.8-68.6	6	1.8	00.0-03.6
Black or Afr. Am./Non-Hisp	82	9,830				11	7.2	02.1-12.3				3	5.4	00.0-14.0
45-54	70	9,923										2	3.8	00.0-09.3
55-64	125	12,852	15	12.7	04.7-20.7	24	18.4	10.0-26.8				2	0.7	00.0-01.7
65+	230	18,109	17	7.6	03.7-11.5	60	21.7	15.8-27.6	149	67.5	60.1-74.9	4	3.2	00.0-07.9
Less Than H.S.	71	7,920	3	1.9	00.0-04.3							2	1.2	00.0-03.0
H.S. or G.E.D.	171	15,810	24	18.7	10.1-27.3	36	16.9	10.2-23.6	107	62.1	52.1-72.1	4	2.3	00.0-05.4
Some Post-H.S.	106	10,077	10	7.5	01.6-13.4							2	4.8	00.0-13.0
College Graduate	122	15,485	12	12.5	03.1-21.9							2	1.3	00.0-03.3
Less than \$15,000	69	7,552	10	11.2	02.6-19.8									
\$15,000- 24,999	77	6,694	7	6.0	00.9-11.1	19	12.4	05.5-19.3	49	80.4	71.2-89.6	2	1.1	00.0-02.7
\$25,000- 34,999	59	5,450										1	0.5	00.0-01.5
\$75,000+	72	10,681	4	2.6	00.0-05.3							2	2.8	00.0-07.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Never		< 1 time per Day			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	205	29,764	19	10.6	04.3-16.9	54	28.7	18.9-38.5	8	3.6	00.1-07.1
White/Non-Hisp	144	18,659	11	6.2	01.7-10.7	47	31.2	21.4-41.0	4	2.7	00.0-05.8
55-64	62	8,127							2	1.1	00.0-02.7
65+	92	9,045	6	6.3	01.0-11.6	24	20.9	11.9-29.9	3	6.0	00.0-15.2
H.S. or G.E.D.	58	7,662							3	4.4	00.0-10.7
Some Post-H.S.	51	6,327	5	5.8	00.0-11.7				1	7.0	00.0-19.9
College Graduate	70	11,406							2	1.7	00.0-04.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	265	19,529	30	13.5	07.8-19.2	62	19.8	14.5-25.1	171	66.4	59.5-73.3	2	0.3	00.0-00.9
White/Non-Hisp	198	13,756	25	14.7	08.4-21.0	45	20.7	14.2-27.2	126	64.1	56.3-71.9	2	0.5	00.0-01.3
55-64	63	4,725	7	10.7	01.5-19.9									
65+	138	9,064	11	8.9	03.4-14.4	36	22.4	14.8-30.0	90	68.2	59.4-77.0	1	0.5	00.0-01.5
H.S. or G.E.D.	113	8,148				23	16.6	09.0-24.2				1	0.3	00.0-00.9
Some Post-H.S.	55	3,750										1	1.1	00.0-03.3
College Graduate	52	4,079	4	7.0	00.0-14.4									
\$15,000- 24,999	59	3,209	5	7.4	00.5-14.3									

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	453	47,594	319	67.8	60.7-74.9	70	16.7	10.4-23.0	10	2.1	00.5-03.7	11	2.5	00.0-05.0	40	10.0	05.7-14.3	3	0.9	00.0-02.5
Male	195	28,559				26	17.2	07.4-27.0	6	2.5	00.1-04.9	6	3.5	00.0-07.6	14	8.7	02.6-14.8	1	0.1	00.0-00.3
Female	258	19,035	177	67.6	60.2-75.0	44	16.0	10.5-21.5	4	1.5	00.0-03.1	5	0.9	00.1-01.7	26	11.9	06.4-17.4	2	2.1	00.0-05.8
White/Non-Hisp	329	31,272	227	69.8	62.9-76.7	59	18.0	12.1-23.9	6	2.4	00.2-04.6	11	3.8	00.1-07.5	24	5.8	03.3-08.3	2	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	80	9,341				7	4.5	00.6-08.4	3	1.7	00.0-03.9				6	8.6	00.0-17.6	1	4.0	00.0-11.6
45-54	69	9,580							4	5.6	00.0-12.1	1	6.0	00.0-17.2				1	0.4	00.0-01.2
55-64	120	12,524	85	76.5	67.3-85.7	20	12.0	05.9-18.1	2	0.7	00.0-01.7	1	1.3	00.0-03.8	11	6.5	02.2-10.8	1	3.0	00.0-08.7
65+	221	17,153	158	75.7	69.2-82.2	33	11.9	07.0-16.8	4	2.1	00.0-04.3	9	2.6	00.6-04.6	16	7.5	03.6-11.4	1	0.2	00.0-00.6
Less Than H.S.	69	7,822							1	1.7	00.0-05.0	1	0.3	00.0-00.9	5	6.8	00.3-13.3	1	4.7	00.0-13.7
H.S. or G.E.D.	164	15,210	110	69.4	60.2-78.6	23	12.7	06.8-18.6	6	4.0	00.0-08.1	3	0.9	00.0-01.9	22	13.0	06.1-19.9			
Some Post-H.S.	102	9,481										3	1.2	00.0-02.6	2	2.9	00.0-06.8	1	0.4	00.0-01.2
College Graduate	118	15,081							3	1.6	00.0-03.6	4	6.0	00.0-13.6				1	0.2	00.0-00.6
Less than \$15,000	68	7,404							2	4.4	00.0-12.0	5	3.4	00.0-06.9	3	4.4	00.0-09.9	1	0.5	00.0-01.5
\$15,000- 24,999	74	6,594				14	14.0	05.0-23.0	1	0.9	00.0-02.7				3	5.4	00.0-12.8			
\$25,000- 34,999	55	5,193				7	11.3	02.5-20.1							7	9.5	01.7-17.3			
\$35,000- 49,999	62	5,679				9	11.2	03.0-19.4	2	4.1	00.0-09.8	1	1.3	00.0-03.8						
\$50,000- 74,999	51	5,811							1	0.9	00.0-02.7									
\$75,000+	69	10,319							3	2.4	00.0-05.1	3	7.7	00.0-18.5	8	9.5	00.0-19.3	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	195	28,559				26	17.2	07.4-27.0	6	2.5	00.1-04.9	6	3.5	00.0-07.6	14	8.7	02.6-14.8	1	0.1	00.0-00.3
White/Non-Hisp	138	18,021				21	16.1	07.5-24.7	5	3.6	00.0-07.3	6	5.6	00.0-12.1	8	3.9	01.0-06.8	1	0.2	00.0-00.6
55-64	59	7,995	41	81.7	71.9-91.5	11	10.1	03.2-17.0	1	0.6	00.0-02.0	1	2.1	00.0-06.2	5	5.5	00.0-11.0			
65+	88	8,412	68	79.8	70.0-89.6	8	8.6	01.3-15.9	3	3.2	00.0-07.1	4	3.2	00.0-06.5	4	4.9	00.0-09.8	1	0.4	00.0-01.2
H.S. or G.E.D.	55	7,316				7	8.3	01.2-15.4	3	5.6	00.0-13.4	1	0.7	00.0-02.1	5	7.2	00.0-14.6			
College Graduate	68	11,212							2	1.5	00.0-03.7	4	8.1	00.0-18.3				1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	258	19,035	177	67.6	60.2-75.0	44	16.0	10.5-21.5	4	1.5	00.0-03.1	5	0.9	00.1-01.7	26	11.9	06.4-17.4	2	2.1	00.0-05.8
White/Non-Hisp	191	13,251	130	68.6	60.8-76.4	38	20.6	13.5-27.7	1	0.7	00.0-02.1	5	1.3	00.1-02.5	16	8.4	03.9-12.9	1	0.3	00.0-00.9
55-64	61	4,529							1	0.8	00.0-02.4				6	8.3	01.2-15.4			
65+	133	8,741	90	71.8	63.2-80.4	25	15.1	08.8-21.4	1	1.1	00.0-03.3	5	2.0	00.0-04.0	12	10.0	04.1-15.9			
H.S. or G.E.D.	109	7,894				16	16.7	07.7-25.7	3	2.5	00.0-05.4	2	1.1	00.0-02.7						
Some Post-H.S.	54	3,720										2	1.7	00.0-04.2	1	3.4	00.0-10.1	1	1.0	00.0-03.0
College Graduate	50	3,869							1	2.1	00.0-06.2									
\$15,000- 24,999	58	3,183							1	1.9	00.0-05.6				2	3.7	00.0-09.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	459	48,286	57	15.6	09.3-21.9	95	21.2	16.1-26.3	51	9.4	05.5-13.3	144	26.9	21.4-32.4	57	11.9	08.0-15.8	55	15.0	09.9-20.1
Male	197	28,708	24	18.4	08.4-28.4	43	20.7	13.3-28.1	17	7.9	02.0-13.8	64	26.9	18.9-34.9	24	11.8	06.1-17.5	25	14.4	07.3-21.5
Female	262	19,578	33	11.5	06.6-16.4	52	21.8	15.5-28.1	34	11.6	06.9-16.3	80	27.1	20.6-33.6	33	12.1	07.4-16.8	30	15.9	09.2-22.6
White/Non-Hisp	335	31,990	39	12.0	07.5-16.5	73	24.1	17.8-30.4	34	10.6	05.1-16.1	106	27.1	21.2-33.0	44	11.3	07.6-15.0	39	15.0	09.1-20.9
Black or Afr. Am./Non-Hisp	80	9,341							10	6.4	01.5-11.3				5	10.3	00.9-19.7			
45-54	69	9,580	8	9.6	01.6-17.6				7	5.8	00.7-10.9				7	6.2	00.9-11.5			
55-64	122	12,728				26	19.9	11.1-28.7	11	8.5	01.8-15.2				10	7.6	02.3-12.9	9	10.7	01.9-19.5
65+	224	17,385	23	9.2	04.7-13.7	50	25.5	18.2-32.8	27	8.8	04.9-12.7	71	25.7	19.4-32.0	32	18.0	11.1-24.9	21	12.9	06.2-19.6
Less Than H.S.	69	7,862							7	9.3	00.0-19.1									
H.S. or G.E.D.	165	15,335	20	11.1	05.2-17.0	35	21.6	13.2-30.0	14	10.3	00.9-19.7	49	26.6	17.6-35.6	25	12.9	07.2-18.6	22	17.5	09.3-25.7
Some Post-H.S.	103	9,500	8	7.5	01.2-13.8	18	18.9	09.5-28.3	12	7.4	02.9-11.9				9	11.3	02.1-20.5			
College Graduate	122	15,590							18	9.7	04.2-15.2				13	9.8	02.4-17.2	10	12.7	02.9-22.5
Less than \$15,000	69	7,539							6	3.0	00.3-05.7	16	13.0	04.0-22.0						
\$15,000- 24,999	73	6,557	8	7.4	00.7-14.1															
\$25,000- 34,999	60	5,539				13	16.2	06.4-26.0							5	8.3	01.0-15.6			
\$35,000- 49,999	62	5,679	6	7.9	01.0-14.8				7	9.4	01.4-17.4				6	10.7	01.5-19.9			
\$50,000- 74,999	51	5,806	4	6.5	00.0-14.5				5	8.0	00.0-16.2				3	3.6	00.0-07.9			
\$75,000+	71	10,639							10	7.6	02.1-13.1				3	4.4	00.0-09.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	197	28,708	24	18.4	08.4-28.4	43	20.7	13.3-28.1	17	7.9	01.8-14.0	64	26.9	18.9-34.9	24	11.8	06.1-17.5	25	14.4	07.3-21.5
White/Non-Hisp	141	18,221	16	11.4	05.1-17.7	34	25.7	16.1-35.3	11	10.1	01.3-18.9	41	25.1	16.5-33.7	18	10.1	05.0-15.2	21	17.6	08.4-26.8
55-64	59	7,990							4	8.0	00.0-17.4				5	6.6	00.1-13.1			
65+	90	8,565	7	8.9	01.3-16.5				10	7.7	02.2-13.2	28	23.7	14.3-33.1						
H.S. or G.E.D.	55	7,316	7	9.3	01.7-16.9										9	14.3	04.5-24.1			
College Graduate	68	11,212							9	6.1	01.4-10.8				7	10.1	00.3-19.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	262	19,578	33	11.5	06.4-16.6	52	21.8	15.5-28.1	34	11.6	06.9-16.3	80	27.1	20.6-33.6	33	12.1	07.2-17.0	30	15.9	09.0-22.8
White/Non-Hisp	194	13,769	23	12.9	06.2-19.6	39	21.9	14.8-29.0	23	11.1	05.6-16.6	65	29.7	22.6-36.8	26	12.8	07.3-18.3	18	11.6	05.5-17.7
55-64	63	4,738							7	9.2	01.2-17.2				5	9.3	00.0-18.9			
65+	134	8,820	16	9.4	04.3-14.5	30	29.0	19.2-38.8	17	9.9	04.6-15.2	43	27.7	19.5-35.9	18	14.2	06.8-21.6	10	9.8	03.1-16.5
H.S. or G.E.D.	110	8,019	13	12.8	04.0-21.6	21	18.9	10.7-27.1	10	8.1	02.2-14.0				16	11.6	05.5-17.7			
Some Post-H.S.	54	3,664													3	2.6	00.0-05.7			
College Graduate	54	4,378	8	10.0	02.0-18.0										6	9.0	00.4-17.6			
\$15,000- 24,999	57	3,146	7	9.9	01.7-18.1				6	9.7	00.5-18.9									

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	430	45,415	179	46.4	39.3-53.5	171	32.9	27.0-38.8	7	1.1	00.1-02.1	9	2.7	00.5-04.9	54	15.1	10.0-20.2	10	1.8	00.2-03.4
Male	180	26,710				71	33.7	24.5-42.9	2	0.8	00.0-02.0	3	1.9	00.0-04.4	23	14.0	06.7-21.3	4	2.2	00.0-04.7
Female	250	18,706	102	44.9	37.1-52.7	100	31.7	25.4-38.0	5	1.5	00.1-02.9	6	3.9	00.4-07.4	31	16.7	09.6-23.8	6	1.3	00.3-02.3
White/Non-Hisp	313	29,941	135	46.0	38.4-53.6	128	36.5	29.6-43.4	5	1.4	00.0-02.8	5	1.3	00.1-02.5	31	12.1	06.4-17.8	9	2.7	00.3-05.1
Black or Afr. Am./Non-Hisp	75	8,665										4	9.6	00.0-19.4				1	0.4	00.0-01.2
45-54	68	9,435							1	0.4	00.0-01.2	1	0.8	00.0-02.4						
55-64	113	11,651							1	0.6	00.0-01.8	3	2.4	00.0-05.5	9	5.3	00.4-10.2	2	3.9	00.0-09.2
65+	207	15,997	83	42.1	33.5-50.7	85	37.5	29.7-45.3	5	2.5	00.1-04.9	4	4.8	00.0-09.9	22	10.6	05.5-15.7	8	2.4	00.6-04.2
Less Than H.S.	64	7,347										3	7.1	00.0-15.5				4	5.3	00.0-11.8
H.S. or G.E.D.	156	14,664				65	34.9	25.3-44.5	4	2.4	00.0-04.9	4	2.3	00.0-04.7	21	16.5	08.1-24.9	4	1.1	00.0-02.3
Some Post-H.S.	93	8,590										1	3.8	00.0-11.2				2	3.4	00.0-09.1
College Graduate	117	14,813							3	1.0	00.0-02.2	1	0.2	00.0-00.6						
Less than \$15,000	65	7,315							1	1.2	00.0-03.6	2	5.6	00.0-14.4				2	1.0	00.0-02.4
\$15,000- 24,999	65	5,856							2	1.3	00.0-03.1	2	4.2	00.0-10.3				5	8.0	00.0-17.2
\$25,000- 34,999	54	5,017							1	1.7	00.0-05.0	1	1.8	00.0-05.3				1	0.9	00.0-02.7
\$35,000- 49,999	58	5,165							1	2.9	00.0-08.4	1	1.6	00.0-04.7						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	180	26,710	71	33.7	24.5-42.9	2	0.8	00.0-02.0	3	1.9	00.0-04.4	23	14.0	06.7-21.3	4	2.2	00.0-04.7
White/Non-Hisp	128	16,814				2	1.3	00.0-03.3	1	0.5	00.0-01.5	14	13.2	04.4-22.0	4	3.5	00.0-07.4
55-64	52	7,069				1	1.0	00.0-03.0	1	1.3	00.0-03.8	5	7.0	00.0-14.8	2	6.4	00.0-15.0
65+	82	7,806				1	1.9	00.0-05.6	1	4.2	00.0-12.2	8	7.7	02.2-13.2	2	1.8	00.0-04.5
H.S. or G.E.D.	53	7,125				1	2.1	00.0-06.2	2	2.4	00.0-05.7						
College Graduate	65	10,606				1	0.6	00.0-02.0									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	250	18,706	102	44.9	37.3-52.5	100	31.7	25.6-37.8	5	1.5	00.1-02.9	6	3.9	00.4-07.4	31	16.7	09.6-23.8	6	1.3	00.3-02.3
White/Non-Hisp	185	13,127	78	48.4	39.8-57.0	78	35.3	27.7-42.9	3	1.5	00.0-03.3	4	2.4	00.0-04.9	17	10.7	04.4-17.0	5	1.6	00.2-03.0
55-64	61	4,582										2	4.2	00.0-11.3	4	2.5	00.0-05.0			
65+	125	8,191				48	32.9	24.1-41.7	4	3.0	00.0-06.1	3	5.4	00.0-11.9	14	13.4	05.0-21.8	6	3.0	00.6-05.4
H.S. or G.E.D.	103	7,540							3	2.7	00.0-05.8	2	2.2	00.0-05.3				4	2.1	00.0-04.3
Some Post-H.S.	54	3,632													4	6.9	00.0-15.9	1	1.2	00.0-03.6
College Graduate	52	4,208							2	2.0	00.0-04.7	1	0.7	00.0-02.1						
\$15,000- 24,999	52	2,809							2	2.6	00.0-06.3	1	5.9	00.0-16.9				3	4.4	00.0-09.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	454	47,559	80	19.0	14.1-23.9	79	22.9	16.0-29.8	35	7.2	03.5-10.9	101	20.3	15.2-25.4	45	7.1	04.4-09.8	114	23.5	18.2-28.8
Male	195	28,584	41	20.6	13.3-27.9				7	5.6	00.3-10.9	42	19.6	12.2-27.0	13	4.8	01.5-08.1	45	21.5	13.9-29.1
Female	259	18,975	39	16.6	10.5-22.7	32	15.4	09.7-21.1	28	9.5	04.8-14.2	59	21.3	15.4-27.2	32	10.7	06.4-15.0	69	26.5	19.6-33.4
White/Non-Hisp	333	31,847	62	21.4	15.5-27.3	67	24.2	17.3-31.1	20	4.6	02.1-07.1	71	19.5	14.0-25.0	30	6.0	03.5-08.5	83	24.3	18.0-30.6
Black or Afr. Am./Non-Hisp	77	8,793	11	12.1	03.1-21.1										11	12.1	02.3-21.9			
45-54	67	9,432							7	7.8	00.2-15.4				3	2.0	00.0-04.4			
55-64	121	12,317	27	20.9	11.9-29.9										7	3.5	00.2-06.8	25	16.9	09.1-24.7
65+	222	17,272	34	18.0	11.5-24.5	37	21.4	13.8-29.0	15	5.9	02.0-09.8	51	18.5	13.0-24.0	33	15.4	09.1-21.7	52	20.8	14.9-26.7
Less Than H.S.	67	7,408							4	2.5	00.0-05.2				11	11.5	02.1-20.9			
H.S. or G.E.D.	167	15,373	29	16.8	09.9-23.7				11	6.9	01.6-12.2	41	22.5	14.1-30.9	17	7.5	03.4-11.6	42	23.2	15.2-31.2
Some Post-H.S.	102	9,474	21	19.8	10.0-29.6	18	18.3	08.9-27.7	9	7.0	00.7-13.3				7	7.4	00.0-14.8			
College Graduate	118	15,304				23	18.4	09.0-27.8	11	9.8	01.0-18.6				10	4.5	01.0-08.0			
Less than \$15,000	68	7,501							5	2.3	00.0-04.7	13	12.4	03.4-21.4	9	10.3	00.7-19.9			
\$15,000- 24,999	73	6,501							7	6.0	00.1-11.9				9	6.3	01.6-11.0			
\$25,000- 34,999	58	5,050													5	6.7	00.2-13.2			
\$35,000- 49,999	61	5,594	18	20.8	10.8-30.8				3	3.0	00.0-06.7	9	14.0	05.0-23.0	5	10.5	00.9-20.1			
\$75,000+	69	10,548													1	1.7	00.0-05.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	195	28,584	41	20.6	13.2-28.0	7	5.6	00.3-10.9	42	19.6	12.2-27.0	13	4.8	01.3-08.3	45	21.5	13.9-29.1
White/Non-Hisp	139	18,115	33	25.3	16.3-34.3	2	1.7	00.0-04.4	26	17.6	09.6-25.6	6	2.8	00.1-05.5	32	23.0	13.6-32.4
55-64	58	7,921										3	3.3	00.0-07.8	12	13.6	03.8-23.4
65+	89	8,511				2	3.9	00.0-10.2	18	15.3	07.5-23.1	10	12.9	02.9-22.9	18	17.7	09.3-26.1
H.S. or G.E.D.	55	7,293				1	2.4	00.0-06.9				3	3.1	00.0-07.8			
College Graduate	67	11,180										4	4.1	00.0-08.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	259	18,975	39	16.6	10.5-22.7	32	15.4	09.7-21.1	28	9.5	04.8-14.2	59	21.3	15.4-27.2	32	10.7	06.4-15.0	69	26.5	19.6-33.4
White/Non-Hisp	194	13,732	29	16.3	09.2-23.4	27	17.2	10.5-23.9	18	8.4	04.1-12.7	45	21.9	15.0-28.8	24	10.3	05.8-14.8	51	25.9	18.3-33.5
55-64	63	4,396							5	7.3	00.0-15.3				4	3.8	00.0-08.1			
65+	133	8,762	16	13.2	05.4-21.0	14	15.7	07.3-24.1	13	7.8	03.1-12.5	33	21.6	14.2-29.0	23	18.0	10.0-26.0	34	23.7	15.7-31.7
H.S. or G.E.D.	112	8,079	14	13.0	05.2-20.8	12	9.8	04.1-15.5	10	11.0	02.0-20.0	32	26.0	16.2-35.8	14	11.6	05.1-18.1			
Some Post-H.S.	54	3,708							7	8.1	01.6-14.6				4	7.3	00.0-15.3			
College Graduate	51	4,125							7	10.5	01.7-19.3	7	9.3	02.2-16.4	6	5.6	00.9-10.3			
\$15,000- 24,999	57	3,090	8	10.5	02.5-18.5				6	7.0	00.9-13.1				8	11.8	03.2-20.4			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	457	47,797	96	17.4	13.1-21.7	269	59.6	52.9-66.3	42	7.9	05.0-10.8	40	12.8	06.5-19.1	10	2.2	00.6-03.8
Male	196	28,500	37	12.8	07.7-17.9	120	63.5	53.5-73.5	17	6.8	02.9-10.7	17	14.4	04.6-24.2	5	2.4	00.0-04.8
Female	261	19,297	59	24.2	17.1-31.3	149	53.7	45.9-61.5	25	9.5	05.2-13.8	23	10.5	05.8-15.2	5	2.0	00.2-03.8
White/Non-Hisp	336	31,789	65	15.8	11.3-20.3	199	60.5	53.6-67.4	36	10.7	06.6-14.8	29	10.9	05.8-16.0	7	2.1	00.3-03.9
Black or Afr. Am./Non-Hisp	77	9,112							5	3.4	00.0-07.3	3	2.9	00.0-06.4	2	1.7	00.0-04.4
45-54	68	9,435	14	12.0	04.4-19.6				8	8.2	01.9-14.5				4	3.6	00.0-07.3
55-64	121	12,485	26	20.1	10.7-29.5				11	9.7	02.4-17.0	12	9.3	03.0-15.6	1	0.7	00.0-02.1
65+	224	17,290	47	20.4	13.9-26.9	142	65.1	57.5-72.7	20	7.9	04.0-11.8	12	5.2	01.9-08.5	3	1.3	00.0-03.1
Less Than H.S.	67	7,608							7	8.8	00.4-17.2				3	4.1	00.0-09.0
H.S. or G.E.D.	166	15,212	35	18.3	11.2-25.4	93	59.5	49.5-69.5	16	7.6	03.3-11.9	17	11.4	05.3-17.5	5	3.2	00.0-06.7
Some Post-H.S.	103	9,423	29	23.6	13.6-33.6				6	6.2	00.9-11.5	6	7.7	00.4-15.0	2	2.8	00.0-06.7
College Graduate	121	15,553	21	14.9	07.5-22.3				13	8.9	02.8-15.0	11	12.4	02.8-22.0			
Less than \$15,000	70	7,591	16	14.7	04.9-24.5				10	8.8	02.1-15.5				1	1.0	00.0-03.0
\$15,000- 24,999	72	6,397	14	12.6	04.4-20.8							5	9.2	00.0-18.6	3	7.0	00.0-15.8
\$25,000- 34,999	60	5,539							8	11.7	03.1-20.3	6	10.0	00.6-19.4	2	3.5	00.0-08.4
\$35,000- 49,999	60	5,350							3	4.4	00.0-09.3	4	8.3	00.0-16.7	1	1.7	00.0-05.0
\$50,000- 74,999	50	5,740	8	12.8	02.8-22.8				3	4.5	00.0-10.4	4	9.9	00.0-19.9	1	1.4	00.0-04.1
\$75,000+	71	10,639	10	12.5	03.3-21.7				6	7.1	00.0-14.2				1	0.6	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	196	28,500	37	12.8	07.7-17.9	120	63.5	53.5-73.5	17	6.8	02.9-10.7	17	14.4	04.6-24.2	5	2.4	00.0-04.8
White/Non-Hisp	141	18,153	26	11.5	06.2-16.8	85	65.3	55.3-75.3	15	10.4	04.3-16.5	12	11.0	03.2-18.8	3	1.9	00.0-04.1
55-64	58	7,830										2	4.0	00.0-10.3	1	1.2	00.0-03.6
65+	91	8,663	18	18.3	08.7-27.9				9	8.3	02.0-14.6	6	5.9	00.6-11.2	1	0.9	00.0-02.7
H.S. or G.E.D.	55	7,248							5	7.2	00.1-14.3	5	10.3	00.5-20.1	1	3.3	00.0-09.6
College Graduate	68	11,212	8	9.7	02.3-17.1				6	5.8	00.0-12.1						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	261	19,297	59	24.2	17.1-31.3	149	53.7	45.9-61.5	25	9.5	05.2-13.8	23	10.5	05.6-15.4	5	2.0	00.2-03.8
White/Non-Hisp	195	13,636	39	21.4	14.1-28.7	114	54.2	45.6-62.8	21	11.1	05.6-16.6	17	10.8	05.1-16.5	4	2.5	00.0-05.0
55-64	63	4,655							6	8.1	00.1-16.1						
65+	133	8,627	29	22.6	14.0-31.2	85	63.4	53.6-73.2	11	7.6	02.9-12.3	6	4.6	00.7-08.5	2	1.8	00.0-04.7
H.S. or G.E.D.	111	7,965	20	17.9	09.1-26.7				11	7.9	03.0-12.8	12	12.4	04.8-20.0	4	3.2	00.0-06.5
Some Post-H.S.	54	3,583							2	2.9	00.0-07.0						
\$15,000- 24,999	58	3,177										2	3.9	00.0-09.4	1	1.1	00.0-03.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	461	48,223	92	21.9	15.4-28.4	369	78.1	71.6-84.6	
Female	265	19,704	49	15.7	10.8-20.6	216	84.3	79.4-89.2	
White/Non-Hisp	338	32,077	58	18.4	12.1-24.7	280	81.6	75.3-87.9	
45-54	67	9,445	16	16.3	07.1-25.5	51	83.7	74.5-92.9	
55-64	123	12,715	28	21.6	12.2-31.0	95	78.4	69.0-87.8	
65+	227	17,610	38	17.9	10.6-25.2	189	82.1	74.8-89.4	
Some Post-H.S.	105	9,633	21	18.3	09.3-27.3	84	81.7	72.7-90.7	
College Graduate	121	15,480	21	17.1	07.9-26.3	100	82.9	73.7-92.1	
\$25,000- 34,999	58	5,373	6	12.1	02.1-22.1	52	87.9	77.9-97.9	
\$35,000- 49,999	62	5,679	11	12.8	05.0-20.6	51	87.2	79.4-95.0	
\$75,000+	70	10,467	8	12.0	02.4-21.6	62	88.0	78.4-97.6	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	265	19,704	49	15.7	10.6-20.8	216	84.3	79.2-89.4	
White/Non-Hisp	198	14,005	33	15.7	09.6-21.8	165	84.3	78.2-90.4	
65+	137	9,021	20	12.9	06.8-19.0	117	87.1	81.0-93.2	
H.S. or G.E.D.	112	8,139	19	13.7	06.4-21.0	93	86.3	79.0-93.6	
Some Post-H.S.	55	3,746	9	12.7	03.9-21.5	46	87.3	78.5-96.1	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	465	48,623	234	49.9	43.2-56.6	231	50.1	43.4-56.8
Male	198	28,783	94	50.0	40.0-60.0	104	50.0	40.0-60.0
Female	267	19,840	140	49.7	42.1-57.3	127	50.3	42.7-57.9
White/Non-Hisp	340	32,275	163	52.0	44.9-59.1	177	48.0	40.9-55.1
65+	227	17,610	104	47.5	39.5-55.5	123	52.5	44.5-60.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	198	28,783	94	50.0	40.0-60.0	104	50.0	40.0-60.0	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	267	19,840	140	49.7	42.3-57.1	127	50.3	42.9-57.7
White/Non-Hisp	199	14,030	99	46.2	38.0-54.4	100	53.8	45.6-62.0
65+	137	9,021	64	45.3	35.5-55.1	73	54.7	44.9-64.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009

MODULE 10: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	&tit11a. &tit11b. MALES ONLY HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	42
2	MALES ONLY &tit13a. &tit13b.	43
3	MALES ONLY HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRETIME)	44
4	MALES ONLY HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)	45
5	MALES ONLY	46

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 10: PROSTATE CANCER SCREENING

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 10: PROSTATE CANCER SCREENING

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 10: PROSTATE CANCER SCREENING

TABLE 3: A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 10: PROSTATE CANCER SCREENING

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRETIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a digital rectal exam.

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 10: PROSTATE CANCER SCREENING

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009**

MODULE 11: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	48
2	MALES ONLY	49
3	FEMALES ONLY	50
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	51
5	MALES ONLY	52
6	FEMALES ONLY	53
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7	MALES AND FEMALES	54
8	MALES ONLY	55
9	FEMALES ONLY	56
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCO1)	
10	MALES AND FEMALES	57
11	MALES ONLY	58
12	FEMALES ONLY	59
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	60
14	MALES ONLY	61
15	FEMALES ONLY	62

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	2691	276,173	1127	36.3	33.9-38.7	1564	63.7	61.3-66.1	
Male	968	124,523	416	36.8	33.1-40.5	552	63.2	59.5-66.9	
Female	1723	151,650	711	35.9	33.0-38.8	1012	64.1	61.2-67.0	
White/Non-Hisp	2281	229,545	974	37.1	34.6-39.6	1307	62.9	60.4-65.4	
Black or Afr. Am./Non-Hisp	265	30,819	94	32.3	24.3-40.3	171	67.7	59.7-75.7	
45-54	389	57,849	83	19.6	14.5-24.7	306	80.4	75.3-85.5	
55-64	910	97,792	344	32.9	29.0-36.8	566	67.1	63.2-71.0	
65+	1392	120,531	700	47.1	43.8-50.4	692	52.9	49.6-56.2	
Less Than H.S.	223	20,153	83	31.0	23.6-38.4	140	69.0	61.6-76.4	
H.S. or G.E.D.	906	86,998	375	36.2	32.1-40.3	531	63.8	59.7-67.9	
Some Post-H.S.	687	67,275	284	34.9	30.6-39.2	403	65.1	60.8-69.4	
College Graduate	873	101,352	385	38.6	34.5-42.7	488	61.4	57.3-65.5	
Less than \$15,000	341	27,217	146	37.7	31.4-44.0	195	62.3	56.0-68.6	
\$15,000- 24,999	295	23,915	112	30.0	23.5-36.5	183	70.0	63.5-76.5	
\$25,000- 34,999	275	24,999	125	44.8	36.4-53.2	150	55.2	46.8-63.6	
\$35,000- 49,999	388	38,618	154	37.2	31.1-43.3	234	62.8	56.7-68.9	
\$50,000- 74,999	360	40,174	154	37.2	30.9-43.5	206	62.8	56.5-69.1	
\$75,000+	584	78,743	236	33.6	28.9-38.3	348	66.4	61.7-71.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	968	124,523	416	36.8	33.1-40.5	552	63.2	59.5-66.9	
White/Non-Hisp	824	103,699	358	38.1	34.0-42.2	466	61.9	57.8-66.0	
45-54	124	25,271	36	24.8	16.4-33.2	88	75.2	66.8-83.6	
55-64	329	47,739	116	29.5	23.2-35.8	213	70.5	64.2-76.8	
65+	515	51,512	264	49.6	44.3-54.9	251	50.4	45.1-55.7	
H.S. or G.E.D.	275	35,330	110	36.0	28.6-43.4	165	64.0	56.6-71.4	
Some Post-H.S.	243	28,638	106	35.1	28.0-42.2	137	64.9	57.8-72.0	
College Graduate	374	52,745	171	39.2	33.1-45.3	203	60.8	54.7-66.9	
\$35,000- 49,999	160	19,009	65	39.1	29.7-48.5	95	60.9	51.5-70.3	
\$50,000- 74,999	175	22,234	73	33.6	25.0-42.2	102	66.4	57.8-75.0	
\$75,000+	276	44,400	118	34.0	27.3-40.7	158	66.0	59.3-72.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses
 Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1723	151,650	711	35.9	33.0-38.8	1012	64.1	61.2-67.0	
White/Non-Hisp	1457	125,846	616	36.4	33.5-39.3	841	63.6	60.7-66.5	
45-54	265	32,578	47	15.6	09.3-21.9	218	84.4	78.1-90.7	
55-64	581	50,053	228	36.1	31.4-40.8	353	63.9	59.2-68.6	
65+	877	69,019	436	45.4	41.3-49.5	441	54.6	50.5-58.7	
Less Than H.S.	148	12,699	54	30.2	21.0-39.4	94	69.8	60.6-79.0	
H.S. or G.E.D.	631	51,668	265	36.3	31.4-41.2	366	63.7	58.8-68.6	
Some Post-H.S.	444	38,637	178	34.8	29.3-40.3	266	65.2	59.7-70.7	
College Graduate	499	48,607	214	37.9	32.4-43.4	285	62.1	56.6-67.6	
Less than \$15,000	249	17,718	98	34.0	27.1-40.9	151	66.0	59.1-72.9	
\$15,000- 24,999	230	16,894	86	29.3	22.2-36.4	144	70.7	63.6-77.8	
\$35,000- 49,999	228	19,609	89	35.4	28.0-42.8	139	64.6	57.2-72.0	
\$50,000- 74,999	185	17,941	81	41.6	33.0-50.2	104	58.4	49.8-67.0	
\$75,000+	308	34,343	118	33.0	26.5-39.5	190	67.0	60.5-73.5	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

2 years but less than 5 years ago			5 or more years ago			Never		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
36	9.0	05.3-12.7	45	12.5	08.2-16.8	108	32.8	26.5-39.1
22	12.6	06.7-18.5	15	9.5	04.4-14.6	38	29.6	20.4-38.8
9	10.9	02.1-19.7	10	13.1	03.9-22.3	23	20.3	10.9-29.7
12	7.3	02.8-11.8						
15	10.8	04.1-17.5	10	6.9	02.0-11.8	50	33.7	24.3-43.1
21	12.7	06.4-19.0	23	17.7	09.7-25.7	41	28.9	19.5-38.3
19	7.0	03.1-10.9	31	12.8	07.7-17.9	69	36.0	27.8-44.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	404	44,843	140	30.0	24.9-35.1	71	15.5	11.0-20.0	
White/Non-Hisp	347	38,537	117	28.9	23.4-34.4	59	14.3	10.0-18.6	
55-64	115	13,734	40	27.0	17.8-36.2				
65+	253	24,840	89	33.0	26.3-39.7	44	13.7	09.2-18.2	
H.S. or G.E.D.	107	12,303							
Some Post-H.S.	105	10,040				18	13.6	07.1-20.1	
College Graduate	168	20,462	54	26.1	18.7-33.5	32	16.5	09.6-23.4	
\$35,000- 49,999	65	7,429							
\$50,000- 74,999	71	7,386	17	18.4	09.2-27.6	15	18.7	08.7-28.7	
\$75,000+	116	15,038	33	24.4	15.4-33.4	25	18.6	10.2-27.0	
			2 years but less than 5 years ago			5 or more years ago			Never
	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
	34	8.1	04.8-11.4	54	16.2	11.3-21.1	105	30.2	24.3-36.1
	29	8.7	05.0-12.4	50	17.0	11.5-22.5	92	31.0	24.5-37.5
	8	6.9	01.4-12.4						
	22	8.4	03.9-12.9	29	13.2	07.9-18.5	69	31.7	24.8-38.6
	9	9.6	02.7-16.5						
	6	4.8	00.0-09.9	12	14.8	05.8-23.8			
	18	9.6	04.1-15.1	24	16.2	09.1-23.3	40	31.6	22.4-40.8
				3	5.4	00.0-12.1			
	9	10.9	02.7-19.1						
	7	7.1	01.2-13.0	18	16.2	08.2-24.2			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 11: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	2697	276,535	2048	74.3	71.9-76.7	649	25.7	23.3-28.1	
Male	967	124,578	749	75.5	71.8-79.2	218	24.5	20.8-28.2	
Female	1730	151,956	1299	73.4	70.5-76.3	431	26.6	23.7-29.5	
White/Non-Hisp	2291	230,469	1748	74.9	72.5-77.3	543	25.1	22.7-27.5	
Black or Afr. Am./Non-Hisp	262	30,320	204	76.3	68.7-83.9	58	23.7	16.1-31.3	
45-54	390	57,802	226	55.1	48.4-61.8	164	44.9	38.2-51.6	
55-64	912	98,304	700	76.8	73.1-80.5	212	23.2	19.5-26.9	
65+	1395	120,429	1122	81.5	79.1-83.9	273	18.5	16.1-20.9	
Less Than H.S.	221	19,821	138	58.6	50.2-67.0	83	41.4	33.0-49.8	
H.S. or G.E.D.	910	87,101	654	71.4	67.5-75.3	256	28.6	24.7-32.5	
Some Post-H.S.	689	67,621	532	75.0	70.5-79.5	157	25.0	20.5-29.5	
College Graduate	875	101,596	724	79.8	75.9-83.7	151	20.2	16.3-24.1	
Less than \$15,000	339	26,774	242	72.2	66.1-78.3	97	27.8	21.7-33.9	
\$15,000- 24,999	293	23,677	183	58.3	50.7-65.9	110	41.7	34.1-49.3	
\$25,000- 34,999	276	25,005	204	73.4	65.6-81.2	72	26.6	18.8-34.4	
\$35,000- 49,999	389	38,760	310	79.3	74.4-84.2	79	20.7	15.8-25.6	
\$50,000- 74,999	361	40,258	306	80.3	74.0-86.6	55	19.7	13.4-26.0	
\$75,000+	587	79,152	459	75.4	70.5-80.3	128	24.6	19.7-29.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 11: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	967	124,578	749	75.5	71.8-79.2	218	24.5	20.8-28.2	
White/Non-Hisp	826	104,054	645	76.2	72.3-80.1	181	23.8	19.9-27.7	
55-64	328	47,921	256	76.8	70.5-83.1	72	23.2	16.9-29.5	
65+	516	51,511	419	82.7	79.0-86.4	97	17.3	13.6-21.0	
H.S. or G.E.D.	275	35,407	189	70.8	63.7-77.9	86	29.2	22.1-36.3	
Some Post-H.S.	243	28,770	184	70.6	62.8-78.4	59	29.4	21.6-37.2	
College Graduate	374	52,882	328	83.7	78.0-89.4	46	16.3	10.6-22.0	
\$35,000- 49,999	161	19,151	128	78.6	71.3-85.9	33	21.4	14.1-28.7	
\$50,000- 74,999	175	22,234	148	78.2	68.4-88.0	27	21.8	12.0-31.6	
\$75,000+	276	44,536	226	77.8	71.1-84.5	50	22.2	15.5-28.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 11: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1730	151,956	1299	73.4	70.5-76.3	431	26.6	23.7-29.5	
White/Non-Hisp	1465	126,415	1103	73.9	71.0-76.8	362	26.1	23.2-29.0	
Black or Afr. Am./Non-Hisp	174	16,840	139	80.6	71.8-89.4	35	19.4	10.6-28.2	
45-54	267	32,655	152	52.6	44.4-60.8	115	47.4	39.2-55.6	
55-64	584	50,383	444	76.9	72.8-81.0	140	23.1	19.0-27.2	
65+	879	68,919	703	80.7	77.6-83.8	176	19.3	16.2-22.4	
H.S. or G.E.D.	635	51,694	465	71.8	67.1-76.5	170	28.2	23.5-32.9	
Some Post-H.S.	446	38,852	348	78.3	73.0-83.6	98	21.7	16.4-27.0	
College Graduate	501	48,715	396	75.6	70.1-81.1	105	24.4	18.9-29.9	
Less than \$15,000	248	17,440	179	71.1	63.7-78.5	69	28.9	21.5-36.3	
\$15,000- 24,999	230	16,894	145	60.2	52.0-68.4	85	39.8	31.6-48.0	
\$25,000- 34,999	181	14,594	136	75.9	66.3-85.5	45	24.1	14.5-33.7	
\$35,000- 49,999	228	19,609	182	79.9	73.4-86.4	46	20.1	13.6-26.6	
\$50,000- 74,999	186	18,024	158	83.1	76.2-90.0	28	16.9	10.0-23.8	
\$75,000+	311	34,616	233	72.2	65.1-79.3	78	27.8	20.7-34.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2005	201,524	133	7.9	06.1-09.7	1872	92.1	90.3-93.9
Male	734	92,561	58	9.3	06.4-12.2	676	90.7	87.8-93.6
Female	1271	108,963	75	6.7	04.9-08.5	1196	93.3	91.5-95.1
White/Non-Hisp	1711	169,202	116	7.8	06.0-09.6	1595	92.2	90.4-94.0
Black or Afr. Am./Non-Hisp	201	22,775	8	4.8	00.7-08.9	193	95.2	91.1-99.3
45-54	221	31,197	13	6.3	02.2-10.4	208	93.7	89.6-97.8
55-64	692	74,711	46	7.8	05.1-10.5	646	92.2	89.5-94.9
65+	1092	95,616	74	8.5	06.1-10.9	1018	91.5	89.1-93.9
Less Than H.S.	133	11,177	9	8.7	01.1-16.3	124	91.3	83.7-98.9
H.S. or G.E.D.	637	60,852	42	8.0	05.1-10.9	595	92.0	89.1-94.9
Some Post-H.S.	521	49,528	31	5.6	03.2-08.0	490	94.4	92.0-96.8
College Graduate	714	79,967	51	9.1	06.0-12.2	663	90.9	87.8-94.0
Less than \$15,000	236	18,912	11	4.4	01.5-07.3	225	95.6	92.7-98.5
\$15,000- 24,999	180	13,589	20	15.0	06.6-23.4	160	85.0	76.6-93.4
\$25,000- 34,999	201	17,917	12	5.3	02.0-08.6	189	94.7	91.4-98.0
\$35,000- 49,999	301	30,151	25	10.3	05.4-15.2	276	89.7	84.8-94.6
\$50,000- 74,999	302	31,875	13	5.4	01.5-09.3	289	94.6	90.7-98.5
\$75,000+	454	58,986	27	7.9	04.4-11.4	427	92.1	88.6-95.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	734	92,561	58	9.3	06.4-12.2	676	90.7	87.8-93.6
White/Non-Hisp	631	77,828	50	8.8	05.9-11.7	581	91.2	88.3-94.1
Black or Afr. Am./Non-Hisp	65	9,569	3	3.5	00.0-07.8	62	96.5	92.2-0100
45-54	73	14,531	4	7.4	00.0-14.8	69	92.6	85.2-0100
55-64	254	36,650	21	8.4	03.7-13.1	233	91.6	86.9-96.3
65+	407	41,380	33	10.7	06.4-15.0	374	89.3	85.0-93.6
H.S. or G.E.D.	184	24,685	13	8.1	02.8-13.4	171	91.9	86.6-97.2
Some Post-H.S.	181	19,897	12	4.9	01.8-08.0	169	95.1	92.0-98.2
College Graduate	322	43,587	31	12.5	07.4-17.6	291	87.5	82.4-92.6
Less than \$15,000	61	6,817	5	6.2	00.1-12.3	56	93.8	87.7-99.9
\$25,000- 34,999	67	7,053	4	5.6	00.0-11.5	63	94.4	88.5-0100
\$35,000- 49,999	126	14,906	15	13.0	05.4-20.6	111	87.0	79.4-94.6
\$50,000- 74,999	146	17,149	7	5.1	00.0-10.8	139	94.9	89.2-0100
\$75,000+	223	34,368	18	10.4	04.9-15.9	205	89.6	84.1-95.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1271	108,963	75	6.7	04.9-08.5	1196	93.3	91.5-95.1
White/Non-Hisp	1080	91,374	66	7.0	05.0-09.0	1014	93.0	91.0-95.0
Black or Afr. Am./Non-Hisp	136	13,206	5	5.7	00.0-12.2	131	94.3	87.8-0100
45-54	148	16,666	9	5.4	01.5-09.3	139	94.6	90.7-98.5
55-64	438	38,060	25	7.2	04.1-10.3	413	92.8	89.7-95.9
65+	685	54,236	41	6.7	04.2-09.2	644	93.3	90.8-95.8
H.S. or G.E.D.	453	36,167	29	7.9	04.6-11.2	424	92.1	88.8-95.4
Some Post-H.S.	340	29,631	19	6.0	02.7-09.3	321	94.0	90.7-97.3
College Graduate	392	36,381	20	5.1	02.4-07.8	372	94.9	92.2-97.6
Less than \$15,000	175	12,095	6	3.4	00.5-06.3	169	96.6	93.7-99.5
\$15,000- 24,999	143	10,012	15	10.8	04.3-17.3	128	89.2	82.7-95.7
\$25,000- 34,999	134	10,864	8	5.1	01.0-09.2	126	94.9	90.8-99.0
\$35,000- 49,999	175	15,245	10	7.7	01.4-14.0	165	92.3	86.0-98.6
\$50,000- 74,999	156	14,726	6	5.7	00.4-11.0	150	94.3	89.0-99.6
\$75,000+	231	24,618	9	4.4	01.1-07.7	222	95.6	92.3-98.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

N	5 years but less than 10 years ago			10 or more years ago			N	%	C.I. (95%)
	N	%	C.I. (95%)	N	%	C.I. (95%)			
162	21.6	17.7-25.5	66	9.3	06.6-12.0	24	4.9	02.7-07.1	
52	18.7	13.0-24.4	30	11.5	06.8-16.2	8	3.9	01.0-06.8	
33	16.2	09.1-23.3	24	17.7	08.5-26.9	5	1.7	00.1-03.3	
44	23.0	15.4-30.6	17	9.0	04.1-13.9	8	3.5	00.8-06.2	
50	13.8	09.5-18.1	42	16.1	10.4-21.8	15	5.0	02.1-07.9	
54	17.8	12.5-23.1	33	11.5	07.0-16.0	7	1.9	00.3-03.5	
111	22.9	18.0-27.8	43	8.2	05.3-11.1	17	5.1	02.4-07.8	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 11: COLORECTAL CANCER SCREENING**

**TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	746	93,883	253	36.3	31.8-40.8	152	19.1	15.4-22.8	111	14.3	11.2-17.4
White/Non-Hisp	644	79,184	209	34.5	29.6-39.4	133	19.3	15.4-23.2	96	14.5	11.2-17.8
Black or Afr. Am./Non-Hisp	64	9,519							5	6.7	00.0-14.1
45-54	74	14,690				11	14.9	05.7-24.1	15	17.7	08.5-26.9
55-64	255	36,737	88	37.4	29.4-45.4	51	19.5	12.8-26.2	33	11.4	06.5-16.3
65+	417	42,457	134	32.3	26.8-37.8	90	20.2	15.7-24.7	63	15.6	11.3-19.9
H.S. or G.E.D.	189	25,056	71	35.7	26.9-44.5	43	24.6	16.0-33.2	21	12.2	05.9-18.5
Some Post-H.S.	182	20,183	62	38.4	28.8-48.0	36	17.9	10.8-25.0	28	14.4	08.3-20.5
College Graduate	328	44,252	103	36.2	29.3-43.1	64	16.5	11.8-21.2	57	15.8	11.1-20.5
Less than \$15,000	60	6,756							5	7.5	00.1-14.9
\$25,000- 34,999	68	7,273									
\$35,000- 49,999	128	15,060	39	28.2	18.8-37.6	27	21.4	11.4-31.4	25	19.7	10.7-28.7
\$50,000- 74,999	148	17,377				26	20.6	11.8-29.4	21	11.7	05.8-17.6
\$75,000+	226	34,665	62	35.2	26.8-43.6	49	16.3	10.8-21.8	31	14.6	08.9-20.3
			5 years but less than 10 years ago			10 or more years ago			6		
	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
	143	18.7	15.2-22.2	61	7.6	05.2-10.0	26	4.0	02.2-05.8		
	126	19.5	15.6-23.4	54	7.3	04.9-09.7	26	4.8	02.6-07.0		
	12	13.9	04.9-22.9	3	2.2	00.0-04.9					
	10	12.4	03.8-21.0	2	1.7	00.0-04.1	5	8.1	00.3-15.9		
	55	21.1	14.8-27.4	20	6.8	02.9-10.7	8	3.8	00.9-06.7		
	78	18.8	14.3-23.3	39	10.2	06.3-14.1	13	2.8	01.2-04.4		
	28	14.8	08.7-20.9	18	9.9	04.2-15.6	8	2.9	00.9-04.9		
	31	16.8	10.1-23.5	17	7.5	03.8-11.2	8	5.0	01.1-08.9		
	73	20.5	15.2-25.8	22	6.4	02.9-09.9	9	4.5	01.2-07.8		
				4	6.1	00.0-13.2	1	1.4	00.0-04.1		
				4	5.3	00.0-11.8	3	4.1	00.0-09.2		
	17	12.4	05.7-19.1	14	13.2	04.8-21.6	6	5.1	00.4-09.8		
	28	16.9	09.8-24.0	10	5.2	01.9-08.5	3	2.0	00.0-04.4		
	57	23.4	16.5-30.3	18	4.9	02.4-07.4	9	5.6	01.5-09.7		

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1289	110,394	360	27.3	24.2-30.4	255	20.8	17.9-23.7	189	13.7	11.3-16.1
White/Non-Hisp	1094	92,378	287	25.2	22.1-28.3	223	21.1	18.0-24.2	162	14.5	12.0-17.0
Black or Afr. Am./Non-Hisp	139	13,578							15	6.9	02.8-11.0
45-54	151	17,009	57	33.1	23.9-42.3				18	9.8	04.5-15.1
55-64	444	38,750	114	26.3	21.0-31.6	83	18.4	14.1-22.7	61	12.0	08.5-15.5
65+	694	54,634	189	26.2	22.1-30.3	142	20.7	17.0-24.4	110	16.1	12.6-19.6
Less Than H.S.	87	6,852				15	16.3	06.7-25.9	9	8.9	02.6-15.2
H.S. or G.E.D.	460	36,696	135	29.4	24.1-34.7	104	23.7	18.0-29.4	58	12.6	08.7-16.5
Some Post-H.S.	346	30,028	87	26.5	20.6-32.4	61	17.8	12.9-22.7	54	15.0	10.3-19.7
College Graduate	396	36,817	105	23.3	18.2-28.4	75	21.1	15.8-26.4	68	14.6	10.5-18.7
Less than \$15,000	176	12,071	41	21.5	14.4-28.6	36	21.4	14.1-28.7	24	17.2	09.2-25.2
\$15,000- 24,999	142	9,753				26	20.5	11.5-29.5	17	11.9	05.2-18.6
\$25,000- 34,999	135	11,029							16	7.4	03.1-11.7
\$35,000- 49,999	182	15,665	49	29.2	21.0-37.4	37	18.2	11.9-24.5	26	13.6	07.7-19.5
\$50,000- 74,999	158	14,970	53	29.7	21.3-38.1	19	10.8	05.1-16.5	33	19.9	12.5-27.3
\$75,000+	233	24,988	60	22.6	16.1-29.1	51	25.7	18.4-33.0	35	12.3	07.6-17.0
			5 years but less than 10 years ago			10 or more years ago			6		
	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
	276	20.6	17.7-23.5	158	13.4	10.9-15.9	51	4.1	02.7-05.5		
	239	21.1	18.0-24.2	136	13.6	10.9-16.3	47	4.6	03.0-06.2		
	30	20.1	11.3-28.9	12	10.5	03.1-17.9	4	2.7	00.0-05.4		
	29	20.9	12.3-29.5	9	6.5	01.4-11.6	8	3.3	00.8-05.8		
	92	19.6	14.9-24.3	81	19.6	14.9-24.3	13	4.1	01.6-06.6		
	155	21.3	17.4-25.2	68	11.2	07.9-14.5	30	4.4	02.6-06.2		
	22	19.8	10.6-29.0				2	1.6	00.0-03.8		
	89	17.2	12.9-21.5	54	13.1	09.0-17.2	20	3.9	01.9-05.9		
	76	22.3	16.6-28.0	54	14.9	10.2-19.6	14	3.6	01.6-05.6		
	89	22.9	17.4-28.4	44	12.8	08.3-17.3	15	5.4	02.3-08.5		
	42	19.9	13.4-26.4	26	14.6	08.7-20.5	7	5.3	01.2-09.4		
	30	21.1	11.9-30.3	17	10.3	04.6-16.0	4	1.5	00.0-03.1		
	30	22.3	13.1-31.5	13	11.4	04.5-18.3	5	3.1	00.0-06.2		

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 50 years old

5 years but less than 10 years ago			10 or more years ago			6		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
33	15.0	09.3-20.7	28	19.0	11.2-26.8	9	4.9	01.2-08.6
26	18.9	11.1-26.7	23	18.9	10.7-27.1	4	1.7	00.0-03.5
54	22.3	15.4-29.2	25	12.7	06.8-18.6	8	4.4	01.1-07.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009**

MODULE 23: SOCIAL CONTEXT CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
1 MALES AND FEMALES	65
2 MALES ONLY	66
3 FEMALES ONLY	67
HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMONY)	
4 MALES AND FEMALES	68
5 MALES ONLY	69
6 FEMALES ONLY	70
HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMEAL)	
7 MALES AND FEMALES	71
8 MALES ONLY	72
9 FEMALES ONLY	73
AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)	
10 MALES AND FEMALES	74
11 MALES ONLY	75
12 FEMALES ONLY	76
ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWORK)	
13 MALES AND FEMALES	77
14 MALES ONLY	78
15 FEMALES ONLY	79

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009

MODULE 23: SOCIAL CONTEXT CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)	
16	MALES AND FEMALES	80
17	MALES ONLY	81
18	FEMALES ONLY	82
	THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWRK)	
19	MALES AND FEMALES	83
20	MALES ONLY	84
21	FEMALES ONLY	85
	DID YOU VOTE IN THE LAST PRESIDENTIAL ELECTION? THE NOVEMBER 2008 ELECTION BETWEEN BARACK OBAMA AND JOHN MCCAIN? (SCNTVOTE)	
22	MALES AND FEMALES	86
23	MALES ONLY	87
24	FEMALES ONLY	88

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 1: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4254	660,733	3556	77.4	75.2-79.6	549	15.4	13.4-17.4	149	7.2	05.6-08.8
Male	1554	313,445	1297	75.3	71.8-78.8	190	16.4	13.3-19.5	67	8.3	05.9-10.7
Female	2700	347,289	2259	79.2	76.5-81.9	359	14.5	12.3-16.7	82	6.3	04.1-08.5
White/Non-Hisp	3426	501,018	2978	81.7	79.3-84.1	337	11.3	09.5-13.1	111	7.0	05.2-08.8
Black or Afr. Am./Non-Hisp	517	87,310	346	66.6	60.5-72.7	148	27.9	22.2-33.6	23	5.6	02.7-08.5
Oth. Race/Non-Hisp.	117	28,720							5	7.6	00.3-14.9
18-24	144	83,229				48	31.1	21.3-40.9	44	31.7	22.1-41.3
25-34	363	108,625	246	68.0	61.7-74.3	103	27.1	21.0-33.2	14	4.9	02.0-07.8
35-44	616	120,527	518	84.4	80.5-88.3	85	11.7	08.8-14.6	13	3.9	01.2-06.6
45-54	779	123,841	661	86.0	82.9-89.1	98	10.4	07.9-12.9	20	3.6	01.6-05.6
55-64	911	98,195	802	88.3	85.4-91.2	94	9.3	06.9-11.7	15	2.3	00.5-04.1
65+	1386	119,986	1229	88.3	85.9-90.7	116	8.1	06.3-09.9	41	3.6	02.0-05.2
Less Than H.S.	305	43,488	184	46.1	37.1-55.1	90	37.4	28.0-46.8	31	16.5	08.5-24.5
H.S. or G.E.D.	1317	188,730	1071	72.9	68.6-77.2	191	17.8	14.3-21.3	55	9.3	06.0-12.6
Some Post-H.S.	1100	164,757	912	75.5	71.0-80.0	157	17.3	13.6-21.0	31	7.2	03.9-10.5
College Graduate	1527	262,882	1385	86.9	83.6-90.2	111	8.9	06.2-11.6	31	4.1	02.1-06.1
Less than \$15,000	439	50,966	318	64.9	57.5-72.3	106	31.1	23.8-38.4	15	4.0	00.9-07.1
\$15,000- 24,999	414	49,568	242	47.6	40.0-55.2	137	36.3	28.9-43.7	35	16.1	09.2-23.0
\$25,000- 34,999	391	52,005	302	63.0	54.2-71.8	71	22.4	15.3-29.5	18	14.7	06.1-23.3
\$35,000- 49,999	576	83,740	484	74.9	68.4-81.4	80	21.0	14.7-27.3	12	4.1	01.6-06.6
\$50,000- 74,999	666	117,074	590	78.8	72.7-84.9	63	15.9	10.4-21.4	13	5.3	01.8-08.8
\$75,000+	1156	219,450	1109	93.0	90.5-95.5	33	4.3	02.3-06.3	14	2.7	00.9-04.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 2: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1554	313,445	1297	75.3	71.8-78.8	190	16.4	13.3-19.5	67	8.3	05.9-10.7
White/Non-Hisp	1259	236,446	1083	79.8	76.3-83.3	129	12.3	09.6-15.0	47	7.9	05.0-10.8
Black or Afr. Am./Non-Hisp	159	35,358	115	70.8	61.0-80.6	33	22.8	13.6-32.0	11	6.4	01.7-11.1
25-34	127	53,442							5	3.9	00.0-07.8
35-44	233	58,913	200	82.1	75.2-89.0	26	11.5	06.6-16.4	7	6.4	00.9-11.9
45-54	277	58,917	233	85.2	80.1-90.3	32	10.8	06.3-15.3	12	4.0	01.3-06.7
55-64	331	48,104	291	88.2	83.3-93.1	34	8.4	04.9-11.9	6	3.4	00.0-06.9
65+	510	50,974	461	89.6	86.1-93.1	38	7.5	04.8-10.2	11	2.9	00.4-05.4
Less Than H.S.	114	20,747							8	7.2	01.1-13.3
H.S. or G.E.D.	455	93,539	358	69.1	62.4-75.8	66	18.2	12.5-23.9	31	12.8	07.7-17.9
Some Post-H.S.	371	72,089	304	71.5	63.9-79.1	52	18.5	12.0-25.0	15	10.0	03.9-16.1
College Graduate	611	126,313	558	87.5	82.6-92.4	41	8.5	04.2-12.8	12	4.0	01.3-06.7
Less than \$15,000	121	21,376							5	5.6	00.0-12.5
\$35,000- 49,999	227	39,442	194	75.8	66.4-85.2	27	19.3	10.3-28.3	6	5.0	00.5-09.5
\$50,000- 74,999	290	58,129	254	76.3	66.9-85.7	30	19.8	10.4-29.2	6	3.9	00.4-07.4
\$75,000+	510	116,720	482	91.0	86.9-95.1	18	4.8	02.1-07.5	10	4.2	00.9-07.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 3: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2700	347,289	2259	79.2	76.5-81.9	359	14.5	12.3-16.7	82	6.3	04.1-08.5
White/Non-Hisp	2167	264,572	1895	83.4	80.5-86.3	208	10.4	08.2-12.6	64	6.2	03.8-08.6
Black or Afr. Am./Non-Hisp	358	51,953	231	63.7	56.3-71.1	115	31.3	24.2-38.4	12	5.0	01.3-08.7
Oth. Race/Non-Hisp.	66	13,542							1	0.4	00.0-01.2
25-34	236	55,182	164	70.1	63.0-77.2	63	24.0	17.5-30.5	9	5.9	01.6-10.2
35-44	383	61,614	318	86.6	82.7-90.5	59	11.9	08.4-15.4	6	1.6	00.0-03.2
45-54	502	64,924	428	86.7	83.0-90.4	66	10.1	07.4-12.8	8	3.2	00.3-06.1
55-64	580	50,090	511	88.4	85.1-91.7	60	10.2	07.1-13.3	9	1.3	00.1-02.5
65+	876	69,012	768	87.3	84.4-90.2	78	8.6	06.1-11.1	30	4.2	02.2-06.2
Less Than H.S.	191	22,740				59	26.4	17.8-35.0			
H.S. or G.E.D.	862	95,190	713	76.8	71.3-82.3	125	17.4	13.1-21.7	24	5.8	01.5-10.1
Some Post-H.S.	729	92,668	608	78.6	73.7-83.5	105	16.3	12.2-20.4	16	5.1	01.6-08.6
College Graduate	916	136,569	827	86.4	82.1-90.7	70	9.3	05.6-13.0	19	4.3	01.8-06.8
Less than \$15,000	318	29,590	237	72.1	65.0-79.2	71	25.0	18.1-31.9	10	2.8	00.6-05.0
\$15,000- 24,999	302	29,087	176	50.6	42.2-59.0	109	42.4	33.8-51.0	17	7.0	02.7-11.3
\$25,000- 34,999	260	30,627				38	17.8	09.2-26.4			
\$35,000- 49,999	349	44,298	290	74.2	65.2-83.2	53	22.5	13.7-31.3	6	3.3	00.4-06.2
\$50,000- 74,999	376	58,945	336	81.3	73.7-88.9	33	12.0	06.3-17.7	7	6.7	00.8-12.6
\$75,000+	646	102,729	627	95.1	92.0-98.2	15	3.8	00.9-06.7	4	1.1	00.0-02.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 4: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMONY)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2			3			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4089	610,007	436	11.3	09.7-12.9	586	17.3	15.5-19.1	2864	67.9	65.7-70.1	203	3.6	02.8-04.4
Male	1482	285,895	134	10.3	07.8-12.8	151	14.3	11.6-17.0	1122	71.9	68.4-75.4	75	3.5	02.3-04.7
Female	2607	324,113	302	12.1	10.3-13.9	435	20.0	17.6-22.4	1742	64.3	61.6-67.0	128	3.6	02.4-04.8
White/Non-Hisp	3306	463,685	316	9.4	08.0-10.8	413	15.2	13.2-17.2	2396	71.5	69.3-73.7	181	3.9	03.1-04.7
Black or Afr. Am./Non-Hisp	492	82,305	82	16.4	11.7-21.1	119	24.9	19.0-30.8	280	57.4	50.9-63.9	11	1.3	00.3-02.3
Oth. Race/Non-Hisp.	112	26,535				21	15.4	07.0-23.8						
MultiRacial/Non-Hisp.	57	10,116										4	2.5	00.0-05.4
Hispanic	102	24,518										1	0.2	00.0-00.6
18-24	98	56,089	13	13.1	03.5-22.7							6	7.0	00.0-14.1
25-34	347	102,804	55	13.3	09.2-17.4	86	24.7	18.8-30.6	204	60.7	54.0-67.4	2	1.2	00.0-03.2
35-44	599	114,871	98	16.4	12.7-20.1	124	19.2	15.5-22.9	373	63.9	59.2-68.6	4	0.5	00.0-01.1
45-54	758	119,357	114	12.1	09.4-14.8	129	17.2	13.9-20.5	503	69.5	65.4-73.6	12	1.2	00.4-02.0
55-64	894	95,750	84	7.5	05.5-09.5	126	14.8	11.5-18.1	650	75.1	71.4-78.8	34	2.6	01.6-03.6
65+	1341	115,133	68	6.0	04.2-07.8	85	6.6	04.8-08.4	1045	77.1	74.2-80.0	143	10.3	08.3-12.3
Less Than H.S.	271	35,704	43	22.4	14.4-30.4	42	17.0	09.9-24.1	159	54.2	44.6-63.8	27	6.4	03.7-09.1
H.S. or G.E.D.	1254	169,580	169	14.5	11.6-17.4	193	22.1	18.2-26.0	824	59.9	55.6-64.2	68	3.5	02.3-04.7
Some Post-H.S.	1067	152,650	132	12.9	10.0-15.8	165	19.6	15.9-23.3	716	62.8	58.3-67.3	54	4.7	02.0-07.4
College Graduate	1493	251,554	91	6.5	04.1-08.9	184	12.7	10.3-15.1	1164	78.3	75.2-81.4	54	2.5	01.5-03.5
Less than \$15,000	423	48,845	75	21.9	15.8-28.0	69	23.1	15.7-30.5	247	48.6	41.0-56.2	32	6.4	03.3-09.5
\$15,000- 24,999	376	40,972	92	28.4	20.8-36.0	64	21.7	14.6-28.8	190	44.7	37.1-52.3	30	5.3	02.9-07.7
\$25,000- 34,999	373	44,375	66	21.8	15.3-28.3	60	22.1	14.7-29.5	228	52.8	45.2-60.4	19	3.4	01.6-05.2
\$35,000- 49,999	563	80,180	58	12.9	08.6-17.2	90	18.2	13.1-23.3	381	64.6	58.3-70.9	34	4.3	02.5-06.1
\$50,000- 74,999	650	110,407	55	10.2	05.5-14.9	105	20.6	15.7-25.5	467	67.3	61.2-73.4	23	1.9	00.7-03.1
\$75,000+	1140	213,270	46	3.9	02.5-05.3	143	13.5	11.0-16.0	923	79.9	76.6-83.2	28	2.7	00.7-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 5: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMONY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2			3			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1482	285,895	134	10.3	07.8-12.8	151	14.3	11.6-17.0	1122	71.9	68.4-75.4	75	3.5	02.3-04.7
White/Non-Hisp	1208	216,269	97	8.5	06.3-10.7	104	11.9	09.2-14.6	940	75.2	71.7-78.7	67	4.3	02.7-05.9
Black or Afr. Am./Non-Hisp	148	33,080	19	12.6	04.8-20.4	24	18.5	09.7-27.3				3	0.6	00.0-01.4
25-34	121	50,965	13	9.6	03.3-15.9	19	18.2	09.4-27.0				1	1.9	00.0-05.6
35-44	224	54,530	32	14.8	09.5-20.1	36	16.4	10.7-22.1	155	68.2	61.1-75.3	1	0.6	00.0-01.8
45-54	265	56,570	34	9.7	05.8-13.6	38	14.2	09.3-19.1	188	74.8	68.7-80.9	5	1.3	00.1-02.5
55-64	325	46,481	22	4.7	02.3-07.1	27	10.0	05.1-14.9	267	84.0	78.7-89.3	9	1.2	00.4-02.0
65+	498	49,349	27	7.2	04.1-10.3	18	3.9	01.9-05.9	398	77.7	73.2-82.2	55	11.2	07.9-14.5
Less Than H.S.	105	18,858										11	4.5	01.4-07.6
H.S. or G.E.D.	422	80,723	51	12.7	08.2-17.2	62	23.5	17.0-30.0	289	60.2	53.3-67.1	20	3.6	01.4-05.8
Some Post-H.S.	355	64,749	29	8.6	04.3-12.9	37	15.3	09.6-21.0	272	72.0	65.1-78.9	17	4.0	01.1-06.9
College Graduate	598	121,165	36	7.9	03.8-12.0	41	7.7	04.6-10.8	494	81.3	76.2-86.4	27	3.1	01.1-05.1
Less than \$15,000	116	20,177	16	15.9	07.1-24.7							12	7.9	01.6-14.2
\$15,000- 24,999	93	14,118										6	3.1	00.0-06.4
\$25,000- 34,999	126	19,242										6	3.5	00.4-06.6
\$35,000- 49,999	220	37,340	16	10.4	03.9-16.9	24	15.1	08.0-22.2	167	69.5	60.5-78.5	13	4.9	01.8-08.0
\$50,000- 74,999	284	55,858	19	11.2	02.8-19.6	33	17.5	10.4-24.6	221	69.1	59.7-78.5	11	2.2	00.2-04.2
\$75,000+	499	111,736	20	4.5	02.3-06.7	41	8.6	05.5-11.7	423	84.5	80.4-88.6	15	2.4	00.4-04.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 6: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMONY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2			3			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2607	324,113	302	12.1	10.3-13.9	435	20.0	17.6-22.4	1742	64.3	61.6-67.0	128	3.6	02.4-04.8
White/Non-Hisp	2098	247,416	219	10.2	08.4-12.0	309	18.0	15.5-20.5	1456	68.3	65.4-71.2	114	3.5	02.7-04.3
Black or Afr. Am./Non-Hisp	344	49,225	63	19.0	13.3-24.7	95	29.1	21.3-36.9	178	50.1	42.1-58.1	8	1.8	00.2-03.4
Oth. Race/Non-Hisp.	65	13,494	4	2.6	00.0-05.5									
Hispanic	61	10,049										1	0.4	00.0-01.2
18-24	56	29,664	8	7.5	00.2-14.8							2	6.4	00.0-18.0
25-34	226	51,840	42	17.0	11.5-22.5	67	31.2	23.6-38.8	116	51.3	43.5-59.1	1	0.6	00.0-01.8
35-44	375	60,341	66	17.9	12.6-23.2	88	21.7	16.6-26.8	218	60.0	53.7-66.3	3	0.4	00.0-00.8
45-54	493	62,787	80	14.3	10.4-18.2	91	19.8	15.3-24.3	315	64.8	59.3-70.3	7	1.1	00.1-02.1
55-64	569	49,269	62	10.1	07.2-13.0	99	19.3	15.0-23.6	383	66.6	61.7-71.5	25	3.9	02.1-05.7
65+	843	65,784	41	5.0	03.0-07.0	67	8.7	06.0-11.4	647	76.6	72.9-80.3	88	9.7	07.3-12.1
Less Than H.S.	166	16,845				31	19.9	11.9-27.9				16	8.6	03.9-13.3
H.S. or G.E.D.	832	88,857	118	16.0	12.1-19.9	131	20.9	16.0-25.8	535	59.6	54.1-65.1	48	3.4	02.2-04.6
Some Post-H.S.	712	87,901	103	16.1	12.2-20.0	128	22.8	17.7-27.9	444	55.9	50.2-61.6	37	5.2	01.1-09.3
College Graduate	895	130,389	55	5.3	03.3-07.3	143	17.4	13.9-20.9	670	75.5	71.6-79.4	27	1.9	01.1-02.7
Less than \$15,000	307	28,669	59	26.1	18.3-33.9	51	21.4	12.6-30.2	177	47.1	38.9-55.3	20	5.3	02.4-08.2
\$15,000- 24,999	283	26,855	63	28.7	20.1-37.3	55	22.2	14.9-29.5	141	42.6	34.0-51.2	24	6.4	03.3-09.5
\$25,000- 34,999	247	25,134	43	21.9	13.7-30.1	43	22.3	12.5-32.1	148	52.6	43.0-62.2	13	3.2	01.2-05.2
\$35,000- 49,999	343	42,840	42	15.1	09.4-20.8	66	20.9	13.8-28.0	214	60.3	51.5-69.1	21	3.7	01.7-05.7
\$50,000- 74,999	366	54,549	36	9.1	05.4-12.8	72	23.9	16.8-31.0	246	65.4	57.8-73.0	12	1.6	00.6-02.6
\$75,000+	641	101,534	26	3.2	01.8-04.6	102	19.0	14.9-23.1	500	74.7	69.8-79.6	13	3.0	00.0-06.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 7: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMEAL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2			3			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4275	662,925	292	7.1	05.9-08.3	455	12.2	10.6-13.8	3524	80.6	78.6-82.6	4	0.1	00.0-00.3
Male	1561	313,935	87	7.1	05.1-09.1	123	9.6	07.4-11.8	1349	83.2	80.5-85.9	2	0.2	00.0-00.4
Female	2714	348,990	205	7.2	05.8-08.6	332	14.5	12.1-16.9	2175	78.2	75.7-80.7	2	0.1	00.1-00.1
White/Non-Hisp	3436	501,575	209	6.4	05.2-07.6	330	11.3	09.5-13.1	2894	82.2	80.2-84.2	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	519	87,391	51	9.8	06.1-13.5	82	14.9	10.4-19.4	385	75.0	69.5-80.5	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	120	28,979	10	6.9	00.6-13.2	17	8.5	02.8-14.2	93	84.6	76.2-93.0			
Hispanic	106	28,019	15	10.0	02.6-17.4									
18-24	145	84,710	13	7.6	02.7-12.5	31	22.1	13.7-30.5	99	69.7	60.5-78.9	2	0.6	00.0-01.4
25-34	362	108,235	43	10.1	06.4-13.8	49	14.8	09.9-19.7	269	74.9	69.2-80.6	1	0.1	00.0-00.3
35-44	615	120,142	53	9.2	05.9-12.5	85	13.2	09.9-16.5	477	77.6	73.3-81.9			
45-54	781	124,043	86	8.8	06.4-11.2	90	9.8	07.4-12.2	605	81.4	78.1-84.7			
55-64	914	98,405	58	5.0	03.4-06.6	96	8.6	06.4-10.8	760	86.4	83.9-88.9			
65+	1396	120,637	35	2.2	01.4-03.0	99	7.6	05.6-09.6	1261	90.2	88.0-92.4	1	0.0	00.0-00.0
Less Than H.S.	306	44,946	40	14.7	08.6-20.8	58	17.3	11.2-23.4	208	68.1	60.1-76.1			
H.S. or G.E.D.	1318	187,878	114	9.5	06.8-12.2	153	15.9	12.2-19.6	1049	74.3	70.2-78.4	2	0.2	00.0-00.4
Some Post-H.S.	1110	165,383	90	7.9	05.5-10.3	142	15.5	12.0-19.0	877	76.4	72.5-80.3	1	0.1	00.0-00.3
College Graduate	1536	263,840	48	3.7	02.3-05.1	101	6.5	04.7-08.3	1386	89.8	87.6-92.0	1	0.0	00.0-00.0
Less than \$15,000	440	51,035	58	14.1	09.2-19.0	81	23.5	16.6-30.4	300	61.9	54.6-69.2	1	0.5	00.0-01.5
\$15,000- 24,999	413	48,903	90	25.2	17.8-32.6	97	25.9	18.8-33.0	226	48.9	41.3-56.5			
\$25,000- 34,999	392	52,813	40	11.8	07.1-16.5	55	23.2	14.4-32.0	297	65.0	56.4-73.6			
\$35,000- 49,999	577	83,766	35	7.0	04.3-09.7	61	13.0	08.3-17.7	481	80.0	74.7-85.3			
\$50,000- 74,999	666	117,074	24	5.9	03.0-08.8	60	12.8	08.5-17.1	582	81.3	76.4-86.2			
\$75,000+	1156	219,373	18	2.2	00.8-03.6	52	4.2	02.8-05.6	1085	93.6	91.6-95.6	1	0.0	00.0-00.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 8: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMEAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2			3			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1561	313,935	87	7.1	05.1-09.1	123	9.6	07.4-11.8	1349	83.2	80.5-85.9	2	0.2	00.0-00.4
White/Non-Hisp	1261	235,600	64	6.7	04.3-09.1	84	8.3	05.9-10.7	1112	84.9	81.8-88.0	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	160	35,407	11	9.6	02.3-16.9	19	11.3	04.6-18.0	129	78.4	69.2-87.6	1	0.7	00.0-02.1
Oth. Race/Non-Hisp.	52	15,275				8	10.3	00.7-19.9						
18-24	69	42,192	7	11.5	02.7-20.3	13	18.2	08.4-28.0				2	1.1	00.0-02.7
25-34	126	53,052	16	10.4	04.3-16.5	13	11.9	04.8-19.0	97	77.7	68.9-86.5			
35-44	232	58,449	12	8.7	03.0-14.4	29	10.8	06.5-15.1	191	80.5	73.8-87.2			
45-54	278	58,996	26	7.3	04.0-10.6	28	8.1	04.8-11.4	224	84.6	79.9-89.3			
55-64	331	48,104	11	2.3	00.7-03.9	20	4.6	02.1-07.1	300	93.1	90.2-96.0			
65+	515	51,388	13	2.4	01.0-03.8	20	5.4	02.5-08.3	482	92.2	88.9-95.5			
Less Than H.S.	115	21,438	13	12.6	04.0-21.2	14	15.1	05.3-24.9						
H.S. or G.E.D.	453	92,453	35	10.7	06.0-15.4	40	11.2	06.7-15.7	377	77.8	71.7-83.9	1	0.3	00.0-00.9
Some Post-H.S.	373	72,201	21	6.1	02.4-09.8	41	14.6	08.9-20.3	310	79.0	72.5-85.5	1	0.3	00.0-00.9
College Graduate	617	127,087	18	4.2	01.7-06.7	27	4.3	02.3-06.3	572	91.5	88.4-94.6			
Less than \$15,000	121	21,358	14	12.1	04.5-19.7							1	1.1	00.0-03.3
\$25,000- 34,999	131	21,378	11	8.9	02.4-15.4									
\$35,000- 49,999	227	39,442	11	5.5	01.8-09.2	18	11.5	04.6-18.4	198	83.0	75.6-90.4			
\$50,000- 74,999	290	58,129	7	6.4	01.3-11.5	19	10.4	04.9-15.9	264	83.2	75.9-90.5			
\$75,000+	510	116,644	8	3.0	00.5-05.5	18	2.9	01.1-04.7	484	94.0	91.1-96.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 9: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMEAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2			3			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2714	348,990	205	7.2	05.8-08.6	332	14.5	12.1-16.9	2175	78.2	75.7-80.7	2	0.1	00.1-00.1
White/Non-Hisp	2175	265,975	145	6.2	04.8-07.6	246	13.9	11.4-16.4	1782	79.8	77.1-82.5	2	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	359	51,984	40	10.0	06.1-13.9	63	17.4	11.3-23.5	256	72.6	65.7-79.5			
Oth. Race/Non-Hisp.	68	13,704	6	4.4	00.0-08.9	9	6.5	01.4-11.6	53	89.1	82.0-96.2			
18-24	76	42,518	6	3.7	00.2-07.2									
25-34	236	55,182	27	9.9	05.8-14.0	36	17.7	11.2-24.2	172	72.2	65.1-79.3	1	0.2	00.0-00.6
35-44	383	61,693	41	9.7	05.8-13.6	56	15.5	10.8-20.2	286	74.8	69.3-80.3			
45-54	503	65,047	60	10.2	06.9-13.5	62	11.4	08.1-14.7	381	78.4	73.9-82.9			
55-64	583	50,301	47	7.6	04.9-10.3	76	12.5	09.2-15.8	460	79.9	76.0-83.8			
65+	881	69,249	22	2.0	01.0-03.0	79	9.3	06.8-11.8	779	88.6	85.9-91.3	1	0.1	00.0-00.3
Less Than H.S.	191	23,509	27	16.5	08.3-24.7	44	19.3	11.9-26.7						
H.S. or G.E.D.	865	95,425	79	8.4	06.0-10.8	113	20.5	14.8-26.2	672	71.0	65.3-76.7	1	0.1	00.0-00.3
Some Post-H.S.	737	93,183	69	9.4	06.5-12.3	101	16.2	11.7-20.7	567	74.5	69.6-79.4			
College Graduate	919	136,753	30	3.2	01.6-04.8	74	8.5	05.8-11.2	814	88.2	85.1-91.3	1	0.0	00.0-00.0
Less than \$15,000	319	29,678	44	15.6	09.3-21.9	65	26.5	17.7-35.3	210	58.0	49.4-66.6			
\$15,000- 24,999	302	29,074	62	19.9	13.8-26.0	76	28.2	20.2-36.2	164	51.8	43.4-60.2			
\$25,000- 34,999	261	31,434	29	13.8	07.1-20.5									
\$35,000- 49,999	350	44,324	24	8.4	04.3-12.5	43	14.3	07.8-20.8	283	77.2	69.8-84.6			
\$50,000- 74,999	376	58,945	17	5.3	02.2-08.4	41	15.3	08.8-21.8	318	79.4	72.5-86.3			
\$75,000+	646	102,729	10	1.2	00.4-02.0	34	5.6	03.4-07.8	601	93.1	90.7-95.5	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

**TABLE 10: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2197	408,455	1008	45.4	42.5-48.3	928	42.8	39.9-45.7	159	6.4	04.8-08.0	102	5.4	03.6-07.2
Male	860	210,756	416	45.0	40.5-49.5	313	40.7	36.2-45.2	82	8.6	06.1-11.1	49	5.8	03.4-08.2
Female	1337	197,698	592	45.9	42.0-49.8	615	45.1	41.2-49.0	77	4.1	02.9-05.3	53	5.0	02.3-07.7
White/Non-Hisp	1717	309,105	791	46.1	42.8-49.4	708	40.9	37.6-44.2	138	7.2	05.4-09.0	80	5.7	03.5-07.9
Black or Afr. Am./Non-Hisp	300	53,788	132	41.0	33.2-48.8	144	51.6	43.6-59.6	13	4.5	01.2-07.8	11	2.8	00.6-05.0
Oth. Race/Non-Hisp.	73	18,438							2	0.9	00.0-02.3	4	9.0	00.0-19.8
Hispanic	59	16,321							4	6.3	00.0-13.7	3	4.1	00.0-09.4
18-24	84	46,383							4	2.7	00.0-06.0			
25-34	294	86,750	152	51.5	44.1-58.9	117	37.8	30.5-45.1	16	7.3	02.6-12.0	9	3.3	00.6-06.0
35-44	505	100,846	269	52.3	46.8-57.8	196	39.2	33.9-44.5	23	3.8	01.8-05.8	17	4.7	01.6-07.8
45-54	602	97,903	292	47.6	42.5-52.7	254	41.8	36.7-46.9	37	7.6	04.5-10.7	19	3.0	01.0-05.0
55-64	512	55,856	221	47.7	41.8-53.6	209	38.6	32.9-44.3	52	8.7	05.8-11.6	30	5.0	02.8-07.2
65+	177	17,856	51	33.4	24.4-42.4	80	40.2	31.2-49.2	26	12.7	06.6-18.8	20	13.7	06.6-20.8
Less Than H.S.	89	18,245	12	7.0	01.5-12.5				11	8.2	02.3-14.1	5	6.4	00.0-14.0
H.S. or G.E.D.	586	101,643	176	26.6	21.9-31.3	329	59.6	53.9-65.3	53	9.3	05.8-12.8	28	4.5	01.6-07.4
Some Post-H.S.	579	101,159	215	34.6	29.1-40.1	302	54.4	48.5-60.3	41	5.7	03.5-07.9	21	5.3	01.8-08.8
College Graduate	941	187,254	605	65.3	60.8-69.8	234	23.9	20.2-27.6	54	5.0	02.8-07.2	48	5.8	02.9-08.7
Less than \$15,000	134	18,839	10	4.4	01.3-07.5	103	79.1	69.5-88.7	16	13.1	04.5-21.7	5	3.4	00.0-07.1
\$15,000- 24,999	80	12,021	8	5.8	00.0-11.7				8	6.0	00.0-12.3			
\$25,000- 34,999	179	28,254	50	25.0	15.6-34.4				15	4.0	01.6-06.4	8	4.1	00.0-08.8
\$35,000- 49,999	288	48,226	112	36.2	27.2-45.2	153	56.7	47.7-65.7	15	4.4	01.5-07.3	8	2.7	00.3-05.1
\$50,000- 74,999	423	84,445	206	44.1	36.7-51.5	169	40.0	32.9-47.1	26	5.5	02.4-08.6	22	10.4	03.5-17.3
\$75,000+	871	176,483	527	60.8	56.5-65.1	243	28.4	24.5-32.3	63	7.1	04.6-09.6	38	3.8	02.2-05.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 11: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	860	210,756	416	45.0	40.5-49.5	313	40.7	36.2-45.2	82	8.6	06.1-11.1	49	5.8	03.4-08.2
White/Non-Hisp	676	156,657	329	44.9	40.0-49.8	234	39.1	34.0-44.2	72	10.0	06.7-13.3	41	6.0	03.3-08.7
Black or Afr. Am./Non-Hisp	93	23,071							7	7.4	00.7-14.1	3	3.7	00.0-08.0
25-34	113	46,563							9	11.6	03.2-20.0	5	3.8	00.0-08.1
35-44	207	52,118	115	51.9	43.9-59.9	72	35.6	28.0-43.2	9	4.8	01.5-08.1	11	7.8	02.1-13.5
45-54	230	49,827	113	46.3	38.5-54.1	90	41.3	33.7-48.9	24	10.3	04.8-15.8	3	2.1	00.0-04.8
55-64	191	27,772	91	50.1	40.3-59.9	59	33.5	24.3-42.7	25	10.6	05.5-15.7	16	5.8	02.5-09.1
65+	75	8,913							13	12.4	05.0-19.8			
H.S. or G.E.D.	239	57,656	64	22.6	16.1-29.1	128	58.8	50.6-67.0	34	13.2	07.5-18.9	13	5.4	00.7-10.1
Some Post-H.S.	205	48,291	86	32.4	23.8-41.0	97	58.4	49.0-67.8	16	5.1	01.8-08.4	6	4.1	00.0-08.6
College Graduate	374	94,113	260	69.7	63.2-76.2	65	17.0	11.9-22.1	23	7.0	02.7-11.3	26	6.3	03.2-09.4
\$25,000- 34,999	60	12,043							5	2.4	00.0-04.8	6	8.8	00.0-19.4
\$35,000- 49,999	98	21,168							9	7.4	01.1-13.7	2	2.5	00.0-06.4
\$50,000- 74,999	176	44,309							18	9.1	03.4-14.8	11	9.0	02.3-15.7
\$75,000+	406	99,940	251	60.2	53.9-66.5	102	26.7	21.0-32.4	35	9.2	04.9-13.5	18	3.8	01.6-06.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

**TABLE 12: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1337	197,698	592	45.9	42.0-49.8	615	45.1	41.2-49.0	77	4.1	02.9-05.3	53	5.0	02.3-07.7
White/Non-Hisp	1041	152,448	462	47.4	42.9-51.9	474	42.8	38.3-47.3	66	4.4	03.0-05.8	39	5.5	02.0-09.0
Black or Afr. Am./Non-Hisp	207	30,717	91	41.0	31.4-50.6	102	54.4	44.6-64.2	6	2.4	00.0-04.9	8	2.1	00.1-04.1
25-34	181	40,187	88	53.0	44.4-61.6	82	41.8	33.4-50.2	7	2.4	00.6-04.2	4	2.8	00.0-05.7
35-44	298	48,728	154	52.9	45.8-60.0	124	43.0	35.9-50.1	14	2.8	01.0-04.6	6	1.3	00.0-02.7
45-54	372	48,076	179	49.0	42.5-55.5	164	42.4	35.9-48.9	13	4.8	01.9-07.7	16	3.8	01.3-06.3
55-64	321	28,084	130	45.2	38.3-52.1	150	43.6	36.9-50.3	27	6.9	03.8-10.0	14	4.3	01.4-07.2
65+	102	8,943							13	13.0	03.6-22.4	9	8.6	02.1-15.1
H.S. or G.E.D.	347	43,987	112	31.8	24.9-38.7	201	60.7	53.3-68.1	19	4.1	01.6-06.6	15	3.4	01.2-05.6
Some Post-H.S.	374	52,868	129	36.6	29.9-43.3	205	50.7	43.6-57.8	25	6.3	03.6-09.0	15	6.5	01.4-11.6
College Graduate	567	93,141	345	60.8	54.5-67.1	169	30.9	25.4-36.4	31	3.0	01.8-04.2	22	5.3	00.2-10.4
Less than \$15,000	103	10,746	9	7.0	01.9-12.1	83	83.8	75.6-92.0	8	7.5	01.2-13.8	3	1.7	00.0-03.7
\$15,000- 24,999	58	5,607							6	4.7	00.2-09.2	2	2.3	00.0-06.0
\$25,000- 34,999	119	16,211							10	5.2	01.3-09.1	2	0.6	00.0-01.4
\$35,000- 49,999	190	27,058							6	2.1	00.1-04.1	6	2.9	00.0-05.8
\$50,000- 74,999	247	40,137	124	45.1	35.3-54.9	104	41.4	31.4-51.4	8	1.6	00.4-02.8			
\$75,000+	465	76,543	276	61.5	55.8-67.2	141	30.6	25.1-36.1	28	4.3	02.3-06.3	20	3.7	01.7-05.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 13. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWORK)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2183	406,522	207	8.9	06.7-11.1	1173	49.7	46.6-52.8	695	36.0	33.1-38.9	88	4.3	03.1-05.5	13	0.9	00.1-01.7	7	0.2	00.0-00.4
Male	856	210,602	48	5.3	02.9-07.7	366	40.4	35.9-44.9	382	47.2	42.7-51.7	50	5.5	03.5-07.5	7	1.3	00.0-02.7	3	0.2	00.0-00.4
Female	1327	195,920	159	12.8	09.3-16.3	807	59.8	55.9-63.7	313	23.9	20.8-27.0	38	3.0	01.8-04.2	6	0.4	00.0-01.0	4	0.1	00.0-00.3
White/Non-Hisp	1705	307,607	177	10.5	08.0-13.0	892	48.4	45.1-51.7	569	36.8	33.5-40.1	56	3.7	02.5-04.9	6	0.4	00.0-00.8	5	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	300	53,805	21	4.1	01.9-06.3	186	58.8	50.8-66.8	74	32.0	24.2-39.8	17	4.1	01.2-07.0	2	1.1	00.0-02.9			
Oth. Race/Non-Hisp.	71	17,986	5	3.0	00.0-06.3							8	12.2	02.6-21.8						
Hispanic	59	16,321										2	2.9	00.0-07.0				1	0.2	00.0-00.6
18-24	82	45,954							11	9.0	02.1-15.9	2	1.9	00.0-04.8						
25-34	293	86,624	18	4.6	02.1-07.1	153	44.9	37.5-52.3	98	41.3	33.7-48.9	21	6.5	03.2-09.8	3	2.7	00.0-06.2			
35-44	504	100,584	24	4.4	02.4-06.4	255	46.9	41.6-52.2	201	44.1	38.6-49.6	18	3.8	01.6-06.0	5	0.7	00.0-01.5	1	0.0	00.0-00.0
45-54	599	97,648	40	6.6	04.2-09.0	324	48.3	43.2-53.4	206	40.3	35.2-45.4	24	4.0	02.0-06.0	3	0.3	00.0-00.7	2	0.4	00.0-01.0
55-64	510	55,688	50	8.2	05.5-10.9	287	52.8	46.9-58.7	153	34.6	28.7-40.5	18	4.1	01.7-06.5	1	0.1	00.0-00.3	1	0.2	00.0-00.6
65+	176	17,877	58	29.9	21.7-38.1	88	47.0	37.8-56.2	23	17.6	09.8-25.4	3	3.3	00.0-07.8	1	1.0	00.0-03.0	3	1.1	00.0-02.5
Less Than H.S.	88	18,126										6	3.3	00.2-06.4				1	0.5	00.0-01.5
H.S. or G.E.D.	582	100,965	45	7.8	03.7-11.9	351	57.1	51.2-63.0	156	31.7	26.2-37.2	25	3.0	01.4-04.6	3	0.2	00.0-00.4	2	0.3	00.0-00.7
Some Post-H.S.	574	100,191	56	9.6	05.5-13.7	337	53.3	47.2-59.4	160	31.6	26.1-37.1	14	3.0	01.0-05.0	5	2.3	00.0-05.2	2	0.3	00.0-00.7
College Graduate	937	187,087	91	8.4	05.5-11.3	434	44.6	39.9-49.3	362	40.5	36.0-45.0	43	5.8	03.8-07.8	5	0.6	00.0-01.2	2	0.1	00.1-00.1
Less than \$15,000	135	18,890	21	13.5	06.8-20.2							2	0.8	00.0-01.8				2	0.6	00.0-01.6
\$15,000- 24,999	78	11,681							6	9.0	00.0-19.0	4	2.7	00.0-05.6						
\$25,000- 34,999	179	28,249							34	22.5	12.7-32.3	5	2.0	00.0-04.5	1	0.2	00.0-00.6			
\$35,000- 49,999	287	48,146	18	4.5	02.0-07.0	169	52.2	43.4-61.0	85	34.5	26.3-42.7	12	4.8	01.5-08.1	2	3.8	00.0-09.7	1	0.2	00.0-00.6
\$50,000- 74,999	420	84,242	32	8.5	02.6-14.4	239	54.2	46.6-61.8	133	34.9	27.8-42.0	13	2.1	00.5-03.7	3	0.4	00.0-01.0			
\$75,000+	867	176,197	64	6.3	04.1-08.5	388	42.2	37.9-46.5	359	44.0	39.7-48.3	48	6.6	04.4-08.8	6	0.8	00.0-01.6	2	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 14. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWORK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	856	210,602	48	5.3	02.9-07.7	366	40.4	35.9-44.9	382	47.2	42.7-51.7	50	5.5	03.7-07.3	7	1.3	00.0-02.7	3	0.2	00.0-00.4
White/Non-Hisp	674	156,657	39	6.0	03.1-08.9	280	38.7	33.8-43.6	315	49.8	44.7-54.9	34	4.6	02.6-06.6	3	0.6	00.0-01.2	3	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	91	22,917	6	3.5	00.0-07.0							5	6.3	00.0-12.8						
25-34	112	46,438	3	2.1	00.0-04.8							11	7.3	02.2-12.4	2	3.9	00.0-10.0			
35-44	207	52,118	3	1.1	00.0-02.5	74	33.1	25.5-40.7	119	59.7	51.9-67.5	9	5.1	01.4-08.8	2	0.9	00.0-02.3			
45-54	230	49,946	7	4.0	00.7-07.3	100	38.7	31.1-46.3	107	51.1	43.3-58.9	13	5.0	02.1-07.9	1	0.4	00.0-01.2	2	0.8	00.0-02.0
55-64	190	27,737	13	4.5	01.4-07.6	90	47.7	37.9-57.5	72	40.5	30.9-50.1	13	6.7	02.2-11.2	1	0.2	00.0-00.6	1	0.3	00.0-00.9
65+	73	8,799										3	6.6	00.0-15.6	1	2.0	00.0-05.9			
H.S. or G.E.D.	239	57,769	11	4.4	00.9-07.9	113	48.1	39.9-56.3	100	42.8	34.6-51.0	13	4.1	01.6-06.6	1	0.1	00.0-00.3	1	0.4	00.0-01.2
Some Post-H.S.	204	48,199	12	8.5	00.9-16.1	100	44.4	34.8-54.0	80	39.1	29.9-48.3	7	3.0	00.0-06.1	3	4.4	00.0-10.5	2	0.5	00.0-01.3
College Graduate	372	94,057	21	3.7	01.5-05.9	134	34.6	27.5-41.7	189	53.4	46.3-60.5	25	7.7	04.2-11.2	3	0.6	00.0-01.2			
\$25,000- 34,999	59	11,918										2	3.6	00.0-09.7	1	0.6	00.0-01.8			
\$35,000- 49,999	97	21,088	4	2.8	00.0-06.1							7	7.4	00.3-14.5				1	0.4	00.0-01.2
\$50,000- 74,999	175	44,216	6	3.0	00.0-06.1							7	2.7	00.2-05.2	1	0.4	00.0-01.2			
\$75,000+	406	100,203	16	2.6	00.8-04.4	150	35.7	29.6-41.8	203	52.8	46.5-59.1	32	7.8	04.7-10.9	3	0.7	00.0-01.5	2	0.4	00.0-01.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 15. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWORK)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1327	195,920	159	12.8	09.3-16.3	807	59.8	55.9-63.7	313	23.9	20.8-27.0	38	3.0	01.8-04.2	6	0.4	00.0-01.0	4	0.1	00.0-00.3
White/Non-Hisp	1031	150,951	138	15.2	10.9-19.5	612	58.5	54.0-63.0	254	23.2	19.7-26.7	22	2.8	01.4-04.2	3	0.1	00.0-00.3	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	209	30,888	15	4.5	01.6-07.4	138	64.1	54.3-73.9	42	27.1	17.5-36.7	12	2.4	00.8-04.0	2	1.9	00.0-04.8			
25-34	181	40,187	15	7.5	03.4-11.6	119	64.3	56.1-72.5	36	21.5	14.2-28.8	10	5.6	01.5-09.7	1	1.2	00.0-03.6			
35-44	297	48,466	21	8.0	04.1-11.9	181	61.7	54.8-68.6	82	27.3	20.8-33.8	9	2.4	00.2-04.6	3	0.5	00.0-01.1	1	0.1	00.0-00.3
45-54	369	47,702	33	9.4	05.9-12.9	224	58.4	51.9-64.9	99	28.9	22.8-35.0	11	3.0	00.6-05.4	2	0.3	00.0-00.7			
55-64	320	27,951	37	11.8	07.5-16.1	197	57.9	51.0-64.8	81	28.9	22.2-35.6	5	1.5	00.1-02.9						
65+	103	9,077							7	11.6	01.8-21.4							3	2.2	00.0-04.7
H.S. or G.E.D.	343	43,196	34	12.2	04.2-20.2	238	69.1	60.9-77.3	56	16.8	11.5-22.1	12	1.5	00.5-02.5	2	0.3	00.0-00.7	1	0.1	00.0-00.3
Some Post-H.S.	370	51,992	44	10.6	06.9-14.3	237	61.5	54.4-68.6	80	24.6	17.9-31.3	7	3.0	00.5-05.5	2	0.4	00.0-01.0			
College Graduate	565	93,030	70	13.2	07.9-18.5	300	54.8	48.7-60.9	173	27.6	22.7-32.5	18	3.8	01.6-06.0	2	0.6	00.0-01.6	2	0.1	00.0-00.3
Less than \$15,000	104	10,796	17	17.4	08.4-26.4							2	1.3	00.0-03.3				2	1.1	00.0-02.7
\$15,000- 24,999	57	5,386	16	15.7	05.9-25.5				2	3.9	00.0-09.4	4	5.8	00.0-12.1						
\$25,000- 34,999	120	16,331							16	9.5	03.8-15.2	3	0.8	00.0-01.8						
\$35,000- 49,999	190	27,058	14	5.8	02.1-09.5	125	68.0	58.6-77.4	46	23.5	15.3-31.7	5	2.8	00.3-05.3						
\$50,000- 74,999	245	40,025							51	19.6	12.0-27.2	6	1.3	00.0-02.9	2	0.4	00.0-01.0			
\$75,000+	461	75,994	48	11.2	07.1-15.3	238	50.7	44.8-56.6	156	32.3	26.8-37.8	16	4.9	02.2-07.6	3	0.8	00.0-02.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 16. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	190	41,284	60	27.5	19.1-35.9	114	66.2	57.4-75.0	12	4.1	01.2-07.0	4	2.2	00.0-04.7
Male	80	23,590							8	4.8	00.5-09.1	3	3.3	00.0-07.4
Female	110	17,694							4	3.3	00.0-06.8	1	0.9	00.0-02.7
White/Non-Hisp	130	27,026	43	27.3	17.5-37.1				9	5.5	01.2-09.8	2	0.8	00.0-02.0
45-54	59	11,471							2	2.8	00.0-06.7	1	1.3	00.0-03.8
H.S. or G.E.D.	86	19,113	10	7.8	02.1-13.5	66	82.6	73.6-91.6	6	4.8	00.0-09.7	4	4.8	00.0-10.1
\$15,000- 24,999	60	10,100	13	13.2	04.4-22.0				5	9.4	00.0-19.0	2	5.1	00.0-12.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 17. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	80	23,590	8	4.8	00.5-09.1	3	3.3	00.0-07.4
White/Non-Hisp	55	15,380	6	6.4	00.0-12.9	1	0.4	00.0-01.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 18. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	110	17,694	4	3.3	00.0-07.0	1	0.9	00.0-02.7
White/Non-Hisp	75	11,646	3	4.3	00.0-09.6	1	1.3	00.0-03.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 19. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWRK)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1958	243,023	201	13.6	10.3-16.9	1156	55.2	51.5-58.9	471	23.8	21.1-26.5	51	3.8	02.0-05.6	8	0.4	00.0-00.8	71	3.3	02.1-04.5
Male	679	100,760	50	9.3	05.0-13.6	328	50.0	44.3-55.7	254	34.3	29.2-39.4	26	3.1	01.7-04.5	4	0.3	00.0-00.7	17	2.9	00.5-05.3
Female	1279	142,263	151	16.6	11.9-21.3	828	58.9	54.0-63.8	217	16.3	13.2-19.4	25	4.2	01.3-07.1	4	0.4	00.0-01.0	54	3.6	02.4-04.8
White/Non-Hisp	1613	182,170	158	11.9	08.8-15.0	940	55.2	51.5-58.9	405	26.0	22.9-29.1	42	3.4	01.8-05.0	7	0.4	00.0-01.0	61	2.9	02.1-03.7
Black or Afr. Am./Non-Hisp	212	32,949	24	9.1	04.0-14.2				37	18.2	10.6-25.8	7	7.9	00.0-17.3				6	2.9	00.0-05.8
18-24	59	36,820							6	11.4	02.0-20.8	3	8.3	00.0-18.5				2	3.8	00.0-09.5
25-34	65	20,608	6	6.8	00.5-13.1							2	3.1	00.0-07.8				1	1.7	00.0-05.0
35-44	109	19,554	12	10.6	03.7-17.5							5	6.1	00.6-11.6	1	0.4	00.0-01.2	3	1.9	00.0-04.6
45-54	172	24,877	15	7.6	03.5-11.7	95	57.4	47.6-67.2	42	24.7	15.9-33.5	8	3.1	00.9-05.3	2	1.9	00.0-05.2	10	5.4	01.3-09.5
55-64	388	41,565	29	8.0	04.5-11.5	220	55.2	48.5-61.9	119	31.6	25.3-37.9	9	2.5	00.3-04.7	2	0.6	00.0-01.4	9	2.2	00.6-03.8
65+	1130	96,023	122	11.5	09.1-13.9	680	57.3	53.8-60.8	255	24.6	21.5-27.7	24	2.5	01.3-03.7	3	0.1	00.0-00.3	46	3.9	02.5-05.3
Less Than H.S.	200	23,918							34	15.5	08.6-22.4	3	7.1	00.0-16.9	2	0.5	00.0-01.3	13	8.9	00.5-17.3
H.S. or G.E.D.	692	83,675	75	14.3	07.8-20.8	454	60.5	53.8-67.2	129	20.7	15.6-25.8	9	1.4	00.2-02.6	1	0.2	00.0-00.6	24	2.9	01.3-04.5
Some Post-H.S.	500	60,549	42	14.2	07.1-21.3	299	56.3	49.0-63.6	120	21.7	16.4-27.0	17	3.8	01.4-06.2	2	0.9	00.0-02.3	20	3.2	01.6-04.8
College Graduate	564	74,240	61	11.5	07.2-15.8	276	49.1	43.0-55.2	188	31.9	26.6-37.2	22	5.3	01.0-09.6	3	0.2	00.0-00.4	14	2.1	00.7-03.5
Less than \$15,000	288	30,338	31	9.4	05.1-13.7	184	70.3	63.0-77.6	58	16.1	10.8-21.4	7	2.0	00.4-03.6	1	0.3	00.0-00.9	7	1.9	00.1-03.7
\$15,000- 24,999	322	36,466	43	14.3	08.8-19.8	193	58.1	49.7-66.5	63	21.4	13.8-29.0	8	2.8	00.4-05.2	2	0.1	00.0-00.3	13	3.3	00.9-05.7
\$25,000- 34,999	199	23,307	21	9.6	04.1-15.1							5	3.8	00.1-07.5				6	3.8	00.3-07.3
\$35,000- 49,999	276	34,440							82	29.7	21.1-38.3	4	1.3	00.0-02.9				5	1.2	00.2-02.2
\$50,000- 74,999	238	31,773	24	15.5	07.3-23.7	122	47.4	37.4-57.4	73	25.6	18.3-32.9	10	9.1	00.0-18.9	2	0.5	00.0-01.3	7	1.8	00.2-03.4
\$75,000+	275	41,682	27	15.3	05.7-24.9	134	46.5	37.7-55.3	95	32.4	25.0-39.8	9	2.4	00.4-04.4	1	0.3	00.0-00.9	9	2.9	00.5-05.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 20. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWRK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	679	100,760	50	9.3	05.2-13.4	328	50.0	44.3-55.7	254	34.3	29.2-39.4	26	3.1	01.7-04.5	4	0.3	00.0-00.7	17	2.9	00.5-05.3
White/Non-Hisp	565	76,295	41	8.6	04.9-12.3	267	48.9	43.0-54.8	217	37.1	31.6-42.6	22	3.3	01.7-04.9	4	0.4	00.0-00.8	14	1.6	00.6-02.6
Black or Afr. Am./Non-Hisp	65	12,254	5	3.2	00.1-06.3							3	3.4	00.0-07.7				1	2.6	00.0-07.7
55-64	137	20,143	10	7.1	01.6-12.6							4	2.1	00.0-04.3	2	1.1	00.0-02.7	2	0.8	00.0-02.0
65+	420	40,825	31	7.6	04.5-10.7	201	46.7	41.0-52.4	158	38.7	33.2-44.2	17	4.4	02.0-06.8	2	0.2	00.0-00.6	11	2.3	00.9-03.7
Less Than H.S.	68	9,260	4	3.6	00.0-07.5							1	1.3	00.0-03.8						
H.S. or G.E.D.	214	35,854	16	9.5	01.3-17.7				68	28.5	20.1-36.9	5	2.4	00.0-04.8	1	0.4	00.0-01.2	4	2.3	00.0-05.0
Some Post-H.S.	161	22,645										8	4.6	00.9-08.3	1	0.4	00.0-01.2	6	2.9	00.5-05.3
College Graduate	234	32,360	19	6.7	03.0-10.4	97	44.5	35.5-53.5	100	44.1	35.3-52.9	12	3.4	01.2-05.6	2	0.3	00.0-00.7	4	1.0	00.0-02.2
Less than \$15,000	87	13,142	7	5.9	00.0-11.8							3	2.2	00.0-04.7						
\$15,000- 24,999	89	13,699	7	5.5	00.6-10.4							4	5.1	00.0-10.8	1	0.2	00.0-00.6	1	0.4	00.0-01.2
\$25,000- 34,999	68	9,040	7	6.5	00.6-12.4							4	5.7	00.0-11.6				2	4.1	00.0-11.0
\$35,000- 49,999	125	17,845	5	5.9	00.8-11.0							1	0.8	00.0-02.4				2	1.1	00.0-02.7
\$50,000- 74,999	114	13,820										8	5.9	01.2-10.6	2	1.1	00.0-02.7	4	2.9	00.0-06.0
\$75,000+	99	16,179	9	5.1	00.6-09.6							3	1.1	00.0-02.5	1	0.9	00.0-02.7	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 21. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWRK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1279	142,263	151	16.6	11.9-21.3	828	58.9	54.0-63.8	217	16.3	13.2-19.4	25	4.2	01.3-07.1	4	0.4	00.0-01.0	54	3.6	02.4-04.8
White/Non-Hisp	1048	105,875	117	14.3	09.6-19.0	673	59.8	54.7-64.9	188	18.0	14.5-21.5	20	3.5	01.0-06.0	3	0.5	00.0-01.3	47	3.9	02.5-05.3
Black or Afr. Am./Non-Hisp	147	20,694	19	12.6	04.8-20.4				16	8.8	03.7-13.9							5	3.0	00.0-06.5
25-34	52	14,118	6	10.0	01.2-18.8				6	9.8	01.0-18.6	2	4.6	00.0-11.5				1	2.5	00.0-07.4
35-44	83	12,713	11	15.7	05.9-25.5							3	6.2	00.0-12.9	1	0.7	00.0-02.1	3	2.9	00.0-07.0
45-54	124	15,708	12	9.7	03.6-15.8				24	18.7	10.3-27.1	6	3.1	00.4-05.8	2	3.0	00.0-08.3	8	5.5	00.4-10.6
55-64	251	21,422	19	8.8	04.1-13.5	159	63.5	56.1-70.9	61	21.4	15.3-27.5	5	2.9	00.0-06.4				7	3.4	00.5-06.3
65+	710	55,198	91	14.4	10.9-17.9	479	65.2	60.7-69.7	97	14.2	10.7-17.7	7	1.1	00.1-02.1	1	0.1	00.0-00.3	35	5.1	03.1-07.1
Less Than H.S.	132	14,658				13	6.3	01.6-11.0							2	0.7	00.0-01.9	10	6.6	01.7-11.5
H.S. or G.E.D.	478	47,821	59	17.9	08.7-27.1	334	63.2	54.0-72.4	61	14.9	08.4-21.4	4	0.7	00.0-01.5				20	3.4	01.4-05.4
Some Post-H.S.	339	37,903	31	13.5	04.5-22.5	229	63.3	54.3-72.3	55	15.3	10.0-20.6	9	3.3	00.4-06.2	1	1.2	00.0-03.6	14	3.5	01.3-05.7
College Graduate	330	41,880	42	15.2	08.3-22.1	179	52.6	44.2-61.0	88	22.4	16.5-28.3	10	6.8	00.0-14.2	1	0.1	00.0-00.3	10	2.9	00.5-05.3
Less than \$15,000	201	17,196	24	12.1	06.0-18.2	134	71.2	62.8-79.6	31	11.0	06.3-15.7	4	1.9	00.0-03.9	1	0.5	00.0-01.5	7	3.3	00.2-06.4
\$15,000- 24,999	233	22,767	36	19.5	11.5-27.5	150	60.8	50.8-70.8	30	13.1	04.9-21.3	4	1.5	00.0-03.1	1	0.1	00.0-00.3	12	5.0	01.3-08.7
\$25,000- 34,999	131	14,267	14	11.6	03.6-19.6							1	2.6	00.0-07.7				4	3.6	00.0-07.5
\$35,000- 49,999	151	16,595							18	9.2	03.5-14.9	3	1.9	00.0-04.8				3	1.3	00.0-02.9
\$50,000- 74,999	124	17,952	14	11.6	04.2-19.0				33	21.5	11.9-31.1							3	1.0	00.0-02.2
\$75,000+	176	25,504							49	25.4	16.8-34.0	6	3.3	00.2-06.4				8	4.5	00.8-08.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 22. DID YOU VOTE IN THE LAST PRESIDENTIAL ELECTION? THE NOVEMBER 2008 ELECTION BETWEEN BARACK OBAMA AND JOHN MCCAIN? (SCNTVOTE)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			8		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4278	664,069	3608	81.0	79.0-83.0	664	18.7	16.7-20.7	6	0.3	00.0-00.7
Male	1561	315,152	1321	80.1	77.0-83.2	236	19.3	16.2-22.4	4	0.5	00.0-01.1
Female	2717	348,917	2287	81.8	79.1-84.5	428	18.1	15.4-20.8	2	0.1	00.0-00.3
White/Non-Hisp	3438	502,548	2940	83.3	81.1-85.5	495	16.6	14.4-18.8	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	519	87,424	429	83.4	78.3-88.5	89	16.5	11.4-21.6	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	120	28,760							1	0.7	00.0-02.1
Hispanic	107	28,377							1	3.6	00.0-10.5
18-24	147	85,426							1	1.2	00.0-03.6
25-34	363	108,625	265	72.3	66.2-78.4	97	27.4	21.3-33.5	1	0.3	00.0-00.9
35-44	616	120,423	507	83.3	79.8-86.8	109	16.7	13.2-20.2			
45-54	781	124,043	650	84.8	81.5-88.1	127	14.7	11.6-17.8	4	0.5	00.0-01.1
55-64	915	98,488	801	89.3	86.9-91.7	114	10.7	08.3-13.1			
65+	1394	120,312	1241	90.4	88.6-92.2	153	9.6	07.8-11.4			
Less Than H.S.	308	45,361	180	47.1	37.9-56.3	126	50.4	41.0-59.8	2	2.5	00.0-06.8
H.S. or G.E.D.	1321	189,005	1024	74.0	69.9-78.1	297	26.0	21.9-30.1			
Some Post-H.S.	1110	165,346	975	83.6	79.5-87.7	133	16.2	12.1-20.3	2	0.2	00.0-00.4
College Graduate	1534	263,480	1427	90.3	87.8-92.8	105	9.5	07.0-12.0	2	0.2	00.0-00.4
Less than \$15,000	439	50,918	345	71.0	63.2-78.8	94	29.0	21.2-36.8			
\$15,000- 24,999	417	49,725	274	62.1	54.7-69.5	142	37.8	30.4-45.2	1	0.2	00.0-00.6
\$25,000- 34,999	392	52,813	309	74.4	67.1-81.7	83	25.6	18.3-32.9			
\$35,000- 49,999	577	83,766	500	81.8	75.3-88.3	76	18.1	11.6-24.6	1	0.1	00.0-00.3
\$50,000- 74,999	666	117,074	575	84.0	79.7-88.3	88	15.3	11.0-19.6	3	0.6	00.0-01.4
\$75,000+	1156	219,373	1066	88.6	85.5-91.7	90	11.4	08.3-14.5			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 23. DID YOU VOTE IN THE LAST PRESIDENTIAL ELECTION? THE NOVEMBER 2008 ELECTION BETWEEN BARACK OBAMA AND JOHN MCCAIN? (SCNTVOTE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			8		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1561	315,152	1321	80.1	77.0-83.2	236	19.3	16.2-22.4	4	0.5	00.0-01.1
White/Non-Hisp	1261	236,509	1084	82.3	79.0-85.6	175	17.5	14.2-20.8	2	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	159	35,358	129	81.4	73.2-89.6	30	18.6	10.4-26.8			
Oth. Race/Non-Hisp.	52	15,275							1	1.4	00.0-04.1
18-24	71	42,908							1	2.4	00.0-07.1
25-34	127	53,442							1	0.6	00.0-01.8
35-44	233	58,960	185	81.2	75.7-86.7	48	18.8	13.3-24.3			
45-54	278	58,996	229	84.1	78.6-89.6	47	15.4	09.9-20.9	2	0.5	00.0-01.3
55-64	331	48,104	295	91.0	87.3-94.7	36	9.0	05.3-12.7			
65+	511	50,989	471	92.5	89.8-95.2	40	7.5	04.8-10.2			
Less Than H.S.	115	21,778							2	5.2	00.0-14.2
H.S. or G.E.D.	455	93,548	355	74.6	68.7-80.5	100	25.4	19.5-31.3			
Some Post-H.S.	372	72,081	320	80.2	73.3-87.1	51	19.5	12.6-26.4	1	0.3	00.0-00.9
College Graduate	616	126,989	574	91.0	87.5-94.5	41	8.8	05.3-12.3	1	0.3	00.0-00.9
\$35,000- 49,999	227	39,442	192	78.7	70.5-86.9	34	21.1	12.9-29.3	1	0.2	00.0-00.6
\$50,000- 74,999	290	58,129	249	83.3	77.0-89.6	39	15.7	09.6-21.8	2	0.9	00.0-02.3
\$75,000+	510	116,644	471	89.3	85.2-93.4	39	10.7	06.6-14.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 23: SOCIAL CONTEXT**

TABLE 24. DID YOU VOTE IN THE LAST PRESIDENTIAL ELECTION? THE NOVEMBER 2008 ELECTION BETWEEN BARACK OBAMA AND JOHN MCCAIN? (SCNTVOTE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			8		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2717	348,917	2287	81.8	79.1-84.5	428	18.1	15.4-20.8	2	0.1	00.0-00.3
White/Non-Hisp	2177	266,039	1856	84.1	81.4-86.8	320	15.8	13.1-18.5	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	360	52,067	300	84.9	78.4-91.4	59	15.0	08.5-21.5	1	0.2	00.0-00.6
25-34	236	55,182	175	75.1	68.0-82.2	61	24.9	17.8-32.0			
35-44	383	61,463	322	85.3	80.8-89.8	61	14.7	10.2-19.2			
45-54	503	65,047	421	85.4	81.7-89.1	80	14.1	10.4-17.8	2	0.5	00.0-01.3
55-64	584	50,383	506	87.8	84.7-90.9	78	12.2	09.1-15.3			
65+	883	69,323	770	88.9	86.5-91.3	113	11.1	08.7-13.5			
H.S. or G.E.D.	866	95,458	669	73.4	67.7-79.1	197	26.6	20.9-32.3			
Some Post-H.S.	738	93,265	655	86.3	81.6-91.0	82	13.6	08.9-18.3	1	0.1	00.0-00.3
College Graduate	918	136,491	853	89.8	86.1-93.5	64	10.1	06.4-13.8	1	0.2	00.0-00.6
Less than \$15,000	320	29,760	250	71.7	62.9-80.5	70	28.3	19.5-37.1			
\$15,000- 24,999	304	29,148	203	61.6	52.8-70.4	100	38.2	29.4-47.0	1	0.3	00.0-00.9
\$25,000- 34,999	261	31,434	211	80.2	72.8-87.6	50	19.8	12.4-27.2			
\$35,000- 49,999	350	44,324	308	84.5	74.7-94.3	42	15.5	05.7-25.3			
\$50,000- 74,999	376	58,945	326	84.7	78.4-91.0	49	14.9	08.6-21.2	1	0.4	00.0-01.2
\$75,000+	646	102,729	595	87.8	82.9-92.7	51	12.2	07.3-17.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009**

MODULE 25: RANDOM CHILD SELECTION CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1	MALES AND FEMALES	90
2	MALES ONLY	91
3	FEMALES ONLY	92
	IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4	MALES AND FEMALES	93
5	MALES ONLY	94
6	FEMALES ONLY	95
	IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7	MALES AND FEMALES	96
8	MALES ONLY	97
9	FEMALES ONLY	98
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10	MALES AND FEMALES	99
11	MALES ONLY	100
12	FEMALES ONLY	101
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13	MALES AND FEMALES	102
14	MALES ONLY	103
15	FEMALES ONLY	104
	HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16	MALES AND FEMALES	105
17	MALES ONLY	106
18	FEMALES ONLY	107

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1991-1995			1996-2000			2001-2006			2007			2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1106	198,567	344	25.9	22.8-29.0	330	26.0	22.9-29.1	305	35.8	32.1-39.5	65	5.7	03.9-07.5	62	6.6	04.4-08.8
Male	382	66,204	126	30.1	24.4-35.8	114	25.1	20.0-30.2	94	32.9	26.2-39.6	24	6.0	02.9-09.1	24	6.0	03.1-08.9
Female	724	132,363	218	23.8	20.3-27.3	216	26.5	22.4-30.6	211	37.2	32.5-41.9	41	5.6	03.4-07.8	38	7.0	04.3-09.7
White/Non-Hisp	787	139,033	246	25.2	21.7-28.7	233	25.9	22.2-29.6	213	35.8	31.3-40.3	49	6.1	03.9-08.3	46	7.0	04.5-09.5
Black or Afr. Am./Non-Hisp	203	36,440	63	27.7	20.1-35.3	66	28.6	20.4-36.8	57	34.7	25.7-43.7	7	3.1	00.0-06.2	10	5.9	01.2-10.6
18-24	66	11,972										3	5.9	00.0-14.1	12	11.8	03.6-20.0
25-34	241	51,493	16	6.7	02.8-10.6	51	19.1	12.6-25.6	104	46.4	38.2-54.6	35	13.1	07.8-18.4	35	14.7	08.6-20.8
35-44	423	81,904	116	24.0	19.1-28.9	149	27.3	22.4-32.2	128	40.2	34.1-46.3	17	3.6	01.6-05.6	13	4.9	02.2-07.6
45-54	285	41,041	147	47.0	39.7-54.3	92	32.3	25.4-39.2	38	18.8	12.5-25.1	6	1.4	00.0-02.8	2	0.4	00.0-01.0
55-64	67	8,429										4	4.4	00.0-09.1			
Less Than H.S.	61	10,374										6	5.4	00.5-10.3	4	4.9	00.0-10.0
H.S. or G.E.D.	284	46,659	96	30.9	24.2-37.6	97	31.7	25.0-38.4	66	28.1	21.2-35.0	11	4.6	01.3-07.9	14	4.7	01.8-07.6
Some Post-H.S.	308	52,005	96	26.4	20.1-32.7	92	23.1	17.2-29.0	86	37.4	29.8-45.0	15	5.0	01.9-08.1	19	8.1	03.2-13.0
College Graduate	452	89,463	133	23.1	18.8-27.4	122	23.4	18.7-28.1	139	39.8	33.9-45.7	33	6.7	03.8-09.6	25	7.0	03.9-10.1
Less than \$15,000	76	13,145										5	4.2	00.1-08.3	5	5.8	00.1-11.5
\$15,000- 24,999	72	12,932	20	17.4	08.2-26.6							6	10.1	00.9-19.3	2	2.5	00.0-06.2
\$25,000- 34,999	79	12,726										4	2.4	00.0-04.9			
\$35,000- 49,999	126	19,805	35	25.0	15.6-34.4				30	26.4	16.6-36.2	8	9.8	01.4-18.2	9	5.9	01.6-10.2
\$50,000- 74,999	216	40,286	67	24.4	17.7-31.1	61	22.3	16.2-28.4	61	39.0	30.4-47.6	11	5.7	01.8-09.6	16	8.7	03.8-13.6
\$75,000+	451	82,958	150	27.6	22.7-32.5	132	25.5	20.6-30.4	122	35.4	29.7-41.1	28	5.7	03.2-08.2	19	5.9	02.8-09.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1991-1995			1996-2000			2001-2006			2007			2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	382	66,204	126	30.1	24.2-36.0	114	25.1	20.0-30.2	94	32.9	26.4-39.4	24	6.0	02.9-09.1	24	6.0	03.1-08.9
White/Non-Hisp	271	44,333	86	27.0	20.7-33.3	81	26.5	20.4-32.6	71	35.4	27.8-43.0	15	4.6	01.7-07.5	18	6.5	02.8-10.2
Black or Afr. Am./Non-Hisp	55	9,751										2	5.6	00.0-15.4	4	6.0	00.0-12.9
25-34	72	14,134				12	16.0	06.4-25.6				12	13.1	03.7-22.5	11	12.7	03.7-21.7
35-44	142	27,821	33	23.4	14.8-32.0	54	28.2	20.0-36.4				9	5.1	01.0-09.2	5	5.2	00.5-09.9
45-54	99	14,545										1	0.7	00.0-02.1	2	1.2	00.0-02.8
H.S. or G.E.D.	108	16,987				31	22.9	13.9-31.9	22	20.4	10.8-30.0	5	7.9	00.1-15.7	11	8.0	02.5-13.5
Some Post-H.S.	89	15,277										4	2.1	00.0-04.3	4	4.9	00.0-10.0
College Graduate	163	30,455	49	24.4	16.8-32.0	49	25.1	17.5-32.7				13	6.7	02.0-11.4	7	5.2	00.5-09.9
\$50,000- 74,999	79	13,730										4	4.4	00.0-09.9	4	4.0	00.0-08.7
\$75,000+	179	31,806	55	24.7	17.1-32.3	58	27.7	20.1-35.3	48	36.2	26.8-45.6	11	5.9	01.2-10.6	7	5.5	00.8-10.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1991-1995			1996-2000			2001-2006			2007			2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	724	132,363	218	23.8	20.3-27.3	216	26.5	22.4-30.6	211	37.2	32.5-41.9	41	5.6	03.4-07.8	38	7.0	04.3-09.7
White/Non-Hisp	516	94,700	160	24.4	20.1-28.7	152	25.6	21.1-30.1	142	36.0	30.5-41.5	34	6.8	04.1-09.5	28	7.1	03.8-10.4
Black or Afr. Am./Non-Hisp	148	26,688	43	23.5	15.5-31.5							5	2.2	00.0-04.6	6	5.9	00.0-11.8
25-34	169	37,359	9	4.3	01.0-07.6	39	20.3	12.1-28.5	74	46.9	37.1-56.7	23	13.0	06.7-19.3	24	15.5	08.1-22.9
35-44	281	54,082	83	24.4	18.5-30.3	95	26.8	20.9-32.7	87	41.3	33.9-48.7	8	2.9	00.5-05.3	8	4.7	01.2-08.2
45-54	186	26,495	95	46.3	37.3-55.3	62	34.5	25.7-43.3	24	17.3	09.7-24.9	5	1.8	00.0-03.8			
H.S. or G.E.D.	176	29,672	57	25.3	17.9-32.7	66	36.8	28.0-45.6	44	32.4	23.2-41.6	6	2.8	00.3-05.3	3	2.8	00.0-06.5
Some Post-H.S.	219	36,728	63	24.3	17.2-31.4	68	23.0	15.9-30.1	62	37.0	28.2-45.8	11	6.2	02.1-10.3	15	9.5	03.0-16.0
College Graduate	289	59,009	84	22.4	17.1-27.7	73	22.6	16.7-28.5	94	40.3	33.0-47.6	20	6.7	03.2-10.2	18	7.9	03.8-12.0
Less than \$15,000	57	9,044										2	1.6	00.0-04.0	4	6.7	00.0-14.3
\$15,000- 24,999	60	11,185	13	13.3	04.7-21.9							5	7.2	00.5-13.9			
\$25,000- 34,999	58	9,922										2	1.0	00.0-02.4			
\$35,000- 49,999	82	13,182	21	18.9	09.9-27.9										4	4.8	00.0-09.9
\$50,000- 74,999	137	26,557	41	21.8	13.8-29.8	38	21.2	13.8-28.6				7	6.4	01.3-11.5	12	11.1	04.0-18.2
\$75,000+	272	51,152	95	29.4	22.9-35.9	74	24.1	17.8-30.4	74	34.9	27.6-42.2	17	5.5	02.6-08.4	12	6.1	02.0-10.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 25: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents with do not know/refused/missing responses
 Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
 Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1158	207,899	604	50.8	47.1-54.5	554	49.2	45.5-52.9
Male	399	68,385	211	53.3	47.0-59.6	188	46.7	40.4-53.0
Female	759	139,514	393	49.7	45.2-54.2	366	50.3	45.8-54.8
White/Non-Hisp	817	143,860	442	54.9	50.6-59.2	375	45.1	40.8-49.4
Black or Afr. Am./Non-Hisp	215	38,920	103	45.2	36.4-54.0	112	54.8	46.0-63.6
25-34	257	54,637	128	49.5	41.5-57.5	129	50.5	42.5-58.5
35-44	437	84,105	231	52.2	46.3-58.1	206	47.8	41.9-53.7
45-54	294	42,680	157	51.5	44.1-58.9	137	48.5	41.1-55.9
H.S. or G.E.D.	295	48,124	163	52.1	44.8-59.4	132	47.9	40.6-55.2
Some Post-H.S.	316	53,617	162	52.5	45.1-59.9	154	47.5	40.1-54.9
College Graduate	477	93,835	246	50.4	44.7-56.1	231	49.6	43.9-55.3
\$50,000- 74,999	224	41,620	124	59.1	51.1-67.1	100	40.9	32.9-48.9
\$75,000+	467	85,606	247	49.5	43.8-55.2	220	50.5	44.8-56.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 25: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Boy Male		N	Girl Female	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	399	68,385	211	53.3	47.0-59.6	188	46.7	40.4-53.0
White/Non-Hisp	282	45,982	153	59.2	52.1-66.3	129	40.8	33.7-47.9
35-44	147	28,813	79	54.6	44.6-64.6	68	45.4	35.4-55.4
College Graduate	172	31,722	86	52.4	43.0-61.8	86	47.6	38.2-57.0
\$75,000+	185	32,391	98	52.5	43.3-61.7	87	47.5	38.3-56.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 25: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Boy Male		N	Girl Female	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	759	139,514	393	49.7	45.2-54.2	366	50.3	45.8-54.8
White/Non-Hisp	535	97,877	289	52.9	47.6-58.2	246	47.1	41.8-52.4
25-34	181	40,226	94	51.0	41.4-60.6	87	49.0	39.4-58.6
35-44	290	55,292	152	50.9	43.8-58.0	138	49.1	42.0-56.2
45-54	190	27,661	101	49.7	40.3-59.1	89	50.3	40.9-59.7
H.S. or G.E.D.	184	30,693	98	49.0	40.0-58.0	86	51.0	42.0-60.0
Some Post-H.S.	225	38,222	115	53.0	44.2-61.8	110	47.0	38.2-55.8
College Graduate	305	62,113	160	49.4	42.5-56.3	145	50.6	43.7-57.5
\$50,000- 74,999	142	27,231	75	59.1	49.1-69.1	67	40.9	30.9-50.9
\$75,000+	282	53,215	149	47.7	40.4-55.0	133	52.3	45.0-59.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1153	207,249	74	6.5	04.5-08.5	1079	93.5	91.5-95.5	
Male	398	68,238	25	5.7	03.0-08.4	373	94.3	91.6-97.0	
Female	755	139,012	49	7.0	04.5-09.5	706	93.0	90.5-95.5	
White/Non-Hisp	815	143,632	20	3.0	01.2-04.8	795	97.0	95.2-98.8	
Black or Afr. Am./Non-Hisp	214	38,782	7	1.8	00.0-03.8	207	98.2	96.2-0100	
Oth. Race/Non-Hisp.	52	10,662	3	6.0	00.0-15.2	49	94.0	84.8-0100	
18-24	72	13,159	9	12.6	03.8-21.4	63	87.4	78.6-96.2	
25-34	257	54,637	20	7.7	02.8-12.6	237	92.3	87.4-97.2	
35-44	437	84,046	23	5.4	02.7-08.1	414	94.6	91.9-97.3	
45-54	291	42,396	18	6.5	02.8-10.2	273	93.5	89.8-97.2	
55-64	68	8,669	2	2.5	00.0-06.4	66	97.5	93.6-0100	
H.S. or G.E.D.	296	48,308	21	8.0	03.9-12.1	275	92.0	87.9-96.1	
Some Post-H.S.	314	53,425	17	5.4	02.3-08.5	297	94.6	91.5-97.7	
College Graduate	475	93,444	23	3.6	01.8-05.4	452	96.4	94.6-98.2	
\$25,000- 34,999	84	13,521	9	9.7	02.8-16.6	75	90.3	83.4-97.2	
\$35,000- 49,999	129	20,374	6	4.0	00.1-07.9	123	96.0	92.1-99.9	
\$50,000- 74,999	222	41,321	10	2.2	00.4-04.0	212	97.8	96.0-99.6	
\$75,000+	465	85,274	20	4.6	02.2-07.0	445	95.4	93.0-97.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	398	68,238	25	5.7	03.0-08.4	373	94.3	91.6-97.0	
White/Non-Hisp	281	45,798	4	0.9	00.0-02.1	277	99.1	97.9-0100	
Black or Afr. Am./Non-Hisp	58	10,034	2	4.0	00.0-10.7	56	96.0	89.3-0100	
25-34	76	14,411	5	3.8	00.0-07.9	71	96.2	92.1-0100	
35-44	147	28,813	6	5.7	00.8-10.6	141	94.3	89.4-99.2	
45-54	103	14,870	11	8.1	02.4-13.8	92	91.9	86.2-97.6	
H.S. or G.E.D.	112	17,616	8	8.8	01.5-16.1	104	91.2	83.9-98.5	
Some Post-H.S.	91	15,395	4	3.4	00.0-07.9	87	96.6	92.1-0100	
College Graduate	170	31,390	9	3.9	01.0-06.8	161	96.1	93.2-99.0	
\$50,000- 74,999	81	14,242	5	3.0	00.3-05.7	76	97.0	94.3-99.7	
\$75,000+	184	32,207	9	5.0	00.9-09.1	175	95.0	90.9-99.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	755	139,012	49	7.0	04.5-09.5	706	93.0	90.5-95.5	
White/Non-Hisp	534	97,833	16	4.0	01.6-06.4	518	96.0	93.6-98.4	
Black or Afr. Am./Non-Hisp	156	28,748	5	1.1	00.1-02.1	151	98.9	97.9-99.9	
25-34	181	40,226	15	9.1	02.6-15.6	166	90.9	84.4-97.4	
35-44	290	55,233	17	5.2	02.1-08.3	273	94.8	91.7-97.9	
45-54	188	27,525	7	5.7	00.8-10.6	181	94.3	89.4-99.2	
H.S. or G.E.D.	184	30,693	13	7.6	02.7-12.5	171	92.4	87.5-97.3	
Some Post-H.S.	223	38,031	13	6.3	02.2-10.4	210	93.7	89.6-97.8	
College Graduate	305	62,054	14	3.4	01.2-05.6	291	96.6	94.4-98.8	
\$25,000- 34,999	61	10,498	8	12.1	03.3-20.9	53	87.9	79.1-96.7	
\$35,000- 49,999	84	13,511	4	5.0	00.0-10.7	80	95.0	89.3-0100	
\$50,000- 74,999	141	27,080	5	1.8	00.0-04.0	136	98.2	96.0-0100	
\$75,000+	281	53,067	11	4.3	01.4-07.2	270	95.7	92.8-98.6	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1146	206,384	809	69.8	66.3-73.3	219	20.0	16.9-23.1	27	3.0	01.6-04.4	2	0.1	00.0-00.3	8	0.4	00.0-00.8	81	6.7	04.9-08.5
Male	396	68,115	288	70.1	64.0-76.2	62	16.8	11.7-21.9	13	4.4	01.5-07.3	1	0.1	00.0-00.3	3	0.7	00.0-01.5	29	8.0	04.5-11.5
Female	750	138,269	521	69.6	65.3-73.9	157	21.5	17.6-25.4	14	2.3	00.7-03.9	1	0.1	00.0-00.3	5	0.3	00.0-00.7	52	6.1	03.9-08.3
White/Non-Hisp	813	143,167	774	95.3	93.3-97.3	5	0.4	00.0-00.8	1	0.1	00.0-00.3				1	0.0	00.0-00.0	32	4.1	02.3-05.9
Black or Afr. Am./Non-Hisp	214	38,782	1	0.6	00.0-01.8	202	96.2	93.8-98.6				1	0.4	00.0-01.2				10	2.8	00.8-04.8
Oth. Race/Non-Hisp.	52	10,662				1	0.9	00.0-02.7							6	6.4	00.1-12.7			
18-24	70	12,925							3	5.4	00.0-12.1							6	7.7	00.8-14.6
25-34	255	54,523	170	61.5	53.5-69.5	56	27.4	19.8-35.0	8	4.8	01.1-08.5	1	0.1	00.0-00.3	2	0.7	00.0-01.7	18	5.5	02.2-08.8
35-44	435	83,733	329	77.2	72.3-82.1	67	13.7	09.8-17.6	6	2.1	00.0-04.3	1	0.2	00.0-00.6	2	0.1	00.0-00.3	30	6.6	03.7-09.5
45-54	292	42,440	217	77.5	71.4-83.6	48	14.8	09.7-19.9	9	2.6	00.4-04.8				2	0.2	00.0-00.4	16	4.9	01.8-08.0
55-64	68	8,669							1	0.8	00.0-02.4				2	3.6	00.0-09.1			
Less Than H.S.	66	11,940							1	0.8	00.0-02.4	1	0.6	00.0-01.8	1	1.1	00.0-03.3			
H.S. or G.E.D.	295	48,245	199	62.0	54.7-69.3	64	27.7	20.8-34.6	1	0.1	00.0-00.3				2	0.2	00.0-00.6	29	9.9	05.6-14.2
Some Post-H.S.	312	53,198	213	67.0	59.7-74.3	70	24.6	17.7-31.5	3	1.4	00.0-03.0	1	0.3	00.0-00.9	4	0.7	00.0-01.7	21	6.0	02.7-09.3
College Graduate	472	92,936	359	77.2	72.3-82.1	68	12.7	09.0-16.4	22	5.8	02.9-08.7				1	0.2	00.0-00.6	22	4.2	02.0-06.4
Less than \$15,000	78	13,381							1	1.2	00.0-03.6				2	1.4	00.0-03.6			
\$15,000- 24,999	79	15,475							2	3.1	00.0-07.4	1	0.4	00.0-01.2	2	0.8	00.0-02.0	11	11.5	03.1-19.9
\$25,000- 34,999	84	13,501							1	1.8	00.0-05.3				1	1.7	00.0-05.0	9	8.7	01.8-15.6
\$35,000- 49,999	129	20,374							2	1.1	00.0-02.7	1	0.7	00.0-02.1				12	8.9	03.2-14.6
\$50,000- 74,999	218	40,886	161	75.0	67.7-82.3	41	19.5	12.6-26.4	4	1.8	00.0-04.0				2	0.7	00.0-01.9	10	3.0	00.8-05.2
\$75,000+	464	85,090	374	80.8	75.9-85.7	54	9.3	06.0-12.6	15	5.0	01.9-08.1				1	0.0	00.0-00.0	20	4.8	02.1-07.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	396	68,115	288	70.1	64.0-76.2	62	16.8	11.7-21.9	13	4.4	01.5-07.3	1	0.1	00.0-00.3	3	0.7	00.0-01.5	29	8.0	04.5-11.5
White/Non-Hisp	280	45,750	272	96.4	93.1-99.7	1	0.1	00.0-00.3										7	3.5	00.2-06.8
Black or Afr. Am./Non-Hisp	58	10,034	1	2.2	00.0-06.5	55	95.2	89.3-0100										2	2.6	00.0-06.5
25-34	75	14,362							3	6.5	00.0-13.8	1	0.5	00.0-01.5	1	0.9	00.0-02.7	5	4.0	00.1-07.9
35-44	147	28,813	112	70.8	60.8-80.8	19	14.3	06.7-21.9	4	4.2	00.0-09.3							12	10.7	03.8-17.6
45-54	103	14,870	81	81.1	72.3-89.9	13	9.3	03.4-15.2	4	4.9	00.0-10.4							5	4.7	00.0-09.6
H.S. or G.E.D.	112	17,616							1	0.4	00.0-01.2				1	0.5	00.0-01.5	11	9.7	02.4-17.0
Some Post-H.S.	90	15,321							2	3.1	00.0-07.4							7	9.0	01.6-16.4
College Graduate	169	31,341	128	74.5	65.7-83.3	20	10.4	04.3-16.5	10	7.9	02.0-13.8				1	0.7	00.0-02.1	10	6.5	01.4-11.6
\$50,000- 74,999	79	14,119							4	5.3	00.0-11.2							4	3.3	00.0-06.8
\$75,000+	184	32,207	147	79.6	71.4-87.8	22	8.7	03.6-13.8	5	4.8	00.0-09.9							10	6.9	01.4-12.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	750	138,269	521	69.6	65.3-73.9	157	21.5	17.6-25.4	14	2.3	00.7-03.9	1	0.1	00.0-00.3	5	0.3	00.0-00.7	52	6.1	03.9-08.3
White/Non-Hisp	533	97,418	502	94.8	92.4-97.2	4	0.6	00.0-01.2	1	0.1	00.0-00.3				1	0.1	00.0-00.3	25	4.5	02.3-06.7
Black or Afr. Am./Non-Hisp	156	28,748				147	96.6	94.2-99.0				1	0.5	00.0-01.5				8	2.9	00.7-05.1
25-34	180	40,160	118	60.2	50.6-69.8	43	29.0	19.8-38.2	5	4.1	00.0-08.4				1	0.6	00.0-01.8	13	6.1	02.0-10.2
35-44	288	54,920	217	80.6	75.3-85.9	48	13.5	09.2-17.8	2	1.0	00.0-02.8	1	0.3	00.0-00.9	2	0.2	00.0-00.6	18	4.5	02.0-07.0
45-54	189	27,569	136	75.5	67.7-83.3	35	17.8	10.7-24.9	5	1.4	00.0-02.8				2	0.3	00.0-00.7	11	5.1	01.0-09.2
H.S. or G.E.D.	183	30,629	119	59.6	50.4-68.8	45	30.3	21.5-39.1							1	0.1	00.0-00.3	18	10.0	04.5-15.5
Some Post-H.S.	222	37,877	150	67.7	59.3-76.1	52	25.3	17.1-33.5	1	0.7	00.0-02.1	1	0.4	00.0-01.2	4	1.0	00.0-02.2	14	4.8	01.5-08.1
College Graduate	303	61,595	231	78.5	72.8-84.2	48	13.9	09.2-18.6	12	4.7	01.4-08.0							12	3.0	00.8-05.2
Less than \$15,000	59	9,279													1	0.5	00.0-01.5			
\$15,000- 24,999	65	13,503							1	1.9	00.0-05.4				1	0.2	00.0-00.6	10	12.5	02.9-22.1
\$25,000- 34,999	61	10,478																6	9.5	01.1-17.9
\$35,000- 49,999	84	13,511							2	1.6	00.0-04.0	1	1.1	00.0-03.3				8	7.7	02.2-13.2
\$50,000- 74,999	139	26,766	102	77.2	68.6-85.8	29	18.9	10.7-27.1							2	1.1	00.0-02.9	6	2.8	00.1-05.5
\$75,000+	280	52,883	227	81.6	75.7-87.5	32	9.7	05.4-14.0	10	5.2	01.3-09.1				1	0.1	00.0-00.3	10	3.5	00.8-06.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1159	207,905	1004	87.2	84.7-89.7	71	5.8	04.0-07.6	8	0.8	00.0-01.8	36	2.9	01.7-04.1	29	2.4	01.2-03.6	11	0.9	00.3-01.5
Male	400	68,451	345	84.2	79.1-89.3	16	3.5	01.3-05.7	3	1.9	00.0-05.0	17	4.6	01.9-07.3	12	3.7	01.0-06.4	7	2.0	00.2-03.8
Female	759	139,453	659	88.7	86.0-91.4	55	6.9	04.5-09.3	5	0.3	00.1-00.5	19	2.1	01.1-03.1	17	1.7	00.7-02.7	4	0.3	00.0-00.7
White/Non-Hisp	818	143,840	728	89.9	87.4-92.4	46	5.6	03.4-07.8	5	0.4	00.0-00.8	20	2.0	00.8-03.2	15	1.8	00.6-03.0	4	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	214	38,782	170	81.6	75.3-87.9	19	8.8	03.9-13.7	2	0.3	00.0-00.7	7	2.8	00.6-05.0	11	4.0	01.1-06.9	5	2.4	00.0-04.8
Oth. Race/Non-Hisp.	52	10,662	47	94.8	89.1-0100	2	1.2	00.0-02.8				2	3.2	00.0-08.3	1	0.9	00.0-02.7			
Hispanic	50	9,132				1	1.0	00.0-03.0										1	1.0	00.0-03.0
18-24	72	13,159													8	12.4	02.6-22.2	1	1.7	00.0-05.0
25-34	257	54,637	248	95.2	90.7-99.7				4	2.5	00.0-06.4	2	0.6	00.0-01.4	2	1.5	00.0-03.9	1	0.2	00.0-00.6
35-44	439	84,296	427	97.2	95.2-99.2	5	1.1	00.0-02.5				4	1.0	00.0-02.2	3	0.7	00.0-01.7			
45-54	293	42,588	256	86.2	80.3-92.1	23	9.6	04.3-14.9	2	0.4	00.0-01.0				7	2.0	00.2-03.8	5	1.8	00.0-03.8
55-64	68	8,669							2	2.2	00.0-05.3				4	4.0	00.0-08.3	1	1.1	00.0-03.3
Less Than H.S.	68	12,104							1	1.2	00.0-03.6	4	6.5	00.0-13.2	4	7.2	00.0-15.6	1	0.8	00.0-02.4
H.S. or G.E.D.	296	48,308	231	76.4	70.3-82.5	32	12.1	07.4-16.8	1	0.2	00.0-00.6	14	5.4	02.1-08.7	14	3.8	01.4-06.2	4	2.0	00.0-04.0
Some Post-H.S.	317	53,683	270	84.4	78.5-90.3	19	4.9	02.2-07.6	3	2.1	00.0-06.0	14	3.7	01.3-06.1	9	3.9	00.8-07.0	2	0.9	00.0-02.3
College Graduate	477	93,743	455	96.7	94.7-98.7	9	1.8	00.2-03.4	3	0.3	00.0-00.7	4	0.8	00.0-01.8	2	0.2	00.0-00.4	4	0.3	00.1-00.5
Less than \$15,000	78	13,381				8	6.7	01.4-12.0				7	6.2	00.9-11.5	5	8.1	00.7-15.5	1	2.5	00.0-07.4
\$15,000- 24,999	80	15,635							1	0.3	00.0-00.9	3	3.1	00.0-07.2	7	5.2	00.9-09.5			
\$25,000- 34,999	85	13,565				11	15.1	05.5-24.7				2	2.8	00.0-06.7	1	0.7	00.0-02.1			
\$35,000- 49,999	130	20,473	103	77.4	67.8-87.0	14	10.4	04.1-16.7	1	0.6	00.0-01.8	4	3.8	00.0-07.7	5	4.7	00.0-11.0	3	3.2	00.0-07.1
\$50,000- 74,999	224	41,620	203	91.3	87.0-95.6	8	3.2	00.3-06.1	2	0.5	00.0-01.3	5	2.4	00.2-04.6	3	1.6	00.0-03.6	3	1.2	00.0-02.6
\$75,000+	466	85,422	441	96.0	94.0-98.0	12	2.2	00.6-03.8	1	0.1	00.0-00.3	7	0.9	00.1-01.7	2	0.5	00.0-01.3	3	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	400	68,451	345	84.2	79.1-89.3	16	3.5	01.3-05.7	3	1.9	00.0-05.0	17	4.6	01.9-07.3	12	3.7	01.0-06.4	7	2.0	00.2-03.8
White/Non-Hisp	282	45,864	248	87.6	82.9-92.3	12	4.5	01.6-07.4	2	0.6	00.0-01.4	10	3.3	00.8-05.8	8	3.6	00.7-06.5	2	0.4	00.0-01.0
Black or Afr. Am./Non-Hisp	58	10,034				1	0.5	00.0-01.5				4	7.0	00.1-13.9	1	0.5	00.0-01.5	4	8.5	00.0-17.3
25-34	76	14,411										2	2.2	00.0-05.5	2	5.7	00.0-14.7	1	0.9	00.0-02.7
35-44	147	28,813	145	98.3	95.8-100										1	0.6	00.0-01.8	1	1.1	00.0-03.3
45-54	104	15,018	95	89.5	81.7-97.3	3	3.3	00.0-07.8							2	2.7	00.0-06.8	4	4.6	00.0-09.9
H.S. or G.E.D.	112	17,616	86	76.6	66.8-86.4	9	7.5	01.6-13.4	1	0.6	00.0-01.8	8	7.9	01.0-14.8	5	2.8	00.3-05.3	3	4.5	00.0-09.6
Some Post-H.S.	92	15,460				3	3.7	00.0-09.0	1	6.9	00.0-19.6	6	5.9	00.4-11.4	5	9.1	00.0-18.5	2	3.0	00.0-07.5
College Graduate	171	31,538	164	96.7	93.6-99.8	3	1.3	00.0-02.9				2	1.7	00.0-04.4				2	0.3	00.0-00.7
\$50,000- 74,999	82	14,390	74	90.0	82.6-97.4	1	0.9	00.0-02.7	1	1.0	00.0-03.0	3	4.3	00.0-09.6	2	2.0	00.0-05.3	1	1.7	00.0-05.0
\$75,000+	184	32,207	173	95.2	91.9-98.5	4	2.0	00.0-04.4				2	0.6	00.0-01.6	2	1.4	00.0-03.6	3	0.7	00.0-01.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	759	139,453	659	88.7	86.0-91.4	55	6.9	04.5-09.3	5	0.3	00.1-00.5	19	2.1	01.1-03.1	17	1.7	00.7-02.7	4	0.3	00.0-00.7
White/Non-Hisp	536	97,976	480	90.9	87.8-94.0	34	6.1	03.4-08.8	3	0.3	00.0-00.7	10	1.4	00.4-02.4	7	0.9	00.1-01.7	2	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	156	28,748	122	81.0	73.4-88.6	18	11.7	05.2-18.2	2	0.4	00.0-01.0	3	1.4	00.0-03.2	10	5.2	01.3-09.1	1	0.3	00.0-00.9
25-34	181	40,226	180	99.9	99.7-0100				1	0.1	00.0-00.3									
35-44	292	55,483	282	96.6	94.1-99.1	5	1.7	00.0-03.7							3	1.3	00.0-02.9	2	0.5	00.0-01.3
45-54	189	27,569	161	84.4	76.6-92.2	20	13.1	05.3-20.9	2	0.6	00.0-01.6				5	1.6	00.0-03.2	1	0.3	00.0-00.9
H.S. or G.E.D.	184	30,693	145	76.3	68.7-83.9	23	14.8	08.3-21.3				6	4.0	00.7-07.3	9	4.4	00.9-07.9	1	0.6	00.0-01.8
Some Post-H.S.	225	38,222	195	89.7	85.2-94.2	16	5.5	02.4-08.6	2	0.2	00.0-00.6	8	2.8	00.4-05.2	4	1.8	00.0-04.0			
College Graduate	306	62,205	291	96.6	94.2-99.0	6	2.1	00.0-04.3	3	0.5	00.0-01.1	2	0.3	00.0-00.7	2	0.2	00.0-00.6	2	0.3	00.0-00.7
Less than \$15,000	59	9,279				7	8.0	01.1-14.9	1	0.9	00.0-02.7	3	3.2	00.0-07.3	3	8.3	00.0-17.9			
\$15,000- 24,999	66	13,662							1	0.3	00.0-00.9	2	3.3	00.0-08.0	6	5.3	00.6-10.0			
\$25,000- 34,999	62	10,542										2	3.7	00.0-08.8						
\$35,000- 49,999	85	13,610	67	81.9	72.7-91.1	10	10.2	03.1-17.3	1	0.9	00.0-02.7	3	4.8	00.0-10.3	3	1.5	00.0-03.3	1	0.7	00.0-02.1
\$50,000- 74,999	142	27,231	129	92.0	86.7-97.3	7	4.3	00.0-08.6	1	0.2	00.0-00.6	2	1.3	00.0-03.3	1	1.3	00.0-03.8	2	0.9	00.0-02.3
\$75,000+	282	53,215	268	96.4	94.0-98.8	8	2.3	00.3-04.3	1	0.2	00.0-00.6	5	1.0	00.0-02.2						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009

MODULE 26: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	109
2	MALES ONLY	110
3	FEMALES ONLY	111
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	112
5	MALES ONLY	113
6	FEMALES ONLY	114

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1148	206,483	230	18.2	15.3-21.1	918	81.8	78.9-84.7
Male	394	67,374	61	14.1	10.0-18.2	333	85.9	81.8-90.0
Female	754	139,109	169	20.2	16.5-23.9	585	79.8	76.1-83.5
White/Non-Hisp	808	142,555	144	16.4	13.3-19.5	664	83.6	80.5-86.7
Black or Afr. Am./Non-Hisp	211	38,484	61	27.4	19.4-35.4	150	72.6	64.6-80.6
Oth. Race/Non-Hisp.	53	10,711	7	3.5	00.6-06.4	46	96.5	93.6-99.4
25-34	255	54,435	43	15.8	09.5-22.1	212	84.2	77.9-90.5
35-44	434	83,773	81	16.9	12.6-21.2	353	83.1	78.8-87.4
45-54	291	42,439	68	20.5	14.8-26.2	223	79.5	73.8-85.2
H.S. or G.E.D.	294	48,058	73	26.8	20.3-33.3	221	73.2	66.7-79.7
Some Post-H.S.	314	53,389	66	20.8	14.3-27.3	248	79.2	72.7-85.7
College Graduate	474	93,129	78	11.9	08.8-15.0	396	88.1	85.0-91.2
\$35,000- 49,999	128	20,294	35	20.7	12.9-28.5	93	79.3	71.5-87.1
\$50,000- 74,999	222	41,483	35	13.9	08.4-19.4	187	86.1	80.6-91.6
\$75,000+	463	85,137	82	14.4	10.7-18.1	381	85.6	81.9-89.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	394	67,374	61	14.1	10.0-18.2	333	85.9	81.8-90.0
White/Non-Hisp	277	44,944	38	12.7	08.2-17.2	239	87.3	82.8-91.8
25-34	75	14,258	11	11.2	03.8-18.6	64	88.8	81.4-96.2
35-44	144	28,490	20	13.4	06.7-20.1	124	86.6	79.9-93.3
45-54	103	14,962	17	16.8	08.0-25.6	86	83.2	74.4-92.0
H.S. or G.E.D.	111	17,465	20	19.3	09.9-28.7	91	80.7	71.3-90.1
College Graduate	168	30,924	18	7.8	03.7-11.9	150	92.2	88.1-96.3
\$50,000- 74,999	81	14,302	7	7.8	01.7-13.9	74	92.2	86.1-98.3
\$75,000+	181	31,922	26	13.3	07.2-19.4	155	86.7	80.6-92.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	754	139,109	169	20.2	16.5-23.9	585	79.8	76.1-83.5
White/Non-Hisp	531	97,610	106	18.1	14.0-22.2	425	81.9	77.8-86.0
Black or Afr. Am./Non-Hisp	155	28,656	44	26.6	17.2-36.0	111	73.4	64.0-82.8
25-34	180	40,178	32	17.4	09.6-25.2	148	82.6	74.8-90.4
35-44	290	55,283	61	18.6	13.3-23.9	229	81.4	76.1-86.7
45-54	188	27,477	51	22.5	15.2-29.8	137	77.5	70.2-84.8
H.S. or G.E.D.	183	30,592	53	31.1	22.5-39.7	130	68.9	60.3-77.5
Some Post-H.S.	223	38,082	46	20.3	12.5-28.1	177	79.7	71.9-87.5
College Graduate	306	62,205	60	13.9	09.8-18.0	246	86.1	82.0-90.2
\$35,000- 49,999	83	13,431	23	19.8	10.6-29.0	60	80.2	71.0-89.4
\$50,000- 74,999	141	27,182	28	17.1	09.5-24.7	113	82.9	75.3-90.5
\$75,000+	282	53,215	56	15.1	10.2-20.0	226	84.9	80.0-89.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	227	36,800	174	75.9	68.3-83.5	53	24.1	16.5-31.7
Female	168	27,666	129	77.8	69.4-86.2	39	22.2	13.8-30.6
White/Non-Hisp	143	23,083	109	77.8	69.6-86.0	34	22.2	14.0-30.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 26: CHILDHOOD ASTHMA PREVALENCE

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	168	27,666	129	77.8	69.4-86.2	39	22.2	13.8-30.6	
White/Non-Hisp	106	17,692	80	78.1	68.5-87.7	26	21.9	12.3-31.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009**

MODULE 27: CHILDHOOD IMMUNIZATION CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAS [FILL: HE/SHE] HAD A FLU VACCINATION? THERE ARE TWO TYPES OF FLU VACCINATIONS. ONE IS A SHOT AND THE OTHER IS A SPRAY IN THE NOSE. (FLUSHCH1)	
1 MALES AND FEMALES	116
2 MALES ONLY	117
3 FEMALES ONLY	118
DURING WHAT MONTH AND YEAR DID [FILL: HE/SHE] RECEIVE THE MOST RECENT FLU VACCINATION? THE FLU VACCINATION MAY HAVE BEEN EITHER THE FLU SHOT OR THE FLU SPRAY. THE FLU SPRAY IS THE FLU VACCINATION THAT IS SPRAYED IN THE NOSE. (RCVFCVCH3)	
4 MALES AND FEMALES	119
5 MALES ONLY	120
6 FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 27: CHILDHOOD IMMUNIZATION**

TABLE 1: DURING THE PAST 12 MONTHS, HAS [FILL: HE/SHE] HAD A FLU VACCINATION? THERE ARE TWO TYPES OF FLU VACCINATIONS. ONE IS A SHOT AND THE OTHER IS A SPRAY IN THE NOSE. (FLUSHCH1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1000	219,315	414	42.8	38.7-46.9	586	57.2	53.1-61.3
Male	343	96,185	138	42.3	35.6-49.0	205	57.7	51.0-64.4
Female	657	123,130	276	43.2	38.1-48.3	381	56.8	51.7-61.9
White/Non-Hisp	704	145,574	273	40.3	35.8-44.8	431	59.7	55.2-64.2
25-34	220	58,084	117	55.5	46.9-64.1	103	44.5	35.9-53.1
35-44	385	75,046	164	42.2	36.3-48.1	221	57.8	51.9-63.7
45-54	264	46,397	77	30.9	23.8-38.0	187	69.1	62.0-76.2
H.S. or G.E.D.	247	50,538	101	46.1	37.9-54.3	146	53.9	45.7-62.1
Some Post-H.S.	278	59,177	112	37.5	29.9-45.1	166	62.5	54.9-70.1
College Graduate	418	94,814	179	44.1	38.0-50.2	239	55.9	49.8-62.0
\$50,000- 74,999	196	40,987	76	38.1	29.3-46.9	120	61.9	53.1-70.7
\$75,000+	415	96,692	169	39.7	33.8-45.6	246	60.3	54.4-66.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 27: CHILDHOOD IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAS [FILL: HE/SHE] HAD A FLU VACCINATION? THERE ARE TWO TYPES OF FLU VACCINATIONS. ONE IS A SHOT AND THE OTHER IS A SPRAY IN THE NOSE. (FLUSHCH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Male	343	96,185	138	42.3	35.6-49.0	205	57.7	51.0-64.4	
White/Non-Hisp	239	61,590	89	36.9	29.6-44.2	150	63.1	55.8-70.4	
35-44	132	33,397	54	40.5	31.1-49.9	78	59.5	50.1-68.9	
45-54	91	21,268	21	22.3	12.5-32.1	70	77.7	67.9-87.5	
College Graduate	148	40,683	62	44.9	35.3-54.5	86	55.1	45.5-64.7	
\$75,000+	165	45,913	61	38.9	30.1-47.7	104	61.1	52.3-69.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 27: CHILDHOOD IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAS [FILL: HE/SHE] HAD A FLU VACCINATION? THERE ARE TWO TYPES OF FLU VACCINATIONS. ONE IS A SHOT AND THE OTHER IS A SPRAY IN THE NOSE. (FLUSHCH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	657	123,130	276	43.2	38.1-48.3	381	56.8	51.7-61.9	
White/Non-Hisp	465	83,985	184	42.8	37.1-48.5	281	57.2	51.5-62.9	
25-34	156	33,941	79	53.2	44.0-62.4	77	46.8	37.6-56.0	
35-44	253	41,649	110	43.5	36.2-50.8	143	56.5	49.2-63.8	
45-54	173	25,129	56	38.2	28.6-47.8	117	61.8	52.2-71.4	
Some Post-H.S.	198	37,230	84	39.4	30.2-48.6	114	60.6	51.4-69.8	
College Graduate	270	54,131	117	43.5	36.1-50.9	153	56.5	49.1-63.9	
\$75,000+	250	50,780	108	40.5	32.7-48.3	142	59.5	51.7-67.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 27: CHILDHOOD IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID [FILL: HE/SHE] RECEIVE THE MOST RECENT FLU VACCINATION? THE FLU VACCINATION MAY HAVE BEEN EITHER THE FLU SHOT OR THE FLU SPRAY. THE FLU SPRAY IS THE FLU VACCINATION THAT IS SPRAYED IN THE NOSE. (RCVFVCH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		012008-062008			072008-122008			042009-062009			102009-122009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	340	81,310	60	21.0	15.1-26.9	273	75.8	69.5-82.1	4	1.7	00.0-03.7	3	1.4	00.0-03.4
Male	108	34,680	22	23.1	13.1-33.1				4	4.0	00.0-08.3			
Female	232	46,630	38	19.5	12.1-26.9	191	78.0	70.2-85.8				3	2.5	00.0-06.0
White/Non-Hisp	229	50,974	34	17.9	11.0-24.8	191	79.5	72.2-86.8	2	0.8	00.0-02.0	2	1.8	00.0-04.9
Black or Afr. Am./Non-Hisp	73	19,592							2	5.1	00.0-12.4	1	1.1	00.0-03.3
25-34	100	28,723										1	0.4	00.0-01.2
35-44	134	26,909	14	9.1	03.6-14.6	119	89.6	83.5-95.7	1	1.3	00.0-03.8			
45-54	64	12,179							2	3.3	00.0-07.8	1	1.8	00.0-05.3
H.S. or G.E.D.	78	19,225							2	4.6	00.0-11.5			
Some Post-H.S.	89	18,095	13	12.0	04.7-19.3	75	87.1	79.7-94.5	1	0.9	00.0-02.7			
College Graduate	156	38,135	24	19.0	11.2-26.8	130	80.1	72.3-87.9				2	0.9	00.0-02.3
\$50,000- 74,999	67	14,573							2	2.7	00.0-06.6			
\$75,000+	141	32,754	19	15.4	08.3-22.5	120	83.6	76.5-90.7				2	1.0	00.0-02.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2009
 MODULE 27: CHILDHOOD IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID [FILL: HE/SHE] RECEIVE THE MOST RECENT FLU VACCINATION? THE FLU VACCINATION MAY HAVE BEEN EITHER THE FLU SHOT OR THE FLU SPRAY. THE FLU SPRAY IS THE FLU VACCINATION THAT IS SPRAYED IN THE NOSE. (RCVFVCH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			042009-062009	C.I. (95%)
	TOTAL	WEIGHTED	N	%	
Male	108	34,680	4	4.0	00.0-08.3
White/Non-Hisp	70	19,243	2	2.1	00.0-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009
MODULE 27: CHILDHOOD IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID [FILL: HE/SHE] RECEIVE THE MOST RECENT FLU VACCINATION? THE FLU VACCINATION MAY HAVE BEEN EITHER THE FLU SHOT OR THE FLU SPRAY. THE FLU SPRAY IS THE FLU VACCINATION THAT IS SPRAYED IN THE NOSE. (RCVFVCH3)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		012008-062008			072008-122008			102009-122009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	232	46,630	38	19.5	12.1-26.9	191	78.0	70.2-85.8	3	2.5	00.0-06.0
White/Non-Hisp	159	31,731	23	16.5	07.9-25.1	134	80.6	71.2-90.0	2	2.9	00.0-07.8
25-34	71	16,561							1	0.7	00.0-02.1
35-44	91	15,381	11	11.1	03.5-18.7	80	88.9	81.3-96.5			
Some Post-H.S.	69	12,349	12	17.1	07.1-27.1	57	82.9	72.9-92.9			
College Graduate	103	21,591	13	17.0	07.4-26.6	88	81.5	71.9-91.1	2	1.6	00.0-04.0
\$75,000+	95	18,706	12	16.9	07.3-26.5	81	81.3	71.5-91.1	2	1.8	00.0-04.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2009**

End of Module Data Report