


DELAWARE

2011 Land Line Only Module Variables Report

Behavioral Risk Factor Surveillance System

June 27, 2012



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3452	607,418	2420	59.6	56.9-62.3	1032	40.4	37.7-43.1
Male	1210	287,516	837	55.7	51.2-60.2	373	44.3	39.8-48.8
Female	2242	319,902	1583	63.1	59.8-66.4	659	36.9	33.6-40.2
White/Non-Hisp	2765	422,110	1967	62.5	59.4-65.6	798	37.5	34.4-40.6
Black or Afr. Am./Non-Hisp	416	111,178	279	55.0	47.7-62.3	137	45.0	37.7-52.3
Oth. Race/Non-Hisp.	99	35,012	57	36.9	24.0-49.8	42	63.1	50.2-76.0
MultiRacial/Non-Hisp.	55	9,494	36	59.6	42.0-77.2	19	40.4	22.8-58.0
Hispanic	82	26,366	53	59.6	43.3-75.9	29	40.4	24.1-56.7
18-24	122	83,530	41	28.7	19.5-37.9	81	71.3	62.1-80.5
25-34	292	111,496	173	50.5	42.7-58.3	119	49.5	41.7-57.3
35-44	430	105,852	252	56.5	50.0-63.0	178	43.5	37.0-50.0
45-54	634	112,328	439	70.4	65.7-75.1	195	29.6	24.9-34.3
55-64	790	88,320	616	74.8	70.3-79.3	174	25.2	20.7-29.7
65+	1141	99,395	874	73.7	69.8-77.6	267	26.3	22.4-30.2
Less Than H.S.	183	76,574	110	49.3	39.7-58.9	73	50.7	41.1-60.3
H.S. or G.E.D.	1027	196,586	705	59.6	54.5-64.7	322	40.4	35.3-45.5
Some Post-H.S.	943	174,139	677	61.1	55.8-66.4	266	38.9	33.6-44.2
College Graduate	1290	159,444	926	63.1	58.8-67.4	364	36.9	32.6-41.2
Less than \$15,000	332	55,190	225	58.4	49.0-67.8	107	41.6	32.2-51.0
\$15,000- 24,999	317	62,368	192	49.3	40.5-58.1	125	50.7	41.9-59.5
\$25,000- 34,999	265	41,365	189	63.8	53.2-74.4	76	36.2	25.6-46.8
\$35,000- 49,999	413	73,231	301	60.2	51.6-68.8	112	39.8	31.2-48.4
\$50,000- 74,999	518	87,172	387	65.0	58.1-71.9	131	35.0	28.1-41.9
\$75,000+	1013	175,968	727	64.6	59.9-69.3	286	35.4	30.7-40.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1210	287,516	837	55.7	51.2-60.2	373	44.3	39.8-48.8
White/Non-Hisp	987	196,354	706	59.7	54.6-64.8	281	40.3	35.2-45.4
Black or Afr. Am./Non-Hisp	120	50,231	68	50.5	38.9-62.1	52	49.5	37.9-61.1
18-24	62	42,029	20	25.6	13.3-37.9	42	74.4	62.1-86.7
25-34	91	55,829	38	37.3	25.3-49.3	53	62.7	50.7-74.7
35-44	144	49,863	81	51.9	40.9-62.9	63	48.1	37.1-59.1
45-54	237	55,359	164	70.9	63.3-78.5	73	29.1	21.5-36.7
55-64	271	41,800	214	76.4	69.1-83.7	57	23.6	16.3-30.9
65+	393	40,712	314	75.5	68.6-82.4	79	24.5	17.6-31.4
Less Than H.S.	72	34,382	37	39.3	25.4-53.2	35	60.7	46.8-74.6
H.S. or G.E.D.	345	99,544	239	59.6	51.6-67.6	106	40.4	32.4-48.4
Some Post-H.S.	298	76,577	201	51.8	43.0-60.6	97	48.2	39.4-57.0
College Graduate	493	76,821	360	62.2	54.9-69.5	133	37.8	30.5-45.1
Less than \$15,000	82	21,022	51	46.1	30.4-61.8	31	53.9	38.2-69.6
\$15,000- 24,999	87	24,319	49	47.1	31.6-62.6	38	52.9	37.4-68.4
\$25,000- 34,999	75	18,586	55	58.5	39.1-77.9	20	41.5	22.1-60.9
\$35,000- 49,999	159	37,717	113	54.0	41.1-66.9	46	46.0	33.1-58.9
\$50,000- 74,999	191	39,933	138	64.6	54.2-75.0	53	35.4	25.0-45.8
\$75,000+	431	93,536	314	63.1	55.7-70.5	117	36.9	29.5-44.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2242	319,902	1583	63.1	59.8-66.4	659	36.9	33.6-40.2
White/Non-Hisp	1778	225,756	1261	65.0	61.3-68.7	517	35.0	31.3-38.7
Black or Afr. Am./Non-Hisp	296	60,946	211	58.8	49.6-68.0	85	41.2	32.0-50.4
Oth. Race/Non-Hisp.	50	10,383	31	42.1	22.3-61.9	19	57.9	38.1-77.7
Hispanic	63	16,648	41	63.8	46.4-81.2	22	36.2	18.8-53.6
18-24	60	41,500	21	31.8	17.9-45.7	39	68.2	54.3-82.1
25-34	201	55,666	135	63.7	54.5-72.9	66	36.3	27.1-45.5
35-44	286	55,989	171	60.7	53.3-68.1	115	39.3	31.9-46.7
45-54	397	56,968	275	70.0	64.1-75.9	122	30.0	24.1-35.9
55-64	519	46,521	402	73.3	67.6-79.0	117	26.7	21.0-32.4
65+	748	58,684	560	72.5	68.0-77.0	188	27.5	23.0-32.0
Less Than H.S.	111	42,191	73	57.5	44.8-70.2	38	42.5	29.8-55.2
H.S. or G.E.D.	682	97,042	466	59.6	53.3-65.9	216	40.4	34.1-46.7
Some Post-H.S.	645	97,562	476	68.4	62.5-74.3	169	31.6	25.7-37.5
College Graduate	797	82,623	566	64.0	58.9-69.1	231	36.0	30.9-41.1
Less than \$15,000	250	34,169	174	65.9	55.1-76.7	76	34.1	23.3-44.9
\$15,000- 24,999	230	38,049	143	50.8	40.2-61.4	87	49.2	38.6-59.8
\$25,000- 34,999	190	22,779	134	68.1	58.1-78.1	56	31.9	21.9-41.9
\$35,000- 49,999	254	35,514	188	66.8	55.6-78.0	66	33.2	22.0-44.4
\$50,000- 74,999	327	47,240	249	65.4	56.2-74.6	78	34.6	25.4-43.8
\$75,000+	582	82,432	413	66.3	60.4-72.2	169	33.7	27.8-39.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3569	623,193	346	7.6	06.4-08.8	39	1.3	00.7-01.9	3184	91.1	89.9-92.3
Male	1260	296,510	111	6.5	04.7-08.3				1149	93.5	91.7-95.3
Female	2309	326,683	235	8.6	07.0-10.2	39	2.4	01.4-03.4	2035	89.0	87.2-90.8
White/Non-Hisp	2868	434,613	275	7.7	06.3-09.1	29	1.4	00.6-02.2	2564	90.9	89.5-92.3
Black or Afr. Am./Non-Hisp	428	114,102	44	8.0	04.7-11.3	5	0.7	00.0-01.5	379	91.3	87.8-94.8
Oth. Race/Non-Hisp.	99	35,012	8	4.5	01.0-08.0	2	0.6	00.0-01.4	89	95.0	91.3-98.7
MultiRacial/Non-Hisp.	55	9,494	8	10.8	02.4-19.2				47	89.2	80.8-97.6
Hispanic	83	26,680	8	6.7	00.0-13.8	3	2.6	00.0-06.1	72	90.7	82.9-98.5
18-24	123	83,699	4	1.8	00.0-03.8				119	98.2	96.2-0100
25-34	302	113,987	10	3.9	01.0-06.8	10	2.8	00.4-05.2	282	93.4	89.7-97.1
35-44	445	110,819	27	6.1	03.4-08.8	11	1.6	00.4-02.8	407	92.3	89.4-95.2
45-54	646	114,079	42	7.2	04.3-10.1	10	2.0	00.6-03.4	594	90.8	87.5-94.1
55-64	812	90,823	107	14.0	10.9-17.1	3	0.5	00.0-01.1	702	85.6	82.5-88.7
65+	1197	103,316	151	13.1	10.6-15.6	5	0.2	00.0-00.4	1041	86.7	84.2-89.2
Less Than H.S.	186	76,995	13	3.7	01.3-06.1	2	1.9	00.0-04.8	171	94.3	90.6-98.0
H.S. or G.E.D.	1064	201,631	119	9.3	06.9-11.7	3	0.2	00.0-00.4	942	90.5	88.1-92.9
Some Post-H.S.	976	180,019	109	8.4	06.0-10.8	15	1.5	00.5-02.5	852	90.0	87.5-92.5
College Graduate	1334	163,873	104	6.4	04.6-08.2	19	2.0	00.8-03.2	1211	91.6	89.4-93.8
Less than \$15,000	342	56,592	33	8.1	04.2-12.0	2	0.8	00.0-02.2	307	91.2	87.1-95.3
\$15,000- 24,999	329	63,379	41	6.7	04.2-09.2	3	2.0	00.0-05.3	285	91.3	87.2-95.4
\$25,000- 34,999	276	43,488	34	9.1	05.0-13.2	1	0.2	00.0-00.6	241	90.7	86.6-94.8
\$35,000- 49,999	428	75,401	44	7.9	04.8-11.0	8	2.0	00.2-03.8	376	90.1	86.6-93.6
\$50,000- 74,999	539	89,623	49	7.3	04.4-10.2	5	0.9	00.1-01.7	485	91.9	88.8-95.0
\$75,000+	1042	181,163	90	7.0	05.0-09.0	16	1.8	00.8-02.8	936	91.2	88.8-93.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1260	296,510	111	6.5	04.7-08.3	1149	93.5	91.7-95.3
White/Non-Hisp	1032	203,721	86	5.9	04.1-07.7	946	94.1	92.3-95.9
Black or Afr. Am./Non-Hisp	123	51,511	13	8.6	02.5-14.7	110	91.4	85.3-97.5
18-24	63	42,199	2	1.0	00.0-02.6	61	99.0	97.4-0100
25-34	97	57,402	2	3.3	00.0-07.8	95	96.7	92.2-0100
35-44	153	53,766	6	3.0	00.5-05.5	147	97.0	94.5-99.5
45-54	240	55,871	13	7.9	02.4-13.4	227	92.1	86.6-97.6
55-64	281	43,121	31	10.7	06.4-15.0	250	89.3	85.0-93.6
65+	415	42,338	57	14.7	10.2-19.2	358	85.3	80.8-89.8
Less Than H.S.	73	34,561	1	1.3	00.0-03.8	72	98.7	96.2-0100
H.S. or G.E.D.	358	101,716	33	8.2	04.5-11.9	325	91.8	88.1-95.5
Some Post-H.S.	311	80,550	34	6.7	03.4-10.0	277	93.3	90.0-96.6
College Graduate	516	79,492	43	6.2	03.3-09.1	473	93.8	90.9-96.7
Less than \$15,000	83	21,192	5	5.7	00.0-13.0	78	94.3	87.0-0100
\$15,000- 24,999	88	24,354	7	2.7	00.3-05.1	81	97.3	94.9-99.7
\$25,000- 34,999	83	20,419	8	7.0	00.9-13.1	75	93.0	86.9-99.1
\$35,000- 49,999	168	39,417	17	7.6	03.3-11.9	151	92.4	88.1-96.7
\$50,000- 74,999	201	41,565	16	5.9	01.2-10.6	185	94.1	89.4-98.8
\$75,000+	447	96,679	41	7.0	04.1-09.9	406	93.0	90.1-95.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2309	326,683	235	8.6	07.0-10.2	39	2.4	01.4-03.4	2035	89.0	87.2-90.8
White/Non-Hisp	1836	230,892	189	9.3	07.3-11.3	29	2.7	01.3-04.1	1618	88.0	85.8-90.2
Black or Afr. Am./Non-Hisp	305	62,591	31	7.5	03.8-11.2	5	1.3	00.0-02.7	269	91.2	87.3-95.1
Oth. Race/Non-Hisp.	50	10,383	2	3.6	00.0-08.7	2	1.9	00.0-04.6	46	94.6	88.7-0100
Hispanic	63	16,648	7	5.3	00.8-09.8	3	4.2	00.0-09.7	53	90.5	83.2-97.8
18-24	60	41,500	2	2.6	00.0-06.3				58	97.4	93.7-0100
25-34	205	56,585	8	4.4	00.5-08.3	10	5.6	01.1-10.1	187	90.0	84.1-95.9
35-44	292	57,053	21	9.0	04.5-13.5	11	3.2	00.8-05.6	260	87.8	82.7-92.9
45-54	406	58,208	29	6.5	03.8-09.2	10	3.9	01.4-06.4	367	89.6	85.9-93.3
55-64	531	47,702	76	16.9	12.6-21.2	3	0.9	00.0-01.9	452	82.2	77.7-86.7
65+	782	60,978	94	11.9	09.2-14.6	5	0.4	00.0-00.8	683	87.7	84.8-90.6
Less Than H.S.	113	42,434	12	5.7	02.2-09.2	2	3.5	00.0-08.8	99	90.7	84.4-97.0
H.S. or G.E.D.	706	99,914	86	10.4	07.5-13.3	3	0.4	00.0-01.0	617	89.2	86.1-92.3
Some Post-H.S.	665	99,469	75	9.8	06.5-13.1	15	2.8	01.0-04.6	575	87.4	83.9-90.9
College Graduate	818	84,381	61	6.5	04.3-08.7	19	3.9	01.7-06.1	738	89.6	86.7-92.5
Less than \$15,000	259	35,401	28	9.4	04.7-14.1	2	1.3	00.0-03.5	229	89.3	84.2-94.4
\$15,000- 24,999	241	39,025	34	9.1	05.2-13.0	3	3.3	00.0-08.6	204	87.6	81.3-93.9
\$25,000- 34,999	193	23,069	26	11.0	05.7-16.3	1	0.4	00.0-01.2	166	88.6	83.3-93.9
\$35,000- 49,999	260	35,984	27	8.1	03.8-12.4	8	4.3	00.8-07.8	225	87.6	82.1-93.1
\$50,000- 74,999	338	48,057	33	8.5	04.8-12.2	5	1.6	00.0-03.2	300	89.9	86.0-93.8
\$75,000+	595	84,484	49	7.0	04.3-09.7	16	3.8	01.6-06.0	530	89.2	85.9-92.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 2: DIABETES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13
	ARE YOU NOW TAKING INSULIN? (INSULIN)	
4	MALES AND FEMALES	14
5	MALES ONLY	15
6	FEMALES ONLY	16
	ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7	MALES AND FEMALES	17
8	MALES ONLY	18
9	FEMALES ONLY	19
	ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10	MALES AND FEMALES	20
11	MALES ONLY	21
12	FEMALES ONLY	22
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13	MALES AND FEMALES	23
14	MALES ONLY	24
15	FEMALES ONLY	25
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16	MALES AND FEMALES	26
17	MALES ONLY	27
18	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 2: DIABETES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28	MALES AND FEMALES	38
29	MALES ONLY	39
30	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	525	64,032	4	0.8	00.0-01.8	22	8.8	03.9-13.7	118	27.9	21.4-34.4	220	39.3	32.8-45.8	161	23.1	18.0-28.2
Male	206	30,520	2	1.4	00.0-03.4	6	5.4	00.3-10.5	42	32.5	21.3-43.7	90	37.0	27.0-47.0	66	23.7	15.1-32.3
Female	319	33,512	2	0.3	00.0-00.7	16	11.9	04.1-19.7	76	23.8	17.5-30.1	130	41.4	33.2-49.6	95	22.6	16.9-28.3
White/Non-Hisp	395	41,948	3	1.2	00.0-02.6	9	4.5	00.8-08.2	81	25.9	19.0-32.8	166	40.3	33.0-47.6	136	28.2	21.7-34.7
Black or Afr. Am./Non-Hisp	98	18,111				9	18.1	04.6-31.6	27	32.5	17.0-48.0	43	36.0	21.7-50.3	19	13.4	06.0-20.8
45-54	64	12,814	2	1.9	00.0-04.8	6	11.6	00.2-23.0	30	41.3	25.4-57.2	26	45.1	28.0-62.2			
55-64	137	14,579	1	1.7	00.0-04.8	5	3.5	00.0-07.2	39	32.2	20.6-43.8	84	57.2	45.8-68.6	8	5.5	01.2-09.8
65+	293	27,746							31	10.2	04.9-15.5	109	39.3	30.5-48.1	153	50.5	41.7-59.3
Less Than H.S.	57	15,385				4	8.2	00.0-17.8	9	16.8	04.5-29.1	22	44.6	27.2-62.0	22	30.3	15.0-45.6
H.S. or G.E.D.	175	19,795	1	0.9	00.0-02.7	7	9.4	00.8-18.0	35	22.1	14.3-29.9	83	43.8	34.4-53.2	49	23.7	16.3-31.1
Some Post-H.S.	155	19,256	1	1.3	00.0-03.8	6	9.5	00.0-20.1	45	42.6	28.3-56.9	61	31.5	20.7-42.3	42	15.2	08.7-21.7
College Graduate	135	9,363	2	1.2	00.0-03.0	5	7.2	00.9-13.5	29	29.1	18.5-39.7	51	35.5	25.9-45.1	48	27.0	19.0-35.0
Less than \$15,000	80	12,096				5	13.5	00.0-27.6	17	34.8	15.0-54.6	32	30.7	16.8-44.6	26	21.0	09.2-32.8
\$15,000- 24,999	87	11,945	1	2.0	00.0-05.9	3	7.0	00.0-17.6	19	15.0	06.6-23.4	40	52.1	36.2-68.0	24	23.9	12.3-35.5
\$35,000- 49,999	84	9,535	1	0.5	00.0-01.5	3	14.9	00.0-33.3	21	29.7	15.6-43.8	39	39.7	25.2-54.2	20	15.3	06.9-23.7
\$50,000- 74,999	57	4,819	1	3.8	00.0-11.1	4	8.1	00.3-15.9	15	30.2	16.7-43.7	23	39.4	25.3-53.5	14	18.5	08.5-28.5
\$75,000+	84	8,245	1	0.8	00.0-02.4	2	3.2	00.0-07.9	23	39.0	23.5-54.5	38	41.5	27.6-55.4	20	15.4	08.0-22.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	206	30,520	2	1.4	00.0-03.4	6	5.4	00.1-10.7	42	32.5	21.3-43.7	90	37.0	27.2-46.8	66	23.7	15.3-32.1
White/Non-Hisp	162	20,598	2	2.1	00.0-05.0	3	2.0	00.0-04.5	28	26.6	14.8-38.4	72	40.0	28.2-51.8	57	29.3	17.9-40.7
65+	123	14,207							12	10.4	01.8-19.0	46	39.3	24.8-53.8	65	50.3	35.4-65.2
H.S. or G.E.D.	66	8,205	1	2.2	00.0-06.5	1	7.4	00.0-20.9	11	20.2	07.9-32.5	36	43.6	28.1-59.1	17	26.7	13.0-40.4
Some Post-H.S.	56	10,708	1	2.3	00.0-06.8	1	4.2	00.0-12.4	17	52.6	32.6-72.6	23	29.5	13.6-45.4	14	11.4	02.6-20.2
College Graduate	66	5,102				3	7.5	00.0-16.1	11	24.1	09.4-38.8	24	37.1	23.2-51.0	28	31.3	19.5-43.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	319	33,512	2	0.3	00.0-00.7	16	11.9	04.1-19.7	76	23.8	17.5-30.1	130	41.4	33.2-49.6	95	22.6	16.9-28.3
White/Non-Hisp	233	21,350	1	0.3	00.0-00.9	6	6.9	00.0-13.8	53	25.1	17.8-32.4	94	40.6	32.4-48.8	79	27.1	20.0-34.2
Black or Afr. Am./Non-Hisp	70	10,492				7	21.1	01.9-40.3	19	19.8	08.0-31.6	30	44.3	24.9-63.7	14	14.7	05.1-24.3
55-64	89	8,354				5	6.1	00.0-12.4	25	26.3	15.7-36.9	52	58.8	46.5-71.1	7	8.7	01.4-16.0
65+	170	13,539							19	9.9	04.2-15.6	63	39.4	29.8-49.0	88	50.7	41.1-60.3
H.S. or G.E.D.	109	11,590				6	10.9	00.0-22.3	24	23.5	13.5-33.5	47	44.0	32.4-55.6	32	21.6	13.4-29.8
Some Post-H.S.	99	8,548				5	16.1	00.0-35.9	28	30.1	17.2-43.0	38	33.9	20.6-47.2	28	19.9	10.5-29.3
College Graduate	69	4,260	2	2.6	00.0-06.3	2	6.8	00.0-16.2	18	35.0	19.7-50.3	27	33.6	20.3-46.9	20	22.0	11.6-32.4
\$15,000- 24,999	66	8,308				3	10.1	00.0-25.0	16	15.8	06.0-25.6	27	50.5	30.5-70.5	20	23.6	10.7-36.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	556	68,565	142	28.8	22.5-35.1	414	71.2	64.9-77.5
Male	220	33,194	59	34.4	23.8-45.0	161	65.6	55.0-76.2
Female	336	35,371	83	23.5	17.2-29.8	253	76.5	70.2-82.8
White/Non-Hisp	416	44,362	103	31.3	23.9-38.7	313	68.7	61.3-76.1
Black or Afr. Am./Non-Hisp	108	20,231	30	25.7	12.8-38.6	78	74.3	61.4-87.2
45-54	65	12,887	19	24.8	12.6-37.0	46	75.2	63.0-87.4
55-64	145	16,454	37	31.0	19.4-42.6	108	69.0	57.4-80.6
65+	313	29,964	75	27.0	18.6-35.4	238	73.0	64.6-81.4
Less Than H.S.	63	17,130	18	30.4	14.9-45.9	45	69.6	54.1-85.1
H.S. or G.E.D.	185	20,755	53	30.7	22.1-39.3	132	69.3	60.7-77.9
Some Post-H.S.	164	20,210	40	30.3	17.0-43.6	124	69.7	56.4-83.0
College Graduate	141	10,238	30	19.7	11.5-27.9	111	80.3	72.1-88.5
Less than \$15,000	84	12,441	20	32.9	13.7-52.1	64	67.1	47.9-86.3
\$15,000- 24,999	93	13,129	37	35.9	22.4-49.4	56	64.1	50.6-77.6
\$35,000- 49,999	86	9,759	22	24.6	13.2-36.0	64	75.4	64.0-86.8
\$50,000- 74,999	62	5,930	12	23.7	10.6-36.8	50	76.3	63.2-89.4
\$75,000+	85	8,435	14	14.0	05.2-22.8	71	86.0	77.2-94.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	220	33,194	59	34.4	23.8-45.0	161	65.6	55.0-76.2
White/Non-Hisp	172	22,133	44	35.6	23.4-47.8	128	64.4	52.2-76.6
55-64	52	7,472	17	41.2	20.2-62.2	35	58.8	37.8-79.8
65+	132	15,562	31	31.6	17.3-45.9	101	68.4	54.1-82.7
H.S. or G.E.D.	71	8,787	22	36.9	22.0-51.8	49	63.1	48.2-78.0
Some Post-H.S.	59	10,946	14	36.2	14.2-58.2	45	63.8	41.8-85.8
College Graduate	69	5,841	16	21.1	09.1-33.1	53	78.9	66.9-90.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	336	35,371	83	23.5	17.2-29.8	253	76.5	70.2-82.8
White/Non-Hisp	244	22,228	59	27.0	19.0-35.0	185	73.0	65.0-81.0
Black or Afr. Am./Non-Hisp	76	11,473	21	18.5	08.5-28.5	55	81.5	71.5-91.5
55-64	93	8,982	20	22.6	12.0-33.2	73	77.4	66.8-88.0
65+	181	14,403	44	21.9	14.5-29.3	137	78.1	70.7-85.5
H.S. or G.E.D.	114	11,967	31	26.1	16.1-36.1	83	73.9	63.9-83.9
Some Post-H.S.	105	9,263	26	23.3	12.9-33.7	79	76.7	66.3-87.1
College Graduate	72	4,397	14	17.7	06.7-28.7	58	82.3	71.3-93.3
Less than \$15,000	51	5,890	11	22.9	01.7-44.1	40	77.1	55.9-98.3
\$15,000- 24,999	70	8,683	24	23.0	10.8-35.2	46	77.0	64.8-89.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	548	67,433	47	8.3	04.8-11.8	147	22.5	17.4-27.6	349	68.4	62.7-74.1	5	0.8	00.0-01.6
Male	215	32,313	23	10.6	04.1-17.1	66	25.2	16.6-33.8	125	63.6	53.6-73.6	1	0.6	00.0-01.8
Female	333	35,119	24	6.1	03.2-09.0	81	19.9	14.4-25.4	224	72.9	66.6-79.2	4	1.1	00.0-02.3
White/Non-Hisp	409	43,615	38	9.1	05.0-13.2	122	26.9	20.6-33.2	245	62.8	55.7-69.9	4	1.2	00.0-02.4
Black or Afr. Am./Non-Hisp	107	19,845	6	7.2	00.0-14.5	18	13.0	04.8-21.2	83	79.8	69.4-90.2			
45-54	64	12,696	7	10.9	00.7-21.1	17	23.4	11.2-35.6	39	64.2	48.9-79.5	1	1.4	00.0-04.1
55-64	145	16,454	11	7.7	02.4-13.0	37	25.1	15.5-34.7	97	67.2	56.8-77.6			
65+	307	29,113	26	6.5	03.4-09.6	86	24.3	16.5-32.1	192	68.0	60.0-76.0	3	1.1	00.0-02.5
Less Than H.S.	61	16,466	3	3.9	00.0-08.6	9	15.8	02.5-29.1	48	79.5	65.8-93.2	1	0.7	00.0-02.1
H.S. or G.E.D.	185	20,755	16	10.6	03.7-17.5	39	19.8	12.7-26.9	127	67.7	58.9-76.5	3	1.9	00.0-04.3
Some Post-H.S.	161	19,867	14	8.1	00.8-15.4	49	21.5	13.1-29.9	98	70.4	59.8-81.0			
College Graduate	138	10,111	14	11.2	04.3-18.1	49	40.8	29.2-52.4	74	47.6	36.6-58.6	1	0.5	00.0-01.5
Less than \$15,000	81	12,159	6	10.1	00.0-20.9	17	9.8	02.7-16.9	58	80.1	67.8-92.4			
\$15,000- 24,999	91	12,466	4	1.8	00.0-03.8	14	13.4	05.2-21.6	72	83.9	75.1-92.7	1	1.0	00.0-03.0
\$35,000- 49,999	85	9,693	6	7.8	00.4-15.2	27	26.5	14.0-39.0	51	65.3	51.2-79.4	1	0.5	00.0-01.5
\$50,000- 74,999	61	5,840	9	12.1	03.9-20.3	19	34.7	18.0-51.4	32	50.1	34.2-66.0	1	3.1	00.0-09.2
\$75,000+	85	8,435	6	8.7	00.9-16.5	36	42.1	28.2-56.0	43	49.2	34.7-63.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	215	32,313	23	10.6	04.1-17.1	66	25.2	16.6-33.8	125	63.6	53.6-73.6	1	0.6	00.0-01.8
White/Non-Hisp	168	21,638	19	11.9	04.3-19.5	55	27.5	16.9-38.1	93	59.7	48.1-71.3	1	0.8	00.0-02.4
55-64	52	7,472	5	7.9	00.6-15.2	18	32.1	13.7-50.5	29	60.1	40.7-79.5			
65+	128	14,770	13	6.9	02.0-11.8	39	26.5	13.0-40.0	76	66.6	52.9-80.3			
H.S. or G.E.D.	71	8,787	9	15.8	02.3-29.3	19	24.1	12.3-35.9	42	58.1	42.8-73.4	1	2.1	00.0-06.2
Some Post-H.S.	57	10,795	6	10.2	00.0-22.9	16	19.0	06.5-31.5	35	70.8	53.7-87.9			
College Graduate	68	5,775	7	11.5	01.3-21.7	29	47.8	31.5-64.1	32	40.7	25.8-55.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	333	35,119	24	6.1	03.2-09.0	81	19.9	14.4-25.4	224	72.9	66.6-79.2	4	1.1	00.0-02.3
White/Non-Hisp	241	21,977	19	6.3	03.2-09.4	67	26.3	19.0-33.6	152	65.9	58.3-73.5	3	1.5	00.0-03.3
Black or Afr. Am./Non-Hisp	76	11,473	3	5.7	00.0-12.8	11	8.0	01.9-14.1	62	86.3	77.1-95.5			
55-64	93	8,982	6	7.6	00.3-14.9	19	19.2	09.8-28.6	68	73.2	62.0-84.4			
65+	179	14,342	13	6.2	02.5-09.9	47	22.1	14.7-29.5	116	69.5	61.3-77.7	3	2.3	00.0-05.0
H.S. or G.E.D.	114	11,967	7	6.8	00.9-12.7	20	16.7	08.3-25.1	85	74.7	64.7-84.7	2	1.8	00.0-04.3
Some Post-H.S.	104	9,072	8	5.6	01.3-09.9	33	24.5	14.1-34.9	63	69.8	58.2-81.4			
College Graduate	70	4,336	7	10.8	02.6-19.0	20	31.5	17.2-45.8	42	56.7	42.0-71.4	1	1.1	00.0-03.3
\$15,000- 24,999	70	8,683	4	2.5	00.0-05.2	13	16.5	05.5-27.5	52	79.6	67.6-91.6	1	1.4	00.0-04.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	549	67,981	356	66.1	60.0-72.2	83	12.5	09.2-15.8	24	4.7	02.2-07.2	10	3.3	00.0-06.6	57	10.4	06.1-14.7	19	3.0	01.2-04.8
Male	218	33,024	133	64.4	54.6-74.2	37	12.4	07.3-17.5	12	5.1	00.8-09.4	7	5.9	00.0-12.4	23	10.5	04.6-16.4	6	1.8	00.0-03.8
Female	331	34,956	223	67.7	60.1-75.3	46	12.6	08.3-16.9	12	4.4	01.5-07.3	3	0.9	00.0-02.1	34	10.3	04.0-16.6	13	4.1	01.4-06.8
White/Non-Hisp	410	43,879	257	66.0	59.3-72.7	68	14.2	10.1-18.3	19	4.8	02.3-07.3	8	4.5	00.0-09.4	43	7.7	04.8-10.6	15	2.8	01.0-04.6
Black or Afr. Am./Non-Hisp	108	20,231	73	63.3	49.2-77.4	14	10.9	03.8-18.0	5	5.6	00.0-12.3	1	0.5	00.0-01.5	11	15.9	03.6-28.2	4	3.9	00.0-08.0
45-54	64	12,696	38	49.7	32.6-66.8	11	14.1	04.1-24.1	6	12.3	00.7-23.9				7	21.2	04.0-38.4	2	2.7	00.0-07.2
55-64	144	16,380	102	71.8	61.8-81.8	21	12.3	05.8-18.8	6	4.2	00.3-08.1	4	2.7	00.0-05.6	8	7.4	00.1-14.7	3	1.6	00.0-03.4
65+	309	29,747	194	64.6	56.4-72.8	47	13.5	09.0-18.0	12	3.2	01.2-05.2	4	5.0	00.0-12.1	39	9.8	05.9-13.7	13	3.9	01.2-06.6
Less Than H.S.	63	17,130	42	65.1	48.8-81.4	6	6.0	00.9-11.1	4	6.1	00.0-13.9	3	8.4	00.0-20.4	6	12.2	00.0-24.5	2	2.2	00.0-05.5
H.S. or G.E.D.	184	20,683	110	58.2	48.8-67.6	37	20.9	13.5-28.3	6	3.6	00.0-07.5	5	2.7	00.3-05.1	22	12.9	05.6-20.2	4	1.7	00.0-03.7
Some Post-H.S.	162	19,917	115	79.0	71.0-87.0	18	8.7	03.0-14.4	6	3.5	00.4-06.6				16	5.1	02.0-08.2	7	3.7	00.2-07.2
College Graduate	137	10,017	86	57.6	46.0-69.2	22	13.9	07.4-20.4	8	7.3	01.8-12.8	2	2.8	00.0-06.9	13	12.7	01.9-23.5	6	5.7	00.0-11.8
Less than \$15,000	82	12,225	57	72.1	56.8-87.4	9	6.1	01.0-11.2	3	7.4	00.0-18.0	1	0.6	00.0-01.8	9	9.9	00.0-20.3	3	3.9	00.0-09.0
\$15,000- 24,999	93	13,129	67	72.1	57.2-87.0	17	15.2	06.8-23.6	2	1.4	00.0-03.6	1	0.7	00.0-02.1	3	8.8	00.0-23.7	3	1.7	00.0-03.7
\$35,000- 49,999	85	9,657	53	65.9	52.6-79.2	18	19.8	09.0-30.6	3	3.2	00.0-06.9				8	6.5	01.6-11.4	3	4.7	00.0-11.0
\$50,000- 74,999	62	5,930	36	53.6	37.3-69.9	9	13.0	03.8-22.2	4	5.3	00.0-11.0	2	5.2	00.0-12.5	9	21.0	03.8-38.2	2	1.9	00.0-04.6
\$75,000+	84	8,340	58	70.9	58.6-83.2	12	10.8	03.5-18.1	5	8.1	00.0-16.5	2	2.8	00.0-06.9	5	4.8	00.0-09.7	2	2.6	00.0-07.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	218	33,024	133	64.4	54.4-74.4	37	12.4	07.3-17.5	12	5.1	00.6-09.6	7	5.9	00.0-12.6	23	10.5	04.6-16.4	6	1.8	00.0-03.8
White/Non-Hisp	170	21,963	97	63.3	52.3-74.3	33	14.5	08.2-20.8	11	4.6	01.5-07.7	6	7.9	00.0-17.5	18	8.1	03.4-12.8	5	1.4	00.0-02.8
55-64	51	7,398	33	70.0	52.0-88.0	8	9.2	00.8-17.6	3	5.4	00.0-11.7	2	3.7	00.0-09.4	4	10.5	00.0-25.4	1	1.2	00.0-03.7
65+	131	15,466	82	66.9	53.6-80.2	22	12.2	05.9-18.5	6	2.6	00.2-05.0	3	8.6	00.0-21.7	15	8.6	03.1-14.1	3	1.1	00.0-02.5
H.S. or G.E.D.	71	8,787	39	51.8	36.5-67.1	19	26.6	14.1-39.1	2	1.4	00.0-03.6	2	2.7	00.0-06.4	8	17.0	02.5-31.5	1	0.6	00.0-01.8
Some Post-H.S.	59	10,946	42	82.5	71.1-93.9	8	9.8	00.4-19.2	2	2.4	00.0-06.1				6	4.9	00.2-09.6	1	0.4	00.0-01.2
College Graduate	67	5,671	39	52.4	35.7-69.1	9	8.7	02.6-14.8	6	8.6	01.3-15.9	2	4.9	00.0-12.2	7	16.4	00.0-34.0	4	9.0	00.0-19.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	331	34,956	223	67.7	60.1-75.3	46	12.6	08.3-16.9	12	4.4	01.5-07.3	3	0.9	00.0-02.1	34	10.3	04.0-16.6	13	4.1	01.4-06.8
White/Non-Hisp	240	21,916	160	68.7	61.3-76.1	35	13.9	08.6-19.2	8	4.9	00.8-09.0	2	1.1	00.0-02.7	25	7.2	03.9-10.5	10	4.2	00.9-07.5
Black or Afr. Am./Non-Hisp	76	11,473	51	63.6	46.0-81.2	10	11.4	03.2-19.6	4	4.0	00.0-08.5	1	0.8	00.0-02.4	7	15.7	00.0-32.8	3	4.4	00.0-09.9
55-64	93	8,982	69	73.3	62.1-84.5	13	15.0	05.6-24.4	3	3.3	00.0-08.2	2	1.9	00.0-04.4	4	4.8	00.0-09.9	2	1.8	00.0-04.3
65+	178	14,281	112	62.1	52.9-71.3	25	14.8	08.3-21.3	6	3.9	00.6-07.2	1	1.1	00.0-03.3	24	11.2	05.9-16.5	10	6.9	01.6-12.2
H.S. or G.E.D.	113	11,896	71	62.9	51.5-74.3	18	16.6	08.0-25.2	4	5.2	00.0-11.7	3	2.7	00.0-06.0	14	9.9	04.0-15.8	3	2.6	00.0-05.9
Some Post-H.S.	103	8,970	73	74.8	63.8-85.8	10	7.5	02.0-13.0	4	4.7	00.0-09.8				10	5.3	01.6-09.0	6	7.7	00.3-15.1
College Graduate	70	4,346	47	64.5	50.4-78.6	13	20.8	09.0-32.6	2	5.6	00.0-14.4				6	7.8	01.1-14.5	2	1.3	00.0-03.1
\$15,000- 24,999	70	8,683	51	67.5	47.3-87.7	12	15.6	05.4-25.8	1	0.5	00.0-01.5	1	1.1	00.0-03.3	3	13.3	00.0-34.9	2	2.0	00.0-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LANDWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	550	66,643	60	13.2	08.1-18.3	115	19.8	15.1-24.5	97	18.1	12.8-23.4	184	31.2	25.3-37.1	50	10.1	06.2-14.0	44	7.6	04.3-10.9
Male	218	32,531	24	14.8	06.2-23.4	54	18.8	12.7-24.9	41	22.3	12.9-31.7	57	25.4	15.8-35.0	21	8.9	04.0-13.8	21	9.8	03.7-15.9
Female	332	34,111	36	11.7	06.6-16.8	61	20.7	14.0-27.4	56	14.1	09.4-18.8	127	36.7	29.6-43.8	29	11.3	05.0-17.6	23	5.5	03.0-08.0
White/Non-Hisp	413	43,995	48	15.0	08.5-21.5	79	17.7	13.2-22.2	77	18.5	12.4-24.6	144	34.0	27.3-40.7	32	8.9	04.4-13.4	33	5.9	03.5-08.3
Black or Afr. Am./Non-Hisp	105	18,675	8	9.8	01.2-18.4	26	21.6	10.0-33.2	17	20.2	08.4-32.0	32	26.6	13.1-40.1	15	14.0	04.8-23.2	7	7.8	00.2-15.4
45-54	64	11,811	6	8.8	01.4-16.2	14	15.4	06.0-24.8	10	18.8	05.3-32.3	18	22.0	10.2-33.8	9	18.3	05.0-31.6	7	16.7	02.4-31.0
55-64	144	16,359	18	11.9	05.4-18.4	31	18.2	10.9-25.5	25	19.7	10.5-28.9	43	29.8	18.8-40.8	15	13.3	05.1-21.5	12	7.2	01.5-12.9
65+	309	29,212	32	14.7	06.5-22.9	63	22.3	16.0-28.6	56	17.9	10.1-25.7	111	34.0	26.6-41.4	24	5.1	02.7-07.5	23	6.0	03.3-08.7
Less Than H.S.	59	15,296	6	18.3	03.0-33.6	12	13.7	05.1-22.3	7	18.8	03.5-34.1	21	25.8	13.6-38.0	10	21.1	07.2-35.0	3	2.3	00.0-05.0
H.S. or G.E.D.	184	20,719	15	12.0	04.4-19.6	35	18.8	12.1-25.5	29	13.3	07.6-19.0	71	37.3	28.5-46.1	20	10.7	05.0-16.4	14	7.8	01.5-14.1
Some Post-H.S.	163	20,156	19	11.2	03.6-18.8	34	21.5	10.9-32.1	31	19.2	09.8-28.6	53	33.1	19.8-46.4	9	3.1	00.2-06.0	17	11.9	03.7-20.1
College Graduate	141	10,238	20	12.6	06.3-18.9	34	27.7	17.9-37.5	29	24.5	13.1-35.9	37	22.2	13.8-30.6	11	6.5	01.6-11.4	10	6.5	02.2-10.8
Less than \$15,000	83	12,406	5	7.6	00.0-17.2	13	13.6	04.2-23.0	19	24.3	10.0-38.6	28	32.6	14.6-50.6	14	14.8	03.0-26.6	4	7.1	00.0-16.7
\$15,000- 24,999	89	11,295	7	14.8	01.9-27.7	10	9.9	02.8-17.0	9	8.4	01.7-15.1	44	41.9	28.0-55.8	11	19.5	05.4-33.6	8	5.5	01.0-10.0
\$35,000- 49,999	86	9,759	11	11.2	03.0-19.4	26	29.1	12.2-46.0	13	13.4	04.6-22.2	24	27.9	15.6-40.2	6	10.4	00.8-20.0	6	8.1	00.0-16.9
\$50,000- 74,999	62	5,930	9	10.3	03.0-17.6	11	18.3	07.3-29.3	13	26.2	09.1-43.3	18	28.0	15.1-40.9	2	4.8	00.0-12.1	9	12.4	03.8-21.0
\$75,000+	85	8,435	12	14.3	05.3-23.3	23	31.8	18.7-44.9	11	14.6	00.5-28.7	29	31.6	18.9-44.3	4	2.1	00.0-04.3	6	5.6	00.3-10.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	218	32,531	24	14.8	06.0-23.6	54	18.8	12.7-24.9	41	22.3	12.7-31.9	57	25.4	15.6-35.2	21	8.9	04.0-13.8	21	9.8	03.7-15.9
White/Non-Hisp	171	21,855	20	19.2	07.4-31.0	38	18.1	11.0-25.2	32	20.3	09.7-30.9	47	25.0	15.4-34.6	16	10.7	03.8-17.6	18	6.7	03.0-10.4
55-64	52	7,472	5	6.7	00.0-13.4	15	19.5	08.7-30.3	12	23.8	06.7-40.9	10	21.5	01.1-41.9	6	18.8	03.3-34.3	4	9.7	00.0-21.7
65+	130	14,898	15	20.5	05.4-35.6	31	22.9	13.3-32.5	22	19.4	05.7-33.1	37	25.6	15.4-35.8	12	5.7	01.8-09.6	13	6.0	02.1-09.9
H.S. or G.E.D.	71	8,787	4	6.2	00.0-13.5	16	21.3	10.1-32.5	12	12.9	04.5-21.3	23	32.3	18.6-46.0	9	15.8	04.2-27.4	7	11.6	00.0-24.5
Some Post-H.S.	59	10,946	7	11.7	00.0-24.4	14	14.4	05.0-23.8	15	26.0	09.5-42.5	11	29.3	06.8-51.8	4	2.7	00.0-06.4	8	15.8	01.7-29.9
College Graduate	69	5,841	9	10.3	03.0-17.6	20	30.2	16.7-43.7	12	26.2	08.4-44.0	17	20.3	08.7-31.9	5	5.5	00.2-10.8	6	7.4	00.9-13.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	332	34,111	36	11.7	06.6-16.8	61	20.7	14.0-27.4	56	14.1	09.4-18.8	127	36.7	29.6-43.8	29	11.3	05.0-17.6	23	5.5	03.0-08.0			
White/Non-Hisp	242	22,139	28	11.0	06.3-15.7	41	17.3	11.4-23.2	45	16.7	10.8-22.6	97	42.9	34.7-51.1	16	7.0	00.7-13.3	15	5.2	02.3-08.1			
Black or Afr. Am./Non-Hisp	74	10,302	5	12.3	00.0-25.6	17	27.7	10.3-45.1	10	10.3	02.5-18.1	24	23.1	11.1-35.1	13	22.4	07.5-37.3	5	4.1	00.0-08.2			
55-64	92	8,887	13	16.3	06.3-26.3	16	17.1	07.9-26.3	13	16.2	06.4-26.0	33	36.8	24.8-48.8	9	8.6	01.3-15.9	8	5.0	01.3-08.7			
65+	179	14,314	17	8.8	04.1-13.5	32	21.5	13.3-29.7	34	16.4	09.7-23.1	74	42.7	33.3-52.1	12	4.5	01.8-07.2	10	6.1	02.0-10.2			
H.S. or G.E.D.	113	11,932	11	16.3	04.5-28.1	19	16.9	08.5-25.3	17	13.7	05.9-21.5	48	41.0	29.6-52.4	11	7.0	02.3-11.7	7	5.1	00.6-09.6			
Some Post-H.S.	104	9,209	12	10.5	03.4-17.6	20	30.0	12.9-47.1	16	11.0	04.5-17.5	42	37.5	24.2-50.8	5	3.7	00.0-08.4	9	7.3	01.6-13.0			
College Graduate	72	4,397	11	15.5	04.9-26.1	14	24.3	10.2-38.4	17	22.3	11.3-33.3	20	24.7	12.7-36.7	6	7.8	00.0-16.6	4	5.4	00.1-10.7			
Less than \$15,000	50	5,855	1	0.8	00.0-02.4	10	18.9	04.2-33.6	10	20.9	05.6-36.2	20	35.8	16.6-55.0	7	19.8	00.0-40.8	2	3.7	00.0-10.2			
\$15,000- 24,999	68	7,512	5	15.9	00.0-32.8	9	13.6	03.6-23.6	5	3.3	00.2-06.4	35	43.0	26.5-59.5	7	16.4	00.0-33.8	7	7.9	01.0-14.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	516	62,246	213	41.5	34.8-48.2	242	42.2	35.7-48.7	11	2.2	00.6-03.8	5	2.3	00.0-04.8	45	11.8	06.5-17.1
Male	208	29,601	93	43.6	33.2-54.0	86	35.6	26.4-44.8	8	3.5	00.4-06.6	3	2.3	00.0-05.0	18	15.1	05.3-24.9
Female	308	32,645	120	39.5	31.3-47.7	156	48.1	39.7-56.5	3	1.1	00.0-02.5	2	2.3	00.0-06.6	27	8.9	04.8-13.0
White/Non-Hisp	386	40,534	158	39.5	32.6-46.4	185	44.1	37.2-51.0	7	1.6	00.2-03.0	3	1.7	00.0-03.7	33	13.2	06.1-20.3
Black or Afr. Am./Non-Hisp	100	18,224	39	45.4	29.5-61.3	46	37.5	23.2-51.8	4	4.0	00.0-08.9	2	4.2	00.0-11.6	9	8.9	01.1-16.7
45-54	61	11,480	28	40.4	23.0-57.8	24	39.8	22.7-56.9	1	1.2	00.0-03.6	2	7.2	00.0-19.0	6	11.4	00.2-22.6
55-64	138	15,831	64	44.9	33.5-56.3	61	40.7	29.7-51.7	2	0.7	00.0-01.7	1	0.3	00.0-00.9	10	13.4	02.4-24.4
65+	284	25,675	104	34.9	27.5-42.3	145	45.8	37.8-53.8	6	3.0	00.0-06.3	2	2.2	00.0-05.1	27	14.1	05.3-22.9
Less Than H.S.	52	13,351	14	29.3	12.6-46.0	21	30.5	15.8-45.2	3	4.6	00.0-10.7	3	9.6	00.0-21.0	11	26.0	09.1-42.9
H.S. or G.E.D.	171	18,967	73	44.3	34.7-53.9	81	45.8	36.4-55.2	4	2.1	00.0-04.3				13	7.8	01.1-14.5
Some Post-H.S.	156	19,745	65	43.4	30.3-56.5	75	45.1	32.0-58.2	3	1.4	00.0-03.6	1	0.2	00.0-00.8	12	9.7	01.1-18.3
College Graduate	134	9,950	61	49.4	38.0-60.8	62	43.7	32.7-54.7	1	0.7	00.0-02.1	1	1.1	00.0-03.3	9	5.0	01.5-08.5
Less than \$15,000	75	10,846	19	26.4	06.6-46.2	40	46.7	28.5-64.9	1	1.2	00.0-03.6	3	4.1	00.0-09.8	12	21.5	06.2-36.8
\$15,000- 24,999	85	11,815	29	44.3	27.4-61.2	43	35.5	22.2-48.8	3	4.8	00.0-11.5	2	8.4	00.0-20.4	8	7.0	01.1-12.9
\$35,000- 49,999	82	9,466	41	34.9	21.6-48.2	37	61.8	47.9-75.7	1	0.8	00.0-02.4				3	2.5	00.0-05.4
\$50,000- 74,999	60	5,817	30	54.3	38.8-69.8	25	37.3	22.8-51.8	1	3.7	00.0-10.8				4	4.7	00.0-09.6
\$75,000+	84	8,245	40	55.2	41.3-69.1	42	42.3	28.6-56.0							2	2.5	00.0-06.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	208	29,601	93	43.6	33.2-54.0	86	35.6	26.4-44.8	8	3.5	00.4-06.6	3	2.3	00.0-05.0	18	15.1	05.3-24.9
White/Non-Hisp	164	19,964	71	39.9	29.1-50.7	69	36.1	25.9-46.3	7	3.2	00.7-05.7	3	3.4	00.0-07.5	14	17.4	04.5-30.3
55-64	50	7,287	29	51.2	30.8-71.6	18	33.8	15.2-52.4	1	1.0	00.0-03.0				2	14.0	00.0-35.0
65+	124	13,085	47	33.6	22.2-45.0	56	36.5	25.1-47.9	5	5.2	00.0-11.5	2	4.3	00.0-10.2	14	20.3	04.4-36.2
H.S. or G.E.D.	65	7,699	28	39.0	24.3-53.7	27	43.5	28.4-58.6	3	4.7	00.0-10.0				7	12.8	00.0-27.3
Some Post-H.S.	59	10,946	25	48.8	28.8-68.8	26	37.5	18.9-56.1	2	0.6	00.0-01.6				6	13.0	00.0-27.9
College Graduate	67	5,750	35	55.0	39.3-70.7	28	39.0	23.9-54.1	1	1.3	00.0-03.8	1	2.0	00.0-05.9	2	2.8	00.0-06.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 18: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	308	32,645	120	39.5	31.1-47.9	156	48.1	39.7-56.5	3	1.1	00.0-02.5	2	2.3	00.0-06.6	27	8.9	04.8-13.0
White/Non-Hisp	222	20,570	87	39.2	31.0-47.4	116	51.8	43.4-60.2							19	9.1	04.2-14.0
Black or Afr. Am./Non-Hisp	71	10,625	24	38.2	18.8-57.6	37	45.5	26.7-64.3	3	3.3	00.0-07.8	2	7.2	00.0-19.9	5	5.9	00.0-12.4
55-64	88	8,544	35	39.4	27.1-51.7	43	46.7	34.0-59.4	1	0.5	00.0-01.5	1	0.6	00.0-01.8	8	12.9	02.9-22.9
65+	160	12,591	57	36.3	27.1-45.5	89	55.4	45.8-65.0	1	0.7	00.0-02.1				13	7.6	03.1-12.1
H.S. or G.E.D.	106	11,268	45	47.8	35.5-60.1	54	47.4	35.2-59.6	1	0.3	00.0-01.1				6	4.4	00.0-08.9
Some Post-H.S.	97	8,798	40	36.8	23.3-50.3	49	54.5	39.2-69.8	1	2.4	00.0-07.1	1	0.6	00.0-01.8	6	5.7	00.2-11.2
College Graduate	67	4,200	26	41.9	26.6-57.2	34	50.0	34.9-65.1							7	8.1	01.8-14.4
\$15,000- 24,999	64	8,213	22	49.9	29.3-70.5	33	32.0	16.7-47.3	1	0.5	00.0-01.5	1	8.7	00.0-24.8	7	8.9	00.9-16.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	526	64,487	100	19.3	13.8-24.8	98	24.3	17.6-31.0	54	9.6	06.1-13.1	124	21.6	16.5-26.7	50	8.3	05.0-11.6	100	17.0	12.7-21.3	
Male	207	31,182	41	20.4	11.0-29.8	42	26.1	15.7-36.5	23	10.3	04.2-16.4	41	17.6	10.5-24.7	21	9.3	03.2-15.4	39	16.2	09.3-23.1	
Female	319	33,304	59	18.1	12.0-24.2	56	22.5	14.3-30.7	31	8.8	05.1-12.5	83	25.3	18.0-32.6	29	7.4	04.1-10.7	61	17.8	12.3-23.3	
White/Non-Hisp	394	42,253	75	18.5	13.0-24.0	68	22.0	14.7-29.3	37	7.9	04.6-11.2	96	24.0	17.7-30.3	36	8.9	04.4-13.4	82	18.6	13.7-23.5	
Black or Afr. Am./Non-Hisp	101	18,480	22	22.9	08.8-37.0	18	24.8	10.3-39.3	14	13.4	04.2-22.6	21	16.2	06.2-26.2	13	8.3	02.8-13.8	13	14.3	04.5-24.1	
45-54	61	11,615	9	14.2	04.2-24.2	14	28.8	10.6-47.0	4	5.0	00.0-10.5	9	18.4	04.1-32.7	7	7.1	01.0-13.2	18	26.4	11.9-40.9	
55-64	139	15,848	37	20.7	13.3-28.1	23	16.3	07.9-24.7	15	13.8	05.0-22.6	28	19.8	11.4-28.2	12	12.3	01.7-22.9	24	17.0	09.4-24.6	
65+	295	28,176	48	15.2	09.5-20.9	52	27.6	17.8-37.4	34	9.7	06.0-13.4	82	25.1	18.0-32.2	28	7.4	04.3-10.5	51	15.0	09.5-20.5	
Less Than H.S.	56	15,251	9	13.4	03.8-23.0	13	34.2	15.4-53.0	7	9.1	01.3-16.9	14	25.5	10.6-40.4	5	6.2	00.3-12.1	8	11.7	02.9-20.5	
H.S. or G.E.D.	178	19,990	27	17.8	09.4-26.2	38	20.8	13.9-27.7	18	8.7	04.2-13.2	50	27.6	19.2-36.0	12	4.8	01.9-07.7	33	20.3	12.1-28.5	
Some Post-H.S.	157	19,472	35	25.2	12.1-38.3	20	18.6	06.8-30.4	19	13.1	04.5-21.7	35	13.6	07.1-20.1	18	11.7	02.9-20.5	30	17.8	09.4-26.2	
College Graduate	132	9,540	29	20.0	12.0-28.0	26	27.1	14.9-39.3	10	5.1	01.8-08.4	24	18.3	09.5-27.1	14	12.1	05.4-18.8	29	17.5	10.2-24.8	
Less than \$15,000	79	11,243	13	24.0	04.2-43.8	16	17.8	06.8-28.8	8	6.7	01.0-12.4	20	25.7	10.0-41.4	9	6.9	01.4-12.4	13	18.9	04.8-33.0	
\$15,000- 24,999	88	12,606	13	17.6	05.4-29.8	11	18.5	03.0-34.0	10	12.1	03.1-21.1	31	31.6	17.3-45.9	8	6.8	00.7-12.9	15	13.4	04.2-22.6	
\$35,000- 49,999	83	9,309	20	18.4	08.6-28.2	16	25.5	07.7-43.3	7	10.4	00.4-20.4	15	16.5	06.1-26.9	7	8.4	01.5-15.3	18	20.8	08.8-32.8	
\$50,000- 74,999	60	5,817	16	20.4	10.0-30.8	12	28.9	11.5-46.3	5	3.2	00.1-06.3	11	17.6	06.2-29.0	5	11.1	01.3-20.9	11	18.7	07.7-29.7	
\$75,000+	83	8,220	23	26.8	14.5-39.1	13	16.3	06.1-26.5	8	15.6	00.7-30.5	14	16.3	06.3-26.3	7	5.4	01.1-09.7	18	19.6	09.4-29.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	207	31,182	41	20.4	11.0-29.8	42	26.1	15.7-36.5	23	10.3	04.2-16.4	41	17.6	10.5-24.7	21	9.3	03.2-15.4	39	16.2	09.1-23.3
White/Non-Hisp	162	21,102	34	18.7	10.1-27.3	27	25.5	13.0-38.0	17	8.5	03.0-14.0	34	19.2	10.4-28.0	18	12.0	03.8-20.2	32	16.0	08.7-23.3
65+	126	14,912	21	14.6	06.6-22.6	27	34.2	18.5-49.9	12	5.0	01.9-08.1	30	24.0	12.8-35.2	14	7.5	03.0-12.0	22	14.7	06.1-23.3
H.S. or G.E.D.	68	8,548	12	17.4	06.4-28.4	15	21.0	09.8-32.2	5	6.1	00.2-12.0	15	26.1	11.6-40.6	5	6.0	00.7-11.3	16	23.5	08.8-38.2
Some Post-H.S.	58	10,902	11	28.1	06.7-49.5	9	16.4	02.5-30.3	11	18.2	03.5-32.9	9	9.5	00.3-18.7	9	14.0	00.0-28.5	9	13.8	02.4-25.2
College Graduate	63	5,230	15	18.0	07.8-28.2	13	33.7	15.1-52.3	6	5.7	01.0-10.4	12	18.1	05.9-30.3	5	7.7	00.8-14.6	12	16.7	05.9-27.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	319	33,304	59	18.1	11.8-24.4	56	22.5	14.3-30.7	31	8.8	05.1-12.5	83	25.3	18.0-32.6	29	7.4	04.1-10.7	61	17.8	12.3-23.3
White/Non-Hisp	232	21,151	41	18.3	11.4-25.2	41	18.6	12.3-24.9	20	7.3	03.6-11.0	62	28.8	20.4-37.2	18	5.8	02.7-08.9	50	21.1	14.4-27.8
Black or Afr. Am./Non-Hisp	72	10,703	16	19.5	06.0-33.0	11	30.2	09.0-51.4	9	10.3	02.5-18.1	17	17.8	04.1-31.5	11	11.5	03.1-19.9	8	10.7	00.9-20.5
55-64	90	8,600	24	25.1	14.7-35.5	14	12.8	05.5-20.1	7	7.4	00.1-14.7	21	25.6	14.6-36.6	8	7.2	00.7-13.7	16	21.9	10.3-33.5
65+	169	13,264	27	15.8	08.0-23.6	25	20.3	11.7-28.9	22	15.1	08.4-21.8	52	26.3	18.1-34.5	14	7.2	03.1-11.3	29	15.3	08.8-21.8
H.S. or G.E.D.	110	11,442	15	18.1	05.9-30.3	23	20.7	11.9-29.5	13	10.7	04.0-17.4	35	28.7	18.3-39.1	7	3.9	00.8-07.0	17	17.9	09.1-26.7
Some Post-H.S.	99	8,571	24	21.6	11.4-31.8	11	21.4	02.6-40.2	8	6.6	01.9-11.3	26	18.7	09.7-27.7	9	8.7	01.4-16.0	21	23.0	10.8-35.2
College Graduate	69	4,309	14	22.3	09.6-35.0	13	19.0	07.4-30.6	4	4.4	00.0-09.3	12	18.6	05.7-31.5	9	17.3	05.5-29.1	17	18.4	09.0-27.8
\$15,000- 24,999	67	8,389	7	14.3	00.0-29.6	9	23.7	02.1-45.3	7	9.0	01.2-16.8	25	33.0	14.8-51.2	6	4.8	00.1-09.5	13	15.2	04.2-26.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	552	67,103	133	22.0	17.1-26.9	315	50.8	44.3-57.3	57	11.6	07.7-15.5	43	13.2	07.1-19.3	4	2.4	00.0-06.1
Male	219	32,906	52	20.9	13.6-28.2	123	47.0	36.6-57.4	24	12.1	05.4-18.8	19	16.1	06.1-26.1	1	3.9	00.0-11.3
Female	333	34,197	81	23.1	16.4-29.8	192	54.4	46.6-62.2	33	11.2	06.9-15.5	24	10.4	03.5-17.3	3	0.9	00.0-02.1
White/Non-Hisp	413	43,975	97	21.5	15.6-27.4	236	53.5	46.1-60.9	44	12.3	07.4-17.2	34	12.2	05.3-19.1	2	0.5	00.0-01.3
Black or Afr. Am./Non-Hisp	107	19,155	26	23.0	12.2-33.8	64	46.5	32.6-60.4	8	9.0	01.2-16.8	7	14.2	01.7-26.7	2	7.2	00.0-19.5
45-54	64	11,811	14	22.6	09.7-35.5	33	46.5	30.6-62.4	8	7.5	01.4-13.6	8	23.0	06.5-39.5	1	0.5	00.0-01.5
55-64	145	16,454	35	21.6	13.0-30.2	75	53.2	42.0-64.4	21	17.1	08.1-26.1	14	8.1	02.4-13.8			
65+	310	29,578	76	21.8	15.3-28.3	192	56.7	47.7-65.7	23	9.0	03.9-14.1	18	12.2	02.8-21.6	1	0.3	00.0-00.9
Less Than H.S.	61	15,766	13	22.2	09.1-35.3	35	46.2	30.3-62.1	5	8.9	01.1-16.7	8	22.8	05.2-40.4			
H.S. or G.E.D.	185	20,755	46	25.1	16.7-33.5	105	52.6	43.2-62.0	20	11.0	04.9-17.1	12	10.1	02.8-17.4	2	1.2	00.0-03.0
Some Post-H.S.	163	20,143	36	17.9	09.5-26.3	92	48.0	34.9-61.1	19	13.9	05.7-22.1	14	13.6	02.4-24.8	2	6.7	00.0-18.5
College Graduate	140	10,207	37	23.9	15.1-32.7	81	59.2	47.8-70.6	13	12.7	01.9-23.5	9	4.2	01.1-07.3			
Less than \$15,000	83	12,153	20	27.3	11.6-43.0	46	44.3	27.2-61.4	9	7.1	01.0-13.2	6	9.3	00.0-19.7	2	11.9	00.0-30.7
\$15,000- 24,999	92	12,053	25	23.4	10.5-36.3	46	48.6	34.5-62.7	10	15.0	04.2-25.8	10	12.3	00.7-23.9	1	0.7	00.0-02.1
\$35,000- 49,999	86	9,759	22	22.4	11.4-33.4	42	42.1	27.2-57.0	11	13.1	04.9-21.3	10	21.9	03.9-39.9	1	0.6	00.0-01.8
\$50,000- 74,999	62	5,930	14	18.6	08.2-29.0	37	59.3	42.8-75.8	6	16.0	00.0-33.1	5	6.1	00.4-11.8			
\$75,000+	85	8,435	14	13.5	04.9-22.1	60	75.5	64.3-86.7	8	6.9	00.8-13.0	3	4.0	00.0-08.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	219	32,906	52	20.9	13.6-28.2	123	47.0	36.4-57.6	24	12.1	05.4-18.8	19	16.1	06.1-26.1	1	3.9	00.0-11.3
White/Non-Hisp	171	21,845	38	19.7	11.1-28.3	100	51.5	39.3-63.7	18	11.7	03.7-19.7	15	17.1	04.6-29.6			
55-64	52	7,472	13	21.7	07.0-36.4	28	55.7	35.7-75.7	8	16.1	00.4-31.8	3	6.5	00.0-16.5			
65+	131	15,273	30	21.1	10.9-31.3	79	49.1	35.2-63.0	12	10.5	02.3-18.7	10	19.4	02.7-36.1			
H.S. or G.E.D.	71	8,787	14	18.4	07.8-29.0	41	50.1	34.8-65.4	9	13.3	02.3-24.3	7	18.1	03.0-33.2			
Some Post-H.S.	59	10,946	15	21.7	07.2-36.2	30	43.7	24.1-63.3	7	11.1	00.0-23.6	6	11.7	00.0-24.4	1	11.8	00.0-32.6
College Graduate	69	5,841	18	23.8	11.3-36.3	41	56.5	40.0-73.0	6	15.8	00.0-33.4	4	3.9	00.0-08.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	333	34,197	81	23.1	16.4-29.8	192	54.4	46.6-62.2	33	11.2	06.9-15.5	24	10.4	03.5-17.3	3	0.9	00.0-02.1
White/Non-Hisp	242	22,130	59	23.3	15.5-31.1	136	55.4	47.0-63.8	26	13.0	07.5-18.5	19	7.4	03.5-11.3	2	1.0	00.0-02.6
Black or Afr. Am./Non-Hisp	75	10,396	16	22.4	08.3-36.5	48	51.7	34.3-69.1	5	6.5	00.0-13.4	5	18.6	00.0-38.0	1	0.8	00.0-02.4
55-64	93	8,982	22	21.5	11.3-31.7	47	51.1	38.6-63.6	13	18.0	07.6-28.4	11	9.5	03.2-15.8			
65+	179	14,304	46	22.6	15.2-30.0	113	64.9	55.9-73.9	11	7.4	02.1-12.7	8	4.5	00.6-08.4	1	0.6	00.0-01.8
H.S. or G.E.D.	114	11,967	32	30.0	18.0-42.0	64	54.4	42.4-66.4	11	9.3	03.0-15.6	5	4.2	00.3-08.1	2	2.1	00.0-05.0
Some Post-H.S.	104	9,196	21	13.4	06.0-20.8	62	53.0	37.5-68.5	12	17.2	07.0-27.4	8	15.8	00.0-34.0	1	0.6	00.0-01.8
College Graduate	71	4,366	19	24.1	12.1-36.1	40	62.7	49.2-76.2	7	8.5	01.6-15.4	5	4.7	00.0-09.6			
Less than \$15,000	51	5,890	10	25.2	03.6-46.8	34	60.6	39.4-81.8	3	6.1	00.0-15.1	3	5.4	00.0-13.2	1	2.7	00.0-08.0
\$15,000- 24,999	69	7,607	22	26.5	10.2-42.8	32	43.9	27.6-60.2	6	10.3	00.7-19.9	8	18.3	01.2-35.4	1	1.1	00.0-03.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	552	67,873	84	15.0	10.9-19.1	468	85.0	80.9-89.1
Male	219	33,033	31	15.0	08.3-21.7	188	85.0	78.3-91.7
Female	333	34,840	53	15.0	10.1-19.9	280	85.0	80.1-89.9
White/Non-Hisp	413	43,960	56	14.5	09.6-19.4	357	85.5	80.6-90.4
Black or Afr. Am./Non-Hisp	107	19,940	23	16.2	08.0-24.4	84	83.8	75.6-92.0
45-54	65	12,887	12	16.5	06.3-26.7	53	83.5	73.3-93.7
55-64	143	15,971	25	21.0	11.8-30.2	118	79.0	69.8-88.2
65+	311	29,754	46	15.4	09.3-21.5	265	84.6	78.5-90.7
Less Than H.S.	61	16,647	17	25.5	12.6-38.4	44	74.5	61.6-87.4
H.S. or G.E.D.	184	20,593	29	13.2	07.5-18.9	155	86.8	81.1-92.5
Some Post-H.S.	163	20,162	23	8.9	04.0-13.8	140	91.1	86.2-96.0
College Graduate	141	10,238	13	12.7	04.7-20.7	128	87.3	79.3-95.3
Less than \$15,000	84	12,441	15	16.8	05.0-28.6	69	83.2	71.4-95.0
\$15,000- 24,999	91	12,889	25	29.9	16.8-43.0	66	70.1	57.0-83.2
\$35,000- 49,999	85	9,597	10	12.4	03.2-21.6	75	87.6	78.4-96.8
\$50,000- 74,999	62	5,930	3	3.6	00.0-07.9	59	96.4	92.1-0100
\$75,000+	85	8,435	8	7.9	00.8-15.0	77	92.1	85.0-99.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	219	33,033	31	15.0	08.3-21.7	188	85.0	78.3-91.7
White/Non-Hisp	171	21,972	24	15.9	07.7-24.1	147	84.1	75.9-92.3
55-64	52	7,472	10	23.0	07.1-38.9	42	77.0	61.1-92.9
65+	131	15,400	17	15.3	05.1-25.5	114	84.7	74.5-94.9
H.S. or G.E.D.	70	8,626	14	15.6	05.8-25.4	56	84.4	74.6-94.2
Some Post-H.S.	59	10,946	6	7.9	00.5-15.3	53	92.1	84.7-99.5
College Graduate	69	5,841	6	10.8	00.4-21.2	63	89.2	78.8-99.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	333	34,840	53	15.0	10.1-19.9	280	85.0	80.1-89.9
White/Non-Hisp	242	21,988	32	13.1	07.6-18.6	210	86.9	81.4-92.4
Black or Afr. Am./Non-Hisp	75	11,182	18	17.5	07.1-27.9	57	82.5	72.1-92.9
55-64	91	8,499	15	19.2	08.8-29.6	76	80.8	70.4-91.2
65+	180	14,354	29	15.6	08.9-22.3	151	84.4	77.7-91.1
H.S. or G.E.D.	114	11,967	15	11.5	04.8-18.2	99	88.5	81.8-95.2
Some Post-H.S.	104	9,215	17	10.1	04.2-16.0	87	89.9	84.0-95.8
College Graduate	72	4,397	7	15.2	02.7-27.7	65	84.8	72.3-97.3
Less than \$15,000	51	5,890	10	15.4	02.7-28.1	41	84.6	71.9-97.3
\$15,000- 24,999	68	8,442	18	23.2	10.1-36.3	50	76.8	63.7-89.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	556	68,565	276	45.8	39.3-52.3	280	54.2	47.7-60.7
Male	220	33,194	94	36.9	27.3-46.5	126	63.1	53.5-72.7
Female	336	35,371	182	54.2	46.4-62.0	154	45.8	38.0-53.6
White/Non-Hisp	416	44,362	200	42.5	35.6-49.4	216	57.5	50.6-64.4
Black or Afr. Am./Non-Hisp	108	20,231	60	54.4	40.1-68.7	48	45.6	31.3-59.9
45-54	65	12,887	30	40.0	23.3-56.7	35	60.0	43.3-76.7
55-64	145	16,454	80	45.8	35.2-56.4	65	54.2	43.6-64.8
65+	313	29,964	146	40.4	32.6-48.2	167	59.6	51.8-67.4
Less Than H.S.	63	17,130	25	39.6	23.7-55.5	38	60.4	44.5-76.3
H.S. or G.E.D.	185	20,755	83	41.6	32.6-50.6	102	58.4	49.4-67.4
Some Post-H.S.	164	20,210	93	55.7	43.0-68.4	71	44.3	31.6-57.0
College Graduate	141	10,238	75	46.2	35.4-57.0	66	53.8	43.0-64.6
Less than \$15,000	84	12,441	41	50.5	33.3-67.7	43	49.5	32.3-66.7
\$15,000- 24,999	93	13,129	44	47.2	31.7-62.7	49	52.8	37.3-68.3
\$35,000- 49,999	86	9,759	37	42.9	26.6-59.2	49	57.1	40.8-73.4
\$50,000- 74,999	62	5,930	35	52.0	36.1-67.9	27	48.0	32.1-63.9
\$75,000+	85	8,435	49	55.6	41.5-69.7	36	44.4	30.3-58.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	220	33,194	94	36.9	27.5-46.3	126	63.1	53.7-72.5
White/Non-Hisp	172	22,133	78	37.4	27.2-47.6	94	62.6	52.4-72.8
55-64	52	7,472	27	39.6	23.3-55.9	25	60.4	44.1-76.7
65+	132	15,562	55	34.8	23.0-46.6	77	65.2	53.4-77.0
H.S. or G.E.D.	71	8,787	29	34.2	21.1-47.3	42	65.8	52.7-78.9
Some Post-H.S.	59	10,946	29	46.3	26.7-65.9	30	53.7	34.1-73.3
College Graduate	69	5,841	29	35.3	21.4-49.2	40	64.7	50.8-78.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	336	35,371	182	54.2	46.4-62.0	154	45.8	38.0-53.6
White/Non-Hisp	244	22,228	122	47.6	39.4-55.8	122	52.4	44.2-60.6
Black or Afr. Am./Non-Hisp	76	11,473	49	66.4	50.5-82.3	27	33.6	17.7-49.5
55-64	93	8,982	53	51.0	38.5-63.5	40	49.0	36.5-61.5
65+	181	14,403	91	46.5	37.3-55.7	90	53.5	44.3-62.7
H.S. or G.E.D.	114	11,967	54	47.1	35.5-58.7	60	52.9	41.3-64.5
Some Post-H.S.	105	9,263	64	66.9	54.4-79.4	41	33.1	20.6-45.6
College Graduate	72	4,397	46	60.6	46.3-74.9	26	39.4	25.1-53.7
Less than \$15,000	51	5,890	28	57.1	37.3-76.9	23	42.9	23.1-62.7
\$15,000- 24,999	70	8,683	32	44.9	24.7-65.1	38	55.1	34.9-75.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 4: SUGAR SWEETENED BEVERAGES AND MENU LABELING CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ABOUT HOW OFTEN DO YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGAR)	
1	MALES AND FEMALES	42
2	MALES ONLY	43
3	FEMALES ONLY	44
	ABOUT HOW OFTEN DO YOU DRINK SWEETENED FRUIT DRINKS, SUCH AS KOOL-AID, CRANBERRY, AND LEMONADE? INCLUDE FRUIT DRINKS YOU MADE AT HOME AND ADDED SUGAR TO. (SSBFRUIT)	
4	MALES AND FEMALES	45
5	MALES ONLY	46
6	FEMALES ONLY	47
	THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (SSBCALRI)	
7	MALES AND FEMALES	48
8	MALES ONLY	49
9	FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 4: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 1: ABOUT HOW OFTEN DO YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4029	672,384	2126	43.1	40.7-45.5	437	14.0	12.2-15.8	22	0.9	0.3-01.5	7	0.2	0.0-00.6	720	23.7	21.3-26.1	717	18.2	16.4-20.0
Male	1443	319,516	669	37.9	34.0-41.8	181	15.9	12.8-19.0	9	1.2	0.2-02.2	2	0.1	0.0-00.3	300	25.7	22.0-29.4	282	19.3	16.4-22.2
Female	2586	352,868	1457	47.8	44.9-50.7	256	12.2	10.0-14.4	13	0.6	0.0-01.2	5	0.3	0.0-00.9	420	21.8	19.1-24.5	435	17.2	14.8-19.6
White/Non-Hisp	3210	469,432	1815	47.5	44.8-50.2	331	14.1	11.9-16.3	20	1.2	0.4-02.0	5	0.1	0.0-00.3	526	21.4	18.9-23.9	513	15.7	13.7-17.7
Black or Afr. Am./Non-Hisp	518	125,772	188	35.5	29.2-41.8	74	15.0	10.5-19.5	1	0.4	0.0-01.2	1	0.8	0.0-02.4	123	25.9	20.2-31.6	131	22.5	17.6-27.4
Oth. Race/Non-Hisp.	105	36,229	49	36.1	23.4-48.8	11	10.5	00.9-20.1	1	0.1	0.0-00.3				21	30.2	15.5-44.9	23	23.0	11.6-34.4
MultiRacial/Non-Hisp.	63	10,312	24	27.4	14.7-40.1	7	7.8	00.0-16.2				1	0.4	0.0-01.2	16	30.8	15.1-46.5	15	33.6	16.4-50.8
Hispanic	92	26,627	33	16.7	08.7-24.7	8	14.2	01.5-26.9							27	41.3	25.0-57.6	24	27.8	14.3-41.3
18-24	119	81,337	29	20.5	12.3-28.7	23	22.7	13.7-31.7	2	1.1	0.0-03.1	1	0.1	0.0-00.3	38	37.7	27.1-48.3	26	17.9	10.1-25.7
25-34	299	110,469	102	33.9	26.6-41.2	48	16.2	11.1-21.3	7	2.6	0.2-05.0	1	0.9	0.0-02.7	90	31.1	23.7-38.5	51	15.4	10.3-20.5
35-44	455	114,327	199	41.2	34.9-47.5	66	15.2	10.5-19.9	2	0.6	0.0-01.4	2	0.3	0.0-00.7	104	25.5	20.0-31.0	82	17.2	12.7-21.7
45-54	702	123,741	349	45.6	40.5-50.7	82	11.0	08.1-13.9	4	1.0	0.0-02.2	1	0.1	0.0-00.3	138	22.2	17.9-26.5	128	20.1	15.8-24.4
55-64	939	105,533	524	50.1	45.8-54.4	87	12.6	08.9-16.3	3	0.1	0.0-00.3	1	0.1	0.0-00.3	144	17.3	13.8-20.8	180	19.8	16.3-23.3
65+	1467	129,836	895	57.6	54.1-61.1	129	10.0	07.8-12.2	4	0.2	0.0-00.4	1	0.0	0.0-00.0	197	13.7	11.3-16.1	241	18.3	15.4-21.2
Less Than H.S.	236	86,175	98	34.4	26.6-42.2	43	21.4	14.5-28.3	2	0.8	0.0-02.2				52	26.1	18.3-33.9	41	17.3	11.2-23.4
H.S. or G.E.D.	1221	219,518	607	41.2	36.9-45.5	173	16.2	12.9-19.5	9	1.3	0.3-02.3	4	0.2	0.0-00.4	226	22.5	18.4-26.6	202	18.6	15.3-21.9
Some Post-H.S.	1115	195,661	580	41.1	36.6-45.6	124	13.5	10.0-17.0	6	0.8	0.0-01.8	2	0.5	0.0-01.5	206	27.7	23.0-32.4	197	16.4	13.3-19.5
College Graduate	1446	170,150	838	52.4	48.3-56.5	96	7.7	05.5-09.9	5	0.6	0.0-01.6	1	0.0	0.0-00.0	234	19.3	15.8-22.8	272	19.9	16.6-23.2
Less than \$15,000	412	63,649	194	36.5	29.1-43.9	61	20.1	13.8-26.4	1	0.2	0.0-00.6	3	0.3	0.1-00.5	76	16.4	11.5-21.3	77	26.6	19.0-34.2
\$15,000- 24,999	407	74,481	195	37.4	30.0-44.8	68	16.7	11.4-22.0	5	1.5	0.0-03.3				75	24.7	17.6-31.8	64	19.7	13.2-26.2
\$25,000- 34,999	315	48,390	150	41.5	32.3-50.7	46	21.1	12.3-29.9	5	2.6	0.1-05.1				54	19.7	12.3-27.1	60	15.1	10.0-20.2
\$35,000- 49,999	505	84,507	278	43.5	36.2-50.8	47	11.6	07.3-15.9	1	0.3	0.0-00.9	2	1.5	0.0-03.9	99	28.8	21.2-36.4	78	14.3	09.8-18.8
\$50,000- 74,999	595	94,673	288	37.8	32.3-43.3	66	13.4	09.3-17.5	6	1.0	0.0-02.4	2	0.1	0.0-00.3	118	28.3	21.8-34.8	115	19.3	14.6-24.0
\$75,000+	1109	186,038	642	51.0	46.5-55.5	85	10.2	07.1-13.3	2	0.4	0.0-01.0				189	22.2	18.1-26.3	191	16.2	13.1-19.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 4: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 2: ABOUT HOW OFTEN DO YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SBSUGAR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1443	319,516	669	37.9	34.0-41.8	181	15.9	12.8-19.0	9	1.2	0.2-02.2	2	0.1	0.0-00.3	300	25.7	22.0-29.4	282	19.3	16.4-22.2
White/Non-Hisp	1175	221,536	573	40.9	36.6-45.2	149	16.7	13.2-20.2	8	1.6	0.4-02.8	2	0.1	0.0-00.3	232	23.2	19.1-27.3	211	17.5	14.4-20.6
Black or Afr. Am./Non-Hisp	147	54,399	54	37.4	26.8-48.0	23	16.7	08.9-24.5	1	0.8	0.0-02.4				31	22.0	13.0-31.0	38	23.1	14.7-31.5
Oth. Race/Non-Hisp.	53	25,687	19	29.2	13.7-44.7	5	10.6	00.0-23.3							16	36.6	18.0-55.2	13	23.6	09.7-37.5
18-24	61	41,371	10	12.7	03.1-22.3	16	29.6	16.3-42.9	2	2.2	00.0-05.9				16	34.5	19.6-49.4	17	20.9	09.9-31.9
25-34	98	55,512	25	32.5	20.5-44.5	23	19.0	10.6-27.4	3	2.6	00.0-05.7				33	34.4	22.1-46.7	14	11.4	04.5-18.3
35-44	154	54,703	48	36.0	25.6-46.4	27	17.4	09.2-25.6	1	0.7	00.0-02.1	2	0.5	00.0-01.5	41	24.1	15.9-32.3	35	21.2	13.6-28.8
45-54	262	59,751	115	41.1	33.3-48.9	33	10.7	06.4-15.0	2	1.8	00.0-04.2				64	26.8	19.5-34.1	48	19.7	13.0-26.4
55-64	326	49,632	164	43.3	36.2-50.4	32	13.9	07.6-20.2							61	20.2	13.9-26.5	69	22.7	16.6-28.8
65+	531	56,734	300	53.8	47.5-60.1	50	9.2	05.9-12.5	1	0.1	00.0-00.3				84	16.3	11.8-20.8	96	20.5	15.2-25.8
Less Than H.S.	87	37,834	29	31.3	18.8-43.8	23	29.9	17.9-41.9	1	1.6	00.0-04.7				21	24.2	12.6-35.8	13	12.9	05.1-20.7
H.S. or G.E.D.	418	108,921	186	36.6	29.7-43.5	68	17.0	11.5-22.5	6	2.2	00.2-04.2	1	0.2	00.0-00.6	81	24.6	17.7-31.5	76	19.4	14.1-24.7
Some Post-H.S.	361	88,610	161	34.7	27.6-41.8	49	16.6	10.5-22.7							82	31.6	23.8-39.4	69	17.1	11.6-22.6
College Graduate	574	83,826	293	45.9	39.4-52.4	41	7.5	04.2-10.8	2	1.1	00.0-02.9	1	0.0	00.0-00.0	115	21.4	15.5-27.3	122	24.1	18.4-29.8
Less than \$15,000	110	25,554	46	36.0	21.7-50.3	24	24.3	12.9-35.7							16	11.9	04.8-19.0	24	27.8	15.8-39.8
\$15,000- 24,999	107	27,723	47	39.7	25.4-54.0	19	18.1	08.3-27.9	1	2.2	00.0-06.5				20	20.1	09.3-30.9	20	20.0	09.8-30.2
\$25,000- 34,999	104	23,749	42	40.3	24.0-56.6	21	30.8	14.7-46.9	2	3.6	00.0-08.5				22	12.1	04.3-19.9	17	13.2	05.2-21.2
\$35,000- 49,999	206	43,805	100	33.7	24.3-43.1	29	15.5	08.2-22.8	1	0.6	00.0-01.8	1	0.6	00.0-01.8	43	36.6	24.3-48.9	32	13.1	06.4-19.8
\$50,000- 74,999	224	43,707	87	28.1	20.7-35.5	24	13.2	06.3-20.1	2	1.6	00.0-04.3	1	0.1	00.0-00.3	58	36.0	25.8-46.2	52	21.0	14.1-27.9
\$75,000+	477	99,559	246	44.6	37.7-51.5	47	12.9	07.8-18.0	2	0.7	00.0-01.9				96	24.3	17.8-30.8	86	17.5	12.6-22.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 4: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 3: ABOUT HOW OFTEN DO YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SBSUGAR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2586	352,868	1457	47.8	44.9-50.7	256	12.2	10.0-14.4	13	0.6	00.0-01.2	5	0.3	00.0-00.9	420	21.8	19.1-24.5	435	17.2	14.8-19.6
White/Non-Hisp	2035	247,896	1242	53.5	50.0-57.0	182	11.7	09.3-14.1	12	0.9	00.1-01.7	3	0.1	00.1-00.1	294	19.8	16.7-22.9	302	14.0	11.6-16.4
Black or Afr. Am./Non-Hisp	371	71,373	134	34.0	26.4-41.6	51	13.7	08.6-18.8				1	1.4	00.0-04.1	92	28.9	21.5-36.3	93	22.1	16.2-28.0
Oth. Race/Non-Hisp.	52	10,542	30	53.0	31.2-74.8	6	10.4	00.0-20.8	1	0.5	00.0-01.5				5	14.6	00.0-35.0	10	21.6	01.2-42.0
Hispanic	68	16,272	28	24.5	12.2-36.8	6	14.0	00.0-30.9							18	25.6	11.1-40.1	16	35.9	17.5-54.3
18-24	58	39,966	19	28.6	15.3-41.9	7	15.5	03.7-27.3				1	0.1	00.0-00.3	22	41.0	25.9-56.1	9	14.8	03.6-26.0
25-34	201	54,958	77	35.2	26.8-43.6	25	13.4	07.3-19.5	4	2.5	00.0-05.8	1	1.8	00.0-05.3	57	27.8	20.0-35.6	37	19.3	12.0-26.6
35-44	301	59,624	151	46.0	38.7-53.3	39	13.2	08.3-18.1	1	0.5	00.0-01.5				63	26.7	19.4-34.0	47	13.6	08.7-18.5
45-54	440	63,990	234	49.8	43.5-56.1	49	11.4	07.5-15.3	2	0.3	00.0-00.9	1	0.1	00.0-00.3	74	17.9	13.0-22.8	80	20.4	14.9-25.9
55-64	613	55,902	360	56.1	51.0-61.2	55	11.5	07.4-15.6	3	0.3	00.0-00.7	1	0.1	00.0-00.3	83	14.8	11.1-18.5	111	17.2	13.5-20.9
65+	936	73,102	595	60.6	56.5-64.7	79	10.6	07.7-13.5	3	0.3	00.0-00.7	1	0.1	00.0-00.3	113	11.7	09.2-14.2	145	16.7	13.6-19.8
Less Than H.S.	149	48,341	69	36.8	26.8-46.8	20	14.6	07.3-21.9	1	0.2	00.0-00.6				31	27.6	17.0-38.2	28	20.7	11.9-29.5
H.S. or G.E.D.	803	110,598	421	45.7	40.4-51.0	105	15.5	11.4-19.6	3	0.4	00.0-01.0	3	0.2	00.0-00.4	145	20.4	16.1-24.7	126	17.9	13.6-22.2
Some Post-H.S.	754	107,052	419	46.3	40.8-51.8	75	11.0	07.1-14.9	6	1.4	00.0-03.2	2	1.0	00.0-02.8	124	24.5	18.8-30.2	128	15.8	12.1-19.5
College Graduate	872	86,324	545	58.7	54.0-63.4	55	8.0	05.5-10.5	3	0.2	00.0-00.4				119	17.3	13.6-21.0	150	15.9	12.2-19.6
Less than \$15,000	302	38,096	148	36.8	28.6-45.0	37	17.2	09.9-24.5	1	0.3	00.0-00.9	3	0.4	00.0-00.8	60	19.5	13.0-26.0	53	25.8	15.8-35.8
\$15,000- 24,999	300	46,758	148	36.0	27.8-44.2	49	15.8	09.5-22.1	4	1.1	00.0-02.5				55	27.5	18.3-36.7	44	19.5	11.3-27.7
\$25,000- 34,999	211	24,641	108	42.7	33.3-52.1	25	11.6	06.5-16.7	3	1.7	00.0-03.7				32	27.0	15.8-38.2	43	16.9	10.4-23.4
\$35,000- 49,999	299	40,702	178	54.0	44.8-63.2	18	7.4	03.3-11.5				1	2.4	00.0-07.1	56	20.4	13.5-27.3	46	15.7	09.8-21.6
\$50,000- 74,999	371	50,966	201	46.2	38.4-54.0	42	13.6	08.7-18.5	4	0.5	00.0-01.1	1	0.2	00.0-00.6	60	21.8	14.0-29.6	63	17.8	11.1-24.5
\$75,000+	632	86,479	396	58.4	53.1-63.7	38	7.1	04.2-10.0							93	19.8	14.9-24.7	105	14.7	11.4-18.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 4: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 4: ABOUT HOW OFTEN DO YOU DRINK SWEETENED FRUIT DRINKS, SUCH AS KOOL-AID, CRANBERRY, AND LEMONADE? INCLUDE FRUIT DRINKS YOU MADE AT HOME AND ADDED SUGAR TO. (SSBFRUIT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3988	669,076	2400	50.8	48.3-53.3	343	11.1	09.3-12.9	15	0.6	00.2-01.0	3	0.0	00.0-00.0	607	20.4	18.2-22.6	620	17.1	15.1-19.1	
Male	1432	320,269	820	47.6	43.5-51.7	135	11.5	08.6-14.4	4	0.6	00.0-01.4	1	0.0	00.0-00.0	247	22.5	19.0-26.0	225	17.9	14.8-21.0	
Female	2556	348,807	1580	53.7	50.6-56.8	208	10.8	08.4-13.2	11	0.6	00.2-01.0	2	0.1	00.1-00.1	360	18.6	15.9-21.3	395	16.3	13.9-18.7	
White/Non-Hisp	3176	465,990	2072	59.3	56.6-62.0	224	7.9	06.3-09.5	6	0.1	00.1-00.1				410	16.4	14.0-18.8	464	16.3	14.1-18.5	
Black or Afr. Am./Non-Hisp	514	126,160	183	28.8	23.1-34.5	87	21.4	15.7-27.1	9	2.7	00.5-04.9	2	0.1	00.0-00.3	130	28.3	22.4-34.2	103	18.6	13.9-23.3	
Oth. Race/Non-Hisp.	104	36,148	45	30.8	18.6-43.0	9	5.7	01.4-10.0							25	39.2	24.3-54.1	25	24.3	12.1-36.5	
MultiRacial/Non-Hisp.	62	10,211	33	49.2	32.3-66.1	5	7.5	00.0-16.3							14	25.0	10.7-39.3	10	18.3	06.5-30.1	
Hispanic	90	26,444	39	30.2	17.3-43.1	16	29.4	12.2-46.6							24	26.7	13.6-39.8	11	13.6	03.0-24.2	
18-24	119	81,057	31	25.1	16.1-34.1	24	20.6	11.6-29.6	1	0.8	00.0-02.4				36	30.3	20.5-40.1	27	23.1	14.1-32.1	
25-34	295	109,406	123	34.9	27.8-42.0	33	15.5	09.6-21.4	4	1.4	00.0-03.2				81	28.9	21.6-36.2	54	19.4	13.3-25.5	
35-44	450	113,486	237	49.2	42.9-55.5	34	8.7	05.0-12.4	2	0.6	00.0-01.6				87	22.1	16.4-27.8	90	19.4	14.7-24.1	
45-54	701	125,202	430	58.5	53.4-63.6	46	7.2	04.7-09.7	3	0.5	00.0-01.1	1	0.1	00.0-00.3	115	18.0	13.9-22.1	106	15.7	11.8-19.6	
55-64	930	104,503	604	62.8	58.5-67.1	78	10.0	07.1-12.9	3	0.2	00.0-00.4	2	0.1	00.0-00.3	95	11.5	08.6-14.4	148	15.4	12.3-18.5	
65+	1446	128,365	941	64.0	60.5-67.5	125	8.8	06.4-11.2	2	0.1	00.0-00.3				188	14.8	12.1-17.5	190	12.3	10.1-14.5	
Less Than H.S.	236	87,581	125	43.8	35.6-52.0	34	18.7	11.4-26.0	1	1.0	00.0-03.0				48	26.5	18.9-34.1	28	10.0	05.1-14.9	
H.S. or G.E.D.	1208	217,139	707	48.7	44.2-53.2	133	13.8	10.5-17.1	6	0.6	00.0-01.2	2	0.1	00.0-00.3	184	18.9	15.0-22.8	176	17.9	14.2-21.6	
Some Post-H.S.	1094	193,467	673	53.2	48.3-58.1	95	10.2	06.9-13.5	7	0.9	00.1-01.7				151	18.8	14.7-22.9	168	16.9	13.0-20.8	
College Graduate	1440	170,077	889	54.2	50.1-58.3	81	5.0	03.4-06.6	1	0.0	00.0-00.0	1	0.0	00.0-00.0	223	21.1	17.2-25.0	245	19.7	16.4-23.0	
Less than \$15,000	408	63,037	230	49.4	41.6-57.2	58	15.7	10.2-21.2	2	0.2	00.0-00.6				59	15.9	10.4-21.4	59	18.8	11.7-25.9	
\$15,000- 24,999	403	74,752	217	46.7	38.9-54.5	48	14.7	08.8-20.6	5	2.2	00.0-04.7	1	0.2	00.0-00.6	69	21.1	14.4-27.8	63	15.1	09.6-20.6	
\$25,000- 34,999	312	48,080	174	41.7	32.9-50.5	29	14.5	07.2-21.8				1	0.1	00.0-00.3	61	30.9	21.3-40.5	47	12.9	06.2-19.6	
\$35,000- 49,999	499	83,711	304	49.0	41.6-56.4	39	10.7	05.2-16.2	1	0.3	00.0-00.9				81	21.3	14.4-28.2	74	18.6	12.3-24.9	
\$50,000- 74,999	586	93,061	359	50.4	44.1-56.7	46	7.7	04.6-10.8	1	0.1	00.0-00.3				93	27.3	20.6-34.0	87	14.5	10.4-18.6	
\$75,000+	1101	185,022	688	57.2	52.7-61.7	62	7.0	04.3-09.7	2	0.3	00.0-00.9				150	17.0	13.3-20.7	199	18.5	15.0-22.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 4: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 5: ABOUT HOW OFTEN DO YOU DRINK SWEETENED FRUIT DRINKS, SUCH AS KOOL-AID, CRANBERRY, AND LEMONADE? INCLUDE FRUIT DRINKS YOU MADE AT HOME AND ADDED SUGAR TO. (SSBFRUIT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1432	320,269	820	47.6	43.5-51.7	135	11.5	08.6-14.4	4	0.6	00.0-01.4	1	0.0	00.0-00.0	247	22.5	19.0-26.0	225	17.9	14.8-21.0
White/Non-Hisp	1162	220,133	707	54.4	49.9-58.9	97	9.0	06.3-11.7	1	0.0	00.0-00.0				179	19.0	15.3-22.7	178	17.6	13.9-21.3
Black or Afr. Am./Non-Hisp	149	56,546	51	32.4	22.2-42.6	27	20.0	11.2-28.8	3	3.3	00.0-07.2	1	0.1	00.0-00.3	42	27.4	18.2-36.6	25	16.8	09.2-24.4
Oth. Race/Non-Hisp.	53	25,687	18	22.6	09.5-35.7	6	4.3	00.2-08.4							16	44.6	26.0-63.2	13	28.5	12.2-44.8
18-24	62	42,119	13	19.4	08.6-30.2	11	19.7	07.2-32.2	1	1.6	00.0-04.7				20	29.7	16.6-42.8	17	29.6	15.9-43.3
25-34	98	55,512	38	34.1	22.5-45.7	12	14.1	05.1-23.1	1	1.6	00.0-04.7				30	33.6	21.6-45.6	17	16.6	07.8-25.4
35-44	154	54,766	74	46.8	36.4-57.2	14	9.6	03.1-16.1							34	22.5	13.7-31.3	32	21.1	13.3-28.9
45-54	263	61,350	154	55.0	46.8-63.2	22	8.4	04.3-12.5	1	0.5	00.0-01.5				54	21.5	14.8-28.2	32	14.6	07.9-21.3
55-64	322	48,953	197	60.3	53.0-67.6	31	11.5	06.6-16.4				1	0.1	00.0-00.3	40	13.7	08.6-18.8	53	14.4	09.5-19.3
65+	522	55,781	335	62.9	56.8-69.0	45	8.3	04.2-12.4	1	0.1	00.0-00.3				68	14.5	10.0-19.0	73	14.3	10.4-18.2
Less Than H.S.	87	38,960	45	45.6	32.5-58.7	10	17.1	04.9-29.3	1	2.3	00.0-06.8				15	18.1	08.7-27.5	16	16.9	07.1-26.7
H.S. or G.E.D.	416	108,516	218	42.4	35.3-49.5	58	16.2	10.5-21.9	1	0.6	00.0-01.8				74	21.5	15.2-27.8	65	19.2	13.5-24.9
Some Post-H.S.	351	87,644	212	51.7	43.7-59.7	33	9.5	04.6-14.4	1	0.3	00.0-00.9				58	22.1	15.0-29.2	47	16.4	09.7-23.1
College Graduate	575	84,824	344	50.9	44.2-57.6	34	4.8	02.4-07.2	1	0.0	00.0-00.0	1	0.0	00.0-00.0	100	26.1	19.2-33.0	95	18.0	12.9-23.1
Less than \$15,000	111	25,570	58	45.3	31.4-59.2	16	15.6	06.4-24.8							19	20.1	09.3-30.9	18	19.0	08.4-29.6
\$15,000- 24,999	108	28,408	59	53.5	39.8-67.2	7	5.1	00.4-09.8	2	4.1	00.0-10.4				22	16.9	08.1-25.7	18	20.3	08.7-31.9
\$25,000- 34,999	104	23,749	55	36.9	22.4-51.4	14	20.1	07.0-33.2				1	0.2	00.0-00.6	17	26.6	11.1-42.1	17	16.3	03.8-28.8
\$35,000- 49,999	203	43,590	117	41.6	31.0-52.2	24	15.8	06.2-25.4							34	28.4	16.8-40.0	28	14.2	06.4-22.0
\$50,000- 74,999	220	43,528	125	46.8	37.4-56.2	19	9.0	03.3-14.7							44	29.8	19.8-39.8	32	14.4	07.9-20.9
\$75,000+	473	99,213	286	53.7	46.6-60.8	35	8.9	04.2-13.6							79	21.2	15.1-27.3	73	16.2	10.9-21.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 4: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 6: ABOUT HOW OFTEN DO YOU DRINK SWEETENED FRUIT DRINKS, SUCH AS KOOL-AID, CRANBERRY, AND LEMONADE? INCLUDE FRUIT DRINKS YOU MADE AT HOME AND ADDED SUGAR TO. (SSBFRUIT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2556	348,807	1580	53.7	50.6-56.8	208	10.8	08.4-13.2	11	0.6	00.2-01.0	2	0.1	00.1-00.1	360	18.6	15.9-21.3	395	16.3	13.9-18.7
White/Non-Hisp	2014	245,857	1365	63.7	60.2-67.2	127	6.9	05.1-08.7	5	0.2	00.0-00.4				231	14.2	11.3-17.1	286	15.1	12.6-17.6
Black or Afr. Am./Non-Hisp	365	69,615	132	25.9	19.8-32.0	60	22.6	15.2-30.0	6	2.3	00.1-04.5	1	0.1	00.0-00.3	88	29.0	21.6-36.4	78	20.0	13.9-26.1
Oth. Race/Non-Hisp.	51	10,461	27	50.7	29.3-72.1	3	9.2	00.0-20.2							9	26.0	04.8-47.2	12	14.1	03.7-24.5
Hispanic	66	16,090	26	28.3	14.2-42.4	12	20.7	03.3-38.1							21	36.1	18.5-53.7	7	14.9	00.2-29.6
18-24	57	38,938	18	31.4	17.3-45.5	13	21.7	09.0-34.4							16	31.0	16.3-45.7	10	16.0	05.2-26.8
25-34	197	53,894	85	35.6	27.6-43.6	21	16.9	09.3-24.5	3	1.2	00.0-02.8				51	24.0	16.4-31.6	37	22.2	14.0-30.4
35-44	296	58,719	163	51.5	44.1-58.9	20	7.9	03.6-12.2	2	1.1	00.0-02.9				53	21.8	14.7-28.9	58	17.7	12.4-23.0
45-54	438	63,853	276	61.8	55.7-67.9	24	6.0	02.9-09.1	2	0.6	00.0-01.6	1	0.2	00.0-00.6	61	14.6	10.1-19.1	74	16.7	12.4-21.0
55-64	608	55,550	407	65.0	59.9-70.1	47	8.7	05.0-12.4	3	0.4	00.0-01.0	1	0.1	00.0-00.3	55	9.5	06.6-12.4	95	16.2	12.3-20.1
65+	924	72,584	606	64.8	60.7-68.9	80	9.3	06.6-12.0	1	0.1	00.0-00.3				120	15.1	11.6-18.6	117	10.7	08.5-12.9
Less Than H.S.	149	48,621	80	42.4	32.0-52.8	24	19.9	11.1-28.7							33	33.2	22.2-44.2	12	4.5	01.6-07.4
H.S. or G.E.D.	792	108,623	489	55.1	49.6-60.6	75	11.3	07.8-14.8	5	0.6	00.0-01.2	2	0.2	00.0-00.6	110	16.3	11.6-21.0	111	16.5	12.0-21.0
Some Post-H.S.	743	105,824	461	54.4	48.5-60.3	62	10.8	06.3-15.3	6	1.3	00.0-02.7				93	16.1	11.4-20.8	121	17.4	13.1-21.7
College Graduate	865	85,253	545	57.5	52.8-62.2	47	5.2	03.0-07.4							123	16.0	12.7-19.3	150	21.3	16.8-25.8
Less than \$15,000	297	37,466	172	52.2	42.8-61.6	42	15.7	08.8-22.6	2	0.4	00.0-01.0				40	13.1	07.8-18.4	41	18.7	09.3-28.1
\$15,000- 24,999	295	46,344	158	42.5	33.5-51.5	41	20.6	12.2-29.0	3	1.1	00.0-02.5	1	0.3	00.0-00.9	47	23.7	14.7-32.7	45	11.8	07.1-16.5
\$25,000- 34,999	208	24,330	119	46.3	36.5-56.1	15	9.0	03.3-14.7							44	35.1	23.9-46.3	30	9.6	05.3-13.9
\$35,000- 49,999	296	40,121	187	57.1	47.5-66.7	15	5.2	01.5-08.9	1	0.7	00.0-02.1				47	13.6	08.1-19.1	46	23.4	14.0-32.8
\$50,000- 74,999	366	49,533	234	53.6	45.4-61.8	27	6.5	03.2-09.8	1	0.2	00.0-00.6				49	25.1	16.1-34.1	55	14.7	09.4-20.0
\$75,000+	628	85,809	402	61.3	56.0-66.6	27	4.8	02.3-07.3	2	0.7	00.0-01.9				71	12.1	08.6-15.6	126	21.0	16.7-25.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 4: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 7: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (SSBCALRI)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always most of time			About half Sometimes			Never			Never noticed never look for info			Usually cannot find Info			Dont eat at fast food or chain restaurants		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4049	677,085	868	20.7	18.7-22.7	925	24.4	22.2-26.6	1657	42.3	39.8-44.8	169	3.8	02.8-04.8	29	0.5	00.3-00.7	401	8.3	06.9-09.7
Male	1455	323,524	203	14.3	11.6-17.0	280	20.6	17.3-23.9	777	52.2	48.1-56.3	70	5.3	03.5-07.1	7	0.2	00.0-00.4	118	7.3	05.3-09.3
Female	2594	353,561	665	26.5	23.8-29.2	645	27.8	24.9-30.7	880	33.3	30.6-36.0	99	2.4	01.8-03.0	22	0.7	00.3-01.1	283	9.3	07.7-10.9
White/Non-Hisp	3229	471,832	658	19.2	17.0-21.4	740	23.2	20.8-25.6	1351	44.6	41.9-47.3	134	3.7	02.7-04.7	27	0.6	00.2-01.0	319	8.7	07.1-10.3
Black or Afr. Am./Non-Hisp	520	128,273	134	21.5	16.4-26.6	126	29.5	23.2-35.8	184	37.6	31.3-43.9	21	3.1	01.3-04.9				55	8.3	05.2-11.4
Oth. Race/Non-Hisp.	104	36,148	28	28.7	16.2-41.2	15	19.1	06.2-32.0	45	40.0	25.7-54.3	6	5.2	00.3-10.1	1	0.2	00.0-00.6	9	6.8	01.5-12.1
MultiRacial/Non-Hisp.	63	10,312	15	28.2	11.1-45.3	11	13.6	04.0-23.2	26	48.0	31.3-64.7	3	2.2	00.0-04.7	1	0.5	00.0-01.5	7	7.4	01.1-13.7
Hispanic	91	26,397	25	27.7	13.8-41.6	26	34.0	18.3-49.7	31	25.9	13.7-38.1	5	9.2	00.0-21.9				4	3.1	00.0-07.2
18-24	120	82,084	16	13.8	06.5-21.1	37	31.7	21.7-41.7	59	48.5	37.9-59.1	1	0.1	00.0-00.3	1	0.4	00.0-01.2	6	5.4	00.5-10.3
25-34	299	110,469	86	26.8	20.1-33.5	76	28.1	21.0-35.2	120	39.7	32.3-47.1	9	3.6	00.1-07.1	1	0.1	00.0-00.3	7	1.7	00.1-03.3
35-44	458	115,058	110	23.4	18.3-28.5	128	24.3	19.2-29.4	183	41.0	34.7-47.3	19	4.7	02.3-07.1	1	0.2	00.0-00.6	17	6.4	02.5-10.3
45-54	706	125,805	155	21.3	17.2-25.4	186	24.7	20.4-29.0	292	43.4	38.3-48.5	22	3.3	01.5-05.1	4	0.4	00.0-01.0	47	6.9	04.5-09.3
55-64	943	105,977	229	22.1	18.8-25.4	211	22.4	18.5-26.3	381	41.5	37.2-45.8	28	2.6	01.4-03.8	7	0.7	00.1-01.3	87	10.7	07.6-13.8
65+	1474	130,440	259	15.2	12.8-17.6	280	18.9	16.2-21.6	604	41.7	38.2-45.2	89	7.2	04.8-09.6	15	0.9	00.3-01.5	227	16.1	13.6-18.6
Less Than H.S.	237	87,733	38	16.0	09.9-22.1	44	20.2	13.1-27.3	90	41.7	33.5-49.9	14	7.1	02.0-12.2	2	0.5	00.0-01.3	49	14.5	09.4-19.6
H.S. or G.E.D.	1226	220,341	228	17.7	14.2-21.2	268	25.7	21.6-29.8	535	44.0	39.5-48.5	58	4.2	02.6-05.8	5	0.3	00.0-00.7	132	8.2	05.8-10.6
Some Post-H.S.	1117	195,993	225	19.6	15.9-23.3	249	22.6	18.9-26.3	469	46.3	41.6-51.0	50	2.9	01.7-04.1	11	0.5	00.1-00.9	113	8.1	05.7-10.5
College Graduate	1458	172,140	374	28.0	24.5-31.5	361	26.8	22.9-30.7	558	36.2	32.5-39.9	47	2.7	01.5-03.9	11	0.6	00.2-01.0	107	5.7	04.1-07.3
Less than \$15,000	415	63,840	80	16.7	11.4-22.0	88	21.3	15.0-27.6	163	41.8	34.0-49.6	28	6.5	02.8-10.2	2	0.1	00.0-00.3	54	13.6	07.3-19.9
\$15,000- 24,999	410	75,211	74	18.0	11.9-24.1	91	29.7	21.9-37.5	147	31.7	24.8-38.6	14	3.0	00.8-05.2	7	0.8	00.0-01.6	77	16.8	11.5-22.1
\$25,000- 34,999	315	48,390	62	19.3	12.4-26.2	69	19.3	12.8-25.8	140	48.9	39.5-58.3	11	2.8	00.6-05.0	1	0.1	00.0-00.3	32	9.6	04.9-14.3
\$35,000- 49,999	507	84,646	100	17.2	11.3-23.1	116	26.6	19.5-33.7	232	47.6	40.2-55.0	24	4.1	01.9-06.3	2	0.2	00.0-00.6	33	4.2	02.2-06.2
\$50,000- 74,999	596	95,336	126	21.5	16.8-26.2	151	25.6	19.5-31.7	250	43.4	37.3-49.5	19	3.3	01.3-05.3	2	0.1	00.0-00.3	48	6.1	03.4-08.8
\$75,000+	1117	187,303	294	25.7	22.0-29.4	283	25.8	22.1-29.5	423	39.0	34.5-43.5	32	2.5	01.3-03.7	10	0.8	00.2-01.4	75	6.2	04.0-08.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 4: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 8: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (SSBCALRI)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always most of time			About half Sometimes			Never			Never noticed never look for info			Usually cannot find Info			Dont eat at fast food or chain restaurants		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1455	323,524	203	14.3	11.6-17.0	280	20.6	17.3-23.9	777	52.2	48.3-56.1	70	5.3	03.5-07.1	7	0.2	00.0-00.4	118	7.3	05.3-09.3
White/Non-Hisp	1185	223,043	147	11.7	08.8-14.6	228	18.4	15.3-21.5	657	56.8	52.5-61.1	52	4.6	02.8-06.4	6	0.3	00.0-00.7	95	8.1	05.4-10.8
Black or Afr. Am./Non-Hisp	148	56,789	31	17.2	09.6-24.8	35	29.9	19.7-40.1	60	43.0	32.4-53.6	11	5.2	01.3-09.1				11	4.8	01.1-08.5
Oth. Race/Non-Hisp.	53	25,687	13	28.2	12.1-44.3	6	18.7	02.6-34.8	25	38.3	20.5-56.1	4	7.0	00.0-14.1				5	7.9	00.6-15.2
18-24	62	42,119	5	8.8	01.2-16.4	18	24.9	12.6-37.2	36	61.5	47.4-75.6	1	0.2	00.0-00.6				2	4.6	00.0-11.9
25-34	98	55,512	18	22.5	11.9-33.1	25	26.0	14.6-37.4	49	45.0	32.8-57.2	5	5.9	00.0-12.6				1	0.6	00.0-01.8
35-44	156	55,347	24	15.8	08.7-22.9	33	19.1	11.3-26.9	84	51.2	40.8-61.6	8	5.5	01.6-09.4				7	8.4	01.1-15.7
45-54	265	61,609	27	11.2	05.9-16.5	63	21.4	15.3-27.5	142	54.7	46.7-62.7	12	5.3	01.8-08.8	2	0.6	00.0-01.6	19	6.8	03.5-10.1
55-64	330	50,292	51	15.1	10.4-19.8	56	18.7	12.6-24.8	180	49.5	42.2-56.8	10	3.1	00.7-05.5	2	0.3	00.0-00.7	31	13.3	07.2-19.4
65+	532	56,721	75	11.0	07.9-14.1	83	15.0	11.3-18.7	282	53.3	47.0-59.6	34	10.7	05.4-16.0	3	0.5	00.0-01.1	55	9.5	06.6-12.4
Less Than H.S.	87	39,026	7	6.6	01.1-12.1	14	12.5	04.7-20.3	44	55.6	42.5-68.7	11	14.9	04.1-25.7				11	10.4	03.3-17.5
H.S. or G.E.D.	421	109,747	49	11.5	06.8-16.2	80	23.2	16.7-29.7	229	52.8	45.5-60.1	26	6.0	03.1-08.9	3	0.5	00.0-01.1	34	6.0	02.3-09.7
Some Post-H.S.	363	88,883	47	15.6	09.9-21.3	63	15.9	10.8-21.0	206	57.5	49.9-65.1	11	2.0	00.6-03.4				36	9.0	04.5-13.5
College Graduate	581	85,543	99	19.9	14.4-25.4	122	25.9	19.6-32.2	297	44.6	38.3-50.9	22	3.6	01.4-05.8	4	0.3	00.0-00.7	37	5.7	03.3-08.1
Less than \$15,000	113	25,744	12	7.5	01.4-13.6	18	13.1	05.7-20.5	59	52.6	38.7-66.5	10	11.2	02.4-20.0				14	15.6	02.3-28.9
\$15,000- 24,999	110	28,660	7	7.4	00.5-14.3	24	33.8	19.3-48.3	56	35.3	23.1-47.5	3	4.6	00.0-09.7	1	0.2	00.0-00.6	19	18.6	08.4-28.8
\$25,000- 34,999	104	23,749	15	11.8	02.6-21.0	18	16.9	06.5-27.3	56	58.0	42.7-73.3	4	3.9	00.0-08.2	1	0.2	00.0-00.6	10	9.2	01.0-17.4
\$35,000- 49,999	206	43,805	26	14.2	05.2-23.2	39	19.7	10.3-29.1	120	58.1	46.7-69.5	10	5.1	01.4-08.8	1	0.3	00.0-00.9	10	2.7	00.3-05.1
\$50,000- 74,999	226	44,451	30	14.4	08.3-20.5	47	22.0	13.0-31.0	127	56.7	47.1-66.3	8	3.6	00.3-06.9				14	3.4	01.4-05.4
\$75,000+	481	100,417	78	18.3	12.8-23.8	105	22.6	17.1-28.1	240	48.3	41.4-55.2	19	3.1	01.1-05.1	3	0.4	00.0-01.0	36	7.2	03.5-10.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 4: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 9: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (SSBCALRI)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always most of time			About half Sometimes			Never			Never noticed never look for info			Usually cannot find Info			Dont eat at fast food or chain restaurants		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2594	353,561	665	26.5	23.8-29.2	645	27.8	24.9-30.7	880	33.3	30.6-36.0	99	2.4	01.8-03.0	22	0.7	00.3-01.1	283	9.3	07.7-10.9
White/Non-Hisp	2044	248,789	511	26.0	23.1-28.9	512	27.4	24.3-30.5	694	33.6	30.5-36.7	82	2.8	02.0-03.6	21	0.9	00.3-01.5	224	9.3	07.5-11.1
Black or Afr. Am./Non-Hisp	372	71,484	103	25.0	18.3-31.7	91	29.2	21.6-36.8	124	33.3	26.0-40.6	10	1.4	00.4-02.4				44	11.1	06.2-16.0
Oth. Race/Non-Hisp.	51	10,461	15	30.0	12.6-47.4	9	20.0	00.0-40.4	20	44.2	22.6-65.8	2	0.9	00.0-02.3	1	0.7	00.0-02.1	4	4.1	00.0-08.8
Hispanic	67	16,042	22	40.2	21.6-58.8	20	36.2	17.6-54.8	19	17.2	06.6-27.8	2	1.4	00.0-03.9				4	5.1	00.0-11.8
18-24	58	39,966	11	19.1	06.6-31.6	19	39.0	23.7-54.3	23	34.8	20.7-48.9				1	0.9	00.0-02.7	4	6.3	00.0-13.2
25-34	201	54,958	68	31.2	23.0-39.4	51	30.2	21.6-38.8	71	34.3	25.9-42.7	4	1.3	00.0-02.7	1	0.1	00.0-00.3	6	2.9	00.2-05.6
35-44	302	59,711	86	30.5	23.4-37.6	95	29.0	22.5-35.5	99	31.6	25.1-38.1	11	4.0	01.1-06.9	1	0.4	00.0-01.2	10	4.6	01.3-07.9
45-54	441	64,196	128	31.1	25.2-37.0	123	27.9	22.0-33.8	150	32.4	26.5-38.3	10	1.4	00.4-02.4	2	0.3	00.0-00.7	28	6.9	04.0-09.8
55-64	613	55,684	178	28.4	23.9-32.9	155	25.7	20.8-30.6	201	34.4	29.5-39.3	18	2.2	01.0-03.4	5	1.0	00.0-02.0	56	8.3	05.6-11.0
65+	942	73,719	184	18.4	15.3-21.5	197	21.9	18.2-25.6	322	32.8	28.9-36.7	55	4.5	03.1-05.9	12	1.3	00.3-02.3	172	21.1	17.4-24.8
Less Than H.S.	150	48,707	31	23.5	14.1-32.9	30	26.3	15.7-36.9	46	30.6	21.2-40.0	3	0.9	00.0-01.9	2	1.0	00.0-02.4	38	17.8	10.7-24.9
H.S. or G.E.D.	805	110,594	179	23.8	18.9-28.7	188	28.1	23.0-33.2	306	35.2	30.1-40.3	32	2.4	01.2-03.6	2	0.1	00.0-00.3	98	10.4	07.3-13.5
Some Post-H.S.	754	107,110	178	23.0	18.1-27.9	186	28.2	22.9-33.5	263	37.0	31.5-42.5	39	3.6	02.0-05.2	11	0.9	00.1-01.7	77	7.3	05.1-09.5
College Graduate	877	86,597	275	36.1	31.6-40.6	239	27.7	23.4-32.0	261	27.9	24.0-31.8	25	1.8	00.8-02.8	7	0.9	00.1-01.7	70	5.7	03.9-07.5
Less than \$15,000	302	38,096	68	22.9	15.3-30.5	70	26.7	18.1-35.3	104	34.5	25.5-43.5	18	3.3	01.5-05.1	2	0.2	00.0-00.4	40	12.4	06.9-17.9
\$15,000- 24,999	300	46,551	67	24.5	16.1-32.9	67	27.2	18.2-36.2	91	29.5	21.3-37.7	11	1.9	00.5-03.3	6	1.2	00.0-02.4	58	15.6	09.9-21.3
\$25,000- 34,999	211	24,641	47	26.6	17.4-35.8	51	21.7	14.1-29.3	84	40.1	30.1-50.1	7	1.7	00.3-03.1				22	9.9	04.8-15.0
\$35,000- 49,999	301	40,841	74	20.5	13.1-27.9	77	34.0	24.0-44.0	112	36.3	28.1-44.5	14	3.1	00.7-05.5	1	0.2	00.0-00.6	23	5.9	03.0-08.8
\$50,000- 74,999	370	50,885	96	27.8	20.7-34.9	104	28.8	20.8-36.8	123	31.7	24.8-38.6	11	3.0	00.6-05.4	2	0.3	00.0-00.7	34	8.5	03.6-13.4
\$75,000+	636	86,886	216	34.2	29.3-39.1	178	29.6	24.7-34.5	183	28.3	23.4-33.2	13	1.9	00.5-03.3	7	1.2	00.2-02.2	39	4.9	02.9-06.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 13: PROSTATE CANCER SCREENING CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSAREC)	
1	MALES ONLY	52
	HAVE YOU EVER HAD A PSA TEST? (PSATEST1)	
2	MALES ONLY	53
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
3	MALES ONLY	54
	WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT PART OF A ROUTINE EXAM, BECAUSE OF A PROBLEM, OR SOME OTHER REASON? (PCPSARSN)	
4	MALES ONLY	55
	BEFORE YOU HAD THE PSA TEST DID A DOCTOR EVER TALK WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAADV)	
5	MALES ONLY	56
	BEFORE YOU HAD THE PSA TEST DID A DOCTOR EVER TALK WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADIS)	
6	MALES ONLY	57
	WHICH OF THE FOLLOWING BEST DESCRIBES THE DECISION TO HAVE THE PSA TEST DONE? (PCPSADEC)	
7	MALES ONLY	58
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)	
8	MALES ONLY	59

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 13: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSAREC)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1198	199,548	853	60.8	56.5-65.1	345	39.2	34.9-43.5
White/Non-Hisp	1003	149,031	707	59.0	54.3-63.7	296	41.0	36.3-45.7
Black or Afr. Am./Non-Hisp	108	30,201	86	73.9	61.6-86.2	22	26.1	13.8-38.4
35-44	98	35,649	17	20.2	08.6-31.8	81	79.8	68.2-91.4
45-54	258	60,064	139	52.7	44.7-60.7	119	47.3	39.3-55.3
55-64	324	49,413	255	77.9	71.0-84.8	69	22.1	15.2-29.0
65+	518	54,423	442	81.0	75.1-86.9	76	19.0	13.1-24.9
Less Than H.S.	71	27,936	47	56.2	41.3-71.1	24	43.8	28.9-58.7
H.S. or G.E.D.	346	67,126	228	56.7	48.9-64.5	118	43.3	35.5-51.1
Some Post-H.S.	299	53,115	211	64.7	57.1-72.3	88	35.3	27.7-42.9
College Graduate	481	51,235	366	64.7	58.4-71.0	115	35.3	29.0-41.6
Less than \$15,000	98	19,800	65	53.8	37.9-69.7	33	46.2	30.3-62.1
\$15,000- 24,999	89	18,086	55	61.6	47.1-76.1	34	38.4	23.9-52.9
\$25,000- 34,999	91	16,718	67	61.0	42.0-80.0	24	39.0	20.0-58.0
\$35,000- 49,999	169	24,171	134	70.6	59.8-81.4	35	29.4	18.6-40.2
\$50,000- 74,999	190	30,499	137	62.4	53.0-71.8	53	37.6	28.2-47.0
\$75,000+	402	63,310	279	59.0	52.1-65.9	123	41.0	34.1-47.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 13: PROSTATE CANCER SCREENING**

TABLE 2: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1195	199,659	879	61.9	57.6-66.2	316	38.1	33.8-42.4
White/Non-Hisp	998	147,857	730	59.9	55.2-64.6	268	40.1	35.4-44.8
Black or Afr. Am./Non-Hisp	110	31,486	89	73.2	61.0-85.4	21	26.8	14.6-39.0
35-44	97	35,479	20	27.1	13.8-40.4	77	72.9	59.6-86.2
45-54	259	60,547	132	50.3	42.1-58.5	127	49.7	41.5-57.9
55-64	321	48,924	268	79.1	72.0-86.2	53	20.9	13.8-28.0
65+	518	54,709	459	81.8	75.7-87.9	59	18.2	12.1-24.3
Less Than H.S.	70	27,658	44	53.4	38.7-68.1	26	46.6	31.9-61.3
H.S. or G.E.D.	343	67,587	227	55.5	47.9-63.1	116	44.5	36.9-52.1
Some Post-H.S.	299	53,178	225	68.9	61.5-76.3	74	31.1	23.7-38.5
College Graduate	482	51,101	382	67.3	61.0-73.6	100	32.7	26.4-39.0
Less than \$15,000	96	19,617	66	52.8	36.9-68.7	30	47.2	31.3-63.1
\$15,000- 24,999	90	18,500	56	59.9	45.6-74.2	34	40.1	25.8-54.4
\$25,000- 34,999	91	16,718	76	74.9	59.6-90.2	15	25.1	09.8-40.4
\$35,000- 49,999	167	23,831	136	71.2	60.2-82.2	31	28.8	17.8-39.8
\$50,000- 74,999	189	30,449	139	58.6	48.8-68.4	50	41.4	31.6-51.2
\$75,000+	401	62,721	287	61.1	54.2-68.0	114	38.9	32.0-45.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 13: PROSTATE CANCER SCREENING**

TABLE 3: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	870	122,612	667	70.4	65.3-75.5	111	16.5	12.2-20.8	34	5.7	03.0-08.4	26	2.5	01.1-03.9	32	5.0	02.1-07.9
White/Non-Hisp	721	87,668	563	73.2	68.1-78.3	86	15.7	11.0-20.4	25	4.3	02.1-06.5	22	3.0	01.2-04.8	25	3.8	01.8-05.8
Black or Afr. Am./Non-Hisp	89	23,039	62	68.0	54.1-81.9	15	15.8	05.0-26.6	6	12.3	01.1-23.5	2	0.7	00.0-01.9	4	3.3	00.0-06.6
45-54	132	30,458	81	53.0	41.2-64.8	27	24.6	13.4-35.8	10	11.5	02.7-20.3	7	5.2	00.5-09.9	7	5.7	00.8-10.6
55-64	267	38,602	199	72.7	65.1-80.3	40	17.8	10.5-25.1	12	4.4	01.1-07.7	6	1.6	00.2-03.0	10	3.5	01.1-05.9
65+	451	43,940	376	84.4	80.1-88.7	39	8.6	05.1-12.1	9	2.0	00.2-03.8	13	2.0	00.8-03.2	14	3.0	01.2-04.8
H.S. or G.E.D.	223	36,964	177	72.6	62.0-83.2	22	11.0	04.7-17.3	10	6.3	00.0-12.6	5	2.7	00.0-06.0	9	7.4	00.0-16.2
Some Post-H.S.	222	36,424	165	69.9	60.9-78.9	33	19.2	11.2-27.2	10	6.3	01.4-11.2	4	1.2	00.0-02.6	10	3.4	01.0-05.8
College Graduate	380	34,313	295	73.1	67.0-79.2	49	15.3	10.2-20.4	11	3.7	01.0-06.4	15	4.3	01.6-07.0	10	3.6	01.1-06.1
Less than \$15,000	65	10,264	49	68.2	51.7-84.7	8	17.6	03.5-31.7	3	5.6	00.0-12.9	3	7.3	00.0-18.1	2	1.3	00.0-03.1
\$15,000- 24,999	55	11,052	37	62.0	42.6-81.4	12	28.8	09.8-47.8	3	2.2	00.0-04.9	1	1.1	00.0-03.3	2	5.9	00.0-15.5
\$25,000- 34,999	74	12,207	52	52.1	29.8-74.4	10	27.0	04.7-49.3	3	2.4	00.0-06.1	3	1.7	00.0-04.1	6	16.9	00.0-40.4
\$35,000- 49,999	135	16,805	104	72.0	61.0-83.0	19	11.4	04.5-18.3	5	8.3	00.1-16.5	2	2.3	00.0-06.2	5	6.0	00.0-12.1
\$50,000- 74,999	139	17,852	113	79.5	70.3-88.7	9	6.1	02.0-10.2	7	7.9	00.3-15.5	4	1.7	00.0-03.7	6	4.9	00.8-09.0
\$75,000+	285	38,174	217	72.5	64.5-80.5	42	15.9	10.0-21.8	9	6.3	00.0-12.6	8	2.4	00.6-04.2	9	2.8	00.8-04.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 13: PROSTATE CANCER SCREENING**

TABLE 4: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT PART OF A ROUTINE EXAM, BECAUSE OF A PROBLEM, OR SOME OTHER REASON? (PCPSARSN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine exam			Because of problem			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	875	123,104	705	76.8	71.7-81.9	115	14.0	10.1-17.9	55	9.2	05.1-13.3
White/Non-Hisp	726	88,160	591	80.1	75.2-85.0	93	11.2	08.5-13.9	42	8.7	04.2-13.2
Black or Afr. Am./Non-Hisp	89	23,039	71	74.7	61.0-88.4	11	12.6	03.0-22.2	7	12.6	00.6-24.6
45-54	132	30,458	108	77.3	66.5-88.1	9	7.8	01.3-14.3	15	15.0	05.4-24.6
55-64	268	38,694	225	86.3	81.6-91.0	28	10.1	05.8-14.4	15	3.5	01.3-05.7
65+	455	44,340	359	76.9	71.2-82.6	75	18.9	13.6-24.2	21	4.2	01.7-06.7
H.S. or G.E.D.	223	37,147	176	71.7	61.1-82.3	31	15.7	06.7-24.7	16	12.6	04.4-20.8
Some Post-H.S.	225	36,648	196	83.0	73.0-93.0	19	8.2	03.1-13.3	10	8.8	00.0-18.2
College Graduate	382	34,397	302	79.2	73.7-84.7	52	11.7	08.0-15.4	28	9.0	04.3-13.7
Less than \$15,000	65	10,264	51	75.1	60.2-90.0	12	16.9	05.3-28.5	2	8.0	00.0-19.4
\$15,000- 24,999	55	11,051	39	66.6	48.4-84.8	10	25.7	08.3-43.1	6	7.7	00.0-16.3
\$25,000- 34,999	75	12,418	58	76.9	54.6-99.2	13	21.2	00.0-43.7	4	1.9	00.0-04.3
\$35,000- 49,999	135	16,805	108	78.2	68.8-87.6	15	11.6	04.5-18.7	12	10.1	02.8-17.4
\$50,000- 74,999	139	17,852	113	81.1	73.1-89.1	20	15.7	08.1-23.3	6	3.2	00.1-06.3
\$75,000+	287	38,323	235	79.2	69.6-88.8	31	6.7	04.0-09.4	21	14.1	04.1-24.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 13: PROSTATE CANCER SCREENING**

TABLE 5: BEFORE YOU HAD THE PSA TEST DID A DOCTOR EVER TALK WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAADV)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	838	119,175	524	63.3	58.4-68.2	314	36.7	31.8-41.6
White/Non-Hisp	695	85,150	432	60.9	55.6-66.2	263	39.1	33.8-44.4
Black or Afr. Am./Non-Hisp	87	22,512	60	70.8	57.9-83.7	27	29.2	16.3-42.1
45-54	128	29,566	66	51.0	39.0-63.0	62	49.0	37.0-61.0
55-64	262	38,102	168	66.1	58.8-73.4	94	33.9	26.6-41.2
65+	429	42,288	275	65.8	59.9-71.7	154	34.2	28.3-40.1
H.S. or G.E.D.	220	36,577	129	63.2	54.0-72.4	91	36.8	27.6-46.0
Some Post-H.S.	215	35,723	133	68.3	60.1-76.5	82	31.7	23.5-39.9
College Graduate	359	32,092	237	62.3	55.6-69.0	122	37.7	31.0-44.4
Less than \$15,000	62	9,747	38	58.8	41.9-75.7	24	41.2	24.3-58.1
\$15,000- 24,999	54	10,852	28	57.2	38.8-75.6	26	42.8	24.4-61.2
\$25,000- 34,999	74	12,343	45	62.9	42.1-83.7	29	37.1	16.3-57.9
\$35,000- 49,999	125	15,718	85	71.5	61.1-81.9	40	28.5	18.1-38.9
\$50,000- 74,999	130	17,318	78	61.9	50.9-72.9	52	38.1	27.1-49.1
\$75,000+	277	37,002	176	61.9	53.3-70.5	101	38.1	29.5-46.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 13: PROSTATE CANCER SCREENING**

TABLE 6: BEFORE YOU HAD THE PSA TEST DID A DOCTOR EVER TALK WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADIS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	832	117,338	239	32.2	26.9-37.5	593	67.8	62.5-73.1
White/Non-Hisp	695	84,634	190	26.4	21.3-31.5	505	73.6	68.5-78.7
Black or Afr. Am./Non-Hisp	83	22,072	34	48.6	34.1-63.1	49	51.4	36.9-65.9
45-54	124	28,869	36	29.6	18.8-40.4	88	70.4	59.6-81.2
55-64	254	36,945	75	30.8	23.0-38.6	179	69.2	61.4-77.0
65+	435	42,304	121	29.3	23.2-35.4	314	70.7	64.6-76.8
H.S. or G.E.D.	212	35,470	66	36.8	26.6-47.0	146	63.2	53.0-73.4
Some Post-H.S.	215	35,527	49	33.3	22.3-44.3	166	66.7	55.7-77.7
College Graduate	361	31,853	112	28.2	22.5-33.9	249	71.8	66.1-77.5
Less than \$15,000	62	9,728	24	45.8	28.9-62.7	38	54.2	37.3-71.1
\$15,000- 24,999	53	10,476	16	45.1	25.1-65.1	37	54.9	34.9-74.9
\$25,000- 34,999	73	12,210	19	34.6	11.9-57.3	54	65.4	42.7-88.1
\$35,000- 49,999	126	15,854	34	27.9	17.7-38.1	92	72.1	61.9-82.3
\$50,000- 74,999	132	17,105	32	22.6	13.2-32.0	100	77.4	68.0-86.8
\$75,000+	271	36,023	83	31.2	21.8-40.6	188	68.8	59.4-78.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 13: PROSTATE CANCER SCREENING**

TABLE 7: WHICH OF THE FOLLOWING BEST DESCRIBES THE DECISION TO HAVE THE PSA TEST DONE? (PCPSADEC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.
Denominator excludes: Respondents that have never had a digital rectal exam.

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		You made decision			Your doctor, nurse, health care provider			Your doctor, nurse, health care provider together			Spouse, significant other family		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	866	121,294	181	21.7	17.0-26.4	264	32.8	28.3-37.3	406	43.2	38.3-48.1	15	2.3	00.7-03.9
White/Non-Hisp	721	87,379	151	19.8	15.5-24.1	219	32.0	27.3-36.7	339	46.2	40.9-51.5	12	2.1	00.5-03.7
Black or Afr. Am./Non-Hisp	87	22,237	20	27.7	14.0-41.4	28	38.1	24.0-52.2	36	30.1	18.7-41.5	3	4.2	00.0-10.1
45-54	129	30,127	35	28.2	16.4-40.0	40	35.1	23.9-46.3	54	36.6	26.0-47.2			
55-64	266	38,268	65	26.5	19.2-33.8	70	26.4	19.5-33.3	126	44.9	37.5-52.3	5	2.2	00.0-04.6
65+	452	43,882	80	13.6	09.9-17.3	148	41.1	34.6-47.6	216	43.0	36.9-49.1	8	2.3	00.0-04.7
H.S. or G.E.D.	224	37,309	44	21.8	11.8-31.8	80	32.5	24.1-40.9	98	44.9	35.7-54.1	2	0.8	00.0-02.0
Some Post-H.S.	223	36,223	39	18.9	11.3-26.5	75	35.0	26.2-43.8	102	42.5	32.5-52.5	7	3.6	00.0-07.5
College Graduate	377	33,378	95	27.4	21.3-33.5	90	23.8	18.5-29.1	188	47.0	40.5-53.5	4	1.8	00.0-04.2
Less than \$15,000	64	10,129	14	11.7	04.6-18.8	20	29.9	15.0-44.8	30	58.4	42.5-74.3			
\$15,000- 24,999	54	10,866	7	15.7	00.0-32.6	23	42.1	23.3-60.9	24	42.1	23.3-60.9			
\$25,000- 34,999	75	12,418	13	39.9	15.8-64.0	32	28.1	13.6-42.6	28	27.7	11.8-43.6	2	4.4	00.0-11.8
\$35,000- 49,999	136	16,967	23	12.9	06.2-19.6	35	31.2	20.4-42.0	76	55.0	43.8-66.2	2	0.9	00.0-02.3
\$50,000- 74,999	139	17,852	25	22.1	11.7-32.5	33	24.5	14.3-34.7	77	50.2	39.2-61.2	4	3.2	00.1-06.3
\$75,000+	280	36,879	73	27.4	19.6-35.2	81	30.7	23.3-38.1	121	38.3	29.5-47.1	5	3.6	00.0-07.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2011
 MODULE 13: PROSTATE CANCER SCREENING**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1221	203,648	113	6.8	05.0-08.6	1108	93.2	91.4-95.0
White/Non-Hisp	1022	151,637	94	6.4	04.6-08.2	928	93.6	91.8-95.4
Black or Afr. Am./Non-Hisp	111	31,565	14	9.4	02.9-15.9	97	90.6	84.1-97.1
35-44	98	35,649	1	2.3	00.0-06.8	97	97.7	93.2-0100
45-54	265	61,609	4	1.8	00.0-04.2	261	98.2	95.8-0100
55-64	328	49,804	16	4.7	01.8-07.6	312	95.3	92.4-98.2
65+	530	56,586	92	16.7	12.2-21.2	438	83.3	78.8-87.8
Less Than H.S.	74	29,541	11	9.8	02.7-16.9	63	90.2	83.1-97.3
H.S. or G.E.D.	349	68,210	30	6.8	03.5-10.1	319	93.2	89.9-96.5
Some Post-H.S.	303	53,555	22	5.7	02.0-09.4	281	94.3	90.6-98.0
College Graduate	494	52,206	50	6.0	04.0-08.0	444	94.0	92.0-96.0
Less than \$15,000	98	19,796	8	5.7	00.2-11.2	90	94.3	88.8-99.8
\$15,000- 24,999	92	18,614	6	9.2	00.0-19.0	86	90.8	81.0-0100
\$25,000- 34,999	91	16,718	19	9.1	03.6-14.6	72	90.9	85.4-96.4
\$35,000- 49,999	173	24,365	15	8.9	03.6-14.2	158	91.1	85.8-96.4
\$50,000- 74,999	190	30,496	15	5.4	02.1-08.7	175	94.6	91.3-97.9
\$75,000+	410	64,265	32	4.0	02.2-05.8	378	96.0	94.2-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 14: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
 * * * * *

TABLE	PAGE
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1 MALES AND FEMALES	61
2 MALES ONLY	62
3 FEMALES ONLY	63
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4 MALES AND FEMALES	64
5 MALES ONLY	65
6 FEMALES ONLY	66
SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7 MALES AND FEMALES	67
8 MALES ONLY	68
9 FEMALES ONLY	69
FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL)	
10 MALES AND FEMALES	70
11 MALES ONLY	71
12 FEMALES ONLY	72
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13 MALES AND FEMALES	73
14 MALES ONLY	74
15 FEMALES ONLY	75

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2011
 MODULE 14: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2783	306,535	1089	34.5	32.1-36.9	1694	65.5	63.1-67.9
Male	1001	142,869	393	32.8	28.9-36.7	608	67.2	63.3-71.1
Female	1782	163,665	696	36.0	33.1-38.9	1086	64.0	61.1-66.9
White/Non-Hisp	2327	235,723	908	34.9	32.4-37.4	1419	65.1	62.6-67.6
Black or Afr. Am./Non-Hisp	317	51,296	137	36.7	29.3-44.1	180	63.3	55.9-70.7
45-54	387	72,133	90	18.5	13.8-23.2	297	81.5	76.8-86.2
55-64	933	105,079	314	31.1	27.2-35.0	619	68.9	65.0-72.8
65+	1463	129,322	685	46.2	42.7-49.7	778	53.8	50.3-57.3
Less Than H.S.	186	51,355	75	33.0	25.0-41.0	111	67.0	59.0-75.0
H.S. or G.E.D.	896	104,394	330	32.7	28.8-36.6	566	67.3	63.4-71.2
Some Post-H.S.	755	82,298	294	34.3	30.0-38.6	461	65.7	61.4-70.0
College Graduate	941	68,149	390	38.7	34.8-42.6	551	61.3	57.4-65.2
Less than \$15,000	322	36,635	128	43.2	35.2-51.2	194	56.8	48.8-64.8
\$15,000- 24,999	311	40,333	109	27.7	21.2-34.2	202	72.3	65.8-78.8
\$25,000- 34,999	246	28,704	98	37.6	28.6-46.6	148	62.4	53.4-71.4
\$35,000- 49,999	354	34,926	149	39.3	32.6-46.0	205	60.7	54.0-67.4
\$50,000- 74,999	378	41,533	162	34.7	28.4-41.0	216	65.3	59.0-71.6
\$75,000+	667	71,288	242	30.9	26.4-35.4	425	69.1	64.6-73.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1001	142,869	393	32.8	28.9-36.7	608	67.2	63.3-71.1
White/Non-Hisp	837	106,637	328	33.3	29.0-37.6	509	66.7	62.4-71.0
Black or Afr. Am./Non-Hisp	96	24,250	43	36.3	24.0-48.6	53	63.7	51.4-76.0
45-54	148	36,741	31	18.0	10.7-25.3	117	82.0	74.7-89.3
55-64	325	49,735	112	31.5	25.0-38.0	213	68.5	62.0-75.0
65+	528	56,394	250	43.6	37.5-49.7	278	56.4	50.3-62.5
Less Than H.S.	67	23,999	26	27.3	15.7-38.9	41	72.7	61.1-84.3
H.S. or G.E.D.	288	47,985	96	28.6	22.1-35.1	192	71.4	64.9-77.9
Some Post-H.S.	243	35,976	84	31.1	23.7-38.5	159	68.9	61.5-76.3
College Graduate	402	34,774	187	44.3	38.0-50.6	215	55.7	49.4-62.0
Less than \$15,000	86	15,297	32	37.4	23.3-51.5	54	62.6	48.5-76.7
\$15,000- 24,999	82	15,953	26	22.6	11.8-33.4	56	77.4	66.6-88.2
\$25,000- 34,999	85	13,126	36	33.5	19.2-47.8	49	66.5	52.2-80.8
\$35,000- 49,999	147	17,513	66	41.6	31.2-52.0	81	58.4	48.0-68.8
\$50,000- 74,999	150	20,909	63	34.0	24.0-44.0	87	66.0	56.0-76.0
\$75,000+	305	37,829	111	32.0	25.3-38.7	194	68.0	61.3-74.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1782	163,665	696	36.0	33.1-38.9	1086	64.0	61.1-66.9
White/Non-Hisp	1490	129,085	580	36.3	33.2-39.4	910	63.7	60.6-66.8
Black or Afr. Am./Non-Hisp	221	27,046	94	37.0	28.4-45.6	127	63.0	54.4-71.6
45-54	239	35,392	59	19.0	13.1-24.9	180	81.0	75.1-86.9
55-64	608	55,345	202	30.8	26.3-35.3	406	69.2	64.7-73.7
65+	935	72,928	435	48.2	43.9-52.5	500	51.8	47.5-56.1
Less Than H.S.	119	27,356	49	38.1	27.3-48.9	70	61.9	51.1-72.7
H.S. or G.E.D.	608	56,408	234	36.1	31.6-40.6	374	63.9	59.4-68.4
Some Post-H.S.	512	46,322	210	36.8	31.5-42.1	302	63.2	57.9-68.5
College Graduate	539	33,375	203	33.0	28.3-37.7	336	67.0	62.3-71.7
Less than \$15,000	236	21,338	96	47.3	38.3-56.3	140	52.7	43.7-61.7
\$15,000- 24,999	229	24,380	83	31.0	23.0-39.0	146	69.0	61.0-77.0
\$25,000- 34,999	161	15,578	62	41.1	30.3-51.9	99	58.9	48.1-69.7
\$35,000- 49,999	207	17,413	83	37.0	28.6-45.4	124	63.0	54.6-71.4
\$50,000- 74,999	228	20,624	99	35.3	27.9-42.7	129	64.7	57.3-72.1
\$75,000+	362	33,459	131	29.6	24.1-35.1	231	70.4	64.9-75.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1060	103,802	274	28.0	24.3-31.7	159	15.9	12.8-19.0	116	9.3	07.1-11.5	116	11.4	08.7-14.1	395	35.3	31.6-39.0
Male	389	46,678	103	28.2	22.3-34.1	79	20.6	15.3-25.9	30	7.9	04.2-11.6	40	10.8	06.5-15.1	137	32.5	26.4-38.6
Female	671	57,124	171	27.9	23.2-32.6	80	12.1	08.6-15.6	86	10.5	08.0-13.0	76	12.0	08.7-15.3	258	37.5	32.6-42.4
White/Non-Hisp	883	80,642	207	24.8	20.9-28.7	136	17.6	13.9-21.3	98	9.3	06.9-11.7	101	11.9	09.0-14.8	341	36.4	32.3-40.5
Black or Afr. Am./Non-Hisp	133	18,592	48	37.4	26.6-48.2	19	11.5	05.4-17.6	16	11.3	04.6-18.0	11	10.9	02.7-19.1	39	28.9	18.5-39.3
45-54	87	13,190	24	28.2	16.4-40.0	17	25.3	12.8-37.8	8	6.6	01.1-12.1	14	12.7	04.5-20.9	24	27.2	15.0-39.4
55-64	309	32,326	77	27.8	21.1-34.5	53	17.4	12.1-22.7	36	10.4	06.3-14.5	35	13.6	08.1-19.1	108	30.7	24.2-37.2
65+	664	58,286	173	28.1	23.4-32.8	89	13.0	09.5-16.5	72	9.3	06.4-12.2	67	10.0	06.9-13.1	263	39.6	34.7-44.5
Less Than H.S.	74	16,872	25	31.7	19.4-44.0	10	15.3	05.1-25.5	8	10.7	02.3-19.1	7	11.5	02.9-20.1	24	30.8	18.3-43.3
H.S. or G.E.D.	322	33,457	80	27.3	21.0-33.6	53	18.5	12.4-24.6	31	6.9	04.2-09.6	41	15.0	09.5-20.5	117	32.3	26.0-38.6
Some Post-H.S.	284	27,430	78	30.5	23.2-37.8	43	15.0	09.9-20.1	33	9.5	05.4-13.6	27	9.2	05.1-13.3	103	35.8	28.7-42.9
College Graduate	380	26,043	91	24.0	18.5-29.5	53	14.0	09.7-18.3	44	11.4	07.5-15.3	41	9.2	06.1-12.3	151	41.4	34.9-47.9
Less than \$15,000	123	15,426	38	36.8	24.6-49.0	22	16.7	06.3-27.1	9	4.4	00.7-08.1	9	12.5	03.5-21.5	45	29.7	18.7-40.7
\$15,000- 24,999	107	11,093	38	39.5	27.7-51.3	14	17.0	07.2-26.8	11	6.6	02.1-11.1	5	4.7	00.0-09.8	39	32.2	20.8-43.6
\$25,000- 34,999	93	10,506	26	33.3	18.8-47.8	14	14.2	06.2-22.2	10	10.8	01.6-20.0	11	10.5	02.5-18.5	32	31.2	19.0-43.4
\$35,000- 49,999	145	13,604	33	19.3	11.5-27.1	27	18.2	10.6-25.8	15	14.1	05.1-23.1	16	12.1	04.5-19.7	54	36.4	26.2-46.6
\$50,000- 74,999	162	14,393	38	22.1	14.1-30.1	20	14.5	07.4-21.6	21	9.7	05.2-14.2	19	13.6	05.4-21.8	64	40.1	29.9-50.3
\$75,000+	239	21,879	56	23.2	16.3-30.1	33	16.5	09.4-23.6	29	11.1	06.4-15.8	34	14.8	09.1-20.5	87	34.4	27.0-41.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	389	46,678	103	28.2	22.3-34.1	79	20.6	15.3-25.9	30	7.9	04.2-11.6	40	10.8	06.5-15.1	137	32.5	26.4-38.6
White/Non-Hisp	324	35,280	75	23.5	17.6-29.4	67	23.0	16.7-29.3	26	8.5	04.2-12.8	36	10.5	06.2-14.8	120	34.5	27.8-41.2
55-64	112	15,663	31	28.3	17.3-39.3	26	22.4	13.0-31.8	7	7.1	00.6-13.6	11	13.6	04.6-22.6	37	28.6	18.0-39.2
65+	246	24,412	64	27.7	20.4-35.0	41	14.2	09.1-19.3	23	10.5	04.6-16.4	23	9.2	03.9-14.5	95	38.4	30.6-46.2
H.S. or G.E.D.	96	13,727	26	27.4	16.4-38.4	25	27.9	15.9-39.9	4	2.4	00.0-04.9	11	16.8	06.0-27.6	30	25.6	15.6-35.6
Some Post-H.S.	82	11,089	22	34.5	20.6-48.4	21	22.8	12.0-33.6	7	8.6	00.4-16.8	7	8.4	01.0-15.8	25	25.7	14.7-36.7
College Graduate	185	15,321	48	27.3	18.9-35.7	29	15.7	09.0-22.4	15	7.5	03.2-11.8	21	9.3	04.8-13.8	72	40.3	30.9-49.7
\$35,000- 49,999	65	7,232	16	15.4	06.6-24.2	13	22.2	09.7-34.7	7	17.8	02.3-33.3	5	4.7	00.0-10.2	24	39.8	24.3-55.3
\$50,000- 74,999	63	7,116	11	19.8	06.9-32.7	11	19.7	07.0-32.4	6	5.9	00.8-11.0	10	17.3	02.4-32.2	25	37.3	20.4-54.2
\$75,000+	110	12,074	28	27.2	16.2-38.2	22	23.6	12.0-35.2	5	4.8	00.1-09.5	18	17.0	08.0-26.0	37	27.2	17.4-37.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	671	57,124	171	27.9	23.2-32.6	80	12.1	08.6-15.6	86	10.5	08.0-13.0	76	12.0	08.7-15.3	258	37.5	32.8-42.2
White/Non-Hisp	559	45,362	132	25.8	20.7-30.9	69	13.3	09.0-17.6	72	10.0	07.5-12.5	65	13.0	09.3-16.7	221	37.9	32.6-43.2
Black or Afr. Am./Non-Hisp	90	9,778	31	33.9	21.7-46.1	10	8.3	02.4-14.2	12	14.5	05.5-23.5	8	8.5	00.7-16.3	29	34.9	22.0-47.8
45-54	56	6,587	16	26.5	12.4-40.6	5	10.0	00.0-20.4	8	13.2	02.6-23.8	8	15.8	02.3-29.3	19	34.5	18.8-50.2
55-64	197	16,662	46	27.5	19.3-35.7	27	12.7	07.2-18.2	29	13.6	08.3-18.9	24	13.5	07.6-19.4	71	32.8	25.0-40.6
65+	418	33,874	109	28.4	22.1-34.7	48	12.2	07.3-17.1	49	8.5	05.8-11.2	44	10.5	06.6-14.4	168	40.5	34.0-47.0
H.S. or G.E.D.	226	19,730	54	27.2	19.9-34.5	28	12.0	06.7-17.3	27	10.0	05.9-14.1	30	13.7	08.2-19.2	87	37.0	29.4-44.6
Some Post-H.S.	202	16,341	56	27.8	20.2-35.4	22	9.7	05.2-14.2	26	10.2	06.1-14.3	20	9.7	05.0-14.4	78	42.6	34.2-51.0
College Graduate	195	10,722	43	19.4	13.1-25.7	24	11.6	06.7-16.5	29	16.9	09.8-24.0	20	9.0	04.9-13.1	79	43.1	34.7-51.5
Less than \$15,000	91	9,700	24	29.9	16.8-43.0	17	19.4	05.5-33.3	8	5.2	00.3-10.1	6	9.3	01.3-17.3	36	36.3	22.0-50.6
\$15,000- 24,999	81	7,480	30	42.2	28.9-55.5	7	11.4	02.2-20.6	10	9.1	02.6-15.6	4	5.4	00.0-12.3	30	31.9	20.3-43.5
\$25,000- 34,999	57	6,111	15	36.0	15.2-56.8	6	11.5	01.1-21.9	5	4.8	00.0-09.7	9	16.9	03.6-30.2	22	30.9	15.8-46.0
\$35,000- 49,999	80	6,372	17	23.7	11.0-36.4	14	13.7	06.1-21.3	8	9.8	02.9-16.7	11	20.4	06.7-34.1	30	32.5	20.2-44.8
\$50,000- 74,999	99	7,277	27	24.4	14.8-34.0	9	9.4	02.9-15.9	15	13.4	06.3-20.5	9	9.9	02.8-17.0	39	42.9	30.7-55.1
\$75,000+	129	9,806	28	18.3	11.0-25.6	11	7.8	02.7-12.9	24	18.7	10.5-26.9	16	12.0	05.9-18.1	50	43.2	32.6-53.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2011
 MODULE 14: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
 HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2797	307,677	2209	74.5	72.0-77.0	588	25.5	23.0-28.0
Male	1007	143,092	815	75.8	71.7-79.9	192	24.2	20.1-28.3
Female	1790	164,584	1394	73.4	70.3-76.5	396	26.6	23.5-29.7
White/Non-Hisp	2341	236,793	1864	76.7	74.2-79.2	477	23.3	20.8-25.8
Black or Afr. Am./Non-Hisp	318	51,510	246	68.6	60.6-76.6	72	31.4	23.4-39.4
45-54	388	72,340	239	58.6	51.7-65.5	149	41.4	34.5-48.3
55-64	940	105,767	741	77.5	73.8-81.2	199	22.5	18.8-26.2
65+	1469	129,570	1229	80.9	77.6-84.2	240	19.1	15.8-22.4
Less Than H.S.	184	51,128	125	65.3	56.3-74.3	59	34.7	25.7-43.7
H.S. or G.E.D.	895	104,139	691	74.2	70.1-78.3	204	25.8	21.7-29.9
Some Post-H.S.	756	82,587	592	74.8	70.3-79.3	164	25.2	20.7-29.7
College Graduate	956	69,416	797	81.4	78.1-84.7	159	18.6	15.3-21.9
Less than \$15,000	322	36,602	232	66.1	58.1-74.1	90	33.9	25.9-41.9
\$15,000- 24,999	311	40,256	204	60.3	51.9-68.7	107	39.7	31.3-48.1
\$25,000- 34,999	245	28,679	208	84.0	77.1-90.9	37	16.0	09.1-22.9
\$35,000- 49,999	355	34,982	297	83.9	78.8-89.0	58	16.1	11.0-21.2
\$50,000- 74,999	379	41,668	309	74.5	67.8-81.2	70	25.5	18.8-32.2
\$75,000+	675	71,973	565	80.4	76.3-84.5	110	19.6	15.5-23.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1007	143,092	815	75.8	71.7-79.9	192	24.2	20.1-28.3
White/Non-Hisp	844	107,002	691	78.2	74.1-82.3	153	21.8	17.7-25.9
Black or Afr. Am./Non-Hisp	96	24,250	75	69.9	57.2-82.6	21	30.1	17.4-42.8
45-54	148	36,741	90	61.3	51.1-71.5	58	38.7	28.5-48.9
55-64	329	50,163	268	80.6	75.1-86.1	61	19.4	13.9-24.9
65+	530	56,189	457	81.0	74.9-87.1	73	19.0	12.9-25.1
Less Than H.S.	64	23,406	45	70.1	56.0-84.2	19	29.9	15.8-44.0
H.S. or G.E.D.	289	48,032	217	71.9	64.5-79.3	72	28.1	20.7-35.5
Some Post-H.S.	244	36,160	197	76.1	68.7-83.5	47	23.9	16.5-31.3
College Graduate	409	35,360	355	84.5	79.6-89.4	54	15.5	10.6-20.4
Less than \$15,000	86	15,261	63	62.8	47.7-77.9	23	37.2	22.1-52.3
\$15,000- 24,999	82	15,953	50	66.3	52.8-79.8	32	33.7	20.2-47.2
\$25,000- 34,999	85	13,126	73	84.0	71.8-96.2	12	16.0	03.8-28.2
\$35,000- 49,999	148	17,569	130	86.9	79.6-94.2	18	13.1	05.8-20.4
\$50,000- 74,999	151	21,044	122	72.0	61.2-82.8	29	28.0	17.2-38.8
\$75,000+	308	38,002	261	84.1	78.8-89.4	47	15.9	10.6-21.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1790	164,584	1394	73.4	70.3-76.5	396	26.6	23.5-29.7
White/Non-Hisp	1497	129,791	1173	75.6	72.7-78.5	324	24.4	21.5-27.3
Black or Afr. Am./Non-Hisp	222	27,260	171	67.4	57.4-77.4	51	32.6	22.6-42.6
45-54	240	35,599	149	55.8	47.2-64.4	91	44.2	35.6-52.8
55-64	611	55,604	473	74.7	69.8-79.6	138	25.3	20.4-30.2
65+	939	73,381	772	80.9	77.6-84.2	167	19.1	15.8-22.4
Less Than H.S.	120	27,722	80	61.3	50.1-72.5	40	38.7	27.5-49.9
H.S. or G.E.D.	606	56,107	474	76.1	71.6-80.6	132	23.9	19.4-28.4
Some Post-H.S.	512	46,428	395	73.8	68.5-79.1	117	26.2	20.9-31.5
College Graduate	547	34,056	442	78.1	73.6-82.6	105	21.9	17.4-26.4
Less than \$15,000	236	21,341	169	68.5	60.3-76.7	67	31.5	23.3-39.7
\$15,000- 24,999	229	24,304	154	56.4	46.0-66.8	75	43.6	33.2-54.0
\$25,000- 34,999	160	15,553	135	84.0	76.4-91.6	25	16.0	08.4-23.6
\$35,000- 49,999	207	17,413	167	80.8	73.9-87.7	40	19.2	12.3-26.1
\$50,000- 74,999	228	20,624	187	77.1	69.3-84.9	41	22.9	15.1-30.7
\$75,000+	367	33,971	304	76.2	69.9-82.5	63	23.8	17.5-30.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2183	226,396	83	3.7	02.7-04.7	2100	96.3	95.3-97.3
Male	803	106,393	29	3.3	01.9-04.7	774	96.7	95.3-98.1
Female	1380	120,003	54	4.1	02.7-05.5	1326	95.9	94.5-97.3
White/Non-Hisp	1842	179,927	73	3.9	02.9-04.9	1769	96.1	95.1-97.1
Black or Afr. Am./Non-Hisp	244	34,777	5	1.8	00.0-03.8	239	98.2	96.2-0100
45-54	235	41,341	9	3.6	01.1-06.1	226	96.4	93.9-98.9
55-64	735	81,674	17	2.2	01.0-03.4	718	97.8	96.6-99.0
65+	1213	103,381	57	5.0	03.4-06.6	1156	95.0	93.4-96.6
Less Than H.S.	123	32,895	7	4.4	00.9-07.9	116	95.6	92.1-99.1
H.S. or G.E.D.	684	76,468	17	3.0	01.4-04.6	667	97.0	95.4-98.6
Some Post-H.S.	584	60,942	27	3.5	01.9-05.1	557	96.5	94.9-98.1
College Graduate	788	55,802	31	4.4	02.6-06.2	757	95.6	93.8-97.4
Less than \$15,000	226	23,694	6	3.0	00.1-05.9	220	97.0	94.1-99.9
\$15,000- 24,999	200	23,538	6	2.3	00.1-04.5	194	97.7	95.5-99.9
\$25,000- 34,999	206	23,984	10	3.4	00.7-06.1	196	96.6	93.9-99.3
\$35,000- 49,999	296	29,296	12	2.6	00.8-04.4	284	97.4	95.6-99.2
\$50,000- 74,999	308	30,950	6	3.5	00.4-06.6	302	96.5	93.4-99.6
\$75,000+	561	57,379	26	5.1	02.7-07.5	535	94.9	92.5-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	803	106,393	29	3.3	01.9-04.7	774	96.7	95.3-98.1
White/Non-Hisp	681	82,412	24	3.0	01.6-04.4	657	97.0	95.6-98.4
Black or Afr. Am./Non-Hisp	74	16,500	2	2.8	00.0-06.7	72	97.2	93.3-0100
45-54	86	21,480	4	3.4	00.0-07.1	82	96.6	92.9-0100
55-64	266	40,312	3	1.0	00.0-02.2	263	99.0	97.8-0100
65+	451	44,601	22	5.3	02.6-08.0	429	94.7	92.0-97.4
H.S. or G.E.D.	214	34,101	4	1.9	00.0-04.1	210	98.1	95.9-0100
Some Post-H.S.	193	26,776	6	2.8	00.4-05.2	187	97.2	94.8-99.6
College Graduate	351	29,395	17	5.2	02.5-07.9	334	94.8	92.1-97.5
Less than \$15,000	62	9,428	2	2.2	00.0-05.7	60	97.8	94.3-0100
\$25,000- 34,999	72	10,947	4	3.4	00.0-07.9	68	96.6	92.1-0100
\$35,000- 49,999	129	15,226	6	3.4	00.3-06.5	123	96.6	93.5-99.7
\$50,000- 74,999	121	15,049	3	4.2	00.0-09.5	118	95.8	90.5-0100
\$75,000+	258	31,519	12	5.1	01.8-08.4	246	94.9	91.6-98.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1380	120,003	54	4.1	02.7-05.5	1326	95.9	94.5-97.3
White/Non-Hisp	1161	97,515	49	4.6	03.0-06.2	1112	95.4	93.8-97.0
Black or Afr. Am./Non-Hisp	170	18,277	3	1.0	00.0-02.2	167	99.0	97.8-0100
45-54	149	19,861	5	3.8	00.1-07.5	144	96.2	92.5-99.9
55-64	469	41,362	14	3.3	01.3-05.3	455	96.7	94.7-98.7
65+	762	58,780	35	4.8	02.8-06.8	727	95.2	93.2-97.2
Less Than H.S.	79	16,908	5	5.2	00.3-10.1	74	94.8	89.9-99.7
H.S. or G.E.D.	470	42,367	13	3.9	01.5-06.3	457	96.1	93.7-98.5
Some Post-H.S.	391	34,166	21	4.1	02.1-06.1	370	95.9	93.9-97.9
College Graduate	437	26,407	14	3.6	01.2-06.0	423	96.4	94.0-98.8
Less than \$15,000	164	14,265	4	3.5	00.0-08.0	160	96.5	92.0-0100
\$15,000- 24,999	153	13,678	6	4.0	00.3-07.7	147	96.0	92.3-99.7
\$25,000- 34,999	134	13,036	6	3.3	00.2-06.4	128	96.7	93.6-99.8
\$35,000- 49,999	167	14,070	6	1.7	00.3-03.1	161	98.3	96.9-99.7
\$50,000- 74,999	187	15,901	3	2.9	00.0-06.2	184	97.1	93.8-0100
\$75,000+	303	25,860	14	5.1	02.0-08.2	289	94.9	91.8-98.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2196	228,118	547	25.8	23.1-28.5	411	19.8	17.3-22.3	380	17.1	14.9-19.3	470	20.3	17.9-22.7	302	13.2	11.2-15.2	86	3.8	02.8-04.8
Male	811	108,232	214	26.4	22.1-30.7	173	23.0	18.3-27.7	131	17.6	13.7-21.5	165	18.1	14.6-21.6	92	10.6	07.7-13.5	36	4.3	02.5-06.1
Female	1385	119,886	333	25.3	22.0-28.6	238	16.9	14.2-19.6	249	16.6	14.2-19.0	305	22.3	19.4-25.2	210	15.5	13.0-18.0	50	3.4	02.2-04.6
White/Non-Hisp	1855	181,125	442	23.7	21.2-26.2	340	19.3	16.6-22.0	329	17.6	15.2-20.0	406	21.2	18.7-23.7	264	14.3	12.1-16.5	74	3.8	02.6-05.0
Black or Afr. Am./Non-Hisp	242	34,823	81	39.4	29.6-49.2	53	23.0	14.8-31.2	37	15.6	09.3-21.9	45	13.9	08.4-19.4	22	6.2	02.9-09.5	4	2.0	00.0-04.2
45-54	239	42,374	78	37.1	28.1-46.1	46	21.4	13.2-29.6	50	20.0	13.1-26.9	39	10.8	06.7-14.9	17	6.2	03.1-09.3	9	4.5	01.4-07.6
55-64	736	81,342	173	21.0	17.3-24.7	134	20.4	15.9-24.9	131	18.3	14.4-22.2	161	23.4	19.1-27.7	117	14.6	11.5-17.7	20	2.3	01.1-03.5
65+	1221	104,402	296	25.0	21.7-28.3	231	18.7	15.8-21.6	199	14.9	12.4-17.4	270	21.8	18.7-24.9	168	14.9	12.0-17.8	57	4.8	03.2-06.4
Less Than H.S.	122	32,986	25	20.1	10.9-29.3	30	28.2	16.8-39.6	14	11.1	04.0-18.2	29	23.0	13.8-32.2	17	12.4	04.8-20.0	7	5.2	01.1-09.3
H.S. or G.E.D.	687	76,900	169	28.4	23.5-33.3	132	18.2	14.5-21.9	122	18.2	14.3-22.1	143	19.0	15.5-22.5	100	13.2	10.3-16.1	21	3.1	01.5-04.7
Some Post-H.S.	590	61,716	162	26.2	21.5-30.9	93	17.7	13.0-22.4	103	17.8	13.7-21.9	116	19.4	15.1-23.7	84	14.1	10.6-17.6	32	4.8	02.6-07.0
College Graduate	794	56,294	190	25.2	21.3-29.1	155	19.4	15.9-22.9	140	18.2	14.7-21.7	182	21.6	18.1-25.1	101	12.6	09.7-15.5	26	2.9	01.5-04.3
Less than \$15,000	231	24,084	48	23.1	14.9-31.3	39	22.5	13.3-31.7	38	16.0	09.3-22.7	54	20.3	12.9-27.7	43	15.7	09.8-21.6	9	2.4	00.4-04.4
\$15,000- 24,999	203	24,266	55	28.6	18.4-38.8	45	23.8	13.8-33.8	32	17.5	09.3-25.7	38	19.4	11.2-27.6	22	6.2	03.1-09.3	11	4.5	01.4-07.6
\$25,000- 34,999	208	24,083	50	21.3	13.7-28.9	36	20.1	08.3-31.9	39	18.8	11.5-26.1	46	22.0	13.2-30.8	26	11.5	06.4-16.6	11	6.3	01.2-11.4
\$35,000- 49,999	297	29,339	72	22.3	16.0-28.6	60	19.7	13.8-25.6	50	16.8	11.1-22.5	67	25.1	18.2-32.0	37	12.0	07.3-16.7	11	4.0	01.3-06.7
\$50,000- 74,999	308	30,911	79	27.0	20.1-33.9	67	20.6	14.5-26.7	56	19.4	13.3-25.5	59	18.6	13.1-24.1	41	12.6	08.1-17.1	6	1.7	00.0-04.1
\$75,000+	565	57,866	148	29.0	23.5-34.5	99	18.2	13.9-22.5	89	14.9	11.0-18.8	133	20.6	16.7-24.5	77	13.3	09.8-16.8	19	4.0	01.8-06.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	811	108,232	214	26.4	22.1-30.7	173	23.0	18.3-27.7	131	17.6	13.7-21.5	165	18.1	14.6-21.6	92	10.6	07.7-13.5	36	4.3	02.5-06.1
White/Non-Hisp	690	83,574	175	24.1	20.0-28.2	145	22.1	17.2-27.0	114	18.8	14.5-23.1	143	18.5	14.6-22.4	83	12.1	08.6-15.6	30	4.4	02.4-06.4
Black or Afr. Am./Non-Hisp	72	16,752	29	43.3	27.4-59.2	18	29.0	14.3-43.7	10	14.0	03.6-24.4	13	11.9	03.3-20.5	1	0.6	00.0-01.8	1	1.2	00.0-03.6
45-54	90	22,513	32	36.0	22.3-49.7	21	27.4	13.9-40.9	16	21.0	10.0-32.0	11	6.1	02.0-10.2	4	2.7	00.0-05.4	6	6.8	01.3-12.3
55-64	265	40,204	62	20.3	14.4-26.2	50	22.3	14.5-30.1	56	22.1	15.4-28.8	56	21.9	14.8-29.0	36	12.2	07.5-16.9	5	1.2	00.0-02.4
65+	456	45,515	120	26.9	21.6-32.2	102	21.5	16.6-26.4	59	12.1	08.2-16.0	98	20.6	15.5-25.7	52	13.0	07.7-18.3	25	5.8	02.9-08.7
H.S. or G.E.D.	215	34,373	58	31.0	22.0-40.0	53	22.0	15.1-28.9	35	19.1	11.8-26.4	37	14.5	09.0-20.0	26	10.7	06.2-15.2	6	2.8	00.4-05.2
Some Post-H.S.	196	27,462	60	29.1	20.9-37.3	35	20.8	12.0-29.6	27	15.4	08.5-22.3	41	19.1	11.5-26.7	22	10.8	05.9-15.7	11	4.8	01.3-08.3
College Graduate	354	29,850	88	26.5	20.6-32.4	72	20.3	14.6-26.0	62	19.1	14.0-24.2	76	18.8	14.3-23.3	41	11.0	06.7-15.3	15	4.3	01.8-06.8
Less than \$15,000	62	9,475	15	20.4	07.1-33.7	15	35.7	16.9-54.5	9	16.4	02.9-29.9	13	15.6	06.0-25.2	8	9.6	01.6-17.6	2	2.4	00.0-06.5
\$15,000- 24,999	50	10,577	15	23.4	08.7-38.1	10	26.6	07.2-46.0	6	17.2	00.7-33.7	10	24.5	07.6-41.4	7	5.4	00.7-10.1	2	2.8	00.0-06.9
\$25,000- 34,999	73	11,022	16	18.9	06.6-31.2	16	24.7	02.9-46.5	12	17.7	05.4-30.0	13	20.7	05.2-36.2	8	7.0	01.5-12.5	8	11.0	00.4-21.6
\$35,000- 49,999	130	15,269	29	19.1	10.9-27.3	31	23.0	13.8-32.2	22	20.1	10.5-29.7	32	24.1	13.7-34.5	11	10.5	03.8-17.2	5	3.3	00.2-06.4
\$50,000- 74,999	122	15,153	30	26.0	15.2-36.8	32	25.1	14.5-35.7	21	19.1	08.7-29.5	25	16.6	09.0-24.2	12	10.7	04.0-17.4	2	2.5	00.0-07.0
\$75,000+	261	31,967	79	33.3	25.1-41.5	42	17.0	10.9-23.1	43	16.1	10.2-22.0	55	17.0	11.7-22.3	32	12.0	07.1-16.9	10	4.7	01.4-08.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 14: COLORECTAL CANCER SCREENING**

**TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1385	119,886	333	25.3	22.0-28.6	238	16.9	14.2-19.6	249	16.6	14.2-19.0	305	22.3	19.4-25.2	210	15.5	13.0-18.0	50	3.4	02.2-04.6
White/Non-Hisp	1165	97,550	267	23.4	20.3-26.5	195	16.9	14.0-19.8	215	16.6	14.1-19.1	263	23.5	20.2-26.8	181	16.2	13.5-18.9	44	3.3	02.1-04.5
Black or Afr. Am./Non-Hisp	170	18,072	52	35.7	24.3-47.1	35	17.4	10.3-24.5	27	17.0	10.1-23.9	32	15.8	09.1-22.5	21	11.3	05.2-17.4	3	2.8	00.0-06.1
45-54	149	19,861	46	38.4	27.2-49.6	25	14.5	07.8-21.2	34	18.9	11.6-26.2	28	16.1	09.0-23.2	13	10.2	04.3-16.1	3	1.9	00.0-04.3
55-64	471	41,138	111	21.7	17.0-26.4	84	18.6	13.9-23.3	75	14.6	10.9-18.3	105	24.8	19.9-29.7	81	16.9	12.6-21.2	15	3.3	01.3-05.3
65+	765	58,887	176	23.4	19.5-27.3	129	16.6	12.9-20.3	140	17.1	14.0-20.2	172	22.6	18.5-26.7	116	16.3	12.8-19.8	32	4.0	02.2-05.8
Less Than H.S.	77	16,575	18	29.1	15.0-43.2	17	22.4	11.0-33.8	7	6.4	01.5-11.3	18	23.2	11.4-35.0	14	15.3	06.5-24.1	3	3.7	00.0-07.8
H.S. or G.E.D.	472	42,527	111	26.2	21.3-31.1	79	15.2	11.5-18.9	87	17.4	13.5-21.3	106	22.6	17.9-27.3	74	15.3	11.4-19.2	15	3.4	01.4-05.4
Some Post-H.S.	394	34,254	102	23.8	18.5-29.1	58	15.2	10.3-20.1	76	19.8	14.9-24.7	75	19.6	14.9-24.3	62	16.7	11.8-21.6	21	4.9	02.4-07.4
College Graduate	440	26,444	102	23.6	18.5-28.7	83	18.5	14.2-22.8	78	17.2	12.9-21.5	106	24.9	19.8-30.0	60	14.4	10.3-18.5	11	1.4	00.4-02.4
Less than \$15,000	169	14,609	33	25.0	14.8-35.2	24	14.0	07.3-20.7	29	15.7	09.0-22.4	41	23.3	13.3-33.3	35	19.6	11.6-27.6	7	2.3	00.3-04.3
\$15,000- 24,999	153	13,689	40	32.7	19.4-46.0	35	21.7	12.9-30.5	26	17.6	10.2-25.0	28	15.4	08.7-22.1	15	6.8	02.7-10.9	9	5.9	01.4-10.4
\$25,000- 34,999	135	13,061	34	23.3	14.5-32.1	20	16.3	05.5-27.1	27	19.7	11.3-28.1	33	23.1	13.5-32.7	18	15.3	07.5-23.1	3	2.3	00.0-05.0
\$35,000- 49,999	167	14,070	43	25.8	16.6-35.0	29	16.2	09.5-22.9	28	13.3	07.6-19.0	35	26.2	17.4-35.0	26	13.7	07.4-20.0	6	4.9	00.2-09.6
\$50,000- 74,999	186	15,758	49	27.9	19.3-36.5	35	16.3	10.2-22.4	35	19.7	12.8-26.6	34	20.6	12.8-28.4	29	14.4	08.3-20.5	4	1.0	00.0-02.0
\$75,000+	304	25,899	69	23.7	17.4-30.0	57	19.7	13.4-26.0	46	13.5	08.8-18.2	78	25.1	19.2-31.0	45	14.9	10.0-19.8	9	3.1	00.9-05.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV) CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
 * * * * *

TABLE		PAGE
	A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)	
1	MALES AND FEMALES	77
2	MALES ONLY	78
3	FEMALES ONLY	79
	HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)	
4	MALES AND FEMALES	80
5	MALES ONLY	81
6	FEMALES ONLY	82

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 1: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Doctor refused when asked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1206	355,300	70	10.4	07.5-13.3	1133	89.5	86.6-92.4	3	0.1	00.0-00.3
Male	423	170,087	8	2.5	00.3-04.7	415	97.5	95.3-99.7			
Female	783	185,214	62	17.6	12.7-22.5	718	82.2	77.3-87.1	3	0.2	00.0-00.6
White/Non-Hisp	854	226,696	39	9.3	05.8-12.8	813	90.5	87.0-94.0	2	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	199	74,178	17	11.8	05.3-18.3	182	88.2	81.7-94.7			
Oth. Race/Non-Hisp.	58	27,035	4	8.1	00.0-17.7	53	91.6	82.0-0100	1	0.3	00.0-00.9
Hispanic	53	20,361	5	16.8	00.0-33.7	48	83.2	66.3-0100			
18-24	115	78,452	36	31.4	21.2-41.6	79	68.6	58.4-78.8			
25-34	288	106,594	23	7.6	03.9-11.3	264	92.2	88.5-95.9	1	0.3	00.0-00.9
35-44	444	111,111	11	3.6	00.7-06.5	431	96.2	93.3-99.1	2	0.1	00.0-00.3
45-54	312	52,043				312	100.0	0100-0100			
H.S. or G.E.D.	315	112,467	19	10.8	05.3-16.3	296	89.2	83.7-94.7			
Some Post-H.S.	351	110,864	32	14.0	08.3-19.7	319	86.0	80.3-91.7			
College Graduate	488	99,372	15	5.0	01.7-08.3	470	94.5	91.2-97.8	3	0.4	00.0-01.0
Less than \$15,000	87	25,669	8	10.6	00.6-20.6	79	89.4	79.4-99.4			
\$15,000- 24,999	96	34,663	9	12.7	03.7-21.7	87	87.3	78.3-96.3			
\$25,000- 34,999	67	17,628	3	7.1	00.0-18.5	64	92.9	81.5-0100			
\$35,000- 49,999	147	48,640	8	9.1	00.7-17.5	138	90.8	82.4-99.2	1	0.1	00.0-00.5
\$50,000- 74,999	207	51,730	14	13.8	05.4-22.2	192	86.0	77.6-94.4	1	0.2	00.0-00.6
\$75,000+	430	111,436	10	3.5	00.8-06.2	419	96.3	93.6-99.0	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2011
 MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

**TABLE 2: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	423	170,087	8	2.5	00.3-04.7	415	97.5	95.3-99.7
White/Non-Hisp	321	109,193	3	0.6	00.0-01.4	318	99.4	98.6-0100
Black or Afr. Am./Non-Hisp	52	30,675	3	8.4	00.0-18.0	49	91.6	82.0-0100
18-24	57	38,486	3	4.0	00.0-09.3	54	96.0	90.7-0100
25-34	91	52,289	2	1.2	00.0-03.0	89	98.8	97.0-0100
35-44	151	53,557	3	3.9	00.0-09.2	148	96.1	90.8-0100
45-54	113	23,942				113	100.0	0100-0100
H.S. or G.E.D.	123	59,024	4	4.8	00.0-10.1	119	95.2	89.9-0100
Some Post-H.S.	116	51,391	2	2.2	00.0-05.5	114	97.8	94.5-0100
College Graduate	164	47,429	2	0.5	00.0-01.5	162	99.5	98.5-0100
\$35,000- 49,999	56	25,651	2	5.9	00.0-15.1	54	94.1	84.9-0100
\$50,000- 74,999	70	22,221	1	4.3	00.0-12.3	69	95.7	87.7-0100
\$75,000+	164	58,821	1	0.1	00.0-00.3	163	99.9	99.7-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 3: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Doctor refused when asked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	783	185,214	62	17.6	12.7-22.5	718	82.2	77.3-87.1	3	0.2	00.0-00.6
White/Non-Hisp	533	117,503	36	17.5	11.4-23.6	495	82.2	76.1-88.3	2	0.3	00.0-00.9
Black or Afr. Am./Non-Hisp	147	43,503	14	14.3	05.9-22.7	133	85.7	77.3-94.1			
18-24	58	39,966	33	57.9	42.8-73.0	25	42.1	27.0-57.2			
25-34	197	54,306	21	13.7	07.0-20.4	175	85.8	79.1-92.5	1	0.5	00.0-01.5
35-44	293	57,554	8	3.5	00.8-06.2	283	96.3	93.6-99.0	2	0.3	00.0-00.7
45-54	199	28,100				199	100.0	0100-0100			
H.S. or G.E.D.	192	53,443	15	17.5	07.9-27.1	177	82.5	72.9-92.1			
Some Post-H.S.	235	59,473	30	24.2	15.0-33.4	205	75.8	66.6-85.0			
College Graduate	324	51,943	13	9.1	03.0-15.2	308	90.0	83.9-96.1	3	0.8	00.0-02.0
Less than \$15,000	63	16,120	8	16.9	01.6-32.2	55	83.1	67.8-98.4			
\$15,000- 24,999	69	22,100	8	16.2	04.0-28.4	61	83.8	71.6-96.0			
\$35,000- 49,999	91	22,989	6	12.6	00.0-26.7	84	87.1	73.0-0100	1	0.3	00.0-00.9
\$50,000- 74,999	137	29,508	13	21.0	08.5-33.5	123	78.7	66.2-91.2	1	0.3	00.0-00.9
\$75,000+	266	52,615	9	7.2	01.5-12.9	256	92.2	86.5-97.9	1	0.5	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2011
 MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

**TABLE 4: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
 HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	64	33,794	12	17.8	06.4-29.2	10	19.2	05.1-33.3	42	63.0	46.5-79.5
Female	58	30,030	10	13.2	03.2-23.2	8	17.6	03.1-32.1	40	69.1	52.8-85.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV)
TABLE 5: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)**
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2011
 MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 6: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	58	30,030	10	13.2	03.2-23.2	8	17.6	03.1-32.1	40	69.1	52.8-85.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

MODULE 32: RANDOM CHILD SELECTION CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1	MALES AND FEMALES	84
2	MALES ONLY	85
3	FEMALES ONLY	86
	IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4	MALES AND FEMALES	87
5	MALES ONLY	88
6	FEMALES ONLY	89
	IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7	MALES AND FEMALES	90
8	MALES ONLY	91
9	FEMALES ONLY	92
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10	MALES AND FEMALES	93
11	MALES ONLY	94
12	FEMALES ONLY	95
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13	MALES AND FEMALES	96
14	MALES ONLY	97
15	FEMALES ONLY	98
	HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16	MALES AND FEMALES	99
17	MALES ONLY	100
18	FEMALES ONLY	101

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

**TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1993-1997			1998-2002			2003-2007			2008-2009			2010-2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)												
TOTAL	951	240,695	352	35.1	30.8-39.4	233	22.1	18.4-25.8	232	25.0	21.1-28.9	69	8.4	05.9-10.9	65	9.4	06.7-12.1
Male	297	98,106	132	39.7	32.3-47.1	65	18.6	13.1-24.1	65	23.9	17.2-30.6	17	7.2	03.1-11.3	18	10.6	05.3-15.9
Female	654	142,589	220	32.0	26.9-37.1	168	24.6	19.7-29.5	167	25.7	21.0-30.4	52	9.2	05.9-12.5	47	8.5	05.8-11.2
White/Non-Hisp	659	152,253	243	33.6	28.7-38.5	168	24.5	19.8-29.2	163	25.5	21.0-30.0	45	8.0	04.9-11.1	40	8.5	05.2-11.8
Black or Afr. Am./Non-Hisp	181	59,996	74	40.1	30.3-49.9	36	16.5	09.2-23.8	46	25.4	17.0-33.8	16	11.3	05.0-17.6	9	6.7	01.8-11.6
18-24	53	37,256	31	58.3	42.8-73.8	4	10.1	00.0-20.5	7	11.3	01.7-20.9	6	9.4	01.2-17.6	5	10.9	00.7-21.1
25-34	195	62,615	14	7.9	02.8-13.0	38	21.7	13.5-29.9	70	34.6	25.8-43.4	29	14.2	07.5-20.9	44	21.6	14.3-28.9
35-44	335	77,200	98	28.2	21.9-34.5	94	25.8	19.9-31.7	106	33.5	26.6-40.4	26	8.3	04.4-12.2	11	4.1	01.4-06.8
45-54	247	48,030	140	56.6	48.0-65.2	65	24.9	17.3-32.5	33	13.0	07.1-18.9	5	2.1	00.1-04.1	4	3.5	00.0-07.2
55-64	85	11,134	45	54.7	42.2-67.2	25	30.4	18.4-42.4	11	11.2	03.9-18.5	3	3.1	00.0-06.8	1	0.5	00.0-01.5
H.S. or G.E.D.	255	83,252	108	41.3	32.9-49.7	70	23.5	16.4-30.6	58	25.5	17.7-33.3	8	4.2	00.5-07.9	11	5.6	01.7-09.5
Some Post-H.S.	271	65,709	101	36.8	28.8-44.8	71	21.9	15.6-28.2	61	22.5	15.8-29.2	24	10.5	05.2-15.8	14	8.3	02.8-13.8
College Graduate	378	64,942	125	26.8	21.5-32.1	81	18.2	13.7-22.7	103	29.1	23.4-34.8	31	9.2	05.1-13.3	38	16.7	10.8-22.6
Less than \$15,000	65	15,673	21	22.6	11.0-34.2	14	19.4	07.1-31.7	18	36.3	18.3-54.3	8	16.4	03.7-29.1	4	5.2	00.0-10.5
\$15,000- 24,999	78	25,569	31	28.1	15.8-40.4	14	18.1	05.9-30.3	27	41.2	26.5-55.9	4	7.8	00.0-16.8	2	4.8	00.0-11.3
\$25,000- 34,999	59	14,831	18	21.1	08.2-34.0	21	34.0	16.8-51.2	15	27.2	07.2-47.2	4	17.3	00.0-35.3	1	0.4	00.0-01.2
\$35,000- 49,999	121	28,873	43	26.6	17.0-36.2	37	34.4	20.7-48.1	22	17.4	09.0-25.8	8	6.3	00.6-12.0	11	15.3	04.3-26.3
\$50,000- 74,999	162	37,186	53	34.0	24.2-43.8	45	24.2	16.0-32.4	35	19.9	11.7-28.1	19	11.6	05.3-17.9	10	10.2	02.9-17.5
\$75,000+	372	83,839	139	34.9	28.2-41.6	84	21.3	15.6-27.0	97	26.9	20.8-33.0	20	5.8	02.7-08.9	32	11.1	06.6-15.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1993-1997			1998-2002			2003-2007			2008-2009			2010-2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	297	98,106	132	39.7	32.3-47.1	65	18.6	13.1-24.1	65	23.9	17.2-30.6	17	7.2	03.1-11.3	18	10.6	05.3-15.9
White/Non-Hisp	227	65,484	102	38.4	30.2-46.6	54	23.1	15.8-30.4	51	24.3	16.9-31.7	11	6.1	01.2-11.0	9	8.2	02.1-14.3
35-44	103	31,488	32	29.9	18.7-41.1	23	20.1	11.3-28.9	36	37.8	25.8-49.8	8	7.5	01.2-13.8	4	4.6	00.3-08.9
45-54	90	21,712	55	65.2	52.7-77.7	26	22.9	12.9-32.9	9	11.9	02.1-21.7						
H.S. or G.E.D.	88	40,409	45	47.8	34.5-61.1	22	20.0	10.4-29.6	13	19.2	07.4-31.0	4	6.4	00.0-13.7	4	6.7	00.0-13.4
Some Post-H.S.	75	24,725	36	40.7	26.4-55.0	15	17.3	07.1-27.5	16	27.9	14.4-41.4	6	7.0	00.5-13.5	2	7.2	00.0-18.6
College Graduate	123	26,987	46	26.2	17.6-34.8	26	16.1	08.7-23.5	34	31.0	20.8-41.2	6	8.3	00.9-15.7	11	18.4	07.6-29.2
\$50,000- 74,999	55	17,700	25	44.3	28.4-60.2	13	20.7	08.4-33.0	9	17.0	04.5-29.5	3	2.2	00.0-04.7	5	15.7	02.4-29.0
\$75,000+	144	43,341	60	35.0	24.2-45.8	32	22.7	13.3-32.1	37	27.8	17.8-37.8	8	7.1	01.6-12.6	7	7.4	00.9-13.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1993-1997			1998-2002			2003-2007			2008-2009			2010-2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)												
Female	654	142,589	220	32.0	26.9-37.1	168	24.6	19.7-29.5	167	25.7	21.0-30.4	52	9.2	05.9-12.5	47	8.5	05.8-11.2
White/Non-Hisp	432	86,769	141	30.0	24.1-35.9	114	25.5	19.4-31.6	112	26.4	20.5-32.3	34	9.4	05.3-13.5	31	8.7	05.2-12.2
Black or Afr. Am./Non-Hisp	135	38,238	54	38.1	26.1-50.1	31	20.5	10.3-30.7	36	28.4	17.4-39.4	10	9.8	02.2-17.4	4	3.2	00.0-06.5
25-34	152	38,931	9	4.9	00.8-09.0	33	26.0	16.0-36.0	56	37.2	27.2-47.2	21	12.1	05.2-19.0	33	19.8	12.4-27.2
35-44	232	45,712	66	27.1	20.0-34.2	71	29.7	22.3-37.1	70	30.6	22.6-38.6	18	8.9	03.6-14.2	7	3.8	00.7-06.9
45-54	157	26,318	85	49.5	38.5-60.5	39	26.6	15.4-37.8	24	13.8	06.5-21.1	5	3.8	00.1-07.5	4	6.4	00.0-13.1
55-64	55	6,599	25	51.7	36.0-67.4	19	31.2	17.3-45.1	7	10.9	01.7-20.1	3	5.3	00.0-11.4	1	0.9	00.0-02.7
H.S. or G.E.D.	167	42,843	63	35.2	24.6-45.8	48	26.8	16.6-37.0	45	31.4	20.8-42.0	4	2.1	00.0-04.5	7	4.6	00.5-08.7
Some Post-H.S.	196	40,985	65	34.4	25.0-43.8	56	24.8	16.8-32.8	45	19.2	12.7-25.7	18	12.7	05.4-20.0	12	9.0	03.3-14.7
College Graduate	255	37,955	79	27.2	20.7-33.7	55	19.7	14.0-25.4	69	27.7	21.0-34.4	25	9.9	05.4-14.4	27	15.4	09.3-21.5
Less than \$15,000	53	12,903	15	18.2	06.6-29.8	11	19.6	05.5-33.7	17	41.1	20.7-61.5	6	14.9	00.8-29.0	4	6.3	00.0-12.8
\$15,000- 24,999	63	20,455	23	22.1	09.9-34.3	12	20.4	05.7-35.1	22	41.7	25.0-58.4	4	9.8	00.0-21.0	2	6.1	00.0-14.1
\$35,000- 49,999	89	19,019	30	22.8	12.2-33.4	27	39.4	21.8-57.0	17	18.8	08.2-29.4	6	4.9	00.0-10.4	9	14.0	04.4-23.6
\$50,000- 74,999	107	19,485	28	24.6	13.0-36.2	32	27.4	16.6-38.2	26	22.6	11.8-33.4	16	20.2	09.2-31.2	5	5.2	00.0-10.5
\$75,000+	228	40,498	79	34.8	27.4-42.2	52	19.9	13.8-26.0	60	25.9	19.0-32.8	12	4.3	01.6-07.0	25	15.1	08.6-21.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	989	255,537	515	53.0	48.5-57.5	474	47.0	42.5-51.5
Male	320	110,313	173	55.8	48.5-63.1	147	44.2	36.9-51.5
Female	669	145,224	342	50.8	45.3-56.3	327	49.2	43.7-54.7
White/Non-Hisp	680	159,698	354	53.6	48.3-58.9	326	46.4	41.1-51.7
Black or Afr. Am./Non-Hisp	191	63,241	92	47.4	37.8-57.0	99	52.6	43.0-62.2
18-24	54	38,082	31	58.0	42.5-73.5	23	42.0	26.5-57.5
25-34	201	68,450	104	50.0	40.6-59.4	97	50.0	40.6-59.4
35-44	348	81,464	181	52.7	45.8-59.6	167	47.3	40.4-54.2
45-54	256	50,781	139	55.9	47.7-64.1	117	44.1	35.9-52.3
55-64	89	11,587	37	42.8	30.6-55.0	52	57.2	45.0-69.4
H.S. or G.E.D.	272	89,790	139	52.9	44.5-61.3	133	47.1	38.7-55.5
Some Post-H.S.	280	68,665	151	56.3	48.3-64.3	129	43.7	35.7-51.7
College Graduate	386	66,727	202	51.8	45.5-58.1	184	48.2	41.9-54.5
Less than \$15,000	68	16,053	44	58.7	41.3-76.1	24	41.3	23.9-58.7
\$15,000- 24,999	80	26,612	41	54.6	40.1-69.1	39	45.4	30.9-59.9
\$25,000- 34,999	61	15,469	32	54.5	35.9-73.1	29	45.5	26.9-64.1
\$35,000- 49,999	126	31,825	61	43.3	29.8-56.8	65	56.7	43.2-70.2
\$50,000- 74,999	166	38,031	88	58.7	48.9-68.5	78	41.3	31.5-51.1
\$75,000+	383	87,349	190	50.5	43.6-57.4	193	49.5	42.6-56.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2011
 MODULE 32: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	320	110,313	173	55.8	48.5-63.1	147	44.2	36.9-51.5
White/Non-Hisp	239	71,073	133	58.5	49.9-67.1	106	41.5	32.9-50.1
Black or Afr. Am./Non-Hisp	50	24,225	20	37.5	22.2-52.8	30	62.5	47.2-77.8
35-44	113	34,938	58	53.8	42.4-65.2	55	46.2	34.8-57.6
45-54	97	23,975	55	55.4	42.9-67.9	42	44.6	32.1-57.1
H.S. or G.E.D.	98	45,609	55	59.7	47.5-71.9	43	40.3	28.1-52.5
Some Post-H.S.	80	26,914	49	64.3	50.6-78.0	31	35.7	22.0-49.4
College Graduate	128	28,388	67	52.3	41.3-63.3	61	47.7	36.7-58.7
\$50,000- 74,999	56	17,962	32	57.8	41.9-73.7	24	42.2	26.3-58.1
\$75,000+	151	46,099	77	52.3	41.3-63.3	74	47.7	36.7-58.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	669	145,224	342	50.8	45.3-56.3	327	49.2	43.7-54.7
White/Non-Hisp	441	88,625	221	49.7	43.2-56.2	220	50.3	43.8-56.8
Black or Afr. Am./Non-Hisp	141	39,017	72	53.6	41.6-65.6	69	46.4	34.4-58.4
25-34	154	39,332	81	49.5	39.1-59.9	73	50.5	40.1-60.9
35-44	235	46,526	123	51.8	43.4-60.2	112	48.2	39.8-56.6
45-54	159	26,806	84	56.3	45.7-66.9	75	43.7	33.1-54.3
55-64	59	7,052	22	38.1	23.2-53.0	37	61.9	47.0-76.8
H.S. or G.E.D.	174	44,181	84	45.8	34.8-56.8	90	54.2	43.2-65.2
Some Post-H.S.	200	41,751	102	51.1	41.5-60.7	98	48.9	39.3-58.5
College Graduate	258	38,338	135	51.5	44.1-58.9	123	48.5	41.1-55.9
Less than \$15,000	55	13,049	35	55.6	35.6-75.6	20	44.4	24.4-64.4
\$15,000- 24,999	64	20,602	33	61.5	45.8-77.2	31	38.5	22.8-54.2
\$35,000- 49,999	91	19,124	44	42.1	25.8-58.4	47	57.9	41.6-74.2
\$50,000- 74,999	110	20,070	56	59.4	47.2-71.6	54	40.6	28.4-52.8
\$75,000+	232	41,250	113	48.5	40.7-56.3	119	51.5	43.7-59.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	981	255,193	75	8.9	06.2-11.6	906	91.1	88.4-93.8
Male	317	109,809	18	6.7	02.4-11.0	299	93.3	89.0-97.6
Female	664	145,384	57	10.5	07.0-14.0	607	89.5	86.0-93.0
White/Non-Hisp	677	159,409	28	4.9	02.7-07.1	649	95.1	92.9-97.3
Black or Afr. Am./Non-Hisp	190	63,162	4	0.9	00.0-01.9	186	99.1	98.1-0100
18-24	55	38,865	4	7.0	00.0-15.6	51	93.0	84.4-0100
25-34	201	68,450	24	10.3	04.0-16.6	177	89.7	83.4-96.0
35-44	346	81,711	23	7.3	03.6-11.0	323	92.7	89.0-96.4
45-54	250	49,485	21	13.2	06.9-19.5	229	86.8	80.5-93.1
55-64	88	11,508	1	1.5	00.0-04.4	87	98.5	95.6-0100
H.S. or G.E.D.	270	89,877	10	4.5	01.4-07.6	260	95.5	92.4-98.6
Some Post-H.S.	278	68,183	29	11.1	05.4-16.8	249	88.9	83.2-94.6
College Graduate	382	66,777	28	7.5	04.6-10.4	354	92.5	89.6-95.4
Less than \$15,000	67	16,014	10	17.6	05.1-30.1	57	82.4	69.9-94.9
\$15,000- 24,999	80	26,612	9	10.5	02.5-18.5	71	89.5	81.5-97.5
\$25,000- 34,999	60	15,198	6	16.5	01.8-31.2	54	83.5	68.8-98.2
\$35,000- 49,999	125	31,746	3	1.0	00.0-02.4	122	99.0	97.6-0100
\$50,000- 74,999	165	37,917	10	5.9	00.6-11.2	155	94.1	88.8-99.4
\$75,000+	378	86,064	26	6.1	03.6-08.6	352	93.9	91.4-96.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	317	109,809	18	6.7	02.4-11.0	299	93.3	89.0-97.6
White/Non-Hisp	237	70,249	9	2.6	00.6-04.6	228	97.4	95.4-99.4
Black or Afr. Am./Non-Hisp	50	24,225				50	100.0	0100-0100
35-44	112	35,240	3	2.1	00.0-04.6	109	97.9	95.4-0100
45-54	95	23,168	10	14.1	03.9-24.3	85	85.9	75.7-96.1
H.S. or G.E.D.	96	44,786	3	4.6	00.0-10.1	93	95.4	89.9-0100
Some Post-H.S.	79	26,702	6	7.5	00.8-14.2	73	92.5	85.8-99.2
College Graduate	128	28,919	8	5.1	01.0-09.2	120	94.9	90.8-99.0
\$50,000- 74,999	56	17,962	5	9.7	00.0-20.1	51	90.3	79.9-0100
\$75,000+	148	45,064	5	2.6	00.1-05.1	143	97.4	94.9-99.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2011
 MODULE 32: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	664	145,384	57	10.5	07.0-14.0	607	89.5	86.0-93.0
White/Non-Hisp	440	89,160	19	6.7	03.2-10.2	421	93.3	89.8-96.8
Black or Afr. Am./Non-Hisp	140	38,937	4	1.5	00.0-03.1	136	98.5	96.9-0100
25-34	154	39,332	22	12.4	05.9-18.9	132	87.6	81.1-94.1
35-44	234	46,471	20	11.3	05.2-17.4	214	88.7	82.6-94.8
45-54	155	26,316	11	12.3	04.7-19.9	144	87.7	80.1-95.3
55-64	58	6,973	1	2.5	00.0-07.2	57	97.5	92.8-0100
H.S. or G.E.D.	174	45,091	7	4.4	01.1-07.7	167	95.6	92.3-98.9
Some Post-H.S.	199	41,481	23	13.4	05.2-21.6	176	86.6	78.4-94.8
College Graduate	254	37,858	20	9.4	05.1-13.7	234	90.6	86.3-94.9
Less than \$15,000	54	13,010	8	18.7	03.8-33.6	46	81.3	66.4-96.2
\$15,000- 24,999	64	20,602	9	13.6	03.4-23.8	55	86.4	76.2-96.6
\$35,000- 49,999	90	19,045	3	1.7	00.0-03.9	87	98.3	96.1-0100
\$50,000- 74,999	109	19,955	5	2.4	00.0-04.8	104	97.6	95.2-0100
\$75,000+	230	41,000	21	10.1	05.6-14.6	209	89.9	85.4-94.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	968	252,123	658	62.2	57.9-66.5	187	23.1	19.2-27.0	28	3.9	01.9-05.9	3	0.2	00.0-00.6	2	0.1	00.1-00.1	90	10.6	07.5-13.7
Male	314	109,113	234	67.0	59.7-74.3	46	19.5	13.6-25.4	14	5.9	02.0-09.8							20	7.6	03.1-12.1
Female	654	143,010	424	58.5	53.0-64.0	141	25.9	20.8-31.0	14	2.3	00.9-03.7	3	0.4	00.0-01.0	2	0.1	00.0-00.3	70	12.8	08.7-16.9
White/Non-Hisp	673	158,734	629	93.7	91.0-96.4	1	0.0	00.0-00.0	8	0.8	00.2-01.4							35	5.4	02.9-07.9
Black or Afr. Am./Non-Hisp	190	63,162	4	3.3	00.0-07.0	174	88.1	81.4-94.8										12	8.6	02.9-14.3
18-24	55	38,865	30	53.6	38.3-68.9	17	31.4	17.7-45.1	1	3.9	00.0-11.3	1	0.3	00.0-00.9				6	10.7	00.3-21.1
25-34	195	67,541	120	62.3	53.1-71.5	52	25.4	17.4-33.4	5	3.5	00.0-07.2							18	8.7	02.6-14.8
35-44	344	80,680	260	68.2	61.3-75.1	44	18.0	11.9-24.1	12	5.0	01.9-08.1	2	0.6	00.0-01.6				26	8.2	04.3-12.1
45-54	246	48,480	176	60.9	52.1-69.7	40	19.6	12.3-26.9	8	3.2	00.7-05.7				1	0.1	00.0-00.3	21	16.1	08.3-23.9
55-64	88	11,508	52	60.8	48.8-72.8	23	26.4	15.6-37.2	2	2.2	00.0-05.3				1	0.7	00.0-02.1	10	10.0	03.1-16.9
H.S. or G.E.D.	268	89,345	175	62.4	54.4-70.4	63	25.2	18.1-32.3	3	0.9	00.0-01.9				2	0.1	00.0-00.3	25	11.4	05.9-16.9
Some Post-H.S.	273	67,302	182	61.4	53.2-69.6	58	26.2	18.8-33.6	3	2.5	00.0-06.8	2	0.8	00.0-02.0				28	9.2	03.9-14.5
College Graduate	377	66,032	277	70.7	64.4-77.0	51	13.0	08.7-17.3	22	11.0	05.9-16.1	1	0.1	00.0-00.3				26	5.1	02.7-07.5
Less than \$15,000	65	15,579	29	44.3	27.4-61.2	24	24.6	12.8-36.4										12	31.0	12.8-49.2
\$15,000- 24,999	78	26,250	36	33.2	19.7-46.7	28	47.1	32.4-61.8				1	0.5	00.0-01.5	1	0.2	00.0-00.6	12	19.1	07.7-30.5
\$25,000- 34,999	58	14,245	35	61.1	42.9-79.3	15	24.1	09.2-39.0	1	1.2	00.0-03.6							7	13.6	01.4-25.8
\$35,000- 49,999	125	31,746	81	66.0	53.7-78.3	32	28.4	16.2-40.6	1	1.3	00.0-03.8							11	4.3	01.0-07.6
\$50,000- 74,999	164	37,792	116	68.0	58.4-77.6	25	15.4	07.8-23.0	7	6.1	01.2-11.0	1	1.1	00.0-03.3				15	9.5	02.6-16.4
\$75,000+	373	85,135	290	74.4	67.7-81.1	39	12.4	07.5-17.3	17	7.2	02.5-11.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3	25	5.8	02.5-09.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	314	109,113	234	67.0	59.7-74.3	46	19.5	13.6-25.4	14	5.9	02.2-09.6	20	7.6	03.1-12.1
White/Non-Hisp	236	70,078	225	97.4	95.4-99.4				4	0.6	00.0-01.2	7	1.9	00.1-03.7
Black or Afr. Am./Non-Hisp	50	24,225	3	8.3	00.0-17.9	44	82.9	69.8-96.0				3	8.8	00.0-19.0
35-44	112	35,240	92	71.4	60.4-82.4	11	17.2	07.0-27.4	4	6.4	00.7-12.1	5	5.0	00.5-09.5
45-54	92	22,472	70	62.9	49.2-76.6	10	17.6	06.8-28.4	7	6.0	00.9-11.1	5	13.5	01.0-26.0
H.S. or G.E.D.	95	44,520	66	67.9	56.3-79.5	20	22.2	12.2-32.2	1	0.3	00.0-00.9	8	9.6	02.3-16.9
Some Post-H.S.	79	26,702	59	66.9	52.4-81.4	14	23.1	10.8-35.4	3	6.4	00.0-17.0	3	3.6	00.0-08.9
College Graduate	126	28,488	100	70.2	59.0-81.4	9	10.7	03.3-18.1	10	16.0	06.6-25.4	7	3.1	00.0-06.2
\$50,000- 74,999	56	17,962	44	73.0	58.9-87.1	5	10.7	01.1-20.3	4	9.5	01.3-17.7	3	6.7	00.0-16.5
\$75,000+	146	44,634	117	71.5	60.3-82.7	15	14.5	06.3-22.7	9	9.2	00.8-17.6	5	4.8	00.0-10.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	654	143,010	424	58.5	53.2-63.8	141	25.9	20.8-31.0	14	2.3	00.9-03.7	3	0.4	00.0-01.0	2	0.1	00.0-00.3	70	12.8	08.7-16.9
White/Non-Hisp	437	88,655	404	90.8	86.3-95.3	1	0.1	00.0-00.3	4	1.0	00.0-02.2							28	8.2	03.7-12.7
Black or Afr. Am./Non-Hisp	140	38,937	1	0.2	00.0-00.6	130	91.3	84.4-98.2										9	8.4	01.5-15.3
25-34	148	38,422	88	59.8	49.4-70.2	42	28.9	18.9-38.9	4	3.3	00.0-06.8							14	8.0	02.7-13.3
35-44	232	45,440	168	65.7	57.3-74.1	33	18.7	11.3-26.1	8	3.8	01.1-06.5	2	1.1	00.0-02.9				21	10.7	04.6-16.8
45-54	154	26,007	106	59.2	47.8-70.6	30	21.4	11.6-31.2	1	0.8	00.0-02.4				1	0.2	00.0-00.6	16	18.4	08.6-28.2
55-64	58	6,973	32	56.9	42.0-71.8	16	26.1	13.2-39.0	1	1.4	00.0-04.1				1	1.1	00.0-03.3	8	14.5	03.7-25.3
H.S. or G.E.D.	173	44,824	109	57.0	46.2-67.8	43	28.3	18.3-38.3	2	1.4	00.0-03.4				2	0.3	00.0-00.7	17	13.1	04.9-21.3
Some Post-H.S.	194	40,600	123	57.7	47.9-67.5	44	28.2	19.0-37.4				2	1.3	00.0-03.3				25	12.8	05.0-20.6
College Graduate	251	37,544	177	71.1	64.4-77.8	42	14.8	09.7-19.9	12	7.2	02.9-11.5	1	0.2	00.0-00.6				19	6.7	03.6-09.8
Less than \$15,000	52	12,574	24	47.7	27.9-67.5	19	21.0	09.0-33.0										9	31.3	09.9-52.7
\$15,000- 24,999	62	20,241	26	30.0	14.7-45.3	24	47.4	30.5-64.3				1	0.6	00.0-01.8	1	0.2	00.0-00.6	10	21.8	08.1-35.5
\$35,000- 49,999	90	19,045	53	57.9	42.0-73.8	27	35.1	19.4-50.8	1	2.1	00.0-06.2							9	4.9	00.8-09.0
\$50,000- 74,999	108	19,830	72	63.5	50.6-76.4	20	19.6	08.2-31.0	3	3.0	00.0-07.1	1	2.0	00.0-05.9				12	11.9	02.5-21.3
\$75,000+	227	40,501	173	77.7	71.4-84.0	24	10.1	05.6-14.6	8	4.9	01.2-08.6	1	0.2	00.0-00.6	1	0.2	00.0-00.6	20	6.9	03.4-10.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	985	255,459	804	75.2	70.9-79.5	104	7.2	05.2-09.2	8	0.6	00.0-01.2	39	11.0	07.3-14.7	25	4.6	02.2-07.0	5	1.3	00.0-02.9
Male	319	109,912	271	76.4	69.1-83.7	13	2.6	00.8-04.4	2	0.4	00.0-01.0	19	11.4	05.9-16.9	11	6.7	01.8-11.6	3	2.4	00.0-05.7
Female	666	145,547	533	74.3	69.0-79.6	91	10.7	07.8-13.6	6	0.8	00.0-01.6	20	10.7	05.8-15.6	14	2.9	00.9-04.9	2	0.6	00.0-01.6
White/Non-Hisp	678	159,490	573	78.0	72.7-83.3	63	6.4	04.2-08.6	3	0.4	00.0-00.8	23	10.0	05.7-14.3	14	4.7	01.4-08.0	2	0.5	00.0-01.3
Black or Afr. Am./Non-Hisp	192	63,759	136	71.0	62.2-79.8	33	9.9	05.4-14.4	4	1.4	00.0-03.2	12	13.3	05.7-20.9	6	4.3	00.4-08.2	1	0.2	00.0-00.6
18-24	55	38,865	9	14.9	03.9-25.9							39	72.6	58.9-86.3	6	12.2	02.2-22.2	1	0.3	00.0-00.9
25-34	201	68,450	196	91.8	84.2-99.4										4	5.5	00.0-11.6	1	2.6	00.0-07.7
35-44	345	81,028	335	95.3	92.0-98.6	3	2.1	00.0-04.6	1	0.2	00.0-00.6				4	1.4	00.0-03.0	2	1.0	00.0-02.8
45-54	255	50,371	215	79.9	72.8-87.0	24	12.6	06.3-18.9	5	2.6	00.1-05.1				10	3.5	00.8-06.2	1	1.4	00.0-04.1
55-64	87	11,429	41	44.8	32.5-57.1	45	53.6	41.3-65.9							1	1.6	00.0-04.7			
H.S. or G.E.D.	273	90,738	193	69.0	60.8-77.2	45	6.4	04.0-08.8	3	0.7	00.0-01.7	20	17.6	10.0-25.2	11	6.2	01.5-10.9	1	0.1	00.0-00.3
Some Post-H.S.	279	68,394	229	75.0	66.8-83.2	29	6.3	03.4-09.2	2	1.0	00.0-02.4	11	11.3	04.0-18.6	7	5.4	00.3-10.5	1	1.0	00.0-03.0
College Graduate	382	65,971	358	94.6	91.5-97.7	13	2.6	00.6-04.6	3	0.4	00.0-01.0	2	1.2	00.0-03.0	5	1.1	00.0-02.7	1	0.2	00.0-00.6
Less than \$15,000	69	16,195	47	66.6	51.3-81.9	15	18.7	06.5-30.9	1	2.4	00.0-07.1	3	6.6	00.0-14.0				3	5.7	00.0-14.1
\$15,000- 24,999	80	26,612	58	71.8	58.7-84.9	14	13.8	04.0-23.6				3	5.0	00.0-10.9	5	9.5	00.5-18.5			
\$25,000- 34,999	61	15,654	46	76.0	61.9-90.1	10	12.5	03.3-21.7	1	1.0	00.0-03.2				3	6.0	00.0-13.3	1	4.4	00.0-12.8
\$35,000- 49,999	125	31,746	97	75.7	60.8-90.6	23	7.4	03.3-11.5				1	5.4	00.0-15.6	4	11.5	00.0-24.8			
\$50,000- 74,999	166	38,031	147	88.0	80.7-95.3	13	4.5	01.8-07.2	1	0.1	00.0-00.3	4	7.0	00.1-13.9	1	0.4	00.0-01.2			
\$75,000+	379	86,372	345	87.7	82.4-93.0	18	4.5	02.0-07.0	5	1.1	00.0-02.3	5	4.6	00.3-08.9	6	2.1	00.0-04.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2011
 MODULE 32: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	319	109,912	271	76.4	69.1-83.7	13	2.6	00.8-04.4	2	0.4	00.0-01.0	19	11.4	05.9-16.9	11	6.7	01.8-11.6	3	2.4	00.0-05.7
White/Non-Hisp	237	70,216	207	76.9	68.1-85.7	9	3.2	00.7-05.7				14	13.0	05.9-20.1	6	6.6	00.0-13.3	1	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	51	24,680	40	82.1	70.7-93.5	3	2.0	00.0-04.5	1	1.5	00.0-04.4	4	7.7	00.0-15.7	3	6.7	00.0-14.7			
35-44	112	34,676	110	96.8	92.5-0100	1	1.7	00.0-05.0							1	1.5	00.0-04.4			
45-54	97	23,836	89	88.2	79.6-96.8	2	2.9	00.0-07.2	1	1.5	00.0-04.4				4	4.4	00.0-09.3	1	2.9	00.0-08.6
H.S. or G.E.D.	98	45,469	73	70.7	58.7-82.7	7	3.0	00.5-05.5				11	16.6	06.8-26.4	7	9.8	01.0-18.6			
Some Post-H.S.	80	26,914	68	73.8	58.3-89.3	3	1.2	00.0-02.6	1	1.4	00.0-04.1	6	15.5	02.4-28.6	1	5.6	00.0-16.0	1	2.6	00.0-07.5
College Graduate	127	28,127	121	95.0	89.5-0100	2	2.4	00.0-06.5	1	0.2	00.0-00.6				2	2.0	00.0-05.5	1	0.4	00.0-01.2
\$50,000- 74,999	56	17,962	53	93.5	85.7-0100	1	0.9	00.0-02.7				2	5.7	00.0-13.3						
\$75,000+	150	45,503	137	86.1	77.5-94.7	4	3.2	00.0-06.7	2	0.9	00.0-02.5	4	7.5	00.0-15.1	3	2.2	00.0-05.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	666	145,547	533	74.3	69.0-79.6	91	10.7	07.8-13.6	6	0.8	00.0-01.6	20	10.7	05.8-15.6	14	2.9	00.9-04.9	2	0.6	00.0-01.6
White/Non-Hisp	441	89,274	366	78.9	72.6-85.2	54	8.9	05.8-12.0	3	0.7	00.0-01.5	9	7.6	02.1-13.1	8	3.1	00.6-05.6	1	0.8	00.0-02.4
Black or Afr. Am./Non-Hisp	141	39,079	96	64.0	52.2-75.8	30	14.9	07.6-22.2	3	1.3	00.0-03.3	8	16.8	05.8-27.8	3	2.7	00.0-06.6	1	0.2	00.0-00.6
25-34	154	39,332	153	98.5	95.6-100.0										1	1.5	00.0-04.4			
35-44	233	46,353	225	94.2	89.3-99.1	2	2.3	00.0-06.0	1	0.4	00.0-01.2				3	1.4	00.0-03.0	2	1.7	00.0-04.6
45-54	158	26,535	126	72.4	61.8-83.0	22	21.4	11.0-31.8	4	3.6	00.0-07.5				6	2.7	00.2-05.2			
55-64	57	6,894	17	25.1	12.6-37.6	39	72.3	59.2-85.4							1	2.6	00.0-07.7			
H.S. or G.E.D.	175	45,268	120	67.3	56.1-78.5	38	9.9	06.0-13.8	3	1.4	00.0-03.4	9	18.6	07.2-30.0	4	2.6	00.0-05.5	1	0.2	00.0-00.6
Some Post-H.S.	199	41,481	161	75.8	66.4-85.2	26	9.6	04.9-14.3	1	0.7	00.0-02.1	5	8.5	00.3-16.7	6	5.4	00.5-10.3			
College Graduate	255	37,844	237	94.3	90.8-97.8	11	2.7	00.9-04.5	2	0.6	00.0-01.6	2	2.1	00.0-05.2	3	0.4	00.0-00.8			
Less than \$15,000	56	13,190	39	67.5	50.1-84.9	13	20.3	05.8-34.8	1	3.0	00.0-08.9	1	3.1	00.0-09.2				2	6.1	00.0-16.3
\$15,000- 24,999	64	20,602	44	71.1	56.6-85.6	14	17.8	05.5-30.1				2	3.3	00.0-08.0	4	7.9	00.0-16.7			
\$35,000- 49,999	90	19,045	68	80.7	64.8-96.6	19	8.6	03.5-13.7				1	9.1	00.0-25.6	2	1.6	00.0-04.5			
\$50,000- 74,999	110	20,070	94	83.1	71.7-94.5	12	7.8	02.7-12.9	1	0.3	00.0-00.9	2	8.1	00.0-18.9	1	0.7	00.0-02.1			
\$75,000+	229	40,868	208	89.3	83.6-95.0	14	6.0	02.1-09.9	3	1.4	00.0-03.2	1	1.4	00.0-03.9	3	1.9	00.0-05.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2011**

End of Module Data Report