

DELAWARE

2012 Core Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5168	709,709	945	19.5	17.9-21.1	1748	33.4	31.6-35.2	1576	30.6	28.8-32.4	674	12.6	11.2-14.0	225	3.8	03.2-04.4
Male	2001	338,476	386	20.4	18.0-22.8	649	32.3	29.6-35.0	627	31.2	28.5-33.9	255	12.4	10.4-14.4	84	3.7	02.7-04.7
Female	3167	371,233	559	18.8	16.8-20.8	1099	34.5	32.1-36.9	949	30.1	27.9-32.3	419	12.8	11.2-14.4	141	3.9	03.1-04.7
White/Non-Hisp	4009	475,917	744	19.2	17.6-20.8	1438	36.3	34.3-38.3	1175	29.2	27.2-31.2	481	11.3	09.9-12.7	171	3.9	03.1-04.7
Black or Afr. Am./Non-Hisp	731	141,238	112	18.6	14.7-22.5	194	25.8	21.9-29.7	263	33.7	29.4-38.0	132	18.0	14.3-21.7	30	3.9	02.1-05.7
Oth. Race/Non-Hisp.	140	27,752	40	36.1	24.9-47.3	35	22.7	13.9-31.5	40	30.2	19.2-41.2	18	9.0	02.9-15.1	7	1.9	00.3-03.5
MultiRacial/Non-Hisp.	105	9,133	17	16.6	08.6-24.6	31	32.3	21.5-43.1	29	30.6	19.8-41.4	20	15.0	07.0-23.0	8	5.5	01.0-10.0
Hispanic	155	52,690	26	16.4	09.1-23.7	43	34.4	24.6-44.2	57	34.5	24.9-44.1	21	11.3	05.6-17.0	8	3.5	00.8-06.2
18-24	311	91,129	88	28.1	22.0-34.2	114	38.1	31.8-44.4	88	27.9	22.0-33.8	21	5.9	03.0-08.8			
25-34	528	115,044	119	22.0	17.7-26.3	219	39.0	33.7-44.3	138	26.1	21.4-30.8	45	10.8	07.1-14.5	7	2.1	00.3-03.9
35-44	642	112,385	170	24.7	20.4-29.0	244	33.0	28.5-37.5	174	32.7	27.6-37.8	38	7.2	04.3-10.1	16	2.4	01.0-03.8
45-54	917	130,110	170	17.8	14.7-20.9	311	32.6	28.7-36.5	292	33.1	29.0-37.2	103	12.6	09.7-15.5	41	4.0	02.4-05.6
55-64	1021	115,307	171	16.0	13.1-18.9	340	33.1	29.4-36.8	314	30.4	26.7-34.1	142	15.1	11.8-18.4	54	5.4	03.6-07.2
65+	1698	141,148	218	12.6	10.4-14.8	498	26.9	24.4-29.4	554	32.3	29.4-35.2	323	20.9	18.2-23.6	105	7.3	05.5-09.1
Less Than H.S.	335	94,217	34	14.3	08.8-19.8	47	14.4	09.3-19.5	122	39.5	32.4-46.6	99	22.6	16.9-28.3	33	9.1	05.6-12.6
H.S. or G.E.D.	1558	222,495	215	17.3	14.6-20.0	482	32.8	29.7-35.9	519	31.7	28.6-34.8	259	14.3	11.9-16.7	83	3.9	02.7-05.1
Some Post-H.S.	1392	211,109	234	17.1	14.6-19.6	467	36.9	33.6-40.2	435	30.5	27.4-33.6	185	12.1	09.9-14.3	71	3.5	02.5-04.5
College Graduate	1876	181,075	461	27.9	25.2-30.6	751	40.1	37.4-42.8	497	24.8	22.3-27.3	129	5.8	04.4-07.2	38	1.4	00.8-02.0
Less than \$15,000	600	82,032	54	9.4	05.9-12.9	139	24.4	19.3-29.5	232	37.0	31.3-42.7	133	23.2	18.5-27.9	42	6.0	03.6-08.4
\$15,000- 24,999	528	76,976	48	10.8	06.7-14.9	108	20.3	15.6-25.0	161	32.6	26.7-38.5	137	22.6	17.1-28.1	74	13.7	09.6-17.8
\$25,000- 34,999	486	63,601	73	15.7	11.4-20.0	162	35.3	29.2-41.4	165	35.5	29.2-41.8	66	10.7	07.2-14.2	20	2.8	01.4-04.2
\$35,000- 49,999	649	89,766	97	18.1	14.0-22.2	243	36.7	31.8-41.6	218	31.4	26.7-36.1	72	12.0	08.3-15.7	19	1.9	00.9-02.9
\$50,000- 74,999	767	104,928	143	21.6	17.3-25.9	299	36.4	31.9-40.9	232	31.1	26.6-35.6	74	9.3	06.6-12.0	19	1.7	00.7-02.7
\$75,000+	1424	196,429	385	26.2	23.3-29.1	568	39.7	36.4-43.0	356	25.6	22.7-28.5	98	7.3	05.3-09.3	17	1.2	00.6-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2001	338,476	386	20.4	18.0-22.8	649	32.3	29.6-35.0	627	31.2	28.5-33.9	255	12.4	10.4-14.4	84	3.7	02.7-04.7
White/Non-Hisp	1557	227,139	295	19.0	16.6-21.4	532	35.4	32.3-38.5	478	30.4	27.5-33.3	190	11.5	09.3-13.7	62	3.8	02.6-05.0
Black or Afr. Am./Non-Hisp	251	64,366	45	22.2	15.3-29.1	61	22.3	16.4-28.2	88	30.6	23.7-37.5	45	20.4	13.7-27.1	12	4.4	01.3-07.5
Oth. Race/Non-Hisp.	68	15,500	22	32.9	17.0-48.8	17	21.6	09.6-33.6	20	37.7	20.8-54.6	6	6.4	00.0-14.0	3	1.5	00.0-03.3
Hispanic	67	25,601	12	21.1	08.2-34.0	21	37.2	22.1-52.3	23	34.1	19.2-49.0	8	6.1	01.0-11.2	3	1.5	00.0-03.7
18-24	156	46,017	53	32.9	23.7-42.1	58	39.4	30.4-48.4	36	22.9	14.7-31.1	9	4.8	01.5-08.1			
25-34	207	57,219	42	17.8	11.5-24.1	87	40.9	32.7-49.1	59	30.5	22.7-38.3	18	9.8	04.7-14.9	1	1.0	00.0-03.0
35-44	252	54,600	69	26.0	19.5-32.5	104	34.1	27.4-40.8	58	29.3	21.9-36.7	14	8.1	03.4-12.8	7	2.5	00.5-04.5
45-54	346	63,007	68	18.8	13.5-24.1	111	29.7	23.6-35.8	115	34.5	28.0-41.0	41	13.9	08.8-19.0	11	3.1	00.6-05.6
55-64	399	54,266	67	16.1	11.6-20.6	125	30.4	24.7-36.1	151	36.6	30.3-42.9	37	12.7	06.8-18.6	19	4.1	01.7-06.5
65+	626	61,663	85	14.2	10.7-17.7	159	21.6	17.9-25.3	200	30.9	26.2-35.6	136	22.8	18.5-27.1	46	10.5	06.8-14.2
Less Than H.S.	168	57,223	19	15.2	07.8-22.6	25	15.7	08.4-23.0	65	39.0	29.6-48.4	43	21.6	13.8-29.4	16	8.4	03.7-13.1
H.S. or G.E.D.	585	103,166	102	19.3	15.0-23.6	160	30.3	25.6-35.0	199	33.4	28.5-38.3	94	13.2	09.9-16.5	30	3.8	02.0-05.6
Some Post-H.S.	499	92,242	89	18.6	14.3-22.9	169	38.3	32.8-43.8	147	28.2	23.3-33.1	70	12.0	08.7-15.3	24	3.0	01.6-04.4
College Graduate	748	85,727	175	27.0	22.9-31.1	295	39.4	35.1-43.7	216	26.5	22.6-30.4	48	5.8	03.6-08.0	14	1.2	00.4-02.0
Less than \$15,000	219	39,919	21	9.1	03.6-14.6	46	25.2	17.0-33.4	84	37.0	27.6-46.4	56	24.0	16.6-31.4	12	4.8	01.3-08.3
\$15,000- 24,999	167	30,256	17	8.7	02.6-14.8	34	19.2	11.4-27.0	55	34.1	24.1-44.1	33	20.8	11.0-30.6	28	17.2	09.4-25.0
\$25,000- 34,999	173	28,465	28	16.4	09.3-23.5	50	33.9	23.7-44.1	58	33.8	23.6-44.0	29	12.6	06.5-18.7	8	3.3	00.8-05.8
\$35,000- 49,999	246	42,369	39	19.3	12.6-26.0	85	34.8	27.2-42.4	86	32.9	25.3-40.5	30	11.1	05.8-16.4	6	2.0	00.2-03.8
\$50,000- 74,999	311	53,134	58	22.7	15.8-29.6	109	33.6	26.7-40.5	96	31.3	24.4-38.2	37	10.5	06.4-14.6	11	2.0	00.6-03.4
\$75,000+	673	108,059	170	24.5	20.2-28.8	259	38.4	33.7-43.1	191	28.7	24.2-33.2	45	7.6	04.7-10.5	8	0.8	00.2-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3167	371,233	559	18.8	16.8-20.8	1099	34.5	32.1-36.9	949	30.1	27.9-32.3	419	12.8	11.2-14.4	141	3.9	03.1-04.7
White/Non-Hisp	2452	248,778	449	19.5	17.3-21.7	906	37.2	34.7-39.7	697	28.2	25.8-30.6	291	11.2	09.4-13.0	109	3.9	02.9-04.9
Black or Afr. Am./Non-Hisp	480	76,872	67	15.5	11.2-19.8	133	28.8	23.7-33.9	175	36.3	30.8-41.8	87	16.0	11.9-20.1	18	3.4	01.2-05.6
Oth. Race/Non-Hisp.	72	12,252	18	40.2	24.7-55.7	18	24.2	11.1-37.3	20	20.8	09.8-31.8	12	12.4	03.0-21.8	4	2.4	00.0-05.3
MultiRacial/Non-Hisp.	59	4,768	7	12.9	02.9-22.9	17	33.4	18.5-48.3	16	24.1	11.2-37.0	14	23.1	09.4-36.8	5	6.5	00.0-13.2
Hispanic	88	27,088	14	11.9	05.0-18.8	22	31.7	19.0-44.4	34	34.8	22.3-47.3	13	16.3	06.5-26.1	5	5.3	00.4-10.2
18-24	155	45,112	35	23.2	15.6-30.8	56	36.7	27.7-45.7	52	33.0	24.6-41.4	12	7.1	02.4-11.8			
25-34	321	57,825	77	26.0	20.1-31.9	132	37.2	30.9-43.5	79	21.8	16.5-27.1	27	11.8	06.5-17.1	6	3.3	00.4-06.2
35-44	390	57,786	101	23.4	18.1-28.7	140	32.0	26.1-37.9	116	35.8	29.1-42.5	24	6.5	03.2-09.8	9	2.3	00.5-04.1
45-54	571	67,102	102	16.9	13.2-20.6	200	35.3	30.2-40.4	177	31.7	26.6-36.8	62	11.3	08.0-14.6	30	4.7	02.7-06.7
55-64	622	61,042	104	15.8	12.3-19.3	215	35.5	30.6-40.4	163	24.9	20.6-29.2	105	17.2	13.3-21.1	35	6.5	04.0-09.0
65+	1072	79,485	133	11.3	08.9-13.7	339	30.9	27.4-34.4	354	33.4	29.9-36.9	187	19.5	16.0-23.0	59	4.8	03.4-06.2
Less Than H.S.	167	36,994	15	12.9	05.6-20.2	22	12.4	06.3-18.5	57	40.3	30.1-50.5	56	24.3	16.5-32.1	17	10.0	04.3-15.7
H.S. or G.E.D.	973	119,329	113	15.6	12.3-18.9	322	35.0	30.9-39.1	320	30.3	26.4-34.2	165	15.3	12.2-18.4	53	3.9	02.5-05.3
Some Post-H.S.	893	118,867	145	15.9	13.0-18.8	298	35.8	31.7-39.9	288	32.3	28.4-36.2	115	12.2	09.3-15.1	47	3.8	02.4-05.2
College Graduate	1128	95,348	286	28.7	25.2-32.2	456	40.7	37.2-44.2	281	23.3	20.2-26.4	81	5.9	04.3-07.5	24	1.5	00.7-02.3
Less than \$15,000	381	42,114	33	9.7	05.0-14.4	93	23.6	17.7-29.5	148	37.0	30.5-43.5	77	22.5	16.6-28.4	30	7.2	03.9-10.5
\$15,000- 24,999	361	46,720	31	12.3	07.0-17.6	74	21.0	15.1-26.9	106	31.6	24.3-38.9	104	23.7	17.4-30.0	46	11.4	06.9-15.9
\$25,000- 34,999	313	35,137	45	15.1	09.8-20.4	112	36.4	29.0-43.8	107	36.8	29.4-44.2	37	9.2	05.5-12.9	12	2.5	00.9-04.1
\$35,000- 49,999	403	47,396	58	17.0	11.9-22.1	158	38.3	32.0-44.6	132	30.0	24.3-35.7	42	12.8	07.7-17.9	13	1.8	00.6-03.0
\$50,000- 74,999	456	51,793	85	20.5	15.2-25.8	190	39.2	33.5-44.9	136	30.9	25.2-36.6	37	8.1	04.6-11.6	8	1.3	00.1-02.5
\$75,000+	751	88,370	215	28.3	24.2-32.4	309	41.2	36.7-45.7	165	21.9	18.0-25.8	53	6.9	04.5-09.3	9	1.6	00.2-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5139	706,535	3310	64.8	63.0-66.6	556	11.4	10.2-12.6	504	9.4	08.4-10.4	396	8.2	07.0-09.4	373	6.2	05.4-07.0
Male	1991	337,535	1353	68.3	65.6-71.0	204	10.5	08.7-12.3	162	7.6	06.0-09.2	127	7.1	05.5-08.7	145	6.6	05.2-08.0
Female	3148	369,000	1957	61.6	59.2-64.0	352	12.3	10.7-13.9	342	11.0	09.6-12.4	269	9.3	07.7-10.9	228	5.9	04.9-06.9
White/Non-Hisp	3985	473,523	2551	63.7	61.7-65.7	442	11.7	10.3-13.1	384	9.5	08.3-10.7	314	8.8	07.4-10.2	294	6.2	05.2-07.2
Black or Afr. Am./Non-Hisp	727	140,849	482	65.7	61.2-70.2	70	10.7	07.8-13.6	76	9.0	06.6-11.4	49	7.7	04.8-10.6	50	7.0	04.6-09.4
Oth. Race/Non-Hisp.	140	27,481	100	78.1	69.3-86.9	14	9.3	02.8-15.8	16	9.5	03.0-16.0	5	1.9	00.0-03.9	5	1.1	00.0-02.3
MultiRacial/Non-Hisp.	105	9,133	56	51.6	40.2-63.0	12	15.7	06.9-24.5	14	14.1	05.9-22.3	14	12.9	05.1-20.7	9	5.8	01.3-10.3
Hispanic	154	52,570	101	67.0	57.8-76.2	16	11.0	05.1-16.9	11	8.1	02.2-14.0	13	7.2	02.5-11.9	13	6.7	02.0-11.4
18-24	310	90,622	211	69.9	64.0-75.8	48	13.8	09.5-18.1	29	9.7	05.8-13.6	20	6.2	03.1-09.3	2	0.3	00.0-00.7
25-34	526	114,637	341	62.2	56.9-67.5	92	16.5	12.8-20.2	53	9.7	06.8-12.6	24	8.1	04.6-11.6	16	3.5	01.5-05.5
35-44	641	112,223	434	68.6	63.9-73.3	92	12.3	09.4-15.2	64	10.0	06.9-13.1	30	4.7	02.5-06.9	21	4.3	01.9-06.7
45-54	914	129,940	583	63.4	59.3-67.5	114	12.8	09.9-15.7	83	8.4	06.2-10.6	63	8.8	06.3-11.3	71	6.6	04.6-08.6
55-64	1016	114,928	629	61.8	57.7-65.9	100	8.0	06.0-10.0	100	9.4	07.2-11.6	98	11.4	08.3-14.5	89	9.3	06.8-11.8
65+	1681	139,600	1074	64.2	61.3-67.1	109	6.5	04.9-08.1	169	9.2	07.4-11.0	159	9.4	07.6-11.2	170	10.7	08.7-12.7
Less Than H.S.	331	93,227	183	57.5	50.4-64.6	21	7.5	03.8-11.2	31	7.7	03.8-11.6	46	15.1	09.8-20.4	50	12.3	08.2-16.4
H.S. or G.E.D.	1546	221,357	979	65.6	62.5-68.7	150	11.1	08.9-13.3	143	9.1	07.3-10.9	145	8.7	06.9-10.5	129	5.6	04.2-07.0
Some Post-H.S.	1387	210,558	857	61.6	58.3-64.9	152	12.6	10.4-14.8	151	10.6	08.6-12.6	107	8.3	06.3-10.3	120	7.0	05.4-08.6
College Graduate	1868	180,580	1287	71.2	68.7-73.7	233	12.6	10.6-14.6	177	9.1	07.5-10.7	98	4.1	03.1-05.1	73	3.0	02.0-04.0
Less than \$15,000	595	81,451	333	56.1	50.4-61.8	62	11.9	08.0-15.8	69	10.7	07.2-14.2	67	12.2	08.5-15.9	64	9.1	06.0-12.2
\$15,000- 24,999	522	75,808	259	50.7	44.4-57.0	35	7.3	04.0-10.6	54	9.5	06.2-12.8	68	15.0	09.7-20.3	106	17.5	13.0-22.0
\$25,000- 34,999	484	63,507	301	64.5	58.6-70.4	52	11.2	07.3-15.1	69	13.3	09.2-17.4	29	5.7	02.8-08.6	33	5.4	03.0-07.8
\$35,000- 49,999	644	89,364	418	63.4	58.3-68.5	69	11.5	08.2-14.8	67	11.8	08.5-15.1	53	8.2	05.5-10.9	37	5.1	02.6-07.6
\$50,000- 74,999	766	104,835	504	65.7	61.2-70.2	96	13.6	10.3-16.9	72	8.8	06.3-11.3	49	6.6	03.9-09.3	45	5.3	03.3-07.3
\$75,000+	1418	196,095	1006	70.4	67.3-73.5	185	13.3	10.9-15.7	115	7.8	06.0-09.6	70	5.8	04.0-07.6	42	2.7	01.7-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1991	337,535	1353	68.3	65.6-71.0	204	10.5	08.7-12.3	162	7.6	06.0-09.2	127	7.1	05.5-08.7	145	6.6	05.2-08.0	
White/Non-Hisp	1548	226,295	1044	67.2	64.1-70.3	165	11.2	09.0-13.4	132	8.1	06.3-09.9	101	7.5	05.7-09.3	106	6.0	04.4-07.6	
Black or Afr. Am./Non-Hisp	250	64,269	177	70.1	62.8-77.4	21	9.6	04.9-14.3	14	4.2	01.7-06.7	14	7.0	01.9-12.1	24	9.1	05.0-13.2	
Oth. Race/Non-Hisp.	68	15,500	53	82.6	71.4-93.8	7	6.9	00.2-13.6	4	8.9	00.0-18.1	2	0.9	00.0-02.3	2	0.7	00.0-01.7	
Hispanic	67	25,601	44	66.8	52.5-81.1	4	7.2	00.1-14.3	5	9.9	00.1-19.7	6	7.4	00.0-14.8	8	8.8	00.8-16.8	
18-24	156	46,017	116	73.3	64.9-81.7	24	16.1	09.4-22.8	9	7.8	01.9-13.7	7	2.9	00.7-05.1				
25-34	207	57,219	134	62.1	54.1-70.1	31	13.9	08.6-19.2	24	10.7	06.0-15.4	12	9.9	04.0-15.8	6	3.4	00.5-06.3	
35-44	251	54,437	191	74.6	67.7-81.5	31	10.7	06.4-15.0	12	6.1	02.0-10.2	6	2.7	00.3-05.1	11	5.9	01.6-10.2	
45-54	347	63,159	239	69.2	63.1-75.3	40	11.4	07.1-15.7	25	6.9	03.8-10.0	19	6.5	03.2-09.8	24	5.9	02.8-09.0	
55-64	396	54,162	263	65.9	59.0-72.8	35	5.8	02.9-08.7	34	6.9	04.2-09.6	32	11.8	06.1-17.5	32	9.6	05.1-14.1	
65+	619	60,836	399	65.8	61.1-70.5	43	6.4	04.0-08.8	56	7.2	05.0-09.4	51	8.2	05.5-10.9	70	12.4	08.9-15.9	
Less Than H.S.	169	57,255	100	60.4	51.0-69.8	12	8.2	02.9-13.5	12	6.7	01.4-12.0	20	13.0	06.1-19.9	25	11.8	06.3-17.3	
H.S. or G.E.D.	577	102,357	404	71.2	66.5-75.9	45	9.5	06.2-12.8	46	7.6	05.1-10.1	38	6.2	03.8-08.6	44	5.5	03.1-07.9	
Some Post-H.S.	498	92,076	310	63.9	58.6-69.2	64	13.3	09.6-17.0	44	8.2	05.5-10.9	34	6.8	03.9-09.7	46	7.8	05.1-10.5	
College Graduate	746	85,728	538	74.6	70.7-78.5	83	10.2	07.7-12.7	60	7.6	05.2-10.0	35	4.5	02.5-06.5	30	3.1	01.5-04.7	
Less than \$15,000	216	39,499	131	61.8	52.6-71.0	22	10.1	05.0-15.2	19	8.1	02.2-14.0	24	11.5	06.0-17.0	20	8.5	03.2-13.8	
\$15,000- 24,999	164	29,931	91	55.8	44.8-66.8	8	7.0	00.7-13.3	11	4.6	01.5-07.7	16	12.1	03.1-21.1	38	20.5	12.3-28.7	
\$25,000- 34,999	172	28,431	108	67.9	58.7-77.1	14	7.9	02.8-13.0	23	13.6	06.5-20.7	11	4.6	01.3-07.9	16	6.0	02.5-09.5	
\$35,000- 49,999	244	42,209	162	66.4	58.6-74.2	25	9.2	04.5-13.9	20	8.9	04.2-13.6	23	9.2	04.7-13.7	14	6.4	01.5-11.3	
\$50,000- 74,999	311	53,134	203	64.1	56.8-71.4	41	15.2	09.9-20.5	24	6.7	03.2-10.2	18	7.3	02.6-12.0	25	6.7	03.2-10.2	
\$75,000+	672	108,082	503	73.7	69.2-78.2	76	11.4	08.3-14.5	50	6.8	04.3-09.3	24	5.1	02.6-07.6	19	2.9	01.3-04.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3148	369,000	1957	61.6	59.2-64.0	352	12.3	10.7-13.9	342	11.0	09.6-12.4	269	9.3	07.7-10.9	228	5.9	04.9-06.9
White/Non-Hisp	2437	247,228	1507	60.6	58.1-63.1	277	12.2	10.4-14.0	252	10.8	09.2-12.4	213	10.0	08.2-11.8	188	6.5	05.3-07.7
Black or Afr. Am./Non-Hisp	477	76,580	305	62.0	56.3-67.7	49	11.6	07.9-15.3	62	13.0	09.3-16.7	35	8.3	04.8-11.8	26	5.2	02.7-07.7
Oth. Race/Non-Hisp.	72	11,981	47	72.4	58.5-86.3	7	12.5	00.9-24.1	12	10.3	01.3-19.3	3	3.1	00.0-07.2	3	1.7	00.0-04.1
MultiRacial/Non-Hisp.	59	4,768	28	43.8	28.5-59.1	6	17.0	04.1-29.9	9	14.8	04.0-25.6	10	15.6	04.0-27.2	6	8.8	01.0-16.6
Hispanic	87	26,969	57	67.2	55.2-79.2	12	14.5	05.3-23.7	6	6.4	00.0-13.1	7	7.1	01.2-13.0	5	4.8	00.3-09.3
18-24	154	44,605	95	66.3	57.9-74.7	24	11.5	06.4-16.6	20	11.8	06.3-17.3	13	9.7	03.8-15.6	2	0.7	00.0-01.7
25-34	319	57,418	207	62.3	55.6-69.0	61	19.0	13.7-24.3	29	8.6	05.3-11.9	12	6.4	02.3-10.5	10	3.7	01.0-06.4
35-44	390	57,786	243	63.0	56.7-69.3	61	13.9	09.8-18.0	52	13.7	09.2-18.2	24	6.7	03.0-10.4	10	2.8	00.4-05.2
45-54	567	66,780	344	57.8	52.5-63.1	74	14.1	10.2-18.0	58	9.9	06.8-13.0	44	10.8	06.9-14.7	47	7.3	04.8-09.8
55-64	620	60,765	366	58.0	53.1-62.9	65	10.0	07.3-12.7	66	11.7	08.4-15.0	66	11.1	07.8-14.4	57	9.1	06.2-12.0
65+	1062	78,764	675	62.9	59.2-66.6	66	6.6	04.6-08.6	113	10.8	08.4-13.2	108	10.4	08.0-12.8	100	9.4	07.0-11.8
Less Than H.S.	162	35,972	83	52.9	42.7-63.1	9	6.4	01.5-11.3	19	9.1	03.4-14.8	26	18.5	10.5-26.5	25	13.1	07.0-19.2
H.S. or G.E.D.	969	119,000	575	60.7	56.6-64.8	105	12.4	09.5-15.3	97	10.4	07.9-12.9	107	10.7	08.2-13.2	85	5.7	04.1-07.3
Some Post-H.S.	889	118,482	547	59.7	55.6-63.8	88	12.0	09.3-14.7	107	12.5	09.8-15.2	73	9.5	06.8-12.2	74	6.3	04.5-08.1
College Graduate	1122	94,852	749	68.2	64.7-71.7	150	14.8	12.1-17.5	117	10.4	08.0-12.8	63	3.7	02.5-04.9	43	3.0	01.8-04.2
Less than \$15,000	379	41,952	202	50.7	43.8-57.6	40	13.6	08.1-19.1	50	13.1	09.0-17.2	43	12.9	08.2-17.6	44	9.7	06.2-13.2
\$15,000- 24,999	358	45,877	168	47.4	39.8-55.0	27	7.5	03.6-11.4	43	12.7	07.6-17.8	52	16.9	10.6-23.2	68	15.6	10.5-20.7
\$25,000- 34,999	312	35,077	193	61.7	54.3-69.1	38	13.9	08.4-19.4	46	13.0	08.3-17.7	18	6.6	02.1-11.1	17	4.8	01.5-08.1
\$35,000- 49,999	400	47,155	256	60.7	54.2-67.2	44	13.6	08.9-18.3	47	14.3	09.4-19.2	30	7.4	04.3-10.5	23	4.0	02.0-06.0
\$50,000- 74,999	455	51,701	301	67.4	61.9-72.9	55	12.0	08.3-15.7	48	10.9	07.2-14.6	31	6.0	03.1-08.9	20	3.7	01.7-05.7
\$75,000+	746	88,013	503	66.4	61.9-70.9	109	15.6	12.3-18.9	65	9.1	06.4-11.8	46	6.6	04.2-09.0	23	2.4	01.2-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None						1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5142	706,756	3561	66.8	65.0-68.6	434	8.8	07.8-09.8	465	9.8	08.6-11.0	410	8.6	07.4-09.8	272	6.0	05.0-07.0			
Male	1991	337,154	1499	72.2	69.5-74.9	146	7.9	06.3-09.5	155	8.2	06.6-09.8	114	6.7	05.1-08.3	77	5.0	03.6-06.4			
Female	3151	369,603	2062	61.9	59.5-64.3	288	9.7	08.3-11.1	310	11.3	09.7-12.9	296	10.3	08.7-11.9	195	6.9	05.7-08.1			
White/Non-Hisp	3988	473,587	2786	67.4	65.4-69.4	342	9.2	08.0-10.4	341	9.0	07.8-10.2	313	8.4	07.2-09.6	206	6.0	05.0-07.0			
Black or Afr. Am./Non-Hisp	730	140,971	496	63.1	58.4-67.8	55	7.9	05.4-10.4	77	13.0	09.7-16.3	66	9.7	07.0-12.4	36	6.2	03.7-08.7			
Oth. Race/Non-Hisp.	141	27,769	106	73.9	63.5-84.3	9	6.1	01.2-11.0	11	10.5	01.9-19.1	5	5.1	00.0-10.2	10	4.4	00.5-08.3			
MultiRacial/Non-Hisp.	103	9,035	52	52.1	40.5-63.7	13	15.9	07.1-24.7	14	8.1	03.4-12.8	14	15.8	06.8-24.8	10	8.1	02.4-13.8			
Hispanic	153	52,547	103	70.3	61.5-79.1	13	7.6	02.7-12.5	16	7.2	03.1-11.3	11	8.2	02.5-13.9	10	6.7	02.2-11.2			
18-24	311	91,129	166	54.2	47.7-60.7	44	13.3	09.0-17.6	48	15.4	10.7-20.1	35	11.0	06.9-15.1	18	6.0	02.9-09.1			
25-34	526	114,511	308	58.9	53.6-64.2	67	11.0	07.9-14.1	66	11.3	08.2-14.4	50	9.9	06.6-13.2	35	8.9	05.6-12.2			
35-44	640	112,112	423	67.4	62.7-72.1	68	9.0	06.3-11.7	60	9.6	06.7-12.5	59	8.8	06.1-11.5	30	5.2	03.0-07.4			
45-54	914	129,750	584	65.9	62.0-69.8	89	8.5	06.3-10.7	96	10.8	08.1-13.5	82	8.7	06.2-11.2	63	6.1	04.1-08.1			
55-64	1017	114,705	676	67.4	63.7-71.1	86	8.7	06.5-10.9	88	7.2	05.2-09.2	96	8.9	06.5-11.3	71	7.7	05.3-10.1			
65+	1685	140,345	1367	81.2	78.8-83.6	78	4.4	03.0-05.8	100	6.0	04.6-07.4	86	5.5	03.9-07.1	54	2.9	01.9-03.9			
Less Than H.S.	333	93,619	225	63.2	56.3-70.1	19	7.2	03.5-10.9	24	6.8	03.5-10.1	31	11.1	06.4-15.8	34	11.7	07.2-16.2			
H.S. or G.E.D.	1548	221,364	1082	67.4	64.3-70.5	103	7.0	05.4-08.6	136	10.8	08.4-13.2	124	7.9	06.1-09.7	103	6.9	05.1-08.7			
Some Post-H.S.	1385	210,370	922	63.7	60.4-67.0	105	9.0	07.0-11.0	127	10.3	08.1-12.5	149	11.6	09.4-13.8	82	5.4	04.0-06.8			
College Graduate	1869	180,591	1326	71.4	68.9-73.9	207	11.8	10.0-13.6	178	9.6	07.8-11.4	105	4.6	03.6-05.6	53	2.7	01.7-03.7			
Less than \$15,000	596	81,876	387	58.9	53.2-64.6	47	9.8	06.1-13.5	57	9.9	06.8-13.0	71	15.5	10.8-20.2	34	5.9	03.4-08.4			
\$15,000- 24,999	522	76,037	290	49.7	43.4-56.0	32	6.7	03.6-09.8	50	11.5	07.4-15.6	77	15.7	11.0-20.4	73	16.4	11.5-21.3			
\$25,000- 34,999	485	63,308	327	69.9	64.4-75.4	47	7.5	05.0-10.0	39	9.4	05.7-13.1	41	7.9	04.6-11.2	31	5.3	03.1-07.5			
\$35,000- 49,999	645	89,449	432	64.0	58.9-69.1	50	10.5	07.0-14.0	69	9.6	06.7-12.5	56	8.3	05.6-11.0	38	7.7	04.6-10.8			
\$50,000- 74,999	765	104,761	535	67.5	63.0-72.0	67	9.6	06.9-12.3	71	10.3	07.6-13.0	65	9.5	06.6-12.4	27	3.1	01.7-04.5			
\$75,000+	1422	196,174	1043	74.1	71.2-77.0	149	8.8	07.2-10.4	125	9.5	07.3-11.7	67	4.6	03.2-06.0	38	3.0	01.6-04.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1991	337,154	1499	72.2	69.5-74.9	146	7.9	06.3-09.5	155	8.2	06.6-09.8	114	6.7	05.1-08.3	77	5.0	03.6-06.4	
White/Non-Hisp	1550	226,247	1178	72.9	70.0-75.8	117	8.6	06.8-10.4	113	7.7	05.9-09.5	88	6.6	04.8-08.4	54	4.2	02.8-05.6	
Black or Afr. Am./Non-Hisp	250	64,099	187	68.3	60.9-75.7	12	6.1	02.4-09.8	21	9.4	05.1-13.7	17	8.4	03.9-12.9	13	7.9	03.0-12.8	
Oth. Race/Non-Hisp.	68	15,500	53	78.7	64.2-93.2	3	3.6	00.0-08.3	7	13.2	00.0-26.7	1	0.4	00.0-01.2	4	4.1	00.0-10.2	
Hispanic	66	25,569	48	75.0	62.1-87.9	5	5.9	00.0-12.6	4	4.7	00.0-10.0	5	7.9	00.0-16.7	4	6.5	00.0-13.6	
18-24	156	46,017	93	58.6	49.2-68.0	22	13.7	07.6-19.8	22	14.7	07.8-21.6	11	7.8	02.1-13.5	8	5.2	00.9-09.5	
25-34	206	56,979	136	64.6	56.6-72.6	21	8.9	04.6-13.2	21	8.9	04.8-13.0	16	9.6	04.3-14.9	12	8.0	03.1-12.9	
35-44	251	54,437	190	74.4	67.7-81.1	19	7.4	03.1-11.7	19	7.8	03.9-11.7	12	5.3	01.8-08.8	11	5.1	01.8-08.4	
45-54	345	62,849	251	73.2	67.3-79.1	31	7.6	04.5-10.7	27	7.6	04.3-10.9	23	6.7	03.2-10.2	13	4.9	01.8-08.0	
55-64	396	53,812	292	75.3	69.8-80.8	32	8.0	04.9-11.1	32	6.3	03.6-09.0	24	5.7	02.8-08.6	16	4.6	01.5-07.7	
65+	623	61,488	527	84.0	80.3-87.7	20	2.7	01.3-04.1	32	5.1	02.7-07.5	27	5.3	02.9-07.7	17	2.8	01.2-04.4	
Less Than H.S.	166	56,624	115	64.5	55.1-73.9	10	7.6	02.5-12.7	13	6.3	02.2-10.4	14	12.0	05.1-18.9	14	9.6	03.9-15.3	
H.S. or G.E.D.	581	102,811	439	72.6	67.9-77.3	40	7.2	04.7-09.7	45	9.9	06.4-13.4	29	5.0	02.8-07.2	28	5.3	02.9-07.7	
Some Post-H.S.	497	92,148	359	70.7	65.6-75.8	36	8.6	05.5-11.7	41	7.7	05.0-10.4	41	8.9	05.8-12.0	20	4.2	02.0-06.4	
College Graduate	746	85,451	585	78.6	74.9-82.3	60	7.9	05.5-10.3	56	7.9	05.4-10.4	30	3.0	01.6-04.4	15	2.6	01.0-04.2	
Less than \$15,000	216	39,781	147	61.2	51.8-70.6	14	7.9	02.4-13.4	19	9.0	04.3-13.7	26	15.4	07.8-23.0	10	6.5	02.0-11.0	
\$15,000- 24,999	164	29,602	99	53.1	42.1-64.1	11	9.2	03.1-15.3	14	9.2	03.3-15.1	17	13.2	05.4-21.0	23	15.3	07.1-23.5	
\$25,000- 34,999	173	28,465	125	78.2	70.9-85.5	14	6.5	02.6-10.4	16	7.3	02.8-11.8	9	4.6	01.1-08.1	9	3.4	00.9-05.9	
\$35,000- 49,999	242	42,052	176	67.9	60.1-75.7	19	9.4	04.1-14.7	24	9.7	05.0-14.4	13	5.1	01.8-08.4	10	7.9	02.6-13.2	
\$50,000- 74,999	311	53,134	241	72.8	65.9-79.7	18	7.4	03.5-11.3	23	8.9	04.8-13.0	20	8.3	03.4-13.2	9	2.6	00.6-04.6	
\$75,000+	673	108,052	550	82.2	78.5-85.9	53	7.0	04.8-09.2	40	5.9	03.7-08.1	21	2.7	01.3-04.1	9	2.2	00.2-04.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3151	369,603	2062	61.9	59.5-64.3	288	9.7	08.3-11.1	310	11.3	09.7-12.9	296	10.3	08.7-11.9	195	6.9	05.7-08.1
White/Non-Hisp	2438	247,340	1608	62.4	59.9-64.9	225	9.8	08.2-11.4	228	10.2	08.6-11.8	225	10.0	08.4-11.6	152	7.6	06.0-09.2
Black or Afr. Am./Non-Hisp	480	76,872	309	58.8	53.1-64.5	43	9.5	06.0-13.0	56	16.1	11.4-20.8	49	10.9	07.4-14.4	23	4.7	02.2-07.2
Oth. Race/Non-Hisp.	73	12,268	53	67.8	53.1-82.5	6	9.2	00.4-18.0	4	7.2	00.0-16.0	4	11.2	00.0-22.4	6	4.7	00.0-09.6
MultiRacial/Non-Hisp.	57	4,670	25	43.3	27.6-59.0	5	11.3	00.7-21.9	8	9.6	02.0-17.2	11	23.5	09.2-37.8	8	12.3	02.9-21.7
Hispanic	87	26,978	55	65.9	53.9-77.9	8	9.1	01.8-16.4	12	9.7	03.4-16.0	6	8.6	01.2-16.0	6	6.8	01.1-12.5
18-24	155	45,112	73	49.8	40.6-59.0	22	12.9	07.0-18.8	26	16.1	09.6-22.6	24	14.3	08.2-20.4	10	6.9	02.4-11.4
25-34	320	57,531	172	53.3	46.6-60.0	46	13.0	08.5-17.5	45	13.6	09.1-18.1	34	10.2	06.3-14.1	23	9.8	05.1-14.5
35-44	389	57,675	233	60.8	54.3-67.3	49	10.5	07.2-13.8	41	11.4	06.9-15.9	47	12.1	07.8-16.4	19	5.3	02.4-08.2
45-54	569	66,901	333	59.1	53.8-64.4	58	9.3	06.6-12.0	69	13.8	09.9-17.7	59	10.5	07.2-13.8	50	7.3	04.8-09.8
55-64	621	60,893	384	60.5	55.6-65.4	54	9.4	06.3-12.5	56	8.0	05.5-10.5	72	11.8	08.5-15.1	55	10.4	07.1-13.7
65+	1062	78,858	840	79.1	76.0-82.2	58	5.8	03.8-07.8	68	6.6	04.8-08.4	59	5.6	03.6-07.6	37	3.0	02.0-04.0
Less Than H.S.	167	36,994	110	61.4	51.6-71.2	9	6.6	01.7-11.5	11	7.5	02.0-13.0	17	9.7	03.8-15.6	20	14.8	07.7-21.9
H.S. or G.E.D.	967	118,553	643	62.9	58.6-67.2	63	6.7	04.5-08.9	91	11.6	08.7-14.5	95	10.5	08.0-13.0	75	8.2	05.8-10.6
Some Post-H.S.	888	118,221	563	58.4	54.1-62.7	69	9.3	06.6-12.0	86	12.3	09.4-15.2	108	13.7	10.6-16.8	62	6.3	04.3-08.3
College Graduate	1123	95,140	741	64.9	61.4-68.4	147	15.2	12.5-17.9	122	11.1	08.7-13.5	75	5.9	04.3-07.5	38	2.9	01.7-04.1
Less than \$15,000	380	42,094	240	56.7	49.8-63.6	33	11.6	06.7-16.5	38	10.8	06.9-14.7	45	15.6	10.1-21.1	24	5.3	02.6-08.0
\$15,000- 24,999	358	46,435	191	47.5	39.9-55.1	21	5.2	01.9-08.5	36	13.0	07.5-18.5	60	17.2	11.5-22.9	50	17.1	11.2-23.0
\$25,000- 34,999	312	34,843	202	63.0	55.6-70.4	33	8.4	04.9-11.9	23	11.1	05.6-16.6	32	10.6	05.5-15.7	22	6.8	03.5-10.1
\$35,000- 49,999	403	47,396	256	60.6	54.1-67.1	31	11.4	06.5-16.3	45	9.4	05.9-12.9	43	11.1	07.0-15.2	28	7.5	03.8-11.2
\$50,000- 74,999	454	51,627	294	62.1	56.4-67.8	49	11.8	08.1-15.5	48	11.7	07.8-15.6	45	10.9	07.4-14.4	18	3.5	01.5-05.5
\$75,000+	749	88,122	493	64.0	59.5-68.5	96	11.1	08.6-13.6	85	13.9	10.4-17.4	46	7.0	04.6-09.4	29	3.9	01.9-05.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2599	364,687	1553	61.5	59.0-64.0	283	10.4	08.8-12.0	267	10.5	08.7-12.3	283	10.3	08.5-12.1	213	7.3	05.9-08.7
Male	891	156,573	523	60.6	56.3-64.9	103	10.0	07.6-12.4	100	11.9	09.0-14.8	76	8.5	05.8-11.2	89	9.0	06.5-11.5
Female	1708	208,114	1030	62.2	59.1-65.3	180	10.6	08.6-12.6	167	9.4	07.6-11.2	207	11.7	09.5-13.9	124	6.1	04.7-07.5
White/Non-Hisp	2022	245,304	1220	62.6	59.9-65.3	221	10.9	09.1-12.7	199	9.9	08.1-11.7	220	9.8	08.0-11.6	162	6.8	05.4-08.2
Black or Afr. Am./Non-Hisp	368	77,423	214	58.1	51.4-64.8	46	12.2	08.1-16.3	36	9.1	05.6-12.6	42	13.5	08.2-18.8	30	7.1	03.8-10.4
Oth. Race/Non-Hisp.	58	10,800	40	81.3	67.8-94.8	5	1.9	00.0-03.9	8	14.1	01.0-27.2	3	1.1	00.0-02.5	2	1.6	00.0-04.3
MultiRacial/Non-Hisp.	67	5,939	34	53.2	38.9-67.5	4	8.1	00.0-16.7	12	16.8	06.8-26.8	10	14.6	04.6-24.6	7	7.3	00.0-14.7
Hispanic	75	24,159	42	56.4	42.5-70.3	4	2.2	00.0-04.9	11	17.8	06.2-29.4	8	8.9	02.0-15.8	10	14.7	04.7-24.7
18-24	176	50,728	111	66.9	58.9-74.9	29	12.2	07.3-17.1	18	11.4	05.3-17.5	13	6.7	02.6-10.8	5	2.8	00.1-05.5
25-34	299	67,155	198	65.4	58.7-72.1	49	12.6	08.5-16.7	27	11.0	06.5-15.5	15	6.7	02.8-10.6	10	4.3	01.2-07.4
35-44	326	55,668	218	65.9	58.8-73.0	39	10.4	06.1-14.7	29	10.0	05.5-14.5	29	10.2	05.5-14.9	11	3.5	00.4-06.6
45-54	483	66,734	284	62.0	56.3-67.7	61	11.1	07.8-14.4	50	10.5	07.0-14.0	43	9.1	05.4-12.8	45	7.4	04.7-10.1
55-64	537	60,549	296	53.7	47.8-59.6	45	8.9	05.8-12.0	53	8.9	06.0-11.8	83	16.3	11.0-21.6	60	12.1	08.2-16.0
65+	760	61,942	436	56.1	51.6-60.6	58	7.3	04.8-09.8	87	11.2	08.3-14.1	98	12.5	09.4-15.6	81	12.9	09.6-16.2
Less Than H.S.	187	53,395	100	52.5	43.1-61.9	9	4.8	01.3-08.3	21	13.2	06.3-20.1	32	16.5	09.2-23.8	25	13.1	07.0-19.2
H.S. or G.E.D.	792	113,510	465	61.4	56.9-65.9	63	9.4	06.7-12.1	82	10.4	07.7-13.1	109	12.0	09.3-14.7	73	6.8	04.8-08.8
Some Post-H.S.	739	115,791	445	63.7	59.4-68.0	65	9.2	06.7-11.7	81	10.3	07.6-13.0	85	9.9	07.2-12.6	63	6.9	04.7-09.1
College Graduate	878	81,836	542	64.5	60.4-68.6	146	17.0	13.9-20.1	81	9.0	06.5-11.5	57	4.6	03.0-06.2	52	4.8	03.0-06.6
Less than \$15,000	343	49,438	196	56.7	49.3-64.1	25	6.1	03.0-09.2	36	13.5	07.6-19.4	55	14.8	09.9-19.7	31	9.0	04.5-13.5
\$15,000- 24,999	348	53,150	159	46.2	38.6-53.8	24	7.7	04.0-11.4	35	8.8	04.9-12.7	63	19.6	12.5-26.7	67	17.7	12.0-23.4
\$25,000- 34,999	253	31,120	155	64.3	56.3-72.3	26	10.7	05.4-16.0	26	9.8	04.5-15.1	31	10.5	04.8-16.2	15	4.8	02.1-07.5
\$35,000- 49,999	344	49,613	205	62.9	56.0-69.8	38	11.3	06.8-15.8	45	12.7	08.2-17.2	28	6.7	03.8-09.6	28	6.4	03.3-09.5
\$50,000- 74,999	373	51,787	241	68.8	62.7-74.9	46	11.4	07.5-15.3	30	8.3	04.6-12.0	38	8.0	04.7-11.3	18	3.6	01.6-05.6
\$75,000+	631	87,542	423	68.7	64.0-73.4	95	13.5	10.4-16.6	59	9.7	06.6-12.8	32	4.6	02.4-06.8	22	3.5	01.7-05.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	891	156,573	523	60.6	56.3-64.9	103	10.0	07.6-12.4	100	11.9	09.0-14.8	76	8.5	05.8-11.2	89	9.0	06.5-11.5
White/Non-Hisp	696	105,870	412	62.7	58.2-67.2	89	12.3	09.4-15.2	77	10.8	07.7-13.9	57	7.7	05.2-10.2	61	6.6	04.4-08.8
Black or Afr. Am./Non-Hisp	108	31,414	63	58.6	46.8-70.4	5	4.9	00.0-09.8	13	10.4	04.3-16.5	9	12.8	03.0-22.6	18	13.4	05.8-21.0
18-24	78	23,927	49	69.2	57.2-81.2	16	14.2	06.4-22.0	7	11.8	01.8-21.8	5	4.4	00.3-08.5	1	0.3	00.0-00.9
25-34	107	31,465	68	64.1	53.5-74.7	16	11.0	04.9-17.1	14	14.0	06.6-21.4	5	5.3	00.4-10.2	4	5.7	00.0-11.8
35-44	98	22,899	66	64.9	52.7-77.1	14	12.1	04.5-19.7	8	11.5	02.5-20.5	5	4.8	00.0-09.7	5	6.6	00.0-13.9
45-54	150	27,003	86	59.4	49.6-69.2	18	8.7	04.2-13.2	15	11.7	05.2-18.2	13	10.9	03.3-18.5	18	9.2	03.7-14.7
55-64	190	25,675	112	56.7	46.1-67.3	17	7.0	03.1-10.9	16	7.5	02.6-12.4	21	15.0	05.0-25.0	24	13.8	06.5-21.1
65+	263	25,014	138	48.7	41.1-56.3	22	7.7	03.6-11.8	39	14.5	09.0-20.0	27	10.7	06.2-15.2	37	18.5	11.8-25.2
Less Than H.S.	88	30,908	49	52.1	38.8-65.4	1	0.9	00.0-02.7	11	15.5	05.1-25.9	11	13.4	03.4-23.4	16	18.2	08.2-28.2
H.S. or G.E.D.	252	46,345	140	60.8	53.4-68.2	25	11.1	06.0-16.2	31	11.9	07.2-16.6	31	10.2	05.9-14.5	25	6.0	03.3-08.7
Some Post-H.S.	250	45,923	153	66.1	59.0-73.2	26	10.3	05.8-14.8	25	9.2	04.9-13.5	23	7.0	03.7-10.3	23	7.5	03.8-11.2
College Graduate	301	33,397	181	60.6	53.7-67.5	51	16.7	11.6-21.8	33	12.4	07.3-17.5	11	3.7	00.8-06.6	25	6.5	03.4-09.6
Less than \$15,000	112	21,973	58	50.6	37.7-63.5	7	4.1	00.4-07.8	14	15.7	04.9-26.5	18	16.9	07.9-25.9	15	12.7	03.7-21.7
\$15,000- 24,999	100	19,893	36	35.5	23.0-48.0	8	4.5	00.8-08.2	14	12.6	04.0-21.2	12	17.7	04.0-31.4	30	29.5	17.0-42.0
\$25,000- 34,999	86	11,944	51	58.5	44.8-72.2	7	10.9	01.1-20.7	11	15.1	03.7-26.5	8	6.4	01.3-11.5	9	9.1	02.4-15.8
\$35,000- 49,999	124	21,986	78	64.8	53.8-75.8	15	13.7	05.5-21.9	15	12.1	04.8-19.4	9	5.1	01.2-09.0	7	4.4	00.0-09.3
\$50,000- 74,999	133	24,019	82	70.7	61.3-80.1	18	10.9	04.8-17.0	13	9.6	03.1-16.1	9	4.1	00.8-07.4	11	4.6	01.3-07.9
\$75,000+	249	41,683	165	68.0	60.6-75.4	42	13.6	08.9-18.3	23	11.4	05.7-17.1	11	4.6	01.3-07.9	8	2.4	00.4-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1708	208,114	1030	62.2	59.1-65.3	180	10.6	08.6-12.6	167	9.4	07.6-11.2	207	11.7	09.5-13.9	124	6.1	04.7-07.5
White/Non-Hisp	1326	139,434	808	62.6	59.1-66.1	132	9.8	07.8-11.8	122	9.2	07.2-11.2	163	11.4	09.0-13.8	101	7.0	05.2-08.8
Black or Afr. Am./Non-Hisp	260	46,009	151	57.8	50.2-65.4	41	17.2	11.3-23.1	23	8.3	04.2-12.4	33	13.9	08.2-19.6	12	2.8	00.6-05.0
18-24	98	26,801	62	64.8	54.0-75.6	13	10.3	04.4-16.2	11	11.1	03.7-18.5	8	8.7	01.8-15.6	4	5.0	00.0-10.3
25-34	192	35,690	130	66.5	58.1-74.9	33	14.1	08.6-19.6	13	8.4	03.3-13.5	10	8.0	02.1-13.9	6	3.0	00.5-05.5
35-44	228	32,769	152	66.5	58.3-74.7	25	9.2	04.3-14.1	21	9.0	04.7-13.3	24	13.9	07.0-20.8	6	1.4	00.0-02.8
45-54	333	39,731	198	63.7	57.0-70.4	43	12.8	08.1-17.5	35	9.6	05.5-13.7	30	7.8	04.5-11.1	27	6.2	03.3-09.1
55-64	347	34,874	184	51.6	44.7-58.5	28	10.3	05.8-14.8	37	9.9	06.2-13.6	62	17.3	12.0-22.6	36	10.9	06.6-15.2
65+	497	36,928	298	61.1	55.6-66.6	36	7.0	03.7-10.3	48	8.9	05.8-12.0	71	13.8	09.7-17.9	44	9.2	06.1-12.3
Less Than H.S.	99	22,487	51	53.0	40.3-65.7	8	10.3	02.7-17.9	10	10.0	02.6-17.4	21	20.6	10.0-31.2	9	6.1	01.8-10.4
H.S. or G.E.D.	540	67,165	325	61.8	56.3-67.3	38	8.2	05.1-11.3	51	9.4	06.1-12.7	78	13.2	09.7-16.7	48	7.3	04.6-10.0
Some Post-H.S.	489	69,868	292	62.2	56.7-67.7	39	8.5	05.4-11.6	56	11.1	07.8-14.4	62	11.8	07.7-15.9	40	6.5	04.1-08.9
College Graduate	577	48,439	361	67.2	62.5-71.9	95	17.2	13.3-21.1	48	6.6	04.4-08.8	46	5.3	03.3-07.3	27	3.7	01.7-05.7
Less than \$15,000	231	27,465	138	61.5	53.3-69.7	18	7.6	03.1-12.1	22	11.7	05.8-17.6	37	13.1	08.2-18.0	16	6.1	02.4-09.8
\$15,000- 24,999	248	33,257	123	52.6	43.6-61.6	16	9.6	04.1-15.1	21	6.5	03.0-10.0	51	20.7	13.1-28.3	37	10.7	06.0-15.4
\$25,000- 34,999	167	19,176	104	67.9	57.9-77.9	19	10.5	04.4-16.6	15	6.6	01.9-11.3	23	13.0	04.6-21.4	6	2.1	00.3-03.9
\$35,000- 49,999	220	27,627	127	61.4	53.0-69.8	23	9.3	04.4-14.2	30	13.2	07.5-18.9	19	8.0	03.5-12.5	21	8.1	03.8-12.4
\$50,000- 74,999	240	27,768	159	67.1	59.5-74.7	28	11.8	06.7-16.9	17	7.1	02.8-11.4	29	11.4	05.9-16.9	7	2.7	00.3-05.1
\$75,000+	382	45,858	258	69.3	63.4-75.2	53	13.5	09.2-17.8	36	8.2	05.1-11.3	21	4.6	02.1-07.1	14	4.4	01.3-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5160	708,471	4748	88.5	87.1-89.9	412	11.5	10.1-12.9
Male	2001	338,520	1806	85.7	83.2-88.2	195	14.3	11.8-16.8
Female	3159	369,952	2942	91.0	89.4-92.6	217	9.0	07.4-10.6
White/Non-Hisp	4005	475,329	3738	91.0	89.6-92.4	267	9.0	07.6-10.4
Black or Afr. Am./Non-Hisp	728	140,945	645	85.9	82.2-89.6	83	14.1	10.4-17.8
Oth. Race/Non-Hisp.	139	27,396	125	90.3	83.0-97.6	14	9.7	02.4-17.0
MultiRacial/Non-Hisp.	105	9,133	96	89.8	82.5-97.1	9	10.2	02.9-17.5
Hispanic	155	52,690	118	70.8	61.2-80.4	37	29.2	19.6-38.8
18-24	307	90,545	257	83.0	77.7-88.3	50	17.0	11.7-22.3
25-34	527	114,756	457	81.9	77.2-86.6	70	18.1	13.4-22.8
35-44	641	112,300	574	85.0	80.7-89.3	67	15.0	10.7-19.3
45-54	915	129,940	830	90.3	87.6-93.0	85	9.7	07.0-12.4
55-64	1022	115,408	916	88.9	85.8-92.0	106	11.1	08.0-14.2
65+	1697	140,936	1665	97.9	97.1-98.7	32	2.1	01.3-02.9
Less Than H.S.	335	94,099	277	74.2	67.3-81.1	58	25.8	18.9-32.7
H.S. or G.E.D.	1553	221,812	1401	88.2	86.0-90.4	152	11.8	09.6-14.0
Some Post-H.S.	1392	211,006	1270	89.3	87.1-91.5	122	10.7	08.5-12.9
College Graduate	1874	180,796	1794	95.3	93.7-96.9	80	4.7	03.1-06.3
Less than \$15,000	600	82,032	507	77.0	71.3-82.7	93	23.0	17.3-28.7
\$15,000- 24,999	526	76,558	450	81.6	76.1-87.1	76	18.4	12.9-23.9
\$25,000- 34,999	486	63,601	424	81.9	76.0-87.8	62	18.1	12.2-24.0
\$35,000- 49,999	649	89,766	602	89.1	85.6-92.6	47	10.9	07.4-14.4
\$50,000- 74,999	765	104,792	729	93.7	91.3-96.1	36	6.3	03.9-08.7
\$75,000+	1423	196,386	1382	95.3	93.3-97.3	41	4.7	02.7-06.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2001	338,520	1806	85.7	83.2-88.2	195	14.3	11.8-16.8
White/Non-Hisp	1559	227,355	1438	89.5	87.1-91.9	121	10.5	08.1-12.9
Black or Afr. Am./Non-Hisp	250	64,278	209	80.5	73.6-87.4	41	19.5	12.6-26.4
Oth. Race/Non-Hisp.	67	15,415	59	86.5	74.5-98.5	8	13.5	01.5-25.5
Hispanic	67	25,601	49	63.6	48.3-78.9	18	36.4	21.1-51.7
18-24	153	45,754	122	78.5	69.9-87.1	31	21.5	12.9-30.1
25-34	207	57,219	166	75.6	67.8-83.4	41	24.4	16.6-32.2
35-44	251	54,514	220	82.3	75.2-89.4	31	17.7	10.6-24.8
45-54	347	63,159	311	89.6	85.1-94.1	36	10.4	05.9-14.9
55-64	400	54,405	360	87.9	82.4-93.4	40	12.1	06.6-17.6
65+	628	61,763	612	97.0	95.4-98.6	16	3.0	01.4-04.6
Less Than H.S.	169	57,255	134	69.6	59.8-79.4	35	30.4	20.6-40.2
H.S. or G.E.D.	583	103,042	508	84.7	80.8-88.6	75	15.3	11.4-19.2
Some Post-H.S.	499	92,242	451	88.2	84.5-91.9	48	11.8	08.1-15.5
College Graduate	749	85,861	712	94.8	92.3-97.3	37	5.2	02.7-07.7
Less than \$15,000	219	39,919	174	69.6	59.8-79.4	45	30.4	20.6-40.2
\$15,000- 24,999	166	30,220	138	78.5	68.5-88.5	28	21.5	11.5-31.5
\$25,000- 34,999	173	28,465	141	72.3	61.5-83.1	32	27.7	16.9-38.5
\$35,000- 49,999	246	42,369	222	85.0	78.7-91.3	24	15.0	08.7-21.3
\$50,000- 74,999	311	53,134	289	91.6	87.3-95.9	22	8.4	04.1-12.7
\$75,000+	673	108,126	649	94.0	90.7-97.3	24	6.0	02.7-09.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3159	369,952	2942	91.0	89.4-92.6	217	9.0	07.4-10.6
White/Non-Hisp	2446	247,974	2300	92.5	90.9-94.1	146	7.5	05.9-09.1
Black or Afr. Am./Non-Hisp	478	76,667	436	90.3	86.8-93.8	42	9.7	06.2-13.2
Oth. Race/Non-Hisp.	72	11,981	66	95.2	90.3-0100	6	4.8	00.0-09.7
MultiRacial/Non-Hisp.	59	4,768	56	94.0	85.4-0100	3	6.0	00.0-14.6
Hispanic	88	27,088	69	77.6	66.6-88.6	19	22.4	11.4-33.4
18-24	154	44,790	135	87.6	81.7-93.5	19	12.4	06.5-18.3
25-34	320	57,537	291	88.2	83.5-92.9	29	11.8	07.1-16.5
35-44	390	57,786	354	87.6	82.5-92.7	36	12.4	07.3-17.5
45-54	568	66,780	519	91.0	87.9-94.1	49	9.0	05.9-12.1
55-64	622	61,003	556	89.7	86.8-92.6	66	10.3	07.4-13.2
65+	1069	79,173	1053	98.7	97.9-99.5	16	1.3	00.5-02.1
Less Than H.S.	166	36,844	143	81.3	72.9-89.7	23	18.7	10.3-27.1
H.S. or G.E.D.	970	118,770	893	91.2	88.8-93.6	77	8.8	06.4-11.2
Some Post-H.S.	893	118,764	819	90.1	87.4-92.8	74	9.9	07.2-12.6
College Graduate	1125	94,935	1082	95.7	94.1-97.3	43	4.3	02.7-05.9
Less than \$15,000	381	42,114	333	84.1	79.0-89.2	48	15.9	10.8-21.0
\$15,000- 24,999	360	46,338	312	83.6	77.5-89.7	48	16.4	10.3-22.5
\$25,000- 34,999	313	35,137	283	89.7	84.8-94.6	30	10.3	05.4-15.2
\$35,000- 49,999	403	47,396	380	92.7	89.4-96.0	23	7.3	04.0-10.6
\$50,000- 74,999	454	51,658	440	95.9	93.7-98.1	14	4.1	01.9-06.3
\$75,000+	750	88,260	733	96.8	95.0-98.6	17	3.2	01.4-05.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5169	709,877	4274	79.7	78.1-81.3	439	7.3	06.3-08.3	456	13.0	11.6-14.4
Male	2002	338,702	1580	75.4	72.7-78.1	168	6.7	05.3-08.1	254	17.9	15.4-20.4
Female	3167	371,175	2694	83.7	81.9-85.5	271	7.9	06.7-09.1	202	8.4	07.0-09.8
White/Non-Hisp	4010	476,155	3373	81.9	80.3-83.5	340	7.5	06.5-08.5	297	10.5	09.1-11.9
Black or Afr. Am./Non-Hisp	731	141,238	585	75.9	71.6-80.2	71	8.5	06.0-11.0	75	15.6	11.7-19.5
Oth. Race/Non-Hisp.	140	27,683	111	81.5	73.3-89.7	6	3.1	00.0-06.6	23	15.4	08.0-22.8
MultiRacial/Non-Hisp.	105	9,133	67	66.6	56.0-77.2	14	13.3	05.5-21.1	24	20.1	11.5-28.7
Hispanic	155	52,690	115	71.3	61.9-80.7	8	3.4	00.5-06.3	32	25.3	16.1-34.5
18-24	311	91,129	214	71.2	65.3-77.1	13	3.4	01.4-05.4	84	25.4	19.7-31.1
25-34	528	115,044	382	67.6	62.3-72.9	32	5.6	03.1-08.1	114	26.8	21.7-31.9
35-44	641	112,300	523	80.2	75.9-84.5	42	5.8	03.6-08.0	76	14.0	09.9-18.1
45-54	918	130,262	766	85.2	82.3-88.1	83	7.8	05.6-10.0	69	7.1	04.9-09.3
55-64	1023	115,463	880	84.6	81.1-88.1	76	7.3	05.1-09.5	67	8.1	05.2-11.0
65+	1698	141,124	1467	85.6	83.4-87.8	189	11.8	09.8-13.8	42	2.6	01.6-03.6
Less Than H.S.	336	94,250	250	64.2	57.1-71.3	28	7.7	04.2-11.2	58	28.1	21.0-35.2
H.S. or G.E.D.	1559	222,620	1291	81.8	79.3-84.3	122	6.5	05.1-07.9	146	11.8	09.6-14.0
Some Post-H.S.	1391	211,038	1152	80.9	78.2-83.6	113	7.1	05.5-08.7	126	12.0	09.6-14.4
College Graduate	1876	181,157	1577	84.0	81.8-86.2	173	8.2	06.6-09.8	126	7.7	06.1-09.3
Less than \$15,000	599	81,982	459	68.3	62.4-74.2	61	9.1	06.2-12.0	79	22.6	16.9-28.3
\$15,000- 24,999	529	77,057	410	72.7	66.6-78.8	52	9.5	05.8-13.2	67	17.8	12.3-23.3
\$25,000- 34,999	486	63,601	389	73.8	67.7-79.9	47	8.1	05.4-10.8	50	18.1	12.2-24.0
\$35,000- 49,999	649	89,766	539	80.4	76.1-84.7	55	7.2	04.7-09.7	55	12.4	08.7-16.1
\$50,000- 74,999	767	104,928	647	82.8	79.1-86.5	52	5.8	03.6-08.0	68	11.4	08.1-14.7
\$75,000+	1424	196,496	1240	87.3	85.1-89.5	109	6.5	04.9-08.1	75	6.2	04.4-08.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2002	338,702	1580	75.4	72.7-78.1	168	6.7	05.3-08.1	254	17.9	15.4-20.4
White/Non-Hisp	1559	227,451	1260	78.6	75.9-81.3	134	6.9	05.3-08.5	165	14.5	12.0-17.0
Black or Afr. Am./Non-Hisp	251	64,366	187	69.1	61.5-76.7	22	7.8	03.7-11.9	42	23.0	15.7-30.3
Oth. Race/Non-Hisp.	67	15,415	50	80.7	69.3-92.1	4	2.3	00.0-04.8	13	17.0	05.8-28.2
Hispanic	67	25,601	45	61.7	46.4-77.0	4	4.2	00.0-09.7	18	34.1	18.8-49.4
18-24	156	46,017	100	66.1	57.3-74.9	2	0.6	00.0-01.6	54	33.3	24.5-42.1
25-34	207	57,219	133	59.9	51.5-68.3	7	4.9	00.8-09.0	67	35.3	27.1-43.5
35-44	251	54,514	196	73.9	66.6-81.2	14	5.2	02.1-08.3	41	20.9	13.8-28.0
45-54	347	63,159	281	84.2	79.7-88.7	31	7.7	04.4-11.0	35	8.2	04.9-11.5
55-64	400	54,405	334	80.8	74.5-87.1	30	7.5	03.6-11.4	36	11.7	06.2-17.2
65+	627	61,713	525	84.2	80.5-87.9	82	12.2	09.1-15.3	20	3.5	01.5-05.5
Less Than H.S.	169	57,255	115	57.4	47.6-67.2	14	7.8	02.7-12.9	40	34.8	25.0-44.6
H.S. or G.E.D.	585	103,275	456	78.1	74.0-82.2	48	5.6	03.4-07.8	81	16.3	12.4-20.2
Some Post-H.S.	498	92,193	396	77.8	73.1-82.5	33	5.3	02.9-07.7	69	16.9	12.6-21.2
College Graduate	749	85,861	613	81.8	78.3-85.3	72	8.5	06.1-10.9	64	9.8	07.1-12.5
Less than \$15,000	218	39,869	150	60.7	51.1-70.3	25	8.9	04.0-13.8	43	30.4	20.8-40.0
\$15,000- 24,999	168	30,396	123	65.3	54.1-76.5	15	9.9	02.5-17.3	30	24.9	14.5-35.3
\$25,000- 34,999	173	28,465	124	62.1	51.3-72.9	19	8.0	03.7-12.3	30	29.9	18.9-40.9
\$35,000- 49,999	246	42,369	200	76.3	69.0-83.6	15	4.9	01.2-08.6	31	18.8	12.1-25.5
\$50,000- 74,999	311	53,134	247	78.1	71.8-84.4	18	4.4	01.7-07.1	46	17.5	11.6-23.4
\$75,000+	673	108,126	568	85.2	81.9-88.5	59	6.7	04.5-08.9	46	8.1	05.2-11.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3167	371,175	2694	83.7	81.9-85.5	271	7.9	06.7-09.1	202	8.4	07.0-09.8
White/Non-Hisp	2451	248,704	2113	85.0	83.0-87.0	206	8.1	06.7-09.5	132	6.9	05.5-08.3
Black or Afr. Am./Non-Hisp	480	76,872	398	81.6	77.1-86.1	49	9.1	06.0-12.2	33	9.3	05.6-13.0
Oth. Race/Non-Hisp.	73	12,268	61	82.4	70.8-94.0	2	4.3	00.0-11.7	10	13.3	03.5-23.1
MultiRacial/Non-Hisp.	59	4,768	40	73.0	60.1-85.9	10	18.3	06.7-29.9	9	8.7	01.8-15.6
Hispanic	88	27,088	70	80.4	70.8-90.0	4	2.6	00.0-05.3	14	17.0	07.6-26.4
18-24	155	45,112	114	76.5	69.2-83.8	11	6.3	02.4-10.2	30	17.2	10.7-23.7
25-34	321	57,825	249	75.2	69.3-81.1	25	6.4	03.5-09.3	47	18.4	12.9-23.9
35-44	390	57,786	327	86.1	81.6-90.6	28	6.5	03.4-09.6	35	7.5	04.2-10.8
45-54	571	67,102	485	86.1	82.6-89.6	52	7.8	05.3-10.3	34	6.1	03.6-08.6
55-64	623	61,058	546	88.0	84.9-91.1	46	7.1	04.7-09.5	31	4.8	02.8-06.8
65+	1071	79,411	942	86.6	83.9-89.3	107	11.5	09.0-14.0	22	1.8	00.6-03.0
Less Than H.S.	167	36,994	135	74.8	66.0-83.6	14	7.6	03.1-12.1	18	17.6	09.4-25.8
H.S. or G.E.D.	974	119,345	835	84.9	82.0-87.8	74	7.2	05.2-09.2	65	7.9	05.5-10.3
Some Post-H.S.	893	118,846	756	83.4	80.3-86.5	80	8.4	06.0-10.8	57	8.2	05.8-10.6
College Graduate	1127	95,296	964	86.1	83.6-88.6	101	8.0	06.2-09.8	62	5.9	04.1-07.7
Less than \$15,000	381	42,114	309	75.5	69.2-81.8	36	9.3	05.8-12.8	36	15.2	09.5-20.9
\$15,000- 24,999	361	46,662	287	77.5	71.2-83.8	37	9.3	05.6-13.0	37	13.3	07.6-19.0
\$25,000- 34,999	313	35,137	265	83.2	77.5-88.9	28	8.2	04.5-11.9	20	8.6	03.9-13.3
\$35,000- 49,999	403	47,396	339	84.0	79.5-88.5	40	9.3	05.8-12.8	24	6.8	03.9-09.7
\$50,000- 74,999	456	51,793	400	87.6	83.5-91.7	34	7.1	04.0-10.2	22	5.3	02.6-08.0
\$75,000+	751	88,370	672	89.8	87.1-92.5	50	6.2	04.0-08.4	29	4.0	02.2-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5171	709,660	544	12.9	11.5-14.3	4627	87.1	85.7-88.5
Male	2003	338,450	197	13.1	10.7-15.5	1806	86.9	84.5-89.3
Female	3168	371,210	347	12.8	11.0-14.6	2821	87.2	85.4-89.0
White/Non-Hisp	4014	476,325	358	10.1	08.7-11.5	3656	89.9	88.5-91.3
Black or Afr. Am./Non-Hisp	729	141,055	115	19.3	15.2-23.4	614	80.7	76.6-84.8
Oth. Race/Non-Hisp.	141	27,769	15	9.4	03.1-15.7	126	90.6	84.3-96.9
MultiRacial/Non-Hisp.	105	9,133	18	17.4	08.6-26.2	87	82.6	73.8-91.4
Hispanic	154	52,399	33	22.1	13.7-30.5	121	77.9	69.5-86.3
18-24	311	91,129	34	11.3	06.8-15.8	277	88.7	84.2-93.2
25-34	528	115,044	83	18.7	14.2-23.2	445	81.3	76.8-85.8
35-44	641	112,095	92	15.9	12.0-19.8	549	84.1	80.2-88.0
45-54	917	130,134	123	14.1	11.0-17.2	794	85.9	82.8-89.0
55-64	1022	115,408	129	14.0	10.7-17.3	893	86.0	82.7-89.3
65+	1701	141,264	79	5.1	03.5-06.7	1622	94.9	93.3-96.5
Less Than H.S.	336	94,250	69	26.3	19.6-33.0	267	73.7	67.0-80.4
H.S. or G.E.D.	1559	222,522	185	12.7	10.5-14.9	1374	87.3	85.1-89.5
Some Post-H.S.	1392	210,835	162	13.1	10.7-15.5	1230	86.9	84.5-89.3
College Graduate	1878	181,295	127	6.1	04.7-07.5	1751	93.9	92.5-95.3
Less than \$15,000	599	81,742	114	23.0	17.9-28.1	485	77.0	71.9-82.1
\$15,000- 24,999	530	77,093	109	27.1	20.8-33.4	421	72.9	66.6-79.2
\$25,000- 34,999	486	63,601	66	17.5	12.4-22.6	420	82.5	77.4-87.6
\$35,000- 49,999	649	89,766	67	12.5	09.0-16.0	582	87.5	84.0-91.0
\$50,000- 74,999	767	104,928	65	9.9	07.0-12.8	702	90.1	87.2-93.0
\$75,000+	1425	196,581	57	5.5	03.5-07.5	1368	94.5	92.5-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2003	338,450	197	13.1	10.7-15.5	1806	86.9	84.5-89.3
White/Non-Hisp	1561	227,531	122	9.7	07.5-11.9	1439	90.3	88.1-92.5
Black or Afr. Am./Non-Hisp	250	64,238	44	22.9	15.8-30.0	206	77.1	70.0-84.2
Oth. Race/Non-Hisp.	68	15,500	8	8.7	00.7-16.7	60	91.3	83.3-99.3
Hispanic	66	25,311	12	19.6	07.1-32.1	54	80.4	67.9-92.9
18-24	156	46,017	18	12.7	05.8-19.6	138	87.3	80.4-94.2
25-34	207	57,219	37	20.6	13.5-27.7	170	79.4	72.3-86.5
35-44	251	54,309	27	12.7	07.4-18.0	224	87.3	82.0-92.6
45-54	346	63,031	45	14.3	09.4-19.2	301	85.7	80.8-90.6
55-64	400	54,405	40	13.4	07.3-19.5	360	86.6	80.5-92.7
65+	628	61,763	28	5.4	03.0-07.8	600	94.6	92.2-97.0
Less Than H.S.	169	57,255	34	26.5	17.3-35.7	135	73.5	64.3-82.7
H.S. or G.E.D.	585	103,177	70	12.4	09.1-15.7	515	87.6	84.3-90.9
Some Post-H.S.	498	91,952	53	12.4	08.7-16.1	445	87.6	83.9-91.3
College Graduate	750	85,946	40	5.7	03.5-07.9	710	94.3	92.1-96.5
Less than \$15,000	218	39,628	40	21.8	13.6-30.0	178	78.2	70.0-86.4
\$15,000- 24,999	168	30,396	35	29.7	18.5-40.9	133	70.3	59.1-81.5
\$25,000- 34,999	173	28,465	25	20.1	11.1-29.1	148	79.9	70.9-88.9
\$35,000- 49,999	246	42,369	26	14.3	08.2-20.4	220	85.7	79.6-91.8
\$50,000- 74,999	311	53,134	24	9.0	04.5-13.5	287	91.0	86.5-95.5
\$75,000+	674	108,211	32	6.7	03.8-09.6	642	93.3	90.4-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3168	371,210	347	12.8	11.0-14.6	2821	87.2	85.4-89.0
White/Non-Hisp	2453	248,794	236	10.5	08.9-12.1	2217	89.5	87.9-91.1
Black or Afr. Am./Non-Hisp	479	76,817	71	16.3	12.0-20.6	408	83.7	79.4-88.0
Oth. Race/Non-Hisp.	73	12,268	7	10.3	00.7-19.9	66	89.7	80.1-99.3
MultiRacial/Non-Hisp.	59	4,768	9	13.5	03.1-23.9	50	86.5	76.1-96.9
Hispanic	88	27,088	21	24.5	13.1-35.9	67	75.5	64.1-86.9
18-24	155	45,112	16	9.8	04.3-15.3	139	90.2	84.7-95.7
25-34	321	57,825	46	16.9	11.6-22.2	275	83.1	77.8-88.4
35-44	390	57,786	65	19.0	13.3-24.7	325	81.0	75.3-86.7
45-54	571	67,102	78	13.9	10.2-17.6	493	86.1	82.4-89.8
55-64	622	61,003	89	14.5	11.0-18.0	533	85.5	82.0-89.0
65+	1073	79,501	51	4.8	02.8-06.8	1022	95.2	93.2-97.2
Less Than H.S.	167	36,994	35	25.9	16.5-35.3	132	74.1	64.7-83.5
H.S. or G.E.D.	974	119,345	115	13.0	10.3-15.7	859	87.0	84.3-89.7
Some Post-H.S.	894	118,883	109	13.7	10.8-16.6	785	86.3	83.4-89.2
College Graduate	1128	95,348	87	6.5	04.9-08.1	1041	93.5	91.9-95.1
Less than \$15,000	381	42,114	74	24.1	18.0-30.2	307	75.9	69.8-82.0
\$15,000- 24,999	362	46,697	74	25.5	18.2-32.8	288	74.5	67.2-81.8
\$25,000- 34,999	313	35,137	41	15.4	09.7-21.1	272	84.6	78.9-90.3
\$35,000- 49,999	403	47,396	41	10.8	06.7-14.9	362	89.2	85.1-93.3
\$50,000- 74,999	456	51,793	41	10.8	07.1-14.5	415	89.2	85.5-92.9
\$75,000+	751	88,370	25	4.1	02.1-06.1	726	95.9	93.9-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5140	705,746	4292	80.1	78.5-81.7	441	9.7	08.5-10.9	224	5.3	04.3-06.3	164	4.3	03.3-05.3	19	0.5	00.1-00.9
Male	1990	336,541	1611	75.9	73.2-78.6	194	11.4	09.4-13.4	95	6.3	04.7-07.9	81	5.9	04.1-07.7	9	0.6	00.2-01.0
Female	3150	369,205	2681	84.0	82.2-85.8	247	8.1	06.9-09.3	129	4.5	03.5-05.5	83	2.9	02.1-03.7	10	0.4	00.0-00.8
White/Non-Hisp	3992	473,807	3306	79.5	77.7-81.3	357	10.1	08.9-11.3	178	5.6	04.4-06.8	134	4.3	03.5-05.1	17	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	726	140,414	641	84.2	80.5-87.9	54	9.7	06.8-12.6	21	3.5	01.7-05.3	10	2.7	00.5-04.9			
Oth. Race/Non-Hisp.	138	27,067	116	82.8	74.4-91.2	9	6.0	01.1-10.9	5	3.9	00.0-07.8	7	5.4	00.1-10.7	1	2.0	00.0-05.7
MultiRacial/Non-Hisp.	101	8,788	85	80.5	70.7-90.3	7	8.3	01.8-14.8	7	10.5	02.5-18.5	2	0.6	00.0-01.6			
Hispanic	155	52,690	123	73.5	64.3-82.7	12	8.5	02.6-14.4	11	8.1	03.0-13.2	8	8.9	02.0-15.8	1	1.0	00.0-03.0
18-24	305	90,214	238	79.6	74.5-84.7	36	10.4	06.7-14.1	21	5.9	03.2-08.6	9	3.8	00.9-06.7	1	0.4	00.0-01.2
25-34	524	114,213	369	67.1	61.8-72.4	74	15.6	11.5-19.7	41	7.6	04.7-10.5	38	8.9	05.6-12.2	2	0.8	00.0-01.8
35-44	638	112,014	483	74.1	69.6-78.6	87	12.6	09.7-15.5	41	8.0	04.9-11.1	26	5.0	02.6-07.4	1	0.2	00.0-00.6
45-54	909	129,201	709	78.9	75.6-82.2	106	10.7	08.3-13.1	57	6.6	04.4-08.8	33	3.0	01.6-04.4	4	0.7	00.0-01.5
55-64	1023	115,463	881	84.5	81.2-87.8	72	7.0	04.8-09.2	35	3.5	01.9-05.1	32	4.6	01.9-07.3	3	0.3	00.0-00.7
65+	1692	140,355	1572	93.2	91.6-94.8	64	3.5	02.3-04.7	26	1.3	00.7-01.9	22	1.2	00.6-01.8	8	0.7	00.0-01.5
Less Than H.S.	332	93,468	276	74.4	67.5-81.3	26	10.8	06.1-15.5	14	6.0	02.3-09.7	14	7.8	03.1-12.5	2	1.0	00.0-02.4
H.S. or G.E.D.	1547	221,012	1306	82.3	79.8-84.8	129	9.6	07.6-11.6	55	3.7	02.5-04.9	52	4.0	02.6-05.4	5	0.4	00.0-00.8
Some Post-H.S.	1385	210,187	1164	79.9	77.2-82.6	101	8.6	06.6-10.6	67	6.6	04.6-08.6	45	4.4	03.0-05.8	8	0.5	00.1-00.9
College Graduate	1869	180,266	1541	80.6	78.2-83.0	184	10.5	08.7-12.3	88	5.6	04.2-07.0	52	2.8	01.8-03.8	4	0.5	00.0-01.1
Less than \$15,000	598	81,824	485	73.0	67.3-78.7	65	13.9	09.8-18.0	30	7.9	04.4-11.4	18	5.1	01.4-08.8			
\$15,000- 24,999	522	76,280	441	81.5	76.0-87.0	36	7.0	04.1-09.9	24	5.3	02.4-08.2	16	4.9	00.8-09.0	5	1.3	00.0-02.9
\$25,000- 34,999	485	63,562	395	76.0	70.3-81.7	38	8.8	04.7-12.9	21	6.2	03.1-09.3	29	8.3	04.6-12.0	2	0.7	00.0-01.7
\$35,000- 49,999	647	89,376	542	78.0	73.5-82.5	56	11.2	07.9-14.5	17	3.0	01.0-05.0	31	7.7	04.6-10.8	1	0.1	00.0-00.3
\$50,000- 74,999	764	104,531	638	79.7	75.6-83.8	61	8.7	05.8-11.6	40	6.7	04.0-09.4	21	3.9	01.9-05.9	4	1.0	00.0-02.0
\$75,000+	1419	195,759	1169	82.3	79.8-84.8	148	10.2	08.2-12.2	65	4.7	03.1-06.3	31	2.2	01.2-03.2	6	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1990	336,541	1611	75.9	73.2-78.6	194	11.4	09.4-13.4	95	6.3	04.7-07.9	81	5.9	04.1-07.7	9	0.6	00.2-01.0
White/Non-Hisp	1550	226,023	1255	76.4	73.5-79.3	152	11.0	09.0-13.0	77	7.1	05.1-09.1	58	4.8	03.2-06.4	8	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	249	63,960	210	79.2	72.3-86.1	25	12.9	07.4-18.4	6	2.7	00.3-05.1	8	5.2	00.7-09.7			
Oth. Race/Non-Hisp.	66	15,086	53	84.0	73.2-94.8	5	5.3	00.0-10.8	2	1.4	00.0-03.4	6	9.4	00.2-18.6			
Hispanic	67	25,601	45	57.8	42.3-73.3	8	14.6	03.4-25.8	6	10.4	01.8-19.0	7	15.1	02.9-27.3	1	2.1	00.0-06.0
18-24	151	45,169	114	75.2	66.8-83.6	20	12.4	06.1-18.7	8	4.4	01.3-07.5	8	7.3	01.4-13.2	1	0.7	00.0-02.1
25-34	206	56,934	118	55.1	46.7-63.5	41	21.1	14.0-28.2	21	10.2	05.1-15.3	25	12.7	07.0-18.4	1	0.9	00.0-02.7
35-44	249	54,245	172	67.5	60.2-74.8	42	14.8	09.9-19.7	21	11.5	05.8-17.2	13	5.8	02.3-09.3	1	0.4	00.0-01.2
45-54	344	62,713	262	78.6	73.5-83.7	41	10.3	06.6-14.0	26	7.6	04.1-11.1	12	2.2	00.6-03.8	3	1.2	00.0-02.6
55-64	400	54,405	344	82.1	75.8-88.4	27	7.2	03.7-10.7	10	3.1	00.9-05.3	17	7.3	02.0-12.6	2	0.4	00.0-01.0
65+	625	61,370	586	94.0	91.5-96.5	23	3.6	01.4-05.8	9	1.0	00.2-01.8	6	1.2	00.0-02.4	1	0.1	00.0-00.3
Less Than H.S.	168	56,937	133	69.3	59.7-78.9	16	12.7	05.8-19.6	9	7.1	01.8-12.4	8	9.3	02.2-16.4	2	1.6	00.0-03.8
H.S. or G.E.D.	580	102,458	477	78.8	74.5-83.1	53	11.7	08.4-15.0	24	4.0	02.0-06.0	22	4.9	02.5-07.3	4	0.6	00.0-01.2
Some Post-H.S.	496	91,733	396	74.5	69.4-79.6	39	8.8	05.5-12.1	34	9.7	06.0-13.4	26	6.7	04.0-09.4	1	0.3	00.0-00.9
College Graduate	745	85,293	604	78.2	74.5-81.9	86	12.8	09.9-15.7	28	4.8	02.6-07.0	25	3.9	02.1-05.7	2	0.4	00.0-01.0
Less than \$15,000	218	39,742	175	66.9	57.1-76.7	20	14.0	07.1-20.9	15	11.2	04.5-17.9	8	7.8	00.4-15.2			
\$15,000- 24,999	165	29,992	135	76.3	65.9-86.7	14	9.1	03.2-15.0	8	4.8	00.7-08.9	5	6.9	00.0-15.3	3	2.9	00.0-06.8
\$25,000- 34,999	173	28,465	132	69.3	59.1-79.5	17	11.3	03.3-19.3	10	7.2	02.1-12.3	14	12.1	05.0-19.2			
\$35,000- 49,999	246	42,369	195	70.1	62.3-77.9	25	14.0	08.1-19.9	8	4.5	00.8-08.2	18	11.4	05.7-17.1			
\$50,000- 74,999	311	53,134	244	73.2	66.3-80.1	28	10.6	05.7-15.5	21	8.8	04.1-13.5	15	5.8	02.5-09.1	3	1.6	00.0-03.4
\$75,000+	668	107,388	546	81.3	77.6-85.0	78	11.5	08.6-14.4	24	4.4	02.0-06.8	18	2.5	01.1-03.9	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3150	369,205	2681	84.0	82.2-85.8	247	8.1	06.9-09.3	129	4.5	03.5-05.5	83	2.9	02.1-03.7	10	0.4	00.0-00.8
White/Non-Hisp	2442	247,784	2051	82.4	80.4-84.4	205	9.2	07.6-10.8	101	4.2	03.2-05.2	76	3.7	02.7-04.7	9	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	477	76,454	431	88.3	84.6-92.0	29	7.0	04.1-09.9	15	4.1	01.6-06.6	2	0.6	00.0-01.6			
Oth. Race/Non-Hisp.	72	11,981	63	81.3	68.0-94.6	4	6.9	00.0-15.7	3	7.1	00.0-15.3	1	0.3	00.0-00.9	1	4.5	00.0-12.9
MultiRacial/Non-Hisp.	55	4,423	46	80.7	67.4-94.0	4	6.4	00.0-13.7	4	12.5	00.3-24.7	1	0.4	00.0-01.2			
Hispanic	88	27,088	78	88.3	80.1-96.5	4	2.7	00.0-05.6	5	5.9	00.4-11.4	1	3.1	00.0-09.0			
18-24	154	45,045	124	84.0	78.1-89.9	16	8.3	04.0-12.6	13	7.4	03.1-11.7	1	0.3	00.0-00.9			
25-34	318	57,279	251	79.0	73.7-84.3	33	10.2	06.3-14.1	20	5.1	02.6-07.6	13	5.1	02.2-08.0	1	0.6	00.0-01.8
35-44	389	57,769	311	80.4	75.3-85.5	45	10.5	07.0-14.0	20	4.8	02.1-07.5	13	4.3	01.0-07.6			
45-54	565	66,488	447	79.1	74.8-83.4	65	11.1	07.8-14.4	31	5.7	03.3-08.1	21	3.8	01.6-06.0	1	0.2	00.0-00.6
55-64	623	61,058	537	86.6	83.3-89.9	45	6.9	04.5-09.3	25	4.0	02.0-06.0	15	2.3	00.9-03.7	1	0.3	00.0-00.9
65+	1067	78,985	986	92.5	90.3-94.7	41	3.4	02.0-04.8	17	1.6	00.6-02.6	16	1.3	00.5-02.1	7	1.2	00.0-02.6
Less Than H.S.	164	36,531	143	82.4	74.2-90.6	10	7.9	02.4-13.4	5	4.3	00.0-08.6	6	5.4	00.1-10.7			
H.S. or G.E.D.	967	118,553	829	85.4	82.5-88.3	76	7.7	05.5-09.9	31	3.3	01.9-04.7	30	3.2	01.8-04.6	1	0.3	00.0-00.9
Some Post-H.S.	889	118,454	768	84.1	81.2-87.0	62	8.4	06.0-10.8	33	4.3	02.5-06.1	19	2.6	01.4-03.8	7	0.6	00.2-01.0
College Graduate	1124	94,973	937	82.8	80.1-85.5	98	8.4	06.4-10.4	60	6.3	04.3-08.3	27	1.8	01.0-02.6	2	0.6	00.0-01.8
Less than \$15,000	380	42,082	310	78.7	73.0-84.4	45	13.9	09.0-18.8	15	4.8	01.9-07.7	10	2.6	00.4-04.8			
\$15,000- 24,999	357	46,288	306	84.9	79.0-90.8	22	5.6	02.7-08.5	16	5.6	01.7-09.5	11	3.6	00.0-07.3	2	0.2	00.0-00.6
\$25,000- 34,999	312	35,098	263	81.4	75.7-87.1	21	6.8	03.5-10.1	11	5.4	01.7-09.1	15	5.2	02.3-08.1	2	1.2	00.0-03.2
\$35,000- 49,999	401	47,007	347	85.2	80.9-89.5	31	8.6	05.1-12.1	9	1.7	00.3-03.1	13	4.3	01.6-07.0	1	0.1	00.0-00.3
\$50,000- 74,999	453	51,397	394	86.5	82.6-90.4	33	6.8	04.1-09.5	19	4.4	02.0-06.8	6	1.9	00.0-03.9	1	0.3	00.0-00.9
\$75,000+	751	88,370	623	83.5	80.2-86.8	70	8.6	06.2-11.0	41	5.1	03.3-06.9	13	1.8	00.6-03.0	4	1.0	00.0-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5172	709,953	3905	76.5	74.9-78.1	1267	23.5	21.9-25.1
Male	2003	338,688	1579	79.4	77.0-81.8	424	20.6	18.2-23.0
Female	3169	371,265	2326	73.9	71.7-76.1	843	26.1	23.9-28.3
White/Non-Hisp	4012	476,145	3056	76.8	75.0-78.6	956	23.2	21.4-25.0
Black or Afr. Am./Non-Hisp	731	141,238	526	74.7	70.8-78.6	205	25.3	21.4-29.2
Oth. Race/Non-Hisp.	141	27,769	110	84.0	76.6-91.4	31	16.0	08.6-23.4
MultiRacial/Non-Hisp.	105	9,133	80	74.6	64.4-84.8	25	25.4	15.2-35.6
Hispanic	155	52,690	113	75.0	66.6-83.4	42	25.0	16.6-33.4
18-24	311	91,129	262	83.1	78.2-88.0	49	16.9	12.0-21.8
25-34	528	115,044	444	84.3	80.6-88.0	84	15.7	12.0-19.4
35-44	642	112,385	526	79.6	75.3-83.9	116	20.4	16.1-24.7
45-54	917	130,102	707	76.0	72.3-79.7	210	24.0	20.3-27.7
55-64	1023	115,463	764	73.6	69.7-77.5	259	26.4	22.5-30.3
65+	1700	141,243	1161	66.0	63.1-68.9	539	34.0	31.1-36.9
Less Than H.S.	336	94,250	183	61.1	54.4-67.8	153	38.9	32.2-45.6
H.S. or G.E.D.	1560	222,650	1045	73.0	70.3-75.7	515	27.0	24.3-29.7
Some Post-H.S.	1393	211,125	1054	77.4	74.7-80.1	339	22.6	19.9-25.3
College Graduate	1876	181,115	1619	88.0	86.2-89.8	257	12.0	10.2-13.8
Less than \$15,000	600	82,032	376	67.2	62.1-72.3	224	32.8	27.7-37.9
\$15,000- 24,999	531	77,148	313	60.6	54.5-66.7	218	39.4	33.3-45.5
\$25,000- 34,999	485	63,442	344	71.3	65.6-77.0	141	28.7	23.0-34.4
\$35,000- 49,999	648	89,745	500	77.5	73.2-81.8	148	22.5	18.2-26.8
\$50,000- 74,999	767	104,928	622	81.8	78.1-85.5	145	18.2	14.5-21.9
\$75,000+	1425	196,581	1231	85.8	83.3-88.3	194	14.2	11.7-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2003	338,688	1579	79.4	77.0-81.8	424	20.6	18.2-23.0
White/Non-Hisp	1559	227,351	1237	79.1	76.4-81.8	322	20.9	18.2-23.6
Black or Afr. Am./Non-Hisp	251	64,366	187	78.2	71.9-84.5	64	21.8	15.5-28.1
Oth. Race/Non-Hisp.	68	15,500	56	86.3	76.1-96.5	12	13.7	03.5-23.9
Hispanic	67	25,601	53	80.3	68.3-92.3	14	19.7	07.7-31.7
18-24	156	46,017	141	91.3	86.6-96.0	15	8.7	04.0-13.4
25-34	207	57,219	175	84.8	78.9-90.7	32	15.2	09.3-21.1
35-44	252	54,600	216	83.5	77.4-89.6	36	16.5	10.4-22.6
45-54	346	63,000	279	78.4	72.7-84.1	67	21.6	15.9-27.3
55-64	400	54,405	306	72.0	65.3-78.7	94	28.0	21.3-34.7
65+	627	61,742	449	69.1	64.4-73.8	178	30.9	26.2-35.6
Less Than H.S.	169	57,255	99	64.2	55.2-73.2	70	35.8	26.8-44.8
H.S. or G.E.D.	586	103,305	428	79.4	75.7-83.1	158	20.6	16.9-24.3
Some Post-H.S.	499	92,242	391	78.8	74.3-83.3	108	21.2	16.7-25.7
College Graduate	748	85,766	660	90.1	87.6-92.6	88	9.9	07.4-12.4
Less than \$15,000	219	39,919	138	68.1	59.9-76.3	81	31.9	23.7-40.1
\$15,000- 24,999	168	30,396	106	62.7	52.1-73.3	62	37.3	26.7-47.9
\$25,000- 34,999	172	28,305	123	69.8	60.2-79.4	49	30.2	20.6-39.8
\$35,000- 49,999	245	42,349	192	78.0	71.1-84.9	53	22.0	15.1-28.9
\$50,000- 74,999	311	53,134	252	81.7	76.2-87.2	59	18.3	12.8-23.8
\$75,000+	674	108,211	597	88.0	84.7-91.3	77	12.0	08.7-15.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3169	371,265	2326	73.9	71.7-76.1	843	26.1	23.9-28.3
White/Non-Hisp	2453	248,794	1819	74.7	72.3-77.1	634	25.3	22.9-27.7
Black or Afr. Am./Non-Hisp	480	76,872	339	71.8	66.7-76.9	141	28.2	23.1-33.3
Oth. Race/Non-Hisp.	73	12,268	54	81.0	70.6-91.4	19	19.0	08.6-29.4
MultiRacial/Non-Hisp.	59	4,768	43	66.9	51.6-82.2	16	33.1	17.8-48.4
Hispanic	88	27,088	60	70.0	58.2-81.8	28	30.0	18.2-41.8
18-24	155	45,112	121	74.8	66.8-82.8	34	25.2	17.2-33.2
25-34	321	57,825	269	83.8	78.9-88.7	52	16.2	11.3-21.1
35-44	390	57,786	310	75.9	69.8-82.0	80	24.1	18.0-30.2
45-54	571	67,102	428	73.8	69.1-78.5	143	26.2	21.5-30.9
55-64	623	61,058	458	75.1	71.0-79.2	165	24.9	20.8-29.0
65+	1073	79,501	712	63.7	59.8-67.6	361	36.3	32.4-40.2
Less Than H.S.	167	36,994	84	56.2	46.4-66.0	83	43.8	34.0-53.6
H.S. or G.E.D.	974	119,345	617	67.4	63.5-71.3	357	32.6	28.7-36.5
Some Post-H.S.	894	118,883	663	76.4	72.9-79.9	231	23.6	20.1-27.1
College Graduate	1128	95,348	959	86.2	83.7-88.7	169	13.8	11.3-16.3
Less than \$15,000	381	42,114	238	66.3	60.2-72.4	143	33.7	27.6-39.8
\$15,000- 24,999	363	46,752	207	59.3	51.9-66.7	156	40.7	33.3-48.1
\$25,000- 34,999	313	35,137	221	72.5	65.8-79.2	92	27.5	20.8-34.2
\$35,000- 49,999	403	47,396	308	77.0	71.9-82.1	95	23.0	17.9-28.1
\$50,000- 74,999	456	51,793	370	81.9	77.2-86.6	86	18.1	13.4-22.8
\$75,000+	751	88,370	634	83.1	79.4-86.8	117	16.9	13.2-20.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	35
2 MALES ONLY	36
3 FEMALES ONLY	37
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	38
5 MALES ONLY	39
6 FEMALES ONLY	40
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	41
8 MALES ONLY	42
9 FEMALES ONLY	43
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	44
11 MALES ONLY	45
12 FEMALES ONLY	46
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	47
14 MALES ONLY	48
15 FEMALES ONLY	49
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	50
17 MALES ONLY	51
18 FEMALES ONLY	52
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	53
20 MALES ONLY	54
21 FEMALES ONLY	55

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	
22 MALES AND FEMALES	56
23 MALES ONLY	57
24 FEMALES ONLY	58
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	59
26 MALES ONLY	60
27 FEMALES ONLY	61
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	62
29 MALES ONLY	63
30 FEMALES ONLY	64
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	65
32 MALES ONLY	66
33 FEMALES ONLY	67
DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)	
34 MALES AND FEMALES	68
35 MALES ONLY	69
36 FEMALES ONLY	70
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
37 MALES AND FEMALES	71
38 MALES ONLY	72
39 FEMALES ONLY	73

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5170	709,904	348	5.1	04.3-05.9	4822	94.9	94.1-95.7
Male	2003	338,799	182	6.5	05.1-07.9	1821	93.5	92.1-94.9
Female	3167	371,105	166	3.8	03.0-04.6	3001	96.2	95.4-97.0
White/Non-Hisp	4010	476,096	292	5.7	04.9-06.5	3718	94.3	93.5-95.1
Black or Afr. Am./Non-Hisp	731	141,238	33	3.4	01.6-05.2	698	96.6	94.8-98.4
Oth. Race/Non-Hisp.	141	27,769	9	7.0	00.1-13.9	132	93.0	86.1-99.9
MultiRacial/Non-Hisp.	105	9,133	5	6.3	00.0-13.2	100	93.7	86.8-0100
Hispanic	155	52,690	7	2.7	00.3-05.1	148	97.3	94.9-99.7
18-24	311	91,129	1	0.2	00.0-00.6	310	99.8	99.4-0100
25-34	528	115,044	7	1.0	00.0-02.2	521	99.0	97.8-0100
35-44	642	112,385	13	1.7	00.5-02.9	629	98.3	97.1-99.5
45-54	918	130,262	36	4.8	02.6-07.0	882	95.2	93.0-97.4
55-64	1022	115,446	64	6.9	04.9-08.9	958	93.1	91.1-95.1
65+	1698	141,052	227	13.2	11.0-15.4	1471	86.8	84.6-89.0
Less Than H.S.	336	94,250	38	8.5	05.0-12.0	298	91.5	88.0-95.0
H.S. or G.E.D.	1559	222,551	144	6.0	04.6-07.4	1415	94.0	92.6-95.4
Some Post-H.S.	1391	211,049	82	4.1	02.9-05.3	1309	95.9	94.7-97.1
College Graduate	1877	181,242	83	3.2	02.2-04.2	1794	96.8	95.8-97.8
Less than \$15,000	598	81,955	65	8.0	05.3-10.7	533	92.0	89.3-94.7
\$15,000- 24,999	530	77,048	71	10.2	06.9-13.5	459	89.8	86.5-93.1
\$25,000- 34,999	486	63,601	40	5.4	03.0-07.8	446	94.6	92.2-97.0
\$35,000- 49,999	649	89,766	45	5.8	03.6-08.0	604	94.2	92.0-96.4
\$50,000- 74,999	767	104,928	38	3.2	02.0-04.4	729	96.8	95.6-98.0
\$75,000+	1425	196,581	49	2.7	01.5-03.9	1376	97.3	96.1-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2003	338,799	182	6.5	05.1-07.9	1821	93.5	92.1-94.9
White/Non-Hisp	1559	227,462	156	7.1	05.7-08.5	1403	92.9	91.5-94.3
Black or Afr. Am./Non-Hisp	251	64,366	16	5.2	01.7-08.7	235	94.8	91.3-98.3
Oth. Race/Non-Hisp.	68	15,500	3	7.3	00.0-17.9	65	92.7	82.1-0100
Hispanic	67	25,601	4	3.7	00.0-08.0	63	96.3	92.0-0100
18-24	156	46,017				156	100.0	0100-0100
25-34	207	57,219	2	1.1	00.0-03.1	205	98.9	96.9-0100
35-44	252	54,600	7	2.7	00.3-05.1	245	97.3	94.9-99.7
45-54	347	63,159	15	5.9	01.8-10.0	332	94.1	90.0-98.2
55-64	399	54,389	32	7.8	04.7-10.9	367	92.2	89.1-95.3
65+	627	61,711	126	19.4	15.3-23.5	501	80.6	76.5-84.7
Less Than H.S.	169	57,255	23	10.6	05.3-15.9	146	89.4	84.1-94.7
H.S. or G.E.D.	586	103,305	71	7.6	05.2-10.0	515	92.4	90.0-94.8
Some Post-H.S.	498	92,226	34	4.2	02.4-06.0	464	95.8	94.0-97.6
College Graduate	749	85,894	54	5.0	03.2-06.8	695	95.0	93.2-96.8
Less than \$15,000	218	39,902	31	9.4	04.7-14.1	187	90.6	85.9-95.3
\$15,000- 24,999	168	30,396	33	16.3	09.0-23.6	135	83.7	76.4-91.0
\$25,000- 34,999	173	28,465	20	6.9	02.6-11.2	153	93.1	88.8-97.4
\$35,000- 49,999	246	42,369	22	5.7	03.0-08.4	224	94.3	91.6-97.0
\$50,000- 74,999	311	53,134	25	4.5	02.3-06.7	286	95.5	93.3-97.7
\$75,000+	674	108,211	35	3.6	01.8-05.4	639	96.4	94.6-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3167	371,105	166	3.8	03.0-04.6	3001	96.2	95.4-97.0
White/Non-Hisp	2451	248,635	136	4.4	03.4-05.4	2315	95.6	94.6-96.6
Black or Afr. Am./Non-Hisp	480	76,872	17	1.8	00.8-02.8	463	98.2	97.2-99.2
Oth. Race/Non-Hisp.	73	12,268	6	6.7	00.0-14.7	67	93.3	85.3-0100
MultiRacial/Non-Hisp.	59	4,768	3	5.4	00.0-14.4	56	94.6	85.6-0100
Hispanic	88	27,088	3	1.7	00.0-04.1	85	98.3	95.9-0100
18-24	155	45,112	1	0.5	00.0-01.5	154	99.5	98.5-0100
25-34	321	57,825	5	1.0	00.0-02.2	316	99.0	97.8-0100
35-44	390	57,786	6	0.7	00.0-01.5	384	99.3	98.5-0100
45-54	571	67,102	21	3.7	01.9-05.5	550	96.3	94.5-98.1
55-64	623	61,058	32	6.1	03.4-08.8	591	93.9	91.2-96.6
65+	1071	79,341	101	8.3	06.3-10.3	970	91.7	89.7-93.7
Less Than H.S.	167	36,994	15	5.1	02.0-08.2	152	94.9	91.8-98.0
H.S. or G.E.D.	973	119,246	73	4.7	03.3-06.1	900	95.3	93.9-96.7
Some Post-H.S.	893	118,823	48	4.1	02.5-05.7	845	95.9	94.3-97.5
College Graduate	1128	95,348	29	1.7	00.9-02.5	1099	98.3	97.5-99.1
Less than \$15,000	380	42,053	34	6.7	04.0-09.4	346	93.3	90.6-96.0
\$15,000- 24,999	362	46,652	38	6.3	03.8-08.8	324	93.7	91.2-96.2
\$25,000- 34,999	313	35,137	20	4.1	01.9-06.3	293	95.9	93.7-98.1
\$35,000- 49,999	403	47,396	23	5.9	02.8-09.0	380	94.1	91.0-97.2
\$50,000- 74,999	456	51,793	13	1.8	00.6-03.0	443	98.2	97.0-99.4
\$75,000+	751	88,370	14	1.7	00.5-02.9	737	98.3	97.1-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5147	706,717	332	5.0	04.2-05.8	4815	95.0	94.2-95.8
Male	1997	337,380	166	5.7	04.3-07.1	1831	94.3	92.9-95.7
Female	3150	369,338	166	4.3	03.5-05.1	2984	95.7	94.9-96.5
White/Non-Hisp	3992	473,748	278	5.7	04.9-06.5	3714	94.3	93.5-95.1
Black or Afr. Am./Non-Hisp	729	140,834	32	2.8	01.4-04.2	697	97.2	95.8-98.6
Oth. Race/Non-Hisp.	139	27,447	11	6.8	00.0-13.7	128	93.2	86.3-0100
MultiRacial/Non-Hisp.	105	9,133	4	3.4	00.0-08.1	101	96.6	91.9-0100
Hispanic	155	52,690	4	3.4	00.0-07.5	151	96.6	92.5-0100
18-24	311	91,129	1	0.2	00.0-00.6	310	99.8	99.4-0100
25-34	527	114,756	3	1.3	00.0-03.1	524	98.7	96.9-0100
35-44	641	111,858	7	1.5	00.3-02.7	634	98.5	97.3-99.7
45-54	914	129,811	34	3.6	01.8-05.4	880	96.4	94.6-98.2
55-64	1020	115,179	79	8.7	06.3-11.1	941	91.3	88.9-93.7
65+	1683	139,398	205	12.2	10.0-14.4	1478	87.8	85.6-90.0
Less Than H.S.	332	93,344	33	8.5	04.8-12.2	299	91.5	87.8-95.2
H.S. or G.E.D.	1548	221,120	108	4.9	03.7-06.1	1440	95.1	93.9-96.3
Some Post-H.S.	1386	210,758	92	4.9	03.7-06.1	1294	95.1	93.9-96.3
College Graduate	1874	180,682	98	3.3	02.5-04.1	1776	96.7	95.9-97.5
Less than \$15,000	596	81,871	56	7.2	04.5-09.9	540	92.8	90.1-95.5
\$15,000- 24,999	523	76,356	50	7.7	04.8-10.6	473	92.3	89.4-95.2
\$25,000- 34,999	482	62,887	38	6.5	03.2-09.8	444	93.5	90.2-96.8
\$35,000- 49,999	649	89,766	35	3.7	02.1-05.3	614	96.3	94.7-97.9
\$50,000- 74,999	767	104,928	41	3.5	02.3-04.7	726	96.5	95.3-97.7
\$75,000+	1422	196,108	68	4.2	02.8-05.6	1354	95.8	94.4-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1997	337,380	166	5.7	04.5-06.9	1831	94.3	93.1-95.5
White/Non-Hisp	1555	226,500	143	6.2	05.0-07.4	1412	93.8	92.6-95.0
Black or Afr. Am./Non-Hisp	250	64,022	10	3.2	00.7-05.7	240	96.8	94.3-99.3
Oth. Race/Non-Hisp.	68	15,500	6	7.5	00.0-17.9	62	92.5	82.1-0100
Hispanic	67	25,601	4	7.1	00.0-15.5	63	92.9	84.5-0100
18-24	156	46,017				156	100.0	0100-0100
25-34	207	57,219	2	2.6	00.0-06.1	205	97.4	93.9-0100
35-44	252	54,600	4	1.4	00.0-02.8	248	98.6	97.2-0100
45-54	345	62,874	14	3.4	00.5-06.3	331	96.6	93.7-99.5
55-64	398	54,181	36	9.0	05.3-12.7	362	91.0	87.3-94.7
65+	624	60,785	108	16.5	12.8-20.2	516	83.5	79.8-87.2
Less Than H.S.	167	56,507	16	8.5	03.2-13.8	151	91.5	86.2-96.8
H.S. or G.E.D.	583	102,847	50	6.0	03.6-08.4	533	94.0	91.6-96.4
Some Post-H.S.	498	92,226	42	4.3	02.7-05.9	456	95.7	94.1-97.3
College Graduate	748	85,681	58	5.1	03.5-06.7	690	94.9	93.3-96.5
Less than \$15,000	218	39,902	22	7.1	02.8-11.4	196	92.9	88.6-97.2
\$15,000- 24,999	167	30,052	21	10.3	04.6-16.0	146	89.7	84.0-95.4
\$25,000- 34,999	170	27,810	15	8.1	01.4-14.8	155	91.9	85.2-98.6
\$35,000- 49,999	246	42,369	17	2.8	01.2-04.4	229	97.2	95.6-98.8
\$50,000- 74,999	311	53,134	23	3.9	02.1-05.7	288	96.1	94.3-97.9
\$75,000+	671	107,738	50	5.3	03.1-07.5	621	94.7	92.5-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3150	369,338	166	4.3	03.5-05.1	2984	95.7	94.9-96.5
White/Non-Hisp	2437	247,248	135	5.3	04.1-06.5	2302	94.7	93.5-95.9
Black or Afr. Am./Non-Hisp	479	76,812	22	2.5	01.3-03.7	457	97.5	96.3-98.7
Oth. Race/Non-Hisp.	71	11,947	5	5.8	00.0-14.0	66	94.2	86.0-0100
MultiRacial/Non-Hisp.	59	4,768	3	2.1	00.0-04.8	56	97.9	95.2-0100
Hispanic	88	27,088				88	100.0	0100-0100
18-24	155	45,112	1	0.4	00.0-01.2	154	99.6	98.8-0100
25-34	320	57,537	1	0.1	00.0-00.3	319	99.9	99.7-0100
35-44	389	57,258	3	1.5	00.0-03.3	386	98.5	96.7-0100
45-54	569	66,937	20	3.8	01.6-06.0	549	96.2	94.0-98.4
55-64	622	60,998	43	8.4	05.5-11.3	579	91.6	88.7-94.5
65+	1059	78,613	97	8.9	06.7-11.1	962	91.1	88.9-93.3
Less Than H.S.	165	36,837	17	8.4	03.7-13.1	148	91.6	86.9-96.3
H.S. or G.E.D.	965	118,273	58	4.0	02.8-05.2	907	96.0	94.8-97.2
Some Post-H.S.	888	118,532	50	5.3	03.5-07.1	838	94.7	92.9-96.5
College Graduate	1126	95,001	40	1.7	01.1-02.3	1086	98.3	97.7-98.9
Less than \$15,000	378	41,969	34	7.3	04.2-10.4	344	92.7	89.6-95.8
\$15,000- 24,999	356	46,305	29	6.1	03.2-09.0	327	93.9	91.0-96.8
\$25,000- 34,999	312	35,077	23	5.3	02.4-08.2	289	94.7	91.8-97.6
\$35,000- 49,999	403	47,396	18	4.4	02.0-06.8	385	95.6	93.2-98.0
\$50,000- 74,999	456	51,793	18	3.0	01.4-04.6	438	97.0	95.4-98.6
\$75,000+	751	88,370	18	3.0	01.2-04.8	733	97.0	95.2-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5164	708,963	236	3.5	02.9-04.1	4928	96.5	95.9-97.1
Male	1999	338,241	99	3.5	02.5-04.5	1900	96.5	95.5-97.5
Female	3165	370,722	137	3.5	02.7-04.3	3028	96.5	95.7-97.3
White/Non-Hisp	4008	475,692	181	3.7	02.9-04.5	3827	96.3	95.5-97.1
Black or Afr. Am./Non-Hisp	729	141,021	41	3.5	02.1-04.9	688	96.5	95.1-97.9
Oth. Race/Non-Hisp.	139	27,447	3	2.4	00.0-05.9	136	97.6	94.1-0100
MultiRacial/Non-Hisp.	105	9,133	6	4.2	00.0-09.3	99	95.8	90.7-0100
Hispanic	155	52,690	4	1.6	00.0-03.4	151	98.4	96.6-0100
18-24	311	91,129	4	1.4	00.0-03.0	307	98.6	97.0-0100
25-34	527	114,756	3	0.7	00.0-01.7	524	99.3	98.3-0100
35-44	642	112,385	10	1.3	00.3-02.3	632	98.7	97.7-99.7
45-54	918	130,262	15	1.1	00.3-01.9	903	98.9	98.1-99.7
55-64	1023	115,463	57	6.3	04.3-08.3	966	93.7	91.7-95.7
65+	1693	140,411	145	8.5	06.7-10.3	1548	91.5	89.7-93.3
Less Than H.S.	335	94,138	30	6.1	03.6-08.6	305	93.9	91.4-96.4
H.S. or G.E.D.	1556	222,360	78	3.2	02.4-04.0	1478	96.8	96.0-97.6
Some Post-H.S.	1391	210,817	68	3.8	02.6-05.0	1323	96.2	95.0-97.4
College Graduate	1875	180,835	59	2.0	01.4-02.6	1816	98.0	97.4-98.6
Less than \$15,000	598	81,806	50	6.2	03.8-08.6	548	93.8	91.4-96.2
\$15,000- 24,999	530	77,036	40	5.5	03.3-07.7	490	94.5	92.3-96.7
\$25,000- 34,999	486	63,601	25	4.4	02.0-06.8	461	95.6	93.2-98.0
\$35,000- 49,999	648	89,646	24	3.8	01.6-06.0	624	96.2	94.0-98.4
\$50,000- 74,999	766	104,826	22	1.7	00.9-02.5	744	98.3	97.5-99.1
\$75,000+	1425	196,581	33	1.7	01.1-02.3	1392	98.3	97.7-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1999	338,241	99	3.5	02.5-04.5	1900	96.5	95.5-97.5
White/Non-Hisp	1557	227,120	78	3.6	02.6-04.6	1479	96.4	95.4-97.4
Black or Afr. Am./Non-Hisp	249	64,149	16	4.5	01.8-07.2	233	95.5	92.8-98.2
Oth. Race/Non-Hisp.	68	15,500	1	0.2	00.0-00.6	67	99.8	99.4-0100
Hispanic	67	25,601	2	1.5	00.0-03.9	65	98.5	96.1-0100
18-24	156	46,017				156	100.0	0100-0100
25-34	207	57,219	1	1.0	00.0-03.0	206	99.0	97.0-0100
35-44	252	54,600	2	0.6	00.0-01.6	250	99.4	98.4-0100
45-54	347	63,159	5	1.0	00.0-02.2	342	99.0	97.8-0100
55-64	400	54,405	23	6.4	03.3-09.5	377	93.6	90.5-96.7
65+	623	61,166	66	10.5	07.4-13.6	557	89.5	86.4-92.6
Less Than H.S.	168	57,144	13	6.1	02.4-09.8	155	93.9	90.2-97.6
H.S. or G.E.D.	583	103,049	30	3.5	01.9-05.1	553	96.5	94.9-98.1
Some Post-H.S.	498	92,035	29	3.3	01.7-04.9	469	96.7	95.1-98.3
College Graduate	749	85,894	27	2.0	01.2-02.8	722	98.0	97.2-98.8
Less than \$15,000	217	39,692	21	8.3	03.8-12.8	196	91.7	87.2-96.2
\$15,000- 24,999	167	30,284	10	4.6	00.9-08.3	157	95.4	91.7-99.1
\$25,000- 34,999	173	28,465	15	5.9	01.8-10.0	158	94.1	90.0-98.2
\$35,000- 49,999	246	42,369	9	2.4	00.2-04.6	237	97.6	95.4-99.8
\$50,000- 74,999	311	53,134	13	1.8	00.6-03.0	298	98.2	97.0-99.4
\$75,000+	674	108,211	19	1.6	00.8-02.4	655	98.4	97.6-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3165	370,722	137	3.5	02.7-04.3	3028	96.5	95.7-97.3
White/Non-Hisp	2451	248,573	103	3.8	02.8-04.8	2348	96.2	95.2-97.2
Black or Afr. Am./Non-Hisp	480	76,872	25	2.6	01.4-03.8	455	97.4	96.2-98.6
Oth. Race/Non-Hisp.	71	11,947	2	5.2	00.0-13.2	69	94.8	86.8-0100
MultiRacial/Non-Hisp.	59	4,768	5	7.6	00.0-17.0	54	92.4	83.0-0100
Hispanic	88	27,088	2	1.7	00.0-04.1	86	98.3	95.9-0100
18-24	155	45,112	4	2.8	00.0-05.7	151	97.2	94.3-0100
25-34	320	57,537	2	0.5	00.0-01.3	318	99.5	98.7-0100
35-44	390	57,786	8	2.0	00.4-03.6	382	98.0	96.4-99.6
45-54	571	67,102	10	1.2	00.4-02.0	561	98.8	98.0-99.6
55-64	623	61,058	34	6.2	03.5-08.9	589	93.8	91.1-96.5
65+	1070	79,245	79	6.9	05.1-08.7	991	93.1	91.3-94.9
Less Than H.S.	167	36,994	17	6.0	02.5-09.5	150	94.0	90.5-97.5
H.S. or G.E.D.	973	119,311	48	3.0	02.0-04.0	925	97.0	96.0-98.0
Some Post-H.S.	893	118,781	39	4.3	02.5-06.1	854	95.7	93.9-97.5
College Graduate	1126	94,941	32	1.9	00.9-02.9	1094	98.1	97.1-99.1
Less than \$15,000	381	42,114	29	4.2	02.2-06.2	352	95.8	93.8-97.8
\$15,000- 24,999	363	46,752	30	6.2	03.5-08.9	333	93.8	91.1-96.5
\$25,000- 34,999	313	35,137	10	3.3	00.6-06.0	303	96.7	94.0-99.4
\$35,000- 49,999	402	47,277	15	5.1	01.8-08.4	387	94.9	91.6-98.2
\$50,000- 74,999	455	51,691	9	1.5	00.3-02.7	446	98.5	97.3-99.7
\$75,000+	751	88,370	14	1.8	00.6-03.0	737	98.2	97.0-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5166	708,708	670	13.6	12.2-15.0	4496	86.4	85.0-87.8
Male	2004	338,655	181	10.3	08.3-12.3	1823	89.7	87.7-91.7
Female	3162	370,053	489	16.6	14.8-18.4	2673	83.4	81.6-85.2
White/Non-Hisp	4009	475,258	469	12.1	10.7-13.5	3540	87.9	86.5-89.3
Black or Afr. Am./Non-Hisp	731	141,238	128	18.5	14.8-22.2	603	81.5	77.8-85.2
Oth. Race/Non-Hisp.	138	27,411	18	12.3	03.7-20.9	120	87.7	79.1-96.3
MultiRacial/Non-Hisp.	105	9,133	27	23.7	14.3-33.1	78	76.3	66.9-85.7
Hispanic	155	52,690	24	12.8	06.7-18.9	131	87.2	81.1-93.3
18-24	310	90,610	47	15.8	10.9-20.7	263	84.2	79.3-89.1
25-34	527	114,756	91	15.7	12.0-19.4	436	84.3	80.6-88.0
35-44	642	112,385	91	14.2	10.7-17.7	551	85.8	82.3-89.3
45-54	918	130,262	119	12.7	09.8-15.6	799	87.3	84.4-90.2
55-64	1022	115,250	139	14.6	11.7-17.5	883	85.4	82.5-88.3
65+	1696	140,858	180	10.1	08.3-11.9	1516	89.9	88.1-91.7
Less Than H.S.	335	94,214	48	15.8	10.7-20.9	287	84.2	79.1-89.3
H.S. or G.E.D.	1557	222,394	197	13.7	11.3-16.1	1360	86.3	83.9-88.7
Some Post-H.S.	1390	210,280	193	14.0	11.6-16.4	1197	86.0	83.6-88.4
College Graduate	1877	181,007	232	11.9	10.1-13.7	1645	88.1	86.3-89.9
Less than \$15,000	598	81,790	94	16.8	12.7-20.9	504	83.2	79.1-87.3
\$15,000- 24,999	529	77,018	106	22.3	17.0-27.6	423	77.7	72.4-83.0
\$25,000- 34,999	486	63,601	50	11.2	07.7-14.7	436	88.8	85.3-92.3
\$35,000- 49,999	649	89,766	79	11.4	08.3-14.5	570	88.6	85.5-91.7
\$50,000- 74,999	767	104,928	94	13.0	09.7-16.3	673	87.0	83.7-90.3
\$75,000+	1424	196,369	172	11.7	09.5-13.9	1252	88.3	86.1-90.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2004	338,655	181	10.3	08.3-12.3	1823	89.7	87.7-91.7
White/Non-Hisp	1560	227,318	128	9.4	07.4-11.4	1432	90.6	88.6-92.6
Black or Afr. Am./Non-Hisp	251	64,366	30	13.1	07.8-18.4	221	86.9	81.6-92.2
Oth. Race/Non-Hisp.	68	15,500	8	15.4	01.3-29.5	60	84.6	70.5-98.7
Hispanic	67	25,601	8	7.5	01.6-13.4	59	92.5	86.6-98.4
18-24	156	46,017	19	13.9	06.6-21.2	137	86.1	78.8-93.4
25-34	207	57,219	26	12.8	07.3-18.3	181	87.2	81.7-92.7
35-44	252	54,600	27	10.4	06.1-14.7	225	89.6	85.3-93.9
45-54	347	63,159	33	9.4	05.3-13.5	314	90.6	86.5-94.7
55-64	399	54,193	36	9.7	06.0-13.4	363	90.3	86.6-94.0
65+	628	61,763	39	6.8	04.3-09.3	589	93.2	90.7-95.7
Less Than H.S.	169	57,255	15	11.1	05.0-17.2	154	88.9	82.8-95.0
H.S. or G.E.D.	586	103,305	64	13.1	09.2-17.0	522	86.9	83.0-90.8
Some Post-H.S.	498	92,030	40	8.7	05.8-11.6	458	91.3	88.4-94.2
College Graduate	750	85,946	62	8.1	05.7-10.5	688	91.9	89.5-94.3
Less than \$15,000	219	39,919	20	10.5	04.8-16.2	199	89.5	83.8-95.2
\$15,000- 24,999	168	30,396	25	15.0	07.6-22.4	143	85.0	77.6-92.4
\$25,000- 34,999	173	28,465	14	8.0	03.1-12.9	159	92.0	87.1-96.9
\$35,000- 49,999	246	42,369	21	10.2	05.1-15.3	225	89.8	84.7-94.9
\$50,000- 74,999	311	53,134	27	10.0	05.3-14.7	284	90.0	85.3-94.7
\$75,000+	673	107,999	58	9.0	06.1-11.9	615	91.0	88.1-93.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3162	370,053	489	16.6	14.8-18.4	2673	83.4	81.6-85.2
White/Non-Hisp	2449	247,939	341	14.5	12.7-16.3	2108	85.5	83.7-87.3
Black or Afr. Am./Non-Hisp	480	76,872	98	23.0	18.1-27.9	382	77.0	72.1-81.9
Oth. Race/Non-Hisp.	70	11,911	10	8.2	01.7-14.7	60	91.8	85.3-98.3
MultiRacial/Non-Hisp.	59	4,768	21	32.7	18.4-47.0	38	67.3	53.0-81.6
Hispanic	88	27,088	16	17.7	07.7-27.7	72	82.3	72.3-92.3
18-24	154	44,593	28	17.8	10.9-24.7	126	82.2	75.3-89.1
25-34	320	57,537	65	18.7	13.6-23.8	255	81.3	76.2-86.4
35-44	390	57,786	64	17.9	12.6-23.2	326	82.1	76.8-87.4
45-54	571	67,102	86	15.7	11.8-19.6	485	84.3	80.4-88.2
55-64	623	61,058	103	19.0	14.9-23.1	520	81.0	76.9-85.1
65+	1068	79,095	141	12.7	10.2-15.2	927	87.3	84.8-89.8
Less Than H.S.	166	36,959	33	23.0	14.4-31.6	133	77.0	68.4-85.6
H.S. or G.E.D.	971	119,089	133	14.2	11.5-16.9	838	85.8	83.1-88.5
Some Post-H.S.	892	118,250	153	18.1	14.8-21.4	739	81.9	78.6-85.2
College Graduate	1127	95,061	170	15.3	12.6-18.0	957	84.7	82.0-87.4
Less than \$15,000	379	41,871	74	22.8	16.9-28.7	305	77.2	71.3-83.1
\$15,000- 24,999	361	46,622	81	27.0	19.9-34.1	280	73.0	65.9-80.1
\$25,000- 34,999	313	35,137	36	13.8	08.7-18.9	277	86.2	81.1-91.3
\$35,000- 49,999	403	47,396	58	12.4	08.7-16.1	345	87.6	83.9-91.3
\$50,000- 74,999	456	51,793	67	16.0	11.5-20.5	389	84.0	79.5-88.5
\$75,000+	751	88,370	114	14.9	11.8-18.0	637	85.1	82.0-88.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	654	93,503	501	75.0	70.3-79.7	153	25.0	20.3-29.7
Male	175	33,493	118	66.0	56.6-75.4	57	34.0	24.6-43.4
Female	479	60,010	383	80.0	75.1-84.9	96	20.0	15.1-24.9
White/Non-Hisp	460	56,240	352	75.2	69.9-80.5	108	24.8	19.5-30.1
Black or Afr. Am./Non-Hisp	126	25,571	98	77.7	68.1-87.3	28	22.3	12.7-31.9
25-34	88	17,515	55	61.7	48.8-74.6	33	38.3	25.4-51.2
35-44	90	15,547	71	72.3	59.2-85.4	19	27.7	14.6-40.8
45-54	116	16,117	85	76.2	66.8-85.6	31	23.8	14.4-33.2
55-64	137	16,714	111	81.9	74.1-89.7	26	18.1	10.3-25.9
65+	175	13,739	144	82.2	74.6-89.8	31	17.8	10.2-25.4
H.S. or G.E.D.	190	29,120	148	76.7	68.9-84.5	42	23.3	15.5-31.1
Some Post-H.S.	190	28,806	150	78.4	71.0-85.8	40	21.6	14.2-29.0
College Graduate	229	21,358	165	68.4	60.6-76.2	64	31.6	23.8-39.4
Less than \$15,000	92	12,988	76	82.8	72.2-93.4	16	17.2	06.6-27.8
\$15,000- 24,999	102	16,442	89	84.1	72.3-95.9	13	15.9	04.1-27.7
\$35,000- 49,999	78	10,155	57	66.7	52.6-80.8	21	33.3	19.2-47.4
\$50,000- 74,999	93	13,534	73	73.6	60.5-86.7	20	26.4	13.3-39.5
\$75,000+	170	22,519	110	62.2	52.4-72.0	60	37.8	28.0-47.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	175	33,493	118	66.0	56.8-75.2	57	34.0	24.8-43.2
White/Non-Hisp	125	20,723	84	66.7	55.7-77.7	41	33.3	22.3-44.3
H.S. or G.E.D.	61	12,833	43	68.4	53.5-83.3	18	31.6	16.7-46.5
College Graduate	61	6,847	36	60.2	45.3-75.1	25	39.8	24.9-54.7
\$75,000+	57	9,389	30	50.0	32.8-67.2	27	50.0	32.8-67.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	479	60,010	383	80.0	75.1-84.9	96	20.0	15.1-24.9
White/Non-Hisp	335	35,517	268	80.1	75.0-85.2	67	19.9	14.8-25.0
Black or Afr. Am./Non-Hisp	96	17,114	80	87.8	80.7-94.9	16	12.2	05.1-19.3
25-34	63	10,337	41	64.6	50.3-78.9	22	35.4	21.1-49.7
35-44	64	10,325	56	77.6	60.5-94.7	8	22.4	05.3-39.5
45-54	83	10,152	61	80.1	71.1-89.1	22	19.9	10.9-28.9
55-64	102	11,586	84	83.7	75.5-91.9	18	16.3	08.1-24.5
65+	138	9,832	116	84.4	77.1-91.7	22	15.6	08.3-22.9
H.S. or G.E.D.	129	16,287	105	83.2	75.8-90.6	24	16.8	09.4-24.2
Some Post-H.S.	151	21,005	120	80.3	72.1-88.5	31	19.7	11.5-27.9
College Graduate	168	14,512	129	72.3	63.5-81.1	39	27.7	18.9-36.5
Less than \$15,000	73	9,246	61	82.3	69.8-94.8	12	17.7	05.2-30.2
\$15,000- 24,999	77	11,870	67	84.0	69.3-98.7	10	16.0	01.3-30.7
\$35,000- 49,999	57	5,834	46	80.5	68.7-92.3	11	19.5	07.7-31.3
\$50,000- 74,999	66	8,216	52	80.0	69.4-90.6	14	20.0	09.4-30.6
\$75,000+	113	13,130	80	70.9	60.7-81.1	33	29.1	18.9-39.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5170	709,754	481	6.4	05.6-07.2	4689	93.6	92.8-94.4
Male	2003	338,569	214	6.9	05.7-08.1	1789	93.1	91.9-94.3
Female	3167	371,185	267	5.9	05.1-06.7	2900	94.1	93.3-94.9
White/Non-Hisp	4010	475,946	466	9.1	08.1-10.1	3544	90.9	89.9-91.9
Black or Afr. Am./Non-Hisp	731	141,238	2	0.7	00.0-01.9	729	99.3	98.1-0100
Oth. Race/Non-Hisp.	141	27,769	4	1.1	00.0-02.5	137	98.9	97.5-0100
MultiRacial/Non-Hisp.	105	9,133	4	3.0	00.0-06.5	101	97.0	93.5-0100
Hispanic	155	52,690	1	0.4	00.0-01.2	154	99.6	98.8-0100
18-24	311	91,129	1	0.2	00.0-00.6	310	99.8	99.4-0100
25-34	528	115,044	2	0.7	00.0-01.7	526	99.3	98.3-0100
35-44	642	112,385	10	1.1	00.3-01.9	632	98.9	98.1-99.7
45-54	917	130,113	51	5.2	03.2-07.2	866	94.8	92.8-96.8
55-64	1022	115,404	103	9.2	07.0-11.4	919	90.8	88.6-93.0
65+	1699	141,091	308	17.8	15.6-20.0	1391	82.2	80.0-84.4
Less Than H.S.	335	94,099	20	3.9	01.5-06.3	315	96.1	93.7-98.5
H.S. or G.E.D.	1559	222,592	133	5.9	04.7-07.1	1426	94.1	92.9-95.3
Some Post-H.S.	1393	211,125	134	6.8	05.4-08.2	1259	93.2	91.8-94.6
College Graduate	1876	181,124	194	7.9	06.5-09.3	1682	92.1	90.7-93.5
Less than \$15,000	599	81,974	60	6.2	04.2-08.2	539	93.8	91.8-95.8
\$15,000- 24,999	531	77,148	23	3.3	01.1-05.5	508	96.7	94.5-98.9
\$25,000- 34,999	486	63,601	48	7.4	04.9-09.9	438	92.6	90.1-95.1
\$35,000- 49,999	648	89,615	68	7.0	04.8-09.2	580	93.0	90.8-95.2
\$50,000- 74,999	767	104,928	73	7.2	05.0-09.4	694	92.8	90.6-95.0
\$75,000+	1424	196,433	137	6.7	05.3-08.1	1287	93.3	91.9-94.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2003	338,569	214	6.9	05.7-08.1	1789	93.1	91.9-94.3
White/Non-Hisp	1559	227,232	204	9.6	08.0-11.2	1355	90.4	88.8-92.0
Black or Afr. Am./Non-Hisp	251	64,366	2	1.5	00.0-03.9	249	98.5	96.1-0100
Oth. Race/Non-Hisp.	68	15,500	1	0.2	00.0-00.6	67	99.8	99.4-0100
Hispanic	67	25,601	1	0.8	00.0-02.4	66	99.2	97.6-0100
18-24	156	46,017				156	100.0	0100-0100
25-34	207	57,219	2	1.4	00.0-03.4	205	98.6	96.6-0100
35-44	252	54,600	5	1.6	00.0-03.2	247	98.4	96.8-0100
45-54	346	63,011	22	5.8	02.5-09.1	324	94.2	90.9-97.5
55-64	400	54,405	42	9.4	06.1-12.7	358	90.6	87.3-93.9
65+	627	61,612	141	20.7	16.8-24.6	486	79.3	75.4-83.2
Less Than H.S.	168	57,105	14	4.8	01.3-08.3	154	95.2	91.7-98.7
H.S. or G.E.D.	586	103,305	51	5.7	03.7-07.7	535	94.3	92.3-96.3
Some Post-H.S.	499	92,242	52	7.0	04.8-09.2	447	93.0	90.8-95.2
College Graduate	749	85,798	97	9.7	07.3-12.1	652	90.3	87.9-92.7
Less than \$15,000	219	39,919	24	5.9	03.2-08.6	195	94.1	91.4-96.8
\$15,000- 24,999	168	30,396	8	4.9	00.0-10.2	160	95.1	89.8-0100
\$25,000- 34,999	173	28,465	20	8.2	03.7-12.7	153	91.8	87.3-96.3
\$35,000- 49,999	245	42,219	36	8.7	05.2-12.2	209	91.3	87.8-94.8
\$50,000- 74,999	311	53,134	36	7.2	04.3-10.1	275	92.8	89.9-95.7
\$75,000+	673	108,063	69	7.2	05.0-09.4	604	92.8	90.6-95.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3167	371,185	267	5.9	05.1-06.7	2900	94.1	93.3-94.9
White/Non-Hisp	2451	248,714	262	8.7	07.5-09.9	2189	91.3	90.1-92.5
Black or Afr. Am./Non-Hisp	480	76,872				480	100.0	0100-0100
Oth. Race/Non-Hisp.	73	12,268	3	2.3	00.0-05.4	70	97.7	94.6-0100
MultiRacial/Non-Hisp.	59	4,768	1	0.5	00.0-01.5	58	99.5	98.5-0100
Hispanic	88	27,088				88	100.0	0100-0100
18-24	155	45,112	1	0.5	00.0-01.5	154	99.5	98.5-0100
25-34	321	57,825				321	100.0	0100-0100
35-44	390	57,786	5	0.6	00.0-01.2	385	99.4	98.8-0100
45-54	571	67,102	29	4.8	02.6-07.0	542	95.2	93.0-97.4
55-64	622	60,999	61	9.0	06.3-11.7	561	91.0	88.3-93.7
65+	1072	79,479	167	15.6	13.1-18.1	905	84.4	81.9-86.9
Less Than H.S.	167	36,994	6	2.5	00.1-04.9	161	97.5	95.1-99.9
H.S. or G.E.D.	973	119,287	82	6.1	04.5-07.7	891	93.9	92.3-95.5
Some Post-H.S.	894	118,883	82	6.6	05.0-08.2	812	93.4	91.8-95.0
College Graduate	1127	95,326	97	6.2	04.8-07.6	1030	93.8	92.4-95.2
Less than \$15,000	380	42,055	36	6.6	04.1-09.1	344	93.4	90.9-95.9
\$15,000- 24,999	363	46,752	15	2.2	00.8-03.6	348	97.8	96.4-99.2
\$25,000- 34,999	313	35,137	28	6.8	03.9-09.7	285	93.2	90.3-96.1
\$35,000- 49,999	403	47,396	32	5.5	03.0-08.0	371	94.5	92.0-97.0
\$50,000- 74,999	456	51,793	37	7.2	04.3-10.1	419	92.8	89.9-95.7
\$75,000+	751	88,370	68	6.2	04.4-08.0	683	93.8	92.0-95.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5167	709,634	517	7.3	06.5-08.1	4650	92.7	91.9-93.5
Male	2002	338,718	193	6.6	05.4-07.8	1809	93.4	92.2-94.6
Female	3165	370,916	324	7.8	06.6-09.0	2841	92.2	91.0-93.4
White/Non-Hisp	4007	475,826	441	8.6	07.6-09.6	3566	91.4	90.4-92.4
Black or Afr. Am./Non-Hisp	731	141,238	39	3.7	02.1-05.3	692	96.3	94.7-97.9
Oth. Race/Non-Hisp.	141	27,769	9	3.2	00.0-06.5	132	96.8	93.5-0100
MultiRacial/Non-Hisp.	105	9,133	11	10.1	02.7-17.5	94	89.9	82.5-97.3
Hispanic	155	52,690	14	6.4	02.3-10.5	141	93.6	89.5-97.7
18-24	311	91,129	10	2.5	00.7-04.3	301	97.5	95.7-99.3
25-34	528	115,044	10	1.7	00.5-02.9	518	98.3	97.1-99.5
35-44	642	112,385	24	4.0	02.0-06.0	618	96.0	94.0-98.0
45-54	917	130,236	49	3.9	02.5-05.3	868	96.1	94.7-97.5
55-64	1022	115,424	109	9.3	07.1-11.5	913	90.7	88.5-92.9
65+	1697	140,877	308	18.7	16.2-21.2	1389	81.3	78.8-83.8
Less Than H.S.	336	94,250	37	6.4	03.9-08.9	299	93.6	91.1-96.1
H.S. or G.E.D.	1558	222,553	171	8.1	06.5-09.7	1387	91.9	90.3-93.5
Some Post-H.S.	1390	210,823	133	6.7	05.3-08.1	1257	93.3	91.9-94.7
College Graduate	1876	181,195	175	7.2	05.8-08.6	1701	92.8	91.4-94.2
Less than \$15,000	600	82,032	71	8.6	06.1-11.1	529	91.4	88.9-93.9
\$15,000- 24,999	529	77,083	55	6.9	04.4-09.4	474	93.1	90.6-95.6
\$25,000- 34,999	486	63,601	43	7.0	04.3-09.7	443	93.0	90.3-95.7
\$35,000- 49,999	647	89,580	72	7.7	05.3-10.1	575	92.3	89.9-94.7
\$50,000- 74,999	767	104,928	74	6.8	04.8-08.8	693	93.2	91.2-95.2
\$75,000+	1424	196,444	104	5.6	04.2-07.0	1320	94.4	93.0-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2002	338,718	193	6.6	05.4-07.8	1809	93.4	92.2-94.6
White/Non-Hisp	1558	227,381	157	7.6	06.2-09.0	1401	92.4	91.0-93.8
Black or Afr. Am./Non-Hisp	251	64,366	19	4.9	02.0-07.8	232	95.1	92.2-98.0
Oth. Race/Non-Hisp.	68	15,500	5	4.3	00.0-09.8	63	95.7	90.2-0100
Hispanic	67	25,601	6	3.0	00.1-05.9	61	97.0	94.1-99.9
18-24	156	46,017	2	1.5	00.0-03.7	154	98.5	96.3-0100
25-34	207	57,219	2	0.9	00.0-02.3	205	99.1	97.7-0100
35-44	252	54,600	8	3.8	01.1-06.5	244	96.2	93.5-98.9
45-54	347	63,159	14	2.6	01.0-04.2	333	97.4	95.8-99.0
55-64	399	54,366	35	9.1	05.6-12.6	364	90.9	87.4-94.4
65+	626	61,652	127	19.8	15.9-23.7	499	80.2	76.3-84.1
Less Than H.S.	169	57,255	16	5.6	02.5-08.7	153	94.4	91.3-97.5
H.S. or G.E.D.	584	103,208	54	6.8	04.6-09.0	530	93.2	91.0-95.4
Some Post-H.S.	499	92,242	44	5.6	03.4-07.8	455	94.4	92.2-96.6
College Graduate	749	85,894	79	8.3	05.9-10.7	670	91.7	89.3-94.1
Less than \$15,000	219	39,919	24	6.9	03.6-10.2	195	93.1	89.8-96.4
\$15,000- 24,999	167	30,357	17	5.9	01.8-10.0	150	94.1	90.0-98.2
\$25,000- 34,999	173	28,465	22	8.6	03.9-13.3	151	91.4	86.7-96.1
\$35,000- 49,999	246	42,369	33	8.5	04.8-12.2	213	91.5	87.8-95.2
\$50,000- 74,999	311	53,134	26	5.4	02.7-08.1	285	94.6	91.9-97.3
\$75,000+	674	108,211	47	5.2	03.4-07.0	627	94.8	93.0-96.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3165	370,916	324	7.8	06.6-09.0	2841	92.2	91.0-93.4
White/Non-Hisp	2449	248,445	284	9.5	08.1-10.9	2165	90.5	89.1-91.9
Black or Afr. Am./Non-Hisp	480	76,872	20	2.7	01.1-04.3	460	97.3	95.7-98.9
Oth. Race/Non-Hisp.	73	12,268	4	1.8	00.0-04.5	69	98.2	95.5-0100
MultiRacial/Non-Hisp.	59	4,768	7	10.8	00.6-21.0	52	89.2	79.0-99.4
Hispanic	88	27,088	8	9.6	02.3-16.9	80	90.4	83.1-97.7
18-24	155	45,112	8	3.5	00.8-06.2	147	96.5	93.8-99.2
25-34	321	57,825	8	2.5	00.3-04.7	313	97.5	95.3-99.7
35-44	390	57,786	16	4.2	01.7-06.7	374	95.8	93.3-98.3
45-54	570	67,077	35	5.2	03.2-07.2	535	94.8	92.8-96.8
55-64	623	61,058	74	9.4	06.9-11.9	549	90.6	88.1-93.1
65+	1071	79,225	181	17.8	14.5-21.1	890	82.2	78.9-85.5
Less Than H.S.	167	36,994	21	7.7	03.4-12.0	146	92.3	88.0-96.6
H.S. or G.E.D.	974	119,345	117	9.3	06.9-11.7	857	90.7	88.3-93.1
Some Post-H.S.	891	118,581	89	7.6	05.6-09.6	802	92.4	90.4-94.4
College Graduate	1127	95,301	96	6.3	04.7-07.9	1031	93.7	92.1-95.3
Less than \$15,000	381	42,114	47	10.2	06.5-13.9	334	89.8	86.1-93.5
\$15,000- 24,999	362	46,726	38	7.5	04.2-10.8	324	92.5	89.2-95.8
\$25,000- 34,999	313	35,137	21	5.7	02.4-09.0	292	94.3	91.0-97.6
\$35,000- 49,999	401	47,210	39	7.0	04.1-09.9	362	93.0	90.1-95.9
\$50,000- 74,999	456	51,793	48	8.2	05.5-10.9	408	91.8	89.1-94.5
\$75,000+	750	88,232	57	6.0	04.2-07.8	693	94.0	92.2-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5162	708,627	441	7.1	06.3-07.9	4721	92.9	92.1-93.7
Male	1997	337,811	140	5.9	04.7-07.1	1857	94.1	92.9-95.3
Female	3165	370,815	301	8.2	07.0-09.4	2864	91.8	90.6-93.0
White/Non-Hisp	4009	475,844	347	7.5	06.5-08.5	3662	92.5	91.5-93.5
Black or Afr. Am./Non-Hisp	726	140,708	55	6.9	04.7-09.1	671	93.1	90.9-95.3
Oth. Race/Non-Hisp.	140	27,481	12	5.6	01.3-09.9	128	94.4	90.1-98.7
MultiRacial/Non-Hisp.	104	8,924	15	13.5	05.7-21.3	89	86.5	78.7-94.3
Hispanic	155	52,690	10	3.7	01.0-06.4	145	96.3	93.6-99.0
18-24	311	91,129	4	0.5	00.0-01.1	307	99.5	98.9-0100
25-34	526	114,454	21	4.1	01.9-06.3	505	95.9	93.7-98.1
35-44	642	112,385	19	3.0	01.2-04.8	623	97.0	95.2-98.8
45-54	916	129,868	61	7.5	05.1-09.9	855	92.5	90.1-94.9
55-64	1021	115,195	115	11.5	09.0-14.0	906	88.5	86.0-91.0
65+	1695	141,010	215	13.1	10.9-15.3	1480	86.9	84.7-89.1
Less Than H.S.	333	93,881	50	11.9	08.0-15.8	283	88.1	84.2-92.0
H.S. or G.E.D.	1556	222,191	159	7.3	05.9-08.7	1397	92.7	91.3-94.1
Some Post-H.S.	1392	210,823	135	7.6	06.0-09.2	1257	92.4	90.8-94.0
College Graduate	1874	180,919	97	3.8	02.8-04.8	1777	96.2	95.2-97.2
Less than \$15,000	599	81,969	67	9.2	06.5-11.9	532	90.8	88.1-93.5
\$15,000- 24,999	526	76,734	105	16.7	12.4-21.0	421	83.3	79.0-87.6
\$25,000- 34,999	484	63,090	44	8.8	05.5-12.1	440	91.2	87.9-94.5
\$35,000- 49,999	649	89,766	56	7.4	04.9-09.9	593	92.6	90.1-95.1
\$50,000- 74,999	767	104,928	51	6.1	04.1-08.1	716	93.9	91.9-95.9
\$75,000+	1425	196,581	57	3.0	02.0-04.0	1368	97.0	96.0-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1997	337,811	140	5.9	04.7-07.1	1857	94.1	92.9-95.3
White/Non-Hisp	1558	227,153	109	6.3	04.7-07.9	1449	93.7	92.1-95.3
Black or Afr. Am./Non-Hisp	247	63,895	13	4.3	01.4-07.2	234	95.7	92.8-98.6
Oth. Race/Non-Hisp.	68	15,500	7	7.6	00.3-14.9	61	92.4	85.1-99.7
Hispanic	67	25,601	4	3.6	00.0-07.3	63	96.4	92.7-0100
18-24	156	46,017	2	0.6	00.0-01.6	154	99.4	98.4-0100
25-34	206	56,917	9	4.0	01.1-06.9	197	96.0	93.1-98.9
35-44	252	54,600	4	1.3	00.0-02.9	248	98.7	97.1-0100
45-54	345	62,765	21	7.5	03.8-11.2	324	92.5	88.8-96.2
55-64	399	54,197	37	8.8	05.3-12.3	362	91.2	87.7-94.7
65+	624	61,612	66	11.7	08.4-15.0	558	88.3	85.0-91.6
Less Than H.S.	167	56,949	17	9.0	04.3-13.7	150	91.0	86.3-95.7
H.S. or G.E.D.	583	102,905	50	6.0	03.8-08.2	533	94.0	91.8-96.2
Some Post-H.S.	498	91,940	39	6.4	04.0-08.8	459	93.6	91.2-96.0
College Graduate	748	85,899	34	3.2	02.0-04.4	714	96.8	95.6-98.0
Less than \$15,000	218	39,855	21	7.0	03.3-10.7	197	93.0	89.3-96.7
\$15,000- 24,999	164	30,042	28	14.5	07.6-21.4	136	85.5	78.6-92.4
\$25,000- 34,999	171	27,953	17	8.7	03.4-14.0	154	91.3	86.0-96.6
\$35,000- 49,999	246	42,369	13	5.9	01.6-10.2	233	94.1	89.8-98.4
\$50,000- 74,999	311	53,134	22	6.3	03.2-09.4	289	93.7	90.6-96.8
\$75,000+	674	108,211	22	2.1	01.1-03.1	652	97.9	96.9-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3165	370,815	301	8.2	07.0-09.4	2864	91.8	90.6-93.0
White/Non-Hisp	2451	248,692	238	8.6	07.2-10.0	2213	91.4	90.0-92.8
Black or Afr. Am./Non-Hisp	479	76,812	42	9.1	06.0-12.2	437	90.9	87.8-94.0
Oth. Race/Non-Hisp.	72	11,981	5	3.0	00.0-06.3	67	97.0	93.7-0100
MultiRacial/Non-Hisp.	59	4,768	10	16.3	04.1-28.5	49	83.7	71.5-95.9
Hispanic	88	27,088	6	3.8	00.0-07.9	82	96.2	92.1-0100
18-24	155	45,112	2	0.3	00.0-00.7	153	99.7	99.3-0100
25-34	320	57,537	12	4.2	01.3-07.1	308	95.8	92.9-98.7
35-44	390	57,786	15	4.6	01.7-07.5	375	95.4	92.5-98.3
45-54	571	67,102	40	7.5	04.6-10.4	531	92.5	89.6-95.4
55-64	622	60,998	78	13.9	10.4-17.4	544	86.1	82.6-89.6
65+	1071	79,398	149	14.3	11.8-16.8	922	85.7	83.2-88.2
Less Than H.S.	166	36,932	33	16.5	09.8-23.2	133	83.5	76.8-90.2
H.S. or G.E.D.	973	119,286	109	8.4	06.4-10.4	864	91.6	89.6-93.6
Some Post-H.S.	894	118,883	96	8.5	06.5-10.5	798	91.5	89.5-93.5
College Graduate	1126	95,021	63	4.4	03.0-05.8	1063	95.6	94.2-97.0
Less than \$15,000	381	42,114	46	11.3	07.6-15.0	335	88.7	85.0-92.4
\$15,000- 24,999	362	46,692	77	18.2	12.7-23.7	285	81.8	76.3-87.3
\$25,000- 34,999	313	35,137	27	8.9	04.6-13.2	286	91.1	86.8-95.4
\$35,000- 49,999	403	47,396	43	8.7	05.4-12.0	360	91.3	88.0-94.6
\$50,000- 74,999	456	51,793	29	5.9	03.4-08.4	427	94.1	91.6-96.6
\$75,000+	751	88,370	35	4.2	02.4-06.0	716	95.8	94.0-97.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5166	708,833	1762	28.0	26.4-29.6	3404	72.0	70.4-73.6
Male	2003	337,993	577	23.8	21.4-26.2	1426	76.2	73.8-78.6
Female	3163	370,840	1185	31.7	29.5-33.9	1978	68.3	66.1-70.5
White/Non-Hisp	4009	475,968	1426	30.9	29.1-32.7	2583	69.1	67.3-70.9
Black or Afr. Am./Non-Hisp	729	141,094	225	24.8	21.1-28.5	504	75.2	71.5-78.9
Oth. Race/Non-Hisp.	141	27,769	33	19.6	10.4-28.8	108	80.4	71.2-89.6
MultiRacial/Non-Hisp.	105	9,133	33	30.8	20.2-41.4	72	69.2	58.6-79.8
Hispanic	154	51,892	37	14.5	08.8-20.2	117	85.5	79.8-91.2
18-24	311	91,129	19	6.3	03.2-09.4	292	93.7	90.6-96.8
25-34	528	115,044	47	9.0	05.9-12.1	481	91.0	87.9-94.1
35-44	640	111,503	97	15.6	11.9-19.3	543	84.4	80.7-88.1
45-54	917	130,194	242	28.2	24.3-32.1	675	71.8	67.9-75.7
55-64	1020	115,219	421	42.9	38.8-47.0	599	57.1	53.0-61.2
65+	1699	141,159	921	54.7	51.6-57.8	778	45.3	42.2-48.4
Less Than H.S.	334	93,375	148	31.7	25.6-37.8	186	68.3	62.2-74.4
H.S. or G.E.D.	1556	222,402	575	30.5	27.6-33.4	981	69.5	66.6-72.4
Some Post-H.S.	1392	211,017	512	30.1	27.2-33.0	880	69.9	67.0-72.8
College Graduate	1877	181,227	525	20.5	18.3-22.7	1352	79.5	77.3-81.7
Less than \$15,000	596	81,015	257	34.9	29.8-40.0	339	65.1	60.0-70.2
\$15,000- 24,999	530	77,110	242	36.4	30.7-42.1	288	63.6	57.9-69.3
\$25,000- 34,999	485	63,533	174	29.7	24.4-35.0	311	70.3	65.0-75.6
\$35,000- 49,999	649	89,766	242	30.3	25.8-34.8	407	69.7	65.2-74.2
\$50,000- 74,999	766	104,860	249	28.6	24.5-32.7	517	71.4	67.3-75.5
\$75,000+	1425	196,581	343	20.9	18.2-23.6	1082	79.1	76.4-81.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2003	337,993	577	23.8	21.4-26.2	1426	76.2	73.8-78.6
White/Non-Hisp	1561	227,531	469	27.3	24.6-30.0	1092	72.7	70.0-75.4
Black or Afr. Am./Non-Hisp	250	64,289	61	18.2	12.7-23.7	189	81.8	76.3-87.3
Oth. Race/Non-Hisp.	68	15,500	17	19.6	06.7-32.5	51	80.4	67.5-93.3
Hispanic	66	24,803	12	8.5	02.4-14.6	54	91.5	85.4-97.6
18-24	156	46,017	10	6.3	02.0-10.6	146	93.7	89.4-98.0
25-34	207	57,219	17	8.9	04.0-13.8	190	91.1	86.2-96.0
35-44	251	53,802	26	11.1	06.6-15.6	225	88.9	84.4-93.4
45-54	347	63,159	78	24.0	17.9-30.1	269	76.0	69.9-82.1
55-64	399	54,329	145	38.7	32.2-45.2	254	61.3	54.8-67.8
65+	628	61,763	298	48.7	43.6-53.8	330	51.3	46.2-56.4
Less Than H.S.	167	56,381	57	25.4	17.8-33.0	110	74.6	67.0-82.2
H.S. or G.E.D.	586	103,305	176	25.7	21.4-30.0	410	74.3	70.0-78.6
Some Post-H.S.	499	92,242	149	24.1	19.8-28.4	350	75.9	71.6-80.2
College Graduate	750	85,946	195	20.3	17.0-23.6	555	79.7	76.4-83.0
Less than \$15,000	217	39,044	70	28.0	20.4-35.6	147	72.0	64.4-79.6
\$15,000- 24,999	168	30,396	67	31.1	21.5-40.7	101	68.9	59.3-78.5
\$25,000- 34,999	173	28,465	51	25.6	17.2-34.0	122	74.4	66.0-82.8
\$35,000- 49,999	246	42,369	88	27.8	20.9-34.7	158	72.2	65.3-79.1
\$50,000- 74,999	311	53,134	85	26.3	19.8-32.8	226	73.7	67.2-80.2
\$75,000+	674	108,211	162	19.7	16.0-23.4	512	80.3	76.6-84.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3163	370,840	1185	31.7	29.5-33.9	1978	68.3	66.1-70.5
White/Non-Hisp	2448	248,437	957	34.1	31.7-36.5	1491	65.9	63.5-68.3
Black or Afr. Am./Non-Hisp	479	76,804	164	30.3	25.2-35.4	315	69.7	64.6-74.8
Oth. Race/Non-Hisp.	73	12,268	16	19.4	06.5-32.3	57	80.6	67.7-93.5
MultiRacial/Non-Hisp.	59	4,768	19	32.1	17.6-46.6	40	67.9	53.4-82.4
Hispanic	88	27,088	25	20.0	11.0-29.0	63	80.0	71.0-89.0
18-24	155	45,112	9	6.4	01.7-11.1	146	93.6	88.9-98.3
25-34	321	57,825	30	9.1	05.2-13.0	291	90.9	87.0-94.8
35-44	389	57,701	71	19.7	14.0-25.4	318	80.3	74.6-86.0
45-54	570	67,034	164	32.1	27.0-37.2	406	67.9	62.8-73.0
55-64	621	60,890	276	46.7	41.6-51.8	345	53.3	48.2-58.4
65+	1071	79,396	623	59.4	55.5-63.3	448	40.6	36.7-44.5
Less Than H.S.	167	36,994	91	41.2	31.8-50.6	76	58.8	49.4-68.2
H.S. or G.E.D.	970	119,097	399	34.6	30.7-38.5	571	65.4	61.5-69.3
Some Post-H.S.	893	118,774	363	34.7	30.8-38.6	530	65.3	61.4-69.2
College Graduate	1127	95,281	330	20.6	18.1-23.1	797	79.4	76.9-81.9
Less than \$15,000	379	41,971	187	41.3	34.8-47.8	192	58.7	52.2-65.2
\$15,000- 24,999	362	46,714	175	39.8	32.5-47.1	187	60.2	52.9-67.5
\$25,000- 34,999	312	35,069	123	33.0	26.1-39.9	189	67.0	60.1-73.9
\$35,000- 49,999	403	47,396	154	32.6	26.7-38.5	249	67.4	61.5-73.3
\$50,000- 74,999	455	51,726	164	30.9	25.6-36.2	291	69.1	63.8-74.4
\$75,000+	751	88,370	181	22.4	18.5-26.3	570	77.6	73.7-81.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5165	709,413	799	14.8	13.4-16.2	4366	85.2	83.8-86.6
Male	2001	338,593	204	9.4	07.6-11.2	1797	90.6	88.8-92.4
Female	3164	370,819	595	19.7	17.7-21.7	2569	80.3	78.3-82.3
White/Non-Hisp	4007	475,911	642	16.0	14.4-17.6	3365	84.0	82.4-85.6
Black or Afr. Am./Non-Hisp	730	140,950	85	12.1	09.0-15.2	645	87.9	84.8-91.0
Oth. Race/Non-Hisp.	141	27,769	17	12.2	03.6-20.8	124	87.8	79.2-96.4
MultiRacial/Non-Hisp.	104	9,114	28	24.8	15.2-34.4	76	75.2	65.6-84.8
Hispanic	155	52,690	25	10.8	05.7-15.9	130	89.2	84.1-94.3
18-24	310	91,077	45	13.4	08.9-17.9	265	86.6	82.1-91.1
25-34	528	115,044	79	15.9	12.0-19.8	449	84.1	80.2-88.0
35-44	641	112,223	88	11.4	08.1-14.7	553	88.6	85.3-91.9
45-54	915	129,868	175	17.8	14.7-20.9	740	82.2	79.1-85.3
55-64	1022	115,447	235	21.9	18.6-25.2	787	78.1	74.8-81.4
65+	1698	141,167	174	9.2	07.4-11.0	1524	90.8	89.0-92.6
Less Than H.S.	334	93,912	69	19.5	14.2-24.8	265	80.5	75.2-85.8
H.S. or G.E.D.	1557	222,374	228	14.1	11.7-16.5	1329	85.9	83.5-88.3
Some Post-H.S.	1391	211,062	248	16.5	14.1-18.9	1143	83.5	81.1-85.9
College Graduate	1876	181,251	253	11.2	09.4-13.0	1623	88.8	87.0-90.6
Less than \$15,000	598	81,986	138	23.0	18.5-27.5	460	77.0	72.5-81.5
\$15,000- 24,999	528	76,883	147	27.3	22.0-32.6	381	72.7	67.4-78.0
\$25,000- 34,999	485	63,314	72	12.1	08.2-16.0	413	87.9	84.0-91.8
\$35,000- 49,999	648	89,721	108	16.0	12.3-19.7	540	84.0	80.3-87.7
\$50,000- 74,999	767	104,928	106	12.9	09.8-16.0	661	87.1	84.0-90.2
\$75,000+	1425	196,581	152	9.4	07.4-11.4	1273	90.6	88.6-92.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2001	338,593	204	9.4	07.6-11.2	1797	90.6	88.8-92.4
White/Non-Hisp	1557	227,256	161	10.2	08.2-12.2	1396	89.8	87.8-91.8
Black or Afr. Am./Non-Hisp	251	64,366	16	6.4	02.7-10.1	235	93.6	89.9-97.3
Oth. Race/Non-Hisp.	68	15,500	9	16.4	01.9-30.9	59	83.6	69.1-98.1
Hispanic	67	25,601	6	3.3	00.0-06.8	61	96.7	93.2-0100
18-24	155	45,966	16	10.6	04.3-16.9	139	89.4	83.1-95.7
25-34	207	57,219	18	9.4	04.5-14.3	189	90.6	85.7-95.5
35-44	251	54,437	16	4.2	01.7-06.7	235	95.8	93.3-98.3
45-54	346	63,115	46	11.3	07.2-15.4	300	88.7	84.6-92.8
55-64	399	54,389	65	15.4	10.9-19.9	334	84.6	80.1-89.1
65+	628	61,763	43	5.9	03.9-07.9	585	94.1	92.1-96.1
Less Than H.S.	169	57,255	18	9.5	04.4-14.6	151	90.5	85.4-95.6
H.S. or G.E.D.	584	103,091	59	9.7	06.4-13.0	525	90.3	87.0-93.6
Some Post-H.S.	498	92,198	56	10.6	07.3-13.9	442	89.4	86.1-92.7
College Graduate	749	85,930	71	7.6	05.4-09.8	678	92.4	90.2-94.6
Less than \$15,000	219	39,919	39	13.1	08.0-18.2	180	86.9	81.8-92.0
\$15,000- 24,999	166	30,181	30	17.2	09.8-24.6	136	82.8	75.4-90.2
\$25,000- 34,999	173	28,465	15	6.3	02.0-10.6	158	93.7	89.4-98.0
\$35,000- 49,999	245	42,325	30	13.0	07.5-18.5	215	87.0	81.5-92.5
\$50,000- 74,999	311	53,134	30	10.0	05.1-14.9	281	90.0	85.1-94.9
\$75,000+	674	108,211	46	5.4	03.4-07.4	628	94.6	92.6-96.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3164	370,819	595	19.7	17.7-21.7	2569	80.3	78.3-82.3
White/Non-Hisp	2450	248,655	481	21.4	19.0-23.8	1969	78.6	76.2-81.0
Black or Afr. Am./Non-Hisp	479	76,584	69	16.9	12.2-21.6	410	83.1	78.4-87.8
Oth. Race/Non-Hisp.	73	12,268	8	6.8	01.3-12.3	65	93.2	87.7-98.7
MultiRacial/Non-Hisp.	58	4,749	18	29.4	15.7-43.1	40	70.6	56.9-84.3
Hispanic	88	27,088	19	17.9	09.1-26.7	69	82.1	73.3-90.9
18-24	155	45,112	29	16.2	09.9-22.5	126	83.8	77.5-90.1
25-34	321	57,825	61	22.3	16.4-28.2	260	77.7	71.8-83.6
35-44	390	57,786	72	18.2	12.7-23.7	318	81.8	76.3-87.3
45-54	569	66,753	129	23.8	19.1-28.5	440	76.2	71.5-80.9
55-64	623	61,058	170	27.6	23.1-32.1	453	72.4	67.9-76.9
65+	1070	79,405	131	11.8	09.3-14.3	939	88.2	85.7-90.7
Less Than H.S.	165	36,656	51	35.2	25.6-44.8	114	64.8	55.2-74.4
H.S. or G.E.D.	973	119,284	169	17.9	14.6-21.2	804	82.1	78.8-85.4
Some Post-H.S.	893	118,864	192	21.0	17.7-24.3	701	79.0	75.7-82.3
College Graduate	1127	95,321	182	14.5	12.0-17.0	945	85.5	83.0-88.0
Less than \$15,000	379	42,067	99	32.4	25.7-39.1	280	67.6	60.9-74.3
\$15,000- 24,999	362	46,702	117	33.8	26.5-41.1	245	66.2	58.9-73.5
\$25,000- 34,999	312	34,849	57	16.9	11.0-22.8	255	83.1	77.2-89.0
\$35,000- 49,999	403	47,396	78	18.7	13.6-23.8	325	81.3	76.2-86.4
\$50,000- 74,999	456	51,793	76	15.8	11.7-19.9	380	84.2	80.1-88.3
\$75,000+	751	88,370	106	14.4	10.9-17.9	645	85.6	82.1-89.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5167	707,986	152	2.5	01.9-03.1	5015	97.5	96.9-98.1
Male	2003	337,550	75	2.7	01.9-03.5	1928	97.3	96.5-98.1
Female	3164	370,437	77	2.3	01.5-03.1	3087	97.7	96.9-98.5
White/Non-Hisp	4010	475,784	121	2.5	01.9-03.1	3889	97.5	96.9-98.1
Black or Afr. Am./Non-Hisp	730	139,952	19	2.0	00.8-03.2	711	98.0	96.8-99.2
Oth. Race/Non-Hisp.	140	27,481	1	0.3	00.0-00.9	139	99.7	99.1-0100
MultiRacial/Non-Hisp.	105	9,133	2	2.0	00.0-04.7	103	98.0	95.3-0100
Hispanic	154	52,657	8	4.8	00.7-08.9	146	95.2	91.1-99.3
18-24	311	91,129	3	0.6	00.0-01.4	308	99.4	98.6-0100
25-34	527	114,756	3	0.6	00.0-01.4	524	99.4	98.6-0100
35-44	640	112,070	9	2.3	00.3-04.3	631	97.7	95.7-99.7
45-54	917	130,117	23	2.5	01.3-03.7	894	97.5	96.3-98.7
55-64	1021	114,145	27	2.3	01.3-03.3	994	97.7	96.7-98.7
65+	1700	141,183	86	5.5	04.1-06.9	1614	94.5	93.1-95.9
Less Than H.S.	334	92,932	15	3.7	01.2-06.2	319	96.3	93.8-98.8
H.S. or G.E.D.	1559	222,505	54	2.6	01.8-03.4	1505	97.4	96.6-98.2
Some Post-H.S.	1392	210,866	45	2.4	01.6-03.2	1347	97.6	96.8-98.4
College Graduate	1875	180,870	38	1.8	01.0-02.6	1837	98.2	97.4-99.0
Less than \$15,000	600	82,032	22	3.2	01.4-05.0	578	96.8	95.0-98.6
\$15,000- 24,999	529	75,830	21	4.3	01.6-07.0	508	95.7	93.0-98.4
\$25,000- 34,999	486	63,601	19	3.5	01.3-05.7	467	96.5	94.3-98.7
\$35,000- 49,999	649	89,766	20	2.0	00.8-03.2	629	98.0	96.8-99.2
\$50,000- 74,999	765	104,523	18	1.6	00.8-02.4	747	98.4	97.6-99.2
\$75,000+	1425	196,581	37	2.3	01.3-03.3	1388	97.7	96.7-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2003	337,550	75	2.7	01.9-03.5	1928	97.3	96.5-98.1
White/Non-Hisp	1561	227,531	60	2.8	02.0-03.6	1501	97.2	96.4-98.0
Black or Afr. Am./Non-Hisp	250	63,080	10	2.9	00.7-05.1	240	97.1	94.9-99.3
Oth. Race/Non-Hisp.	68	15,500				68	100.0	0100-0100
Hispanic	66	25,569	3	2.2	00.0-05.1	63	97.8	94.9-0100
18-24	156	46,017				156	100.0	0100-0100
25-34	207	57,219	1	0.4	00.0-01.2	206	99.6	98.8-0100
35-44	252	54,600	2	0.7	00.0-01.7	250	99.3	98.3-0100
45-54	347	63,159	12	3.3	01.1-05.5	335	96.7	94.5-98.9
55-64	398	53,087	11	2.5	00.7-04.3	387	97.5	95.7-99.3
65+	628	61,763	48	8.2	05.5-10.9	580	91.8	89.1-94.5
Less Than H.S.	167	55,938	10	2.9	00.5-05.3	157	97.1	94.7-99.5
H.S. or G.E.D.	586	103,305	25	3.3	01.7-04.9	561	96.7	95.1-98.3
Some Post-H.S.	499	92,242	18	2.4	01.0-03.8	481	97.6	96.2-99.0
College Graduate	750	85,946	22	2.2	01.0-03.4	728	97.8	96.6-99.0
Less than \$15,000	219	39,919	14	4.8	01.3-08.3	205	95.2	91.7-98.7
\$15,000- 24,999	166	29,078	8	3.3	00.6-06.0	158	96.7	94.0-99.4
\$25,000- 34,999	173	28,465	7	3.5	00.8-06.2	166	96.5	93.8-99.2
\$35,000- 49,999	246	42,369	9	2.3	00.3-04.3	237	97.7	95.7-99.7
\$50,000- 74,999	311	53,134	9	1.7	00.5-02.9	302	98.3	97.1-99.5
\$75,000+	674	108,211	23	2.6	01.4-03.8	651	97.4	96.2-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3164	370,437	77	2.3	01.5-03.1	3087	97.7	96.9-98.5
White/Non-Hisp	2449	248,253	61	2.2	01.6-02.8	2388	97.8	97.2-98.4
Black or Afr. Am./Non-Hisp	480	76,872	9	1.2	00.2-02.2	471	98.8	97.8-99.8
Oth. Race/Non-Hisp.	72	11,981	1	0.8	00.0-02.4	71	99.2	97.6-0100
MultiRacial/Non-Hisp.	59	4,768	1	1.4	00.0-04.1	58	98.6	95.9-0100
Hispanic	88	27,088	5	7.2	00.0-14.6	83	92.8	85.4-0100
18-24	155	45,112	3	1.2	00.0-03.0	152	98.8	97.0-0100
25-34	320	57,537	2	0.8	00.0-02.2	318	99.2	97.8-0100
35-44	388	57,470	7	3.8	00.3-07.3	381	96.2	92.7-99.7
45-54	570	66,957	11	1.7	00.5-02.9	559	98.3	97.1-99.5
55-64	623	61,058	16	2.2	01.0-03.4	607	97.8	96.6-99.0
65+	1072	79,420	38	3.4	02.0-04.8	1034	96.6	95.2-98.0
Less Than H.S.	167	36,994	5	4.8	00.0-10.3	162	95.2	89.7-0100
H.S. or G.E.D.	973	119,200	29	2.0	01.0-03.0	944	98.0	97.0-99.0
Some Post-H.S.	893	118,624	27	2.5	01.5-03.5	866	97.5	96.5-98.5
College Graduate	1125	94,924	16	1.4	00.4-02.4	1109	98.6	97.6-99.6
Less than \$15,000	381	42,114	8	1.7	00.1-03.3	373	98.3	96.7-99.9
\$15,000- 24,999	363	46,752	13	4.9	00.8-09.0	350	95.1	91.0-99.2
\$25,000- 34,999	313	35,137	12	3.6	00.3-06.9	301	96.4	93.1-99.7
\$35,000- 49,999	403	47,396	11	1.7	00.5-02.9	392	98.3	97.1-99.5
\$50,000- 74,999	454	51,389	9	1.6	00.4-02.8	445	98.4	97.2-99.6
\$75,000+	751	88,370	14	1.9	00.7-03.1	737	98.1	96.9-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 34: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5171	709,808	726	12.5	11.3-13.7	4443	87.4	86.2-88.6	2	0.0	00.0-00.0
Male	2002	338,542	264	11.8	09.8-13.8	1736	88.1	86.1-90.1	2	0.1	00.1-00.1
Female	3169	371,265	462	13.1	11.5-14.7	2707	86.9	85.3-88.5			
White/Non-Hisp	4012	476,249	552	12.2	10.8-13.6	3459	87.7	86.3-89.1	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	730	140,988	113	14.9	11.4-18.4	616	85.1	81.6-88.6	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	141	27,769	13	4.0	01.1-06.9	128	96.0	93.1-98.9			
MultiRacial/Non-Hisp.	105	9,133	24	21.4	11.6-31.2	81	78.6	68.8-88.4			
Hispanic	155	52,690	17	10.8	04.5-17.1	138	89.2	82.9-95.5			
18-24	310	90,879	30	7.0	04.3-09.7	280	93.0	90.3-95.7			
25-34	528	115,044	36	8.9	05.4-12.4	492	91.1	87.6-94.6			
35-44	642	112,385	62	9.2	06.3-12.1	580	90.8	87.9-93.7			
45-54	918	130,262	151	16.0	12.7-19.3	767	84.0	80.7-87.3			
55-64	1023	115,463	157	16.3	12.8-19.8	866	83.7	80.2-87.2			
65+	1699	141,188	287	15.6	13.4-17.8	1410	84.3	82.1-86.5	2	0.1	00.0-00.3
Less Than H.S.	336	94,250	72	19.0	13.5-24.5	264	81.0	75.5-86.5			
H.S. or G.E.D.	1558	222,360	234	12.0	10.0-14.0	1323	87.9	85.9-89.9	1	0.0	00.0-00.0
Some Post-H.S.	1393	211,125	203	12.6	10.4-14.8	1190	87.4	85.2-89.6			
College Graduate	1877	181,260	216	9.6	08.0-11.2	1660	90.3	88.7-91.9	1	0.1	00.0-00.3
Less than \$15,000	600	82,032	129	17.7	13.8-21.6	471	82.3	78.4-86.2			
\$15,000- 24,999	529	76,863	123	24.0	18.3-29.7	405	75.9	70.2-81.6	1	0.1	00.0-00.3
\$25,000- 34,999	486	63,601	74	12.4	08.9-15.9	412	87.6	84.1-91.1			
\$35,000- 49,999	649	89,766	93	12.7	09.4-16.0	556	87.3	84.0-90.6			
\$50,000- 74,999	766	104,887	89	11.7	08.6-14.8	677	88.3	85.2-91.4			
\$75,000+	1425	196,581	124	7.6	05.8-09.4	1300	92.4	90.6-94.2	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 35: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2002	338,542	264	11.8	09.8-13.8	1736	88.1	86.1-90.1	2	0.1	00.1-00.1
White/Non-Hisp	1559	227,455	204	11.8	09.8-13.8	1354	88.2	86.2-90.2	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	250	64,116	36	13.9	08.0-19.8	213	85.9	80.0-91.8	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	68	15,500	5	3.3	00.0-06.8	63	96.7	93.2-0100			
Hispanic	67	25,601	5	9.1	00.0-18.9	62	90.9	81.1-0100			
18-24	155	45,767	15	6.8	03.3-10.3	140	93.2	89.7-96.7			
25-34	207	57,219	13	9.4	03.3-15.5	194	90.6	84.5-96.7			
35-44	252	54,600	16	5.9	02.8-09.0	236	94.1	91.0-97.2			
45-54	347	63,159	56	16.0	10.9-21.1	291	84.0	78.9-89.1			
55-64	400	54,405	58	16.8	10.7-22.9	342	83.2	77.1-89.3			
65+	626	61,687	106	14.9	11.6-18.2	518	84.8	81.5-88.1	2	0.3	00.0-00.7
Less Than H.S.	169	57,255	37	18.7	11.3-26.1	132	81.3	73.9-88.7			
H.S. or G.E.D.	584	103,015	77	11.0	08.1-13.9	506	88.9	86.0-91.8	1	0.1	00.0-00.3
Some Post-H.S.	499	92,242	73	12.3	08.6-16.0	426	87.7	84.0-91.4			
College Graduate	749	85,911	77	7.8	05.6-10.0	671	92.1	89.9-94.3	1	0.1	00.0-00.3
Less than \$15,000	219	39,919	48	16.7	11.0-22.4	171	83.3	77.6-89.0			
\$15,000- 24,999	166	30,111	38	31.0	19.8-42.2	127	68.7	57.5-79.9	1	0.3	00.0-00.9
\$25,000- 34,999	173	28,465	27	10.3	05.4-15.2	146	89.7	84.8-94.6			
\$35,000- 49,999	246	42,369	38	12.6	07.5-17.7	208	87.4	82.3-92.5			
\$50,000- 74,999	310	53,094	39	12.5	07.4-17.6	271	87.5	82.4-92.6			
\$75,000+	674	108,211	48	6.3	03.6-09.0	625	93.6	90.9-96.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 36: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3169	371,265	462	13.1	11.5-14.7	2707	86.9	85.3-88.5
White/Non-Hisp	2453	248,794	348	12.7	11.1-14.3	2105	87.3	85.7-88.9
Black or Afr. Am./Non-Hisp	480	76,872	77	15.6	11.3-19.9	403	84.4	80.1-88.7
Oth. Race/Non-Hisp.	73	12,268	8	4.9	00.2-09.6	65	95.1	90.4-99.8
MultiRacial/Non-Hisp.	59	4,768	15	24.0	09.9-38.1	44	76.0	61.9-90.1
Hispanic	88	27,088	12	12.3	04.5-20.1	76	87.7	79.9-95.5
18-24	155	45,112	15	7.3	03.4-11.2	140	92.7	88.8-96.6
25-34	321	57,825	23	8.5	04.4-12.6	298	91.5	87.4-95.6
35-44	390	57,786	46	12.3	07.6-17.0	344	87.7	83.0-92.4
45-54	571	67,102	95	16.1	12.0-20.2	476	83.9	79.8-88.0
55-64	623	61,058	99	15.7	12.0-19.4	524	84.3	80.6-88.0
65+	1073	79,501	181	16.1	13.2-19.0	892	83.9	81.0-86.8
Less Than H.S.	167	36,994	35	19.5	11.7-27.3	132	80.5	72.7-88.3
H.S. or G.E.D.	974	119,345	157	13.0	10.5-15.5	817	87.0	84.5-89.5
Some Post-H.S.	894	118,883	130	12.9	10.2-15.6	764	87.1	84.4-89.8
College Graduate	1128	95,348	139	11.3	08.9-13.7	989	88.7	86.3-91.1
Less than \$15,000	381	42,114	81	18.6	13.3-23.9	300	81.4	76.1-86.7
\$15,000- 24,999	363	46,752	85	19.4	13.7-25.1	278	80.6	74.9-86.3
\$25,000- 34,999	313	35,137	47	14.1	09.0-19.2	266	85.9	80.8-91.0
\$35,000- 49,999	403	47,396	55	12.8	08.3-17.3	348	87.2	82.7-91.7
\$50,000- 74,999	456	51,793	50	10.9	07.4-14.4	406	89.1	85.6-92.6
\$75,000+	751	88,370	76	9.2	06.7-11.7	675	90.8	88.3-93.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 37: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5166	708,693	606	9.6	08.6-10.6	42	0.7	00.5-00.9	4450	88.6	87.4-89.8	68	1.0	00.6-01.4
Male	1999	337,583	281	10.8	09.2-12.4				1696	88.6	87.0-90.2	22	0.6	00.2-01.0
Female	3167	371,110	325	8.6	07.2-10.0	42	1.4	00.8-02.0	2754	88.6	87.2-90.0	46	1.4	00.8-02.0
White/Non-Hisp	4008	475,324	442	9.5	08.3-10.7	30	0.8	00.4-01.2	3489	88.8	87.6-90.0	47	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	729	140,799	116	12.6	09.7-15.5	7	0.6	00.0-01.2	596	85.9	83.0-88.8	10	0.9	00.1-01.7
Oth. Race/Non-Hisp.	141	27,769	11	4.9	01.4-08.4	3	0.3	00.0-00.7	121	93.7	90.0-97.4	6	1.0	00.0-02.0
MultiRacial/Non-Hisp.	105	9,133	15	11.5	04.6-18.4	1	0.5	00.0-01.5	87	84.9	76.7-93.1	2	3.1	00.0-08.0
Hispanic	155	52,690	18	5.1	01.8-08.4	1	0.7	00.0-02.1	133	92.3	88.0-96.6	3	1.9	00.0-04.3
18-24	310	90,730	4	2.0	00.0-04.0				305	97.6	95.4-99.8	1	0.5	00.0-01.5
25-34	527	114,799	7	1.6	00.2-03.0	12	1.4	00.4-02.4	505	96.6	94.8-98.4	3	0.4	00.0-01.0
35-44	641	112,179	22	5.3	02.6-08.0	12	1.4	00.4-02.4	604	92.4	89.5-95.3	3	1.0	00.0-02.2
45-54	916	129,867	83	10.9	08.0-13.8	13	1.2	00.4-02.0	813	87.2	84.3-90.1	7	0.7	00.1-01.3
55-64	1021	115,310	151	14.3	11.6-17.0	2	0.1	00.0-00.3	846	83.8	81.1-86.5	22	1.8	00.8-02.8
65+	1700	141,221	334	19.8	17.3-22.3	2	0.1	00.0-00.3	1333	78.5	76.0-81.0	31	1.6	01.0-02.2
Less Than H.S.	336	94,250	61	13.3	09.0-17.6	1	0.4	00.0-01.2	268	85.3	80.8-89.8	6	0.9	00.0-01.9
H.S. or G.E.D.	1558	222,366	211	10.3	08.5-12.1	11	0.6	00.2-01.0	1316	88.1	86.1-90.1	20	1.0	00.4-01.6
Some Post-H.S.	1391	210,520	169	9.5	07.7-11.3	7	0.4	00.0-00.8	1198	88.8	86.8-90.8	17	1.3	00.5-02.1
College Graduate	1874	180,744	164	7.1	05.7-08.5	23	1.4	00.8-02.0	1662	90.7	89.1-92.3	25	0.8	00.4-01.2
Less than \$15,000	600	82,032	96	13.1	09.6-16.6	7	0.7	00.1-01.3	489	85.1	81.4-88.8	8	1.1	00.1-02.1
\$15,000- 24,999	531	77,148	103	14.8	10.9-18.7	3	0.6	00.0-01.6	422	84.3	80.2-88.4	3	0.4	00.0-00.8
\$25,000- 34,999	482	62,755	55	10.0	06.5-13.5	3	0.2	00.0-00.4	415	87.9	84.0-91.8	9	1.9	00.1-03.7
\$35,000- 49,999	648	89,530	77	8.8	06.3-11.3	5	0.8	00.0-01.6	552	88.6	85.7-91.5	14	1.9	00.5-03.3
\$50,000- 74,999	766	104,722	76	7.9	05.5-10.3	8	1.0	00.2-01.8	667	90.0	87.5-92.5	15	1.1	00.3-01.9
\$75,000+	1425	196,581	118	7.9	05.9-09.9	14	1.0	00.4-01.6	1281	90.5	88.5-92.5	12	0.6	00.2-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 38: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1999	337,583	281	10.8	09.2-12.4	1696	88.6	87.0-90.2	22	0.6	00.2-01.0
White/Non-Hisp	1557	226,685	211	11.0	09.0-13.0	1328	88.3	86.3-90.3	18	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	249	63,927	42	12.0	07.7-16.3	204	87.7	83.4-92.0	3	0.3	00.0-00.7
Oth. Race/Non-Hisp.	68	15,500	6	5.7	00.2-11.2	62	94.3	88.8-99.8			
Hispanic	67	25,601	12	8.1	01.6-14.6	54	91.3	84.8-97.8	1	0.5	00.0-01.5
18-24	155	45,618				154	99.0	97.0-0100	1	1.0	00.0-03.0
25-34	206	56,974	4	1.9	00.0-04.1	202	98.1	95.9-0100			
35-44	251	54,394	14	6.5	02.4-10.6	237	93.5	89.4-97.6			
45-54	345	62,764	39	12.4	07.9-16.9	305	87.5	83.0-92.0	1	0.1	00.0-00.3
55-64	399	54,366	64	15.2	10.7-19.7	326	83.5	79.0-88.0	9	1.3	00.3-02.3
65+	628	61,763	158	25.5	21.2-29.8	459	73.3	69.0-77.6	11	1.2	00.4-02.0
Less Than H.S.	169	57,255	31	13.8	07.9-19.7	137	85.4	79.3-91.5	1	0.8	00.0-02.4
H.S. or G.E.D.	584	103,020	88	10.4	07.9-12.9	491	89.1	86.4-91.8	5	0.5	00.1-00.9
Some Post-H.S.	497	91,637	65	9.8	07.1-12.5	427	89.8	86.9-92.7	5	0.5	00.1-00.9
College Graduate	748	85,551	97	10.5	08.0-13.0	640	88.8	86.3-91.3	11	0.7	00.3-01.1
Less than \$15,000	219	39,919	40	14.6	08.9-20.3	178	85.0	79.3-90.7	1	0.3	00.0-00.9
\$15,000- 24,999	168	30,396	28	14.6	07.5-21.7	140	85.4	78.3-92.5			
\$25,000- 34,999	170	27,661	28	10.6	05.9-15.3	140	88.8	84.1-93.5	2	0.7	00.0-01.7
\$35,000- 49,999	245	42,134	34	9.4	05.5-13.3	208	89.4	84.9-93.9	3	1.2	00.0-03.2
\$50,000- 74,999	310	52,928	43	9.6	06.1-13.1	259	89.6	85.9-93.3	8	0.8	00.2-01.4
\$75,000+	674	108,211	82	10.4	07.5-13.3	584	89.0	86.1-91.9	8	0.7	00.3-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 39: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3167	371,110	325	8.6	07.2-10.0	42	1.4	00.8-02.0	2754	88.6	87.2-90.0	46	1.4	00.8-02.0
White/Non-Hisp	2451	248,639	231	8.1	06.7-09.5	30	1.5	00.9-02.1	2161	89.3	87.7-90.9	29	1.1	00.5-01.7
Black or Afr. Am./Non-Hisp	480	76,872	74	13.1	09.2-17.0	7	1.1	00.1-02.1	392	84.4	80.3-88.5	7	1.4	00.2-02.6
Oth. Race/Non-Hisp.	73	12,268	5	3.9	00.2-07.6	3	0.8	00.0-01.8	59	93.0	88.5-97.5	6	2.3	00.1-04.5
MultiRacial/Non-Hisp.	59	4,768	8	7.6	00.5-14.7	1	1.0	00.0-03.0	48	85.5	74.3-96.7	2	5.9	00.0-15.1
Hispanic	88	27,088	6	2.2	00.2-04.2	1	1.3	00.0-03.8	79	93.2	87.7-98.7	2	3.2	00.0-07.7
18-24	155	45,112	4	3.9	00.0-08.0				151	96.1	92.0-0100			
25-34	321	57,825	3	1.3	00.0-02.7	12	2.9	00.9-04.9	303	95.0	92.3-97.7	3	0.8	00.0-01.8
35-44	390	57,786	8	4.1	00.6-07.6	12	2.6	00.8-04.4	367	91.4	87.1-95.7	3	1.9	00.0-04.1
45-54	571	67,102	44	9.5	06.0-13.0	13	2.4	01.0-03.8	508	86.9	83.0-90.8	6	1.3	00.1-02.5
55-64	622	60,945	87	13.4	10.3-16.5	2	0.2	00.0-00.6	520	84.1	80.6-87.6	13	2.2	00.6-03.8
65+	1072	79,459	176	15.4	12.7-18.1	2	0.2	00.0-00.4	874	82.6	79.7-85.5	20	1.8	00.8-02.8
Less Than H.S.	167	36,994	30	12.6	06.3-18.9	1	1.1	00.0-03.1	131	85.2	78.5-91.9	5	1.1	00.1-02.1
H.S. or G.E.D.	974	119,345	123	10.2	07.8-12.6	11	1.2	00.4-02.0	825	87.3	84.6-90.0	15	1.4	00.4-02.4
Some Post-H.S.	894	118,883	104	9.3	06.9-11.7	7	0.7	00.1-01.3	771	88.0	85.3-90.7	12	2.0	00.6-03.4
College Graduate	1126	95,193	67	4.1	02.9-05.3	23	2.6	01.4-03.8	1022	92.4	90.6-94.2	14	1.0	00.4-01.6
Less than \$15,000	381	42,114	56	11.7	07.4-16.0	7	1.4	00.2-02.6	311	85.1	80.4-89.8	7	1.8	00.2-03.4
\$15,000- 24,999	363	46,752	75	14.9	10.2-19.6	3	0.9	00.0-02.5	282	83.6	78.7-88.5	3	0.6	00.0-01.4
\$25,000- 34,999	312	35,094	27	9.5	04.4-14.6	3	0.4	00.0-00.8	275	87.2	81.5-92.9	7	2.9	00.0-06.0
\$35,000- 49,999	403	47,396	43	8.2	05.1-11.3	5	1.5	00.0-03.1	344	87.8	83.9-91.7	11	2.5	00.5-04.5
\$50,000- 74,999	456	51,793	33	6.1	03.2-09.0	8	2.0	00.4-03.6	408	90.4	86.9-93.9	7	1.5	00.1-02.9
\$75,000+	751	88,370	36	4.9	02.9-06.9	14	2.2	00.8-03.6	697	92.3	89.8-94.8	4	0.6	00.0-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012

SECTION 6: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	71
2	MALES ONLY	72
3	FEMALES ONLY	73
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	74
5	MALES ONLY	75
6	FEMALES ONLY	76

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5152	707,126	3738	70.0	68.2-71.8	431	9.4	08.2-10.6	361	7.4	06.4-08.4	592	12.2	10.8-13.6	30	0.9	00.5-01.3
Male	1996	337,002	1416	66.7	63.8-69.6	170	9.5	07.7-11.3	144	8.2	06.4-10.0	248	14.0	11.8-16.2	18	1.6	00.6-02.6
Female	3156	370,124	2322	73.1	70.9-75.3	261	9.4	07.8-11.0	217	6.7	05.5-07.9	344	10.5	09.1-11.9	12	0.4	00.2-00.6
White/Non-Hisp	4002	475,494	3001	73.4	71.6-75.2	310	8.3	07.1-09.5	237	6.1	05.1-07.1	439	11.8	10.4-13.2	15	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	723	139,301	450	60.9	56.2-65.6	79	12.0	08.7-15.3	80	9.5	07.0-12.0	102	15.4	11.7-19.1	12	2.2	00.8-03.6
Oth. Race/Non-Hisp.	141	27,769	101	75.2	65.8-84.6	12	10.1	03.0-17.2	11	5.6	01.1-10.1	17	9.0	02.9-15.1			
MultiRacial/Non-Hisp.	103	8,893	63	62.0	50.8-73.2	10	8.2	02.5-13.9	13	17.3	07.7-26.9	16	12.1	05.2-19.0	1	0.3	00.0-00.9
Hispanic	155	52,690	101	62.2	52.2-72.2	19	12.7	05.6-19.8	19	13.4	06.5-20.3	14	8.5	02.6-14.4	2	3.1	00.0-07.4
18-24	309	90,793	237	77.6	72.1-83.1	34	11.2	06.7-15.7	27	8.0	04.7-11.3	8	2.3	00.5-04.1	3	1.0	00.0-02.2
25-34	521	113,403	346	58.7	53.2-64.2	65	14.5	10.6-18.4	42	9.0	05.7-12.3	63	15.3	11.2-19.4	5	2.4	00.0-04.8
35-44	642	112,385	482	72.9	68.4-77.4	56	8.9	06.0-11.8	48	8.5	05.6-11.4	55	9.4	06.3-12.5	1	0.3	00.0-00.9
45-54	915	129,870	675	72.7	68.8-76.6	74	7.6	05.4-09.8	62	6.8	04.8-08.8	100	12.1	09.2-15.0	4	0.8	00.0-01.6
55-64	1021	115,406	744	69.4	65.3-73.5	88	9.9	07.2-12.6	70	6.3	04.3-08.3	115	13.9	10.4-17.4	4	0.5	00.0-01.1
65+	1693	140,683	1213	69.6	66.7-72.5	112	6.1	04.7-07.5	108	6.4	05.0-07.8	247	17.1	14.6-19.6	13	0.8	00.2-01.4
Less Than H.S.	335	94,202	138	45.7	38.6-52.8	32	11.4	06.7-16.1	31	9.2	05.1-13.3	123	29.7	23.4-36.0	11	4.0	01.1-06.9
H.S. or G.E.D.	1553	221,661	990	67.0	63.9-70.1	169	11.0	08.8-13.2	132	7.5	05.7-09.3	251	13.6	11.4-15.8	11	0.8	00.2-01.4
Some Post-H.S.	1385	209,578	1001	71.4	68.3-74.5	128	9.8	07.6-12.0	108	8.5	06.5-10.5	143	9.9	07.9-11.9	5	0.4	00.0-00.8
College Graduate	1872	180,872	1604	85.0	82.8-87.2	102	6.0	04.6-07.4	88	4.8	03.6-06.0	75	3.9	02.7-05.1	3	0.2	00.0-00.6
Less than \$15,000	596	81,841	326	53.7	47.8-59.6	64	10.3	07.0-13.6	69	13.7	09.4-18.0	130	20.9	16.2-25.6	7	1.4	00.0-03.0
\$15,000- 24,999	529	76,658	226	40.8	34.7-46.9	70	14.6	09.9-19.3	70	12.4	08.7-16.1	156	29.7	23.8-35.6	7	2.5	00.3-04.7
\$25,000- 34,999	484	63,474	311	60.1	53.6-66.6	48	10.8	06.5-15.1	54	10.9	07.4-14.4	68	16.0	11.1-20.9	3	2.3	00.0-05.8
\$35,000- 49,999	647	89,343	461	68.2	63.3-73.1	66	10.6	07.5-13.7	49	7.8	04.9-10.7	69	13.1	09.4-16.8	2	0.2	00.0-00.6
\$50,000- 74,999	766	104,833	623	76.0	71.7-80.3	55	9.1	06.2-12.0	41	6.1	03.7-08.5	44	8.3	05.4-11.2	3	0.5	00.0-01.3
\$75,000+	1423	196,373	1248	85.6	83.1-88.1	77	6.5	04.7-08.3	44	4.0	02.6-05.4	50	3.6	02.4-04.8	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1996	337,002	1416	66.7	63.8-69.6	170	9.5	07.7-11.3	144	8.2	06.4-10.0	248	14.0	11.8-16.2	18	1.6	00.6-02.6
White/Non-Hisp	1558	227,276	1157	71.5	68.6-74.4	120	8.3	06.5-10.1	93	6.7	05.1-08.3	180	12.9	10.5-15.3	8	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	246	62,860	141	56.4	48.6-64.2	26	10.7	05.4-16.0	29	9.3	05.0-13.6	43	20.2	13.3-27.1	7	3.4	00.7-06.1
Oth. Race/Non-Hisp.	68	15,500	45	68.0	53.3-82.7	8	15.1	03.5-26.7	6	7.1	00.0-14.2	9	9.8	01.2-18.4			
Hispanic	67	25,601	35	48.9	33.4-64.4	11	14.4	04.0-24.8	11	19.3	07.0-31.6	8	11.0	01.2-20.8	2	6.3	00.0-15.1
18-24	154	45,681	123	79.7	72.3-87.1	10	6.4	01.3-11.5	14	9.2	04.1-14.3	4	2.9	00.0-05.8	3	1.9	00.0-04.1
25-34	203	56,016	123	52.3	43.7-60.9	33	17.7	11.2-24.2	17	10.0	04.3-15.7	26	15.4	09.1-21.7	4	4.6	00.0-09.3
35-44	252	54,600	178	65.2	57.8-72.6	23	8.9	04.4-13.4	22	11.4	06.1-16.7	28	13.9	08.4-19.4	1	0.6	00.0-01.8
45-54	345	62,862	248	71.0	64.7-77.3	27	7.4	03.9-10.9	26	6.9	04.0-09.8	42	13.7	08.6-18.8	2	1.0	00.0-02.4
55-64	400	54,405	281	65.5	58.6-72.4	38	11.4	06.7-16.1	30	6.9	03.6-10.2	49	15.9	09.8-22.0	2	0.3	00.0-00.7
65+	627	61,734	450	67.8	62.9-72.7	37	5.0	03.0-07.0	35	5.7	03.5-07.9	99	20.3	15.6-25.0	6	1.2	00.0-02.4
Less Than H.S.	169	57,255	77	46.6	37.0-56.2	12	9.7	03.4-16.0	14	10.3	04.0-16.6	59	27.8	19.4-36.2	7	5.6	00.9-10.3
H.S. or G.E.D.	583	102,594	364	65.4	60.5-70.3	61	9.3	06.4-12.2	50	8.0	05.3-10.7	100	15.8	12.1-19.5	8	1.5	00.3-02.7
Some Post-H.S.	495	91,314	349	66.6	61.3-71.9	48	11.1	07.2-15.0	46	10.5	07.2-13.8	51	11.6	07.9-15.3	1	0.2	00.0-00.6
College Graduate	748	85,720	625	81.9	78.4-85.4	49	7.8	05.3-10.3	34	4.6	02.6-06.6	38	5.3	03.1-07.5	2	0.4	00.0-01.2
Less than \$15,000	218	39,866	115	54.6	45.2-64.0	23	8.7	03.8-13.6	21	13.3	06.0-20.6	55	20.6	13.7-27.5	4	2.7	00.0-05.8
\$15,000- 24,999	168	30,396	69	30.6	21.8-39.4	19	15.7	07.1-24.3	22	10.8	05.1-16.5	53	37.9	26.9-48.9	5	5.1	00.2-10.0
\$25,000- 34,999	172	28,359	104	52.8	42.0-63.6	19	11.0	03.7-18.3	15	9.3	03.4-15.2	33	23.1	13.7-32.5	1	3.8	00.0-11.1
\$35,000- 49,999	245	42,125	166	63.0	55.0-71.0	27	11.1	06.0-16.2	23	10.9	05.4-16.4	29	15.0	08.9-21.1			
\$50,000- 74,999	311	53,134	226	66.9	59.8-74.0	28	11.0	06.3-15.7	26	9.3	05.2-13.4	28	12.0	06.9-17.1	3	0.9	00.0-02.3
\$75,000+	673	108,038	574	83.3	79.6-87.0	40	6.6	04.1-09.1	27	4.9	02.5-07.3	29	4.6	02.4-06.8	3	0.6	00.0-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3156	370,124	2322	73.1	70.9-75.3	261	9.4	07.8-11.0	217	6.7	05.5-07.9	344	10.5	09.1-11.9	12	0.4	00.2-00.6
White/Non-Hisp	2444	248,218	1844	75.1	72.7-77.5	190	8.4	06.8-10.0	144	5.5	04.3-06.7	259	10.8	09.0-12.6	7	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	477	76,441	309	64.6	59.1-70.1	53	13.1	09.0-17.2	51	9.7	06.6-12.8	59	11.4	07.9-14.9	5	1.1	00.0-02.3
Oth. Race/Non-Hisp.	73	12,268	56	84.2	73.6-94.8	4	3.8	00.0-09.7	5	3.8	00.0-08.3	8	8.1	00.0-16.3			
MultiRacial/Non-Hisp.	58	4,634	34	60.4	44.9-75.9	5	7.2	00.3-14.1	8	20.2	06.3-34.1	11	12.2	03.2-21.2			
Hispanic	88	27,088	66	74.7	62.9-86.5	8	11.2	01.8-20.6	8	7.9	01.8-14.0	6	6.2	00.0-13.1			
18-24	155	45,112	114	75.4	67.4-83.4	24	16.0	08.7-23.3	13	6.8	02.7-10.9	4	1.7	00.0-03.7			
25-34	318	57,387	223	65.1	58.4-71.8	32	11.3	07.0-15.6	25	8.1	04.6-11.6	37	15.2	09.7-20.7	1	0.4	00.0-01.2
35-44	390	57,786	304	80.2	75.3-85.1	33	8.9	05.2-12.6	26	5.7	03.2-08.2	27	5.2	02.8-07.6			
45-54	570	67,008	427	74.3	69.6-79.0	47	7.8	05.1-10.5	36	6.8	04.3-09.3	58	10.5	07.2-13.8	2	0.6	00.0-01.6
55-64	621	61,001	463	72.9	68.2-77.6	50	8.5	05.6-11.4	40	5.8	03.6-08.0	66	12.2	08.7-15.7	2	0.6	00.0-01.6
65+	1066	78,949	763	71.0	67.5-74.5	75	6.9	04.7-09.1	73	6.9	04.9-08.9	148	14.7	12.0-17.4	7	0.5	00.1-00.9
Less Than H.S.	166	36,947	61	44.4	34.2-54.6	20	14.0	07.1-20.9	17	7.5	02.8-12.2	64	32.7	23.7-41.7	4	1.4	00.0-03.2
H.S. or G.E.D.	970	119,066	626	68.4	64.5-72.3	108	12.5	09.4-15.6	82	7.2	05.2-09.2	151	11.7	09.2-14.2	3	0.2	00.0-00.4
Some Post-H.S.	890	118,264	652	75.0	71.5-78.5	80	8.9	06.5-11.3	62	7.0	05.0-09.0	92	8.6	06.4-10.8	4	0.5	00.0-01.1
College Graduate	1124	95,152	979	87.8	85.4-90.2	53	4.5	02.9-06.1	54	5.0	03.4-06.6	37	2.7	01.5-03.9	1	0.0	00.0-00.0
Less than \$15,000	378	41,975	211	52.8	45.9-59.7	41	11.9	07.6-16.2	48	14.0	09.5-18.5	75	21.1	14.8-27.4	3	0.2	00.0-00.4
\$15,000- 24,999	361	46,262	157	47.5	39.9-55.1	51	13.9	08.4-19.4	48	13.5	08.4-18.6	103	24.3	18.2-30.4	2	0.9	00.0-02.3
\$25,000- 34,999	312	35,114	207	66.0	58.9-73.1	29	10.6	05.7-15.5	39	12.1	07.8-16.4	35	10.3	06.2-14.4	2	1.0	00.0-02.8
\$35,000- 49,999	402	47,218	295	72.9	67.2-78.6	39	10.2	06.3-14.1	26	5.0	02.5-07.5	40	11.4	07.1-15.7	2	0.4	00.0-01.0
\$50,000- 74,999	455	51,699	397	85.5	81.4-89.6	27	7.2	04.1-10.3	15	2.8	01.2-04.4	16	4.5	02.0-07.0			
\$75,000+	750	88,336	674	88.4	85.3-91.5	37	6.3	03.8-08.8	17	2.9	01.3-04.5	21	2.3	01.1-03.5	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5089	702,575	1547	28.3	26.5-30.1	708	11.5	10.3-12.7	367	5.4	04.6-06.2	2467	54.8	53.0-56.6
Male	1984	336,974	614	28.2	25.7-30.7	266	11.0	09.2-12.8	131	5.3	04.1-06.5	973	55.5	52.6-58.4
Female	3105	365,601	933	28.5	26.3-30.7	442	11.9	10.5-13.3	236	5.5	04.5-06.5	1494	54.1	51.7-56.5
White/Non-Hisp	3947	471,107	1177	27.4	25.6-29.2	549	11.9	10.7-13.1	289	5.8	04.8-06.8	1932	54.9	52.9-56.9
Black or Afr. Am./Non-Hisp	718	139,464	250	33.1	28.8-37.4	114	13.6	10.3-16.9	57	6.3	04.1-08.5	297	47.0	42.3-51.7
Oth. Race/Non-Hisp.	139	27,473	40	18.9	11.1-26.7	12	4.1	00.6-07.6	6	1.4	00.0-02.8	81	75.6	67.0-84.2
MultiRacial/Non-Hisp.	103	8,972	23	20.1	11.3-28.9	17	14.6	06.2-23.0	8	7.0	01.1-12.9	55	58.3	46.9-69.7
Hispanic	154	52,579	52	31.4	22.2-40.6	16	5.7	02.4-09.0	5	1.1	00.0-02.5	81	61.8	52.2-71.4
18-24	311	91,129	27	7.4	04.3-10.5	4	0.8	00.0-01.8				280	91.8	88.7-94.9
25-34	524	114,580	117	24.2	19.5-28.9	9	2.2	00.6-03.8	1	0.1	00.0-00.3	397	73.5	68.6-78.4
35-44	642	112,385	155	26.6	22.1-31.1	24	5.0	02.6-07.4	4	0.5	00.0-01.1	459	67.9	63.0-72.8
45-54	908	129,139	298	35.0	30.9-39.1	97	12.1	09.2-15.0	28	3.1	01.5-04.7	485	49.8	45.5-54.1
55-64	1009	113,884	377	36.8	32.9-40.7	166	17.1	13.8-20.4	67	8.4	05.9-10.9	399	37.7	33.8-41.6
65+	1645	136,934	557	33.8	30.9-36.7	403	26.5	23.8-29.2	263	16.9	14.4-19.4	422	22.9	20.4-25.4
Less Than H.S.	328	92,888	76	26.7	20.2-33.2	86	19.8	14.5-25.1	75	12.8	09.1-16.5	91	40.6	33.3-47.9
H.S. or G.E.D.	1535	220,511	520	31.6	28.7-34.5	282	13.7	11.7-15.7	170	6.7	05.3-08.1	563	48.1	44.8-51.4
Some Post-H.S.	1372	208,714	446	29.1	26.2-32.0	196	10.7	08.9-12.5	88	4.3	03.1-05.5	642	55.9	52.6-59.2
College Graduate	1847	179,650	502	24.3	21.9-26.7	143	5.4	04.2-06.6	33	1.0	00.6-01.4	1169	69.2	66.7-71.7
Less than \$15,000	593	81,466	192	31.9	26.4-37.4	136	19.0	15.1-22.9	83	10.5	07.6-13.4	182	38.5	32.6-44.4
\$15,000- 24,999	511	74,724	130	23.7	18.6-28.8	115	18.5	13.4-23.6	97	11.7	08.6-14.8	169	46.1	39.6-52.6
\$25,000- 34,999	477	63,056	176	36.3	30.2-42.4	87	14.2	10.5-17.9	42	6.7	04.0-09.4	172	42.8	36.3-49.3
\$35,000- 49,999	639	88,742	219	31.1	26.6-35.6	97	11.9	09.0-14.8	45	6.2	03.7-08.7	278	50.9	45.8-56.0
\$50,000- 74,999	757	103,813	266	33.6	29.1-38.1	90	11.1	08.2-14.0	25	2.8	01.4-04.2	376	52.4	47.5-57.3
\$75,000+	1417	196,063	367	23.3	20.6-26.0	92	6.0	04.4-07.6	17	0.9	00.3-01.5	941	69.8	66.7-72.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1984	336,974	614	28.2	25.7-30.7	266	11.0	09.2-12.8	131	5.3	04.1-06.5	973	55.5	52.6-58.4
White/Non-Hisp	1546	226,179	480	28.5	25.6-31.4	208	11.0	09.2-12.8	100	5.5	04.1-06.9	758	55.0	51.9-58.1
Black or Afr. Am./Non-Hisp	247	64,118	80	30.1	23.2-37.0	36	14.8	08.7-20.9	23	7.4	03.7-11.1	108	47.8	40.2-55.4
Oth. Race/Non-Hisp.	66	15,205	22	16.6	07.4-25.8	6	4.8	00.0-10.7	2	1.3	00.0-03.3	36	77.3	66.1-88.5
Hispanic	67	25,601	23	31.2	17.1-45.3	7	4.9	00.2-09.6	2	0.5	00.0-01.3	35	63.5	49.0-78.0
18-24	156	46,017	15	8.8	04.1-13.5	2	0.5	00.0-01.5				139	90.7	85.8-95.6
25-34	206	57,171	37	21.0	13.4-28.6	4	1.8	00.0-03.6				165	77.2	69.6-84.8
35-44	252	54,600	51	23.5	16.6-30.4	10	5.6	01.9-09.3	1	0.1	00.0-00.3	190	70.8	63.5-78.1
45-54	346	63,129	122	37.6	31.1-44.1	38	12.3	07.4-17.2	6	2.3	00.1-04.5	180	47.8	41.1-54.5
55-64	395	53,716	152	36.8	30.5-43.1	54	15.4	09.7-21.1	31	10.6	06.1-15.1	158	37.1	30.8-43.4
65+	614	60,638	231	36.3	31.4-41.2	157	27.4	22.7-32.1	93	17.3	13.2-21.4	133	19.0	15.3-22.7
Less Than H.S.	166	56,856	43	30.0	21.0-39.0	40	17.7	10.6-24.8	31	10.9	06.0-15.8	52	41.4	31.6-51.2
H.S. or G.E.D.	584	103,099	184	30.6	25.9-35.3	101	13.5	10.2-16.8	64	6.6	04.6-08.6	235	49.2	43.9-54.5
Some Post-H.S.	493	91,441	162	27.5	22.8-32.2	67	9.4	06.7-12.1	28	4.4	02.2-06.6	236	58.7	53.4-64.0
College Graduate	740	85,459	224	24.9	21.2-28.6	58	5.2	03.6-06.8	8	0.7	00.1-01.3	450	69.1	65.2-73.0
Less than \$15,000	219	39,919	75	34.5	25.3-43.7	45	14.6	09.1-20.1	34	10.9	06.2-15.6	65	40.1	30.5-49.7
\$15,000- 24,999	165	30,093	38	20.0	12.2-27.8	35	20.9	10.9-30.9	27	9.0	04.5-13.5	65	50.0	39.2-60.8
\$25,000- 34,999	170	28,293	60	35.2	24.8-45.6	38	16.9	10.4-23.4	18	8.9	03.6-14.2	54	39.0	28.4-49.6
\$35,000- 49,999	243	42,156	96	32.9	25.6-40.2	38	10.7	06.4-15.0	16	7.3	02.8-11.8	93	49.2	41.0-57.4
\$50,000- 74,999	305	52,307	110	34.1	27.0-41.2	39	11.8	07.1-16.5	13	3.1	00.9-05.3	143	51.0	43.6-58.4
\$75,000+	671	108,092	184	23.1	19.2-27.0	52	6.6	04.4-08.8	6	0.5	00.0-01.1	429	69.9	65.6-74.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3105	365,601	933	28.5	26.3-30.7	442	11.9	10.5-13.3	236	5.5	04.5-06.5	1494	54.1	51.7-56.5
White/Non-Hisp	2401	244,928	697	26.3	24.1-28.5	341	12.8	11.2-14.4	189	6.0	04.8-07.2	1174	54.8	52.3-57.3
Black or Afr. Am./Non-Hisp	471	75,346	170	35.6	30.1-41.1	78	12.6	09.1-16.1	34	5.3	02.9-07.7	189	46.4	40.5-52.3
Oth. Race/Non-Hisp.	73	12,268	18	21.6	08.9-34.3	6	3.3	00.0-06.8	4	1.5	00.0-03.3	45	73.6	60.5-86.7
MultiRacial/Non-Hisp.	57	4,607	16	24.0	11.7-36.3	8	13.5	01.9-25.1	5	9.5	00.0-19.7	28	52.9	37.0-68.8
Hispanic	87	26,978	29	31.7	19.7-43.7	9	6.4	01.9-10.9	3	1.6	00.0-04.1	46	60.3	47.8-72.8
18-24	155	45,112	12	6.0	02.3-09.7	2	1.1	00.0-02.9				141	92.9	88.8-97.0
25-34	318	57,409	80	27.4	21.5-33.3	5	2.7	00.2-05.2	1	0.3	00.0-00.9	232	69.7	63.6-75.8
35-44	390	57,786	104	29.5	23.2-35.8	14	4.5	01.4-07.6	3	1.0	00.0-02.4	269	65.1	58.6-71.6
45-54	562	66,010	176	32.5	27.6-37.4	59	11.9	08.4-15.4	22	3.8	01.8-05.8	305	51.7	46.4-57.0
55-64	614	60,168	225	36.7	31.8-41.6	112	18.7	14.8-22.6	36	6.4	03.9-08.9	241	38.2	33.3-43.1
65+	1031	76,296	326	31.7	28.0-35.4	246	25.8	22.5-29.1	170	16.5	13.6-19.4	289	25.9	22.4-29.4
Less Than H.S.	162	36,032	33	21.5	12.7-30.3	46	23.2	15.4-31.0	44	15.9	10.0-21.8	39	39.4	29.0-49.8
H.S. or G.E.D.	951	117,412	336	32.4	28.5-36.3	181	13.8	11.3-16.3	106	6.7	05.1-08.3	328	47.1	42.6-51.6
Some Post-H.S.	879	117,272	284	30.5	26.8-34.2	129	11.7	09.3-14.1	60	4.1	02.9-05.3	406	53.7	49.6-57.8
College Graduate	1107	94,191	278	23.8	20.7-26.9	85	5.6	04.2-07.0	25	1.2	00.6-01.8	719	69.4	66.1-72.7
Less than \$15,000	374	41,547	117	29.5	23.4-35.6	91	23.3	17.8-28.8	49	10.2	06.7-13.7	117	37.0	29.9-44.1
\$15,000- 24,999	346	44,631	92	26.2	19.5-32.9	80	16.9	11.8-22.0	70	13.4	09.1-17.7	104	43.5	35.5-51.5
\$25,000- 34,999	307	34,763	116	37.2	29.9-44.5	49	12.0	08.1-15.9	24	5.0	02.6-07.4	118	45.8	38.0-53.6
\$35,000- 49,999	396	46,587	123	29.5	23.8-35.2	59	13.0	08.7-17.3	29	5.2	02.7-07.7	185	52.4	45.9-58.9
\$50,000- 74,999	452	51,505	156	33.1	27.4-38.8	51	10.5	07.0-14.0	12	2.6	00.6-04.6	233	53.9	47.8-60.0
\$75,000+	746	87,971	183	23.6	19.9-27.3	40	5.3	03.3-07.3	11	1.4	00.2-02.6	512	69.8	65.7-73.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS YOUR AGE? (AGE)	
1	MALES AND FEMALES	80
2	MALES ONLY	81
3	FEMALES ONLY	82
	ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4	MALES AND FEMALES	83
5	MALES ONLY	84
6	FEMALES ONLY	85
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7	MALES AND FEMALES	86
8	MALES ONLY	87
9	FEMALES ONLY	88
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10	MALES AND FEMALES	89
11	MALES ONLY	90
12	FEMALES ONLY	91
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)	
13	MALES AND FEMALES	92
14	MALES ONLY	93
15	FEMALES ONLY	94
	ARE YOU: (MARITAL STATUS) (MARITAL)	
16	MALES AND FEMALES	95
17	MALES ONLY	96
18	FEMALES ONLY	97
	HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19	MALES AND FEMALES	98
20	MALES ONLY	99
21	FEMALES ONLY	100

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22	MALES AND FEMALES	101
23	MALES ONLY	102
24	FEMALES ONLY	103
	ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25	MALES AND FEMALES	104
26	MALES ONLY	105
27	FEMALES ONLY	106
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28	MALES AND FEMALES	107
29	MALES ONLY	108
30	FEMALES ONLY	109
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31	MALES AND FEMALES	110
32	MALES ONLY	111
33	FEMALES ONLY	112
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34	MALES AND FEMALES	113
35	MALES ONLY	114
36	FEMALES ONLY	115
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37	MALES AND FEMALES	116
38	MALES ONLY	117
39	FEMALES ONLY	118
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40	MALES AND FEMALES	119
41	MALES ONLY	120
42	FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43 MALES AND FEMALES	122
44 MALES ONLY	123
45 FEMALES ONLY	124
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46 MALES AND FEMALES	125
DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47 FEMALES ONLY	126
THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
52 MALES AND FEMALES	131
53 MALES ONLY	132
54 FEMALES ONLY	133
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
55 MALES AND FEMALES	134
56 MALES ONLY	135
57 FEMALES ONLY	136
INDICATE SEX OF RESPONDENT. (SEX)	
58 MALES AND FEMALES	137
59 MALES ONLY	138
60 FEMALES ONLY	139
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
61 MALES AND FEMALES	140
62 MALES ONLY	141
63 FEMALES ONLY	142
85	
64 MALES AND FEMALES	143
65 MALES ONLY	144
66 FEMALES ONLY	145

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	89	
67	MALES AND FEMALES	146
68	MALES ONLY	147
69	FEMALES ONLY	148

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5123	705,546	311	12.9	11.3-14.5	528	16.3	14.7-17.9	642	15.9	14.5-17.3	918	18.5	17.1-19.9	1023	16.4	15.2-17.6	1701	20.0	18.8-21.2
Male	1990	337,163	156	13.6	11.2-16.0	207	17.0	14.5-19.5	252	16.2	14.0-18.4	347	18.7	16.3-21.1	400	16.1	14.1-18.1	628	18.3	16.5-20.1
Female	3133	368,383	155	12.2	10.2-14.2	321	15.7	13.7-17.7	390	15.7	13.7-17.7	571	18.2	16.4-20.0	623	16.6	15.0-18.2	1073	21.6	20.0-23.2
White/Non-Hisp	3977	473,181	190	10.8	09.2-12.4	339	13.7	12.1-15.3	449	14.0	12.4-15.6	700	19.1	17.5-20.7	837	18.4	17.0-19.8	1462	24.1	22.7-25.5
Black or Afr. Am./Non-Hisp	727	140,944	68	15.1	11.4-18.8	105	18.5	14.6-22.4	115	18.3	14.6-22.0	151	20.4	16.7-24.1	130	13.9	10.8-17.0	158	13.8	11.1-16.5
Oth. Race/Non-Hisp.	138	27,106	13	18.3	07.7-28.9	27	23.2	13.8-32.6	27	19.4	11.0-27.8	20	16.4	06.8-26.0	23	13.1	05.8-20.4	28	9.5	04.0-15.0
MultiRacial/Non-Hisp.	104	9,066	17	22.5	12.3-32.7	18	19.4	10.2-28.6	13	17.2	08.0-26.4	20	13.7	06.8-20.6	10	8.7	02.2-15.2	26	18.4	10.2-26.6
Hispanic	154	52,639	21	21.8	12.6-31.0	35	28.9	19.3-38.5	36	25.5	16.7-34.3	25	9.8	05.3-14.3	20	8.6	04.3-12.9	17	5.4	01.9-08.9
Less Than H.S.	335	94,166	24	14.4	08.7-20.1	35	18.4	12.3-24.5	27	15.1	09.4-20.8	47	15.2	10.5-19.9	56	13.8	09.3-18.3	146	23.0	18.3-27.7
H.S. or G.E.D.	1547	220,796	132	17.6	14.5-20.7	111	12.8	10.3-15.3	142	12.9	10.5-15.3	262	18.0	15.5-20.5	286	15.0	12.8-17.2	614	23.7	21.3-26.1
Some Post-H.S.	1384	210,355	107	14.3	11.6-17.0	142	15.6	12.7-18.5	164	15.1	12.6-17.6	243	18.9	16.2-21.6	294	18.4	16.0-20.8	434	17.7	15.7-19.7
College Graduate	1850	179,417	48	4.8	03.4-06.2	240	20.4	17.9-22.9	308	21.1	18.6-23.6	365	20.2	17.8-22.6	385	17.0	15.0-19.0	504	16.5	14.7-18.3
Less than \$15,000	599	81,976	41	12.5	08.2-16.8	55	18.2	12.7-23.7	56	15.1	10.4-19.8	77	13.2	09.7-16.7	98	13.0	09.9-16.1	272	28.1	23.8-32.4
\$15,000- 24,999	530	77,076	51	18.1	13.0-23.2	52	17.8	12.5-23.1	37	11.1	06.6-15.6	81	15.8	11.3-20.3	105	14.9	10.4-19.4	204	22.3	18.2-26.4
\$25,000- 34,999	485	63,462	16	7.6	03.5-11.7	72	24.8	18.7-30.9	43	15.5	10.0-21.0	69	12.6	09.1-16.1	90	14.3	10.6-18.0	195	25.3	20.8-29.8
\$35,000- 49,999	645	89,521	33	9.6	06.1-13.1	85	21.5	16.8-26.2	72	13.5	10.0-17.0	103	16.5	12.6-20.4	134	17.8	14.1-21.5	218	21.2	17.9-24.5
\$50,000- 74,999	764	104,761	27	7.7	04.4-11.0	81	15.1	11.4-18.8	111	19.1	15.0-23.2	145	20.7	16.8-24.6	175	20.6	16.9-24.3	225	16.7	14.0-19.4
\$75,000+	1411	194,874	57	8.8	06.3-11.3	145	14.0	11.3-16.7	277	21.5	18.8-24.2	375	27.8	24.7-30.9	307	17.5	15.1-19.9	250	10.4	08.8-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1990	337,163	156	13.6	11.2-16.0	207	17.0	14.5-19.5	252	16.2	14.0-18.4	347	18.7	16.3-21.1	400	16.1	14.1-18.1	628	18.3	16.5-20.1
White/Non-Hisp	1550	226,114	91	10.8	08.4-13.2	138	14.2	11.7-16.7	184	15.1	12.7-17.5	268	19.8	17.1-22.5	336	18.6	16.2-21.0	533	21.6	19.4-23.8
Black or Afr. Am./Non-Hisp	251	64,366	37	18.7	12.4-25.0	34	19.8	13.1-26.5	31	14.9	09.6-20.2	46	18.3	12.6-24.0	43	13.2	07.9-18.5	60	15.2	10.5-19.9
Oth. Race/Non-Hisp.	68	15,500	9	22.6	06.5-38.7	10	18.2	06.0-30.4	14	20.3	08.3-32.3	13	20.5	05.8-35.2	9	9.9	00.7-19.1	13	8.5	02.0-15.0
Hispanic	66	25,550	9	19.1	05.8-32.4	15	33.3	18.0-48.6	15	25.5	12.0-39.0	13	11.3	04.0-18.6	7	8.0	01.1-14.9	7	2.8	00.4-05.2
Less Than H.S.	169	57,255	16	16.8	08.8-24.8	21	20.2	11.6-28.8	14	13.5	06.2-20.8	28	16.1	09.6-22.6	24	12.1	05.8-18.4	66	21.3	15.0-27.6
H.S. or G.E.D.	580	102,526	74	19.6	14.9-24.3	54	15.1	11.0-19.2	64	14.4	10.7-18.1	92	18.3	14.0-22.6	101	13.7	10.6-16.8	195	18.9	15.8-22.0
Some Post-H.S.	498	91,921	48	13.9	10.0-17.8	52	17.4	12.3-22.5	59	14.5	10.6-18.4	86	18.9	14.6-23.2	101	18.8	14.7-22.9	152	16.5	13.4-19.6
College Graduate	742	85,342	18	4.2	02.2-06.2	80	16.6	12.9-20.3	115	22.0	17.9-26.1	141	20.8	17.1-24.5	173	18.8	15.5-22.1	215	17.6	14.9-20.3
Less than \$15,000	219	39,919	21	14.5	07.2-21.8	22	19.4	10.6-28.2	19	16.7	08.5-24.9	31	13.3	07.6-19.0	32	10.6	05.9-15.3	94	25.4	18.7-32.1
\$15,000- 24,999	168	30,396	25	19.2	11.2-27.2	14	16.2	07.0-25.4	10	6.2	01.9-10.5	29	20.1	11.5-28.7	35	18.1	08.7-27.5	55	20.3	13.2-27.4
\$25,000- 34,999	173	28,465	7	7.1	01.4-12.8	28	27.4	16.8-38.0	14	14.0	05.4-22.6	21	10.3	05.4-15.2	31	14.3	08.0-20.6	72	27.0	19.0-35.0
\$35,000- 49,999	244	42,186	18	11.4	05.5-17.3	34	22.5	15.2-29.8	24	13.2	07.5-18.9	30	14.7	08.4-21.0	47	16.6	10.7-22.5	91	21.6	16.1-27.1
\$50,000- 74,999	311	53,134	14	8.6	03.3-13.9	33	16.8	10.5-23.1	44	19.0	13.1-24.9	51	18.8	13.1-24.5	68	19.6	14.1-25.1	101	17.3	13.2-21.4
\$75,000+	668	107,496	31	9.2	05.7-12.7	64	14.2	10.3-18.1	125	21.6	17.7-25.5	164	27.3	22.8-31.8	150	17.2	14.1-20.3	134	10.4	08.2-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3133	368,383	155	12.2	10.2-14.2	321	15.7	13.9-17.5	390	15.7	13.7-17.7	571	18.2	16.4-20.0	623	16.6	15.0-18.2	1073	21.6	20.0-23.2
White/Non-Hisp	2427	247,067	99	10.8	08.6-13.0	201	13.3	11.3-15.3	265	12.9	11.1-14.7	432	18.5	16.5-20.5	501	18.2	16.4-20.0	929	26.3	24.3-28.3
Black or Afr. Am./Non-Hisp	476	76,579	31	12.2	08.1-16.3	71	17.5	13.0-22.0	84	21.1	16.2-26.0	105	22.1	17.4-26.8	87	14.5	10.8-18.2	98	12.6	09.5-15.7
Oth. Race/Non-Hisp.	70	11,606	4	12.5	00.9-24.1	17	29.9	15.6-44.2	13	18.3	07.3-29.3	7	10.9	00.7-21.1	14	17.5	06.1-28.9	15	10.9	01.5-20.3
MultiRacial/Non-Hisp.	59	4,768	9	23.7	09.6-37.8	8	13.9	03.3-24.5	6	15.1	02.6-27.6	14	16.1	06.3-25.9	7	11.0	02.2-19.8	15	20.1	07.9-32.3
Hispanic	88	27,088	12	24.4	11.9-36.9	20	24.8	13.6-36.0	21	25.5	13.7-37.3	12	8.4	02.5-14.3	13	9.1	03.6-14.6	10	7.9	01.6-14.2
Less Than H.S.	166	36,910	8	10.5	03.4-17.6	14	15.6	07.6-23.6	13	17.7	08.3-27.1	19	14.0	07.3-20.7	32	16.6	10.1-23.1	80	25.6	18.3-32.9
H.S. or G.E.D.	967	118,270	58	15.9	11.8-20.0	57	10.8	07.9-13.7	78	11.5	08.4-14.6	170	17.8	14.7-20.9	185	16.2	13.5-18.9	419	27.9	24.6-31.2
Some Post-H.S.	886	118,434	59	14.6	10.9-18.3	90	14.2	11.1-17.3	105	15.7	12.4-19.0	157	18.9	15.6-22.2	193	18.0	15.1-20.9	282	18.6	16.1-21.1
College Graduate	1108	94,075	30	5.4	03.4-07.4	160	23.8	20.3-27.3	193	20.3	17.4-23.2	224	19.6	16.9-22.3	212	15.4	13.0-17.8	289	15.4	13.2-17.6
Less than \$15,000	380	42,057	20	10.6	05.5-15.7	33	17.0	10.5-23.5	37	13.5	08.6-18.4	46	13.1	08.8-17.4	66	15.2	11.1-19.3	178	30.6	25.1-36.1
\$15,000- 24,999	362	46,681	26	17.4	10.5-24.3	38	18.9	12.6-25.2	27	14.4	07.7-21.1	52	13.0	08.3-17.7	70	12.7	08.8-16.6	149	23.6	18.5-28.7
\$25,000- 34,999	312	34,997	9	8.0	02.3-13.7	44	22.7	16.0-29.4	29	16.8	09.7-23.9	48	14.4	09.5-19.3	59	14.2	09.9-18.5	123	23.9	18.8-29.0
\$35,000- 49,999	401	47,335	15	7.9	03.8-12.0	51	20.7	14.8-26.6	48	13.8	09.5-18.1	73	18.0	12.9-23.1	87	18.8	13.9-23.7	127	20.8	16.5-25.1
\$50,000- 74,999	453	51,627	13	6.8	03.1-10.5	48	13.4	09.5-17.3	67	19.2	13.5-24.9	94	22.7	17.6-27.8	107	21.7	17.0-26.4	124	16.2	12.9-19.5
\$75,000+	743	87,377	26	8.3	05.0-11.6	81	13.8	10.5-17.1	152	21.5	17.8-25.2	211	28.4	24.3-32.5	157	17.7	14.4-21.0	116	10.4	08.0-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5167	709,586	155	7.4	06.0-08.8	5012	92.6	91.2-94.0
Male	2000	338,403	67	7.6	05.4-09.8	1933	92.4	90.2-94.6
Female	3167	371,183	88	7.3	05.5-09.1	3079	92.7	90.9-94.5
18-24	310	90,966	21	12.6	07.1-18.1	289	87.4	81.9-92.9
25-34	528	115,044	35	13.2	08.5-17.9	493	86.8	82.1-91.5
35-44	642	112,385	36	12.0	07.7-16.3	606	88.0	83.7-92.3
45-54	916	130,105	25	4.0	02.2-05.8	891	96.0	94.2-97.8
55-64	1023	115,463	20	3.9	01.9-05.9	1003	96.1	94.1-98.1
65+	1700	141,218	17	2.0	00.6-03.4	1683	98.0	96.6-99.4
Less Than H.S.	336	94,250	29	17.6	11.1-24.1	307	82.4	75.9-88.9
H.S. or G.E.D.	1556	222,348	37	6.3	03.9-08.7	1519	93.7	91.3-96.1
Some Post-H.S.	1392	210,963	43	6.5	04.1-08.9	1349	93.5	91.1-95.9
College Graduate	1876	181,212	45	4.5	03.1-05.9	1831	95.5	94.1-96.9
Less than \$15,000	598	81,782	26	12.2	06.7-17.7	572	87.8	82.3-93.3
\$15,000- 24,999	531	77,148	23	9.8	05.1-14.5	508	90.2	85.5-94.9
\$25,000- 34,999	486	63,601	19	12.4	06.1-18.7	467	87.6	81.3-93.9
\$35,000- 49,999	646	89,551	17	6.8	03.3-10.3	629	93.2	89.7-96.7
\$50,000- 74,999	767	104,928	26	7.5	04.0-11.0	741	92.5	89.0-96.0
\$75,000+	1425	196,581	27	3.3	01.7-04.9	1398	96.7	95.1-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2000	338,403	67	7.6	05.4-09.8	1933	92.4	90.2-94.6
18-24	155	45,855	9	10.7	03.1-18.3	146	89.3	81.7-96.9
25-34	207	57,219	15	14.9	07.1-22.7	192	85.1	77.3-92.9
35-44	252	54,600	15	11.9	05.2-18.6	237	88.1	81.4-94.8
45-54	346	63,072	13	4.6	01.9-07.3	333	95.4	92.7-98.1
55-64	400	54,405	7	3.8	00.7-06.9	393	96.2	93.1-99.3
65+	627	61,717	7	1.1	00.1-02.1	620	98.9	97.9-99.9
Less Than H.S.	169	57,255	17	20.2	11.0-29.4	152	79.8	70.6-89.0
H.S. or G.E.D.	582	103,002	15	4.5	01.8-07.2	567	95.5	92.8-98.2
Some Post-H.S.	498	92,080	19	6.8	03.1-10.5	479	93.2	89.5-96.9
College Graduate	750	85,946	16	3.6	01.6-05.6	734	96.4	94.4-98.4
Less than \$15,000	217	39,669	15	17.3	07.7-26.9	202	82.7	73.1-92.3
\$15,000- 24,999	168	30,396	7	6.7	00.4-13.0	161	93.3	87.0-99.6
\$25,000- 34,999	173	28,465	9	15.9	04.7-27.1	164	84.1	72.9-95.3
\$35,000- 49,999	245	42,237	8	6.7	01.4-12.0	237	93.3	88.0-98.6
\$50,000- 74,999	311	53,134	13	9.3	03.4-15.2	298	90.7	84.8-96.6
\$75,000+	674	108,211	11	3.2	00.7-05.7	663	96.8	94.3-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3167	371,183	88	7.3	05.5-09.1	3079	92.7	90.9-94.5
18-24	155	45,112	12	14.6	06.6-22.6	143	85.4	77.4-93.4
25-34	321	57,825	20	11.6	06.1-17.1	301	88.4	82.9-93.9
35-44	390	57,786	21	12.0	06.1-17.9	369	88.0	82.1-93.9
45-54	570	67,033	12	3.4	01.0-05.8	558	96.6	94.2-99.0
55-64	623	61,058	13	4.0	01.6-06.4	610	96.0	93.6-98.4
65+	1073	79,501	10	2.7	00.5-04.9	1063	97.3	95.1-99.5
Less Than H.S.	167	36,994	12	13.5	05.1-21.9	155	86.5	78.1-94.9
H.S. or G.E.D.	974	119,345	22	7.8	04.3-11.3	952	92.2	88.7-95.7
Some Post-H.S.	894	118,883	24	6.2	03.5-08.9	870	93.8	91.1-96.5
College Graduate	1126	95,266	29	5.4	03.2-07.6	1097	94.6	92.4-96.8
Less than \$15,000	381	42,114	11	7.4	02.3-12.5	370	92.6	87.5-97.7
\$15,000- 24,999	363	46,752	16	11.8	05.3-18.3	347	88.2	81.7-94.7
\$25,000- 34,999	313	35,137	10	9.5	03.0-16.0	303	90.5	84.0-97.0
\$35,000- 49,999	401	47,314	9	6.9	02.0-11.8	392	93.1	88.2-98.0
\$50,000- 74,999	456	51,793	13	5.7	01.8-09.6	443	94.3	90.4-98.2
\$75,000+	751	88,370	16	3.4	01.4-05.4	735	96.6	94.6-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5174	710,133	5060	98.4	98.0-98.8	114	1.6	01.2-02.0
Male	2005	338,868	1954	98.4	97.8-99.0	51	1.6	01.0-02.2
Female	3169	371,265	3106	98.3	97.7-98.9	63	1.7	01.1-02.3
18-24	311	91,129	292	97.1	95.5-98.7	19	2.9	01.3-04.5
25-34	528	115,044	507	97.6	96.0-99.2	21	2.4	00.8-04.0
35-44	642	112,385	627	98.2	97.0-99.4	15	1.8	00.6-03.0
45-54	918	130,262	896	98.7	98.1-99.3	22	1.3	00.7-01.9
55-64	1023	115,463	1013	99.3	98.7-99.9	10	0.7	00.1-01.3
65+	1701	141,264	1675	98.8	98.2-99.4	26	1.2	00.6-01.8
Less Than H.S.	336	94,250	330	99.1	98.3-99.9	6	0.9	00.1-01.7
H.S. or G.E.D.	1560	222,650	1524	98.3	97.5-99.1	36	1.7	00.9-02.5
Some Post-H.S.	1393	211,125	1349	97.3	96.1-98.5	44	2.7	01.5-03.9
College Graduate	1878	181,295	1850	99.3	98.9-99.7	28	0.7	00.3-01.1
Less than \$15,000	600	82,032	584	97.7	96.1-99.3	16	2.3	00.7-03.9
\$15,000- 24,999	531	77,148	511	97.8	96.6-99.0	20	2.2	01.0-03.4
\$25,000- 34,999	486	63,601	474	97.4	95.4-99.4	12	2.6	00.6-04.6
\$35,000- 49,999	649	89,766	627	97.2	95.2-99.2	22	2.8	00.8-04.8
\$50,000- 74,999	767	104,928	754	99.1	98.5-99.7	13	0.9	00.3-01.5
\$75,000+	1425	196,581	1406	99.1	98.5-99.7	19	0.9	00.3-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2005	338,868	1954	98.4	97.8-99.0	51	1.6	01.0-02.2
18-24	156	46,017	147	97.8	96.2-99.4	9	2.2	00.6-03.8
25-34	207	57,219	196	97.8	96.4-99.2	11	2.2	00.8-03.6
35-44	252	54,600	244	97.6	95.6-99.6	8	2.4	00.4-04.4
45-54	347	63,159	339	98.6	97.4-99.8	8	1.4	00.2-02.6
55-64	400	54,405	397	99.5	98.7-0100	3	0.5	00.0-01.3
65+	628	61,763	617	98.8	98.0-99.6	11	1.2	00.4-02.0
Less Than H.S.	169	57,255	167	99.6	99.0-0100	2	0.4	00.0-01.0
H.S. or G.E.D.	586	103,305	563	97.5	96.1-98.9	23	2.5	01.1-03.9
Some Post-H.S.	499	92,242	481	97.6	96.4-98.8	18	2.4	01.2-03.6
College Graduate	750	85,946	742	99.5	99.1-99.9	8	0.5	00.1-00.9
Less than \$15,000	219	39,919	213	97.8	95.3-0100	6	2.2	00.0-04.7
\$15,000- 24,999	168	30,396	164	99.0	97.8-0100	4	1.0	00.0-02.2
\$25,000- 34,999	173	28,465	163	96.0	93.3-98.7	10	4.0	01.3-06.7
\$35,000- 49,999	246	42,369	240	98.6	97.2-0100	6	1.4	00.0-02.8
\$50,000- 74,999	311	53,134	303	98.8	97.8-99.8	8	1.2	00.2-02.2
\$75,000+	674	108,211	665	99.0	98.2-99.8	9	1.0	00.2-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3169	371,265	3106	98.3	97.7-98.9	63	1.7	01.1-02.3
18-24	155	45,112	145	96.4	93.7-99.1	10	3.6	00.9-06.3
25-34	321	57,825	311	97.3	94.6-0100	10	2.7	00.0-05.4
35-44	390	57,786	383	98.7	97.5-99.9	7	1.3	00.1-02.5
45-54	571	67,102	557	98.9	98.1-99.7	14	1.1	00.3-01.9
55-64	623	61,058	616	99.1	98.3-99.9	7	0.9	00.1-01.7
65+	1073	79,501	1058	98.8	98.0-99.6	15	1.2	00.4-02.0
Less Than H.S.	167	36,994	163	98.4	96.8-0100	4	1.6	00.0-03.2
H.S. or G.E.D.	974	119,345	961	98.9	98.1-99.7	13	1.1	00.3-01.9
Some Post-H.S.	894	118,883	868	97.2	95.6-98.8	26	2.8	01.2-04.4
College Graduate	1128	95,348	1108	99.0	98.4-99.6	20	1.0	00.4-01.6
Less than \$15,000	381	42,114	371	97.6	95.8-99.4	10	2.4	00.6-04.2
\$15,000- 24,999	363	46,752	347	97.0	95.2-98.8	16	3.0	01.2-04.8
\$25,000- 34,999	313	35,137	311	98.5	95.8-0100	2	1.5	00.0-04.2
\$35,000- 49,999	403	47,396	387	96.1	92.6-99.6	16	3.9	00.4-07.4
\$50,000- 74,999	456	51,793	451	99.3	98.5-0100	5	0.7	00.0-01.5
\$75,000+	751	88,370	741	99.2	98.6-99.8	10	0.8	00.2-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 7: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Asian		Am. Indian or Alaskan Native			Other			
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	86	9,527	49	53.0	38.1-67.9	23	28.7	13.8-43.6	2	2.6	00.0-06.3	3	5.7	00.0-15.3	9	10.1	02.8-17.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 7: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
 ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5170	709,698	769	13.5	12.3-14.7	4401	86.5	85.3-87.7
Male	2002	338,550	675	25.4	23.0-27.8	1327	74.6	72.2-77.0
Female	3168	371,149	94	2.6	02.0-03.2	3074	97.4	96.8-98.0
18-24	311	91,129	12	3.6	01.4-05.8	299	96.4	94.2-98.6
25-34	528	115,044	33	5.3	03.1-07.5	495	94.7	92.5-96.9
35-44	642	112,385	53	8.4	05.9-10.9	589	91.6	89.1-94.1
45-54	918	130,262	113	14.1	11.0-17.2	805	85.9	82.8-89.0
55-64	1023	115,463	144	16.8	13.7-19.9	879	83.2	80.1-86.3
65+	1697	140,829	408	27.3	24.4-30.2	1289	72.7	69.8-75.6
Less Than H.S.	336	94,250	49	10.9	07.2-14.6	287	89.1	85.4-92.8
H.S. or G.E.D.	1559	222,534	247	15.2	12.8-17.6	1312	84.8	82.4-87.2
Some Post-H.S.	1392	210,933	236	15.0	12.8-17.2	1156	85.0	82.8-87.2
College Graduate	1876	181,169	237	11.0	09.2-12.8	1639	89.0	87.2-90.8
Less than \$15,000	600	82,032	92	14.4	10.7-18.1	508	85.6	81.9-89.3
\$15,000- 24,999	531	77,148	49	8.0	05.1-10.9	482	92.0	89.1-94.9
\$25,000- 34,999	486	63,601	81	16.9	12.4-21.4	405	83.1	78.6-87.6
\$35,000- 49,999	649	89,766	112	15.6	12.1-19.1	537	84.4	80.9-87.9
\$50,000- 74,999	767	104,928	136	15.2	12.1-18.3	631	84.8	81.7-87.9
\$75,000+	1423	196,456	209	13.9	11.5-16.3	1214	86.1	83.7-88.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2002	338,550	675	25.4	23.0-27.8	1327	74.6	72.2-77.0
18-24	156	46,017	9	5.9	02.0-09.8	147	94.1	90.2-98.0
25-34	207	57,219	20	8.2	04.1-12.3	187	91.8	87.7-95.9
35-44	252	54,600	39	14.1	09.4-18.8	213	85.9	81.2-90.6
45-54	347	63,159	84	23.5	17.8-29.2	263	76.5	70.8-82.2
55-64	400	54,405	128	32.9	26.8-39.0	272	67.1	61.0-73.2
65+	625	61,445	390	61.2	56.3-66.1	235	38.8	33.9-43.7
Less Than H.S.	169	57,255	48	17.3	11.2-23.4	121	82.7	76.6-88.8
H.S. or G.E.D.	586	103,305	229	31.1	26.6-35.6	357	68.9	64.4-73.4
Some Post-H.S.	498	92,050	200	29.6	24.9-34.3	298	70.4	65.7-75.1
College Graduate	748	85,821	198	19.6	16.5-22.7	550	80.4	77.3-83.5
Less than \$15,000	219	39,919	81	27.1	19.7-34.5	138	72.9	65.5-80.3
\$15,000- 24,999	168	30,396	46	19.2	12.1-26.3	122	80.8	73.7-87.9
\$25,000- 34,999	173	28,465	73	34.2	25.0-43.4	100	65.8	56.6-75.0
\$35,000- 49,999	246	42,369	100	29.7	22.8-36.6	146	70.3	63.4-77.2
\$50,000- 74,999	311	53,134	115	26.0	20.3-31.7	196	74.0	68.3-79.7
\$75,000+	672	108,086	185	22.7	18.8-26.6	487	77.3	73.4-81.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3168	371,149	94	2.6	02.0-03.2	3074	97.4	96.8-98.0
18-24	155	45,112	3	1.1	00.0-02.5	152	98.9	97.5-0100
25-34	321	57,825	13	2.5	00.7-04.3	308	97.5	95.7-99.3
35-44	390	57,786	14	2.9	00.9-04.9	376	97.1	95.1-99.1
45-54	571	67,102	29	5.2	02.8-07.6	542	94.8	92.4-97.2
55-64	623	61,058	16	2.5	00.9-04.1	607	97.5	95.9-99.1
65+	1072	79,384	18	1.2	00.4-02.0	1054	98.8	98.0-99.6
Less Than H.S.	167	36,994	1	1.0	00.0-02.8	166	99.0	97.2-0100
H.S. or G.E.D.	973	119,229	18	1.5	00.7-02.3	955	98.5	97.7-99.3
Some Post-H.S.	894	118,883	36	3.7	02.3-05.1	858	96.3	94.9-97.7
College Graduate	1128	95,348	39	3.2	01.8-04.6	1089	96.8	95.4-98.2
Less than \$15,000	381	42,114	11	2.4	00.6-04.2	370	97.6	95.8-99.4
\$15,000- 24,999	363	46,752	3	0.7	00.0-01.5	360	99.3	98.5-0100
\$25,000- 34,999	313	35,137	8	2.9	00.5-05.3	305	97.1	94.7-99.5
\$35,000- 49,999	403	47,396	12	3.1	00.7-05.5	391	96.9	94.5-99.3
\$50,000- 74,999	456	51,793	21	4.2	02.0-06.4	435	95.8	93.6-98.0
\$75,000+	751	88,370	24	3.2	01.6-04.8	727	96.8	95.2-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5157	707,904	2717	51.6	49.8-53.4	701	9.8	08.8-10.8	658	6.5	05.9-07.1	112	2.2	01.6-02.8	821	25.2	23.4-27.0	148	4.8	03.8-05.8
Male	2002	338,685	1167	53.4	50.5-56.3	244	8.7	07.3-10.1	119	3.1	02.3-03.9	47	2.4	01.4-03.4	360	27.0	24.1-29.9	65	5.3	03.7-06.9
Female	3155	369,220	1550	49.9	47.5-52.3	457	10.8	09.4-12.2	539	9.6	08.6-10.6	65	1.9	01.3-02.5	461	23.4	21.0-25.8	83	4.4	03.2-05.6
White/Non-Hisp	4005	475,705	2262	58.4	56.4-60.4	540	10.0	08.8-11.2	548	7.3	06.5-08.1	63	1.4	00.8-02.0	480	18.7	16.9-20.5	112	4.3	03.3-05.3
Black or Afr. Am./Non-Hisp	726	140,688	253	34.5	30.2-38.8	118	11.8	09.1-14.5	69	5.4	03.6-07.2	32	3.5	01.9-05.1	237	40.8	36.1-45.5	17	4.0	01.8-06.2
Oth. Race/Non-Hisp.	140	27,319	76	57.6	46.0-69.2	13	5.0	01.1-08.9	17	5.8	01.1-10.5	4	0.5	00.0-01.1	27	30.1	18.9-41.3	3	0.9	00.0-02.1
MultiRacial/Non-Hisp.	105	9,133	42	39.6	28.4-50.8	11	6.6	01.7-11.5	13	7.1	02.6-11.6	5	5.2	00.5-09.9	31	36.7	25.3-48.1	3	4.8	00.0-10.1
Hispanic	154	52,196	71	35.0	26.0-44.0	14	5.7	02.0-09.4	8	2.1	00.5-03.7	8	6.2	00.9-11.5	41	37.3	27.1-47.5	12	13.8	05.8-21.8
18-24	310	90,859	12	2.6	01.0-04.2	2	0.5	00.0-01.3	3	0.4	00.0-00.8	2	0.7	00.0-01.7	262	87.6	83.5-91.7	29	8.2	04.7-11.7
25-34	526	114,101	250	39.2	34.1-44.3	31	4.7	02.7-06.7	1	0.1	00.0-00.3	12	2.6	00.6-04.6	189	42.7	37.2-48.2	43	10.7	06.8-14.6
35-44	642	112,385	411	60.6	55.5-65.7	77	9.1	06.6-11.6	5	0.6	00.0-01.2	18	3.6	01.2-06.0	110	19.9	15.6-24.2	21	6.3	03.2-09.4
45-54	913	129,818	540	65.7	61.8-69.6	182	16.2	13.3-19.1	31	3.0	01.4-04.6	35	2.8	01.6-04.0	100	10.2	07.7-12.7	25	2.2	01.0-03.4
55-64	1021	115,243	616	66.2	62.5-69.9	193	15.6	12.9-18.3	78	5.7	03.7-07.7	26	2.3	01.1-03.5	87	6.9	05.1-08.7	21	3.2	01.6-04.8
65+	1697	141,075	858	60.4	57.5-63.3	208	9.7	07.9-11.5	536	24.0	21.6-26.4	18	1.0	00.4-01.6	68	4.2	02.8-05.6	9	0.6	00.2-01.0
Less Than H.S.	336	94,250	129	39.7	32.8-46.6	39	8.9	05.4-12.4	77	9.2	06.5-11.9	11	4.4	01.3-07.5	65	29.4	22.3-36.5	15	8.4	03.9-12.9
H.S. or G.E.D.	1556	222,121	733	46.3	43.0-49.6	203	8.6	07.0-10.2	260	8.3	06.9-09.7	40	2.4	01.4-03.4	276	29.9	26.6-33.2	44	4.5	02.9-06.1
Some Post-H.S.	1392	210,632	673	49.1	45.8-52.4	223	12.2	10.2-14.2	189	6.1	04.9-07.3	34	1.9	01.1-02.7	231	25.7	22.4-29.0	42	4.9	03.1-06.7
College Graduate	1867	180,208	1179	67.0	64.3-69.7	236	9.1	07.7-10.5	131	3.2	02.4-04.0	27	1.0	00.6-01.4	247	16.5	14.1-18.9	47	3.2	02.2-04.2
Less than \$15,000	598	81,994	191	35.4	29.9-40.9	109	12.8	09.7-15.9	142	13.0	10.3-15.7	18	3.6	01.1-06.1	121	31.0	25.1-36.9	17	4.3	01.9-06.7
\$15,000- 24,999	530	76,654	89	21.0	15.5-26.5	126	15.7	11.8-19.6	126	11.6	08.9-14.3	27	4.2	02.0-06.4	141	40.7	34.4-47.0	21	6.9	03.2-10.6
\$25,000- 34,999	486	63,601	206	43.6	37.5-49.7	72	10.1	07.0-13.2	84	7.7	05.7-09.7	19	5.8	02.1-09.5	88	22.7	17.4-28.0	17	10.1	04.4-15.8
\$35,000- 49,999	648	89,718	309	47.6	42.5-52.7	111	11.5	08.8-14.2	75	6.4	04.2-08.6	13	1.7	00.5-02.9	116	26.7	21.8-31.6	24	6.2	03.3-09.1
\$50,000- 74,999	766	104,658	460	58.2	53.5-62.9	118	13.4	10.3-16.5	54	3.7	02.5-04.9	13	1.3	00.5-02.1	95	18.7	14.4-23.0	26	4.6	02.4-06.8
\$75,000+	1422	196,398	1112	74.4	71.1-77.7	97	5.3	03.9-06.7	38	1.6	00.8-02.4	18	1.1	00.1-02.1	126	14.7	11.8-17.6	31	3.0	01.4-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 7: DEMOGRAPHICS
 TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2002	338,685	1167	53.4	50.5-56.3	244	8.7	07.3-10.1	119	3.1	02.3-03.9	47	2.4	01.4-03.4	360	27.0	24.3-29.7	65	5.3	03.7-06.9
White/Non-Hisp	1559	227,468	965	60.8	57.7-63.9	199	9.2	07.6-10.8	101	3.6	02.6-04.6	23	1.1	00.5-01.7	224	20.5	17.8-23.2	47	4.8	03.2-06.4
Black or Afr. Am./Non-Hisp	250	64,245	111	38.5	31.2-45.8	30	9.6	05.5-13.7	10	2.1	00.3-03.9	10	3.4	01.0-05.8	83	42.9	35.1-50.7	6	3.5	00.4-06.6
Oth. Race/Non-Hisp.	68	15,500	37	54.5	37.6-71.4	8	5.1	00.0-10.8	3	5.1	00.0-12.7	3	0.7	00.0-01.7	14	32.9	16.2-49.6	3	1.7	00.0-03.9
Hispanic	67	25,601	29	28.4	16.2-40.6	4	4.9	00.0-10.6	1	0.2	00.0-00.6	8	12.6	02.0-23.2	19	38.5	23.0-54.0	6	15.4	02.5-28.3
18-24	156	46,017	5	1.8	00.0-03.6	1	0.4	00.0-01.2	1	0.3	00.0-00.9	1	1.0	00.0-03.0	134	89.5	84.2-94.8	14	7.1	02.4-11.8
25-34	207	57,219	88	33.5	26.1-40.9	9	2.6	00.6-04.6	9	2.6	00.6-04.6	4	3.3	00.0-07.0	85	47.6	39.2-56.0	21	13.1	06.6-19.6
35-44	252	54,600	168	61.8	54.2-69.4	29	10.8	06.5-15.1	1	0.6	00.0-01.8	8	3.6	00.0-07.3	36	16.8	10.5-23.1	10	6.4	01.9-10.9
45-54	347	63,159	213	68.0	61.9-74.1	68	13.6	09.7-17.5	11	3.1	00.6-05.6	13	2.6	01.0-04.2	36	10.7	06.4-15.0	6	2.0	00.0-04.0
55-64	399	54,285	253	69.1	63.2-75.0	70	14.8	10.3-19.3	12	3.4	00.7-06.1	12	2.7	00.5-04.9	43	6.9	04.4-09.4	9	3.1	00.9-05.3
65+	627	61,722	431	73.8	69.5-78.1	65	8.2	05.7-10.7	93	10.1	07.4-12.8	8	1.3	00.3-02.3	25	5.6	02.7-08.5	5	1.1	00.1-02.1
Less Than H.S.	169	57,255	82	43.4	34.0-52.8	23	9.0	04.3-13.7	12	2.7	00.7-04.7	7	5.6	00.7-10.5	40	32.9	23.3-42.5	5	6.4	00.7-12.1
H.S. or G.E.D.	586	103,305	293	45.6	40.5-50.7	70	7.4	05.2-09.6	50	4.8	02.8-06.8	15	2.3	00.9-03.7	133	34.6	29.3-39.9	25	5.4	02.9-07.9
Some Post-H.S.	499	92,242	268	51.6	46.1-57.1	72	10.1	07.2-13.0	27	2.5	00.9-04.1	13	2.0	00.8-03.2	100	27.2	22.1-32.3	19	6.6	03.1-10.1
College Graduate	747	85,763	523	71.5	67.6-75.4	79	8.6	06.2-11.0	30	1.9	00.9-02.9	12	1.0	00.2-01.8	87	14.0	10.7-17.3	16	2.9	01.3-04.5
Less than \$15,000	219	39,919	87	38.9	29.9-47.9	40	10.5	06.0-15.0	25	6.3	02.8-09.8	7	5.0	00.1-09.9	52	36.3	26.5-46.1	8	3.1	00.7-05.5
\$15,000- 24,999	168	30,396	39	25.7	15.9-35.5	36	16.5	09.2-23.8	23	6.2	03.3-09.1	7	4.1	00.0-08.4	56	42.9	32.1-53.7	7	4.6	00.0-09.3
\$25,000- 34,999	173	28,465	86	47.0	36.6-57.4	20	8.2	03.3-13.1	15	3.1	00.9-05.3	9	8.6	01.2-16.0	36	21.2	13.2-29.2	7	11.8	02.0-21.6
\$35,000- 49,999	246	42,369	131	46.2	38.2-54.2	33	8.6	05.1-12.1	17	5.1	01.4-08.8	5	1.9	00.1-03.7	44	28.0	20.2-35.8	16	10.2	04.7-15.7
\$50,000- 74,999	311	53,134	186	56.3	48.9-63.7	47	12.0	07.9-16.1	13	1.4	00.6-02.2	6	1.3	00.1-02.5	51	24.0	16.9-31.1	8	5.1	01.4-08.8
\$75,000+	671	108,028	521	72.7	67.8-77.6	48	5.6	03.6-07.6	13	1.3	00.1-02.5	11	0.8	00.2-01.4	65	16.7	12.4-21.0	13	2.9	00.5-05.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 7: DEMOGRAPHICS
 TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3155	369,220	1550	49.9	47.5-52.3	457	10.8	09.4-12.2	539	9.6	08.6-10.6	65	1.9	01.3-02.5	461	23.4	21.2-25.6	83	4.4	03.2-05.6
White/Non-Hisp	2446	248,238	1297	56.2	53.7-58.7	341	10.6	09.0-12.2	447	10.7	09.5-11.9	40	1.6	00.8-02.4	256	17.0	14.6-19.4	65	3.9	02.7-05.1
Black or Afr. Am./Non-Hisp	476	76,442	142	31.2	25.9-36.5	88	13.7	10.2-17.2	59	8.1	05.4-10.8	22	3.6	01.6-05.6	154	39.0	33.3-44.7	11	4.3	01.4-07.2
Oth. Race/Non-Hisp.	72	11,819	39	61.8	47.3-76.3	5	4.9	00.0-10.4	14	6.8	01.9-11.7	1	0.1	00.0-00.3	13	26.4	12.7-40.1			
MultiRacial/Non-Hisp.	59	4,768	24	44.4	28.7-60.1	10	12.0	03.0-21.0	10	11.7	03.5-19.9	2	4.1	00.0-10.0	12	25.4	11.3-39.5	1	2.4	00.0-06.9
Hispanic	87	26,595	42	41.4	28.9-53.9	10	6.4	01.7-11.1	7	4.0	00.9-07.1				22	36.1	22.6-49.6	6	12.2	02.6-21.8
18-24	154	44,842	7	3.3	00.8-05.8	1	0.7	00.0-02.1	2	0.5	00.0-01.3	1	0.4	00.0-01.2	128	85.7	79.6-91.8	15	9.4	03.9-14.9
25-34	319	56,882	162	45.0	38.3-51.7	22	6.9	03.6-10.2	1	0.3	00.0-00.9	8	1.9	00.5-03.3	104	37.7	31.0-44.4	22	8.2	04.3-12.1
35-44	390	57,786	243	59.5	52.8-66.2	48	7.4	04.7-10.1	4	0.6	00.0-01.2	10	3.5	00.4-06.6	74	22.8	16.7-28.9	11	6.2	01.9-10.5
45-54	566	66,658	327	63.5	58.4-68.6	114	18.6	14.3-22.9	20	2.9	01.1-04.7	22	2.9	01.3-04.5	64	9.7	06.8-12.6	19	2.3	01.1-03.5
55-64	622	60,958	363	63.7	59.0-68.4	123	16.3	12.8-19.8	66	7.8	05.1-10.5	14	1.9	00.5-03.3	44	7.0	04.3-09.7	12	3.3	01.3-05.3
65+	1070	79,353	427	49.9	46.0-53.8	143	10.9	08.7-13.1	443	34.9	31.4-38.4	10	0.8	00.2-01.4	43	3.2	02.0-04.4	4	0.3	00.0-00.7
Less Than H.S.	167	36,994	47	34.1	24.5-43.7	16	8.7	03.8-13.6	65	19.1	12.8-25.4	4	2.7	00.0-05.4	25	24.0	14.6-33.4	10	11.4	04.0-18.8
H.S. or G.E.D.	970	118,815	440	47.0	42.7-51.3	133	9.6	07.4-11.8	210	11.4	09.4-13.4	25	2.5	00.9-04.1	143	25.8	21.5-30.1	19	3.7	01.7-05.7
Some Post-H.S.	893	118,390	405	47.2	43.1-51.3	151	13.9	11.2-16.6	162	8.9	07.3-10.5	21	1.9	00.9-02.9	131	24.5	20.4-28.6	23	3.7	01.9-05.5
College Graduate	1120	94,445	656	62.9	59.4-66.4	157	9.4	07.6-11.2	101	4.4	03.4-05.4	15	0.9	00.3-01.5	160	18.9	15.8-22.0	31	3.5	02.1-04.9
Less than \$15,000	379	42,076	104	32.1	25.8-38.4	69	15.0	10.5-19.5	117	19.3	15.0-23.6	11	2.3	00.7-03.9	69	25.9	19.2-32.6	9	5.4	01.5-09.3
\$15,000- 24,999	362	46,259	50	17.8	11.7-23.9	90	15.2	10.9-19.5	103	15.1	11.2-19.0	20	4.3	01.9-06.7	85	39.2	31.4-47.0	14	8.3	03.0-13.6
\$25,000- 34,999	313	35,137	120	40.8	33.5-48.1	52	11.7	07.6-15.8	69	11.4	08.3-14.5	10	3.6	00.7-06.5	52	23.9	16.8-31.0	10	8.8	02.7-14.9
\$35,000- 49,999	402	47,349	178	48.8	42.3-55.3	78	14.1	10.2-18.0	58	7.6	04.9-10.3	8	1.5	00.1-02.9	72	25.5	19.4-31.6	8	2.6	00.6-04.6
\$50,000- 74,999	455	51,524	274	60.2	54.3-66.1	71	14.8	10.3-19.3	41	6.1	03.7-08.5	7	1.4	00.2-02.6	44	13.3	09.0-17.6	18	4.2	02.0-06.4
\$75,000+	751	88,370	591	76.4	72.1-80.7	49	5.0	03.0-07.0	25	1.9	00.9-02.9	7	1.4	00.0-03.2	61	12.2	08.7-15.7	18	3.1	01.3-04.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5166	709,099	626	16.2	14.6-17.8	478	12.5	11.1-13.9	195	5.2	04.2-06.2	64	1.5	01.1-01.9	22	0.7	00.3-01.1	3781	63.9	61.9-65.9
Male	2002	338,604	244	16.9	14.5-19.3	183	12.3	10.1-14.5	63	4.3	02.9-05.7	18	0.9	00.5-01.3	6	0.3	00.1-00.5	1488	65.2	62.3-68.1
Female	3164	370,494	382	15.5	13.7-17.3	295	12.7	10.9-14.5	132	6.1	04.9-07.3	46	2.1	01.3-02.9	16	1.0	00.4-01.6	2293	62.7	60.3-65.1
White/Non-Hisp	4011	476,062	411	13.8	12.2-15.4	330	10.6	09.2-12.0	131	4.5	03.5-05.5	41	1.2	00.8-01.6	14	0.6	00.2-01.0	3084	69.4	67.4-71.4
Black or Afr. Am./Non-Hisp	729	141,096	135	22.5	18.4-26.6	100	16.7	13.0-20.4	36	6.1	03.7-08.5	14	1.7	00.5-02.9	6	0.9	00.1-01.7	438	52.1	47.4-56.8
Oth. Race/Non-Hisp.	140	27,319	21	18.8	09.8-27.8	14	10.9	04.2-17.6	5	3.6	00.0-07.5							100	66.6	55.8-77.4
MultiRacial/Non-Hisp.	104	9,066	21	23.2	13.0-33.4	7	5.7	00.2-11.2	8	7.7	02.0-13.4	2	3.4	00.0-08.1	1	1.5	00.0-04.4	65	58.4	47.0-69.8
Hispanic	155	52,690	29	17.2	09.4-25.0	26	21.1	12.7-29.5	15	10.1	03.8-16.4	7	4.4	00.5-08.3	1	0.9	00.0-02.7	77	46.2	36.2-56.2
18-24	311	91,129	75	25.3	19.6-31.0	19	6.7	03.4-10.0	12	4.2	01.5-06.9	4	1.3	00.0-02.7	6	2.6	00.4-04.8	195	59.9	53.4-66.4
25-34	527	114,594	129	24.9	20.2-29.6	92	18.1	13.8-22.4	58	12.7	08.8-16.6	21	3.2	01.6-04.8	7	1.0	00.0-02.0	220	40.1	34.8-45.4
35-44	641	112,302	119	16.9	13.4-20.4	225	35.8	30.9-40.7	82	11.5	08.6-14.4	24	3.2	01.4-05.0	4	0.4	00.0-00.8	187	32.1	27.2-37.0
45-54	915	129,965	190	23.0	19.3-26.7	100	11.7	08.8-14.6	36	3.4	02.2-04.6	10	1.2	00.2-02.2	4	0.5	00.0-01.1	575	60.3	56.2-64.4
55-64	1022	115,350	64	7.7	05.5-09.9	20	3.6	01.6-05.6	4	1.0	00.0-02.0	3	0.4	00.0-01.0				931	87.3	84.2-90.4
65+	1701	141,264	45	3.7	02.3-05.1	19	1.3	00.5-02.1	3	0.3	00.0-00.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3	1632	94.6	93.0-96.2
Less Than H.S.	336	94,250	43	18.5	12.8-24.2	28	13.2	07.9-18.5	14	7.0	02.9-11.1	8	2.7	00.5-04.9	3	1.1	00.0-02.5	240	57.5	50.2-64.8
H.S. or G.E.D.	1559	222,601	164	14.6	12.1-17.1	105	10.8	08.4-13.2	46	4.3	02.9-05.7	14	1.2	00.4-02.0	6	0.8	00.0-01.6	1224	68.4	65.1-71.7
Some Post-H.S.	1391	211,017	177	16.2	13.7-18.7	117	11.6	09.2-14.0	58	5.6	03.8-07.4	16	1.5	00.7-02.3	9	0.6	00.0-01.2	1014	64.4	61.1-67.7
College Graduate	1873	180,418	241	16.9	14.5-19.3	228	15.4	13.2-17.6	76	5.0	03.8-06.2	26	1.3	00.7-01.9	4	0.3	00.0-00.7	1298	61.1	58.2-64.0
Less than \$15,000	600	82,032	65	15.6	11.3-19.9	35	10.1	06.0-14.2	19	5.9	02.2-09.6	3	1.0	00.0-02.2	2	1.4	00.0-03.4	476	66.0	60.1-71.9
\$15,000- 24,999	531	77,148	56	16.4	11.3-21.5	30	10.6	06.1-15.1	24	7.5	04.2-10.8	11	3.9	01.0-06.8	4	0.5	00.0-01.1	406	61.1	54.6-67.6
\$25,000- 34,999	486	63,601	60	16.6	11.1-22.1	39	13.2	08.3-18.1	21	5.0	02.6-07.4	7	1.1	00.1-02.1	1	0.7	00.0-02.1	358	63.4	56.9-69.9
\$35,000- 49,999	649	89,766	72	12.6	09.3-15.9	55	13.5	09.4-17.6	18	4.5	02.1-06.9	6	1.1	00.3-01.9	4	0.7	00.0-01.5	494	67.6	62.5-72.7
\$50,000- 74,999	767	104,928	87	15.2	11.7-18.7	68	13.2	09.5-16.9	28	4.2	02.0-06.4	12	1.9	00.5-03.3	4	0.5	00.0-01.1	568	65.1	60.2-70.0
\$75,000+	1425	196,581	230	20.1	17.2-23.0	214	15.9	13.5-18.3	62	4.9	03.5-06.3	21	1.2	00.6-01.8	4	0.3	00.0-00.7	894	57.7	54.4-61.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2002	338,604	244	16.9	14.5-19.3	183	12.3	10.1-14.5	63	4.3	02.9-05.7	18	0.9	00.5-01.3	6	0.3	00.1-00.5	1488	65.2	62.3-68.1
White/Non-Hisp	1560	227,447	173	14.7	12.3-17.1	136	11.4	09.2-13.6	43	3.7	02.3-05.1	11	0.8	00.2-01.4	3	0.2	00.0-00.4	1194	69.2	66.1-72.3
Black or Afr. Am./Non-Hisp	251	64,366	47	25.7	18.6-32.8	25	12.8	07.3-18.3	12	6.8	02.7-10.9	3	0.8	00.0-01.8	3	0.9	00.0-01.9	161	53.0	45.4-60.6
Oth. Race/Non-Hisp.	68	15,500	10	20.3	06.8-33.8	9	14.8	03.8-25.8	2	1.1	00.0-02.7							47	63.9	48.2-79.6
Hispanic	67	25,601	8	13.3	02.3-24.3	11	19.9	07.6-32.2	2	4.5	00.0-12.3	3	2.4	00.0-05.3				43	59.9	44.6-75.2
18-24	156	46,017	34	23.5	15.9-31.1	4	3.4	00.0-07.3	7	5.1	00.6-09.6	1	0.2	00.0-00.6	1	0.4	00.0-01.2	109	67.5	58.9-76.1
25-34	207	57,219	42	25.0	17.2-32.8	33	15.3	09.2-21.4	10	7.5	02.2-12.8	5	1.7	00.1-03.3	1	0.2	00.0-00.6	116	50.3	41.9-58.7
35-44	251	54,516	35	14.0	08.9-19.1	93	38.7	31.3-46.1	25	9.6	05.3-13.9	6	1.7	00.1-03.3	1	0.5	00.0-01.5	91	35.5	28.2-42.8
45-54	347	63,159	78	25.4	19.3-31.5	41	12.8	08.1-17.5	20	4.3	02.1-06.5	5	1.3	00.1-02.5	3	0.8	00.0-01.8	200	55.4	48.7-62.1
55-64	399	54,292	36	11.0	06.9-15.1	9	3.6	00.7-06.5	1	0.1	00.0-00.3	1	0.5	00.0-01.5				352	84.9	80.0-89.8
65+	628	61,763	19	4.0	01.8-06.2	2	0.5	00.0-01.3										607	95.5	93.1-97.9
Less Than H.S.	169	57,255	22	18.3	10.5-26.1	11	11.6	04.7-18.5	7	6.7	01.0-12.4	4	1.7	00.1-03.3	1	0.3	00.0-00.9	124	61.4	51.6-71.2
H.S. or G.E.D.	586	103,305	66	15.7	11.6-19.8	46	11.4	07.9-14.9	15	3.1	01.3-04.9	3	0.4	00.0-00.8	1	0.1	00.0-00.3	455	69.4	64.5-74.3
Some Post-H.S.	498	92,159	78	19.1	14.8-23.4	36	10.5	06.8-14.2	14	4.1	01.6-06.6	3	0.7	00.0-01.5	2	0.4	00.0-01.0	365	65.2	59.7-70.7
College Graduate	748	85,766	77	15.1	11.4-18.8	90	16.0	12.5-19.5	27	4.4	02.6-06.2	8	1.3	00.3-02.3	2	0.5	00.0-01.3	544	62.8	58.3-67.3
Less than \$15,000	219	39,919	21	15.9	08.6-23.2	12	10.8	03.9-17.7	4	3.4	00.0-08.5	2	1.1	00.0-02.7				180	68.8	59.2-78.4
\$15,000- 24,999	168	30,396	14	15.7	07.3-24.1	6	9.2	01.2-17.2	5	3.3	00.2-06.4	2	1.8	00.0-04.3	1	0.4	00.0-01.2	140	69.5	58.9-80.1
\$25,000- 34,999	173	28,465	27	21.4	11.2-31.6	10	12.3	03.7-20.9	5	3.7	00.2-07.2	2	1.0	00.0-02.4				129	61.7	50.5-72.9
\$35,000- 49,999	246	42,369	23	12.4	06.9-17.9	22	13.2	06.7-19.7	5	3.6	00.5-06.7	2	0.9	00.0-02.1				194	69.8	62.0-77.6
\$50,000- 74,999	311	53,134	29	12.8	07.5-18.1	26	13.1	07.8-18.4	10	4.8	00.9-08.7	2	0.9	00.0-02.1	1	0.5	00.0-01.5	243	68.0	60.7-75.3
\$75,000+	674	108,211	106	21.2	16.9-25.5	97	15.7	12.2-19.2	30	5.0	02.8-07.2	7	0.8	00.2-01.4	3	0.5	00.0-01.1	431	56.8	51.9-61.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3164	370,494	382	15.5	13.7-17.3	295	12.7	10.9-14.5	132	6.1	04.9-07.3	46	2.1	01.3-02.9	16	1.0	00.4-01.6	2293	62.7	60.3-65.1
White/Non-Hisp	2451	248,614	238	12.9	10.9-14.9	194	9.8	08.2-11.4	88	5.2	04.0-06.4	30	1.6	00.8-02.4	11	0.9	00.1-01.7	1890	69.6	67.1-72.1
Black or Afr. Am./Non-Hisp	478	76,730	88	19.8	15.3-24.3	75	20.0	15.1-24.9	24	5.5	03.0-08.0	11	2.4	00.6-04.2	3	1.0	00.0-02.4	277	51.4	45.7-57.1
Oth. Race/Non-Hisp.	72	11,819	11	16.9	05.9-27.9	5	5.9	00.0-11.8	3	7.0	00.0-15.8							53	70.2	56.5-83.9
MultiRacial/Non-Hisp.	59	4,768	17	34.4	19.1-49.7	6	10.1	00.1-20.1	4	5.4	00.0-11.1	1	3.6	00.0-10.5	1	2.8	00.0-08.3	30	43.7	28.6-58.8
Hispanic	88	27,088	21	20.9	09.9-31.9	15	22.2	10.6-33.8	13	15.4	06.0-24.8	4	6.4	00.0-13.5	1	1.8	00.0-05.1	34	33.3	21.5-45.1
18-24	155	45,112	41	27.1	18.7-35.5	15	10.1	04.6-15.6	5	3.3	00.4-06.2	3	2.5	00.0-05.4	5	4.8	00.5-09.1	86	52.2	43.0-61.4
25-34	320	57,375	87	24.7	19.2-30.2	59	21.0	15.1-26.9	48	17.9	12.2-23.6	16	4.7	02.0-07.4	6	1.8	00.0-03.8	104	29.9	24.0-35.8
35-44	390	57,786	84	19.7	14.8-24.6	132	33.2	26.9-39.5	57	13.3	09.2-17.4	18	4.6	01.3-07.9	3	0.3	00.0-00.7	96	28.9	22.4-35.4
45-54	568	66,806	112	20.7	16.6-24.8	59	10.7	07.2-14.2	16	2.5	01.1-03.9	5	1.0	00.0-02.6	1	0.1	00.0-00.3	375	64.9	59.8-70.0
55-64	623	61,058	28	4.7	02.7-06.7	11	3.6	00.9-06.3	3	1.7	00.0-03.7	2	0.4	00.0-01.0				579	89.5	85.8-93.2
65+	1073	79,501	26	3.4	01.6-05.2	17	2.0	00.8-03.2	3	0.5	00.0-01.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3	1025	93.9	91.7-96.1
Less Than H.S.	167	36,994	21	18.8	10.6-27.0	17	15.5	07.3-23.7	7	7.3	01.6-13.0	4	4.4	00.0-09.5	2	2.4	00.0-05.7	116	51.5	41.5-61.5
H.S. or G.E.D.	973	119,296	98	13.6	10.5-16.7	59	10.4	07.3-13.5	31	5.3	02.9-07.7	11	1.9	00.5-03.3	5	1.4	00.0-02.8	769	67.5	63.2-71.8
Some Post-H.S.	893	118,858	99	14.1	11.0-17.2	81	12.5	09.4-15.6	44	6.8	04.4-09.2	13	2.1	00.7-03.5	7	0.8	00.0-01.6	649	63.7	59.4-68.0
College Graduate	1125	94,652	164	18.6	15.5-21.7	138	14.8	12.1-17.5	49	5.6	03.8-07.4	18	1.3	00.5-02.1	2	0.1	00.0-00.3	754	59.6	55.9-63.3
Less than \$15,000	381	42,114	44	15.3	10.4-20.2	23	9.5	04.8-14.2	15	8.4	03.1-13.7	1	0.8	00.0-02.4	2	2.7	00.0-06.4	296	63.3	56.0-70.6
\$15,000- 24,999	363	46,752	42	16.8	10.5-23.1	24	11.5	06.0-17.0	19	10.2	05.1-15.3	9	5.2	00.9-09.5	3	0.6	00.0-01.4	266	55.6	47.8-63.4
\$25,000- 34,999	313	35,137	33	12.7	07.6-17.8	29	14.0	08.5-19.5	16	6.1	02.6-09.6	5	1.2	00.0-02.4	1	1.4	00.0-03.9	229	64.7	57.4-72.0
\$35,000- 49,999	403	47,396	49	12.7	08.6-16.8	33	13.7	08.4-19.0	13	5.3	01.8-08.8	4	1.2	00.0-02.4	4	1.4	00.0-03.0	300	65.6	59.1-72.1
\$50,000- 74,999	456	51,793	58	17.6	12.7-22.5	42	13.3	08.2-18.4	18	3.6	01.6-05.6	10	2.9	00.5-05.3	3	0.4	00.0-01.0	325	62.1	55.8-68.4
\$75,000+	751	88,370	124	18.7	15.2-22.2	117	16.1	12.8-19.4	32	4.7	02.9-06.5	14	1.6	00.4-02.8	1	0.0	00.0-00.0	463	58.9	54.4-63.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5167	709,320	2	0.0	00.0-00.0	73	2.6	01.8-03.4	261	10.7	09.1-12.3	1560	31.4	29.6-33.2	1393	29.8	28.0-31.6	1878	25.6	24.2-27.0
Male	2004	338,749	1	0.0	00.0-00.0	35	3.0	01.8-04.2	133	13.9	11.2-16.6	586	30.5	27.8-33.2	499	27.2	24.7-29.7	750	25.4	23.2-27.6
Female	3163	370,571	1	0.0	00.0-00.0	38	2.2	01.2-03.2	128	7.7	06.1-09.3	974	32.2	29.8-34.6	894	32.1	29.9-34.3	1128	25.7	23.9-27.5
White/Non-Hisp	4011	476,006	2	0.0	00.0-00.0	48	2.0	01.2-02.8	162	8.2	06.6-09.8	1217	32.0	30.0-34.0	1075	30.7	28.7-32.7	1507	27.2	25.6-28.8
Black or Afr. Am./Non-Hisp	730	141,183				10	2.0	00.4-03.6	70	17.3	13.0-21.6	238	32.7	28.4-37.0	202	28.4	24.3-32.5	210	19.6	16.5-22.7
Oth. Race/Non-Hisp.	140	27,750				3	1.1	00.0-02.7	6	3.6	00.0-07.3	24	20.8	09.8-31.8	30	25.0	15.4-34.6	77	49.4	37.8-61.0
MultiRacial/Non-Hisp.	105	9,133							5	7.8	01.1-14.5	35	37.1	25.9-48.3	39	42.1	30.9-53.3	26	13.1	06.6-19.6
Hispanic	154	52,348				12	11.1	04.0-18.2	17	20.6	11.2-30.0	37	26.6	17.8-35.4	43	26.1	17.5-34.7	45	15.6	10.3-20.9
18-24	311	91,129				3	1.5	00.0-03.3	21	13.4	07.7-19.1	132	42.6	36.1-49.1	107	33.0	27.1-38.9	48	9.5	06.6-12.4
25-34	528	115,044				7	2.9	00.4-05.4	28	12.2	07.7-16.7	111	24.6	20.1-29.1	142	28.5	23.6-33.4	240	31.8	27.3-36.3
35-44	641	112,367				6	3.0	00.5-05.5	21	9.7	05.4-14.0	142	25.3	21.0-29.6	164	28.3	23.8-32.8	308	33.7	29.4-38.0
45-54	917	130,142				7	1.8	00.4-03.2	40	9.2	06.1-12.3	262	30.6	26.7-34.5	243	30.5	26.6-34.4	365	27.8	24.5-31.1
55-64	1021	115,289	1	0.1	00.0-00.3	11	2.0	00.6-03.4	44	9.2	05.9-12.5	286	28.7	25.2-32.2	294	33.5	29.6-37.4	385	26.5	23.4-29.6
65+	1698	140,762	1	0.0	00.0-00.0	38	3.9	02.3-05.5	107	11.5	09.0-14.0	614	37.2	34.3-40.1	434	26.4	23.7-29.1	504	21.0	18.8-23.2
Less than \$15,000	600	82,032	1	0.1	00.0-00.3	19	5.4	01.9-08.9	60	20.7	15.0-26.4	269	39.3	33.8-44.8	166	26.8	22.1-31.5	85	7.6	05.4-09.8
\$15,000- 24,999	529	76,751	1	0.1	00.0-00.3	21	6.7	02.8-10.6	85	28.8	22.3-35.3	227	36.4	30.7-42.1	143	23.1	18.4-27.8	52	4.9	03.1-06.7
\$25,000- 34,999	486	63,601				9	5.2	01.3-09.1	24	11.3	05.8-16.8	191	35.7	30.0-41.4	150	33.8	27.9-39.7	112	14.0	10.5-17.5
\$35,000- 49,999	649	89,766				5	1.2	00.0-02.4	21	8.0	04.5-11.5	225	38.0	32.9-43.1	214	36.2	31.3-41.1	184	16.6	13.7-19.5
\$50,000- 74,999	767	104,928				1	0.2	00.0-00.6	16	5.4	02.1-08.7	193	29.9	25.4-34.4	239	38.6	33.9-43.3	318	25.9	22.4-29.4
\$75,000+	1425	196,581				3	0.5	00.0-01.1	16	3.6	01.6-05.6	200	18.8	15.9-21.7	299	26.5	23.4-29.6	907	50.7	47.2-54.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2004	338,749	1	0.0	00.0-00.0	35	3.0	01.8-04.2	133	13.9	11.2-16.6	586	30.5	27.8-33.2	499	27.2	24.7-29.7	750	25.4	23.2-27.6
White/Non-Hisp	1560	227,412	1	0.0	00.0-00.0	24	2.4	01.2-03.6	78	9.7	07.2-12.2	451	31.5	28.6-34.4	379	27.7	24.8-30.6	627	28.7	26.2-31.2
Black or Afr. Am./Non-Hisp	251	64,366				5	2.9	00.2-05.6	36	23.2	15.6-30.8	82	31.4	24.5-38.3	70	26.5	20.0-33.0	58	16.0	11.3-20.7
Oth. Race/Non-Hisp.	68	15,500				2	1.7	00.0-04.4	4	4.9	00.0-11.2	10	26.8	09.6-44.0	13	22.9	09.6-36.2	39	43.6	27.5-59.7
Hispanic	67	25,601				4	9.7	00.0-20.1	13	35.5	19.6-51.4	15	18.1	07.5-28.7	19	24.6	11.9-37.3	16	12.1	05.2-19.0
18-24	156	46,017				2	1.7	00.0-04.1	14	19.3	09.9-28.7	74	43.6	34.4-52.8	48	27.8	20.2-35.4	18	7.7	04.0-11.4
25-34	207	57,219				4	3.8	00.0-08.5	17	16.4	08.8-24.0	54	27.1	20.0-34.2	52	28.0	20.2-35.8	80	24.7	18.6-30.8
35-44	252	54,600				3	2.0	00.0-04.5	11	12.2	05.1-19.3	64	27.1	20.6-33.6	59	24.3	18.0-30.6	115	34.4	27.7-41.1
45-54	347	63,159				5	2.4	00.2-04.6	23	12.2	06.9-17.5	92	29.8	23.5-36.1	86	27.5	21.4-33.6	141	28.2	22.7-33.7
55-64	399	54,286	1	0.2	00.0-00.6	4	2.5	00.0-05.0	19	10.0	04.1-15.9	101	25.8	20.3-31.3	101	31.9	25.6-38.2	173	29.5	24.2-34.8
65+	628	61,763				17	5.0	01.9-08.1	49	14.7	10.2-19.2	195	31.3	26.8-35.8	152	24.5	20.4-28.6	215	24.3	20.6-28.0
Less than \$15,000	219	39,919	1	0.2	00.0-00.6	10	7.7	01.0-14.4	38	31.8	22.0-41.6	96	33.2	25.2-41.2	51	21.8	14.5-29.1	23	5.3	02.6-08.0
\$15,000- 24,999	168	30,396				5	2.8	00.0-05.7	32	33.9	22.3-45.5	76	39.7	29.7-49.7	36	18.9	11.5-26.3	19	4.6	02.1-07.1
\$25,000- 34,999	173	28,465				8	9.7	02.1-17.3	16	20.8	09.8-31.8	73	37.7	28.3-47.1	41	21.7	14.1-29.3	35	10.2	05.3-15.1
\$35,000- 49,999	246	42,369				4	1.9	00.0-04.1	14	10.9	05.0-16.8	88	41.0	33.0-49.0	77	32.7	25.1-40.3	63	13.4	09.3-17.5
\$50,000- 74,999	311	53,134				1	0.4	00.0-01.2	8	6.3	01.0-11.6	91	32.5	25.6-39.4	101	39.8	32.4-47.2	110	21.0	16.1-25.9
\$75,000+	674	108,211				3	0.9	00.0-01.9	10	4.6	01.5-07.7	100	20.1	15.8-24.4	135	24.5	20.0-29.0	426	49.9	45.0-54.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3163	370,571	1	0.0	00.0-00.0	38	2.2	01.2-03.2	128	7.7	06.1-09.3	974	32.2	29.8-34.6	894	32.1	29.9-34.3	1128	25.7	23.9-27.5
White/Non-Hisp	2451	248,594	1	0.0	00.0-00.0	24	1.6	00.8-02.4	84	6.8	05.0-08.6	766	32.5	30.0-35.0	696	33.3	30.8-35.8	880	25.8	23.8-27.8
Black or Afr. Am./Non-Hisp	479	76,817				5	1.2	00.0-02.8	34	12.3	07.6-17.0	156	33.8	28.5-39.1	132	30.0	24.7-35.3	152	22.7	18.6-26.8
Oth. Race/Non-Hisp.	72	12,250				1	0.3	00.0-00.9	2	2.0	00.0-04.7	14	13.2	03.0-23.4	17	27.7	13.8-41.6	38	56.9	41.8-72.0
MultiRacial/Non-Hisp.	59	4,768							3	9.6	00.0-20.4	13	27.1	12.4-41.8	24	44.6	29.3-59.9	19	18.6	07.8-29.4
Hispanic	87	26,747				8	12.3	02.5-22.1	4	6.3	00.0-13.2	22	34.8	21.7-47.9	24	27.5	16.1-38.9	29	19.1	11.1-27.1
18-24	155	45,112				1	1.3	00.0-03.8	7	7.3	01.8-12.8	58	41.6	32.4-50.8	59	38.4	29.6-47.2	30	11.4	06.9-15.9
25-34	321	57,825				3	2.0	00.0-04.5	11	8.0	03.1-12.9	57	22.1	16.4-27.8	90	29.1	23.0-35.2	160	38.8	32.5-45.1
35-44	389	57,767				3	3.9	00.0-08.2	10	7.4	02.5-12.3	78	23.5	17.6-29.4	105	32.1	26.0-38.2	193	33.1	27.6-38.6
45-54	570	66,983				2	1.3	00.0-03.3	17	6.4	03.3-09.5	170	31.4	26.5-36.3	157	33.4	28.3-38.5	224	27.5	23.4-31.6
55-64	622	61,003				7	1.6	00.2-03.0	25	8.4	04.7-12.1	185	31.3	26.6-36.0	193	35.0	30.3-39.7	212	23.7	20.0-27.4
65+	1070	79,000	1	0.1	00.0-00.3	21	3.0	01.4-04.6	58	8.9	06.2-11.6	419	41.7	37.8-45.6	282	27.9	24.6-31.2	289	18.4	15.9-20.9
Less than \$15,000	381	42,114				9	3.3	00.6-06.0	22	10.2	05.3-15.1	173	45.1	38.2-52.0	115	31.6	25.3-37.9	62	9.8	06.5-13.1
\$15,000- 24,999	361	46,355	1	0.1	00.0-00.3	16	9.2	03.1-15.3	53	25.5	18.2-32.8	151	34.3	27.4-41.2	107	25.8	19.7-31.9	33	5.1	02.7-07.5
\$25,000- 34,999	313	35,137				1	1.6	00.0-04.7	8	3.5	00.4-06.6	118	34.1	27.0-41.2	109	43.6	36.0-51.2	77	17.1	12.2-22.0
\$35,000- 49,999	403	47,396				1	0.6	00.0-01.8	7	5.3	01.4-09.2	137	35.3	29.2-41.4	137	39.3	32.8-45.8	121	19.4	15.3-23.5
\$50,000- 74,999	456	51,793							8	4.4	00.7-08.1	102	27.1	21.4-32.8	138	37.5	31.6-43.4	208	31.0	26.1-35.9
\$75,000+	751	88,370							6	2.3	00.1-04.5	100	17.1	13.2-21.0	164	28.9	24.4-33.4	481	51.7	47.0-56.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5166	709,193	2661	58.8	57.0-60.6	280	7.2	06.0-08.4	175	3.5	02.7-04.3	133	5.6	04.4-06.8	1699	20.9	19.7-22.1	218	4.0	03.2-04.8
Male	2004	338,486	1112	63.7	61.0-66.4	102	7.0	05.2-08.8	4	0.2	00.0-00.6	50	5.0	03.4-06.6	668	20.6	18.6-22.6	68	3.4	02.2-04.6
Female	3162	370,707	1549	54.3	51.9-56.7	178	7.4	06.0-08.8	171	6.5	05.1-07.9	83	6.2	04.6-07.8	1031	21.1	19.5-22.7	150	4.6	03.6-05.6
White/Non-Hisp	4008	475,884	2026	58.5	56.5-60.5	177	5.6	04.4-06.8	143	3.6	02.8-04.4	77	4.4	03.2-05.6	1446	24.7	23.3-26.1	139	3.2	02.4-04.0
Black or Afr. Am./Non-Hisp	730	140,856	387	56.4	51.7-61.1	71	12.2	08.7-15.7	15	2.4	00.8-04.0	33	6.9	04.4-09.4	172	15.6	12.7-18.5	52	6.5	04.1-08.9
Oth. Race/Non-Hisp.	141	27,769	89	69.8	59.0-80.6	10	5.8	01.1-10.5	3	1.3	00.0-03.1	8	13.1	03.3-22.9	28	9.2	04.1-14.3	3	0.9	00.0-02.1
MultiRacial/Non-Hisp.	105	9,133	48	50.4	39.0-61.8	12	13.4	05.2-21.6	4	2.4	00.0-05.1	6	8.6	01.7-15.5	24	16.6	08.8-24.4	11	8.6	02.5-14.7
Hispanic	155	52,690	97	63.6	53.8-73.4	9	7.9	01.6-14.2	9	7.1	02.2-12.0	9	9.0	02.5-15.5	18	6.3	02.6-10.0	13	6.1	01.8-10.4
18-24	311	91,129	181	52.0	45.3-58.7	26	8.2	04.5-11.9	4	1.5	00.0-03.3	97	37.5	30.8-44.2				3	0.8	00.0-01.8
25-34	528	115,044	423	80.2	75.9-84.5	40	9.3	05.8-12.8	32	5.3	03.1-07.5	26	3.7	02.1-05.3				7	1.5	00.3-02.7
35-44	641	112,275	534	80.7	76.4-85.0	39	7.9	04.8-11.0	33	4.4	02.4-06.4	8	1.2	00.2-02.2	5	1.0	00.0-02.0	22	4.8	02.3-07.3
45-54	917	130,142	722	78.1	74.4-81.8	77	9.6	06.9-12.3	30	3.5	01.9-05.1				29	2.5	01.3-03.7	59	6.3	04.1-08.5
55-64	1022	115,081	540	54.9	50.8-59.0	76	8.5	05.6-11.4	25	2.8	01.2-04.4	1	0.1	00.0-00.3	285	25.0	21.7-28.3	95	8.7	06.3-11.1
65+	1698	140,990	234	13.6	11.4-15.8	20	1.0	00.4-01.6	48	3.0	01.8-04.2	1	0.0	00.0-00.0	1364	80.5	78.1-82.9	31	1.7	00.9-02.5
Less Than H.S.	336	94,250	106	41.5	34.4-48.6	32	15.1	09.2-21.0	13	4.7	02.0-07.4	10	5.7	02.0-09.4	127	20.6	16.1-25.1	48	12.5	08.2-16.8
H.S. or G.E.D.	1557	222,395	700	54.0	50.7-57.3	113	8.4	06.6-10.2	67	4.4	03.0-05.8	39	6.9	04.5-09.3	564	22.9	20.5-25.3	74	3.5	02.5-04.5
Some Post-H.S.	1391	210,718	685	60.3	57.2-63.4	78	6.3	04.5-08.1	43	2.6	01.6-03.6	60	7.3	05.1-09.5	456	20.0	17.8-22.2	69	3.4	02.4-04.4
College Graduate	1877	181,218	1168	72.1	69.7-74.5	56	2.6	01.8-03.4	52	2.9	01.9-03.9	24	2.1	01.1-03.1	550	19.4	17.4-21.4	27	1.0	00.6-01.4
Less than \$15,000	599	81,650	217	46.7	40.8-52.6	50	12.7	08.0-17.4	18	3.2	01.4-05.0	9	2.7	00.5-04.9	261	27.0	22.7-31.3	44	7.7	04.6-10.8
\$15,000- 24,999	531	77,148	124	32.1	26.0-38.2	89	21.4	15.7-27.1	18	4.0	01.5-06.5	21	6.5	03.2-09.8	181	20.3	16.4-24.2	98	15.6	11.5-19.7
\$25,000- 34,999	486	63,601	227	58.3	52.2-64.4	31	7.8	04.1-11.5	18	4.8	01.7-07.9	5	1.5	00.0-03.1	189	25.3	20.6-30.0	16	2.3	00.9-03.7
\$35,000- 49,999	649	89,766	349	62.7	58.0-67.4	29	5.4	02.9-07.9	18	3.2	01.4-05.0	10	3.1	00.7-05.5	221	22.4	18.9-25.9	22	3.2	01.2-05.2
\$50,000- 74,999	767	104,928	461	68.7	64.4-73.0	19	3.3	01.3-05.3	22	2.8	01.0-04.6	12	3.6	01.1-06.1	239	19.4	16.5-22.3	14	2.2	00.6-03.8
\$75,000+	1423	196,442	1035	77.0	74.1-79.9	26	2.6	01.2-04.0	43	2.5	01.5-03.5	26	4.2	02.2-06.2	287	13.2	11.4-15.0	6	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2004	338,486	1112	63.7	61.0-66.4	102	7.0	05.2-08.8	4	0.2	00.0-00.6	50	5.0	03.4-06.6	668	20.6	18.6-22.6	68	3.4	02.2-04.6
White/Non-Hisp	1561	227,531	873	65.3	62.4-68.2	58	4.8	03.2-06.4	3	0.2	00.0-00.4	24	3.1	01.7-04.5	559	23.8	21.4-26.2	44	3.0	01.8-04.2
Black or Afr. Am./Non-Hisp	250	63,984	126	56.6	49.0-64.2	27	13.7	07.6-19.8				16	7.5	03.6-11.4	70	18.4	13.1-23.7	11	3.8	01.3-06.3
Oth. Race/Non-Hisp.	68	15,500	43	67.8	51.7-83.9	4	3.0	00.0-06.3				4	16.4	00.7-32.1	15	12.2	03.8-20.6	2	0.6	00.0-01.6
Hispanic	67	25,601	46	69.2	54.3-84.1	6	10.3	00.0-21.3	1	1.8	00.0-05.3	3	8.9	00.0-19.1	6	2.8	00.3-05.3	5	7.1	00.0-14.9
18-24	156	46,017	96	54.2	44.6-63.8	13	9.3	03.2-15.4				45	35.3	25.9-44.7				2	1.1	00.0-03.1
25-34	207	57,219	186	88.7	83.0-94.4	15	9.2	03.7-14.7				3	0.8	00.0-01.8				3	1.3	00.0-02.9
35-44	252	54,600	227	87.7	82.0-93.4	14	6.3	02.0-10.6	1	0.9	00.0-02.7	1	0.4	00.0-01.2	4	1.8	00.0-03.6	5	3.0	00.0-06.1
45-54	347	63,159	285	81.8	76.3-87.3	31	9.9	05.6-14.2	2	0.3	00.0-00.7				13	1.9	00.7-03.1	16	6.1	02.4-09.8
55-64	399	54,023	231	59.2	52.5-65.9	25	7.5	02.2-12.8							113	26.1	20.8-31.4	30	7.2	03.7-10.7
65+	628	61,763	79	12.0	08.9-15.1	3	0.3	00.0-00.7	1	0.3	00.0-00.9	1	0.1	00.0-00.3	533	85.9	82.6-89.2	11	1.3	00.1-02.5
Less Than H.S.	169	57,255	67	46.7	37.1-56.3	16	15.5	07.3-23.7				6	6.1	00.8-11.4	59	20.5	14.2-26.8	21	11.2	05.5-16.9
H.S. or G.E.D.	586	103,305	297	60.9	56.0-65.8	43	8.1	05.4-10.8				18	7.0	03.3-10.7	212	21.7	18.2-25.2	16	2.3	00.7-03.9
Some Post-H.S.	498	91,860	268	66.8	61.9-71.7	24	5.1	02.6-07.6	2	0.3	00.0-00.7	21	6.1	03.4-08.8	165	19.7	16.2-23.2	18	2.0	00.8-03.2
College Graduate	750	85,946	479	75.2	71.9-78.5	19	1.9	00.7-03.1	2	0.7	00.0-01.9	5	0.8	00.0-01.6	232	20.4	17.3-23.5	13	1.0	00.4-01.6
Less than \$15,000	218	39,537	81	47.7	38.3-57.1	20	16.2	07.8-24.6				2	1.4	00.0-03.6	102	28.0	20.9-35.1	13	6.8	01.7-11.9
\$15,000- 24,999	168	30,396	52	37.9	27.5-48.3	31	20.7	10.5-30.9				8	5.8	01.3-10.3	48	18.9	12.0-25.8	29	16.8	09.0-24.6
\$25,000- 34,999	173	28,465	76	60.3	50.7-69.9	15	6.7	02.2-11.2	1	1.6	00.0-04.7	1	1.4	00.0-04.1	73	27.6	19.4-35.8	7	2.3	00.1-04.5
\$35,000- 49,999	246	42,369	123	61.0	53.4-68.6	10	7.2	02.3-12.1				4	3.2	00.0-07.1	101	25.1	19.2-31.0	8	3.5	00.2-06.8
\$50,000- 74,999	311	53,134	193	72.2	65.7-78.7	9	4.1	00.6-07.6	1	0.4	00.0-01.2	2	2.7	00.0-06.8	102	19.3	14.8-23.8	4	1.3	00.0-03.1
\$75,000+	674	108,211	498	80.4	76.5-84.3	7	1.7	00.0-03.5	2	0.1	00.0-00.3	11	3.8	01.3-06.3	153	13.6	11.1-16.1	3	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3162	370,707	1549	54.3	51.9-56.7	178	7.4	06.0-08.8	171	6.5	05.1-07.9	83	6.2	04.6-07.8	1031	21.1	19.5-22.7	150	4.6	03.6-05.6
White/Non-Hisp	2447	248,353	1153	52.2	49.7-54.7	119	6.4	05.0-07.8	140	6.7	05.3-08.1	53	5.6	03.8-07.4	887	25.6	23.6-27.6	95	3.4	02.4-04.4
Black or Afr. Am./Non-Hisp	480	76,872	261	56.3	50.6-62.0	44	10.8	07.1-14.5	15	4.5	01.6-07.4	17	6.5	03.2-09.8	102	13.2	10.1-16.3	41	8.7	05.2-12.2
Oth. Race/Non-Hisp.	73	12,268	46	72.2	59.3-85.1	6	9.4	00.0-18.8	3	2.9	00.0-06.6	4	8.9	00.1-17.7	13	5.4	01.3-09.5	1	1.1	00.0-03.3
MultiRacial/Non-Hisp.	59	4,768	29	54.5	39.0-70.0	6	9.3	00.3-18.3	4	4.6	00.0-09.7	3	8.5	00.0-18.3	12	15.3	04.1-26.5	5	7.8	00.5-15.1
Hispanic	88	27,088	51	58.3	45.6-71.0	3	5.7	00.0-12.0	8	12.0	03.4-20.6	6	9.1	01.1-17.1	12	9.6	02.9-16.3	8	5.2	01.5-08.9
18-24	155	45,112	85	49.7	40.5-58.9	13	7.1	03.0-11.2	4	3.1	00.0-06.8	52	39.6	30.4-48.8				1	0.4	00.0-01.2
25-34	321	57,825	237	71.9	65.6-78.2	25	9.3	05.0-13.6	32	10.6	06.3-14.9	23	6.5	03.4-09.6				4	1.7	00.0-03.5
35-44	389	57,676	307	74.1	67.8-80.4	25	9.5	04.8-14.2	32	7.8	04.3-11.3	7	2.0	00.0-04.0	1	0.2	00.0-00.6	17	6.5	02.6-10.4
45-54	570	66,983	437	74.5	69.8-79.2	46	9.2	05.9-12.5	28	6.6	03.5-09.7				16	3.1	01.3-04.9	43	6.6	04.1-09.1
55-64	623	61,058	309	51.1	46.0-56.2	51	9.5	06.4-12.6	25	5.3	02.6-08.0	1	0.1	00.0-00.3	172	24.0	20.1-27.9	65	10.0	06.9-13.1
65+	1070	79,227	155	14.9	12.2-17.6	17	1.6	00.6-02.6	47	5.1	03.1-07.1				831	76.3	73.0-79.6	20	2.1	00.9-03.3
Less Than H.S.	167	36,994	39	33.4	23.4-43.4	16	14.5	07.1-21.9	13	11.9	05.2-18.6	4	5.0	00.0-10.1	68	20.7	14.4-27.0	27	14.5	07.8-21.2
H.S. or G.E.D.	971	119,090	403	48.0	43.7-52.3	70	8.6	06.2-11.0	67	8.2	05.7-10.7	21	6.8	03.9-09.7	352	23.8	20.7-26.9	58	4.6	03.0-06.2
Some Post-H.S.	893	118,858	417	55.3	51.2-59.4	54	7.3	04.9-09.7	41	4.4	02.6-06.2	39	8.2	05.3-11.1	291	20.3	17.6-23.0	51	4.5	02.9-06.1
College Graduate	1127	95,272	689	69.2	65.9-72.5	37	3.2	01.8-04.6	50	5.0	03.2-06.8	19	3.2	01.6-04.8	318	18.4	16.0-20.8	14	1.0	00.2-01.8
Less than \$15,000	381	42,114	136	45.7	38.8-52.6	30	9.5	05.6-13.4	18	6.1	02.6-09.6	7	3.9	00.2-07.6	159	26.1	21.2-31.0	31	8.6	05.1-12.1
\$15,000- 24,999	363	46,752	72	28.4	21.0-35.8	58	21.9	15.4-28.4	18	6.6	02.3-10.9	13	7.0	02.3-11.7	133	21.2	16.5-25.9	69	14.8	10.1-19.5
\$25,000- 34,999	313	35,137	151	56.6	49.2-64.0	16	8.7	03.0-14.4	17	7.4	02.3-12.5	4	1.5	00.0-03.3	116	23.4	18.3-28.5	9	2.4	00.4-04.4
\$35,000- 49,999	403	47,396	226	64.2	58.3-70.1	19	3.7	01.7-05.7	18	6.1	02.8-09.4	6	3.0	00.5-05.5	120	20.1	15.8-24.4	14	2.9	00.9-04.9
\$50,000- 74,999	456	51,793	268	65.1	59.4-70.8	10	2.5	00.9-04.1	21	5.3	02.0-08.6	10	4.6	01.5-07.7	137	19.5	15.8-23.2	10	3.0	00.3-05.7
\$75,000+	749	88,231	537	72.8	68.7-76.9	19	3.8	01.6-06.0	41	5.4	03.2-07.6	15	4.7	02.0-07.4	134	12.8	10.3-15.3	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4458	614,056	321	7.0	06.0-08.0	279	6.3	05.3-07.3	259	5.5	04.5-06.5	272	7.1	05.9-08.3	486	10.4	09.2-11.6	2841	63.7	61.7-65.7
Male	1791	302,493	127	7.3	05.5-09.1	92	5.9	04.1-07.7	84	4.7	03.3-06.1	84	5.4	03.8-07.0	173	9.4	07.4-11.4	1231	67.3	64.2-70.4
Female	2667	311,562	194	6.7	05.3-08.1	187	6.8	05.6-08.0	175	6.3	04.9-07.7	188	8.7	06.9-10.5	313	11.3	09.7-12.9	1610	60.2	57.7-62.7
White/Non-Hisp	3448	412,105	232	6.6	05.4-07.8	195	5.1	04.1-06.1	176	4.3	03.5-05.1	159	4.9	03.7-06.1	364	9.8	08.4-11.2	2322	69.3	67.3-71.3
Black or Afr. Am./Non-Hisp	643	123,398	58	7.5	05.1-09.9	61	9.8	06.9-12.7	56	8.1	05.6-10.6	83	14.8	10.7-18.9	80	10.4	07.7-13.1	305	49.4	44.5-54.3
Oth. Race/Non-Hisp.	119	22,851	6	2.7	00.2-05.2	4	0.9	00.0-01.9	6	2.2	00.0-04.6	7	4.3	00.0-08.8	12	6.1	01.2-11.0	84	83.8	76.4-91.2
MultiRacial/Non-Hisp.	93	8,049	8	9.9	02.3-17.5	6	5.9	00.0-11.8	8	9.8	02.4-17.2	12	11.5	04.2-18.8	10	13.6	05.0-22.2	49	49.2	37.0-61.4
Hispanic	138	45,898	14	10.8	03.9-17.7	12	11.0	03.4-18.6	12	10.2	03.7-16.7	11	6.3	01.4-11.2	19	17.1	08.5-25.7	70	44.6	34.0-55.2
18-24	225	62,786	25	9.1	05.2-13.0	16	7.2	02.9-11.5	19	7.7	04.0-11.4	32	14.5	09.0-20.0	16	7.6	03.5-11.7	117	53.8	46.2-61.4
25-34	490	106,851	30	7.0	03.9-10.1	25	7.0	03.7-10.3	19	4.3	01.9-06.7	33	8.5	05.2-11.8	72	14.8	10.7-18.9	311	58.4	52.7-64.1
35-44	596	104,838	30	6.6	03.5-09.7	26	5.2	02.7-07.7	12	4.0	01.5-06.5	25	4.2	01.8-06.6	43	9.4	05.9-12.9	460	70.7	65.4-76.0
45-54	850	121,629	34	3.9	02.3-05.5	43	5.0	03.2-06.8	27	3.4	01.6-05.2	54	6.7	04.3-09.1	69	6.5	04.5-08.5	623	74.5	70.8-78.2
55-64	909	102,634	47	4.9	03.1-06.7	51	5.4	03.6-07.2	52	5.5	03.3-07.7	53	5.6	02.9-08.3	90	8.8	06.4-11.2	616	69.7	65.6-73.8
65+	1364	112,932	154	11.7	09.3-14.1	118	8.7	06.7-10.7	129	9.0	07.0-11.0	75	6.2	04.2-08.2	195	14.2	11.7-16.7	693	50.2	46.7-53.7
Less Than H.S.	282	81,358	44	13.5	08.4-18.6	36	12.9	07.6-18.2	48	13.1	08.4-17.8	59	20.4	13.9-26.9	33	12.9	07.6-18.2	62	27.1	20.2-34.0
H.S. or G.E.D.	1305	185,337	137	8.7	06.7-10.7	132	8.7	06.9-10.5	113	6.8	05.0-08.6	114	8.3	06.3-10.3	191	12.2	10.0-14.4	618	55.2	51.7-58.7
Some Post-H.S.	1211	186,266	83	6.2	04.4-08.0	83	5.6	04.0-07.2	71	4.5	03.1-05.9	72	5.0	03.4-06.6	150	11.5	09.1-13.9	752	67.1	63.8-70.4
College Graduate	1658	160,698	57	2.7	01.7-03.7	28	1.2	00.6-01.8	26	1.0	00.4-01.6	26	1.3	00.7-01.9	112	5.6	04.2-07.0	1409	88.2	86.2-90.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1791	302,493	127	7.3	05.5-09.1	92	5.9	04.1-07.7	84	4.7	03.3-06.1	84	5.4	03.8-07.0	173	9.4	07.4-11.4	1231	67.3	64.4-70.2
White/Non-Hisp	1401	204,811	88	6.9	04.9-08.9	59	3.6	02.4-04.8	54	3.3	02.1-04.5	60	4.4	03.0-05.8	128	8.9	06.9-10.9	1012	72.9	70.0-75.8
Black or Afr. Am./Non-Hisp	221	55,456	23	8.0	04.1-11.9	22	10.6	05.5-15.7	21	9.2	04.9-13.5	19	12.6	05.7-19.5	21	7.0	03.5-10.5	115	52.7	44.5-60.9
Oth. Race/Non-Hisp.	61	13,122	3	2.2	00.0-04.7	1	0.6	00.0-01.8	3	1.2	00.0-02.6				5	6.2	00.0-13.3	49	89.8	82.0-97.6
Hispanic	63	24,623	7	10.8	00.8-20.8	8	17.1	04.0-30.2	4	7.0	00.0-14.6	3	1.3	00.0-03.1	9	18.3	05.0-31.6	32	45.5	29.8-61.2
18-24	116	32,921	13	10.1	04.4-15.8	8	7.5	00.4-14.6	9	6.3	01.8-10.8	16	11.4	04.9-17.9	7	6.1	01.2-11.0	63	58.6	48.0-69.2
25-34	195	54,164	13	7.0	02.3-11.7	9	7.3	01.8-12.8	7	3.7	00.6-06.8	7	5.4	00.7-10.1	28	14.4	07.9-20.9	131	62.2	53.4-71.0
35-44	236	51,410	9	7.1	01.6-12.6	10	5.9	01.6-10.2	2	1.4	00.0-03.4	8	2.3	00.5-04.1	14	7.7	02.6-12.8	193	75.7	67.9-83.5
45-54	326	59,912	14	3.6	01.1-06.1	17	5.3	02.4-08.2	9	3.8	01.1-06.5	20	6.4	02.7-10.1	21	4.9	02.5-07.3	245	76.0	70.1-81.9
55-64	363	49,771	20	5.1	02.2-08.0	12	3.4	01.0-05.8	21	6.4	02.7-10.1	14	4.7	00.0-09.8	31	8.2	04.7-11.7	265	72.2	65.3-79.1
65+	547	53,416	58	12.3	08.6-16.0	36	6.6	03.9-09.3	36	7.2	04.3-10.1	19	4.3	01.6-07.0	72	14.4	10.3-18.5	326	55.1	49.6-60.6
Less Than H.S.	150	50,650	30	16.4	09.1-23.7	19	14.9	07.1-22.7	19	9.5	04.4-14.6	18	12.5	04.9-20.1	24	17.1	09.3-24.9	40	29.5	20.1-38.9
H.S. or G.E.D.	524	92,512	54	7.7	05.2-10.2	42	6.6	04.1-09.1	39	6.4	03.9-08.9	37	6.7	04.2-09.2	73	11.6	08.5-14.7	279	61.0	55.9-66.1
Some Post-H.S.	441	82,093	27	6.0	03.1-08.9	24	4.6	02.2-07.0	18	3.5	01.5-05.5	18	3.5	01.5-05.5	41	7.5	04.8-10.2	313	74.9	70.0-79.8
College Graduate	676	77,238	16	2.2	00.8-03.6	7	0.6	00.2-01.0	8	0.6	00.0-01.2	11	1.2	00.4-02.0	35	3.8	02.0-05.6	599	91.7	89.3-94.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2667	311,562	194	6.7	05.3-08.1	187	6.8	05.6-08.0	175	6.3	04.9-07.7	188	8.7	06.9-10.5	313	11.3	09.7-12.9	1610	60.2	57.7-62.7
White/Non-Hisp	2047	207,295	144	6.3	04.9-07.7	136	6.5	05.1-07.9	122	5.2	03.8-06.6	99	5.5	03.9-07.1	236	10.7	08.9-12.5	1310	65.8	63.1-68.5
Black or Afr. Am./Non-Hisp	422	67,942	35	7.1	04.2-10.0	39	9.1	05.8-12.4	35	7.3	04.2-10.4	64	16.6	11.9-21.3	59	13.2	09.3-17.1	190	46.8	40.9-52.7
Oth. Race/Non-Hisp.	58	9,729	3	3.4	00.0-08.3	3	1.3	00.0-02.9	3	3.5	00.0-08.8	7	10.0	00.0-20.2	7	6.1	00.2-12.0	35	75.7	62.4-89.0
MultiRacial/Non-Hisp.	55	4,480	4	9.5	00.0-20.5	5	10.0	00.0-20.2	6	12.7	01.5-23.9	10	18.7	06.7-30.7	1	1.4	00.0-04.1	29	47.7	31.6-63.8
Hispanic	75	21,275	7	10.8	01.4-20.2	4	3.9	00.0-08.0	8	13.9	03.3-24.5	8	12.1	02.3-21.9	10	15.8	05.2-26.4	38	43.5	29.8-57.2
18-24	109	29,865	12	8.0	02.5-13.5	8	6.9	02.0-11.8	10	9.3	03.2-15.4	16	17.9	08.9-26.9	9	9.3	02.4-16.2	54	48.5	37.7-59.3
25-34	295	52,687	17	7.0	02.7-11.3	16	6.6	02.9-10.3	12	5.1	01.8-08.4	26	11.7	06.8-16.6	44	15.1	10.4-19.8	180	54.6	47.5-61.7
35-44	360	53,428	21	6.1	03.0-09.2	16	4.6	02.1-07.1	10	6.5	02.0-11.0	17	6.1	01.8-10.4	29	11.0	06.1-15.9	267	65.8	58.7-72.9
45-54	524	61,717	20	4.1	01.9-06.3	26	4.8	02.6-07.0	18	3.0	01.0-05.0	34	6.9	03.8-10.0	48	8.2	05.3-11.1	378	73.1	68.2-78.0
55-64	546	52,862	27	4.7	02.5-06.9	39	7.3	04.6-10.0	31	4.7	02.5-06.9	39	6.5	04.0-09.0	59	9.4	06.7-12.1	351	67.3	62.4-72.2
65+	817	59,515	96	11.1	08.6-13.6	82	10.6	07.7-13.5	93	10.7	08.2-13.2	56	7.8	04.9-10.7	123	14.0	11.1-16.9	367	45.8	41.5-50.1
Less Than H.S.	132	30,708	14	8.8	03.1-14.5	17	9.7	04.2-15.2	29	19.0	10.4-27.6	41	33.5	22.7-44.3	9	5.9	01.0-10.8	22	23.1	13.5-32.7
H.S. or G.E.D.	781	92,825	83	9.6	06.7-12.5	90	10.8	08.1-13.5	74	7.3	04.9-09.7	77	9.8	06.7-12.9	118	12.9	10.0-15.8	339	49.5	44.8-54.2
Some Post-H.S.	770	104,173	56	6.4	04.4-08.4	59	6.4	04.2-08.6	53	5.3	03.3-07.3	54	6.2	04.0-08.4	109	14.7	11.4-18.0	439	61.0	56.7-65.3
College Graduate	982	83,459	41	3.3	01.9-04.7	21	1.7	00.7-02.7	18	1.4	00.6-02.2	15	1.4	00.4-02.4	77	7.2	05.0-09.4	810	85.0	82.3-87.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4983	685,534	51	0.8	00.4-01.2	1606	30.3	28.5-32.1	2241	45.3	43.3-47.3	845	18.1	16.5-19.7	239	5.5	04.7-06.3	1	0.1	00.0-00.3
Male	1990	335,918	3	0.1	00.1-00.1	196	12.3	10.1-14.5	1065	53.0	50.1-55.9	569	26.8	24.3-29.3	156	7.7	06.1-09.3	1	0.2	00.0-00.6
Female	2993	349,616	48	1.4	00.8-02.0	1410	47.7	45.3-50.1	1176	37.9	35.5-40.3	276	9.7	08.3-11.1	83	3.4	02.4-04.4			
White/Non-Hisp	3861	460,562	40	0.7	00.3-01.1	1263	30.0	28.0-32.0	1745	45.6	43.4-47.8	637	18.4	16.6-20.2	176	5.2	04.2-06.2			
Black or Afr. Am./Non-Hisp	707	136,279	5	0.6	00.0-01.2	197	27.2	23.1-31.3	303	43.4	38.7-48.1	154	21.1	17.4-24.8	48	7.7	05.3-10.1			
Oth. Race/Non-Hisp.	137	27,059	4	3.4	00.0-07.5	53	41.3	29.9-52.7	63	49.0	37.2-60.8	13	5.0	01.1-08.9	4	1.4	00.0-03.2			
MultiRacial/Non-Hisp.	103	9,000	2	1.3	00.0-03.3	32	34.3	22.9-45.7	48	44.3	32.9-55.7	16	16.1	07.7-24.5	5	4.0	00.5-07.5			
Hispanic	150	49,909				55	35.6	26.0-45.2	67	43.9	33.7-54.1	22	14.2	06.9-21.5	5	4.6	00.3-08.9	1	1.6	00.0-04.7
18-24	303	87,922	3	1.6	00.0-03.6	157	51.8	45.1-58.5	110	35.8	29.3-42.3	28	9.3	05.6-13.0	5	1.5	00.0-03.1			
25-34	515	111,899	5	0.7	00.0-01.5	181	33.6	28.5-38.7	227	43.3	37.8-48.8	73	15.9	11.8-20.0	29	6.5	03.8-09.2			
35-44	620	107,832	7	0.5	00.0-01.1	185	24.3	20.2-28.4	288	49.9	44.8-55.0	100	17.7	13.8-21.6	39	6.8	04.4-09.2	1	0.7	00.0-02.1
45-54	873	125,236	5	0.2	00.0-00.4	240	21.5	18.2-24.8	401	48.2	43.9-52.5	177	23.7	19.8-27.6	50	6.4	04.2-08.6			
55-64	987	111,972	4	0.3	00.1-00.5	250	22.5	19.2-25.8	455	47.4	43.3-51.5	214	21.6	18.3-24.9	64	8.2	05.7-10.7			
65+	1648	137,175	27	1.4	00.8-02.0	573	32.4	29.5-35.3	749	45.3	42.2-48.4	248	17.7	15.2-20.2	51	3.3	02.1-04.5			
Less Than H.S.	326	90,854	1	0.2	00.0-00.6	94	26.8	20.5-33.1	147	48.0	40.7-55.3	63	17.7	12.6-22.8	20	6.4	03.3-09.5	1	0.9	00.0-02.7
H.S. or G.E.D.	1499	213,978	18	1.1	00.3-01.9	470	30.4	27.3-33.5	679	45.2	41.9-48.5	256	17.2	14.7-19.7	76	6.0	04.4-07.6			
Some Post-H.S.	1334	203,429	12	0.6	00.0-01.2	423	29.5	26.4-32.6	592	43.5	40.0-47.0	240	20.6	17.7-23.5	67	5.7	04.1-07.3			
College Graduate	1817	176,460	20	0.7	00.3-01.1	617	32.8	30.1-35.5	819	45.9	43.0-48.8	285	16.3	14.1-18.5	76	4.3	03.1-05.5			
Less than \$15,000	595	81,445	6	0.6	00.0-01.2	189	29.4	23.9-34.9	261	45.7	39.8-51.6	102	15.2	11.7-18.7	36	8.1	05.0-11.2	1	1.0	00.0-03.0
\$15,000- 24,999	519	74,804	11	2.3	00.0-04.7	174	33.6	27.7-39.5	220	42.3	36.0-48.6	77	14.5	10.2-18.8	37	7.2	04.3-10.1			
\$25,000- 34,999	468	61,890	3	0.3	00.0-00.7	138	25.2	19.9-30.5	223	46.0	39.5-52.5	77	19.2	14.1-24.3	27	9.2	05.3-13.1			
\$35,000- 49,999	629	87,114	6	0.8	00.0-01.6	181	24.0	19.9-28.1	292	45.4	40.3-50.5	122	24.7	20.0-29.4	28	5.0	02.5-07.5			
\$50,000- 74,999	738	100,987	8	0.4	00.0-00.8	221	27.7	23.6-31.8	362	50.8	45.9-55.7	113	15.9	12.4-19.4	34	5.2	03.0-07.4			
\$75,000+	1394	192,887	7	0.3	00.0-00.7	423	29.9	26.8-33.0	622	43.5	40.2-46.8	276	21.5	18.6-24.4	66	4.8	03.2-06.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1990	335,918	3	0.1	00.1-00.1	196	12.3	10.1-14.5	1065	53.0	50.1-55.9	569	26.8	24.3-29.3	156	7.7	06.1-09.3	1	0.2	00.0-00.6
White/Non-Hisp	1552	226,178	3	0.1	00.0-00.3	129	9.7	07.7-11.7	845	53.8	50.7-56.9	457	28.8	25.9-31.7	118	7.6	05.8-09.4			
Black or Afr. Am./Non-Hisp	247	63,307				40	17.4	11.7-23.1	105	46.4	38.6-54.2	75	26.1	19.6-32.6	27	10.1	06.0-14.2			
Oth. Race/Non-Hisp.	67	14,990				11	15.7	03.2-28.2	45	75.1	61.2-89.0	8	7.2	00.3-14.1	3	2.1	00.0-05.2			
Hispanic	67	25,601				12	20.4	07.7-33.1	34	47.1	31.6-62.6	16	23.5	10.4-36.6	4	5.9	00.0-12.4	1	3.1	00.0-09.2
18-24	154	45,521				48	32.7	23.9-41.5	80	51.2	41.6-60.8	22	14.3	08.0-20.6	4	1.8	00.0-04.0			
25-34	205	56,462				26	15.5	08.8-22.2	117	54.2	45.8-62.6	49	24.8	17.4-32.2	13	5.5	02.0-09.0			
35-44	249	53,908				24	9.3	05.0-13.6	128	53.1	45.5-60.7	71	26.1	19.6-32.6	25	10.0	05.7-14.3	1	1.5	00.0-04.4
45-54	344	62,707	1	0.1	00.0-00.3	17	4.8	02.1-07.5	183	52.6	45.7-59.5	111	33.0	26.5-39.5	32	9.5	05.4-13.6			
55-64	399	54,251	1	0.2	00.0-00.6	20	5.7	02.4-09.0	197	51.8	45.1-58.5	139	30.1	24.4-35.8	42	12.2	07.7-16.7			
65+	624	61,365	1	0.2	00.0-00.6	58	9.7	06.6-12.8	350	54.6	49.5-59.7	176	29.4	24.9-33.9	39	6.1	03.7-08.5			
Less Than H.S.	169	57,255				30	17.2	09.8-24.6	81	53.7	44.1-63.3	43	20.8	13.7-27.9	14	6.9	02.6-11.2	1	1.4	00.0-04.1
H.S. or G.E.D.	584	102,873	2	0.2	00.0-00.4	61	12.0	08.5-15.5	302	52.7	47.4-58.0	168	25.9	21.4-30.4	51	9.2	06.1-12.3			
Some Post-H.S.	490	90,339				49	12.6	08.7-16.5	261	49.2	43.5-54.9	141	30.8	25.5-36.1	39	7.4	04.7-10.1			
College Graduate	746	85,331	1	0.1	00.0-00.3	56	8.9	06.2-11.6	420	56.7	52.2-61.2	217	27.6	23.7-31.5	52	6.7	04.3-09.1			
Less than \$15,000	218	39,890	1	0.3	00.0-00.9	31	18.1	09.7-26.5	110	51.5	42.1-60.9	56	18.3	12.4-24.2	19	9.7	04.4-15.0	1	2.0	00.0-05.9
\$15,000- 24,999	166	30,137	1	0.3	00.0-00.9	23	13.5	07.0-20.0	90	57.9	47.5-68.3	37	20.0	12.0-28.0	15	8.3	02.6-14.0			
\$25,000- 34,999	172	28,354				18	10.3	04.2-16.4	96	51.1	40.5-61.7	45	27.7	18.3-37.1	13	10.9	04.2-17.6			
\$35,000- 49,999	246	42,369				16	8.4	03.7-13.1	133	47.6	39.6-55.6	78	37.1	29.1-45.1	19	7.0	03.1-10.9			
\$50,000- 74,999	307	52,029	1	0.1	00.0-00.3	20	8.9	04.6-13.2	178	58.6	51.3-65.9	82	23.7	17.8-29.6	26	8.7	04.8-12.6			
\$75,000+	669	107,135				53	10.4	07.1-13.7	341	50.6	45.7-55.5	217	31.5	27.0-36.0	58	7.5	05.0-10.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2993	349,616	48	1.4	00.8-02.0	1410	47.7	45.3-50.1	1176	37.9	35.5-40.3	276	9.7	08.3-11.1	83	3.4	02.4-04.4
White/Non-Hisp	2309	234,384	37	1.3	00.5-02.1	1134	49.5	46.8-52.2	900	37.8	35.3-40.3	180	8.5	06.9-10.1	58	2.9	01.9-03.9
Black or Afr. Am./Non-Hisp	460	72,971	5	1.1	00.1-02.1	157	35.8	30.1-41.5	198	40.8	35.1-46.5	79	16.8	12.5-21.1	21	5.6	03.1-08.1
Oth. Race/Non-Hisp.	70	12,069	4	7.6	00.0-16.4	42	73.0	60.1-85.9	18	16.6	06.4-26.8	5	2.2	00.0-04.7	1	0.5	00.0-01.5
MultiRacial/Non-Hisp.	58	4,664	2	2.5	00.0-06.2	28	51.6	35.9-67.3	21	34.2	19.5-48.9	5	7.7	00.0-15.9	2	4.0	00.0-09.5
Hispanic	83	24,308	43	51.7	38.4-65.0	33	40.6	27.5-53.7	6	4.5	00.4-08.6	1	3.2	00.0-09.3			
18-24	149	42,401	3	3.3	00.0-07.4	109	72.4	64.0-80.8	30	19.2	11.9-26.5	6	4.0	00.7-07.3	1	1.0	00.0-03.0
25-34	310	55,437	5	1.4	00.0-02.8	155	52.1	45.2-59.0	110	32.3	26.0-38.6	24	6.8	03.7-09.9	16	7.4	03.3-11.5
35-44	371	53,925	7	1.0	00.0-02.0	161	39.3	32.8-45.8	160	46.8	39.9-53.7	29	9.3	05.2-13.4	14	3.6	01.4-05.8
45-54	529	62,529	4	0.4	00.0-00.8	223	38.2	32.9-43.5	218	43.8	38.3-49.3	66	14.4	10.3-18.5	18	3.2	01.4-05.0
55-64	588	57,721	3	0.3	00.0-00.7	230	38.2	33.3-43.1	258	43.2	38.1-48.3	75	13.7	10.0-17.4	22	4.5	02.3-06.7
65+	1024	75,810	26	2.4	01.2-03.6	515	50.7	46.8-54.6	399	37.7	34.0-41.4	72	8.2	05.8-10.6	12	1.1	00.3-01.9
Less Than H.S.	157	33,598	1	0.6	00.0-01.8	64	43.1	32.9-53.3	66	38.3	28.3-48.3	20	12.5	06.0-19.0	6	5.5	01.0-10.0
H.S. or G.E.D.	915	111,105	16	2.0	00.4-03.6	409	47.5	43.0-52.0	377	38.3	34.0-42.6	88	9.2	06.8-11.6	25	3.0	01.6-04.4
Some Post-H.S.	844	113,090	12	1.2	00.2-02.2	374	43.0	38.7-47.3	331	39.0	34.7-43.3	99	12.6	09.7-15.5	28	4.3	02.3-06.3
College Graduate	1071	91,129	19	1.4	00.4-02.4	561	55.2	51.5-58.9	399	35.8	32.3-39.3	68	5.6	03.8-07.4	24	2.0	01.0-03.0
Less than \$15,000	377	41,555	5	0.9	00.0-02.1	158	40.2	33.3-47.1	151	40.1	33.2-47.0	46	12.3	08.2-16.4	17	6.5	02.8-10.2
\$15,000- 24,999	353	44,667	10	3.6	00.0-07.5	151	47.2	39.6-54.8	130	31.7	24.8-38.6	40	10.9	06.2-15.6	22	6.5	03.4-09.6
\$25,000- 34,999	296	33,535	3	0.5	00.0-01.3	120	37.9	30.3-45.5	127	41.8	34.0-49.6	32	12.0	07.1-16.9	14	7.9	03.4-12.4
\$35,000- 49,999	383	44,744	6	1.6	00.2-03.0	165	38.8	32.5-45.1	159	43.4	36.9-49.9	44	13.0	08.7-17.3	9	3.2	00.0-06.7
\$50,000- 74,999	431	48,959	7	0.8	00.2-01.4	201	47.6	41.3-53.9	184	42.6	36.3-48.9	31	7.6	04.1-11.1	8	1.5	00.3-02.7
\$75,000+	725	85,752	7	0.7	00.0-01.5	370	54.3	49.6-59.0	281	34.7	30.4-39.0	59	9.0	06.3-11.7	8	1.4	00.0-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5146	705,788	282	4.9	04.1-05.7	2452	42.8	41.0-44.6	2025	43.5	41.5-45.5	376	8.4	07.4-09.4	10	0.2	00.0-00.4	1	0.1	00.0-00.3
Male	1996	337,089	4	0.3	00.0-00.7	219	12.3	10.3-14.3	1394	69.6	66.9-72.3	370	17.3	15.1-19.5	8	0.3	00.1-00.5	1	0.2	00.0-00.6
Female	3150	368,699	278	9.2	07.8-10.6	2233	70.8	68.6-73.0	631	19.7	17.7-21.7	6	0.3	00.1-00.5	2	0.1	00.0-00.3			
White/Non-Hisp	3998	474,812	201	4.3	03.5-05.1	1888	42.1	40.1-44.1	1593	43.7	41.5-45.9	307	9.6	08.2-11.0	9	0.2	00.0-00.4			
Black or Afr. Am./Non-Hisp	724	140,160	39	4.0	02.4-05.6	365	42.6	38.1-47.1	276	46.6	41.9-51.3	43	6.6	04.2-09.0	1	0.2	00.0-00.6			
Oth. Race/Non-Hisp.	138	26,622	15	10.7	03.8-17.6	67	49.4	37.6-61.2	44	33.0	21.0-45.0	12	6.9	02.0-11.8						
MultiRacial/Non-Hisp.	104	9,104	10	8.3	01.8-14.8	46	39.8	28.8-50.8	41	43.7	32.3-55.1	7	8.2	01.3-15.1						
Hispanic	154	52,111	16	9.7	04.4-15.0	75	47.3	37.1-57.5	57	38.7	28.7-48.7	5	2.8	00.1-05.5				1	1.5	00.0-04.4
18-24	308	90,421	15	4.9	02.2-07.6	123	39.2	32.7-45.7	133	45.8	39.1-52.5	36	9.9	06.6-13.2	1	0.2	00.0-00.6			
25-34	525	114,032	28	4.9	02.7-07.1	229	41.5	36.2-46.8	221	43.7	38.2-49.2	45	9.7	06.6-12.8	2	0.2	00.0-00.4			
35-44	639	111,451	29	5.2	02.8-07.6	291	42.0	37.1-46.9	255	43.2	38.1-48.3	63	8.9	06.4-11.4				1	0.7	00.0-02.1
45-54	912	129,262	33	3.2	01.8-04.6	436	40.0	35.9-44.1	378	49.5	45.2-53.8	62	7.0	04.8-09.2	3	0.3	00.0-00.7			
55-64	1022	115,407	35	2.9	01.7-04.1	484	44.1	40.2-48.0	424	43.3	39.2-47.4	79	9.8	07.3-12.3						
65+	1690	140,654	140	8.1	06.3-09.9	862	48.2	45.1-51.3	596	37.2	34.3-40.1	88	6.1	04.5-07.7	4	0.4	00.0-00.8			
Less Than H.S.	334	93,555	25	5.6	02.7-08.5	143	37.9	31.2-44.6	143	49.5	42.4-56.6	20	5.8	02.9-08.7	2	0.4	00.0-01.0	1	0.9	00.0-02.7
H.S. or G.E.D.	1553	221,511	108	5.5	04.1-06.9	783	46.1	42.8-49.4	562	40.4	37.1-43.7	96	7.8	05.8-09.8	4	0.2	00.0-00.4			
Some Post-H.S.	1383	209,649	76	5.5	03.9-07.1	685	42.8	39.5-46.1	533	43.4	39.9-46.9	88	8.3	06.3-10.3	1	0.0	00.0-00.0			
College Graduate	1869	180,260	73	3.2	02.2-04.2	836	41.3	38.4-44.2	785	44.6	41.7-47.5	172	10.7	08.9-12.5	3	0.2	00.0-00.4			
Less than \$15,000	598	81,873	48	6.8	04.1-09.5	308	44.0	38.3-49.7	210	42.7	36.8-48.6	30	5.4	02.7-08.1	1	0.1	00.0-00.3	1	1.0	00.0-03.0
\$15,000- 24,999	527	76,583	46	11.9	07.4-16.4	286	47.9	41.6-54.2	168	34.6	28.3-40.9	25	5.3	02.9-07.7	2	0.4	00.0-01.0			
\$25,000- 34,999	484	62,691	29	4.0	02.0-06.0	258	49.9	43.6-56.2	161	36.7	30.6-42.8	34	8.9	05.4-12.4	2	0.5	00.0-01.3			
\$35,000- 49,999	648	89,701	38	3.8	02.2-05.4	302	41.7	36.6-46.8	260	44.2	39.1-49.3	48	10.3	06.8-13.8						
\$50,000- 74,999	762	103,973	26	2.9	01.5-04.3	348	40.1	35.6-44.6	335	47.7	42.8-52.6	53	9.2	06.5-11.9						
\$75,000+	1423	196,205	40	2.5	01.5-03.5	575	37.3	34.0-40.6	648	48.7	45.2-52.2	156	11.2	09.2-13.2	4	0.3	00.1-00.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1996	337,089	4	0.3	00.0-00.7	219	12.3	10.3-14.3	1394	69.6	66.9-72.3	370	17.3	15.1-19.5	8	0.3	00.1-00.5	1	0.2	00.0-00.6
White/Non-Hisp	1558	227,112	3	0.2	00.0-00.4	148	9.6	07.6-11.6	1096	69.8	66.9-72.7	303	20.0	17.5-22.5	8	0.5	00.1-00.9			
Black or Afr. Am./Non-Hisp	248	63,893	1	0.9	00.0-02.7	28	10.1	06.0-14.2	178	75.5	69.4-81.6	41	13.6	08.9-18.3						
Oth. Race/Non-Hisp.	66	14,641				17	32.6	17.3-47.9	37	54.9	38.2-71.6	12	12.5	03.5-21.5						
Hispanic	67	25,601				18	29.5	15.6-43.4	43	61.7	46.8-76.6	5	5.7	00.2-11.2				1	3.1	00.0-09.2
18-24	154	45,640				18	10.3	05.2-15.4	100	70.1	62.3-77.9	35	19.1	12.6-25.6	1	0.5	00.0-01.5			
25-34	205	56,495	1	1.0	00.0-03.0	23	14.9	08.0-21.8	134	64.1	55.9-72.3	45	19.6	13.5-25.7	2	0.4	00.0-01.0			
35-44	252	54,600	1	0.3	00.0-00.9	24	13.9	08.2-19.6	166	67.4	60.3-74.5	60	17.0	11.9-22.1				1	1.5	00.0-04.2
45-54	343	62,511	1	0.3	00.0-00.9	31	8.1	04.8-11.4	249	77.3	72.0-82.6	60	14.1	09.8-18.4	2	0.3	00.0-00.7			
55-64	400	54,405				34	10.7	06.2-15.2	287	68.5	62.2-74.8	79	20.8	15.5-26.1						
65+	627	61,734	1	0.1	00.0-00.3	88	15.8	11.9-19.7	447	69.4	64.7-74.1	88	14.0	10.5-17.5	3	0.8	00.0-01.8			
Less Than H.S.	169	57,255	1	1.0	00.0-03.0	30	17.3	10.0-24.6	115	70.2	61.6-78.8	20	9.5	04.8-14.2	2	0.6	00.0-01.6	1	1.4	00.0-04.1
H.S. or G.E.D.	582	102,483	2	0.3	00.0-00.7	84	14.9	11.2-18.6	400	68.0	63.1-72.9	94	16.5	12.6-20.4	2	0.2	00.0-00.4			
Some Post-H.S.	495	91,433				51	8.9	05.8-12.0	357	72.6	67.7-77.5	86	18.4	14.1-22.7	1	0.1	00.0-00.3			
College Graduate	749	85,798	1	0.1	00.0-00.3	54	9.3	06.2-12.4	521	68.0	63.7-72.3	170	22.2	18.7-25.7	3	0.5	00.0-01.1			
Less than \$15,000	217	39,760	2	1.8	00.0-04.7	39	17.7	10.3-25.1	145	67.5	58.5-76.5	29	10.7	05.2-16.2	1	0.3	00.0-00.9	1	2.0	00.0-05.9
\$15,000- 24,999	167	30,181				29	18.6	10.6-26.6	111	67.0	57.6-76.4	25	13.4	07.3-19.5	2	1.1	00.0-02.9			
\$25,000- 34,999	173	28,465	1	0.2	00.0-00.6	33	23.1	13.1-33.1	105	57.9	47.3-68.5	33	18.4	11.0-25.8	1	0.4	00.0-01.2			
\$35,000- 49,999	246	42,369				20	8.8	03.7-13.9	179	69.5	61.7-77.3	47	21.7	14.8-28.6						
\$50,000- 74,999	308	52,252	1	0.3	00.0-00.9	23	8.8	04.5-13.1	233	73.4	66.9-79.9	51	17.5	12.2-22.8						
\$75,000+	673	108,063				51	9.1	06.2-12.0	463	70.2	65.9-74.5	155	20.2	16.7-23.7	4	0.5	00.0-01.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3150	368,699	278	9.2	07.8-10.6	2233	70.8	68.6-73.0	631	19.7	17.7-21.7	6	0.3	00.1-00.5	2	0.1	00.0-00.3
White/Non-Hisp	2440	247,699	198	8.1	06.5-09.7	1740	72.0	69.6-74.4	497	19.7	17.7-21.7	4	0.2	00.0-00.4	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	476	76,266	38	6.7	04.2-09.2	337	69.8	64.5-75.1	98	22.5	17.6-27.4	2	0.8	00.0-01.8	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	72	11,981	15	23.8	10.3-37.3	50	70.0	55.7-84.3	7	6.2	00.0-13.1						
MultiRacial/Non-Hisp.	59	4,768	10	15.8	04.0-27.6	39	64.9	50.0-79.8	10	19.4	07.1-31.7						
Hispanic	87	26,510	16	19.0	09.0-29.0	57	64.5	52.2-76.8	14	16.6	07.0-26.2						
18-24	154	44,780	15	9.9	04.4-15.4	105	68.5	60.1-76.9	33	21.0	13.6-28.4	1	0.6	00.0-01.8			
25-34	320	57,537	27	8.7	05.0-12.4	206	67.6	61.3-73.9	87	23.7	18.2-29.2						
35-44	387	56,852	28	9.9	05.4-14.4	267	69.1	63.0-75.2	89	20.0	15.1-24.9	3	1.1	00.0-02.5			
45-54	569	66,751	32	5.9	03.2-08.6	405	70.0	65.1-74.9	129	23.5	19.2-27.8	2	0.3	00.0-00.9	1	0.4	00.0-01.2
55-64	622	61,001	35	5.4	03.0-07.8	450	73.8	69.5-78.1	137	20.8	16.7-24.9						
65+	1063	78,920	139	14.4	11.5-17.3	774	73.5	70.0-77.0	149	12.0	09.6-14.4				1	0.0	00.0-00.0
Less Than H.S.	165	36,300	24	12.9	06.0-19.8	113	70.3	61.3-79.3	28	16.8	09.7-23.9						
H.S. or G.E.D.	971	119,027	106	10.0	07.5-12.5	699	72.9	69.2-76.6	162	16.6	13.5-19.7	2	0.4	00.0-01.0	2	0.2	00.0-00.6
Some Post-H.S.	888	118,215	76	9.7	07.2-12.2	634	69.0	64.9-73.1	176	20.9	17.2-24.6	2	0.4	00.0-01.0			
College Graduate	1120	94,462	72	6.1	04.1-08.1	782	70.4	67.1-73.7	264	23.3	20.2-26.4	2	0.2	00.0-00.4			
Less than \$15,000	381	42,114	46	11.5	07.2-15.8	269	68.8	62.5-75.1	65	19.2	13.9-24.5	1	0.4	00.0-01.2			
\$15,000- 24,999	360	46,402	46	19.6	12.7-26.5	257	66.9	59.5-74.3	57	13.5	08.6-18.4						
\$25,000- 34,999	311	34,227	28	7.2	03.9-10.5	225	72.2	65.5-78.9	56	19.0	13.1-24.9	1	0.9	00.0-02.7	1	0.7	00.0-02.1
\$35,000- 49,999	402	47,331	38	7.2	04.5-09.9	282	71.1	65.2-77.0	81	21.6	16.1-27.1	1	0.1	00.0-00.3			
\$50,000- 74,999	454	51,721	25	5.6	02.9-08.3	325	71.8	66.3-77.3	102	21.8	16.9-26.7	2	0.8	00.0-02.0			
\$75,000+	750	88,143	40	5.5	03.3-07.7	524	71.9	67.8-76.0	185	22.5	18.8-26.2	1	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5145	703,906	5117	99.5	99.3-99.7	15	0.3	00.1-00.5	13	0.2	00.0-00.4
Male	1992	335,463	1984	99.6	99.2-0100	6	0.2	00.0-00.4	2	0.1	00.0-00.3
Female	3153	368,443	3133	99.3	98.9-99.7	9	0.4	00.0-00.8	11	0.3	00.1-00.5
White/Non-Hisp	3994	472,789	3977	99.6	99.4-99.8	9	0.2	00.0-00.4	8	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	725	139,830	720	99.5	98.9-0100	3	0.5	00.0-01.1	2	0.0	00.0-00.0
Oth. Race/Non-Hisp.	140	27,530	138	98.0	95.1-0100	1	1.3	00.0-03.8	1	0.7	00.0-02.1
MultiRacial/Non-Hisp.	105	9,133	104	99.7	99.1-0100	1	0.3	00.0-00.9			
Hispanic	153	51,644	151	99.3	98.1-0100	1	0.1	00.0-00.3	1	0.6	00.0-01.8
18-24	306	89,835	304	99.3	98.1-0100	1	0.6	00.0-01.8	1	0.1	00.0-00.3
25-34	520	113,626	512	98.7	97.7-99.7	3	0.4	00.0-01.0	5	0.9	00.1-01.7
35-44	637	110,542	635	99.9	99.7-0100	2	0.1	00.0-00.3			
45-54	913	129,417	911	99.9	99.7-0100	2	0.1	00.0-00.3			
55-64	1020	115,101	1019	100.0	0100-0100	1	0.0	00.0-00.0			
65+	1698	140,798	1686	99.1	98.3-99.9	5	0.5	00.0-01.1	7	0.3	00.1-00.5
Less Than H.S.	335	93,449	332	98.8	97.4-0100	3	1.2	00.0-02.6			
H.S. or G.E.D.	1555	221,398	1547	99.7	99.3-0100	3	0.1	00.1-00.1	5	0.3	00.0-00.7
Some Post-H.S.	1382	208,693	1376	99.8	99.6-0100	5	0.2	00.0-00.4	1	0.0	00.0-00.0
College Graduate	1866	179,552	1856	99.2	98.6-99.8	4	0.3	00.0-00.7	6	0.5	00.1-00.9
Less than \$15,000	598	80,993	596	99.4	98.4-0100	1	0.5	00.0-01.5	1	0.0	00.0-00.0
\$15,000- 24,999	527	76,422	524	99.7	99.3-0100	2	0.2	00.0-00.6	1	0.1	00.0-00.3
\$25,000- 34,999	481	62,735	480	99.9	99.7-0100	1	0.1	00.0-00.3			
\$35,000- 49,999	645	88,874	640	99.4	98.6-0100	4	0.3	00.0-00.7	1	0.3	00.0-00.9
\$50,000- 74,999	763	104,060	762	100.0	0100-0100	1	0.0	00.0-00.0			
\$75,000+	1418	195,267	1412	99.6	99.2-0100	3	0.2	00.0-00.6	3	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1992	335,463	1984	99.6	99.2-0100	6	0.2	00.0-00.4	2	0.1	00.0-00.3
White/Non-Hisp	1552	225,798	1550	99.9	99.9-99.9	2	0.1	00.1-00.1			
Black or Afr. Am./Non-Hisp	248	63,494	246	99.1	97.7-0100	2	0.9	00.0-02.3			
Oth. Race/Non-Hisp.	68	15,500	67	98.8	96.4-0100				1	1.2	00.0-03.6
Hispanic	66	24,801	64	98.6	96.2-0100	1	0.2	00.0-00.6	1	1.2	00.0-03.6
18-24	154	45,388	154	100.0	0100-0100						
25-34	207	57,219	204	99.1	97.9-0100	1	0.1	00.0-00.3	2	0.9	00.0-02.1
35-44	248	52,876	247	99.8	99.4-0100	1	0.2	00.0-00.6			
45-54	344	62,699	344	100.0	0100-0100						
55-64	398	54,140	398	100.0	0100-0100						
65+	626	61,436	623	99.0	97.4-0100	3	1.0	00.0-02.6			
Less Than H.S.	168	56,455	166	99.0	97.4-0100	2	1.0	00.0-02.6			
H.S. or G.E.D.	583	102,496	582	100.0	0100-0100	1	0.0	00.0-00.0			
Some Post-H.S.	495	91,158	493	99.9	99.7-0100	2	0.1	00.0-00.3			
College Graduate	745	85,235	742	99.4	98.6-0100	1	0.1	00.0-00.3	2	0.6	00.0-01.4
Less than \$15,000	218	39,118	217	98.9	96.7-0100	1	1.1	00.0-03.3			
\$15,000- 24,999	167	30,256	165	99.4	98.4-0100	2	0.6	00.0-01.6			
\$25,000- 34,999	168	27,598	168	100.0	0100-0100						
\$35,000- 49,999	245	42,060	243	99.7	99.3-0100	2	0.3	00.0-00.7			
\$50,000- 74,999	309	52,465	308	99.9	99.7-0100	1	0.1	00.0-00.3			
\$75,000+	671	107,591	670	99.8	99.4-0100				1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3153	368,443	3133	99.3	98.9-99.7	9	0.4	00.0-00.8	11	0.3	00.1-00.5
White/Non-Hisp	2442	246,991	2427	99.3	98.7-99.9	7	0.4	00.0-00.8	8	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	477	76,337	474	99.8	99.6-0100	1	0.1	00.0-00.3	2	0.1	00.0-00.3
Oth. Race/Non-Hisp.	72	12,030	71	97.0	91.1-0100	1	3.0	00.0-08.9			
MultiRacial/Non-Hisp.	59	4,768	59	100.0	0100-0100						
Hispanic	87	26,844	87	100.0	0100-0100						
18-24	152	44,447	150	98.6	96.2-0100	1	1.1	00.0-03.3	1	0.3	00.0-00.9
25-34	313	56,407	308	98.3	96.5-0100	2	0.8	00.0-02.2	3	0.9	00.0-02.1
35-44	389	57,666	388	99.9	99.7-0100	1	0.1	00.0-00.3			
45-54	569	66,717	567	99.8	99.6-0100	2	0.2	00.0-00.4			
55-64	622	60,961	621	99.9	99.7-0100	1	0.1	00.0-00.3			
65+	1072	79,362	1063	99.2	98.6-99.8	2	0.2	00.0-00.6	7	0.6	00.0-01.2
Less Than H.S.	167	36,994	166	98.6	95.9-0100	1	1.4	00.0-04.1			
H.S. or G.E.D.	972	118,903	965	99.4	98.8-0100	2	0.1	00.0-00.3	5	0.5	00.0-01.1
Some Post-H.S.	887	117,535	883	99.8	99.6-0100	3	0.2	00.0-00.4	1	0.0	00.0-00.0
College Graduate	1121	94,317	1114	99.1	98.1-0100	3	0.5	00.0-01.3	4	0.4	00.0-00.8
Less than \$15,000	380	41,875	379	100.0	0100-0100				1	0.0	00.0-00.0
\$15,000- 24,999	360	46,165	359	99.9	99.7-0100				1	0.1	00.0-00.3
\$25,000- 34,999	313	35,137	312	99.8	99.4-0100	1	0.2	00.0-00.6			
\$35,000- 49,999	400	46,814	397	99.1	97.9-0100	2	0.3	00.0-00.7	1	0.6	00.0-01.8
\$50,000- 74,999	454	51,596	454	100.0	0100-0100						
\$75,000+	747	87,676	742	99.2	98.2-0100	3	0.5	00.0-01.3	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5174	710,133	5057	97.8	97.2-98.4	40	0.6	00.4-00.8	77	1.5	01.1-01.9
Male	2005	338,868	1959	97.7	96.7-98.7	17	0.6	00.2-01.0	29	1.8	01.0-02.6
Female	3169	371,265	3098	98.0	97.4-98.6	23	0.7	00.3-01.1	48	1.3	00.9-01.7
White/Non-Hisp	4014	476,325	3936	98.2	97.6-98.8	28	0.5	00.3-00.7	50	1.3	00.9-01.7
Black or Afr. Am./Non-Hisp	731	141,238	714	97.6	96.2-99.0	5	0.8	00.0-01.6	12	1.6	00.4-02.8
Oth. Race/Non-Hisp.	141	27,769	135	96.2	92.7-99.7	2	1.8	00.0-04.5	4	2.0	00.0-04.2
MultiRacial/Non-Hisp.	105	9,133	101	97.8	95.4-0100	1	0.3	00.0-00.9	3	1.9	00.0-04.3
Hispanic	155	52,690	151	97.4	94.1-0100	2	0.5	00.0-01.3	2	2.1	00.0-05.2
18-24	311	91,129	305	98.7	97.7-99.7	3	0.7	00.0-01.5	3	0.6	00.0-01.4
25-34	528	115,044	516	97.9	96.5-99.3	5	0.7	00.0-01.5	7	1.4	00.2-02.6
35-44	642	112,385	630	97.6	95.8-99.4	4	0.5	00.0-01.1	8	1.9	00.1-03.7
45-54	918	130,262	905	98.4	97.4-99.4	2	0.3	00.0-00.7	11	1.3	00.3-02.3
55-64	1023	115,463	1013	98.7	97.7-99.7	1	0.2	00.0-00.6	9	1.1	00.1-02.1
65+	1701	141,264	1649	96.9	95.7-98.1	24	1.3	00.5-02.1	28	1.8	01.0-02.6
Less Than H.S.	336	94,250	326	97.3	95.1-99.5	5	0.6	00.0-01.2	5	2.0	00.0-04.2
H.S. or G.E.D.	1560	222,650	1525	97.7	96.7-98.7	14	0.8	00.2-01.4	21	1.5	00.7-02.3
Some Post-H.S.	1393	211,125	1369	98.8	98.2-99.4	7	0.4	00.0-00.8	17	0.8	00.4-01.2
College Graduate	1878	181,295	1832	97.2	96.2-98.2	13	0.7	00.1-01.3	33	2.1	01.3-02.9
Less than \$15,000	600	82,032	595	98.5	96.5-0100	2	0.4	00.0-01.2	3	1.2	00.0-03.2
\$15,000- 24,999	531	77,148	526	99.2	98.2-0100	3	0.3	00.0-00.7	2	0.6	00.0-01.6
\$25,000- 34,999	486	63,601	478	98.3	96.7-99.9	4	0.4	00.0-01.0	4	1.3	00.0-02.9
\$35,000- 49,999	649	89,766	639	98.7	97.7-99.7	2	0.3	00.0-00.7	8	1.0	00.2-01.8
\$50,000- 74,999	767	104,928	760	98.6	97.4-99.8	4	0.7	00.0-01.5	3	0.7	00.0-01.7
\$75,000+	1425	196,581	1403	98.2	97.4-99.0	9	0.6	00.0-01.2	13	1.1	00.3-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2005	338,868	1959	97.7	96.7-98.7	17	0.6	00.2-01.0	29	1.8	01.0-02.6
White/Non-Hisp	1561	227,531	1533	98.4	97.6-99.2	12	0.5	00.1-00.9	16	1.0	00.4-01.6
Black or Afr. Am./Non-Hisp	251	64,366	243	96.6	93.9-99.3	3	0.9	00.0-02.1	5	2.6	00.2-05.0
Oth. Race/Non-Hisp.	68	15,500	64	95.7	91.4-0100	1	1.0	00.0-03.0	3	3.3	00.0-07.2
Hispanic	67	25,601	65	95.7	89.2-0100				2	4.3	00.0-10.8
18-24	156	46,017	153	98.7	97.1-0100	3	1.3	00.0-02.9			
25-34	207	57,219	203	98.8	97.4-0100	1	0.1	00.0-00.3	3	1.2	00.0-02.6
35-44	252	54,600	244	95.7	92.0-99.4	2	0.7	00.0-01.9	6	3.5	00.0-07.0
45-54	347	63,159	341	98.1	96.3-99.9	1	0.5	00.0-01.5	5	1.5	00.0-03.1
55-64	400	54,405	397	98.5	96.5-0100				3	1.5	00.0-03.5
65+	628	61,763	611	97.5	95.9-99.1	9	0.9	00.1-01.7	8	1.6	00.2-03.0
Less Than H.S.	169	57,255	164	96.9	93.6-0100	2	0.6	00.0-01.6	3	2.5	00.0-05.6
H.S. or G.E.D.	586	103,305	574	97.8	96.2-99.4	7	0.8	00.0-01.6	5	1.4	00.0-02.8
Some Post-H.S.	499	92,242	490	98.7	97.7-99.7	3	0.4	00.0-01.0	6	0.9	00.1-01.7
College Graduate	750	85,946	730	96.9	95.3-98.5	5	0.4	00.0-01.0	15	2.7	01.1-04.3
Less than \$15,000	219	39,919	216	97.2	93.1-0100	2	0.8	00.0-02.2	1	2.0	00.0-05.9
\$15,000- 24,999	168	30,396	167	100.0	0100-0100	1	0.0	00.0-00.0			
\$25,000- 34,999	173	28,465	167	96.9	93.6-0100	2	0.3	00.0-00.7	4	2.8	00.0-06.1
\$35,000- 49,999	246	42,369	240	98.4	97.0-99.8	2	0.6	00.0-01.4	4	1.1	00.0-02.3
\$50,000- 74,999	311	53,134	306	97.9	95.7-0100	3	1.1	00.0-02.7	2	1.0	00.0-02.8
\$75,000+	674	108,211	660	97.7	96.3-99.1	5	0.6	00.0-01.2	9	1.7	00.5-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3169	371,265	3098	98.0	97.4-98.6	23	0.7	00.3-01.1	48	1.3	00.9-01.7
White/Non-Hisp	2453	248,794	2403	98.0	97.4-98.6	16	0.4	00.2-00.6	34	1.6	01.0-02.2
Black or Afr. Am./Non-Hisp	480	76,872	471	98.4	97.0-99.8	2	0.8	00.0-02.2	7	0.7	00.1-01.3
Oth. Race/Non-Hisp.	73	12,268	71	96.8	91.1-0100	1	3.0	00.0-08.7	1	0.3	00.0-00.9
MultiRacial/Non-Hisp.	59	4,768	57	97.7	94.2-0100				2	2.3	00.0-05.8
Hispanic	88	27,088	86	99.0	97.4-0100	2	1.0	00.0-02.6			
18-24	155	45,112	152	98.8	97.4-0100				3	1.2	00.0-02.6
25-34	321	57,825	313	97.1	94.9-99.3	4	1.3	00.0-02.9	4	1.6	00.0-03.4
35-44	390	57,786	386	99.4	98.8-0100	2	0.3	00.0-00.7	2	0.4	00.0-01.0
45-54	571	67,102	564	98.8	97.8-99.8	1	0.2	00.0-00.6	6	1.1	00.1-02.1
55-64	623	61,058	616	99.0	98.0-0100	1	0.4	00.0-01.2	6	0.7	00.1-01.3
65+	1073	79,501	1038	96.5	94.9-98.1	15	1.6	00.2-03.0	20	1.9	00.9-02.9
Less Than H.S.	167	36,994	162	98.0	95.8-0100	3	0.7	00.0-01.7	2	1.3	00.0-03.5
H.S. or G.E.D.	974	119,345	951	97.6	96.2-99.0	7	0.8	00.0-01.8	16	1.7	00.7-02.7
Some Post-H.S.	894	118,883	879	98.9	98.3-99.5	4	0.3	00.0-00.7	11	0.8	00.2-01.4
College Graduate	1128	95,348	1102	97.5	96.3-98.7	8	0.9	00.0-01.9	18	1.6	00.8-02.4
Less than \$15,000	381	42,114	379	99.6	99.0-0100				2	0.4	00.0-01.0
\$15,000- 24,999	363	46,752	359	98.7	96.9-0100	2	0.4	00.0-01.0	2	0.9	00.0-02.5
\$25,000- 34,999	313	35,137	311	99.5	98.5-0100	2	0.5	00.0-01.5			
\$35,000- 49,999	403	47,396	399	99.1	97.9-0100				4	0.9	00.0-02.1
\$50,000- 74,999	456	51,793	454	99.3	98.3-0100	1	0.3	00.0-00.9	1	0.3	00.0-00.9
\$75,000+	751	88,370	743	98.8	97.8-99.8	4	0.7	00.0-01.5	4	0.5	00.0-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4192	460,166	225	4.8	03.8-05.8	3967	95.2	94.2-96.2
Male	1550	206,706	112	6.4	04.6-08.2	1438	93.6	91.8-95.4
Female	2642	253,460	113	3.5	02.7-04.3	2529	96.5	95.7-97.3
White/Non-Hisp	3368	335,064	185	4.7	03.9-05.5	3183	95.3	94.5-96.1
Black or Afr. Am./Non-Hisp	524	76,245	21	4.0	01.8-06.2	503	96.0	93.8-98.2
Oth. Race/Non-Hisp.	100	16,578	11	14.8	01.9-27.7	89	85.2	72.3-98.1
MultiRacial/Non-Hisp.	76	5,096	3	3.3	00.0-07.2	73	96.7	92.8-0100
Hispanic	103	25,432	4	2.3	00.0-04.8	99	97.7	95.2-0100
18-24	118	31,268	7	7.6	00.2-15.0	111	92.4	85.0-99.8
25-34	280	43,140	7	2.8	00.4-05.2	273	97.2	94.8-99.6
35-44	479	67,919	23	3.8	02.0-05.6	456	96.2	94.4-98.0
45-54	734	91,327	53	5.3	03.5-07.1	681	94.7	92.9-96.5
55-64	897	91,421	56	5.2	03.4-07.0	841	94.8	93.0-96.6
65+	1638	131,278	78	4.7	03.3-06.1	1560	95.3	93.9-96.7
Less Than H.S.	249	47,254	6	2.2	00.0-04.6	243	97.8	95.4-0100
H.S. or G.E.D.	1258	144,569	52	3.8	02.0-05.6	1206	96.2	94.4-98.0
Some Post-H.S.	1106	137,863	54	4.7	03.1-06.3	1052	95.3	93.7-96.9
College Graduate	1573	129,749	113	7.0	05.4-08.6	1460	93.0	91.4-94.6
Less than \$15,000	492	51,081	14	4.3	01.2-07.4	478	95.7	92.6-98.8
\$15,000- 24,999	404	39,330	7	1.1	00.0-02.3	397	98.9	97.7-0100
\$25,000- 34,999	386	38,413	8	1.2	00.4-02.0	378	98.8	98.0-99.6
\$35,000- 49,999	509	55,197	24	4.1	02.1-06.1	485	95.9	93.9-97.9
\$50,000- 74,999	620	68,459	26	3.4	01.4-05.4	594	96.6	94.6-98.6
\$75,000+	1178	142,506	106	7.0	05.4-08.6	1072	93.0	91.4-94.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1550	206,706	112	6.4	04.6-08.2	1438	93.6	91.8-95.4
White/Non-Hisp	1255	150,884	89	5.7	04.1-07.3	1166	94.3	92.7-95.9
Black or Afr. Am./Non-Hisp	166	31,922	8	5.5	00.8-10.2	158	94.5	89.8-99.2
18-24	61	15,641	6	13.2	00.0-26.7	55	86.8	73.3-0100
25-34	107	21,283	5	5.2	00.5-09.9	102	94.8	90.1-99.5
35-44	169	28,999	7	3.2	00.5-05.9	162	96.8	94.1-99.5
45-54	263	41,775	28	6.1	03.4-08.8	235	93.9	91.2-96.6
55-64	342	41,990	29	7.0	03.5-10.5	313	93.0	89.5-96.5
65+	595	55,759	36	6.3	03.6-09.0	559	93.7	91.0-96.4
Less Than H.S.	119	26,533	3	2.8	00.0-06.7	116	97.2	93.3-0100
H.S. or G.E.D.	436	60,625	20	5.7	01.8-09.6	416	94.3	90.4-98.2
Some Post-H.S.	376	57,655	25	6.0	03.1-08.9	351	94.0	91.1-96.9
College Graduate	618	61,774	64	8.9	06.2-11.6	554	91.1	88.4-93.8
Less than \$15,000	174	24,007	8	6.6	00.9-12.3	166	93.4	87.7-99.1
\$15,000- 24,999	119	14,702	3	1.0	00.0-02.4	116	99.0	97.6-0100
\$25,000- 34,999	132	16,710	2	0.6	00.0-01.6	130	99.4	98.4-0100
\$35,000- 49,999	182	24,171	11	4.4	01.1-07.7	171	95.6	92.3-98.9
\$50,000- 74,999	233	29,376	15	5.6	01.5-09.7	218	94.4	90.3-98.5
\$75,000+	542	75,415	56	7.8	05.3-10.3	486	92.2	89.7-94.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2642	253,460	113	3.5	02.7-04.3	2529	96.5	95.7-97.3
White/Non-Hisp	2113	184,180	96	3.9	02.9-04.9	2017	96.1	95.1-97.1
Black or Afr. Am./Non-Hisp	358	44,322	13	2.9	01.1-04.7	345	97.1	95.3-98.9
Oth. Race/Non-Hisp.	54	7,097	2	3.5	00.0-09.6	52	96.5	90.4-0100
Hispanic	60	14,173	2	1.6	00.0-04.1	58	98.4	95.9-0100
18-24	57	15,627	1	2.1	00.0-06.2	56	97.9	93.8-0100
25-34	173	21,857	2	0.5	00.0-01.3	171	99.5	98.7-0100
35-44	310	38,920	16	4.2	01.8-06.6	294	95.8	93.4-98.2
45-54	471	49,552	25	4.7	02.5-06.9	446	95.3	93.1-97.5
55-64	555	49,431	27	3.8	02.0-05.6	528	96.2	94.4-98.0
65+	1043	75,519	42	3.6	02.4-04.8	1001	96.4	95.2-97.6
Less Than H.S.	130	20,721	3	1.5	00.0-03.5	127	98.5	96.5-0100
H.S. or G.E.D.	822	83,944	32	2.5	01.5-03.5	790	97.5	96.5-98.5
Some Post-H.S.	730	80,208	29	3.8	02.2-05.4	701	96.2	94.6-97.8
College Graduate	955	67,974	49	5.3	03.5-07.1	906	94.7	92.9-96.5
Less than \$15,000	318	27,074	6	2.2	00.0-04.7	312	97.8	95.3-0100
\$15,000- 24,999	285	24,628	4	1.2	00.0-02.8	281	98.8	97.2-0100
\$25,000- 34,999	254	21,703	6	1.6	00.2-03.0	248	98.4	97.0-99.8
\$35,000- 49,999	327	31,026	13	3.9	01.5-06.3	314	96.1	93.7-98.5
\$50,000- 74,999	387	39,083	11	1.8	00.6-03.0	376	98.2	97.0-99.4
\$75,000+	636	67,091	50	6.0	04.0-08.0	586	94.0	92.0-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	222	21,535	100	55.9	46.7-65.1	111	40.4	31.4-49.4	8	2.1	00.0-04.3	2	0.6	00.0-01.6	1	1.0	00.0-03.0
Male	110	12,574	51	56.7	43.4-70.0	50	37.4	24.7-50.1	6	3.1	00.0-06.8	2	1.0	00.0-02.8	1	1.7	00.0-05.0
Female	112	8,961	49	54.7	43.5-65.9	61	44.7	33.5-55.9	2	0.7	00.0-01.7						
White/Non-Hisp	183	15,621	88	61.4	52.8-70.0	87	35.1	26.9-43.3	6	1.4	00.2-02.6	1	0.7	00.0-02.1	1	1.4	00.0-04.1
45-54	53	4,879	27	56.6	40.3-72.9	24	42.0	25.7-58.3	2	1.5	00.0-03.7						
55-64	56	4,799	23	55.6	38.4-72.8	30	41.8	24.9-58.7	3	2.6	00.0-05.7						
65+	75	5,621	31	47.0	32.3-61.7	42	52.4	37.7-67.1	1	0.3	00.0-00.9	1	0.2	00.0-00.6			
H.S. or G.E.D.	51	5,309	20	59.3	38.7-79.9	29	38.3	18.5-58.1	1	0.4	00.0-01.2	1	2.0	00.0-05.9			
Some Post-H.S.	53	6,432	25	59.2	43.3-75.1	25	35.9	20.8-51.0	3	4.9	00.0-11.8						
College Graduate	112	8,755	53	55.4	43.6-67.2	53	40.5	28.9-52.1	4	1.4	00.0-02.8	1	0.1	00.0-00.3	1	2.5	00.0-07.4
\$75,000+	105	9,549	44	50.7	38.7-62.7	55	44.4	32.6-56.2	4	1.5	00.0-03.1	1	1.1	00.0-03.3	1	2.3	00.0-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	110	12,574	51	56.7	43.4-70.0	50	37.4	24.7-50.1	6	3.1	00.0-06.8	2	1.0	00.0-02.8	1	1.7	00.0-05.0
White/Non-Hisp	88	8,403	45	62.6	50.3-74.9	37	31.6	19.8-43.4	4	1.8	00.0-03.8	1	1.3	00.0-03.8	1	2.6	00.0-07.7
College Graduate	63	5,169	30	52.7	36.6-68.8	27	40.5	24.4-56.6	4	2.4	00.0-04.9	1	0.2	00.0-00.6	1	4.2	00.0-12.2
\$75,000+	55	5,507	25	52.8	36.5-69.1	25	39.4	23.3-55.5	3	1.9	00.0-04.3	1	1.9	00.0-05.6	1	4.0	00.0-11.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	112	8,961	49	54.7	43.5-65.9	61	44.7	33.5-55.9	2	0.7	00.0-01.7
White/Non-Hisp	95	7,219	43	60.0	48.4-71.6	50	39.2	27.6-50.8	2	0.8	00.0-02.0
\$75,000+	50	4,042	19	47.8	30.0-65.6	30	51.2	33.6-68.8	1	1.0	00.0-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4191	460,079	3526	90.6	89.6-91.6	665	9.4	08.4-10.4
Male	1550	206,706	1279	90.5	88.9-92.1	271	9.5	07.9-11.1
Female	2641	253,373	2247	90.7	89.3-92.1	394	9.3	07.9-10.7
White/Non-Hisp	3371	335,281	2871	92.5	91.7-93.3	500	7.5	06.7-08.3
Black or Afr. Am./Non-Hisp	521	76,024	408	83.5	79.6-87.4	113	16.5	12.6-20.4
Oth. Race/Non-Hisp.	100	16,578	83	94.0	89.3-98.7	17	6.0	01.3-10.7
MultiRacial/Non-Hisp.	75	5,012	63	93.2	88.7-97.7	12	6.8	02.3-11.3
Hispanic	103	25,432	82	83.3	74.5-92.1	21	16.7	07.9-25.5
18-24	118	31,268	106	93.7	89.2-98.2	12	6.3	01.8-10.8
25-34	280	43,140	254	89.3	84.0-94.6	26	10.7	05.4-16.0
35-44	478	67,836	429	92.8	89.9-95.7	49	7.2	04.3-10.1
45-54	734	91,327	652	93.5	91.5-95.5	82	6.5	04.5-08.5
55-64	896	91,358	766	93.1	91.5-94.7	130	6.9	05.3-08.5
65+	1639	131,299	1282	85.4	83.2-87.6	357	14.6	12.4-16.8
Less Than H.S.	248	47,191	146	72.1	65.2-79.0	102	27.9	21.0-34.8
H.S. or G.E.D.	1258	144,519	1013	91.0	89.4-92.6	245	9.0	07.4-10.6
Some Post-H.S.	1104	137,716	918	91.3	89.5-93.1	186	8.7	06.9-10.5
College Graduate	1574	129,840	1442	96.1	95.1-97.1	132	3.9	02.9-04.9
Less than \$15,000	492	51,081	366	83.2	78.9-87.5	126	16.8	12.5-21.1
\$15,000- 24,999	404	39,330	264	78.6	73.5-83.7	140	21.4	16.3-26.5
\$25,000- 34,999	386	38,413	300	86.6	82.3-90.9	86	13.4	09.1-17.7
\$35,000- 49,999	509	55,197	443	91.8	88.9-94.7	66	8.2	05.3-11.1
\$50,000- 74,999	619	68,396	568	95.8	94.0-97.6	51	4.2	02.4-06.0
\$75,000+	1178	142,506	1100	95.9	94.5-97.3	78	4.1	02.7-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1550	206,706	1279	90.5	88.9-92.1	271	9.5	07.9-11.1
White/Non-Hisp	1255	150,884	1046	91.9	90.5-93.3	209	8.1	06.7-09.5
Black or Afr. Am./Non-Hisp	166	31,922	120	80.6	73.5-87.7	46	19.4	12.3-26.5
18-24	61	15,641	57	97.4	94.5-0100	4	2.6	00.0-05.5
25-34	107	21,283	95	88.7	80.7-96.7	12	11.3	03.3-19.3
35-44	169	28,999	151	92.4	87.9-96.9	18	7.6	03.1-12.1
45-54	263	41,775	227	92.3	89.0-95.6	36	7.7	04.4-11.0
55-64	342	41,990	281	92.4	90.0-94.8	61	7.6	05.2-10.0
65+	595	55,759	459	85.6	82.5-88.7	136	14.4	11.3-17.5
Less Than H.S.	119	26,533	72	75.4	66.6-84.2	47	24.6	15.8-33.4
H.S. or G.E.D.	436	60,625	345	91.3	88.9-93.7	91	8.7	06.3-11.1
Some Post-H.S.	376	57,655	305	90.9	88.0-93.8	71	9.1	06.2-12.0
College Graduate	618	61,774	556	95.9	94.7-97.1	62	4.1	02.9-05.3
Less than \$15,000	174	24,007	119	80.9	73.6-88.2	55	19.1	11.8-26.4
\$15,000- 24,999	119	14,702	77	79.5	70.9-88.1	42	20.5	11.9-29.1
\$25,000- 34,999	132	16,710	97	87.4	81.5-93.3	35	12.6	06.7-18.5
\$35,000- 49,999	182	24,171	153	90.5	85.4-95.6	29	9.5	04.4-14.6
\$50,000- 74,999	233	29,376	206	95.5	93.5-97.5	27	4.5	02.5-06.5
\$75,000+	542	75,415	491	94.3	92.1-96.5	51	5.7	03.5-07.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2641	253,373	2247	90.7	89.3-92.1	394	9.3	07.9-10.7
White/Non-Hisp	2116	184,397	1825	93.0	92.0-94.0	291	7.0	06.0-08.0
Black or Afr. Am./Non-Hisp	355	44,102	288	85.6	81.1-90.1	67	14.4	09.9-18.9
Oth. Race/Non-Hisp.	54	7,097	42	88.8	78.8-98.8	12	11.2	01.2-21.2
Hispanic	60	14,173	46	76.3	62.6-90.0	14	23.7	10.0-37.4
18-24	57	15,627	49	89.9	81.7-98.1	8	10.1	01.9-18.3
25-34	173	21,857	159	89.8	82.7-96.9	14	10.2	03.1-17.3
35-44	309	38,837	278	93.2	89.3-97.1	31	6.8	02.9-10.7
45-54	471	49,552	425	94.4	92.2-96.6	46	5.6	03.4-07.8
55-64	554	49,368	485	93.7	91.7-95.7	69	6.3	04.3-08.3
65+	1044	75,541	823	85.3	82.6-88.0	221	14.7	12.0-17.4
Less Than H.S.	129	20,657	74	67.9	57.3-78.5	55	32.1	21.5-42.7
H.S. or G.E.D.	822	83,894	668	90.8	88.6-93.0	154	9.2	07.0-11.4
Some Post-H.S.	728	80,062	613	91.6	89.4-93.8	115	8.4	06.2-10.6
College Graduate	956	68,065	886	96.2	94.8-97.6	70	3.8	02.4-05.2
Less than \$15,000	318	27,074	247	85.3	80.4-90.2	71	14.7	09.8-19.6
\$15,000- 24,999	285	24,628	187	78.1	71.8-84.4	98	21.9	15.6-28.2
\$25,000- 34,999	254	21,703	203	86.0	79.7-92.3	51	14.0	07.7-20.3
\$35,000- 49,999	327	31,026	290	92.7	89.6-95.8	37	7.3	04.2-10.4
\$50,000- 74,999	386	39,020	362	96.0	93.3-98.7	24	4.0	01.3-06.7
\$75,000+	636	67,091	609	97.7	96.5-98.9	27	2.3	01.1-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 52: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	ZERO		1-20%			21-40%			41-60%			61-80%			81-100%		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3404	400,685	245	5.8	04.8-06.8	1273	34.7	32.5-36.9	298	9.7	08.3-11.1	518	17.6	15.8-19.4	462	16.7	14.7-18.7	608	15.4	13.8-17.0
Male	1240	179,804	80	5.0	03.6-06.4	407	29.7	26.4-33.0	100	8.6	06.6-10.6	210	20.4	17.3-23.5	193	18.9	15.8-22.0	250	17.4	14.7-20.1
Female	2164	220,880	165	6.4	05.0-07.8	866	38.8	36.1-41.5	198	10.6	08.6-12.6	308	15.4	13.4-17.4	269	14.9	12.5-17.3	358	13.9	12.1-15.7
White/Non-Hisp	2784	300,683	215	6.5	05.3-07.7	1082	36.5	34.1-38.9	233	9.3	07.7-10.9	423	17.1	15.1-19.1	371	16.3	14.3-18.3	460	14.2	12.6-15.8
Black or Afr. Am./Non-Hisp	381	58,511	16	3.2	01.4-05.0	118	28.1	22.4-33.8	42	14.0	09.1-18.9	52	15.6	10.7-20.5	55	16.8	11.9-21.7	98	22.2	17.1-27.3
Oth. Race/Non-Hisp.	80	14,411	4	6.0	00.0-13.6	29	34.6	19.5-49.7	5	2.6	00.0-05.3	16	30.5	14.6-46.4	14	20.5	05.6-35.4	12	5.8	00.9-10.7
MultiRacial/Non-Hisp.	62	4,540	5	9.5	00.0-19.7	18	31.8	18.3-45.3	6	7.7	00.4-15.0	11	16.0	06.0-26.0	4	8.3	00.0-18.5	18	26.6	13.5-39.7
Hispanic	81	21,111	1	0.5	00.0-01.5	22	30.0	16.7-43.3	8	7.0	01.5-12.5	16	23.5	11.2-35.8	17	21.3	08.6-34.0	17	17.8	05.6-30.0
18-24	104	28,644	3	1.5	00.0-03.7	12	15.7	06.3-25.1	5	5.2	00.0-10.7	14	14.6	06.4-22.8	27	33.7	21.2-46.2	43	29.2	19.0-39.4
25-34	252	38,319	1	0.2	00.0-00.6	32	15.6	09.5-21.7	11	5.1	01.4-08.8	32	15.3	09.6-21.0	50	24.1	16.8-31.4	126	39.8	31.8-47.8
35-44	423	62,133	8	2.3	00.0-04.7	69	20.2	14.9-25.5	31	9.9	06.0-13.8	89	24.6	18.7-30.5	92	20.0	15.3-24.7	134	22.9	18.4-27.4
45-54	633	82,516	22	4.2	01.8-06.6	155	24.1	19.6-28.6	66	14.0	10.1-17.9	115	18.9	14.6-23.2	121	22.8	18.3-27.3	154	16.0	12.9-19.1
55-64	743	80,857	35	4.1	02.3-05.9	311	43.0	38.3-47.7	82	10.7	08.0-13.4	125	19.5	15.6-23.4	105	14.0	10.9-17.1	85	8.7	06.3-11.1
65+	1214	104,931	173	13.7	11.3-16.1	680	57.2	53.7-60.7	97	8.0	06.2-09.8	139	13.0	10.5-15.5	64	4.9	03.3-06.5	61	3.3	02.3-04.3
Less Than H.S.	136	31,087	16	10.5	04.0-17.0	58	43.6	33.2-54.0	6	3.1	00.2-06.0	25	19.1	10.9-27.3	12	10.3	04.0-16.6	19	13.3	06.0-20.6
H.S. or G.E.D.	967	125,552	95	7.3	05.5-09.1	430	40.4	36.3-44.5	82	10.2	07.7-12.7	129	15.0	11.9-18.1	109	16.9	13.0-20.8	122	10.3	07.9-12.7
Some Post-H.S.	896	122,601	63	4.9	03.5-06.3	339	34.0	30.1-37.9	92	11.1	08.2-14.0	118	17.3	13.8-20.8	124	16.8	13.3-20.3	160	16.0	12.9-19.1
College Graduate	1400	120,828	71	4.0	02.6-05.4	445	27.3	24.4-30.2	117	9.5	07.3-11.7	244	20.3	17.4-23.2	217	18.0	15.3-20.7	306	20.9	18.2-23.6
Less than \$15,000	352	41,083	40	8.0	05.1-10.9	166	41.9	35.2-48.6	26	7.7	04.0-11.4	39	15.4	09.9-20.9	37	15.5	09.0-22.0	44	11.5	07.4-15.6
\$15,000- 24,999	244	27,398	37	14.8	08.3-21.3	104	44.4	35.6-53.2	18	6.1	02.8-09.4	25	12.7	06.8-18.6	26	12.3	06.8-17.8	34	9.7	05.6-13.8
\$25,000- 34,999	294	32,849	21	4.9	02.5-07.3	139	43.6	35.8-51.4	27	10.1	05.0-15.2	41	16.6	09.7-23.5	28	10.8	05.7-15.9	38	14.0	07.7-20.3
\$35,000- 49,999	434	49,777	31	6.9	03.8-10.0	184	36.3	30.4-42.2	39	9.7	05.8-13.6	75	23.5	17.6-29.4	48	14.9	09.8-20.0	57	8.7	06.0-11.4
\$50,000- 74,999	559	64,293	30	4.2	02.2-06.2	197	34.6	29.1-40.1	56	10.9	07.4-14.4	80	15.4	11.1-19.7	80	17.2	12.7-21.7	116	17.7	13.8-21.6
\$75,000+	1072	131,993	38	3.1	01.7-04.5	269	23.2	19.9-26.5	98	11.4	08.7-14.1	199	20.5	17.2-23.8	201	20.6	17.5-23.7	267	21.2	17.9-24.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 53: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1240	179,804	80	5.0	03.6-06.4	407	29.7	26.4-33.0	100	8.6	06.6-10.6	210	20.4	17.3-23.5	193	18.9	15.8-22.0	250	17.4	14.7-20.1
White/Non-Hisp	1022	135,837	67	5.4	03.6-07.2	347	31.2	27.7-34.7	83	9.1	06.7-11.5	164	18.8	15.7-21.9	164	19.2	15.9-22.5	197	16.3	13.6-19.0
Black or Afr. Am./Non-Hisp	109	22,379	6	4.3	00.4-08.2	25	20.4	11.2-29.6	9	8.9	02.2-15.6	24	23.4	13.6-33.2	17	18.2	09.4-27.0	28	24.7	15.1-34.3
18-24	56	15,104	3	2.9	00.0-07.0	8	18.3	05.2-31.4	2	2.1	00.0-05.0	9	20.3	07.2-33.4	17	35.3	18.6-52.0	17	21.2	08.3-34.1
25-34	95	18,879	1	0.3	00.0-00.9	10	12.8	04.0-21.6	2	2.1	00.0-05.2	12	15.4	06.6-24.2	24	30.3	18.0-42.6	46	39.0	26.1-51.9
35-44	149	26,554	2	0.8	00.0-02.0	19	14.2	06.9-21.5	13	10.1	04.4-15.8	35	30.6	20.4-40.8	32	18.9	12.0-25.8	48	25.5	17.5-33.5
45-54	221	37,005	9	5.4	01.1-09.7	40	17.5	10.8-24.2	24	13.9	07.4-20.4	37	18.4	11.3-25.5	47	25.3	17.9-32.7	64	19.5	13.6-25.4
55-64	271	36,027	11	4.2	01.3-07.1	96	37.6	30.2-45.0	21	7.2	03.5-10.9	57	23.7	17.0-30.4	39	14.3	09.4-19.2	47	13.0	08.3-17.7
65+	441	45,315	54	10.7	07.6-13.8	232	53.3	47.4-59.2	36	8.7	05.6-11.8	60	15.8	11.3-20.3	34	7.5	04.2-10.8	25	3.9	02.1-05.7
Less Than H.S.	69	18,022	7	9.1	01.3-16.9	25	32.7	19.8-45.6	1	0.8	00.0-02.4	15	23.9	11.2-36.6	8	13.9	04.1-23.7	13	19.5	07.9-31.1
H.S. or G.E.D.	335	53,294	32	7.0	04.1-09.9	117	32.5	26.0-39.0	32	10.7	06.4-15.0	48	16.4	11.1-21.7	51	20.2	13.9-26.5	55	13.1	09.0-17.2
Some Post-H.S.	299	51,272	16	3.5	01.5-05.5	91	27.6	21.3-33.9	29	9.4	05.3-13.5	48	22.1	15.6-28.6	49	18.7	12.8-24.6	66	18.7	12.8-24.6
College Graduate	537	57,216	25	3.3	01.7-04.9	174	28.1	23.4-32.8	38	8.2	05.1-11.3	99	21.4	16.5-26.3	85	19.3	15.0-23.6	116	19.5	15.4-23.6
Less than \$15,000	115	19,035	11	5.9	01.8-10.0	49	32.6	22.4-42.8	9	8.9	02.0-15.8	14	18.9	08.7-29.1	16	20.4	09.2-31.6	16	13.2	05.9-20.5
\$15,000- 24,999	73	9,932	12	14.0	05.0-23.0	25	38.0	23.7-52.3	7	8.0	01.3-14.7	10	14.3	03.7-24.9	9	16.0	05.0-27.0	10	9.7	02.6-16.8
\$25,000- 34,999	96	14,540	7	3.9	00.4-07.4	49	46.7	33.0-60.4	7	5.3	01.2-09.4	12	20.1	06.6-33.6	12	16.9	06.7-27.1	9	7.1	01.0-13.2
\$35,000- 49,999	150	21,512	10	6.7	01.0-12.4	61	34.6	24.6-44.6	9	5.2	00.9-09.5	31	26.5	16.3-36.7	22	20.8	11.2-30.4	17	6.2	02.7-09.7
\$50,000- 74,999	201	27,115	11	4.9	01.0-08.8	71	30.4	22.2-38.6	17	10.8	04.9-16.7	35	20.0	12.2-27.8	22	15.8	08.0-23.6	45	18.1	11.8-24.4
\$75,000+	478	68,279	18	2.9	01.3-04.5	109	21.0	16.1-25.9	38	9.9	06.2-13.6	84	20.3	15.4-25.2	99	21.2	16.7-25.7	130	24.6	19.3-29.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 54: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2164	220,880	165	6.4	05.0-07.8	866	38.8	36.1-41.5	198	10.6	08.6-12.6	308	15.4	13.4-17.4	269	14.9	12.5-17.3	358	13.9	12.1-15.7
White/Non-Hisp	1762	164,846	148	7.4	05.8-09.0	735	40.9	38.0-43.8	150	9.5	07.5-11.5	259	15.8	13.6-18.0	207	14.0	11.6-16.4	263	12.6	10.6-14.6
Black or Afr. Am./Non-Hisp	272	36,132	10	2.5	00.7-04.3	93	33.0	25.7-40.3	33	17.2	10.5-23.9	28	10.7	05.6-15.8	38	15.8	09.9-21.7	70	20.7	15.2-26.2
25-34	157	19,440				22	18.2	10.0-26.4	9	8.0	01.3-14.7	20	15.1	07.8-22.4	26	18.1	10.7-25.5	80	40.6	31.0-50.2
35-44	274	35,579	6	3.4	00.0-07.3	50	24.7	17.3-32.1	18	9.8	04.5-15.1	54	20.2	13.7-26.7	60	20.9	14.4-27.4	86	21.0	15.7-26.3
45-54	412	45,511	13	3.3	01.1-05.5	115	29.4	23.7-35.1	42	14.1	09.2-19.0	78	19.2	14.1-24.3	74	20.7	15.2-26.2	90	13.3	10.0-16.6
55-64	472	44,829	24	4.0	02.0-06.0	215	47.3	41.6-53.0	61	13.6	09.7-17.5	68	16.1	11.8-20.4	66	13.7	09.8-17.6	38	5.2	03.2-07.2
65+	773	59,615	119	16.0	12.7-19.3	448	60.1	55.8-64.4	61	7.4	05.2-09.6	79	10.8	08.1-13.5	30	2.9	01.7-04.1	36	2.8	01.8-03.8
Less Than H.S.	67	13,065	9	12.4	01.6-23.2	33	58.5	43.8-73.2	5	6.4	00.0-12.9	10	12.6	04.4-20.8	4	5.3	00.0-10.8	6	4.8	00.7-08.9
H.S. or G.E.D.	632	72,258	63	7.5	05.3-09.7	313	46.1	40.8-51.4	50	9.7	06.6-12.8	81	14.0	10.1-17.9	58	14.5	09.6-19.4	67	8.2	05.3-11.1
Some Post-H.S.	597	71,330	47	6.0	04.0-08.0	248	38.5	33.6-43.4	63	12.2	08.3-16.1	70	13.9	10.2-17.6	75	15.3	11.2-19.4	94	14.0	10.7-17.3
College Graduate	863	63,612	46	4.6	02.6-06.6	271	26.5	23.0-30.0	79	10.7	07.8-13.6	145	19.2	15.9-22.5	132	16.8	13.5-20.1	190	22.1	18.6-25.6
Less than \$15,000	237	22,048	29	9.7	05.6-13.8	117	49.9	41.7-58.1	17	6.7	03.0-10.4	25	12.4	07.1-17.7	21	11.3	04.4-18.2	28	10.0	05.5-14.5
\$15,000- 24,999	171	17,466	25	15.2	06.6-23.8	79	48.1	36.9-59.3	11	5.1	01.6-08.6	15	11.8	04.7-18.9	17	10.1	04.4-15.8	24	9.7	04.8-14.6
\$25,000- 34,999	198	18,309	14	5.6	02.3-08.9	90	41.2	32.0-50.4	20	13.9	05.7-22.1	29	13.8	08.3-19.3	16	5.9	02.4-09.4	29	19.5	09.9-29.1
\$35,000- 49,999	284	28,266	21	7.1	03.6-10.6	123	37.6	30.5-44.7	30	13.2	07.3-19.1	44	21.2	14.1-28.3	26	10.4	05.7-15.1	40	10.5	06.4-14.6
\$50,000- 74,999	358	37,179	19	3.7	01.7-05.7	126	37.7	30.6-44.8	39	11.0	06.9-15.1	45	12.1	07.2-17.0	58	18.2	12.7-23.7	71	17.4	12.5-22.3
\$75,000+	594	63,714	20	3.2	01.2-05.2	160	25.5	21.0-30.0	60	13.0	08.9-17.1	115	20.7	16.4-25.0	102	20.1	15.4-24.8	137	17.5	14.0-21.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 55: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5151	707,026	4057	75.7	74.1-77.3	932	20.7	19.1-22.3	162	3.6	02.8-04.4
Male	1996	337,074	1571	75.4	72.9-77.9	362	21.1	18.6-23.6	63	3.6	02.6-04.6
Female	3155	369,953	2486	76.1	73.9-78.3	570	20.3	18.3-22.3	99	3.6	02.6-04.6
18-24	305	89,737	133	55.1	48.6-61.6	118	30.0	24.3-35.7	54	14.9	10.8-19.0
25-34	527	115,012	299	55.8	50.5-61.1	215	42.4	37.1-47.7	13	1.8	00.6-03.0
35-44	641	112,302	487	74.8	70.1-79.5	139	23.1	18.6-27.6	15	2.1	00.7-03.5
45-54	914	129,689	746	83.3	80.2-86.4	145	14.3	11.4-17.2	23	2.4	00.8-04.0
55-64	1021	115,361	860	85.1	82.2-88.0	144	13.3	10.6-16.0	17	1.6	00.6-02.6
65+	1694	140,513	1493	90.9	89.3-92.5	163	7.3	05.7-08.9	38	1.8	01.0-02.6
Less Than H.S.	334	93,997	181	52.4	45.3-59.5	132	42.1	35.0-49.2	21	5.5	02.6-08.4
H.S. or G.E.D.	1554	221,813	1192	75.4	72.7-78.1	300	20.6	18.1-23.1	62	4.0	02.8-05.2
Some Post-H.S.	1387	210,123	1058	76.2	73.5-78.9	276	19.4	16.9-21.9	53	4.4	03.0-05.8
College Graduate	1870	180,359	1622	87.6	85.6-89.6	222	11.2	09.4-13.0	26	1.2	00.6-01.8
Less than \$15,000	599	82,001	407	65.4	59.9-70.9	173	31.1	25.6-36.6	19	3.5	01.5-05.5
\$15,000- 24,999	531	77,148	250	42.1	36.0-48.2	243	50.6	44.3-56.9	38	7.3	04.2-10.4
\$25,000- 34,999	485	63,442	353	65.0	58.5-71.5	115	30.0	23.7-36.3	17	5.1	02.2-08.0
\$35,000- 49,999	648	89,659	510	75.9	71.4-80.4	122	21.4	17.1-25.7	16	2.6	01.0-04.2
\$50,000- 74,999	767	104,928	659	85.5	82.2-88.8	99	13.5	10.2-16.8	9	1.1	00.3-01.9
\$75,000+	1423	196,109	1318	91.8	89.8-93.8	78	6.0	04.4-07.6	27	2.2	01.2-03.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 56: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1996	337,074	1571	75.4	72.9-77.9	362	21.1	18.6-23.6	63	3.6	02.6-04.6
18-24	151	44,752	71	60.4	51.6-69.2	57	26.9	19.3-34.5	23	12.7	07.2-18.2
25-34	207	57,219	118	53.6	45.2-62.0	86	45.4	37.0-53.8	3	1.0	00.0-02.2
35-44	252	54,600	191	73.6	66.5-80.7	52	23.2	16.3-30.1	9	3.2	00.8-05.6
45-54	345	62,848	276	81.3	76.2-86.4	60	15.2	10.9-19.5	9	3.5	00.6-06.4
55-64	400	54,405	336	86.2	81.9-90.5	55	11.9	07.8-16.0	9	1.9	00.1-03.7
65+	626	61,545	566	91.9	89.2-94.6	51	6.9	04.4-09.4	9	1.2	00.4-02.0
Less Than H.S.	168	57,092	97	57.0	47.4-66.6	60	36.8	27.4-46.2	11	6.2	02.1-10.3
H.S. or G.E.D.	583	102,723	431	73.6	69.1-78.1	125	21.7	17.6-25.8	27	4.6	02.4-06.8
Some Post-H.S.	497	91,619	384	76.6	72.1-81.1	95	20.1	15.8-24.4	18	3.3	01.5-05.1
College Graduate	747	85,521	658	88.2	85.3-91.1	82	10.9	08.2-13.6	7	0.9	00.3-01.5
Less than \$15,000	219	39,919	145	62.2	53.0-71.4	67	34.3	25.3-43.3	7	3.5	00.4-06.6
\$15,000- 24,999	168	30,396	83	46.0	35.2-56.8	67	43.1	32.5-53.7	18	10.9	04.2-17.6
\$25,000- 34,999	172	28,305	115	57.9	46.9-68.9	49	35.8	24.8-46.8	8	6.3	01.2-11.4
\$35,000- 49,999	246	42,369	186	72.7	65.4-80.0	55	25.2	18.1-32.3	5	2.1	00.0-04.5
\$50,000- 74,999	311	53,134	263	83.6	78.3-88.9	44	15.6	10.3-20.9	4	0.9	00.0-01.9
\$75,000+	672	107,739	615	90.7	87.8-93.6	46	7.3	04.8-09.8	11	1.9	00.7-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 57: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3155	369,953	2486	76.1	74.1-78.1	570	20.3	18.3-22.3	99	3.6	02.6-04.6
18-24	154	44,985	62	49.8	40.6-59.0	61	33.0	25.0-41.0	31	17.2	10.9-23.5
25-34	320	57,793	181	58.0	51.5-64.5	129	39.4	32.9-45.9	10	2.6	00.8-04.4
35-44	389	57,702	296	75.9	69.8-82.0	87	23.0	16.9-29.1	6	1.1	00.0-02.3
45-54	569	66,841	470	85.2	81.5-88.9	85	13.5	09.8-17.2	14	1.3	00.5-02.1
55-64	621	60,956	524	84.1	80.4-87.8	89	14.5	10.8-18.2	8	1.4	00.2-02.6
65+	1068	78,968	927	90.1	88.1-92.1	112	7.6	05.8-09.4	29	2.3	01.1-03.5
Less Than H.S.	166	36,905	84	45.4	35.6-55.2	72	50.3	40.3-60.3	10	4.3	00.6-08.0
H.S. or G.E.D.	971	119,091	761	76.9	73.4-80.4	175	19.6	16.3-22.9	35	3.5	01.9-05.1
Some Post-H.S.	890	118,504	674	75.8	72.3-79.3	181	18.8	15.7-21.9	35	5.3	03.3-07.3
College Graduate	1123	94,838	964	87.1	84.7-89.5	140	11.4	09.0-13.8	19	1.5	00.7-02.3
Less than \$15,000	380	42,082	262	68.5	62.2-74.8	106	28.1	22.0-34.2	12	3.4	00.9-05.9
\$15,000- 24,999	363	46,752	167	39.5	32.2-46.8	176	55.5	48.1-62.9	20	5.0	02.3-07.7
\$25,000- 34,999	313	35,137	238	70.7	63.6-77.8	66	25.3	18.6-32.0	9	4.0	00.5-07.5
\$35,000- 49,999	402	47,290	324	78.8	73.5-84.1	67	18.1	13.2-23.0	11	3.1	00.7-05.5
\$50,000- 74,999	456	51,793	396	87.4	83.5-91.3	55	11.3	07.6-15.0	5	1.3	00.0-02.7
\$75,000+	751	88,370	703	93.1	90.7-95.5	32	4.4	02.6-06.2	16	2.4	00.8-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 58: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5174	710,133	2005	47.7	45.7-49.7	3169	52.3	50.3-54.3
White/Non-Hisp	4014	476,325	1561	47.8	45.6-50.0	2453	52.2	50.0-54.4
Black or Afr. Am./Non-Hisp	731	141,238	251	45.6	40.9-50.3	480	54.4	49.7-59.1
Oth. Race/Non-Hisp.	141	27,769	68	55.8	44.6-67.0	73	44.2	33.0-55.4
MultiRacial/Non-Hisp.	105	9,133	46	47.8	36.4-59.2	59	52.2	40.8-63.6
Hispanic	155	52,690	67	48.6	38.4-58.8	88	51.4	41.2-61.6
18-24	311	91,129	156	50.5	43.8-57.2	155	49.5	42.8-56.2
25-34	528	115,044	207	49.7	44.2-55.2	321	50.3	44.8-55.8
35-44	642	112,385	252	48.6	43.5-53.7	390	51.4	46.3-56.5
45-54	918	130,262	347	48.5	44.2-52.8	571	51.5	47.2-55.8
55-64	1023	115,463	400	47.1	43.0-51.2	623	52.9	48.8-57.0
65+	1701	141,264	628	43.7	40.6-46.8	1073	56.3	53.2-59.4
Less Than H.S.	336	94,250	169	60.7	54.0-67.4	167	39.3	32.6-46.0
H.S. or G.E.D.	1560	222,650	586	46.4	43.1-49.7	974	53.6	50.3-56.9
Some Post-H.S.	1393	211,125	499	43.7	40.2-47.2	894	56.3	52.8-59.8
College Graduate	1878	181,295	750	47.4	44.5-50.3	1128	52.6	49.7-55.5
Less than \$15,000	600	82,032	219	48.7	42.8-54.6	381	51.3	45.4-57.2
\$15,000- 24,999	531	77,148	168	39.4	33.1-45.7	363	60.6	54.3-66.9
\$25,000- 34,999	486	63,601	173	44.8	38.3-51.3	313	55.2	48.7-61.7
\$35,000- 49,999	649	89,766	246	47.2	42.1-52.3	403	52.8	47.7-57.9
\$50,000- 74,999	767	104,928	311	50.6	45.9-55.3	456	49.4	44.7-54.1
\$75,000+	1425	196,581	674	55.0	51.7-58.3	751	45.0	41.7-48.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	865	160,671	29	3.2	01.6-04.8	836	96.8	95.2-98.4
White/Non-Hisp	564	91,295	21	3.2	01.6-04.8	543	96.8	95.2-98.4
Black or Afr. Am./Non-Hisp	186	38,874	6	4.1	00.0-08.4	180	95.9	91.6-0100
Hispanic	53	20,222	1	2.4	00.0-06.9	52	97.6	93.1-0100
18-24	155	45,112	3	2.4	00.0-05.1	152	97.6	94.9-0100
25-34	320	57,773	21	4.9	02.4-07.4	299	95.1	92.6-97.6
35-44	390	57,786	5	2.1	00.0-04.8	385	97.9	95.2-0100
H.S. or G.E.D.	193	45,151	2	2.4	00.0-05.9	191	97.6	94.1-0100
Some Post-H.S.	254	52,714	11	4.0	01.3-06.7	243	96.0	93.3-98.7
College Graduate	382	46,603	15	3.4	01.4-05.4	367	96.6	94.6-98.6
Less than \$15,000	90	17,296	1	1.6	00.0-04.7	89	98.4	95.3-0100
\$15,000- 24,999	91	23,647	3	2.7	00.0-05.8	88	97.3	94.2-0100
\$25,000- 34,999	82	16,630	4	5.0	00.0-11.1	78	95.0	88.9-0100
\$35,000- 49,999	113	20,009	1	0.4	00.0-01.2	112	99.6	98.8-0100
\$50,000- 74,999	128	20,352	4	5.4	00.0-12.7	124	94.6	87.3-0100
\$75,000+	259	37,994	12	3.8	01.1-06.5	247	96.2	93.5-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012

SECTION 8: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	146
2	MALES ONLY	147
3	FEMALES ONLY	148
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	149
5	MALES ONLY	150
6	FEMALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5163	709,268	1084	17.5	16.1-18.9	4079	82.5	81.1-83.9
Male	2001	338,498	393	15.9	13.9-17.9	1608	84.1	82.1-86.1
Female	3162	370,770	691	19.0	17.2-20.8	2471	81.0	79.2-82.8
White/Non-Hisp	4009	475,880	870	18.9	17.3-20.5	3139	81.1	79.5-82.7
Black or Afr. Am./Non-Hisp	729	141,099	130	15.8	12.5-19.1	599	84.2	80.9-87.5
Oth. Race/Non-Hisp.	140	27,752	18	8.6	01.7-15.5	122	91.4	84.5-98.3
MultiRacial/Non-Hisp.	103	8,985	34	29.0	18.6-39.4	69	71.0	60.6-81.4
Hispanic	155	52,690	26	11.9	06.4-17.4	129	88.1	82.6-93.6
18-24	311	91,129	22	6.3	03.2-09.4	289	93.7	90.6-96.8
25-34	527	114,916	59	12.9	09.4-16.4	468	87.1	83.6-90.6
35-44	642	112,385	67	10.8	07.5-14.1	575	89.2	85.9-92.5
45-54	914	129,972	190	18.9	15.6-22.2	724	81.1	77.8-84.4
55-64	1022	115,447	278	25.8	22.3-29.3	744	74.2	70.7-77.7
65+	1696	140,833	460	26.1	23.4-28.8	1236	73.9	71.2-76.6
Less Than H.S.	335	94,125	82	20.2	15.1-25.3	253	79.8	74.7-84.9
H.S. or G.E.D.	1553	222,064	351	19.1	16.6-21.6	1202	80.9	78.4-83.4
Some Post-H.S.	1392	211,081	329	19.1	16.6-21.6	1063	80.9	78.4-83.4
College Graduate	1876	181,185	321	12.2	10.6-13.8	1555	87.8	86.2-89.4
Less than \$15,000	597	81,746	176	25.9	21.2-30.6	421	74.1	69.4-78.8
\$15,000- 24,999	528	76,959	198	33.2	27.5-38.9	330	66.8	61.1-72.5
\$25,000- 34,999	485	63,543	93	13.7	10.0-17.4	392	86.3	82.6-90.0
\$35,000- 49,999	647	89,639	141	18.6	14.7-22.5	506	81.4	77.5-85.3
\$50,000- 74,999	767	104,928	144	16.0	12.7-19.3	623	84.0	80.7-87.3
\$75,000+	1424	196,492	188	10.9	08.7-13.1	1236	89.1	86.9-91.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2001	338,498	393	15.9	13.9-17.9	1608	84.1	82.1-86.1
White/Non-Hisp	1558	227,250	317	17.3	14.9-19.7	1241	82.7	80.3-85.1
Black or Afr. Am./Non-Hisp	250	64,276	42	13.4	08.5-18.3	208	86.6	81.7-91.5
Oth. Race/Non-Hisp.	68	15,500	7	10.7	00.0-22.3	61	89.3	77.7-0100
Hispanic	67	25,601	11	10.7	02.3-19.1	56	89.3	80.9-97.7
18-24	156	46,017	9	4.8	01.3-08.3	147	95.2	91.7-98.7
25-34	207	57,219	22	11.8	06.7-16.9	185	88.2	83.1-93.3
35-44	252	54,600	18	8.6	03.9-13.3	234	91.4	86.7-96.1
45-54	345	63,026	66	17.1	12.0-22.2	279	82.9	77.8-88.0
55-64	400	54,405	99	22.8	17.3-28.3	301	77.2	71.7-82.7
65+	626	61,527	178	27.4	23.1-31.7	448	72.6	68.3-76.9
Less Than H.S.	168	57,130	35	17.2	10.5-23.9	133	82.8	76.1-89.5
H.S. or G.E.D.	585	103,194	123	18.2	14.3-22.1	462	81.8	77.9-85.7
Some Post-H.S.	498	92,198	101	15.3	11.8-18.8	397	84.7	81.2-88.2
College Graduate	749	85,857	134	12.8	10.3-15.3	615	87.2	84.7-89.7
Less than \$15,000	217	39,683	66	23.9	16.6-31.2	151	76.1	68.8-83.4
\$15,000- 24,999	167	30,351	60	32.2	22.6-41.8	107	67.8	58.2-77.4
\$25,000- 34,999	173	28,465	34	12.0	06.9-17.1	139	88.0	82.9-93.1
\$35,000- 49,999	246	42,369	59	20.7	14.0-27.4	187	79.3	72.6-86.0
\$50,000- 74,999	311	53,134	56	14.2	09.3-19.1	255	85.8	80.9-90.7
\$75,000+	673	108,122	84	10.2	07.3-13.1	589	89.8	86.9-92.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3162	370,770	691	19.0	17.2-20.8	2471	81.0	79.2-82.8
White/Non-Hisp	2451	248,629	553	20.4	18.2-22.6	1898	79.6	77.4-81.8
Black or Afr. Am./Non-Hisp	479	76,822	88	17.8	13.3-22.3	391	82.2	77.7-86.7
Oth. Race/Non-Hisp.	72	12,252	11	6.0	01.1-10.9	61	94.0	89.1-98.9
MultiRacial/Non-Hisp.	57	4,620	23	37.4	22.3-52.5	34	62.6	47.5-77.7
Hispanic	88	27,088	15	13.1	05.8-20.4	73	86.9	79.6-94.2
18-24	155	45,112	13	7.8	02.7-12.9	142	92.2	87.1-97.3
25-34	320	57,696	37	13.9	08.8-19.0	283	86.1	81.0-91.2
35-44	390	57,786	49	13.0	08.3-17.7	341	87.0	82.3-91.7
45-54	569	66,946	124	20.6	16.3-24.9	445	79.4	75.1-83.7
55-64	622	61,042	179	28.5	24.0-33.0	443	71.5	67.0-76.0
65+	1070	79,306	282	25.1	21.8-28.4	788	74.9	71.6-78.2
Less Than H.S.	167	36,994	47	24.9	16.7-33.1	120	75.1	66.9-83.3
H.S. or G.E.D.	968	118,870	228	20.0	16.7-23.3	740	80.0	76.7-83.3
Some Post-H.S.	894	118,883	228	22.2	18.9-25.5	666	77.8	74.5-81.1
College Graduate	1127	95,329	187	11.6	09.6-13.6	940	88.4	86.4-90.4
Less than \$15,000	380	42,064	110	27.8	21.9-33.7	270	72.2	66.3-78.1
\$15,000- 24,999	361	46,608	138	33.9	26.8-41.0	223	66.1	59.0-73.2
\$25,000- 34,999	312	35,078	59	15.1	09.8-20.4	253	84.9	79.6-90.2
\$35,000- 49,999	401	47,270	82	16.8	12.3-21.3	319	83.2	78.7-87.7
\$50,000- 74,999	456	51,793	88	17.9	13.4-22.4	368	82.1	77.6-86.6
\$75,000+	751	88,370	104	11.8	08.9-14.7	647	88.2	85.3-91.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5161	708,639	560	8.4	07.4-09.4	4601	91.6	90.6-92.6
Male	2001	338,205	213	8.4	06.8-10.0	1788	91.6	90.0-93.2
Female	3160	370,434	347	8.4	07.2-09.6	2813	91.6	90.4-92.8
White/Non-Hisp	4005	475,107	419	8.0	07.0-09.0	3586	92.0	91.0-93.0
Black or Afr. Am./Non-Hisp	729	141,099	94	11.0	08.1-13.9	635	89.0	86.1-91.9
Oth. Race/Non-Hisp.	141	27,769	9	1.7	00.3-03.1	132	98.3	96.9-99.7
MultiRacial/Non-Hisp.	104	9,113	18	17.7	08.5-26.9	86	82.3	73.1-91.5
Hispanic	155	52,690	14	6.6	02.1-11.1	141	93.4	88.9-97.9
18-24	311	91,129	8	1.8	00.2-03.4	303	98.2	96.6-99.8
25-34	528	115,044	16	3.5	01.5-05.5	512	96.5	94.5-98.5
35-44	642	112,385	25	4.8	02.3-07.3	617	95.2	92.7-97.7
45-54	913	129,358	75	7.8	05.6-10.0	838	92.2	90.0-94.4
55-64	1022	115,353	117	11.6	08.9-14.3	905	88.4	85.7-91.1
65+	1695	140,841	317	17.6	15.2-20.0	1378	82.4	80.0-84.8
Less Than H.S.	336	94,250	66	13.1	08.8-17.4	270	86.9	82.6-91.2
H.S. or G.E.D.	1555	221,871	185	8.8	07.2-10.4	1370	91.2	89.6-92.8
Some Post-H.S.	1389	210,644	170	8.0	06.4-09.6	1219	92.0	90.4-93.6
College Graduate	1874	181,062	139	5.9	04.7-07.1	1735	94.1	92.9-95.3
Less than \$15,000	598	81,871	111	13.9	10.4-17.4	487	86.1	82.6-89.6
\$15,000- 24,999	531	77,148	128	18.7	14.2-23.2	403	81.3	76.8-85.8
\$25,000- 34,999	485	63,541	46	5.7	03.5-07.9	439	94.3	92.1-96.5
\$35,000- 49,999	647	89,639	63	7.8	05.3-10.3	584	92.2	89.7-94.7
\$50,000- 74,999	767	104,928	56	6.6	04.2-09.0	711	93.4	91.0-95.8
\$75,000+	1422	195,834	71	4.1	02.9-05.3	1351	95.9	94.7-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2001	338,205	213	8.4	06.8-10.0	1788	91.6	90.0-93.2
White/Non-Hisp	1558	226,957	159	8.1	06.5-09.7	1399	91.9	90.3-93.5
Black or Afr. Am./Non-Hisp	250	64,276	31	9.7	05.6-13.8	219	90.3	86.2-94.4
Oth. Race/Non-Hisp.	68	15,500	3	1.1	00.0-02.5	65	98.9	97.5-0100
Hispanic	67	25,601	8	8.8	00.8-16.8	59	91.2	83.2-99.2
18-24	156	46,017	4	2.5	00.0-05.2	152	97.5	94.8-0100
25-34	207	57,219	8	4.1	01.0-07.2	199	95.9	92.8-99.0
35-44	252	54,600	11	4.8	01.3-08.3	241	95.2	91.7-98.7
45-54	345	62,675	29	8.3	04.6-12.0	316	91.7	88.0-95.4
55-64	400	54,405	50	12.1	07.6-16.6	350	87.9	83.4-92.4
65+	626	61,585	111	16.9	13.2-20.6	515	83.1	79.4-86.8
Less Than H.S.	169	57,255	27	11.6	06.1-17.1	142	88.4	82.9-93.9
H.S. or G.E.D.	584	102,798	64	8.7	06.0-11.4	520	91.3	88.6-94.0
Some Post-H.S.	499	92,242	54	6.9	04.4-09.4	445	93.1	90.6-95.6
College Graduate	748	85,790	68	7.4	05.2-09.6	680	92.6	90.4-94.8
Less than \$15,000	218	39,807	45	14.1	08.0-20.2	173	85.9	79.8-92.0
\$15,000- 24,999	168	30,396	41	20.8	12.6-29.0	127	79.2	71.0-87.4
\$25,000- 34,999	173	28,465	17	5.9	02.2-09.6	156	94.1	90.4-97.8
\$35,000- 49,999	246	42,369	23	8.2	03.7-12.7	223	91.8	87.3-96.3
\$50,000- 74,999	311	53,134	27	7.1	03.6-10.6	284	92.9	89.4-96.4
\$75,000+	672	107,726	42	5.1	03.1-07.1	630	94.9	92.9-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3160	370,434	347	8.4	07.2-09.6	2813	91.6	90.4-92.8
White/Non-Hisp	2447	248,150	260	7.8	06.6-09.0	2187	92.2	91.0-93.4
Black or Afr. Am./Non-Hisp	479	76,822	63	12.0	08.1-15.9	416	88.0	84.1-91.9
Oth. Race/Non-Hisp.	73	12,268	6	2.5	00.0-05.0	67	97.5	95.0-0100
MultiRacial/Non-Hisp.	58	4,748	11	19.4	06.9-31.9	47	80.6	68.1-93.1
Hispanic	88	27,088	6	4.5	00.8-08.2	82	95.5	91.8-99.2
18-24	155	45,112	4	1.1	00.0-02.3	151	98.9	97.7-0100
25-34	321	57,825	8	3.0	00.5-05.5	313	97.0	94.5-99.5
35-44	390	57,786	14	4.8	01.3-08.3	376	95.2	91.7-98.7
45-54	568	66,683	46	7.3	04.8-09.8	522	92.7	90.2-95.2
55-64	622	60,947	67	11.1	07.8-14.4	555	88.9	85.6-92.2
65+	1069	79,256	206	18.3	15.4-21.2	863	81.7	78.8-84.6
Less Than H.S.	167	36,994	39	15.5	08.8-22.2	128	84.5	77.8-91.2
H.S. or G.E.D.	971	119,072	121	8.9	06.9-10.9	850	91.1	89.1-93.1
Some Post-H.S.	890	118,401	116	8.9	06.7-11.1	774	91.1	88.9-93.3
College Graduate	1126	95,272	71	4.6	03.2-06.0	1055	95.4	94.0-96.8
Less than \$15,000	380	42,064	66	13.7	09.8-17.6	314	86.3	82.4-90.2
\$15,000- 24,999	363	46,752	87	17.4	12.5-22.3	276	82.6	77.7-87.5
\$25,000- 34,999	312	35,077	29	5.6	03.1-08.1	283	94.4	91.9-96.9
\$35,000- 49,999	401	47,270	40	7.5	04.8-10.2	361	92.5	89.8-95.2
\$50,000- 74,999	456	51,793	29	6.0	03.1-08.9	427	94.0	91.1-96.9
\$75,000+	750	88,107	29	2.9	01.5-04.3	721	97.1	95.7-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	153
2	MALES ONLY	154
3	FEMALES ONLY	155
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	156
5	MALES ONLY	157
6	FEMALES ONLY	158
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	159
8	MALES ONLY	160
9	FEMALES ONLY	161
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	162
11	MALES ONLY	163
12	FEMALES ONLY	164
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	165
14	MALES ONLY	166
15	FEMALES ONLY	167

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5147	707,316	2490	46.6	44.6-48.6	2657	53.4	51.4-55.4
Male	1995	337,604	1051	51.0	48.1-53.9	944	49.0	46.1-51.9
Female	3152	369,712	1439	42.6	40.2-45.0	1713	57.4	55.0-59.8
White/Non-Hisp	3995	474,321	2060	52.3	50.3-54.3	1935	47.7	45.7-49.7
Black or Afr. Am./Non-Hisp	726	140,576	266	38.0	33.3-42.7	460	62.0	57.3-66.7
Oth. Race/Non-Hisp.	141	27,769	41	24.0	14.4-33.6	100	76.0	66.4-85.6
MultiRacial/Non-Hisp.	103	9,098	57	57.4	46.2-68.6	46	42.6	31.4-53.8
Hispanic	155	52,690	52	28.7	20.1-37.3	103	71.3	62.7-79.9
18-24	311	91,129	84	26.7	21.0-32.4	227	73.3	67.6-79.0
25-34	526	114,822	212	44.7	39.4-50.0	314	55.3	50.0-60.6
35-44	641	112,261	263	42.6	37.7-47.5	378	57.4	52.5-62.3
45-54	911	129,175	431	48.1	43.8-52.4	480	51.9	47.6-56.2
55-64	1021	115,338	531	53.5	49.4-57.6	490	46.5	42.4-50.6
65+	1687	140,061	949	57.5	54.4-60.6	738	42.5	39.4-45.6
Less Than H.S.	334	94,004	205	60.5	53.4-67.6	129	39.5	32.4-46.6
H.S. or G.E.D.	1549	221,229	828	49.1	45.8-52.4	721	50.9	47.6-54.2
Some Post-H.S.	1384	210,236	716	48.3	45.0-51.6	668	51.7	48.4-55.0
College Graduate	1873	181,035	738	34.6	31.9-37.3	1135	65.4	62.7-68.1
Less than \$15,000	597	81,575	343	55.5	49.6-61.4	254	44.5	38.6-50.4
\$15,000- 24,999	530	77,006	278	51.5	45.2-57.8	252	48.5	42.2-54.8
\$25,000- 34,999	483	63,299	254	48.4	42.1-54.7	229	51.6	45.3-57.9
\$35,000- 49,999	645	89,572	352	55.6	50.5-60.7	293	44.4	39.3-49.5
\$50,000- 74,999	765	104,850	380	49.0	44.1-53.9	385	51.0	46.1-55.9
\$75,000+	1422	195,834	586	40.1	36.8-43.4	836	59.9	56.6-63.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1995	337,604	1051	51.0	48.1-53.9	944	49.0	46.1-51.9
White/Non-Hisp	1554	226,569	865	57.1	54.0-60.2	689	42.9	39.8-46.0
Black or Afr. Am./Non-Hisp	249	64,079	103	42.6	34.8-50.4	146	57.4	49.6-65.2
Oth. Race/Non-Hisp.	68	15,500	23	28.6	13.9-43.3	45	71.4	56.7-86.1
Hispanic	67	25,601	24	29.8	16.5-43.1	43	70.2	56.9-83.5
18-24	156	46,017	43	26.9	18.9-34.9	113	73.1	65.1-81.1
25-34	207	57,219	100	50.1	41.7-58.5	107	49.9	41.5-58.3
35-44	251	54,476	106	47.0	39.4-54.6	145	53.0	45.4-60.6
45-54	344	62,532	149	47.0	40.1-53.9	195	53.0	46.1-59.9
55-64	399	54,390	225	59.4	52.9-65.9	174	40.6	34.1-47.1
65+	623	61,265	421	69.8	65.3-74.3	202	30.2	25.7-34.7
Less Than H.S.	167	57,009	119	65.4	55.8-75.0	48	34.6	25.0-44.2
H.S. or G.E.D.	582	102,766	339	52.9	47.6-58.2	243	47.1	41.8-52.4
Some Post-H.S.	497	91,921	280	52.5	47.0-58.0	217	47.5	42.0-53.0
College Graduate	748	85,790	312	37.6	33.3-41.9	436	62.4	58.1-66.7
Less than \$15,000	218	39,807	135	56.3	46.9-65.7	83	43.7	34.3-53.1
\$15,000- 24,999	167	30,253	98	56.3	45.7-66.9	69	43.7	33.1-54.3
\$25,000- 34,999	171	28,252	108	58.5	47.5-69.5	63	41.5	30.5-52.5
\$35,000- 49,999	246	42,369	151	63.5	55.9-71.1	95	36.5	28.9-44.1
\$50,000- 74,999	310	53,117	163	52.0	44.6-59.4	147	48.0	40.6-55.4
\$75,000+	672	107,726	295	43.2	38.3-48.1	377	56.8	51.9-61.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3152	369,712	1439	42.6	40.2-45.0	1713	57.4	55.0-59.8
White/Non-Hisp	2441	247,752	1195	47.9	45.4-50.4	1246	52.1	49.6-54.6
Black or Afr. Am./Non-Hisp	477	76,497	163	34.1	28.6-39.6	314	65.9	60.4-71.4
Oth. Race/Non-Hisp.	73	12,268	18	18.2	07.0-29.4	55	81.8	70.6-93.0
MultiRacial/Non-Hisp.	58	4,748	29	54.8	39.3-70.3	29	45.2	29.7-60.7
Hispanic	88	27,088	28	27.7	16.7-38.7	60	72.3	61.3-83.3
18-24	155	45,112	41	26.6	18.8-34.4	114	73.4	65.6-81.2
25-34	319	57,602	112	39.4	32.7-46.1	207	60.6	53.9-67.3
35-44	390	57,786	157	38.4	32.1-44.7	233	61.6	55.3-67.9
45-54	567	66,643	282	49.1	43.8-54.4	285	50.9	45.6-56.2
55-64	622	60,947	306	48.1	43.0-53.2	316	51.9	46.8-57.0
65+	1064	78,796	528	48.0	44.1-51.9	536	52.0	48.1-55.9
Less Than H.S.	167	36,994	86	53.0	43.0-63.0	81	47.0	37.0-57.0
H.S. or G.E.D.	967	118,463	489	45.8	41.5-50.1	478	54.2	49.9-58.5
Some Post-H.S.	887	118,315	436	45.1	41.0-49.2	451	54.9	50.8-59.0
College Graduate	1125	95,245	426	31.8	28.5-35.1	699	68.2	64.9-71.5
Less than \$15,000	379	41,767	208	54.8	47.9-61.7	171	45.2	38.3-52.1
\$15,000- 24,999	363	46,752	180	48.4	40.8-56.0	183	51.6	44.0-59.2
\$25,000- 34,999	312	35,048	146	40.2	32.9-47.5	166	59.8	52.5-67.1
\$35,000- 49,999	399	47,202	201	48.5	42.0-55.0	198	51.5	45.0-58.0
\$50,000- 74,999	455	51,733	217	46.0	39.9-52.1	238	54.0	47.9-60.1
\$75,000+	750	88,107	291	36.2	31.7-40.7	459	63.8	59.3-68.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2489	329,667	627	31.4	28.9-33.9	228	10.9	09.1-12.7	1634	57.7	55.0-60.4
Male	1051	172,211	243	30.4	26.5-34.3	87	10.1	07.7-12.5	721	59.5	55.4-63.6
Female	1438	157,457	384	32.5	29.0-36.0	141	11.8	09.4-14.2	913	55.7	52.2-59.2
White/Non-Hisp	2059	247,864	507	31.0	28.1-33.9	155	9.0	07.2-10.8	1397	60.0	57.1-62.9
Black or Afr. Am./Non-Hisp	266	53,371	81	34.5	26.7-42.3	49	17.5	11.8-23.2	136	48.0	40.0-56.0
MultiRacial/Non-Hisp.	57	5,227	12	26.7	12.2-41.2	13	23.6	10.1-37.1	32	49.7	34.2-65.2
Hispanic	52	15,135	15	34.2	17.7-50.7	7	17.9	04.2-31.6	30	47.9	31.0-64.8
18-24	84	24,371	44	55.4	43.6-67.2	21	24.0	14.0-34.0	19	20.5	11.1-29.9
25-34	212	51,372	83	43.5	35.3-51.7	36	18.7	12.2-25.2	93	37.7	29.9-45.5
35-44	263	47,785	94	40.1	32.3-47.9	41	13.6	08.9-18.3	128	46.2	38.6-53.8
45-54	431	62,078	156	38.6	32.3-44.9	50	10.2	06.7-13.7	225	51.2	44.9-57.5
55-64	531	61,654	131	24.4	19.5-29.3	43	7.2	04.5-09.9	357	68.3	63.0-73.6
65+	949	80,602	117	11.6	09.1-14.1	36	3.9	02.3-05.5	796	84.5	81.6-87.4
Less Than H.S.	205	56,847	80	47.1	38.3-55.9	17	7.1	03.2-11.0	108	45.8	37.2-54.4
H.S. or G.E.D.	828	108,530	260	36.9	32.4-41.4	74	10.7	07.6-13.8	494	52.3	47.8-56.8
Some Post-H.S.	716	101,583	178	26.8	22.7-30.9	77	13.6	10.1-17.1	461	59.6	54.9-64.3
College Graduate	737	62,515	109	15.1	11.8-18.4	60	10.3	07.2-13.4	568	74.6	70.3-78.9
Less than \$15,000	343	45,295	109	38.5	30.9-46.1	37	12.6	07.3-17.9	197	48.9	41.3-56.5
\$15,000- 24,999	278	39,652	94	44.7	35.9-53.5	43	14.9	09.2-20.6	141	40.4	31.8-49.0
\$25,000- 34,999	254	30,619	72	31.4	24.0-38.8	23	12.8	06.9-18.7	159	55.8	47.8-63.8
\$35,000- 49,999	351	49,762	104	38.2	31.1-45.3	22	7.0	03.3-10.7	225	54.8	47.7-61.9
\$50,000- 74,999	380	51,381	97	30.2	23.7-36.7	25	7.2	03.7-10.7	258	62.6	55.9-69.3
\$75,000+	586	78,436	96	20.4	15.5-25.3	55	12.3	08.6-16.0	435	67.3	62.0-72.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1051	172,211	243	30.4	26.5-34.3	87	10.1	07.7-12.5	721	59.5	55.6-63.4
White/Non-Hisp	865	129,332	197	30.8	26.5-35.1	57	8.3	05.8-10.8	611	60.9	56.6-65.2
Black or Afr. Am./Non-Hisp	103	27,292	25	26.9	15.5-38.3	21	19.2	10.4-28.0	57	53.8	41.3-66.3
25-34	100	28,657	47	50.8	39.0-62.6	20	19.5	10.7-28.3	33	29.7	19.1-40.3
35-44	106	25,613	38	37.5	26.3-48.7	12	8.7	03.4-14.0	56	53.7	42.3-65.1
45-54	149	29,383	46	31.9	22.1-41.7	18	10.5	04.6-16.4	85	57.6	47.4-67.8
55-64	225	32,316	50	22.9	15.3-30.5	12	5.8	01.7-09.9	163	71.3	63.3-79.3
65+	421	42,747	35	8.4	04.9-11.9	15	3.7	01.5-05.9	371	87.9	84.0-91.8
Less Than H.S.	119	37,258	42	42.8	31.4-54.2	9	6.1	01.6-10.6	68	51.1	39.7-62.5
H.S. or G.E.D.	339	54,312	99	36.5	29.8-43.2	30	10.6	06.3-14.9	210	52.9	46.2-59.6
Some Post-H.S.	280	48,224	64	26.3	19.8-32.8	27	13.9	08.4-19.4	189	59.8	52.5-67.1
College Graduate	312	32,297	38	12.0	07.3-16.7	21	8.4	03.9-12.9	253	79.7	73.6-85.8
Less than \$15,000	135	22,394	46	40.2	27.9-52.5	14	10.4	03.7-17.1	75	49.5	37.3-61.7
\$15,000- 24,999	98	17,025	35	42.1	27.8-56.4	12	9.8	02.9-16.7	51	48.1	33.2-63.0
\$25,000- 34,999	108	16,515	25	24.7	14.3-35.1	11	16.0	06.4-25.6	72	59.4	47.4-71.4
\$35,000- 49,999	151	26,915	41	41.1	30.3-51.9	8	6.6	01.1-12.1	102	52.3	41.7-62.9
\$50,000- 74,999	163	27,604	38	32.3	22.5-42.1	10	7.4	01.7-13.1	115	60.2	50.2-70.2
\$75,000+	295	46,568	41	18.2	11.7-24.7	24	11.3	06.2-16.4	230	70.4	63.0-77.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1438	157,457	384	32.5	29.0-36.0	141	11.8	09.4-14.2	913	55.7	52.2-59.2
White/Non-Hisp	1194	118,532	310	31.2	27.5-34.9	98	9.8	07.4-12.2	786	59.0	55.3-62.7
Black or Afr. Am./Non-Hisp	163	26,079	56	42.4	32.4-52.4	28	15.7	08.8-22.6	79	41.9	32.5-51.3
25-34	112	22,715	36	34.4	23.6-45.2	16	17.7	08.1-27.3	60	47.9	36.7-59.1
35-44	157	22,171	56	43.2	32.6-53.8	29	19.3	11.7-26.9	72	37.5	28.3-46.7
45-54	282	32,695	110	44.6	37.0-52.2	32	9.9	05.8-14.0	140	45.5	38.1-52.9
55-64	306	29,339	81	26.1	20.0-32.2	31	8.8	04.9-12.7	194	65.1	58.4-71.8
65+	528	37,855	82	15.2	11.5-18.9	21	4.2	01.8-06.6	425	80.6	76.5-84.7
Less Than H.S.	86	19,589	38	55.3	42.2-68.4	8	9.0	01.9-16.1	40	35.7	23.4-48.0
H.S. or G.E.D.	489	54,218	161	37.3	31.4-43.2	44	10.9	06.6-15.2	284	51.7	45.8-57.6
Some Post-H.S.	436	53,359	114	27.2	21.9-32.5	50	13.4	09.1-17.7	272	59.4	53.5-65.3
College Graduate	425	30,218	71	18.5	13.6-23.4	39	12.3	07.8-16.8	315	69.2	63.3-75.1
Less than \$15,000	208	22,902	63	36.8	27.6-46.0	23	14.7	06.7-22.7	122	48.4	39.4-57.4
\$15,000- 24,999	180	22,627	59	46.7	35.5-57.9	31	18.8	10.6-27.0	90	34.5	25.1-43.9
\$25,000- 34,999	146	14,104	47	39.3	28.9-49.7	12	9.1	02.8-15.4	87	51.6	41.0-62.2
\$35,000- 49,999	200	22,847	63	34.7	25.9-43.5	14	7.6	02.5-12.7	123	57.7	48.7-66.7
\$50,000- 74,999	217	23,777	59	27.7	20.1-35.3	15	6.9	03.0-10.8	143	65.4	57.4-73.4
\$75,000+	291	31,868	55	23.5	16.2-30.8	31	13.8	08.3-19.3	205	62.7	55.1-70.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	854	139,316	479	57.5	53.0-62.0	375	42.5	38.0-47.0
Male	330	69,764	183	58.3	51.4-65.2	147	41.7	34.8-48.6
Female	524	69,552	296	56.7	50.8-62.6	228	43.3	37.4-49.2
White/Non-Hisp	662	99,084	346	51.6	46.5-56.7	316	48.4	43.3-53.5
Black or Afr. Am./Non-Hisp	129	27,552	93	75.1	65.9-84.3	36	24.9	15.7-34.1
18-24	65	19,366	36	61.5	48.6-74.4	29	38.5	25.6-51.4
25-34	119	31,987	77	61.5	50.7-72.3	42	38.5	27.7-49.3
35-44	134	25,512	82	58.6	47.6-69.6	52	41.4	30.4-52.4
45-54	206	30,267	112	53.2	44.2-62.2	94	46.8	37.8-55.8
55-64	174	19,522	89	52.0	42.0-62.0	85	48.0	38.0-58.0
65+	153	12,513	81	57.6	47.6-67.6	72	42.4	32.4-52.4
Less Than H.S.	97	30,824	47	54.4	42.2-66.6	50	45.6	33.4-57.8
H.S. or G.E.D.	334	51,754	177	55.5	48.4-62.6	157	44.5	37.4-51.6
Some Post-H.S.	255	41,054	159	61.4	54.0-68.8	96	38.6	31.2-46.0
College Graduate	168	15,684	96	59.5	49.7-69.3	72	40.5	30.7-50.3
Less than \$15,000	145	22,940	85	58.0	46.6-69.4	60	42.0	30.6-53.4
\$15,000- 24,999	137	23,648	79	59.2	47.8-70.6	58	40.8	29.4-52.2
\$25,000- 34,999	95	13,538	60	66.5	54.9-78.1	35	33.5	21.9-45.1
\$35,000- 49,999	126	22,493	66	57.5	46.3-68.7	60	42.5	31.3-53.7
\$50,000- 74,999	122	19,193	63	47.1	35.3-58.9	59	52.9	41.1-64.7
\$75,000+	151	25,637	83	54.5	43.9-65.1	68	45.5	34.9-56.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	330	69,764	183	58.3	51.4-65.2	147	41.7	34.8-48.6
White/Non-Hisp	254	50,506	129	50.5	42.7-58.3	125	49.5	41.7-57.3
25-34	67	20,152	46	68.1	54.6-81.6	21	31.9	18.4-45.4
35-44	50	11,850	27	52.9	36.2-69.6	23	47.1	30.4-63.8
45-54	64	12,450	33	54.1	38.2-70.0	31	45.9	30.0-61.8
55-64	62	9,279	25	41.7	25.4-58.0	37	58.3	42.0-74.6
65+	50	5,163	33	66.7	49.8-83.6	17	33.3	16.4-50.2
Less Than H.S.	51	18,221	27	58.4	41.9-74.9	24	41.6	25.1-58.1
H.S. or G.E.D.	129	25,574	71	57.3	46.9-67.7	58	42.7	32.3-53.1
Some Post-H.S.	91	19,404	56	62.3	50.3-74.3	35	37.7	25.7-49.7
College Graduate	59	6,566	29	49.9	32.8-67.0	30	50.1	33.0-67.2
Less than \$15,000	60	11,319	31	55.2	37.6-72.8	29	44.8	27.2-62.4
\$75,000+	65	13,761	35	52.4	36.7-68.1	30	47.6	31.9-63.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	524	69,552	296	56.7	50.8-62.6	228	43.3	37.4-49.2
White/Non-Hisp	408	48,578	217	52.7	46.0-59.4	191	47.3	40.6-54.0
Black or Afr. Am./Non-Hisp	83	14,951	59	72.2	59.9-84.5	24	27.8	15.5-40.1
25-34	52	11,835	31	50.4	33.7-67.1	21	49.6	32.9-66.3
35-44	84	13,661	55	63.5	49.4-77.6	29	36.5	22.4-50.6
45-54	142	17,817	79	52.5	41.7-63.3	63	47.5	36.7-58.3
55-64	112	10,243	64	61.3	50.3-72.3	48	38.7	27.7-49.7
65+	103	7,350	48	51.3	39.3-63.3	55	48.7	36.7-60.7
H.S. or G.E.D.	205	26,181	106	53.8	44.4-63.2	99	46.2	36.8-55.6
Some Post-H.S.	164	21,651	103	60.7	51.3-70.1	61	39.3	29.9-48.7
College Graduate	109	9,118	67	66.4	55.2-77.6	42	33.6	22.4-44.8
Less than \$15,000	85	11,621	54	60.7	45.8-75.6	31	39.3	24.4-54.2
\$15,000- 24,999	90	14,813	52	54.4	39.5-69.3	38	45.6	30.7-60.5
\$25,000- 34,999	59	6,826	34	63.3	49.0-77.6	25	36.7	22.4-51.0
\$35,000- 49,999	77	9,664	39	51.5	37.2-65.8	38	48.5	34.2-62.8
\$50,000- 74,999	74	8,219	39	48.0	33.5-62.5	35	52.0	37.5-66.5
\$75,000+	86	11,875	48	56.9	42.6-71.2	38	43.1	28.8-57.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1633	189,813	101	9.9	07.5-12.3	211	14.3	11.9-16.7	142	9.6	07.6-11.6	1155	64.5	61.2-67.8	24	1.7	00.9-02.5
Male	720	102,097	43	10.9	07.2-14.6	83	10.7	07.8-13.6	49	8.6	05.5-11.7	534	67.8	62.9-72.7	11	2.0	00.6-03.4
Female	913	87,715	58	8.8	06.1-11.5	128	18.4	14.7-22.1	93	10.7	08.0-13.4	621	60.6	56.3-64.9	13	1.3	00.3-02.3
White/Non-Hisp	1396	148,431	76	7.9	05.7-10.1	176	14.3	11.8-16.8	118	9.4	07.2-11.6	1005	66.4	63.1-69.7	21	2.0	01.0-03.0
Black or Afr. Am./Non-Hisp	136	25,630	19	21.6	10.8-32.4	16	10.1	04.0-16.2	10	5.8	01.5-10.1	90	62.1	50.7-73.5	1	0.4	00.0-01.2
25-34	93	19,385	17	22.8	10.8-34.8	36	37.6	25.6-49.6	15	12.6	05.7-19.5	21	21.7	11.9-31.5	4	5.2	00.1-10.3
35-44	127	21,735	18	19.1	09.1-29.1	28	15.7	08.8-22.6	25	18.2	10.0-26.4	52	44.1	32.9-55.3	4	2.8	00.0-06.3
45-54	225	31,811	22	13.2	06.5-19.9	35	15.9	09.8-22.0	26	14.4	07.0-21.8	135	54.0	45.2-62.8	7	2.6	00.4-04.8
55-64	357	42,132	19	5.7	02.2-09.2	42	9.5	06.0-13.0	24	5.5	02.8-08.2	271	78.9	73.6-84.2	1	0.4	00.0-01.2
65+	796	68,089	15	1.8	00.6-03.0	61	8.1	05.4-10.8	48	5.8	03.8-07.8	666	83.5	80.2-86.8	6	0.7	00.1-01.3
Less Than H.S.	108	26,024	12	22.9	10.9-34.9	11	13.3	04.9-21.7	10	4.8	01.7-07.9	75	59.0	46.3-71.7			
H.S. or G.E.D.	493	56,427	28	6.8	03.9-09.7	70	15.3	11.0-19.6	47	10.8	06.5-15.1	345	66.3	60.6-72.0	3	0.8	00.0-02.0
Some Post-H.S.	461	60,529	34	10.4	06.3-14.5	66	15.1	10.8-19.4	43	11.0	06.9-15.1	314	62.2	56.3-68.1	4	1.3	00.0-02.7
College Graduate	568	46,641	27	5.9	03.4-08.4	64	12.6	09.1-16.1	41	9.0	05.7-12.3	419	68.2	63.3-73.1	17	4.2	01.8-06.6
Less than \$15,000	197	22,166	21	17.0	08.2-25.8	24	11.9	06.6-17.2	20	9.8	03.9-15.7	131	60.9	51.1-70.7	1	0.3	00.0-00.9
\$15,000- 24,999	141	16,004	16	20.8	08.5-33.1	16	15.1	04.7-25.5	16	8.3	03.0-13.6	93	55.8	41.9-69.7			
\$25,000- 34,999	159	17,082	8	10.3	03.0-17.6	32	18.1	10.1-26.1	12	5.7	01.8-09.6	106	65.4	55.4-75.4	1	0.4	00.0-01.2
\$35,000- 49,999	225	27,270	12	7.7	03.2-12.2	28	17.0	09.4-24.6	16	5.4	02.3-08.5	169	69.9	61.5-78.3			
\$50,000- 74,999	258	32,188	19	7.1	03.0-11.2	31	12.8	07.9-17.7	24	11.4	06.3-16.5	180	66.5	59.1-73.9	4	2.3	00.0-04.7
\$75,000+	434	52,450	16	5.8	01.9-09.7	61	16.4	11.7-21.1	36	11.8	06.9-16.7	306	61.9	55.4-68.4	15	4.2	01.7-06.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	720	102,097	43	10.9	07.2-14.6	83	10.7	07.8-13.6	49	8.6	05.5-11.7	534	67.8	62.9-72.7	11	2.0	00.6-03.4
White/Non-Hisp	610	78,477	32	8.3	05.0-11.6	72	11.7	08.6-14.8	39	8.3	05.2-11.4	458	69.3	64.4-74.2	9	2.4	00.8-04.0
Black or Afr. Am./Non-Hisp	57	14,691	7	21.8	05.9-37.7	5	6.5	00.0-14.3	4	3.9	00.0-08.4	41	67.8	50.9-84.7			
35-44	55	13,414	11	26.2	11.1-41.3	7	9.3	02.0-16.6	10	15.8	04.6-27.0	25	44.7	28.8-60.6	2	4.0	00.0-09.7
45-54	85	16,932	9	15.2	04.2-26.2	13	13.7	04.9-22.5	12	19.2	06.7-31.7	48	49.4	35.7-63.1	3	2.6	00.0-05.9
55-64	163	23,036	6	3.4	00.5-06.3	22	8.4	04.5-12.3	7	2.5	00.3-04.7	127	84.9	79.4-90.4	1	0.8	00.0-02.4
65+	371	37,585	5	1.5	00.0-03.1	29	7.7	03.8-11.6	14	4.2	01.7-06.7	321	85.9	81.2-90.6	2	0.7	00.0-01.9
Less Than H.S.	68	19,037	10	26.9	12.0-41.8	4	6.7	00.0-14.0	9	6.1	01.8-10.4	45	60.3	44.8-75.8			
H.S. or G.E.D.	209	28,390	11	7.2	02.7-11.7	29	13.1	07.2-19.0	16	9.4	02.7-16.1	151	68.9	60.3-77.5	2	1.4	00.0-03.8
Some Post-H.S.	189	28,820	12	8.9	03.0-14.8	26	12.2	06.5-17.9	11	9.8	03.1-16.5	138	67.5	58.5-76.5	2	1.6	00.0-03.8
College Graduate	253	25,731	10	5.3	01.6-09.0	24	9.5	05.2-13.8	13	8.3	03.4-13.2	199	72.4	65.3-79.5	7	4.5	00.8-08.2
Less than \$15,000	75	11,075	8	20.4	05.1-35.7	5	4.9	00.0-10.0	7	10.8	00.6-21.0	55	63.9	47.4-80.4			
\$15,000- 24,999	51	8,190	8	28.1	06.5-49.7	4	10.4	00.0-23.9	4	4.7	00.0-10.0	35	56.7	33.6-79.8			
\$25,000- 34,999	72	9,804	3	8.6	00.0-18.0	14	13.9	03.9-23.9	6	7.9	01.2-14.6	48	69.0	55.5-82.5	1	0.7	00.0-02.1
\$35,000- 49,999	102	14,087	4	6.5	00.0-13.2	7	7.4	00.0-15.4	3	2.1	00.0-04.8	88	84.0	74.0-94.0			
\$50,000- 74,999	115	16,630	6	5.2	00.7-09.7	17	14.3	06.9-21.7	7	6.6	00.9-12.3	84	72.6	62.8-82.4	1	1.2	00.0-03.6
\$75,000+	229	32,458	9	6.6	00.5-12.7	27	11.9	06.8-17.0	15	12.7	05.4-20.0	170	63.5	54.7-72.3	8	5.2	01.5-08.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	913	87,715	58	8.8	06.1-11.5	128	18.4	14.7-22.1	93	10.7	08.0-13.4	621	60.6	56.3-64.9	13	1.3	00.3-02.3
White/Non-Hisp	786	69,954	44	7.5	04.8-10.2	104	17.2	13.3-21.1	79	10.6	07.9-13.3	547	63.2	58.7-67.7	12	1.5	00.3-02.7
Black or Afr. Am./Non-Hisp	79	10,940	12	21.4	08.5-34.3	11	15.0	05.8-24.2	6	8.2	00.6-15.8	49	54.4	40.7-68.1	1	1.0	00.0-03.0
25-34	60	10,881	9	14.5	04.7-24.3	26	47.0	31.5-62.5	10	13.9	04.3-23.5	13	20.4	08.1-32.7	2	4.3	00.0-10.2
35-44	72	8,321	7	7.6	01.9-13.3	21	26.2	13.9-38.5	15	22.1	10.5-33.7	27	43.2	29.1-57.3	2	0.9	00.0-02.3
45-54	140	14,878	13	10.9	04.2-17.6	22	18.4	10.2-26.6	14	8.9	02.8-15.0	87	59.2	49.0-69.4	4	2.6	00.1-05.1
55-64	194	19,096	13	8.4	01.7-15.1	20	10.8	04.9-16.7	17	9.1	04.0-14.2	144	71.8	63.0-80.6			
65+	425	30,505	10	2.3	00.7-03.9	32	8.6	04.9-12.3	34	7.9	04.8-11.0	345	80.6	75.9-85.3	4	0.7	00.1-01.3
H.S. or G.E.D.	284	28,037	17	6.4	02.9-09.9	41	17.6	11.3-23.9	31	12.2	06.9-17.5	194	63.6	56.2-71.0	1	0.3	00.0-00.9
Some Post-H.S.	272	31,708	22	11.8	06.3-17.3	40	17.7	11.4-24.0	32	12.0	07.3-16.7	176	57.4	50.0-64.8	2	1.0	00.0-02.8
College Graduate	315	20,910	17	6.6	03.3-09.9	40	16.6	10.9-22.3	28	9.9	05.6-14.2	220	63.1	56.2-70.0	10	3.8	01.1-06.5
Less than \$15,000	122	11,091	13	13.6	05.2-22.0	19	19.0	10.4-27.6	13	8.9	03.0-14.8	76	57.9	46.7-69.1	1	0.6	00.0-01.8
\$15,000- 24,999	90	7,814	8	13.2	02.2-24.2	12	20.0	04.9-35.1	12	12.1	03.5-20.7	58	54.8	40.1-69.5			
\$25,000- 34,999	87	7,278	5	12.7	01.1-24.3	18	23.9	10.8-37.0	6	2.8	00.4-05.2	58	60.6	46.1-75.1			
\$35,000- 49,999	123	13,183	8	9.0	02.7-15.3	21	27.3	15.0-39.6	13	8.9	03.0-14.8	81	54.8	42.6-67.0			
\$50,000- 74,999	143	15,558	13	9.0	01.9-16.1	14	11.1	04.6-17.6	17	16.5	08.1-24.9	96	60.0	49.4-70.6	3	3.4	00.0-07.7
\$75,000+	205	19,992	7	4.4	00.9-07.9	34	23.6	15.2-32.0	21	10.4	05.3-15.5	136	59.1	50.5-67.7	7	2.5	00.5-04.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5158	708,413	36	1.1	00.7-01.5	50	1.4	00.8-02.0	5072	97.5	96.9-98.1
Male	2000	338,101	33	2.1	01.1-03.1	40	2.4	01.4-03.4	1927	95.5	94.1-96.9
Female	3158	370,312	3	0.1	00.0-00.3	10	0.6	00.2-01.0	3145	99.3	98.9-99.7
White/Non-Hisp	4002	474,881	31	1.2	00.6-01.8	42	1.7	01.1-02.3	3929	97.1	96.3-97.9
Black or Afr. Am./Non-Hisp	729	141,099	3	0.6	00.0-01.4	4	1.2	00.0-02.6	722	98.2	96.6-99.8
Oth. Race/Non-Hisp.	141	27,769				2	1.2	00.0-03.0	139	98.8	97.0-0100
MultiRacial/Non-Hisp.	104	9,113							104	100.0	0100-0100
Hispanic	155	52,690	2	2.0	00.0-04.7	2	0.7	00.0-01.9	151	97.3	94.4-0100
18-24	311	91,129	7	2.4	00.4-04.4	9	4.1	01.2-07.0	295	93.6	90.3-96.9
25-34	527	114,968	7	1.7	00.0-03.5	5	1.5	00.1-02.9	515	96.8	94.6-99.0
35-44	642	112,385	8	1.5	00.3-02.7	7	1.0	00.2-01.8	627	97.4	96.0-98.8
45-54	913	129,358	3	0.3	00.0-00.7	10	1.3	00.1-02.5	900	98.3	97.1-99.5
55-64	1022	115,353	7	0.9	00.1-01.7	4	0.4	00.0-01.0	1011	98.7	97.7-99.7
65+	1693	140,690	4	0.1	00.0-00.3	14	1.0	00.4-01.6	1675	98.9	98.3-99.5
Less Than H.S.	335	94,146	5	1.4	00.0-02.8	10	3.8	01.1-06.5	320	94.8	91.7-97.9
H.S. or G.E.D.	1554	221,782	13	1.1	00.3-01.9	12	1.0	00.2-01.8	1529	97.9	96.9-98.9
Some Post-H.S.	1390	210,704	9	1.3	00.3-02.3	11	1.2	00.4-02.0	1370	97.5	96.1-98.9
College Graduate	1872	180,969	9	0.5	00.1-00.9	17	1.1	00.5-01.7	1846	98.4	97.6-99.2
Less than \$15,000	598	81,871	4	1.7	00.0-03.9	4	1.6	00.0-03.4	590	96.7	94.0-99.4
\$15,000- 24,999	531	77,148	4	0.6	00.0-01.4	4	1.1	00.0-02.7	523	98.2	96.6-99.8
\$25,000- 34,999	485	63,512	2	0.3	00.0-00.7	3	0.4	00.0-01.0	480	99.2	98.4-0100
\$35,000- 49,999	647	89,639	8	2.5	00.5-04.5	8	1.3	00.1-02.5	631	96.2	93.8-98.6
\$50,000- 74,999	767	104,928	6	0.9	00.1-01.7	6	0.6	00.0-01.2	755	98.5	97.5-99.5
\$75,000+	1421	195,758	11	1.1	00.3-01.9	19	2.3	01.1-03.5	1391	96.6	95.0-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2000	338,101	33	2.1	01.1-03.1	40	2.4	01.4-03.4	1927	95.5	94.1-96.9
White/Non-Hisp	1557	226,853	29	2.4	01.2-03.6	36	2.7	01.5-03.9	1492	94.8	93.2-96.4
Black or Afr. Am./Non-Hisp	250	64,276	2	1.0	00.0-02.4	3	2.4	00.0-05.3	245	96.7	93.6-99.8
Oth. Race/Non-Hisp.	68	15,500							68	100.0	0100-0100
Hispanic	67	25,601	2	4.0	00.0-09.5	1	1.2	00.0-03.6	64	94.8	88.9-0100
18-24	156	46,017	7	4.7	01.0-08.4	7	6.0	01.1-10.9	142	89.3	83.4-95.2
25-34	207	57,219	7	3.5	00.0-07.0	5	3.0	00.1-05.9	195	93.5	89.0-98.0
35-44	252	54,600	8	3.2	00.8-05.6	4	1.4	00.0-03.0	240	95.4	92.7-98.1
45-54	345	62,675	2	0.4	00.0-01.0	9	2.5	00.3-04.7	334	97.1	94.7-99.5
55-64	400	54,405	6	1.8	00.0-03.6	3	0.4	00.0-01.0	391	97.8	96.0-99.6
65+	625	61,481	3	0.2	00.0-00.4	11	1.4	00.4-02.4	611	98.4	97.4-99.4
Less Than H.S.	168	57,151	5	2.3	00.0-04.7	7	4.8	00.7-08.9	156	92.9	88.2-97.6
H.S. or G.E.D.	584	102,798	11	2.2	00.6-03.8	11	1.9	00.3-03.5	562	95.9	93.7-98.1
Some Post-H.S.	499	92,242	9	3.0	00.6-05.4	7	1.5	00.1-02.9	483	95.5	93.0-98.0
College Graduate	748	85,790	8	1.0	00.2-01.8	15	2.3	00.9-03.7	725	96.7	95.1-98.3
Less than \$15,000	218	39,807	3	3.4	00.0-07.7	3	2.5	00.0-05.8	212	94.1	88.8-99.4
\$15,000- 24,999	168	30,396	2	0.8	00.0-02.2	3	2.5	00.0-06.2	163	96.7	92.8-0100
\$25,000- 34,999	173	28,465	2	0.7	00.0-01.7	2	0.4	00.0-01.0	169	98.8	97.6-0100
\$35,000- 49,999	246	42,369	8	5.2	01.1-09.3	7	2.1	00.0-04.5	231	92.7	88.0-97.4
\$50,000- 74,999	311	53,134	6	1.8	00.2-03.4	5	1.1	00.0-02.5	300	97.1	94.9-99.3
\$75,000+	672	107,726	11	2.0	00.6-03.4	16	3.4	01.2-05.6	645	94.5	92.0-97.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3158	370,312	3	0.1	00.0-00.3	10	0.6	00.2-01.0	3145	99.3	98.9-99.7
White/Non-Hisp	2445	248,028	2	0.0	00.0-00.0	6	0.7	00.1-01.3	2437	99.3	98.7-99.9
Black or Afr. Am./Non-Hisp	479	76,822	1	0.2	00.0-00.6	1	0.2	00.0-00.6	477	99.5	98.9-0100
Oth. Race/Non-Hisp.	73	12,268				2	2.6	00.0-06.5	71	97.4	93.5-0100
MultiRacial/Non-Hisp.	58	4,748							58	100.0	0100-0100
Hispanic	88	27,088				1	0.2	00.0-00.6	87	99.8	99.4-0100
18-24	155	45,112				2	2.1	00.0-05.0	153	97.9	95.0-0100
25-34	320	57,749							320	100.0	0100-0100
35-44	390	57,786				3	0.6	00.0-01.4	387	99.4	98.6-0100
45-54	568	66,683	1	0.3	00.0-00.9	1	0.2	00.0-00.6	566	99.5	98.7-0100
55-64	622	60,947	1	0.1	00.0-00.3	1	0.4	00.0-01.2	620	99.5	98.7-0100
65+	1068	79,210	1	0.1	00.0-00.3	3	0.7	00.0-01.5	1064	99.2	98.4-0100
Less Than H.S.	167	36,994				3	2.2	00.0-04.9	164	97.8	95.1-0100
H.S. or G.E.D.	970	118,983	2	0.2	00.0-00.6	1	0.1	00.0-00.3	967	99.6	99.2-0100
Some Post-H.S.	891	118,461				4	1.0	00.0-02.0	887	99.0	98.0-0100
College Graduate	1124	95,179	1	0.1	00.0-00.3	2	0.1	00.0-00.3	1121	99.8	99.6-0100
Less than \$15,000	380	42,064	1	0.1	00.0-00.3	1	0.6	00.0-01.8	378	99.2	98.0-0100
\$15,000- 24,999	363	46,752	2	0.5	00.0-01.3	1	0.2	00.0-00.6	360	99.3	98.3-0100
\$25,000- 34,999	312	35,048				1	0.5	00.0-01.5	311	99.5	98.5-0100
\$35,000- 49,999	401	47,270				1	0.6	00.0-01.8	400	99.4	98.2-0100
\$50,000- 74,999	456	51,793				1	0.1	00.0-00.3	455	99.9	99.7-0100
\$75,000+	749	88,032				3	0.8	00.0-02.0	746	99.2	98.0-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	169
2 MALES ONLY	170
3 FEMALES ONLY	171
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	172
5 MALES ONLY	173
6 FEMALES ONLY	174
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	175
8 MALES ONLY	176
9 FEMALES ONLY	177
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	178
11 MALES ONLY	179
12 FEMALES ONLY	180

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5129	702,767	574	11.4	10.2-12.6	183	3.0	0.2-03.6	1568	32.3	30.5-34.1	450	8.4	07.4-09.4	2354	44.9	42.9-46.9
Male	1988	335,790	271	13.2	11.2-15.2	106	4.4	03.2-05.6	565	30.9	28.2-33.6	241	11.3	09.5-13.1	805	40.1	37.2-43.0
Female	3141	366,978	303	9.7	08.3-11.1	77	1.7	01.3-02.1	1003	33.5	31.3-35.7	209	5.7	04.7-06.7	1549	49.3	46.9-51.7
White/Non-Hisp	3981	471,333	479	12.3	10.9-13.7	169	3.9	03.1-04.7	1231	32.5	30.5-34.5	403	10.2	09.0-11.4	1699	41.0	39.0-43.0
Black or Afr. Am./Non-Hisp	725	140,430	51	8.5	05.8-11.2	7	1.1	00.1-02.1	200	30.4	26.1-34.7	24	3.8	02.0-05.6	443	56.2	51.5-60.9
Oth. Race/Non-Hisp.	141	27,769	16	16.4	06.6-26.2	2	0.7	00.0-01.9	39	28.1	17.9-38.3	13	7.7	02.0-13.4	71	47.2	35.8-58.6
MultiRacial/Non-Hisp.	103	9,043	11	11.0	03.7-18.3	2	2.8	00.0-06.5	38	37.4	26.4-48.4	4	7.1	00.0-14.4	48	41.7	30.3-53.1
Hispanic	153	51,366	14	8.0	02.7-13.3	3	1.6	00.0-03.8	50	37.5	27.5-47.5	3	3.7	00.0-08.4	83	49.3	39.1-59.5
18-24	305	88,678	49	15.3	10.6-20.0	4	1.5	00.0-03.1	101	33.3	27.0-39.6	22	7.7	04.0-11.4	129	42.3	35.8-48.8
25-34	526	114,671	83	15.1	11.2-19.0	5	0.8	00.0-01.6	212	40.5	35.2-45.8	41	8.2	05.5-10.9	185	35.4	30.1-40.7
35-44	640	112,250	85	11.3	08.4-14.2	6	1.5	00.0-03.1	268	40.6	35.7-45.5	46	7.0	04.5-09.5	235	39.6	34.5-44.7
45-54	906	127,998	88	9.0	06.6-11.4	23	2.3	01.1-03.5	326	35.9	31.8-40.0	89	10.0	07.6-12.4	380	42.9	38.6-47.2
55-64	1021	115,149	115	10.4	08.2-12.6	41	4.7	02.9-06.5	288	26.8	23.3-30.3	102	8.8	06.6-11.0	475	49.3	45.2-53.4
65+	1684	139,639	150	8.9	07.1-10.7	102	6.3	04.7-07.9	359	19.7	17.3-22.1	145	8.0	06.4-09.6	928	57.1	54.0-60.2
Less Than H.S.	329	92,408	25	9.2	05.1-13.3	9	3.6	00.9-06.3	63	27.4	20.5-34.3	16	5.3	02.0-08.6	216	54.6	47.3-61.9
H.S. or G.E.D.	1544	219,510	121	8.6	06.6-10.6	56	3.1	02.1-04.1	405	29.6	26.5-32.7	102	7.0	05.2-08.8	860	51.7	48.4-55.0
Some Post-H.S.	1381	209,576	144	11.2	09.0-13.4	49	2.6	01.6-03.6	431	32.6	29.5-35.7	113	8.7	06.7-10.7	644	44.9	41.6-48.2
College Graduate	1868	180,459	284	16.2	14.0-18.4	69	3.2	02.2-04.2	667	37.9	35.2-40.6	218	11.2	09.4-13.0	630	31.5	28.8-34.2
Less than \$15,000	595	81,332	49	9.5	06.0-13.0	21	3.6	01.6-05.6	151	29.3	23.6-35.0	33	5.5	03.0-08.0	341	52.1	46.2-58.0
\$15,000- 24,999	527	76,588	28	8.1	04.4-11.8	8	1.6	00.0-03.2	107	23.2	17.9-28.5	20	4.1	01.9-06.3	364	63.0	56.9-69.1
\$25,000- 34,999	479	62,850	42	9.0	05.7-12.3	15	2.4	00.2-04.6	143	32.8	26.5-39.1	33	5.7	03.2-08.2	246	50.0	43.5-56.5
\$35,000- 49,999	644	88,979	59	9.3	06.4-12.2	25	3.4	01.6-05.2	208	33.9	29.0-38.8	60	8.6	05.9-11.3	292	44.7	39.6-49.8
\$50,000- 74,999	766	104,692	109	14.3	11.0-17.6	37	2.9	01.9-03.9	225	28.5	24.4-32.6	85	11.5	08.2-14.8	310	42.8	38.1-47.5
\$75,000+	1418	195,264	224	15.0	12.6-17.4	51	3.3	01.9-04.7	549	40.6	37.3-43.9	177	11.8	09.6-14.0	417	29.4	26.3-32.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1988	335,790	271	13.2	11.2-15.2	106	4.4	03.2-05.6	565	30.9	28.2-33.6	241	11.3	09.5-13.1	805	40.1	37.2-43.0
White/Non-Hisp	1547	224,815	226	14.8	12.6-17.0	96	5.6	04.0-07.2	449	31.3	28.4-34.2	211	13.4	11.2-15.6	565	34.9	31.8-38.0
Black or Afr. Am./Non-Hisp	249	64,073	22	8.6	04.3-12.9	5	2.1	00.0-04.3	63	29.4	22.1-36.7	15	6.4	02.9-09.9	144	53.5	45.9-61.1
Oth. Race/Non-Hisp.	68	15,500	8	17.8	03.1-32.5	2	1.2	00.0-03.2	15	22.9	09.0-36.8	7	7.0	00.0-14.3	36	51.0	34.3-67.7
Hispanic	67	25,601	6	7.1	00.0-14.4	2	2.9	00.0-07.2	21	37.1	21.8-52.4	3	7.4	00.0-16.6	35	45.5	30.2-60.8
18-24	155	45,582	24	16.1	09.0-23.2	4	2.8	00.0-05.7	52	36.4	27.0-45.8	16	11.0	04.7-17.3	59	33.7	25.1-42.3
25-34	206	56,886	42	18.0	11.7-24.3	4	1.4	00.0-02.8	74	34.7	26.7-42.7	24	11.8	06.7-16.9	62	34.2	26.0-42.4
35-44	251	54,534	45	13.7	09.2-18.2	5	3.0	00.0-06.3	102	42.5	34.9-50.1	24	8.7	04.8-12.6	75	32.1	24.8-39.4
45-54	341	61,740	39	10.1	06.4-13.8	12	3.6	01.2-06.0	115	33.4	26.9-39.9	43	13.0	08.7-17.3	132	39.8	32.9-46.7
55-64	399	54,202	49	10.9	07.2-14.6	24	6.9	03.6-10.2	108	25.2	19.9-30.5	60	13.1	09.0-17.2	158	44.0	37.3-50.7
65+	622	61,172	69	11.0	07.9-14.1	56	8.2	05.3-11.1	108	15.4	12.1-18.7	74	10.7	07.8-13.6	315	54.8	49.7-59.9
Less Than H.S.	166	56,154	13	8.8	03.3-14.3	7	4.9	00.8-09.0	40	32.9	23.3-42.5	15	8.0	02.7-13.3	91	45.4	35.8-55.0
H.S. or G.E.D.	578	102,056	59	11.6	08.1-15.1	31	4.7	02.7-06.7	145	29.2	24.3-34.1	56	9.5	06.6-12.4	287	45.0	39.9-50.1
Some Post-H.S.	497	91,973	66	13.0	09.5-16.5	25	3.4	01.8-05.0	137	27.9	23.0-32.8	58	12.8	09.1-16.5	211	42.9	37.4-48.4
College Graduate	746	85,487	133	18.3	14.8-21.8	43	5.1	03.3-06.9	243	35.0	30.7-39.3	112	14.1	11.2-17.0	215	27.5	23.2-31.8
Less than \$15,000	218	39,807	25	9.7	05.0-14.4	15	6.1	02.2-10.0	51	30.8	21.2-40.4	15	7.2	02.7-11.7	112	46.2	36.8-55.6
\$15,000- 24,999	167	30,330	15	8.6	03.3-13.9	4	2.1	00.0-04.6	27	19.5	10.7-28.3	14	8.8	03.5-14.1	107	60.9	50.5-71.3
\$25,000- 34,999	168	27,834	13	6.9	02.2-11.6	6	3.8	00.0-08.5	49	33.0	22.6-43.4	18	8.5	03.4-13.6	82	47.8	37.0-58.6
\$35,000- 49,999	245	41,934	22	9.4	05.1-13.7	14	4.8	01.7-07.9	72	32.7	24.9-40.5	30	10.3	05.4-15.2	107	42.9	34.9-50.9
\$50,000- 74,999	311	53,134	52	17.0	11.1-22.9	18	3.0	01.4-04.6	73	23.0	17.1-28.9	44	15.8	09.9-21.7	124	41.2	33.9-48.5
\$75,000+	671	107,583	120	17.3	13.8-20.8	36	5.0	02.8-07.2	241	37.4	32.5-42.3	103	13.9	10.8-17.0	171	26.4	21.9-30.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3141	366,978	303	9.7	08.3-11.1	77	1.7	01.3-02.1	1003	33.5	31.3-35.7	209	5.7	04.7-06.7	1549	49.3	46.9-51.7
White/Non-Hisp	2434	246,518	253	10.1	08.5-11.7	73	2.4	01.6-03.2	782	33.5	31.0-36.0	192	7.3	05.9-08.7	1134	46.6	43.9-49.3
Black or Afr. Am./Non-Hisp	476	76,357	29	8.4	04.9-11.9	2	0.2	00.0-00.6	137	31.3	26.0-36.6	9	1.7	00.3-03.1	299	58.4	52.7-64.1
Oth. Race/Non-Hisp.	73	12,268	8	14.5	02.7-26.3				24	34.6	20.3-48.9	6	8.7	00.0-17.7	35	42.3	27.4-57.2
MultiRacial/Non-Hisp.	58	4,748	4	5.9	00.0-12.0	1	2.5	00.0-07.4	25	45.2	29.7-60.7	1	4.8	00.0-14.0	27	41.5	26.2-56.8
Hispanic	86	25,764	8	8.8	01.4-16.2	1	0.3	00.0-00.9	29	37.9	25.2-50.6				48	53.1	40.0-66.2
18-24	150	43,097	25	14.5	08.2-20.8				49	29.9	21.9-37.9	6	4.2	00.3-08.1	70	51.4	42.2-60.6
25-34	320	57,785	41	12.2	07.7-16.7	1	0.3	00.0-00.9	138	46.2	39.5-52.9	17	4.7	02.3-07.1	123	36.6	30.1-43.1
35-44	389	57,716	40	9.0	05.3-12.7	1	0.2	00.0-00.6	166	38.8	32.5-45.1	22	5.4	02.1-08.7	160	46.7	40.0-53.4
45-54	565	66,258	49	8.0	05.5-10.5	11	1.0	00.4-01.6	211	38.1	32.8-43.4	46	7.2	04.8-09.6	248	45.7	40.4-51.0
55-64	622	60,947	66	10.0	07.3-12.7	17	2.7	01.1-04.3	180	28.3	23.8-32.8	42	5.0	03.2-06.8	317	54.0	49.1-58.9
65+	1062	78,468	81	7.4	05.2-09.6	46	4.8	03.0-06.6	251	23.0	19.9-26.1	71	5.9	04.3-07.5	613	58.9	55.2-62.6
Less Than H.S.	163	36,254	12	9.8	03.5-16.1	2	1.7	00.0-04.1	23	18.8	10.6-27.0	1	1.0	00.0-03.0	125	68.8	59.2-78.4
H.S. or G.E.D.	966	117,454	62	6.1	03.9-08.3	25	1.7	00.9-02.5	260	29.9	26.0-33.8	46	4.8	02.8-06.8	573	57.5	53.2-61.8
Some Post-H.S.	884	117,603	78	9.7	07.2-12.2	24	2.0	01.0-03.0	294	36.3	32.2-40.4	55	5.5	03.5-07.5	433	46.5	42.2-50.8
College Graduate	1122	94,972	151	14.3	11.6-17.0	26	1.5	00.9-02.1	424	40.4	36.7-44.1	106	8.7	06.7-10.7	415	35.0	31.5-38.5
Less than \$15,000	377	41,525	24	9.4	04.3-14.5	6	1.1	00.0-02.3	100	27.8	21.7-33.9	18	4.0	01.8-06.2	229	57.7	50.8-64.6
\$15,000- 24,999	360	46,258	13	7.7	02.8-12.6	4	1.3	00.0-03.1	80	25.5	19.0-32.0	6	1.0	00.0-02.0	257	64.4	57.0-71.8
\$25,000- 34,999	311	35,016	29	10.6	05.7-15.5	9	1.4	00.4-02.4	94	32.7	25.3-40.1	15	3.5	01.3-05.7	164	51.8	44.2-59.4
\$35,000- 49,999	399	47,045	37	9.3	05.6-13.0	11	2.2	00.6-03.8	136	35.1	28.8-41.4	30	7.1	04.0-10.2	185	46.4	39.9-52.9
\$50,000- 74,999	455	51,557	57	11.5	08.2-14.8	19	2.7	01.3-04.1	152	34.1	28.4-39.8	41	7.1	04.2-10.0	186	44.5	38.4-50.6
\$75,000+	747	87,681	104	12.1	09.2-15.0	15	1.2	00.4-02.0	308	44.5	39.8-49.2	74	9.1	06.4-11.8	246	33.0	28.7-37.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2740	381,011	1202	36.7	34.3-39.1	845	30.4	28.0-32.8	338	14.0	12.2-15.8	139	6.5	05.1-07.9	216	12.3	10.3-14.3
Male	1169	198,881	375	26.4	23.3-29.5	361	29.6	26.3-32.9	199	17.1	14.2-20.0	80	8.3	06.1-10.5	154	18.6	15.3-21.9
Female	1571	182,130	827	48.0	44.7-51.3	484	31.3	28.2-34.4	139	10.7	08.5-12.9	59	4.6	03.2-06.0	62	5.5	03.9-07.1
White/Non-Hisp	2260	274,184	1006	37.3	34.8-39.8	691	30.3	27.8-32.8	273	13.2	11.4-15.0	117	7.2	05.6-08.8	173	12.0	09.8-14.2
Black or Afr. Am./Non-Hisp	272	59,559	120	40.2	32.9-47.5	87	32.7	25.8-39.6	36	13.9	08.4-19.4	9	3.8	00.9-06.7	20	9.4	04.7-14.1
Oth. Race/Non-Hisp.	70	14,667	29	34.1	19.6-48.6	24	36.0	20.5-51.5	9	12.6	02.8-22.4	4	5.3	00.0-11.6	4	12.1	00.0-26.6
MultiRacial/Non-Hisp.	54	5,253	22	36.5	22.0-51.0	13	21.0	09.2-32.8	8	18.0	06.4-29.6	4	7.0	00.0-14.6	7	17.5	03.8-31.2
Hispanic	68	25,506	18	24.7	12.0-37.4	24	25.3	13.9-36.7	10	21.7	09.0-34.4	5	6.9	00.0-15.5	11	21.5	08.2-34.8
18-24	166	48,275	32	18.3	11.6-25.0	37	21.8	14.5-29.1	32	17.1	10.6-23.6	20	11.0	05.1-16.9	45	31.8	23.0-40.6
25-34	340	73,893	98	27.5	21.6-33.4	120	33.3	27.2-39.4	47	14.2	09.5-18.9	29	8.8	05.3-12.3	46	16.2	10.9-21.5
35-44	400	66,612	130	29.0	23.5-34.5	144	36.5	30.4-42.6	63	17.1	12.0-22.2	31	8.4	04.9-11.9	32	9.0	04.9-13.1
45-54	520	72,335	205	39.7	34.2-45.2	170	30.0	24.9-35.1	76	16.0	11.9-20.1	33	6.7	04.0-09.4	36	7.6	04.5-10.7
55-64	543	58,147	260	44.9	39.6-50.2	172	31.3	26.4-36.2	63	11.9	08.6-15.2	15	3.0	01.2-04.8	33	8.9	05.0-12.8
65+	746	58,992	463	59.2	54.5-63.9	195	27.1	22.8-31.4	54	7.8	05.3-10.3	11	1.5	00.3-02.7	23	4.4	02.2-06.6
Less Than H.S.	109	40,742	33	26.4	16.4-36.4	30	22.4	13.4-31.4	21	20.0	10.6-29.4	7	8.8	01.7-15.9	18	22.3	11.9-32.7
H.S. or G.E.D.	668	102,924	277	33.9	29.4-38.4	194	31.1	26.4-35.8	84	13.8	10.3-17.3	38	6.5	04.1-08.9	75	14.7	10.8-18.6
Some Post-H.S.	732	114,630	313	37.9	33.6-42.2	219	28.4	24.3-32.5	91	13.8	10.7-16.9	42	6.5	04.3-08.7	67	13.4	09.9-16.9
College Graduate	1228	122,560	577	41.3	38.0-44.6	401	34.4	31.1-37.7	142	12.5	10.1-14.9	52	5.9	04.1-07.7	56	5.9	04.1-07.7
Less than \$15,000	249	37,862	105	31.4	23.4-39.4	63	24.3	17.2-31.4	39	21.3	13.1-29.5	15	8.6	02.3-14.9	27	14.4	07.7-21.1
\$15,000- 24,999	156	26,723	62	37.1	26.7-47.5	48	32.8	23.0-42.6	20	13.1	06.6-19.6	8	6.3	01.0-11.6	18	10.7	04.6-16.8
\$25,000- 34,999	232	31,328	102	31.9	24.1-39.7	66	32.6	23.8-41.4	34	16.4	09.9-22.9	9	5.4	01.3-09.5	21	13.7	05.5-21.9
\$35,000- 49,999	351	49,154	148	35.6	29.1-42.1	118	34.3	27.8-40.8	41	12.4	07.7-17.1	18	6.3	03.0-09.6	26	11.4	06.3-16.5
\$50,000- 74,999	453	59,374	190	33.1	27.6-38.6	143	28.7	23.4-34.0	45	11.5	07.2-15.8	23	5.5	02.8-08.2	52	21.3	15.0-27.6
\$75,000+	993	136,746	418	38.2	34.3-42.1	328	31.7	28.0-35.4	136	14.3	11.6-17.0	53	6.7	04.7-08.7	58	9.2	06.5-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1169	198,881	375	26.4	23.3-29.5	361	29.6	26.3-32.9	199	17.1	14.2-20.0	80	8.3	06.1-10.5	154	18.6	15.3-21.9
White/Non-Hisp	971	144,697	321	27.5	24.2-30.8	301	30.9	27.2-34.6	163	16.1	13.2-19.0	69	9.0	06.6-11.4	117	16.4	13.1-19.7
Black or Afr. Am./Non-Hisp	103	29,116	32	29.0	18.8-39.2	35	33.1	22.5-43.7	16	16.2	07.0-25.4	4	3.8	00.0-07.9	16	17.9	08.9-26.9
18-24	91	29,210	14	14.4	06.4-22.4	18	16.9	08.9-24.9	20	20.5	10.9-30.1	11	12.1	03.5-20.7	28	36.1	23.8-48.4
25-34	143	37,269	27	18.9	10.5-27.3	42	29.2	20.4-38.0	22	13.8	07.1-20.5	18	11.5	05.6-17.4	34	26.6	17.2-36.0
35-44	174	36,377	33	17.1	10.8-23.4	63	35.3	26.5-44.1	35	22.0	14.0-30.0	18	10.5	05.2-15.8	25	15.2	08.1-22.3
45-54	208	37,118	59	31.1	23.1-39.1	67	31.5	23.5-39.5	45	19.1	12.6-25.6	12	6.8	02.5-11.1	25	11.6	06.1-17.1
55-64	240	30,330	85	34.8	27.2-42.4	77	29.5	22.6-36.4	40	15.8	10.1-21.5	13	5.1	02.0-08.2	25	14.8	07.9-21.7
65+	303	27,158	152	45.5	38.4-52.6	92	34.0	26.7-41.3	35	10.7	06.2-15.2	8	2.9	00.5-05.3	16	7.0	02.9-11.1
Less Than H.S.	74	30,362	17	19.1	08.3-29.9	21	24.1	12.9-35.3	15	21.1	09.5-32.7	5	8.3	00.1-16.5	16	27.4	14.3-40.5
H.S. or G.E.D.	283	54,568	80	23.9	17.8-30.0	77	29.0	22.3-35.7	50	16.7	11.4-22.0	26	9.6	05.5-13.7	50	20.8	14.1-27.5
Some Post-H.S.	286	52,550	93	27.8	21.5-34.1	73	25.0	18.9-31.1	51	17.2	11.9-22.5	21	7.7	04.2-11.2	48	22.3	15.8-28.8
College Graduate	526	61,401	185	31.1	26.6-35.6	190	36.9	31.8-42.0	83	15.3	11.6-19.0	28	7.6	04.5-10.7	40	9.1	06.0-12.2
Less than \$15,000	103	20,517	33	22.6	11.0-34.2	24	20.7	10.9-30.5	19	24.2	11.7-36.7	9	12.8	01.8-23.8	18	19.6	08.8-30.4
\$15,000- 24,999	57	11,222	16	35.7	17.9-53.5	13	22.9	09.8-36.0	12	18.7	06.9-30.5	4	6.6	00.1-13.1	12	16.1	04.7-27.5
\$25,000- 34,999	86	14,533	26	21.9	11.5-32.3	24	30.8	17.3-44.3	20	18.4	08.2-28.6	2	3.4	00.0-09.1	14	25.5	09.8-41.2
\$35,000- 49,999	138	23,958	41	23.8	14.6-33.0	49	37.8	27.4-48.2	23	14.8	07.4-22.2	10	8.0	02.5-13.5	15	15.6	07.0-24.2
\$50,000- 74,999	187	31,241	49	18.8	12.5-25.1	57	26.1	18.5-33.7	23	13.5	06.2-20.8	16	7.8	03.1-12.5	42	33.8	23.6-44.0
\$75,000+	496	78,821	168	29.8	24.9-34.7	162	31.6	26.3-36.9	91	17.7	13.8-21.6	31	8.1	05.0-11.2	44	12.9	08.6-17.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1571	182,130	827	48.0	44.7-51.3	484	31.3	28.2-34.4	139	10.7	08.5-12.9	59	4.6	03.2-06.0	62	5.5	03.9-07.1
White/Non-Hisp	1289	129,488	685	48.1	44.8-51.4	390	29.5	26.4-32.6	110	10.0	07.8-12.2	48	5.1	03.3-06.9	56	7.1	04.9-09.3
Black or Afr. Am./Non-Hisp	169	30,442	88	51.0	41.6-60.4	52	32.2	23.6-40.8	20	11.8	05.7-17.9	5	3.7	00.0-08.0	4	1.2	00.0-02.8
18-24	75	19,065	18	24.3	13.1-35.5	19	29.1	16.6-41.6	12	12.0	04.9-19.1	9	9.4	02.9-15.9	17	25.2	13.8-36.6
25-34	197	36,623	71	36.2	28.0-44.4	78	37.4	29.4-45.4	25	14.6	07.7-21.5	11	6.1	02.0-10.2	12	5.7	02.2-09.2
35-44	226	30,235	97	43.4	35.0-51.8	81	37.8	29.4-46.2	28	11.3	06.2-16.4	13	5.9	01.4-10.4	7	1.6	00.2-03.0
45-54	312	35,217	146	48.8	41.7-55.9	103	28.5	22.6-34.4	31	12.8	07.3-18.3	21	6.6	03.7-09.5	11	3.4	00.9-05.9
55-64	303	27,818	175	56.0	48.9-63.1	95	33.3	26.4-40.2	23	7.6	04.1-11.1	2	0.7	00.0-01.7	8	2.5	00.5-04.5
65+	443	31,834	311	70.9	65.8-76.0	103	21.3	16.8-25.8	19	5.4	02.7-08.1	3	0.3	00.0-00.7	7	2.2	00.2-04.2
H.S. or G.E.D.	385	48,356	197	45.2	38.7-51.7	117	33.6	26.9-40.3	34	10.5	05.8-15.2	12	2.9	01.1-04.7	25	7.8	04.1-11.5
Some Post-H.S.	446	62,080	220	46.5	40.6-52.4	146	31.3	26.0-36.6	40	10.8	07.1-14.5	21	5.4	02.9-07.9	19	6.0	02.9-09.1
College Graduate	702	61,160	392	51.6	46.9-56.3	211	31.9	27.4-36.4	59	9.6	06.7-12.5	24	4.2	02.4-06.0	16	2.7	01.1-04.3
Less than \$15,000	146	17,345	72	41.8	31.0-52.6	39	28.5	18.5-38.5	20	17.7	07.7-27.7	6	3.7	00.4-07.0	9	8.3	01.6-15.0
\$15,000- 24,999	99	15,501	46	38.1	25.4-50.8	35	40.0	26.7-53.3	8	9.0	01.9-16.1	4	6.2	00.0-14.2	6	6.8	00.5-13.1
\$25,000- 34,999	146	16,795	76	40.6	29.6-51.6	42	34.3	22.9-45.7	14	14.6	06.0-23.2	7	7.1	01.2-13.0	7	3.4	00.3-06.5
\$35,000- 49,999	213	25,196	107	46.7	37.9-55.5	69	31.1	23.1-39.1	18	10.2	04.1-16.3	8	4.6	00.9-08.3	11	7.4	02.1-12.7
\$50,000- 74,999	266	28,132	141	49.0	41.2-56.8	86	31.6	24.5-38.7	22	9.2	04.7-13.7	7	2.9	00.5-05.3	10	7.3	02.2-12.4
\$75,000+	497	57,926	250	49.6	43.9-55.3	166	31.8	26.5-37.1	45	9.6	06.3-12.9	22	4.8	02.4-07.2	14	4.2	01.7-06.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2740	380,324	271	11.9	10.1-13.7	138	6.2	04.8-07.6	78	3.6	02.4-04.8	60	3.1	01.9-04.3	185	9.2	07.6-10.8	2008	66.0	63.5-68.5
Male	1163	196,463	132	12.9	10.4-15.4	59	6.1	03.9-08.3	43	4.0	02.4-05.6	27	4.3	02.3-06.3	119	12.4	09.7-15.1	783	60.2	56.3-64.1
Female	1577	183,861	139	10.8	08.6-13.0	79	6.2	04.4-08.0	35	3.1	01.7-04.5	33	1.9	01.1-02.7	66	5.8	04.0-07.6	1225	72.2	69.1-75.3
White/Non-Hisp	2259	274,733	219	11.9	10.1-13.7	116	6.3	04.9-07.7	63	3.7	02.5-04.9	45	2.3	01.5-03.1	158	9.8	08.0-11.6	1658	66.0	63.3-68.7
Black or Afr. Am./Non-Hisp	279	60,963	24	11.4	06.3-16.5	14	4.9	02.0-07.8	12	3.7	01.0-06.4	9	4.5	00.8-08.2	15	7.3	03.0-11.6	205	68.1	60.8-75.4
Oth. Race/Non-Hisp.	70	14,667	6	13.2	02.6-23.8	4	9.7	00.0-23.4							3	4.4	00.0-11.3	57	72.7	56.6-88.8
MultiRacial/Non-Hisp.	52	5,021	11	21.4	08.9-33.9	2	3.7	00.0-08.8	1	4.6	00.0-13.2				5	15.2	02.1-28.3	33	55.0	39.1-70.9
Hispanic	64	23,098	9	10.5	02.9-18.1	2	6.7	00.0-15.7	2	3.9	00.0-10.8	5	10.8	00.0-21.8	4	9.7	00.0-20.1	42	58.4	42.7-74.1
18-24	173	49,968	32	18.1	11.4-24.8	16	10.4	04.5-16.3	17	8.3	03.6-13.0	6	3.1	00.4-05.8	34	21.5	14.1-28.9	68	38.6	30.0-47.2
25-34	335	72,369	59	17.1	12.6-21.6	25	6.7	03.6-09.8	14	5.4	01.7-09.1	11	5.8	01.9-09.7	35	11.4	07.1-15.7	191	53.6	46.9-60.3
35-44	401	66,179	57	15.3	10.8-19.8	25	7.3	03.6-11.0	14	3.4	01.2-05.6	12	4.2	00.9-07.5	27	6.7	03.6-09.8	266	63.0	56.7-69.3
45-54	520	72,292	58	10.5	07.4-13.6	25	5.9	03.0-08.8	14	2.1	00.7-03.5	17	3.1	00.9-05.3	35	7.2	04.5-09.9	371	71.1	66.0-76.2
55-64	540	57,580	32	5.8	03.6-08.0	29	4.9	02.9-06.9	10	1.8	00.4-03.2	8	1.2	00.2-02.2	32	7.9	04.4-11.4	429	78.4	73.9-82.9
65+	747	59,246	33	4.7	02.5-06.9	17	2.4	00.8-04.0	8	0.8	00.2-01.4	6	0.5	00.0-01.1	22	3.2	01.4-05.0	661	88.3	85.2-91.4
Less Than H.S.	109	40,518	8	7.8	01.5-14.1	7	7.5	01.4-13.6	5	6.4	00.3-12.5	3	6.5	00.0-13.6	12	13.5	05.1-21.9	74	58.4	46.6-70.2
H.S. or G.E.D.	670	103,784	62	11.0	07.9-14.1	36	7.3	04.0-10.6	18	3.1	01.1-05.1	24	4.3	02.1-06.5	55	9.7	06.8-12.6	475	64.6	59.7-69.5
Some Post-H.S.	726	113,039	74	12.6	09.5-15.7	34	5.5	03.3-07.7	23	3.9	01.9-05.9	10	1.7	00.3-03.1	59	10.9	07.8-14.0	526	65.5	61.0-70.0
College Graduate	1232	122,828	127	13.5	11.0-16.0	61	5.5	03.9-07.1	32	2.8	01.6-04.0	23	2.3	00.9-03.7	59	5.9	04.1-07.7	930	70.1	66.8-73.4
Less than \$15,000	249	37,732	19	11.1	05.6-16.6	21	7.7	03.8-11.6	8	5.7	00.8-10.6	12	6.9	01.0-12.8	15	10.3	04.0-16.6	174	58.3	49.1-67.5
\$15,000- 24,999	159	27,380	17	13.3	05.7-20.9	8	6.5	01.0-12.0	6	3.9	00.6-07.2	2	1.1	00.0-02.7	13	7.9	02.2-13.6	113	67.3	57.3-77.3
\$25,000- 34,999	232	31,348	26	12.0	06.5-17.5	10	9.0	02.1-15.9	5	1.1	00.0-02.3	5	6.7	00.0-13.4	17	6.0	02.5-09.5	169	65.3	55.9-74.7
\$35,000- 49,999	343	47,770	31	9.6	05.3-13.9	13	4.3	01.0-07.6	16	4.7	02.0-07.4	9	2.7	00.3-05.1	26	11.4	06.3-16.5	248	67.3	60.4-74.2
\$50,000- 74,999	452	58,582	38	11.7	07.6-15.8	22	4.8	02.3-07.3	14	4.3	00.8-07.8	9	1.9	00.3-03.5	49	17.3	11.6-23.0	320	59.9	53.4-66.4
\$75,000+	997	137,535	110	12.1	09.6-14.6	56	6.4	04.4-08.4	22	2.9	01.1-04.7	16	2.7	00.9-04.5	57	7.4	05.0-09.8	736	68.5	64.6-72.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1163	196,463	132	12.9	10.4-15.4	59	6.1	03.9-08.3	43	4.0	02.4-05.6	27	4.3	02.3-06.3	119	12.4	09.7-15.1	783	60.2	56.3-64.1
White/Non-Hisp	969	144,250	112	13.8	11.1-16.5	51	6.0	04.0-08.0	37	4.5	02.5-06.5	17	2.3	00.9-03.7	98	12.5	09.6-15.4	654	60.8	56.7-64.9
Black or Afr. Am./Non-Hisp	105	29,785	9	10.6	02.6-18.6	5	4.3	00.2-08.4	4	3.6	00.0-07.9	5	8.2	00.9-15.5	10	9.9	02.6-17.2	72	63.4	52.0-74.8
18-24	96	30,238	15	15.0	06.6-23.4	6	8.9	00.9-16.9	11	9.2	02.5-15.9	3	3.5	00.0-07.4	22	23.9	13.3-34.5	39	39.5	27.9-51.1
25-34	139	35,806	26	16.6	09.7-23.5	7	4.7	00.8-08.6	9	6.0	00.3-11.7	5	8.3	01.0-15.6	26	18.6	10.8-26.4	66	45.7	35.5-55.9
35-44	173	35,574	36	21.2	13.9-28.5	17	9.8	03.7-15.9	6	3.3	00.4-06.2	6	6.4	00.3-12.5	13	6.7	02.4-11.0	95	52.5	43.3-61.7
45-54	205	36,483	23	10.4	05.5-15.3	11	6.5	02.0-11.0	6	2.1	00.1-04.1	8	4.3	00.4-08.2	18	8.3	04.2-12.4	139	68.4	60.6-76.2
55-64	238	29,794	17	7.1	03.4-10.8	10	3.7	01.0-06.4	4	1.4	00.0-03.2	5	1.8	00.0-03.6	27	13.1	06.8-19.4	175	72.9	65.6-80.2
65+	303	27,217	15	5.3	01.6-09.0	8	2.3	00.0-04.7	6	1.4	00.2-02.6				13	4.4	01.1-07.7	261	86.6	81.3-91.9
Less Than H.S.	72	29,381	5	7.0	00.0-14.6	4	5.7	00.0-12.6	4	7.3	00.0-15.1	3	9.0	00.0-18.6	9	14.0	03.6-24.4	47	56.9	42.4-71.4
H.S. or G.E.D.	285	54,963	33	13.5	08.4-18.6	17	8.6	03.3-13.9	9	3.1	00.9-05.3	16	6.6	02.9-10.3	37	13.0	08.1-17.9	173	55.3	47.9-62.7
Some Post-H.S.	280	50,959	33	12.8	07.9-17.7	11	4.3	01.4-07.2	10	4.4	01.1-07.7	3	1.8	00.0-04.2	37	16.3	10.6-22.0	186	60.4	53.3-67.5
College Graduate	526	61,159	61	15.4	11.3-19.5	27	5.5	03.1-07.9	20	3.0	01.4-04.6	5	2.0	00.0-04.2	36	7.9	05.0-10.8	377	66.2	61.1-71.3
Less than \$15,000	102	20,238	9	11.7	03.5-19.9	10	7.3	01.8-12.8	5	4.9	00.2-09.6	5	7.8	00.0-17.4	10	15.1	04.5-25.7	63	53.1	39.2-67.0
\$15,000- 24,999	58	11,335	7	13.3	01.5-25.1	3	6.5	00.0-14.7	3	5.1	00.0-11.4	2	2.6	00.0-06.5	10	10.3	02.5-18.1	33	62.2	46.5-77.9
\$25,000- 34,999	86	14,533	6	5.4	00.0-10.9	5	11.4	00.0-23.7	3	1.1	00.0-02.5	4	12.8	00.0-26.1	9	6.7	01.2-12.2	59	62.7	47.0-78.4
\$35,000- 49,999	131	22,629	14	9.9	03.2-16.6	1	0.1	00.0-00.3	10	6.2	01.7-10.7	3	3.6	00.0-08.1	12	12.4	04.4-20.4	91	67.8	57.2-78.4
\$50,000- 74,999	185	30,199	19	13.2	06.9-19.5	9	5.1	01.0-09.2	5	5.7	00.0-12.2	3	1.9	00.0-04.4	34	25.4	15.8-35.0	115	48.7	39.1-58.3
\$75,000+	498	79,010	61	13.6	09.9-17.3	29	6.4	03.7-09.1	13	3.0	00.6-05.4	8	3.9	01.0-06.8	41	10.2	06.7-13.7	346	62.8	57.1-68.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1577	183,861	139	10.8	08.6-13.0	79	6.2	04.4-08.0	35	3.1	01.7-04.5	33	1.9	01.1-02.7	66	5.8	04.0-07.6	1225	72.2	69.3-75.1
White/Non-Hisp	1290	130,482	107	9.6	07.4-11.8	65	6.7	04.7-08.7	26	2.8	01.4-04.2	28	2.3	01.1-03.5	60	6.8	04.6-09.0	1004	71.7	68.4-75.0
Black or Afr. Am./Non-Hisp	174	31,178	15	12.2	05.5-18.9	9	5.5	01.6-09.4	8	3.9	00.8-07.0	4	1.0	00.0-02.2	5	4.9	00.2-09.6	133	72.6	64.2-81.0
18-24	77	19,731	17	22.8	12.0-33.6	10	12.7	04.7-20.7	6	6.9	01.0-12.8	3	2.5	00.0-06.0	12	17.9	07.9-27.9	29	37.2	24.7-49.7
25-34	196	36,563	33	17.5	11.4-23.6	18	8.7	03.8-13.6	5	4.8	00.0-09.7	6	3.4	00.5-06.3	9	4.3	01.4-07.2	125	61.2	53.0-69.4
35-44	228	30,604	21	8.5	04.0-13.0	8	4.4	00.7-08.1	8	3.5	00.6-06.4	6	1.7	00.3-03.1	14	6.7	02.0-11.4	171	75.3	68.0-82.6
45-54	315	35,809	35	10.7	06.8-14.6	14	5.3	01.4-09.2	8	2.2	00.6-03.8	9	2.0	00.4-03.6	17	6.1	02.8-09.4	232	73.8	67.7-79.9
55-64	302	27,787	15	4.5	02.0-07.0	19	6.1	03.0-09.2	6	2.1	00.0-04.3	3	0.7	00.0-01.5	5	2.3	00.0-05.0	254	84.3	79.4-89.2
65+	444	32,030	18	4.2	01.8-06.6	9	2.5	00.3-04.7	2	0.4	00.0-01.0	6	1.0	00.0-02.0	9	2.2	00.4-04.0	400	89.7	86.2-93.2
H.S. or G.E.D.	385	48,821	29	8.3	04.8-11.8	19	5.7	02.2-09.2	9	3.2	00.0-06.5	8	1.8	00.2-03.4	18	5.9	02.8-09.0	302	75.1	69.0-81.2
Some Post-H.S.	446	62,079	41	12.4	08.3-16.5	23	6.4	03.5-09.3	13	3.4	01.2-05.6	7	1.6	00.2-03.0	22	6.5	03.2-09.8	340	69.7	64.2-75.2
College Graduate	706	61,670	66	11.5	08.2-14.8	34	5.4	03.2-07.6	12	2.5	00.7-04.3	18	2.6	01.0-04.2	23	3.9	02.1-05.7	553	74.0	69.7-78.3
Less than \$15,000	147	17,494	10	10.4	03.1-17.7	11	8.2	02.7-13.7	3	6.6	00.0-15.6	7	5.9	00.4-11.4	5	4.8	00.0-09.7	111	64.2	52.6-75.8
\$15,000- 24,999	101	16,045	10	13.3	03.5-23.1	5	6.4	00.0-13.8	3	3.0	00.0-06.7				3	6.2	00.0-14.4	80	71.0	57.9-84.1
\$25,000- 34,999	146	16,815	20	17.7	09.1-26.3	5	7.0	00.1-13.9	2	1.0	00.0-02.8	1	1.4	00.0-04.1	8	5.4	00.7-10.1	110	67.5	56.7-78.3
\$35,000- 49,999	212	25,141	17	9.3	04.0-14.6	12	8.1	02.2-14.0	6	3.3	00.2-06.4	6	1.9	00.1-03.7	14	10.5	04.2-16.8	157	66.8	58.0-75.6
\$50,000- 74,999	267	28,383	19	10.2	05.1-15.3	13	4.5	01.8-07.2	9	2.9	00.9-04.9	6	1.9	00.3-03.5	15	8.7	03.4-14.0	205	71.9	64.6-79.2
\$75,000+	499	58,525	49	9.9	06.8-13.0	27	6.4	03.7-09.1	9	2.8	00.4-05.2	8	1.0	00.2-01.8	16	3.6	01.6-05.6	390	76.3	71.6-81.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2696	372,780	723	23.0	20.8-25.2	756	23.8	21.8-25.8	433	15.4	13.6-17.2	241	9.3	07.7-10.9	543	28.5	26.0-31.0
Male	1142	193,006	207	15.7	13.0-18.4	238	16.9	14.4-19.4	228	18.3	15.4-21.2	116	10.4	08.0-12.8	353	38.6	34.7-42.5
Female	1554	179,774	516	30.8	27.9-33.7	518	31.2	28.1-34.3	205	12.3	10.3-14.3	125	8.2	06.4-10.0	190	17.5	14.8-20.2
White/Non-Hisp	2224	268,486	595	22.7	20.5-24.9	610	22.7	20.5-24.9	370	16.7	14.7-18.7	197	9.3	07.7-10.9	452	28.7	26.2-31.2
Black or Afr. Am./Non-Hisp	269	58,820	78	25.9	19.4-32.4	85	29.5	22.8-36.2	35	10.9	06.6-15.2	25	9.5	05.4-13.6	46	24.2	17.1-31.3
Oth. Race/Non-Hisp.	70	14,667	21	28.5	14.6-42.4	19	18.5	08.3-28.7	13	21.4	07.5-35.3	6	6.6	00.0-13.7	11	25.1	09.0-41.2
MultiRacial/Non-Hisp.	51	4,792	12	22.4	09.1-35.7	17	29.1	15.6-42.6	5	11.6	01.8-21.4	6	9.8	01.2-18.4	11	27.2	12.1-42.3
Hispanic	66	24,174	13	16.7	05.5-27.9	19	23.1	11.3-34.9	7	10.3	01.3-19.3	7	11.8	01.0-22.6	20	38.1	23.0-53.2
18-24	166	47,801	11	7.5	03.0-12.0	23	13.4	07.3-19.5	21	9.3	05.0-13.6	21	13.4	06.7-20.1	90	56.4	47.4-65.4
25-34	329	70,629	55	17.3	12.0-22.6	78	21.0	15.9-26.1	46	12.3	08.4-16.2	32	9.2	05.5-12.9	118	40.2	33.5-46.9
35-44	391	65,412	69	15.9	11.6-20.2	109	26.5	21.0-32.0	75	19.7	14.4-25.0	28	7.6	04.1-11.1	110	30.3	24.2-36.4
45-54	512	70,681	117	25.6	20.3-30.9	144	23.5	19.2-27.8	89	17.1	13.0-21.2	59	10.5	07.4-13.6	103	23.4	18.5-28.3
55-64	536	57,151	159	29.3	24.4-34.2	160	27.8	23.1-32.5	88	15.8	12.1-19.5	51	9.3	06.4-12.2	78	17.9	13.4-22.4
65+	738	58,419	303	40.2	35.7-44.7	234	29.1	25.2-33.0	109	16.9	13.0-20.8	49	7.2	04.8-09.6	43	6.7	04.2-09.2
Less Than H.S.	107	40,096	30	22.2	13.0-31.4	17	12.1	05.0-19.2	17	15.5	07.3-23.7	9	9.5	02.4-16.6	34	40.7	28.9-52.5
H.S. or G.E.D.	655	100,820	196	23.3	19.4-27.2	165	23.5	19.2-27.8	88	13.2	09.9-16.5	62	9.0	06.3-11.7	144	31.0	25.9-36.1
Some Post-H.S.	712	110,268	189	24.3	20.2-28.4	204	24.0	20.3-27.7	117	15.7	12.6-18.8	67	10.1	07.4-12.8	135	26.0	21.7-30.3
College Graduate	1219	121,442	306	21.7	19.0-24.4	369	27.8	24.9-30.7	211	17.0	14.5-19.5	103	8.9	06.9-10.9	230	24.6	21.5-27.7
Less than \$15,000	247	37,635	76	25.6	17.8-33.4	63	18.2	12.1-24.3	28	9.2	05.3-13.1	25	13.1	06.2-20.0	55	33.9	24.7-43.1
\$15,000- 24,999	153	26,003	46	28.7	18.5-38.9	39	26.1	16.5-35.7	22	11.4	06.1-16.7	16	8.4	03.3-13.5	30	25.4	16.0-34.8
\$25,000- 34,999	229	30,539	65	22.5	15.2-29.8	63	22.1	15.4-28.8	43	21.5	13.1-29.9	15	9.6	02.9-16.3	43	24.4	16.0-32.8
\$35,000- 49,999	340	47,068	95	23.7	17.8-29.6	92	24.3	18.4-30.2	53	15.7	10.8-20.6	34	9.7	05.6-13.8	66	26.6	19.9-33.3
\$50,000- 74,999	447	58,139	111	17.3	13.4-21.2	120	23.3	18.2-28.4	66	14.9	10.6-19.2	41	8.0	05.1-10.9	109	36.5	30.0-43.0
\$75,000+	978	134,297	215	21.4	18.1-24.7	284	24.7	21.4-28.0	185	17.8	14.7-20.9	85	8.6	06.4-10.8	209	27.5	23.6-31.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1142	193,006	207	15.7	13.0-18.4	238	16.9	14.4-19.4	228	18.3	15.4-21.2	116	10.4	08.0-12.8	353	38.6	34.7-42.5
White/Non-Hisp	950	140,754	172	15.4	12.5-18.3	198	17.0	14.3-19.7	191	19.3	16.2-22.4	99	10.9	08.4-13.4	290	37.4	33.3-41.5
Black or Afr. Am./Non-Hisp	100	28,638	24	22.4	12.6-32.2	20	18.0	10.0-26.0	17	12.6	05.7-19.5	10	8.7	02.8-14.6	29	38.3	26.3-50.3
18-24	91	28,605	5	6.1	00.8-11.4	7	8.1	01.4-14.8	15	12.7	05.8-19.6	11	12.6	03.8-21.4	53	60.4	48.4-72.4
25-34	136	34,986	16	13.3	05.3-21.3	17	12.2	05.9-18.5	23	13.2	07.3-19.1	11	7.8	02.9-12.7	69	53.5	43.1-63.9
35-44	171	36,011	9	5.3	01.4-09.2	32	17.1	10.8-23.4	38	22.4	14.2-30.6	21	12.0	05.9-18.1	71	43.1	33.9-52.3
45-54	201	35,542	30	19.2	11.4-27.0	40	17.0	11.1-22.9	46	21.3	14.2-28.4	22	11.1	06.0-16.2	63	31.5	23.3-39.7
55-64	236	29,559	48	23.6	16.5-30.7	56	21.1	14.8-27.4	44	16.3	10.6-22.0	26	10.4	05.7-15.1	62	28.5	20.9-36.1
65+	298	26,951	95	29.2	22.9-35.5	84	26.8	20.7-32.9	60	23.3	16.2-30.4	25	8.8	05.1-12.5	34	11.9	06.8-17.0
Less Than H.S.	71	29,466	18	20.7	09.5-31.9	7	5.8	00.7-10.9	11	15.7	05.5-25.9	7	10.4	01.4-19.4	28	47.2	32.7-61.7
H.S. or G.E.D.	277	53,398	48	14.2	09.1-19.3	50	16.7	11.2-22.2	44	15.5	10.0-21.0	33	9.5	05.8-13.2	102	44.0	36.6-51.4
Some Post-H.S.	275	49,647	51	16.4	11.1-21.7	53	15.9	11.0-20.8	59	20.1	14.4-25.8	28	12.1	07.2-17.0	84	35.5	28.4-42.6
College Graduate	519	60,495	90	14.2	10.9-17.5	128	23.2	18.9-27.5	114	20.6	16.7-24.5	48	9.7	06.6-12.8	139	32.3	27.2-37.4
Less than \$15,000	101	20,592	26	23.1	11.1-35.1	18	12.0	04.9-19.1	11	7.1	01.8-12.4	11	14.0	02.8-25.2	35	43.8	29.7-57.9
\$15,000- 24,999	53	10,465	10	28.9	10.3-47.5	5	8.8	00.0-18.0	11	15.6	05.2-26.0	7	10.3	01.1-19.5	20	36.4	19.9-52.9
\$25,000- 34,999	84	14,078	15	14.9	05.7-24.1	16	14.4	06.0-22.8	22	29.4	14.3-44.5	8	10.0	01.4-18.6	23	31.3	16.6-46.0
\$35,000- 49,999	134	23,022	26	14.7	07.4-22.0	26	22.2	12.6-31.8	28	21.0	12.4-29.6	17	13.2	05.8-20.6	37	28.8	18.8-38.8
\$50,000- 74,999	184	30,155	23	7.2	03.7-10.7	38	14.9	09.2-20.6	31	17.2	10.1-24.3	18	8.4	03.9-12.9	74	52.2	42.6-61.8
\$75,000+	487	76,908	81	15.5	11.4-19.6	111	17.9	14.0-21.8	106	20.1	15.6-24.6	45	9.4	06.3-12.5	144	37.0	31.3-42.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1554	179,774	516	30.8	27.9-33.7	518	31.2	28.1-34.3	205	12.3	10.3-14.3	125	8.2	06.4-10.0	190	17.5	14.8-20.2
White/Non-Hisp	1274	127,732	423	30.7	27.6-33.8	412	29.0	25.9-32.1	179	13.8	11.4-16.2	98	7.5	05.7-09.3	162	19.1	16.0-22.2
Black or Afr. Am./Non-Hisp	169	30,182	54	29.2	20.8-37.6	65	40.4	31.0-49.8	18	9.3	04.2-14.4	15	10.3	04.6-16.0	17	10.8	04.7-16.9
18-24	75	19,195	6	9.5	01.7-17.3	16	21.4	10.6-32.2	6	4.1	00.6-07.6	10	14.7	04.7-24.7	37	50.3	37.4-63.2
25-34	193	35,643	39	21.2	14.1-28.3	61	29.7	21.9-37.5	23	11.4	06.1-16.7	21	10.6	05.3-15.9	49	27.1	19.5-34.7
35-44	220	29,401	60	28.8	21.0-36.6	77	37.9	29.1-46.7	37	16.4	10.3-22.5	7	2.1	00.1-04.1	39	14.7	08.8-20.6
45-54	311	35,138	87	32.1	25.0-39.2	104	30.0	23.7-36.3	43	12.9	08.6-17.2	37	9.8	06.3-13.3	40	15.2	09.7-20.7
55-64	300	27,591	111	35.3	28.4-42.2	104	34.9	28.0-41.8	44	15.2	10.3-20.1	25	8.0	04.7-11.3	16	6.7	02.8-10.6
65+	440	31,468	208	49.6	43.7-55.5	150	31.1	26.0-36.2	49	11.3	07.6-15.0	24	5.8	03.1-08.5	9	2.2	00.6-03.8
H.S. or G.E.D.	378	47,421	148	33.5	27.6-39.4	115	31.1	24.6-37.6	44	10.6	06.9-14.3	29	8.5	04.4-12.6	42	16.3	10.6-22.0
Some Post-H.S.	437	60,621	138	30.8	25.1-36.5	151	30.6	25.3-35.9	58	12.1	08.6-15.6	39	8.4	05.3-11.5	51	18.1	13.0-23.2
College Graduate	700	60,947	216	29.2	24.9-33.5	241	32.3	28.0-36.6	97	13.5	10.4-16.6	55	8.0	05.5-10.5	91	17.0	13.3-20.7
Less than \$15,000	146	17,043	50	28.7	19.1-38.3	45	25.7	16.3-35.1	17	11.7	05.8-17.6	14	11.9	04.6-19.2	20	22.0	11.0-33.0
\$15,000- 24,999	100	15,539	36	28.6	17.2-40.0	34	37.8	24.5-51.1	11	8.5	03.0-14.0	9	7.1	01.4-12.8	10	18.0	06.4-29.6
\$25,000- 34,999	145	16,461	50	28.9	18.7-39.1	47	28.6	19.0-38.2	21	14.7	06.7-22.7	7	9.2	00.0-19.0	20	18.5	09.9-27.1
\$35,000- 49,999	206	24,046	69	32.3	23.7-40.9	66	26.2	18.9-33.5	25	10.6	05.5-15.7	17	6.4	02.7-10.1	29	24.5	15.5-33.5
\$50,000- 74,999	263	27,983	88	28.2	21.7-34.7	82	32.3	24.7-39.9	35	12.5	07.6-17.4	23	7.6	04.1-11.1	35	19.5	12.6-26.4
\$75,000+	491	57,389	134	29.3	23.8-34.8	173	33.8	28.3-39.3	79	14.6	10.9-18.3	40	7.6	04.9-10.3	65	14.8	10.7-18.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 11: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)	
1 MALES AND FEMALES	182
2 MALES ONLY	183
3 FEMALES ONLY	184
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	185
5 MALES ONLY	186
6 FEMALES ONLY	187
AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
7 MALES AND FEMALES	188
8 MALES ONLY	189
9 FEMALES ONLY	190
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10 MALES AND FEMALES	191
11 MALES ONLY	192
12 FEMALES ONLY	193

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5134	704,407	2451	40.8	39.0-42.6	2683	59.2	57.4-61.0
Male	1990	335,506	889	36.4	33.7-39.1	1101	63.6	60.9-66.3
Female	3144	368,902	1562	44.7	42.3-47.1	1582	55.3	52.9-57.7
White/Non-Hisp	3984	472,508	1982	43.7	41.7-45.7	2002	56.3	54.3-58.3
Black or Afr. Am./Non-Hisp	725	140,414	294	35.1	30.8-39.4	431	64.9	60.6-69.2
Oth. Race/Non-Hisp.	141	27,769	61	39.0	28.0-50.0	80	61.0	50.0-72.0
MultiRacial/Non-Hisp.	103	8,949	42	38.7	27.5-49.9	61	61.3	50.1-72.5
Hispanic	154	51,906	57	30.2	21.4-39.0	97	69.8	61.0-78.6
18-24	308	90,244	90	28.8	22.9-34.7	218	71.2	65.3-77.1
25-34	525	113,884	174	28.1	23.6-32.6	351	71.9	67.4-76.4
35-44	642	112,385	232	34.4	29.7-39.1	410	65.6	60.9-70.3
45-54	909	128,442	358	34.7	30.8-38.6	551	65.3	61.4-69.2
55-64	1019	114,978	507	48.1	44.0-52.2	512	51.9	47.8-56.0
65+	1682	140,028	1063	63.1	60.2-66.0	619	36.9	34.0-39.8
Less Than H.S.	333	93,500	128	28.4	22.5-34.3	205	71.6	65.7-77.5
H.S. or G.E.D.	1547	221,136	688	39.3	36.2-42.4	859	60.7	57.6-63.8
Some Post-H.S.	1379	208,389	661	41.9	38.6-45.2	718	58.1	54.8-61.4
College Graduate	1868	180,569	970	47.7	44.8-50.6	898	52.3	49.4-55.2
Less than \$15,000	594	81,556	263	36.5	31.2-41.8	331	63.5	58.2-68.8
\$15,000- 24,999	527	77,020	247	40.1	34.0-46.2	280	59.9	53.8-66.0
\$25,000- 34,999	482	63,089	222	38.8	32.7-44.9	260	61.2	55.1-67.3
\$35,000- 49,999	645	89,263	304	39.1	34.2-44.0	341	60.9	56.0-65.8
\$50,000- 74,999	765	103,980	373	43.2	38.5-47.9	392	56.8	52.1-61.5
\$75,000+	1422	195,834	695	42.6	39.3-45.9	727	57.4	54.1-60.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1990	335,506	889	36.4	33.7-39.1	1101	63.6	60.9-66.3
White/Non-Hisp	1553	225,890	722	39.9	36.8-43.0	831	60.1	57.0-63.2
Black or Afr. Am./Non-Hisp	246	63,592	94	30.8	23.9-37.7	152	69.2	62.3-76.1
Oth. Race/Non-Hisp.	68	15,500	32	42.5	26.2-58.8	36	57.5	41.2-73.8
Hispanic	66	24,818	19	16.6	06.8-26.4	47	83.4	73.6-93.2
18-24	155	45,639	43	25.7	17.9-33.5	112	74.3	66.5-82.1
25-34	205	56,271	59	24.4	17.5-31.3	146	75.6	68.7-82.5
35-44	252	54,600	82	27.6	21.3-33.9	170	72.4	66.1-78.7
45-54	343	61,953	128	31.9	25.8-38.0	215	68.1	62.0-74.2
55-64	397	54,030	193	45.6	39.1-52.1	204	54.4	47.9-60.9
65+	623	61,308	377	60.0	55.1-64.9	246	40.0	35.1-44.9
Less Than H.S.	167	56,589	50	21.1	14.0-28.2	117	78.9	71.8-86.0
H.S. or G.E.D.	582	102,695	227	34.4	29.5-39.3	355	65.6	60.7-70.5
Some Post-H.S.	495	90,713	215	36.2	31.1-41.3	280	63.8	58.7-68.9
College Graduate	745	85,389	397	49.3	44.8-53.8	348	50.7	46.2-55.2
Less than \$15,000	217	39,754	81	28.3	20.9-35.7	136	71.7	64.3-79.1
\$15,000- 24,999	167	30,345	71	35.1	25.5-44.7	96	64.9	55.3-74.5
\$25,000- 34,999	171	28,102	70	33.6	23.8-43.4	101	66.4	56.6-76.2
\$35,000- 49,999	245	42,205	116	37.4	29.8-45.0	129	62.6	55.0-70.2
\$50,000- 74,999	310	52,351	135	36.7	29.8-43.6	175	63.3	56.4-70.2
\$75,000+	672	107,726	318	39.5	34.8-44.2	354	60.5	55.8-65.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3144	368,902	1562	44.7	42.3-47.1	1582	55.3	52.9-57.7
White/Non-Hisp	2431	246,617	1260	47.2	44.7-49.7	1171	52.8	50.3-55.3
Black or Afr. Am./Non-Hisp	479	76,822	200	38.6	33.1-44.1	279	61.4	55.9-66.9
Oth. Race/Non-Hisp.	73	12,268	29	34.6	20.1-49.1	44	65.4	50.9-79.9
MultiRacial/Non-Hisp.	58	4,748	28	50.7	35.0-66.4	30	49.3	33.6-65.0
Hispanic	88	27,088	38	42.6	29.7-55.5	50	57.4	44.5-70.3
18-24	153	44,605	47	32.0	23.4-40.6	106	68.0	59.4-76.6
25-34	320	57,612	115	31.7	25.6-37.8	205	68.3	62.2-74.4
35-44	390	57,786	150	40.8	34.1-47.5	240	59.2	52.5-65.9
45-54	566	66,489	230	37.4	32.3-42.5	336	62.6	57.5-67.7
55-64	622	60,947	314	50.3	45.2-55.4	308	49.7	44.6-54.8
65+	1059	78,720	686	65.5	61.8-69.2	373	34.5	30.8-38.2
Less Than H.S.	166	36,910	78	39.5	29.7-49.3	88	60.5	50.7-70.3
H.S. or G.E.D.	965	118,441	461	43.5	39.2-47.8	504	56.5	52.2-60.8
Some Post-H.S.	884	117,676	446	46.3	42.0-50.6	438	53.7	49.4-58.0
College Graduate	1123	95,179	573	46.2	42.5-49.9	550	53.8	50.1-57.5
Less than \$15,000	377	41,801	182	44.4	37.7-51.1	195	55.6	48.9-62.3
\$15,000- 24,999	360	46,675	176	43.4	36.0-50.8	184	56.6	49.2-64.0
\$25,000- 34,999	311	34,988	152	43.0	35.6-50.4	159	57.0	49.6-64.4
\$35,000- 49,999	400	47,058	188	40.6	34.3-46.9	212	59.4	53.1-65.7
\$50,000- 74,999	455	51,629	238	49.8	43.7-55.9	217	50.2	44.1-56.3
\$75,000+	750	88,107	377	46.3	41.8-50.8	373	53.7	49.2-58.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1565	177,822	13	1.1	00.3-01.9	44	3.8	02.2-05.4	1508	95.1	93.3-96.9
Male	558	73,404	8	2.2	00.6-03.8	17	4.7	02.0-07.4	533	93.2	90.1-96.3
Female	1007	104,417	5	0.4	00.0-00.8	27	3.1	01.3-04.9	975	96.5	94.7-98.3
White/Non-Hisp	1299	133,190	10	1.2	00.2-02.2	36	3.4	01.8-05.0	1253	95.4	93.6-97.2
Black or Afr. Am./Non-Hisp	164	27,747	3	1.4	00.0-03.2	5	5.7	00.0-12.0	156	92.9	86.4-99.4
18-24	55	15,755				5	5.9	00.0-12.0	50	94.1	88.0-0100
25-34	109	19,387	3	4.1	00.0-09.0	5	3.5	00.0-07.0	101	92.3	86.4-98.2
35-44	148	24,257	3	2.5	00.0-05.2	4	5.3	00.0-11.4	141	92.2	85.5-98.9
45-54	248	30,156	1	0.4	00.0-01.2	2	0.9	00.0-02.5	245	98.6	96.8-0100
55-64	344	36,513	4	1.1	00.0-02.3	11	4.2	00.5-07.9	329	94.8	90.9-98.7
65+	645	50,262	2	0.2	00.0-00.4	16	3.8	01.1-06.5	627	96.0	93.3-98.7
Less Than H.S.	58	11,907	2	0.8	00.0-02.0	3	9.8	00.0-21.8	53	89.4	77.4-0100
H.S. or G.E.D.	403	48,667	2	1.1	00.0-02.7	15	6.1	02.0-10.2	386	92.8	88.5-97.1
Some Post-H.S.	444	58,934	3	0.5	00.0-01.3	13	2.4	00.8-04.0	428	97.0	95.2-98.8
College Graduate	657	58,159	6	1.9	00.3-03.5	13	1.9	00.5-03.3	638	96.2	94.2-98.2
Less than \$15,000	148	15,094	1	0.2	00.0-00.6	9	8.6	02.1-15.1	138	91.2	84.7-97.7
\$15,000- 24,999	138	18,885	2	1.7	00.0-04.1	6	6.9	00.0-13.8	130	91.4	84.1-98.7
\$25,000- 34,999	138	13,069				5	4.0	00.0-08.1	133	96.0	91.9-0100
\$35,000- 49,999	196	21,566	1	0.1	00.0-00.3	5	1.8	00.0-03.8	190	98.0	95.8-0100
\$50,000- 74,999	253	29,073	3	2.7	00.0-05.8	5	3.1	00.0-07.4	245	94.3	89.0-99.6
\$75,000+	482	57,996	6	1.5	00.3-02.7	5	1.1	00.0-02.3	471	97.5	95.7-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	558	73,404	8	2.2	00.6-03.8	17	4.7	02.0-07.4	533	93.2	90.1-96.3
White/Non-Hisp	469	56,529	6	2.2	00.2-04.2	13	4.1	01.2-07.0	450	93.7	90.2-97.2
35-44	51	9,523	2	4.4	00.0-10.3				49	95.6	89.7-0100
45-54	90	12,447	1	1.0	00.0-03.0	2	2.3	00.0-06.0	87	96.7	92.4-0100
55-64	128	15,896	2	1.6	00.0-04.0	5	5.8	00.0-13.4	121	92.5	84.5-0100
65+	226	21,035				5	5.1	00.0-10.8	221	94.9	89.2-0100
H.S. or G.E.D.	136	20,982	2	2.5	00.0-06.2	8	11.4	02.8-20.0	126	86.2	77.0-95.4
Some Post-H.S.	137	20,528				4	1.3	00.0-03.1	133	98.7	96.9-0100
College Graduate	267	28,133	6	3.9	00.8-07.0	4	2.0	00.0-04.4	257	94.1	90.2-98.0
\$35,000- 49,999	67	8,783				2	2.8	00.0-07.3	65	97.2	92.7-0100
\$50,000- 74,999	88	11,342	3	6.8	00.0-14.8	3	6.7	00.0-17.1	82	86.5	74.0-99.0
\$75,000+	222	29,437	4	2.4	00.0-04.8	3	1.7	00.0-03.9	215	96.0	92.9-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1007	104,417	5	0.4	00.0-00.8	27	3.1	01.3-04.9	975	96.5	94.7-98.3
White/Non-Hisp	830	76,662	4	0.5	00.0-01.1	23	2.8	01.4-04.2	803	96.7	95.3-98.1
Black or Afr. Am./Non-Hisp	115	17,216	1	0.2	00.0-00.6	3	5.8	00.0-14.0	111	94.0	85.8-0100
25-34	69	10,936				3	2.2	00.0-04.7	66	97.8	95.3-0100
35-44	97	14,734	1	1.3	00.0-03.8	4	8.7	00.0-18.5	92	90.0	80.0-0100
45-54	158	17,709							158	100.0	0100-0100
55-64	216	20,617	2	0.6	00.0-01.6	6	2.9	00.4-05.4	208	96.5	93.8-99.2
65+	419	29,227	2	0.3	00.0-00.9	11	2.9	00.9-04.9	406	96.8	94.6-99.0
H.S. or G.E.D.	267	27,685				7	2.2	00.2-04.2	260	97.8	95.8-99.8
Some Post-H.S.	307	38,406	3	0.8	00.0-01.8	9	3.0	00.8-05.2	295	96.1	93.6-98.6
College Graduate	390	30,027				9	1.8	00.6-03.0	381	98.2	97.0-99.4
Less than \$15,000	110	10,559	1	0.3	00.0-00.9	7	9.1	01.8-16.4	102	90.6	83.3-97.9
\$15,000- 24,999	98	12,468	1	1.5	00.0-04.4	3	3.8	00.0-08.7	94	94.7	89.0-0100
\$25,000- 34,999	93	8,431				2	1.0	00.0-02.4	91	99.0	97.6-0100
\$35,000- 49,999	129	12,783	1	0.2	00.0-00.6	3	1.2	00.0-02.6	125	98.6	97.0-0100
\$50,000- 74,999	165	17,730				2	0.8	00.0-02.0	163	99.2	98.0-0100
\$75,000+	260	28,559	2	0.6	00.0-01.4	2	0.4	00.0-01.0	256	99.0	98.0-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2442	285,973	1227	51.6	48.9-54.3	112	5.4	04.0-06.8	21	0.6	00.2-01.0	665	22.3	20.1-24.5	416	20.1	17.9-22.3	1	0.0	00.0-00.0
Male	885	121,696	432	50.1	45.8-54.4	61	7.0	04.6-09.4	11	0.9	00.3-01.5	215	19.6	16.5-22.7	166	22.4	18.7-26.1			
Female	1557	164,277	795	52.7	49.4-56.0	51	4.1	02.5-05.7	10	0.4	00.0-00.8	450	24.4	21.7-27.1	250	18.3	15.6-21.0	1	0.1	00.0-00.3
White/Non-Hisp	1974	205,633	942	47.5	44.6-50.4	81	4.5	03.3-05.7	16	0.6	00.2-01.0	591	26.0	23.6-28.4	344	21.3	18.8-23.8			
Black or Afr. Am./Non-Hisp	293	48,950	191	69.0	62.3-75.7	21	6.8	02.9-10.7	3	0.7	00.0-01.5	36	8.5	05.2-11.8	41	14.8	09.5-20.1	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	61	10,832	29	49.8	32.4-67.2	3	8.7	00.0-19.3	1	1.0	00.0-03.0	13	14.3	03.7-24.9	15	26.2	10.7-41.7			
Hispanic	57	15,654	26	45.8	29.5-62.1	5	10.6	00.0-22.4				15	24.3	10.8-37.8	11	19.2	06.7-31.7			
18-24	90	25,978	51	60.2	48.8-71.6	9	8.6	02.5-14.7				16	15.6	07.2-24.0	14	15.6	07.6-23.6			
25-34	174	31,996	78	47.5	38.3-56.7	9	6.6	00.5-12.7	1	0.3	00.0-00.9	25	13.5	07.8-19.2	61	32.0	24.0-40.0			
35-44	231	38,368	106	49.5	40.9-58.1	7	3.6	00.0-07.7	3	1.0	00.0-02.2	35	11.9	06.8-17.0	80	33.9	26.1-41.7			
45-54	356	44,278	151	42.8	36.1-49.5	25	6.2	03.5-08.9	1	0.1	00.0-00.3	65	17.0	12.3-21.7	114	33.9	27.2-40.6			
55-64	505	55,130	255	51.8	46.1-57.5	30	6.0	03.3-08.7				112	20.3	16.0-24.6	107	21.6	16.9-26.3	1	0.3	00.0-00.9
65+	1059	88,026	571	55.3	51.4-59.2	32	4.1	02.3-05.9	15	1.4	00.6-02.2	407	36.1	32.4-39.8	34	3.1	01.9-04.3			
Less Than H.S.	128	26,539	77	62.3	50.9-73.7	9	9.7	01.9-17.5	1	0.5	00.0-01.5	31	17.7	09.7-25.7	10	9.8	02.2-17.4			
H.S. or G.E.D.	686	86,365	375	55.7	50.6-60.8	27	4.9	02.4-07.4	6	0.7	00.1-01.3	193	22.0	18.1-25.9	84	16.5	12.6-20.4	1	0.2	00.0-00.6
Some Post-H.S.	659	87,248	332	51.2	46.3-56.1	33	5.5	03.3-07.7	8	0.7	00.1-01.3	175	22.1	18.2-26.0	111	20.4	16.3-24.5			
College Graduate	965	85,547	442	44.4	40.5-48.3	42	4.3	02.5-06.1	6	0.5	00.1-00.9	264	24.3	21.0-27.6	211	26.5	22.8-30.2			
Less than \$15,000	263	29,801	147	65.1	58.0-72.2	6	2.5	00.0-05.0	7	2.3	00.3-04.3	81	22.2	16.5-27.9	22	7.9	03.8-12.0			
\$15,000- 24,999	247	30,901	148	67.9	60.3-75.5	12	5.2	01.7-08.7	2	0.3	00.0-00.7	72	19.7	14.0-25.4	13	7.0	02.5-11.5			
\$25,000- 34,999	222	24,497	104	40.7	31.9-49.5	18	12.9	04.7-21.1	2	0.5	00.0-01.3	68	28.9	20.1-37.7	30	17.0	10.3-23.7			
\$35,000- 49,999	303	34,597	155	51.9	44.5-59.3	18	4.3	01.9-06.7	2	0.5	00.0-01.3	88	24.3	18.6-30.0	39	18.6	12.1-25.1	1	0.4	00.0-01.2
\$50,000- 74,999	371	44,744	172	45.1	38.2-52.0	22	7.6	03.3-11.9	1	0.2	00.0-00.6	93	19.8	15.1-24.5	83	27.3	20.8-33.8			
\$75,000+	692	82,928	315	44.8	39.9-49.7	29	5.0	02.6-07.4	3	0.4	00.0-01.0	154	19.6	16.1-23.1	191	30.3	25.8-34.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	885	121,696	432	50.1	45.8-54.4	61	7.0	04.6-09.4	11	0.9	00.3-01.5	215	19.6	16.5-22.7	166	22.4	18.7-26.1
White/Non-Hisp	718	89,552	336	46.3	41.6-51.0	49	6.5	04.3-08.7	8	0.9	00.1-01.7	190	22.7	19.0-26.4	135	23.5	19.4-27.6
Black or Afr. Am./Non-Hisp	94	19,585	62	71.7	61.1-82.3	7	5.4	00.5-10.3	2	1.0	00.0-02.4	10	8.9	02.8-15.0	13	13.0	04.8-21.2
25-34	59	13,719	23	41.5	25.8-57.2	4	10.9	00.0-23.8				9	13.4	03.8-23.0	23	34.3	20.4-48.2
35-44	82	15,084	31	42.5	29.6-55.4	3	2.2	00.0-04.7	2	1.8	00.0-04.3	10	10.4	03.1-17.7	36	43.1	30.4-55.8
45-54	126	19,439	43	36.6	25.4-47.8	13	8.2	02.9-13.5				26	16.3	08.9-23.7	44	38.9	27.7-50.1
55-64	192	24,516	95	53.3	44.3-62.3	16	7.8	02.9-12.7				38	17.1	10.8-23.4	43	21.9	14.3-29.5
65+	376	36,678	210	57.3	50.8-63.8	22	6.5	03.4-09.6	9	2.2	00.6-03.8	125	31.9	25.8-38.0	10	2.1	00.5-03.7
Less Than H.S.	50	11,968	26	53.0	35.0-71.0	8	18.6	02.9-34.3				13	22.8	08.3-37.3	3	5.7	00.0-13.3
H.S. or G.E.D.	227	35,315	117	52.7	44.1-61.3	13	5.2	01.7-08.7	3	1.1	00.0-02.5	55	18.1	12.6-23.6	39	22.9	15.3-30.5
Some Post-H.S.	214	32,800	110	53.1	44.7-61.5	18	8.8	04.3-13.3	6	1.6	00.0-03.2	48	18.8	12.9-24.7	32	17.7	11.2-24.2
College Graduate	394	41,614	179	44.6	38.5-50.7	22	3.9	01.9-05.9	2	0.4	00.0-01.0	99	20.6	15.9-25.3	92	30.5	24.4-36.6
Less than \$15,000	81	11,251	46	67.3	55.0-79.6	2	1.2	00.0-03.0	5	4.9	00.2-09.6	21	16.4	07.4-25.4	7	10.2	01.6-18.8
\$15,000- 24,999	71	10,659	37	57.8	42.9-72.7	7	11.8	02.4-21.2	1	0.6	00.0-01.8	22	23.9	12.3-35.5	4	5.9	00.0-13.0
\$25,000- 34,999	70	9,440	34	35.5	21.0-50.0	9	21.8	03.6-40.0	1	1.0	00.0-03.0	19	30.8	14.5-47.1	7	10.9	01.9-19.9
\$35,000- 49,999	116	15,804	54	48.1	35.9-60.3	11	6.5	02.0-11.0	2	1.2	00.0-03.0	34	24.0	15.2-32.8	15	20.2	09.2-31.2
\$50,000- 74,999	133	19,007	60	45.8	34.6-57.0	10	7.4	02.1-12.7				31	17.9	10.3-25.5	32	28.9	18.7-39.1
\$75,000+	317	42,353	144	47.0	39.9-54.1	18	5.6	02.5-08.7	2	0.4	00.0-01.2	66	16.5	12.0-21.0	87	30.5	23.8-37.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1557	164,277	795	52.7	49.4-56.0	51	4.1	02.5-05.7	10	0.4	00.0-00.8	450	24.4	21.7-27.1	250	18.3	15.6-21.0	1	0.1	00.0-00.3
White/Non-Hisp	1256	116,080	606	48.4	44.7-52.1	32	3.0	01.6-04.4	8	0.5	00.1-00.9	401	28.6	25.5-31.7	209	19.5	16.6-22.4			
Black or Afr. Am./Non-Hisp	199	29,364	129	67.1	58.7-75.5	14	7.7	02.0-13.4	1	0.5	00.0-01.5	26	8.2	04.5-11.9	28	16.1	09.2-23.0	1	0.5	00.0-01.5
25-34	115	18,277	55	52.1	41.1-63.1	5	3.4	00.1-06.7	1	0.5	00.0-01.5	16	13.6	06.5-20.7	38	30.4	20.8-40.0			
35-44	149	23,284	75	54.1	42.9-65.3	4	4.5	00.0-10.8	1	0.5	00.0-01.5	25	12.9	05.8-20.0	44	28.0	18.4-37.6			
45-54	230	24,839	108	47.6	39.4-55.8	12	4.5	01.6-07.4	1	0.2	00.0-00.6	39	17.6	11.5-23.7	70	30.1	22.5-37.7			
55-64	313	30,614	160	50.7	43.6-57.8	14	4.7	01.8-07.6				74	22.9	17.2-28.6	64	21.3	15.4-27.2	1	0.5	00.0-01.5
65+	683	51,348	361	53.9	49.0-58.8	10	2.3	00.0-04.7	6	0.8	00.0-01.6	282	39.2	34.5-43.9	24	3.8	02.0-05.6			
Less Than H.S.	78	14,571	51	69.9	56.0-83.8	1	2.4	00.0-07.1	1	1.0	00.0-03.0	18	13.5	05.7-21.3	7	13.3	01.1-25.5			
H.S. or G.E.D.	459	51,051	258	57.7	51.4-64.0	14	4.7	01.2-08.2	3	0.4	00.0-01.0	138	24.7	19.6-29.8	45	12.1	08.2-16.0	1	0.3	00.0-00.9
Some Post-H.S.	445	54,448	222	50.1	44.0-56.2	15	3.6	01.4-05.8	2	0.2	00.0-00.6	127	24.0	18.9-29.1	79	22.0	16.7-27.3			
College Graduate	571	43,933	263	44.2	39.1-49.3	20	4.6	01.7-07.5	4	0.6	00.0-01.2	165	27.8	23.1-32.5	119	22.8	18.5-27.1			
Less than \$15,000	182	18,550	101	63.8	55.2-72.4	4	3.3	00.0-07.2	2	0.8	00.0-02.0	60	25.7	18.3-33.1	15	6.5	02.6-10.4			
\$15,000- 24,999	176	20,242	111	73.2	64.8-81.6	5	1.8	00.0-03.8	1	0.1	00.0-00.3	50	17.4	11.1-23.7	9	7.5	01.8-13.2			
\$25,000- 34,999	152	15,057	70	44.0	33.2-54.8	9	7.3	01.8-12.8	1	0.3	00.0-00.9	49	27.6	17.6-37.6	23	20.8	11.8-29.8			
\$35,000- 49,999	187	18,792	101	55.0	45.6-64.4	7	2.4	00.2-04.6				54	24.6	17.0-32.2	24	17.2	09.8-24.6	1	0.7	00.0-02.1
\$50,000- 74,999	238	25,736	112	44.6	36.0-53.2	12	7.7	01.4-14.0	1	0.4	00.0-01.2	62	21.2	15.1-27.3	51	26.1	17.9-34.3			
\$75,000+	375	40,575	171	42.6	36.1-49.1	11	4.3	01.0-07.6	1	0.3	00.0-00.9	88	22.8	17.7-27.9	104	30.1	24.0-36.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4773	636,480	1933	32.8	31.0-34.6	2840	67.2	65.4-69.0
Male	1806	297,342	700	30.2	27.5-32.9	1106	69.8	67.1-72.5
Female	2967	339,138	1233	35.2	32.8-37.6	1734	64.8	62.4-67.2
White/Non-Hisp	3723	428,353	1578	34.2	32.2-36.2	2145	65.8	63.8-67.8
Black or Afr. Am./Non-Hisp	664	126,109	228	30.3	26.0-34.6	436	69.7	65.4-74.0
Oth. Race/Non-Hisp.	127	23,751	43	33.9	22.3-45.5	84	66.1	54.5-77.7
MultiRacial/Non-Hisp.	93	8,057	36	34.6	23.2-46.0	57	65.4	54.0-76.8
Hispanic	143	47,725	41	26.0	17.2-34.8	102	74.0	65.2-82.8
18-24	243	70,289	61	22.6	16.7-28.5	182	77.4	71.5-83.3
25-34	446	95,263	69	17.4	12.7-22.1	377	82.6	77.9-87.3
35-44	579	102,589	95	18.4	14.1-22.7	484	81.6	77.3-85.9
45-54	855	118,675	173	22.0	18.3-25.7	682	78.0	74.3-81.7
55-64	983	110,140	325	30.8	27.1-34.5	658	69.2	65.5-72.9
65+	1624	135,637	1191	70.7	67.8-73.6	433	29.3	26.4-32.2
Less Than H.S.	312	83,809	135	33.8	27.1-40.5	177	66.2	59.5-72.9
H.S. or G.E.D.	1447	200,095	635	35.7	32.6-38.8	812	64.3	61.2-67.4
Some Post-H.S.	1281	190,477	526	32.6	29.5-35.7	755	67.4	64.3-70.5
College Graduate	1726	161,285	635	29.2	26.7-31.7	1091	70.8	68.3-73.3
Less than \$15,000	566	75,784	266	37.7	32.4-43.0	300	62.3	57.0-67.6
\$15,000- 24,999	484	68,767	238	40.5	34.2-46.8	246	59.5	53.2-65.8
\$25,000- 34,999	463	60,347	203	35.2	29.3-41.1	260	64.8	58.9-70.7
\$35,000- 49,999	600	79,880	251	33.0	28.3-37.7	349	67.0	62.3-71.7
\$50,000- 74,999	710	95,617	259	29.9	25.6-34.2	451	70.1	65.8-74.4
\$75,000+	1309	174,772	395	24.9	22.0-27.8	914	75.1	72.2-78.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1806	297,342	700	30.2	27.5-32.9	1106	69.8	67.1-72.5
White/Non-Hisp	1415	200,573	578	32.8	29.9-35.7	837	67.2	64.3-70.1
Black or Afr. Am./Non-Hisp	220	55,986	72	27.9	20.8-35.0	148	72.1	65.0-79.2
Oth. Race/Non-Hisp.	57	12,382	17	26.8	10.5-43.1	40	73.2	56.9-89.5
Hispanic	62	23,267	14	12.8	04.0-21.6	48	87.2	78.4-96.0
18-24	119	35,395	32	23.1	15.1-31.1	87	76.9	68.9-84.9
25-34	172	47,528	28	17.6	10.3-24.9	144	82.4	75.1-89.7
35-44	217	48,428	32	13.0	08.1-17.9	185	87.0	82.1-91.9
45-54	312	54,275	68	23.9	17.6-30.2	244	76.1	69.8-82.4
55-64	379	51,210	117	25.9	20.4-31.4	262	74.1	68.6-79.6
65+	593	58,876	418	68.0	63.1-72.9	175	32.0	27.1-36.9
Less Than H.S.	154	50,837	60	29.5	21.1-37.9	94	70.5	62.1-78.9
H.S. or G.E.D.	530	90,305	218	34.8	29.7-39.9	312	65.2	60.1-70.3
Some Post-H.S.	444	81,692	174	27.7	23.0-32.4	270	72.3	67.6-77.0
College Graduate	677	74,389	248	27.8	23.9-31.7	429	72.2	68.3-76.1
Less than \$15,000	202	36,068	96	38.2	29.2-47.2	106	61.8	52.8-70.8
\$15,000- 24,999	147	26,683	61	37.1	26.3-47.9	86	62.9	52.1-73.7
\$25,000- 34,999	161	26,533	71	34.4	24.8-44.0	90	65.6	56.0-75.2
\$35,000- 49,999	224	36,983	99	32.1	24.8-39.4	125	67.9	60.6-75.2
\$50,000- 74,999	282	47,485	100	26.0	19.7-32.3	182	74.0	67.7-80.3
\$75,000+	605	93,796	194	23.1	19.2-27.0	411	76.9	73.0-80.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2967	339,138	1233	35.2	32.8-37.6	1734	64.8	62.4-67.2
White/Non-Hisp	2308	227,780	1000	35.5	33.1-37.9	1308	64.5	62.1-66.9
Black or Afr. Am./Non-Hisp	444	70,123	156	32.2	26.7-37.7	288	67.8	62.3-73.3
Oth. Race/Non-Hisp.	70	11,369	26	41.7	26.0-57.4	44	58.3	42.6-74.0
MultiRacial/Non-Hisp.	53	4,428	22	34.9	20.0-49.8	31	65.1	50.2-80.0
Hispanic	81	24,458	27	38.6	25.1-52.1	54	61.4	47.9-74.9
18-24	124	34,894	29	22.1	13.9-30.3	95	77.9	69.7-86.1
25-34	274	47,735	41	17.1	11.2-23.0	233	82.9	77.0-88.8
35-44	362	54,161	63	23.3	16.6-30.0	299	76.7	70.0-83.4
45-54	543	64,400	105	20.4	15.9-24.9	438	79.6	75.1-84.1
55-64	604	58,930	208	35.0	30.1-39.9	396	65.0	60.1-69.9
65+	1031	76,761	773	72.7	69.2-76.2	258	27.3	23.8-30.8
Less Than H.S.	158	32,973	75	40.5	30.3-50.7	83	59.5	49.3-69.7
H.S. or G.E.D.	917	109,790	417	36.4	32.3-40.5	500	63.6	59.5-67.7
Some Post-H.S.	837	108,785	352	36.2	32.1-40.3	485	63.8	59.7-67.9
College Graduate	1049	86,896	387	30.4	27.1-33.7	662	69.6	66.3-72.9
Less than \$15,000	364	39,716	170	37.2	30.9-43.5	194	62.8	56.5-69.1
\$15,000- 24,999	337	42,084	177	42.6	35.0-50.2	160	57.4	49.8-65.0
\$25,000- 34,999	302	33,813	132	35.8	28.5-43.1	170	64.2	56.9-71.5
\$35,000- 49,999	376	42,897	152	33.8	27.5-40.1	224	66.2	59.9-72.5
\$50,000- 74,999	428	48,132	159	33.7	27.8-39.6	269	66.3	60.4-72.2
\$75,000+	704	80,976	201	26.9	22.6-31.2	503	73.1	68.8-77.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012

SECTION 12: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)	
1	MALES AND FEMALES	195
2	MALES ONLY	196
3	FEMALES ONLY	197
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	198
5	MALES ONLY	199
6	FEMALES ONLY	200

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 1: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3613	383,962	475	12.2	10.8-13.6	196	5.3	04.3-06.3	95	2.9	02.1-03.7	37	1.2	00.8-01.6	97	2.3	01.7-02.9	2713	76.1	74.3-77.9
Male	1361	177,120	142	10.3	08.1-12.5	61	4.2	02.8-05.6	31	2.6	01.4-03.8	10	0.8	00.2-01.4	34	1.8	01.0-02.6	1083	80.4	77.7-83.1
Female	2252	206,843	333	13.9	12.1-15.7	135	6.2	04.8-07.6	64	3.3	02.1-04.5	27	1.5	00.7-02.3	63	2.7	01.9-03.5	1630	72.5	70.1-74.9
White/Non-Hisp	2972	287,933	384	12.5	10.9-14.1	163	5.4	04.4-06.4	78	2.8	02.0-03.6	27	1.0	00.4-01.6	73	2.1	01.5-02.7	2247	76.3	74.3-78.3
Black or Afr. Am./Non-Hisp	434	67,350	66	12.0	08.7-15.3	22	5.3	02.6-08.0	12	4.4	01.5-07.3	5	1.5	00.1-02.9	11	1.9	00.7-03.1	318	74.9	69.8-80.0
Oth. Race/Non-Hisp.	73	11,150	11	13.6	02.6-24.6	2	4.9	00.0-13.1	1	1.0	00.0-03.0	1	1.3	00.0-03.8	3	1.3	00.0-02.9	55	78.0	64.3-91.7
MultiRacial/Non-Hisp.	54	3,611	5	5.5	00.0-11.8	6	12.4	02.0-22.8	3	3.5	00.0-07.8	2	2.5	00.0-06.4	4	7.3	00.0-15.7	34	68.7	54.4-83.0
Hispanic	63	12,561	5	6.3	00.2-12.4	2	1.4	00.0-03.4	1	0.7	00.0-02.1	2	2.5	00.0-06.0	6	8.9	01.3-16.5	47	80.3	69.9-90.7
45-54	902	127,417	110	12.1	09.4-14.8	41	4.3	02.7-05.9	31	3.4	01.8-05.0	12	1.5	00.5-02.5	23	1.7	00.9-02.5	685	76.9	73.4-80.4
55-64	1010	114,272	123	11.1	08.7-13.5	58	6.1	04.1-08.1	26	2.9	01.3-04.5	9	0.7	00.1-01.3	33	3.1	01.7-04.5	761	76.1	72.6-79.6
65+	1677	139,848	242	13.5	11.5-15.5	95	5.5	04.1-06.9	38	2.6	01.6-03.6	16	1.2	00.4-02.0	41	2.1	01.3-02.9	1245	75.1	72.6-77.6
Less Than H.S.	243	47,856	33	11.8	06.7-16.9	14	5.7	02.0-09.4	9	4.3	00.8-07.8	7	2.5	00.3-04.7	13	3.2	01.2-05.2	167	72.4	65.3-79.5
H.S. or G.E.D.	1152	125,212	131	9.8	07.8-11.8	56	4.7	03.1-06.3	23	2.9	01.3-04.5	13	1.3	00.5-02.1	27	2.2	01.2-03.2	902	79.1	76.2-82.0
Some Post-H.S.	963	114,376	144	15.3	12.4-18.2	61	6.1	04.3-07.9	30	3.3	01.9-04.7	10	1.3	00.3-02.3	26	1.9	00.9-02.9	692	72.2	68.7-75.7
College Graduate	1249	95,725	166	12.0	09.8-14.2	65	4.8	03.4-06.2	33	1.9	01.1-02.7	7	0.2	00.0-00.4	31	2.4	01.2-03.6	947	78.6	75.9-81.3
Less than \$15,000	441	44,111	59	13.2	09.1-17.3	34	7.5	04.2-10.8	15	5.3	02.0-08.6	9	2.6	00.4-04.8	17	3.7	01.7-05.7	307	67.7	61.8-73.6
\$15,000- 24,999	383	40,292	66	14.9	10.2-19.6	25	6.6	03.3-09.9	12	5.1	01.2-09.0	12	3.4	01.0-05.8	21	4.3	01.9-06.7	247	65.8	58.9-72.7
\$25,000- 34,999	346	32,307	45	11.4	07.3-15.5	16	4.1	01.6-06.6	14	4.2	01.7-06.7	2	1.1	00.0-02.9	8	2.7	00.3-05.1	261	76.6	70.9-82.3
\$35,000- 49,999	453	49,519	59	13.2	08.9-17.5	23	6.8	03.1-10.5	12	2.4	00.8-04.0	7	1.7	00.1-03.3	16	3.0	01.2-04.8	336	72.9	67.2-78.6
\$50,000- 74,999	546	60,791	64	10.2	06.9-13.5	31	5.5	03.3-07.7	10	1.3	00.5-02.1	3	0.4	00.0-01.0	9	1.0	00.2-01.8	429	81.6	77.5-85.7
\$75,000+	930	107,602	114	12.0	09.5-14.5	43	4.1	02.5-05.7	19	1.4	00.6-02.2	3	0.3	00.0-00.7	13	1.2	00.2-02.2	738	80.9	77.8-84.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 2: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1361	177,120	142	10.3	08.1-12.5	61	4.2	02.8-05.6	31	2.6	01.4-03.8	10	0.8	00.2-01.4	34	1.8	01.0-02.6	1083	80.4	77.7-83.1
White/Non-Hisp	1126	133,517	120	11.2	08.7-13.7	52	4.3	02.7-05.9	26	2.5	01.3-03.7	8	0.8	00.2-01.4	26	1.8	01.0-02.6	894	79.3	76.2-82.4
Black or Afr. Am./Non-Hisp	144	29,617	12	7.2	02.7-11.7	5	4.6	00.3-08.9	4	3.6	00.0-07.7	1	1.1	00.0-03.3	4	1.8	00.0-03.8	118	81.8	74.2-89.4
45-54	339	61,309	34	11.2	06.9-15.5	14	3.9	01.4-06.4	8	3.1	00.4-05.8	2	0.5	00.0-01.3	5	0.8	00.0-01.8	276	80.5	75.0-86.0
55-64	392	53,517	36	8.6	05.1-12.1	15	3.6	01.2-06.0	5	1.4	00.0-03.0	1	0.3	00.0-00.9	11	1.8	00.4-03.2	324	84.2	79.5-88.9
65+	622	61,308	72	10.9	07.8-14.0	32	4.9	02.9-06.9	18	3.1	01.5-04.7	7	1.6	00.2-03.0	18	2.8	01.2-04.4	475	76.8	72.7-80.9
Less Than H.S.	113	27,193	15	13.7	05.7-21.7	9	7.8	01.9-13.7	4	4.1	00.0-08.8	3	1.7	00.0-03.9	5	2.5	00.1-04.9	77	70.2	59.8-80.6
H.S. or G.E.D.	384	51,870	41	9.5	06.2-12.8	12	3.3	00.9-05.7	7	2.1	00.0-04.3	1	0.6	00.0-01.8	10	2.0	00.6-03.4	313	82.4	77.7-87.1
Some Post-H.S.	338	49,656	40	11.4	07.1-15.7	17	3.7	01.5-05.9	11	3.5	01.1-05.9	3	0.9	00.0-02.1	5	0.6	00.0-01.2	262	79.7	74.4-85.0
College Graduate	525	48,282	46	7.9	05.2-10.6	23	3.5	01.7-05.3	9	1.2	00.4-02.0	3	0.3	00.0-00.7	14	2.4	00.8-04.0	430	84.7	81.2-88.2
Less than \$15,000	154	19,536	17	11.1	04.6-17.6	10	6.0	00.9-11.1	9	9.3	02.2-16.4	2	1.0	00.0-02.4	9	3.9	01.2-06.6	107	68.6	58.8-78.4
\$15,000- 24,999	116	17,333	19	14.1	05.7-22.5	7	6.5	01.0-12.0	2	3.3	00.0-09.6	5	4.4	00.0-09.1	4	1.8	00.0-03.8	79	69.9	57.9-81.9
\$25,000- 34,999	119	14,122	9	9.2	02.5-15.9	7	5.4	00.3-10.5	6	5.0	00.1-09.9				2	2.4	00.0-05.9	95	78.0	68.6-87.4
\$35,000- 49,999	169	22,477	20	13.3	05.9-20.7	9	6.5	00.8-12.2	5	3.2	00.3-06.1	1	0.6	00.0-01.8	3	1.7	00.0-03.9	131	74.7	65.5-83.9
\$50,000- 74,999	219	29,514	19	8.1	02.8-13.4	12	4.5	01.2-07.8	5	1.5	00.1-02.9				6	1.4	00.2-02.6	177	84.6	78.3-90.9
\$75,000+	446	58,185	42	9.1	05.8-12.4	15	2.6	01.0-04.2	1	0.1	00.0-00.3	2	0.5	00.0-01.3	7	1.4	00.2-02.6	379	86.3	82.4-90.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 3: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2252	206,843	333	13.9	12.1-15.7	135	6.2	04.8-07.6	64	3.3	02.1-04.5	27	1.5	00.7-02.3	63	2.7	01.9-03.5	1630	72.5	70.1-74.9
White/Non-Hisp	1846	154,417	264	13.6	11.6-15.6	111	6.3	04.9-07.7	52	3.0	02.0-04.0	19	1.2	00.4-02.0	47	2.3	01.5-03.1	1353	73.6	71.1-76.1
Black or Afr. Am./Non-Hisp	290	37,733	54	15.8	10.9-20.7	17	5.8	02.5-09.1	8	5.1	01.0-09.2	4	1.7	00.0-03.7	7	2.0	00.2-03.8	200	69.6	62.7-76.5
45-54	563	66,109	76	12.9	09.4-16.4	27	4.7	02.7-06.7	23	3.7	01.7-05.7	10	2.5	00.7-04.3	18	2.6	01.2-04.0	409	73.6	69.1-78.1
55-64	618	60,755	87	13.4	10.3-16.5	43	8.2	05.1-11.3	21	4.1	01.4-06.8	8	1.1	00.1-02.1	22	4.2	02.0-06.4	437	69.1	64.2-74.0
65+	1055	78,540	170	15.5	12.8-18.2	63	5.9	04.1-07.7	20	2.3	00.9-03.7	9	0.9	00.1-01.7	23	1.6	00.8-02.4	770	73.7	70.4-77.0
Less Than H.S.	130	20,663	18	9.4	04.3-14.5	5	3.0	00.0-06.3	5	4.6	00.0-10.3	4	3.4	00.0-07.3	8	4.2	00.9-07.5	90	75.4	66.4-84.4
H.S. or G.E.D.	768	73,342	90	10.0	07.6-12.4	44	5.8	03.6-08.0	16	3.4	01.2-05.6	12	1.7	00.5-02.9	17	2.3	00.9-03.7	589	76.7	73.0-80.4
Some Post-H.S.	625	64,720	104	18.2	14.3-22.1	44	7.9	05.2-10.6	19	3.1	01.3-04.9	7	1.5	00.1-02.9	21	2.8	01.2-04.4	430	66.5	61.8-71.2
College Graduate	724	47,442	120	16.2	12.9-19.5	42	6.1	03.9-08.3	24	2.6	01.4-03.8	4	0.2	00.0-00.4	17	2.4	00.8-04.0	517	72.5	68.4-76.6
Less than \$15,000	287	24,575	42	14.9	09.6-20.2	24	8.8	04.5-13.1	6	2.0	00.2-03.8	7	3.9	00.4-07.4	8	3.6	00.7-06.5	200	66.9	59.8-74.0
\$15,000- 24,999	267	22,959	47	15.5	10.4-20.6	18	6.6	02.7-10.5	10	6.4	01.3-11.5	7	2.6	00.2-05.0	17	6.1	02.6-09.6	168	62.8	55.0-70.6
\$25,000- 34,999	227	18,185	36	13.2	08.1-18.3	9	3.1	00.9-05.3	8	3.5	00.8-06.2	2	1.9	00.0-05.2	6	2.9	00.0-06.2	166	75.5	68.4-82.6
\$35,000- 49,999	284	27,043	39	13.0	08.1-17.9	14	7.1	02.2-12.0	7	1.7	00.1-03.3	6	2.7	00.2-05.2	13	4.2	01.7-06.7	205	71.4	64.3-78.5
\$50,000- 74,999	327	31,277	45	12.1	08.0-16.2	19	6.5	03.4-09.6	5	1.1	00.1-02.1	3	0.8	00.0-02.0	3	0.6	00.0-01.4	252	78.9	73.6-84.2
\$75,000+	484	49,418	72	15.4	11.3-19.5	28	5.9	03.2-08.6	18	3.0	01.2-04.8	1	0.0	00.0-00.0	6	1.1	00.0-02.3	359	74.5	69.6-79.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	897	91,358	274	29.5	25.6-33.4	54	6.1	04.1-08.1	13	0.9	00.3-01.5	8	1.0	00.2-01.8	16	1.7	00.7-02.7	532	60.7	56.6-64.8
Male	278	34,688	71	27.0	19.9-34.1	11	3.1	00.9-05.3	5	1.3	00.0-02.7	4	1.5	00.0-03.1	3	0.8	00.0-01.8	184	66.4	59.1-73.7
Female	619	56,670	203	31.1	26.4-35.8	43	8.0	05.3-10.7	8	0.6	00.0-01.2	4	0.7	00.0-01.5	13	2.3	00.7-03.9	348	57.3	52.2-62.4
White/Non-Hisp	724	68,304	227	31.2	26.9-35.5	40	5.8	03.6-08.0	10	1.0	00.2-01.8	6	1.0	00.0-02.0	15	2.2	00.8-03.6	426	58.7	54.0-63.4
Black or Afr. Am./Non-Hisp	115	16,675	30	23.3	14.1-32.5	8	6.0	00.7-11.3				1	0.4	00.0-01.2				76	70.3	60.1-80.5
45-54	215	29,143	67	28.1	20.5-35.7	19	7.8	03.5-12.1	4	1.0	00.0-02.4	1	0.6	00.0-01.8	8	2.7	00.5-04.9	116	59.8	51.6-68.0
55-64	249	27,260	70	30.2	22.6-37.8	14	5.6	02.3-08.9	6	1.1	00.1-02.1	5	1.6	00.0-03.2	6	2.6	00.1-05.1	148	58.9	50.9-66.9
65+	431	34,840	137	30.3	25.0-35.6	21	5.1	02.6-07.6	3	0.6	00.0-01.4	2	0.8	00.0-02.2	2	0.3	00.0-00.7	266	62.8	57.3-68.3
Less Than H.S.	76	13,195	23	25.4	13.2-37.6	4	3.3	00.0-07.0	2	2.1	00.0-05.0	1	1.1	00.0-03.3	1	2.1	00.0-06.0	45	66.1	53.0-79.2
H.S. or G.E.D.	248	25,938	78	30.7	23.6-37.8	18	7.9	03.4-12.4	1	0.4	00.0-01.2	3	0.9	00.0-02.1	3	1.6	00.0-03.4	145	58.5	50.9-66.1
Some Post-H.S.	270	31,691	69	26.8	19.9-33.7	22	7.3	03.8-10.8	5	0.8	00.0-01.6	3	1.0	00.0-02.2	7	1.9	00.1-03.7	164	62.3	55.0-69.6
College Graduate	302	20,452	103	34.8	27.9-41.7	10	3.9	01.4-06.4	5	0.9	00.1-01.7	1	1.1	00.0-03.3	5	1.5	00.1-02.9	178	57.9	50.8-65.0
Less than \$15,000	133	14,071	39	27.3	17.9-36.7	9	6.9	01.8-12.0	1	0.7	00.0-02.1	4	2.3	00.0-04.8	4	2.3	00.0-05.0	76	60.5	49.9-71.1
\$15,000- 24,999	136	13,769	43	30.0	19.4-40.6	10	9.6	02.3-16.9	4	1.5	00.0-03.3	2	1.2	00.0-03.2	4	3.3	00.0-07.6	73	54.4	42.8-66.0
\$25,000- 34,999	85	7,566	23	23.1	12.5-33.7	7	7.4	00.5-14.3	2	1.6	00.0-04.3				1	0.3	00.0-00.9	52	67.7	55.7-79.7
\$35,000- 49,999	117	13,415	32	24.0	14.0-34.0	6	5.1	00.4-09.8	2	1.7	00.0-04.4				3	2.5	00.0-05.4	74	66.7	55.7-77.7
\$50,000- 74,999	117	11,167	37	36.6	24.8-48.4	5	5.2	00.7-09.7	3	1.1	00.0-02.5	1	1.6	00.0-04.7	1	0.8	00.0-02.4	70	54.7	42.7-66.7
\$75,000+	191	20,495	62	33.4	24.8-42.0	10	4.5	01.2-07.8	1	0.2	00.0-00.6	1	1.1	00.0-03.3	2	0.9	00.0-02.5	115	59.8	51.0-68.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	278	34,688	71	27.0	19.9-34.1	11	3.1	00.9-05.3	5	1.3	00.0-02.7	4	1.5	00.0-03.1	3	0.8	00.0-01.8	184	66.4	59.1-73.7
White/Non-Hisp	232	27,604	61	27.9	20.1-35.7	10	3.0	00.8-05.2	4	1.4	00.0-03.0	3	1.6	00.0-03.6	2	0.7	00.0-01.9	152	65.3	57.1-73.5
45-54	63	11,982	16	22.5	10.0-35.0	2	1.4	00.0-03.6	2	1.9	00.0-04.8				1	0.4	00.0-01.2	42	73.7	60.6-86.8
55-64	68	8,463	21	43.9	27.8-60.0	1	2.7	00.0-08.0	2	1.3	00.0-03.5	2	2.5	00.0-06.2	1	1.8	00.0-05.3	41	47.8	32.3-63.3
65+	147	14,243	34	20.7	13.3-28.1	8	4.7	00.8-08.6	1	0.7	00.0-02.1	2	2.1	00.0-05.2	1	0.6	00.0-01.8	101	71.3	62.7-79.9
H.S. or G.E.D.	71	9,114	24	32.3	19.2-45.4	1	1.2	00.0-03.6	1	1.1	00.0-03.3	1	1.7	00.0-05.0	1	1.7	00.0-05.0	43	62.1	48.6-75.6
Some Post-H.S.	76	10,071	17	25.5	12.4-38.6	4	3.6	00.0-08.3	1	0.6	00.0-01.8	2	1.3	00.0-03.1				52	69.1	55.6-82.6
College Graduate	95	7,394	22	29.4	17.2-41.6	4	3.9	00.0-08.2	1	0.2	00.0-00.6	1	3.1	00.0-09.0	2	1.8	00.0-04.3	65	61.6	48.7-74.5
\$75,000+	67	7,981	18	28.4	15.1-41.7	3	2.6	00.0-05.9				1	2.8	00.0-08.3	1	1.9	00.0-05.6	44	64.2	50.1-78.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	619	56,670	203	31.1	26.4-35.8	43	8.0	05.3-10.7	8	0.6	00.0-01.2	4	0.7	00.0-01.5	13	2.3	00.7-03.9	348	57.3	52.2-62.4
White/Non-Hisp	492	40,700	166	33.4	28.3-38.5	30	7.7	04.6-10.8	6	0.8	00.2-01.4	3	0.6	00.0-01.6	13	3.2	01.0-05.4	274	54.3	48.8-59.8
Black or Afr. Am./Non-Hisp	89	11,275	23	22.9	12.3-33.5	7	6.9	00.0-13.8										59	70.2	58.4-82.0
45-54	152	17,161	51	32.0	22.6-41.4	17	12.3	05.4-19.2	2	0.3	00.0-00.9	1	1.0	00.0-03.0	7	4.2	00.7-07.7	74	50.1	40.1-60.1
55-64	181	18,797	49	24.0	16.4-31.6	13	7.0	02.9-11.1	4	1.0	00.0-02.0	3	1.2	00.0-02.8	5	3.0	00.0-06.3	107	63.8	55.0-72.6
65+	284	20,597	103	36.9	30.0-43.8	13	5.4	02.1-08.7	2	0.6	00.0-01.6				1	0.1	00.0-00.3	165	57.0	49.9-64.1
H.S. or G.E.D.	177	16,825	54	29.9	21.7-38.1	17	11.6	05.1-18.1				2	0.4	00.0-01.0	2	1.5	00.0-03.7	102	56.6	47.4-65.8
Some Post-H.S.	194	21,620	52	27.4	19.4-35.4	18	9.0	04.3-13.7	4	1.0	00.0-02.2	1	0.8	00.0-02.4	7	2.8	00.3-05.3	112	59.1	50.5-67.7
College Graduate	207	13,059	81	37.8	29.6-46.0	6	3.9	00.6-07.2	4	1.2	00.0-02.6				3	1.3	00.0-03.1	113	55.8	47.4-64.2
Less than \$15,000	86	7,944	28	29.4	17.8-41.0	7	8.5	01.8-15.2				1	0.6	00.0-01.8	2	2.4	00.0-06.7	48	59.2	46.5-71.9
\$15,000- 24,999	99	8,545	34	34.3	22.5-46.1	10	15.4	04.4-26.4	2	0.6	00.0-01.6	2	2.0	00.0-05.3	4	5.3	00.0-12.0	47	42.4	29.7-55.1
\$25,000- 34,999	61	4,460	18	23.6	11.8-35.4	3	3.9	00.0-08.8	1	2.3	00.0-06.8				1	0.5	00.0-01.5	38	69.7	56.6-82.8
\$35,000- 49,999	79	7,726	21	23.0	11.6-34.4	4	6.5	00.0-13.9	1	0.7	00.0-02.1				3	4.3	00.0-09.4	50	65.6	52.3-78.9
\$50,000- 74,999	75	6,609	28	38.0	24.9-51.1	5	8.7	01.3-16.1	3	1.9	00.0-04.3	1	2.7	00.0-07.8	1	1.4	00.0-04.1	37	47.4	34.1-60.7
\$75,000+	124	12,514	44	36.6	25.4-47.8	7	5.8	00.9-10.7	1	0.3	00.0-00.9				1	0.3	00.0-00.9	71	57.0	45.8-68.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	202
2	MALES ONLY	203
3	FEMALES ONLY	204

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 13: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5137	705,934	4774	91.6	90.6-92.6	186	4.2	03.4-05.0	69	1.8	01.2-02.4	43	1.0	00.6-01.4	42	1.1	00.7-01.5	23	0.3	00.1-00.5
Male	1993	336,869	1787	88.5	86.5-90.5	97	5.2	03.8-06.6	43	2.7	01.7-03.7	31	1.6	00.8-02.4	28	1.8	01.0-02.6	7	0.2	00.0-00.4
Female	3144	369,065	2987	94.4	93.2-95.6	89	3.4	02.6-04.2	26	1.0	00.6-01.4	12	0.4	00.0-00.8	14	0.5	00.1-00.9	16	0.4	00.2-00.6
White/Non-Hisp	3986	472,923	3717	91.6	90.4-92.8	148	4.5	03.5-05.5	51	1.8	01.2-02.4	29	0.9	00.5-01.3	28	1.0	00.6-01.4	13	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	725	140,741	671	91.7	89.2-94.2	19	3.3	01.5-05.1	13	2.3	00.9-03.7	12	1.8	00.4-03.2	3	0.5	00.0-01.1	7	0.4	00.0-00.8
Oth. Race/Non-Hisp.	141	27,769	127	93.5	89.2-97.8	9	3.3	00.6-06.0				1	0.4	00.0-01.2	3	1.8	00.0-04.2	1	1.0	00.0-03.0
MultiRacial/Non-Hisp.	103	8,949	92	88.0	80.2-95.8	5	7.9	00.8-15.0	3	1.9	00.0-04.3	1	0.4	00.0-01.2	2	1.7	00.0-04.6			
Hispanic	155	52,690	142	90.8	85.1-96.5	4	3.8	00.3-07.3	2	2.2	00.0-05.7				5	2.8	00.0-05.7	2	0.4	00.0-01.0
18-24	310	90,804	267	85.8	81.5-90.1	22	7.1	04.0-10.2	11	3.5	01.3-05.7	5	2.1	00.0-04.3	5	1.5	00.1-02.9			
25-34	526	114,667	468	88.2	84.9-91.5	28	5.8	03.4-08.2	14	2.3	00.9-03.7	8	1.8	00.4-03.2	6	1.5	00.1-02.9	2	0.4	00.0-01.0
35-44	642	112,385	596	90.5	87.2-93.8	29	5.1	02.7-07.5	6	1.9	00.0-03.9	3	0.5	00.0-01.3	8	2.0	00.4-03.6			
45-54	908	128,351	847	93.5	91.5-95.5	25	2.6	01.4-03.8	12	1.8	00.6-03.0	9	0.9	00.3-01.5	11	1.0	00.2-01.8	4	0.3	00.0-00.7
55-64	1018	115,040	953	93.9	92.1-95.7	37	3.6	02.0-05.2	15	1.5	00.5-02.5	7	0.5	00.1-00.9	3	0.2	00.0-00.4	3	0.2	00.0-00.6
65+	1684	140,241	1596	95.2	94.0-96.4	44	2.4	01.4-03.4	11	0.5	00.1-00.9	10	0.5	00.1-00.9	9	0.6	00.2-01.0	14	0.7	00.1-01.3
Less Than H.S.	333	93,500	299	90.0	85.7-94.3	9	2.5	00.1-04.9	5	2.2	00.0-04.6	6	2.1	00.0-04.3	7	2.3	00.3-04.3	7	0.9	00.1-01.7
H.S. or G.E.D.	1545	221,061	1433	91.2	89.2-93.2	49	3.8	02.4-05.2	29	2.5	01.5-03.5	15	1.4	00.6-02.2	13	1.0	00.4-01.6	6	0.1	00.0-00.3
Some Post-H.S.	1381	209,711	1283	91.4	89.4-93.4	56	5.7	03.9-07.5	18	1.4	00.6-02.2	4	0.1	00.0-00.3	13	1.1	00.5-01.7	7	0.2	00.0-00.4
College Graduate	1871	180,849	1753	93.1	91.5-94.7	71	3.8	02.8-04.8	17	1.2	00.6-01.8	18	1.0	00.4-01.6	9	0.7	00.1-01.3	3	0.3	00.0-00.7
Less than \$15,000	595	81,681	557	91.6	88.1-95.1	21	3.9	01.7-06.1	7	3.0	00.3-05.7	5	0.5	00.0-01.1	2	0.7	00.0-01.7	3	0.4	00.0-00.8
\$15,000- 24,999	526	76,982	475	90.6	87.3-93.9	20	4.4	02.0-06.8	7	1.4	00.0-02.8	5	0.8	00.0-01.6	8	1.6	00.0-03.2	11	1.3	00.3-02.3
\$25,000- 34,999	481	63,052	436	89.4	85.5-93.3	27	6.7	03.6-09.8	8	1.3	00.3-02.3	2	1.2	00.0-03.0	5	1.2	00.0-03.0	3	0.1	00.0-00.3
\$35,000- 49,999	645	89,263	604	91.2	88.1-94.3	20	3.7	01.5-05.9	11	2.6	00.8-04.4	6	1.8	00.2-03.4	4	0.7	00.0-01.5			
\$50,000- 74,999	766	104,764	714	91.3	88.6-94.0	31	5.2	03.0-07.4	8	1.5	00.3-02.7	8	0.9	00.1-01.7	5	1.0	00.0-02.0			
\$75,000+	1422	195,834	1324	91.6	89.4-93.8	52	4.1	02.7-05.5	24	2.1	01.1-03.1	12	1.2	00.2-02.2	10	1.0	00.2-01.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1993	336,869	1787	88.5	86.5-90.5	97	5.2	03.8-06.6	43	2.7	01.7-03.7	31	1.6	00.8-02.4	28	1.8	01.0-02.6	7	0.2	00.0-00.4
White/Non-Hisp	1554	226,093	1398	88.3	86.1-90.5	78	5.7	04.1-07.3	32	2.6	01.6-03.6	21	1.5	00.7-02.3	19	1.6	00.8-02.4	6	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	247	63,969	220	88.5	83.6-93.4	9	4.0	01.1-06.9	8	3.3	00.8-05.8	8	3.2	00.1-06.3	2	0.9	00.0-02.3			
Oth. Race/Non-Hisp.	68	15,500	62	96.7	93.8-99.6	3	1.2	00.0-02.8				1	0.7	00.0-02.1	2	1.3	00.0-03.3			
Hispanic	67	25,601	59	86.7	76.5-96.9	2	4.0	00.0-09.5	1	3.6	00.0-10.5				4	5.4	00.0-11.5	1	0.3	00.0-01.1
18-24	156	46,017	132	84.2	77.5-90.9	8	5.0	01.1-08.9	7	4.7	01.2-08.2	4	3.1	00.0-07.0	5	2.9	00.2-05.6			
25-34	206	57,055	171	83.3	77.4-89.2	16	7.6	03.5-11.7	8	3.2	00.7-05.7	7	3.5	00.8-06.2	4	2.5	00.0-05.0			
35-44	252	54,600	217	83.6	77.5-89.7	21	8.5	04.0-13.0	5	3.7	00.0-07.4	2	0.7	00.0-02.1	7	3.5	00.6-06.4			
45-54	343	61,953	314	92.1	89.0-95.2	9	2.8	00.8-04.8	8	2.7	00.5-04.9	6	1.2	00.2-02.2	6	1.3	00.0-02.7			
55-64	397	54,110	359	92.3	89.4-95.2	20	4.3	01.9-06.7	10	1.9	00.3-03.5	5	1.0	00.0-02.0	2	0.3	00.0-00.7	1	0.3	00.0-00.9
65+	624	61,430	581	94.0	91.8-96.2	22	3.3	01.5-05.1	5	0.6	00.0-01.2	6	0.8	00.2-01.4	4	0.5	00.0-01.1	6	0.9	00.0-01.9
Less Than H.S.	167	56,589	144	87.5	81.0-94.0	7	3.3	00.0-06.8	3	2.4	00.0-05.7	5	2.6	00.0-05.9	5	3.4	00.3-06.5	3	0.8	00.0-01.8
H.S. or G.E.D.	581	102,656	516	86.7	83.2-90.2	26	4.8	02.6-07.0	17	4.0	01.8-06.2	11	2.5	00.9-04.1	11	2.0	00.6-03.4			
Some Post-H.S.	497	91,875	441	87.9	84.4-91.4	31	7.9	05.0-10.8	11	2.4	00.8-04.0	4	0.2	00.0-00.4	7	1.3	00.1-02.5	3	0.2	00.0-00.6
College Graduate	747	85,630	685	92.0	89.6-94.4	33	3.9	02.3-05.5	12	1.6	00.4-02.8	11	1.5	00.3-02.7	5	0.9	00.1-01.7	1	0.1	00.0-00.3
Less than \$15,000	217	39,754	196	89.0	82.7-95.3	13	5.6	01.7-09.5	3	3.4	00.0-08.1	4	1.0	00.0-02.2	1	0.9	00.0-02.7			
\$15,000- 24,999	166	30,307	139	85.3	78.6-92.0	9	4.6	00.9-08.3	4	3.1	00.0-06.4	4	1.5	00.0-03.3	6	3.6	00.0-07.5	4	2.0	00.0-04.2
\$25,000- 34,999	171	28,102	152	86.8	79.7-93.9	11	7.6	02.7-12.5	2	0.4	00.0-01.0	2	2.6	00.0-06.3	3	2.5	00.0-06.6	1	0.1	00.0-00.3
\$35,000- 49,999	245	42,205	221	86.3	80.4-92.2	11	5.8	01.7-09.9	6	3.3	00.2-06.4	5	3.4	00.3-06.5	2	1.2	00.0-03.0			
\$50,000- 74,999	311	53,134	276	87.1	82.2-92.0	21	7.9	04.0-11.8	7	2.8	00.4-05.2	4	1.1	00.0-02.5	3	1.1	00.0-02.5			
\$75,000+	672	107,726	611	89.9	86.8-93.0	23	3.4	01.4-05.4	20	3.4	01.6-05.2	9	1.6	00.0-03.2	9	1.7	00.3-03.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3144	369,065	2987	94.4	93.2-95.6	89	3.4	02.6-04.2	26	1.0	00.6-01.4	12	0.4	00.0-00.8	14	0.5	00.1-00.9	16	0.4	00.2-00.6
White/Non-Hisp	2432	246,831	2319	94.6	93.4-95.8	70	3.4	02.4-04.4	19	1.0	00.4-01.6	8	0.4	00.0-00.8	9	0.5	00.1-00.9	7	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	478	76,772	451	94.4	91.9-96.9	10	2.6	00.8-04.4	5	1.4	00.0-02.8	4	0.7	00.1-01.3	1	0.1	00.0-00.3	7	0.8	00.2-01.4
Oth. Race/Non-Hisp.	73	12,268	65	89.4	81.0-97.8	6	5.9	00.0-11.8							1	2.3	00.0-06.8	1	2.3	00.0-06.8
MultiRacial/Non-Hisp.	58	4,748	55	94.3	85.9-0100	1	4.4	00.0-12.6	1	1.0	00.0-03.0				1	0.4	00.0-01.2			
Hispanic	88	27,088	83	94.7	89.4-0100	2	3.6	00.0-08.5	1	0.8	00.0-02.4				1	0.5	00.0-01.5	1	0.4	00.0-01.2
18-24	154	44,787	135	87.4	81.7-93.1	14	9.3	04.4-14.2	4	2.3	00.0-04.7	1	1.0	00.0-03.0						
25-34	320	57,612	297	93.0	89.9-96.1	12	4.1	01.6-06.6	6	1.4	00.2-02.6	1	0.2	00.0-00.6	2	0.5	00.0-01.5	2	0.7	00.0-01.7
35-44	390	57,786	379	96.9	94.9-98.9	8	1.9	00.3-03.5	1	0.3	00.0-00.9	1	0.3	00.0-00.9	1	0.6	00.0-01.8			
45-54	565	66,398	533	94.9	92.7-97.1	16	2.3	00.9-03.7	4	1.1	00.0-02.5	3	0.6	00.0-01.2	5	0.6	00.0-01.2	4	0.5	00.0-01.1
55-64	621	60,930	594	95.4	93.0-97.8	17	3.0	01.2-04.8	5	1.2	00.0-02.6	2	0.1	00.0-00.3	1	0.2	00.0-00.6	2	0.2	00.0-00.4
65+	1060	78,810	1015	96.1	94.7-97.5	22	1.7	00.9-02.5	6	0.5	00.1-00.9	4	0.4	00.0-01.0	5	0.8	00.0-01.6	8	0.6	00.0-01.2
Less Than H.S.	166	36,910	155	93.9	89.6-98.2	2	1.3	00.0-03.5	2	2.0	00.0-04.7	1	1.2	00.0-03.6	2	0.5	00.0-01.3	4	1.0	00.0-02.2
H.S. or G.E.D.	964	118,405	917	95.1	93.3-96.9	23	2.9	01.3-04.5	12	1.2	00.4-02.0	4	0.4	00.0-00.8	2	0.1	00.0-00.3	6	0.2	00.0-00.4
Some Post-H.S.	884	117,836	842	94.1	91.9-96.3	25	4.1	02.3-05.9	7	0.7	00.1-01.3				6	0.8	00.0-01.6	4	0.2	00.0-00.6
College Graduate	1124	95,219	1068	94.1	92.1-96.1	38	3.7	02.1-05.3	5	0.8	00.0-01.6	7	0.6	00.0-01.2	4	0.5	00.0-01.1	2	0.4	00.0-01.0
Less than \$15,000	378	41,927	361	94.0	90.7-97.3	8	2.2	00.4-04.0	4	2.5	00.0-05.0	1	0.1	00.0-00.3	1	0.5	00.0-01.5	3	0.7	00.0-01.5
\$15,000- 24,999	360	46,675	336	94.1	91.0-97.2	11	4.2	01.1-07.3	3	0.2	00.0-00.4	1	0.3	00.0-00.9	2	0.4	00.0-01.0	7	0.8	00.0-01.6
\$25,000- 34,999	310	34,951	284	91.5	87.2-95.8	16	6.1	02.2-10.0	6	2.1	00.3-03.9				2	0.2	00.0-00.6	2	0.2	00.0-00.4
\$35,000- 49,999	400	47,058	383	95.7	93.2-98.2	9	1.8	00.2-03.4	5	2.0	00.0-04.0	1	0.4	00.0-01.2	2	0.2	00.0-00.4			
\$50,000- 74,999	455	51,629	438	95.7	93.2-98.2	10	2.5	00.5-04.5	1	0.2	00.0-00.6	4	0.6	00.0-01.4	2	1.0	00.0-02.4			
\$75,000+	750	88,107	713	93.7	91.2-96.2	29	4.9	02.7-07.1	4	0.5	00.0-01.1	3	0.8	00.0-02.0	1	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012

SECTION 14: DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	206
2	MALES ONLY	207
3	FEMALES ONLY	208

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 14: DRINKING AND DRIVING**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that didn't drink alcohol in the past 30 days
Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2779	389,618	59	2.9	01.9-03.9	20	1.0	00.4-01.6	7	0.4	00.0-00.8	2	0.3	00.0-00.7	8	0.4	00.0-00.8	2683	95.1	93.7-96.5
Male	1182	201,537	39	3.8	02.2-05.4	13	1.2	00.2-02.2	5	0.6	00.0-01.2	2	0.5	00.0-01.3	6	0.6	00.0-01.2	1117	93.3	91.1-95.5
Female	1597	188,081	20	1.9	00.9-02.9	7	0.7	00.0-01.5	2	0.2	00.0-00.6				2	0.1	00.0-00.3	1566	97.0	95.8-98.2
White/Non-Hisp	2286	279,159	44	2.6	01.6-03.6	18	1.0	00.4-01.6	4	0.3	00.0-00.7				6	0.4	00.0-00.8	2214	95.8	94.6-97.0
Black or Afr. Am./Non-Hisp	280	61,435	9	5.1	01.2-09.0	1	0.4	00.0-01.2	2	1.0	00.0-02.4	2	1.7	00.0-04.4				266	91.8	87.1-96.5
Oth. Race/Non-Hisp.	69	14,597	1	3.4	00.0-09.9													68	96.6	90.1-0100
MultiRacial/Non-Hisp.	55	5,178	2	1.4	00.0-03.4				1	4.4	00.0-12.6				1	0.7	00.0-02.1	51	93.6	85.2-0100
Hispanic	72	27,372	3	1.4	00.0-03.2	1	3.4	00.0-09.9							1	0.8	00.0-02.4	67	94.4	87.5-0100
18-24	180	53,204	8	4.6	00.7-08.5	4	2.0	00.0-04.4	2	1.1	00.0-02.7	1	0.5	00.0-01.5	3	1.0	00.0-02.4	162	90.8	85.9-95.7
25-34	340	73,980	19	6.8	03.1-10.5	3	0.6	00.0-01.4	2	0.3	00.0-00.9	1	1.1	00.0-03.3	3	0.8	00.0-02.0	312	90.3	86.0-94.6
35-44	406	67,711	10	1.9	00.5-03.3	5	2.2	00.0-04.9	1	0.5	00.0-01.5				1	0.3	00.0-00.9	389	95.1	92.0-98.2
45-54	527	73,492	8	0.9	00.1-01.7	5	0.6	00.0-01.2	1	0.3	00.0-00.9				1	0.2	00.0-00.6	512	97.9	96.7-99.1
55-64	542	58,015	10	2.1	00.5-03.7	2	0.5	00.0-01.3										530	97.4	95.6-99.2
65+	757	60,395	3	0.3	00.0-00.7				1	0.2	00.0-00.6							753	99.5	98.9-0100
Less Than H.S.	116	42,825	2	2.3	00.0-06.2	1	2.2	00.0-06.3				1	1.9	00.0-05.6				112	93.6	86.9-0100
H.S. or G.E.D.	687	107,765	12	3.0	01.0-05.0	3	0.3	00.0-00.7							1	0.3	00.0-00.9	671	96.4	94.4-98.4
Some Post-H.S.	736	115,367	15	3.0	01.0-05.0	6	1.3	00.1-02.5	4	0.8	00.0-01.6	1	0.2	00.0-00.6	4	0.7	00.0-01.5	706	94.0	91.5-96.5
College Graduate	1237	123,505	30	2.9	01.7-04.1	10	0.9	00.3-01.5	3	0.5	00.0-01.1				3	0.3	00.0-00.7	1191	95.4	93.8-97.0
Less than \$15,000	254	39,314	8	4.1	00.0-08.2	2	2.7	00.0-07.2	1	0.6	00.0-01.8				2	1.0	00.0-02.8	241	91.5	85.2-97.8
\$15,000- 24,999	163	28,276	3	1.5	00.0-03.5										1	0.4	00.0-01.2	159	98.1	95.9-0100
\$25,000- 34,999	235	31,666	3	2.2	00.0-05.1	1	0.3	00.0-00.9	2	1.4	00.0-03.6							229	96.1	92.4-99.8
\$35,000- 49,999	353	49,458	7	2.3	00.0-04.7	3	2.1	00.0-04.6	1	0.1	00.0-00.3							342	95.6	92.3-98.9
\$50,000- 74,999	453	59,787	13	4.2	01.3-07.1	5	1.0	00.0-02.0							2	0.6	00.0-01.8	433	94.2	91.1-97.3
\$75,000+	1002	137,950	22	3.0	01.2-04.8	8	0.7	00.1-01.3	3	0.6	00.0-01.4	1	0.6	00.0-01.8	2	0.2	00.0-00.6	966	94.8	92.4-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 14: DRINKING AND DRIVING**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1182	201,537	39	3.8	02.2-05.4	13	1.2	00.2-02.2	5	0.6	00.0-01.2	2	0.5	00.0-01.3	6	0.6	00.0-01.2	1117	93.3	91.1-95.5
White/Non-Hisp	984	146,876	32	3.7	01.9-05.5	11	0.9	00.3-01.5	2	0.2	00.0-00.6				4	0.6	00.0-01.2	935	94.5	92.5-96.5
Black or Afr. Am./Non-Hisp	103	29,682	3	6.1	00.0-13.0	1	0.7	00.0-02.1	2	2.0	00.0-04.9	2	3.6	00.0-09.1				95	87.6	78.8-96.4
18-24	97	30,673	6	6.3	00.2-12.4				1	0.8	00.0-02.4	1	0.8	00.0-02.4	2	1.5	00.0-03.7	87	90.6	83.7-97.5
25-34	143	37,529	10	8.8	02.3-15.3	1	0.5	00.0-01.5	1	0.6	00.0-01.8	1	2.2	00.0-06.3	3	1.6	00.0-03.8	127	86.4	78.8-94.0
35-44	176	36,854	6	2.0	00.2-03.8	5	4.1	00.0-09.2	1	1.0	00.0-03.0							164	93.0	87.5-98.5
45-54	210	37,340	6	1.4	00.0-02.8	4	1.2	00.0-02.4	1	0.6	00.0-01.8				1	0.4	00.0-01.2	198	96.4	94.0-98.8
55-64	238	30,037	8	3.4	00.7-06.1	2	1.0	00.0-02.6										228	95.6	92.5-98.7
65+	307	27,655	3	0.6	00.0-01.4				1	0.4	00.0-01.2							303	99.0	97.8-0100
Less Than H.S.	75	30,850	2	3.3	00.0-08.6	1	3.0	00.0-08.9				1	2.6	00.0-07.7				71	91.1	82.1-0100
H.S. or G.E.D.	294	56,551	8	3.9	01.0-06.8	2	0.5	00.0-01.1							1	0.6	00.0-01.8	283	95.1	91.8-98.4
Some Post-H.S.	285	52,436	9	4.4	00.5-08.3	3	1.0	00.0-02.2	3	1.1	00.0-02.5	1	0.5	00.0-01.5	3	1.1	00.0-02.7	266	91.8	87.3-96.3
College Graduate	528	61,699	20	3.5	01.7-05.3	7	1.1	00.1-02.1	2	1.0	00.0-02.4				2	0.4	00.0-01.0	497	93.9	91.4-96.4
Less than \$15,000	105	21,359	6	6.5	00.0-13.8	1	4.3	00.0-12.5	1	1.2	00.0-03.6				1	1.5	00.0-04.4	96	86.5	75.7-97.3
\$15,000- 24,999	59	11,614	1	0.2	00.0-00.6										1	1.0	00.0-03.0	57	98.8	96.6-0100
\$25,000- 34,999	88	14,785				1	0.7	00.0-02.1	1	0.7	00.0-02.1							86	98.6	96.6-0100
\$35,000- 49,999	138	24,230	3	2.5	00.0-06.4													135	97.5	93.6-0100
\$50,000- 74,999	185	31,156	9	6.3	01.2-11.4	3	1.3	00.0-02.9							2	1.2	00.0-03.4	171	91.2	85.5-96.9
\$75,000+	498	78,808	18	4.2	01.5-06.9	8	1.3	00.3-02.3	3	1.0	00.0-02.2	1	1.0	00.0-03.0	1	0.2	00.0-00.6	467	92.3	88.6-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 14: DRINKING AND DRIVING**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	One Time		Two Times			Three Times			Five or More Times			None		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1597	188,081	20	1.9	00.9-02.9	7	0.7	00.0-01.5	2	0.2	00.0-00.6	2	0.1	00.0-00.3	1566	97.0	95.8-98.2
White/Non-Hisp	1302	132,283	12	1.3	00.5-02.1	7	1.0	00.0-02.0	2	0.3	00.0-00.9	2	0.2	00.0-00.4	1279	97.2	95.8-98.6
Black or Afr. Am./Non-Hisp	177	31,754	6	4.2	00.5-07.9										171	95.8	92.1-99.5
18-24	83	22,531	2	2.3	00.0-05.6	4	4.8	00.0-10.1	1	1.5	00.0-04.4	1	0.4	00.0-01.2	75	91.1	84.2-98.0
25-34	197	36,451	9	4.7	01.4-08.0	2	0.8	00.0-02.0	1	0.1	00.0-00.3				185	94.5	91.0-98.0
35-44	230	30,857	4	1.7	00.0-03.7							1	0.6	00.0-01.8	225	97.7	95.3-0100
45-54	317	36,153	2	0.4	00.0-01.0	1	0.1	00.0-00.3							314	99.6	99.0-0100
55-64	304	27,977	2	0.7	00.0-01.9										302	99.3	98.1-0100
65+	450	32,740													450	100.0	0100-0100
H.S. or G.E.D.	393	51,214	4	2.0	00.0-04.2	1	0.1	00.0-00.3							388	97.9	95.5-0100
Some Post-H.S.	451	62,931	6	1.9	00.1-03.7	3	1.5	00.0-03.5	1	0.5	00.0-01.5	1	0.3	00.0-00.9	440	95.8	93.1-98.5
College Graduate	709	61,806	10	2.3	00.7-03.9	3	0.6	00.0-01.4	1	0.0	00.0-00.0	1	0.1	00.0-00.3	694	96.9	95.1-98.7
Less than \$15,000	149	17,955	2	1.3	00.0-03.5	1	0.7	00.0-02.1				1	0.5	00.0-01.5	145	97.5	94.8-0100
\$15,000- 24,999	104	16,661	2	2.4	00.0-05.7										102	97.6	94.3-0100
\$25,000- 34,999	147	16,881	3	4.1	00.0-09.4				1	2.0	00.0-05.7				143	94.0	87.5-0100
\$35,000- 49,999	215	25,228	4	2.0	00.0-04.4	3	4.0	00.0-08.7	1	0.1	00.0-00.3				207	93.8	88.5-99.1
\$50,000- 74,999	268	28,631	4	1.9	00.0-04.1	2	0.7	00.0-01.9							262	97.4	95.0-99.8
\$75,000+	504	59,142	4	1.4	00.0-03.2							1	0.3	00.0-00.9	499	98.3	96.3-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	210
2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	211
3 A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	212
4 HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	213
5 A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	214
6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	215
7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	216

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3139	368,751	2538	69.9	67.5-72.3	601	30.1	27.7-32.5
White/Non-Hisp	2428	246,656	2014	73.2	70.7-75.7	414	26.8	24.3-29.3
Black or Afr. Am./Non-Hisp	477	76,632	365	69.7	64.4-75.0	112	30.3	25.0-35.6
Oth. Race/Non-Hisp.	73	12,268	52	65.2	50.5-79.9	21	34.8	20.1-49.5
MultiRacial/Non-Hisp.	58	4,748	42	68.1	53.4-82.8	16	31.9	17.2-46.6
Hispanic	88	27,088	54	42.8	30.5-55.1	34	57.2	44.9-69.5
18-24	154	44,787	32	17.5	11.2-23.8	122	82.5	76.2-88.8
25-34	320	57,612	62	21.2	15.7-26.7	258	78.8	73.3-84.3
35-44	390	57,786	237	62.7	56.2-69.2	153	37.3	30.8-43.8
45-54	565	66,398	537	94.3	91.4-97.2	28	5.7	02.8-08.6
55-64	620	60,860	604	97.3	95.7-98.9	16	2.7	01.1-04.3
65+	1058	78,753	1035	97.8	96.6-99.0	23	2.2	01.0-03.4
Less Than H.S.	165	36,870	133	64.0	53.6-74.4	32	36.0	25.6-46.4
H.S. or G.E.D.	963	118,335	815	72.7	68.2-77.2	148	27.3	22.8-31.8
Some Post-H.S.	884	117,836	705	69.1	64.8-73.4	179	30.9	26.6-35.2
College Graduate	1121	95,014	880	69.8	66.3-73.3	241	30.2	26.7-33.7
Less than \$15,000	378	41,927	318	71.0	63.7-78.3	60	29.0	21.7-36.3
\$15,000- 24,999	359	46,635	283	63.4	55.4-71.4	76	36.6	28.6-44.6
\$25,000- 34,999	309	34,811	242	64.2	56.4-72.0	67	35.8	28.0-43.6
\$35,000- 49,999	399	47,010	325	73.4	67.1-79.7	74	26.6	20.3-32.9
\$50,000- 74,999	455	51,629	371	75.0	69.7-80.3	84	25.0	19.7-30.3
\$75,000+	750	88,107	597	73.4	68.9-77.9	153	26.6	22.1-31.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2525	256,615	1748	69.1	66.7-71.5	365	14.0	12.2-15.8	149	6.7	05.3-08.1	118	4.6	03.4-05.8	145	5.6	04.4-06.8
White/Non-Hisp	2003	179,644	1371	67.8	65.3-70.3	292	14.6	12.6-16.6	114	6.3	04.7-07.9	104	5.3	03.9-06.7	122	5.9	04.7-07.1
Black or Afr. Am./Non-Hisp	365	53,405	275	71.2	64.9-77.5	44	12.4	07.7-17.1	22	7.8	04.1-11.5	12	4.1	01.6-06.6	12	4.5	01.6-07.4
Oth. Race/Non-Hisp.	50	7,842	33	74.9	60.6-89.2	11	15.1	03.7-26.5	2	0.7	00.0-01.9	1	2.0	00.0-05.9	3	7.3	00.0-15.7
Hispanic	54	11,600	41	80.1	67.9-92.3	4	6.3	00.0-12.8	6	10.1	00.3-19.9				3	3.6	00.0-08.5
25-34	62	12,196	28	40.0	26.1-53.9	13	22.6	10.6-34.6	8	17.2	05.2-29.2	4	8.3	00.1-16.5	9	12.0	04.0-20.0
35-44	236	36,158	155	66.1	58.3-73.9	31	12.9	07.6-18.2	16	8.2	03.3-13.1	17	4.9	02.2-07.6	17	7.9	03.6-12.2
45-54	534	62,258	366	70.3	65.6-75.0	84	14.1	10.6-17.6	36	7.4	04.5-10.3	24	4.2	02.2-06.2	24	4.0	02.0-06.0
55-64	604	59,232	432	72.6	68.1-77.1	90	13.9	10.4-17.4	29	4.8	02.6-07.0	26	4.8	02.4-07.2	27	4.0	02.2-05.8
65+	1026	76,394	722	71.6	68.1-75.1	138	12.9	10.4-15.4	58	5.6	03.8-07.4	44	3.9	02.1-05.7	64	6.0	04.2-07.8
Less Than H.S.	130	23,090	78	59.8	48.6-71.0	22	14.0	06.2-21.8	10	11.0	03.2-18.8	8	7.0	01.3-12.7	12	8.1	02.8-13.4
H.S. or G.E.D.	809	85,667	537	67.6	63.3-71.9	136	17.1	13.6-20.6	50	6.0	03.8-08.2	40	4.7	02.7-06.7	46	4.6	03.0-06.2
Some Post-H.S.	704	81,377	483	70.1	66.0-74.2	94	12.1	09.4-14.8	47	7.1	04.7-09.5	33	4.4	02.4-06.4	47	6.3	04.1-08.5
College Graduate	877	66,128	647	73.1	69.4-76.8	112	12.4	09.7-15.1	41	5.4	03.2-07.6	37	4.0	02.4-05.6	40	5.0	03.0-07.0
Less than \$15,000	317	29,722	200	62.0	55.1-68.9	54	15.8	11.1-20.5	18	6.9	03.2-10.6	16	5.9	02.2-09.6	29	9.5	05.4-13.6
\$15,000- 24,999	279	29,000	168	57.8	49.4-66.2	53	20.5	13.6-27.4	19	9.8	03.5-16.1	17	7.2	02.5-11.9	22	4.7	02.3-07.1
\$25,000- 34,999	242	22,341	151	61.1	52.7-69.5	36	11.9	07.4-16.4	23	13.0	06.3-19.7	17	6.0	02.5-09.5	15	8.0	02.9-13.1
\$35,000- 49,999	324	34,412	234	72.0	65.7-78.3	36	10.9	06.4-15.4	25	7.1	03.8-10.4	14	5.5	02.0-09.0	15	4.5	02.0-07.0
\$50,000- 74,999	371	38,705	278	74.7	69.0-80.4	51	13.4	09.1-17.7	14	3.0	01.2-04.8	13	3.6	01.4-05.8	15	5.4	02.1-08.7
\$75,000+	596	64,650	443	75.2	71.1-79.3	75	12.5	09.4-15.6	25	4.0	02.2-05.8	24	3.8	02.0-05.6	29	4.6	02.6-06.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3128	367,798	2853	89.6	87.8-91.4	275	10.4	08.6-12.2
White/Non-Hisp	2418	245,851	2222	91.5	89.7-93.3	196	8.5	06.7-10.3
Black or Afr. Am./Non-Hisp	477	76,723	432	90.5	87.2-93.8	45	9.5	06.2-12.8
Oth. Race/Non-Hisp.	72	12,030	62	83.2	71.4-95.0	10	16.8	05.0-28.6
MultiRacial/Non-Hisp.	58	4,748	55	96.0	91.3-0100	3	4.0	00.0-08.7
Hispanic	88	27,088	70	71.0	57.9-84.1	18	29.0	15.9-42.1
18-24	151	44,211	115	70.9	61.9-79.9	36	29.1	20.1-38.1
25-34	320	57,612	292	89.5	84.8-94.2	28	10.5	05.8-15.2
35-44	390	57,786	372	93.3	88.8-97.8	18	6.7	02.2-11.2
45-54	564	66,349	533	94.3	91.8-96.8	31	5.7	03.2-08.2
55-64	617	60,675	581	93.8	91.4-96.2	36	6.2	03.8-08.6
65+	1053	78,470	930	90.0	87.8-92.2	123	10.0	07.8-12.2
Less Than H.S.	165	36,870	135	82.4	74.2-90.6	30	17.6	09.4-25.8
H.S. or G.E.D.	958	117,845	847	85.2	81.5-88.9	111	14.8	11.1-18.5
Some Post-H.S.	881	117,498	806	91.9	89.4-94.4	75	8.1	05.6-10.6
College Graduate	1118	94,890	1060	95.0	93.2-96.8	58	5.0	03.2-06.8
Less than \$15,000	377	41,688	327	84.7	78.6-90.8	50	15.3	09.2-21.4
\$15,000- 24,999	353	46,336	309	84.2	77.5-90.9	44	15.8	09.1-22.5
\$25,000- 34,999	310	34,951	276	90.7	86.2-95.2	34	9.3	04.8-13.8
\$35,000- 49,999	397	46,877	374	95.8	93.6-98.0	23	4.2	02.0-06.4
\$50,000- 74,999	455	51,629	430	94.2	91.5-96.9	25	5.8	03.1-08.5
\$75,000+	750	88,107	719	94.1	91.4-96.8	31	5.9	03.2-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2823	326,564	2065	73.7	71.5-75.9	362	13.1	11.3-14.9	122	4.3	03.3-05.3	109	3.9	02.9-04.9	165	5.1	04.1-06.1
White/Non-Hisp	2198	223,175	1571	72.1	69.7-74.5	299	13.9	11.9-15.9	95	3.8	02.8-04.8	90	4.1	02.9-05.3	143	6.1	04.7-07.5
Black or Afr. Am./Non-Hisp	430	69,324	355	80.4	75.3-85.5	36	8.7	05.0-12.4	16	4.5	01.8-07.2	12	3.6	01.4-05.8	11	2.8	00.6-05.0
Oth. Race/Non-Hisp.	59	9,378	43	73.6	58.1-89.1	12	23.6	08.3-38.9	3	1.7	00.0-03.7				1	1.1	00.0-03.3
MultiRacial/Non-Hisp.	55	4,556	37	73.4	59.7-87.1	5	6.2	00.0-13.6	4	9.5	00.0-19.5	3	4.6	00.0-10.3	6	6.3	00.0-12.8
Hispanic	69	18,901	50	66.2	52.1-80.3	9	16.2	05.0-27.4	4	9.0	00.0-18.6	4	5.9	00.0-12.2	2	2.8	00.0-06.7
18-24	115	31,361	92	75.1	65.1-85.1	13	14.3	06.1-22.5	3	3.4	00.0-08.1	6	6.4	00.7-12.1	1	0.8	00.0-02.4
25-34	292	51,550	224	73.0	66.5-79.5	41	16.1	10.8-21.4	13	4.5	01.8-07.2	11	4.5	01.6-07.4	3	1.8	00.0-04.5
35-44	371	53,831	293	79.1	73.8-84.4	46	10.9	07.2-14.6	16	5.2	02.1-08.3	5	1.0	00.0-02.0	11	3.8	00.9-06.7
45-54	532	62,316	383	73.0	68.1-77.9	81	14.4	10.7-18.1	21	4.5	01.8-07.2	14	2.8	01.0-04.6	33	5.4	03.0-07.8
55-64	579	56,799	430	72.3	67.4-77.2	71	13.1	09.4-16.8	24	3.2	01.6-04.8	24	5.3	02.8-07.8	30	6.1	03.4-08.8
65+	904	68,113	620	70.8	67.1-74.5	109	11.1	08.6-13.6	44	4.5	02.9-06.1	49	4.8	03.2-06.4	82	8.8	06.6-11.0
Less Than H.S.	130	29,754	86	68.1	57.9-78.3	15	14.2	06.0-22.4	9	5.1	00.4-09.8	8	4.4	00.9-07.9	12	8.3	02.2-14.4
H.S. or G.E.D.	834	99,579	581	70.8	66.5-75.1	115	13.7	10.6-16.8	38	5.2	02.8-07.6	38	4.0	02.2-05.8	62	6.4	04.2-08.6
Some Post-H.S.	799	107,515	580	73.4	69.5-77.3	100	12.8	09.9-15.7	34	4.0	02.4-05.6	39	5.0	02.8-07.2	46	4.8	03.0-06.6
College Graduate	1056	89,483	814	79.0	76.1-81.9	132	12.3	09.8-14.8	41	3.3	02.1-04.5	24	2.5	01.3-03.7	45	2.9	01.7-04.1
Less than \$15,000	325	35,115	214	65.8	58.9-72.7	47	14.3	09.0-19.6	15	6.0	02.3-09.7	19	5.9	02.8-09.0	30	8.0	04.7-11.3
\$15,000- 24,999	300	37,971	201	69.5	61.9-77.1	42	13.0	07.5-18.5	20	6.2	02.3-10.1	13	5.3	01.4-09.2	24	6.0	02.1-09.9
\$25,000- 34,999	273	31,480	189	71.4	64.1-78.7	36	11.7	06.0-17.4	12	4.1	01.0-07.2	21	6.8	03.5-10.1	15	6.1	02.2-10.0
\$35,000- 49,999	373	44,858	275	73.4	67.5-79.3	48	13.6	09.1-18.1	22	6.7	03.0-10.4	8	2.4	00.2-04.6	20	3.8	01.8-05.8
\$50,000- 74,999	430	48,630	340	81.5	77.2-85.8	43	9.2	05.9-12.5	13	2.2	00.8-03.6	18	3.4	01.6-05.2	16	3.7	01.3-06.1
\$75,000+	714	82,173	553	77.7	73.8-81.6	99	15.0	11.7-18.3	19	1.9	00.9-02.9	15	2.6	01.0-04.2	28	2.7	01.5-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3134	368,544	2997	93.3	91.7-94.9	137	6.7	05.1-08.3
White/Non-Hisp	2425	246,540	2327	94.4	92.8-96.0	98	5.6	04.0-07.2
Black or Afr. Am./Non-Hisp	477	76,719	460	94.4	91.3-97.5	17	5.6	02.5-08.7
Oth. Race/Non-Hisp.	73	12,268	64	84.4	73.0-95.8	9	15.6	04.2-27.0
MultiRacial/Non-Hisp.	57	4,690	55	97.6	93.7-0100	2	2.4	00.0-06.3
Hispanic	87	26,969	77	84.0	74.2-93.8	10	16.0	06.2-25.8
18-24	154	44,787	110	64.8	55.6-74.0	44	35.2	26.0-44.4
25-34	319	57,493	307	95.4	92.5-98.3	12	4.6	01.7-07.5
35-44	390	57,786	386	99.2	98.0-0100	4	0.8	00.0-02.0
45-54	564	66,339	553	99.0	98.4-99.6	11	1.0	00.4-01.6
55-64	620	60,860	610	97.9	96.5-99.3	10	2.1	00.7-03.5
65+	1054	78,584	998	95.1	93.5-96.7	56	4.9	03.3-06.5
Less Than H.S.	164	36,751	145	88.1	81.6-94.6	19	11.9	05.4-18.4
H.S. or G.E.D.	960	118,192	904	90.9	87.8-94.0	56	9.1	06.0-12.2
Some Post-H.S.	883	117,810	845	94.7	92.2-97.2	38	5.3	02.8-07.8
College Graduate	1121	95,096	1098	96.7	94.9-98.5	23	3.3	01.5-05.1
Less than \$15,000	377	41,808	359	94.5	90.6-98.4	18	5.5	01.6-09.4
\$15,000- 24,999	359	46,635	334	89.4	83.9-94.9	25	10.6	05.1-16.1
\$25,000- 34,999	309	34,925	300	96.7	93.6-99.8	9	3.3	00.2-06.4
\$35,000- 49,999	398	46,940	387	96.1	93.2-99.0	11	3.9	01.0-06.8
\$50,000- 74,999	455	51,629	444	97.2	95.2-99.2	11	2.8	00.8-04.8
\$75,000+	749	88,049	730	96.3	93.9-98.7	19	3.7	01.3-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2961	340,823	1735	63.6	61.2-66.0	478	15.5	13.7-17.3	170	5.2	04.2-06.2	143	4.3	03.3-05.3	435	11.3	09.9-12.7
White/Non-Hisp	2297	230,223	1270	58.6	56.1-61.1	393	17.1	15.1-19.1	142	5.9	04.7-07.1	118	4.8	03.6-06.0	374	13.6	11.8-15.4
Black or Afr. Am./Non-Hisp	456	71,820	330	74.4	69.3-79.5	56	11.7	07.6-15.8	15	4.2	01.7-06.7	20	3.9	01.9-05.9	35	5.8	03.4-08.2
Oth. Race/Non-Hisp.	62	10,257	40	65.3	49.4-81.2	10	17.5	04.8-30.2	5	4.7	00.0-10.6	1	2.5	00.0-07.2	6	10.0	00.0-21.2
MultiRacial/Non-Hisp.	55	4,577	28	53.7	37.8-69.6	9	16.1	04.3-27.9	6	10.5	00.3-20.7	2	3.8	00.0-09.3	10	15.8	04.0-27.6
Hispanic	77	22,667	60	81.4	71.0-91.8	9	11.0	02.2-19.8	1	0.5	00.0-01.5	2	2.6	00.0-06.9	5	4.5	00.0-09.0
18-24	110	29,044	89	80.3	71.7-88.9	13	12.2	04.9-19.5	3	2.2	00.0-04.7	5	5.3	00.4-10.2			
25-34	307	54,855	238	76.1	70.0-82.2	47	16.4	11.1-21.7	14	4.2	01.7-06.7	3	0.9	00.0-02.1	5	2.4	00.0-05.1
35-44	385	57,243	287	75.7	70.2-81.2	59	13.9	09.6-18.2	16	4.7	01.8-07.6	9	2.0	00.6-03.4	14	3.7	01.2-06.2
45-54	551	65,343	360	65.2	60.1-70.3	91	16.8	12.9-20.7	27	5.2	02.8-07.6	22	4.4	02.2-06.6	51	8.4	05.7-11.1
55-64	606	59,325	353	57.2	52.1-62.3	91	15.1	11.4-18.8	38	6.2	03.8-08.6	31	6.0	03.3-08.7	93	15.6	12.1-19.1
65+	969	72,318	387	41.8	37.7-45.9	174	17.0	14.1-19.9	69	6.6	04.6-08.6	72	7.2	05.4-09.0	267	27.4	23.7-31.1
Less Than H.S.	139	31,606	63	55.9	45.1-66.7	17	15.8	07.4-24.2	10	7.1	01.6-12.6	10	4.9	01.2-08.6	39	16.3	09.4-23.2
H.S. or G.E.D.	884	105,972	485	61.1	56.8-65.4	149	16.3	13.2-19.4	53	5.7	03.7-07.7	51	4.7	03.1-06.3	146	12.2	09.7-14.7
Some Post-H.S.	839	110,911	480	63.3	59.4-67.2	122	14.5	11.4-17.6	52	5.0	03.4-06.6	49	5.6	03.6-07.6	136	11.6	09.2-14.0
College Graduate	1094	91,717	704	69.9	66.6-73.2	190	15.9	13.4-18.4	55	4.2	02.8-05.6	32	2.2	01.2-03.2	113	7.9	05.9-09.9
Less than \$15,000	352	38,971	169	53.1	46.2-60.0	62	16.3	11.0-21.6	22	7.7	03.8-11.6	27	7.2	03.7-10.7	72	15.8	11.5-20.1
\$15,000- 24,999	325	40,703	167	63.0	55.6-70.4	48	11.4	07.3-15.5	21	5.8	01.9-09.7	21	7.0	03.1-10.9	68	12.9	08.2-17.6
\$25,000- 34,999	297	33,586	169	67.6	61.1-74.1	43	11.6	07.3-15.9	20	4.9	02.0-07.8	18	4.2	01.8-06.6	47	11.6	07.7-15.5
\$35,000- 49,999	387	45,107	226	61.7	55.4-68.0	69	17.4	12.3-22.5	27	7.7	04.4-11.0	14	3.4	01.2-05.6	51	9.8	06.5-13.1
\$50,000- 74,999	443	50,018	296	71.2	66.1-76.3	56	11.9	08.2-15.6	27	4.3	02.3-06.3	15	3.2	01.2-05.2	49	9.4	06.3-12.5
\$75,000+	728	84,692	483	68.4	64.1-72.7	129	17.2	13.7-20.7	27	2.7	01.5-03.9	21	2.7	01.3-04.1	68	9.0	06.5-11.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 15: BREAST/CERVICAL CANCER SCREENING
 TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3102	362,076	807	21.2	19.4-23.0	2295	78.8	77.0-80.6
White/Non-Hisp	2404	243,617	640	22.1	20.1-24.1	1764	77.9	75.9-79.9
Black or Afr. Am./Non-Hisp	468	74,036	134	23.7	19.0-28.4	334	76.3	71.6-81.0
Oth. Race/Non-Hisp.	71	11,824	9	12.2	02.8-21.6	62	87.8	78.4-97.2
MultiRacial/Non-Hisp.	58	4,748	13	18.6	07.8-29.4	45	81.4	70.6-92.2
Hispanic	86	26,493	10	12.0	03.2-20.8	76	88.0	79.2-96.8
18-24	150	43,194	2	0.7	00.0-01.9	148	99.3	98.1-0100
25-34	294	53,904	9	4.1	01.4-06.8	285	95.9	93.2-98.6
35-44	385	56,543	36	9.6	05.7-13.5	349	90.4	86.5-94.3
45-54	564	66,243	121	22.3	17.6-27.0	443	77.7	73.0-82.4
55-64	620	60,860	191	32.5	27.8-37.2	429	67.5	62.8-72.2
65+	1056	78,637	441	43.2	39.3-47.1	615	56.8	52.9-60.7
Less Than H.S.	163	35,835	63	26.9	18.9-34.9	100	73.1	65.1-81.1
H.S. or G.E.D.	961	117,525	309	25.3	21.8-28.8	652	74.7	71.2-78.2
Some Post-H.S.	871	115,217	239	21.4	18.3-24.5	632	78.6	75.5-81.7
College Graduate	1102	92,885	194	13.6	11.2-16.0	908	86.4	84.0-88.8
Less than \$15,000	376	41,532	124	27.2	21.5-32.9	252	72.8	67.1-78.5
\$15,000- 24,999	355	45,184	110	26.2	19.9-32.5	245	73.8	67.5-80.1
\$25,000- 34,999	306	34,113	80	20.0	14.5-25.5	226	80.0	74.5-85.5
\$35,000- 49,999	396	46,639	120	25.6	20.1-31.1	276	74.4	68.9-79.9
\$50,000- 74,999	450	50,374	99	19.0	14.7-23.3	351	81.0	76.7-85.3
\$75,000+	738	86,673	128	14.9	11.8-18.0	610	85.1	82.0-88.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD1)	
1	MALES ONLY	218
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)	
2	MALES ONLY	219
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)	
3	MALES ONLY	220
	HAVE YOU EVER HAD A PSA TEST? (PSATEST1)	
4	MALES ONLY	221
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
5	MALES ONLY	222
	WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1)	
6	MALES ONLY	223

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD1)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1463	203,227	1011	63.4	60.1-66.7	452	36.6	33.3-39.9
White/Non-Hisp	1196	148,498	834	64.9	61.4-68.4	362	35.1	31.6-38.6
Black or Afr. Am./Non-Hisp	157	34,209	113	66.3	56.3-76.3	44	33.7	23.7-43.7
35-44	151	32,789	61	40.7	31.5-49.9	90	59.3	50.1-68.5
45-54	337	60,886	194	56.8	49.9-63.7	143	43.2	36.3-50.1
55-64	384	52,151	288	71.4	64.7-78.1	96	28.6	21.9-35.3
65+	591	57,401	468	76.3	71.8-80.8	123	23.7	19.2-28.2
Less Than H.S.	114	29,074	63	50.4	38.6-62.2	51	49.6	37.8-61.4
H.S. or G.E.D.	411	59,686	258	61.0	54.9-67.1	153	39.0	32.9-45.1
Some Post-H.S.	367	56,953	251	64.2	57.7-70.7	116	35.8	29.3-42.3
College Graduate	570	57,396	438	71.8	66.9-76.7	132	28.2	23.3-33.1
Less than \$15,000	151	21,089	100	61.7	50.7-72.7	51	38.3	27.3-49.3
\$15,000- 24,999	126	19,321	66	48.3	35.4-61.2	60	51.7	38.8-64.6
\$25,000- 34,999	124	15,261	87	63.0	50.8-75.2	37	37.0	24.8-49.2
\$35,000- 49,999	173	25,110	115	59.7	49.5-69.9	58	40.3	30.1-50.5
\$50,000- 74,999	239	34,683	161	57.6	49.4-65.8	78	42.4	34.2-50.6
\$75,000+	508	70,941	377	71.2	66.1-76.3	131	28.8	23.7-33.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1452	201,619	456	30.3	27.2-33.4	996	69.7	66.6-72.8
White/Non-Hisp	1186	147,281	347	27.1	24.0-30.2	839	72.9	69.8-76.0
Black or Afr. Am./Non-Hisp	155	33,939	71	43.1	33.3-52.9	84	56.9	47.1-66.7
35-44	150	32,653	32	22.9	14.9-30.9	118	77.1	69.1-85.1
45-54	335	60,218	98	29.9	23.4-36.4	237	70.1	63.6-76.6
55-64	379	51,557	128	31.9	25.8-38.0	251	68.1	62.0-74.2
65+	588	57,191	198	33.6	28.5-38.7	390	66.4	61.3-71.5
Less Than H.S.	115	29,078	38	27.9	18.3-37.5	77	72.1	62.5-81.7
H.S. or G.E.D.	415	60,150	120	29.9	24.0-35.8	295	70.1	64.2-76.0
Some Post-H.S.	364	56,594	104	28.2	22.3-34.1	260	71.8	65.9-77.7
College Graduate	557	55,678	194	34.3	29.2-39.4	363	65.7	60.6-70.8
Less than \$15,000	155	21,398	43	28.6	19.0-38.2	112	71.4	61.8-81.0
\$15,000- 24,999	124	19,214	33	25.4	14.8-36.0	91	74.6	64.0-85.2
\$25,000- 34,999	123	14,983	36	29.7	18.3-41.1	87	70.3	58.9-81.7
\$35,000- 49,999	177	25,709	54	29.7	20.5-38.9	123	70.3	61.1-79.5
\$50,000- 74,999	235	34,155	65	24.7	17.6-31.8	170	75.3	68.2-82.4
\$75,000+	500	69,767	180	35.8	30.3-41.3	320	64.2	58.7-69.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1484	206,161	977	60.1	56.8-63.4	507	39.9	36.6-43.2
White/Non-Hisp	1217	151,280	819	63.3	59.8-66.8	398	36.7	33.2-40.2
Black or Afr. Am./Non-Hisp	157	34,878	105	59.4	49.2-69.6	52	40.6	30.4-50.8
35-44	152	33,362	51	35.5	26.5-44.5	101	64.5	55.5-73.5
45-54	334	60,427	163	50.9	44.0-57.8	171	49.1	42.2-56.0
55-64	388	52,414	275	66.8	59.9-73.7	113	33.2	26.3-40.1
65+	610	59,959	488	77.3	72.8-81.8	122	22.7	18.2-27.2
Less Than H.S.	118	29,928	69	52.0	40.2-63.8	49	48.0	36.2-59.8
H.S. or G.E.D.	416	60,345	261	59.0	52.9-65.1	155	41.0	34.9-47.1
Some Post-H.S.	372	57,823	248	63.7	57.4-70.0	124	36.3	30.0-42.6
College Graduate	577	57,947	398	61.8	56.5-67.1	179	38.2	32.9-43.5
Less than \$15,000	157	21,445	101	60.9	50.1-71.7	56	39.1	28.3-49.9
\$15,000- 24,999	126	19,203	69	47.6	34.7-60.5	57	52.4	39.5-65.3
\$25,000- 34,999	123	15,190	84	62.4	50.2-74.6	39	37.6	25.4-49.8
\$35,000- 49,999	182	26,328	118	59.4	49.8-69.0	64	40.6	31.0-50.2
\$50,000- 74,999	245	35,369	162	56.4	48.2-64.6	83	43.6	35.4-51.8
\$75,000+	510	71,326	339	62.2	56.7-67.7	171	37.8	32.3-43.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never recommended to have a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	973	123,545	895	89.2	86.3-92.1	78	10.8	07.9-13.7
White/Non-Hisp	815	95,298	764	91.5	88.8-94.2	51	8.5	05.8-11.2
Black or Afr. Am./Non-Hisp	105	20,734	86	82.4	73.6-91.2	19	17.6	08.8-26.4
35-44	51	11,836	36	71.5	57.4-85.6	15	28.5	14.4-42.6
45-54	163	30,757	129	80.1	71.9-88.3	34	19.9	11.7-28.1
55-64	272	34,762	261	94.5	90.4-98.6	11	5.5	01.4-09.6
65+	487	46,189	469	95.8	93.4-98.2	18	4.2	01.8-06.6
Less Than H.S.	69	15,559	58	82.2	71.0-93.4	11	17.8	06.6-29.0
H.S. or G.E.D.	259	35,323	235	88.4	82.9-93.9	24	11.6	06.1-17.1
Some Post-H.S.	248	36,855	226	89.4	84.3-94.5	22	10.6	05.5-15.7
College Graduate	397	35,808	376	92.9	88.0-97.8	21	7.1	02.2-12.0
Less than \$15,000	101	13,053	90	88.5	80.7-96.3	11	11.5	03.7-19.3
\$15,000- 24,999	68	9,000	58	81.2	67.1-95.3	10	18.8	04.7-32.9
\$25,000- 34,999	84	9,485	79	87.7	76.7-98.7	5	12.3	01.3-23.3
\$35,000- 49,999	118	15,628	109	89.2	80.4-98.0	9	10.8	02.0-19.6
\$50,000- 74,999	162	19,951	149	86.8	79.2-94.4	13	13.2	05.6-20.8
\$75,000+	339	44,366	316	91.2	86.1-96.3	23	8.8	03.7-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	985	123,908	667	65.1	61.0-69.2	161	18.3	15.0-21.6	57	6.5	04.3-08.7	52	5.4	03.6-07.2	48	4.7	02.3-07.1
White/Non-Hisp	830	95,488	574	67.1	62.8-71.4	128	17.6	14.1-21.1	45	6.1	03.9-08.3	41	4.9	03.1-06.7	42	4.4	02.8-06.0
Black or Afr. Am./Non-Hisp	101	20,991	66	58.3	45.0-71.6	15	17.0	07.2-26.8	11	10.5	03.2-17.8	7	7.0	00.3-13.7	2	7.2	00.0-18.6
45-54	145	27,076	82	63.0	53.2-72.8	33	20.0	12.0-28.0	12	7.9	02.0-13.8	14	8.4	03.5-13.3	4	0.7	00.1-01.3
55-64	287	38,097	194	64.9	57.1-72.7	49	15.5	10.4-20.6	17	8.1	03.8-12.4	14	3.2	01.0-05.4	13	8.4	01.5-15.3
65+	511	48,708	369	69.2	63.7-74.7	67	17.4	12.3-22.5	26	5.2	02.7-07.7	20	4.2	02.0-06.4	29	4.0	02.2-05.8
Less Than H.S.	66	15,650	39	47.5	31.6-63.4	14	25.8	12.1-39.5	5	9.9	00.7-19.1	5	7.9	00.0-16.3	3	9.0	00.0-23.9
H.S. or G.E.D.	267	35,761	172	61.7	54.1-69.3	45	18.2	11.9-24.5	17	7.9	03.6-12.2	17	7.0	03.3-10.7	16	5.1	02.2-08.0
Some Post-H.S.	242	35,541	173	69.4	62.0-76.8	37	18.5	11.8-25.2	11	4.0	01.3-06.7	8	3.7	01.0-06.4	13	4.5	01.4-07.6
College Graduate	410	36,956	283	71.8	66.5-77.1	65	14.9	10.8-19.0	24	6.1	03.2-09.0	22	4.4	02.2-06.6	16	2.8	01.0-04.6
Less than \$15,000	99	12,736	55	54.6	41.7-67.5	17	23.0	10.7-35.3	6	3.5	00.2-06.8	9	7.7	02.2-13.2	12	11.1	03.5-18.7
\$15,000- 24,999	72	10,525	42	56.5	37.5-75.5	15	18.5	06.5-30.5	4	3.5	00.0-07.2	3	4.4	00.0-10.7	8	17.1	00.0-37.9
\$25,000- 34,999	88	9,215	61	61.9	47.4-76.4	12	17.0	03.7-30.3	8	14.2	03.4-25.0	3	4.0	00.0-09.1	4	3.0	00.0-06.3
\$35,000- 49,999	126	16,207	88	60.8	49.2-72.4	20	22.8	12.2-33.4	8	6.0	00.1-11.9	6	6.0	00.7-11.3	4	4.5	00.0-09.2
\$50,000- 74,999	159	18,483	116	71.5	62.1-80.9	24	17.9	09.7-26.1	6	3.9	00.2-07.6	7	3.9	00.4-07.4	6	2.9	00.0-05.8
\$75,000+	345	45,115	236	67.4	60.9-73.9	59	17.3	12.0-22.6	22	8.6	04.3-12.9	20	5.0	02.3-07.7	8	1.7	00.1-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	668	80,887	520	79.1	75.2-83.0	54	7.4	04.9-09.9	31	4.9	02.9-06.9	31	3.3	01.9-04.7	32	5.4	03.0-07.8
White/Non-Hisp	575	64,258	452	79.1	75.0-83.2	43	6.7	04.3-09.1	28	5.2	03.0-07.4	24	3.2	01.6-04.8	28	5.8	03.3-08.3
Black or Afr. Am./Non-Hisp	66	12,247	53	79.1	66.8-91.4	6	10.1	00.3-19.9	2	4.6	00.0-11.1	3	2.0	00.0-04.4	2	4.2	00.0-09.9
45-54	83	17,214	65	80.2	70.4-90.0	3	2.6	00.0-06.1	7	7.0	01.3-12.7				8	10.2	02.8-17.6
55-64	195	24,850	161	85.0	79.1-90.9	11	6.3	02.0-10.6	11	4.1	01.2-07.0	5	2.1	00.0-04.6	7	2.6	00.6-04.6
65+	368	33,645	279	75.4	69.7-81.1	39	11.4	06.9-15.9	10	3.4	01.0-05.8	26	6.3	03.4-09.2	14	3.4	01.0-05.8
H.S. or G.E.D.	171	22,007	127	75.1	66.5-83.7	16	10.2	03.9-16.5	7	4.7	00.6-08.8	9	3.8	00.5-07.1	12	6.2	01.9-10.5
Some Post-H.S.	174	24,785	135	79.1	72.0-86.2	16	6.9	02.8-11.0	9	5.1	01.6-08.6	6	3.4	00.3-06.5	8	5.6	01.3-09.9
College Graduate	284	26,665	228	83.1	78.2-88.0	19	5.7	02.4-09.0	13	4.7	01.8-07.6	14	3.1	01.3-04.9	10	3.4	01.0-05.8
Less than \$15,000	55	6,955	42	79.1	65.2-93.0	5	7.6	00.0-16.0	1	1.2	00.0-03.6	4	5.4	00.0-10.9	3	6.7	00.0-17.7
\$25,000- 34,999	62	5,830	49	85.3	76.1-94.5	7	10.6	01.8-19.4	1	0.5	00.0-01.5	4	3.0	00.0-06.3	1	0.6	00.0-01.8
\$35,000- 49,999	88	9,851	62	72.1	60.3-83.9	9	7.8	02.3-13.3	7	9.7	01.9-17.5	5	5.2	00.0-11.7	5	5.2	00.0-10.5
\$50,000- 74,999	115	13,148	90	81.5	72.9-90.1	8	6.4	00.7-12.1	6	5.9	00.0-11.8	6	3.1	00.4-05.8	5	3.2	00.3-06.1
\$75,000+	237	30,571	187	79.1	72.8-85.4	14	5.8	02.3-09.3	14	6.1	02.8-09.4	8	1.9	00.5-03.3	14	7.0	02.9-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1 MALES AND FEMALES	225
2 MALES ONLY	226
3 FEMALES ONLY	227
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4 MALES AND FEMALES	228
5 MALES ONLY	229
6 FEMALES ONLY	230
SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7 MALES AND FEMALES	231
8 MALES ONLY	232
9 FEMALES ONLY	233
FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)	
10 MALES AND FEMALES	234
11 MALES ONLY	235
12 FEMALES ONLY	236
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13 MALES AND FEMALES	237
14 MALES ONLY	238
15 FEMALES ONLY	239

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3175	322,094	1072	30.4	28.4-32.4	2103	69.6	67.6-71.6
Male	1189	146,567	409	30.6	27.3-33.9	780	69.4	66.1-72.7
Female	1986	175,527	663	30.2	27.7-32.7	1323	69.8	67.3-72.3
White/Non-Hisp	2637	246,172	929	32.3	30.1-34.5	1708	67.7	65.5-69.9
Black or Afr. Am./Non-Hisp	369	54,494	100	23.9	18.6-29.2	269	76.1	70.8-81.4
Oth. Race/Non-Hisp.	61	8,173	15	22.6	07.5-37.7	46	77.4	62.3-92.5
45-54	509	70,117	82	16.0	12.1-19.9	427	84.0	80.1-87.9
55-64	1009	113,454	301	27.9	24.4-31.4	708	72.1	68.6-75.6
65+	1657	138,522	689	39.7	36.8-42.6	968	60.3	57.4-63.2
Less Than H.S.	212	39,587	55	22.7	15.6-29.8	157	77.3	70.2-84.4
H.S. or G.E.D.	1042	108,663	360	31.3	27.8-34.8	682	68.7	65.2-72.2
Some Post-H.S.	851	96,022	283	30.2	26.5-33.9	568	69.8	66.1-73.5
College Graduate	1064	77,027	372	33.4	29.9-36.9	692	66.6	63.1-70.1
Less than \$15,000	409	39,240	139	32.1	26.2-38.0	270	67.9	62.0-73.8
\$15,000- 24,999	351	35,197	91	22.1	16.4-27.8	260	77.9	72.2-83.6
\$25,000- 34,999	316	29,205	110	36.5	29.2-43.8	206	63.5	56.2-70.8
\$35,000- 49,999	402	42,283	147	31.9	26.0-37.8	255	68.1	62.2-74.0
\$50,000- 74,999	473	50,319	157	29.4	24.3-34.5	316	70.6	65.5-75.7
\$75,000+	753	81,210	250	29.3	25.4-33.2	503	70.7	66.8-74.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1189	146,567	409	30.6	27.3-33.9	780	69.4	66.1-72.7
White/Non-Hisp	989	112,160	349	33.0	29.3-36.7	640	67.0	63.3-70.7
Black or Afr. Am./Non-Hisp	126	24,332	39	22.3	14.1-30.5	87	77.7	69.5-85.9
45-54	179	32,902	31	14.9	08.8-21.0	148	85.1	79.0-91.2
55-64	393	52,874	123	30.4	24.5-36.3	270	69.6	63.7-75.5
65+	617	60,791	255	39.2	34.3-44.1	362	60.8	55.9-65.7
Less Than H.S.	96	22,457	28	22.7	12.9-32.5	68	77.3	67.5-87.1
H.S. or G.E.D.	343	44,244	116	31.6	25.5-37.7	227	68.4	62.3-74.5
Some Post-H.S.	296	41,290	107	30.9	24.6-37.2	189	69.1	62.8-75.4
College Graduate	453	38,456	158	33.8	28.5-39.1	295	66.2	60.9-71.5
Less than \$15,000	138	16,776	47	33.6	23.6-43.6	91	66.4	56.4-76.4
\$15,000- 24,999	101	15,171	24	19.2	09.8-28.6	77	80.8	71.4-90.2
\$25,000- 34,999	112	12,781	44	44.4	31.9-56.9	68	55.6	43.1-68.1
\$35,000- 49,999	155	19,846	51	24.9	16.7-33.1	104	75.1	66.9-83.3
\$50,000- 74,999	192	24,092	65	28.8	21.0-36.6	127	71.2	63.4-79.0
\$75,000+	365	44,127	129	29.9	24.4-35.4	236	70.1	64.6-75.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1986	175,527	663	30.2	27.7-32.7	1323	69.8	67.3-72.3
White/Non-Hisp	1648	134,012	580	31.7	29.0-34.4	1068	68.3	65.6-71.0
Black or Afr. Am./Non-Hisp	243	30,162	61	25.2	18.1-32.3	182	74.8	67.7-81.9
45-54	330	37,216	51	17.0	11.7-22.3	279	83.0	77.7-88.3
55-64	616	60,580	178	25.7	21.4-30.0	438	74.3	70.0-78.6
65+	1040	77,731	434	40.1	36.4-43.8	606	59.9	56.2-63.6
Less Than H.S.	116	17,129	27	22.8	13.2-32.4	89	77.2	67.6-86.8
H.S. or G.E.D.	699	64,419	244	31.1	27.0-35.2	455	68.9	64.8-73.0
Some Post-H.S.	555	54,731	176	29.7	25.0-34.4	379	70.3	65.6-75.0
College Graduate	611	38,571	214	32.9	28.0-37.8	397	67.1	62.2-72.0
Less than \$15,000	271	22,464	92	31.0	23.9-38.1	179	69.0	61.9-76.1
\$15,000- 24,999	250	20,026	67	24.3	17.4-31.2	183	75.7	68.8-82.6
\$25,000- 34,999	204	16,424	66	30.3	22.3-38.3	138	69.7	61.7-77.7
\$35,000- 49,999	247	22,437	96	38.2	30.4-46.0	151	61.8	54.0-69.6
\$50,000- 74,999	281	26,227	92	30.0	23.3-36.7	189	70.0	63.3-76.7
\$75,000+	388	37,084	121	28.6	22.9-34.3	267	71.4	65.7-77.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1030	94,343	272	26.3	23.0-29.6	156	17.2	14.1-20.3	99	10.2	07.8-12.6	105	9.8	07.4-12.2	398	36.5	32.8-40.2
Male	398	43,823	109	26.2	21.1-31.3	68	16.6	12.1-21.1	38	10.3	06.4-14.2	40	10.9	06.8-15.0	143	36.1	30.0-42.2
Female	632	50,519	163	26.4	22.1-30.7	88	17.8	13.3-22.3	61	10.1	07.2-13.0	65	9.0	06.5-11.5	255	36.8	32.1-41.5
White/Non-Hisp	891	76,646	218	24.0	20.7-27.3	136	17.1	13.8-20.4	90	11.1	08.4-13.8	90	9.9	07.4-12.4	357	37.9	33.8-42.0
Black or Afr. Am./Non-Hisp	96	12,356	44	42.4	30.2-54.6	10	12.3	03.7-20.9	8	8.2	00.9-15.5	10	8.0	01.9-14.1	24	29.1	17.3-40.9
45-54	82	11,222	25	29.5	17.5-41.5	17	19.7	09.5-29.9	7	10.7	02.3-19.1	4	5.1	00.0-11.4	29	34.9	21.8-48.0
55-64	295	31,247	78	24.4	18.5-30.3	38	15.5	10.0-21.0	33	11.8	06.9-16.7	36	12.0	07.1-16.9	110	36.4	29.3-43.5
65+	653	51,873	169	26.8	22.7-30.9	101	17.7	13.6-21.8	59	9.1	06.6-11.6	65	9.6	06.9-12.3	259	36.8	32.1-41.5
Less Than H.S.	54	8,852	21	31.9	17.8-46.0	12	27.0	11.9-42.1	2	2.8	00.0-06.7	7	14.0	01.5-26.5	12	24.2	07.1-41.3
H.S. or G.E.D.	340	32,250	90	27.5	21.6-33.4	54	17.6	12.1-23.1	37	14.2	09.3-19.1	27	7.8	04.5-11.1	132	32.9	27.0-38.8
Some Post-H.S.	271	27,818	65	22.3	16.4-28.2	42	15.7	10.4-21.0	26	11.2	06.3-16.1	31	9.6	05.9-13.3	107	41.2	33.8-48.6
College Graduate	363	25,288	96	27.3	21.4-33.2	48	15.0	09.5-20.5	34	6.6	04.1-09.1	39	11.1	06.6-15.6	146	39.9	33.4-46.4
Less than \$15,000	134	12,085	38	32.2	21.8-42.6	22	18.4	08.8-28.0	17	13.1	06.0-20.2	13	10.8	03.0-18.6	44	25.6	16.8-34.4
\$15,000- 24,999	85	7,114	26	36.7	23.4-50.0	12	14.2	03.6-24.8	9	16.4	04.1-28.7	10	8.4	02.5-14.3	28	24.2	14.2-34.2
\$25,000- 34,999	107	10,503	33	26.4	16.2-36.6	21	20.3	10.3-30.3	8	8.3	01.2-15.4	12	8.7	03.2-14.2	33	36.4	22.5-50.3
\$35,000- 49,999	143	13,146	37	25.8	16.6-35.0	14	10.0	03.9-16.1	18	11.9	05.6-18.2	9	6.2	01.7-10.7	65	46.2	35.2-57.2
\$50,000- 74,999	152	14,422	31	16.9	10.2-23.6	28	24.0	14.6-33.4	7	4.4	00.3-08.5	27	15.5	07.9-23.1	59	39.2	29.4-49.0
\$75,000+	245	23,410	65	27.0	20.1-33.9	36	16.0	09.7-22.3	25	10.7	05.6-15.8	20	7.9	03.8-12.0	99	38.3	30.9-45.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	398	43,823	109	26.2	21.1-31.3	68	16.6	12.1-21.1	38	10.3	06.4-14.2	40	10.9	06.8-15.0	143	36.1	30.0-42.2
White/Non-Hisp	338	35,992	85	23.4	18.1-28.7	59	17.2	12.3-22.1	36	10.9	06.8-15.0	31	10.4	06.1-14.7	127	38.1	31.6-44.6
55-64	120	15,920	27	20.6	12.4-28.8	16	10.8	04.9-16.7	17	17.6	08.8-26.4	16	15.1	06.5-23.7	44	35.9	25.3-46.5
65+	247	23,014	73	29.1	22.4-35.8	43	19.5	13.0-26.0	20	7.0	03.5-10.5	22	8.6	04.7-12.5	89	35.8	28.2-43.4
H.S. or G.E.D.	112	13,577	34	28.2	18.6-37.8	20	20.4	11.0-29.8	9	13.0	04.2-21.8	10	7.1	02.4-11.8	39	31.3	21.5-41.1
Some Post-H.S.	103	12,334	26	22.6	13.4-31.8	19	16.0	08.0-24.0	15	14.9	06.5-23.3	8	6.7	01.8-11.6	35	39.8	27.6-52.0
College Graduate	156	12,958	39	27.0	18.4-35.6	22	11.0	05.9-16.1	13	5.8	02.3-09.3	17	14.3	06.3-22.3	65	41.9	32.3-51.5
\$35,000- 49,999	50	4,787	14	23.6	09.9-37.3	5	5.1	00.2-10.0	7	10.7	01.1-20.3	2	2.8	00.0-06.7	22	57.6	40.2-75.0
\$50,000- 74,999	63	6,782	13	17.3	07.3-27.3	16	28.9	14.0-43.8	3	5.4	00.0-13.0	8	15.3	02.0-28.6	23	33.1	19.0-47.2
\$75,000+	127	13,000	35	26.2	17.2-35.2	21	15.3	08.0-22.6	11	9.2	02.9-15.5	12	9.5	03.0-16.0	48	39.8	29.6-50.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	632	50,519	163	26.4	22.1-30.7	88	17.8	13.3-22.3	61	10.1	07.2-13.0	65	9.0	06.5-11.5	255	36.8	32.1-41.5
White/Non-Hisp	553	40,653	133	24.6	20.1-29.1	77	17.0	12.5-21.5	54	11.4	07.9-14.9	59	9.4	06.7-12.1	230	37.6	32.7-42.5
Black or Afr. Am./Non-Hisp	57	6,936	23	34.6	19.3-49.9	6	14.2	01.7-26.7	6	6.1	00.4-11.8	5	8.5	00.0-17.7	17	36.6	20.1-53.1
45-54	51	6,333	16	28.1	13.4-42.8	8	18.4	05.3-31.5	6	17.6	03.5-31.7	2	3.0	00.0-08.3	19	32.8	16.9-48.7
55-64	175	15,327	51	28.4	20.0-36.8	22	20.3	11.3-29.3	16	5.7	02.4-09.0	20	8.7	04.6-12.8	66	36.8	27.4-46.2
65+	406	28,859	96	24.9	19.6-30.2	58	16.3	10.8-21.8	39	10.8	07.1-14.5	43	10.4	06.7-14.1	170	37.7	32.0-43.4
H.S. or G.E.D.	228	18,673	56	27.0	19.7-34.3	34	15.5	09.2-21.8	28	15.1	09.4-20.8	17	8.3	03.8-12.8	93	34.1	26.8-41.4
Some Post-H.S.	168	15,483	39	22.2	14.8-29.6	23	15.4	08.5-22.3	11	8.2	02.3-14.1	23	11.8	06.3-17.3	72	42.4	33.0-51.8
College Graduate	207	12,330	57	27.6	19.6-35.6	26	19.2	09.6-28.8	21	7.4	03.9-10.9	22	7.8	04.3-11.3	81	37.9	29.3-46.5
Less than \$15,000	88	6,470	22	27.4	15.2-39.6	16	23.1	08.6-37.6	12	13.4	04.8-22.0	9	10.1	00.9-19.3	29	26.0	15.2-36.8
\$15,000- 24,999	62	4,388	16	29.7	14.8-44.6	10	17.7	02.8-32.6	6	12.1	01.7-22.5	7	8.4	01.3-15.5	23	32.0	18.3-45.7
\$25,000- 34,999	64	4,853	25	40.5	25.0-56.0	10	17.0	04.3-29.7	4	3.1	00.0-06.4	6	6.9	01.2-12.6	19	32.5	16.2-48.8
\$35,000- 49,999	93	8,360	23	27.1	14.9-39.3	9	12.7	03.7-21.7	11	12.5	04.3-20.7	7	8.1	01.4-14.8	43	39.6	26.7-52.5
\$50,000- 74,999	89	7,639	18	16.5	07.7-25.3	12	19.7	07.7-31.7	4	3.5	00.0-07.2	19	15.7	07.3-24.1	36	44.7	31.4-58.0
\$75,000+	118	10,410	30	27.9	17.3-38.5	15	17.0	06.0-28.0	14	12.6	04.2-21.0	8	6.0	01.3-10.7	51	36.5	25.7-47.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3194	323,303	2455	75.1	72.9-77.3	739	24.9	22.7-27.1
Male	1193	147,160	934	74.7	71.2-78.2	259	25.3	21.8-28.8
Female	2001	176,143	1521	75.4	73.0-77.8	480	24.6	22.2-27.0
White/Non-Hisp	2654	247,022	2048	75.5	73.3-77.7	606	24.5	22.3-26.7
Black or Afr. Am./Non-Hisp	369	54,518	278	72.1	65.2-79.0	91	27.9	21.0-34.8
Oth. Race/Non-Hisp.	61	8,173	46	79.5	65.8-93.2	15	20.5	06.8-34.2
45-54	510	70,217	292	55.5	49.8-61.2	218	44.5	38.8-50.2
55-64	1013	113,925	792	78.3	74.6-82.0	221	21.7	18.0-25.4
65+	1671	139,162	1371	82.3	79.9-84.7	300	17.7	15.3-20.1
Less Than H.S.	215	39,841	141	61.7	52.7-70.7	74	38.3	29.3-47.3
H.S. or G.E.D.	1048	108,853	787	74.7	71.4-78.0	261	25.3	22.0-28.6
Some Post-H.S.	855	96,304	650	76.2	72.5-79.9	205	23.8	20.1-27.5
College Graduate	1070	77,510	873	81.4	78.5-84.3	197	18.6	15.7-21.5
Less than \$15,000	415	39,874	308	73.0	67.1-78.9	107	27.0	21.1-32.9
\$15,000- 24,999	350	35,014	219	60.6	52.2-69.0	131	39.4	31.0-47.8
\$25,000- 34,999	319	29,358	250	76.8	70.5-83.1	69	23.2	16.9-29.5
\$35,000- 49,999	406	42,555	329	77.4	71.3-83.5	77	22.6	16.5-28.7
\$50,000- 74,999	477	50,568	381	77.2	72.1-82.3	96	22.8	17.7-27.9
\$75,000+	755	81,524	603	76.8	72.9-80.7	152	23.2	19.3-27.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1193	147,160	934	74.7	71.2-78.2	259	25.3	21.8-28.8
White/Non-Hisp	994	112,603	783	76.1	72.4-79.8	211	23.9	20.2-27.6
Black or Afr. Am./Non-Hisp	124	24,224	92	66.4	54.1-78.7	32	33.6	21.3-45.9
45-54	179	32,902	97	50.1	40.7-59.5	82	49.9	40.5-59.3
55-64	395	53,226	315	79.6	73.3-85.9	80	20.4	14.1-26.7
65+	619	61,033	522	83.6	79.7-87.5	97	16.4	12.5-20.3
Less Than H.S.	98	22,677	65	58.2	44.9-71.5	33	41.8	28.5-55.1
H.S. or G.E.D.	345	44,369	258	73.8	67.9-79.7	87	26.2	20.3-32.1
Some Post-H.S.	297	41,417	232	76.1	69.6-82.6	65	23.9	17.4-30.4
College Graduate	452	38,578	378	83.6	79.3-87.9	74	16.4	12.1-20.7
Less than \$15,000	141	17,109	101	67.6	57.0-78.2	40	32.4	21.8-43.0
\$15,000- 24,999	101	15,171	69	58.1	41.8-74.4	32	41.9	25.6-58.2
\$25,000- 34,999	113	12,889	84	77.7	67.7-87.7	29	22.3	12.3-32.3
\$35,000- 49,999	156	19,957	126	72.6	62.0-83.2	30	27.4	16.8-38.0
\$50,000- 74,999	191	23,997	149	75.5	67.5-83.5	42	24.5	16.5-32.5
\$75,000+	366	44,384	307	79.7	74.2-85.2	59	20.3	14.8-25.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2001	176,143	1521	75.4	73.0-77.8	480	24.6	22.2-27.0
White/Non-Hisp	1660	134,419	1265	74.9	72.2-77.6	395	25.1	22.4-27.8
Black or Afr. Am./Non-Hisp	245	30,293	186	76.6	69.9-83.3	59	23.4	16.7-30.1
45-54	331	37,315	195	60.2	53.7-66.7	136	39.8	33.3-46.3
55-64	618	60,699	477	77.2	72.9-81.5	141	22.8	18.5-27.1
65+	1052	78,129	849	81.2	78.3-84.1	203	18.8	15.9-21.7
Less Than H.S.	117	17,164	76	66.3	55.5-77.1	41	33.7	22.9-44.5
H.S. or G.E.D.	703	64,485	529	75.2	71.3-79.1	174	24.8	20.9-28.7
Some Post-H.S.	558	54,887	418	76.3	72.0-80.6	140	23.7	19.4-28.0
College Graduate	618	38,932	495	79.1	75.0-83.2	123	20.9	16.8-25.0
Less than \$15,000	274	22,765	207	77.1	71.0-83.2	67	22.9	16.8-29.0
\$15,000- 24,999	249	19,842	150	62.6	54.8-70.4	99	37.4	29.6-45.2
\$25,000- 34,999	206	16,469	166	76.1	68.3-83.9	40	23.9	16.1-31.7
\$35,000- 49,999	250	22,598	203	81.6	75.5-87.7	47	18.4	12.3-24.5
\$50,000- 74,999	286	26,571	232	78.7	72.4-85.0	54	21.3	15.0-27.6
\$75,000+	389	37,140	296	73.4	67.7-79.1	93	26.6	20.9-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2428	240,607	98	3.8	02.8-04.8	2330	96.2	95.2-97.2
Male	922	108,959	44	4.1	02.7-05.5	878	95.9	94.5-97.3
Female	1506	131,648	54	3.6	02.4-04.8	1452	96.4	95.2-97.6
White/Non-Hisp	2030	185,157	82	4.0	02.8-05.2	1948	96.0	94.8-97.2
Black or Afr. Am./Non-Hisp	271	38,513	10	2.8	00.8-04.8	261	97.2	95.2-99.2
45-54	291	38,959	6	1.6	00.0-03.2	285	98.4	96.8-0100
55-64	782	88,515	30	4.3	02.5-06.1	752	95.7	93.9-97.5
65+	1355	113,133	62	4.2	02.8-05.6	1293	95.8	94.4-97.2
Less Than H.S.	139	24,233	6	3.5	00.0-07.2	133	96.5	92.8-0100
H.S. or G.E.D.	776	80,435	29	2.5	01.3-03.7	747	97.5	96.3-98.7
Some Post-H.S.	644	72,894	28	4.6	02.6-06.6	616	95.4	93.4-97.4
College Graduate	865	62,712	35	4.7	02.9-06.5	830	95.3	93.5-97.1
Less than \$15,000	300	28,446	9	2.5	00.5-04.5	291	97.5	95.5-99.5
\$15,000- 24,999	216	20,722	12	4.9	00.6-09.2	204	95.1	90.8-99.4
\$25,000- 34,999	249	22,496	12	3.9	01.4-06.4	237	96.1	93.6-98.6
\$35,000- 49,999	323	32,586	15	3.8	01.6-06.0	308	96.2	94.0-98.4
\$50,000- 74,999	380	38,929	14	3.0	01.0-05.0	366	97.0	95.0-99.0
\$75,000+	599	62,472	23	4.6	02.4-06.8	576	95.4	93.2-97.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	922	108,959	44	4.1	02.7-05.5	878	95.9	94.5-97.3
White/Non-Hisp	777	85,300	38	4.7	02.9-06.5	739	95.3	93.5-97.1
Black or Afr. Am./Non-Hisp	87	15,536	4	1.9	00.0-03.9	83	98.1	96.1-0100
45-54	97	16,499	3	1.6	00.0-03.6	94	98.4	96.4-0100
55-64	311	42,213	11	4.3	01.4-07.2	300	95.7	92.8-98.6
65+	514	50,248	30	4.8	02.8-06.8	484	95.2	93.2-97.2
Less Than H.S.	63	12,844	2	1.4	00.0-03.4	61	98.6	96.6-0100
H.S. or G.E.D.	254	32,478	12	3.1	00.9-05.3	242	96.9	94.7-99.1
Some Post-H.S.	229	31,324	13	5.6	02.1-09.1	216	94.4	90.9-97.9
College Graduate	375	32,194	17	4.8	02.3-07.3	358	95.2	92.7-97.7
Less than \$15,000	99	11,429	4	2.2	00.0-04.6	95	97.8	95.4-0100
\$15,000- 24,999	68	8,503	5	3.8	00.0-07.9	63	96.2	92.1-0100
\$25,000- 34,999	83	9,971	5	3.9	00.2-07.6	78	96.1	92.4-99.8
\$35,000- 49,999	124	14,394	8	5.5	01.4-09.6	116	94.5	90.4-98.6
\$50,000- 74,999	148	18,026	5	3.5	00.0-07.0	143	96.5	93.0-0100
\$75,000+	303	35,213	12	4.0	01.1-06.9	291	96.0	93.1-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2012
 SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

**Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1506	131,648	54	3.6	02.4-04.8	1452	96.4	95.2-97.6
White/Non-Hisp	1253	99,857	44	3.4	02.0-04.8	1209	96.6	95.2-98.0
Black or Afr. Am./Non-Hisp	184	22,978	6	3.4	00.5-06.3	178	96.6	93.7-99.5
45-54	194	22,460	3	1.6	00.0-03.8	191	98.4	96.2-0100
55-64	471	46,302	19	4.3	02.1-06.5	452	95.7	93.5-97.9
65+	841	62,885	32	3.7	01.9-05.5	809	96.3	94.5-98.1
Less Than H.S.	76	11,388	4	5.9	00.0-13.2	72	94.1	86.8-0100
H.S. or G.E.D.	522	47,956	17	2.2	01.0-03.4	505	97.8	96.6-99.0
Some Post-H.S.	415	41,570	15	3.8	01.6-06.0	400	96.2	94.0-98.4
College Graduate	490	30,518	18	4.6	01.9-07.3	472	95.4	92.7-98.1
Less than \$15,000	201	17,018	5	2.7	00.0-05.6	196	97.3	94.4-0100
\$15,000- 24,999	148	12,219	7	5.7	00.0-12.6	141	94.3	87.4-0100
\$25,000- 34,999	166	12,525	7	3.9	00.6-07.2	159	96.1	92.8-99.4
\$35,000- 49,999	199	18,193	7	2.4	00.4-04.4	192	97.6	95.6-99.6
\$50,000- 74,999	232	20,904	9	2.7	00.7-04.7	223	97.3	95.3-99.3
\$75,000+	296	27,259	11	5.3	02.0-08.6	285	94.7	91.4-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2432	239,875	604	26.4	24.0-28.8	460	19.3	17.1-21.5	350	14.7	12.7-16.7	563	22.4	20.2-24.6	346	12.7	10.9-14.5	109	4.5	03.3-05.7
Male	927	108,738	236	26.0	22.3-29.7	197	21.9	18.4-25.4	139	15.1	12.2-18.0	208	22.3	19.0-25.6	107	10.4	07.9-12.9	40	4.2	02.4-06.0
Female	1505	131,137	368	26.8	23.7-29.9	263	17.1	14.7-19.5	211	14.3	11.9-16.7	355	22.5	19.8-25.2	239	14.6	12.4-16.8	69	4.6	03.2-06.0
White/Non-Hisp	2032	184,619	467	22.9	20.5-25.3	375	19.4	17.0-21.8	296	15.2	13.0-17.4	480	23.0	20.6-25.4	319	14.6	12.6-16.6	95	4.8	03.4-06.2
Black or Afr. Am./Non-Hisp	272	38,316	98	37.5	30.1-44.9	59	20.8	14.3-27.3	37	13.2	07.9-18.5	53	19.3	13.4-25.2	17	6.1	02.8-09.4	8	3.0	00.5-05.5
45-54	291	38,790	85	29.7	22.4-37.0	79	23.9	17.8-30.0	50	19.3	13.4-25.2	47	14.8	09.9-19.7	19	7.6	02.9-12.3	11	4.7	01.0-08.4
55-64	787	88,589	200	27.0	23.1-30.9	122	16.1	12.8-19.4	114	15.2	11.9-18.5	180	23.0	19.3-26.7	137	14.7	11.8-17.6	34	4.1	02.3-05.9
65+	1354	112,496	319	24.9	21.8-28.0	259	20.3	17.4-23.2	186	12.7	10.5-14.9	336	24.6	21.7-27.5	190	12.9	10.7-15.1	64	4.7	03.3-06.1
Less Than H.S.	134	23,673	48	39.3	28.7-49.9	27	22.4	13.0-31.8	14	11.6	04.9-18.3	28	17.3	09.7-24.9	11	6.1	01.4-10.8	6	3.3	00.0-07.0
H.S. or G.E.D.	780	80,367	206	28.7	24.2-33.2	135	16.5	13.2-19.8	107	14.7	11.4-18.0	183	22.2	18.5-25.9	111	13.6	10.3-16.9	38	4.3	02.7-05.9
Some Post-H.S.	645	72,642	148	23.1	19.2-27.0	130	20.7	16.8-24.6	89	14.7	11.2-18.2	156	22.0	18.1-25.9	92	13.7	10.6-16.8	30	5.9	03.4-08.4
College Graduate	869	62,860	200	22.4	19.1-25.7	167	20.1	16.8-23.4	140	16.0	12.7-19.3	195	25.1	21.2-29.0	132	12.9	10.4-15.4	35	3.5	01.9-05.1
Less than \$15,000	303	28,452	73	27.8	20.7-34.9	60	19.3	13.6-25.0	41	14.9	09.6-20.2	64	17.3	12.4-22.2	44	15.1	09.6-20.6	21	5.6	02.9-08.3
\$15,000- 24,999	213	20,264	63	32.5	23.5-41.5	40	20.0	12.0-28.0	20	11.7	05.4-18.0	45	20.0	12.6-27.4	32	8.4	04.9-11.9	13	7.4	02.3-12.5
\$25,000- 34,999	246	22,207	63	28.9	21.3-36.5	49	20.7	13.6-27.8	29	9.7	05.4-14.0	59	22.6	15.9-29.3	39	13.4	08.5-18.3	7	4.7	00.4-09.0
\$35,000- 49,999	329	32,930	86	28.0	21.3-34.7	55	18.0	12.3-23.7	43	12.2	07.9-16.5	85	24.6	18.5-30.7	43	13.1	08.4-17.8	17	4.1	01.6-06.6
\$50,000- 74,999	379	38,557	85	22.7	17.0-28.4	74	17.4	12.9-21.9	58	18.9	13.0-24.8	87	22.0	16.7-27.3	63	15.7	11.0-20.4	12	3.2	00.1-06.3
\$75,000+	602	62,580	151	23.6	19.1-28.1	118	21.2	16.9-25.5	107	17.4	13.5-21.3	131	22.8	18.5-27.1	78	11.7	08.2-15.2	17	3.2	01.2-05.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	927	108,738	236	26.0	22.3-29.7	197	21.9	18.4-25.4	139	15.1	12.2-18.0	208	22.3	19.0-25.6	107	10.4	07.9-12.9	40	4.2	02.4-06.0
White/Non-Hisp	778	84,847	188	23.0	19.3-26.7	164	22.3	18.4-26.2	120	15.7	12.4-19.0	177	23.1	19.4-26.8	97	11.7	08.8-14.6	32	4.2	02.0-06.4
Black or Afr. Am./Non-Hisp	90	15,752	29	31.9	20.1-43.7	24	28.0	15.7-40.3	11	13.0	04.2-21.8	17	18.1	08.5-27.7	3	3.0	00.0-06.5	6	6.1	00.6-11.6
45-54	97	16,499	28	30.8	18.1-43.5	29	25.8	15.0-36.6	13	14.2	06.0-22.4	16	13.9	05.5-22.3	4	6.4	00.0-15.4	7	8.9	00.7-17.1
55-64	312	41,859	75	24.0	17.9-30.1	56	18.4	12.9-23.9	48	18.8	12.9-24.7	78	24.8	18.7-30.9	43	10.8	06.9-14.7	12	3.2	00.8-05.6
65+	518	50,380	133	26.1	21.2-31.0	112	23.5	18.4-28.6	78	12.4	09.3-15.5	114	23.0	18.5-27.5	60	11.4	08.1-14.7	21	3.5	01.5-05.5
Less Than H.S.	64	12,889	25	44.9	29.4-60.4	14	25.8	11.3-40.3	6	11.4	01.8-21.0	12	13.7	04.7-22.7	3	1.8	00.0-04.0	4	2.4	00.0-04.9
H.S. or G.E.D.	256	32,470	65	25.2	17.8-32.6	55	21.1	14.4-27.8	32	13.1	08.0-18.2	60	23.2	16.7-29.7	32	12.6	06.7-18.5	12	4.8	01.7-07.9
Some Post-H.S.	231	31,127	55	22.1	16.0-28.2	51	21.8	15.3-28.3	36	17.3	11.0-23.6	52	20.9	14.2-27.6	27	12.4	07.1-17.7	10	5.4	00.7-10.1
College Graduate	375	32,132	90	22.7	17.6-27.8	77	21.3	16.0-26.6	65	16.7	12.0-21.4	84	26.2	20.5-31.9	45	9.7	06.6-12.8	14	3.2	00.8-05.6
Less than \$15,000	100	11,450	31	41.4	28.3-54.5	18	15.3	06.5-24.1	13	15.7	06.7-24.7	19	13.8	06.4-21.2	13	9.7	03.4-16.0	6	4.1	00.6-07.6
\$15,000- 24,999	67	8,320	20	33.7	17.2-50.2	20	29.1	14.0-44.2	4	12.8	00.1-25.5	12	14.7	04.3-25.1	6	3.7	00.4-07.0	5	6.0	00.1-11.9
\$25,000- 34,999	82	9,957	19	23.7	11.5-35.9	21	27.0	13.7-40.3	7	7.3	01.0-13.6	21	25.2	13.2-37.2	11	11.1	03.7-18.5	3	5.7	00.0-13.1
\$35,000- 49,999	126	14,492	36	27.0	16.8-37.2	20	19.8	10.0-29.6	16	10.6	04.1-17.1	36	27.1	16.9-37.3	14	13.0	05.4-20.6	4	2.5	00.0-05.4
\$50,000- 74,999	147	17,654	34	23.4	14.8-32.0	29	16.5	09.2-23.8	22	17.6	08.6-26.6	30	22.7	13.3-32.1	23	13.9	06.8-21.0	9	6.0	00.0-12.7
\$75,000+	307	35,381	75	22.6	16.3-28.9	64	22.1	16.0-28.2	64	20.4	14.7-26.1	67	23.0	17.1-28.9	30	9.3	04.4-14.2	7	2.6	00.0-05.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1505	131,137	368	26.8	23.7-29.9	263	17.1	14.7-19.5	211	14.3	11.9-16.7	355	22.5	19.8-25.2	239	14.6	12.4-16.8	69	4.6	03.2-06.0
White/Non-Hisp	1254	99,772	279	22.9	20.0-25.8	211	16.9	14.4-19.4	176	14.8	12.3-17.3	303	22.9	20.2-25.6	222	17.1	14.6-19.6	63	5.4	03.8-07.0
Black or Afr. Am./Non-Hisp	182	22,563	69	41.4	32.2-50.6	35	15.7	09.6-21.8	26	13.4	06.7-20.1	36	20.2	12.8-27.6	14	8.4	03.3-13.5	2	0.9	00.0-02.5
45-54	194	22,291	57	28.9	20.5-37.3	50	22.5	15.6-29.4	37	23.1	15.1-31.1	31	15.5	09.6-21.4	15	8.5	03.8-13.2	4	1.6	00.0-03.4
55-64	475	46,730	125	29.7	24.4-35.0	66	13.9	09.8-18.0	66	12.1	08.4-15.8	102	21.4	16.9-25.9	94	18.1	14.0-22.2	22	4.8	02.4-07.2
65+	836	62,116	186	23.9	19.8-28.0	147	17.6	14.5-20.7	108	12.9	10.2-15.6	222	25.9	22.0-29.8	130	14.1	11.2-17.0	43	5.6	03.4-07.8
Less Than H.S.	70	10,784	23	32.6	18.7-46.5	13	18.4	07.8-29.0	8	11.8	02.8-20.8	16	21.6	09.1-34.1	8	11.3	01.9-20.7	2	4.4	00.0-11.7
H.S. or G.E.D.	524	47,897	141	31.1	25.6-36.6	80	13.4	10.1-16.7	75	15.7	11.4-20.0	123	21.6	17.3-25.9	79	14.3	10.6-18.0	26	4.0	02.2-05.8
Some Post-H.S.	414	41,514	93	23.8	18.5-29.1	79	19.8	14.9-24.7	53	12.7	09.0-16.4	104	22.8	18.1-27.5	65	14.6	10.5-18.7	20	6.2	03.3-09.1
College Graduate	494	30,728	110	22.1	17.6-26.6	90	18.7	14.2-23.2	75	15.3	10.8-19.8	111	23.9	18.8-29.0	87	16.2	12.5-19.9	21	3.7	01.7-05.7
Less than \$15,000	203	17,003	42	18.7	12.2-25.2	42	22.0	14.7-29.3	28	14.3	08.0-20.6	45	19.6	13.3-25.9	31	18.8	11.2-26.4	15	6.6	02.9-10.3
\$15,000- 24,999	146	11,944	43	31.7	21.5-41.9	20	13.7	05.5-21.9	16	10.9	04.8-17.0	33	23.7	13.7-33.7	26	11.7	06.2-17.2	8	8.4	01.0-15.8
\$25,000- 34,999	164	12,250	44	33.2	23.8-42.6	28	15.6	09.5-21.7	22	11.6	05.7-17.5	38	20.6	13.3-27.9	28	15.2	08.7-21.7	4	3.9	00.0-08.8
\$35,000- 49,999	203	18,438	50	28.8	20.2-37.4	35	16.5	09.6-23.4	27	13.6	07.7-19.5	49	22.6	15.3-29.9	29	13.1	07.4-18.8	13	5.4	01.7-09.1
\$50,000- 74,999	232	20,904	51	22.1	14.8-29.4	45	18.3	12.4-24.2	36	20.1	12.5-27.7	57	21.4	15.5-27.3	40	17.2	11.1-23.3	3	1.0	00.0-02.2
\$75,000+	295	27,199	76	25.0	18.9-31.1	54	20.1	14.0-26.2	43	13.5	08.4-18.6	64	22.5	16.2-28.8	48	14.9	10.0-19.8	10	4.0	01.3-06.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	241
2	MALES ONLY	242
3	FEMALES ONLY	243
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	244
5	MALES ONLY	245
6	FEMALES ONLY	246
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)	
7	MALES AND FEMALES	247
8	MALES ONLY	248
9	FEMALES ONLY	249

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4982	687,421	1768	42.8	40.8-44.8	3214	57.2	55.2-59.2
Male	1921	326,239	685	42.1	39.2-45.0	1236	57.9	55.0-60.8
Female	3061	361,182	1083	43.5	41.1-45.9	1978	56.5	54.1-58.9
White/Non-Hisp	3859	458,287	1164	34.7	32.7-36.7	2695	65.3	63.3-67.3
Black or Afr. Am./Non-Hisp	709	138,582	423	66.2	61.9-70.5	286	33.8	29.5-38.1
Oth. Race/Non-Hisp.	138	26,875	52	36.0	24.4-47.6	86	64.0	52.4-75.6
MultiRacial/Non-Hisp.	100	8,766	49	51.0	39.2-62.8	51	49.0	37.2-60.8
Hispanic	151	52,164	71	54.6	44.6-64.6	80	45.4	35.4-55.4
18-24	310	90,804	136	44.3	37.6-51.0	174	55.7	49.0-62.4
25-34	521	113,835	347	68.5	63.6-73.4	174	31.5	26.6-36.4
35-44	631	111,012	396	61.0	56.1-65.9	235	39.0	34.1-43.9
45-54	885	123,776	397	45.8	41.5-50.1	488	54.2	49.9-58.5
55-64	981	110,286	278	30.1	26.2-34.0	703	69.9	66.0-73.8
65+	1606	133,583	202	13.3	10.9-15.7	1404	86.7	84.3-89.1
Less Than H.S.	319	90,487	115	48.0	40.7-55.3	204	52.0	44.7-59.3
H.S. or G.E.D.	1499	215,439	454	39.3	36.0-42.6	1045	60.7	57.4-64.0
Some Post-H.S.	1343	204,877	516	45.4	41.9-48.9	827	54.6	51.1-58.1
College Graduate	1814	175,805	681	41.6	38.7-44.5	1133	58.4	55.5-61.3
Less than \$15,000	577	79,812	204	48.5	42.6-54.4	373	51.5	45.6-57.4
\$15,000- 24,999	514	75,817	230	55.1	48.8-61.4	284	44.9	38.6-51.2
\$25,000- 34,999	468	62,037	155	43.1	36.6-49.6	313	56.9	50.4-63.4
\$35,000- 49,999	623	86,555	231	45.4	40.1-50.7	392	54.6	49.3-59.9
\$50,000- 74,999	742	100,739	290	46.6	41.7-51.5	452	53.4	48.5-58.3
\$75,000+	1383	190,342	497	38.8	35.5-42.1	886	61.2	57.9-64.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

**TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1921	326,239	685	42.1	39.2-45.0	1236	57.9	55.0-60.8
White/Non-Hisp	1494	217,002	471	34.9	31.8-38.0	1023	65.1	62.0-68.2
Black or Afr. Am./Non-Hisp	242	63,191	141	65.5	58.1-72.9	101	34.5	27.1-41.9
Oth. Race/Non-Hisp.	66	15,141	20	28.6	11.9-45.3	46	71.4	54.7-88.1
Hispanic	65	25,368	30	52.7	37.2-68.2	35	47.3	31.8-62.8
18-24	156	46,017	61	40.4	31.0-49.8	95	59.6	50.2-69.0
25-34	205	56,738	123	63.8	55.8-71.8	82	36.2	28.2-44.2
35-44	245	53,620	133	53.3	45.7-60.9	112	46.7	39.1-54.3
45-54	333	59,029	155	47.7	40.8-54.6	178	52.3	45.4-59.2
55-64	379	51,006	113	29.6	23.5-35.7	266	70.4	64.3-76.5
65+	589	58,445	96	17.6	13.5-21.7	493	82.4	78.3-86.5
Less Than H.S.	161	55,011	62	48.7	38.7-58.7	99	51.3	41.3-61.3
H.S. or G.E.D.	555	98,604	199	42.4	37.1-47.7	356	57.6	52.3-62.9
Some Post-H.S.	481	89,164	188	43.1	37.6-48.6	293	56.9	51.4-62.4
College Graduate	723	83,341	235	36.1	31.6-40.6	488	63.9	59.4-68.4
Less than \$15,000	206	38,837	75	49.6	40.0-59.2	131	50.4	40.8-60.0
\$15,000- 24,999	163	29,998	77	52.2	41.4-63.0	86	47.8	37.0-58.6
\$25,000- 34,999	165	27,525	50	38.3	27.3-49.3	115	61.7	50.7-72.7
\$35,000- 49,999	231	40,258	89	44.4	36.0-52.8	142	55.6	47.2-64.0
\$50,000- 74,999	298	49,906	123	48.4	40.8-56.0	175	51.6	44.0-59.2
\$75,000+	653	104,553	216	37.1	32.2-42.0	437	62.9	58.0-67.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3061	361,182	1083	43.5	41.1-45.9	1978	56.5	54.1-58.9
White/Non-Hisp	2365	241,285	693	34.5	32.0-37.0	1672	65.5	63.0-68.0
Black or Afr. Am./Non-Hisp	467	75,390	282	66.8	61.7-71.9	185	33.2	28.1-38.3
Oth. Race/Non-Hisp.	72	11,734	32	45.5	30.2-60.8	40	54.5	39.2-69.8
MultiRacial/Non-Hisp.	57	4,690	29	51.0	35.3-66.7	28	49.0	33.3-64.7
Hispanic	86	26,795	41	56.4	43.5-69.3	45	43.6	30.7-56.5
18-24	154	44,787	75	48.3	39.1-57.5	79	51.7	42.5-60.9
25-34	316	57,097	224	73.1	67.4-78.8	92	26.9	21.2-32.6
35-44	386	57,391	263	68.2	61.9-74.5	123	31.8	25.5-38.1
45-54	552	64,747	242	44.1	38.8-49.4	310	55.9	50.6-61.2
55-64	602	59,279	165	30.6	25.7-35.5	437	69.4	64.5-74.3
65+	1017	75,138	106	10.0	07.5-12.5	911	90.0	87.5-92.5
Less Than H.S.	158	35,476	53	46.9	36.5-57.3	105	53.1	42.7-63.5
H.S. or G.E.D.	944	116,835	255	36.7	32.2-41.2	689	63.3	58.8-67.8
Some Post-H.S.	862	115,713	328	47.2	42.9-51.5	534	52.8	48.5-57.1
College Graduate	1091	92,464	446	46.5	42.8-50.2	645	53.5	49.8-57.2
Less than \$15,000	371	40,975	129	47.6	40.5-54.7	242	52.4	45.3-59.5
\$15,000- 24,999	351	45,819	153	56.9	49.5-64.3	198	43.1	35.7-50.5
\$25,000- 34,999	303	34,512	105	46.9	39.1-54.7	198	53.1	45.3-60.9
\$35,000- 49,999	392	46,296	142	46.2	39.5-52.9	250	53.8	47.1-60.5
\$50,000- 74,999	444	50,833	167	44.9	38.6-51.2	277	55.1	48.8-61.4
\$75,000+	730	85,789	281	40.9	36.2-45.6	449	59.1	54.4-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1395	241,344	47	1.8	01.0-02.6	92	4.1	03.1-05.1	122	6.2	04.8-07.6	245	16.2	13.7-18.7	674	53.1	49.6-56.6	215	18.5	15.8-21.2
Male	523	108,926	15	1.1	00.3-01.9	29	3.0	01.8-04.2	38	5.8	03.6-08.0	82	16.2	11.9-20.5	272	55.5	50.0-61.0	87	18.5	14.0-23.0
Female	872	132,418	32	2.5	01.3-03.7	63	5.1	03.5-06.7	84	6.5	04.7-08.3	163	16.3	13.2-19.4	402	51.1	46.8-55.4	128	18.6	15.1-22.1
White/Non-Hisp	896	127,909	42	3.2	01.8-04.6	78	6.5	04.7-08.3	100	9.4	07.2-11.6	180	19.1	15.8-22.4	387	47.6	43.5-51.7	109	14.1	11.0-17.2
Black or Afr. Am./Non-Hisp	344	74,741	1	0.2	00.0-00.6	10	1.4	00.2-02.6	12	2.4	00.8-04.0	38	11.2	07.1-15.3	207	58.0	51.5-64.5	76	26.8	20.7-32.9
Hispanic	62	25,762	1	0.3	00.0-00.9	1	1.2	00.0-03.6	1	1.0	00.0-03.0	11	14.0	04.6-23.4	37	66.7	53.0-80.4	11	17.0	06.0-28.0
18-24	124	36,414	1	0.3	00.0-00.9							5	3.5	00.2-06.8	64	57.6	47.4-67.8	54	38.6	28.6-48.6
25-34	322	70,982				1	0.1	00.0-00.3	9	2.6	00.6-04.6	51	15.9	10.8-21.0	201	62.7	56.0-69.4	60	18.7	13.2-24.2
35-44	336	56,632	3	1.1	00.0-02.3	22	5.2	02.8-07.6	42	9.4	06.1-12.7	76	22.4	16.3-28.5	150	46.1	39.0-53.2	43	15.9	10.2-21.6
45-54	295	44,090	20	4.5	01.4-07.6	28	7.9	04.4-11.4	35	8.9	05.2-12.6	58	20.0	13.5-26.5	123	44.9	37.5-52.3	31	13.7	08.4-19.0
55-64	200	23,137	10	4.4	01.3-07.5	28	10.7	06.2-15.2	21	12.1	06.2-18.0	32	14.0	08.1-19.9	90	51.4	42.4-60.4	19	7.4	02.5-12.3
65+	111	9,610	13	7.7	02.8-12.6	12	8.8	02.5-15.1	15	10.3	04.0-16.6	21	18.6	09.6-27.6	43	49.8	37.1-62.5	7	4.8	00.9-08.7
Less Than H.S.	87	35,892	1	1.7	00.0-05.0				6	3.6	00.3-06.9	9	12.9	03.9-21.9	54	60.6	48.3-72.9	17	21.2	10.8-31.6
H.S. or G.E.D.	354	70,825	8	1.6	00.4-02.8	21	4.0	02.0-06.0	20	4.4	02.0-06.8	55	13.6	09.5-17.7	185	56.8	50.3-63.3	65	19.6	14.3-24.9
Some Post-H.S.	418	75,506	11	1.4	00.4-02.4	30	5.4	03.2-07.6	35	6.3	03.8-08.8	72	15.3	11.2-19.4	198	50.7	44.8-56.6	72	20.9	16.0-25.8
College Graduate	534	58,948	27	2.8	01.4-04.2	41	5.1	03.1-07.1	61	9.7	06.8-12.6	109	22.7	17.6-27.8	235	47.1	41.6-52.6	61	12.6	09.1-16.1
Less than \$15,000	164	31,970	2	0.6	00.0-01.4	9	3.1	00.6-05.6	5	1.7	00.0-03.5	20	11.4	04.9-17.9	104	68.2	58.8-77.6	24	15.0	07.4-22.6
\$15,000- 24,999	184	34,317	6	2.9	00.0-06.4	9	2.0	00.4-03.6	9	3.9	01.0-06.8	23	11.3	04.8-17.8	95	55.5	45.7-65.3	42	24.3	15.7-32.9
\$25,000- 34,999	133	24,081	6	1.2	00.0-02.6	4	1.8	00.0-03.8	9	4.6	00.9-08.3	20	14.7	07.1-22.3	73	60.0	49.0-71.0	21	17.7	09.3-26.1
\$35,000- 49,999	182	32,554	5	1.8	00.0-03.6	13	3.7	01.5-05.9	15	5.8	01.9-09.7	34	16.2	09.5-22.9	83	50.3	41.1-59.5	32	22.3	14.3-30.3
\$50,000- 74,999	232	38,713	9	2.1	00.3-03.9	8	2.5	00.1-04.9	31	10.6	06.1-15.1	43	16.5	10.0-23.0	113	50.6	42.0-59.2	28	17.7	10.4-25.0
\$75,000+	395	58,927	16	2.3	00.9-03.7	40	7.7	05.0-10.4	48	9.4	06.3-12.5	86	24.8	18.9-30.7	153	40.3	34.0-46.6	52	15.5	10.8-20.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	523	108,926	15	1.1	00.3-01.9	29	3.0	01.8-04.2	38	5.8	03.6-08.0	82	16.2	11.9-20.5	272	55.5	50.0-61.0	87	18.5	14.0-23.0
White/Non-Hisp	356	59,594	13	1.9	00.5-03.3	26	4.7	02.7-06.7	30	8.4	04.9-11.9	63	19.4	13.7-25.1	172	51.3	44.8-57.8	52	14.3	10.0-18.6
Black or Afr. Am./Non-Hisp	105	31,358				1	0.3	00.0-00.9	2	1.3	00.0-03.7	12	12.3	04.9-19.7	67	59.6	48.4-70.8	23	26.6	16.2-37.0
18-24	55	16,943	1	0.7	00.0-02.1							2	3.9	00.0-09.6	29	60.4	44.7-76.1	23	35.1	20.0-50.2
25-34	113	32,538							4	4.0	00.1-07.9	20	17.5	08.9-26.1	71	62.3	51.1-73.5	18	16.2	07.4-25.0
35-44	108	22,621	1	1.1	00.0-03.3	7	4.5	01.0-08.0	9	5.5	01.6-09.4	16	19.9	09.5-30.3	55	50.7	38.9-62.5	20	18.3	08.5-28.1
45-54	116	21,382	7	2.4	00.0-04.8	8	4.2	00.5-07.9	12	9.7	03.4-16.0	18	19.1	08.7-29.5	59	50.8	39.2-62.4	12	13.8	05.8-21.8
55-64	78	10,097	2	1.1	00.0-02.7	10	9.5	03.0-16.0	6	10.2	00.8-19.6	15	14.6	05.6-23.6	36	51.2	37.3-65.1	9	13.5	03.1-23.9
65+	51	5,119	4	3.9	00.0-08.0	4	6.7	00.0-14.0	7	12.2	02.2-22.2	10	22.2	07.9-36.5	22	49.0	30.8-67.2	4	6.0	00.0-12.3
H.S. or G.E.D.	153	34,047	2	0.8	00.0-02.2	3	1.1	00.0-02.5	10	6.2	01.9-10.5	22	11.9	06.2-17.6	90	61.1	51.9-70.3	26	18.9	11.1-26.7
Some Post-H.S.	145	29,697	1	0.1	00.0-00.3	13	5.9	02.4-09.4	13	6.6	02.3-10.9	22	14.9	08.0-21.8	70	51.0	41.4-60.6	26	21.6	13.2-30.0
College Graduate	179	23,751	12	3.6	01.1-06.1	13	4.5	01.6-07.4	14	7.8	03.1-12.5	33	25.7	16.3-35.1	82	46.7	37.3-56.1	25	11.6	06.1-17.1
Less than \$15,000	55	14,528				1	0.4	00.0-01.2	1	0.4	00.0-01.2	5	9.3	00.0-20.5	39	72.6	56.3-88.9	9	17.4	03.5-31.3
\$15,000- 24,999	59	11,955	1	0.2	00.0-00.6	3	2.8	00.0-06.1	1	1.0	00.0-03.0	11	11.8	03.2-20.4	35	68.5	53.2-83.8	8	15.8	02.1-29.5
\$35,000- 49,999	66	13,908	1	0.3	00.0-00.9	3	1.8	00.0-04.2	6	7.6	00.2-15.0	12	17.1	06.1-28.1	30	47.2	32.5-61.9	14	26.0	12.1-39.9
\$50,000- 74,999	95	19,626	4	2.4	00.0-05.1	1	0.6	00.0-01.8	12	9.8	03.1-16.5	17	19.6	08.8-30.4	51	54.1	41.0-67.2	10	13.5	03.9-23.1
\$75,000+	167	30,969	6	1.6	00.0-03.4	18	7.0	03.3-10.7	16	9.1	04.2-14.0	26	21.3	12.3-30.3	67	39.3	29.9-48.7	34	21.7	13.7-29.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	872	132,418	32	2.5	01.3-03.7	63	5.1	03.5-06.7	84	6.5	04.7-08.3	163	16.3	13.2-19.4	402	51.1	46.8-55.4	128	18.6	15.1-22.1
White/Non-Hisp	540	68,315	29	4.4	02.0-06.8	52	8.1	05.6-10.6	70	10.3	07.4-13.2	117	18.8	14.9-22.7	215	44.4	38.9-49.9	57	14.0	09.7-18.3
Black or Afr. Am./Non-Hisp	239	43,382	1	0.3	00.0-00.9	9	2.3	00.3-04.3	10	3.2	00.8-05.6	26	10.4	05.5-15.3	140	56.8	49.0-64.6	53	27.0	19.6-34.4
18-24	69	19,470										3	3.2	00.0-06.9	35	55.1	41.6-68.6	31	41.7	28.4-55.0
25-34	209	38,444				1	0.2	00.0-00.6	5	1.5	00.1-02.9	31	14.5	08.8-20.2	130	63.0	55.0-71.0	42	20.8	13.9-27.7
35-44	228	34,011	2	1.1	00.0-02.5	15	5.7	02.6-08.8	33	12.0	07.1-16.9	60	24.1	16.8-31.4	95	43.0	34.4-51.6	23	14.2	07.1-21.3
45-54	179	22,708	13	6.5	01.0-12.0	20	11.5	05.6-17.4	23	8.2	04.1-12.3	40	20.8	12.8-28.8	64	39.4	29.8-49.0	19	13.6	06.7-20.5
55-64	122	13,040	8	7.0	01.5-12.5	18	11.6	05.1-18.1	15	13.6	05.8-21.4	17	13.6	06.0-21.2	54	51.6	39.8-63.4	10	2.7	00.7-04.7
65+	60	4,491	9	12.0	02.6-21.4	8	11.1	00.7-21.5	8	8.2	00.9-15.5	11	14.5	04.9-24.1	21	50.8	32.8-68.8	3	3.4	00.0-08.1
H.S. or G.E.D.	201	36,778	6	2.3	00.3-04.3	18	6.7	03.0-10.4	10	2.7	00.5-04.9	33	15.2	09.3-21.1	95	52.9	43.9-61.9	39	20.2	13.1-27.3
Some Post-H.S.	273	45,808	10	2.2	00.6-03.8	17	5.1	02.6-07.6	22	6.1	03.0-09.2	50	15.6	10.5-20.7	128	50.5	43.1-57.9	46	20.5	14.4-26.6
College Graduate	355	35,197	15	2.3	00.9-03.7	28	5.5	03.1-07.9	47	11.1	07.6-14.6	76	20.6	15.3-25.9	153	47.3	40.8-53.8	36	13.2	08.5-17.9
Less than \$15,000	109	17,442	2	1.1	00.0-02.7	8	5.3	00.8-09.8	4	2.9	00.0-06.0	15	13.1	05.8-20.4	65	64.5	53.5-75.5	15	13.1	05.3-20.9
\$15,000- 24,999	125	22,362	5	4.4	00.0-09.9	6	1.6	00.0-03.4	8	5.4	00.9-09.9	12	11.1	02.3-19.9	60	48.6	36.4-60.8	34	28.9	17.9-39.9
\$25,000- 34,999	86	14,289	5	1.8	00.0-04.0	3	2.8	00.0-06.1	7	5.5	00.2-10.8	13	12.7	04.9-20.5	45	56.9	43.8-70.0	13	20.4	09.2-31.6
\$35,000- 49,999	116	18,646	4	2.8	00.0-05.9	10	5.0	01.7-08.3	9	4.4	00.5-08.3	22	15.5	07.5-23.5	53	52.6	40.8-64.4	18	19.6	10.4-28.8
\$50,000- 74,999	137	19,087	5	1.9	00.0-04.3	7	4.6	00.0-09.3	19	11.3	05.2-17.4	26	13.3	06.8-19.8	62	47.0	36.2-57.8	18	21.9	11.3-32.5
\$75,000+	228	27,959	10	3.0	00.8-05.2	22	8.5	04.4-12.6	32	9.7	06.0-13.4	60	28.6	21.0-36.2	86	41.5	33.5-49.5	18	8.7	04.2-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5079	699,134	132	4.4	03.4-05.4	4947	95.6	94.6-96.6
Male	1972	333,282	66	4.9	03.3-06.5	1906	95.1	93.5-96.7
Female	3107	365,852	66	3.8	02.6-05.0	3041	96.2	95.0-97.4
White/Non-Hisp	3947	467,990	85	3.4	02.4-04.4	3862	96.6	95.6-97.6
Black or Afr. Am./Non-Hisp	716	139,725	34	7.6	04.7-10.5	682	92.4	89.5-95.3
Oth. Race/Non-Hisp.	138	27,537	1	0.9	00.0-02.7	137	99.1	97.3-0100
MultiRacial/Non-Hisp.	101	8,768	4	5.7	00.0-12.0	97	94.3	88.0-0100
Hispanic	153	52,418	7	5.4	00.9-09.9	146	94.6	90.1-99.1
18-24	309	90,529	42	11.9	08.0-15.8	267	88.1	84.2-92.0
25-34	524	114,231	36	8.0	05.1-10.9	488	92.0	89.1-94.9
35-44	638	111,422	21	5.7	02.8-08.6	617	94.3	91.4-97.2
45-54	905	128,068	12	1.9	00.5-03.3	893	98.1	96.7-99.5
55-64	1002	112,952	12	1.0	00.2-01.8	990	99.0	98.2-99.8
65+	1653	137,807	8	0.4	00.0-00.8	1645	99.6	99.2-0100
Less Than H.S.	324	91,569	13	7.2	02.9-11.5	311	92.8	88.5-97.1
H.S. or G.E.D.	1528	218,868	46	4.7	03.1-06.3	1482	95.3	93.7-96.9
Some Post-H.S.	1370	208,317	42	4.7	03.1-06.3	1328	95.3	93.7-96.9
College Graduate	1850	179,567	31	2.1	01.3-02.9	1819	97.9	97.1-98.7
Less than \$15,000	585	79,835	29	7.9	04.4-11.4	556	92.1	88.6-95.6
\$15,000- 24,999	520	76,375	17	5.7	02.6-08.8	503	94.3	91.2-97.4
\$25,000- 34,999	475	62,505	16	4.2	01.8-06.6	459	95.8	93.4-98.2
\$35,000- 49,999	640	88,725	21	5.8	03.1-08.5	619	94.2	91.5-96.9
\$50,000- 74,999	761	103,860	13	4.0	01.5-06.5	748	96.0	93.5-98.5
\$75,000+	1409	194,429	22	2.3	01.1-03.5	1387	97.7	96.5-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1972	333,282	66	4.9	03.5-06.3	1906	95.1	93.7-96.5
White/Non-Hisp	1539	223,103	42	3.9	02.5-05.3	1497	96.1	94.7-97.5
Black or Afr. Am./Non-Hisp	245	63,764	13	7.2	02.9-11.5	232	92.8	88.5-97.1
Oth. Race/Non-Hisp.	67	15,427				67	100.0	0100-0100
Hispanic	66	25,449	6	9.8	00.8-18.8	60	90.2	81.2-99.2
18-24	156	46,017	20	11.5	05.6-17.4	136	88.5	82.6-94.4
25-34	205	56,738	20	10.5	05.4-15.6	185	89.5	84.4-94.6
35-44	249	53,706	8	5.2	00.9-09.5	241	94.8	90.5-99.1
45-54	342	61,766	6	1.8	00.0-03.6	336	98.2	96.4-0100
55-64	390	52,726	7	1.6	00.2-03.0	383	98.4	97.0-99.8
65+	616	60,946	4	0.6	00.0-01.4	612	99.4	98.6-0100
Less Than H.S.	164	55,637	8	7.0	01.5-12.5	156	93.0	87.5-98.5
H.S. or G.E.D.	575	101,290	25	6.0	03.3-08.7	550	94.0	91.3-96.7
Some Post-H.S.	491	91,095	19	5.0	02.5-07.5	472	95.0	92.5-97.5
College Graduate	741	85,140	14	2.2	00.8-03.6	727	97.8	96.4-99.2
Less than \$15,000	211	38,577	17	11.0	04.5-17.5	194	89.0	82.5-95.5
\$15,000- 24,999	165	30,174	5	3.5	00.0-07.4	160	96.5	92.6-0100
\$25,000- 34,999	170	28,084	6	3.8	00.3-07.3	164	96.2	92.7-99.7
\$35,000- 49,999	243	41,873	12	7.6	02.7-12.5	231	92.4	87.5-97.3
\$50,000- 74,999	308	52,311	6	3.8	00.3-07.3	302	96.2	92.7-99.7
\$75,000+	666	106,790	14	3.1	01.1-05.1	652	96.9	94.9-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3107	365,852	66	3.8	02.6-05.0	3041	96.2	95.0-97.4
White/Non-Hisp	2408	244,887	43	3.0	01.8-04.2	2365	97.0	95.8-98.2
Black or Afr. Am./Non-Hisp	471	75,961	21	7.9	04.0-11.8	450	92.1	88.2-96.0
Oth. Race/Non-Hisp.	71	12,110	1	2.0	00.0-05.9	70	98.0	94.1-0100
MultiRacial/Non-Hisp.	57	4,690				57	100.0	0100-0100
Hispanic	87	26,969	1	1.2	00.0-03.4	86	98.8	96.6-0100
18-24	153	44,512	22	12.4	07.1-17.7	131	87.6	82.3-92.9
25-34	319	57,493	16	5.5	02.6-08.4	303	94.5	91.6-97.4
35-44	389	57,716	13	6.2	01.9-10.5	376	93.8	89.5-98.1
45-54	563	66,302	6	2.0	00.0-04.2	557	98.0	95.8-0100
55-64	612	60,226	5	0.5	00.0-01.1	607	99.5	98.9-0100
65+	1037	76,861	4	0.2	00.0-00.4	1033	99.8	99.6-0100
Less Than H.S.	160	35,932	5	7.4	00.9-13.9	155	92.6	86.1-99.1
H.S. or G.E.D.	953	117,577	21	3.5	01.5-05.5	932	96.5	94.5-98.5
Some Post-H.S.	879	117,223	23	4.6	02.6-06.6	856	95.4	93.4-97.4
College Graduate	1109	94,426	17	2.0	00.8-03.2	1092	98.0	96.8-99.2
Less than \$15,000	374	41,258	12	4.9	01.6-08.2	362	95.1	91.8-98.4
\$15,000- 24,999	355	46,201	12	7.2	02.7-11.7	343	92.8	88.3-97.3
\$25,000- 34,999	305	34,421	10	4.5	01.2-07.8	295	95.5	92.2-98.8
\$35,000- 49,999	397	46,852	9	4.2	01.1-07.3	388	95.8	92.7-98.9
\$50,000- 74,999	453	51,549	7	4.1	00.6-07.6	446	95.9	92.4-99.4
\$75,000+	743	87,640	8	1.4	00.2-02.6	735	98.6	97.4-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2012**

End of Core Data Report