

DELAWARE

2015 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 27, 2016



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \*\*\*\*\*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \*\*\*\*\*

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
19 MALES AND FEMALES	22
20 MALES ONLY	23
21 FEMALES ONLY	24
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	25
23 MALES ONLY	26
24 FEMALES ONLY	27
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	28
26 MALES ONLY	29
27 FEMALES ONLY	30

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	559	78,906	10	2.6	00.4-04.8	39	6.4	03.9-08.9	132	30.5	24.8-36.2	242	41.1	35.6-46.6	136	19.3	15.2-23.4
Male	254	41,779	5	3.7	00.0-07.6	17	5.9	02.4-09.4	62	34.2	25.6-42.8	111	36.8	29.2-44.4	59	19.3	13.2-25.4
Female	305	37,127	5	1.4	00.0-02.8	22	6.9	03.2-10.6	70	26.5	19.8-33.2	131	45.9	38.3-53.5	77	19.4	14.1-24.7
White/Non-Hisp	393	49,566	8	3.0	00.0-06.1	27	6.8	03.7-09.9	75	26.8	20.1-33.5	174	42.6	35.9-49.3	109	20.8	16.1-25.5
Black or Afr. Am./Non-Hisp	106	20,023				7	4.3	00.8-07.8	35	37.4	24.1-50.7	46	42.1	29.4-54.8	18	16.3	07.7-24.9
45-54	78	16,808	2	1.1	00.0-02.7	14	11.1	03.7-18.5	35	53.7	39.0-68.4	27	34.1	20.2-48.0			
55-64	154	22,097	3	0.8	00.0-01.8	10	3.8	01.3-06.3	49	33.2	23.6-42.8	84	57.0	47.0-67.0	8	5.2	01.1-09.3
65+	290	31,047	1	0.3	00.0-00.9	8	2.9	00.4-05.4	29	10.6	05.7-15.5	126	41.6	34.3-48.9	126	44.6	37.2-52.0
Less Than H.S.	72	14,499				6	7.2	00.0-14.6	28	45.4	30.9-59.9	26	29.1	16.6-41.6	12	18.3	07.1-29.5
H.S. or G.E.D.	191	28,354	6	4.8	00.0-10.1	13	5.3	01.4-09.2	43	29.8	19.6-40.0	78	40.3	30.7-49.9	51	19.8	12.9-26.7
Some Post-H.S.	126	18,388	2	3.1	00.0-07.4	9	7.1	02.0-12.2	27	25.9	15.5-36.3	50	39.8	28.0-51.6	38	24.0	15.0-33.0
College Graduate	167	17,525	2	0.8	00.0-02.0	10	6.6	01.7-11.5	34	24.5	14.9-34.1	86	53.4	43.4-63.4	35	14.7	08.8-20.6
\$15,000- 24,999	99	12,316	2	1.2	00.0-03.0	5	3.9	00.4-07.4	31	40.4	26.7-54.1	33	26.6	16.2-37.0	28	27.9	15.9-39.9
\$25,000- 34,999	53	7,689	3	14.7	00.0-32.1	3	2.3	00.0-05.2	12	24.5	09.0-40.0	21	32.7	15.8-49.6	14	25.9	09.2-42.6
\$35,000- 49,999	70	9,544	1	2.5	00.0-07.4	4	6.4	00.0-12.9	14	29.9	14.0-45.8	34	47.7	31.6-63.8	17	13.4	05.6-21.2
\$50,000- 74,999	82	12,865	1	2.6	00.0-07.7	4	4.4	00.0-09.3	21	34.4	18.3-50.5	37	41.3	27.4-55.2	19	17.2	08.0-26.4
\$75,000+	100	15,542	3	1.4	00.0-03.0	6	7.6	00.3-14.9	19	21.3	10.3-32.3	55	57.6	44.3-70.9	17	12.2	04.8-19.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	254	41,779	5	3.7	00.0-07.6	17	5.9	02.4-09.4	62	34.2	25.4-43.0	111	36.8	29.2-44.4	59	19.3	13.2-25.4
White/Non-Hisp	184	27,264	4	4.5	00.0-10.0	14	7.4	02.5-12.3	37	30.4	20.2-40.6	82	38.4	29.2-47.6	47	19.4	12.7-26.1
55-64	67	10,759	1	0.7	00.0-02.1	5	3.8	00.1-07.5	22	35.1	20.4-49.8	34	52.6	37.5-67.7	5	7.9	00.3-15.5
65+	138	16,346				5	4.4	00.0-08.9	16	10.7	04.6-16.8	63	40.7	30.3-51.1	54	44.2	33.4-55.0
H.S. or G.E.D.	81	15,177	4	8.0	00.0-17.6	6	6.7	00.0-13.6	23	39.6	23.7-55.5	34	33.3	20.4-46.2	14	12.4	04.4-20.4
Some Post-H.S.	50	8,518	1	3.9	00.0-11.3	4	10.2	00.4-20.0	7	18.8	05.3-32.3	20	37.1	21.0-53.2	18	30.0	15.3-44.7
College Graduate	89	9,319				4	3.1	00.0-06.6	19	29.4	14.3-44.5	45	48.5	34.2-62.8	21	19.0	09.2-28.8
\$75,000+	56	8,730	1	0.8	00.0-02.4	3	8.2	00.0-19.2	15	30.8	14.3-47.3	27	47.0	29.6-64.4	10	13.1	03.3-22.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	305	37,127	5	1.4	00.0-02.8	22	6.9	03.2-10.6	70	26.5	19.8-33.2	131	45.9	38.3-53.5	77	19.4	14.1-24.7
White/Non-Hisp	209	22,302	4	1.2	00.0-02.4	13	6.1	02.2-10.0	38	22.3	14.5-30.1	92	47.9	39.1-56.7	62	22.5	16.0-29.0
Black or Afr. Am./Non-Hisp	62	10,006				5	4.3	00.2-08.4	19	30.8	15.3-46.3	27	47.4	30.7-64.1	11	17.5	05.2-29.8
55-64	87	11,338	2	0.8	00.0-02.0	5	3.8	00.3-07.3	27	31.5	19.2-43.8	50	61.3	48.4-74.2	3	2.6	00.0-05.7
65+	152	14,701	1	0.6	00.0-01.8	3	1.3	00.0-02.9	13	10.4	02.8-18.0	63	42.5	32.3-52.7	72	45.1	34.9-55.3
H.S. or G.E.D.	110	13,176	2	1.0	00.0-02.4	7	3.6	00.7-06.5	20	18.6	09.2-28.0	44	48.4	35.3-61.5	37	28.4	17.4-39.4
Some Post-H.S.	76	9,870	1	2.4	00.0-07.1	5	4.4	00.3-08.5	20	32.1	17.0-47.2	30	42.1	25.6-58.6	20	18.9	08.3-29.5
College Graduate	78	8,206	2	1.7	00.0-04.1	6	10.5	01.1-19.9	15	18.9	08.1-29.7	41	59.1	45.8-72.4	14	9.9	03.8-16.0
\$15,000- 24,999	60	6,326	1	0.7	00.0-02.1	3	4.4	00.0-09.5	17	35.4	17.6-53.2	20	27.8	14.3-41.3	19	31.7	15.2-48.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	591	83,429	70	13.1	09.0-17.2	125	23.7	18.8-28.6	386	61.1	55.6-66.6	10	2.1	00.5-03.7
Male	260	42,366	31	15.8	08.7-22.9	65	24.4	17.7-31.1	159	57.4	49.2-65.6	5	2.4	00.0-04.8
Female	331	41,063	39	10.2	06.3-14.1	60	23.1	16.2-30.0	227	64.9	57.6-72.2	5	1.9	00.0-04.1
White/Non-Hisp	411	51,993	46	9.5	06.2-12.8	86	22.9	17.2-28.6	270	64.4	58.1-70.7	9	3.2	00.7-05.7
Black or Afr. Am./Non-Hisp	116	21,817	13	17.6	06.0-29.2	25	22.1	11.1-33.1	77	59.7	47.2-72.2	1	0.6	00.0-01.8
45-54	79	16,825	13	18.1	04.6-31.6	15	18.8	07.6-30.0	48	59.4	44.1-74.7	3	3.7	00.0-08.6
55-64	158	22,930	19	12.4	05.5-19.3	29	21.4	12.0-30.8	107	65.3	55.1-75.5	3	0.9	00.0-01.9
65+	311	33,729	34	12.7	07.2-18.2	70	25.9	19.2-32.6	204	59.7	52.3-67.1	3	1.7	00.0-03.7
Less Than H.S.	82	15,853	11	12.0	03.4-20.6	14	16.5	06.1-26.9	56	70.6	58.3-82.9	1	0.9	00.0-02.7
H.S. or G.E.D.	206	30,574	24	14.4	06.0-22.8	48	26.5	17.7-35.3	130	56.0	46.2-65.8	4	3.1	00.0-06.6
Some Post-H.S.	129	19,260	14	11.3	04.4-18.2	25	25.3	14.3-36.3	87	60.5	49.1-71.9	3	3.0	00.0-06.5
College Graduate	171	17,473	21	13.7	06.8-20.6	38	24.2	15.8-32.6	110	61.4	51.8-71.0	2	0.8	00.0-02.0
Less than \$15,000	54	7,174	9	12.8	03.2-22.4	8	15.1	01.2-29.0	34	67.7	51.4-84.0	3	4.4	00.0-09.5
\$15,000- 24,999	99	12,158	10	12.1	03.3-20.9	18	25.7	12.4-39.0	71	62.2	48.5-75.9			
\$25,000- 34,999	58	8,081	3	10.8	00.0-24.7	14	21.6	07.7-35.5	40	62.8	44.8-80.8	1	4.9	00.0-14.1
\$35,000- 49,999	74	10,706	12	13.7	03.1-24.3	21	39.5	23.6-55.4	41	46.8	31.3-62.3			
\$50,000- 74,999	81	12,722	11	23.6	07.3-39.9	17	16.0	07.4-24.6	52	59.0	43.7-74.3	1	1.4	00.0-04.1
\$75,000+	102	15,815	11	9.6	02.2-17.0	28	33.1	19.8-46.4	59	53.4	39.9-66.9	4	3.8	00.0-08.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	260	42,366	31	15.8	08.7-22.9	65	24.4	17.7-31.1	159	57.4	49.0-65.8	5	2.4	00.0-04.9
White/Non-Hisp	186	27,423	20	9.8	04.7-14.9	48	26.8	18.4-35.2	113	59.8	50.4-69.2	5	3.7	00.0-07.4
55-64	67	10,876	10	16.9	04.6-29.2	15	20.4	08.8-32.0	40	61.3	46.6-76.0	2	1.4	00.0-03.4
65+	143	16,772	15	14.5	05.9-23.1	36	26.9	17.9-35.9	90	55.8	45.2-66.4	2	2.8	00.0-06.7
H.S. or G.E.D.	85	15,518	11	19.3	04.6-34.0	24	26.6	14.1-39.1	47	50.6	35.9-65.3	3	3.5	00.0-08.6
College Graduate	90	9,319	12	17.6	06.0-29.2	23	23.1	12.9-33.3	55	59.3	45.6-73.0			
\$75,000+	55	8,709	8	15.9	03.0-28.8	19	30.5	15.2-45.8	27	52.8	35.6-70.0	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	331	41,063	39	10.2	06.3-14.1	60	23.1	16.2-30.0	227	64.9	57.8-72.0	5	1.9	00.0-04.1
White/Non-Hisp	225	24,569	26	9.2	05.1-13.3	38	18.6	11.3-25.9	157	69.6	61.6-77.6	4	2.6	00.0-05.9
Black or Afr. Am./Non-Hisp	67	11,358	6	8.6	00.0-17.2	15	28.5	12.0-45.0	45	61.7	44.8-78.6	1	1.2	00.0-03.6
55-64	91	12,054	9	8.3	01.8-14.8	14	22.4	08.1-36.7	67	68.9	54.6-83.2	1	0.4	00.0-01.2
65+	168	16,957	19	10.9	04.4-17.4	34	24.9	15.5-34.3	114	63.5	53.7-73.3	1	0.6	00.0-01.8
H.S. or G.E.D.	121	15,055	13	9.5	02.4-16.6	24	26.3	14.3-38.3	83	61.6	48.9-74.3	1	2.6	00.0-07.7
Some Post-H.S.	81	10,810	9	9.0	02.1-15.9	13	22.3	06.4-38.2	58	67.7	52.2-83.2	1	1.0	00.0-03.0
College Graduate	81	8,155	9	9.2	02.7-15.7	15	25.4	12.3-38.5	55	63.7	50.2-77.2	2	1.7	00.0-04.1
\$15,000- 24,999	61	6,179	8	20.5	05.0-36.0	9	12.3	01.3-23.3	44	67.2	50.1-84.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	587	82,618	353	57.6	52.3-62.9	94	16.0	12.1-19.9	42	9.7	05.6-13.8	12	1.5	00.5-02.5	78	14.1	10.2-18.0	8	1.0	00.2-01.8
Male	260	41,885	151	53.7	45.5-61.9	43	15.6	10.1-21.1	18	10.3	03.8-16.8	5	1.9	00.1-03.7	38	17.1	10.6-23.6	5	1.5	00.0-03.1
Female	327	40,732	202	61.6	54.5-68.7	51	16.4	11.1-21.7	24	9.1	03.8-14.4	7	1.2	00.0-02.4	40	11.1	07.0-15.2	3	0.5	00.0-01.1
White/Non-Hisp	411	52,000	234	54.9	48.4-61.4	72	17.0	12.5-21.5	30	8.2	04.5-11.9	8	1.4	00.2-02.6	62	17.6	12.3-22.9	5	0.9	00.0-01.9
Black or Afr. Am./Non-Hisp	115	21,414	77	61.3	49.1-73.5	16	14.5	05.9-23.1	9	15.0	02.8-27.2	2	0.7	00.0-01.7	9	7.3	01.6-13.0	2	1.3	00.0-03.5
45-54	80	17,162	53	59.4	44.7-74.1	11	14.4	04.8-24.0	4	8.2	00.0-20.5				12	17.9	06.3-29.5			
55-64	160	22,684	100	58.4	48.2-68.6	26	15.2	08.3-22.1	9	11.0	02.2-19.8	5	2.1	00.1-04.1	16	11.3	05.2-17.4	4	2.0	00.0-04.4
65+	304	32,709	171	55.2	47.9-62.5	55	20.1	14.2-26.0	24	8.1	04.4-11.8	6	1.5	00.0-03.1	44	13.9	09.2-18.6	4	1.2	00.0-02.6
Less Than H.S.	79	15,232	47	67.3	55.5-79.1	16	19.3	09.3-29.3	4	3.0	00.0-06.1				8	7.0	01.7-12.3	4	3.5	00.0-07.2
H.S. or G.E.D.	206	30,619	124	56.6	46.8-66.4	37	19.8	12.2-27.4	14	9.8	01.6-18.0	4	1.1	00.0-02.3	26	12.6	06.3-18.9	1	0.1	00.0-00.3
Some Post-H.S.	127	18,677	77	56.4	44.8-68.0	16	8.3	03.8-12.8	14	17.4	06.4-28.4	2	1.6	00.0-04.1	18	16.3	07.9-24.7			
College Graduate	171	17,807	102	51.8	42.0-61.6	25	15.0	08.1-21.9	10	7.5	02.0-13.0	5	3.5	00.0-07.2	26	20.8	11.6-30.0	3	1.5	00.0-03.5
Less than \$15,000	52	7,068	36	77.5	64.8-90.2	7	12.3	01.9-22.7	2	2.4	00.0-05.9	2	1.1	00.0-02.9	5	6.7	00.2-13.2			
\$15,000- 24,999	100	12,521	69	71.6	59.4-83.8	13	14.6	05.2-24.0	2	0.9	00.0-02.3	3	1.4	00.0-03.2	10	10.4	01.0-19.8	3	1.1	00.0-02.3
\$25,000- 34,999	55	7,293	36	59.0	40.6-77.4	7	15.6	02.5-28.7	3	11.6	00.0-27.9	1	1.4	00.0-04.1	8	12.4	03.0-21.8			
\$35,000- 49,999	71	10,101	34	41.0	25.7-56.3	18	37.9	21.4-54.4	8	9.6	00.6-18.6				11	11.6	01.4-21.8			
\$50,000- 74,999	82	12,800	41	45.8	31.7-59.9	16	12.8	05.9-19.7	8	20.1	03.8-36.4	2	2.0	00.0-04.9	15	19.3	08.5-30.1			
\$75,000+	101	15,714	63	51.8	38.5-65.1	18	15.3	06.9-23.7	6	10.9	00.0-22.7	2	3.3	00.0-07.8	10	17.3	05.9-28.7	2	1.4	00.0-03.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	260	41,885	151	53.7	45.5-61.9	43	15.6	09.9-21.3	18	10.3	03.8-16.8	5	1.9	00.1-03.7	38	17.1	10.6-23.6	5	1.5	00.0-03.1
White/Non-Hisp	186	27,481	105	52.4	42.6-62.2	32	16.1	09.6-22.6	14	9.1	03.2-15.0	3	1.5	00.0-03.5	29	19.5	11.1-27.9	3	1.3	00.0-02.9
55-64	69	10,958	47	67.1	53.2-81.0	8	13.2	02.2-24.2	4	4.9	00.0-10.0	1	0.8	00.0-02.4	6	10.3	01.3-19.3	3	3.7	00.0-08.6
65+	141	16,093	76	49.9	39.5-60.3	28	20.7	12.1-29.3	10	9.4	03.1-15.7	3	2.6	00.0-05.7	22	16.0	08.4-23.6	2	1.4	00.0-03.6
H.S. or G.E.D.	84	15,461	49	49.1	34.0-64.2	16	19.7	08.5-30.9	7	15.0	00.1-29.9	2	1.2	00.0-03.0	10	15.0	04.0-26.0			
College Graduate	90	9,380	51	49.5	35.4-63.6	13	10.6	03.7-17.5	4	5.0	00.0-10.1	2	4.0	00.0-10.1	17	28.1	13.6-42.6	3	2.8	00.0-06.7
\$75,000+	55	8,662	32	47.4	30.2-64.6	8	9.5	01.5-17.5	3	7.7	00.0-16.5	2	5.9	00.0-13.7	8	26.8	09.0-44.6	2	2.6	00.0-06.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	327	40,732	202	61.6	54.7-68.5	51	16.4	11.1-21.7	24	9.1	04.0-14.2	7	1.2	00.0-02.4	40	11.1	07.0-15.2	3	0.5	00.0-01.1
White/Non-Hisp	225	24,519	129	57.7	49.3-66.1	40	17.9	11.6-24.2	16	7.3	02.8-11.8	5	1.2	00.0-02.6	33	15.5	09.4-21.6	2	0.4	00.0-01.0
Black or Afr. Am./Non-Hisp	66	10,954	46	63.3	47.6-79.0	9	16.4	03.5-29.3	6	15.9	00.0-32.0	1	0.6	00.0-01.8	4	3.8	00.0-07.9			
55-64	91	11,727	53	50.4	36.5-64.3	18	17.1	08.3-25.9	5	16.6	01.7-31.5	4	3.4	00.0-07.1	10	12.2	04.2-20.2	1	0.4	00.0-01.2
65+	163	16,616	95	60.2	50.2-70.2	27	19.6	11.0-28.2	14	6.8	02.7-10.9	3	0.5	00.0-01.1	22	11.9	05.8-18.0	2	1.0	00.0-02.4
H.S. or G.E.D.	122	15,157	75	64.2	52.8-75.6	21	19.9	09.7-30.1	7	4.4	00.7-08.1	2	1.0	00.0-02.6	16	10.2	03.9-16.5	1	0.3	00.0-00.9
Some Post-H.S.	78	10,182	49	62.6	46.5-78.7	12	10.3	03.6-17.0	8	17.5	00.4-34.6	1	0.6	00.0-01.8	8	9.0	01.7-16.3			
College Graduate	81	8,427	51	54.3	40.6-68.0	12	19.8	08.0-31.6	6	10.4	01.0-19.8	3	3.0	00.0-07.1	9	12.6	02.8-22.4			
\$15,000- 24,999	61	6,482	41	73.2	58.9-87.5	8	16.2	03.3-29.1	2	1.7	00.0-04.2	2	1.4	00.0-03.6	6	6.0	00.3-11.7	2	1.5	00.0-03.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	585	81,473	77	16.9	12.2-21.6	149	23.9	19.2-28.6	80	13.8	10.1-17.5	146	24.0	19.3-28.7	79	13.0	09.5-16.5	54	8.5	05.6-11.4
Male	261	41,758	42	18.7	11.8-25.6	80	27.6	20.0-35.2	27	12.5	07.0-18.0	59	20.8	14.3-27.3	34	11.9	07.2-16.6	19	8.4	03.7-13.1
Female	324	39,715	35	15.1	08.4-21.8	69	19.9	14.4-25.4	53	15.0	10.1-19.9	87	27.3	20.6-34.0	45	14.1	08.8-19.4	35	8.5	05.2-11.8
White/Non-Hisp	410	51,423	56	17.5	11.8-23.2	113	25.7	20.2-31.2	55	14.0	09.5-18.5	104	25.8	19.9-31.7	46	9.1	06.0-12.2	36	7.9	04.6-11.2
Black or Afr. Am./Non-Hisp	111	20,626	12	15.3	04.5-26.1	25	24.8	12.6-37.0	14	11.5	04.1-18.9	25	16.9	08.5-25.3	26	22.7	12.7-32.7	9	8.7	01.8-15.6
45-54	77	16,237	9	18.1	04.8-31.4	18	26.4	11.5-41.3	10	8.1	02.0-14.2	20	28.3	15.4-41.2	10	9.5	01.9-17.1	10	9.6	01.8-17.4
55-64	158	22,534	24	17.9	08.3-27.5	42	27.2	18.6-35.8	18	11.6	05.1-18.1	41	23.9	15.7-32.1	24	14.1	07.6-20.6	9	5.3	00.4-10.2
65+	307	32,712	36	15.8	09.5-22.1	82	23.9	17.8-30.0	45	14.7	09.8-19.6	73	19.7	14.4-25.0	40	15.7	09.8-21.6	31	10.1	05.8-14.4
Less Than H.S.	78	14,997	13	22.0	08.9-35.1	12	11.2	03.8-18.6	10	15.4	05.0-25.8	18	27.6	14.5-40.7	17	16.7	07.7-25.7	8	7.0	01.3-12.7
H.S. or G.E.D.	204	29,870	31	17.9	10.3-25.5	47	24.5	15.3-33.7	30	13.1	06.8-19.4	51	20.7	13.4-28.0	25	13.6	07.1-20.1	20	10.2	04.3-16.1
Some Post-H.S.	128	18,956	16	15.0	04.6-25.4	33	26.7	16.7-36.7	22	13.8	07.5-20.1	31	24.1	14.5-33.7	13	13.0	05.4-20.6	13	7.5	02.0-13.0
College Graduate	171	17,367	17	13.2	04.8-21.6	56	30.8	22.0-39.6	18	13.7	06.6-20.8	44	26.1	17.5-34.7	24	9.0	04.7-13.3	12	7.2	02.3-12.1
Less than \$15,000	53	6,948	7	8.3	00.9-15.7	9	12.8	03.4-22.2	9	25.8	07.6-44.0	12	20.5	05.6-35.4	11	26.7	09.5-43.9	5	6.0	00.3-11.7
\$15,000- 24,999	102	12,220	16	19.4	08.0-30.8	21	22.5	10.3-34.7	15	9.5	04.0-15.0	30	28.2	16.4-40.0	12	13.0	05.0-21.0	8	7.4	01.5-13.3
\$25,000- 34,999	54	7,416	7	22.6	04.8-40.4	11	19.2	04.5-33.9	10	19.1	02.6-35.6	17	26.9	11.6-42.2	5	5.9	00.0-11.8	4	6.3	00.0-12.8
\$35,000- 49,999	74	10,706	13	18.6	05.9-31.3	18	14.2	06.4-22.0	8	12.0	02.6-21.4	17	30.3	15.2-45.4	12	13.9	02.9-24.9	6	10.9	00.0-22.5
\$50,000- 74,999	81	12,695	7	7.4	01.1-13.7	21	34.6	18.7-50.5	10	8.1	02.6-13.6	21	23.2	12.2-34.2	13	17.8	07.4-28.2	9	8.9	01.8-16.0
\$75,000+	102	15,782	11	19.1	05.8-32.4	37	32.4	20.6-44.2	13	11.5	04.8-18.2	21	18.2	09.2-27.2	10	7.9	01.4-14.4	10	11.1	02.7-19.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	261	41,758	42	18.7	11.8-25.6	80	27.6	20.0-35.2	27	12.5	07.0-18.0	59	20.8	14.3-27.3	34	11.9	07.2-16.6	19	8.4	03.7-13.1
White/Non-Hisp	189	27,523	33	20.4	12.2-28.6	66	30.8	22.4-39.2	17	12.2	05.3-19.1	40	20.4	12.6-28.2	21	9.1	04.4-13.8	12	7.1	02.2-12.0
55-64	68	10,600	11	16.0	04.6-27.4	17	24.8	12.1-37.5	9	16.2	04.4-28.0	14	16.0	06.8-25.2	14	20.7	09.3-32.1	3	6.4	00.0-16.0
65+	143	16,464	24	22.6	12.4-32.8	47	27.1	18.5-35.7	11	9.8	03.7-15.9	30	16.2	09.3-23.1	18	12.6	05.7-19.5	13	11.6	04.2-19.0
H.S. or G.E.D.	85	15,569	16	17.2	07.2-27.2	24	31.1	16.0-46.2	7	9.3	00.1-18.5	19	19.9	08.9-30.9	11	11.4	04.0-18.8	8	11.1	01.7-20.5
College Graduate	92	9,491	10	15.7	02.4-29.0	35	34.6	21.7-47.5	7	12.8	02.6-23.0	22	19.1	09.9-28.3	11	7.9	01.6-14.2	7	9.8	01.6-18.0
\$75,000+	56	8,730	5	13.5	00.0-27.8	21	34.2	17.7-50.7	5	9.7	00.7-18.7	14	22.9	09.2-36.6	6	8.1	00.0-16.5	5	11.6	00.0-23.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	324	39,715	35	15.1	08.4-21.8	69	19.9	14.4-25.4	53	15.0	10.1-19.9	87	27.3	20.6-34.0	45	14.1	08.8-19.4	35	8.5	05.0-12.0			
White/Non-Hisp	221	23,900	23	14.1	06.7-21.5	47	19.9	13.4-26.4	38	16.0	10.3-21.7	64	32.1	23.7-40.5	25	9.1	04.8-13.4	24	8.9	04.4-13.4			
Black or Afr. Am./Non-Hisp	65	10,734	6	17.8	00.6-35.0	16	22.8	09.7-35.9	9	9.6	01.0-18.2	14	19.7	06.2-33.2	15	24.3	09.4-39.2	5	5.7	00.2-11.2			
55-64	90	11,934	13	19.6	04.5-34.7	25	29.3	17.3-41.3	9	7.6	02.1-13.1	27	31.0	18.1-43.9	10	8.2	02.1-14.3	6	4.3	00.6-08.0			
65+	164	16,248	12	8.9	02.4-15.4	35	20.7	12.3-29.1	34	19.7	12.3-27.1	43	23.2	15.0-31.4	22	18.7	09.3-28.1	18	8.6	04.1-13.1			
H.S. or G.E.D.	119	14,300	15	18.8	07.2-30.4	23	17.3	09.3-25.3	23	17.1	08.3-25.9	32	21.6	12.4-30.8	14	16.0	05.2-26.8	12	9.2	02.5-15.9			
Some Post-H.S.	79	10,674	7	14.0	00.0-29.7	18	24.7	11.4-38.0	15	14.1	06.1-22.1	18	23.2	10.1-36.3	10	15.5	04.9-26.1	11	8.5	02.8-14.2			
College Graduate	79	7,876	7	10.2	01.2-19.2	21	26.3	14.3-38.3	11	14.7	05.3-24.1	22	34.4	20.7-48.1	13	10.4	04.1-16.7	5	4.0	00.0-08.3			
\$15,000- 24,999	62	6,166	6	15.7	01.4-30.0	12	13.0	04.2-21.8	12	12.7	04.7-20.7	20	41.7	23.9-59.5	6	8.6	01.3-15.9	6	8.3	01.0-15.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 13: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	560	78,484	280	50.4	44.7-56.1	211	39.0	33.5-44.5	25	2.9	01.5-04.3	8	2.1	00.3-03.9	24	4.0	02.0-06.0	12	1.7	00.7-02.7
Male	246	39,813	138	56.8	48.6-65.0	81	33.8	26.0-41.6	10	3.0	00.6-05.4	5	2.6	00.1-05.1	6	2.0	00.2-03.8	6	1.8	00.2-03.4
Female	314	38,671	142	43.9	36.5-51.3	130	44.3	36.9-51.7	15	2.7	01.3-04.1	3	1.5	00.0-03.9	18	6.1	02.8-09.4	6	1.5	00.3-02.7
White/Non-Hisp	396	49,436	198	51.2	44.5-57.9	156	39.6	33.1-46.1	15	2.8	01.0-04.6	3	0.3	00.0-00.7	17	4.7	02.0-07.4	7	1.5	00.1-02.9
Black or Afr. Am./Non-Hisp	104	19,907	58	56.6	44.1-69.1	31	31.2	19.6-42.8	7	3.2	00.5-05.9	5	7.6	00.9-14.3	2	1.0	00.0-02.4	1	0.5	00.0-01.5
45-54	75	15,485	38	57.6	43.1-72.1	25	29.7	16.6-42.8	4	2.1	00.0-04.3	1	3.0	00.0-08.9	5	5.8	00.0-11.9	2	1.7	00.0-04.1
55-64	151	21,884	74	51.2	40.8-61.6	63	41.6	31.4-51.8	5	2.0	00.0-04.0	2	2.5	00.0-06.0	4	1.4	00.0-02.8	3	1.4	00.0-03.0
65+	295	31,943	152	50.2	42.8-57.6	107	38.0	30.7-45.3	15	4.6	01.9-07.3	5	2.0	00.0-04.2	11	3.7	01.3-06.1	5	1.6	00.0-03.4
Less Than H.S.	72	13,597	29	35.8	22.3-49.3	24	43.2	28.5-57.9	3	2.8	00.0-06.1	3	6.0	00.0-12.9	6	5.8	00.9-10.7	7	6.3	01.0-11.6
H.S. or G.E.D.	193	28,754	106	57.9	48.3-67.5	62	31.3	22.5-40.1	10	3.0	00.8-05.2	2	2.4	00.0-05.9	10	4.7	01.2-08.2	3	0.8	00.0-01.8
Some Post-H.S.	126	18,668	59	48.4	36.6-60.2	56	44.8	33.2-56.4	5	3.6	00.0-07.5	1	0.2	00.0-00.6	5	3.0	00.3-05.7			
College Graduate	168	17,379	85	51.5	41.7-61.3	69	42.2	32.4-52.0	7	1.9	00.3-03.5	2	0.6	00.0-01.6	3	2.6	00.0-06.1	2	1.3	00.0-03.1
Less than \$15,000	50	6,696	17	22.6	08.7-36.5	22	57.1	38.7-75.5	2	1.6	00.0-04.1	1	7.0	00.0-20.1	6	8.7	01.3-16.1	2	3.1	00.0-07.4
\$15,000- 24,999	99	12,017	49	55.0	41.7-68.3	32	26.0	14.8-37.2	6	4.3	00.4-08.2	3	7.0	00.0-14.6	6	5.9	00.8-11.0	3	1.9	00.0-04.3
\$25,000- 34,999	51	7,208	24	52.1	33.5-70.7	20	36.9	19.5-54.3	2	2.3	00.0-05.4	1	1.2	00.0-03.6	2	3.1	00.0-08.4	2	4.4	00.0-11.7
\$35,000- 49,999	71	10,377	34	51.1	34.8-67.4	33	45.0	28.9-61.1	1	0.6	00.0-02.0	1	0.2	00.0-00.6	2	3.1	00.0-07.8			
\$50,000- 74,999	81	12,728	43	55.9	42.0-69.8	33	40.1	26.6-53.6	2	1.6	00.0-04.0				2	1.5	00.0-03.7	1	0.9	00.0-02.7
\$75,000+	101	15,496	57	56.6	43.7-69.5	35	34.1	22.1-46.1	5	3.1	00.0-07.0	1	1.3	00.0-03.8	3	4.9	00.0-11.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 14: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	246	39,813	138	56.8	48.8-64.8	81	33.8	26.0-41.6	10	3.0	00.6-05.4	5	2.6	00.1-05.1	6	2.0	00.2-03.8	6	1.8	00.2-03.4
White/Non-Hisp	180	25,996	103	59.7	50.3-69.1	58	31.6	22.6-40.6	7	3.4	00.3-06.5	1	0.1	00.0-00.3	6	3.0	00.3-05.7	5	2.4	00.0-04.8
55-64	63	10,192	32	55.0	40.1-69.9	24	35.0	20.9-49.1	4	3.7	00.0-07.8	2	5.4	00.0-12.8				1	1.1	00.0-03.3
65+	136	15,962	77	53.8	43.2-64.4	42	31.7	21.7-41.7	6	5.2	00.3-10.1	3	3.2	00.0-07.5	5	3.7	00.0-07.4	3	2.4	00.0-05.7
H.S. or G.E.D.	80	15,049	47	63.7	50.0-77.4	23	28.1	15.4-40.8	4	2.6	00.0-05.5	1	1.5	00.0-04.2	3	2.9	00.0-06.4	2	1.2	00.0-03.0
College Graduate	88	9,220	51	64.2	51.7-76.7	31	32.1	19.9-44.3	2	0.8	00.0-02.0	1	0.2	00.0-00.6	2	1.6	00.0-04.1	1	1.2	00.0-03.6
\$75,000+	55	8,662	31	60.5	44.0-77.0	20	32.9	17.4-48.4	3	4.3	00.0-11.2	1	2.3	00.0-06.8						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 15: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	314	38,671	142	43.9	36.5-51.3	130	44.3	36.9-51.7	15	2.7	01.3-04.1	3	1.5	00.0-03.9	18	6.1	02.8-09.4	6	1.5	00.3-02.7
White/Non-Hisp	216	23,439	95	41.8	33.2-50.4	98	48.5	39.9-57.1	8	2.1	00.5-03.7	2	0.5	00.0-01.3	11	6.5	01.8-11.2	2	0.5	00.0-01.3
Black or Afr. Am./Non-Hisp	62	10,306	37	59.1	42.0-76.2	16	30.0	13.7-46.3	5	3.6	00.3-06.9	1	4.6	00.0-13.2	2	1.9	00.0-04.6	1	0.9	00.0-02.7
55-64	88	11,692	42	47.8	33.1-62.5	39	47.4	32.9-61.9	1	0.5	00.0-01.5				4	2.6	00.0-05.3	2	1.7	00.0-04.1
65+	159	15,981	75	46.7	36.3-57.1	65	44.2	34.0-54.4	9	3.9	01.2-06.6	2	0.8	00.0-02.0	6	3.7	00.6-06.8	2	0.7	00.0-01.7
H.S. or G.E.D.	113	13,704	59	51.5	38.8-64.2	39	34.8	22.8-46.8	6	3.4	00.5-06.3	1	3.4	00.0-10.1	7	6.6	00.1-13.1	1	0.3	00.0-00.9
Some Post-H.S.	78	10,457	33	45.6	29.1-62.1	38	49.4	33.3-65.5	2	1.3	00.0-03.1	1	0.4	00.0-01.2	4	3.4	00.0-06.9			
College Graduate	80	8,160	34	37.1	24.2-50.0	38	53.6	40.3-66.9	5	3.2	00.3-06.1	1	1.1	00.0-03.3	1	3.7	00.0-10.8	1	1.3	00.0-03.8
\$15,000- 24,999	61	6,087	27	46.4	29.0-63.8	24	38.9	21.5-56.3	3	3.0	00.0-06.7				5	9.8	00.8-18.8	2	1.9	00.0-04.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	579	81,586	105	23.6	18.5-28.7	117	22.1	17.0-27.2	59	9.5	06.6-12.4	98	15.3	11.8-18.8	76	10.4	07.3-13.5	124	19.0	15.1-22.9
Male	254	40,817	52	24.3	17.0-31.6	59	27.4	19.2-35.6	21	8.2	04.1-12.3	35	12.5	07.6-17.4	40	11.7	06.8-16.6	47	15.9	10.4-21.4
Female	325	40,769	53	22.9	15.6-30.2	58	16.8	11.5-22.1	38	10.8	06.7-14.9	63	18.2	12.9-23.5	36	9.2	05.3-13.1	77	22.1	16.4-27.8
White/Non-Hisp	407	51,544	69	21.8	15.9-27.7	83	22.7	17.0-28.4	44	9.2	06.1-12.3	70	16.6	11.9-21.3	51	9.5	05.8-13.2	90	20.1	15.2-25.0
Black or Afr. Am./Non-Hisp	110	20,988	19	27.2	14.7-39.7	25	22.7	10.7-34.7	11	11.0	03.4-18.6	15	10.3	04.4-16.2	19	13.3	06.2-20.4	21	15.5	07.9-23.1
45-54	81	17,210	16	24.1	11.2-37.0	16	25.1	10.6-39.6	6	7.5	00.4-14.6	13	14.1	05.3-22.9	9	11.2	01.2-21.2	21	18.0	08.6-27.4
55-64	153	22,114	32	27.1	16.3-37.9	32	20.6	12.6-28.6	10	8.5	02.4-14.6	26	15.1	08.6-21.6	22	11.2	05.7-16.7	31	17.5	10.6-24.4
65+	302	32,322	44	19.1	12.6-25.6	60	18.9	13.2-24.6	40	12.5	08.2-16.8	53	17.2	11.7-22.7	43	12.5	08.0-17.0	62	19.8	13.9-25.7
Less Than H.S.	76	14,381	11	13.0	04.2-21.8	9	15.1	03.3-26.9	6	10.4	01.2-19.6	14	16.1	06.3-25.9	14	17.8	06.2-29.4	22	27.5	15.7-39.3
H.S. or G.E.D.	204	30,523	43	28.5	19.3-37.7	43	27.6	17.8-37.4	20	6.9	03.4-10.4	27	11.5	06.0-17.0	25	10.3	05.2-15.4	46	15.2	09.7-20.7
Some Post-H.S.	129	19,062	25	27.4	15.2-39.6	23	17.1	09.3-24.9	18	14.3	07.0-21.6	23	15.6	08.3-22.9	13	7.5	02.6-12.4	27	18.1	09.9-26.3
College Graduate	168	17,493	25	19.3	10.5-28.1	41	23.6	15.4-31.8	15	8.2	03.3-13.1	34	21.3	13.5-29.1	24	7.9	04.0-11.8	29	19.7	11.3-28.1
Less than \$15,000	53	7,109	10	13.5	04.3-22.7	3	4.6	00.0-09.9	8	28.6	10.0-47.2	8	10.4	01.6-19.2	7	14.5	00.6-28.4	17	28.3	12.2-44.4
\$15,000- 24,999	100	12,513	17	24.7	11.8-37.6	14	14.5	05.1-23.9	5	3.6	00.1-07.1	23	23.2	11.8-34.6	18	16.2	07.8-24.6	23	17.9	09.1-26.7
\$25,000- 34,999	55	7,271	8	23.9	06.1-41.7	8	22.2	03.8-40.6	9	12.1	03.7-20.5	6	9.9	00.9-18.9	10	8.6	02.3-14.9	14	23.3	10.0-36.6
\$35,000- 49,999	72	10,533	13	28.1	11.4-44.8	17	24.5	11.0-38.0	7	7.8	00.9-14.7	12	17.1	05.5-28.7	9	7.1	01.2-13.0	14	15.5	06.3-24.7
\$50,000- 74,999	82	12,800	16	21.6	10.4-32.8	22	31.4	15.5-47.3	10	8.2	02.1-14.3	14	16.5	07.3-25.7	6	6.5	00.4-12.6	14	15.9	06.3-25.5
\$75,000+	100	15,556	19	28.5	14.8-42.2	24	23.4	12.8-34.0	13	10.7	04.0-17.4	14	12.9	05.5-20.3	9	4.1	00.8-07.4	21	20.5	10.1-30.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	254	40,817	52	24.3	16.9-31.7	59	27.4	19.2-35.6	21	8.2	04.1-12.3	35	12.5	07.6-17.4	40	11.7	06.8-16.6	47	15.9	10.2-21.6
White/Non-Hisp	185	27,203	41	26.7	17.9-35.5	44	29.1	19.9-38.3	16	6.5	02.8-10.2	24	12.1	06.4-17.8	28	11.5	05.2-17.8	32	14.1	08.0-20.2
55-64	65	10,191	16	26.4	11.9-40.9	13	23.9	11.0-36.8	5	11.3	00.3-22.3	5	6.0	00.3-11.7	14	16.2	06.8-25.6	12	16.1	05.7-26.5
65+	138	15,771	23	20.8	12.0-29.6	31	18.9	11.6-26.2	14	10.1	04.2-16.0	22	17.8	09.2-26.4	23	13.3	06.8-19.8	25	19.1	10.3-27.9
H.S. or G.E.D.	83	15,412	18	29.4	15.5-43.3	22	34.8	19.1-50.5	6	5.4	00.5-10.3	10	11.9	03.5-20.3	13	9.6	03.9-15.3	14	9.0	03.1-14.9
Some Post-H.S.	50	8,510	13	26.8	11.3-42.3	11	21.9	08.0-35.8	4	7.1	00.0-14.2	11	21.1	08.4-33.8	4	5.6	00.0-11.9	7	17.5	03.6-31.4
College Graduate	87	9,076	15	24.2	10.5-37.9	19	23.0	11.6-34.4	7	6.4	00.5-12.3	12	12.9	04.3-21.5	15	10.4	03.7-17.1	19	23.1	10.4-35.8
\$75,000+	54	8,504	11	24.8	08.3-41.3	13	28.9	12.6-45.2	3	4.3	00.0-10.2	9	15.6	04.4-26.8	6	5.6	00.1-11.1	12	20.8	06.7-34.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	325	40,769	53	22.9	15.6-30.2	58	16.8	11.5-22.1	38	10.8	06.9-14.7	63	18.2	12.9-23.5	36	9.2	05.1-13.3	77	22.1	16.6-27.6
White/Non-Hisp	222	24,341	28	16.3	08.9-23.7	39	15.6	10.1-21.1	28	12.3	07.2-17.4	46	21.7	14.4-29.0	23	7.4	03.7-11.1	58	26.9	19.5-34.3
Black or Afr. Am./Non-Hisp	66	11,281	13	35.8	17.8-53.8	17	24.2	10.1-38.3	7	8.5	00.1-16.9	9	10.7	02.9-18.5	9	11.2	02.0-20.4	11	9.7	03.2-16.2
55-64	88	11,923	16	27.6	11.7-43.5	19	17.8	08.2-27.4	5	6.1	00.0-12.2	21	22.9	12.1-33.7	8	7.0	01.1-12.9	19	18.6	09.4-27.8
65+	164	16,551	21	17.4	08.2-26.6	29	18.9	10.3-27.5	26	14.7	08.4-21.0	31	16.6	09.5-23.7	20	11.7	05.0-18.4	37	20.5	12.9-28.1
H.S. or G.E.D.	121	15,112	25	27.5	15.3-39.7	21	20.3	09.9-30.7	14	8.3	03.4-13.2	17	11.2	04.7-17.7	12	11.1	02.9-19.3	32	21.5	12.5-30.5
Some Post-H.S.	79	10,552	12	28.0	10.2-45.8	12	13.3	04.7-21.9	14	20.1	08.5-31.7	12	11.1	03.3-18.9	9	9.0	01.7-16.3	20	18.6	08.6-28.6
College Graduate	81	8,417	10	14.1	04.7-23.5	22	24.1	12.5-35.7	8	10.1	02.3-17.9	22	30.4	17.7-43.1	9	5.1	01.6-08.6	10	16.1	04.9-27.3
\$15,000- 24,999	61	6,495	8	16.6	02.5-30.7	9	11.8	03.0-20.6	4	4.7	00.0-09.8	18	38.1	20.5-55.7	6	7.0	00.7-13.3	16	21.9	09.4-34.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	601	84,264	165	26.1	21.4-30.8	286	45.2	39.9-50.5	79	16.1	11.6-20.6	62	10.0	06.9-13.1	9	2.6	00.4-04.8
Male	265	42,669	73	28.9	21.5-36.3	125	43.3	35.5-51.1	31	13.6	07.5-19.7	30	11.2	06.3-16.1	6	3.1	00.2-06.0
Female	336	41,595	92	23.3	17.4-29.2	161	47.1	39.8-54.4	48	18.6	11.9-25.3	32	8.8	05.1-12.5	3	2.2	00.0-05.3
White/Non-Hisp	419	52,449	106	23.8	18.3-29.3	203	46.5	40.0-53.0	58	16.2	10.9-21.5	45	9.8	06.3-13.3	7	3.8	00.5-07.1
Black or Afr. Am./Non-Hisp	116	21,873	45	35.8	23.6-48.0	53	41.1	29.3-52.9	13	18.0	06.8-29.2	4	4.4	00.0-09.3	1	0.6	00.0-01.8
45-54	80	17,166	23	30.7	16.4-45.0	29	32.1	19.4-44.8	12	16.5	05.1-27.9	12	14.2	05.0-23.4	4	6.5	00.0-14.3
55-64	161	23,155	32	20.2	12.4-28.0	83	51.4	41.4-61.4	26	20.0	10.2-29.8	19	7.8	04.1-11.5	1	0.6	00.0-01.8
65+	316	33,861	97	28.8	22.3-35.3	158	50.1	42.8-57.4	34	11.7	07.0-16.4	24	8.2	03.7-12.7	3	1.2	00.0-02.6
Less Than H.S.	82	15,912	28	30.3	18.5-42.1	31	37.0	23.9-50.1	11	18.7	06.5-30.9	10	12.5	03.5-21.5	2	1.5	00.0-03.7
H.S. or G.E.D.	212	30,997	50	26.9	17.7-36.1	100	41.7	32.5-50.9	34	16.3	09.4-23.2	25	10.5	05.2-15.8	3	4.7	00.0-10.2
Some Post-H.S.	130	19,181	33	19.8	11.6-28.0	58	46.6	35.2-58.0	19	20.0	08.6-31.4	17	11.7	05.4-18.0	3	1.9	00.0-04.1
College Graduate	173	17,890	54	28.4	19.4-37.4	94	56.4	47.0-65.8	15	9.2	03.7-14.7	9	5.0	00.7-09.3	1	0.9	00.0-02.7
Less than \$15,000	54	7,176	17	22.7	09.2-36.2	19	32.0	16.5-47.5	11	31.8	12.8-50.8	7	13.5	00.2-26.8			
\$15,000- 24,999	104	12,671	33	26.6	16.0-37.2	43	46.8	33.7-59.9	14	12.6	04.0-21.2	12	8.7	03.2-14.2	2	5.3	00.0-13.9
\$25,000- 34,999	56	7,883	22	39.0	21.0-57.0	20	27.0	12.7-41.3	8	18.2	01.9-34.5	6	15.8	00.7-30.9			
\$35,000- 49,999	74	10,706	16	23.2	10.1-36.3	38	41.9	26.6-57.2	7	9.0	00.0-18.2	10	16.4	04.8-28.0	3	9.5	00.0-21.5
\$50,000- 74,999	82	12,800	18	26.8	10.9-42.7	48	53.9	39.0-68.8	10	11.8	03.8-19.8	5	6.6	00.0-13.3	1	0.9	00.0-02.7
\$75,000+	102	15,782	26	23.8	12.4-35.2	56	51.0	37.9-64.1	12	18.8	05.9-31.7	7	5.4	00.5-10.3	1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	265	42,669	73	28.9	21.6-36.2	125	43.3	35.7-50.9	31	13.6	07.5-19.7	30	11.2	06.3-16.1	6	3.1	00.2-06.0
White/Non-Hisp	190	27,727	47	25.7	17.3-34.1	90	42.5	33.1-51.9	26	17.0	08.8-25.2	23	11.0	05.5-16.5	4	3.9	00.0-08.4
55-64	69	10,958	18	26.9	14.4-39.4	31	49.6	35.1-64.1	12	16.2	05.2-27.2	7	6.1	01.2-11.0	1	1.2	00.0-03.6
65+	145	16,857	41	28.9	19.1-38.7	75	46.7	36.3-57.1	14	10.9	04.6-17.2	14	12.5	04.1-20.9	1	1.0	00.0-03.0
H.S. or G.E.D.	86	15,619	20	31.5	16.6-46.4	42	40.9	27.2-54.6	11	12.2	02.8-21.6	11	10.2	02.6-17.8	2	5.1	00.0-12.5
Some Post-H.S.	50	8,510	14	19.9	08.3-31.5	22	50.8	34.3-67.3	5	10.9	00.0-21.9	7	15.0	03.2-26.8	2	3.2	00.0-07.7
College Graduate	92	9,467	27	30.7	17.2-44.2	48	50.4	36.7-64.1	9	9.7	02.4-17.0	8	9.2	01.2-17.2			
\$75,000+	56	8,730	16	30.3	13.8-46.8	28	49.7	32.5-66.9	6	11.8	00.2-23.4	6	8.2	00.0-16.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	336	41,595	92	23.3	17.4-29.2	161	47.1	39.8-54.4	48	18.6	11.9-25.3	32	8.8	05.1-12.5	3	2.2	00.0-05.3
White/Non-Hisp	229	24,722	59	21.7	15.0-28.4	113	50.9	42.3-59.5	32	15.3	09.0-21.6	22	8.4	04.3-12.5	3	3.6	00.0-08.9
Black or Afr. Am./Non-Hisp	68	11,479	24	30.5	15.6-45.4	32	37.6	22.5-52.7	11	27.8	10.0-45.6	1	4.1	00.0-11.9			
55-64	92	12,197	14	14.1	04.5-23.7	52	53.1	39.0-67.2	14	23.5	08.2-38.8	12	9.3	03.8-14.8			
65+	171	17,004	56	28.7	20.1-37.3	83	53.5	43.7-63.3	20	12.4	05.5-19.3	10	4.0	01.3-06.7	2	1.5	00.0-03.7
H.S. or G.E.D.	126	15,378	30	22.1	12.1-32.1	58	42.4	30.6-54.2	23	20.4	10.6-30.2	14	10.9	03.6-18.2	1	4.2	00.0-12.2
Some Post-H.S.	80	10,672	19	19.7	08.3-31.1	36	43.2	28.5-57.9	14	27.3	09.9-44.7	10	9.0	02.9-15.1	1	0.8	00.0-02.4
College Graduate	81	8,423	27	25.9	14.7-37.1	46	63.1	50.6-75.6	6	8.8	00.4-17.2	1	0.2	00.0-00.6	1	1.9	00.0-05.6
\$15,000- 24,999	64	6,617	23	25.5	13.5-37.5	22	44.7	27.5-61.9	10	17.9	03.6-32.2	9	11.9	03.1-20.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	599	83,887	110	19.3	15.2-23.4	489	80.7	76.6-84.8
Male	264	42,367	58	23.1	16.4-29.8	206	76.9	70.2-83.6
Female	335	41,520	52	15.4	10.3-20.5	283	84.6	79.5-89.7
White/Non-Hisp	417	52,207	63	17.0	12.1-21.9	354	83.0	78.1-87.9
Black or Afr. Am./Non-Hisp	115	21,683	30	21.7	12.7-30.7	85	78.3	69.3-87.3
45-54	78	16,786	14	17.0	06.8-27.2	64	83.0	72.8-93.2
55-64	160	23,027	36	19.6	12.2-27.0	124	80.4	73.0-87.8
65+	317	33,992	50	17.3	11.8-22.8	267	82.7	77.2-88.2
Less Than H.S.	83	15,871	24	27.1	15.5-38.7	59	72.9	61.3-84.5
H.S. or G.E.D.	209	30,696	42	22.1	14.1-30.1	167	77.9	69.9-85.9
Some Post-H.S.	128	19,042	19	12.8	06.3-19.3	109	87.2	80.7-93.7
College Graduate	175	17,994	23	14.1	07.4-20.8	152	85.9	79.2-92.6
Less than \$15,000	54	7,152	18	39.5	21.1-57.9	36	60.5	42.1-78.9
\$15,000- 24,999	103	12,628	25	27.3	14.8-39.8	78	72.7	60.2-85.2
\$25,000- 34,999	57	8,009	8	15.3	03.1-27.5	49	84.7	72.5-96.9
\$35,000- 49,999	72	10,372	7	12.5	02.3-22.7	65	87.5	77.3-97.7
\$50,000- 74,999	82	12,800	14	15.0	06.6-23.4	68	85.0	76.6-93.4
\$75,000+	103	15,837	15	11.6	03.8-19.4	88	88.4	80.6-96.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	264	42,367	58	23.1	16.2-30.0	206	76.9	70.0-83.8
White/Non-Hisp	190	27,591	35	21.7	13.7-29.7	155	78.3	70.3-86.3
55-64	69	10,958	22	28.8	15.9-41.7	47	71.2	58.3-84.1
65+	146	16,912	24	20.7	11.7-29.7	122	79.3	70.3-88.3
H.S. or G.E.D.	85	15,423	22	28.9	15.6-42.2	63	71.1	57.8-84.4
College Graduate	93	9,527	12	12.8	04.2-21.4	81	87.2	78.6-95.8
\$75,000+	56	8,730	10	16.8	03.9-29.7	46	83.2	70.3-96.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	335	41,520	52	15.4	10.3-20.5	283	84.6	79.5-89.7
White/Non-Hisp	227	24,616	28	11.7	06.4-17.0	199	88.3	83.0-93.6
Black or Afr. Am./Non-Hisp	68	11,456	15	16.7	06.3-27.1	53	83.3	72.9-93.7
55-64	91	12,070	14	11.3	04.6-18.0	77	88.7	82.0-95.4
65+	171	17,080	26	14.0	07.9-20.1	145	86.0	79.9-92.1
H.S. or G.E.D.	124	15,273	20	15.3	06.7-23.9	104	84.7	76.1-93.3
Some Post-H.S.	79	10,604	10	8.7	02.4-15.0	69	91.3	85.0-97.6
College Graduate	82	8,467	11	15.6	05.4-25.8	71	84.4	74.2-94.6
\$15,000- 24,999	63	6,573	14	20.9	08.4-33.4	49	79.1	66.6-91.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	599	83,375	308	51.0	45.5-56.5	291	49.0	43.5-54.5
Male	265	42,610	128	46.5	38.5-54.5	137	53.5	45.5-61.5
Female	334	40,765	180	55.7	48.4-63.0	154	44.3	37.0-51.6
White/Non-Hisp	415	51,537	219	50.3	43.8-56.8	196	49.7	43.2-56.2
Black or Afr. Am./Non-Hisp	118	21,983	63	56.6	45.0-68.2	55	43.4	31.8-55.0
45-54	79	16,835	40	52.7	37.6-67.8	39	47.3	32.2-62.4
55-64	160	22,662	90	52.5	42.3-62.7	70	47.5	37.3-57.7
65+	317	33,939	160	50.9	43.6-58.2	157	49.1	41.8-56.4
Less Than H.S.	83	15,738	34	38.1	25.4-50.8	49	61.9	49.2-74.6
H.S. or G.E.D.	211	30,879	107	51.8	42.4-61.2	104	48.2	38.8-57.6
Some Post-H.S.	131	19,319	73	58.6	47.6-69.6	58	41.4	30.4-52.4
College Graduate	171	17,299	93	53.1	43.1-63.1	78	46.9	36.9-56.9
Less than \$15,000	55	7,220	25	53.4	35.6-71.2	30	46.6	28.8-64.4
\$15,000- 24,999	103	12,376	55	44.3	31.6-57.0	48	55.7	43.0-68.4
\$25,000- 34,999	58	8,081	29	55.5	37.7-73.3	29	44.5	26.7-62.3
\$35,000- 49,999	73	10,587	35	48.4	32.5-64.3	38	51.6	35.7-67.5
\$50,000- 74,999	80	12,319	44	58.0	43.7-72.3	36	42.0	27.7-56.3
\$75,000+	101	15,622	58	54.7	41.4-68.0	43	45.3	32.0-58.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	265	42,610	128	46.5	38.5-54.5	137	53.5	45.5-61.5
White/Non-Hisp	189	27,601	97	50.8	41.2-60.4	92	49.2	39.6-58.8
55-64	69	10,958	40	47.7	33.2-62.2	29	52.3	37.8-66.8
65+	145	16,797	67	47.3	36.9-57.7	78	52.7	42.3-63.1
H.S. or G.E.D.	85	15,501	42	52.9	38.4-67.4	43	47.1	32.6-61.6
Some Post-H.S.	50	8,510	30	55.4	38.5-72.3	20	44.6	27.7-61.5
College Graduate	92	9,460	41	42.7	28.8-56.6	51	57.3	43.4-71.2
\$75,000+	55	8,662	31	54.1	36.5-71.7	24	45.9	28.3-63.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 2: DIABETES**

**TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	334	40,765	180	55.7	48.4-63.0	154	44.3	37.0-51.6
White/Non-Hisp	226	23,937	122	49.9	41.3-58.5	104	50.1	41.5-58.7
Black or Afr. Am./Non-Hisp	69	11,523	42	69.8	56.7-82.9	27	30.2	17.1-43.3
55-64	91	11,704	50	57.1	43.6-70.6	41	42.9	29.4-56.4
65+	172	17,142	93	54.4	44.4-64.4	79	45.6	35.6-55.6
H.S. or G.E.D.	126	15,378	65	50.8	38.6-63.0	61	49.2	37.0-61.4
Some Post-H.S.	81	10,810	43	61.2	47.1-75.3	38	38.8	24.7-52.9
College Graduate	79	7,839	52	65.6	52.3-78.9	27	34.4	21.1-47.7
\$15,000- 24,999	63	6,322	31	47.0	29.9-64.1	32	53.0	35.9-70.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015**

**MODULE 17: PROSTATE CANCER SCREENING CONTENTS**

**\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\***

TABLE	PAGE
1	32
2	33
3	34
4	35
5	36
6	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 17: PROSTATE CANCER SCREENING**

**TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1156	185,721	829	66.1	62.2-70.0	327	33.9	30.0-37.8
White/Non-Hisp	912	136,696	664	67.3	63.0-71.6	248	32.7	28.4-37.0
Black or Afr. Am./Non-Hisp	150	30,259	115	73.4	62.6-84.2	35	26.6	15.8-37.4
35-44	87	26,421	25	25.7	13.5-37.9	62	74.3	62.1-86.5
45-54	215	49,852	113	54.7	46.7-62.7	102	45.3	37.3-53.3
55-64	317	49,932	247	78.9	72.8-85.0	70	21.1	15.0-27.2
65+	537	59,517	444	82.9	78.6-87.2	93	17.1	12.8-21.4
Less Than H.S.	78	18,404	40	50.9	37.0-64.8	38	49.1	35.2-63.0
H.S. or G.E.D.	352	63,246	231	60.9	53.5-68.3	121	39.1	31.7-46.5
Some Post-H.S.	258	49,429	188	67.0	59.2-74.8	70	33.0	25.2-40.8
College Graduate	465	54,326	368	76.4	71.1-81.7	97	23.6	18.3-28.9
Less than \$15,000	54	6,834	27	40.2	21.6-58.8	27	59.8	41.2-78.4
\$15,000- 24,999	132	20,586	81	64.0	53.6-74.4	51	36.0	25.6-46.4
\$25,000- 34,999	103	18,858	72	60.2	45.5-74.9	31	39.8	25.1-54.5
\$35,000- 49,999	143	23,218	109	64.9	52.7-77.1	34	35.1	22.9-47.3
\$50,000- 74,999	171	25,453	135	72.7	62.7-82.7	36	27.3	17.3-37.3
\$75,000+	382	67,079	282	66.1	59.4-72.8	100	33.9	27.2-40.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 17: PROSTATE CANCER SCREENING**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1150	184,468	379	30.2	26.7-33.7	771	69.8	66.3-73.3
White/Non-Hisp	908	136,132	285	28.5	24.8-32.2	623	71.5	67.8-75.2
Black or Afr. Am./Non-Hisp	149	29,858	67	42.7	31.9-53.5	82	57.3	46.5-68.1
35-44	86	26,227	12	10.4	03.9-16.9	74	89.6	83.1-96.1
45-54	211	48,612	58	27.4	20.1-34.7	153	72.6	65.3-79.9
55-64	313	49,147	126	39.5	32.6-46.4	187	60.5	53.6-67.4
65+	540	60,481	183	33.4	27.9-38.9	357	66.6	61.1-72.1
Less Than H.S.	78	18,134	28	36.0	22.7-49.3	50	64.0	50.7-77.3
H.S. or G.E.D.	345	61,783	95	26.9	20.6-33.2	250	73.1	66.8-79.4
Some Post-H.S.	260	49,641	81	27.7	21.0-34.4	179	72.3	65.6-79.0
College Graduate	462	54,488	173	34.0	28.5-39.5	289	66.0	60.5-71.5
Less than \$15,000	57	7,290	17	30.5	14.0-47.0	40	69.5	53.0-86.0
\$15,000- 24,999	131	20,740	40	34.2	23.2-45.2	91	65.8	54.8-76.8
\$25,000- 34,999	101	18,159	34	35.5	21.6-49.4	67	64.5	50.6-78.4
\$35,000- 49,999	138	22,325	39	21.5	13.9-29.1	99	78.5	70.9-86.1
\$50,000- 74,999	172	25,583	59	33.2	24.4-42.0	113	66.8	58.0-75.6
\$75,000+	377	66,872	124	26.3	20.8-31.8	253	73.7	68.2-79.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 17: PROSTATE CANCER SCREENING**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1162	187,631	768	59.5	55.6-63.4	394	40.5	36.6-44.4
White/Non-Hisp	915	137,287	620	61.4	56.9-65.9	295	38.6	34.1-43.1
Black or Afr. Am./Non-Hisp	154	31,447	111	68.2	57.8-78.6	43	31.8	21.4-42.2
35-44	88	26,842	19	19.5	08.3-30.7	69	80.5	69.3-91.7
45-54	219	50,134	93	47.5	39.5-55.5	126	52.5	44.5-60.5
55-64	314	50,205	232	74.9	68.6-81.2	82	25.1	18.8-31.4
65+	541	60,450	424	74.3	69.0-79.6	117	25.7	20.4-31.0
Less Than H.S.	77	18,348	35	40.5	27.0-54.0	42	59.5	46.0-73.0
H.S. or G.E.D.	351	63,683	216	58.5	51.2-65.8	135	41.5	34.2-48.8
Some Post-H.S.	256	49,454	167	58.6	50.6-66.6	89	41.4	33.4-49.4
College Graduate	474	55,765	348	67.6	61.9-73.3	126	32.4	26.7-38.1
Less than \$15,000	55	6,974	27	32.0	16.1-47.9	28	68.0	52.1-83.9
\$15,000- 24,999	132	20,898	72	52.2	41.0-63.4	60	47.8	36.6-59.0
\$25,000- 34,999	104	18,860	68	57.7	42.8-72.6	36	42.3	27.4-57.2
\$35,000- 49,999	142	23,403	98	55.9	44.1-67.7	44	44.1	32.3-55.9
\$50,000- 74,999	170	25,162	121	68.8	60.2-77.4	49	31.2	22.6-39.8
\$75,000+	389	69,248	268	60.8	54.1-67.5	121	39.2	32.5-45.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 17: PROSTATE CANCER SCREENING**

**TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1177	188,102	810	61.0	57.1-64.9	367	39.0	35.1-42.9
White/Non-Hisp	932	138,078	658	62.3	58.0-66.6	274	37.7	33.4-42.0
Black or Afr. Am./Non-Hisp	154	31,661	108	68.8	58.6-79.0	46	31.2	21.0-41.4
35-44	87	26,450	14	17.9	06.5-29.3	73	82.1	70.7-93.5
45-54	214	48,668	85	44.7	36.5-52.9	129	55.3	47.1-63.5
55-64	321	51,062	230	70.8	64.1-77.5	91	29.2	22.5-35.9
65+	555	61,922	481	84.2	79.7-88.7	74	15.8	11.3-20.3
Less Than H.S.	77	18,399	37	45.3	31.4-59.2	40	54.7	40.8-68.6
H.S. or G.E.D.	360	64,601	223	56.3	49.0-63.6	137	43.7	36.4-51.0
Some Post-H.S.	259	49,043	179	62.1	54.3-69.9	80	37.9	30.1-45.7
College Graduate	476	55,637	369	70.7	65.0-76.4	107	29.3	23.6-35.0
Less than \$15,000	57	7,120	30	36.1	19.4-52.8	27	63.9	47.2-80.6
\$15,000- 24,999	136	21,473	78	57.8	47.2-68.4	58	42.2	31.6-52.8
\$25,000- 34,999	104	18,824	73	51.6	37.1-66.1	31	48.4	33.9-62.9
\$35,000- 49,999	146	23,634	102	56.9	45.1-68.7	44	43.1	31.3-54.9
\$50,000- 74,999	174	25,921	134	75.2	67.2-83.2	40	24.8	16.8-32.8
\$75,000+	387	68,269	274	61.4	54.7-68.1	113	38.6	31.9-45.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 17: PROSTATE CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	781	111,492	506	60.8	56.1-65.5	126	17.1	13.6-20.6	52	8.0	05.5-10.5	36	7.4	04.3-10.5	61	6.6	04.4-08.8
White/Non-Hisp	633	83,152	415	62.6	57.5-67.7	101	17.7	13.6-21.8	38	6.6	04.1-09.1	29	6.2	03.3-09.1	50	6.9	04.4-09.4
Black or Afr. Am./Non-Hisp	105	21,500	64	57.5	44.6-70.4	15	12.4	05.3-19.5	12	13.8	06.0-21.6	6	12.9	01.5-24.3	8	3.5	00.8-06.2
45-54	84	21,377	56	61.8	48.3-75.3	11	11.9	04.1-19.7	7	9.6	02.2-17.0	6	12.2	00.8-23.6	4	4.5	00.0-09.8
55-64	222	35,025	140	58.0	49.6-66.4	42	21.0	14.1-27.9	11	4.8	01.7-07.9	12	8.9	03.2-14.6	17	7.3	02.4-12.2
65+	461	50,356	304	63.3	57.4-69.2	71	17.0	12.3-21.7	31	8.6	05.3-11.9	16	3.9	01.4-06.4	39	7.2	04.5-09.9
H.S. or G.E.D.	214	35,373	130	57.0	47.6-66.4	35	15.2	09.5-20.9	17	9.8	04.3-15.3	13	10.6	03.0-18.2	19	7.4	03.3-11.5
Some Post-H.S.	172	29,827	105	57.2	47.6-66.8	31	20.0	12.2-27.8	16	8.6	04.1-13.1	8	6.4	00.9-11.9	12	7.8	02.1-13.5
College Graduate	358	37,997	253	69.8	63.5-76.1	51	13.9	09.4-18.4	15	6.1	02.4-09.8	13	5.0	01.7-08.3	26	5.2	02.7-07.7
\$15,000- 24,999	76	12,221	43	51.5	36.4-66.6	19	29.1	15.0-43.2	3	7.6	00.0-17.6	6	6.8	00.0-13.7	5	5.0	00.5-09.5
\$25,000- 34,999	72	9,644	42	64.1	49.4-78.8	13	10.6	03.5-17.7	7	13.1	02.5-23.7	5	6.2	00.3-12.1	5	6.0	00.3-11.7
\$35,000- 49,999	97	12,841	62	59.7	46.2-73.2	12	14.2	05.2-23.2	4	4.8	00.0-10.1	4	7.2	00.0-16.0	15	14.1	04.5-23.7
\$50,000- 74,999	129	19,011	82	52.3	40.7-63.9	20	16.6	08.0-25.2	11	10.4	04.1-16.7	5	11.9	00.1-23.7	11	8.8	02.1-15.5
\$75,000+	269	41,084	192	69.1	61.5-76.7	36	15.1	09.4-20.8	14	5.0	01.7-08.3	12	7.3	02.2-12.4	15	3.5	01.1-05.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 17: PROSTATE CANCER SCREENING**

**TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 = Part of a routine exam			Because of a prostate problem			Family history of prostate cancer			Were told you had prostate cancer			Some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	798	112,814	578	72.2	68.1-76.3	67	7.8	05.4-10.2	36	5.7	03.3-08.1	49	4.8	03.2-06.4	68	9.4	06.5-12.3
White/Non-Hisp	649	85,321	473	73.3	68.8-77.8	54	7.0	04.8-09.2	30	6.2	03.5-08.9	37	4.2	02.6-05.8	55	9.4	06.3-12.5
Black or Afr. Am./Non-Hisp	106	21,155	78	69.6	57.6-81.6	9	9.4	02.3-16.5	4	4.9	00.0-10.6	5	4.6	00.1-09.1	10	11.5	02.5-20.5
45-54	84	21,541	58	71.1	59.1-83.1	2	1.3	00.0-03.3	7	7.1	01.0-13.2	4	2.4	00.0-05.1	13	18.1	07.3-28.9
55-64	226	35,298	165	73.2	65.9-80.5	14	6.6	02.5-10.7	16	8.0	03.3-12.7	11	3.7	01.0-06.4	20	8.4	04.1-12.7
65+	474	51,240	345	71.3	65.8-76.8	49	11.3	07.4-15.2	13	4.1	01.0-07.2	34	7.0	04.3-09.7	33	6.3	03.8-08.8
H.S. or G.E.D.	218	36,023	153	71.5	63.7-79.3	25	8.6	04.5-12.7	10	5.1	01.2-09.0	9	3.0	00.6-05.4	21	11.8	05.7-17.9
Some Post-H.S.	176	29,675	123	72.9	64.7-81.1	11	4.7	01.4-08.0	11	5.7	01.4-10.0	13	6.0	02.1-09.9	18	10.7	04.4-17.0
College Graduate	367	39,231	281	76.6	70.9-82.3	25	6.3	03.2-09.4	12	5.0	01.7-08.3	23	4.9	02.5-07.3	26	7.2	03.7-10.7
\$15,000- 24,999	76	11,771	57	68.1	52.8-83.4	5	11.7	00.7-22.7	4	8.2	00.0-19.0	3	2.0	00.0-04.5	7	10.0	00.0-20.2
\$25,000- 34,999	73	9,711	56	82.2	72.4-92.0	5	4.9	00.2-09.6	1	2.0	00.0-05.9	5	6.3	00.0-12.6	6	4.6	00.3-08.9
\$35,000- 49,999	101	13,343	66	56.9	43.2-70.6	13	12.2	03.6-20.8	3	5.5	00.0-13.3	9	6.5	01.8-11.2	10	18.9	06.0-31.8
\$50,000- 74,999	134	19,498	106	82.0	74.7-89.3	9	6.3	01.8-10.8	5	4.7	00.2-09.2	7	3.3	00.8-05.8	7	3.6	00.5-06.7
\$75,000+	274	41,941	204	74.4	67.5-81.3	16	5.1	02.0-08.2	19	7.9	03.6-12.2	9	1.5	00.3-02.7	26	11.1	06.2-16.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015

MODULE 18: PROSTATE CANCER SCREENING DECISION MAKING MODULE CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
1	WHICH OF THE FOLLOWING BEST DESCRIBES THE DECISION TO HAVE THE PSA TEST DONE? (PCPSADE1) MALES ONLY	39
2	WHO MADE THE DECISION WITH YOU? (MARK ALL THAT APPLY) (PCDMDECN) MALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
 MODULE 18: PROSTATE CANCER SCREENING DECISION MAKING MODULE  
 TABLE 1: WHICH OF THE FOLLOWING BEST DESCRIBES THE DECISION TO HAVE THE PSA TEST DONE? (PCPSADE1)  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents less than 40 years old.  
 Denominator excludes: Respondents that have never had a digital rectal exam.**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		You made decision			Your doctor, nurse, health care provider alone			Your doctor, nurse, health care provider together			You don't remember how decision was made		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	799	113,243	197	26.4	22.1-30.7	274	33.1	28.6-37.6	243	30.0	25.7-34.3	85	10.5	07.8-13.2
White/Non-Hisp	648	84,594	143	22.9	18.6-27.2	229	34.3	29.2-39.4	205	32.0	27.3-36.7	71	10.7	07.8-13.6
Black or Afr. Am./Non-Hisp	108	21,789	40	37.0	24.1-49.9	36	33.3	21.3-45.3	23	21.6	11.4-31.8	9	8.0	01.5-14.5
45-54	83	21,241	27	34.0	20.3-47.7	24	29.1	17.1-41.1	20	25.9	14.3-37.5	12	11.0	04.3-17.7
55-64	229	36,087	65	28.8	21.5-36.1	71	30.2	22.8-37.6	76	32.3	24.7-39.9	17	8.6	03.7-13.5
65+	474	51,391	99	20.9	16.0-25.8	175	35.3	29.6-41.0	144	31.2	25.7-36.7	56	12.6	08.7-16.5
H.S. or G.E.D.	220	35,915	58	29.5	20.5-38.5	74	33.1	24.1-42.1	57	25.2	17.8-32.6	31	12.2	06.7-17.7
Some Post-H.S.	175	29,826	32	19.5	11.9-27.1	70	37.7	28.5-46.9	52	32.3	23.3-41.3	21	10.6	05.7-15.5
College Graduate	365	38,894	96	27.4	21.5-33.3	114	29.0	22.9-35.1	125	34.9	28.4-41.4	30	8.7	04.8-12.6
\$15,000- 24,999	77	12,088	27	42.2	26.9-57.5	31	38.1	24.0-52.2	15	13.8	05.0-22.6	4	6.0	00.0-14.0
\$25,000- 34,999	72	9,595	14	24.4	07.0-41.8	32	34.3	19.6-49.0	18	31.5	15.6-47.4	8	9.8	01.2-18.4
\$35,000- 49,999	101	13,376	21	15.9	07.7-24.1	33	33.6	20.5-46.7	31	36.0	23.1-48.9	16	14.6	06.4-22.8
\$50,000- 74,999	133	19,426	37	32.3	20.5-44.1	35	25.1	15.7-34.5	50	34.4	24.0-44.8	11	8.2	02.5-13.9
\$75,000+	272	41,572	66	23.8	17.1-30.5	88	34.2	26.0-42.4	93	32.0	24.6-39.4	25	10.1	05.4-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
 MODULE 18: PROSTATE CANCER SCREENING DECISION MAKING MODULE  
 TABLE 2: WHO MADE THE DECISION WITH YOU? (MARK ALL THAT APPLY) (PCDMDECN)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents less than 40 years old.  
 Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Doctor, nurse health care provider			Spouse significant other			Other family member			Friend non-relative			Multiple responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	244	34,029	205	82.0	75.5-88.5	21	9.5	04.6-14.4	2	0.9	00.0-02.3	4	2.2	00.0-05.3	12	5.3	01.6-09.0
White/Non-Hisp	206	27,175	173	84.3	78.2-90.4	18	8.6	03.9-13.3	2	1.1	00.0-02.7	3	0.8	00.0-01.8	10	5.1	01.4-08.8
55-64	76	11,649	62	78.0	65.5-90.5	8	11.3	02.1-20.5	1	0.9	00.0-02.7	2	5.0	00.0-13.6	3	4.9	00.0-10.6
65+	144	15,934	121	82.0	73.6-90.4	12	9.0	03.1-14.9				2	1.1	00.0-02.7	9	7.8	01.3-14.3
H.S. or G.E.D.	58	9,110	42	71.5	56.4-86.6	11	16.8	05.0-28.6	1	1.1	00.0-03.3	2	6.9	00.0-17.9	2	3.7	00.0-09.2
Some Post-H.S.	52	9,629	41	78.3	64.8-91.8	5	9.1	00.3-17.9							6	12.6	01.6-23.6
College Graduate	125	13,618	113	89.5	81.5-97.5	5	6.1	00.0-13.4	1	1.5	00.0-04.4	2	1.0	00.0-02.4	4	1.9	00.0-04.3
\$50,000- 74,999	50	6,686	42	87.7	78.5-96.9	5	7.5	00.1-14.9				1	1.5	00.0-04.4	2	3.3	00.0-08.0
\$75,000+	93	13,305	78	79.9	68.5-91.3	7	11.1	01.7-20.5	1	1.5	00.0-04.4	1	0.4	00.0-01.2	6	7.0	00.0-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015**

**MODULE 20: SOCIAL CONTEXT CONTENTS**

**\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\***

TABLE	PAGE
HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY (SCNTMNY1)	
1 MALES AND FEMALES	43
2 MALES ONLY	44
3 FEMALES ONLY	45
HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY (SCNTMEL1)	
4 MALES AND FEMALES	46
5 MALES ONLY	47
6 FEMALES ONLY	48
AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)	
7 MALES AND FEMALES	49
8 MALES ONLY	50
9 FEMALES ONLY	51
ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)	
10 MALES AND FEMALES	52
11 MALES ONLY	53
12 FEMALES ONLY	54
THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)	
13 MALES AND FEMALES	55
14 MALES ONLY	56
15 FEMALES ONLY	57

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015

MODULE 20: SOCIAL CONTEXT CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)	
16	MALES AND FEMALES	58
17	MALES ONLY	59
18	FEMALES ONLY	60

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 1: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY (SCNTMNY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	Always			Usually			Sometimes			Rarely			Never			N.A.	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3444	609,800	323	11.2	09.6-12.8	131	4.2	03.2-05.2	566	17.6	15.8-19.4	566	19.0	17.0-21.0	1824	47.3	44.9-49.7	34	0.7	00.3-01.1
Male	1458	285,743	123	10.8	08.4-13.2	42	3.2	02.0-04.4	220	15.6	12.9-18.3	224	18.6	15.7-21.5	835	51.3	47.6-55.0	14	0.5	00.1-00.9
Female	1986	324,057	200	11.5	09.3-13.7	89	5.2	03.6-06.8	346	19.4	16.9-21.9	342	19.4	16.7-22.1	989	43.7	40.6-46.8	20	0.8	00.2-01.4
White/Non-Hisp	2558	405,688	195	9.4	07.6-11.2	91	4.4	03.2-05.6	357	15.7	13.5-17.9	412	17.8	15.6-20.0	1472	51.8	49.1-54.5	31	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	495	115,189	72	15.3	10.8-19.8	23	4.0	02.0-06.0	107	19.6	15.1-24.1	99	24.8	18.9-30.7	191	35.8	29.7-41.9	3	0.5	00.0-01.1
Oth. Race/Non-Hisp.	86	23,345	10	10.6	02.8-18.4	1	0.4	00.0-01.2	20	18.7	08.9-28.5	11	10.9	03.3-18.5	44	59.4	46.3-72.5			
Hispanic	206	48,513	32	16.5	09.8-23.2	11	3.7	01.3-06.1	68	30.5	22.5-38.5	36	21.9	13.9-29.9	59	27.4	19.6-35.2			
18-24	120	53,288	14	11.2	03.9-18.5	8	7.0	01.3-12.7	26	22.1	12.3-31.9	25	18.8	09.6-28.0	46	39.7	28.1-51.3	1	1.2	00.0-03.6
25-34	309	96,801	38	12.5	07.6-17.4	22	4.7	02.3-07.1	84	22.8	16.9-28.7	65	24.6	17.9-31.3	100	35.4	28.3-42.5			
35-44	338	94,834	48	12.7	08.2-17.2	16	5.2	02.1-08.3	73	17.4	12.9-21.9	75	24.0	18.1-29.9	126	40.7	33.8-47.6			
45-54	540	108,875	74	15.6	11.3-19.9	28	5.1	02.9-07.3	98	16.6	12.9-20.3	117	22.3	17.8-26.8	222	40.3	35.2-45.4	1	0.1	00.0-00.3
55-64	753	109,952	69	9.2	06.7-11.7	33	3.6	01.8-05.4	133	19.3	15.4-23.2	112	13.5	10.6-16.4	401	53.9	49.4-58.4	5	0.6	00.0-01.2
65+	1347	140,650	75	7.3	05.1-09.5	23	2.0	00.8-03.2	149	12.3	09.8-14.8	163	13.5	11.0-16.0	910	63.1	59.6-66.6	27	1.9	01.1-02.7
Less Than H.S.	291	73,665	64	20.9	14.8-27.0	15	4.6	01.7-07.5	86	26.6	20.1-33.1	42	20.7	13.1-28.3	82	26.5	19.2-33.8	2	0.7	00.0-01.7
H.S. or G.E.D.	1001	186,455	131	14.1	11.0-17.2	36	4.9	02.7-07.1	199	19.5	16.0-23.0	146	17.7	14.0-21.4	481	43.3	38.8-47.8	8	0.5	00.1-00.9
Some Post-H.S.	878	179,313	77	10.3	07.2-13.4	40	4.6	02.8-06.4	134	17.0	13.3-20.7	166	20.0	16.5-23.5	450	47.1	42.6-51.6	11	0.9	00.1-01.7
College Graduate	1267	169,453	50	4.7	02.7-06.7	40	3.0	01.8-04.2	146	12.1	09.6-14.6	212	18.8	15.7-21.9	806	60.8	57.1-64.5	13	0.6	00.2-01.0
Less than \$15,000	197	31,334	55	33.3	22.7-43.9	14	9.1	03.0-15.2	44	21.0	13.2-28.8	20	14.1	02.3-25.9	59	21.2	13.2-29.2	5	1.3	00.1-02.5
\$15,000- 24,999	496	81,923	87	21.8	16.1-27.5	34	6.3	03.8-08.8	134	28.7	22.8-34.6	71	16.8	12.3-21.3	163	25.2	20.5-29.9	7	1.2	00.0-02.4
\$25,000- 34,999	341	60,291	54	17.9	11.8-24.0	22	6.5	03.0-10.0	81	28.2	20.9-35.5	62	20.4	13.7-27.1	119	26.6	20.5-32.7	3	0.4	00.0-01.0
\$35,000- 49,999	414	70,407	39	13.0	08.1-17.9	19	6.0	02.9-09.1	73	18.7	13.2-24.2	74	18.5	13.4-23.6	207	43.7	37.2-50.2	2	0.1	00.0-00.3
\$50,000- 74,999	452	81,105	22	7.0	03.3-10.7	13	4.9	01.4-08.4	59	15.5	10.0-21.0	85	20.5	14.6-26.4	270	51.7	44.8-58.6	3	0.4	00.0-01.0
\$75,000+	933	184,805	14	2.1	00.7-03.5	13	1.2	00.4-02.0	94	11.4	08.7-14.1	166	20.1	16.4-23.8	644	65.1	60.8-69.4	2	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 2: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY (SCNTMNY1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	Always			Usually			Sometimes			Rarely			Never			N.A.	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1458	285,743	123	10.8	08.4-13.2	42	3.2	02.0-04.4	220	15.6	12.9-18.3	224	18.6	15.7-21.5	835	51.3	47.6-55.0	14	0.5	00.1-00.9
White/Non-Hisp	1079	190,205	70	9.1	06.4-11.8	32	3.6	02.0-05.2	137	14.2	10.9-17.5	155	15.8	12.7-18.9	672	56.8	52.5-61.1	13	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	202	50,752	28	14.6	07.7-21.5	8	3.9	00.8-07.0	45	17.0	10.5-23.5	37	24.7	15.7-33.7	83	39.1	29.3-48.9	1	0.7	00.0-02.1
Hispanic	93	25,774	14	15.5	05.7-25.3	2	1.4	00.0-03.4	25	21.5	12.1-30.9	21	30.4	17.3-43.5	31	31.2	18.9-43.5			
18-24	60	27,229	5	8.3	00.0-18.5	2	2.7	00.0-06.8	12	20.1	07.8-32.4	12	15.3	05.9-24.7	29	53.6	37.3-69.9			
25-34	143	48,267	19	14.1	06.8-21.4	10	4.3	00.8-07.8	39	24.0	14.8-33.2	34	26.1	16.1-36.1	41	31.6	21.4-41.8			
35-44	153	44,903	20	14.3	06.7-21.9	5	3.2	00.0-06.5	24	10.6	05.9-15.3	37	24.1	15.1-33.1	67	47.8	37.4-58.2			
45-54	213	49,694	23	10.2	05.1-15.3	12	5.9	02.2-09.6	34	14.2	08.9-19.5	44	23.8	16.5-31.1	99	45.6	37.6-53.6	1	0.2	00.0-00.6
55-64	317	51,085	26	10.3	06.0-14.6	6	2.4	00.0-04.8	61	19.0	13.1-24.9	42	11.1	07.4-14.8	180	56.8	49.7-63.9	2	0.4	00.0-01.0
65+	559	62,828	28	7.8	04.3-11.3	7	1.1	00.0-02.3	50	9.6	05.7-13.5	50	12.0	07.7-16.3	413	67.8	62.1-73.5	11	1.8	00.4-03.2
Less Than H.S.	122	35,926	25	20.8	11.8-29.8	3	1.2	00.0-02.6	35	22.7	14.1-31.3	21	22.7	12.3-33.1	37	31.7	19.7-43.7	1	1.0	00.0-03.0
H.S. or G.E.D.	436	95,265	45	11.3	06.8-15.8	14	4.3	01.6-07.0	89	17.2	12.7-21.7	64	19.0	13.1-24.9	223	48.1	41.2-55.0	1	0.1	00.0-00.3
Some Post-H.S.	348	80,451	33	10.6	05.9-15.3	10	2.7	00.7-04.7	43	16.2	09.9-22.5	66	20.3	14.6-26.0	191	49.7	42.4-57.0	5	0.5	00.1-00.9
College Graduate	549	73,571	20	5.7	02.6-08.8	15	3.2	01.2-05.2	52	9.0	05.9-12.1	73	14.4	10.7-18.1	382	66.9	61.6-72.2	7	0.8	00.2-01.4
Less than \$15,000	63	9,056	17	29.2	14.1-44.3	2	6.1	00.0-16.9	16	21.5	07.4-35.6	4	6.1	00.0-13.0	22	35.9	17.3-54.5	2	1.2	00.0-03.0
\$15,000- 24,999	195	37,754	38	27.7	18.3-37.1	8	4.2	00.9-07.5	47	19.1	12.6-25.6	29	19.4	12.1-26.7	70	28.1	20.7-35.5	3	1.5	00.0-03.5
\$25,000- 34,999	149	32,829	22	17.8	08.2-27.4	8	5.7	00.8-10.6	34	29.3	17.9-40.7	28	23.4	12.6-34.2	55	23.3	15.3-31.3	2	0.4	00.0-01.0
\$35,000- 49,999	177	33,519	13	7.9	03.2-12.6	7	4.6	00.5-08.7	36	22.2	12.8-31.6	29	16.4	09.0-23.8	91	48.7	38.5-58.9	1	0.1	00.0-00.3
\$50,000- 74,999	205	38,854	9	5.5	01.6-09.4	2	0.6	00.0-01.6	23	11.3	04.4-18.2	36	22.9	13.3-32.5	134	59.2	49.0-69.4	1	0.4	00.0-01.2
\$75,000+	450	92,737	8	3.2	00.7-05.7	7	1.8	00.2-03.4	38	9.4	05.9-12.9	69	17.8	12.5-23.1	327	67.6	61.3-73.9	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 3: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY (SCNTMNY1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never			N.A.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1986	324,057	200	11.5	09.3-13.7	89	5.2	03.6-06.8	346	19.4	16.9-21.9	342	19.4	16.7-22.1	989	43.7	40.6-46.8	20	0.8	00.2-01.4
White/Non-Hisp	1479	215,483	125	9.7	07.3-12.1	59	5.2	03.2-07.2	220	17.1	14.2-20.0	257	19.6	16.7-22.5	800	47.4	43.9-50.9	18	1.1	00.3-01.9
Black or Afr. Am./Non-Hisp	293	64,437	44	15.8	09.7-21.9	15	4.1	01.6-06.6	62	21.5	15.2-27.8	62	25.0	17.2-32.8	108	33.2	25.8-40.6	2	0.4	00.0-01.0
Oth. Race/Non-Hisp.	52	13,050	5	9.4	00.0-20.2	1	0.7	00.0-02.3	14	15.4	05.4-25.4	6	11.4	00.0-22.8	26	63.1	45.9-80.3			
Hispanic	113	22,739	18	17.6	09.0-26.2	9	6.3	01.8-10.8	43	40.6	28.8-52.4	15	12.3	04.9-19.7	28	23.1	13.7-32.5			
18-24	60	26,059	9	14.4	03.8-25.0	6	11.5	00.7-22.3	14	24.2	08.9-39.5	13	22.5	07.0-38.0	17	25.1	11.4-38.8	1	2.4	00.0-06.9
25-34	166	48,534	19	11.0	04.1-17.9	12	5.1	02.0-08.2	45	21.6	14.2-29.0	31	23.1	14.3-31.9	59	39.1	29.5-48.7			
35-44	185	49,930	28	11.2	06.3-16.1	11	7.1	02.2-12.0	49	23.6	16.3-30.9	38	23.9	16.1-31.7	59	34.3	25.7-42.9			
45-54	327	59,181	51	20.2	13.7-26.7	16	4.4	02.0-06.8	64	18.5	13.2-23.8	73	21.1	15.8-26.4	123	35.8	29.3-42.3			
55-64	436	58,867	43	8.2	05.3-11.1	27	4.7	02.3-07.1	72	19.5	14.4-24.6	70	15.5	11.4-19.6	221	51.3	45.2-57.4	3	0.7	00.0-01.7
65+	788	77,822	47	6.9	04.4-09.4	16	2.6	00.8-04.4	99	14.5	11.0-18.0	113	14.8	11.7-17.9	497	59.2	54.5-63.9	16	2.0	00.8-03.2
Less Than H.S.	169	37,738	39	21.1	13.3-28.9	12	7.9	02.6-13.2	51	30.3	20.9-39.7	21	18.8	07.4-30.2	45	21.6	13.8-29.4	1	0.4	00.0-01.2
H.S. or G.E.D.	565	91,191	86	17.1	12.4-21.8	22	5.5	02.2-08.8	110	21.9	16.4-27.4	82	16.3	11.8-20.8	258	38.3	32.6-44.0	7	0.9	00.1-01.7
Some Post-H.S.	530	98,862	44	10.1	06.0-14.2	30	6.2	03.3-09.1	91	17.7	13.2-22.2	100	19.9	15.4-24.4	259	45.0	39.1-50.9	6	1.1	00.0-02.5
College Graduate	718	95,882	30	3.9	01.5-06.3	25	2.8	01.2-04.4	94	14.5	11.0-18.0	139	22.3	17.8-26.8	424	56.1	51.0-61.2	6	0.5	00.1-00.9
Less than \$15,000	134	22,278	38	35.0	21.7-48.3	12	10.3	02.9-17.7	28	20.8	11.6-30.0	16	17.4	01.5-33.3	37	15.2	08.1-22.3	3	1.3	00.0-02.9
\$15,000- 24,999	301	44,169	49	16.7	10.6-22.8	26	8.2	04.5-11.9	87	36.9	28.1-45.7	42	14.5	09.0-20.0	93	22.8	16.9-28.7	4	1.0	00.0-02.4
\$25,000- 34,999	192	27,462	32	18.0	10.9-25.1	14	7.6	03.1-12.1	47	26.8	18.6-35.0	34	16.7	09.8-23.6	64	30.5	21.9-39.1	1	0.5	00.0-01.5
\$35,000- 49,999	237	36,889	26	17.7	09.9-25.5	12	7.2	02.5-11.9	37	15.5	09.6-21.4	45	20.4	13.3-27.5	116	39.1	31.1-47.1	1	0.1	00.0-00.3
\$50,000- 74,999	247	42,251	13	8.4	02.5-14.3	11	8.8	02.1-15.5	36	19.3	10.9-27.7	49	18.2	11.1-25.3	136	44.7	35.7-53.7	2	0.5	00.0-01.3
\$75,000+	483	92,068	6	0.9	00.0-01.9	6	0.7	00.0-01.5	56	13.4	09.1-17.7	97	22.4	17.3-27.5	317	62.6	56.7-68.5	1	0.0	00.0-00.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 4: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY (SCNTMEL1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	Always		Usually			Sometimes			Rarely			Never			N.A.		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3618	652,426	209	7.1	05.7-08.5	100	3.3	02.3-04.3	433	13.5	11.7-15.3	415	13.4	11.8-15.0	2456	62.6	60.2-65.0	5	0.1	00.1-00.1
Male	1534	306,423	74	6.7	04.5-08.9	36	2.9	01.7-04.1	139	10.1	07.9-12.3	175	13.8	11.1-16.5	1106	66.2	62.7-69.7	4	0.2	00.0-00.4
Female	2084	346,003	135	7.3	05.3-09.3	64	3.7	02.1-05.3	294	16.6	14.1-19.1	240	13.0	10.8-15.2	1350	59.5	56.4-62.6	1	0.0	00.0-00.0
White/Non-Hisp	2679	435,985	128	6.7	04.9-08.5	71	3.1	02.1-04.1	253	11.6	09.6-13.6	282	12.3	10.3-14.3	1942	66.2	63.5-68.9	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	523	121,583	45	7.7	04.6-10.8	13	3.7	00.2-07.2	94	15.8	11.7-19.9	80	16.7	12.2-21.2	290	56.0	49.9-62.1	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	93	25,881	6	5.7	00.0-11.6	6	4.2	00.3-08.1	11	9.1	02.2-16.0	5	7.8	00.7-14.9	65	73.2	62.0-84.4			
Hispanic	212	49,475	18	9.2	03.7-14.7	8	3.8	00.7-06.9	60	26.2	18.8-33.6	39	19.5	12.6-26.4	86	40.8	32.2-49.4	1	0.4	00.0-01.2
18-24	189	78,758	13	9.5	02.8-16.2	13	8.5	02.4-14.6	35	18.4	11.3-25.5	34	15.1	09.2-21.0	93	48.2	39.0-57.4	1	0.3	00.0-00.9
25-34	331	102,742	25	8.4	04.3-12.5	14	2.8	01.0-04.6	77	21.6	15.9-27.3	41	14.9	09.2-20.6	174	52.3	45.2-59.4			
35-44	346	96,907	29	7.3	03.6-11.0	9	2.0	00.4-03.6	53	15.1	10.4-19.8	61	19.5	14.2-24.8	193	55.9	49.2-62.6	1	0.2	00.0-00.6
45-54	558	111,769	50	10.4	06.9-13.9	25	4.4	02.2-06.6	69	11.3	08.2-14.4	81	14.7	11.2-18.2	333	59.1	54.0-64.2			
55-64	777	113,466	44	4.4	02.8-06.0	21	3.0	01.4-04.6	91	12.3	09.2-15.4	91	10.5	08.0-13.0	529	69.8	65.7-73.9	1	0.0	00.0-00.0
65+	1371	141,744	44	4.0	02.4-05.6	17	1.1	00.5-01.7	103	6.8	05.0-08.6	99	8.1	05.9-10.3	1106	79.7	76.8-82.6	2	0.1	00.0-00.3
Less Than H.S.	309	79,683	38	14.5	08.2-20.8	17	7.6	02.1-13.1	85	21.1	15.6-26.6	37	13.3	08.0-18.6	131	43.4	35.6-51.2	1	0.3	00.0-00.9
H.S. or G.E.D.	1063	200,678	86	7.8	05.4-10.2	32	3.6	02.0-05.2	149	17.1	13.6-20.6	130	13.1	10.0-16.2	663	58.3	53.8-62.8	3	0.1	00.0-00.3
Some Post-H.S.	925	193,994	52	6.9	04.2-09.6	24	2.8	01.2-04.4	116	13.8	10.7-16.9	115	14.1	11.0-17.2	618	62.4	57.9-66.9			
College Graduate	1306	175,227	31	2.8	01.4-04.2	27	1.7	00.9-02.5	81	5.7	03.9-07.5	131	12.9	10.2-15.6	1035	76.7	73.4-80.0	1	0.1	00.0-00.3
Less than \$15,000	222	34,438	44	21.4	13.4-29.4	13	9.9	00.0-20.9	59	30.8	21.2-40.4	24	7.4	03.7-11.1	82	30.6	21.6-39.6			
\$15,000- 24,999	508	84,194	61	14.2	09.3-19.1	27	5.3	02.8-07.8	105	22.5	16.8-28.2	65	14.0	10.3-17.7	249	43.8	37.9-49.7	1	0.1	00.0-00.3
\$25,000- 34,999	356	64,579	27	9.4	04.5-14.3	12	4.1	01.4-06.8	70	19.0	13.7-24.3	60	20.8	13.9-27.7	187	46.7	39.3-54.1			
\$35,000- 49,999	424	72,078	26	9.9	04.8-15.0	13	4.0	01.6-06.4	55	16.3	11.2-21.4	53	11.5	07.8-15.2	277	58.3	51.6-65.0			
\$50,000- 74,999	462	83,239	9	3.0	00.6-05.4	10	2.7	00.7-04.7	29	11.0	05.5-16.5	64	18.4	12.5-24.3	350	64.9	57.8-72.0			
\$75,000+	965	194,940	5	0.4	00.0-01.0	9	1.8	00.2-03.4	42	5.7	03.5-07.9	82	10.9	08.0-13.8	827	81.1	77.4-84.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 5: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY (SCNTMEL1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	Always			Usually			Sometimes			Rarely			Never			N.A.	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1534	306,423	74	6.7	04.5-08.9	36	2.9	01.7-04.1	139	10.1	07.9-12.3	175	13.8	11.1-16.5	1106	66.2	62.7-69.7	4	0.2	00.0-00.4
White/Non-Hisp	1131	204,633	41	5.8	03.4-08.2	21	2.7	01.3-04.1	85	9.5	07.0-12.0	119	12.6	09.5-15.7	863	69.3	65.2-73.4	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	213	53,497	20	10.6	04.5-16.7	7	2.6	00.2-05.0	27	8.9	04.6-13.2	30	16.2	08.8-23.6	128	61.4	52.2-70.6	1	0.2	00.0-00.6
Hispanic	96	26,251	9	9.8	01.2-18.4	3	3.4	00.0-07.3	16	15.2	06.4-24.0	22	25.4	14.0-36.8	45	45.3	32.2-58.4	1	0.8	00.0-02.4
18-24	91	38,286	5	9.7	00.1-19.3	6	5.5	00.8-10.2	13	13.0	05.4-20.6	17	17.0	08.6-25.4	49	54.3	41.6-67.0	1	0.5	00.0-01.5
25-34	153	52,514	14	9.4	03.5-15.3	6	3.3	00.2-06.4	35	20.4	12.6-28.2	22	17.6	08.4-26.8	76	49.4	39.0-59.8			
35-44	158	46,120	12	9.0	02.3-15.7	3	1.7	00.0-03.9	16	9.0	03.9-14.1	25	16.8	09.0-24.6	101	63.1	53.3-72.9	1	0.5	00.0-01.5
45-54	225	52,033	14	5.3	02.0-08.6	7	3.9	00.6-07.2	23	9.0	04.9-13.1	32	16.3	10.2-22.4	149	65.4	58.0-72.8			
55-64	329	52,365	13	3.8	01.3-06.3	8	3.4	00.5-06.3	24	7.4	03.7-11.1	41	10.1	06.4-13.8	242	75.3	69.4-81.2	1	0.1	00.0-00.3
65+	561	62,497	15	4.9	01.8-08.0	6	1.0	00.0-02.2	26	3.6	02.0-05.2	34	7.4	03.9-10.9	479	82.9	78.2-87.6	1	0.2	00.0-00.6
Less Than H.S.	130	37,823	13	12.5	04.7-20.3	8	6.5	01.8-11.2	26	12.6	06.5-18.7	26	22.2	12.4-32.0	56	45.5	33.9-57.1	1	0.5	00.0-01.5
H.S. or G.E.D.	468	103,512	32	7.4	03.9-10.9	11	3.0	00.8-05.2	53	12.2	08.3-16.1	57	12.7	08.0-17.4	313	64.5	58.2-70.8	2	0.1	00.0-00.3
Some Post-H.S.	363	86,944	18	6.3	01.8-10.8	9	2.9	00.7-05.1	35	11.4	06.9-15.9	43	15.1	09.8-20.4	258	64.4	57.3-71.5			
College Graduate	565	76,040	11	3.6	01.1-06.1	8	1.3	00.1-02.5	24	4.5	02.3-06.7	48	9.8	06.3-13.3	473	80.5	75.8-85.2	1	0.3	00.0-00.9
Less than \$15,000	73	10,738	18	24.7	12.0-37.4	3	0.8	00.0-01.8	18	31.7	15.6-47.8	9	6.4	01.1-11.7	25	36.5	19.8-53.2			
\$15,000- 24,999	205	39,747	25	18.8	10.0-27.6	10	6.0	01.5-10.5	34	14.5	08.6-20.4	26	13.4	07.9-18.9	109	47.0	38.2-55.8	1	0.3	00.0-00.9
\$25,000- 34,999	156	34,738	8	7.8	00.0-15.6	5	3.5	00.0-07.0	23	15.8	08.2-23.4	27	24.9	13.5-36.3	93	48.0	36.6-59.4			
\$35,000- 49,999	184	34,814	8	7.9	00.3-15.5	6	4.6	00.7-08.5	16	10.7	04.2-17.2	25	12.8	06.9-18.7	129	63.9	53.9-73.9			
\$50,000- 74,999	207	39,346	3	1.8	00.0-04.2	1	1.3	00.0-03.8	11	7.3	01.2-13.4	27	15.5	07.5-23.5	165	74.1	64.7-83.5			
\$75,000+	465	97,903	3	0.8	00.0-01.8	5	1.9	00.0-03.9	13	4.4	01.7-07.1	34	10.2	05.7-14.7	410	82.6	77.3-87.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 6: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY (SCNTMEL1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Always			Usually			Sometimes			Rarely			Never			N.A.		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2084	346,003	135	7.3	05.3-09.3	64	3.7	02.1-05.3	294	16.6	14.1-19.1	240	13.0	10.8-15.2	1350	59.5	56.4-62.6	1	0.0	00.0-00.0
White/Non-Hisp	1548	231,353	87	7.5	05.0-10.0	50	3.5	02.1-04.9	168	13.4	10.5-16.3	163	12.1	09.6-14.6	1079	63.4	59.7-67.1	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	310	68,086	25	5.4	02.7-08.1	6	4.5	00.0-10.4	67	21.1	14.8-27.4	50	17.2	11.7-22.7	162	51.8	44.0-59.6			
Oth. Race/Non-Hisp.	56	14,176	6	10.4	00.0-20.8	2	1.6	00.0-03.8	7	4.8	00.7-08.9	3	10.4	00.0-21.8	38	72.9	57.6-88.2			
Hispanic	116	23,224	9	8.5	02.2-14.8	5	4.3	00.0-09.0	44	38.7	27.3-50.1	17	12.8	05.9-19.7	41	35.7	24.9-46.5			
18-24	98	40,473	8	9.3	00.1-18.5	7	11.3	00.5-22.1	22	23.5	11.9-35.1	17	13.4	05.2-21.6	44	42.5	29.8-55.2			
25-34	178	50,228	11	7.3	01.6-13.0	8	2.3	00.5-04.1	42	22.9	14.7-31.1	19	12.1	05.6-18.6	98	55.4	45.8-65.0			
35-44	188	50,787	17	5.7	02.2-09.2	6	2.3	00.1-04.5	37	20.7	13.1-28.3	36	21.9	14.6-29.2	92	49.4	40.4-58.4			
45-54	333	59,736	36	14.9	09.2-20.6	18	4.8	01.9-07.7	46	13.4	08.9-17.9	49	13.4	09.3-17.5	184	53.5	46.6-60.4			
55-64	448	61,101	31	4.9	02.9-06.9	13	2.6	01.0-04.2	67	16.5	11.8-21.2	50	10.9	07.4-14.4	287	65.1	59.4-70.8			
65+	810	79,246	29	3.3	01.7-04.9	11	1.2	00.4-02.0	77	9.4	06.7-12.1	65	8.7	06.2-11.2	627	77.2	73.5-80.9	1	0.1	00.0-00.3
Less Than H.S.	179	41,860	25	16.2	06.6-25.8	9	8.5	00.0-17.9	59	28.7	19.9-37.5	11	5.2	01.9-08.5	75	41.4	30.8-52.0			
H.S. or G.E.D.	595	97,166	54	8.3	05.6-11.0	21	4.2	02.0-06.4	96	22.2	16.3-28.1	73	13.6	09.5-17.7	350	51.6	45.5-57.7	1	0.1	00.0-00.3
Some Post-H.S.	562	107,050	34	7.4	03.9-10.9	15	2.8	00.6-05.0	81	15.8	11.5-20.1	72	13.3	09.6-17.0	360	60.7	55.0-66.4			
College Graduate	741	99,187	20	2.2	00.8-03.6	19	2.1	00.9-03.3	57	6.7	04.2-09.2	83	15.3	11.2-19.4	562	73.7	69.0-78.4			
Less than \$15,000	149	23,700	26	19.9	09.9-29.9	10	14.0	00.0-29.5	41	30.4	18.2-42.6	15	7.8	02.9-12.7	57	28.0	17.8-38.2			
\$15,000- 24,999	303	44,448	36	10.1	06.0-14.2	17	4.6	01.9-07.3	71	29.8	21.0-38.6	39	14.5	09.2-19.8	140	41.0	33.2-48.8			
\$25,000- 34,999	200	29,841	19	11.2	05.5-16.9	7	4.8	00.5-09.1	47	22.6	15.3-29.9	33	16.1	09.6-22.6	94	45.3	36.3-54.3			
\$35,000- 49,999	240	37,264	18	11.8	04.9-18.7	7	3.4	00.9-05.9	39	21.6	14.0-29.2	28	10.2	05.9-14.5	148	53.1	44.5-61.7			
\$50,000- 74,999	255	43,893	6	4.1	00.2-08.0	9	3.9	00.8-07.0	18	14.4	05.8-23.0	37	20.9	12.7-29.1	185	56.7	47.1-66.3			
\$75,000+	500	97,037	2	0.1	00.0-00.3	4	1.7	00.0-04.1	29	7.0	03.9-10.1	48	11.6	07.5-15.7	417	79.6	74.5-84.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 7: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1680	376,402	697	41.7	38.4-45.0	776	46.7	43.4-50.0	129	8.2	06.2-10.2	78	3.4	02.4-04.4
Male	815	199,574	319	38.0	33.5-42.5	366	48.5	43.8-53.2	83	9.6	06.9-12.3	47	3.9	02.5-05.3
Female	865	176,828	378	45.9	41.4-50.4	410	44.5	40.0-49.0	46	6.6	04.1-09.1	31	2.9	01.7-04.1
White/Non-Hisp	1179	247,410	528	45.8	41.9-49.7	496	42.5	38.6-46.4	89	7.3	05.3-09.3	66	4.4	03.0-05.8
Black or Afr. Am./Non-Hisp	274	69,639	94	33.6	26.2-41.0	155	58.1	50.1-66.1	18	6.8	02.3-11.3	7	1.5	00.1-02.9
Oth. Race/Non-Hisp.	51	14,734	26	60.3	43.4-77.2	18	25.8	11.9-39.7	6	12.9	01.7-24.1	1	0.9	00.0-02.7
Hispanic	133	34,069	34	21.5	13.3-29.7	83	61.3	50.3-72.3	13	15.2	05.2-25.2	3	2.0	00.0-04.2
18-24	97	39,626	19	22.6	11.4-33.8	68	65.8	53.5-78.1	7	8.8	01.2-16.4	3	2.9	00.0-06.2
25-34	260	81,846	88	39.0	31.0-47.0	147	50.2	42.2-58.2	17	8.4	03.9-12.9	8	2.4	00.4-04.4
35-44	282	79,907	126	48.6	41.0-56.2	130	41.3	34.0-48.6	20	8.4	03.5-13.3	6	1.7	00.1-03.3
45-54	405	85,649	197	45.7	39.8-51.6	163	43.2	37.1-49.3	27	6.8	03.9-09.7	18	4.3	02.1-06.5
55-64	409	62,287	184	45.4	39.1-51.7	177	43.5	37.2-49.8	32	8.5	05.0-12.0	16	2.6	01.0-04.2
65+	210	24,862	75	36.1	27.7-44.5	85	41.5	32.5-50.5	24	10.7	05.4-16.0	26	11.6	06.5-16.7
Less Than H.S.	103	32,221	12	10.1	03.8-16.4	74	66.5	53.8-79.2	14	21.3	09.0-33.6	3	2.1	00.0-04.5
H.S. or G.E.D.	456	111,179	108	25.4	19.5-31.3	281	62.4	56.1-68.7	49	10.2	06.5-13.9	18	2.0	00.8-03.2
Some Post-H.S.	434	114,422	146	38.8	32.5-45.1	240	52.1	45.8-58.4	28	5.7	03.2-08.2	20	3.4	01.6-05.2
College Graduate	681	116,772	429	68.3	64.0-72.6	179	21.2	17.5-24.9	36	5.3	03.1-07.5	37	5.2	03.0-07.4
Less than \$15,000	50	8,790	6	12.6	00.8-24.4	37	69.9	52.5-87.3	7	17.5	02.6-32.4			
\$15,000- 24,999	187	38,240	22	8.9	04.6-13.2	132	69.1	60.3-77.9	22	17.4	09.4-25.4	11	4.6	01.1-08.1
\$25,000- 34,999	165	39,942	31	18.7	09.9-27.5	118	72.8	63.2-82.4	13	8.0	02.7-13.3	3	0.6	00.0-01.2
\$35,000- 49,999	203	42,294	56	29.4	20.6-38.2	116	55.1	45.9-64.3	22	12.6	05.5-19.7	9	2.9	00.9-04.9
\$50,000- 74,999	230	53,029	111	45.2	36.0-54.4	97	44.0	34.8-53.2	14	6.3	01.2-11.4	8	4.4	01.1-07.7
\$75,000+	643	144,533	402	63.4	58.3-68.5	182	28.9	24.0-33.8	32	4.6	02.6-06.6	27	3.1	01.7-04.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 8: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	815	199,574	319	38.0	33.5-42.5	366	48.5	43.8-53.2	83	9.6	06.9-12.3	47	3.9	02.5-05.3
White/Non-Hisp	567	128,636	244	42.8	37.1-48.5	218	42.1	36.4-47.8	62	9.7	06.8-12.6	43	5.4	03.4-07.4
Black or Afr. Am./Non-Hisp	116	33,958	33	25.7	14.9-36.5	68	63.3	51.0-75.6	12	9.1	01.1-17.1	3	2.0	00.0-04.5
Hispanic	82	22,826	19	21.1	10.5-31.7	57	69.0	55.7-82.3	5	9.0	00.0-19.8	1	0.8	00.0-02.6
18-24	53	22,714	9	20.5	05.6-35.4	41	74.8	59.1-90.5	2	3.8	00.0-09.7	1	0.9	00.0-02.9
25-34	134	45,953	36	36.0	24.6-47.4	82	52.3	40.9-63.7	11	8.5	02.8-14.2	5	3.2	00.0-06.5
35-44	144	42,378	60	40.3	29.7-50.9	64	43.4	32.8-54.0	17	14.4	05.8-23.0	3	1.9	00.0-04.1
45-54	172	41,402	80	43.5	34.7-52.3	70	44.2	35.2-53.2	11	6.6	02.3-10.9	11	5.7	02.2-09.2
55-64	190	30,708	86	42.9	34.1-51.7	70	42.3	33.3-51.3	23	11.1	05.6-16.6	11	3.7	01.2-06.2
65+	111	14,847	43	39.0	27.2-50.8	34	34.5	22.2-46.8	18	14.1	06.5-21.7	16	12.3	05.0-19.6
Less Than H.S.	68	21,797	8	8.9	02.0-15.8	53	73.8	58.5-89.1	6	16.5	01.6-31.4	1	0.9	00.0-02.7
H.S. or G.E.D.	247	66,790	56	25.2	17.2-33.2	144	61.6	53.2-70.0	35	11.1	06.6-15.6	12	2.1	00.7-03.5
Some Post-H.S.	196	57,064	63	36.7	27.3-46.1	107	53.1	43.7-62.5	15	6.2	02.5-09.9	11	4.0	01.3-06.7
College Graduate	299	52,140	190	66.6	59.9-73.3	60	17.0	12.1-21.9	26	8.8	04.7-12.9	23	7.6	03.9-11.3
\$15,000- 24,999	97	21,311	12	8.6	02.5-14.7	68	75.0	64.8-85.2	13	15.0	06.6-23.4	4	1.4	00.0-03.0
\$25,000- 34,999	79	22,899	13	16.8	03.7-29.9	54	73.4	59.3-87.5	11	9.7	02.1-17.3	1	0.2	00.0-00.6
\$35,000- 49,999	91	21,723	17	24.1	11.0-37.2	55	54.0	40.1-67.9	16	19.5	07.2-31.8	3	2.4	00.0-05.1
\$50,000- 74,999	100	25,784	41	37.4	24.3-50.5	45	47.5	33.6-61.4	8	9.6	00.0-19.4	6	5.5	00.6-10.4
\$75,000+	318	77,117	199	60.4	53.0-67.8	76	29.3	22.0-36.6	23	5.8	02.9-08.7	20	4.5	02.1-06.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 9: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	865	176,828	378	45.9	41.4-50.4	410	44.5	40.0-49.0	46	6.6	04.1-09.1	31	2.9	01.5-04.3
White/Non-Hisp	612	118,774	284	49.0	43.5-54.5	278	43.0	37.7-48.3	27	4.7	02.2-07.2	23	3.4	01.6-05.2
Black or Afr. Am./Non-Hisp	158	35,681	61	41.2	31.2-51.2	87	53.2	43.2-63.2	6	4.6	00.5-08.7	4	1.0	00.0-02.2
Hispanic	51	11,244	15	22.4	09.7-35.1	26	45.7	28.5-62.9	8	27.6	08.2-47.0	2	4.3	00.0-10.2
25-34	126	35,892	52	42.9	31.3-54.5	65	47.6	36.0-59.2	6	8.3	00.9-15.7	3	1.3	00.0-02.9
35-44	138	37,529	66	58.0	48.2-67.8	66	39.0	29.4-48.6	3	1.5	00.0-03.3	3	1.6	00.0-03.6
45-54	233	44,247	117	47.9	39.9-55.9	93	42.1	33.9-50.3	16	7.0	03.1-10.9	7	3.0	00.3-05.7
55-64	219	31,579	98	47.8	39.2-56.4	107	44.6	36.2-53.0	9	6.0	01.5-10.5	5	1.6	00.0-03.2
65+	99	10,015	32	31.8	20.6-43.0	51	51.9	39.4-64.4	6	5.7	00.0-13.0	10	10.6	03.7-17.5
H.S. or G.E.D.	209	44,389	52	25.7	17.3-34.1	137	63.7	54.3-73.1	14	8.7	02.2-15.2	6	2.0	00.0-04.2
Some Post-H.S.	238	57,358	83	40.9	32.3-49.5	133	51.0	42.6-59.4	13	5.2	02.1-08.3	9	2.9	00.5-05.3
College Graduate	382	64,632	239	69.7	63.8-75.6	119	24.6	19.3-29.9	10	2.5	00.5-04.5	14	3.3	01.1-05.5
\$15,000- 24,999	90	16,928	10	9.3	03.0-15.6	64	61.6	47.3-75.9	9	20.4	06.3-34.5	7	8.7	01.1-16.3
\$25,000- 34,999	86	17,043	18	21.3	10.5-32.1	64	72.0	59.8-84.2	2	5.7	00.0-13.3	2	1.0	00.0-02.4
\$35,000- 49,999	112	20,571	39	35.0	23.2-46.8	61	56.3	44.5-68.1	6	5.2	00.1-10.3	6	3.4	00.5-06.3
\$50,000- 74,999	130	27,244	70	52.6	40.1-65.1	52	40.7	28.4-53.0	6	3.3	00.4-06.2	2	3.4	00.0-08.1
\$75,000+	325	67,416	203	66.9	60.4-73.4	106	28.5	22.4-34.6	9	3.2	00.8-05.6	7	1.5	00.1-02.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 10. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1654	371,353	145	7.2	05.6-08.8	872	54.0	50.7-57.3	524	32.6	29.5-35.7	101	5.9	04.3-07.5	6	0.3	00.1-00.5	6	0.1	00.0-00.3
Male	796	195,569	55	5.7	03.5-07.9	375	48.7	44.0-53.4	295	37.5	32.8-42.2	61	7.3	04.9-09.7	6	0.5	00.0-01.1	4	0.2	00.0-00.4
Female	858	175,784	90	8.8	06.6-11.0	497	59.9	55.6-64.2	229	27.1	23.0-31.2	40	4.3	02.5-06.1				2	0.0	00.0-00.0
White/Non-Hisp	1164	244,569	107	6.9	05.1-08.7	589	51.9	48.0-55.8	390	34.7	30.8-38.6	72	6.3	04.3-08.3	4	0.2	00.0-00.6	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	269	68,738	18	7.3	02.4-12.2	159	58.9	50.9-66.9	72	27.7	20.4-35.0	16	5.2	02.1-08.3	2	0.7	00.0-01.9	2	0.2	00.0-00.6
Oth. Race/Non-Hisp.	51	14,734	2	2.7	00.0-07.0	21	53.7	36.1-71.3	22	31.1	16.4-45.8	5	11.8	00.6-23.0				1	0.7	00.0-02.1
Hispanic	128	32,843	11	7.7	02.6-12.8	81	60.6	49.2-72.0	30	29.6	18.4-40.8	5	1.7	00.1-03.3				1	0.5	00.0-01.5
18-24	96	39,452	11	9.0	03.3-14.7	61	67.0	55.4-78.6	20	22.5	11.9-33.1	4	1.5	00.0-03.1						
25-34	256	80,637	11	3.0	00.8-05.2	156	56.2	48.0-64.4	69	33.7	25.7-41.7	18	6.6	02.5-10.7	1	0.4	00.0-01.2	1	0.0	00.0-00.0
35-44	280	79,304	18	7.9	03.4-12.4	148	53.4	45.8-61.0	100	34.7	27.6-41.8	13	3.8	01.4-06.2				1	0.2	00.0-00.6
45-54	400	84,434	24	6.7	03.6-09.8	187	45.5	39.4-51.6	155	38.4	32.5-44.3	34	9.4	05.7-13.1						
55-64	407	62,010	35	7.1	04.4-09.8	208	53.3	47.0-59.6	135	32.2	26.5-37.9	25	6.8	03.7-09.9	2	0.2	00.0-00.6	2	0.2	00.0-00.6
65+	198	23,298	45	17.4	11.5-23.3	105	60.6	52.0-69.2	38	16.2	10.5-21.9	6	3.0	00.0-06.3	2	1.9	00.0-05.0	2	0.7	00.0-01.7
Less Than H.S.	99	31,125	14	15.2	05.6-24.8	58	52.5	39.2-65.8	19	25.3	12.8-37.8	6	6.1	01.0-11.2				2	1.0	00.0-02.4
H.S. or G.E.D.	443	108,932	34	5.3	02.8-07.8	248	56.0	49.5-62.5	127	31.5	25.2-37.8	29	6.6	03.3-09.9	3	0.5	00.0-01.1	2	0.1	00.0-00.3
Some Post-H.S.	431	113,573	29	5.7	03.3-08.1	254	58.5	52.4-64.6	124	30.8	24.9-36.7	22	4.6	02.2-07.0	1	0.3	00.0-00.9	1	0.1	00.0-00.3
College Graduate	677	116,062	67	8.0	05.6-10.4	310	47.7	42.8-52.6	253	37.7	33.0-42.4	44	6.5	04.1-08.9	2	0.1	00.0-00.3	1	0.0	00.0-00.0
\$15,000- 24,999	187	37,904	24	12.3	06.4-18.2	116	62.4	53.4-71.4	35	16.8	10.3-23.3	9	6.7	01.4-12.0	1	0.9	00.0-02.7	2	0.8	00.0-02.0
\$25,000- 34,999	162	39,625	9	5.0	01.1-08.9	111	65.0	55.0-75.0	34	24.2	15.0-33.4	8	5.7	01.4-10.0						
\$35,000- 49,999	201	42,300	24	8.0	04.5-11.5	115	56.0	47.0-65.0	52	32.0	23.0-41.0	9	3.8	01.3-06.3	1	0.2	00.0-00.6			
\$50,000- 74,999	232	53,127	10	5.3	00.2-10.4	128	51.0	41.8-60.2	77	38.4	29.0-47.8	17	5.3	02.2-08.4						
\$75,000+	635	142,478	45	5.5	03.5-07.5	277	47.3	42.0-52.6	261	39.0	33.9-44.1	49	7.8	04.9-10.7	2	0.3	00.0-00.9	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 11. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	796	195,569	55	5.7	03.5-07.9	375	48.7	44.0-53.4	295	37.5	32.8-42.2	61	7.3	04.9-09.7	6	0.5	00.0-01.1	4	0.2	00.0-00.4
White/Non-Hisp	555	125,782	41	5.2	03.0-07.4	245	45.9	40.2-51.6	218	39.9	34.2-45.6	46	8.5	05.4-11.6	4	0.4	00.0-01.0	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	112	33,231	8	9.3	00.3-18.3	57	53.2	39.9-66.5	35	29.6	18.0-41.2	9	6.1	01.0-11.2	2	1.4	00.0-03.8	1	0.4	00.0-01.2
Hispanic	80	22,483	3	2.9	00.0-06.2	49	56.9	42.6-71.2	24	37.4	22.9-51.9	3	1.9	00.0-04.3				1	0.8	00.0-02.4
18-24	53	22,714	3	5.1	00.0-11.0	38	78.8	66.8-90.8	9	14.1	04.1-24.1	3	2.1	00.0-04.6						
25-34	131	45,296	5	2.3	00.0-05.0	75	46.1	34.9-57.3	39	42.6	31.0-54.2	11	8.1	01.6-14.6	1	0.8	00.0-02.4			
35-44	142	41,775	9	9.0	01.6-16.4	60	42.7	31.7-53.7	63	42.4	31.6-53.2	9	5.5	01.4-09.6				1	0.4	00.0-01.2
45-54	170	40,511	6	4.2	00.3-08.1	62	36.9	28.1-45.7	82	47.0	37.8-56.2	20	11.9	06.2-17.6						
55-64	187	30,262	10	3.8	00.9-06.7	85	50.5	41.5-59.5	72	34.7	26.3-43.1	17	10.0	04.3-15.7	2	0.5	00.0-01.3	1	0.4	00.0-01.2
65+	102	13,441	22	17.8	09.4-26.2	49	57.1	44.9-69.3	26	20.2	11.4-29.0	1	0.3	00.0-00.9	2	3.4	00.0-08.9	2	1.3	00.0-03.1
Less Than H.S.	67	21,584	4	10.1	00.0-21.7	41	52.9	36.2-69.6	16	29.5	14.0-45.0	4	6.2	00.0-12.5				2	1.4	00.0-03.4
H.S. or G.E.D.	237	64,666	13	4.3	00.8-07.8	120	52.2	43.4-61.0	78	35.0	26.4-43.6	22	7.7	03.0-12.4	3	0.8	00.0-02.0	1	0.1	00.0-00.3
Some Post-H.S.	193	56,249	11	4.7	01.4-08.0	99	51.2	41.8-60.6	67	36.7	27.7-45.7	14	6.5	02.6-10.4	1	0.7	00.0-02.1	1	0.2	00.0-00.6
College Graduate	296	51,434	26	6.3	03.6-09.0	113	38.8	31.5-46.1	134	46.1	38.8-53.4	21	8.5	04.2-12.8	2	0.2	00.0-00.6			
\$15,000- 24,999	96	20,939	12	12.9	04.5-21.3	54	58.8	46.5-71.1	22	18.7	09.7-27.7	5	6.5	00.4-12.6	1	1.7	00.0-05.0	2	1.4	00.0-03.4
\$25,000- 34,999	78	22,660	1	1.0	00.0-03.0	56	68.7	54.4-83.0	17	25.2	11.5-38.9	4	5.1	00.0-10.4						
\$35,000- 49,999	90	21,690	8	5.0	00.9-09.1	40	44.7	31.0-58.4	34	43.8	29.9-57.7	7	6.2	01.3-11.1	1	0.4	00.0-01.2			
\$50,000- 74,999	102	25,883	6	6.8	00.0-16.0	52	43.9	30.8-57.0	34	42.0	28.1-55.9	10	7.3	01.6-13.0						
\$75,000+	311	75,146	18	3.4	01.2-05.6	107	38.4	30.8-46.0	153	47.2	39.6-54.8	30	10.3	05.4-15.2	2	0.6	00.0-01.6	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 12. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	858	175,784	90	8.8	06.6-11.0	497	59.9	55.6-64.2	229	27.1	23.0-31.2	40	4.3	02.5-06.1	2	0.0	00.0-00.0
White/Non-Hisp	609	118,787	66	8.7	06.0-11.4	344	58.3	53.0-63.6	172	29.1	24.0-34.2	26	3.8	01.8-05.8	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	157	35,507	10	5.4	01.5-09.3	102	64.2	54.6-73.8	37	26.0	17.0-35.0	7	4.3	00.6-08.0	1	0.1	00.0-00.3
25-34	125	35,341	6	3.8	00.3-07.3	81	69.1	58.9-79.3	30	22.3	13.1-31.5	7	4.7	00.6-08.8	1	0.1	00.0-00.3
35-44	138	37,529	9	6.6	02.1-11.1	88	65.3	55.7-74.9	37	26.1	17.3-34.9	4	1.9	00.0-03.9			
45-54	230	43,923	18	9.0	04.3-13.7	125	53.4	45.2-61.6	73	30.4	23.0-37.8	14	7.2	02.5-11.9			
55-64	220	31,747	25	10.2	05.5-14.9	123	56.0	47.8-64.2	63	29.9	22.3-37.5	8	3.8	00.9-06.7	1	0.1	00.0-00.3
65+	96	9,858	23	16.9	08.5-25.3	56	65.5	53.9-77.1	12	10.9	04.4-17.4	5	6.6	00.0-14.2			
H.S. or G.E.D.	206	44,266	21	6.9	03.2-10.6	128	61.6	52.2-71.0	49	26.4	17.4-35.4	7	5.0	00.5-09.5	1	0.1	00.0-00.3
Some Post-H.S.	238	57,324	18	6.6	03.1-10.1	155	65.7	58.1-73.3	57	24.9	17.8-32.0	8	2.8	00.3-05.3			
College Graduate	381	64,628	41	9.3	05.8-12.8	197	54.7	48.2-61.2	119	31.0	25.1-36.9	23	4.9	02.5-07.3	1	0.0	00.0-00.0
\$15,000- 24,999	91	16,966	12	11.6	03.4-19.8	62	66.9	53.8-80.0	13	14.6	05.8-23.4	4	6.9	00.0-16.1			
\$25,000- 34,999	84	16,965	8	10.4	02.2-18.6	55	60.1	46.8-73.4	17	23.0	11.4-34.6	4	6.6	00.0-13.7			
\$35,000- 49,999	111	20,610	16	11.1	05.2-17.0	75	68.0	57.2-78.8	18	19.6	09.6-29.6	2	1.2	00.0-03.0			
\$50,000- 74,999	130	27,244	4	3.9	00.0-08.6	76	57.7	45.2-70.2	43	35.1	22.8-47.4	7	3.3	00.6-06.0			
\$75,000+	324	67,332	27	7.8	04.3-11.3	170	57.3	50.2-64.4	108	29.8	23.7-35.9	19	5.1	02.4-07.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 13. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	159	34,844	39	19.4	10.8-28.0	103	67.5	56.9-78.1	10	7.2	01.5-12.9	7	5.9	00.8-11.0
Male	74	16,605	22	28.0	13.7-42.3	42	54.8	39.7-69.9	6	9.9	00.3-19.5	4	7.3	00.0-15.9
Female	85	18,239	17	11.6	04.2-19.0	61	79.0	67.4-90.6	4	4.8	00.0-11.3	3	4.7	00.0-10.4
White/Non-Hisp	99	19,661	32	25.0	13.8-36.2	57	63.6	49.9-77.3	6	7.1	00.0-14.4	4	4.3	00.0-09.6
H.S. or G.E.D.	62	12,876	12	16.0	05.6-26.4	41	59.4	43.9-74.9	5	12.3	00.3-24.3	4	12.3	00.0-24.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 14. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	74	16,605	22	28.0	13.7-42.3	42	54.8	40.1-69.5	6	9.9	00.3-19.5	4	7.3	00.0-16.1
White/Non-Hisp	55	11,171	21	31.8	16.9-46.7	27	52.6	36.5-68.7	4	9.9	00.0-21.7	3	5.7	00.0-14.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
 MODULE 20: SOCIAL CONTEXT**

**TABLE 15. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	85	18,239	17	11.6	04.2-19.0	61	79.0	67.4-90.6	4	4.8	00.0-11.3	3	4.7	00.0-10.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 16. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1791	253,545	182	11.0	08.6-13.4	1047	58.2	54.9-61.5	424	21.6	18.9-24.3	68	3.4	02.4-04.4	10	0.6	00.0-01.2	60	5.1	03.1-07.1
Male	675	97,859	53	9.0	05.1-12.9	352	53.3	48.0-58.6	211	28.9	24.4-33.4	39	5.4	03.2-07.6	9	1.6	00.2-03.0	11	1.9	00.5-03.3
Female	1116	155,686	129	12.3	09.6-15.0	695	61.3	57.0-65.6	213	17.0	13.9-20.1	29	2.2	01.2-03.2	1	0.0	00.0-00.0	49	7.2	04.3-10.1
White/Non-Hisp	1399	176,829	140	10.8	08.3-13.3	796	55.9	52.2-59.6	357	24.5	21.4-27.6	59	4.1	02.7-05.5	7	0.6	00.0-01.2	40	4.2	02.0-06.4
Black or Afr. Am./Non-Hisp	226	46,810	22	11.1	05.0-17.2	153	66.5	57.7-75.3	37	13.0	07.9-18.1	4	1.5	00.0-03.3	1	0.8	00.0-02.4	9	7.1	01.6-12.6
Hispanic	68	11,477	9	11.0	02.8-19.2	47	71.0	58.5-83.5	8	12.4	02.6-22.2							4	5.5	00.2-10.8
18-24	86	37,492	20	22.1	11.1-33.1	44	48.8	34.9-62.7	10	11.4	03.4-19.4				2	1.9	00.0-04.8	10	15.7	04.7-26.7
25-34	63	17,243	6	8.0	00.4-15.6	37	55.1	39.8-70.4	12	24.9	10.4-39.4	1	2.1	00.0-06.2				7	10.0	02.2-17.8
35-44	61	15,933	9	16.7	05.1-28.3	34	52.7	37.4-68.0	12	21.9	09.4-34.4	2	3.3	00.0-08.0				4	5.4	00.0-10.9
45-54	137	23,130	19	13.7	07.0-20.4	75	55.4	45.0-65.8	30	19.2	11.4-27.0	9	8.4	02.3-14.5	1	1.6	00.0-04.7	3	1.7	00.0-03.9
55-64	350	48,803	32	7.8	04.5-11.1	191	59.6	53.1-66.1	97	24.7	19.2-30.2	12	3.6	01.1-06.1	3	0.6	00.0-01.4	15	3.6	01.2-06.0
65+	1072	107,177	95	8.0	05.8-10.2	655	62.7	59.0-66.4	254	23.1	19.8-26.4	43	3.8	02.4-05.2	4	0.2	00.0-00.4	21	2.2	01.0-03.4
Less Than H.S.	178	39,068	16	7.9	03.6-12.2	112	67.1	57.9-76.3	25	14.1	07.2-21.0	6	1.5	00.0-03.1	1	0.9	00.0-02.7	18	8.5	03.6-13.4
H.S. or G.E.D.	560	82,765	59	10.0	05.7-14.3	355	59.5	53.2-65.8	106	19.1	14.8-23.4	17	3.5	01.5-05.5	5	1.0	00.0-02.4	18	6.9	02.0-11.8
Some Post-H.S.	460	74,946	45	13.9	09.2-18.6	290	59.9	53.8-66.0	96	19.1	14.2-24.0	15	3.6	01.4-05.8	2	0.4	00.0-00.8	12	3.1	00.9-05.3
College Graduate	588	56,360	61	10.8	07.1-14.5	288	48.0	42.3-53.7	196	33.6	28.3-38.9	30	4.5	02.3-06.7	1	0.1	00.0-00.3	12	3.0	00.8-05.2
Less than \$15,000	159	23,924	14	5.2	01.7-08.7	100	68.6	57.0-80.2	28	12.0	05.9-18.1	7	2.0	00.0-04.0	2	0.5	00.0-01.3	8	11.6	01.4-21.8
\$15,000- 24,999	294	41,428	27	8.9	04.8-13.0	184	60.2	51.8-68.6	64	20.6	14.3-26.9	7	2.4	00.0-04.9	1	0.9	00.0-02.7	11	6.9	00.0-14.3
\$25,000- 34,999	187	23,570	23	11.6	05.5-17.7	115	58.2	48.6-67.8	39	24.4	15.4-33.4	4	1.7	00.0-03.9				6	4.2	00.0-08.7
\$35,000- 49,999	208	26,803	17	6.8	02.9-10.7	133	64.7	55.9-73.5	46	21.9	14.3-29.5	7	4.2	00.5-07.9	1	0.5	00.0-01.5	4	1.9	00.0-04.3
\$50,000- 74,999	223	29,126	28	11.6	05.9-17.3	123	58.0	49.4-66.6	55	23.7	16.8-30.6	14	4.1	01.7-06.5	1	1.8	00.0-05.1	2	0.8	00.0-02.0
\$75,000+	309	49,302	32	13.3	07.6-19.0	151	47.8	39.8-55.8	100	29.9	22.5-37.3	16	5.0	02.1-07.9	3	0.5	00.0-01.1	7	3.5	00.6-06.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 17. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	675	97,859	53	9.0	05.1-12.9	352	53.3	48.0-58.6	211	28.9	24.4-33.4	39	5.4	03.2-07.6	9	1.6	00.2-03.0	11	1.9	00.5-03.3
White/Non-Hisp	530	70,840	38	8.6	03.9-13.3	267	50.2	44.1-56.3	178	31.9	26.6-37.2	32	5.7	03.2-08.2	6	1.6	00.0-03.2	9	1.9	00.3-03.5
Black or Afr. Am./Non-Hisp	89	17,274	9	9.4	00.8-18.0	54	63.1	50.4-75.8	21	19.8	10.4-29.2	3	2.9	00.0-07.4	1	2.1	00.0-06.2	1	2.7	00.0-07.8
55-64	135	21,085	6	3.8	00.1-07.5	65	53.6	43.0-64.2	50	34.5	24.7-44.3	6	5.0	00.3-09.7	3	1.5	00.0-03.3	5	1.7	00.0-03.5
65+	425	44,010	34	7.0	04.3-09.7	227	55.4	49.3-61.5	131	29.2	23.5-34.9	26	6.2	03.3-09.1	3	0.4	00.0-00.8	4	1.7	00.0-03.7
Less Than H.S.	53	12,006	6	9.1	01.1-17.1	29	57.4	41.5-73.3	11	24.0	09.7-38.3	3	2.6	00.0-06.3	1	3.1	00.0-09.0	3	3.9	00.0-09.8
H.S. or G.E.D.	209	34,547	13	8.7	00.1-17.3	124	55.8	45.8-65.8	53	26.0	18.0-34.0	11	4.9	01.2-08.6	5	2.5	00.0-05.6	3	2.0	00.0-04.7
Some Post-H.S.	161	28,407	12	10.9	03.8-18.0	92	56.0	46.2-65.8	44	24.7	16.7-32.7	9	6.7	01.6-11.8	2	0.9	00.0-02.3	2	0.7	00.0-01.9
College Graduate	251	22,714	22	7.0	03.7-10.3	106	43.4	35.4-51.4	103	41.3	33.5-49.1	16	5.8	02.5-09.1	1	0.3	00.0-00.9	3	2.2	00.0-04.9
\$15,000- 24,999	98	16,289	9	7.5	01.8-13.2	51	52.1	38.8-65.4	29	29.8	17.5-42.1	5	4.8	00.0-10.9	1	2.3	00.0-06.6	3	3.4	00.0-08.1
\$25,000- 34,999	75	11,018	11	13.2	03.0-23.4	42	51.1	35.8-66.4	18	30.0	15.1-44.9	3	3.3	00.0-07.8	1	2.4	00.0-07.1			
\$35,000- 49,999	90	12,214	6	3.5	00.4-06.6	53	63.0	49.7-76.3	28	31.2	18.1-44.3	2	1.2	00.0-03.0	1	1.1	00.0-03.3			
\$50,000- 74,999	104	13,093	7	4.6	00.7-08.5	53	53.8	42.0-65.6	32	30.3	19.5-41.1	10	6.2	02.1-10.3	1	3.9	00.0-11.3	1	1.2	00.0-03.6
\$75,000+	140	20,332	10	6.6	00.5-12.7	65	52.2	40.8-63.6	52	31.9	21.5-42.3	9	7.8	01.9-13.7	3	1.1	00.0-02.5	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 20: SOCIAL CONTEXT**

**TABLE 18. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1116	155,686	129	12.3	09.6-15.0	695	61.3	57.0-65.6	213	17.0	13.9-20.1	29	2.2	01.2-03.2	1	0.0	00.0-00.0	49	7.2	04.3-10.1
White/Non-Hisp	869	105,989	102	12.2	09.3-15.1	529	59.7	54.8-64.6	179	19.5	15.6-23.4	27	2.9	01.5-04.3	1	0.0	00.0-00.0	31	5.7	02.2-09.2
Black or Afr. Am./Non-Hisp	137	29,536	13	12.2	04.2-20.2	99	68.5	56.9-80.1	16	9.0	03.5-14.5	1	0.6	00.0-01.8				8	9.7	01.5-17.9
Hispanic	56	9,608	8	11.5	02.1-20.9	39	72.5	58.8-86.2	5	9.4	00.0-19.6							4	6.6	00.3-12.9
18-24	51	23,113	15	19.8	08.0-31.6	23	46.7	27.3-66.1	4	10.0	00.0-20.8							9	23.5	06.6-40.4
45-54	94	14,756	14	17.5	07.9-27.1	54	61.1	48.9-73.3	20	15.0	07.7-22.3	3	3.8	00.0-08.3				3	2.7	00.0-06.0
55-64	215	27,718	26	10.9	06.0-15.8	126	64.2	56.4-72.0	47	17.3	11.4-23.2	6	2.6	00.1-05.1				10	5.1	01.4-08.8
65+	647	63,167	61	8.7	05.8-11.6	428	67.8	63.1-72.5	123	18.8	14.9-22.7	17	2.1	00.9-03.3	1	0.0	00.0-00.0	17	2.5	01.1-03.9
Less Than H.S.	125	27,062	10	7.4	02.5-12.3	83	71.3	60.3-82.3	14	9.7	02.3-17.1	3	1.1	00.0-02.5				15	10.5	03.8-17.2
H.S. or G.E.D.	351	48,218	46	10.9	06.6-15.2	231	62.1	53.9-70.3	53	14.1	09.4-18.8	6	2.4	00.2-04.6				15	10.4	02.6-18.2
Some Post-H.S.	299	46,538	33	15.7	09.6-21.8	198	62.3	54.7-69.9	52	15.7	09.4-22.0	6	1.7	00.1-03.3				10	4.5	01.2-07.8
College Graduate	337	33,645	39	13.3	07.4-19.2	182	51.1	43.3-58.9	93	28.4	21.3-35.5	14	3.6	01.1-06.1				9	3.5	00.4-06.6
Less than \$15,000	110	17,526	11	6.3	01.6-11.0	74	70.4	55.9-84.9	14	5.7	01.8-09.6	4	2.1	00.0-04.6				7	15.5	02.0-29.0
\$15,000- 24,999	196	25,139	18	9.8	03.9-15.7	133	65.5	54.3-76.7	35	14.7	08.6-20.8	2	0.9	00.0-02.3				8	9.2	00.0-21.0
\$25,000- 34,999	112	12,551	12	10.1	02.8-17.4	73	64.4	52.2-76.6	21	19.5	08.7-30.3	1	0.3	00.0-00.9				5	5.8	00.0-13.1
\$35,000- 49,999	118	14,588	11	9.6	02.7-16.5	80	66.1	54.5-77.7	18	14.2	05.8-22.6	5	6.7	00.0-13.4				4	3.4	00.0-07.7
\$50,000- 74,999	119	16,033	21	17.4	07.8-27.0	70	61.4	49.4-73.4	23	18.4	09.8-27.0	4	2.3	00.0-04.8				1	0.5	00.0-01.5
\$75,000+	169	28,970	22	18.1	09.3-26.9	86	44.7	33.7-55.7	48	28.4	18.0-38.8	7	3.1	00.2-06.0				6	5.6	00.7-10.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015

MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)	
1	MALES AND FEMALES	62
2	MALES ONLY	63
3	FEMALES ONLY	64
	DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)	
4	MALES AND FEMALES	65
5	MALES ONLY	66
6	FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 1: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3506	633,728	3350	94.1	92.7-95.5	87	2.8	02.0-03.6	55	2.6	01.6-03.6	14	0.5	00.1-00.9
Male	1492	297,604	1419	95.1	93.5-96.7	50	3.1	01.9-04.3	17	1.5	00.3-02.7	6	0.3	00.0-00.7
Female	2014	336,124	1931	93.2	91.0-95.4	37	2.6	01.2-04.0	38	3.5	01.9-05.1	8	0.7	00.1-01.3
White/Non-Hisp	2628	431,484	2518	94.5	92.9-96.1	65	2.6	01.6-03.6	39	2.6	01.4-03.8	6	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	511	118,628	490	94.7	91.8-97.6	11	2.9	00.5-05.3	8	1.9	00.1-03.7	2	0.5	00.0-01.3
Oth. Race/Non-Hisp.	90	25,390	80	84.2	72.2-96.2	2	2.8	00.0-07.3	6	11.0	00.0-22.2	2	2.0	00.0-05.1
Hispanic	177	39,656	169	94.6	90.3-98.9	5	4.4	00.3-08.5	2	0.4	00.0-01.0	1	0.6	00.0-01.8
18-24	184	77,609	166	88.3	81.8-94.8	10	5.1	01.4-08.8	6	5.4	00.0-10.9	2	1.2	00.0-03.0
25-34	313	95,795	292	91.2	86.7-95.7	10	4.9	01.2-08.6	11	3.9	01.2-06.6			
35-44	338	95,521	324	94.9	91.2-98.6	7	1.4	00.2-02.6	7	3.7	00.2-07.2			
45-54	541	108,293	516	95.1	92.9-97.3	12	1.9	00.7-03.1	11	2.4	00.6-04.2	2	0.6	00.0-01.6
55-64	765	112,240	725	94.5	92.3-96.7	24	3.4	01.6-05.2	11	1.4	00.4-02.4	5	0.7	00.0-01.7
65+	1327	138,073	1291	97.6	96.6-98.6	24	1.5	00.7-02.3	9	0.5	00.1-00.9	3	0.4	00.0-01.0
Less Than H.S.	269	69,431	257	95.3	92.2-98.4	5	1.4	00.0-02.8	3	1.8	00.0-04.2	4	1.5	00.0-03.1
H.S. or G.E.D.	1035	197,614	1004	95.5	93.1-97.9	18	2.6	01.0-04.2	11	1.8	00.0-03.6	2	0.1	00.0-00.3
Some Post-H.S.	912	190,992	865	92.3	89.4-95.2	26	3.6	01.8-05.4	18	3.5	01.1-05.9	3	0.6	00.0-01.4
College Graduate	1277	173,238	1211	93.9	91.7-96.1	38	2.9	01.5-04.3	23	2.7	01.3-04.1	5	0.4	00.0-01.0
Less than \$15,000	206	32,142	195	92.8	85.9-99.7	3	4.1	00.0-10.6	5	1.6	00.0-03.2	3	1.5	00.0-03.9
\$15,000- 24,999	481	78,523	455	92.0	87.3-96.7	14	3.1	01.3-04.9	10	4.4	00.1-08.7	2	0.5	00.0-01.3
\$25,000- 34,999	350	62,565	339	98.2	97.0-99.4	5	0.9	00.1-01.7	5	0.8	00.0-01.6	1	0.1	00.0-00.3
\$35,000- 49,999	419	71,481	393	91.5	86.6-96.4	16	3.1	00.9-05.3	10	5.4	00.9-09.9			
\$50,000- 74,999	456	82,580	438	94.0	90.7-97.3	13	3.8	01.3-06.3	4	1.5	00.0-03.5	1	0.6	00.0-01.8
\$75,000+	957	194,030	915	94.4	91.9-96.9	24	2.8	01.0-04.6	17	2.8	00.8-04.8	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
TABLE 2: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1492	297,604	1419	95.1	93.5-96.7	50	3.1	01.9-04.3	17	1.5	00.3-02.7	6	0.3	00.0-00.7
White/Non-Hisp	1115	202,392	1065	95.3	93.3-97.3	36	2.5	01.5-03.5	12	1.9	00.3-03.5	2	0.3	00.0-00.9
Black or Afr. Am./Non-Hisp	209	52,246	198	95.7	92.4-99.0	7	3.6	00.3-06.9	3	0.5	00.0-01.3	1	0.1	00.0-00.3
Hispanic	81	21,677	76	92.0	84.7-99.3	5	8.0	00.7-15.3						
18-24	89	37,850	84	92.8	85.4-0100	4	3.7	00.0-07.6	1	3.5	00.0-10.2			
25-34	143	48,929	138	96.0	92.1-99.9	4	2.7	00.0-05.6	1	1.3	00.0-03.8			
35-44	157	45,948	151	97.5	95.1-99.9	5	2.3	00.1-04.5	1	0.2	00.0-00.6			
45-54	218	50,192	204	94.0	90.5-97.5	9	3.3	00.9-05.7	4	2.4	00.0-05.1	1	0.2	00.0-00.6
55-64	325	51,832	300	91.7	87.6-95.8	17	5.5	02.0-09.0	5	1.6	00.0-03.2	3	1.2	00.0-03.2
65+	546	60,587	529	97.5	96.1-98.9	11	1.7	00.5-02.9	5	0.8	00.0-01.6	1	0.0	00.0-00.0
Less Than H.S.	115	33,242	110	97.3	94.4-0100	4	2.5	00.0-05.4	1	0.2	00.0-00.6			
H.S. or G.E.D.	461	102,511	446	96.8	94.8-98.8	12	2.9	00.9-04.9	2	0.3	00.0-00.7	1	0.1	00.0-00.3
Some Post-H.S.	360	85,473	335	91.5	87.2-95.8	16	4.1	01.7-06.5	7	3.7	00.2-07.2	2	0.6	00.0-01.8
College Graduate	548	74,648	520	95.6	93.6-97.6	18	2.7	01.1-04.3	7	1.4	00.2-02.6	3	0.3	00.0-00.7
Less than \$15,000	71	10,298	67	96.3	91.8-0100	2	2.5	00.0-06.8				2	1.2	00.0-03.0
\$15,000- 24,999	192	37,266	178	94.0	90.3-97.7	10	4.9	01.4-08.4	3	0.8	00.0-01.8	1	0.3	00.0-00.9
\$25,000- 34,999	154	33,782	150	98.9	97.7-0100	2	0.8	00.0-01.8	2	0.4	00.0-01.0			
\$35,000- 49,999	180	34,253	167	89.1	80.5-97.7	9	4.4	00.7-08.1	4	6.5	00.0-14.5			
\$50,000- 74,999	205	38,901	191	91.6	86.5-96.7	10	5.6	01.5-09.7	3	1.5	00.0-03.5	1	1.3	00.0-03.8
\$75,000+	460	97,163	442	96.9	95.1-98.7	13	1.7	00.5-02.9	5	1.3	00.0-02.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 3: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2014	336,124	1931	93.2	91.0-95.4	37	2.6	01.2-04.0	38	3.5	01.9-05.1	8	0.7	00.1-01.3
White/Non-Hisp	1513	229,092	1453	93.7	91.3-96.1	29	2.6	01.0-04.2	27	3.2	01.4-05.0	4	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	302	66,382	292	93.9	89.4-98.4	4	2.4	00.0-05.7	5	3.0	00.1-05.9	1	0.7	00.0-02.1
Oth. Race/Non-Hisp.	54	13,921	47	77.9	59.1-96.7	1	1.0	00.0-03.0	4	17.4	00.0-36.2	2	3.7	00.0-09.4
Hispanic	96	17,979	93	97.8	94.9-0100				2	0.8	00.0-02.0	1	1.4	00.0-04.1
18-24	95	39,759	82	84.0	73.6-94.4	6	6.3	00.0-12.6	5	7.3	00.0-15.7	2	2.4	00.0-05.7
25-34	170	46,866	154	86.2	78.4-94.0	6	7.2	00.5-13.9	10	6.6	01.7-11.5			
35-44	181	49,573	173	92.5	85.8-99.2	2	0.7	00.0-01.7	6	6.8	00.1-13.5			
45-54	323	58,102	312	96.1	93.4-98.8	3	0.7	00.0-01.5	7	2.4	00.2-04.6	1	0.8	00.0-02.4
55-64	440	60,408	425	96.8	94.8-98.8	7	1.7	00.1-03.3	6	1.2	00.2-02.2	2	0.3	00.0-00.7
65+	781	77,486	762	97.7	96.3-99.1	13	1.3	00.5-02.1	4	0.3	00.0-00.7	2	0.7	00.0-01.7
Less Than H.S.	154	36,189	147	93.5	88.0-99.0	1	0.3	00.0-00.9	2	3.4	00.0-08.1	4	2.8	00.0-05.7
H.S. or G.E.D.	574	95,103	558	94.1	89.8-98.4	6	2.3	00.0-04.7	9	3.5	00.0-07.2	1	0.2	00.0-00.6
Some Post-H.S.	552	105,519	530	92.8	88.7-96.9	10	3.2	00.5-05.9	11	3.4	00.5-06.3	1	0.6	00.0-01.8
College Graduate	729	98,590	691	92.7	89.4-96.0	20	3.1	00.9-05.3	16	3.7	01.3-06.1	2	0.6	00.0-01.6
Less than \$15,000	135	21,844	128	91.1	81.3-0100	1	4.9	00.0-14.1	5	2.3	00.0-04.7	1	1.7	00.0-05.0
\$15,000- 24,999	289	41,257	277	90.3	82.3-98.3	4	1.5	00.0-03.1	7	7.7	00.0-15.5	1	0.6	00.0-01.8
\$25,000- 34,999	196	28,783	189	97.4	95.2-99.6	3	1.0	00.0-02.2	3	1.3	00.0-03.1	1	0.3	00.0-00.9
\$35,000- 49,999	239	37,228	226	93.7	88.8-98.6	7	1.9	00.0-04.1	6	4.3	00.0-08.8			
\$50,000- 74,999	251	43,679	247	96.2	91.9-0100	3	2.2	00.0-05.5	1	1.6	00.0-04.7			
\$75,000+	497	96,867	473	91.8	87.3-96.3	11	3.8	00.7-06.9	12	4.3	00.8-07.8	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 4: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3533	636,206	7	0.5	00.0-01.1	4	0.2	00.0-00.4	4	0.3	00.0-00.7	3518	98.9	98.1-99.7
Male	1499	298,705	4	0.6	00.0-01.4	2	0.2	00.0-00.6	4	0.6	00.0-01.4	1489	98.6	97.4-99.8
Female	2034	337,500	3	0.5	00.0-01.5	2	0.2	00.0-00.6				2029	99.3	98.3-0100
White/Non-Hisp	2642	432,754	5	0.7	00.0-01.7	2	0.1	00.0-00.3	2	0.2	00.0-00.6	2633	99.0	98.0-0100
Black or Afr. Am./Non-Hisp	506	117,686	1	0.1	00.0-00.3				1	0.1	00.0-00.3	504	99.7	99.3-0100
Oth. Race/Non-Hisp.	84	21,796				1	2.6	00.0-07.7				83	97.4	92.3-0100
Hispanic	195	45,080				1	0.9	00.0-02.7	1	2.2	00.0-06.5	193	96.9	92.4-0100
18-24	183	77,424	1	2.1	00.0-06.2	1	0.4	00.0-01.2				181	97.5	93.4-0100
25-34	319	97,737							2	1.7	00.0-04.1	317	98.3	95.9-0100
35-44	340	94,635	1	1.2	00.0-03.4	1	0.4	00.0-01.2				338	98.4	96.0-0100
45-54	546	109,294	2	0.2	00.0-00.6							544	99.8	99.4-0100
55-64	770	112,553	2	0.4	00.0-01.0	2	0.6	00.0-01.6	1	0.1	00.0-00.3	765	98.8	97.6-0100
65+	1337	138,557	1	0.0	00.0-00.0				1	0.0	00.0-00.0	1335	99.9	99.7-0100
Less Than H.S.	286	73,547	1	0.2	00.0-00.6	1	0.4	00.0-01.2	1	1.4	00.0-03.9	283	98.0	95.3-0100
H.S. or G.E.D.	1039	197,990	3	1.0	00.0-02.6	2	0.3	00.0-00.7	2	0.1	00.0-00.3	1032	98.6	96.8-0100
Some Post-H.S.	910	189,181	1	0.6	00.0-01.8	1	0.3	00.0-00.9	1	0.3	00.0-00.9	907	98.8	97.4-0100
College Graduate	1286	173,848	2	0.1	00.0-00.3							1284	99.9	99.7-0100
Less than \$15,000	213	33,229	1	0.3	00.0-00.9							212	99.7	99.1-0100
\$15,000- 24,999	496	82,038	2	2.1	00.0-05.8	2	0.6	00.0-01.6				492	97.2	93.3-0100
\$25,000- 34,999	351	63,054							1	1.6	00.0-04.7	350	98.4	95.3-0100
\$35,000- 49,999	417	70,934							2	1.2	00.0-03.0	415	98.8	97.0-0100
\$50,000- 74,999	457	82,546							1	0.1	00.0-00.3	456	99.9	99.7-0100
\$75,000+	959	192,829	3	0.8	00.0-02.0							956	99.2	98.0-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 5: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1499	298,705	4	0.6	00.0-01.4	2	0.2	00.0-00.6	4	0.6	00.0-01.4	1489	98.6	97.4-99.8
White/Non-Hisp	1114	202,381	3	0.8	00.0-02.0	1	0.1	00.0-00.3	2	0.4	00.0-01.0	1108	98.8	97.4-0100
Black or Afr. Am./Non-Hisp	207	51,729	1	0.3	00.0-00.9				1	0.3	00.0-00.9	205	99.4	98.6-0100
Hispanic	90	24,137							1	4.1	00.0-11.9	89	95.9	88.1-0100
18-24	89	37,850										89	100.0	0100-0100
25-34	146	49,365							2	3.3	00.0-08.0	144	96.7	92.0-0100
35-44	157	45,933	1	2.4	00.0-06.9							156	97.6	93.1-0100
45-54	222	51,359	1	0.3	00.0-00.9							221	99.7	99.1-0100
55-64	326	51,835	2	0.9	00.0-02.1	2	1.4	00.0-03.6	1	0.3	00.0-00.9	321	97.5	95.0-0100
65+	545	60,187							1	0.1	00.0-00.3	544	99.9	99.7-0100
Less Than H.S.	124	35,574							1	2.8	00.0-08.1	123	97.2	91.9-0100
H.S. or G.E.D.	458	102,171	2	0.4	00.0-01.0	1	0.1	00.0-00.3	2	0.2	00.0-00.6	453	99.2	98.4-0100
Some Post-H.S.	357	84,734	1	1.3	00.0-03.8	1	0.7	00.0-02.1	1	0.8	00.0-02.4	354	97.3	94.2-0100
College Graduate	555	75,477	1	0.2	00.0-00.6							554	99.8	99.4-0100
Less than \$15,000	70	10,158										70	100.0	0100-0100
\$15,000- 24,999	199	38,403	1	0.4	00.0-01.2	1	0.3	00.0-00.9				197	99.3	98.3-0100
\$25,000- 34,999	153	34,141							1	2.9	00.0-08.6	152	97.1	91.4-0100
\$35,000- 49,999	179	34,060							2	2.4	00.0-06.3	177	97.6	93.7-0100
\$50,000- 74,999	204	38,652							1	0.2	00.0-00.6	203	99.8	99.4-0100
\$75,000+	461	97,263	3	1.6	00.0-04.0							458	98.4	96.0-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2015  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 6: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2034	337,500	3	0.5	00.0-01.5	2	0.2	00.0-00.6	2029	99.3	98.3-0100
White/Non-Hisp	1528	230,373	2	0.7	00.0-02.1	1	0.1	00.0-00.3	1525	99.1	97.7-0100
Black or Afr. Am./Non-Hisp	299	65,957							299	100.0	0100-0100
Oth. Race/Non-Hisp.	50	11,338							50	100.0	0100-0100
Hispanic	105	20,943				1	1.9	00.0-05.6	104	98.1	94.4-0100
18-24	94	39,574	1	4.1	00.0-11.9	1	0.8	00.0-02.4	92	95.1	87.3-0100
25-34	173	48,371							173	100.0	0100-0100
35-44	183	48,702				1	0.8	00.0-02.4	182	99.2	97.6-0100
45-54	324	57,935	1	0.2	00.0-00.6				323	99.8	99.4-0100
55-64	444	60,717							444	100.0	0100-0100
65+	792	78,370	1	0.0	00.0-00.0				791	100.0	0100-0100
Less Than H.S.	162	37,973	1	0.3	00.0-00.9	1	0.9	00.0-02.7	160	98.8	97.0-0100
H.S. or G.E.D.	581	95,819	1	1.7	00.0-05.0	1	0.4	00.0-01.2	579	97.9	94.6-0100
Some Post-H.S.	553	104,448							553	100.0	0100-0100
College Graduate	731	98,372	1	0.0	00.0-00.0				730	100.0	0100-0100
Less than \$15,000	143	23,071	1	0.5	00.0-01.5				142	99.5	98.5-0100
\$15,000- 24,999	297	43,634	1	3.7	00.0-10.8	1	0.9	00.0-02.7	295	95.4	88.1-0100
\$25,000- 34,999	198	28,913							198	100.0	0100-0100
\$35,000- 49,999	238	36,874							238	100.0	0100-0100
\$50,000- 74,999	253	43,894							253	100.0	0100-0100
\$75,000+	498	95,566							498	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2015**

End of Module Data Report