
# Delaware Five-Year Age-Adjusted Cancer Incidence Rates, by Census Tract, 2002-2006 Wilmington and Northeastern New Castle County



### **Incidence Rates**

126.65 - 453.64

453.65 - 515.39

515.40 - 581.35


581.36 - 648.45

648.46 - 864.37

Rates for tracts bounded in red are based on fewer than 25 cases

Note: Census tracts were accurately assigned to 97.4% of 22,760 cancer cases diagnosed in Delaware between 2002 and 2006. For the remaining 2.6% of cases, census tract assignment was impossible due to missing or nonphysical address information (for example, P.O. Box and Rural Route addresses). A total of 599 cases were eliminated from analysis because census tract assignment was impossible. For more information, see "Cancer Rates by Census Tract: Methodology".

## Delaware Five-Year Age-Adjusted Cancer Incidence Rates, by Census Tract, 2002-2006 Hockessin and Northwestern New Castle County



### **Incidence Rates**

126.65 - 453.64

453.65 - 515.39

515.40 - 581.35

581.36 - 648.45

648.46 - 864.37

Rates for tracts bounded in red are based on fewer than 25 cases


Note: Census tracts were accurately assigned to 97.4% of 22,760 cancer cases diagnosed in Delaware between 2002 and 2006. For the remaining 2.6% of cases, census

tract assignment was impossible due to missing or nonphysical address information (for example, P.O. Box and Rural Route addresses).

A total of 599 cases were eliminated from analysis because census tract assignment was impossible.

For more information, see "Cancer Rates by Census Tract: Methodology".

# Delaware Five-Year Age-Adjusted Cancer Incidence Rates, by Census Tract, 2002-2006 Newark, New Castle and Central New Castle County



### **Incidence Rates**

126.65 - 453.64

453.65 - 515.39

515.40 - 581.35


581.36 - 648.45

648.46 - 864.37

Rates for tracts bounded in red are based on fewer than 25 cases

Note: Census tracts were accurately assigned to 97.4% of 22,760 cancer cases diagnosed in Delaware between 2002 and 2006. For the remaining 2.6% of cases, census tract assignment was impossible due to missing or nonphysical address information (for example, P.O. Box and Rural Route addresses). A total of 599 cases were eliminated from analysis because census tract assignment was impossible. For more information, see "Cancer Rates by Census Tract: Methodology".

## Delaware Five-Year Age-Adjusted Cancer Incidence Rates, by Census Tract, 2002-2006 Southern New Castle County



### **Incidence Rates**

126.65 - 453.64

453.65 - 515.39

515.40 - 581.35

581.36 - 648.45

648.46 - 864.37

Rates for tracts bounded in red are based on fewer than 25 cases

Note: Census tracts were accurately assigned to 97.4% of 22,760 cancer cases diagnosed in Delaware between 2002 and 2006. For the remaining 2.6% of cases, census tract assignment was impossible due to missing or nonphysical address information (for example, P.O. Box and Rural Route addresses). A total of 599 cases were eliminated from analysis because census tract assignment was impossible. For more information, see "Cancer Rates by Census Tract: Methodology".