

DELAWARE

2020 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 28, 2021



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020

MODULE 01: PRE-DIABETES CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 01: PRE-DIABETES**

**TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3264	635,194	1794	51.8	49.4-54.2	1470	48.2	45.8-50.6
Male	1411	295,222	748	50.0	46.3-53.7	663	50.0	46.3-53.7
Female	1853	339,972	1046	53.4	50.3-56.5	807	46.6	43.5-49.7
White/Non-Hisp	2121	403,016	1194	52.0	49.3-54.7	927	48.0	45.3-50.7
Black or Afr. Am./Non-Hisp	408	121,275	217	53.0	46.3-59.7	191	47.0	40.3-53.7
Oth. Race/Non-Hisp.	114	26,320	63	48.3	35.2-61.4	51	51.7	38.6-64.8
MultiRacial/Non-Hisp.	80	14,379	42	44.3	28.2-60.4	38	55.7	39.6-71.8
Hispanic	473	56,134	235	49.6	42.3-56.9	238	50.4	43.1-57.7
18-24	253	76,836	54	21.8	14.7-28.9	199	78.2	71.1-85.3
25-34	433	115,192	180	43.1	36.4-49.8	253	56.9	50.2-63.6
35-44	489	101,947	257	52.6	46.7-58.5	232	47.4	41.5-53.3
45-54	522	96,667	299	58.0	52.5-63.5	223	42.0	36.5-47.5
55-64	640	103,625	410	63.1	58.2-68.0	230	36.9	32.0-41.8
65+	927	140,926	594	62.3	57.8-66.8	333	37.7	33.2-42.2
Less Than H.S.	384	69,324	202	50.5	42.7-58.3	182	49.5	41.7-57.3
H.S. or G.E.D.	920	194,460	462	50.4	46.1-54.7	458	49.6	45.3-53.9
Some Post-H.S.	816	182,929	447	49.8	45.1-54.5	369	50.2	45.5-54.9
College Graduate	1135	187,282	678	55.9	52.0-59.8	457	44.1	40.2-48.0
Less than \$15,000	277	39,541	131	44.7	36.3-53.1	146	55.3	46.9-63.7
\$15,000- 24,999	423	73,978	227	50.4	44.1-56.7	196	49.6	43.3-55.9
\$25,000- 34,999	271	53,896	139	53.3	44.5-62.1	132	46.7	37.9-55.5
\$35,000- 49,999	310	56,585	160	43.4	36.0-50.8	150	56.6	49.2-64.0
\$50,000- 74,999	413	82,359	249	59.1	52.6-65.6	164	40.9	34.4-47.4
\$75,000+	937	207,490	557	54.3	49.8-58.8	380	45.7	41.2-50.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 01: PRE-DIABETES**

**TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1411	295,222	748	50.0	46.3-53.7	663	50.0	46.3-53.7
White/Non-Hisp	929	184,756	521	50.6	46.3-54.9	408	49.4	45.1-53.7
Black or Afr. Am./Non-Hisp	137	54,142	66	49.8	38.8-60.8	71	50.2	39.2-61.2
Oth. Race/Non-Hisp.	52	13,841	24	39.5	20.1-58.9	28	60.5	41.1-79.9
Hispanic	225	29,602	96	49.0	39.2-58.8	129	51.0	41.2-60.8
18-24	129	36,884	24	18.8	10.0-27.6	105	81.2	72.4-90.0
25-34	191	58,264	69	39.9	29.9-49.9	122	60.1	50.1-70.1
35-44	209	50,090	110	52.9	43.9-61.9	99	47.1	38.1-56.1
45-54	225	46,325	127	57.7	49.5-65.9	98	42.3	34.1-50.5
55-64	277	44,869	172	63.6	56.5-70.7	105	36.4	29.3-43.5
65+	380	58,789	246	60.7	53.4-68.0	134	39.3	32.0-46.6
Less Than H.S.	191	38,610	90	50.0	39.4-60.6	101	50.0	39.4-60.6
H.S. or G.E.D.	420	95,312	207	48.0	41.5-54.5	213	52.0	45.5-58.5
Some Post-H.S.	323	79,623	164	46.2	38.8-53.6	159	53.8	46.4-61.2
College Graduate	475	81,428	287	56.2	49.9-62.5	188	43.8	37.5-50.1
Less than \$15,000	118	16,049	51	45.1	31.8-58.4	67	54.9	41.6-68.2
\$15,000- 24,999	156	27,889	83	47.2	36.4-58.0	73	52.8	42.0-63.6
\$25,000- 34,999	112	27,827	51	54.5	40.8-68.2	61	45.5	31.8-59.2
\$35,000- 49,999	129	21,690	63	43.0	32.2-53.8	66	57.0	46.2-67.8
\$50,000- 74,999	182	39,440	113	61.3	51.9-70.7	69	38.7	29.3-48.1
\$75,000+	473	106,922	286	53.9	47.4-60.4	187	46.1	39.6-52.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 01: PRE-DIABETES**

**TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1853	339,972	1046	53.4	50.3-56.5	807	46.6	43.5-49.7
White/Non-Hisp	1192	218,261	673	53.3	49.6-57.0	519	46.7	43.0-50.4
Black or Afr. Am./Non-Hisp	271	67,134	151	55.5	47.5-63.5	120	44.5	36.5-52.5
Oth. Race/Non-Hisp.	62	12,479	39	58.1	42.4-73.8	23	41.9	26.2-57.6
Hispanic	248	26,532	139	50.2	39.4-61.0	109	49.8	39.0-60.6
18-24	124	39,951	30	24.5	13.5-35.5	94	75.5	64.5-86.5
25-34	242	56,928	111	46.4	37.8-55.0	131	53.6	45.0-62.2
35-44	280	51,857	147	52.3	44.5-60.1	133	47.7	39.9-55.5
45-54	297	50,342	172	58.3	51.2-65.4	125	41.7	34.6-48.8
55-64	363	58,757	238	62.6	55.9-69.3	125	37.4	30.7-44.1
65+	547	82,137	348	63.5	58.0-69.0	199	36.5	31.0-42.0
Less Than H.S.	193	30,713	112	51.1	39.5-62.7	81	48.9	37.3-60.5
H.S. or G.E.D.	500	99,148	255	52.7	46.8-58.6	245	47.3	41.4-53.2
Some Post-H.S.	493	103,306	283	52.6	46.5-58.7	210	47.4	41.3-53.5
College Graduate	660	105,855	391	55.6	50.5-60.7	269	44.4	39.3-49.5
Less than \$15,000	159	23,492	80	44.4	33.4-55.4	79	55.6	44.6-66.6
\$15,000- 24,999	267	46,089	144	52.4	44.8-60.0	123	47.6	40.0-55.2
\$25,000- 34,999	159	26,068	88	51.9	41.3-62.5	71	48.1	37.5-58.7
\$35,000- 49,999	181	34,895	97	43.6	33.6-53.6	84	56.4	46.4-66.4
\$50,000- 74,999	231	42,918	136	57.0	48.2-65.8	95	43.0	34.2-51.8
\$75,000+	464	100,568	271	54.8	48.5-61.1	193	45.2	38.9-51.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 01: PRE-DIABETES**

**TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3336	652,032	437	10.8	09.4-12.2	33	0.8	00.4-01.2	2866	88.4	87.0-89.8
Male	1441	304,668	198	10.4	08.6-12.2				1243	89.6	87.8-91.4
Female	1895	347,364	239	11.0	09.2-12.8	33	1.6	01.0-02.2	1623	87.4	85.4-89.4
White/Non-Hisp	2177	415,130	310	11.7	10.1-13.3	22	1.0	00.6-01.4	1845	87.4	85.6-89.2
Black or Afr. Am./Non-Hisp	415	124,172	53	9.5	06.4-12.6	5	0.7	00.0-01.5	357	89.8	86.5-93.1
Oth. Race/Non-Hisp.	116	26,844	22	16.0	06.6-25.4	1	0.3	00.0-00.9	93	83.7	74.3-93.1
MultiRacial/Non-Hisp.	81	14,633	9	5.2	01.1-09.3	1	1.0	00.0-03.0	71	93.8	89.1-98.5
Hispanic	475	56,326	35	5.8	03.3-08.3	4	0.8	00.0-02.0	436	93.4	90.7-96.1
18-24	264	81,483	9	2.7	00.5-04.9	1	0.5	00.0-01.5	254	96.8	94.4-99.2
25-34	436	116,159	15	2.4	00.8-04.0	5	1.1	00.0-02.3	416	96.5	94.5-98.5
35-44	499	104,934	30	5.3	02.9-07.7	13	2.0	00.6-03.4	456	92.7	90.0-95.4
45-54	530	98,808	72	12.8	09.1-16.5	3	0.5	00.0-01.1	455	86.7	83.0-90.4
55-64	650	105,573	122	17.1	13.6-20.6	7	0.7	00.1-01.3	521	82.2	78.7-85.7
65+	957	145,075	189	19.9	16.4-23.4	4	0.3	00.0-00.7	764	79.8	76.3-83.3
Less Than H.S.	389	70,602	41	11.0	06.3-15.7	5	1.2	00.0-02.6	343	87.8	82.9-92.7
H.S. or G.E.D.	934	199,122	123	11.5	09.0-14.0	6	1.0	00.2-01.8	805	87.5	85.0-90.0
Some Post-H.S.	843	189,380	121	11.8	09.3-14.3	11	0.7	00.3-01.1	711	87.5	84.8-90.2
College Graduate	1161	191,728	150	8.8	06.8-10.8	11	0.7	00.3-01.1	1000	90.5	88.5-92.5
Less than \$15,000	281	40,475	25	10.8	05.5-16.1	5	0.9	00.0-01.9	251	88.3	82.8-93.8
\$15,000- 24,999	430	74,992	57	12.7	08.6-16.8	4	1.2	00.0-02.6	369	86.1	81.8-90.4
\$25,000- 34,999	276	54,413	34	10.2	05.7-14.7	4	1.6	00.0-03.4	238	88.2	83.3-93.1
\$35,000- 49,999	317	59,404	52	12.3	08.2-16.4	2	0.3	00.0-00.9	263	87.4	83.3-91.5
\$50,000- 74,999	416	83,040	68	13.2	09.1-17.3	5	1.6	00.0-03.2	343	85.2	80.9-89.5
\$75,000+	958	213,586	115	9.1	06.9-11.3	9	0.5	00.1-00.9	834	90.3	88.1-92.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 01: PRE-DIABETES**

**TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1441	304,668	198	10.4	08.6-12.2	1243	89.6	87.8-91.4
White/Non-Hisp	952	191,786	154	12.2	09.8-14.6	798	87.8	85.4-90.2
Black or Afr. Am./Non-Hisp	139	55,624	14	6.9	02.8-11.0	125	93.1	89.0-97.2
Oth. Race/Non-Hisp.	55	14,464	10	14.3	01.2-27.4	45	85.7	72.6-98.8
Hispanic	225	29,602	12	5.0	01.7-08.3	213	95.0	91.7-98.3
18-24	134	39,808	4	2.1	00.0-04.8	130	97.9	95.2-0100
25-34	192	58,464	5	1.4	00.0-02.8	187	98.6	97.2-0100
35-44	215	51,946	15	5.7	02.2-09.2	200	94.3	90.8-97.8
45-54	229	47,391	22	10.6	05.1-16.1	207	89.4	83.9-94.9
55-64	281	45,798	64	22.4	16.1-28.7	217	77.6	71.3-83.9
65+	390	61,261	88	19.5	14.6-24.4	302	80.5	75.6-85.4
Less Than H.S.	193	39,654	15	9.5	03.4-15.6	178	90.5	84.4-96.6
H.S. or G.E.D.	428	98,849	63	9.8	06.9-12.7	365	90.2	87.3-93.1
Some Post-H.S.	336	83,367	50	12.2	08.1-16.3	286	87.8	83.7-91.9
College Graduate	482	82,548	70	9.9	06.8-13.0	412	90.1	87.0-93.2
Less than \$15,000	119	16,545	8	8.2	00.9-15.5	111	91.8	84.5-99.1
\$15,000- 24,999	156	28,000	23	14.4	07.3-21.5	133	85.6	78.5-92.7
\$25,000- 34,999	113	27,895	16	8.4	03.3-13.5	97	91.6	86.5-96.7
\$35,000- 49,999	133	23,971	17	8.9	04.0-13.8	116	91.1	86.2-96.0
\$50,000- 74,999	183	39,979	34	12.7	07.2-18.2	149	87.3	81.8-92.8
\$75,000+	483	109,914	71	11.1	07.8-14.4	412	88.9	85.6-92.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 01: PRE-DIABETES**

**TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1895	347,364	239	11.0	09.2-12.8	33	1.6	01.0-02.2	1623	87.4	85.4-89.4
White/Non-Hisp	1225	223,344	156	11.2	09.0-13.4	22	1.8	01.0-02.6	1047	87.0	84.6-89.4
Black or Afr. Am./Non-Hisp	276	68,548	39	11.6	06.9-16.3	5	1.2	00.0-02.6	232	87.2	82.3-92.1
Oth. Race/Non-Hisp.	61	12,380	12	17.9	04.4-31.4	1	0.7	00.0-02.1	48	81.3	67.8-94.8
Hispanic	250	26,724	23	6.7	03.0-10.4	4	1.6	00.0-04.1	223	91.7	87.2-96.2
18-24	130	41,676	5	3.2	00.0-06.5	1	0.9	00.0-02.7	124	95.9	92.2-99.6
25-34	244	57,694	10	3.4	00.5-06.3	5	2.2	00.0-04.4	229	94.4	90.7-98.1
35-44	284	52,989	15	4.9	01.8-08.0	13	4.0	01.5-06.5	256	91.1	87.2-95.0
45-54	301	51,417	50	14.8	09.7-19.9	3	1.0	00.0-02.4	248	84.2	79.1-89.3
55-64	369	59,774	58	13.1	09.2-17.0	7	1.2	00.0-02.4	304	85.7	81.6-89.8
65+	567	83,814	101	20.2	15.3-25.1	4	0.5	00.0-01.1	462	79.3	74.4-84.2
Less Than H.S.	196	30,948	26	12.9	05.6-20.2	5	2.7	00.0-06.0	165	84.4	76.6-92.2
H.S. or G.E.D.	506	100,273	60	13.2	09.3-17.1	6	1.9	00.3-03.5	440	84.9	80.8-89.0
Some Post-H.S.	507	106,013	71	11.5	08.2-14.8	11	1.2	00.4-02.0	425	87.2	83.7-90.7
College Graduate	679	109,180	80	7.9	05.5-10.3	11	1.2	00.4-02.0	588	90.9	88.5-93.3
Less than \$15,000	162	23,930	17	12.6	05.0-20.2	5	1.5	00.0-03.3	140	85.8	78.2-93.4
\$15,000- 24,999	274	46,992	34	11.7	06.8-16.6	4	1.9	00.0-04.1	236	86.3	81.0-91.6
\$25,000- 34,999	163	26,518	18	12.0	04.6-19.4	4	3.3	00.0-06.8	141	84.6	76.6-92.6
\$35,000- 49,999	184	35,433	35	14.7	08.6-20.8	2	0.5	00.0-01.3	147	84.8	78.7-90.9
\$50,000- 74,999	233	43,061	34	13.7	07.6-19.8	5	3.0	00.1-05.9	194	83.3	76.6-90.0
\$75,000+	475	103,672	44	7.0	04.3-09.7	9	1.1	00.3-01.9	422	91.9	89.0-94.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN1)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020

MODULE 2: DIABETES CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPW.T.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	523	91,385	172	32.4	26.7-38.1	351	67.6	61.9-73.3
Male	261	48,323	89	33.4	25.2-41.6	172	66.6	58.4-74.8
Female	262	43,062	83	31.2	23.4-39.0	179	68.8	61.0-76.6
White/Non-Hisp	332	49,323	94	26.3	19.8-32.8	238	73.7	67.2-80.2
Black or Afr. Am./Non-Hisp	101	30,824	45	40.6	28.3-52.9	56	59.4	47.1-71.7
Hispanic	54	6,892	22	42.8	23.2-62.4	32	57.2	37.6-76.8
45-54	68	11,370	29	38.2	22.1-54.3	39	61.8	45.7-77.9
55-64	129	25,306	47	33.4	22.6-44.2	82	66.6	55.8-77.4
65+	282	42,754	80	27.4	20.0-34.8	202	72.6	65.2-80.0
Less Than H.S.	62	11,360	22	39.2	23.3-55.1	40	60.8	44.9-76.7
H.S. or G.E.D.	180	36,770	66	34.7	24.3-45.1	114	65.3	54.9-75.7
Some Post-H.S.	129	22,186	34	28.2	17.4-39.0	95	71.8	61.0-82.6
College Graduate	149	20,668	48	28.9	19.3-38.5	101	71.1	61.5-80.7
Less than \$15,000	62	10,351	27	40.1	20.3-59.9	35	59.9	40.1-79.7
\$15,000- 24,999	90	13,079	27	33.9	18.8-49.0	63	66.1	51.0-81.2
\$25,000- 34,999	51	9,382	21	43.3	24.9-61.7	30	56.7	38.3-75.1
\$35,000- 49,999	56	11,644	19	26.9	12.6-41.2	37	73.1	58.8-87.4
\$50,000- 74,999	61	10,654	17	21.9	08.0-35.8	44	78.1	64.2-92.0
\$75,000+	100	18,496	29	32.2	18.9-45.5	71	67.8	54.5-81.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	261	48,323	89	33.4	25.2-41.6	172	66.6	58.4-74.8
White/Non-Hisp	182	27,727	55	30.1	20.7-39.5	127	69.9	60.5-79.3
55-64	66	15,456	21	30.1	15.4-44.8	45	69.9	55.2-84.6
65+	148	21,810	47	31.9	21.1-42.7	101	68.1	57.3-78.9
H.S. or G.E.D.	79	19,111	33	38.8	22.7-54.9	46	61.2	45.1-77.3
Some Post-H.S.	62	10,513	18	26.4	13.5-39.3	44	73.6	60.7-86.5
College Graduate	92	13,019	30	29.5	17.3-41.7	62	70.5	58.3-82.7
\$75,000+	63	12,541	17	33.6	17.3-49.9	46	66.4	50.1-82.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	262	43,062	83	31.2	23.4-39.0	179	68.8	61.0-76.6
White/Non-Hisp	150	21,597	39	21.5	13.3-29.7	111	78.5	70.3-86.7
Black or Afr. Am./Non-Hisp	63	16,574	26	40.7	24.8-56.6	37	59.3	43.4-75.2
55-64	63	9,851	26	38.5	23.4-53.6	37	61.5	46.4-76.6
65+	134	20,944	33	22.7	13.1-32.3	101	77.3	67.7-86.9
H.S. or G.E.D.	101	17,660	33	30.3	18.1-42.5	68	69.7	57.5-81.9
Some Post-H.S.	67	11,672	16	29.7	13.2-46.2	51	70.3	53.8-86.8
College Graduate	57	7,649	18	27.7	12.2-43.2	39	72.3	56.8-87.8
\$15,000- 24,999	59	7,506	16	22.8	08.9-36.7	43	77.2	63.3-91.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	518	89,359	69	12.5	08.4-16.6	128	27.6	21.7-33.5	309	57.4	51.1-63.7	12	2.5	00.7-04.3
Male	258	47,384	30	12.1	05.8-18.4	68	30.1	21.7-38.5	152	55.3	46.5-64.1	8	2.5	00.3-04.7
Female	260	41,975	39	13.0	07.9-18.1	60	24.7	16.9-32.5	157	59.8	51.2-68.4	4	2.5	00.0-05.6
White/Non-Hisp	328	48,732	50	13.2	08.7-17.7	91	31.6	24.7-38.5	175	50.6	43.3-57.9	12	4.6	01.3-07.9
Black or Afr. Am./Non-Hisp	99	30,070	12	12.7	03.5-21.9	21	23.9	11.0-36.8	66	63.4	49.7-77.1			
Hispanic	54	6,127	2	3.8	00.0-09.7	11	23.7	09.4-38.0	41	72.6	57.5-87.7			
45-54	67	11,243	9	9.8	03.1-16.5	14	35.8	17.4-54.2	41	51.9	34.5-69.3	3	2.5	00.0-05.8
55-64	127	24,641	19	15.7	05.7-25.7	23	18.1	09.7-26.5	83	64.5	52.9-76.1	2	1.8	00.0-04.3
65+	281	42,083	34	11.4	06.5-16.3	81	31.8	24.2-39.4	161	55.3	47.3-63.3	5	1.5	00.0-03.1
Less Than H.S.	62	11,360	10	19.5	07.0-32.0	14	23.4	07.7-39.1	38	57.0	40.3-73.7			
H.S. or G.E.D.	177	35,355	20	11.6	04.2-19.0	36	25.3	14.3-36.3	118	60.5	48.7-72.3	3	2.7	00.0-06.4
Some Post-H.S.	127	21,575	20	11.3	04.8-17.8	35	32.4	22.0-42.8	69	54.0	42.8-65.2	3	2.3	00.0-05.2
College Graduate	149	20,668	19	11.8	04.9-18.7	43	29.3	19.1-39.5	81	55.1	43.9-66.3	6	3.7	00.0-07.4
Less than \$15,000	61	9,512	8	8.1	00.8-15.4	8	25.3	00.0-52.7	45	66.6	40.9-92.3			
\$15,000- 24,999	89	13,039	12	10.8	03.4-18.2	19	29.1	13.4-44.8	56	59.2	43.5-74.9	2	0.9	00.0-02.5
\$25,000- 34,999	51	9,382	3	3.1	00.0-06.8	13	15.9	03.7-28.1	33	77.1	63.2-91.0	2	3.9	00.0-10.2
\$35,000- 49,999	56	11,644	15	29.8	14.9-44.7	9	20.1	04.2-36.0	31	48.2	31.5-64.9	1	1.9	00.0-05.6
\$50,000- 74,999	61	10,654	7	17.7	00.0-36.9	16	17.4	07.2-27.6	36	63.1	44.1-82.1	2	1.7	00.0-04.4
\$75,000+	99	18,044	11	10.2	02.4-18.0	35	38.9	26.2-51.6	51	48.9	35.6-62.2	2	2.1	00.0-05.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	258	47,384	30	12.1	05.8-18.4	68	30.1	21.5-38.7	152	55.3	46.5-64.1	8	2.5	00.3-04.7	
White/Non-Hisp	180	27,676	23	10.4	05.1-15.7	52	34.7	25.7-43.7	97	50.6	41.0-60.2	8	4.3	00.8-07.8	
55-64	65	15,243	8	16.5	01.6-31.4	13	18.7	06.9-30.5	42	61.9	45.4-78.4	2	2.8	00.0-06.7	
65+	147	21,686	15	9.6	02.9-16.3	43	32.3	22.5-42.1	85	55.8	45.0-66.6	4	2.3	00.0-05.2	
H.S. or G.E.D.	77	18,694	8	11.7	00.0-23.7	16	25.9	09.2-42.6	52	61.5	43.9-79.1	1	0.9	00.0-02.7	
Some Post-H.S.	61	9,991	6	11.6	00.6-22.6	17	38.2	23.3-53.1	36	46.8	32.3-61.3	2	3.4	00.0-08.7	
College Graduate	92	13,019	10	8.4	00.8-16.0	29	35.9	22.0-49.8	48	50.6	36.5-64.7	5	5.2	00.0-10.9	
\$75,000+	63	12,541	8	10.1	00.9-19.3	24	41.4	25.9-56.9	29	45.6	29.3-61.9	2	3.0	00.0-07.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	260	41,975	39	13.0	07.9-18.1	60	24.7	16.9-32.5	157	59.8	51.2-68.4	4	2.5	00.0-05.6
White/Non-Hisp	148	21,056	27	16.8	09.4-24.2	39	27.5	17.1-37.9	78	50.7	39.5-61.9	4	4.9	00.0-10.8
Black or Afr. Am./Non-Hisp	62	15,943	8	10.3	01.9-18.7	13	21.5	06.6-36.4	41	68.2	52.3-84.1			
55-64	62	9,399	11	14.3	04.1-24.5	10	17.2	05.2-29.2	41	68.5	54.0-83.0			
65+	134	20,397	19	13.4	06.0-20.8	38	31.2	19.6-42.8	76	54.7	42.9-66.5	1	0.7	00.0-02.1
H.S. or G.E.D.	100	16,661	12	11.4	03.4-19.4	20	24.5	10.8-38.2	66	59.3	44.6-74.0	2	4.8	00.0-12.1
Some Post-H.S.	66	11,584	14	11.1	03.7-18.5	18	27.4	13.7-41.1	33	60.2	44.9-75.5	1	1.3	00.0-03.8
College Graduate	57	7,649	9	17.8	04.9-30.7	14	18.1	05.0-31.2	33	62.9	45.7-80.1	1	1.3	00.0-03.8
\$15,000- 24,999	59	7,506	9	12.1	02.7-21.5	13	36.5	14.7-58.3	36	50.0	30.2-69.8	1	1.3	00.0-03.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 7: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	517	91,184	312	63.2	57.1-69.3	74	12.2	08.5-15.9	29	3.9	01.9-05.9	17	2.3	00.9-03.7	85	18.4	12.9-23.9
Male	258	48,340	144	57.9	48.9-66.9	36	12.1	06.6-17.6	20	4.6	02.1-07.1	6	1.6	00.0-03.2	52	23.9	15.5-32.3
Female	259	42,844	168	69.2	61.4-77.0	38	12.3	07.4-17.2	9	3.1	00.0-06.2	11	3.1	00.7-05.5	33	12.3	06.0-18.6
White/Non-Hisp	326	49,059	189	57.2	49.8-64.6	51	16.4	10.5-22.3	18	3.7	01.5-05.9	11	2.4	00.6-04.2	57	20.2	13.5-26.9
Black or Afr. Am./Non-Hisp	99	30,684	64	70.7	58.4-83.0	12	6.4	02.1-10.7	7	4.9	00.2-09.6	2	1.3	00.0-03.5	14	16.8	05.0-28.6
Hispanic	55	7,011	31	65.8	49.3-82.3	7	10.3	01.3-19.3	4	3.1	00.0-07.2	3	6.0	00.0-13.6	10	14.8	04.0-25.6
45-54	67	11,327	42	64.5	48.4-80.6	7	6.6	00.9-12.3	4	4.1	00.0-09.4	2	1.9	00.0-05.2	12	22.9	07.8-38.0
55-64	127	25,244	87	75.7	66.9-84.5	20	12.2	06.1-18.3	5	2.5	00.0-05.2	2	1.4	00.0-03.9	13	8.2	02.7-13.7
65+	279	42,369	154	55.5	47.3-63.7	44	15.7	09.0-22.4	17	5.3	01.6-09.0	11	2.9	00.7-05.1	53	20.6	13.3-27.9
Less Than H.S.	61	11,306	35	61.1	44.8-77.4	3	3.8	00.0-09.3	3	2.6	00.0-05.7	3	5.1	00.0-11.8	17	27.4	11.7-43.1
H.S. or G.E.D.	180	36,834	112	68.7	58.1-79.3	26	9.6	03.3-15.9	11	4.2	00.3-08.1	5	1.9	00.0-03.9	26	15.5	06.1-24.9
Some Post-H.S.	127	22,292	83	61.5	50.3-72.7	20	15.9	08.1-23.7	5	5.0	00.7-09.3	1	1.2	00.0-03.6	18	16.4	07.6-25.2
College Graduate	146	20,351	79	55.7	44.3-67.1	25	17.5	09.5-25.5	10	2.9	00.4-05.4	8	2.6	00.2-05.0	24	21.4	10.2-32.6
Less than \$15,000	62	10,392	44	60.5	36.8-84.2	6	5.6	00.0-12.1	4	8.0	00.0-19.8	1	1.8	00.0-05.3	7	24.1	00.0-49.8
\$15,000- 24,999	88	12,992	60	75.7	64.1-87.3	10	10.4	02.4-18.4	3	1.3	00.0-03.1	2	1.3	00.0-03.1	13	11.3	03.1-19.5
\$25,000- 34,999	51	9,382	31	64.5	47.8-81.2	11	21.0	06.9-35.1	1	0.2	00.0-00.6	8	14.3	02.9-25.7	8	14.3	02.9-25.7
\$35,000- 49,999	56	11,644	32	51.9	35.0-68.8	6	14.0	02.6-25.4	2	1.9	00.0-05.2	2	5.3	00.0-12.6	14	27.0	10.1-43.9
\$50,000- 74,999	59	10,399	38	72.2	55.9-88.5	7	6.7	00.2-13.2	4	4.7	00.0-11.0	2	2.2	00.0-05.9	8	14.3	00.6-28.0
\$75,000+	99	18,332	55	61.0	47.9-74.1	17	18.3	06.5-30.1	9	5.5	01.0-10.0	4	1.8	00.0-04.0	14	13.5	04.9-22.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 8: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	258	48,340	144	57.9	48.9-66.9	36	12.1	06.6-17.6	20	4.6	02.1-07.1	6	1.6	00.0-03.2	52	23.9	15.3-32.5
White/Non-Hisp	178	27,624	96	52.9	43.1-62.7	24	16.1	07.5-24.7	16	5.9	02.2-09.6	4	1.8	00.0-04.2	38	23.3	14.7-31.9
55-64	67	15,575	41	71.8	59.3-84.3	16	15.4	06.6-24.2	2	2.1	00.0-05.8				8	10.7	02.1-19.3
65+	144	21,341	80	55.0	43.6-66.4	17	14.2	03.8-24.6	12	6.0	01.9-10.1	5	2.6	00.0-05.5	30	22.3	12.7-31.9
H.S. or G.E.D.	79	19,111	45	59.4	42.2-76.6	11	11.5	00.5-22.5	7	4.1	00.2-08.0	1	0.9	00.0-02.7	15	24.1	07.4-40.8
Some Post-H.S.	62	10,781	41	60.8	45.5-76.1	7	10.3	02.3-18.3	4	8.9	00.5-17.3	1	2.5	00.0-07.4	9	17.5	05.2-29.8
College Graduate	90	12,822	45	50.0	35.9-64.1	17	19.0	08.4-29.6	8	2.8	00.3-05.3	3	2.1	00.0-05.2	17	26.2	11.7-40.7
\$75,000+	62	12,377	33	57.1	40.6-73.6	9	20.0	03.7-36.3	8	6.8	00.5-13.1	2	1.7	00.0-04.4	10	14.4	04.0-24.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 9: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	259	42,844	168	69.2	61.4-77.0	38	12.3	07.4-17.2	9	3.1	00.0-06.2	11	3.1	00.7-05.5	33	12.3	06.0-18.6
White/Non-Hisp	148	21,435	93	62.8	51.4-74.2	27	16.9	08.9-24.9	2	0.9	00.0-02.5	7	3.2	00.1-06.3	19	16.2	05.8-26.6
Black or Afr. Am./Non-Hisp	61	16,434	40	76.9	64.6-89.2	8	7.8	01.1-14.5	4	5.7	00.0-13.3	1	2.1	00.0-06.2	8	7.6	00.2-15.0
55-64	60	9,669	46	82.0	70.6-93.4	4	6.9	00.0-14.9	3	3.1	00.0-07.2	2	3.8	00.0-10.7	5	4.3	00.0-08.6
65+	135	21,028	74	56.0	43.8-68.2	27	17.3	08.9-25.7	5	4.6	00.0-10.7	6	3.2	00.1-06.3	23	18.9	07.7-30.1
H.S. or G.E.D.	101	17,723	67	78.8	69.2-88.4	15	7.6	02.7-12.5	4	4.2	00.0-11.1	4	3.1	00.0-06.6	11	6.3	02.0-10.6
Some Post-H.S.	65	11,511	42	62.2	46.1-78.3	13	21.1	08.0-34.2	1	1.4	00.0-04.1				9	15.4	02.9-27.9
College Graduate	56	7,529	34	65.2	46.8-83.6	8	15.0	02.8-27.2	2	3.0	00.0-08.7	5	3.6	00.0-07.3	7	13.2	00.0-30.3
\$15,000- 24,999	59	7,506	42	85.0	76.4-93.6	5	4.1	00.2-08.0	2	0.7	00.0-01.9	2	2.2	00.0-05.3	8	7.9	01.6-14.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	508	89,291	97	20.5	15.0-26.0	137	27.8	22.5-33.1	65	10.3	06.8-13.8	93	18.4	13.7-23.1	56	10.7	07.2-14.2	60	12.2	07.7-16.7			
Male	254	47,846	45	19.0	11.2-26.8	77	31.2	23.2-39.2	38	11.1	05.8-16.4	48	19.0	12.3-25.7	21	8.6	04.1-13.1	25	11.2	04.7-17.7			
Female	254	41,445	52	22.2	14.8-29.6	60	23.9	16.6-31.2	27	9.5	05.2-13.8	45	17.8	10.9-24.7	35	13.1	07.4-18.8	35	13.4	07.1-19.7			
White/Non-Hisp	322	47,753	62	19.0	13.3-24.7	90	29.6	22.9-36.3	46	14.7	09.0-20.4	51	14.5	09.6-19.4	30	9.5	05.2-13.8	43	12.7	08.0-17.4			
Black or Afr. Am./Non-Hisp	99	30,673	23	25.9	13.2-38.6	28	24.7	14.3-35.1	8	4.4	00.9-07.9	20	20.9	10.5-31.3	11	10.9	03.6-18.2	9	13.1	02.3-23.9			
Hispanic	54	6,963	7	12.2	02.0-22.4	13	30.8	09.0-52.6	5	7.3	00.4-14.2	13	27.7	09.7-45.7	11	15.7	04.5-26.9	5	6.3	00.0-12.6			
45-54	66	11,241	14	35.9	17.7-54.1	17	22.6	08.5-36.7	8	9.9	02.5-17.3	13	15.1	04.9-25.3	11	13.7	03.1-24.3	3	2.7	00.0-06.2			
55-64	129	25,390	23	14.8	07.5-22.1	34	31.6	21.0-42.2	16	9.1	03.6-14.6	29	24.5	14.1-34.9	12	5.3	01.2-09.4	15	14.7	03.9-25.5			
65+	271	40,646	52	18.6	12.5-24.7	80	31.1	23.5-38.7	37	13.3	07.0-19.6	46	16.1	10.0-22.2	22	8.9	04.4-13.4	34	12.1	07.0-17.2			
Less Than H.S.	58	10,182	11	22.6	08.5-36.7	11	17.1	05.5-28.7	8	11.6	02.6-20.6	13	28.3	12.8-43.8	8	8.8	02.1-15.5	7	11.7	02.1-21.3			
H.S. or G.E.D.	174	35,977	39	22.9	12.3-33.5	39	21.5	13.3-29.7	25	13.5	06.1-20.9	27	15.9	07.7-24.1	23	11.5	05.2-17.8	21	14.6	05.4-23.8			
Some Post-H.S.	124	22,063	16	17.8	08.8-26.8	38	35.0	23.6-46.4	16	8.0	03.5-12.5	27	20.2	10.8-29.6	11	9.3	02.2-16.4	16	9.7	03.8-15.6			
College Graduate	149	20,668	30	18.0	10.0-26.0	49	37.0	25.8-48.2	16	6.9	02.4-11.4	25	15.2	07.9-22.5	14	12.0	04.4-19.6	15	10.9	03.5-18.3			
Less than \$15,000	60	10,243	7	26.3	00.6-52.0	12	19.5	04.0-35.0	5	6.7	00.0-14.3	13	24.1	06.5-41.7	16	18.2	06.6-29.8	7	5.1	00.4-09.8			
\$15,000- 24,999	87	12,901	18	29.1	13.4-44.8	21	26.0	13.3-38.7	9	6.3	01.8-10.8	15	14.8	04.4-25.2	10	5.5	01.2-09.8	14	18.3	05.0-31.6			
\$35,000- 49,999	55	10,748	11	20.4	06.3-34.5	14	25.7	12.2-39.2	9	9.0	01.4-16.6	11	19.8	06.9-32.7	4	13.9	00.4-27.4	6	11.1	01.7-20.5			
\$50,000- 74,999	61	10,654	14	16.6	04.4-28.8	21	35.8	18.0-53.6	5	6.1	00.4-11.8	8	8.9	01.5-16.3	4	5.9	00.0-13.3	9	26.8	04.3-49.3			
\$75,000+	99	18,276	13	10.3	02.9-17.7	33	29.9	18.5-41.3	14	18.7	06.2-31.2	25	27.3	15.3-39.3	6	6.3	00.0-12.6	8	7.5	01.4-13.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	254	47,846	45	19.0	11.0-27.0	77	31.2	23.2-39.2	38	11.1	05.8-16.4	48	19.0	12.3-25.7	21	8.6	03.9-13.3	25	11.2	04.5-17.9				
White/Non-Hisp	176	27,440	31	16.8	09.7-23.9	55	33.8	24.8-42.8	28	15.5	07.1-23.9	29	15.3	08.8-21.8	13	7.8	02.7-12.9	20	10.8	04.7-16.9				
55-64	67	15,575	13	15.0	05.0-25.0	19	30.5	16.2-44.8	10	10.2	02.4-18.0	15	25.9	11.2-40.6	3	1.1	00.0-02.5	7	17.4	01.1-33.7				
65+	142	21,148	23	15.8	07.8-23.8	47	34.9	24.5-45.3	20	13.3	03.3-23.3	26	15.8	08.7-22.9	10	8.6	02.5-14.7	16	11.5	04.2-18.8				
H.S. or G.E.D.	77	18,810	15	20.7	04.4-37.0	16	21.7	09.2-34.2	16	17.5	05.2-29.8	12	15.1	03.5-26.7	8	8.2	00.6-15.8	10	16.7	02.6-30.8				
Some Post-H.S.	58	10,426	7	12.1	01.9-22.3	26	53.4	37.3-69.5	8	6.5	01.4-11.6	12	18.8	07.0-30.6	1	3.9	00.0-11.3	4	5.3	00.0-11.4				
College Graduate	92	13,019	18	17.8	07.6-28.0	30	35.6	21.9-49.3	9	5.0	00.7-09.3	16	15.2	06.2-24.2	10	15.8	05.0-26.6	9	10.6	00.8-20.4				
\$75,000+	62	12,321	6	8.1	00.1-16.1	23	36.7	21.6-51.8	8	18.2	01.5-34.9	17	24.7	11.4-38.0	3	7.3	00.0-16.1	5	4.9	00.0-09.8				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	254	41,445	52	22.2	14.6-29.8	60	23.9	16.6-31.2	27	9.5	05.2-13.8	45	17.8	10.9-24.7	35	13.1	07.4-18.8	35	13.4	07.1-19.7
White/Non-Hisp	146	20,313	31	22.0	13.0-31.0	35	24.0	14.8-33.2	18	13.5	06.2-20.8	22	13.5	05.9-21.1	17	11.8	04.2-19.4	23	15.2	07.9-22.5
Black or Afr. Am./Non-Hisp	62	16,513	14	24.7	09.8-39.6	15	23.8	10.7-36.9	6	6.0	00.5-11.5	12	21.2	07.5-34.9	8	12.1	02.3-21.9	7	12.3	00.0-25.2
55-64	62	9,815	10	14.5	03.9-25.1	15	33.4	18.1-48.7	6	7.4	00.1-14.7	14	22.3	08.6-36.0	9	12.0	02.0-22.0	8	10.4	01.4-19.4
65+	129	19,498	29	21.7	11.9-31.5	33	26.9	15.5-38.3	17	13.2	05.4-21.0	20	16.4	06.6-26.2	12	9.1	02.2-16.0	18	12.7	05.3-20.1
H.S. or G.E.D.	97	17,166	24	25.4	12.1-38.7	23	21.3	10.9-31.7	9	9.2	01.9-16.5	15	16.8	05.2-28.4	15	15.0	05.2-24.8	11	12.2	00.6-23.8
Some Post-H.S.	66	11,637	9	22.8	08.3-37.3	12	18.6	05.5-31.7	8	9.3	02.0-16.6	15	21.5	07.0-36.0	10	14.1	02.3-25.9	12	13.7	03.7-23.7
College Graduate	57	7,649	12	18.4	05.1-31.7	19	39.3	20.5-58.1	7	10.1	00.9-19.3	9	15.2	03.0-27.4	4	5.6	00.0-14.8	6	11.4	00.0-23.2
\$15,000- 24,999	56	7,329	12	40.0	18.2-61.8	12	19.8	06.3-33.3	6	7.1	01.0-13.2	9	10.6	00.8-20.4	8	7.8	00.7-14.9	9	14.7	03.7-25.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	502	86,595	267	52.3	46.0-58.6	159	28.9	23.6-34.2	19	5.3	02.4-08.2	8	1.9	00.1-03.7	46	11.3	06.0-16.6	3	0.4	00.0-00.8
Male	252	46,540	136	52.0	42.8-61.2	82	29.0	21.6-36.4	11	6.0	01.7-10.3	1	1.2	00.0-03.6	22	11.7	03.3-20.1			
Female	250	40,055	131	52.6	43.8-61.4	77	28.8	20.8-36.8	8	4.3	00.8-07.8	7	2.7	00.2-05.2	24	10.7	04.6-16.8	3	0.8	00.0-01.8
White/Non-Hisp	322	46,406	178	56.8	49.7-63.9	107	32.3	25.6-39.0	9	3.5	01.0-06.0	3	0.5	00.0-01.1	24	6.6	03.3-09.9	1	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	97	29,649	54	52.3	38.6-66.0	24	20.7	10.7-30.7	3	4.4	00.0-09.9	4	4.1	00.0-08.6	12	18.6	05.1-32.1			
Hispanic	51	6,746	20	27.2	11.5-42.9	16	37.6	16.4-58.8	5	17.0	00.0-34.4	1	3.0	00.0-08.9	8	14.4	02.8-26.0	1	0.8	00.0-02.4
45-54	66	11,218	34	49.1	31.9-66.3	22	39.4	21.6-57.2	1	1.4	00.0-04.1	2	3.2	00.0-08.3	6	5.9	00.6-11.2	1	1.0	00.0-03.0
55-64	128	25,002	65	54.9	43.1-66.7	44	28.4	18.8-38.0	2	0.6	00.0-01.4	4	3.9	00.0-08.8	13	12.2	02.4-22.0			
65+	269	39,527	152	57.9	49.9-65.9	84	28.6	21.5-35.7	10	6.2	01.9-10.5	2	0.8	00.0-02.0	20	6.0	02.9-09.1	1	0.4	00.0-01.2
Less Than H.S.	56	9,949	22	33.2	18.1-48.3	13	22.4	09.7-35.1	3	9.4	00.0-21.2	4	7.3	00.0-15.3	14	27.8	13.3-42.3			
H.S. or G.E.D.	172	34,865	94	49.6	38.2-61.0	49	26.3	16.7-35.9	9	5.2	00.9-09.5	3	2.5	00.0-05.8	15	15.8	04.2-27.4	2	0.6	00.0-01.6
Some Post-H.S.	124	21,361	62	56.9	45.3-68.5	49	34.4	23.4-45.4	3	4.4	00.0-10.1	1	0.2	00.0-00.6	8	3.6	00.3-06.9	1	0.5	00.0-01.5
College Graduate	147	20,019	88	62.2	51.8-72.6	47	30.3	20.7-39.9	4	4.4	00.0-09.3				8	3.2	00.7-05.7			
Less than \$15,000	57	9,849	24	37.2	17.4-57.0	15	21.9	05.8-38.0	4	9.9	00.0-22.2	3	3.7	00.0-08.6	10	26.2	00.0-52.7	1	1.2	00.0-03.6
\$15,000- 24,999	85	12,764	43	53.5	37.6-69.4	25	27.9	12.4-43.4	4	5.1	00.0-10.8	1	4.2	00.0-12.2	11	8.8	02.5-15.1	1	0.4	00.0-01.2
\$25,000- 34,999	50	9,291	29	63.4	46.2-80.6	15	24.7	10.0-39.4	1	1.0	00.0-03.0	1	3.0	00.0-08.9	4	7.9	00.0-16.7			
\$35,000- 49,999	55	10,748	34	56.0	39.3-72.7	16	26.8	12.5-41.1	1	5.8	00.0-16.8	1	3.2	00.0-09.3	3	8.2	00.0-17.4			
\$50,000- 74,999	60	10,510	37	55.6	35.0-76.2	17	19.3	07.9-30.7	2	1.7	00.0-04.6				4	23.4	00.1-46.7			
\$75,000+	98	17,879	49	48.7	35.2-62.2	42	44.5	31.4-57.6	1	2.2	00.0-06.5	1	0.4	00.0-01.2	5	4.2	00.0-09.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	252	46,540	136	52.0	42.8-61.2	82	29.0	21.7-36.3	11	6.0	01.7-10.3	1	1.2	00.0-03.6	22	11.7	03.3-20.1
White/Non-Hisp	176	26,593	97	57.6	48.2-67.0	60	33.4	24.6-42.2	7	4.2	00.7-07.7				12	4.8	00.9-08.7
55-64	66	15,178	34	54.0	37.3-70.7	23	27.2	14.7-39.7	1	0.4	00.0-01.2	1	3.6	00.0-10.5	7	14.8	00.0-29.9
65+	142	20,647	80	60.1	49.7-70.5	44	27.4	18.4-36.4	7	6.7	01.2-12.2				11	5.8	01.7-09.9
H.S. or G.E.D.	75	18,605	38	52.2	34.8-69.6	23	20.1	09.5-30.7	5	5.8	00.0-12.9	1	2.9	00.0-08.6	8	19.0	00.6-37.4
Some Post-H.S.	60	9,976	31	52.5	36.0-69.0	25	43.1	26.4-59.8	1	2.7	00.0-08.0				3	1.7	00.0-04.1
College Graduate	90	12,370	56	59.1	45.6-72.6	27	32.8	20.1-45.5	4	7.1	00.0-15.1				3	1.0	00.0-02.4
\$75,000+	61	11,924	29	45.0	28.3-61.7	28	47.5	31.0-64.0	1	3.3	00.0-09.8				3	4.1	00.0-11.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	250	40,055	131	52.6	43.8-61.4	77	28.8	20.8-36.8	8	4.3	00.6-08.0	7	2.7	00.2-05.2	24	10.7	04.6-16.8	3	0.8	00.0-01.8
White/Non-Hisp	146	19,812	81	55.8	45.2-66.4	47	30.8	20.8-40.8	2	2.6	00.0-06.1	3	1.1	00.0-02.5	12	9.1	03.2-15.0	1	0.6	00.0-01.8
Black or Afr. Am./Non-Hisp	61	15,887	34	54.5	37.6-71.4	16	25.8	10.7-40.9	2	4.2	00.0-11.3	3	4.3	00.0-09.8	6	11.2	00.0-24.1			
55-64	62	9,825	31	56.3	40.6-72.0	21	30.1	15.4-44.8	1	1.0	00.0-03.0	3	4.4	00.0-11.1	6	8.2	00.0-16.4			
65+	127	18,880	72	55.5	43.3-67.7	40	30.0	19.0-41.0	3	5.8	00.0-12.7	2	1.6	00.0-04.0	9	6.2	01.3-11.1	1	0.9	00.0-02.7
H.S. or G.E.D.	97	16,260	56	46.6	32.5-60.7	26	33.5	18.6-48.4	4	4.5	00.0-09.4	2	2.1	00.0-05.6	7	12.1	00.0-24.8	2	1.4	00.0-03.6
Some Post-H.S.	64	11,386	31	60.8	45.1-76.5	24	26.9	13.8-40.0	2	5.9	00.0-15.5	1	0.3	00.0-00.9	5	5.1	00.0-10.8	1	1.0	00.0-03.0
College Graduate	57	7,649	32	67.2	51.5-82.9	20	26.1	11.8-40.4							5	6.7	00.2-13.2			
\$15,000- 24,999	55	7,225	24	42.2	23.0-61.4	21	41.2	19.6-62.8	3	5.3	00.0-12.4				6	10.5	00.7-20.3	1	0.7	00.0-02.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	516	89,700	111	23.9	18.6-29.2	116	18.8	14.5-23.1	51	9.6	06.1-13.1	66	12.3	08.2-16.4	38	6.7	04.0-09.4	134	28.7	22.4-35.0
Male	258	47,450	52	19.6	13.1-26.1	69	22.2	15.9-28.5	27	9.9	04.4-15.4	30	13.1	07.2-19.0	19	5.5	02.6-08.4	61	29.6	20.4-38.8
Female	258	42,250	59	28.8	20.6-37.0	47	14.9	09.0-20.8	24	9.1	04.6-13.6	36	11.5	06.2-16.8	19	8.0	03.5-12.5	73	27.6	19.6-35.6
White/Non-Hisp	328	48,726	69	22.4	16.5-28.3	79	21.8	15.9-27.7	36	13.6	07.5-19.7	43	11.6	07.5-15.7	21	6.0	02.9-09.1	80	24.5	18.0-31.0
Black or Afr. Am./Non-Hisp	100	29,983	27	27.8	16.2-39.4	18	14.6	06.8-22.4	7	3.8	00.7-06.9	12	12.0	03.0-21.0	8	7.3	01.4-13.2	28	34.4	20.7-48.1
Hispanic	54	6,950	11	21.0	07.1-34.9	11	16.6	03.9-29.3	5	7.8	00.0-15.6	6	15.9	00.0-32.6	5	7.1	00.0-14.5	16	31.6	10.8-52.4
45-54	67	11,327	15	33.3	15.1-51.5	15	20.0	07.8-32.2	5	4.4	00.3-08.5	8	7.6	01.3-13.9	5	4.8	00.0-10.3	19	29.9	14.4-45.4
55-64	129	24,585	32	26.9	16.7-37.1	19	16.8	08.6-25.0	14	9.4	03.5-15.3	19	14.0	05.4-22.6	13	7.8	02.3-13.3	32	25.1	14.1-36.1
65+	276	41,487	58	24.8	17.5-32.1	76	22.8	16.3-29.3	26	11.2	05.1-17.3	33	9.9	05.8-14.0	18	7.5	03.2-11.8	65	23.8	16.5-31.1
Less Than H.S.	60	11,155	9	14.3	04.1-24.5	10	15.9	04.1-27.7	6	8.4	01.0-15.8	5	10.7	00.0-22.3	5	7.2	00.3-14.1	25	43.6	26.7-60.5
H.S. or G.E.D.	178	35,769	37	24.2	14.6-33.8	39	18.8	11.4-26.2	22	12.6	05.0-20.2	17	9.3	02.8-15.8	13	5.2	01.7-08.7	50	29.8	18.4-41.2
Some Post-H.S.	127	21,740	25	24.3	14.1-34.5	28	17.5	10.1-24.9	7	4.5	00.8-08.2	26	19.8	10.4-29.2	11	9.0	01.9-16.1	30	24.8	14.0-35.6
College Graduate	148	20,635	40	28.8	18.8-38.8	38	21.7	12.5-30.9	16	10.3	04.0-16.6	17	9.6	03.7-15.5	9	6.7	01.4-12.0	28	22.9	12.7-33.1
Less than \$15,000	61	10,331	10	19.0	04.1-33.9	12	21.8	05.9-37.7	6	7.6	00.0-15.2	4	10.7	00.0-23.6	8	7.0	00.7-13.3	21	33.9	09.8-58.0
\$15,000- 24,999	87	12,127	16	28.6	11.9-45.3	21	24.2	12.2-36.2	12	13.0	04.4-21.6	13	9.2	02.9-15.5	3	2.7	00.0-07.0	22	22.3	11.3-33.3
\$25,000- 34,999	50	8,936	15	27.3	12.2-42.4	12	16.1	04.3-27.9	2	4.2	00.0-10.3	7	17.3	00.0-35.9	5	11.1	00.0-22.7	9	24.0	07.7-40.3
\$35,000- 49,999	56	11,644	13	19.6	07.8-31.4	10	12.7	02.7-22.7	1	0.2	00.0-00.6	8	17.3	03.6-31.0	3	6.1	00.0-13.0	21	44.1	27.0-61.2
\$50,000- 74,999	61	10,654	16	25.5	10.4-40.6	16	21.2	06.5-35.9	6	6.0	00.1-11.9	5	8.4	00.4-16.4	4	6.6	00.0-14.2	14	32.3	10.5-54.1
\$75,000+	100	18,496	19	17.4	08.0-26.8	26	22.4	12.2-32.6	17	21.8	09.5-34.1	15	14.4	05.0-23.8	5	4.9	00.0-09.8	18	19.1	08.7-29.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	258	47,450	52	19.6	12.9-26.3	69	22.2	15.9-28.5	27	9.9	04.4-15.4	30	13.1	07.2-19.0	19	5.5	02.6-08.4	61	29.6	20.4-38.8
White/Non-Hisp	179	27,575	34	18.8	11.4-26.2	51	25.4	17.4-33.4	23	15.4	06.6-24.2	22	12.2	06.5-17.9	11	5.8	01.9-09.7	38	22.4	14.4-30.4
55-64	66	14,734	14	23.7	09.8-37.6	12	19.0	07.4-30.6	8	9.4	01.4-17.4	10	18.7	05.2-32.2	6	4.8	00.0-10.3	16	24.4	08.7-40.1
65+	145	21,292	30	21.2	12.2-30.2	47	27.6	18.4-36.8	15	13.7	03.3-24.1	16	9.4	04.3-14.5	10	6.7	02.0-11.4	27	21.4	12.2-30.6
H.S. or G.E.D.	78	18,270	13	17.2	05.6-28.8	19	20.1	09.1-31.1	10	15.0	02.5-27.5	7	12.4	00.8-24.0	8	5.6	00.3-10.9	21	29.7	11.7-47.7
Some Post-H.S.	61	10,514	11	18.6	06.6-30.6	19	27.2	14.3-40.1	4	4.8	00.1-09.5	10	14.4	04.6-24.2	4	5.7	00.0-11.6	13	29.4	12.2-46.6
College Graduate	91	12,986	25	30.2	17.1-43.3	27	23.3	12.3-34.3	12	10.5	02.5-18.5	9	9.0	02.3-15.7	7	7.6	01.1-14.1	11	19.3	06.2-32.4
\$75,000+	63	12,541	12	18.7	06.9-30.5	17	25.7	12.4-39.0	11	24.1	07.4-40.8	10	12.0	03.8-20.2	5	7.2	00.0-14.5	8	12.4	02.0-22.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	258	42,250	59	28.8	20.6-37.0	47	14.9	09.0-20.8	24	9.1	04.6-13.6	36	11.5	06.2-16.8	19	8.0	03.5-12.5	73	27.6	19.6-35.6
White/Non-Hisp	149	21,151	35	27.2	17.8-36.6	28	17.0	08.4-25.6	13	11.3	03.7-18.9	21	10.9	05.0-16.8	10	6.2	00.9-11.5	42	27.4	17.0-37.8
Black or Afr. Am./Non-Hisp	63	16,574	18	33.4	17.3-49.5	8	9.8	00.8-18.8	6	5.8	00.5-11.1	10	12.5	01.9-23.1	5	9.8	00.6-19.0	16	28.7	13.4-44.0
55-64	63	9,851	18	31.8	16.9-46.7	7	13.6	01.8-25.4	6	9.3	01.3-17.3	9	7.0	01.9-12.1	7	12.2	01.6-22.8	16	26.1	11.8-40.4
65+	131	20,194	28	28.6	17.2-40.0	29	17.6	08.4-26.8	11	8.7	02.8-14.6	17	10.4	03.5-17.3	8	8.3	01.0-15.6	38	26.4	15.2-37.6
H.S. or G.E.D.	100	17,499	24	31.6	17.7-45.5	20	17.5	07.5-27.5	12	10.1	01.9-18.3	10	6.1	02.0-10.2	5	4.8	00.0-09.7	29	29.9	16.2-43.6
Some Post-H.S.	66	11,226	14	29.6	13.7-45.5	9	8.3	00.9-15.7	3	4.3	00.0-10.0	16	24.9	09.6-40.2	7	12.2	00.0-24.4	17	20.6	08.4-32.8
College Graduate	57	7,649	15	26.3	11.0-41.6	11	18.9	02.0-35.8	4	10.0	00.0-20.0	8	10.7	00.0-21.5	2	5.0	00.0-14.0	17	29.1	12.6-45.6
\$15,000- 24,999	58	7,429	11	32.4	09.9-54.9	11	15.5	04.7-26.3	10	15.7	03.9-27.5	8	6.7	01.2-12.2	2	4.0	00.0-11.1	16	25.7	10.6-40.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	518	91,071	99	18.7	13.8-23.6	262	47.2	40.9-53.5	84	18.0	13.1-22.9	58	12.1	08.0-16.2	15	4.0	00.3-07.7
Male	258	48,439	41	13.9	08.2-19.6	138	49.7	40.9-58.5	43	18.8	11.5-26.1	31	12.4	07.5-17.3	5	5.3	00.0-12.0
Female	260	42,632	58	24.2	16.4-32.0	124	44.4	35.8-53.0	41	17.1	10.8-23.4	27	11.8	05.1-18.5	10	2.5	00.7-04.3
White/Non-Hisp	326	48,858	68	17.8	12.5-23.1	162	45.3	38.0-52.6	49	18.7	12.2-25.2	44	17.0	11.1-22.9	3	1.3	00.0-03.1
Black or Afr. Am./Non-Hisp	101	30,824	25	25.9	14.5-37.3	53	47.3	34.2-60.4	13	14.5	05.7-23.3	6	5.6	00.0-12.3	4	6.7	00.0-16.9
Hispanic	54	6,959	4	4.9	00.0-10.2	23	49.5	29.5-69.5	14	27.3	09.7-44.9	7	9.3	01.1-17.5	6	8.9	00.9-16.9
45-54	68	11,370	13	22.7	05.6-39.8	28	41.0	24.5-57.5	12	15.3	02.8-27.8	11	17.2	05.6-28.8	4	3.8	00.0-07.7
55-64	126	24,780	24	17.9	08.5-27.3	63	54.8	42.8-66.8	18	13.9	05.3-22.5	20	11.7	05.4-18.0	1	1.7	00.0-05.0
65+	279	42,558	60	22.6	15.5-29.7	151	46.8	38.8-54.8	42	18.5	11.4-25.6	21	10.5	04.8-16.2	5	1.6	00.0-03.2
Less Than H.S.	61	11,308	9	13.5	03.5-23.5	23	42.7	26.6-58.8	11	14.4	03.0-25.8	12	23.8	07.7-39.9	6	5.5	00.4-10.6
H.S. or G.E.D.	178	36,213	35	20.2	11.2-29.2	87	40.5	29.9-51.1	26	19.3	10.3-28.3	25	14.0	06.7-21.3	5	6.1	00.0-14.9
Some Post-H.S.	130	22,552	22	15.6	07.2-24.0	71	59.4	48.2-70.6	22	15.4	07.8-23.0	12	6.5	01.4-11.6	3	3.0	00.0-06.9
College Graduate	146	20,597	32	21.6	12.0-31.2	79	48.2	37.0-59.4	25	20.7	10.5-30.9	9	8.9	02.2-15.6	1	0.6	00.0-01.8
Less than \$15,000	63	10,435	12	16.2	02.3-30.1	26	32.9	15.3-50.5	10	17.1	03.0-31.2	10	13.0	03.0-23.0	5	20.8	00.0-46.9
\$15,000- 24,999	88	12,655	17	24.3	08.6-40.0	39	34.8	21.7-47.9	15	22.2	07.5-36.9	14	16.7	06.1-27.3	3	2.0	00.0-04.5
\$25,000- 34,999	51	9,382	14	33.0	13.6-52.4	23	41.3	23.9-58.7	8	17.0	03.3-30.7	4	5.6	00.0-12.5	2	3.1	00.0-08.0
\$35,000- 49,999	56	11,644	13	23.9	10.8-37.0	24	40.0	23.5-56.5	8	12.9	02.7-23.1	10	22.2	06.5-37.9	1	1.1	00.0-03.3
\$50,000- 74,999	60	10,639	10	13.9	00.8-27.0	33	57.7	38.1-77.3	11	12.6	04.0-21.2	6	15.8	00.0-33.4			
\$75,000+	98	18,312	20	16.0	07.0-25.0	60	56.4	42.9-69.9	12	16.2	04.0-28.4	6	11.3	02.5-20.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	258	48,439	41	13.9	08.2-19.6	138	49.7	40.9-58.5	43	18.8	11.4-26.2	31	12.4	07.5-17.3	5	5.3	00.0-12.2
White/Non-Hisp	178	27,723	33	14.7	08.4-21.0	93	48.2	38.6-57.8	25	17.0	08.4-25.6	26	18.6	11.2-26.0	1	1.5	00.0-04.4
55-64	65	15,391	8	14.7	01.8-27.6	34	53.1	36.4-69.8	11	17.1	04.4-29.8	11	12.3	03.5-21.1	1	2.8	00.0-08.3
65+	145	21,582	29	17.5	10.1-24.9	86	53.1	41.7-64.5	20	18.8	08.0-29.6	9	9.9	03.0-16.8	1	0.7	00.0-02.1
H.S. or G.E.D.	78	18,931	12	14.2	03.0-25.4	38	42.4	25.9-58.9	13	20.7	06.4-35.0	14	13.8	05.2-22.4	1	8.8	00.0-24.9
Some Post-H.S.	63	10,879	5	6.2	00.0-12.5	42	71.5	58.4-84.6	9	10.8	03.2-18.4	5	6.2	00.0-12.5	2	5.3	00.0-13.1
College Graduate	89	12,949	22	21.2	10.6-31.8	45	43.1	29.4-56.8	17	24.5	10.8-38.2	5	11.2	01.6-20.8			
\$75,000+	61	12,357	11	14.3	03.5-25.1	37	55.9	39.0-72.8	8	16.7	01.0-32.4	5	13.1	01.9-24.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEXAM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	260	42,632	58	24.2	16.4-32.0	124	44.4	35.8-53.0	41	17.1	10.8-23.4	27	11.8	05.1-18.5	10	2.5	00.7-04.3
White/Non-Hisp	148	21,135	35	21.9	12.9-30.9	69	41.5	30.7-52.3	24	20.8	11.2-30.4	18	14.9	05.3-24.5	2	0.9	00.0-02.3
Black or Afr. Am./Non-Hisp	63	16,574	17	32.1	16.2-48.0	31	44.6	28.5-60.7	7	11.1	02.1-20.1	5	9.8	00.0-22.0	3	2.4	00.0-05.5
55-64	61	9,389	16	23.1	10.4-35.8	29	57.5	42.2-72.8	7	8.6	00.2-17.0	9	10.7	02.3-19.1			
65+	134	20,976	31	27.9	16.3-39.5	65	40.4	28.8-52.0	22	18.2	09.2-27.2	12	11.0	02.0-20.0	4	2.5	00.0-05.2
H.S. or G.E.D.	100	17,282	23	26.8	13.1-40.5	49	38.3	24.8-51.8	13	17.8	06.8-28.8	11	14.1	02.1-26.1	4	3.0	00.0-06.3
Some Post-H.S.	67	11,672	17	24.3	10.0-38.6	29	48.0	31.3-64.7	13	19.8	07.3-32.3	7	6.9	00.0-14.9	1	1.0	00.0-03.0
College Graduate	57	7,649	10	22.3	03.9-40.7	34	56.8	37.8-75.8	8	14.4	01.1-27.7	4	4.9	00.0-12.3	1	1.7	00.0-05.0
\$15,000- 24,999	58	7,115	14	37.9	15.6-60.2	26	34.4	17.9-50.9	10	14.1	03.3-24.9	6	12.1	00.7-23.5	2	1.5	00.0-03.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	521	91,534	117	22.2	17.3-27.1	404	77.8	72.9-82.7
Male	262	48,803	61	21.8	15.3-28.3	201	78.2	71.7-84.7
Female	259	42,731	56	22.6	15.2-30.0	203	77.4	70.0-84.8
White/Non-Hisp	331	49,653	60	16.3	11.6-21.0	271	83.7	79.0-88.4
Black or Afr. Am./Non-Hisp	101	30,824	34	30.8	19.4-42.2	67	69.2	57.8-80.6
Hispanic	55	7,011	13	25.9	08.5-43.3	42	74.1	56.7-91.5
45-54	67	11,263	17	33.1	15.3-50.9	50	66.9	49.1-84.7
55-64	130	25,426	38	25.4	16.2-34.6	92	74.6	65.4-83.8
65+	280	42,592	59	21.0	14.5-27.5	221	79.0	72.5-85.5
Less Than H.S.	61	11,250	18	30.6	15.5-45.7	43	69.4	54.3-84.5
H.S. or G.E.D.	180	36,688	45	23.6	15.0-32.2	135	76.4	67.8-85.0
Some Post-H.S.	130	22,682	28	19.7	10.7-28.7	102	80.3	71.3-89.3
College Graduate	147	20,514	26	18.3	10.1-26.5	121	81.7	73.5-89.9
Less than \$15,000	62	10,404	18	36.4	16.4-56.4	44	63.6	43.6-83.6
\$15,000- 24,999	88	12,862	24	33.4	17.3-49.5	64	66.6	50.5-82.7
\$25,000- 34,999	51	9,382	15	26.8	11.5-42.1	36	73.2	57.9-88.5
\$35,000- 49,999	56	11,644	13	16.0	06.0-26.0	43	84.0	74.0-94.0
\$50,000- 74,999	60	10,606	11	15.3	04.1-26.5	49	84.7	73.5-95.9
\$75,000+	100	18,496	15	14.8	06.4-23.2	85	85.2	76.8-93.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	262	48,803	61	21.8	15.3-28.3	201	78.2	71.7-84.7
White/Non-Hisp	182	28,087	36	20.0	12.9-27.1	146	80.0	72.9-87.1
55-64	67	15,575	20	24.6	12.4-36.8	47	75.4	63.2-87.6
65+	147	21,762	31	19.2	11.4-27.0	116	80.8	73.0-88.6
H.S. or G.E.D.	79	19,111	21	20.8	10.0-31.6	58	79.2	68.4-90.0
Some Post-H.S.	64	11,041	17	22.1	10.3-33.9	47	77.9	66.1-89.7
College Graduate	91	12,972	17	20.6	09.4-31.8	74	79.4	68.2-90.6
\$75,000+	63	12,541	10	18.3	06.5-30.1	53	81.7	69.9-93.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	259	42,731	56	22.6	15.2-30.0	203	77.4	70.0-84.8
White/Non-Hisp	149	21,566	24	11.4	06.3-16.5	125	88.6	83.5-93.7
Black or Afr. Am./Non-Hisp	63	16,574	20	35.6	19.5-51.7	43	64.4	48.3-80.5
55-64	63	9,851	18	26.8	13.5-40.1	45	73.2	59.9-86.5
65+	133	20,830	28	23.0	12.6-33.4	105	77.0	66.6-87.4
H.S. or G.E.D.	101	17,577	24	26.5	13.2-39.8	77	73.5	60.2-86.8
Some Post-H.S.	66	11,641	11	17.4	03.5-31.3	55	82.6	68.7-96.5
College Graduate	56	7,542	9	14.2	02.4-26.0	47	85.8	74.0-97.6
\$15,000- 24,999	57	7,290	12	29.9	06.8-53.0	45	70.1	47.0-93.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	525	91,613	281	49.2	42.9-55.5	244	50.8	44.5-57.1
Male	262	48,468	126	42.7	34.1-51.3	136	57.3	48.7-65.9
Female	263	43,146	155	56.5	47.9-65.1	108	43.5	34.9-52.1
White/Non-Hisp	333	49,731	184	53.2	45.9-60.5	149	46.8	39.5-54.1
Black or Afr. Am./Non-Hisp	100	30,441	50	45.1	31.8-58.4	50	54.9	41.6-68.2
Hispanic	55	7,011	28	42.5	24.1-60.9	27	57.5	39.1-75.9
45-54	68	11,370	32	42.9	26.2-59.6	36	57.1	40.4-73.8
55-64	129	25,043	73	52.9	40.9-64.9	56	47.1	35.1-59.1
65+	283	42,838	153	49.6	41.6-57.6	130	50.4	42.4-58.4
Less Than H.S.	62	11,360	20	22.8	11.6-34.0	42	77.2	66.0-88.4
H.S. or G.E.D.	180	36,471	92	51.3	39.9-62.7	88	48.7	37.3-60.1
Some Post-H.S.	131	22,713	75	55.0	43.6-66.4	56	45.0	33.6-56.4
College Graduate	149	20,668	92	53.8	42.6-65.0	57	46.2	35.0-57.4
Less than \$15,000	63	10,435	33	43.8	23.6-64.0	30	56.2	36.0-76.4
\$15,000- 24,999	90	13,079	44	45.2	29.9-60.5	46	54.8	39.5-70.1
\$25,000- 34,999	51	9,382	27	43.5	25.5-61.5	24	56.5	38.5-74.5
\$35,000- 49,999	56	11,644	29	50.3	33.4-67.2	27	49.7	32.8-66.6
\$50,000- 74,999	61	10,654	39	57.6	37.6-77.6	22	42.4	22.4-62.4
\$75,000+	99	18,113	61	57.5	44.6-70.4	38	42.5	29.6-55.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	262	48,468	126	42.7	33.9-51.5	136	57.3	48.5-66.1
White/Non-Hisp	183	28,135	89	48.8	39.0-58.6	94	51.2	41.4-61.0
55-64	66	15,192	35	47.6	30.9-64.3	31	52.4	35.7-69.1
65+	148	21,810	70	43.2	32.2-54.2	78	56.8	45.8-67.8
H.S. or G.E.D.	78	18,727	34	42.7	26.0-59.4	44	57.3	40.6-74.0
Some Post-H.S.	64	11,041	34	48.6	33.1-64.1	30	51.4	35.9-66.9
College Graduate	92	13,019	54	52.6	38.5-66.7	38	47.4	33.3-61.5
\$75,000+	62	12,158	35	52.0	35.9-68.1	27	48.0	31.9-64.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	263	43,146	155	56.5	47.9-65.1	108	43.5	34.9-52.1
White/Non-Hisp	150	21,597	95	59.0	47.8-70.2	55	41.0	29.8-52.2
Black or Afr. Am./Non-Hisp	63	16,574	34	53.2	36.7-69.7	29	46.8	30.3-63.3
55-64	63	9,851	38	61.0	45.5-76.5	25	39.0	23.5-54.5
65+	135	21,028	83	56.3	44.1-68.5	52	43.7	31.5-55.9
H.S. or G.E.D.	102	17,743	58	60.5	46.6-74.4	44	39.5	25.6-53.4
Some Post-H.S.	67	11,672	41	61.0	44.9-77.1	26	39.0	22.9-55.1
College Graduate	57	7,649	38	55.7	36.7-74.7	19	44.3	25.3-63.3
\$15,000- 24,999	59	7,506	29	35.7	19.0-52.4	30	64.3	47.6-81.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 06: COGNITIVE DECLINE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50
DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)	
13 MALES AND FEMALES	51
14 MALES ONLY	52
15 FEMALES ONLY	53
HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)	
16 MALES AND FEMALES	54
17 MALES ONLY	55
18 FEMALES ONLY	56

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2208	359,942	195	8.2	06.6-09.8	2013	91.8	90.2-93.4
Male	945	159,085	73	7.3	04.9-09.7	872	92.7	90.3-95.1
Female	1263	200,857	122	9.0	06.8-11.2	1141	91.0	88.8-93.2
White/Non-Hisp	1662	258,096	144	8.2	06.4-10.0	1518	91.8	90.0-93.6
Black or Afr. Am./Non-Hisp	279	67,272	30	8.5	05.0-12.0	249	91.5	88.0-95.0
Oth. Race/Non-Hisp.	57	9,985	5	9.0	00.0-18.8	52	91.0	81.2-0100
Hispanic	128	11,759	8	5.4	00.7-10.1	120	94.6	89.9-99.3
45-54	484	86,679	43	8.2	05.3-11.1	441	91.8	88.9-94.7
55-64	647	109,810	40	5.5	03.3-07.7	607	94.5	92.3-96.7
65+	1077	163,453	112	10.1	07.4-12.8	965	89.9	87.2-92.6
Less Than H.S.	161	28,190	18	9.4	03.3-15.5	143	90.6	84.5-96.7
H.S. or G.E.D.	646	117,638	74	10.9	07.8-14.0	572	89.1	86.0-92.2
Some Post-H.S.	569	103,295	44	6.2	03.7-08.7	525	93.8	91.3-96.3
College Graduate	827	110,070	59	7.1	04.7-09.5	768	92.9	90.5-95.3
Less than \$15,000	157	23,964	24	13.4	07.1-19.7	133	86.6	80.3-92.9
\$15,000- 24,999	304	45,635	44	13.5	08.4-18.6	260	86.5	81.4-91.6
\$25,000- 34,999	188	32,012	22	11.7	05.8-17.6	166	88.3	82.4-94.2
\$35,000- 49,999	228	33,296	27	12.2	06.5-17.9	201	87.8	82.1-93.5
\$50,000- 74,999	287	48,077	24	8.3	03.6-13.0	263	91.7	87.0-96.4
\$75,000+	683	117,842	26	4.2	01.8-06.6	657	95.8	93.4-98.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE**

**TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	945	159,085	73	7.3	04.9-09.7	872	92.7	90.3-95.1
White/Non-Hisp	735	114,932	56	7.1	04.4-09.8	679	92.9	90.2-95.6
Black or Afr. Am./Non-Hisp	93	28,511	8	6.8	01.3-12.3	85	93.2	87.7-98.7
Hispanic	55	5,127	2	4.8	00.0-12.8	53	95.2	87.2-0100
45-54	202	38,036	20	10.5	05.0-16.0	182	89.5	84.0-95.0
55-64	287	50,466	13	4.2	01.7-06.7	274	95.8	93.3-98.3
65+	456	70,584	40	7.7	04.0-11.4	416	92.3	88.6-96.0
Less Than H.S.	69	12,721	6	8.2	00.0-17.8	63	91.8	82.2-0100
H.S. or G.E.D.	275	53,176	29	10.0	04.9-15.1	246	90.0	84.9-95.1
Some Post-H.S.	236	44,645	15	5.5	02.2-08.8	221	94.5	91.2-97.8
College Graduate	365	48,544	23	5.6	02.9-08.3	342	94.4	91.7-97.1
Less than \$15,000	58	7,599	8	13.0	02.4-23.6	50	87.0	76.4-97.6
\$15,000- 24,999	111	17,624	15	14.2	04.8-23.6	96	85.8	76.4-95.2
\$25,000- 34,999	70	13,196	9	11.9	02.5-21.3	61	88.1	78.7-97.5
\$35,000- 49,999	95	11,849	10	12.1	02.7-21.5	85	87.9	78.5-97.3
\$50,000- 74,999	135	22,963	11	7.6	02.1-13.1	124	92.4	86.9-97.9
\$75,000+	355	61,822	14	4.3	00.8-07.8	341	95.7	92.2-99.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE**

**TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1263	200,857	122	9.0	06.8-11.2	1141	91.0	88.8-93.2
White/Non-Hisp	927	143,164	88	9.1	06.6-11.6	839	90.9	88.4-93.4
Black or Afr. Am./Non-Hisp	186	38,762	22	9.7	05.0-14.4	164	90.3	85.6-95.0
Hispanic	73	6,632	6	5.9	00.6-11.2	67	94.1	88.8-99.4
45-54	282	48,643	23	6.3	03.6-09.0	259	93.7	91.0-96.4
55-64	360	59,344	27	6.6	03.5-09.7	333	93.4	90.3-96.5
65+	621	92,869	72	11.9	08.2-15.6	549	88.1	84.4-91.8
Less Than H.S.	92	15,470	12	10.5	02.7-18.3	80	89.5	81.7-97.3
H.S. or G.E.D.	371	64,461	45	11.5	07.6-15.4	326	88.5	84.6-92.4
Some Post-H.S.	333	58,650	29	6.7	03.0-10.4	304	93.3	89.6-97.0
College Graduate	462	61,526	36	8.2	04.9-11.5	426	91.8	88.5-95.1
Less than \$15,000	99	16,365	16	13.6	05.8-21.4	83	86.4	78.6-94.2
\$15,000- 24,999	193	28,011	29	13.1	07.4-18.8	164	86.9	81.2-92.6
\$25,000- 34,999	118	18,816	13	11.6	03.8-19.4	105	88.4	80.6-96.2
\$35,000- 49,999	133	21,447	17	12.3	05.0-19.6	116	87.7	80.4-95.0
\$50,000- 74,999	152	25,114	13	9.1	01.7-16.5	139	90.9	83.5-98.3
\$75,000+	328	56,019	12	4.1	01.4-06.8	316	95.9	93.2-98.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE**

**TABLE 4: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	193	29,424	9	4.9	01.0-08.8	6	2.8	00.3-05.3	40	21.8	13.4-30.2	41	20.9	13.5-28.3	97	49.7	39.9-59.5
Male	73	11,551	2	2.6	00.0-06.9	3	3.7	00.0-09.0	11	16.3	04.3-28.3	18	28.1	13.8-42.4	39	49.2	32.9-65.5
Female	120	17,873	7	6.4	00.7-12.1	3	2.2	00.0-04.7	29	25.3	13.9-36.7	23	16.2	08.4-24.0	58	50.0	37.8-62.2
White/Non-Hisp	143	20,965	5	3.7	00.0-07.8	3	2.2	00.0-05.1	25	18.7	08.7-28.7	32	21.4	12.4-30.4	78	54.0	42.0-66.0
65+	110	16,294	2	0.8	00.0-02.0	2	0.9	00.0-02.3	15	17.9	05.9-29.9	21	17.3	07.9-26.7	70	63.2	49.7-76.7
H.S. or G.E.D.	73	12,643	5	7.6	00.0-15.2	1	1.4	00.0-04.1	21	29.5	15.8-43.2	14	15.0	06.0-24.0	32	46.4	30.5-62.3
College Graduate	59	7,766	1	0.6	00.0-01.8	2	1.9	00.0-04.6	7	6.2	00.9-11.5	11	22.1	08.0-36.2	38	69.2	54.3-84.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE**

**TABLE 5: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	73	11,551	2	2.6	00.0-06.9	3	3.7	00.0-09.2	11	16.3	04.3-28.3	18	28.1	13.8-42.4	39	49.2	32.7-65.7
White/Non-Hisp	56	8,113				2	4.4	00.0-11.8	7	10.1	00.0-20.9	14	27.4	10.5-44.3	33	58.1	39.3-76.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE**

**TABLE 6: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	120	17,873	7	6.4	00.7-12.1	3	2.2	00.0-04.7	29	25.3	13.9-36.7	23	16.2	08.2-24.2	58	50.0	37.8-62.2
White/Non-Hisp	87	12,852	5	6.0	00.0-12.7	1	0.8	00.0-02.4	18	24.2	10.1-38.3	18	17.6	07.6-27.6	45	51.5	36.8-66.2
65+	70	10,877	2	1.1	00.0-02.7	1	0.9	00.0-02.7	11	23.6	07.1-40.1	11	11.5	02.9-20.1	45	62.9	46.2-79.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE**

**TABLE 7: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	193	29,463	8	4.5	01.0-08.0	10	5.4	01.3-09.5	42	24.8	15.8-33.8	37	15.7	10.0-21.4	96	49.7	39.9-59.5	
Male	72	11,448	3	5.0	00.0-11.7	4	5.9	00.0-13.3	14	20.4	07.3-33.5	12	14.3	05.1-23.5	39	54.5	38.4-70.6	
Female	121	18,015	5	4.1	00.2-08.0	6	5.0	00.1-09.9	28	27.6	15.8-39.4	25	16.6	09.3-23.9	57	46.7	34.7-58.7	
White/Non-Hisp	142	20,972	5	2.9	00.2-05.6	7	6.4	00.7-12.1	26	19.1	08.9-29.3	28	16.6	09.5-23.7	76	55.0	43.2-66.8	
65+	111	16,359	2	0.8	00.0-02.0	3	2.1	00.0-04.6	16	18.7	06.4-31.0	21	14.2	06.9-21.5	69	64.2	51.1-77.3	
H.S. or G.E.D.	74	12,778	4	5.2	00.0-10.7	6	9.4	00.6-18.2	18	28.2	14.5-41.9	13	15.1	06.5-23.7	33	42.0	26.1-57.9	
College Graduate	58	7,663	1	1.3	00.0-03.8	8	11.6	00.2-23.0	13	22.3	09.2-35.4	36	64.8	48.9-80.7				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE**

**TABLE 8: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	72	11,448	3	5.0	00.0-11.9	4	5.9	00.0-13.5	14	20.4	07.5-33.3	12	14.3	04.9-23.7	39	54.5	38.8-70.2	
White/Non-Hisp	55	8,010	2	2.7	00.0-07.0	2	7.1	00.0-17.5	10	9.7	01.1-18.3	7	11.1	01.5-20.7	34	69.3	52.8-85.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 06: COGNITIVE DECLINE**

**TABLE 9: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	121	18,015	5	4.1	00.2-08.0	6	5.0	00.1-09.9	28	27.6	15.8-39.4	25	16.6	09.3-23.9	57	46.7	34.7-58.7	
White/Non-Hisp	87	12,961	3	3.0	00.0-06.5	5	6.0	00.0-12.5	16	24.8	09.9-39.7	21	20.1	10.5-29.7	42	46.1	31.8-60.4	
65+	72	11,045	1	0.7	00.0-02.1	2	1.6	00.0-03.8	12	25.6	08.7-42.5	14	13.9	05.1-22.7	43	58.3	41.8-74.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 06: COGNITIVE DECLINE**

**TABLE 10: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)**  
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	60	10,205	20	30.7	14.4-47.0	13	17.2	06.4-28.0	15	28.2	13.3-43.1	11	19.3	05.8-32.8	1	4.6	00.0-13.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE

TABLE 11: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE

TABLE 12: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE**

**TABLE 13: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always						Usually			Sometimes			Rarely		Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	192	29,349	14	9.2	03.7-14.7	10	4.4	01.5-07.3	30	15.1	07.7-22.5	31	14.1	08.0-20.2	107	57.2	47.6-66.8	
Male	72	11,448	4	10.4	00.0-20.8	3	2.5	00.0-05.8	10	9.9	01.7-18.1	14	16.8	06.0-27.6	41	60.3	45.0-75.6	
Female	120	17,901	10	8.4	02.3-14.5	7	5.5	01.4-09.6	20	18.5	07.7-29.3	17	12.3	04.9-19.7	66	55.2	43.0-67.4	
White/Non-Hisp	141	20,858	9	8.5	02.2-14.8	6	3.1	00.4-05.8	17	12.4	03.4-21.4	27	15.3	08.0-22.6	82	60.7	49.1-72.3	
65+	109	16,219	2	0.8	00.0-02.0	3	1.2	00.0-02.6	14	15.9	04.3-27.5	15	11.5	03.7-19.3	75	70.6	57.7-83.5	
H.S. or G.E.D.	73	12,687	6	11.1	01.5-20.7	7	8.0	01.9-14.1	12	12.6	03.2-22.0	10	13.1	03.3-22.9	38	55.2	39.9-70.5	
College Graduate	57	7,614	2	6.6	00.0-17.0				7	10.4	00.8-20.0	11	16.4	05.0-27.8	37	66.6	50.7-82.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE**

**TABLE 14: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	72	11,448	4	10.4	00.2-20.6	3	2.5	00.0-05.8	10	9.9	01.5-18.3	14	16.8	05.8-27.8	41	60.3	45.2-75.4
White/Non-Hisp	55	8,010	2	8.9	00.0-20.3	3	3.6	00.0-08.3	6	5.3	00.0-10.6	12	15.7	04.7-26.7	32	66.5	49.8-83.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 06: COGNITIVE DECLINE**

**TABLE 15: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES  
OUTSIDE THE HOME? (CDSOCIAL)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	120	17,901	10	8.4	02.3-14.5	7	5.5	01.4-09.6	20	18.5	07.7-29.3	17	12.3	04.9-19.7	66	55.2	43.0-67.4
White/Non-Hisp	86	12,847	7	8.2	00.9-15.5	3	2.8	00.0-06.1	11	16.9	03.2-30.6	15	15.1	05.3-24.9	50	57.1	42.0-72.2
65+	70	10,905	2	1.2	00.0-03.0	1	0.7	00.0-02.1	8	17.5	01.6-33.4	10	14.0	03.0-25.0	49	66.6	49.7-83.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 06: COGNITIVE DECLINE**

**TABLE 16: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)**  
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	193	29,398	92	45.8	36.2-55.4	101	54.2	44.6-63.8
Male	72	11,448	24	36.0	21.1-50.9	48	64.0	49.1-78.9
Female	121	17,950	68	52.0	39.8-64.2	53	48.0	35.8-60.2
White/Non-Hisp	142	20,907	68	44.5	32.9-56.1	74	55.5	43.9-67.1
65+	110	16,268	41	34.9	21.6-48.2	69	65.1	51.8-78.4
H.S. or G.E.D.	73	12,687	33	41.6	26.7-56.5	40	58.4	43.5-73.3
College Graduate	58	7,663	24	43.9	26.7-61.1	34	56.1	38.9-73.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 06: COGNITIVE DECLINE**

**TABLE 17: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	72	11,448	24	36.0	21.7-50.3	48	64.0	49.7-78.3
White/Non-Hisp	55	8,010	18	34.1	18.8-49.4	37	65.9	50.6-81.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 06: COGNITIVE DECLINE**

**TABLE 18: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	121	17,950	68	52.0	39.8-64.2	53	48.0	35.8-60.2
White/Non-Hisp	87	12,896	50	51.0	36.3-65.7	37	49.0	34.3-63.7
65+	71	10,954	31	42.8	25.9-59.7	40	57.2	40.3-74.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020

MODULE 6: E-CIGARETTES CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1	MALES AND FEMALES	58
2	MALES ONLY	59
3	FEMALES ONLY	60
	DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4	MALES AND FEMALES	61
5	MALES ONLY	62
6	FEMALES ONLY	63

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
TOTAL	3304	637,672	619	22.2	20.0-24.4
Male	1451	298,056	329	28.1	24.8-31.4
Female	1853	339,616	290	17.1	14.7-19.5
White/Non-Hisp	2185	406,275	428	23.2	20.8-25.6
Black or Afr. Am./Non-Hisp	415	125,544	64	17.9	12.4-23.4
Oth. Race/Non-Hisp.	106	23,673	25	24.1	11.9-36.3
MultiRacial/Non-Hisp.	80	13,906	23	37.0	19.9-54.1
Hispanic	455	54,808	68	20.5	14.0-27.0
18-24	230	70,712	92	39.0	30.4-47.6
25-34	380	104,754	130	40.5	33.6-47.4
35-44	454	95,293	133	30.5	24.8-36.2
45-54	499	92,073	100	17.3	13.4-21.2
55-64	656	110,981	92	14.3	11.0-17.6
65+	1085	163,858	72	6.6	04.6-08.6
Less Than H.S.	381	68,705	52	25.2	17.9-32.5
H.S. or G.E.D.	918	191,678	216	24.8	21.1-28.5
Some Post-H.S.	848	187,181	206	28.0	23.7-32.3
College Graduate	1150	189,107	145	12.9	10.4-15.4
Less than \$15,000	297	43,566	48	21.1	14.0-28.2
\$15,000- 24,999	461	77,277	110	28.4	22.7-34.1
\$25,000- 34,999	286	57,488	59	26.1	18.1-34.1
\$35,000- 49,999	331	62,656	75	21.6	15.9-27.3
\$50,000- 74,999	421	83,738	91	27.4	21.1-33.7
\$75,000+	961	212,806	158	19.3	15.8-22.8

Data was weighted using \_LLCPWT.

No			7		
N	%	C.I. (95%)	N	%	C.I. (95%)
2681	77.7	75.5-79.9	4	0.1	00.0-00.3
1118	71.7	68.4-75.0	4	0.2	00.0-00.4
1563	82.9	80.5-85.3			
1754	76.7	74.3-79.1	3	0.1	00.1-00.1
350	81.9	76.4-87.4	1	0.3	00.0-00.9
81	75.9	63.7-88.1			
57	63.0	45.9-80.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

No			7		
N	%	C.I. (95%)	N	%	C.I. (95%)
387	79.5	73.0-86.0			
138	61.0	52.4-69.6			
250	59.5	52.6-66.4			
321	69.5	63.8-75.2			
399	82.7	78.8-86.6			
563	85.7	82.4-89.0	1	0.0	00.0-00.0
1010	93.0	91.0-95.0	3	0.3	00.0-00.7
328	74.3	67.0-81.6	1	0.5	00.0-01.5
702	75.2	71.5-78.9			
640	71.9	67.6-76.2	2	0.1	00.0-00.3
1004	87.1	84.6-89.6	1	0.0	00.0-00.0
249	78.9	71.8-86.0			
351	71.6	65.9-77.3			
225	73.3	65.3-81.3	2	0.7	00.0-01.9
256	78.4	72.7-84.1			
330	72.6	66.3-78.9			
802	80.6	77.1-84.1	1	0.0	00.0-00.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
Male	1451	298,056	329	28.1	24.8-31.4
White/Non-Hisp	981	190,544	230	29.2	25.3-33.1
Black or Afr. Am./Non-Hisp	141	54,284	32	24.3	14.7-33.9
Hispanic	211	28,000	42	30.5	19.9-41.1
18-24	121	34,575	60	50.7	38.4-63.0
25-34	163	52,822	75	54.6	44.0-65.2
35-44	201	46,547	63	32.7	24.3-41.1
45-54	211	41,981	48	19.0	12.7-25.3
55-64	293	50,973	44	16.4	11.1-21.7
65+	462	71,158	39	8.2	04.9-11.5
Less Than H.S.	179	36,230	31	33.7	22.5-44.9
H.S. or G.E.D.	421	95,290	125	29.5	23.8-35.2
Some Post-H.S.	353	83,200	105	36.2	28.9-43.5
College Graduate	496	83,087	68	16.0	11.3-20.7
Less than \$15,000	124	17,023	17	17.8	07.2-28.4
\$15,000- 24,999	165	29,692	47	38.0	27.4-48.6
\$25,000- 34,999	122	30,281	34	37.1	24.0-50.2
\$35,000- 49,999	140	24,696	39	28.3	18.5-38.1
\$50,000- 74,999	198	40,733	50	31.5	22.3-40.7
\$75,000+	496	111,363	98	24.8	19.1-30.5

Data was weighted using \_LLCPWT.

	No			7		
	N	%	C.I. (95%)	N	%	C.I. (95%)
	1118	71.7	68.4-75.0	4	0.2	00.0-00.4
	748	70.7	66.8-74.6	3	0.1	00.0-00.3
	108	75.0	65.4-84.6	1	0.7	00.0-02.1
	169	69.5	58.9-80.1			
	61	49.3	37.0-61.6			
	88	45.4	34.8-56.0			
	138	67.3	58.9-75.7			
	163	81.0	74.7-87.3			
	248	83.5	78.2-88.8	1	0.0	00.0-00.0
	420	90.9	87.6-94.2	3	0.8	00.0-02.0
	147	65.3	54.1-76.5	1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

No			7		
N	%	C.I. (95%)	N	%	C.I. (95%)
296	70.5	64.8-76.2			
246	63.5	56.2-70.8	2	0.2	00.0-00.6
427	84.0	79.3-88.7	1	0.0	00.0-00.0
107	82.2	71.6-92.8			
118	62.0	51.4-72.6			
86	61.6	48.5-74.7	2	1.3	00.0-03.7
101	71.7	61.9-81.5			
148	68.5	59.3-77.7			
397	75.2	69.5-80.9	1	0.0	00.0-00.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1853	339,616	290	17.1	14.7-19.5	1563	82.9	80.5-85.3
White/Non-Hisp	1204	215,732	198	17.9	15.2-20.6	1006	82.1	79.4-84.8
Black or Afr. Am./Non-Hisp	274	71,260	32	13.0	06.9-19.1	242	87.0	80.9-93.1
Oth. Race/Non-Hisp.	60	12,493	14	20.3	07.6-33.0	46	79.7	67.0-92.4
Hispanic	244	26,808	26	10.1	04.4-15.8	218	89.9	84.2-95.6
18-24	109	36,137	32	27.8	16.0-39.6	77	72.2	60.4-84.0
25-34	217	51,932	55	26.2	18.6-33.8	162	73.8	66.2-81.4
35-44	253	48,746	70	28.4	21.0-35.8	183	71.6	64.2-79.0
45-54	288	50,092	52	15.9	11.0-20.8	236	84.1	79.2-89.0
55-64	363	60,008	48	12.5	08.4-16.6	315	87.5	83.4-91.6
65+	623	92,700	33	5.4	03.0-07.8	590	94.6	92.2-97.0
Less Than H.S.	202	32,476	21	15.7	08.3-23.1	181	84.3	76.9-91.7
H.S. or G.E.D.	497	96,389	91	20.2	14.9-25.5	406	79.8	74.5-85.1
Some Post-H.S.	495	103,981	101	21.4	16.5-26.3	394	78.6	73.7-83.5
College Graduate	654	106,021	77	10.5	07.6-13.4	577	89.5	86.6-92.4
Less than \$15,000	173	26,543	31	23.2	13.8-32.6	142	76.8	67.4-86.2
\$15,000- 24,999	296	47,585	63	22.4	16.1-28.7	233	77.6	71.3-83.9
\$25,000- 34,999	164	27,207	25	13.7	07.4-20.0	139	86.3	80.0-92.6
\$35,000- 49,999	191	37,960	36	17.3	10.8-23.8	155	82.7	76.2-89.2
\$50,000- 74,999	223	43,004	41	23.5	15.1-31.9	182	76.5	68.1-84.9
\$75,000+	465	101,443	60	13.3	09.2-17.4	405	86.7	82.6-90.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	618	141,607	45	8.2	05.3-11.1	70	12.3	08.6-16.0	503	79.5	75.0-84.0
Male	328	83,637	29	9.0	05.3-12.7	43	13.9	08.8-19.0	256	77.1	71.2-83.0
Female	290	57,970	16	7.0	02.5-11.5	27	9.8	04.1-15.5	247	83.1	76.2-90.0
White/Non-Hisp	427	94,268	42	11.9	07.8-16.0	49	10.2	06.9-13.5	336	77.9	72.8-83.0
Black or Afr. Am./Non-Hisp	64	22,419				8	18.8	04.5-33.1	56	81.2	66.9-95.5
Hispanic	68	11,254				4	8.2	00.0-17.8	64	91.8	82.2-0100
18-24	92	27,558	8	10.7	01.7-19.7	19	20.6	09.4-31.8	65	68.7	55.8-81.6
25-34	130	42,460	12	9.2	03.3-15.1	14	10.8	03.9-17.7	104	80.0	71.4-88.6
35-44	133	29,055	13	10.1	04.2-16.0	9	10.4	01.6-19.2	111	79.5	69.7-89.3
45-54	99	15,822	4	4.0	00.0-08.3	7	6.8	01.1-12.5	88	89.3	82.2-96.4
55-64	92	15,873	4	3.5	00.0-07.4	11	8.9	02.8-15.0	77	87.6	80.5-94.7
65+	72	10,840	4	5.9	00.0-12.0	10	14.6	03.4-25.8	58	79.4	67.2-91.6
Less Than H.S.	52	17,323	2	6.4	00.0-15.4	5	10.6	00.8-20.4	45	83.0	70.3-95.7
H.S. or G.E.D.	216	47,605	17	8.4	04.1-12.7	22	10.7	04.8-16.6	177	80.9	74.0-87.8
Some Post-H.S.	206	52,367	18	10.0	04.5-15.5	32	15.7	08.3-23.1	156	74.3	65.9-82.7
College Graduate	144	24,312	8	5.3	00.2-10.4	11	9.1	02.8-15.4	125	85.6	78.0-93.2
\$15,000- 24,999	110	21,953	5	6.7	00.0-14.0	15	14.3	05.9-22.7	90	79.0	68.6-89.4
\$25,000- 34,999	59	14,980	5	8.9	00.7-17.1	10	19.7	03.0-36.4	44	71.4	54.2-88.6
\$35,000- 49,999	75	13,554	4	6.0	00.0-13.4	6	9.3	00.9-17.7	65	84.8	74.0-95.6
\$50,000- 74,999	91	22,932	6	6.9	00.6-13.2	17	22.4	09.1-35.7	68	70.7	57.2-84.2
\$75,000+	157	41,041	17	11.9	05.0-18.8	12	7.6	02.9-12.3	128	80.6	72.6-88.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	328	83,637	29	9.0	05.3-12.7	43	13.9	08.8-19.0	256	77.1	71.2-83.0
White/Non-Hisp	229	55,567	27	13.2	07.7-18.7	33	13.6	08.3-18.9	169	73.2	66.1-80.3
18-24	60	17,512	7	10.7	01.7-19.7	14	25.5	10.0-41.0	39	63.8	47.7-79.9
25-34	75	28,840	9	11.0	03.0-19.0	10	10.9	03.5-18.3	56	78.1	67.5-88.7
35-44	63	15,206	6	9.0	01.0-17.0	4	7.4	00.0-15.4	53	83.7	72.7-94.7
H.S. or G.E.D.	125	28,123	11	9.6	03.5-15.7	13	10.7	04.0-17.4	101	79.7	71.1-88.3
Some Post-H.S.	105	30,125	11	9.8	03.3-16.3	19	18.0	07.8-28.2	75	72.1	60.7-83.5
College Graduate	67	13,179	6	8.3	00.0-17.1	7	13.9	02.9-24.9	54	77.8	64.5-91.1
\$50,000- 74,999	50	12,811	4	6.9	00.0-15.3	9	16.3	03.8-28.8	37	76.8	62.5-91.1
\$75,000+	97	27,505	12	11.3	04.0-18.6	9	9.1	02.8-15.4	76	79.6	70.2-89.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	290	57,970	16	7.0	02.5-11.5	27	9.8	04.1-15.5	247	83.1	76.4-89.8
White/Non-Hisp	198	38,701	15	10.2	03.7-16.7	16	5.2	02.3-08.1	167	84.7	77.8-91.6
25-34	55	13,619	3	5.3	00.0-11.6	4	10.8	00.0-24.9	48	83.9	69.0-98.8
35-44	70	13,849	7	11.4	02.6-20.2	5	13.6	00.0-29.3	58	75.0	58.9-91.1
45-54	52	7,982	2	3.3	00.0-08.0	3	3.2	00.0-06.9	47	93.6	87.7-99.5
H.S. or G.E.D.	91	19,482	6	6.5	00.8-12.2	9	10.7	00.3-21.1	76	82.7	71.5-93.9
Some Post-H.S.	101	22,242	7	10.2	00.4-20.0	13	12.5	01.9-23.1	81	77.3	64.4-90.2
College Graduate	77	11,133	2	1.8	00.0-04.2	4	3.4	00.1-06.7	71	94.9	90.6-99.2
\$15,000- 24,999	63	10,656	2	2.0	00.0-04.7	6	5.6	00.9-10.3	55	92.4	86.9-97.9
\$75,000+	60	13,536	5	12.9	00.0-27.6	3	4.6	00.0-10.7	52	82.5	67.2-97.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 09: MARIJUANA USE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)	
1 MALES AND FEMALES	65
2 MALES ONLY	66
3 FEMALES ONLY	67
DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN2)	
4 MALES AND FEMALES	68
5 MALES ONLY	69
6 FEMALES ONLY	70
WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)	
7 MALES AND FEMALES	71
8 MALES ONLY	72
9 FEMALES ONLY	73

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3274	630,949	2970	87.6	85.8-89.4	27	0.9	00.3-01.5	75	3.0	02.0-04.0	20	0.7	00.3-01.1	40	1.8	01.0-02.6	142	5.9	04.7-07.1
Male	1434	293,039	1267	84.3	81.6-87.0	15	1.4	00.4-02.4	36	2.8	01.6-04.0	10	0.9	00.1-01.7	24	1.9	00.9-02.9	82	8.7	06.3-11.1
Female	1840	337,910	1703	90.5	88.3-92.7	12	0.5	00.1-00.9	39	3.2	01.8-04.6	10	0.5	00.1-00.9	16	1.7	00.7-02.7	60	3.5	02.3-04.7
White/Non-Hisp	2166	403,161	1963	88.5	86.5-90.5	16	0.6	00.2-01.0	43	2.0	01.2-02.8	15	0.8	00.2-01.4	29	1.7	00.9-02.5	100	6.4	04.8-08.0
Black or Afr. Am./Non-Hisp	412	123,518	362	85.1	80.2-90.0	5	1.8	00.0-04.0	18	5.7	02.4-09.0	1	0.4	00.0-01.2	4	1.5	00.0-03.1	22	5.5	02.6-08.4
Oth. Race/Non-Hisp.	102	22,912	92	84.9	73.1-96.7				1	1.6	00.0-04.7	1	0.7	00.0-02.1	1	1.1	00.0-03.3	7	11.8	00.4-23.2
MultiRacial/Non-Hisp.	79	13,774	68	74.3	55.7-92.9	2	2.5	00.0-06.8	2	8.8	00.0-22.5	3	9.7	00.0-25.4	4	4.8	00.0-10.3	4	4.8	00.0-10.3
Hispanic	454	54,673	432	93.4	89.9-96.9	1	0.2	00.0-00.6	9	3.1	00.4-05.8	3	0.8	00.0-01.8	2	1.4	00.0-03.4	7	1.2	00.0-02.4
18-24	230	70,712	178	72.0	63.6-80.4	4	2.7	00.0-06.2	19	10.2	04.1-16.3	6	2.8	00.3-05.3	7	2.8	00.6-05.0	16	9.5	04.2-14.8
25-34	373	103,098	312	79.9	74.2-85.6	3	0.3	00.0-00.7	11	3.7	01.3-06.1	3	0.9	00.0-02.3	5	1.6	00.0-03.2	39	13.5	08.4-18.6
35-44	451	94,335	402	87.6	83.3-91.9	3	0.6	00.0-01.4	9	1.5	00.3-02.7	2	0.2	00.0-00.4	6	2.8	00.1-05.5	29	7.3	04.0-10.6
45-54	496	91,574	439	88.9	85.6-92.2	3	0.6	00.0-01.2	15	2.5	00.9-04.1	2	0.5	00.0-01.1	10	2.2	00.4-04.0	27	5.3	02.8-07.8
55-64	650	109,543	605	93.5	91.1-95.9	9	1.1	00.3-01.9	12	2.4	00.8-04.0	2	0.2	00.0-00.4	3	0.4	00.0-00.8	19	2.4	00.8-04.0
65+	1074	161,686	1034	94.7	92.5-96.9	5	0.7	00.0-01.5	9	1.1	00.3-01.9	5	0.3	00.0-00.7	9	1.9	00.3-03.5	12	1.3	00.3-02.3
Less Than H.S.	378	68,320	360	90.2	84.7-95.7	1	0.2	00.0-00.6	3	2.8	00.0-06.1	2	1.3	00.0-03.5	1	0.7	00.0-02.1	11	4.8	01.1-08.5
H.S. or G.E.D.	910	188,257	792	85.3	82.2-88.4	7	0.4	00.0-00.8	32	3.6	02.0-05.2	6	0.9	00.1-01.7	18	2.2	01.0-03.4	55	7.6	05.1-10.1
Some Post-H.S.	840	185,942	744	84.0	80.1-87.9	8	1.6	00.0-03.2	24	3.6	01.8-05.4	5	0.4	00.0-00.8	12	2.5	00.5-04.5	47	7.9	05.2-10.6
College Graduate	1139	187,430	1067	92.6	90.2-95.0	11	1.0	00.4-01.6	16	2.1	00.3-03.9	7	0.5	00.0-01.1	9	1.2	00.2-02.2	29	2.6	01.4-03.8
Less than \$15,000	295	43,022	269	92.2	88.5-95.9	6	1.7	00.1-03.3	5	1.3	00.0-02.9	2	0.2	00.0-00.4	1	0.5	00.0-01.5	12	4.2	01.3-07.1
\$15,000- 24,999	460	76,999	394	81.0	75.7-86.3	5	1.1	00.1-02.1	18	4.8	02.1-07.5	6	1.9	00.0-04.1	9	2.2	00.4-04.0	28	9.0	04.7-13.3
\$25,000- 34,999	284	55,830	252	84.9	78.0-91.8	1	2.2	00.0-06.5	6	1.9	00.0-03.9	1	0.2	00.0-00.6	4	2.6	00.0-05.3	20	8.2	03.3-13.1
\$35,000- 49,999	330	62,513	290	82.8	76.1-89.5	3	1.3	00.0-02.7	13	6.8	01.1-12.5	1	0.9	00.0-02.7	3	0.7	00.0-01.7	20	7.5	03.6-11.4
\$50,000- 74,999	418	83,278	373	84.8	79.5-90.1	5	0.5	00.1-00.9	6	2.0	00.2-03.8	4	1.0	00.0-02.4	7	4.1	00.4-07.8	23	7.6	03.7-11.5
\$75,000+	950	210,744	884	90.0	87.1-92.9	4	0.6	00.0-01.4	19	2.6	01.0-04.2	5	0.5	00.0-01.1	8	0.9	00.1-01.7	30	5.3	02.9-07.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1434	293,039	1267	84.3	81.6-87.0	15	1.4	00.4-02.4	36	2.8	01.6-04.0	10	0.9	00.1-01.7	24	1.9	00.9-02.9	82	8.7	06.3-11.1
White/Non-Hisp	971	188,217	853	84.1	80.8-87.4	10	0.8	00.2-01.4	21	2.1	01.1-03.1	8	1.3	00.1-02.5	19	2.1	00.9-03.3	60	9.6	06.7-12.5
Black or Afr. Am./Non-Hisp	138	52,258	118	84.1	76.1-92.1	2	3.4	00.0-08.3	7	4.0	00.7-07.3				2	2.0	00.0-05.1	9	6.6	01.3-11.9
Hispanic	210	27,865	198	92.0	86.3-97.7				6	5.5	00.2-10.8	2	0.5	00.0-01.3				4	2.0	00.0-04.2
18-24	121	34,575	89	69.1	57.7-80.5	3	4.6	00.0-11.5	10	6.5	01.8-11.2	4	3.7	00.0-08.0	3	1.8	00.0-04.0	12	14.2	05.4-23.0
25-34	158	51,576	123	73.2	63.8-82.6				5	3.8	00.3-07.3	2	1.7	00.0-04.6	5	3.1	00.0-06.2	23	18.2	09.8-26.6
35-44	199	45,852	177	86.2	79.5-92.9	2	1.0	00.0-02.4	2	1.2	00.0-03.0				2	1.7	00.0-04.2	16	9.9	04.0-15.8
45-54	209	41,551	179	85.8	79.9-91.7	1	0.4	00.0-01.2	6	2.2	00.0-04.4				6	2.1	00.1-04.1	17	9.6	04.5-14.7
55-64	290	50,095	263	90.7	86.6-94.8	5	1.3	00.0-02.7	9	4.1	01.2-07.0	2	0.4	00.0-01.0	2	0.3	00.0-00.7	9	3.2	00.7-05.7
65+	457	69,391	436	93.6	90.1-97.1	4	1.6	00.0-03.6	4	0.9	00.0-01.9	2	0.2	00.0-00.6	6	2.3	00.0-04.8	5	1.3	00.0-02.9
Less Than H.S.	177	35,895	166	88.0	80.0-96.0	1	0.4	00.0-01.2	2	2.5	00.0-05.8	2	2.5	00.0-06.6				6	6.6	00.1-13.1
H.S. or G.E.D.	415	92,245	345	80.4	75.1-85.7	3	0.2	00.0-00.4	18	4.4	02.0-06.8	4	1.4	00.0-03.0	10	2.1	00.5-03.7	35	11.5	07.0-16.0
Some Post-H.S.	348	82,338	299	80.3	73.8-86.8	4	2.8	00.0-06.1	11	2.8	00.8-04.8	1	0.1	00.0-00.3	6	2.1	00.0-04.3	27	11.9	06.6-17.2
College Graduate	492	82,312	455	91.2	87.9-94.5	7	1.6	00.2-03.0	5	1.3	00.1-02.5	3	0.3	00.0-00.7	8	2.4	00.2-04.6	14	3.2	01.0-05.4
Less than \$15,000	123	16,580	112	90.6	83.3-97.9	4	2.1	00.0-04.5	3	2.9	00.0-06.8	1	0.3	00.0-00.9				3	4.2	00.0-10.1
\$15,000- 24,999	165	29,692	129	67.8	57.0-78.6	1	0.8	00.0-02.4	8	4.3	00.8-07.8	2	3.0	00.0-07.9	6	3.8	00.1-07.5	19	20.3	10.1-30.5
\$25,000- 34,999	121	28,754	104	81.2	69.8-92.6	1	4.3	00.0-12.3	2	0.7	00.0-01.7	1	0.4	00.0-01.2	2	2.2	00.0-05.5	11	11.2	02.6-19.8
\$35,000- 49,999	140	24,696	123	82.3	73.3-91.3	2	1.9	00.0-04.6	3	2.2	00.0-04.7	1	2.2	00.0-06.5	2	0.7	00.0-01.7	9	10.7	03.1-18.3
\$50,000- 74,999	196	40,298	171	85.6	79.1-92.1	2	0.4	00.0-01.0	3	2.1	00.0-04.6	3	1.8	00.0-04.5	3	2.3	00.0-05.2	14	7.8	02.9-12.7
\$75,000+	490	109,864	447	87.1	82.6-91.6	4	1.2	00.0-02.6	11	2.6	00.8-04.4	2	0.2	00.0-00.6	6	1.3	00.0-02.7	20	7.5	03.6-11.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1840	337,910	1703	90.5	88.3-92.7	12	0.5	00.1-00.9	39	3.2	01.8-04.6	10	0.5	00.1-00.9	16	1.7	00.7-02.7	60	3.5	02.3-04.7
White/Non-Hisp	1195	214,944	1110	92.3	90.1-94.5	6	0.4	00.0-00.8	22	1.9	00.9-02.9	7	0.4	00.0-00.8	10	1.4	00.4-02.4	40	3.6	02.0-05.2
Black or Afr. Am./Non-Hisp	274	71,260	244	85.8	79.3-92.3	3	0.7	00.0-01.5	11	7.0	01.7-12.3	1	0.6	00.0-01.8	2	1.2	00.0-03.0	13	4.7	01.2-08.2
Oth. Race/Non-Hisp.	58	11,952	54	92.8	85.2-0100				1	3.2	00.0-09.3	1	1.3	00.0-03.8				2	2.8	00.0-06.7
Hispanic	244	26,808	234	94.9	90.4-99.4	1	0.3	00.0-00.9	3	0.6	00.0-01.4	1	1.0	00.0-03.0	2	2.8	00.0-06.7	3	0.5	00.0-01.1
18-24	109	36,137	89	74.8	62.6-87.0	1	0.9	00.0-02.7	9	13.8	03.0-24.6	2	2.0	00.0-04.7	4	3.7	00.0-07.6	4	4.9	00.0-11.0
25-34	215	51,522	189	86.7	80.6-92.8	3	0.7	00.0-01.5	6	3.7	00.6-06.8	1	0.1	00.0-00.3				16	8.8	03.5-14.1
35-44	252	48,484	225	88.9	83.0-94.8	1	0.2	00.0-00.6	7	1.9	00.1-03.7	2	0.4	00.0-01.0	4	3.8	00.0-08.7	13	4.8	01.9-07.7
45-54	287	50,023	260	91.6	87.7-95.5	2	0.7	00.0-01.9	9	2.8	00.6-05.0	2	0.9	00.0-02.1	4	2.2	00.0-04.7	10	1.8	00.4-03.2
55-64	360	59,448	342	95.9	93.4-98.4	4	1.0	00.0-02.2	3	0.9	00.0-02.3				1	0.4	00.0-01.2	10	1.8	00.2-03.4
65+	617	92,295	598	95.6	92.9-98.3	1	0.1	00.0-00.3	5	1.2	00.0-02.6	3	0.4	00.0-00.8	3	1.5	00.0-03.5	7	1.3	00.1-02.5
Less Than H.S.	201	32,425	194	92.7	85.6-99.8				1	3.2	00.0-09.3				1	1.4	00.0-04.1	5	2.8	00.0-05.7
H.S. or G.E.D.	495	96,012	447	90.0	86.5-93.5	4	0.7	00.0-01.5	14	2.8	01.0-04.6	2	0.3	00.0-00.7	8	2.3	00.5-04.1	20	3.9	01.4-06.4
Some Post-H.S.	492	103,605	445	86.9	82.2-91.6	4	0.6	00.0-01.2	13	4.1	01.4-06.8	4	0.7	00.0-01.5	6	2.9	00.0-05.8	20	4.8	02.1-07.5
College Graduate	647	105,118	612	93.8	90.5-97.1	4	0.5	00.0-01.1	11	2.7	00.0-05.6	4	0.7	00.0-01.7	1	0.3	00.0-00.9	15	2.1	00.5-03.7
Less than \$15,000	172	26,442	157	93.1	89.0-97.2	2	1.4	00.0-03.6	2	0.2	00.0-00.6	1	0.2	00.0-00.6	1	0.8	00.0-02.4	9	4.3	01.2-07.4
\$15,000- 24,999	295	47,307	265	89.3	84.8-93.8	4	1.3	00.0-02.7	10	5.0	01.3-08.7	4	1.2	00.0-02.6	3	1.2	00.0-02.8	9	2.0	00.6-03.4
\$25,000- 34,999	163	27,076	148	88.8	82.1-95.5				4	3.0	00.0-06.7				2	3.1	00.0-07.6	9	5.0	01.5-08.5
\$35,000- 49,999	190	37,816	167	83.1	73.7-92.5	1	0.8	00.0-02.4	10	9.9	00.9-18.9				1	0.7	00.0-02.1	11	5.5	01.4-09.6
\$50,000- 74,999	222	42,979	202	84.1	75.7-92.5	3	0.5	00.0-01.1	3	1.9	00.0-04.4	1	0.3	00.0-00.9	4	5.8	00.0-12.3	9	7.5	01.6-13.4
\$75,000+	460	100,880	437	93.2	89.5-96.9				8	2.7	00.2-05.2	3	0.9	00.0-01.9	2	0.5	00.0-01.3	10	2.8	00.3-05.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 4: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...  
(USEMRJN2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	301	76,839	225	77.7	71.2-84.2	32	9.0	04.9-13.1	3	1.9	00.0-05.0	25	7.3	03.4-11.2	6	1.5	00.1-02.9	10	2.6	00.2-05.0
Male	165	45,172	133	84.7	78.4-91.0	8	3.7	00.4-07.0	1	0.2	00.0-00.6	14	7.9	03.0-12.8	5	2.2	00.0-04.4	4	1.3	00.0-02.7
Female	136	31,667	92	67.9	55.9-79.9	24	16.5	07.9-25.1	2	4.2	00.0-11.5	11	6.5	00.0-13.2	1	0.6	00.0-01.8	6	4.4	00.0-09.9
White/Non-Hisp	202	46,019	150	76.2	68.4-84.0	20	8.1	03.8-12.4	2	0.5	00.0-01.3	17	9.1	03.2-15.0	5	2.0	00.0-04.2	8	4.0	00.1-07.9
Black or Afr. Am./Non-Hisp	50	18,442	42	87.8	76.2-99.4	5	10.5	00.0-22.1				3	1.7	00.0-03.7						
18-24	51	19,531	42	84.8	72.5-97.1	3	4.1	00.0-08.8				3	9.1	00.0-20.7	3	2.1	00.0-04.6			
25-34	61	20,702	45	77.2	64.1-90.3	8	14.1	02.3-25.9				7	7.5	00.8-14.2	1	1.2	00.0-03.6			
45-54	57	10,124	46	86.8	77.2-96.4	3	4.3	00.0-09.4				7	8.5	00.1-16.9				1	0.5	00.0-01.5
H.S. or G.E.D.	118	27,685	91	77.7	67.7-87.7	11	10.4	02.2-18.6	1	0.5	00.0-01.5	9	8.9	02.2-15.6	2	0.8	00.0-02.0	4	1.7	00.0-03.7
Some Post-H.S.	95	29,325	70	73.7	61.4-86.0	11	9.2	02.9-15.5	1	4.1	00.0-11.9	9	8.7	00.7-16.7	2	1.0	00.0-02.4	2	3.4	00.0-09.1
College Graduate	70	13,159	48	79.1	67.3-90.9	10	10.0	00.8-19.2	1	0.8	00.0-02.4	7	4.9	00.8-09.0	1	1.8	00.0-05.3	3	3.5	00.0-08.2
\$15,000- 24,999	65	14,394	52	87.6	79.4-95.8	8	7.6	01.1-14.1				5	4.8	00.0-10.1						
\$75,000+	65	20,586	46	80.6	68.6-92.6	6	4.3	00.0-09.0				8	11.9	00.7-23.1	1	0.5	00.0-01.5	4	2.7	00.0-05.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 5: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...  
(USEMRJN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	165	45,172	133	84.7	78.4-91.0	8	3.7	00.4-07.0	1	0.2	00.0-00.6	14	7.9	03.0-12.8	5	2.2	00.0-04.6	4	1.3	00.0-02.7
White/Non-Hisp	118	29,919	94	83.9	76.6-91.2	4	2.2	00.0-04.7	1	0.3	00.0-00.9	11	9.1	03.0-15.2	4	2.4	00.0-05.3	4	2.0	00.0-04.2
H.S. or G.E.D.	70	18,073	56	81.4	70.6-92.2	3	2.7	00.0-06.4				7	12.8	03.0-22.6	2	1.2	00.0-03.0	2	1.9	00.0-04.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 6: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...  
(USEMRJN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	136	31,667	92	67.9	55.9-79.9	24	16.5	07.7-25.3	2	4.2	00.0-11.5	11	6.5	00.0-13.2	1	0.6	00.0-01.8	6	4.4	00.0-09.9
White/Non-Hisp	84	16,099	56	62.0	46.7-77.3	16	19.0	08.0-30.0	1	0.9	00.0-02.7	6	9.3	00.0-21.6	1	1.2	00.0-03.6	4	7.7	00.0-18.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 7: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		For medical reasons (like to treat or decrease symptoms)			For non-medical reasons (like to have fun or fit in)			For both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	301	77,220	99	24.6	18.5-30.7	91	37.7	30.1-45.3	111	37.7	30.1-45.3
Male	165	45,172	36	14.6	08.9-20.3	60	40.2	30.2-50.2	69	45.2	35.0-55.4
Female	136	32,048	63	38.7	27.1-50.3	31	34.2	21.9-46.5	42	27.1	17.1-37.1
White/Non-Hisp	202	46,399	64	24.1	17.2-31.0	57	30.3	22.1-38.5	81	45.5	36.3-54.7
Black or Afr. Am./Non-Hisp	50	18,442	16	23.8	09.7-37.9	18	48.8	30.4-67.2	16	27.5	12.0-43.0
18-24	51	19,531	8	8.9	02.0-15.8	27	60.5	43.4-77.6	16	30.6	14.1-47.1
25-34	61	20,702	14	16.6	05.4-27.8	18	34.0	18.7-49.3	29	49.4	33.3-65.5
45-54	56	10,099	25	37.0	22.1-51.9	14	22.6	10.4-34.8	17	40.4	23.9-56.9
H.S. or G.E.D.	118	27,685	38	27.7	17.5-37.9	35	32.3	21.5-43.1	45	40.0	28.2-51.8
Some Post-H.S.	95	29,325	34	26.0	14.8-37.2	26	35.0	21.7-48.3	35	38.9	25.8-52.0
College Graduate	70	13,540	25	26.1	13.0-39.2	22	42.0	23.8-60.2	23	31.9	16.4-47.4
\$15,000- 24,999	65	14,394	26	26.7	14.7-38.7	16	28.4	13.5-43.3	23	44.9	28.2-61.6
\$75,000+	65	20,586	15	13.4	05.0-21.8	30	48.7	32.8-64.6	20	37.9	21.8-54.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 8: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		For medical reasons (like to treat or decrease symptoms)			For non-medical reasons (like to have fun or fit in)			For both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	165	45,172	36	14.6	09.1-20.1	60	40.2	30.4-50.0	69	45.2	35.2-55.2
White/Non-Hisp	118	29,919	23	14.0	07.5-20.5	42	34.9	24.3-45.5	53	51.0	39.8-62.2
H.S. or G.E.D.	70	18,073	15	16.8	07.4-26.2	26	37.9	23.6-52.2	29	45.3	30.2-60.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 9: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		For medical reasons (like to treat or decrease symptoms)			For non-medical reasons (like to have fun or fit in)			For both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	136	32,048	63	38.7	27.1-50.3	31	34.2	22.0-46.4	42	27.1	17.1-37.1
White/Non-Hisp	84	16,480	41	42.5	28.6-56.4	15	22.0	10.4-33.6	28	35.5	21.0-50.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 10: Lung Cancer Screening CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)	
1 MALES AND FEMALES	76
2 MALES ONLY	77
3 FEMALES ONLY	78
HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)	
4 MALES AND FEMALES	79
5 MALES ONLY	80
6 FEMALES ONLY	81
ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)	
7 MALES AND FEMALES	82
8 MALES ONLY	83
9 FEMALES ONLY	84
IN THE LAST 12 MONTHS, DID YOU HAVE A CT OR CAT SCAN? (LCSCTSCN)	
10 MALES AND FEMALES	85
11 MALES ONLY	86
12 FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 10: Lung Cancer Screening**

**TABLE 1: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes regularly			<= 01-17 years old			18-44 years old			45-54 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1340	254,722	16	1.4	00.4-02.4	758	53.8	50.1-57.5	562	44.4	40.7-48.1	4	0.4	00.0-00.8
Male	662	135,441	7	1.1	00.1-02.1	380	52.3	46.8-57.8	272	46.0	40.5-51.5	3	0.7	00.0-01.5
Female	678	119,281	9	1.8	00.0-03.8	378	55.6	50.5-60.7	290	42.5	37.4-47.6	1	0.1	00.0-00.3
White/Non-Hisp	1002	181,288	10	1.5	00.1-02.9	591	58.2	54.1-62.3	398	39.9	35.8-44.0	3	0.4	00.0-01.0
Black or Afr. Am./Non-Hisp	132	39,572	2	0.5	00.0-01.3	58	39.6	28.2-51.0	72	59.9	48.5-71.3			
Hispanic	105	16,229	1	1.4	00.0-03.9	52	46.0	31.9-60.1	52	52.6	38.5-66.7			
25-34	124	41,207	3	2.4	00.0-05.1	63	47.2	35.8-58.6	58	50.4	39.0-61.8			
35-44	191	40,789	1	0.9	00.0-02.7	111	56.2	47.2-65.2	79	42.9	33.9-51.9			
45-54	191	34,042	3	0.8	00.0-02.0	122	58.6	49.6-67.6	66	40.6	31.6-49.6			
55-64	291	49,975	3	0.8	00.0-01.8	201	65.7	57.9-73.5	84	31.6	24.0-39.2	3	1.9	00.0-04.3
65+	515	79,481	4	0.3	00.0-00.7	249	48.1	41.8-54.4	261	51.5	45.2-57.8	1	0.1	00.0-00.3
Less Than H.S.	136	33,529				86	64.5	53.3-75.7	50	35.5	24.3-46.7			
H.S. or G.E.D.	443	87,310	2	0.2	00.0-00.6	278	62.7	56.4-69.0	162	37.0	30.7-43.3	1	0.1	00.0-00.3
Some Post-H.S.	391	83,439	6	2.3	00.0-05.0	206	45.5	38.8-52.2	178	51.6	44.7-58.5	1	0.6	00.0-01.8
College Graduate	370	50,444	8	2.8	00.4-05.2	188	45.3	38.6-52.0	172	51.2	44.3-58.1	2	0.8	00.0-02.0
Less than \$15,000	116	18,502	1	2.0	00.0-05.9	75	60.6	48.1-73.1	40	37.3	24.8-49.8			
\$15,000- 24,999	222	37,169				141	61.8	53.4-70.2	80	37.9	29.5-46.3	1	0.3	00.0-00.9
\$25,000- 34,999	145	30,760	1	0.2	00.0-00.6	82	50.7	38.5-62.9	62	49.1	36.9-61.3			
\$35,000- 49,999	143	26,098	2	0.8	00.0-02.2	88	59.0	48.2-69.8	53	40.2	29.4-51.0			
\$50,000- 74,999	166	32,489	4	2.3	00.0-05.0	90	52.9	42.1-63.7	71	43.8	33.0-54.6	1	1.0	00.0-03.0
\$75,000+	351	71,229	7	2.9	00.0-06.0	190	53.0	45.7-60.3	153	43.9	36.6-51.2	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 10: Lung Cancer Screening**

**TABLE 2: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes regularly			<= 01-17 years old			18-44 years old			45-54 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	662	135,441	7	1.1	00.1-02.1	380	52.3	46.8-57.8	272	46.0	40.5-51.5	3	0.7	00.0-01.7
White/Non-Hisp	483	93,548	4	0.9	00.0-01.9	287	56.3	50.2-62.4	190	42.3	36.2-48.4	2	0.6	00.0-01.8
Black or Afr. Am./Non-Hisp	52	19,507				24	35.2	18.0-52.4	28	64.8	47.6-82.0			
Hispanic	74	13,117	1	1.7	00.0-05.0	35	46.1	29.8-62.4	38	52.2	35.7-68.7			
25-34	70	26,925	2	2.6	00.0-06.3	32	45.2	30.3-60.1	36	52.2	37.1-67.3			
35-44	98	21,186				50	47.9	35.6-60.2	48	52.1	39.8-64.4			
45-54	88	16,329	1	1.0	00.0-03.0	52	49.3	36.4-62.2	35	49.7	36.6-62.8			
55-64	148	26,150	2	1.0	00.0-02.4	99	64.2	53.2-75.2	45	31.6	20.6-42.6	2	3.2	00.0-07.7
65+	238	38,772	1	0.3	00.0-00.9	139	53.9	44.1-63.7	97	45.6	35.8-55.4	1	0.2	00.0-00.6
Less Than H.S.	89	23,053				57	62.6	48.3-76.9	32	37.4	23.1-51.7			
H.S. or G.E.D.	229	47,792	1	0.3	00.0-00.9	145	58.8	49.8-67.8	83	40.9	31.9-49.9			
Some Post-H.S.	169	41,288	2	1.3	00.0-03.1	93	46.2	36.2-56.2	73	51.2	41.0-61.4	1	1.3	00.0-03.7
College Graduate	175	23,308	4	3.4	00.0-07.1	85	39.4	30.0-48.8	84	55.5	45.7-65.3	2	1.7	00.0-04.4
Less than \$15,000	57	8,238				38	67.7	50.8-84.6	19	32.3	15.4-49.2			
\$15,000- 24,999	92	17,084				62	64.8	51.9-77.7	30	35.2	22.3-48.1			
\$25,000- 34,999	70	17,874				38	47.6	30.5-64.7	32	52.4	35.3-69.5			
\$35,000- 49,999	69	11,536	1	1.4	00.0-04.1	43	49.6	33.7-65.5	25	49.0	32.9-65.1			
\$50,000- 74,999	88	17,904	2	2.6	00.0-06.7	52	55.5	40.6-70.4	33	40.1	25.0-55.2	1	1.8	00.0-05.3
\$75,000+	196	41,573	4	2.0	00.0-04.2	98	47.9	38.1-57.7	93	49.8	40.0-59.6	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 10: Lung Cancer Screening**

**TABLE 3: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes regularly			<= 01-17 years old			18-44 years old			45-54 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	678	119,281	9	1.8	00.0-03.8	378	55.6	50.5-60.7	290	42.5	37.4-47.6	1	0.1	00.0-00.3
White/Non-Hisp	519	87,741	6	2.1	00.0-04.6	304	60.3	54.6-66.0	208	37.5	32.0-43.0	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	80	20,065	2	1.0	00.0-02.4	34	43.9	29.8-58.0	44	55.1	41.0-69.2			
25-34	54	14,283	1	1.8	00.0-05.3	31	51.2	34.3-68.1	22	47.0	30.1-63.9			
35-44	93	19,603	1	1.9	00.0-05.6	61	65.1	52.0-78.2	31	33.0	20.1-45.9			
45-54	103	17,713	2	0.6	00.0-01.4	70	67.1	55.3-78.9	31	32.2	20.4-44.0			
55-64	143	23,824	1	0.6	00.0-01.8	102	67.4	56.6-78.2	39	31.6	20.8-42.4	1	0.4	00.0-01.2
65+	277	40,709	3	0.4	00.0-00.8	110	42.6	34.6-50.6	164	57.1	49.1-65.1			
H.S. or G.E.D.	214	39,518	1	0.1	00.0-00.3	133	67.5	59.5-75.5	79	32.2	24.2-40.2	1	0.2	00.0-00.6
Some Post-H.S.	222	42,151	4	3.4	00.0-08.3	113	44.7	35.7-53.7	105	51.9	42.7-61.1			
College Graduate	195	27,136	4	2.3	00.0-05.2	103	50.3	41.1-59.5	88	47.4	38.2-56.6			
Less than \$15,000	59	10,264	1	3.7	00.0-10.8	37	55.0	37.2-72.8	21	41.4	23.6-59.2			
\$15,000- 24,999	130	20,085				79	59.3	48.1-70.5	50	40.2	29.0-51.4	1	0.5	00.0-01.5
\$25,000- 34,999	75	12,886	1	0.6	00.0-01.8	44	55.0	38.9-71.1	30	44.5	28.4-60.6			
\$35,000- 49,999	74	14,562	1	0.4	00.0-01.2	45	66.4	53.3-79.5	28	33.2	20.1-46.3			
\$50,000- 74,999	78	14,585	2	2.1	00.0-05.6	38	49.6	34.7-64.5	38	48.3	33.4-63.2			
\$75,000+	155	29,656	3	4.2	00.0-11.1	92	60.2	49.8-70.6	60	35.6	26.0-45.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 10: Lung Cancer Screening**

**TABLE 4: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.									
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 years old			11-17 years old			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1281	242,347	1	0.2	00.0-00.6	18	1.1	00.5-01.7	
Male	632	128,572	1	0.4	00.0-01.2	13	1.4	00.4-02.4	
Female	649	113,775				5	0.8	00.0-01.6	
White/Non-Hisp	970	174,448				9	1.1	00.3-01.9	
Black or Afr. Am./Non-Hisp	122	36,845				1	0.3	00.0-00.9	
Hispanic	95	14,448				7	3.8	00.3-07.3	
25-34	114	37,171				2	0.3	00.0-00.7	
35-44	185	39,715				5	2.5	00.0-05.2	
45-54	183	32,762				4	1.4	00.0-03.0	
55-64	283	48,746				3	1.5	00.0-03.5	
65+	490	76,013	1	0.6	00.0-01.8	3	0.3	00.0-00.7	
Less Than H.S.	128	31,134				9	2.8	00.6-05.0	
H.S. or G.E.D.	427	84,807				6	1.7	00.0-03.5	
Some Post-H.S.	371	77,642	1	0.6	00.0-01.8	3	0.4	00.0-01.0	
College Graduate	355	48,764							
Less than \$15,000	110	16,962				3	1.5	00.0-03.5	
\$15,000- 24,999	217	36,165				3	0.6	00.0-01.4	
\$25,000- 34,999	139	29,286				3	1.2	00.0-02.8	
\$35,000- 49,999	137	25,127				1	0.1	00.0-00.3	
\$50,000- 74,999	158	30,662				4	3.1	00.0-06.6	
\$75,000+	337	67,580	1	0.7	00.0-02.1	2	0.9	00.0-02.3	

  

Data was weighted using _LLCPWT.											
18-44 years old			45-54 years old			55-64 years old			65-100 years old		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
728	62.8	59.3-66.3	228	14.8	12.4-17.2	192	13.4	11.0-15.8	114	7.7	05.3-10.1
369	63.6	58.3-68.9	99	13.5	10.4-16.6	95	13.1	09.8-16.4	55	8.1	04.4-11.8
359	61.9	57.2-66.6	129	16.2	12.9-19.5	97	13.8	10.7-16.9	59	7.3	04.8-09.8
540	62.4	58.5-66.3	185	16.0	13.3-18.7	147	13.6	11.1-16.1	89	6.9	04.9-08.9
61	54.1	41.8-66.4	22	14.2	06.8-21.6	23	16.1	07.9-24.3	15	15.3	04.3-26.3
72	84.2	76.0-92.4	9	7.7	01.6-13.8	3	2.2	00.0-04.9	4	2.1	00.0-05.0
112	99.7	99.3-0100									
180	97.5	94.8-0100									
78	46.5	37.5-55.5	101	52.1	43.1-61.1						
106	38.9	31.3-46.5	49	16.5	11.2-21.8	125	43.0	35.4-50.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 10: Lung Cancer Screening**

**TABLE 4: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

18-44 years old			45-54 years old			55-64 years old			65-100 years old		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
227	45.3	38.8-51.8	78	14.1	10.0-18.2	67	15.1	11.0-19.2	114	24.6	18.1-31.1
78	67.4	56.4-78.4	13	8.1	03.4-12.8	17	10.3	04.8-15.8	11	11.4	01.4-21.4
208	54.0	47.7-60.3	95	19.1	14.6-23.6	80	17.6	12.9-22.3	38	7.6	03.5-11.7
209	64.1	57.6-70.6	68	14.4	10.1-18.7	54	12.4	08.3-16.5	36	8.2	04.5-11.9
233	73.3	67.8-78.8	52	12.1	08.0-16.2	41	9.8	06.1-13.5	29	4.9	02.5-07.3
57	54.2	41.7-66.7	17	13.0	05.7-20.3	21	16.0	07.8-24.2	12	15.3	04.1-26.5
114	60.6	52.4-68.8	45	15.9	10.4-21.4	31	13.3	08.0-18.6	24	9.6	04.5-14.7
73	56.2	44.2-68.2	22	12.0	05.5-18.5	27	20.1	11.7-28.5	14	10.4	00.4-20.4
72	63.7	53.7-73.7	25	13.2	06.9-19.5	25	15.0	07.7-22.3	14	8.1	02.8-13.4
106	65.5	55.1-75.9	16	9.8	04.1-15.5	23	17.3	08.3-26.3	9	4.4	00.5-08.3
220	72.2	66.3-78.1	58	14.6	10.3-18.9	37	7.8	04.7-10.9	19	3.8	01.4-06.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 10: Lung Cancer Screening**

**TABLE 5: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 years old			11-17 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	632	128,572	1	0.4	00.0-01.2	13	1.4	00.4-02.4
White/Non-Hisp	468	90,146				5	1.2	00.0-02.4
Hispanic	66	11,381				6	4.4	00.1-08.7
25-34	64	24,043				1	0.3	00.0-00.9
35-44	95	20,790				5	4.7	00.0-10.0
45-54	83	15,167				3	1.8	00.0-04.2
55-64	144	25,566				2	1.1	00.0-02.7
65+	227	37,147	1	1.2	00.0-03.6	2	0.5	00.0-01.3
Less Than H.S.	83	21,391				8	3.8	00.7-06.9
H.S. or G.E.D.	221	46,403				4	1.8	00.0-04.2
Some Post-H.S.	159	38,314	1	1.2	00.0-03.6	1	0.4	00.0-01.2
College Graduate	169	22,464						
Less than \$15,000	54	7,799				3	3.2	00.0-07.3
\$15,000- 24,999	91	16,788				2	1.0	00.0-02.4
\$25,000- 34,999	67	16,596				2	2.0	00.0-04.9
\$35,000- 49,999	65	10,962				1	0.3	00.0-00.9
\$50,000- 74,999	83	16,625				3	4.8	00.0-11.1
\$75,000+	188	39,391	1	1.2	00.0-03.4			

Data was weighted using \_LLCPWT.

18-44 years old			45-54 years old			55-64 years old			65-100 years old		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
369	63.6	58.3-68.9	99	13.5	10.4-16.6	95	13.1	09.8-16.4	55	8.1	04.4-11.8
270	65.2	59.7-70.7	77	14.3	10.6-18.0	72	13.2	09.7-16.7	44	6.2	03.7-08.7
53	87.1	78.3-95.9	5	6.8	00.0-13.9	2	1.7	00.0-04.6			
63	99.7	99.1-0100									
90	95.3	90.0-0100									
40	50.7	37.6-63.8	40	47.5	34.4-60.6						
54	34.7	24.3-45.1	24	18.4	10.6-26.2	64	45.8	34.8-56.8			
103	41.9	32.3-51.5	35	14.8	08.3-21.3	31	13.7	07.8-19.6	55	28.0	17.2-38.8
57	70.1	56.0-84.2	6	6.6	01.1-12.1	8	7.8	01.9-13.7	4	11.7	00.0-25.4
109	53.5	44.3-62.7	46	18.0	12.1-23.9	43	18.5	11.6-25.4	19	8.2	01.3-15.1
84	63.9	54.5-73.3	26	13.8	07.3-20.3	29	12.5	06.8-18.2	18	8.3	03.2-13.4
119	77.8	70.4-85.2	21	10.2	04.7-15.7	15	7.8	03.1-12.5	14	4.1	01.6-06.6
29	62.7	46.0-79.4	7	10.3	00.5-20.1	13	21.3	07.2-35.4	2	2.4	00.0-06.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 10: Lung Cancer Screening**

**TABLE 5: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

18-44 years old			45-54 years old			55-64 years old			65-100 years old		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
44	57.7	44.6-70.8	15	14.2	05.8-22.6	18	13.7	06.3-21.1	12	13.4	03.8-23.0
39	61.8	44.6-79.0	10	7.9	01.8-14.0	10	15.8	05.0-26.6	6	12.5	00.0-29.2
32	62.8	48.1-77.5	11	12.8	04.4-21.2	15	19.5	07.7-31.3	6	4.7	00.2-09.2
55	62.7	47.6-77.8	9	8.0	01.9-14.1	10	18.6	04.5-32.7	6	5.9	00.0-12.6
131	75.6	68.2-83.0	28	12.8	07.5-18.1	15	6.2	02.7-09.7	13	4.3	00.8-07.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 10: Lung Cancer Screening**

**TABLE 6: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCCLAST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		11-17 years old			18-44 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	649	113,775	5	0.8	00.0-01.6	359	61.9	57.0-66.8
White/Non-Hisp	502	84,302	4	1.0	00.0-02.2	270	59.4	53.9-64.9
Black or Afr. Am./Non-Hisp	73	18,465				43	66.1	53.2-79.0
25-34	50	13,127	1	0.4	00.0-01.2	49	99.6	98.8-0100
35-44	90	18,925				90	100.0	0100-0100
45-54	100	17,596	1	1.0	00.0-03.0	38	43.0	30.7-55.3
55-64	139	23,180	1	2.0	00.0-05.7	52	43.6	32.4-54.8
65+	263	38,865	1	0.1	00.0-00.3	124	48.5	40.1-56.9
H.S. or G.E.D.	206	38,403	2	1.6	00.0-04.1	99	54.6	46.0-63.2
Some Post-H.S.	212	39,329	2	0.5	00.0-01.3	125	64.2	55.6-72.8
College Graduate	186	26,300				114	69.4	61.4-77.4
Less than \$15,000	56	9,163				28	46.9	29.3-64.5
\$15,000- 24,999	126	19,377	1	0.3	00.0-00.9	70	63.1	52.7-73.5
\$25,000- 34,999	72	12,689	1	0.2	00.0-00.6	34	48.9	32.8-65.0
\$35,000- 49,999	72	14,165				40	64.4	50.7-78.1
\$50,000- 74,999	75	14,037	1	1.1	00.0-03.3	51	68.7	55.4-82.0
\$75,000+	149	28,190	2	2.2	00.0-05.5	89	67.4	58.4-76.4

Data was weighted using \_LLCPWT.

	45-54 years old			55-64 years old			65-100 years old		
	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
	129	16.2	12.9-19.5	97	13.8	10.7-16.9	59	7.3	04.8-09.8
	108	17.8	13.9-21.7	75	14.1	10.4-17.8	45	7.7	04.6-10.8
	11	14.4	04.4-24.4	12	12.8	04.8-20.8	7	6.6	00.7-12.5
	61	56.0	43.7-68.3						
	25	14.5	07.6-21.4	61	40.0	29.6-50.4			
	43	13.5	08.4-18.6	36	16.5	10.6-22.4	59	21.4	14.5-28.3
	49	20.5	13.8-27.2	37	16.4	10.5-22.3	19	6.9	03.2-10.6
	42	14.9	09.2-20.6	25	12.3	06.6-18.0	18	8.1	02.8-13.4
	31	13.7	07.8-19.6	26	11.4	05.9-16.9	15	5.5	02.0-09.0
	10	15.4	05.0-25.8	8	11.5	02.5-20.5	10	26.2	07.8-44.6
	30	17.3	10.0-24.6	13	12.9	05.3-20.5	12	6.4	02.1-10.7
	12	17.3	05.3-29.3	17	25.9	12.8-39.0	8	7.7	01.0-14.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 10: Lung Cancer Screening**

**TABLE 6: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

45-54 years old			55-64 years old			65-100 years old		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
14	13.5	04.5-22.5	10	11.4	02.6-20.2	8	10.7	02.1-19.3
7	11.8	02.0-21.6	13	15.7	06.1-25.3	3	2.7	00.0-06.4
30	17.2	10.1-24.3	22	10.0	04.5-15.5	6	3.1	00.4-05.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 10: Lung Cancer Screening**

**TABLE 7: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 cigarettes			11-20 cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1289	246,311	650	55.5	51.8-59.2	463	32.2	28.9-35.5
Male	641	132,158	278	51.0	45.5-56.5	244	33.5	28.8-38.2
Female	648	114,154	372	60.7	55.8-65.6	219	30.7	26.2-35.2
White/Non-Hisp	969	175,806	426	48.3	44.2-52.4	388	36.3	32.4-40.2
Black or Afr. Am./Non-Hisp	124	38,328	91	76.2	66.8-85.6	28	20.1	11.3-28.9
Hispanic	100	15,815	81	84.8	76.6-93.0	15	11.1	04.2-18.0
25-34	119	39,734	78	65.1	54.3-75.9	36	28.0	18.2-37.8
35-44	184	39,409	117	63.8	55.2-72.4	57	30.1	22.1-38.1
45-54	184	33,140	92	50.1	40.9-59.3	68	34.8	26.2-43.4
55-64	282	48,507	138	54.1	46.5-61.7	107	33.7	26.8-40.6
65+	494	77,581	201	45.8	39.3-52.3	194	36.6	30.7-42.5
Less Than H.S.	130	32,765	85	65.3	54.9-75.7	29	19.2	11.4-27.0
H.S. or G.E.D.	428	85,488	205	54.6	48.5-60.7	162	33.5	27.8-39.2
Some Post-H.S.	376	80,172	188	54.1	47.2-61.0	134	33.2	27.1-39.3
College Graduate	355	47,886	172	52.9	46.0-59.8	138	37.2	30.3-44.1
Less than \$15,000	112	17,855	62	60.5	48.7-72.3	31	22.4	13.2-31.6
\$15,000- 24,999	217	36,579	107	52.7	44.1-61.3	87	35.2	27.4-43.0
\$25,000- 34,999	143	30,649	72	56.2	44.6-67.8	50	32.1	21.9-42.3
\$35,000- 49,999	136	24,968	61	51.8	40.6-63.0	53	30.9	21.5-40.3
\$50,000- 74,999	161	31,478	81	54.2	43.6-64.8	48	30.4	20.6-40.2
\$75,000+	336	67,945	169	59.6	52.9-66.3	130	32.3	26.0-38.6

Data was weighted using \_LLCPWT.

21-40 cigarettes			41-60 cigarettes			61-80 cigarettes			81+ cigarettes		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
146	10.1	07.9-12.3	23	1.5	00.7-02.3	3	0.2	00.0-00.6	4	0.3	00.0-00.7
98	12.9	09.6-16.2	17	1.9	00.9-02.9	2	0.3	00.0-00.7	2	0.3	00.0-00.9
48	6.9	04.4-09.4	6	1.1	00.0-02.3	1	0.2	00.0-00.6	2	0.3	00.0-00.7
128	12.9	10.2-15.6	21	1.7	00.9-02.5	3	0.3	00.0-00.7	3	0.4	00.0-01.0
4	2.0	00.0-04.4	1	1.6	00.0-04.7						
3	3.1	00.0-07.4	1	1.0	00.0-03.0						
5	6.9	00.4-13.4									
9	4.6	01.3-07.9	1	1.6	00.0-04.7						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 10: Lung Cancer Screening**

**TABLE 7: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

21-40 cigarettes			41-60 cigarettes			61-80 cigarettes			81+ cigarettes		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
22	14.4	07.7-21.1	2	0.7	00.0-01.7						
27	8.0	04.3-11.7	6	2.1	00.1-04.1	3	1.3	00.0-02.9	1	0.8	00.0-02.4
82	14.6	10.5-18.7	14	2.5	01.1-03.9				3	0.5	00.0-01.3
12	12.6	05.2-20.0	4	3.0	00.0-06.9						
49	9.6	06.5-12.7	10	1.8	00.6-03.0	1	0.3	00.0-00.9	1	0.1	00.0-00.3
47	10.9	06.8-15.0	5	1.0	00.0-02.0	1	0.3	00.0-00.9	1	0.5	00.0-01.5
38	8.1	04.8-11.4	4	0.9	00.0-01.9	1	0.2	00.0-00.6	2	0.6	00.0-01.6
12	9.0	02.9-15.1	5	6.0	00.0-13.1	1	1.4	00.0-04.1	1	0.7	00.0-02.1
18	9.7	03.4-16.0	3	0.9	00.0-02.1	1	0.3	00.0-00.9	1	1.1	00.0-03.3
20	10.7	04.6-16.8	1	1.0	00.0-03.0						
19	15.8	07.2-24.4	2	1.3	00.0-03.1				1	0.2	00.0-00.6
26	12.6	06.7-18.5	6	2.9	00.4-05.4						
31	6.6	03.7-09.5	5	1.1	00.1-02.1	1	0.4	00.0-01.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 10: Lung Cancer Screening**

**TABLE 8: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 cigarettes			11-20 cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	641	132,158	278	51.0	45.5-56.5	244	33.5	28.8-38.2
White/Non-Hisp	472	92,069	161	40.7	34.4-47.0	204	38.6	32.9-44.3
Hispanic	70	12,743	56	84.3	74.5-94.1	11	11.2	03.4-19.0
25-34	68	26,216	44	63.6	49.3-77.9	20	28.7	15.4-42.0
35-44	95	20,580	56	59.7	47.9-71.5	32	34.3	22.9-45.7
45-54	85	15,895	38	43.5	30.2-56.8	28	30.8	18.8-42.8
55-64	144	25,653	58	46.9	35.9-57.9	59	37.7	27.7-47.7
65+	230	37,955	64	36.5	25.7-47.3	104	39.6	30.6-48.6
Less Than H.S.	86	22,731	53	64.6	51.9-77.3	21	21.3	11.5-31.1
H.S. or G.E.D.	221	46,942	89	50.2	41.2-59.2	90	34.6	26.8-42.4
Some Post-H.S.	165	40,503	66	46.4	35.8-57.0	64	35.9	26.5-45.3
College Graduate	169	21,982	70	47.3	37.1-57.5	69	39.4	29.2-49.6
Less than \$15,000	54	7,967	36	70.9	56.2-85.6	8	10.0	01.6-18.4
\$15,000- 24,999	89	16,712	35	39.2	25.3-53.1	38	39.2	26.3-52.1
\$25,000- 34,999	70	17,874	32	57.7	41.6-73.8	24	26.1	13.6-38.6
\$35,000- 49,999	65	11,039	18	36.4	19.0-53.8	33	44.5	28.6-60.4
\$50,000- 74,999	86	17,441	34	44.7	29.6-59.8	31	36.9	22.2-51.6
\$75,000+	191	40,564	86	58.0	48.8-67.2	78	32.5	24.3-40.7

Data was weighted using \_LLCPWT.

N	21-40 cigarettes		N	41-60 cigarettes		N	61-80 cigarettes		N	81+ cigarettes	
	%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
98	12.9	09.6-16.2	17	1.9	00.9-02.9	2	0.3	00.0-00.7	2	0.3	00.0-00.9
88	17.3	13.0-21.6	16	2.5	01.1-03.9	2	0.4	00.0-01.0	1	0.4	00.0-01.2
2	3.3	00.0-08.6	1	1.3	00.0-03.8						
4	7.7	00.0-15.9									
7	6.0	00.9-11.1									
17	24.2	12.4-36.0	2	1.4	00.0-03.4						
19	9.1	04.4-13.8	5	3.3	00.0-06.6	2	1.4	00.0-03.6	1	1.5	00.0-04.4
51	20.1	13.0-27.2	10	3.7	01.2-06.2				1	0.1	00.0-00.3
9	12.5	03.9-21.1	3	1.6	00.0-03.6						
32	11.6	06.9-16.3	9	3.0	00.8-05.2	1	0.5	00.0-01.5			
32	15.6	08.7-22.5	2	1.1	00.0-02.7				1	1.0	00.0-03.0
25	11.1	05.6-16.6	3	1.3	00.0-02.9	1	0.5	00.0-01.5	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 10: Lung Cancer Screening**

**TABLE 8: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

21-40 cigarettes			41-60 cigarettes			61-80 cigarettes			81+ cigarettes		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
5	10.3	00.1-20.5	4	5.6	00.0-11.5	1	3.2	00.0-09.3			
13	18.3	05.6-31.0	1	0.2	00.0-00.6	1	0.7	00.0-02.1	1	2.4	00.0-06.9
13	14.5	04.5-24.5	1	1.7	00.0-05.0						
11	15.8	04.6-27.0	2	2.8	00.0-06.7				1	0.5	00.0-01.5
17	14.5	06.3-22.7	4	3.9	00.0-08.2						
23	8.0	03.9-12.1	4	1.4	00.0-03.0						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 10: Lung Cancer Screening**

**TABLE 9: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 cigarettes			11-20 cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	648	114,154	372	60.7	55.8-65.6	219	30.7	26.2-35.2
White/Non-Hisp	497	83,737	265	56.6	51.1-62.1	184	33.9	28.6-39.2
Black or Afr. Am./Non-Hisp	75	19,285	55	74.4	61.9-86.9	15	18.4	07.4-29.4
25-34	51	13,518	34	68.2	52.9-83.5	16	26.6	13.1-40.1
35-44	89	18,829	61	68.2	56.0-80.4	25	25.5	14.5-36.5
45-54	99	17,245	54	56.2	43.9-68.5	40	38.4	26.2-50.6
55-64	138	22,854	80	62.2	51.8-72.6	48	29.3	19.9-38.7
65+	264	39,626	137	54.7	46.7-62.7	90	33.7	26.1-41.3
H.S. or G.E.D.	207	38,547	116	59.9	51.5-68.3	72	32.1	24.1-40.1
Some Post-H.S.	211	39,669	122	61.9	53.5-70.3	70	30.5	22.7-38.3
College Graduate	186	25,905	102	57.7	48.5-66.9	69	35.3	26.5-44.1
Less than \$15,000	58	9,888	26	52.1	34.7-69.5	23	32.4	17.5-47.3
\$15,000- 24,999	128	19,867	72	64.1	53.9-74.3	49	31.9	22.1-41.7
\$25,000- 34,999	73	12,775	40	54.2	38.5-69.9	26	40.5	25.0-56.0
\$35,000- 49,999	71	13,929	43	64.0	49.5-78.5	20	20.2	10.0-30.4
\$50,000- 74,999	75	14,037	47	65.9	52.4-79.4	17	22.3	10.9-33.7
\$75,000+	145	27,381	83	61.9	51.9-71.9	52	32.0	22.6-41.4

Data was weighted using \_LLCPWT.

21-40 cigarettes			41-60 cigarettes			61-80 cigarettes			81+ cigarettes		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
48	6.9	04.4-09.4	6	1.1	00.0-02.3	1	0.2	00.0-00.6	2	0.3	00.0-00.7
40	8.0	04.9-11.1	5	0.8	00.0-01.6	1	0.3	00.0-00.9	2	0.4	00.0-01.0
4	4.0	00.0-08.7	1	3.2	00.0-09.3						
1	5.2	00.0-15.0									
2	3.0	00.0-07.3	1	3.3	00.0-09.6						
5	5.4	00.0-11.5									
8	6.7	00.8-12.6	1	0.7	00.0-02.1	1	1.1	00.0-03.3			
31	9.3	05.2-13.4	4	1.3	00.0-02.7				2	0.9	00.0-02.3
17	7.2	03.1-11.3	1	0.4	00.0-01.2				1	0.3	00.0-00.9
15	6.0	01.9-10.1	3	1.0	00.0-02.2	1	0.6	00.0-01.8			
13	5.4	01.3-09.5	1	0.6	00.0-01.8				1	1.0	00.0-03.0
7	8.0	00.6-15.4	1	6.3	00.0-18.1				1	1.2	00.0-03.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 10: Lung Cancer Screening**

**TABLE 9: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

N	21-40 cigarettes		N	41-60 cigarettes		N	61-80 cigarettes		N	81+ cigarettes	
	%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
5	2.5	00.0-05.4	2	1.5	00.0-03.7						
7	5.3	00.8-09.8									
8	15.8	03.3-28.3									
9	10.2	01.8-18.6	2	1.6	00.0-04.0						
8	4.6	00.5-08.7	1	0.6	00.0-01.8	1	0.9	00.0-02.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 10: Lung Cancer Screening  
TABLE 10: IN THE LAST 12 MONTHS, DID YOU HAVE A CT OR CAT SCAN? (LCSTSCN)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, to check for lung cancer			No (did not have a CT scan)			Had a CT scan, but for some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1322	251,058	150	9.5	07.5-11.5	931	73.2	70.1-76.3	241	17.3	14.6-20.0
Male	658	134,620	73	9.7	06.8-12.6	473	75.2	70.9-79.5	112	15.1	11.6-18.6
Female	664	116,438	77	9.2	06.7-11.7	458	70.9	66.4-75.4	129	19.9	15.8-24.0
White/Non-Hisp	989	178,819	115	9.8	07.6-12.0	696	73.9	70.4-77.4	178	16.3	13.2-19.4
Black or Afr. Am./Non-Hisp	130	38,952	11	8.0	01.5-14.5	84	66.1	55.3-76.9	35	25.9	16.5-35.3
Hispanic	105	15,950	9	4.8	00.9-08.7	89	91.5	86.4-96.6	7	3.7	00.6-06.8
25-34	120	40,155	7	6.8	00.7-12.9	97	77.1	66.7-87.5	16	16.1	06.9-25.3
35-44	188	40,407	7	2.2	00.2-04.2	153	86.2	80.9-91.5	28	11.6	06.5-16.7
45-54	190	33,779	9	4.2	00.7-07.7	141	73.6	65.6-81.6	40	22.2	14.6-29.8
55-64	290	49,955	36	10.6	06.5-14.7	203	74.3	68.0-80.6	51	15.1	09.8-20.4
65+	507	77,831	90	17.0	12.7-21.3	312	60.9	54.8-67.0	105	22.0	17.1-26.9
Less Than H.S.	131	32,600	10	7.5	02.0-13.0	103	81.6	73.8-89.4	18	10.9	05.0-16.8
H.S. or G.E.D.	438	85,939	51	9.0	05.9-12.1	296	70.1	64.4-75.8	91	20.8	15.7-25.9
Some Post-H.S.	389	82,837	44	10.8	06.7-14.9	279	74.9	69.2-80.6	66	14.3	09.8-18.8
College Graduate	364	49,682	45	9.4	05.7-13.1	253	70.1	63.6-76.6	66	20.5	14.4-26.6
Less than \$15,000	115	18,253	11	5.9	01.4-10.4	81	74.1	63.7-84.5	23	20.0	10.2-29.8
\$15,000- 24,999	218	36,752	22	11.0	04.9-17.1	150	68.1	59.7-76.5	46	20.9	13.6-28.2
\$25,000- 34,999	146	30,934	16	8.4	03.5-13.3	102	71.9	61.3-82.5	28	19.7	09.9-29.5
\$35,000- 49,999	138	24,424	20	14.0	06.6-21.4	96	71.8	62.0-81.6	22	14.2	06.8-21.6
\$50,000- 74,999	163	32,109	19	10.0	04.7-15.3	110	67.8	58.2-77.4	34	22.2	13.4-31.0
\$75,000+	350	71,140	38	7.4	04.5-10.3	256	78.6	73.3-83.9	56	14.1	09.6-18.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 10: Lung Cancer Screening**

**TABLE 11: IN THE LAST 12 MONTHS, DID YOU HAVE A CT OR CAT SCAN? (LCSTSCN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, to check for lung cancer			No (did not have a CT scan)			Had a CT scan, but for some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	658	134,620	73	9.7	06.8-12.6	473	75.2	70.7-79.7	112	15.1	11.6-18.6
White/Non-Hisp	480	93,022	50	9.2	06.1-12.3	342	74.6	69.5-79.7	88	16.2	11.9-20.5
Black or Afr. Am./Non-Hisp	52	19,427	7	11.7	00.1-23.3	37	72.9	57.2-88.6	8	15.4	03.4-27.4
Hispanic	74	12,838	6	5.5	00.8-10.2	63	90.6	84.5-96.7	5	4.0	00.3-07.7
25-34	69	26,624	3	5.1	00.0-12.5	58	82.7	70.5-94.9	8	12.1	01.7-22.5
35-44	98	21,186	4	3.4	00.1-06.7	86	90.9	85.4-96.4	8	5.8	01.3-10.3
45-54	88	16,207	4	5.0	00.0-11.3	64	77.3	67.1-87.5	20	17.7	09.1-26.3
55-64	146	25,916	16	10.9	04.8-17.0	106	72.6	63.0-82.2	24	16.4	08.0-24.8
65+	238	38,905	46	19.0	11.9-26.1	140	58.6	49.4-67.8	52	22.4	15.3-29.5
Less Than H.S.	87	22,606	4	5.3	00.0-11.4	77	89.5	81.9-97.1	6	5.2	00.5-09.9
H.S. or G.E.D.	227	47,236	25	9.0	04.5-13.5	160	76.4	69.5-83.3	42	14.5	08.8-20.2
Some Post-H.S.	171	41,500	21	13.5	06.6-20.4	123	73.7	64.9-82.5	27	12.9	06.4-19.4
College Graduate	173	23,277	23	8.8	03.9-13.7	113	61.5	51.3-71.7	37	29.6	19.4-39.8
Less than \$15,000	56	7,987	4	4.3	00.0-09.2	44	85.7	75.7-95.7	8	10.1	01.3-18.9
\$15,000- 24,999	91	16,819	9	12.2	02.2-22.2	67	70.4	56.9-83.9	15	17.4	06.0-28.8
\$25,000- 34,999	71	18,048	9	9.3	02.0-16.6	50	77.4	64.7-90.1	12	13.2	02.4-24.0
\$35,000- 49,999	67	11,035	10	12.3	01.9-22.7	46	74.4	61.5-87.3	11	13.3	04.5-22.1
\$50,000- 74,999	86	17,773	8	8.6	01.2-16.0	63	68.2	54.1-82.3	15	23.2	09.9-36.5
\$75,000+	198	42,026	22	8.3	04.2-12.4	138	76.5	69.4-83.6	38	15.2	09.3-21.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 10: Lung Cancer Screening**

**TABLE 12: IN THE LAST 12 MONTHS, DID YOU HAVE A CT OR CAT SCAN? (LCSCSTSCN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, to check for lung cancer			No (did not have a CT scan)			Had a CT scan, but for some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	664	116,438	77	9.2	06.7-11.7	458	70.9	66.4-75.4	129	19.9	15.8-24.0
White/Non-Hisp	509	85,798	65	10.5	07.4-13.6	354	73.1	68.2-78.0	90	16.4	12.1-20.7
Black or Afr. Am./Non-Hisp	78	19,524	4	4.3	00.0-10.6	47	59.3	45.4-73.2	27	36.3	22.8-49.8
25-34	51	13,531	4	10.1	00.0-20.7	39	65.9	48.3-83.5	8	23.9	06.8-41.0
35-44	90	19,221	3	0.9	00.0-02.3	67	81.0	71.6-90.4	20	18.1	08.9-27.3
45-54	102	17,572	5	3.5	00.0-07.2	77	70.3	58.3-82.3	20	26.3	14.3-38.3
55-64	144	24,039	20	10.2	04.5-15.9	97	76.1	67.9-84.3	27	13.7	07.4-20.0
65+	269	38,926	44	15.1	10.0-20.2	172	63.2	55.4-71.0	53	21.7	14.6-28.8
H.S. or G.E.D.	211	38,703	26	9.0	04.9-13.1	136	62.5	53.9-71.1	49	28.5	20.1-36.9
Some Post-H.S.	218	41,336	23	8.2	04.1-12.3	156	76.2	68.9-83.5	39	15.6	09.3-21.9
College Graduate	191	26,405	22	10.0	04.3-15.7	140	77.6	69.8-85.4	29	12.4	06.1-18.7
Less than \$15,000	59	10,266	7	7.2	00.1-14.3	37	65.1	49.0-81.2	15	27.8	12.5-43.1
\$15,000- 24,999	127	19,933	13	10.0	02.6-17.4	83	66.2	55.4-77.0	31	23.9	14.3-33.5
\$25,000- 34,999	75	12,886	7	7.0	00.7-13.3	52	64.2	47.7-80.7	16	28.8	12.3-45.3
\$35,000- 49,999	71	13,389	10	15.3	04.9-25.7	50	69.7	55.6-83.8	11	15.0	03.4-26.6
\$50,000- 74,999	77	14,336	11	11.7	03.9-19.5	47	67.3	54.2-80.4	19	21.0	09.6-32.4
\$75,000+	152	29,114	16	6.1	02.2-10.0	118	81.5	73.9-89.1	18	12.4	05.3-19.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020

MODULE 11: Cancer Survivorship: Type of Cancer CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIFF)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94
	WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)	
7	MALES AND FEMALES	95
8	MALES ONLY	96
9	FEMALES ONLY	97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 11: Cancer Survivorship: Type of Cancer  
 TABLE 1: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	555	82,671	413	75.4	70.7-80.1	115	19.1	14.8-23.4	27	5.5	03.0-08.0
Male	255	40,306	184	73.3	66.0-80.6	56	19.8	13.5-26.1	15	6.9	02.6-11.2
Female	300	42,365	229	77.4	70.9-83.9	59	18.5	12.6-24.4	12	4.1	01.2-07.0
White/Non-Hisp	470	69,239	345	75.2	70.1-80.3	105	20.6	15.9-25.3	20	4.3	01.9-06.7
55-64	115	17,628	96	87.1	80.2-94.0	15	9.2	03.5-14.9	4	3.8	00.0-07.7
65+	375	52,615	265	70.2	63.9-76.5	92	23.4	17.7-29.1	18	6.4	02.9-09.9
H.S. or G.E.D.	134	22,756	110	82.2	73.6-90.8	20	14.3	06.5-22.1	4	3.6	00.0-07.5
Some Post-H.S.	156	26,790	115	73.3	64.3-82.3	31	18.0	10.6-25.4	10	8.7	02.6-14.8
College Graduate	238	28,520	172	76.6	69.9-83.3	56	19.9	13.6-26.2	10	3.6	00.7-06.5
\$15,000- 24,999	67	9,255	48	62.2	45.0-79.4	17	34.0	16.8-51.2	2	3.8	00.0-09.1
\$35,000- 49,999	63	9,819	45	65.4	49.3-81.5	15	27.3	12.4-42.2	3	7.4	00.0-16.4
\$50,000- 74,999	80	10,478	59	80.5	70.7-90.3	17	16.1	07.5-24.7	4	3.4	00.0-08.1
\$75,000+	173	28,053	131	77.7	69.7-85.7	34	17.1	10.2-24.0	8	5.2	00.5-09.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 11: Cancer Survivorship: Type of Cancer**

**TABLE 2: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	255	40,306	184	73.3	66.0-80.6	56	19.8	13.5-26.1	15	6.9	02.6-11.2
Female	184	27,495	134	77.5	69.5-85.5	43	19.2	11.6-26.8	7	3.4	00.5-06.3
White/Non-Hisp	363	55,542	258	75.0	69.3-80.7	90	21.2	15.7-26.7	15	3.8	01.4-06.2
55-64	89	14,525	72	87.3	80.0-94.6	14	9.2	03.3-15.1	3	3.5	00.0-08.0
65+	299	42,751	206	69.8	62.7-76.9	78	23.7	17.2-30.2	15	6.5	02.6-10.4
H.S. or G.E.D.	107	19,608	84	80.2	70.4-90.0	19	15.7	06.7-24.7	4	4.1	00.0-08.8
Some Post-H.S.	122	21,420	93	78.1	68.9-87.3	22	14.3	07.2-21.4	7	7.6	01.1-14.1
College Graduate	185	22,252	127	73.4	65.4-81.4	50	22.6	15.0-30.2	8	4.1	00.4-07.8
\$15,000- 24,999	54	8,102	35	56.8	38.0-75.6	17	38.8	19.8-57.8	2	4.4	00.0-10.5
\$35,000- 49,999	51	8,033	37	67.7	50.3-85.1	12	28.5	11.4-45.6	2	3.8	00.0-09.1
\$50,000- 74,999	67	9,316	48	80.2	69.6-90.8	16	16.5	07.1-25.9	3	3.3	00.0-08.6
\$75,000+	142	23,653	108	80.5	72.3-88.7	29	14.8	08.1-21.5	5	4.6	00.0-10.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 11: Cancer Survivorship: Type of Cancer**

**TABLE 3: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	136	22,607	87	68.9	58.5-79.3	40	24.3	14.9-33.7	9	6.8	01.3-12.3
Female	300	42,365	229	77.4	70.9-83.9	59	18.5	12.6-24.4	12	4.1	01.2-07.0
White/Non-Hisp	360	52,902	255	73.1	67.0-79.2	89	22.2	16.5-27.9	16	4.7	02.0-07.4
55-64	90	13,264	73	87.0	79.7-94.3	14	10.2	03.7-16.7	3	2.8	00.0-06.1
65+	291	41,350	201	69.6	62.3-76.9	77	24.5	17.8-31.2	13	5.9	02.0-09.8
H.S. or G.E.D.	109	18,780	88	81.0	71.0-91.0	18	16.2	06.8-25.6	3	2.7	00.0-06.4
Some Post-H.S.	118	19,484	83	69.9	58.9-80.9	26	20.6	11.2-30.0	9	9.6	02.5-16.7
College Graduate	188	22,794	134	78.9	72.0-85.8	47	18.4	12.1-24.7	7	2.7	00.0-05.4
\$15,000- 24,999	61	8,739	42	60.0	42.0-78.0	17	36.0	18.0-54.0	2	4.0	00.0-09.7
\$35,000- 49,999	51	8,604	34	64.0	46.4-81.6	14	27.6	11.5-43.7	3	8.4	00.0-18.8
\$50,000- 74,999	57	7,272	41	79.5	67.2-91.8	13	16.1	05.5-26.7	3	4.5	00.0-11.4
\$75,000+	126	19,978	93	77.3	67.9-86.7	27	18.3	09.7-26.9	6	4.4	00.0-09.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 11: Cancer Survivorship: Type of Cancer  
 TABLE 4: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	539	79,086	6	1.8	00.0-04.2	50	11.1	07.0-15.2	122	23.7	19.0-28.4	198	36.1	30.6-41.6	162	27.3	22.4-32.2	1	0.0	00.0-00.0
Male	248	39,219	2	2.5	00.0-07.0	12	3.8	01.3-06.3	56	23.4	16.7-30.1	97	40.6	32.0-49.2	81	29.6	22.0-37.2			
Female	291	39,867	4	1.2	00.0-02.4	38	18.2	10.8-25.6	66	23.9	17.4-30.4	101	31.6	24.5-38.7	81	25.1	18.6-31.6	1	0.1	00.0-00.3
White/Non-Hisp	460	67,229	3	1.7	00.0-04.4	39	10.5	06.0-15.0	105	24.2	19.1-29.3	168	35.2	29.3-41.1	144	28.3	22.8-33.8	1	0.0	00.0-00.0
55-64	112	17,284				12	8.6	02.1-15.1	40	37.0	25.4-48.6	60	54.4	42.4-66.4						
65+	366	49,908				18	5.7	02.4-09.0	52	14.7	10.0-19.4	133	36.2	29.3-43.1	162	43.3	36.4-50.2	1	0.1	00.0-00.3
H.S. or G.E.D.	130	21,810	3	5.2	00.0-13.0	8	7.8	00.9-14.7	30	24.3	14.7-33.9	52	42.6	30.1-55.1	37	20.0	11.6-28.4			
Some Post-H.S.	149	24,601				14	12.3	02.7-21.9	43	28.6	19.4-37.8	52	32.0	22.6-41.4	40	27.0	17.6-36.4			
College Graduate	235	28,251	2	0.8	00.0-02.0	25	11.1	05.8-16.4	45	21.0	14.1-27.9	86	35.7	27.9-43.5	76	31.2	23.4-39.0	1	0.1	00.0-00.3
\$15,000- 24,999	66	9,106	1	1.6	00.0-04.7	9	19.7	04.8-34.6	20	27.0	13.1-40.9	19	22.1	10.7-33.5	17	29.5	12.8-46.2			
\$35,000- 49,999	61	8,805				6	13.0	00.8-25.2	12	25.6	10.3-40.9	25	38.3	23.2-53.4	18	23.1	10.8-35.4			
\$50,000- 74,999	79	10,422				3	7.5	00.0-16.5	19	28.1	15.4-40.8	32	40.8	26.5-55.1	25	23.6	12.2-35.0			
\$75,000+	170	27,315	4	4.5	00.0-11.0	14	8.0	02.9-13.1	39	26.1	17.5-34.7	65	37.9	27.7-48.1	48	23.4	15.6-31.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 11: Cancer Survivorship: Type of Cancer**

**TABLE 5: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	248	39,219	2	2.5	00.0-07.0	12	3.8	01.3-06.3	56	23.4	16.7-30.1	97	40.6	32.2-49.0	81	29.6	22.0-37.2
White/Non-Hisp	217	34,276	1	2.6	00.0-07.7	10	4.0	01.1-06.9	50	23.2	16.3-30.1	84	40.2	31.6-48.8	72	29.9	21.9-37.9
65+	180	26,419				7	3.0	00.5-05.5	26	15.8	08.9-22.7	66	37.3	27.7-46.9	81	44.0	34.2-53.8
H.S. or G.E.D.	52	9,796	1	9.2	00.0-26.1				13	20.5	07.8-33.2	22	52.0	31.4-72.6	16	18.3	05.6-31.0
Some Post-H.S.	68	12,525				2	1.6	00.0-04.5	21	32.8	18.9-46.7	28	37.9	23.8-52.0	17	27.7	14.0-41.4
College Graduate	115	14,013				9	7.1	02.2-12.0	20	19.4	10.2-28.6	43	36.1	25.7-46.5	43	37.4	25.8-49.0
\$75,000+	98	16,284	1	5.5	00.0-15.9	3	2.7	00.0-05.8	22	25.4	14.0-36.8	39	42.4	28.9-55.9	33	24.0	14.0-34.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 11: Cancer Survivorship: Type of Cancer**

**TABLE 6: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	291	39,867	4	1.2	00.0-02.4	38	18.2	10.9-25.5	66	23.9	17.4-30.4	101	31.6	24.5-38.7	81	25.1	18.6-31.6	1	0.1	00.0-00.3			
White/Non-Hisp	243	32,953	2	0.8	00.0-02.0	29	17.3	09.3-25.3	55	25.2	17.8-32.6	84	30.0	22.7-37.3	72	26.7	19.6-33.8	1	0.1	00.0-00.3			
55-64	64	8,817				10	14.6	03.0-26.2	23	41.2	25.7-56.7	31	44.2	28.9-59.5									
65+	186	23,489				11	8.8	02.3-15.3	26	13.5	07.0-20.0	67	35.0	25.8-44.2	81	42.6	33.0-52.2	1	0.1	00.0-00.3			
H.S. or G.E.D.	78	12,014	2	2.0	00.0-04.9	8	14.2	02.2-26.2	17	27.4	14.1-40.7	30	35.0	20.5-49.5	21	21.5	10.3-32.7						
Some Post-H.S.	81	12,077				12	23.5	06.4-40.6	22	24.3	12.1-36.5	24	25.9	13.9-37.9	23	26.4	13.9-38.9						
College Graduate	120	14,238	2	1.6	00.0-04.0	16	15.1	06.1-24.1	25	22.6	12.8-32.4	43	35.4	24.4-46.4	33	25.1	15.1-35.1	1	0.2	00.0-00.6			
\$75,000+	72	11,031	3	2.9	00.0-06.2	11	15.9	04.7-27.1	17	27.2	14.3-40.1	26	31.4	17.7-45.1	15	22.6	10.1-35.1						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 11: Cancer Survivorship: Type of Cancer  
 TABLE 7: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	548	80,937	110	23.4	18.1-28.7	32	5.9	03.4-08.4	11	1.6	00.4-02.8	78	14.9	10.4-19.4	278	46.3	40.6-52.0	39	7.9	04.6-11.2
Male	252	39,757				10	5.7	02.0-09.4	7	2.2	00.2-04.2	68	27.2	19.2-35.2	150	56.3	47.7-64.9	17	8.6	02.9-14.3
Female	296	41,180	110	46.0	38.0-54.0	22	6.2	02.9-09.5	4	1.0	00.0-02.0	10	3.1	00.9-05.3	128	36.5	29.2-43.8	22	7.2	03.5-10.9
White/Non-Hisp	464	67,608	82	20.5	15.0-26.0	25	5.7	03.2-08.2	8	1.3	00.3-02.3	57	12.8	08.3-17.3	257	51.2	44.9-57.5	35	8.5	04.6-12.4
55-64	113	17,463	25	25.8	15.0-36.6	7	6.2	00.5-11.9	6	4.2	00.3-08.1	13	13.6	03.2-24.0	57	46.6	34.6-58.6	5	3.6	00.1-07.1
65+	370	51,046	65	18.9	13.2-24.6	18	4.7	02.2-07.2	4	0.7	00.0-01.5	58	17.8	11.7-23.9	196	49.2	42.1-56.3	29	8.9	04.8-13.0
H.S. or G.E.D.	133	22,455	33	31.8	20.2-43.4	6	3.7	00.2-07.2	3	1.9	00.0-04.3	13	14.5	03.1-25.9	65	38.0	27.0-49.0	13	10.1	01.9-18.3
Some Post-H.S.	153	25,680	31	20.8	11.0-30.6	9	4.2	01.1-07.3	3	1.3	00.0-02.9	21	13.9	07.2-20.6	79	49.4	38.8-60.0	10	10.3	03.2-17.4
College Graduate	236	28,299	41	19.5	12.6-26.4	11	6.4	02.1-10.7	4	1.6	00.0-03.6	42	16.6	10.1-23.1	122	50.9	42.5-59.3	16	5.1	02.2-08.0
\$15,000- 24,999	67	9,255	20	34.5	18.2-50.8	5	7.1	00.0-14.5	1	0.6	00.0-01.8	5	7.6	00.0-16.6	30	39.3	23.4-55.2	6	10.8	00.0-22.2
\$35,000- 49,999	62	8,913	13	25.0	09.9-40.1	2	5.4	00.0-13.0	2	2.5	00.0-06.0	9	14.2	04.2-24.2	30	39.6	24.3-54.9	6	13.3	01.5-25.1
\$50,000- 74,999	79	10,336	17	29.0	14.1-43.9	3	2.4	00.0-05.3	3	4.5	00.0-10.2	10	9.2	01.9-16.5	41	47.6	33.3-61.9	5	7.3	00.2-14.4
\$75,000+	173	28,053	30	19.1	11.5-26.7	7	5.0	00.9-09.1	3	1.2	00.0-02.8	34	18.0	09.6-26.4	87	48.6	38.4-58.8	12	8.1	01.0-15.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 11: Cancer Survivorship: Type of Cancer  
 TABLE 8: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	252	39,757	10	5.7	02.0-09.4	7	2.2	00.2-04.2	68	27.2	19.0-35.4	150	56.3	47.5-65.1	17	8.6	02.9-14.3
White/Non-Hisp	217	33,925	7	4.6	01.1-08.1	6	1.9	00.0-03.9	48	22.1	13.9-30.3	139	61.3	51.9-70.7	17	10.0	03.3-16.7
65+	182	26,584	4	2.7	00.0-05.4	4	1.3	00.0-02.7	51	30.9	20.7-41.1	109	56.8	46.4-67.2	14	8.4	02.7-14.1
H.S. or G.E.D.	52	9,715	1	1.7	00.0-05.0	1	2.3	00.0-06.8	12	32.7	10.6-54.8	33	50.0	29.0-71.0	5	13.4	00.0-30.5
Some Post-H.S.	70	13,091	3	4.0	00.0-08.5	2	1.6	00.0-04.0	16	21.2	09.8-32.6	44	62.5	48.6-76.4	5	10.7	00.3-21.1
College Graduate	116	13,916	4	6.1	00.0-12.2	3	2.8	00.0-06.7	38	30.8	18.6-43.0	64	55.2	42.5-67.9	7	5.0	01.1-08.9
\$75,000+	101	17,022	4	4.6	00.0-09.3	3	2.0	00.0-04.7	32	28.4	15.3-41.5	56	56.9	42.6-71.2	6	8.1	00.0-18.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 11: Cancer Survivorship: Type of Cancer  
 TABLE 9: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	296	41,180	110	46.0	38.2-53.8	22	6.2	02.9-09.5	4	1.0	00.0-02.0	10	3.1	00.9-05.3	128	36.5	29.2-43.8	22	7.2	03.5-10.9
White/Non-Hisp	247	33,683	82	41.1	32.3-49.9	18	6.8	02.9-10.7	2	0.6	00.0-01.6	9	3.5	01.0-06.0	118	41.0	33.0-49.0	18	6.9	02.6-11.2
55-64	66	9,058	25	49.7	34.4-65.0	4	3.8	00.0-08.3	4	4.5	00.0-09.2	1	1.6	00.0-04.7	28	35.4	21.7-49.1	4	5.0	00.0-10.9
65+	188	24,462	65	39.4	29.6-49.2	14	6.8	02.3-11.3				7	3.5	00.6-06.4	87	40.9	31.5-50.3	15	9.4	03.5-15.3
H.S. or G.E.D.	81	12,740	33	56.0	42.3-69.7	5	5.3	00.0-11.2	2	1.7	00.0-04.1	1	0.6	00.0-01.8	32	28.8	16.6-41.0	8	7.5	01.8-13.2
Some Post-H.S.	83	12,589	31	42.5	26.6-58.4	6	4.4	00.3-08.5	1	1.1	00.0-03.3	5	6.3	00.4-12.2	35	35.8	21.9-49.7	5	10.0	00.4-19.6
College Graduate	120	14,383	41	38.3	26.7-49.9	7	6.7	00.4-13.0	1	0.4	00.0-01.2	4	2.7	00.0-05.6	58	46.6	35.0-58.2	9	5.2	00.7-09.7
\$75,000+	72	11,031	30	48.5	33.8-63.2	3	5.7	00.0-13.1				2	2.1	00.0-05.0	31	35.6	22.3-48.9	6	8.1	00.0-17.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 12: Cancer Survivorship: Course of Treatment CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVRT3)	
1	MALES AND FEMALES	100
2	MALES ONLY	101
3	FEMALES ONLY	102
	WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVDOC1)	
4	MALES AND FEMALES	103
5	MALES ONLY	104
6	FEMALES ONLY	105
	DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)	
7	MALES AND FEMALES	106
8	MALES ONLY	107
9	FEMALES ONLY	108
	HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)	
10	MALES AND FEMALES	109
11	MALES ONLY	110
12	FEMALES ONLY	111
	WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)	
13	MALES AND FEMALES	112
14	MALES ONLY	113
15	FEMALES ONLY	114
	WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)	
16	MALES AND FEMALES	115
17	MALES ONLY	116
18	FEMALES ONLY	117
	WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEIN)	
19	MALES AND FEMALES	118
20	MALES ONLY	119
21	FEMALES ONLY	120

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020

MODULE 12: Cancer Survivorship: Course of Treatment CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)	
22	MALES AND FEMALES	121
23	MALES ONLY	122
24	FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 1: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVTRT3)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	544	80,180	68	12.3	08.4-16.2	331	63.0	57.5-68.5	1	0.0	00.0-00.0	22	3.1	01.5-04.7	122	21.5	17.0-26.0
Male	250	39,547	31	10.7	06.2-15.2	154	67.5	60.2-74.8	1	0.1	00.0-00.3	10	2.8	00.6-05.0	54	18.9	12.8-25.0
Female	294	40,632	37	13.9	07.4-20.4	177	58.7	50.9-66.5				12	3.5	01.3-05.7	68	24.0	17.3-30.7
White/Non-Hisp	461	66,949	55	12.4	07.9-16.9	278	62.1	56.2-68.0	1	0.0	00.0-00.0	19	3.3	01.5-05.1	108	22.2	17.3-27.1
55-64	114	17,525	14	12.4	05.0-19.8	76	65.6	54.4-76.8				5	4.8	00.5-09.1	19	17.2	08.2-26.2
65+	366	50,261	45	10.8	07.1-14.5	218	62.3	55.6-69.0	1	0.1	00.0-00.3	12	2.2	00.6-03.8	90	24.7	18.6-30.8
H.S. or G.E.D.	131	22,451	14	8.9	03.6-14.2	80	63.5	52.3-74.7				8	4.0	00.9-07.1	29	23.6	13.4-33.8
Some Post-H.S.	154	25,462	25	18.1	08.5-27.7	87	62.2	52.0-72.4				4	1.8	00.0-03.8	38	18.0	11.1-24.9
College Graduate	233	27,764	24	9.4	04.7-14.1	156	66.3	58.5-74.1	1	0.1	00.0-00.3	7	3.2	00.3-06.1	45	21.0	14.1-27.9
\$15,000- 24,999	66	9,220	5	6.5	00.4-12.6	35	52.4	35.7-69.1				4	5.8	00.1-11.5	22	35.4	19.3-51.5
\$35,000- 49,999	60	8,429	10	13.5	04.3-22.7	37	60.7	45.0-76.4				2	1.7	00.0-04.2	11	24.2	09.3-39.1
\$50,000- 74,999	80	10,234	14	19.8	08.6-31.0	45	55.1	40.6-69.6				3	3.1	00.0-07.8	18	21.9	08.6-35.2
\$75,000+	171	27,771	11	5.3	01.2-09.4	124	75.1	67.1-83.1				3	2.2	00.0-04.9	33	17.4	10.3-24.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 2: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVTRT3)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	250	39,547	31	10.7	06.2-15.2	154	67.5	60.2-74.8	1	0.1	00.0-00.3	10	2.8	00.6-05.0	54	18.9	12.8-25.0
Female	180	26,195	31	19.0	09.6-28.4	107	56.5	46.1-66.9				9	4.4	01.3-07.5	33	20.1	11.7-28.5
White/Non-Hisp	356	53,685	50	14.3	09.0-19.6	213	61.2	54.3-68.1	1	0.0	00.0-00.0	16	3.6	01.4-05.8	76	20.8	15.3-26.3
55-64	88	14,422	13	14.0	05.2-22.8	57	63.6	50.7-76.5				3	4.2	00.0-09.1	15	18.1	07.7-28.5
65+	292	40,830	41	12.3	08.0-16.6	176	63.6	56.3-70.9	1	0.1	00.0-00.3	11	2.6	00.6-04.6	63	21.5	15.0-28.0
H.S. or G.E.D.	105	19,317	14	10.3	04.0-16.6	66	67.5	55.3-79.7				7	3.9	00.6-07.2	18	18.3	07.7-28.9
Some Post-H.S.	121	20,511	22	20.5	09.1-31.9	66	58.2	46.4-70.0				4	2.2	00.0-04.6	29	19.0	11.0-27.0
College Graduate	180	21,496	22	11.2	05.5-16.9	121	67.3	58.5-76.1	1	0.1	00.0-00.3	5	3.5	00.0-07.2	31	17.9	10.8-25.0
\$15,000- 24,999	53	8,067	3	4.9	00.0-10.8	28	52.4	34.0-70.8				4	6.7	00.0-13.4	18	36.0	18.2-53.8
\$50,000- 74,999	67	9,071	14	22.4	09.9-34.9	38	53.7	37.8-69.6				2	3.2	00.0-08.5	13	20.7	06.0-35.4
\$75,000+	140	23,371	11	6.3	01.4-11.2	101	75.1	66.1-84.1				3	2.6	00.0-05.7	25	16.0	08.6-23.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 3: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVTRT3)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	133	22,445	25	15.0	07.9-22.1	80	65.0	54.4-75.6	4	2.0	00.0-04.2	24	18.1	09.9-26.3
Female	294	40,632	37	13.9	07.4-20.4	177	58.7	50.9-66.5	12	3.5	01.3-05.7	68	24.0	17.3-30.7
White/Non-Hisp	353	51,208	49	14.5	09.0-20.0	209	59.7	52.6-66.8	13	3.0	01.2-04.8	82	22.9	17.2-28.6
55-64	89	13,161	12	12.2	04.0-20.4	61	71.0	59.2-82.8	5	6.4	00.5-12.3	11	10.3	02.9-17.7
65+	284	39,592	41	12.9	08.4-17.4	166	58.5	50.7-66.3	6	1.0	00.0-02.0	71	27.5	20.2-34.8
H.S. or G.E.D.	106	18,475	13	9.2	03.5-14.9	61	61.6	48.9-74.3	7	4.6	00.9-08.3	25	24.6	13.2-36.0
Some Post-H.S.	116	18,158	22	22.4	10.1-34.7	64	57.1	44.6-69.6	3	1.9	00.0-04.3	27	18.6	10.0-27.2
College Graduate	185	22,632	22	11.4	05.7-17.1	125	65.2	56.2-74.2	5	2.1	00.0-04.5	33	21.3	13.5-29.1
\$15,000- 24,999	60	8,705	5	6.8	00.3-13.3	31	51.5	34.1-68.9	3	5.1	00.0-10.8	21	36.6	19.7-53.5
\$50,000- 74,999	57	7,272	13	24.2	10.1-38.3	33	52.6	34.6-70.6	3	4.4	00.0-11.1	8	18.8	01.4-36.2
\$75,000+	124	19,696	11	7.5	01.8-13.2	89	74.7	65.1-84.3	1	1.0	00.0-03.0	23	16.7	08.7-24.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 4: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	325	49,830	12	6.2	01.7-10.7	216	64.1	56.7-71.5	8	3.5	00.6-06.4	5	2.7	00.0-05.4	18	5.1	02.0-08.2	66	18.4	12.7-24.1
Male	150	26,277	6	6.6	00.0-13.9	104	65.7	54.5-76.9				3	4.3	00.0-09.4	6	3.9	00.0-08.6	31	19.6	10.8-28.4
Female	175	23,553	6	5.7	00.2-11.2	112	62.4	52.8-72.0	8	7.4	01.1-13.7	2	0.9	00.0-02.3	12	6.5	02.2-10.8	35	17.1	10.0-24.2
White/Non-Hisp	273	40,894	8	3.3	00.4-06.2	180	65.0	57.2-72.8	4	2.2	00.0-04.7	5	3.2	00.0-06.5	17	6.1	02.2-10.0	59	20.1	13.6-26.6
55-64	74	11,152	4	17.4	00.7-34.1	42	51.6	35.7-67.5	2	2.4	00.0-05.7	1	1.5	00.0-04.4	5	6.8	00.3-13.3	20	20.4	09.6-31.2
65+	214	30,948	7	2.7	00.3-05.1	154	73.5	65.5-81.5	1	0.1	00.0-00.3	4	3.7	00.0-08.0	9	4.7	00.2-09.2	39	15.2	09.1-21.3
H.S. or G.E.D.	77	13,922	5	12.2	00.0-25.5	48	51.6	35.1-68.1	2	6.4	00.0-15.2	2	3.7	00.0-10.4	3	3.9	00.0-08.8	17	22.1	08.2-36.0
Some Post-H.S.	86	15,778				57	70.7	59.1-82.3	3	4.0	00.0-09.1	2	4.0	00.0-09.9	5	3.6	00.1-07.1	19	17.6	08.2-27.0
College Graduate	154	18,078	6	6.1	00.2-12.0	106	67.3	57.1-77.5	2	1.1	00.0-02.9	1	0.9	00.0-02.7	10	8.0	00.7-15.3	29	16.7	09.4-24.0
\$75,000+	124	20,849	5	5.2	00.0-10.7	89	67.0	55.4-78.6				4	4.0	00.0-08.9	7	4.4	00.7-08.1	19	19.4	08.8-30.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 5 WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVDOC1)**  
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	150	26,277	6	6.6	00.0-13.9	104	65.7	54.5-76.9	3	4.3	00.0-09.4	6	3.9	00.0-08.6	31	19.6	10.8-28.4
White/Non-Hisp	130	22,135	4	2.5	00.0-05.6	91	68.1	56.5-79.7	3	5.1	00.0-11.0	5	4.3	00.0-10.0	27	20.0	10.2-29.8
65+	109	18,115	3	2.1	00.0-05.2	82	74.3	62.9-85.7	3	6.2	00.0-13.5	2	3.5	00.0-10.0	19	14.0	06.7-21.3
College Graduate	70	8,406	2	3.9	00.0-10.8	52	73.0	57.9-88.1				3	8.3	00.0-21.8	13	14.9	05.3-24.5
\$75,000+	72	12,912	1	2.3	00.0-06.8	54	72.3	57.0-87.6	2	4.9	00.0-12.2	3	2.0	00.0-04.7	12	18.5	04.2-32.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 6: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVDOC1)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	175	23,553	6	5.7	00.2-11.2	112	62.4	52.8-72.0	8	7.4	01.1-13.7	2	0.9	00.0-02.3	12	6.5	02.4-10.6	35	17.1	10.0-24.2
White/Non-Hisp	143	18,759	4	4.3	00.0-09.4	89	61.4	51.0-71.8	4	4.8	00.0-10.3	2	1.1	00.0-02.9	12	8.1	02.8-13.4	32	20.3	11.9-28.7
65+	105	12,833	4	3.6	00.0-07.5	72	72.4	61.0-83.8	1	0.2	00.0-00.6	1	0.3	00.0-00.9	7	6.5	00.6-12.4	20	17.0	07.0-27.0
College Graduate	84	9,671	4	7.9	00.0-17.1	54	62.4	48.7-76.1	2	2.0	00.0-05.3	1	1.8	00.0-05.3	7	7.7	00.6-14.8	16	18.2	07.4-29.0
\$75,000+	52	7,937	4	10.1	00.0-22.1	35	58.2	40.6-75.8				2	2.6	00.0-06.9	4	8.3	00.0-17.1	7	20.8	05.1-36.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 7: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)**  
 Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	316	48,951	161	51.6	44.0-59.2	155	48.4	40.8-56.0
Male	151	26,390	73	52.7	41.7-63.7	78	47.3	36.3-58.3
Female	165	22,561	88	50.3	40.1-60.5	77	49.7	39.5-59.9
White/Non-Hisp	265	40,103	131	50.3	42.1-58.5	134	49.7	41.5-57.9
55-64	73	11,173	37	53.4	37.5-69.3	36	46.6	30.7-62.5
65+	208	30,305	102	49.5	40.1-58.9	106	50.5	41.1-59.9
H.S. or G.E.D.	77	14,003	35	47.8	31.1-64.5	42	52.2	35.5-68.9
Some Post-H.S.	83	15,408	43	48.1	35.0-61.2	40	51.9	38.8-65.0
College Graduate	148	17,487	79	58.9	48.7-69.1	69	41.1	30.9-51.3
\$75,000+	120	20,405	62	54.6	42.4-66.8	58	45.4	33.2-57.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 8: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)**  
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	151	26,390	73	52.7	41.7-63.7	78	47.3	36.3-58.3
White/Non-Hisp	131	22,209	63	53.3	41.5-65.1	68	46.7	34.9-58.5
65+	110	18,130	48	49.4	36.7-62.1	62	50.6	37.9-63.3
College Graduate	70	8,609	33	57.4	43.5-71.3	37	42.6	28.7-56.5
\$75,000+	70	12,634	36	61.1	46.0-76.2	34	38.9	23.8-54.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 9: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)**  
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	165	22,561	88	50.3	40.3-60.3	77	49.7	39.7-59.7
White/Non-Hisp	134	17,893	68	46.4	35.6-57.2	66	53.6	42.8-64.4
65+	98	12,175	54	49.8	36.5-63.1	44	50.2	36.9-63.5
College Graduate	78	8,878	46	60.3	45.8-74.8	32	39.7	25.2-54.2
\$75,000+	50	7,771	26	43.9	26.5-61.3	24	56.1	38.7-73.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 10: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)  
 Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	325	49,839	234	71.7	64.4-79.0	91	28.3	21.0-35.6
Male	150	26,231	110	70.3	59.1-81.5	40	29.7	18.5-40.9
Female	175	23,608	124	73.2	64.4-82.0	51	26.8	18.0-35.6
White/Non-Hisp	275	41,116	197	71.9	64.3-79.5	78	28.1	20.5-35.7
55-64	74	11,244	54	67.9	51.2-84.6	20	32.1	15.4-48.8
65+	214	30,865	148	68.9	59.7-78.1	66	31.1	21.9-40.3
H.S. or G.E.D.	80	14,260	48	56.7	39.8-73.6	32	43.3	26.4-60.2
Some Post-H.S.	84	15,435	64	79.0	68.0-90.0	20	21.0	10.0-32.0
College Graduate	154	18,307	117	76.4	66.8-86.0	37	23.6	14.0-33.2
\$75,000+	123	20,773	94	76.3	64.9-87.7	29	23.7	12.3-35.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 11: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	150	26,231	110	70.3	59.1-81.5	40	29.7	18.5-40.9
White/Non-Hisp	130	22,051	94	71.3	59.7-82.9	36	28.7	17.1-40.3
65+	108	17,796	76	67.1	54.2-80.0	32	32.9	20.0-45.8
College Graduate	71	8,711	50	70.6	55.9-85.3	21	29.4	14.7-44.1
\$75,000+	72	12,912	57	76.9	61.0-92.8	15	23.1	07.2-39.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 12: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)**  
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	175	23,608	124	73.2	64.4-82.0	51	26.8	18.0-35.6
White/Non-Hisp	145	19,065	103	72.6	63.0-82.2	42	27.4	17.8-37.0
65+	106	13,069	72	71.4	59.8-83.0	34	28.6	17.0-40.2
College Graduate	83	9,596	67	81.6	69.8-93.4	16	18.4	06.6-30.2
\$75,000+	51	7,861	37	75.3	60.0-90.6	14	24.7	09.4-40.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 13: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)**  
Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	223	33,968	194	91.2	87.3-95.1	29	8.8	04.9-12.7
Male	108	18,225	89	87.0	80.1-93.9	19	13.0	06.1-19.9
Female	115	15,743	105	96.1	93.2-99.0	10	3.9	01.0-06.8
White/Non-Hisp	186	27,808	159	90.0	85.5-94.5	27	10.0	05.5-14.5
55-64	53	7,593	48	95.1	90.2-0100	5	4.9	00.0-09.8
65+	138	19,571	116	88.4	82.5-94.3	22	11.6	05.7-17.5
Some Post-H.S.	60	11,162	52	90.2	82.6-97.8	8	9.8	02.2-17.4
College Graduate	112	13,548	97	89.2	82.3-96.1	15	10.8	03.9-17.7
\$75,000+	91	15,216	79	92.0	86.3-97.7	12	8.0	02.3-13.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 14: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)**  
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	108	18,225	89	87.0	80.1-93.9	19	13.0	06.1-19.9
White/Non-Hisp	92	15,502	75	85.9	78.3-93.5	17	14.1	06.5-21.7
65+	75	11,779	59	83.6	74.2-93.0	16	16.4	07.0-25.8
\$75,000+	56	9,767	46	88.1	79.3-96.9	10	11.9	03.1-20.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 15: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)**  
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	115	15,743	105	96.1	93.2-99.0	10	3.9	01.0-06.8
White/Non-Hisp	94	12,306	84	95.1	91.4-98.8	10	4.9	01.2-08.6
65+	63	7,791	57	95.7	91.6-99.8	6	4.3	00.2-08.4
College Graduate	63	7,567	58	96.6	93.1-0100	5	3.4	00.0-06.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 16: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	327	50,145	318	97.6	95.6-99.6	9	2.4	00.4-04.4
Male	152	26,452	147	97.3	94.8-99.8	5	2.7	00.2-05.2
Female	175	23,693	171	97.8	95.1-0100	4	2.2	00.0-04.9
White/Non-Hisp	276	41,297	270	98.2	96.4-0100	6	1.8	00.0-03.6
55-64	76	11,495	73	97.7	95.0-0100	3	2.3	00.0-05.0
65+	214	30,920	210	97.5	94.8-0100	4	2.5	00.0-05.2
H.S. or G.E.D.	79	14,221	75	95.7	90.8-0100	4	4.3	00.0-09.2
Some Post-H.S.	86	15,706	85	99.6	98.8-0100	1	0.4	00.0-01.2
College Graduate	155	18,383	152	97.6	94.5-0100	3	2.4	00.0-05.5
\$75,000+	124	20,849	121	98.7	97.3-0100	3	1.3	00.0-02.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 17: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)**  
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	152	26,452	147	97.3	94.8-99.8	5	2.7	00.2-05.2
White/Non-Hisp	132	22,271	129	98.6	97.0-0100	3	1.4	00.0-03.0
65+	110	18,017	107	97.3	94.0-0100	3	2.7	00.0-06.0
College Graduate	71	8,711	69	95.7	89.2-0100	2	4.3	00.0-10.8
\$75,000+	72	12,912	71	99.2	97.6-0100	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 18: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)**  
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	175	23,693	171	97.8	95.3-0100	4	2.2	00.0-04.7
White/Non-Hisp	144	19,025	141	97.7	94.6-0100	3	2.3	00.0-05.4
65+	104	12,903	103	97.7	93.2-0100	1	2.3	00.0-06.8
College Graduate	84	9,671	83	99.3	97.9-0100	1	0.7	00.0-02.1
\$75,000+	52	7,937	50	98.0	95.1-0100	2	2.0	00.0-04.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 19: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	329	50,311	10	3.2	00.8-05.6	319	96.8	94.4-99.2
Male	152	26,452	2	2.3	00.0-05.4	150	97.7	94.6-0100
Female	177	23,859	8	4.2	00.9-07.5	169	95.8	92.5-99.1
White/Non-Hisp	277	41,336	6	2.7	00.2-05.2	271	97.3	94.8-99.8
55-64	76	11,495	3	5.9	00.0-13.2	73	94.1	86.8-0100
65+	216	31,086	5	1.7	00.0-03.5	211	98.3	96.5-0100
H.S. or G.E.D.	80	14,260	2	1.5	00.0-03.7	78	98.5	96.3-0100
Some Post-H.S.	87	15,832	1	0.6	00.0-01.8	86	99.4	98.2-0100
College Graduate	155	18,383	7	7.1	01.2-13.0	148	92.9	87.0-98.8
\$75,000+	124	20,849	7	5.2	00.7-09.7	117	94.8	90.3-99.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 20: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)**  
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	152	26,452	2	2.3	00.0-05.4	150	97.7	94.6-0100
White/Non-Hisp	132	22,271	2	2.7	00.0-06.4	130	97.3	93.6-0100
65+	110	18,017				110	100.0	0100-0100
College Graduate	71	8,711	2	7.0	00.0-16.2	69	93.0	83.8-0100
\$75,000+	72	12,912	1	2.3	00.0-06.8	71	97.7	93.2-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 21: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)**  
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	177	23,859	8	4.2	00.9-07.5	169	95.8	92.5-99.1
White/Non-Hisp	145	19,065	4	2.6	00.0-05.9	141	97.4	94.1-0100
65+	106	13,069	5	4.1	00.0-08.2	101	95.9	91.8-0100
College Graduate	84	9,671	5	7.2	00.0-14.6	79	92.8	85.4-0100
\$75,000+	52	7,937	6	10.0	00.6-19.4	46	90.0	80.6-99.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 22: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	327	50,086	23	9.7	04.0-15.4	304	90.3	84.6-96.0
Male	151	26,276	9	11.6	01.8-21.4	142	88.4	78.6-98.2
Female	176	23,810	14	7.7	02.8-12.6	162	92.3	87.4-97.2
White/Non-Hisp	276	41,161	17	7.9	02.4-13.4	259	92.1	86.6-97.6
55-64	75	11,320	6	12.3	00.0-27.2	69	87.7	72.8-100.0
65+	216	31,086	14	7.6	02.3-12.9	202	92.4	87.1-97.7
H.S. or G.E.D.	79	14,085	6	16.1	00.2-32.0	73	83.9	68.0-99.8
Some Post-H.S.	86	15,783	6	4.9	00.4-09.4	80	95.1	90.6-99.6
College Graduate	155	18,383	10	8.2	00.8-15.6	145	91.8	84.4-99.2
\$75,000+	123	20,673	6	6.9	00.0-15.5	117	93.1	84.5-100.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 23: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)**  
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	151	26,276	9	11.6	01.6-21.6	142	88.4	78.4-98.4
White/Non-Hisp	131	22,096	6	9.0	00.0-18.4	125	91.0	81.6-0100
65+	110	18,017	4	5.1	00.0-12.0	106	94.9	88.0-0100
College Graduate	71	8,711	4	12.1	00.0-26.0	67	87.9	74.0-0100
\$75,000+	71	12,737	2	7.5	00.0-20.6	69	92.5	79.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 24: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)**  
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	176	23,810	14	7.7	02.8-12.6	162	92.3	87.4-97.2
White/Non-Hisp	145	19,065	11	6.7	01.8-11.6	134	93.3	88.4-98.2
65+	106	13,069	10	11.2	03.2-19.2	96	88.8	80.8-96.8
College Graduate	84	9,671	6	4.8	00.0-10.3	78	95.2	89.7-0100
\$75,000+	52	7,937	4	6.0	00.0-13.1	48	94.0	86.9-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020

MODULE 13: Cancer Survivorship: Pain Management CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 13: Cancer Survivorship: Pain Management**

**TABLE 1: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRPAIN)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	458	66,541	21	5.4	02.3-08.5	437	94.6	91.5-97.7
Male	224	35,562	5	2.7	00.0-05.4	219	97.3	94.6-0100
Female	234	30,979	16	8.5	02.6-14.4	218	91.5	85.6-97.4
White/Non-Hisp	394	56,235	15	3.8	01.3-06.3	379	96.2	93.7-98.7
55-64	96	14,641	10	10.5	02.7-18.3	86	89.5	81.7-97.3
65+	316	43,214	10	4.1	00.4-07.8	306	95.9	92.2-99.6
H.S. or G.E.D.	106	18,387	5	6.0	00.0-13.1	101	94.0	86.9-0100
Some Post-H.S.	124	20,469	7	5.2	00.0-10.5	117	94.8	89.5-0100
College Graduate	211	24,750	9	5.7	01.0-10.4	202	94.3	89.6-99.0
\$35,000- 49,999	51	7,495	5	8.2	00.0-17.0	46	91.8	83.0-0100
\$50,000- 74,999	67	7,967	3	2.8	00.0-06.5	64	97.2	93.5-0100
\$75,000+	152	24,750	5	4.4	00.0-09.3	147	95.6	90.7-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 13: Cancer Survivorship: Pain Management  
 TABLE 2: &titl11.**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	224	35,562	5	2.7	00.0-05.4	219	97.3	94.6-0100
White/Non-Hisp	197	30,943	4	2.9	00.0-05.8	193	97.1	94.2-0100
65+	166	24,370	2	1.2	00.0-03.0	164	98.8	97.0-0100
Some Post-H.S.	62	11,746	1	0.6	00.0-02.0	61	99.4	98.0-0100
College Graduate	104	12,329	3	5.6	00.0-12.3	101	94.4	87.7-0100
\$75,000+	92	15,708	1	1.9	00.0-05.6	91	98.1	94.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
 MODULE 13: Cancer Survivorship: Pain Management  
 TABLE 3: &titl11.**

**Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	234	30,979	16	8.5	02.6-14.4	218	91.5	85.6-97.4
White/Non-Hisp	197	25,292	11	4.9	00.6-09.2	186	95.1	90.8-99.4
55-64	55	7,548	8	15.1	02.8-27.4	47	84.9	72.6-97.2
65+	150	18,844	8	7.9	00.0-15.9	142	92.1	84.1-0100
H.S. or G.E.D.	59	9,157	4	9.9	00.0-22.8	55	90.1	77.2-0100
Some Post-H.S.	62	8,724	6	11.4	00.0-23.4	56	88.6	76.6-0100
College Graduate	107	12,421	6	5.9	00.0-12.8	101	94.1	87.2-0100
\$75,000+	60	9,041	4	8.7	00.0-20.1	56	91.3	79.9-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 13: Cancer Survivorship: Pain Management  
TABLE 4: WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)  
Denominator excludes: Respondents with refused/missing responses**

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 13: Cancer Survivorship: Pain Management  
TABLE 5: &titl12.

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020  
MODULE 13: Cancer Survivorship: Pain Management  
TABLE 6: &titl12.

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2020**

End of Module Data Report