

DELAWARE

2006 Calculated Variables Report

Behavioral Risk Factor Surveillance System

February 1, 2007



SECTION 1: HEALTH STATUS CONTENTS

*** NOTE *** * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	CALCULATED VARIABLE FOR HEALTH STATUS (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 1: HEALTH STATUS**

**TABLE 1: CALCULATED VARIABLE FOR HEALTH STATUS (_RFHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4001	651,965	3412	87.9	86.5-89.3	589	12.1	10.7-13.5
Male	1487	312,215	1277	88.9	86.9-90.9	210	11.1	09.1-13.1
Female	2514	339,750	2135	87.0	85.2-88.8	379	13.0	11.2-14.8
White/Non-Hisp	3230	506,487	2764	88.0	86.6-89.4	466	12.0	10.6-13.4
Black or Afr. Am./Non-Hisp	448	80,499	378	88.9	85.6-92.2	70	11.1	07.8-14.4
Oth. Race/Non-Hisp.	100	19,216	83	85.8	76.8-94.8	17	14.2	05.2-23.2
MultiRacial/Non-Hisp.	113	17,243	94	85.4	77.4-93.4	19	14.6	06.6-22.6
Hispanic	90	25,764	76	88.9	81.1-96.7	14	11.1	03.3-18.9
18-24	225	83,721	210	92.5	88.0-97.0	15	7.5	03.0-12.0
25-34	468	111,883	434	94.9	92.7-97.1	34	5.1	02.9-07.3
35-44	686	126,199	621	90.8	88.1-93.5	65	9.2	06.5-11.9
45-54	834	120,050	700	87.7	85.0-90.4	134	12.3	09.6-15.0
55-64	742	92,540	627	84.7	81.2-88.2	115	15.3	11.8-18.8
65+	1014	113,910	791	77.4	74.1-80.7	223	22.6	19.3-25.9
Less Than H.S.	269	42,675	175	71.7	63.5-79.9	94	28.3	20.1-36.5
H.S. or G.E.D.	1320	198,214	1092	83.8	81.1-86.5	228	16.2	13.5-18.9
Some Post-H.S.	1026	167,107	884	89.8	87.6-92.0	142	10.2	08.0-12.4
College Graduate	1382	243,347	1258	92.8	91.2-94.4	124	7.2	05.6-08.8
Less than \$15,000	402	55,433	301	77.5	72.0-83.0	101	22.5	17.0-28.0
\$15,000- 24,999	359	42,347	225	67.6	60.7-74.5	134	32.4	25.5-39.3
\$25,000- 34,999	349	46,537	280	79.9	74.2-85.6	69	20.1	14.4-25.8
\$35,000- 49,999	564	85,133	489	85.1	81.0-89.2	75	14.9	10.8-19.0
\$50,000- 74,999	653	113,891	602	93.8	91.6-96.0	51	6.2	04.0-08.4
\$75,000+	1050	216,227	984	95.3	93.7-96.9	66	4.7	03.1-06.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 1: HEALTH STATUS**

TABLE 2: CALCULATED VARIABLE FOR HEALTH STATUS (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1487	312,215	1277	88.9	86.9-90.9	210	11.1	09.1-13.1
White/Non-Hisp	1215	244,535	1052	89.0	86.8-91.2	163	11.0	08.8-13.2
Black or Afr. Am./Non-Hisp	153	37,454	136	92.0	87.5-96.5	17	8.0	03.5-12.5
18-24	82	42,039	77	94.7	88.6-0100	5	5.3	00.0-11.4
25-34	168	55,451	153	93.8	90.1-97.5	15	6.2	02.5-09.9
35-44	256	61,957	236	92.3	88.6-96.0	20	7.7	04.0-11.4
45-54	324	58,614	272	86.6	81.9-91.3	52	13.4	08.7-18.1
55-64	289	44,061	247	85.8	80.5-91.1	42	14.2	08.9-19.5
65+	360	48,789	284	79.5	74.6-84.4	76	20.5	15.6-25.4
Less Than H.S.	116	22,182	81	75.9	65.9-85.9	35	24.1	14.1-34.1
H.S. or G.E.D.	463	99,150	390	86.3	82.2-90.4	73	13.7	09.6-17.8
Some Post-H.S.	354	72,789	301	89.2	85.5-92.9	53	10.8	07.1-14.5
College Graduate	553	117,921	504	93.4	91.0-95.8	49	6.6	04.2-09.0
Less than \$15,000	129	27,256	90	74.4	64.6-84.2	39	25.6	15.8-35.4
\$25,000- 34,999	127	22,382	101	83.0	75.0-91.0	26	17.0	09.0-25.0
\$35,000- 49,999	222	41,412	186	82.8	76.1-89.5	36	17.2	10.5-23.9
\$50,000- 74,999	279	56,351	255	93.8	90.9-96.7	24	6.2	03.3-09.1
\$75,000+	484	119,345	456	95.1	92.7-97.5	28	4.9	02.5-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 1: HEALTH STATUS**

TABLE 3: CALCULATED VARIABLE FOR HEALTH STATUS (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2514	339,750	2135	87.0	85.2-88.8	379	13.0	11.2-14.8
White/Non-Hisp	2015	261,953	1712	87.0	85.0-89.0	303	13.0	11.0-15.0
Black or Afr. Am./Non-Hisp	295	43,045	242	86.2	81.5-90.9	53	13.8	09.1-18.5
Hispanic	58	14,490	53	92.3	83.3-0100	5	7.7	00.0-16.7
18-24	143	41,682	133	90.3	83.6-97.0	10	9.7	03.0-16.4
25-34	300	56,432	281	96.0	94.0-98.0	19	4.0	02.0-06.0
35-44	430	64,242	385	89.3	85.4-93.2	45	10.7	06.8-14.6
45-54	510	61,436	428	88.7	85.8-91.6	82	11.3	08.4-14.2
55-64	453	48,479	380	83.7	79.2-88.2	73	16.3	11.8-20.8
65+	654	65,121	507	75.8	71.3-80.3	147	24.2	19.7-28.7
H.S. or G.E.D.	857	99,064	702	81.2	77.5-84.9	155	18.8	15.1-22.5
Some Post-H.S.	672	94,318	583	90.3	87.6-93.0	89	9.7	07.0-12.4
College Graduate	829	125,426	754	92.3	90.1-94.5	75	7.7	05.5-09.9
Less than \$15,000	273	28,177	211	80.5	75.0-86.0	62	19.5	14.0-25.0
\$15,000- 24,999	278	29,736	179	67.3	59.3-75.3	99	32.7	24.7-40.7
\$25,000- 34,999	222	24,156	179	77.1	69.7-84.5	43	22.9	15.5-30.3
\$35,000- 49,999	342	43,721	303	87.3	82.2-92.4	39	12.7	07.6-17.8
\$50,000- 74,999	374	57,540	347	93.7	90.8-96.6	27	6.3	03.4-09.2
\$75,000+	566	96,882	528	95.5	93.7-97.3	38	4.5	02.7-06.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 4: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4002	651,997	3011	78.4	76.6-80.2	991	21.6	19.8-23.4
Male	1488	312,247	1168	82.7	80.3-85.1	320	17.3	14.9-19.7
Female	2514	339,750	1843	74.5	72.1-76.9	671	25.5	23.1-27.9
White/Non-Hisp	3231	506,519	2479	80.1	78.3-81.9	752	19.9	18.1-21.7
Black or Afr. Am./Non-Hisp	448	80,499	303	71.3	65.2-77.4	145	28.7	22.6-34.8
MultiRacial/Non-Hisp.	113	17,243	82	76.0	66.0-86.0	31	24.0	14.0-34.0
18-24	225	83,721	177	85.6	79.9-91.3	48	14.4	08.7-20.1
25-34	468	111,883	388	86.5	82.6-90.4	80	13.5	09.6-17.4
35-44	686	126,199	528	77.1	73.0-81.2	158	22.9	18.8-27.0
45-54	834	120,050	643	79.2	75.7-82.7	191	20.8	17.3-24.3
55-64	743	92,572	551	73.2	68.9-77.5	192	26.8	22.5-31.1
65+	1014	113,910	700	70.1	66.6-73.6	314	29.9	26.4-33.4
Less Than H.S.	269	42,675	149	66.3	57.5-75.1	120	33.7	24.9-42.5
H.S. or G.E.D.	1320	198,214	897	70.8	67.3-74.3	423	29.2	25.7-32.7
Some Post-H.S.	1026	167,107	795	79.9	76.6-83.2	231	20.1	16.8-23.4
College Graduate	1383	243,378	1168	85.9	83.5-88.3	215	14.1	11.7-16.5
Less than \$15,000	402	55,433	266	69.8	63.5-76.1	136	30.2	23.9-36.5
\$15,000- 24,999	359	42,347	183	49.7	41.7-57.7	176	50.3	42.3-58.3
\$25,000- 34,999	349	46,537	246	69.9	62.6-77.2	103	30.1	22.8-37.4
\$35,000- 49,999	564	85,133	428	73.9	68.6-79.2	136	26.1	20.8-31.4
\$50,000- 74,999	654	113,923	522	82.4	78.7-86.1	132	17.6	13.9-21.3
\$75,000+	1050	216,227	897	88.1	85.9-90.3	153	11.9	09.7-14.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 4: EXERCISE**

**TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1488	312,247	1168	82.7	80.3-85.1	320	17.3	14.9-19.7
White/Non-Hisp	1216	244,566	964	83.7	81.2-86.2	252	16.3	13.8-18.8
Black or Afr. Am./Non-Hisp	153	37,454	113	77.2	67.8-86.6	40	22.8	13.4-32.2
18-24	82	42,039	75	95.0	90.1-99.9	7	5.0	00.1-09.9
25-34	168	55,451	142	87.3	81.0-93.6	26	12.7	06.4-19.0
35-44	256	61,957	202	79.7	73.2-86.2	54	20.3	13.8-26.8
45-54	324	58,614	262	83.0	77.9-88.1	62	17.0	11.9-22.1
55-64	290	44,093	214	77.4	71.3-83.5	76	22.6	16.5-28.7
65+	360	48,789	265	74.9	69.6-80.2	95	25.1	19.8-30.4
H.S. or G.E.D.	463	99,150	331	77.6	72.7-82.5	132	22.4	17.5-27.3
Some Post-H.S.	354	72,789	278	81.0	75.5-86.5	76	19.0	13.5-24.5
College Graduate	554	117,953	485	90.5	87.8-93.2	69	9.5	06.8-12.2
Less than \$15,000	129	27,256	87	76.5	67.5-85.5	42	23.5	14.5-32.5
\$35,000- 49,999	222	41,412	168	74.3	66.1-82.5	54	25.7	17.5-33.9
\$50,000- 74,999	280	56,382	224	86.9	82.4-91.4	56	13.1	08.6-17.6
\$75,000+	484	119,345	424	89.9	87.0-92.8	60	10.1	07.2-13.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 4: EXERCISE**

TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2514	339,750	1843	74.5	72.1-76.9	671	25.5	23.1-27.9
White/Non-Hisp	2015	261,953	1515	76.7	74.2-79.2	500	23.3	20.8-25.8
Black or Afr. Am./Non-Hisp	295	43,045	190	66.1	58.1-74.1	105	33.9	25.9-41.9
18-24	143	41,682	102	76.1	66.1-86.1	41	23.9	13.9-33.9
25-34	300	56,432	246	85.7	81.0-90.4	54	14.3	09.6-19.0
35-44	430	64,242	326	74.6	69.3-79.9	104	25.4	20.1-30.7
45-54	510	61,436	381	75.6	70.9-80.3	129	24.4	19.7-29.1
55-64	453	48,479	337	69.5	63.6-75.4	116	30.5	24.6-36.4
65+	654	65,121	435	66.6	61.9-71.3	219	33.4	28.7-38.1
H.S. or G.E.D.	857	99,064	566	64.0	59.3-68.7	291	36.0	31.3-40.7
Some Post-H.S.	672	94,318	517	79.1	75.0-83.2	155	20.9	16.8-25.0
College Graduate	829	125,426	683	81.7	78.2-85.2	146	18.3	14.8-21.8
Less than \$15,000	273	28,177	179	63.4	55.8-71.0	94	36.6	29.0-44.2
\$15,000- 24,999	278	29,736	143	47.3	38.5-56.1	135	52.7	43.9-61.5
\$25,000- 34,999	222	24,156	155	68.8	61.2-76.4	67	31.2	23.6-38.8
\$35,000- 49,999	342	43,721	260	73.6	66.7-80.5	82	26.4	19.5-33.3
\$50,000- 74,999	374	57,540	298	78.1	72.0-84.2	76	21.9	15.8-28.0
\$75,000+	566	96,882	473	85.8	82.5-89.1	93	14.2	10.9-17.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006

SECTION 6: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	14
5	MALES ONLY	15
6	FEMALES ONLY	16
	ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENTVST)	
7	MALES AND FEMALES	17
8	MALES ONLY	18
9	FEMALES ONLY	19

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

**TABLE 1: RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3960	646,822	1823	55.3	53.1-57.5	2137	44.7	42.5-46.9
Male	1472	309,476	664	55.5	52.0-59.0	808	44.5	41.0-48.0
Female	2488	337,347	1159	55.1	52.4-57.8	1329	44.9	42.2-47.6
White/Non-Hisp	3199	503,962	1486	55.0	52.6-57.4	1713	45.0	42.6-47.4
Black or Afr. Am./Non-Hisp	441	78,398	176	52.2	45.3-59.1	265	47.8	40.9-54.7
18-24	225	83,721	192	87.9	82.6-93.2	33	12.1	06.8-17.4
25-34	468	111,883	356	78.7	73.8-83.6	112	21.3	16.4-26.2
35-44	685	126,037	453	64.7	60.0-69.4	232	35.3	30.6-40.0
45-54	827	118,532	366	47.9	43.2-52.6	461	52.1	47.4-56.8
55-64	733	91,265	254	37.0	32.3-41.7	479	63.0	58.3-67.7
65+	992	112,144	191	20.2	17.1-23.3	801	79.8	76.7-82.9
H.S. or G.E.D.	1301	196,561	437	41.5	37.2-45.8	864	58.5	54.2-62.8
Some Post-H.S.	1018	165,823	468	55.0	50.7-59.3	550	45.0	40.7-49.3
College Graduate	1374	242,532	866	69.5	66.4-72.6	508	30.5	27.4-33.6
Less than \$15,000	398	55,252	116	39.4	31.2-47.6	282	60.6	52.4-68.8
\$15,000- 24,999	352	40,950	84	33.4	25.2-41.6	268	66.6	58.4-74.8
\$25,000- 34,999	344	46,156	123	37.6	29.8-45.4	221	62.4	54.6-70.2
\$35,000- 49,999	563	85,025	235	51.3	45.4-57.2	328	48.7	42.8-54.6
\$50,000- 74,999	647	112,176	348	59.8	54.3-65.3	299	40.2	34.7-45.7
\$75,000+	1047	215,877	682	69.0	65.3-72.7	365	31.0	27.3-34.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH

TABLE 2: RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 3: RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2488	337,347	1159	55.1	52.4-57.8	1329	44.9	42.2-47.6
White/Non-Hisp	1995	260,734	936	55.1	52.0-58.2	1059	44.9	41.8-48.0
Black or Afr. Am./Non-Hisp	291	42,031	114	51.6	43.2-60.0	177	48.4	40.0-56.8
18-24	143	41,682	121	87.6	80.9-94.3	22	12.4	05.7-19.1
25-34	300	56,432	225	77.5	71.6-83.4	75	22.5	16.6-28.4
35-44	430	64,242	299	69.5	64.0-75.0	131	30.5	25.0-36.0
45-54	508	61,281	234	50.2	44.3-56.1	274	49.8	43.9-55.7
55-64	447	47,541	151	34.9	29.2-40.6	296	65.1	59.4-70.8
65+	637	63,887	119	19.7	15.8-23.6	518	80.3	76.4-84.2
H.S. or G.E.D.	844	98,387	268	37.1	32.2-42.0	576	62.9	58.0-67.8
Some Post-H.S.	668	93,442	317	56.9	51.6-62.2	351	43.1	37.8-48.4
College Graduate	824	125,050	546	70.8	66.9-74.7	278	29.2	25.3-33.1
Less than \$15,000	269	27,996	71	29.4	22.1-36.7	198	70.6	63.3-77.9
\$15,000- 24,999	273	29,265	66	33.3	23.7-42.9	207	66.7	57.1-76.3
\$25,000- 34,999	220	24,053	83	35.2	27.2-43.2	137	64.8	56.8-72.8
\$35,000- 49,999	341	43,613	152	51.2	43.8-58.6	189	48.8	41.4-56.2
\$50,000- 74,999	371	56,754	221	64.3	57.0-71.6	150	35.7	28.4-43.0
\$75,000+	566	96,882	400	75.6	71.3-79.9	166	24.4	20.1-28.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	992	112,144	789	82.2	79.3-85.1	203	17.8	14.9-20.7
Male	355	48,257	294	84.8	80.7-88.9	61	15.2	11.1-19.3
Female	637	63,887	495	80.2	76.3-84.1	142	19.8	15.9-23.7
White/Non-Hisp	893	100,904	710	81.7	78.6-84.8	183	18.3	15.2-21.4
65+	992	112,144	789	82.2	79.3-85.1	203	17.8	14.9-20.7
H.S. or G.E.D.	387	39,052	300	80.4	75.5-85.3	87	19.6	14.7-24.5
Some Post-H.S.	224	25,018	197	88.6	83.5-93.7	27	11.4	06.3-16.5
College Graduate	254	33,857	223	91.3	87.6-95.0	31	8.7	05.0-12.4
Less than \$15,000	154	16,477	115	80.7	74.0-87.4	39	19.3	12.6-26.0
\$35,000- 49,999	129	13,562	111	85.7	77.9-93.5	18	14.3	06.5-22.1
\$50,000- 74,999	104	13,215	90	86.9	79.6-94.2	14	13.1	05.8-20.4
\$75,000+	99	13,301	94	96.6	93.3-99.9	5	3.4	00.1-06.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	637	63,887	495	80.2	76.3-84.1	142	19.8	15.9-23.7
White/Non-Hisp	575	56,989	446	79.1	74.8-83.4	129	20.9	16.6-25.2
65+	637	63,887	495	80.2	76.3-84.1	142	19.8	15.9-23.7
H.S. or G.E.D.	270	23,924	202	76.4	69.7-83.1	68	23.6	16.9-30.3
Some Post-H.S.	158	16,335	137	88.6	82.5-94.7	21	11.4	05.3-17.5
College Graduate	135	16,283	121	94.3	90.6-98.0	14	5.7	02.0-09.4
Less than \$15,000	104	9,478	80	82.9	75.5-90.3	24	17.1	09.7-24.5
\$35,000- 49,999	70	6,230	58	86.9	77.7-96.1	12	13.1	03.9-22.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

**TABLE 7: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENTVST)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3662	612,737	2762	76.4	74.4-78.4	900	23.6	21.6-25.6
Male	1373	296,590	1021	75.2	72.1-78.3	352	24.8	21.7-27.9
Female	2289	316,147	1741	77.6	75.2-80.0	548	22.4	20.0-24.8
White/Non-Hisp	2947	473,423	2295	79.9	77.9-81.9	652	20.1	18.1-22.1
Black or Afr. Am./Non-Hisp	413	76,609	261	63.8	56.9-70.7	152	36.2	29.3-43.1
18-24	218	79,974	154	72.0	63.8-80.2	64	28.0	19.8-36.2
25-34	463	110,733	316	72.5	67.0-78.0	147	27.5	22.0-33.0
35-44	675	124,177	506	75.3	71.2-79.4	169	24.7	20.6-28.8
45-54	798	116,273	597	78.2	74.5-81.9	201	21.8	18.1-25.5
55-64	675	85,590	539	80.4	76.3-84.5	136	19.6	15.5-23.7
65+	802	92,352	626	80.6	77.3-83.9	176	19.4	16.1-22.7
H.S. or G.E.D.	1172	182,000	805	67.7	63.6-71.8	367	32.3	28.2-36.4
Some Post-H.S.	976	161,770	737	78.2	74.9-81.5	239	21.8	18.5-25.1
College Graduate	1338	237,802	1136	85.2	82.7-87.7	202	14.8	12.3-17.3
Less than \$15,000	343	48,804	199	60.6	52.8-68.4	144	39.4	31.6-47.2
\$15,000- 24,999	274	33,784	115	39.7	30.7-48.7	159	60.3	51.3-69.3
\$25,000- 34,999	301	40,406	201	66.7	58.1-75.3	100	33.3	24.7-41.9
\$35,000- 49,999	528	79,601	392	66.9	60.6-73.2	136	33.1	26.8-39.4
\$50,000- 74,999	625	110,455	496	76.4	71.5-81.3	129	23.6	18.7-28.5
\$75,000+	1035	214,396	917	90.5	88.3-92.7	118	9.5	07.3-11.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

**TABLE 8: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENTVST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1373	296,590	1021	75.2	72.1-78.3	352	24.8	21.7-27.9
White/Non-Hisp	1123	231,781	861	78.6	75.5-81.7	262	21.4	18.3-24.5
25-34	167	55,312	114	70.2	61.0-79.4	53	29.8	20.6-39.0
35-44	252	61,102	182	72.6	65.7-79.5	70	27.4	20.5-34.3
45-54	310	56,947	236	78.5	72.4-84.6	74	21.5	15.4-27.6
55-64	262	40,800	210	82.8	77.1-88.5	52	17.2	11.5-22.9
65+	296	41,016	216	75.1	69.4-80.8	80	24.9	19.2-30.6
H.S. or G.E.D.	425	94,440	278	65.7	59.0-72.4	147	34.3	27.6-41.0
Some Post-H.S.	340	70,273	253	78.0	72.5-83.5	87	22.0	16.5-27.5
College Graduate	532	115,229	451	85.6	81.7-89.5	81	14.4	10.5-18.3
\$35,000- 49,999	207	38,717	143	60.6	50.6-70.6	64	39.4	29.4-49.4
\$50,000- 74,999	264	54,522	207	76.4	69.1-83.7	57	23.6	16.3-30.9
\$75,000+	474	118,353	414	89.2	85.9-92.5	60	10.8	07.5-14.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

**TABLE 9: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENTVST)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2289	316,147	1741	77.6	75.2-80.0	548	22.4	20.0-24.8
White/Non-Hisp	1824	241,641	1434	81.1	78.7-83.5	390	18.9	16.5-21.3
Black or Afr. Am./Non-Hisp	271	40,789	171	64.8	56.4-73.2	100	35.2	26.8-43.6
25-34	296	55,421	202	74.8	68.9-80.7	94	25.2	19.3-31.1
35-44	423	63,075	324	77.9	73.0-82.8	99	22.1	17.2-27.0
45-54	488	59,326	361	78.0	73.5-82.5	127	22.0	17.5-26.5
55-64	413	44,790	329	78.2	72.3-84.1	84	21.8	15.9-27.7
65+	506	51,336	410	84.9	81.2-88.6	96	15.1	11.4-18.8
H.S. or G.E.D.	747	87,560	527	69.8	64.7-74.9	220	30.2	25.1-35.3
Some Post-H.S.	636	91,498	484	78.3	74.0-82.6	152	21.7	17.4-26.0
College Graduate	806	122,573	685	84.9	81.6-88.2	121	15.1	11.8-18.4
Less than \$15,000	234	24,816	143	61.2	52.8-69.6	91	38.8	30.4-47.2
\$15,000- 24,999	212	23,111	93	40.6	30.8-50.4	119	59.4	49.6-69.2
\$25,000- 34,999	198	21,474	136	72.6	65.2-80.0	62	27.4	20.0-34.8
\$35,000- 49,999	321	40,884	249	72.9	65.8-80.0	72	27.1	20.0-34.2
\$50,000- 74,999	361	55,934	289	76.3	69.6-83.0	72	23.7	17.0-30.4
\$75,000+	561	96,043	503	92.1	89.6-94.6	58	7.9	05.4-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006

SECTION 8: ASTHMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	COMPUTED ASTHMA STATUS (_ASTHMST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3997	651,607	3464	85.5	83.9-87.1	533	14.5	12.9-16.1
Male	1488	312,247	1315	85.5	82.8-88.2	173	14.5	11.8-17.2
Female	2509	339,360	2149	85.5	83.5-87.5	360	14.5	12.5-16.5
White/Non-Hisp	3227	506,269	2825	85.6	83.6-87.6	402	14.4	12.4-16.4
Black or Afr. Am./Non-Hisp	447	80,358	369	84.7	80.2-89.2	78	15.3	10.8-19.8
Oth. Race/Non-Hisp.	100	19,216	90	92.5	87.0-98.0	10	7.5	02.0-13.0
Hispanic	90	25,764	77	87.4	79.2-95.6	13	12.6	04.4-20.8
18-24	224	83,581	174	73.6	65.4-81.8	50	26.4	18.2-34.6
25-34	468	111,883	386	82.1	77.4-86.8	82	17.9	13.2-22.6
35-44	686	126,199	597	88.8	86.1-91.5	89	11.2	08.5-13.9
45-54	833	119,941	712	85.4	82.3-88.5	121	14.6	11.5-17.7
55-64	742	92,534	657	91.0	88.6-93.4	85	9.0	06.6-11.4
65+	1012	113,807	911	89.8	87.4-92.2	101	10.2	07.8-12.6
Less Than H.S.	269	42,675	216	81.7	75.0-88.4	53	18.3	11.6-25.0
H.S. or G.E.D.	1318	198,009	1147	84.6	81.3-87.9	171	15.4	12.1-18.7
Some Post-H.S.	1025	167,070	876	85.2	82.3-88.1	149	14.8	11.9-17.7
College Graduate	1381	243,231	1222	87.0	84.5-89.5	159	13.0	10.5-15.5
Less than \$15,000	402	55,433	347	86.2	81.3-91.1	55	13.8	08.9-18.7
\$15,000- 24,999	357	42,168	272	76.6	70.3-82.9	85	23.4	17.1-29.7
\$25,000- 34,999	348	46,473	290	83.4	77.9-88.9	58	16.6	11.1-22.1
\$35,000- 49,999	564	85,133	498	84.2	78.9-89.5	66	15.8	10.5-21.1
\$50,000- 74,999	654	113,923	575	85.4	81.3-89.5	79	14.6	10.5-18.7
\$75,000+	1049	216,118	928	86.1	83.0-89.2	121	13.9	10.8-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1488	312,247	1315	85.5	82.8-88.2	173	14.5	11.8-17.2
White/Non-Hisp	1216	244,566	1078	84.8	81.5-88.1	138	15.2	11.9-18.5
Black or Afr. Am./Non-Hisp	153	37,454	130	86.5	79.4-93.6	23	13.5	06.4-20.6
25-34	168	55,451	144	85.0	77.9-92.1	24	15.0	07.9-22.1
35-44	256	61,957	233	92.6	89.1-96.1	23	7.4	03.9-10.9
45-54	324	58,614	286	86.7	81.8-91.6	38	13.3	08.4-18.2
55-64	290	44,093	267	94.3	91.6-97.0	23	5.7	03.0-08.4
65+	360	48,789	323	89.3	85.4-93.2	37	10.7	06.8-14.6
Less Than H.S.	116	22,182	98	83.7	74.3-93.1	18	16.3	06.9-25.7
H.S. or G.E.D.	463	99,150	406	82.4	76.5-88.3	57	17.6	11.7-23.5
Some Post-H.S.	354	72,789	305	84.8	79.7-89.9	49	15.2	10.1-20.3
College Graduate	554	117,953	505	88.7	84.6-92.8	49	11.3	07.2-15.4
Less than \$15,000	129	27,256	114	87.8	80.0-95.6	15	12.2	04.4-20.0
\$25,000- 34,999	127	22,382	107	86.7	78.3-95.1	20	13.3	04.9-21.7
\$35,000- 49,999	222	41,412	200	82.4	73.2-91.6	22	17.6	08.4-26.8
\$50,000- 74,999	280	56,382	244	82.4	75.3-89.5	36	17.6	10.5-24.7
\$75,000+	484	119,345	442	87.5	82.8-92.2	42	12.5	07.8-17.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2509	339,360	2149	85.5	83.5-87.5	360	14.5	12.5-16.5
White/Non-Hisp	2011	261,703	1747	86.3	84.1-88.5	264	13.7	11.5-15.9
Black or Afr. Am./Non-Hisp	294	42,905	239	83.2	77.7-88.7	55	16.8	11.3-22.3
Hispanic	58	14,490	50	88.6	79.0-98.2	8	11.4	01.8-21.0
18-24	142	41,542	117	86.4	79.5-93.3	25	13.6	06.7-20.5
25-34	300	56,432	242	79.3	73.4-85.2	58	20.7	14.8-26.6
35-44	430	64,242	364	85.2	81.1-89.3	66	14.8	10.7-18.9
45-54	509	61,328	426	84.0	79.9-88.1	83	16.0	11.9-20.1
55-64	452	48,441	390	88.1	84.6-91.6	62	11.9	08.4-15.4
65+	652	65,018	588	90.1	87.2-93.0	64	9.9	07.0-12.8
Less Than H.S.	153	20,493	118	79.7	69.7-89.7	35	20.3	10.3-30.3
H.S. or G.E.D.	855	98,859	741	86.8	83.7-89.9	114	13.2	10.1-16.3
Some Post-H.S.	671	94,280	571	85.5	82.0-89.0	100	14.5	11.0-18.0
College Graduate	827	125,278	717	85.4	82.3-88.5	110	14.6	11.5-17.7
Less than \$15,000	273	28,177	233	84.6	78.9-90.3	40	15.4	09.7-21.1
\$15,000- 24,999	276	29,558	209	76.2	69.1-83.3	67	23.8	16.7-30.9
\$25,000- 34,999	221	24,092	183	80.3	73.0-87.6	38	19.7	12.4-27.0
\$35,000- 49,999	342	43,721	298	86.0	80.3-91.7	44	14.0	08.3-19.7
\$50,000- 74,999	374	57,540	331	88.4	84.3-92.5	43	11.6	07.5-15.7
\$75,000+	565	96,773	486	84.3	80.4-88.2	79	15.7	11.8-19.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3991	650,748	3613	90.4	89.0-91.8	378	9.6	08.2-11.0
Male	1487	311,840	1380	91.3	88.9-93.7	107	8.7	06.3-11.1
Female	2504	338,907	2233	89.6	88.0-91.2	271	10.4	08.8-12.0
White/Non-Hisp	3222	505,434	2934	90.7	89.1-92.3	288	9.3	07.7-10.9
Black or Afr. Am./Non-Hisp	447	80,358	390	89.0	85.1-92.9	57	11.0	07.1-14.9
Oth. Race/Non-Hisp.	100	19,216	92	94.0	88.9-99.1	8	6.0	00.9-11.1
MultiRacial/Non-Hisp.	112	17,219	97	84.2	75.2-93.2	15	15.8	06.8-24.8
Hispanic	90	25,764	82	90.3	82.7-97.9	8	9.7	02.1-17.3
18-24	224	83,581	189	83.0	76.1-89.9	35	17.0	10.1-23.9
25-34	467	111,803	415	88.7	84.8-92.6	52	11.3	07.4-15.2
35-44	685	126,105	624	92.3	89.9-94.7	61	7.7	05.3-10.1
45-54	831	119,776	752	91.5	89.1-93.9	79	8.5	06.1-10.9
55-64	741	92,419	673	93.4	91.4-95.4	68	6.6	04.6-08.6
65+	1011	113,401	930	92.0	89.8-94.2	81	8.0	05.8-10.2
Less Than H.S.	268	42,595	228	85.3	79.0-91.6	40	14.7	08.4-21.0
H.S. or G.E.D.	1317	197,916	1197	90.2	87.3-93.1	120	9.8	06.9-12.7
Some Post-H.S.	1025	167,070	920	90.2	87.7-92.7	105	9.8	07.3-12.3
College Graduate	1377	242,545	1265	91.6	89.6-93.6	112	8.4	06.4-10.4
Less than \$15,000	402	55,433	356	90.3	86.8-93.8	46	9.7	06.2-13.2
\$15,000- 24,999	357	42,168	293	82.1	76.2-88.0	64	17.9	12.0-23.8
\$25,000- 34,999	347	46,332	307	89.1	84.6-93.6	40	10.9	06.4-15.4
\$35,000- 49,999	563	85,019	522	88.4	83.1-93.7	41	11.6	06.3-16.9
\$50,000- 74,999	653	113,843	594	89.6	86.1-93.1	59	10.4	06.9-13.9
\$75,000+	1046	215,594	975	93.0	90.8-95.2	71	7.0	04.8-09.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1487	311,840	1380	91.3	88.9-93.7	107	8.7	06.3-11.1
White/Non-Hisp	1215	244,160	1128	91.2	88.7-93.7	87	8.8	06.3-11.3
Black or Afr. Am./Non-Hisp	153	37,454	139	90.3	83.6-97.0	14	9.7	03.0-16.4
25-34	168	55,451	156	91.8	85.9-97.7	12	8.2	02.3-14.1
35-44	256	61,957	241	95.2	92.3-98.1	15	4.8	01.9-07.7
45-54	324	58,614	302	92.6	89.1-96.1	22	7.4	03.9-10.9
55-64	290	44,093	275	97.0	95.2-98.8	15	3.0	01.2-04.8
65+	359	48,382	332	91.9	88.4-95.4	27	8.1	04.6-11.6
Less Than H.S.	116	22,182	105	88.1	79.5-96.7	11	11.9	03.3-20.5
H.S. or G.E.D.	463	99,150	428	89.8	84.9-94.7	35	10.2	05.3-15.1
Some Post-H.S.	354	72,789	327	91.1	86.8-95.4	27	8.9	04.6-13.2
College Graduate	553	117,546	519	93.3	90.2-96.4	34	6.7	03.6-09.8
Less than \$15,000	129	27,256	119	94.5	90.2-98.8	10	5.5	01.2-09.8
\$25,000- 34,999	127	22,382	114	92.5	86.8-98.2	13	7.5	01.8-13.2
\$35,000- 49,999	222	41,412	209	86.3	77.1-95.5	13	13.7	04.5-22.9
\$50,000- 74,999	280	56,382	255	87.7	81.6-93.8	25	12.3	06.2-18.4
\$75,000+	483	118,939	461	94.9	91.8-98.0	22	5.1	02.0-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)
Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2504	338,907	2233	89.6	88.0-91.2	271	10.4	08.8-12.0
White/Non-Hisp	2007	261,274	1806	90.2	88.4-92.0	201	9.8	08.0-11.6
Black or Afr. Am./Non-Hisp	294	42,905	251	87.9	83.2-92.6	43	12.1	07.4-16.8
Hispanic	58	14,490	54	92.9	84.7-0100	4	7.1	00.0-15.3
18-24	142	41,542	122	89.1	82.8-95.4	20	10.9	04.6-17.2
25-34	299	56,352	259	85.6	80.3-90.9	40	14.4	09.1-19.7
35-44	429	64,148	383	89.5	86.0-93.0	46	10.5	07.0-14.0
45-54	507	61,162	450	90.4	87.1-93.7	57	9.6	06.3-12.9
55-64	451	48,326	398	90.1	86.8-93.4	53	9.9	06.6-13.2
65+	652	65,018	598	92.1	89.4-94.8	54	7.9	05.2-10.6
Less Than H.S.	152	20,413	123	82.3	72.9-91.7	29	17.7	08.3-27.1
H.S. or G.E.D.	854	98,765	769	90.5	87.6-93.4	85	9.5	06.6-12.4
Some Post-H.S.	671	94,280	593	89.5	86.6-92.4	78	10.5	07.6-13.4
College Graduate	824	124,999	746	90.1	87.4-92.8	78	9.9	07.2-12.6
Less than \$15,000	273	28,177	237	86.3	81.0-91.6	36	13.7	08.4-19.0
\$15,000- 24,999	276	29,558	222	80.6	73.9-87.3	54	19.4	12.7-26.1
\$25,000- 34,999	220	23,950	193	86.0	79.3-92.7	27	14.0	07.3-20.7
\$35,000- 49,999	341	43,607	313	90.4	85.1-95.7	28	9.6	04.3-14.9
\$50,000- 74,999	373	57,460	339	91.5	88.0-95.0	34	8.5	05.0-12.0
\$75,000+	563	96,655	514	90.7	87.6-93.8	49	9.3	06.2-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3991	650,748	378	9.6	08.2-11.0	149	4.8	03.8-05.8	3464	85.6	84.0-87.2
Male	1487	311,840	107	8.7	06.3-11.1	65	5.7	03.7-07.7	1315	85.6	82.9-88.3
Female	2504	338,907	271	10.4	08.8-12.0	84	3.9	02.9-04.9	2149	85.6	83.6-87.6
White/Non-Hisp	3222	505,434	288	9.3	07.7-10.9	109	4.9	03.7-06.1	2825	85.7	83.7-87.7
Black or Afr. Am./Non-Hisp	447	80,358	57	11.0	07.1-14.9	21	4.2	02.0-06.4	369	84.7	80.2-89.2
Oth. Race/Non-Hisp.	100	19,216	8	6.0	00.9-11.1	2	1.5	00.0-03.7	90	92.5	87.0-98.0
MultiRacial/Non-Hisp.	112	17,219	15	15.8	06.8-24.8	12	10.3	01.9-18.7			
Hispanic	90	25,764	8	9.7	02.1-17.3	5	2.9	00.0-06.0	77	87.4	79.2-95.6
18-24	224	83,581	35	17.0	10.1-23.9	15	9.4	03.7-15.1	174	73.6	65.4-81.8
25-34	467	111,803	52	11.3	07.4-15.2	29	6.5	03.8-09.2	386	82.2	77.5-86.9
35-44	685	126,105	61	7.7	05.3-10.1	27	3.4	01.8-05.0	597	88.9	86.2-91.6
45-54	831	119,776	79	8.5	06.1-10.9	40	6.0	03.8-08.2	712	85.5	82.4-88.6
55-64	741	92,419	68	6.6	04.6-08.6	16	2.3	00.9-03.7	657	91.2	88.8-93.6
65+	1011	113,401	81	8.0	05.8-10.2	19	1.9	00.9-02.9	911	90.1	87.7-92.5
Less Than H.S.	268	42,595	40	14.7	08.4-21.0	12	3.4	01.0-05.8	216	81.9	75.2-88.6
H.S. or G.E.D.	1317	197,916	120	9.8	06.9-12.7	50	5.5	03.3-07.7	1147	84.7	81.4-88.0
Some Post-H.S.	1025	167,070	105	9.8	07.3-12.3	44	5.0	03.2-06.8	876	85.2	82.3-88.1
College Graduate	1377	242,545	112	8.4	06.4-10.4	43	4.3	02.5-06.1	1222	87.3	84.8-89.8
Less than \$15,000	402	55,433	46	9.7	06.2-13.2	9	4.2	00.7-07.7	347	86.2	81.3-91.1
\$15,000- 24,999	357	42,168	64	17.9	12.0-23.8	21	5.4	02.7-08.1	272	76.6	70.3-82.9
\$25,000- 34,999	347	46,332	40	10.9	06.4-15.4	17	5.5	02.0-09.0	290	83.7	78.2-89.2
\$35,000- 49,999	563	85,019	41	11.6	06.3-16.9	24	4.0	02.0-06.0	498	84.4	79.1-89.7
\$50,000- 74,999	653	113,843	59	10.4	06.9-13.9	19	4.1	01.6-06.6	575	85.5	81.4-89.6
\$75,000+	1046	215,594	71	7.0	04.8-09.2	47	6.7	04.3-09.1	928	86.3	83.2-89.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1487	311,840	107	8.7	06.3-11.1	65	5.7	03.7-07.7	1315	85.6	82.9-88.3
White/Non-Hisp	1215	244,160	87	8.8	06.3-11.3	50	6.2	03.8-08.6	1078	85.0	81.7-88.3
Black or Afr. Am./Non-Hisp	153	37,454	14	9.7	03.0-16.4	9	3.8	00.7-06.9	130	86.5	79.4-93.6
25-34	168	55,451	12	8.2	02.3-14.1	12	6.9	02.4-11.4	144	85.0	77.9-92.1
35-44	256	61,957	15	4.8	01.9-07.7	8	2.5	00.5-04.5	233	92.6	89.1-96.1
45-54	324	58,614	22	7.4	03.9-10.9	16	5.9	02.4-09.4	286	86.7	81.8-91.6
55-64	290	44,093	15	3.0	01.2-04.8	8	2.7	00.5-04.9	267	94.3	91.6-97.0
65+	359	48,382	27	8.1	04.6-11.6	9	1.8	00.4-03.2	323	90.1	86.4-93.8
Less Than H.S.	116	22,182	11	11.9	03.3-20.5	7	4.4	00.5-08.3	98	83.7	74.3-93.1
H.S. or G.E.D.	463	99,150	35	10.2	05.3-15.1	22	7.4	03.5-11.3	406	82.4	76.5-88.3
Some Post-H.S.	354	72,789	27	8.9	04.6-13.2	22	6.2	03.1-09.3	305	84.8	79.7-89.9
College Graduate	553	117,546	34	6.7	03.6-09.8	14	4.2	01.1-07.3	505	89.0	84.9-93.1
Less than \$15,000	129	27,256	10	5.5	01.2-09.8	5	6.7	00.0-13.4	114	87.8	80.0-95.6
\$15,000- 24,999	81	12,611				8	7.8	01.3-14.3			
\$25,000- 34,999	127	22,382	13	7.5	01.8-13.2	7	5.8	00.0-12.3	107	86.7	78.3-95.1
\$35,000- 49,999	222	41,412	13	13.7	04.5-22.9	9	3.9	01.2-06.6	200	82.4	73.2-91.6
\$50,000- 74,999	280	56,382	25	12.3	06.2-18.4	11	5.3	00.8-09.8	244	82.4	75.3-89.5
\$75,000+	483	118,939	22	5.1	02.0-08.2	19	7.0	03.3-10.7	442	87.8	83.1-92.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2504	338,907	271	10.4	08.8-12.0	84	3.9	02.9-04.9	2149	85.6	83.6-87.6	
White/Non-Hisp	2007	261,274	201	9.8	08.0-11.6	59	3.8	02.6-05.0	1747	86.4	84.2-88.6	
Black or Afr. Am./Non-Hisp	294	42,905	43	12.1	07.4-16.8	12	4.6	01.7-07.5	239	83.2	77.7-88.7	
Oth. Race/Non-Hisp.	57	8,359				2	3.4	00.0-08.1				
MultiRacial/Non-Hisp.	77	10,381				7	5.3	01.0-09.6				
Hispanic	58	14,490	4	7.1	00.0-15.3	4	4.3	00.0-09.6	50	88.6	79.0-98.2	
18-24	142	41,542	20	10.9	04.6-17.2	5	2.7	00.0-05.4	117	86.4	79.5-93.3	
25-34	299	56,352	40	14.4	09.1-19.7	17	6.1	02.6-09.6	242	79.5	73.6-85.4	
35-44	429	64,148	46	10.5	07.0-14.0	19	4.2	01.8-06.6	364	85.3	81.2-89.4	
45-54	507	61,162	57	9.6	06.3-12.9	24	6.1	03.4-08.8	426	84.3	80.2-88.4	
55-64	451	48,326	53	9.9	06.6-13.2	8	1.9	00.3-03.5	390	88.3	84.8-91.8	
65+	652	65,018	54	7.9	05.2-10.6	10	2.0	00.6-03.4	588	90.1	87.2-93.0	
Less Than H.S.	152	20,413	29	17.7	08.3-27.1	5	2.3	00.1-04.5	118	80.0	70.0-90.0	
H.S. or G.E.D.	854	98,765	85	9.5	06.6-12.4	28	3.6	02.0-05.2	741	86.9	83.8-90.0	
Some Post-H.S.	671	94,280	78	10.5	07.6-13.4	22	4.0	02.0-06.0	571	85.5	82.0-89.0	
College Graduate	824	124,999	78	9.9	07.2-12.6	29	4.4	02.4-06.4	717	85.6	82.5-88.7	
Less than \$15,000	273	28,177	36	13.7	08.4-19.0	4	1.7	00.0-03.9	233	84.6	78.9-90.3	
\$15,000- 24,999	276	29,558	54	19.4	12.7-26.1	13	4.4	01.7-07.1	209	76.2	69.1-83.3	
\$25,000- 34,999	220	23,950	27	14.0	07.3-20.7	10	5.2	01.7-08.7	183	80.8	73.5-88.1	
\$35,000- 49,999	341	43,607	28	9.6	04.3-14.9	15	4.2	01.7-06.7	298	86.2	80.5-91.9	
\$50,000- 74,999	373	57,460	34	8.5	05.0-12.0	8	3.0	00.8-05.2	331	88.5	84.4-92.6	
\$75,000+	563	96,655	49	9.3	06.2-12.4	28	6.3	03.6-09.0	486	84.4	80.5-88.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006

SECTION 10: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	27
2	MALES ONLY	28
3	FEMALES ONLY	29
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	30
5	MALES ONLY	31
6	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 10: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3994	650,703	617	16.7	14.7-18.7	183	5.1	04.1-06.1	1227	27.3	25.3-29.3	1967	50.9	48.5-53.3
Male	1485	311,701	269	19.1	16.2-22.0	58	4.2	02.8-05.6	532	30.4	27.3-33.5	626	46.3	42.8-49.8
Female	2509	339,002	348	14.4	12.0-16.8	125	5.9	04.5-07.3	695	24.5	22.3-26.7	1341	55.2	52.3-58.1
White/Non-Hisp	3225	505,575	511	17.4	15.2-19.6	133	4.7	03.7-05.7	1073	29.7	27.5-31.9	1508	48.2	45.7-50.7
Black or Afr. Am./Non-Hisp	447	80,321	57	13.6	08.5-18.7	23	6.4	02.9-09.9	91	21.5	15.6-27.4	276	58.5	51.6-65.4
Oth. Race/Non-Hisp.	100	19,216	15	10.5	03.1-17.9	6	3.2	00.1-06.3	17	15.3	06.3-24.3			
MultiRacial/Non-Hisp.	113	17,243				12	6.9	02.8-11.0						
Hispanic	90	25,764				9	9.1	00.9-17.3	17	11.8	04.0-19.6			
18-24	225	83,721	45	19.4	11.0-27.8	14	7.5	03.0-12.0	19	6.4	02.5-10.3	147	66.7	57.5-75.9
25-34	467	111,687	106	20.9	15.8-26.0	31	6.4	03.7-09.1	83	21.7	16.4-27.0	247	51.0	44.7-57.3
35-44	685	126,022	135	19.8	15.9-23.7	37	5.5	03.1-07.9	133	18.9	15.4-22.4	380	55.8	51.1-60.5
45-54	832	119,659	167	20.5	16.2-24.8	50	6.4	04.2-08.6	233	27.5	23.4-31.6	382	45.7	41.0-50.4
55-64	742	92,514	81	11.6	08.5-14.7	32	3.2	01.8-04.6	283	39.7	34.8-44.6	346	45.5	40.8-50.2
65+	1011	113,437	79	6.8	05.0-08.6	18	1.8	00.6-03.0	463	47.1	43.2-51.0	451	44.4	40.5-48.3
Less Than H.S.	269	42,675				17	6.3	02.4-10.2	90	27.4	19.2-35.6	81	23.4	16.1-30.7
H.S. or G.E.D.	1319	198,157	262	22.3	18.8-25.8	62	5.4	03.4-07.4	423	29.4	25.9-32.9	572	43.0	38.9-47.1
Some Post-H.S.	1025	167,066	163	15.9	12.8-19.0	52	6.2	04.0-08.4	313	27.8	24.1-31.5	497	50.1	45.8-54.4
College Graduate	1377	242,182	111	8.0	06.0-10.0	50	3.7	02.3-05.1	399	25.3	22.4-28.2	817	63.1	59.8-66.4
Less than \$15,000	401	55,369	88	21.5	15.6-27.4	21	8.0	03.5-12.5	116	24.9	18.6-31.2	176	45.6	37.8-53.4
\$15,000- 24,999	359	42,347	87	28.7	21.3-36.1	26	6.5	03.4-09.6	97	23.2	16.9-29.5	149	41.7	33.7-49.7
\$25,000- 34,999	348	46,480	65	22.7	14.9-30.5	20	6.9	03.0-10.8	118	28.1	22.0-34.2	145	42.3	34.7-49.9
\$35,000- 49,999	563	84,765	100	21.1	16.0-26.2	17	3.3	01.3-05.3	186	27.2	22.3-32.1	260	48.4	42.5-54.3
\$50,000- 74,999	652	113,704	93	16.2	10.3-22.1	35	5.2	03.0-07.4	200	30.3	25.2-35.4	324	48.4	42.5-54.3
\$75,000+	1049	216,032	122	13.6	10.5-16.7	40	4.8	02.8-06.8	313	26.5	23.0-30.0	574	55.1	51.0-59.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 10: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1485	311,701	269	19.1	16.2-22.0	58	4.2	02.8-05.6	532	30.4	27.3-33.5	626	46.3	42.8-49.8
White/Non-Hisp	1215	244,371	223	19.5	16.4-22.6	39	3.6	02.2-05.0	461	32.1	28.8-35.4	492	44.9	41.0-48.8
Black or Afr. Am./Non-Hisp	152	37,276	22	18.4	08.8-28.0	9	8.2	01.7-14.7						
18-24	82	42,039	16	16.1	06.7-25.5	6	6.3	00.6-12.0	9	8.9	02.0-15.8			
25-34	167	55,255	46	26.4	17.6-35.2	9	3.9	01.2-06.6	30	24.8	15.8-33.8	82	44.9	34.9-54.9
35-44	255	61,780	68	24.5	18.0-31.0	15	6.3	02.4-10.2	40	15.8	10.7-20.9	132	53.4	46.0-60.8
45-54	323	58,440	68	23.3	15.9-30.7	15	5.4	02.3-08.5	101	27.9	21.2-34.6	139	43.3	35.9-50.7
55-64	290	44,093	39	12.9	08.0-17.8	9	2.0	00.4-03.6	141	50.0	42.4-57.6	101	35.1	27.8-42.4
65+	360	48,789	31	7.0	04.1-09.9	4	0.8	00.0-01.8	206	58.3	52.2-64.4	119	33.9	28.0-39.8
Less Than H.S.	116	22,182				5	5.0	00.0-10.1				19	15.2	06.2-24.2
H.S. or G.E.D.	463	99,150	107	25.6	19.7-31.5	22	6.0	02.7-09.3	178	31.8	25.9-37.7	156	36.6	29.9-43.3
Some Post-H.S.	354	72,789	64	16.2	11.3-21.1	20	5.3	02.6-08.0	122	31.7	25.2-38.2	148	46.8	39.7-53.9
College Graduate	551	117,406	55	10.0	06.5-13.5	11	1.9	00.5-03.3	182	28.1	23.4-32.8	303	60.0	54.5-65.5
Less than \$15,000	129	27,256				7	9.4	01.4-17.4						
\$15,000- 24,999	81	12,611				2	1.9	00.0-05.0						
\$25,000- 34,999	127	22,382				7	5.8	00.1-11.5	51	26.5	17.3-35.7			
\$35,000- 49,999	222	41,412	47	23.2	15.6-30.8	6	3.1	00.0-06.2	76	29.5	21.7-37.3	93	44.3	34.9-53.7
\$50,000- 74,999	279	56,205	48	15.8	09.9-21.7	12	4.1	01.4-06.8	105	36.8	29.0-44.6	114	43.3	35.1-51.5
\$75,000+	483	119,150	69	16.7	11.8-21.6	18	3.9	01.7-06.1	157	28.1	23.0-33.2	239	51.3	45.4-57.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2509	339,002	348	14.4	12.0-16.8	125	5.9	04.5-07.3	695	24.5	22.3-26.7	1341	55.2	52.3-58.1
White/Non-Hisp	2010	261,204	288	15.5	12.6-18.4	94	5.7	04.1-07.3	612	27.4	24.9-29.9	1016	51.4	48.3-54.5
Black or Afr. Am./Non-Hisp	295	43,045	35	9.4	05.3-13.5	14	4.9	01.6-08.2	50	17.9	11.2-24.6	196	67.8	60.2-75.4
Oth. Race/Non-Hisp.	57	8,359	6	10.7	01.3-20.1	3	3.8	00.0-09.3	8	12.4	03.4-21.4			
MultiRacial/Non-Hisp.	78	10,405				8	7.0	01.9-12.1	13	12.6	04.0-21.2			
Hispanic	58	14,490	5	5.2	00.0-10.7				9	7.3	01.0-13.6			
18-24	143	41,682				8	8.7	01.6-15.8	10	3.9	00.4-07.4			
25-34	300	56,432	60	15.4	10.7-20.1	22	9.0	04.5-13.5	53	18.7	12.8-24.6	165	56.9	49.6-64.2
35-44	430	64,242	67	15.3	11.0-19.6	22	4.7	02.3-07.1	93	21.9	17.0-26.8	248	58.1	52.2-64.0
45-54	509	61,219	99	17.8	13.5-22.1	35	7.3	04.4-10.2	132	27.0	21.9-32.1	243	47.9	42.0-53.8
55-64	452	48,421	42	10.4	06.5-14.3	23	4.4	02.2-06.6	142	30.3	24.6-36.0	245	55.0	48.9-61.1
65+	651	64,648	48	6.7	04.3-09.1	14	2.5	00.7-04.3	257	38.6	33.7-43.5	332	52.3	47.2-57.4
Less Than H.S.	153	20,493				12	7.6	01.5-13.7						
H.S. or G.E.D.	856	99,006	155	19.0	15.3-22.7	40	4.8	02.4-07.2	245	27.0	23.1-30.9	416	49.3	44.4-54.2
Some Post-H.S.	671	94,277	99	15.8	11.9-19.7	32	6.9	03.8-10.0	191	24.8	20.5-29.1	349	52.6	47.3-57.9
College Graduate	826	124,776	56	6.1	04.1-08.1	39	5.4	03.2-07.6	217	22.6	19.1-26.1	514	65.9	61.8-70.0
Less than \$15,000	272	28,113	55	20.2	13.9-26.5	14	6.6	01.9-11.3	70	20.2	14.5-25.9	133	53.0	45.0-61.0
\$15,000- 24,999	278	29,736	59	21.7	15.0-28.4	24	8.4	04.1-12.7	68	21.2	14.3-28.1	127	48.6	39.6-57.6
\$25,000- 34,999	221	24,098	41	17.9	11.8-24.0	13	7.9	02.6-13.2	67	29.5	21.7-37.3	100	44.7	36.3-53.1
\$35,000- 49,999	341	43,353	53	19.2	12.7-25.7	11	3.4	01.0-05.8	110	25.1	19.4-30.8	167	52.3	44.9-59.7
\$50,000- 74,999	373	57,499	45	16.6	06.6-26.6	23	6.2	03.1-09.3	95	23.9	17.8-30.0	210	53.3	44.7-61.9
\$75,000+	566	96,882	53	9.9	06.8-13.0	22	5.9	02.8-09.0	156	24.5	20.0-29.0	335	59.8	54.5-65.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3994	650,703	3194	78.3	76.3-80.3	800	21.7	19.7-23.7
Male	1485	311,701	1158	76.7	73.6-79.8	327	23.3	20.2-26.4
Female	2509	339,002	2036	79.7	77.2-82.2	473	20.3	17.8-22.8
White/Non-Hisp	3225	505,575	2581	77.9	75.5-80.3	644	22.1	19.7-24.5
Black or Afr. Am./Non-Hisp	447	80,321	367	80.0	74.1-85.9	80	20.0	14.1-25.9
Oth. Race/Non-Hisp.	100	19,216	79	86.3	78.1-94.5	21	13.7	05.5-21.9
18-24	225	83,721	166	73.1	64.1-82.1	59	26.9	17.9-35.9
25-34	467	111,687	330	72.7	67.2-78.2	137	27.3	21.8-32.8
35-44	685	126,022	513	74.7	70.4-79.0	172	25.3	21.0-29.6
45-54	832	119,659	615	73.1	68.6-77.6	217	26.9	22.4-31.4
55-64	742	92,514	629	85.2	81.9-88.5	113	14.8	11.5-18.1
65+	1011	113,437	914	91.4	89.2-93.6	97	8.6	06.4-10.8
H.S. or G.E.D.	1319	198,157	995	72.3	68.6-76.0	324	27.7	24.0-31.4
Some Post-H.S.	1025	167,066	810	77.9	74.4-81.4	215	22.1	18.6-25.6
College Graduate	1377	242,182	1216	88.4	86.0-90.8	161	11.6	09.2-14.0
Less than \$15,000	401	55,369	292	70.5	63.6-77.4	109	29.5	22.6-36.4
\$15,000- 24,999	359	42,347	246	64.8	57.2-72.4	113	35.2	27.6-42.8
\$25,000- 34,999	348	46,480	263	70.4	62.4-78.4	85	29.6	21.6-37.6
\$35,000- 49,999	563	84,765	446	75.6	70.3-80.9	117	24.4	19.1-29.7
\$50,000- 74,999	652	113,704	524	78.6	72.7-84.5	128	21.4	15.5-27.3
\$75,000+	1049	216,032	887	81.6	78.3-84.9	162	18.4	15.1-21.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1485	311,701	1158	76.7	73.6-79.8	327	23.3	20.2-26.4
White/Non-Hisp	1215	244,371	953	77.0	73.7-80.3	262	23.0	19.7-26.3
25-34	167	55,255	112	69.7	60.7-78.7	55	30.3	21.3-39.3
35-44	255	61,780	172	69.2	62.1-76.3	83	30.8	23.7-37.9
45-54	323	58,440	240	71.3	63.7-78.9	83	28.7	21.1-36.3
55-64	290	44,093	242	85.1	80.0-90.2	48	14.9	09.8-20.0
65+	360	48,789	325	92.2	89.3-95.1	35	7.8	04.9-10.7
H.S. or G.E.D.	463	99,150	334	68.4	62.1-74.7	129	31.6	25.3-37.9
Some Post-H.S.	354	72,789	270	78.5	73.0-84.0	84	21.5	16.0-27.0
College Graduate	551	117,406	485	88.2	84.5-91.9	66	11.8	08.1-15.5
\$35,000- 49,999	222	41,412	169	73.7	65.7-81.7	53	26.3	18.3-34.3
\$50,000- 74,999	279	56,205	219	80.1	73.8-86.4	60	19.9	13.6-26.2
\$75,000+	483	119,150	396	79.5	74.4-84.6	87	20.5	15.4-25.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2509	339,002	2036	79.7	77.2-82.2	473	20.3	17.8-22.8
White/Non-Hisp	2010	261,204	1628	78.8	75.7-81.9	382	21.2	18.1-24.3
Black or Afr. Am./Non-Hisp	295	43,045	246	85.7	80.6-90.8	49	14.3	09.2-19.4
25-34	300	56,432	218	75.6	69.5-81.7	82	24.4	18.3-30.5
35-44	430	64,242	341	80.0	75.3-84.7	89	20.0	15.3-24.7
45-54	509	61,219	375	74.9	70.0-79.8	134	25.1	20.2-30.0
55-64	452	48,421	387	85.3	81.0-89.6	65	14.7	10.4-19.0
65+	651	64,648	589	90.8	87.9-93.7	62	9.2	06.3-12.1
H.S. or G.E.D.	856	99,006	661	76.3	72.2-80.4	195	23.7	19.6-27.8
Some Post-H.S.	671	94,277	540	77.4	72.7-82.1	131	22.6	17.9-27.3
College Graduate	826	124,776	731	88.5	85.8-91.2	95	11.5	08.8-14.2
Less than \$15,000	272	28,113	203	73.2	65.9-80.5	69	26.8	19.5-34.1
\$15,000- 24,999	278	29,736	195	69.9	62.3-77.5	83	30.1	22.5-37.7
\$25,000- 34,999	221	24,098	167	74.2	66.8-81.6	54	25.8	18.4-33.2
\$35,000- 49,999	341	43,353	277	77.4	70.7-84.1	64	22.6	15.9-29.3
\$50,000- 74,999	373	57,499	305	77.2	67.4-87.0	68	22.8	13.0-32.6
\$75,000+	566	96,882	491	84.3	80.0-88.6	75	15.7	11.4-20.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006**

SECTION 11: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	PREFERRED RACE CATEGORY (_PRACE) .	
1	MALES AND FEMALES	36
2	MALES ONLY	37
3	FEMALES ONLY	38
	MULTIRACIAL RACE CATEGORIZATION (_MRACE) .	
4	MALES AND FEMALES	39
5	MALES ONLY	40
6	FEMALES ONLY	41
	RACE/ETHNICITY CATEGORIES (RACE2) .	
7	MALES AND FEMALES	42
8	MALES ONLY	43
9	FEMALES ONLY	44
	WHITE/HISPANIC RACE GROUP (_RACEG2) .	
10	MALES AND FEMALES	45
11	MALES ONLY	46
12	FEMALES ONLY	47
	FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13	MALES AND FEMALES	48
14	MALES ONLY	49
15	FEMALES ONLY	50
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE) .	
16	MALES AND FEMALES	51
17	MALES ONLY	52
18	FEMALES ONLY	53

SECTION 11: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC) .	
19	MALES AND FEMALES	54
20	MALES ONLY	55

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006**

SECTION 11: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
21 FEMALES ONLY ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).	56
22 MALES AND FEMALES	57
23 MALES ONLY	58
24 FEMALES ONLY TWO-LEVEL AGE CATEGORY (_AGE65YR).	59
25 MALES AND FEMALES	60
26 MALES ONLY	61
27 FEMALES ONLY REPORTED HEIGHT IN INCHES (HTIN3).	62
28 MALES AND FEMALES	63
29 MALES ONLY	64
30 FEMALES ONLY REPORTED HEIGHT IN METERS (HTM3).	65
31 MALES AND FEMALES	66
32 MALES ONLY	67
33 FEMALES ONLY REPORTED WEIGHT IN KILOGRAMS (WTKG2).	68
34 MALES AND FEMALES	69
35 MALES ONLY	70
36 FEMALES ONLY BODY MASS INDEX (kilograms per meter-squared) (_BMI4).	71
37 MALES AND FEMALES	72
38 MALES ONLY	73
39 FEMALES ONLY	74

SECTION 11: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
40 THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).	75
41 MALES ONLY	76

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006

SECTION 11: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
42	FEMALES ONLY RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).	77
43	MALES AND FEMALES	78
44	MALES ONLY	79
45	FEMALES ONLY	80

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 1: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3972	645,172	3312	80.9	78.9-82.9	494	13.6	12.0-15.2	45	1.9	01.1-02.7	9	0.3	00.1-00.5	35	0.5	00.3-00.7	77	2.8	01.8-03.8
Male	1476	310,039	1255	81.7	78.6-84.8	160	12.5	10.0-15.0	15	2.2	00.6-03.8	2	0.3	00.0-00.7	16	0.5	00.3-00.7	28	2.8	01.4-04.2
Female	2496	335,133	2057	80.2	77.8-82.6	334	14.7	12.5-16.9	30	1.6	01.0-02.2	7	0.2	00.0-00.4	19	0.4	00.2-00.6	49	2.9	01.7-04.1
18-24	223	82,555	148	69.8	61.4-78.2	58	21.1	14.0-28.2	4	3.8	00.0-08.9				1	0.1	00.0-00.3	12	5.2	01.7-08.7
25-34	467	111,224	364	76.8	71.3-82.3	71	14.6	10.1-19.1	13	3.1	00.9-05.3				7	0.5	00.1-00.9	12	5.0	01.5-08.5
35-44	679	123,847	529	76.7	72.4-81.0	109	17.1	13.2-21.0	16	2.3	00.9-03.7	1	0.2	00.0-00.6	5	0.5	00.0-01.1	19	3.2	01.4-05.0
45-54	830	119,446	684	82.7	79.0-86.4	109	12.8	09.5-16.1	3	0.6	00.0-01.6	5	1.0	00.0-02.0	12	0.8	00.2-01.4	17	2.2	00.6-03.8
55-64	736	91,821	642	86.3	82.8-89.8	77	11.1	08.0-14.2	5	1.2	00.0-02.4	3	0.2	00.0-00.4	4	0.4	00.0-00.8	5	0.8	00.0-01.6
65+	1009	113,151	923	91.6	89.4-93.8	66	6.3	04.3-08.3	4	0.8	00.0-01.8				5	0.4	00.0-00.8	11	0.9	00.3-01.5
Less Than H.S.	266	41,428	201	74.0	64.2-83.8	54	19.9	11.9-27.9	2	0.3	00.0-00.9				2	0.5	00.0-01.3	7	5.2	00.0-12.1
H.S. or G.E.D.	1309	194,834	1092	79.8	76.3-83.3	176	16.9	13.4-20.4	7	0.6	00.0-01.2	4	0.5	00.0-01.1	14	0.5	00.3-00.7	16	1.7	00.5-02.9
Some Post-H.S.	1019	166,143	837	79.3	75.6-83.0	141	16.2	12.9-19.5	6	0.8	00.0-01.6				9	0.5	00.1-00.9	26	3.1	01.5-04.7
College Graduate	1375	242,157	1180	84.1	81.2-87.0	122	8.2	06.2-10.2	30	4.0	01.8-06.2	5	0.2	00.0-00.4	10	0.4	00.0-00.8	28	3.1	01.7-04.5
Less than \$15,000	400	54,849	314	70.4	62.0-78.8	63	20.3	13.8-26.8	3	5.0	00.0-12.4				8	1.0	00.2-01.8	12	3.3	00.9-05.7
\$15,000- 24,999	355	41,373	254	60.4	51.8-69.0	87	34.3	25.7-42.9	3	0.8	00.0-01.8	1	0.4	00.0-01.2	3	0.7	00.0-01.5	7	3.4	00.0-07.5
\$25,000- 34,999	348	46,309	281	76.0	67.6-84.4	47	15.0	08.1-21.9	4	1.3	00.0-02.7	2	0.3	00.0-00.7	3	0.5	00.0-01.1	11	7.0	00.3-13.7
\$35,000- 49,999	562	84,739	459	75.8	70.3-81.3	86	18.8	13.9-23.7	4	1.6	00.0-03.2				4	0.5	00.0-01.1	9	3.3	00.6-06.0
\$50,000- 74,999	651	113,470	566	84.7	80.4-89.0	60	11.6	07.5-15.7	10	2.1	00.5-03.7	1	0.3	00.0-00.9	7	0.5	00.1-00.9	7	0.7	00.1-01.3
\$75,000+	1046	214,083	926	87.3	84.6-90.0	78	7.5	05.5-09.5	12	1.5	00.5-02.5	3	0.2	00.0-00.4	5	0.3	00.0-00.7	22	3.2	01.6-04.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1476	310,039	1255	81.7	78.6-84.8	160	12.5	10.0-15.0	15	2.2	00.6-03.8	2	0.3	00.0-00.7	16	0.5	00.3-00.7	28	2.8	01.4-04.2
18-24	82	42,039				18	16.9	07.9-25.9	3	6.9	00.0-16.7							2	1.9	00.0-04.6
25-34	167	54,792	134	75.7	66.5-84.9	21	14.0	06.7-21.3	4	3.4	00.0-06.9				3	0.4	00.0-01.0	5	6.4	00.0-12.9
35-44	253	61,584	203	77.4	70.3-84.5	37	17.2	10.5-23.9	4	1.3	00.0-02.9				2	0.4	00.0-01.0	7	3.7	00.6-06.8
45-54	322	58,321	267	81.0	74.9-87.1	39	13.3	08.0-18.6	2	1.1	00.0-02.9	2	1.5	00.0-03.7	6	1.2	00.2-02.2	6	1.9	00.0-04.3
55-64	288	43,848	257	90.3	86.2-94.4	24	7.4	03.9-10.9	1	0.7	00.0-02.1				3	0.4	00.0-00.8	3	1.2	00.0-02.8
65+	357	48,230	330	93.4	90.5-96.3	19	4.5	02.1-06.9	1	0.8	00.0-02.4				2	0.5	00.0-01.1	5	0.8	00.0-01.6
Less Than H.S.	115	21,523							1	0.4	00.0-01.2									
H.S. or G.E.D.	461	98,858	387	80.0	74.3-85.7	58	16.5	11.0-22.0	1	0.3	00.0-00.9	2	0.9	00.0-02.1	7	0.6	00.0-01.2	6	1.6	00.0-03.2
Some Post-H.S.	352	72,536	296	83.9	78.6-89.2	45	13.5	08.4-18.6	3	1.5	00.0-03.3				4	0.6	00.0-01.2	4	0.6	00.0-01.2
College Graduate	547	116,949	475	83.4	78.3-88.5	42	7.3	04.6-10.0	10	4.7	00.8-08.6				5	0.5	00.1-00.9	15	4.2	01.7-06.7
Less than \$15,000	128	27,136													3	0.7	00.0-01.7	4	1.1	00.0-02.3
\$15,000- 24,999	78	11,759							1	0.8	00.0-02.4				2	1.9	00.0-04.6			
\$25,000- 34,999	127	22,382							1	0.9	00.0-02.7				2	0.8	00.0-02.0			
\$35,000- 49,999	220	41,018	180	77.6	69.4-85.8	34	17.2	09.8-24.6	1	0.8	00.0-02.4				2	0.3	00.0-00.7	3	4.1	00.0-08.6
\$50,000- 74,999	278	56,148	243	83.4	76.7-90.1	23	12.0	05.7-18.3	4	2.5	00.0-05.2	1	0.6	00.0-01.8	3	0.6	00.0-01.4	4	0.8	00.0-01.8
\$75,000+	483	119,260	429	88.1	84.4-91.8	36	6.7	04.0-09.4	4	1.5	00.0-03.1				3	0.4	00.0-00.8	11	3.4	01.0-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2496	335,133	2057	80.2	77.8-82.6	334	14.7	12.5-16.9	30	1.6	01.0-02.2	7	0.2	00.0-00.4	19	0.4	00.2-00.6	49	2.9	01.7-04.1
18-24	141	40,516							1	0.5	00.0-01.5				1	0.2	00.0-00.6	10	8.6	02.1-15.1
25-34	300	56,432	230	77.8	71.7-83.9	50	15.2	09.9-20.5	9	2.8	00.3-05.3				4	0.6	00.0-01.2	7	3.6	00.5-06.7
35-44	426	62,263	326	76.0	70.9-81.1	72	17.0	12.5-21.5	12	3.4	01.2-05.6	1	0.4	00.0-01.2	3	0.6	00.0-01.4	12	2.7	00.9-04.5
45-54	508	61,126	417	84.4	80.1-88.7	70	12.2	08.3-16.1	1	0.2	00.0-00.6	3	0.5	00.0-01.1	6	0.3	00.1-00.5	11	2.4	00.6-04.2
55-64	448	47,973	385	82.7	77.4-88.0	53	14.4	09.3-19.5	4	1.7	00.0-03.5	3	0.5	00.0-01.1	1	0.4	00.0-01.2	2	0.5	00.0-01.1
65+	652	64,921	593	90.3	87.2-93.4	47	7.6	04.9-10.3	3	0.8	00.0-01.8				3	0.3	00.0-00.7	6	0.9	00.0-01.9
Less Than H.S.	151	19,906							1	0.2	00.0-00.6				2	1.1	00.0-02.7	4	2.2	00.0-04.6
H.S. or G.E.D.	848	95,976	705	79.6	75.1-84.1	118	17.2	13.1-21.3	6	0.9	00.1-01.7	2	0.2	00.0-00.4	7	0.3	00.1-00.5	10	1.8	00.0-03.6
Some Post-H.S.	667	93,608	541	75.8	70.7-80.9	96	18.2	13.7-22.7	3	0.4	00.0-00.8				5	0.5	00.0-01.1	22	5.1	02.4-07.8
College Graduate	828	125,208	705	84.8	81.5-88.1	80	9.0	06.5-11.5	20	3.3	01.7-04.9	5	0.5	00.1-00.9	5	0.3	00.0-00.7	13	2.2	00.8-03.6
Less than \$15,000	272	27,712	215	72.6	65.0-80.2	42	18.5	11.8-25.2	2	2.1	00.0-05.0				5	1.2	00.0-02.4	8	5.6	01.1-10.1
\$15,000- 24,999	277	29,614	199	61.8	52.2-71.4	67	31.9	22.5-41.3	2	0.8	00.0-02.0	1	0.6	00.0-01.8	1	0.2	00.0-00.6	7	4.7	00.0-10.4
\$25,000- 34,999	221	23,927	168	75.7	68.1-83.3	39	15.9	09.8-22.0	3	1.6	00.0-03.6	2	0.6	00.0-01.4	1	0.2	00.0-00.6	8	6.1	00.6-11.6
\$35,000- 49,999	342	43,721	279	74.1	67.0-81.2	52	20.3	13.8-26.8	3	2.3	00.0-05.0				2	0.7	00.0-01.7	6	2.5	00.0-05.4
\$50,000- 74,999	373	57,323	323	86.0	80.5-91.5	37	11.3	06.2-16.4	6	1.7	00.1-03.3				4	0.4	00.0-01.0	3	0.7	00.0-01.5
\$75,000+	563	94,823	497	86.3	82.4-90.2	42	8.6	05.5-11.7	8	1.6	00.4-02.8	3	0.4	00.0-01.0	2	0.3	00.0-00.7	11	2.9	00.7-05.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3972	645,172	3259	79.5	77.5-81.5	460	12.8	11.2-14.4	38	1.7	00.9-02.5	8	0.2	00.0-00.4	25	0.3	00.1-00.5	182	5.5	04.3-06.7
Male	1476	310,039	1233	80.0	76.9-83.1	155	12.2	09.7-14.7	12	2.0	00.4-03.6	2	0.3	00.0-00.7	13	0.4	00.2-00.6	61	5.2	03.4-07.0
Female	2496	335,133	2026	79.0	76.6-81.4	305	13.3	11.3-15.3	26	1.5	00.9-02.1	6	0.2	00.0-00.4	12	0.3	00.1-00.5	121	5.7	04.3-07.1
18-24	223	82,555	143	67.3	58.7-75.9	54	19.9	13.0-26.8	3	3.2	00.0-08.3							23	9.5	04.8-14.2
25-34	467	111,224	357	75.2	69.5-80.9	68	13.9	09.6-18.2	10	2.8	00.6-05.0				7	0.5	00.1-00.9	25	7.7	03.8-11.6
35-44	679	123,847	518	75.5	71.2-79.8	99	15.9	12.0-19.8	14	2.1	00.9-03.3	1	0.2	00.0-00.6	4	0.4	00.0-00.8	43	5.9	03.7-08.1
45-54	830	119,446	669	81.2	77.5-84.9	105	12.4	09.3-15.5	2	0.5	00.0-01.3	4	0.9	00.0-01.9	7	0.5	00.1-00.9	43	4.5	02.5-06.5
55-64	736	91,821	636	85.6	82.1-89.1	69	9.7	06.8-12.6	5	1.2	00.0-02.4	3	0.2	00.0-00.4	4	0.4	00.0-00.8	19	2.9	01.1-04.7
65+	1009	113,151	915	90.6	88.2-93.0	61	5.8	04.0-07.6	4	0.8	00.0-01.8				2	0.1	00.0-00.3	27	2.6	01.4-03.8
Less Than H.S.	266	41,428	195	71.5	61.5-81.5	53	19.8	11.8-27.8	1	0.1	00.0-00.3				1	0.2	00.0-00.6	16	8.4	01.0-15.8
H.S. or G.E.D.	1309	194,834	1075	77.7	74.0-81.4	167	16.3	13.0-19.6	7	0.6	00.0-01.2	4	0.5	00.0-01.1	10	0.3	00.1-00.5	46	4.5	02.5-06.5
Some Post-H.S.	1019	166,143	820	78.1	74.4-81.8	128	14.7	11.4-18.0	3	0.4	00.0-01.0				6	0.4	00.0-00.8	62	6.3	04.1-08.5
College Graduate	1375	242,157	1167	83.2	80.3-86.1	111	7.4	05.6-09.2	27	3.8	01.6-06.0	4	0.2	00.0-00.4	8	0.3	00.1-00.5	58	5.1	03.3-06.9
Less than \$15,000	400	54,849	312	69.1	60.7-77.5	61	20.0	13.5-26.5	3	5.0	00.0-12.4				6	0.8	00.2-01.4	18	5.2	02.1-08.3
\$15,000- 24,999	355	41,373	247	58.6	50.2-67.0	83	32.5	23.9-41.1	2	0.5	00.0-01.3				1	0.2	00.0-00.6	22	8.2	03.3-13.1
\$25,000- 34,999	348	46,309	275	74.9	66.5-83.3	44	14.4	07.5-21.3	3	0.8	00.0-01.8	2	0.3	00.0-00.7	2	0.4	00.0-01.0	22	9.1	02.4-15.8
\$35,000- 49,999	562	84,739	451	74.8	69.3-80.3	82	18.0	13.3-22.7	4	1.6	00.0-03.2				3	0.4	00.0-01.0	22	5.1	02.2-08.0
\$50,000- 74,999	651	113,470	557	83.4	78.9-87.9	52	10.5	06.6-14.4	10	2.1	00.5-03.7	1	0.3	00.0-00.9	5	0.2	00.0-00.4	26	3.5	01.9-05.1
\$75,000+	1046	214,083	912	85.9	83.2-88.6	72	6.9	04.9-08.9	8	1.1	00.1-02.1	3	0.2	00.0-00.4	4	0.3	00.0-00.7	47	5.6	03.6-07.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1476	310,039	1233	80.0	76.9-83.1	155	12.2	09.7-14.7	12	2.0	00.4-03.6	2	0.3	00.0-00.7	13	0.4	00.2-00.6	61	5.2	03.4-07.0
18-24	82	42,039				18	16.9	07.9-25.9	2	5.9	00.0-15.5							5	6.9	00.4-13.4
25-34	167	54,792	130	73.6	64.2-83.0	19	12.6	05.5-19.7	3	3.0	00.0-06.5				3	0.4	00.0-01.0	12	10.4	03.3-17.5
35-44	253	61,584	200	76.4	69.3-83.5	36	17.1	10.4-23.8	4	1.3	00.0-02.9				2	0.4	00.0-01.0	11	4.8	01.5-08.1
45-54	322	58,321	260	79.6	73.3-85.9	39	13.3	08.0-18.6	1	0.9	00.0-02.7	2	1.5	00.0-03.7	5	0.9	00.0-01.9	15	3.7	01.0-06.4
55-64	288	43,848	256	89.6	85.3-93.9	22	7.0	03.5-10.5	1	0.7	00.0-02.1				3	0.4	00.0-00.8	6	2.3	00.1-04.5
65+	357	48,230	326	92.6	89.7-95.5	19	4.5	02.1-06.9	1	0.8	00.0-02.4							11	2.0	00.6-03.4
H.S. or G.E.D.	461	98,858	381	77.3	71.2-83.4	57	16.5	11.0-22.0	1	0.3	00.0-00.9	2	0.9	00.0-02.1	6	0.5	00.1-00.9	14	4.6	01.5-07.7
Some Post-H.S.	352	72,536	291	83.3	78.0-88.6	44	12.6	07.7-17.5	1	0.6	00.0-01.8				3	0.5	00.0-01.1	13	3.0	00.6-05.4
College Graduate	547	116,949	469	82.3	77.2-87.4	39	7.0	04.3-09.7	10	4.7	00.8-08.6				4	0.3	00.0-00.7	25	5.7	03.0-08.4
Less than \$15,000	128	27,136													3	0.7	00.0-01.7	6	3.8	00.0-08.3
\$15,000- 24,999	78	11,759													1	0.6	00.0-01.8	5	3.9	00.0-07.8
\$25,000- 34,999	127	22,382													2	0.8	00.0-02.0			
\$35,000- 49,999	220	41,018	176	76.7	68.5-84.9	33	17.0	09.6-24.4	1	0.8	00.0-02.4				1	0.2	00.0-00.6	9	5.3	00.6-10.0
\$50,000- 74,999	278	56,148	240	82.5	75.6-89.4	22	11.7	05.4-18.0	4	2.5	00.0-05.2	1	0.6	00.0-01.8	2	0.3	00.0-00.7	9	2.3	00.5-04.1
\$75,000+	483	119,260	422	86.3	82.4-90.2	34	6.0	03.5-08.5	3	1.1	00.0-02.5				3	0.4	00.0-00.8	21	6.2	03.3-09.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2496	335,133	2026	79.0	76.6-81.4	305	13.3	11.3-15.3	26	1.5	00.9-02.1	6	0.2	00.0-00.4	12	0.3	00.1-00.5	121	5.7	04.3-07.1
18-24	141	40,516							1	0.5	00.0-01.5							18	12.3	05.2-19.4
25-34	300	56,432	227	76.7	70.4-83.0	49	15.0	09.7-20.3	7	2.6	00.2-05.0				4	0.6	00.0-01.2	13	5.1	01.8-08.4
35-44	426	62,263	318	74.7	69.6-79.8	63	14.8	10.5-19.1	10	2.9	00.9-04.9	1	0.4	00.0-01.2	2	0.4	00.0-01.2	32	6.9	04.0-09.8
45-54	508	61,126	409	82.7	78.2-87.2	66	11.5	07.8-15.2	1	0.2	00.0-00.6	2	0.2	00.0-00.6	2	0.1	00.0-00.3	28	5.3	02.8-07.8
55-64	448	47,973	380	81.9	76.6-87.2	47	12.3	07.6-17.0	4	1.7	00.0-03.5	3	0.5	00.0-01.1	1	0.4	00.0-01.2	13	3.4	00.9-05.9
65+	652	64,921	589	89.1	85.8-92.4	42	6.8	04.1-09.5	3	0.8	00.0-01.8				2	0.2	00.0-00.6	16	3.1	01.1-05.1
Less Than H.S.	151	19,906							1	0.2	00.0-00.6				1	0.4	00.0-01.2	7	3.8	00.7-06.9
H.S. or G.E.D.	848	95,976	694	78.1	73.6-82.6	110	16.1	12.0-20.2	6	0.9	00.1-01.7	2	0.2	00.0-00.4	4	0.2	00.0-00.4	32	4.5	02.1-06.9
Some Post-H.S.	667	93,608	529	74.1	69.0-79.2	84	16.2	11.7-20.7	2	0.3	00.0-00.7				3	0.4	00.0-00.8	49	8.9	05.8-12.0
College Graduate	828	125,208	698	84.0	80.7-87.3	72	7.8	05.4-10.2	17	3.0	01.4-04.6	4	0.3	00.0-00.7	4	0.3	00.0-00.7	33	4.6	02.6-06.6
Less than \$15,000	272	27,712	215	72.6	65.0-80.2	40	17.9	11.2-24.6	2	2.1	00.0-05.0				3	0.8	00.0-01.8	12	6.6	02.1-11.1
\$15,000- 24,999	277	29,614	194	59.7	50.3-69.1	64	29.6	20.4-38.8	2	0.8	00.0-02.0							17	9.9	03.4-16.4
\$25,000- 34,999	221	23,927	164	74.5	66.9-82.1	36	14.9	08.8-21.0	3	1.6	00.0-03.6	2	0.6	00.0-01.4				16	8.4	02.7-14.1
\$35,000- 49,999	342	43,721	275	73.1	66.0-80.2	49	19.0	12.7-25.3	3	2.3	00.0-05.0				2	0.7	00.0-01.7	13	4.9	01.0-08.8
\$50,000- 74,999	373	57,323	317	84.2	78.5-89.9	30	9.2	04.3-14.1	6	1.7	00.1-03.3				3	0.2	00.0-00.4	17	4.7	02.0-07.4
\$75,000+	563	94,823	490	85.4	81.5-89.3	38	8.0	04.9-11.1	5	1.1	00.0-02.3	3	0.4	00.0-01.0	1	0.2	00.0-00.6	26	4.8	02.4-07.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3892	623,476	3231	81.2	79.2-83.2	448	12.9	11.3-14.5	36	1.6	00.8-02.4	8	0.2	00.0-00.4	25	0.4	00.2-00.6	144	3.6	02.8-04.4
Male	1447	299,715	1216	81.6	78.5-84.7	153	12.5	10.0-15.0	10	1.7	00.1-03.3	2	0.3	00.0-00.7	13	0.4	00.2-00.6	53	3.5	02.3-04.7
Female	2445	323,762	2015	80.9	78.5-83.3	295	13.3	11.1-15.5	26	1.5	00.9-02.1	6	0.2	00.0-00.4	12	0.3	00.1-00.5	91	3.8	02.8-04.8
18-24	204	75,453	139	72.3	63.7-80.9	51	20.6	13.3-27.9	2	3.1	00.0-08.6							12	4.1	01.4-06.8
25-34	450	103,935	350	78.1	72.8-83.4	66	14.6	10.1-19.1	9	2.3	00.3-04.3				7	0.6	00.2-01.0	18	4.4	01.9-06.9
35-44	664	121,452	513	76.1	71.8-80.4	96	16.1	12.0-20.2	14	2.2	01.0-03.4	1	0.2	00.0-00.6	4	0.4	00.0-01.0	36	5.0	03.0-07.0
45-54	814	115,993	664	82.8	79.1-86.5	102	12.4	09.1-15.7	2	0.5	00.0-01.5	4	0.9	00.0-01.9	7	0.5	00.1-00.9	35	2.9	01.5-04.3
55-64	730	91,142	633	85.9	82.4-89.4	68	9.6	06.7-12.5	5	1.2	00.0-02.4	3	0.2	00.0-00.4	4	0.4	00.0-00.8	17	2.6	00.8-04.4
65+	1003	112,591	912	90.8	88.4-93.2	61	5.9	04.1-07.7	4	0.8	00.0-01.8				2	0.1	00.0-00.3	24	2.4	01.2-03.6
Less Than H.S.	257	38,747	191	74.7	65.9-83.5	51	20.3	12.1-28.5	1	0.1	00.0-00.3				1	0.2	00.0-00.6	13	4.7	01.2-08.2
H.S. or G.E.D.	1290	189,579	1071	79.6	76.1-83.1	163	16.2	12.7-19.7	6	0.4	00.0-00.8	4	0.6	00.0-01.2	10	0.3	00.1-00.5	36	2.8	01.6-04.0
Some Post-H.S.	994	158,605	815	80.4	76.9-83.9	124	15.0	11.7-18.3	3	0.4	00.0-01.0				6	0.5	00.1-00.9	46	3.7	02.3-05.1
College Graduate	1348	235,936	1152	84.2	81.3-87.1	109	7.6	05.8-09.4	26	3.6	01.4-05.8	4	0.2	00.0-00.4	8	0.3	00.1-00.5	49	4.1	02.5-05.7
Less than \$15,000	391	53,334	309	70.4	61.8-79.0	61	20.6	13.9-27.3	3	5.1	00.0-12.7				6	0.8	00.0-01.6	12	3.1	00.6-05.6
\$15,000- 24,999	347	39,925	246	60.6	52.2-69.0	79	33.0	24.2-41.8	2	0.6	00.0-01.6				1	0.2	00.0-00.6	19	5.7	02.6-08.8
\$25,000- 34,999	338	42,650	271	79.6	72.3-86.9	43	14.9	07.6-22.2	3	0.9	00.0-02.1	2	0.3	00.0-00.7	2	0.4	00.0-01.0	17	3.9	01.7-06.1
\$35,000- 49,999	550	80,778	445	75.9	70.6-81.2	81	18.7	13.8-23.6	3	1.3	00.0-02.9				3	0.4	00.0-01.0	18	3.6	01.2-06.0
\$50,000- 74,999	641	112,003	552	83.8	79.3-88.3	50	10.4	06.5-14.3	10	2.1	00.5-03.7	1	0.3	00.0-00.9	5	0.2	00.0-00.4	23	3.1	01.5-04.7
\$75,000+	1025	207,289	904	87.7	85.2-90.2	71	7.1	05.1-09.1	7	0.8	00.0-01.6	3	0.2	00.0-00.4	4	0.3	00.0-00.7	36	3.9	02.3-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1447	299,715	1216	81.6	78.5-84.7	153	12.5	10.0-15.0	10	1.7	00.1-03.3	2	0.3	00.0-00.7	13	0.4	00.2-00.6	53	3.5	02.3-04.7
18-24	77	40,084				18	17.7	08.1-27.3	1	5.4	00.0-15.4							3	3.7	00.0-07.8
25-34	159	49,922	127	78.2	69.6-86.8	18	13.6	06.0-21.2	2	2.0	00.0-04.9				3	0.5	00.0-01.1	9	5.7	01.2-10.2
35-44	248	60,053	197	77.0	69.7-84.3	36	17.5	10.6-24.4	4	1.3	00.0-02.9				2	0.4	00.0-01.0	9	3.8	00.9-06.7
45-54	318	57,031	257	80.4	74.3-86.5	39	13.6	08.1-19.1	1	0.9	00.0-02.7	2	1.5	00.0-03.7	5	0.9	00.0-01.9	14	2.6	00.8-04.4
55-64	284	43,389	253	89.9	85.6-94.2	21	6.6	03.1-10.1	1	0.7	00.0-02.1				3	0.4	00.0-00.8	6	2.3	00.0-04.7
65+	354	48,009	323	92.6	89.7-95.5	19	4.6	02.2-07.0	1	0.8	00.0-02.4							11	2.0	00.6-03.4
Less Than H.S.	110	19,341																8	6.3	00.0-12.6
H.S. or G.E.D.	452	95,950	378	79.3	73.4-85.2	55	16.7	11.2-22.2				2	0.9	00.0-02.1	6	0.5	00.1-00.9	11	2.7	00.7-04.7
Some Post-H.S.	350	70,889	290	83.8	78.5-89.1	44	12.9	08.0-17.8	1	0.6	00.0-01.8				3	0.5	00.0-01.1	12	2.2	00.6-03.8
College Graduate	534	113,361	460	83.7	78.6-88.8	39	7.2	04.5-09.9	9	4.2	00.3-08.1				4	0.3	00.0-00.7	22	4.5	02.1-06.9
Less than \$15,000	125	26,809													3	0.7	00.0-01.7	6	3.9	00.0-08.4
\$15,000- 24,999	77	11,720													1	0.6	00.0-01.8	5	3.9	00.0-07.8
\$25,000- 34,999	123	20,321													2	0.9	00.0-02.1	5	3.6	00.5-06.7
\$35,000- 49,999	213	38,572	172	78.1	69.9-86.3	32	17.7	10.1-25.3							1	0.2	00.0-00.6	8	4.0	00.3-07.7
\$50,000- 74,999	273	55,323	236	82.6	75.7-89.5	21	11.6	05.3-17.9	4	2.5	00.0-05.4	1	0.6	00.0-01.8	2	0.3	00.0-00.9	9	2.3	00.5-04.1
\$75,000+	476	115,888	420	88.4	84.9-91.9	34	6.2	03.7-08.7	2	0.6	00.0-01.6				3	0.4	00.0-00.8	17	4.5	02.0-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2445	323,762	2015	80.9	78.5-83.3	295	13.3	11.3-15.3	26	1.5	00.9-02.1	6	0.2	00.0-00.4	12	0.3	00.1-00.5	91	3.8	02.8-04.8
18-24	127	35,369							1	0.6	00.0-01.8							9	4.5	01.0-08.0
25-34	291	54,013	223	78.0	71.7-84.3	48	15.6	10.1-21.1	7	2.7	00.2-05.2				4	0.6	00.0-01.2	9	3.2	00.5-05.9
35-44	416	61,399	316	75.3	70.2-80.4	60	14.7	10.4-19.0	10	2.9	00.9-04.9	1	0.4	00.0-01.2	2	0.4	00.0-01.2	27	6.2	03.5-08.9
45-54	496	58,962	407	85.1	81.0-89.2	63	11.1	07.4-14.8	1	0.2	00.0-00.6	2	0.3	00.0-00.7	2	0.1	00.0-00.3	21	3.2	01.2-05.2
55-64	446	47,752	380	82.3	77.0-87.6	47	12.3	07.6-17.0	4	1.7	00.0-03.5	3	0.5	00.0-01.1	1	0.4	00.0-01.2	11	2.9	00.4-05.4
65+	649	64,582	589	89.5	86.2-92.8	42	6.8	04.1-09.5	3	0.8	00.0-01.8				2	0.2	00.0-00.6	13	2.6	00.8-04.4
Less Than H.S.	147	19,406				37	20.2	10.2-30.2	1	0.2	00.0-00.8				1	0.4	00.0-01.2	5	3.0	00.3-05.7
H.S. or G.E.D.	838	93,628	693	80.0	75.7-84.3	108	15.8	11.7-19.9	6	0.9	00.1-01.7	2	0.2	00.0-00.6	4	0.2	00.0-00.4	25	3.0	01.4-04.6
Some Post-H.S.	644	87,716	525	77.6	72.7-82.5	80	16.7	12.0-21.4	2	0.3	00.0-00.7				3	0.4	00.0-01.0	34	4.9	02.9-06.9
College Graduate	814	122,575	692	84.7	81.4-88.0	70	7.9	05.4-10.4	17	3.0	01.4-04.6	4	0.3	00.0-00.7	4	0.3	00.0-00.7	27	3.7	01.7-05.7
Less than \$15,000	266	26,525	215	75.9	68.5-83.3	40	18.7	11.8-25.6	2	2.2	00.0-05.3				3	0.8	00.0-01.8	6	2.4	00.0-04.8
\$15,000- 24,999	270	28,205	194	62.7	53.3-72.1	60	30.1	20.7-39.5	2	0.8	00.0-02.0							14	6.4	02.3-10.5
\$25,000- 34,999	215	22,329	163	79.0	72.3-85.7	35	14.5	08.6-20.4	3	1.7	00.0-03.9	2	0.6	00.0-01.4				12	4.2	01.3-07.1
\$35,000- 49,999	337	42,206	273	73.9	66.8-81.0	49	19.7	13.2-26.2	3	2.4	00.0-05.3				2	0.7	00.0-01.7	10	3.3	00.4-06.2
\$50,000- 74,999	368	56,679	316	84.9	79.2-90.6	29	9.2	04.3-14.1	6	1.7	00.1-03.3				3	0.2	00.0-00.4	14	4.0	01.5-06.5
\$75,000+	549	91,401	484	86.9	83.2-90.6	37	8.2	05.1-11.3	5	1.2	00.0-02.4	3	0.4	00.0-01.0	1	0.3	00.0-00.7	19	3.1	01.3-04.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3982	649,240	3231	78.0	76.0-80.0	751	22.0	20.0-24.0
Male	1479	310,989	1216	78.6	75.3-81.9	263	21.4	18.1-24.7
Female	2503	338,252	2015	77.4	74.9-79.9	488	22.6	20.1-25.1
18-24	225	83,721	139	65.1	56.3-73.9	86	34.9	26.1-43.7
25-34	468	111,883	350	72.5	66.6-78.4	118	27.5	21.6-33.4
35-44	682	125,450	513	73.7	69.2-78.2	169	26.3	21.8-30.8
45-54	832	119,783	664	80.2	76.3-84.1	168	19.8	15.9-23.7
55-64	737	92,049	633	85.1	81.6-88.6	104	14.9	11.4-18.4
65+	1009	113,153	912	90.4	88.0-92.8	97	9.6	07.2-12.0
H.S. or G.E.D.	1315	197,235	1071	76.5	72.6-80.4	244	23.5	19.6-27.4
Some Post-H.S.	1021	166,491	815	76.6	72.7-80.5	206	23.4	19.5-27.3
College Graduate	1375	242,351	1152	82.0	78.9-85.1	223	18.0	14.9-21.1
Less than \$15,000	402	55,433	309	67.7	59.3-76.1	93	32.3	23.9-40.7
\$15,000- 24,999	358	42,213	246	57.3	48.9-65.7	112	42.7	34.3-51.1
\$25,000- 34,999	349	46,537	271	72.9	64.5-81.3	78	27.1	18.7-35.5
\$35,000- 49,999	562	84,852	445	72.3	66.6-78.0	117	27.7	22.0-33.4
\$50,000- 74,999	651	113,470	552	82.7	78.2-87.2	99	17.3	12.8-21.8
\$75,000+	1049	216,142	904	84.1	81.0-87.2	145	15.9	12.8-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1479	310,989	1216	78.6	75.5-81.7	263	21.4	18.3-24.5
25-34	168	55,451	127	70.4	60.8-80.0	41	29.6	20.0-39.2
35-44	255	61,876	197	74.7	67.4-82.0	58	25.3	18.0-32.6
45-54	323	58,440	257	78.4	72.1-84.7	66	21.6	15.3-27.9
55-64	288	43,848	253	89.0	84.7-93.3	35	11.0	06.7-15.3
65+	356	48,109	323	92.4	89.5-95.3	33	7.6	04.7-10.5
H.S. or G.E.D.	463	99,150	378	76.7	70.6-82.8	85	23.3	17.2-29.4
Some Post-H.S.	353	72,655	290	81.8	76.1-87.5	63	18.2	12.5-23.9
College Graduate	547	116,949	460	81.1	76.0-86.2	87	18.9	13.8-24.0
\$35,000- 49,999	220	41,131	172	73.3	64.5-82.1	48	26.7	17.9-35.5
\$50,000- 74,999	278	56,148	236	81.4	74.5-88.3	42	18.6	11.7-25.5
\$75,000+	483	119,260	420	85.9	81.8-90.0	63	14.1	10.0-18.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2503	338,252	2015	77.4	74.9-79.9	488	22.6	20.1-25.1
25-34	300	56,432	223	74.6	68.1-81.1	77	25.4	18.9-31.9
35-44	427	63,574	316	72.7	67.2-78.2	111	27.3	21.8-32.8
45-54	509	61,343	407	81.8	77.3-86.3	102	18.2	13.7-22.7
55-64	449	48,202	380	81.5	76.2-86.8	69	18.5	13.2-23.8
65+	653	65,044	589	88.9	85.6-92.2	64	11.1	07.8-14.4
H.S. or G.E.D.	852	98,085	693	76.3	71.6-81.0	159	23.7	19.0-28.4
Some Post-H.S.	668	93,836	525	72.5	67.4-77.6	143	27.5	22.4-32.6
College Graduate	828	125,402	692	82.8	79.3-86.3	136	17.2	13.7-20.7
Less than \$15,000	273	28,177	215	71.4	63.6-79.2	58	28.6	20.8-36.4
\$15,000- 24,999	278	29,736	194	59.5	50.1-68.9	84	40.5	31.1-49.9
\$25,000- 34,999	222	24,156	163	73.0	65.2-80.8	59	27.0	19.2-34.8
\$35,000- 49,999	342	43,721	273	71.3	63.9-78.7	69	28.7	21.3-36.1
\$50,000- 74,999	373	57,323	316	84.0	78.3-89.7	57	16.0	10.3-21.7
\$75,000+	566	96,882	484	81.9	77.4-86.4	82	18.1	13.6-22.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3982	649,240	3231	78.0	76.0-80.0	448	12.4	10.8-14.0	100	3.0	02.0-04.0	113	2.7	02.1-03.3	90	4.0	02.8-05.2
Male	1479	310,989	1216	78.6	75.3-81.9	153	12.0	09.5-14.5	43	3.5	01.7-05.3	35	2.2	01.2-03.2	32	3.6	01.8-05.4
Female	2503	338,252	2015	77.4	74.9-79.9	295	12.7	10.7-14.7	57	2.5	01.7-03.3	78	3.1	02.1-04.1	58	4.3	02.9-05.7
18-24	225	83,721	139	65.1	56.3-73.9	51	18.5	11.8-25.2	3	3.4	00.0-08.5	11	3.1	00.9-05.3	21	9.9	04.8-15.0
25-34	468	111,883	350	72.5	66.6-78.4	66	13.6	09.3-17.9	19	3.6	01.4-05.8	15	3.2	01.0-05.4	18	7.1	03.0-11.2
35-44	682	125,450	513	73.7	69.2-78.2	96	15.6	11.7-19.5	30	4.8	02.8-06.8	25	2.7	01.3-04.1	18	3.2	01.2-05.2
45-54	832	119,783	664	80.2	76.3-84.1	102	12.0	08.9-15.1	20	2.3	00.9-03.7	28	2.4	01.2-03.6	18	3.2	01.4-05.0
55-64	737	92,049	633	85.1	81.6-88.6	68	9.5	06.6-12.4	14	2.0	00.6-03.4	15	2.4	00.8-04.0	7	1.0	00.2-01.8
65+	1009	113,153	912	90.4	88.0-92.8	61	5.8	04.0-07.6	12	1.4	00.4-02.4	18	1.9	00.9-02.9	6	0.5	00.0-01.1
Less Than H.S.	268	42,554				51	18.5	10.9-26.1	4	0.8	00.0-01.6	11	3.8	00.7-06.9	11	8.9	01.3-16.5
H.S. or G.E.D.	1315	197,235	1071	76.5	72.6-80.4	163	15.6	12.3-18.9	24	1.6	00.6-02.6	32	2.3	01.1-03.5	25	3.9	01.7-06.1
Some Post-H.S.	1021	166,491	815	76.6	72.7-80.5	124	14.3	11.0-17.6	20	1.6	00.8-02.4	35	2.8	01.6-04.0	27	4.7	02.5-06.9
College Graduate	1375	242,351	1152	82.0	78.9-85.1	109	7.4	05.6-09.2	52	5.3	03.1-07.5	35	2.6	01.4-03.8	27	2.6	01.4-03.8
Less than \$15,000	402	55,433	309	67.7	59.3-76.1	61	19.8	13.3-26.3	15	6.8	00.0-14.2	6	1.9	00.0-04.1	11	3.8	01.1-06.5
\$15,000- 24,999	358	42,213	246	57.3	48.9-65.7	79	31.2	22.6-39.8	6	1.4	00.2-02.6	16	4.7	02.0-07.4	11	5.4	00.5-10.3
\$25,000- 34,999	349	46,537	271	72.9	64.5-81.3	43	13.6	06.9-20.3	11	2.7	00.9-04.5	13	2.4	00.8-04.0	11	8.4	01.5-15.3
\$35,000- 49,999	562	84,852	445	72.3	66.6-78.0	81	17.8	13.1-22.5	10	3.1	00.7-05.5	14	2.0	00.4-03.6	12	4.8	01.3-08.3
\$50,000- 74,999	651	113,470	552	82.7	78.2-87.2	50	10.2	06.3-14.1	21	3.1	01.3-04.9	18	2.7	01.1-04.3	10	1.3	00.3-02.3
\$75,000+	1049	216,142	904	84.1	81.0-87.2	71	6.8	04.8-08.8	20	2.1	00.9-03.3	30	2.9	01.5-04.3	24	4.1	02.1-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1479	310,989	1216	78.6	75.5-81.7	153	12.0	09.5-14.5	43	3.5	01.7-05.3	35	2.2	01.2-03.2	32	3.6	01.8-05.4
18-24	82	42,039				18	16.9	07.9-25.9	2	6.2	00.0-16.0	2	2.4	00.0-05.7	5	4.6	00.0-10.1
25-34	168	55,451	127	70.4	60.8-80.0	18	12.2	05.3-19.1	6	3.4	00.0-06.9	8	4.0	00.5-07.5	9	10.0	02.6-17.4
35-44	255	61,876	197	74.7	67.4-82.0	36	17.0	10.3-23.7	11	4.2	01.3-07.1	4	1.2	00.0-02.6	7	2.9	00.4-05.4
45-54	323	58,440	257	78.4	72.1-84.7	39	13.3	08.0-18.6	12	3.9	01.0-06.8	10	2.0	00.4-03.6	5	2.4	00.0-05.1
55-64	288	43,848	253	89.0	84.7-93.3	21	6.6	03.1-10.1	6	1.5	00.0-03.1	4	1.9	00.0-04.1	4	1.0	00.0-02.2
65+	356	48,109	323	92.4	89.5-95.3	19	4.6	02.2-07.0	6	1.6	00.0-03.4	6	1.2	00.2-02.2	2	0.2	00.0-00.6
Less Than H.S.	115	22,061							2	1.0	00.0-02.4	6	4.6	00.0-09.9			
H.S. or G.E.D.	463	99,150	378	76.7	70.6-82.8	55	16.1	10.6-21.6	12	2.1	00.5-03.7	7	1.8	00.0-03.6	11	3.2	00.7-05.7
Some Post-H.S.	353	72,655	290	81.8	76.1-87.5	44	12.6	07.7-17.5	8	1.6	00.2-03.0	8	1.6	00.2-03.0	3	2.4	00.0-05.5
College Graduate	547	116,949	460	81.1	76.0-86.2	39	7.0	04.3-09.7	21	6.3	02.2-10.4	14	2.5	00.9-04.1	13	3.1	00.9-05.3
Less than \$15,000	129	27,256										2	2.8	00.0-07.1	4	1.6	00.0-03.4
\$15,000- 24,999	80	12,477							1	0.6	00.0-01.8	5	3.6	00.0-07.3	3	6.1	00.0-16.1
\$25,000- 34,999	127	22,382							4	2.0	00.0-04.2	3	2.0	00.0-04.4			
\$35,000- 49,999	220	41,131	172	73.3	64.5-82.1	32	16.6	09.3-23.9	3	2.6	00.0-05.9	6	1.3	00.1-02.5	7	6.2	00.5-11.9
\$50,000- 74,999	278	56,148	236	81.4	74.5-88.3	21	11.4	05.3-17.5	11	4.2	01.1-07.3	5	1.5	00.0-03.1	5	1.5	00.0-03.1
\$75,000+	483	119,260	420	85.9	81.8-90.0	34	6.0	03.5-08.5	9	2.1	00.3-03.9	13	3.2	01.2-05.2	7	2.8	00.6-05.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2503	338,252	2015	77.4	74.9-79.9	295	12.7	10.7-14.7	57	2.5	01.7-03.3	78	3.1	02.1-04.1	58	4.3	02.9-05.7
18-24	143	41,682				33	20.2	10.4-30.0	1	0.5	00.0-01.5	9	3.8	00.9-06.7	16	15.1	06.5-23.7
25-34	300	56,432	223	74.6	68.1-81.1	48	14.9	09.6-20.2	13	3.8	01.1-06.5	7	2.4	00.0-04.8	9	4.3	01.2-07.4
35-44	427	63,574	316	72.7	67.2-78.2	60	14.2	10.1-18.3	19	5.3	02.8-07.8	21	4.3	02.1-06.5	11	3.4	00.3-06.5
45-54	509	61,343	407	81.8	77.3-86.3	63	10.7	07.0-14.4	8	0.7	00.1-01.3	18	2.9	00.9-04.9	13	3.9	01.5-06.3
55-64	449	48,202	380	81.5	76.2-86.8	47	12.2	07.5-16.9	8	2.5	00.5-04.5	11	2.9	00.4-05.4	3	0.9	00.0-02.1
65+	653	65,044	589	88.9	85.6-92.2	42	6.8	04.1-09.5	6	1.2	00.0-02.4	12	2.4	00.6-04.2	4	0.7	00.0-01.5
Less Than H.S.	153	20,493				37	19.1	09.7-28.5	2	0.6	00.0-01.6	5	2.8	00.1-05.5	6	5.3	00.0-10.6
H.S. or G.E.D.	852	98,085	693	76.3	71.6-81.0	108	15.1	11.2-19.0	12	1.2	00.2-02.2	25	2.9	01.5-04.3	14	4.5	01.2-07.8
Some Post-H.S.	668	93,836	525	72.5	67.4-77.6	80	15.6	11.1-20.1	12	1.6	00.6-02.6	27	3.7	01.9-05.5	24	6.5	03.4-09.6
College Graduate	828	125,402	692	82.8	79.3-86.3	70	7.7	05.3-10.1	31	4.4	02.6-06.2	21	2.8	01.0-04.6	14	2.3	00.9-03.7
Less than \$15,000	273	28,177	215	71.4	63.6-79.2	40	17.6	11.1-24.1	7	4.1	00.6-07.6	4	1.0	00.0-02.0	7	5.9	01.0-10.8
\$15,000- 24,999	278	29,736	194	59.5	50.1-68.9	60	28.5	19.3-37.7	5	1.7	00.0-03.5	11	5.2	01.5-08.9	8	5.2	00.0-10.9
\$25,000- 34,999	222	24,156	163	73.0	65.2-80.8	35	13.4	07.9-18.9	7	3.3	00.6-06.0	10	2.8	00.8-04.8	7	7.6	01.5-13.7
\$35,000- 49,999	342	43,721	273	71.3	63.9-78.7	49	19.0	12.7-25.3	7	3.5	00.4-06.6	8	2.7	00.0-05.4	5	3.5	00.0-07.6
\$50,000- 74,999	373	57,323	316	84.0	78.3-89.7	29	9.1	04.2-14.0	10	2.0	00.4-03.6	13	3.8	01.3-06.3	5	1.1	00.1-02.1
\$75,000+	566	96,882	484	81.9	77.4-86.4	37	7.7	04.8-10.6	11	2.1	00.7-03.5	17	2.6	01.0-04.2	17	5.7	02.4-09.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS
TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRAE).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3908	629,536	3805	97.5	96.9-98.1	96	2.2	01.6-02.8
Male	1452	302,544	1423	98.2	97.4-99.0	28	1.7	00.9-02.5
Female	2456	326,991	2382	96.9	95.9-97.9	68	2.7	01.9-03.5
18-24	213	78,514	202	97.1	94.9-99.3	10	2.4	00.6-04.2
25-34	458	106,896	445	97.4	95.6-99.2	12	2.1	00.5-03.7
35-44	661	120,006	638	97.3	95.9-98.7	21	2.4	01.0-03.8
45-54	817	117,434	790	97.5	96.1-98.9	27	2.5	01.1-03.9
55-64	732	91,416	717	97.6	95.8-99.4	14	2.3	00.7-03.9
65+	1000	112,307	987	98.6	97.6-99.6	11	1.3	00.3-02.3
Less Than H.S.	261	39,535	252	96.5	93.4-99.6	8	3.1	00.0-06.2
H.S. or G.E.D.	1296	191,709	1266	97.7	96.5-98.9	30	2.3	01.1-03.5
Some Post-H.S.	994	161,011	960	97.4	96.2-98.6	31	2.4	01.4-03.4
College Graduate	1354	236,671	1324	97.7	96.7-98.7	27	1.8	00.8-02.8
Less than \$15,000	388	53,020	382	98.1	95.7-0100	6	1.9	00.0-04.3
\$15,000- 24,999	350	40,139	335	95.4	92.5-98.3	15	4.6	01.7-07.5
\$25,000- 34,999	340	43,520	328	97.0	94.8-99.2	12	3.0	00.8-05.2
\$35,000- 49,999	554	82,096	541	98.0	96.4-99.6	13	2.0	00.4-03.6
\$50,000- 74,999	644	112,644	627	97.5	96.1-98.9	13	1.8	00.6-03.0
\$75,000+	1030	209,027	1005	97.7	96.5-98.9	23	2.0	01.0-03.0
			Three Race Categories			Four Race Categories		
	N	%	C.I. (95%)	N	%	C.I. (95%)		
	6	0.2	00.0-00.4	1	0.1	00.0-00.3		
	1	0.1	00.0-00.3					
	5	0.3	00.0-00.7	1	0.2	00.0-00.6		
	1	0.5	00.0-01.5					
	2	0.3	00.0-00.7	1	0.5	00.0-01.5		
	1	0.2	00.0-00.6					
	2	0.1	00.0-00.3					
	1	0.4	00.0-01.2					
	3	0.2	00.0-00.4					
	2	0.2	00.0-00.6	1	0.2	00.0-00.6		

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
 SECTION 11: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).
 Denominator excludes: Respondents with do not know/refused/missing responses**

N	Three Race Categories		N	Four Race Categories	
	%	C.I. (95%)		%	C.I. (95%)
4	0.7	00.0-01.5			
1	0.1	00.0-00.3	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1452	302,544	1423	98.2	97.4-99.0	28	1.7	00.9-02.5	1	0.1	00.0-00.3
18-24	80	41,238	79	98.6	95.9-0100	1	1.4	00.0-04.1			
25-34	164	51,972	157	97.0	94.1-99.9	7	3.0	00.1-05.9			
35-44	246	59,312	243	98.9	97.5-0100	3	1.1	00.0-02.5			
45-54	317	57,285	308	98.1	96.5-99.7	9	1.9	00.3-03.5			
55-64	286	43,664	282	98.1	95.9-0100	3	1.5	00.0-03.5	1	0.4	00.0-01.2
65+	352	47,848	348	99.3	98.5-0100	4	0.7	00.0-01.5			
Less Than H.S.	112	19,808	107	95.4	89.5-0100	5	4.6	00.0-10.5			
H.S. or G.E.D.	455	97,247	448	98.1	96.3-99.9	7	1.9	00.1-03.7			
Some Post-H.S.	348	72,129	341	99.0	98.2-99.8	7	1.0	00.2-01.8			
College Graduate	536	113,187	526	98.3	97.1-99.5	9	1.6	00.4-02.8	1	0.1	00.0-00.3
Less than \$15,000	124	26,849	122	97.2	92.9-0100	2	2.8	00.0-07.1			
\$15,000- 24,999	78	11,759	74	97.3	94.2-0100	4	2.7	00.0-05.8			
\$25,000- 34,999	124	20,602	122	98.3	95.9-0100	2	1.7	00.0-04.1			
\$35,000- 49,999	217	39,340	212	98.9	97.7-0100	5	1.1	00.0-02.3			
\$50,000- 74,999	274	55,695	269	98.5	96.9-0100	4	1.2	00.0-02.6	1	0.3	00.0-00.9
\$75,000+	476	116,295	466	97.8	96.2-99.4	10	2.2	00.6-03.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2456	326,991	2382	96.9	95.9-97.9	68	2.7	01.9-03.5
18-24	133	37,276	123	95.4	92.1-98.7	9	3.5	01.0-06.0
25-34	294	54,924	288	97.7	95.3-0100	5	1.3	00.0-02.7
35-44	415	60,694	395	95.6	93.2-98.0	18	3.8	01.6-06.0
45-54	500	60,149	482	96.9	94.9-98.9	18	3.1	01.1-05.1
55-64	446	47,752	435	97.1	94.6-99.6	11	2.9	00.4-05.4
65+	648	64,459	639	98.1	96.5-99.7	7	1.8	00.2-03.4
Less Than H.S.	149	19,727	145	97.7	95.3-0100	3	1.6	00.0-03.6
H.S. or G.E.D.	841	94,462	818	97.2	95.8-98.6	23	2.8	01.4-04.2
Some Post-H.S.	646	88,882	619	96.0	94.2-97.8	24	3.6	01.8-05.4
College Graduate	818	123,484	798	97.2	95.4-99.0	18	2.0	00.6-03.4
Less than \$15,000	264	26,171	260	98.9	97.7-0100	4	1.1	00.0-02.3
\$15,000- 24,999	272	28,379	261	94.7	91.0-98.4	11	5.3	01.6-09.0
\$25,000- 34,999	216	22,919	206	95.7	92.4-99.0	10	4.3	01.0-07.6
\$35,000- 49,999	337	42,756	329	97.2	94.5-99.9	8	2.8	00.1-05.5
\$50,000- 74,999	370	56,949	358	96.6	94.2-99.0	9	2.3	00.5-04.1
\$75,000+	554	92,732	539	97.5	95.7-99.3	13	1.6	00.4-02.8
			Three Race Categories			Four Race Categories		
			N	%	C.I. (95%)	N	%	C.I. (95%)
			5	0.3	00.0-00.7	1	0.2	00.0-00.6
			1	1.1	00.0-03.3			
			2	0.6	00.0-01.4	1	1.0	00.0-03.0
			2	0.1	00.0-00.3			
			1	0.7	00.0-02.1			
			3	0.3	00.0-00.9			
			1	0.3	00.0-00.9	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
 SECTION 11: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

N	Three Race Categories		N	Four Race Categories	
	%	C.I. (95%)		%	C.I. (95%)
3	1.1	00.0-02.7			
1	0.2	00.0-00.6	1	0.6	00.0-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3908	629,536	3805	97.5	96.9-98.1	103	2.5	01.9-03.1
Male	1452	302,544	1423	98.2	97.4-99.0	29	1.8	01.0-02.6
Female	2456	326,991	2382	96.9	95.9-97.9	74	3.1	02.1-04.1
18-24	213	78,514	202	97.1	94.9-99.3	11	2.9	00.7-05.1
25-34	458	106,896	445	97.4	95.6-99.2	13	2.6	00.8-04.4
35-44	661	120,006	638	97.3	95.9-98.7	23	2.7	01.3-04.1
45-54	817	117,434	790	97.5	96.1-98.9	27	2.5	01.1-03.9
55-64	732	91,416	717	97.6	95.8-99.4	15	2.4	00.6-04.2
65+	1000	112,307	987	98.6	97.6-99.6	13	1.4	00.4-02.4
Less Than H.S.	261	39,535	252	96.5	93.4-99.6	9	3.5	00.4-06.6
H.S. or G.E.D.	1296	191,709	1266	97.7	96.5-98.9	30	2.3	01.1-03.5
Some Post-H.S.	994	161,011	960	97.4	96.2-98.6	34	2.6	01.4-03.8
College Graduate	1354	236,671	1324	97.7	96.7-98.7	30	2.3	01.3-03.3
Less than \$15,000	388	53,020	382	98.1	95.7-0100	6	1.9	00.0-04.3
\$15,000- 24,999	350	40,139	335	95.4	92.5-98.3	15	4.6	01.7-07.5
\$25,000- 34,999	340	43,520	328	97.0	94.8-99.2	12	3.0	00.8-05.2
\$35,000- 49,999	554	82,096	541	98.0	96.4-99.6	13	2.0	00.4-03.6
\$50,000- 74,999	644	112,644	627	97.5	96.1-98.9	17	2.5	01.1-03.9
\$75,000+	1030	209,027	1005	97.7	96.5-98.9	25	2.3	01.1-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1452	302,544	1423	98.2	97.4-99.0	29	1.8	01.0-02.6
18-24	80	41,238	79	98.6	95.9-0100	1	1.4	00.0-04.1
25-34	164	51,972	157	97.0	94.1-99.9	7	3.0	00.1-05.9
35-44	246	59,312	243	98.9	97.5-0100	3	1.1	00.0-02.5
45-54	317	57,285	308	98.1	96.5-99.7	9	1.9	00.3-03.5
55-64	286	43,664	282	98.1	95.9-0100	4	1.9	00.0-04.1
65+	352	47,848	348	99.3	98.5-0100	4	0.7	00.0-01.5
Less Than H.S.	112	19,808	107	95.4	89.5-0100	5	4.6	00.0-10.5
H.S. or G.E.D.	455	97,247	448	98.1	96.3-99.9	7	1.9	00.1-03.7
Some Post-H.S.	348	72,129	341	99.0	98.2-99.8	7	1.0	00.2-01.8
College Graduate	536	113,187	526	98.3	97.1-99.5	10	1.7	00.5-02.9
Less than \$15,000	124	26,849	122	97.2	92.9-0100	2	2.8	00.0-07.1
\$15,000- 24,999	78	11,759	74	97.3	94.2-0100	4	2.7	00.0-05.8
\$25,000- 34,999	124	20,602	122	98.3	95.9-0100	2	1.7	00.0-04.1
\$35,000- 49,999	217	39,340	212	98.9	97.7-0100	5	1.1	00.0-02.3
\$50,000- 74,999	274	55,695	269	98.5	96.9-0100	5	1.5	00.0-03.1
\$75,000+	476	116,295	466	97.8	96.2-99.4	10	2.2	00.6-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2456	326,991	2382	96.9	95.9-97.9	74	3.1	02.1-04.1
18-24	133	37,276	123	95.4	92.1-98.7	10	4.6	01.3-07.9
25-34	294	54,924	288	97.7	95.3-0100	6	2.3	00.0-04.7
35-44	415	60,694	395	95.6	93.2-98.0	20	4.4	02.0-06.8
45-54	500	60,149	482	96.9	94.9-98.9	18	3.1	01.1-05.1
55-64	446	47,752	435	97.1	94.6-99.6	11	2.9	00.4-05.4
65+	648	64,459	639	98.1	96.5-99.7	9	1.9	00.3-03.5
Less Than H.S.	149	19,727	145	97.7	95.3-0100	4	2.3	00.0-04.7
H.S. or G.E.D.	841	94,462	818	97.2	95.8-98.6	23	2.8	01.4-04.2
Some Post-H.S.	646	88,882	619	96.0	94.2-97.8	27	4.0	02.2-05.8
College Graduate	818	123,484	798	97.2	95.4-99.0	20	2.8	01.0-04.6
Less than \$15,000	264	26,171	260	98.9	97.7-0100	4	1.1	00.0-02.3
\$15,000- 24,999	272	28,379	261	94.7	91.0-98.4	11	5.3	01.6-09.0
\$25,000- 34,999	216	22,919	206	95.7	92.4-99.0	10	4.3	01.0-07.6
\$35,000- 49,999	337	42,756	329	97.2	94.5-99.9	8	2.8	00.1-05.5
\$50,000- 74,999	370	56,949	358	96.6	94.2-99.0	12	3.4	01.0-05.8
\$75,000+	554	92,732	539	97.5	95.7-99.3	15	2.5	00.7-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGE5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3970	648,335	429	20.4	18.0-22.8	599	19.4	17.6-21.2	765	19.1	17.3-20.9	785	16.7	15.1-18.3	703	12.1	10.9-13.3	689	12.3	11.1-13.5
Male	1480	310,943	156	21.2	17.5-24.9	209	19.9	16.8-23.0	294	19.5	16.8-22.2	315	17.0	14.6-19.4	260	11.5	09.7-13.3	246	10.9	09.3-12.5
Female	2490	337,392	273	19.7	16.8-22.6	390	19.0	16.8-21.2	471	18.7	16.7-20.7	470	16.5	14.5-18.5	443	12.6	11.0-14.2	443	13.5	11.9-15.1
White/Non-Hisp	3211	504,751	292	18.3	15.8-20.8	437	17.2	15.2-19.2	599	19.5	17.5-21.5	641	17.1	15.3-18.9	616	13.7	12.3-15.1	626	14.3	12.9-15.7
Black or Afr. Am./Non-Hisp	444	79,916	80	27.3	20.4-34.2	87	24.9	18.6-31.2	95	17.8	12.9-22.7	87	17.2	12.5-21.9	57	7.6	05.1-10.1	38	5.2	03.0-07.4
Oth. Race/Non-Hisp.	98	19,003										23	14.9	06.9-22.9	5	4.3	00.0-09.4	8	4.5	00.8-08.2
MultiRacial/Non-Hisp.	112	16,897							27	16.5	08.3-24.7	18	16.3	07.1-25.5	13	7.9	02.6-13.2	12	10.3	03.6-17.0
Hispanic	88	25,474							19	15.4	07.4-23.4	12	9.2	02.5-15.9	7	2.7	00.2-05.2	1	0.2	00.0-00.6
Less Than H.S.	269	42,675				22	10.2	02.9-17.5	31	8.8	04.7-12.9	35	11.4	05.3-17.5	57	14.4	09.1-19.7	90	22.6	16.1-29.1
H.S. or G.E.D.	1305	197,055	150	23.5	19.2-27.8	158	14.9	12.0-17.8	232	19.0	15.9-22.1	231	15.2	12.7-17.7	267	13.4	11.2-15.6	267	13.9	11.7-16.1
Some Post-H.S.	1020	165,834	137	22.8	18.5-27.1	152	19.4	15.7-23.1	194	19.0	15.7-22.3	213	17.0	14.1-19.9	180	11.9	09.5-14.3	144	9.9	07.9-11.9
College Graduate	1372	242,149	108	14.3	11.0-17.6	267	24.8	21.7-27.9	306	20.8	18.1-23.5	306	18.7	16.2-21.2	198	10.7	08.9-12.5	187	10.8	09.0-12.6
Less than \$15,000	400	55,333	59	27.8	19.0-36.6	41	13.3	08.0-18.6	47	11.7	07.4-16.0	56	10.5	06.8-14.2	91	14.7	10.6-18.8	106	22.0	16.7-27.3
\$15,000- 24,999	357	42,144	38	24.9	15.7-34.1	36	10.9	06.4-15.4	59	14.3	10.0-18.6	57	12.3	07.2-17.4	62	14.4	09.7-19.1	105	23.2	17.9-28.5
\$25,000- 34,999	348	46,489	50	20.5	14.2-26.8	42	15.1	07.5-22.7	47	15.6	09.5-21.7	58	14.6	10.1-19.1	73	16.1	11.6-20.6	78	18.1	13.2-23.0
\$35,000- 49,999	563	84,803	66	20.3	14.6-26.0	99	23.9	18.4-29.4	99	14.5	10.8-18.2	117	18.7	14.4-23.0	92	10.8	08.1-13.5	90	11.8	08.9-14.7
\$50,000- 74,999	650	113,197	70	23.6	16.7-30.5	121	21.2	16.7-25.7	144	19.3	15.4-23.2	141	16.8	13.3-20.3	109	11.6	08.9-14.3	65	7.5	05.3-09.7
\$75,000+	1045	215,666	82	15.2	11.5-18.9	220	25.4	21.9-28.9	303	27.6	24.1-31.1	244	19.1	16.2-22.0	137	8.5	06.7-10.3	59	4.3	02.9-05.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1480	310,943	156	21.2	17.5-24.9	209	19.9	16.8-23.0	294	19.5	16.8-22.2	315	17.0	14.6-19.4	260	11.5	09.7-13.3	246	10.9	09.3-12.5
White/Non-Hisp	1212	243,891	113	19.7	15.8-23.6	153	16.8	13.9-19.7	233	20.0	16.9-23.1	257	17.3	14.8-19.8	233	13.3	11.1-15.5	223	12.9	10.9-14.9
Black or Afr. Am./Non-Hisp	151	37,250							35	18.9	10.5-27.3	33	17.0	09.7-24.3	17	5.4	02.3-08.5	11	3.2	01.0-05.4
Less Than H.S.	116	22,182							16	10.4	04.5-16.3				30	15.9	08.1-23.7	35	18.7	11.1-26.3
H.S. or G.E.D.	461	98,679	63	28.9	21.8-36.0	63	16.0	11.3-20.7	98	22.5	16.8-28.2	73	11.9	08.2-15.6	79	9.5	07.0-12.0	85	11.1	08.2-14.0
Some Post-H.S.	353	72,443	41	20.5	13.8-27.2	50	21.8	15.3-28.3	68	17.3	12.0-22.6	96	22.1	16.8-27.4	64	12.0	08.3-15.7	34	6.3	03.8-08.8
College Graduate	549	117,467	36	13.5	07.8-19.2	91	24.1	19.0-29.2	111	19.9	15.8-24.0	132	18.4	14.5-22.3	87	12.0	08.9-15.1	92	12.1	09.4-14.8
Less than \$15,000	129	27,256				12	13.3	04.3-22.3	18	13.5	06.2-20.8	20	9.0	03.7-14.3	24	8.8	04.3-13.3	36	19.8	11.8-27.8
\$15,000- 24,999	81	12,611				7	7.9	01.2-14.6	12	12.2	04.4-20.0							20	16.0	07.6-24.4
\$25,000- 34,999	127	22,382										22	13.4	06.5-20.3	22	10.2	04.9-15.5	35	19.0	11.4-26.6
\$35,000- 49,999	222	41,412	25	20.7	11.7-29.7	32	24.9	15.9-33.9	41	14.3	08.8-19.8	48	16.5	10.8-22.2	35	11.0	06.5-15.5	41	12.7	08.2-17.2
\$50,000- 74,999	278	55,911	34	25.5	16.7-34.3	38	18.5	11.8-25.2	53	17.8	11.9-23.7	57	14.2	09.5-18.9	59	14.3	09.8-18.8	37	9.7	06.2-13.2
\$75,000+	482	119,096	36	14.1	09.0-19.2	95	25.0	19.7-30.3	132	26.4	21.3-31.5	115	20.5	16.2-24.8	68	9.0	06.3-11.7	36	5.1	03.1-07.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2490	337,392	273	19.7	16.8-22.6	390	19.0	16.8-21.2	471	18.7	16.7-20.7	470	16.5	14.5-18.5	443	12.6	11.0-14.2	443	13.5	11.9-15.1
White/Non-Hisp	1999	260,860	179	16.9	13.6-20.2	284	17.6	15.2-20.0	366	19.0	16.6-21.4	384	16.8	14.6-19.0	383	14.0	12.2-15.8	403	15.6	13.6-17.6
Black or Afr. Am./Non-Hisp	293	42,666	55	26.6	17.8-35.4	57	22.6	15.7-29.5	60	16.8	11.3-22.3	54	17.4	11.1-23.7	40	9.6	05.7-13.5	27	7.0	03.5-10.5
Oth. Race/Non-Hisp.	55	8,145													3	4.3	00.0-10.4	4	6.5	00.0-13.6
MultiRacial/Non-Hisp.	78	10,405													10	8.1	02.0-14.2	8	12.7	03.1-22.3
Hispanic	56	14,199										7	6.3	01.0-11.6	4	3.3	00.0-07.2			
Less Than H.S.	153	20,493				17	11.4	04.5-18.3	15	7.1	01.6-12.6	21	7.3	03.2-11.4	27	12.7	05.6-19.8			
H.S. or G.E.D.	844	98,376	87	18.0	13.1-22.9	95	13.8	10.3-17.3	134	15.5	12.4-18.6	158	18.6	15.1-22.1	188	17.3	14.2-20.4	182	16.7	13.8-19.6
Some Post-H.S.	667	93,391	96	24.6	18.9-30.3	102	17.5	13.6-21.4	126	20.4	16.1-24.7	117	13.1	09.8-16.4	116	11.8	09.1-14.5	110	12.6	09.7-15.5
College Graduate	823	124,682	72	15.0	11.1-18.9	176	25.4	21.5-29.3	195	21.6	18.1-25.1	174	18.9	15.6-22.2	111	9.5	07.3-11.7	95	9.5	07.0-12.0
Less than \$15,000	271	28,077	40	20.1	12.8-27.4	29	13.4	07.9-18.9	29	10.0	04.9-15.1	36	12.1	07.0-17.2	67	20.4	14.3-26.5	70	24.1	17.4-30.8
\$15,000- 24,999	276	29,533				29	12.2	06.7-17.7	47	15.2	09.9-20.5	41	9.8	05.9-13.7	43	12.3	07.4-17.2	85	26.2	19.5-32.9
\$25,000- 34,999	221	24,108	33	18.2	11.7-24.7	29	13.6	07.1-20.1	29	13.7	07.8-19.6	36	15.7	09.8-21.6	51	21.6	14.7-28.5	43	17.2	10.7-23.7
\$35,000- 49,999	341	43,391	41	20.0	12.7-27.3	67	23.0	16.7-29.3	58	14.7	09.8-19.6	69	20.8	14.7-26.9	57	10.6	07.1-14.1	49	10.9	07.0-14.8
\$50,000- 74,999	372	57,286				83	23.8	17.7-29.9	91	20.8	15.5-26.1	84	19.4	13.9-24.9	50	8.9	05.8-12.0	28	5.3	02.8-07.8
\$75,000+	563	96,570	46	16.6	11.5-21.7	125	25.8	21.1-30.5	171	29.2	24.5-33.9	129	17.3	13.6-21.0	69	7.8	05.6-10.0	23	3.2	01.6-04.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 25: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<65yrs		N	≥65yrs	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	3970	648,335	2956	82.4	81.0-83.8	1014	17.6	16.2-19.0
Male	1480	310,943	1120	84.3	82.3-86.3	360	15.7	13.7-17.7
Female	2490	337,392	1836	80.7	78.7-82.7	654	19.3	17.3-21.3
White/Non-Hisp	3211	504,751	2299	79.7	78.1-81.3	912	20.3	18.7-21.9
Black or Afr. Am./Non-Hisp	444	79,916	383	91.8	89.1-94.5	61	8.2	05.5-10.9
Oth. Race/Non-Hisp.	98	19,003	86	91.6	85.3-97.9	12	8.4	02.1-14.7
MultiRacial/Non-Hisp.	112	16,897	94	87.3	80.2-94.4	18	12.7	05.6-19.8
Hispanic	88	25,474	82	97.8	95.4-0100	6	2.2	00.0-04.6
Less Than H.S.	269	42,675	140	66.0	57.4-74.6	129	34.0	25.4-42.6
H.S. or G.E.D.	1305	197,055	907	79.8	77.3-82.3	398	20.2	17.7-22.7
Some Post-H.S.	1020	165,834	794	84.9	82.4-87.4	226	15.1	12.6-17.6
College Graduate	1372	242,149	1112	85.8	83.6-88.0	260	14.2	12.0-16.4
Less than \$15,000	400	55,333	244	70.1	64.0-76.2	156	29.9	23.8-36.0
\$15,000- 24,999	357	42,144	217	69.0	62.7-75.3	140	31.0	24.7-37.3
\$25,000- 34,999	348	46,489	230	72.8	66.9-78.7	118	27.2	21.3-33.1
\$35,000- 49,999	563	84,803	434	84.0	80.7-87.3	129	16.0	12.7-19.3
\$50,000- 74,999	650	113,197	544	88.0	85.3-90.7	106	12.0	09.3-14.7
\$75,000+	1045	215,666	946	93.8	92.2-95.4	99	6.2	04.6-07.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 26: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1480	310,943	1120	84.3	82.3-86.3	360	15.7	13.7-17.7
White/Non-Hisp	1212	243,891	889	81.8	79.4-84.2	323	18.2	15.8-20.6
Black or Afr. Am./Non-Hisp	151	37,250	132	94.1	91.0-97.2	19	5.9	02.8-09.0
H.S. or G.E.D.	461	98,679	341	84.3	81.0-87.6	120	15.7	12.4-19.0
Some Post-H.S.	353	72,443	287	88.0	84.5-91.5	66	12.0	08.5-15.5
College Graduate	549	117,467	428	84.9	81.8-88.0	121	15.1	12.0-18.2
Less than \$15,000	129	27,256	79	74.3	65.1-83.5	50	25.7	16.5-34.9
\$25,000- 34,999	127	22,382	78	72.9	63.5-82.3	49	27.1	17.7-36.5
\$35,000- 49,999	222	41,412	163	82.3	77.0-87.6	59	17.7	12.4-23.0
\$50,000- 74,999	278	55,911	220	85.1	80.6-89.6	58	14.9	10.4-19.4
\$75,000+	482	119,096	428	93.2	91.0-95.4	54	6.8	04.6-09.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 27: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2490	337,392	1836	80.7	78.9-82.5	654	19.3	17.5-21.1
White/Non-Hisp	1999	260,860	1410	77.8	75.6-80.0	589	22.2	20.0-24.4
Black or Afr. Am./Non-Hisp	293	42,666	251	89.7	85.6-93.8	42	10.3	06.2-14.4
Oth. Race/Non-Hisp.	55	8,145	49	90.2	81.2-99.2	6	9.8	00.8-18.8
MultiRacial/Non-Hisp.	78	10,405	66	85.0	75.0-95.0	12	15.0	05.0-25.0
Hispanic	56	14,199	52	96.7	92.8-0100	4	3.3	00.0-07.2
H.S. or G.E.D.	844	98,376	566	75.3	71.8-78.8	278	24.7	21.2-28.2
Some Post-H.S.	667	93,391	507	82.4	78.9-85.9	160	17.6	14.1-21.1
College Graduate	823	124,682	684	86.7	84.0-89.4	139	13.3	10.6-16.0
Less than \$15,000	271	28,077	165	66.0	58.6-73.4	106	34.0	26.6-41.4
\$15,000- 24,999	276	29,533	166	66.3	58.7-73.9	110	33.7	26.1-41.3
\$25,000- 34,999	221	24,108	152	72.8	65.4-80.2	69	27.2	19.8-34.6
\$35,000- 49,999	341	43,391	271	85.6	81.3-89.9	70	14.4	10.1-18.7
\$50,000- 74,999	372	57,286	324	90.9	87.6-94.2	48	9.1	05.8-12.4
\$75,000+	563	96,570	518	94.6	92.6-96.6	45	5.4	03.4-07.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 28: REPORTED HEIGHT IN INCHES (HTIN3).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3988	650,794	190	3.9	03.1-04.7	1911	41.0	38.8-43.2	1572	44.6	42.2-47.0	315	10.6	09.0-12.2
Male	1485	311,758	1	0.2	00.0-00.6	139	9.7	07.3-12.1	1034	68.1	64.8-71.4	311	22.0	19.1-24.9
Female	2503	339,036	189	7.2	05.8-08.6	1772	69.6	66.9-72.3	538	23.0	20.3-25.7	4	0.2	00.0-00.4
White/Non-Hisp	3225	505,831	141	3.2	02.4-04.0	1535	40.1	37.7-42.5	1298	46.2	43.7-48.7	251	10.4	08.8-12.0
Black or Afr. Am./Non-Hisp	444	80,229	29	5.1	02.6-07.6	224	44.7	37.8-51.6	148	37.5	30.8-44.2	43	12.7	07.8-17.6
Oth. Race/Non-Hisp.	99	19,168	4	3.5	00.0-07.2							6	10.6	01.2-20.0
MultiRacial/Non-Hisp.	113	17,243	5	3.5	00.2-06.8							5	7.4	00.0-15.2
Hispanic	89	25,702	10	12.2	03.0-21.4							8	9.7	00.9-18.5
18-24	225	83,721	11	3.0	00.8-05.2	106	38.8	30.0-47.6	82	42.4	32.8-52.0	26	15.8	09.1-22.5
25-34	467	111,744	12	2.2	00.4-04.0	221	39.1	33.2-45.0	186	46.9	40.6-53.2	48	11.9	07.8-16.0
35-44	684	126,014	25	3.4	01.4-05.4	310	39.4	34.9-43.9	281	44.5	39.8-49.2	68	12.8	09.3-16.3
45-54	832	119,901	30	2.9	01.3-04.5	378	39.5	35.0-44.0	361	48.0	43.3-52.7	63	9.6	06.9-12.3
55-64	740	92,444	33	3.3	01.9-04.7	349	40.6	35.9-45.3	299	47.6	42.7-52.5	59	8.5	05.8-11.2
65+	1008	113,307	78	8.1	05.9-10.3	527	47.2	43.3-51.1	353	38.5	34.8-42.2	50	6.2	04.2-08.2
Less Than H.S.	265	42,480	29	7.7	04.0-11.4	115	36.8	27.2-46.4				18	8.8	03.7-13.9
H.S. or G.E.D.	1317	197,950	69	4.4	03.0-05.8	681	43.3	39.2-47.4	474	41.2	37.1-45.3	93	11.1	08.2-14.0
Some Post-H.S.	1021	166,647	50	3.8	02.4-05.2	484	40.8	36.7-44.9	401	44.8	40.5-49.1	86	10.6	07.9-13.3
College Graduate	1382	243,107	42	2.8	01.6-04.0	629	39.8	36.5-43.1	593	46.8	43.3-50.3	118	10.5	08.1-12.9
Less than \$15,000	401	55,162	26	4.9	01.8-08.0	219	44.8	37.2-52.4	136	42.0	34.0-50.0	20	8.3	03.4-13.2
\$15,000- 24,999	359	42,347	38	9.4	05.9-12.9	196	52.5	44.5-60.5	113	33.2	25.8-40.6	12	4.8	00.9-08.7
\$25,000- 34,999	349	46,537	18	4.6	02.1-07.1	180	46.2	38.6-53.8	129	38.4	30.8-46.0	22	10.8	05.1-16.5
\$35,000- 49,999	564	85,133	17	2.9	00.9-04.9	263	41.1	35.2-47.0	232	42.2	36.5-47.9	52	13.8	09.3-18.3
\$50,000- 74,999	652	113,746	24	2.5	01.3-03.7	283	37.2	31.9-42.5	277	49.2	43.3-55.1	68	11.1	07.8-14.4
\$75,000+	1050	216,227	25	2.5	01.1-03.9	421	34.4	30.7-38.1	494	50.6	46.5-54.7	110	12.4	09.7-15.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1485	311,758	1	0.2	00.0-00.6	139	9.7	07.3-12.1	1034	68.1	64.8-71.4	311	22.0	19.1-24.9
White/Non-Hisp	1213	244,077				96	7.8	05.4-10.2	867	70.7	67.2-74.2	250	21.5	18.4-24.6
Black or Afr. Am./Non-Hisp	153	37,454				25	19.0	09.6-28.4				41	26.9	16.9-36.9
18-24	82	42,039				9	11.7	02.5-20.9						
25-34	167	55,312	1	1.2	00.0-03.6	12	6.6	01.7-11.5	106	68.1	59.1-77.1	48	24.1	16.3-31.9
35-44	256	61,957				19	9.2	03.7-14.7	170	64.9	57.5-72.3	67	25.9	19.4-32.4
45-54	323	58,535				32	12.7	07.2-18.2	229	67.8	60.7-74.9	62	19.5	14.0-25.0
55-64	290	44,093				21	5.8	02.1-09.5	210	76.4	70.1-82.7	59	17.8	12.3-23.3
65+	359	48,518				45	11.9	08.2-15.6	266	74.5	69.2-79.8	48	13.6	09.3-17.9
Less Than H.S.	116	22,182										16	15.2	06.2-24.2
H.S. or G.E.D.	462	99,071				55	13.6	08.3-18.9	314	64.2	57.5-70.9	93	22.2	16.7-27.7
Some Post-H.S.	353	72,650				25	6.1	03.0-09.2	242	69.7	63.4-76.0	86	24.3	18.4-30.2
College Graduate	553	117,682	1	0.6	00.0-01.8	43	7.1	04.4-09.8	393	70.7	65.4-76.0	116	21.6	16.9-26.3
Less than \$15,000	128	26,985										19	16.8	07.2-26.4
\$35,000- 49,999	222	41,412				20	10.8	03.4-18.2	150	60.8	51.4-70.2	52	28.4	20.0-36.8
\$50,000- 74,999	279	56,244				15	5.3	02.0-08.6	196	72.3	65.2-79.4	68	22.5	16.0-29.0
\$75,000+	484	119,345	1	0.6	00.0-01.8	34	7.0	04.1-09.9	340	70.2	64.9-75.5	109	22.3	17.4-27.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2503	339,036	189	7.2	05.8-08.6	1772	69.6	66.9-72.3	538	23.0	20.3-25.7	4	0.2	00.0-00.4
White/Non-Hisp	2012	261,754	141	6.3	04.9-07.7	1439	70.3	67.2-73.4	431	23.4	20.3-26.5	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	291	42,775	29	9.6	05.1-14.1	199	67.2	59.4-75.0	61	23.0	15.7-30.3	2	0.2	00.0-00.6
Oth. Race/Non-Hisp.	56	8,311	4	8.2	00.0-16.6							1	1.5	00.0-04.4
MultiRacial/Non-Hisp.	78	10,405	5	5.8	00.3-11.3									
18-24	143	41,682	11	6.0	01.7-10.3									
25-34	300	56,432	11	3.1	00.6-05.6	209	70.9	64.4-77.4	80	26.0	19.7-32.3			
35-44	428	64,057	25	6.6	03.1-10.1	291	68.5	63.0-74.0	111	24.8	19.9-29.7	1	0.1	00.0-00.3
45-54	509	61,366	30	5.7	02.8-08.6	346	65.1	59.4-70.8	132	29.1	23.6-34.6	1	0.1	00.0-00.3
55-64	450	48,351	33	6.3	03.8-08.8	328	72.4	66.9-77.9	89	21.3	16.2-26.4			
65+	649	64,789	78	14.2	10.7-17.7	482	73.7	69.4-78.0	87	11.4	08.5-14.3	2	0.7	00.0-01.7
Less Than H.S.	149	20,298	29	16.0	07.6-24.4							2	1.8	00.0-04.9
H.S. or G.E.D.	855	98,879	69	8.8	06.1-11.5	626	73.0	68.9-77.1	160	18.2	14.7-21.7			
Some Post-H.S.	668	93,997	50	6.7	04.3-09.1	459	67.6	62.5-72.7	159	25.6	20.7-30.5			
College Graduate	829	125,426	41	4.9	02.9-06.9	586	70.5	66.4-74.6	200	24.4	20.7-28.1	2	0.1	00.0-00.3
Less than \$15,000	273	28,177	26	9.7	04.0-15.4	200	71.2	63.6-78.8	46	19.0	12.5-25.5	1	0.2	00.0-00.6
\$15,000- 24,999	278	29,736	38	13.4	08.5-18.3	186	68.5	60.9-76.1	53	17.9	11.6-24.2	1	0.2	00.0-00.6
\$25,000- 34,999	222	24,156	18	8.9	04.2-13.6	157	69.8	62.0-77.6	47	21.4	14.5-28.3			
\$35,000- 49,999	342	43,721	17	5.7	02.0-09.4	243	69.8	63.1-76.5	82	24.6	18.5-30.7			
\$50,000- 74,999	373	57,502	24	5.0	02.5-07.5	268	68.4	58.8-78.0	81	26.6	16.8-36.4			
\$75,000+	566	96,882	24	5.0	02.3-07.7	387	68.3	63.2-73.4	154	26.6	21.9-31.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 31: REPORTED HEIGHT IN METERS (HTM3).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3988	650,794	190	3.9	03.1-04.7	1911	41.0	38.8-43.2	1572	44.6	42.2-47.0	315	10.6	09.0-12.2
Male	1485	311,758	1	0.2	00.0-00.6	139	9.7	07.3-12.1	1034	68.1	64.8-71.4	311	22.0	19.1-24.9
Female	2503	339,036	189	7.2	05.8-08.6	1772	69.6	66.9-72.3	538	23.0	20.3-25.7	4	0.2	00.0-00.4
White/Non-Hisp	3225	505,831	141	3.2	02.4-04.0	1535	40.1	37.7-42.5	1298	46.2	43.7-48.7	251	10.4	08.8-12.0
Black or Afr. Am./Non-Hisp	444	80,229	29	5.1	02.6-07.6	224	44.7	37.8-51.6	148	37.5	30.8-44.2	43	12.7	07.8-17.6
Oth. Race/Non-Hisp.	99	19,168	4	3.5	00.0-07.2							6	10.6	01.2-20.0
MultiRacial/Non-Hisp.	113	17,243	5	3.5	00.2-06.8							5	7.4	00.0-15.2
Hispanic	89	25,702	10	12.2	03.0-21.4							8	9.7	00.9-18.5
18-24	225	83,721	11	3.0	00.8-05.2	106	38.8	30.0-47.6	82	42.4	32.8-52.0	26	15.8	09.1-22.5
25-34	467	111,744	12	2.2	00.4-04.0	221	39.1	33.2-45.0	186	46.9	40.6-53.2	48	11.9	07.8-16.0
35-44	684	126,014	25	3.4	01.4-05.4	310	39.4	34.9-43.9	281	44.5	39.8-49.2	68	12.8	09.3-16.3
45-54	832	119,901	30	2.9	01.3-04.5	378	39.5	35.0-44.0	361	48.0	43.3-52.7	63	9.6	06.9-12.3
55-64	740	92,444	33	3.3	01.9-04.7	349	40.6	35.9-45.3	299	47.6	42.7-52.5	59	8.5	05.8-11.2
65+	1008	113,307	78	8.1	05.9-10.3	527	47.2	43.3-51.1	353	38.5	34.8-42.2	50	6.2	04.2-08.2
Less Than H.S.	265	42,480	29	7.7	04.0-11.4	115	36.8	27.2-46.4				18	8.8	03.7-13.9
H.S. or G.E.D.	1317	197,950	69	4.4	03.0-05.8	681	43.3	39.2-47.4	474	41.2	37.1-45.3	93	11.1	08.2-14.0
Some Post-H.S.	1021	166,647	50	3.8	02.4-05.2	484	40.8	36.7-44.9	401	44.8	40.5-49.1	86	10.6	07.9-13.3
College Graduate	1382	243,107	42	2.8	01.6-04.0	629	39.8	36.5-43.1	593	46.8	43.3-50.3	118	10.5	08.1-12.9
Less than \$15,000	401	55,162	26	4.9	01.8-08.0	219	44.8	37.2-52.4	136	42.0	34.0-50.0	20	8.3	03.4-13.2
\$15,000- 24,999	359	42,347	38	9.4	05.9-12.9	196	52.5	44.5-60.5	113	33.2	25.8-40.6	12	4.8	00.9-08.7
\$25,000- 34,999	349	46,537	18	4.6	02.1-07.1	180	46.2	38.6-53.8	129	38.4	30.8-46.0	22	10.8	05.1-16.5
\$35,000- 49,999	564	85,133	17	2.9	00.9-04.9	263	41.1	35.2-47.0	232	42.2	36.5-47.9	52	13.8	09.3-18.3
\$50,000- 74,999	652	113,746	24	2.5	01.3-03.7	283	37.2	31.9-42.5	277	49.2	43.3-55.1	68	11.1	07.8-14.4
\$75,000+	1050	216,227	25	2.5	01.1-03.9	421	34.4	30.7-38.1	494	50.6	46.5-54.7	110	12.4	09.7-15.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 32: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1485	311,758	1	0.2	00.0-00.6	139	9.7	07.3-12.1	1034	68.1	64.8-71.4	311	22.0	19.1-24.9
White/Non-Hisp	1213	244,077				96	7.8	05.4-10.2	867	70.7	67.2-74.2	250	21.5	18.4-24.6
Black or Afr. Am./Non-Hisp	153	37,454				25	19.0	09.6-28.4				41	26.9	16.9-36.9
18-24	82	42,039				9	11.7	02.5-20.9						
25-34	167	55,312	1	1.2	00.0-03.6	12	6.6	01.7-11.5	106	68.1	59.1-77.1	48	24.1	16.3-31.9
35-44	256	61,957				19	9.2	03.7-14.7	170	64.9	57.5-72.3	67	25.9	19.4-32.4
45-54	323	58,535				32	12.7	07.2-18.2	229	67.8	60.7-74.9	62	19.5	14.0-25.0
55-64	290	44,093				21	5.8	02.1-09.5	210	76.4	70.1-82.7	59	17.8	12.3-23.3
65+	359	48,518				45	11.9	08.2-15.6	266	74.5	69.2-79.8	48	13.6	09.3-17.9
Less Than H.S.	116	22,182										16	15.2	06.2-24.2
H.S. or G.E.D.	462	99,071					13.6	08.3-18.9	314	64.2	57.5-70.9	93	22.2	16.7-27.7
Some Post-H.S.	353	72,650				25	6.1	03.0-09.2	242	69.7	63.4-76.0	86	24.3	18.4-30.2
College Graduate	553	117,682	1	0.6	00.0-01.8	43	7.1	04.4-09.8	393	70.7	65.4-76.0	116	21.6	16.9-26.3
Less than \$15,000	128	26,985										19	16.8	07.2-26.4
\$35,000- 49,999	222	41,412				20	10.8	03.4-18.2	150	60.8	51.4-70.2	52	28.4	20.0-36.8
\$50,000- 74,999	279	56,244				15	5.3	02.0-08.6	196	72.3	65.2-79.4	68	22.5	16.0-29.0
\$75,000+	484	119,345	1	0.6	00.0-01.8	34	7.0	04.1-09.9	340	70.2	64.9-75.5	109	22.3	17.4-27.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 33: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2503	339,036	189	7.2	05.8-08.6	1772	69.6	66.9-72.3	538	23.0	20.3-25.7	4	0.2	00.0-00.4
White/Non-Hisp	2012	261,754	141	6.3	04.9-07.7	1439	70.3	67.2-73.4	431	23.4	20.3-26.5	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	291	42,775	29	9.6	05.1-14.1	199	67.2	59.4-75.0	61	23.0	15.7-30.3	2	0.2	00.0-00.6
Oth. Race/Non-Hisp.	56	8,311	4	8.2	00.0-16.6							1	1.5	00.0-04.4
MultiRacial/Non-Hisp.	78	10,405	5	5.8	00.3-11.3									
18-24	143	41,682	11	6.0	01.7-10.3									
25-34	300	56,432	11	3.1	00.6-05.6	209	70.9	64.4-77.4	80	26.0	19.7-32.3			
35-44	428	64,057	25	6.6	03.1-10.1	291	68.5	63.0-74.0	111	24.8	19.9-29.7	1	0.1	00.0-00.3
45-54	509	61,366	30	5.7	02.8-08.6	346	65.1	59.4-70.8	132	29.1	23.6-34.6	1	0.1	00.0-00.3
55-64	450	48,351	33	6.3	03.8-08.8	328	72.4	66.9-77.9	89	21.3	16.2-26.4			
65+	649	64,789	78	14.2	10.7-17.7	482	73.7	69.4-78.0	87	11.4	08.5-14.3	2	0.7	00.0-01.7
Less Than H.S.	149	20,298	29	16.0	07.6-24.4							2	1.8	00.0-04.9
H.S. or G.E.D.	855	98,879	69	8.8	06.1-11.5	626	73.0	68.9-77.1	160	18.2	14.7-21.7			
Some Post-H.S.	668	93,997	50	6.7	04.3-09.1	459	67.6	62.5-72.7	159	25.6	20.7-30.5			
College Graduate	829	125,426	41	4.9	02.9-06.9	586	70.5	66.4-74.6	200	24.4	20.7-28.1	2	0.1	00.0-00.3
Less than \$15,000	273	28,177	26	9.7	04.0-15.4	200	71.2	63.6-78.8	46	19.0	12.5-25.5	1	0.2	00.0-00.6
\$15,000- 24,999	278	29,736	38	13.4	08.5-18.3	186	68.5	60.9-76.1	53	17.9	11.6-24.2	1	0.2	00.0-00.6
\$25,000- 34,999	222	24,156	18	8.9	04.2-13.6	157	69.8	62.0-77.6	47	21.4	14.5-28.3			
\$35,000- 49,999	342	43,721	17	5.7	02.0-09.4	243	69.8	63.1-76.5	82	24.6	18.5-30.7			
\$50,000- 74,999	373	57,502	24	5.0	02.5-07.5	268	68.4	58.8-78.0	81	26.6	16.8-36.4			
\$75,000+	566	96,882	24	5.0	02.3-07.7	387	68.3	63.2-73.4	154	26.6	21.9-31.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG2).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3869	634,981	30	0.7	00.3-01.1	1275	30.6	28.6-32.6	1755	46.0	43.6-48.4	631	17.8	15.8-19.8	147	4.1	03.1-05.1	31	0.8	00.4-01.2
Male	1481	309,023	1	0.1	00.0-00.3	116	9.7	07.3-12.1	813	55.2	51.7-58.7	432	27.2	24.1-30.3	104	7.0	05.2-08.8	15	1.0	00.2-01.8
Female	2388	325,958	29	1.2	00.4-02.0	1159	50.5	47.6-53.4	942	37.3	34.6-40.0	199	9.0	06.6-11.4	43	1.4	00.8-02.0	16	0.6	00.2-01.0
White/Non-Hisp	3132	495,295	23	0.5	00.3-00.7	1062	31.0	28.8-33.2	1434	47.0	44.5-49.5	487	17.4	15.2-19.6	105	3.5	02.7-04.3	21	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	431	78,397	2	0.6	00.0-01.4	103	25.1	18.6-31.6	200	44.5	37.6-51.4	93	21.2	15.9-26.5	28	6.4	02.3-10.5	5	2.2	00.0-04.7
Oth. Race/Non-Hisp.	97	16,979	3	1.8	00.0-04.2							15	15.2	05.2-25.2	2	3.3	00.0-09.6	2	0.3	00.0-00.7
MultiRacial/Non-Hisp.	109	17,016													4	7.6	00.2-15.0	3	1.5	00.0-03.3
Hispanic	87	25,609	1	3.8	00.0-11.1									7	5.9	00.0-11.8				
18-24	221	81,003	2	1.5	00.0-03.9	102	38.8	30.2-47.4	89	44.2	35.0-53.4	25	14.2	05.8-22.6	3	1.4	00.0-03.0			
25-34	460	110,944	3	0.2	00.0-00.4	163	32.9	27.2-38.6	209	46.8	40.5-53.1	62	14.0	09.7-18.3	17	4.3	01.6-07.0	6	1.8	00.0-03.8
35-44	655	122,198	5	0.3	00.1-00.5	210	27.8	23.7-31.9	276	44.0	39.1-48.9	119	20.7	16.6-24.8	35	6.0	03.3-08.7	10	1.3	00.3-02.3
45-54	796	115,454	1	0.1	00.0-00.3	226	25.2	21.3-29.1	373	48.7	43.8-53.6	151	20.5	16.2-24.8	38	4.9	02.7-07.1	7	0.7	00.1-01.3
55-64	718	90,033	4	0.5	00.0-01.1	193	22.5	18.6-26.4	342	47.4	42.5-52.3	143	24.3	19.8-28.8	31	5.0	02.8-07.2	5	0.3	00.0-00.7
65+	995	112,238	14	1.6	00.6-02.6	369	37.3	33.6-41.0	462	45.8	41.9-49.7	126	12.8	10.3-15.3	21	2.3	01.1-03.5	3	0.1	00.0-00.3
Less Than H.S.	264	42,460	6	1.6	00.2-03.0	74	28.2	19.2-37.2						10	4.7	00.8-08.6	2	0.2	00.0-00.4	
H.S. or G.E.D.	1278	193,788	7	0.9	00.0-01.9	410	26.6	23.3-29.9	606	48.9	44.8-53.0	185	17.3	14.0-20.6	61	5.6	03.6-07.6	9	0.6	00.0-01.2
Some Post-H.S.	997	163,997	11	0.9	00.3-01.5	325	31.2	27.1-35.3	442	45.0	40.7-49.3	168	16.9	13.8-20.0	40	4.3	02.5-06.1	11	1.8	00.4-03.2
College Graduate	1328	234,434	6	0.2	00.0-00.4	466	34.0	30.7-37.3	584	44.6	41.1-48.1	228	18.5	15.6-21.4	35	2.5	01.5-03.5	9	0.3	00.1-00.5
Less than \$15,000	395	52,662	1	0.2	00.0-00.6	142	33.3	26.4-40.2	176	42.8	35.9-49.7	55	18.5	12.0-25.0	17	4.5	01.6-07.4	4	0.7	00.0-01.5
\$15,000- 24,999	354	41,915	8	3.4	00.9-05.9	125	35.1	27.5-42.7	146	42.5	34.3-50.7	47	9.8	06.3-13.3	21	7.2	02.9-11.5	7	2.0	00.2-03.8
\$25,000- 34,999	347	46,350	2	1.2	00.0-02.8	100	27.8	20.9-34.7	175	47.9	40.1-55.7	52	15.7	10.4-21.0	16	6.4	01.5-11.3	2	1.0	00.0-02.8
\$35,000- 49,999	549	83,864	3	0.2	00.0-00.4	158	24.7	20.0-29.4	252	46.2	40.1-52.3	103	20.7	16.0-25.4	29	7.3	03.8-10.8	4	1.0	00.0-02.2
\$50,000- 74,999	638	112,458	4	0.2	00.0-00.4	199	30.2	25.1-35.3	280	44.2	38.3-50.1	121	19.6	13.7-25.5	26	4.3	02.3-06.3	8	1.5	00.0-03.3
\$75,000+	1020	212,064	5	0.6	00.0-01.6	311	27.5	24.0-31.0	483	49.3	45.2-53.4	192	20.3	16.8-23.8	25	2.0	01.0-03.0	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1481	309,023	1	0.1	00.0-00.3	116	9.7	07.3-12.1	813	55.2	51.7-58.7	432	27.2	24.1-30.3	104	7.0	05.2-08.8	15	1.0	00.2-01.8
White/Non-Hisp	1213	244,224				79	7.7	05.3-10.1	695	58.9	55.2-62.6	352	26.9	23.6-30.2	76	5.9	04.3-07.5	11	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	151	36,804	1	0.6	00.0-01.8							49	28.6	19.2-38.0	18	12.1	03.9-20.3	3	3.5	00.0-08.8
18-24	80	39,557										16	16.5	07.5-25.5	3	2.8	00.0-05.9			
25-34	168	55,451				15	11.6	04.7-18.5	98	56.8	47.0-66.6	38	21.1	13.3-28.9	14	8.2	02.9-13.5	3	2.3	00.0-05.8
35-44	255	61,840				14	5.5	01.4-09.6	140	53.4	45.8-61.0	78	31.4	24.3-38.5	17	8.0	03.1-12.9	6	1.6	00.0-03.2
45-54	323	58,489				19	6.6	02.5-10.7	184	56.4	48.8-64.0	94	28.9	21.8-36.0	24	7.4	03.5-11.3	2	0.7	00.0-01.7
55-64	288	43,672				8	2.5	00.0-05.0	144	49.6	42.0-57.2	106	37.8	30.2-45.4	27	9.6	05.1-14.1	3	0.5	00.0-01.1
65+	360	48,789	1	0.4	00.0-01.2	43	12.9	08.8-17.0	201	56.7	50.6-62.8	96	25.1	19.8-30.4	18	4.8	02.4-07.2	1	0.1	00.0-00.3
Less Than H.S.	116	22,182	1	0.9	00.0-02.7							25	14.3	07.0-21.6	7	7.9	00.8-15.0			
H.S. or G.E.D.	463	99,150				35	7.1	03.6-10.6	264	58.3	51.6-65.0	121	25.3	19.4-31.2	39	8.6	04.9-12.3	4	0.7	00.0-01.5
Some Post-H.S.	352	72,139				20	8.0	03.3-12.7	181	52.2	45.1-59.3	116	29.2	23.1-35.3	29	8.0	04.3-11.7	6	2.6	00.0-05.5
College Graduate	549	115,378				45	10.6	06.7-14.5	301	54.4	48.9-59.9	170	30.0	24.9-35.1	28	4.6	02.4-06.8	5	0.4	00.0-01.0
Less than \$15,000	128	25,103				13	13.4	03.8-23.0							9	7.2	01.3-13.1	2	0.8	00.0-02.0
\$15,000- 24,999	81	12,611	1	1.6	00.0-04.7							19	16.9	07.7-26.1						
\$25,000- 34,999	127	22,382										29	20.5	11.1-29.9	11	11.0	01.2-20.8	1	0.1	00.0-00.3
\$35,000- 49,999	222	41,412				17	6.0	02.3-09.7	112	50.6	41.4-59.8	66	27.8	20.0-35.6	23	13.5	06.6-20.4	4	2.0	00.0-04.2
\$50,000- 74,999	279	56,282				13	7.4	02.3-12.5	150	56.1	48.1-64.1	93	27.4	20.9-33.9	19	6.6	03.1-10.1	4	2.5	00.0-06.0
\$75,000+	483	119,228				29	7.3	04.2-10.4	274	58.1	52.2-64.0	153	30.8	25.3-36.3	24	3.5	01.7-05.3	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2388	325,958	29	1.2	00.4-02.0	1159	50.5	47.6-53.4	942	37.3	34.6-40.0	199	9.0	06.6-11.4	43	1.4	00.8-02.0	16	0.6	00.2-01.0
White/Non-Hisp	1919	251,071	23	1.0	00.4-01.6	983	53.7	50.4-57.0	739	35.4	32.5-38.3	135	8.2	05.5-10.9	29	1.3	00.7-01.9	10	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	280	41,593	1	0.5	00.0-01.5	85	31.4	23.0-39.8	138	50.9	42.3-59.5	44	14.7	09.4-20.0	10	1.4	00.4-02.4	2	1.1	00.0-02.7
Oth. Race/Non-Hisp.	55	8,276	3	3.7	00.0-08.2							5	7.2	00.1-14.3	1	0.2	00.0-00.8	2	0.7	00.0-01.7
MultiRacial/Non-Hisp.	74	10,179													2	6.6	00.0-15.4	2	1.7	00.0-04.2
Hispanic	55	14,334	1	6.8	00.0-19.3							4	2.7	00.0-06.2	1	0.5	00.0-01.5			
18-24	141	41,447	2	2.9	00.0-07.6															
25-34	292	55,493	3	0.4	00.0-01.0	148	54.2	46.8-61.6	111	36.8	29.7-43.9	24	6.9	03.4-10.4	3	0.4	00.0-01.0	3	1.2	00.0-02.8
35-44	400	60,358	5	0.6	00.0-01.2	196	50.6	44.5-56.7	136	34.3	28.4-40.2	41	9.7	06.2-13.2	18	3.8	01.6-06.0	4	1.0	00.0-02.2
45-54	473	56,965	1	0.1	00.0-00.3	207	44.3	38.4-50.2	189	40.7	34.8-46.6	57	11.8	07.9-15.7	14	2.4	00.8-04.0	5	0.7	00.0-01.5
55-64	430	46,362	4	0.9	00.0-02.1	185	41.4	35.3-47.5	198	45.3	39.0-51.6	37	11.5	07.0-16.0	4	0.7	00.0-01.5	2	0.2	00.0-00.4
65+	635	63,449	13	2.6	00.8-04.4	326	56.1	51.0-61.2	261	37.4	32.5-42.3	30	3.3	01.7-04.9	3	0.4	00.0-01.0	2	0.2	00.0-00.4
Less Than H.S.	148	20,278	5	2.3	00.0-04.7										3	1.3	00.0-02.9	2	0.4	00.0-01.0
H.S. or G.E.D.	815	94,638	7	1.9	00.0-04.1	375	47.1	42.2-52.0	342	39.0	34.1-43.9	64	8.9	06.0-11.8	22	2.5	01.1-03.9	5	0.6	00.0-01.2
Some Post-H.S.	645	91,858	11	1.6	00.4-02.8	305	49.5	44.0-55.0	261	39.3	34.0-44.6	52	7.2	04.7-09.7	11	1.3	00.1-02.5	5	1.1	00.0-02.3
College Graduate	779	119,056	6	0.3	00.1-00.5	421	56.6	52.1-61.1	283	35.1	30.8-39.4	58	7.3	04.9-09.7	7	0.5	00.1-00.9	4	0.1	00.0-00.3
Less than \$15,000	267	27,560	1	0.3	00.0-00.9	129	51.5	43.3-59.7	100	33.0	25.7-40.3	27	12.5	06.8-18.2	8	2.0	00.4-03.6	2	0.7	00.0-01.7
\$15,000- 24,999	273	29,304	7	4.2	00.9-07.5	110	39.0	30.6-47.4	111	43.8	34.4-53.2	28	6.8	03.7-09.9	10	3.5	00.8-06.2	7	2.9	00.4-05.4
\$25,000- 34,999	220	23,968	2	2.3	00.0-05.4	88	41.4	33.0-49.8	101	41.2	32.8-49.6	23	11.3	05.8-16.8	5	2.1	00.1-04.1	1	1.7	00.0-05.0
\$35,000- 49,999	327	42,452	3	0.4	00.0-00.8	141	42.8	35.4-50.2	140	41.9	34.3-49.5	37	13.7	08.6-18.8	6	1.1	00.1-02.1			
\$50,000- 74,999	359	56,176	4	0.5	00.1-00.9	186	53.0	44.2-61.8	130	32.3	25.2-39.4				7	2.0	00.2-03.8	4	0.5	00.0-01.1
\$75,000+	537	92,835	5	1.4	00.0-03.6	282	53.5	48.0-59.0	209	38.0	32.7-43.3	39	6.9	04.2-09.6	1	0.1	00.0-00.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (BMI4).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3864	634,390	32	1.0	00.4-01.6	1355	35.2	33.0-37.4	1406	37.8	35.6-40.0	687	16.9	15.3-18.5	384	9.1	07.5-10.7
Male	1478	308,534	7	0.6	00.0-01.2	363	26.3	23.2-29.4	674	45.9	42.4-49.4	310	19.4	16.7-22.1	124	7.8	06.0-09.6
Female	2386	325,856	25	1.4	00.6-02.2	992	43.7	40.8-46.6	732	30.1	27.6-32.6	377	14.4	12.4-16.4	260	10.4	08.0-12.8
White/Non-Hisp	3128	494,742	29	1.2	00.6-01.8	1146	36.7	34.3-39.1	1154	38.6	36.1-41.1	532	15.4	13.6-17.2	267	8.2	06.4-10.0
Black or Afr. Am./Non-Hisp	430	78,358	1	0.3	00.0-00.9	101	26.4	19.7-33.1	150	33.4	26.9-39.9	95	25.2	19.3-31.1	83	14.7	10.0-19.4
Oth. Race/Non-Hisp.	97	16,979	1	0.4	00.0-01.2							18	16.3	07.1-25.5	7	2.6	00.2-05.0
MultiRacial/Non-Hisp.	109	17,016										24	17.2	08.6-25.8	14	17.1	07.1-27.1
Hispanic	87	25,609										11	9.1	01.7-16.5			
18-24	221	81,003	2	2.1	00.0-05.0	124	50.3	40.9-59.7	54	27.5	19.3-35.7	28	12.3	06.8-17.8	13	7.7	00.0-15.5
25-34	459	110,805	3	0.4	00.0-01.0	196	40.3	34.4-46.2	153	37.1	30.8-43.4	65	13.5	09.4-17.6	42	8.8	05.3-12.3
35-44	655	122,198	10	1.6	00.2-03.0	224	29.8	25.7-33.9	231	39.7	34.8-44.6	104	17.7	14.0-21.4	86	11.1	08.2-14.0
45-54	795	115,375	3	0.1	00.0-00.3	261	32.2	27.7-36.7	279	38.5	33.6-43.4	153	19.0	15.3-22.7	99	10.2	07.7-12.7
55-64	718	90,033	3	0.4	00.0-01.0	193	25.0	20.9-29.1	292	41.6	36.7-46.5	154	21.8	17.7-25.9	76	11.0	07.9-14.1
65+	992	111,864	11	1.3	00.3-02.3	345	36.0	32.3-39.7	390	40.7	36.8-44.6	182	16.7	14.0-19.4	64	5.3	03.7-06.9
Less Than H.S.	263	42,421	7	2.0	00.2-03.8	74	27.1	18.3-35.9	81	31.7	22.1-41.3	61	20.3	13.2-27.4			
H.S. or G.E.D.	1277	193,709	4	0.3	00.0-00.7	434	34.3	30.4-38.2	467	37.2	33.1-41.3	224	17.0	13.9-20.1	148	11.3	08.8-13.8
Some Post-H.S.	995	163,794	10	1.9	00.1-03.7	342	35.4	31.1-39.7	351	36.3	32.2-40.4	192	17.2	14.1-20.3	100	9.2	06.7-11.7
College Graduate	1327	234,163	11	0.7	00.1-01.3	505	37.3	34.0-40.6	506	40.5	37.0-44.0	210	15.9	13.4-18.4	95	5.5	04.1-06.9
Less than \$15,000	394	52,391	2	0.5	00.0-01.3	145	38.0	30.9-45.1	131	33.4	26.5-40.3	62	15.5	10.4-20.6	54	12.6	07.7-17.5
\$15,000- 24,999	354	41,915	5	1.9	00.0-03.9	116	31.6	24.2-39.0	106	35.9	27.9-43.9	68	15.2	10.1-20.3	59	15.4	10.1-20.7
\$25,000- 34,999	347	46,350				103	32.2	24.9-39.5	129	37.2	29.4-45.0	67	15.8	11.1-20.5	48	14.8	08.9-20.7
\$35,000- 49,999	549	83,864	5	1.2	00.0-02.8	177	30.1	25.0-35.2	188	33.8	27.9-39.7	114	23.6	18.3-28.9	65	11.4	07.9-14.9
\$50,000- 74,999	637	112,319	2	0.8	00.0-02.2	222	33.8	28.5-39.1	247	39.1	33.4-44.8	106	14.8	11.1-18.5	60	11.5	05.6-17.4
\$75,000+	1020	212,064	5	0.4	00.0-00.8	377	36.4	32.5-40.3	399	41.8	37.7-45.9	177	16.4	13.5-19.3	62	4.9	03.3-06.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1478	308,534	7	0.6	00.0-01.2	363	26.3	23.2-29.4	674	45.9	42.4-49.4	310	19.4	16.7-22.1	124	7.8	06.0-09.6
White/Non-Hisp	1210	243,735	6	0.6	00.0-01.2	293	26.0	22.5-29.5	572	48.4	44.5-52.3	249	18.0	15.3-20.7	90	6.9	05.1-08.7
Black or Afr. Am./Non-Hisp	151	36,804	1	0.6	00.0-01.8				54	29.9	20.1-39.7	35	27.6	17.6-37.6	23	11.9	04.1-19.7
18-24	80	39,557	1	1.8	00.0-05.3							11	13.8	04.6-23.0	4	3.4	00.1-06.7
25-34	167	55,312				54	28.5	19.9-37.1	70	46.5	36.5-56.5	29	15.4	08.3-22.5	14	9.6	03.5-15.7
35-44	255	61,840	2	0.8	00.0-02.0	54	19.4	13.5-25.3	123	48.7	41.1-56.3	49	22.3	16.0-28.6	27	8.8	04.1-13.5
45-54	322	58,410	1	0.1	00.0-00.3	76	23.9	17.2-30.6	151	49.2	41.6-56.8	68	19.1	13.4-24.8	26	7.7	04.0-11.4
55-64	288	43,672	1	0.3	00.0-00.9	46	16.2	10.7-21.7	135	47.0	39.4-54.6	75	26.0	19.1-32.9	31	10.4	05.9-14.9
65+	359	48,518	2	0.7	00.0-01.7	93	26.9	21.4-32.4	167	47.7	41.6-53.8	77	19.7	15.0-24.4	20	4.9	02.5-07.3
Less Than H.S.	116	22,182	2	1.6	00.0-04.0							27	19.7	10.1-29.3	10	9.0	01.7-16.3
H.S. or G.E.D.	462	99,071	1	0.1	00.0-00.3	123	28.0	21.9-34.1	201	42.9	36.2-49.6	93	19.5	14.2-24.8	44	9.5	05.6-13.4
Some Post-H.S.	351	72,000	1	1.0	00.0-03.0	78	25.3	18.8-31.8	156	44.5	37.4-51.6	81	19.2	14.1-24.3	35	10.1	05.6-14.6
College Graduate	548	115,107	3	0.5	00.0-01.1	127	23.9	19.2-28.6	275	51.5	46.0-57.0	109	19.5	15.2-23.8	34	4.5	02.5-06.5
Less than \$15,000	127	24,832										23	16.7	08.1-25.3	12	10.8	02.0-19.6
\$15,000- 24,999	81	12,611	1	1.6	00.0-04.7							13	11.0	03.7-18.3			
\$25,000- 34,999	127	22,382										26	14.6	07.7-21.5	13	12.2	02.2-22.2
\$35,000- 49,999	222	41,412	1	0.3	00.0-00.9	56	24.1	16.8-31.4	89	38.0	28.8-47.2	50	26.7	18.3-35.1	26	10.9	05.6-16.2
\$50,000- 74,999	278	56,143	1	1.3	00.0-03.8	51	19.3	12.6-26.0	144	51.5	43.3-59.7	59	18.6	12.5-24.7	23	9.4	04.5-14.3
\$75,000+	483	119,228	2	0.4	00.0-01.0	113	25.6	20.3-30.9	232	50.8	44.9-56.7	106	18.8	14.5-23.1	30	4.3	02.3-06.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2386	325,856	25	1.4	00.6-02.2	992	43.7	40.8-46.6	732	30.1	27.6-32.6	377	14.4	12.4-16.4	260	10.4	08.0-12.8
White/Non-Hisp	1918	251,007	23	1.7	00.7-02.7	853	47.0	43.7-50.3	582	29.0	26.3-31.7	283	12.8	10.8-14.8	177	9.5	06.8-12.2
Black or Afr. Am./Non-Hisp	279	41,554				63	23.2	15.4-31.0	96	36.5	27.9-45.1	60	23.1	16.0-30.2	60	17.2	11.7-22.7
Oth. Race/Non-Hisp.	55	8,276	1	0.8	00.0-02.4							8	12.8	02.8-22.8	7	5.4	00.5-10.3
Hispanic	55	14,334													6	4.8	00.3-09.3
18-24	141	41,447	1	2.3	00.0-06.8							17	10.9	04.6-17.2			
25-34	292	55,493	3	0.8	00.0-01.8	142	52.1	44.7-59.5	83	27.7	21.0-34.4	36	11.5	06.8-16.2	28	7.9	04.2-11.6
35-44	400	60,358	8	2.5	00.0-05.0	170	40.5	34.6-46.4	108	30.5	24.6-36.4	55	13.1	09.0-17.2	59	13.4	09.5-17.3
45-54	473	56,965	2	0.2	00.0-00.4	185	40.7	34.8-46.6	128	27.4	22.1-32.7	85	18.9	14.0-23.8	73	12.7	09.0-16.4
55-64	430	46,362	2	0.6	00.0-01.6	147	33.3	27.6-39.0	157	36.6	30.5-42.7	79	17.9	13.2-22.6	45	11.6	07.1-16.1
65+	633	63,346	9	1.8	00.4-03.2	252	43.0	37.9-48.1	223	35.4	30.5-40.3	105	14.4	11.1-17.7	44	5.5	03.3-07.7
Less Than H.S.	147	20,240	5	2.5	00.0-05.0	39	19.7	10.3-29.1									
H.S. or G.E.D.	815	94,638	3	0.4	00.0-01.0	311	40.9	36.0-45.8	266	31.2	26.3-36.1	131	14.4	11.5-17.3	104	13.1	09.8-16.4
Some Post-H.S.	644	91,794	9	2.7	00.2-05.2	264	43.3	37.8-48.8	195	29.9	25.0-34.8	111	15.6	11.7-19.5	65	8.5	06.0-11.0
College Graduate	779	119,056	8	0.9	00.1-01.7	378	50.3	45.8-54.8	231	29.9	25.6-34.2	101	12.5	09.6-15.4	61	6.4	04.2-08.6
Less than \$15,000	267	27,560	2	1.0	00.0-02.4	105	42.5	34.3-50.7	79	27.9	20.8-35.0	39	14.3	08.6-20.0	42	14.3	09.2-19.4
\$15,000- 24,999	273	29,304	4	2.1	00.0-04.5	90	28.7	21.8-35.6	76	37.7	27.9-47.5	55	17.0	10.7-23.3	48	14.7	09.4-20.0
\$25,000- 34,999	220	23,968				67	34.4	26.0-42.8	77	31.5	23.7-39.3	41	16.8	10.7-22.9	35	17.2	10.5-23.9
\$35,000- 49,999	327	42,452	4	2.0	00.0-05.1	121	35.9	28.8-43.0	99	29.6	22.3-36.9	64	20.5	14.2-26.8	39	11.9	07.2-16.6
\$50,000- 74,999	359	56,176	1	0.4	00.0-01.2	171	48.3	39.9-56.7	103	26.7	20.2-33.2	47	11.0	06.9-15.1			
\$75,000+	537	92,835	3	0.4	00.0-01.0	264	50.4	44.7-56.1	167	30.3	25.2-35.4	71	13.2	09.5-16.9	32	5.7	03.2-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3864	634,390	1387	36.2	34.0-38.4	1406	37.8	35.6-40.0	1071	26.0	24.0-28.0
Male	1478	308,534	370	26.8	23.7-29.9	674	45.9	42.4-49.4	434	27.2	24.1-30.3
Female	2386	325,856	1017	45.0	42.1-47.9	732	30.1	27.6-32.6	637	24.8	22.1-27.5
White/Non-Hisp	3128	494,742	1175	37.8	35.4-40.2	1154	38.6	36.1-41.1	799	23.6	21.4-25.8
Black or Afr. Am./Non-Hisp	430	78,358	102	26.7	20.0-33.4	150	33.4	26.9-39.9	178	39.9	33.0-46.8
Oth. Race/Non-Hisp.	97	16,979							25	19.0	09.6-28.4
18-24	221	81,003	126	52.4	43.0-61.8	54	27.5	19.3-35.7	41	20.1	11.5-28.7
25-34	459	110,805	199	40.7	34.6-46.8	153	37.1	30.8-43.4	107	22.2	17.1-27.3
35-44	655	122,198	234	31.5	27.2-35.8	231	39.7	34.8-44.6	190	28.8	24.3-33.3
45-54	795	115,375	264	32.3	27.8-36.8	279	38.5	33.6-43.4	252	29.2	24.9-33.5
55-64	718	90,033	196	25.5	21.4-29.6	292	41.6	36.7-46.5	230	32.9	28.2-37.6
65+	992	111,864	356	37.3	33.4-41.2	390	40.7	36.8-44.6	246	22.0	18.9-25.1
Less Than H.S.	263	42,421	81	29.1	20.1-38.1	81	31.7	22.1-41.3			
H.S. or G.E.D.	1277	193,709	438	34.6	30.7-38.5	467	37.2	33.1-41.3	372	28.3	24.6-32.0
Some Post-H.S.	995	163,794	352	37.3	33.0-41.6	351	36.3	32.2-40.4	292	26.4	22.7-30.1
College Graduate	1327	234,163	516	38.0	34.5-41.5	506	40.5	37.0-44.0	305	21.5	18.6-24.4
Less than \$15,000	394	52,391	147	38.5	31.4-45.6	131	33.4	26.5-40.3	116	28.1	21.6-34.6
\$15,000- 24,999	354	41,915	121	33.5	25.9-41.1	106	35.9	27.9-43.9	127	30.6	23.7-37.5
\$25,000- 34,999	347	46,350	103	32.2	24.9-39.5	129	37.2	29.4-45.0	115	30.6	23.7-37.5
\$35,000- 49,999	549	83,864	182	31.3	26.0-36.6	188	33.8	27.9-39.7	179	35.0	29.3-40.7
\$50,000- 74,999	637	112,319	224	34.6	29.3-39.9	247	39.1	33.4-44.8	166	26.3	20.2-32.4
\$75,000+	1020	212,064	382	36.8	32.9-40.7	399	41.8	37.7-45.9	239	21.3	18.2-24.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1478	308,534	370	26.8	23.7-29.9	674	45.9	42.4-49.4	434	27.2	24.1-30.3
White/Non-Hisp	1210	243,735	299	26.6	23.1-30.1	572	48.4	44.5-52.3	339	24.9	21.8-28.0
Black or Afr. Am./Non-Hisp	151	36,804				54	29.9	20.1-39.7			
18-24	80	39,557							15	17.2	07.6-26.8
25-34	167	55,312	54	28.5	19.9-37.1	70	46.5	36.5-56.5	43	25.0	16.4-33.6
35-44	255	61,840	56	20.2	14.3-26.1	123	48.7	41.1-56.3	76	31.1	24.0-38.2
45-54	322	58,410	77	24.0	17.3-30.7	151	49.2	41.6-56.8	94	26.8	20.3-33.3
55-64	288	43,672	47	16.5	11.0-22.0	135	47.0	39.4-54.6	106	36.5	29.1-43.9
65+	359	48,518	95	27.7	22.2-33.2	167	47.7	41.6-53.8	97	24.7	19.6-29.8
H.S. or G.E.D.	462	99,071	124	28.1	22.0-34.2	201	42.9	36.2-49.6	137	29.0	22.9-35.1
Some Post-H.S.	351	72,000	79	26.3	19.6-33.0	156	44.5	37.4-51.6	116	29.3	23.0-35.6
College Graduate	548	115,107	130	24.4	19.7-29.1	275	51.5	46.0-57.0	143	24.1	19.6-28.6
\$35,000- 49,999	222	41,412	57	24.4	17.1-31.7	89	38.0	28.8-47.2	76	37.6	28.6-46.6
\$50,000- 74,999	278	56,143	52	20.5	13.6-27.4	144	51.5	43.3-59.7	82	28.0	20.9-35.1
\$75,000+	483	119,228	115	26.0	20.7-31.3	232	50.8	44.9-56.7	136	23.2	18.7-27.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2386	325,856	1017	45.0	42.1-47.9	732	30.1	27.6-32.6	637	24.8	22.1-27.5
White/Non-Hisp	1918	251,007	876	48.7	45.4-52.0	582	29.0	26.3-31.7	460	22.3	19.2-25.4
Black or Afr. Am./Non-Hisp	279	41,554	63	23.2	15.4-31.0	96	36.5	27.9-45.1	120	40.3	32.1-48.5
25-34	292	55,493	145	52.8	45.4-60.2	83	27.7	21.0-34.4	64	19.4	13.7-25.1
35-44	400	60,358	178	43.0	37.1-48.9	108	30.5	24.6-36.4	114	26.5	21.2-31.8
45-54	473	56,965	187	40.9	35.0-46.8	128	27.4	22.1-32.7	158	31.7	26.0-37.4
55-64	430	46,362	149	33.9	28.2-39.6	157	36.6	30.5-42.7	124	29.5	23.6-35.4
65+	633	63,346	261	44.7	39.6-49.8	223	35.4	30.5-40.3	149	19.9	16.2-23.6
H.S. or G.E.D.	815	94,638	314	41.3	36.4-46.2	266	31.2	26.3-36.1	235	27.5	23.4-31.6
Some Post-H.S.	644	91,794	273	46.0	40.5-51.5	195	29.9	25.0-34.8	176	24.1	19.6-28.6
College Graduate	779	119,056	386	51.2	46.7-55.7	231	29.9	25.6-34.2	162	18.9	15.4-22.4
Less than \$15,000	267	27,560	107	43.5	35.3-51.7	79	27.9	20.8-35.0	81	28.6	21.5-35.7
\$15,000- 24,999	273	29,304	94	30.7	23.4-38.0	76	37.7	27.9-47.5	103	31.6	23.8-39.4
\$25,000- 34,999	220	23,968	67	34.4	26.0-42.8	77	31.5	23.7-39.3	76	34.1	26.1-42.1
\$35,000- 49,999	327	42,452	125	37.9	30.6-45.2	99	29.6	22.3-36.9	103	32.4	25.1-39.7
\$50,000- 74,999	359	56,176	172	48.7	40.3-57.1	103	26.7	20.2-33.2	84	24.6	14.8-34.4
\$75,000+	537	92,835	267	50.8	45.1-56.5	167	30.3	25.2-35.4	103	18.9	14.6-23.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3864	634,390	1387	36.2	34.0-38.4	2477	63.8	61.6-66.0
Male	1478	308,534	370	26.8	23.7-29.9	1108	73.2	70.1-76.3
Female	2386	325,856	1017	45.0	42.1-47.9	1369	55.0	52.1-57.9
White/Non-Hisp	3128	494,742	1175	37.8	35.4-40.2	1953	62.2	59.8-64.6
Black or Afr. Am./Non-Hisp	430	78,358	102	26.7	20.0-33.4	328	73.3	66.6-80.0
18-24	221	81,003	126	52.4	43.0-61.8	95	47.6	38.2-57.0
25-34	459	110,805	199	40.7	34.6-46.8	260	59.3	53.2-65.4
35-44	655	122,198	234	31.5	27.2-35.8	421	68.5	64.2-72.8
45-54	795	115,375	264	32.3	27.8-36.8	531	67.7	63.2-72.2
55-64	718	90,033	196	25.5	21.4-29.6	522	74.5	70.4-78.6
65+	992	111,864	356	37.3	33.4-41.2	636	62.7	58.8-66.6
Less Than H.S.	263	42,421	81	29.1	20.1-38.1	182	70.9	61.9-79.9
H.S. or G.E.D.	1277	193,709	438	34.6	30.7-38.5	839	65.4	61.5-69.3
Some Post-H.S.	995	163,794	352	37.3	33.0-41.6	643	62.7	58.4-67.0
College Graduate	1327	234,163	516	38.0	34.5-41.5	811	62.0	58.5-65.5
Less than \$15,000	394	52,391	147	38.5	31.4-45.6	247	61.5	54.4-68.6
\$15,000- 24,999	354	41,915	121	33.5	25.9-41.1	233	66.5	58.9-74.1
\$25,000- 34,999	347	46,350	103	32.2	24.9-39.5	244	67.8	60.5-75.1
\$35,000- 49,999	549	83,864	182	31.3	26.0-36.6	367	68.7	63.4-74.0
\$50,000- 74,999	637	112,319	224	34.6	29.3-39.9	413	65.4	60.1-70.7
\$75,000+	1020	212,064	382	36.8	32.9-40.7	638	63.2	59.3-67.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1478	308,534	370	26.8	23.7-29.9	1108	73.2	70.1-76.3
White/Non-Hisp	1210	243,735	299	26.6	23.1-30.1	911	73.4	69.9-76.9
25-34	167	55,312	54	28.5	19.9-37.1	113	71.5	62.9-80.1
35-44	255	61,840	56	20.2	14.3-26.1	199	79.8	73.9-85.7
45-54	322	58,410	77	24.0	17.3-30.7	245	76.0	69.3-82.7
55-64	288	43,672	47	16.5	11.0-22.0	241	83.5	78.0-89.0
65+	359	48,518	95	27.7	22.2-33.2	264	72.3	66.8-77.8
H.S. or G.E.D.	462	99,071	124	28.1	22.0-34.2	338	71.9	65.8-78.0
Some Post-H.S.	351	72,000	79	26.3	19.6-33.0	272	73.7	67.0-80.4
College Graduate	548	115,107	130	24.4	19.7-29.1	418	75.6	70.9-80.3
\$35,000- 49,999	222	41,412	57	24.4	17.1-31.7	165	75.6	68.3-82.9
\$50,000- 74,999	278	56,143	52	20.5	13.6-27.4	226	79.5	72.6-86.4
\$75,000+	483	119,228	115	26.0	20.7-31.3	368	74.0	68.7-79.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2386	325,856	1017	45.0	42.1-47.9	1369	55.0	52.1-57.9
White/Non-Hisp	1918	251,007	876	48.7	45.4-52.0	1042	51.3	48.0-54.6
Black or Afr. Am./Non-Hisp	279	41,554	63	23.2	15.4-31.0	216	76.8	69.0-84.6
25-34	292	55,493	145	52.8	45.4-60.2	147	47.2	39.8-54.6
35-44	400	60,358	178	43.0	37.1-48.9	222	57.0	51.1-62.9
45-54	473	56,965	187	40.9	35.0-46.8	286	59.1	53.2-65.0
55-64	430	46,362	149	33.9	28.2-39.6	281	66.1	60.4-71.8
65+	633	63,346	261	44.7	39.6-49.8	372	55.3	50.2-60.4
H.S. or G.E.D.	815	94,638	314	41.3	36.4-46.2	501	58.7	53.8-63.6
Some Post-H.S.	644	91,794	273	46.0	40.5-51.5	371	54.0	48.5-59.5
College Graduate	779	119,056	386	51.2	46.7-55.7	393	48.8	44.3-53.3
Less than \$15,000	267	27,560	107	43.5	35.3-51.7	160	56.5	48.3-64.7
\$15,000- 24,999	273	29,304	94	30.7	23.4-38.0	179	69.3	62.0-76.6
\$25,000- 34,999	220	23,968	67	34.4	26.0-42.8	153	65.6	57.2-74.0
\$35,000- 49,999	327	42,452	125	37.9	30.6-45.2	202	62.1	54.8-69.4
\$50,000- 74,999	359	56,176	172	48.7	40.3-57.1	187	51.3	42.9-59.7
\$75,000+	537	92,835	267	50.8	45.1-56.5	270	49.2	43.5-54.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006**

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DRINK-OCCASSIONS-PER-DAY (DROCDY2)	
1	MALES AND FEMALES	83
2	MALES ONLY	84
3	FEMALES ONLY	85
	BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)	
4	MALES AND FEMALES	86
5	MALES ONLY	87
6	FEMALES ONLY	88
	CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (DRNKDY3)	
7	MALES AND FEMALES	89
8	MALES ONLY	90
9	FEMALES ONLY	91
	CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)	
10	MALES AND FEMALES	92
11	MALES ONLY	93
12	FEMALES ONLY	94
	HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)	
13	MALES AND FEMALES	95
14	MALES ONLY	96
15	FEMALES ONLY	97

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (RFDRMN3)	
16	MALES ONLY	98
	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (RFDRWM3)	
17	FEMALES ONLY	99

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 1: DRINK-OCCASSIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3965	644,956	1314	35.5	33.3-37.7	427	13.1	11.5-14.7	129	3.3	02.5-04.1	280	6.9	05.7-08.1	1815	41.2	39.0-43.4
Male	1466	306,585	484	35.6	32.1-39.1	218	17.1	14.2-20.0	73	4.9	03.5-06.3	166	10.1	07.9-12.3	525	32.3	29.0-35.6
Female	2499	338,372	830	35.4	32.7-38.1	209	9.5	07.7-11.3	56	1.8	01.2-02.4	114	4.0	03.0-05.0	1290	49.3	46.4-52.2
White/Non-Hisp	3206	501,779	1104	37.8	35.4-40.2	371	13.9	12.1-15.7	118	3.7	02.9-04.5	263	8.1	06.7-09.5	1350	36.5	34.1-38.9
Black or Afr. Am./Non-Hisp	441	78,715	111	24.5	18.6-30.4	29	10.4	05.3-15.5	6	1.2	00.0-02.8	5	1.5	00.0-03.7	290	62.5	55.6-69.4
Oth. Race/Non-Hisp.	98	19,098		5	2.7	00.0-05.4	3	4.5	00.0-10.6	2	2.1	00.0-05.2					
MultiRacial/Non-Hisp.	112	17,181		10	7.9	01.8-14.0	2	4.3	00.0-11.6				4	2.5	00.0-05.2		
Hispanic	89	25,441										3	4.6	00.0-12.6			
18-24	223	82,541	90	31.2	23.2-39.2	31	18.2	11.1-25.3	5	2.8	00.1-05.5	5	4.1	00.0-08.4	92	43.7	34.1-53.3
25-34	466	111,703	223	48.8	42.5-55.1	54	15.1	10.0-20.2	16	4.0	01.5-06.5	12	2.6	00.4-04.8	161	29.5	24.2-34.8
35-44	680	124,834	288	45.0	40.3-49.7	77	13.1	09.6-16.6	23	2.7	01.3-04.1	22	3.4	01.8-05.0	270	35.9	31.4-40.4
45-54	827	117,882	283	37.7	33.0-42.4	112	15.0	11.7-18.3	23	2.9	01.5-04.3	47	5.7	03.5-07.9	362	38.6	33.9-43.3
55-64	736	91,946	223	28.0	23.7-32.3	77	9.8	07.3-12.3	33	4.4	02.6-06.2	68	11.2	07.9-14.5	335	46.5	41.6-51.4
65+	1005	112,715	198	18.7	15.8-21.6	74	8.4	06.2-10.6	27	2.7	01.5-03.9	126	15.0	12.1-17.9	580	55.1	51.2-59.0
Less Than H.S.	266	42,243	51	20.9	12.7-29.1	14	10.3	02.5-18.1	2	1.7	00.0-04.2	20	7.6	02.7-12.5			
H.S. or G.E.D.	1304	194,556	373	29.4	25.7-33.1	128	11.8	08.9-14.7	28	2.0	01.0-03.0	69	5.8	03.8-07.8	706	51.0	46.9-55.1
Some Post-H.S.	1017	165,795	355	37.0	32.7-41.3	94	13.5	10.0-17.0	24	3.3	01.5-05.1	56	5.0	03.2-06.8	488	41.2	37.1-45.3
College Graduate	1376	241,926	534	42.0	38.5-45.5	191	14.4	11.9-16.9	75	4.5	03.3-05.7	135	9.0	06.8-11.2	441	30.2	26.9-33.5
Less than \$15,000	400	55,089	102	20.5	15.2-25.8	32	14.7	08.4-21.0	5	2.5	00.0-05.6	25	5.6	02.9-08.3	236	56.7	49.1-64.3
\$15,000- 24,999	357	42,211	84	25.7	18.3-33.1	11	2.0	00.6-03.4	4	0.8	00.0-01.8	13	4.9	00.6-09.2	245	66.7	58.9-74.5
\$25,000- 34,999	346	45,892	100	27.5	21.0-34.0	34	15.6	07.6-23.6	5	1.0	00.0-02.0	14	4.2	01.3-07.1	193	51.7	43.9-59.5
\$35,000- 49,999	562	84,900	198	36.6	30.9-42.3	62	12.2	08.3-16.1	16	2.8	00.6-05.0	34	5.0	03.0-07.0	252	43.4	37.5-49.3
\$50,000- 74,999	649	112,806	231	37.0	31.5-42.5	87	14.9	10.8-19.0	23	2.3	01.1-03.5	51	6.3	04.1-08.5	257	39.5	33.4-45.6
\$75,000+	1043	213,702	449	45.6	41.5-49.7	153	15.3	12.4-18.2	52	4.9	03.3-06.5	97	8.7	06.3-11.1	292	25.5	22.0-29.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 2: DRINK-OCCASSIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1466	306,585	484	35.6	32.1-39.1	218	17.1	14.2-20.0	73	4.9	03.5-06.3	166	10.1	07.9-12.3	525	32.3	29.0-35.6
White/Non-Hisp	1201	240,972	408	38.0	34.3-41.7	184	17.3	14.4-20.2	66	5.2	03.6-06.8	155	11.5	09.1-13.9	388	27.9	24.6-31.2
Black or Afr. Am./Non-Hisp	148	35,779	39	21.3	12.7-29.9	18	17.9	07.9-27.9	2	2.2	00.0-05.7	4	3.0	00.0-07.7			
18-24	80	40,859							5	5.7	00.4-11.0	4	8.1	00.0-16.5			
25-34	167	55,382	83	48.4	38.4-58.4	28	20.7	11.7-29.7	10	6.5	01.8-11.2	9	4.5	00.2-08.8	37	19.9	12.3-27.5
35-44	253	61,112	109	45.2	37.6-52.8	36	17.9	11.4-24.4	14	4.2	01.7-06.7	9	3.1	00.7-05.5	85	29.6	22.9-36.3
45-54	318	56,516	109	36.1	28.7-43.5	53	17.4	11.7-23.1	12	4.3	01.6-07.0	31	8.9	04.6-13.2	113	33.2	25.8-40.6
55-64	286	43,557	78	29.0	21.7-36.3	46	13.9	09.2-18.6	18	5.0	02.3-07.7	40	16.1	10.0-22.2	104	36.0	28.7-43.3
65+	356	48,059	75	18.5	14.0-23.0	37	11.7	07.6-15.8	13	3.7	01.3-06.1	73	23.1	17.8-28.4	158	43.1	37.0-49.2
Less Than H.S.	115	21,858							2	3.2	00.0-08.1	16	13.2	04.4-22.0			
H.S. or G.E.D.	454	96,127	134	31.2	24.9-37.5	69	15.9	11.0-20.8	19	3.5	01.5-05.5	42	8.3	04.8-11.8	190	41.1	34.4-47.8
Some Post-H.S.	349	71,871	115	34.1	27.2-41.0	47	18.4	12.1-24.7	14	6.0	02.3-09.7	33	7.4	04.1-10.7	140	34.1	27.6-40.6
College Graduate	548	116,729	213	42.1	36.4-47.8	89	16.8	12.5-21.1	38	5.7	03.5-07.9	75	12.6	08.7-16.5	133	22.8	17.7-27.9
Less than \$15,000	128	26,988	29	16.3	08.5-24.1				3	4.7	00.0-11.0	12	7.2	02.1-12.3			
\$15,000- 24,999	81	12,611				4	2.3	00.0-04.8	2	1.8	00.0-04.5						
\$25,000- 34,999	124	21,736							1	0.1	00.0-00.3	8	6.7	00.8-12.6			
\$35,000- 49,999	220	41,178	68	34.4	25.4-43.4	35	13.9	08.4-19.4	11	5.2	00.9-09.5	23	7.1	04.0-10.2	83	39.4	30.2-48.6
\$50,000- 74,999	277	55,366	91	35.5	27.5-43.5	49	21.0	13.7-28.3	12	2.8	01.0-04.6	30	8.3	04.6-12.0	95	32.4	25.0-39.8
\$75,000+	478	117,049	193	44.4	38.5-50.3	77	16.3	12.0-20.6	33	6.5	03.8-09.2	64	11.8	07.9-15.7	111	20.9	16.2-25.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 3: DRINK-OCCASSIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2499	338,372	830	35.4	32.7-38.1	209	9.5	07.7-11.3	56	1.8	01.2-02.4	114	4.0	03.0-05.0	1290	49.3	46.4-52.2
White/Non-Hisp	2005	260,807	696	37.7	34.8-40.6	187	10.7	08.5-12.9	52	2.3	01.5-03.1	108	4.9	03.7-06.1	962	44.4	41.3-47.5
Black or Afr. Am./Non-Hisp	293	42,936	72	27.1	19.5-34.7	11	4.1	01.2-07.0	4	0.4	00.0-00.8	1	0.2	00.0-00.6	205	68.3	60.3-76.3
Oth. Race/Non-Hisp.	56	8,311				2	1.7	00.0-04.1				2	4.8	00.0-11.7			
MultiRacial/Non-Hisp.	77	10,343				3	3.9	00.0-10.0				2	1.3	00.0-03.1			
Hispanic	58	14,490										1	0.2	00.0-00.6			
18-24	143	41,682				13	15.5	05.7-25.3				1	0.2	00.0-00.6			
25-34	299	56,321	140	49.2	41.8-56.6	26	9.6	05.3-13.9	6	1.5	00.0-03.1	3	0.7	00.0-01.7	124	39.0	31.9-46.1
35-44	427	63,722	179	44.7	38.8-50.6	41	8.5	05.6-11.4	9	1.2	00.2-02.2	13	3.6	01.2-06.0	185	41.9	36.0-47.8
45-54	509	61,366	174	39.2	33.5-44.9	59	12.9	09.0-16.8	11	1.7	00.7-02.7	16	2.7	01.1-04.3	249	43.6	37.9-49.3
55-64	450	48,389	145	27.1	22.0-32.2	31	6.2	03.7-08.7	15	3.9	01.7-06.1	28	6.8	03.9-09.7	231	56.0	50.1-61.9
65+	649	64,657	123	18.9	15.2-22.6	37	5.9	03.7-08.1	14	2.0	00.6-03.4	53	9.0	06.1-11.9	422	64.1	59.4-68.8
Less Than H.S.	151	20,385	29	15.8	07.8-23.8	1	0.5	00.0-01.5				4	1.6	00.0-03.4	117	82.0	73.4-90.6
H.S. or G.E.D.	850	98,430	239	27.7	23.6-31.8	59	7.8	04.9-10.7	9	0.6	00.2-01.0	27	3.3	01.7-04.9	516	60.6	55.9-65.3
Some Post-H.S.	668	93,924	240	39.1	33.8-44.4	47	9.8	05.7-13.9	10	1.2	00.4-02.0	23	3.2	01.6-04.8	348	46.7	41.4-52.0
College Graduate	828	125,197	321	41.8	37.5-46.1	102	12.1	09.4-14.8	37	3.5	02.1-04.9	60	5.6	03.8-07.4	308	37.0	32.7-41.3
Less than \$15,000	272	28,101	73	24.6	17.9-31.3	13	7.3	01.8-12.8	2	0.4	00.0-01.0	13	4.0	01.3-06.7	171	63.7	55.9-71.5
\$15,000- 24,999	276	29,601	61	20.4	13.5-27.3	7	1.8	00.2-03.4	2	0.4	00.0-01.0	6	1.6	00.2-03.0	200	75.9	68.8-83.0
\$25,000- 34,999	222	24,156	61	24.4	17.3-31.5	18	8.3	03.8-12.8	4	1.8	00.0-03.8	6	2.0	00.2-03.8	133	63.4	55.4-71.4
\$35,000- 49,999	342	43,721	130	38.7	31.6-45.8	27	10.6	04.9-16.3	5	0.5	00.0-01.1	11	3.0	00.6-05.4	169	47.2	39.8-54.6
\$50,000- 74,999	372	57,440	140	38.4	30.8-46.0	38	9.0	05.5-12.5	11	1.9	00.7-03.1	21	4.4	02.0-06.8	162	46.4	37.8-55.0
\$75,000+	565	96,653	256	47.0	41.5-52.5	76	14.1	10.0-18.2	19	3.0	01.4-04.6	33	4.9	02.9-06.9	181	31.1	26.0-36.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 4: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3951	643,571	3401	81.0	79.0-83.0	550	19.0	17.0-21.0
Male	1459	305,956	1158	73.9	70.6-77.2	301	26.1	22.8-29.4
Female	2492	337,616	2243	87.4	85.4-89.4	249	12.6	10.6-14.6
White/Non-Hisp	3194	500,638	2716	79.1	76.9-81.3	478	20.9	18.7-23.1
Black or Afr. Am./Non-Hisp	440	78,653	396	87.4	82.5-92.3	44	12.6	07.7-17.5
Oth. Race/Non-Hisp.	97	18,916	93	94.7	88.8-100.0	4	5.3	00.0-11.2
MultiRacial/Non-Hisp.	112	17,181	103	90.4	82.2-98.6	9	9.6	01.4-17.8
18-24	222	82,354	155	69.2	60.8-77.6	67	30.8	22.4-39.2
25-34	466	111,703	334	65.8	59.7-71.9	132	34.2	28.1-40.3
35-44	676	124,414	537	78.4	74.5-82.3	139	21.6	17.7-25.5
45-54	823	117,397	711	84.3	80.6-88.0	112	15.7	12.0-19.4
55-64	733	91,750	668	90.1	87.0-93.2	65	9.9	06.8-13.0
65+	1003	112,619	970	96.2	94.6-97.8	33	3.8	02.2-05.4
Less Than H.S.	263	42,088	232	81.4	72.4-90.4	31	18.6	09.6-27.6
H.S. or G.E.D.	1299	194,020	1115	79.9	76.4-83.4	184	20.1	16.6-23.6
Some Post-H.S.	1016	165,613	875	78.9	74.8-83.0	141	21.1	17.0-25.2
College Graduate	1371	241,415	1178	83.2	80.3-86.1	193	16.8	13.9-19.7
Less than \$15,000	400	55,089	353	83.4	77.1-89.7	47	16.6	10.3-22.9
\$15,000- 24,999	355	42,118	320	86.6	80.7-92.5	35	13.4	07.5-19.3
\$25,000- 34,999	345	45,705	305	82.7	75.1-90.3	40	17.3	09.7-24.9
\$35,000- 49,999	561	84,785	473	78.3	73.0-83.6	88	21.7	16.4-27.0
\$50,000- 74,999	646	112,615	521	75.2	69.9-80.5	125	24.8	19.5-30.1
\$75,000+	1041	213,411	871	78.8	75.3-82.3	170	21.2	17.7-24.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 5: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1459	305,956	1158	73.9	70.6-77.2	301	26.1	22.8-29.4
White/Non-Hisp	1195	240,525	931	71.9	68.2-75.6	264	28.1	24.4-31.8
Black or Afr. Am./Non-Hisp	148	35,779	125	81.7	72.5-90.9	23	18.3	09.1-27.5
25-34	167	55,382	104	57.0	47.0-67.0	63	43.0	33.0-53.0
35-44	252	60,929	183	72.7	66.0-79.4	69	27.3	20.6-34.0
45-54	316	56,248	249	77.7	71.2-84.2	67	22.3	15.8-28.8
55-64	284	43,475	241	84.4	78.7-90.1	43	15.6	09.9-21.3
65+	354	47,962	333	94.1	91.4-96.8	21	5.9	03.2-08.6
H.S. or G.E.D.	452	96,001	337	69.2	62.9-75.5	115	30.8	24.5-37.1
Some Post-H.S.	348	71,688	273	70.1	63.0-77.2	75	29.9	22.8-37.0
College Graduate	545	116,441	458	81.0	76.3-85.7	87	19.0	14.3-23.7
\$35,000- 49,999	220	41,178	170	73.3	64.9-81.7	50	26.7	18.3-35.1
\$50,000- 74,999	275	55,284	205	66.9	58.7-75.1	70	33.1	24.9-41.3
\$75,000+	477	116,866	376	73.8	68.3-79.3	101	26.2	20.7-31.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 6: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2492	337,616	2243	87.4	85.4-89.4	249	12.6	10.6-14.6
White/Non-Hisp	1999	260,112	1785	85.8	83.4-88.2	214	14.2	11.8-16.6
Black or Afr. Am./Non-Hisp	292	42,875	271	92.1	87.4-96.8	21	7.9	03.2-12.6
Oth. Race/Non-Hisp.	56	8,311	54	94.5	86.9-0100	2	5.5	00.0-13.1
MultiRacial/Non-Hisp.	77	10,343	71	92.9	86.2-99.6	6	7.1	00.4-13.8
Hispanic	58	14,490	52	92.3	83.1-0100	6	7.7	00.0-16.9
18-24	142	41,495	113	80.6	70.8-90.4	29	19.4	09.6-29.2
25-34	299	56,321	230	74.4	67.7-81.1	69	25.6	18.9-32.3
35-44	424	63,485	354	83.8	79.5-88.1	70	16.2	11.9-20.5
45-54	507	61,148	462	90.4	86.9-93.9	45	9.6	06.1-13.1
55-64	449	48,275	427	95.2	92.5-97.9	22	4.8	02.1-07.5
65+	649	64,657	637	97.8	96.2-99.4	12	2.2	00.6-03.8
Less Than H.S.	149	20,262	142	94.9	90.2-99.6	7	5.1	00.4-09.8
H.S. or G.E.D.	847	98,020	778	90.4	87.3-93.5	69	9.6	06.5-12.7
Some Post-H.S.	668	93,924	602	85.6	81.1-90.1	66	14.4	09.9-18.9
College Graduate	826	124,974	720	85.3	82.0-88.6	106	14.7	11.4-18.0
Less than \$15,000	272	28,101	249	90.2	84.3-96.1	23	9.8	03.9-15.7
\$15,000- 24,999	275	29,539	256	91.8	86.9-96.7	19	8.2	03.3-13.1
\$25,000- 34,999	221	23,969	200	91.0	86.7-95.3	21	9.0	04.7-13.3
\$35,000- 49,999	341	43,607	303	83.0	76.3-89.7	38	17.0	10.3-23.7
\$50,000- 74,999	371	57,331	316	83.2	77.7-88.7	55	16.8	11.3-22.3
\$75,000+	564	96,545	495	84.8	80.5-89.1	69	15.2	10.9-19.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 7: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3951	642,889	1752	46.1	43.7-48.5	250	7.9	06.5-09.3	107	3.4	02.4-04.4	19	1.0	00.2-01.8	8	0.2	00.0-00.4	1815	41.3	39.1-43.5
Male	1456	304,887	680	48.0	44.5-51.5	147	11.6	09.2-14.0	80	5.6	04.0-07.2	17	1.8	00.4-03.2	7	0.4	00.0-00.8	525	32.5	29.2-35.8
Female	2495	338,002	1072	44.4	41.7-47.1	103	4.6	03.4-05.8	27	1.4	00.4-02.4	2	0.3	00.0-00.9	1	0.0	00.0-00.0	1290	49.3	46.4-52.2
White/Non-Hisp	3192	499,711	1498	49.3	46.8-51.8	224	8.9	07.3-10.5	96	3.9	02.7-05.1	16	1.0	00.2-01.8	8	0.3	00.1-00.5	1350	36.7	34.3-39.1
Black or Afr. Am./Non-Hisp	441	78,715	133	30.4	23.9-36.9	12	5.3	01.2-09.4	5	1.7	00.0-03.7	1	0.1	00.0-00.3				290	62.5	55.6-69.4
Oth. Race/Non-Hisp.	98	19,098				4	2.7	00.0-06.0	2	3.1	00.0-08.0									
MultiRacial/Non-Hisp.	112	17,181				3	1.9	00.0-04.3	2	1.7	00.0-04.2	1	3.8	00.0-11.1						
Hispanic	89	25,441				4	5.2	00.0-11.1	2	0.4	00.0-01.0	1	4.2	00.0-12.2						
18-24	222	82,353	93	35.3	26.7-43.9	18	7.0	03.1-10.9	13	8.4	03.3-13.5	5	5.0	00.1-09.9	1	0.4	00.0-01.2	92	43.8	34.2-53.4
25-34	465	111,202	255	55.4	49.1-61.7	33	11.7	06.8-16.6	13	2.4	00.6-04.2	1	0.6	00.0-01.8	2	0.2	00.0-00.6	161	29.7	24.4-35.0
35-44	677	124,421	341	53.4	48.7-58.1	45	7.8	04.9-10.7	18	2.3	00.9-03.7	1	0.1	00.0-00.3	2	0.4	00.0-01.0	270	36.0	31.5-40.5
45-54	822	117,357	382	50.0	45.3-54.7	44	6.9	04.5-09.3	27	3.3	01.7-04.9	6	0.9	00.0-01.9	1	0.1	00.0-00.3	362	38.8	34.1-43.5
55-64	735	91,914	323	41.7	37.0-46.4	55	7.9	05.2-10.6	19	3.5	01.3-05.7	2	0.1	00.0-00.3	1	0.2	00.0-00.6	335	46.6	41.7-51.5
65+	1002	112,306	345	35.8	32.1-39.5	55	6.4	04.4-08.4	17	1.9	00.9-02.9	4	0.5	00.0-01.1	1	0.1	00.0-00.3	580	55.3	51.4-59.2
Less Than H.S.	266	42,243				10	4.8	00.9-08.7	8	3.6	00.5-06.7	3	1.7	00.0-04.2	4	1.0	00.0-02.2			
H.S. or G.E.D.	1295	193,604	474	36.0	32.1-39.9	72	7.7	05.3-10.1	31	3.0	01.6-04.4	10	1.9	00.3-03.5	2	0.2	00.0-00.6	706	51.2	47.1-55.3
Some Post-H.S.	1017	165,795	440	45.5	41.2-49.8	54	7.4	04.9-09.9	30	5.2	02.7-07.7	4	0.5	00.0-01.1	1	0.2	00.0-00.6	488	41.2	37.1-45.3
College Graduate	1371	240,810	776	57.7	54.2-61.2	113	8.9	06.7-11.1	38	2.4	01.4-03.4	2	0.6	00.0-01.8	1	0.0	00.0-00.0	441	30.3	27.0-33.6
Less than \$15,000	399	55,012	127	28.5	22.0-35.0	20	7.6	02.9-12.3	11	5.0	00.9-09.1	3	1.1	00.0-03.1	2	0.9	00.0-02.3	236	56.8	49.2-64.4
\$15,000- 24,999	357	42,211	96	29.3	21.5-37.1	7	2.4	00.2-04.6	7	1.1	00.1-02.1	1	0.1	00.0-00.3	1	0.4	00.0-01.2	245	66.7	58.9-74.5
\$25,000- 34,999	346	45,892	133	41.2	33.4-49.0	15	5.9	01.0-10.8	4	1.0	00.0-02.0				1	0.2	00.0-00.6	193	51.7	43.9-59.5
\$35,000- 49,999	559	84,487	265	46.9	41.0-52.8	26	4.4	02.2-06.6	13	3.6	01.1-06.1	3	1.5	00.0-03.9				252	43.6	37.7-49.5
\$50,000- 74,999	647	112,750	301	45.8	39.9-51.7	62	9.9	06.6-13.2	22	4.1	01.6-06.6	3	0.3	00.0-00.7	2	0.4	00.0-01.0	257	39.5	33.4-45.6
\$75,000+	1039	212,700	610	58.2	54.1-62.3	88	10.7	08.0-13.4	42	4.0	02.2-05.8	6	1.4	00.0-03.0	1	0.0	00.0-00.0	292	25.7	22.2-29.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 8: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1456	304,887	680	48.0	44.3-51.7	147	11.6	09.2-14.0	80	5.6	04.0-07.2	17	1.8	00.4-03.2	7	0.4	00.0-00.8	525	32.5	29.2-35.8
White/Non-Hisp	1191	239,274	580	50.6	46.7-54.5	128	12.6	09.9-15.3	74	6.5	04.5-08.5	14	1.6	00.2-03.0	7	0.5	00.1-00.9	388	28.1	24.6-31.6
Black or Afr. Am./Non-Hisp	148	35,779				9	11.0	02.4-19.6	2	2.2	00.0-05.7	1	0.2	00.0-00.6						
18-24	79	40,671				10	8.7	02.2-15.2	12	13.8	05.4-22.2	4	7.8	00.0-16.2	1	0.9	00.0-02.7			
25-34	166	54,881	93	54.2	44.2-64.2	22	19.3	10.5-28.1	11	4.8	01.1-08.5	1	1.2	00.0-03.6	2	0.4	00.0-01.0	37	20.1	12.5-27.7
35-44	252	60,937	130	56.6	49.2-64.0	22	9.1	04.4-13.8	13	3.8	01.3-06.3	1	0.3	00.0-00.9	1	0.6	00.0-01.8	85	29.7	23.0-36.4
45-54	315	56,124	152	50.0	42.4-57.6	26	10.1	05.8-14.4	18	4.6	02.1-07.1	5	1.7	00.0-03.7	1	0.1	00.0-00.3	113	33.5	26.1-40.9
55-64	285	43,525	128	45.4	37.6-53.2	35	12.5	07.2-17.8	15	5.5	01.8-09.2	2	0.2	00.0-00.6	1	0.3	00.0-00.9	104	36.1	28.8-43.4
65+	353	47,649	147	41.8	35.7-47.9	32	9.8	05.9-13.7	11	3.5	01.1-05.9	4	1.3	00.0-02.7	1	0.2	00.0-00.6	158	43.4	37.1-49.7
Less Than H.S.	115	21,858				8	8.0	00.9-15.1	8	6.9	01.0-12.8	3	3.3	00.0-08.2	3	1.7	00.0-03.7			
H.S. or G.E.D.	448	95,436	181	39.5	33.0-46.0	46	11.1	06.8-15.4	20	4.7	02.2-07.2	9	2.8	00.1-05.5	2	0.5	00.0-01.3	190	41.4	34.5-48.3
Some Post-H.S.	349	71,871	147	43.1	36.0-50.2	33	12.3	07.2-17.4	25	9.1	04.4-13.8	3	1.0	00.0-02.4	1	0.5	00.0-01.5	140	34.1	27.6-40.6
College Graduate	544	115,722	321	59.3	53.4-65.2	60	12.3	08.2-16.4	27	4.0	02.2-05.8	2	1.3	00.0-03.7	1	0.1	00.0-00.3	133	23.0	17.9-28.1
Less than \$15,000	127	26,911				10	8.8	01.0-16.6	7	8.1	00.5-15.7	3	2.3	00.0-06.2	2	1.9	00.0-04.6			
\$15,000- 24,999	81	12,611				4	5.4	00.0-11.5	2	1.6	00.0-04.3	1	0.5	00.0-01.5	1	1.2	00.0-03.6			
\$25,000- 34,999	124	21,736				7	8.1	00.0-17.7	2	1.3	00.0-03.3				1	0.4	00.0-01.2			
\$35,000- 49,999	219	41,003	106	48.2	39.0-57.4	18	5.8	02.7-08.9	11	6.1	01.6-10.6	1	0.4	00.0-01.2				83	39.5	30.3-48.7
\$50,000- 74,999	276	55,334	124	45.6	37.4-53.8	34	13.2	07.3-19.1	18	7.3	02.6-12.0	3	0.7	00.0-01.5	2	0.8	00.0-02.2	95	32.4	25.0-39.8
\$75,000+	475	116,155	264	55.9	50.0-61.8	60	15.0	10.7-19.3	33	5.4	03.2-07.6	6	2.5	00.0-05.2	1	0.1	00.0-00.3	111	21.1	16.2-26.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 9: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1		>1, <=2		>2, <=5		>5, <=10		>10		None							
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)						
Female	2495	338,002	1072	44.4	41.7-47.1	103	4.6	03.4-05.8	27	1.4	00.4-02.4	2	0.3	00.0-00.9	1	0.0	00.0-00.0	1290	49.3	46.4-52.2
White/Non-Hisp	2001	260,437	918	48.2	45.1-51.3	96	5.4	04.0-06.8	22	1.5	00.3-02.7	2	0.4	00.0-01.2	1	0.0	00.0-00.0	962	44.5	41.4-47.6
Black or Afr. Am./Non-Hisp	293	42,936	82	29.8	22.0-37.6	3	0.6	00.0-01.4	3	1.4	00.0-03.4							205	68.3	60.3-76.3
Oth. Race/Non-Hisp.	56	8,311				1	3.3	00.0-09.6	1	1.5	00.0-04.4									
MultiRacial/Non-Hisp.	77	10,343				1	0.7	00.0-02.1												
Hispanic	58	14,490				2	6.1	00.0-15.1	1	0.2	00.0-00.6									
18-24	143	41,682				8	5.3	00.6-10.0	1	3.1	00.0-09.0	1	2.3	00.0-06.8						
25-34	299	56,321	162	56.5	49.2-63.8	11	4.4	01.3-07.5	2	0.1	00.0-00.3							124	39.0	31.9-46.1
35-44	425	63,485	211	50.3	44.4-56.2	23	6.6	03.5-09.7	5	0.9	00.0-01.9				1	0.1	00.0-00.3	185	42.1	36.2-48.0
45-54	507	61,233	230	50.0	44.1-55.9	18	4.0	01.8-06.2	9	2.1	00.3-03.9	1	0.2	00.0-00.6				249	43.7	38.0-49.4
55-64	450	48,389	195	38.5	32.8-44.2	20	3.7	01.7-05.7	4	1.8	00.0-04.0							231	56.0	50.1-61.9
65+	649	64,657	198	31.3	26.8-35.8	23	3.8	01.8-05.8	6	0.7	00.1-01.3							422	64.1	59.4-68.8
Less Than H.S.	151	20,385	31	16.4	08.2-24.6	2	1.3	00.0-03.3							1	0.3	00.0-00.9	117	82.0	73.4-90.6
H.S. or G.E.D.	847	98,168	293	32.5	28.2-36.8	26	4.4	02.2-06.6	11	1.3	00.1-02.5	1	1.0	00.0-03.0				516	60.8	56.1-65.5
Some Post-H.S.	668	93,924	293	47.3	41.8-52.8	21	3.7	01.5-05.9	5	2.2	00.0-05.1	1	0.1	00.0-00.3				348	46.7	41.4-52.0
College Graduate	827	125,088	455	56.2	51.9-60.5	53	5.8	03.8-07.8	11	1.0	00.4-01.6							308	37.1	32.8-41.4
Less than \$15,000	272	28,101	87	27.7	21.0-34.4	10	6.5	00.8-12.2	4	2.1	00.0-05.2							171	63.7	55.9-71.5
\$15,000- 24,999	276	29,601	68	22.1	15.0-29.2	3	1.2	00.0-02.6	5	0.8	00.0-01.6							200	75.9	68.8-83.0
\$25,000- 34,999	222	24,156	79	31.9	24.3-39.5	8	4.0	01.1-06.9	2	0.7	00.0-01.7							133	63.4	55.4-71.4
\$35,000- 49,999	340	43,484	159	45.7	38.3-53.1	8	3.0	00.0-06.1	2	1.3	00.0-03.5	2	2.5	00.0-06.8				169	47.5	40.1-54.9
\$50,000- 74,999	371	57,416	177	46.0	37.8-54.2	28	6.6	03.7-09.5	4	1.0	00.0-02.2							162	46.4	37.8-55.0
\$75,000+	564	96,545	346	61.0	55.5-66.5	28	5.4	03.0-07.8	9	2.4	00.0-05.1							181	31.1	26.0-36.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3951	642,889	834	20.2	18.4-22.0	500	14.6	13.0-16.2	418	11.2	09.8-12.6	250	7.9	06.5-09.3	134	4.6	03.4-05.8	1815	41.3	39.1-43.5
Male	1456	304,887	262	17.9	15.2-20.6	202	15.4	12.9-17.9	216	14.7	12.2-17.2	147	11.6	09.2-14.0	104	7.9	05.7-10.1	525	32.5	29.2-35.8
Female	2495	338,002	572	22.4	20.2-24.6	298	14.0	12.0-16.0	202	8.0	06.6-09.4	103	4.6	03.4-05.8	30	1.7	00.7-02.7	1290	49.3	46.4-52.2
White/Non-Hisp	3192	499,711	691	21.1	19.1-23.1	432	15.8	14.0-17.6	375	12.5	10.9-14.1	224	8.9	07.3-10.5	120	5.1	03.7-06.5	1350	36.7	34.3-39.1
Black or Afr. Am./Non-Hisp	441	78,715	81	16.9	11.8-22.0	29	8.2	04.3-12.1	23	5.3	02.2-08.4	12	5.3	01.2-09.4	6	1.8	00.0-03.8	290	62.5	55.6-69.4
Oth. Race/Non-Hisp.	98	19,098	17	13.8	04.8-22.8	15	15.7	05.7-25.7	2	2.8	00.0-06.9	4	2.7	00.0-06.0	2	3.1	00.0-08.0			
MultiRacial/Non-Hisp.	112	17,181				12	9.8	03.3-16.3	8	4.8	00.5-09.1	3	1.9	00.0-04.3	3	5.5	00.0-13.1			
Hispanic	89	25,441	18	16.9	07.5-26.3							4	5.2	00.0-11.1	3	4.6	00.0-12.6			
18-24	222	82,353	50	16.8	10.5-23.1	25	10.2	05.1-15.3	18	8.3	03.6-13.0	18	7.0	03.1-10.9	19	13.8	06.9-20.7	92	43.8	34.2-53.4
25-34	465	111,202	106	21.7	16.6-26.8	92	19.6	14.9-24.3	57	14.1	09.4-18.8	33	11.7	06.8-16.6	16	3.2	01.0-05.4	161	29.7	24.4-35.0
35-44	677	124,421	161	23.3	19.4-27.2	121	20.8	16.7-24.9	59	9.3	06.6-12.0	45	7.8	04.9-10.7	21	2.8	01.2-04.4	270	36.0	31.5-40.5
45-54	822	117,357	170	21.3	17.4-25.2	125	18.1	14.2-22.0	87	10.6	07.7-13.5	44	6.9	04.5-09.3	34	4.3	02.5-06.1	362	38.8	34.1-43.5
55-64	735	91,914	174	21.0	17.1-24.9	70	9.7	06.6-12.8	79	11.1	08.2-14.0	55	7.9	05.2-10.6	22	3.8	01.6-06.0	335	46.6	41.7-51.5
65+	1002	112,306	168	16.2	13.5-18.9	63	6.5	04.5-08.5	114	13.1	10.4-15.8	55	6.4	04.4-08.4	22	2.5	01.3-03.7	580	55.3	51.4-59.2
Less Than H.S.	266	42,243	33	13.9	06.8-21.0	15	6.6	02.5-10.7	14	8.8	01.0-16.6	10	4.8	00.9-08.7	15	6.3	02.2-10.4			
H.S. or G.E.D.	1295	193,604	231	16.1	13.2-19.0	121	9.9	07.4-12.4	122	10.0	07.6-12.4	72	7.7	05.3-10.1	43	5.1	02.9-07.3	706	51.2	47.1-55.3
Some Post-H.S.	1017	165,795	238	22.2	18.7-25.7	120	14.0	10.7-17.3	82	9.3	06.8-11.8	54	7.4	04.9-09.9	35	5.9	03.2-08.6	488	41.2	37.1-45.3
College Graduate	1371	240,810	332	23.4	20.5-26.3	244	20.4	17.5-23.3	200	13.9	11.5-16.3	113	8.9	06.7-11.1	41	3.1	01.7-04.5	441	30.3	27.0-33.6
Less than \$15,000	399	55,012	65	12.9	08.8-17.0	31	8.4	03.9-12.9	31	7.3	04.2-10.4	20	7.6	02.9-12.3	16	7.1	02.6-11.6	236	56.8	49.2-64.4
\$15,000- 24,999	357	42,211	60	19.3	12.2-26.4	21	4.2	02.0-06.4	15	5.8	01.3-10.3	7	2.4	00.2-04.6	9	1.6	00.4-02.8	245	66.7	58.9-74.5
\$25,000- 34,999	346	45,892	57	14.3	09.6-19.0	44	12.1	07.6-16.6	32	14.7	07.3-22.1	15	5.9	01.0-10.8	5	1.2	00.0-02.4	193	51.7	43.9-59.5
\$35,000- 49,999	559	84,487	124	20.2	15.7-24.7	66	13.8	09.7-17.9	75	13.0	09.3-16.7	26	4.4	02.2-06.6	16	5.1	01.8-08.4	252	43.6	37.7-49.5
\$50,000- 74,999	647	112,750	130	18.4	14.3-22.5	104	15.7	12.0-19.4	67	11.8	08.1-15.5	62	9.9	06.6-13.2	27	4.8	02.3-07.3	257	39.5	33.4-45.6
\$75,000+	1039	212,700	281	24.5	21.2-27.8	185	20.8	17.5-24.1	144	13.0	10.5-15.5	88	10.7	08.0-13.4	49	5.5	03.3-07.7	292	25.7	22.2-29.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1456	304,887	262	17.9	15.2-20.6	202	15.4	12.9-17.9	216	14.7	12.2-17.2	147	11.6	09.2-14.0	104	7.9	05.7-10.1	525	32.5	29.2-35.8
White/Non-Hisp	1191	239,274	221	18.8	15.7-21.9	168	16.0	13.1-18.9	191	15.9	13.2-18.6	128	12.6	09.9-15.3	95	8.7	06.3-11.1	388	28.1	24.6-31.6
Black or Afr. Am./Non-Hisp	148	35,779	25	14.0	06.4-21.6	14	9.9	03.2-16.6	12	7.2	01.3-13.1	9	11.0	02.4-19.6	3	2.3	00.0-06.0			
18-24	79	40,671	10	13.4	04.0-22.8	7	7.6	01.1-14.1	10	12.7	04.3-21.1	10	8.7	02.2-15.2						
25-34	166	54,881	33	19.8	11.8-27.8	31	17.1	10.0-24.2	29	17.4	09.8-25.0	22	19.3	10.5-28.1	14	6.4	02.1-10.7	37	20.1	12.5-27.7
35-44	252	60,937	48	19.1	13.2-25.0	55	25.8	18.7-32.9	27	11.6	06.9-16.3	22	9.1	04.4-13.8	15	4.7	01.8-07.6	85	29.7	23.0-36.4
45-54	315	56,124	52	17.1	11.4-22.8	53	18.4	12.3-24.5	47	14.5	09.0-20.0	26	10.1	05.8-14.4	24	6.4	03.3-09.5	113	33.5	26.1-40.9
55-64	285	43,525	58	21.7	15.0-28.4	27	9.7	04.6-14.8	43	14.0	09.1-18.9	35	12.5	07.2-17.8	18	6.0	02.3-09.7	104	36.1	28.8-43.4
65+	353	47,649	59	14.7	10.6-18.8	29	8.6	05.1-12.1	59	18.5	13.6-23.4	32	9.8	05.9-13.7	16	5.0	02.3-07.7	158	43.4	37.1-49.7
Less Than H.S.	115	21,858				8	8.5	01.6-15.4				8	8.0	00.9-15.1	14	12.0	04.2-19.8			
H.S. or G.E.D.	448	95,436	63	13.2	08.5-17.9	51	11.9	07.8-16.0	67	14.4	09.9-18.9	46	11.1	06.8-15.4	31	8.0	04.3-11.7	190	41.4	34.5-48.3
Some Post-H.S.	349	71,871	69	17.4	12.7-22.1	44	15.0	09.3-20.7	34	10.7	06.2-15.2	33	12.3	07.2-17.4	29	10.6	05.7-15.5	140	34.1	27.6-40.6
College Graduate	544	115,722	117	22.2	17.5-26.9	99	19.8	15.3-24.3	105	17.3	13.4-21.2	60	12.3	08.2-16.4	30	5.4	02.5-08.3	133	23.0	17.9-28.1
Less than \$15,000	127	26,911	11	6.7	01.6-11.8	13	12.0	03.2-20.8	16	10.7	04.6-16.8	10	8.8	01.0-16.6	12	12.2	03.4-21.0			
\$15,000- 24,999	81	12,611				4	4.6	00.0-09.7				4	5.4	00.0-11.5	4	3.3	00.0-07.0			
\$25,000- 34,999	124	21,736	20	13.5	06.6-20.4	18	15.2	06.8-23.6				7	8.1	00.0-17.7	3	1.7	00.0-03.7			
\$35,000- 49,999	219	41,003	38	17.4	10.3-24.5	23	11.8	05.3-18.3	45	19.0	12.3-25.7	18	5.8	02.7-08.9	12	6.5	01.8-11.2	83	39.5	30.3-48.7
\$50,000- 74,999	276	55,334	40	14.3	08.4-20.2	48	16.6	10.7-22.5	36	14.8	08.7-20.9	34	13.2	07.3-19.1	23	8.8	03.9-13.7	95	32.4	25.0-39.8
\$75,000+	475	116,155	107	22.3	17.2-27.4	81	19.2	14.5-23.9	76	14.4	10.7-18.1	60	15.0	10.7-19.3	40	8.0	04.7-11.3	111	21.1	16.2-26.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2495	338,002	572	22.4	20.2-24.6	298	14.0	12.0-16.0	202	8.0	06.6-09.4	103	4.6	03.4-05.8	30	1.7	00.7-02.7	1290	49.3	46.4-52.2
White/Non-Hisp	2001	260,437	470	23.2	20.7-25.7	264	15.6	13.2-18.0	184	9.4	07.6-11.2	96	5.4	04.0-06.8	25	1.9	00.5-03.3	962	44.5	41.4-47.6
Black or Afr. Am./Non-Hisp	293	42,936	56	19.4	12.5-26.3	15	6.7	02.2-11.2	11	3.6	00.5-06.7	3	0.6	00.0-01.4	3	1.4	00.0-03.4	205	68.3	60.3-76.3
Oth. Race/Non-Hisp.	56	8,311	11	14.7	04.9-24.5	5	7.7	00.0-15.5				1	3.3	00.0-09.6	1	1.5	00.0-04.4			
MultiRacial/Non-Hisp.	77	10,343				7	7.9	00.6-15.2	3	1.3	00.0-03.1	1	0.7	00.0-02.1						
Hispanic	58	14,490				4	7.1	00.0-15.9	2	6.1	00.0-15.1	1	0.2	00.0-00.6						
18-24	143	41,682	40	20.0	11.4-28.6	18	12.7	04.9-20.5	8	4.1	00.2-08.0	8	5.3	00.6-10.0	2	5.4	00.0-12.7			
25-34	299	56,321	73	23.6	17.7-29.5	61	22.0	15.7-28.3	28	10.9	05.8-16.0	11	4.4	01.3-07.5	2	0.1	00.0-00.3	124	39.0	31.9-46.1
35-44	425	63,485	113	27.3	22.0-32.6	66	15.9	11.8-20.0	32	7.1	04.0-10.2	23	6.6	03.5-09.7	6	1.0	00.0-02.0	185	42.1	36.2-48.0
45-54	507	61,233	118	25.2	20.1-30.3	72	17.8	13.1-22.5	40	7.0	04.3-09.7	18	4.0	01.8-06.2	10	2.3	00.3-04.3	249	43.7	38.0-49.4
55-64	450	48,389	116	20.3	16.0-24.6	43	9.7	06.0-13.4	36	8.4	05.3-11.5	20	3.7	01.7-05.7	4	1.8	00.0-04.0	231	56.0	50.1-61.9
65+	649	64,657	109	17.2	13.5-20.9	34	4.9	02.9-06.9	55	9.2	06.3-12.1	23	3.8	01.8-05.8	6	0.7	00.1-01.3	422	64.1	59.4-68.8
Less Than H.S.	151	20,385	20	10.2	04.3-16.1	7	4.5	00.2-08.8	4	1.6	00.0-03.4	2	1.3	00.0-03.3	1	0.3	00.0-00.9	117	82.0	73.4-90.6
H.S. or G.E.D.	847	98,168	168	18.9	15.6-22.2	70	7.9	05.2-10.6	55	5.7	03.7-07.7	26	4.4	02.2-06.6	12	2.3	00.1-04.5	516	60.8	56.1-65.5
Some Post-H.S.	668	93,924	169	25.8	20.9-30.7	76	13.2	09.3-17.1	48	8.3	05.4-11.2	21	3.7	01.5-05.9	6	2.3	00.0-05.2	348	46.7	41.4-52.0
College Graduate	827	125,088	215	24.6	20.9-28.3	145	20.9	17.2-24.6	95	10.7	08.0-13.4	53	5.8	03.8-07.8	11	1.0	00.4-01.6	308	37.1	32.8-41.4
Less than \$15,000	272	28,101	54	18.8	12.7-24.9	18	4.9	02.4-07.4	15	4.0	01.6-06.4	10	6.5	00.8-12.2	4	2.1	00.0-05.2	171	63.7	55.9-71.5
\$15,000- 24,999	276	29,601	45	15.6	09.1-22.1	17	4.0	01.8-06.2	6	2.6	00.4-04.8	3	1.2	00.0-02.6	5	0.8	00.0-01.6	200	75.9	68.8-83.0
\$25,000- 34,999	222	24,156	37	15.1	08.8-21.4	26	9.3	05.2-13.4	16	7.6	03.3-11.9	8	4.0	01.1-06.9	2	0.7	00.0-01.7	133	63.4	55.4-71.4
\$35,000- 49,999	340	43,484	86	22.8	16.9-28.7	43	15.6	10.1-21.1	30	7.3	04.2-10.4	8	3.0	00.0-06.1	4	3.8	00.0-08.5	169	47.5	40.1-54.9
\$50,000- 74,999	371	57,416	90	22.3	16.6-28.0	56	14.8	10.1-19.5	31	8.9	04.4-13.4	28	6.6	03.7-09.5	4	1.0	00.0-02.2	162	46.4	37.8-55.0
\$75,000+	564	96,545	174	27.1	22.6-31.6	104	22.6	17.7-27.5	68	11.3	08.0-14.6	28	5.4	03.0-07.8	9	2.4	00.0-05.1	181	31.1	26.0-36.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3951	642,889	3714	92.9	91.7-94.1	237	7.1	05.9-08.3
Male	1456	304,887	1352	92.1	89.9-94.3	104	7.9	05.7-10.1
Female	2495	338,002	2362	93.7	92.1-95.3	133	6.3	04.7-07.9
White/Non-Hisp	3192	499,711	2976	92.0	90.4-93.6	216	8.0	06.4-09.6
Black or Afr. Am./Non-Hisp	441	78,715	432	97.9	95.9-99.9	9	2.1	00.1-04.1
Oth. Race/Non-Hisp.	98	19,098	95	95.5	89.8-0100	3	4.5	00.0-10.2
MultiRacial/Non-Hisp.	112	17,181	108	94.1	86.5-0100	4	5.9	00.0-13.5
Hispanic	89	25,441	84	92.0	82.6-0100	5	8.0	00.0-17.4
18-24	222	82,353	195	83.5	76.4-90.6	27	16.5	09.4-23.6
25-34	465	111,202	438	94.5	91.8-97.2	27	5.5	02.8-08.2
35-44	677	124,421	633	93.8	91.6-96.0	44	6.2	04.0-08.4
45-54	822	117,357	770	93.7	91.5-95.9	52	6.3	04.1-08.5
55-64	735	91,914	693	94.2	91.8-96.6	42	5.8	03.4-08.2
65+	1002	112,306	957	95.3	93.7-96.9	45	4.7	03.1-06.3
Less Than H.S.	266	42,243	249	93.0	88.7-97.3	17	7.0	02.7-11.3
H.S. or G.E.D.	1295	193,604	1226	92.6	90.2-95.0	69	7.4	05.0-09.8
Some Post-H.S.	1017	165,795	961	92.0	89.1-94.9	56	8.0	05.1-10.9
College Graduate	1371	240,810	1277	93.9	92.1-95.7	94	6.1	04.3-07.9
Less than \$15,000	399	55,012	373	89.6	84.3-94.9	26	10.4	05.1-15.7
\$15,000- 24,999	357	42,211	345	97.6	96.0-99.2	12	2.4	00.8-04.0
\$25,000- 34,999	346	45,892	333	96.7	94.7-98.7	13	3.3	01.3-05.3
\$35,000- 49,999	559	84,487	535	93.4	89.7-97.1	24	6.6	02.9-10.3
\$50,000- 74,999	647	112,750	592	91.8	88.9-94.7	55	8.2	05.3-11.1
\$75,000+	1039	212,700	962	92.1	89.6-94.6	77	7.9	05.4-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1456	304,887	1352	92.1	89.9-94.3	104	7.9	05.7-10.1
White/Non-Hisp	1191	239,274	1096	91.3	88.9-93.7	95	8.7	06.3-11.1
Black or Afr. Am./Non-Hisp	148	35,779	145	97.7	94.0-0100	3	2.3	00.0-06.0
25-34	166	54,881	152	93.6	89.3-97.9	14	6.4	02.1-10.7
35-44	252	60,937	237	95.3	92.4-98.2	15	4.7	01.8-07.6
45-54	315	56,124	291	93.6	90.5-96.7	24	6.4	03.3-09.5
55-64	285	43,525	267	94.0	90.3-97.7	18	6.0	02.3-09.7
65+	353	47,649	337	95.0	92.3-97.7	16	5.0	02.3-07.7
Less Than H.S.	115	21,858	101	88.0	80.2-95.8	14	12.0	04.2-19.8
H.S. or G.E.D.	448	95,436	417	92.0	88.3-95.7	31	8.0	04.3-11.7
Some Post-H.S.	349	71,871	320	89.4	84.5-94.3	29	10.6	05.7-15.5
College Graduate	544	115,722	514	94.6	91.7-97.5	30	5.4	02.5-08.3
Less than \$15,000	127	26,911	115	87.8	79.0-96.6	12	12.2	03.4-21.0
\$15,000- 24,999	81	12,611	77	96.7	93.0-0100	4	3.3	00.0-07.0
\$25,000- 34,999	124	21,736	121	98.3	96.3-0100	3	1.7	00.0-03.7
\$35,000- 49,999	219	41,003	207	93.5	88.8-98.2	12	6.5	01.8-11.2
\$50,000- 74,999	276	55,334	253	91.2	86.3-96.1	23	8.8	03.9-13.7
\$75,000+	475	116,155	435	92.0	88.7-95.3	40	8.0	04.7-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2495	338,002	2362	93.7	92.1-95.3	133	6.3	04.7-07.9
White/Non-Hisp	2001	260,437	1880	92.7	90.9-94.5	121	7.3	05.5-09.1
Black or Afr. Am./Non-Hisp	293	42,936	287	98.0	95.8-0100	6	2.0	00.0-04.2
Oth. Race/Non-Hisp.	56	8,311	54	95.2	88.3-0100	2	4.8	00.0-11.7
MultiRacial/Non-Hisp.	77	10,343	76	99.3	97.9-0100	1	0.7	00.0-02.1
Hispanic	58	14,490	55	93.8	84.8-0100	3	6.2	00.0-15.2
18-24	143	41,682	133	89.3	80.9-97.7	10	10.7	02.3-19.1
25-34	299	56,321	286	95.5	92.4-98.6	13	4.5	01.4-07.6
35-44	425	63,485	396	92.4	89.1-95.7	29	7.6	04.3-10.9
45-54	507	61,233	479	93.7	91.0-96.4	28	6.3	03.6-09.0
55-64	450	48,389	426	94.5	91.8-97.2	24	5.5	02.8-08.2
65+	649	64,657	620	95.4	93.4-97.4	29	4.6	02.6-06.6
Less Than H.S.	151	20,385	148	98.4	96.2-0100	3	1.6	00.0-03.8
H.S. or G.E.D.	847	98,168	809	93.3	90.4-96.2	38	6.7	03.8-09.6
Some Post-H.S.	668	93,924	641	94.0	90.5-97.5	27	6.0	02.5-09.5
College Graduate	827	125,088	763	93.2	91.2-95.2	64	6.8	04.8-08.8
Less than \$15,000	272	28,101	258	91.4	85.1-97.7	14	8.6	02.3-14.9
\$15,000- 24,999	276	29,601	268	98.0	96.4-99.6	8	2.0	00.4-03.6
\$25,000- 34,999	222	24,156	212	95.3	92.2-98.4	10	4.7	01.6-07.8
\$35,000- 49,999	340	43,484	328	93.2	87.7-98.7	12	6.8	01.3-12.3
\$50,000- 74,999	371	57,416	339	92.4	89.3-95.5	32	7.6	04.5-10.7
\$75,000+	564	96,545	527	92.1	88.6-95.6	37	7.9	04.4-11.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 16: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1456	304,887	1352	92.1	89.9-94.3	104	7.9	05.7-10.1
White/Non-Hisp	1191	239,274	1096	91.3	88.9-93.7	95	8.7	06.3-11.1
Black or Afr. Am./Non-Hisp	148	35,779	145	97.7	94.0-0100	3	2.3	00.0-06.0
25-34	166	54,881	152	93.6	89.3-97.9	14	6.4	02.1-10.7
35-44	252	60,937	237	95.3	92.4-98.2	15	4.7	01.8-07.6
45-54	315	56,124	291	93.6	90.5-96.7	24	6.4	03.3-09.5
55-64	285	43,525	267	94.0	90.3-97.7	18	6.0	02.3-09.7
65+	353	47,649	337	95.0	92.3-97.7	16	5.0	02.3-07.7
Less Than H.S.	115	21,858	101	88.0	80.2-95.8	14	12.0	04.2-19.8
H.S. or G.E.D.	448	95,436	417	92.0	88.3-95.7	31	8.0	04.3-11.7
Some Post-H.S.	349	71,871	320	89.4	84.5-94.3	29	10.6	05.7-15.5
College Graduate	544	115,722	514	94.6	91.7-97.5	30	5.4	02.5-08.3
Less than \$15,000	127	26,911	115	87.8	79.0-96.6	12	12.2	03.4-21.0
\$15,000- 24,999	81	12,611	77	96.7	93.0-0100	4	3.3	00.0-07.0
\$25,000- 34,999	124	21,736	121	98.3	96.3-0100	3	1.7	00.0-03.7
\$35,000- 49,999	219	41,003	207	93.5	88.8-98.2	12	6.5	01.8-11.2
\$50,000- 74,999	276	55,334	253	91.2	86.3-96.1	23	8.8	03.9-13.7
\$75,000+	475	116,155	435	92.0	88.7-95.3	40	8.0	04.7-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 17: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2495	338,002	2362	93.7	92.1-95.3	133	6.3	04.7-07.9
White/Non-Hisp	2001	260,437	1880	92.7	90.9-94.5	121	7.3	05.5-09.1
Black or Afr. Am./Non-Hisp	293	42,936	287	98.0	95.8-0100	6	2.0	00.0-04.2
Oth. Race/Non-Hisp.	56	8,311	54	95.2	88.3-0100	2	4.8	00.0-11.7
MultiRacial/Non-Hisp.	77	10,343	76	99.3	97.9-0100	1	0.7	00.0-02.1
Hispanic	58	14,490	55	93.8	84.8-0100	3	6.2	00.0-15.2
18-24	143	41,682	133	89.3	80.9-97.7	10	10.7	02.3-19.1
25-34	299	56,321	286	95.5	92.4-98.6	13	4.5	01.4-07.6
35-44	425	63,485	396	92.4	89.1-95.7	29	7.6	04.3-10.9
45-54	507	61,233	479	93.7	91.0-96.4	28	6.3	03.6-09.0
55-64	450	48,389	426	94.5	91.8-97.2	24	5.5	02.8-08.2
65+	649	64,657	620	95.4	93.4-97.4	29	4.6	02.6-06.6
Less Than H.S.	151	20,385	148	98.4	96.2-0100	3	1.6	00.0-03.8
H.S. or G.E.D.	847	98,168	809	93.3	90.4-96.2	38	6.7	03.8-09.6
Some Post-H.S.	668	93,924	641	94.0	90.5-97.5	27	6.0	02.5-09.5
College Graduate	827	125,088	763	93.2	91.2-95.2	64	6.8	04.8-08.8
Less than \$15,000	272	28,101	258	91.4	85.1-97.7	14	8.6	02.3-14.9
\$15,000- 24,999	276	29,601	268	98.0	96.4-99.6	8	2.0	00.4-03.6
\$25,000- 34,999	222	24,156	212	95.3	92.2-98.4	10	4.7	01.6-07.8
\$35,000- 49,999	340	43,484	328	93.2	87.7-98.7	12	6.8	01.3-12.3
\$50,000- 74,999	371	57,416	339	92.4	89.3-95.5	32	7.6	04.5-10.7
\$75,000+	564	96,545	527	92.1	88.6-95.6	37	7.9	04.4-11.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)	
1	MALES AND FEMALES	101
2	MALES ONLY	102
3	FEMALES ONLY	103
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	104
5	MALES ONLY	105
6	FEMALES ONLY	106

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 14: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1011	113,535	678	70.3	66.8-73.8	333	29.7	26.2-33.2
Male	359	48,757	251	70.9	65.4-76.4	108	29.1	23.6-34.6
Female	652	64,779	427	69.9	65.6-74.2	225	30.1	25.8-34.4
White/Non-Hisp	909	101,898	625	72.1	68.6-75.6	284	27.9	24.4-31.4
65+	1011	113,535	678	70.3	66.8-73.8	333	29.7	26.2-33.2
H.S. or G.E.D.	396	39,469	267	70.9	65.4-76.4	129	29.1	23.6-34.6
Some Post-H.S.	226	25,123	154	66.9	58.9-74.9	72	33.1	25.1-41.1
College Graduate	260	34,323	188	76.6	70.5-82.7	72	23.4	17.3-29.5
Less than \$15,000	156	16,536	92	62.7	53.1-72.3	64	37.3	27.7-46.9
\$25,000- 34,999	118	12,630	92	80.3	71.9-88.7	26	19.7	11.3-28.1
\$35,000- 49,999	129	13,562	99	77.3	68.5-86.1	30	22.7	13.9-31.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 14: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	359	48,757	251	70.9	65.4-76.4	108	29.1	23.6-34.6	
White/Non-Hisp	322	44,415	233	74.0	68.3-79.7	89	26.0	20.3-31.7	
65+	359	48,757	251	70.9	65.4-76.4	108	29.1	23.6-34.6	
H.S. or G.E.D.	120	15,517	91	77.2	68.6-85.8	29	22.8	14.2-31.4	
College Graduate	121	17,717	89	75.2	66.2-84.2	32	24.8	15.8-33.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 14: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	652	64,779	427	69.9	65.6-74.2	225	30.1	25.8-34.4
White/Non-Hisp	587	57,483	392	70.7	66.2-75.2	195	29.3	24.8-33.8
65+	652	64,779	427	69.9	65.6-74.2	225	30.1	25.8-34.4
H.S. or G.E.D.	276	23,951	176	66.8	59.9-73.7	100	33.2	26.3-40.1
Some Post-H.S.	160	16,440	109	70.4	61.4-79.4	51	29.6	20.6-38.6
College Graduate	139	16,605	99	78.0	70.0-86.0	40	22.0	14.0-30.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 14: IMMUNIZATION**

TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	982	109,696	650	65.6	61.9-69.3	332	34.4	30.7-38.1
Male	340	45,918	212	63.1	57.0-69.2	128	36.9	30.8-43.0
Female	642	63,778	438	67.3	62.4-72.2	204	32.7	27.8-37.6
White/Non-Hisp	888	99,042	600	66.3	62.4-70.2	288	33.7	29.8-37.6
65+	982	109,696	650	65.6	61.9-69.3	332	34.4	30.7-38.1
H.S. or G.E.D.	387	38,301	259	68.4	62.7-74.1	128	31.6	25.9-37.3
Some Post-H.S.	223	24,574	147	62.2	53.8-70.6	76	37.8	29.4-46.2
College Graduate	249	32,833	165	65.6	58.2-73.0	84	34.4	27.0-41.8
Less than \$15,000	152	16,086	99	68.0	58.6-77.4	53	32.0	22.6-41.4
\$25,000- 34,999	117	12,609	86	74.2	64.8-83.6	31	25.8	16.4-35.2
\$35,000- 49,999	127	13,400	94	73.3	63.7-82.9	33	26.7	17.1-36.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
 SECTION 14: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	340	45,918	212	63.1	57.0-69.2	128	36.9	30.8-43.0
White/Non-Hisp	307	42,184	195	64.4	57.9-70.9	112	35.6	29.1-42.1
65+	340	45,918	212	63.1	57.0-69.2	128	36.9	30.8-43.0
H.S. or G.E.D.	113	14,441	75	70.2	60.4-80.0	38	29.8	20.0-39.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 14: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	642	63,778	438	67.3	62.4-72.2	204	32.7	27.8-37.6
White/Non-Hisp	581	56,859	405	67.8	62.7-72.9	176	32.2	27.1-37.3
65+	642	63,778	438	67.3	62.4-72.2	204	32.7	27.8-37.6
H.S. or G.E.D.	274	23,860	184	67.3	60.2-74.4	90	32.7	25.6-39.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006

SECTION 16: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	108
2	MALES ONLY	109
3	FEMALES ONLY	110
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	111
5	MALES ONLY	112
6	FEMALES ONLY	113

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 16: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3984	649,134	3782	93.6	92.2-95.0	202	6.4	05.0-07.8
Male	1480	310,264	1363	92.4	90.6-94.2	117	7.6	05.8-09.4
Female	2504	338,870	2419	94.7	92.3-97.1	85	5.3	02.9-07.7
White/Non-Hisp	3222	505,676	3067	93.9	92.3-95.5	155	6.1	04.5-07.7
Black or Afr. Am./Non-Hisp	444	80,027	416	93.0	88.9-97.1	28	7.0	02.9-11.1
Oth. Race/Non-Hisp.	98	19,032	92	94.7	89.0-0100	6	5.3	00.0-11.0
MultiRacial/Non-Hisp.	113	17,243	110	94.6	87.2-0100	3	5.4	00.0-12.8
18-24	225	83,721	200	83.5	74.9-92.1	25	16.5	07.9-25.1
25-34	466	111,114	439	94.4	91.5-97.3	27	5.6	02.7-08.5
35-44	685	126,118	651	95.7	93.9-97.5	34	4.3	02.5-06.1
45-54	830	119,148	784	93.5	91.1-95.9	46	6.5	04.1-08.9
55-64	739	92,201	708	95.7	93.7-97.7	31	4.3	02.3-06.3
65+	1008	113,218	969	96.2	94.6-97.8	39	3.8	02.2-05.4
H.S. or G.E.D.	1315	197,820	1240	92.4	89.9-94.9	75	7.6	05.1-10.1
Some Post-H.S.	1024	166,909	975	93.5	91.1-95.9	49	6.5	04.1-08.9
College Graduate	1378	241,638	1335	97.4	96.2-98.6	43	2.6	01.4-03.8
Less than \$15,000	401	55,298	373	92.3	88.6-96.0	28	7.7	04.0-11.4
\$15,000- 24,999	355	41,914	327	87.0	79.7-94.3	28	13.0	05.7-20.3
\$25,000- 34,999	348	46,456	329	95.1	92.6-97.6	19	4.9	02.4-07.4
\$35,000- 49,999	563	85,055	530	91.1	87.2-95.0	33	8.9	05.0-12.8
\$50,000- 74,999	651	113,749	627	93.9	88.4-99.4	24	6.1	00.6-11.6
\$75,000+	1048	214,875	1001	95.0	93.2-96.8	47	5.0	03.2-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 16: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1480	310,264	1363	92.4	90.6-94.2	117	7.6	05.8-09.4
White/Non-Hisp	1211	244,071	1114	92.6	90.8-94.4	97	7.4	05.6-09.2
Black or Afr. Am./Non-Hisp	153	37,454	145	95.6	91.5-99.7	8	4.4	00.3-08.5
18-24	82	42,039	71	89.2	81.9-96.5	11	10.8	03.5-18.1
25-34	167	54,792	152	91.6	86.3-96.9	15	8.4	03.1-13.7
35-44	255	61,876	240	95.3	92.6-98.0	15	4.7	02.0-07.4
45-54	321	57,782	291	91.1	87.0-95.2	30	8.9	04.8-13.0
55-64	289	43,849	266	92.2	88.1-96.3	23	7.8	03.7-11.9
65+	358	48,621	335	94.1	91.2-97.0	23	5.9	03.0-08.8
H.S. or G.E.D.	461	99,012	416	90.6	87.1-94.1	45	9.4	05.9-12.9
Some Post-H.S.	354	72,789	329	92.8	89.1-96.5	25	7.2	03.5-10.9
College Graduate	550	116,276	529	96.5	94.5-98.5	21	3.5	01.5-05.5
Less than \$15,000	128	27,120	110	88.5	81.8-95.2	18	11.5	04.8-18.2
\$15,000- 24,999	80	12,578	72	89.6	81.8-97.4	8	10.4	02.6-18.2
\$25,000- 34,999	126	22,301	116	94.2	89.9-98.5	10	5.8	01.5-10.1
\$35,000- 49,999	221	41,333	202	88.1	81.6-94.6	19	11.9	05.4-18.4
\$50,000- 74,999	279	56,323	266	95.8	92.9-98.7	13	4.2	01.3-07.1
\$75,000+	482	117,993	451	93.8	91.1-96.5	31	6.2	03.5-08.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 16: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2504	338,870	2419	94.7	92.3-97.1	85	5.3	02.9-07.7
White/Non-Hisp	2011	261,605	1953	95.0	92.3-97.7	58	5.0	02.3-07.7
Black or Afr. Am./Non-Hisp	291	42,574	271	90.8	84.1-97.5	20	9.2	02.5-15.9
Oth. Race/Non-Hisp.	56	8,311	53	95.4	89.3-0100	3	4.6	00.0-10.7
MultiRacial/Non-Hisp.	78	10,405	78	100.0	0100-0100			
Hispanic	58	14,490	54	94.5	88.0-0100	4	5.5	00.0-12.0
25-34	299	56,321	287	97.0	94.6-99.4	12	3.0	00.6-05.4
35-44	430	64,242	411	96.0	93.8-98.2	19	4.0	01.8-06.2
45-54	509	61,366	493	95.8	93.1-98.5	16	4.2	01.5-06.9
55-64	450	48,351	442	98.8	97.8-99.8	8	1.2	00.2-02.2
65+	650	64,597	634	97.8	96.4-99.2	16	2.2	00.8-03.6
H.S. or G.E.D.	854	98,808	824	94.2	90.7-97.7	30	5.8	02.3-09.3
Some Post-H.S.	670	94,120	646	94.0	90.9-97.1	24	6.0	02.9-09.1
College Graduate	828	125,361	806	98.2	97.2-99.2	22	1.8	00.8-02.8
Less than \$15,000	273	28,177	263	96.1	92.6-99.6	10	3.9	00.4-07.4
\$15,000- 24,999	275	29,335	255	86.0	76.4-95.6	20	14.0	04.4-23.6
\$25,000- 34,999	222	24,156	213	95.9	92.8-99.0	9	4.1	01.0-07.2
\$35,000- 49,999	342	43,721	328	93.9	89.2-98.6	14	6.1	01.4-10.8
\$50,000- 74,999	372	57,426	361	92.1	81.7-0100	11	7.9	00.0-18.3
\$75,000+	566	96,882	550	96.5	94.3-98.7	16	3.5	01.3-05.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 16: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3984	649,134	3501	85.5	83.7-87.3	483	14.5	12.7-16.3
Male	1480	310,264	1222	82.2	79.5-84.9	258	17.8	15.1-20.5
Female	2504	338,870	2279	88.5	86.0-91.0	225	11.5	09.0-14.0
White/Non-Hisp	3222	505,676	2857	86.6	84.6-88.6	365	13.4	11.4-15.4
Black or Afr. Am./Non-Hisp	444	80,027	372	82.3	76.8-87.8	72	17.7	12.2-23.2
Oth. Race/Non-Hisp.	98	19,032	87	89.8	81.2-98.4	11	10.2	01.6-18.8
MultiRacial/Non-Hisp.	113	17,243	99	85.3	75.9-94.7	14	14.7	05.3-24.1
18-24	225	83,721	174	74.0	65.0-83.0	51	26.0	17.0-35.0
25-34	466	111,114	390	81.4	76.5-86.3	76	18.6	13.7-23.5
35-44	685	126,118	597	87.4	84.3-90.5	88	12.6	09.5-15.7
45-54	830	119,148	734	87.7	84.4-91.0	96	12.3	09.0-15.6
55-64	739	92,201	658	88.3	85.2-91.4	81	11.7	08.6-14.8
65+	1008	113,218	918	91.1	88.9-93.3	90	8.9	06.7-11.1
H.S. or G.E.D.	1315	197,820	1148	84.6	81.5-87.7	167	15.4	12.3-18.5
Some Post-H.S.	1024	166,909	895	82.7	79.0-86.4	129	17.3	13.6-21.0
College Graduate	1378	241,638	1245	90.4	88.2-92.6	133	9.6	07.4-11.8
Less than \$15,000	401	55,298	345	85.2	80.3-90.1	56	14.8	09.9-19.7
\$15,000- 24,999	355	41,914	303	80.8	73.4-88.2	52	19.2	11.8-26.6
\$25,000- 34,999	348	46,456	304	87.3	82.6-92.0	44	12.7	08.0-17.4
\$35,000- 49,999	563	85,055	490	85.1	80.8-89.4	73	14.9	10.6-19.2
\$50,000- 74,999	651	113,749	568	85.2	79.5-90.9	83	14.8	09.1-20.5
\$75,000+	1048	214,875	925	85.3	82.2-88.4	123	14.7	11.6-17.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 16: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1480	310,264	1222	82.2	79.5-84.9	258	17.8	15.1-20.5
White/Non-Hisp	1211	244,071	1004	82.4	79.5-85.3	207	17.6	14.7-20.5
Black or Afr. Am./Non-Hisp	153	37,454	128	86.4	79.9-92.9	25	13.6	07.1-20.1
18-24	82	42,039	62	81.4	72.6-90.2	20	18.6	09.8-27.4
25-34	167	54,792	123	74.4	66.0-82.8	44	25.6	17.2-34.0
35-44	255	61,876	214	84.9	79.8-90.0	41	15.1	10.0-20.2
45-54	321	57,782	262	83.1	77.2-89.0	59	16.9	11.0-22.8
55-64	289	43,849	242	82.2	76.1-88.3	47	17.8	11.7-23.9
65+	358	48,621	311	86.7	82.4-91.0	47	13.3	09.0-17.6
H.S. or G.E.D.	461	99,012	374	81.4	76.5-86.3	87	18.6	13.7-23.5
Some Post-H.S.	354	72,789	283	77.4	71.1-83.7	71	22.6	16.3-28.9
College Graduate	550	116,276	484	87.5	83.8-91.2	66	12.5	08.8-16.2
Less than \$15,000	128	27,120	96	77.4	68.0-86.8	32	22.6	13.2-32.0
\$15,000- 24,999	80	12,578	64	82.1	72.1-92.1	16	17.9	07.9-27.9
\$25,000- 34,999	126	22,301	106	86.6	79.0-94.2	20	13.4	05.8-21.0
\$35,000- 49,999	221	41,333	185	83.2	76.3-90.1	36	16.8	09.9-23.7
\$50,000- 74,999	279	56,323	233	84.8	79.5-90.1	46	15.2	09.9-20.5
\$75,000+	482	117,993	404	81.3	76.4-86.2	78	18.7	13.8-23.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 16: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2504	338,870	2279	88.5	86.0-91.0	225	11.5	09.0-14.0
White/Non-Hisp	2011	261,605	1853	90.5	87.8-93.2	158	9.5	06.8-12.2
Black or Afr. Am./Non-Hisp	291	42,574	244	78.6	70.4-86.8	47	21.4	13.2-29.6
Oth. Race/Non-Hisp.	56	8,311	53	95.4	89.3-100.0	3	4.6	00.0-10.7
MultiRacial/Non-Hisp.	78	10,405	70	91.0	83.6-98.4	8	9.0	01.6-16.4
25-34	299	56,321	267	88.1	83.2-93.0	32	11.9	07.0-16.8
35-44	430	64,242	383	89.9	86.6-93.2	47	10.1	06.8-13.4
45-54	509	61,366	472	91.9	88.6-95.2	37	8.1	04.8-11.4
55-64	450	48,351	416	93.9	91.5-96.3	34	6.1	03.7-08.5
65+	650	64,597	607	94.4	92.2-96.6	43	5.6	03.4-07.8
H.S. or G.E.D.	854	98,808	774	87.7	83.6-91.8	80	12.3	08.2-16.4
Some Post-H.S.	670	94,120	612	86.8	82.5-91.1	58	13.2	08.9-17.5
College Graduate	828	125,361	761	93.0	90.8-95.2	67	7.0	04.8-09.2
Less than \$15,000	273	28,177	249	92.8	88.9-96.7	24	7.2	03.3-11.1
\$15,000- 24,999	275	29,335	239	80.2	70.6-89.8	36	19.8	10.2-29.4
\$25,000- 34,999	222	24,156	198	87.9	82.4-93.4	24	12.1	06.6-17.6
\$35,000- 49,999	342	43,721	305	86.9	81.2-92.6	37	13.1	07.4-18.8
\$75,000+	566	96,882	521	90.2	86.5-93.9	45	9.8	06.1-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006

SECTION 18: WOMENS HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	115
2	WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	116
3	WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

TABLE 1: WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1814	205,428	1515	83.7	81.5-85.9	299	16.3	14.1-18.5
White/Non-Hisp	1529	170,024	1266	82.8	80.3-85.3	263	17.2	14.7-19.7
Black or Afr. Am./Non-Hisp	177	21,182	161	91.1	85.8-96.4	16	8.9	03.6-14.2
40-44	210	31,832	156	76.4	69.1-83.7	54	23.6	16.3-30.9
45-54	509	61,366	414	83.1	79.0-87.2	95	16.9	12.8-21.0
55-64	449	48,123	401	89.6	85.9-93.3	48	10.4	06.7-14.1
65+	646	64,107	544	83.6	79.9-87.3	102	16.4	12.7-20.1
H.S. or G.E.D.	659	66,564	555	84.4	80.9-87.9	104	15.6	12.1-19.1
Some Post-H.S.	464	53,592	388	84.2	79.7-88.7	76	15.8	11.3-20.3
College Graduate	575	74,290	487	84.5	80.8-88.2	88	15.5	11.8-19.2
Less than \$15,000	200	18,392	165	85.2	79.1-91.3	35	14.8	08.7-20.9
\$15,000- 24,999	211	17,988	151	72.5	64.9-80.1	60	27.5	19.9-35.1
\$25,000- 34,999	159	16,445	134	81.7	73.7-89.7	25	18.3	10.3-26.3
\$35,000- 49,999	233	24,729	205	87.8	81.1-94.5	28	12.2	05.5-18.9
\$50,000- 74,999	251	31,031	212	82.3	76.2-88.4	39	17.7	11.6-23.8
\$75,000+	392	55,609	332	85.4	81.1-89.7	60	14.6	10.3-18.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

TABLE 2: WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1343	142,376	1155	86.4	84.0-88.8	188	13.6	11.2-16.0
White/Non-Hisp	1163	120,443	992	85.5	82.8-88.2	171	14.5	11.8-17.2
Black or Afr. Am./Non-Hisp	117	13,995	110	94.0	88.1-99.9	7	6.0	00.1-11.9
50-54	248	30,146	210	87.2	82.1-92.3	38	12.8	07.7-17.9
55-64	449	48,123	401	89.6	85.9-93.3	48	10.4	06.7-14.1
65+	646	64,107	544	83.6	79.9-87.3	102	16.4	12.7-20.1
H.S. or G.E.D.	525	51,282	454	87.6	84.1-91.1	71	12.4	08.9-15.9
Some Post-H.S.	338	34,560	295	88.4	84.1-92.7	43	11.6	07.3-15.9
College Graduate	380	47,309	334	87.1	82.6-91.6	46	12.9	08.4-17.4
Less than \$15,000	171	15,596	144	85.8	79.3-92.3	27	14.2	07.7-20.7
\$15,000- 24,999	164	13,498	120	74.4	66.0-82.8	44	25.6	17.2-34.0
\$25,000- 34,999	130	13,144	114	85.8	77.8-93.8	16	14.2	06.2-22.2
\$35,000- 49,999	175	18,345	157	91.1	85.4-96.8	18	8.9	03.2-14.6
\$50,000- 74,999	160	19,115	141	87.8	81.5-94.1	19	12.2	05.9-18.5
\$75,000+	221	27,384	202	90.8	85.5-96.1	19	9.2	03.9-14.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

TABLE 3: WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1863	269,943	1646	89.0	87.0-91.0	217	11.0	09.0-13.0
White/Non-Hisp	1478	207,906	1307	89.6	87.6-91.6	171	10.4	08.4-12.4
Black or Afr. Am./Non-Hisp	218	32,925	193	87.0	79.9-94.1	25	13.0	05.9-20.1
Hispanic	51	13,051	46	91.3	81.1-0100	5	8.7	00.0-18.9
18-24	141	41,524	119	85.6	77.8-93.4	22	14.4	06.6-22.2
25-34	289	54,305	272	94.3	91.4-97.2	17	5.7	02.8-08.6
35-44	384	56,853	358	93.4	90.5-96.3	26	6.6	03.7-09.5
45-54	392	48,789	353	91.2	87.7-94.7	39	8.8	05.3-12.3
55-64	274	29,990	248	91.1	87.0-95.2	26	8.9	04.8-13.0
65+	383	38,483	296	74.1	68.2-80.0	87	25.9	20.0-31.8
H.S. or G.E.D.	591	73,061	508	87.1	83.8-90.4	83	12.9	09.6-16.2
Some Post-H.S.	506	74,569	458	88.3	83.8-92.8	48	11.7	07.2-16.2
College Graduate	663	106,163	611	93.2	90.8-95.6	52	6.8	04.4-09.2
Less than \$15,000	176	18,443	144	80.2	72.8-87.6	32	19.8	12.4-27.2
\$15,000- 24,999	191	21,931	142	78.2	70.4-86.0	49	21.8	14.0-29.6
\$25,000- 34,999	167	18,660	142	80.9	72.7-89.1	25	19.1	10.9-27.3
\$35,000- 49,999	259	34,506	244	94.0	89.7-98.3	15	6.0	01.7-10.3
\$50,000- 74,999	293	47,549	267	88.5	82.8-94.2	26	11.5	05.8-17.2
\$75,000+	457	84,327	437	97.2	95.6-98.8	20	2.8	01.2-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y) MALES ONLY	119

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1065	173,765	666	56.9	53.0-60.8	399	43.1	39.2-47.0
White/Non-Hisp	903	147,266	577	58.6	54.3-62.9	326	41.4	37.1-45.7
40-44	132	29,819	27	14.6	08.1-21.1	105	85.4	78.9-91.9
45-54	304	53,732	145	46.2	38.4-54.0	159	53.8	46.0-61.6
55-64	280	42,660	211	73.3	66.0-80.6	69	26.7	19.4-34.0
65+	349	47,554	283	80.8	75.9-85.7	66	19.2	14.3-24.1
H.S. or G.E.D.	317	51,830	185	49.0	41.2-56.8	132	51.0	43.2-58.8
Some Post-H.S.	254	39,751	160	57.8	49.6-66.0	94	42.2	34.0-50.4
College Graduate	407	70,205	272	61.5	55.4-67.6	135	38.5	32.4-44.6
\$35,000- 49,999	159	21,848	101	60.6	51.0-70.2	58	39.4	29.8-49.0
\$50,000- 74,999	197	30,276	124	56.7	47.5-65.9	73	43.3	34.1-52.5
\$75,000+	336	67,693	201	54.4	47.3-61.5	135	45.6	38.5-52.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006**

SECTION 20: COLORECTAL CANCER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDST). MALES AND FEMALES	121
2 MALES ONLY	122
3 FEMALES ONLY	123
4 RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2). MALES AND FEMALES	124
5 MALES ONLY	125
6 FEMALES ONLY	126

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 20: COLORECTAL CANCER**

TABLE 1: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDST).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2124	258,209	503	22.5	20.1-24.9	1621	77.5	75.1-79.9
Male	799	118,071	203	24.4	20.7-28.1	596	75.6	71.9-79.3
Female	1325	140,138	300	21.0	18.3-23.7	1025	79.0	76.3-81.7
White/Non-Hisp	1842	221,465	433	22.1	19.7-24.5	1409	77.9	75.5-80.3
50-54	413	57,969	67	16.4	11.3-21.5	346	83.6	78.5-88.7
55-64	731	90,979	183	23.9	19.8-28.0	548	76.1	72.0-80.2
65+	980	109,261	253	24.6	21.3-27.9	727	75.4	72.1-78.7
Less Than H.S.	171	18,898	37	23.6	13.8-33.4	134	76.4	66.6-86.2
H.S. or G.E.D.	753	82,522	173	22.5	18.6-26.4	580	77.5	73.6-81.4
Some Post-H.S.	524	62,789	137	23.0	18.5-27.5	387	77.0	72.5-81.5
College Graduate	675	93,873	155	21.8	17.9-25.7	520	78.2	74.3-82.1
Less than \$15,000	246	25,023	49	17.9	12.0-23.8	197	82.1	76.2-88.0
\$15,000- 24,999	217	20,075	46	25.1	16.1-34.1	171	74.9	65.9-83.9
\$25,000- 34,999	206	22,365	56	26.3	18.7-33.9	150	73.7	66.1-81.3
\$35,000- 49,999	295	34,004	89	28.8	22.1-35.5	206	71.2	64.5-77.9
\$50,000- 74,999	306	39,742	75	22.4	16.7-28.1	231	77.6	71.9-83.3
\$75,000+	432	66,295	92	21.2	16.5-25.9	340	78.8	74.1-83.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 20: COLORECTAL CANCER**

TABLE 2: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDST).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	799	118,071	203	24.4	20.7-28.1	596	75.6	71.9-79.3
White/Non-Hisp	695	102,666	170	23.3	19.4-27.2	525	76.7	72.8-80.6
50-54	167	27,966	35	23.6	14.4-32.8	132	76.4	67.2-85.6
55-64	285	42,897	75	25.9	19.2-32.6	210	74.1	67.4-80.8
65+	347	47,208	93	23.4	18.5-28.3	254	76.6	71.7-81.5
H.S. or G.E.D.	233	31,476	53	22.9	15.6-30.2	180	77.1	69.8-84.4
Some Post-H.S.	191	28,702	56	26.7	19.1-34.3	135	73.3	65.7-80.9
College Graduate	299	47,704	74	23.0	17.3-28.7	225	77.0	71.3-82.7
Less than \$15,000	77	9,962	16	18.1	08.5-27.7	61	81.9	72.3-91.5
\$35,000- 49,999	122	16,071				82	67.8	57.8-77.8
\$50,000- 74,999	150	20,922	41	24.5	16.1-32.9	109	75.5	67.1-83.9
\$75,000+	211	38,911	42	20.3	13.6-27.0	169	79.7	73.0-86.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 20: COLORECTAL CANCER**

TABLE 3: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDST).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1325	140,138	300	21.0	18.3-23.7	1025	79.0	76.3-81.7
White/Non-Hisp	1147	118,799	263	21.2	18.3-24.1	884	78.8	75.9-81.7
50-54	246	30,003	32	9.6	05.7-13.5	214	90.4	86.5-94.3
55-64	446	48,083	108	22.1	17.2-27.0	338	77.9	73.0-82.8
65+	633	62,052	160	25.5	21.0-30.0	473	74.5	70.0-79.0
Less Than H.S.	95	8,709	17	17.5	07.9-27.1	78	82.5	72.9-92.1
H.S. or G.E.D.	520	51,046	120	22.3	17.8-26.8	400	77.7	73.2-82.2
Some Post-H.S.	333	34,086	81	19.9	14.8-25.0	252	80.1	75.0-85.2
College Graduate	376	46,168	81	20.6	15.3-25.9	295	79.4	74.1-84.7
Less than \$15,000	169	15,061	33	17.8	10.4-25.2	136	82.2	74.8-89.6
\$15,000- 24,999	163	13,365	29	19.6	12.0-27.2	134	80.4	72.8-88.0
\$25,000- 34,999	128	13,085	30	21.3	11.9-30.7	98	78.7	69.3-88.1
\$35,000- 49,999	173	17,933	49	25.8	16.6-35.0	124	74.2	65.0-83.4
\$50,000- 74,999	156	18,819	34	20.1	12.5-27.7	122	79.9	72.3-87.5
\$75,000+	221	27,384	50	22.5	15.6-29.4	171	77.5	70.6-84.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 20: COLORECTAL CANCER**

TABLE 4: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2154	262,562	1508	68.4	65.7-71.1	646	31.6	28.9-34.3
Male	813	120,339	578	68.1	63.8-72.4	235	31.9	27.6-36.2
Female	1341	142,224	930	68.7	65.4-72.0	411	31.3	28.0-34.6
White/Non-Hisp	1869	225,164	1327	69.7	67.0-72.4	542	30.3	27.6-33.0
50-54	415	58,174	224	49.9	43.6-56.2	191	50.1	43.8-56.4
55-64	737	91,964	534	70.1	65.4-74.8	203	29.9	25.2-34.6
65+	1002	112,424	750	76.6	73.3-79.9	252	23.4	20.1-26.7
H.S. or G.E.D.	761	83,448	527	64.9	60.2-69.6	234	35.1	30.4-39.8
Some Post-H.S.	535	64,071	384	72.6	67.7-77.5	151	27.4	22.5-32.3
College Graduate	685	95,810	507	72.3	67.8-76.8	178	27.7	23.2-32.2
Less than \$15,000	250	25,613	166	66.9	59.1-74.7	84	33.1	25.3-40.9
\$15,000- 24,999	218	20,336	134	56.0	46.6-65.4	84	44.0	34.6-53.4
\$25,000- 34,999	209	22,695	139	64.2	56.0-72.4	70	35.8	27.6-44.0
\$35,000- 49,999	299	34,958	224	74.8	67.9-81.7	75	25.2	18.3-32.1
\$50,000- 74,999	312	40,448	227	68.5	61.6-75.4	85	31.5	24.6-38.4
\$75,000+	438	67,146	312	70.2	64.5-75.9	126	29.8	24.1-35.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 20: COLORECTAL CANCER**

TABLE 5: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	813	120,339	578	68.1	63.8-72.4	235	31.9	27.6-36.2
White/Non-Hisp	708	104,873	518	70.9	66.6-75.2	190	29.1	24.8-33.4
50-54	167	28,028	94	50.3	40.7-59.9	73	49.7	40.1-59.3
55-64	288	43,689	208	68.0	60.6-75.4	80	32.0	24.6-39.4
65+	358	48,621	276	78.5	73.4-83.6	82	21.5	16.4-26.6
H.S. or G.E.D.	236	32,095	159	62.0	53.6-70.4	77	38.0	29.6-46.4
Some Post-H.S.	194	29,237	145	72.9	64.9-80.9	49	27.1	19.1-35.1
College Graduate	307	48,818	237	74.3	68.0-80.6	70	25.7	19.4-32.0
\$35,000- 49,999	124	16,613	95	77.5	67.9-87.1	29	22.5	12.9-32.1
\$50,000- 74,999	152	21,332	117	72.6	63.4-81.8	35	27.4	18.2-36.6
\$75,000+	217	39,762	162	72.3	64.5-80.1	55	27.7	19.9-35.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 20: COLORECTAL CANCER**

TABLE 6: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1341	142,224	930	68.7	65.4-72.0	411	31.3	28.0-34.6
White/Non-Hisp	1161	120,290	809	68.7	65.2-72.2	352	31.3	27.8-34.8
50-54	248	30,146	130	49.5	41.1-57.9	118	50.5	42.1-58.9
55-64	449	48,276	326	72.1	66.4-77.8	123	27.9	22.2-33.6
65+	644	63,803	474	75.2	70.9-79.5	170	24.8	20.5-29.1
H.S. or G.E.D.	525	51,352	368	66.7	61.2-72.2	157	33.3	27.8-38.8
Some Post-H.S.	341	34,834	239	72.3	66.2-78.4	102	27.7	21.6-33.8
College Graduate	378	46,992	270	70.2	64.1-76.3	108	29.8	23.7-35.9
Less than \$15,000	171	15,514	116	71.5	62.5-80.5	55	28.5	19.5-37.5
\$15,000- 24,999	164	13,625	102	59.2	49.4-69.0	62	40.8	31.0-50.6
\$35,000- 49,999	175	18,345	129	72.3	62.7-81.9	46	27.7	18.1-37.3
\$50,000- 74,999	160	19,115	110	63.8	53.8-73.8			
\$75,000+	221	27,384	150	67.0	58.8-75.2	71	33.0	24.8-41.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006

SECTION 21: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)	
1	MALES AND FEMALES	128
2	MALES ONLY	129
3	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 21: HIV/AIDS**

**TABLE 1: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2892	523,298	1186	43.3	40.6-46.0	1706	56.7	54.0-59.4
Male	1092	255,376	424	40.9	36.8-45.0	668	59.1	55.0-63.2
Female	1800	267,922	762	45.6	42.3-48.9	1038	54.4	51.1-57.7
White/Non-Hisp	2250	394,997	831	38.5	35.6-41.4	1419	61.5	58.6-64.4
Black or Afr. Am./Non-Hisp	377	72,503	220	60.7	53.4-68.0	157	39.3	32.0-46.6
18-24	224	83,656	117	48.4	39.0-57.8	107	51.6	42.2-61.0
25-34	460	109,451	299	63.0	56.9-69.1	161	37.0	30.9-43.1
35-44	676	124,640	362	50.6	45.9-55.3	314	49.4	44.7-54.1
45-54	814	116,155	282	33.9	29.2-38.6	532	66.1	61.4-70.8
55-64	718	89,396	126	16.6	13.1-20.1	592	83.4	79.9-86.9
H.S. or G.E.D.	886	154,079	340	41.8	36.9-46.7	546	58.2	53.3-63.1
Some Post-H.S.	779	138,520	343	44.3	39.4-49.2	436	55.7	50.8-60.6
College Graduate	1089	202,917	436	41.4	37.3-45.5	653	58.6	54.5-62.7
Less than \$15,000	242	38,553	127	61.1	51.7-70.5	115	38.9	29.5-48.3
\$25,000- 34,999	225	33,115	97	40.4	30.8-50.0	128	59.6	50.0-69.2
\$35,000- 49,999	426	69,899	183	46.2	39.3-53.1	243	53.8	46.9-60.7
\$50,000- 74,999	533	98,795	201	42.2	35.3-49.1	332	57.8	50.9-64.7
\$75,000+	923	197,177	355	39.8	35.5-44.1	568	60.2	55.9-64.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 2: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1092	255,376	424	40.9	36.8-45.0	668	59.1	55.0-63.2
White/Non-Hisp	867	195,162	307	36.2	31.7-40.7	560	63.8	59.3-68.3
25-34	166	54,134	85	56.1	46.1-66.1	81	43.9	33.9-53.9
35-44	253	61,458	128	45.8	38.4-53.2	125	54.2	46.8-61.6
45-54	316	55,851	118	36.0	28.4-43.6	198	64.0	56.4-71.6
55-64	275	41,894	59	20.6	14.5-26.7	216	79.4	73.3-85.5
H.S. or G.E.D.	332	81,451	128	44.5	36.7-52.3	204	55.5	47.7-63.3
Some Post-H.S.	282	62,793	118	38.1	30.5-45.7	164	61.9	54.3-69.5
College Graduate	416	96,390	156	38.7	32.0-45.4	260	61.3	54.6-68.0
\$50,000- 74,999	214	47,189	81	42.2	32.8-51.6	133	57.8	48.4-67.2
\$75,000+	419	107,425	153	36.6	30.3-42.9	266	63.4	57.1-69.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 3: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1800	267,922	762	45.6	42.3-48.9	1038	54.4	51.1-57.7
White/Non-Hisp	1383	199,835	524	40.7	36.8-44.6	859	59.3	55.4-63.2
Black or Afr. Am./Non-Hisp	246	37,507	145	59.4	50.0-68.8	101	40.6	31.2-50.0
25-34	294	55,317	214	69.8	62.9-76.7	80	30.2	23.3-37.1
35-44	423	63,183	234	55.2	49.3-61.1	189	44.8	38.9-50.7
45-54	498	60,303	164	31.9	26.6-37.2	334	68.1	62.8-73.4
55-64	443	47,502	67	13.1	09.0-17.2	376	86.9	82.8-91.0
H.S. or G.E.D.	554	72,628	212	38.8	32.9-44.7	342	61.2	55.3-67.1
Some Post-H.S.	497	75,727	225	49.5	43.2-55.8	272	50.5	44.2-56.8
College Graduate	673	106,528	280	43.9	39.0-48.8	393	56.1	51.2-61.0
\$25,000- 34,999	151	17,202	65	38.6	28.8-48.4	86	61.4	51.6-71.2
\$35,000- 49,999	265	35,961	116	53.3	45.1-61.5	149	46.7	38.5-54.9
\$50,000- 74,999	319	51,606	120	42.3	32.5-52.1	199	57.7	47.9-67.5
\$75,000+	504	89,753	202	43.6	37.9-49.3	302	56.4	50.7-62.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2006**

End of Calculated Variable Data Report