

DELAWARE

2006 Module Variables Report

Behavioral Risk Factor Surveillance System

February 1, 2007



MODULE 4: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1	MALES AND FEMALES	4
2	MALES ONLY	5
3	FEMALES ONLY	6
	ARE YOU NOW TAKING INSULIN? (INSULIN)	
4	MALES AND FEMALES	7
5	MALES ONLY	8
6	FEMALES ONLY	9
	ARE YOU TAKING DIABETES PILLS? (DIABPILL)	
7	MALES AND FEMALES	10
8	MALES ONLY	11
9	FEMALES ONLY	12
	ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
10	MALES AND FEMALES	13
11	MALES ONLY	14
12	FEMALES ONLY	15
	ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
13	MALES AND FEMALES	16
14	MALES ONLY	17
15	FEMALES ONLY	18
	HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
16	MALES AND FEMALES	19
17	MALES ONLY	20
18	FEMALES ONLY	21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006**

MODULE 4: DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
19	MALES AND FEMALES	22
20	MALES ONLY	23
21	FEMALES ONLY	24
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)	
22	MALES AND FEMALES	25
23	MALES ONLY	26
24	FEMALES ONLY	27
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
25	MALES AND FEMALES	28
26	MALES ONLY	29
27	FEMALES ONLY	30
	WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
28	MALES AND FEMALES	31
29	MALES ONLY	32
30	FEMALES ONLY	33
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
31	MALES AND FEMALES	34
32	MALES ONLY	35
33	FEMALES ONLY	36
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
34	MALES AND FEMALES	37
35	MALES ONLY	38
36	FEMALES ONLY	39

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	399	50,280	8	1.4	00.2-02.6	41	15.7	09.8-21.6	82	21.0	15.5-26.5	171	41.0	34.5-47.5	97	20.9	16.0-25.8
Male	177	26,881	2	0.4	00.0-01.0	17	16.5	07.3-25.7	38	22.3	14.3-30.3	78	41.6	32.0-51.2	42	19.2	12.5-25.9
Female	222	23,398	6	2.6	00.1-05.1	24	14.8	08.1-21.5	44	19.5	12.8-26.2	93	40.3	31.9-48.7	55	22.8	15.5-30.1
White/Non-Hisp	304	39,935	7	1.6	00.0-03.2	28	14.1	07.6-20.6	51	17.2	11.3-23.1	135	42.9	35.5-50.3	83	24.2	18.1-30.3
Black or Afr. Am./Non-Hisp	62	7,254													11	8.1	02.6-13.6
45-54	73	7,185	5	2.8	00.1-05.5	10	14.3	04.9-23.7	20	17.5	08.5-26.5						
55-64	105	14,514				5	7.3	00.0-14.9							5	2.6	00.1-05.1
65+	176	19,777	1	1.2	00.0-03.6	9	6.6	01.3-11.9	16	7.9	03.4-12.4	58	33.1	24.1-42.1	92	51.2	41.8-60.6
H.S. or G.E.D.	148	19,491	4	1.3	00.0-02.9				35	21.5	12.5-30.5	60	34.8	24.8-44.8	35	21.8	13.2-30.4
Some Post-H.S.	108	13,020	2	1.3	00.0-03.1	14	12.9	05.3-20.5							26	19.7	10.7-28.7
College Graduate	101	13,611	2	2.1	00.0-05.6	7	8.7	00.3-17.1	22	20.7	10.7-30.7				26	20.6	11.4-29.8
Less than \$15,000	60	7,402	1	0.8	00.0-02.4												
\$15,000- 24,999	59	5,545	4	3.8	00.0-08.3	4	6.0	00.0-12.9									
\$35,000- 49,999	66	9,134	1	0.4	00.0-01.2												
\$50,000- 74,999	65	9,259							10	12.5	02.9-22.1						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	177	26,881	2	0.4	00.0-01.0	17	16.5	07.5-25.5	38	22.3	14.5-30.1	78	41.6	31.8-51.4	42	19.2	12.5-25.9
White/Non-Hisp	140	23,159	2	0.4	00.0-01.0	12	15.2	05.2-25.2	25	19.4	10.8-28.0				36	20.4	12.8-28.0
65+	82	10,765				6	9.7	00.7-18.7	9	9.6	02.7-16.5						
H.S. or G.E.D.	58	9,639	1	0.6	00.0-02.0												

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	222	23,398	6	2.6	00.1-05.1	24	14.8	07.9-21.7	44	19.5	12.8-26.2	93	40.3	31.7-48.9	55	22.8	15.5-30.1
White/Non-Hisp	164	16,776	5	3.3	00.0-06.8	16	12.5	05.4-19.6	26	14.2	07.5-20.9	70	40.7	30.9-50.5	47	29.3	20.1-38.5
55-64	57	6,837													3	3.2	00.0-07.1
65+	94	9,012	1	2.7	00.0-08.0	3	2.9	00.0-06.6	7	5.8	00.5-11.1						
H.S. or G.E.D.	90	9,852	3	1.9	00.0-04.8				20	18.6	09.4-27.8						
Some Post-H.S.	59	6,028	2	2.7	00.0-06.6												
College Graduate	56	6,532	1	3.8	00.0-11.1	4	6.5	00.0-13.4									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	411	51,512	103	24.2	18.3-30.1	308	75.8	69.9-81.7
Male	182	27,495	51	28.2	19.0-37.4	131	71.8	62.6-81.0
Female	229	24,018	52	19.7	13.2-26.2	177	80.3	73.8-86.8
White/Non-Hisp	311	40,646	76	24.5	17.6-31.4	235	75.5	68.6-82.4
45-54	73	7,185	15	14.4	06.0-22.8	58	85.6	77.2-94.0
55-64	109	14,744	30	23.8	13.8-33.8	79	76.2	66.2-86.2
65+	183	20,568	45	24.4	16.4-32.4	138	75.6	67.6-83.6
Some Post-H.S.	110	13,604	28	23.2	13.6-32.8	82	76.8	67.2-86.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	182	27,495	51	28.2	18.8-37.6	131	71.8	62.4-81.2		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2006
 MODULE 4: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Female	229	24,018	52	19.7	13.2-26.2	177	80.3	73.8-86.8		
White/Non-Hisp	166	16,874	37	18.6	11.3-25.9	129	81.4	74.1-88.7		
65+	98	9,464	21	16.7	07.9-25.5	77	83.3	74.5-92.1		
H.S. or G.E.D.	92	9,926	22	15.2	07.6-22.8	70	84.8	77.2-92.4		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2006
 MODULE 4: DIABETES**

TABLE 7: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	410	51,272	272	64.0	57.5-70.5	138	36.0	29.5-42.5
Male	182	27,495	122	63.9	54.1-73.7	60	36.1	26.3-45.9
Female	228	23,777	150	64.3	56.1-72.5	78	35.7	27.5-43.9
White/Non-Hisp	310	40,406	209	64.5	57.1-71.9	101	35.5	28.1-42.9
65+	182	20,328	126	70.7	62.1-79.3	56	29.3	20.7-37.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 8: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)
Male	182	27,495	60	36.1	26.1-46.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2006
 MODULE 4: DIABETES**

TABLE 9: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	228	23,777	150	64.3	56.3-72.3	78	35.7	27.7-43.7
White/Non-Hisp	165	16,634	107	61.1	51.3-70.9	58	38.9	29.1-48.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	418	52,506	53	12.8	08.7-16.9	110	27.4	21.7-33.1	249	58.6	52.3-64.9	3	0.5	00.0-01.1	3	0.7	00.0-01.7
Male	184	27,964	19	9.4	04.5-14.3	63	33.6	24.8-42.4	101	56.7	47.3-66.1	1	0.2	00.0-00.6			
Female	234	24,543	34	16.7	10.4-23.0	47	20.4	13.3-27.5	148	60.6	52.2-69.0	2	0.7	00.0-01.7	3	1.5	00.0-03.7
White/Non-Hisp	315	41,251	39	11.4	07.1-15.7	85	29.0	22.3-35.7	187	58.9	51.6-66.2	3	0.6	00.0-01.2	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	69	8,112													2	3.8	00.0-09.9
45-54	74	7,256	11	10.4	03.1-17.7							1	1.5	00.0-04.4	1	1.0	00.0-03.0
55-64	110	14,820	10	7.7	01.8-13.6							1	0.4	00.0-01.2			
65+	186	21,276	18	9.3	04.2-14.4	53	33.0	24.0-42.0	113	56.2	47.0-65.4	1	0.3	00.0-00.9	1	1.1	00.0-03.3
Less Than H.S.	51	4,832	7	9.2	01.8-16.6										2	6.4	00.0-16.2
H.S. or G.E.D.	150	19,744	19	14.9	07.5-22.3	42	28.9	19.1-38.7				2	0.9	00.0-02.1			
Some Post-H.S.	111	13,872	12	13.1	04.1-22.1							1	0.5	00.0-01.5			
College Graduate	106	14,059	15	10.9	04.4-17.4										1	0.4	00.0-01.2
Less than \$15,000	60	7,581										1	1.4	00.0-04.1			
\$15,000- 24,999	66	6,075	8	12.0	03.0-21.0							1	1.1	00.0-03.3	1	4.0	00.0-11.6
\$25,000- 34,999	50	6,388	6	10.3	00.7-19.9												
\$35,000- 49,999	67	9,450	10	10.2	01.8-18.6												
\$50,000- 74,999	69	9,537	9	9.1	01.3-16.9										1	0.6	00.0-02.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	184	27,964	19	9.4	04.5-14.3	63	33.6	24.8-42.4	101	56.7	47.5-65.9	1	0.2	00.0-00.6
White/Non-Hisp	146	24,162	14	8.4	03.5-13.3	52	34.8	24.8-44.8				1	0.3	00.0-00.9
65+	86	11,494	7	9.4	02.0-16.8							1	0.6	00.0-01.8
H.S. or G.E.D.	58	9,818	8	12.0	02.6-21.4							1	0.7	00.0-02.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	234	24,543	34	16.7	10.4-23.0	47	20.4	13.3-27.5	148	60.6	52.2-69.0	2	0.7	00.0-01.7	3	1.5	00.0-03.7
White/Non-Hisp	169	17,089	25	15.7	08.4-23.0	33	20.7	12.5-28.9	108	62.2	52.4-72.0	2	1.0	00.0-02.4	1	0.4	00.0-01.2
55-64	61	7,081	6	9.1	00.9-17.3							1	0.9	00.0-02.7			
65+	100	9,781	11	9.2	02.5-15.9										1	2.5	00.0-07.2
H.S. or G.E.D.	92	9,926										1	1.1	00.0-03.3			
Some Post-H.S.	60	6,344										1	1.0	00.0-03.0			
College Graduate	59	6,747													1	0.9	00.0-02.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 13: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	407	51,066	275	69.7	63.8-75.6	73	15.6	11.3-19.9	11	2.2	00.4-04.0	10	1.8	00.4-03.2	38	10.6	06.5-14.7
Male	181	27,455	118	66.6	57.6-75.6	32	15.4	08.9-21.9	7	3.6	00.5-06.7	4	1.2	00.0-02.6	20	13.2	06.7-19.7
Female	226	23,611	157	73.4	66.0-80.8	41	15.9	10.0-21.8	4	0.7	00.0-01.5	6	2.5	00.0-05.0	18	7.6	02.9-12.3
White/Non-Hisp	307	40,200	203	69.4	62.7-76.1	60	15.9	11.2-20.6	7	2.2	00.0-04.4	5	1.7	00.0-03.5	32	10.7	06.2-15.2
Black or Afr. Am./Non-Hisp	66	7,722							2	1.5	00.0-03.7	5	3.0	00.1-05.9			
45-54	73	7,185				12	11.9	04.1-19.7	1	0.3	00.0-00.9	1	1.0	00.0-03.0			
55-64	109	14,744	80	78.6	69.2-88.0	20	16.4	08.0-24.8	2	1.5	00.0-03.7	3	0.7	00.0-01.5	4	2.8	00.0-06.3
65+	179	20,122	116	68.4	60.0-76.8	33	15.9	09.8-22.0	6	2.1	00.1-04.1	4	1.6	00.0-03.6	20	11.9	05.8-18.0
H.S. or G.E.D.	151	19,776	103	71.2	61.6-80.8	26	12.6	07.1-18.1	2	0.3	00.0-00.7	3	0.6	00.0-01.4	17	15.3	06.9-23.7
Some Post-H.S.	109	13,481				24	17.0	09.2-24.8	3	4.6	00.0-10.5				8	9.9	01.9-17.9
College Graduate	99	13,326							3	1.9	00.0-04.4	5	5.3	00.2-10.4	8	5.0	00.5-09.5
Less than \$15,000	60	7,574				11	12.1	04.3-19.9	2	5.3	00.0-14.5	1	1.0	00.0-03.0			
\$15,000- 24,999	65	5,835				9	11.9	02.5-21.3	5	5.3	00.0-11.2	2	3.9	00.0-10.2	2	6.5	00.0-15.5
\$35,000- 49,999	67	9,450													10	11.4	02.8-20.0
\$50,000- 74,999	66	9,322				14	14.6	05.0-24.2	2	2.5	00.0-06.2	1	0.5	00.0-01.5	6	6.4	00.0-13.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 14: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	181	27,455	118	66.6	57.6-75.6	32	15.4	08.9-21.9	7	3.6	00.5-06.7	4	1.2	00.0-02.6	20	13.2	06.5-19.9
White/Non-Hisp	144	23,733	89	68.0	58.6-77.4	29	14.8	08.7-20.9	6	3.7	00.2-07.2	3	1.1	00.0-02.7	17	12.4	05.5-19.3
65+	84	11,065				16	16.3	08.1-24.5	4	3.3	00.0-06.8	2	0.9	00.0-02.1	11	16.1	06.3-25.9
H.S. or G.E.D.	59	9,850				9	10.2	03.3-17.1	1	0.3	00.0-00.9						
Some Post-H.S.	50	7,260				12	16.1	06.5-25.7	3	8.5	00.0-19.1						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 15: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	226	23,611	157	73.4	66.0-80.8	41	15.9	10.0-21.8	4	0.7	00.0-01.5	6	2.5	00.0-05.0	18	7.6	02.9-12.3
White/Non-Hisp	163	16,467	114	71.6	62.8-80.4	31	17.6	10.5-24.7	1	0.1	00.0-00.3	2	2.5	00.0-06.0	15	8.2	02.7-13.7
55-64	60	7,005							1	1.1	00.0-03.3	2	0.8	00.0-01.8	1	1.1	00.0-03.3
65+	95	9,057				17	15.4	06.4-24.4	2	0.7	00.0-01.7	2	2.5	00.0-06.6	9	6.8	00.7-12.9
H.S. or G.E.D.	92	9,926				17	14.9	06.7-23.1	1	0.2	00.0-00.6	3	1.3	00.0-02.9	7	8.1	00.5-15.7
Some Post-H.S.	59	6,221													5	8.5	00.0-19.5
College Graduate	55	6,287							1	0.4	00.0-01.2	2	6.6	00.0-15.6	5	6.7	00.0-14.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 16: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	412	51,588	39	8.4	05.1-11.7	373	91.6	88.3-94.9
Male	182	27,495	18	7.7	03.2-12.2	164	92.3	87.8-96.8
Female	230	24,093	21	9.3	04.2-14.4	209	90.7	85.6-95.8
White/Non-Hisp	312	40,722	28	8.6	04.7-12.5	284	91.4	87.5-95.3
Black or Afr. Am./Non-Hisp	66	7,722	6	6.8	00.0-15.2	60	93.2	84.8-100.0
45-54	73	7,185	7	6.1	00.4-11.8	66	93.9	88.2-99.6
55-64	110	14,820	12	8.7	02.0-15.4	98	91.3	84.6-98.0
65+	183	20,568	13	5.5	02.0-09.0	170	94.5	91.0-98.0
H.S. or G.E.D.	151	19,776	10	6.0	01.7-10.3	141	94.0	89.7-98.3
Some Post-H.S.	110	13,604	16	13.6	05.0-22.2	94	86.4	77.8-95.0
College Graduate	102	13,687	8	6.9	00.6-13.2	94	93.1	86.8-99.4
Less than \$15,000	61	7,613	3	5.8	00.0-15.0	58	94.2	85.0-100.0
\$15,000- 24,999	65	5,835	7	8.4	01.3-15.5	58	91.6	84.5-98.7
\$35,000- 49,999	67	9,450	8	11.0	01.2-20.8	59	89.0	79.2-98.8
\$50,000- 74,999	67	9,398	9	12.0	03.6-20.4	58	88.0	79.6-96.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 17: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	182	27,495	18	7.7	03.2-12.2	164	92.3	87.8-96.8		
White/Non-Hisp	145	23,772	12	7.6	02.5-12.7	133	92.4	87.3-97.5		
65+	85	11,104	5	4.4	00.3-08.5	80	95.6	91.5-99.7		
H.S. or G.E.D.	59	9,850	6	7.4	00.5-14.3	53	92.6	85.7-99.5		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 18: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	230	24,093	21	9.3	04.2-14.4	209	90.7	85.6-95.8
White/Non-Hisp	167	16,950	16	9.9	03.8-16.0	151	90.1	84.0-96.2
55-64	61	7,081	6	9.4	00.0-19.4	55	90.6	80.6-0100
65+	98	9,464	8	6.9	00.8-13.0	90	93.1	87.0-99.2
H.S. or G.E.D.	92	9,926	4	4.5	00.0-09.6	88	95.5	90.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	405	51,090	45	9.7	06.2-13.2	77	19.3	14.2-24.4	40	11.0	06.7-15.3	147	32.1	25.8-38.4	63	17.6	12.5-22.7	33	10.3	06.2-14.4
Male	182	27,700	18	7.8	03.5-12.1	42	22.0	14.4-29.6	18	10.8	04.3-17.3	59	30.3	20.9-39.7	25	15.6	08.7-22.5	20	13.4	06.5-20.3
Female	223	23,390	27	12.0	06.3-17.7	35	16.2	09.9-22.5	22	11.1	05.2-17.0	88	34.3	26.3-42.3	38	19.9	12.6-27.2	13	6.5	02.4-10.6
White/Non-Hisp	310	40,815	38	10.1	06.2-14.0	62	21.3	15.2-27.4	30	11.2	06.3-16.1	110	31.8	24.5-39.1	46	15.8	10.3-21.3	24	9.7	05.0-14.4
Black or Afr. Am./Non-Hisp	61	7,131				9	8.6	02.1-15.1										2	7.5	00.0-18.1
45-54	73	7,185	10	9.0	02.9-15.1				6	6.1	00.6-11.6									
55-64	105	14,503	12	10.9	03.6-18.2	23	18.3	09.7-26.9										3	5.6	00.0-14.0
65+	182	20,425	17	7.7	03.2-12.2	34	17.4	10.5-24.3	22	15.2	08.1-22.3	78	40.0	30.8-49.2	17	9.9	04.2-15.6	14	9.7	04.0-15.4
H.S. or G.E.D.	148	19,563	18	12.8	05.7-19.9	30	19.7	11.5-27.9	17	16.2	07.0-25.4				17	8.4	03.7-13.1	13	10.3	04.2-16.4
Some Post-H.S.	108	13,433	11	7.5	01.6-13.4	18	16.7	07.9-25.5	8	9.0	01.9-16.1							7	7.1	01.0-13.2
College Graduate	101	13,611	13	9.3	03.2-15.4	19	19.7	09.7-29.7	10	6.6	01.7-11.5									
Less than \$15,000	60	7,240																3	8.3	00.0-19.1
\$15,000- 24,999	64	5,797				7	7.6	01.9-13.3	5	4.6	00.3-08.9									
\$25,000- 34,999	50	6,388	6	7.1	00.0-14.5				4	3.8	00.0-07.7							3	7.1	00.0-16.1
\$35,000- 49,999	66	9,387	6	3.9	00.2-07.6	11	11.3	03.5-19.1										6	6.9	00.4-13.4
\$50,000- 74,999	65	9,286	6	8.7	01.1-16.3				7	9.1	00.9-17.3							4	5.9	00.0-12.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	182	27,700	18	7.8	03.5-12.1	42	22.0	14.4-29.6	18	10.8	04.3-17.3	59	30.3	20.9-39.7	25	15.6	08.5-22.7	20	13.4	06.5-20.3
White/Non-Hisp	145	23,977	18	9.0	04.1-13.9	36	23.6	15.0-32.2	15	11.4	04.1-18.7				21	16.6	08.8-24.4	15	12.1	04.8-19.4
65+	86	11,372	7	7.3	01.2-13.4										9	11.1	03.5-18.7	11	13.1	04.5-21.7
H.S. or G.E.D.	58	9,787	7	9.8	00.8-18.8										3	3.9	00.0-08.4			
Some Post-H.S.	51	7,528	5	6.0	00.5-11.5															

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	223	23,390	27	12.0	06.1-17.9	35	16.2	09.7-22.7	22	11.1	05.2-17.0	88	34.3	26.3-42.3	38	19.9	12.6-27.2	13	6.5	02.4-10.6
White/Non-Hisp	165	16,838	20	11.7	05.2-18.2	26	18.0	10.0-26.0	15	11.0	04.5-17.5	70	38.3	28.7-47.9	25	14.7	07.6-21.8	9	6.3	01.6-11.0
55-64	57	6,826	7	11.6	01.8-21.4													2	2.5	00.0-06.2
65+	96	9,052	10	8.2	01.7-14.7	17	14.7	06.9-22.5	10	12.3	03.5-21.1				8	8.4	00.0-16.8	3	5.5	00.0-12.4
H.S. or G.E.D.	90	9,776				16	17.6	07.6-27.6							14	13.0	05.0-21.0	5	6.4	00.3-12.5
Some Post-H.S.	57	5,905				5	7.7	00.3-15.1	4	4.8	00.1-09.5							1	1.1	00.0-03.3
College Graduate	56	6,532	8	9.5	01.3-17.7				6	9.6	00.6-18.6									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 22: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	385	48,654	173	43.9	37.2-50.6	144	36.8	30.1-43.5	5	1.9	00.1-03.7	9	2.4	00.6-04.2	35	10.1	06.0-14.2	19	4.9	02.2-07.6
Male	172	26,625	84	45.2	35.2-55.2	50	31.9	21.9-41.9	2	0.7	00.0-01.9	6	3.3	00.4-06.2	18	11.9	05.6-18.2	12	6.9	02.4-11.4
Female	213	22,029	89	42.4	33.6-51.2	94	42.6	33.8-51.4	3	3.2	00.0-06.9	3	1.4	00.0-03.6	17	7.9	03.4-12.4	7	2.5	00.0-05.0
White/Non-Hisp	295	39,033	135	43.1	35.7-50.5	109	38.4	30.8-46.0	4	1.9	00.0-04.1	9	3.0	00.6-05.4	26	9.4	05.1-13.7	12	4.2	01.5-06.9
Black or Afr. Am./Non-Hisp	58	6,695																5	9.0	00.0-19.8
45-54	70	6,904							2	3.3	00.0-08.4	1	0.2	00.0-00.6				2	1.8	00.0-04.3
55-64	105	14,308							1	1.6	00.0-04.7	3	3.7	00.0-08.0	5	7.2	00.1-14.3	5	3.3	00.0-07.0
65+	166	18,837	68	40.3	30.7-49.9	65	38.3	28.9-47.7	2	2.4	00.0-05.9	5	3.4	00.0-06.9	15	7.9	03.0-12.8	11	7.6	02.3-12.9
H.S. or G.E.D.	145	19,253							2	1.2	00.0-03.0	2	2.0	00.0-04.7	12	7.2	02.5-11.9	8	6.2	00.9-11.5
Some Post-H.S.	109	13,183							2	4.1	00.0-09.8	3	2.7	00.0-06.8	8	10.0	01.8-18.2	4	3.4	00.0-07.7
College Graduate	96	12,864										2	2.4	00.0-05.7	8	12.2	02.8-21.6	4	4.5	00.0-09.4
Less than \$15,000	54	6,795							2	3.4	00.0-08.5	2	6.2	00.0-14.8				3	7.0	00.0-17.2
\$15,000- 24,999	55	5,183							1	2.6	00.0-07.7	2	4.2	00.0-10.3	4	8.4	00.0-17.2			
\$35,000- 49,999	66	9,134							1	3.5	00.0-10.2	3	4.3	00.0-10.2	8	11.3	01.7-20.9	1	0.8	00.0-02.4
\$50,000- 74,999	64	8,923										1	0.9	00.0-02.7				3	5.1	00.0-11.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 23: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	172	26,625	84	45.2	35.2-55.2	2	0.7	00.0-01.9	6	3.3	00.4-06.2	18	11.9	05.8-18.0	12	6.9	02.2-11.6
White/Non-Hisp	139	23,151				2	0.8	00.0-02.0	6	3.8	00.5-07.1	14	11.7	05.0-18.4	8	5.4	01.1-09.7
65+	78	10,649				1	1.3	00.0-03.8	4	5.4	00.0-11.3	8	8.9	01.5-16.3	6	9.4	01.6-17.2
H.S. or G.E.D.	58	9,818				1	0.6	00.0-01.8	1	1.6	00.0-04.5	4	6.1	00.0-12.8	4	8.0	00.0-17.0
Some Post-H.S.	51	7,528							2	4.6	00.0-11.9				2	4.4	00.0-11.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 24: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	213	22,029	89	42.4	33.6-51.2	94	42.6	33.8-51.4	3	3.2	00.0-06.9	3	1.4	00.0-03.6	17	7.9	03.4-12.4	7	2.5	00.0-05.0
White/Non-Hisp	156	15,882	64	39.0	29.2-48.8				2	3.4	00.0-08.1	3	1.9	00.0-04.8	12	5.9	02.0-09.8	4	2.5	00.0-05.8
55-64	58	6,921							1	3.3	00.0-09.8	1	3.3	00.0-09.8	2	6.6	00.0-16.4	2	1.6	00.0-04.0
65+	88	8,188							1	3.9	00.0-11.3	1	0.8	00.0-02.4	7	6.6	01.1-12.1	5	5.3	00.0-11.6
H.S. or G.E.D.	87	9,435							1	1.8	00.0-05.3	1	2.4	00.0-07.1	8	8.4	01.7-15.1	4	4.2	00.0-09.7
Some Post-H.S.	58	5,655										1	0.2	00.0-00.6	3	4.6	00.0-10.1	2	2.0	00.0-04.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 25: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	405	50,682	71	17.0	11.5-22.5	65	14.1	10.0-18.2	28	8.8	04.7-12.9	84	17.5	13.0-22.0	59	17.5	12.4-22.6	98	25.1	19.4-30.8
Male	182	27,495	32	17.3	08.9-25.7	30	14.2	08.1-20.3	13	8.5	02.8-14.2	32	13.9	08.0-19.8	26	17.5	09.9-25.1	49	28.6	20.0-37.2
Female	223	23,187	39	16.8	10.1-23.5	35	13.9	08.8-19.0	15	9.1	03.4-14.8	52	21.8	14.7-28.9	33	17.4	10.5-24.3	49	20.9	14.0-27.8
White/Non-Hisp	307	40,504	52	15.8	09.7-21.9	48	14.6	09.7-19.5	17	7.8	03.3-12.3	63	17.9	12.4-23.4	46	17.0	11.1-22.9	81	26.8	20.3-33.3
Black or Afr. Am./Non-Hisp	64	7,033				13	12.5	04.9-20.1				15	16.9	06.9-26.9						
45-54	73	7,185	21	17.8	08.8-26.8	9	10.6	03.2-18.0	5	5.5	00.0-11.2				5	7.7	00.6-14.8			
55-64	109	14,744	15	10.3	03.6-17.0	31	23.7	14.1-33.3				18	9.5	04.2-14.8						
65+	178	19,774	26	15.3	08.4-22.2	15	6.4	02.5-10.3	15	10.6	04.7-16.5	47	25.8	17.6-34.0	29	18.3	10.5-26.1	46	23.7	16.3-31.1
H.S. or G.E.D.	150	19,740				28	14.3	08.2-20.4	10	11.0	02.8-19.2	32	20.1	11.3-28.9	20	14.0	06.9-21.1	37	23.0	14.6-31.4
Some Post-H.S.	108	12,915	22	17.4	08.2-26.6	13	11.8	04.2-19.4	6	7.8	01.3-14.3	26	18.6	10.2-27.0						
College Graduate	100	13,547	16	14.0	04.4-23.6	20	16.1	08.1-24.1	8	5.2	00.5-09.9	19	15.8	08.0-23.6						
Less than \$15,000	60	7,240				10	11.6	03.0-20.2	4	8.1	00.0-16.7									
\$15,000- 24,999	64	5,814	7	12.0	02.8-21.2	5	5.9	00.4-11.4	2	1.2	00.0-03.0									
\$25,000- 34,999	50	6,388	9	7.8	01.9-13.7				4	8.4	00.0-17.6				5	9.1	00.0-18.3			
\$35,000- 49,999	66	9,134				7	6.0	01.3-10.7				11	12.7	03.7-21.7						
\$50,000- 74,999	65	9,286							9	11.7	02.9-20.5	10	10.1	03.2-17.0						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 26: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	182	27,495	32	17.3	09.1-25.5	30	14.2	08.1-20.3	13	8.5	02.8-14.2	32	13.9	07.8-20.0	26	17.5	09.9-25.1	49	28.6	20.0-37.2
White/Non-Hisp	145	23,772	25	16.1	07.1-25.1	24	14.8	07.9-21.7	8	7.9	01.4-14.4	23	12.9	06.2-19.6	22	18.9	10.1-27.7	43	29.4	20.0-38.8
65+	85	11,104	12	13.6	04.4-22.8	7	4.8	00.9-08.7	8	11.6	03.0-20.2	21	21.7	11.7-31.7						
H.S. or G.E.D.	59	9,850				12	14.6	05.0-24.2	2	7.5	00.0-19.7									
Some Post-H.S.	50	7,260	8	9.0	02.3-15.7				4	8.6	00.0-17.6	8	11.3	02.3-20.3						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 27: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	223	23,187	39	16.8	10.1-23.5	35	13.9	08.8-19.0	15	9.1	03.4-14.8	52	21.8	14.7-28.9	33	17.4	10.5-24.3	49	20.9	13.8-28.0
White/Non-Hisp	162	16,732	27	15.5	08.1-22.9	24	14.2	07.9-20.5	9	7.7	02.0-13.4	40	25.1	16.3-33.9	24	14.3	07.2-21.4	38	23.1	14.5-31.7
55-64	60	7,005	6	7.9	00.3-15.5															
65+	93	8,670				8	8.4	01.3-15.5	7	9.3	01.7-16.9							21	16.4	08.0-24.8
H.S. or G.E.D.	91	9,890	13	12.9	04.1-21.7	16	13.9	06.3-21.5							14	16.7	07.1-26.3			
Some Post-H.S.	58	5,655				4	5.0	00.0-10.3	2	6.8	00.0-16.0							10	11.7	03.5-19.9
College Graduate	55	6,468							5	4.8	00.0-09.9									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 28: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	409	51,013	95	23.6	18.1-29.1	215	49.7	43.0-56.4	47	12.6	07.5-17.7	39	8.9	05.2-12.6	13	5.3	01.8-08.8
Male	181	27,224	44	23.3	15.7-30.9	85	42.9	33.3-52.5	21	14.4	06.0-22.8	22	11.1	05.0-17.2	9	8.3	02.2-14.4
Female	228	23,789	51	24.0	16.2-31.8	130	57.4	48.8-66.0	26	10.5	06.0-15.0	17	6.3	02.4-10.2	4	1.9	00.0-03.9
White/Non-Hisp	310	40,375	72	25.7	19.0-32.4	160	47.6	40.0-55.2	39	13.7	07.6-19.8	30	8.5	04.6-12.4	9	4.5	00.8-08.2
Black or Afr. Am./Non-Hisp	65	7,494							5	8.7	00.1-17.3				2	7.1	00.0-17.1
45-54	73	7,185							6	8.3	00.5-16.1				3	3.3	00.0-07.2
55-64	109	14,744	16	14.8	05.6-24.0				17	15.7	07.3-24.1	13	9.9	03.2-16.6	2	6.5	00.0-15.5
65+	182	20,297	55	35.6	26.6-44.6	96	50.6	41.4-59.8	18	8.1	03.6-12.6	13	5.7	02.0-09.4			
H.S. or G.E.D.	151	19,776	33	19.3	11.3-27.3							11	7.2	01.7-12.7	9	10.6	02.8-18.4
Some Post-H.S.	110	13,604	23	15.7	07.7-23.7				12	10.4	03.5-17.3	9	5.3	01.6-09.0	2	3.2	00.0-08.1
College Graduate	99	13,112							12	11.5	03.5-19.5	10	11.4	01.6-21.2	1	0.9	00.0-02.7
Less than \$15,000	61	7,613	12	14.1	04.3-23.9				5	4.4	00.3-08.5				2	7.5	00.0-17.7
\$15,000- 24,999	65	5,835	12	12.5	04.7-20.3										5	9.9	00.7-19.1
\$25,000- 34,999	50	6,388							5	9.7	00.3-19.1	4	2.9	00.0-05.8	1	2.0	00.0-05.9
\$35,000- 49,999	66	9,222							10	7.4	02.1-12.7						
\$50,000- 74,999	65	9,051										5	2.9	00.2-05.6	2	4.8	00.0-12.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 29: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	181	27,224	44	23.3	15.7-30.9	85	42.9	33.1-52.7	21	14.4	05.8-23.0	22	11.1	05.0-17.2	9	8.3	02.2-14.4
White/Non-Hisp	144	23,501	35	24.0	15.2-32.8				18	15.9	06.3-25.5	18	9.7	04.0-15.4	6	6.5	00.2-12.8
65+	84	10,833							8	9.2	01.8-16.6	7	6.5	01.0-12.0			
H.S. or G.E.D.	59	9,850	14	17.1	07.1-27.1							5	7.6	00.0-16.0			
Some Post-H.S.	50	7,260										4	4.5	00.0-09.0	1	4.4	00.0-12.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 30: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	228	23,789	51	24.0	16.2-31.8	130	57.4	48.8-66.0	26	10.5	06.0-15.0	17	6.3	02.4-10.2	4	1.9	00.0-03.9
White/Non-Hisp	166	16,874	37	28.0	18.0-38.0				21	10.7	05.6-15.8	12	6.8	01.7-11.9	3	1.7	00.0-03.7
55-64	60	7,005										4	4.5	00.0-09.2			
65+	98	9,464							10	7.0	02.3-11.7	6	4.9	00.0-09.8			
H.S. or G.E.D.	92	9,926							13	14.9	06.3-23.5	6	6.9	00.0-14.2	1	1.8	00.0-05.3
Some Post-H.S.	60	6,344							6	8.3	00.0-16.7	5	6.2	00.3-12.1	1	1.7	00.0-05.0
College Graduate	55	6,303							5	4.9	00.4-09.4	3	4.3	00.0-11.0	1	2.0	00.0-05.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 31: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	406	50,517	95	20.3	15.4-25.2	311	79.7	74.8-84.6
Male	179	26,968	43	18.2	11.5-24.9	136	81.8	75.1-88.5
Female	227	23,549	52	22.7	15.3-30.1	175	77.3	69.9-84.7
White/Non-Hisp	307	39,879	62	16.9	11.8-22.0	245	83.1	78.0-88.2
45-54	73	7,185	19	17.8	08.6-27.0	54	82.2	73.0-91.4
65+	181	20,060	42	21.7	13.9-29.5	139	78.3	70.5-86.1
H.S. or G.E.D.	150	19,566	34	18.9	10.9-26.9	116	81.1	73.1-89.1
College Graduate	98	13,095	17	15.3	06.1-24.5	81	84.7	75.5-93.9
\$50,000- 74,999	65	9,275	10	10.5	02.3-18.7	55	89.5	81.3-97.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 32: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	179	26,968	43	18.2	11.5-24.9	136	81.8	75.1-88.5		
White/Non-Hisp	142	23,246	32	18.1	10.5-25.7	110	81.9	74.3-89.5		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2006
 MODULE 4: DIABETES**

TABLE 33: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Female	227	23,549	52	22.7	15.3-30.1	175	77.3	69.9-84.7		
White/Non-Hisp	165	16,634	30	15.3	08.6-22.0	135	84.7	78.0-91.4		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 34: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	408	50,805	195	44.1	37.6-50.6	213	55.9	49.4-62.4
Male	180	27,016	76	39.1	29.7-48.5	104	60.9	51.5-70.3
Female	228	23,789	119	49.7	41.1-58.3	109	50.3	41.7-58.9
White/Non-Hisp	309	40,167	149	43.5	36.2-50.8	160	56.5	49.2-63.8
65+	182	20,300	86	43.3	34.1-52.5	96	56.7	47.5-65.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2006
 MODULE 4: DIABETES**

TABLE 35: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	180	27,016	76	39.1	29.5-48.7	104	60.9	51.3-70.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 36: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	228	23,789	119	49.7	41.1-58.3	109	50.3	41.7-58.9	
White/Non-Hisp	166	16,874	94	53.2	43.6-62.8	72	46.8	37.2-56.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006**

MODULE 6: HEALTHY DAYS (Symptoms) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1	41
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (PAINACT2)	
1	41
2	42
3	43
DURING THE PAST 30 DAYS, FOR ABOUT HOW MAY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)	
4	44
5	45
6	46
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)	
7	47
8	48
9	49
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)	
10	50
11	51
12	52
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)	
13	53
14	54
15	55

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 1: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION?
(PAINACT2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3925	641,246	131	3.9	03.1-04.7	426	10.7	09.3-12.1	130	3.2	02.4-04.0	152	3.4	02.6-04.2	294	6.1	05.1-07.1	2792	72.6	70.6-74.6
Male	1456	306,220	55	4.2	02.8-05.6	140	9.5	07.5-11.5	42	2.8	01.4-04.2	44	2.5	01.5-03.5	94	5.3	03.7-06.9	1081	75.6	72.5-78.7
Female	2469	335,026	76	3.7	02.7-04.7	286	11.7	09.9-13.5	88	3.6	02.6-04.6	108	4.3	03.3-05.3	200	6.8	05.6-08.0	1711	69.9	67.4-72.4
White/Non-Hisp	3182	499,769	108	3.9	02.9-04.9	346	10.9	09.3-12.5	114	3.6	02.6-04.6	122	3.3	02.5-04.1	246	6.6	05.4-07.8	2246	71.6	69.4-73.8
Black or Afr. Am./Non-Hisp	433	78,782	11	3.3	01.1-05.5	45	9.7	06.2-13.2	8	1.3	00.0-02.7	13	3.4	01.0-05.8	27	4.9	02.4-07.4	329	77.4	72.1-82.7
Oth. Race/Non-Hisp.	96	18,892	6	9.6	00.6-18.6	9	6.6	01.1-12.1	1	0.4	00.0-01.2	6	6.0	00.0-12.1	8	4.0	00.5-07.5			
MultiRacial/Non-Hisp.	111	17,046	2	1.2	00.0-03.2	14	9.5	01.7-17.3	5	6.4	00.3-12.5	6	4.8	00.5-09.1	11	6.4	01.5-11.3			
Hispanic	86	24,230	4	4.2	00.0-09.7				2	1.0	00.0-02.6	2	0.9	00.0-02.1	2	1.4	00.0-03.6			
18-24	221	83,248	10	3.7	00.8-06.6	22	10.2	05.1-15.3	9	4.5	00.4-08.6	5	2.4	00.0-04.8	5	1.7	00.0-03.5	170	77.5	70.2-84.8
25-34	462	110,282	27	6.3	03.6-09.0	47	11.8	07.7-15.9	17	2.6	01.0-04.2	14	2.2	00.8-03.6	15	1.8	00.6-03.0	342	75.3	70.2-80.4
35-44	678	124,913	26	3.4	01.8-05.0	80	10.4	07.9-12.9	18	2.8	01.4-04.2	32	4.4	02.6-06.2	31	4.2	02.2-06.2	491	74.8	70.9-78.7
45-54	821	117,725	37	5.1	02.9-07.3	123	14.1	11.0-17.2	35	4.6	02.6-06.6	35	3.2	02.0-04.4	74	9.0	05.5-12.5	517	63.9	59.2-68.6
55-64	734	91,487	15	2.0	00.6-03.4	79	10.2	07.3-13.1	20	2.0	01.0-03.0	36	5.2	02.8-07.6	70	9.3	06.4-12.2	514	71.3	67.0-75.6
65+	980	110,073	16	2.7	00.9-04.5	75	7.3	05.3-09.3	29	2.8	01.4-04.2	28	3.0	01.6-04.4	99	10.3	07.8-12.8	733	73.9	70.4-77.4
Less Than H.S.	248	40,168	6	2.4	00.2-04.6	22	8.6	03.9-13.3	6	2.6	00.2-05.0	21	6.4	02.9-09.9	32	12.0	06.1-17.9	161	68.0	58.8-77.2
H.S. or G.E.D.	1295	195,642	25	2.2	01.0-03.4	123	9.2	07.0-11.4	51	3.1	02.1-04.1	48	3.6	02.2-05.0	100	6.6	04.4-08.8	948	75.4	72.1-78.7
Some Post-H.S.	1009	164,650	25	2.6	01.2-04.0	124	11.4	08.9-13.9	35	3.6	01.8-05.4	45	4.2	02.6-05.8	96	7.6	05.2-10.0	684	70.6	66.7-74.5
College Graduate	1370	240,178	75	6.5	04.7-08.3	156	11.6	09.2-14.0	38	3.1	01.5-04.7	38	2.3	01.3-03.3	65	3.7	02.5-04.9	998	72.7	69.6-75.8
Less than \$15,000	390	53,594	9	3.1	00.6-05.6	52	14.1	09.0-19.2	15	2.3	00.9-03.7	14	4.3	01.6-07.0	49	8.6	05.7-11.5	251	67.7	61.0-74.4
\$15,000- 24,999	350	41,351	6	2.9	00.4-05.4	37	7.9	04.4-11.4	16	6.0	02.3-09.7	36	9.3	05.4-13.2	65	17.8	12.1-23.5	190	56.1	48.3-63.9
\$25,000- 34,999	342	45,608	9	3.2	00.5-05.9	36	10.9	06.2-15.6	19	4.1	01.7-06.5	17	3.8	01.4-06.2	31	8.5	05.0-12.0	230	69.5	62.8-76.2
\$35,000- 49,999	557	84,122	21	3.2	01.4-05.0	65	12.9	08.8-17.0	23	3.5	01.7-05.3	22	4.5	02.1-06.9	35	6.2	03.3-09.1	391	69.7	64.4-75.0
\$50,000- 74,999	645	112,932	23	3.8	01.6-06.0	68	8.8	06.1-11.5	15	2.9	00.9-04.9	24	3.5	01.5-05.5	25	3.7	01.9-05.5	490	77.3	72.8-81.8
\$75,000+	1044	213,772	43	4.8	03.0-06.6	116	10.5	08.1-12.9	24	3.0	01.2-04.8	23	1.9	00.9-02.9	39	3.6	01.6-05.6	799	76.2	72.7-79.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 2: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION?
(PAINACT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1456	306,220	55	4.2	02.8-05.6	140	9.5	07.5-11.5	42	2.8	01.4-04.2	44	2.5	01.5-03.5	94	5.3	03.7-06.9	1081	75.6	72.5-78.7
White/Non-Hisp	1193	240,649	43	3.8	02.4-05.2	114	9.6	07.4-11.8	39	3.4	01.8-05.0	40	2.9	01.7-04.1	79	6.0	04.0-08.0	878	74.4	70.9-77.9
Black or Afr. Am./Non-Hisp	149	36,971	4	3.2	00.0-06.5	13	6.9	02.4-11.4	1	0.3	00.0-00.9				9	4.3	01.0-07.6	122	85.3	78.8-91.8
18-24	81	41,820	2	3.1	00.0-07.8	9	10.2	02.9-17.5	5	7.5	00.0-15.3	3	3.3	00.0-07.4	1	0.3	00.0-00.9			
25-34	165	54,304	13	6.7	02.4-11.0	15	12.3	05.4-19.2	3	0.6	00.0-01.2	3	0.8	00.0-01.8	8	2.1	00.3-03.9	123	77.5	69.7-85.3
35-44	251	61,167	6	2.3	00.3-04.3	29	9.3	05.6-13.0	9	2.9	00.9-04.9	7	2.0	00.4-03.6	10	3.6	01.2-06.0	190	79.9	74.6-85.2
45-54	317	56,776	19	6.6	02.9-10.3	38	11.5	07.2-15.8	12	3.4	00.7-06.1	12	2.4	01.0-03.8	24	10.1	03.4-16.8	212	66.1	58.5-73.7
55-64	286	43,365	7	3.0	00.3-05.7	30	8.9	04.6-13.2	6	1.3	00.1-02.5	13	5.6	01.7-09.5	23	6.8	03.3-10.3	207	74.5	67.8-81.2
65+	348	47,485	8	3.1	00.6-05.6	19	4.7	02.3-07.1	7	1.8	00.0-03.6	6	1.8	00.2-03.4	28	9.0	05.1-12.9	280	79.7	74.4-85.0
Less Than H.S.	109	20,923	4	2.6	00.0-05.7	9	6.4	00.9-11.9	3	3.1	00.0-06.8	5	3.0	00.1-05.9	10	9.6	02.3-16.9			
H.S. or G.E.D.	451	97,599	9	2.1	00.3-03.9	33	8.0	04.5-11.5	19	2.6	01.2-04.0	9	1.4	00.2-02.6	30	5.9	02.4-09.4	351	80.0	74.7-85.3
Some Post-H.S.	347	71,434	10	3.2	00.7-05.7	43	10.0	06.3-13.7	9	2.5	00.0-05.2	15	4.6	01.7-07.5	32	6.6	03.1-10.1	238	73.1	66.8-79.4
College Graduate	548	116,091	32	6.9	04.0-09.8	55	11.2	07.5-14.9	11	3.1	00.4-05.8	15	2.0	00.6-03.4	22	3.4	01.6-05.2	413	73.5	68.4-78.6
Less than \$15,000	123	26,214	6	5.6	00.3-10.9	13	11.1	04.0-18.2	5	1.5	00.1-02.9	4	1.8	00.0-03.8	13	6.8	02.1-11.5			
\$15,000- 24,999	78	12,335	2	4.2	00.0-10.3	7	3.7	00.4-07.0	3	5.5	00.0-12.2	5	4.0	00.1-07.9	15	16.3	06.7-25.9			
\$25,000- 34,999	124	21,833	3	1.9	00.0-04.4	14	12.7	04.3-21.1	5	1.9	00.1-03.7	4	1.9	00.0-03.9	15	8.0	03.1-12.9			
\$35,000- 49,999	218	41,047	4	2.4	00.0-04.9	23	12.7	06.0-19.4	8	3.5	00.8-06.2	8	4.1	00.6-07.6	11	5.3	01.6-09.0	164	72.0	63.8-80.2
\$50,000- 74,999	274	55,615	10	4.1	00.4-07.8	23	6.2	03.1-09.3	7	3.5	00.0-07.0	12	3.8	00.7-06.9	12	3.2	01.2-05.2	210	79.3	72.8-85.8
\$75,000+	480	117,032	22	5.3	02.8-07.8	47	9.7	06.4-13.0	12	3.0	00.3-05.7	9	1.7	00.5-02.9	16	4.0	00.7-07.3	374	76.3	70.8-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 3: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION?
(PAINACT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2469	335,026	76	3.7	02.7-04.7	286	11.7	09.9-13.5	88	3.6	02.6-04.6	108	4.3	03.3-05.3	200	6.8	05.6-08.0	1711	69.9	67.4-72.4
White/Non-Hisp	1989	259,120	65	4.0	02.6-05.4	232	12.2	10.2-14.2	75	3.9	02.7-05.1	82	3.7	02.7-04.7	167	7.2	05.8-08.6	1368	69.1	66.4-71.8
Black or Afr. Am./Non-Hisp	284	41,811	7	3.4	00.7-06.1	32	12.3	07.0-17.6	7	2.1	00.0-04.6	13	6.4	02.3-10.5	18	5.5	01.6-09.4	207	70.4	62.8-78.0
Oth. Race/Non-Hisp.	56	8,311	1	2.2	00.0-06.3							3	6.1	00.0-13.7	5	6.3	00.0-13.2			
MultiRacial/Non-Hisp.	76	10,208				10	6.8	02.1-11.5	5	10.7	00.9-20.5	6	8.1	01.0-15.2	8	8.5	00.9-16.1			
Hispanic	56	14,308	3	2.4	00.0-05.7	4	5.1	00.0-11.0	1	1.2	00.0-03.6	2	1.5	00.0-03.7	2	2.4	00.0-05.9	44	87.4	79.2-95.6
18-24	140	41,429	8	4.3	00.6-08.0	13	10.2	03.1-17.3	4	1.5	00.0-03.1	2	1.4	00.0-03.6	4	3.2	00.0-06.7	109	79.4	70.6-88.2
25-34	297	55,979	14	5.9	02.2-09.6	32	11.3	06.8-15.8	14	4.6	01.7-07.5	11	3.5	00.8-06.2	7	1.6	00.0-03.2	219	73.1	66.6-79.6
35-44	427	63,746	20	4.5	02.1-06.9	51	11.4	07.9-14.9	9	2.7	00.7-04.7	25	6.8	03.7-09.9	21	4.7	01.8-07.6	301	69.8	64.3-75.3
45-54	504	60,949	18	3.8	01.4-06.2	85	16.6	12.3-20.9	23	5.8	02.9-08.7	23	4.0	02.0-06.0	50	7.9	05.2-10.6	305	61.8	56.1-67.5
55-64	448	48,123	8	1.2	00.0-02.4	49	11.4	07.5-15.3	14	2.6	01.0-04.2	23	4.9	02.4-07.4	47	11.6	07.1-16.1	307	68.3	62.4-74.2
65+	632	62,588	8	2.4	00.0-04.8	56	9.3	06.4-12.2	22	3.6	01.6-05.6	22	4.0	01.8-06.2	71	11.3	08.2-14.4	453	69.4	64.5-74.3
Less Than H.S.	139	19,245	2	2.1	00.0-05.0	13	11.0	03.0-19.0	3	2.2	00.0-04.7	16	10.0	03.3-16.7	22	14.7	05.3-24.1			
H.S. or G.E.D.	844	98,043	16	2.3	00.7-03.9	90	10.5	07.8-13.2	32	3.6	02.0-05.2	39	5.7	03.3-08.1	70	7.2	05.0-09.4	597	70.7	66.4-75.0
Some Post-H.S.	662	93,216	15	2.2	00.8-03.6	81	12.5	09.0-16.0	26	4.5	02.3-06.7	30	4.0	02.2-05.8	64	8.3	05.4-11.2	446	68.6	63.7-73.5
College Graduate	822	124,087	43	6.2	03.8-08.6	101	12.1	09.2-15.0	27	3.2	01.6-04.8	23	2.6	01.2-04.0	43	4.0	02.4-05.6	585	72.0	68.1-75.9
Less than \$15,000	267	27,380	3	0.7	00.0-01.7	39	16.9	10.0-23.8	10	3.1	00.7-05.5	10	6.6	01.7-11.5	36	10.3	06.4-14.2	169	62.4	54.4-70.4
\$15,000- 24,999	272	29,016	4	2.4	00.0-05.1	30	9.7	05.0-14.4	13	6.2	01.5-10.9	31	11.5	06.4-16.6	50	18.4	11.5-25.3	144	51.8	42.8-60.8
\$25,000- 34,999	218	23,776	6	4.4	00.0-08.9	22	9.2	04.3-14.1	14	6.0	01.7-10.3	13	5.6	01.7-09.5	16	9.0	04.1-13.9	147	65.7	57.5-73.9
\$35,000- 49,999	339	43,074	17	3.9	01.5-06.3	42	13.1	08.4-17.8	15	3.6	01.4-05.8	14	4.9	01.8-08.0	24	7.0	02.7-11.3	227	67.5	60.6-74.4
\$50,000- 74,999	371	57,318	13	3.5	01.0-06.0	45	11.4	07.1-15.7	8	2.3	00.3-04.3	12	3.2	00.8-05.6	13	4.2	01.3-07.1	280	75.5	69.2-81.8
\$75,000+	564	96,740	21	4.2	02.0-06.4	69	11.6	08.5-14.7	12	3.1	01.1-05.1	14	2.1	00.7-03.5	23	3.0	01.4-04.6	425	76.0	71.5-80.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 4: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3904	638,364	293	8.8	07.4-10.2	808	20.4	18.4-22.4	174	4.4	03.4-05.4	170	4.3	03.3-05.3	163	4.1	02.9-05.3	2296	58.0	55.6-60.4
Male	1449	304,483	89	7.4	05.4-09.4	221	15.3	12.8-17.8	52	3.9	02.5-05.3	53	3.7	02.3-05.1	55	4.4	02.4-06.4	979	65.3	61.8-68.8
Female	2455	333,881	204	10.1	08.1-12.1	587	25.0	22.3-27.7	122	4.9	03.7-06.1	117	4.8	03.6-06.0	108	3.7	02.7-04.7	1317	51.4	48.5-54.3
White/Non-Hisp	3165	497,932	238	8.8	07.2-10.4	641	20.3	18.1-22.5	133	4.0	03.2-04.8	137	4.4	03.4-05.4	131	3.6	02.6-04.6	1885	59.0	56.5-61.5
Black or Afr. Am./Non-Hisp	428	77,657	29	8.3	04.0-12.6	99	21.0	15.3-26.7	16	3.8	01.6-06.0	16	4.0	00.9-07.1	15	3.8	01.4-06.2	253	59.1	52.2-66.0
Oth. Race/Non-Hisp.	96	18,892	6	5.8	00.5-11.1	18	16.4	06.6-26.2	5	4.8	00.0-09.7	2	0.6	00.0-01.4						
MultiRacial/Non-Hisp.	113	17,243	10	11.0	02.6-19.4				11	4.9	01.6-08.2	9	6.4	01.9-10.9	8	4.6	00.3-08.9			
Hispanic	85	24,112	9	13.2	03.2-23.2							6	5.8	00.0-11.9	5	5.9	00.0-14.3			
18-24	222	83,183	24	11.4	05.5-17.3	51	23.5	14.7-32.3	11	3.3	00.9-05.7	13	4.4	01.5-07.3	14	10.1	03.2-17.0	109	47.2	38.0-56.4
25-34	461	110,086	42	9.5	05.8-13.2	107	23.7	18.6-28.8	25	4.8	01.7-07.9	20	5.1	01.6-08.6	16	3.1	01.1-05.1	251	53.7	47.4-60.0
35-44	678	125,300	53	9.1	06.0-12.2	147	18.9	15.4-22.4	31	4.4	02.6-06.2	38	4.3	02.7-05.9	29	4.0	02.2-05.8	380	59.2	54.5-63.9
45-54	819	116,730	61	8.3	05.8-10.8	185	20.5	17.0-24.0	47	6.1	03.7-08.5	39	3.9	02.3-05.5	49	4.1	02.5-05.7	438	57.0	52.3-61.7
55-64	723	90,285	53	8.9	05.8-12.0	144	19.0	15.3-22.7	24	3.3	01.5-05.1	31	5.1	02.7-07.5	23	1.7	00.9-02.5	448	62.0	57.3-66.7
65+	973	109,287	58	6.5	04.3-08.7	166	16.6	13.5-19.7	36	4.2	02.6-05.8	29	3.1	01.7-04.5	31	2.2	01.2-03.2	653	67.3	63.6-71.0
Less Than H.S.	249	40,411	13	5.0	01.3-08.7				13	8.0	00.6-15.4	22	8.0	04.1-11.9	15	5.8	01.9-09.7			
H.S. or G.E.D.	1283	193,592	80	7.1	04.7-09.5	245	17.4	14.5-20.3	56	4.3	02.9-05.7	64	4.9	03.3-06.5	69	6.0	03.6-08.4	769	60.2	56.1-64.3
Some Post-H.S.	1008	164,609	70	9.5	06.6-12.4	228	21.8	18.3-25.3	50	4.5	02.9-06.1	44	4.2	02.4-06.0	41	3.3	01.7-04.9	575	56.7	52.4-61.0
College Graduate	1361	239,144	130	10.5	08.1-12.9	282	20.7	17.8-23.6	54	3.8	02.6-05.0	40	3.2	01.6-04.8	37	2.6	00.6-04.6	818	59.2	55.5-62.9
Less than \$15,000	393	54,610	24	8.5	03.8-13.2	73	14.0	09.7-18.3	23	6.1	02.8-09.4	25	6.1	02.8-09.4	34	12.7	04.9-20.5	214	52.6	44.6-60.6
\$15,000- 24,999	346	40,892	14	3.6	01.4-05.8	76	20.7	13.4-28.0	29	8.1	04.4-11.8	38	10.7	06.8-14.6	46	10.7	06.6-14.8	143	46.3	38.1-54.5
\$25,000- 34,999	339	45,674	22	6.9	01.8-12.0	76	22.3	16.0-28.6	14	6.7	00.2-13.2	19	5.7	02.6-08.8	12	2.9	00.9-04.9	196	55.5	47.5-63.5
\$35,000- 49,999	555	84,140	36	6.7	03.8-09.6	131	21.1	16.4-25.8	27	5.9	03.2-08.6	25	5.1	02.7-07.5	16	4.1	01.4-06.8	320	57.0	51.1-62.9
\$50,000- 74,999	641	111,072	60	9.1	05.8-12.4	126	21.8	15.9-27.7	30	4.0	02.2-05.8	17	3.7	01.2-06.2	12	1.7	00.5-02.9	396	59.7	53.6-65.8
\$75,000+	1038	213,119	86	10.2	07.5-12.9	210	19.6	16.5-22.7	31	2.9	01.7-04.1	24	2.0	00.8-03.2	21	2.3	00.7-03.9	666	62.9	59.0-66.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

TABLE 5: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1449	304,483	89	7.4	05.4-09.4	221	15.3	12.8-17.8	52	3.9	02.5-05.3	53	3.7	02.3-05.1	55	4.4	02.4-06.4	979	65.3	61.8-68.8
White/Non-Hisp	1190	240,119	73	7.4	05.0-09.8	179	15.6	12.9-18.3	40	3.5	02.1-04.9	42	3.7	02.1-05.3	38	3.1	01.5-04.7	818	66.7	63.0-70.4
Black or Afr. Am./Non-Hisp	145	35,764	7	8.6	01.2-16.0	20	10.7	04.6-16.8	5	2.6	00.0-05.3	6	5.7	00.0-12.2	7	5.3	01.0-09.6			
18-24	82	42,039	9	10.9	02.7-19.1	9	10.3	03.2-17.4	4	3.1	00.0-06.2	5	3.8	00.0-07.7						
25-34	163	54,039	12	6.1	01.4-10.8	29	20.9	12.7-29.1	7	4.8	00.0-10.5	8	6.6	00.3-12.9	4	2.4	00.0-04.8			
35-44	252	61,534	15	7.7	03.0-12.4	38	12.7	08.0-17.4	9	2.8	00.6-05.0	11	3.1	01.1-05.1	6	2.4	00.2-04.6	173	71.3	64.4-78.2
45-54	317	55,945	22	7.9	03.6-12.2	60	17.6	12.3-22.9	14	5.6	01.9-09.3	11	2.8	00.8-04.8	16	3.5	01.3-05.7	194	62.6	55.3-69.9
55-64	282	42,704	15	7.5	02.6-12.4	41	15.4	09.9-20.9	7	2.4	00.2-04.6	12	4.5	01.2-07.8	11	1.8	00.6-03.0	196	68.4	61.1-75.7
65+	345	46,918	16	4.9	02.2-07.6	42	13.2	08.7-17.7	11	4.1	01.4-06.8	6	1.6	00.2-03.0	10	2.2	00.6-03.8	260	73.9	68.2-79.6
Less Than H.S.	109	20,902	5	3.9	00.0-09.0	18	16.0	06.4-25.6				9	6.6	01.5-11.7	3	3.5	00.0-08.2			
H.S. or G.E.D.	450	96,618	23	8.1	04.0-12.2	68	13.4	09.5-17.3	16	3.4	01.4-05.4	17	2.9	00.9-04.9	24	6.3	02.4-10.2	302	65.9	59.4-72.4
Some Post-H.S.	345	71,148	21	6.6	03.1-10.1	55	15.2	10.1-20.3	13	3.1	01.1-05.1	13	4.7	01.2-08.2	13	3.8	00.9-06.7	230	66.5	59.6-73.4
College Graduate	544	115,642	40	8.0	04.7-11.3	80	16.8	12.5-21.1	16	3.1	01.1-05.1	14	3.2	00.7-05.7	15	3.5	00.0-07.2	379	65.4	59.5-71.3
Less than \$15,000	125	26,723	10	9.5	01.9-17.1	17	10.4	03.7-17.1	11	8.4	02.3-14.5	3	1.7	00.0-03.7						
\$15,000- 24,999	77	12,139	1	0.6	00.0-01.8	14	10.7	04.2-17.2	6	11.2	01.6-20.8	10	11.0	03.2-18.8	9	9.8	02.4-17.2			
\$25,000- 34,999	122	21,736	4	7.4	00.0-17.2				5	4.3	00.0-08.6	7	3.3	00.2-06.4						
\$35,000- 49,999	217	41,053	9	4.1	00.4-07.8	45	22.5	14.7-30.3	5	2.3	00.0-04.7	10	3.7	01.2-06.2	7	3.6	00.1-07.1	141	63.7	54.9-72.5
\$50,000- 74,999	273	54,505	22	7.8	03.1-12.5	39	15.3	09.8-20.8	8	2.2	00.6-03.8	7	4.2	00.0-08.5	3	0.5	00.0-01.1	194	70.0	62.4-77.6
\$75,000+	477	116,673	31	8.4	04.7-12.1	70	14.2	10.1-18.3	12	2.4	00.6-04.2	8	1.9	00.1-03.7	10	2.8	00.1-05.5	346	70.3	64.6-76.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 6: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2455	333,881	204	10.1	08.1-12.1	587	25.0	22.3-27.7	122	4.9	03.7-06.1	117	4.8	03.6-06.0	108	3.7	02.7-04.7	1317	51.4	48.5-54.3
White/Non-Hisp	1975	257,813	165	10.1	07.9-12.3	462	24.7	21.6-27.8	93	4.4	03.2-05.6	95	5.0	03.6-06.4	93	4.1	02.9-05.3	1067	51.7	48.6-54.8
Black or Afr. Am./Non-Hisp	283	41,893	22	8.0	03.5-12.5	79	29.8	21.4-38.2	11	4.8	01.5-08.1	10	2.5	00.3-04.7	8	2.4	00.0-04.8	153	52.3	43.7-60.9
Oth. Race/Non-Hisp.	56	8,311	3	5.4	00.0-12.1				3	9.1	00.0-19.1				1	2.0	00.0-05.9			
MultiRacial/Non-Hisp.	78	10,405	5	7.6	00.0-17.8				10	7.6	02.1-13.1	7	8.8	01.9-15.7	6	6.6	00.0-13.5			
Hispanic	55	14,190							4	7.1	00.0-16.1	5	8.9	00.0-18.7						
18-24	140	41,144	15	12.0	03.6-20.4				7	3.4	00.0-06.9	8	5.1	00.4-09.8	6	3.4	00.3-06.5			
25-34	298	56,048	30	12.8	07.3-18.3	78	26.4	19.9-32.9	18	4.9	02.2-07.6	12	3.7	00.8-06.6	12	3.9	01.0-06.8	148	48.3	40.9-55.7
35-44	426	63,766	38	10.5	06.2-14.8	109	24.9	19.8-30.0	22	5.9	03.0-08.8	27	5.6	03.1-08.1	23	5.6	02.7-08.5	207	47.6	41.7-53.5
45-54	502	60,785	39	8.6	05.5-11.7	125	23.2	18.3-28.1	33	6.5	03.8-09.2	28	5.0	02.6-07.4	33	4.8	02.6-07.0	244	51.9	46.0-57.8
55-64	441	47,580	38	10.1	05.8-14.4	103	22.2	17.3-27.1	17	4.1	01.4-06.8	19	5.7	02.6-08.8	12	1.7	00.5-02.9	252	56.2	50.1-62.3
65+	628	62,369	42	7.7	04.8-10.6	124	19.2	15.1-23.3	25	4.3	02.3-06.3	23	4.3	02.1-06.5	21	2.2	01.2-03.2	393	62.3	57.4-67.2
Less Than H.S.	140	19,508	8	6.1	00.4-11.8				7	4.0	00.0-08.3	13	9.5	03.2-15.8	12	8.2	01.5-14.9			
H.S. or G.E.D.	833	96,973	57	6.2	03.8-08.6	177	21.4	17.1-25.7	40	5.2	03.0-07.4	47	6.9	04.4-09.4	45	5.7	03.5-07.9	467	54.6	49.7-59.5
Some Post-H.S.	663	93,461	49	11.6	07.1-16.1	173	26.7	22.0-31.4	37	5.6	03.2-08.0	31	3.8	02.0-05.6	28	3.0	01.2-04.8	345	49.2	43.7-54.7
College Graduate	817	123,502	90	12.8	09.7-15.9	202	24.3	20.4-28.2	38	4.4	02.6-06.2	26	3.3	01.7-04.9	22	1.8	00.6-03.0	439	53.3	48.8-57.8
Less than \$15,000	268	27,888	14	7.6	02.3-12.9	56	17.3	11.8-22.8	12	3.9	01.4-06.4	22	10.4	04.3-16.5	19	6.0	02.7-09.3	145	54.8	46.6-63.0
\$15,000- 24,999	269	28,753	13	4.9	02.0-07.8	62	24.8	15.6-34.0	23	6.9	03.4-10.4	28	10.5	06.0-15.0	37	11.0	06.1-15.9	106	41.9	32.9-50.9
\$25,000- 34,999	217	23,938	18	6.4	02.9-09.9	53	21.6	14.9-28.3	10	4.6	01.1-08.1	14	7.0	02.5-11.5	5	2.6	00.1-05.1	117	57.8	49.6-66.0
\$35,000- 49,999	338	43,087	27	9.2	04.7-13.7	86	19.7	14.8-24.6	22	9.3	04.4-14.2	15	6.5	02.6-10.4	9	4.6	00.5-08.7	179	50.5	43.1-57.9
\$50,000- 74,999	368	56,568	38	10.4	05.7-15.1	87	28.0	18.2-37.8	22	5.7	02.8-08.6	10	3.2	00.7-05.7	9	2.9	00.7-05.1	202	49.8	41.4-58.2
\$75,000+	561	96,446	55	12.4	08.1-16.7	140	26.1	21.2-31.0	19	3.5	01.7-05.3	16	2.1	00.9-03.3	11	1.8	00.4-03.2	320	54.1	48.6-59.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3902	637,611	294	7.9	06.5-09.3	1073	29.4	27.2-31.6	285	7.1	05.9-08.3	239	6.2	05.2-07.2	275	7.0	05.6-08.4	1736	42.4	40.2-44.6
Male	1452	305,368	103	8.5	06.1-10.9	377	26.8	23.7-29.9	79	5.9	04.1-07.7	71	5.9	04.1-07.7	83	5.5	03.7-07.3	739	47.3	43.8-50.8
Female	2450	332,243	191	7.3	05.9-08.7	696	31.7	29.0-34.4	206	8.3	06.9-09.7	168	6.6	05.4-07.8	192	8.3	06.1-10.5	997	37.9	35.2-40.6
White/Non-Hisp	3167	497,607	233	7.6	06.2-09.0	886	29.9	27.5-32.3	227	6.9	05.7-08.1	192	6.1	04.9-07.3	222	7.4	05.6-09.2	1407	42.0	39.6-44.4
Black or Afr. Am./Non-Hisp	428	77,615	41	8.6	04.9-12.3	101	25.0	18.9-31.1	30	7.8	03.9-11.7	23	5.8	02.3-09.3	27	6.2	03.1-09.3	206	46.7	39.6-53.8
Oth. Race/Non-Hisp.	94	18,755	6	4.6	00.0-09.3				4	4.1	00.0-08.2	7	9.6	01.0-18.2	7	3.1	00.2-06.0			
MultiRacial/Non-Hisp.	111	17,056	4	6.0	00.0-12.5				14	7.4	02.9-11.9	10	6.3	01.0-11.6	11	7.5	02.2-12.8			
Hispanic	85	24,051							9	10.0	01.8-18.2	6	6.7	00.0-13.4	7	3.1	00.4-05.8			
18-24	223	83,610	17	10.0	04.3-15.7	67	32.5	24.1-40.9	20	7.6	03.5-11.7	12	3.8	01.1-06.5	18	10.5	02.5-18.5	89	35.6	26.8-44.4
25-34	460	109,970	44	9.8	05.7-13.9	143	31.8	26.1-37.5	47	9.7	06.0-13.4	46	10.7	06.8-14.6	36	6.1	03.6-08.6	144	32.0	26.1-37.9
35-44	675	124,734	49	7.0	04.6-09.4	214	29.8	25.5-34.1	68	9.2	06.5-11.9	54	7.0	04.8-09.2	53	7.8	05.3-10.3	237	39.2	34.3-44.1
45-54	816	117,025	60	7.2	04.8-09.6	242	31.7	27.2-36.2	74	7.3	05.1-09.5	60	6.6	04.2-09.0	82	8.6	05.5-11.7	298	38.5	33.8-43.2
55-64	722	89,346	57	6.6	04.4-08.8	203	31.7	27.0-36.4	30	3.6	02.0-05.2	30	5.2	02.8-07.6	41	5.2	03.0-07.4	361	47.7	42.8-52.6
65+	980	109,855	64	6.8	04.8-08.8	198	20.0	16.9-23.1	46	4.8	03.0-06.6	34	2.8	01.6-04.0	42	3.7	02.3-05.1	596	61.8	57.9-65.7
Less Than H.S.	251	40,533	12	8.3	00.7-15.9	41	16.0	09.1-22.9	21	6.9	03.0-10.8	17	5.5	02.2-08.8						
H.S. or G.E.D.	1287	195,083	88	7.5	05.0-10.0	308	26.6	22.9-30.3	85	5.9	04.1-07.7	78	5.9	04.1-07.7	102	8.4	05.7-11.1	626	45.8	41.7-49.9
Some Post-H.S.	1003	162,860	77	8.1	05.7-10.5	286	31.5	27.2-35.8	82	9.4	06.9-11.9	75	6.8	04.6-09.0	76	6.0	04.0-08.0	407	38.2	34.1-42.3
College Graduate	1358	238,526	117	8.0	06.0-10.0	437	32.5	29.2-35.8	97	6.7	04.9-08.5	69	6.3	04.3-08.3	65	4.2	02.8-05.6	573	42.3	38.8-45.8
Less than \$15,000	392	54,547	24	6.9	03.0-10.8	90	20.9	15.2-26.6	28	8.1	03.6-12.6	19	3.3	01.5-05.1	48	13.6	08.7-18.5	183	47.2	39.2-55.2
\$15,000- 24,999	346	40,657	17	4.4	02.0-06.8	78	27.8	19.6-36.0	28	9.1	04.6-13.6	34	9.4	05.7-13.1	57	12.8	08.7-16.9	132	36.5	28.5-44.5
\$25,000- 34,999	344	45,829	27	9.7	03.0-16.4	102	27.9	21.6-34.2	27	6.5	03.6-09.4	24	7.3	02.8-11.8	23	7.5	04.0-11.0	141	41.1	33.3-48.9
\$35,000- 49,999	554	83,831	43	7.0	04.3-09.7	139	24.7	19.6-29.8	41	8.1	04.8-11.4	44	9.1	05.8-12.4	33	6.9	03.8-10.0	254	44.2	38.3-50.1
\$50,000- 74,999	641	111,491	53	11.2	07.1-15.3	209	31.7	26.4-37.0	51	6.0	03.8-08.2	36	6.4	03.5-09.3	28	7.2	01.5-12.9	264	37.5	32.0-43.0
\$75,000+	1038	213,308	82	6.9	04.9-08.9	312	33.0	29.1-36.9	75	6.6	04.8-08.4	59	5.9	03.9-07.9	49	5.3	02.9-07.7	461	42.3	38.4-46.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1452	305,368	103	8.5	06.1-10.9	377	26.8	23.7-29.9	79	5.9	04.1-07.7	71	5.9	04.1-07.7	83	5.5	03.7-07.3	739	47.3	43.8-50.8
White/Non-Hisp	1192	240,094	88	8.8	06.3-11.3	309	27.2	23.7-30.7	66	6.1	04.1-08.1	60	5.9	03.9-07.9	61	5.4	03.2-07.6	608	46.6	42.7-50.5
Black or Afr. Am./Non-Hisp	148	36,812	9	5.7	00.8-10.6	32	21.2	12.8-29.6	9	7.4	00.9-13.9	6	6.1	00.0-12.4	12	8.2	02.7-13.7			
18-24	82	42,039	6	12.5	02.9-22.1				8	8.1	02.0-14.2	3	4.2	00.0-09.1	6	7.6	00.2-15.0			
25-34	163	54,003	20	13.4	05.8-21.0	53	30.9	21.9-39.9	14	7.9	02.2-13.6	16	11.6	04.7-18.5	10	5.2	01.5-08.9	50	31.0	21.6-40.4
35-44	251	61,372	15	5.9	02.6-09.2	72	27.1	20.6-33.6	16	7.6	03.3-11.9	21	6.3	03.2-09.4	16	5.5	02.4-08.6	111	47.6	40.0-55.2
45-54	317	56,586	17	5.5	02.4-08.6	92	29.2	22.3-36.1	23	5.6	02.7-08.5	19	6.8	02.9-10.7	26	8.1	02.4-13.8	140	44.7	37.1-52.3
55-64	282	42,645	19	6.8	03.1-10.5	76	31.6	24.0-39.2	9	2.8	00.4-05.2	10	4.5	01.0-08.0	11	2.9	00.7-05.1	157	51.4	43.6-59.2
65+	350	47,766	25	7.5	04.2-10.8	60	17.0	11.9-22.1	9	2.9	00.9-04.9	2	0.5	00.0-01.3	13	3.3	01.3-05.3	241	68.8	62.9-74.7
Less Than H.S.	111	21,146				15	13.3	04.3-22.3	5	3.3	00.2-06.4	7	4.9	00.6-09.2	11	10.1	03.2-17.0			
H.S. or G.E.D.	451	97,865	31	8.9	04.4-13.4	99	24.3	18.8-29.8	23	4.8	02.1-07.5	22	5.3	02.6-08.0	31	7.1	02.6-11.6	245	49.6	42.9-56.3
Some Post-H.S.	343	70,517	24	7.1	03.6-10.6	101	33.2	26.1-40.3	22	8.3	04.2-12.4	22	6.6	02.9-10.3	19	5.0	02.1-07.9	155	39.8	32.9-46.7
College Graduate	546	115,667	45	8.8	05.7-11.9	161	27.5	22.6-32.4	29	5.9	03.0-08.8	20	6.1	03.0-09.2	22	3.7	01.9-05.5	269	48.1	42.4-53.8
Less than \$15,000	125	26,817	9	7.6	01.1-14.1	24	17.1	08.3-25.9	13	10.8	02.4-19.2	4	2.1	00.0-04.5	15	12.1	05.0-19.2			
\$15,000- 24,999	79	12,383	2	0.9	00.0-02.3				3	4.5	00.0-10.4	6	7.9	00.8-15.0	15	13.5	05.3-21.7			
\$25,000- 34,999	124	21,870							6	2.1	00.3-03.9	6	7.2	00.0-15.2	11	7.7	02.4-13.0			
\$35,000- 49,999	216	40,769	17	6.5	03.0-10.0	55	24.8	17.0-32.6	11	6.1	01.6-10.6	9	5.2	00.9-09.5	10	4.4	00.9-07.9	114	53.0	43.8-62.2
\$50,000- 74,999	273	55,017	23	14.3	07.2-21.4	79	29.1	21.5-36.7	11	3.9	01.4-06.4	13	7.0	01.9-12.1	9	3.1	00.4-05.8	138	42.5	34.5-50.5
\$75,000+	479	116,947	33	7.0	04.1-09.9	131	29.4	24.1-34.7	27	5.6	03.1-08.1	24	6.1	03.2-09.0	19	5.6	01.9-09.3	245	46.5	40.6-52.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2450	332,243	191	7.3	05.9-08.7	696	31.7	29.0-34.4	206	8.3	06.9-09.7	168	6.6	05.4-07.8	192	8.3	06.1-10.5	997	37.9	35.2-40.6
White/Non-Hisp	1975	257,513	145	6.5	05.1-07.9	577	32.4	29.5-35.3	161	7.7	06.1-09.3	132	6.4	05.0-07.8	161	9.3	06.6-12.0	799	37.7	34.8-40.6
Black or Afr. Am./Non-Hisp	280	40,803	32	11.3	06.0-16.6	69	28.3	19.7-36.9	21	8.2	03.7-12.7	17	5.4	02.1-08.7	15	4.3	01.2-07.4	126	42.5	34.1-50.9
Oth. Race/Non-Hisp.	56	8,311	3	4.0	00.0-09.5				4	9.2	00.4-18.0				4	4.3	00.0-09.4			
MultiRacial/Non-Hisp.	76	10,218	3	6.7	00.0-15.3				11	8.0	02.5-13.5	8	9.2	00.8-17.6	7	8.7	00.9-16.5			
Hispanic	55	14,129	7	11.0	01.2-20.8							4	6.0	00.0-12.7	5	3.9	00.0-08.0			
18-24	141	41,571	11	7.5	02.0-13.0				12	7.1	01.8-12.4	9	3.5	00.8-06.2						
25-34	297	55,968	24	6.3	03.2-09.4	90	32.7	25.6-39.8	33	11.4	06.7-16.1	30	9.8	05.5-14.1	26	6.9	03.4-10.4	94	32.9	25.8-40.0
35-44	424	63,362	34	8.0	04.7-11.3	142	32.4	26.7-38.1	52	10.8	07.5-14.1	33	7.8	04.9-10.7	37	10.0	06.1-13.9	126	31.0	25.5-36.5
45-54	499	60,439	43	8.9	05.4-12.4	150	34.0	28.3-39.7	51	8.8	05.9-11.7	41	6.4	03.9-08.9	56	9.1	06.0-12.2	158	32.8	27.3-38.3
55-64	440	46,701	38	6.4	04.0-08.8	127	31.9	26.0-37.8	21	4.3	02.1-06.5	20	5.7	02.6-08.8	30	7.3	03.8-10.8	204	44.3	38.2-50.4
65+	630	62,089	39	6.4	03.9-08.9	138	22.3	18.2-26.4	37	6.3	03.6-09.0	32	4.6	02.6-06.6	29	4.1	02.1-06.1	355	56.4	51.3-61.5
Less Than H.S.	140	19,387	9	6.3	00.6-12.0				16	11.0	03.4-18.6	10	6.1	01.2-11.0						
H.S. or G.E.D.	836	97,218	57	6.0	04.0-08.0	209	29.0	23.9-34.1	62	6.9	04.7-09.1	56	6.4	04.2-08.6	71	9.8	06.9-12.7	381	41.9	37.2-46.6
Some Post-H.S.	660	92,343	53	8.8	05.5-12.1	185	30.2	25.1-35.3	60	10.2	06.7-13.7	53	6.9	04.5-09.3	57	6.8	04.3-09.3	252	37.1	31.8-42.4
College Graduate	812	122,859	72	7.3	05.1-09.5	276	37.2	32.9-41.5	68	7.5	05.3-09.7	49	6.6	04.4-08.8	43	4.7	02.9-06.5	304	36.8	32.5-41.1
Less than \$15,000	267	27,730	15	6.3	01.6-11.0	66	24.5	17.4-31.6	15	5.4	01.9-08.9	15	4.5	01.8-07.2	33	15.1	08.4-21.8	123	44.3	36.3-52.3
\$15,000- 24,999	267	28,275	15	5.9	02.6-09.2	62	30.4	20.4-40.4	25	11.1	05.2-17.0	28	10.0	05.5-14.5	42	12.5	07.6-17.4	95	30.1	22.3-37.9
\$25,000- 34,999	220	23,959	20	9.8	04.1-15.5	66	29.3	21.9-36.7	21	10.6	05.3-15.9	18	7.4	02.7-12.1	12	7.2	02.5-11.9	83	35.7	27.5-43.9
\$35,000- 49,999	338	43,062	26	7.4	03.1-11.7	84	24.6	17.9-31.3	30	9.9	05.0-14.8	35	12.8	07.7-17.9	23	9.3	04.2-14.4	140	36.0	29.1-42.9
\$50,000- 74,999	368	56,474	30	8.2	04.7-11.7	130	34.1	26.8-41.4	40	7.9	04.6-11.2	23	5.9	03.0-08.8				126	32.7	25.4-40.0
\$75,000+	559	96,361	49	6.8	04.4-09.2	181	37.3	31.8-42.8	48	7.9	05.4-10.4	35	5.7	03.5-07.9	30	5.0	02.6-07.4	216	37.2	32.1-42.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 10: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3921	641,001	138	3.5	02.7-04.3	1077	28.0	26.0-30.0	493	13.4	11.8-15.0	420	11.9	10.3-13.5	546	15.5	13.5-17.5	1247	27.7	25.7-29.7
Male	1459	306,630	49	3.4	02.0-04.8	428	29.6	26.3-32.9	165	12.7	10.3-15.1	129	10.1	07.7-12.5	183	14.4	11.5-17.3	505	29.8	26.7-32.9
Female	2462	334,371	89	3.6	02.6-04.6	649	26.5	24.1-28.9	328	14.1	11.9-16.3	291	13.5	11.5-15.5	363	16.5	14.0-19.0	742	25.7	23.3-28.1
White/Non-Hisp	3179	499,317	113	3.3	02.5-04.1	882	29.0	26.6-31.4	396	13.3	11.5-15.1	342	11.8	10.2-13.4	408	14.3	12.1-16.5	1038	28.3	26.1-30.5
Black or Afr. Am./Non-Hisp	432	79,028	15	3.4	01.0-05.8	115	25.0	19.1-30.9	53	14.6	09.5-19.7	41	11.0	05.9-16.1	73	17.1	12.0-22.2	135	28.9	22.6-35.2
Oth. Race/Non-Hisp.	95	18,833	3	3.4	00.0-08.9				12	10.3	03.0-17.6	8	8.0	01.3-14.7						
MultiRacial/Non-Hisp.	113	17,243	2	2.9	00.0-07.8				16	11.9	05.0-18.8							28	19.8	11.0-28.6
Hispanic	86	24,174	4	8.5	00.0-18.3													15	17.0	07.0-27.0
18-24	223	83,610	11	5.0	01.3-08.7	42	15.8	09.9-21.7	44	19.1	12.2-26.0	34	17.6	10.5-24.7	55	26.0	16.6-35.4	37	16.5	10.0-23.0
25-34	461	109,826	11	3.0	00.8-05.2	132	28.6	22.9-34.3	72	16.4	11.5-21.3	81	17.5	13.0-22.0	101	20.0	14.9-25.1	64	14.5	10.2-18.8
35-44	678	125,268	14	1.9	00.7-03.1	208	34.4	29.7-39.1	113	15.1	12.0-18.2	114	14.5	11.4-17.6	108	16.2	12.7-19.7	121	17.9	14.2-21.6
45-54	819	117,135	35	4.2	02.4-06.0	256	32.9	28.4-37.4	119	13.6	10.7-16.5	98	11.6	08.9-14.3	131	15.7	11.8-19.6	180	22.0	18.1-25.9
55-64	731	91,649	37	4.3	02.5-06.1	225	31.7	27.2-36.2	72	11.8	08.3-15.3	56	6.5	04.3-08.7	81	10.9	08.0-13.8	260	34.8	30.1-39.5
65+	981	110,020	29	3.4	02.0-04.8	203	20.4	17.3-23.5	70	5.7	03.9-07.5	36	3.9	02.3-05.5	66	6.0	04.2-07.8	577	60.6	56.7-64.5
Less Than H.S.	251	40,471	2	0.3	00.0-00.7	36	14.0	07.7-20.3	25	10.3	04.6-16.0	26	11.6	05.9-17.3				100	29.9	20.9-38.9
H.S. or G.E.D.	1290	194,939	40	3.0	01.6-04.4	310	24.4	20.9-27.9	136	10.0	07.5-12.5	133	12.2	09.1-15.3	196	17.4	14.1-20.7	475	33.0	29.3-36.7
Some Post-H.S.	1010	165,257	38	4.5	02.5-06.5	287	27.1	23.4-30.8	130	15.2	11.7-18.7	111	12.0	09.1-14.9	144	13.9	11.0-16.8	300	27.4	23.7-31.1
College Graduate	1367	239,725	58	3.9	02.7-05.1	443	33.9	30.6-37.2	202	15.5	12.8-18.2	150	11.5	09.3-13.7	143	12.0	09.3-14.7	371	23.2	20.5-25.9
Less than \$15,000	387	53,877	13	2.4	00.8-04.0	67	19.2	13.1-25.3	40	9.8	05.7-13.9	31	10.6	05.3-15.9	84	23.7	15.7-31.7	152	34.3	27.2-41.4
\$15,000- 24,999	348	41,155	7	1.6	00.0-03.2	59	15.9	10.2-21.6	34	9.1	05.2-13.0	33	11.8	05.1-18.5	89	24.8	18.3-31.3	126	36.7	28.7-44.7
\$25,000- 34,999	345	45,945	11	2.4	00.8-04.0	94	28.3	21.2-35.4	36	9.3	05.2-13.4	39	12.3	07.4-17.2	51	16.8	09.9-23.7	114	30.7	23.6-37.8
\$35,000- 49,999	556	84,045	19	3.4	01.2-05.6	167	28.2	23.1-33.3	72	12.2	08.3-16.1	63	10.6	06.3-14.9	69	16.0	11.3-20.7	166	29.5	24.2-34.8
\$50,000- 74,999	647	113,133	28	3.7	01.9-05.5	194	30.2	24.9-35.5	92	14.4	10.7-18.1	72	12.0	08.5-15.5	80	15.0	09.1-20.9	181	24.7	20.2-29.2
\$75,000+	1041	213,219	40	3.9	02.3-05.5	337	31.2	27.5-34.9	159	16.9	13.8-20.0	134	13.5	10.8-16.2	119	14.0	10.7-17.3	252	20.6	17.7-23.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 11: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day		2-5 Days		6-10 Days		11-20 Days		21-30 Days		NONE							
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)						
Male	1459	306,630	49	3.4	02.0-04.8	428	29.6	26.3-32.9	165	12.7	10.3-15.1	129	10.1	07.7-12.5	183	14.4	11.5-17.3	505	29.8	26.7-32.9
White/Non-Hisp	1197	241,133	41	2.9	01.7-04.1	347	29.9	26.4-33.4	134	13.1	10.4-15.8	106	10.0	07.5-12.5	140	12.9	10.0-15.8	429	31.2	27.9-34.5
Black or Afr. Am./Non-Hisp	150	37,078	3	2.5	00.0-05.8				14	10.5	03.8-17.2	11	10.4	02.4-18.4	25	17.7	09.3-26.1			
18-24	82	42,039	5	5.3	00.0-11.0	14	15.1	06.1-24.1	16	16.9	08.1-25.7									
25-34	163	53,779	3	2.7	00.0-06.0	56	31.3	22.1-40.5	21	15.7	07.7-23.7	26	15.9	08.6-23.2	29	17.6	09.4-25.8	28	16.8	09.5-24.1
35-44	251	61,440	7	2.0	00.2-03.8	99	43.6	36.0-51.2	37	13.6	08.9-18.3	37	11.5	07.2-15.8	31	12.1	07.6-16.6	40	17.3	11.4-23.2
45-54	317	56,725	14	4.6	01.7-07.5	108	34.9	27.5-42.3	42	11.4	07.3-15.5	31	8.3	04.6-12.0	47	15.8	09.1-22.5	75	25.0	18.5-31.5
55-64	286	43,585	13	4.1	01.4-06.8	82	28.3	21.2-35.4	26	11.6	06.1-17.1	15	3.3	01.5-05.1	35	12.6	07.5-17.7	115	40.0	32.4-47.6
65+	352	47,759	7	2.4	00.4-04.4	66	16.8	12.3-21.3	23	7.1	03.4-10.8	6	1.9	00.3-03.5	22	5.2	02.7-07.7	228	66.6	60.7-72.5
Less Than H.S.	110	20,855	1	0.3	00.0-00.9	17	18.9	08.9-28.9	12	10.7	01.9-19.5	10	11.6	03.2-20.0						
H.S. or G.E.D.	454	97,967	12	3.1	00.6-05.6	119	27.5	21.4-33.6	36	9.1	05.4-12.8	43	11.6	06.9-16.3	67	15.5	10.2-20.8	177	33.3	27.4-39.2
Some Post-H.S.	348	71,938	12	3.8	01.1-06.5	101	27.9	21.4-34.4	42	13.9	09.0-18.8	29	9.0	04.5-13.5	49	14.7	09.8-19.6	115	30.7	24.2-37.2
College Graduate	546	115,697	24	3.9	01.9-05.9	190	34.2	28.9-39.5	75	15.3	11.0-19.6	47	9.3	06.0-12.6	47	12.1	07.2-17.0	163	25.2	20.7-29.7
Less than \$15,000	125	26,817	4	1.5	00.0-03.5	21	19.0	09.2-28.8	12	10.1	03.2-17.0	13	15.0	05.0-25.0						
\$15,000- 24,999	79	12,383	3	2.7	00.0-07.0				7	8.8	01.2-16.4	6	7.6	00.7-14.5	15	16.2	06.6-25.8			
\$25,000- 34,999	125	21,910	4	1.7	00.0-03.5				13	10.9	03.5-18.3	12	9.5	02.2-16.8						
\$35,000- 49,999	216	40,826	5	3.1	00.0-06.2	74	31.0	22.8-39.2	22	11.5	04.8-18.2	21	10.8	03.4-18.2	17	10.7	04.2-17.2	77	32.9	24.7-41.1
\$50,000- 74,999	278	56,264	10	2.5	00.7-04.3	76	31.6	23.4-39.8	31	11.0	06.3-15.7	26	11.0	05.5-16.5	40	14.2	08.7-19.7	95	29.7	22.6-36.8
\$75,000+	477	116,484	20	4.4	02.0-06.8	167	32.4	26.9-37.9	68	15.1	11.0-19.2	43	10.2	06.5-13.9	56	15.2	10.1-20.3	123	22.6	18.1-27.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 12: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2462	334,371	89	3.6	02.6-04.6	649	26.5	24.1-28.9	328	14.1	11.9-16.3	291	13.5	11.5-15.5	363	16.5	14.0-19.0	742	25.7	23.3-28.1
White/Non-Hisp	1982	258,184	72	3.7	02.5-04.9	535	28.2	25.5-30.9	262	13.5	11.3-15.7	236	13.4	11.2-15.6	268	15.7	12.8-18.6	609	25.6	23.1-28.1
Black or Afr. Am./Non-Hisp	282	41,951	12	4.2	00.9-07.5	67	20.8	14.3-27.3	39	18.3	10.7-25.9	30	11.5	05.0-18.0	48	16.6	10.7-22.5	86	28.6	21.2-36.0
Oth. Race/Non-Hisp.	56	8,311	1	0.6	00.0-01.8							6	10.6	01.6-19.6						
MultiRacial/Non-Hisp.	78	10,405	2	4.8	00.0-12.6				11	11.5	03.3-19.7	8	11.2	02.0-20.4						
Hispanic	56	14,252	1	1.5	00.0-04.4															
18-24	141	41,571	6	4.7	00.0-09.6	28	16.5	09.1-23.9				20	15.4	06.4-24.4				22	14.6	06.8-22.4
25-34	298	56,048	8	3.2	00.7-05.7	76	26.1	19.4-32.8	51	17.0	11.5-22.5	55	19.0	13.3-24.7	72	22.4	16.3-28.5	36	12.3	07.2-17.4
35-44	427	63,828	7	1.8	00.2-03.4	109	25.6	20.5-30.7	76	16.5	12.2-20.8	77	17.4	12.7-22.1	77	20.3	15.4-25.2	81	18.5	14.2-22.8
45-54	502	60,410	21	3.8	01.8-05.8	148	31.0	25.5-36.5	77	15.6	11.3-19.9	67	14.8	10.7-18.9	84	15.6	11.5-19.7	105	19.3	14.8-23.8
55-64	445	48,064	24	4.4	02.2-06.6	143	34.9	29.0-40.8	46	11.9	07.8-16.0	41	9.4	05.9-12.9	46	9.3	05.8-12.8	145	30.1	24.6-35.6
65+	629	62,262	22	4.2	02.2-06.2	137	23.1	18.6-27.6	47	4.7	03.1-06.3	30	5.4	03.0-07.8	44	6.6	04.2-09.0	349	56.0	50.9-61.1
Less Than H.S.	141	19,616	1	0.2	00.0-00.6	19	8.8	02.5-15.1	13	9.8	02.7-16.9	16	11.5	04.1-18.9				50	22.6	12.6-32.6
H.S. or G.E.D.	836	96,972	28	2.9	01.7-04.1	191	21.3	17.6-25.0	100	11.0	07.9-14.1	90	12.9	09.0-16.8	129	19.4	15.3-23.5	298	32.6	28.1-37.1
Some Post-H.S.	662	93,319	26	4.9	02.2-07.6	186	26.5	22.0-31.0	88	16.1	11.4-20.8	82	14.3	10.2-18.4	95	13.2	09.7-16.7	185	24.9	20.4-29.4
College Graduate	821	124,028	34	3.8	02.2-05.4	253	33.6	29.3-37.9	127	15.7	12.4-19.0	103	13.6	10.7-16.5	96	11.8	08.9-14.7	208	21.4	18.1-24.7
Less than \$15,000	262	27,060	9	3.2	00.8-05.6	46	19.4	12.3-26.5	28	9.6	04.9-14.3	18	6.1	03.0-09.2	58	24.9	17.5-32.3	103	36.8	29.2-44.4
\$15,000- 24,999	269	28,772	4	1.2	00.0-02.6	46	14.3	08.4-20.2	27	9.3	04.6-14.0	27	13.6	04.8-22.4	74	28.5	20.5-36.5	91	33.2	25.0-41.4
\$25,000- 34,999	220	24,035	7	3.1	00.6-05.6	63	30.2	22.2-38.2	23	7.9	03.6-12.2	27	14.9	08.4-21.4	34	16.2	10.3-22.1	66	27.8	20.2-35.4
\$35,000- 49,999	340	43,219	14	3.7	00.8-06.6	93	25.6	19.5-31.7	50	12.9	08.4-17.4	42	10.5	06.0-15.0	52	21.0	14.3-27.7	89	26.3	19.4-33.2
\$50,000- 74,999	369	56,869	18	5.0	02.1-07.9	118	28.7	22.0-35.4	61	17.8	11.9-23.7	46	13.0	08.7-17.3				86	19.8	14.3-25.3
\$75,000+	564	96,735	20	3.4	01.6-05.2	170	29.7	24.8-34.6	91	19.0	14.3-23.7	91	17.4	13.3-21.5	63	12.4	08.7-16.1	129	18.1	14.4-21.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 13: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3891	636,216	36	1.0	00.6-01.4	323	8.4	07.2-09.6	302	8.4	07.0-09.8	868	24.1	22.1-26.1	1931	49.5	47.1-51.9	431	8.7	07.5-09.9
Male	1457	305,972	8	1.0	00.0-02.0	101	7.2	05.2-09.2	106	8.1	05.7-10.5	329	24.0	20.9-27.1	772	52.1	48.4-55.8	141	7.7	05.9-09.5
Female	2434	330,244	28	1.0	00.6-01.4	222	9.5	07.9-11.1	196	8.6	07.0-10.2	539	24.2	21.7-26.7	1159	47.1	44.2-50.0	290	9.5	08.1-10.9
White/Non-Hisp	3159	496,906	21	0.6	00.2-01.0	267	8.7	07.3-10.1	244	8.1	06.7-09.5	709	24.3	22.1-26.5	1556	49.1	46.6-51.6	362	9.2	07.8-10.6
Black or Afr. Am./Non-Hisp	427	77,623	10	2.4	00.6-04.2	36	7.5	04.4-10.6	29	8.0	03.7-12.3	91	23.9	17.6-30.2	230	53.2	46.1-60.3	31	4.9	02.5-07.3
Oth. Race/Non-Hisp.	93	18,108				8	8.9	00.7-17.1				17	14.3	06.1-22.5				15	10.3	03.2-17.4
MultiRacial/Non-Hisp.	109	16,879	3	2.1	00.0-05.0	4	2.1	00.0-04.3	13	9.9	03.6-16.2							13	11.0	03.2-18.8
Hispanic	86	24,174	2	4.7	00.0-13.1	6	5.9	00.0-12.0	7	7.9	01.2-14.6							7	5.8	00.0-11.7
18-24	220	83,134	7	3.2	00.1-06.3	23	7.7	04.0-11.4	16	8.6	02.7-14.5	60	27.6	19.6-35.6	98	46.4	37.0-55.8	16	6.4	02.1-10.7
25-34	462	109,868	3	0.3	00.0-00.7	46	10.6	06.5-14.7	48	12.4	08.1-16.7	138	26.3	21.0-31.6	199	45.8	39.5-52.1	28	4.5	02.3-06.7
35-44	676	124,729	6	0.9	00.1-01.7	64	8.6	06.1-11.1	69	7.8	05.6-10.0	180	28.4	24.1-32.7	310	48.2	43.3-53.1	47	6.1	03.9-08.3
45-54	820	117,623	4	0.6	00.0-01.2	78	8.9	06.2-11.6	73	7.6	05.4-09.8	198	24.4	20.5-28.3	373	48.9	44.2-53.6	94	9.5	07.0-12.0
55-64	723	89,565	9	1.2	00.2-02.2	55	8.8	05.9-11.7	45	7.2	04.5-09.9	144	22.5	18.4-26.6	394	51.5	46.6-56.4	76	8.8	06.3-11.3
65+	962	107,804	7	0.4	00.0-00.8	57	5.6	03.8-07.4	49	6.4	04.2-08.6	142	15.5	12.6-18.4	541	55.7	51.8-59.6	166	16.4	13.5-19.3
Less Than H.S.	252	40,482	5	1.4	00.0-02.8	30	10.4	05.3-15.5	19	6.6	02.9-10.3	50	19.7	12.4-27.0				48	14.1	08.4-19.8
H.S. or G.E.D.	1276	193,345	14	1.9	00.5-03.3	96	7.5	05.5-09.5	94	7.5	05.5-09.5	251	22.9	19.2-26.6	649	49.0	44.9-53.1	172	11.3	08.8-13.8
Some Post-H.S.	1004	163,701	9	0.7	00.1-01.3	91	9.1	06.6-11.6	80	9.2	06.5-11.9	238	25.6	21.7-29.5	474	46.8	42.5-51.1	112	8.7	06.5-10.9
College Graduate	1356	238,079	8	0.4	00.0-00.8	106	8.3	06.1-10.5	108	8.7	06.2-11.2	327	24.7	21.6-27.8	708	52.2	48.5-55.9	99	5.6	04.2-07.0
Less than \$15,000	388	53,938	9	2.8	00.1-05.5	33	9.3	05.4-13.2	27	9.6	02.0-17.2	80	21.4	15.1-27.7	168	41.5	33.9-49.1	71	15.5	10.6-20.4
\$15,000- 24,999	349	41,319	6	1.1	00.1-02.1	45	14.9	09.4-20.4	26	8.0	03.7-12.3	58	15.0	10.3-19.7	125	39.1	30.7-47.5	89	21.9	15.8-28.0
\$25,000- 34,999	339	45,290	4	0.6	00.0-01.4	26	6.1	03.2-09.0	30	10.7	05.8-15.6	72	21.7	15.0-28.4	165	50.5	42.7-58.3	42	10.4	06.7-14.1
\$35,000- 49,999	555	83,856	6	1.2	00.0-02.4	51	9.3	06.2-12.4	53	10.7	06.8-14.6	118	22.5	17.2-27.8	280	48.6	42.7-54.5	47	7.8	04.7-10.9
\$50,000- 74,999	644	112,192	5	0.8	00.0-01.6	51	8.0	05.3-10.7	43	7.8	04.9-10.7	161	24.9	20.2-29.6	323	51.1	45.2-57.0	61	7.4	04.9-09.9
\$75,000+	1039	212,988	1	0.1	00.0-00.3	74	7.0	04.8-09.2	87	8.0	05.8-10.2	276	28.1	24.4-31.8	544	51.6	47.5-55.7	57	5.3	03.3-07.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 14: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1457	305,972	8	1.0	00.0-02.0	101	7.2	05.2-09.2	106	8.1	05.7-10.5	329	24.0	20.9-27.1	772	52.1	48.4-55.8	141	7.7	05.9-09.5
White/Non-Hisp	1194	240,337	3	0.4	00.0-01.0	81	7.4	05.2-09.6	90	7.6	05.6-09.6	273	24.9	21.4-28.4	629	51.5	47.6-55.4	118	8.2	06.0-10.4
Black or Afr. Am./Non-Hisp	150	37,113	3	2.5	00.0-05.2	11	6.5	02.2-10.8	10	9.7	01.7-17.7	32	22.6	12.8-32.4				5	2.1	00.0-04.5
18-24	82	42,039	2	4.2	00.0-10.1	5	4.1	00.0-08.2										8	9.8	01.6-18.0
25-34	166	54,401				14	10.2	03.5-16.9	17	12.4	05.3-19.5	52	26.4	18.0-34.8	75	47.6	37.6-57.6	8	3.4	00.5-06.3
35-44	251	61,372	2	0.7	00.0-01.9	17	6.0	02.9-09.1	25	6.5	03.6-09.4	71	30.0	22.9-37.1	130	54.6	47.2-62.0	6	2.3	00.3-04.3
45-54	319	56,909				24	6.9	02.6-11.2	23	6.4	03.1-09.7	74	21.6	15.9-27.3	163	55.1	47.7-62.5	35	10.0	05.5-14.5
55-64	284	43,013	2	1.3	00.0-03.1	21	10.7	05.4-16.0	15	5.9	02.0-09.8	61	22.3	15.6-29.0	155	51.7	43.9-59.5	30	8.1	04.6-11.6
65+	347	46,933	2	0.3	00.0-00.9	20	5.2	02.5-07.9	18	5.5	02.6-08.4	51	16.6	11.5-21.7	202	57.0	50.7-63.3	54	15.3	10.8-19.8
Less Than H.S.	110	20,821	1	0.2	00.0-00.6	5	1.7	00.0-03.5	7	5.4	00.7-10.1							22	15.2	06.8-23.6
H.S. or G.E.D.	453	97,652	4	2.3	00.0-05.0	34	6.5	03.8-09.2	30	6.8	03.5-10.1	84	22.4	16.5-28.3	249	52.0	45.3-58.7	52	10.0	05.9-14.1
Some Post-H.S.	348	71,577	1	0.4	00.0-01.2	32	9.9	05.2-14.6	25	7.9	03.6-12.2	89	25.8	19.5-32.1	172	49.1	42.0-56.2	29	6.9	03.6-10.2
College Graduate	545	115,749	2	0.3	00.0-00.7	30	7.0	03.7-10.3	44	9.9	05.4-14.4	132	24.4	19.7-29.1	299	53.4	47.5-59.3	38	5.0	03.0-07.0
Less than \$15,000	126	26,877	1	2.6	00.0-07.7	13	10.0	03.3-16.7				27	20.0	10.0-30.0				26	15.3	07.5-23.1
\$15,000- 24,999	80	12,578	1	0.5	00.0-01.5	11	14.1	04.5-23.7				10	8.3	02.4-14.2						
\$25,000- 34,999	123	21,649	1	0.1	00.0-00.5	9	3.5	01.0-06.0	9	8.2	01.1-15.3							15	9.0	03.5-14.5
\$35,000- 49,999	216	40,676	1	0.9	00.0-02.7	19	8.5	03.8-13.2	17	8.4	02.7-14.1	41	22.6	13.8-31.4	122	53.4	44.0-62.8	16	6.3	02.6-10.0
\$50,000- 74,999	275	55,675	2	0.7	00.0-01.7	13	5.0	01.9-08.1	22	8.9	04.0-13.8	68	26.3	18.9-33.7	144	51.7	43.5-59.9	26	7.4	03.5-11.3
\$75,000+	479	116,761				25	6.1	03.0-09.2	37	7.6	04.5-10.7	131	27.7	22.4-33.0	261	53.0	47.1-58.9	25	5.5	02.4-08.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 6: HEALTHY DAYS (Symptoms)**

**TABLE 15: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2434	330,244	28	1.0	00.6-01.4	222	9.5	07.9-11.1	196	8.6	07.0-10.2	539	24.2	21.7-26.7	1159	47.1	44.2-50.0	290	9.5	08.1-10.9
White/Non-Hisp	1965	256,569	18	0.8	00.4-01.2	186	9.9	08.1-11.7	154	8.6	06.8-10.4	436	23.7	21.2-26.2	927	46.9	43.6-50.2	244	10.1	08.3-11.9
Black or Afr. Am./Non-Hisp	277	40,510	7	2.2	00.2-04.2	25	8.5	04.0-13.0	19	6.5	03.0-10.0	59	25.2	17.6-32.8	141	50.2	41.4-59.0	26	7.4	03.5-11.3
Oth. Race/Non-Hisp.	54	7,603				5	9.7	00.5-18.9	4	6.6	00.0-13.7							8	12.5	02.9-22.1
MultiRacial/Non-Hisp.	74	10,041	3	3.6	00.0-08.5	2	1.9	00.0-04.8	11	13.5	03.9-23.1							7	8.1	00.5-15.7
Hispanic	56	14,252				3	7.5	00.0-17.3										4	3.9	00.0-08.4
18-24	138	41,095	5	2.1	00.1-04.1	18	11.5	05.0-18.0	8	4.6	00.7-08.5							8	3.1	00.6-05.6
25-34	296	55,467	3	0.5	00.0-01.3	32	11.0	06.1-15.9	31	12.5	07.6-17.4	86	26.3	20.0-32.6	124	44.0	36.6-51.4	20	5.7	02.6-08.8
35-44	425	63,357	4	1.0	00.0-02.2	47	11.1	07.4-14.8	44	9.0	05.9-12.1	109	27.0	21.5-32.5	180	42.1	36.2-48.0	41	9.8	06.1-13.5
45-54	501	60,713	4	1.2	00.0-02.6	54	10.9	07.6-14.2	50	8.8	05.9-11.7	124	26.9	21.6-32.2	210	43.1	37.2-49.0	59	9.1	06.2-12.0
55-64	439	46,552	7	1.1	00.0-02.3	34	7.1	04.4-09.8	30	8.4	04.7-12.1	83	22.7	17.4-28.0	239	51.3	45.2-57.4	46	9.5	06.0-13.0
65+	615	60,871	5	0.4	00.0-00.8	37	5.9	03.5-08.3	31	7.0	03.9-10.1	91	14.7	11.2-18.2	339	54.8	49.7-59.9	112	17.2	13.3-21.1
Less Than H.S.	142	19,660	4	2.8	00.0-05.9				12	7.8	01.9-13.7	27	17.1	07.9-26.3				26	12.9	05.5-20.3
H.S. or G.E.D.	823	95,693	10	1.5	00.3-02.7	62	8.4	05.7-11.1	64	8.1	05.7-10.5	167	23.3	18.8-27.8	400	45.9	41.0-50.8	120	12.7	09.8-15.6
Some Post-H.S.	656	92,124	8	0.8	00.2-01.4	59	8.4	05.7-11.1	55	10.2	06.9-13.5	149	25.4	20.5-30.3	302	45.0	39.5-50.5	83	10.1	07.2-13.0
College Graduate	811	122,331	6	0.5	00.1-00.9	76	9.6	06.9-12.3	64	7.7	05.3-10.1	195	25.1	21.2-29.0	409	51.1	46.6-55.6	61	6.1	04.1-08.1
Less than \$15,000	262	27,061	8	3.0	00.6-05.4	20	8.5	04.2-12.8	18	6.8	03.1-10.5	53	22.8	15.4-30.2	118	43.3	35.1-51.5	45	15.6	09.7-21.5
\$15,000- 24,999	269	28,741	5	1.3	00.1-02.5	34	15.2	08.3-22.1	19	6.6	02.9-10.3	48	18.0	11.9-24.1	94	37.5	27.9-47.1	69	21.4	14.7-28.1
\$25,000- 34,999	216	23,641	3	1.0	00.0-02.4	17	8.4	03.7-13.1	21	13.1	06.6-19.6	51	22.1	15.4-28.8	97	43.7	35.1-52.3	27	11.7	06.6-16.8
\$35,000- 49,999	339	43,180	5	1.5	00.0-03.1	32	10.0	05.9-14.1	36	12.8	07.5-18.1	77	22.4	16.3-28.5	158	44.1	36.7-51.5	31	9.3	04.6-14.0
\$50,000- 74,999	369	56,517	3	1.0	00.0-02.4	38	10.9	06.6-15.2	21	6.6	03.1-10.1	93	23.4	17.5-29.3	179	50.6	42.2-59.0	35	7.5	04.4-10.6
\$75,000+	560	96,227	1	0.2	00.0-00.6	49	8.0	05.3-10.7	50	8.4	05.7-11.1	145	28.6	23.5-33.7	283	49.8	44.3-55.3	32	4.9	02.7-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006

MODULE 9: FOLIC ACID CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU CURRENTLY TAKE ANY VITAMIN PILLS OR SUPPLEMENTS? (VITAMINS)	
1	MALES AND FEMALES	57
2	MALES ONLY	58
3	FEMALES ONLY	59
	ARE ANY OF THESE A MULTIVITAMIN? (MULTIVIT)	
4	MALES AND FEMALES	60
5	MALES ONLY	61
6	FEMALES ONLY	62
	DO ANY OF THE VITAMIN PILLS OR SUPPLEMENTS YOU TAKE CONTAIN FOLIC ACID? (FOLICACD)	
7	MALES AND FEMALES	63
8	MALES ONLY	64
9	FEMALES ONLY	65
	HOW OFTEN DO YOU TAKE THIS VITAMIN PILL OR SUPPLEMENT? (TAKEVIT)	
10	MALES AND FEMALES	66
11	MALES ONLY	67
12	FEMALES ONLY	68
	SOME HEALTH EXPERTS RECOMMEND THAT WOMEN TAKE 400 MICROGRAMS OF THE B VITAMIN FOLIC ACID, FOR WHICH ONE OF THE FOLLOWING REASONS...? (RECOMMEN)	
13	MALES AND FEMALES	69
14	MALES ONLY	70
15	FEMALES ONLY	71

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

**TABLE 1: DO YOU CURRENTLY TAKE ANY VITAMIN PILLS OR SUPPLEMENTS? (VITAMINS)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3954	644,518	2490	57.8	55.4-60.2	1464	42.2	39.8-44.6
Male	1468	307,415	861	54.2	50.5-57.9	607	45.8	42.1-49.5
Female	2486	337,103	1629	61.0	58.1-63.9	857	39.0	36.1-41.9
White/Non-Hisp	3204	502,149	2095	61.2	58.7-63.7	1109	38.8	36.3-41.3
Black or Afr. Am./Non-Hisp	438	79,444	226	44.8	38.1-51.5	212	55.2	48.5-61.9
18-24	223	83,610	79	30.0	21.8-38.2	144	70.0	61.8-78.2
25-34	464	110,449	240	52.8	46.5-59.1	224	47.2	40.9-53.5
35-44	680	125,451	366	52.3	47.6-57.0	314	47.7	43.0-52.4
45-54	826	118,088	508	59.9	55.2-64.6	318	40.1	35.4-44.8
55-64	736	91,581	527	71.3	66.8-75.8	209	28.7	24.2-33.2
65+	996	111,821	750	75.5	72.2-78.8	246	24.5	21.2-27.8
Less Than H.S.	257	41,007	124	37.4	27.6-47.2	133	62.6	52.8-72.4
H.S. or G.E.D.	1303	196,475	759	49.7	45.6-53.8	544	50.3	46.2-54.4
Some Post-H.S.	1020	165,855	655	57.9	53.4-62.4	365	42.1	37.6-46.6
College Graduate	1371	240,572	951	67.8	64.5-71.1	420	32.2	28.9-35.5
Less than \$15,000	398	54,989	237	57.0	49.2-64.8	161	43.0	35.2-50.8
\$15,000- 24,999	354	41,756	174	38.4	31.1-45.7	180	61.6	54.3-68.9
\$25,000- 34,999	346	45,983	224	56.1	48.1-64.1	122	43.9	35.9-51.9
\$35,000- 49,999	559	84,367	350	53.1	47.0-59.2	209	46.9	40.8-53.0
\$50,000- 74,999	649	112,997	419	58.7	52.6-64.8	230	41.3	35.2-47.4
\$75,000+	1044	213,789	673	61.1	57.0-65.2	371	38.9	34.8-43.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

TABLE 2: DO YOU CURRENTLY TAKE ANY VITAMIN PILLS OR SUPPLEMENTS? (VITAMINS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1468	307,415	861	54.2	50.5-57.9	607	45.8	42.1-49.5	
White/Non-Hisp	1203	241,561	732	57.9	54.0-61.8	471	42.1	38.2-46.0	
25-34	166	54,401	71	46.1	36.1-56.1	95	53.9	43.9-63.9	
35-44	253	61,592	121	45.2	37.8-52.6	132	54.8	47.4-62.2	
45-54	319	56,909	189	58.6	51.0-66.2	130	41.4	33.8-49.0	
55-64	287	43,305	198	70.6	63.5-77.7	89	29.4	22.3-36.5	
65+	353	47,864	251	74.6	69.3-79.9	102	25.4	20.1-30.7	
H.S. or G.E.D.	457	98,203	238	44.0	37.5-50.5	219	56.0	49.5-62.5	
Some Post-H.S.	351	71,976	211	56.6	49.5-63.7	140	43.4	36.3-50.5	
College Graduate	547	115,820	359	64.7	59.2-70.2	188	35.3	29.8-40.8	
\$35,000- 49,999	219	41,148	124	48.0	38.8-57.2	95	52.0	42.8-61.2	
\$50,000- 74,999	277	55,571	174	57.7	49.3-66.1	103	42.3	33.9-50.7	
\$75,000+	480	117,032	280	55.9	50.0-61.8	200	44.1	38.2-50.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

TABLE 3: DO YOU CURRENTLY TAKE ANY VITAMIN PILLS OR SUPPLEMENTS? (VITAMINS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2486	337,103	1629	61.0	58.1-63.9	857	39.0	36.1-41.9	
White/Non-Hisp	2001	260,588	1363	64.2	60.9-67.5	638	35.8	32.5-39.1	
Black or Afr. Am./Non-Hisp	286	42,113	150	45.9	37.5-54.3	136	54.1	45.7-62.5	
18-24	141	41,571	54	29.2	19.4-39.0	87	70.8	61.0-80.6	
25-34	298	56,048	169	59.4	52.3-66.5	129	40.6	33.5-47.7	
35-44	427	63,859	245	59.2	53.5-64.9	182	40.8	35.1-46.5	
45-54	507	61,179	319	61.1	55.4-66.8	188	38.9	33.2-44.6	
55-64	449	48,276	329	72.0	66.1-77.9	120	28.0	22.1-33.9	
65+	643	63,958	499	76.2	71.9-80.5	144	23.8	19.5-28.1	
H.S. or G.E.D.	846	98,272	521	55.4	50.5-60.3	325	44.6	39.7-49.5	
Some Post-H.S.	669	93,880	444	58.9	53.2-64.6	225	41.1	35.4-46.8	
College Graduate	824	124,752	592	70.7	66.6-74.8	232	29.3	25.2-33.4	
Less than \$15,000	272	28,113	168	63.3	55.7-70.9	104	36.7	29.1-44.3	
\$15,000- 24,999	274	29,177	142	42.9	34.3-51.5	132	57.1	48.5-65.7	
\$25,000- 34,999	221	24,074	149	57.1	48.5-65.7	72	42.9	34.3-51.5	
\$35,000- 49,999	340	43,219	226	57.9	50.3-65.5	114	42.1	34.5-49.7	
\$50,000- 74,999	372	57,426	245	59.6	50.6-68.6	127	40.4	31.4-49.4	
\$75,000+	564	96,757	393	67.4	62.1-72.7	171	32.6	27.3-37.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

TABLE 4: ARE ANY OF THESE A MULTIVITAMIN? (MULTIVIT)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2476	370,129	2138	86.9	85.1-88.7	338	13.1	11.3-14.9
Male	855	165,461	748	88.0	85.1-90.9	107	12.0	09.1-14.9
Female	1621	204,669	1390	86.0	83.6-88.4	231	14.0	11.6-16.4
White/Non-Hisp	2083	305,763	1797	87.0	85.0-89.0	286	13.0	11.0-15.0
Black or Afr. Am./Non-Hisp	225	35,213	196	89.3	84.0-94.6	29	10.7	05.4-16.0
25-34	238	58,049	211	90.8	86.3-95.3	27	9.2	04.7-13.7
35-44	364	65,112	327	90.8	87.3-94.3	37	9.2	05.7-12.7
45-54	508	70,754	453	88.6	84.5-92.7	55	11.4	07.3-15.5
55-64	524	64,801	451	87.8	84.5-91.1	73	12.2	08.9-15.5
65+	745	83,720	615	81.7	78.0-85.4	130	18.3	14.6-22.0
Less Than H.S.	121	14,856	97	80.6	70.6-90.6	24	19.4	09.4-29.4
H.S. or G.E.D.	754	97,257	645	87.6	84.7-90.5	109	12.4	09.5-15.3
Some Post-H.S.	652	95,349	566	87.1	83.2-91.0	86	12.9	09.0-16.8
College Graduate	948	162,495	829	86.9	84.2-89.6	119	13.1	10.4-15.8
Less than \$15,000	234	30,904	201	85.8	78.7-92.9	33	14.2	07.1-21.3
\$15,000- 24,999	172	15,729	136	78.5	69.1-87.9	36	21.5	12.1-30.9
\$25,000- 34,999	224	25,788	190	83.1	76.0-90.2	34	16.9	09.8-24.0
\$35,000- 49,999	348	44,587	305	87.8	83.1-92.5	43	12.2	07.5-16.9
\$50,000- 74,999	417	66,089	365	87.7	83.4-92.0	52	12.3	08.0-16.6
\$75,000+	670	129,790	591	89.7	86.8-92.6	79	10.3	07.4-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

TABLE 5: ARE ANY OF THESE A MULTIVITAMIN? (MULTIVIT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	855	165,461	748	88.0	85.1-90.9	107	12.0	09.1-14.9
White/Non-Hisp	727	139,162	636	87.8	84.7-90.9	91	12.2	09.1-15.3
Black or Afr. Am./Non-Hisp	76	16,239	67	89.4	80.4-98.4	9	10.6	01.6-19.6
25-34	70	24,893	64	91.0	83.0-99.0	6	9.0	01.0-17.0
35-44	120	27,662	109	91.5	85.6-97.4	11	8.5	02.6-14.4
45-54	189	33,371	172	88.6	81.5-95.7	17	11.4	04.3-18.5
55-64	196	30,091	168	89.4	84.7-94.1	28	10.6	05.9-15.3
65+	249	35,438	208	81.9	76.2-87.6	41	18.1	12.4-23.8
H.S. or G.E.D.	237	43,039	208	91.2	87.7-94.7	29	8.8	05.3-12.3
Some Post-H.S.	211	40,745	189	87.3	80.0-94.6	22	12.7	05.4-20.0
College Graduate	356	74,248	310	86.9	82.6-91.2	46	13.1	08.8-17.4
\$35,000- 49,999	123	19,595	110	88.3	81.6-95.0	13	11.7	05.0-18.4
\$50,000- 74,999	174	32,047	153	90.5	85.0-96.0	21	9.5	04.0-15.0
\$75,000+	278	64,898	244	88.5	83.6-93.4	34	11.5	06.6-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

TABLE 6: ARE ANY OF THESE A MULTIVITAMIN? (MULTIVIT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1621	204,669	1390	86.0	83.6-88.4	231	14.0	11.6-16.4
White/Non-Hisp	1356	166,600	1161	86.3	83.8-88.8	195	13.7	11.2-16.2
Black or Afr. Am./Non-Hisp	149	18,974	129	89.1	83.0-95.2	20	10.9	04.8-17.0
25-34	168	33,156	147	90.6	85.3-95.9	21	9.4	04.1-14.7
35-44	244	37,450	218	90.2	85.7-94.7	26	9.8	05.3-14.3
45-54	319	37,383	281	88.6	84.1-93.1	38	11.4	06.9-15.9
55-64	328	34,709	283	86.3	81.6-91.0	45	13.7	09.0-18.4
65+	496	48,282	407	81.6	76.9-86.3	89	18.4	13.7-23.1
H.S. or G.E.D.	517	54,218	437	84.8	80.5-89.1	80	15.2	10.9-19.5
Some Post-H.S.	441	54,604	377	86.9	82.6-91.2	64	13.1	08.8-17.4
College Graduate	592	88,247	519	86.9	83.4-90.4	73	13.1	09.6-16.6
Less than \$15,000	166	17,538	143	85.9	77.5-94.3	23	14.1	05.7-22.5
\$25,000- 34,999	149	13,751	125	80.8	72.8-88.8	24	19.2	11.2-27.2
\$35,000- 49,999	225	24,991	195	87.3	80.8-93.8	30	12.7	06.2-19.2
\$50,000- 74,999	243	34,041	212	85.0	78.5-91.5	31	15.0	08.5-21.5
\$75,000+	392	64,892	347	90.9	87.8-94.0	45	9.1	06.0-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

TABLE 7. DO ANY OF THE VITAMIN PILLS OR SUPPLEMENTS YOU TAKE CONTAIN FOLIC ACID? (FOLICACD)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	280	41,648	116	40.6	32.6-48.6	164	59.4	51.4-67.4
Female	194	24,428	82	44.0	34.4-53.6	112	56.0	46.4-65.6
White/Non-Hisp	236	33,921	94	36.7	28.3-45.1	142	63.3	54.9-71.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID

TABLE 8: DO ANY OF THE VITAMIN PILLS OR SUPPLEMENTS YOU TAKE CONTAIN FOLIC ACID? (FOLICACD)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID

TABLE 9: DO ANY OF THE VITAMIN PILLS OR SUPPLEMENTS YOU TAKE CONTAIN FOLIC ACID? (FOLICACD)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

TABLE 9: DO ANY OF THE VITAMIN PILLS OR SUPPLEMENTS YOU TAKE CONTAIN FOLIC ACID? (FOLICACD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no vitamin or supplement use
Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	194	24,428	82	44.0	34.4-53.6	112	56.0	46.4-65.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

TABLE 10: HOW OFTEN DO YOU TAKE THIS VITAMIN PILL OR SUPPLEMENT? (TAKEVIT)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

Denominator excludes: Respondents reporting using multivitamins not containing Folic Acid

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	115	16,608	106	89.5	81.5-97.5	5	7.1	00.2-14.0	4	3.4	00.0-07.9
Female	82	10,751				4	7.8	00.0-16.4	3	3.6	00.0-09.9
White/Non-Hisp	93	12,132	90	96.6	92.1-0100	3	3.4	00.0-07.9			
College Graduate	53	9,005							1	1.9	00.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID

TABLE 11: HOW OFTEN DO YOU TAKE THIS VITAMIN PILL OR SUPPLEMENT? (TAKEVIT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

Denominator excludes: Respondents reporting using multivitamins not containing Folic Acid

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

TABLE 12: HOW OFTEN DO YOU TAKE THIS VITAMIN PILL OR SUPPLEMENT? (TAKEVIT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

Denominator excludes: Respondents reporting using multivitamins not containing Folic Acid

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	82	10,751				4	7.8	00.0-16.4	3	3.6	00.0-09.9
White/Non-Hisp	66	7,362	63	94.3	87.0-0100	3	5.7	00.0-13.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

TABLE 13: SOME HEALTH EXPERTS RECOMMEND THAT WOMEN TAKE 400 MICROGRAMS OF THE B VITAMIN FOLIC ACID, FOR WHICH ONE OF THE FOLLOWING REASONS...? (RECOMMEN

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents older than 44

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Make strong bones			Prevent birth defects			Prevent high bp			Other			Don't know		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1362	317,954	244	18.7	15.6-21.8	493	34.1	30.6-37.6	79	6.8	04.8-08.8	223	15.3	12.4-18.2	323	25.1	21.8-28.4
Male	498	156,738	85	18.9	13.8-24.0	114	25.4	20.3-30.5	46	9.7	06.2-13.2	83	14.6	10.9-18.3	170	31.4	26.1-36.7
Female	864	161,216	159	18.5	14.8-22.2	379	42.6	37.9-47.3	33	4.0	02.2-05.8	140	16.0	11.5-20.5	153	19.0	15.3-22.7
White/Non-Hisp	993	225,689	170	17.3	14.0-20.6	378	37.2	33.1-41.3	51	6.0	03.8-08.2	155	15.4	11.7-19.1	239	24.1	20.4-27.8
Black or Afr. Am./Non-Hisp	208	49,696	41	21.2	12.8-29.6	55	22.1	14.8-29.4	20	11.5	04.8-18.2	48	18.6	12.1-25.1	44	26.6	17.4-35.8
Oth. Race/Non-Hisp.	51	12,775							1	1.3	00.0-03.8	6	6.4	00.3-12.5			
Hispanic	56	19,555							4	6.6	00.0-14.2						
18-24	223	83,610	53	25.0	16.8-33.2	50	21.7	14.4-29.0	20	8.3	03.6-13.0	44	19.9	11.5-28.3	56	25.1	17.3-32.9
25-34	462	109,623	72	13.9	09.6-18.2	206	44.9	38.8-51.0	24	7.3	03.8-10.8	64	11.4	07.7-15.1	96	22.5	17.2-27.8
35-44	677	124,721	119	18.7	14.6-22.8	237	32.9	28.6-37.2	35	5.4	03.0-07.8	115	15.6	12.3-18.9	171	27.4	23.1-31.7
Less Than H.S.	72	20,511							8	6.9	01.2-12.6						
H.S. or G.E.D.	411	94,336	96	22.0	16.3-27.7	82	19.4	13.7-25.1	30	10.2	05.5-14.9	78	16.1	11.4-20.8	125	32.3	25.6-39.0
Some Post-H.S.	367	83,783	57	17.5	12.0-23.0	137	32.8	26.5-39.1	26	8.0	04.3-11.7	63	15.0	10.5-19.5	84	26.7	20.2-33.2
College Graduate	511	119,017	75	16.7	11.4-22.0	263	50.0	44.1-55.9	15	3.3	01.3-05.3	71	13.5	09.8-17.2	87	16.4	12.3-20.5
Less than \$15,000	118	26,038				19	10.7	04.0-17.4									
\$15,000- 24,999	95	17,651				17	10.6	04.7-16.5	6	5.8	00.3-11.3						
\$25,000- 34,999	115	20,221							9	6.3	01.6-11.0	22	14.8	07.2-22.4			
\$35,000- 49,999	210	44,821	31	17.2	09.9-24.5	64	27.8	19.8-35.8	11	5.0	01.7-08.3	49	18.5	11.8-25.2	55	31.6	22.2-41.0
\$50,000- 74,999	252	60,518	43	18.4	11.3-25.5	105	36.3	27.7-44.9	19	7.5	03.0-12.0				52	21.0	14.1-27.9
\$75,000+	441	115,936	61	14.9	10.4-19.4	212	46.3	40.4-52.2	19	5.7	02.8-08.6	57	11.9	08.2-15.6	92	21.2	16.3-26.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

TABLE 14: SOME HEALTH EXPERTS RECOMMEND THAT WOMEN TAKE 400 MICROGRAMS OF THE B VITAMIN FOLIC ACID, FOR WHICH ONE OF THE FOLLOWING REASONS...? (RECOMMEN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents older than 44

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Make strong bones			Prevent birth defects			Prevent high bp			Other			Don't know		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	498	156,738	85	18.9	13.8-24.0	114	25.4	20.3-30.5	46	9.7	06.2-13.2	83	14.6	10.9-18.3	170	31.4	26.1-36.7
White/Non-Hisp	374	112,751	65	19.2	13.7-24.7	94	29.1	23.0-35.2	32	8.3	04.8-11.8	59	14.5	10.2-18.8	124	29.0	23.3-34.7
Black or Afr. Am./Non-Hisp	70	24,195				9	11.7	02.1-21.3				18	17.8	08.2-27.4			
18-24	82	42,039							13	12.5	04.5-20.5	15	14.7	06.1-23.3			
25-34	165	53,743	26	14.5	07.1-21.9	47	30.4	20.8-40.0	17	11.2	04.9-17.5	25	14.4	07.7-21.1	50	29.5	20.3-38.7
35-44	251	60,956	44	20.1	13.4-26.8	50	21.8	15.5-28.1	16	6.5	02.6-10.4	43	14.6	09.7-19.5	98	37.0	29.7-44.3
H.S. or G.E.D.	174	55,127	33	17.1	09.8-24.4	22	15.9	07.9-23.9	23	15.5	07.9-23.1	30	15.5	08.6-22.4	66	36.0	26.4-45.6
Some Post-H.S.	119	35,863	14	12.8	04.6-21.0				11	8.8	02.5-15.1	17	12.7	06.0-19.4			
College Graduate	176	55,724	33	24.5	14.5-34.5	58	32.5	23.7-41.3	8	5.0	01.1-08.9	33	16.3	09.8-22.8	44	21.7	14.4-29.0
\$35,000- 49,999	80	22,900	11	13.7	04.5-22.9				6	5.1	00.6-09.6						
\$50,000- 74,999	99	29,617							11	11.0	02.6-19.4	14	13.5	04.7-22.3			
\$75,000+	188	60,366	35	18.3	10.9-25.7	54	35.1	26.3-43.9	12	9.0	03.5-14.5	29	12.8	07.5-18.1	58	24.8	17.9-31.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 9: FOLIC ACID**

TABLE 15: SOME HEALTH EXPERTS RECOMMEND THAT WOMEN TAKE 400 MICROGRAMS OF THE B VITAMIN FOLIC ACID, FOR WHICH ONE OF THE FOLLOWING REASONS...? (RECOMMEN

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents older than 44

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Make strong bones			Prevent birth defects			Prevent high bp			Other			Don't know		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	864	161,216	159	18.5	14.8-22.2	379	42.6	37.9-47.3	33	4.0	02.2-05.8	140	16.0	11.5-20.5	153	19.0	15.3-22.7
White/Non-Hisp	619	112,938	105	15.4	11.9-18.9	284	45.4	39.7-51.1	19	3.8	01.6-06.0	96	16.2	10.3-22.1	115	19.2	14.7-23.7
Black or Afr. Am./Non-Hisp	138	25,501							12	7.6	02.7-12.5	30	19.3	10.7-27.9	19	15.2	06.2-24.2
18-24	141	41,571				33	19.3	10.7-27.9	7	4.0	00.0-08.3						
25-34	297	55,881	46	13.3	08.6-18.0	159	58.8	51.7-65.9	7	3.5	00.6-06.4	39	8.6	05.3-11.9	46	15.8	10.5-21.1
35-44	426	63,765	75	17.4	12.7-22.1	187	43.5	37.8-49.2	19	4.4	02.0-06.8	72	16.5	11.8-21.2	73	18.1	13.6-22.6
H.S. or G.E.D.	237	39,209	63	28.7	19.9-37.5	60	24.4	16.8-32.0	7	2.7	00.2-05.2	48	17.1	10.8-23.4	59	27.1	18.5-35.7
Some Post-H.S.	248	47,920	43	21.0	13.4-28.6	106	35.3	27.7-42.9	15	7.4	02.5-12.3	46	16.7	10.4-23.0	38	19.6	11.8-27.4
College Graduate	335	63,293	42	9.9	06.4-13.4	205	65.4	59.3-71.5	7	1.8	00.2-03.4	38	11.1	07.0-15.2	43	11.8	07.9-15.7
Less than \$15,000	79	10,859							1	1.1	00.0-03.3						
\$15,000- 24,999	79	12,966				15	12.0	04.9-19.1	5	5.7	00.0-11.6						
\$25,000- 34,999	77	9,237							3	5.6	00.0-12.5	16	18.6	08.8-28.4	12	15.3	05.5-25.1
\$35,000- 49,999	130	21,921							5	4.8	00.0-09.7	32	20.1	12.1-28.1	24	18.1	08.5-27.7
\$50,000- 74,999	153	30,902	25	15.0	06.8-23.2				8	4.0	00.7-07.3				24	15.1	08.0-22.2
\$75,000+	253	55,570	26	11.3	06.4-16.2	158	58.5	50.7-66.3	7	2.2	00.2-04.2	28	10.9	05.8-16.0	34	17.2	10.3-24.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006**

MODULE 14: ANXIETY AND DEPRESSION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)	
1	MALES AND FEMALES	74
2	MALES ONLY	75
3	FEMALES ONLY	76
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDOWN)	
4	MALES AND FEMALES	77
5	MALES ONLY	78
6	FEMALES ONLY	79
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)	
7	MALES AND FEMALES	80
8	MALES ONLY	81
9	FEMALES ONLY	82
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)	
10	MALES AND FEMALES	83
11	MALES ONLY	84
12	FEMALES ONLY	85
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR ATE TOO MUCH? (ADEAT)	
13	MALES AND FEMALES	86
14	MALES ONLY	87
15	FEMALES ONLY	88
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)	
16	MALES AND FEMALES	89
17	MALES ONLY	90
18	FEMALES ONLY	91

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006**

MODULE 14: ANXIETY AND DEPRESSION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)	
19	MALES AND FEMALES	92
20	MALES ONLY	93
21	FEMALES ONLY	94
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE - BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)	
22	MALES AND FEMALES	95
23	MALES ONLY	96
24	FEMALES ONLY	97
	HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPLUSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)	
25	MALES AND FEMALES	98
26	MALES ONLY	99
27	FEMALES ONLY	100
	HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV)	
28	MALES AND FEMALES	101
29	MALES ONLY	102
30	FEMALES ONLY	103

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 1: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3883	635,388	594	16.5	14.7-18.3	189	5.0	04.0-06.0	185	4.5	03.7-05.3	173	5.1	03.5-06.7	2742	68.9	66.7-71.1
Male	1440	302,252	227	16.5	13.8-19.2	69	5.0	03.4-06.6	52	2.9	01.9-03.9	69	5.2	03.0-07.4	1023	70.5	67.0-74.0
Female	2443	333,137	367	16.5	14.3-18.7	120	4.9	03.5-06.3	133	6.0	04.6-07.4	104	5.0	02.8-07.2	1719	67.6	64.7-70.5
White/Non-Hisp	3150	495,516	447	15.2	13.4-17.0	136	4.4	03.4-05.4	141	4.4	03.4-05.4	130	4.7	03.1-06.3	2296	71.3	68.9-73.7
Black or Afr. Am./Non-Hisp	430	78,714	84	21.1	15.4-26.8	33	7.4	03.3-11.5	28	4.9	02.7-07.1	22	4.5	02.1-06.9	263	62.2	55.5-68.9
Oth. Race/Non-Hisp.	94	18,753	20	15.7	06.7-24.7	5	7.4	00.0-15.2	4	5.7	00.0-11.4						
MultiRacial/Non-Hisp.	111	16,512	25	18.3	09.3-27.3	9	9.4	01.2-17.6	8	6.2	01.1-11.3	9	6.2	01.1-11.3			
Hispanic	83	23,739	5	3.4	00.0-06.9	4	4.0	00.0-09.5	4	4.0	00.0-09.5	5	3.2	00.0-07.3			
18-24	220	83,069	51	22.9	15.6-30.2	12	5.5	01.4-09.6	11	3.2	00.8-05.6	12	10.6	01.8-19.4	134	57.8	48.2-67.4
25-34	456	108,360	95	21.8	16.5-27.1	20	4.7	01.6-07.8	23	5.5	02.8-08.2	9	1.3	00.3-02.3	309	66.6	60.5-72.7
35-44	673	124,405	117	17.5	13.8-21.2	47	6.0	03.8-08.2	38	4.9	03.1-06.7	33	5.1	02.9-07.3	438	66.5	62.0-71.0
45-54	816	116,748	130	15.1	12.0-18.2	45	5.2	03.2-07.2	43	4.8	02.8-06.8	53	6.9	03.6-10.2	545	68.0	63.5-72.5
55-64	725	90,660	86	10.2	07.5-12.9	31	4.5	02.3-06.7	29	4.5	02.5-06.5	34	4.3	02.3-06.3	545	76.5	72.4-80.6
65+	968	109,294	111	11.5	09.0-14.0	34	3.9	02.1-05.7	41	4.0	02.4-05.6	31	3.1	01.7-04.5	751	77.4	74.1-80.7
Less Than H.S.	243	39,660	38	19.6	10.4-28.8	11	4.7	00.8-08.6	24	7.7	04.0-11.4						
H.S. or G.E.D.	1277	193,440	197	15.4	12.5-18.3	71	5.6	03.6-07.6	66	5.2	03.6-06.8	81	7.2	04.8-09.6	862	66.5	62.6-70.4
Some Post-H.S.	1002	162,914	171	21.5	17.6-25.4	50	4.5	02.9-06.1	55	5.3	03.5-07.1	37	3.0	01.4-04.6	689	65.7	61.4-70.0
College Graduate	1358	238,764	187	13.4	11.0-15.8	57	4.8	03.0-06.6	39	2.9	01.7-04.1	32	2.7	00.7-04.7	1043	76.3	73.0-79.6
Less than \$15,000	387	54,188	64	14.9	10.2-19.6	28	9.1	04.6-13.6	25	6.5	03.4-09.6	29	11.8	03.8-19.8	241	57.8	49.6-66.0
\$15,000- 24,999	347	41,357	47	13.6	08.7-18.5	27	9.1	02.8-15.4	40	10.2	06.5-13.9	43	13.5	08.2-18.8	190	53.7	45.7-61.7
\$25,000- 34,999	338	45,014	61	18.7	10.9-26.5	13	3.9	01.2-06.6	22	7.0	03.5-10.5	14	3.8	01.4-06.2	228	66.6	58.6-74.6
\$35,000- 49,999	552	83,614	89	18.3	13.8-22.8	31	5.2	02.7-07.7	30	7.0	03.9-10.1	16	3.8	01.3-06.3	386	65.7	60.0-71.4
\$50,000- 74,999	641	111,024	90	15.5	11.4-19.6	28	4.1	02.1-06.1	24	4.1	02.1-06.1	22	6.3	00.6-12.0	477	70.0	63.7-76.3
\$75,000+	1038	212,406	152	15.3	12.4-18.2	41	3.7	02.1-05.3	25	2.3	01.1-03.5	24	2.8	01.0-04.6	796	75.9	72.4-79.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 2: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1440	302,252	227	16.5	13.8-19.2	69	5.0	03.4-06.6	52	2.9	01.9-03.9	69	5.2	03.0-07.4	1023	70.5	67.0-74.0
White/Non-Hisp	1182	237,735	180	15.1	12.4-17.8	49	4.5	02.7-06.3	42	3.3	02.1-04.5	49	4.3	02.3-06.3	862	72.8	69.3-76.3
Black or Afr. Am./Non-Hisp	149	37,071	21	18.4	09.2-27.6	10	6.0	01.1-10.9	8	2.0	00.4-03.6	12	6.1	02.2-10.0			
18-24	81	41,776	17	19.8	10.0-29.6	3	4.2	00.0-08.9	3	2.5	00.0-05.6	5	8.8	00.0-19.0			
25-34	159	52,534	37	24.6	15.6-33.6	11	7.7	01.4-14.0	6	2.4	00.0-04.9	3	1.6	00.0-03.6	102	63.7	53.7-73.7
35-44	252	61,232	45	16.8	11.1-22.5	17	5.9	02.6-09.2	10	2.8	01.0-04.6	10	3.8	01.1-06.5	170	70.8	63.9-77.7
45-54	312	55,759	48	12.6	08.3-16.9	17	5.4	02.1-08.7	14	4.1	01.2-07.0	22	9.2	02.9-15.5	211	68.8	61.4-76.2
55-64	285	42,884	37	11.5	06.8-16.2	10	2.9	00.4-05.4	10	3.4	00.9-05.9	17	4.2	01.5-06.9	211	78.1	72.0-84.2
65+	344	47,110	42	12.7	08.2-17.2	11	3.0	01.0-05.0	9	2.3	00.5-04.1	12	4.0	01.6-06.4	270	77.9	72.6-83.2
Less Than H.S.	108	20,860				5	5.9	00.0-12.8	8	5.5	01.0-10.0	10	6.5	02.0-11.0			
H.S. or G.E.D.	446	96,702	77	15.9	11.4-20.4	21	4.0	01.6-06.4	19	3.2	01.4-05.0	32	7.8	03.7-11.9	297	69.1	63.0-75.2
Some Post-H.S.	343	69,762	58	20.9	14.6-27.2	14	3.3	01.3-05.3	18	4.8	01.9-07.7	12	3.5	00.8-06.2	241	67.6	60.7-74.5
College Graduate	542	114,753	74	12.7	09.2-16.2	29	6.8	03.5-10.1	7	1.0	00.0-02.0	14	3.6	00.0-07.3	418	75.9	70.4-81.4
Less than \$15,000	125	26,837	23	13.6	06.7-20.5	10	9.1	02.0-16.2	9	5.1	00.6-09.6						
\$15,000- 24,999	80	12,578	10	11.6	03.0-20.2	4	1.9	00.0-03.9	9	9.8	02.7-16.9	14	16.3	06.7-25.9			
\$25,000- 34,999	120	21,123				3	1.0	00.0-02.2	3	2.6	00.0-06.1	6	4.2	00.3-08.1			
\$35,000- 49,999	216	40,801	38	18.8	11.9-25.7	12	5.4	01.7-09.1	6	3.4	00.0-07.1	9	4.9	01.0-08.8	151	67.5	59.1-75.9
\$50,000- 74,999	271	53,999	41	15.7	09.4-22.0	11	4.9	01.4-08.4	10	3.2	01.0-05.4	12	3.5	00.4-06.6	197	72.8	65.4-80.2
\$75,000+	474	115,658	68	14.7	10.6-18.8	22	4.4	02.0-06.8	8	1.6	00.2-03.0	11	3.3	00.4-06.2	365	75.9	70.6-81.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 3: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2443	333,137	367	16.5	14.3-18.7	120	4.9	03.5-06.3	133	6.0	04.6-07.4	104	5.0	02.8-07.2	1719	67.6	64.7-70.5
White/Non-Hisp	1968	257,781	267	15.3	12.9-17.7	87	4.3	03.1-05.5	99	5.5	04.1-06.9	81	5.1	02.6-07.6	1434	69.9	66.6-73.2
Black or Afr. Am./Non-Hisp	281	41,643	63	23.4	16.3-30.5	23	8.5	02.0-15.0	20	7.4	03.5-11.3	10	3.0	00.5-05.5	165	57.6	49.0-66.2
Oth. Race/Non-Hisp.	55	8,248				1	4.2	00.0-12.2				3	8.3	00.0-17.7			
MultiRacial/Non-Hisp.	77	10,332				5	7.2	00.0-15.0	6	8.5	00.7-16.3	7	8.5	00.9-16.1			
Hispanic	55	14,081				4	5.0	00.0-10.5	4	6.8	00.0-15.8	3	3.7	00.0-10.2			
18-24	139	41,293				9	6.7	00.0-13.6	8	4.0	00.3-07.7						
25-34	297	55,827	58	19.2	13.3-25.1	9	1.9	00.3-03.5	17	8.5	04.0-13.0	6	1.0	00.0-02.0	207	69.5	62.6-76.4
35-44	421	63,173	72	18.2	13.5-22.9	30	6.1	03.6-08.6	28	6.9	04.2-09.6	23	6.4	03.1-09.7	268	62.4	56.5-68.3
45-54	504	60,989	82	17.3	12.6-22.0	28	5.0	02.8-07.2	29	5.6	03.1-08.1	31	4.9	02.7-07.1	334	67.3	61.8-72.8
55-64	440	47,776	49	9.1	06.0-12.2	21	5.9	02.6-09.2	19	5.5	02.6-08.4	17	4.4	01.7-07.1	334	75.1	69.6-80.6
65+	624	62,184	69	10.6	07.5-13.7	23	4.6	02.1-07.1	32	5.3	02.9-07.7	19	2.4	01.0-03.8	481	77.0	72.7-81.3
Less Than H.S.	135	18,800	20	13.4	05.2-21.6	6	3.4	00.3-06.5	16	10.2	03.7-16.7						
H.S. or G.E.D.	831	96,738	120	14.9	11.6-18.2	50	7.3	04.0-10.6	47	7.2	04.7-09.7	49	6.7	04.3-09.1	565	63.9	59.0-68.8
Some Post-H.S.	659	93,151	113	21.9	16.8-27.0	36	5.5	03.1-07.9	37	5.6	03.2-08.0	25	2.7	00.9-04.5	448	64.3	58.8-69.8
College Graduate	816	124,011	113	14.0	10.9-17.1	28	2.9	01.5-04.3	32	4.7	02.7-06.7	18	1.8	00.8-02.8	625	76.6	72.9-80.3
Less than \$15,000	262	27,351	41	16.2	10.1-22.3	18	9.0	03.3-14.7	16	7.8	03.5-12.1	19	8.5	03.4-13.6	168	58.5	50.1-66.9
\$15,000- 24,999	267	28,778	37	14.4	08.5-20.3	23	12.2	03.6-20.8	31	10.4	06.1-14.7	29	12.3	06.0-18.6	147	50.7	41.5-59.9
\$25,000- 34,999	218	23,891	40	13.7	08.8-18.6	10	6.5	01.8-11.2	19	10.9	05.4-16.4	8	3.4	00.5-06.3	141	65.6	57.6-73.6
\$35,000- 49,999	336	42,814	51	17.8	11.7-23.9	19	5.1	01.8-08.4	24	10.4	05.5-15.3	7	2.6	00.0-05.9	235	64.0	56.6-71.4
\$50,000- 74,999	370	57,024	49	15.3	10.0-20.6	17	3.3	01.3-05.3	14	5.0	01.7-08.3	10	9.1	00.0-19.5	280	67.3	57.7-76.9
\$75,000+	564	96,748	84	16.1	11.8-20.4	19	2.8	01.4-04.2	17	3.1	01.3-04.9	13	2.1	00.7-03.5	431	76.0	71.3-80.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 4: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3925	640,039	612	16.5	14.7-18.3	158	4.1	03.1-05.1	139	3.6	02.8-04.4	143	3.2	02.2-04.2	2873	72.6	70.4-74.8
Male	1462	304,993	184	13.1	10.6-15.6	51	3.8	02.4-05.2	36	2.5	01.3-03.7	51	3.3	01.7-04.9	1140	77.3	74.2-80.4
Female	2463	335,045	428	19.6	17.2-22.0	107	4.4	03.2-05.6	103	4.6	03.4-05.8	92	3.1	02.1-04.1	1733	68.3	65.6-71.0
White/Non-Hisp	3183	498,428	467	15.6	13.8-17.4	119	3.9	02.9-04.9	104	3.2	02.2-04.2	114	3.0	02.2-03.8	2379	74.2	72.0-76.4
Black or Afr. Am./Non-Hisp	434	79,286	81	19.0	13.3-24.7	24	5.7	01.8-09.6	21	5.9	02.8-09.0	12	2.0	00.4-03.6	296	67.4	60.7-74.1
Oth. Race/Non-Hisp.	95	18,815	17	14.7	05.5-23.9	5	3.1	00.2-06.0	3	5.5	00.0-12.0						
MultiRacial/Non-Hisp.	112	17,127	22	12.9	05.8-20.0	6	3.9	00.6-07.2	10	5.4	01.5-09.3	5	3.6	00.0-07.7	69	74.3	64.9-83.7
Hispanic	84	23,855				3	3.2	00.0-07.3	1	0.7	00.0-02.1	6	2.1	00.1-04.1			
18-24	221	81,911	52	23.6	16.0-31.2	11	6.0	01.7-10.3	9	3.2	00.8-05.6	11	5.3	00.0-10.6	138	61.9	52.9-70.9
25-34	463	110,254	91	19.8	14.9-24.7	25	4.3	01.9-06.7	12	4.2	01.1-07.3	14	2.6	00.8-04.4	321	69.1	63.2-75.0
35-44	676	125,019	118	17.2	13.5-20.9	30	3.7	02.1-05.3	37	4.8	03.0-06.6	21	3.2	01.4-05.0	470	71.1	66.8-75.4
45-54	821	117,480	150	16.5	13.2-19.8	37	4.4	02.4-06.4	37	3.9	02.3-05.5	43	3.8	02.4-05.2	554	71.5	67.4-75.6
55-64	730	90,932	96	12.1	09.2-15.0	27	3.6	01.8-05.4	18	2.7	01.1-04.3	28	2.8	01.2-04.4	561	78.7	74.8-82.6
65+	986	110,950	100	10.8	08.3-13.3	28	3.3	01.7-04.9	26	2.4	01.2-03.6	25	1.9	01.1-02.7	807	81.7	78.6-84.8
Less Than H.S.	254	40,710	42	13.8	08.1-19.5	15	5.7	01.8-09.6	19	6.6	03.1-10.1	17	5.1	02.0-08.2	161	68.8	60.0-77.6
H.S. or G.E.D.	1291	193,765	190	16.6	13.5-19.7	52	3.8	02.0-05.6	55	4.1	02.7-05.5	61	4.3	02.9-05.7	933	71.2	67.5-74.9
Some Post-H.S.	1012	165,028	164	18.1	14.4-21.8	50	4.8	03.0-06.6	32	3.2	01.6-04.8	33	3.0	01.4-04.6	733	70.9	66.8-75.0
College Graduate	1365	239,927	214	15.7	13.2-18.2	41	3.6	02.2-05.0	33	2.9	01.5-04.3	31	2.1	00.3-03.9	1046	75.7	72.4-79.0
Less than \$15,000	392	54,540	61	15.0	10.1-19.9	28	6.9	03.6-10.2	15	2.6	01.0-04.2	33	13.0	05.2-20.8	255	62.6	54.6-70.6
\$15,000- 24,999	348	41,163	56	14.6	09.5-19.7	30	11.6	04.9-18.3	40	11.4	06.9-15.9	42	9.4	05.7-13.1	180	53.0	45.0-61.0
\$25,000- 34,999	346	45,983	56	17.7	11.0-24.4	14	3.5	01.1-05.9	15	5.6	02.5-08.7	14	3.6	01.2-06.0	247	69.6	62.3-76.9
\$35,000- 49,999	556	84,015	82	18.3	13.2-23.4	26	4.3	02.1-06.5	25	5.0	02.6-07.4	17	4.0	01.5-06.5	406	68.5	62.8-74.2
\$50,000- 74,999	647	112,421	104	14.6	11.1-18.1	15	2.7	00.9-04.5	16	3.4	01.4-05.4	14	1.6	00.6-02.6	498	77.7	73.2-82.2
\$75,000+	1039	211,965	149	15.2	12.1-18.3	31	3.5	01.9-05.1	18	2.1	00.9-03.3	9	0.7	00.1-01.3	832	78.6	75.1-82.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 5: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDOWN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1462	304,993	184	13.1	10.6-15.6	51	3.8	02.4-05.2	36	2.5	01.3-03.7	51	3.3	01.7-04.9	1140	77.3	74.2-80.4
White/Non-Hisp	1198	239,335	142	11.9	09.4-14.4	41	4.1	02.5-05.7	28	2.4	01.0-03.8	37	2.5	01.3-03.7	950	79.0	75.9-82.1
Black or Afr. Am./Non-Hisp	152	37,332	25	19.3	10.1-28.5	5	3.5	00.0-07.6	5	3.4	00.0-07.3	5	3.2	00.1-06.3			
18-24	80	40,340	9	10.6	02.8-18.4	5	6.6	00.7-12.5	4	4.0	00.0-08.1	3	7.4	00.0-17.8			
25-34	165	54,206	27	19.0	11.0-27.0	10	3.9	00.6-07.2	3	3.8	00.0-08.9	5	2.6	00.2-05.0	120	70.6	61.2-80.0
35-44	253	61,592	37	14.0	08.5-19.5	10	3.1	00.9-05.3	11	2.8	01.0-04.6	5	1.7	00.0-03.5	190	78.4	72.3-84.5
45-54	318	56,646	51	14.6	09.3-19.9	11	4.3	01.0-07.6	9	2.1	00.3-03.9	15	3.3	01.3-05.3	232	75.7	69.4-82.0
55-64	286	42,985	30	9.4	05.3-13.5	8	3.2	00.5-05.9	3	0.9	00.0-02.1	13	3.3	00.4-06.2	232	83.2	77.7-88.7
65+	352	47,920	28	8.5	05.0-12.0	7	2.4	00.2-04.6	6	1.4	00.0-02.8	10	2.5	00.7-04.3	301	85.2	80.7-89.7
Less Than H.S.	111	21,048	13	7.1	02.4-11.8	5	4.8	00.0-09.9	4	2.7	00.0-05.4	7	5.0	00.5-09.5	82	80.4	71.8-89.0
H.S. or G.E.D.	453	96,289	57	14.0	09.5-18.5	14	2.5	00.7-04.3	12	2.5	00.5-04.5	19	2.9	01.1-04.7	351	78.2	72.9-83.5
Some Post-H.S.	350	71,655	41	13.3	07.8-18.8	15	4.9	01.8-08.0	13	3.4	01.0-05.8	12	3.6	00.9-06.3	269	74.9	68.4-81.4
College Graduate	547	115,827	73	13.5	09.6-17.4	17	4.1	01.7-06.5	7	1.9	00.0-04.3	12	3.0	00.0-06.7	438	77.5	72.0-83.0
Less than \$15,000	125	26,681	18	12.4	05.5-19.3	13	9.1	03.0-15.2	1	0.2	00.0-00.6						
\$15,000- 24,999	80	12,578	14	10.2	04.1-16.3	5	6.0	00.0-12.3	9	9.8	02.5-17.1	10	10.3	02.7-17.9			
\$25,000- 34,999	125	21,910				1	0.2	00.0-00.6	3	1.7	00.0-04.1	8	5.5	00.8-10.2			
\$35,000- 49,999	219	41,148	25	16.4	08.8-24.0	10	3.2	00.8-05.6	10	3.4	00.5-06.3	4	2.2	00.0-04.7	170	74.7	66.5-82.9
\$50,000- 74,999	275	54,994	36	11.7	06.6-16.8	4	2.2	00.0-04.7	3	2.2	00.0-04.9	7	1.1	00.1-02.1	225	82.7	76.6-88.8
\$75,000+	478	115,442	56	11.0	07.3-14.7	13	3.8	01.3-06.3	7	1.6	00.2-03.0	3	0.8	00.0-01.8	399	82.8	78.1-87.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 6: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2463	335,045	428	19.6	17.2-22.0	107	4.4	03.2-05.6	103	4.6	03.4-05.8	92	3.1	02.1-04.1	1733	68.3	65.6-71.0
White/Non-Hisp	1985	259,094	325	19.1	16.6-21.6	78	3.8	02.6-05.0	76	4.0	02.8-05.2	77	3.4	02.4-04.4	1429	69.7	66.8-72.6
Black or Afr. Am./Non-Hisp	282	41,955	56	18.8	11.9-25.7	19	7.7	01.4-14.0	16	8.1	03.4-12.8	7	1.0	00.2-01.8	184	64.4	55.8-73.0
Oth. Race/Non-Hisp.	56	8,311				3	3.9	00.0-09.2	2	6.9	00.0-16.1	2	6.3	00.0-15.3			
MultiRacial/Non-Hisp.	77	10,289	16	14.0	05.2-22.8	4	5.1	00.0-10.4	8	7.7	01.6-13.8	4	5.0	00.0-11.7			
Hispanic	55	14,128				3	5.5	00.0-12.4	1	1.2	00.0-03.6	2	0.9	00.0-02.5			
18-24	141	41,571				6	5.4	00.0-11.9	5	2.4	00.0-04.8	8	3.3	00.6-06.0			
25-34	298	56,048	64	20.5	14.6-26.4	15	4.7	01.6-07.8	9	4.6	01.3-07.9	9	2.6	00.2-05.0	201	67.6	60.7-74.5
35-44	423	63,427	81	20.3	15.4-25.2	20	4.3	02.1-06.5	26	6.8	03.9-09.7	16	4.7	01.8-07.6	280	64.0	58.1-69.9
45-54	503	60,834	99	18.2	13.9-22.5	26	4.5	02.3-06.7	28	5.5	03.0-08.0	28	4.2	02.2-06.2	322	67.6	62.3-72.9
55-64	444	47,947	66	14.5	10.2-18.8	19	4.0	01.6-06.4	15	4.3	01.8-06.8	15	2.4	00.6-04.2	329	74.8	69.5-80.1
65+	634	63,029	72	12.5	09.0-16.0	21	3.9	01.7-06.1	20	3.2	01.4-05.0	15	1.3	00.5-02.1	506	79.0	74.9-83.1
Less Than H.S.	143	19,662				10	6.8	00.9-12.7	15	10.8	03.9-17.7	10	5.2	00.9-09.5			
H.S. or G.E.D.	838	97,475	133	19.2	14.7-23.7	38	5.2	02.3-08.1	43	5.7	03.5-07.9	42	5.8	03.4-08.2	582	64.2	59.1-69.3
Some Post-H.S.	662	93,372	123	21.9	16.8-27.0	35	4.7	02.7-06.7	19	3.1	01.1-05.1	21	2.6	00.8-04.4	464	67.8	62.5-73.1
College Graduate	818	124,100	141	17.7	14.2-21.2	24	3.2	01.6-04.8	26	3.9	02.1-05.7	19	1.2	00.6-01.8	608	74.0	70.1-77.9
Less than \$15,000	267	27,859	43	17.5	10.6-24.4	15	4.7	02.0-07.4	14	4.8	01.7-07.9	17	8.3	03.2-13.4	178	64.7	56.7-72.7
\$15,000- 24,999	268	28,585	42	16.5	09.8-23.2	25	14.0	05.0-23.0	31	12.2	06.7-17.7	32	9.0	04.9-13.1	138	48.3	39.1-57.5
\$25,000- 34,999	221	24,074	40	14.9	09.6-20.2	13	6.4	02.1-10.7	12	9.1	03.6-14.6	6	1.9	00.1-03.7	150	67.6	59.8-75.4
\$35,000- 49,999	337	42,867	57	20.0	12.9-27.1	16	5.4	01.9-08.9	15	6.4	02.7-10.1	13	5.7	01.4-10.0	236	62.5	54.7-70.3
\$50,000- 74,999	372	57,426	68	17.5	12.4-22.6	11	3.2	00.7-05.7	13	4.5	01.8-07.2	7	2.1	00.3-03.9	273	72.8	66.3-79.3
\$75,000+	561	96,523	93	20.1	15.2-25.0	18	3.0	01.4-04.6	11	2.7	00.9-04.5	6	0.6	00.0-01.2	433	73.5	68.2-78.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 7: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3925	640,039	612	16.5	14.7-18.3	158	4.1	03.1-05.1	139	3.6	02.8-04.4	143	3.2	02.2-04.2	2873	72.6	70.4-74.8
Male	1462	304,993	184	13.1	10.6-15.6	51	3.8	02.4-05.2	36	2.5	01.3-03.7	51	3.3	01.7-04.9	1140	77.3	74.2-80.4
Female	2463	335,045	428	19.6	17.2-22.0	107	4.4	03.2-05.6	103	4.6	03.4-05.8	92	3.1	02.1-04.1	1733	68.3	65.6-71.0
White/Non-Hisp	3183	498,428	467	15.6	13.8-17.4	119	3.9	02.9-04.9	104	3.2	02.2-04.2	114	3.0	02.2-03.8	2379	74.2	72.0-76.4
Black or Afr. Am./Non-Hisp	434	79,286	81	19.0	13.3-24.7	24	5.7	01.8-09.6	21	5.9	02.8-09.0	12	2.0	00.4-03.6	296	67.4	60.7-74.1
Oth. Race/Non-Hisp.	95	18,815	17	14.7	05.5-23.9	5	3.1	00.2-06.0	3	5.5	00.0-12.0						
MultiRacial/Non-Hisp.	112	17,127	22	12.9	05.8-20.0	6	3.9	00.6-07.2	10	5.4	01.5-09.3	5	3.6	00.0-07.7	69	74.3	64.9-83.7
Hispanic	84	23,855				3	3.2	00.0-07.3	1	0.7	00.0-02.1	6	2.1	00.1-04.1			
18-24	221	81,911	52	23.6	16.0-31.2	11	6.0	01.7-10.3	9	3.2	00.8-05.6	11	5.3	00.0-10.6	138	61.9	52.9-70.9
25-34	463	110,254	91	19.8	14.9-24.7	25	4.3	01.9-06.7	12	4.2	01.1-07.3	14	2.6	00.8-04.4	321	69.1	63.2-75.0
35-44	676	125,019	118	17.2	13.5-20.9	30	3.7	02.1-05.3	37	4.8	03.0-06.6	21	3.2	01.4-05.0	470	71.1	66.8-75.4
45-54	821	117,480	150	16.5	13.2-19.8	37	4.4	02.4-06.4	37	3.9	02.3-05.5	43	3.8	02.4-05.2	554	71.5	67.4-75.6
55-64	730	90,932	96	12.1	09.2-15.0	27	3.6	01.8-05.4	18	2.7	01.1-04.3	28	2.8	01.2-04.4	561	78.7	74.8-82.6
65+	986	110,950	100	10.8	08.3-13.3	28	3.3	01.7-04.9	26	2.4	01.2-03.6	25	1.9	01.1-02.7	807	81.7	78.6-84.8
Less Than H.S.	254	40,710	42	13.8	08.1-19.5	15	5.7	01.8-09.6	19	6.6	03.1-10.1	17	5.1	02.0-08.2	161	68.8	60.0-77.6
H.S. or G.E.D.	1291	193,765	190	16.6	13.5-19.7	52	3.8	02.0-05.6	55	4.1	02.7-05.5	61	4.3	02.9-05.7	933	71.2	67.5-74.9
Some Post-H.S.	1012	165,028	164	18.1	14.4-21.8	50	4.8	03.0-06.6	32	3.2	01.6-04.8	33	3.0	01.4-04.6	733	70.9	66.8-75.0
College Graduate	1365	239,927	214	15.7	13.2-18.2	41	3.6	02.2-05.0	33	2.9	01.5-04.3	31	2.1	00.3-03.9	1046	75.7	72.4-79.0
Less than \$15,000	392	54,540	61	15.0	10.1-19.9	28	6.9	03.6-10.2	15	2.6	01.0-04.2	33	13.0	05.2-20.8	255	62.6	54.6-70.6
\$15,000- 24,999	348	41,163	56	14.6	09.5-19.7	30	11.6	04.9-18.3	40	11.4	06.9-15.9	42	9.4	05.7-13.1	180	53.0	45.0-61.0
\$25,000- 34,999	346	45,983	56	17.7	11.0-24.4	14	3.5	01.1-05.9	15	5.6	02.5-08.7	14	3.6	01.2-06.0	247	69.6	62.3-76.9
\$35,000- 49,999	556	84,015	82	18.3	13.2-23.4	26	4.3	02.1-06.5	25	5.0	02.6-07.4	17	4.0	01.5-06.5	406	68.5	62.8-74.2
\$50,000- 74,999	647	112,421	104	14.6	11.1-18.1	15	2.7	00.9-04.5	16	3.4	01.4-05.4	14	1.6	00.6-02.6	498	77.7	73.2-82.2
\$75,000+	1039	211,965	149	15.2	12.1-18.3	31	3.5	01.9-05.1	18	2.1	00.9-03.3	9	0.7	00.1-01.3	832	78.6	75.1-82.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 8: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1462	304,993	184	13.1	10.6-15.6	51	3.8	02.4-05.2	36	2.5	01.3-03.7	51	3.3	01.7-04.9	1140	77.3	74.2-80.4
White/Non-Hisp	1198	239,335	142	11.9	09.4-14.4	41	4.1	02.5-05.7	28	2.4	01.0-03.8	37	2.5	01.3-03.7	950	79.0	75.9-82.1
Black or Afr. Am./Non-Hisp	152	37,332	25	19.3	10.1-28.5	5	3.5	00.0-07.6	5	3.4	00.0-07.3	5	3.2	00.1-06.3			
18-24	80	40,340	9	10.6	02.8-18.4	5	6.6	00.7-12.5	4	4.0	00.0-08.1	3	7.4	00.0-17.8			
25-34	165	54,206	27	19.0	11.0-27.0	10	3.9	00.6-07.2	3	3.8	00.0-08.9	5	2.6	00.2-05.0	120	70.6	61.2-80.0
35-44	253	61,592	37	14.0	08.5-19.5	10	3.1	00.9-05.3	11	2.8	01.0-04.6	5	1.7	00.0-03.5	190	78.4	72.3-84.5
45-54	318	56,646	51	14.6	09.3-19.9	11	4.3	01.0-07.6	9	2.1	00.3-03.9	15	3.3	01.3-05.3	232	75.7	69.4-82.0
55-64	286	42,985	30	9.4	05.3-13.5	8	3.2	00.5-05.9	3	0.9	00.0-02.1	13	3.3	00.4-06.2	232	83.2	77.7-88.7
65+	352	47,920	28	8.5	05.0-12.0	7	2.4	00.2-04.6	6	1.4	00.0-02.8	10	2.5	00.7-04.3	301	85.2	80.7-89.7
Less Than H.S.	111	21,048	13	7.1	02.4-11.8	5	4.8	00.0-09.9	4	2.7	00.0-05.4	7	5.0	00.5-09.5	82	80.4	71.8-89.0
H.S. or G.E.D.	453	96,289	57	14.0	09.5-18.5	14	2.5	00.7-04.3	12	2.5	00.5-04.5	19	2.9	01.1-04.7	351	78.2	72.9-83.5
Some Post-H.S.	350	71,655	41	13.3	07.8-18.8	15	4.9	01.8-08.0	13	3.4	01.0-05.8	12	3.6	00.9-06.3	269	74.9	68.4-81.4
College Graduate	547	115,827	73	13.5	09.6-17.4	17	4.1	01.7-06.5	7	1.9	00.0-04.3	12	3.0	00.0-06.7	438	77.5	72.0-83.0
Less than \$15,000	125	26,681	18	12.4	05.5-19.3	13	9.1	03.0-15.2	1	0.2	00.0-00.6						
\$15,000- 24,999	80	12,578	14	10.2	04.1-16.3	5	6.0	00.0-12.3	9	9.8	02.5-17.1	10	10.3	02.7-17.9			
\$25,000- 34,999	125	21,910				1	0.2	00.0-00.6	3	1.7	00.0-04.1	8	5.5	00.8-10.2			
\$35,000- 49,999	219	41,148	25	16.4	08.8-24.0	10	3.2	00.8-05.6	10	3.4	00.5-06.3	4	2.2	00.0-04.7	170	74.7	66.5-82.9
\$50,000- 74,999	275	54,994	36	11.7	06.6-16.8	4	2.2	00.0-04.7	3	2.2	00.0-04.9	7	1.1	00.1-02.1	225	82.7	76.6-88.8
\$75,000+	478	115,442	56	11.0	07.3-14.7	13	3.8	01.3-06.3	7	1.6	00.2-03.0	3	0.8	00.0-01.8	399	82.8	78.1-87.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 9: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2463	335,045	428	19.6	17.2-22.0	107	4.4	03.2-05.6	103	4.6	03.4-05.8	92	3.1	02.1-04.1	1733	68.3	65.6-71.0
White/Non-Hisp	1985	259,094	325	19.1	16.6-21.6	78	3.8	02.6-05.0	76	4.0	02.8-05.2	77	3.4	02.4-04.4	1429	69.7	66.8-72.6
Black or Afr. Am./Non-Hisp	282	41,955	56	18.8	11.9-25.7	19	7.7	01.4-14.0	16	8.1	03.4-12.8	7	1.0	00.2-01.8	184	64.4	55.8-73.0
Oth. Race/Non-Hisp.	56	8,311				3	3.9	00.0-09.2	2	6.9	00.0-16.1	2	6.3	00.0-15.3			
MultiRacial/Non-Hisp.	77	10,289	16	14.0	05.2-22.8	4	5.1	00.0-10.4	8	7.7	01.6-13.8	4	5.0	00.0-11.7			
Hispanic	55	14,128				3	5.5	00.0-12.4	1	1.2	00.0-03.6	2	0.9	00.0-02.5			
18-24	141	41,571				6	5.4	00.0-11.9	5	2.4	00.0-04.8	8	3.3	00.6-06.0			
25-34	298	56,048	64	20.5	14.6-26.4	15	4.7	01.6-07.8	9	4.6	01.3-07.9	9	2.6	00.2-05.0	201	67.6	60.7-74.5
35-44	423	63,427	81	20.3	15.4-25.2	20	4.3	02.1-06.5	26	6.8	03.9-09.7	16	4.7	01.8-07.6	280	64.0	58.1-69.9
45-54	503	60,834	99	18.2	13.9-22.5	26	4.5	02.3-06.7	28	5.5	03.0-08.0	28	4.2	02.2-06.2	322	67.6	62.3-72.9
55-64	444	47,947	66	14.5	10.2-18.8	19	4.0	01.6-06.4	15	4.3	01.8-06.8	15	2.4	00.6-04.2	329	74.8	69.5-80.1
65+	634	63,029	72	12.5	09.0-16.0	21	3.9	01.7-06.1	20	3.2	01.4-05.0	15	1.3	00.5-02.1	506	79.0	74.9-83.1
Less Than H.S.	143	19,662				10	6.8	00.9-12.7	15	10.8	03.9-17.7	10	5.2	00.9-09.5			
H.S. or G.E.D.	838	97,475	133	19.2	14.7-23.7	38	5.2	02.3-08.1	43	5.7	03.5-07.9	42	5.8	03.4-08.2	582	64.2	59.1-69.3
Some Post-H.S.	662	93,372	123	21.9	16.8-27.0	35	4.7	02.7-06.7	19	3.1	01.1-05.1	21	2.6	00.8-04.4	464	67.8	62.5-73.1
College Graduate	818	124,100	141	17.7	14.2-21.2	24	3.2	01.6-04.8	26	3.9	02.1-05.7	19	1.2	00.6-01.8	608	74.0	70.1-77.9
Less than \$15,000	267	27,859	43	17.5	10.6-24.4	15	4.7	02.0-07.4	14	4.8	01.7-07.9	17	8.3	03.2-13.4	178	64.7	56.7-72.7
\$15,000- 24,999	268	28,585	42	16.5	09.8-23.2	25	14.0	05.0-23.0	31	12.2	06.7-17.7	32	9.0	04.9-13.1	138	48.3	39.1-57.5
\$25,000- 34,999	221	24,074	40	14.9	09.6-20.2	13	6.4	02.1-10.7	12	9.1	03.6-14.6	6	1.9	00.1-03.7	150	67.6	59.8-75.4
\$35,000- 49,999	337	42,867	57	20.0	12.9-27.1	16	5.4	01.9-08.9	15	6.4	02.7-10.1	13	5.7	01.4-10.0	236	62.5	54.7-70.3
\$50,000- 74,999	372	57,426	68	17.5	12.4-22.6	11	3.2	00.7-05.7	13	4.5	01.8-07.2	7	2.1	00.3-03.9	273	72.8	66.3-79.3
\$75,000+	561	96,523	93	20.1	15.2-25.0	18	3.0	01.4-04.6	11	2.7	00.9-04.5	6	0.6	00.0-01.2	433	73.5	68.2-78.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 10: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3918	640,141	1277	33.6	31.4-35.8	439	11.2	09.8-12.6	350	9.4	08.0-10.8	517	12.7	11.1-14.3	1335	33.1	30.9-35.3
Male	1459	306,210	468	33.6	30.3-36.9	142	9.4	07.4-11.4	108	7.6	05.2-10.0	151	9.4	07.4-11.4	590	40.1	36.6-43.6
Female	2459	333,931	809	33.7	31.2-36.2	297	12.8	10.8-14.8	242	11.1	09.1-13.1	366	15.8	13.3-18.3	745	26.6	24.2-29.0
White/Non-Hisp	3175	498,565	1059	35.6	33.2-38.0	340	10.7	09.1-12.3	282	9.1	07.5-10.7	402	12.2	10.4-14.0	1092	32.4	30.0-34.8
Black or Afr. Am./Non-Hisp	433	78,894	140	28.4	22.5-34.3	56	13.5	08.6-18.4	36	7.8	04.3-11.3	52	12.7	08.2-17.2	149	37.5	30.4-44.6
Oth. Race/Non-Hisp.	95	18,815	29	19.5	09.7-29.3	8	7.8	01.7-13.9				19	14.9	05.7-24.1			
MultiRacial/Non-Hisp.	113	17,243				15	11.7	04.4-19.0				26	18.5	09.9-27.1			
Hispanic	86	24,174				18	16.8	06.8-26.8	7	7.8	00.2-15.4	15	15.6	05.6-25.6			
18-24	222	83,346	70	30.1	21.9-38.3	34	14.8	08.5-21.1	31	14.3	07.2-21.4	36	17.3	09.1-25.5	51	23.4	16.0-30.8
25-34	464	110,449	174	36.8	30.9-42.7	55	10.6	07.1-14.1	52	13.0	08.7-17.3	73	13.0	09.1-16.9	110	26.6	20.9-32.3
35-44	675	124,765	243	37.0	32.5-41.5	89	12.0	09.1-14.9	75	9.6	06.9-12.3	85	12.7	09.6-15.8	183	28.7	24.2-33.2
45-54	821	117,593	281	34.2	29.7-38.7	111	13.1	10.2-16.0	75	7.3	05.3-09.3	125	13.8	10.7-16.9	229	31.5	26.8-36.2
55-64	731	91,024	241	34.9	30.2-39.6	69	9.2	06.5-11.9	56	7.1	04.6-09.6	85	10.1	07.4-12.8	280	38.7	34.0-43.4
65+	978	109,635	262	27.9	24.4-31.4	80	7.9	05.7-10.1	61	6.2	04.2-08.2	109	9.9	07.5-12.3	466	48.1	44.2-52.0
Less Than H.S.	251	40,347	53	20.7	13.3-28.1	33	10.6	05.7-15.5	24	8.8	04.3-13.3						
H.S. or G.E.D.	1292	195,253	385	30.3	26.6-34.0	143	11.5	08.8-14.2	115	9.5	06.8-12.2	185	14.3	11.8-16.8	464	34.4	30.5-38.3
Some Post-H.S.	1010	164,803	338	32.1	28.0-36.2	111	11.5	08.6-14.4	96	9.8	07.1-12.5	144	13.3	10.4-16.2	321	33.3	29.2-37.4
College Graduate	1363	239,436	501	39.6	36.1-43.1	152	10.9	08.7-13.1	114	9.1	06.6-11.6	128	8.5	06.5-10.5	468	32.0	28.7-35.3
Less than \$15,000	391	54,473	107	25.7	19.6-31.8	43	11.4	06.5-16.3	36	12.9	05.1-20.7	83	19.4	13.9-24.9	122	30.6	23.5-37.7
\$15,000- 24,999	347	41,160	71	20.3	14.4-26.2	34	8.9	05.4-12.4	45	11.1	07.0-15.2	96	26.0	19.5-32.5	101	33.7	24.9-42.5
\$25,000- 34,999	345	45,675	98	29.7	22.8-36.6	38	8.5	05.2-11.8	35	8.4	04.9-11.9	54	14.6	09.9-19.3	120	38.8	30.6-47.0
\$35,000- 49,999	557	83,937	187	32.1	26.4-37.8	68	14.0	09.3-18.7	54	9.4	05.7-13.1	68	13.6	09.5-17.7	180	30.9	25.8-36.0
\$50,000- 74,999	647	112,719	233	33.7	28.4-39.0	76	13.3	09.6-17.0	59	9.2	06.1-12.3	66	13.8	07.7-19.9	213	29.9	24.8-35.0
\$75,000+	1040	213,320	382	39.1	35.2-43.0	134	11.4	08.9-13.9	74	7.2	05.0-09.4	90	9.1	06.7-11.5	360	33.3	29.4-37.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 11: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1459	306,210	468	33.6	30.3-36.9	142	9.4	07.4-11.4	108	7.6	05.2-10.0	151	9.4	07.4-11.4	590	40.1	36.6-43.6
White/Non-Hisp	1194	240,356	389	35.3	31.6-39.0	115	9.5	07.3-11.7	86	6.8	04.6-09.0	119	9.2	07.0-11.4	485	39.1	35.4-42.8
Black or Afr. Am./Non-Hisp	152	37,332	45	24.7	16.1-33.3	16	10.6	03.7-17.5	12	6.7	01.0-12.4	12	10.7	03.4-18.0			
18-24	81	41,776				11	10.9	02.9-18.9				11	11.5	04.2-18.8			
25-34	166	54,401	64	37.1	27.5-46.7	14	7.5	03.0-12.0	17	11.3	04.2-18.4	17	10.0	04.1-15.9	54	34.1	24.5-43.7
35-44	253	61,592	104	41.1	33.7-48.5	28	11.0	06.3-15.7	22	5.9	03.2-08.6	20	7.1	03.6-10.6	79	35.0	27.4-42.6
45-54	316	56,603	102	31.1	24.4-37.8	39	10.1	06.0-14.2	21	4.0	02.0-06.0	44	13.1	08.2-18.0	110	41.8	34.0-49.6
55-64	287	43,305	88	32.7	25.3-40.1	26	9.6	05.1-14.1	18	5.7	02.4-09.0	29	7.8	04.1-11.5	126	44.2	36.6-51.8
65+	348	47,227	84	23.9	18.6-29.2	24	7.2	03.9-10.5	20	4.7	02.3-07.1	30	7.2	04.3-10.1	190	57.0	50.9-63.1
Less Than H.S.	110	20,936				14	11.2	04.1-18.3	9	6.6	00.5-12.7	19	10.1	04.4-15.8			
H.S. or G.E.D.	453	97,648	134	30.7	24.4-37.0	47	12.1	07.6-16.6	35	8.2	04.1-12.3	52	10.1	06.6-13.6	185	39.0	32.5-45.5
Some Post-H.S.	350	71,851	106	29.3	22.8-35.8	30	7.2	04.1-10.3	29	7.7	04.0-11.4	41	12.5	07.4-17.6	144	43.2	36.1-50.3
College Graduate	545	115,602	202	40.3	34.6-46.0	51	8.1	05.4-10.8	34	7.1	02.8-11.4	39	6.8	04.1-09.5	219	37.8	32.3-43.3
Less than \$15,000	126	26,877	32	24.1	14.1-34.1	16	13.2	04.8-21.6				23	15.1	06.9-23.3			
\$15,000- 24,999	79	12,539				10	9.1	02.0-16.2	8	6.5	01.0-12.0						
\$25,000- 34,999	124	21,601				8	4.0	00.9-07.1	8	3.0	00.5-05.5	22	14.7	07.1-22.3			
\$35,000- 49,999	219	41,148	67	29.6	21.0-38.2	22	13.7	05.9-21.5	16	7.9	02.2-13.6	20	8.9	04.2-13.6	94	39.9	31.3-48.5
\$50,000- 74,999	277	55,579	93	34.2	26.2-42.2	25	9.4	05.1-13.7	26	9.4	04.7-14.1	27	11.5	05.6-17.4	106	35.5	27.9-43.1
\$75,000+	476	116,572	174	39.2	33.3-45.1	52	9.1	06.2-12.0	25	4.5	01.8-07.2	34	7.3	04.4-10.2	191	40.0	34.1-45.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 12: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2459	333,931	809	33.7	31.2-36.2	297	12.8	10.8-14.8	242	11.1	09.1-13.1	366	15.8	13.3-18.3	745	26.6	24.2-29.0
White/Non-Hisp	1981	258,210	670	35.9	33.0-38.8	225	11.7	09.5-13.9	196	11.1	08.9-13.3	283	15.0	12.1-17.9	607	26.2	23.7-28.7
Black or Afr. Am./Non-Hisp	281	41,563	95	31.7	23.9-39.5	40	16.2	09.3-23.1	24	8.7	04.2-13.2	40	14.6	08.9-20.3	82	28.7	20.5-36.9
Oth. Race/Non-Hisp.	56	8,311							3	8.7	00.0-18.5						
MultiRacial/Non-Hisp.	78	10,405				12	14.3	04.3-24.3									
18-24	141	41,571				23	18.8	09.0-28.6	21	13.2	05.4-21.0				26	18.3	09.1-27.5
25-34	298	56,048	110	36.5	29.4-43.6	41	13.7	08.6-18.8	35	14.6	09.1-20.1	56	15.9	10.6-21.2	56	19.3	13.2-25.4
35-44	422	63,173	139	32.9	27.4-38.4	61	12.9	09.2-16.6	53	13.2	08.7-17.7	65	18.3	13.2-23.4	104	22.7	18.0-27.4
45-54	505	60,990	179	37.2	31.5-42.9	72	15.9	11.6-20.2	54	10.4	07.1-13.7	81	14.5	10.8-18.2	119	22.0	17.3-26.7
55-64	444	47,719	153	36.9	31.0-42.8	43	8.9	05.6-12.2	38	8.4	04.7-12.1	56	12.1	08.4-15.8	154	33.7	27.8-39.6
65+	630	62,408	178	30.9	26.0-35.8	56	8.4	05.7-11.1	41	7.4	04.5-10.3	79	11.9	08.6-15.2	276	41.4	36.5-46.3
Less Than H.S.	141	19,411	27	16.4	07.6-25.2	19	9.9	03.2-16.6	15	11.3	04.0-18.6				40	16.1	08.7-23.5
H.S. or G.E.D.	839	97,606	251	30.0	25.7-34.3	96	10.9	07.8-14.0	80	10.8	07.5-14.1	133	18.5	14.8-22.2	279	29.8	25.3-34.3
Some Post-H.S.	660	92,952	232	34.3	29.2-39.4	81	14.7	10.2-19.2	67	11.5	07.6-15.4	103	13.9	10.2-17.6	177	25.6	21.1-30.1
College Graduate	818	123,834	299	38.9	34.6-43.2	101	13.5	10.4-16.6	80	11.0	08.1-13.9	89	10.2	07.7-12.7	249	26.5	22.6-30.4
Less than \$15,000	265	27,597	75	27.2	20.1-34.3	27	9.7	04.4-15.0	23	9.8	04.7-14.9	60	23.6	16.7-30.5	80	29.7	22.3-37.1
\$15,000- 24,999	268	28,621	55	21.4	14.1-28.7	24	8.8	04.7-12.9	37	13.1	07.8-18.4	77	28.8	20.8-36.8	75	27.9	18.3-37.5
\$25,000- 34,999	221	24,074	63	30.8	22.8-38.8	30	12.5	07.2-17.8	27	13.3	07.4-19.2	32	14.5	08.6-20.4	69	28.8	21.2-36.4
\$35,000- 49,999	338	42,789	120	34.5	27.2-41.8	46	14.2	08.9-19.5	38	10.9	06.2-15.6	48	18.1	11.8-24.4	86	22.3	16.4-28.2
\$50,000- 74,999	370	57,140	140	33.2	26.3-40.1	51	17.2	11.1-23.3	33	9.1	05.2-13.0				107	24.5	18.2-30.8
\$75,000+	564	96,748	208	38.9	33.6-44.2	82	14.2	10.1-18.3	49	10.4	06.9-13.9	56	11.2	07.7-14.7	169	25.2	20.9-29.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 13. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR ATE TOO MUCH? (ADEAT)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3915	638,939	697	18.5	16.7-20.3	271	6.8	05.6-08.0	227	6.1	04.9-07.3	301	7.6	06.2-09.0	2419	60.8	58.4-63.2
Male	1452	304,168	243	18.5	15.6-21.4	89	5.7	04.1-07.3	74	6.3	04.3-08.3	86	5.1	03.5-06.7	960	64.5	61.0-68.0
Female	2463	334,772	454	18.6	16.4-20.8	182	7.9	06.3-09.5	153	6.0	04.8-07.2	215	10.0	07.6-12.4	1459	57.5	54.6-60.4
White/Non-Hisp	3177	499,063	564	19.5	17.5-21.5	225	7.0	05.8-08.2	175	5.7	04.5-06.9	232	7.2	05.6-08.8	1981	60.6	58.1-63.1
Black or Afr. Am./Non-Hisp	429	77,915	78	14.6	10.3-18.9	25	6.5	03.0-10.0	32	6.3	03.4-09.2	36	9.0	05.1-12.9	258	63.7	57.2-70.2
Oth. Race/Non-Hisp.	95	18,815	17	15.7	06.3-25.1	3	2.2	00.0-04.9	3	4.7	00.0-11.8	8	5.4	00.7-10.1			
MultiRacial/Non-Hisp.	112	16,585	16	11.1	04.2-18.0	8	6.3	00.8-11.8	11	11.8	03.2-20.4	15	13.8	05.4-22.2			
Hispanic	85	24,035	18	18.7	08.9-28.5	8	8.8	00.0-17.6				9	9.8	02.2-17.4			
18-24	222	83,346	44	21.1	13.8-28.4	14	5.8	01.3-10.3	23	9.6	05.1-14.1	15	8.9	01.3-16.5	126	54.6	45.2-64.0
25-34	461	109,554	81	14.5	10.6-18.4	37	8.2	04.9-11.5	38	10.0	05.5-14.5	38	7.5	04.2-10.8	267	59.7	53.6-65.8
35-44	677	125,135	151	23.8	19.7-27.9	64	7.9	05.5-10.3	38	5.1	03.3-06.9	41	5.7	03.5-07.9	383	57.6	52.9-62.3
45-54	816	116,328	141	18.1	14.2-22.0	74	8.2	05.8-10.6	60	5.2	03.6-06.8	80	9.5	07.0-12.0	461	59.0	54.3-63.7
55-64	730	91,029	134	19.3	15.4-23.2	42	6.0	03.5-08.5	33	4.5	02.3-06.7	59	8.5	05.6-11.4	462	61.7	56.8-66.6
65+	981	110,376	138	13.6	10.9-16.3	39	4.2	02.6-05.8	34	3.4	02.0-04.8	65	6.4	04.4-08.4	705	72.3	68.8-75.8
Less Than H.S.	252	40,643	19	8.6	03.7-13.5	10	2.0	00.6-03.4	22	13.1	04.9-21.3						
H.S. or G.E.D.	1293	194,659	227	19.2	15.7-22.7	84	5.4	03.8-07.0	80	6.1	04.3-07.9	123	9.3	07.1-11.5	779	59.9	55.8-64.0
Some Post-H.S.	1008	164,587	173	16.5	13.2-19.8	79	8.6	05.9-11.3	67	7.6	05.2-10.0	85	8.2	05.7-10.7	604	59.1	54.8-63.4
College Graduate	1359	238,441	277	21.0	18.1-23.9	98	7.6	05.6-09.6	57	3.9	02.3-05.5	54	3.8	02.6-05.0	873	63.6	60.1-67.1
Less than \$15,000	392	54,742	57	14.7	09.2-20.2	21	4.7	02.2-07.2	25	8.2	04.3-12.1	48	12.9	08.4-17.4	241	59.5	52.1-66.9
\$15,000- 24,999	349	41,321	40	10.3	05.8-14.8	27	7.3	03.6-11.0	40	12.6	07.9-17.3	58	14.9	10.0-19.8	184	55.0	47.2-62.8
\$25,000- 34,999	345	45,668	57	13.5	09.0-18.0	22	6.1	02.8-09.4	24	9.9	03.2-16.6	32	9.1	05.2-13.0	210	61.4	53.6-69.2
\$35,000- 49,999	553	83,844	114	19.1	14.2-24.0	46	8.1	05.2-11.0	39	5.9	03.5-08.3	39	7.9	04.6-11.2	315	58.9	53.0-64.8
\$50,000- 74,999	647	112,182	116	16.0	12.1-19.9	49	7.4	04.9-09.9	36	7.0	03.9-10.1	45	11.2	05.1-17.3	401	58.4	52.3-64.5
\$75,000+	1037	212,327	218	23.0	19.7-26.3	77	7.4	05.0-09.8	39	3.3	01.9-04.7	42	3.7	02.3-05.1	661	62.5	58.6-66.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 14. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR ATE TOO MUCH? (ADEAT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1452	304,168	243	18.5	15.6-21.4	89	5.7	04.1-07.3	74	6.3	04.3-08.3	86	5.1	03.5-06.7	960	64.5	61.0-68.0
White/Non-Hisp	1192	240,309	196	19.4	16.1-22.7	77	6.2	04.4-08.0	59	5.8	03.8-07.8	70	5.0	03.4-06.6	790	63.6	59.7-67.5
Black or Afr. Am./Non-Hisp	149	36,133	27	13.5	06.6-20.4	4	3.8	00.0-07.7	9	5.5	00.8-10.2	10	8.2	01.7-14.7	99	69.0	59.0-79.0
18-24	81	41,776				1	0.3	00.0-00.9	7	9.7	02.4-17.0	8	5.9	01.2-10.6			
25-34	163	53,506	24	12.9	06.6-19.2	12	7.1	02.0-12.2	18	14.0	05.8-22.2	10	6.1	00.8-11.4			
35-44	253	61,592	53	24.1	17.4-30.8	20	5.9	02.8-09.0	9	2.7	00.7-04.7	8	2.8	00.6-05.0	163	64.4	57.1-71.7
45-54	316	55,792	53	19.1	12.4-25.8	32	9.2	05.3-13.1	15	3.0	01.2-04.8	21	6.2	02.7-09.7	195	62.5	55.1-69.9
55-64	287	43,305	51	19.6	13.3-25.9	13	6.7	02.4-11.0	12	4.9	01.6-08.2	19	5.1	02.0-08.2	192	63.7	56.3-71.1
65+	345	47,238	42	12.3	08.2-16.4	11	3.5	01.1-05.9	13	4.2	01.5-06.9	20	4.9	02.5-07.3	259	75.1	69.6-80.6
Less Than H.S.	110	21,058	6	5.5	00.6-10.4	4	1.2	00.0-02.4				15	7.9	03.0-12.8			
H.S. or G.E.D.	451	96,731	81	21.9	16.0-27.8	24	3.9	01.9-05.9	23	4.4	02.0-06.8	34	6.6	03.5-09.7	289	63.2	56.7-69.7
Some Post-H.S.	348	71,467	51	15.1	09.8-20.4	24	6.1	03.2-09.0	24	9.0	04.3-13.7	22	6.6	02.9-10.3	227	63.4	56.3-70.5
College Graduate	542	114,738	105	20.2	15.7-24.7	37	7.7	04.6-10.8	16	3.9	01.2-06.6	15	2.3	00.9-03.7	369	65.8	60.3-71.3
Less than \$15,000	125	26,812	13	11.1	02.7-19.5	5	3.2	00.0-06.5	13	10.6	03.5-17.7	13	7.9	02.8-13.0			
\$15,000- 24,999	80	12,578	8	10.5	02.1-18.9	1	0.5	00.0-01.5	6	7.6	01.1-14.1	13	13.9	04.7-23.1			
\$25,000- 34,999	125	21,910	20	14.4	06.8-22.0	7	3.1	00.7-05.5				9	4.0	00.9-07.1			
\$35,000- 49,999	217	40,945	40	18.7	10.9-26.5	14	6.9	02.6-11.2	13	5.0	01.7-08.3	11	5.1	01.2-09.0	139	64.4	55.4-73.4
\$50,000- 74,999	275	54,755	47	17.0	10.5-23.5	21	8.2	04.1-12.3	14	8.4	02.9-13.9	14	7.3	01.6-13.0	179	59.2	50.8-67.6
\$75,000+	476	115,868	97	22.9	17.8-28.0	36	6.5	03.6-09.4	12	3.1	00.9-05.3	13	2.3	00.7-03.9	318	65.2	59.5-70.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 15. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR ATE TOO MUCH? (ADEAT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2463	334,772	454	18.6	16.4-20.8	182	7.9	06.3-09.5	153	6.0	04.8-07.2	215	10.0	07.6-12.4	1459	57.5	54.6-60.4
White/Non-Hisp	1985	258,753	368	19.6	17.1-22.1	148	7.6	05.8-09.4	116	5.7	04.3-07.1	162	9.3	06.6-12.0	1191	57.8	54.5-61.1
Black or Afr. Am./Non-Hisp	280	41,782	51	15.5	10.2-20.8	21	8.8	03.1-14.5	23	6.9	03.4-10.4	26	9.6	04.7-14.5	159	59.1	50.9-67.3
Oth. Race/Non-Hisp.	56	8,311				1	2.8	00.0-08.1	2	2.7	00.0-07.2	7	11.9	02.1-21.7			
MultiRacial/Non-Hisp.	78	10,405	9	6.5	01.0-12.0	5	6.1	00.0-13.4	9	12.9	03.7-22.1						
Hispanic	56	14,252	11	15.1	05.3-24.9				3	7.8	00.0-17.6						
18-24	141	41,571	26	20.4	11.2-29.6	13	11.5	02.9-20.1	16	9.4	04.1-14.7						
25-34	298	56,048	57	16.1	11.0-21.2	25	9.3	04.8-13.8	20	6.2	02.9-09.5	28	8.9	05.0-12.8	168	59.5	52.4-66.6
35-44	424	63,543	98	23.5	18.6-28.4	44	9.9	06.6-13.2	29	7.3	04.2-10.4	33	8.4	04.9-11.9	220	50.9	45.0-56.8
45-54	500	60,536	88	17.3	13.0-21.6	42	7.3	04.6-10.0	45	7.2	04.5-09.9	59	12.5	08.6-16.4	266	55.7	50.0-61.4
55-64	443	47,724	83	19.0	14.3-23.7	29	5.4	02.9-07.9	21	4.2	01.7-06.7	40	11.6	06.9-16.3	270	59.9	53.8-66.0
65+	636	63,137	96	14.5	11.0-18.0	28	4.7	02.5-06.9	21	2.9	01.5-04.3	45	7.5	04.6-10.4	446	70.3	65.6-75.0
Less Than H.S.	142	19,585	13	11.9	02.9-20.9	6	2.9	00.2-05.6	12	8.2	01.9-14.5						
H.S. or G.E.D.	842	97,929	146	16.6	13.1-20.1	60	6.9	04.4-09.4	57	7.8	05.1-10.5	89	12.0	08.9-15.1	490	56.7	51.8-61.6
Some Post-H.S.	660	93,120	122	17.7	13.8-21.6	55	10.5	06.4-14.6	43	6.5	04.1-08.9	63	9.4	06.1-12.7	377	55.9	50.4-61.4
College Graduate	817	123,702	172	21.8	18.3-25.3	61	7.5	05.1-09.9	41	4.0	02.4-05.6	39	5.2	03.2-07.2	504	61.5	57.2-65.8
Less than \$15,000	267	27,930	44	18.2	11.5-24.9	16	6.3	02.6-10.0	12	5.9	02.0-09.8	35	17.6	10.5-24.7	160	52.0	43.8-60.2
\$15,000- 24,999	269	28,742	32	10.1	04.8-15.4	26	10.3	05.2-15.4	34	14.8	08.7-20.9	45	15.3	09.6-21.0	132	49.5	40.3-58.7
\$25,000- 34,999	220	23,758	37	12.8	07.7-17.9	15	8.8	03.1-14.5	16	9.2	03.9-14.5	23	13.9	07.4-20.4	129	55.4	46.8-64.0
\$35,000- 49,999	336	42,900	74	19.6	13.5-25.7	32	9.2	04.9-13.5	26	6.8	03.3-10.3	28	10.6	05.3-15.9	176	53.7	46.1-61.3
\$50,000- 74,999	372	57,426	69	15.0	10.5-19.5	28	6.7	03.6-09.8	22	5.6	02.9-08.3				222	57.7	48.9-66.5
\$75,000+	561	96,459	121	23.1	18.8-27.4	41	8.5	04.6-12.4	27	3.6	01.8-05.4	29	5.4	03.2-07.6	343	59.4	54.1-64.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 16. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3919	640,945	292	7.9	06.5-09.3	72	1.8	01.2-02.4	86	2.3	01.7-02.9	111	2.7	02.1-03.3	3358	85.4	83.8-87.0
Male	1461	306,447	83	6.5	04.5-08.5	24	1.5	00.5-02.5	23	1.8	00.8-02.8	34	2.0	01.2-02.8	1297	88.2	85.7-90.7
Female	2458	334,498	209	9.1	07.3-10.9	48	2.2	01.4-03.0	63	2.7	01.7-03.7	77	3.3	02.1-04.5	2061	82.7	80.5-84.9
White/Non-Hisp	3178	499,306	228	7.7	06.3-09.1	55	1.9	01.1-02.7	67	2.0	01.4-02.6	90	2.6	01.8-03.4	2738	85.7	83.9-87.5
Black or Afr. Am./Non-Hisp	432	79,019	30	6.0	03.3-08.7	10	1.2	00.4-02.0	12	3.8	00.9-06.7	11	3.0	00.6-05.4	369	86.0	81.5-90.5
Oth. Race/Non-Hisp.	95	18,815				2	2.8	00.0-06.9	1	1.2	00.0-03.6	1	0.9	00.0-02.7			
MultiRacial/Non-Hisp.	113	17,243	10	4.1	01.2-07.0	3	3.6	00.0-08.1	3	0.8	00.0-01.8	6	3.8	00.0-07.9	91	87.7	80.8-94.6
Hispanic	85	24,112	11	9.4	02.9-15.9	2	1.4	00.0-03.6	3	3.8	00.0-09.1	3	3.0	00.0-08.1	66	82.4	72.8-92.0
18-24	222	83,346	25	13.2	06.1-20.3	3	0.7	00.0-01.5	3	1.7	00.0-03.9	8	3.6	00.7-06.5	183	80.8	73.2-88.4
25-34	462	110,259	48	8.4	05.5-11.3	7	2.6	00.0-05.3	7	1.8	00.0-03.8	12	2.7	00.7-04.7	388	84.5	80.0-89.0
35-44	675	124,914	60	7.8	05.4-10.2	23	2.8	01.4-04.2	22	3.4	01.6-05.2	18	2.7	01.1-04.3	552	83.4	80.1-86.7
45-54	824	117,863	76	9.7	07.0-12.4	12	1.2	00.4-02.0	27	2.6	01.4-03.8	40	3.9	02.3-05.5	669	82.7	79.4-86.0
55-64	725	90,304	36	4.1	02.5-05.7	16	2.9	01.1-04.7	13	2.2	00.6-03.8	16	1.7	00.5-02.9	644	89.1	86.2-92.0
65+	983	110,766	44	4.3	02.7-05.9	11	0.8	00.2-01.4	14	1.7	00.7-02.7	16	1.3	00.5-02.1	898	92.0	90.0-94.0
Less Than H.S.	252	40,640	19	6.8	02.9-10.7	7	2.3	00.5-04.1	12	4.1	01.4-06.8	14	5.4	01.3-09.5	200	81.3	74.6-88.0
H.S. or G.E.D.	1291	195,361	80	6.3	04.3-08.3	24	1.6	00.8-02.4	20	1.5	00.7-02.3	46	3.8	02.2-05.4	1121	86.8	84.3-89.3
Some Post-H.S.	1010	164,801	85	9.1	06.4-11.8	16	1.3	00.5-02.1	27	3.4	01.4-05.4	30	2.7	01.3-04.1	852	83.5	80.2-86.8
College Graduate	1363	239,535	108	8.5	06.1-10.9	24	2.2	00.8-03.6	27	1.7	00.9-02.5	20	1.2	00.6-01.8	1184	86.3	83.4-89.2
Less than \$15,000	395	54,837	29	9.7	02.3-17.1	7	1.8	00.2-03.4	17	4.1	01.7-06.5	22	6.8	03.1-10.5	320	77.5	69.7-85.3
\$15,000- 24,999	348	41,248	35	10.2	06.3-14.1	12	2.9	00.9-04.9	18	6.1	02.8-09.4	39	11.5	06.2-16.8	244	69.3	62.2-76.4
\$25,000- 34,999	342	45,720	36	12.3	07.2-17.4	9	2.8	00.8-04.8	7	1.9	00.0-03.9	7	0.9	00.1-01.7	283	82.1	76.4-87.8
\$35,000- 49,999	556	84,061	37	6.1	03.6-08.6	13	1.8	00.6-03.0	13	4.3	01.6-07.0	14	3.2	01.0-05.4	479	84.5	80.2-88.8
\$50,000- 74,999	646	112,374	54	8.1	05.4-10.8	10	1.4	00.4-02.4	9	2.0	00.0-04.0	10	1.7	00.5-02.9	563	86.8	83.3-90.3
\$75,000+	1041	213,507	63	6.5	04.3-08.7	12	1.3	00.3-02.3	15	1.2	00.4-02.0	8	0.8	00.2-01.4	943	90.3	87.8-92.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 17. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1461	306,447	83	6.5	04.5-08.5	24	1.5	00.5-02.5	23	1.8	00.8-02.8	34	2.0	01.2-02.8	1297	88.2	85.7-90.7
White/Non-Hisp	1197	240,653	72	6.3	04.5-08.1	19	1.7	00.5-02.9	17	1.4	00.6-02.2	27	2.0	01.2-02.8	1062	88.6	86.2-91.0
Black or Afr. Am./Non-Hisp	151	37,272	7	4.2	00.1-08.3	5	1.2	00.0-02.4	5	5.4	00.0-11.3	4	3.0	00.0-06.1	130	86.3	78.9-93.7
18-24	81	41,776				1	0.4	00.0-01.2	1	1.4	00.0-04.1	1	0.3	00.0-00.9			
25-34	166	54,401	14	6.8	02.5-11.1	2	2.5	00.0-07.2	2	2.4	00.0-06.1	4	2.2	00.0-04.6	144	86.2	78.9-93.5
35-44	251	61,309	16	5.0	02.3-07.7	9	2.3	00.7-03.9	4	1.9	00.0-03.9	6	2.7	00.3-05.1	216	88.1	83.8-92.4
45-54	318	56,850	26	10.2	05.3-15.1	6	1.1	00.1-02.1	8	1.4	00.2-02.6	10	2.8	00.8-04.8	268	84.4	79.1-89.7
55-64	286	42,985	10	2.9	00.9-04.9	3	1.7	00.0-04.1	5	2.6	00.1-05.1	6	1.3	00.1-02.5	262	91.5	87.4-95.6
65+	351	47,822	12	3.6	01.2-06.0	3	0.4	00.0-01.0	3	1.4	00.0-03.0	7	1.8	00.2-03.4	326	92.8	89.7-95.9
Less Than H.S.	111	21,146	3	2.7	00.0-05.8	1	0.4	00.0-01.2	5	3.7	00.0-07.6	6	3.3	00.4-06.2	96	90.0	84.1-95.9
H.S. or G.E.D.	454	97,725	20	4.6	01.9-07.3	9	1.2	00.4-02.0	4	1.0	00.0-02.0	12	2.2	00.6-03.8	409	91.0	87.7-94.3
Some Post-H.S.	348	71,351	26	6.9	03.6-10.2	7	1.3	00.1-02.5	6	2.8	00.0-05.9	7	2.1	00.3-03.9	302	86.9	82.2-91.6
College Graduate	547	116,052	34	8.5	04.2-12.8	6	1.9	00.0-04.3	8	1.6	00.4-02.8	9	1.4	00.2-02.6	490	86.6	81.7-91.5
Less than \$15,000	126	26,877				1	0.3	00.0-00.9	4	3.3	00.0-06.8	7	6.2	01.1-11.3			
\$15,000- 24,999	79	12,519	4	5.8	00.0-12.3	3	2.0	00.0-04.4	3	6.0	00.0-12.9	11	11.8	03.8-19.8			
\$25,000- 34,999	125	21,910	13	13.7	04.7-22.7	2	1.6	00.0-03.8	3	3.1	00.0-07.2	2	0.6	00.0-01.6	105	81.0	71.2-90.8
\$35,000- 49,999	219	41,148	11	4.7	01.0-08.4	7	2.1	00.3-03.9	3	1.7	00.0-03.9	5	2.5	00.0-05.2	193	89.0	83.7-94.3
\$50,000- 74,999	276	55,258	15	5.3	02.2-08.4	4	1.0	00.0-02.0	3	2.2	00.0-05.7	2	0.3	00.0-00.7	252	91.3	86.6-96.0
\$75,000+	478	116,839	21	5.3	02.6-08.0	2	0.2	00.0-00.6	6	1.1	00.0-02.3	5	1.1	00.1-02.1	444	92.4	89.3-95.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 18. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2458	334,498	209	9.1	07.3-10.9	48	2.2	01.4-03.0	63	2.7	01.7-03.7	77	3.3	02.1-04.5	2061	82.7	80.5-84.9
White/Non-Hisp	1981	258,653	156	9.1	07.1-11.1	36	2.0	01.0-03.0	50	2.6	01.6-03.6	63	3.3	02.1-04.5	1676	83.0	80.5-85.5
Black or Afr. Am./Non-Hisp	281	41,747	23	7.7	04.0-11.4	5	1.2	00.0-02.4	7	2.3	00.1-04.5	7	3.0	00.0-06.3	239	85.8	80.5-91.1
Oth. Race/Non-Hisp.	56	8,311	9	10.0	02.2-17.8	2	6.4	00.0-15.2	1	2.8	00.0-08.1	1	2.0	00.0-05.9			
MultiRacial/Non-Hisp.	78	10,405	10	6.7	01.8-11.6	3	6.0	00.0-13.4	3	1.4	00.0-03.2	4	5.0	00.0-11.5			
Hispanic	55	14,190	2	2.4	00.0-05.9	2	5.7	00.0-14.5	2	4.7	00.0-13.3						
18-24	141	41,571	20	15.7	06.5-24.9	2	1.0	00.0-02.4	2	2.0	00.0-05.1	7	7.0	01.3-12.7			
25-34	296	55,857	34	10.0	05.9-14.1	5	2.7	00.0-05.4	5	1.2	00.0-02.4	8	3.2	00.3-06.1	244	82.8	77.1-88.5
35-44	424	63,605	44	10.4	06.9-13.9	14	3.4	01.4-05.4	18	4.8	01.9-07.7	12	2.6	00.8-04.4	336	78.8	73.9-83.7
45-54	506	61,014	50	9.1	06.0-12.2	6	1.2	00.0-02.4	19	3.8	01.8-05.8	30	4.9	02.5-07.3	401	81.0	76.7-85.3
55-64	439	47,320	26	5.3	02.9-07.7	13	3.9	01.2-06.6	8	1.8	00.2-03.4	10	2.1	00.1-04.1	382	86.8	82.5-91.1
65+	632	62,944	32	4.8	02.8-06.8	8	1.0	00.2-01.8	11	1.9	00.5-03.3	9	0.9	00.1-01.7	572	91.4	88.9-93.9
Less Than H.S.	141	19,494	16	11.4	03.8-19.0	6	4.4	00.5-08.3	7	4.6	00.7-08.5	8	7.7	00.0-15.7			
H.S. or G.E.D.	837	97,636	60	8.0	05.3-10.7	15	2.0	00.8-03.2	16	2.0	00.8-03.2	34	5.3	02.8-07.8	712	82.7	78.8-86.6
Some Post-H.S.	662	93,449	59	10.8	06.9-14.7	9	1.3	00.1-02.5	21	3.9	01.5-06.3	23	3.1	01.3-04.9	550	80.9	76.2-85.6
College Graduate	816	123,483	74	8.5	06.1-10.9	18	2.6	01.0-04.2	19	1.9	00.7-03.1	11	1.0	00.2-01.8	694	86.0	82.9-89.1
Less than \$15,000	269	27,960	18	7.0	02.5-11.5	6	3.3	00.2-06.4	13	4.9	01.8-08.0	15	7.3	02.0-12.6	217	77.4	70.0-84.8
\$15,000- 24,999	269	28,729	31	12.2	07.3-17.1	9	3.3	00.6-06.0	15	6.1	02.6-09.6	28	11.3	04.6-18.0	186	67.1	58.7-75.5
\$25,000- 34,999	217	23,810	23	11.0	05.7-16.3	7	4.0	00.9-07.1	4	0.8	00.0-01.6	5	1.2	00.0-02.4	178	83.0	76.9-89.1
\$35,000- 49,999	337	42,913	26	7.5	04.0-11.0	6	1.6	00.0-03.2	10	6.9	01.8-12.0	9	3.9	00.4-07.4	286	80.2	73.7-86.7
\$50,000- 74,999	370	57,116	39	10.8	06.5-15.1	6	1.8	00.0-03.6	6	1.8	00.0-03.6	8	3.1	00.7-05.5	311	82.5	77.0-88.0
\$75,000+	563	96,668	42	8.0	04.5-11.5	10	2.5	00.5-04.5	9	1.2	00.2-02.2	3	0.5	00.0-01.3	499	87.7	83.8-91.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 19. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3926	641,238	349	9.7	08.1-11.3	114	3.3	02.3-04.3	107	2.8	02.2-03.4	150	3.9	03.1-04.7	3206	80.3	78.3-82.3
Male	1462	306,859	129	9.6	07.2-12.0	32	2.5	01.1-03.9	26	1.7	00.9-02.5	57	3.6	02.4-04.8	1218	82.5	79.6-85.4
Female	2464	334,379	220	9.8	08.0-11.6	82	4.0	02.8-05.2	81	3.8	02.8-04.8	93	4.2	03.0-05.4	1988	78.2	75.7-80.7
White/Non-Hisp	3183	499,623	260	8.7	07.3-10.1	88	3.1	02.1-04.1	82	2.5	01.7-03.3	117	3.9	02.9-04.9	2636	81.9	79.9-83.9
Black or Afr. Am./Non-Hisp	432	78,855	59	13.8	08.9-18.7	10	2.4	00.0-04.9	16	4.7	02.0-07.4	12	2.9	00.7-05.1	335	76.3	70.2-82.4
Oth. Race/Non-Hisp.	95	18,815				2	2.2	00.0-05.3	3	2.1	00.0-04.8	8	4.1	00.4-07.8			
MultiRacial/Non-Hisp.	113	17,243	11	6.5	02.0-11.0	7	6.4	00.7-12.1	1	1.3	00.0-03.8	10	11.0	02.8-19.2			
Hispanic	86	24,174				7	9.9	00.7-19.1	5	4.3	00.0-09.8	3	3.5	00.0-08.8			
18-24	222	83,346	28	17.4	09.6-25.2	11	4.2	00.7-07.7	5	1.7	00.0-03.7	11	5.7	02.0-09.4	167	71.1	62.5-79.7
25-34	463	110,369	51	9.9	06.6-13.2	13	4.2	00.9-07.5	18	4.7	02.2-07.2	20	4.1	01.7-06.5	361	77.2	71.9-82.5
35-44	676	125,073	78	11.1	08.2-14.0	27	3.8	02.0-05.6	21	2.6	01.2-04.0	27	4.2	02.2-06.2	523	78.3	74.4-82.2
45-54	823	117,676	92	9.6	07.1-12.1	33	3.4	01.8-05.0	27	2.8	01.6-04.0	45	4.3	02.7-05.9	626	79.9	76.4-83.4
55-64	730	90,933	47	5.6	03.6-07.6	17	2.4	00.8-04.0	21	3.1	01.3-04.9	24	3.3	01.3-05.3	621	85.7	82.4-89.0
65+	984	110,347	50	5.8	03.8-07.8	13	1.9	00.5-03.3	15	1.8	00.6-03.0	22	2.1	00.9-03.3	884	88.4	85.7-91.1
Less Than H.S.	253	40,390	20	7.4	03.3-11.5	6	3.3	00.2-06.4	15	3.9	01.5-06.3	24	10.3	04.6-16.0	188	75.2	67.2-83.2
H.S. or G.E.D.	1292	195,275	102	8.5	06.0-11.0	27	2.2	01.0-03.4	43	3.6	02.2-05.0	49	4.1	02.5-05.7	1071	81.6	78.3-84.9
Some Post-H.S.	1015	165,443	99	10.1	07.4-12.8	39	4.0	02.0-06.0	21	2.2	00.8-03.6	48	5.4	03.4-07.4	808	78.3	74.4-82.2
College Graduate	1363	239,521	128	10.9	08.4-13.4	41	3.6	02.0-05.2	28	2.3	01.3-03.3	28	1.6	00.8-02.4	1138	81.5	78.4-84.6
Less than \$15,000	394	54,683	26	10.2	02.4-18.0	13	4.4	01.3-07.5	14	2.7	00.9-04.5	24	7.1	03.2-11.0	317	75.6	67.4-83.8
\$15,000- 24,999	348	41,188	29	12.1	05.0-19.2	15	4.6	01.7-07.5	20	5.9	03.0-08.8	47	13.4	07.9-18.9	237	64.1	56.1-72.1
\$25,000- 34,999	345	45,944	37	10.5	06.4-14.6	11	3.6	01.1-06.1	11	3.3	00.9-05.7	11	2.9	00.7-05.1	275	79.6	73.9-85.3
\$35,000- 49,999	558	84,253	54	9.3	06.0-12.6	14	1.5	00.5-02.5	17	5.2	02.5-07.9	20	4.8	02.1-07.5	453	79.1	74.2-84.0
\$50,000- 74,999	648	112,975	64	9.0	06.3-11.7	17	3.0	00.8-05.2	17	2.4	00.8-04.0	17	3.2	01.2-05.2	533	82.5	78.4-86.6
\$75,000+	1041	213,420	92	10.5	07.8-13.2	33	3.2	01.6-04.8	18	2.0	00.8-03.2	19	1.9	00.7-03.1	879	82.5	79.2-85.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 20. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1462	306,859	129	9.6	07.2-12.0	32	2.5	01.1-03.9	26	1.7	00.9-02.5	57	3.6	02.4-04.8	1218	82.5	79.6-85.4
White/Non-Hisp	1197	241,005	101	9.3	06.9-11.7	26	2.6	01.2-04.0	19	1.4	00.6-02.2	42	3.3	02.1-04.5	1009	83.5	80.6-86.4
Black or Afr. Am./Non-Hisp	152	37,332	19	10.4	04.5-16.3	4	3.2	00.0-08.3	5	5.0	00.3-09.7	6	4.5	00.2-08.8	118	76.9	67.7-86.1
18-24	81	41,776				3	1.6	00.0-03.6	1	1.1	00.0-03.3	3	2.5	00.0-05.6			
25-34	166	54,401	26	11.5	06.0-17.0	3	4.3	00.0-10.0	4	3.6	00.0-07.3	5	4.0	00.1-07.9	128	76.6	68.0-85.2
35-44	253	61,592	28	9.9	05.8-14.0	6	2.0	00.0-04.0	6	1.6	00.0-03.2	7	3.2	00.5-05.9	206	83.3	78.0-88.6
45-54	318	56,879	32	8.9	05.0-12.8	8	2.6	00.2-05.0	8	1.8	00.4-03.2	22	5.3	02.6-08.0	248	81.4	76.1-86.7
55-64	286	43,179	15	5.4	02.1-08.7	10	3.6	00.7-06.5	4	1.2	00.0-02.6	11	4.0	00.9-07.1	246	85.8	80.5-91.1
65+	350	47,726	18	6.1	03.0-09.2	2	1.1	00.0-02.7	3	0.8	00.0-01.8	9	2.2	00.6-03.8	318	89.8	85.9-93.7
Less Than H.S.	112	21,243	5	3.6	00.0-07.3	1	0.4	00.0-01.2	3	1.2	00.0-02.6	11	10.3	02.7-17.9	92	84.5	75.9-93.1
H.S. or G.E.D.	453	97,685	36	8.3	04.4-12.2	6	1.1	00.1-02.1	13	2.4	00.6-04.2	19	3.1	01.1-05.1	379	85.1	80.6-89.6
Some Post-H.S.	350	71,850	36	9.1	05.2-13.0	11	3.9	00.6-07.2	4	1.6	00.0-03.6	16	5.1	02.0-08.2	283	80.3	74.6-86.0
College Graduate	546	115,907	52	12.2	07.5-16.9	14	3.3	00.6-06.0	6	1.4	00.0-02.8	10	1.6	00.2-03.0	464	81.5	76.2-86.8
Less than \$15,000	125	26,723				1	0.4	00.0-01.2	5	1.9	00.0-03.9	10	7.9	01.8-14.0			
\$15,000- 24,999	80	12,578	5	6.0	00.0-12.5	2	3.3	00.0-08.8	2	2.4	00.0-06.3						
\$25,000- 34,999	124	21,870	11	8.4	02.1-14.7	4	2.5	00.0-05.2	2	1.1	00.0-02.7	3	2.3	00.0-05.6	104	85.7	78.1-93.3
\$35,000- 49,999	219	41,148	19	8.6	03.7-13.5	3	1.0	00.0-02.4	3	1.5	00.0-03.5	2	1.3	00.0-03.5	192	87.6	81.9-93.3
\$50,000- 74,999	276	55,549	28	8.8	04.9-12.7	5	3.9	00.0-08.2	7	2.7	00.2-05.2	11	3.9	00.8-07.0	225	80.7	74.2-87.2
\$75,000+	478	116,752	40	10.1	06.2-14.0	13	2.1	00.7-03.5	6	1.8	00.0-03.6	9	2.0	00.4-03.6	410	84.0	79.5-88.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 21. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2464	334,379	220	9.8	08.0-11.6	82	4.0	02.8-05.2	81	3.8	02.8-04.8	93	4.2	03.0-05.4	1988	78.2	75.7-80.7
White/Non-Hisp	1986	258,619	159	8.1	06.3-09.9	62	3.5	02.1-04.9	63	3.6	02.4-04.8	75	4.4	02.8-06.0	1627	80.4	77.9-82.9
Black or Afr. Am./Non-Hisp	280	41,524	40	16.8	09.4-24.2	6	1.6	00.0-03.2	11	4.4	01.3-07.5	6	1.4	00.0-02.8	217	75.7	67.9-83.5
Oth. Race/Non-Hisp.	56	8,311				2	5.0	00.0-11.9	2	3.3	00.0-08.8	5	8.1	00.1-16.1			
MultiRacial/Non-Hisp.	78	10,405	7	4.8	00.7-08.9	5	7.1	00.0-14.4	1	2.2	00.0-06.5						
Hispanic	56	14,252							4	6.9	00.0-15.9	1	0.9	00.0-02.7			
18-24	141	41,571	19	18.3	08.3-28.3	8	6.8	00.3-13.3	4	2.3	00.0-05.4	8	8.9	02.0-15.8			
25-34	297	55,968	25	8.3	04.4-12.2	10	4.1	00.8-07.4	14	5.7	02.2-09.2	15	4.1	01.4-06.8	233	77.8	71.7-83.9
35-44	423	63,480	50	12.2	08.1-16.3	21	5.7	02.8-08.6	15	3.6	01.4-05.8	20	5.2	02.3-08.1	317	73.3	67.8-78.8
45-54	505	60,796	60	10.2	07.1-13.3	25	4.2	02.0-06.4	19	3.7	01.7-05.7	23	3.3	01.5-05.1	378	78.6	74.1-83.1
55-64	444	47,754	32	5.8	03.4-08.2	7	1.3	00.1-02.5	17	4.8	01.9-07.7	13	2.6	00.4-04.8	375	85.6	81.3-89.9
65+	634	62,621	32	5.6	03.2-08.0	11	2.4	00.4-04.4	12	2.6	00.8-04.4	13	2.1	00.5-03.7	566	87.3	83.6-91.0
Less Than H.S.	141	19,147	15	11.6	03.8-19.4	5	6.6	00.1-13.1	12	6.8	01.9-11.7	13	10.2	02.0-18.4			
H.S. or G.E.D.	839	97,589	66	8.7	05.2-12.2	21	3.3	00.9-05.7	30	4.8	02.6-07.0	30	5.0	02.3-07.7	692	78.2	73.5-82.9
Some Post-H.S.	665	93,593	63	10.8	06.9-14.7	28	4.1	01.6-06.6	17	2.7	00.9-04.5	32	5.6	02.9-08.3	525	76.8	71.7-81.9
College Graduate	817	123,614	76	9.7	07.2-12.2	27	3.8	01.8-05.8	22	3.3	01.7-04.9	18	1.6	00.6-02.6	674	81.6	78.1-85.1
Less than \$15,000	269	27,960	13	3.3	01.1-05.5	12	8.2	02.3-14.1	9	3.5	00.6-06.4	14	6.3	01.2-11.4	221	78.6	71.0-86.2
\$15,000- 24,999	268	28,610	24	14.7	05.3-24.1	13	5.2	01.9-08.5	18	7.4	03.5-11.3	30	10.9	05.2-16.6	183	61.7	52.1-71.3
\$25,000- 34,999	221	24,074	26	12.4	06.7-18.1	7	4.6	00.5-08.7	9	5.3	01.0-09.6	8	3.5	00.8-06.2	171	74.2	66.6-81.8
\$35,000- 49,999	339	43,105	35	10.1	05.6-14.6	11	2.0	00.6-03.4	14	8.8	03.7-13.9	18	8.2	03.3-13.1	261	71.0	63.7-78.3
\$50,000- 74,999	372	57,426	36	9.1	05.2-13.0	12	2.1	00.7-03.5	10	2.1	00.5-03.7	6	2.5	00.1-04.9	308	84.2	79.3-89.1
\$75,000+	563	96,668	52	11.1	07.0-15.2	20	4.5	01.6-07.4	12	2.1	00.7-03.5	10	1.6	00.0-03.2	469	80.6	75.7-85.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 22. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3913	639,746	211	5.2	04.2-06.2	68	2.0	01.4-02.6	57	1.5	00.9-02.1	70	1.5	00.9-02.1	3507	89.8	88.4-91.2
Male	1454	305,541	76	4.5	03.1-05.9	24	2.0	01.0-03.0	20	1.2	00.4-02.0	24	1.1	00.5-01.7	1310	91.1	89.1-93.1
Female	2459	334,206	135	5.9	04.5-07.3	44	2.0	01.2-02.8	37	1.8	01.0-02.6	46	1.8	01.0-02.6	2197	88.5	86.7-90.3
White/Non-Hisp	3170	497,889	150	4.7	03.7-05.7	42	1.4	00.8-02.0	40	1.3	00.7-01.9	59	1.7	01.1-02.3	2879	90.9	89.5-92.3
Black or Afr. Am./Non-Hisp	432	79,098	34	7.2	03.7-10.7	14	3.1	01.1-05.1	12	2.9	00.5-05.3	4	0.3	00.0-00.7	368	86.6	82.1-91.1
Oth. Race/Non-Hisp.	95	18,815	8	8.1	01.6-14.6	2	4.2	00.0-11.1	2	1.7	00.0-04.2	2	1.1	00.0-02.9	81	84.9	75.1-94.7
MultiRacial/Non-Hisp.	113	17,243	11	6.9	01.8-12.0	5	5.9	00.0-13.2	2	1.9	00.0-04.6	3	1.0	00.0-02.4	92	84.4	75.4-93.4
Hispanic	86	24,174	8	6.1	01.2-11.0	5	6.6	00.1-13.1				2	1.1	00.0-02.7	71	86.2	78.0-94.4
18-24	221	83,205	17	5.9	02.0-09.8	10	4.0	01.3-06.7	3	1.4	00.0-03.2	3	1.9	00.0-04.3	188	86.8	81.3-92.3
25-34	462	110,289	35	6.8	03.9-09.7	10	1.8	00.2-03.4	10	1.8	00.4-03.2	8	1.1	00.1-02.1	399	88.6	84.9-92.3
35-44	677	125,141	53	7.7	05.3-10.1	10	1.0	00.2-01.8	12	1.8	00.6-03.0	11	1.9	00.5-03.3	591	87.6	84.7-90.5
45-54	820	117,319	50	5.2	03.4-07.0	20	2.9	01.3-04.5	17	2.2	00.8-03.6	22	1.7	00.9-02.5	711	88.1	85.4-90.8
55-64	725	90,013	26	3.5	01.7-05.3	12	1.6	00.4-02.8	10	1.5	00.1-02.9	15	1.5	00.5-02.5	662	92.0	89.3-94.7
65+	981	110,451	30	2.1	01.1-03.1	5	1.0	00.0-02.0	5	0.4	00.0-00.8	11	0.9	00.3-01.5	930	95.6	94.0-97.2
Less Than H.S.	244	39,956	17	4.1	01.7-06.5	5	3.7	00.0-07.6	8	3.2	00.5-05.9	12	4.7	00.8-08.6	202	84.2	77.5-90.9
H.S. or G.E.D.	1292	195,379	67	4.3	02.9-05.7	23	2.2	01.0-03.4	22	2.1	00.9-03.3	26	1.3	00.7-01.9	1154	90.0	87.8-92.2
Some Post-H.S.	1009	164,431	61	7.0	04.5-09.5	19	1.8	00.8-02.8	12	1.3	00.3-02.3	19	2.0	00.6-03.4	898	87.9	84.8-91.0
College Graduate	1365	239,371	66	5.0	03.4-06.6	21	1.7	00.7-02.7	15	0.9	00.3-01.5	13	0.6	00.2-01.0	1250	91.7	89.7-93.7
Less than \$15,000	392	54,735	25	7.6	03.5-11.7	10	3.6	00.7-06.5	13	2.9	00.4-05.4	11	1.9	00.5-03.3	333	83.9	78.4-89.4
\$15,000- 24,999	347	41,136	24	5.9	03.0-08.8	9	3.7	01.0-06.4	14	4.2	01.3-07.1	24	7.1	03.0-11.2	276	79.0	72.9-85.1
\$25,000- 34,999	342	45,583	15	3.9	01.4-06.4	5	1.5	00.0-03.3	6	2.9	00.2-05.6	4	0.7	00.0-01.5	312	91.0	86.9-95.1
\$35,000- 49,999	555	83,512	40	5.5	03.5-07.5	14	3.0	01.0-05.0	10	2.1	00.5-03.7	9	2.3	00.3-04.3	482	87.1	83.6-90.6
\$50,000- 74,999	646	112,690	36	5.6	03.1-08.1	11	1.7	00.5-02.9	4	1.1	00.0-02.5	6	1.0	00.0-02.4	589	90.5	87.2-93.8
\$75,000+	1039	212,957	50	5.1	03.1-07.1	11	1.3	00.3-02.3	5	0.6	00.0-01.2	8	0.6	00.2-01.0	965	92.4	90.2-94.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 23. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1454	305,541	76	4.5	03.1-05.9	24	2.0	01.0-03.0	20	1.2	00.4-02.0	24	1.1	00.5-01.7	1310	91.1	89.1-93.1
White/Non-Hisp	1190	239,807	60	4.4	03.0-05.8	15	1.3	00.5-02.1	15	1.1	00.3-01.9	20	1.3	00.5-02.1	1080	91.9	89.9-93.9
Black or Afr. Am./Non-Hisp	151	37,211	11	7.3	01.2-13.4	4	3.0	00.0-06.1	4	2.9	00.0-06.6	2	0.3	00.0-00.9	130	86.5	79.1-93.9
18-24	81	41,776	5	3.9	00.0-07.8	6	5.1	00.8-09.4				1	1.7	00.0-05.0	69	89.4	82.7-96.1
25-34	166	54,401	14	6.9	02.2-11.6	4	3.0	00.0-06.1	5	2.1	00.0-04.6	1	0.5	00.0-01.5	142	87.4	81.3-93.5
35-44	252	61,475	14	4.7	01.8-07.6	4	1.2	00.0-02.4				2	0.6	00.0-01.4	232	93.6	90.3-96.9
45-54	316	56,422	21	5.0	02.1-07.9	6	1.9	00.0-03.9	9	2.7	00.3-05.1	7	1.3	00.3-02.3	273	89.0	84.9-93.1
55-64	284	42,720	10	3.4	00.5-06.3	3	0.7	00.0-01.7	5	2.2	00.0-04.7	9	1.7	00.3-03.1	257	91.9	87.8-96.0
65+	347	47,441	12	2.5	00.7-04.3	1	0.6	00.0-01.8	1	0.1	00.0-00.3	4	1.4	00.0-02.8	329	95.4	92.9-97.9
Less Than H.S.	108	20,844	6	2.3	00.1-04.5	3	6.7	00.0-14.1	3	1.9	00.0-04.3	6	2.7	00.2-05.2	90	86.4	78.0-94.8
H.S. or G.E.D.	453	97,646	26	4.7	02.3-07.1	10	2.0	00.6-03.4	8	1.4	00.0-02.8	6	0.5	00.1-00.9	403	91.4	88.3-94.5
Some Post-H.S.	347	71,240	17	4.6	01.5-07.7	5	0.9	00.0-01.9	6	2.1	00.0-04.3	7	2.4	00.0-04.8	312	90.0	85.7-94.3
College Graduate	545	115,638	27	4.7	02.5-06.9	6	1.8	00.0-03.6	3	0.4	00.0-01.0	5	0.6	00.0-01.2	504	92.5	89.8-95.2
Less than \$15,000	126	26,877	11	8.4	01.7-15.1	6	6.2	00.3-12.1	4	1.1	00.0-02.3	3	1.2	00.0-02.8	102	83.0	74.2-91.8
\$15,000- 24,999	80	12,578	1	0.3	00.0-00.9	1	0.5	00.0-01.5	5	5.4	00.1-10.7	9	7.6	01.3-13.9	64	86.3	77.9-94.7
\$25,000- 34,999	122	21,547	6	3.4	00.5-06.3	1	0.2	00.0-00.6	3	3.1	00.0-07.8	1	0.1	00.0-00.3	111	93.2	87.5-98.9
\$35,000- 49,999	219	41,148	21	5.4	02.9-07.9	5	2.8	00.3-05.3	2	0.7	00.0-01.7	2	0.9	00.0-02.3	189	90.2	86.3-94.1
\$50,000- 74,999	274	55,263	13	6.1	01.6-10.6	4	1.7	00.0-03.5	3	1.7	00.0-04.1	5	1.8	00.0-04.3	249	88.6	82.9-94.3
\$75,000+	477	116,369	21	4.0	02.0-06.0	4	1.6	00.0-03.2	2	0.7	00.0-01.7	2	0.2	00.0-00.6	448	93.6	90.9-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 24. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2459	334,206	135	5.9	04.5-07.3	44	2.0	01.2-02.8	37	1.8	01.0-02.6	46	1.8	01.0-02.6	2197	88.5	86.7-90.3
White/Non-Hisp	1980	258,082	90	5.0	03.4-06.6	27	1.5	00.7-02.3	25	1.5	00.7-02.3	39	2.1	01.1-03.1	1799	89.9	87.9-91.9
Black or Afr. Am./Non-Hisp	281	41,888	23	7.2	03.7-10.7	10	3.1	00.7-05.5	8	2.8	00.1-05.5	2	0.2	00.0-00.6	238	86.6	81.7-91.5
Oth. Race/Non-Hisp.	56	8,311							1	2.8	00.0-08.1	1	2.1	00.0-06.2			
MultiRacial/Non-Hisp.	78	10,405	10	10.5	02.5-18.5	4	4.2	00.0-10.3	2	3.1	00.0-07.6	2	0.8	00.0-02.0			
Hispanic	56	14,252	7	9.5	01.7-17.3	3	7.2	00.0-16.8				2	1.9	00.0-04.6			
18-24	140	41,429	12	8.0	01.1-14.9	4	2.9	00.0-06.2	3	2.9	00.0-06.6	2	2.0	00.0-05.1	119	84.3	75.7-92.9
25-34	296	55,888	21	6.7	03.0-10.4	6	0.6	00.0-01.2	5	1.5	00.1-02.9	7	1.6	00.0-03.2	257	89.7	85.6-93.8
35-44	425	63,666	39	10.5	07.0-14.0	6	0.9	00.1-01.7	12	3.5	01.1-05.9	9	3.2	00.5-05.9	359	81.8	77.1-86.5
45-54	504	60,896	29	5.3	02.9-07.7	14	3.7	01.3-06.1	8	1.8	00.2-03.4	15	2.0	00.8-03.2	438	87.2	83.5-90.9
55-64	441	47,293	16	3.6	01.2-06.0	9	2.4	00.2-04.6	5	0.8	00.0-01.8	6	1.3	00.1-02.5	405	92.0	88.7-95.3
65+	634	63,010	18	1.8	00.8-02.8	4	1.4	00.0-03.0	4	0.5	00.0-01.1	7	0.6	00.2-01.0	601	95.7	93.7-97.7
Less Than H.S.	136	19,112	11	6.1	01.6-10.6	2	0.4	00.0-01.0	5	4.7	00.0-10.0	6	6.9	00.0-14.5			
H.S. or G.E.D.	839	97,733	41	3.9	02.5-05.3	13	2.4	00.6-04.2	14	2.8	00.8-04.8	20	2.2	01.0-03.4	751	88.7	85.6-91.8
Some Post-H.S.	662	93,191	44	8.8	05.3-12.3	14	2.4	00.6-04.2	6	0.7	00.0-01.5	12	1.8	00.0-03.6	586	86.3	82.2-90.4
College Graduate	820	123,734	39	5.3	03.1-07.5	15	1.6	00.6-02.6	12	1.4	00.4-02.4	8	0.7	00.1-01.3	746	91.0	88.5-93.5
Less than \$15,000	266	27,859	14	6.9	02.0-11.8	4	1.0	00.0-02.2	9	4.6	00.0-09.3	8	2.6	00.4-04.8	231	84.8	78.1-91.5
\$15,000- 24,999	267	28,557	23	8.4	04.3-12.5	8	5.1	01.2-09.0	9	3.7	00.2-07.2	15	6.9	01.6-12.2	212	75.9	68.3-83.5
\$25,000- 34,999	220	24,036	9	4.3	00.6-08.0	4	2.7	00.0-06.0	3	2.7	00.0-06.0	3	1.1	00.0-02.5	201	89.1	83.2-95.0
\$35,000- 49,999	336	42,364	19	5.5	02.6-08.4	9	3.3	00.4-06.2	8	3.6	00.9-06.3	7	3.5	00.0-07.2	293	84.1	78.4-89.8
\$50,000- 74,999	372	57,426	23	5.2	02.5-07.9	7	1.6	00.2-03.0	1	0.6	00.0-01.8	1	0.3	00.0-00.9	340	92.3	89.0-95.6
\$75,000+	562	96,588	29	6.5	03.0-10.0	7	1.0	00.2-01.8	3	0.5	00.0-01.1	6	0.9	00.0-01.9	517	91.1	87.4-94.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 25. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPLUSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3935	641,836	485	12.1	10.3-13.9	3450	87.9	86.1-89.7
Male	1462	306,271	135	9.5	07.3-11.7	1327	90.5	88.3-92.7
Female	2473	335,565	350	14.5	12.1-16.9	2123	85.5	83.1-87.9
White/Non-Hisp	3190	499,826	411	13.4	11.4-15.4	2779	86.6	84.6-88.6
Black or Afr. Am./Non-Hisp	435	79,333	37	5.2	03.0-07.4	398	94.8	92.6-97.0
Oth. Race/Non-Hisp.	95	18,815	8	5.8	00.9-10.7	87	94.2	89.3-99.1
MultiRacial/Non-Hisp.	112	17,161	20	17.3	07.7-26.9	92	82.7	73.1-92.3
Hispanic	86	24,174	7	7.2	00.0-15.8	79	92.8	84.2-0100
18-24	222	83,346	29	17.1	08.3-25.9	193	82.9	74.1-91.7
25-34	462	110,289	64	13.2	08.9-17.5	398	86.8	82.5-91.1
35-44	678	124,954	95	11.6	08.9-14.3	583	88.4	85.7-91.1
45-54	822	117,678	125	12.7	10.0-15.4	697	87.3	84.6-90.0
55-64	730	90,432	103	13.5	10.2-16.8	627	86.5	83.2-89.8
65+	992	111,618	68	6.3	04.5-08.1	924	93.7	91.9-95.5
H.S. or G.E.D.	1296	195,677	151	13.4	10.3-16.5	1145	86.6	83.5-89.7
Some Post-H.S.	1014	164,992	144	12.4	09.7-15.1	870	87.6	84.9-90.3
College Graduate	1367	239,651	144	9.4	07.2-11.6	1223	90.6	88.4-92.8
Less than \$15,000	395	54,551	53	13.0	08.3-17.7	342	87.0	82.3-91.7
\$15,000- 24,999	350	41,408	82	19.5	14.2-24.8	268	80.5	75.2-85.8
\$25,000- 34,999	346	45,983	46	11.2	07.3-15.1	300	88.8	84.9-92.7
\$35,000- 49,999	557	83,905	72	13.4	09.3-17.5	485	86.6	82.5-90.7
\$50,000- 74,999	647	112,602	74	13.3	07.6-19.0	573	86.7	81.0-92.4
\$75,000+	1040	213,293	95	9.4	06.9-11.9	945	90.6	88.1-93.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 26. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPLUSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1462	306,271	135	9.5	07.3-11.7	1327	90.5	88.3-92.7
White/Non-Hisp	1197	240,417	117	10.5	08.0-13.0	1080	89.5	87.0-92.0
Black or Afr. Am./Non-Hisp	152	37,332	7	3.0	00.3-05.7	145	97.0	94.3-99.7
18-24	81	41,776	9	13.0	03.4-22.6	72	87.0	77.4-96.6
25-34	166	54,401	18	11.8	04.9-18.7	148	88.2	81.3-95.1
35-44	252	61,226	19	5.1	02.4-07.8	233	94.9	92.2-97.6
45-54	318	56,736	38	10.7	06.4-15.0	280	89.3	85.0-93.6
55-64	286	42,985	34	12.7	07.4-18.0	252	87.3	82.0-92.6
65+	351	47,843	17	5.5	02.6-08.4	334	94.5	91.6-97.4
Less Than H.S.	112	21,243	13	6.6	02.3-10.9	99	93.4	89.1-97.7
H.S. or G.E.D.	453	97,648	37	9.6	05.1-14.1	416	90.4	85.9-94.9
Some Post-H.S.	349	71,289	44	12.8	08.1-17.5	305	87.2	82.5-91.9
College Graduate	547	115,918	41	7.9	04.6-11.2	506	92.1	88.8-95.4
Less than \$15,000	125	26,510	11	8.2	02.1-14.3	114	91.8	85.7-97.9
\$25,000- 34,999	125	21,910	14	7.4	02.7-12.1	111	92.6	87.9-97.3
\$35,000- 49,999	219	41,148	19	6.8	03.1-10.5	200	93.2	89.5-96.9
\$50,000- 74,999	276	55,258	21	7.4	03.5-11.3	255	92.6	88.7-96.5
\$75,000+	478	116,705	36	10.0	05.9-14.1	442	90.0	85.9-94.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 27. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPLUSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2473	335,565	350	14.5	12.1-16.9	2123	85.5	83.1-87.9
White/Non-Hisp	1993	259,409	294	16.1	13.2-19.0	1699	83.9	81.0-86.8
Black or Afr. Am./Non-Hisp	283	42,001	30	7.2	04.1-10.3	253	92.8	89.7-95.9
Oth. Race/Non-Hisp.	56	8,311	6	11.8	01.8-21.8	50	88.2	78.2-98.2
MultiRacial/Non-Hisp.	77	10,323	16	17.6	07.8-27.4	61	82.4	72.6-92.2
Hispanic	56	14,252	3	2.3	00.0-05.2	53	97.7	94.8-0100
25-34	296	55,888	46	14.6	09.5-19.7	250	85.4	80.3-90.5
35-44	426	63,729	76	17.9	13.4-22.4	350	82.1	77.6-86.6
45-54	504	60,942	87	14.5	10.8-18.2	417	85.5	81.8-89.2
55-64	444	47,448	69	14.2	10.1-18.3	375	85.8	81.7-89.9
65+	641	63,775	51	7.0	04.6-09.4	590	93.0	90.6-95.4
H.S. or G.E.D.	843	98,030	114	17.1	13.0-21.2	729	82.9	78.8-87.0
Some Post-H.S.	665	93,703	100	12.0	09.1-14.9	565	88.0	85.1-90.9
College Graduate	820	123,734	103	10.8	08.3-13.3	717	89.2	86.7-91.7
Less than \$15,000	270	28,041	42	17.6	10.9-24.3	228	82.4	75.7-89.1
\$15,000- 24,999	270	28,830	64	19.7	13.8-25.6	206	80.3	74.4-86.2
\$25,000- 34,999	221	24,074	32	14.7	08.8-20.6	189	85.3	79.4-91.2
\$35,000- 49,999	338	42,757	53	19.8	12.7-26.9	285	80.2	73.1-87.3
\$50,000- 74,999	371	57,344	53	19.0	09.0-29.0	318	81.0	71.0-91.0
\$75,000+	562	96,588	59	8.8	06.1-11.5	503	91.2	88.5-93.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 28. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3941	642,546	660	17.0	15.2-18.8	3281	83.0	81.2-84.8
Male	1464	306,715	186	13.7	11.2-16.2	1278	86.3	83.8-88.8
Female	2477	335,831	474	20.0	17.5-22.5	2003	80.0	77.5-82.5
White/Non-Hisp	3193	500,265	560	18.7	16.5-20.9	2633	81.3	79.1-83.5
Black or Afr. Am./Non-Hisp	436	79,357	50	10.1	06.2-14.0	386	89.9	86.0-93.8
Oth. Race/Non-Hisp.	95	18,815	7	4.1	00.4-07.8	88	95.9	92.2-99.6
MultiRacial/Non-Hisp.	113	17,243	33	24.7	15.1-34.3	80	75.3	65.7-84.9
Hispanic	87	24,339	7	6.6	00.0-14.4	80	93.4	85.6-100.0
18-24	222	83,346	36	19.6	10.8-28.4	186	80.4	71.6-89.2
25-34	462	110,289	71	16.5	11.8-21.2	391	83.5	78.8-88.2
35-44	679	125,321	127	16.9	13.6-20.2	552	83.1	79.8-86.4
45-54	824	117,822	188	20.0	16.5-23.5	636	80.0	76.5-83.5
55-64	731	90,473	136	19.7	15.8-23.6	595	80.3	76.4-84.2
65+	994	111,778	102	10.5	08.0-13.0	892	89.5	87.0-92.0
H.S. or G.E.D.	1298	195,837	201	15.8	12.7-18.9	1097	84.2	81.1-87.3
Some Post-H.S.	1016	165,354	192	18.4	15.1-21.7	824	81.6	78.3-84.9
College Graduate	1368	239,817	210	15.2	12.7-17.7	1158	84.8	82.3-87.3
Less than \$15,000	397	54,942	76	18.3	12.8-23.8	321	81.7	76.2-87.2
\$15,000- 24,999	352	41,614	111	28.2	21.5-34.9	241	71.8	65.1-78.5
\$25,000- 34,999	346	45,983	56	16.4	10.9-21.9	290	83.6	78.1-89.1
\$35,000- 49,999	557	83,905	102	19.4	14.7-24.1	455	80.6	75.9-85.3
\$50,000- 74,999	647	112,591	99	18.4	12.5-24.3	548	81.6	75.7-87.5
\$75,000+	1040	213,293	149	14.9	12.0-17.8	891	85.1	82.2-88.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 29. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1464	306,715	186	13.7	11.2-16.2	1278	86.3	83.8-88.8
White/Non-Hisp	1199	240,860	159	15.3	12.4-18.2	1040	84.7	81.8-87.6
Black or Afr. Am./Non-Hisp	152	37,332	11	8.3	01.8-14.8	141	91.7	85.2-98.2
18-24	81	41,776	10	14.3	04.9-23.7	71	85.7	76.3-95.1
25-34	166	54,401	25	16.6	09.0-24.2	141	83.4	75.8-91.0
35-44	253	61,592	27	10.3	06.0-14.6	226	89.7	85.4-94.0
45-54	318	56,736	54	15.3	10.4-20.2	264	84.7	79.8-89.6
55-64	286	42,985	45	18.2	11.9-24.5	241	81.8	75.5-88.1
65+	352	47,920	25	8.5	04.8-12.2	327	91.5	87.8-95.2
Less Than H.S.	112	21,243	13	10.2	03.1-17.3	99	89.8	82.7-96.9
H.S. or G.E.D.	454	97,725	44	9.9	05.8-14.0	410	90.1	86.0-94.2
Some Post-H.S.	350	71,655	63	19.8	13.9-25.7	287	80.2	74.3-86.1
College Graduate	547	115,918	65	13.6	09.7-17.5	482	86.4	82.5-90.3
Less than \$15,000	126	26,877	18	16.1	07.3-24.9	108	83.9	75.1-92.7
\$25,000- 34,999	125	21,910	16	12.4	04.2-20.6	109	87.6	79.4-95.8
\$35,000- 49,999	219	41,148	25	12.0	06.5-17.5	194	88.0	82.5-93.5
\$50,000- 74,999	276	55,258	35	14.9	08.8-21.0	241	85.1	79.0-91.2
\$75,000+	478	116,705	52	12.9	08.6-17.2	426	87.1	82.8-91.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 30. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2477	335,831	474	20.0	17.5-22.5	2003	80.0	77.5-82.5
White/Non-Hisp	1994	259,404	401	21.8	18.7-24.9	1593	78.2	75.1-81.3
Black or Afr. Am./Non-Hisp	284	42,025	39	11.7	07.0-16.4	245	88.3	83.6-93.0
Oth. Race/Non-Hisp.	56	8,311	3	5.6	00.0-12.5	53	94.4	87.5-0100
25-34	296	55,888	46	16.4	10.7-22.1	250	83.6	77.9-89.3
35-44	426	63,729	100	23.4	18.3-28.5	326	76.6	71.5-81.7
45-54	506	61,086	134	24.4	19.5-29.3	372	75.6	70.7-80.5
55-64	445	47,488	91	21.0	15.9-26.1	354	79.0	73.9-84.1
65+	642	63,857	77	12.1	08.8-15.4	565	87.9	84.6-91.2
H.S. or G.E.D.	844	98,112	157	21.6	17.3-25.9	687	78.4	74.1-82.7
Some Post-H.S.	666	93,699	129	17.4	13.5-21.3	537	82.6	78.7-86.5
College Graduate	821	123,899	145	16.7	13.6-19.8	676	83.3	80.2-86.4
Less than \$15,000	271	28,065	58	20.4	13.7-27.1	213	79.6	72.9-86.3
\$15,000- 24,999	272	29,036	86	29.5	21.7-37.3	186	70.5	62.7-78.3
\$25,000- 34,999	221	24,074	40	20.1	13.2-27.0	181	79.9	73.0-86.8
\$35,000- 49,999	338	42,757	77	26.5	19.2-33.8	261	73.5	66.2-80.8
\$50,000- 74,999	371	57,333	64	21.8	12.0-31.6	307	78.2	68.4-88.0
\$75,000+	562	96,588	97	17.2	13.1-21.3	465	82.8	78.7-86.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2006**

End of Module Data Report