

DELAWARE

2008 Calculated Variables Report

Behavioral Risk Factor Surveillance System

January 23, 2009



**SECTION 1: HEALTH STATUS CONTENTS**

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 1: HEALTH STATUS**

**TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4020	662,826	3343	86.9	85.5-88.3	677	13.1	11.7-14.5
Male	1440	317,861	1203	87.5	85.3-89.7	237	12.5	10.3-14.7
Female	2580	344,965	2140	86.2	84.4-88.0	440	13.8	12.0-15.6
White/Non-Hisp	3235	512,661	2714	87.2	85.6-88.8	521	12.8	11.2-14.4
Black or Afr. Am./Non-Hisp	479	85,195	383	83.5	78.8-88.2	96	16.5	11.8-21.2
Oth. Race/Non-Hisp.	103	22,282	84	89.2	82.7-95.7	19	10.8	04.3-17.3
MultiRacial/Non-Hisp.	69	9,245	46	81.3	72.3-90.3	23	18.7	09.7-27.7
Hispanic	91	27,372	82	92.5	86.0-99.0	9	7.5	01.0-14.0
18-24	151	83,897	142	92.9	87.2-98.6	9	7.1	01.4-12.8
25-34	387	113,762	354	92.8	90.1-95.5	33	7.2	04.5-09.9
35-44	601	125,325	546	91.5	88.8-94.2	55	8.5	05.8-11.2
45-54	797	121,843	693	85.9	82.6-89.2	104	14.1	10.8-17.4
55-64	858	95,962	695	82.7	79.2-86.2	163	17.3	13.8-20.8
65+	1187	116,802	877	76.6	73.7-79.5	310	23.4	20.5-26.3
Less Than H.S.	268	35,448	163	66.7	57.1-76.3	105	33.3	23.7-42.9
H.S. or G.E.D.	1302	197,610	1009	80.4	77.3-83.5	293	19.6	16.5-22.7
Some Post-H.S.	1013	175,389	864	90.1	87.9-92.3	149	9.9	07.7-12.1
College Graduate	1431	253,886	1302	92.5	90.7-94.3	129	7.5	05.7-09.3
Less than \$15,000	401	43,966	281	72.8	66.5-79.1	120	27.2	20.9-33.5
\$15,000- 24,999	361	43,301	208	69.3	62.6-76.0	153	30.7	24.0-37.4
\$25,000- 34,999	333	47,010	265	81.6	75.7-87.5	68	18.4	12.5-24.3
\$35,000- 49,999	547	76,357	466	86.8	83.1-90.5	81	13.2	09.5-16.9
\$50,000- 74,999	659	114,742	595	87.7	83.0-92.4	64	12.3	07.6-17.0
\$75,000+	1023	223,102	969	95.2	93.6-96.8	54	4.8	03.2-06.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 1: HEALTH STATUS**

**TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1440	317,861	1203	87.5	85.3-89.7	237	12.5	10.3-14.7
White/Non-Hisp	1192	254,694	1004	88.0	85.6-90.4	188	12.0	09.6-14.4
Black or Afr. Am./Non-Hisp	129	29,595	103	81.2	71.6-90.8	26	18.8	09.2-28.4
18-24	57	42,326	53	92.0	83.8-0100	4	8.0	00.0-16.2
25-34	138	56,497	128	94.4	90.7-98.1	10	5.6	01.9-09.3
35-44	238	61,577	220	93.7	90.4-97.0	18	6.3	03.0-09.6
45-54	268	59,442	227	83.4	77.3-89.5	41	16.6	10.5-22.7
55-64	310	45,689	262	85.0	79.3-90.7	48	15.0	09.3-20.7
65+	421	50,245	306	76.2	71.1-81.3	115	23.8	18.7-28.9
H.S. or G.E.D.	447	91,087	345	79.3	73.8-84.8	102	20.7	15.2-26.2
Some Post-H.S.	345	86,078	300	93.7	91.3-96.1	45	6.3	03.9-08.7
College Graduate	555	123,778	500	91.1	88.0-94.2	55	8.9	05.8-12.0
\$25,000- 34,999	112	20,797	87	80.3	70.5-90.1	25	19.7	09.9-29.5
\$35,000- 49,999	203	37,797	166	86.5	80.8-92.2	37	13.5	07.8-19.2
\$50,000- 74,999	243	56,491	213	85.0	77.6-92.4	30	15.0	07.6-22.4
\$75,000+	471	126,250	447	95.6	93.6-97.6	24	4.4	02.4-06.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 1: HEALTH STATUS**

**TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2580	344,965	2140	86.2	84.4-88.0	440	13.8	12.0-15.6
White/Non-Hisp	2043	257,967	1710	86.5	84.3-88.7	333	13.5	11.3-15.7
Black or Afr. Am./Non-Hisp	350	55,600	280	84.7	79.8-89.6	70	15.3	10.4-20.2
Hispanic	56	12,333	49	92.5	86.2-98.8	7	7.5	01.2-13.8
18-24	94	41,571	89	93.9	86.1-0100	5	6.1	00.0-13.9
25-34	249	57,265	226	91.1	87.0-95.2	23	8.9	04.8-13.0
35-44	363	63,748	326	89.4	85.3-93.5	37	10.6	06.5-14.7
45-54	529	62,402	466	88.3	85.0-91.6	63	11.7	08.4-15.0
55-64	548	50,273	433	80.6	76.5-84.7	115	19.4	15.3-23.5
65+	766	66,557	571	76.8	73.1-80.5	195	23.2	19.5-26.9
H.S. or G.E.D.	855	106,523	664	81.2	77.7-84.7	191	18.8	15.3-22.3
Some Post-H.S.	668	89,311	564	86.6	83.3-89.9	104	13.4	10.1-16.7
College Graduate	876	130,108	802	93.8	92.0-95.6	74	6.2	04.4-08.0
Less than \$15,000	281	27,231	206	75.5	69.4-81.6	75	24.5	18.4-30.6
\$15,000- 24,999	280	29,785	161	68.2	60.4-76.0	119	31.8	24.0-39.6
\$25,000- 34,999	221	26,213	178	82.6	75.7-89.5	43	17.4	10.5-24.3
\$35,000- 49,999	344	38,560	300	87.1	82.4-91.8	44	12.9	08.2-17.6
\$50,000- 74,999	416	58,251	382	90.3	84.4-96.2	34	9.7	03.8-15.6
\$75,000+	552	96,851	522	94.7	92.3-97.1	30	5.3	02.9-07.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU65)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2792	539,355	2567	92.4	90.8-94.0	225	7.6	06.0-09.2
Male	1009	264,033	924	90.9	88.0-93.8	85	9.1	06.2-12.0
Female	1783	275,322	1643	93.8	92.4-95.2	140	6.2	04.8-07.6
White/Non-Hisp	2168	405,652	2011	93.3	91.7-94.9	157	6.7	05.1-08.3
Black or Afr. Am./Non-Hisp	391	75,942	351	92.5	89.4-95.6	40	7.5	04.4-10.6
Oth. Race/Non-Hisp.	87	20,922	82	98.0	96.0-0100	5	2.0	00.0-04.0
18-24	149	82,400	131	87.8	79.8-95.8	18	12.2	04.2-20.2
25-34	388	113,933	351	91.1	87.8-94.4	37	8.9	05.6-12.2
35-44	600	125,217	558	94.0	91.6-96.4	42	6.0	03.6-08.4
45-54	797	121,843	740	94.2	92.2-96.2	57	5.8	03.8-07.8
55-64	858	95,962	787	93.4	91.4-95.4	71	6.6	04.6-08.6
Less Than H.S.	122	22,577	96	82.3	73.3-91.3	26	17.7	08.7-26.7
H.S. or G.E.D.	831	152,151	730	88.2	85.1-91.3	101	11.8	08.7-14.9
Some Post-H.S.	742	149,240	683	91.3	87.0-95.6	59	8.7	04.4-13.0
College Graduate	1095	215,300	1057	97.2	96.0-98.4	38	2.8	01.6-04.0
Less than \$15,000	198	27,365	151	75.4	66.2-84.6	47	24.6	15.4-33.8
\$15,000- 24,999	196	31,777	147	79.6	72.0-87.2	49	20.4	12.8-28.0
\$25,000- 34,999	209	35,466	184	91.3	86.8-95.8	25	8.7	04.2-13.2
\$35,000- 49,999	380	60,030	345	88.8	84.3-93.3	35	11.2	06.7-15.7
\$50,000- 74,999	546	100,409	519	93.3	90.2-96.4	27	6.7	03.6-09.8
\$75,000+	889	205,020	876	97.9	95.7-0100	13	2.1	00.0-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
 SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU65)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1009	264,033	924	90.9	88.0-93.8	85	9.1	06.2-12.0
White/Non-Hisp	816	208,764	751	92.1	89.4-94.8	65	7.9	05.2-10.6
Black or Afr. Am./Non-Hisp	104	25,098	95	90.9	83.8-98.0	9	9.1	02.0-16.2
25-34	138	56,497	123	90.4	84.9-95.9	15	9.6	04.1-15.1
35-44	238	61,577	218	91.8	87.5-96.1	20	8.2	03.9-12.5
45-54	268	59,442	248	94.3	91.4-97.2	20	5.7	02.8-08.6
55-64	310	45,689	289	95.6	93.6-97.6	21	4.4	02.4-06.4
H.S. or G.E.D.	299	74,020	260	86.0	80.7-91.3	39	14.0	08.7-19.3
Some Post-H.S.	264	77,123	246	89.6	81.6-97.6	18	10.4	02.4-18.4
College Graduate	407	102,797	389	96.9	95.1-98.7	18	3.1	01.3-04.9
\$25,000- 34,999	68	15,512	56	89.4	81.2-97.6	12	10.6	02.4-18.8
\$35,000- 49,999	130	29,610	110	84.4	76.4-92.4	20	15.6	07.6-23.6
\$50,000- 74,999	193	49,636	179	91.2	85.5-96.9	14	8.8	03.1-14.5
\$75,000+	400	115,090	392	96.7	93.0-0100	8	3.3	00.0-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU65)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1783	275,322	1643	93.8	92.4-95.2	140	6.2	04.8-07.6
White/Non-Hisp	1352	196,888	1260	94.7	93.3-96.1	92	5.3	03.9-06.7
Black or Afr. Am./Non-Hisp	287	50,845	256	93.3	90.0-96.6	31	6.7	03.4-10.0
Oth. Race/Non-Hisp.	53	9,353	50	97.2	93.7-0100	3	2.8	00.0-06.3
18-24	94	41,571	85	95.6	91.9-99.3	9	4.4	00.7-08.1
25-34	250	57,436	228	91.9	88.0-95.8	22	8.1	04.2-12.0
35-44	362	63,640	340	96.1	94.1-98.1	22	3.9	01.9-05.9
45-54	529	62,402	492	94.2	92.0-96.4	37	5.8	03.6-08.0
55-64	548	50,273	498	91.4	88.3-94.5	50	8.6	05.5-11.7
Less Than H.S.	84	12,508	68	87.7	79.9-95.5	16	12.3	04.5-20.1
H.S. or G.E.D.	532	78,131	470	90.2	86.9-93.5	62	9.8	06.5-13.1
Some Post-H.S.	478	72,117	437	93.2	90.7-95.7	41	6.8	04.3-09.3
College Graduate	688	112,503	668	97.5	96.1-98.9	20	2.5	01.1-03.9
\$15,000- 24,999	147	21,667	110	82.8	75.4-90.2	37	17.2	09.8-24.6
\$25,000- 34,999	141	19,954	128	92.8	87.9-97.7	13	7.2	02.3-12.1
\$35,000- 49,999	250	30,420	235	93.1	88.8-97.4	15	6.9	02.6-11.2
\$50,000- 74,999	353	50,773	340	95.4	92.7-98.1	13	4.6	01.9-07.3
\$75,000+	489	89,930	484	99.4	98.8-0100	5	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008

SECTION 5: EXERCISE CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 5: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4022	662,767	2909	75.9	73.9-77.9	1113	24.1	22.1-26.1
Male	1441	317,491	1094	79.0	75.9-82.1	347	21.0	17.9-24.1
Female	2581	345,276	1815	73.0	70.5-75.5	766	27.0	24.5-29.5
White/Non-Hisp	3237	512,877	2394	78.2	76.2-80.2	843	21.8	19.8-23.8
Black or Afr. Am./Non-Hisp	479	84,949	298	65.3	58.8-71.8	181	34.7	28.2-41.2
Oth. Race/Non-Hisp.	103	22,282	74	78.3	68.7-87.9	29	21.7	12.1-31.3
18-24	151	83,897	119	81.1	72.1-90.1	32	18.9	09.9-27.9
25-34	386	113,591	285	76.9	71.8-82.0	101	23.1	18.0-28.2
35-44	601	125,325	461	77.1	72.8-81.4	140	22.9	18.6-27.2
45-54	796	121,657	592	78.0	74.5-81.5	204	22.0	18.5-25.5
55-64	858	95,962	631	74.9	71.0-78.8	227	25.1	21.2-29.0
65+	1191	117,475	792	68.5	65.2-71.8	399	31.5	28.2-34.8
H.S. or G.E.D.	1301	197,528	852	69.7	66.2-73.2	449	30.3	26.8-33.8
Some Post-H.S.	1014	175,439	729	75.2	70.9-79.5	285	24.8	20.5-29.1
College Graduate	1431	253,511	1203	84.9	82.2-87.6	228	15.1	12.4-17.8
Less than \$15,000	401	43,966	242	60.6	53.3-67.9	159	39.4	32.1-46.7
\$15,000- 24,999	361	43,301	189	57.6	49.2-66.0	172	42.4	34.0-50.8
\$25,000- 34,999	333	47,010	219	68.2	60.8-75.6	114	31.8	24.4-39.2
\$35,000- 49,999	549	76,710	404	76.8	72.3-81.3	145	23.2	18.7-27.7
\$50,000- 74,999	659	114,742	514	80.7	76.6-84.8	145	19.3	15.2-23.4
\$75,000+	1022	222,649	857	85.2	82.3-88.1	165	14.8	11.9-17.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 5: EXERCISE**

**TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1441	317,491	1094	79.0	75.9-82.1	347	21.0	17.9-24.1	
White/Non-Hisp	1193	254,635	917	80.5	77.4-83.6	276	19.5	16.4-22.6	
25-34	138	56,497	113	84.4	77.7-91.1	25	15.6	08.9-22.3	
35-44	238	61,577	180	75.7	69.0-82.4	58	24.3	17.6-31.0	
45-54	267	59,255	198	79.1	73.4-84.8	69	20.9	15.2-26.6	
55-64	310	45,689	239	78.2	71.9-84.5	71	21.8	15.5-28.1	
65+	423	50,436	307	73.8	68.3-79.3	116	26.2	20.7-31.7	
H.S. or G.E.D.	446	90,900	323	77.5	72.4-82.6	123	22.5	17.4-27.6	
Some Post-H.S.	346	86,128	255	76.9	69.5-84.3	91	23.1	15.7-30.5	
College Graduate	555	123,403	472	86.1	82.6-89.6	83	13.9	10.4-17.4	
\$35,000- 49,999	204	37,875	156	79.0	71.9-86.1	48	21.0	13.9-28.1	
\$50,000- 74,999	243	56,491	192	82.8	77.1-88.5	51	17.2	11.5-22.9	
\$75,000+	470	125,798	395	85.2	80.7-89.7	75	14.8	10.3-19.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 5: EXERCISE**

**TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2581	345,276	1815	73.0	70.5-75.5	766	27.0	24.5-29.5	
White/Non-Hisp	2044	258,242	1477	75.9	73.2-78.6	567	24.1	21.4-26.8	
Black or Afr. Am./Non-Hisp	351	55,807	208	60.7	52.7-68.7	143	39.3	31.3-47.3	
25-34	248	57,094	172	69.5	62.2-76.8	76	30.5	23.2-37.8	
35-44	363	63,748	281	78.4	72.7-84.1	82	21.6	15.9-27.3	
45-54	529	62,402	394	77.0	72.7-81.3	135	23.0	18.7-27.3	
55-64	548	50,273	392	71.9	66.8-77.0	156	28.1	23.0-33.2	
65+	768	67,039	485	64.5	60.2-68.8	283	35.5	31.2-39.8	
H.S. or G.E.D.	855	106,628	529	63.1	58.2-68.0	326	36.9	32.0-41.8	
Some Post-H.S.	668	89,311	474	73.6	69.1-78.1	194	26.4	21.9-30.9	
College Graduate	876	130,108	731	83.7	79.8-87.6	145	16.3	12.4-20.2	
Less than \$15,000	281	27,231	166	60.8	53.5-68.1	115	39.2	31.9-46.5	
\$15,000- 24,999	280	29,785	144	53.9	43.9-63.9	136	46.1	36.1-56.1	
\$25,000- 34,999	221	26,213	141	68.7	59.9-77.5	80	31.3	22.5-40.1	
\$35,000- 49,999	345	38,835	248	74.6	68.7-80.5	97	25.4	19.5-31.3	
\$50,000- 74,999	416	58,251	322	78.6	72.9-84.3	94	21.4	15.7-27.1	
\$75,000+	552	96,851	462	85.2	81.3-89.1	90	14.8	10.9-18.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 7: ORAL HEALTH CONTENTS**

\* NOTE \* \* \* \* \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
 \* \* \* \* \*

TABLE	PAGE
ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1 MALES AND FEMALES	15
2 MALES ONLY	16
3 FEMALES ONLY	17
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4 MALES AND FEMALES	18
5 MALES ONLY	19
6 FEMALES ONLY	20
ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)	
7 MALES AND FEMALES	21
8 MALES ONLY	22
9 FEMALES ONLY	23

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3977	659,988	1839	59.1	56.9-61.3	2138	40.9	38.7-43.1
Male	1424	316,588	682	60.3	56.8-63.8	742	39.7	36.2-43.2
Female	2553	343,401	1157	58.0	55.3-60.7	1396	42.0	39.3-44.7
White/Non-Hisp	3198	510,019	1497	59.2	56.8-61.6	1701	40.8	38.4-43.2
Black or Afr. Am./Non-Hisp	476	85,075	184	52.7	46.0-59.4	292	47.3	40.6-54.0
18-24	151	83,897	137	96.4	94.0-98.8	14	3.6	01.2-06.0
25-34	384	113,338	288	79.4	74.9-83.9	96	20.6	16.1-25.1
35-44	600	125,181	418	73.0	68.7-77.3	182	27.0	22.7-31.3
45-54	795	121,669	390	48.6	44.1-53.1	405	51.4	46.9-55.9
55-64	845	95,009	332	40.0	35.5-44.5	513	60.0	55.5-64.5
65+	1163	115,629	256	24.4	21.1-27.7	907	75.6	72.3-78.9
H.S. or G.E.D.	1281	195,939	440	49.4	45.1-53.7	841	50.6	46.3-54.9
Some Post-H.S.	1005	174,707	486	61.3	57.0-65.6	519	38.7	34.4-43.0
College Graduate	1417	253,167	869	68.3	65.2-71.4	548	31.7	28.6-34.8
Less than \$15,000	397	43,758	102	36.3	28.3-44.3	295	63.7	55.7-71.7
\$15,000- 24,999	353	42,761	78	41.9	32.5-51.3	275	58.1	48.7-67.5
\$25,000- 34,999	329	46,711	122	48.7	39.7-57.7	207	51.3	42.3-60.3
\$35,000- 49,999	542	76,021	235	56.6	50.9-62.3	307	43.4	37.7-49.1
\$50,000- 74,999	657	114,579	332	54.5	48.8-60.2	325	45.5	39.8-51.2
\$75,000+	1019	222,824	662	71.8	68.5-75.1	357	28.2	24.9-31.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 2: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1424	316,588	682	60.3	56.8-63.8	742	39.7	36.2-43.2
White/Non-Hisp	1179	253,502	562	60.1	56.2-64.0	617	39.9	36.0-43.8
18-24	57	42,326	54	97.5	94.6-100.0	3	2.5	00.0-05.4
25-34	137	56,314	109	84.5	78.2-90.8	28	15.5	09.2-21.8
35-44	238	61,577	178	76.1	69.6-82.6	60	23.9	17.4-30.4
45-54	267	59,291	124	41.9	34.6-49.2	143	58.1	50.8-65.4
55-64	303	45,088	119	37.5	30.6-44.4	184	62.5	55.6-69.4
65+	413	49,829	93	24.7	19.0-30.4	320	75.3	69.6-81.0
H.S. or G.E.D.	439	90,202	171	53.3	46.6-60.0	268	46.7	40.0-53.4
Some Post-H.S.	342	85,800	164	63.3	56.2-70.4	178	36.7	29.6-43.8
College Graduate	550	123,576	327	66.2	61.1-71.3	223	33.8	28.7-38.9
\$35,000- 49,999	200	37,411	81	55.5	46.3-64.7	119	44.5	35.3-53.7
\$50,000- 74,999	243	56,491	118	51.8	42.8-60.8	125	48.2	39.2-57.2
\$75,000+	469	126,197	287	68.8	63.7-73.9	182	31.2	26.1-36.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 3: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2553	343,401	1157	58.0	55.3-60.7	1396	42.0	39.3-44.7
White/Non-Hisp	2019	256,517	935	58.4	55.5-61.3	1084	41.6	38.7-44.5
Black or Afr. Am./Non-Hisp	348	55,578	132	55.6	47.8-63.4	216	44.4	36.6-52.2
18-24	94	41,571	83	95.4	91.9-98.9	11	4.6	01.1-08.1
25-34	247	57,024	179	74.4	68.1-80.7	68	25.6	19.3-31.9
35-44	362	63,604	240	70.1	64.2-76.0	122	29.9	24.0-35.8
45-54	528	62,378	266	55.0	49.7-60.3	262	45.0	39.7-50.3
55-64	542	49,921	213	42.2	36.7-47.7	329	57.8	52.3-63.3
65+	750	65,800	163	24.2	20.1-28.3	587	75.8	71.7-79.9
H.S. or G.E.D.	842	105,737	269	46.0	40.5-51.5	573	54.0	48.5-59.5
Some Post-H.S.	663	88,907	322	59.4	54.3-64.5	341	40.6	35.5-45.7
College Graduate	867	129,591	542	70.3	66.6-74.0	325	29.7	26.0-33.4
Less than \$15,000	279	27,112	66	28.4	20.8-36.0	213	71.6	64.0-79.2
\$35,000- 49,999	342	38,611	154	57.6	50.9-64.3	188	42.4	35.7-49.1
\$50,000- 74,999	414	58,088	214	57.1	50.4-63.8	200	42.9	36.2-49.6
\$75,000+	550	96,627	375	75.7	71.6-79.8	175	24.3	20.2-28.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1163	115,629	928	83.3	80.8-85.8	235	16.7	14.2-19.2
Male	413	49,829	336	85.0	81.1-88.9	77	15.0	11.1-18.9
Female	750	65,800	592	82.0	78.7-85.3	158	18.0	14.7-21.3
White/Non-Hisp	1025	103,567	822	84.6	82.1-87.1	203	15.4	12.9-17.9
65+	1163	115,629	928	83.3	80.8-85.8	235	16.7	14.2-19.2
H.S. or G.E.D.	450	43,539	338	77.1	72.4-81.8	112	22.9	18.2-27.6
Some Post-H.S.	259	24,622	226	89.2	84.7-93.7	33	10.8	06.3-15.3
College Graduate	311	36,080	285	94.7	92.2-97.2	26	5.3	02.8-07.8
Less than \$15,000	201	16,467	137	72.1	64.8-79.4	64	27.9	20.6-35.2
\$15,000- 24,999	156	10,757	96	59.6	49.6-69.6	60	40.4	30.4-50.4
\$35,000- 49,999	164	16,226	144	90.4	85.7-95.1	20	9.6	04.9-14.3
\$50,000- 74,999	108	13,653	101	95.1	91.2-99.0	7	4.9	01.0-08.8
\$75,000+	124	16,801	121	97.4	93.9-0100	3	2.6	00.0-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	413	49,829	336	85.0	81.1-88.9	77	15.0	11.1-18.9
White/Non-Hisp	367	44,942	298	85.5	81.6-89.4	69	14.5	10.6-18.4
65+	413	49,829	336	85.0	81.1-88.9	77	15.0	11.1-18.9
H.S. or G.E.D.	144	16,412	105	78.3	70.9-85.7	39	21.7	14.3-29.1
Some Post-H.S.	77	8,375	69	88.7	79.1-98.3	8	11.3	01.7-20.9
College Graduate	141	19,924	133	95.9	92.4-99.4	8	4.1	00.6-07.6
\$35,000- 49,999	71	8,080	61	90.6	84.3-96.9	10	9.4	03.1-15.7
\$75,000+	67	10,353	65	96.3	90.6-0100	2	3.7	00.0-09.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	750	65,800	592	82.0	78.7-85.3	158	18.0	14.7-21.3
White/Non-Hisp	658	58,625	524	83.9	80.8-87.0	134	16.1	13.0-19.2
65+	750	65,800	592	82.0	78.7-85.3	158	18.0	14.7-21.3
H.S. or G.E.D.	306	27,127	233	76.4	70.3-82.5	73	23.6	17.5-29.7
Some Post-H.S.	182	16,247	157	89.4	84.5-94.3	25	10.6	05.7-15.5
College Graduate	170	16,156	152	93.1	89.6-96.6	18	6.9	03.4-10.4
Less than \$15,000	132	10,645	91	72.6	63.6-81.6	41	27.4	18.4-36.4
\$35,000- 49,999	93	8,147	83	90.3	83.2-97.4	10	9.7	02.6-16.8
\$50,000- 74,999	59	6,875	56	96.1	91.2-0100	3	3.9	00.0-08.8
\$75,000+	57	6,448	56	99.0	97.0-0100	1	1.0	00.0-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4011	661,049	3031	76.9	74.9-78.9	980	23.1	21.1-25.1
Male	1436	316,544	1068	75.8	72.5-79.1	368	24.2	20.9-27.5
Female	2575	344,506	1963	77.8	75.3-80.3	612	22.2	19.7-24.7
White/Non-Hisp	3228	511,578	2495	79.4	77.2-81.6	733	20.6	18.4-22.8
Black or Afr. Am./Non-Hisp	477	84,748	311	64.7	58.0-71.4	166	35.3	28.6-42.0
18-24	149	83,296	109	74.8	65.4-84.2	40	25.2	15.8-34.6
25-34	386	113,383	276	69.3	63.0-75.6	110	30.7	24.4-37.0
35-44	601	125,325	482	82.5	78.8-86.2	119	17.5	13.8-21.2
45-54	796	121,773	616	76.5	72.4-80.6	180	23.5	19.4-27.6
55-64	855	95,596	657	79.8	76.5-83.1	198	20.2	16.9-23.5
65+	1184	116,364	857	77.4	74.5-80.3	327	22.6	19.7-25.5
Less Than H.S.	267	35,286	121	56.1	46.3-65.9	146	43.9	34.1-53.7
H.S. or G.E.D.	1299	197,365	886	69.1	65.2-73.0	413	30.9	27.0-34.8
Some Post-H.S.	1011	174,599	777	76.9	72.4-81.4	234	23.1	18.6-27.6
College Graduate	1428	253,307	1244	85.8	83.1-88.5	184	14.2	11.5-16.9
Less than \$15,000	401	43,966	229	61.5	54.6-68.4	172	38.5	31.6-45.4
\$15,000- 24,999	356	42,505	183	49.5	40.7-58.3	173	50.5	41.7-59.3
\$25,000- 34,999	329	45,978	210	56.7	47.7-65.7	119	43.3	34.3-52.3
\$35,000- 49,999	549	76,710	413	72.9	67.2-78.6	136	27.1	21.4-32.8
\$50,000- 74,999	658	114,671	541	78.9	74.0-83.8	117	21.1	16.2-26.0
\$75,000+	1022	223,007	914	87.5	84.0-91.0	108	12.5	09.0-16.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 8: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1436	316,544	1068	75.8	72.5-79.1	368	24.2	20.9-27.5
White/Non-Hisp	1188	253,624	893	76.7	73.0-80.4	295	23.3	19.6-27.0
35-44	238	61,577	187	80.1	74.0-86.2	51	19.9	13.8-26.0
45-54	268	59,442	199	74.0	66.9-81.1	69	26.0	18.9-33.1
55-64	308	45,418	239	81.0	75.7-86.3	69	19.0	13.7-24.3
65+	419	49,510	295	76.1	71.2-81.0	124	23.9	19.0-28.8
H.S. or G.E.D.	445	90,816	292	67.6	61.3-73.9	153	32.4	26.1-38.7
Some Post-H.S.	345	85,843	253	73.5	65.9-81.1	92	26.5	18.9-34.1
College Graduate	554	123,256	481	86.2	82.1-90.3	73	13.8	09.7-17.9
\$35,000- 49,999	204	37,875	152	72.5	63.1-81.9	52	27.5	18.1-36.9
\$50,000- 74,999	243	56,491	188	76.4	68.8-84.0	55	23.6	16.0-31.2
\$75,000+	471	126,250	401	83.7	78.2-89.2	70	16.3	10.8-21.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 9: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST1)**  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2575	344,506	1963	77.8	75.3-80.3	612	22.2	19.7-24.7
White/Non-Hisp	2040	257,955	1602	82.1	79.7-84.5	438	17.9	15.5-20.3
Black or Afr. Am./Non-Hisp	348	55,153	219	62.4	54.2-70.6	129	37.6	29.4-45.8
25-34	248	56,886	180	72.1	65.0-79.2	68	27.9	20.8-35.0
35-44	363	63,748	295	84.9	80.6-89.2	68	15.1	10.8-19.4
45-54	528	62,331	417	78.8	74.3-83.3	111	21.2	16.7-25.7
55-64	547	50,179	418	78.7	74.2-83.2	129	21.3	16.8-25.8
65+	765	66,854	562	78.4	75.1-81.7	203	21.6	18.3-24.9
H.S. or G.E.D.	854	106,550	594	70.4	65.5-75.3	260	29.6	24.7-34.5
Some Post-H.S.	666	88,756	524	80.2	76.1-84.3	142	19.8	15.7-23.9
College Graduate	874	130,051	763	85.4	81.5-89.3	111	14.6	10.7-18.5
Less than \$15,000	281	27,231	162	60.6	53.2-68.0	119	39.4	32.0-46.8
\$35,000- 49,999	345	38,835	261	73.3	67.0-79.6	84	26.7	20.4-33.0
\$50,000- 74,999	415	58,180	353	81.3	74.6-88.0	62	18.7	12.0-25.4
\$75,000+	551	96,756	513	92.4	89.3-95.5	38	7.6	04.5-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 9: ASTHMA CONTENTS**

\* NOTE \* \* \* \* \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
 \* \* \* \* \*

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)	
1 MALES AND FEMALES	21
2 MALES ONLY	22
3 FEMALES ONLY	23
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)	
4 MALES AND FEMALES	24
5 MALES ONLY	25
6 FEMALES ONLY	26
COMPUTED ASTHMA STATUS (_ASTHMST)	
7 MALES AND FEMALES	27
8 MALES ONLY	28
9 FEMALES ONLY	29



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 9: ASTHMA**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTHM)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4014	662,475	3497	86.4	84.6-88.2	517	13.6	11.8-15.4
Male	1441	317,932	1303	88.4	85.5-91.3	138	11.6	08.7-14.5
Female	2573	344,542	2194	84.5	82.5-86.5	379	15.5	13.5-17.5
White/Non-Hisp	3229	512,215	2827	87.5	85.7-89.3	402	12.5	10.7-14.3
Black or Afr. Am./Non-Hisp	478	85,148	412	84.6	79.5-89.7	66	15.4	10.3-20.5
Oth. Race/Non-Hisp.	103	22,282	93	94.3	89.6-99.0	10	5.7	01.0-10.4
18-24	151	83,897	118	79.4	70.8-88.0	33	20.6	12.0-29.2
25-34	387	113,654	316	80.4	74.5-86.3	71	19.6	13.7-25.5
35-44	600	125,253	529	89.3	86.6-92.0	71	10.7	08.0-13.4
45-54	794	121,381	696	88.5	85.6-91.4	98	11.5	08.6-14.4
55-64	857	95,868	737	87.5	84.8-90.2	120	12.5	09.8-15.2
65+	1185	117,110	1066	90.9	88.9-92.9	119	9.1	07.1-11.1
Less Than H.S.	268	35,239	229	83.2	75.6-90.8	39	16.8	09.2-24.4
H.S. or G.E.D.	1300	197,730	1154	89.1	86.6-91.6	146	10.9	08.4-13.4
Some Post-H.S.	1011	175,243	858	82.1	77.8-86.4	153	17.9	13.6-22.2
College Graduate	1429	253,769	1250	87.7	85.0-90.4	179	12.3	09.6-15.0
Less than \$15,000	400	43,946	353	88.0	83.7-92.3	47	12.0	07.7-16.3
\$15,000- 24,999	358	43,064	292	79.8	72.7-86.9	66	20.2	13.1-27.3
\$25,000- 34,999	333	47,010	292	84.9	78.4-91.4	41	15.1	08.6-21.6
\$35,000- 49,999	548	76,562	486	88.6	85.1-92.1	62	11.4	07.9-14.9
\$50,000- 74,999	659	114,742	577	89.9	87.2-92.6	82	10.1	07.4-12.8
\$75,000+	1021	222,937	898	87.1	83.8-90.4	123	12.9	09.6-16.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 9: ASTHMA**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTHM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1441	317,932	1303	88.4	85.5-91.3	138	11.6	08.7-14.5
White/Non-Hisp	1192	254,624	1083	90.2	87.3-93.1	109	9.8	06.9-12.7
35-44	238	61,577	220	94.4	91.3-97.5	18	5.6	02.5-08.7
45-54	268	59,442	247	92.6	88.9-96.3	21	7.4	03.7-11.1
55-64	310	45,689	280	91.1	87.4-94.8	30	8.9	05.2-12.6
65+	421	50,238	385	91.2	87.9-94.5	36	8.8	05.5-12.1
H.S. or G.E.D.	447	91,087	414	92.4	89.3-95.5	33	7.6	04.5-10.7
Some Post-H.S.	345	86,078	307	84.8	77.4-92.2	38	15.2	07.8-22.6
College Graduate	555	123,707	500	89.0	84.1-93.9	55	11.0	06.1-15.9
Less than \$15,000	120	16,735	114	94.7	88.6-0100	6	5.3	00.0-11.4
\$35,000- 49,999	203	37,727	184	93.6	90.1-97.1	19	6.4	02.9-09.9
\$50,000- 74,999	243	56,491	228	94.6	91.3-97.9	15	5.4	02.1-08.7
\$75,000+	471	126,250	419	87.2	81.9-92.5	52	12.8	07.5-18.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 9: ASTHMA**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTHM)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2573	344,542	2194	84.5	82.5-86.5	379	15.5	13.5-17.5
White/Non-Hisp	2037	257,591	1744	84.7	82.3-87.1	293	15.3	12.9-17.7
Black or Afr. Am./Non-Hisp	349	55,553	298	85.7	80.4-91.0	51	14.3	09.0-19.6
Oth. Race/Non-Hisp.	62	9,860	54	90.6	82.0-99.2	8	9.4	00.8-18.0
18-24	94	41,571	72	81.8	72.4-91.2	22	18.2	08.8-27.6
25-34	249	57,157	199	79.5	73.4-85.6	50	20.5	14.4-26.6
35-44	362	63,676	309	84.4	79.9-88.9	53	15.6	11.1-20.1
45-54	526	61,939	449	84.6	80.3-88.9	77	15.4	11.1-19.7
55-64	547	50,179	457	84.2	80.3-88.1	90	15.8	11.9-19.7
65+	764	66,872	681	90.7	88.3-93.1	83	9.3	06.9-11.7
Less Than H.S.	177	18,332	150	84.8	77.0-92.6	27	15.2	07.4-23.0
H.S. or G.E.D.	853	106,643	740	86.2	82.7-89.7	113	13.8	10.3-17.3
Some Post-H.S.	666	89,165	551	79.5	74.8-84.2	115	20.5	15.8-25.2
College Graduate	874	130,062	750	86.5	83.6-89.4	124	13.5	10.6-16.4
Less than \$15,000	280	27,210	239	83.8	78.1-89.5	41	16.2	10.5-21.9
\$15,000- 24,999	278	29,597	225	79.2	70.6-87.8	53	20.8	12.2-29.4
\$25,000- 34,999	221	26,213	191	86.1	79.6-92.6	30	13.9	07.4-20.4
\$35,000- 49,999	345	38,835	302	83.8	77.9-89.7	43	16.2	10.3-22.1
\$50,000- 74,999	416	58,251	349	85.3	81.0-89.6	67	14.7	10.4-19.0
\$75,000+	550	96,687	479	86.9	83.2-90.6	71	13.1	09.4-16.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 9: ASTHMA**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHMA)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3995	660,101	3621	90.4	88.8-92.0	374	9.6	08.0-11.2
Male	1438	317,540	1362	93.4	90.9-95.9	76	6.6	04.1-09.1
Female	2557	342,561	2259	87.6	85.6-89.6	298	12.4	10.4-14.4
White/Non-Hisp	3216	510,377	2924	91.3	89.7-92.9	292	8.7	07.1-10.3
Black or Afr. Am./Non-Hisp	475	84,894	428	89.0	84.5-93.5	47	11.0	06.5-15.5
Oth. Race/Non-Hisp.	103	22,282	95	96.1	92.4-99.8	8	3.9	00.2-07.6
18-24	149	83,381	130	86.8	79.2-94.4	19	13.2	05.6-20.8
25-34	385	113,343	334	85.8	80.3-91.3	51	14.2	08.7-19.7
35-44	599	125,181	547	92.1	89.6-94.6	52	7.9	05.4-10.4
45-54	791	120,952	722	92.0	89.6-94.4	69	8.0	05.6-10.4
55-64	850	95,182	755	90.7	88.3-93.1	95	9.3	06.9-11.7
65+	1181	116,749	1096	93.5	91.7-95.3	85	6.5	04.7-08.3
Less Than H.S.	268	35,239	232	85.1	77.8-92.4	36	14.9	07.6-22.2
H.S. or G.E.D.	1294	197,116	1190	92.0	89.8-94.2	104	8.0	05.8-10.2
Some Post-H.S.	1006	174,320	895	88.4	84.7-92.1	111	11.6	07.9-15.3
College Graduate	1421	252,932	1298	91.3	88.8-93.8	123	8.7	06.2-11.2
Less than \$15,000	397	43,632	365	92.6	89.5-95.7	32	7.4	04.3-10.5
\$15,000- 24,999	357	43,033	304	83.2	76.5-89.9	53	16.8	10.1-23.5
\$25,000- 34,999	332	46,839	307	92.0	88.1-95.9	25	8.0	04.1-11.9
\$35,000- 49,999	546	76,438	501	90.7	87.4-94.0	45	9.3	06.0-12.6
\$50,000- 74,999	654	114,185	598	93.7	91.5-95.9	56	6.3	04.1-08.5
\$75,000+	1019	222,532	930	91.1	88.0-94.2	89	8.9	05.8-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 9: ASTHMA**

**TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHMA)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1438	317,540	1362	93.4	90.7-96.1	76	6.6	03.9-09.3
White/Non-Hisp	1190	254,290	1127	94.7	92.3-97.1	63	5.3	02.9-07.7
Black or Afr. Am./Non-Hisp	128	29,536	122	90.3	81.7-98.9	6	9.7	01.1-18.3
25-34	138	56,497	129	89.0	79.4-98.6	9	11.0	01.4-20.6
35-44	238	61,577	227	96.3	93.6-99.0	11	3.7	01.0-06.4
45-54	267	59,162	260	97.9	95.9-99.9	7	2.1	00.1-04.1
55-64	309	45,630	288	93.9	90.8-97.0	21	6.1	03.0-09.2
65+	420	50,185	397	93.9	90.8-97.0	23	6.1	03.0-09.2
H.S. or G.E.D.	447	91,087	429	95.9	93.5-98.3	18	4.1	01.7-06.5
Some Post-H.S.	344	85,798	324	93.1	87.0-99.2	20	6.9	00.8-13.0
College Graduate	553	123,595	526	92.9	88.2-97.6	27	7.1	02.4-11.8
Less than \$15,000	120	16,735	116	98.5	96.9-0100	4	1.5	00.0-03.1
\$25,000- 34,999	112	20,797	108	96.4	92.3-0100	4	3.6	00.0-07.7
\$35,000- 49,999	202	37,673	193	96.2	93.3-99.1	9	3.8	00.9-06.7
\$50,000- 74,999	243	56,491	236	97.9	95.7-0100	7	2.1	00.0-04.3
\$75,000+	470	125,970	441	92.4	87.7-97.1	29	7.6	02.9-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 9: ASTHMA**

**TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHMA)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2557	342,561	2259	87.6	85.6-89.6	298	12.4	10.4-14.4
White/Non-Hisp	2026	256,087	1797	88.0	85.8-90.2	229	12.0	09.8-14.2
Black or Afr. Am./Non-Hisp	347	55,358	306	88.3	83.4-93.2	41	11.7	06.8-16.6
Oth. Race/Non-Hisp.	62	9,860	55	91.7	83.5-99.9	7	8.3	00.1-16.5
18-24	92	41,055	78	86.5	77.9-95.1	14	13.5	04.9-22.1
25-34	247	56,846	205	82.5	76.6-88.4	42	17.5	11.6-23.4
35-44	361	63,604	320	88.1	84.0-92.2	41	11.9	07.8-16.0
45-54	524	61,790	462	86.3	82.2-90.4	62	13.7	09.6-17.8
55-64	541	49,552	467	87.8	84.5-91.1	74	12.2	08.9-15.5
65+	761	66,565	699	93.2	91.0-95.4	62	6.8	04.6-09.0
Less Than H.S.	177	18,332	152	85.6	77.8-93.4	25	14.4	06.6-22.2
H.S. or G.E.D.	847	106,030	761	88.6	85.1-92.1	86	11.4	07.9-14.9
Some Post-H.S.	662	88,522	571	83.8	79.5-88.1	91	16.2	11.9-20.5
College Graduate	868	129,337	772	89.7	87.2-92.2	96	10.3	07.8-12.8
Less than \$15,000	277	26,897	249	88.9	84.2-93.6	28	11.1	06.4-15.8
\$15,000- 24,999	277	29,566	233	81.9	73.5-90.3	44	18.1	09.7-26.5
\$25,000- 34,999	220	26,042	199	88.5	82.2-94.8	21	11.5	05.2-17.8
\$35,000- 49,999	344	38,765	308	85.4	79.7-91.1	36	14.6	08.9-20.3
\$50,000- 74,999	411	57,694	362	89.6	85.9-93.3	49	10.4	06.7-14.1
\$75,000+	549	96,561	489	89.4	86.1-92.7	60	10.6	07.3-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 9: ASTHMA**

**TABLE 7: COMPUTED ASTHMA STATUS (\_ASTHMST)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3995	660,101	374	9.6	08.0-11.2	124	3.7	02.7-04.7	3497	86.7	84.9-88.5
Male	1438	317,540	76	6.6	04.1-09.1	59	4.8	03.0-06.6	1303	88.6	85.7-91.5
Female	2557	342,561	298	12.4	10.4-14.4	65	2.6	01.8-03.4	2194	85.0	83.0-87.0
White/Non-Hisp	3216	510,377	292	8.7	07.1-10.3	97	3.6	02.6-04.6	2827	87.8	86.0-89.6
Black or Afr. Am./Non-Hisp	475	84,894	47	11.0	06.5-15.5	16	4.2	01.3-07.1	412	84.8	79.7-89.9
Oth. Race/Non-Hisp.	103	22,282	8	3.9	00.2-07.6	2	1.8	00.0-04.5	93	94.3	89.6-99.0
Hispanic	88	27,090				3	3.6	00.0-07.7			
18-24	149	83,381	19	13.2	05.6-20.8	12	6.9	02.0-11.8	118	79.9	71.3-88.5
25-34	385	113,343	51	14.2	08.7-19.7	18	5.2	02.5-07.9	316	80.6	74.7-86.5
35-44	599	125,181	52	7.9	05.4-10.4	18	2.8	01.4-04.2	529	89.3	86.6-92.0
45-54	791	120,952	69	8.0	05.6-10.4	26	3.1	01.3-04.9	696	88.8	85.9-91.7
55-64	850	95,182	95	9.3	06.9-11.7	18	2.6	01.2-04.0	737	88.1	85.4-90.8
65+	1181	116,749	85	6.5	04.7-08.3	30	2.3	01.3-03.3	1066	91.2	89.2-93.2
Less Than H.S.	268	35,239	36	14.9	07.6-22.2	3	1.9	00.0-04.8	229	83.2	75.6-90.8
H.S. or G.E.D.	1294	197,116	104	8.0	05.8-10.2	36	2.6	01.4-03.8	1154	89.3	86.8-91.8
Some Post-H.S.	1006	174,320	111	11.6	07.9-15.3	37	5.8	03.1-08.5	858	82.5	78.2-86.8
College Graduate	1421	252,932	123	8.7	06.2-11.2	48	3.2	02.0-04.4	1250	88.0	85.3-90.7
Less than \$15,000	397	43,632	32	7.4	04.3-10.5	12	4.0	00.9-07.1	353	88.6	84.3-92.9
\$15,000- 24,999	357	43,033	53	16.8	10.1-23.5	12	3.3	00.9-05.7	292	79.9	72.8-87.0
\$25,000- 34,999	332	46,839	25	8.0	04.1-11.9	15	6.8	01.3-12.3	292	85.2	78.7-91.7
\$35,000- 49,999	546	76,438	45	9.3	06.0-12.6	15	1.9	00.7-03.1	486	88.8	85.3-92.3
\$50,000- 74,999	654	114,185	56	6.3	04.1-08.5	21	3.4	01.6-05.2	577	90.3	87.6-93.0
\$75,000+	1019	222,532	89	8.9	05.8-12.0	32	3.9	02.1-05.7	898	87.2	83.9-90.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 9: ASTHMA**

**TABLE 8: COMPUTED ASTHMA STATUS (\_ASTHMST)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1438	317,540	76	6.6	03.9-09.3	59	4.8	03.0-06.6	1303	88.6	85.7-91.5
White/Non-Hisp	1190	254,290	63	5.3	02.9-07.7	44	4.4	02.4-06.4	1083	90.3	87.4-93.2
Black or Afr. Am./Non-Hisp	128	29,536	6	9.7	01.1-18.3	8	7.7	00.4-15.0			
18-24	57	42,326				6	10.1	01.1-19.1			
25-34	138	56,497	9	11.0	01.4-20.6	12	7.7	02.6-12.8			
35-44	238	61,577	11	3.7	01.0-06.4	7	1.9	00.1-03.7	220	94.4	91.3-97.5
45-54	267	59,162	7	2.1	00.1-04.1	13	4.8	01.7-07.9	247	93.0	89.3-96.7
55-64	309	45,630	21	6.1	03.0-09.2	8	2.7	00.3-05.1	280	91.2	87.5-94.9
65+	420	50,185	23	6.1	03.0-09.2	12	2.6	00.8-04.4	385	91.3	88.0-94.6
Less Than H.S.	91	16,907				1	3.1	00.0-09.2			
H.S. or G.E.D.	447	91,087	18	4.1	01.7-06.5	15	3.5	01.3-05.7	414	92.4	89.3-95.5
Some Post-H.S.	344	85,798	20	6.9	00.8-13.0	17	8.0	03.1-12.9	307	85.1	77.7-92.5
College Graduate	553	123,595	27	7.1	02.4-11.8	26	3.8	01.8-05.8	500	89.1	84.2-94.0
Less than \$15,000	120	16,735	4	1.5	00.0-03.1	2	3.8	00.0-09.7	114	94.7	88.6-0100
\$15,000- 24,999	80	13,467				4	4.8	00.0-09.9			
\$25,000- 34,999	112	20,797	4	3.6	00.0-07.7						
\$35,000- 49,999	202	37,673	9	3.8	00.9-06.7	9	2.5	00.7-04.3	184	93.7	90.2-97.2
\$50,000- 74,999	243	56,491	7	2.1	00.0-04.3	8	3.3	00.8-05.8	228	94.6	91.3-97.9
\$75,000+	470	125,970	29	7.6	02.9-12.3	22	5.0	02.3-07.7	419	87.4	82.1-92.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 9: ASTHMA**

**TABLE 9: COMPUTED ASTHMA STATUS (\_ASTHMST)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2557	342,561	298	12.4	10.4-14.4	65	2.6	01.8-03.4	2194	85.0	83.0-87.0
White/Non-Hisp	2026	256,087	229	12.0	09.8-14.2	53	2.7	01.7-03.7	1744	85.2	82.8-87.6
Black or Afr. Am./Non-Hisp	347	55,358	41	11.7	06.8-16.6	8	2.3	00.3-04.3	298	86.0	80.7-91.3
Oth. Race/Non-Hisp.	62	9,860	7	8.3	00.1-16.5	1	1.1	00.0-03.3	54	90.6	82.0-99.2
Hispanic	53	12,051				1	2.3	00.0-06.8			
18-24	92	41,055	14	13.5	04.9-22.1	6	3.6	00.1-07.1	72	82.9	73.5-92.3
25-34	247	56,846	42	17.5	11.6-23.4	6	2.6	00.2-05.0	199	79.9	73.8-86.0
35-44	361	63,604	41	11.9	07.8-16.0	11	3.6	01.4-05.8	309	84.5	80.0-89.0
45-54	524	61,790	62	13.7	09.6-17.8	13	1.5	00.3-02.7	449	84.8	80.5-89.1
55-64	541	49,552	74	12.2	08.9-15.5	10	2.5	00.7-04.3	457	85.3	81.6-89.0
65+	761	66,565	62	6.8	04.6-09.0	18	2.1	00.9-03.3	681	91.1	88.7-93.5
Less Than H.S.	177	18,332	25	14.4	06.6-22.2	2	0.8	00.0-02.0	150	84.8	77.0-92.6
H.S. or G.E.D.	847	106,030	86	11.4	07.9-14.9	21	1.9	00.9-02.9	740	86.7	83.2-90.2
Some Post-H.S.	662	88,522	91	16.2	11.9-20.5	20	3.7	01.7-05.7	551	80.0	75.5-84.5
College Graduate	868	129,337	96	10.3	07.8-12.8	22	2.7	01.3-04.1	750	87.0	84.1-89.9
Less than \$15,000	277	26,897	28	11.1	06.4-15.8	10	4.1	00.6-07.6	239	84.8	79.1-90.5
\$15,000- 24,999	277	29,566	44	18.1	09.7-26.5	8	2.7	00.3-05.1	225	79.3	70.7-87.9
\$25,000- 34,999	220	26,042	21	11.5	05.2-17.8	8	1.9	00.1-03.7	191	86.6	80.1-93.1
\$35,000- 49,999	344	38,765	36	14.6	08.9-20.3	6	1.4	00.2-02.6	302	84.0	78.1-89.9
\$50,000- 74,999	411	57,694	49	10.4	06.7-14.1	13	3.5	01.3-05.7	349	86.1	82.0-90.2
\$75,000+	549	96,561	60	10.6	07.3-13.9	10	2.4	00.6-04.2	479	87.0	83.3-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008

SECTION 11: TOBACCO USE CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	31
2	MALES ONLY	32
3	FEMALES ONLY	33
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	34
5	MALES ONLY	35
6	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4011	661,580	531	13.4	11.8-15.0	161	4.4	03.4-05.4	1323	28.5	26.5-30.5	1996	53.7	51.3-56.1
Male	1437	316,726	219	15.5	13.0-18.0	62	4.9	03.1-06.7	550	31.3	28.0-34.6	606	48.4	44.7-52.1
Female	2574	344,854	312	11.5	09.5-13.5	99	4.0	03.0-05.0	773	26.0	23.6-28.4	1390	58.5	55.8-61.2
White/Non-Hisp	3230	511,677	448	14.1	12.3-15.9	112	3.8	02.8-04.8	1131	31.0	28.6-33.4	1539	51.1	48.6-53.6
Black or Afr. Am./Non-Hisp	477	85,280	49	10.4	06.5-14.3	31	6.1	02.6-09.6	106	19.2	14.1-24.3	291	64.3	57.8-70.8
Oth. Race/Non-Hisp.	103	22,282	12	12.8	04.2-21.4	3	3.3	00.0-08.0						
MultiRacial/Non-Hisp.	69	9,245	9	12.7	03.1-22.3									
Hispanic	91	27,372	13	11.8	03.4-20.2	8	10.1	01.9-18.3	27	20.2	10.2-30.2			
18-24	151	83,897	22	15.8	08.0-23.6	8	4.4	00.9-07.9	14	7.3	02.4-12.2	107	72.5	63.3-81.7
25-34	387	113,886	62	13.3	09.6-17.0	20	6.6	03.1-10.1	71	21.9	16.4-27.4	234	58.2	51.7-64.7
35-44	599	124,425	95	13.8	10.5-17.1	30	5.2	03.0-07.4	133	23.3	19.0-27.6	341	57.8	52.9-62.7
45-54	795	121,715	159	19.0	15.5-22.5	34	4.2	02.0-06.4	222	27.0	22.9-31.1	380	49.9	45.4-54.4
55-64	857	95,892	109	12.4	09.3-15.5	42	4.1	02.5-05.7	311	40.7	36.2-45.2	395	42.8	38.3-47.3
65+	1185	116,950	80	6.4	04.6-08.2	25	1.9	00.9-02.9	564	47.8	44.1-51.5	516	43.9	40.2-47.6
Less Than H.S.	268	35,715				18	6.8	02.3-11.3	102	29.8	21.8-37.8	96	35.0	25.2-44.8
H.S. or G.E.D.	1296	197,267	238	21.6	17.9-25.3	49	4.7	02.5-06.9	421	27.9	24.4-31.4	588	45.7	41.4-50.0
Some Post-H.S.	1012	175,024	142	12.9	10.2-15.6	48	4.8	03.0-06.6	338	31.1	26.8-35.4	484	51.2	46.3-56.1
College Graduate	1429	253,081	98	5.2	03.8-06.6	45	3.5	02.1-04.9	460	27.0	24.1-29.9	826	64.3	61.0-67.6
Less than \$15,000	399	43,888	71	20.5	14.0-27.0	16	5.0	01.3-08.7	135	28.6	22.7-34.5	177	45.9	38.5-53.3
\$15,000- 24,999	358	43,123	68	23.9	16.3-31.5	29	11.4	04.5-18.3	122	25.8	19.3-32.3	139	38.8	30.2-47.4
\$25,000- 34,999	333	47,010	63	18.0	12.3-23.7	18	5.3	02.0-08.6	108	24.3	17.8-30.8	144	52.5	43.9-61.1
\$35,000- 49,999	549	76,710	86	17.0	12.7-21.3	22	3.8	01.8-05.8	173	28.2	23.1-33.3	268	51.0	45.1-56.9
\$50,000- 74,999	659	114,742	87	16.4	11.3-21.5	22	4.1	01.6-06.6	224	34.2	28.9-39.5	326	45.4	39.7-51.1
\$75,000+	1021	222,863	88	7.6	05.6-09.6	33	3.6	02.2-05.0	323	28.1	24.4-31.8	577	60.6	56.5-64.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1437	316,726	219	15.5	13.0-18.0	62	4.9	03.1-06.7	550	31.3	28.0-34.6	606	48.4	44.7-52.1
White/Non-Hisp	1192	253,975	193	16.8	13.7-19.9	42	3.6	01.8-05.4	475	33.1	29.4-36.8	482	46.5	42.4-50.6
Black or Afr. Am./Non-Hisp	127	29,389	14	7.3	02.6-12.0	11	10.1	01.7-18.5	34	23.3	13.5-33.1			
18-24	57	42,326				4	6.4	00.0-12.9	4	7.0	00.0-14.8			
25-34	138	56,497	28	15.1	08.8-21.4	10	9.1	02.8-15.4	27	22.4	13.6-31.2			
35-44	236	60,677	37	15.5	09.8-21.2	10	3.5	01.0-06.0	59	25.6	18.7-32.5	130	55.4	47.8-63.0
45-54	267	59,348	62	23.3	17.0-29.6	12	4.7	00.6-08.8	69	26.0	19.5-32.5	124	46.0	38.6-53.4
55-64	310	45,689	50	15.1	09.4-20.8	17	3.9	01.7-06.1	135	48.6	41.2-56.0	108	32.4	25.7-39.1
65+	421	50,328	31	6.2	03.5-08.9	8	1.6	00.4-02.8	254	59.1	52.8-65.4	128	33.0	26.9-39.1
Less Than H.S.	90	16,858				6	7.9	00.0-16.3						
H.S. or G.E.D.	445	90,934	98	26.4	20.1-32.7	21	7.3	03.0-11.6	169	29.6	23.9-35.3	157	36.6	29.9-43.3
Some Post-H.S.	344	85,713	59	13.7	09.4-18.0	13	3.3	01.1-05.5	136	34.2	26.8-41.6	136	48.8	40.6-57.0
College Graduate	555	123,068	42	6.2	03.7-08.7	21	3.7	01.3-06.1	198	29.7	24.8-34.6	294	60.3	54.8-65.8
Less than \$15,000	120	16,735				8	8.2	00.0-16.8						
\$15,000- 24,999	79	13,374										16	14.1	05.1-23.1
\$25,000- 34,999	112	20,797	27	20.4	10.6-30.2	4	4.2	00.0-09.5						
\$35,000- 49,999	204	37,875	45	21.4	14.1-28.7	9	2.8	00.6-05.0	72	30.7	22.3-39.1	78	45.1	35.5-54.7
\$50,000- 74,999	243	56,491	37	19.8	11.4-28.2	10	4.9	00.2-09.6	96	36.5	28.3-44.7	100	38.8	30.2-47.4
\$75,000+	470	126,137	51	10.1	06.8-13.4	19	3.8	01.6-06.0	152	27.9	22.4-33.4	248	58.2	52.1-64.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2574	344,854	312	11.5	09.5-13.5	99	4.0	03.0-05.0	773	26.0	23.6-28.4	1390	58.5	55.8-61.2
White/Non-Hisp	2038	257,702	255	11.5	09.3-13.7	70	3.9	02.7-05.1	656	29.0	26.3-31.7	1057	55.6	52.5-58.7
Black or Afr. Am./Non-Hisp	350	55,891	35	12.1	06.6-17.6	20	4.0	01.5-06.5	72	17.1	11.2-23.0	223	66.9	59.3-74.5
Oth. Race/Non-Hisp.	62	9,860	6	5.8	00.0-12.3	1	1.4	00.0-04.1						
Hispanic	56	12,333				5	8.4	00.0-17.6						
18-24	94	41,571				4	2.4	00.0-05.1	10	7.6	01.5-13.7			
25-34	249	57,389	34	11.5	07.0-16.0	10	4.1	01.2-07.0	44	21.4	14.7-28.1	161	62.9	55.5-70.3
35-44	363	63,748	58	12.1	08.4-15.8	20	6.8	03.5-10.1	74	21.1	16.0-26.2	211	60.0	53.7-66.3
45-54	528	62,366	97	14.9	11.4-18.4	22	3.8	02.0-05.6	153	27.9	23.0-32.8	256	53.5	48.0-59.0
55-64	547	50,203	59	10.0	06.7-13.3	25	4.3	02.1-06.5	176	33.5	28.4-38.6	287	52.2	46.7-57.7
65+	764	66,623	49	6.6	04.2-09.0	17	2.0	00.6-03.4	310	39.3	34.8-43.8	388	52.0	47.5-56.5
Less Than H.S.	178	18,857				12	5.9	01.6-10.2	56	23.8	15.0-32.6			
H.S. or G.E.D.	851	106,332	140	17.5	13.6-21.4	28	2.5	01.3-03.7	252	26.5	22.2-30.8	431	53.5	48.4-58.6
Some Post-H.S.	668	89,311	83	12.1	08.6-15.6	35	6.3	03.6-09.0	202	28.2	23.5-32.9	348	53.4	47.9-58.9
College Graduate	874	130,013	56	4.2	02.8-05.6	24	3.3	01.7-04.9	262	24.4	20.7-28.1	532	68.1	64.2-72.0
Less than \$15,000	279	27,153	53	19.0	12.7-25.3	8	3.0	00.6-05.4	76	24.8	18.3-31.3	142	53.2	45.6-60.8
\$15,000- 24,999	279	29,749	46	19.9	11.3-28.5	23	8.1	03.8-12.4	87	22.1	15.6-28.6			
\$25,000- 34,999	221	26,213	36	16.1	09.2-23.0	14	6.1	01.8-10.4	63	18.7	12.4-25.0	108	59.2	49.2-69.2
\$35,000- 49,999	345	38,835	41	12.6	07.9-17.3	13	4.7	01.4-08.0	101	25.9	20.0-31.8	190	56.8	49.9-63.7
\$50,000- 74,999	416	58,251	50	13.0	07.1-18.9	12	3.3	00.9-05.7	128	31.9	25.4-38.4	226	51.8	44.7-58.9
\$75,000+	551	96,726	37	4.4	02.6-06.2	14	3.3	01.3-05.3	171	28.5	23.6-33.4	329	63.8	58.5-69.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4011	661,580	3319	82.2	80.4-84.0	692	17.8	16.0-19.6
Male	1437	316,726	1156	79.7	76.8-82.6	281	20.3	17.4-23.2
Female	2574	344,854	2163	84.6	82.4-86.8	411	15.4	13.2-17.6
White/Non-Hisp	3230	511,677	2670	82.1	80.1-84.1	560	17.9	15.9-19.9
Black or Afr. Am./Non-Hisp	477	85,280	397	83.5	78.4-88.6	80	16.5	11.4-21.6
Oth. Race/Non-Hisp.	103	22,282	88	84.0	74.4-93.6	15	16.0	06.4-25.6
18-24	151	83,897	121	79.8	71.6-88.0	30	20.2	12.0-28.4
25-34	387	113,886	305	80.1	75.2-85.0	82	19.9	15.0-24.8
35-44	599	124,425	474	81.1	77.2-85.0	125	18.9	15.0-22.8
45-54	795	121,715	602	76.8	72.9-80.7	193	23.2	19.3-27.1
55-64	857	95,892	706	83.5	80.0-87.0	151	16.5	13.0-20.0
65+	1185	116,950	1080	91.7	89.7-93.7	105	8.3	06.3-10.3
H.S. or G.E.D.	1296	197,267	1009	73.7	69.8-77.6	287	26.3	22.4-30.2
Some Post-H.S.	1012	175,024	822	82.3	79.0-85.6	190	17.7	14.4-21.0
College Graduate	1429	253,081	1286	91.3	89.3-93.3	143	8.7	06.7-10.7
Less than \$15,000	399	43,888	312	74.5	67.4-81.6	87	25.5	18.4-32.6
\$15,000- 24,999	358	43,123	261	64.6	55.8-73.4	97	35.4	26.6-44.2
\$25,000- 34,999	333	47,010	252	76.8	70.3-83.3	81	23.2	16.7-29.7
\$35,000- 49,999	549	76,710	441	79.2	74.7-83.7	108	20.8	16.3-25.3
\$50,000- 74,999	659	114,742	550	79.6	74.1-85.1	109	20.4	14.9-25.9
\$75,000+	1021	222,863	900	88.8	86.4-91.2	121	11.2	08.8-13.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1437	316,726	1156	79.7	76.8-82.6	281	20.3	17.4-23.2
White/Non-Hisp	1192	253,975	957	79.6	76.3-82.9	235	20.4	17.1-23.7
Black or Afr. Am./Non-Hisp	127	29,389	102	82.7	73.5-91.9	25	17.3	08.1-26.5
25-34	138	56,497	100	75.8	67.4-84.2	38	24.2	15.8-32.6
35-44	236	60,677	189	81.0	74.9-87.1	47	19.0	12.9-25.1
45-54	267	59,348	193	72.0	65.1-78.9	74	28.0	21.1-34.9
55-64	310	45,689	243	81.0	75.1-86.9	67	19.0	13.1-24.9
65+	421	50,328	382	92.2	89.3-95.1	39	7.8	04.9-10.7
H.S. or G.E.D.	445	90,934	326	66.3	59.4-73.2	119	33.7	26.8-40.6
Some Post-H.S.	344	85,713	272	83.0	78.1-87.9	72	17.0	12.1-21.9
College Graduate	555	123,068	492	90.0	86.7-93.3	63	10.0	06.7-13.3
\$35,000- 49,999	204	37,875	150	75.7	68.3-83.1	54	24.3	16.9-31.7
\$50,000- 74,999	243	56,491	196	75.3	66.3-84.3	47	24.7	15.7-33.7
\$75,000+	470	126,137	400	86.1	82.4-89.8	70	13.9	10.2-17.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2574	344,854	2163	84.6	82.4-86.8	411	15.4	13.2-17.6	
White/Non-Hisp	2038	257,702	1713	84.6	82.2-87.0	325	15.4	13.0-17.8	
Black or Afr. Am./Non-Hisp	350	55,891	295	83.9	78.0-89.8	55	16.1	10.2-22.0	
Oth. Race/Non-Hisp.	62	9,860	55	92.8	85.7-99.9	7	7.2	00.1-14.3	
25-34	249	57,389	205	84.3	79.2-89.4	44	15.7	10.6-20.8	
35-44	363	63,748	285	81.1	76.2-86.0	78	18.9	14.0-23.8	
45-54	528	62,366	409	81.4	77.5-85.3	119	18.6	14.7-22.5	
55-64	547	50,203	463	85.7	82.0-89.4	84	14.3	10.6-18.0	
65+	764	66,623	698	91.3	88.8-93.8	66	8.7	06.2-11.2	
H.S. or G.E.D.	851	106,332	683	80.0	75.9-84.1	168	20.0	15.9-24.1	
Some Post-H.S.	668	89,311	550	81.6	77.3-85.9	118	18.4	14.1-22.7	
College Graduate	874	130,013	794	92.5	90.3-94.7	80	7.5	05.3-09.7	
Less than \$15,000	279	27,153	218	78.0	71.5-84.5	61	22.0	15.5-28.5	
\$15,000- 24,999	279	29,749	210	72.0	63.0-81.0	69	28.0	19.0-37.0	
\$25,000- 34,999	221	26,213	171	77.8	70.0-85.6	50	22.2	14.4-30.0	
\$35,000- 49,999	345	38,835	291	82.6	77.1-88.1	54	17.4	11.9-22.9	
\$50,000- 74,999	416	58,251	354	83.7	77.4-90.0	62	16.3	10.0-22.6	
\$75,000+	551	96,726	500	92.3	89.8-94.8	51	7.7	05.2-10.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 12: DEMOGRAPHICS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
 \*

TABLE		PAGE
	PREFERRED RACE CATEGORY (_PRACE).	
1	MALES AND FEMALES	40
2	MALES ONLY	41
3	FEMALES ONLY	42
	MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4	MALES AND FEMALES	43
5	MALES ONLY	44
6	FEMALES ONLY	45
	RACE/ETHNICITY CATEGORIES (RACE2).	
7	MALES AND FEMALES	46
8	MALES ONLY	47
9	FEMALES ONLY	48
	WHITE/HISPANIC RACE GROUP (_RACEG2).	
10	MALES AND FEMALES	49
11	MALES ONLY	50
12	FEMALES ONLY	51
	FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13	MALES AND FEMALES	52
14	MALES ONLY	53
15	FEMALES ONLY	54
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16	MALES AND FEMALES	55
17	MALES ONLY	56
18	FEMALES ONLY	57

**SECTION 12: DEMOGRAPHICS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
 \*

TABLE		PAGE
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19	MALES AND FEMALES	58

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 12: DEMOGRAPHICS CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE	PAGE
20 MALES ONLY	59
21 FEMALES ONLY	60
ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
REPORTED HEIGHT IN INCHES (HTIN3).	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
REPORTED HEIGHT IN METERS (HTM3).	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
REPORTED WEIGHT IN KILOGRAMS (WTKG2).	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
BODY MASS INDEX (kilograms per meter-squared) (_BMI4).	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008

SECTION 12: DEMOGRAPHICS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (\_PRACE).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3976	655,267	3318	80.7	78.7-82.7	493	13.6	11.8-15.4	46	2.1	01.3-02.9	6	0.2	00.0-00.4	30	0.6	00.2-01.0	83	2.8	01.8-03.8
Male	1425	314,297	1227	83.7	81.0-86.4	132	9.9	07.7-12.1	20	2.4	01.2-03.6	3	0.4	00.0-01.0	10	0.6	00.2-01.0	33	3.0	01.6-04.4
Female	2551	340,970	2091	78.0	75.3-80.7	361	16.9	14.5-19.3	26	1.7	00.7-02.7	3	0.1	00.1-00.1	20	0.7	00.3-01.1	50	2.6	01.4-03.8
18-24	150	83,756	104	71.2	61.8-80.6	34	20.9	12.7-29.1	1	1.3	00.0-03.8	1	0.1	00.0-00.3				10	6.5	01.2-11.8
25-34	380	111,246	279	73.8	68.3-79.3	75	18.1	13.4-22.8	11	4.3	01.8-06.8	1	0.5	00.0-01.5	1	0.3	00.0-00.9	13	3.0	01.0-05.0
35-44	594	123,694	464	77.3	73.0-81.6	88	14.5	10.8-18.2	13	2.6	01.0-04.2	1	0.1	00.0-00.3	10	1.9	00.5-03.3	18	3.8	01.8-05.8
45-54	795	121,607	649	82.0	78.3-85.7	113	13.6	10.3-16.9	10	1.7	00.5-02.9	3	0.7	00.0-01.9	4	0.4	00.0-00.8	16	1.5	00.5-02.5
55-64	850	95,094	732	87.6	84.7-90.5	92	8.7	06.5-10.9	5	1.7	00.0-03.5				11	0.8	00.2-01.4	10	1.2	00.2-02.2
65+	1175	115,744	1069	91.9	89.9-93.9	84	6.5	04.7-08.3	4	0.3	00.0-00.7				4	0.2	00.0-00.4	14	1.2	00.4-02.0
Less Than H.S.	268	35,516	217	75.0	65.8-84.2	42	20.5	11.7-29.3							2	1.1	00.0-02.9	7	3.4	00.1-06.7
H.S. or G.E.D.	1291	196,450	1069	80.3	76.6-84.0	181	16.1	12.6-19.6	3	0.2	00.0-00.4	1	0.1	00.0-00.3	11	0.4	00.0-00.8	26	2.9	01.1-04.7
Some Post-H.S.	1004	173,535	833	81.1	77.4-84.8	126	12.7	09.8-15.6	6	1.1	00.1-02.1	2	0.1	00.0-00.3	12	1.2	00.4-02.0	25	3.8	01.6-06.0
College Graduate	1408	249,458	1195	81.6	78.7-84.5	143	11.1	08.7-13.5	37	4.5	02.7-06.3	3	0.5	00.0-01.1	5	0.3	00.0-00.7	25	2.0	01.0-03.0
Less than \$15,000	396	42,958	326	77.6	71.1-84.1	55	17.8	11.7-23.9				1	0.2	00.0-00.6	6	1.7	00.0-03.5	8	2.7	00.3-05.1
\$15,000- 24,999	359	42,991	254	59.1	50.3-67.9	84	31.0	22.8-39.2	5	4.9	00.0-10.4	2	1.5	00.0-04.0	4	0.8	00.0-01.8	10	2.7	00.2-05.2
\$25,000- 34,999	331	46,812	259	67.3	57.5-77.1	58	21.7	13.7-29.7	1	0.7	00.0-02.1	1	0.2	00.0-00.6	4	1.8	00.0-04.3	8	8.3	00.0-16.7
\$35,000- 49,999	544	75,330	457	80.2	75.3-85.1	65	14.4	10.1-18.7	5	1.4	00.0-02.8				5	1.0	00.0-02.2	12	3.0	00.8-05.2
\$50,000- 74,999	654	113,530	547	82.2	77.7-86.7	74	11.2	07.5-14.9	9	2.9	00.7-05.1				5	0.4	00.0-00.8	19	3.3	01.5-05.1
\$75,000+	1015	221,878	898	87.0	84.1-89.9	82	8.7	06.3-11.1	18	2.1	00.9-03.3	2	0.3	00.0-00.9	3	0.2	00.0-00.4	12	1.6	00.4-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 2: PREFERRED RACE CATEGORY (\_PRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1425	314,297	1227	83.7	81.0-86.4	132	9.9	07.7-12.1	20	2.4	01.2-03.6	3	0.4	00.0-01.0	10	0.6	00.2-01.0	33	3.0	01.6-04.4
18-24	57	42,326				10	15.3	05.3-25.3										5	8.0	00.0-16.0
25-34	136	55,441	110	82.2	74.9-89.5	13	8.0	03.1-12.9	6	5.3	01.2-09.4	1	1.0	00.0-03.0				6	3.6	00.5-06.7
35-44	234	60,575	190	79.9	73.6-86.2	27	11.2	06.3-16.1	7	3.8	00.9-06.7				4	2.1	00.0-04.5	6	3.0	00.3-05.7
45-54	267	59,297	221	82.7	76.6-88.8	34	13.0	07.5-18.5	3	1.6	00.0-03.6	2	1.3	00.0-03.5	2	0.4	00.0-01.0	5	1.0	00.0-02.2
55-64	307	45,277	273	89.5	84.8-94.2	25	6.0	03.3-08.7	2	2.4	00.0-05.7				3	0.6	00.0-01.4	4	1.4	00.0-03.4
65+	416	49,519	388	93.5	90.6-96.4	20	4.8	02.3-07.3	1	0.1	00.0-00.3				1	0.1	00.0-00.3	6	1.5	00.0-03.1
Less Than H.S.	90	16,765																2	4.7	00.0-11.2
H.S. or G.E.D.	444	90,589	381	86.1	81.6-90.6	48	10.6	06.7-14.5	1	0.2	00.0-00.6				3	0.3	00.0-00.7	11	2.6	00.4-04.8
Some Post-H.S.	343	85,236	289	82.9	76.8-89.0	34	9.4	04.9-13.9	2	1.1	00.0-02.7				5	1.6	00.0-03.4	13	5.0	00.9-09.1
College Graduate	545	121,553	475	82.8	78.3-87.3	41	8.9	05.6-12.2	17	5.3	02.6-08.0	3	1.1	00.0-02.5	2	0.1	00.0-00.3	7	1.7	00.1-03.3
Less than \$15,000	120	16,735				7	9.1	00.0-18.7							3	2.0	00.0-04.5	4	4.2	00.0-09.3
\$15,000- 24,999	81	13,517							1	3.1	00.0-09.0	1	4.0	00.0-11.6	1	0.5	00.0-01.5	4	4.7	00.0-11.8
\$25,000- 34,999	110	20,599										1	0.5	00.0-01.5	2	3.1	00.0-08.6			
\$35,000- 49,999	203	37,083	177	83.1	75.8-90.4	18	11.3	05.2-17.4	2	1.6	00.0-04.0							6	3.9	00.0-07.8
\$50,000- 74,999	242	56,066	202	81.3	74.2-88.4	26	10.7	04.8-16.6	5	4.3	00.4-08.2				1	0.3	00.0-00.9	8	3.4	00.7-06.1
\$75,000+	467	125,615	418	88.0	84.1-91.9	33	7.3	04.2-10.4	8	2.3	00.7-03.9	1	0.5	00.0-01.5	2	0.3	00.0-00.7	5	1.6	00.0-03.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 3: PREFERRED RACE CATEGORY (\_PRACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2551	340,970	2091	78.0	75.3-80.7	361	16.9	14.5-19.3	26	1.7	00.7-02.7	3	0.1	00.1-00.1	20	0.7	00.3-01.1	50	2.6	01.4-03.8
18-24	93	41,430							1	2.7	00.0-07.8	1	0.2	00.0-00.6				5	5.0	00.0-11.9
25-34	244	55,805	169	65.4	58.0-72.8	62	28.2	20.9-35.5	5	3.4	00.3-06.5				1	0.5	00.0-01.5	7	2.5	00.3-04.7
35-44	360	63,119	274	74.8	68.9-80.7	61	17.6	12.3-22.9	6	1.4	00.2-02.6	1	0.1	00.0-00.3	6	1.6	00.0-03.2	12	4.5	01.8-07.2
45-54	528	62,309	428	81.3	77.0-85.6	79	14.1	10.4-17.8	7	1.9	00.3-03.5	1	0.2	00.0-00.6	2	0.4	00.0-01.0	11	2.1	00.3-03.9
55-64	543	49,817	459	85.8	82.1-89.5	67	11.1	07.8-14.4	3	1.0	00.0-02.2				8	1.0	00.0-02.0	6	1.1	00.0-02.3
65+	759	66,225	681	90.7	88.2-93.2	64	7.8	05.4-10.2	3	0.5	00.0-01.1				3	0.2	00.0-00.4	8	0.9	00.1-01.7
Less Than H.S.	178	18,751													2	2.1	00.0-05.4	5	2.2	00.0-04.4
H.S. or G.E.D.	847	105,861	688	75.2	69.7-80.7	133	20.8	15.5-26.1	2	0.2	00.0-00.4	1	0.1	00.0-00.3	8	0.5	00.1-00.9	15	3.2	00.3-06.1
Some Post-H.S.	661	88,299	544	79.4	74.9-83.9	92	15.9	11.8-20.0	4	1.1	00.0-02.5	2	0.2	00.0-00.4	7	0.7	00.1-01.3	12	2.6	00.8-04.4
College Graduate	863	127,904	720	80.4	76.5-84.3	102	13.2	09.9-16.5	20	3.7	01.5-05.9				3	0.5	00.0-01.3	18	2.2	00.8-03.6
Less than \$15,000	276	26,223	220	73.0	65.2-80.8	48	23.3	15.7-30.9				1	0.3	00.0-00.9	3	1.5	00.0-03.9	4	1.8	00.0-03.6
\$15,000- 24,999	278	29,474							4	5.7	00.0-13.0	1	0.4	00.0-01.2	3	1.0	00.0-02.4	6	1.9	00.1-03.7
\$25,000- 34,999	221	26,213							1	1.3	00.0-03.8				2	0.8	00.0-01.8	7	9.1	00.0-19.7
\$35,000- 49,999	341	38,247	280	77.4	70.9-83.9	47	17.4	11.5-23.3	3	1.2	00.0-02.6				5	2.0	00.0-04.4	6	2.0	00.0-04.0
\$50,000- 74,999	412	57,464	345	83.0	77.5-88.5	48	11.7	06.8-16.6	4	1.6	00.0-03.6				4	0.5	00.0-01.1	11	3.2	00.8-05.6
\$75,000+	548	96,262	480	85.7	81.6-89.8	49	10.5	06.8-14.2	10	1.9	00.5-03.3	1	0.1	00.0-00.3	1	0.2	00.0-00.6	7	1.6	00.2-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3976	655,267	3282	79.7	77.7-81.7	488	13.5	11.7-15.3	46	2.1	0.1-02.9	5	0.2	0.0-0.4	27	0.6	0.2-0.1.0	128	4.0	0.2-0.5.2
Male	1425	314,297	1212	82.4	79.3-85.5	131	9.9	07.7-12.1	20	2.4	0.1-03.6	3	0.4	0.0-0.1.0	7	0.5	0.0-1.0.9	52	4.4	0.2-0.6.6
Female	2551	340,970	2070	77.2	74.5-79.9	357	16.8	14.4-19.2	26	1.7	0.0-02.7	2	0.0	0.0-0.0.0	20	0.7	0.0-0.1.1	76	3.6	0.2-0.4.8
18-24	150	83,756	103	68.1	58.1-78.1	34	20.9	12.7-29.1	1	1.3	0.0-03.8	1	0.1	0.0-0.0.3				11	9.5	0.2-1.6.9
25-34	380	111,246	273	72.4	66.9-77.9	75	18.1	13.4-22.8	11	4.3	0.1-06.8	1	0.5	0.0-0.1.5	1	0.3	0.0-0.0.9	19	4.4	0.2-0.6.6
35-44	594	123,694	459	76.8	72.5-81.1	86	14.3	10.6-18.0	13	2.6	0.1-04.2	1	0.1	0.0-0.0.3	9	1.7	0.0-0.3.1	26	4.6	0.2-0.6.8
45-54	795	121,607	644	81.6	77.9-85.3	112	13.5	10.2-16.8	10	1.7	0.0-02.9	2	0.6	0.0-0.1.8	3	0.4	0.0-0.0.8	24	2.1	0.0-0.3.3
55-64	850	95,094	724	86.7	83.8-89.6	92	8.7	06.5-10.9	5	1.7	0.0-0.3.5				10	0.7	0.0-1.0.1.3	19	2.3	0.0-0.3.7
65+	1175	115,744	1058	91.4	89.4-93.4	82	6.3	04.5-08.1	4	0.3	0.0-0.0.7				4	0.2	0.0-0.0.4	27	1.8	0.0-0.2.8
Less Than H.S.	268	35,516	210	72.7	63.5-81.9	42	20.5	11.7-29.3							2	1.1	0.0-0.2.9	14	5.6	0.1-0.9.5
H.S. or G.E.D.	1291	196,450	1059	79.8	76.1-83.5	179	16.0	12.5-19.5	3	0.2	0.0-0.0.4				10	0.4	0.0-0.0.8	40	3.6	0.1-0.5.4
Some Post-H.S.	1004	173,535	824	78.8	74.5-83.1	126	12.7	09.8-15.6	6	1.1	0.0-1.0.2.1	2	0.1	0.0-0.0.3	11	1.1	0.0-0.1.9	35	6.2	0.2-0.9.7
College Graduate	1408	249,458	1185	81.2	78.3-84.1	140	11.0	08.6-13.4	37	4.5	0.2-0.6.3	3	0.5	0.0-0.1.1	4	0.3	0.0-0.0.7	39	2.5	0.1-0.3.5
Less than \$15,000	396	42,958	323	77.1	70.6-83.6	52	17.0	10.9-23.1				1	0.2	0.0-0.0.6	5	1.3	0.0-0.2.9	15	4.4	0.1-0.6.9
\$15,000- 24,999	359	42,991	248	57.5	48.7-66.3	84	31.0	22.8-39.2	5	4.9	0.0-10.4	1	1.2	0.0-0.3.6	3	0.7	0.0-0.1.7	18	4.8	0.1-0.7.9
\$25,000- 34,999	331	46,812	255	66.9	57.1-76.7	58	21.7	13.7-29.7	1	0.7	0.0-0.2.1	1	0.2	0.0-0.0.6	4	1.8	0.0-0.4.3	12	8.7	0.0-3.1.7.1
\$35,000- 49,999	544	75,330	453	79.8	74.9-84.7	65	14.4	10.1-18.7	5	1.4	0.0-0.2.8				5	1.0	0.0-0.2.2	16	3.4	0.1-0.5.6
\$50,000- 74,999	654	113,530	540	81.0	76.5-85.5	72	11.1	07.4-14.8	9	2.9	0.0-0.5.1				5	0.4	0.0-0.0.8	28	4.6	0.2-0.6.6
\$75,000+	1015	221,878	895	86.9	84.0-89.8	82	8.7	06.3-11.1	18	2.1	0.0-0.3.3	2	0.3	0.0-0.0.9	2	0.2	0.0-0.0.4	16	1.8	0.0-0.3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 5: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1425	314,297	1212	82.4	79.3-85.5	131	9.9	07.7-12.1	20	2.4	01.2-03.6	3	0.4	00.0-01.0	7	0.5	00.1-00.9	52	4.4	02.2-06.6
18-24	57	42,326				10	15.3	05.3-25.3												
25-34	136	55,441	108	81.6	74.3-88.9	13	8.0	03.1-12.9	6	5.3	01.2-09.4	1	1.0	00.0-03.0				8	4.2	01.1-07.3
35-44	234	60,575	188	79.6	73.3-85.9	26	11.0	06.1-15.9	7	3.8	00.9-06.7				3	1.8	00.0-04.0	10	3.8	01.1-06.5
45-54	267	59,297	219	82.1	76.0-88.2	34	13.0	07.5-18.5	3	1.6	00.0-03.6	2	1.3	00.0-03.5	1	0.3	00.0-00.9	8	1.7	00.3-03.1
55-64	307	45,277	272	89.4	84.7-94.1	25	6.0	03.3-08.7	2	2.4	00.0-05.7				2	0.3	00.0-00.9	6	1.8	00.0-03.8
65+	416	49,519	381	92.6	89.5-95.7	20	4.8	02.3-07.3	1	0.1	00.0-00.3				1	0.1	00.0-00.3	13	2.4	00.6-04.2
Less Than H.S.	90	16,765																4	5.6	00.0-12.3
H.S. or G.E.D.	444	90,589	375	85.4	80.9-89.9	48	10.6	06.7-14.5	1	0.2	00.0-00.6				2	0.3	00.0-00.7	18	3.4	01.2-05.6
Some Post-H.S.	343	85,236	285	79.6	72.2-87.0	34	9.4	04.9-13.9	2	1.1	00.0-02.7				4	1.4	00.0-03.0	18	8.4	01.7-15.1
College Graduate	545	121,553	472	82.6	78.1-87.1	40	8.8	05.5-12.1	17	5.3	02.6-08.0	3	1.1	00.0-02.5	1	0.0	00.0-00.0	12	2.2	00.6-03.8
Less than \$15,000	120	16,735				7	9.1	00.0-18.7							2	1.0	00.0-02.6	6	5.5	00.0-11.0
\$15,000- 24,999	81	13,517							1	3.1	00.0-09.0	1	4.0	00.0-11.6				6	5.6	00.0-12.7
\$25,000- 34,999	110	20,599										1	0.5	00.0-01.5	2	3.1	00.0-08.6			
\$35,000- 49,999	203	37,083	174	82.4	75.1-89.7	18	11.3	05.2-17.4	2	1.6	00.0-04.0							9	4.7	00.8-08.6
\$50,000- 74,999	242	56,066	198	80.2	72.9-87.5	25	10.5	04.6-16.4	5	4.3	00.4-08.2				1	0.3	00.0-00.9	13	4.8	01.9-07.7
\$75,000+	467	125,615	418	88.0	84.1-91.9	33	7.3	04.2-10.4	8	2.3	00.7-03.9	1	0.5	00.0-01.5	1	0.1	00.0-00.3	6	1.7	00.1-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 6: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2551	340,970	2070	77.2	74.5-79.9	357	16.8	14.4-19.2	26	1.7	00.7-02.7	2	0.0	00.0-00.0	20	0.7	00.3-01.1	76	3.6	02.4-04.8
18-24	93	41,430							1	2.7	00.0-07.8	1	0.2	00.0-00.6				5	5.0	00.0-11.9
25-34	244	55,805	165	63.4	55.8-71.0	62	28.2	20.9-35.5	5	3.4	00.3-06.5				1	0.5	00.0-01.5	11	4.5	01.6-07.4
35-44	360	63,119	271	74.1	68.2-80.0	60	17.4	12.1-22.7	6	1.4	00.2-02.6	1	0.1	00.0-00.3	6	1.6	00.0-03.2	16	5.4	02.5-08.3
45-54	528	62,309	425	81.1	76.8-85.4	78	14.1	10.4-17.8	7	1.9	00.3-03.5				2	0.4	00.0-01.0	16	2.6	00.8-04.4
55-64	543	49,817	452	84.2	80.3-88.1	67	11.1	07.8-14.4	3	1.0	00.0-02.2				8	1.0	00.0-02.0	13	2.7	00.9-04.5
65+	759	66,225	677	90.5	88.0-93.0	62	7.5	05.1-09.9	3	0.5	00.0-01.1				3	0.2	00.0-00.4	14	1.4	00.4-02.4
Less Than H.S.	178	18,751													2	2.1	00.0-05.4	10	5.7	01.2-10.2
H.S. or G.E.D.	847	105,861	684	74.9	69.4-80.4	131	20.6	15.3-25.9	2	0.2	00.0-00.4				8	0.5	00.1-00.9	22	3.8	00.9-06.7
Some Post-H.S.	661	88,299	539	78.1	73.6-82.6	92	15.9	11.8-20.0	4	1.1	00.0-02.5	2	0.2	00.0-00.4	7	0.7	00.1-01.3	17	4.0	01.6-06.4
College Graduate	863	127,904	713	80.0	76.1-83.9	100	13.1	09.8-16.4	20	3.7	01.5-05.9				3	0.5	00.0-01.3	27	2.7	01.3-04.1
Less than \$15,000	276	26,223	218	72.4	64.6-80.2	45	22.1	14.7-29.5				1	0.3	00.0-00.9	3	1.5	00.0-03.9	9	3.6	01.1-06.1
\$15,000- 24,999	278	29,474							4	5.7	00.0-13.0				3	1.0	00.0-02.4	12	4.4	01.1-07.7
\$25,000- 34,999	221	26,213							1	1.3	00.0-03.8				2	0.8	00.0-01.8	9	9.4	00.0-20.0
\$35,000- 49,999	341	38,247	279	77.3	70.8-83.8	47	17.4	11.5-23.3	3	1.2	00.0-02.6				5	2.0	00.0-04.4	7	2.1	00.1-04.1
\$50,000- 74,999	412	57,464	342	81.8	76.1-87.5	47	11.7	06.8-16.6	4	1.6	00.0-03.6				4	0.5	00.0-01.1	15	4.4	01.7-07.1
\$75,000+	548	96,262	477	85.3	81.2-89.4	49	10.5	06.8-14.2	10	1.9	00.5-03.3	1	0.1	00.0-00.3	1	0.2	00.0-00.6	10	2.0	00.4-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3891	630,163	3238	81.4	79.4-83.4	481	13.6	11.8-15.4	46	2.1	0.1-0.2	5	0.2	0.0-0.0	25	0.6	0.2-0.1	96	2.0	0.1-0.2
Male	1391	300,335	1194	84.8	82.3-87.3	129	9.9	0.7-12.1	20	2.5	0.1-0.3	3	0.4	0.0-0.1	7	0.5	0.1-0.0	38	1.8	0.1-0.2
Female	2500	329,828	2044	78.3	75.8-80.8	352	17.0	14.5-19.5	26	1.8	0.0-0.2	2	0.0	0.0-0.0	18	0.7	0.0-0.1	58	2.2	0.1-0.3
18-24	134	72,728	97	75.6	66.4-84.8	31	21.4	12.6-30.2	1	1.5	0.0-0.4	1	0.1	0.0-0.0				4	1.3	0.0-0.2
25-34	365	107,548	265	73.1	67.4-78.8	73	18.2	13.3-23.1	11	4.5	0.1-0.7	1	0.5	0.0-0.1	1	0.3	0.0-0.0	14	3.4	0.1-0.5
35-44	575	117,807	453	78.6	74.3-82.9	85	14.9	11.2-18.6	13	2.7	0.1-0.4	1	0.1	0.0-0.0	9	1.8	0.0-0.3	14	2.0	0.0-0.3
45-54	785	119,942	636	81.6	77.9-85.3	112	13.7	10.4-17.0	10	1.8	0.0-0.3	2	0.6	0.0-0.1	3	0.4	0.0-0.0	22	1.9	0.0-0.3
55-64	839	93,737	718	87.2	84.3-90.1	92	8.8	0.6-11.0	5	1.7	0.0-0.3				9	0.7	0.0-0.1	15	1.6	0.0-0.2
65+	1161	114,274	1048	91.9	89.9-93.9	81	6.3	0.4-0.8	4	0.3	0.0-0.0				3	0.1	0.0-0.0	25	1.3	0.0-0.1
Less Than H.S.	258	33,889	205	74.7	65.3-84.1	42	21.5	12.3-30.7							2	1.2	0.0-0.3	9	2.6	0.0-0.4
H.S. or G.E.D.	1268	187,995	1047	81.1	77.6-84.6	177	16.3	12.8-19.8	3	0.2	0.0-0.0				8	0.4	0.0-0.0	33	2.0	0.1-0.2
Some Post-H.S.	983	164,541	814	82.0	78.7-85.3	124	12.5	0.9-15.4	6	1.2	0.0-0.2	2	0.1	0.0-0.0	11	1.1	0.0-0.1	26	3.1	0.1-0.4
College Graduate	1377	243,429	1168	82.2	79.3-85.1	137	11.1	0.8-13.5	37	4.6	0.2-0.6	3	0.5	0.0-0.1	4	0.3	0.0-0.0	28	1.3	0.0-0.1
Less than \$15,000	386	41,632	316	78.4	72.1-84.7	51	16.3	10.4-22.2				1	0.2	0.0-0.0	4	1.3	0.0-0.2	14	3.8	0.1-0.6
\$15,000- 24,999	350	41,112	243	57.5	48.5-66.5	83	32.0	23.4-40.6	5	5.1	0.0-10.8	1	1.3	0.0-0.3	2	0.6	0.0-0.1	16	3.5	0.1-0.5
\$25,000- 34,999	325	43,498	252	71.4	63.0-79.8	58	23.3	15.1-31.5	1	0.8	0.0-0.2	1	0.2	0.0-0.0	4	1.9	0.0-0.4	9	2.3	0.0-0.4
\$35,000- 49,999	533	71,152	445	80.4	75.7-85.1	64	14.5	10.2-18.8	5	1.5	0.0-0.2				5	1.1	0.0-0.2	14	2.5	0.0-0.4
\$50,000- 74,999	637	110,620	533	82.0	77.5-86.5	71	11.3	0.7-15.2	9	3.0	0.0-0.5				5	0.4	0.0-0.0	19	3.3	0.1-0.5
\$75,000+	1002	217,438	890	88.2	85.5-90.9	80	8.3	0.5-10.7	18	2.2	0.1-0.3	2	0.3	0.0-0.0	2	0.2	0.0-0.0	10	0.8	0.0-0.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1391	300,335	1194	84.8	82.3-87.3	129	9.9	07.7-12.1	20	2.5	01.3-03.7	3	0.4	00.0-01.0	7	0.5	00.1-00.9	38	1.8	01.0-02.6
25-34	131	54,253	106	82.5	75.2-89.8	13	8.2	03.1-13.3	6	5.4	01.1-09.7	1	1.0	00.0-03.0				5	3.0	00.1-05.9
35-44	228	58,214	186	81.1	75.0-87.2	26	11.5	06.4-16.6	7	3.9	01.0-06.8				3	1.9	00.0-04.3	6	1.6	00.0-03.2
45-54	265	58,544	217	81.9	75.8-88.0	34	13.1	07.6-18.6	3	1.6	00.0-03.6	2	1.3	00.0-03.7	1	0.3	00.0-00.9	8	1.7	00.3-03.1
55-64	303	44,610	269	90.2	85.9-94.5	25	6.1	03.4-08.8	2	2.5	00.0-06.0				2	0.4	00.0-01.0	5	0.9	00.0-01.9
65+	408	48,524	375	93.6	90.9-96.3	20	4.9	02.4-07.4	1	0.1	00.0-00.3				1	0.1	00.0-00.3	11	1.3	00.5-02.1
Less Than H.S.	86	15,982																3	2.8	00.0-06.7
H.S. or G.E.D.	433	86,337	368	86.6	82.3-90.9	48	11.2	07.1-15.3	1	0.2	00.0-00.6				2	0.3	00.0-00.7	14	1.7	00.5-02.9
Some Post-H.S.	332	78,691	281	85.5	80.4-90.6	33	8.9	04.8-13.0	2	1.2	00.0-02.8				4	1.5	00.0-03.3	12	2.8	00.6-05.0
College Graduate	537	119,172	468	83.6	79.3-87.9	39	8.7	05.4-12.0	17	5.4	02.7-08.1	3	1.1	00.0-02.5	1	0.0	00.0-00.0	9	1.1	00.1-02.1
Less than \$15,000	117	16,374				7	9.3	00.0-19.1							2	1.0	00.0-02.6	5	4.0	00.0-08.5
\$15,000- 24,999	78	12,487							1	3.3	00.0-09.8	1	4.3	00.0-12.5				5	2.1	00.1-04.1
\$25,000- 34,999	109	19,088										1	0.5	00.0-01.5	2	3.3	00.0-09.2	2	0.5	00.0-01.3
\$35,000- 49,999	197	34,462	169	82.8	75.5-90.1	18	12.2	05.7-18.7	2	1.8	00.0-04.3							8	3.3	00.6-06.0
\$50,000- 74,999	235	54,359	195	81.3	74.0-88.6	25	10.8	04.7-16.9	5	4.4	00.5-08.3				1	0.3	00.0-00.9	9	3.2	00.7-05.7
\$75,000+	460	122,510	415	89.7	86.2-93.2	32	6.6	03.7-09.5	8	2.3	00.5-04.1	1	0.6	00.0-01.8	1	0.2	00.0-00.6	3	0.6	00.0-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2500	329,828	2044	78.3	75.8-80.8	352	17.0	14.5-19.5	26	1.8	00.8-02.8	2	0.0	00.0-00.0	18	0.7	00.3-01.1	58	2.2	01.4-03.0
18-24	86	38,399							1	2.9	00.0-08.4	1	0.2	00.0-00.6				2	0.8	00.0-02.0
25-34	234	53,294	159	63.5	55.7-71.3	60	28.4	21.0-35.8	5	3.6	00.5-06.7				1	0.6	00.0-01.8	9	3.9	01.0-06.8
35-44	347	59,593	267	76.0	70.1-81.9	59	18.2	12.7-23.7	6	1.5	00.1-02.9	1	0.1	00.0-00.3	6	1.7	00.0-03.5	8	2.4	00.4-04.4
45-54	520	61,398	419	81.2	76.9-85.5	78	14.3	10.6-18.0	7	1.9	00.3-03.5				2	0.4	00.0-01.0	14	2.2	00.4-04.0
55-64	536	49,127	449	84.6	80.7-88.5	67	11.3	08.0-14.6	3	1.0	00.0-02.2				7	0.9	00.0-01.9	10	2.2	00.4-04.0
65+	753	65,750	673	90.7	88.2-93.2	61	7.3	04.9-09.7	3	0.5	00.0-01.1				2	0.1	00.0-00.3	14	1.4	00.4-02.4
Less Than H.S.	172	17,906													2	2.2	00.0-05.7	6	2.5	00.1-04.9
H.S. or G.E.D.	835	101,659	679	76.4	71.1-81.7	129	20.7	15.4-26.0	2	0.2	00.0-00.4				6	0.4	00.0-00.8	19	2.2	01.0-03.4
Some Post-H.S.	651	85,850	533	78.8	74.3-83.3	91	15.7	11.8-19.6	4	1.1	00.0-02.5	2	0.2	00.0-00.4	7	0.8	00.2-01.4	14	3.4	01.2-05.6
College Graduate	840	124,258	700	80.9	77.0-84.8	98	13.4	09.9-16.9	20	3.8	01.4-06.2				3	0.5	00.0-01.3	19	1.5	00.5-02.5
Less than \$15,000	269	25,257	213	73.7	66.3-81.1	44	20.8	13.7-27.9				1	0.3	00.0-00.9	2	1.4	00.0-03.8	9	3.8	01.3-06.3
\$15,000- 24,999	272	28,625							4	5.9	00.0-13.5				2	0.9	00.0-02.3	11	4.2	00.9-07.5
\$25,000- 34,999	216	24,410							1	1.4	00.0-04.1				2	0.8	00.0-02.0	7	3.7	00.0-07.4
\$35,000- 49,999	336	36,690	276	78.2	71.9-84.5	46	16.7	10.8-22.6	3	1.2	00.0-02.6				5	2.1	00.0-04.6	6	1.8	00.0-03.8
\$50,000- 74,999	402	56,260	338	82.6	76.9-88.3	46	11.9	06.8-17.0	4	1.6	00.0-03.6				4	0.5	00.0-01.1	10	3.4	00.9-05.9
\$75,000+	542	94,928	475	86.2	82.1-90.3	48	10.5	06.8-14.2	10	2.0	00.6-03.4	1	0.1	00.0-00.3	1	0.2	00.0-00.6	7	1.1	00.0-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (\_RACEG2).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3982	657,535	3238	78.0	75.8-80.2	744	22.0	19.8-24.2
Male	1426	315,374	1194	80.8	77.7-83.9	232	19.2	16.1-22.3
Female	2556	342,161	2044	75.5	72.8-78.2	512	24.5	21.8-27.2
25-34	386	113,327	265	69.4	63.7-75.1	121	30.6	24.9-36.3
35-44	596	124,017	453	74.6	70.1-79.1	143	25.4	20.9-29.9
45-54	795	121,607	636	80.4	76.7-84.1	159	19.6	15.9-23.3
55-64	850	95,070	718	86.0	82.9-89.1	132	14.0	10.9-17.1
65+	1173	115,632	1048	90.9	88.9-92.9	125	9.1	07.1-11.1
Less Than H.S.	267	35,467	205	71.4	62.0-80.8	62	28.6	19.2-38.0
H.S. or G.E.D.	1292	196,830	1047	77.4	73.5-81.3	245	22.6	18.7-26.5
Some Post-H.S.	1008	174,275	814	77.4	73.1-81.7	194	22.6	18.3-26.9
College Graduate	1410	250,656	1168	79.9	76.8-83.0	242	20.1	17.0-23.2
Less than \$15,000	397	43,645	316	74.8	68.1-81.5	81	25.2	18.5-31.9
\$15,000- 24,999	359	43,143	243	54.8	46.0-63.6	116	45.2	36.4-54.0
\$25,000- 34,999	331	46,812	252	66.4	56.8-76.0	79	33.6	24.0-43.2
\$35,000- 49,999	548	76,569	445	74.7	69.2-80.2	103	25.3	19.8-30.8
\$50,000- 74,999	655	113,669	533	79.8	75.1-84.5	122	20.2	15.5-24.9
\$75,000+	1017	222,271	890	86.3	83.4-89.2	127	13.7	10.8-16.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 11: WHITE/HISPANIC RACE GROUP (\_RACEG2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1426	315,374	1194	80.8	77.7-83.9	232	19.2	16.1-22.3
25-34	137	56,233	106	79.6	72.0-87.2	31	20.4	12.8-28.0
35-44	236	60,969	186	77.5	71.0-84.0	50	22.5	16.0-29.0
45-54	267	59,297	217	80.9	74.6-87.2	50	19.1	12.8-25.4
55-64	306	45,218	269	88.9	84.2-93.6	37	11.1	06.4-15.8
65+	415	49,469	375	91.8	88.7-94.9	40	8.2	05.1-11.3
H.S. or G.E.D.	443	90,531	368	82.6	77.7-87.5	75	17.4	12.5-22.3
Some Post-H.S.	344	85,433	281	78.8	71.4-86.2	63	21.2	13.8-28.6
College Graduate	547	122,542	468	81.3	76.8-85.8	79	18.7	14.2-23.2
\$35,000- 49,999	204	37,875	169	75.3	66.7-83.9	35	24.7	16.1-33.3
\$50,000- 74,999	242	56,066	195	78.8	71.5-86.1	47	21.2	13.9-28.5
\$75,000+	469	126,009	415	87.2	83.3-91.1	54	12.8	08.9-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 12: WHITE/HISPANIC RACE GROUP (\_RACE2).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2556	342,161	2044	75.5	72.8-78.2	512	24.5	21.8-27.2
25-34	249	57,094	159	59.3	51.9-66.7	90	40.7	33.3-48.1
35-44	360	63,049	267	71.9	65.6-78.2	93	28.1	21.8-34.4
45-54	528	62,309	419	80.0	75.7-84.3	109	20.0	15.7-24.3
55-64	544	49,852	449	83.4	79.3-87.5	95	16.6	12.5-20.7
65+	758	66,162	673	90.1	87.6-92.6	85	9.9	07.4-12.4
H.S. or G.E.D.	849	106,299	679	73.0	67.3-78.7	170	27.0	21.3-32.7
Some Post-H.S.	664	88,842	533	76.1	71.4-80.8	131	23.9	19.2-28.6
College Graduate	863	128,113	700	78.5	74.4-82.6	163	21.5	17.4-25.6
Less than \$15,000	278	26,969	213	69.1	61.1-77.1	65	30.9	22.9-38.9
\$35,000- 49,999	344	38,694	276	74.1	67.4-80.8	68	25.9	19.2-32.6
\$50,000- 74,999	413	57,603	338	80.7	75.0-86.4	75	19.3	13.6-25.0
\$75,000+	548	96,262	475	85.0	80.9-89.1	73	15.0	10.9-19.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3982	657,535	3238	78.0	75.8-80.2	481	13.0	11.4-14.6	103	3.4	02.6-04.2	69	1.4	01.0-01.8	91	4.2	02.8-05.6
Male	1426	315,374	1194	80.8	77.7-83.9	129	9.4	07.2-11.6	41	3.9	02.5-05.3	27	1.1	00.5-01.7	35	4.8	02.6-07.0
Female	2556	342,161	2044	75.5	72.8-78.2	352	16.4	14.0-18.8	62	2.9	01.9-03.9	42	1.7	01.1-02.3	56	3.6	02.2-05.0
18-24	150	83,756				31	18.6	10.8-26.4	2	1.4	00.0-03.9	4	1.2	00.0-02.4	16	13.2	05.2-21.2
25-34	386	113,327	265	69.4	63.7-75.1	73	17.3	12.8-21.8	18	6.1	03.2-09.0	9	2.1	00.5-03.7	21	5.1	02.6-07.6
35-44	596	124,017	453	74.6	70.1-79.1	85	14.1	10.4-17.8	26	4.8	02.6-07.0	11	1.5	00.5-02.5	21	5.0	02.5-07.5
45-54	795	121,607	636	80.4	76.7-84.1	112	13.5	10.2-16.8	22	3.6	01.6-05.6	15	1.1	00.5-01.7	10	1.4	00.4-02.4
55-64	850	95,070	718	86.0	82.9-89.1	92	8.7	06.5-10.9	19	2.7	00.9-04.5	10	1.2	00.4-02.0	11	1.4	00.2-02.6
65+	1173	115,632	1048	90.9	88.9-92.9	81	6.2	04.4-08.0	13	0.6	00.2-01.0	19	1.1	00.5-01.7	12	1.2	00.4-02.0
Less Than H.S.	267	35,467	205	71.4	62.0-80.8	42	20.5	11.7-29.3	4	2.0	00.0-04.4	7	1.6	00.2-03.0	9	4.5	00.8-08.2
H.S. or G.E.D.	1292	196,830	1047	77.4	73.5-81.3	177	15.6	12.3-18.9	16	0.8	00.2-01.4	28	1.7	00.9-02.5	24	4.5	02.1-06.9
Some Post-H.S.	1008	174,275	814	77.4	73.1-81.7	124	11.8	09.1-14.5	27	2.9	01.5-04.3	18	2.3	00.9-03.7	25	5.6	02.1-09.1
College Graduate	1410	250,656	1168	79.9	76.8-83.0	137	10.8	08.4-13.2	56	6.0	04.0-08.0	16	0.5	00.1-00.9	33	2.9	01.7-04.1
Less than \$15,000	397	43,645	316	74.8	68.1-81.5	51	15.5	09.8-21.2	7	1.6	00.0-03.2	12	3.4	01.2-05.6	11	4.6	00.9-08.3
\$15,000- 24,999	359	43,143	243	54.8	46.0-63.6	83	30.5	22.3-38.7	12	7.3	01.4-13.2	12	2.8	00.6-05.0	9	4.7	01.0-08.4
\$25,000- 34,999	331	46,812	252	66.4	56.8-76.0	58	21.7	13.7-29.7	8	3.5	00.4-06.6	7	1.3	00.0-02.7	6	7.1	00.0-15.3
\$35,000- 49,999	548	76,569	445	74.7	69.2-80.2	64	13.5	09.4-17.6	16	3.4	01.2-05.6	8	1.3	00.1-02.5	15	7.1	03.2-11.0
\$50,000- 74,999	655	113,669	533	79.8	75.1-84.5	71	11.0	07.3-14.7	18	3.8	01.4-06.2	15	2.7	01.1-04.3	18	2.7	01.3-04.1
\$75,000+	1017	222,271	890	86.3	83.4-89.2	80	8.1	05.7-10.5	28	3.2	01.8-04.6	4	0.2	00.0-00.4	15	2.2	00.8-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1426	315,374	1194	80.8	77.7-83.9	129	9.4	07.2-11.6	41	3.9	02.5-05.3	27	1.1	00.5-01.7	35	4.8	02.6-07.0
18-24	57	42,326				8	12.0	03.0-21.0				2	1.5	00.0-03.7			
25-34	137	56,233	106	79.6	72.0-87.2	13	7.9	03.0-12.8	9	7.4	02.5-12.3	3	1.6	00.0-03.6	6	3.5	00.2-06.8
35-44	236	60,969	186	77.5	71.0-84.0	26	11.0	06.1-15.9	11	6.2	02.5-09.9	5	0.8	00.0-01.6	8	4.5	01.2-07.8
45-54	267	59,297	217	80.9	74.6-87.2	34	13.0	07.5-18.5	8	3.8	00.7-06.9	6	1.1	00.1-02.1	2	1.3	00.0-03.1
55-64	306	45,218	269	88.9	84.2-93.6	25	6.0	03.3-08.7	6	3.0	00.0-06.5	3	0.7	00.0-01.5	3	1.3	00.0-03.3
65+	415	49,469	375	91.8	88.7-94.9	20	4.8	02.3-07.3	5	0.5	00.1-00.9	8	1.0	00.2-01.8	7	1.9	00.1-03.7
Less Than H.S.	89	16,716							1	1.8	00.0-05.3	2	0.9	00.0-02.3	3	4.4	00.0-10.5
H.S. or G.E.D.	443	90,531	368	82.6	77.7-87.5	48	10.7	06.8-14.6	5	0.6	00.0-01.2	12	1.6	00.6-02.6	10	4.6	01.5-07.7
Some Post-H.S.	344	85,433	281	78.8	71.4-86.2	33	8.2	04.3-12.1	11	3.5	01.0-06.0	7	1.6	00.0-03.2	12	7.9	01.0-14.8
College Graduate	547	122,542	468	81.3	76.8-85.8	39	8.4	05.1-11.7	24	7.0	04.1-09.9	6	0.5	00.1-00.9	10	2.8	00.8-04.8
Less than \$15,000	119	16,676				7	9.1	00.0-18.7	3	1.3	00.0-02.9	4	3.6	00.0-07.9	2	1.8	00.0-05.1
\$15,000- 24,999	80	13,467							4	7.8	00.0-17.2	3	1.3	00.0-02.9	2	7.3	00.0-16.9
\$25,000- 34,999	110	20,599							3	3.5	00.0-09.2	2	0.5	00.0-01.1			
\$35,000- 49,999	204	37,875	169	75.3	66.7-83.9	18	11.1	05.2-17.0	5	3.3	00.2-06.4	5	1.3	00.1-02.5	7	9.0	02.1-15.9
\$50,000- 74,999	242	56,066	195	78.8	71.5-86.1	25	10.5	04.6-16.4	8	5.2	01.3-09.1	7	2.5	00.3-04.7	7	3.0	00.5-05.5
\$75,000+	469	126,009	415	87.2	83.3-91.1	32	6.5	03.8-09.2	12	3.4	01.2-05.6	1	0.1	00.0-00.3	9	2.8	00.6-05.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2556	342,161	2044	75.5	72.8-78.2	352	16.4	14.0-18.8	62	2.9	01.9-03.9	42	1.7	01.1-02.3	56	3.6	02.2-05.0
18-24	93	41,430							2	2.9	00.0-08.0	2	0.8	00.0-02.0	7	7.3	00.0-14.9
25-34	249	57,094	159	59.3	51.9-66.7	60	26.5	19.4-33.6	9	4.8	01.5-08.1	6	2.7	00.3-05.1	15	6.7	03.0-10.4
35-44	360	63,049	267	71.9	65.6-78.2	59	17.2	11.9-22.5	15	3.4	01.4-05.4	6	2.1	00.1-04.1	13	5.5	01.6-09.4
45-54	528	62,309	419	80.0	75.7-84.3	78	14.1	10.4-17.8	14	3.4	01.2-05.6	9	1.0	00.2-01.8	8	1.5	00.3-02.7
55-64	544	49,852	449	83.4	79.3-87.5	67	11.1	07.8-14.4	13	2.4	00.8-04.0	7	1.6	00.0-03.2	8	1.5	00.1-02.9
65+	758	66,162	673	90.1	87.6-92.6	61	7.2	04.8-09.6	8	0.7	00.1-01.3	11	1.3	00.3-02.3	5	0.6	00.0-01.2
Less Than H.S.	178	18,751							3	2.2	00.0-05.5	5	2.3	00.0-04.7	6	4.5	00.2-08.8
H.S. or G.E.D.	849	106,299	679	73.0	67.3-78.7	129	19.8	14.7-24.9	11	1.0	00.2-01.8	16	1.8	00.8-02.8	14	4.4	00.9-07.9
Some Post-H.S.	664	88,842	533	76.1	71.4-80.8	91	15.2	11.3-19.1	16	2.3	00.7-03.9	11	3.0	01.0-05.0	13	3.4	01.0-05.8
College Graduate	863	128,113	700	78.5	74.4-82.6	98	13.0	09.7-16.3	32	5.0	02.6-07.4	10	0.6	00.0-01.2	23	3.0	01.4-04.6
Less than \$15,000	278	26,969	213	69.1	61.1-77.1	44	19.5	12.6-26.4	4	1.8	00.0-04.2	8	3.3	00.9-05.7	9	6.3	00.8-11.8
\$15,000- 24,999	279	29,676							8	7.0	00.0-14.4	9	3.5	00.4-06.6	7	3.5	00.4-06.6
\$25,000- 34,999	221	26,213							5	3.5	00.0-07.2	5	2.0	00.0-04.4	5	6.9	00.0-17.3
\$35,000- 49,999	344	38,694	276	74.1	67.4-80.8	46	15.9	10.4-21.4	11	3.6	00.9-06.3	3	1.2	00.0-03.0	8	5.2	01.1-09.3
\$50,000- 74,999	413	57,603	338	80.7	75.0-86.4	46	11.6	06.7-16.5	10	2.5	00.3-04.7	8	3.0	00.6-05.4	11	2.3	00.7-03.9
\$75,000+	548	96,262	475	85.0	80.9-89.1	48	10.3	06.6-14.0	16	2.9	01.1-04.7	3	0.4	00.0-01.0	6	1.4	00.2-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Four Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3920	641,513	3857	98.3	97.5-99.1	58	1.5	00.7-02.3	2	0.1	00.0-00.3	3	0.0	00.0-00.0
Male	1401	306,471	1377	98.2	96.4-0100	22	1.6	00.0-03.2	1	0.2	00.0-00.6	1	0.0	00.0-00.0
Female	2519	335,042	2480	98.5	97.9-99.1	36	1.5	00.9-02.1	1	0.0	00.0-00.0	2	0.0	00.0-00.0
18-24	145	79,384	139	95.5	89.4-0100	6	4.5	00.0-10.6						
25-34	371	109,172	363	98.1	96.5-99.7	6	1.4	00.2-02.6	1	0.5	00.0-01.5	1	0.0	00.0-00.0
35-44	579	119,788	568	98.5	97.5-99.5	10	1.5	00.5-02.5				1	0.0	00.0-00.0
45-54	786	120,313	773	99.1	98.5-99.7	12	0.8	00.2-01.4	1	0.1	00.0-00.3			
55-64	841	94,060	832	98.9	98.1-99.7	8	1.0	00.2-01.8				1	0.1	00.0-00.3
65+	1167	114,970	1151	99.0	98.4-99.6	16	1.0	00.4-01.6						
Less Than H.S.	262	34,424	255	98.3	96.9-99.7	7	1.7	00.3-03.1						
H.S. or G.E.D.	1280	192,702	1255	98.5	97.7-99.3	23	1.5	00.7-02.3	1	0.0	00.0-00.0	1	0.0	00.0-00.0
Some Post-H.S.	988	169,376	971	96.5	93.4-99.6	15	3.2	00.3-06.1	1	0.3	00.0-00.9	1	0.0	00.0-00.0
College Graduate	1385	244,703	1371	99.5	99.1-99.9	13	0.5	00.1-00.9				1	0.0	00.0-00.0
Less than \$15,000	393	42,587	382	96.8	94.6-99.0	10	3.1	00.9-05.3				1	0.1	00.0-00.3
\$15,000- 24,999	353	42,144	342	97.2	95.0-99.4	11	2.8	00.6-05.0						
\$25,000- 34,999	326	43,368	319	98.6	97.2-0100	6	1.2	00.0-02.6	1	0.2	00.0-00.6			
\$35,000- 49,999	536	73,773	530	99.3	98.7-99.9	6	0.7	00.1-01.3						
\$50,000- 74,999	642	111,494	627	97.2	95.4-99.0	14	2.3	00.9-03.7	1	0.5	00.0-01.5			
\$75,000+	1003	218,320	999	99.8	99.6-0100	3	0.2	00.0-00.4				1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Four Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1401	306,471	1377	98.2	96.4-0100	22	1.6	00.0-03.2	1	0.2	00.0-00.6	1	0.0	00.0-00.0
18-24	54	39,590	51	92.0	80.0-0100	3	8.0	00.0-20.0						
25-34	131	53,996	128	98.3	96.1-0100	2	0.7	00.0-01.7	1	1.0	00.0-03.0			
35-44	229	58,804	224	99.1	98.3-99.9	4	0.8	00.0-01.6				1	0.1	00.0-00.3
45-54	265	58,948	261	99.3	98.5-0100	4	0.7	00.0-01.5						
55-64	304	44,767	302	99.6	99.0-0100	2	0.4	00.0-01.0						
65+	411	48,806	404	99.1	98.3-99.9	7	0.9	00.1-01.7						
Less Than H.S.	88	15,974	86	99.1	97.7-0100	2	0.9	00.0-02.3						
H.S. or G.E.D.	438	88,912	428	98.7	97.7-99.7	10	1.3	00.3-02.3						
Some Post-H.S.	333	81,918	325	95.3	89.2-0100	6	4.0	00.0-09.9	1	0.6	00.0-01.8	1	0.1	00.0-00.3
College Graduate	539	119,514	535	99.7	99.3-0100	4	0.3	00.0-00.7						
Less than \$15,000	118	16,410	114	96.3	91.8-0100	3	3.3	00.0-07.6				1	0.3	00.0-00.9
\$15,000- 24,999	78	12,931	75	98.7	97.1-0100	3	1.3	00.0-02.9						
\$25,000- 34,999	109	19,088	107	99.5	98.7-0100	2	0.5	00.0-01.3						
\$35,000- 49,999	199	35,857	195	99.0	98.0-0100	4	1.0	00.0-02.0						
\$50,000- 74,999	236	54,767	230	97.6	95.2-0100	5	1.4	00.2-02.6	1	1.0	00.0-03.0			
\$75,000+	462	123,595	461	99.9	99.7-0100	1	0.1	00.0-00.3						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Four Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2519	335,042	2480	98.5	97.9-99.1	36	1.5	00.9-02.1	1	0.0	00.0-00.0	2	0.0	00.0-00.0
18-24	91	39,794	88	98.9	97.7-0100	3	1.1	00.0-02.3						
25-34	240	55,176	235	97.9	95.7-0100	4	2.1	00.0-04.3				1	0.1	00.0-00.3
35-44	350	60,984	344	97.9	95.9-99.9	6	2.1	00.1-04.1						
45-54	521	61,366	512	98.9	98.1-99.7	8	0.9	00.1-01.7	1	0.1	00.0-00.3			
55-64	537	49,293	530	98.3	96.7-99.9	6	1.5	00.0-03.1				1	0.1	00.0-00.3
65+	756	66,164	747	99.0	98.2-99.8	9	1.0	00.2-01.8						
Less Than H.S.	174	18,450	169	97.7	95.3-0100	5	2.3	00.0-04.7						
H.S. or G.E.D.	842	103,790	827	98.3	97.3-99.3	13	1.6	00.6-02.6	1	0.1	00.0-00.3	1	0.1	00.0-00.3
Some Post-H.S.	655	87,458	646	97.6	95.8-99.4	9	2.4	00.6-04.2						
College Graduate	846	125,189	836	99.4	98.8-0100	9	0.6	00.0-01.2				1	0.0	00.0-00.0
Less than \$15,000	275	26,177	268	97.1	94.7-99.5	7	2.9	00.5-05.3						
\$15,000- 24,999	275	29,214	267	96.6	93.5-99.7	8	3.4	00.3-06.5						
\$25,000- 34,999	217	24,280	212	97.8	95.3-0100	4	1.8	00.0-04.2	1	0.3	00.0-00.9			
\$35,000- 49,999	337	37,917	335	99.6	99.0-0100	2	0.4	00.0-01.0						
\$50,000- 74,999	406	56,726	397	96.8	94.3-99.3	9	3.2	00.7-05.7						
\$75,000+	541	94,725	538	99.6	99.0-0100	2	0.3	00.0-00.9				1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3920	641,513	3857	98.3	97.5-99.1	63	1.7	00.9-02.5
Male	1401	306,471	1377	98.2	96.4-0100	24	1.8	00.0-03.6
Female	2519	335,042	2480	98.5	97.9-99.1	39	1.5	00.9-02.1
18-24	145	79,384	139	95.5	89.4-0100	6	4.5	00.0-10.6
25-34	371	109,172	363	98.1	96.5-99.7	8	1.9	00.3-03.5
35-44	579	119,788	568	98.5	97.5-99.5	11	1.5	00.5-02.5
45-54	786	120,313	773	99.1	98.5-99.7	13	0.9	00.3-01.5
55-64	841	94,060	832	98.9	98.1-99.7	9	1.1	00.3-01.9
65+	1167	114,970	1151	99.0	98.4-99.6	16	1.0	00.4-01.6
Less Than H.S.	262	34,424	255	98.3	96.9-99.7	7	1.7	00.3-03.1
H.S. or G.E.D.	1280	192,702	1255	98.5	97.7-99.3	25	1.5	00.7-02.3
Some Post-H.S.	988	169,376	971	96.5	93.4-99.6	17	3.5	00.4-06.6
College Graduate	1385	244,703	1371	99.5	99.1-99.9	14	0.5	00.1-00.9
Less than \$15,000	393	42,587	382	96.8	94.6-99.0	11	3.2	01.0-05.4
\$15,000- 24,999	353	42,144	342	97.2	95.0-99.4	11	2.8	00.6-05.0
\$25,000- 34,999	326	43,368	319	98.6	97.2-0100	7	1.4	00.0-02.8
\$35,000- 49,999	536	73,773	530	99.3	98.7-99.9	6	0.7	00.1-01.3
\$50,000- 74,999	642	111,494	627	97.2	95.4-99.0	15	2.8	01.0-04.6
\$75,000+	1003	218,320	999	99.8	99.6-0100	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1401	306,471	1377	98.2	96.4-0100	24	1.8	00.0-03.6
18-24	54	39,590	51	92.0	80.0-0100	3	8.0	00.0-20.0
25-34	131	53,996	128	98.3	96.1-0100	3	1.7	00.0-03.9
35-44	229	58,804	224	99.1	98.3-99.9	5	0.9	00.1-01.7
45-54	265	58,948	261	99.3	98.5-0100	4	0.7	00.0-01.5
55-64	304	44,767	302	99.6	99.0-0100	2	0.4	00.0-01.0
65+	411	48,806	404	99.1	98.3-99.9	7	0.9	00.1-01.7
Less Than H.S.	88	15,974	86	99.1	97.7-0100	2	0.9	00.0-02.3
H.S. or G.E.D.	438	88,912	428	98.7	97.7-99.7	10	1.3	00.3-02.3
Some Post-H.S.	333	81,918	325	95.3	89.2-0100	8	4.7	00.0-10.8
College Graduate	539	119,514	535	99.7	99.3-0100	4	0.3	00.0-00.7
Less than \$15,000	118	16,410	114	96.3	91.8-0100	4	3.7	00.0-08.2
\$15,000- 24,999	78	12,931	75	98.7	97.1-0100	3	1.3	00.0-02.9
\$25,000- 34,999	109	19,088	107	99.5	98.7-0100	2	0.5	00.0-01.3
\$35,000- 49,999	199	35,857	195	99.0	98.0-0100	4	1.0	00.0-02.0
\$50,000- 74,999	236	54,767	230	97.6	95.2-0100	6	2.4	00.0-04.8
\$75,000+	462	123,595	461	99.9	99.7-0100	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2519	335,042	2480	98.5	97.9-99.1	39	1.5	00.9-02.1
18-24	91	39,794	88	98.9	97.7-0100	3	1.1	00.0-02.3
25-34	240	55,176	235	97.9	95.7-0100	5	2.1	00.0-04.3
35-44	350	60,984	344	97.9	95.9-99.9	6	2.1	00.1-04.1
45-54	521	61,366	512	98.9	98.1-99.7	9	1.1	00.3-01.9
55-64	537	49,293	530	98.3	96.7-99.9	7	1.7	00.1-03.3
65+	756	66,164	747	99.0	98.2-99.8	9	1.0	00.2-01.8
Less Than H.S.	174	18,450	169	97.7	95.3-0100	5	2.3	00.0-04.7
H.S. or G.E.D.	842	103,790	827	98.3	97.3-99.3	15	1.7	00.7-02.7
Some Post-H.S.	655	87,458	646	97.6	95.8-99.4	9	2.4	00.6-04.2
College Graduate	846	125,189	836	99.4	98.8-0100	10	0.6	00.0-01.2
Less than \$15,000	275	26,177	268	97.1	94.7-99.5	7	2.9	00.5-05.3
\$15,000- 24,999	275	29,214	267	96.6	93.5-99.7	8	3.4	00.3-06.5
\$25,000- 34,999	217	24,280	212	97.8	95.3-0100	5	2.2	00.0-04.7
\$35,000- 49,999	337	37,917	335	99.6	99.0-0100	2	0.4	00.0-01.0
\$50,000- 74,999	406	56,726	397	96.8	94.3-99.3	9	3.2	00.7-05.7
\$75,000+	541	94,725	538	99.6	99.0-0100	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3986	658,436	334	21.4	18.9-23.9	473	16.4	14.6-18.2	728	20.5	18.7-22.3	826	17.3	15.7-18.9	801	11.8	10.8-12.8	824	12.5	11.3-13.7
Male	1434	315,967	125	23.1	18.8-27.4	175	15.9	13.4-18.4	271	20.7	18.0-23.4	285	18.1	15.6-20.6	287	11.4	09.6-13.2	291	10.9	09.1-12.7
Female	2552	342,469	209	19.8	16.7-22.9	298	17.0	14.8-19.2	457	20.4	18.2-22.6	541	16.7	14.9-18.5	514	12.2	10.8-13.6	533	14.0	12.4-15.6
White/Non-Hisp	3217	510,827	218	18.3	15.4-21.2	349	15.3	13.5-17.1	557	20.2	18.2-22.2	677	18.5	16.7-20.3	685	13.1	11.7-14.5	731	14.6	13.2-16.0
Black or Afr. Am./Non-Hisp	474	84,609	69	31.1	23.7-38.5	69	17.9	13.0-22.8	114	23.9	18.6-29.2	94	13.5	09.4-17.6	69	7.4	05.0-09.8	59	6.2	04.2-08.2
Oth. Race/Non-Hisp.	100	21,632							20	20.1	10.1-30.1				10	4.1	00.8-07.4	7	1.3	00.3-02.3
MultiRacial/Non-Hisp.	68	8,967													12	11.3	04.0-18.6	10	6.8	01.7-11.9
Hispanic	91	27,372				19	16.9	08.1-25.7				9	5.3	00.4-10.2	12	5.1	01.2-09.0	7	2.3	00.1-04.5
Less Than H.S.	267	35,447				14	8.4	02.9-13.9	21	13.1	05.8-20.4	44	12.1	07.6-16.6	47	12.1	07.2-17.0	115	24.4	17.9-30.9
H.S. or G.E.D.	1295	196,708	116	24.7	19.8-29.6	117	12.3	09.8-14.8	206	16.9	14.0-19.8	251	16.7	14.0-19.4	272	12.3	10.3-14.3	333	17.1	14.7-19.5
Some Post-H.S.	1006	174,233	102	27.8	22.1-33.5	119	14.1	11.0-17.2	202	21.9	18.4-25.4	211	16.3	13.4-19.2	211	11.3	09.3-13.3	161	8.7	06.9-10.5
College Graduate	1414	251,831	90	13.2	09.7-16.7	223	22.4	19.3-25.5	298	23.5	20.6-26.4	319	19.3	16.6-22.0	271	11.8	10.0-13.6	213	9.8	08.0-11.6
Less than \$15,000	401	43,966	27	18.1	10.1-26.1	26	10.2	05.5-14.9	45	13.1	08.6-17.6	62	15.1	09.4-20.8	77	12.8	09.1-16.5	164	30.8	25.1-36.5
\$15,000- 24,999	358	42,790				30	14.4	08.3-20.5	25	8.2	03.9-12.5	57	11.3	07.6-15.0	83	14.5	10.4-18.6	127	20.7	15.8-25.6
\$25,000- 34,999	331	46,779				27	11.3	06.2-16.4	50	16.7	10.4-23.0	60	13.4	08.9-17.9	67	11.7	08.2-15.2	90	18.6	13.5-23.7
\$35,000- 49,999	547	76,448	53	21.3	15.0-27.6	63	17.9	13.2-22.6	85	15.2	11.5-18.9	118	16.5	12.8-20.2	131	15.5	12.2-18.8	97	13.7	10.4-17.0
\$50,000- 74,999	654	114,062	55	18.3	12.2-24.4	105	18.4	14.3-22.5	140	21.7	17.4-26.0	171	22.9	18.4-27.4	124	12.1	09.4-14.8	59	6.6	04.4-08.8
\$75,000+	1016	221,955	66	17.0	12.3-21.7	185	21.9	18.6-25.2	290	28.4	24.9-31.9	251	19.5	16.6-22.4	153	8.5	06.7-10.3	71	4.7	03.3-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1434	315,967	125	23.1	19.0-27.2	175	15.9	13.4-18.4	271	20.7	18.0-23.4	285	18.1	15.6-20.6	287	11.4	09.6-13.2	291	10.9	09.1-12.7
White/Non-Hisp	1191	254,189	86	20.5	15.8-25.2	142	15.8	12.9-18.7	215	20.5	17.4-23.6	234	18.1	15.2-21.0	254	12.8	10.8-14.8	260	12.3	10.3-14.3
Black or Afr. Am./Non-Hisp	126	28,969				15	11.8	04.9-18.7				32	21.3	11.5-31.1	13	4.4	01.5-07.3	16	7.3	03.0-11.6
Less Than H.S.	90	16,605				4	9.1	00.0-18.9				11	7.9	02.6-13.2	20	14.7	06.3-23.1	35	19.6	10.6-28.6
H.S. or G.E.D.	446	90,635	46	28.2	20.6-35.8	47	11.5	07.6-15.4	79	17.1	12.6-21.6	83	18.4	13.5-23.3	79	10.8	07.7-13.9	112	14.0	10.5-17.5
Some Post-H.S.	344	85,723	40	32.9	23.5-42.3	42	14.9	09.8-20.0	79	21.4	15.9-26.9	68	15.7	10.8-20.6	68	8.9	06.2-11.6	47	6.2	03.8-08.6
College Graduate	551	122,851	29	11.8	06.3-17.3	82	20.7	16.2-25.2	102	22.9	18.2-27.6	123	20.9	16.4-25.4	120	13.1	10.2-16.0	95	10.6	07.9-13.3
Less than \$15,000	120	16,735				6	10.5	01.1-19.9	7	5.8	01.1-10.5				27	13.2	06.7-19.7			
\$15,000- 24,999	80	13,064							8	8.5	00.9-16.1	12	9.1	03.2-15.0	17	8.3	03.4-13.2	24	19.3	09.3-29.3
\$25,000- 34,999	112	20,797				9	8.5	01.8-15.2				15	12.1	04.8-19.4	26	12.7	06.6-18.8	36	21.0	12.0-30.0
\$35,000- 49,999	203	37,797				19	15.7	08.3-23.1	36	17.2	10.9-23.5	35	13.7	08.4-19.0	45	12.9	08.4-17.4	48	15.7	10.0-21.4
\$50,000- 74,999	242	56,413	21	18.8	09.4-28.2	32	14.3	08.6-20.0	61	24.9	17.8-32.0	58	25.2	17.4-33.0	41	10.5	06.6-14.4	29	6.4	03.5-09.3
\$75,000+	469	125,497	30	18.9	11.8-26.0	85	20.6	15.9-25.3	116	25.0	20.1-29.9	116	20.3	16.0-24.6	82	10.2	07.5-12.9	40	5.1	02.9-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2552	342,469	209	19.8	16.7-22.9	298	17.0	14.8-19.2	457	20.4	18.2-22.6	541	16.7	14.9-18.5	514	12.2	10.8-13.6	533	14.0	12.4-15.6
White/Non-Hisp	2026	256,639	132	16.2	12.7-19.7	207	14.8	12.6-17.0	342	19.9	17.5-22.3	443	18.8	16.6-21.0	431	13.5	11.9-15.1	471	16.8	14.8-18.8
Black or Afr. Am./Non-Hisp	348	55,640	52	32.6	23.4-41.8	54	21.1	14.6-27.6	81	22.3	16.2-28.4	62	9.5	06.4-12.6	56	9.0	05.9-12.1	43	5.6	03.4-07.8
Oth. Race/Non-Hisp.	61	9,813										7	7.6	00.7-14.5	3	0.9	00.0-02.1			
Hispanic	56	12,333										7	4.7	00.4-09.0	7	4.6	00.0-09.7	3	2.5	00.0-05.6
Less Than H.S.	177	18,842				10	7.8	01.9-13.7	11	6.4	01.3-11.5	33	15.8	08.7-22.9	27	9.8	04.7-14.9	80	28.7	19.3-38.1
H.S. or G.E.D.	849	106,074	70	21.7	15.6-27.8	70	13.0	09.5-16.5	127	16.8	13.1-20.5	168	15.2	12.3-18.1	193	13.7	11.2-16.2	221	19.7	16.4-23.0
Some Post-H.S.	662	88,510	62	22.8	16.5-29.1	77	13.3	09.8-16.8	123	22.4	17.9-26.9	143	16.9	13.6-20.2	143	13.6	10.7-16.5	114	11.0	08.3-13.7
College Graduate	863	128,981	61	14.4	09.7-19.1	141	24.1	20.0-28.2	196	24.0	20.3-27.7	196	17.8	14.9-20.7	151	10.5	08.3-12.7	118	9.1	07.1-11.1
Less than \$15,000	281	27,231	18	12.3	05.8-18.8	20	10.0	04.9-15.1	38	17.6	11.3-23.9	48	15.5	10.0-21.0	50	12.5	08.2-16.8	107	32.1	25.6-38.6
\$15,000- 24,999	278	29,726				20	11.6	05.5-17.7	17	8.1	03.0-13.2	45	12.3	07.6-17.0	66	17.2	11.5-22.9	103	21.3	15.6-27.0
\$25,000- 34,999	219	25,982				18	13.5	06.2-20.8	35	14.9	08.6-21.2	45	14.4	08.9-19.9	41	11.0	06.7-15.3	54	16.7	10.8-22.6
\$35,000- 49,999	344	38,650	33	17.9	11.6-24.2	44	20.0	13.9-26.1	49	13.2	08.9-17.5	83	19.3	14.0-24.6	86	17.9	13.2-22.6	49	11.8	08.1-15.5
\$50,000- 74,999	412	57,648	34	17.9	10.1-25.7	73	22.3	16.6-28.0	79	18.6	13.7-23.5	113	20.7	16.0-25.4	83	13.6	09.9-17.3	30	6.9	03.6-10.2
\$75,000+	547	96,458	36	14.5	09.2-19.8	100	23.6	18.9-28.3	174	32.9	27.8-38.0	135	18.5	15.0-22.0	71	6.2	04.4-08.0	31	4.2	02.4-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 25: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3986	658,436	2795	82.2	80.8-83.6	1191	17.8	16.4-19.2	
Male	1434	315,967	1011	84.0	82.0-86.0	423	16.0	14.0-18.0	
Female	2552	342,469	1784	80.4	78.6-82.2	768	19.6	17.8-21.4	
White/Non-Hisp	3217	510,827	2169	79.4	77.8-81.0	1048	20.6	19.0-22.2	
Black or Afr. Am./Non-Hisp	474	84,609	393	91.5	89.0-94.0	81	8.5	06.0-11.0	
Oth. Race/Non-Hisp.	100	21,632	87	96.7	94.3-99.1	13	3.3	00.9-05.7	
MultiRacial/Non-Hisp.	68	8,967	49	85.2	77.2-93.2	19	14.8	06.8-22.8	
Hispanic	91	27,372	79	95.0	91.3-98.7	12	5.0	01.3-08.7	
Less Than H.S.	267	35,447	124	67.9	60.1-75.7	143	32.1	24.3-39.9	
H.S. or G.E.D.	1295	196,708	832	77.4	74.7-80.1	463	22.6	19.9-25.3	
Some Post-H.S.	1006	174,233	742	85.7	83.3-88.1	264	14.3	11.9-16.7	
College Graduate	1414	251,831	1095	85.5	83.5-87.5	319	14.5	12.5-16.5	
Less than \$15,000	401	43,966	198	62.2	55.7-68.7	203	37.8	31.3-44.3	
\$15,000- 24,999	358	42,790	196	74.3	68.6-80.0	162	25.7	20.0-31.4	
\$25,000- 34,999	331	46,779	209	75.8	69.9-81.7	122	24.2	18.3-30.1	
\$35,000- 49,999	547	76,448	380	78.5	74.6-82.4	167	21.5	17.6-25.4	
\$50,000- 74,999	654	114,062	546	88.0	85.1-90.9	108	12.0	09.1-14.9	
\$75,000+	1016	221,955	889	92.4	90.6-94.2	127	7.6	05.8-09.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 26: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			>=65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1434	315,967	1011	84.0	82.0-86.0	423	16.0	14.0-18.0	
White/Non-Hisp	1191	254,189	816	82.1	79.7-84.5	375	17.9	15.5-20.3	
Black or Afr. Am./Non-Hisp	126	28,969	106	91.8	87.3-96.3	20	8.2	03.7-12.7	
H.S. or G.E.D.	446	90,635	299	81.7	77.8-85.6	147	18.3	14.4-22.2	
Some Post-H.S.	344	85,723	264	90.0	87.1-92.9	80	10.0	07.1-12.9	
College Graduate	551	122,851	407	83.7	80.4-87.0	144	16.3	13.0-19.6	
\$25,000- 34,999	112	20,797	68	74.6	64.8-84.4	44	25.4	15.6-35.2	
\$35,000- 49,999	203	37,797	130	78.3	72.0-84.6	73	21.7	15.4-28.0	
\$50,000- 74,999	242	56,413	193	88.0	83.9-92.1	49	12.0	07.9-16.1	
\$75,000+	469	125,497	400	91.7	89.2-94.2	69	8.3	05.8-10.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 27: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2552	342,469	1784	80.4	78.6-82.2	768	19.6	17.8-21.4
White/Non-Hisp	2026	256,639	1353	76.8	74.6-79.0	673	23.2	21.0-25.4
Black or Afr. Am./Non-Hisp	348	55,640	287	91.4	88.5-94.3	61	8.6	05.7-11.5
Oth. Race/Non-Hisp.	61	9,813	53	95.3	90.8-99.8	8	4.7	00.2-09.2
Hispanic	56	12,333	51	96.7	93.4-0100	5	3.3	00.0-06.6
H.S. or G.E.D.	849	106,074	533	73.8	70.1-77.5	316	26.2	22.5-29.9
Some Post-H.S.	662	88,510	478	81.5	78.0-85.0	184	18.5	15.0-22.0
College Graduate	863	128,981	688	87.2	84.8-89.6	175	12.8	10.4-15.2
Less than \$15,000	281	27,231	148	60.6	53.5-67.7	133	39.4	32.3-46.5
\$15,000- 24,999	278	29,726	147	72.9	66.2-79.6	131	27.1	20.4-33.8
\$25,000- 34,999	219	25,982	141	76.8	69.9-83.7	78	23.2	16.3-30.1
\$35,000- 49,999	344	38,650	250	78.7	73.8-83.6	94	21.3	16.4-26.2
\$50,000- 74,999	412	57,648	353	88.1	84.2-92.0	59	11.9	08.0-15.8
\$75,000+	547	96,458	489	93.2	91.0-95.4	58	6.8	04.6-09.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 28: REPORTED HEIGHT IN INCHES (HTIN3).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	660,887	286	5.3	04.3-06.3	1951	40.7	38.5-42.9	1492	43.3	40.9-45.7	281	10.6	08.8-12.4
Male	1437	316,896	3	0.1	00.0-00.3	140	8.8	07.0-10.6	1020	69.2	65.5-72.9	274	21.9	18.4-25.4
Female	2573	343,991	283	10.1	08.3-11.9	1811	70.2	67.5-72.9	472	19.5	17.1-21.9	7	0.2	00.0-00.4
White/Non-Hisp	3230	511,937	228	4.7	03.9-05.5	1550	39.2	36.8-41.6	1225	45.3	42.8-47.8	227	10.7	08.7-12.7
Black or Afr. Am./Non-Hisp	480	85,402	31	5.2	02.8-07.6	257	49.4	42.5-56.3	158	34.6	28.1-41.1	34	10.8	06.1-15.5
Oth. Race/Non-Hisp.	103	22,282										2	3.3	00.0-07.8
MultiRacial/Non-Hisp.	69	9,245	6	3.1	00.2-06.0							8	10.4	01.8-19.0
18-24	151	83,897	14	7.2	02.1-12.3	66	37.1	27.1-47.1				12	13.5	04.9-22.1
25-34	385	113,218	16	3.1	01.3-04.9	176	37.0	31.1-42.9	161	47.7	41.2-54.2	32	12.3	06.6-18.0
35-44	599	124,651	34	4.7	02.3-07.1	257	38.1	33.4-42.8	249	45.8	40.9-50.7	59	11.4	08.1-14.7
45-54	795	121,479	41	3.7	02.3-05.1	396	40.2	35.9-44.5	307	45.8	41.1-50.5	51	10.3	07.0-13.6
55-64	858	95,962	50	4.2	02.6-05.8	423	43.0	38.5-47.5	326	43.0	38.5-47.5	59	9.8	06.5-13.1
65+	1186	116,777	129	9.5	07.5-11.5	611	47.8	44.1-51.5	378	35.1	31.6-38.6	68	7.7	05.3-10.1
Less Than H.S.	268	35,485	37	10.0	05.9-14.1	129	39.0	29.4-48.6				11	7.8	02.7-12.9
H.S. or G.E.D.	1298	197,342	116	7.1	04.7-09.5	642	41.6	37.5-45.7	453	41.8	37.5-46.1	87	9.4	06.7-12.1
Some Post-H.S.	1012	174,927	64	4.8	03.2-06.4	522	42.0	37.3-46.7	356	41.1	36.2-46.0	70	12.2	07.9-16.5
College Graduate	1427	252,825	69	3.6	02.2-05.0	658	39.5	36.0-43.0	587	46.0	42.3-49.7	113	10.9	08.0-13.8
Less than \$15,000	399	43,603	40	7.4	04.5-10.3	210	47.5	40.2-54.8	128	35.3	27.9-42.7	21	9.7	03.2-16.2
\$15,000- 24,999	360	43,111	44	13.6	06.3-20.9	209	49.9	41.3-58.5	96	34.1	25.7-42.5	11	2.4	00.8-04.0
\$25,000- 34,999	332	46,918	28	8.3	02.0-14.6	173	44.7	36.1-53.3	115	42.2	33.4-51.0	16	4.8	01.9-07.7
\$35,000- 49,999	548	76,561	30	4.3	02.3-06.3	272	42.3	36.6-48.0	211	45.7	39.6-51.8	35	7.7	04.8-10.6
\$50,000- 74,999	659	114,742	46	5.6	03.6-07.6	308	36.2	31.1-41.3	264	49.5	43.8-55.2	41	8.7	05.0-12.4
\$75,000+	1020	222,682	43	2.5	01.5-03.5	410	35.1	31.2-39.0	454	46.4	42.1-50.7	113	16.0	12.1-19.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 29: REPORTED HEIGHT IN INCHES (HTIN3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1437	316,896	3	0.1	00.0-00.3	140	8.8	07.0-10.6	1020	69.2	65.5-72.9	274	21.9	18.4-25.4
White/Non-Hisp	1189	253,870	2	0.0	00.0-00.0	113	7.8	06.0-09.6	851	70.6	66.7-74.5	223	21.6	17.9-25.3
Black or Afr. Am./Non-Hisp	129	29,595	1	1.0	00.0-03.0	12	8.9	03.0-14.8						
18-24	57	42,326				7	6.9	01.4-12.4						
25-34	138	56,497				12	8.3	03.2-13.4						
35-44	237	61,323				22	9.6	05.3-13.9	158	67.5	60.4-74.6	57	22.9	16.6-29.2
45-54	267	59,140				21	6.0	02.9-09.1	196	73.3	66.4-80.2	50	20.8	14.3-27.3
55-64	310	45,689				25	8.9	04.4-13.4	227	70.7	63.6-77.8	58	20.5	14.0-27.0
65+	419	49,758	3	0.8	00.0-02.0	51	12.7	08.6-16.8	298	68.6	62.5-74.7	67	17.9	12.6-23.2
Less Than H.S.	89	16,597	1	1.7	00.0-05.0	11	12.7	03.9-21.5						
H.S. or G.E.D.	446	90,897	1	0.1	00.0-00.3	47	9.5	06.0-13.0	313	70.1	64.0-76.2	85	20.3	14.6-26.0
Some Post-H.S.	346	86,128				39	10.2	06.1-14.3	238	65.2	57.2-73.2	69	24.6	16.6-32.6
College Graduate	553	123,122	1	0.0	00.0-00.0	43	6.7	04.2-09.2	399	71.2	65.5-76.9	110	22.1	16.6-27.6
Less than \$15,000	120	16,735	1	0.3	00.0-00.9	17	11.8	04.4-19.2						
\$15,000- 24,999	80	13,326	1	2.1	00.0-06.2	9	6.7	01.0-12.4	60	83.7	74.7-92.7	10	7.5	02.0-13.0
\$25,000- 34,999	112	20,797				15	12.1	04.5-19.7	81	77.1	67.1-87.1	16	10.8	04.1-17.5
\$35,000- 49,999	203	37,726				21	11.3	05.6-17.0	148	73.2	65.4-81.0	34	15.6	09.5-21.7
\$50,000- 74,999	243	56,491				26	9.9	05.2-14.6	176	72.4	64.4-80.4	41	17.6	10.3-24.9
\$75,000+	469	125,893				31	6.7	04.0-09.4	327	65.1	58.8-71.4	111	28.2	21.9-34.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 30: REPORTED HEIGHT IN INCHES (HTIN3).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2573	343,991	283	10.1	08.3-11.9	1811	70.2	67.5-72.9	472	19.5	17.1-21.9	7	0.2	00.0-00.4
White/Non-Hisp	2041	258,067	226	9.3	07.7-10.9	1437	70.2	67.3-73.1	374	20.4	17.9-22.9	4	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	351	55,807	30	7.4	03.9-10.9	245	70.9	63.6-78.2	73	20.8	14.1-27.5	3	0.8	00.0-02.0
Oth. Race/Non-Hisp.	62	9,860							8	9.1	00.0-18.5			
Hispanic	53	11,369							6	3.5	00.2-06.8			
18-24	94	41,571	14	14.6	04.6-24.6				21	17.6	07.6-27.6			
25-34	247	56,721	16	6.2	02.7-09.7	164	65.5	58.2-72.8	65	27.9	20.8-35.0	2	0.3	00.0-00.9
35-44	362	63,328	34	9.3	05.0-13.6	235	65.8	59.5-72.1	91	24.7	19.2-30.2	2	0.2	00.0-00.6
45-54	528	62,339	41	7.2	04.7-09.7	375	72.6	67.9-77.3	111	19.7	15.4-24.0	1	0.4	00.0-01.2
55-64	548	50,273	50	8.1	05.4-10.8	398	74.1	69.4-78.8	99	17.8	13.7-21.9	1	0.0	00.0-00.0
65+	767	67,019	126	15.9	12.8-19.0	560	73.9	70.2-77.6	80	10.1	07.6-12.6	1	0.1	00.0-00.3
Less Than H.S.	179	18,889	36	17.4	10.0-24.8							1	0.7	00.0-02.1
H.S. or G.E.D.	852	106,445	115	13.2	09.1-17.3	595	69.0	64.1-73.9	140	17.7	14.0-21.4	2	0.1	00.0-00.3
Some Post-H.S.	666	88,799	64	9.5	06.4-12.6	483	72.8	67.9-77.7	118	17.7	13.6-21.8	1	0.1	00.0-00.3
College Graduate	874	129,703	68	7.0	04.6-09.4	615	70.6	66.5-74.7	188	22.2	18.5-25.9	3	0.3	00.0-00.7
Less than \$15,000	279	26,868	39	11.8	07.3-16.3	193	69.8	62.9-76.7	45	17.7	11.8-23.6	2	0.8	00.0-02.0
\$15,000- 24,999	280	29,785	43	18.7	08.9-28.5	200	69.3	59.3-79.3	36	11.9	06.8-17.0	1	0.1	00.0-00.3
\$25,000- 34,999	220	26,121							34	14.4	08.3-20.5			
\$35,000- 49,999	345	38,835	30	8.4	04.7-12.1	251	72.4	66.1-78.7	63	19.1	13.6-24.6	1	0.1	00.0-00.3
\$50,000- 74,999	416	58,251	46	11.0	07.1-14.9	282	61.7	54.4-69.0	88	27.3	20.2-34.4			
\$75,000+	551	96,789	43	5.8	03.6-08.0	379	72.1	67.2-77.0	127	22.0	17.3-26.7	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 31: REPORTED HEIGHT IN METERS (HTM3).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	660,887	286	5.3	04.3-06.3	1951	40.7	38.5-42.9	1492	43.3	40.9-45.7	281	10.6	08.8-12.4
Male	1437	316,896	3	0.1	00.0-00.3	140	8.8	07.0-10.6	1020	69.2	65.5-72.9	274	21.9	18.4-25.4
Female	2573	343,991	283	10.1	08.3-11.9	1811	70.2	67.5-72.9	472	19.5	17.1-21.9	7	0.2	00.0-00.4
White/Non-Hisp	3230	511,937	228	4.7	03.9-05.5	1550	39.2	36.8-41.6	1225	45.3	42.8-47.8	227	10.7	08.7-12.7
Black or Afr. Am./Non-Hisp	480	85,402	31	5.2	02.8-07.6	257	49.4	42.5-56.3	158	34.6	28.1-41.1	34	10.8	06.1-15.5
Oth. Race/Non-Hisp.	103	22,282										2	3.3	00.0-07.8
MultiRacial/Non-Hisp.	69	9,245	6	3.1	00.2-06.0							8	10.4	01.8-19.0
18-24	151	83,897	14	7.2	02.1-12.3	66	37.1	27.1-47.1				12	13.5	04.9-22.1
25-34	385	113,218	16	3.1	01.3-04.9	176	37.0	31.1-42.9	161	47.7	41.2-54.2	32	12.3	06.6-18.0
35-44	599	124,651	34	4.7	02.3-07.1	257	38.1	33.4-42.8	249	45.8	40.9-50.7	59	11.4	08.1-14.7
45-54	795	121,479	41	3.7	02.3-05.1	396	40.2	35.9-44.5	307	45.8	41.1-50.5	51	10.3	07.0-13.6
55-64	858	95,962	50	4.2	02.6-05.8	423	43.0	38.5-47.5	326	43.0	38.5-47.5	59	9.8	06.5-13.1
65+	1186	116,777	129	9.5	07.5-11.5	611	47.8	44.1-51.5	378	35.1	31.6-38.6	68	7.7	05.3-10.1
Less Than H.S.	268	35,485	37	10.0	05.9-14.1	129	39.0	29.4-48.6				11	7.8	02.7-12.9
H.S. or G.E.D.	1298	197,342	116	7.1	04.7-09.5	642	41.6	37.5-45.7	453	41.8	37.5-46.1	87	9.4	06.7-12.1
Some Post-H.S.	1012	174,927	64	4.8	03.2-06.4	522	42.0	37.3-46.7	356	41.1	36.2-46.0	70	12.2	07.9-16.5
College Graduate	1427	252,825	69	3.6	02.2-05.0	658	39.5	36.0-43.0	587	46.0	42.3-49.7	113	10.9	08.0-13.8
Less than \$15,000	399	43,603	40	7.4	04.5-10.3	210	47.5	40.2-54.8	128	35.3	27.9-42.7	21	9.7	03.2-16.2
\$15,000- 24,999	360	43,111	44	13.6	06.3-20.9	209	49.9	41.3-58.5	96	34.1	25.7-42.5	11	2.4	00.8-04.0
\$25,000- 34,999	332	46,918	28	8.3	02.0-14.6	173	44.7	36.1-53.3	115	42.2	33.4-51.0	16	4.8	01.9-07.7
\$35,000- 49,999	548	76,561	30	4.3	02.3-06.3	272	42.3	36.6-48.0	211	45.7	39.6-51.8	35	7.7	04.8-10.6
\$50,000- 74,999	659	114,742	46	5.6	03.6-07.6	308	36.2	31.1-41.3	264	49.5	43.8-55.2	41	8.7	05.0-12.4
\$75,000+	1020	222,682	43	2.5	01.5-03.5	410	35.1	31.2-39.0	454	46.4	42.1-50.7	113	16.0	12.1-19.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 32: REPORTED HEIGHT IN METERS (HTM3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1437	316,896	3	0.1	00.0-00.3	140	8.8	07.0-10.6	1020	69.2	65.5-72.9	274	21.9	18.4-25.4
White/Non-Hisp	1189	253,870	2	0.0	00.0-00.0	113	7.8	06.0-09.6	851	70.6	66.7-74.5	223	21.6	17.9-25.3
Black or Afr. Am./Non-Hisp	129	29,595	1	1.0	00.0-03.0	12	8.9	03.0-14.8						
18-24	57	42,326				7	6.9	01.4-12.4						
25-34	138	56,497				12	8.3	03.2-13.4						
35-44	237	61,323				22	9.6	05.3-13.9	158	67.5	60.4-74.6	57	22.9	16.6-29.2
45-54	267	59,140				21	6.0	02.9-09.1	196	73.3	66.4-80.2	50	20.8	14.3-27.3
55-64	310	45,689				25	8.9	04.4-13.4	227	70.7	63.6-77.8	58	20.5	14.0-27.0
65+	419	49,758	3	0.8	00.0-02.0	51	12.7	08.6-16.8	298	68.6	62.5-74.7	67	17.9	12.6-23.2
Less Than H.S.	89	16,597	1	1.7	00.0-05.0	11	12.7	03.9-21.5						
H.S. or G.E.D.	446	90,897	1	0.1	00.0-00.3	47	9.5	06.0-13.0	313	70.1	64.0-76.2	85	20.3	14.6-26.0
Some Post-H.S.	346	86,128				39	10.2	06.1-14.3	238	65.2	57.2-73.2	69	24.6	16.6-32.6
College Graduate	553	123,122	1	0.0	00.0-00.0	43	6.7	04.2-09.2	399	71.2	65.5-76.9	110	22.1	16.6-27.6
Less than \$15,000	120	16,735	1	0.3	00.0-00.9	17	11.8	04.4-19.2						
\$15,000- 24,999	80	13,326	1	2.1	00.0-06.2	9	6.7	01.0-12.4	60	83.7	74.7-92.7	10	7.5	02.0-13.0
\$25,000- 34,999	112	20,797				15	12.1	04.5-19.7	81	77.1	67.1-87.1	16	10.8	04.1-17.5
\$35,000- 49,999	203	37,726				21	11.3	05.6-17.0	148	73.2	65.4-81.0	34	15.6	09.5-21.7
\$50,000- 74,999	243	56,491				26	9.9	05.2-14.6	176	72.4	64.4-80.4	41	17.6	10.3-24.9
\$75,000+	469	125,893				31	6.7	04.0-09.4	327	65.1	58.8-71.4	111	28.2	21.9-34.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 33: REPORTED HEIGHT IN METERS (HTM3).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2573	343,991	283	10.1	08.3-11.9	1811	70.2	67.5-72.9	472	19.5	17.1-21.9	7	0.2	00.0-00.4
White/Non-Hisp	2041	258,067	226	9.3	07.7-10.9	1437	70.2	67.3-73.1	374	20.4	17.9-22.9	4	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	351	55,807	30	7.4	03.9-10.9	245	70.9	63.6-78.2	73	20.8	14.1-27.5	3	0.8	00.0-02.0
Oth. Race/Non-Hisp.	62	9,860							8	9.1	00.0-18.5			
Hispanic	53	11,369							6	3.5	00.2-06.8			
18-24	94	41,571	14	14.6	04.6-24.6				21	17.6	07.6-27.6			
25-34	247	56,721	16	6.2	02.7-09.7	164	65.5	58.2-72.8	65	27.9	20.8-35.0	2	0.3	00.0-00.9
35-44	362	63,328	34	9.3	05.0-13.6	235	65.8	59.5-72.1	91	24.7	19.2-30.2	2	0.2	00.0-00.6
45-54	528	62,339	41	7.2	04.7-09.7	375	72.6	67.9-77.3	111	19.7	15.4-24.0	1	0.4	00.0-01.2
55-64	548	50,273	50	8.1	05.4-10.8	398	74.1	69.4-78.8	99	17.8	13.7-21.9	1	0.0	00.0-00.0
65+	767	67,019	126	15.9	12.8-19.0	560	73.9	70.2-77.6	80	10.1	07.6-12.6	1	0.1	00.0-00.3
Less Than H.S.	179	18,889	36	17.4	10.0-24.8							1	0.7	00.0-02.1
H.S. or G.E.D.	852	106,445	115	13.2	09.1-17.3	595	69.0	64.1-73.9	140	17.7	14.0-21.4	2	0.1	00.0-00.3
Some Post-H.S.	666	88,799	64	9.5	06.4-12.6	483	72.8	67.9-77.7	118	17.7	13.6-21.8	1	0.1	00.0-00.3
College Graduate	874	129,703	68	7.0	04.6-09.4	615	70.6	66.5-74.7	188	22.2	18.5-25.9	3	0.3	00.0-00.7
Less than \$15,000	279	26,868	39	11.8	07.3-16.3	193	69.8	62.9-76.7	45	17.7	11.8-23.6	2	0.8	00.0-02.0
\$15,000- 24,999	280	29,785	43	18.7	08.9-28.5	200	69.3	59.3-79.3	36	11.9	06.8-17.0	1	0.1	00.0-00.3
\$25,000- 34,999	220	26,121							34	14.4	08.3-20.5			
\$35,000- 49,999	345	38,835	30	8.4	04.7-12.1	251	72.4	66.1-78.7	63	19.1	13.6-24.6	1	0.1	00.0-00.3
\$50,000- 74,999	416	58,251	46	11.0	07.1-14.9	282	61.7	54.4-69.0	88	27.3	20.2-34.4			
\$75,000+	551	96,789	43	5.8	03.6-08.0	379	72.1	67.2-77.0	127	22.0	17.3-26.7	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG2).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3852	640,132	41	0.8	00.4-01.2	1276	31.5	29.3-33.7	1727	44.8	42.4-47.2	628	17.5	15.7-19.3	150	4.5	03.3-05.7	30	0.9	00.5-01.3
Male	1431	315,553	4	0.1	00.0-00.3	123	12.0	09.1-14.9	764	52.1	48.4-55.8	422	26.9	23.8-30.0	100	7.6	05.4-09.8	18	1.3	00.5-02.1
Female	2421	324,579	37	1.4	00.6-02.2	1153	50.4	47.5-53.3	963	37.7	34.8-40.6	206	8.3	06.7-09.9	50	1.6	01.0-02.2	12	0.5	00.1-00.9
White/Non-Hisp	3103	495,663	35	0.6	00.4-00.8	1047	30.4	28.0-32.8	1414	47.5	44.8-50.2	477	16.4	14.6-18.2	112	4.4	03.2-05.6	18	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	459	82,373	3	0.5	00.0-01.3	116	29.0	22.5-35.5	193	34.8	28.5-41.1	107	26.0	19.9-32.1	31	6.8	03.3-10.3	9	2.9	00.0-05.8
Oth. Race/Non-Hisp.	98	21,413	2	5.5	00.0-15.1							7	6.6	00.7-12.5	3	2.3	00.0-05.6	1	0.2	00.0-00.6
Hispanic	88	26,307	1	0.1	00.0-00.3									2	1.4	00.0-03.8	1	0.8	00.0-02.4	
18-24	147	81,059	2	1.9	00.0-04.6							15	8.3	03.4-13.2	3	4.1	00.0-09.4	2	0.9	00.0-02.3
25-34	377	110,546	2	0.3	00.0-00.9	133	29.5	24.0-35.0	159	47.3	40.6-54.0	66	19.8	14.5-25.1	14	2.3	00.9-03.7	3	0.7	00.0-01.5
35-44	575	121,438	2	0.2	00.0-00.4	170	27.3	23.0-31.6	248	43.3	38.2-48.4	111	21.0	16.7-25.3	38	7.5	04.6-10.4	6	0.7	00.0-01.5
45-54	760	117,033	10	0.8	00.2-01.4	249	28.1	24.2-32.0	337	43.4	38.7-48.1	119	18.7	15.0-22.4	37	7.2	04.3-10.1	8	1.9	00.0-03.9
55-64	829	93,790	6	0.6	00.0-01.2	219	24.9	20.8-29.0	406	49.6	44.9-54.3	160	21.1	17.4-24.8	30	2.7	01.5-03.9	8	1.1	00.1-02.1
65+	1143	113,127	19	1.1	00.5-01.7	421	35.0	31.5-38.5	520	47.7	44.0-51.4	153	13.7	11.2-16.2	27	2.5	01.3-03.7	3	0.1	00.0-00.3
Less Than H.S.	260	34,745	4	1.7	00.0-03.7	91	34.8	25.0-44.6				47	18.1	10.3-25.9	12	5.6	00.7-10.5	1	0.5	00.0-01.5
H.S. or G.E.D.	1254	191,742	17	0.5	00.3-00.7	407	31.0	27.1-34.9	570	44.1	39.8-48.4	203	19.6	16.3-22.9	45	3.7	02.1-05.3	12	1.1	00.3-01.9
Some Post-H.S.	957	165,920	9	0.7	00.1-01.3	303	31.6	26.5-36.7	430	42.6	37.7-47.5	163	18.1	14.6-21.6	45	6.4	03.5-09.3	7	0.7	00.1-01.3
College Graduate	1378	247,572	11	0.9	00.0-01.9	475	31.3	28.0-34.6	619	47.6	43.9-51.3	215	15.4	12.9-17.9	48	3.9	02.5-05.3	10	0.9	00.0-01.9
Less than \$15,000	386	42,087	8	1.4	00.2-02.6	119	28.8	21.9-35.7	187	47.7	40.1-55.3	52	17.6	11.3-23.9	16	3.2	01.2-05.2	4	1.3	00.0-03.3
\$15,000- 24,999	349	41,232	4	3.0	00.0-08.1	142	43.3	34.3-52.3	141	33.0	25.7-40.3	48	17.8	10.2-25.4	9	1.6	00.4-02.8	5	1.3	00.0-02.7
\$25,000- 34,999	328	46,469	5	0.5	00.0-01.1	110	35.5	26.5-44.5	142	41.6	33.0-50.2	49	13.7	08.6-18.8	17	6.4	01.7-11.1	5	2.3	00.0-04.7
\$35,000- 49,999	529	74,412	4	0.4	00.0-00.8	142	24.0	19.3-28.7	272	52.2	46.3-58.1	90	20.0	14.9-25.1	20	3.2	01.6-04.8	1	0.2	00.0-00.6
\$50,000- 74,999	639	112,933	4	0.5	00.0-01.1	187	27.0	22.1-31.9	297	48.0	42.1-53.9	119	17.8	13.7-21.9	26	4.8	02.3-07.3	6	1.9	00.0-04.1
\$75,000+	994	218,450	4	0.3	00.0-00.7	313	28.9	25.2-32.6	452	47.0	42.7-51.3	178	18.2	15.1-21.3	39	5.1	02.7-07.5	8	0.6	00.2-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1431	315,553	4	0.1	00.0-00.3	123	12.0	09.1-14.9	764	52.1	48.4-55.8	422	26.9	23.8-30.0	100	7.6	05.4-09.8	18	1.3	00.5-02.1
White/Non-Hisp	1185	253,422	2	0.1	00.0-00.3	98	9.7	07.0-12.4	655	56.6	52.5-60.7	334	25.0	21.9-28.1	83	7.6	05.2-10.0	13	1.0	00.4-01.6
Black or Afr. Am./Non-Hisp	127	28,830	1	0.3	00.0-00.9	8	9.3	01.1-17.5	50	27.1	18.3-35.9				13	12.8	04.0-21.6	3	4.5	00.0-11.9
18-24	56	41,836										13	15.2	06.0-24.4	3	8.0	00.0-18.2	1	0.8	00.0-02.4
25-34	136	55,809				17	10.1	04.8-15.4	78	62.0	52.2-71.8	35	25.0	16.2-33.8	6	2.9	00.5-05.3			
35-44	238	61,577				13	5.1	02.0-08.2	120	49.9	42.3-57.5	76	32.1	24.8-39.4	25	11.6	06.5-16.7	4	1.3	00.0-02.7
45-54	263	58,653	1	0.2	00.0-00.6	22	9.2	04.7-13.7	130	45.1	37.7-52.5	75	28.7	22.0-35.4	28	13.1	07.6-18.6	7	3.7	00.0-07.6
55-64	310	45,689				17	8.8	02.9-14.7	172	55.1	47.7-62.5	102	31.5	24.8-38.2	15	3.4	01.4-05.4	4	1.2	00.0-02.6
65+	421	50,355	3	0.6	00.0-01.4	39	11.4	06.9-15.9	237	57.2	50.9-63.5	117	25.5	20.2-30.8	23	5.1	02.6-07.6	2	0.2	00.0-00.4
Less Than H.S.	90	16,417													8	10.7	00.7-20.7			
H.S. or G.E.D.	444	90,437	1	0.1	00.0-00.3	45	13.9	08.6-19.2	232	48.9	42.0-55.8	133	29.6	23.5-35.7	25	5.8	02.7-08.9	8	1.8	00.4-03.2
Some Post-H.S.	343	85,730	2	0.1	00.0-00.3	27	15.4	07.4-23.4	179	48.6	40.4-56.8	101	25.4	19.3-31.5	31	10.2	04.9-15.5	3	0.3	00.0-00.7
College Graduate	551	122,817	1	0.2	00.0-00.6	38	7.3	04.6-10.0	311	58.8	53.3-64.3	158	25.4	20.7-30.1	36	6.7	04.0-09.4	7	1.7	00.0-03.7
Less than \$15,000	119	16,681	3	1.8	00.0-04.2										8	4.6	00.7-08.5	2	0.6	00.0-01.6
\$15,000- 24,999	78	12,376													4	3.3	00.0-07.0	1	0.4	00.0-01.2
\$25,000- 34,999	112	20,797	1	0.4	00.0-01.4							34	22.6	12.6-32.6	10	11.3	01.3-21.3	2	2.8	00.0-06.7
\$35,000- 49,999	203	37,797				19	9.0	04.3-13.7	117	58.7	49.5-67.9	56	28.5	19.9-37.1	10	3.4	01.0-05.8	1	0.4	00.0-01.2
\$50,000- 74,999	243	56,491				20	11.7	05.6-17.8	133	53.6	44.6-62.6	68	23.4	16.7-30.1	18	8.1	03.4-12.8	4	3.2	00.0-07.3
\$75,000+	468	125,771				25	7.8	03.7-11.9	257	55.9	49.6-62.2	144	26.9	22.0-31.8	35	8.5	04.6-12.4	7	0.9	00.1-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG2).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2421	324,579	37	1.4	00.6-02.2	1153	50.4	47.5-53.3	963	37.7	34.8-40.6	206	8.3	06.7-09.9	50	1.6	01.0-02.2	12	0.5	00.1-00.9
White/Non-Hisp	1918	242,241	33	1.2	00.6-01.8	949	52.0	48.9-55.1	759	38.1	35.0-41.2	143	7.3	05.7-08.9	29	1.1	00.7-01.5	5	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	332	53,543	2	0.7	00.0-01.7	108	39.6	31.2-48.0	143	38.9	30.7-47.1	55	15.3	09.2-21.4	18	3.6	01.1-06.1	6	2.0	00.0-04.2
Oth. Race/Non-Hisp.	58	9,403										1	2.0	00.0-05.9	2	1.5	00.0-03.9			
Hispanic	53	11,267										4	6.0	00.0-14.8				1	1.8	00.0-05.3
18-24	91	39,222	2	3.9	00.0-09.6							2	0.9	00.0-02.3				1	1.0	00.0-03.0
25-34	241	54,737	2	0.7	00.0-01.7	116	49.3	41.7-56.9	81	32.2	25.1-39.3	31	14.6	08.3-20.9	8	1.8	00.4-03.2	3	1.4	00.0-03.2
35-44	337	59,861	2	0.4	00.0-01.0	157	50.1	43.4-56.8	128	36.6	30.1-43.1	35	9.5	05.8-13.2	13	3.2	00.8-05.6	2	0.2	00.0-00.4
45-54	497	58,380	9	1.5	00.3-02.7	227	47.1	41.6-52.6	207	41.6	36.1-47.1	44	8.6	05.5-11.7	9	1.2	00.2-02.2	1	0.0	00.0-00.0
55-64	519	48,101	6	1.2	00.0-02.6	202	40.2	34.7-45.7	234	44.5	38.8-50.2	58	11.2	07.7-14.7	15	2.1	00.7-03.5	4	0.9	00.0-02.1
65+	722	62,772	16	1.5	00.7-02.3	382	53.8	49.1-58.5	283	40.1	35.4-44.8	36	4.2	02.6-05.8	4	0.3	00.0-00.7	1	0.1	00.0-00.3
Less Than H.S.	170	18,328	4	3.2	00.0-06.9							17	5.9	02.4-09.4	4	1.0	00.0-02.2	1	0.9	00.0-02.7
H.S. or G.E.D.	810	101,306	16	0.8	00.4-01.2	362	46.3	40.8-51.8	338	39.9	34.6-45.2	70	10.7	07.4-14.0	20	1.8	00.8-02.8	4	0.6	00.0-01.4
Some Post-H.S.	614	80,191	7	1.3	00.0-02.7	276	48.9	43.2-54.6	251	36.1	31.0-41.2	62	10.3	07.2-13.4	14	2.3	00.7-03.9	4	1.2	00.0-02.6
College Graduate	827	124,755	10	1.6	00.0-03.4	437	55.0	50.3-59.7	308	36.7	32.0-41.4	57	5.6	03.4-07.8	12	1.1	00.3-01.9	3	0.1	00.1-00.1
Less than \$15,000	267	25,405	5	1.1	00.0-02.3	107	37.3	29.7-44.9	121	47.2	39.2-55.2	24	10.3	05.0-15.6	8	2.3	00.3-04.3	2	1.8	00.0-04.9
\$15,000- 24,999	271	28,856	4	4.3	00.0-11.6	133	55.5	45.5-65.5	96	26.5	19.2-33.8	29	11.1	05.6-16.6	5	0.9	00.0-01.9	4	1.7	00.0-03.7
\$25,000- 34,999	216	25,672	4	0.6	00.0-01.2							15	6.4	02.1-10.7	7	2.5	00.1-04.9	3	1.9	00.0-05.0
\$35,000- 49,999	326	36,615	4	0.8	00.0-01.6	123	39.5	32.4-46.6	155	45.4	38.3-52.5	34	11.2	06.5-15.9	10	3.1	00.9-05.3			
\$50,000- 74,999	396	56,442	4	0.9	00.0-02.1	167	42.3	35.2-49.4	164	42.5	35.2-49.8	51	12.2	07.5-16.9	8	1.5	00.1-02.9	2	0.6	00.0-01.6
\$75,000+	526	92,679	4	0.7	00.0-01.5	288	57.4	51.9-62.9	195	34.9	29.6-40.2	34	6.4	03.5-09.3	4	0.6	00.0-01.2	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (\_BMI4).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3843	638,466	36	1.0	00.2-01.8	1254	35.3	32.9-37.7	1427	36.0	33.8-38.2	726	18.1	16.3-19.9	400	9.7	08.3-11.1
Male	1426	314,621	8	1.1	00.0-02.7	332	28.6	24.9-32.3	651	41.7	38.0-45.4	305	19.5	16.8-22.2	130	9.1	06.9-11.3
Female	2417	323,845	28	0.8	00.4-01.2	922	41.8	38.9-44.7	776	30.4	27.7-33.1	421	16.7	14.3-19.1	270	10.3	08.7-11.9
White/Non-Hisp	3097	494,901	30	0.6	00.4-00.8	1044	36.4	33.7-39.1	1175	37.7	35.2-40.2	559	16.7	14.9-18.5	289	8.5	07.1-09.9
Black or Afr. Am./Non-Hisp	459	82,373	4	0.7	00.0-01.5	101	24.2	18.3-30.1	143	29.5	23.4-35.6	122	27.7	21.0-34.4	89	18.0	12.7-23.3
Oth. Race/Non-Hisp.	98	21,413										11	7.5	01.4-13.6	4	1.8	00.0-04.0
MultiRacial/Non-Hisp.	66	8,776										12	13.3	04.9-21.7	5	9.3	00.0-19.5
18-24	147	81,059	3	3.8	00.0-09.9				37	20.7	12.1-29.3	16	12.3	05.4-19.2	11	7.3	01.4-13.2
25-34	376	110,345	1	0.3	00.0-00.9	145	39.0	32.3-45.7	136	39.2	32.7-45.7	56	13.7	09.4-18.0	38	7.9	05.0-10.8
35-44	573	120,764	5	0.6	00.0-01.2	177	28.5	24.2-32.8	210	38.6	33.7-43.5	105	18.9	14.8-23.0	76	13.4	09.7-17.1
45-54	760	117,033	8	0.6	00.2-01.0	246	30.9	26.6-35.2	265	33.8	29.5-38.1	154	23.1	19.0-27.2	87	11.6	08.3-14.9
55-64	829	93,790	7	0.4	00.0-00.8	234	29.8	25.5-34.1	300	38.5	33.8-43.2	190	21.0	17.5-24.5	98	10.4	07.9-12.9
65+	1138	112,429	12	0.8	00.2-01.4	362	32.8	29.3-36.3	475	42.1	38.4-45.8	201	17.6	14.7-20.5	88	6.7	04.9-08.5
Less Than H.S.	258	34,435	2	1.0	00.0-02.6	77	31.6	21.8-41.4				53	22.0	13.8-30.2	38	10.2	04.9-15.5
H.S. or G.E.D.	1251	191,330	14	0.5	00.1-00.9	380	33.2	29.1-37.3	470	33.9	30.0-37.8	246	20.7	17.0-24.4	141	11.7	09.2-14.2
Some Post-H.S.	955	165,408	11	2.3	00.0-05.2	291	33.8	28.7-38.9	337	33.6	29.1-38.1	206	18.5	15.2-21.8	110	11.9	08.6-15.2
College Graduate	1376	247,140	9	0.4	00.0-00.8	506	38.4	34.7-42.1	529	39.4	35.9-42.9	221	15.2	12.7-17.7	111	6.6	04.8-08.4
Less than \$15,000	385	42,066	4	1.1	00.0-02.3	107	30.3	22.5-38.1	155	34.5	28.0-41.0	70	22.8	16.1-29.5	49	11.3	07.0-15.6
\$15,000- 24,999	348	41,042	2	0.4	00.0-01.0	121	41.1	32.1-50.1	116	32.9	24.5-41.3	57	13.5	08.6-18.4	52	12.1	07.6-16.6
\$25,000- 34,999	327	46,377	4	0.7	00.0-01.5	88	28.0	19.8-36.2	119	37.4	29.0-45.8	81	21.4	14.1-28.7	35	12.6	06.9-18.3
\$35,000- 49,999	528	74,263	5	0.4	00.0-00.8	146	28.8	23.1-34.5	214	42.4	36.5-48.3	107	18.0	13.7-22.3	56	10.4	07.1-13.7
\$50,000- 74,999	639	112,933	1	0.2	00.0-00.6	198	31.3	25.6-37.0	227	35.5	30.0-41.0	136	20.8	16.5-25.1	77	12.1	08.4-15.8
\$75,000+	993	218,394	5	0.2	00.0-00.4	365	39.1	34.8-43.4	376	37.5	33.4-41.6	167	15.8	12.9-18.7	80	7.5	05.0-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (\_BMI4).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1426	314,621	8	1.1	00.0-02.7	332	28.6	24.9-32.3	651	41.7	38.0-45.4	305	19.5	16.8-22.2	130	9.1	06.7-11.5
White/Non-Hisp	1181	252,773	4	0.2	00.0-00.4	278	29.0	24.9-33.1	546	43.7	39.6-47.8	250	18.7	16.0-21.4	103	8.3	05.9-10.7
Black or Afr. Am./Non-Hisp	127	28,830	2	0.7	00.0-01.7	24	17.4	08.4-26.4									
18-24	56	41,836	1	6.0	00.0-17.2				11	14.8	04.8-24.8	8	11.2	03.0-19.4			
25-34	136	55,809							24	14.5	08.2-20.8	2	1.0	00.0-02.4			
35-44	237	61,323				38	14.6	09.7-19.5	117	50.3	42.7-57.9	54	22.5	16.0-29.0	28	12.6	07.1-18.1
45-54	263	58,653	3	0.6	00.0-01.4	53	21.6	15.5-27.7	116	37.8	30.5-45.1	60	26.2	19.3-33.1	31	13.8	07.9-19.7
55-64	310	45,689				72	25.1	18.2-32.0	135	44.9	37.5-52.3	76	22.6	16.9-28.3	27	7.4	04.3-10.5
65+	417	49,677	4	0.9	00.0-01.9	91	24.3	18.4-30.2	206	49.4	43.1-55.7	82	17.6	13.1-22.1	34	7.7	04.6-10.8
H.S. or G.E.D.	443	90,246	2	0.2	00.0-00.4	118	34.0	26.9-41.1	192	36.4	30.1-42.7	89	19.3	14.2-24.4	42	10.1	06.4-13.8
Some Post-H.S.	343	85,730	4	3.4	00.0-09.1	74	27.0	19.2-34.8	145	38.5	30.9-46.1	87	21.2	15.7-26.7	33	10.0	04.5-15.5
College Graduate	549	122,385	2	0.2	00.0-00.6	122	26.5	20.8-32.2	275	48.4	42.7-54.1	108	17.5	13.6-21.4	42	7.4	04.3-10.5
Less than \$15,000	119	16,681	3	2.2	00.0-04.9										13	7.9	02.6-13.2
\$15,000- 24,999	77	12,186	1	0.8	00.0-02.4										8	5.7	01.0-10.4
\$25,000- 34,999	112	20,797	1	0.4	00.0-01.4							29	18.3	09.3-27.3			
\$35,000- 49,999	202	37,648				50	27.0	17.8-36.2	96	47.6	38.0-57.2	40	18.5	11.6-25.4	16	6.9	02.4-11.4
\$50,000- 74,999	243	56,491				57	28.6	19.6-37.6	106	38.6	30.0-47.2	60	20.7	14.4-27.0	20	12.1	05.8-18.4
\$75,000+	467	125,715				110	28.6	22.3-34.9	219	44.9	38.8-51.0	99	18.3	14.2-22.4	39	8.2	04.3-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (\_BMI4).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2417	323,845	28	0.8	00.4-01.2	922	41.8	38.9-44.7	776	30.4	27.7-33.1	421	16.7	14.3-19.1	270	10.3	08.7-11.9
White/Non-Hisp	1916	242,128	26	1.0	00.4-01.6	766	44.2	40.9-47.5	629	31.4	28.3-34.5	309	14.7	12.5-16.9	186	8.8	07.2-10.4
Black or Afr. Am./Non-Hisp	332	53,543	2	0.7	00.0-01.7	77	27.9	20.3-35.5	91	27.8	20.4-35.2	93	27.7	19.5-35.9	69	16.0	10.7-21.3
Oth. Race/Non-Hisp.	58	9,403										4	2.2	00.0-04.6	3	3.6	00.0-08.3
18-24	91	39,222	2	1.4	00.0-03.6										3	1.9	00.0-04.3
25-34	240	54,535	1	0.5	00.0-01.5	98	41.4	34.0-48.8	73	30.4	23.3-37.5	32	12.8	07.1-18.5	36	14.9	09.6-20.2
35-44	336	59,442	5	1.2	00.0-02.4	139	42.9	36.4-49.4	93	26.5	20.8-32.2	51	15.2	10.1-20.3	48	14.2	09.1-19.3
45-54	497	58,380	5	0.6	00.0-01.2	193	40.3	34.8-45.8	149	29.7	24.6-34.8	94	20.0	15.3-24.7	56	9.4	06.3-12.5
55-64	519	48,101	7	0.7	00.1-01.3	162	34.2	28.7-39.7	165	32.3	27.0-37.6	114	19.6	15.3-23.9	71	13.2	09.5-16.9
65+	721	62,751	8	0.8	00.2-01.4	271	39.4	34.9-43.9	269	36.2	31.9-40.5	119	17.7	13.8-21.6	54	5.9	03.9-07.9
Less Than H.S.	170	18,328	2	1.9	00.0-05.0							32	17.3	09.1-25.5	25	7.8	03.7-11.9
H.S. or G.E.D.	808	101,084	12	0.8	00.2-01.4	262	32.5	27.6-37.4	278	31.6	26.7-36.5	157	22.0	16.9-27.1	99	13.1	09.6-16.6
Some Post-H.S.	612	79,679	7	1.1	00.0-02.3	217	41.1	35.2-47.0	192	28.2	23.5-32.9	119	15.6	12.1-19.1	77	14.0	10.1-17.9
College Graduate	827	124,755	7	0.6	00.0-01.2	384	50.0	45.3-54.7	254	30.6	26.1-35.1	113	12.9	09.8-16.0	69	5.9	04.1-07.7
Less than \$15,000	266	25,385	1	0.3	00.0-00.9	76	27.7	20.6-34.8	105	35.4	28.3-42.5	48	23.0	15.7-30.3	36	13.5	07.4-19.6
\$15,000- 24,999	271	28,856	1	0.2	00.0-00.6				76	25.9	17.3-34.5	48	13.3	08.2-18.4	44	14.8	08.7-20.9
\$25,000- 34,999	215	25,580	3	0.9	00.0-02.1	66	27.4	19.0-35.8							22	9.5	04.2-14.8
\$35,000- 49,999	326	36,615	5	0.9	00.1-01.7	96	30.7	24.0-37.4	118	37.0	30.3-43.7	67	17.4	11.9-22.9	40	14.0	08.9-19.1
\$50,000- 74,999	396	56,442	1	0.5	00.0-01.5	141	34.1	27.2-41.0	121	32.4	25.3-39.5	76	20.9	15.0-26.8	57	12.2	08.1-16.3
\$75,000+	526	92,679	5	0.4	00.0-00.8	255	53.2	47.7-58.7	157	27.3	22.6-32.0	68	12.4	08.5-16.3	41	6.6	04.1-09.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI4CAT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3843	638,466	1290	36.2	33.8-38.6	1426	36.0	33.8-38.2	1127	27.8	25.6-30.0
Male	1426	314,621	340	29.6	25.7-33.5	651	41.7	38.0-45.4	435	28.7	25.4-32.0
Female	2417	323,845	950	42.6	39.7-45.5	775	30.4	27.7-33.1	692	26.9	24.4-29.4
White/Non-Hisp	3097	494,901	1074	37.0	34.3-39.7	1174	37.7	35.2-40.2	849	25.3	23.1-27.5
Black or Afr. Am./Non-Hisp	459	82,373	105	24.9	19.0-30.8	143	29.5	23.4-35.6	211	45.6	38.5-52.7
Oth. Race/Non-Hisp.	98	21,413							15	9.3	03.0-15.6
18-24	147	81,059				37	20.7	12.1-29.3	27	19.6	11.0-28.2
25-34	376	110,345	146	39.3	32.6-46.0	136	39.2	32.7-45.7	94	21.5	16.6-26.4
35-44	573	120,764	182	29.1	24.8-33.4	210	38.6	33.7-43.5	181	32.3	27.4-37.2
45-54	760	117,033	254	31.6	27.3-35.9	265	33.8	29.5-38.1	241	34.7	30.0-39.4
55-64	829	93,790	241	30.2	25.9-34.5	300	38.5	33.8-43.2	288	31.4	27.3-35.5
65+	1138	112,429	374	33.6	30.1-37.1	474	42.0	38.3-45.7	290	24.4	21.3-27.5
Less Than H.S.	258	34,435	79	32.7	22.9-42.5				91	32.2	23.0-41.4
H.S. or G.E.D.	1251	191,330	394	33.7	29.6-37.8	470	33.9	30.0-37.8	387	32.4	28.3-36.5
Some Post-H.S.	955	165,408	302	36.1	30.8-41.4	337	33.6	29.1-38.1	316	30.4	26.1-34.7
College Graduate	1376	247,140	515	38.8	35.1-42.5	528	39.4	35.9-42.9	333	21.9	19.0-24.8
Less than \$15,000	385	42,066	111	31.4	23.6-39.2	155	34.5	28.0-41.0	119	34.1	26.8-41.4
\$15,000- 24,999	348	41,042	123	41.4	32.4-50.4	116	32.9	24.5-41.3	109	25.6	18.9-32.3
\$25,000- 34,999	327	46,377	92	28.7	20.5-36.9	119	37.4	29.0-45.8	116	34.0	25.6-42.4
\$35,000- 49,999	528	74,263	151	29.3	23.6-35.0	214	42.4	36.5-48.3	163	28.4	23.1-33.7
\$50,000- 74,999	639	112,933	199	31.6	25.9-37.3	227	35.5	30.0-41.0	213	32.9	27.6-38.2
\$75,000+	993	218,394	370	39.2	34.9-43.5	376	37.5	33.4-41.6	247	23.3	19.8-26.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI4CAT).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1426	314,621	340	29.6	25.7-33.5	651	41.7	38.0-45.4	435	28.7	25.4-32.0
White/Non-Hisp	1181	252,773	282	29.2	25.1-33.3	546	43.7	39.6-47.8	353	27.0	23.5-30.5
Black or Afr. Am./Non-Hisp	127	28,830	26	18.0	09.0-27.0						
18-24	56	41,836				11	14.8	04.8-24.8			
25-34	136	55,809							26	15.5	09.0-22.0
35-44	237	61,323	38	14.6	09.7-19.5	117	50.3	42.7-57.9	82	35.1	27.7-42.5
45-54	263	58,653	56	22.2	15.9-28.5	116	37.8	30.5-45.1	91	39.9	32.3-47.5
55-64	310	45,689	72	25.1	18.2-32.0	135	44.9	37.5-52.3	103	30.0	23.7-36.3
65+	417	49,677	95	25.3	19.4-31.2	206	49.4	43.1-55.7	116	25.3	20.2-30.4
H.S. or G.E.D.	443	90,246	120	34.2	27.1-41.3	192	36.4	30.1-42.7	131	29.4	23.5-35.3
Some Post-H.S.	343	85,730	78	30.4	21.8-39.0	145	38.5	30.9-46.1	120	31.1	23.8-38.4
College Graduate	549	122,385	124	26.7	21.0-32.4	275	48.4	42.7-54.1	150	24.9	20.2-29.6
\$35,000- 49,999	202	37,648	50	27.0	17.8-36.2	96	47.6	38.0-57.2	56	25.4	17.6-33.2
\$50,000- 74,999	243	56,491	57	28.6	19.6-37.6	106	38.6	30.0-47.2	80	32.8	24.8-40.8
\$75,000+	467	125,715	110	28.6	22.3-34.9	219	44.9	38.8-51.0	138	26.5	21.2-31.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI4CAT).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2417	323,845	950	42.6	39.7-45.5	775	30.4	27.7-33.1	692	26.9	24.4-29.4
White/Non-Hisp	1916	242,128	792	45.2	41.9-48.5	628	31.4	28.3-34.5	496	23.4	20.9-25.9
Black or Afr. Am./Non-Hisp	332	53,543	79	28.5	20.9-36.1	91	27.8	20.4-35.2	162	43.7	35.3-52.1
Oth. Race/Non-Hisp.	58	9,403							7	5.7	00.4-11.0
25-34	240	54,535	99	41.9	34.5-49.3	73	30.4	23.3-37.5	68	27.7	20.6-34.8
35-44	336	59,442	144	44.1	37.6-50.6	93	26.5	20.8-32.2	99	29.4	22.9-35.9
45-54	497	58,380	198	40.9	35.4-46.4	149	29.7	24.6-34.8	150	29.4	24.3-34.5
55-64	519	48,101	169	34.9	29.4-40.4	165	32.3	27.0-37.6	185	32.7	27.6-37.8
65+	721	62,751	279	40.2	35.7-44.7	268	36.2	31.9-40.5	174	23.6	19.5-27.7
Less Than H.S.	170	18,328							57	25.2	15.6-34.8
H.S. or G.E.D.	808	101,084	274	33.3	28.4-38.2	278	31.6	26.7-36.5	256	35.1	29.6-40.6
Some Post-H.S.	612	79,679	224	42.2	36.3-48.1	192	28.2	23.5-32.9	196	29.6	24.7-34.5
College Graduate	827	124,755	391	50.6	45.9-55.3	253	30.5	26.0-35.0	183	18.9	15.4-22.4
Less than \$15,000	266	25,385	77	28.1	20.8-35.4	105	35.4	28.3-42.5	84	36.5	28.5-44.5
\$15,000- 24,999	271	28,856				76	25.9	17.3-34.5	92	28.1	20.3-35.9
\$25,000- 34,999	215	25,580	69	28.3	19.9-36.7						
\$35,000- 49,999	326	36,615	101	31.6	24.9-38.3	118	37.0	30.3-43.7	107	31.4	24.7-38.1
\$50,000- 74,999	396	56,442	142	34.6	27.7-41.5	121	32.4	25.3-39.5	133	33.1	26.4-39.8
\$75,000+	526	92,679	260	53.6	48.1-59.1	157	27.3	22.6-32.0	109	19.0	14.7-23.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI4).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3843	638,466	1290	36.2	33.8-38.6	2553	63.8	61.4-66.2
Male	1426	314,621	340	29.6	25.7-33.5	1086	70.4	66.5-74.3
Female	2417	323,845	950	42.6	39.7-45.5	1467	57.4	54.5-60.3
White/Non-Hisp	3097	494,901	1074	37.0	34.3-39.7	2023	63.0	60.3-65.7
Black or Afr. Am./Non-Hisp	459	82,373	105	24.9	19.0-30.8	354	75.1	69.2-81.0
25-34	376	110,345	146	39.3	32.6-46.0	230	60.7	54.0-67.4
35-44	573	120,764	182	29.1	24.8-33.4	391	70.9	66.6-75.2
45-54	760	117,033	254	31.6	27.3-35.9	506	68.4	64.1-72.7
55-64	829	93,790	241	30.2	25.9-34.5	588	69.8	65.5-74.1
65+	1138	112,429	374	33.6	30.1-37.1	764	66.4	62.9-69.9
Less Than H.S.	258	34,435	79	32.7	22.9-42.5	179	67.3	57.5-77.1
H.S. or G.E.D.	1251	191,330	394	33.7	29.6-37.8	857	66.3	62.2-70.4
Some Post-H.S.	955	165,408	302	36.1	30.8-41.4	653	63.9	58.6-69.2
College Graduate	1376	247,140	515	38.8	35.1-42.5	861	61.2	57.5-64.9
Less than \$15,000	385	42,066	111	31.4	23.6-39.2	274	68.6	60.8-76.4
\$15,000- 24,999	348	41,042	123	41.4	32.4-50.4	225	58.6	49.6-67.6
\$25,000- 34,999	327	46,377	92	28.7	20.5-36.9	235	71.3	63.1-79.5
\$35,000- 49,999	528	74,263	151	29.3	23.6-35.0	377	70.7	65.0-76.4
\$50,000- 74,999	639	112,933	199	31.6	25.9-37.3	440	68.4	62.7-74.1
\$75,000+	993	218,394	370	39.2	34.9-43.5	623	60.8	56.5-65.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI4).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1426	314,621	340	29.6	25.7-33.5	1086	70.4	66.5-74.3
White/Non-Hisp	1181	252,773	282	29.2	25.1-33.3	899	70.8	66.7-74.9
Black or Afr. Am./Non-Hisp	127	28,830	26	18.0	09.0-27.0	101	82.0	73.0-91.0
35-44	237	61,323	38	14.6	09.7-19.5	199	85.4	80.5-90.3
45-54	263	58,653	56	22.2	15.9-28.5	207	77.8	71.5-84.1
55-64	310	45,689	72	25.1	18.2-32.0	238	74.9	68.0-81.8
65+	417	49,677	95	25.3	19.4-31.2	322	74.7	68.8-80.6
H.S. or G.E.D.	443	90,246	120	34.2	27.1-41.3	323	65.8	58.7-72.9
Some Post-H.S.	343	85,730	78	30.4	21.8-39.0	265	69.6	61.0-78.2
College Graduate	549	122,385	124	26.7	21.0-32.4	425	73.3	67.6-79.0
\$35,000- 49,999	202	37,648	50	27.0	17.8-36.2	152	73.0	63.8-82.2
\$50,000- 74,999	243	56,491	57	28.6	19.6-37.6	186	71.4	62.4-80.4
\$75,000+	467	125,715	110	28.6	22.3-34.9	357	71.4	65.1-77.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI4).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2417	323,845	950	42.6	39.7-45.5	1467	57.4	54.5-60.3
White/Non-Hisp	1916	242,128	792	45.2	41.9-48.5	1124	54.8	51.5-58.1
Black or Afr. Am./Non-Hisp	332	53,543	79	28.5	20.9-36.1	253	71.5	63.9-79.1
25-34	240	54,535	99	41.9	34.5-49.3	141	58.1	50.7-65.5
35-44	336	59,442	144	44.1	37.6-50.6	192	55.9	49.4-62.4
45-54	497	58,380	198	40.9	35.4-46.4	299	59.1	53.6-64.6
55-64	519	48,101	169	34.9	29.4-40.4	350	65.1	59.6-70.6
65+	721	62,751	279	40.2	35.7-44.7	442	59.8	55.3-64.3
H.S. or G.E.D.	808	101,084	274	33.3	28.4-38.2	534	66.7	61.8-71.6
Some Post-H.S.	612	79,679	224	42.2	36.3-48.1	388	57.8	51.9-63.7
College Graduate	827	124,755	391	50.6	45.9-55.3	436	49.4	44.7-54.1
Less than \$15,000	266	25,385	77	28.1	20.8-35.4	189	71.9	64.6-79.2
\$25,000- 34,999	215	25,580	69	28.3	19.9-36.7	146	71.7	63.3-80.1
\$35,000- 49,999	326	36,615	101	31.6	24.9-38.3	225	68.4	61.7-75.1
\$50,000- 74,999	396	56,442	142	34.6	27.7-41.5	254	65.4	58.5-72.3
\$75,000+	526	92,679	260	53.6	48.1-59.1	266	46.4	40.9-51.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 13: ALCOHOL CONSUMPTION CONTENTS**

**\* NOTE \*** \*\*\*\*\*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \*\*\*\*\*

TABLE		PAGE
	DRINK-OCCASIONS-PER-DAY (DROCDY2_)	
1	MALES AND FEMALES	87
2	MALES ONLY	88
3	FEMALES ONLY	89
	BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)	
4	MALES AND FEMALES	90
5	MALES ONLY	91
6	FEMALES ONLY	92
	CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)	
7	MALES AND FEMALES	93
8	MALES ONLY	94
9	FEMALES ONLY	95
	CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)	
10	MALES AND FEMALES	96
11	MALES ONLY	97
12	FEMALES ONLY	98
	HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)	
13	MALES AND FEMALES	99
14	MALES ONLY	100
15	FEMALES ONLY	101

**SECTION 13: ALCOHOL CONSUMPTION CONTENTS**

**\* NOTE \*** \*\*\*\*\*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \*\*\*\*\*

TABLE		PAGE
	ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)	
16	MALES ONLY	102
	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3)	
17	FEMALES ONLY	103

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 1: DRINK-OCCASIONS-PER-DAY (DROCDY2\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3974	655,933	1198	33.7	31.3-36.1	429	13.7	11.9-15.5	147	4.2	03.2-05.2	245	5.0	04.2-05.8	1955	43.3	40.9-45.7
Male	1418	313,142	427	34.1	30.4-37.8	208	17.8	14.9-20.7	74	5.7	03.7-07.7	136	6.5	05.1-07.9	573	35.9	32.4-39.4
Female	2556	342,790	771	33.4	30.7-36.1	221	10.0	08.2-11.8	73	2.9	02.1-03.7	109	3.6	02.4-04.8	1382	50.1	47.2-53.0
White/Non-Hisp	3198	507,501	971	32.8	30.3-35.3	386	15.9	13.7-18.1	135	4.8	03.6-06.0	228	6.1	04.9-07.3	1478	40.3	37.8-42.8
Black or Afr. Am./Non-Hisp	476	84,050	130	35.6	28.7-42.5	23	5.3	02.2-08.4	4	1.4	00.0-03.2	7	0.8	00.0-01.6	312	56.9	50.0-63.8
Oth. Race/Non-Hisp.	101	22,200				4	2.6	00.0-06.1	3	3.8	00.0-08.9	4	2.0	00.0-04.7			
MultiRacial/Non-Hisp.	68	9,161										2	1.8	00.0-04.7			
Hispanic	91	27,372				10	12.1	03.1-21.1	4	2.4	00.0-05.1	3	1.2	00.0-02.8			
18-24	150	82,890				17	14.7	06.7-22.7	6	6.4	01.1-11.7	1	1.8	00.0-05.3	71	38.4	28.4-48.4
25-34	386	113,521	165	39.5	33.0-46.0	56	15.8	11.3-20.3	13	4.0	01.5-06.5	6	2.1	00.3-03.9	146	38.5	32.2-44.8
35-44	591	123,810	237	41.4	36.5-46.3	81	15.8	12.1-19.5	19	2.6	01.2-04.0	17	2.6	01.0-04.2	237	37.6	32.7-42.5
45-54	791	120,394	289	36.6	32.1-41.1	92	15.3	11.6-19.0	24	3.1	01.7-04.5	39	4.9	03.1-06.7	347	40.1	35.6-44.6
55-64	845	94,925	214	24.7	20.8-28.6	105	14.1	10.6-17.6	42	6.4	04.2-08.6	65	8.7	06.0-11.4	419	46.1	41.6-50.6
65+	1174	115,545	231	21.4	18.3-24.5	78	7.3	05.1-09.5	43	4.3	02.7-05.9	115	9.9	07.7-12.1	707	57.2	53.5-60.9
Less Than H.S.	268	35,728	36	19.4	10.8-28.0	13	7.7	02.2-13.2	5	2.9	00.0-06.6	12	4.2	00.9-07.5	202	65.8	56.0-75.6
H.S. or G.E.D.	1287	194,658	356	30.7	26.8-34.6	86	8.6	06.2-11.0	34	3.8	01.8-05.8	52	3.5	02.3-04.7	759	53.5	49.2-57.8
Some Post-H.S.	1002	173,574	315	35.0	30.1-39.9	106	14.2	10.1-18.3	38	4.2	02.0-06.4	61	4.2	02.8-05.6	482	42.4	37.7-47.1
College Graduate	1411	251,479	489	37.3	33.6-41.0	224	18.3	15.4-21.2	70	4.8	03.4-06.2	119	6.8	05.0-08.6	509	32.8	29.5-36.1
Less than \$15,000	399	43,796	94	26.9	19.6-34.2	17	4.8	01.3-08.3	9	1.4	00.4-02.4	20	4.3	01.8-06.8	259	62.5	55.1-69.9
\$15,000- 24,999	361	43,301	57	22.6	13.8-31.4	12	4.5	01.0-08.0	6	2.4	00.0-05.3	12	2.6	00.4-04.8	274	67.9	58.9-76.9
\$25,000- 34,999	330	46,360	99	32.0	23.0-41.0	25	10.2	05.5-14.9	7	0.8	00.2-01.4	21	3.7	01.7-05.7	178	53.3	44.5-62.1
\$35,000- 49,999	542	75,612	166	29.2	24.1-34.3	59	13.0	08.9-17.1	24	5.5	02.8-08.2	32	4.5	02.5-06.5	261	47.8	41.9-53.7
\$50,000- 74,999	654	114,307	233	35.3	30.0-40.6	78	14.9	10.2-19.6	24	4.3	01.6-07.0	38	5.2	02.3-08.1	281	40.3	34.8-45.8
\$75,000+	1015	221,393	376	39.9	35.6-44.2	185	19.8	16.3-23.3	57	5.6	03.6-07.6	88	6.5	04.7-08.3	309	28.2	24.5-31.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 2: DRINK-OCCASIONS-PER-DAY (DROCDY2\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1418	313,142	427	34.1	30.4-37.8	208	17.8	14.9-20.7	74	5.7	03.7-07.7	136	6.5	05.1-07.9	573	35.9	32.4-39.4
White/Non-Hisp	1173	251,518	341	32.8	28.7-36.9	182	19.7	16.2-23.2	68	6.3	04.1-08.5	123	7.5	05.7-09.3	459	33.7	30.0-37.4
Black or Afr. Am./Non-Hisp	126	28,212				12	5.5	02.0-09.0	1	2.4	00.0-06.9	5	1.9	00.0-04.1			
25-34	138	56,497				30	20.1	12.7-27.5	7	5.8	01.3-10.3	5	3.7	00.4-07.0	41	33.2	23.4-43.0
35-44	232	60,340	91	40.7	33.1-48.3	46	20.1	14.0-26.2	8	2.2	00.4-04.0	12	4.0	01.3-06.7	75	33.0	25.7-40.3
45-54	264	58,354	99	39.0	31.6-46.4	40	18.4	11.9-24.9	10	3.6	01.1-06.1	19	6.3	03.0-09.6	96	32.6	25.7-39.5
55-64	301	44,847	77	24.5	18.2-30.8	49	19.4	12.7-26.1	22	6.9	03.8-10.0	43	14.2	09.1-19.3	110	35.0	27.7-42.3
65+	419	49,924	81	20.8	15.5-26.1	31	7.7	04.0-11.4	22	6.2	03.1-09.3	57	11.5	08.0-15.0	228	53.8	47.5-60.1
Less Than H.S.	91	16,907				6	10.7	00.9-20.5	4	6.0	00.0-13.6	8	7.9	01.2-14.6			
H.S. or G.E.D.	440	88,762	123	31.4	24.9-37.9	49	13.5	08.8-18.2	21	7.0	02.7-11.3	30	5.6	03.1-08.1	217	42.6	35.9-49.3
Some Post-H.S.	338	84,725	111	37.0	28.6-45.4	55	18.6	11.7-25.5	19	6.1	02.0-10.2	26	4.0	01.8-06.2	127	34.2	26.9-41.5
College Graduate	546	122,596	179	36.5	30.6-42.4	98	21.3	16.4-26.2	30	4.5	02.3-06.7	71	8.7	06.2-11.2	168	29.0	24.1-33.9
Less than \$15,000	120	16,735				6	8.1	00.0-16.7	4	1.7	00.0-03.5	13	6.3	02.2-10.4			
\$15,000- 24,999	81	13,517				6	8.3	00.0-16.7	2	5.6	00.0-14.8	8	6.6	00.3-12.9			
\$25,000- 34,999	111	20,273				14	14.3	05.7-22.9	2	0.6	00.0-01.6	8	3.7	01.0-06.4			
\$35,000- 49,999	200	37,233	52	23.3	15.7-30.9	26	16.5	09.2-23.8	12	6.9	02.0-11.8	17	5.6	02.3-08.9	93	47.8	38.0-57.6
\$50,000- 74,999	241	56,218	84	34.8	26.2-43.4	34	18.9	10.7-27.1	13	5.9	00.8-11.0	20	5.3	02.4-08.2	90	35.1	27.1-43.1
\$75,000+	466	124,860	162	38.9	32.6-45.2	100	23.1	17.8-28.4	31	6.3	03.2-09.4	57	8.6	05.9-11.3	116	23.2	18.3-28.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
 SECTION 13: ALCOHOL CONSUMPTION  
 TABLE 3: DRINK-OCCASIONS-PER-DAY (DROCDY2\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2556	342,790	771	33.4	30.7-36.1	221	10.0	08.2-11.8	73	2.9	02.1-03.7	109	3.6	02.4-04.8	1382	50.1	47.2-53.0
White/Non-Hisp	2025	255,983	630	32.9	30.0-35.8	204	12.1	09.9-14.3	67	3.4	02.4-04.4	105	4.8	03.2-06.4	1019	46.8	43.7-49.9
Black or Afr. Am./Non-Hisp	350	55,838	88	34.0	25.8-42.2	11	5.2	00.9-09.5	3	1.0	00.0-02.2	2	0.3	00.0-00.7	246	59.5	51.1-67.9
Oth. Race/Non-Hisp.	60	9,777				3	1.9	00.0-04.3	1	1.4	00.0-04.1	1	0.5	00.0-01.5			
Hispanic	56	12,333				2	1.1	00.0-02.9	2	3.3	00.0-08.2						
18-24	94	41,571				5	7.9	00.0-16.3	1	0.6	00.0-01.8	1	3.5	00.0-10.4			
25-34	248	57,024	110	41.8	34.4-49.2	26	11.6	06.3-16.9	6	2.3	00.1-04.5	1	0.5	00.0-01.3	105	43.9	36.5-51.3
35-44	359	63,470	146	42.1	35.6-48.6	35	11.7	07.6-15.8	11	2.9	00.9-04.9	5	1.3	00.0-02.7	162	42.0	35.7-48.3
45-54	527	62,041	190	34.4	29.3-39.5	52	12.4	08.5-16.3	14	2.5	00.9-04.1	20	3.5	01.7-05.3	251	47.1	41.6-52.6
55-64	544	50,078	137	24.9	20.2-29.6	56	9.4	06.3-12.5	20	6.0	03.1-08.9	22	3.8	01.4-06.2	309	56.0	50.5-61.5
65+	755	65,621	150	21.8	17.9-25.7	47	7.0	04.6-09.4	21	2.8	01.4-04.2	58	8.7	06.2-11.2	479	59.7	55.2-64.2
Less Than H.S.	177	18,821				7	5.0	00.0-10.1	1	0.1	00.0-00.3	4	0.9	00.0-01.9			
H.S. or G.E.D.	847	105,897	233	30.1	25.2-35.0	37	4.4	02.4-06.4	13	1.1	00.3-01.9	22	1.8	00.8-02.8	542	62.6	57.5-67.7
Some Post-H.S.	664	88,849	204	33.0	27.7-38.3	51	9.9	05.4-14.4	19	2.4	01.2-03.6	35	4.4	02.6-06.2	355	50.3	44.8-55.8
College Graduate	865	128,883	310	38.1	33.4-42.8	126	15.4	12.1-18.7	40	5.0	03.2-06.8	48	5.0	02.5-07.5	341	36.4	32.1-40.7
Less than \$15,000	279	27,061	67	26.5	19.2-33.8	11	2.8	00.6-05.0	5	1.3	00.1-02.5	7	3.1	00.0-06.4	189	66.3	58.7-73.9
\$15,000- 24,999	280	29,785	41	19.4	09.6-29.2	6	2.8	00.0-06.3	4	0.9	00.0-01.9	4	0.8	00.0-01.6	225	76.0	66.0-86.0
\$25,000- 34,999	219	26,087				11	7.0	02.1-11.9	5	0.9	00.1-01.7	13	3.7	01.0-06.4			
\$35,000- 49,999	342	38,379	114	35.0	28.1-41.9	33	9.5	05.4-13.6	12	4.2	01.3-07.1	15	3.4	01.2-05.6	168	47.9	40.8-55.0
\$50,000- 74,999	413	58,089	149	35.8	29.3-42.3	44	11.0	06.3-15.7	11	2.8	01.0-04.6	18	5.2	00.3-10.1	191	45.2	38.1-52.3
\$75,000+	549	96,533	214	41.1	35.6-46.6	85	15.5	11.8-19.2	26	4.7	02.7-06.7	31	3.9	02.1-05.7	193	34.8	29.5-40.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 4: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3981	657,013	3524	82.1	79.9-84.3	457	17.9	15.7-20.1
Male	1421	313,687	1164	74.7	70.8-78.6	257	25.3	21.4-29.2
Female	2560	343,327	2360	88.9	86.7-91.1	200	11.1	08.9-13.3
White/Non-Hisp	3204	507,650	2813	80.9	78.4-83.4	391	19.1	16.6-21.6
Black or Afr. Am./Non-Hisp	475	84,836	440	87.2	81.5-92.9	35	12.8	07.1-18.5
Oth. Race/Non-Hisp.	102	22,262	95	93.2	86.9-99.5	7	6.8	00.5-13.1
25-34	386	113,396	295	72.8	66.3-79.3	91	27.2	20.7-33.7
35-44	593	123,497	485	81.9	78.2-85.6	108	18.1	14.4-21.8
45-54	790	120,742	677	81.6	77.7-85.5	113	18.4	14.5-22.3
55-64	845	94,845	774	89.6	86.3-92.9	71	10.4	07.1-13.7
65+	1180	116,278	1147	96.9	95.7-98.1	33	3.1	01.9-04.3
Less Than H.S.	268	35,739	248	87.6	80.9-94.3	20	12.4	05.7-19.1
H.S. or G.E.D.	1288	195,784	1151	81.8	77.9-85.7	137	18.2	14.3-22.1
Some Post-H.S.	1003	173,162	889	79.8	74.7-84.9	114	20.2	15.1-25.3
College Graduate	1416	251,835	1231	83.1	79.8-86.4	185	16.9	13.6-20.2
Less than \$15,000	398	43,626	370	88.1	81.2-95.0	28	11.9	05.0-18.8
\$15,000- 24,999	358	43,057	342	90.5	83.8-97.2	16	9.5	02.8-16.2
\$25,000- 34,999	330	46,716	283	80.7	73.1-88.3	47	19.3	11.7-26.9
\$35,000- 49,999	547	76,138	481	83.2	78.5-87.9	66	16.8	12.1-21.5
\$50,000- 74,999	653	114,261	565	79.3	73.6-85.0	88	20.7	15.0-26.4
\$75,000+	1015	221,170	848	78.8	74.7-82.9	167	21.2	17.1-25.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 5: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1421	313,687	1164	74.7	70.8-78.6	257	25.3	21.4-29.2
White/Non-Hisp	1176	251,114	952	73.1	68.8-77.4	224	26.9	22.6-31.2
Black or Afr. Am./Non-Hisp	126	29,160	112	87.4	78.6-96.2	14	12.6	03.8-21.4
35-44	233	60,015	174	77.4	71.1-83.7	59	22.6	16.3-28.9
45-54	265	59,011	205	73.7	66.8-80.6	60	26.3	19.4-33.2
55-64	302	44,796	258	83.8	77.5-90.1	44	16.2	09.9-22.5
65+	421	50,206	401	95.2	92.7-97.7	20	4.8	02.3-07.3
H.S. or G.E.D.	441	89,702	352	69.6	62.5-76.7	89	30.4	23.3-37.5
Some Post-H.S.	338	84,310	279	71.8	63.2-80.4	59	28.2	19.6-36.8
College Graduate	548	122,615	453	79.6	74.1-85.1	95	20.4	14.9-25.9
\$35,000- 49,999	203	37,580	169	77.6	69.4-85.8	34	22.4	14.2-30.6
\$50,000- 74,999	241	56,295	197	73.2	64.2-82.2	44	26.8	17.8-35.8
\$75,000+	466	124,621	357	71.9	65.4-78.4	109	28.1	21.6-34.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 6: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2560	343,327	2360	88.9	86.7-91.1	200	11.1	08.9-13.3
White/Non-Hisp	2028	256,536	1861	88.6	86.2-91.0	167	11.4	09.0-13.8
Black or Afr. Am./Non-Hisp	349	55,675	328	87.2	79.9-94.5	21	12.8	05.5-20.1
Oth. Race/Non-Hisp.	61	9,839	58	97.5	94.4-0100	3	2.5	00.0-05.6
Hispanic	56	12,333	51	94.0	87.9-0100	5	6.0	00.0-12.1
25-34	250	57,436	207	81.3	75.0-87.6	43	18.7	12.4-25.0
35-44	360	63,482	311	86.2	81.9-90.5	49	13.8	09.5-18.1
45-54	525	61,731	472	89.3	85.8-92.8	53	10.7	07.2-14.2
55-64	543	50,049	516	94.8	92.4-97.2	27	5.2	02.8-07.6
65+	759	66,072	746	98.2	97.0-99.4	13	1.8	00.6-03.0
Less Than H.S.	177	18,832	170	94.7	89.4-0100	7	5.3	00.0-10.6
H.S. or G.E.D.	847	106,082	799	92.2	88.5-95.9	48	7.8	04.1-11.5
Some Post-H.S.	665	88,852	610	87.4	82.7-92.1	55	12.6	07.9-17.3
College Graduate	868	129,220	778	86.4	82.7-90.1	90	13.6	09.9-17.3
Less than \$15,000	279	27,069	266	96.1	93.6-98.6	13	3.9	01.4-06.4
\$15,000- 24,999	279	29,692	275	98.1	96.1-0100	4	1.9	00.0-03.9
\$35,000- 49,999	344	38,558	312	88.6	83.9-93.3	32	11.4	06.7-16.1
\$50,000- 74,999	412	57,967	368	85.2	78.7-91.7	44	14.8	08.3-21.3
\$75,000+	549	96,549	491	87.9	84.2-91.6	58	12.1	08.4-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 7: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3958	653,330	1691	46.7	44.3-49.1	202	5.7	04.5-06.9	92	3.7	02.5-04.9	16	0.4	00.2-00.6	2	0.0	00.0-00.0	1955	43.5	41.1-45.9
Male	1409	311,242	632	48.2	44.3-52.1	122	8.6	06.6-10.6	67	6.3	04.1-08.5	13	0.8	00.2-01.4	2	0.1	00.1-00.1	573	36.1	32.6-39.6
Female	2549	342,088	1059	45.4	42.5-48.3	80	3.1	01.9-04.3	25	1.3	00.5-02.1	3	0.1	00.0-00.3				1382	50.2	47.3-53.1
White/Non-Hisp	3185	505,383	1430	48.2	45.7-50.7	181	6.6	05.2-08.0	79	4.3	02.9-05.7	15	0.5	00.1-00.9	2	0.0	00.0-00.0	1478	40.5	38.0-43.0
Black or Afr. Am./Non-Hisp	475	83,957	145	39.5	32.6-46.4	11	1.9	00.7-03.1	7	1.6	00.0-03.4							312	56.9	50.0-63.8
Oth. Race/Non-Hisp.	101	22,200				3	3.4	00.0-08.3												
MultiRacial/Non-Hisp.	68	9,161				1	2.0	00.0-05.9	3	2.8	00.0-06.5									
Hispanic	89	26,980				6	5.1	00.0-11.0	3	3.6	00.0-08.7	1	1.5	00.0-04.4						
18-24	150	82,890				6	3.9	00.0-08.0	10	11.0	03.6-18.4							71	38.4	28.4-48.4
25-34	384	112,961	199	49.8	43.3-56.3	27	8.0	04.7-11.3	11	3.1	01.1-05.1	1	0.3	00.0-00.9				146	38.7	32.4-45.0
35-44	589	123,362	303	54.0	49.1-58.9	27	5.0	02.8-07.2	17	2.6	01.0-04.2	4	0.7	00.0-01.5	1	0.1	00.0-00.3	237	37.7	32.8-42.6
45-54	788	120,021	377	50.6	45.9-55.3	35	5.2	02.8-07.6	23	3.2	01.6-04.8	6	0.9	00.0-01.9				347	40.2	35.7-44.7
55-64	842	94,519	347	42.7	38.2-47.2	57	8.0	05.1-10.9	16	2.7	00.9-04.5	2	0.2	00.0-00.4	1	0.1	00.0-00.3	419	46.3	41.8-50.8
65+	1168	114,730	393	36.3	32.6-40.0	50	4.3	02.9-05.7	15	1.5	00.5-02.5	3	0.3	00.0-00.9				707	57.6	53.9-61.3
Less Than H.S.	266	35,518	46	21.6	13.0-30.2	7	5.3	00.6-10.0	7	5.0	00.1-09.9	4	1.9	00.0-04.3				202	66.2	56.4-76.0
H.S. or G.E.D.	1279	193,436	434	36.3	32.2-40.4	49	5.2	03.2-07.2	31	4.1	01.9-06.3	5	0.6	00.0-01.2	1	0.1	00.0-00.3	759	53.8	49.5-58.1
Some Post-H.S.	999	173,065	440	47.0	42.1-51.9	51	5.6	03.2-08.0	21	4.4	01.3-07.5	4	0.4	00.0-00.8	1	0.0	00.0-00.0	482	42.6	37.9-47.3
College Graduate	1408	250,819	769	58.1	54.6-61.6	95	6.2	04.4-08.0	33	2.7	01.5-03.9	2	0.1	00.0-00.3				509	32.9	29.6-36.2
Less than \$15,000	398	43,698	121	31.6	24.3-38.9	9	3.0	00.0-06.1	7	2.2	00.0-04.4	2	0.5	00.0-01.3				259	62.6	55.2-70.0
\$15,000- 24,999	358	42,914	72	27.3	18.3-36.3	8	2.1	00.1-04.1	4	2.1	00.0-05.0							274	68.5	59.3-77.7
\$25,000- 34,999	330	46,360	124	37.5	28.7-46.3	16	5.1	01.8-08.4	8	3.7	00.8-06.6	3	0.3	00.0-00.7	1	0.2	00.0-00.6	178	53.3	44.5-62.1
\$35,000- 49,999	541	75,422	232	40.9	35.2-46.6	33	6.6	03.7-09.5	14	4.0	01.1-06.9	1	0.5	00.0-01.5				261	48.0	42.1-53.9
\$50,000- 74,999	651	113,794	313	48.9	43.2-54.6	37	7.1	03.6-10.6	19	3.5	01.0-06.0	1	0.1	00.0-00.3				281	40.4	34.9-45.9
\$75,000+	1014	221,035	589	59.4	55.3-63.5	80	7.4	05.2-09.6	31	4.5	02.1-06.9	5	0.4	00.0-00.8				309	28.3	24.6-32.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 8: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1409	311,242	632	48.2	44.3-52.1	122	8.6	06.6-10.6	67	6.3	04.1-08.5	13	0.8	00.2-01.4	2	0.1	00.1-00.1	573	36.1	32.6-39.6
White/Non-Hisp	1165	249,808	528	48.8	44.5-53.1	107	9.4	07.0-11.8	57	7.0	04.3-09.7	12	0.9	00.3-01.5	2	0.1	00.0-00.3	459	33.9	30.2-37.6
Black or Afr. Am./Non-Hisp	126	28,212				6	3.1	00.6-05.6	5	4.1	00.0-09.0									
18-24	56	41,319				2	2.9	00.0-07.0										41	33.4	23.6-43.2
25-34	137	56,139				18	12.8	06.5-19.1	9	5.5	01.6-09.4	1	0.6	00.0-01.8						
35-44	231	59,947	121	53.6	46.0-61.2	18	8.0	03.7-12.3	12	3.6	01.1-06.1	4	1.4	00.0-03.0	1	0.2	00.0-00.6	75	33.2	25.8-40.6
45-54	263	58,260	131	53.8	46.4-61.2	18	7.6	03.3-11.9	14	4.5	01.8-07.2	4	1.4	00.0-03.2				96	32.7	25.8-39.6
55-64	299	44,494	136	45.2	37.8-52.6	37	13.5	07.6-19.4	13	5.4	01.7-09.1	2	0.4	00.0-01.0	1	0.2	00.0-00.6	110	35.3	28.0-42.6
65+	415	49,222	145	35.6	29.5-41.7	29	6.1	03.4-08.8	11	3.0	01.0-05.0	2	0.7	00.0-01.9				228	54.6	48.3-60.9
Less Than H.S.	90	16,717				4	7.8	00.0-16.4	4	9.9	00.0-19.9	4	4.0	00.0-08.9						
H.S. or G.E.D.	436	87,831	159	37.9	31.2-44.6	31	9.7	05.6-13.8	24	7.9	03.4-12.4	4	1.4	00.0-03.0	1	0.1	00.0-00.3	217	43.0	36.3-49.7
Some Post-H.S.	336	84,417	164	49.9	41.5-58.3	28	8.8	04.3-13.3	14	6.4	00.7-12.1	2	0.5	00.0-01.3	1	0.1	00.0-00.3	127	34.3	27.0-41.6
College Graduate	544	122,124	290	58.4	52.9-63.9	59	7.7	05.3-10.1	25	4.6	02.4-06.8	2	0.2	00.0-00.4				168	29.1	24.2-34.0
Less than \$15,000	119	16,637				6	5.6	00.0-13.0	4	5.2	00.0-10.9	2	1.4	00.0-03.8						
\$15,000- 24,999	80	13,423				6	6.0	00.0-12.5	4	6.8	00.0-16.2									
\$25,000- 34,999	111	20,273				7	6.6	00.9-12.3	4	4.7	00.0-10.4	1	0.3	00.0-00.9	1	0.4	00.0-01.2			
\$35,000- 49,999	199	37,043	74	33.8	25.2-42.4	19	9.4	04.1-14.7	12	7.7	02.0-13.4	1	1.1	00.0-03.3				93	48.0	38.2-57.8
\$50,000- 74,999	239	55,760	118	51.0	42.0-60.0	18	8.1	03.0-13.2	12	5.4	00.3-10.5	1	0.1	00.0-00.3				90	35.4	27.4-43.4
\$75,000+	465	124,501	262	58.2	52.1-64.3	57	10.9	07.4-14.4	25	7.1	03.0-11.2	5	0.7	00.0-01.5				116	23.2	18.3-28.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 9: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1		>1, <=2		>2, <=5		>5, <=10		None						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2549	342,088	1059	45.4	42.5-48.3	80	3.1	01.9-04.3	25	1.3	00.5-02.1	3	0.1	00.0-00.3	1382	50.2	47.3-53.1
White/Non-Hisp	2020	255,575	902	47.6	44.5-50.7	74	3.8	02.4-05.2	22	1.6	00.6-02.6	3	0.1	00.0-00.3	1019	46.9	43.8-50.0
Black or Afr. Am./Non-Hisp	349	55,745	96	38.6	30.2-47.0	5	1.4	00.0-02.8	2	0.4	00.0-01.0				246	59.6	51.2-68.0
Hispanic	55	12,131				1	0.4	00.0-01.2	1	1.0	00.0-03.0						
18-24	94	41,571				4	4.9	00.0-11.8	2	3.0	00.0-08.1						
25-34	247	56,822	131	51.9	44.5-59.3	9	3.3	00.8-05.8	2	0.8	00.0-01.8				105	44.0	36.6-51.4
35-44	358	63,416	182	54.3	47.8-60.8	9	2.1	00.5-03.7	5	1.6	00.0-03.2				162	42.0	35.7-48.3
45-54	525	61,760	246	47.5	42.0-53.0	17	2.9	00.9-04.9	9	2.0	00.4-03.6	2	0.3	00.0-00.9	251	47.3	41.8-52.8
55-64	543	50,025	211	40.5	35.0-46.0	20	3.1	01.5-04.7	3	0.4	00.0-01.0				309	56.0	50.5-61.5
65+	753	65,508	248	36.8	32.3-41.3	21	2.9	01.3-04.5	4	0.5	00.1-00.9	1	0.1	00.0-00.3	479	59.8	55.3-64.3
Less Than H.S.	176	18,801				3	3.0	00.0-07.5	3	0.7	00.0-01.7						
H.S. or G.E.D.	843	105,605	275	35.0	29.9-40.1	18	1.4	00.6-02.2	7	0.9	00.1-01.7	1	0.0	00.0-00.0	542	62.7	57.6-67.8
Some Post-H.S.	663	88,648	276	44.3	38.6-50.0	23	2.5	01.3-03.7	7	2.6	00.1-05.1	2	0.3	00.0-00.7	355	50.4	44.7-56.1
College Graduate	864	128,695	479	57.8	53.3-62.3	36	4.9	02.4-07.4	8	0.8	00.0-01.6				341	36.5	32.2-40.8
Less than \$15,000	279	27,061	84	32.0	24.6-39.4	3	1.3	00.0-02.9	3	0.4	00.0-01.0				189	66.3	58.7-73.9
\$15,000- 24,999	278	29,491	51	23.0	13.0-33.0	2	0.2	00.0-00.6							225	76.8	66.8-86.8
\$25,000- 34,999	219	26,087				9	3.9	00.2-07.6	4	3.0	00.0-06.1	2	0.2	00.0-00.6			
\$35,000- 49,999	342	38,379	158	47.8	40.7-54.9	14	3.9	01.4-06.4	2	0.3	00.0-00.9				168	47.9	40.8-55.0
\$50,000- 74,999	412	58,035	195	46.9	39.8-54.0	19	6.1	01.0-11.2	7	1.7	00.3-03.1				191	45.3	38.2-52.4
\$75,000+	549	96,533	327	61.1	55.6-66.6	23	3.0	01.4-04.6	6	1.2	00.0-02.4				193	34.8	29.5-40.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3958	653,330	800	20.3	18.3-22.3	454	14.5	12.5-16.5	437	11.9	10.3-13.5	202	5.7	04.5-06.9	110	4.1	02.9-05.3	1955	43.5	41.1-45.9
Male	1409	311,242	235	17.4	14.5-20.3	197	17.4	14.1-20.7	200	13.4	11.0-15.8	122	8.6	06.6-10.6	82	7.2	04.8-09.6	573	36.1	32.6-39.6
Female	2549	342,088	565	23.0	20.6-25.4	257	11.9	09.9-13.9	237	10.5	08.5-12.5	80	3.1	01.9-04.3	28	1.4	00.6-02.2	1382	50.2	47.3-53.1
White/Non-Hisp	3185	505,383	641	19.1	17.1-21.1	391	15.9	13.5-18.3	398	13.3	11.5-15.1	181	6.6	05.2-08.0	96	4.8	03.4-06.2	1478	40.5	38.0-43.0
Black or Afr. Am./Non-Hisp	475	83,957	93	22.0	16.3-27.7	37	10.8	06.5-15.1	15	6.7	02.0-11.4	11	1.9	00.7-03.1	7	1.6	00.0-03.4	312	56.9	50.0-63.8
Oth. Race/Non-Hisp.	101	22,200				8	7.8	01.3-14.3	8	6.0	00.7-11.3	3	3.4	00.0-08.3						
MultiRacial/Non-Hisp.	68	9,161										1	2.0	00.0-05.9	3	2.8	00.0-06.5			
Hispanic	89	26,980				9	9.1	02.2-16.0	7	6.0	00.5-11.5	6	5.1	00.0-11.0	4	5.1	00.0-11.0			
18-24	150	82,890	28	19.4	10.6-28.2	24	19.1	10.3-27.9	11	8.0	02.3-13.7	6	3.9	00.0-08.0	10	11.0	03.6-18.4	71	38.4	28.4-48.4
25-34	384	112,961	93	18.6	14.3-22.9	61	19.5	13.2-25.8	45	11.7	07.6-15.8	27	8.0	04.7-11.3	12	3.5	01.3-05.7	146	38.7	32.4-45.0
35-44	589	123,362	149	26.2	21.9-30.5	89	16.2	12.5-19.9	65	11.5	08.4-14.6	27	5.0	02.8-07.2	22	3.4	01.6-05.2	237	37.7	32.8-42.6
45-54	788	120,021	177	22.4	18.5-26.3	121	15.5	12.4-18.6	79	12.7	09.4-16.0	35	5.2	02.8-07.6	29	4.1	02.3-05.9	347	40.2	35.7-44.7
55-64	842	94,519	158	17.0	13.7-20.3	95	11.3	08.6-14.0	94	14.4	11.1-17.7	57	8.0	05.1-10.9	19	3.0	01.2-04.8	419	46.3	41.8-50.8
65+	1168	114,730	190	17.2	14.3-20.1	63	6.5	04.5-08.5	140	12.5	10.0-15.0	50	4.3	02.9-05.7	18	1.9	00.9-02.9	707	57.6	53.9-61.3
Less Than H.S.	266	35,518	23	12.2	04.6-19.8	12	5.3	01.4-09.2	11	4.1	00.6-07.6	7	5.3	00.6-10.0	11	6.9	01.6-12.2	202	66.2	56.4-76.0
H.S. or G.E.D.	1279	193,436	222	16.5	13.6-19.4	122	11.4	08.5-14.3	90	8.4	05.9-10.9	49	5.2	03.2-07.2	37	4.7	02.5-06.9	759	53.8	49.5-58.1
Some Post-H.S.	999	173,065	225	22.7	18.4-27.0	99	12.8	09.1-16.5	116	11.5	08.6-14.4	51	5.6	03.2-08.0	26	4.9	01.8-08.0	482	42.6	37.9-47.3
College Graduate	1408	250,819	329	22.8	19.9-25.7	220	19.3	15.8-22.8	220	15.9	13.4-18.4	95	6.2	04.4-08.0	35	2.8	01.6-04.0	509	32.9	29.6-36.2
Less than \$15,000	398	43,698	68	16.6	11.5-21.7	28	9.1	02.8-15.4	25	5.9	02.8-09.0	9	3.0	00.0-06.1	9	2.8	00.4-05.2	259	62.6	55.2-70.0
\$15,000- 24,999	358	42,914	42	14.0	06.7-21.3	15	7.1	02.6-11.6	15	6.2	00.0-12.5	8	2.1	00.1-04.1	4	2.1	00.0-05.0	274	68.5	59.3-77.7
\$25,000- 34,999	330	46,360	66	19.9	12.3-27.5	23	6.0	02.9-09.1	35	11.6	04.9-18.3	16	5.1	01.8-08.4	12	4.1	01.0-07.2	178	53.3	44.5-62.1
\$35,000- 49,999	541	75,422	110	17.9	13.8-22.0	66	12.2	08.3-16.1	56	10.8	07.3-14.3	33	6.6	03.7-09.5	15	4.5	01.6-07.4	261	48.0	42.1-53.9
\$50,000- 74,999	651	113,794	152	22.4	17.9-26.9	89	15.4	10.9-19.9	72	11.2	07.7-14.7	37	7.1	03.6-10.6	20	3.6	01.1-06.1	281	40.4	34.9-45.9
\$75,000+	1014	221,035	239	22.8	19.5-26.1	171	19.7	15.8-23.6	179	17.0	14.1-19.9	80	7.4	05.2-09.6	36	4.9	02.4-07.4	309	28.3	24.6-32.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1409	311,242	235	17.4	14.5-20.3	197	17.4	14.1-20.7	200	13.4	11.0-15.8	122	8.6	06.6-10.6	82	7.2	04.8-09.6	573	36.1	32.6-39.6
White/Non-Hisp	1165	249,808	183	15.1	12.4-17.8	165	18.8	14.9-22.7	180	14.9	12.2-17.6	107	9.4	07.0-11.8	71	7.9	05.2-10.6	459	33.9	30.2-37.6
Black or Afr. Am./Non-Hisp	126	28,212				15	10.5	03.6-17.4	7	4.2	00.0-08.7	6	3.1	00.6-05.6	5	4.1	00.0-09.0			
18-24	56	41,319							6	6.6	00.3-12.9	2	2.9	00.0-07.0						
25-34	137	56,139	20	11.1	05.8-16.4				21	13.9	07.0-20.8	18	12.8	06.5-19.1	10	6.2	02.1-10.3	41	33.4	23.6-43.2
35-44	231	59,947	44	21.3	14.8-27.8	44	19.3	13.2-25.4	33	13.0	08.1-17.9	18	8.0	03.7-12.3	17	5.2	02.3-08.1	75	33.2	25.8-40.6
45-54	263	58,260	55	22.2	15.5-28.9	43	15.8	10.7-20.9	33	15.8	09.7-21.9	18	7.6	03.3-11.9	18	5.9	02.8-09.0	96	32.7	25.8-39.6
55-64	299	44,494	47	15.1	09.8-20.4	44	13.6	08.7-18.5	45	16.6	11.3-21.9	37	13.5	07.6-19.4	16	6.0	02.3-09.7	110	35.3	28.0-42.6
65+	415	49,222	61	15.9	11.0-20.8	23	6.2	02.9-09.5	61	13.5	09.4-17.6	29	6.1	03.4-08.8	13	3.6	01.2-06.0	228	54.6	48.3-60.9
Less Than H.S.	90	16,717	9	10.0	00.2-19.8	3	4.1	00.0-10.0	6	5.0	00.0-10.9	4	7.8	00.0-16.4						
H.S. or G.E.D.	436	87,831	54	12.2	08.1-16.3	52	14.0	08.7-19.3	53	11.7	07.4-16.0	31	9.7	05.6-13.8	29	9.4	04.7-14.1	217	43.0	36.3-49.7
Some Post-H.S.	336	84,417	73	21.7	14.3-29.1	44	17.0	10.1-23.9	47	11.1	06.8-15.4	28	8.8	04.3-13.3	17	7.0	01.3-12.7	127	34.3	27.0-41.6
College Graduate	544	122,124	98	19.1	14.8-23.4	98	21.9	16.2-27.6	94	17.4	13.3-21.5	59	7.7	05.3-10.1	27	4.8	02.6-07.0	168	29.1	24.2-34.0
Less than \$15,000	119	16,637	17	12.1	04.5-19.7				12	4.9	01.6-08.2	6	5.6	00.0-13.0	6	6.6	00.5-12.7			
\$15,000- 24,999	80	13,423	9	7.7	00.6-14.8							6	6.0	00.0-12.5	4	6.8	00.0-16.2			
\$25,000- 34,999	111	20,273				7	3.1	00.6-05.6	16	11.6	04.9-18.3	7	6.6	00.9-12.3	6	5.4	00.0-11.1			
\$35,000- 49,999	199	37,043	29	10.6	06.1-15.1	24	12.3	06.0-18.6	21	10.9	05.4-16.4	19	9.4	04.1-14.7	13	8.8	02.9-14.7	93	48.0	38.2-57.8
\$50,000- 74,999	239	55,760	48	19.9	12.6-27.2	40	19.4	11.2-27.6	30	11.7	06.2-17.2	18	8.1	03.0-13.2	13	5.5	00.4-10.6	90	35.4	27.4-43.4
\$75,000+	465	124,501	83	18.2	13.9-22.5	86	21.7	15.6-27.8	93	18.3	14.0-22.6	57	10.9	07.4-14.4	30	7.7	03.6-11.8	116	23.2	18.3-28.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2549	342,088	565	23.0	20.6-25.4	257	11.9	09.9-13.9	237	10.5	08.5-12.5	80	3.1	01.9-04.3	28	1.4	00.6-02.2	1382	50.2	47.3-53.1
White/Non-Hisp	2020	255,575	458	22.9	20.4-25.4	226	12.9	10.5-15.3	218	11.8	09.8-13.8	74	3.8	02.4-05.2	25	1.7	00.7-02.7	1019	46.9	43.8-50.0
Black or Afr. Am./Non-Hisp	349	55,745	66	19.6	13.5-25.7	22	11.0	05.3-16.7	8	8.0	01.3-14.7	5	1.4	00.0-02.8	2	0.4	00.0-01.0	246	59.6	51.2-68.0
Oth. Race/Non-Hisp.	60	9,777	1	0.9	00.0-02.9	1	0.9	00.0-02.9	5	6.0	00.0-12.9	2	3.1	00.0-08.0	1	0.4	00.0-01.2			
Hispanic	55	12,131	5	7.5	00.1-14.9	2	3.1	00.0-08.0	1	0.4	00.0-01.2	1	1.0	00.0-03.0						
18-24	94	41,571	8	10.3	00.7-19.9	5	9.4	00.0-19.0	4	4.9	00.0-11.8	2	3.0	00.0-08.1						
25-34	247	56,822	73	25.9	19.6-32.2	34	16.3	10.4-22.2	24	9.6	04.7-14.5	9	3.3	00.8-05.8	2	0.8	00.0-01.8	105	44.0	36.6-51.4
35-44	358	63,416	105	31.0	25.1-36.9	45	13.2	08.7-17.7	32	10.1	06.2-14.0	9	2.1	00.5-03.7	5	1.6	00.0-03.2	162	42.0	35.7-48.3
45-54	525	61,760	122	22.6	18.3-26.9	78	15.3	11.4-19.2	46	9.7	06.4-13.0	17	2.9	00.9-04.9	11	2.3	00.5-04.1	251	47.3	41.8-52.8
55-64	543	50,025	111	18.8	14.7-22.9	51	9.3	06.2-12.4	49	12.4	08.3-16.5	20	3.1	01.5-04.7	3	0.4	00.0-01.0	309	56.0	50.5-61.5
65+	753	65,508	129	18.3	14.6-22.0	40	6.8	04.4-09.2	79	11.8	08.9-14.7	21	2.9	01.3-04.5	5	0.5	00.1-00.9	479	59.8	55.3-64.3
Less Than H.S.	176	18,801	9	6.2	01.1-11.3	5	3.3	00.0-07.0	3	3.0	00.0-07.5	3	0.7	00.0-01.7						
H.S. or G.E.D.	843	105,605	168	20.0	16.1-23.9	70	9.3	06.2-12.4	37	5.7	02.6-08.8	18	1.4	00.6-02.2	8	0.9	00.1-01.7	542	62.7	57.6-67.8
Some Post-H.S.	663	88,648	152	23.7	19.0-28.4	55	8.8	05.7-11.9	69	11.8	07.7-15.9	23	2.5	01.3-03.7	9	2.8	00.1-05.5	355	50.4	44.7-56.1
College Graduate	864	128,695	231	26.4	22.5-30.3	122	16.9	13.0-20.8	126	14.5	11.4-17.6	36	4.9	02.4-07.4	8	0.8	00.0-01.6	341	36.5	32.2-40.8
Less than \$15,000	279	27,061	51	19.3	12.8-25.8	20	6.1	02.4-09.8	13	6.5	02.0-11.0	3	1.3	00.0-02.9	3	0.4	00.0-01.0	189	66.3	58.7-73.9
\$15,000- 24,999	278	29,491	33	16.8	07.0-26.6	9	4.2	00.3-08.1	9	2.0	00.4-03.6	2	0.2	00.0-00.6				225	76.8	66.8-86.8
\$25,000- 34,999	219	26,087	53	21.1	13.8-28.4	16	8.3	03.2-13.4				9	3.9	00.2-07.6	6	3.2	00.1-06.3			
\$35,000- 49,999	342	38,379	81	24.9	18.6-31.2	42	12.2	07.7-16.7	35	10.8	06.5-15.1	14	3.9	01.4-06.4	2	0.3	00.0-00.9	168	47.9	40.8-55.0
\$50,000- 74,999	412	58,035	104	24.7	19.0-30.4	49	11.5	07.8-15.2	42	10.7	06.2-15.2	19	6.1	01.0-11.2	7	1.7	00.3-03.1	191	45.3	38.2-52.4
\$75,000+	549	96,533	156	28.7	23.6-33.8	85	17.1	12.8-21.4	86	15.3	11.6-19.0	23	3.0	01.4-04.6	6	1.2	00.0-02.4	193	34.8	29.5-40.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No			Yes		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3958	653,330	3768	94.3	92.9-95.7	190	5.7	04.3-07.1	
Male	1409	311,242	1327	92.8	90.4-95.2	82	7.2	04.8-09.6	
Female	2549	342,088	2441	95.6	94.2-97.0	108	4.4	03.0-05.8	
White/Non-Hisp	3185	505,383	3015	93.3	91.7-94.9	170	6.7	05.1-08.3	
Black or Afr. Am./Non-Hisp	475	83,957	463	97.5	95.5-99.5	12	2.5	00.5-04.5	
Oth. Race/Non-Hisp.	101	22,200	101	100.0	0100-0100				
MultiRacial/Non-Hisp.	68	9,161	65	97.2	93.5-0100	3	2.8	00.0-06.5	
Hispanic	89	26,980	84	94.7	88.8-0100	5	5.3	00.0-11.2	
18-24	150	82,890	136	86.5	78.5-94.5	14	13.5	05.5-21.5	
25-34	384	112,961	363	94.9	92.4-97.4	21	5.1	02.6-07.6	
35-44	589	123,362	558	95.6	93.8-97.4	31	4.4	02.6-06.2	
45-54	788	120,021	742	94.5	92.5-96.5	46	5.5	03.5-07.5	
55-64	842	94,519	803	95.3	93.3-97.3	39	4.7	02.7-06.7	
65+	1168	114,730	1129	96.5	95.1-97.9	39	3.5	02.1-04.9	
Less Than H.S.	266	35,518	252	91.5	85.8-97.2	14	8.5	02.8-14.2	
H.S. or G.E.D.	1279	193,436	1224	94.5	92.3-96.7	55	5.5	03.3-07.7	
Some Post-H.S.	999	173,065	950	93.9	90.8-97.0	49	6.1	03.0-09.2	
College Graduate	1408	250,819	1337	94.7	92.9-96.5	71	5.3	03.5-07.1	
Less than \$15,000	398	43,698	386	96.4	93.9-98.9	12	3.6	01.1-06.1	
\$15,000- 24,999	358	42,914	352	97.7	94.8-0100	6	2.3	00.0-05.2	
\$25,000- 34,999	330	46,360	309	93.7	90.0-97.4	21	6.3	02.6-10.0	
\$35,000- 49,999	541	75,422	512	93.5	90.2-96.8	29	6.5	03.2-09.8	
\$50,000- 74,999	651	113,794	612	93.3	89.8-96.8	39	6.7	03.2-10.2	
\$75,000+	1014	221,035	955	93.8	91.3-96.3	59	6.2	03.7-08.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1409	311,242	1327	92.8	90.4-95.2	82	7.2	04.8-09.6	
White/Non-Hisp	1165	249,808	1094	92.1	89.4-94.8	71	7.9	05.2-10.6	
Black or Afr. Am./Non-Hisp	126	28,212	121	95.9	91.0-100	5	4.1	00.0-09.0	
25-34	137	56,139	127	93.8	89.7-97.9	10	6.2	02.1-10.3	
35-44	231	59,947	214	94.8	91.9-97.7	17	5.2	02.3-08.1	
45-54	263	58,260	245	94.1	91.0-97.2	18	5.9	02.8-09.0	
55-64	299	44,494	283	94.0	90.3-97.7	16	6.0	02.3-09.7	
65+	415	49,222	402	96.4	94.0-98.8	13	3.6	01.2-06.0	
H.S. or G.E.D.	436	87,831	407	90.6	85.9-95.3	29	9.4	04.7-14.1	
Some Post-H.S.	336	84,417	319	93.0	87.3-98.7	17	7.0	01.3-12.7	
College Graduate	544	122,124	517	95.2	93.0-97.4	27	4.8	02.6-07.0	
Less than \$15,000	119	16,637	113	93.4	87.3-99.5	6	6.6	00.5-12.7	
\$15,000- 24,999	80	13,423	76	93.2	83.8-100	4	6.8	00.0-16.2	
\$25,000- 34,999	111	20,273	105	94.6	88.9-100	6	5.4	00.0-11.1	
\$35,000- 49,999	199	37,043	186	91.2	85.3-97.1	13	8.8	02.9-14.7	
\$50,000- 74,999	239	55,760	226	94.5	89.4-99.6	13	5.5	00.4-10.6	
\$75,000+	465	124,501	435	92.3	88.2-96.4	30	7.7	03.6-11.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV3)**  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2549	342,088	2441	95.6	94.2-97.0	108	4.4	03.0-05.8
White/Non-Hisp	2020	255,575	1921	94.5	92.7-96.3	99	5.5	03.7-07.3
Black or Afr. Am./Non-Hisp	349	55,745	342	98.3	96.9-99.7	7	1.7	00.3-03.1
Oth. Race/Non-Hisp.	60	9,777	60	100.0	0100-0100			
Hispanic	55	12,131	53	98.6	96.4-0100	2	1.4	00.0-03.6
18-24	94	41,571	88	92.0	83.6-0100	6	8.0	00.0-16.4
25-34	247	56,822	236	95.9	93.2-98.6	11	4.1	01.4-06.8
35-44	358	63,416	344	96.3	94.1-98.5	14	3.7	01.5-05.9
45-54	525	61,760	497	94.8	92.3-97.3	28	5.2	02.7-07.7
55-64	543	50,025	520	96.5	94.7-98.3	23	3.5	01.7-05.3
65+	753	65,508	727	96.6	95.0-98.2	26	3.4	01.8-05.0
Less Than H.S.	176	18,801	170	96.2	91.7-0100	6	3.8	00.0-08.3
H.S. or G.E.D.	843	105,605	817	97.7	96.5-98.9	26	2.3	01.1-03.5
Some Post-H.S.	663	88,648	631	94.7	91.8-97.6	32	5.3	02.4-08.2
College Graduate	864	128,695	820	94.3	91.6-97.0	44	5.7	03.0-08.4
Less than \$15,000	279	27,061	273	98.3	96.7-99.9	6	1.7	00.1-03.3
\$15,000- 24,999	278	29,491	276	99.8	99.4-0100	2	0.2	00.0-00.6
\$25,000- 34,999	219	26,087	204	92.9	88.2-97.6	15	7.1	02.4-11.8
\$35,000- 49,999	342	38,379	326	95.7	93.2-98.2	16	4.3	01.8-06.8
\$50,000- 74,999	412	58,035	386	92.2	87.1-97.3	26	7.8	02.7-12.9
\$75,000+	549	96,533	520	95.8	93.8-97.8	29	4.2	02.2-06.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 16: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (\_RFDRMN3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No			Yes		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Male	1409	311,242	1327	92.8	90.4-95.2	82	7.2	04.8-09.6	
White/Non-Hisp	1165	249,808	1094	92.1	89.4-94.8	71	7.9	05.2-10.6	
Black or Afr. Am./Non-Hisp	126	28,212	121	95.9	91.0-100	5	4.1	00.0-09.0	
25-34	137	56,139	127	93.8	89.7-97.9	10	6.2	02.1-10.3	
35-44	231	59,947	214	94.8	91.9-97.7	17	5.2	02.3-08.1	
45-54	263	58,260	245	94.1	91.0-97.2	18	5.9	02.8-09.0	
55-64	299	44,494	283	94.0	90.3-97.7	16	6.0	02.3-09.7	
65+	415	49,222	402	96.4	94.0-98.8	13	3.6	01.2-06.0	
H.S. or G.E.D.	436	87,831	407	90.6	85.9-95.3	29	9.4	04.7-14.1	
Some Post-H.S.	336	84,417	319	93.0	87.3-98.7	17	7.0	01.3-12.7	
College Graduate	544	122,124	517	95.2	93.0-97.4	27	4.8	02.6-07.0	
Less than \$15,000	119	16,637	113	93.4	87.3-99.5	6	6.6	00.5-12.7	
\$15,000- 24,999	80	13,423	76	93.2	83.8-100	4	6.8	00.0-16.2	
\$25,000- 34,999	111	20,273	105	94.6	88.9-100	6	5.4	00.0-11.1	
\$35,000- 49,999	199	37,043	186	91.2	85.3-97.1	13	8.8	02.9-14.7	
\$50,000- 74,999	239	55,760	226	94.5	89.4-99.6	13	5.5	00.4-10.6	
\$75,000+	465	124,501	435	92.3	88.2-96.4	30	7.7	03.6-11.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 17: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRWM3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2549	342,088	2441	95.6	94.2-97.0	108	4.4	03.0-05.8
White/Non-Hisp	2020	255,575	1921	94.5	92.7-96.3	99	5.5	03.7-07.3
Black or Afr. Am./Non-Hisp	349	55,745	342	98.3	96.9-99.7	7	1.7	00.3-03.1
Oth. Race/Non-Hisp.	60	9,777	60	100.0	0100-0100			
Hispanic	55	12,131	53	98.6	96.4-0100	2	1.4	00.0-03.6
18-24	94	41,571	88	92.0	83.6-0100	6	8.0	00.0-16.4
25-34	247	56,822	236	95.9	93.2-98.6	11	4.1	01.4-06.8
35-44	358	63,416	344	96.3	94.1-98.5	14	3.7	01.5-05.9
45-54	525	61,760	497	94.8	92.3-97.3	28	5.2	02.7-07.7
55-64	543	50,025	520	96.5	94.7-98.3	23	3.5	01.7-05.3
65+	753	65,508	727	96.6	95.0-98.2	26	3.4	01.8-05.0
Less Than H.S.	176	18,801	170	96.2	91.7-0100	6	3.8	00.0-08.3
H.S. or G.E.D.	843	105,605	817	97.7	96.5-98.9	26	2.3	01.1-03.5
Some Post-H.S.	663	88,648	631	94.7	91.8-97.6	32	5.3	02.4-08.2
College Graduate	864	128,695	820	94.3	91.6-97.0	44	5.7	03.0-08.4
Less than \$15,000	279	27,061	273	98.3	96.7-99.9	6	1.7	00.1-03.3
\$15,000- 24,999	278	29,491	276	99.8	99.4-0100	2	0.2	00.0-00.6
\$25,000- 34,999	219	26,087	204	92.9	88.2-97.6	15	7.1	02.4-11.8
\$35,000- 49,999	342	38,379	326	95.7	93.2-98.2	16	4.3	01.8-06.8
\$50,000- 74,999	412	58,035	386	92.2	87.1-97.3	26	7.8	02.7-12.9
\$75,000+	549	96,533	520	95.8	93.8-97.8	29	4.2	02.2-06.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008

SECTION 14: IMMUNIZATION CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)	
1	MALES AND FEMALES	105
2	MALES ONLY	106
3	FEMALES ONLY	107
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	108
5	MALES ONLY	109
6	FEMALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT3)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1187	116,870	830	69.6	66.1-73.1	357	30.4	26.9-33.9	
Male	422	50,382	309	73.4	67.9-78.9	113	26.6	21.1-32.1	
Female	765	66,488	521	66.7	62.4-71.0	244	33.3	29.0-37.6	
White/Non-Hisp	1044	104,463	755	71.3	67.8-74.8	289	28.7	25.2-32.2	
65+	1187	116,870	830	69.6	66.1-73.1	357	30.4	26.9-33.9	
H.S. or G.E.D.	463	44,449	311	65.2	59.3-71.1	152	34.8	28.9-40.7	
Some Post-H.S.	261	24,442	187	71.4	64.3-78.5	74	28.6	21.5-35.7	
College Graduate	319	36,532	241	75.7	69.8-81.6	78	24.3	18.4-30.2	
Less than \$15,000	202	16,463	135	66.3	58.1-74.5	67	33.7	25.5-41.9	
\$15,000- 24,999	162	11,014	101	60.8	51.4-70.2	61	39.2	29.8-48.6	
\$35,000- 49,999	166	16,364	121	74.0	65.8-82.2	45	26.0	17.8-34.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	422	50,382	309	73.4	67.9-78.9	113	26.6	21.1-32.1
White/Non-Hisp	374	45,370	281	75.0	69.3-80.7	93	25.0	19.3-30.7
65+	422	50,382	309	73.4	67.9-78.9	113	26.6	21.1-32.1
H.S. or G.E.D.	147	16,614	102	69.2	59.6-78.8	45	30.8	21.2-40.4
College Graduate	144	20,054	115	78.2	69.6-86.8	29	21.8	13.2-30.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
 SECTION 14: IMMUNIZATION**

**TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT3)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	765	66,488	521	66.7	62.4-71.0	244	33.3	29.0-37.6
White/Non-Hisp	670	59,092	474	68.5	63.8-73.2	196	31.5	26.8-36.2
65+	765	66,488	521	66.7	62.4-71.0	244	33.3	29.0-37.6
H.S. or G.E.D.	316	27,835	209	62.8	55.7-69.9	107	37.2	30.1-44.3
Some Post-H.S.	181	15,843	124	68.3	59.5-77.1	57	31.7	22.9-40.5
College Graduate	175	16,478	126	72.7	64.7-80.7	49	27.3	19.3-35.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1165	113,731	838	71.9	68.6-75.2	327	28.1	24.8-31.4
Male	409	47,933	292	71.7	66.0-77.4	117	28.3	22.6-34.0
Female	756	65,798	546	72.1	68.0-76.2	210	27.9	23.8-32.0
White/Non-Hisp	1025	101,582	766	74.6	71.1-78.1	259	25.4	21.9-28.9
65+	1165	113,731	838	71.9	68.6-75.2	327	28.1	24.8-31.4
H.S. or G.E.D.	454	43,694	328	68.8	62.9-74.7	126	31.2	25.3-37.1
Some Post-H.S.	257	24,340	187	75.9	69.4-82.4	70	24.1	17.6-30.6
College Graduate	311	34,511	231	75.5	69.4-81.6	80	24.5	18.4-30.6
Less than \$15,000	199	16,192	149	76.8	69.9-83.7	50	23.2	16.3-30.1
\$15,000- 24,999	160	10,931	108	67.1	57.9-76.3	52	32.9	23.7-42.1
\$35,000- 49,999	161	15,344	120	75.1	66.7-83.5	41	24.9	16.5-33.3
\$75,000+	124	16,018	94	74.8	64.8-84.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	409	47,933	292	71.7	66.0-77.4	117	28.3	22.6-34.0
White/Non-Hisp	361	42,922	265	73.2	67.1-79.3	96	26.8	20.7-32.9
65+	409	47,933	292	71.7	66.0-77.4	117	28.3	22.6-34.0
Some Post-H.S.	78	8,396	62	84.5	75.5-93.5	16	15.5	06.5-24.5
College Graduate	139	18,409	102	74.7	65.5-83.9	37	25.3	16.1-34.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	756	65,798	546	72.1	68.0-76.2	210	27.9	23.8-32.0
White/Non-Hisp	664	58,661	501	75.7	71.4-80.0	163	24.3	20.0-28.6
65+	756	65,798	546	72.1	68.0-76.2	210	27.9	23.8-32.0
H.S. or G.E.D.	312	27,419	234	72.5	65.6-79.4	78	27.5	20.6-34.4
Some Post-H.S.	179	15,944	125	71.4	62.8-80.0	54	28.6	20.0-37.2
College Graduate	172	16,101	129	76.3	68.9-83.7	43	23.7	16.3-31.1
Less than \$15,000	130	10,374	99	78.4	70.0-86.8	31	21.6	13.2-30.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008

SECTION 16: SEATBELT USE CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	112
2	MALES ONLY	113
3	FEMALES ONLY	114
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	115
5	MALES ONLY	116
6	FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 16: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4013	661,573	3879	95.8	94.6-97.0	134	4.2	03.0-05.4	
Male	1434	316,290	1351	93.4	91.0-95.8	83	6.6	04.2-09.0	
Female	2579	345,283	2528	97.9	96.9-98.9	51	2.1	01.1-03.1	
White/Non-Hisp	3228	511,157	3123	96.3	95.3-97.3	105	3.7	02.7-04.7	
Black or Afr. Am./Non-Hisp	479	85,331	463	95.3	91.8-98.8	16	4.7	01.2-08.2	
Oth. Race/Non-Hisp.	103	22,282	100	95.6	89.9-0100	3	4.4	00.0-10.1	
MultiRacial/Non-Hisp.	69	9,245	67	98.9	97.3-0100	2	1.1	00.0-02.7	
18-24	150	83,435	141	89.8	82.2-97.4	9	10.2	02.6-17.8	
25-34	387	113,762	368	96.1	94.1-98.1	19	3.9	01.9-05.9	
35-44	600	124,735	575	96.0	94.0-98.0	25	4.0	02.0-06.0	
45-54	796	121,693	772	97.0	95.4-98.6	24	3.0	01.4-04.6	
55-64	856	95,609	839	97.0	94.6-99.4	17	3.0	00.6-05.4	
65+	1185	117,097	1147	97.0	95.8-98.2	38	3.0	01.8-04.2	
Less Than H.S.	270	35,796	251	88.3	80.7-95.9	19	11.7	04.1-19.3	
H.S. or G.E.D.	1299	197,381	1248	94.6	92.2-97.0	51	5.4	03.0-07.8	
Some Post-H.S.	1009	174,188	979	95.5	92.4-98.6	30	4.5	01.4-07.6	
College Graduate	1429	253,716	1395	97.9	96.9-98.9	34	2.1	01.1-03.1	
Less than \$15,000	401	43,966	386	95.1	90.4-99.8	15	4.9	00.2-09.6	
\$15,000- 24,999	361	43,301	343	91.5	85.4-97.6	18	8.5	02.4-14.6	
\$25,000- 34,999	333	47,010	318	93.6	89.3-97.9	15	6.4	02.1-10.7	
\$35,000- 49,999	548	76,248	525	96.1	94.1-98.1	23	3.9	01.9-05.9	
\$50,000- 74,999	658	114,701	639	96.0	93.1-98.9	19	4.0	01.1-06.9	
\$75,000+	1018	222,061	995	97.9	96.7-99.1	23	2.1	00.9-03.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 16: SEATBELT USE**

**TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Not At Risk		At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1434	316,290	1351	93.4	91.0-95.8	83	6.6	04.2-09.0
White/Non-Hisp	1186	253,008	1119	94.3	92.3-96.3	67	5.7	03.7-07.7
Black or Afr. Am./Non-Hisp	129	29,595	121	92.4	85.1-99.7	8	7.6	00.3-14.9
25-34	138	56,497	128	95.0	91.5-98.5	10	5.0	01.5-08.5
35-44	237	60,987	217	93.5	90.0-97.0	20	6.5	03.0-10.0
45-54	267	59,291	253	95.8	92.9-98.7	14	4.2	01.3-07.1
55-64	308	45,336	296	94.7	89.8-99.6	12	5.3	00.4-10.2
65+	419	50,152	400	96.0	93.6-98.4	19	4.0	01.6-06.4
Less Than H.S.	91	16,907	82	89.7	80.7-98.7	9	10.3	01.3-19.3
H.S. or G.E.D.	444	90,635	404	89.5	84.6-94.4	40	10.5	05.6-15.4
Some Post-H.S.	342	84,917	326	92.9	87.0-98.8	16	7.1	01.2-13.0
College Graduate	554	123,678	536	97.1	95.3-98.9	18	2.9	01.1-04.7
\$25,000- 34,999	112	20,797	103	89.9	81.3-98.5	9	10.1	01.5-18.7
\$35,000- 49,999	203	37,413	188	94.3	91.0-97.6	15	5.7	02.4-09.0
\$50,000- 74,999	243	56,491	231	93.1	87.2-99.0	12	6.9	01.0-12.8
\$75,000+	467	125,280	451	96.9	94.7-99.1	16	3.1	00.9-05.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 16: SEATBELT USE**

**TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2579	345,283	2528	97.9	96.9-98.9	51	2.1	01.1-03.1	
White/Non-Hisp	2042	258,148	2004	98.3	97.5-99.1	38	1.7	00.9-02.5	
Black or Afr. Am./Non-Hisp	350	55,736	342	96.8	92.9-0100	8	3.2	00.0-07.1	
Oth. Race/Non-Hisp.	62	9,860	62	100.0	0100-0100				
Hispanic	56	12,333	52	91.8	82.8-0100	4	8.2	00.0-17.2	
18-24	94	41,571	92	96.4	90.9-0100	2	3.6	00.0-09.1	
25-34	249	57,265	240	97.1	94.9-99.3	9	2.9	00.7-05.1	
35-44	363	63,748	358	98.5	96.9-0100	5	1.5	00.0-03.1	
45-54	529	62,402	519	98.3	96.7-99.9	10	1.7	00.1-03.3	
55-64	548	50,273	543	99.2	98.2-0100	5	0.8	00.0-01.8	
65+	766	66,945	747	97.8	96.6-99.0	19	2.2	01.0-03.4	
H.S. or G.E.D.	855	106,745	844	99.0	98.4-99.6	11	1.0	00.4-01.6	
Some Post-H.S.	667	89,270	653	98.0	96.6-99.4	14	2.0	00.6-03.4	
College Graduate	875	130,038	859	98.5	97.5-99.5	16	1.5	00.5-02.5	
Less than \$15,000	281	27,231	276	98.6	97.2-0100	5	1.4	00.0-02.8	
\$15,000- 24,999	280	29,785	269	92.2	84.8-99.6	11	7.8	00.4-15.2	
\$25,000- 34,999	221	26,213	215	96.5	93.0-0100	6	3.5	00.0-07.0	
\$35,000- 49,999	345	38,835	337	97.8	95.8-99.8	8	2.2	00.2-04.2	
\$50,000- 74,999	415	58,210	408	98.8	97.8-99.8	7	1.2	00.2-02.2	
\$75,000+	551	96,781	544	99.2	98.4-0100	7	0.8	00.0-01.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 16: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4013	661,573	3676	89.1	87.3-90.9	337	10.9	09.1-12.7
Male	1434	316,290	1250	84.7	81.6-87.8	184	15.3	12.2-18.4
Female	2579	345,283	2426	93.1	91.3-94.9	153	6.9	05.1-08.7
White/Non-Hisp	3228	511,157	2962	89.6	87.6-91.6	266	10.4	08.4-12.4
Black or Afr. Am./Non-Hisp	479	85,331	435	86.9	81.8-92.0	44	13.1	08.0-18.2
Oth. Race/Non-Hisp.	103	22,282	99	95.4	89.7-0100	4	4.6	00.0-10.3
25-34	387	113,762	346	90.4	87.1-93.7	41	9.6	06.3-12.9
35-44	600	124,735	543	90.1	87.0-93.2	57	9.9	06.8-13.0
45-54	796	121,693	728	91.2	88.7-93.7	68	8.8	06.3-11.3
55-64	856	95,609	804	92.8	89.9-95.7	52	7.2	04.3-10.1
65+	1185	117,097	1100	92.9	91.1-94.7	85	7.1	05.3-08.9
H.S. or G.E.D.	1299	197,381	1184	87.7	84.6-90.8	115	12.3	09.2-15.4
Some Post-H.S.	1009	174,188	931	88.1	83.8-92.4	78	11.9	07.6-16.2
College Graduate	1429	253,716	1321	93.0	91.2-94.8	108	7.0	05.2-08.8
Less than \$15,000	401	43,966	369	90.9	85.6-96.2	32	9.1	03.8-14.4
\$15,000- 24,999	361	43,301	331	85.7	78.6-92.8	30	14.3	07.2-21.4
\$25,000- 34,999	333	47,010	301	88.9	83.4-94.4	32	11.1	05.6-16.6
\$35,000- 49,999	548	76,248	489	87.2	83.3-91.1	59	12.8	08.9-16.7
\$50,000- 74,999	658	114,701	605	89.7	85.4-94.0	53	10.3	06.0-14.6
\$75,000+	1018	222,061	937	91.0	88.3-93.7	81	9.0	06.3-11.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 16: SEATBELT USE**

**TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1434	316,290	1250	84.7	81.6-87.8	184	15.3	12.2-18.4
White/Non-Hisp	1186	253,008	1034	85.1	81.8-88.4	152	14.9	11.6-18.2
Black or Afr. Am./Non-Hisp	129	29,595	112	83.0	73.0-93.0	17	17.0	07.0-27.0
25-34	138	56,497	120	90.5	85.6-95.4	18	9.5	04.6-14.4
35-44	237	60,987	199	84.9	79.4-90.4	38	15.1	09.6-20.6
45-54	267	59,291	227	86.3	81.4-91.2	40	13.7	08.8-18.6
55-64	308	45,336	278	88.7	83.2-94.2	30	11.3	05.8-16.8
65+	419	50,152	381	91.5	88.2-94.8	38	8.5	05.2-11.8
H.S. or G.E.D.	444	90,635	368	78.8	72.7-84.9	76	21.2	15.1-27.3
Some Post-H.S.	342	84,917	309	85.3	77.7-92.9	33	14.7	07.1-22.3
College Graduate	554	123,678	497	90.5	87.6-93.4	57	9.5	06.6-12.4
\$35,000- 49,999	203	37,413	173	85.5	79.4-91.6	30	14.5	08.4-20.6
\$50,000- 74,999	243	56,491	213	86.8	80.1-93.5	30	13.2	06.5-19.9
\$75,000+	467	125,280	416	88.2	83.7-92.7	51	11.8	07.3-16.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 16: SEATBELT USE**

**TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2579	345,283	2426	93.1	91.3-94.9	153	6.9	05.1-08.7
White/Non-Hisp	2042	258,148	1928	94.0	92.2-95.8	114	6.0	04.2-07.8
Black or Afr. Am./Non-Hisp	350	55,736	323	89.0	83.3-94.7	27	11.0	05.3-16.7
Oth. Race/Non-Hisp.	62	9,860	62	100.0	0100-0100			
25-34	249	57,265	226	90.3	85.8-94.8	23	9.7	05.2-14.2
35-44	363	63,748	344	94.9	92.2-97.6	19	5.1	02.4-07.8
45-54	529	62,402	501	95.9	93.9-97.9	28	4.1	02.1-06.1
55-64	548	50,273	526	96.6	94.6-98.6	22	3.4	01.4-05.4
65+	766	66,945	719	94.0	92.0-96.0	47	6.0	04.0-08.0
H.S. or G.E.D.	855	106,745	816	95.2	93.0-97.4	39	4.8	02.6-07.0
Some Post-H.S.	667	89,270	622	90.8	86.9-94.7	45	9.2	05.3-13.1
College Graduate	875	130,038	824	95.4	93.8-97.0	51	4.6	03.0-06.2
Less than \$15,000	281	27,231	263	93.8	90.1-97.5	18	6.2	02.5-09.9
\$15,000- 24,999	280	29,785	262	89.2	81.4-97.0	18	10.8	03.0-18.6
\$25,000- 34,999	221	26,213	207	94.1	89.8-98.4	14	5.9	01.6-10.2
\$35,000- 49,999	345	38,835	316	88.8	83.9-93.7	29	11.2	06.3-16.1
\$50,000- 74,999	415	58,210	392	92.5	86.8-98.2	23	7.5	01.8-13.2
\$75,000+	551	96,781	521	94.6	91.9-97.3	30	5.4	02.7-08.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008

SECTION 18: WOMENS HEALTH CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	119
2	WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	120
3	WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 18: WOMENS HEALTH**

**TABLE 1: WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_RFMAM2Y)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2036	216,075	1670	82.3	80.1-84.5	366	17.7	15.5-19.9
White/Non-Hisp	1678	176,421	1361	81.2	78.8-83.6	317	18.8	16.4-21.2
Black or Afr. Am./Non-Hisp	242	25,764	212	86.2	79.7-92.7	30	13.8	07.3-20.3
40-44	200	36,969	147	74.0	66.6-81.4	53	26.0	18.6-33.4
45-54	528	62,360	432	83.5	79.8-87.2	96	16.5	12.8-20.2
55-64	547	50,221	474	88.9	85.6-92.2	73	11.1	07.8-14.4
65+	761	66,525	617	80.8	77.3-84.3	144	19.2	15.7-22.7
Less Than H.S.	151	11,449	119	75.0	65.4-84.6	32	25.0	15.4-34.6
H.S. or G.E.D.	706	69,191	574	81.4	77.7-85.1	132	18.6	14.9-22.3
Some Post-H.S.	520	56,252	415	80.4	75.9-84.9	105	19.6	15.1-24.1
College Graduate	658	79,120	561	85.5	82.0-89.0	97	14.5	11.0-18.0
Less than \$15,000	240	20,900	173	72.0	64.9-79.1	67	28.0	20.9-35.1
\$15,000- 24,999	230	17,458	172	75.4	68.0-82.8	58	24.6	17.2-32.0
\$25,000- 34,999	174	14,738	136	76.8	68.6-85.0	38	23.2	15.0-31.4
\$35,000- 49,999	267	24,019	224	84.2	78.5-89.9	43	15.8	10.1-21.5
\$50,000- 74,999	304	34,423	267	85.0	79.3-90.7	37	15.0	09.3-20.7
\$75,000+	410	59,602	362	88.7	85.0-92.4	48	11.3	07.6-15.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 18: WOMENS HEALTH**

**TABLE 2: WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_MAM502Y)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1579	146,226	1312	84.2	81.8-86.6	267	15.8	13.4-18.2
White/Non-Hisp	1336	125,458	1100	83.5	81.0-86.0	236	16.5	14.0-19.0
Black or Afr. Am./Non-Hisp	161	13,382	143	88.9	82.6-95.2	18	11.1	04.8-17.4
50-54	271	29,480	221	84.0	78.9-89.1	50	16.0	10.9-21.1
55-64	547	50,221	474	88.9	85.6-92.2	73	11.1	07.8-14.4
65+	761	66,525	617	80.8	77.3-84.3	144	19.2	15.7-22.7
Less Than H.S.	140	10,242	112	78.3	69.7-86.9	28	21.7	13.1-30.3
H.S. or G.E.D.	579	51,359	477	82.8	78.9-86.7	102	17.2	13.3-21.1
Some Post-H.S.	397	36,446	328	85.7	81.8-89.6	69	14.3	10.4-18.2
College Graduate	462	48,115	394	85.9	81.6-90.2	68	14.1	09.8-18.4
Less than \$15,000	202	16,109	152	76.1	68.8-83.4	50	23.9	16.6-31.2
\$15,000- 24,999	213	15,048	158	74.9	67.6-82.2	55	25.1	17.8-32.4
\$25,000- 34,999	139	10,878	111	80.8	73.2-88.4	28	19.2	11.6-26.8
\$35,000- 49,999	218	18,934	188	86.3	80.2-92.4	30	13.7	07.6-19.8
\$50,000- 74,999	225	23,727	204	91.3	86.6-96.0	21	8.7	04.0-13.4
\$75,000+	236	27,867	217	93.2	89.5-96.9	19	6.8	03.1-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 18: WOMENS HEALTH**

**TABLE 3: WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (\_RFPAP32)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2478	333,263	2023	84.5	82.3-86.7	455	15.5	13.3-17.7
White/Non-Hisp	1963	249,281	1575	82.8	80.3-85.3	388	17.2	14.7-19.7
Black or Afr. Am./Non-Hisp	341	54,487	305	92.6	89.5-95.7	36	7.4	04.3-10.5
25-34	245	56,566	232	94.9	92.0-97.8	13	5.1	02.2-08.0
35-44	334	58,285	311	95.4	93.0-97.8	23	4.6	02.2-07.0
45-54	528	62,355	457	88.0	84.7-91.3	71	12.0	08.7-15.3
55-64	542	49,956	455	84.5	80.4-88.6	87	15.5	11.4-19.6
65+	736	64,672	494	68.3	64.0-72.6	242	31.7	27.4-36.0
H.S. or G.E.D.	824	102,932	657	83.0	79.3-86.7	167	17.0	13.3-20.7
Some Post-H.S.	648	86,030	520	80.5	75.4-85.6	128	19.5	14.4-24.6
College Graduate	835	125,872	732	90.8	88.3-93.3	103	9.2	06.7-11.7
Less than \$15,000	271	26,294	186	73.1	66.6-79.6	85	26.9	20.4-33.4
\$15,000- 24,999	272	29,197	185	70.1	60.3-79.9	87	29.9	20.1-39.7
\$25,000- 34,999	214	25,534	171	83.1	76.4-89.8	43	16.9	10.2-23.6
\$35,000- 49,999	340	38,106	289	86.2	81.5-90.9	51	13.8	09.1-18.5
\$50,000- 74,999	402	55,847	354	89.4	85.5-93.3	48	10.6	06.7-14.5
\$75,000+	533	93,668	492	93.2	89.7-96.7	41	6.8	03.3-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
1	MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y) MALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 19: PROSTATE CANCER SCREENING**

**TABLE 1: MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (\_RFPSA2Y)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 40 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1085	185,259	695	57.1	53.2-61.0	390	42.9	39.0-46.8
White/Non-Hisp	921	155,552	603	57.9	53.6-62.2	318	42.1	37.8-46.4
40-44	121	34,388	30	27.8	17.8-37.8	91	72.2	62.2-82.2
45-54	258	57,268	111	44.8	37.2-52.4	147	55.2	47.6-62.8
55-64	301	44,577	227	71.0	63.4-78.6	74	29.0	21.4-36.6
65+	405	49,026	327	79.3	74.0-84.6	78	20.7	15.4-26.0
H.S. or G.E.D.	337	52,538	210	57.0	49.7-64.3	127	43.0	35.7-50.3
Some Post-H.S.	250	42,843	154	52.0	44.0-60.0	96	48.0	40.0-56.0
College Graduate	422	79,797	285	59.5	53.2-65.8	137	40.5	34.2-46.8
\$35,000- 49,999	160	22,327	106	60.3	50.7-69.9	54	39.7	30.1-49.3
\$50,000- 74,999	179	35,776	102	49.7	39.7-59.7	77	50.3	40.3-60.3
\$75,000+	343	73,611	219	58.9	52.4-65.4	124	41.1	34.6-47.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008

SECTION 20: COLORECTAL CANCER CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDS2).	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER**

**TABLE 1: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (\_RFBLS2).**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2401	269,366	512	18.7	16.7-20.7	1889	81.3	79.3-83.3
Male	847	125,358	196	20.9	17.4-24.4	651	79.1	75.6-82.6
Female	1554	144,009	316	16.9	14.7-19.1	1238	83.1	80.9-85.3
White/Non-Hisp	2048	231,327	437	18.8	16.6-21.0	1611	81.2	79.0-83.4
Black or Afr. Am./Non-Hisp	220	22,884	50	20.0	12.9-27.1	170	80.0	72.9-87.1
50-54	399	60,401	49	10.9	07.0-14.8	350	89.1	85.2-93.0
55-64	843	94,254	179	19.1	15.6-22.6	664	80.9	77.4-84.4
65+	1159	114,711	284	22.6	19.5-25.7	875	77.4	74.3-80.5
Less Than H.S.	203	17,027	39	19.0	12.1-25.9	164	81.0	74.1-87.9
H.S. or G.E.D.	838	88,969	189	19.8	16.3-23.3	649	80.2	76.7-83.7
Some Post-H.S.	567	61,301	119	19.1	14.8-23.4	448	80.9	76.6-85.2
College Graduate	790	101,879	165	17.6	14.5-20.7	625	82.4	79.3-85.5
Less than \$15,000	298	25,490	57	17.5	12.2-22.8	241	82.5	77.2-87.8
\$15,000- 24,999	262	19,523	47	18.1	12.0-24.2	215	81.9	75.8-88.0
\$25,000- 34,999	215	20,253	55	21.7	15.2-28.2	160	78.3	71.8-84.8
\$35,000- 49,999	339	33,523	77	22.8	17.1-28.5	262	77.2	71.5-82.9
\$50,000- 74,999	348	46,960	78	20.3	14.6-26.0	270	79.7	74.0-85.4
\$75,000+	468	71,771	98	16.0	11.9-20.1	370	84.0	79.9-88.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER**

**TABLE 2: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (\_RFBLS2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	847	125,358	196	20.9	17.4-24.4	651	79.1	75.6-82.6
White/Non-Hisp	734	107,882	173	21.7	18.0-25.4	561	78.3	74.6-82.0
50-54	129	31,056	17	11.8	05.5-18.1	112	88.2	81.9-94.5
55-64	305	45,052	68	21.7	15.6-27.8	237	78.3	72.2-84.4
65+	413	49,250	111	25.8	20.5-31.1	302	74.2	68.9-79.5
Less Than H.S.	66	7,002	11	14.3	04.5-24.1	55	85.7	75.9-95.5
H.S. or G.E.D.	270	38,730	69	24.1	17.4-30.8	201	75.9	69.2-82.6
Some Post-H.S.	175	25,032	37	20.8	12.8-28.8	138	79.2	71.2-87.2
College Graduate	334	54,465	79	19.5	14.4-24.6	255	80.5	75.4-85.6
Less than \$15,000	98	9,411	22	20.7	10.7-30.7	76	79.3	69.3-89.3
\$50,000- 74,999	127	23,491	30	23.7	13.9-33.5	97	76.3	66.5-86.1
\$75,000+	235	44,178	51	17.0	11.1-22.9	184	83.0	77.1-88.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER**

**TABLE 3: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (\_RFBIDS2).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1554	144,009	316	16.9	14.7-19.1	1238	83.1	80.9-85.3
White/Non-Hisp	1314	123,445	264	16.3	13.9-18.7	1050	83.7	81.3-86.1
Black or Afr. Am./Non-Hisp	159	13,315	39	24.4	15.4-33.4	120	75.6	66.6-84.6
50-54	270	29,346	32	10.0	05.7-14.3	238	90.0	85.7-94.3
55-64	538	49,203	111	16.7	12.8-20.6	427	83.3	79.4-87.2
65+	746	65,461	173	20.1	16.6-23.6	573	79.9	76.4-83.4
Less Than H.S.	137	10,025	28	22.2	13.2-31.2	109	77.8	68.8-86.8
H.S. or G.E.D.	568	50,239	120	16.4	12.9-19.9	448	83.6	80.1-87.1
Some Post-H.S.	392	36,269	82	17.9	13.0-22.8	310	82.1	77.2-87.0
College Graduate	456	47,414	86	15.5	11.6-19.4	370	84.5	80.6-88.4
Less than \$15,000	200	16,080	35	15.6	09.7-21.5	165	84.4	78.5-90.3
\$15,000- 24,999	210	14,798	37	17.4	10.5-24.3	173	82.6	75.7-89.5
\$25,000- 34,999	138	10,741	32	19.8	12.0-27.6	106	80.2	72.4-88.0
\$35,000- 49,999	214	18,174	40	15.0	09.7-20.3	174	85.0	79.7-90.3
\$50,000- 74,999	221	23,469	48	16.8	10.7-22.9	173	83.2	77.1-89.3
\$75,000+	233	27,593	47	14.3	09.4-19.2	186	85.7	80.8-90.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER**

**TABLE 4: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2).**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2433	272,569	1804	74.3	71.9-76.7	629	25.7	23.3-28.1
Male	853	126,320	644	75.3	71.4-79.2	209	24.7	20.8-28.6
Female	1580	146,249	1160	73.5	70.8-76.2	420	26.5	23.8-29.2
White/Non-Hisp	2082	234,992	1551	74.7	72.2-77.2	531	25.3	22.8-27.8
Black or Afr. Am./Non-Hisp	220	22,879	159	73.5	65.5-81.5	61	26.5	18.5-34.5
50-54	401	60,427	227	57.4	50.7-64.1	174	42.6	35.9-49.3
55-64	855	95,738	651	78.9	75.4-82.4	204	21.1	17.6-24.6
65+	1177	116,404	926	79.4	76.5-82.3	251	20.6	17.7-23.5
Less Than H.S.	204	17,052	134	69.9	62.3-77.5	70	30.1	22.5-37.7
H.S. or G.E.D.	847	89,909	621	73.7	69.6-77.8	226	26.3	22.2-30.4
Some Post-H.S.	580	63,011	441	76.3	71.8-80.8	139	23.7	19.2-28.2
College Graduate	799	102,405	606	74.4	70.3-78.5	193	25.6	21.5-29.7
Less than \$15,000	302	25,683	213	74.2	68.1-80.3	89	25.8	19.7-31.9
\$15,000- 24,999	266	19,854	187	68.6	61.5-75.7	79	31.4	24.3-38.5
\$25,000- 34,999	216	20,338	160	72.4	64.8-80.0	56	27.6	20.0-35.2
\$35,000- 49,999	345	34,818	250	74.6	68.9-80.3	95	25.4	19.7-31.1
\$50,000- 74,999	352	46,955	269	78.1	72.0-84.2	83	21.9	15.8-28.0
\$75,000+	472	72,347	362	73.9	68.8-79.0	110	26.1	21.0-31.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER**

**TABLE 5: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	853	126,320	644	75.3	71.4-79.2	209	24.7	20.8-28.6
White/Non-Hisp	742	109,346	565	75.4	71.3-79.5	177	24.6	20.5-28.7
55-64	309	45,611	229	77.0	71.1-82.9	80	23.0	17.1-28.9
65+	415	49,805	338	82.2	77.5-86.9	77	17.8	13.1-22.5
Less Than H.S.	65	6,903	46	80.9	71.3-90.5	19	19.1	09.5-28.7
H.S. or G.E.D.	270	38,834	194	71.7	64.4-79.0	76	28.3	21.0-35.6
Some Post-H.S.	181	26,289	136	76.8	69.0-84.6	45	23.2	15.4-31.0
College Graduate	335	54,165	266	76.4	70.1-82.7	69	23.6	17.3-29.9
\$35,000- 49,999	127	15,884	92	73.1	63.9-82.3	35	26.9	17.7-36.1
\$50,000- 74,999	127	23,229	102	81.2	71.2-91.2	25	18.8	08.8-28.8
\$75,000+	236	44,480	187	77.1	70.2-84.0	49	22.9	16.0-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER**

**TABLE 6: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1580	146,249	1160	73.5	70.8-76.2	420	26.5	23.8-29.2
White/Non-Hisp	1340	125,646	986	74.0	71.1-76.9	354	26.0	23.1-28.9
Black or Afr. Am./Non-Hisp	159	13,310	114	71.1	62.3-79.9	45	28.9	20.1-37.7
50-54	272	29,522	150	53.0	45.6-60.4	122	47.0	39.6-54.4
55-64	546	50,128	422	80.5	76.4-84.6	124	19.5	15.4-23.6
65+	762	66,599	588	77.2	73.5-80.9	174	22.8	19.1-26.5
Less Than H.S.	139	10,149	88	62.5	52.5-72.5	51	37.5	27.5-47.5
H.S. or G.E.D.	577	51,075	427	75.2	70.9-79.5	150	24.8	20.5-29.1
Some Post-H.S.	399	36,722	305	75.9	70.4-81.4	94	24.1	18.6-29.6
College Graduate	464	48,240	340	72.2	67.1-77.3	124	27.8	22.7-32.9
Less than \$15,000	205	16,371	141	72.0	64.6-79.4	64	28.0	20.6-35.4
\$15,000- 24,999	214	15,101	155	72.1	64.7-79.5	59	27.9	20.5-35.3
\$25,000- 34,999	139	10,826	104	71.2	61.8-80.6	35	28.8	19.4-38.2
\$35,000- 49,999	218	18,934	158	75.9	68.8-83.0	60	24.1	17.0-31.2
\$50,000- 74,999	225	23,727	167	75.0	67.7-82.3	58	25.0	17.7-32.3
\$75,000+	236	27,867	175	68.7	61.3-76.1	61	31.3	23.9-38.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008

SECTION 21: HIV/AIDS CONTENTS

\* NOTE \*  
\*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)	
1	MALES AND FEMALES	132
2	MALES ONLY	133
3	FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

**SECTION 21: HIV/AIDS**

**TABLE 1: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2727	532,053	1209	46.0	43.3-48.7	1518	54.0	51.3-56.7
Male	987	261,663	433	41.1	36.8-45.4	554	58.9	54.6-63.2
Female	1740	270,389	776	50.8	47.3-54.3	964	49.2	45.7-52.7
White/Non-Hisp	2104	397,227	838	40.2	37.1-43.3	1266	59.8	56.7-62.9
Black or Afr. Am./Non-Hisp	391	77,207	251	70.2	63.7-76.7	140	29.8	23.3-36.3
18-24	149	83,614	64	35.6	25.6-45.6			
25-34	380	111,975	264	68.0	61.9-74.1	116	32.0	25.9-38.1
35-44	589	123,253	365	60.7	55.8-65.6	224	39.3	34.4-44.2
45-54	778	119,952	302	35.0	30.7-39.3	476	65.0	60.7-69.3
55-64	831	93,259	214	23.7	19.8-27.6	617	76.3	72.4-80.2
H.S. or G.E.D.	814	150,514	334	42.9	37.8-48.0	480	57.1	52.0-62.2
Some Post-H.S.	723	146,458	335	46.2	40.5-51.9	388	53.8	48.1-59.5
College Graduate	1068	211,882	477	47.7	43.6-51.8	591	52.3	48.2-56.4
\$35,000- 49,999	371	59,085	157	45.9	38.8-53.0	214	54.1	47.0-61.2
\$50,000- 74,999	533	98,763	217	37.7	31.8-43.6	316	62.3	56.4-68.2
\$75,000+	869	202,368	385	47.2	42.7-51.7	484	52.8	48.3-57.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 2: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST2)**

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	987	261,663	433	41.1	36.8-45.4	554	58.9	54.6-63.2
White/Non-Hisp	792	204,897	321	37.9	33.2-42.6	471	62.1	57.4-66.8
35-44	232	60,286	140	56.8	49.2-64.4	92	43.2	35.6-50.8
45-54	265	59,195	106	32.8	26.3-39.3	159	67.2	60.7-73.7
55-64	300	44,711	95	25.7	19.2-32.2	205	74.3	67.8-80.8
H.S. or G.E.D.	293	73,520	127	37.7	30.1-45.3	166	62.3	54.7-69.9
Some Post-H.S.	260	75,947	122	42.7	33.7-51.7	138	57.3	48.3-66.3
College Graduate	395	101,221	164	41.2	34.5-47.9	231	58.8	52.1-65.5
\$50,000- 74,999	189	49,148	76	32.5	23.5-41.5	113	67.5	58.5-76.5
\$75,000+	391	113,405	166	42.6	35.7-49.5	225	57.4	50.5-64.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 3: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST2)**

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1740	270,389	776	50.8	47.3-54.3	964	49.2	45.7-52.7
White/Non-Hisp	1312	192,330	517	42.5	38.6-46.4	795	57.5	53.6-61.4
Black or Afr. Am./Non-Hisp	285	50,611	183	77.0	70.9-83.1	102	23.0	16.9-29.1
25-34	247	56,829	188	78.7	72.8-84.6	59	21.3	15.4-27.2
35-44	357	62,966	225	64.4	58.3-70.5	132	35.6	29.5-41.7
45-54	513	60,757	196	37.1	31.8-42.4	317	62.9	57.6-68.2
55-64	531	48,548	119	21.9	17.2-26.6	412	78.1	73.4-82.8
H.S. or G.E.D.	521	76,994	207	47.8	40.9-54.7	314	52.2	45.3-59.1
Some Post-H.S.	463	70,511	213	50.0	43.3-56.7	250	50.0	43.3-56.7
College Graduate	673	110,661	313	53.7	48.6-58.8	360	46.3	41.2-51.4
\$35,000- 49,999	245	29,810	97	47.1	38.9-55.3	148	52.9	44.7-61.1
\$50,000- 74,999	344	49,615	141	42.8	35.2-50.4	203	57.2	49.6-64.8
\$75,000+	478	88,962	219	53.1	47.2-59.0	259	46.9	41.0-52.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2008**

End of Calculated Variable Data Report