Behavioral Risk Factor Surveillance System

DELAWARE

New Castle County

2008 County Data Report





GENHLTH: Would you say that in general your health is:

| RESPONDE | NT NUMBER | | Exce | llent | | Very 9 | good | | God | od | | Fa | ir | | Po | or |
|----------|-----------|-----|------|------------|-----|--------|------------|-----|------|------------|-----|-----|------------|----|-----|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1359 | 402,047 | 289 | 22.5 | 19.6-25.4 | 510 | 38.6 | 35.3-41.9 | 382 | 27.8 | 24.5-31.1 | 119 | 7.6 | 5.80-9.40 | 59 | 3.6 | 2.40-4.80 |

_RFHLTH: Adults with good or better health

| RESPONDE | Goo | d or Be | tter Health | Fair or Poor Health | | | | |
|----------|----------|---------|-------------|---------------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1359 | 402.047 | 1181 | 88.8 | 86.8-90.8 | 178 | 11.2 | 9.20-13.2 | |

HLTHPLAN: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

| RESPONDE | | Ye | s | No | | | |
|----------|----------|------|------|------------|----|-----|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1362 | 401,744 | 1307 | 95.2 | 93.2-97.2 | 55 | 4.8 | 2.80-6.80 |

_HCVU65: Respondents aged 18-64 that have any form of health care coverage

| RESPONDE | | Ye | s | No | | | |
|----------|----------|-----|------|------------|----|-----|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1017 | 334,442 | 963 | 94.4 | 92.0-96.8 | 54 | 5.6 | 3.20-8.00 |

_TOTINDA: Adults that report doing physical activity or exercise during the past 30 days other than their regular job

| RESPONDE | | Ye | s | No | | | |
|----------|----------|------|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1360 | 401.989 | 1056 | 78.5 | 75.6-81.4 | 304 | 21.5 | 18.6-24.4 |

DIABETE2: Have you ever been told by a doctor that you have diabetes

| | | | | | Yes, k | out fem | ale told only | | | | No | , pre-di | abetes or | |
|-------------------|----------|-----|-----|------------|------------------|---------|---------------|------|------|------------|----------------------|----------|------------|--|
| RESPONDENT NUMBER | | | Ye | es . | during pregnancy | | | No | | | boarderline diabetes | | | |
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1362 | 402,666 | 111 | 6.9 | 5.30-8.50 | 7 | 0.6 | 0.20-1.00 | 1227 | 91.5 | 89.7-93.3 | 17 | 1.1 | 0.50-1.70 | |

_EXTETH2: Adults aged 18+ that have had permanent teeth extracted

| RESPONDE | | No | o | Yes | | | |
|----------|----------|-----|----------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1358 | 402,011 | 732 | 63.3 | 60.2-66.4 | 626 | 36.7 | 33.6-39.8 |

NOTE

_ALTETH2: Adults aged 65+ who have had all their natural teeth extracted

| RESPONDE | | No |) | Yes | | | |
|----------|----------|-----|------|------------|----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 325 | 63,318 | 275 | 87.2 | 83.5-90.9 | 50 | 12.8 | 9.10-16.5 |

_DENVST1: Adults that have visited a dentist, dental hygenist or dental clinic within the past year

| RESPONDE | | Ye | s | No | | | |
|----------|----------|------|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1359 | 401.776 | 1108 | 79.8 | 76.9-82.7 | 251 | 20.2 | 17.3-23.1 |

CVDINFR4: (Ever told) you had a heart attack, also called a myocardial infarction?

| RESPONDE | | Ye | s | No | | | |
|----------|----------|----|-----|------------|------|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1361 | 402,216 | 68 | 3.6 | 2.60-4.60 | 1293 | 96.4 | 95.4-97.4 |

CVDCRHD4: (Ever told) you had angina or coronary heart disease?

| RESPONDE | | Ye | s | No | | | |
|----------|----------|----|-----|------------|------|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1357 | 401,290 | 73 | 3.9 | 2.90-4.90 | 1284 | 96.1 | 95.1-97.1 |

CVDSTRK3: (Ever told) you had a stroke.

| RESPONDE | | Ye | es . | No | | | |
|----------|----------|----|------|------------|------|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1362 | 402,540 | 44 | 2.4 | 1.60-3.20 | 1318 | 97.6 | 96.8-98.4 |

_LTASTHM: Adults who have ever been told they have asthma

| RESPONDE | NT NUMBER | | N | 0 | Yes | | |
|----------|-----------|------|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1359 | 402,203 | 1183 | 86.1 | 83.4-88.8 | 176 | 13.9 | 11.2-16.6 |

_CASTHMA: Adults who have been told they currently have asthma

| RESPONDE | ENT NUMBER | | N | 0 | Yes | | |
|----------|------------|------|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1354 | 401.417 | 1225 | 89.9 | 87.5-92.3 | 129 | 10.1 | 7.70-12.5 |

QLACTLM2: Are you limited in any way in any activities because of physical, mental, or emotional problems?

| RESPONDE | IDENT NUMBER | | Ye | s | | No | 0 |
|----------|--------------|-----|------|------------|------|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1359 | 402,096 | 300 | 19.2 | 16.5-21.9 | 1059 | 80.8 | 78.1-83.5 |

USEEQUIP: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?

| RESPONDE | NT NUMBER | | Υe | s | | No | 0 |
|----------|-----------|-----|-----|------------|------|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1362 | 402,673 | 125 | 6.8 | 5.20-8.40 | 1237 | 93.2 | 91.6-94.8 |

RFSMOK3: Adults who are current smokers

| RESPONDE | NT NUMBER | | No |) | Yes | | |
|----------|-----------|------|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1359 | 401,397 | 1152 | 84.5 | 82.0-87.0 | 207 | 15.5 | 13.0-18.0 |

_SMOKER3: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

| RESPONDE | NT NUMBER | s | moke e | veryday | Sm | oke sc | me days | F | ormer | smoker | ı | Never s | moked |
|----------|-----------|-----|--------|------------|----|--------|------------|-----|-------|------------|-----|---------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1359 | 401.397 | 151 | 11.3 | 8.90-13.7 | 56 | 4.1 | 2.70-5.50 | 427 | 28.4 | 25.5-31.3 | 725 | 56.1 | 52.8-59.4 |

_BMI4CAT: Three-categories of Body Mass Index (BMI)

| RESPONDENT NUMBER Not Overweight | | rweight | Overweight | | | Obese | | | | |
|----------------------------------|----------|---------|------------|------------|-----|-------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1293 | 386,959 | 508 | 38.9 | 35.4-42.4 | 441 | 34.8 | 31.5-38.1 | 344 | 26.3 | 23.2-29.4 |

DRNKANY4: During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

| RESPONDE | NT NUMBER | | Yes | | | No |) |
|----------|-----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1356 | 401,443 | 789 | 61.4 | 58.1-64.7 | 567 | 38.6 | 35.3-41.9 |

_RFBING4: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

| RESPONDE | RESPONDENT NUMBER | | | 0 | Yes | | s |
|----------|-------------------|------|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1347 | 399 089 | 1155 | 80.2 | 76 9-83 5 | 192 | 19.8 | 16 5-23 1 |

NOTE

Estimates are not presented when the unweighted sample size for the denominator is less than fifty or the confidence interval half width is greater than ten.

_RFDRHV3: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

| RESPONDENT NUMBER | | | N | 0 | Yes | | |
|-------------------|----------|------|------|------------|-----|-----|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1340 | 397,029 | 1266 | 93.5 | 91.5-95.5 | 74 | 6.5 | 4.50-8.50 |

_FLSHOT3: Adults aged 65+ who have had a flu shot within the past year

| RESPONDENT NUMBER | | | Ye | s | | No | | |
|-------------------|----------|-----|------|------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 324 | 63,093 | 219 | 67.7 | 62.0-73.4 | 105 | 32.3 | 26.6-38.0 | |

_PNEUMO2: Adults aged 65+ who have ever had a pneumonia vaccination

| RESPONDENT NUMBER | | | Ye | s | No | | |
|-------------------|----------|-----|------|------------|----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 316 | 60,932 | 227 | 70.2 | 64.5-75.9 | 89 | 29.8 | 24.1-35.5 |

_RFMAM2Y: Women respondents aged 40+ that have had a mammogram in the past two years

| RESPONDE | | Ye | s | No | | | | |
|----------|----------|-----|------|------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 672 | 131,532 | 563 | 84.0 | 80.9-87.1 | 109 | 16.0 | 12.9-19.1 | |

_MAM502Y: Women respondents aged 50+ that have had a mammogram in the past two years

| RESPONDE | | Ye | s | No | | | | |
|----------|----------------|-----|----------------|-----------|----|------|------------|--|
| TOTAL | TOTAL WEIGHTED | | N % C.I. (95%) | | | % | C.I. (95%) | |
| 488 | 86,021 | 419 | 86.7 | 83.4-90.0 | 69 | 13.3 | 10.0-16.6 | |

_RFPAP32: Women respondents aged 18+ that have had a pap test in the past three years

| RESPONDE | NT NUMBER | | Ye | ·s | No | | | |
|----------|-------------|-----|-------------------------|-----------|-----|------|------------|--|
| TOTAL | AL WEIGHTED | | /EIGHTED N % C.I. (95%) | | | | C.I. (95%) | |
| 840 | 203,961 | 700 | 85.6 | 82.5-88.7 | 140 | 14.4 | 11.3-17.5 | |

_RFPSA2Y: Male respondents aged 40+ that have had a PSA test in the past 2 years

| RESPONDE | | Ye | s | No | | | | |
|----------|---------------|-----|------|------------|-----|------|------------|--|
| TOTAL | OTAL WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | |
| 357 | 113.735 | 198 | 53.3 | 47.4-59.2 | 159 | 46.7 | 40.8-52.6 | |

NOTE

_RFBLDS2: Respondents aged 50+ that have had a blood stool test within the past two years

| RESPONDE | | Ye | s | No | | | | |
|----------|----------|-----|------|------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 733 | 160,166 | 109 | 14.7 | 11.8-17.6 | 624 | 85.3 | 82.4-88.2 | |

_RFSIGM2: Respondents aged 50 or older that have had a sigmoidoscopy or colonoscopy

| RESPONDE | | Ye | s | No | | | | |
|----------|-------------|-----|------|------------|-----|------|------------|--|
| TOTAL | AL WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | |
| 744 | 162,103 | 546 | 75.3 | 71.8-78.8 | 198 | 24.7 | 21.2-28.2 | |

NOTE

Estimates are not presented when the unweighted sample size for the denominator is less than fifty or the confidence interval half width is greater than ten.

Behavioral Risk Factor Surveillance System

DELAWARE

Kent County

2008 County Data Report





GENHLTH: Would you say that in general your health is:

| RESPONDE | NT NUMBER | | Excellent Very good | | Good | | Fair | | Poor | | | | | | | |
|----------|-----------|-----|---------------------|------------|------|------|------------|-----|------|------------|-----|------|------------|----|-----|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1401 | 115,081 | 187 | 14.1 | 11.7-16.5 | 482 | 36.9 | 33.6-40.2 | 459 | 32.6 | 29.3-35.9 | 189 | 11.8 | 9.60-14.0 | 84 | 4.7 | 3.50-5.90 |

_RFHLTH: Adults with good or better health

| RESPONDE | Goo | d or Be | tter Health | Fair or Poor Health | | | | |
|----------|----------|---------|-------------|---------------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1401 | 115,081 | 1128 | 83.5 | 81.1-85.9 | 273 | 16.5 | 14.1-18.9 | |

| RESPONDE | | Ye | s | No | | | |
|----------|----------|------|------|------------|----|-----|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1398 | 114,594 | 1317 | 92.6 | 90.4-94.8 | 81 | 7.4 | 5.20-9.60 |

_HCVU65: Respondents aged 18-64 that have any form of health care coverage

| RESPONDE | | Ye | s | No | | | | |
|----------|------------|-----|------|------------|----|-----|------------|--|
| TOTAL | L WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | |
| 990 | 94,206 | 912 | 91.1 | 88.6-93.6 | 78 | 8.9 | 6.40-11.4 | |

_TOTINDA: Adults that report doing physical activity or exercise during the past 30 days other than their regular job

| RESPONDE | NT NUMBER | | Ye | s | No | | | | |
|----------|---------------|-----|------|------------|-----|------|------------|--|--|
| TOTAL | OTAL WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | | |
| 1401 | 115.081 | 953 | 70.2 | 67.3-73.1 | 448 | 29.8 | 26.9-32.7 | | |

DIABETE2: Have you ever been told by a doctor that you have diabetes

| | | Yes, but female told only | | | | | | | | | No, pre-diabetes or | | | |
|----------|-----------|---------------------------|------------|------------|----|---------|----------------|------|------|------------|----------------------|-----|------------|--|
| RESPONDE | NT NUMBER | | Yes during | | | ring pr | g pregnancy No | | | 0 | boarderline diabetes | | | |
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1400 | 115,051 | 195 | 11.5 | 9.50-13.5 | 11 | 0.7 | 0.30-1.10 | 1177 | 86.5 | 84.1-88.9 | 17 | 1.3 | 0.30-2.30 | |

_EXTETH2: Adults aged 18+ that have had permanent teeth extracted

| RESPONDE | NT NUMBER | | No |) | Yes | | | |
|----------|-----------|-----|------|------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1384 | 113,962 | 597 | 53.6 | 50.3-56.9 | 787 | 46.4 | 43.1-49.7 | |

NOTE

_ALTETH2: Adults aged 65+ who have had all their natural teeth extracted

| RESPONDE | NT NUMBER | | No |) | Yes | | | |
|----------|-----------|-----|------|------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 389 | 19,209 | 290 | 75.5 | 70.8-80.2 | 99 | 24.5 | 19.8-29.2 | |

_DENVST1: Adults that have visited a dentist, dental hygenist or dental clinic within the past year

| RESPONDE | NT NUMBER | | Ye | s | No | | | |
|----------|-----------|-----|------|------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1395 | 114.246 | 991 | 70.5 | 67.4-73.6 | 404 | 29.5 | 26.4-32.6 | |

CVDINFR4: (Ever told) you had a heart attack, also called a myocardial infarction?

| RESPONDE | NT NUMBER | | Ye | s | No | | | |
|----------|-----------|----|-----|------------|------|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1399 | 114,694 | 82 | 4.9 | 3.50-6.30 | 1317 | 95.1 | 93.7-96.5 | |

CVDCRHD4: (Ever told) you had angina or coronary heart disease?

| RESPONDE | NT NUMBER | | Ye | s | No | | | |
|----------|-----------|-----|-----|----------------|------|------|------------|--|
| TOTAL | WEIGHTED | N | % | % C.I. (95%) N | N | % | C.I. (95%) | |
| 1394 | 114,521 | 110 | 6.3 | 4.70-7.90 | 1284 | 93.7 | 92.1-95.3 | |

CVDSTRK3: (Ever told) you had a stroke.

| RESPONDE | NT NUMBER | | Ye | s | No | | | |
|----------|-----------|----|-----|------------|------|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1398 | 114,652 | 65 | 2.9 | 2.10-3.70 | 1333 | 97.1 | 96.3-97.9 | |

_LTASTHM: Adults who have ever been told they have asthma

| RESPONDE | NT NUMBER | | No | o | Yes | | | |
|----------|-----------|------|------|------------|-----|------|--------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | % C.I. (95%) | |
| 1397 | 114,622 | 1212 | 86.3 | 83.9-88.7 | 185 | 13.7 | 11.3-16.1 | |

_CASTHMA: Adults who have been told they currently have asthma $\,$

| RESPONDE | NT NUMBER | | No | o | Yes | | | |
|----------|-----------|------|------|------------|-----|-----|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1389 | 114,068 | 1254 | 90.5 | 88.5-92.5 | 135 | 9.5 | 7.50-11.5 | |

NOTE

QLACTLM2: Are you limited in any way in any activities because of physical, mental, or emotional problems?

| RESPONDE | NT NUMBER | | Ye | s | No | | | |
|----------|-----------|-----|------|------------|------|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1400 | 115,020 | 377 | 22.5 | 19.8-25.2 | 1023 | 77.5 | 74.8-80.2 | |

USEEQUIP: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?

| RESPONDE | NT NUMBER | | Υe | s | No | | | |
|----------|-----------|-----|-----|------------|------|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1401 | 115,081 | 148 | 7.5 | 5.90-9.10 | 1253 | 92.5 | 90.9-94.1 | |

_RFSMOK3: Adults who are current smokers

| RESPONDE | NT NUMBER | | No | 0 | Yes | | | |
|----------|-----------|------|------|------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1394 | 114.607 | 1131 | 79.0 | 76.1-81.9 | 263 | 21.0 | 18.1-23.9 | |

_SMOKER3: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

| RESPONDE | NT NUMBER | S | moke e | veryday | Sm | noke so | me days | F | ormer | smoker | 1 | Never s | moked |
|----------|-----------|-----|--------|------------|----|---------|------------|-----|-------|------------|-----|---------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1394 | 114.607 | 212 | 16.8 | 14.1-19.5 | 51 | 4.3 | 2.70-5.90 | 429 | 26.8 | 23.9-29.7 | 702 | 52.2 | 48.7-55.7 |

_BMI4CAT: Three-categories of Body Mass Index (BMI)

| RESPONDE | NT NUMBER | N | lot Ove | t Overweight Ove | | Overw | Overweight | | Obese | |
|----------|-----------|-----|---------|------------------|-----|-------|------------|-----|-------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1338 | 109.936 | 404 | 31.2 | 27 9-34 5 | 505 | 37.6 | 34 3-40 9 | 429 | 31.2 | 28 1-34 3 |

DRNKANY4: During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

| RESPONDENT NUMBER | | Yes | | | No | | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1396 | 114,695 | 632 | 49.9 | 46.4-53.4 | 764 | 50.1 | 46.6-53.6 |

_RFBING4: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

| RESPONDENT NUMBER | | No | | | Yes | | |
|-------------------|----------|------|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1383 | 113,493 | 1253 | 85.6 | 82 7-88 5 | 130 | 14.4 | 11 5-17 3 |

NOTE

_RFDRHV3: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

| RESPONDENT NUMBER | | No | | | Yes | | |
|-------------------|----------|------|------|------------|-----|-----|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1381 | 113,183 | 1329 | 96.0 | 94.6-97.4 | 52 | 4.0 | 2.60-5.40 |

_FLSHOT3: Adults aged 65+ who have had a flu shot within the past year

| RESPONDENT NUMBER | | Yes | | | No | | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 396 | 19,479 | 269 | 68.6 | 63.5-73.7 | 127 | 31.4 | 26.3-36.5 |

_PNEUMO2: Adults aged 65+ who have ever had a pneumonia vaccination

| RESPONDENT NUMBER | | Yes | | | No | | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 387 | 19,120 | 267 | 68.9 | 63.6-74.2 | 120 | 31.1 | 25.8-36.4 |

_RFMAM2Y: Women respondents aged 40+ that have had a mammogram in the past two years

| RESPONDENT NUMBER | | | Ye | S | No | | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 708 | 36,003 | 582 | 80.4 | 76.9-83.9 | 126 | 19.6 | 16.1-23.1 |

_MAM502Y: Women respondents aged 50+ that have had a mammogram in the past two years

| RESPONDENT NUMBER | | | Ye | s | No | | |
|-------------------|----------|-----|------|------------|----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 554 | 24.917 | 457 | 81.9 | 78.2-85.6 | 97 | 18.1 | 14.4-21.8 |

_RFPAP32: Women respondents aged 18+ that have had a pap test in the past three years

| | | | _ | _ | | | | |
|----------|-----------|-----|------|------------|-----|------|------------|--|
| RESPONDE | NT NUMBER | | Ye | s | No | | No | |
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 877 | 58,018 | 698 | 82.3 | 78.8-85.8 | 179 | 17.7 | 14.2-21.2 | |

_RFPSA2Y: Male respondents aged 40+ that have had a PSA test in the past 2 years

| RESPONDENT NUMBER | | Yes | | | No | | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 346 | 29,561 | 224 | 60.5 | 54.2-66.8 | 122 | 39.5 | 33.2-45.8 |

NOTE

_RFBLDS2: Respondents aged 50+ that have had a blood stool test within the past two years

| RESPONDENT NUMBER | | Yes | | | No | | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 824 | 45,734 | 191 | 22.1 | 19.0-25.2 | 633 | 77.9 | 74.8-81.0 |

_RFSIGM2: Respondents aged 50 or older that have had a sigmoidoscopy or colonoscopy

| RESPONDENT NUMBER | | Yes | | | No | | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 831 | 46 061 | 617 | 72.9 | 69 2-76 6 | 214 | 27 1 | 23 4-30 8 |

NOTE

Estimates are not presented when the unweighted sample size for the denominator is less than fifty or the confidence interval half width is greater than ten.

Behavioral Risk Factor Surveillance System

DELAWARE

Sussex County

2008 County Data Report





GENHLTH: Would you say that in general your health is:

| RESPONDE | NT NUMBER | | Exce | llent | | Very g | good | | God | od | | Fa | ir | | Po | or |
|----------|-----------|-----|------|------------|-----|--------|------------|-----|------|------------|-----|------|------------|----|-----|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1260 | 146,355 | 225 | 18.7 | 16.0-21.4 | 391 | 32.7 | 29.2-36.2 | 418 | 32.6 | 29.3-35.9 | 168 | 12.6 | 10.2-15.0 | 58 | 3.4 | 2.40-4.40 |

_RFHLTH: Adults with good or better health

| RESPONDE | Goo | d or Be | tter Health | Fair or Poor Health | | | |
|----------|----------|---------|-------------|---------------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1260 | 146,355 | 1034 | 84.0 | 81.5-86.5 | 226 | 16.0 | 13.5-18.5 |

| RESPONDE | | Ye | s | No | | | |
|----------|----------|------|------|------------|----|-----|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1262 | 146,479 | 1163 | 90.6 | 88.2-93.0 | 99 | 9.4 | 7.00-11.8 |

_HCVU65: Respondents aged 18-64 that have any form of health care coverage

| RESPONDE | | Ye | s | No | | | |
|----------|----------|-----|------|------------|----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 785 | 108,934 | 692 | 87.8 | 84.7-90.9 | 93 | 12.2 | 9.10-15.3 |

_TOTINDA: Adults that report doing physical activity or exercise during the past 30 days other than their regular job

| RESPONDE | RESPONDENT NUMBER | | | s | No | | | |
|----------|-------------------|-----|------|------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1261 | 146,302 | 900 | 73.3 | 70.2-76.4 | 361 | 26.7 | 23.6-29.8 | |

DIABETE2: Have you ever been told by a doctor that you have diabetes

| | | Yes, but female told only | | | | | | | | | No, pre-diabetes or | | |
|-------------------|----------|---------------------------|------|------------|------------------|-----|------------|------|------|------------|----------------------|-----|------------|
| RESPONDENT NUMBER | | | Ye | s | during pregnancy | | | No | | | boarderline diabetes | | |
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1261 | 145,986 | 164 | 10.2 | 8.20-12.2 | 8 | 0.5 | 0.10-0.90 | 1074 | 88.4 | 86.4-90.4 | 15 | 0.8 | 0.40-1.20 |

_EXTETH2: Adults aged 18+ that have had permanent teeth extracted

| RESPONDE | | No | 0 | Yes | | | |
|----------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1235 | 144,544 | 510 | 50.2 | 46.5-53.9 | 725 | 49.8 | 46.1-53.5 |

NOTE:

Estimates are not presented when the unweighted sample size for the denominator is less than fifty or the confidence interval half width is greater than ten.

_ALTETH2: Adults aged 65+ who have had all their natural teeth extracted

| RESPONDE | | No | o | Yes | | | |
|----------|----------|-----|----------|------------|----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 449 | 35,570 | 363 | 82.3 | 78.4-86.2 | 86 | 17.7 | 13.8-21.6 |

_DENVST1: Adults that have visited a dentist, dental hygenist or dental clinic within the past year

| RESPONDE | | Ye | s | No | | | |
|----------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1257 | 145,673 | 932 | 74.2 | 71.1-77.3 | 325 | 25.8 | 22.7-28.9 |

CVDINFR4: (Ever told) you had a heart attack, also called a myocardial infarction?

| RESPONDE | | Ye | s | No | | | |
|----------|----------|-----|-----|------------|------|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1260 | 146,364 | 111 | 6.3 | 4.90-7.70 | 1149 | 93.7 | 92.3-95.1 |

CVDCRHD4: (Ever told) you had angina or coronary heart disease?

| RESPONDE | | Ye | s | No | | | |
|----------|----------|----|-----|------------|------|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1247 | 145,364 | 99 | 5.7 | 4.50-6.90 | 1148 | 94.3 | 93.1-95.5 |

CVDSTRK3: (Ever told) you had a stroke.

| RESPONDE | | Υe | es | No | | | |
|----------|----------|----|-----|------------|------|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1261 | 146,404 | 56 | 4.1 | 2.70-5.50 | 1205 | 95.9 | 94.5-97.3 |

_LTASTHM: Adults who have ever been told they have asthma

| RESPONDE | NT NUMBER | | No | 0 | Yes | | |
|----------|-----------|------|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1258 | 146,192 | 1102 | 87.2 | 84.8-89.6 | 156 | 12.8 | 10.4-15.2 |

_CASTHMA: Adults who have been told they currently have asthma

| RESPONDE | ENT NUMBER | | No Ye | | es | | |
|----------|------------|------|-------|------------|-----|-----|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1252 | 145.210 | 1142 | 91.3 | 89.3-93.3 | 110 | 8.7 | 6.70-10.7 |

QLACTLM2: Are you limited in any way in any activities because of physical, mental, or emotional problems?

| RESPONDE | NT NUMBER | | Ye | s | No | | |
|----------|-----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1259 | 146,242 | 336 | 22.1 | 19.4-24.8 | 923 | 77.9 | 75.2-80.6 |

USEEQUIP: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?

| RESPONDE | NT NUMBER | NUMBER Yes | | | | No | | |
|----------|-----------|------------|-----|------------|------|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1261 | 146,328 | 156 | 9.7 | 7.70-11.7 | 1105 | 90.3 | 88.3-92.3 | |

_RFSMOK3: Adults who are current smokers

| RESPONDE | RESPONDENT NUMBER | | No | ס | | Yes | | |
|----------|-------------------|------|------|------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1258 | 146,205 | 1036 | 78.8 | 75.7-81.9 | 222 | 21.2 | 18.1-24.3 | |

_SMOKER3: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

| RESPONDE | NT NUMBER | S | moke e | veryday | Sm | noke so | me days | F | ormer | smoker | ı | Never s | moked |
|----------|-----------|-----|--------|------------|----|---------|------------|-----|-------|------------|-----|---------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1258 | 146.205 | 168 | 16.4 | 13.5-19.3 | 54 | 4.7 | 2.90-6.50 | 467 | 31.2 | 28.1-34.3 | 569 | 47.6 | 43.9-51.3 |

_BMI4CAT: Three-categories of Body Mass Index (BMI)

| RESPONDENT NUMBER Not | | lot Ove | rweight | Overweight | | | Obese | | | |
|-----------------------|----------|---------|---------|------------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1212 | 142,081 | 378 | 31.7 | 28.2-35.2 | 480 | 38.4 | 34.9-41.9 | 354 | 29.9 | 26.6-33.2 |

DRNKANY4: During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

| RESPONDENT NUMBER | | | Ye | s | | No | | |
|-------------------|----------|-----|------|------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 1261 | 146,386 | 643 | 51.6 | 48.1-55.1 | 618 | 48.4 | 44.9-51.9 | |

_RFBING4: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

| RESPONDE | NT NUMBER | | No | | | Ye | s |
|----------|-----------|------|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1251 | 145.148 | 1116 | 85 1 | 82 2-88 0 | 135 | 14.9 | 12 0-17 8 |

NOTE

_RFDRHV3: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

| RESPONDE | RESPONDENT NUMBER | | No | o | Yes | | |
|----------|-------------------|------|------|------------|-----|-----|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 1237 | 143,781 | 1173 | 94.9 | 93.1-96.7 | 64 | 5.1 | 3.30-6.90 |

_FLSHOT3: Adults aged 65+ who have had a flu shot within the past year

| RESPONDE | NT NUMBER | | Yes | | | No | | |
|----------|-----------|-----|------|------------|-----|------|------------|--|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| 467 | 36,843 | 342 | 73.2 | 68.7-77.7 | 125 | 26.8 | 22.3-31.3 | |

_PNEUMO2: Adults aged 65+ who have ever had a pneumonia vaccination

| RESPONDE | NT NUMBER | | Ye | s | No | | |
|----------|-----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 462 | 36,311 | 344 | 73.8 | 69.1-78.5 | 118 | 26.2 | 21.5-30.9 |

_RFMAM2Y: Women respondents aged 40+ that have had a mammogram in the past two years

| RESPONDENT NUMBER | | Yes | | | No | | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 656 | 51,387 | 525 | 81.2 | 77.9-84.5 | 131 | 18.8 | 15.5-22.1 |

_MAM502Y: Women respondents aged 50+ that have had a mammogram in the past two years

| RESPONDENT NUMBER | | Yes | | | No | | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 537 | 38,802 | 436 | 82.9 | 79.6-86.2 | 101 | 17.1 | 13.8-20.4 |

_RFPAP32: Women respondents aged 18+ that have had a pap test in the past three years

| | | | _ | _ | | | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| RESPONDENT NUMBER | | Yes | | | No | | |
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 761 | 73,207 | 625 | 83.8 | 80.5-87.1 | 136 | 16.2 | 12.9-19.5 |

_RFPSA2Y: Male respondents aged 40+ that have had a PSA test in the past 2 years

| RESPONDENT NUMBER | | | Yes | | | No | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 382 | 43.541 | 273 | 65.6 | 59.9-71.3 | 109 | 34.4 | 28.7-40.1 |

NOTE

_RFBLDS2: Respondents aged 50+ that have had a blood stool test within the past two years

| RESPONDENT NUMBER | | | Yes | | | No | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 844 | 69,371 | 212 | 26.7 | 23.0-30.4 | 632 | 73.3 | 69.6-77.0 |

_RFSIGM2: Respondents aged 50 or older that have had a sigmoidoscopy or colonoscopy

| RESPONDENT NUMBER | | Yes | | | No | | |
|-------------------|----------|-----|------|------------|-----|------|------------|
| TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| 858 | 70,357 | 641 | 73.8 | 70.5-77.1 | 217 | 26.2 | 22.9-29.5 |

NOTE

Estimates are not presented when the unweighted sample size for the denominator is less than fifty or the confidence interval half width is greater than ten.