

DELAWARE

2010 Calculated Variables Report

Behavioral Risk Factor Surveillance System

March 19, 2011



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH) | |
| 1 | MALES AND FEMALES | 3 |
| 2 | MALES ONLY | 4 |
| 3 | FEMALES ONLY | 5 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Good or Better Health | | | Fair or Poor Health | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4244 | 678,828 | 3480 | 86.3 | 84.9-87.7 | 764 | 13.7 | 12.3-15.1 |
| Male | 1525 | 323,267 | 1264 | 88.2 | 86.2-90.2 | 261 | 11.8 | 09.8-13.8 |
| Female | 2719 | 355,562 | 2216 | 84.6 | 82.8-86.4 | 503 | 15.4 | 13.6-17.2 |
| White/Non-Hisp | 3395 | 509,323 | 2813 | 87.1 | 85.7-88.5 | 582 | 12.9 | 11.5-14.3 |
| Black or Afr. Am./Non-Hisp | 540 | 92,364 | 431 | 85.6 | 81.9-89.3 | 109 | 14.4 | 10.7-18.1 |
| Oth. Race/Non-Hisp. | 107 | 28,146 | 86 | 87.3 | 80.8-93.8 | 21 | 12.7 | 06.2-19.2 |
| Hispanic | 113 | 33,716 | 87 | 81.9 | 72.5-91.3 | 26 | 18.1 | 08.7-27.5 |
| 18-24 | 130 | 84,358 | 119 | 90.6 | 84.7-96.5 | 11 | 9.4 | 03.5-15.3 |
| 25-34 | 325 | 110,709 | 304 | 94.0 | 91.1-96.9 | 21 | 6.0 | 03.1-08.9 |
| 35-44 | 555 | 119,550 | 487 | 89.0 | 85.9-92.1 | 68 | 11.0 | 07.9-14.1 |
| 45-54 | 776 | 129,178 | 647 | 87.1 | 84.6-89.6 | 129 | 12.9 | 10.4-15.4 |
| 55-64 | 966 | 102,425 | 800 | 83.9 | 81.0-86.8 | 166 | 16.1 | 13.2-19.0 |
| 65+ | 1441 | 128,170 | 1079 | 75.6 | 73.1-78.1 | 362 | 24.4 | 21.9-26.9 |
| Less Than H.S. | 278 | 41,219 | 158 | 72.1 | 64.7-79.5 | 120 | 27.9 | 20.5-35.3 |
| H.S. or G.E.D. | 1276 | 180,901 | 984 | 80.3 | 77.2-83.4 | 292 | 19.7 | 16.6-22.8 |
| Some Post-H.S. | 1104 | 193,477 | 896 | 86.4 | 83.9-88.9 | 208 | 13.6 | 11.1-16.1 |
| College Graduate | 1573 | 261,674 | 1433 | 92.7 | 91.1-94.3 | 140 | 7.3 | 05.7-08.9 |
| Less than \$15,000 | 451 | 56,118 | 314 | 73.7 | 68.0-79.4 | 137 | 26.3 | 20.6-32.0 |
| \$15,000- 24,999 | 422 | 49,798 | 229 | 63.7 | 56.8-70.6 | 193 | 36.3 | 29.4-43.2 |
| \$25,000- 34,999 | 361 | 51,380 | 285 | 80.2 | 74.1-86.3 | 76 | 19.8 | 13.7-25.9 |
| \$35,000- 49,999 | 563 | 81,218 | 484 | 87.9 | 84.8-91.0 | 79 | 12.1 | 09.0-15.2 |
| \$50,000- 74,999 | 624 | 97,246 | 545 | 87.9 | 84.4-91.4 | 79 | 12.1 | 08.6-15.6 |
| \$75,000+ | 1125 | 231,992 | 1050 | 94.9 | 93.3-96.5 | 75 | 5.1 | 03.5-06.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Good or Better Health | | | Fair or Poor Health | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1525 | 323,267 | 1264 | 88.2 | 86.2-90.2 | 261 | 11.8 | 09.8-13.8 |
| White/Non-Hisp | 1248 | 248,165 | 1041 | 88.3 | 86.1-90.5 | 207 | 11.7 | 09.5-13.9 |
| Black or Afr. Am./Non-Hisp | 160 | 36,234 | 129 | 89.0 | 83.9-94.1 | 31 | 11.0 | 05.9-16.1 |
| 25-34 | 100 | 54,439 | 97 | 97.1 | 93.6-100 | 3 | 2.9 | 00.0-06.4 |
| 35-44 | 194 | 58,432 | 173 | 89.2 | 84.3-94.1 | 21 | 10.8 | 05.9-15.7 |
| 45-54 | 301 | 62,322 | 256 | 88.0 | 83.9-92.1 | 45 | 12.0 | 07.9-16.1 |
| 55-64 | 357 | 49,117 | 301 | 84.8 | 80.3-89.3 | 56 | 15.2 | 10.7-19.7 |
| 65+ | 518 | 55,586 | 385 | 76.4 | 72.1-80.7 | 133 | 23.6 | 19.3-27.9 |
| Less Than H.S. | 119 | 23,138 | 63 | 76.1 | 66.5-85.7 | 56 | 23.9 | 14.3-33.5 |
| H.S. or G.E.D. | 458 | 81,676 | 361 | 82.5 | 77.6-87.4 | 97 | 17.5 | 12.6-22.4 |
| Some Post-H.S. | 355 | 91,487 | 295 | 89.4 | 86.1-92.7 | 60 | 10.6 | 07.3-13.9 |
| College Graduate | 589 | 126,186 | 541 | 93.2 | 90.8-95.6 | 48 | 6.8 | 04.4-09.2 |
| Less than \$15,000 | 143 | 25,739 | 99 | 78.0 | 69.6-86.4 | 44 | 22.0 | 13.6-30.4 |
| \$35,000- 49,999 | 211 | 39,506 | 176 | 85.8 | 80.3-91.3 | 35 | 14.2 | 08.7-19.7 |
| \$50,000- 74,999 | 240 | 46,692 | 205 | 88.0 | 82.9-93.1 | 35 | 12.0 | 06.9-17.1 |
| \$75,000+ | 489 | 121,338 | 459 | 95.0 | 92.5-97.5 | 30 | 5.0 | 02.5-07.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Good or Better Health | | | Fair or Poor Health | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2719 | 355,562 | 2216 | 84.6 | 82.8-86.4 | 503 | 15.4 | 13.6-17.2 |
| White/Non-Hisp | 2147 | 261,159 | 1772 | 86.0 | 84.0-88.0 | 375 | 14.0 | 12.0-16.0 |
| Black or Afr. Am./Non-Hisp | 380 | 56,130 | 302 | 83.4 | 78.5-88.3 | 78 | 16.6 | 11.7-21.5 |
| Oth. Race/Non-Hisp. | 61 | 14,533 | 48 | 85.5 | 76.1-94.9 | 13 | 14.5 | 05.1-23.9 |
| 18-24 | 82 | 42,019 | 73 | 85.8 | 76.4-95.2 | 9 | 14.2 | 04.8-23.6 |
| 25-34 | 225 | 56,270 | 207 | 91.1 | 86.4-95.8 | 18 | 8.9 | 04.2-13.6 |
| 35-44 | 361 | 61,118 | 314 | 88.9 | 85.2-92.6 | 47 | 11.1 | 07.4-14.8 |
| 45-54 | 475 | 66,856 | 391 | 86.3 | 83.0-89.6 | 84 | 13.7 | 10.4-17.0 |
| 55-64 | 609 | 53,308 | 499 | 83.1 | 79.6-86.6 | 110 | 16.9 | 13.4-20.4 |
| 65+ | 923 | 72,584 | 694 | 74.9 | 71.6-78.2 | 229 | 25.1 | 21.8-28.4 |
| H.S. or G.E.D. | 818 | 99,225 | 623 | 78.5 | 74.4-82.6 | 195 | 21.5 | 17.4-25.6 |
| Some Post-H.S. | 749 | 101,990 | 601 | 83.7 | 80.2-87.2 | 148 | 16.3 | 12.8-19.8 |
| College Graduate | 984 | 135,488 | 892 | 92.3 | 90.1-94.5 | 92 | 7.7 | 05.5-09.9 |
| Less than \$15,000 | 308 | 30,379 | 215 | 70.1 | 63.0-77.2 | 93 | 29.9 | 22.8-37.0 |
| \$15,000- 24,999 | 307 | 32,379 | 170 | 62.3 | 54.5-70.1 | 137 | 37.7 | 29.9-45.5 |
| \$25,000- 34,999 | 235 | 28,165 | 187 | 79.9 | 72.5-87.3 | 48 | 20.1 | 12.7-27.5 |
| \$35,000- 49,999 | 352 | 41,711 | 308 | 89.9 | 86.4-93.4 | 44 | 10.1 | 06.6-13.6 |
| \$50,000- 74,999 | 384 | 50,554 | 340 | 87.7 | 83.0-92.4 | 44 | 12.3 | 07.6-17.0 |
| \$75,000+ | 636 | 110,654 | 591 | 94.7 | 92.7-96.7 | 45 | 5.3 | 03.3-07.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65) | |
| 1 | MALES AND FEMALES | 7 |
| 2 | MALES ONLY | 8 |
| 3 | FEMALES ONLY | 9 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Have health care coverage | | | Do not have health care coverage | | |
|----------------------------|-------------------|----------|---------------------------|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2745 | 542,939 | 2494 | 88.0 | 85.8-90.2 | 251 | 12.0 | 09.8-14.2 |
| Male | 996 | 263,936 | 884 | 86.4 | 82.9-89.9 | 112 | 13.6 | 10.1-17.1 |
| Female | 1749 | 279,003 | 1610 | 89.5 | 87.1-91.9 | 139 | 10.5 | 08.1-12.9 |
| White/Non-Hisp | 2072 | 391,124 | 1903 | 91.3 | 89.5-93.1 | 169 | 8.7 | 06.9-10.5 |
| Black or Afr. Am./Non-Hisp | 435 | 82,353 | 392 | 83.0 | 75.4-90.6 | 43 | 17.0 | 09.4-24.6 |
| 18-24 | 127 | 81,965 | 104 | 75.4 | 65.4-85.4 | 23 | 24.6 | 14.6-34.6 |
| 25-34 | 325 | 110,709 | 292 | 87.2 | 82.1-92.3 | 33 | 12.8 | 07.7-17.9 |
| 35-44 | 553 | 119,013 | 506 | 89.9 | 86.8-93.0 | 47 | 10.1 | 07.0-13.2 |
| 45-54 | 775 | 128,917 | 704 | 91.7 | 89.5-93.9 | 71 | 8.3 | 06.1-10.5 |
| 55-64 | 965 | 102,335 | 888 | 92.2 | 89.8-94.6 | 77 | 7.8 | 05.4-10.2 |
| H.S. or G.E.D. | 741 | 135,791 | 648 | 87.5 | 84.4-90.6 | 93 | 12.5 | 09.4-15.6 |
| Some Post-H.S. | 742 | 158,704 | 676 | 85.5 | 80.2-90.8 | 66 | 14.5 | 09.2-19.8 |
| College Graduate | 1130 | 219,487 | 1067 | 93.0 | 90.6-95.4 | 63 | 7.0 | 04.6-09.4 |
| \$25,000- 34,999 | 203 | 38,395 | 173 | 80.8 | 72.4-89.2 | 30 | 19.2 | 10.8-27.6 |
| \$35,000- 49,999 | 357 | 60,677 | 332 | 90.7 | 85.4-96.0 | 25 | 9.3 | 04.0-14.6 |
| \$50,000- 74,999 | 469 | 82,919 | 436 | 89.5 | 84.6-94.4 | 33 | 10.5 | 05.6-15.4 |
| \$75,000+ | 941 | 210,176 | 918 | 97.2 | 95.8-98.6 | 23 | 2.8 | 01.4-04.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Have health care coverage | | | Do not have health care coverage | | |
|--------------------|-------------------|----------|---------------------------|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 996 | 263,936 | 884 | 86.4 | 82.9-89.9 | 112 | 13.6 | 10.1-17.1 |
| White/Non-Hisp | 782 | 196,615 | 703 | 90.6 | 88.1-93.1 | 79 | 9.4 | 06.9-11.9 |
| 25-34 | 100 | 54,439 | 86 | 83.9 | 74.9-92.9 | 14 | 16.1 | 07.1-25.1 |
| 35-44 | 193 | 58,221 | 170 | 87.5 | 82.2-92.8 | 23 | 12.5 | 07.2-17.8 |
| 45-54 | 300 | 62,120 | 264 | 90.0 | 86.3-93.7 | 36 | 10.0 | 06.3-13.7 |
| 55-64 | 357 | 49,050 | 326 | 91.7 | 88.0-95.4 | 31 | 8.3 | 04.6-12.0 |
| H.S. or G.E.D. | 295 | 66,042 | 254 | 87.8 | 83.5-92.1 | 41 | 12.2 | 07.9-16.5 |
| Some Post-H.S. | 241 | 76,826 | 211 | 80.8 | 71.6-90.0 | 30 | 19.2 | 10.0-28.4 |
| College Graduate | 401 | 103,769 | 373 | 92.4 | 88.9-95.9 | 28 | 7.6 | 04.1-11.1 |
| \$35,000- 49,999 | 128 | 28,425 | 121 | 94.2 | 88.9-99.5 | 7 | 5.8 | 00.5-11.1 |
| \$50,000- 74,999 | 168 | 39,040 | 152 | 86.8 | 78.0-95.6 | 16 | 13.2 | 04.4-22.0 |
| \$75,000+ | 384 | 106,713 | 371 | 97.0 | 95.0-99.0 | 13 | 3.0 | 01.0-05.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Have health care coverage | | | Do not have health care coverage | | |
|----------------------------|-------------------|----------|---------------------------|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1749 | 279,003 | 1610 | 89.5 | 87.1-91.9 | 139 | 10.5 | 08.1-12.9 |
| White/Non-Hisp | 1290 | 194,509 | 1200 | 92.0 | 89.6-94.4 | 90 | 8.0 | 05.6-10.4 |
| Black or Afr. Am./Non-Hisp | 311 | 50,271 | 281 | 87.0 | 81.1-92.9 | 30 | 13.0 | 07.1-18.9 |
| 25-34 | 225 | 56,270 | 206 | 90.4 | 85.5-95.3 | 19 | 9.6 | 04.7-14.5 |
| 35-44 | 360 | 60,792 | 336 | 92.1 | 88.6-95.6 | 24 | 7.9 | 04.4-11.4 |
| 45-54 | 475 | 66,797 | 440 | 93.2 | 90.8-95.6 | 35 | 6.8 | 04.4-09.2 |
| 55-64 | 608 | 53,285 | 562 | 92.7 | 90.0-95.4 | 46 | 7.3 | 04.6-10.0 |
| H.S. or G.E.D. | 446 | 69,749 | 394 | 87.2 | 82.7-91.7 | 52 | 12.8 | 08.3-17.3 |
| Some Post-H.S. | 501 | 81,877 | 465 | 90.0 | 84.9-95.1 | 36 | 10.0 | 04.9-15.1 |
| College Graduate | 729 | 115,718 | 694 | 93.6 | 90.7-96.5 | 35 | 6.4 | 03.5-09.3 |
| Less than \$15,000 | 142 | 18,442 | 113 | 81.3 | 72.7-89.9 | 29 | 18.7 | 10.1-27.3 |
| \$35,000- 49,999 | 229 | 32,252 | 211 | 87.6 | 78.8-96.4 | 18 | 12.4 | 03.6-21.2 |
| \$50,000- 74,999 | 301 | 43,879 | 284 | 92.0 | 87.5-96.5 | 17 | 8.0 | 03.5-12.5 |
| \$75,000+ | 557 | 103,463 | 547 | 97.4 | 95.4-99.4 | 10 | 2.6 | 00.6-04.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 5: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA) | |
| 1 | MALES AND FEMALES | 11 |
| 2 | MALES ONLY | 12 |
| 3 | FEMALES ONLY | 13 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 5: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4238 | 677,504 | 3084 | 76.1 | 74.3-77.9 | 1154 | 23.9 | 22.1-25.7 |
| Male | 1523 | 322,679 | 1155 | 81.0 | 78.5-83.5 | 368 | 19.0 | 16.5-21.5 |
| Female | 2715 | 354,825 | 1929 | 71.5 | 69.1-73.9 | 786 | 28.5 | 26.1-30.9 |
| White/Non-Hisp | 3389 | 507,998 | 2517 | 78.4 | 76.6-80.2 | 872 | 21.6 | 19.8-23.4 |
| Black or Afr. Am./Non-Hisp | 541 | 92,444 | 350 | 66.1 | 60.2-72.0 | 191 | 33.9 | 28.0-39.8 |
| Oth. Race/Non-Hisp. | 107 | 28,146 | 77 | 76.4 | 66.8-86.0 | 30 | 23.6 | 14.0-33.2 |
| 18-24 | 130 | 84,358 | 101 | 81.0 | 73.6-88.4 | 29 | 19.0 | 11.6-26.4 |
| 25-34 | 323 | 110,012 | 241 | 75.5 | 69.8-81.2 | 82 | 24.5 | 18.8-30.2 |
| 35-44 | 554 | 119,352 | 429 | 80.2 | 76.5-83.9 | 125 | 19.8 | 16.1-23.5 |
| 45-54 | 776 | 129,056 | 563 | 75.2 | 71.7-78.7 | 213 | 24.8 | 21.3-28.3 |
| 55-64 | 966 | 102,340 | 722 | 76.3 | 73.0-79.6 | 244 | 23.7 | 20.4-27.0 |
| 65+ | 1438 | 127,947 | 988 | 70.1 | 67.4-72.8 | 450 | 29.9 | 27.2-32.6 |
| Less Than H.S. | 278 | 41,219 | 144 | 56.9 | 47.1-66.7 | 134 | 43.1 | 33.3-52.9 |
| H.S. or G.E.D. | 1273 | 180,526 | 836 | 68.8 | 65.3-72.3 | 437 | 31.2 | 27.7-34.7 |
| Some Post-H.S. | 1102 | 192,659 | 781 | 75.2 | 71.5-78.9 | 321 | 24.8 | 21.1-28.5 |
| College Graduate | 1572 | 261,543 | 1313 | 84.7 | 82.3-87.1 | 259 | 15.3 | 12.9-17.7 |
| Less than \$15,000 | 449 | 55,742 | 270 | 64.1 | 57.0-71.2 | 179 | 35.9 | 28.8-43.0 |
| \$15,000- 24,999 | 422 | 49,798 | 223 | 53.5 | 45.7-61.3 | 199 | 46.5 | 38.7-54.3 |
| \$25,000- 34,999 | 361 | 51,380 | 245 | 68.6 | 61.7-75.5 | 116 | 31.4 | 24.5-38.3 |
| \$35,000- 49,999 | 563 | 81,218 | 393 | 70.2 | 64.9-75.5 | 170 | 29.8 | 24.5-35.1 |
| \$50,000- 74,999 | 623 | 96,781 | 487 | 78.3 | 74.0-82.6 | 136 | 21.7 | 17.4-26.0 |
| \$75,000+ | 1124 | 231,790 | 942 | 85.8 | 83.3-88.3 | 182 | 14.2 | 11.7-16.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1523 | 322,679 | 1155 | 81.0 | 78.5-83.5 | 368 | 19.0 | 16.5-21.5 |
| White/Non-Hisp | 1246 | 247,577 | 955 | 82.4 | 79.9-84.9 | 291 | 17.6 | 15.1-20.1 |
| Black or Afr. Am./Non-Hisp | 160 | 36,234 | 114 | 74.4 | 64.4-84.4 | 46 | 25.6 | 15.6-35.6 |
| 25-34 | 99 | 54,208 | 82 | 83.5 | 75.1-91.9 | 17 | 16.5 | 08.1-24.9 |
| 35-44 | 193 | 58,234 | 159 | 87.1 | 82.4-91.8 | 34 | 12.9 | 08.2-17.6 |
| 45-54 | 300 | 62,120 | 232 | 78.4 | 72.9-83.9 | 68 | 21.6 | 16.1-27.1 |
| 55-64 | 358 | 49,162 | 268 | 75.6 | 69.9-81.3 | 90 | 24.4 | 18.7-30.1 |
| 65+ | 518 | 55,586 | 368 | 74.2 | 69.9-78.5 | 150 | 25.8 | 21.5-30.1 |
| H.S. or G.E.D. | 457 | 81,478 | 317 | 74.0 | 68.7-79.3 | 140 | 26.0 | 20.7-31.3 |
| Some Post-H.S. | 353 | 91,054 | 262 | 81.4 | 76.1-86.7 | 91 | 18.6 | 13.3-23.9 |
| College Graduate | 590 | 126,230 | 506 | 88.5 | 85.2-91.8 | 84 | 11.5 | 08.2-14.8 |
| \$25,000- 34,999 | 126 | 23,216 | 86 | 78.0 | 69.0-87.0 | 40 | 22.0 | 13.0-31.0 |
| \$35,000- 49,999 | 211 | 39,506 | 146 | 71.4 | 63.2-79.6 | 65 | 28.6 | 20.4-36.8 |
| \$50,000- 74,999 | 240 | 46,692 | 187 | 79.0 | 71.7-86.3 | 53 | 21.0 | 13.7-28.3 |
| \$75,000+ | 488 | 121,136 | 421 | 90.1 | 87.2-93.0 | 67 | 9.9 | 07.0-12.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2715 | 354,825 | 1929 | 71.5 | 69.1-73.9 | 786 | 28.5 | 26.1-30.9 |
| White/Non-Hisp | 2143 | 260,421 | 1562 | 74.6 | 72.1-77.1 | 581 | 25.4 | 22.9-27.9 |
| Black or Afr. Am./Non-Hisp | 381 | 56,210 | 236 | 60.7 | 53.8-67.6 | 145 | 39.3 | 32.4-46.2 |
| 25-34 | 224 | 55,805 | 159 | 67.7 | 60.6-74.8 | 65 | 32.3 | 25.2-39.4 |
| 35-44 | 361 | 61,118 | 270 | 73.7 | 68.2-79.2 | 91 | 26.3 | 20.8-31.8 |
| 45-54 | 476 | 66,936 | 331 | 72.2 | 67.7-76.7 | 145 | 27.8 | 23.3-32.3 |
| 55-64 | 608 | 53,178 | 454 | 76.9 | 73.0-80.8 | 154 | 23.1 | 19.2-27.0 |
| 65+ | 920 | 72,361 | 620 | 66.9 | 63.4-70.4 | 300 | 33.1 | 29.6-36.6 |
| H.S. or G.E.D. | 816 | 99,048 | 519 | 64.5 | 60.0-69.0 | 297 | 35.5 | 31.0-40.0 |
| Some Post-H.S. | 749 | 101,606 | 519 | 69.7 | 64.8-74.6 | 230 | 30.3 | 25.4-35.2 |
| College Graduate | 982 | 135,313 | 807 | 81.2 | 77.9-84.5 | 175 | 18.8 | 15.5-22.1 |
| Less than \$15,000 | 307 | 30,234 | 185 | 63.1 | 55.8-70.4 | 122 | 36.9 | 29.6-44.2 |
| \$15,000- 24,999 | 307 | 32,379 | 156 | 47.9 | 39.3-56.5 | 151 | 52.1 | 43.5-60.7 |
| \$25,000- 34,999 | 235 | 28,165 | 159 | 60.8 | 51.8-69.8 | 76 | 39.2 | 30.2-48.2 |
| \$35,000- 49,999 | 352 | 41,711 | 247 | 69.0 | 62.1-75.9 | 105 | 31.0 | 24.1-37.9 |
| \$50,000- 74,999 | 383 | 50,089 | 300 | 77.6 | 72.5-82.7 | 83 | 22.4 | 17.3-27.5 |
| \$75,000+ | 636 | 110,654 | 521 | 81.2 | 77.3-85.1 | 115 | 18.8 | 14.9-22.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 7: ORAL HEALTH CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2) | |
| 1 MALES AND FEMALES | 15 |
| 2 MALES ONLY | 16 |
| 3 FEMALES ONLY | 17 |
| ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2) | |
| 4 MALES AND FEMALES | 18 |
| 5 MALES ONLY | 19 |
| 6 FEMALES ONLY | 20 |
| ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1) | |
| 7 MALES AND FEMALES | 21 |
| 8 MALES ONLY | 22 |
| 9 FEMALES ONLY | 23 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

TABLE 1: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4183 | 671,418 | 1848 | 57.9 | 55.7-60.1 | 2335 | 42.1 | 39.9-44.3 |
| Male | 1496 | 319,131 | 651 | 59.6 | 56.1-63.1 | 845 | 40.4 | 36.9-43.9 |
| Female | 2687 | 352,287 | 1197 | 56.3 | 53.8-58.8 | 1490 | 43.7 | 41.2-46.2 |
| White/Non-Hisp | 3350 | 503,884 | 1496 | 57.1 | 54.7-59.5 | 1854 | 42.9 | 40.5-45.3 |
| Black or Afr. Am./Non-Hisp | 533 | 91,401 | 194 | 52.2 | 45.7-58.7 | 339 | 47.8 | 41.3-54.3 |
| Oth. Race/Non-Hisp. | 104 | 27,861 | 57 | 73.0 | 64.0-82.0 | 47 | 27.0 | 18.0-36.0 |
| 18-24 | 130 | 84,358 | 113 | 89.2 | 82.7-95.7 | 17 | 10.8 | 04.3-17.3 |
| 25-34 | 325 | 110,709 | 245 | 77.1 | 71.8-82.4 | 80 | 22.9 | 17.6-28.2 |
| 35-44 | 551 | 118,443 | 375 | 71.6 | 67.3-75.9 | 176 | 28.4 | 24.1-32.7 |
| 45-54 | 773 | 128,551 | 423 | 57.2 | 53.1-61.3 | 350 | 42.8 | 38.7-46.9 |
| 55-64 | 952 | 101,123 | 354 | 37.9 | 34.0-41.8 | 598 | 62.1 | 58.2-66.0 |
| 65+ | 1404 | 123,986 | 312 | 23.5 | 21.0-26.0 | 1092 | 76.5 | 74.0-79.0 |
| H.S. or G.E.D. | 1248 | 177,888 | 391 | 43.9 | 39.8-48.0 | 857 | 56.1 | 52.0-60.2 |
| Some Post-H.S. | 1090 | 191,978 | 464 | 58.7 | 54.4-63.0 | 626 | 41.3 | 37.0-45.6 |
| College Graduate | 1559 | 259,283 | 948 | 71.5 | 68.8-74.2 | 611 | 28.5 | 25.8-31.2 |
| Less than \$15,000 | 449 | 56,082 | 112 | 36.8 | 28.4-45.2 | 337 | 63.2 | 54.8-71.6 |
| \$15,000- 24,999 | 414 | 49,003 | 97 | 40.7 | 31.9-49.5 | 317 | 59.3 | 50.5-68.1 |
| \$25,000- 34,999 | 356 | 50,771 | 108 | 40.2 | 32.0-48.4 | 248 | 59.8 | 51.6-68.0 |
| \$35,000- 49,999 | 552 | 80,156 | 221 | 50.2 | 44.1-56.3 | 331 | 49.8 | 43.7-55.9 |
| \$50,000- 74,999 | 619 | 96,730 | 312 | 57.6 | 52.3-62.9 | 307 | 42.4 | 37.1-47.7 |
| \$75,000+ | 1119 | 230,561 | 713 | 72.5 | 69.2-75.8 | 406 | 27.5 | 24.2-30.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|--------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1496 | 319,131 | 651 | 59.6 | 56.3-62.9 | 845 | 40.4 | 37.1-43.7 |
| White/Non-Hisp | 1225 | 244,701 | 530 | 57.9 | 54.2-61.6 | 695 | 42.1 | 38.4-45.8 |
| 25-34 | 100 | 54,439 | 78 | 80.4 | 72.2-88.6 | 22 | 19.6 | 11.4-27.8 |
| 35-44 | 192 | 57,497 | 142 | 76.6 | 70.1-83.1 | 50 | 23.4 | 16.9-29.9 |
| 45-54 | 300 | 62,094 | 158 | 54.5 | 47.6-61.4 | 142 | 45.5 | 38.6-52.4 |
| 55-64 | 350 | 48,447 | 121 | 34.4 | 28.3-40.5 | 229 | 65.6 | 59.5-71.7 |
| 65+ | 499 | 53,283 | 105 | 23.3 | 18.8-27.8 | 394 | 76.7 | 72.2-81.2 |
| H.S. or G.E.D. | 446 | 80,187 | 147 | 46.1 | 39.2-53.0 | 299 | 53.9 | 47.0-60.8 |
| Some Post-H.S. | 350 | 90,939 | 148 | 63.0 | 56.1-69.9 | 202 | 37.0 | 30.1-43.9 |
| College Graduate | 580 | 124,287 | 335 | 70.8 | 66.5-75.1 | 245 | 29.2 | 24.9-33.5 |
| \$35,000- 49,999 | 206 | 38,974 | 78 | 52.4 | 43.2-61.6 | 128 | 47.6 | 38.4-56.8 |
| \$50,000- 74,999 | 238 | 46,483 | 112 | 57.9 | 49.3-66.5 | 126 | 42.1 | 33.5-50.7 |
| \$75,000+ | 483 | 119,907 | 271 | 68.8 | 63.5-74.1 | 212 | 31.2 | 25.9-36.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2687 | 352,287 | 1197 | 56.3 | 53.8-58.8 | 1490 | 43.7 | 41.2-46.2 |
| White/Non-Hisp | 2125 | 259,183 | 966 | 56.3 | 53.6-59.0 | 1159 | 43.7 | 41.0-46.4 |
| Black or Afr. Am./Non-Hisp | 377 | 55,619 | 133 | 49.4 | 42.3-56.5 | 244 | 50.6 | 43.5-57.7 |
| 18-24 | 82 | 42,019 | 68 | 85.2 | 76.4-94.0 | 14 | 14.8 | 06.0-23.6 |
| 25-34 | 225 | 56,270 | 167 | 73.9 | 67.4-80.4 | 58 | 26.1 | 19.6-32.6 |
| 35-44 | 359 | 60,946 | 233 | 67.0 | 61.3-72.7 | 126 | 33.0 | 27.3-38.7 |
| 45-54 | 473 | 66,457 | 265 | 59.7 | 54.6-64.8 | 208 | 40.3 | 35.2-45.4 |
| 55-64 | 602 | 52,676 | 233 | 41.1 | 36.4-45.8 | 369 | 58.9 | 54.2-63.6 |
| 65+ | 905 | 70,703 | 207 | 23.6 | 20.5-26.7 | 698 | 76.4 | 73.3-79.5 |
| H.S. or G.E.D. | 802 | 97,701 | 244 | 42.1 | 37.0-47.2 | 558 | 57.9 | 52.8-63.0 |
| Some Post-H.S. | 740 | 101,039 | 316 | 54.8 | 49.7-59.9 | 424 | 45.2 | 40.1-50.3 |
| College Graduate | 979 | 134,995 | 613 | 72.1 | 68.8-75.4 | 366 | 27.9 | 24.6-31.2 |
| Less than \$15,000 | 306 | 30,343 | 75 | 30.5 | 22.3-38.7 | 231 | 69.5 | 61.3-77.7 |
| \$15,000- 24,999 | 302 | 31,802 | 71 | 39.4 | 29.8-49.0 | 231 | 60.6 | 51.0-70.2 |
| \$25,000- 34,999 | 232 | 27,772 | 70 | 35.8 | 27.0-44.6 | 162 | 64.2 | 55.4-73.0 |
| \$35,000- 49,999 | 346 | 41,183 | 143 | 48.1 | 40.1-56.1 | 203 | 51.9 | 43.9-59.9 |
| \$50,000- 74,999 | 381 | 50,247 | 200 | 57.4 | 51.3-63.5 | 181 | 42.6 | 36.5-48.7 |
| \$75,000+ | 636 | 110,654 | 442 | 76.6 | 72.9-80.3 | 194 | 23.4 | 19.7-27.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|--------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1404 | 123,986 | 1157 | 83.6 | 81.4-85.8 | 247 | 16.4 | 14.2-18.6 |
| Male | 499 | 53,283 | 406 | 83.3 | 79.8-86.8 | 93 | 16.7 | 13.2-20.2 |
| Female | 905 | 70,703 | 751 | 83.8 | 81.1-86.5 | 154 | 16.2 | 13.5-18.9 |
| White/Non-Hisp | 1254 | 108,880 | 1038 | 84.5 | 82.3-86.7 | 216 | 15.5 | 13.3-17.7 |
| 65+ | 1404 | 123,986 | 1157 | 83.6 | 81.4-85.8 | 247 | 16.4 | 14.2-18.6 |
| Less Than H.S. | 141 | 11,118 | 75 | 54.3 | 44.7-63.9 | 66 | 45.7 | 36.1-55.3 |
| H.S. or G.E.D. | 504 | 41,876 | 397 | 80.5 | 76.6-84.4 | 107 | 19.5 | 15.6-23.4 |
| Some Post-H.S. | 340 | 31,316 | 292 | 86.7 | 82.6-90.8 | 48 | 13.3 | 09.2-17.4 |
| College Graduate | 413 | 39,210 | 388 | 92.8 | 89.7-95.9 | 25 | 7.2 | 04.1-10.3 |
| Less than \$15,000 | 232 | 18,339 | 188 | 80.9 | 74.4-87.4 | 44 | 19.1 | 12.6-25.6 |
| \$15,000- 24,999 | 194 | 13,752 | 130 | 69.7 | 62.6-76.8 | 64 | 30.3 | 23.2-37.4 |
| \$25,000- 34,999 | 154 | 12,555 | 126 | 83.9 | 78.0-89.8 | 28 | 16.1 | 10.2-22.0 |
| \$35,000- 49,999 | 195 | 18,570 | 170 | 84.1 | 77.6-90.6 | 25 | 15.9 | 09.4-22.4 |
| \$50,000- 74,999 | 147 | 13,646 | 133 | 91.4 | 86.5-96.3 | 14 | 8.6 | 03.7-13.5 |
| \$75,000+ | 174 | 19,308 | 167 | 94.6 | 90.1-99.1 | 7 | 5.4 | 00.9-09.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|--------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 499 | 53,283 | 406 | 83.3 | 79.8-86.8 | 93 | 16.7 | 13.2-20.2 |
| White/Non-Hisp | 440 | 46,043 | 355 | 83.2 | 79.5-86.9 | 85 | 16.8 | 13.1-20.5 |
| 65+ | 499 | 53,283 | 406 | 83.3 | 79.8-86.8 | 93 | 16.7 | 13.2-20.2 |
| H.S. or G.E.D. | 153 | 14,404 | 109 | 73.3 | 65.5-81.1 | 44 | 26.7 | 18.9-34.5 |
| Some Post-H.S. | 109 | 12,726 | 96 | 90.5 | 84.8-96.2 | 13 | 9.5 | 03.8-15.2 |
| College Graduate | 180 | 21,262 | 169 | 93.1 | 88.6-97.6 | 11 | 6.9 | 02.4-11.4 |
| \$25,000- 34,999 | 56 | 4,967 | 46 | 84.1 | 74.3-93.9 | 10 | 15.9 | 06.1-25.7 |
| \$50,000- 74,999 | 69 | 7,311 | 60 | 88.3 | 80.5-96.1 | 9 | 11.7 | 03.9-19.5 |
| \$75,000+ | 98 | 12,431 | 93 | 95.1 | 90.4-99.8 | 5 | 4.9 | 00.2-09.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|--------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 905 | 70,703 | 751 | 83.8 | 81.1-86.5 | 154 | 16.2 | 13.5-18.9 |
| White/Non-Hisp | 814 | 62,837 | 683 | 85.4 | 82.7-88.1 | 131 | 14.6 | 11.9-17.3 |
| 65+ | 905 | 70,703 | 751 | 83.8 | 81.1-86.5 | 154 | 16.2 | 13.5-18.9 |
| H.S. or G.E.D. | 351 | 27,472 | 288 | 84.3 | 80.0-88.6 | 63 | 15.7 | 11.4-20.0 |
| Some Post-H.S. | 231 | 18,590 | 196 | 84.1 | 78.2-90.0 | 35 | 15.9 | 10.0-21.8 |
| College Graduate | 233 | 17,949 | 219 | 92.5 | 88.0-97.0 | 14 | 7.5 | 03.0-12.0 |
| Less than \$15,000 | 163 | 11,818 | 139 | 84.1 | 76.1-92.1 | 24 | 15.9 | 07.9-23.9 |
| \$15,000- 24,999 | 148 | 10,234 | 100 | 71.2 | 63.4-79.0 | 48 | 28.8 | 21.0-36.6 |
| \$25,000- 34,999 | 98 | 7,587 | 80 | 83.7 | 76.3-91.1 | 18 | 16.3 | 08.9-23.7 |
| \$35,000- 49,999 | 116 | 8,949 | 106 | 89.0 | 81.6-96.4 | 10 | 11.0 | 03.6-18.4 |
| \$50,000- 74,999 | 78 | 6,335 | 73 | 95.0 | 89.7-0100 | 5 | 5.0 | 00.0-10.3 |
| \$75,000+ | 76 | 6,877 | 74 | 93.6 | 84.2-0100 | 2 | 6.4 | 00.0-15.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4235 | 676,747 | 3105 | 74.2 | 72.2-76.2 | 1130 | 25.8 | 23.8-27.8 |
| Male | 1521 | 321,748 | 1077 | 71.7 | 68.4-75.0 | 444 | 28.3 | 25.0-31.6 |
| Female | 2714 | 354,999 | 2028 | 76.4 | 74.2-78.6 | 686 | 23.6 | 21.4-25.8 |
| White/Non-Hisp | 3389 | 507,579 | 2550 | 75.7 | 73.5-77.9 | 839 | 24.3 | 22.1-26.5 |
| Black or Afr. Am./Non-Hisp | 538 | 92,099 | 326 | 64.7 | 58.6-70.8 | 212 | 35.3 | 29.2-41.4 |
| 18-24 | 130 | 84,358 | 100 | 78.9 | 70.9-86.9 | 30 | 21.1 | 13.1-29.1 |
| 25-34 | 324 | 109,703 | 225 | 68.6 | 62.1-75.1 | 99 | 31.4 | 24.9-37.9 |
| 35-44 | 555 | 119,550 | 392 | 70.9 | 66.4-75.4 | 163 | 29.1 | 24.6-33.6 |
| 45-54 | 776 | 128,878 | 586 | 77.8 | 74.3-81.3 | 190 | 22.2 | 18.7-25.7 |
| 55-64 | 964 | 102,214 | 730 | 76.5 | 73.0-80.0 | 234 | 23.5 | 20.0-27.0 |
| 65+ | 1435 | 127,604 | 1030 | 73.3 | 70.6-76.0 | 405 | 26.7 | 24.0-29.4 |
| H.S. or G.E.D. | 1274 | 180,830 | 839 | 67.1 | 63.4-70.8 | 435 | 32.9 | 29.2-36.6 |
| Some Post-H.S. | 1099 | 191,689 | 796 | 72.4 | 68.3-76.5 | 303 | 27.6 | 23.5-31.7 |
| College Graduate | 1574 | 261,718 | 1349 | 84.4 | 81.9-86.9 | 225 | 15.6 | 13.1-18.1 |
| Less than \$15,000 | 449 | 55,895 | 255 | 55.0 | 47.6-62.4 | 194 | 45.0 | 37.6-52.4 |
| \$15,000- 24,999 | 420 | 49,726 | 206 | 52.0 | 44.2-59.8 | 214 | 48.0 | 40.2-55.8 |
| \$25,000- 34,999 | 359 | 51,187 | 231 | 63.1 | 55.3-70.9 | 128 | 36.9 | 29.1-44.7 |
| \$35,000- 49,999 | 562 | 81,002 | 413 | 71.5 | 65.8-77.2 | 149 | 28.5 | 22.8-34.2 |
| \$50,000- 74,999 | 623 | 96,866 | 498 | 76.7 | 72.2-81.2 | 125 | 23.3 | 18.8-27.8 |
| \$75,000+ | 1125 | 231,992 | 981 | 85.1 | 82.2-88.0 | 144 | 14.9 | 12.0-17.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

TABLE 8: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|--------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1521 | 321,748 | 1077 | 71.7 | 68.4-75.0 | 444 | 28.3 | 25.0-31.6 |
| White/Non-Hisp | 1245 | 246,718 | 902 | 72.8 | 69.3-76.3 | 343 | 27.2 | 23.7-30.7 |
| 35-44 | 194 | 58,432 | 127 | 68.3 | 61.0-75.6 | 67 | 31.7 | 24.4-39.0 |
| 45-54 | 300 | 61,942 | 219 | 73.8 | 67.9-79.7 | 81 | 26.2 | 20.3-32.1 |
| 55-64 | 357 | 49,124 | 262 | 74.1 | 68.2-80.0 | 95 | 25.9 | 20.0-31.8 |
| 65+ | 516 | 55,445 | 360 | 71.1 | 66.6-75.6 | 156 | 28.9 | 24.4-33.4 |
| H.S. or G.E.D. | 458 | 81,676 | 289 | 63.8 | 57.3-70.3 | 169 | 36.2 | 29.7-42.7 |
| Some Post-H.S. | 352 | 90,064 | 246 | 69.8 | 62.5-77.1 | 106 | 30.2 | 22.9-37.5 |
| College Graduate | 590 | 126,230 | 492 | 82.7 | 78.8-86.6 | 98 | 17.3 | 13.4-21.2 |
| \$35,000- 49,999 | 211 | 39,506 | 152 | 70.1 | 61.5-78.7 | 59 | 29.9 | 21.3-38.5 |
| \$50,000- 74,999 | 239 | 46,312 | 181 | 75.0 | 67.6-82.4 | 58 | 25.0 | 17.6-32.4 |
| \$75,000+ | 489 | 121,338 | 404 | 81.4 | 76.9-85.9 | 85 | 18.6 | 14.1-23.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 9: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2714 | 354,999 | 2028 | 76.4 | 74.2-78.6 | 686 | 23.6 | 21.4-25.8 |
| White/Non-Hisp | 2144 | 260,861 | 1648 | 78.5 | 76.1-80.9 | 496 | 21.5 | 19.1-23.9 |
| Black or Afr. Am./Non-Hisp | 378 | 55,865 | 235 | 65.6 | 58.9-72.3 | 143 | 34.4 | 27.7-41.1 |
| 25-34 | 225 | 56,270 | 155 | 70.1 | 63.4-76.8 | 70 | 29.9 | 23.2-36.6 |
| 35-44 | 361 | 61,118 | 265 | 73.4 | 68.1-78.7 | 96 | 26.6 | 21.3-31.9 |
| 45-54 | 476 | 66,936 | 367 | 81.5 | 77.8-85.2 | 109 | 18.5 | 14.8-22.2 |
| 55-64 | 607 | 53,090 | 468 | 78.7 | 74.8-82.6 | 139 | 21.3 | 17.4-25.2 |
| 65+ | 919 | 72,159 | 670 | 75.0 | 71.9-78.1 | 249 | 25.0 | 21.9-28.1 |
| H.S. or G.E.D. | 816 | 99,153 | 550 | 69.9 | 65.6-74.2 | 266 | 30.1 | 25.8-34.4 |
| Some Post-H.S. | 747 | 101,624 | 550 | 74.7 | 70.4-79.0 | 197 | 25.3 | 21.0-29.6 |
| College Graduate | 984 | 135,488 | 857 | 86.0 | 82.9-89.1 | 127 | 14.0 | 10.9-17.1 |
| Less than \$15,000 | 307 | 30,228 | 179 | 53.5 | 45.5-61.5 | 128 | 46.5 | 38.5-54.5 |
| \$15,000- 24,999 | 306 | 32,344 | 154 | 58.4 | 50.2-66.6 | 152 | 41.6 | 33.4-49.8 |
| \$25,000- 34,999 | 234 | 28,040 | 160 | 71.2 | 63.6-78.8 | 74 | 28.8 | 21.2-36.4 |
| \$35,000- 49,999 | 351 | 41,496 | 261 | 72.9 | 65.6-80.2 | 90 | 27.1 | 19.8-34.4 |
| \$50,000- 74,999 | 384 | 50,554 | 317 | 78.3 | 72.8-83.8 | 67 | 21.7 | 16.2-27.2 |
| \$75,000+ | 636 | 110,654 | 577 | 89.1 | 85.8-92.4 | 59 | 10.9 | 07.6-14.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 9: ASTHMA CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM) | |
| 1 | MALES AND FEMALES | 21 |
| 2 | MALES ONLY | 22 |
| 3 | FEMALES ONLY | 23 |
| | ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA) | |
| 4 | MALES AND FEMALES | 24 |
| 5 | MALES ONLY | 25 |
| 6 | FEMALES ONLY | 26 |
| | COMPUTED ASTHMA STATUS (_ASTHMST) | |
| 7 | MALES AND FEMALES | 27 |
| 8 | MALES ONLY | 28 |
| 9 | FEMALES ONLY | 29 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4238 | 678,193 | 3631 | 84.9 | 83.3-86.5 | 607 | 15.1 | 13.5-16.7 |
| Male | 1525 | 323,261 | 1350 | 86.8 | 84.3-89.3 | 175 | 13.2 | 10.7-15.7 |
| Female | 2713 | 354,932 | 2281 | 83.3 | 81.3-85.3 | 432 | 16.7 | 14.7-18.7 |
| White/Non-Hisp | 3388 | 508,608 | 2918 | 85.6 | 83.8-87.4 | 470 | 14.4 | 12.6-16.2 |
| Black or Afr. Am./Non-Hisp | 541 | 92,444 | 460 | 85.4 | 81.3-89.5 | 81 | 14.6 | 10.5-18.7 |
| Oth. Race/Non-Hisp. | 107 | 28,146 | 98 | 93.3 | 88.2-98.4 | 9 | 6.7 | 01.6-11.8 |
| 18-24 | 130 | 84,358 | 96 | 75.6 | 67.0-84.2 | 34 | 24.4 | 15.8-33.0 |
| 25-34 | 324 | 110,453 | 270 | 84.2 | 79.7-88.7 | 54 | 15.8 | 11.3-20.3 |
| 35-44 | 554 | 119,473 | 458 | 83.7 | 80.2-87.2 | 96 | 16.3 | 12.8-19.8 |
| 45-54 | 777 | 129,258 | 661 | 87.3 | 84.8-89.8 | 116 | 12.7 | 10.2-15.2 |
| 55-64 | 964 | 102,212 | 825 | 85.6 | 82.9-88.3 | 139 | 14.4 | 11.7-17.1 |
| 65+ | 1438 | 128,000 | 1276 | 89.9 | 88.1-91.7 | 162 | 10.1 | 08.3-11.9 |
| Less Than H.S. | 277 | 41,142 | 223 | 80.3 | 72.5-88.1 | 54 | 19.7 | 11.9-27.5 |
| H.S. or G.E.D. | 1272 | 180,475 | 1089 | 82.9 | 79.6-86.2 | 183 | 17.1 | 13.8-20.4 |
| Some Post-H.S. | 1102 | 193,301 | 930 | 83.5 | 80.0-87.0 | 172 | 16.5 | 13.0-20.0 |
| College Graduate | 1574 | 261,718 | 1378 | 88.2 | 86.0-90.4 | 196 | 11.8 | 09.6-14.0 |
| Less than \$15,000 | 449 | 56,043 | 371 | 80.6 | 75.1-86.1 | 78 | 19.4 | 13.9-24.9 |
| \$15,000- 24,999 | 422 | 49,798 | 330 | 77.3 | 71.0-83.6 | 92 | 22.7 | 16.4-29.0 |
| \$25,000- 34,999 | 361 | 51,380 | 309 | 79.7 | 72.6-86.8 | 52 | 20.3 | 13.2-27.4 |
| \$35,000- 49,999 | 561 | 81,066 | 492 | 87.1 | 83.2-91.0 | 69 | 12.9 | 09.0-16.8 |
| \$50,000- 74,999 | 624 | 97,246 | 541 | 83.4 | 78.5-88.3 | 83 | 16.6 | 11.7-21.5 |
| \$75,000+ | 1123 | 231,588 | 976 | 88.1 | 85.7-90.5 | 147 | 11.9 | 09.5-14.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 9: ASTHMA**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1525 | 323,261 | 1350 | 86.8 | 84.3-89.3 | 175 | 13.2 | 10.7-15.7 |
| White/Non-Hisp | 1248 | 248,159 | 1108 | 87.1 | 84.4-89.8 | 140 | 12.9 | 10.2-15.6 |
| Black or Afr. Am./Non-Hisp | 160 | 36,234 | 142 | 91.3 | 85.8-96.8 | 18 | 8.7 | 03.2-14.2 |
| 25-34 | 100 | 54,439 | 78 | 81.9 | 74.3-89.5 | 22 | 18.1 | 10.5-25.7 |
| 35-44 | 194 | 58,432 | 167 | 85.8 | 80.5-91.1 | 27 | 14.2 | 08.9-19.5 |
| 45-54 | 301 | 62,322 | 271 | 91.7 | 88.4-95.0 | 30 | 8.3 | 05.0-11.6 |
| 55-64 | 358 | 49,162 | 320 | 89.1 | 84.8-93.4 | 38 | 10.9 | 06.6-15.2 |
| 65+ | 517 | 55,536 | 471 | 92.5 | 90.1-94.9 | 46 | 7.5 | 05.1-09.9 |
| Less Than H.S. | 119 | 23,138 | 98 | 83.1 | 73.3-92.9 | 21 | 16.9 | 07.1-26.7 |
| H.S. or G.E.D. | 457 | 81,627 | 406 | 84.5 | 79.0-90.0 | 51 | 15.5 | 10.0-21.0 |
| Some Post-H.S. | 355 | 91,487 | 314 | 86.7 | 81.0-92.4 | 41 | 13.3 | 07.6-19.0 |
| College Graduate | 590 | 126,230 | 528 | 89.0 | 85.7-92.3 | 62 | 11.0 | 07.7-14.3 |
| Less than \$15,000 | 143 | 25,739 | 123 | 84.8 | 76.2-93.4 | 20 | 15.2 | 06.6-23.8 |
| \$35,000- 49,999 | 211 | 39,506 | 192 | 90.2 | 85.1-95.3 | 19 | 9.8 | 04.7-14.9 |
| \$50,000- 74,999 | 240 | 46,692 | 217 | 84.0 | 75.4-92.6 | 23 | 16.0 | 07.4-24.6 |
| \$75,000+ | 489 | 121,338 | 430 | 88.6 | 85.1-92.1 | 59 | 11.4 | 07.9-14.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2713 | 354,932 | 2281 | 83.3 | 81.3-85.3 | 432 | 16.7 | 14.7-18.7 |
| White/Non-Hisp | 2140 | 260,448 | 1810 | 84.2 | 82.0-86.4 | 330 | 15.8 | 13.6-18.0 |
| Black or Afr. Am./Non-Hisp | 381 | 56,210 | 318 | 81.6 | 75.9-87.3 | 63 | 18.4 | 12.7-24.1 |
| Oth. Race/Non-Hisp. | 61 | 14,533 | 56 | 93.3 | 85.7-0100 | 5 | 6.7 | 00.0-14.3 |
| 25-34 | 224 | 56,014 | 192 | 86.4 | 81.3-91.5 | 32 | 13.6 | 08.5-18.7 |
| 35-44 | 360 | 61,041 | 291 | 81.6 | 76.9-86.3 | 69 | 18.4 | 13.7-23.1 |
| 45-54 | 476 | 66,936 | 390 | 83.3 | 79.6-87.0 | 86 | 16.7 | 13.0-20.4 |
| 55-64 | 606 | 53,051 | 505 | 82.3 | 78.6-86.0 | 101 | 17.7 | 14.0-21.4 |
| 65+ | 921 | 72,463 | 805 | 87.9 | 85.5-90.3 | 116 | 12.1 | 09.7-14.5 |
| H.S. or G.E.D. | 815 | 98,849 | 683 | 81.5 | 77.4-85.6 | 132 | 18.5 | 14.4-22.6 |
| Some Post-H.S. | 747 | 101,814 | 616 | 80.7 | 76.6-84.8 | 131 | 19.3 | 15.2-23.4 |
| College Graduate | 984 | 135,488 | 850 | 87.4 | 84.9-89.9 | 134 | 12.6 | 10.1-15.1 |
| Less than \$15,000 | 306 | 30,304 | 248 | 77.1 | 70.2-84.0 | 58 | 22.9 | 16.0-29.8 |
| \$15,000- 24,999 | 307 | 32,379 | 235 | 76.0 | 68.4-83.6 | 72 | 24.0 | 16.4-31.6 |
| \$25,000- 34,999 | 235 | 28,165 | 201 | 79.0 | 70.0-88.0 | 34 | 21.0 | 12.0-30.0 |
| \$35,000- 49,999 | 350 | 41,559 | 300 | 84.1 | 78.2-90.0 | 50 | 15.9 | 10.0-21.8 |
| \$50,000- 74,999 | 384 | 50,554 | 324 | 82.9 | 77.8-88.0 | 60 | 17.1 | 12.0-22.2 |
| \$75,000+ | 634 | 110,251 | 546 | 87.5 | 84.6-90.4 | 88 | 12.5 | 09.6-15.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4225 | 675,887 | 3801 | 90.0 | 88.6-91.4 | 424 | 10.0 | 08.6-11.4 |
| Male | 1521 | 322,498 | 1413 | 92.3 | 90.3-94.3 | 108 | 7.7 | 05.7-09.7 |
| Female | 2704 | 353,389 | 2388 | 87.9 | 86.1-89.7 | 316 | 12.1 | 10.3-13.9 |
| White/Non-Hisp | 3378 | 506,861 | 3048 | 90.9 | 89.5-92.3 | 330 | 9.1 | 07.7-10.5 |
| Black or Afr. Am./Non-Hisp | 538 | 91,885 | 484 | 89.9 | 86.2-93.6 | 54 | 10.1 | 06.4-13.8 |
| Oth. Race/Non-Hisp. | 107 | 28,146 | 104 | 98.0 | 94.7-0100 | 3 | 2.0 | 00.0-05.3 |
| 18-24 | 129 | 83,899 | 109 | 86.6 | 79.9-93.3 | 20 | 13.4 | 06.7-20.1 |
| 25-34 | 324 | 110,453 | 289 | 89.3 | 85.4-93.2 | 35 | 10.7 | 06.8-14.6 |
| 35-44 | 549 | 118,550 | 483 | 88.7 | 85.6-91.8 | 66 | 11.3 | 08.2-14.4 |
| 45-54 | 775 | 128,850 | 700 | 91.7 | 89.5-93.9 | 75 | 8.3 | 06.1-10.5 |
| 55-64 | 961 | 101,844 | 849 | 89.1 | 86.7-91.5 | 112 | 10.9 | 08.5-13.3 |
| 65+ | 1436 | 127,852 | 1324 | 93.0 | 91.6-94.4 | 112 | 7.0 | 05.6-08.4 |
| Less Than H.S. | 275 | 41,041 | 237 | 88.9 | 84.0-93.8 | 38 | 11.1 | 06.2-16.0 |
| H.S. or G.E.D. | 1270 | 180,127 | 1132 | 87.7 | 85.0-90.4 | 138 | 12.3 | 09.6-15.0 |
| Some Post-H.S. | 1097 | 192,317 | 985 | 89.0 | 86.1-91.9 | 112 | 11.0 | 08.1-13.9 |
| College Graduate | 1570 | 260,845 | 1436 | 92.6 | 91.0-94.2 | 134 | 7.4 | 05.8-09.0 |
| Less than \$15,000 | 448 | 56,011 | 385 | 83.2 | 77.9-88.5 | 63 | 16.8 | 11.5-22.1 |
| \$15,000- 24,999 | 422 | 49,798 | 350 | 81.8 | 75.9-87.7 | 72 | 18.2 | 12.3-24.1 |
| \$25,000- 34,999 | 361 | 51,380 | 331 | 91.6 | 87.7-95.5 | 30 | 8.4 | 04.5-12.3 |
| \$35,000- 49,999 | 559 | 80,732 | 514 | 91.2 | 87.7-94.7 | 45 | 8.8 | 05.3-12.3 |
| \$50,000- 74,999 | 624 | 97,246 | 568 | 88.4 | 83.9-92.9 | 56 | 11.6 | 07.1-16.1 |
| \$75,000+ | 1117 | 230,487 | 1021 | 92.6 | 90.8-94.4 | 96 | 7.4 | 05.6-09.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1521 | 322,498 | 1413 | 92.3 | 90.3-94.3 | 108 | 7.7 | 05.7-09.7 |
| White/Non-Hisp | 1245 | 247,465 | 1156 | 92.8 | 90.8-94.8 | 89 | 7.2 | 05.2-09.2 |
| Black or Afr. Am./Non-Hisp | 159 | 36,165 | 150 | 95.8 | 92.1-99.5 | 9 | 4.2 | 00.5-07.9 |
| 25-34 | 100 | 54,439 | 85 | 88.0 | 81.5-94.5 | 15 | 12.0 | 05.5-18.5 |
| 35-44 | 193 | 58,220 | 178 | 91.8 | 87.7-95.9 | 15 | 8.2 | 04.1-12.3 |
| 45-54 | 300 | 62,053 | 283 | 96.0 | 93.6-98.4 | 17 | 4.0 | 01.6-06.4 |
| 55-64 | 357 | 48,948 | 332 | 93.6 | 90.5-96.7 | 25 | 6.4 | 03.3-09.5 |
| 65+ | 516 | 55,468 | 486 | 94.9 | 92.9-96.9 | 30 | 5.1 | 03.1-07.1 |
| Less Than H.S. | 118 | 23,070 | 105 | 91.2 | 84.5-97.9 | 13 | 8.8 | 02.1-15.5 |
| H.S. or G.E.D. | 456 | 81,358 | 420 | 89.7 | 85.2-94.2 | 36 | 10.3 | 05.8-14.8 |
| Some Post-H.S. | 355 | 91,487 | 330 | 92.4 | 87.9-96.9 | 25 | 7.6 | 03.1-12.1 |
| College Graduate | 588 | 125,805 | 554 | 94.1 | 91.7-96.5 | 34 | 5.9 | 03.5-08.3 |
| Less than \$15,000 | 143 | 25,739 | 124 | 85.4 | 77.0-93.8 | 19 | 14.6 | 06.2-23.0 |
| \$15,000- 24,999 | 115 | 17,419 | 101 | 86.6 | 77.4-95.8 | 14 | 13.4 | 04.2-22.6 |
| \$25,000- 34,999 | 126 | 23,216 | 118 | 93.0 | 85.9-0100 | 8 | 7.0 | 00.0-14.1 |
| \$35,000- 49,999 | 210 | 39,295 | 199 | 94.0 | 89.9-98.1 | 11 | 6.0 | 01.9-10.1 |
| \$50,000- 74,999 | 240 | 46,692 | 224 | 88.9 | 80.9-96.9 | 16 | 11.1 | 03.1-19.1 |
| \$75,000+ | 486 | 120,786 | 456 | 94.5 | 92.1-96.9 | 30 | 5.5 | 03.1-07.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2704 | 353,389 | 2388 | 87.9 | 86.1-89.7 | 316 | 12.1 | 10.3-13.9 |
| White/Non-Hisp | 2133 | 259,397 | 1892 | 89.0 | 87.2-90.8 | 241 | 11.0 | 09.2-12.8 |
| Black or Afr. Am./Non-Hisp | 379 | 55,719 | 334 | 86.1 | 80.8-91.4 | 45 | 13.9 | 08.6-19.2 |
| Oth. Race/Non-Hisp. | 61 | 14,533 | 58 | 96.0 | 89.7-0100 | 3 | 4.0 | 00.0-10.3 |
| 18-24 | 81 | 41,560 | 67 | 84.9 | 76.1-93.7 | 14 | 15.1 | 06.3-23.9 |
| 25-34 | 224 | 56,014 | 204 | 90.7 | 86.2-95.2 | 20 | 9.3 | 04.8-13.8 |
| 35-44 | 356 | 60,329 | 305 | 85.7 | 81.4-90.0 | 51 | 14.3 | 10.0-18.6 |
| 45-54 | 475 | 66,797 | 417 | 87.7 | 84.2-91.2 | 58 | 12.3 | 08.8-15.8 |
| 55-64 | 604 | 52,896 | 517 | 85.0 | 81.5-88.5 | 87 | 15.0 | 11.5-18.5 |
| 65+ | 920 | 72,384 | 838 | 91.5 | 89.5-93.5 | 82 | 8.5 | 06.5-10.5 |
| Less Than H.S. | 157 | 17,971 | 132 | 85.9 | 78.8-93.0 | 25 | 14.1 | 07.0-21.2 |
| H.S. or G.E.D. | 814 | 98,770 | 712 | 86.0 | 82.7-89.3 | 102 | 14.0 | 10.7-17.3 |
| Some Post-H.S. | 742 | 100,830 | 655 | 86.0 | 82.1-89.9 | 87 | 14.0 | 10.1-17.9 |
| College Graduate | 982 | 135,040 | 882 | 91.1 | 88.9-93.3 | 100 | 8.9 | 06.7-11.1 |
| Less than \$15,000 | 305 | 30,272 | 261 | 81.5 | 74.8-88.2 | 44 | 18.5 | 11.8-25.2 |
| \$15,000- 24,999 | 307 | 32,379 | 249 | 79.2 | 71.8-86.6 | 58 | 20.8 | 13.4-28.2 |
| \$25,000- 34,999 | 235 | 28,165 | 213 | 90.4 | 86.1-94.7 | 22 | 9.6 | 05.3-13.9 |
| \$35,000- 49,999 | 349 | 41,438 | 315 | 88.5 | 83.0-94.0 | 34 | 11.5 | 06.0-17.0 |
| \$50,000- 74,999 | 384 | 50,554 | 344 | 88.0 | 83.5-92.5 | 40 | 12.0 | 07.5-16.5 |
| \$75,000+ | 631 | 109,701 | 565 | 90.5 | 88.0-93.0 | 66 | 9.5 | 07.0-12.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Current | | | Former | | | Never | | |
|----------------------------|-------------------|----------|---------|------|------------|--------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4225 | 675,887 | 424 | 10.0 | 08.6-11.4 | 170 | 4.8 | 03.8-05.8 | 3631 | 85.2 | 83.6-86.8 |
| Male | 1521 | 322,498 | 108 | 7.7 | 05.7-09.7 | 63 | 5.3 | 03.5-07.1 | 1350 | 87.0 | 84.5-89.5 |
| Female | 2704 | 353,389 | 316 | 12.1 | 10.3-13.9 | 107 | 4.3 | 03.1-05.5 | 2281 | 83.6 | 81.6-85.6 |
| White/Non-Hisp | 3378 | 506,861 | 330 | 9.1 | 07.7-10.5 | 130 | 5.0 | 03.6-06.4 | 2918 | 85.9 | 84.1-87.7 |
| Black or Afr. Am./Non-Hisp | 538 | 91,885 | 54 | 10.1 | 06.4-13.8 | 24 | 4.0 | 02.0-06.0 | 460 | 85.9 | 81.8-90.0 |
| Oth. Race/Non-Hisp. | 107 | 28,146 | 3 | 2.0 | 00.0-05.3 | 6 | 4.6 | 00.7-08.5 | 98 | 93.3 | 88.2-98.4 |
| MultiRacial/Non-Hisp. | 56 | 10,789 | | | | 1 | 1.8 | 00.0-05.3 | | | |
| Hispanic | 113 | 33,716 | | | | 8 | 5.6 | 00.3-10.9 | | | |
| 18-24 | 129 | 83,899 | 20 | 13.4 | 06.7-20.1 | 13 | 10.6 | 04.3-16.9 | 96 | 76.0 | 67.4-84.6 |
| 25-34 | 324 | 110,453 | 35 | 10.7 | 06.8-14.6 | 19 | 5.1 | 02.6-07.6 | 270 | 84.2 | 79.7-88.7 |
| 35-44 | 549 | 118,550 | 66 | 11.3 | 08.2-14.4 | 25 | 4.4 | 02.4-06.4 | 458 | 84.3 | 80.8-87.8 |
| 45-54 | 775 | 128,850 | 75 | 8.3 | 06.1-10.5 | 39 | 4.1 | 02.5-05.7 | 661 | 87.6 | 85.1-90.1 |
| 55-64 | 961 | 101,844 | 112 | 10.9 | 08.5-13.3 | 24 | 3.3 | 01.7-04.9 | 825 | 85.9 | 83.2-88.6 |
| 65+ | 1436 | 127,852 | 112 | 7.0 | 05.6-08.4 | 48 | 3.0 | 02.0-04.0 | 1276 | 90.0 | 88.2-91.8 |
| Less Than H.S. | 275 | 41,041 | 38 | 11.1 | 06.2-16.0 | 14 | 8.4 | 01.9-14.9 | 223 | 80.5 | 72.7-88.3 |
| H.S. or G.E.D. | 1270 | 180,127 | 138 | 12.3 | 09.6-15.0 | 43 | 4.7 | 02.5-06.9 | 1089 | 83.0 | 79.7-86.3 |
| Some Post-H.S. | 1097 | 192,317 | 112 | 11.0 | 08.1-13.9 | 55 | 5.1 | 03.1-07.1 | 930 | 83.9 | 80.4-87.4 |
| College Graduate | 1570 | 260,845 | 134 | 7.4 | 05.8-09.0 | 58 | 4.1 | 02.7-05.5 | 1378 | 88.5 | 86.5-90.5 |
| Less than \$15,000 | 448 | 56,011 | 63 | 16.8 | 11.5-22.1 | 14 | 2.6 | 00.8-04.4 | 371 | 80.6 | 75.1-86.1 |
| \$15,000- 24,999 | 422 | 49,798 | 72 | 18.2 | 12.3-24.1 | 20 | 4.5 | 02.0-07.0 | 330 | 77.3 | 71.0-83.6 |
| \$25,000- 34,999 | 361 | 51,380 | 30 | 8.4 | 04.5-12.3 | 22 | 11.9 | 05.4-18.4 | 309 | 79.7 | 72.6-86.8 |
| \$35,000- 49,999 | 559 | 80,732 | 45 | 8.8 | 05.3-12.3 | 22 | 3.8 | 01.8-05.8 | 492 | 87.4 | 83.5-91.3 |
| \$50,000- 74,999 | 624 | 97,246 | 56 | 11.6 | 07.1-16.1 | 27 | 5.0 | 02.5-07.5 | 541 | 83.4 | 78.5-88.3 |
| \$75,000+ | 1117 | 230,487 | 96 | 7.4 | 05.6-09.2 | 45 | 4.1 | 02.5-05.7 | 976 | 88.5 | 86.1-90.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Current | | | Former | | | Never | | |
|----------------------------|-------------------|----------|---------|------|------------|--------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1521 | 322,498 | 108 | 7.7 | 05.7-09.7 | 63 | 5.3 | 03.5-07.1 | 1350 | 87.0 | 84.5-89.5 |
| White/Non-Hisp | 1245 | 247,465 | 89 | 7.2 | 05.2-09.2 | 48 | 5.4 | 03.2-07.6 | 1108 | 87.4 | 84.7-90.1 |
| Black or Afr. Am./Non-Hisp | 159 | 36,165 | 9 | 4.2 | 00.5-07.9 | 8 | 4.3 | 00.2-08.4 | 142 | 91.4 | 85.9-96.9 |
| 25-34 | 100 | 54,439 | 15 | 12.0 | 05.5-18.5 | 7 | 6.0 | 01.5-10.5 | 78 | 81.9 | 74.3-89.5 |
| 35-44 | 193 | 58,220 | 15 | 8.2 | 04.1-12.3 | 11 | 5.7 | 02.2-09.2 | 167 | 86.1 | 80.8-91.4 |
| 45-54 | 300 | 62,053 | 17 | 4.0 | 01.6-06.4 | 12 | 3.8 | 01.4-06.2 | 271 | 92.1 | 88.8-95.4 |
| 55-64 | 357 | 48,948 | 25 | 6.4 | 03.3-09.5 | 12 | 4.1 | 01.2-07.0 | 320 | 89.5 | 85.4-93.6 |
| 65+ | 516 | 55,468 | 30 | 5.1 | 03.1-07.1 | 15 | 2.3 | 01.1-03.5 | 471 | 92.6 | 90.2-95.0 |
| Less Than H.S. | 118 | 23,070 | 13 | 8.8 | 02.1-15.5 | 7 | 7.8 | 00.4-15.2 | 98 | 83.3 | 73.5-93.1 |
| H.S. or G.E.D. | 456 | 81,358 | 36 | 10.3 | 05.8-14.8 | 14 | 5.0 | 01.5-08.5 | 406 | 84.8 | 79.3-90.3 |
| Some Post-H.S. | 355 | 91,487 | 25 | 7.6 | 03.1-12.1 | 16 | 5.7 | 01.8-09.6 | 314 | 86.7 | 81.0-92.4 |
| College Graduate | 588 | 125,805 | 34 | 5.9 | 03.5-08.3 | 26 | 4.9 | 02.5-07.3 | 528 | 89.3 | 86.0-92.6 |
| Less than \$15,000 | 143 | 25,739 | 19 | 14.6 | 06.2-23.0 | 1 | 0.6 | 00.0-01.8 | 123 | 84.8 | 76.2-93.4 |
| \$15,000- 24,999 | 115 | 17,419 | 14 | 13.4 | 04.2-22.6 | 6 | 6.9 | 00.4-13.4 | | | |
| \$25,000- 34,999 | 126 | 23,216 | 8 | 7.0 | 00.0-14.1 | 10 | 12.5 | 02.9-22.1 | | | |
| \$35,000- 49,999 | 210 | 39,295 | 11 | 6.0 | 01.9-10.1 | 7 | 3.3 | 00.4-06.2 | 192 | 90.7 | 85.8-95.6 |
| \$50,000- 74,999 | 240 | 46,692 | 16 | 11.1 | 03.1-19.1 | 7 | 4.9 | 00.8-09.0 | 217 | 84.0 | 75.4-92.6 |
| \$75,000+ | 486 | 120,786 | 30 | 5.5 | 03.1-07.9 | 26 | 5.4 | 02.5-08.3 | 430 | 89.0 | 85.5-92.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Current | | | Former | | | Never | | |
|----------------------------|-------------------|----------|---------|------|------------|--------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2704 | 353,389 | 316 | 12.1 | 10.3-13.9 | 107 | 4.3 | 03.1-05.5 | 2281 | 83.6 | 81.6-85.6 |
| White/Non-Hisp | 2133 | 259,397 | 241 | 11.0 | 09.2-12.8 | 82 | 4.5 | 02.9-06.1 | 1810 | 84.5 | 82.3-86.7 |
| Black or Afr. Am./Non-Hisp | 379 | 55,719 | 45 | 13.9 | 08.6-19.2 | 16 | 3.9 | 01.7-06.1 | 318 | 82.3 | 76.8-87.8 |
| Oth. Race/Non-Hisp. | 61 | 14,533 | 3 | 4.0 | 00.0-10.3 | 2 | 2.8 | 00.0-07.3 | 56 | 93.3 | 85.7-0100 |
| Hispanic | 70 | 15,518 | | | | 5 | 3.9 | 00.2-07.6 | | | |
| 18-24 | 81 | 41,560 | 14 | 15.1 | 06.3-23.9 | 7 | 9.6 | 01.6-17.6 | | | |
| 25-34 | 224 | 56,014 | 20 | 9.3 | 04.8-13.8 | 12 | 4.2 | 01.5-06.9 | 192 | 86.4 | 81.3-91.5 |
| 35-44 | 356 | 60,329 | 51 | 14.3 | 10.0-18.6 | 14 | 3.1 | 01.3-04.9 | 291 | 82.6 | 77.9-87.3 |
| 45-54 | 475 | 66,797 | 58 | 12.3 | 08.8-15.8 | 27 | 4.3 | 02.5-06.1 | 390 | 83.4 | 79.7-87.1 |
| 55-64 | 604 | 52,896 | 87 | 15.0 | 11.5-18.5 | 12 | 2.5 | 00.9-04.1 | 505 | 82.6 | 78.9-86.3 |
| 65+ | 920 | 72,384 | 82 | 8.5 | 06.5-10.5 | 33 | 3.5 | 02.1-04.9 | 805 | 88.0 | 85.6-90.4 |
| Less Than H.S. | 157 | 17,971 | 25 | 14.1 | 07.0-21.2 | | | | | | |
| H.S. or G.E.D. | 814 | 98,770 | 102 | 14.0 | 10.7-17.3 | 29 | 4.4 | 01.7-07.1 | 683 | 81.6 | 77.5-85.7 |
| Some Post-H.S. | 742 | 100,830 | 87 | 14.0 | 10.1-17.9 | 39 | 4.5 | 02.9-06.1 | 616 | 81.5 | 77.4-85.6 |
| College Graduate | 982 | 135,040 | 100 | 8.9 | 06.7-11.1 | 32 | 3.4 | 02.0-04.8 | 850 | 87.7 | 85.2-90.2 |
| Less than \$15,000 | 305 | 30,272 | 44 | 18.5 | 11.8-25.2 | 13 | 4.3 | 01.4-07.2 | 248 | 77.1 | 70.2-84.0 |
| \$15,000- 24,999 | 307 | 32,379 | 58 | 20.8 | 13.4-28.2 | 14 | 3.2 | 01.0-05.4 | 235 | 76.0 | 68.4-83.6 |
| \$25,000- 34,999 | 235 | 28,165 | 22 | 9.6 | 05.3-13.9 | 12 | 11.4 | 02.6-20.2 | 201 | 79.0 | 70.0-88.0 |
| \$35,000- 49,999 | 349 | 41,438 | 34 | 11.5 | 06.0-17.0 | 15 | 4.2 | 01.8-06.6 | 300 | 84.3 | 78.4-90.2 |
| \$50,000- 74,999 | 384 | 50,554 | 40 | 12.0 | 07.5-16.5 | 20 | 5.1 | 02.4-07.8 | 324 | 82.9 | 77.8-88.0 |
| \$75,000+ | 631 | 109,701 | 66 | 9.5 | 07.0-12.0 | 19 | 2.6 | 01.2-04.0 | 546 | 87.9 | 85.0-90.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 11: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3) | |
| 1 | MALES AND FEMALES | 31 |
| 2 | MALES ONLY | 32 |
| 3 | FEMALES ONLY | 33 |
| | ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3) | |
| 4 | MALES AND FEMALES | 34 |
| 5 | MALES ONLY | 35 |
| 6 | FEMALES ONLY | 36 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
|----------------------------|-------------------|----------|----------------|------|------------|-----------------|------|------------|---------------|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4226 | 676,154 | 494 | 12.8 | 11.2-14.4 | 172 | 4.5 | 03.3-05.7 | 1409 | 26.8 | 25.0-28.6 | 2151 | 56.0 | 53.8-58.2 |
| Male | 1518 | 321,853 | 201 | 14.1 | 11.6-16.6 | 62 | 5.8 | 03.6-08.0 | 570 | 27.8 | 24.9-30.7 | 685 | 52.3 | 48.6-56.0 |
| Female | 2708 | 354,301 | 293 | 11.6 | 09.8-13.4 | 110 | 3.3 | 02.5-04.1 | 839 | 25.8 | 23.6-28.0 | 1466 | 59.3 | 56.8-61.8 |
| White/Non-Hisp | 3378 | 506,675 | 401 | 13.8 | 12.0-15.6 | 113 | 3.8 | 02.6-05.0 | 1222 | 30.6 | 28.4-32.8 | 1642 | 51.7 | 49.3-54.1 |
| Black or Afr. Am./Non-Hisp | 540 | 92,412 | 62 | 9.9 | 06.6-13.2 | 39 | 5.4 | 03.2-07.6 | 112 | 14.5 | 11.2-17.8 | 327 | 70.2 | 65.1-75.3 |
| Oth. Race/Non-Hisp. | 107 | 28,146 | 9 | 5.4 | 01.5-09.3 | 2 | 1.9 | 00.0-04.8 | 23 | 15.3 | 08.0-22.6 | 73 | 77.5 | 68.9-86.1 |
| MultiRacial/Non-Hisp. | 56 | 10,789 | 7 | 11.9 | 01.9-21.9 | | | | | | | | | |
| Hispanic | 112 | 33,641 | 11 | 12.1 | 02.3-21.9 | 10 | 11.0 | 02.0-20.0 | 21 | 11.5 | 04.4-18.6 | | | |
| 18-24 | 130 | 84,358 | 17 | 12.5 | 06.0-19.0 | 7 | 7.1 | 00.8-13.4 | 9 | 7.3 | 02.2-12.4 | 97 | 73.1 | 63.9-82.3 |
| 25-34 | 322 | 109,978 | 52 | 19.0 | 13.3-24.7 | 16 | 5.3 | 02.2-08.4 | 61 | 15.8 | 11.5-20.1 | 193 | 59.8 | 53.3-66.3 |
| 35-44 | 553 | 119,230 | 84 | 14.1 | 10.8-17.4 | 31 | 5.2 | 03.0-07.4 | 98 | 17.2 | 13.5-20.9 | 340 | 63.5 | 58.8-68.2 |
| 45-54 | 776 | 128,980 | 120 | 13.9 | 11.2-16.6 | 42 | 4.8 | 02.8-06.8 | 220 | 31.0 | 26.9-35.1 | 394 | 50.3 | 46.0-54.6 |
| 55-64 | 963 | 101,689 | 137 | 12.9 | 10.4-15.4 | 43 | 3.7 | 02.3-05.1 | 335 | 34.3 | 30.6-38.0 | 448 | 49.1 | 45.2-53.0 |
| 65+ | 1431 | 127,481 | 81 | 5.3 | 04.1-06.5 | 30 | 1.8 | 00.8-02.8 | 667 | 47.4 | 44.3-50.5 | 653 | 45.5 | 42.4-48.6 |
| Less Than H.S. | 276 | 41,160 | 65 | 34.6 | 25.0-44.2 | 18 | 10.7 | 01.5-19.9 | 108 | 24.7 | 17.4-32.0 | 85 | 30.1 | 20.5-39.7 |
| H.S. or G.E.D. | 1269 | 179,931 | 212 | 21.0 | 17.3-24.7 | 61 | 3.6 | 02.4-04.8 | 448 | 31.7 | 28.2-35.2 | 548 | 43.7 | 39.8-47.6 |
| Some Post-H.S. | 1100 | 192,980 | 133 | 12.1 | 09.2-15.0 | 54 | 5.8 | 03.3-08.3 | 392 | 26.7 | 23.2-30.2 | 521 | 55.4 | 50.9-59.9 |
| College Graduate | 1568 | 260,526 | 83 | 4.2 | 03.0-05.4 | 38 | 3.1 | 01.7-04.5 | 458 | 23.7 | 21.2-26.2 | 989 | 69.0 | 66.1-71.9 |
| Less than \$15,000 | 452 | 56,198 | 75 | 19.2 | 13.7-24.7 | 27 | 8.3 | 04.2-12.4 | 166 | 28.3 | 22.2-34.4 | 184 | 44.2 | 36.4-52.0 |
| \$15,000- 24,999 | 418 | 49,658 | 88 | 22.7 | 16.6-28.8 | 38 | 6.9 | 04.2-09.6 | 122 | 20.6 | 15.7-25.5 | 170 | 49.8 | 41.8-57.8 |
| \$25,000- 34,999 | 358 | 51,041 | 56 | 27.4 | 18.6-36.2 | 10 | 2.1 | 00.3-03.9 | 114 | 23.5 | 18.2-28.8 | 178 | 47.0 | 39.2-54.8 |
| \$35,000- 49,999 | 563 | 81,218 | 69 | 12.9 | 09.0-16.8 | 25 | 7.0 | 02.7-11.3 | 216 | 32.6 | 27.5-37.7 | 253 | 47.5 | 41.4-53.6 |
| \$50,000- 74,999 | 622 | 96,712 | 75 | 14.9 | 10.4-19.4 | 20 | 3.5 | 01.3-05.7 | 215 | 29.1 | 24.6-33.6 | 312 | 52.5 | 47.0-58.0 |
| \$75,000+ | 1120 | 231,040 | 72 | 6.4 | 04.4-08.4 | 26 | 3.2 | 01.2-05.2 | 333 | 24.4 | 21.3-27.5 | 689 | 65.9 | 62.2-69.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
|----------------------------|-------------------|----------|----------------|------|------------|-----------------|-----|------------|---------------|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1518 | 321,853 | 201 | 14.1 | 11.6-16.6 | 62 | 5.8 | 03.6-08.0 | 570 | 27.8 | 24.9-30.7 | 685 | 52.3 | 48.6-56.0 |
| White/Non-Hisp | 1241 | 246,751 | 165 | 14.9 | 12.0-17.8 | 39 | 4.9 | 02.5-07.3 | 497 | 31.6 | 28.3-34.9 | 540 | 48.6 | 44.7-52.5 |
| Black or Afr. Am./Non-Hisp | 160 | 36,234 | 18 | 9.8 | 03.3-16.3 | 16 | 8.0 | 02.9-13.1 | 41 | 15.1 | 09.4-20.8 | 85 | 67.2 | 57.2-77.2 |
| 25-34 | 99 | 54,158 | 21 | 23.0 | 13.2-32.8 | 7 | 7.3 | 01.6-13.0 | 21 | 16.0 | 08.9-23.1 | | | |
| 35-44 | 193 | 58,221 | 35 | 14.4 | 09.3-19.5 | 14 | 7.0 | 03.1-10.9 | 36 | 17.2 | 11.1-23.3 | 108 | 61.4 | 53.8-69.0 |
| 45-54 | 301 | 62,322 | 50 | 15.0 | 10.5-19.5 | 14 | 4.8 | 01.5-08.1 | 78 | 29.1 | 22.6-35.6 | 159 | 51.1 | 44.2-58.0 |
| 55-64 | 355 | 48,414 | 56 | 14.7 | 10.2-19.2 | 14 | 3.4 | 01.2-05.6 | 139 | 39.2 | 32.7-45.7 | 146 | 42.8 | 36.3-49.3 |
| 65+ | 515 | 55,368 | 32 | 5.7 | 03.5-07.9 | 9 | 2.3 | 00.3-04.3 | 290 | 55.7 | 50.6-60.8 | 184 | 36.3 | 31.4-41.2 |
| H.S. or G.E.D. | 456 | 81,361 | 90 | 25.1 | 18.6-31.6 | 22 | 3.4 | 01.6-05.2 | 189 | 32.7 | 27.0-38.4 | 155 | 38.8 | 32.3-45.3 |
| Some Post-H.S. | 353 | 91,127 | 48 | 13.0 | 07.9-18.1 | 19 | 7.8 | 03.1-12.5 | 132 | 25.2 | 19.3-31.1 | 154 | 54.0 | 46.0-62.0 |
| College Graduate | 587 | 125,482 | 32 | 4.5 | 02.5-06.5 | 13 | 4.2 | 01.7-06.7 | 189 | 26.3 | 22.0-30.6 | 353 | 65.1 | 60.2-70.0 |
| Less than \$15,000 | 143 | 25,739 | 28 | 22.0 | 12.4-31.6 | 10 | 9.0 | 01.9-16.1 | 59 | 24.8 | 16.0-33.6 | | | |
| \$15,000- 24,999 | 114 | 17,385 | | | | 7 | 5.3 | 00.0-10.6 | 36 | 19.3 | 10.3-28.3 | | | |
| \$25,000- 34,999 | 125 | 23,067 | | | | 2 | 2.1 | 00.0-05.6 | 54 | 29.4 | 19.4-39.4 | | | |
| \$35,000- 49,999 | 211 | 39,506 | 29 | 13.9 | 07.4-20.4 | 9 | 9.1 | 01.5-16.7 | 90 | 34.6 | 26.6-42.6 | 83 | 42.4 | 33.2-51.6 |
| \$50,000- 74,999 | 238 | 46,157 | 33 | 16.6 | 08.8-24.4 | 7 | 4.3 | 00.2-08.4 | 85 | 29.7 | 22.1-37.3 | 113 | 49.4 | 40.0-58.8 |
| \$75,000+ | 487 | 120,843 | 33 | 7.1 | 04.0-10.2 | 16 | 4.8 | 01.1-08.5 | 160 | 26.3 | 21.4-31.2 | 278 | 61.8 | 55.9-67.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
|----------------------------|-------------------|----------|----------------|------|------------|-----------------|-----|------------|---------------|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2708 | 354,301 | 293 | 11.6 | 09.8-13.4 | 110 | 3.3 | 02.5-04.1 | 839 | 25.8 | 23.6-28.0 | 1466 | 59.3 | 56.8-61.8 |
| White/Non-Hisp | 2137 | 259,924 | 236 | 12.8 | 10.6-15.0 | 74 | 2.9 | 02.1-03.7 | 725 | 29.7 | 27.2-32.2 | 1102 | 54.6 | 51.7-57.5 |
| Black or Afr. Am./Non-Hisp | 380 | 56,178 | 44 | 10.0 | 06.5-13.5 | 23 | 3.7 | 01.9-05.5 | 71 | 14.2 | 10.3-18.1 | 242 | 72.1 | 66.6-77.6 |
| Oth. Race/Non-Hisp. | 61 | 14,533 | 2 | 1.3 | 00.0-03.3 | 1 | 0.8 | 00.0-02.4 | 10 | 14.3 | 04.5-24.1 | | | |
| Hispanic | 69 | 15,443 | 4 | 6.6 | 00.0-13.5 | | | | 14 | 13.2 | 03.8-22.6 | | | |
| 18-24 | 82 | 42,019 | 11 | 13.8 | 05.0-22.6 | 3 | 2.9 | 00.0-07.0 | 6 | 8.7 | 01.3-16.1 | | | |
| 25-34 | 223 | 55,820 | 31 | 15.2 | 09.5-20.9 | 9 | 3.4 | 00.9-05.9 | 40 | 15.7 | 10.6-20.8 | 143 | 65.8 | 58.7-72.9 |
| 35-44 | 360 | 61,009 | 49 | 13.9 | 09.6-18.2 | 17 | 3.6 | 01.6-05.6 | 62 | 17.1 | 12.8-21.4 | 232 | 65.4 | 59.7-71.1 |
| 45-54 | 475 | 66,658 | 70 | 12.8 | 09.5-16.1 | 28 | 4.7 | 02.7-06.7 | 142 | 32.9 | 27.8-38.0 | 235 | 49.6 | 44.5-54.7 |
| 55-64 | 608 | 53,275 | 81 | 11.3 | 08.6-14.0 | 29 | 4.0 | 02.4-05.6 | 196 | 29.8 | 25.5-34.1 | 302 | 54.9 | 50.2-59.6 |
| 65+ | 916 | 72,112 | 49 | 4.9 | 03.5-06.3 | 21 | 1.5 | 00.7-02.3 | 377 | 41.0 | 37.3-44.7 | 469 | 52.5 | 48.8-56.2 |
| Less Than H.S. | 158 | 18,056 | | | | 11 | 7.0 | 01.5-12.5 | 50 | 19.4 | 12.7-26.1 | | | |
| H.S. or G.E.D. | 813 | 98,570 | 122 | 17.6 | 13.5-21.7 | 39 | 3.8 | 02.2-05.4 | 259 | 30.8 | 26.3-35.3 | 393 | 47.8 | 42.9-52.7 |
| Some Post-H.S. | 747 | 101,853 | 85 | 11.3 | 08.4-14.2 | 35 | 4.0 | 02.0-06.0 | 260 | 28.0 | 23.9-32.1 | 367 | 56.7 | 51.8-61.6 |
| College Graduate | 981 | 135,044 | 51 | 3.9 | 02.5-05.3 | 25 | 2.1 | 01.1-03.1 | 269 | 21.4 | 18.5-24.3 | 636 | 72.6 | 69.3-75.9 |
| Less than \$15,000 | 309 | 30,459 | 47 | 16.9 | 10.6-23.2 | 17 | 7.6 | 02.9-12.3 | 107 | 31.3 | 23.5-39.1 | 138 | 44.2 | 36.4-52.0 |
| \$15,000- 24,999 | 304 | 32,273 | 54 | 17.6 | 11.7-23.5 | 31 | 7.7 | 04.6-10.8 | 86 | 21.3 | 15.4-27.2 | 133 | 53.3 | 44.9-61.7 |
| \$25,000- 34,999 | 233 | 27,974 | | | | 8 | 2.0 | 00.4-03.6 | 60 | 18.7 | 13.2-24.2 | 134 | 54.5 | 45.1-63.9 |
| \$35,000- 49,999 | 352 | 41,711 | 40 | 12.0 | 07.7-16.3 | 16 | 5.0 | 00.9-09.1 | 126 | 30.7 | 24.4-37.0 | 170 | 52.4 | 44.8-60.0 |
| \$50,000- 74,999 | 384 | 50,554 | 42 | 13.3 | 08.6-18.0 | 13 | 2.8 | 01.0-04.6 | 130 | 28.6 | 23.3-33.9 | 199 | 55.3 | 49.0-61.6 |
| \$75,000+ | 633 | 110,197 | 39 | 5.7 | 03.5-07.9 | 10 | 1.5 | 00.3-02.7 | 173 | 22.3 | 18.6-26.0 | 411 | 70.5 | 66.4-74.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4226 | 676,154 | 3560 | 82.7 | 80.9-84.5 | 666 | 17.3 | 15.5-19.1 |
| Male | 1518 | 321,853 | 1255 | 80.1 | 77.0-83.2 | 263 | 19.9 | 16.8-23.0 |
| Female | 2708 | 354,301 | 2305 | 85.1 | 83.1-87.1 | 403 | 14.9 | 12.9-16.9 |
| White/Non-Hisp | 3378 | 506,675 | 2864 | 82.3 | 80.1-84.5 | 514 | 17.7 | 15.5-19.9 |
| Black or Afr. Am./Non-Hisp | 540 | 92,412 | 439 | 84.7 | 80.8-88.6 | 101 | 15.3 | 11.4-19.2 |
| Oth. Race/Non-Hisp. | 107 | 28,146 | 96 | 92.8 | 87.9-97.7 | 11 | 7.2 | 02.3-12.1 |
| 18-24 | 130 | 84,358 | 106 | 80.4 | 72.0-88.8 | 24 | 19.6 | 11.2-28.0 |
| 25-34 | 322 | 109,978 | 254 | 75.7 | 69.6-81.8 | 68 | 24.3 | 18.2-30.4 |
| 35-44 | 553 | 119,230 | 438 | 80.6 | 76.7-84.5 | 115 | 19.4 | 15.5-23.3 |
| 45-54 | 776 | 128,980 | 614 | 81.4 | 78.3-84.5 | 162 | 18.6 | 15.5-21.7 |
| 55-64 | 963 | 101,689 | 783 | 83.4 | 80.7-86.1 | 180 | 16.6 | 13.9-19.3 |
| 65+ | 1431 | 127,481 | 1320 | 92.9 | 91.3-94.5 | 111 | 7.1 | 05.5-08.7 |
| H.S. or G.E.D. | 1269 | 179,931 | 996 | 75.4 | 71.7-79.1 | 273 | 24.6 | 20.9-28.3 |
| Some Post-H.S. | 1100 | 192,980 | 913 | 82.1 | 78.6-85.6 | 187 | 17.9 | 14.4-21.4 |
| College Graduate | 1568 | 260,526 | 1447 | 92.7 | 90.9-94.5 | 121 | 7.3 | 05.5-09.1 |
| Less than \$15,000 | 452 | 56,198 | 350 | 72.5 | 66.0-79.0 | 102 | 27.5 | 21.0-34.0 |
| \$15,000- 24,999 | 418 | 49,658 | 292 | 70.4 | 63.9-76.9 | 126 | 29.6 | 23.1-36.1 |
| \$25,000- 34,999 | 358 | 51,041 | 292 | 70.5 | 61.9-79.1 | 66 | 29.5 | 20.9-38.1 |
| \$35,000- 49,999 | 563 | 81,218 | 469 | 80.1 | 74.8-85.4 | 94 | 19.9 | 14.6-25.2 |
| \$50,000- 74,999 | 622 | 96,712 | 527 | 81.6 | 76.9-86.3 | 95 | 18.4 | 13.7-23.1 |
| \$75,000+ | 1120 | 231,040 | 1022 | 90.3 | 87.6-93.0 | 98 | 9.7 | 07.0-12.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1518 | 321,853 | 1255 | 80.1 | 77.0-83.2 | 263 | 19.9 | 16.8-23.0 |
| White/Non-Hisp | 1241 | 246,751 | 1037 | 80.3 | 76.8-83.8 | 204 | 19.7 | 16.2-23.2 |
| Black or Afr. Am./Non-Hisp | 160 | 36,234 | 126 | 82.2 | 74.2-90.2 | 34 | 17.8 | 09.8-25.8 |
| 35-44 | 193 | 58,221 | 144 | 78.6 | 72.5-84.7 | 49 | 21.4 | 15.3-27.5 |
| 45-54 | 301 | 62,322 | 237 | 80.2 | 74.9-85.5 | 64 | 19.8 | 14.5-25.1 |
| 55-64 | 355 | 48,414 | 285 | 81.9 | 77.0-86.8 | 70 | 18.1 | 13.2-23.0 |
| 65+ | 515 | 55,368 | 474 | 92.0 | 89.3-94.7 | 41 | 8.0 | 05.3-10.7 |
| H.S. or G.E.D. | 456 | 81,361 | 344 | 71.5 | 65.0-78.0 | 112 | 28.5 | 22.0-35.0 |
| Some Post-H.S. | 353 | 91,127 | 286 | 79.1 | 72.6-85.6 | 67 | 20.9 | 14.4-27.4 |
| College Graduate | 587 | 125,482 | 542 | 91.3 | 88.2-94.4 | 45 | 8.7 | 05.6-11.8 |
| \$35,000- 49,999 | 211 | 39,506 | 173 | 77.0 | 68.0-86.0 | 38 | 23.0 | 14.0-32.0 |
| \$50,000- 74,999 | 238 | 46,157 | 198 | 79.1 | 70.7-87.5 | 40 | 20.9 | 12.5-29.3 |
| \$75,000+ | 487 | 120,843 | 438 | 88.1 | 83.6-92.6 | 49 | 11.9 | 07.4-16.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2708 | 354,301 | 2305 | 85.1 | 83.1-87.1 | 403 | 14.9 | 12.9-16.9 |
| White/Non-Hisp | 2137 | 259,924 | 1827 | 84.3 | 81.9-86.7 | 310 | 15.7 | 13.3-18.1 |
| Black or Afr. Am./Non-Hisp | 380 | 56,178 | 313 | 86.3 | 82.4-90.2 | 67 | 13.7 | 09.8-17.6 |
| Oth. Race/Non-Hisp. | 61 | 14,533 | 58 | 97.9 | 95.4-0100 | 3 | 2.1 | 00.0-04.6 |
| 18-24 | 82 | 42,019 | 68 | 83.3 | 73.9-92.7 | 14 | 16.7 | 07.3-26.1 |
| 25-34 | 223 | 55,820 | 183 | 81.5 | 75.6-87.4 | 40 | 18.5 | 12.6-24.4 |
| 35-44 | 360 | 61,009 | 294 | 82.6 | 77.9-87.3 | 66 | 17.4 | 12.7-22.1 |
| 45-54 | 475 | 66,658 | 377 | 82.5 | 78.8-86.2 | 98 | 17.5 | 13.8-21.2 |
| 55-64 | 608 | 53,275 | 498 | 84.7 | 81.6-87.8 | 110 | 15.3 | 12.2-18.4 |
| 65+ | 916 | 72,112 | 846 | 93.6 | 92.0-95.2 | 70 | 6.4 | 04.8-08.0 |
| H.S. or G.E.D. | 813 | 98,570 | 652 | 78.6 | 74.3-82.9 | 161 | 21.4 | 17.1-25.7 |
| Some Post-H.S. | 747 | 101,853 | 627 | 84.8 | 81.3-88.3 | 120 | 15.2 | 11.7-18.7 |
| College Graduate | 981 | 135,044 | 905 | 94.0 | 92.4-95.6 | 76 | 6.0 | 04.4-07.6 |
| Less than \$15,000 | 309 | 30,459 | 245 | 75.5 | 68.4-82.6 | 64 | 24.5 | 17.4-31.6 |
| \$15,000- 24,999 | 304 | 32,273 | 219 | 74.6 | 67.9-81.3 | 85 | 25.4 | 18.7-32.1 |
| \$35,000- 49,999 | 352 | 41,711 | 296 | 83.1 | 77.4-88.8 | 56 | 16.9 | 11.2-22.6 |
| \$50,000- 74,999 | 384 | 50,554 | 329 | 83.9 | 79.0-88.8 | 55 | 16.1 | 11.2-21.0 |
| \$75,000+ | 633 | 110,197 | 584 | 92.8 | 90.4-95.2 | 49 | 7.2 | 04.8-09.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| PREFERRED RACE CATEGORY (_PRACE). | |
| 1 MALES AND FEMALES | 40 |
| 2 MALES ONLY | 41 |
| 3 FEMALES ONLY | 42 |
| MULTIRACIAL RACE CATEGORIZATION (_MRACE). | |
| 4 MALES AND FEMALES | 43 |
| 5 MALES ONLY | 44 |
| 6 FEMALES ONLY | 45 |
| RACE/ETHNICITY CATEGORIES (RACE2). | |
| 7 MALES AND FEMALES | 46 |
| 8 MALES ONLY | 47 |
| 9 FEMALES ONLY | 48 |
| WHITE/HISPANIC RACE GROUP (_RACEG2). | |
| 10 MALES AND FEMALES | 49 |
| 11 MALES ONLY | 50 |
| 12 FEMALES ONLY | 51 |
| FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.) | |
| 13 MALES AND FEMALES | 52 |
| 14 MALES ONLY | 53 |
| 15 FEMALES ONLY | 54 |
| NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE). | |
| 16 MALES AND FEMALES | 55 |
| 17 MALES ONLY | 56 |
| 18 FEMALES ONLY | 57 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC). | |
| 19 | MALES AND FEMALES | 58 |
| 20 | MALES ONLY | 59 |
| 21 | FEMALES ONLY | 60 |
| | ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR). | |
| 22 | MALES AND FEMALES | 61 |
| 23 | MALES ONLY | 62 |
| 24 | FEMALES ONLY | 63 |
| | TWO-LEVEL AGE CATEGORY (_AGE65YR). | |
| 25 | MALES AND FEMALES | 64 |
| 26 | MALES ONLY | 65 |
| 27 | FEMALES ONLY | 66 |
| | REPORTED HEIGHT IN INCHES (HTIN3). | |
| 28 | MALES AND FEMALES | 67 |
| 29 | MALES ONLY | 68 |
| 30 | FEMALES ONLY | 69 |
| | REPORTED HEIGHT IN METERS (HTM3). | |
| 31 | MALES AND FEMALES | 70 |
| 32 | MALES ONLY | 71 |
| 33 | FEMALES ONLY | 72 |
| | REPORTED WEIGHT IN KILOGRAMS (WTKG2). | |
| 34 | MALES AND FEMALES | 73 |
| 35 | MALES ONLY | 74 |
| 36 | FEMALES ONLY | 75 |
| | BODY MASS INDEX (kilograms per meter-squared) (_BMI4). | |
| 37 | MALES AND FEMALES | 76 |
| 38 | MALES ONLY | 77 |
| 39 | FEMALES ONLY | 78 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT). | |
| 40 | MALES AND FEMALES | 79 |
| 41 | MALES ONLY | 80 |
| 42 | FEMALES ONLY | 81 |
| | RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4). | |
| 43 | MALES AND FEMALES | 82 |
| 44 | MALES ONLY | 83 |
| 45 | FEMALES ONLY | 84 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White | | | Black | | | Asian | | | Native Hawaiian or Pacific Islander | | | American Indian or Alaska Native | | | Multiracial, Other Race or No Preferred Race | | |
|--------------------|-------------------|----------|-------|------|------------|-------|------|------------|-------|-----|------------|-------------------------------------|-----|------------|----------------------------------|-----|------------|--|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4199 | 671,208 | 3450 | 77.7 | 75.7-79.7 | 566 | 15.1 | 13.3-16.9 | 53 | 2.8 | 0.1-03.8 | 5 | 0.1 | 00.0-00.3 | 16 | 0.3 | 00.1-00.5 | 109 | 4.0 | 02.8-05.2 |
| Male | 1512 | 319,649 | 1273 | 80.2 | 76.9-83.5 | 167 | 12.0 | 09.3-14.7 | 16 | 2.5 | 01.1-03.9 | 1 | 0.1 | 00.0-00.3 | 10 | 0.4 | 00.0-00.8 | 45 | 4.7 | 02.7-06.7 |
| Female | 2687 | 351,560 | 2177 | 75.4 | 72.9-77.9 | 399 | 17.8 | 15.6-20.0 | 37 | 3.1 | 01.9-04.3 | 4 | 0.1 | 00.0-00.3 | 6 | 0.2 | 00.0-00.4 | 64 | 3.4 | 02.2-04.6 |
| 18-24 | 128 | 82,766 | | | | 32 | 24.1 | 14.7-33.5 | 5 | 6.2 | 00.7-11.7 | | | | | | | 7 | 4.9 | 01.0-08.8 |
| 25-34 | 323 | 110,283 | 221 | 70.5 | 64.2-76.8 | 74 | 18.3 | 13.6-23.0 | 10 | 3.2 | 01.0-05.4 | 1 | 0.3 | 00.0-00.9 | | | | 17 | 7.7 | 02.8-12.6 |
| 35-44 | 547 | 117,823 | 402 | 72.3 | 67.6-77.0 | 106 | 17.8 | 13.9-21.7 | 14 | 4.5 | 02.0-07.0 | 1 | 0.1 | 00.0-00.3 | 3 | 0.6 | 00.0-01.4 | 21 | 4.7 | 02.3-07.1 |
| 45-54 | 770 | 127,817 | 608 | 81.6 | 78.5-84.7 | 122 | 12.9 | 10.2-15.6 | 13 | 2.1 | 00.9-03.3 | 2 | 0.2 | 00.0-00.6 | 2 | 0.3 | 00.0-00.7 | 23 | 2.9 | 01.5-04.3 |
| 55-64 | 956 | 101,202 | 802 | 82.5 | 79.4-85.6 | 127 | 13.3 | 10.6-16.0 | 3 | 1.0 | 00.0-02.2 | 1 | 0.1 | 00.0-00.3 | 5 | 0.4 | 00.0-00.8 | 18 | 2.8 | 01.0-04.6 |
| 65+ | 1429 | 127,290 | 1299 | 89.7 | 87.7-91.7 | 99 | 7.5 | 05.9-09.1 | 7 | 0.8 | 00.0-01.6 | | | | 6 | 0.6 | 00.0-01.2 | 18 | 1.3 | 00.7-01.9 |
| Less Than H.S. | 271 | 40,395 | 190 | 67.1 | 57.3-76.9 | 67 | 26.3 | 17.1-35.5 | | | | | | | 5 | 1.6 | 00.0-03.2 | 9 | 5.0 | 00.5-09.5 |
| H.S. or G.E.D. | 1265 | 179,247 | 1077 | 81.8 | 78.5-85.1 | 154 | 14.1 | 11.2-17.0 | 6 | 1.2 | 00.2-02.2 | 3 | 0.1 | 00.0-00.3 | 4 | 0.3 | 00.0-00.7 | 21 | 2.5 | 00.9-04.1 |
| Some Post-H.S. | 1099 | 191,666 | 896 | 76.3 | 71.8-80.8 | 155 | 15.9 | 12.2-19.6 | 8 | 2.0 | 00.2-03.8 | | | | 4 | 0.4 | 00.0-00.8 | 36 | 5.4 | 02.7-08.1 |
| College Graduate | 1552 | 258,408 | 1277 | 77.5 | 74.4-80.6 | 189 | 13.4 | 11.0-15.8 | 39 | 5.0 | 03.0-07.0 | 2 | 0.2 | 00.0-00.4 | 3 | 0.1 | 00.0-00.3 | 42 | 3.8 | 02.2-05.4 |
| Less than \$15,000 | 449 | 55,610 | 360 | 75.3 | 68.2-82.4 | 72 | 17.8 | 12.1-23.5 | 1 | 0.7 | 00.0-02.1 | 2 | 0.3 | 00.0-00.7 | 6 | 1.4 | 00.2-02.6 | 8 | 4.5 | 00.0-09.6 |
| \$15,000- 24,999 | 419 | 49,550 | 315 | 67.2 | 59.2-75.2 | 86 | 26.4 | 18.8-34.0 | 2 | 2.4 | 00.0-05.9 | | | | 2 | 0.4 | 00.0-01.0 | 14 | 3.6 | 01.1-06.1 |
| \$25,000- 34,999 | 358 | 50,741 | 291 | 74.9 | 68.2-81.6 | 50 | 17.4 | 11.7-23.1 | 5 | 2.7 | 00.0-05.4 | | | | 2 | 0.6 | 00.0-01.6 | 10 | 4.3 | 01.0-07.6 |
| \$35,000- 49,999 | 558 | 80,301 | 445 | 75.2 | 69.3-81.1 | 88 | 17.5 | 12.6-22.4 | 7 | 4.3 | 00.4-08.2 | | | | 2 | 0.4 | 00.0-01.0 | 16 | 2.5 | 00.9-04.1 |
| \$50,000- 74,999 | 618 | 96,768 | 517 | 79.0 | 73.7-84.3 | 79 | 13.4 | 09.9-16.9 | 6 | 2.7 | 00.0-06.0 | | | | 1 | 0.0 | 00.0-00.0 | 15 | 4.9 | 01.2-08.6 |
| \$75,000+ | 1114 | 229,712 | 936 | 81.9 | 79.0-84.8 | 123 | 10.9 | 08.5-13.3 | 23 | 3.6 | 02.0-05.2 | 1 | 0.1 | 00.0-00.3 | 1 | 0.0 | 00.0-00.0 | 30 | 3.5 | 01.9-05.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White | | | Black | | | Asian | | | Native Hawaiian or Pacific Islander | | | American Indian or Alaska Native | | | Multiracial, Other Race or No Preferred Race | | |
|--------------------|-------------------|----------|-------|------|------------|-------|------|------------|-------|-----|------------|-------------------------------------|-----|------------|----------------------------------|-----|------------|--|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1512 | 319,649 | 1273 | 80.2 | 76.9-83.5 | 167 | 12.0 | 09.3-14.7 | 16 | 2.5 | 01.1-03.9 | 1 | 0.1 | 00.0-00.3 | 10 | 0.4 | 00.0-00.8 | 45 | 4.7 | 02.7-06.7 |
| 25-34 | 99 | 54,141 | | | | 17 | 13.1 | 06.2-20.0 | 2 | 2.1 | 00.0-05.0 | 1 | 0.5 | 00.0-01.5 | | | | 4 | 10.2 | 01.0-19.4 |
| 35-44 | 193 | 58,035 | 147 | 72.8 | 65.4-80.2 | 29 | 15.8 | 09.7-21.9 | 5 | 4.6 | 00.5-08.7 | | | | 2 | 0.9 | 00.0-02.3 | 10 | 5.8 | 01.9-09.7 |
| 45-54 | 298 | 61,466 | 252 | 87.2 | 82.9-91.5 | 31 | 8.0 | 04.3-11.7 | 3 | 1.3 | 00.0-02.9 | | | | 2 | 0.6 | 00.0-01.4 | 10 | 2.9 | 00.9-04.9 |
| 55-64 | 355 | 48,627 | 298 | 83.9 | 78.8-89.0 | 44 | 10.8 | 06.9-14.7 | 1 | 0.9 | 00.0-02.7 | | | | 3 | 0.5 | 00.0-01.1 | 9 | 3.9 | 00.6-07.2 |
| 65+ | 514 | 55,264 | 463 | 89.2 | 86.1-92.3 | 36 | 7.5 | 05.0-10.0 | 3 | 1.3 | 00.0-02.9 | | | | 3 | 0.4 | 00.0-00.8 | 9 | 1.5 | 00.5-02.5 |
| Less Than H.S. | 117 | 22,842 | | | | | | | | | | | | | 4 | 1.9 | 00.0-03.9 | 4 | 5.4 | 00.0-12.5 |
| H.S. or G.E.D. | 457 | 81,526 | 395 | 82.8 | 77.3-88.3 | 48 | 13.0 | 08.3-17.7 | 1 | 0.8 | 00.0-02.4 | | | | 2 | 0.3 | 00.0-00.9 | 11 | 3.2 | 00.3-06.1 |
| Some Post-H.S. | 351 | 89,816 | 291 | 78.3 | 70.7-85.9 | 41 | 12.8 | 06.3-19.3 | 1 | 0.2 | 00.0-00.6 | | | | 3 | 0.7 | 00.0-01.5 | 15 | 7.9 | 02.6-13.2 |
| College Graduate | 583 | 124,686 | 501 | 82.2 | 77.5-86.9 | 52 | 8.5 | 05.6-11.4 | 14 | 5.7 | 02.2-09.2 | 1 | 0.2 | 00.0-00.6 | 1 | 0.1 | 00.0-00.3 | 14 | 3.2 | 00.7-05.7 |
| Less than \$15,000 | 142 | 25,638 | | | | 18 | 13.5 | 04.1-22.9 | | | | | | | 5 | 2.4 | 00.0-04.8 | 5 | 8.7 | 00.0-19.1 |
| \$15,000- 24,999 | 114 | 17,336 | | | | | | | | | | | | | 1 | 0.5 | 00.0-01.5 | 3 | 1.6 | 00.0-03.6 |
| \$25,000- 34,999 | 124 | 22,704 | | | | 15 | 14.9 | 05.5-24.3 | 2 | 3.6 | 00.0-08.9 | | | | 2 | 1.4 | 00.0-03.8 | 3 | 5.2 | 00.0-11.9 |
| \$35,000- 49,999 | 209 | 39,300 | 173 | 82.2 | 75.3-89.1 | 25 | 11.4 | 05.9-16.9 | 3 | 2.9 | 00.0-06.2 | | | | 1 | 0.7 | 00.0-02.1 | 7 | 2.8 | 00.3-05.3 |
| \$50,000- 74,999 | 240 | 46,692 | 204 | 78.3 | 68.9-87.7 | 27 | 10.5 | 05.8-15.2 | 2 | 3.8 | 00.0-10.3 | | | | | | | 7 | 7.5 | 00.2-14.8 |
| \$75,000+ | 484 | 119,921 | 419 | 86.3 | 82.4-90.2 | 43 | 7.3 | 04.6-10.0 | 9 | 3.6 | 01.1-06.1 | | | | 1 | 0.1 | 00.0-00.3 | 12 | 2.7 | 00.7-04.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White | | | Black | | | Asian | | | Native Hawaiian or Pacific Islander | | | American Indian or Alaska Native | | | Multiracial, Other Race or No Preferred Race | | |
|--------------------|-------------------|----------|-------|------|------------|-------|------|------------|-------|-----|------------|-------------------------------------|-----|------------|----------------------------------|-----|------------|--|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2687 | 351,560 | 2177 | 75.4 | 72.9-77.9 | 399 | 17.8 | 15.6-20.0 | 37 | 3.1 | 01.9-04.3 | 4 | 0.1 | 00.0-00.3 | 6 | 0.2 | 00.0-00.4 | 64 | 3.4 | 02.2-04.6 |
| 18-24 | 81 | 41,599 | | | | | | | 3 | 7.0 | 00.0-14.6 | | | | | | | 5 | 6.4 | 00.1-12.7 |
| 25-34 | 224 | 56,142 | 146 | 67.1 | 60.2-74.0 | 57 | 23.4 | 17.3-29.5 | 8 | 4.3 | 01.2-07.4 | | | | | | | 13 | 5.2 | 02.1-08.3 |
| 35-44 | 354 | 59,788 | 255 | 71.9 | 66.4-77.4 | 77 | 19.7 | 15.0-24.4 | 9 | 4.3 | 01.4-07.2 | 1 | 0.1 | 00.0-00.3 | 1 | 0.3 | 00.0-00.9 | 11 | 3.7 | 01.2-06.2 |
| 45-54 | 472 | 66,351 | 356 | 76.4 | 72.1-80.7 | 91 | 17.4 | 13.7-21.1 | 10 | 2.9 | 00.9-04.9 | 2 | 0.4 | 00.0-01.0 | | | | 13 | 3.0 | 01.2-04.8 |
| 55-64 | 601 | 52,575 | 504 | 81.1 | 77.0-85.2 | 83 | 15.7 | 12.0-19.4 | 2 | 1.1 | 00.0-02.7 | 1 | 0.1 | 00.0-00.3 | 2 | 0.2 | 00.0-00.6 | 9 | 1.8 | 00.4-03.2 |
| 65+ | 915 | 72,026 | 836 | 90.0 | 87.6-92.4 | 63 | 7.6 | 05.4-09.8 | 4 | 0.5 | 00.0-01.1 | | | | 3 | 0.7 | 00.0-01.5 | 9 | 1.2 | 00.4-02.0 |
| Less Than H.S. | 154 | 17,553 | | | | | | | | | | | | | 1 | 1.4 | 00.0-03.9 | 5 | 4.5 | 00.0-09.6 |
| H.S. or G.E.D. | 808 | 97,722 | 682 | 81.0 | 77.1-84.9 | 106 | 15.0 | 11.5-18.5 | 5 | 1.5 | 00.1-02.9 | 3 | 0.3 | 00.1-00.5 | 2 | 0.2 | 00.0-00.6 | 10 | 2.0 | 00.4-03.6 |
| Some Post-H.S. | 748 | 101,850 | 605 | 74.4 | 69.3-79.5 | 114 | 18.7 | 14.2-23.2 | 7 | 3.5 | 00.2-06.8 | | | | 1 | 0.1 | 00.0-00.3 | 21 | 3.2 | 01.4-05.0 |
| College Graduate | 969 | 133,722 | 776 | 73.2 | 69.1-77.3 | 137 | 17.9 | 14.2-21.6 | 25 | 4.3 | 02.5-06.1 | 1 | 0.1 | 00.0-00.3 | 2 | 0.1 | 00.0-00.3 | 28 | 4.3 | 02.1-06.5 |
| Less than \$15,000 | 307 | 29,972 | 246 | 75.1 | 68.0-82.2 | 54 | 21.6 | 14.9-28.3 | 1 | 1.2 | 00.0-03.6 | 2 | 0.6 | 00.0-01.4 | 1 | 0.5 | 00.0-01.5 | 3 | 1.0 | 00.0-02.2 |
| \$15,000- 24,999 | 305 | 32,214 | 224 | 66.0 | 57.2-74.8 | 67 | 25.3 | 17.3-33.3 | 2 | 3.6 | 00.0-08.9 | | | | 1 | 0.4 | 00.0-01.2 | 11 | 4.7 | 00.8-08.6 |
| \$25,000- 34,999 | 234 | 28,037 | 189 | 74.9 | 67.5-82.3 | 35 | 19.4 | 12.5-26.3 | 3 | 2.0 | 00.0-04.5 | | | | | | | 7 | 3.7 | 00.8-06.6 |
| \$35,000- 49,999 | 349 | 41,001 | 272 | 68.5 | 59.7-77.3 | 63 | 23.3 | 15.5-31.1 | 4 | 5.7 | 00.0-12.6 | | | | 1 | 0.2 | 00.0-00.6 | 9 | 2.2 | 00.4-04.0 |
| \$50,000- 74,999 | 378 | 50,076 | 313 | 79.7 | 74.2-85.2 | 52 | 16.1 | 11.0-21.2 | 4 | 1.6 | 00.0-03.4 | | | | 1 | 0.1 | 00.0-00.3 | 8 | 2.5 | 00.5-04.5 |
| \$75,000+ | 630 | 109,791 | 517 | 77.1 | 72.6-81.6 | 80 | 14.9 | 11.2-18.6 | 14 | 3.5 | 01.5-05.5 | 1 | 0.2 | 00.0-00.6 | | | | 18 | 4.3 | 01.8-06.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only | | | Black only | | | Asian only | | | Native Hawaiian or Pacific Islander only | | | American Indian or Alaska Native only | | | Multiracial only or Other Race only | | |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|--|-----|------------|---------------------------------------|-----|------------|-------------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4199 | 671,208 | 3432 | 77.3 | 75.3-79.3 | 554 | 14.6 | 12.8-16.4 | 52 | 2.8 | 01.8-03.8 | 5 | 0.1 | 00.0-00.3 | 15 | 0.3 | 00.1-00.5 | 141 | 4.9 | 03.7-06.1 |
| Male | 1512 | 319,649 | 1267 | 79.9 | 76.6-83.2 | 164 | 11.7 | 09.0-14.4 | 16 | 2.5 | 01.1-03.9 | 1 | 0.1 | 00.0-00.3 | 9 | 0.4 | 00.0-00.8 | 55 | 5.4 | 03.2-07.6 |
| Female | 2687 | 351,560 | 2165 | 74.9 | 72.4-77.4 | 390 | 17.2 | 15.0-19.4 | 36 | 3.0 | 01.8-04.2 | 4 | 0.1 | 00.0-00.3 | 6 | 0.2 | 00.0-00.4 | 86 | 4.5 | 03.3-05.7 |
| 18-24 | 128 | 82,766 | | | | 31 | 23.2 | 14.0-32.4 | 5 | 6.2 | 00.7-11.7 | | | | | | | 8 | 5.7 | 01.4-10.0 |
| 25-34 | 323 | 110,283 | 221 | 70.5 | 64.2-76.8 | 72 | 17.5 | 13.0-22.0 | 10 | 3.2 | 01.0-05.4 | 1 | 0.3 | 00.0-00.9 | | | | 19 | 8.5 | 03.4-13.6 |
| 35-44 | 547 | 117,823 | 398 | 71.7 | 67.0-76.4 | 103 | 16.8 | 13.1-20.5 | 14 | 4.5 | 02.0-07.0 | 1 | 0.1 | 00.0-00.3 | 3 | 0.6 | 00.0-01.4 | 28 | 6.3 | 03.6-09.0 |
| 45-54 | 770 | 127,817 | 605 | 81.2 | 78.1-84.3 | 119 | 12.6 | 10.1-15.1 | 13 | 2.1 | 00.9-03.3 | 2 | 0.2 | 00.0-00.6 | 2 | 0.3 | 00.0-00.7 | 29 | 3.6 | 02.2-05.0 |
| 55-64 | 956 | 101,202 | 799 | 82.1 | 78.8-85.4 | 125 | 13.2 | 10.5-15.9 | 3 | 1.0 | 00.0-02.2 | 1 | 0.1 | 00.0-00.3 | 4 | 0.2 | 00.0-00.4 | 24 | 3.4 | 01.6-05.2 |
| 65+ | 1429 | 127,290 | 1291 | 88.7 | 86.5-90.9 | 98 | 7.5 | 05.9-09.1 | 6 | 0.8 | 00.0-01.6 | | | | 6 | 0.6 | 00.0-01.2 | 28 | 2.5 | 01.3-03.7 |
| Less Than H.S. | 271 | 40,395 | 189 | 66.9 | 57.1-76.7 | 65 | 25.9 | 16.7-35.1 | | | | | | | 4 | 1.4 | 00.0-03.0 | 13 | 5.8 | 01.1-10.5 |
| H.S. or G.E.D. | 1265 | 179,247 | 1075 | 81.6 | 78.3-84.9 | 151 | 13.6 | 10.9-16.3 | 6 | 1.2 | 00.2-02.2 | 3 | 0.1 | 00.0-00.3 | 4 | 0.3 | 00.0-00.7 | 26 | 3.3 | 01.5-05.1 |
| Some Post-H.S. | 1099 | 191,666 | 889 | 75.8 | 71.3-80.3 | 151 | 15.3 | 11.6-19.0 | 8 | 2.0 | 00.2-03.8 | | | | 4 | 0.4 | 00.0-00.8 | 47 | 6.5 | 03.8-09.2 |
| College Graduate | 1552 | 258,408 | 1269 | 76.9 | 73.8-80.0 | 186 | 13.0 | 10.6-15.4 | 38 | 5.0 | 03.0-07.0 | 2 | 0.2 | 00.0-00.4 | 3 | 0.1 | 00.0-00.3 | 54 | 4.8 | 03.0-06.6 |
| Less than \$15,000 | 449 | 55,610 | 358 | 74.9 | 67.8-82.0 | 71 | 16.8 | 11.3-22.3 | 1 | 0.7 | 00.0-02.1 | 2 | 0.3 | 00.0-00.7 | 5 | 1.2 | 00.0-02.4 | 12 | 6.1 | 00.8-11.4 |
| \$15,000- 24,999 | 419 | 49,550 | 313 | 66.6 | 58.6-74.6 | 83 | 26.0 | 18.4-33.6 | 2 | 2.4 | 00.0-05.9 | | | | 2 | 0.4 | 00.0-01.0 | 19 | 4.7 | 02.0-07.4 |
| \$25,000- 34,999 | 358 | 50,741 | 290 | 74.6 | 67.9-81.3 | 49 | 16.6 | 11.1-22.1 | 5 | 2.7 | 00.0-05.4 | | | | 2 | 0.6 | 00.0-01.6 | 12 | 5.4 | 01.7-09.1 |
| \$35,000- 49,999 | 558 | 80,301 | 444 | 75.1 | 69.2-81.0 | 88 | 17.5 | 12.6-22.4 | 7 | 4.3 | 00.4-08.2 | | | | 2 | 0.4 | 00.0-01.0 | 17 | 2.6 | 01.0-04.2 |
| \$50,000- 74,999 | 618 | 96,768 | 513 | 78.6 | 73.3-83.9 | 79 | 13.4 | 09.9-16.9 | 6 | 2.7 | 00.0-06.0 | | | | 1 | 0.0 | 00.0-00.0 | 19 | 5.3 | 01.6-09.0 |
| \$75,000+ | 1114 | 229,712 | 933 | 81.6 | 78.7-84.5 | 118 | 10.3 | 08.1-12.5 | 23 | 3.6 | 02.0-05.2 | 1 | 0.1 | 00.0-00.3 | 1 | 0.0 | 00.0-00.0 | 38 | 4.5 | 02.7-06.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only | | | Black only | | | Asian only | | | Native Hawaiian or Pacific Islander only | | | American Indian or Alaska Native only | | | Multiracial only or Other Race only | | |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|--|-----|------------|---------------------------------------|-----|------------|-------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1512 | 319,649 | 1267 | 79.9 | 76.6-83.2 | 164 | 11.7 | 09.2-14.2 | 16 | 2.5 | 01.1-03.9 | 1 | 0.1 | 00.0-00.3 | 9 | 0.4 | 00.0-00.8 | 55 | 5.4 | 03.2-07.6 |
| 25-34 | 99 | 54,141 | | | | 17 | 13.1 | 06.2-20.0 | 2 | 2.1 | 00.0-05.0 | 1 | 0.5 | 00.0-01.5 | | | | 4 | 10.2 | 01.0-19.4 |
| 35-44 | 193 | 58,035 | 147 | 72.8 | 65.4-80.2 | 27 | 14.1 | 08.4-19.8 | 5 | 4.6 | 00.5-08.7 | | | | 2 | 0.9 | 00.0-02.3 | 12 | 7.5 | 02.8-12.2 |
| 45-54 | 298 | 61,466 | 252 | 87.2 | 82.9-91.5 | 30 | 7.8 | 04.1-11.5 | 3 | 1.3 | 00.0-02.9 | | | | 2 | 0.6 | 00.0-01.4 | 11 | 3.0 | 01.0-05.0 |
| 55-64 | 355 | 48,627 | 296 | 83.6 | 78.5-88.7 | 44 | 10.8 | 06.9-14.7 | 1 | 0.9 | 00.0-02.7 | | | | 2 | 0.3 | 00.0-00.7 | 12 | 4.5 | 01.2-07.8 |
| 65+ | 514 | 55,264 | 459 | 87.5 | 84.0-91.0 | 36 | 7.5 | 05.0-10.0 | 3 | 1.3 | 00.0-02.9 | | | | 3 | 0.4 | 00.0-00.8 | 13 | 3.3 | 00.9-05.7 |
| Less Than H.S. | 117 | 22,842 | | | | | | | | | | | | | 3 | 1.4 | 00.0-03.0 | 5 | 5.9 | 00.0-13.0 |
| H.S. or G.E.D. | 457 | 81,526 | 395 | 82.8 | 77.3-88.3 | 48 | 13.0 | 08.3-17.7 | 1 | 0.8 | 00.0-02.4 | | | | 2 | 0.3 | 00.0-00.9 | 11 | 3.2 | 00.3-06.1 |
| Some Post-H.S. | 351 | 89,816 | 289 | 77.8 | 70.2-85.4 | 40 | 12.3 | 06.0-18.6 | 1 | 0.2 | 00.0-00.6 | | | | 3 | 0.7 | 00.0-01.5 | 18 | 8.9 | 03.6-14.2 |
| College Graduate | 583 | 124,686 | 497 | 81.7 | 76.8-86.6 | 50 | 8.0 | 05.1-10.9 | 14 | 5.7 | 02.2-09.2 | 1 | 0.2 | 00.0-00.6 | 1 | 0.1 | 00.0-00.3 | 20 | 4.3 | 01.6-07.0 |
| Less than \$15,000 | 142 | 25,638 | | | | 18 | 13.5 | 04.1-22.9 | | | | | | | 4 | 1.9 | 00.0-04.1 | 6 | 9.1 | 00.0-19.7 |
| \$15,000- 24,999 | 114 | 17,336 | | | | | | | | | | | | | 1 | 0.5 | 00.0-01.5 | 3 | 1.6 | 00.0-03.6 |
| \$25,000- 34,999 | 124 | 22,704 | | | | 15 | 14.9 | 05.5-24.3 | 2 | 3.6 | 00.0-08.9 | | | | 2 | 1.4 | 00.0-03.8 | 3 | 5.2 | 00.0-11.9 |
| \$35,000- 49,999 | 209 | 39,300 | 172 | 82.0 | 75.1-88.9 | 25 | 11.4 | 05.9-16.9 | 3 | 2.9 | 00.0-06.2 | | | | 1 | 0.7 | 00.0-02.1 | 8 | 3.0 | 00.5-05.5 |
| \$50,000- 74,999 | 240 | 46,692 | 201 | 77.8 | 68.4-87.2 | 27 | 10.5 | 05.8-15.2 | 2 | 3.8 | 00.0-10.3 | | | | | | | 10 | 7.9 | 00.6-15.2 |
| \$75,000+ | 484 | 119,921 | 419 | 86.3 | 82.4-90.2 | 41 | 6.7 | 04.2-09.2 | 9 | 3.6 | 01.1-06.1 | | | | 1 | 0.1 | 00.0-00.3 | 14 | 3.3 | 01.1-05.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only | | | Black only | | | Asian only | | | Native Hawaiian or Pacific Islander only | | | American Indian or Alaska Native only | | | Multiracial only or Other Race only | | |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|--|-----|------------|---------------------------------------|-----|------------|-------------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2687 | 351,560 | 2165 | 74.9 | 72.4-77.4 | 390 | 17.2 | 15.0-19.4 | 36 | 3.0 | 01.8-04.2 | 4 | 0.1 | 00.0-00.3 | 6 | 0.2 | 00.0-00.4 | 86 | 4.5 | 03.3-05.7 |
| 18-24 | 81 | 41,599 | | | | | | | 3 | 7.0 | 00.0-14.6 | | | | | | | 6 | 8.0 | 00.9-15.1 |
| 25-34 | 224 | 56,142 | 146 | 67.1 | 60.2-74.0 | 55 | 21.7 | 15.8-27.6 | 8 | 4.3 | 01.2-07.4 | | | | | | | 15 | 6.9 | 03.0-10.8 |
| 35-44 | 354 | 59,788 | 251 | 70.7 | 65.0-76.4 | 76 | 19.5 | 14.8-24.2 | 9 | 4.3 | 01.4-07.2 | 1 | 0.1 | 00.0-00.3 | 1 | 0.3 | 00.0-00.9 | 16 | 5.1 | 02.4-07.8 |
| 45-54 | 472 | 66,351 | 353 | 75.6 | 71.3-79.9 | 89 | 17.1 | 13.4-20.8 | 10 | 2.9 | 00.9-04.9 | 2 | 0.4 | 00.0-01.0 | | | | 18 | 4.0 | 02.0-06.0 |
| 55-64 | 601 | 52,575 | 503 | 80.7 | 76.6-84.8 | 81 | 15.4 | 11.7-19.1 | 2 | 1.1 | 00.0-02.7 | 1 | 0.1 | 00.0-00.3 | 2 | 0.2 | 00.0-00.6 | 12 | 2.5 | 00.9-04.1 |
| 65+ | 915 | 72,026 | 832 | 89.6 | 87.1-92.1 | 62 | 7.4 | 05.2-09.6 | 3 | 0.4 | 00.0-00.8 | | | | 3 | 0.7 | 00.0-01.5 | 15 | 1.9 | 00.9-02.9 |
| Less Than H.S. | 154 | 17,553 | | | | | | | | | | | | | 1 | 1.4 | 00.0-03.9 | 8 | 5.8 | 00.5-11.1 |
| H.S. or G.E.D. | 808 | 97,722 | 680 | 80.6 | 76.5-84.7 | 103 | 14.1 | 10.8-17.4 | 5 | 1.5 | 00.1-02.9 | 3 | 0.3 | 00.1-00.5 | 2 | 0.2 | 00.0-00.6 | 15 | 3.3 | 01.1-05.5 |
| Some Post-H.S. | 748 | 101,850 | 600 | 74.0 | 68.9-79.1 | 111 | 17.9 | 13.6-22.2 | 7 | 3.5 | 00.2-06.8 | | | | 1 | 0.1 | 00.0-00.3 | 29 | 4.4 | 02.4-06.4 |
| College Graduate | 969 | 133,722 | 772 | 72.6 | 68.5-76.7 | 136 | 17.6 | 14.1-21.1 | 24 | 4.2 | 02.4-06.0 | 1 | 0.1 | 00.0-00.3 | 2 | 0.1 | 00.0-00.3 | 34 | 5.3 | 02.9-07.7 |
| Less than \$15,000 | 307 | 29,972 | 244 | 74.5 | 67.4-81.6 | 53 | 19.7 | 13.8-25.6 | 1 | 1.2 | 00.0-03.6 | 2 | 0.6 | 00.0-01.4 | 1 | 0.5 | 00.0-01.5 | 6 | 3.5 | 00.0-07.4 |
| \$15,000- 24,999 | 305 | 32,214 | 222 | 65.1 | 56.3-73.9 | 64 | 24.5 | 16.5-32.5 | 2 | 3.6 | 00.0-08.9 | | | | 1 | 0.4 | 00.0-01.2 | 16 | 6.4 | 02.3-10.5 |
| \$25,000- 34,999 | 234 | 28,037 | 188 | 74.4 | 67.0-81.8 | 34 | 18.1 | 11.6-24.6 | 3 | 2.0 | 00.0-04.5 | | | | | | | 9 | 5.6 | 01.5-09.7 |
| \$35,000- 49,999 | 349 | 41,001 | 272 | 68.5 | 59.7-77.3 | 63 | 23.3 | 15.5-31.1 | 4 | 5.7 | 00.0-12.6 | | | | 1 | 0.2 | 00.0-00.6 | 9 | 2.2 | 00.4-04.0 |
| \$50,000- 74,999 | 378 | 50,076 | 312 | 79.3 | 73.8-84.8 | 52 | 16.1 | 11.0-21.2 | 4 | 1.6 | 00.0-03.4 | | | | 1 | 0.1 | 00.0-00.3 | 9 | 2.9 | 00.9-04.9 |
| \$75,000+ | 630 | 109,791 | 514 | 76.5 | 72.0-81.0 | 77 | 14.1 | 10.6-17.6 | 14 | 3.5 | 01.5-05.5 | 1 | 0.2 | 00.0-00.6 | | | | 24 | 5.7 | 02.8-08.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only | | | Black only | | | Asian only | | | Native Hawaiian or Pacific Islander only | | | American Indian or Alaska Native only | | | Multiracial only or Other Race only | | |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|--|-----|------------|---------------------------------------|-----|------------|-------------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4100 | 640,747 | 3396 | 79.5 | 77.5-81.5 | 541 | 14.4 | 12.6-16.2 | 51 | 2.9 | 01.9-03.9 | 4 | 0.1 | 00.0-00.3 | 15 | 0.3 | 00.1-00.5 | 93 | 2.8 | 02.0-03.6 |
| Male | 1470 | 302,528 | 1249 | 82.0 | 78.9-85.1 | 160 | 12.0 | 09.3-14.7 | 16 | 2.6 | 01.0-04.2 | 1 | 0.1 | 00.0-00.3 | 9 | 0.4 | 00.0-00.8 | 35 | 2.8 | 01.4-04.2 |
| Female | 2630 | 338,220 | 2147 | 77.2 | 74.8-79.6 | 381 | 16.6 | 14.4-18.8 | 35 | 3.1 | 01.7-04.5 | 3 | 0.1 | 00.0-00.3 | 6 | 0.2 | 00.0-00.4 | 58 | 2.7 | 01.9-03.5 |
| 18-24 | 115 | 72,566 | | | | 26 | 22.3 | 12.5-32.1 | 5 | 7.1 | 00.8-13.4 | | | | | | | 3 | 1.7 | 00.0-03.9 |
| 25-34 | 309 | 103,191 | 219 | 74.5 | 68.8-80.2 | 69 | 17.8 | 13.1-22.5 | 10 | 3.4 | 01.0-05.8 | 1 | 0.3 | 00.0-00.9 | | | | 10 | 4.0 | 00.9-07.1 |
| 35-44 | 521 | 111,377 | 388 | 74.0 | 69.3-78.7 | 101 | 17.2 | 13.5-20.9 | 14 | 4.8 | 02.1-07.5 | | | | 3 | 0.6 | 00.0-01.4 | 15 | 3.5 | 01.5-05.5 |
| 45-54 | 750 | 124,434 | 597 | 82.3 | 79.2-85.4 | 118 | 12.8 | 10.1-15.5 | 12 | 2.1 | 00.9-03.3 | 2 | 0.2 | 00.0-00.6 | 2 | 0.3 | 00.0-00.7 | 19 | 2.3 | 01.1-03.5 |
| 55-64 | 943 | 98,799 | 792 | 83.2 | 80.1-86.3 | 123 | 13.0 | 10.3-15.7 | 3 | 1.0 | 00.0-02.2 | 1 | 0.1 | 00.0-00.3 | 4 | 0.2 | 00.0-00.4 | 20 | 2.5 | 01.1-03.9 |
| 65+ | 1418 | 126,546 | 1286 | 88.9 | 86.7-91.1 | 98 | 7.5 | 05.9-09.1 | 6 | 0.8 | 00.0-01.6 | | | | 6 | 0.6 | 00.0-01.2 | 22 | 2.2 | 01.0-03.4 |
| Less Than H.S. | 261 | 38,124 | 186 | 70.1 | 60.5-79.7 | 64 | 26.7 | 17.1-36.3 | | | | | | | 4 | 1.4 | 00.0-03.0 | 7 | 1.8 | 00.2-03.4 |
| H.S. or G.E.D. | 1240 | 172,993 | 1068 | 84.0 | 80.9-87.1 | 146 | 13.3 | 10.6-16.0 | 6 | 1.2 | 00.0-02.4 | 2 | 0.1 | 00.0-00.3 | 4 | 0.3 | 00.0-00.7 | 14 | 1.1 | 00.3-01.9 |
| Some Post-H.S. | 1069 | 177,212 | 879 | 79.1 | 75.0-83.2 | 147 | 15.0 | 11.3-18.7 | 8 | 2.2 | 00.2-04.2 | | | | 4 | 0.4 | 00.0-00.8 | 31 | 3.4 | 01.8-05.0 |
| College Graduate | 1520 | 251,110 | 1254 | 78.1 | 75.0-81.2 | 183 | 13.0 | 10.6-15.4 | 37 | 5.0 | 03.0-07.0 | 2 | 0.2 | 00.0-00.4 | 3 | 0.1 | 00.0-00.3 | 41 | 3.6 | 02.0-05.2 |
| Less than \$15,000 | 440 | 50,999 | 357 | 77.9 | 71.8-84.0 | 68 | 16.7 | 11.2-22.2 | 1 | 0.7 | 00.0-02.1 | 1 | 0.2 | 00.0-00.6 | 5 | 1.3 | 00.1-02.5 | 8 | 3.2 | 00.3-06.1 |
| \$15,000- 24,999 | 408 | 48,106 | 308 | 67.6 | 59.6-75.6 | 83 | 26.7 | 18.9-34.5 | 2 | 2.4 | 00.0-05.9 | | | | 2 | 0.4 | 00.0-01.0 | 13 | 2.8 | 01.0-04.6 |
| \$25,000- 34,999 | 347 | 48,147 | 286 | 77.5 | 71.0-84.0 | 47 | 16.3 | 10.6-22.0 | 5 | 2.9 | 00.0-05.8 | | | | 2 | 0.7 | 00.0-01.9 | 7 | 2.7 | 00.3-05.1 |
| \$35,000- 49,999 | 544 | 77,101 | 439 | 76.9 | 71.0-82.8 | 86 | 16.9 | 12.0-21.8 | 7 | 4.5 | 00.4-08.6 | | | | 2 | 0.4 | 00.0-01.2 | 10 | 1.2 | 00.4-02.0 |
| \$50,000- 74,999 | 604 | 91,691 | 506 | 80.1 | 75.0-85.2 | 79 | 14.1 | 10.6-17.6 | 6 | 2.8 | 00.0-06.1 | | | | 1 | 0.1 | 00.0-00.3 | 12 | 3.0 | 00.1-05.9 |
| \$75,000+ | 1093 | 223,493 | 926 | 83.3 | 80.4-86.2 | 115 | 10.1 | 07.9-12.3 | 23 | 3.7 | 02.1-05.3 | 1 | 0.1 | 00.0-00.3 | 1 | 0.0 | 00.0-00.0 | 27 | 2.8 | 01.4-04.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only | | | Black only | | | Asian only | | | Native Hawaiian or Pacific Islander only | | | American Indian or Alaska Native only | | | Multiracial only or Other Race only | | |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|--|-----|------------|---------------------------------------|-----|------------|-------------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1470 | 302,528 | 1249 | 82.0 | 78.9-85.1 | 160 | 12.0 | 09.3-14.7 | 16 | 2.6 | 01.0-04.2 | 1 | 0.1 | 00.0-00.3 | 9 | 0.4 | 00.0-00.8 | 35 | 2.8 | 01.4-04.2 |
| 25-34 | 93 | 48,847 | 74 | 81.0 | 72.0-90.0 | 15 | 13.3 | 06.0-20.6 | 2 | 2.3 | 00.0-05.4 | 1 | 0.6 | 00.0-01.8 | | | | 1 | 2.8 | 00.0-08.3 |
| 35-44 | 182 | 54,454 | 142 | 75.1 | 67.7-82.5 | 27 | 15.0 | 09.1-20.9 | 5 | 5.0 | 00.7-09.3 | | | | 2 | 1.0 | 00.0-02.4 | 6 | 4.0 | 00.7-07.3 |
| 45-54 | 289 | 59,769 | 247 | 88.1 | 83.8-92.4 | 30 | 8.0 | 04.3-11.7 | 3 | 1.4 | 00.0-03.0 | | | | 2 | 0.6 | 00.0-01.4 | 7 | 1.9 | 00.3-03.5 |
| 55-64 | 348 | 47,066 | 292 | 85.0 | 80.3-89.7 | 43 | 10.8 | 06.9-14.7 | 1 | 0.9 | 00.0-02.7 | | | | 2 | 0.3 | 00.0-00.7 | 10 | 3.0 | 00.6-05.4 |
| 65+ | 509 | 54,891 | 458 | 87.9 | 84.4-91.4 | 36 | 7.6 | 05.1-10.1 | 3 | 1.3 | 00.0-02.9 | | | | 3 | 0.4 | 00.0-00.8 | 9 | 2.8 | 00.6-05.0 |
| Less Than H.S. | 114 | 21,566 | | | | | | | | | | | | | 3 | 1.4 | 00.0-03.2 | 3 | 1.7 | 00.0-03.9 |
| H.S. or G.E.D. | 447 | 78,982 | 393 | 85.2 | 80.3-90.1 | 47 | 13.2 | 08.5-17.9 | 1 | 0.8 | 00.0-02.4 | | | | 2 | 0.3 | 00.0-00.9 | 4 | 0.6 | 00.0-01.2 |
| Some Post-H.S. | 335 | 79,181 | 282 | 82.2 | 74.9-89.5 | 38 | 13.1 | 06.0-20.2 | 1 | 0.3 | 00.0-00.9 | | | | 3 | 0.8 | 00.0-01.8 | 11 | 3.6 | 01.1-06.1 |
| College Graduate | 571 | 122,055 | 488 | 81.7 | 76.8-86.6 | 50 | 8.2 | 05.3-11.1 | 14 | 5.9 | 02.4-09.4 | 1 | 0.2 | 00.0-00.6 | 1 | 0.1 | 00.0-00.3 | 17 | 4.0 | 01.3-06.7 |
| Less than \$15,000 | 138 | 21,822 | | | | | | | | | | | | | 4 | 2.3 | 00.0-04.7 | 4 | 3.5 | 00.0-07.8 |
| \$15,000- 24,999 | 111 | 17,029 | | | | | | | | | | | | | 1 | 0.5 | 00.0-01.5 | 1 | 0.4 | 00.0-01.2 |
| \$25,000- 34,999 | 119 | 21,186 | | | | 14 | 14.6 | 04.8-24.4 | 2 | 3.9 | 00.0-09.6 | | | | 2 | 1.5 | 00.0-04.0 | 1 | 1.5 | 00.0-04.4 |
| \$35,000- 49,999 | 202 | 37,548 | 169 | 83.7 | 77.0-90.4 | 24 | 11.5 | 05.8-17.2 | 3 | 3.0 | 00.0-06.5 | | | | 1 | 0.7 | 00.0-02.1 | 5 | 1.1 | 00.1-02.1 |
| \$50,000- 74,999 | 233 | 42,767 | 197 | 79.6 | 70.4-88.8 | 27 | 11.4 | 06.5-16.3 | 2 | 4.1 | 00.0-11.2 | | | | | | | 7 | 4.8 | 00.0-11.1 |
| \$75,000+ | 477 | 118,277 | 414 | 86.8 | 82.9-90.7 | 41 | 6.8 | 04.1-09.5 | 9 | 3.6 | 01.1-06.1 | | | | 1 | 0.1 | 00.0-00.3 | 12 | 2.7 | 00.7-04.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only | | | Black only | | | Asian only | | | Native Hawaiian or Pacific Islander only | | | American Indian or Alaska Native only | | | Multiracial only or Other Race only | | |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|--|-----|------------|---------------------------------------|-----|------------|-------------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2630 | 338,220 | 2147 | 77.2 | 74.8-79.6 | 381 | 16.6 | 14.6-18.6 | 35 | 3.1 | 01.7-04.5 | 3 | 0.1 | 00.0-00.3 | 6 | 0.2 | 00.0-00.4 | 58 | 2.7 | 01.9-03.5 |
| 18-24 | 72 | 36,015 | | | | | | | 3 | 8.1 | 00.0-16.9 | | | | | | | 2 | 1.6 | 00.0-04.0 |
| 25-34 | 216 | 54,344 | 145 | 68.7 | 61.8-75.6 | 54 | 21.8 | 15.9-27.7 | 8 | 4.5 | 01.2-07.8 | | | | | | | 9 | 5.0 | 01.5-08.5 |
| 35-44 | 339 | 56,923 | 246 | 72.9 | 67.2-78.6 | 74 | 19.3 | 14.4-24.2 | 9 | 4.6 | 01.7-07.5 | | | | 1 | 0.3 | 00.0-00.9 | 9 | 3.0 | 00.6-05.4 |
| 45-54 | 461 | 64,664 | 350 | 77.0 | 72.7-81.3 | 88 | 17.2 | 13.5-20.9 | 9 | 2.7 | 00.7-04.7 | 2 | 0.4 | 00.0-01.0 | | | | 12 | 2.7 | 01.1-04.3 |
| 55-64 | 595 | 51,733 | 500 | 81.5 | 77.6-85.4 | 80 | 15.0 | 11.3-18.7 | 2 | 1.1 | 00.0-02.7 | 1 | 0.1 | 00.0-00.3 | 2 | 0.2 | 00.0-00.6 | 10 | 2.0 | 00.6-03.4 |
| 65+ | 909 | 71,655 | 828 | 89.7 | 87.2-92.2 | 62 | 7.5 | 05.3-09.7 | 3 | 0.4 | 00.0-00.8 | | | | 3 | 0.7 | 00.0-01.5 | 13 | 1.7 | 00.7-02.7 |
| Less Than H.S. | 147 | 16,557 | | | | | | | | | | | | | 1 | 1.4 | 00.0-04.1 | 4 | 1.9 | 00.0-03.9 |
| H.S. or G.E.D. | 793 | 94,011 | 675 | 83.0 | 79.3-86.7 | 99 | 13.5 | 10.2-16.8 | 5 | 1.5 | 00.1-02.9 | 2 | 0.2 | 00.0-00.4 | 2 | 0.2 | 00.0-00.6 | 10 | 1.6 | 00.4-02.8 |
| Some Post-H.S. | 734 | 98,031 | 597 | 76.5 | 71.6-81.4 | 109 | 16.5 | 12.8-20.2 | 7 | 3.7 | 00.4-07.0 | | | | 1 | 0.1 | 00.0-00.3 | 20 | 3.2 | 01.4-05.0 |
| College Graduate | 949 | 129,055 | 766 | 74.7 | 70.8-78.6 | 133 | 17.5 | 13.8-21.2 | 23 | 4.3 | 02.3-06.3 | 1 | 0.1 | 00.0-00.3 | 2 | 0.2 | 00.0-00.4 | 24 | 3.3 | 01.7-04.9 |
| Less than \$15,000 | 302 | 29,177 | 244 | 76.5 | 69.6-83.4 | 51 | 18.4 | 12.7-24.1 | 1 | 1.3 | 00.0-03.8 | 1 | 0.3 | 00.0-00.9 | 1 | 0.5 | 00.0-01.5 | 4 | 3.0 | 00.0-06.9 |
| \$15,000- 24,999 | 297 | 31,077 | 218 | 66.3 | 57.3-75.3 | 64 | 25.4 | 17.2-33.6 | 2 | 3.8 | 00.0-09.3 | | | | 1 | 0.4 | 00.0-01.2 | 12 | 4.2 | 01.7-06.7 |
| \$25,000- 34,999 | 228 | 26,961 | 186 | 76.7 | 69.4-84.0 | 33 | 17.6 | 11.1-24.1 | 3 | 2.1 | 00.0-04.8 | | | | | | | 6 | 3.7 | 00.2-07.2 |
| \$35,000- 49,999 | 342 | 39,553 | 270 | 70.5 | 61.7-79.3 | 62 | 22.1 | 14.7-29.5 | 4 | 5.9 | 00.0-13.0 | | | | 1 | 0.2 | 00.0-00.6 | 5 | 1.3 | 00.1-02.5 |
| \$50,000- 74,999 | 371 | 48,924 | 309 | 80.5 | 75.2-85.8 | 52 | 16.4 | 11.3-21.5 | 4 | 1.7 | 00.0-03.5 | | | | 1 | 0.1 | 00.0-00.3 | 5 | 1.3 | 00.1-02.5 |
| \$75,000+ | 616 | 105,215 | 512 | 79.5 | 75.4-83.6 | 74 | 13.8 | 10.3-17.3 | 14 | 3.7 | 01.7-05.7 | 1 | 0.2 | 00.0-00.6 | | | | 15 | 2.9 | 01.1-04.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Non-White, Multiracial or Hispanic | | |
|--------------------|-------------------|----------|--------------------------|------|------------|------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4213 | 674,463 | 3396 | 75.5 | 73.3-77.7 | 817 | 24.5 | 22.3-26.7 |
| Male | 1513 | 320,726 | 1249 | 77.4 | 73.9-80.9 | 264 | 22.6 | 19.1-26.1 |
| Female | 2700 | 353,738 | 2147 | 73.8 | 71.3-76.3 | 553 | 26.2 | 23.7-28.7 |
| 25-34 | 324 | 110,411 | 219 | 69.6 | 63.3-75.9 | 105 | 30.4 | 24.1-36.7 |
| 35-44 | 553 | 119,339 | 388 | 69.0 | 64.3-73.7 | 165 | 31.0 | 26.3-35.7 |
| 45-54 | 771 | 128,043 | 597 | 80.0 | 76.7-83.3 | 174 | 20.0 | 16.7-23.3 |
| 55-64 | 957 | 100,798 | 792 | 81.5 | 78.4-84.6 | 165 | 18.5 | 15.4-21.6 |
| 65+ | 1430 | 127,357 | 1286 | 88.4 | 86.2-90.6 | 144 | 11.6 | 09.4-13.8 |
| Less Than H.S. | 277 | 41,181 | 186 | 64.9 | 55.3-74.5 | 91 | 35.1 | 25.5-44.7 |
| H.S. or G.E.D. | 1269 | 180,137 | 1068 | 80.6 | 77.3-83.9 | 201 | 19.4 | 16.1-22.7 |
| Some Post-H.S. | 1100 | 192,325 | 879 | 72.8 | 67.9-77.7 | 221 | 27.2 | 22.3-32.1 |
| College Graduate | 1556 | 259,364 | 1254 | 75.6 | 72.5-78.7 | 302 | 24.4 | 21.3-27.5 |
| Less than \$15,000 | 450 | 56,013 | 357 | 70.9 | 62.7-79.1 | 93 | 29.1 | 20.9-37.3 |
| \$15,000- 24,999 | 421 | 49,759 | 308 | 65.3 | 57.3-73.3 | 113 | 34.7 | 26.7-42.7 |
| \$25,000- 34,999 | 360 | 51,082 | 286 | 73.0 | 66.1-79.9 | 74 | 27.0 | 20.1-33.9 |
| \$35,000- 49,999 | 560 | 80,952 | 439 | 73.3 | 67.4-79.2 | 121 | 26.7 | 20.8-32.6 |
| \$50,000- 74,999 | 618 | 96,768 | 506 | 75.9 | 70.0-81.8 | 112 | 24.1 | 18.2-30.0 |
| \$75,000+ | 1117 | 229,978 | 926 | 81.0 | 78.1-83.9 | 191 | 19.0 | 16.1-21.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
 SECTION 12: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Non-White, Multiracial or Hispanic | | |
|--------------------|-------------------|----------|--------------------------|------|------------|------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1513 | 320,726 | 1249 | 77.4 | 73.9-80.9 | 264 | 22.6 | 19.1-26.1 |
| 35-44 | 194 | 58,432 | 142 | 70.0 | 62.4-77.6 | 52 | 30.0 | 22.4-37.6 |
| 45-54 | 298 | 61,466 | 247 | 85.7 | 81.0-90.4 | 51 | 14.3 | 09.6-19.0 |
| 55-64 | 354 | 48,088 | 292 | 83.2 | 78.3-88.1 | 62 | 16.8 | 11.9-21.7 |
| 65+ | 513 | 55,228 | 458 | 87.4 | 83.9-90.9 | 55 | 12.6 | 09.1-16.1 |
| H.S. or G.E.D. | 456 | 81,414 | 393 | 82.6 | 77.1-88.1 | 63 | 17.4 | 11.9-22.9 |
| Some Post-H.S. | 351 | 90,347 | 282 | 72.1 | 63.7-80.5 | 69 | 27.9 | 19.5-36.3 |
| College Graduate | 584 | 125,083 | 488 | 79.7 | 74.8-84.6 | 96 | 20.3 | 15.4-25.2 |
| \$35,000- 49,999 | 209 | 39,300 | 169 | 80.0 | 72.7-87.3 | 40 | 20.0 | 12.7-27.3 |
| \$75,000+ | 484 | 119,677 | 414 | 85.7 | 81.8-89.6 | 70 | 14.3 | 10.4-18.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Non-White, Multiracial or Hispanic | | |
|--------------------|-------------------|----------|--------------------------|------|------------|------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2700 | 353,738 | 2147 | 73.8 | 71.3-76.3 | 553 | 26.2 | 23.7-28.7 |
| 25-34 | 225 | 56,270 | 145 | 66.3 | 59.4-73.2 | 80 | 33.7 | 26.8-40.6 |
| 35-44 | 359 | 60,907 | 246 | 68.1 | 62.4-73.8 | 113 | 31.9 | 26.2-37.6 |
| 45-54 | 473 | 66,578 | 350 | 74.8 | 70.3-79.3 | 123 | 25.2 | 20.7-29.7 |
| 55-64 | 603 | 52,709 | 500 | 80.0 | 75.9-84.1 | 103 | 20.0 | 15.9-24.1 |
| 65+ | 917 | 72,129 | 828 | 89.1 | 86.6-91.6 | 89 | 10.9 | 08.4-13.4 |
| H.S. or G.E.D. | 813 | 98,723 | 675 | 79.0 | 74.9-83.1 | 138 | 21.0 | 16.9-25.1 |
| Some Post-H.S. | 749 | 101,978 | 597 | 73.5 | 68.4-78.6 | 152 | 26.5 | 21.4-31.6 |
| College Graduate | 972 | 134,281 | 766 | 71.8 | 67.7-75.9 | 206 | 28.2 | 24.1-32.3 |
| Less than \$15,000 | 308 | 30,375 | 244 | 73.5 | 66.4-80.6 | 64 | 26.5 | 19.4-33.6 |
| \$15,000- 24,999 | 306 | 32,340 | 218 | 63.7 | 54.9-72.5 | 88 | 36.3 | 27.5-45.1 |
| \$25,000- 34,999 | 235 | 28,165 | 186 | 73.4 | 66.0-80.8 | 49 | 26.6 | 19.2-34.0 |
| \$35,000- 49,999 | 351 | 41,652 | 270 | 67.0 | 58.4-75.6 | 81 | 33.0 | 24.4-41.6 |
| \$50,000- 74,999 | 378 | 50,076 | 309 | 78.6 | 73.1-84.1 | 69 | 21.4 | 15.9-26.9 |
| \$75,000+ | 633 | 110,301 | 512 | 75.8 | 71.3-80.3 | 121 | 24.2 | 19.7-28.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Black only, Non-Hispanic | | | Other Race only, Non-Hispanic | | | Multiracial, Non-Hispanic | | | Hispanic | | |
|--------------------|-------------------|----------|--------------------------|------|------------|--------------------------|------|------------|-------------------------------|-----|------------|---------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4213 | 674,463 | 3396 | 75.5 | 73.3-77.7 | 541 | 13.7 | 12.1-15.3 | 107 | 4.2 | 03.2-05.2 | 56 | 1.6 | 01.0-02.2 | 113 | 5.0 | 03.6-06.4 |
| Male | 1513 | 320,726 | 1249 | 77.4 | 73.9-80.9 | 160 | 11.3 | 08.8-13.8 | 46 | 4.2 | 02.6-05.8 | 15 | 1.4 | 00.4-02.4 | 43 | 5.7 | 03.3-08.1 |
| Female | 2700 | 353,738 | 2147 | 73.8 | 71.3-76.3 | 381 | 15.9 | 13.9-17.9 | 61 | 4.1 | 02.7-05.5 | 41 | 1.8 | 01.0-02.6 | 70 | 4.4 | 03.0-05.8 |
| 18-24 | 130 | 84,358 | | | | 26 | 19.2 | 10.4-28.0 | 7 | 7.0 | 01.5-12.5 | 1 | 0.5 | 00.0-01.5 | 15 | 14.0 | 06.4-21.6 |
| 25-34 | 324 | 110,411 | 219 | 69.6 | 63.3-75.9 | 69 | 16.7 | 12.2-21.2 | 15 | 4.5 | 02.0-07.0 | 6 | 2.7 | 00.0-05.4 | 15 | 6.5 | 02.2-10.8 |
| 35-44 | 553 | 119,339 | 388 | 69.0 | 64.3-73.7 | 101 | 16.1 | 12.6-19.6 | 20 | 5.6 | 02.9-08.3 | 12 | 2.6 | 00.8-04.4 | 32 | 6.7 | 04.2-09.2 |
| 45-54 | 771 | 128,043 | 597 | 80.0 | 76.7-83.3 | 118 | 12.5 | 10.0-15.0 | 26 | 3.7 | 02.1-05.3 | 9 | 1.0 | 00.2-01.8 | 21 | 2.8 | 01.4-04.2 |
| 55-64 | 957 | 100,798 | 792 | 81.5 | 78.4-84.6 | 123 | 12.8 | 10.3-15.3 | 17 | 2.8 | 01.2-04.4 | 11 | 0.9 | 00.3-01.5 | 14 | 2.0 | 00.8-03.2 |
| 65+ | 1430 | 127,357 | 1286 | 88.4 | 86.2-90.6 | 98 | 7.5 | 05.9-09.1 | 19 | 2.0 | 01.0-03.0 | 15 | 1.5 | 00.5-02.5 | 12 | 0.6 | 00.2-01.0 |
| Less Than H.S. | 277 | 41,181 | 186 | 64.9 | 55.3-74.5 | 64 | 24.7 | 15.7-33.7 | 5 | 1.9 | 00.1-03.7 | 6 | 1.1 | 00.1-02.1 | 16 | 7.4 | 02.5-12.3 |
| H.S. or G.E.D. | 1269 | 180,137 | 1068 | 80.6 | 77.3-83.9 | 146 | 12.8 | 10.1-15.5 | 16 | 1.7 | 00.5-02.9 | 10 | 0.9 | 00.3-01.5 | 29 | 4.0 | 02.0-06.0 |
| Some Post-H.S. | 1100 | 192,325 | 879 | 72.8 | 67.9-77.7 | 147 | 13.8 | 10.3-17.3 | 26 | 4.0 | 01.8-06.2 | 17 | 1.4 | 00.4-02.4 | 31 | 7.9 | 04.0-11.8 |
| College Graduate | 1556 | 259,364 | 1254 | 75.6 | 72.5-78.7 | 183 | 12.5 | 10.1-14.9 | 60 | 6.4 | 04.4-08.4 | 23 | 2.3 | 00.9-03.7 | 36 | 3.2 | 01.8-04.6 |
| Less than \$15,000 | 450 | 56,013 | 357 | 70.9 | 62.7-79.1 | 68 | 15.2 | 10.1-20.3 | 8 | 2.4 | 00.4-04.4 | 7 | 2.6 | 00.1-05.1 | 10 | 9.0 | 01.0-17.0 |
| \$15,000- 24,999 | 421 | 49,759 | 308 | 65.3 | 57.3-73.3 | 83 | 25.8 | 18.2-33.4 | 7 | 3.3 | 00.0-06.8 | 10 | 2.2 | 00.6-03.8 | 13 | 3.3 | 00.8-05.8 |
| \$25,000- 34,999 | 360 | 51,082 | 286 | 73.0 | 66.1-79.9 | 47 | 15.3 | 10.0-20.6 | 9 | 4.3 | 01.2-07.4 | 5 | 1.6 | 00.0-03.4 | 13 | 5.7 | 02.0-09.4 |
| \$35,000- 49,999 | 560 | 80,952 | 439 | 73.3 | 67.4-79.2 | 86 | 16.1 | 11.4-20.8 | 15 | 5.4 | 01.5-09.3 | 4 | 0.4 | 00.0-00.8 | 16 | 4.8 | 01.9-07.7 |
| \$50,000- 74,999 | 618 | 96,768 | 506 | 75.9 | 70.0-81.8 | 79 | 13.4 | 09.9-16.9 | 11 | 3.3 | 00.0-06.6 | 8 | 2.3 | 00.0-05.0 | 14 | 5.2 | 01.1-09.3 |
| \$75,000+ | 1117 | 229,978 | 926 | 81.0 | 78.1-83.9 | 115 | 9.8 | 07.6-12.0 | 41 | 5.3 | 03.5-07.1 | 11 | 1.1 | 00.3-01.9 | 24 | 2.8 | 01.4-04.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Black only, Non-Hispanic | | | Other Race only, Non-Hispanic | | | Multiracial, Non-Hispanic | | | Hispanic | | |
|--------------------|-------------------|----------|--------------------------|------|------------|--------------------------|------|------------|-------------------------------|-----|------------|---------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1513 | 320,726 | 1249 | 77.4 | 73.9-80.9 | 160 | 11.3 | 08.8-13.8 | 46 | 4.2 | 02.6-05.8 | 15 | 1.4 | 00.4-02.4 | 43 | 5.7 | 03.3-08.1 |
| 25-34 | 99 | 54,141 | | | | 15 | 12.0 | 05.3-18.7 | 3 | 2.6 | 00.0-05.5 | 1 | 2.5 | 00.0-07.4 | 6 | 9.8 | 01.4-18.2 |
| 35-44 | 194 | 58,432 | 142 | 70.0 | 62.4-77.6 | 27 | 14.0 | 08.5-19.5 | 9 | 6.5 | 02.0-11.0 | 4 | 2.8 | 00.0-05.7 | 12 | 6.8 | 02.5-11.1 |
| 45-54 | 298 | 61,466 | 247 | 85.7 | 81.0-90.4 | 30 | 7.8 | 04.1-11.5 | 11 | 3.6 | 01.2-06.0 | 1 | 0.2 | 00.0-00.6 | 9 | 2.8 | 00.6-05.0 |
| 55-64 | 354 | 48,088 | 292 | 83.2 | 78.3-88.1 | 43 | 10.6 | 06.7-14.5 | 9 | 3.5 | 00.8-06.2 | 4 | 0.6 | 00.0-01.2 | 6 | 2.1 | 00.3-03.9 |
| 65+ | 513 | 55,228 | 458 | 87.4 | 83.9-90.9 | 36 | 7.5 | 05.0-10.0 | 10 | 2.6 | 00.8-04.4 | 5 | 1.9 | 00.0-04.1 | 4 | 0.6 | 00.0-01.2 |
| Less Than H.S. | 119 | 23,138 | | | | | | | 4 | 2.3 | 00.0-04.8 | 2 | 0.6 | 00.0-01.6 | 5 | 6.8 | 00.0-14.2 |
| H.S. or G.E.D. | 456 | 81,414 | 393 | 82.6 | 77.1-88.1 | 47 | 12.8 | 08.1-17.5 | 6 | 1.5 | 00.0-03.3 | 1 | 0.1 | 00.0-00.3 | 9 | 3.0 | 00.1-05.9 |
| Some Post-H.S. | 351 | 90,347 | 282 | 72.1 | 63.7-80.5 | 38 | 11.5 | 05.2-17.8 | 11 | 2.9 | 00.7-05.1 | 4 | 1.2 | 00.0-02.6 | 16 | 12.4 | 05.1-19.7 |
| College Graduate | 584 | 125,083 | 488 | 79.7 | 74.8-84.6 | 50 | 8.0 | 05.1-10.9 | 25 | 7.4 | 03.9-10.9 | 8 | 2.5 | 00.0-05.0 | 13 | 2.4 | 00.8-04.0 |
| Less than \$15,000 | 142 | 25,638 | | | | 17 | 12.3 | 03.1-21.5 | 5 | 2.8 | 00.1-05.5 | 3 | 2.2 | 00.0-05.5 | | | |
| \$15,000- 24,999 | 115 | 17,419 | | | | | | | 2 | 0.9 | 00.0-02.3 | | | | 4 | 2.2 | 00.0-04.6 |
| \$25,000- 34,999 | 125 | 22,918 | | | | 14 | 13.5 | 04.5-22.5 | 5 | 6.4 | 00.1-12.7 | | | | 6 | 7.6 | 00.5-14.7 |
| \$35,000- 49,999 | 209 | 39,300 | 169 | 80.0 | 72.7-87.3 | 24 | 11.0 | 05.5-16.5 | 7 | 4.1 | 00.4-07.8 | 2 | 0.5 | 00.0-01.1 | 7 | 4.5 | 00.6-08.4 |
| \$50,000- 74,999 | 240 | 46,692 | | | | 27 | 10.5 | 05.8-15.2 | 4 | 4.3 | 00.0-10.8 | 5 | 3.9 | 00.0-09.6 | 7 | 8.4 | 00.6-16.2 |
| \$75,000+ | 484 | 119,677 | 414 | 85.7 | 81.8-89.6 | 41 | 6.7 | 04.2-09.2 | 20 | 5.8 | 02.9-08.7 | 2 | 0.6 | 00.0-01.6 | 7 | 1.2 | 00.2-02.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Black only, Non-Hispanic | | | Other Race only, Non-Hispanic | | | Multiracial, Non-Hispanic | | | Hispanic | | |
|--------------------|-------------------|----------|--------------------------|------|------------|--------------------------|------|------------|-------------------------------|-----|------------|---------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2700 | 353,738 | 2147 | 73.8 | 71.3-76.3 | 381 | 15.9 | 13.9-17.9 | 61 | 4.1 | 02.7-05.5 | 41 | 1.8 | 01.0-02.6 | 70 | 4.4 | 03.0-05.8 |
| 18-24 | 82 | 42,019 | | | | | | | 4 | 7.3 | 00.0-14.9 | 1 | 1.0 | 00.0-03.0 | 10 | 14.3 | 04.9-23.7 |
| 25-34 | 225 | 56,270 | 145 | 66.3 | 59.4-73.2 | 54 | 21.1 | 15.4-26.8 | 12 | 6.3 | 02.6-10.0 | 5 | 2.9 | 00.2-05.6 | 9 | 3.4 | 01.0-05.8 |
| 35-44 | 359 | 60,907 | 246 | 68.1 | 62.4-73.8 | 74 | 18.0 | 13.5-22.5 | 11 | 4.8 | 01.9-07.7 | 8 | 2.5 | 00.3-04.7 | 20 | 6.5 | 03.4-09.6 |
| 45-54 | 473 | 66,578 | 350 | 74.8 | 70.3-79.3 | 88 | 16.7 | 13.0-20.4 | 15 | 3.9 | 01.7-06.1 | 8 | 1.7 | 00.3-03.1 | 12 | 2.9 | 01.1-04.7 |
| 55-64 | 603 | 52,709 | 500 | 80.0 | 75.9-84.1 | 80 | 14.8 | 11.3-18.3 | 8 | 2.2 | 00.4-04.0 | 7 | 1.2 | 00.2-02.2 | 8 | 1.9 | 00.3-03.5 |
| 65+ | 917 | 72,129 | 828 | 89.1 | 86.6-91.6 | 62 | 7.4 | 05.2-09.6 | 9 | 1.6 | 00.4-02.8 | 10 | 1.2 | 00.4-02.0 | 8 | 0.7 | 00.1-01.3 |
| Less Than H.S. | 158 | 18,043 | | | | 39 | 25.9 | 15.9-35.9 | 1 | 1.3 | 00.0-03.8 | 4 | 1.7 | 00.0-03.5 | 11 | 8.2 | 02.1-14.3 |
| H.S. or G.E.D. | 813 | 98,723 | 675 | 79.0 | 74.9-83.1 | 99 | 12.9 | 09.6-16.2 | 10 | 1.9 | 00.5-03.3 | 9 | 1.5 | 00.3-02.7 | 20 | 4.8 | 02.3-07.3 |
| Some Post-H.S. | 749 | 101,978 | 597 | 73.5 | 68.4-78.6 | 109 | 15.9 | 12.2-19.6 | 15 | 5.1 | 01.6-08.6 | 13 | 1.7 | 00.3-03.1 | 15 | 3.9 | 01.0-06.8 |
| College Graduate | 972 | 134,281 | 766 | 71.8 | 67.7-75.9 | 133 | 16.8 | 13.3-20.3 | 35 | 5.4 | 03.4-07.4 | 15 | 2.1 | 00.7-03.5 | 23 | 3.9 | 01.7-06.1 |
| Less than \$15,000 | 308 | 30,375 | 244 | 73.5 | 66.4-80.6 | 51 | 17.7 | 12.2-23.2 | 3 | 2.0 | 00.0-04.5 | 4 | 2.9 | 00.0-06.6 | 6 | 3.9 | 00.2-07.6 |
| \$15,000- 24,999 | 306 | 32,340 | 218 | 63.7 | 54.9-72.5 | 64 | 24.4 | 16.4-32.4 | 5 | 4.7 | 00.0-10.0 | 10 | 3.3 | 00.9-05.7 | 9 | 3.9 | 00.2-07.6 |
| \$25,000- 34,999 | 235 | 28,165 | 186 | 73.4 | 66.0-80.8 | 33 | 16.8 | 10.7-22.9 | 4 | 2.5 | 00.0-05.2 | 5 | 3.0 | 00.0-06.1 | 7 | 4.3 | 00.8-07.8 |
| \$35,000- 49,999 | 351 | 41,652 | 270 | 67.0 | 58.4-75.6 | 62 | 21.0 | 13.7-28.3 | 8 | 6.6 | 00.0-13.5 | 2 | 0.4 | 00.0-01.0 | 9 | 5.0 | 00.5-09.5 |
| \$50,000- 74,999 | 378 | 50,076 | 309 | 78.6 | 73.1-84.1 | 52 | 16.1 | 11.0-21.2 | 7 | 2.3 | 00.3-04.3 | 3 | 0.8 | 00.0-01.8 | 7 | 2.3 | 00.3-04.3 |
| \$75,000+ | 633 | 110,301 | 512 | 75.8 | 71.3-80.3 | 74 | 13.2 | 09.9-16.5 | 21 | 4.8 | 02.6-07.0 | 9 | 1.7 | 00.3-03.1 | 17 | 4.6 | 01.9-07.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Race Category | | | Two Race Categories | | | Three Race Categories | | | Four Race Categories | | | Five Race Categories | | |
|--------------------|-------------------|----------|-------------------|------|------------|---------------------|-----|------------|-----------------------|-----|------------|----------------------|-----|------------|----------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4125 | 653,586 | 4068 | 98.2 | 97.6-98.8 | 47 | 1.5 | 00.9-02.1 | 6 | 0.2 | 00.0-00.4 | 3 | 0.0 | 00.0-00.0 | 1 | 0.0 | 00.0-00.0 |
| Male | 1478 | 310,194 | 1462 | 98.5 | 97.3-99.7 | 15 | 1.4 | 00.2-02.6 | | | | | | | 1 | 0.0 | 00.0-00.0 |
| Female | 2647 | 343,392 | 2606 | 98.0 | 97.2-98.8 | 32 | 1.6 | 00.8-02.4 | 6 | 0.4 | 00.0-00.8 | 3 | 0.1 | 00.1-00.1 | | | |
| 18-24 | 122 | 79,167 | 120 | 98.6 | 96.6-0100 | 2 | 1.4 | 00.0-03.4 | | | | | | | | | |
| 25-34 | 312 | 106,871 | 307 | 97.3 | 94.4-0100 | 4 | 2.4 | 00.0-05.1 | 1 | 0.4 | 00.0-01.2 | | | | | | |
| 35-44 | 533 | 113,957 | 520 | 97.2 | 95.4-99.0 | 11 | 2.3 | 00.7-03.9 | 1 | 0.4 | 00.0-01.2 | 1 | 0.1 | 00.0-00.3 | | | |
| 45-54 | 752 | 124,898 | 743 | 99.0 | 98.2-99.8 | 9 | 1.0 | 00.2-01.8 | | | | | | | | | |
| 55-64 | 944 | 98,870 | 933 | 99.1 | 98.5-99.7 | 9 | 0.8 | 00.2-01.4 | 1 | 0.0 | 00.0-00.0 | 1 | 0.1 | 00.0-00.3 | | | |
| 65+ | 1418 | 126,134 | 1403 | 98.5 | 97.5-99.5 | 10 | 1.2 | 00.2-02.2 | 3 | 0.3 | 00.0-00.7 | 1 | 0.1 | 00.0-00.3 | 1 | 0.0 | 00.0-00.0 |
| Less Than H.S. | 264 | 38,499 | 258 | 98.8 | 97.8-99.8 | 5 | 0.9 | 00.1-01.7 | 1 | 0.3 | 00.0-00.9 | | | | | | |
| H.S. or G.E.D. | 1252 | 175,900 | 1241 | 98.7 | 97.7-99.7 | 9 | 1.2 | 00.2-02.2 | | | | 2 | 0.1 | 00.0-00.3 | | | |
| Some Post-H.S. | 1073 | 185,368 | 1056 | 98.5 | 97.5-99.5 | 17 | 1.5 | 00.5-02.5 | | | | | | | | | |
| College Graduate | 1524 | 252,327 | 1502 | 97.7 | 96.3-99.1 | 16 | 1.8 | 00.4-03.2 | 5 | 0.5 | 00.0-01.1 | 1 | 0.1 | 00.0-00.3 | | | |
| Less than \$15,000 | 445 | 55,038 | 438 | 97.4 | 94.9-99.9 | 7 | 2.6 | 00.1-05.1 | | | | | | | | | |
| \$15,000- 24,999 | 410 | 48,307 | 400 | 97.8 | 96.2-99.4 | 7 | 1.6 | 00.2-03.0 | 1 | 0.2 | 00.0-00.6 | 2 | 0.4 | 00.0-01.0 | | | |
| \$25,000- 34,999 | 352 | 49,076 | 347 | 98.3 | 96.5-0100 | 4 | 1.6 | 00.0-03.4 | 1 | 0.1 | 00.0-00.3 | | | | | | |
| \$35,000- 49,999 | 548 | 78,932 | 543 | 99.5 | 99.1-99.9 | 5 | 0.5 | 00.1-00.9 | | | | | | | | | |
| \$50,000- 74,999 | 607 | 93,804 | 599 | 97.7 | 94.8-0100 | 7 | 2.2 | 00.0-05.1 | 1 | 0.1 | 00.0-00.3 | | | | | | |
| \$75,000+ | 1089 | 222,803 | 1078 | 98.6 | 97.6-99.6 | 9 | 1.0 | 00.0-02.0 | 2 | 0.4 | 00.0-01.0 | | | | | | |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Race Category | | | Two Race Categories | | | Five Race Categories | | |
|--------------------|-------------------|----------|-------------------|-------|------------|---------------------|-----|------------|----------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1478 | 310,194 | 1462 | 98.5 | 97.3-99.7 | 15 | 1.4 | 00.2-02.6 | 1 | 0.0 | 00.0-00.0 |
| 25-34 | 98 | 52,984 | 97 | 97.4 | 92.3-0100 | 1 | 2.6 | 00.0-07.7 | | | |
| 35-44 | 185 | 55,279 | 181 | 97.1 | 94.2-0100 | 4 | 2.9 | 00.0-05.8 | | | |
| 45-54 | 290 | 60,077 | 289 | 99.8 | 99.4-0100 | 1 | 0.2 | 00.0-00.6 | | | |
| 55-64 | 347 | 46,759 | 343 | 99.4 | 98.8-0100 | 4 | 0.6 | 00.0-01.2 | | | |
| 65+ | 508 | 54,602 | 502 | 98.0 | 95.8-0100 | 5 | 1.9 | 00.0-04.1 | 1 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 114 | 21,651 | 112 | 99.3 | 98.1-0100 | 2 | 0.7 | 00.0-01.9 | | | |
| H.S. or G.E.D. | 448 | 79,083 | 447 | 99.9 | 99.7-0100 | 1 | 0.1 | 00.0-00.3 | | | |
| Some Post-H.S. | 339 | 85,886 | 335 | 98.7 | 97.3-0100 | 4 | 1.3 | 00.0-02.7 | | | |
| College Graduate | 573 | 122,795 | 565 | 97.4 | 94.9-99.9 | 8 | 2.6 | 00.1-05.1 | | | |
| Less than \$15,000 | 140 | 25,241 | 137 | 97.8 | 94.5-0100 | 3 | 2.2 | 00.0-05.5 | | | |
| \$15,000- 24,999 | 111 | 17,060 | 111 | 100.0 | 0100-0100 | | | | | | |
| \$25,000- 34,999 | 121 | 21,535 | 121 | 100.0 | 0100-0100 | | | | | | |
| \$35,000- 49,999 | 204 | 38,571 | 202 | 99.5 | 98.9-0100 | 2 | 0.5 | 00.0-01.1 | | | |
| \$50,000- 74,999 | 235 | 44,790 | 230 | 96.0 | 90.1-0100 | 5 | 4.0 | 00.0-09.9 | | | |
| \$75,000+ | 473 | 116,739 | 471 | 99.4 | 98.4-0100 | 2 | 0.6 | 00.0-01.6 | | | |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Race Category | | | Two Race Categories | | | Three Race Categories | | | Four Race Categories | | |
|--------------------|-------------------|----------|-------------------|------|------------|---------------------|-----|------------|-----------------------|-----|------------|----------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2647 | 343,392 | 2606 | 98.0 | 97.2-98.8 | 32 | 1.6 | 00.8-02.4 | 6 | 0.4 | 00.0-00.8 | 3 | 0.1 | 00.1-00.1 |
| 18-24 | 77 | 39,359 | 75 | 97.2 | 93.3-0100 | 2 | 2.8 | 00.0-06.7 | | | | | | |
| 25-34 | 214 | 53,887 | 210 | 97.2 | 94.3-0100 | 3 | 2.1 | 00.0-04.6 | 1 | 0.7 | 00.0-02.1 | | | |
| 35-44 | 348 | 58,677 | 339 | 97.3 | 95.1-99.5 | 7 | 1.6 | 00.2-03.0 | 1 | 0.8 | 00.0-02.4 | 1 | 0.2 | 00.0-00.6 |
| 45-54 | 462 | 64,821 | 454 | 98.2 | 96.8-99.6 | 8 | 1.8 | 00.4-03.2 | | | | | | |
| 55-64 | 597 | 52,111 | 590 | 98.8 | 97.8-99.8 | 5 | 1.0 | 00.0-02.0 | 1 | 0.1 | 00.0-00.3 | 1 | 0.1 | 00.0-00.3 |
| 65+ | 910 | 71,532 | 901 | 98.8 | 98.0-99.6 | 5 | 0.6 | 00.0-01.2 | 3 | 0.5 | 00.0-01.1 | 1 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 150 | 16,849 | 146 | 98.1 | 96.1-0100 | 3 | 1.2 | 00.0-02.6 | 1 | 0.7 | 00.0-02.1 | | | |
| H.S. or G.E.D. | 804 | 96,817 | 794 | 97.8 | 96.0-99.6 | 8 | 2.1 | 00.3-03.9 | | | | 2 | 0.1 | 00.0-00.3 |
| Some Post-H.S. | 734 | 99,482 | 721 | 98.2 | 96.8-99.6 | 13 | 1.8 | 00.4-03.2 | | | | | | |
| College Graduate | 951 | 129,532 | 937 | 97.9 | 96.5-99.3 | 8 | 1.1 | 00.1-02.1 | 5 | 0.9 | 00.0-01.9 | 1 | 0.1 | 00.0-00.3 |
| Less than \$15,000 | 305 | 29,798 | 301 | 97.1 | 93.4-0100 | 4 | 2.9 | 00.0-06.6 | | | | | | |
| \$15,000- 24,999 | 299 | 31,247 | 289 | 96.5 | 94.1-98.9 | 7 | 2.5 | 00.3-04.7 | 1 | 0.4 | 00.0-01.2 | 2 | 0.6 | 00.0-01.6 |
| \$25,000- 34,999 | 231 | 27,542 | 226 | 97.0 | 93.9-0100 | 4 | 2.9 | 00.0-06.0 | 1 | 0.2 | 00.0-00.6 | | | |
| \$35,000- 49,999 | 344 | 40,361 | 341 | 99.4 | 98.8-0100 | 3 | 0.6 | 00.0-01.2 | | | | | | |
| \$50,000- 74,999 | 372 | 49,015 | 369 | 99.2 | 98.2-0100 | 2 | 0.6 | 00.0-01.4 | 1 | 0.2 | 00.0-00.6 | | | |
| \$75,000+ | 616 | 106,065 | 607 | 97.7 | 95.9-99.5 | 7 | 1.5 | 00.0-03.1 | 2 | 0.8 | 00.0-02.0 | | | |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Race Category | | | More Than One Race Category | | |
|--------------------|-------------------|----------|-------------------|------|------------|-----------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4125 | 653,586 | 4068 | 98.2 | 97.6-98.8 | 57 | 1.8 | 01.2-02.4 |
| Male | 1478 | 310,194 | 1462 | 98.5 | 97.3-99.7 | 16 | 1.5 | 00.3-02.7 |
| Female | 2647 | 343,392 | 2606 | 98.0 | 97.2-98.8 | 41 | 2.0 | 01.2-02.8 |
| 18-24 | 122 | 79,167 | 120 | 98.6 | 96.6-0100 | 2 | 1.4 | 00.0-03.4 |
| 25-34 | 312 | 106,871 | 307 | 97.3 | 94.4-0100 | 5 | 2.7 | 00.0-05.6 |
| 35-44 | 533 | 113,957 | 520 | 97.2 | 95.4-99.0 | 13 | 2.8 | 01.0-04.6 |
| 45-54 | 752 | 124,898 | 743 | 99.0 | 98.2-99.8 | 9 | 1.0 | 00.2-01.8 |
| 55-64 | 944 | 98,870 | 933 | 99.1 | 98.5-99.7 | 11 | 0.9 | 00.3-01.5 |
| 65+ | 1418 | 126,134 | 1403 | 98.5 | 97.5-99.5 | 15 | 1.5 | 00.5-02.5 |
| Less Than H.S. | 264 | 38,499 | 258 | 98.8 | 97.8-99.8 | 6 | 1.2 | 00.2-02.2 |
| H.S. or G.E.D. | 1252 | 175,900 | 1241 | 98.7 | 97.7-99.7 | 11 | 1.3 | 00.3-02.3 |
| Some Post-H.S. | 1073 | 185,368 | 1056 | 98.5 | 97.5-99.5 | 17 | 1.5 | 00.5-02.5 |
| College Graduate | 1524 | 252,327 | 1502 | 97.7 | 96.3-99.1 | 22 | 2.3 | 00.9-03.7 |
| Less than \$15,000 | 445 | 55,038 | 438 | 97.4 | 94.9-99.9 | 7 | 2.6 | 00.1-05.1 |
| \$15,000- 24,999 | 410 | 48,307 | 400 | 97.8 | 96.2-99.4 | 10 | 2.2 | 00.6-03.8 |
| \$25,000- 34,999 | 352 | 49,076 | 347 | 98.3 | 96.5-0100 | 5 | 1.7 | 00.0-03.5 |
| \$35,000- 49,999 | 548 | 78,932 | 543 | 99.5 | 99.1-99.9 | 5 | 0.5 | 00.1-00.9 |
| \$50,000- 74,999 | 607 | 93,804 | 599 | 97.7 | 94.8-0100 | 8 | 2.3 | 00.0-05.2 |
| \$75,000+ | 1089 | 222,803 | 1078 | 98.6 | 97.6-99.6 | 11 | 1.4 | 00.4-02.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Race Category | | | More Than One Race Category | | |
|--------------------|-------------------|----------|-------------------|-------|------------|-----------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1478 | 310,194 | 1462 | 98.5 | 97.3-99.7 | 16 | 1.5 | 00.3-02.7 |
| 25-34 | 98 | 52,984 | 97 | 97.4 | 92.3-0100 | 1 | 2.6 | 00.0-07.7 |
| 35-44 | 185 | 55,279 | 181 | 97.1 | 94.2-0100 | 4 | 2.9 | 00.0-05.8 |
| 45-54 | 290 | 60,077 | 289 | 99.8 | 99.4-0100 | 1 | 0.2 | 00.0-00.6 |
| 55-64 | 347 | 46,759 | 343 | 99.4 | 98.8-0100 | 4 | 0.6 | 00.0-01.2 |
| 65+ | 508 | 54,602 | 502 | 98.0 | 95.8-0100 | 6 | 2.0 | 00.0-04.2 |
| Less Than H.S. | 114 | 21,651 | 112 | 99.3 | 98.1-0100 | 2 | 0.7 | 00.0-01.9 |
| H.S. or G.E.D. | 448 | 79,083 | 447 | 99.9 | 99.7-0100 | 1 | 0.1 | 00.0-00.3 |
| Some Post-H.S. | 339 | 85,886 | 335 | 98.7 | 97.3-0100 | 4 | 1.3 | 00.0-02.7 |
| College Graduate | 573 | 122,795 | 565 | 97.4 | 94.9-99.9 | 8 | 2.6 | 00.1-05.1 |
| Less than \$15,000 | 140 | 25,241 | 137 | 97.8 | 94.5-0100 | 3 | 2.2 | 00.0-05.5 |
| \$15,000- 24,999 | 111 | 17,060 | 111 | 100.0 | 0100-0100 | | | |
| \$25,000- 34,999 | 121 | 21,535 | 121 | 100.0 | 0100-0100 | | | |
| \$35,000- 49,999 | 204 | 38,571 | 202 | 99.5 | 98.9-0100 | 2 | 0.5 | 00.0-01.1 |
| \$50,000- 74,999 | 235 | 44,790 | 230 | 96.0 | 90.1-0100 | 5 | 4.0 | 00.0-09.9 |
| \$75,000+ | 473 | 116,739 | 471 | 99.4 | 98.4-0100 | 2 | 0.6 | 00.0-01.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Race Category | | | More Than One Race Category | | |
|--------------------|-------------------|----------|-------------------|------|------------|-----------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2647 | 343,392 | 2606 | 98.0 | 97.2-98.8 | 41 | 2.0 | 01.2-02.8 |
| 18-24 | 77 | 39,359 | 75 | 97.2 | 93.3-0100 | 2 | 2.8 | 00.0-06.7 |
| 25-34 | 214 | 53,887 | 210 | 97.2 | 94.3-0100 | 4 | 2.8 | 00.0-05.7 |
| 35-44 | 348 | 58,677 | 339 | 97.3 | 95.1-99.5 | 9 | 2.7 | 00.5-04.9 |
| 45-54 | 462 | 64,821 | 454 | 98.2 | 96.8-99.6 | 8 | 1.8 | 00.4-03.2 |
| 55-64 | 597 | 52,111 | 590 | 98.8 | 97.8-99.8 | 7 | 1.2 | 00.2-02.2 |
| 65+ | 910 | 71,532 | 901 | 98.8 | 98.0-99.6 | 9 | 1.2 | 00.4-02.0 |
| Less Than H.S. | 150 | 16,849 | 146 | 98.1 | 96.1-0100 | 4 | 1.9 | 00.0-03.9 |
| H.S. or G.E.D. | 804 | 96,817 | 794 | 97.8 | 96.0-99.6 | 10 | 2.2 | 00.4-04.0 |
| Some Post-H.S. | 734 | 99,482 | 721 | 98.2 | 96.8-99.6 | 13 | 1.8 | 00.4-03.2 |
| College Graduate | 951 | 129,532 | 937 | 97.9 | 96.5-99.3 | 14 | 2.1 | 00.7-03.5 |
| Less than \$15,000 | 305 | 29,798 | 301 | 97.1 | 93.4-0100 | 4 | 2.9 | 00.0-06.6 |
| \$15,000- 24,999 | 299 | 31,247 | 289 | 96.5 | 94.1-98.9 | 10 | 3.5 | 01.1-05.9 |
| \$25,000- 34,999 | 231 | 27,542 | 226 | 97.0 | 93.9-0100 | 5 | 3.0 | 00.0-06.1 |
| \$35,000- 49,999 | 344 | 40,361 | 341 | 99.4 | 98.8-0100 | 3 | 0.6 | 00.0-01.2 |
| \$50,000- 74,999 | 372 | 49,015 | 369 | 99.2 | 98.2-0100 | 3 | 0.8 | 00.0-01.8 |
| \$75,000+ | 616 | 106,065 | 607 | 97.7 | 95.9-99.5 | 9 | 2.3 | 00.5-04.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 18-29yrs | | | 30-39yrs | | | 40-49yrs | | | 50-59yrs | | | 60-69yrs | | | 70+yrs | | |
|----------------------------|-------------------|----------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4195 | 674,514 | 255 | 19.2 | 16.7-21.7 | 463 | 18.2 | 16.4-20.0 | 647 | 18.4 | 16.8-20.0 | 876 | 17.3 | 15.9-18.7 | 941 | 13.4 | 12.2-14.6 | 1013 | 13.5 | 12.5-14.5 |
| Male | 1519 | 322,280 | 91 | 20.6 | 16.5-24.7 | 151 | 18.1 | 15.2-21.0 | 249 | 19.1 | 16.6-21.6 | 321 | 17.1 | 14.7-19.5 | 346 | 13.1 | 11.3-14.9 | 361 | 12.1 | 10.5-13.7 |
| Female | 2676 | 352,235 | 164 | 18.0 | 15.1-20.9 | 312 | 18.4 | 16.2-20.6 | 398 | 17.8 | 15.8-19.8 | 555 | 17.6 | 15.8-19.4 | 595 | 13.6 | 12.2-15.0 | 652 | 14.7 | 13.3-16.1 |
| White/Non-Hisp | 3363 | 506,469 | 174 | 16.3 | 13.8-18.8 | 301 | 16.3 | 14.3-18.3 | 487 | 18.4 | 16.6-20.2 | 690 | 18.2 | 16.6-19.8 | 802 | 14.8 | 13.4-16.2 | 909 | 15.9 | 14.7-17.1 |
| Black or Afr. Am./Non-Hisp | 535 | 92,029 | 47 | 24.9 | 17.3-32.5 | 96 | 22.4 | 17.5-27.3 | 110 | 20.5 | 16.0-25.0 | 127 | 15.9 | 12.4-19.4 | 94 | 10.7 | 08.0-13.4 | 61 | 5.7 | 03.9-07.5 |
| Oth. Race/Non-Hisp. | 104 | 27,761 | | | | | | | 20 | 18.3 | 09.7-26.9 | 23 | 14.5 | 07.4-21.6 | 12 | 5.6 | 01.9-09.3 | 15 | 7.8 | 03.3-12.3 |
| MultiRacial/Non-Hisp. | 54 | 10,654 | | | | | | | | | | 12 | 12.9 | 04.3-21.5 | 10 | 8.2 | 01.9-14.5 | | | |
| Hispanic | 109 | 33,393 | | | | | | | 21 | 15.7 | 07.7-23.7 | 17 | 9.4 | 04.1-14.7 | 13 | 4.1 | 01.4-06.8 | 8 | 1.5 | 00.3-02.7 |
| Less Than H.S. | 276 | 40,923 | | | | 17 | 8.6 | 03.7-13.5 | 31 | 13.8 | 07.3-20.3 | 43 | 12.1 | 06.8-17.4 | 54 | 11.3 | 07.0-15.6 | 110 | 21.6 | 15.9-27.3 |
| H.S. or G.E.D. | 1266 | 179,905 | 72 | 17.3 | 13.2-21.4 | 98 | 15.6 | 12.3-18.9 | 165 | 17.3 | 14.4-20.2 | 270 | 17.7 | 15.2-20.2 | 295 | 15.2 | 13.0-17.4 | 366 | 17.0 | 14.8-19.2 |
| Some Post-H.S. | 1093 | 192,783 | 91 | 28.6 | 22.9-34.3 | 119 | 15.0 | 11.9-18.1 | 161 | 16.1 | 13.2-19.0 | 232 | 16.0 | 13.5-18.5 | 239 | 12.2 | 10.2-14.2 | 251 | 12.1 | 10.1-14.1 |
| College Graduate | 1552 | 259,827 | 71 | 11.6 | 08.5-14.7 | 228 | 23.9 | 20.8-27.0 | 290 | 21.7 | 19.0-24.4 | 331 | 19.0 | 16.6-21.4 | 352 | 13.3 | 11.5-15.1 | 280 | 10.6 | 09.2-12.0 |
| Less than \$15,000 | 449 | 56,037 | 29 | 25.3 | 15.9-34.7 | 28 | 9.2 | 05.3-13.1 | 40 | 10.9 | 06.8-15.0 | 76 | 14.5 | 10.4-18.6 | 99 | 15.0 | 11.1-18.9 | 177 | 25.2 | 20.1-30.3 |
| \$15,000- 24,999 | 417 | 49,501 | 27 | 26.1 | 16.3-35.9 | 22 | 8.5 | 04.4-12.6 | 49 | 14.0 | 09.3-18.7 | 84 | 16.3 | 11.8-20.8 | 81 | 12.5 | 08.8-16.2 | 154 | 22.7 | 18.0-27.4 |
| \$25,000- 34,999 | 360 | 51,357 | 24 | 22.7 | 13.5-31.9 | 41 | 20.9 | 14.0-27.8 | 39 | 11.7 | 07.4-16.0 | 59 | 13.3 | 09.2-17.4 | 82 | 12.5 | 09.4-15.6 | 115 | 19.0 | 14.7-23.3 |
| \$35,000- 49,999 | 560 | 81,023 | 34 | 18.8 | 11.9-25.7 | 70 | 19.1 | 14.2-24.0 | 68 | 13.2 | 09.5-16.9 | 105 | 15.2 | 11.7-18.7 | 156 | 18.6 | 15.1-22.1 | 127 | 15.1 | 12.0-18.2 |
| \$50,000- 74,999 | 619 | 96,810 | 42 | 15.7 | 10.2-21.2 | 79 | 19.7 | 14.6-24.8 | 102 | 18.7 | 14.8-22.6 | 157 | 21.8 | 17.7-25.9 | 152 | 15.3 | 12.4-18.2 | 87 | 8.7 | 06.5-10.9 |
| \$75,000+ | 1119 | 231,155 | 52 | 13.4 | 09.5-17.3 | 185 | 24.2 | 20.7-27.7 | 271 | 26.4 | 23.1-29.7 | 287 | 19.9 | 17.2-22.6 | 227 | 11.3 | 09.5-13.1 | 97 | 4.8 | 03.6-06.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 18-29yrs | | | 30-39yrs | | | 40-49yrs | | | 50-59yrs | | | 60-69yrs | | | 70+yrs | | |
|----------------------------|-------------------|----------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1519 | 322,280 | 91 | 20.6 | 16.5-24.7 | 151 | 18.1 | 15.2-21.0 | 249 | 19.1 | 16.6-21.6 | 321 | 17.1 | 14.7-19.5 | 346 | 13.1 | 11.3-14.9 | 361 | 12.1 | 10.5-13.7 |
| White/Non-Hisp | 1244 | 247,525 | 59 | 16.9 | 12.6-21.2 | 114 | 17.7 | 14.4-21.0 | 198 | 19.1 | 16.2-22.0 | 263 | 18.6 | 16.1-21.1 | 290 | 14.1 | 12.1-16.1 | 320 | 13.6 | 11.8-15.4 |
| Black or Afr. Am./Non-Hisp | 160 | 36,234 | | | | 19 | 16.4 | 08.4-24.4 | 29 | 19.9 | 11.3-28.5 | 34 | 12.5 | 06.8-18.2 | 38 | 11.9 | 07.0-16.8 | 21 | 6.5 | 03.2-09.8 |
| Less Than H.S. | 117 | 22,842 | | | | 3 | 5.9 | 00.0-12.6 | 16 | 16.2 | 06.2-26.2 | 19 | 13.5 | 04.9-22.1 | 27 | 12.2 | 05.3-19.1 | 43 | 16.5 | 09.4-23.6 |
| H.S. or G.E.D. | 457 | 81,516 | 22 | 15.8 | 09.1-22.5 | 41 | 18.4 | 12.5-24.3 | 75 | 20.3 | 15.2-25.4 | 103 | 18.1 | 14.0-22.2 | 112 | 15.6 | 12.1-19.1 | 104 | 11.7 | 09.0-14.4 |
| Some Post-H.S. | 355 | 91,487 | 39 | 35.9 | 26.7-45.1 | 39 | 15.8 | 10.3-21.3 | 49 | 13.8 | 09.3-18.3 | 69 | 13.0 | 09.3-16.7 | 80 | 10.8 | 07.7-13.9 | 79 | 10.5 | 07.6-13.4 |
| College Graduate | 587 | 125,788 | 21 | 9.9 | 05.4-14.4 | 67 | 21.4 | 16.3-26.5 | 109 | 22.8 | 18.3-27.3 | 130 | 20.1 | 16.2-24.0 | 126 | 13.0 | 10.3-15.7 | 134 | 12.7 | 10.2-15.2 |
| Less than \$15,000 | 143 | 25,739 | | | | 5 | 6.8 | 00.7-12.9 | 13 | 11.3 | 04.0-18.6 | 29 | 15.9 | 08.8-23.0 | 28 | 10.9 | 05.8-16.0 | 55 | 20.4 | 13.0-27.8 |
| \$15,000- 24,999 | 114 | 17,336 | | | | 4 | 7.1 | 00.0-14.4 | 17 | 16.6 | 07.4-25.8 | 24 | 14.4 | 06.2-22.6 | 24 | 8.9 | 04.6-13.2 | 35 | 15.9 | 08.8-23.0 |
| \$25,000- 34,999 | 126 | 23,216 | | | | 14 | 11.7 | 05.0-18.4 | 14 | 11.7 | 05.0-18.4 | 24 | 16.7 | 08.9-24.5 | 24 | 8.9 | 04.6-13.2 | 46 | 17.2 | 10.5-23.9 |
| \$35,000- 49,999 | 211 | 39,506 | 11 | 17.8 | 07.8-27.8 | 24 | 19.6 | 11.8-27.4 | 22 | 12.4 | 06.5-18.3 | 38 | 13.0 | 08.1-17.9 | 67 | 21.5 | 15.4-27.6 | 49 | 15.7 | 10.6-20.8 |
| \$50,000- 74,999 | 239 | 46,559 | 15 | 17.1 | 07.5-26.7 | 25 | 20.2 | 11.4-29.0 | 38 | 16.5 | 10.8-22.2 | 55 | 20.7 | 14.0-27.4 | 64 | 15.7 | 11.0-20.4 | 42 | 9.8 | 06.3-13.3 |
| \$75,000+ | 486 | 120,815 | 20 | 13.7 | 07.8-19.6 | 64 | 21.6 | 16.3-26.9 | 116 | 27.1 | 22.0-32.2 | 117 | 18.8 | 14.9-22.7 | 107 | 12.4 | 09.5-15.3 | 62 | 6.5 | 04.7-08.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 18-29yrs | | | 30-39yrs | | | 40-49yrs | | | 50-59yrs | | | 60-69yrs | | | 70+yrs | | |
|----------------------------|-------------------|----------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2676 | 352,235 | 164 | 18.0 | 15.1-20.9 | 312 | 18.4 | 16.2-20.6 | 398 | 17.8 | 15.8-19.8 | 555 | 17.6 | 15.8-19.4 | 595 | 13.6 | 12.2-15.0 | 652 | 14.7 | 13.3-16.1 |
| White/Non-Hisp | 2119 | 258,944 | 115 | 15.8 | 12.7-18.9 | 187 | 15.0 | 12.8-17.2 | 289 | 17.7 | 15.5-19.9 | 427 | 17.9 | 15.9-19.9 | 512 | 15.5 | 13.9-17.1 | 589 | 18.1 | 16.3-19.9 |
| Black or Afr. Am./Non-Hisp | 375 | 55,795 | 28 | 19.7 | 11.9-27.5 | 77 | 26.3 | 20.4-32.2 | 81 | 20.9 | 15.8-26.0 | 93 | 18.0 | 13.7-22.3 | 56 | 10.0 | 06.9-13.1 | 40 | 5.1 | 03.3-06.9 |
| Oth. Race/Non-Hisp. | 59 | 14,413 | | | | | | | 11 | 14.8 | 05.6-24.0 | 11 | 11.8 | 03.8-19.8 | 7 | 5.0 | 00.9-09.1 | 5 | 5.3 | 00.2-10.4 |
| Hispanic | 67 | 15,277 | | | | | | | 11 | 14.5 | 05.1-23.9 | 12 | 14.2 | 05.2-23.2 | 6 | 2.5 | 00.1-04.9 | 6 | 2.2 | 00.2-04.2 |
| Less Than H.S. | 159 | 18,081 | | | | 14 | 12.0 | 04.7-19.3 | 15 | 10.6 | 03.2-18.0 | 24 | 10.3 | 05.2-15.4 | 27 | 10.1 | 05.4-14.8 | 67 | 28.0 | 19.6-36.4 |
| H.S. or G.E.D. | 809 | 98,390 | 50 | 18.4 | 13.1-23.7 | 57 | 13.2 | 09.5-16.9 | 90 | 14.8 | 11.5-18.1 | 167 | 17.3 | 14.4-20.2 | 183 | 14.8 | 12.3-17.3 | 262 | 21.4 | 18.3-24.5 |
| Some Post-H.S. | 738 | 101,296 | 52 | 22.0 | 15.9-28.1 | 80 | 14.2 | 10.7-17.7 | 112 | 18.2 | 14.5-21.9 | 163 | 18.7 | 15.4-22.0 | 159 | 13.3 | 10.8-15.8 | 172 | 13.6 | 11.2-16.0 |
| College Graduate | 965 | 134,039 | 50 | 13.1 | 09.0-17.2 | 161 | 26.2 | 22.5-29.9 | 181 | 20.7 | 17.6-23.8 | 201 | 17.9 | 15.2-20.6 | 226 | 13.5 | 11.3-15.7 | 146 | 8.6 | 07.0-10.2 |
| Less than \$15,000 | 306 | 30,298 | 16 | 17.3 | 08.3-26.3 | 23 | 11.2 | 06.3-16.1 | 27 | 10.5 | 05.8-15.2 | 47 | 13.3 | 08.6-18.0 | 71 | 18.4 | 13.1-23.7 | 122 | 29.2 | 22.9-35.5 |
| \$15,000- 24,999 | 303 | 32,165 | | | | 18 | 9.2 | 04.3-14.1 | 32 | 12.5 | 07.2-17.8 | 56 | 13.8 | 09.5-18.1 | 57 | 11.5 | 08.0-15.0 | 119 | 26.3 | 20.4-32.2 |
| \$25,000- 34,999 | 234 | 28,142 | 17 | 20.3 | 10.3-30.3 | 30 | 21.6 | 13.6-29.6 | 25 | 11.6 | 06.3-16.9 | 35 | 10.6 | 06.5-14.7 | 58 | 15.4 | 10.9-19.9 | 69 | 20.5 | 14.8-26.2 |
| \$35,000- 49,999 | 349 | 41,517 | 23 | 19.7 | 10.3-29.1 | 46 | 18.6 | 12.9-24.3 | 46 | 14.0 | 09.5-18.5 | 67 | 17.3 | 12.4-22.2 | 89 | 15.8 | 11.7-19.9 | 78 | 14.6 | 10.7-18.5 |
| \$50,000- 74,999 | 380 | 50,252 | 27 | 14.4 | 08.9-19.9 | 54 | 19.2 | 13.9-24.5 | 64 | 20.7 | 15.4-26.0 | 102 | 22.8 | 17.9-27.7 | 88 | 15.0 | 11.3-18.7 | 45 | 7.8 | 05.3-10.3 |
| \$75,000+ | 633 | 110,340 | 32 | 13.1 | 08.2-18.0 | 121 | 27.2 | 22.7-31.7 | 155 | 25.6 | 21.5-29.7 | 170 | 21.1 | 17.6-24.6 | 120 | 10.2 | 08.0-12.4 | 35 | 2.8 | 01.8-03.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 25: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <65yrs | | | ≥65yrs | | |
|----------------------------|-------------------|----------|--------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4195 | 674,514 | 2754 | 81.0 | 79.8-82.2 | 1441 | 19.0 | 17.8-20.2 |
| Male | 1519 | 322,280 | 1001 | 82.8 | 80.8-84.8 | 518 | 17.2 | 15.2-19.2 |
| Female | 2676 | 352,235 | 1753 | 79.4 | 77.8-81.0 | 923 | 20.6 | 19.0-22.2 |
| White/Non-Hisp | 3363 | 506,469 | 2077 | 77.8 | 76.2-79.4 | 1286 | 22.2 | 20.6-23.8 |
| Black or Afr. Am./Non-Hisp | 535 | 92,029 | 437 | 89.7 | 87.2-92.2 | 98 | 10.3 | 07.8-12.8 |
| Oth. Race/Non-Hisp. | 104 | 27,761 | 85 | 90.8 | 85.9-95.7 | 19 | 9.2 | 04.3-14.1 |
| Hispanic | 109 | 33,393 | 97 | 97.6 | 96.0-99.2 | 12 | 2.4 | 00.8-04.0 |
| Less Than H.S. | 276 | 40,923 | 133 | 72.5 | 65.8-79.2 | 143 | 27.5 | 20.8-34.2 |
| H.S. or G.E.D. | 1266 | 179,905 | 742 | 75.5 | 73.0-78.0 | 524 | 24.5 | 22.0-27.0 |
| Some Post-H.S. | 1093 | 192,783 | 747 | 83.4 | 81.0-85.8 | 346 | 16.6 | 14.2-19.0 |
| College Graduate | 1552 | 259,827 | 1130 | 84.5 | 82.7-86.3 | 422 | 15.5 | 13.7-17.3 |
| Less than \$15,000 | 449 | 56,037 | 216 | 67.2 | 61.3-73.1 | 233 | 32.8 | 26.9-38.7 |
| \$15,000- 24,999 | 417 | 49,501 | 219 | 71.1 | 65.6-76.6 | 198 | 28.9 | 23.4-34.4 |
| \$25,000- 34,999 | 360 | 51,357 | 203 | 74.8 | 69.7-79.9 | 157 | 25.2 | 20.1-30.3 |
| \$35,000- 49,999 | 560 | 81,023 | 358 | 76.2 | 72.1-80.3 | 202 | 23.8 | 19.7-27.9 |
| \$50,000- 74,999 | 619 | 96,810 | 469 | 85.7 | 83.0-88.4 | 150 | 14.3 | 11.6-17.0 |
| \$75,000+ | 1119 | 231,155 | 943 | 91.5 | 90.1-92.9 | 176 | 8.5 | 07.1-09.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 26: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <65yrs | | | ≥65yrs | | |
|----------------------------|-------------------|----------|--------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1519 | 322,280 | 1001 | 82.8 | 80.8-84.8 | 518 | 17.2 | 15.2-19.2 |
| White/Non-Hisp | 1244 | 247,525 | 786 | 80.5 | 78.3-82.7 | 458 | 19.5 | 17.3-21.7 |
| Black or Afr. Am./Non-Hisp | 160 | 36,234 | 124 | 88.5 | 83.8-93.2 | 36 | 11.5 | 06.8-16.2 |
| Less Than H.S. | 117 | 22,842 | 59 | 78.2 | 69.6-86.8 | 58 | 21.8 | 13.2-30.4 |
| H.S. or G.E.D. | 457 | 81,516 | 295 | 81.0 | 77.3-84.7 | 162 | 19.0 | 15.3-22.7 |
| Some Post-H.S. | 355 | 91,487 | 244 | 85.7 | 82.2-89.2 | 111 | 14.3 | 10.8-17.8 |
| College Graduate | 587 | 125,788 | 401 | 82.5 | 79.6-85.4 | 186 | 17.5 | 14.6-20.4 |
| Less than \$15,000 | 143 | 25,739 | 74 | 74.7 | 66.1-83.3 | 69 | 25.3 | 16.7-33.9 |
| \$15,000- 24,999 | 114 | 17,336 | 67 | 79.1 | 70.7-87.5 | 47 | 20.9 | 12.5-29.3 |
| \$25,000- 34,999 | 126 | 23,216 | 68 | 77.7 | 69.9-85.5 | 58 | 22.3 | 14.5-30.1 |
| \$35,000- 49,999 | 211 | 39,506 | 129 | 74.6 | 68.1-81.1 | 82 | 25.4 | 18.9-31.9 |
| \$50,000- 74,999 | 239 | 46,559 | 168 | 83.8 | 79.3-88.3 | 71 | 16.2 | 11.7-20.7 |
| \$75,000+ | 486 | 120,815 | 386 | 89.5 | 87.1-91.9 | 100 | 10.5 | 08.1-12.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 27: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <65yrs | | | ≥65yrs | | |
|----------------------------|-------------------|----------|--------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2676 | 352,235 | 1753 | 79.4 | 77.8-81.0 | 923 | 20.6 | 19.0-22.2 |
| White/Non-Hisp | 2119 | 258,944 | 1291 | 75.2 | 73.2-77.2 | 828 | 24.8 | 22.8-26.8 |
| Black or Afr. Am./Non-Hisp | 375 | 55,795 | 313 | 90.4 | 87.5-93.3 | 62 | 9.6 | 06.7-12.5 |
| Oth. Race/Non-Hisp. | 59 | 14,413 | 50 | 92.1 | 86.2-98.0 | 9 | 7.9 | 02.0-13.8 |
| Hispanic | 67 | 15,277 | 59 | 96.9 | 94.4-99.4 | 8 | 3.1 | 00.6-05.6 |
| Less Than H.S. | 159 | 18,081 | 74 | 65.4 | 55.8-75.0 | 85 | 34.6 | 25.0-44.2 |
| H.S. or G.E.D. | 809 | 98,390 | 447 | 70.9 | 67.2-74.6 | 362 | 29.1 | 25.4-32.8 |
| Some Post-H.S. | 738 | 101,296 | 503 | 81.3 | 78.4-84.2 | 235 | 18.7 | 15.8-21.6 |
| College Graduate | 965 | 134,039 | 729 | 86.3 | 84.3-88.3 | 236 | 13.7 | 11.7-15.7 |
| Less than \$15,000 | 306 | 30,298 | 142 | 60.9 | 53.8-68.0 | 164 | 39.1 | 32.0-46.2 |
| \$15,000- 24,999 | 303 | 32,165 | 152 | 66.8 | 59.9-73.7 | 151 | 33.2 | 26.3-40.1 |
| \$25,000- 34,999 | 234 | 28,142 | 135 | 72.4 | 65.9-78.9 | 99 | 27.6 | 21.1-34.1 |
| \$35,000- 49,999 | 349 | 41,517 | 229 | 77.7 | 72.8-82.6 | 120 | 22.3 | 17.4-27.2 |
| \$50,000- 74,999 | 380 | 50,252 | 301 | 87.3 | 84.2-90.4 | 79 | 12.7 | 09.6-15.8 |
| \$75,000+ | 633 | 110,340 | 557 | 93.8 | 92.2-95.4 | 76 | 6.2 | 04.6-07.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 28: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >48in, <=60in | | | >60in, <=66in | | | >66in, <=72in | | | >72in, <=84in | | |
|----------------------------|-------------------|----------|---------------|------|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4207 | 673,951 | 257 | 4.6 | 03.8-05.4 | 2096 | 41.9 | 39.7-44.1 | 1608 | 45.4 | 43.0-47.8 | 246 | 8.1 | 06.7-09.5 |
| Male | 1513 | 320,976 | 5 | 0.4 | 00.0-00.8 | 167 | 10.1 | 08.1-12.1 | 1098 | 72.7 | 69.6-75.8 | 243 | 16.8 | 14.3-19.3 |
| Female | 2694 | 352,975 | 252 | 8.3 | 06.9-09.7 | 1929 | 70.9 | 68.5-73.3 | 510 | 20.6 | 18.4-22.8 | 3 | 0.2 | 00.0-00.4 |
| White/Non-Hisp | 3371 | 506,320 | 190 | 3.9 | 03.1-04.7 | 1667 | 40.9 | 38.5-43.3 | 1308 | 45.9 | 43.4-48.4 | 206 | 9.3 | 07.7-10.9 |
| Black or Afr. Am./Non-Hisp | 533 | 91,437 | 37 | 5.9 | 03.4-08.4 | 282 | 47.3 | 40.8-53.8 | 184 | 41.4 | 34.5-48.3 | 30 | 5.5 | 03.1-07.9 |
| Oth. Race/Non-Hisp. | 106 | 28,072 | 13 | 11.4 | 04.3-18.5 | | | | | | | 5 | 3.9 | 00.0-08.4 |
| MultiRacial/Non-Hisp. | 55 | 10,715 | 5 | 5.9 | 00.0-12.0 | | | | | | | 2 | 6.6 | 00.0-17.2 |
| Hispanic | 110 | 33,065 | 11 | 5.1 | 01.2-09.0 | | | | | | | 2 | 0.9 | 00.0-02.1 |
| 18-24 | 129 | 83,938 | 6 | 2.5 | 00.1-04.9 | 62 | 38.8 | 29.0-48.6 | | | | 9 | 6.9 | 02.0-11.8 |
| 25-34 | 322 | 109,245 | 16 | 4.2 | 02.0-06.4 | 155 | 38.1 | 31.8-44.4 | 125 | 47.6 | 40.7-54.5 | 26 | 10.1 | 06.0-14.2 |
| 35-44 | 552 | 118,857 | 28 | 4.6 | 02.6-06.6 | 270 | 40.3 | 35.4-45.2 | 215 | 44.2 | 39.1-49.3 | 39 | 10.9 | 07.4-14.4 |
| 45-54 | 773 | 128,920 | 35 | 4.0 | 02.4-05.6 | 367 | 41.7 | 37.6-45.8 | 320 | 46.3 | 42.0-50.6 | 51 | 8.0 | 05.6-10.4 |
| 55-64 | 962 | 102,113 | 49 | 3.5 | 02.3-04.7 | 475 | 44.4 | 40.5-48.3 | 373 | 43.4 | 39.3-47.5 | 65 | 8.7 | 06.2-11.2 |
| 65+ | 1427 | 127,295 | 116 | 7.3 | 05.7-08.9 | 742 | 46.9 | 43.8-50.0 | 516 | 41.9 | 38.8-45.0 | 53 | 3.9 | 02.7-05.1 |
| Less Than H.S. | 273 | 40,508 | 26 | 6.7 | 02.8-10.6 | 126 | 37.0 | 27.8-46.2 | | | | 11 | 7.0 | 00.9-13.1 |
| H.S. or G.E.D. | 1265 | 180,091 | 93 | 5.8 | 04.2-07.4 | 647 | 44.2 | 40.3-48.1 | 457 | 42.9 | 38.8-47.0 | 68 | 7.1 | 04.9-09.3 |
| Some Post-H.S. | 1097 | 192,037 | 72 | 4.1 | 02.9-05.3 | 575 | 43.5 | 39.0-48.0 | 393 | 45.2 | 40.3-50.1 | 57 | 7.2 | 04.8-09.6 |
| College Graduate | 1562 | 260,060 | 65 | 3.7 | 02.5-04.9 | 744 | 40.1 | 37.0-43.2 | 644 | 46.6 | 43.3-49.9 | 109 | 9.6 | 07.4-11.8 |
| Less than \$15,000 | 450 | 55,714 | 29 | 4.6 | 02.1-07.1 | 246 | 48.3 | 40.7-55.9 | 161 | 42.4 | 34.6-50.2 | 14 | 4.7 | 01.6-07.8 |
| \$15,000- 24,999 | 413 | 48,743 | 41 | 7.0 | 04.5-09.5 | 242 | 54.7 | 46.7-62.7 | 115 | 33.9 | 25.7-42.1 | 15 | 4.3 | 01.4-07.2 |
| \$25,000- 34,999 | 359 | 51,229 | 21 | 5.4 | 02.5-08.3 | 199 | 45.0 | 37.4-52.6 | 125 | 42.9 | 34.7-51.1 | 14 | 6.8 | 02.3-11.3 |
| \$35,000- 49,999 | 560 | 80,517 | 33 | 5.3 | 03.1-07.5 | 269 | 41.5 | 35.6-47.4 | 223 | 44.2 | 38.1-50.3 | 35 | 9.0 | 05.3-12.7 |
| \$50,000- 74,999 | 622 | 97,024 | 30 | 4.2 | 02.0-06.4 | 299 | 41.0 | 35.9-46.1 | 263 | 47.8 | 42.1-53.5 | 30 | 7.0 | 04.1-09.9 |
| \$75,000+ | 1123 | 231,700 | 39 | 3.0 | 01.8-04.2 | 489 | 36.9 | 33.4-40.4 | 484 | 49.4 | 45.5-53.3 | 111 | 10.8 | 08.3-13.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >48in, <=60in | | | >60in, <=66in | | | >66in, <=72in | | | >72in, <=84in | | |
|----------------------------|-------------------|----------|---------------|-----|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1513 | 320,976 | 5 | 0.4 | 00.0-00.8 | 167 | 10.1 | 08.1-12.1 | 1098 | 72.7 | 69.6-75.8 | 243 | 16.8 | 14.3-19.3 |
| White/Non-Hisp | 1242 | 246,735 | 4 | 0.3 | 00.0-00.7 | 126 | 8.8 | 06.8-10.8 | 908 | 72.0 | 68.5-75.5 | 204 | 18.9 | 15.8-22.0 |
| Black or Afr. Am./Non-Hisp | 155 | 35,455 | | | | 23 | 17.0 | 08.0-26.0 | | | | 29 | 13.7 | 07.4-20.0 |
| 25-34 | 98 | 53,440 | | | | 9 | 9.8 | 02.9-16.7 | 64 | 69.9 | 60.1-79.7 | 25 | 20.3 | 12.1-28.5 |
| 35-44 | 192 | 57,824 | 1 | 1.0 | 00.0-03.0 | 24 | 12.6 | 07.3-17.9 | 128 | 64.0 | 56.2-71.8 | 39 | 22.4 | 15.3-29.5 |
| 45-54 | 299 | 62,135 | 2 | 0.6 | 00.0-01.4 | 23 | 8.7 | 04.6-12.8 | 224 | 74.5 | 68.6-80.4 | 50 | 16.2 | 11.3-21.1 |
| 55-64 | 355 | 48,924 | | | | 36 | 11.5 | 07.4-15.6 | 254 | 70.4 | 64.5-76.3 | 65 | 18.1 | 13.2-23.0 |
| 65+ | 515 | 55,365 | 2 | 0.7 | 00.0-01.7 | 73 | 14.5 | 10.8-18.2 | 387 | 75.8 | 71.5-80.1 | 53 | 9.0 | 06.5-11.5 |
| Less Than H.S. | 117 | 22,944 | | | | 17 | 11.3 | 03.7-18.9 | | | | | | |
| H.S. or G.E.D. | 454 | 81,379 | 2 | 0.4 | 00.0-01.0 | 53 | 10.2 | 06.7-13.7 | 331 | 73.8 | 68.3-79.3 | 68 | 15.6 | 11.1-20.1 |
| Some Post-H.S. | 353 | 90,723 | 1 | 0.2 | 00.0-00.6 | 42 | 9.8 | 05.9-13.7 | 255 | 75.3 | 69.0-81.6 | 55 | 14.7 | 09.6-19.8 |
| College Graduate | 585 | 125,150 | 2 | 0.7 | 00.0-01.7 | 54 | 10.1 | 06.8-13.4 | 421 | 69.4 | 64.3-74.5 | 108 | 19.8 | 15.5-24.1 |
| Less than \$15,000 | 141 | 25,255 | 1 | 0.9 | 00.0-02.7 | | | | | | | 14 | 10.4 | 03.5-17.3 |
| \$15,000- 24,999 | 112 | 17,175 | 3 | 2.9 | 00.0-06.2 | 21 | 13.5 | 05.7-21.3 | | | | 15 | 12.2 | 03.8-20.6 |
| \$25,000- 34,999 | 125 | 23,144 | | | | 18 | 8.0 | 03.5-12.5 | | | | 14 | 15.0 | 05.6-24.4 |
| \$35,000- 49,999 | 210 | 38,954 | | | | 23 | 14.3 | 07.8-20.8 | 153 | 67.6 | 58.8-76.4 | 34 | 18.1 | 10.7-25.5 |
| \$50,000- 74,999 | 239 | 46,581 | | | | 22 | 8.4 | 03.9-12.9 | 187 | 77.1 | 69.8-84.4 | 30 | 14.5 | 08.4-20.6 |
| \$75,000+ | 488 | 121,126 | 1 | 0.5 | 00.0-01.5 | 34 | 6.8 | 04.3-09.3 | 343 | 72.2 | 67.1-77.3 | 110 | 20.5 | 16.0-25.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >48in, <=60in | | | >60in, <=66in | | | >66in, <=72in | | | >72in, <=84in | | |
|----------------------------|-------------------|----------|---------------|------|------------|---------------|------|------------|---------------|------|------------|---------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2694 | 352,975 | 252 | 8.3 | 06.9-09.7 | 1929 | 70.9 | 68.5-73.3 | 510 | 20.6 | 18.4-22.8 | 3 | 0.2 | 00.0-00.4 |
| White/Non-Hisp | 2129 | 259,585 | 186 | 7.3 | 05.9-08.7 | 1541 | 71.4 | 68.9-73.9 | 400 | 21.2 | 18.8-23.6 | 2 | 0.2 | 00.0-00.4 |
| Black or Afr. Am./Non-Hisp | 378 | 55,981 | 37 | 9.6 | 05.5-13.7 | 259 | 66.4 | 59.5-73.3 | 81 | 23.7 | 17.4-30.0 | 1 | 0.3 | 00.0-00.9 |
| Oth. Race/Non-Hisp. | 60 | 14,459 | | | | | | | 9 | 11.0 | 02.4-19.6 | | | |
| Hispanic | 68 | 14,950 | 11 | 11.3 | 02.7-19.9 | | | | 11 | 14.4 | 04.8-24.0 | | | |
| 18-24 | 81 | 41,599 | 6 | 5.1 | 00.4-09.8 | | | | | | | 1 | 0.6 | 00.0-01.8 |
| 25-34 | 224 | 55,805 | 16 | 8.2 | 04.1-12.3 | 146 | 65.3 | 58.2-72.4 | 61 | 26.2 | 19.9-32.5 | 1 | 0.3 | 00.0-00.9 |
| 35-44 | 360 | 61,034 | 27 | 7.9 | 04.6-11.2 | 246 | 66.6 | 60.9-72.3 | 87 | 25.4 | 20.1-30.7 | | | |
| 45-54 | 474 | 66,785 | 33 | 7.2 | 04.5-09.9 | 344 | 72.5 | 67.8-77.2 | 96 | 20.1 | 16.0-24.2 | 1 | 0.3 | 00.0-00.9 |
| 55-64 | 607 | 53,188 | 49 | 6.7 | 04.5-08.9 | 439 | 74.7 | 70.6-78.8 | 119 | 18.6 | 14.9-22.3 | | | |
| 65+ | 912 | 71,930 | 114 | 12.5 | 10.0-15.0 | 669 | 71.8 | 68.3-75.3 | 129 | 15.7 | 12.8-18.6 | | | |
| Less Than H.S. | 156 | 17,564 | 26 | 15.4 | 07.0-23.8 | | | | 21 | 14.1 | 06.7-21.5 | | | |
| H.S. or G.E.D. | 811 | 98,711 | 91 | 10.3 | 07.6-13.0 | 594 | 72.2 | 67.9-76.5 | 126 | 17.5 | 13.8-21.2 | | | |
| Some Post-H.S. | 744 | 101,313 | 71 | 7.5 | 05.3-09.7 | 533 | 73.7 | 69.6-77.8 | 138 | 18.3 | 14.8-21.8 | 2 | 0.4 | 00.0-01.0 |
| College Graduate | 977 | 134,910 | 63 | 6.5 | 04.5-08.5 | 690 | 68.0 | 63.9-72.1 | 223 | 25.4 | 21.5-29.3 | 1 | 0.1 | 00.0-00.3 |
| Less than \$15,000 | 309 | 30,459 | 28 | 7.6 | 03.5-11.7 | 221 | 71.5 | 64.4-78.6 | 60 | 20.9 | 14.6-27.2 | | | |
| \$15,000- 24,999 | 301 | 31,568 | 38 | 9.3 | 05.8-12.8 | 221 | 77.1 | 71.0-83.2 | 42 | 13.6 | 08.7-18.5 | | | |
| \$25,000- 34,999 | 234 | 28,086 | 21 | 9.8 | 04.5-15.1 | 181 | 75.4 | 68.0-82.8 | 32 | 14.7 | 08.8-20.6 | | | |
| \$35,000- 49,999 | 350 | 41,563 | 33 | 10.3 | 06.0-14.6 | 246 | 67.0 | 59.4-74.6 | 70 | 22.3 | 15.0-29.6 | 1 | 0.5 | 00.0-01.5 |
| \$50,000- 74,999 | 383 | 50,443 | 30 | 8.1 | 04.2-12.0 | 277 | 71.0 | 65.3-76.7 | 76 | 20.9 | 15.8-26.0 | | | |
| \$75,000+ | 635 | 110,574 | 38 | 5.6 | 03.6-07.6 | 455 | 69.8 | 65.1-74.5 | 141 | 24.4 | 19.9-28.9 | 1 | 0.2 | 00.0-00.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 31: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >1.22m, <=1.53m (~60in) | | | >1.53m, <=1.68m (~66in) | | | >1.68m, <=1.83m (~72in) | | | >1.83m, <=2.14m (~84in) | | |
|----------------------------|-------------------|----------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4207 | 673,951 | 257 | 4.6 | 03.8-05.4 | 2096 | 41.9 | 39.7-44.1 | 1608 | 45.4 | 43.0-47.8 | 246 | 8.1 | 06.7-09.5 |
| Male | 1513 | 320,976 | 5 | 0.4 | 00.0-00.8 | 167 | 10.1 | 08.1-12.1 | 1098 | 72.7 | 69.6-75.8 | 243 | 16.8 | 14.3-19.3 |
| Female | 2694 | 352,975 | 252 | 8.3 | 06.9-09.7 | 1929 | 70.9 | 68.5-73.3 | 510 | 20.6 | 18.4-22.8 | 3 | 0.2 | 00.0-00.4 |
| White/Non-Hisp | 3371 | 506,320 | 190 | 3.9 | 03.1-04.7 | 1667 | 40.9 | 38.5-43.3 | 1308 | 45.9 | 43.4-48.4 | 206 | 9.3 | 07.7-10.9 |
| Black or Afr. Am./Non-Hisp | 533 | 91,437 | 37 | 5.9 | 03.4-08.4 | 282 | 47.3 | 40.8-53.8 | 184 | 41.4 | 34.5-48.3 | 30 | 5.5 | 03.1-07.9 |
| Oth. Race/Non-Hisp. | 106 | 28,072 | 13 | 11.4 | 04.3-18.5 | | | | | | | 5 | 3.9 | 00.0-08.4 |
| MultiRacial/Non-Hisp. | 55 | 10,715 | 5 | 5.9 | 00.0-12.0 | | | | | | | 2 | 6.6 | 00.0-17.2 |
| Hispanic | 110 | 33,065 | 11 | 5.1 | 01.2-09.0 | | | | | | | 2 | 0.9 | 00.0-02.1 |
| 18-24 | 129 | 83,938 | 6 | 2.5 | 00.1-04.9 | 62 | 38.8 | 29.0-48.6 | | | | 9 | 6.9 | 02.0-11.8 |
| 25-34 | 322 | 109,245 | 16 | 4.2 | 02.0-06.4 | 155 | 38.1 | 31.8-44.4 | 125 | 47.6 | 40.7-54.5 | 26 | 10.1 | 06.0-14.2 |
| 35-44 | 552 | 118,857 | 28 | 4.6 | 02.6-06.6 | 270 | 40.3 | 35.4-45.2 | 215 | 44.2 | 39.1-49.3 | 39 | 10.9 | 07.4-14.4 |
| 45-54 | 773 | 128,920 | 35 | 4.0 | 02.4-05.6 | 367 | 41.7 | 37.6-45.8 | 320 | 46.3 | 42.0-50.6 | 51 | 8.0 | 05.6-10.4 |
| 55-64 | 962 | 102,113 | 49 | 3.5 | 02.3-04.7 | 475 | 44.4 | 40.5-48.3 | 373 | 43.4 | 39.3-47.5 | 65 | 8.7 | 06.2-11.2 |
| 65+ | 1427 | 127,295 | 116 | 7.3 | 05.7-08.9 | 742 | 46.9 | 43.8-50.0 | 516 | 41.9 | 38.8-45.0 | 53 | 3.9 | 02.7-05.1 |
| Less Than H.S. | 273 | 40,508 | 26 | 6.7 | 02.8-10.6 | 126 | 37.0 | 27.8-46.2 | | | | 11 | 7.0 | 00.9-13.1 |
| H.S. or G.E.D. | 1265 | 180,091 | 93 | 5.8 | 04.2-07.4 | 647 | 44.2 | 40.3-48.1 | 457 | 42.9 | 38.8-47.0 | 68 | 7.1 | 04.9-09.3 |
| Some Post-H.S. | 1097 | 192,037 | 72 | 4.1 | 02.9-05.3 | 575 | 43.5 | 39.0-48.0 | 393 | 45.2 | 40.3-50.1 | 57 | 7.2 | 04.8-09.6 |
| College Graduate | 1562 | 260,060 | 65 | 3.7 | 02.5-04.9 | 744 | 40.1 | 37.0-43.2 | 644 | 46.6 | 43.3-49.9 | 109 | 9.6 | 07.4-11.8 |
| Less than \$15,000 | 450 | 55,714 | 29 | 4.6 | 02.1-07.1 | 246 | 48.3 | 40.7-55.9 | 161 | 42.4 | 34.6-50.2 | 14 | 4.7 | 01.6-07.8 |
| \$15,000- 24,999 | 413 | 48,743 | 41 | 7.0 | 04.5-09.5 | 242 | 54.7 | 46.7-62.7 | 115 | 33.9 | 25.7-42.1 | 15 | 4.3 | 01.4-07.2 |
| \$25,000- 34,999 | 359 | 51,229 | 21 | 5.4 | 02.5-08.3 | 199 | 45.0 | 37.4-52.6 | 125 | 42.9 | 34.7-51.1 | 14 | 6.8 | 02.3-11.3 |
| \$35,000- 49,999 | 560 | 80,517 | 33 | 5.3 | 03.1-07.5 | 269 | 41.5 | 35.6-47.4 | 223 | 44.2 | 38.1-50.3 | 35 | 9.0 | 05.3-12.7 |
| \$50,000- 74,999 | 622 | 97,024 | 30 | 4.2 | 02.0-06.4 | 299 | 41.0 | 35.9-46.1 | 263 | 47.8 | 42.1-53.5 | 30 | 7.0 | 04.1-09.9 |
| \$75,000+ | 1123 | 231,700 | 39 | 3.0 | 01.8-04.2 | 489 | 36.9 | 33.4-40.4 | 484 | 49.4 | 45.5-53.3 | 111 | 10.8 | 08.3-13.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 32: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >1.22m, <=1.53m (~60in) | | | >1.53m, <=1.68m (~66in) | | | >1.68m, <=1.83m (~72in) | | | >1.83m, <=2.14m (~84in) | | |
|----------------------------|-------------------|----------|-------------------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1513 | 320,976 | 5 | 0.4 | 00.0-00.8 | 167 | 10.1 | 08.1-12.1 | 1098 | 72.7 | 69.6-75.8 | 243 | 16.8 | 14.3-19.3 |
| White/Non-Hisp | 1242 | 246,735 | 4 | 0.3 | 00.0-00.7 | 126 | 8.8 | 06.8-10.8 | 908 | 72.0 | 68.5-75.5 | 204 | 18.9 | 15.8-22.0 |
| Black or Afr. Am./Non-Hisp | 155 | 35,455 | | | | 23 | 17.0 | 08.0-26.0 | | | | 29 | 13.7 | 07.4-20.0 |
| 25-34 | 98 | 53,440 | | | | 9 | 9.8 | 02.9-16.7 | 64 | 69.9 | 60.1-79.7 | 25 | 20.3 | 12.1-28.5 |
| 35-44 | 192 | 57,824 | 1 | 1.0 | 00.0-03.0 | 24 | 12.6 | 07.3-17.9 | 128 | 64.0 | 56.2-71.8 | 39 | 22.4 | 15.3-29.5 |
| 45-54 | 299 | 62,135 | 2 | 0.6 | 00.0-01.4 | 23 | 8.7 | 04.6-12.8 | 224 | 74.5 | 68.6-80.4 | 50 | 16.2 | 11.3-21.1 |
| 55-64 | 355 | 48,924 | | | | 36 | 11.5 | 07.4-15.6 | 254 | 70.4 | 64.5-76.3 | 65 | 18.1 | 13.2-23.0 |
| 65+ | 515 | 55,365 | 2 | 0.7 | 00.0-01.7 | 73 | 14.5 | 10.8-18.2 | 387 | 75.8 | 71.5-80.1 | 53 | 9.0 | 06.5-11.5 |
| Less Than H.S. | 117 | 22,944 | | | | 17 | 11.3 | 03.7-18.9 | | | | | | |
| H.S. or G.E.D. | 454 | 81,379 | 2 | 0.4 | 00.0-01.0 | 53 | 10.2 | 06.7-13.7 | 331 | 73.8 | 68.3-79.3 | 68 | 15.6 | 11.1-20.1 |
| Some Post-H.S. | 353 | 90,723 | 1 | 0.2 | 00.0-00.6 | 42 | 9.8 | 05.9-13.7 | 255 | 75.3 | 69.0-81.6 | 55 | 14.7 | 09.6-19.8 |
| College Graduate | 585 | 125,150 | 2 | 0.7 | 00.0-01.7 | 54 | 10.1 | 06.8-13.4 | 421 | 69.4 | 64.3-74.5 | 108 | 19.8 | 15.5-24.1 |
| Less than \$15,000 | 141 | 25,255 | 1 | 0.9 | 00.0-02.7 | | | | | | | 14 | 10.4 | 03.5-17.3 |
| \$15,000- 24,999 | 112 | 17,175 | 3 | 2.9 | 00.0-06.2 | 21 | 13.5 | 05.7-21.3 | | | | 15 | 12.2 | 03.8-20.6 |
| \$25,000- 34,999 | 125 | 23,144 | | | | 18 | 8.0 | 03.5-12.5 | | | | 14 | 15.0 | 05.6-24.4 |
| \$35,000- 49,999 | 210 | 38,954 | | | | 23 | 14.3 | 07.8-20.8 | 153 | 67.6 | 58.8-76.4 | 34 | 18.1 | 10.7-25.5 |
| \$50,000- 74,999 | 239 | 46,581 | | | | 22 | 8.4 | 03.9-12.9 | 187 | 77.1 | 69.8-84.4 | 30 | 14.5 | 08.4-20.6 |
| \$75,000+ | 488 | 121,126 | 1 | 0.5 | 00.0-01.5 | 34 | 6.8 | 04.3-09.3 | 343 | 72.2 | 67.1-77.3 | 110 | 20.5 | 16.0-25.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 33: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >1.22m, <=1.53m (~60in) | | | >1.53m, <=1.68m (~66in) | | | >1.68m, <=1.83m (~72in) | | | >1.83m, <=2.14m (~84in) | | |
|----------------------------|-------------------|----------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2694 | 352,975 | 252 | 8.3 | 06.9-09.7 | 1929 | 70.9 | 68.5-73.3 | 510 | 20.6 | 18.4-22.8 | 3 | 0.2 | 00.0-00.4 |
| White/Non-Hisp | 2129 | 259,585 | 186 | 7.3 | 05.9-08.7 | 1541 | 71.4 | 68.9-73.9 | 400 | 21.2 | 18.8-23.6 | 2 | 0.2 | 00.0-00.4 |
| Black or Afr. Am./Non-Hisp | 378 | 55,981 | 37 | 9.6 | 05.5-13.7 | 259 | 66.4 | 59.5-73.3 | 81 | 23.7 | 17.4-30.0 | 1 | 0.3 | 00.0-00.9 |
| Oth. Race/Non-Hisp. | 60 | 14,459 | | | | | | | 9 | 11.0 | 02.4-19.6 | | | |
| Hispanic | 68 | 14,950 | 11 | 11.3 | 02.7-19.9 | | | | 11 | 14.4 | 04.8-24.0 | | | |
| 18-24 | 81 | 41,599 | 6 | 5.1 | 00.4-09.8 | | | | | | | 1 | 0.6 | 00.0-01.8 |
| 25-34 | 224 | 55,805 | 16 | 8.2 | 04.1-12.3 | 146 | 65.3 | 58.2-72.4 | 61 | 26.2 | 19.9-32.5 | 1 | 0.3 | 00.0-00.9 |
| 35-44 | 360 | 61,034 | 27 | 7.9 | 04.6-11.2 | 246 | 66.6 | 60.9-72.3 | 87 | 25.4 | 20.1-30.7 | | | |
| 45-54 | 474 | 66,785 | 33 | 7.2 | 04.5-09.9 | 344 | 72.5 | 67.8-77.2 | 96 | 20.1 | 16.0-24.2 | 1 | 0.3 | 00.0-00.9 |
| 55-64 | 607 | 53,188 | 49 | 6.7 | 04.5-08.9 | 439 | 74.7 | 70.6-78.8 | 119 | 18.6 | 14.9-22.3 | | | |
| 65+ | 912 | 71,930 | 114 | 12.5 | 10.0-15.0 | 669 | 71.8 | 68.3-75.3 | 129 | 15.7 | 12.8-18.6 | | | |
| Less Than H.S. | 156 | 17,564 | 26 | 15.4 | 07.0-23.8 | | | | 21 | 14.1 | 06.7-21.5 | | | |
| H.S. or G.E.D. | 811 | 98,711 | 91 | 10.3 | 07.6-13.0 | 594 | 72.2 | 67.9-76.5 | 126 | 17.5 | 13.8-21.2 | | | |
| Some Post-H.S. | 744 | 101,313 | 71 | 7.5 | 05.3-09.7 | 533 | 73.7 | 69.6-77.8 | 138 | 18.3 | 14.8-21.8 | 2 | 0.4 | 00.0-01.0 |
| College Graduate | 977 | 134,910 | 63 | 6.5 | 04.5-08.5 | 690 | 68.0 | 63.9-72.1 | 223 | 25.4 | 21.5-29.3 | 1 | 0.1 | 00.0-00.3 |
| Less than \$15,000 | 309 | 30,459 | 28 | 7.6 | 03.5-11.7 | 221 | 71.5 | 64.4-78.6 | 60 | 20.9 | 14.6-27.2 | | | |
| \$15,000- 24,999 | 301 | 31,568 | 38 | 9.3 | 05.8-12.8 | 221 | 77.1 | 71.0-83.2 | 42 | 13.6 | 08.7-18.5 | | | |
| \$25,000- 34,999 | 234 | 28,086 | 21 | 9.8 | 04.5-15.1 | 181 | 75.4 | 68.0-82.8 | 32 | 14.7 | 08.8-20.6 | | | |
| \$35,000- 49,999 | 350 | 41,563 | 33 | 10.3 | 06.0-14.6 | 246 | 67.0 | 59.4-74.6 | 70 | 22.3 | 15.0-29.6 | 1 | 0.5 | 00.0-01.5 |
| \$50,000- 74,999 | 383 | 50,443 | 30 | 8.1 | 04.2-12.0 | 277 | 71.0 | 65.3-76.7 | 76 | 20.9 | 15.8-26.0 | | | |
| \$75,000+ | 635 | 110,574 | 38 | 5.6 | 03.6-07.6 | 455 | 69.8 | 65.1-74.5 | 141 | 24.4 | 19.9-28.9 | 1 | 0.2 | 00.0-00.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG2).
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <46kg (~100lbs) | | | >46kg, <=69kg (~150lbs) | | | >69kg, <=91kg (~200lbs) | | | >91kg, <=114kg (~250lbs) | | | >114kg, <=137kg (~300lbs) | | | >137kg (~300lbs) | | |
|----------------------------|-------------------|----------|-----------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|--------------------------|-----------|------------|---------------------------|-----------|------------|------------------|-----------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4036 | 652,488 | 34 | 1.0 | 00.4-01.6 | 1361 | 31.8 | 29.6-34.0 | 1783 | 44.3 | 41.9-46.7 | 657 | 17.4 | 15.6-19.2 | 162 | 4.4 | 03.4-05.4 | 39 | 1.2 | 00.6-01.8 |
| Male | 1510 | 320,381 | 1 | 0.1 | 00.0-00.3 | 147 | 12.6 | 09.7-15.5 | 801 | 53.0 | 49.3-56.7 | 423 | 25.7 | 22.6-28.8 | 113 | 6.9 | 05.3-08.5 | 25 | 1.7 | 00.7-02.7 |
| Female | 2526 | 332,107 | 33 | 1.9 | 00.9-02.9 | 1214 | 50.3 | 47.6-53.0 | 982 | 35.8 | 33.3-38.3 | 234 | 9.3 | 07.7-10.9 | 49 | 2.0 | 01.2-02.8 | 14 | 0.7 | 00.3-01.1 |
| White/Non-Hisp | 3226 | 488,511 | 28 | 0.7 | 00.3-01.1 | 1120 | 31.6 | 29.2-34.0 | 1414 | 44.5 | 42.0-47.0 | 511 | 17.8 | 15.8-19.8 | 126 | 4.3 | 03.3-05.3 | 27 | 1.1 | 00.5-01.7 |
| Black or Afr. Am./Non-Hisp | 515 | 89,116 | | | | 122 | 25.2 | 19.5-30.9 | 252 | 46.6 | 39.9-53.3 | 104 | 19.7 | 13.4-26.0 | 28 | 6.7 | 03.2-10.2 | 9 | 1.7 | 00.1-03.3 |
| Oth. Race/Non-Hisp. | 103 | 27,257 | | | | | | | | | 11 | 8.4 | 02.1-14.7 | 2 | 2.9 | 00.0-07.6 | | | | |
| MultiRacial/Non-Hisp. | 54 | 10,703 | | | | | | | | | | | | | | | 3 | 8.1 | 00.0-19.1 | |
| Hispanic | 108 | 32,765 | 1 | 0.4 | 00.0-01.2 | | | | | | 11 | 8.0 | 01.9-14.1 | 5 | 2.7 | 00.2-05.2 | | | | |
| 18-24 | 128 | 83,938 | 4 | 3.2 | 00.0-06.9 | | | | 45 | 35.8 | 25.8-45.8 | 15 | 12.0 | 04.4-19.6 | 5 | 3.9 | 00.4-07.4 | 1 | 0.4 | 00.0-01.2 |
| 25-34 | 315 | 108,019 | 5 | 1.2 | 00.0-02.4 | 127 | 33.2 | 27.1-39.3 | 128 | 47.1 | 40.2-54.0 | 40 | 14.7 | 09.8-19.6 | 11 | 2.6 | 00.8-04.4 | 4 | 1.3 | 00.0-02.9 |
| 35-44 | 529 | 113,613 | | | | 180 | 30.8 | 26.1-35.5 | 231 | 43.0 | 37.9-48.1 | 82 | 18.0 | 13.9-22.1 | 29 | 6.1 | 03.4-08.8 | 7 | 2.0 | 00.2-03.8 |
| 45-54 | 739 | 122,999 | 5 | 0.5 | 00.0-01.1 | 207 | 26.2 | 22.5-29.9 | 336 | 45.4 | 41.1-49.7 | 144 | 20.5 | 17.0-24.0 | 37 | 6.1 | 03.7-08.5 | 10 | 1.4 | 00.0-02.8 |
| 55-64 | 924 | 99,001 | 4 | 0.4 | 00.0-01.0 | 281 | 26.1 | 22.8-29.4 | 407 | 45.2 | 41.1-49.3 | 183 | 22.2 | 18.7-25.7 | 40 | 4.9 | 03.1-06.7 | 9 | 1.2 | 00.4-02.0 |
| 65+ | 1374 | 122,725 | 16 | 1.2 | 00.6-01.8 | 490 | 32.6 | 29.7-35.5 | 628 | 46.9 | 43.8-50.0 | 192 | 15.9 | 13.5-18.3 | 40 | 2.8 | 01.8-03.8 | 8 | 0.5 | 00.1-00.9 |
| Less Than H.S. | 265 | 39,951 | 3 | 1.8 | 00.0-04.5 | | | | | | 46 | 14.2 | 08.3-20.1 | 15 | 3.5 | 01.5-05.5 | 2 | 1.4 | 00.0-03.8 | |
| H.S. or G.E.D. | 1215 | 174,095 | 7 | 0.4 | 00.0-00.8 | 404 | 31.9 | 28.2-35.6 | 533 | 43.6 | 39.5-47.7 | 212 | 18.2 | 15.3-21.1 | 50 | 4.8 | 03.0-06.6 | 9 | 1.1 | 00.3-01.9 |
| Some Post-H.S. | 1049 | 186,970 | 10 | 1.6 | 00.0-03.2 | 333 | 29.8 | 25.5-34.1 | 474 | 44.0 | 39.1-48.9 | 176 | 18.3 | 14.4-22.2 | 41 | 4.6 | 02.6-06.6 | 15 | 1.7 | 00.3-03.1 |
| College Graduate | 1498 | 250,349 | 13 | 0.8 | 00.2-01.4 | 537 | 32.7 | 29.6-35.8 | 657 | 45.1 | 41.6-48.6 | 223 | 16.7 | 14.0-19.4 | 55 | 4.0 | 02.6-05.4 | 13 | 0.7 | 00.1-01.3 |
| Less than \$15,000 | 435 | 54,380 | 8 | 1.6 | 00.2-03.0 | 138 | 33.0 | 24.8-41.2 | 192 | 41.6 | 34.2-49.0 | 69 | 14.3 | 10.2-18.4 | 26 | 8.6 | 04.3-12.9 | 2 | 0.9 | 00.0-02.3 |
| \$15,000- 24,999 | 408 | 47,893 | 5 | 2.9 | 00.0-06.4 | 137 | 29.2 | 22.7-35.7 | 188 | 47.8 | 39.6-56.0 | 61 | 13.9 | 09.4-18.4 | 12 | 4.1 | 00.0-08.4 | 5 | 2.1 | 00.0-04.5 |
| \$25,000- 34,999 | 352 | 50,437 | 2 | 0.3 | 00.0-00.7 | 115 | 33.5 | 26.1-40.9 | 161 | 42.0 | 34.0-50.0 | 58 | 18.1 | 12.0-24.2 | 12 | 4.1 | 00.8-07.4 | 4 | 2.0 | 00.0-04.2 |
| \$35,000- 49,999 | 547 | 79,491 | 6 | 2.0 | 00.0-04.9 | 169 | 27.0 | 21.9-32.1 | 233 | 46.8 | 40.5-53.1 | 103 | 18.5 | 14.4-22.6 | 27 | 4.7 | 02.5-06.9 | 9 | 1.1 | 00.3-01.9 |
| \$50,000- 74,999 | 605 | 94,161 | 2 | 0.2 | 00.0-00.6 | 197 | 29.7 | 24.6-34.8 | 266 | 44.6 | 38.9-50.3 | 104 | 19.7 | 15.0-24.4 | 30 | 5.1 | 02.9-07.3 | 6 | 0.7 | 00.1-01.3 |
| \$75,000+ | 1088 | 225,658 | 3 | 0.2 | 00.0-00.4 | 349 | 32.4 | 28.5-36.3 | 480 | 43.4 | 39.5-47.3 | 203 | 18.3 | 15.4-21.2 | 43 | 4.1 | 02.5-05.7 | 10 | 1.5 | 00.3-02.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <46kg (~100lbs) | | | >46kg, <=69kg (~150lbs) | | | >69kg, <=91kg (~200lbs) | | | >91kg, <=114kg (~250lbs) | | | >114kg, <=137kg (~300lbs) | | | >137kg (~300lbs) | | |
|----------------------------|-------------------|----------|-----------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|--------------------------|------|------------|---------------------------|-----------|------------|------------------|-----------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1510 | 320,381 | 1 | 0.1 | 00.0-00.3 | 147 | 12.6 | 09.7-15.5 | 801 | 53.0 | 49.3-56.7 | 423 | 25.7 | 22.6-28.8 | 113 | 6.9 | 05.3-08.5 | 25 | 1.7 | 00.7-02.7 |
| White/Non-Hisp | 1237 | 245,750 | 1 | 0.1 | 00.0-00.3 | 107 | 10.5 | 07.6-13.4 | 661 | 53.7 | 49.8-57.6 | 357 | 27.1 | 23.8-30.4 | 94 | 7.0 | 05.2-08.8 | 17 | 1.6 | 00.6-02.6 |
| Black or Afr. Am./Non-Hisp | 157 | 35,845 | | | | 17 | 14.6 | 05.8-23.4 | | | | | | 13 | 9.7 | 03.0-16.4 | 6 | 2.4 | 00.0-05.3 | |
| 25-34 | 99 | 54,290 | | | | 11 | 10.6 | 03.9-17.3 | | | | 21 | 20.7 | 11.7-29.7 | 5 | 3.2 | 00.3-06.1 | 1 | 1.6 | 00.0-04.5 |
| 35-44 | 192 | 57,837 | | | | 19 | 11.7 | 06.4-17.0 | 104 | 52.5 | 44.5-60.5 | 46 | 23.8 | 16.9-30.7 | 19 | 9.3 | 04.4-14.2 | 4 | 2.7 | 00.0-05.4 |
| 45-54 | 298 | 61,731 | | | | 18 | 7.6 | 03.7-11.5 | 151 | 49.1 | 42.2-56.0 | 94 | 30.4 | 24.3-36.5 | 28 | 10.6 | 06.1-15.1 | 7 | 2.4 | 00.0-05.1 |
| 55-64 | 354 | 48,572 | | | | 32 | 8.0 | 04.7-11.3 | 178 | 52.2 | 45.7-58.7 | 112 | 30.7 | 24.6-36.8 | 25 | 7.2 | 04.1-10.3 | 7 | 2.0 | 00.4-03.6 |
| 65+ | 515 | 55,057 | 1 | 0.3 | 00.0-00.9 | 53 | 9.7 | 06.6-12.8 | 284 | 55.6 | 50.5-60.7 | 139 | 28.1 | 23.6-32.6 | 32 | 5.2 | 03.2-07.2 | 6 | 1.0 | 00.0-02.0 |
| Less Than H.S. | 116 | 22,684 | | | | | | | | | | 32 | 18.3 | 08.9-27.7 | 6 | 2.3 | 00.1-04.5 | 1 | 0.5 | 00.0-01.5 |
| H.S. or G.E.D. | 453 | 80,860 | | | | 42 | 9.9 | 05.8-14.0 | 225 | 50.0 | 43.3-56.7 | 140 | 29.4 | 23.9-34.9 | 38 | 8.7 | 05.0-12.4 | 8 | 2.0 | 00.4-03.6 |
| Some Post-H.S. | 355 | 91,487 | | | | 31 | 13.3 | 06.8-19.8 | 189 | 52.0 | 43.8-60.2 | 103 | 26.2 | 18.9-33.5 | 25 | 6.2 | 03.3-09.1 | 7 | 2.4 | 00.0-04.9 |
| College Graduate | 583 | 124,703 | 1 | 0.1 | 00.0-00.3 | 50 | 10.7 | 06.8-14.6 | 332 | 56.6 | 51.1-62.1 | 148 | 24.5 | 19.8-29.2 | 43 | 6.9 | 04.4-09.4 | 9 | 1.2 | 00.0-02.4 |
| Less than \$15,000 | 142 | 25,573 | | | | | | | | | | 37 | 18.8 | 11.0-26.6 | 14 | 12.8 | 04.4-21.2 | | | |
| \$15,000- 24,999 | 111 | 16,815 | | | | | | | | | | 28 | 19.6 | 09.6-29.6 | 2 | 1.2 | 00.0-03.0 | 4 | 5.3 | 00.0-11.6 |
| \$25,000- 34,999 | 126 | 23,216 | | | | 14 | 10.4 | 03.7-17.1 | | | | | | 6 | 6.0 | 00.0-12.9 | | | | |
| \$35,000- 49,999 | 211 | 39,506 | | | | 19 | 10.4 | 03.7-17.1 | 105 | 56.3 | 47.3-65.3 | 61 | 24.0 | 17.1-30.9 | 21 | 8.1 | 03.8-12.4 | 5 | 1.2 | 00.0-02.6 |
| \$50,000- 74,999 | 237 | 46,087 | 1 | 0.4 | 00.0-01.2 | 13 | 8.9 | 01.6-16.2 | 120 | 49.1 | 39.7-58.5 | 74 | 32.5 | 23.7-41.3 | 25 | 8.1 | 04.4-11.8 | 4 | 1.1 | 00.0-02.3 |
| \$75,000+ | 488 | 121,161 | | | | 34 | 11.3 | 06.4-16.2 | 264 | 53.6 | 47.5-59.7 | 144 | 25.1 | 20.4-29.8 | 37 | 7.2 | 04.3-10.1 | 9 | 2.8 | 00.6-05.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <46kg (~100lbs) | | | >46kg, <=69kg (~150lbs) | | | >69kg, <=91kg (~200lbs) | | | >91kg, <=114kg (~250lbs) | | | >114kg, <=137kg (~300lbs) | | | >137kg (~300lbs) | | |
|----------------------------|-------------------|----------|-----------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|--------------------------|------|------------|---------------------------|-----|------------|------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2526 | 332,107 | 33 | 1.9 | 00.9-02.9 | 1214 | 50.3 | 47.6-53.0 | 982 | 35.8 | 33.3-38.3 | 234 | 9.3 | 07.7-10.9 | 49 | 2.0 | 01.2-02.8 | 14 | 0.7 | 00.3-01.1 |
| White/Non-Hisp | 1989 | 242,761 | 27 | 1.4 | 00.6-02.2 | 1013 | 52.9 | 50.0-55.8 | 753 | 35.2 | 32.5-37.9 | 154 | 8.4 | 06.6-10.2 | 32 | 1.5 | 00.7-02.3 | 10 | 0.5 | 00.1-00.9 |
| Black or Afr. Am./Non-Hisp | 358 | 53,270 | | | | 105 | 32.4 | 25.5-39.3 | 171 | 45.5 | 38.2-52.8 | 64 | 16.1 | 11.6-20.6 | 15 | 4.7 | 00.8-08.6 | 3 | 1.3 | 00.0-02.9 |
| Oth. Race/Non-Hisp. | 57 | 13,644 | | | | | | | 9 | 6.3 | 01.6-11.0 | 2 | 1.5 | 00.0-03.9 | | | | | | |
| Hispanic | 66 | 14,650 | 1 | 0.9 | 00.0-02.7 | | | | | | | 5 | 4.4 | 00.0-09.3 | 2 | 1.6 | 00.0-04.1 | | | |
| 18-24 | 81 | 41,859 | 4 | 6.5 | 00.0-13.8 | | | | | | | 5 | 4.8 | 00.0-10.3 | 1 | 2.4 | 00.0-07.1 | 1 | 0.9 | 00.0-02.7 |
| 25-34 | 216 | 53,729 | 5 | 2.4 | 00.0-04.8 | 116 | 55.9 | 48.5-63.3 | 67 | 30.2 | 23.3-37.1 | 19 | 8.5 | 04.4-12.6 | 6 | 2.0 | 00.0-04.0 | 3 | 0.9 | 00.0-02.1 |
| 35-44 | 337 | 55,777 | | | | 161 | 50.6 | 44.3-56.9 | 127 | 33.2 | 27.5-38.9 | 36 | 12.0 | 07.7-16.3 | 10 | 2.8 | 01.0-04.6 | 3 | 1.4 | 00.0-03.2 |
| 45-54 | 441 | 61,268 | 5 | 0.9 | 00.0-01.9 | 189 | 44.9 | 39.6-50.2 | 185 | 41.7 | 36.4-47.0 | 50 | 10.6 | 07.3-13.9 | 9 | 1.4 | 00.4-02.4 | 3 | 0.4 | 00.0-01.0 |
| 55-64 | 570 | 50,430 | 4 | 0.8 | 00.0-01.8 | 249 | 43.5 | 38.6-48.4 | 229 | 38.6 | 33.7-43.5 | 71 | 14.0 | 10.5-17.5 | 15 | 2.7 | 00.7-04.7 | 2 | 0.4 | 00.0-01.0 |
| 65+ | 859 | 67,669 | 15 | 1.9 | 00.9-02.9 | 437 | 51.3 | 47.4-55.2 | 344 | 39.8 | 36.1-43.5 | 53 | 6.0 | 04.2-07.8 | 8 | 0.9 | 00.3-01.5 | 2 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 149 | 17,267 | 3 | 4.3 | 00.0-10.6 | | | | | | | 14 | 8.9 | 02.8-15.0 | 9 | 5.0 | 01.5-08.5 | 1 | 2.6 | 00.0-07.5 |
| H.S. or G.E.D. | 762 | 93,235 | 7 | 0.7 | 00.1-01.3 | 362 | 51.0 | 46.1-55.9 | 308 | 38.1 | 33.4-42.8 | 72 | 8.4 | 06.0-10.8 | 12 | 1.4 | 00.4-02.4 | 1 | 0.4 | 00.0-01.2 |
| Some Post-H.S. | 694 | 95,483 | 10 | 3.1 | 00.0-06.2 | 302 | 45.7 | 40.2-51.2 | 285 | 36.4 | 31.3-41.5 | 73 | 10.8 | 07.7-13.9 | 16 | 3.0 | 00.6-05.4 | 8 | 1.1 | 00.3-01.9 |
| College Graduate | 915 | 125,646 | 12 | 1.4 | 00.4-02.4 | 487 | 54.5 | 50.2-58.8 | 325 | 33.6 | 29.5-37.7 | 75 | 8.9 | 06.4-11.4 | 12 | 1.2 | 00.2-02.2 | 4 | 0.3 | 00.1-00.5 |
| Less than \$15,000 | 293 | 28,807 | 8 | 3.1 | 00.7-05.5 | 109 | 37.7 | 29.3-46.1 | 130 | 42.6 | 34.8-50.4 | 32 | 10.3 | 06.2-14.4 | 12 | 4.9 | 01.4-08.4 | 2 | 1.6 | 00.0-04.1 |
| \$15,000- 24,999 | 297 | 31,077 | 5 | 4.4 | 00.0-09.9 | 118 | 35.3 | 27.5-43.1 | 130 | 43.4 | 34.6-52.2 | 33 | 10.8 | 06.3-15.3 | 10 | 5.6 | 00.0-11.9 | 1 | 0.4 | 00.0-01.2 |
| \$25,000- 34,999 | 226 | 27,221 | 2 | 0.5 | 00.0-01.3 | 101 | 53.2 | 44.2-62.2 | 87 | 29.0 | 21.9-36.1 | 26 | 11.1 | 06.2-16.0 | 6 | 2.4 | 00.4-04.4 | 4 | 3.7 | 00.0-07.6 |
| \$35,000- 49,999 | 336 | 39,984 | 6 | 4.0 | 00.0-09.9 | 150 | 43.4 | 35.8-51.0 | 128 | 37.4 | 29.4-45.4 | 42 | 13.0 | 08.3-17.7 | 6 | 1.3 | 00.1-02.5 | 4 | 0.9 | 00.0-01.9 |
| \$50,000- 74,999 | 368 | 48,074 | 1 | 0.1 | 00.0-00.3 | 184 | 49.6 | 43.3-55.9 | 146 | 40.3 | 34.0-46.6 | 30 | 7.5 | 04.6-10.4 | 5 | 2.3 | 00.0-04.7 | 2 | 0.3 | 00.0-00.7 |
| \$75,000+ | 600 | 104,497 | 3 | 0.4 | 00.0-01.0 | 315 | 56.9 | 52.0-61.8 | 216 | 31.6 | 27.1-36.1 | 59 | 10.5 | 07.4-13.6 | 6 | 0.5 | 00.0-01.1 | 1 | 0.1 | 00.0-00.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 18 | | | > 18, <= 25 | | | 25 >, <= 30 | | | 30 >, <= 35 | | | 35 > | | |
|----------------------------|-------------------|----------|------|-----|------------|-------------|------|------------|-------------|------|------------|-------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4021 | 650,089 | 42 | 1.7 | 00.7-02.7 | 1321 | 34.3 | 32.1-36.5 | 1462 | 35.3 | 33.1-37.5 | 753 | 18.4 | 16.6-20.2 | 443 | 10.3 | 09.1-11.5 |
| Male | 1503 | 318,912 | 10 | 1.7 | 00.0-03.5 | 361 | 27.0 | 23.5-30.5 | 680 | 42.1 | 38.4-45.8 | 297 | 19.8 | 16.7-22.9 | 155 | 9.4 | 07.4-11.4 |
| Female | 2518 | 331,177 | 32 | 1.6 | 00.6-02.6 | 960 | 41.3 | 38.6-44.0 | 782 | 28.7 | 26.3-31.1 | 456 | 17.1 | 14.9-19.3 | 288 | 11.2 | 09.6-12.8 |
| White/Non-Hisp | 3216 | 487,167 | 34 | 1.2 | 00.4-02.0 | 1096 | 34.5 | 32.1-36.9 | 1194 | 37.7 | 35.3-40.1 | 575 | 17.1 | 15.3-18.9 | 317 | 9.5 | 08.1-10.9 |
| Black or Afr. Am./Non-Hisp | 511 | 88,481 | 4 | 1.1 | 00.0-02.5 | 111 | 26.4 | 20.3-32.5 | 179 | 31.5 | 26.0-37.0 | 120 | 24.0 | 17.3-30.7 | 97 | 17.1 | 12.6-21.6 |
| Oth. Race/Non-Hisp. | 103 | 27,257 | 2 | 5.7 | 00.0-14.5 | | | | 33 | 22.7 | 13.3-32.1 | 10 | 7.1 | 02.2-12.0 | 5 | 5.9 | 00.0-12.2 |
| MultiRacial/Non-Hisp. | 54 | 10,703 | 1 | 3.9 | 00.0-11.3 | | | | | | | | | | | | |
| Hispanic | 107 | 32,345 | 1 | 6.0 | 00.0-17.2 | | | | | | | | | | 11 | 6.3 | 01.6-11.0 |
| 18-24 | 127 | 83,518 | 7 | 8.4 | 01.3-15.5 | | | | 33 | 24.2 | 15.6-32.8 | 21 | 18.2 | 09.4-27.0 | 11 | 6.2 | 01.9-10.5 |
| 25-34 | 313 | 107,020 | 3 | 0.3 | 00.0-00.7 | 131 | 40.7 | 34.0-47.4 | 105 | 35.4 | 28.7-42.1 | 41 | 15.4 | 10.1-20.7 | 33 | 8.1 | 05.0-11.2 |
| 35-44 | 527 | 113,317 | 1 | 0.4 | 00.0-01.2 | 188 | 34.7 | 29.8-39.6 | 179 | 36.6 | 31.5-41.7 | 95 | 15.0 | 11.7-18.3 | 64 | 13.3 | 09.6-17.0 |
| 45-54 | 738 | 122,919 | 9 | 0.7 | 00.1-01.3 | 214 | 29.9 | 26.0-33.8 | 266 | 34.6 | 30.5-38.7 | 156 | 22.8 | 19.1-26.5 | 93 | 12.1 | 09.2-15.0 |
| 55-64 | 923 | 98,964 | 8 | 0.7 | 00.0-01.5 | 285 | 29.7 | 26.0-33.4 | 325 | 36.8 | 32.9-40.7 | 186 | 19.7 | 16.4-23.0 | 119 | 13.1 | 10.6-15.6 |
| 65+ | 1366 | 122,158 | 14 | 1.2 | 00.4-02.0 | 433 | 30.4 | 27.5-33.3 | 544 | 40.8 | 37.7-43.9 | 252 | 19.2 | 16.7-21.7 | 123 | 8.4 | 06.8-10.0 |
| Less Than H.S. | 263 | 39,459 | 4 | 7.7 | 00.0-17.3 | | | | 89 | 27.6 | 19.6-35.6 | 55 | 19.8 | 11.8-27.8 | 40 | 11.5 | 06.8-16.2 |
| H.S. or G.E.D. | 1209 | 173,638 | 13 | 1.2 | 00.2-02.2 | 347 | 30.4 | 26.5-34.3 | 452 | 37.5 | 33.6-41.4 | 250 | 19.0 | 16.1-21.9 | 147 | 11.8 | 09.3-14.3 |
| Some Post-H.S. | 1046 | 186,182 | 13 | 2.4 | 00.0-04.8 | 321 | 31.2 | 26.7-35.7 | 368 | 33.6 | 29.1-38.1 | 219 | 21.5 | 17.2-25.8 | 125 | 11.3 | 08.6-14.0 |
| College Graduate | 1494 | 249,688 | 10 | 0.4 | 00.0-00.8 | 573 | 39.5 | 36.2-42.8 | 552 | 36.2 | 32.9-39.5 | 229 | 15.6 | 12.9-18.3 | 130 | 8.3 | 06.5-10.1 |
| Less than \$15,000 | 433 | 53,896 | 11 | 5.2 | 00.0-12.1 | 121 | 25.8 | 19.5-32.1 | 141 | 30.9 | 24.0-37.8 | 96 | 23.0 | 16.3-29.7 | 64 | 15.1 | 10.0-20.2 |
| \$15,000- 24,999 | 405 | 47,676 | 5 | 2.0 | 00.0-04.4 | 113 | 32.1 | 23.7-40.5 | 133 | 28.8 | 22.3-35.3 | 93 | 20.9 | 14.6-27.2 | 61 | 16.3 | 10.6-22.0 |
| \$25,000- 34,999 | 350 | 50,286 | 2 | 0.8 | 00.0-02.0 | 108 | 36.9 | 28.5-45.3 | 123 | 31.3 | 24.4-38.2 | 70 | 18.5 | 12.6-24.4 | 47 | 12.6 | 07.9-17.3 |
| \$35,000- 49,999 | 545 | 78,864 | 7 | 2.4 | 00.0-05.5 | 152 | 24.2 | 19.3-29.1 | 200 | 40.0 | 33.9-46.1 | 106 | 20.5 | 15.4-25.6 | 80 | 13.0 | 09.5-16.5 |
| \$50,000- 74,999 | 605 | 94,161 | 3 | 0.4 | 00.0-01.0 | 194 | 33.4 | 27.9-38.9 | 223 | 33.9 | 29.0-38.8 | 119 | 22.7 | 17.4-28.0 | 66 | 9.6 | 06.9-12.3 |
| \$75,000+ | 1086 | 225,366 | 5 | 1.0 | 00.0-02.8 | 389 | 37.7 | 33.8-41.6 | 429 | 38.4 | 34.5-42.3 | 169 | 13.8 | 11.3-16.3 | 94 | 9.0 | 06.6-11.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (BMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 18 | | | > 18, <= 25 | | | 25 >, <= 30 | | | 30 >, <= 35 | | | 35 > | | |
|----------------------------|-------------------|----------|------|-----|------------|-------------|------|------------|-------------|------|------------|-------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1503 | 318,912 | 10 | 1.7 | 00.0-03.5 | 361 | 27.0 | 23.5-30.5 | 680 | 42.1 | 38.4-45.8 | 297 | 19.8 | 16.7-22.9 | 155 | 9.4 | 07.4-11.4 |
| White/Non-Hisp | 1233 | 244,837 | 5 | 1.0 | 00.0-02.6 | 293 | 26.0 | 22.3-29.7 | 572 | 45.5 | 41.6-49.4 | 240 | 18.6 | 15.9-21.3 | 123 | 8.9 | 06.7-11.1 |
| Black or Afr. Am./Non-Hisp | 154 | 35,289 | 3 | 2.3 | 00.0-05.6 | | | | | | | | | | 22 | 13.5 | 06.1-20.9 |
| 25-34 | 97 | 53,291 | | | | | | | | | | 17 | 19.2 | 10.0-28.4 | 5 | 4.3 | 00.2-08.4 |
| 35-44 | 191 | 57,625 | | | | 55 | 29.7 | 22.4-37.0 | 82 | 43.0 | 35.0-51.0 | 31 | 13.9 | 08.6-19.2 | 23 | 13.5 | 07.4-19.6 |
| 45-54 | 298 | 61,731 | | | | 67 | 24.0 | 18.1-29.9 | 127 | 36.8 | 30.5-43.1 | 69 | 26.2 | 19.9-32.5 | 35 | 12.9 | 07.8-18.0 |
| 55-64 | 353 | 48,534 | 3 | 0.9 | 00.0-02.3 | 74 | 20.3 | 15.2-25.4 | 168 | 48.1 | 41.6-54.6 | 70 | 20.5 | 15.0-26.0 | 38 | 10.2 | 06.7-13.7 |
| 65+ | 512 | 54,836 | 4 | 1.1 | 00.0-02.3 | 117 | 22.0 | 17.9-26.1 | 237 | 45.9 | 40.8-51.0 | 104 | 22.5 | 18.2-26.8 | 50 | 8.5 | 06.0-11.0 |
| Less Than H.S. | 116 | 22,684 | | | | | | | | | | | | | 11 | 4.4 | 01.3-07.5 |
| H.S. or G.E.D. | 450 | 80,652 | 2 | 0.8 | 00.0-02.2 | 98 | 24.3 | 17.8-30.8 | 195 | 42.1 | 35.6-48.6 | 97 | 20.0 | 15.5-24.5 | 58 | 12.8 | 08.5-17.1 |
| Some Post-H.S. | 353 | 90,723 | 2 | 2.5 | 00.0-06.6 | 79 | 24.8 | 17.7-31.9 | 163 | 40.0 | 32.2-47.8 | 77 | 24.0 | 16.4-31.6 | 32 | 8.7 | 04.8-12.6 |
| College Graduate | 581 | 124,207 | 4 | 0.5 | 00.1-00.9 | 149 | 28.8 | 23.7-33.9 | 280 | 46.4 | 40.9-51.9 | 95 | 16.1 | 12.2-20.0 | 53 | 8.2 | 05.3-11.1 |
| Less than \$15,000 | 140 | 25,089 | | | | | | | 50 | 26.9 | 16.9-36.9 | | | | 15 | 13.5 | 04.9-22.1 |
| \$15,000- 24,999 | 110 | 16,766 | | | | | | | | | | 20 | 15.1 | 06.1-24.1 | 13 | 11.3 | 03.7-18.9 |
| \$25,000- 34,999 | 125 | 23,144 | 2 | 1.7 | 00.0-04.4 | | | | | | | | | | 11 | 6.6 | 00.0-13.3 |
| \$35,000- 49,999 | 210 | 38,954 | 1 | 0.4 | 00.0-01.2 | 34 | 15.8 | 08.7-22.9 | 97 | 52.5 | 43.3-61.7 | 51 | 21.7 | 15.0-28.4 | 27 | 9.6 | 05.1-14.1 |
| \$50,000- 74,999 | 237 | 46,087 | 1 | 0.4 | 00.0-01.2 | 49 | 26.6 | 17.6-35.6 | 101 | 36.0 | 27.8-44.2 | 50 | 25.6 | 16.2-35.0 | 36 | 11.4 | 06.9-15.9 |
| \$75,000+ | 487 | 120,950 | 3 | 1.8 | 00.0-04.9 | 115 | 26.2 | 20.9-31.5 | 244 | 47.7 | 41.8-53.6 | 83 | 14.6 | 11.1-18.1 | 42 | 9.8 | 06.3-13.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 18 | | | > 18, <= 25 | | | 25 >, <= 30 | | | 30 >, <= 35 | | | 35 > | | |
|----------------------------|-------------------|----------|------|-----|------------|-------------|------|------------|-------------|------|------------|-------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2518 | 331,177 | 32 | 1.6 | 00.6-02.6 | 960 | 41.3 | 38.6-44.0 | 782 | 28.7 | 26.3-31.1 | 456 | 17.1 | 14.9-19.3 | 288 | 11.2 | 09.6-12.8 |
| White/Non-Hisp | 1983 | 242,329 | 29 | 1.5 | 00.7-02.3 | 803 | 43.1 | 40.2-46.0 | 622 | 29.7 | 27.0-32.4 | 335 | 15.6 | 13.4-17.8 | 194 | 10.0 | 08.2-11.8 |
| Black or Afr. Am./Non-Hisp | 357 | 53,191 | 1 | 0.3 | 00.0-00.9 | 78 | 25.8 | 19.1-32.5 | 113 | 28.9 | 22.8-35.0 | 90 | 25.6 | 18.9-32.3 | 75 | 19.5 | 14.0-25.0 |
| Oth. Race/Non-Hisp. | 57 | 13,644 | | | | | | | | | | 2 | 1.9 | 00.0-05.0 | 2 | 1.5 | 00.0-03.9 |
| Hispanic | 65 | 14,230 | | | | | | | | | | | | | 7 | 6.5 | 00.6-12.4 |
| 18-24 | 80 | 41,439 | 4 | 6.1 | 00.0-12.8 | | | | 16 | 17.0 | 07.8-26.2 | | | | 7 | 7.3 | 00.8-13.8 |
| 25-34 | 216 | 53,729 | 3 | 0.6 | 00.0-01.4 | 102 | 51.0 | 43.6-58.4 | 59 | 24.8 | 18.5-31.1 | 24 | 11.7 | 06.8-16.6 | 28 | 11.9 | 07.2-16.6 |
| 35-44 | 336 | 55,692 | 1 | 0.9 | 00.0-02.7 | 133 | 39.8 | 33.7-45.9 | 97 | 30.0 | 24.1-35.9 | 64 | 16.2 | 11.9-20.5 | 41 | 13.1 | 08.6-17.6 |
| 45-54 | 440 | 61,187 | 9 | 1.3 | 00.3-02.3 | 147 | 35.8 | 30.5-41.1 | 139 | 32.3 | 27.2-37.4 | 87 | 19.4 | 15.1-23.7 | 58 | 11.2 | 08.1-14.3 |
| 55-64 | 570 | 50,430 | 5 | 0.5 | 00.0-01.1 | 211 | 38.7 | 33.8-43.6 | 157 | 26.0 | 21.9-30.1 | 116 | 19.0 | 15.1-22.9 | 81 | 15.9 | 12.0-19.8 |
| 65+ | 854 | 67,323 | 10 | 1.4 | 00.4-02.4 | 316 | 37.2 | 33.5-40.9 | 307 | 36.6 | 32.9-40.3 | 148 | 16.4 | 13.7-19.1 | 73 | 8.4 | 06.2-10.6 |
| Less Than H.S. | 147 | 16,776 | 2 | 6.3 | 00.0-14.5 | | | | 47 | 27.6 | 17.8-37.4 | 27 | 15.3 | 06.7-23.9 | 29 | 21.0 | 11.8-30.2 |
| H.S. or G.E.D. | 759 | 92,986 | 11 | 1.6 | 00.4-02.8 | 249 | 35.7 | 30.8-40.6 | 257 | 33.5 | 28.8-38.2 | 153 | 18.2 | 14.5-21.9 | 89 | 11.0 | 08.3-13.7 |
| Some Post-H.S. | 693 | 95,458 | 11 | 2.2 | 00.0-04.7 | 242 | 37.2 | 31.9-42.5 | 205 | 27.6 | 23.1-32.1 | 142 | 19.2 | 15.1-23.3 | 93 | 13.7 | 10.0-17.4 |
| College Graduate | 913 | 125,481 | 6 | 0.4 | 00.0-00.8 | 424 | 50.2 | 45.9-54.5 | 272 | 26.1 | 22.8-29.4 | 134 | 15.0 | 11.5-18.5 | 77 | 8.3 | 05.9-10.7 |
| Less than \$15,000 | 293 | 28,807 | 9 | 2.7 | 00.7-04.7 | 80 | 25.7 | 19.2-32.2 | 91 | 34.3 | 25.7-42.9 | 64 | 20.7 | 14.6-26.8 | 49 | 16.6 | 10.9-22.3 |
| \$15,000- 24,999 | 295 | 30,910 | 5 | 3.0 | 00.0-06.7 | 80 | 25.2 | 18.1-32.3 | 89 | 28.8 | 21.2-36.4 | 73 | 24.0 | 15.8-32.2 | 48 | 19.0 | 11.6-26.4 |
| \$25,000- 34,999 | 225 | 27,142 | | | | 80 | 40.7 | 30.9-50.5 | 64 | 26.7 | 18.9-34.5 | 45 | 15.0 | 09.9-20.1 | 36 | 17.7 | 11.2-24.2 |
| \$35,000- 49,999 | 335 | 39,910 | 6 | 4.3 | 00.0-10.2 | 118 | 32.3 | 25.2-39.4 | 103 | 27.7 | 21.2-34.2 | 55 | 19.2 | 11.6-26.8 | 53 | 16.4 | 11.1-21.7 |
| \$50,000- 74,999 | 368 | 48,074 | 2 | 0.5 | 00.0-01.1 | 145 | 39.9 | 33.6-46.2 | 122 | 31.8 | 26.1-37.5 | 69 | 20.0 | 14.7-25.3 | 30 | 7.9 | 04.6-11.2 |
| \$75,000+ | 599 | 104,416 | 2 | 0.2 | 00.0-00.4 | 274 | 51.1 | 46.0-56.2 | 185 | 27.7 | 23.4-32.0 | 86 | 13.0 | 09.7-16.3 | 52 | 8.0 | 05.5-10.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not Overweight or Obese | | | Overweight | | | Obese | | |
|----------------------------|-------------------|----------|-------------------------|------|------------|------------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4021 | 650,089 | 1363 | 36.0 | 33.6-38.4 | 1462 | 35.3 | 33.1-37.5 | 1196 | 28.7 | 26.5-30.9 |
| Male | 1503 | 318,912 | 371 | 28.8 | 25.3-32.3 | 680 | 42.1 | 38.4-45.8 | 452 | 29.2 | 25.9-32.5 |
| Female | 2518 | 331,177 | 992 | 43.0 | 40.3-45.7 | 782 | 28.7 | 26.3-31.1 | 744 | 28.3 | 25.8-30.8 |
| White/Non-Hisp | 3216 | 487,167 | 1130 | 35.7 | 33.3-38.1 | 1194 | 37.7 | 35.3-40.1 | 892 | 26.6 | 24.4-28.8 |
| Black or Afr. Am./Non-Hisp | 511 | 88,481 | 115 | 27.5 | 21.2-33.8 | 179 | 31.5 | 26.0-37.0 | 217 | 41.1 | 34.2-48.0 |
| Oth. Race/Non-Hisp. | 103 | 27,257 | | | | 33 | 22.7 | 13.3-32.1 | 15 | 13.0 | 05.2-20.8 |
| 18-24 | 127 | 83,518 | | | | 33 | 24.2 | 15.6-32.8 | 32 | 24.5 | 15.1-33.9 |
| 25-34 | 313 | 107,020 | 134 | 41.0 | 34.3-47.7 | 105 | 35.4 | 28.7-42.1 | 74 | 23.5 | 17.6-29.4 |
| 35-44 | 527 | 113,317 | 189 | 35.1 | 30.2-40.0 | 179 | 36.6 | 31.5-41.7 | 159 | 28.3 | 23.6-33.0 |
| 45-54 | 738 | 122,919 | 223 | 30.5 | 26.6-34.4 | 266 | 34.6 | 30.5-38.7 | 249 | 34.9 | 30.6-39.2 |
| 55-64 | 923 | 98,964 | 293 | 30.4 | 26.7-34.1 | 325 | 36.8 | 32.9-40.7 | 305 | 32.8 | 28.9-36.7 |
| 65+ | 1366 | 122,158 | 447 | 31.6 | 28.7-34.5 | 544 | 40.8 | 37.7-43.9 | 375 | 27.6 | 24.9-30.3 |
| Less Than H.S. | 263 | 39,459 | | | | 89 | 27.6 | 19.6-35.6 | 95 | 31.3 | 22.3-40.3 |
| H.S. or G.E.D. | 1209 | 173,638 | 360 | 31.7 | 27.8-35.6 | 452 | 37.5 | 33.6-41.4 | 397 | 30.8 | 27.3-34.3 |
| Some Post-H.S. | 1046 | 186,182 | 334 | 33.6 | 28.9-38.3 | 368 | 33.6 | 29.1-38.1 | 344 | 32.8 | 28.1-37.5 |
| College Graduate | 1494 | 249,688 | 583 | 39.9 | 36.6-43.2 | 552 | 36.2 | 32.9-39.5 | 359 | 23.8 | 20.9-26.7 |
| Less than \$15,000 | 433 | 53,896 | 132 | 31.0 | 23.2-38.8 | 141 | 30.9 | 24.0-37.8 | 160 | 38.1 | 30.7-45.5 |
| \$15,000- 24,999 | 405 | 47,676 | 118 | 34.1 | 25.5-42.7 | 133 | 28.8 | 22.3-35.3 | 154 | 37.2 | 29.6-44.8 |
| \$25,000- 34,999 | 350 | 50,286 | 110 | 37.7 | 29.3-46.1 | 123 | 31.3 | 24.4-38.2 | 117 | 31.0 | 23.9-38.1 |
| \$35,000- 49,999 | 545 | 78,864 | 159 | 26.6 | 21.1-32.1 | 200 | 40.0 | 33.9-46.1 | 186 | 33.5 | 27.8-39.2 |
| \$50,000- 74,999 | 605 | 94,161 | 197 | 33.8 | 28.3-39.3 | 223 | 33.9 | 29.0-38.8 | 185 | 32.3 | 26.8-37.8 |
| \$75,000+ | 1086 | 225,366 | 394 | 38.8 | 34.9-42.7 | 429 | 38.4 | 34.5-42.3 | 263 | 22.8 | 19.7-25.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not Overweight or Obese | | | Overweight | | | Obese | | |
|--------------------|-------------------|----------|-------------------------|------|------------|------------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1503 | 318,912 | 371 | 28.8 | 25.3-32.3 | 680 | 42.1 | 38.4-45.8 | 452 | 29.2 | 25.9-32.5 |
| White/Non-Hisp | 1233 | 244,837 | 298 | 27.0 | 23.3-30.7 | 572 | 45.5 | 41.6-49.4 | 363 | 27.5 | 24.2-30.8 |
| 25-34 | 97 | 53,291 | | | | | | | 22 | 23.5 | 13.7-33.3 |
| 35-44 | 191 | 57,625 | 55 | 29.7 | 22.4-37.0 | 82 | 43.0 | 35.0-51.0 | 54 | 27.4 | 20.1-34.7 |
| 45-54 | 298 | 61,731 | 67 | 24.0 | 18.1-29.9 | 127 | 36.8 | 30.5-43.1 | 104 | 39.2 | 32.3-46.1 |
| 55-64 | 353 | 48,534 | 77 | 21.2 | 15.9-26.5 | 168 | 48.1 | 41.6-54.6 | 108 | 30.7 | 24.6-36.8 |
| 65+ | 512 | 54,836 | 121 | 23.1 | 18.8-27.4 | 237 | 45.9 | 40.8-51.0 | 154 | 31.0 | 26.3-35.7 |
| H.S. or G.E.D. | 450 | 80,652 | 100 | 25.1 | 18.6-31.6 | 195 | 42.1 | 35.6-48.6 | 155 | 32.8 | 26.9-38.7 |
| Some Post-H.S. | 353 | 90,723 | 81 | 27.4 | 19.8-35.0 | 163 | 40.0 | 32.2-47.8 | 109 | 32.7 | 24.9-40.5 |
| College Graduate | 581 | 124,207 | 153 | 29.2 | 24.1-34.3 | 280 | 46.4 | 40.9-51.9 | 148 | 24.4 | 19.7-29.1 |
| Less than \$15,000 | 140 | 25,089 | | | | 50 | 26.9 | 16.9-36.9 | | | |
| \$35,000- 49,999 | 210 | 38,954 | 35 | 16.2 | 09.1-23.3 | 97 | 52.5 | 43.3-61.7 | 78 | 31.3 | 23.5-39.1 |
| \$50,000- 74,999 | 237 | 46,087 | 50 | 27.0 | 18.0-36.0 | 101 | 36.0 | 27.8-44.2 | 86 | 37.0 | 27.6-46.4 |
| \$75,000+ | 487 | 120,950 | 118 | 28.0 | 22.3-33.7 | 244 | 47.7 | 41.8-53.6 | 125 | 24.3 | 19.4-29.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not Overweight or Obese | | | Overweight | | | Obese | | |
|----------------------------|-------------------|----------|-------------------------|------|------------|------------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2518 | 331,177 | 992 | 43.0 | 40.3-45.7 | 782 | 28.7 | 26.3-31.1 | 744 | 28.3 | 25.8-30.8 |
| White/Non-Hisp | 1983 | 242,329 | 832 | 44.6 | 41.7-47.5 | 622 | 29.7 | 27.0-32.4 | 529 | 25.7 | 23.0-28.4 |
| Black or Afr. Am./Non-Hisp | 357 | 53,191 | 79 | 26.1 | 19.4-32.8 | 113 | 28.9 | 22.8-35.0 | 165 | 45.0 | 37.7-52.3 |
| Oth. Race/Non-Hisp. | 57 | 13,644 | | | | | | | 4 | 3.5 | 00.0-07.6 |
| 18-24 | 80 | 41,439 | | | | 16 | 17.0 | 07.8-26.2 | | | |
| 25-34 | 216 | 53,729 | 105 | 51.6 | 44.2-59.0 | 59 | 24.8 | 18.5-31.1 | 52 | 23.6 | 17.1-30.1 |
| 35-44 | 336 | 55,692 | 134 | 40.7 | 34.4-47.0 | 97 | 30.0 | 24.1-35.9 | 105 | 29.3 | 23.6-35.0 |
| 45-54 | 440 | 61,187 | 156 | 37.1 | 31.8-42.4 | 139 | 32.3 | 27.2-37.4 | 145 | 30.6 | 25.7-35.5 |
| 55-64 | 570 | 50,430 | 216 | 39.2 | 34.3-44.1 | 157 | 26.0 | 21.9-30.1 | 197 | 34.8 | 30.1-39.5 |
| 65+ | 854 | 67,323 | 326 | 38.6 | 34.7-42.5 | 307 | 36.6 | 32.9-40.3 | 221 | 24.8 | 21.5-28.1 |
| Less Than H.S. | 147 | 16,776 | | | | 47 | 27.6 | 17.8-37.4 | | | |
| H.S. or G.E.D. | 759 | 92,986 | 260 | 37.3 | 32.4-42.2 | 257 | 33.5 | 28.8-38.2 | 242 | 29.1 | 24.8-33.4 |
| Some Post-H.S. | 693 | 95,458 | 253 | 39.4 | 33.9-44.9 | 205 | 27.6 | 23.1-32.1 | 235 | 33.0 | 27.9-38.1 |
| College Graduate | 913 | 125,481 | 430 | 50.6 | 46.3-54.9 | 272 | 26.1 | 22.8-29.4 | 211 | 23.3 | 19.4-27.2 |
| Less than \$15,000 | 293 | 28,807 | 89 | 28.4 | 21.7-35.1 | 91 | 34.3 | 25.7-42.9 | 113 | 37.3 | 29.7-44.9 |
| \$15,000- 24,999 | 295 | 30,910 | 85 | 28.3 | 20.7-35.9 | 89 | 28.8 | 21.2-36.4 | 121 | 43.0 | 34.0-52.0 |
| \$25,000- 34,999 | 225 | 27,142 | 80 | 40.7 | 30.9-50.5 | 64 | 26.7 | 18.9-34.5 | 81 | 32.6 | 24.8-40.4 |
| \$35,000- 49,999 | 335 | 39,910 | 124 | 36.7 | 28.9-44.5 | 103 | 27.7 | 21.2-34.2 | 108 | 35.6 | 27.6-43.6 |
| \$50,000- 74,999 | 368 | 48,074 | 147 | 40.4 | 34.1-46.7 | 122 | 31.8 | 26.1-37.5 | 99 | 27.8 | 21.9-33.7 |
| \$75,000+ | 599 | 104,416 | 276 | 51.3 | 46.2-56.4 | 185 | 27.7 | 23.4-32.0 | 138 | 21.0 | 16.9-25.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4021 | 650,089 | 1363 | 36.0 | 33.6-38.4 | 2658 | 64.0 | 61.6-66.4 |
| Male | 1503 | 318,912 | 371 | 28.8 | 25.3-32.3 | 1132 | 71.2 | 67.7-74.7 |
| Female | 2518 | 331,177 | 992 | 43.0 | 40.3-45.7 | 1526 | 57.0 | 54.3-59.7 |
| White/Non-Hisp | 3216 | 487,167 | 1130 | 35.7 | 33.3-38.1 | 2086 | 64.3 | 61.9-66.7 |
| Black or Afr. Am./Non-Hisp | 511 | 88,481 | 115 | 27.5 | 21.2-33.8 | 396 | 72.5 | 66.2-78.8 |
| 25-34 | 313 | 107,020 | 134 | 41.0 | 34.3-47.7 | 179 | 59.0 | 52.3-65.7 |
| 35-44 | 527 | 113,317 | 189 | 35.1 | 30.2-40.0 | 338 | 64.9 | 60.0-69.8 |
| 45-54 | 738 | 122,919 | 223 | 30.5 | 26.6-34.4 | 515 | 69.5 | 65.6-73.4 |
| 55-64 | 923 | 98,964 | 293 | 30.4 | 26.7-34.1 | 630 | 69.6 | 65.9-73.3 |
| 65+ | 1366 | 122,158 | 447 | 31.6 | 28.7-34.5 | 919 | 68.4 | 65.5-71.3 |
| H.S. or G.E.D. | 1209 | 173,638 | 360 | 31.7 | 27.8-35.6 | 849 | 68.3 | 64.4-72.2 |
| Some Post-H.S. | 1046 | 186,182 | 334 | 33.6 | 28.9-38.3 | 712 | 66.4 | 61.7-71.1 |
| College Graduate | 1494 | 249,688 | 583 | 39.9 | 36.6-43.2 | 911 | 60.1 | 56.8-63.4 |
| Less than \$15,000 | 433 | 53,896 | 132 | 31.0 | 23.2-38.8 | 301 | 69.0 | 61.2-76.8 |
| \$15,000- 24,999 | 405 | 47,676 | 118 | 34.1 | 25.5-42.7 | 287 | 65.9 | 57.3-74.5 |
| \$25,000- 34,999 | 350 | 50,286 | 110 | 37.7 | 29.3-46.1 | 240 | 62.3 | 53.9-70.7 |
| \$35,000- 49,999 | 545 | 78,864 | 159 | 26.6 | 21.1-32.1 | 386 | 73.4 | 67.9-78.9 |
| \$50,000- 74,999 | 605 | 94,161 | 197 | 33.8 | 28.3-39.3 | 408 | 66.2 | 60.7-71.7 |
| \$75,000+ | 1086 | 225,366 | 394 | 38.8 | 34.9-42.7 | 692 | 61.2 | 57.3-65.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1503 | 318,912 | 371 | 28.8 | 25.3-32.3 | 1132 | 71.2 | 67.7-74.7 |
| White/Non-Hisp | 1233 | 244,837 | 298 | 27.0 | 23.3-30.7 | 935 | 73.0 | 69.3-76.7 |
| 35-44 | 191 | 57,625 | 55 | 29.7 | 22.4-37.0 | 136 | 70.3 | 63.0-77.6 |
| 45-54 | 298 | 61,731 | 67 | 24.0 | 18.1-29.9 | 231 | 76.0 | 70.1-81.9 |
| 55-64 | 353 | 48,534 | 77 | 21.2 | 15.9-26.5 | 276 | 78.8 | 73.5-84.1 |
| 65+ | 512 | 54,836 | 121 | 23.1 | 18.8-27.4 | 391 | 76.9 | 72.6-81.2 |
| H.S. or G.E.D. | 450 | 80,652 | 100 | 25.1 | 18.6-31.6 | 350 | 74.9 | 68.4-81.4 |
| Some Post-H.S. | 353 | 90,723 | 81 | 27.4 | 19.8-35.0 | 272 | 72.6 | 65.0-80.2 |
| College Graduate | 581 | 124,207 | 153 | 29.2 | 24.1-34.3 | 428 | 70.8 | 65.7-75.9 |
| \$35,000- 49,999 | 210 | 38,954 | 35 | 16.2 | 09.1-23.3 | 175 | 83.8 | 76.7-90.9 |
| \$50,000- 74,999 | 237 | 46,087 | 50 | 27.0 | 18.0-36.0 | 187 | 73.0 | 64.0-82.0 |
| \$75,000+ | 487 | 120,950 | 118 | 28.0 | 22.3-33.7 | 369 | 72.0 | 66.3-77.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2518 | 331,177 | 992 | 43.0 | 40.3-45.7 | 1526 | 57.0 | 54.3-59.7 |
| White/Non-Hisp | 1983 | 242,329 | 832 | 44.6 | 41.7-47.5 | 1151 | 55.4 | 52.5-58.3 |
| Black or Afr. Am./Non-Hisp | 357 | 53,191 | 79 | 26.1 | 19.4-32.8 | 278 | 73.9 | 67.2-80.6 |
| 25-34 | 216 | 53,729 | 105 | 51.6 | 44.2-59.0 | 111 | 48.4 | 41.0-55.8 |
| 35-44 | 336 | 55,692 | 134 | 40.7 | 34.4-47.0 | 202 | 59.3 | 53.0-65.6 |
| 45-54 | 440 | 61,187 | 156 | 37.1 | 31.8-42.4 | 284 | 62.9 | 57.6-68.2 |
| 55-64 | 570 | 50,430 | 216 | 39.2 | 34.3-44.1 | 354 | 60.8 | 55.9-65.7 |
| 65+ | 854 | 67,323 | 326 | 38.6 | 34.7-42.5 | 528 | 61.4 | 57.5-65.3 |
| H.S. or G.E.D. | 759 | 92,986 | 260 | 37.3 | 32.4-42.2 | 499 | 62.7 | 57.8-67.6 |
| Some Post-H.S. | 693 | 95,458 | 253 | 39.4 | 33.9-44.9 | 440 | 60.6 | 55.1-66.1 |
| College Graduate | 913 | 125,481 | 430 | 50.6 | 46.3-54.9 | 483 | 49.4 | 45.1-53.7 |
| Less than \$15,000 | 293 | 28,807 | 89 | 28.4 | 21.7-35.1 | 204 | 71.6 | 64.9-78.3 |
| \$15,000- 24,999 | 295 | 30,910 | 85 | 28.3 | 20.7-35.9 | 210 | 71.7 | 64.1-79.3 |
| \$25,000- 34,999 | 225 | 27,142 | 80 | 40.7 | 30.9-50.5 | 145 | 59.3 | 49.5-69.1 |
| \$35,000- 49,999 | 335 | 39,910 | 124 | 36.7 | 28.9-44.5 | 211 | 63.3 | 55.5-71.1 |
| \$50,000- 74,999 | 368 | 48,074 | 147 | 40.4 | 34.1-46.7 | 221 | 59.6 | 53.3-65.9 |
| \$75,000+ | 599 | 104,416 | 276 | 51.3 | 46.2-56.4 | 323 | 48.7 | 43.6-53.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| DRINK-OCCASIONS-PER-DAY (DROCDY2_) | |
| 1 MALES AND FEMALES | 87 |
| 2 MALES ONLY | 88 |
| 3 FEMALES ONLY | 89 |
| BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4) | |
| 4 MALES AND FEMALES | 90 |
| 5 MALES ONLY | 91 |
| 6 FEMALES ONLY | 92 |
| CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3) | |
| 7 MALES AND FEMALES | 93 |
| 8 MALES ONLY | 94 |
| 9 FEMALES ONLY | 95 |
| CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3) | |
| 10 MALES AND FEMALES | 96 |
| 11 MALES ONLY | 97 |
| 12 FEMALES ONLY | 98 |
| HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3) | |
| 13 MALES AND FEMALES | 99 |
| 14 MALES ONLY | 100 |
| 15 FEMALES ONLY | 101 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| 16 | ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3) MALES ONLY | 102 |
| 17 | ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY | 103 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| 17 | ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY | 103 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
 SECTION 13: ALCOHOL CONSUMPTION
 TABLE 1: DRINK-OCCASIONS-PER-DAY (DROCDY2_)**

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=0.25 | | | >0.25, <=0.50 | | | >0.50, <=0.75 | | | >0.75, <=1.0 | | | None | | |
|----------------------------|-------------------|----------|------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4212 | 675,250 | 1273 | 35.4 | 33.2-37.6 | 459 | 13.4 | 11.6-15.2 | 153 | 4.0 | 03.2-04.8 | 309 | 6.4 | 05.4-07.4 | 2018 | 40.9 | 38.7-43.1 |
| Male | 1510 | 321,160 | 447 | 36.9 | 33.2-40.6 | 212 | 16.2 | 13.3-19.1 | 80 | 5.6 | 03.8-07.4 | 176 | 9.5 | 07.5-11.5 | 595 | 31.9 | 28.8-35.0 |
| Female | 2702 | 354,090 | 826 | 34.0 | 31.5-36.5 | 247 | 10.9 | 09.1-12.7 | 73 | 2.5 | 01.7-03.3 | 133 | 3.6 | 02.8-04.4 | 1423 | 49.1 | 46.6-51.6 |
| White/Non-Hisp | 3369 | 506,851 | 1037 | 36.8 | 34.3-39.3 | 403 | 14.7 | 12.7-16.7 | 144 | 5.1 | 03.9-06.3 | 280 | 7.2 | 06.0-08.4 | 1505 | 36.3 | 34.1-38.5 |
| Black or Afr. Am./Non-Hisp | 538 | 91,706 | 151 | 32.6 | 25.9-39.3 | 34 | 6.5 | 03.8-09.2 | 4 | 0.5 | 00.0-01.1 | 9 | 2.2 | 00.6-03.8 | 340 | 58.2 | 51.5-64.9 |
| Oth. Race/Non-Hisp. | 106 | 28,102 | | | | | | | 2 | 1.0 | 00.0-02.4 | 7 | 3.2 | 00.7-05.7 | | | |
| MultiRacial/Non-Hisp. | 55 | 10,660 | | | | 4 | 8.3 | 00.0-19.3 | 1 | 0.7 | 00.0-02.1 | 3 | 5.4 | 00.0-13.2 | | | |
| Hispanic | 113 | 33,716 | | | | | | | 2 | 0.6 | 00.0-01.4 | 9 | 7.8 | 00.0-16.8 | | | |
| 18-24 | 130 | 84,358 | | | | 20 | 19.6 | 10.8-28.4 | 1 | 1.9 | 00.0-05.4 | 2 | 2.2 | 00.0-05.9 | 56 | 33.8 | 24.6-43.0 |
| 25-34 | 325 | 110,709 | 139 | 44.5 | 37.8-51.2 | 42 | 14.2 | 09.3-19.1 | 7 | 3.0 | 00.6-05.4 | 6 | 2.1 | 00.3-03.9 | 131 | 36.3 | 30.0-42.6 |
| 35-44 | 551 | 118,625 | 233 | 43.0 | 37.9-48.1 | 79 | 15.3 | 11.8-18.8 | 23 | 4.6 | 02.4-06.8 | 20 | 5.3 | 02.4-08.2 | 196 | 31.8 | 27.3-36.3 |
| 45-54 | 774 | 128,590 | 245 | 33.4 | 29.3-37.5 | 104 | 15.2 | 12.1-18.3 | 39 | 5.5 | 03.3-07.7 | 47 | 6.6 | 04.6-08.6 | 339 | 39.4 | 35.3-43.5 |
| 55-64 | 957 | 101,544 | 274 | 29.2 | 25.5-32.9 | 119 | 11.8 | 09.3-14.3 | 37 | 4.1 | 02.3-05.9 | 80 | 9.6 | 07.1-12.1 | 447 | 45.2 | 41.3-49.1 |
| 65+ | 1424 | 126,985 | 317 | 22.6 | 20.1-25.1 | 92 | 6.4 | 04.8-08.0 | 45 | 4.0 | 02.6-05.4 | 151 | 11.1 | 09.1-13.1 | 819 | 55.9 | 52.8-59.0 |
| Less Than H.S. | 276 | 41,011 | | | | | | | | | | 12 | 4.6 | 01.3-07.9 | | | |
| H.S. or G.E.D. | 1266 | 180,089 | 345 | 32.9 | 28.8-37.0 | 101 | 10.0 | 07.6-12.4 | 23 | 2.6 | 01.0-04.2 | 76 | 4.7 | 03.3-06.1 | 721 | 49.8 | 45.9-53.7 |
| Some Post-H.S. | 1092 | 191,896 | 343 | 37.6 | 32.7-42.5 | 107 | 10.3 | 07.2-13.4 | 38 | 3.9 | 01.9-05.9 | 68 | 5.5 | 03.3-07.7 | 536 | 42.7 | 38.2-47.2 |
| College Graduate | 1565 | 260,697 | 545 | 37.3 | 34.0-40.6 | 235 | 17.7 | 14.8-20.6 | 92 | 5.6 | 04.2-07.0 | 151 | 8.3 | 06.5-10.1 | 542 | 31.1 | 28.0-34.2 |
| Less than \$15,000 | 448 | 55,853 | 101 | 28.5 | 20.5-36.5 | 27 | 4.6 | 02.2-07.0 | 6 | 1.8 | 00.0-03.6 | 27 | 5.1 | 02.6-07.6 | 287 | 60.0 | 52.2-67.8 |
| \$15,000- 24,999 | 421 | 49,724 | 75 | 24.3 | 16.5-32.1 | 16 | 7.0 | 02.7-11.3 | 4 | 4.2 | 00.0-10.3 | 19 | 3.8 | 01.4-06.2 | 307 | 60.7 | 52.3-69.1 |
| \$25,000- 34,999 | 359 | 51,211 | 105 | 31.0 | 23.2-38.8 | 32 | 13.5 | 07.0-20.0 | 8 | 1.2 | 00.2-02.2 | 22 | 5.0 | 02.5-07.5 | 192 | 49.4 | 41.6-57.2 |
| \$35,000- 49,999 | 561 | 80,959 | 151 | 28.5 | 23.0-34.0 | 56 | 10.7 | 06.6-14.8 | 21 | 3.4 | 01.6-05.2 | 37 | 5.2 | 03.0-07.4 | 296 | 52.1 | 46.0-58.2 |
| \$50,000- 74,999 | 620 | 96,214 | 234 | 40.6 | 35.1-46.1 | 68 | 12.3 | 08.2-16.4 | 23 | 2.5 | 01.3-03.7 | 52 | 7.7 | 04.2-11.2 | 243 | 36.8 | 31.7-41.9 |
| \$75,000+ | 1121 | 231,625 | 425 | 41.5 | 37.6-45.4 | 200 | 19.1 | 15.8-22.4 | 75 | 6.5 | 04.7-08.3 | 107 | 8.0 | 06.0-10.0 | 314 | 24.9 | 21.8-28.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
 SECTION 13: ALCOHOL CONSUMPTION
 TABLE 2: DRINK-OCCASIONS-PER-DAY (DROCDY2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=0.25 | | | >0.25, <=0.50 | | | >0.50, <=0.75 | | | >0.75, <=1.0 | | | None | | |
|----------------------------|-------------------|----------|------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1510 | 321,160 | 447 | 36.9 | 33.2-40.6 | 212 | 16.2 | 13.3-19.1 | 80 | 5.6 | 03.8-07.4 | 176 | 9.5 | 07.5-11.5 | 595 | 31.9 | 28.8-35.0 |
| White/Non-Hisp | 1237 | 246,904 | 362 | 36.9 | 33.0-40.8 | 180 | 16.6 | 13.5-19.7 | 74 | 7.0 | 04.8-09.2 | 162 | 10.3 | 08.3-12.3 | 459 | 29.3 | 26.0-32.6 |
| Black or Afr. Am./Non-Hisp | 158 | 35,533 | | | | 17 | 8.8 | 03.1-14.5 | 3 | 0.9 | 00.0-02.1 | 5 | 4.4 | 00.3-08.5 | | | |
| 25-34 | 100 | 54,439 | | | | 13 | 15.5 | 06.7-24.3 | 4 | 4.3 | 00.0-08.8 | 3 | 2.4 | 00.0-05.3 | 26 | 24.4 | 15.0-33.8 |
| 35-44 | 192 | 57,923 | 69 | 37.8 | 29.8-45.8 | 41 | 19.8 | 13.7-25.9 | 10 | 5.8 | 02.3-09.3 | 16 | 10.0 | 04.5-15.5 | 56 | 26.6 | 19.5-33.7 |
| 45-54 | 299 | 61,784 | 86 | 31.1 | 24.6-37.6 | 49 | 16.5 | 11.6-21.4 | 19 | 7.3 | 03.6-11.0 | 27 | 8.8 | 05.3-12.3 | 118 | 36.2 | 29.7-42.7 |
| 55-64 | 352 | 48,594 | 101 | 28.3 | 22.4-34.2 | 51 | 12.7 | 08.4-17.0 | 22 | 5.9 | 03.0-08.8 | 43 | 14.0 | 09.1-18.9 | 135 | 39.1 | 32.8-45.4 |
| 65+ | 512 | 55,050 | 114 | 22.8 | 18.5-27.1 | 46 | 8.9 | 06.0-11.8 | 24 | 5.9 | 03.2-08.6 | 83 | 16.2 | 12.5-19.9 | 245 | 46.1 | 41.0-51.2 |
| Less Than H.S. | 118 | 23,004 | | | | | | | | | | 9 | 6.0 | 01.1-10.9 | | | |
| H.S. or G.E.D. | 454 | 81,199 | 121 | 33.8 | 26.9-40.7 | 58 | 12.9 | 09.0-16.8 | 17 | 4.6 | 01.7-07.5 | 51 | 7.5 | 05.0-10.0 | 207 | 41.2 | 34.9-47.5 |
| Some Post-H.S. | 348 | 90,255 | 101 | 39.3 | 30.7-47.9 | 41 | 12.9 | 06.8-19.0 | 19 | 5.5 | 01.6-09.4 | 36 | 9.0 | 04.5-13.5 | 151 | 33.3 | 26.4-40.2 |
| College Graduate | 586 | 125,923 | 199 | 37.2 | 31.9-42.5 | 101 | 20.4 | 15.7-25.1 | 44 | 7.3 | 04.8-09.8 | 79 | 11.4 | 08.3-14.5 | 163 | 23.7 | 19.4-28.0 |
| Less than \$15,000 | 141 | 25,504 | | | | 13 | 4.2 | 00.7-07.7 | 2 | 2.4 | 00.0-05.9 | 14 | 6.6 | 02.3-10.9 | | | |
| \$15,000- 24,999 | 115 | 17,419 | | | | 6 | 7.9 | 00.0-16.3 | | | | 14 | 8.6 | 02.5-14.7 | | | |
| \$25,000- 34,999 | 125 | 23,122 | | | | 15 | 13.8 | 05.0-22.6 | 3 | 1.4 | 00.0-03.2 | 11 | 7.4 | 02.3-12.5 | | | |
| \$35,000- 49,999 | 209 | 39,248 | 53 | 29.2 | 20.6-37.8 | 27 | 14.4 | 06.6-22.2 | 9 | 3.1 | 00.9-05.3 | 21 | 7.7 | 03.8-11.6 | 99 | 45.7 | 36.5-54.9 |
| \$50,000- 74,999 | 237 | 45,789 | 78 | 37.4 | 28.0-46.8 | 33 | 14.4 | 07.0-21.8 | 11 | 2.6 | 00.8-04.4 | 27 | 11.4 | 04.3-18.5 | 88 | 34.1 | 26.1-42.1 |
| \$75,000+ | 486 | 121,144 | 171 | 41.3 | 35.2-47.4 | 94 | 21.3 | 16.0-26.6 | 43 | 8.6 | 05.7-11.5 | 67 | 11.0 | 07.7-14.3 | 111 | 17.8 | 13.7-21.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
 SECTION 13: ALCOHOL CONSUMPTION
 TABLE 3: DRINK-OCCASIONS-PER-DAY (DROCDY2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=0.25 | | | >0.25, <=0.50 | | | >0.50, <=0.75 | | | >0.75, <=1.0 | | | None | | |
|----------------------------|-------------------|----------|------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2702 | 354,090 | 826 | 34.0 | 31.5-36.5 | 247 | 10.9 | 09.1-12.7 | 73 | 2.5 | 01.7-03.3 | 133 | 3.6 | 02.8-04.4 | 1423 | 49.1 | 46.6-51.6 |
| White/Non-Hisp | 2132 | 259,946 | 675 | 36.7 | 33.8-39.6 | 223 | 12.9 | 10.7-15.1 | 70 | 3.3 | 02.3-04.3 | 118 | 4.2 | 03.2-05.2 | 1046 | 43.0 | 40.3-45.7 |
| Black or Afr. Am./Non-Hisp | 380 | 56,173 | 102 | 27.8 | 21.9-33.7 | 17 | 5.0 | 02.3-07.7 | 1 | 0.2 | 00.0-00.6 | 4 | 0.8 | 00.0-01.6 | 256 | 66.3 | 60.0-72.6 |
| Oth. Race/Non-Hisp. | 61 | 14,533 | | | | 2 | 3.5 | 00.0-08.8 | 1 | 1.1 | 00.0-03.3 | 4 | 3.2 | 00.0-06.5 | | | |
| Hispanic | 70 | 15,518 | | | | | | | | | | 5 | 4.7 | 00.0-10.0 | | | |
| 18-24 | 82 | 42,019 | | | | 10 | 14.6 | 04.8-24.4 | | | | | | | | | |
| 25-34 | 225 | 56,270 | 85 | 35.9 | 28.8-43.0 | 29 | 12.9 | 08.0-17.8 | 3 | 1.6 | 00.0-03.6 | 3 | 1.7 | 00.0-03.9 | 105 | 47.8 | 40.4-55.2 |
| 35-44 | 359 | 60,703 | 164 | 47.9 | 41.8-54.0 | 38 | 11.0 | 07.3-14.7 | 13 | 3.5 | 01.3-05.7 | 4 | 0.9 | 00.0-01.9 | 140 | 36.8 | 30.9-42.7 |
| 45-54 | 475 | 66,807 | 159 | 35.5 | 30.4-40.6 | 55 | 13.9 | 10.2-17.6 | 20 | 3.8 | 02.0-05.6 | 20 | 4.5 | 02.3-06.7 | 221 | 42.3 | 37.2-47.4 |
| 55-64 | 605 | 52,950 | 173 | 30.1 | 25.6-34.6 | 68 | 11.0 | 08.3-13.7 | 15 | 2.5 | 00.9-04.1 | 37 | 5.6 | 03.6-07.6 | 312 | 50.8 | 45.9-55.7 |
| 65+ | 912 | 71,935 | 203 | 22.4 | 19.3-25.5 | 46 | 4.6 | 03.2-06.0 | 21 | 2.6 | 01.4-03.8 | 68 | 7.1 | 05.3-08.9 | 574 | 63.4 | 59.9-66.9 |
| Less Than H.S. | 158 | 18,007 | 13 | 7.5 | 02.0-13.0 | | | | | | | 3 | 2.7 | 00.0-07.2 | | | |
| H.S. or G.E.D. | 812 | 98,891 | 224 | 32.2 | 27.3-37.1 | 43 | 7.6 | 04.7-10.5 | 6 | 1.1 | 00.0-02.3 | 25 | 2.3 | 01.3-03.3 | 514 | 56.8 | 51.9-61.7 |
| Some Post-H.S. | 744 | 101,640 | 242 | 36.1 | 31.0-41.2 | 66 | 8.0 | 05.6-10.4 | 19 | 2.5 | 01.1-03.9 | 32 | 2.4 | 01.4-03.4 | 385 | 50.9 | 45.6-56.2 |
| College Graduate | 979 | 134,774 | 346 | 37.3 | 33.4-41.2 | 134 | 15.3 | 12.0-18.6 | 48 | 3.9 | 02.5-05.3 | 72 | 5.4 | 03.8-07.0 | 379 | 38.1 | 34.0-42.2 |
| Less than \$15,000 | 307 | 30,349 | 66 | 21.6 | 14.0-29.2 | 14 | 4.9 | 01.8-08.0 | 4 | 1.3 | 00.0-02.7 | 13 | 4.0 | 00.9-07.1 | 210 | 68.3 | 60.3-76.3 |
| \$15,000- 24,999 | 306 | 32,305 | 60 | 27.2 | 18.6-35.8 | 10 | 6.5 | 01.8-11.2 | | | | 5 | 1.3 | 00.0-02.7 | 231 | 65.0 | 56.0-74.0 |
| \$25,000- 34,999 | 234 | 28,088 | 68 | 28.0 | 20.4-35.6 | 17 | 13.2 | 04.0-22.4 | 5 | 1.1 | 00.1-02.1 | 11 | 2.9 | 01.1-04.7 | 133 | 54.8 | 45.6-64.0 |
| \$35,000- 49,999 | 352 | 41,711 | 98 | 27.8 | 21.1-34.5 | 29 | 7.3 | 04.4-10.2 | 12 | 3.8 | 01.1-06.5 | 16 | 2.9 | 01.1-04.7 | 197 | 58.2 | 50.8-65.6 |
| \$50,000- 74,999 | 383 | 50,425 | 156 | 43.5 | 37.2-49.8 | 35 | 10.4 | 06.3-14.5 | 12 | 2.4 | 00.8-04.0 | 25 | 4.3 | 02.5-06.1 | 155 | 39.3 | 33.0-45.6 |
| \$75,000+ | 635 | 110,481 | 254 | 41.6 | 36.7-46.5 | 106 | 16.7 | 12.8-20.6 | 32 | 4.3 | 02.5-06.1 | 40 | 4.7 | 02.9-06.5 | 203 | 32.7 | 28.0-37.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 4: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4200 | 673,128 | 3706 | 81.2 | 79.0-83.4 | 494 | 18.8 | 16.6-21.0 |
| Male | 1504 | 319,991 | 1239 | 73.6 | 69.9-77.3 | 265 | 26.4 | 22.7-30.1 |
| Female | 2696 | 353,137 | 2467 | 88.0 | 86.0-90.0 | 229 | 12.0 | 10.0-14.0 |
| White/Non-Hisp | 3363 | 505,673 | 2932 | 79.2 | 76.8-81.6 | 431 | 20.8 | 18.4-23.2 |
| Black or Afr. Am./Non-Hisp | 533 | 90,947 | 496 | 89.7 | 83.6-95.8 | 37 | 10.3 | 04.2-16.4 |
| MultiRacial/Non-Hisp. | 56 | 10,789 | 51 | 92.2 | 83.0-0100 | 5 | 7.8 | 00.0-17.0 |
| 25-34 | 322 | 110,021 | 253 | 74.2 | 67.7-80.7 | 69 | 25.8 | 19.3-32.3 |
| 35-44 | 549 | 117,522 | 449 | 80.3 | 76.2-84.4 | 100 | 19.7 | 15.6-23.8 |
| 45-54 | 770 | 128,549 | 643 | 80.5 | 77.0-84.0 | 127 | 19.5 | 16.0-23.0 |
| 55-64 | 959 | 101,669 | 846 | 86.9 | 84.0-89.8 | 113 | 13.1 | 10.2-16.0 |
| 65+ | 1421 | 126,677 | 1376 | 96.5 | 95.3-97.7 | 45 | 3.5 | 02.3-04.7 |
| H.S. or G.E.D. | 1258 | 178,528 | 1109 | 80.8 | 77.1-84.5 | 149 | 19.2 | 15.5-22.9 |
| Some Post-H.S. | 1091 | 192,212 | 965 | 81.0 | 76.3-85.7 | 126 | 19.0 | 14.3-23.7 |
| College Graduate | 1565 | 260,778 | 1365 | 82.2 | 79.3-85.1 | 200 | 17.8 | 14.9-20.7 |
| Less than \$15,000 | 444 | 55,386 | 410 | 89.0 | 84.1-93.9 | 34 | 11.0 | 06.1-15.9 |
| \$15,000- 24,999 | 415 | 49,185 | 392 | 89.3 | 82.4-96.2 | 23 | 10.7 | 03.8-17.6 |
| \$25,000- 34,999 | 357 | 50,387 | 324 | 81.3 | 72.7-89.9 | 33 | 18.7 | 10.1-27.3 |
| \$35,000- 49,999 | 563 | 81,218 | 494 | 83.8 | 78.7-88.9 | 69 | 16.2 | 11.1-21.3 |
| \$50,000- 74,999 | 622 | 96,749 | 527 | 79.1 | 73.8-84.4 | 95 | 20.9 | 15.6-26.2 |
| \$75,000+ | 1118 | 230,794 | 922 | 76.8 | 73.1-80.5 | 196 | 23.2 | 19.5-26.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 5: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|--------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1504 | 319,991 | 1239 | 73.6 | 69.9-77.3 | 265 | 26.4 | 22.7-30.1 |
| White/Non-Hisp | 1235 | 246,570 | 1003 | 71.7 | 67.6-75.8 | 232 | 28.3 | 24.2-32.4 |
| 35-44 | 190 | 56,819 | 132 | 71.7 | 64.4-79.0 | 58 | 28.3 | 21.0-35.6 |
| 45-54 | 296 | 61,725 | 237 | 78.0 | 72.3-83.7 | 59 | 22.0 | 16.3-27.7 |
| 55-64 | 354 | 48,734 | 286 | 80.0 | 74.5-85.5 | 68 | 20.0 | 14.5-25.5 |
| 65+ | 510 | 54,987 | 484 | 94.9 | 92.7-97.1 | 26 | 5.1 | 02.9-07.3 |
| H.S. or G.E.D. | 448 | 79,792 | 359 | 73.5 | 67.0-80.0 | 89 | 26.5 | 20.0-33.0 |
| Some Post-H.S. | 348 | 90,795 | 286 | 70.2 | 61.4-79.0 | 62 | 29.8 | 21.0-38.6 |
| College Graduate | 588 | 126,113 | 489 | 77.2 | 72.3-82.1 | 99 | 22.8 | 17.9-27.7 |
| Less than \$15,000 | 138 | 25,206 | 124 | 84.7 | 75.3-94.1 | 14 | 15.3 | 05.9-24.7 |
| \$35,000- 49,999 | 211 | 39,506 | 173 | 78.2 | 69.2-87.2 | 38 | 21.8 | 12.8-30.8 |
| \$50,000- 74,999 | 238 | 46,195 | 193 | 73.1 | 63.5-82.7 | 45 | 26.9 | 17.3-36.5 |
| \$75,000+ | 484 | 120,374 | 369 | 69.9 | 64.0-75.8 | 115 | 30.1 | 24.2-36.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 6: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2696 | 353,137 | 2467 | 88.0 | 86.0-90.0 | 229 | 12.0 | 10.0-14.0 |
| White/Non-Hisp | 2128 | 259,103 | 1929 | 86.3 | 83.9-88.7 | 199 | 13.7 | 11.3-16.1 |
| Black or Afr. Am./Non-Hisp | 377 | 55,934 | 360 | 94.4 | 91.3-97.5 | 17 | 5.6 | 02.5-08.7 |
| Oth. Race/Non-Hisp. | 61 | 14,533 | 59 | 96.7 | 91.4-0100 | 2 | 3.3 | 00.0-08.6 |
| 25-34 | 222 | 55,582 | 185 | 84.2 | 78.9-89.5 | 37 | 15.8 | 10.5-21.1 |
| 35-44 | 359 | 60,703 | 317 | 88.3 | 84.4-92.2 | 42 | 11.7 | 07.8-15.6 |
| 45-54 | 474 | 66,825 | 406 | 82.9 | 78.8-87.0 | 68 | 17.1 | 13.0-21.2 |
| 55-64 | 605 | 52,935 | 560 | 93.3 | 91.1-95.5 | 45 | 6.7 | 04.5-08.9 |
| 65+ | 911 | 71,690 | 892 | 97.7 | 96.5-98.9 | 19 | 2.3 | 01.1-03.5 |
| H.S. or G.E.D. | 810 | 98,736 | 750 | 86.7 | 82.6-90.8 | 60 | 13.3 | 09.2-17.4 |
| Some Post-H.S. | 743 | 101,417 | 679 | 90.7 | 88.2-93.2 | 64 | 9.3 | 06.8-11.8 |
| College Graduate | 977 | 134,665 | 876 | 86.9 | 83.6-90.2 | 101 | 13.1 | 09.8-16.4 |
| Less than \$15,000 | 306 | 30,180 | 286 | 92.7 | 88.4-97.0 | 20 | 7.3 | 03.0-11.6 |
| \$15,000- 24,999 | 304 | 32,081 | 293 | 95.2 | 91.7-98.7 | 11 | 4.8 | 01.3-08.3 |
| \$25,000- 34,999 | 232 | 27,581 | 217 | 86.2 | 77.0-95.4 | 15 | 13.8 | 04.6-23.0 |
| \$35,000- 49,999 | 352 | 41,711 | 321 | 89.2 | 84.7-93.7 | 31 | 10.8 | 06.3-15.3 |
| \$50,000- 74,999 | 384 | 50,554 | 334 | 84.6 | 79.9-89.3 | 50 | 15.4 | 10.7-20.1 |
| \$75,000+ | 634 | 110,420 | 553 | 84.3 | 80.2-88.4 | 81 | 15.7 | 11.6-19.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 7: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=1 | | | >1, <=2 | | | >2, <=5 | | | >5, <=10 | | | >10 | | | None | | |
|----------------------------|-------------------|----------|---------|------|------------|---------|------|------------|---------|-----|------------|----------|-----|------------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4192 | 670,530 | 1809 | 47.7 | 45.3-50.1 | 254 | 7.4 | 06.0-08.8 | 93 | 3.2 | 02.2-04.2 | 16 | 0.4 | 00.2-00.6 | 2 | 0.1 | 00.1-00.1 | 2018 | 41.2 | 39.0-43.4 |
| Male | 1498 | 318,200 | 663 | 50.1 | 46.4-53.8 | 149 | 11.0 | 08.5-13.5 | 75 | 5.9 | 03.9-07.9 | 15 | 0.7 | 00.3-01.1 | 1 | 0.1 | 00.0-00.3 | 595 | 32.2 | 29.1-35.3 |
| Female | 2694 | 352,331 | 1146 | 45.6 | 43.1-48.1 | 105 | 4.2 | 03.0-05.4 | 18 | 0.8 | 00.4-01.2 | 1 | 0.1 | 00.0-00.3 | 1 | 0.0 | 00.0-00.0 | 1423 | 49.3 | 46.8-51.8 |
| White/Non-Hisp | 3356 | 502,930 | 1523 | 50.7 | 48.3-53.1 | 231 | 8.7 | 07.1-10.3 | 82 | 3.5 | 02.3-04.7 | 14 | 0.5 | 00.3-00.7 | 1 | 0.1 | 00.0-00.3 | 1505 | 36.6 | 34.4-38.8 |
| Black or Afr. Am./Non-Hisp | 533 | 91,207 | 176 | 38.0 | 31.3-44.7 | 12 | 2.1 | 00.5-03.7 | 5 | 1.3 | 00.0-02.7 | | | | | | | 340 | 58.6 | 51.9-65.3 |
| Oth. Race/Non-Hisp. | 105 | 27,885 | | | | 4 | 2.4 | 00.0-05.3 | 2 | 1.0 | 00.0-02.4 | 2 | 1.2 | 00.0-03.0 | 1 | 0.3 | 00.0-00.9 | | | |
| MultiRacial/Non-Hisp. | 55 | 10,660 | | | | 2 | 1.3 | 00.0-03.1 | | | | | | | | | | | | |
| Hispanic | 112 | 33,633 | | | | | | | 4 | 6.3 | 00.0-15.3 | | | | | | | | | |
| 18-24 | 127 | 81,925 | | | | 12 | 13.2 | 05.4-21.0 | 4 | 5.1 | 00.0-10.6 | | | | | | | 56 | 34.8 | 25.4-44.2 |
| 25-34 | 324 | 110,581 | 171 | 55.1 | 48.4-61.8 | 12 | 4.9 | 01.4-08.4 | 8 | 3.2 | 00.7-05.7 | 2 | 0.4 | 00.0-01.0 | | | | 131 | 36.3 | 30.0-42.6 |
| 35-44 | 550 | 118,408 | 305 | 57.4 | 52.3-62.5 | 32 | 6.9 | 04.0-09.8 | 14 | 3.4 | 01.4-05.4 | 3 | 0.4 | 00.0-01.0 | | | | 196 | 31.9 | 27.2-36.6 |
| 45-54 | 770 | 127,804 | 346 | 48.0 | 43.7-52.3 | 60 | 8.7 | 06.3-11.1 | 20 | 2.7 | 01.3-04.1 | 4 | 0.7 | 00.0-01.5 | 1 | 0.2 | 00.0-00.6 | 339 | 39.6 | 35.5-43.7 |
| 55-64 | 953 | 100,999 | 409 | 43.4 | 39.5-47.3 | 65 | 6.3 | 04.3-08.3 | 26 | 4.2 | 02.0-06.4 | 6 | 0.6 | 00.0-01.2 | | | | 447 | 45.5 | 41.6-49.4 |
| 65+ | 1418 | 126,457 | 504 | 36.1 | 33.2-39.0 | 73 | 6.2 | 04.6-07.8 | 21 | 1.6 | 00.8-02.4 | | | | 1 | 0.1 | 00.0-00.3 | 819 | 56.1 | 53.0-59.2 |
| Less Than H.S. | 274 | 40,524 | | | | | | | 9 | 4.3 | 00.2-08.4 | 1 | 0.5 | 00.0-01.5 | | | | | | |
| H.S. or G.E.D. | 1260 | 178,729 | 432 | 39.6 | 35.5-43.7 | 69 | 5.8 | 04.0-07.6 | 29 | 3.7 | 01.9-05.5 | 8 | 0.6 | 00.2-01.0 | 1 | 0.2 | 00.0-00.6 | 721 | 50.1 | 46.2-54.0 |
| Some Post-H.S. | 1085 | 189,577 | 463 | 45.6 | 40.9-50.3 | 56 | 7.0 | 03.9-10.1 | 28 | 4.0 | 01.5-06.5 | 2 | 0.2 | 00.0-00.6 | | | | 536 | 43.2 | 38.7-47.7 |
| College Graduate | 1560 | 260,144 | 867 | 58.5 | 55.2-61.8 | 118 | 7.9 | 06.1-09.7 | 27 | 2.1 | 01.1-03.1 | 5 | 0.3 | 00.0-00.7 | 1 | 0.0 | 00.0-00.0 | 542 | 31.2 | 28.1-34.3 |
| Less than \$15,000 | 445 | 55,548 | 132 | 33.9 | 25.9-41.9 | 16 | 3.6 | 01.2-06.0 | 7 | 0.9 | 00.3-01.5 | 2 | 0.9 | 00.0-02.1 | 1 | 0.5 | 00.0-01.5 | 287 | 60.3 | 52.5-68.1 |
| \$15,000- 24,999 | 419 | 49,513 | 92 | 30.8 | 22.8-38.8 | 8 | 2.7 | 00.0-05.4 | 11 | 5.3 | 00.0-11.6 | 1 | 0.3 | 00.0-00.9 | | | | 307 | 61.0 | 52.6-69.4 |
| \$25,000- 34,999 | 358 | 51,142 | 138 | 37.0 | 29.2-44.8 | 22 | 9.7 | 04.2-15.2 | 4 | 3.6 | 00.0-07.3 | 1 | 0.2 | 00.0-00.6 | 1 | 0.1 | 00.0-00.3 | 192 | 49.4 | 41.4-57.4 |
| \$35,000- 49,999 | 559 | 80,600 | 215 | 37.9 | 32.2-43.6 | 33 | 7.0 | 03.1-10.9 | 10 | 2.1 | 00.5-03.7 | 5 | 0.6 | 00.0-01.2 | | | | 296 | 52.4 | 46.3-58.5 |
| \$50,000- 74,999 | 618 | 96,042 | 315 | 52.8 | 47.3-58.3 | 41 | 4.7 | 02.9-06.5 | 17 | 5.4 | 01.7-09.1 | 2 | 0.2 | 00.0-00.6 | | | | 243 | 36.9 | 31.8-42.0 |
| \$75,000+ | 1116 | 230,126 | 654 | 61.1 | 57.4-64.8 | 107 | 10.3 | 07.6-13.0 | 36 | 3.0 | 01.8-04.2 | 5 | 0.5 | 00.1-00.9 | | | | 314 | 25.1 | 22.0-28.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 8: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=1 | | | >1, <=2 | | | >2, <=5 | | | >5, <=10 | | | >10 | | | None | | |
|----------------------------|-------------------|----------|---------|------|------------|---------|------|------------|---------|------|------------|----------|-----|------------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1498 | 318,200 | 663 | 50.1 | 46.4-53.8 | 149 | 11.0 | 08.5-13.5 | 75 | 5.9 | 03.9-07.9 | 15 | 0.7 | 00.3-01.1 | 1 | 0.1 | 00.0-00.3 | 595 | 32.2 | 29.1-35.3 |
| White/Non-Hisp | 1229 | 244,326 | 555 | 50.6 | 46.7-54.5 | 134 | 12.3 | 09.4-15.2 | 67 | 6.6 | 04.4-08.8 | 13 | 0.8 | 00.2-01.4 | 1 | 0.1 | 00.0-00.3 | 459 | 29.6 | 26.3-32.9 |
| Black or Afr. Am./Non-Hisp | 155 | 35,233 | | | | 8 | 4.2 | 00.1-08.3 | 4 | 2.1 | 00.0-04.6 | | | | | | | | | |
| 25-34 | 100 | 54,439 | | | | 4 | 5.4 | 00.0-11.7 | 4 | 4.4 | 00.0-08.9 | 1 | 0.3 | 00.0-00.9 | | | | 26 | 24.4 | 15.0-33.8 |
| 35-44 | 192 | 57,923 | 102 | 55.8 | 47.8-63.8 | 18 | 9.9 | 04.6-15.2 | 13 | 6.8 | 02.9-10.7 | 3 | 0.9 | 00.0-02.1 | | | | 56 | 26.6 | 19.5-33.7 |
| 45-54 | 296 | 61,118 | 120 | 44.6 | 37.7-51.5 | 37 | 12.5 | 08.2-16.8 | 16 | 4.5 | 02.0-07.0 | 4 | 1.4 | 00.0-03.0 | 1 | 0.4 | 00.0-01.2 | 118 | 36.6 | 29.9-43.3 |
| 55-64 | 349 | 48,110 | 155 | 43.3 | 36.8-49.8 | 34 | 8.2 | 04.9-11.5 | 19 | 7.7 | 03.4-12.0 | 6 | 1.3 | 00.1-02.5 | | | | 135 | 39.5 | 33.2-45.8 |
| 65+ | 508 | 54,689 | 197 | 39.7 | 34.8-44.6 | 47 | 10.5 | 07.4-13.6 | 19 | 3.4 | 01.6-05.2 | | | | | | | 245 | 46.4 | 41.3-51.5 |
| Less Than H.S. | 116 | 22,517 | | | | | | | 8 | 7.4 | 00.0-14.8 | 1 | 0.9 | 00.0-02.9 | | | | | | |
| H.S. or G.E.D. | 449 | 80,664 | 160 | 40.9 | 34.0-47.8 | 48 | 8.7 | 05.8-11.6 | 25 | 7.2 | 03.7-10.7 | 8 | 1.4 | 00.4-02.4 | 1 | 0.3 | 00.0-00.9 | 207 | 41.5 | 35.0-48.0 |
| Some Post-H.S. | 344 | 88,399 | 143 | 47.0 | 38.6-55.4 | 30 | 11.5 | 05.2-17.8 | 19 | 7.2 | 02.1-12.3 | 1 | 0.2 | 00.0-00.6 | | | | 151 | 34.0 | 26.9-41.1 |
| College Graduate | 585 | 125,840 | 329 | 60.6 | 55.5-65.7 | 65 | 11.1 | 07.8-14.4 | 23 | 3.9 | 01.7-06.1 | 5 | 0.7 | 00.0-01.5 | | | | 163 | 23.7 | 19.4-28.0 |
| Less than \$15,000 | 139 | 25,295 | | | | 6 | 3.6 | 00.1-07.1 | 4 | 1.1 | 00.0-02.3 | 2 | 1.9 | 00.0-04.4 | 1 | 1.1 | 00.0-03.3 | | | |
| \$15,000- 24,999 | 114 | 17,336 | | | | 7 | 6.8 | 00.0-14.2 | | | | 1 | 0.8 | 00.0-02.4 | | | | | | |
| \$25,000- 34,999 | 124 | 23,054 | | | | 13 | 9.5 | 03.6-15.4 | 3 | 5.9 | 00.0-13.3 | 1 | 0.5 | 00.0-01.5 | | | | | | |
| \$35,000- 49,999 | 209 | 39,248 | 77 | 38.5 | 29.5-47.5 | 20 | 11.6 | 04.2-19.0 | 8 | 3.0 | 00.6-05.4 | 5 | 1.3 | 00.1-02.5 | | | | 99 | 45.7 | 36.5-54.9 |
| \$50,000- 74,999 | 236 | 45,688 | 108 | 49.1 | 39.7-58.5 | 23 | 5.1 | 02.6-07.6 | 15 | 11.0 | 03.4-18.6 | 2 | 0.5 | 00.0-01.3 | | | | 88 | 34.2 | 26.2-42.2 |
| \$75,000+ | 484 | 120,749 | 274 | 62.0 | 56.3-67.7 | 64 | 14.5 | 09.6-19.4 | 31 | 4.8 | 02.6-07.0 | 4 | 0.7 | 00.0-01.5 | | | | 111 | 17.9 | 13.8-22.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 9: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=1 | | | >1, <=2 | | | >2, <=5 | | | >5, <=10 | | | >10 | | | None | | |
|----------------------------|-------------------|----------|---------|------|------------|---------|-----|------------|---------|-----|------------|----------|-----|------------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2694 | 352,331 | 1146 | 45.6 | 43.1-48.1 | 105 | 4.2 | 03.0-05.4 | 18 | 0.8 | 00.4-01.2 | 1 | 0.1 | 00.0-00.3 | 1 | 0.0 | 00.0-00.0 | 1423 | 49.3 | 46.8-51.8 |
| White/Non-Hisp | 2127 | 258,604 | 968 | 50.7 | 47.8-53.6 | 97 | 5.3 | 03.7-06.9 | 15 | 0.7 | 00.3-01.1 | 1 | 0.1 | 00.0-00.3 | | | | 1046 | 43.2 | 40.5-45.9 |
| Black or Afr. Am./Non-Hisp | 378 | 55,974 | 117 | 31.9 | 25.6-38.2 | 4 | 0.8 | 00.0-01.6 | 1 | 0.8 | 00.0-02.4 | | | | | | | 256 | 66.5 | 60.2-72.8 |
| Oth. Race/Non-Hisp. | 60 | 14,316 | | | | 2 | 3.7 | 00.0-09.2 | 1 | 0.6 | 00.0-02.0 | | | | 1 | 0.5 | 00.0-01.5 | | | |
| Hispanic | 70 | 15,518 | | | | 1 | 1.0 | 00.0-03.0 | 1 | 2.3 | 00.0-06.8 | | | | | | | | | |
| 18-24 | 80 | 40,954 | | | | 3 | 4.6 | 00.0-10.5 | | | | | | | | | | | | |
| 25-34 | 224 | 56,142 | 106 | 44.9 | 37.5-52.3 | 8 | 4.5 | 01.2-07.8 | 4 | 2.1 | 00.0-04.5 | 1 | 0.5 | 00.0-01.5 | | | | 105 | 47.9 | 40.5-55.3 |
| 35-44 | 358 | 60,485 | 203 | 59.0 | 52.9-65.1 | 14 | 4.0 | 01.6-06.4 | 1 | 0.1 | 00.0-00.3 | | | | | | | 140 | 36.9 | 31.0-42.8 |
| 45-54 | 474 | 66,686 | 226 | 51.2 | 46.1-56.3 | 23 | 5.3 | 02.9-07.7 | 4 | 1.2 | 00.0-02.6 | | | | | | | 221 | 42.4 | 37.3-47.5 |
| 55-64 | 604 | 52,889 | 254 | 43.5 | 38.8-48.2 | 31 | 4.6 | 02.8-06.4 | 7 | 1.0 | 00.2-01.8 | | | | | | | 312 | 50.9 | 46.0-55.8 |
| 65+ | 910 | 71,767 | 307 | 33.3 | 29.8-36.8 | 26 | 2.9 | 01.7-04.1 | 2 | 0.1 | 00.0-00.3 | | | | 1 | 0.1 | 00.0-00.3 | 574 | 63.5 | 60.0-67.0 |
| Less Than H.S. | 158 | 18,007 | 15 | 10.8 | 03.4-18.2 | | | | 1 | 0.3 | 00.0-00.9 | | | | | | | | | |
| H.S. or G.E.D. | 811 | 98,065 | 272 | 38.5 | 33.6-43.4 | 21 | 3.4 | 01.4-05.4 | 4 | 0.9 | 00.0-01.9 | | | | | | | 514 | 57.3 | 52.4-62.2 |
| Some Post-H.S. | 741 | 101,177 | 320 | 44.4 | 39.3-49.5 | 26 | 3.0 | 01.6-04.4 | 9 | 1.2 | 00.2-02.2 | 1 | 0.3 | 00.0-00.9 | | | | 385 | 51.2 | 45.9-56.5 |
| College Graduate | 975 | 134,304 | 538 | 56.5 | 52.4-60.6 | 53 | 4.8 | 03.2-06.4 | 4 | 0.4 | 00.0-01.0 | | | | 1 | 0.1 | 00.0-00.3 | 379 | 38.2 | 34.1-42.3 |
| Less than \$15,000 | 306 | 30,254 | 83 | 27.3 | 19.5-35.1 | 10 | 3.6 | 00.5-06.7 | 3 | 0.7 | 00.0-01.5 | | | | | | | 210 | 68.5 | 60.5-76.5 |
| \$15,000- 24,999 | 305 | 32,177 | 70 | 33.7 | 24.7-42.7 | 1 | 0.4 | 00.0-01.2 | 3 | 0.6 | 00.0-01.2 | | | | | | | 231 | 65.3 | 56.3-74.3 |
| \$25,000- 34,999 | 234 | 28,088 | 90 | 33.4 | 25.6-41.2 | 9 | 9.8 | 01.0-18.6 | 1 | 1.7 | 00.0-04.8 | | | | 1 | 0.3 | 00.0-00.9 | 133 | 54.8 | 45.6-64.0 |
| \$35,000- 49,999 | 350 | 41,351 | 138 | 37.4 | 30.1-44.7 | 13 | 2.7 | 01.1-04.3 | 2 | 1.2 | 00.0-03.4 | | | | | | | 197 | 58.7 | 51.3-66.1 |
| \$50,000- 74,999 | 382 | 50,353 | 207 | 56.1 | 49.8-62.4 | 18 | 4.2 | 01.8-06.6 | 2 | 0.3 | 00.0-00.7 | | | | | | | 155 | 39.3 | 33.0-45.6 |
| \$75,000+ | 632 | 109,377 | 380 | 60.2 | 55.3-65.1 | 43 | 5.6 | 03.6-07.6 | 5 | 1.0 | 00.0-02.0 | 1 | 0.3 | 00.0-00.9 | | | | 203 | 33.0 | 28.3-37.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=5 | | | >5, <=15 | | | >15, <=30 | | | >30, <=60 | | | >60 | | | None | | |
|----------------------------|-------------------|----------|---------|------|------------|----------|------|------------|-----------|------|------------|-----------|------|------------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4246 | 678,953 | 809 | 19.1 | 17.3-20.9 | 524 | 14.8 | 13.0-16.6 | 476 | 13.3 | 11.7-14.9 | 254 | 7.3 | 05.9-08.7 | 165 | 4.8 | 03.6-06.0 | 2018 | 40.7 | 38.5-42.9 |
| Male | 1526 | 323,311 | 222 | 15.2 | 12.5-17.9 | 211 | 16.8 | 13.9-19.7 | 230 | 17.3 | 14.4-20.2 | 149 | 10.8 | 08.3-13.3 | 119 | 8.2 | 06.0-10.4 | 595 | 31.7 | 28.6-34.8 |
| Female | 2720 | 355,642 | 587 | 22.5 | 20.3-24.7 | 313 | 13.0 | 11.2-14.8 | 246 | 9.6 | 08.0-11.2 | 105 | 4.2 | 03.0-05.4 | 46 | 1.8 | 01.0-02.6 | 1423 | 48.9 | 46.4-51.4 |
| White/Non-Hisp | 3396 | 509,368 | 662 | 19.4 | 17.4-21.4 | 443 | 15.6 | 13.8-17.4 | 418 | 15.0 | 13.0-17.0 | 231 | 8.6 | 07.0-10.2 | 137 | 5.3 | 03.9-06.7 | 1505 | 36.1 | 33.9-38.3 |
| Black or Afr. Am./Non-Hisp | 541 | 92,444 | 96 | 18.8 | 14.3-23.3 | 45 | 12.1 | 05.6-18.6 | 35 | 6.6 | 03.9-09.3 | 12 | 2.1 | 00.5-03.7 | 13 | 2.7 | 00.9-04.5 | 340 | 57.8 | 51.1-64.5 |
| Oth. Race/Non-Hisp. | 107 | 28,146 | 13 | 13.4 | 04.6-22.2 | 9 | 10.2 | 02.8-17.6 | | | | 4 | 2.4 | 00.0-05.3 | 7 | 3.4 | 00.7-06.1 | | | |
| MultiRacial/Non-Hisp. | 56 | 10,789 | | | | | | | 4 | 7.0 | 00.0-15.4 | 2 | 1.3 | 00.0-03.1 | 1 | 1.2 | 00.0-03.6 | | | |
| Hispanic | 113 | 33,716 | | | | 15 | 12.7 | 04.5-20.9 | 11 | 9.7 | 01.7-17.7 | | | | 5 | 6.6 | 00.0-15.6 | | | |
| 18-24 | 130 | 84,358 | 24 | 19.5 | 11.3-27.7 | 14 | 11.0 | 03.4-18.6 | 17 | 15.1 | 07.7-22.5 | 12 | 12.8 | 05.2-20.4 | 7 | 7.8 | 01.5-14.1 | 56 | 33.8 | 24.6-43.0 |
| 25-34 | 325 | 110,709 | 60 | 18.2 | 13.1-23.3 | 69 | 20.6 | 15.3-25.9 | 42 | 16.2 | 10.7-21.7 | 12 | 4.9 | 01.4-08.4 | 11 | 3.7 | 01.2-06.2 | 131 | 36.3 | 30.0-42.6 |
| 35-44 | 555 | 119,550 | 138 | 24.0 | 19.7-28.3 | 109 | 21.8 | 17.5-26.1 | 58 | 11.1 | 08.2-14.0 | 32 | 6.8 | 03.9-09.7 | 22 | 4.8 | 02.6-07.0 | 196 | 31.5 | 27.0-36.0 |
| 45-54 | 777 | 129,258 | 130 | 16.4 | 13.3-19.5 | 113 | 16.2 | 13.1-19.3 | 103 | 14.9 | 11.8-18.0 | 60 | 8.6 | 06.2-11.0 | 32 | 4.7 | 02.9-06.5 | 339 | 39.2 | 35.1-43.3 |
| 55-64 | 967 | 102,469 | 190 | 18.8 | 15.9-21.7 | 111 | 11.2 | 08.8-13.6 | 108 | 12.8 | 09.9-15.7 | 65 | 6.2 | 04.4-08.0 | 46 | 6.1 | 03.7-08.5 | 447 | 44.8 | 40.9-48.7 |
| 65+ | 1441 | 128,170 | 256 | 17.6 | 15.2-20.0 | 103 | 7.3 | 05.7-08.9 | 145 | 10.7 | 08.7-12.7 | 73 | 6.1 | 04.5-07.7 | 45 | 2.9 | 01.9-03.9 | 819 | 55.4 | 52.5-58.3 |
| Less Than H.S. | 278 | 41,219 | 21 | 6.7 | 01.8-11.6 | 15 | 10.5 | 02.7-18.3 | 10 | 8.4 | 01.5-15.3 | | | | 14 | 6.4 | 01.7-11.1 | | | |
| H.S. or G.E.D. | 1276 | 180,901 | 223 | 17.3 | 14.4-20.2 | 118 | 12.5 | 09.6-15.4 | 91 | 9.3 | 06.4-12.2 | 69 | 5.7 | 04.1-07.3 | 54 | 5.7 | 03.7-07.7 | 721 | 49.5 | 45.6-53.4 |
| Some Post-H.S. | 1105 | 193,558 | 223 | 20.4 | 16.5-24.3 | 123 | 12.9 | 09.4-16.4 | 117 | 11.5 | 08.8-14.2 | 56 | 6.8 | 03.9-09.7 | 50 | 6.2 | 03.3-09.1 | 536 | 42.3 | 37.8-46.8 |
| College Graduate | 1574 | 261,718 | 342 | 21.4 | 18.7-24.1 | 267 | 18.6 | 16.1-21.1 | 258 | 18.2 | 15.5-20.9 | 118 | 7.8 | 06.0-09.6 | 47 | 3.1 | 01.9-04.3 | 542 | 31.0 | 27.9-34.1 |
| Less than \$15,000 | 452 | 56,198 | 73 | 20.6 | 12.8-28.4 | 29 | 5.1 | 02.7-07.5 | 30 | 7.9 | 03.8-12.0 | 16 | 3.5 | 01.1-05.9 | 17 | 3.3 | 01.3-05.3 | 287 | 59.6 | 51.8-67.4 |
| \$15,000- 24,999 | 422 | 49,798 | 53 | 13.8 | 08.1-19.5 | 18 | 9.2 | 02.9-15.5 | 21 | 7.6 | 03.5-11.7 | 8 | 2.6 | 00.0-05.3 | 15 | 6.1 | 00.0-12.2 | 307 | 60.6 | 52.2-69.0 |
| \$25,000- 34,999 | 361 | 51,380 | 77 | 17.6 | 12.7-22.5 | 30 | 8.4 | 04.1-12.7 | 31 | 10.8 | 03.9-17.7 | 22 | 9.6 | 04.1-15.1 | 9 | 4.4 | 00.7-08.1 | 192 | 49.2 | 41.4-57.0 |
| \$35,000- 49,999 | 563 | 81,218 | 96 | 15.0 | 10.9-19.1 | 61 | 12.0 | 08.5-15.5 | 58 | 10.6 | 06.9-14.3 | 33 | 7.0 | 03.1-10.9 | 19 | 3.4 | 01.4-05.4 | 296 | 52.0 | 45.9-58.1 |
| \$50,000- 74,999 | 624 | 97,246 | 126 | 19.8 | 15.5-24.1 | 102 | 17.2 | 13.1-21.3 | 87 | 15.1 | 10.8-19.4 | 41 | 4.6 | 03.0-06.2 | 25 | 6.8 | 02.9-10.7 | 243 | 36.4 | 31.3-41.5 |
| \$75,000+ | 1125 | 231,992 | 262 | 22.6 | 19.5-25.7 | 200 | 18.8 | 15.9-21.7 | 192 | 19.3 | 16.0-22.6 | 107 | 10.2 | 07.5-12.9 | 50 | 4.3 | 02.7-05.9 | 314 | 24.9 | 21.8-28.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=5 | | | >5, <=15 | | | >15, <=30 | | | >30, <=60 | | | >60 | | | None | | |
|----------------------------|-------------------|----------|---------|------|------------|----------|------|------------|-----------|------|------------|-----------|------|------------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1526 | 323,311 | 222 | 15.2 | 12.5-17.9 | 211 | 16.8 | 13.9-19.7 | 230 | 17.3 | 14.4-20.2 | 149 | 10.8 | 08.3-13.3 | 119 | 8.2 | 06.0-10.4 | 595 | 31.7 | 28.6-34.8 |
| White/Non-Hisp | 1249 | 248,209 | 182 | 14.7 | 12.0-17.4 | 169 | 15.9 | 13.0-18.8 | 204 | 19.2 | 15.9-22.5 | 134 | 12.1 | 09.2-15.0 | 101 | 9.0 | 06.5-11.5 | 459 | 29.1 | 26.0-32.2 |
| Black or Afr. Am./Non-Hisp | 160 | 36,234 | 22 | 16.9 | 08.7-25.1 | | | | 17 | 8.7 | 03.4-14.0 | 8 | 4.1 | 00.2-08.0 | 9 | 4.8 | 01.1-08.5 | | | |
| 25-34 | 100 | 54,439 | 16 | 15.5 | 07.7-23.3 | 28 | 26.1 | 16.5-35.7 | 21 | 24.0 | 14.0-34.0 | 4 | 5.4 | 00.0-11.7 | 5 | 4.6 | 00.1-09.1 | 26 | 24.4 | 15.0-33.8 |
| 35-44 | 194 | 58,432 | 31 | 17.2 | 10.9-23.5 | 43 | 24.0 | 16.9-31.1 | 28 | 14.1 | 08.8-19.4 | 18 | 9.8 | 04.5-15.1 | 18 | 8.5 | 04.2-12.8 | 56 | 26.3 | 19.2-33.4 |
| 45-54 | 301 | 62,322 | 34 | 12.4 | 07.7-17.1 | 43 | 14.9 | 10.0-19.8 | 43 | 16.3 | 11.2-21.4 | 37 | 12.2 | 07.9-16.5 | 26 | 8.1 | 04.6-11.6 | 118 | 35.9 | 29.4-42.4 |
| 55-64 | 358 | 49,162 | 51 | 13.0 | 08.9-17.1 | 45 | 11.4 | 07.5-15.3 | 59 | 18.0 | 12.9-23.1 | 34 | 8.0 | 04.7-11.3 | 34 | 10.9 | 06.2-15.6 | 135 | 38.7 | 32.4-45.0 |
| 65+ | 518 | 55,586 | 81 | 16.0 | 12.3-19.7 | 46 | 9.1 | 06.2-12.0 | 70 | 14.0 | 10.5-17.5 | 47 | 10.3 | 07.2-13.4 | 29 | 5.0 | 03.0-07.0 | 245 | 45.7 | 40.8-50.6 |
| Less Than H.S. | 119 | 23,138 | 12 | 9.4 | 01.0-17.8 | | | | | | | | | | 12 | 10.8 | 02.6-19.0 | | | |
| H.S. or G.E.D. | 458 | 81,676 | 58 | 11.9 | 07.8-16.0 | 51 | 15.1 | 10.0-20.2 | 51 | 13.4 | 07.9-18.9 | 48 | 8.6 | 05.7-11.5 | 43 | 10.1 | 06.4-13.8 | 207 | 41.0 | 34.7-47.3 |
| Some Post-H.S. | 355 | 91,487 | 50 | 15.4 | 09.1-21.7 | 40 | 14.6 | 07.7-21.5 | 53 | 15.5 | 10.2-20.8 | 30 | 11.2 | 05.1-17.3 | 31 | 10.5 | 04.8-16.2 | 151 | 32.9 | 26.0-39.8 |
| College Graduate | 590 | 126,230 | 102 | 18.4 | 14.1-22.7 | 108 | 19.5 | 15.4-23.6 | 119 | 22.5 | 17.8-27.2 | 65 | 11.1 | 07.8-14.4 | 33 | 4.9 | 02.7-07.1 | 163 | 23.6 | 19.3-27.9 |
| Less than \$15,000 | 143 | 25,739 | | | | 14 | 6.8 | 02.3-11.3 | 15 | 10.7 | 02.5-18.9 | 6 | 3.5 | 00.0-07.0 | 11 | 5.7 | 01.8-09.6 | | | |
| \$15,000- 24,999 | 115 | 17,419 | 6 | 3.0 | 00.1-05.9 | | | | 9 | 8.3 | 01.6-15.0 | 7 | 6.7 | 00.0-14.1 | | | | | | |
| \$25,000- 34,999 | 126 | 23,216 | 20 | 11.7 | 04.8-18.6 | 15 | 12.7 | 04.3-21.1 | | | | 13 | 9.5 | 03.6-15.4 | 6 | 7.0 | 00.0-14.4 | | | |
| \$35,000- 49,999 | 211 | 39,506 | 30 | 14.0 | 07.9-20.1 | 22 | 11.4 | 05.7-17.1 | 25 | 12.9 | 06.2-19.6 | 20 | 11.5 | 04.1-18.9 | 15 | 4.9 | 02.2-07.6 | 99 | 45.4 | 36.2-54.6 |
| \$50,000- 74,999 | 240 | 46,692 | 33 | 12.5 | 05.8-19.2 | 33 | 16.1 | 09.0-23.2 | 42 | 19.4 | 11.6-27.2 | 23 | 5.0 | 02.6-07.4 | 21 | 13.5 | 05.9-21.1 | 88 | 33.5 | 25.7-41.3 |
| \$75,000+ | 489 | 121,338 | 79 | 16.7 | 12.2-21.2 | 96 | 21.0 | 16.3-25.7 | 99 | 24.0 | 18.7-29.3 | 64 | 14.5 | 09.8-19.2 | 40 | 6.0 | 03.6-08.4 | 111 | 17.8 | 13.9-21.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=5 | | | >5, <=15 | | | >15, <=30 | | | >30, <=60 | | | >60 | | | None | | |
|----------------------------|-------------------|----------|---------|------|------------|----------|------|------------|-----------|------|------------|-----------|-----|------------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2720 | 355,642 | 587 | 22.5 | 20.3-24.7 | 313 | 13.0 | 11.2-14.8 | 246 | 9.6 | 08.0-11.2 | 105 | 4.2 | 03.0-05.4 | 46 | 1.8 | 01.0-02.6 | 1423 | 48.9 | 46.4-51.4 |
| White/Non-Hisp | 2147 | 261,159 | 480 | 23.9 | 21.4-26.4 | 274 | 15.4 | 13.2-17.6 | 214 | 10.9 | 08.9-12.9 | 97 | 5.3 | 03.9-06.7 | 36 | 1.8 | 01.0-02.6 | 1046 | 42.8 | 40.1-45.5 |
| Black or Afr. Am./Non-Hisp | 381 | 56,210 | 74 | 20.1 | 15.0-25.2 | 25 | 6.4 | 03.3-09.5 | 18 | 5.3 | 02.4-08.2 | 4 | 0.8 | 00.0-01.6 | 4 | 1.2 | 00.0-03.0 | 256 | 66.2 | 59.9-72.5 |
| Oth. Race/Non-Hisp. | 61 | 14,533 | | | | 2 | 1.9 | 00.0-04.6 | 4 | 3.9 | 00.0-07.8 | 2 | 3.6 | 00.0-09.1 | 3 | 2.6 | 00.0-05.9 | | | |
| Hispanic | 70 | 15,518 | | | | 7 | 8.3 | 01.6-15.0 | | | | 1 | 1.0 | 00.0-03.0 | 1 | 2.3 | 00.0-06.8 | | | |
| 18-24 | 82 | 42,019 | | | | 9 | 8.1 | 01.6-14.6 | 9 | 11.9 | 03.3-20.5 | 3 | 4.5 | 00.0-10.4 | 2 | 2.5 | 00.0-06.4 | | | |
| 25-34 | 225 | 56,270 | 44 | 20.9 | 14.6-27.2 | 41 | 15.3 | 10.6-20.0 | 21 | 8.6 | 04.7-12.5 | 8 | 4.5 | 01.2-07.8 | 6 | 2.9 | 00.4-05.4 | 105 | 47.8 | 40.4-55.2 |
| 35-44 | 361 | 61,118 | 107 | 30.4 | 24.7-36.1 | 66 | 19.7 | 14.8-24.6 | 30 | 8.3 | 05.2-11.4 | 14 | 3.9 | 01.5-06.3 | 4 | 1.2 | 00.0-02.6 | 140 | 36.5 | 30.6-42.4 |
| 45-54 | 476 | 66,936 | 96 | 20.2 | 16.1-24.3 | 70 | 17.3 | 13.2-21.4 | 60 | 13.5 | 09.8-17.2 | 23 | 5.3 | 02.9-07.7 | 6 | 1.5 | 00.1-02.9 | 221 | 42.2 | 37.1-47.3 |
| 55-64 | 609 | 53,308 | 139 | 24.2 | 20.1-28.3 | 66 | 10.9 | 08.0-13.8 | 49 | 8.1 | 05.6-10.6 | 31 | 4.6 | 02.8-06.4 | 12 | 1.8 | 00.6-03.0 | 312 | 50.5 | 45.8-55.2 |
| 65+ | 923 | 72,584 | 175 | 18.8 | 15.9-21.7 | 57 | 6.0 | 04.2-07.8 | 75 | 8.1 | 06.1-10.1 | 26 | 2.9 | 01.7-04.1 | 16 | 1.4 | 00.6-02.2 | 574 | 62.8 | 59.3-66.3 |
| Less Than H.S. | 159 | 18,081 | 9 | 3.2 | 00.8-05.6 | 3 | 1.9 | 00.0-04.3 | 3 | 5.6 | 00.0-12.5 | | | | 2 | 0.7 | 00.0-01.7 | | | |
| H.S. or G.E.D. | 818 | 99,225 | 165 | 21.7 | 17.6-25.8 | 67 | 10.3 | 07.2-13.4 | 40 | 6.0 | 03.5-08.5 | 21 | 3.3 | 01.3-05.3 | 11 | 2.0 | 00.0-04.0 | 514 | 56.6 | 51.7-61.5 |
| Some Post-H.S. | 750 | 102,071 | 173 | 24.8 | 20.1-29.5 | 83 | 11.4 | 08.5-14.3 | 64 | 7.9 | 05.7-10.1 | 26 | 3.0 | 01.6-04.4 | 19 | 2.3 | 00.9-03.7 | 385 | 50.7 | 45.4-56.0 |
| College Graduate | 984 | 135,488 | 240 | 24.1 | 20.8-27.4 | 159 | 17.7 | 14.8-20.6 | 139 | 14.2 | 11.1-17.3 | 53 | 4.8 | 03.2-06.4 | 14 | 1.4 | 00.4-02.4 | 379 | 37.9 | 33.8-42.0 |
| Less than \$15,000 | 309 | 30,459 | 53 | 18.0 | 10.4-25.6 | 15 | 3.6 | 01.6-05.6 | 15 | 5.5 | 02.2-08.8 | 10 | 3.5 | 00.4-06.6 | 6 | 1.3 | 00.1-02.5 | 210 | 68.0 | 60.0-76.0 |
| \$15,000- 24,999 | 307 | 32,379 | 47 | 19.7 | 11.5-27.9 | 11 | 6.6 | 02.1-11.1 | 12 | 7.3 | 02.2-12.4 | 1 | 0.4 | 00.0-01.2 | 5 | 1.2 | 00.0-02.4 | 231 | 64.8 | 55.8-73.8 |
| \$25,000- 34,999 | 235 | 28,165 | 57 | 22.5 | 15.6-29.4 | 15 | 4.9 | 01.8-08.0 | 18 | 6.0 | 02.7-09.3 | 9 | 9.8 | 01.0-18.6 | 3 | 2.2 | 00.0-05.5 | 133 | 54.7 | 45.5-63.9 |
| \$35,000- 49,999 | 352 | 41,711 | 66 | 16.1 | 10.6-21.6 | 39 | 12.6 | 08.1-17.1 | 33 | 8.4 | 05.1-11.7 | 13 | 2.7 | 01.1-04.3 | 4 | 2.1 | 00.0-04.6 | 197 | 58.2 | 50.8-65.6 |
| \$50,000- 74,999 | 384 | 50,554 | 93 | 26.4 | 20.7-32.1 | 69 | 18.3 | 13.6-23.0 | 45 | 11.2 | 07.3-15.1 | 18 | 4.2 | 01.8-06.6 | 4 | 0.7 | 00.0-01.5 | 155 | 39.2 | 33.1-45.3 |
| \$75,000+ | 636 | 110,654 | 183 | 29.0 | 24.5-33.5 | 104 | 16.3 | 13.0-19.6 | 93 | 14.1 | 10.4-17.8 | 43 | 5.5 | 03.5-07.5 | 10 | 2.4 | 00.6-04.2 | 203 | 32.6 | 27.9-37.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
 SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
 Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4192 | 670,530 | 3976 | 94.1 | 92.9-95.3 | 216 | 5.9 | 04.7-07.1 |
| Male | 1498 | 318,200 | 1407 | 93.3 | 91.3-95.3 | 91 | 6.7 | 04.7-08.7 |
| Female | 2694 | 352,331 | 2569 | 94.9 | 93.7-96.1 | 125 | 5.1 | 03.9-06.3 |
| White/Non-Hisp | 3356 | 502,930 | 3162 | 93.2 | 91.8-94.6 | 194 | 6.8 | 05.4-08.2 |
| Black or Afr. Am./Non-Hisp | 533 | 91,207 | 524 | 98.2 | 96.6-99.8 | 9 | 1.8 | 00.2-03.4 |
| Oth. Race/Non-Hisp. | 105 | 27,885 | 98 | 95.7 | 92.0-99.4 | 7 | 4.3 | 00.6-08.0 |
| MultiRacial/Non-Hisp. | 55 | 10,660 | 54 | 99.4 | 98.2-0100 | 1 | 0.6 | 00.0-01.8 |
| Hispanic | 112 | 33,633 | 107 | 93.2 | 84.2-0100 | 5 | 6.8 | 00.0-15.8 |
| 18-24 | 127 | 81,925 | 120 | 92.6 | 86.5-98.7 | 7 | 7.4 | 01.3-13.5 |
| 25-34 | 324 | 110,581 | 306 | 94.1 | 91.0-97.2 | 18 | 5.9 | 02.8-09.0 |
| 35-44 | 550 | 118,408 | 519 | 94.1 | 91.7-96.5 | 31 | 5.9 | 03.5-08.3 |
| 45-54 | 770 | 127,804 | 722 | 93.6 | 91.6-95.6 | 48 | 6.4 | 04.4-08.4 |
| 55-64 | 953 | 100,999 | 890 | 92.8 | 90.4-95.2 | 63 | 7.2 | 04.8-09.6 |
| 65+ | 1418 | 126,457 | 1370 | 96.7 | 95.7-97.7 | 48 | 3.3 | 02.3-04.3 |
| Less Than H.S. | 274 | 40,524 | 260 | 90.3 | 83.2-97.4 | 14 | 9.7 | 02.6-16.8 |
| H.S. or G.E.D. | 1260 | 178,729 | 1201 | 93.6 | 91.4-95.8 | 59 | 6.4 | 04.2-08.6 |
| Some Post-H.S. | 1085 | 189,577 | 1029 | 94.2 | 91.7-96.7 | 56 | 5.8 | 03.3-08.3 |
| College Graduate | 1560 | 260,144 | 1474 | 95.0 | 93.6-96.4 | 86 | 5.0 | 03.6-06.4 |
| Less than \$15,000 | 445 | 55,548 | 425 | 95.9 | 93.5-98.3 | 20 | 4.1 | 01.7-06.5 |
| \$15,000- 24,999 | 419 | 49,513 | 406 | 94.2 | 87.9-0100 | 13 | 5.8 | 00.0-12.1 |
| \$25,000- 34,999 | 358 | 51,142 | 343 | 90.7 | 84.6-96.8 | 15 | 9.3 | 03.2-15.4 |
| \$35,000- 49,999 | 559 | 80,600 | 531 | 95.9 | 93.9-97.9 | 28 | 4.1 | 02.1-06.1 |
| \$50,000- 74,999 | 618 | 96,042 | 581 | 92.1 | 88.2-96.0 | 37 | 7.9 | 04.0-11.8 |
| \$75,000+ | 1116 | 230,126 | 1032 | 93.8 | 92.2-95.4 | 84 | 6.2 | 04.6-07.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
 SECTION 13: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1498 | 318,200 | 1407 | 93.3 | 91.3-95.3 | 91 | 6.7 | 04.7-08.7 |
| White/Non-Hisp | 1229 | 244,326 | 1148 | 92.5 | 90.1-94.9 | 81 | 7.5 | 05.1-09.9 |
| Black or Afr. Am./Non-Hisp | 155 | 35,233 | 151 | 97.9 | 95.4-0100 | 4 | 2.1 | 00.0-04.6 |
| 25-34 | 100 | 54,439 | 95 | 95.4 | 90.9-99.9 | 5 | 4.6 | 00.1-09.1 |
| 35-44 | 192 | 57,923 | 176 | 92.3 | 88.2-96.4 | 16 | 7.7 | 03.6-11.8 |
| 45-54 | 296 | 61,118 | 275 | 93.7 | 90.8-96.6 | 21 | 6.3 | 03.4-09.2 |
| 55-64 | 349 | 48,110 | 324 | 91.1 | 86.6-95.6 | 25 | 8.9 | 04.4-13.4 |
| 65+ | 508 | 54,689 | 489 | 96.6 | 94.8-98.4 | 19 | 3.4 | 01.6-05.2 |
| Less Than H.S. | 116 | 22,517 | 107 | 91.6 | 84.0-99.2 | 9 | 8.4 | 00.8-16.0 |
| H.S. or G.E.D. | 449 | 80,664 | 415 | 91.1 | 87.4-94.8 | 34 | 8.9 | 05.2-12.6 |
| Some Post-H.S. | 344 | 88,399 | 324 | 92.6 | 87.5-97.7 | 20 | 7.4 | 02.3-12.5 |
| College Graduate | 585 | 125,840 | 557 | 95.4 | 93.2-97.6 | 28 | 4.6 | 02.4-06.8 |
| Less than \$15,000 | 139 | 25,295 | 132 | 96.0 | 92.5-99.5 | 7 | 4.0 | 00.5-07.5 |
| \$25,000- 34,999 | 124 | 23,054 | 120 | 93.6 | 86.2-0100 | 4 | 6.4 | 00.0-13.8 |
| \$35,000- 49,999 | 209 | 39,248 | 196 | 95.8 | 93.3-98.3 | 13 | 4.2 | 01.7-06.7 |
| \$50,000- 74,999 | 236 | 45,688 | 219 | 88.4 | 80.8-96.0 | 17 | 11.6 | 04.0-19.2 |
| \$75,000+ | 484 | 120,749 | 449 | 94.4 | 92.2-96.6 | 35 | 5.6 | 03.4-07.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2694 | 352,331 | 2569 | 94.9 | 93.7-96.1 | 125 | 5.1 | 03.9-06.3 |
| White/Non-Hisp | 2127 | 258,604 | 2014 | 93.9 | 92.3-95.5 | 113 | 6.1 | 04.5-07.7 |
| Black or Afr. Am./Non-Hisp | 378 | 55,974 | 373 | 98.4 | 96.6-0100 | 5 | 1.6 | 00.0-03.4 |
| Oth. Race/Non-Hisp. | 60 | 14,316 | 56 | 95.2 | 89.5-0100 | 4 | 4.8 | 00.0-10.5 |
| Hispanic | 70 | 15,518 | 68 | 96.7 | 91.8-0100 | 2 | 3.3 | 00.0-08.2 |
| 18-24 | 80 | 40,954 | 77 | 95.4 | 89.5-0100 | 3 | 4.6 | 00.0-10.5 |
| 25-34 | 224 | 56,142 | 211 | 92.8 | 88.7-96.9 | 13 | 7.2 | 03.1-11.3 |
| 35-44 | 358 | 60,485 | 343 | 95.9 | 93.5-98.3 | 15 | 4.1 | 01.7-06.5 |
| 45-54 | 474 | 66,686 | 447 | 93.5 | 90.8-96.2 | 27 | 6.5 | 03.8-09.2 |
| 55-64 | 604 | 52,889 | 566 | 94.4 | 92.4-96.4 | 38 | 5.6 | 03.6-07.6 |
| 65+ | 910 | 71,767 | 881 | 96.8 | 95.6-98.0 | 29 | 3.2 | 02.0-04.4 |
| H.S. or G.E.D. | 811 | 98,065 | 786 | 95.8 | 93.6-98.0 | 25 | 4.2 | 02.0-06.4 |
| Some Post-H.S. | 741 | 101,177 | 705 | 95.6 | 93.8-97.4 | 36 | 4.4 | 02.6-06.2 |
| College Graduate | 975 | 134,304 | 917 | 94.7 | 92.9-96.5 | 58 | 5.3 | 03.5-07.1 |
| Less than \$15,000 | 306 | 30,254 | 293 | 95.8 | 92.5-99.1 | 13 | 4.2 | 00.9-07.5 |
| \$15,000- 24,999 | 305 | 32,177 | 301 | 99.0 | 97.8-0100 | 4 | 1.0 | 00.0-02.2 |
| \$25,000- 34,999 | 234 | 28,088 | 223 | 88.3 | 79.1-97.5 | 11 | 11.7 | 02.5-20.9 |
| \$35,000- 49,999 | 350 | 41,351 | 335 | 96.1 | 93.4-98.8 | 15 | 3.9 | 01.2-06.6 |
| \$50,000- 74,999 | 382 | 50,353 | 362 | 95.4 | 93.0-97.8 | 20 | 4.6 | 02.2-07.0 |
| \$75,000+ | 632 | 109,377 | 583 | 93.2 | 91.0-95.4 | 49 | 6.8 | 04.6-09.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
 SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 16: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1498 | 318,200 | 1407 | 93.3 | 91.3-95.3 | 91 | 6.7 | 04.7-08.7 |
| White/Non-Hisp | 1229 | 244,326 | 1148 | 92.5 | 90.1-94.9 | 81 | 7.5 | 05.1-09.9 |
| Black or Afr. Am./Non-Hisp | 155 | 35,233 | 151 | 97.9 | 95.4-0100 | 4 | 2.1 | 00.0-04.6 |
| 25-34 | 100 | 54,439 | 95 | 95.4 | 90.9-99.9 | 5 | 4.6 | 00.1-09.1 |
| 35-44 | 192 | 57,923 | 176 | 92.3 | 88.2-96.4 | 16 | 7.7 | 03.6-11.8 |
| 45-54 | 296 | 61,118 | 275 | 93.7 | 90.8-96.6 | 21 | 6.3 | 03.4-09.2 |
| 55-64 | 349 | 48,110 | 324 | 91.1 | 86.6-95.6 | 25 | 8.9 | 04.4-13.4 |
| 65+ | 508 | 54,689 | 489 | 96.6 | 94.8-98.4 | 19 | 3.4 | 01.6-05.2 |
| Less Than H.S. | 116 | 22,517 | 107 | 91.6 | 84.0-99.2 | 9 | 8.4 | 00.8-16.0 |
| H.S. or G.E.D. | 449 | 80,664 | 415 | 91.1 | 87.4-94.8 | 34 | 8.9 | 05.2-12.6 |
| Some Post-H.S. | 344 | 88,399 | 324 | 92.6 | 87.5-97.7 | 20 | 7.4 | 02.3-12.5 |
| College Graduate | 585 | 125,840 | 557 | 95.4 | 93.2-97.6 | 28 | 4.6 | 02.4-06.8 |
| Less than \$15,000 | 139 | 25,295 | 132 | 96.0 | 92.5-99.5 | 7 | 4.0 | 00.5-07.5 |
| \$25,000- 34,999 | 124 | 23,054 | 120 | 93.6 | 86.2-0100 | 4 | 6.4 | 00.0-13.8 |
| \$35,000- 49,999 | 209 | 39,248 | 196 | 95.8 | 93.3-98.3 | 13 | 4.2 | 01.7-06.7 |
| \$50,000- 74,999 | 236 | 45,688 | 219 | 88.4 | 80.8-96.0 | 17 | 11.6 | 04.0-19.2 |
| \$75,000+ | 484 | 120,749 | 449 | 94.4 | 92.2-96.6 | 35 | 5.6 | 03.4-07.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
 SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 17: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2694 | 352,331 | 2569 | 94.9 | 93.7-96.1 | 125 | 5.1 | 03.9-06.3 |
| White/Non-Hisp | 2127 | 258,604 | 2014 | 93.9 | 92.3-95.5 | 113 | 6.1 | 04.5-07.7 |
| Black or Afr. Am./Non-Hisp | 378 | 55,974 | 373 | 98.4 | 96.6-0100 | 5 | 1.6 | 00.0-03.4 |
| Oth. Race/Non-Hisp. | 60 | 14,316 | 56 | 95.2 | 89.5-0100 | 4 | 4.8 | 00.0-10.5 |
| Hispanic | 70 | 15,518 | 68 | 96.7 | 91.8-0100 | 2 | 3.3 | 00.0-08.2 |
| 18-24 | 80 | 40,954 | 77 | 95.4 | 89.5-0100 | 3 | 4.6 | 00.0-10.5 |
| 25-34 | 224 | 56,142 | 211 | 92.8 | 88.7-96.9 | 13 | 7.2 | 03.1-11.3 |
| 35-44 | 358 | 60,485 | 343 | 95.9 | 93.5-98.3 | 15 | 4.1 | 01.7-06.5 |
| 45-54 | 474 | 66,686 | 447 | 93.5 | 90.8-96.2 | 27 | 6.5 | 03.8-09.2 |
| 55-64 | 604 | 52,889 | 566 | 94.4 | 92.4-96.4 | 38 | 5.6 | 03.6-07.6 |
| 65+ | 910 | 71,767 | 881 | 96.8 | 95.6-98.0 | 29 | 3.2 | 02.0-04.4 |
| H.S. or G.E.D. | 811 | 98,065 | 786 | 95.8 | 93.6-98.0 | 25 | 4.2 | 02.0-06.4 |
| Some Post-H.S. | 741 | 101,177 | 705 | 95.6 | 93.8-97.4 | 36 | 4.4 | 02.6-06.2 |
| College Graduate | 975 | 134,304 | 917 | 94.7 | 92.9-96.5 | 58 | 5.3 | 03.5-07.1 |
| Less than \$15,000 | 306 | 30,254 | 293 | 95.8 | 92.5-99.1 | 13 | 4.2 | 00.9-07.5 |
| \$15,000- 24,999 | 305 | 32,177 | 301 | 99.0 | 97.8-0100 | 4 | 1.0 | 00.0-02.2 |
| \$25,000- 34,999 | 234 | 28,088 | 223 | 88.3 | 79.1-97.5 | 11 | 11.7 | 02.5-20.9 |
| \$35,000- 49,999 | 350 | 41,351 | 335 | 96.1 | 93.4-98.8 | 15 | 3.9 | 01.2-06.6 |
| \$50,000- 74,999 | 382 | 50,353 | 362 | 95.4 | 93.0-97.8 | 20 | 4.6 | 02.2-07.0 |
| \$75,000+ | 632 | 109,377 | 583 | 93.2 | 91.0-95.4 | 49 | 6.8 | 04.6-09.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT4) | |
| 1 | MALES AND FEMALES | 105 |
| 2 | MALES ONLY | 106 |
| 3 | FEMALES ONLY | 107 |
| | ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2) | |
| 4 | MALES AND FEMALES | 108 |
| 5 | MALES ONLY | 109 |
| 6 | FEMALES ONLY | 110 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1425 | 127,039 | 955 | 66.9 | 64.0-69.8 | 470 | 33.1 | 30.2-36.0 |
| Male | 511 | 55,000 | 342 | 66.7 | 61.8-71.6 | 169 | 33.3 | 28.4-38.2 |
| Female | 914 | 72,039 | 613 | 67.1 | 63.6-70.6 | 301 | 32.9 | 29.4-36.4 |
| White/Non-Hisp | 1275 | 111,690 | 873 | 69.2 | 66.3-72.1 | 402 | 30.8 | 27.9-33.7 |
| 65+ | 1425 | 127,039 | 955 | 66.9 | 64.0-69.8 | 470 | 33.1 | 30.2-36.0 |
| Less Than H.S. | 140 | 11,110 | 81 | 57.6 | 48.0-67.2 | 59 | 42.4 | 32.8-52.0 |
| H.S. or G.E.D. | 520 | 43,861 | 336 | 65.5 | 60.6-70.4 | 184 | 34.5 | 29.6-39.4 |
| Some Post-H.S. | 344 | 31,969 | 239 | 68.2 | 62.3-74.1 | 105 | 31.8 | 25.9-37.7 |
| College Graduate | 416 | 39,712 | 296 | 70.2 | 64.9-75.5 | 120 | 29.8 | 24.5-35.1 |
| Less than \$15,000 | 232 | 18,176 | 154 | 68.2 | 61.1-75.3 | 78 | 31.8 | 24.7-38.9 |
| \$15,000- 24,999 | 195 | 14,116 | 115 | 62.5 | 55.1-69.9 | 80 | 37.5 | 30.1-44.9 |
| \$25,000- 34,999 | 156 | 12,945 | 105 | 67.8 | 59.6-76.0 | 51 | 32.2 | 24.0-40.4 |
| \$35,000- 49,999 | 201 | 19,260 | 137 | 65.3 | 57.3-73.3 | 64 | 34.7 | 26.7-42.7 |
| \$50,000- 74,999 | 149 | 13,705 | 108 | 75.4 | 67.8-83.0 | 41 | 24.6 | 17.0-32.2 |
| \$75,000+ | 174 | 19,477 | 120 | 65.1 | 56.7-73.5 | 54 | 34.9 | 26.5-43.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
 SECTION 14: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT4)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents aged 64 or younger

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|-----------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 511 | 55,000 | 342 | 66.7 | 61.8-71.6 | 169 | 33.3 | 28.4-38.2 |
| White/Non-Hisp | 452 | 47,695 | 313 | 70.2 | 65.3-75.1 | 139 | 29.8 | 24.9-34.7 |
| 65+ | 511 | 55,000 | 342 | 66.7 | 61.8-71.6 | 169 | 33.3 | 28.4-38.2 |
| H.S. or G.E.D. | 162 | 15,474 | 105 | 66.4 | 58.2-74.6 | 57 | 33.6 | 25.4-41.8 |
| College Graduate | 182 | 21,518 | 128 | 68.3 | 60.3-76.3 | 54 | 31.7 | 23.7-39.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 914 | 72,039 | 613 | 67.1 | 63.6-70.6 | 301 | 32.9 | 29.4-36.4 |
| White/Non-Hisp | 823 | 63,995 | 560 | 68.4 | 64.7-72.1 | 263 | 31.6 | 27.9-35.3 |
| 65+ | 914 | 72,039 | 613 | 67.1 | 63.6-70.6 | 301 | 32.9 | 29.4-36.4 |
| H.S. or G.E.D. | 358 | 28,387 | 231 | 65.1 | 59.2-71.0 | 127 | 34.9 | 29.0-40.8 |
| Some Post-H.S. | 235 | 18,953 | 161 | 66.7 | 59.6-73.8 | 74 | 33.3 | 26.2-40.4 |
| College Graduate | 234 | 18,194 | 168 | 72.4 | 65.9-78.9 | 66 | 27.6 | 21.1-34.1 |
| Less than \$15,000 | 164 | 11,856 | 111 | 68.5 | 60.1-76.9 | 53 | 31.5 | 23.1-39.9 |
| \$15,000- 24,999 | 148 | 10,499 | 83 | 60.2 | 51.6-68.8 | 65 | 39.8 | 31.2-48.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1393 | 124,243 | 1003 | 70.0 | 67.1-72.9 | 390 | 30.0 | 27.1-32.9 |
| Male | 494 | 53,416 | 341 | 66.4 | 61.5-71.3 | 153 | 33.6 | 28.7-38.5 |
| Female | 899 | 70,827 | 662 | 72.7 | 69.4-76.0 | 237 | 27.3 | 24.0-30.6 |
| White/Non-Hisp | 1243 | 109,058 | 918 | 72.3 | 69.4-75.2 | 325 | 27.7 | 24.8-30.6 |
| 65+ | 1393 | 124,243 | 1003 | 70.0 | 67.1-72.9 | 390 | 30.0 | 27.1-32.9 |
| Less Than H.S. | 134 | 10,429 | 94 | 66.9 | 57.5-76.3 | 40 | 33.1 | 23.7-42.5 |
| H.S. or G.E.D. | 509 | 43,037 | 359 | 69.0 | 64.1-73.9 | 150 | 31.0 | 26.1-35.9 |
| Some Post-H.S. | 334 | 31,036 | 257 | 73.1 | 67.0-79.2 | 77 | 26.9 | 20.8-33.0 |
| College Graduate | 411 | 39,354 | 289 | 69.6 | 64.3-74.9 | 122 | 30.4 | 25.1-35.7 |
| Less than \$15,000 | 222 | 17,601 | 170 | 77.0 | 70.1-83.9 | 52 | 23.0 | 16.1-29.9 |
| \$15,000- 24,999 | 192 | 13,864 | 133 | 66.5 | 58.9-74.1 | 59 | 33.5 | 25.9-41.1 |
| \$25,000- 34,999 | 151 | 12,228 | 113 | 75.0 | 67.2-82.8 | 38 | 25.0 | 17.2-32.8 |
| \$35,000- 49,999 | 198 | 19,068 | 137 | 64.3 | 56.3-72.3 | 61 | 35.7 | 27.7-43.7 |
| \$50,000- 74,999 | 145 | 13,430 | 106 | 74.8 | 67.0-82.6 | 39 | 25.2 | 17.4-33.0 |
| \$75,000+ | 171 | 19,328 | 114 | 66.6 | 58.4-74.8 | 57 | 33.4 | 25.2-41.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|-----------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 494 | 53,416 | 341 | 66.4 | 61.5-71.3 | 153 | 33.6 | 28.7-38.5 |
| White/Non-Hisp | 436 | 46,211 | 311 | 69.7 | 64.6-74.8 | 125 | 30.3 | 25.2-35.4 |
| 65+ | 494 | 53,416 | 341 | 66.4 | 61.5-71.3 | 153 | 33.6 | 28.7-38.5 |
| H.S. or G.E.D. | 155 | 14,991 | 102 | 62.6 | 53.8-71.4 | 53 | 37.4 | 28.6-46.2 |
| College Graduate | 181 | 21,527 | 122 | 67.1 | 59.1-75.1 | 59 | 32.9 | 24.9-40.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 899 | 70,827 | 662 | 72.7 | 69.4-76.0 | 237 | 27.3 | 24.0-30.6 |
| White/Non-Hisp | 807 | 62,847 | 607 | 74.2 | 70.7-77.7 | 200 | 25.8 | 22.3-29.3 |
| 65+ | 899 | 70,827 | 662 | 72.7 | 69.4-76.0 | 237 | 27.3 | 24.0-30.6 |
| H.S. or G.E.D. | 354 | 28,046 | 257 | 72.5 | 67.0-78.0 | 97 | 27.5 | 22.0-33.0 |
| Some Post-H.S. | 229 | 18,531 | 178 | 75.6 | 68.9-82.3 | 51 | 24.4 | 17.7-31.1 |
| College Graduate | 230 | 17,827 | 167 | 72.5 | 65.8-79.2 | 63 | 27.5 | 20.8-34.2 |
| Less than \$15,000 | 160 | 11,562 | 126 | 79.0 | 71.7-86.3 | 34 | 21.0 | 13.7-28.3 |
| \$15,000- 24,999 | 147 | 10,396 | 99 | 66.6 | 58.0-75.2 | 48 | 33.4 | 24.8-42.0 |
| \$25,000- 34,999 | 97 | 7,528 | 74 | 76.9 | 67.5-86.3 | 23 | 23.1 | 13.7-32.5 |
| \$35,000- 49,999 | 118 | 9,145 | 88 | 72.3 | 62.3-82.3 | | | |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 16: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2) | |
| 1 | MALES AND FEMALES | 112 |
| 2 | MALES ONLY | 113 |
| 3 | FEMALES ONLY | 114 |
| | ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3) | |
| 4 | MALES AND FEMALES | 115 |
| 5 | MALES ONLY | 116 |
| 6 | FEMALES ONLY | 117 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 16: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|-------|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4226 | 676,886 | 4114 | 96.1 | 94.9-97.3 | 112 | 3.9 | 02.7-05.1 |
| Male | 1517 | 321,906 | 1448 | 93.9 | 91.7-96.1 | 69 | 6.1 | 03.9-08.3 |
| Female | 2709 | 354,980 | 2666 | 98.1 | 97.3-98.9 | 43 | 1.9 | 01.1-02.7 |
| White/Non-Hisp | 3383 | 508,075 | 3296 | 96.1 | 94.7-97.5 | 87 | 3.9 | 02.5-05.3 |
| Black or Afr. Am./Non-Hisp | 538 | 92,260 | 522 | 97.3 | 95.7-98.9 | 16 | 2.7 | 01.1-04.3 |
| Oth. Race/Non-Hisp. | 107 | 28,146 | 104 | 95.0 | 88.7-0100 | 3 | 5.0 | 00.0-11.3 |
| MultiRacial/Non-Hisp. | 56 | 10,789 | 56 | 100.0 | 0100-0100 | | | |
| Hispanic | 111 | 33,596 | 106 | 92.2 | 82.6-0100 | 5 | 7.8 | 00.0-17.4 |
| 18-24 | 130 | 84,358 | 119 | 92.2 | 86.9-97.5 | 11 | 7.8 | 02.5-13.1 |
| 25-34 | 324 | 110,411 | 310 | 92.4 | 87.5-97.3 | 14 | 7.6 | 02.7-12.5 |
| 35-44 | 553 | 119,012 | 543 | 98.1 | 96.9-99.3 | 10 | 1.9 | 00.7-03.1 |
| 45-54 | 774 | 129,048 | 756 | 97.5 | 96.1-98.9 | 18 | 2.5 | 01.1-03.9 |
| 55-64 | 962 | 102,066 | 933 | 96.8 | 95.4-98.2 | 29 | 3.2 | 01.8-04.6 |
| 65+ | 1434 | 127,683 | 1405 | 98.1 | 97.3-98.9 | 29 | 1.9 | 01.1-02.7 |
| Less Than H.S. | 273 | 40,900 | 261 | 93.2 | 87.1-99.3 | 12 | 6.8 | 00.7-12.9 |
| H.S. or G.E.D. | 1270 | 180,122 | 1230 | 94.4 | 91.7-97.1 | 40 | 5.6 | 02.9-08.3 |
| Some Post-H.S. | 1103 | 193,137 | 1068 | 94.9 | 92.4-97.4 | 35 | 5.1 | 02.6-07.6 |
| College Graduate | 1568 | 261,249 | 1543 | 98.6 | 97.8-99.4 | 25 | 1.4 | 00.6-02.2 |
| Less than \$15,000 | 451 | 56,158 | 444 | 98.9 | 97.9-99.9 | 7 | 1.1 | 00.1-02.1 |
| \$15,000- 24,999 | 418 | 49,574 | 408 | 97.5 | 95.3-99.7 | 10 | 2.5 | 00.3-04.7 |
| \$25,000- 34,999 | 360 | 51,082 | 344 | 90.6 | 83.2-98.0 | 16 | 9.4 | 02.0-16.8 |
| \$35,000- 49,999 | 561 | 81,122 | 542 | 94.4 | 90.9-97.9 | 19 | 5.6 | 02.1-09.1 |
| \$50,000- 74,999 | 622 | 96,726 | 604 | 96.9 | 94.9-98.9 | 18 | 3.1 | 01.1-05.1 |
| \$75,000+ | 1120 | 231,500 | 1095 | 97.3 | 95.9-98.7 | 25 | 2.7 | 01.3-04.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 16: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1517 | 321,906 | 1448 | 93.9 | 91.7-96.1 | 69 | 6.1 | 03.9-08.3 |
| White/Non-Hisp | 1242 | 247,184 | 1188 | 94.0 | 91.6-96.4 | 54 | 6.0 | 03.6-08.4 |
| Black or Afr. Am./Non-Hisp | 160 | 36,234 | 151 | 95.9 | 92.6-99.2 | 9 | 4.1 | 00.8-07.4 |
| 25-34 | 99 | 54,141 | 92 | 88.7 | 79.7-97.7 | 7 | 11.3 | 02.3-20.3 |
| 35-44 | 192 | 57,894 | 184 | 96.6 | 94.1-99.1 | 8 | 3.4 | 00.9-05.9 |
| 45-54 | 300 | 62,222 | 288 | 96.3 | 93.9-98.7 | 12 | 3.7 | 01.3-06.1 |
| 55-64 | 357 | 49,073 | 345 | 96.6 | 94.1-99.1 | 12 | 3.4 | 00.9-05.9 |
| 65+ | 515 | 55,288 | 493 | 96.2 | 94.2-98.2 | 22 | 3.8 | 01.8-05.8 |
| H.S. or G.E.D. | 455 | 81,050 | 430 | 91.7 | 86.6-96.8 | 25 | 8.3 | 03.2-13.4 |
| Some Post-H.S. | 353 | 91,066 | 332 | 91.2 | 86.1-96.3 | 21 | 8.8 | 03.7-13.9 |
| College Graduate | 589 | 126,130 | 574 | 98.1 | 96.9-99.3 | 15 | 1.9 | 00.7-03.1 |
| Less than \$15,000 | 143 | 25,739 | 139 | 98.7 | 97.3-0100 | 4 | 1.3 | 00.0-02.7 |
| \$15,000- 24,999 | 114 | 17,336 | 106 | 94.4 | 88.5-0100 | 8 | 5.6 | 00.0-11.5 |
| \$35,000- 49,999 | 210 | 39,481 | 200 | 91.4 | 84.7-98.1 | 10 | 8.6 | 01.9-15.3 |
| \$50,000- 74,999 | 238 | 46,172 | 226 | 94.9 | 91.2-98.6 | 12 | 5.1 | 01.4-08.8 |
| \$75,000+ | 487 | 121,096 | 468 | 96.1 | 93.9-98.3 | 19 | 3.9 | 01.7-06.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 16: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|-------|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2709 | 354,980 | 2666 | 98.1 | 97.3-98.9 | 43 | 1.9 | 01.1-02.7 |
| White/Non-Hisp | 2141 | 260,891 | 2108 | 98.1 | 97.1-99.1 | 33 | 1.9 | 00.9-02.9 |
| Black or Afr. Am./Non-Hisp | 378 | 56,026 | 371 | 98.3 | 96.9-99.7 | 7 | 1.7 | 00.3-03.1 |
| Oth. Race/Non-Hisp. | 61 | 14,533 | 61 | 100.0 | 0100-0100 | | | |
| Hispanic | 69 | 15,481 | 66 | 94.2 | 85.6-0100 | 3 | 5.8 | 00.0-14.4 |
| 18-24 | 82 | 42,019 | 78 | 96.5 | 92.4-0100 | 4 | 3.5 | 00.0-07.6 |
| 25-34 | 225 | 56,270 | 218 | 96.0 | 92.5-99.5 | 7 | 4.0 | 00.5-07.5 |
| 35-44 | 361 | 61,118 | 359 | 99.6 | 99.0-0100 | 2 | 0.4 | 00.0-01.0 |
| 45-54 | 474 | 66,826 | 468 | 98.6 | 97.4-99.8 | 6 | 1.4 | 00.2-02.6 |
| 55-64 | 605 | 52,993 | 588 | 97.0 | 95.4-98.6 | 17 | 3.0 | 01.4-04.6 |
| 65+ | 919 | 72,395 | 912 | 99.6 | 99.2-0100 | 7 | 0.4 | 00.0-00.8 |
| Less Than H.S. | 157 | 18,019 | 153 | 97.6 | 95.1-0100 | 4 | 2.4 | 00.0-04.9 |
| H.S. or G.E.D. | 815 | 99,073 | 800 | 96.7 | 94.3-99.1 | 15 | 3.3 | 00.9-05.7 |
| Some Post-H.S. | 750 | 102,071 | 736 | 98.3 | 97.1-99.5 | 14 | 1.7 | 00.5-02.9 |
| College Graduate | 979 | 135,119 | 969 | 99.0 | 98.2-99.8 | 10 | 1.0 | 00.2-01.8 |
| Less than \$15,000 | 308 | 30,419 | 305 | 99.1 | 97.9-0100 | 3 | 0.9 | 00.0-02.1 |
| \$15,000- 24,999 | 304 | 32,238 | 302 | 99.2 | 98.0-0100 | 2 | 0.8 | 00.0-02.0 |
| \$25,000- 34,999 | 235 | 28,165 | 226 | 93.1 | 86.6-99.6 | 9 | 6.9 | 00.4-13.4 |
| \$35,000- 49,999 | 351 | 41,641 | 342 | 97.2 | 94.7-99.7 | 9 | 2.8 | 00.3-05.3 |
| \$50,000- 74,999 | 384 | 50,554 | 378 | 98.8 | 97.6-0100 | 6 | 1.2 | 00.0-02.4 |
| \$75,000+ | 633 | 110,404 | 627 | 98.6 | 97.2-0100 | 6 | 1.4 | 00.0-02.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 16: SEATBELT USE

TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4226 | 676,886 | 3958 | 91.3 | 89.7-92.9 | 268 | 8.7 | 07.1-10.3 |
| Male | 1517 | 321,906 | 1372 | 87.6 | 84.9-90.3 | 145 | 12.4 | 09.7-15.1 |
| Female | 2709 | 354,980 | 2586 | 94.7 | 93.3-96.1 | 123 | 5.3 | 03.9-06.7 |
| White/Non-Hisp | 3383 | 508,075 | 3165 | 91.1 | 89.3-92.9 | 218 | 8.9 | 07.1-10.7 |
| Black or Afr. Am./Non-Hisp | 538 | 92,260 | 504 | 93.6 | 91.1-96.1 | 34 | 6.4 | 03.9-08.9 |
| Oth. Race/Non-Hisp. | 107 | 28,146 | 101 | 92.9 | 86.2-99.6 | 6 | 7.1 | 00.4-13.8 |
| MultiRacial/Non-Hisp. | 56 | 10,789 | 55 | 94.5 | 84.1-0100 | 1 | 5.5 | 00.0-15.9 |
| 18-24 | 130 | 84,358 | 108 | 85.2 | 78.1-92.3 | 22 | 14.8 | 07.7-21.9 |
| 25-34 | 324 | 110,411 | 293 | 85.5 | 79.6-91.4 | 31 | 14.5 | 08.6-20.4 |
| 35-44 | 553 | 119,012 | 521 | 93.2 | 90.7-95.7 | 32 | 6.8 | 04.3-09.3 |
| 45-54 | 774 | 129,048 | 722 | 92.9 | 90.7-95.1 | 52 | 7.1 | 04.9-09.3 |
| 55-64 | 962 | 102,066 | 906 | 94.0 | 92.0-96.0 | 56 | 6.0 | 04.0-08.0 |
| 65+ | 1434 | 127,683 | 1360 | 94.9 | 93.5-96.3 | 74 | 5.1 | 03.7-06.5 |
| Less Than H.S. | 273 | 40,900 | 253 | 88.5 | 81.1-95.9 | 20 | 11.5 | 04.1-18.9 |
| H.S. or G.E.D. | 1270 | 180,122 | 1180 | 88.4 | 85.1-91.7 | 90 | 11.6 | 08.3-14.9 |
| Some Post-H.S. | 1103 | 193,137 | 1028 | 90.2 | 86.9-93.5 | 75 | 9.8 | 06.5-13.1 |
| College Graduate | 1568 | 261,249 | 1485 | 94.6 | 93.2-96.0 | 83 | 5.4 | 04.0-06.8 |
| Less than \$15,000 | 451 | 56,158 | 423 | 92.4 | 88.3-96.5 | 28 | 7.6 | 03.5-11.7 |
| \$15,000- 24,999 | 418 | 49,574 | 395 | 93.1 | 89.0-97.2 | 23 | 6.9 | 02.8-11.0 |
| \$25,000- 34,999 | 360 | 51,082 | 334 | 86.8 | 79.2-94.4 | 26 | 13.2 | 05.6-20.8 |
| \$35,000- 49,999 | 561 | 81,122 | 514 | 87.3 | 82.2-92.4 | 47 | 12.7 | 07.6-17.8 |
| \$50,000- 74,999 | 622 | 96,726 | 575 | 90.1 | 86.4-93.8 | 47 | 9.9 | 06.2-13.6 |
| \$75,000+ | 1120 | 231,500 | 1056 | 93.2 | 91.0-95.4 | 64 | 6.8 | 04.6-09.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 16: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1517 | 321,906 | 1372 | 87.6 | 84.9-90.3 | 145 | 12.4 | 09.7-15.1 |
| White/Non-Hisp | 1242 | 247,184 | 1122 | 87.3 | 84.2-90.4 | 120 | 12.7 | 09.6-15.8 |
| Black or Afr. Am./Non-Hisp | 160 | 36,234 | 144 | 91.2 | 85.9-96.5 | 16 | 8.8 | 03.5-14.1 |
| 35-44 | 192 | 57,894 | 170 | 88.9 | 84.0-93.8 | 22 | 11.1 | 06.2-16.0 |
| 45-54 | 300 | 62,222 | 269 | 89.6 | 85.7-93.5 | 31 | 10.4 | 06.5-14.3 |
| 55-64 | 357 | 49,073 | 330 | 92.6 | 89.3-95.9 | 27 | 7.4 | 04.1-10.7 |
| 65+ | 515 | 55,288 | 476 | 92.7 | 90.2-95.2 | 39 | 7.3 | 04.8-09.8 |
| H.S. or G.E.D. | 455 | 81,050 | 407 | 83.8 | 77.7-89.9 | 48 | 16.2 | 10.1-22.3 |
| Some Post-H.S. | 353 | 91,066 | 312 | 84.3 | 77.8-90.8 | 41 | 15.7 | 09.2-22.2 |
| College Graduate | 589 | 126,130 | 546 | 93.1 | 90.7-95.5 | 43 | 6.9 | 04.5-09.3 |
| Less than \$15,000 | 143 | 25,739 | 129 | 88.4 | 80.2-96.6 | 14 | 11.6 | 03.4-19.8 |
| \$15,000- 24,999 | 114 | 17,336 | 103 | 90.1 | 81.9-98.3 | 11 | 9.9 | 01.7-18.1 |
| \$35,000- 49,999 | 210 | 39,481 | 186 | 81.1 | 71.9-90.3 | 24 | 18.9 | 09.7-28.1 |
| \$50,000- 74,999 | 238 | 46,172 | 210 | 85.4 | 78.3-92.5 | 28 | 14.6 | 07.5-21.7 |
| \$75,000+ | 487 | 121,096 | 445 | 90.9 | 87.6-94.2 | 42 | 9.1 | 05.8-12.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 16: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2709 | 354,980 | 2586 | 94.7 | 93.3-96.1 | 123 | 5.3 | 03.9-06.7 |
| White/Non-Hisp | 2141 | 260,891 | 2043 | 94.7 | 93.1-96.3 | 98 | 5.3 | 03.7-06.9 |
| Black or Afr. Am./Non-Hisp | 378 | 56,026 | 360 | 95.1 | 92.6-97.6 | 18 | 4.9 | 02.4-07.4 |
| Oth. Race/Non-Hisp. | 61 | 14,533 | 58 | 96.0 | 90.9-0100 | 3 | 4.0 | 00.0-09.1 |
| Hispanic | 69 | 15,481 | 65 | 90.6 | 80.0-0100 | 4 | 9.4 | 00.0-20.0 |
| 18-24 | 82 | 42,019 | 71 | 89.9 | 83.0-96.8 | 11 | 10.1 | 03.2-17.0 |
| 25-34 | 225 | 56,270 | 208 | 91.1 | 86.4-95.8 | 17 | 8.9 | 04.2-13.6 |
| 35-44 | 361 | 61,118 | 351 | 97.3 | 95.5-99.1 | 10 | 2.7 | 00.9-04.5 |
| 45-54 | 474 | 66,826 | 453 | 96.0 | 94.0-98.0 | 21 | 4.0 | 02.0-06.0 |
| 55-64 | 605 | 52,993 | 576 | 95.2 | 93.2-97.2 | 29 | 4.8 | 02.8-06.8 |
| 65+ | 919 | 72,395 | 884 | 96.5 | 95.1-97.9 | 35 | 3.5 | 02.1-04.9 |
| Less Than H.S. | 157 | 18,019 | 150 | 95.4 | 91.5-99.3 | 7 | 4.6 | 00.7-08.5 |
| H.S. or G.E.D. | 815 | 99,073 | 773 | 92.2 | 89.1-95.3 | 42 | 7.8 | 04.7-10.9 |
| Some Post-H.S. | 750 | 102,071 | 716 | 95.4 | 93.2-97.6 | 34 | 4.6 | 02.4-06.8 |
| College Graduate | 979 | 135,119 | 939 | 96.0 | 94.4-97.6 | 40 | 4.0 | 02.4-05.6 |
| Less than \$15,000 | 308 | 30,419 | 294 | 95.8 | 93.1-98.5 | 14 | 4.2 | 01.5-06.9 |
| \$15,000- 24,999 | 304 | 32,238 | 292 | 94.7 | 90.4-99.0 | 12 | 5.3 | 01.0-09.6 |
| \$25,000- 34,999 | 235 | 28,165 | 219 | 87.8 | 80.0-95.6 | 16 | 12.2 | 04.4-20.0 |
| \$35,000- 49,999 | 351 | 41,641 | 328 | 93.3 | 89.8-96.8 | 23 | 6.7 | 03.2-10.2 |
| \$50,000- 74,999 | 384 | 50,554 | 365 | 94.3 | 91.2-97.4 | 19 | 5.7 | 02.6-08.8 |
| \$75,000+ | 633 | 110,404 | 611 | 95.6 | 93.2-98.0 | 22 | 4.4 | 02.0-06.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 18: WOMENS HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| 1 | WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY | 119 |
| 2 | WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY | 120 |
| 3 | WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY | 121 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
 SECTION 18: WOMENS HEALTH**

TABLE 1: WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2180 | 222,775 | 1787 | 81.4 | 79.4-83.4 | 393 | 18.6 | 16.6-20.6 |
| White/Non-Hisp | 1803 | 178,034 | 1476 | 81.4 | 79.0-83.8 | 327 | 18.6 | 16.2-21.0 |
| Black or Afr. Am./Non-Hisp | 266 | 29,943 | 219 | 82.4 | 77.3-87.5 | 47 | 17.6 | 12.5-22.7 |
| 40-44 | 191 | 31,305 | 136 | 70.1 | 62.3-77.9 | 55 | 29.9 | 22.1-37.7 |
| 45-54 | 474 | 66,826 | 379 | 81.5 | 77.6-85.4 | 95 | 18.5 | 14.6-22.4 |
| 55-64 | 602 | 52,847 | 518 | 84.6 | 80.9-88.3 | 84 | 15.4 | 11.7-19.1 |
| 65+ | 913 | 71,797 | 754 | 83.9 | 81.4-86.4 | 159 | 16.1 | 13.6-18.6 |
| H.S. or G.E.D. | 697 | 66,910 | 558 | 79.9 | 76.2-83.6 | 139 | 20.1 | 16.4-23.8 |
| Some Post-H.S. | 601 | 64,225 | 482 | 79.5 | 75.4-83.6 | 119 | 20.5 | 16.4-24.6 |
| College Graduate | 749 | 80,853 | 644 | 85.6 | 82.7-88.5 | 105 | 14.4 | 11.5-17.3 |
| Less than \$15,000 | 265 | 21,577 | 202 | 73.9 | 66.8-81.0 | 63 | 26.1 | 19.0-33.2 |
| \$15,000- 24,999 | 258 | 20,159 | 187 | 72.7 | 65.8-79.6 | 71 | 27.3 | 20.4-34.2 |
| \$25,000- 34,999 | 187 | 16,340 | 149 | 78.0 | 70.9-85.1 | 38 | 22.0 | 14.9-29.1 |
| \$35,000- 49,999 | 279 | 25,566 | 230 | 81.0 | 75.5-86.5 | 49 | 19.0 | 13.5-24.5 |
| \$50,000- 74,999 | 298 | 33,114 | 259 | 84.2 | 78.9-89.5 | 39 | 15.8 | 10.5-21.1 |
| \$75,000+ | 477 | 65,712 | 413 | 85.2 | 81.3-89.1 | 64 | 14.8 | 10.9-18.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 2: WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Denominator excludes: Respondents who are male

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1784 | 160,378 | 1487 | 83.2 | 81.0-85.4 | 297 | 16.8 | 14.6-19.0 |
| White/Non-Hisp | 1516 | 132,482 | 1260 | 83.4 | 81.0-85.8 | 256 | 16.6 | 14.2-19.0 |
| Black or Afr. Am./Non-Hisp | 185 | 18,275 | 156 | 82.9 | 76.4-89.4 | 29 | 17.1 | 10.6-23.6 |
| 50-54 | 269 | 35,734 | 215 | 79.9 | 74.4-85.4 | 54 | 20.1 | 14.6-25.6 |
| 55-64 | 602 | 52,847 | 518 | 84.6 | 80.9-88.3 | 84 | 15.4 | 11.7-19.1 |
| 65+ | 913 | 71,797 | 754 | 83.9 | 81.4-86.4 | 159 | 16.1 | 13.6-18.6 |
| H.S. or G.E.D. | 607 | 52,337 | 493 | 82.9 | 79.4-86.4 | 114 | 17.1 | 13.6-20.6 |
| Some Post-H.S. | 489 | 45,768 | 403 | 81.6 | 77.3-85.9 | 86 | 18.4 | 14.1-22.7 |
| College Graduate | 570 | 53,404 | 500 | 86.9 | 83.4-90.4 | 70 | 13.1 | 09.6-16.6 |
| Less than \$15,000 | 238 | 18,386 | 187 | 79.6 | 73.3-85.9 | 51 | 20.4 | 14.1-26.7 |
| \$15,000- 24,999 | 226 | 16,124 | 165 | 74.8 | 68.5-81.1 | 61 | 25.2 | 18.9-31.5 |
| \$25,000- 34,999 | 162 | 13,069 | 131 | 78.5 | 70.9-86.1 | 31 | 21.5 | 13.9-29.1 |
| \$35,000- 49,999 | 234 | 19,816 | 203 | 87.7 | 83.2-92.2 | 31 | 12.3 | 07.8-16.8 |
| \$50,000- 74,999 | 235 | 22,947 | 209 | 87.3 | 82.2-92.4 | 26 | 12.7 | 07.6-17.8 |
| \$75,000+ | 322 | 37,412 | 283 | 85.4 | 80.5-90.3 | 39 | 14.6 | 09.7-19.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

**TABLE 3: WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1895 | 278,823 | 1597 | 82.7 | 80.0-85.4 | 298 | 17.3 | 14.6-20.0 |
| White/Non-Hisp | 1498 | 204,780 | 1256 | 84.4 | 81.7-87.1 | 242 | 15.6 | 12.9-18.3 |
| Black or Afr. Am./Non-Hisp | 260 | 43,619 | 232 | 84.7 | 76.5-92.9 | 28 | 15.3 | 07.1-23.5 |
| 25-34 | 219 | 55,111 | 207 | 92.9 | 88.8-97.0 | 12 | 7.1 | 03.0-11.2 |
| 35-44 | 323 | 54,704 | 297 | 90.7 | 86.8-94.6 | 26 | 9.3 | 05.4-13.2 |
| 45-54 | 373 | 53,065 | 338 | 90.7 | 87.4-94.0 | 35 | 9.3 | 06.0-12.6 |
| 55-64 | 408 | 36,743 | 355 | 86.9 | 82.8-91.0 | 53 | 13.1 | 09.0-17.2 |
| 65+ | 493 | 38,287 | 348 | 69.4 | 64.7-74.1 | 145 | 30.6 | 25.9-35.3 |
| H.S. or G.E.D. | 527 | 73,894 | 417 | 79.8 | 74.9-84.7 | 110 | 20.2 | 15.3-25.1 |
| Some Post-H.S. | 503 | 77,332 | 422 | 76.8 | 70.1-83.5 | 81 | 23.2 | 16.5-29.9 |
| College Graduate | 776 | 114,694 | 695 | 89.4 | 85.9-92.9 | 81 | 10.6 | 07.1-14.1 |
| Less than \$15,000 | 195 | 21,637 | 150 | 77.2 | 69.2-85.2 | 45 | 22.8 | 14.8-30.8 |
| \$25,000- 34,999 | 157 | 21,291 | 130 | 85.1 | 77.8-92.4 | 27 | 14.9 | 07.6-22.2 |
| \$50,000- 74,999 | 290 | 41,584 | 265 | 90.1 | 85.2-95.0 | 25 | 9.9 | 05.0-14.8 |
| \$75,000+ | 523 | 95,735 | 484 | 90.1 | 86.2-94.0 | 39 | 9.9 | 06.0-13.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| 1 MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y) MALES ONLY | 123 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
 SECTION 19: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that reported being less than 40 years old

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|--------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1214 | 188,243 | 795 | 59.7 | 56.2-63.2 | 419 | 40.3 | 36.8-43.8 |
| White/Non-Hisp | 1019 | 154,465 | 667 | 59.6 | 55.7-63.5 | 352 | 40.4 | 36.5-44.3 |
| 45-54 | 284 | 58,851 | 135 | 46.0 | 39.1-52.9 | 149 | 54.0 | 47.1-60.9 |
| 55-64 | 344 | 46,998 | 238 | 71.2 | 65.1-77.3 | 106 | 28.8 | 22.7-34.9 |
| 65+ | 492 | 53,626 | 392 | 79.0 | 74.7-83.3 | 100 | 21.0 | 16.7-25.3 |
| H.S. or G.E.D. | 377 | 51,436 | 226 | 53.1 | 46.6-59.6 | 151 | 46.9 | 40.4-53.4 |
| Some Post-H.S. | 265 | 42,124 | 182 | 66.5 | 59.4-73.6 | 83 | 33.5 | 26.4-40.6 |
| College Graduate | 480 | 82,893 | 332 | 62.3 | 56.6-68.0 | 148 | 37.7 | 32.0-43.4 |
| \$35,000- 49,999 | 167 | 23,547 | 112 | 62.3 | 52.9-71.7 | 55 | 37.7 | 28.3-47.1 |
| \$50,000- 74,999 | 194 | 28,695 | 136 | 68.0 | 59.8-76.2 | 58 | 32.0 | 23.8-40.2 |
| \$75,000+ | 391 | 75,935 | 260 | 59.3 | 53.0-65.6 | 131 | 40.7 | 34.4-47.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 20: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLLDS2). | |
| 1 | MALES AND FEMALES | 125 |
| 2 | MALES ONLY | 126 |
| 3 | FEMALES ONLY | 127 |
| | RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2). | |
| 4 | MALES AND FEMALES | 128 |
| 5 | MALES ONLY | 129 |
| 6 | FEMALES ONLY | 130 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 1: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFB LDS2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2743 | 290,474 | 483 | 16.0 | 14.4-17.6 | 2260 | 84.0 | 82.4-85.6 |
| Male | 999 | 133,498 | 200 | 17.4 | 14.7-20.1 | 799 | 82.6 | 79.9-85.3 |
| Female | 1744 | 156,976 | 283 | 14.7 | 12.7-16.7 | 1461 | 85.3 | 83.3-87.3 |
| White/Non-Hisp | 2329 | 242,033 | 408 | 16.3 | 14.5-18.1 | 1921 | 83.7 | 81.9-85.5 |
| Black or Afr. Am./Non-Hisp | 273 | 28,848 | 54 | 17.1 | 12.0-22.2 | 219 | 82.9 | 77.8-88.0 |
| 50-54 | 415 | 66,241 | 31 | 8.3 | 05.0-11.6 | 384 | 91.7 | 88.4-95.0 |
| 55-64 | 941 | 100,051 | 161 | 14.9 | 12.4-17.4 | 780 | 85.1 | 82.6-87.6 |
| 65+ | 1387 | 124,182 | 291 | 20.9 | 18.4-23.4 | 1096 | 79.1 | 76.6-81.6 |
| Less Than H.S. | 192 | 17,788 | 23 | 10.2 | 05.5-14.9 | 169 | 89.8 | 85.1-94.5 |
| H.S. or G.E.D. | 908 | 87,950 | 172 | 18.1 | 15.2-21.0 | 736 | 81.9 | 79.0-84.8 |
| Some Post-H.S. | 700 | 75,623 | 128 | 18.5 | 15.0-22.0 | 572 | 81.5 | 78.0-85.0 |
| College Graduate | 938 | 108,726 | 158 | 13.3 | 10.9-15.7 | 780 | 86.7 | 84.3-89.1 |
| Less than \$15,000 | 341 | 29,700 | 63 | 19.5 | 14.0-25.0 | 278 | 80.5 | 75.0-86.0 |
| \$15,000- 24,999 | 306 | 24,390 | 50 | 14.2 | 09.9-18.5 | 256 | 85.8 | 81.5-90.1 |
| \$25,000- 34,999 | 251 | 22,516 | 34 | 14.2 | 09.1-19.3 | 217 | 85.8 | 80.7-90.9 |
| \$35,000- 49,999 | 382 | 39,109 | 69 | 16.2 | 11.9-20.5 | 313 | 83.8 | 79.5-88.1 |
| \$50,000- 74,999 | 384 | 43,602 | 61 | 14.9 | 10.4-19.4 | 323 | 85.1 | 80.6-89.6 |
| \$75,000+ | 603 | 82,402 | 106 | 14.7 | 11.8-17.6 | 497 | 85.3 | 82.4-88.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 2: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLS2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 999 | 133,498 | 200 | 17.4 | 14.7-20.1 | 799 | 82.6 | 79.9-85.3 |
| White/Non-Hisp | 847 | 112,300 | 170 | 17.9 | 15.0-20.8 | 677 | 82.1 | 79.2-85.0 |
| Black or Afr. Am./Non-Hisp | 91 | 11,012 | 19 | 17.3 | 09.1-25.5 | 72 | 82.7 | 74.5-90.9 |
| 50-54 | 150 | 31,028 | 18 | 11.1 | 05.4-16.8 | 132 | 88.9 | 83.2-94.6 |
| 55-64 | 350 | 48,271 | 65 | 14.9 | 11.0-18.8 | 285 | 85.1 | 81.2-89.0 |
| 65+ | 499 | 54,199 | 117 | 23.3 | 19.0-27.6 | 382 | 76.7 | 72.4-81.0 |
| Less Than H.S. | 82 | 9,333 | 8 | 6.1 | 01.2-11.0 | 74 | 93.9 | 89.0-98.8 |
| H.S. or G.E.D. | 311 | 36,461 | 72 | 20.7 | 15.4-26.0 | 239 | 79.3 | 74.0-84.6 |
| Some Post-H.S. | 224 | 31,021 | 50 | 23.4 | 16.7-30.1 | 174 | 76.6 | 69.9-83.3 |
| College Graduate | 381 | 56,646 | 70 | 13.9 | 10.4-17.4 | 311 | 86.1 | 82.6-89.6 |
| \$15,000- 24,999 | 83 | 8,393 | 16 | 13.5 | 05.9-21.1 | 67 | 86.5 | 78.9-94.1 |
| \$25,000- 34,999 | 92 | 9,807 | 11 | 11.6 | 04.2-19.0 | 81 | 88.4 | 81.0-95.8 |
| \$35,000- 49,999 | 150 | 19,515 | 30 | 18.7 | 11.6-25.8 | 120 | 81.3 | 74.2-88.4 |
| \$50,000- 74,999 | 158 | 21,249 | 30 | 20.0 | 12.2-27.8 | 128 | 80.0 | 72.2-87.8 |
| \$75,000+ | 284 | 45,357 | 57 | 14.6 | 10.5-18.7 | 227 | 85.4 | 81.3-89.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 3: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFLDS2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1744 | 156,976 | 283 | 14.7 | 12.7-16.7 | 1461 | 85.3 | 83.3-87.3 |
| White/Non-Hisp | 1482 | 129,733 | 238 | 14.8 | 12.6-17.0 | 1244 | 85.2 | 83.0-87.4 |
| Black or Afr. Am./Non-Hisp | 182 | 17,836 | 35 | 17.0 | 10.7-23.3 | 147 | 83.0 | 76.7-89.3 |
| 50-54 | 265 | 35,214 | 13 | 5.9 | 02.2-09.6 | 252 | 94.1 | 90.4-97.8 |
| 55-64 | 591 | 51,780 | 96 | 14.8 | 11.7-17.9 | 495 | 85.2 | 82.1-88.3 |
| 65+ | 888 | 69,983 | 174 | 19.1 | 16.2-22.0 | 714 | 80.9 | 78.0-83.8 |
| Less Than H.S. | 110 | 8,455 | 15 | 14.6 | 06.6-22.6 | 95 | 85.4 | 77.4-93.4 |
| H.S. or G.E.D. | 597 | 51,489 | 100 | 16.3 | 12.8-19.8 | 497 | 83.7 | 80.2-87.2 |
| Some Post-H.S. | 476 | 44,602 | 78 | 15.1 | 11.4-18.8 | 398 | 84.9 | 81.2-88.6 |
| College Graduate | 557 | 52,080 | 88 | 12.6 | 09.7-15.5 | 469 | 87.4 | 84.5-90.3 |
| Less than \$15,000 | 233 | 17,977 | 35 | 13.5 | 08.0-19.0 | 198 | 86.5 | 81.0-92.0 |
| \$15,000- 24,999 | 223 | 15,998 | 34 | 14.6 | 09.5-19.7 | 189 | 85.4 | 80.3-90.5 |
| \$25,000- 34,999 | 159 | 12,710 | 23 | 16.2 | 09.1-23.3 | 136 | 83.8 | 76.7-90.9 |
| \$35,000- 49,999 | 232 | 19,594 | 39 | 13.8 | 09.1-18.5 | 193 | 86.2 | 81.5-90.9 |
| \$50,000- 74,999 | 226 | 22,353 | 31 | 10.1 | 06.0-14.2 | 195 | 89.9 | 85.8-94.0 |
| \$75,000+ | 319 | 37,045 | 49 | 14.7 | 10.2-19.2 | 270 | 85.3 | 80.8-89.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 4: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2802 | 295,058 | 2135 | 74.0 | 71.8-76.2 | 667 | 26.0 | 23.8-28.2 |
| Male | 1013 | 134,412 | 767 | 73.5 | 70.0-77.0 | 246 | 26.5 | 23.0-30.0 |
| Female | 1789 | 160,647 | 1368 | 74.4 | 71.9-76.9 | 421 | 25.6 | 23.1-28.1 |
| White/Non-Hisp | 2385 | 246,512 | 1815 | 74.0 | 71.6-76.4 | 570 | 26.0 | 23.6-28.4 |
| Black or Afr. Am./Non-Hisp | 273 | 28,846 | 210 | 74.9 | 68.4-81.4 | 63 | 25.1 | 18.6-31.6 |
| 50-54 | 420 | 66,914 | 243 | 56.5 | 50.8-62.2 | 177 | 43.5 | 37.8-49.2 |
| 55-64 | 957 | 101,364 | 735 | 77.3 | 74.0-80.6 | 222 | 22.7 | 19.4-26.0 |
| 65+ | 1425 | 126,780 | 1157 | 80.5 | 78.0-83.0 | 268 | 19.5 | 17.0-22.0 |
| Less Than H.S. | 200 | 17,713 | 145 | 68.8 | 60.4-77.2 | 55 | 31.2 | 22.8-39.6 |
| H.S. or G.E.D. | 920 | 88,914 | 686 | 73.6 | 70.1-77.1 | 234 | 26.4 | 22.9-29.9 |
| Some Post-H.S. | 719 | 77,151 | 543 | 72.3 | 68.2-76.4 | 176 | 27.7 | 23.6-31.8 |
| College Graduate | 958 | 110,893 | 757 | 76.3 | 72.8-79.8 | 201 | 23.7 | 20.2-27.2 |
| Less than \$15,000 | 348 | 30,208 | 255 | 69.9 | 63.6-76.2 | 93 | 30.1 | 23.8-36.4 |
| \$15,000- 24,999 | 312 | 24,794 | 217 | 69.2 | 62.5-75.9 | 95 | 30.8 | 24.1-37.5 |
| \$25,000- 34,999 | 254 | 22,649 | 200 | 75.4 | 68.7-82.1 | 54 | 24.6 | 17.9-31.3 |
| \$35,000- 49,999 | 385 | 39,448 | 285 | 71.0 | 65.3-76.7 | 100 | 29.0 | 23.3-34.7 |
| \$50,000- 74,999 | 394 | 44,277 | 310 | 75.1 | 69.4-80.8 | 84 | 24.9 | 19.2-30.6 |
| \$75,000+ | 608 | 82,944 | 474 | 74.9 | 70.6-79.2 | 134 | 25.1 | 20.8-29.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 5: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|--------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1013 | 134,412 | 767 | 73.5 | 70.0-77.0 | 246 | 26.5 | 23.0-30.0 |
| White/Non-Hisp | 862 | 113,515 | 653 | 73.6 | 69.9-77.3 | 209 | 26.4 | 22.7-30.1 |
| 50-54 | 151 | 31,179 | 92 | 58.3 | 48.9-67.7 | 59 | 41.7 | 32.3-51.1 |
| 55-64 | 352 | 48,371 | 259 | 75.7 | 70.4-81.0 | 93 | 24.3 | 19.0-29.6 |
| 65+ | 510 | 54,861 | 416 | 80.2 | 75.9-84.5 | 94 | 19.8 | 15.5-24.1 |
| H.S. or G.E.D. | 314 | 36,727 | 227 | 71.7 | 65.8-77.6 | 87 | 28.3 | 22.4-34.2 |
| Some Post-H.S. | 226 | 31,145 | 170 | 73.1 | 66.0-80.2 | 56 | 26.9 | 19.8-34.0 |
| College Graduate | 388 | 57,489 | 311 | 76.0 | 70.5-81.5 | 77 | 24.0 | 18.5-29.5 |
| Less than \$15,000 | 110 | 11,876 | 76 | 70.1 | 60.1-80.1 | 34 | 29.9 | 19.9-39.9 |
| \$35,000- 49,999 | 151 | 19,631 | 112 | 69.6 | 60.6-78.6 | 39 | 30.4 | 21.4-39.4 |
| \$50,000- 74,999 | 159 | 21,331 | 124 | 73.0 | 63.8-82.2 | 35 | 27.0 | 17.8-36.2 |
| \$75,000+ | 286 | 45,532 | 233 | 78.4 | 72.5-84.3 | 53 | 21.6 | 15.7-27.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 6: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1789 | 160,647 | 1368 | 74.4 | 71.9-76.9 | 421 | 25.6 | 23.1-28.1 |
| White/Non-Hisp | 1523 | 132,997 | 1162 | 74.2 | 71.5-76.9 | 361 | 25.8 | 23.1-28.5 |
| Black or Afr. Am./Non-Hisp | 183 | 18,028 | 143 | 77.7 | 70.4-85.0 | 40 | 22.3 | 15.0-29.6 |
| 50-54 | 269 | 35,734 | 151 | 54.9 | 47.8-62.0 | 118 | 45.1 | 38.0-52.2 |
| 55-64 | 605 | 52,993 | 476 | 78.9 | 75.0-82.8 | 129 | 21.1 | 17.2-25.0 |
| 65+ | 915 | 71,919 | 741 | 80.8 | 77.9-83.7 | 174 | 19.2 | 16.3-22.1 |
| Less Than H.S. | 116 | 8,699 | 87 | 72.0 | 62.4-81.6 | 29 | 28.0 | 18.4-37.6 |
| H.S. or G.E.D. | 606 | 52,186 | 459 | 75.0 | 70.9-79.1 | 147 | 25.0 | 20.9-29.1 |
| Some Post-H.S. | 493 | 46,006 | 373 | 71.7 | 66.6-76.8 | 120 | 28.3 | 23.2-33.4 |
| College Graduate | 570 | 53,404 | 446 | 76.6 | 72.3-80.9 | 124 | 23.4 | 19.1-27.7 |
| Less than \$15,000 | 238 | 18,332 | 179 | 69.7 | 61.9-77.5 | 59 | 30.3 | 22.5-38.1 |
| \$15,000- 24,999 | 229 | 16,448 | 167 | 75.0 | 68.7-81.3 | 62 | 25.0 | 18.7-31.3 |
| \$25,000- 34,999 | 162 | 13,069 | 132 | 80.2 | 72.9-87.5 | 30 | 19.8 | 12.5-27.1 |
| \$35,000- 49,999 | 234 | 19,816 | 173 | 72.4 | 65.5-79.3 | 61 | 27.6 | 20.7-34.5 |
| \$50,000- 74,999 | 235 | 22,947 | 186 | 77.1 | 70.4-83.8 | 49 | 22.9 | 16.2-29.6 |
| \$75,000+ | 322 | 37,412 | 241 | 70.6 | 64.3-76.9 | 81 | 29.4 | 23.1-35.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010

SECTION 21: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2) | |
| 1 | MALES AND FEMALES | 132 |
| 2 | MALES ONLY | 133 |
| 3 | FEMALES ONLY | 134 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 21: HIV/AIDS

TABLE 1: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2693 | 534,912 | 1213 | 47.5 | 44.8-50.2 | 1480 | 52.5 | 49.8-55.2 |
| Male | 975 | 260,802 | 412 | 44.0 | 39.7-48.3 | 563 | 56.0 | 51.7-60.3 |
| Female | 1718 | 274,110 | 801 | 50.9 | 47.8-54.0 | 917 | 49.1 | 46.0-52.2 |
| White/Non-Hisp | 2031 | 385,211 | 832 | 43.3 | 40.4-46.2 | 1199 | 56.7 | 53.8-59.6 |
| Black or Afr. Am./Non-Hisp | 427 | 81,205 | 258 | 60.6 | 53.2-68.0 | 169 | 39.4 | 32.0-46.8 |
| 18-24 | 129 | 84,238 | 51 | 35.8 | 25.8-45.8 | 78 | 64.2 | 54.2-74.2 |
| 25-34 | 316 | 107,282 | 232 | 68.7 | 62.2-75.2 | 84 | 31.3 | 24.8-37.8 |
| 35-44 | 542 | 115,948 | 350 | 62.3 | 57.4-67.2 | 192 | 37.7 | 32.8-42.6 |
| 45-54 | 763 | 127,590 | 312 | 39.2 | 35.1-43.3 | 451 | 60.8 | 56.7-64.9 |
| 55-64 | 943 | 99,854 | 268 | 28.0 | 24.5-31.5 | 675 | 72.0 | 68.5-75.5 |
| H.S. or G.E.D. | 724 | 133,008 | 281 | 43.1 | 38.0-48.2 | 443 | 56.9 | 51.8-62.0 |
| Some Post-H.S. | 731 | 156,736 | 348 | 47.9 | 42.2-53.6 | 383 | 52.1 | 46.4-57.8 |
| College Graduate | 1104 | 215,093 | 512 | 49.2 | 45.3-53.1 | 592 | 50.8 | 46.9-54.7 |
| Less than \$15,000 | 212 | 37,052 | 115 | 60.7 | 50.9-70.5 | 97 | 39.3 | 29.5-49.1 |
| \$35,000- 49,999 | 350 | 60,396 | 158 | 47.1 | 39.5-54.7 | 192 | 52.9 | 45.3-60.5 |
| \$50,000- 74,999 | 461 | 81,457 | 210 | 47.2 | 40.7-53.7 | 251 | 52.8 | 46.3-59.3 |
| \$75,000+ | 921 | 207,138 | 405 | 47.4 | 43.1-51.7 | 516 | 52.6 | 48.3-56.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 2: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 975 | 260,802 | 412 | 44.0 | 39.7-48.3 | 563 | 56.0 | 51.7-60.3 |
| White/Non-Hisp | 768 | 195,145 | 300 | 39.2 | 34.7-43.7 | 468 | 60.8 | 56.3-65.3 |
| 35-44 | 189 | 56,641 | 105 | 57.6 | 49.6-65.6 | 84 | 42.4 | 34.4-50.4 |
| 45-54 | 294 | 61,403 | 128 | 41.1 | 34.2-48.0 | 166 | 58.9 | 52.0-65.8 |
| 55-64 | 347 | 47,559 | 105 | 29.0 | 23.1-34.9 | 242 | 71.0 | 65.1-76.9 |
| H.S. or G.E.D. | 288 | 64,586 | 104 | 38.3 | 30.5-46.1 | 184 | 61.7 | 53.9-69.5 |
| Some Post-H.S. | 236 | 76,213 | 111 | 44.1 | 34.7-53.5 | 125 | 55.9 | 46.5-65.3 |
| College Graduate | 391 | 101,746 | 166 | 47.3 | 40.8-53.8 | 225 | 52.7 | 46.2-59.2 |
| \$75,000+ | 381 | 106,853 | 163 | 44.2 | 37.7-50.7 | 218 | 55.8 | 49.3-62.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 3: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1718 | 274,110 | 801 | 50.9 | 47.8-54.0 | 917 | 49.1 | 46.0-52.2 |
| White/Non-Hisp | 1263 | 190,065 | 532 | 47.4 | 43.7-51.1 | 731 | 52.6 | 48.9-56.3 |
| Black or Afr. Am./Non-Hisp | 308 | 49,978 | 189 | 62.3 | 54.7-69.9 | 119 | 37.7 | 30.1-45.3 |
| 25-34 | 219 | 54,422 | 171 | 76.7 | 70.2-83.2 | 48 | 23.3 | 16.8-29.8 |
| 35-44 | 353 | 59,307 | 245 | 66.7 | 60.8-72.6 | 108 | 33.3 | 27.4-39.2 |
| 45-54 | 469 | 66,187 | 184 | 37.4 | 32.3-42.5 | 285 | 62.6 | 57.5-67.7 |
| 55-64 | 596 | 52,295 | 163 | 27.2 | 22.7-31.7 | 433 | 72.8 | 68.3-77.3 |
| H.S. or G.E.D. | 436 | 68,422 | 177 | 47.7 | 41.2-54.2 | 259 | 52.3 | 45.8-58.8 |
| Some Post-H.S. | 495 | 80,523 | 237 | 51.5 | 45.2-57.8 | 258 | 48.5 | 42.2-54.8 |
| College Graduate | 713 | 113,346 | 346 | 50.9 | 46.2-55.6 | 367 | 49.1 | 44.4-53.8 |
| \$35,000- 49,999 | 227 | 32,159 | 111 | 52.6 | 42.8-62.4 | 116 | 47.4 | 37.6-57.2 |
| \$50,000- 74,999 | 297 | 43,055 | 144 | 46.7 | 39.6-53.8 | 153 | 53.3 | 46.2-60.4 |
| \$75,000+ | 540 | 100,285 | 242 | 50.7 | 45.4-56.0 | 298 | 49.3 | 44.0-54.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2010**

End of Calculated Variable Data Report