

DELAWARE

2010 Core Variables Report

Behavioral Risk Factor Surveillance System

May 9, 2011



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 1: HEALTH STATUS

TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4244	678,828	733	21.6	19.4-23.8	1447	35.5	33.3-37.7	1300	29.2	27.2-31.2	561	10.4	09.2-11.6	203	3.3	02.7-03.9
Male	1525	323,267	272	23.7	20.2-27.2	494	33.7	30.2-37.2	498	30.8	27.5-34.1	184	8.7	06.9-10.5	77	3.1	02.1-04.1
Female	2719	355,562	461	19.6	17.4-21.8	953	37.2	34.7-39.7	802	27.8	25.4-30.2	377	11.9	10.1-13.7	126	3.5	02.7-04.3
White/Non-Hisp	3395	509,323	583	20.4	18.2-22.6	1204	37.5	35.1-39.9	1026	29.3	27.1-31.5	418	9.6	08.2-11.0	164	3.3	02.7-03.9
Black or Afr. Am./Non-Hisp	540	92,364	89	24.7	17.6-31.8	149	28.9	23.2-34.6	193	31.9	26.4-37.4	94	13.0	09.5-16.5	15	1.4	00.6-02.2
Oth. Race/Non-Hisp.	107	28,146										15	8.9	03.6-14.2	6	3.8	00.1-07.5
Hispanic	113	33,716										21	15.4	06.6-24.2	5	2.7	00.0-06.2
18-24	130	84,358				46	32.9	23.3-42.5	37	24.9	16.1-33.7	10	8.7	03.0-14.4	1	0.7	00.0-02.1
25-34	325	110,709	82	29.5	23.0-36.0	139	37.9	31.6-44.2	83	26.6	20.5-32.7	19	5.8	02.9-08.7	2	0.2	00.0-00.4
35-44	555	119,550	137	23.7	19.6-27.8	199	36.4	31.5-41.3	151	28.9	24.2-33.6	56	9.1	06.2-12.0	12	1.8	00.6-03.0
45-54	776	129,178	143	19.2	15.9-22.5	281	39.7	35.6-43.8	223	28.2	24.5-31.9	89	8.7	06.7-10.7	40	4.2	02.4-06.0
55-64	966	102,425	155	17.4	14.5-20.3	358	36.1	32.4-39.8	287	30.4	26.7-34.1	115	11.0	08.6-13.4	51	5.1	03.3-06.9
65+	1441	128,170	165	10.7	08.9-12.5	410	30.0	27.3-32.7	504	34.9	32.0-37.8	268	18.1	15.7-20.5	94	6.4	04.8-08.0
Less Than H.S.	278	41,219	23	13.6	05.4-21.8	43	19.4	09.6-29.2				81	19.9	13.4-26.4	39	8.0	04.9-11.1
H.S. or G.E.D.	1276	180,901	153	13.8	10.9-16.7	377	32.5	28.8-36.2	454	34.1	30.4-37.8	224	15.5	12.6-18.4	68	4.3	02.9-05.7
Some Post-H.S.	1104	193,477	173	22.8	17.9-27.7	385	33.3	29.0-37.6	338	30.4	26.1-34.7	143	9.7	07.5-11.9	65	3.9	02.7-05.1
College Graduate	1573	261,674	381	27.2	24.1-30.3	640	42.0	38.7-45.3	412	23.5	20.8-26.2	111	5.9	04.5-07.3	29	1.4	00.6-02.2
Less than \$15,000	451	56,118	37	11.0	05.1-16.9	99	18.5	13.8-23.2	178	44.2	36.4-52.0	91	17.5	12.8-22.2	46	8.8	05.5-12.1
\$15,000- 24,999	422	49,798	38	16.4	07.8-25.0	59	14.7	09.6-19.8	132	32.6	25.3-39.9	121	23.3	17.6-29.0	72	13.0	09.1-16.9
\$25,000- 34,999	361	51,380	47	13.2	08.5-17.9	112	27.7	21.4-34.0	126	39.2	31.0-47.4	60	17.2	11.1-23.3	16	2.7	00.9-04.5
\$35,000- 49,999	563	81,218	91	17.0	12.3-21.7	202	36.3	30.4-42.2	191	34.6	28.7-40.5	67	10.4	07.5-13.3	12	1.7	00.5-02.9
\$50,000- 74,999	624	97,246	94	18.4	13.1-23.7	276	43.8	38.3-49.3	175	25.6	21.3-29.9	62	9.7	06.6-12.8	17	2.4	00.6-04.2
\$75,000+	1125	231,992	302	29.5	25.8-33.2	462	41.5	37.6-45.4	286	23.9	20.8-27.0	61	4.2	02.6-05.8	14	0.9	00.3-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1525	323,267	272	23.7	20.2-27.2	494	33.7	30.2-37.2	498	30.8	27.5-34.1	184	8.7	06.9-10.5	77	3.1	02.1-04.1
White/Non-Hisp	1248	248,165	215	21.1	17.6-24.6	416	35.3	31.6-39.0	410	31.9	28.2-35.6	140	8.4	06.4-10.4	67	3.3	02.3-04.3
Black or Afr. Am./Non-Hisp	160	36,234				39	22.8	13.8-31.8	58	30.6	20.6-40.6	29	10.5	05.4-15.6	2	0.5	00.0-01.1
25-34	100	54,439				37	31.4	21.6-41.2				3	2.9	00.0-06.4			
35-44	194	58,432	40	20.1	13.8-26.4	68	35.2	27.6-42.8	65	33.9	26.1-41.7	18	9.4	04.9-13.9	3	1.3	00.0-03.1
45-54	301	62,322	57	20.6	15.1-26.1	111	39.6	32.9-46.3	88	27.7	21.6-33.8	29	7.4	04.5-10.3	16	4.6	01.7-07.5
55-64	357	49,117	61	18.5	13.4-23.6	125	34.4	28.3-40.5	115	31.9	25.8-38.0	36	9.8	06.1-13.5	20	5.4	02.5-08.3
65+	518	55,586	63	10.9	08.0-13.8	134	28.1	23.6-32.6	188	37.4	32.5-42.3	96	17.5	13.8-21.2	37	6.1	03.6-08.6
Less Than H.S.	119	23,138										39	18.1	09.7-26.5	17	5.8	02.3-09.3
H.S. or G.E.D.	458	81,676	54	13.8	08.9-18.7	139	31.4	25.5-37.3	168	37.3	30.8-43.8	69	13.9	09.2-18.6	28	3.6	02.0-05.2
Some Post-H.S.	355	91,487	62	26.7	18.3-35.1	109	30.0	22.7-37.3	124	32.7	25.3-40.1	37	6.4	03.9-08.9	23	4.2	02.0-06.4
College Graduate	589	126,186	143	29.0	23.7-34.3	224	39.1	34.0-44.2	174	25.1	20.6-29.6	39	5.4	03.4-07.4	9	1.4	00.0-02.8
Less than \$15,000	143	25,739	10	9.5	00.5-18.5	28	15.7	08.3-23.1				25	12.7	06.4-19.0	19	9.3	04.0-14.6
\$15,000- 24,999	115	17,419													23	10.6	05.1-16.1
\$25,000- 34,999	126	23,216	17	14.4	05.8-23.0	32	20.5	11.3-29.7				22	16.9	06.9-26.9	6	2.6	00.0-05.5
\$35,000- 49,999	211	39,506	27	15.7	09.0-22.4	64	29.7	21.3-38.1	85	40.4	31.0-49.8	29	12.1	07.0-17.2	6	2.1	00.0-04.3
\$50,000- 74,999	240	46,692	32	20.1	10.7-29.5	95	40.3	31.3-49.3	78	27.6	20.2-35.0	28	9.1	05.0-13.2	7	2.8	00.0-05.9
\$75,000+	489	121,338	134	29.8	24.3-35.3	189	40.1	34.2-46.0	136	25.1	20.2-30.0	24	4.4	01.9-06.9	6	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	355,562	461	19.6	17.4-21.8	953	37.2	34.7-39.7	802	27.8	25.4-30.2	377	11.9	10.1-13.7	126	3.5	02.7-04.3
White/Non-Hisp	2147	261,159	368	19.7	17.3-22.1	788	39.5	36.6-42.4	616	26.8	24.3-29.3	278	10.7	08.9-12.5	97	3.4	02.6-04.2
Black or Afr. Am./Non-Hisp	380	56,130	57	17.7	12.2-23.2	110	32.9	25.8-40.0	135	32.7	26.4-39.0	65	14.6	09.7-19.5	13	2.1	00.7-03.5
Oth. Race/Non-Hisp.	61	14,533										8	9.2	01.4-17.0	5	5.2	00.0-10.9
Hispanic	70	15,518													4	5.1	00.0-12.4
18-24	82	42,019										8	12.9	03.7-22.1	1	1.3	00.0-03.8
25-34	225	56,270	51	23.6	17.3-29.9	102	44.3	36.9-51.7	54	23.2	17.1-29.3	16	8.6	03.9-13.3	2	0.3	00.0-00.9
35-44	361	61,118	97	27.2	21.7-32.7	131	37.6	31.7-43.5	86	24.1	18.8-29.4	38	8.8	05.3-12.3	9	2.3	00.5-04.1
45-54	475	66,856	86	17.8	13.9-21.7	170	39.8	34.7-44.9	135	28.7	24.0-33.4	60	9.9	07.2-12.6	24	3.8	01.8-05.8
55-64	609	53,308	94	16.4	12.9-19.9	233	37.7	33.0-42.4	172	29.0	24.7-33.3	79	12.1	09.2-15.0	31	4.8	02.6-07.0
65+	923	72,584	102	10.5	08.3-12.7	276	31.5	28.0-35.0	316	32.9	29.4-36.4	172	18.5	15.6-21.4	57	6.6	04.4-08.8
Less Than H.S.	159	18,081	13	9.7	03.2-16.2	21	8.7	04.4-13.0				42	22.1	12.7-31.5	22	10.8	05.5-16.1
H.S. or G.E.D.	818	99,225	99	13.7	10.2-17.2	238	33.4	28.7-38.1	286	31.4	27.3-35.5	155	16.8	13.1-20.5	40	4.8	02.8-06.8
Some Post-H.S.	749	101,990	111	19.3	14.4-24.2	276	36.2	31.5-40.9	214	28.3	23.6-33.0	106	12.6	09.3-15.9	42	3.6	02.2-05.0
College Graduate	984	135,488	238	25.6	22.1-29.1	416	44.6	40.5-48.7	238	22.0	18.7-25.3	72	6.4	04.4-08.4	20	1.4	00.6-02.2
Less than \$15,000	308	30,379	27	12.2	04.6-19.8	71	20.9	15.2-26.6	117	37.0	29.6-44.4	66	21.5	15.0-28.0	27	8.4	04.3-12.5
\$15,000- 24,999	307	32,379	24	11.1	04.2-18.0	45	14.7	09.2-20.2	101	36.6	27.8-45.4	88	23.4	16.9-29.9	49	14.3	09.0-19.6
\$25,000- 34,999	235	28,165	30	12.2	07.1-17.3	80	33.7	25.5-41.9	77	33.9	24.9-42.9	38	17.4	10.1-24.7	10	2.7	00.5-04.9
\$35,000- 49,999	352	41,711	64	18.2	11.5-24.9	138	42.6	34.8-50.4	106	29.0	22.3-35.7	38	8.7	05.4-12.0	6	1.4	00.0-02.8
\$50,000- 74,999	384	50,554	62	16.8	11.9-21.7	181	47.1	40.8-53.4	97	23.8	18.7-28.9	34	10.3	05.8-14.8	10	2.0	00.4-03.6
\$75,000+	636	110,654	168	29.1	24.4-33.8	273	43.1	38.2-48.0	150	22.5	18.4-26.6	37	4.1	02.5-05.7	8	1.2	00.2-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4196	673,717	2666	66.4	64.2-68.6	410	10.2	08.8-11.6	436	10.9	09.5-12.3	323	6.3	05.3-07.3	361	6.3	05.3-07.3
Male	1507	321,255	1019	70.3	67.0-73.6	126	9.0	07.0-11.0	138	9.7	07.5-11.9	97	4.9	03.5-06.3	127	6.0	04.4-07.6
Female	2689	352,461	1647	62.8	60.3-65.3	284	11.3	09.5-13.1	298	11.9	10.1-13.7	226	7.5	06.1-08.9	234	6.5	05.5-07.5
White/Non-Hisp	3356	505,101	2128	65.8	63.4-68.2	331	10.5	08.9-12.1	348	10.7	09.1-12.3	258	6.5	05.3-07.7	291	6.5	05.3-07.7
Black or Afr. Am./Non-Hisp	533	91,561	352	71.5	66.2-76.8	41	6.9	04.4-09.4	53	10.4	06.3-14.5	43	5.5	03.3-07.7	44	5.8	03.6-08.0
Oth. Race/Non-Hisp.	107	28,146				14	15.2	07.0-23.4	10	6.3	01.4-11.2	8	4.2	00.9-07.5	7	3.4	00.5-06.3
MultiRacial/Non-Hisp.	56	10,789				5	4.4	00.0-09.1	8	8.9	01.3-16.5						
Hispanic	111	33,629				15	11.2	02.6-19.8				7	4.4	00.1-08.7	7	4.3	00.4-08.2
18-24	129	83,257	87	70.0	60.6-79.4	14	9.4	03.9-14.9	16	11.7	05.0-18.4	9	6.4	01.7-11.1	3	2.5	00.0-05.8
25-34	325	110,709	229	72.1	66.2-78.0	33	8.8	05.3-12.3	39	12.2	07.7-16.7	15	4.1	01.7-06.5	9	2.8	00.4-05.2
35-44	552	118,915	352	63.1	58.2-68.0	75	14.6	10.9-18.3	57	11.3	08.0-14.6	32	5.7	03.3-08.1	36	5.3	03.3-07.3
45-54	775	129,119	484	66.4	62.5-70.3	95	12.2	09.5-14.9	76	9.3	06.9-11.7	57	5.7	03.9-07.5	63	6.4	04.4-08.4
55-64	960	101,795	600	64.7	61.0-68.4	97	9.7	07.3-12.1	96	10.3	07.9-12.7	84	7.9	05.7-10.1	83	7.4	05.4-09.4
65+	1404	125,482	881	63.4	60.5-66.3	91	6.2	04.8-07.6	146	10.9	08.9-12.9	121	7.7	06.1-09.3	165	11.7	09.7-13.7
Less Than H.S.	266	40,384	140	59.1	49.1-69.1	9	2.7	00.3-05.1	29	16.0	07.2-24.8	32	7.5	03.6-11.4	56	14.7	09.4-20.0
H.S. or G.E.D.	1255	178,077	772	64.0	60.1-67.9	96	7.3	05.3-09.3	137	12.2	09.3-15.1	119	7.5	05.5-09.5	131	9.1	06.7-11.5
Some Post-H.S.	1094	192,572	668	65.3	61.0-69.6	115	11.0	08.3-13.7	115	9.9	07.4-12.4	92	7.3	05.1-09.5	104	6.5	04.7-08.3
College Graduate	1569	261,206	1080	70.0	66.9-73.1	188	12.8	10.6-15.0	153	9.9	07.7-12.1	80	4.6	03.2-06.0	68	2.8	01.8-03.8
Less than \$15,000	448	55,961	245	56.2	48.8-63.6	31	7.5	02.4-12.6	48	12.3	07.6-17.0	52	10.4	06.5-14.3	72	13.6	09.5-17.7
\$15,000- 24,999	405	48,566	173	50.9	42.9-58.9	25	8.4	03.1-13.7	50	11.1	06.6-15.6	60	10.8	07.1-14.5	97	18.8	14.1-23.5
\$25,000- 34,999	356	50,979	223	62.8	55.0-70.6	27	5.2	02.8-07.6	39	12.6	06.9-18.3	27	8.1	03.8-12.4	40	11.3	05.8-16.8
\$35,000- 49,999	557	80,550	380	68.1	62.4-73.8	57	10.5	07.0-14.0	53	12.3	07.4-17.2	39	5.0	03.0-07.0	28	4.2	02.2-06.2
\$50,000- 74,999	620	96,624	394	65.7	60.4-71.0	76	11.5	08.6-14.4	73	12.2	07.9-16.5	38	6.4	03.9-08.9	39	4.2	02.2-06.2
\$75,000+	1123	231,785	797	70.9	67.4-74.4	135	13.3	10.6-16.0	106	9.5	07.3-11.7	55	4.2	02.6-05.8	30	2.2	01.0-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1507	321,255	1019	70.3	67.0-73.6	126	9.0	07.0-11.0	138	9.7	07.5-11.9	97	4.9	03.5-06.3	127	6.0	04.4-07.6
White/Non-Hisp	1233	246,410	833	69.8	66.3-73.3	101	8.8	06.6-11.0	112	9.6	07.2-12.0	80	5.3	03.7-06.9	107	6.5	04.5-08.5
Black or Afr. Am./Non-Hisp	158	36,027	114	80.2	72.8-87.6	12	7.0	02.5-11.5	11	4.9	01.2-08.6	11	3.3	00.9-05.7	10	4.5	01.2-07.8
25-34	100	54,439	75	75.4	65.8-85.0	7	6.1	00.6-11.6	13	13.2	05.8-20.6	3	2.4	00.0-05.1	2	2.9	00.0-06.8
35-44	192	57,951	126	64.1	56.3-71.9	24	13.0	07.3-18.7	18	11.8	06.1-17.5	16	7.3	03.4-11.2	8	3.8	00.9-06.7
45-54	301	62,322	210	73.1	67.2-79.0	31	10.8	06.5-15.1	21	5.6	02.9-08.3	18	4.5	01.8-07.2	21	6.0	02.9-09.1
55-64	354	48,656	234	65.7	59.6-71.8	34	11.1	07.0-15.2	32	9.6	05.9-13.3	20	5.5	02.8-08.2	34	8.1	04.8-11.4
65+	505	54,516	332	66.2	61.5-70.9	24	5.3	02.9-07.7	51	11.2	07.9-14.5	38	6.4	04.2-08.6	60	10.9	07.8-14.0
Less Than H.S.	115	22,758				1	0.2	00.0-00.6				8	3.4	00.0-07.3	25	11.3	05.2-17.4
H.S. or G.E.D.	448	80,658	295	66.6	60.3-72.9	29	6.2	03.5-08.9	40	11.4	06.7-16.1	37	6.6	03.9-09.3	47	9.2	05.1-13.3
Some Post-H.S.	352	91,089	232	70.0	63.1-76.9	31	9.2	04.9-13.5	33	8.9	04.6-13.2	21	5.1	02.0-08.2	35	6.8	03.9-09.7
College Graduate	588	125,971	422	73.6	69.1-78.1	65	12.3	08.8-15.8	50	7.4	04.9-09.9	31	4.0	02.2-05.8	20	2.6	01.0-04.2
Less than \$15,000	142	25,703				7	9.1	00.0-19.5	17	15.0	05.8-24.2	12	6.5	02.0-11.0	24	10.2	04.9-15.5
\$15,000- 24,999	111	17,090				5	6.0	00.0-12.1	7	9.2	00.6-17.8	12	6.8	01.7-11.9	34	20.2	11.0-29.4
\$25,000- 34,999	124	23,062				7	3.3	00.6-06.0	11	8.6	02.5-14.7	5	5.7	00.0-11.6			
\$35,000- 49,999	207	38,972	144	69.1	60.3-77.9	15	9.0	03.1-14.9	21	12.0	05.3-18.7	19	5.9	02.6-09.2	8	4.0	00.9-07.1
\$50,000- 74,999	238	46,223	143	62.7	53.7-71.7	33	12.5	07.6-17.4	28	13.4	05.4-21.4	16	5.9	02.2-09.6	18	5.4	01.7-09.1
\$75,000+	488	121,205	373	76.6	71.7-81.5	49	10.9	07.2-14.6	36	7.3	04.4-10.2	19	3.0	01.4-04.6	11	2.2	00.0-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2689	352,461	1647	62.8	60.3-65.3	284	11.3	09.5-13.1	298	11.9	10.1-13.7	226	7.5	06.1-08.9	234	6.5	05.5-07.5
White/Non-Hisp	2123	258,692	1295	62.0	59.1-64.9	230	12.2	10.0-14.4	236	11.7	09.7-13.7	178	7.7	05.9-09.5	184	6.4	05.2-07.6
Black or Afr. Am./Non-Hisp	375	55,534	238	65.8	58.9-72.7	29	6.8	03.9-09.7	42	13.9	07.8-20.0	32	6.9	04.0-09.8	34	6.6	03.9-09.3
Oth. Race/Non-Hisp.	61	14,533							5	4.5	00.2-08.8	5	4.2	00.3-08.1	4	3.8	00.0-08.1
Hispanic	69	15,481				10	9.7	02.6-16.8				6	7.0	00.0-14.6	5	8.0	00.0-16.0
18-24	81	40,918				9	11.8	03.2-20.4				8	10.2	02.6-17.8	1	0.4	00.0-01.2
25-34	225	56,270	154	69.0	61.9-76.1	26	11.4	06.9-15.9	26	11.2	06.1-16.3	12	5.8	01.9-09.7	7	2.7	00.3-05.1
35-44	360	60,964	226	62.2	56.3-68.1	51	16.1	11.6-20.6	39	10.9	07.2-14.6	16	4.2	01.7-06.7	28	6.6	03.7-09.5
45-54	474	66,797	274	60.1	55.0-65.2	64	13.5	10.0-17.0	55	12.7	09.2-16.2	39	6.9	04.4-09.4	42	6.8	04.3-09.3
55-64	606	53,139	366	63.9	59.4-68.4	63	8.5	06.1-10.9	64	10.9	08.0-13.8	64	10.1	07.0-13.2	49	6.7	04.3-09.1
65+	899	70,966	549	61.2	57.5-64.9	67	7.0	05.0-09.0	95	10.7	08.3-13.1	83	8.8	06.6-11.0	105	12.3	09.6-15.0
Less Than H.S.	151	17,626				8	5.8	00.7-10.9				24	12.9	06.0-19.8	31	19.0	10.4-27.6
H.S. or G.E.D.	807	97,419	477	61.7	57.0-66.4	67	8.2	05.5-10.9	97	12.8	09.5-16.1	82	8.3	05.8-10.8	84	9.0	06.6-11.4
Some Post-H.S.	742	101,483	436	61.0	56.1-65.9	84	12.6	09.1-16.1	82	10.9	08.2-13.6	71	9.2	06.3-12.1	69	6.3	04.5-08.1
College Graduate	981	135,235	658	66.5	62.4-70.6	123	13.3	10.6-16.0	103	12.2	09.1-15.3	49	5.0	02.8-07.2	48	3.0	01.8-04.2
Less than \$15,000	306	30,258	163	53.5	45.7-61.3	24	6.2	03.3-09.1	31	10.1	06.2-14.0	40	13.7	08.0-19.4	48	16.5	10.8-22.2
\$15,000- 24,999	294	31,476	120	47.2	38.2-56.2	20	9.7	02.4-17.0	43	12.2	07.1-17.3	48	12.9	07.8-18.0	63	18.0	12.5-23.5
\$25,000- 34,999	232	27,917	135	57.6	48.4-66.8	20	6.8	03.3-10.3	28	15.9	07.3-24.5	22	10.1	04.0-16.2	27	9.7	05.2-14.2
\$35,000- 49,999	350	41,577	236	67.1	59.5-74.7	42	11.8	07.5-16.1	32	12.7	05.8-19.6	20	4.1	02.1-06.1	20	4.4	01.9-06.9
\$50,000- 74,999	382	50,401	251	68.4	62.9-73.9	43	10.5	07.0-14.0	45	11.2	07.7-14.7	22	6.8	03.5-10.1	21	3.2	01.4-05.0
\$75,000+	635	110,580	424	64.6	59.7-69.5	86	15.8	11.9-19.7	70	12.0	08.7-15.3	36	5.6	03.1-08.1	19	2.1	00.9-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4205	673,602	2952	68.1	65.9-70.3	315	9.0	07.6-10.4	380	9.4	08.0-10.8	308	7.9	06.5-09.3	250	5.6	04.6-06.6
Male	1505	319,828	1171	73.9	70.4-77.4	82	7.7	05.2-10.2	96	7.3	05.3-09.3	83	6.9	04.7-09.1	73	4.2	03.0-05.4
Female	2700	353,774	1781	62.9	60.4-65.4	233	10.2	08.6-11.8	284	11.4	09.6-13.2	225	8.7	07.1-10.3	177	6.8	05.4-08.2
White/Non-Hisp	3365	505,767	2354	67.4	65.0-69.8	264	9.2	07.8-10.6	316	10.3	08.7-11.9	243	7.7	06.3-09.1	188	5.3	04.3-06.3
Black or Afr. Am./Non-Hisp	536	91,412	395	71.4	64.7-78.1	29	9.2	03.1-15.3	40	7.0	03.9-10.1	40	6.9	04.2-09.6	32	5.5	03.0-08.0
Oth. Race/Non-Hisp.	104	27,551	75	78.6	69.4-87.8	9	6.7	01.6-11.8	7	5.4	00.1-10.7	6	4.7	00.0-09.4	7	4.6	00.7-08.5
MultiRacial/Non-Hisp.	56	10,789				4	5.6	00.0-12.9	1	0.6	00.0-01.8				8	9.5	00.7-18.3
Hispanic	111	33,592				9	10.3	02.3-18.3	14	9.2	01.8-16.6				13	9.2	02.5-15.9
18-24	129	83,773				14	11.7	04.1-19.3	18	13.5	06.8-20.2	13	10.8	03.9-17.7	7	5.2	00.9-09.5
25-34	324	110,453	204	64.7	58.4-71.0	37	12.6	08.3-16.9	41	11.9	07.8-16.0	25	6.6	03.7-09.5	17	4.1	01.6-06.6
35-44	551	118,826	330	62.2	57.3-67.1	61	9.6	06.9-12.3	59	10.1	07.4-12.8	57	11.4	08.1-14.7	44	6.7	04.3-09.1
45-54	769	127,723	479	65.4	61.5-69.3	62	8.8	06.4-11.2	87	10.2	07.8-12.6	79	9.0	06.8-11.2	62	6.6	04.6-08.6
55-64	957	101,747	662	71.4	67.9-74.9	70	7.5	05.5-09.5	93	7.7	05.7-09.7	65	5.6	04.0-07.2	67	7.8	05.4-10.2
65+	1425	126,906	1159	82.5	80.1-84.9	69	5.0	03.6-06.4	76	4.4	03.2-05.6	69	4.8	03.4-06.2	52	3.3	02.3-04.3
Less Than H.S.	275	40,922	178	62.3	52.5-72.1	7	3.6	00.3-06.9	23	10.1	03.2-17.0	29	12.3	05.6-19.0	38	11.5	06.4-16.6
H.S. or G.E.D.	1258	178,634	876	66.1	62.2-70.0	75	8.1	05.7-10.5	116	10.1	07.6-12.6	96	8.0	05.8-10.2	95	7.8	05.4-10.2
Some Post-H.S.	1097	192,748	747	64.9	60.2-69.6	96	10.8	07.3-14.3	92	8.9	06.2-11.6	83	8.7	05.8-11.6	79	6.7	04.7-08.7
College Graduate	1562	259,741	1141	72.9	70.0-75.8	136	9.1	07.1-11.1	149	9.3	07.3-11.3	99	6.4	04.6-08.2	37	2.3	01.3-03.3
Less than \$15,000	444	55,558	289	62.0	54.4-69.6	24	5.8	02.9-08.7	41	10.0	05.9-14.1	39	13.5	06.2-20.8	51	8.8	05.7-11.9
\$15,000- 24,999	416	49,355	234	53.0	45.0-61.0	21	3.7	01.9-05.5	39	12.5	06.0-19.0	52	13.4	08.5-18.3	70	17.4	12.1-22.7
\$25,000- 34,999	358	51,085	254	65.7	57.9-73.5	21	6.3	03.2-09.4	36	11.7	05.8-17.6	28	7.9	03.6-12.2	19	8.4	03.5-13.3
\$35,000- 49,999	561	80,983	393	68.5	62.8-74.2	41	7.4	04.5-10.3	53	8.9	06.0-11.8	49	10.2	05.7-14.7	25	5.1	02.4-07.8
\$50,000- 74,999	621	96,850	430	68.5	63.6-73.4	56	9.9	06.8-13.0	67	10.5	07.6-13.4	48	8.0	05.3-10.7	20	3.1	01.3-04.9
\$75,000+	1117	230,699	816	71.6	68.1-75.1	118	12.2	09.5-14.9	96	8.3	06.1-10.5	58	5.8	03.8-07.8	29	2.2	01.2-03.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1505	319,828	1171	73.9	70.4-77.4	82	7.7	05.2-10.2	96	7.3	05.3-09.3	83	6.9	04.7-09.1	73	4.2	03.0-05.4
White/Non-Hisp	1234	246,017	970	74.7	71.2-78.2	69	7.5	05.1-09.9	77	7.5	05.3-09.7	61	6.3	04.1-08.5	57	3.9	02.5-05.3
Black or Afr. Am./Non-Hisp	157	35,433							9	4.8	00.5-09.1	11	5.9	02.0-09.8	6	5.0	00.5-09.5
25-34	100	54,439	65	69.8	60.0-79.6	16	14.2	06.9-21.5	11	10.0	03.9-16.1	5	4.1	00.4-07.8	3	1.8	00.0-04.3
35-44	192	58,079	125	66.2	58.6-73.8	15	6.8	02.7-10.9	18	8.6	04.3-12.9	23	13.1	07.6-18.6	11	5.4	01.9-08.9
45-54	295	61,010	219	77.5	72.0-83.0	21	6.9	03.4-10.4	16	4.9	02.4-07.4	21	5.6	02.7-08.5	18	5.1	02.2-08.0
55-64	354	48,733	284	79.8	74.7-84.9	11	4.1	01.6-06.6	24	5.7	03.2-08.2	9	2.4	00.6-04.2	26	8.0	04.3-11.7
65+	511	55,046	442	86.2	82.7-89.7	16	3.4	01.6-05.2	19	3.6	01.6-05.6	20	4.2	01.8-06.6	14	2.6	01.2-04.0
Less Than H.S.	117	22,889				3	3.7	00.0-08.4	7	8.0	00.0-16.2				14	8.8	02.9-14.7
H.S. or G.E.D.	449	80,153	336	73.0	67.1-78.9	22	6.6	02.9-10.3	32	8.3	04.8-11.8	27	5.8	03.1-08.5	32	6.2	03.3-09.1
Some Post-H.S.	351	91,069	268	69.2	61.0-77.4	28	11.7	05.0-18.4	18	5.8	02.3-09.3	17	8.2	02.7-13.7	20	5.1	02.4-07.8
College Graduate	584	124,937	481	79.1	74.6-83.6	29	6.2	03.5-08.9	39	7.6	04.7-10.5	28	5.7	03.2-08.2	7	1.4	00.0-02.8
Less than \$15,000	140	25,503				6	2.7	00.2-05.2	10	9.8	02.7-16.9				16	7.7	03.0-12.4
\$15,000- 24,999	112	17,193				5	3.3	00.2-06.4	6	6.3	00.0-13.7	12	11.8	04.0-19.6	18	16.3	07.1-25.5
\$25,000- 34,999	123	22,921				8	7.6	02.1-13.1	10	9.2	01.0-17.4	6	7.8	00.0-16.0	4	6.3	00.0-13.6
\$35,000- 49,999	210	39,305	168	74.4	65.2-83.6	8	5.0	00.9-09.1	12	5.1	01.6-08.6	10	10.2	01.8-18.6	12	5.3	01.6-09.0
\$50,000- 74,999	238	46,438	186	75.4	68.0-82.8	12	7.6	02.7-12.5	19	8.8	04.1-13.5	13	4.9	01.8-08.0	8	3.3	00.2-06.4
\$75,000+	487	120,897	394	77.7	72.6-82.8	38	10.3	06.2-14.4	26	6.1	03.2-09.0	20	4.3	01.9-06.7	9	1.5	00.1-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2700	353,774	1781	62.9	60.4-65.4	233	10.2	08.6-11.8	284	11.4	09.6-13.2	225	8.7	07.1-10.3	177	6.8	05.4-08.2
White/Non-Hisp	2131	259,751	1384	60.5	57.6-63.4	195	10.7	08.9-12.5	239	13.0	10.8-15.2	182	9.1	07.3-10.9	131	6.7	05.1-08.3
Black or Afr. Am./Non-Hisp	379	55,979	270	70.3	63.6-77.0	23	8.0	04.1-11.9	31	8.4	04.1-12.7	29	7.5	03.8-11.2	26	5.8	02.7-08.9
Oth. Race/Non-Hisp.	60	14,379				7	9.8	01.4-18.2	2	2.2	00.0-05.3	2	2.5	00.0-06.0	3	3.5	00.0-08.4
Hispanic	69	15,443							9	7.8	01.7-13.9						
18-24	82	42,019				11	11.8	04.2-19.4	10	14.8	05.0-24.6	8	8.7	01.8-15.6	6	8.6	01.2-16.0
25-34	224	56,014	139	59.8	52.4-67.2	21	11.1	06.2-16.0	30	13.8	08.5-19.1	20	9.1	04.4-13.8	14	6.3	02.2-10.4
35-44	359	60,747	205	58.4	52.3-64.5	46	12.2	08.3-16.1	41	11.6	07.9-15.3	34	9.8	05.9-13.7	33	8.1	05.0-11.2
45-54	474	66,713	260	54.4	49.1-59.7	41	10.6	07.1-14.1	71	15.0	11.1-18.9	58	12.1	08.8-15.4	44	7.9	05.2-10.6
55-64	603	53,013	378	63.7	59.2-68.2	59	10.6	07.7-13.5	69	9.5	07.0-12.0	56	8.5	06.0-11.0	41	7.7	05.0-10.4
65+	914	71,860	717	79.6	76.5-82.7	53	6.3	04.1-08.5	57	5.1	03.7-06.5	49	5.2	03.4-07.0	38	3.8	02.4-05.2
Less Than H.S.	158	18,033				4	3.6	00.0-08.3				19	14.3	06.3-22.3	24	15.0	06.6-23.4
H.S. or G.E.D.	809	98,481	540	60.5	55.6-65.4	53	9.3	06.2-12.4	84	11.5	08.2-14.8	69	9.7	06.6-12.8	63	9.0	05.7-12.3
Some Post-H.S.	746	101,679	479	61.0	55.9-66.1	68	10.0	07.1-12.9	74	11.8	08.1-15.5	66	9.2	06.3-12.1	59	8.0	05.3-10.7
College Graduate	978	134,804	660	67.1	63.2-71.0	107	11.8	09.1-14.5	110	10.9	08.4-13.4	71	7.0	04.8-09.2	30	3.2	01.8-04.6
Less than \$15,000	304	30,056	193	61.8	54.2-69.4	18	8.4	03.5-13.3	31	10.1	05.4-14.8	27	10.0	05.7-14.3	35	9.7	05.8-13.6
\$15,000- 24,999	304	32,162	163	48.1	39.5-56.7	16	3.9	01.7-06.1	33	15.8	07.0-24.6	40	14.2	08.1-20.3	52	18.0	11.5-24.5
\$25,000- 34,999	235	28,165	159	63.0	53.6-72.4	13	5.2	01.5-08.9	26	13.7	05.7-21.7	22	8.0	04.1-11.9	15	10.1	03.4-16.8
\$35,000- 49,999	351	41,679	225	62.8	55.5-70.1	33	9.6	05.5-13.7	41	12.4	07.9-16.9	39	10.2	06.5-13.9	13	5.0	00.7-09.3
\$50,000- 74,999	383	50,412	244	62.1	56.0-68.2	44	12.0	07.9-16.1	48	12.0	08.1-15.9	35	10.8	06.5-15.1	12	3.0	01.2-04.8
\$75,000+	630	109,802	422	65.0	60.1-69.9	80	14.2	10.5-17.9	70	10.6	07.5-13.7	38	7.3	04.4-10.2	20	2.9	01.5-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2133	341,817	1215	57.9	54.8-61.0	221	11.8	09.4-14.2	264	13.1	10.7-15.5	229	9.6	07.8-11.4	204	7.6	06.0-09.2
Male	665	145,804	384	58.1	52.4-63.8	62	11.5	07.0-16.0	91	15.4	10.9-19.9	50	6.5	04.0-09.0	78	8.4	05.9-10.9
Female	1468	196,013	831	57.8	54.3-61.3	159	12.0	09.5-14.5	173	11.3	09.1-13.5	179	11.9	09.5-14.3	126	7.1	05.3-08.9
White/Non-Hisp	1722	260,256	972	57.6	54.3-60.9	195	12.3	09.9-14.7	214	12.7	10.3-15.1	182	9.9	07.7-12.1	159	7.6	05.8-09.4
Black or Afr. Am./Non-Hisp	249	42,163							27	9.9	05.4-14.4	34	11.0	05.7-16.3	23	6.3	03.4-09.2
Oth. Race/Non-Hisp.	50	10,111										3	5.6	00.0-12.7	7	7.6	01.1-14.1
Hispanic	70	21,998				4	3.4	00.0-06.9				6	3.7	00.0-07.4	7	7.6	00.0-15.6
18-24	75	49,446										8	11.4	03.0-19.8	2	3.3	00.0-07.8
25-34	161	52,346	100	63.3	54.3-72.3	21	12.1	06.2-18.0	21	11.7	06.2-17.2	9	6.1	01.6-10.6	10	6.8	01.7-11.9
35-44	313	66,552	182	59.3	52.6-66.0	39	13.0	08.1-17.9	42	15.1	10.0-20.2	32	7.7	04.6-10.8	18	4.9	02.4-07.4
45-54	426	66,054	233	60.0	54.5-65.5	39	7.7	05.0-10.4	59	13.4	09.7-17.1	54	11.0	07.5-14.5	41	7.9	04.8-11.0
55-64	491	49,596	263	51.6	46.1-57.1	73	16.9	12.6-21.2	54	10.8	07.3-14.3	55	11.2	07.7-14.7	46	9.5	06.4-12.6
65+	646	55,766	379	56.9	52.4-61.4	38	6.6	04.2-09.0	75	12.4	09.5-15.3	70	10.7	08.0-13.4	84	13.3	10.2-16.4
Less Than H.S.	157	22,168							18	12.0	04.0-20.0	29	10.2	05.9-14.5	38	18.3	10.7-25.9
H.S. or G.E.D.	653	94,132	378	59.0	53.5-64.5	50	7.2	04.5-09.9	83	13.8	10.1-17.5	71	10.5	06.8-14.2	71	9.5	06.4-12.6
Some Post-H.S.	592	104,316	338	57.7	51.0-64.4	54	10.5	05.0-16.0	70	13.6	08.3-18.9	67	9.5	06.6-12.4	63	8.7	05.6-11.8
College Graduate	723	120,161	430	59.4	54.3-64.5	108	16.1	12.2-20.0	92	12.3	09.2-15.4	62	8.9	05.8-12.0	31	3.3	01.7-04.9
Less than \$15,000	272	35,770	134	49.5	39.7-59.3	21	8.4	03.7-13.1				41	13.2	07.7-18.7	43	11.7	07.4-16.0
\$15,000- 24,999	281	32,279	119	47.6	38.4-56.8	13	3.6	01.4-05.8	39	16.7	10.0-23.4	50	14.4	09.3-19.5	60	17.7	12.4-23.0
\$25,000- 34,999	177	25,426							20	8.7	04.2-13.2	23	14.0	06.0-22.0	17	16.4	06.4-26.4
\$35,000- 49,999	267	39,457	168	58.1	48.7-67.5	27	15.7	07.1-24.3	34	13.4	06.1-20.7	24	6.1	03.4-08.8	14	6.6	01.7-11.5
\$50,000- 74,999	324	50,417	187	62.8	55.9-69.7	41	10.5	06.8-14.2	47	13.9	09.4-18.4	27	7.5	04.0-11.0	22	5.3	02.2-08.4
\$75,000+	500	105,948	327	65.9	60.2-71.6	64	12.0	08.3-15.7	57	10.5	07.2-13.8	36	9.1	05.0-13.2	16	2.5	00.9-04.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	665	145,804	384	58.1	52.4-63.8	62	11.5	07.0-16.0	91	15.4	10.9-19.9	50	6.5	04.0-09.0	78	8.4	05.9-10.9
White/Non-Hisp	544	111,399	309	57.3	51.4-63.2	55	11.7	07.6-15.8	75	14.7	10.2-19.2	41	7.5	04.2-10.8	64	8.9	05.8-12.0
Black or Afr. Am./Non-Hisp	59	13,487							6	7.4	00.1-14.7	5	4.5	00.0-09.2	6	5.6	00.3-10.9
35-44	100	29,915				11	12.3	03.5-21.1	16	18.2	08.8-27.6	5	4.3	00.4-08.2	4	3.1	00.0-06.6
45-54	132	25,157				8	4.0	00.9-07.1	18	14.1	07.0-21.2	10	7.1	01.8-12.4	17	12.6	05.5-19.7
55-64	153	21,224	75	48.6	39.0-58.2	26	19.6	11.6-27.6	21	12.7	06.2-19.2	11	7.5	02.2-12.8	20	11.6	05.7-17.5
65+	204	21,627	115	54.5	46.5-62.5	10	7.1	02.4-11.8	25	14.3	08.6-20.0	20	8.2	04.3-12.1	34	15.9	09.8-22.0
Less Than H.S.	62	11,039										6	3.3	00.2-06.4			
H.S. or G.E.D.	210	38,355	125	59.2	49.6-68.8	12	6.1	01.2-11.0	34	16.2	09.5-22.9	16	9.1	02.0-16.2	23	9.4	04.3-14.5
Some Post-H.S.	161	45,306										12	4.7	01.6-07.8	21	9.3	03.8-14.8
College Graduate	231	50,707	139	62.1	53.9-70.3	32	14.4	08.1-20.7	30	12.0	06.9-17.1	16	7.0	02.7-11.3	14	4.6	01.1-08.1
Less than \$15,000	81	16,595				3	5.7	00.0-13.1				6	3.3	00.0-06.6	17	12.0	04.6-19.4
\$15,000- 24,999	69	9,696				1	1.1	00.0-03.3				8	8.8	01.5-16.1			
\$25,000- 34,999	52	10,089							8	11.2	02.4-20.0						
\$35,000- 49,999	86	17,124										4	3.3	00.0-07.0	5	6.5	00.4-12.6
\$50,000- 74,999	118	22,861				17	9.9	04.4-15.4	15	11.5	04.8-18.2	11	6.6	01.3-11.9	9	7.1	00.6-13.6
\$75,000+	176	47,156	117	68.1	58.9-77.3	20	10.9	04.8-17.0	21	11.2	05.1-17.3	9	6.4	00.7-12.1	9	3.4	00.3-06.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1468	196,013	831	57.8	54.3-61.3	159	12.0	09.5-14.5	173	11.3	09.1-13.5	179	11.9	09.5-14.3	126	7.1	05.3-08.9
White/Non-Hisp	1178	148,857	663	57.7	53.8-61.6	140	12.8	10.1-15.5	139	11.2	08.8-13.6	141	11.8	09.1-14.5	95	6.6	04.8-08.4
Black or Afr. Am./Non-Hisp	190	28,676				12	9.9	00.7-19.1	21	11.1	05.6-16.6	29	14.0	06.9-21.1	17	6.6	03.3-09.9
25-34	114	28,604				16	13.1	06.2-20.0	15	14.8	07.0-22.6	7	7.2	00.7-13.7	8	7.4	00.9-13.9
35-44	213	36,637	118	57.1	49.5-64.7	28	13.6	08.5-18.7	26	12.7	07.4-18.0	27	10.4	05.7-15.1	14	6.3	02.8-09.8
45-54	294	40,898	154	58.7	52.2-65.2	31	9.9	06.0-13.8	41	13.0	08.7-17.3	44	13.5	09.0-18.0	24	5.0	02.8-07.2
55-64	338	28,372	188	53.9	47.4-60.4	47	14.9	10.2-19.6	33	9.3	05.8-12.8	44	13.9	09.2-18.6	26	7.9	04.4-11.4
65+	442	34,139	264	58.4	52.9-63.9	28	6.4	03.9-08.9	50	11.3	08.0-14.6	50	12.3	08.4-16.2	50	11.6	08.1-15.1
Less Than H.S.	95	11,129							13	10.3	02.1-18.5	23	16.9	08.7-25.1			
H.S. or G.E.D.	443	55,777	253	58.8	52.3-65.3	38	8.0	04.9-11.1	49	12.2	08.1-16.3	55	11.4	07.3-15.5	48	9.5	05.8-13.2
Some Post-H.S.	431	59,010	247	60.8	54.5-67.1	39	8.5	04.8-12.2	48	9.3	06.2-12.4	55	13.2	08.7-17.7	42	8.2	04.7-11.7
College Graduate	492	69,454	291	57.4	51.1-63.7	76	17.3	12.2-22.4	62	12.6	08.9-16.3	46	10.4	05.9-14.9	17	2.4	01.0-03.8
Less than \$15,000	191	19,175	92	47.6	38.2-57.0	18	10.7	04.8-16.6	20	8.7	04.2-13.2	35	21.7	13.1-30.3	26	11.3	06.6-16.0
\$15,000- 24,999	212	22,583				12	4.7	01.8-07.6	29	14.7	07.4-22.0	42	16.8	10.1-23.5	35	14.3	08.6-20.0
\$25,000- 34,999	125	15,337							12	7.0	02.3-11.7	20	12.4	06.1-18.7			
\$35,000- 49,999	181	22,333							21	11.1	05.4-16.8	20	8.2	04.1-12.3	9	6.7	00.0-14.0
\$50,000- 74,999	206	27,556	121	61.2	53.2-69.2	24	11.0	06.3-15.7	32	15.9	10.0-21.8	16	8.2	03.5-12.9	13	3.7	01.3-06.1
\$75,000+	324	58,792	210	64.2	57.1-71.3	44	13.0	08.5-17.5	36	9.9	06.0-13.8	27	11.2	05.5-16.9	7	1.7	00.3-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4237	675,547	3962	90.0	88.2-91.8	275	10.0	08.2-11.8
Male	1521	320,553	1398	88.4	85.5-91.3	123	11.6	08.7-14.5
Female	2716	354,994	2564	91.4	89.4-93.4	152	8.6	06.6-10.6
White/Non-Hisp	3391	506,582	3207	93.0	91.6-94.4	184	7.0	05.6-08.4
Black or Afr. Am./Non-Hisp	539	92,261	493	84.5	77.4-91.6	46	15.5	08.4-22.6
MultiRacial/Non-Hisp.	55	10,678	49	90.7	81.5-99.9	6	9.3	00.1-18.5
18-24	127	81,965	104	75.4	65.4-85.4	23	24.6	14.6-34.6
25-34	325	110,709	292	87.2	82.1-92.3	33	12.8	07.7-17.9
35-44	553	119,013	506	89.9	86.8-93.0	47	10.1	07.0-13.2
45-54	775	128,917	704	91.7	89.5-93.9	71	8.3	06.1-10.5
55-64	965	102,335	888	92.2	89.8-94.6	77	7.8	05.4-10.2
65+	1441	128,170	1424	98.7	97.9-99.5	17	1.3	00.5-02.1
H.S. or G.E.D.	1275	180,878	1177	90.4	88.0-92.8	98	9.6	07.2-12.0
Some Post-H.S.	1100	191,507	1029	87.9	83.4-92.4	71	12.1	07.6-16.6
College Graduate	1574	261,718	1506	93.8	91.8-95.8	68	6.2	04.2-08.2
Less than \$15,000	451	56,087	395	79.3	72.2-86.4	56	20.7	13.6-27.8
\$15,000- 24,999	422	49,798	358	76.1	68.3-83.9	64	23.9	16.1-31.7
\$25,000- 34,999	361	51,380	329	85.4	78.9-91.9	32	14.6	08.1-21.1
\$35,000- 49,999	562	80,157	534	92.7	88.6-96.8	28	7.3	03.2-11.4
\$50,000- 74,999	624	97,246	590	91.0	86.9-95.1	34	9.0	04.9-13.1
\$75,000+	1123	230,618	1099	97.4	96.0-98.8	24	2.6	01.2-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Male	1521	320,553	1398	88.4	85.5-91.3	123	11.6	08.7-14.5	
White/Non-Hisp	1245	245,562	1161	92.2	90.0-94.4	84	7.8	05.6-10.0	
25-34	100	54,439	86	83.9	74.9-92.9	14	16.1	07.1-25.1	
35-44	193	58,221	170	87.5	82.2-92.8	23	12.5	07.2-17.8	
45-54	300	62,120	264	90.0	86.3-93.7	36	10.0	06.3-13.7	
55-64	357	49,050	326	91.7	88.0-95.4	31	8.3	04.6-12.0	
65+	518	55,586	509	97.9	96.1-99.7	9	2.1	00.3-03.9	
H.S. or G.E.D.	458	81,676	414	89.9	86.4-93.4	44	10.1	06.6-13.6	
Some Post-H.S.	352	89,901	322	83.6	75.6-91.6	30	16.4	08.4-24.4	
College Graduate	590	126,230	559	93.3	90.4-96.2	31	6.7	03.8-09.6	
\$25,000- 34,999	126	23,216	112	85.8	76.8-94.8	14	14.2	05.2-23.2	
\$35,000- 49,999	210	38,446	202	95.5	91.6-99.4	8	4.5	00.6-08.4	
\$50,000- 74,999	240	46,692	224	88.9	81.5-96.3	16	11.1	03.7-18.5	
\$75,000+	487	119,963	473	97.1	95.3-98.9	14	2.9	01.1-04.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	354,994	2564	91.4	89.4-93.4	152	8.6	06.6-10.6
White/Non-Hisp	2146	261,020	2046	93.7	91.9-95.5	100	6.3	04.5-08.1
Black or Afr. Am./Non-Hisp	379	56,028	348	88.2	82.9-93.5	31	11.8	06.5-17.1
25-34	225	56,270	206	90.4	85.5-95.3	19	9.6	04.7-14.5
35-44	360	60,792	336	92.1	88.6-95.6	24	7.9	04.4-11.4
45-54	475	66,797	440	93.2	90.8-95.6	35	6.8	04.4-09.2
55-64	608	53,285	562	92.7	90.0-95.4	46	7.3	04.6-10.0
65+	923	72,584	915	99.2	98.6-99.8	8	0.8	00.2-01.4
H.S. or G.E.D.	817	99,202	763	90.8	87.7-93.9	54	9.2	06.1-12.3
Some Post-H.S.	748	101,606	707	91.6	87.5-95.7	41	8.4	04.3-12.5
College Graduate	984	135,488	947	94.4	91.9-96.9	37	5.6	03.1-08.1
Less than \$15,000	309	30,459	279	88.3	83.0-93.6	30	11.7	06.4-17.0
\$15,000- 24,999	307	32,379	269	79.9	71.9-87.9	38	20.1	12.1-28.1
\$25,000- 34,999	235	28,165	217	85.0	75.8-94.2	18	15.0	05.8-24.2
\$35,000- 49,999	352	41,711	332	90.1	83.2-97.0	20	9.9	03.0-16.8
\$50,000- 74,999	384	50,554	366	93.0	89.1-96.9	18	7.0	03.1-10.9
\$75,000+	636	110,654	626	97.6	95.8-99.4	10	2.4	00.6-04.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4239	675,322	3228	75.2	73.2-77.2	716	14.3	12.9-15.7	295	10.5	08.9-12.1
Male	1520	319,871	1159	75.8	72.7-78.9	210	10.7	08.5-12.9	151	13.5	10.8-16.2
Female	2719	355,450	2069	74.7	72.3-77.1	506	17.5	15.5-19.5	144	7.8	06.0-09.6
White/Non-Hisp	3390	506,127	2593	76.0	73.8-78.2	586	14.8	13.2-16.4	211	9.2	07.6-10.8
Black or Afr. Am./Non-Hisp	541	92,444	407	73.9	68.2-79.6	85	13.1	09.4-16.8	49	13.0	08.3-17.7
Oth. Race/Non-Hisp.	107	28,146				9	8.0	01.7-14.3			
Hispanic	112	33,325				12	10.2	00.6-19.8	15	14.3	04.5-24.1
18-24	126	81,344	87	69.4	59.8-79.0	10	7.3	02.0-12.6	29	23.3	14.5-32.1
25-34	325	110,709	234	72.0	65.9-78.1	34	9.9	05.8-14.0	57	18.2	13.1-23.3
35-44	554	119,339	411	74.3	70.0-78.6	95	15.4	11.9-18.9	48	10.3	07.0-13.6
45-54	777	129,258	589	75.5	71.8-79.2	125	16.9	13.6-20.2	63	7.6	05.4-09.8
55-64	966	102,256	779	82.8	79.9-85.7	139	12.6	10.1-15.1	48	4.6	02.8-06.4
65+	1440	127,978	1085	76.2	73.7-78.7	310	20.4	18.0-22.8	45	3.4	02.2-04.6
Less Than H.S.	277	40,158	210	69.6	60.2-79.0	44	9.2	05.5-12.9	23	21.2	11.8-30.6
H.S. or G.E.D.	1274	180,319	946	72.8	69.3-76.3	226	16.3	13.6-19.0	102	10.9	08.2-13.6
Some Post-H.S.	1102	191,783	824	73.9	69.8-78.0	200	15.1	12.0-18.2	78	11.0	07.7-14.3
College Graduate	1574	261,718	1238	78.6	75.9-81.3	245	13.2	11.2-15.2	91	8.2	05.8-10.6
Less than \$15,000	452	56,198	325	72.8	66.5-79.1	88	16.9	12.4-21.4	39	10.3	05.6-15.0
\$15,000- 24,999	421	49,584	283	62.1	54.1-70.1	95	19.7	14.0-25.4	43	18.1	10.5-25.7
\$25,000- 34,999	361	51,380	269	68.9	61.3-76.5	65	17.1	11.6-22.6	27	14.0	07.1-20.9
\$35,000- 49,999	562	80,157	450	77.1	72.2-82.0	74	12.0	08.7-15.3	38	10.8	06.7-14.9
\$50,000- 74,999	624	97,246	488	78.2	73.5-82.9	94	11.8	08.9-14.7	42	10.0	05.7-14.3
\$75,000+	1123	230,429	894	80.6	77.5-83.7	174	13.3	10.8-15.8	55	6.1	04.1-08.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1520	319,871	1159	75.8	72.7-78.9	210	10.7	08.5-12.9	151	13.5	10.8-16.2
White/Non-Hisp	1244	245,160	953	76.5	73.2-79.8	180	11.0	08.8-13.2	111	12.5	09.6-15.4
Black or Afr. Am./Non-Hisp	160	36,234				19	8.6	03.7-13.5	22	18.6	09.2-28.0
25-34	100	54,439				8	6.9	00.4-13.4	30	26.1	16.9-35.3
35-44	193	58,221	147	75.9	68.8-83.0	17	9.2	04.3-14.1	29	14.9	09.2-20.6
45-54	301	62,322	231	77.4	71.7-83.1	36	13.1	08.2-18.0	34	9.6	06.1-13.1
55-64	357	48,948	289	82.7	78.0-87.4	44	11.4	07.5-15.3	24	5.9	03.0-08.8
65+	518	55,586	393	77.8	73.7-81.9	103	17.4	13.7-21.1	22	4.8	02.4-07.2
Less Than H.S.	118	22,077				19	7.7	02.8-12.6			
H.S. or G.E.D.	457	81,286	329	69.6	63.5-75.7	68	13.4	08.9-17.9	60	17.0	11.9-22.1
Some Post-H.S.	352	89,713	265	75.8	68.7-82.9	53	11.0	06.3-15.7	34	13.3	07.4-19.2
College Graduate	590	126,230	478	80.5	76.0-85.0	69	9.4	06.7-12.1	43	10.1	06.2-14.0
Less than \$15,000	143	25,739				25	13.2	06.5-19.9	17	12.7	03.7-21.7
\$15,000- 24,999	114	17,205				21	13.4	05.6-21.2			
\$25,000- 34,999	126	23,216				21	10.2	04.3-16.1			
\$35,000- 49,999	210	38,446	156	72.5	64.5-80.5	31	12.1	07.0-17.2	23	15.4	08.5-22.3
\$50,000- 74,999	240	46,692	191	78.0	69.8-86.2	24	7.4	03.7-11.1	25	14.6	07.0-22.2
\$75,000+	487	119,775	398	81.6	76.9-86.3	59	10.4	06.7-14.1	30	7.9	04.6-11.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	355,450	2069	74.7	72.3-77.1	506	17.5	15.5-19.5	144	7.8	06.0-09.6
White/Non-Hisp	2146	260,967	1640	75.5	73.0-78.0	406	18.4	16.2-20.6	100	6.1	04.5-07.7
Black or Afr. Am./Non-Hisp	381	56,210	288	74.6	68.1-81.1	66	16.0	10.9-21.1	27	9.4	04.5-14.3
Oth. Race/Non-Hisp.	61	14,533				5	7.4	00.0-14.8			
Hispanic	70	15,518				9	9.1	02.2-16.0			
18-24	82	42,019				8	9.9	02.1-17.7			
25-34	225	56,270	172	76.8	70.5-83.1	26	12.7	07.6-17.8	27	10.5	06.4-14.6
35-44	361	61,118	264	72.8	67.5-78.1	78	21.4	16.5-26.3	19	5.9	02.8-09.0
45-54	476	66,936	358	73.7	69.0-78.4	89	20.5	16.2-24.8	29	5.8	03.4-08.2
55-64	609	53,308	490	82.8	79.3-86.3	95	13.7	10.6-16.8	24	3.4	01.6-05.2
65+	922	72,392	692	74.9	71.6-78.2	207	22.7	19.6-25.8	23	2.3	01.3-03.3
Less Than H.S.	159	18,081				25	11.0	05.7-16.3			
H.S. or G.E.D.	817	99,034	617	75.4	71.3-79.5	158	18.7	15.2-22.2	42	5.9	03.5-08.3
Some Post-H.S.	750	102,071	559	72.3	67.4-77.2	147	18.7	14.6-22.8	44	9.0	05.1-12.9
College Graduate	984	135,488	760	77.0	73.5-80.5	176	16.7	14.0-19.4	48	6.4	04.0-08.8
Less than \$15,000	309	30,459	224	71.7	64.8-78.6	63	20.1	14.0-26.2	22	8.2	03.9-12.5
\$15,000- 24,999	307	32,379	209	62.1	53.3-70.9	74	23.1	15.7-30.5	24	14.8	07.4-22.2
\$25,000- 34,999	235	28,165	175	65.3	55.5-75.1	44	22.8	14.8-30.8	16	12.0	03.4-20.6
\$35,000- 49,999	352	41,711	294	81.5	75.4-87.6	43	11.9	07.6-16.2	15	6.6	01.7-11.5
\$50,000- 74,999	384	50,554	297	78.3	73.2-83.4	70	15.9	11.8-20.0	17	5.9	02.4-09.4
\$75,000+	636	110,654	496	79.5	75.6-83.4	115	16.4	12.9-19.9	25	4.1	02.1-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4241	678,376	415	11.7	09.9-13.5	3826	88.3	86.5-90.1
Male	1523	322,900	112	10.4	07.5-13.3	1411	89.6	86.7-92.5
Female	2718	355,477	303	12.8	10.8-14.8	2415	87.2	85.2-89.2
White/Non-Hisp	3394	509,202	278	9.2	07.6-10.8	3116	90.8	89.2-92.4
Black or Afr. Am./Non-Hisp	538	92,033	85	18.7	12.2-25.2	453	81.3	74.8-87.8
Oth. Race/Non-Hisp.	107	28,146	13	10.2	04.1-16.3	94	89.8	83.7-95.9
18-24	130	84,358	20	16.7	07.9-25.5	110	83.3	74.5-92.1
25-34	325	110,709	47	17.1	11.6-22.6	278	82.9	77.4-88.4
35-44	555	119,550	74	11.6	08.5-14.7	481	88.4	85.3-91.5
45-54	775	128,961	111	12.1	09.6-14.6	664	87.9	85.4-90.4
55-64	966	102,358	88	9.8	07.3-12.3	878	90.2	87.7-92.7
65+	1439	128,002	71	5.0	03.6-06.4	1368	95.0	93.6-96.4
Less Than H.S.	276	41,036	40	14.6	08.7-20.5	236	85.4	79.5-91.3
H.S. or G.E.D.	1275	180,806	149	15.8	12.5-19.1	1126	84.2	80.9-87.5
Some Post-H.S.	1105	193,558	129	13.4	09.5-17.3	976	86.6	82.7-90.5
College Graduate	1572	261,421	96	7.2	05.2-09.2	1476	92.8	90.8-94.8
Less than \$15,000	450	56,030	92	22.4	16.9-27.9	358	77.6	72.1-83.1
\$15,000- 24,999	421	49,686	81	21.1	15.2-27.0	340	78.9	73.0-84.8
\$25,000- 34,999	361	51,380	49	19.2	12.7-25.7	312	80.8	74.3-87.3
\$35,000- 49,999	562	81,148	47	13.2	08.1-18.3	515	86.8	81.7-91.9
\$50,000- 74,999	624	97,246	43	8.8	04.7-12.9	581	91.2	87.1-95.3
\$75,000+	1125	231,992	47	4.4	02.6-06.2	1078	95.6	93.8-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1523	322,900	112	10.4	07.5-13.3	1411	89.6	86.7-92.5
White/Non-Hisp	1249	248,209	74	7.5	05.1-09.9	1175	92.5	90.1-94.9
25-34	100	54,439	16	19.0	09.6-28.4	84	81.0	71.6-90.4
35-44	194	58,432	20	9.4	04.9-13.9	174	90.6	86.1-95.1
45-54	300	62,094	28	8.2	04.7-11.7	272	91.8	88.3-95.3
55-64	357	49,050	23	7.0	03.5-10.5	334	93.0	89.5-96.5
65+	517	55,514	19	3.5	01.3-05.7	498	96.5	94.3-98.7
Less Than H.S.	117	22,955	15	9.6	03.1-16.1	102	90.4	83.9-96.9
H.S. or G.E.D.	458	81,676	47	15.8	09.9-21.7	411	84.2	78.3-90.1
Some Post-H.S.	355	91,487	29	13.7	06.3-21.1	326	86.3	78.9-93.7
College Graduate	589	126,002	21	4.8	02.3-07.3	568	95.2	92.7-97.7
Less than \$15,000	142	25,667	29	19.5	10.9-28.1	113	80.5	71.9-89.1
\$15,000- 24,999	114	17,308	15	15.5	05.9-25.1	99	84.5	74.9-94.1
\$25,000- 34,999	126	23,216	12	15.3	05.7-24.9	114	84.7	75.1-94.3
\$35,000- 49,999	211	39,506	13	10.1	03.6-16.6	198	89.9	83.4-96.4
\$50,000- 74,999	240	46,692	9	8.2	00.4-16.0	231	91.8	84.0-99.6
\$75,000+	489	121,338	16	3.7	01.2-06.2	473	96.3	93.8-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2718	355,477	303	12.8	10.8-14.8	2415	87.2	85.2-89.2
White/Non-Hisp	2145	260,993	204	10.9	08.9-12.9	1941	89.1	87.1-91.1
Black or Afr. Am./Non-Hisp	381	56,210	68	19.0	12.9-25.1	313	81.0	74.9-87.1
Oth. Race/Non-Hisp.	61	14,533	8	11.3	02.9-19.7	53	88.7	80.3-97.1
18-24	82	42,019	15	16.4	06.8-26.0	67	83.6	74.0-93.2
25-34	225	56,270	31	15.2	09.3-21.1	194	84.8	78.9-90.7
35-44	361	61,118	54	13.8	09.7-17.9	307	86.2	82.1-90.3
45-54	475	66,866	83	15.6	11.9-19.3	392	84.4	80.7-88.1
55-64	609	53,308	65	12.3	08.8-15.8	544	87.7	84.2-91.2
65+	922	72,488	52	6.2	04.2-08.2	870	93.8	91.8-95.8
Less Than H.S.	159	18,081	25	20.9	10.9-30.9	134	79.1	69.1-89.1
H.S. or G.E.D.	817	99,129	102	15.8	11.9-19.7	715	84.2	80.3-88.1
Some Post-H.S.	750	102,071	100	13.2	10.1-16.3	650	86.8	83.7-89.9
College Graduate	983	135,418	75	9.4	06.3-12.5	908	90.6	87.5-93.7
Less than \$15,000	308	30,364	63	24.9	17.8-32.0	245	75.1	68.0-82.2
\$15,000- 24,999	307	32,379	66	24.1	16.8-31.4	241	75.9	68.6-83.2
\$25,000- 34,999	235	28,165	37	22.5	14.1-30.9	198	77.5	69.1-85.9
\$35,000- 49,999	351	41,641	34	16.2	08.6-23.8	317	83.8	76.2-91.4
\$50,000- 74,999	384	50,554	34	9.2	05.9-12.5	350	90.8	87.5-94.1
\$75,000+	636	110,654	31	5.2	02.8-07.6	605	94.8	92.4-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4225	673,976	3492	76.1	73.9-78.3	409	14.1	12.3-15.9	167	5.1	04.1-06.1	139	4.3	03.3-05.3	18	0.5	00.1-00.9
Male	1523	321,872	1202	71.6	68.1-75.1	170	16.1	13.0-19.2	65	5.7	03.7-07.7	77	5.8	04.0-07.6	9	0.8	00.2-01.4
Female	2702	352,104	2290	80.1	77.7-82.5	239	12.2	10.2-14.2	102	4.6	03.4-05.8	62	2.8	01.8-03.8	9	0.2	00.0-00.4
White/Non-Hisp	3380	505,738	2801	76.6	74.4-78.8	313	12.9	11.1-14.7	137	5.6	04.2-07.0	116	4.5	03.5-05.5	13	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	539	92,229	454	74.3	67.0-81.6	59	18.8	11.7-25.9	10	1.7	00.3-03.1	12	3.9	01.0-06.8	4	1.3	00.0-02.9
Oth. Race/Non-Hisp.	105	27,093	77	74.9	65.1-84.7	14	14.6	06.8-22.4	10	7.1	02.2-12.0	4	3.4	00.0-07.3			
MultiRacial/Non-Hisp.	56	10,789				5	5.4	00.0-11.3	1	5.5	00.0-15.9	2	5.0	00.0-12.8			
Hispanic	113	33,716							8	5.9	01.4-10.4	4	2.7	00.0-06.2			
18-24	127	82,849				22	24.3	14.3-34.3	6	5.1	00.4-09.8	3	1.5	00.0-03.5	1	0.7	00.0-02.1
25-34	321	109,582	231	68.1	61.6-74.6	53	18.0	12.7-23.3	20	7.1	03.6-10.6	14	6.0	02.5-09.5	3	0.8	00.0-02.0
35-44	553	118,267	398	68.7	63.8-73.6	90	17.4	13.7-21.1	38	7.4	04.5-10.3	25	6.4	03.5-09.3	2	0.1	00.0-00.3
45-54	774	128,780	589	74.0	70.3-77.7	104	15.0	11.9-18.1	45	6.3	04.1-08.5	32	4.0	02.4-05.6	4	0.7	00.0-01.5
55-64	965	102,372	810	83.4	80.3-86.5	87	9.3	06.9-11.7	35	3.6	02.0-05.2	31	3.6	01.8-05.4	2	0.1	00.0-00.3
65+	1436	127,798	1328	90.9	88.9-92.9	52	4.2	02.8-05.6	21	1.5	00.7-02.3	31	3.1	01.7-04.5	4	0.3	00.0-00.7
Less Than H.S.	278	41,219	237	78.2	69.4-87.0	20	10.7	03.3-18.1	7	4.9	00.4-09.4	14	6.1	02.0-10.2			
H.S. or G.E.D.	1270	179,213	1070	79.3	76.0-82.6	97	10.7	08.2-13.2	56	4.8	03.2-06.4	41	4.5	02.9-06.1	6	0.6	00.0-01.4
Some Post-H.S.	1099	192,060	927	76.5	71.8-81.2	106	14.7	10.4-19.0	27	3.5	01.3-05.7	36	4.9	02.7-07.1	3	0.4	00.0-01.0
College Graduate	1565	259,927	1251	73.4	70.1-76.7	185	16.4	13.7-19.1	75	6.4	04.4-08.4	46	3.2	01.8-04.6	8	0.5	00.0-01.1
Less than \$15,000	449	55,281	371	79.2	73.1-85.3	44	11.1	07.0-15.2	17	3.4	01.4-05.4	15	6.2	01.5-10.9	2	0.1	00.0-00.3
\$15,000- 24,999	422	49,798	358	76.2	67.8-84.6	24	9.4	03.1-15.7	19	8.6	02.1-15.1	21	5.9	02.4-09.4			
\$25,000- 34,999	358	50,641	309	77.6	70.3-84.9	27	14.4	07.9-20.9	11	5.0	01.3-08.7	10	3.0	00.5-05.5	1	0.0	00.0-00.0
\$35,000- 49,999	562	81,193	477	77.4	71.5-83.3	47	13.8	08.3-19.3	19	4.1	01.9-06.3	18	4.6	02.1-07.1	1	0.1	00.0-00.3
\$50,000- 74,999	622	97,045	515	79.8	75.1-84.5	61	11.6	07.5-15.7	24	5.0	02.5-07.5	17	2.4	01.0-03.8	5	1.2	00.0-02.4
\$75,000+	1121	230,046	878	73.2	69.5-76.9	148	16.0	13.1-18.9	59	6.6	04.4-08.8	33	3.9	02.3-05.5	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1523	321,872	1202	71.6	68.1-75.1	170	16.1	13.0-19.2	65	5.7	03.7-07.7	77	5.8	04.0-07.6	9	0.8	00.2-01.4
White/Non-Hisp	1247	247,563	983	72.8	69.1-76.5	141	14.6	11.7-17.5	53	6.2	03.8-08.6	64	5.8	04.0-07.6	6	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	160	36,234							5	2.8	00.0-06.1	6	7.9	00.6-15.2	2	2.7	00.0-06.4
25-34	99	53,887				16	17.2	08.6-25.8	11	10.0	03.7-16.3	8	8.5	02.0-15.0	1	1.0	00.0-03.0
35-44	193	57,638	124	63.6	55.8-71.4	41	20.8	14.5-27.1	12	7.0	01.9-12.1	15	8.4	03.9-12.9	1	0.2	00.0-00.6
45-54	301	62,322	224	72.9	66.8-79.0	42	14.6	09.7-19.5	15	5.6	02.3-08.9	18	5.6	02.7-08.5	2	1.3	00.0-03.1
55-64	358	49,162	291	81.0	75.7-86.3	36	10.2	06.3-14.1	18	4.6	02.1-07.1	13	4.2	01.3-07.1			
65+	517	55,493	465	88.3	84.8-91.8	22	4.8	02.6-07.0	6	1.2	00.0-02.4	20	5.0	02.3-07.7	4	0.7	00.0-01.5
Less Than H.S.	119	23,138							6	6.7	00.0-13.8	8	7.4	01.3-13.5			
H.S. or G.E.D.	456	81,031	366	76.5	71.2-81.8	40	10.1	06.2-14.0	23	5.5	02.8-08.2	23	6.8	03.7-09.9	4	1.1	00.0-02.7
Some Post-H.S.	355	91,487	290	70.1	61.5-78.7	37	19.5	11.3-27.7	8	3.6	00.0-07.3	18	5.9	02.4-09.4	2	0.9	00.0-02.1
College Graduate	589	125,436	449	69.6	64.3-74.9	83	18.0	13.7-22.3	27	7.0	03.7-10.3	28	4.8	02.3-07.3	2	0.6	00.0-01.6
Less than \$15,000	142	25,187				18	13.5	05.9-21.1	7	3.4	00.5-06.3	7	7.4	00.0-16.0	1	0.2	00.0-00.6
\$15,000- 24,999	115	17,419										10	8.9	01.1-16.7			
\$25,000- 34,999	125	23,122							1	2.0	00.0-05.9	4	4.3	00.0-09.4			
\$35,000- 49,999	211	39,506	176	74.4	65.0-83.8	17	14.1	05.5-22.7	9	5.0	01.1-08.9	9	6.6	02.1-11.1			
\$50,000- 74,999	240	46,692	196	77.4	69.0-85.8	20	11.0	03.7-18.3	10	5.8	01.3-10.3	11	3.9	01.2-06.6	3	2.1	00.0-04.5
\$75,000+	488	120,544	372	71.3	65.8-76.8	71	17.1	12.6-21.6	24	6.9	03.4-10.4	19	4.2	02.0-06.4	2	0.6	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2702	352,104	2290	80.1	77.7-82.5	239	12.2	10.2-14.2	102	4.6	03.4-05.8	62	2.8	01.8-03.8	9	0.2	00.0-00.4
White/Non-Hisp	2133	258,175	1818	80.2	77.7-82.7	172	11.2	09.0-13.4	84	5.1	03.7-06.5	52	3.2	02.0-04.4	7	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	379	55,995	321	81.1	74.6-87.6	45	16.3	09.8-22.8	5	0.9	00.0-01.9	6	1.3	00.1-02.5	2	0.3	00.0-00.7
Oth. Race/Non-Hisp.	60	14,274							6	7.6	01.3-13.9	2	5.3	00.0-12.4			
Hispanic	70	15,518				8	12.1	02.3-21.9	6	9.1	01.1-17.1	1	1.0	00.0-03.0			
18-24	79	40,510							3	4.4	00.0-09.5	2	1.5	00.0-04.0			
25-34	222	55,695	168	72.8	65.9-79.7	37	18.8	12.7-24.9	9	4.2	01.3-07.1	6	3.6	00.5-06.7	2	0.6	00.0-01.4
35-44	360	60,629	274	73.4	67.9-78.9	49	14.3	10.2-18.4	26	7.7	04.6-10.8	10	4.6	01.1-08.1	1	0.0	00.0-00.0
45-54	473	66,458	365	74.9	70.2-79.6	62	15.4	11.5-19.3	30	6.9	04.2-09.6	14	2.5	01.1-03.9	2	0.3	00.0-00.7
55-64	607	53,211	519	85.6	82.3-88.9	51	8.6	05.9-11.3	17	2.6	01.0-04.2	18	3.1	01.3-04.9	2	0.2	00.0-00.4
65+	919	72,305	863	92.9	90.9-94.9	30	3.7	02.1-05.3	15	1.8	00.8-02.8	11	1.6	00.6-02.6			
Less Than H.S.	159	18,081	141	84.1	74.9-93.3	11	8.8	01.7-15.9	1	2.6	00.0-07.5	6	4.5	00.0-09.4			
H.S. or G.E.D.	814	98,183	704	81.6	77.7-85.5	57	11.2	07.9-14.5	33	4.3	02.3-06.3	18	2.6	01.0-04.2	2	0.2	00.0-00.6
Some Post-H.S.	744	100,573	637	82.4	78.1-86.7	69	10.2	06.9-13.5	19	3.4	01.2-05.6	18	3.9	01.5-06.3	1	0.0	00.0-00.0
College Graduate	976	134,491	802	77.0	73.1-80.9	102	14.9	11.2-18.6	48	5.9	03.9-07.9	18	1.8	00.8-02.8	6	0.5	00.1-00.9
Less than \$15,000	307	30,095	262	82.3	76.0-88.6	26	9.0	05.1-12.9	10	3.4	00.5-06.3	8	5.2	00.5-09.9	1	0.1	00.0-00.3
\$15,000- 24,999	307	32,379	269	84.7	78.6-90.8	19	8.2	03.3-13.1	8	2.8	00.4-05.2	11	4.2	00.9-07.5			
\$25,000- 34,999	233	27,518	203	79.7	71.3-88.1	13	10.9	04.0-17.8	10	7.5	01.6-13.4	6	1.9	00.3-03.5	1	0.1	00.0-00.3
\$35,000- 49,999	351	41,686	301	80.2	72.9-87.5	30	13.6	06.5-20.7	10	3.3	00.9-05.7	9	2.6	00.6-04.6	1	0.2	00.0-00.6
\$50,000- 74,999	382	50,353	319	82.0	77.1-86.9	41	12.3	08.0-16.6	14	4.3	01.8-06.8	6	1.0	00.0-02.0	2	0.4	00.0-01.0
\$75,000+	633	109,502	506	75.3	70.6-80.0	77	14.7	10.8-18.6	35	6.3	03.8-08.8	14	3.5	01.1-05.9	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 4: SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 4: SLEEP**

**TABLE 1: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4182	672,114	117	3.0	02.2-03.8	988	25.8	23.8-27.8	426	11.8	10.2-13.4	477	12.8	11.2-14.4	650	17.0	15.2-18.8	1524	29.6	27.6-31.6
Male	1505	321,408	44	2.7	01.7-03.7	342	26.0	22.7-29.3	151	12.4	09.9-14.9	134	11.2	08.7-13.7	220	16.1	13.2-19.0	614	31.6	28.5-34.7
Female	2677	350,705	73	3.3	02.1-04.5	646	25.6	23.2-28.0	275	11.2	09.6-12.8	343	14.4	12.4-16.4	430	17.7	15.7-19.7	910	27.9	25.7-30.1
White/Non-Hisp	3349	504,948	93	2.9	02.1-03.7	790	26.2	24.0-28.4	359	12.6	10.8-14.4	370	12.8	11.0-14.6	494	16.0	14.2-17.8	1243	29.5	27.3-31.7
Black or Afr. Am./Non-Hisp	531	91,669	11	2.4	00.6-04.2	124	21.3	16.6-26.0	47	8.9	06.0-11.8	75	15.9	11.0-20.8	98	21.6	14.9-28.3	176	29.9	24.2-35.6
Oth. Race/Non-Hisp.	105	27,663	6	8.8	00.0-18.0							9	6.3	01.6-11.0	22	16.9	08.9-24.9			
MultiRacial/Non-Hisp.	56	10,789	3	3.5	00.0-08.0				2	2.5	00.0-06.2	4	8.9	00.0-19.9						
Hispanic	110	32,832	1	1.1	00.0-03.3							15	12.6	04.0-21.2	21	17.6	07.8-27.4			
18-24	128	83,851	6	4.9	00.6-09.2	34	28.2	18.8-37.6	19	12.7	05.4-20.0	19	15.0	07.4-22.6	22	19.0	10.0-28.0	28	20.3	12.5-28.1
25-34	321	109,900	10	3.5	01.3-05.7	83	26.2	20.3-32.1	47	14.4	09.9-18.9	57	16.7	11.6-21.8	72	21.1	15.8-26.4	52	18.1	12.6-23.6
35-44	550	118,517	15	2.5	01.1-03.9	146	26.4	21.7-31.1	74	14.8	11.1-18.5	80	14.7	11.2-18.2	128	22.8	18.7-26.9	107	18.7	15.0-22.4
45-54	770	128,374	21	3.0	01.4-04.6	200	27.8	23.9-31.7	103	13.2	10.3-16.1	122	15.5	12.4-18.6	132	14.6	11.7-17.5	192	25.9	22.2-29.6
55-64	957	102,048	32	3.0	01.8-04.2	251	28.7	25.0-32.4	98	9.8	07.6-12.0	110	10.3	07.9-12.7	152	16.1	13.4-18.8	314	32.1	28.4-35.8
65+	1407	125,077	32	1.7	00.9-02.5	261	18.8	16.4-21.2	82	6.3	04.7-07.9	85	5.6	04.2-07.0	135	9.5	07.7-11.3	812	58.0	54.9-61.1
Less Than H.S.	268	40,244	4	1.4	00.0-03.0				20	6.4	02.7-10.1	22	5.4	01.9-08.9	57	25.2	15.6-34.8	116	33.2	24.6-41.8
H.S. or G.E.D.	1252	178,406	30	2.5	01.3-03.7	241	21.6	18.3-24.9	115	9.8	07.4-12.2	140	14.3	11.0-17.6	221	17.7	14.8-20.6	505	34.1	30.6-37.6
Some Post-H.S.	1090	191,677	28	3.5	01.7-05.3	274	24.8	20.9-28.7	108	12.2	08.9-15.5	141	14.0	10.7-17.3	175	18.4	14.3-22.5	364	27.2	23.3-31.1
College Graduate	1561	260,327	55	3.3	01.9-04.7	421	29.0	25.9-32.1	183	13.7	11.3-16.1	174	12.2	10.0-14.4	194	14.0	11.6-16.4	534	27.9	25.0-30.8
Less than \$15,000	439	54,791	6	0.5	00.1-00.9	87	24.5	17.1-31.9	31	9.3	02.4-16.2	60	13.7	09.2-18.2	84	18.0	13.3-22.7	171	34.0	27.1-40.9
\$15,000- 24,999	416	49,400	6	2.0	00.0-04.2	61	14.9	09.8-20.0	27	7.0	03.7-10.3	48	17.2	09.0-25.4	107	26.3	19.2-33.4	167	32.5	25.8-39.2
\$25,000- 34,999	354	50,596	17	4.7	01.4-08.0	84	27.1	19.7-34.5	37	13.0	07.5-18.5	37	14.1	06.8-21.4	47	15.3	09.8-20.8	132	25.7	20.2-31.2
\$35,000- 49,999	554	80,390	16	4.0	00.7-07.3	134	26.3	21.0-31.6	60	9.2	06.3-12.1	50	10.8	06.5-15.1	83	17.0	12.1-21.9	211	32.6	27.1-38.1
\$50,000- 74,999	621	97,051	20	2.5	01.1-03.9	156	26.2	21.1-31.3	67	13.1	09.0-17.2	84	12.9	09.4-16.4	95	16.6	12.7-20.5	199	28.7	24.0-33.4
\$75,000+	1119	231,026	31	3.2	01.8-04.6	325	30.2	26.5-33.9	151	15.5	12.6-18.4	134	12.2	09.7-14.7	151	14.8	12.1-17.5	327	24.1	21.0-27.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 4: SLEEP**

**TABLE 2: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1505	321,408	44	2.7	01.7-03.7	342	26.0	22.7-29.3	151	12.4	09.9-14.9	134	11.2	08.7-13.7	220	16.1	13.2-19.0	614	31.6	28.5-34.7
White/Non-Hisp	1232	246,688	38	3.0	01.8-04.2	287	27.3	23.6-31.0	130	12.7	10.0-15.4	103	10.7	07.8-13.6	174	15.4	12.5-18.3	500	30.9	27.6-34.2
Black or Afr. Am./Non-Hisp	157	35,952	2	1.5	00.0-03.9	30	17.9	09.9-25.9	13	7.9	03.0-12.8	18	13.3	05.9-20.7						
25-34	99	54,208	4	3.2	00.1-06.3	29	28.0	18.0-38.0	14	13.8	06.5-21.1	12	14.2	05.8-22.6	20	19.9	11.3-28.5	20	20.9	11.1-30.7
35-44	193	58,234	6	3.0	00.5-05.5	50	28.4	20.6-36.2	31	16.3	10.4-22.2	29	15.6	09.7-21.5	40	18.5	12.6-24.4	37	18.2	12.1-24.3
45-54	298	62,096	10	3.8	01.1-06.5	69	25.4	19.5-31.3	43	14.1	09.2-19.0	38	12.3	07.6-17.0	45	13.0	08.7-17.3	93	31.3	25.0-37.6
55-64	358	49,162	10	1.8	00.6-03.0	89	30.1	23.8-36.4	24	6.7	03.6-09.8	27	7.9	04.4-11.4	63	14.8	10.7-18.9	145	38.6	32.3-44.9
65+	502	54,340	11	1.9	00.5-03.3	92	19.3	15.4-23.2	31	6.8	04.1-09.5	21	4.2	02.2-06.2	42	7.8	05.3-10.3	305	60.1	55.2-65.0
Less Than H.S.	116	22,965	2	1.7	00.0-04.2				7	3.7	00.0-07.6	5	4.5	00.0-10.0						
H.S. or G.E.D.	449	80,870	15	2.7	00.9-04.5	81	20.0	14.9-25.1	39	10.1	05.8-14.4	42	13.6	07.7-19.5	73	16.1	11.2-21.0	199	37.5	31.4-43.6
Some Post-H.S.	350	90,904	9	2.6	00.6-04.6	75	22.7	16.0-29.4	34	14.2	08.1-20.3	34	12.2	06.5-17.9	60	20.0	12.6-27.4	138	28.2	21.3-35.1
College Graduate	586	125,890	18	2.9	01.3-04.5	166	31.8	26.7-36.9	71	14.3	10.2-18.4	53	10.1	07.0-13.2	65	11.8	08.5-15.1	213	29.0	24.3-33.7
Less than \$15,000	137	25,094	2	0.4	00.0-01.0							15	13.7	05.5-21.9	25	11.9	05.6-18.2			
\$15,000- 24,999	114	17,369	2	2.3	00.0-05.6	12	12.0	03.0-21.0	6	5.7	00.2-11.2									
\$25,000- 34,999	124	23,094	8	6.1	00.6-11.6										14	10.2	02.4-18.0	54	26.3	16.9-35.7
\$35,000- 49,999	206	39,076	5	2.3	00.0-04.7	47	25.5	17.3-33.7	19	8.7	04.2-13.2	16	8.8	03.7-13.9	26	16.6	08.6-24.6	93	38.1	29.1-47.1
\$50,000- 74,999	237	46,497	9	2.9	00.5-05.3	56	25.6	17.0-34.2	21	12.2	04.9-19.5	22	9.3	03.6-15.0	35	16.6	10.1-23.1	94	33.4	25.2-41.6
\$75,000+	488	121,244	14	2.8	01.0-04.6	145	31.7	26.0-37.4	68	17.0	12.3-21.7	41	9.8	06.1-13.5	62	12.4	08.7-16.1	158	26.3	21.2-31.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 4: SLEEP**

**TABLE 3: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2677	350,705	73	3.3	02.1-04.5	646	25.6	23.2-28.0	275	11.2	09.6-12.8	343	14.4	12.4-16.4	430	17.7	15.7-19.7	910	27.9	25.7-30.1
White/Non-Hisp	2117	258,260	55	2.7	01.5-03.9	503	25.2	22.7-27.7	229	12.4	10.4-14.4	267	14.8	12.4-17.2	320	16.6	14.4-18.8	743	28.3	25.9-30.7
Black or Afr. Am./Non-Hisp	374	55,716	9	2.9	00.4-05.4	94	23.5	18.0-29.0	34	9.6	05.9-13.3	57	17.6	11.1-24.1	74	20.8	15.3-26.3	106	25.6	19.5-31.7
Oth. Race/Non-Hisp.	59	14,050							5	4.8	00.1-09.5	5	5.0	00.1-09.9						
Hispanic	67	14,634	1	2.4	00.0-07.1				4	5.4	00.0-10.9	8	7.3	01.0-13.6						
18-24	80	41,512	4	8.3	00.1-16.5				11	8.2	01.9-14.5				13	13.0	05.2-20.8			
25-34	222	55,692	6	3.8	00.9-06.7	54	24.4	17.9-30.9	33	15.0	09.5-20.5	45	19.1	13.2-25.0	52	22.3	16.2-28.4	32	15.4	09.9-20.9
35-44	357	60,284	9	2.1	00.5-03.7	96	24.5	19.4-29.6	43	13.4	08.9-17.9	51	13.9	10.0-17.8	88	26.9	21.2-32.6	70	19.2	14.5-23.9
45-54	472	66,278	11	2.2	00.6-03.8	131	30.0	25.1-34.9	60	12.3	09.0-15.6	84	18.5	14.4-22.6	87	16.0	12.3-19.7	99	21.0	16.9-25.1
55-64	599	52,887	22	4.1	02.1-06.1	162	27.4	23.1-31.7	74	12.6	09.5-15.7	83	12.6	09.5-15.7	89	17.3	13.4-21.2	169	26.1	22.0-30.2
65+	905	70,738	21	1.6	00.8-02.4	169	18.5	15.6-21.4	51	6.0	04.2-07.8	64	6.8	04.8-08.8	93	10.8	08.3-13.3	507	56.3	52.6-60.0
Less Than H.S.	152	17,279	2	0.9	00.0-02.1				13	10.0	03.1-16.9	17	6.6	03.1-10.1				54	26.7	17.7-35.7
H.S. or G.E.D.	803	97,536	15	2.3	00.7-03.9	160	23.0	18.5-27.5	76	9.5	07.0-12.0	98	14.9	11.0-18.8	148	19.0	15.3-22.7	306	31.2	27.1-35.3
Some Post-H.S.	740	100,773	19	4.2	01.3-07.1	199	26.6	22.1-31.1	74	10.4	07.1-13.7	107	15.5	11.4-19.6	115	17.0	13.3-20.7	226	26.2	21.7-30.7
College Graduate	975	134,438	37	3.6	01.6-05.6	255	26.3	22.6-30.0	112	13.2	10.5-15.9	121	14.2	11.1-17.3	129	16.0	12.9-19.1	321	26.7	23.2-30.2
Less than \$15,000	302	29,697	4	0.6	00.0-01.4	65	24.2	16.0-32.4	19	6.2	02.9-09.5	45	13.6	08.7-18.5	59	23.2	16.5-29.9	110	32.1	24.8-39.4
\$15,000- 24,999	302	32,031	4	1.9	00.0-04.6	49	16.4	10.1-22.7	21	7.8	03.5-12.1	39	17.3	08.5-26.1	79	26.5	19.2-33.8	110	30.1	22.7-37.5
\$25,000- 34,999	230	27,502	9	3.6	00.0-07.5	55	25.5	16.7-34.3	27	11.6	06.7-16.5	28	14.7	07.6-21.8	33	19.5	12.1-26.9	78	25.1	18.4-31.8
\$35,000- 49,999	348	41,314	11	5.6	00.0-11.5	87	27.1	20.4-33.8	41	9.7	06.2-13.2	34	12.7	05.8-19.6	57	17.3	11.6-23.0	118	27.5	21.4-33.6
\$50,000- 74,999	384	50,554	11	2.1	00.5-03.7	100	26.7	20.8-32.6	46	13.8	09.5-18.1	62	16.3	11.8-20.8	60	16.6	11.9-21.3	105	24.5	19.2-29.8
\$75,000+	631	109,782	17	3.6	01.2-06.0	180	28.6	24.1-33.1	83	13.8	10.1-17.5	93	14.8	11.5-18.1	89	17.5	13.6-21.4	169	21.8	17.9-25.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 5: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4238	677,504	3084	76.1	74.3-77.9	1154	23.9	22.1-25.7
Male	1523	322,679	1155	81.0	78.5-83.5	368	19.0	16.5-21.5
Female	2715	354,825	1929	71.5	69.1-73.9	786	28.5	26.1-30.9
White/Non-Hisp	3389	507,998	2517	78.4	76.6-80.2	872	21.6	19.8-23.4
Black or Afr. Am./Non-Hisp	541	92,444	350	66.1	60.2-72.0	191	33.9	28.0-39.8
Oth. Race/Non-Hisp.	107	28,146	77	76.4	66.8-86.0	30	23.6	14.0-33.2
18-24	130	84,358	101	81.0	73.6-88.4	29	19.0	11.6-26.4
25-34	323	110,012	241	75.5	69.8-81.2	82	24.5	18.8-30.2
35-44	554	119,352	429	80.2	76.5-83.9	125	19.8	16.1-23.5
45-54	776	129,056	563	75.2	71.7-78.7	213	24.8	21.3-28.3
55-64	966	102,340	722	76.3	73.0-79.6	244	23.7	20.4-27.0
65+	1438	127,947	988	70.1	67.4-72.8	450	29.9	27.2-32.6
Less Than H.S.	278	41,219	144	56.9	47.1-66.7	134	43.1	33.3-52.9
H.S. or G.E.D.	1273	180,526	836	68.8	65.3-72.3	437	31.2	27.7-34.7
Some Post-H.S.	1102	192,659	781	75.2	71.5-78.9	321	24.8	21.1-28.5
College Graduate	1572	261,543	1313	84.7	82.3-87.1	259	15.3	12.9-17.7
Less than \$15,000	449	55,742	270	64.1	57.0-71.2	179	35.9	28.8-43.0
\$15,000- 24,999	422	49,798	223	53.5	45.7-61.3	199	46.5	38.7-54.3
\$25,000- 34,999	361	51,380	245	68.6	61.7-75.5	116	31.4	24.5-38.3
\$35,000- 49,999	563	81,218	393	70.2	64.9-75.5	170	29.8	24.5-35.1
\$50,000- 74,999	623	96,781	487	78.3	74.0-82.6	136	21.7	17.4-26.0
\$75,000+	1124	231,790	942	85.8	83.3-88.3	182	14.2	11.7-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1523	322,679	1155	81.0	78.5-83.5	368	19.0	16.5-21.5
White/Non-Hisp	1246	247,577	955	82.4	79.9-84.9	291	17.6	15.1-20.1
Black or Afr. Am./Non-Hisp	160	36,234	114	74.4	64.4-84.4	46	25.6	15.6-35.6
25-34	99	54,208	82	83.5	75.1-91.9	17	16.5	08.1-24.9
35-44	193	58,234	159	87.1	82.4-91.8	34	12.9	08.2-17.6
45-54	300	62,120	232	78.4	72.9-83.9	68	21.6	16.1-27.1
55-64	358	49,162	268	75.6	69.9-81.3	90	24.4	18.7-30.1
65+	518	55,586	368	74.2	69.9-78.5	150	25.8	21.5-30.1
H.S. or G.E.D.	457	81,478	317	74.0	68.7-79.3	140	26.0	20.7-31.3
Some Post-H.S.	353	91,054	262	81.4	76.1-86.7	91	18.6	13.3-23.9
College Graduate	590	126,230	506	88.5	85.2-91.8	84	11.5	08.2-14.8
\$25,000- 34,999	126	23,216	86	78.0	69.0-87.0	40	22.0	13.0-31.0
\$35,000- 49,999	211	39,506	146	71.4	63.2-79.6	65	28.6	20.4-36.8
\$50,000- 74,999	240	46,692	187	79.0	71.7-86.3	53	21.0	13.7-28.3
\$75,000+	488	121,136	421	90.1	87.2-93.0	67	9.9	07.0-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2715	354,825	1929	71.5	69.1-73.9	786	28.5	26.1-30.9
White/Non-Hisp	2143	260,421	1562	74.6	72.1-77.1	581	25.4	22.9-27.9
Black or Afr. Am./Non-Hisp	381	56,210	236	60.7	53.8-67.6	145	39.3	32.4-46.2
25-34	224	55,805	159	67.7	60.6-74.8	65	32.3	25.2-39.4
35-44	361	61,118	270	73.7	68.2-79.2	91	26.3	20.8-31.8
45-54	476	66,936	331	72.2	67.7-76.7	145	27.8	23.3-32.3
55-64	608	53,178	454	76.9	73.0-80.8	154	23.1	19.2-27.0
65+	920	72,361	620	66.9	63.4-70.4	300	33.1	29.6-36.6
H.S. or G.E.D.	816	99,048	519	64.5	60.0-69.0	297	35.5	31.0-40.0
Some Post-H.S.	749	101,606	519	69.7	64.8-74.6	230	30.3	25.4-35.2
College Graduate	982	135,313	807	81.2	77.9-84.5	175	18.8	15.5-22.1
Less than \$15,000	307	30,234	185	63.1	55.8-70.4	122	36.9	29.6-44.2
\$15,000- 24,999	307	32,379	156	47.9	39.3-56.5	151	52.1	43.5-60.7
\$25,000- 34,999	235	28,165	159	60.8	51.8-69.8	76	39.2	30.2-48.2
\$35,000- 49,999	352	41,711	247	69.0	62.1-75.9	105	31.0	24.1-37.9
\$50,000- 74,999	383	50,089	300	77.6	72.5-82.7	83	22.4	17.3-27.5
\$75,000+	636	110,654	521	81.2	77.3-85.1	115	18.8	14.9-22.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 6: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 6: DIABETES**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4241	678,513	540	8.7	07.7-09.7	33	1.0	00.6-01.4	3603	89.2	88.0-90.4	65	1.2	00.8-01.6
Male	1523	323,026	218	9.0	07.4-10.6				1267	89.3	87.5-91.1	38	1.7	01.1-02.3
Female	2718	355,487	322	8.4	07.2-09.6	33	1.9	01.1-02.7	2336	89.1	87.7-90.5	27	0.6	00.4-00.8
White/Non-Hisp	3392	509,039	422	8.6	07.6-09.6	22	0.9	00.5-01.3	2892	89.1	87.9-90.3	56	1.3	00.9-01.7
Black or Afr. Am./Non-Hisp	540	92,334	83	9.7	07.2-12.2	8	1.1	00.3-01.9	444	88.8	86.1-91.5	5	0.5	00.1-00.9
Oth. Race/Non-Hisp.	107	28,146	8	4.1	00.8-07.4	1	1.7	00.0-04.8	96	91.4	85.5-97.3	2	2.8	00.0-06.7
MultiRacial/Non-Hisp.	56	10,789										1	0.6	00.0-01.8
Hispanic	113	33,716	10	7.3	01.2-13.4	2	1.4	00.0-03.4	101	91.3	84.8-97.8			
18-24	130	84,358	3	2.0	00.0-04.4				127	98.0	95.6-0100			
25-34	325	110,709	2	0.3	00.0-00.7	9	2.3	00.7-03.9	314	97.4	95.8-99.0			
35-44	555	119,550	23	4.2	02.0-06.4	18	2.7	01.3-04.1	510	92.3	89.8-94.8	4	0.8	00.0-01.6
45-54	777	129,258	67	7.6	05.4-09.8	5	0.7	00.1-01.3	690	89.9	87.4-92.4	15	1.9	00.7-03.1
55-64	967	102,469	155	15.4	12.5-18.3	1	0.1	00.0-00.3	797	82.9	79.8-86.0	14	1.5	00.5-02.5
65+	1437	127,863	285	20.1	17.6-22.6				1120	77.6	75.1-80.1	32	2.3	01.3-03.3
Less Than H.S.	276	41,099	70	17.4	11.1-23.7				203	82.0	75.5-88.5	3	0.6	00.0-01.4
H.S. or G.E.D.	1276	180,901	191	11.0	09.0-13.0	6	0.5	00.1-00.9	1057	87.5	85.3-89.7	22	1.0	00.6-01.4
Some Post-H.S.	1104	193,447	151	8.9	07.1-10.7	5	0.5	00.0-01.1	931	89.5	87.5-91.5	17	1.1	00.3-01.9
College Graduate	1573	261,642	127	5.6	04.4-06.8	22	1.8	01.0-02.6	1401	91.2	89.6-92.8	23	1.4	00.6-02.2
Less than \$15,000	452	56,198	81	14.5	10.2-18.8	3	0.9	00.0-02.3	361	83.3	78.8-87.8	7	1.2	00.2-02.2
\$15,000- 24,999	420	49,678	92	16.1	11.8-20.4	2	0.3	00.0-00.7	319	82.7	78.4-87.0	7	0.9	00.1-01.7
\$25,000- 34,999	361	51,380	57	12.5	08.0-17.0	1	0.2	00.0-00.6	295	85.9	81.4-90.4	8	1.4	00.2-02.6
\$35,000- 49,999	562	81,107	74	10.2	07.5-12.9	1	0.3	00.0-00.9	475	87.9	85.0-90.8	12	1.6	00.4-02.8
\$50,000- 74,999	624	97,246	65	7.2	04.8-09.6	6	1.2	00.2-02.2	543	90.2	87.5-92.9	10	1.4	00.4-02.4
\$75,000+	1124	231,915	81	5.3	03.9-06.7	19	1.8	00.8-02.8	1010	91.7	89.9-93.5	14	1.2	00.4-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 6: DIABETES**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1523	323,026	218	9.0	07.4-10.6	1267	89.3	87.5-91.1	38	1.7	01.1-02.3
White/Non-Hisp	1247	248,035	174	9.1	07.3-10.9	1040	89.1	87.1-91.1	33	1.9	01.1-02.7
Black or Afr. Am./Non-Hisp	159	36,123	29	9.4	05.3-13.5	128	90.3	86.0-94.6	2	0.3	00.0-00.7
25-34	100	54,439				100	100.0	0100-0100			
35-44	194	58,432	8	3.9	00.4-07.4	183	94.7	90.8-98.6	3	1.4	00.0-03.2
45-54	301	62,322	27	8.6	04.9-12.3	264	88.3	84.0-92.6	10	3.1	00.7-05.5
55-64	358	49,162	55	15.3	10.4-20.2	296	82.9	78.0-87.8	7	1.8	00.2-03.4
65+	516	55,434	127	23.7	19.6-27.8	371	72.8	68.5-77.1	18	3.5	01.7-05.3
Less Than H.S.	118	23,097	35	18.4	08.4-28.4				2	0.8	00.0-02.0
H.S. or G.E.D.	458	81,676	71	10.7	07.6-13.8	376	88.0	84.7-91.3	11	1.2	00.4-02.0
Some Post-H.S.	354	91,376	50	7.9	05.2-10.6	295	90.5	87.4-93.6	9	1.5	00.3-02.7
College Graduate	590	126,230	62	7.0	04.8-09.2	512	90.7	88.2-93.2	16	2.3	00.9-03.7
Less than \$15,000	143	25,739	29	13.9	07.0-20.8	110	84.5	77.2-91.8	4	1.6	00.0-03.4
\$15,000- 24,999	114	17,378	28	13.8	07.3-20.3	83	84.9	78.0-91.8	3	1.3	00.0-02.9
\$25,000- 34,999	126	23,216	26	13.5	05.9-21.1	97	85.7	77.9-93.5	3	0.8	00.0-01.8
\$35,000- 49,999	210	39,396	35	12.1	07.6-16.6	166	85.0	79.9-90.1	9	2.9	00.7-05.1
\$50,000- 74,999	240	46,692	36	9.6	05.3-13.9	199	88.6	84.1-93.1	5	1.9	00.1-03.7
\$75,000+	489	121,338	43	6.0	03.8-08.2	434	91.9	89.4-94.4	12	2.2	00.8-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 6: DIABETES**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2718	355,487	322	8.4	07.2-09.6	33	1.9	01.1-02.7	2336	89.1	87.7-90.5	27	0.6	00.4-00.8
White/Non-Hisp	2145	261,003	248	8.2	07.0-09.4	22	1.8	01.0-02.6	1852	89.2	87.6-90.8	23	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	381	56,210	54	9.9	06.8-13.0	8	1.8	00.4-03.2	316	87.8	84.3-91.3	3	0.6	00.0-01.4
Oth. Race/Non-Hisp.	61	14,533	3	2.9	00.0-06.4	1	3.2	00.0-09.3	57	93.9	86.8-0100			
Hispanic	70	15,518	7	9.4	00.8-18.0	2	3.0	00.0-07.3	61	87.6	78.0-97.2			
18-24	82	42,019	2	2.2	00.0-05.3				80	97.8	94.7-0100			
25-34	225	56,270	2	0.6	00.0-01.4	9	4.5	01.4-07.6	214	94.9	91.8-98.0			
35-44	361	61,118	15	4.5	02.0-07.0	18	5.2	02.7-07.7	327	90.1	86.6-93.6	1	0.1	00.0-00.3
45-54	476	66,936	40	6.6	04.2-09.0	5	1.3	00.0-02.7	426	91.3	88.6-94.0	5	0.8	00.0-01.6
55-64	609	53,308	100	15.6	12.1-19.1	1	0.3	00.0-00.9	501	82.8	79.1-86.5	7	1.3	00.1-02.5
65+	921	72,429	158	17.4	14.5-20.3				749	81.3	78.4-84.2	14	1.3	00.5-02.1
Less Than H.S.	158	18,002	35	16.0	09.1-22.9				122	83.6	76.5-90.7	1	0.4	00.0-01.2
H.S. or G.E.D.	818	99,225	120	11.2	08.7-13.7	6	0.9	00.1-01.7	681	87.1	84.4-89.8	11	0.8	00.2-01.4
Some Post-H.S.	750	102,071	101	9.8	07.4-12.2	5	1.0	00.0-02.0	636	88.5	86.0-91.0	8	0.8	00.0-01.6
College Graduate	983	135,412	65	4.3	03.1-05.5	22	3.6	02.0-05.2	889	91.7	89.7-93.7	7	0.5	00.1-00.9
Less than \$15,000	309	30,459	52	15.1	09.8-20.4	3	1.7	00.0-04.1	251	82.3	76.6-88.0	3	0.9	00.0-02.1
\$15,000- 24,999	306	32,300	64	17.3	11.8-22.8	2	0.4	00.0-01.0	236	81.6	76.1-87.1	4	0.7	00.0-01.5
\$25,000- 34,999	235	28,165	31	11.7	06.8-16.6	1	0.3	00.0-00.9	198	86.2	80.9-91.5	5	1.9	00.1-03.7
\$35,000- 49,999	352	41,711	39	8.5	05.4-11.6	1	0.5	00.0-01.5	309	90.7	87.4-94.0	3	0.3	00.0-00.7
\$50,000- 74,999	384	50,554	29	5.0	02.8-07.2	6	2.2	00.4-04.0	344	91.8	88.9-94.7	5	1.0	00.0-02.2
\$75,000+	635	110,578	38	4.5	02.7-06.3	19	3.9	01.9-05.9	576	91.4	88.9-93.9	2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	42
2	MALES ONLY	43
3	FEMALES ONLY	44
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	45
5	MALES ONLY	46
6	FEMALES ONLY	47
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)	
7	MALES AND FEMALES	48
8	MALES ONLY	49
9	FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4224	675,404	3058	72.9	70.9-74.9	373	9.5	08.1-10.9	317	8.5	06.9-10.1	457	8.9	07.7-10.1	19	0.3	00.1-00.5
Male	1518	320,982	1063	70.3	66.8-73.8	130	9.1	06.9-11.3	119	10.1	07.4-12.8	196	10.1	08.1-12.1	10	0.4	00.0-00.8
Female	2706	354,421	1995	75.3	73.1-77.5	243	9.8	08.2-11.4	198	6.9	05.5-08.3	261	7.8	06.4-09.2	9	0.2	00.0-00.4
White/Non-Hisp	3379	506,295	2518	75.1	72.9-77.3	263	8.5	07.1-09.9	224	7.3	05.9-08.7	363	8.9	07.7-10.1	11	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	537	92,040	314	59.7	53.0-66.4	80	13.4	09.7-17.1	65	14.1	07.6-20.6	71	12.1	08.0-16.2	7	0.7	00.1-01.3
Oth. Race/Non-Hisp.	106	28,074				10	11.9	03.9-19.9	10	9.9	03.2-16.6	5	3.4	00.0-06.9	1	0.7	00.0-02.1
MultiRacial/Non-Hisp.	56	10,789				3	3.1	00.0-07.6	6	5.0	00.5-09.5						
Hispanic	113	33,716				14	14.0	04.2-23.8	10	11.1	01.3-20.9	8	3.8	00.5-07.1			
18-24	130	84,358	98	75.4	66.0-84.8	14	10.0	04.3-15.7	13	11.3	03.7-18.9	5	3.4	00.0-07.1			
25-34	324	109,703	221	67.6	61.1-74.1	45	13.3	08.8-17.8	29	11.3	06.0-16.6	28	7.5	04.4-10.6	1	0.2	00.0-00.6
35-44	555	119,550	385	69.4	64.9-73.9	60	10.7	07.6-13.8	57	9.6	06.9-12.3	53	10.3	07.2-13.4			
45-54	774	128,206	581	77.6	74.1-81.1	70	8.0	05.8-10.2	60	6.5	04.7-08.3	61	7.6	05.2-10.0	2	0.4	00.0-01.0
55-64	964	102,214	720	75.4	71.9-78.9	84	8.4	06.2-10.6	60	6.0	03.8-08.2	92	9.4	07.0-11.8	8	0.8	00.0-01.6
65+	1427	126,998	1012	72.1	69.4-74.8	97	7.1	05.5-08.7	95	7.1	05.5-08.7	215	13.3	11.3-15.3	8	0.4	00.0-00.8
Less Than H.S.	274	40,929				30	9.3	04.2-14.4	36	18.1	09.3-26.9	101	26.7	19.3-34.1	5	1.0	00.0-02.0
H.S. or G.E.D.	1265	179,588	820	65.8	62.1-69.5	133	9.9	07.7-12.1	129	11.6	08.7-14.5	178	12.5	10.0-15.0	5	0.2	00.0-00.4
Some Post-H.S.	1098	191,612	790	70.7	66.2-75.2	101	11.2	08.1-14.3	88	9.5	06.0-13.0	114	8.3	06.3-10.3	5	0.3	00.0-00.7
College Graduate	1574	261,718	1335	83.6	81.1-86.1	108	7.9	06.1-09.7	64	4.1	02.9-05.3	63	4.1	02.5-05.7	4	0.3	00.1-00.5
Less than \$15,000	446	55,746	250	53.9	46.3-61.5	52	15.3	09.2-21.4	55	11.1	07.4-14.8	87	18.9	13.6-24.2	2	0.7	00.0-01.9
\$15,000- 24,999	419	49,667	197	50.1	42.1-58.1	41	8.8	05.1-12.5	54	17.3	10.2-24.4	119	22.8	17.3-28.3	8	1.0	00.2-01.8
\$25,000- 34,999	356	50,918	222	60.8	52.8-68.8	47	12.5	08.0-17.0	31	11.6	04.5-18.7	55	14.8	09.5-20.1	1	0.2	00.0-00.6
\$35,000- 49,999	561	80,430	407	71.1	65.4-76.8	47	9.3	05.8-12.8	57	11.4	07.7-15.1	50	8.2	04.5-11.9			
\$50,000- 74,999	622	96,841	495	76.3	71.8-80.8	51	9.0	05.9-12.1	34	6.7	04.0-09.4	42	8.1	05.4-10.8			
\$75,000+	1125	231,992	976	84.7	81.8-87.6	81	8.4	06.0-10.8	38	4.0	02.4-05.6	29	2.8	01.4-04.2	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1518	320,982	1063	70.3	66.8-73.8	130	9.1	06.9-11.3	119	10.1	07.4-12.8	196	10.1	08.1-12.1	10	0.4	00.0-00.8
White/Non-Hisp	1242	245,952	893	72.5	69.0-76.0	94	8.1	05.9-10.3	91	8.6	06.2-11.0	158	10.4	08.2-12.6	6	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	160	36,234				23	10.5	04.8-16.2				27	12.0	06.1-17.9	4	1.3	00.0-02.9
25-34	99	53,433				10	10.9	03.8-18.0	13	16.7	06.9-26.5	6	5.4	00.9-09.9			
35-44	194	58,432	125	66.7	59.3-74.1	21	10.0	05.1-14.9	24	10.3	06.0-14.6	24	13.0	07.7-18.3			
45-54	298	61,270	218	74.3	68.4-80.2	29	8.5	05.2-11.8	22	6.3	03.4-09.2	27	10.2	05.7-14.7	2	0.7	00.0-01.7
55-64	357	49,124	259	73.3	67.4-79.2	33	8.4	05.1-11.7	21	6.8	02.7-10.9	39	10.3	06.6-14.0	5	1.3	00.0-02.7
65+	515	55,352	353	69.5	64.8-74.2	31	6.5	04.0-09.0	34	7.7	05.0-10.4	94	15.9	12.4-19.4	3	0.4	00.0-01.0
Less Than H.S.	117	22,998				14	9.6	01.8-17.4							4	1.6	00.0-03.2
H.S. or G.E.D.	455	80,911	285	63.7	57.2-70.2	33	5.7	03.5-07.9	50	13.1	07.8-18.4	86	17.4	12.7-22.1	1	0.1	00.0-00.3
Some Post-H.S.	352	90,064	245	66.8	58.8-74.8	34	12.2	06.7-17.7	31	12.7	05.6-19.8	40	7.9	04.6-11.2	2	0.4	00.0-01.2
College Graduate	590	126,230	486	82.0	78.1-85.9	49	9.1	06.2-12.0	27	4.6	02.4-06.8	25	3.9	02.1-05.7	3	0.4	00.0-01.0
Less than \$15,000	142	25,667							19	8.8	04.1-13.5	33	18.5	09.9-27.1	1	1.2	00.0-03.6
\$15,000- 24,999	114	17,382				7	5.9	00.6-11.2							3	1.5	00.0-03.3
\$25,000- 34,999	123	22,954				19	13.6	06.0-21.2				25	17.3	07.9-26.7	1	0.4	00.0-01.4
\$35,000- 49,999	210	38,934	149	70.4	62.0-78.8	15	9.3	02.8-15.8	25	13.8	07.5-20.1	21	6.5	03.4-09.6			
\$50,000- 74,999	239	46,312	180	74.8	67.4-82.2	21	7.6	03.5-11.7	15	7.9	02.8-13.0	23	9.8	05.1-14.5			
\$75,000+	489	121,338	402	81.1	76.4-85.8	42	8.9	05.6-12.2	23	5.5	03.0-08.0	22	4.5	02.0-07.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2706	354,421	1995	75.3	73.1-77.5	243	9.8	08.2-11.4	198	6.9	05.5-08.3	261	7.8	06.4-09.2	9	0.2	00.0-00.4
White/Non-Hisp	2137	260,342	1625	77.6	75.2-80.0	169	8.8	07.0-10.6	133	6.1	04.7-07.5	205	7.4	06.0-08.8	5	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	377	55,806	227	63.1	56.2-70.0	57	15.2	10.3-20.1	46	9.3	06.2-12.4	44	12.2	06.7-17.7	3	0.3	00.0-00.7
Oth. Race/Non-Hisp.	61	14,533							5	7.7	00.8-14.6	2	3.1	00.0-08.2	1	1.3	00.0-03.8
Hispanic	70	15,518				7	6.8	00.9-12.7	8	12.8	03.0-22.6	6	6.5	00.0-13.4			
18-24	82	42,019				8	8.7	02.0-15.4	8	8.0	01.5-14.5	2	3.8	00.0-10.1			
25-34	225	56,270	151	68.2	61.3-75.1	35	15.7	10.2-21.2	16	6.2	02.9-09.5	22	9.6	05.5-13.7	1	0.3	00.0-00.9
35-44	361	61,118	260	72.0	66.5-77.5	39	11.3	07.4-15.2	33	9.0	05.7-12.3	29	7.7	04.4-11.0			
45-54	476	66,936	363	80.5	76.8-84.2	41	7.6	05.1-10.1	38	6.7	04.3-09.1	34	5.2	03.2-07.2			
55-64	607	53,090	461	77.3	73.2-81.4	51	8.4	05.7-11.1	39	5.4	03.4-07.4	53	8.6	05.7-11.5	3	0.3	00.0-00.7
65+	912	71,646	659	74.1	70.8-77.4	66	7.7	05.5-09.9	61	6.6	04.6-08.6	121	11.3	08.9-13.7	5	0.4	00.0-00.8
Less Than H.S.	157	17,931				16	9.0	03.1-14.9	25	15.4	07.8-23.0	56	26.6	17.2-36.0	1	0.2	00.0-00.6
H.S. or G.E.D.	810	98,677	535	67.5	63.0-72.0	100	13.3	10.0-16.6	79	10.4	07.3-13.5	92	8.5	06.3-10.7	4	0.3	00.1-00.5
Some Post-H.S.	746	101,548	545	74.2	69.9-78.5	67	10.3	07.0-13.6	57	6.7	04.3-09.1	74	8.7	06.3-11.1	3	0.2	00.0-00.4
College Graduate	984	135,488	849	85.2	82.1-88.3	59	6.8	04.6-09.0	37	3.6	02.2-05.0	38	4.3	01.9-06.7	1	0.1	00.0-00.3
Less than \$15,000	304	30,079	176	52.6	44.6-60.6	37	14.8	08.9-20.7	36	13.2	07.9-18.5	54	19.3	13.2-25.4	1	0.2	00.0-00.6
\$15,000- 24,999	305	32,285	145	55.5	47.1-63.9	34	10.4	05.7-15.1	43	14.3	08.6-20.0	78	19.1	13.6-24.6	5	0.8	00.0-01.6
\$25,000- 34,999	233	27,964	152	66.9	58.7-75.1	28	11.7	06.6-16.8	23	8.7	04.4-13.0	30	12.7	06.6-18.8			
\$35,000- 49,999	351	41,496	258	71.7	64.3-79.1	32	9.3	05.8-12.8	32	9.2	05.3-13.1	29	9.9	03.2-16.6			
\$50,000- 74,999	383	50,529	315	77.7	72.2-83.2	30	10.2	05.7-14.7	19	5.6	03.1-08.1	19	6.5	03.4-09.6			
\$75,000+	636	110,654	574	88.7	85.4-92.0	39	7.8	04.9-10.7	15	2.3	01.1-03.5	7	1.0	00.2-01.8	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4183	671,418	1322	26.8	25.0-28.6	667	10.4	09.2-11.6	346	4.8	04.2-05.4	1848	57.9	55.7-60.1
Male	1496	319,131	479	25.7	22.8-28.6	232	9.7	07.9-11.5	134	4.9	03.9-05.9	651	59.6	56.1-63.1
Female	2687	352,287	843	27.8	25.6-30.0	435	11.1	09.7-12.5	212	4.8	04.0-05.6	1197	56.3	53.8-58.8
White/Non-Hisp	3350	503,884	1047	27.2	25.2-29.2	520	10.6	09.2-12.0	287	5.1	04.3-05.9	1496	57.1	54.7-59.5
Black or Afr. Am./Non-Hisp	533	91,401	193	31.3	26.0-36.6	106	11.8	08.9-14.7	40	4.7	02.7-06.7	194	52.2	45.7-58.7
Oth. Race/Non-Hisp.	104	27,861	27	15.7	09.0-22.4	14	6.3	02.6-10.0	6	5.0	00.9-09.1	57	73.0	64.0-82.0
MultiRacial/Non-Hisp.	55	10,728	10	9.6	02.9-16.3	6	4.0	00.3-07.7	6	4.0	00.3-07.7			
Hispanic	108	33,053	31	19.6	10.8-28.4	11	4.7	00.6-08.8	5	2.2	00.0-04.7			
18-24	130	84,358	13	6.7	02.4-11.0	2	3.0	00.0-07.7	2	1.2	00.0-03.2	113	89.2	82.7-95.7
25-34	325	110,709	76	21.7	16.6-26.8	3	1.0	00.0-02.2	1	0.2	00.0-00.6	245	77.1	71.8-82.4
35-44	551	118,443	146	23.3	19.4-27.2	24	3.9	02.1-05.7	6	1.2	00.0-02.4	375	71.6	67.3-75.9
45-54	773	128,551	249	31.0	27.1-34.9	83	10.3	07.8-12.8	18	1.5	00.5-02.5	423	57.2	53.1-61.3
55-64	952	101,123	374	40.7	36.8-44.6	155	14.3	11.8-16.8	69	7.1	04.9-09.3	354	37.9	34.0-41.8
65+	1404	123,986	447	32.6	29.7-35.5	398	27.5	24.8-30.2	247	16.4	14.2-18.6	312	23.5	21.0-26.0
Less Than H.S.	273	40,712	66	28.7	19.7-37.7	73	20.9	11.7-30.1	94	21.3	15.0-27.6			
H.S. or G.E.D.	1248	177,888	423	32.6	29.1-36.1	287	16.8	14.3-19.3	147	6.7	05.3-08.1	391	43.9	39.8-48.0
Some Post-H.S.	1090	191,978	373	27.5	24.0-31.0	184	9.8	08.0-11.6	69	4.1	02.7-05.5	464	58.7	54.4-63.0
College Graduate	1559	259,283	456	22.1	19.6-24.6	120	4.9	03.7-06.1	35	1.6	01.0-02.2	948	71.5	68.8-74.2
Less than \$15,000	449	56,082	136	30.6	24.3-36.9	144	23.4	18.3-28.5	57	9.1	06.0-12.2	112	36.8	28.4-45.2
\$15,000- 24,999	414	49,003	111	24.9	19.0-30.8	115	20.2	15.3-25.1	91	14.3	10.2-18.4	97	40.7	31.9-49.5
\$25,000- 34,999	356	50,771	145	40.4	32.6-48.2	61	12.0	08.1-15.9	42	7.4	04.7-10.1	108	40.2	32.0-48.4
\$35,000- 49,999	552	80,156	203	32.0	26.7-37.3	89	12.6	09.3-15.9	39	5.2	03.2-07.2	221	50.2	44.1-56.3
\$50,000- 74,999	619	96,730	215	31.9	27.0-36.8	68	7.7	05.5-09.9	24	2.7	01.3-04.1	312	57.6	52.3-62.9
\$75,000+	1119	230,561	302	20.7	18.0-23.4	87	5.6	03.6-07.6	17	1.2	00.4-02.0	713	72.5	69.2-75.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1496	319,131	479	25.7	22.8-28.6	232	9.7	07.9-11.5	134	4.9	03.9-05.9	651	59.6	56.3-62.9
White/Non-Hisp	1225	244,701	403	27.2	24.1-30.3	178	9.7	07.5-11.9	114	5.2	04.0-06.4	530	57.9	54.2-61.6
Black or Afr. Am./Non-Hisp	156	35,782	49	27.6	18.0-37.2	33	11.1	05.8-16.4	13	4.7	01.4-08.0			
25-34	100	54,439	21	18.8	10.8-26.8	1	0.8	00.0-02.4				78	80.4	72.2-88.6
35-44	192	57,497	39	17.9	12.0-23.8	7	3.4	00.7-06.1	4	2.2	00.0-04.4	142	76.6	70.1-83.1
45-54	300	62,094	104	33.1	26.6-39.6	36	11.4	07.3-15.5	2	1.0	00.0-02.4	158	54.5	47.6-61.4
55-64	350	48,447	143	44.1	37.4-50.8	54	12.1	08.6-15.6	32	9.4	05.5-13.3	121	34.4	28.3-40.5
65+	499	53,283	168	34.4	29.5-39.3	133	25.6	21.1-30.1	93	16.7	13.2-20.2	105	23.3	18.8-27.8
Less Than H.S.	116	22,937							42	22.7	12.9-32.5			
H.S. or G.E.D.	446	80,187	149	32.0	26.1-37.9	94	14.9	11.0-18.8	56	7.0	04.8-09.2	147	46.1	39.2-53.0
Some Post-H.S.	350	90,939	121	25.7	19.8-31.6	60	8.0	05.5-10.5	21	3.4	01.6-05.2	148	63.0	56.1-69.9
College Graduate	580	124,287	182	22.2	18.3-26.1	48	5.4	03.6-07.2	15	1.5	00.7-02.3	335	70.8	66.5-75.1
Less than \$15,000	143	25,739	35	24.5	14.7-34.3	47	22.4	13.6-31.2	24	9.0	04.3-13.7			
\$15,000- 24,999	112	17,201				28	13.8	07.3-20.3	29	19.0	09.2-28.8			
\$25,000- 34,999	124	22,999				21	11.0	04.9-17.1	15	7.7	02.8-12.6			
\$35,000- 49,999	206	38,974	74	28.4	20.6-36.2	33	12.0	06.9-17.1	21	7.1	03.8-10.4	78	52.4	43.2-61.6
\$50,000- 74,999	238	46,483	84	31.5	23.5-39.5	29	6.9	04.0-09.8	13	3.7	01.2-06.2	112	57.9	49.3-66.5
\$75,000+	483	119,907	151	22.7	18.4-27.0	50	7.2	03.7-10.7	11	1.4	00.4-02.4	271	68.8	63.5-74.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2687	352,287	843	27.8	25.6-30.0	435	11.1	09.7-12.5	212	4.8	04.0-05.6	1197	56.3	53.8-58.8
White/Non-Hisp	2125	259,183	644	27.2	24.7-29.7	342	11.5	09.9-13.1	173	5.0	04.0-06.0	966	56.3	53.6-59.0
Black or Afr. Am./Non-Hisp	377	55,619	144	33.6	27.5-39.7	73	12.2	08.9-15.5	27	4.7	02.5-06.9	133	49.4	42.3-56.5
Oth. Race/Non-Hisp.	60	14,468	18	18.2	08.6-27.8	4	3.7	00.0-07.6	3	3.5	00.0-07.6			
Hispanic	65	14,856				5	5.0	00.0-12.3	3	2.8	00.0-07.3			
18-24	82	42,019	11	11.1	03.3-18.9	1	1.3	00.0-03.8	2	2.3	00.0-06.2	68	85.2	76.4-94.0
25-34	225	56,270	55	24.6	18.3-30.9	2	1.2	00.0-03.0	1	0.3	00.0-00.9	167	73.9	67.4-80.4
35-44	359	60,946	107	28.4	23.1-33.7	17	4.3	01.9-06.7	2	0.2	00.0-00.6	233	67.0	61.3-72.7
45-54	473	66,457	145	29.0	24.3-33.7	47	9.3	06.4-12.2	16	2.1	00.9-03.3	265	59.7	54.6-64.8
55-64	602	52,676	231	37.5	32.8-42.2	101	16.4	12.9-19.9	37	5.0	02.8-07.2	233	41.1	36.4-45.8
65+	905	70,703	279	31.3	27.8-34.8	265	28.9	25.6-32.2	154	16.2	13.5-18.9	207	23.6	20.5-26.7
Less Than H.S.	157	17,774				43	20.6	12.8-28.4	52	19.4	12.5-26.3			
H.S. or G.E.D.	802	97,701	274	33.0	28.7-37.3	193	18.4	15.3-21.5	91	6.5	04.9-08.1	244	42.1	37.0-47.2
Some Post-H.S.	740	101,039	252	29.1	24.8-33.4	124	11.4	09.0-13.8	48	4.7	02.5-06.9	316	54.8	49.7-59.9
College Graduate	979	134,995	274	22.0	19.1-24.9	72	4.4	03.2-05.6	20	1.6	00.8-02.4	613	72.1	68.8-75.4
Less than \$15,000	306	30,343	101	35.9	28.3-43.5	97	24.4	18.5-30.3	33	9.2	05.1-13.3	75	30.5	22.3-38.7
\$15,000- 24,999	302	31,802	82	25.2	18.3-32.1	87	23.7	17.4-30.0	62	11.7	08.2-15.2	71	39.4	29.8-49.0
\$25,000- 34,999	232	27,772	95	44.4	35.2-53.6	40	12.8	07.9-17.7	27	7.1	04.2-10.0	70	35.8	27.0-44.6
\$35,000- 49,999	346	41,183	129	35.5	28.2-42.8	56	13.0	08.9-17.1	18	3.4	01.4-05.4	143	48.1	40.1-56.1
\$50,000- 74,999	381	50,247	131	32.3	26.6-38.0	39	8.5	05.2-11.8	11	1.7	00.5-02.9	200	57.4	51.3-63.5
\$75,000+	636	110,654	151	18.5	15.2-21.8	37	3.8	02.4-05.2	6	1.1	00.1-02.1	442	76.6	72.9-80.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 7: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic
Denominator excludes: Respondents that have had all of their permanent teeth extracted
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3871	641,396	2906	74.0	71.8-76.2	316	8.9	07.5-10.3	288	8.2	06.8-09.6	332	8.5	07.3-09.7	29	0.5	00.1-00.9
Male	1376	304,040	1001	71.7	68.2-75.2	112	8.5	06.5-10.5	111	10.0	07.5-12.5	144	9.6	07.6-11.6	8	0.3	00.1-00.5
Female	2495	337,356	1905	76.0	73.6-78.4	204	9.2	07.6-10.8	177	6.6	05.4-07.8	188	7.4	05.8-09.0	21	0.8	00.2-01.4
White/Non-Hisp	3093	480,264	2398	76.0	73.8-78.2	230	8.5	07.1-09.9	194	7.2	05.8-08.6	252	7.9	06.5-09.3	19	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	490	86,872	294	62.0	55.5-68.5	63	11.9	08.2-15.6	65	11.1	06.8-15.4	60	13.3	08.6-18.0	8	1.7	00.0-03.7
Oth. Race/Non-Hisp.	99	26,495				10	10.0	02.6-17.4	8	8.0	01.9-14.1	7	7.5	01.0-14.0	1	0.5	00.0-01.5
MultiRacial/Non-Hisp.	50	10,364				1	0.6	00.0-01.8	6	5.2	00.5-09.9						
Hispanic	108	33,003				10	7.7	02.0-13.4				5	2.6	00.0-05.5			
18-24	128	83,373	94	76.4	68.0-84.8	16	11.2	05.3-17.1	10	5.9	01.2-10.6	7	5.5	00.8-10.2	1	1.0	00.0-03.0
25-34	322	109,321	214	64.7	58.0-71.4	40	11.5	07.6-15.4	33	14.2	08.3-20.1	34	9.5	06.0-13.0	1	0.1	00.0-00.3
35-44	548	117,836	372	68.4	63.7-73.1	56	9.7	06.8-12.6	57	10.0	07.3-12.7	61	11.5	08.4-14.6	2	0.3	00.0-00.7
45-54	754	126,063	553	76.1	72.6-79.6	66	7.7	05.5-09.9	57	6.6	04.6-08.6	71	9.1	06.6-11.6	7	0.6	00.2-01.0
55-64	888	93,821	686	79.2	75.9-82.5	68	7.4	05.2-09.6	54	5.2	03.0-07.4	75	7.7	05.5-09.9	5	0.5	00.0-01.1
65+	1183	107,001	946	80.2	77.5-82.9	67	6.1	04.3-07.9	73	6.4	04.6-08.2	84	6.5	04.7-08.3	13	0.9	00.3-01.5
Less Than H.S.	177	32,112				15	4.9	01.4-08.4				41	21.2	12.8-29.6	8	2.0	00.4-03.6
H.S. or G.E.D.	1124	168,397	758	65.7	61.6-69.8	108	8.9	06.7-11.1	105	11.5	08.4-14.6	139	12.6	09.7-15.5	14	1.3	00.3-02.3
Some Post-H.S.	1024	182,907	742	71.4	67.1-75.7	95	11.5	08.4-14.6	85	8.2	05.5-10.9	98	8.7	06.5-10.9	4	0.3	00.0-00.7
College Graduate	1534	256,503	1312	84.0	81.5-86.5	97	7.4	05.6-09.2	68	4.5	03.1-05.9	54	4.0	02.4-05.6	3	0.1	00.1-00.1
Less than \$15,000	389	50,303	220	53.0	44.8-61.2	45	11.5	07.0-16.0	49	13.7	07.6-19.8	68	20.5	14.0-27.0	7	1.4	00.2-02.6
\$15,000- 24,999	323	41,767	169	53.5	44.5-62.5	25	8.2	03.7-12.7	45	16.1	08.5-23.7	73	19.5	13.6-25.4	11	2.7	00.9-04.5
\$25,000- 34,999	315	47,367	210	59.4	50.8-68.0	32	11.8	06.7-16.9	32	13.3	05.7-20.9	39	15.1	08.8-21.4	2	0.4	00.0-01.0
\$35,000- 49,999	524	77,038	383	68.5	62.4-74.6	45	9.7	05.8-13.6	55	13.1	08.8-17.4	40	8.6	04.5-12.7	1	0.0	00.0-00.0
\$50,000- 74,999	599	94,295	479	76.0	71.3-80.7	49	9.7	06.4-13.0	31	6.9	04.0-09.8	38	7.2	04.7-09.7	2	0.3	00.0-00.7
\$75,000+	1105	228,506	959	84.4	81.5-87.3	79	8.3	05.9-10.7	34	3.5	02.1-04.9	32	3.6	02.0-05.2	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 8: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1376	304,040	1001	71.7	68.2-75.2	112	8.5	06.5-10.5	111	10.0	07.5-12.5	144	9.6	07.6-11.6	8	0.3	00.1-00.5
White/Non-Hisp	1124	232,468	839	73.5	69.8-77.2	84	8.2	05.8-10.6	84	8.9	06.4-11.4	110	9.1	06.9-11.3	7	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	143	34,139				19	12.6	05.5-19.7	18	14.0	04.6-23.4	23	14.1	06.5-21.7	1	0.3	00.0-00.9
25-34	99	53,433				10	8.8	03.3-14.3				8	7.5	02.0-13.0			
35-44	189	56,849	118	65.8	58.4-73.2	19	8.8	04.3-13.3	23	10.0	05.7-14.3	29	15.3	09.6-21.0			
45-54	296	60,894	208	71.8	65.7-77.9	27	8.2	04.7-11.7	22	7.1	03.8-10.4	35	12.2	07.5-16.9	4	0.7	00.0-01.5
55-64	321	43,738	243	78.3	72.6-84.0	29	8.5	05.0-12.0	18	5.4	01.5-09.3	30	7.3	04.2-10.4	1	0.5	00.0-01.5
65+	419	46,212	328	78.1	73.4-82.8	21	5.7	03.0-08.4	29	7.4	04.3-10.5	38	8.3	05.2-11.4	3	0.5	00.0-01.1
Less Than H.S.	72	17,638				6	2.4	00.2-04.6							2	0.7	00.0-01.7
H.S. or G.E.D.	402	76,103	258	62.6	55.7-69.5	27	5.5	03.0-08.0	47	14.9	09.0-20.8	64	16.1	11.0-21.2	6	1.0	00.2-01.8
Some Post-H.S.	327	86,178	229	67.9	60.3-75.5	37	13.0	07.7-18.3	26	10.3	04.8-15.8	35	8.7	05.0-12.4			
College Graduate	571	123,342	480	83.1	79.2-87.0	42	8.1	05.2-11.0	26	4.4	02.2-06.6	23	4.3	02.1-06.5			
Less than \$15,000	116	22,917				10	7.0	01.1-12.9				25	19.3	09.5-29.1	1	0.3	00.0-00.9
\$15,000- 24,999	83	13,447				5	4.2	00.0-08.5							2	2.0	00.0-04.9
\$25,000- 34,999	108	21,298				12	11.8	04.0-19.6							1	0.6	00.0-01.8
\$35,000- 49,999	190	36,738	137	66.0	56.6-75.4	15	10.5	03.4-17.6	22	17.1	09.3-24.9	16	6.4	02.9-09.9			
\$50,000- 74,999	226	44,605	175	75.3	67.5-83.1	19	8.6	03.9-13.3	13	8.2	02.7-13.7	18	7.5	03.4-11.6	1	0.5	00.0-01.5
\$75,000+	477	119,471	392	80.8	76.1-85.5	42	9.4	05.9-12.9	20	4.2	02.0-06.4	23	5.6	02.7-08.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 9: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2495	337,356	1905	76.0	73.6-78.4	204	9.2	07.6-10.8	177	6.6	05.4-07.8	188	7.4	05.8-09.0	21	0.8	00.2-01.4
White/Non-Hisp	1969	247,796	1559	78.4	75.9-80.9	146	8.8	07.0-10.6	110	5.6	04.2-07.0	142	6.8	05.2-08.4	12	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	347	52,732	212	64.0	56.9-71.1	44	11.4	07.5-15.3	47	9.2	06.1-12.3	37	12.8	06.9-18.7	7	2.6	00.0-05.7
Oth. Race/Non-Hisp.	57	13,828							5	7.3	00.6-14.0	2	3.2	00.0-08.7	1	1.0	00.0-03.0
Hispanic	67	15,102				6	8.3	00.1-16.5	9	12.4	03.4-21.4	4	4.5	00.0-10.2			
18-24	80	41,034				10	11.2	03.9-18.5	7	5.2	00.5-09.9	3	6.6	00.0-14.6	1	2.0	00.0-05.9
25-34	223	55,887	149	67.5	60.4-74.6	30	14.1	08.8-19.4	17	6.8	02.9-10.7	26	11.4	06.9-15.9	1	0.3	00.0-00.9
35-44	359	60,986	254	70.9	65.4-76.4	37	10.6	06.9-14.3	34	10.0	06.3-13.7	32	8.0	04.7-11.3	2	0.5	00.0-01.3
45-54	458	65,170	345	80.0	76.1-83.9	39	7.2	04.7-09.7	35	6.1	03.7-08.5	36	6.2	04.0-08.4	3	0.6	00.0-01.2
55-64	567	50,083	443	79.9	76.0-83.8	39	6.5	04.0-09.0	36	5.1	03.1-07.1	45	8.1	05.2-11.0	4	0.4	00.0-00.8
65+	764	60,789	618	81.7	78.6-84.8	46	6.4	04.2-08.6	44	5.7	03.9-07.5	46	5.1	03.5-06.7	10	1.2	00.4-02.0
Less Than H.S.	105	14,473				9	8.0	00.9-15.1	16	13.3	04.9-21.7				6	3.5	00.4-06.6
H.S. or G.E.D.	722	92,294	500	68.3	63.4-73.2	81	11.8	08.7-14.9	58	8.6	05.7-11.5	75	9.7	06.4-13.0	8	1.5	00.0-03.3
Some Post-H.S.	697	96,729	513	74.5	70.2-78.8	58	10.1	06.6-13.6	59	6.2	04.2-08.2	63	8.7	06.2-11.2	4	0.5	00.0-01.1
College Graduate	963	133,161	832	84.8	81.5-88.1	55	6.8	04.6-09.0	42	4.6	02.8-06.4	31	3.7	01.3-06.1	3	0.1	00.0-00.3
Less than \$15,000	273	27,386	156	49.1	40.7-57.5	35	15.2	08.9-21.5	33	11.9	06.8-17.0	43	21.5	12.9-30.1	6	2.3	00.1-04.5
\$15,000- 24,999	240	28,320	132	59.7	50.5-68.9	20	10.2	03.9-16.5	31	10.7	05.8-15.6	48	16.4	10.5-22.3	9	3.0	00.6-05.4
\$25,000- 34,999	207	26,068	144	67.1	58.1-76.1	20	11.8	04.9-18.7	20	9.2	04.5-13.9	22	11.7	05.6-17.8	1	0.2	00.0-00.6
\$35,000- 49,999	334	40,300	246	70.8	63.2-78.4	30	9.0	05.3-12.7	33	9.4	05.5-13.3	24	10.7	03.6-17.8	1	0.1	00.0-00.3
\$50,000- 74,999	373	49,690	304	76.6	70.9-82.3	30	10.6	06.1-15.1	18	5.7	03.0-08.4	20	6.9	03.6-10.2	1	0.1	00.0-00.3
\$75,000+	628	109,034	567	88.3	84.8-91.8	37	7.0	04.3-09.7	14	2.6	00.8-04.4	9	1.3	00.3-02.3	1	0.8	00.0-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	52
2 MALES ONLY	53
3 FEMALES ONLY	54
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	55
5 MALES ONLY	56
6 FEMALES ONLY	57
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	58
8 MALES ONLY	59
9 FEMALES ONLY	60

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4238	677,532	261	3.9	03.3-04.5	3977	96.1	95.5-96.7
Male	1521	322,157	143	5.2	04.2-06.2	1378	94.8	93.8-95.8
Female	2717	355,375	118	2.8	02.2-03.4	2599	97.2	96.6-97.8
White/Non-Hisp	3390	508,057	225	4.4	03.6-05.2	3165	95.6	94.8-96.4
Black or Afr. Am./Non-Hisp	539	92,333	23	2.6	01.4-03.8	516	97.4	96.2-98.6
Oth. Race/Non-Hisp.	107	28,146	3	2.3	00.0-04.8	104	97.7	95.2-0100
MultiRacial/Non-Hisp.	56	10,789	8	11.4	01.6-21.2	48	88.6	78.8-98.4
Hispanic	113	33,716	1	0.4	00.0-01.2	112	99.6	98.8-0100
18-24	130	84,358				130	100.0	0100-0100
25-34	324	109,783	1	0.3	00.0-00.9	323	99.7	99.1-0100
35-44	555	119,550	6	1.1	00.1-02.1	549	98.9	97.9-99.9
45-54	775	129,065	23	2.7	01.3-04.1	752	97.3	95.9-98.7
55-64	966	102,409	49	5.2	03.2-07.2	917	94.8	92.8-96.8
65+	1437	127,928	180	12.4	10.4-14.4	1257	87.6	85.6-89.6
Less Than H.S.	276	41,047	45	11.0	06.5-15.5	231	89.0	84.5-93.5
H.S. or G.E.D.	1272	179,770	94	5.9	04.5-07.3	1178	94.1	92.7-95.5
Some Post-H.S.	1104	193,540	54	2.5	01.7-03.3	1050	97.5	96.7-98.3
College Graduate	1573	261,618	68	2.6	01.8-03.4	1505	97.4	96.6-98.2
Less than \$15,000	451	56,149	45	8.2	05.1-11.3	406	91.8	88.7-94.9
\$15,000- 24,999	420	49,659	64	11.6	07.7-15.5	356	88.4	84.5-92.3
\$25,000- 34,999	360	51,362	28	4.8	02.6-07.0	332	95.2	93.0-97.4
\$35,000- 49,999	563	81,218	38	5.8	03.6-08.0	525	94.2	92.0-96.4
\$50,000- 74,999	624	97,246	17	1.4	00.6-02.2	607	98.6	97.8-99.4
\$75,000+	1124	231,891	27	1.4	00.8-02.0	1097	98.6	98.0-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1521	322,157	143	5.2	04.2-06.2	1378	94.8	93.8-95.8
White/Non-Hisp	1245	247,073	125	5.8	04.4-07.2	1120	94.2	92.8-95.6
Black or Afr. Am./Non-Hisp	159	36,216	11	3.2	01.0-05.4	148	96.8	94.6-99.0
25-34	99	53,513				99	100.0	0100-0100
35-44	194	58,432	3	1.2	00.0-02.8	191	98.8	97.2-0100
45-54	300	62,222	16	4.5	02.0-07.0	284	95.5	93.0-98.0
55-64	357	49,102	28	7.5	04.0-11.0	329	92.5	89.0-96.0
65+	516	55,518	95	16.7	13.2-20.2	421	83.3	79.8-86.8
Less Than H.S.	119	23,138	30	13.7	06.4-21.0	89	86.3	79.0-93.6
H.S. or G.E.D.	455	80,641	53	7.9	05.4-10.4	402	92.1	89.6-94.6
Some Post-H.S.	354	91,469	23	2.8	01.4-04.2	331	97.2	95.8-98.6
College Graduate	589	126,130	37	3.6	02.2-05.0	552	96.4	95.0-97.8
Less than \$15,000	142	25,689	23	10.3	04.8-15.8	119	89.7	84.2-95.2
\$15,000- 24,999	114	17,359	30	16.2	07.4-25.0	84	83.8	75.0-92.6
\$25,000- 34,999	125	23,198	14	6.9	02.6-11.2	111	93.1	88.8-97.4
\$35,000- 49,999	211	39,506	25	9.8	05.5-14.1	186	90.2	85.9-94.5
\$50,000- 74,999	240	46,692	10	1.9	00.5-03.3	230	98.1	96.7-99.5
\$75,000+	488	121,237	21	2.2	01.0-03.4	467	97.8	96.6-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2717	355,375	118	2.8	02.2-03.4	2599	97.2	96.6-97.8
White/Non-Hisp	2145	260,984	100	3.0	02.2-03.8	2045	97.0	96.2-97.8
Black or Afr. Am./Non-Hisp	380	56,118	12	2.3	00.9-03.7	368	97.7	96.3-99.1
Oth. Race/Non-Hisp.	61	14,533	1	1.6	00.0-04.7	60	98.4	95.3-0100
Hispanic	70	15,518				70	100.0	0100-0100
18-24	82	42,019				82	100.0	0100-0100
25-34	225	56,270	1	0.5	00.0-01.5	224	99.5	98.5-0100
35-44	361	61,118	3	1.0	00.0-02.2	358	99.0	97.8-0100
45-54	475	66,843	7	1.1	00.1-02.1	468	98.9	97.9-99.9
55-64	609	53,308	21	3.1	01.5-04.7	588	96.9	95.3-98.5
65+	921	72,409	85	9.1	06.7-11.5	836	90.9	88.5-93.3
Less Than H.S.	157	17,909	15	7.6	02.9-12.3	142	92.4	87.7-97.1
H.S. or G.E.D.	817	99,129	41	4.2	02.6-05.8	776	95.8	94.2-97.4
Some Post-H.S.	750	102,071	31	2.3	01.3-03.3	719	97.7	96.7-98.7
College Graduate	984	135,488	31	1.6	00.8-02.4	953	98.4	97.6-99.2
Less than \$15,000	309	30,459	22	6.6	03.3-09.9	287	93.4	90.1-96.7
\$15,000- 24,999	306	32,300	34	9.2	05.5-12.9	272	90.8	87.1-94.5
\$25,000- 34,999	235	28,165	14	3.0	01.0-05.0	221	97.0	95.0-99.0
\$35,000- 49,999	352	41,711	13	2.1	00.9-03.3	339	97.9	96.7-99.1
\$50,000- 74,999	384	50,554	7	1.0	00.2-01.8	377	99.0	98.2-99.8
\$75,000+	636	110,654	6	0.5	00.0-01.1	630	99.5	98.9-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
 TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
 Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4220	676,318	302	4.5	03.9-05.1	3918	95.5	94.9-96.1
Male	1513	322,233	150	5.4	04.2-06.6	1363	94.6	93.4-95.8
Female	2707	354,086	152	3.6	02.8-04.4	2555	96.4	95.6-97.2
White/Non-Hisp	3377	508,033	261	5.1	04.3-05.9	3116	94.9	94.1-95.7
Black or Afr. Am./Non-Hisp	537	91,788	23	2.5	01.3-03.7	514	97.5	96.3-98.7
Oth. Race/Non-Hisp.	106	27,743	7	3.4	00.7-06.1	99	96.6	93.9-99.3
MultiRacial/Non-Hisp.	54	10,550	5	5.5	00.0-11.4	49	94.5	88.6-0100
Hispanic	113	33,716	4	1.5	00.0-03.3	109	98.5	96.7-0100
18-24	130	84,358				130	100.0	0100-0100
25-34	325	110,709				325	100.0	0100-0100
35-44	555	119,550	6	1.1	00.1-02.1	549	98.9	97.9-99.9
45-54	773	128,531	27	3.6	02.0-05.2	746	96.4	94.8-98.0
55-64	964	102,055	71	7.0	05.0-09.0	893	93.0	91.0-95.0
65+	1422	126,677	196	13.3	11.1-15.5	1226	86.7	84.5-88.9
Less Than H.S.	272	40,803	37	6.0	03.6-08.4	235	94.0	91.6-96.4
H.S. or G.E.D.	1266	180,088	104	5.8	04.4-07.2	1162	94.2	92.8-95.6
Some Post-H.S.	1099	193,071	68	4.0	02.8-05.2	1031	96.0	94.8-97.2
College Graduate	1570	260,800	93	3.7	02.7-04.7	1477	96.3	95.3-97.3
Less than \$15,000	448	55,941	43	8.1	05.0-11.2	405	91.9	88.8-95.0
\$15,000- 24,999	416	49,408	55	8.1	05.6-10.6	361	91.9	89.4-94.4
\$25,000- 34,999	358	51,081	32	5.7	03.3-08.1	326	94.3	91.9-96.7
\$35,000- 49,999	562	81,135	39	5.6	03.4-07.8	523	94.4	92.2-96.6
\$50,000- 74,999	623	97,196	33	3.7	01.9-05.5	590	96.3	94.5-98.1
\$75,000+	1123	231,255	52	2.9	01.9-03.9	1071	97.1	96.1-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1513	322,233	150	5.4	04.2-06.6	1363	94.6	93.4-95.8
White/Non-Hisp	1238	247,584	132	6.3	04.9-07.7	1106	93.7	92.3-95.1
Black or Afr. Am./Non-Hisp	159	36,184	10	2.9	00.7-05.1	149	97.1	94.9-99.3
25-34	100	54,439				100	100.0	0100-0100
35-44	194	58,432	3	1.3	00.0-02.9	191	98.7	97.1-0100
45-54	299	61,868	16	5.2	02.3-08.1	283	94.8	91.9-97.7
55-64	356	49,080	35	8.3	05.2-11.4	321	91.7	88.6-94.8
65+	509	55,043	95	16.8	13.1-20.5	414	83.2	79.5-86.9
Less Than H.S.	115	22,886	18	5.8	02.3-09.3	97	94.2	90.7-97.7
H.S. or G.E.D.	452	81,344	47	6.8	04.4-09.2	405	93.2	90.8-95.6
Some Post-H.S.	353	91,396	30	4.1	02.3-05.9	323	95.9	94.1-97.7
College Graduate	589	125,826	55	5.4	03.6-07.2	534	94.6	92.8-96.4
Less than \$15,000	140	25,578	18	7.2	02.9-11.5	122	92.8	88.5-97.1
\$15,000- 24,999	111	17,197	15	6.1	02.4-09.8	96	93.9	90.2-97.6
\$25,000- 34,999	124	23,097	15	7.6	03.1-12.1	109	92.4	87.9-96.9
\$35,000- 49,999	210	39,424	26	8.8	04.7-12.9	184	91.2	87.1-95.3
\$50,000- 74,999	240	46,692	22	5.9	02.4-09.4	218	94.1	90.6-97.6
\$75,000+	488	120,934	38	4.3	02.7-05.9	450	95.7	94.1-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2707	354,086	152	3.6	02.8-04.4	2555	96.4	95.6-97.2
White/Non-Hisp	2139	260,448	129	4.0	03.2-04.8	2010	96.0	95.2-96.8
Black or Afr. Am./Non-Hisp	378	55,604	13	2.2	00.8-03.6	365	97.8	96.4-99.2
Oth. Race/Non-Hisp.	61	14,533	3	2.3	00.0-05.0	58	97.7	95.0-0100
Hispanic	70	15,518	3	2.8	00.0-06.5	67	97.2	93.5-0100
18-24	82	42,019				82	100.0	0100-0100
25-34	225	56,270				225	100.0	0100-0100
35-44	361	61,118	3	0.9	00.0-01.9	358	99.1	98.1-0100
45-54	474	66,663	11	2.1	00.7-03.5	463	97.9	96.5-99.3
55-64	608	52,975	36	5.8	03.4-08.2	572	94.2	91.8-96.6
65+	913	71,634	101	10.7	08.3-13.1	812	89.3	86.9-91.7
Less Than H.S.	157	17,916	19	6.3	03.2-09.4	138	93.7	90.6-96.8
H.S. or G.E.D.	814	98,744	57	5.1	03.5-06.7	757	94.9	93.3-96.5
Some Post-H.S.	746	101,675	38	3.8	02.2-05.4	708	96.2	94.6-97.8
College Graduate	981	134,973	38	2.1	01.3-02.9	943	97.9	97.1-98.7
Less than \$15,000	308	30,364	25	8.9	04.6-13.2	283	91.1	86.8-95.4
\$15,000- 24,999	305	32,211	40	9.1	05.8-12.4	265	90.9	87.6-94.2
\$25,000- 34,999	234	27,984	17	4.2	01.8-06.6	217	95.8	93.4-98.2
\$35,000- 49,999	352	41,711	13	2.6	00.8-04.4	339	97.4	95.6-99.2
\$50,000- 74,999	383	50,504	11	1.6	00.6-02.6	372	98.4	97.4-99.4
\$75,000+	635	110,321	14	1.3	00.5-02.1	621	98.7	97.9-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4242	678,573	188	3.0	02.4-03.6	4054	97.0	96.4-97.6
Male	1524	323,060	76	2.9	02.1-03.7	1448	97.1	96.3-97.9
Female	2718	355,513	112	3.1	02.3-03.9	2606	96.9	96.1-97.7
White/Non-Hisp	3393	509,138	150	2.9	02.3-03.5	3243	97.1	96.5-97.7
Black or Afr. Am./Non-Hisp	540	92,294	26	4.0	02.0-06.0	514	96.0	94.0-98.0
Oth. Race/Non-Hisp.	107	28,146				107	100.0	0100-0100
MultiRacial/Non-Hisp.	56	10,789	6	7.8	00.0-16.2	50	92.2	83.8-0100
Hispanic	113	33,716	5	1.8	00.0-04.0	108	98.2	96.0-0100
18-24	130	84,358				130	100.0	0100-0100
25-34	325	110,709	3	1.3	00.0-03.1	322	98.7	96.9-0100
35-44	555	119,550	11	2.0	00.4-03.6	544	98.0	96.4-99.6
45-54	776	129,107	15	1.5	00.7-02.3	761	98.5	97.7-99.3
55-64	967	102,469	40	3.8	02.4-05.2	927	96.2	94.8-97.6
65+	1438	127,940	116	7.9	06.3-09.5	1322	92.1	90.5-93.7
Less Than H.S.	277	41,140	23	3.8	01.8-05.8	254	96.2	94.2-98.2
H.S. or G.E.D.	1274	180,751	67	3.6	02.2-05.0	1207	96.4	95.0-97.8
Some Post-H.S.	1105	193,558	50	3.3	02.1-04.5	1055	96.7	95.5-97.9
College Graduate	1573	261,567	48	2.2	01.4-03.0	1525	97.8	97.0-98.6
Less than \$15,000	451	56,098	39	7.3	04.4-10.2	412	92.7	89.8-95.6
\$15,000- 24,999	421	49,719	42	5.9	03.7-08.1	379	94.1	91.9-96.3
\$25,000- 34,999	360	51,330	16	2.5	01.1-03.9	344	97.5	96.1-98.9
\$35,000- 49,999	563	81,218	20	3.2	01.6-04.8	543	96.8	95.2-98.4
\$50,000- 74,999	623	97,095	17	2.7	00.9-04.5	606	97.3	95.5-99.1
\$75,000+	1125	231,992	18	1.0	00.4-01.6	1107	99.0	98.4-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1524	323,060	76	2.9	02.1-03.7	1448	97.1	96.3-97.9
White/Non-Hisp	1248	248,108	56	2.7	01.7-03.7	1192	97.3	96.3-98.3
Black or Afr. Am./Non-Hisp	159	36,083	14	4.6	01.7-07.5	145	95.4	92.5-98.3
25-34	100	54,439	1	1.5	00.0-04.4	99	98.5	95.6-100
35-44	194	58,432	3	1.3	00.0-02.9	191	98.7	97.1-100
45-54	300	62,171	5	1.2	00.2-02.2	295	98.8	97.8-99.8
55-64	358	49,162	18	3.9	01.5-06.3	340	96.1	93.7-98.5
65+	517	55,485	49	8.9	06.2-11.6	468	91.1	88.4-93.8
Less Than H.S.	119	23,138	12	3.4	01.0-05.8	107	96.6	94.2-99.0
H.S. or G.E.D.	457	81,575	24	3.7	01.3-06.1	433	96.3	93.9-98.7
Some Post-H.S.	355	91,487	16	2.6	01.0-04.2	339	97.4	95.8-99.0
College Graduate	589	126,080	24	2.4	01.2-03.6	565	97.6	96.4-98.8
Less than \$15,000	142	25,638	15	7.4	02.5-12.3	127	92.6	87.7-97.5
\$15,000- 24,999	115	17,419	9	4.0	00.7-07.3	106	96.0	92.7-99.3
\$25,000- 34,999	126	23,216	8	3.0	00.5-05.5	118	97.0	94.5-99.5
\$35,000- 49,999	211	39,506	14	4.5	01.8-07.2	197	95.5	92.8-98.2
\$50,000- 74,999	239	46,541	7	1.3	00.3-02.3	232	98.7	97.7-99.7
\$75,000+	489	121,338	10	1.1	00.3-01.9	479	98.9	98.1-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2718	355,513	112	3.1	02.3-03.9	2606	96.9	96.1-97.7
White/Non-Hisp	2145	261,030	94	3.1	02.3-03.9	2051	96.9	96.1-97.7
Black or Afr. Am./Non-Hisp	381	56,210	12	3.5	00.8-06.2	369	96.5	93.8-99.2
Oth. Race/Non-Hisp.	61	14,533				61	100.0	0100-0100
Hispanic	70	15,518	3	3.0	00.0-07.3	67	97.0	92.7-0100
18-24	82	42,019				82	100.0	0100-0100
25-34	225	56,270	2	1.1	00.0-02.9	223	98.9	97.1-0100
35-44	361	61,118	8	2.7	00.2-05.2	353	97.3	94.8-99.8
45-54	476	66,936	10	1.7	00.5-02.9	466	98.3	97.1-99.5
55-64	609	53,308	22	3.7	01.7-05.7	587	96.3	94.3-98.3
65+	921	72,455	67	7.2	05.2-09.2	854	92.8	90.8-94.8
Less Than H.S.	158	18,002	11	4.4	01.5-07.3	147	95.6	92.7-98.5
H.S. or G.E.D.	817	99,175	43	3.6	02.2-05.0	774	96.4	95.0-97.8
Some Post-H.S.	750	102,071	34	3.9	02.3-05.5	716	96.1	94.5-97.7
College Graduate	984	135,488	24	1.9	00.7-03.1	960	98.1	96.9-99.3
Less than \$15,000	309	30,459	24	7.2	03.7-10.7	285	92.8	89.3-96.3
\$15,000- 24,999	306	32,300	33	7.0	04.1-09.9	273	93.0	90.1-95.9
\$25,000- 34,999	234	28,115	8	2.1	00.5-03.7	226	97.9	96.3-99.5
\$35,000- 49,999	352	41,711	6	1.8	00.0-03.6	346	98.2	96.4-0100
\$50,000- 74,999	384	50,554	10	4.0	00.7-07.3	374	96.0	92.7-99.3
\$75,000+	636	110,654	8	0.8	00.2-01.4	628	99.2	98.6-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 9: ASTHMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)	
1	MALES AND FEMALES	62
2	MALES ONLY	63
3	FEMALES ONLY	64
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
4	MALES AND FEMALES	65
5	MALES ONLY	66
6	FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4238	678,193	607	15.1	13.5-16.7	3631	84.9	83.3-86.5
Male	1525	323,261	175	13.2	10.7-15.7	1350	86.8	84.3-89.3
Female	2713	354,932	432	16.7	14.7-18.7	2281	83.3	81.3-85.3
White/Non-Hisp	3388	508,608	470	14.4	12.6-16.2	2918	85.6	83.8-87.4
Black or Afr. Am./Non-Hisp	541	92,444	81	14.6	10.5-18.7	460	85.4	81.3-89.5
Oth. Race/Non-Hisp.	107	28,146	9	6.7	01.6-11.8	98	93.3	88.2-98.4
18-24	130	84,358	34	24.4	15.8-33.0	96	75.6	67.0-84.2
25-34	324	110,453	54	15.8	11.3-20.3	270	84.2	79.7-88.7
35-44	554	119,473	96	16.3	12.8-19.8	458	83.7	80.2-87.2
45-54	777	129,258	116	12.7	10.2-15.2	661	87.3	84.8-89.8
55-64	964	102,212	139	14.4	11.7-17.1	825	85.6	82.9-88.3
65+	1438	128,000	162	10.1	08.3-11.9	1276	89.9	88.1-91.7
Less Than H.S.	277	41,142	54	19.7	11.9-27.5	223	80.3	72.5-88.1
H.S. or G.E.D.	1272	180,475	183	17.1	13.8-20.4	1089	82.9	79.6-86.2
Some Post-H.S.	1102	193,301	172	16.5	13.0-20.0	930	83.5	80.0-87.0
College Graduate	1574	261,718	196	11.8	09.6-14.0	1378	88.2	86.0-90.4
Less than \$15,000	449	56,043	78	19.4	13.9-24.9	371	80.6	75.1-86.1
\$15,000- 24,999	422	49,798	92	22.7	16.4-29.0	330	77.3	71.0-83.6
\$25,000- 34,999	361	51,380	52	20.3	13.2-27.4	309	79.7	72.6-86.8
\$35,000- 49,999	561	81,066	69	12.9	09.0-16.8	492	87.1	83.2-91.0
\$50,000- 74,999	624	97,246	83	16.6	11.7-21.5	541	83.4	78.5-88.3
\$75,000+	1123	231,588	147	11.9	09.5-14.3	976	88.1	85.7-90.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1525	323,261	175	13.2	10.7-15.7	1350	86.8	84.3-89.3
White/Non-Hisp	1248	248,159	140	12.9	10.2-15.6	1108	87.1	84.4-89.8
Black or Afr. Am./Non-Hisp	160	36,234	18	8.7	03.2-14.2	142	91.3	85.8-96.8
25-34	100	54,439	22	18.1	10.5-25.7	78	81.9	74.3-89.5
35-44	194	58,432	27	14.2	08.9-19.5	167	85.8	80.5-91.1
45-54	301	62,322	30	8.3	05.0-11.6	271	91.7	88.4-95.0
55-64	358	49,162	38	10.9	06.6-15.2	320	89.1	84.8-93.4
65+	517	55,536	46	7.5	05.1-09.9	471	92.5	90.1-94.9
Less Than H.S.	119	23,138	21	16.9	07.1-26.7	98	83.1	73.3-92.9
H.S. or G.E.D.	457	81,627	51	15.5	10.0-21.0	406	84.5	79.0-90.0
Some Post-H.S.	355	91,487	41	13.3	07.6-19.0	314	86.7	81.0-92.4
College Graduate	590	126,230	62	11.0	07.7-14.3	528	89.0	85.7-92.3
Less than \$15,000	143	25,739	20	15.2	06.6-23.8	123	84.8	76.2-93.4
\$35,000- 49,999	211	39,506	19	9.8	04.7-14.9	192	90.2	85.1-95.3
\$50,000- 74,999	240	46,692	23	16.0	07.4-24.6	217	84.0	75.4-92.6
\$75,000+	489	121,338	59	11.4	07.9-14.9	430	88.6	85.1-92.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2713	354,932	432	16.7	14.7-18.7	2281	83.3	81.3-85.3
White/Non-Hisp	2140	260,448	330	15.8	13.6-18.0	1810	84.2	82.0-86.4
Black or Afr. Am./Non-Hisp	381	56,210	63	18.4	12.7-24.1	318	81.6	75.9-87.3
Oth. Race/Non-Hisp.	61	14,533	5	6.7	00.0-14.3	56	93.3	85.7-0100
25-34	224	56,014	32	13.6	08.5-18.7	192	86.4	81.3-91.5
35-44	360	61,041	69	18.4	13.7-23.1	291	81.6	76.9-86.3
45-54	476	66,936	86	16.7	13.0-20.4	390	83.3	79.6-87.0
55-64	606	53,051	101	17.7	14.0-21.4	505	82.3	78.6-86.0
65+	921	72,463	116	12.1	09.7-14.5	805	87.9	85.5-90.3
H.S. or G.E.D.	815	98,849	132	18.5	14.4-22.6	683	81.5	77.4-85.6
Some Post-H.S.	747	101,814	131	19.3	15.2-23.4	616	80.7	76.6-84.8
College Graduate	984	135,488	134	12.6	10.1-15.1	850	87.4	84.9-89.9
Less than \$15,000	306	30,304	58	22.9	16.0-29.8	248	77.1	70.2-84.0
\$15,000- 24,999	307	32,379	72	24.0	16.4-31.6	235	76.0	68.4-83.6
\$25,000- 34,999	235	28,165	34	21.0	12.0-30.0	201	79.0	70.0-88.0
\$35,000- 49,999	350	41,559	50	15.9	10.0-21.8	300	84.1	78.2-90.0
\$50,000- 74,999	384	50,554	60	17.1	12.0-22.2	324	82.9	77.8-88.0
\$75,000+	634	110,251	88	12.5	09.6-15.4	546	87.5	84.6-90.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 4: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	594	99,794	424	67.6	61.7-73.5	170	32.4	26.5-38.3
Female	423	57,845	316	73.9	67.6-80.2	107	26.1	19.8-32.4
White/Non-Hisp	460	71,368	330	64.8	57.7-71.9	130	35.2	28.1-42.3
45-54	114	15,957	75	67.2	57.2-77.2	39	32.8	22.8-42.8
55-64	136	14,392	112	76.8	66.8-86.8			
65+	160	12,839	112	70.0	61.8-78.2	48	30.0	21.8-38.2
College Graduate	192	30,102	134	64.4	55.2-73.6	58	35.6	26.4-44.8
Less than \$15,000	77	10,839	63	86.6	78.2-95.0	14	13.4	05.0-21.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA

TABLE 5: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 6: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	423	57,845	316	73.9	67.6-80.2	107	26.1	19.8-32.4
White/Non-Hisp	323	40,148	241	71.0	63.0-79.0	82	29.0	21.0-37.0
35-44	65	10,526	51	82.0	72.2-91.8	14	18.0	08.2-27.8
45-54	85	11,067	58	74.2	64.4-84.0	27	25.8	16.0-35.6
55-64	99	9,228	87	85.8	77.4-94.2	12	14.2	05.8-22.6
65+	115	8,716	82	70.5	60.5-80.5	33	29.5	19.5-39.5
Some Post-H.S.	126	18,692	87	75.8	67.2-84.4	39	24.2	15.6-32.8
College Graduate	132	16,598	100	72.5	62.7-82.3	32	27.5	17.7-37.3
\$15,000- 24,999	72	7,767	58	86.7	77.9-95.5	14	13.3	04.5-22.1
\$75,000+	85	13,285	66	78.2	68.4-88.0	19	21.8	12.0-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 10: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	69
2	MALES ONLY	70
3	FEMALES ONLY	71
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	72
5	MALES ONLY	73
6	FEMALES ONLY	74

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

**TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4237	677,793	1103	21.4	19.6-23.2	3134	78.6	76.8-80.4
Male	1520	322,362	378	20.2	17.5-22.9	1142	79.8	77.1-82.5
Female	2717	355,431	725	22.4	20.4-24.4	1992	77.6	75.6-79.6
White/Non-Hisp	3390	508,773	936	23.9	21.9-25.9	2454	76.1	74.1-78.1
Black or Afr. Am./Non-Hisp	540	92,355	111	14.9	11.4-18.4	429	85.1	81.6-88.6
Oth. Race/Non-Hisp.	106	27,719	18	11.8	05.5-18.1	88	88.2	81.9-94.5
Hispanic	113	33,716	13	9.1	02.6-15.6	100	90.9	84.4-97.4
18-24	130	84,358	13	10.9	04.6-17.2	117	89.1	82.8-95.4
25-34	324	110,478	33	11.4	06.5-16.3	291	88.6	83.7-93.5
35-44	554	119,409	88	16.3	12.4-20.2	466	83.7	79.8-87.6
45-54	777	129,258	206	23.8	20.3-27.3	571	76.2	72.7-79.7
55-64	965	101,996	284	29.0	25.5-32.5	681	71.0	67.5-74.5
65+	1436	127,856	468	33.1	30.2-36.0	968	66.9	64.0-69.8
Less Than H.S.	278	41,219	116	28.8	21.0-36.6	162	71.2	63.4-79.0
H.S. or G.E.D.	1272	180,576	316	23.9	20.4-27.4	956	76.1	72.6-79.6
Some Post-H.S.	1104	193,326	337	23.0	19.7-26.3	767	77.0	73.7-80.3
College Graduate	1570	261,115	330	17.3	14.9-19.7	1240	82.7	80.3-85.1
Less than \$15,000	451	55,967	178	33.6	27.1-40.1	273	66.4	59.9-72.9
\$15,000- 24,999	421	49,709	194	36.5	29.6-43.4	227	63.5	56.6-70.4
\$25,000- 34,999	361	51,380	89	28.6	20.4-36.8	272	71.4	63.2-79.6
\$35,000- 49,999	563	81,218	142	23.2	18.1-28.3	421	76.8	71.7-81.9
\$50,000- 74,999	622	97,120	141	19.1	15.2-23.0	481	80.9	77.0-84.8
\$75,000+	1121	231,327	189	14.2	11.7-16.7	932	85.8	83.3-88.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1520	322,362	378	20.2	17.5-22.9	1142	79.8	77.1-82.5
White/Non-Hisp	1245	247,737	328	23.0	19.7-26.3	917	77.0	73.7-80.3
Black or Afr. Am./Non-Hisp	160	36,234	29	11.6	05.9-17.3	131	88.4	82.7-94.1
25-34	99	54,208	10	12.8	04.4-21.2	89	87.2	78.8-95.6
35-44	193	58,291	33	18.1	11.6-24.6	160	81.9	75.4-88.4
45-54	301	62,322	69	19.6	14.5-24.7	232	80.4	75.3-85.5
55-64	357	48,734	104	29.5	23.6-35.4	253	70.5	64.6-76.4
65+	515	55,437	158	30.7	26.0-35.4	357	69.3	64.6-74.0
H.S. or G.E.D.	456	81,486	112	25.3	19.0-31.6	344	74.7	68.4-81.0
Some Post-H.S.	354	91,256	92	18.0	12.9-23.1	262	82.0	76.9-87.1
College Graduate	587	125,703	125	18.1	14.2-22.0	462	81.9	78.0-85.8
\$35,000- 49,999	211	39,506	54	24.2	16.0-32.4	157	75.8	67.6-84.0
\$50,000- 74,999	239	46,642	54	17.5	11.6-23.4	185	82.5	76.6-88.4
\$75,000+	486	120,719	82	13.3	09.4-17.2	404	86.7	82.8-90.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2717	355,431	725	22.4	20.4-24.4	1992	77.6	75.6-79.6
White/Non-Hisp	2145	261,036	608	24.8	22.4-27.2	1537	75.2	72.8-77.6
Black or Afr. Am./Non-Hisp	380	56,121	82	17.1	12.6-21.6	298	82.9	78.4-87.4
Oth. Race/Non-Hisp.	61	14,533	9	10.1	02.5-17.7	52	89.9	82.3-97.5
18-24	82	42,019	9	12.2	03.8-20.6	73	87.8	79.4-96.2
25-34	225	56,270	23	10.2	05.3-15.1	202	89.8	84.9-94.7
35-44	361	61,118	55	14.6	10.3-18.9	306	85.4	81.1-89.7
45-54	476	66,936	137	27.8	23.1-32.5	339	72.2	67.5-76.9
55-64	608	53,262	180	28.5	24.2-32.8	428	71.5	67.2-75.8
65+	921	72,419	310	34.8	31.1-38.5	611	65.2	61.5-68.9
H.S. or G.E.D.	816	99,090	204	22.8	18.9-26.7	612	77.2	73.3-81.1
Some Post-H.S.	750	102,071	245	27.4	23.1-31.7	505	72.6	68.3-76.9
College Graduate	983	135,412	205	16.6	13.9-19.3	778	83.4	80.7-86.1
Less than \$15,000	309	30,459	125	38.1	30.7-45.5	184	61.9	54.5-69.3
\$15,000- 24,999	306	32,290	137	34.2	27.1-41.3	169	65.8	58.7-72.9
\$25,000- 34,999	235	28,165	58	22.5	15.1-29.9	177	77.5	70.1-84.9
\$35,000- 49,999	352	41,711	88	22.2	16.3-28.1	264	77.8	71.9-83.7
\$50,000- 74,999	383	50,478	87	20.6	15.7-25.5	296	79.4	74.5-84.3
\$75,000+	635	110,608	107	15.2	11.9-18.5	528	84.8	81.5-88.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4246	678,953	511	8.3	07.3-09.3	3735	91.7	90.7-92.7
Male	1526	323,311	178	7.5	06.1-08.9	1348	92.5	91.1-93.9
Female	2720	355,642	333	8.9	07.7-10.1	2387	91.1	89.9-92.3
White/Non-Hisp	3396	509,368	416	8.6	07.6-09.6	2980	91.4	90.4-92.4
Black or Afr. Am./Non-Hisp	541	92,444	63	8.0	05.5-10.5	478	92.0	89.5-94.5
Oth. Race/Non-Hisp.	107	28,146	6	2.4	00.2-04.6	101	97.6	95.4-99.8
Hispanic	113	33,716	8	5.1	00.4-09.8	105	94.9	90.2-99.6
18-24	130	84,358	2	0.6	00.0-01.4	128	99.4	98.6-100
25-34	325	110,709	5	1.7	00.1-03.3	320	98.3	96.7-99.9
35-44	555	119,550	30	5.4	03.2-07.6	525	94.6	92.4-96.8
45-54	777	129,258	74	7.8	05.6-10.0	703	92.2	90.0-94.4
55-64	967	102,469	109	10.5	08.1-12.9	858	89.5	87.1-91.9
65+	1441	128,170	287	20.4	17.9-22.9	1154	79.6	77.1-82.1
Less Than H.S.	278	41,219	71	15.2	10.1-20.3	207	84.8	79.7-89.9
H.S. or G.E.D.	1276	180,901	150	8.6	06.8-10.4	1126	91.4	89.6-93.2
Some Post-H.S.	1105	193,558	152	8.3	06.7-09.9	953	91.7	90.1-93.3
College Graduate	1574	261,718	135	6.8	05.2-08.4	1439	93.2	91.6-94.8
Less than \$15,000	452	56,198	93	16.4	12.3-20.5	359	83.6	79.5-87.7
\$15,000- 24,999	422	49,798	113	20.5	15.4-25.6	309	79.5	74.4-84.6
\$25,000- 34,999	361	51,380	57	11.3	07.8-14.8	304	88.7	85.2-92.2
\$35,000- 49,999	563	81,218	49	6.1	04.1-08.1	514	93.9	91.9-95.9
\$50,000- 74,999	624	97,246	50	6.6	04.2-09.0	574	93.4	91.0-95.8
\$75,000+	1125	231,992	63	4.3	02.9-05.7	1062	95.7	94.3-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1526	323,311	178	7.5	06.1-08.9	1348	92.5	91.1-93.9
White/Non-Hisp	1249	248,209	151	7.9	06.3-09.5	1098	92.1	90.5-93.7
Black or Afr. Am./Non-Hisp	160	36,234	16	7.6	02.9-12.3	144	92.4	87.7-97.1
25-34	100	54,439				100	100.0	0100-0100
35-44	194	58,432	10	5.9	02.2-09.6	184	94.1	90.4-97.8
45-54	301	62,322	31	9.4	05.5-13.3	270	90.6	86.7-94.5
55-64	358	49,162	29	7.8	04.3-11.3	329	92.2	88.7-95.7
65+	518	55,586	108	20.2	16.3-24.1	410	79.8	75.9-83.7
Less Than H.S.	119	23,138	30	13.5	06.2-20.8	89	86.5	79.2-93.8
H.S. or G.E.D.	458	81,676	53	7.6	05.1-10.1	405	92.4	89.9-94.9
Some Post-H.S.	355	91,487	42	6.4	04.0-08.8	313	93.6	91.2-96.0
College Graduate	590	126,230	53	7.3	04.9-09.7	537	92.7	90.3-95.1
Less than \$15,000	143	25,739	33	15.1	08.4-21.8	110	84.9	78.2-91.6
\$25,000- 34,999	126	23,216	30	13.1	07.2-19.0	96	86.9	81.0-92.8
\$35,000- 49,999	211	39,506	19	6.0	02.9-09.1	192	94.0	90.9-97.1
\$50,000- 74,999	240	46,692	21	7.7	03.6-11.8	219	92.3	88.2-96.4
\$75,000+	489	121,338	21	2.9	01.5-04.3	468	97.1	95.7-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	355,642	333	8.9	07.7-10.1	2387	91.1	89.9-92.3
White/Non-Hisp	2147	261,159	265	9.3	07.9-10.7	1882	90.7	89.3-92.1
Black or Afr. Am./Non-Hisp	381	56,210	47	8.3	05.6-11.0	334	91.7	89.0-94.4
Oth. Race/Non-Hisp.	61	14,533	4	3.6	00.0-07.5	57	96.4	92.5-0100
Hispanic	70	15,518	5	6.0	00.0-12.5	65	94.0	87.5-0100
18-24	82	42,019	2	1.1	00.0-02.9	80	98.9	97.1-0100
25-34	225	56,270	5	3.2	00.1-06.3	220	96.8	93.7-99.9
35-44	361	61,118	20	4.9	02.5-07.3	341	95.1	92.7-97.5
45-54	476	66,936	43	6.4	04.2-08.6	433	93.6	91.4-95.8
55-64	609	53,308	80	12.9	09.8-16.0	529	87.1	84.0-90.2
65+	923	72,584	179	20.5	17.4-23.6	744	79.5	76.4-82.6
Less Than H.S.	159	18,081	41	17.3	10.8-23.8	118	82.7	76.2-89.2
H.S. or G.E.D.	818	99,225	97	9.4	07.0-11.8	721	90.6	88.2-93.0
Some Post-H.S.	750	102,071	110	10.1	07.7-12.5	640	89.9	87.5-92.3
College Graduate	984	135,488	82	6.4	04.6-08.2	902	93.6	91.8-95.4
Less than \$15,000	309	30,459	60	17.5	12.4-22.6	249	82.5	77.4-87.6
\$15,000- 24,999	307	32,379	82	19.1	14.2-24.0	225	80.9	76.0-85.8
\$25,000- 34,999	235	28,165	27	9.8	05.5-14.1	208	90.2	85.9-94.5
\$35,000- 49,999	352	41,711	30	6.1	03.6-08.6	322	93.9	91.4-96.4
\$50,000- 74,999	384	50,554	29	5.6	03.2-08.0	355	94.4	92.0-96.8
\$75,000+	636	110,654	42	5.9	03.7-08.1	594	94.1	91.9-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 11: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	76
2 MALES ONLY	77
3 FEMALES ONLY	78
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	79
5 MALES ONLY	80
6 FEMALES ONLY	81
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	82
8 MALES ONLY	83
9 FEMALES ONLY	84
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)	
10 MALES AND FEMALES	85
11 MALES ONLY	86
12 FEMALES ONLY	87
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUF EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUF (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	88
14 MALES ONLY	89
15 FEMALES ONLY	90

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4228	676,646	2077	44.1	41.9-46.3	2151	55.9	53.7-58.1
Male	1520	322,345	835	47.8	44.1-51.5	685	52.2	48.5-55.9
Female	2708	354,301	1242	40.7	38.2-43.2	1466	59.3	56.8-61.8
White/Non-Hisp	3380	507,167	1738	48.3	45.9-50.7	1642	51.7	49.3-54.1
Black or Afr. Am./Non-Hisp	540	92,412	213	29.8	24.7-34.9	327	70.2	65.1-75.3
Oth. Race/Non-Hisp.	107	28,146	34	22.5	13.9-31.1	73	77.5	68.9-86.1
18-24	130	84,358	33	26.9	17.7-36.1	97	73.1	63.9-82.3
25-34	323	110,259	130	40.3	33.8-46.8	193	59.7	53.2-66.2
35-44	554	119,441	214	36.7	32.0-41.4	340	63.3	58.6-68.0
45-54	776	128,980	382	49.7	45.4-54.0	394	50.3	46.0-54.6
55-64	963	101,689	515	50.9	47.0-54.8	448	49.1	45.2-53.0
65+	1431	127,481	778	54.5	51.4-57.6	653	45.5	42.4-48.6
Less Than H.S.	276	41,160	191	69.9	60.3-79.5	85	30.1	20.5-39.7
H.S. or G.E.D.	1270	180,212	722	56.4	52.5-60.3	548	43.6	39.7-47.5
Some Post-H.S.	1101	193,191	580	44.6	40.1-49.1	521	55.4	50.9-59.9
College Graduate	1568	260,526	579	31.0	28.1-33.9	989	69.0	66.1-71.9
Less than \$15,000	452	56,198	268	55.8	48.0-63.6	184	44.2	36.4-52.0
\$15,000- 24,999	418	49,658	248	50.2	42.2-58.2	170	49.8	41.8-57.8
\$25,000- 34,999	358	51,041	180	53.0	45.2-60.8	178	47.0	39.2-54.8
\$35,000- 49,999	563	81,218	310	52.5	46.4-58.6	253	47.5	41.4-53.6
\$50,000- 74,999	622	96,712	310	47.5	42.0-53.0	312	52.5	47.0-58.0
\$75,000+	1121	231,321	432	34.1	30.4-37.8	689	65.9	62.2-69.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1520	322,345	835	47.8	44.1-51.5	685	52.2	48.5-55.9
White/Non-Hisp	1243	247,243	703	51.5	47.6-55.4	540	48.5	44.6-52.4
Black or Afr. Am./Non-Hisp	160	36,234	75	32.8	22.8-42.8	85	67.2	57.2-77.2
35-44	194	58,432	86	38.8	31.2-46.4	108	61.2	53.6-68.8
45-54	301	62,322	142	48.9	42.0-55.8	159	51.1	44.2-58.0
55-64	355	48,414	209	57.2	50.7-63.7	146	42.8	36.3-49.3
65+	515	55,368	331	63.7	58.8-68.6	184	36.3	31.4-41.2
H.S. or G.E.D.	457	81,642	302	61.4	54.9-67.9	155	38.6	32.1-45.1
Some Post-H.S.	354	91,338	200	46.1	38.1-54.1	154	53.9	45.9-61.9
College Graduate	587	125,482	234	34.9	30.0-39.8	353	65.1	60.2-70.0
\$35,000- 49,999	211	39,506	128	57.6	48.4-66.8	83	42.4	33.2-51.6
\$50,000- 74,999	238	46,157	125	50.6	41.2-60.0	113	49.4	40.0-58.8
\$75,000+	488	121,124	210	38.4	32.5-44.3	278	61.6	55.7-67.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2708	354,301	1242	40.7	38.2-43.2	1466	59.3	56.8-61.8
White/Non-Hisp	2137	259,924	1035	45.4	42.5-48.3	1102	54.6	51.7-57.5
Black or Afr. Am./Non-Hisp	380	56,178	138	27.9	22.4-33.4	242	72.1	66.6-77.6
25-34	223	55,820	80	34.2	27.1-41.3	143	65.8	58.7-72.9
35-44	360	61,009	128	34.6	28.9-40.3	232	65.4	59.7-71.1
45-54	475	66,658	240	50.4	45.3-55.5	235	49.6	44.5-54.7
55-64	608	53,275	306	45.1	40.4-49.8	302	54.9	50.2-59.6
65+	916	72,112	447	47.5	43.8-51.2	469	52.5	48.8-56.2
H.S. or G.E.D.	813	98,570	420	52.2	47.3-57.1	393	47.8	42.9-52.7
Some Post-H.S.	747	101,853	380	43.3	38.4-48.2	367	56.7	51.8-61.6
College Graduate	981	135,044	345	27.4	24.1-30.7	636	72.6	69.3-75.9
Less than \$15,000	309	30,459	171	55.8	48.0-63.6	138	44.2	36.4-52.0
\$15,000- 24,999	304	32,273	171	46.7	38.3-55.1	133	53.3	44.9-61.7
\$25,000- 34,999	233	27,974	99	45.5	36.1-54.9	134	54.5	45.1-63.9
\$35,000- 49,999	352	41,711	182	47.6	40.0-55.2	170	52.4	44.8-60.0
\$50,000- 74,999	384	50,554	185	44.7	38.4-51.0	199	55.3	49.0-61.6
\$75,000+	633	110,197	222	29.5	25.4-33.6	411	70.5	66.4-74.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2075	297,819	494	29.0	25.9-32.1	172	10.2	07.8-12.6	1409	60.7	57.4-64.0
Male	833	153,541	201	29.6	24.9-34.3	62	12.1	08.0-16.2	570	58.3	53.2-63.4
Female	1242	144,279	293	28.4	24.7-32.1	110	8.2	06.2-10.2	839	63.4	59.5-67.3
White/Non-Hisp	1736	244,703	401	28.6	25.3-31.9	113	7.9	05.4-10.4	1222	63.4	59.9-66.9
Black or Afr. Am./Non-Hisp	213	27,569	62	33.2	24.6-41.8	39	18.1	11.4-24.8	112	48.7	40.1-57.3
25-34	129	44,180				16	13.2	05.9-20.5	61	39.4	29.6-49.2
35-44	213	43,564	84	38.7	30.9-46.5	31	14.3	08.6-20.0	98	47.0	39.0-55.0
45-54	382	64,065	120	27.9	22.6-33.2	42	9.6	05.9-13.3	220	62.5	56.6-68.4
55-64	515	51,725	137	25.4	20.7-30.1	43	7.2	04.7-09.7	335	67.4	62.3-72.5
65+	778	69,489	81	9.7	07.3-12.1	30	3.4	01.8-05.0	667	87.0	84.3-89.7
H.S. or G.E.D.	721	101,308	212	37.3	31.8-42.8	61	6.5	04.5-08.5	448	56.2	50.7-61.7
Some Post-H.S.	579	86,016	133	27.2	21.5-32.9	54	13.0	07.9-18.1	392	59.9	53.6-66.2
College Graduate	579	80,829	83	13.6	10.1-17.1	38	9.9	05.8-14.0	458	76.5	71.6-81.4
Less than \$15,000	268	31,371	75	34.4	26.0-42.8	27	14.8	07.9-21.7	166	50.8	42.2-59.4
\$15,000- 24,999	248	24,931	88	45.2	36.6-53.8	38	13.7	08.4-19.0	122	41.0	32.8-49.2
\$25,000- 34,999	180	27,060				10	3.9	00.6-07.2			
\$35,000- 49,999	310	42,602	69	24.6	17.9-31.3	25	13.3	05.5-21.1	216	62.1	53.9-70.3
\$50,000- 74,999	310	45,937	75	31.3	23.3-39.3	20	7.4	02.9-11.9	215	61.3	53.3-69.3
\$75,000+	431	78,678	72	18.8	13.7-23.9	26	9.5	03.8-15.2	333	71.6	64.9-78.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	833	153,541	201	29.6	24.9-34.3	62	12.1	08.0-16.2	570	58.3	53.2-63.4
White/Non-Hisp	701	126,782	165	28.9	23.8-34.0	39	9.5	05.2-13.8	497	61.6	55.9-67.3
35-44	85	22,483				14	18.0	08.4-27.6			
45-54	142	30,456	50	30.7	22.1-39.3	14	9.9	03.4-16.4	78	59.5	49.7-69.3
55-64	209	27,707	56	25.7	18.3-33.1	14	5.9	02.2-09.6	139	68.5	60.7-76.3
65+	331	35,255	32	8.9	05.6-12.2	9	3.6	00.7-06.5	290	87.5	83.2-91.8
H.S. or G.E.D.	301	49,817	90	41.1	32.5-49.7	22	5.6	02.9-08.3	189	53.4	45.0-61.8
Some Post-H.S.	199	41,926	48	28.3	18.7-37.9	19	17.0	07.6-26.4			
College Graduate	234	43,812	32	12.9	07.8-18.0	13	11.9	05.0-18.8	189	75.2	67.4-83.0
\$15,000- 24,999	77	9,870				7	9.4	00.4-18.4			
\$25,000- 34,999	81	14,338				2	3.4	00.0-09.1			
\$50,000- 74,999	125	23,355				7	8.6	00.6-16.6			
\$75,000+	209	46,176	33	18.6	11.2-26.0	16	12.5	03.5-21.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1242	144,279	293	28.4	24.7-32.1	110	8.2	06.2-10.2	839	63.4	59.5-67.3
White/Non-Hisp	1035	117,921	236	28.3	24.0-32.6	74	6.3	04.5-08.1	725	65.4	61.1-69.7
Black or Afr. Am./Non-Hisp	138	15,669	44	35.8	25.8-45.8	23	13.3	07.4-19.2			
25-34	80	19,108				9	9.9	02.8-17.0			
35-44	128	21,081				17	10.3	04.6-16.0			
45-54	240	33,608	70	25.4	19.3-31.5	28	9.3	05.4-13.2	142	65.3	58.6-72.0
55-64	306	24,017	81	25.2	19.5-30.9	29	8.8	05.3-12.3	196	66.1	59.8-72.4
65+	447	34,234	49	10.4	07.5-13.3	21	3.2	01.6-04.8	377	86.4	83.1-89.7
Less Than H.S.	95	11,542				11	10.9	02.3-19.5			
H.S. or G.E.D.	420	51,490	122	33.7	26.8-40.6	39	7.3	04.2-10.4	259	59.0	52.1-65.9
Some Post-H.S.	380	44,090	85	26.1	20.0-32.2	35	9.1	04.8-13.4	260	64.8	58.3-71.3
College Graduate	345	37,017	51	14.4	09.9-18.9	25	7.6	04.3-10.9	269	78.0	72.7-83.3
Less than \$15,000	171	17,003				17	13.7	05.7-21.7			
\$15,000- 24,999	171	15,061	54	37.8	27.8-47.8	31	16.6	10.3-22.9	86	45.7	35.9-55.5
\$25,000- 34,999	99	12,722				8	4.5	01.0-08.0			
\$35,000- 49,999	182	19,858	40	25.1	16.9-33.3	16	10.4	02.2-18.6	126	64.5	54.7-74.3
\$50,000- 74,999	185	22,583	42	29.8	20.8-38.8	13	6.2	02.5-09.9	130	64.0	54.8-73.2
\$75,000+	222	32,501	39	19.2	12.7-25.7	10	5.2	01.5-08.9	173	75.5	68.4-82.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 11: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
 Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	664	116,712	380	59.9	54.2-65.6	284	40.1	34.4-45.8	
Male	263	64,066	138	56.1	47.3-64.9	125	43.9	35.1-52.7	
Female	401	52,647	242	64.6	58.1-71.1	159	35.4	28.9-41.9	
White/Non-Hisp	513	89,452	276	55.9	49.2-62.6	237	44.1	37.4-50.8	
45-54	161	23,847	79	52.8	43.4-62.2	82	47.2	37.8-56.6	
55-64	180	16,887	107	61.5	52.5-70.5	73	38.5	29.5-47.5	
H.S. or G.E.D.	272	44,279	161	59.8	50.8-68.8	111	40.2	31.2-49.2	
Some Post-H.S.	186	34,357	110	65.4	55.8-75.0	76	34.6	25.0-44.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 11: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	263	64,066	138	56.1	47.3-64.9	125	43.9	35.1-52.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 11: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	401	52,647	242	64.6	58.1-71.1	159	35.4	28.9-41.9	
White/Non-Hisp	309	40,741	177	62.6	55.0-70.2	132	37.4	29.8-45.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1408	180,838	81	8.1	05.7-10.5	186	16.8	13.9-19.7	115	10.0	07.8-12.2	1003	62.7	59.0-66.4	23	2.4	01.0-03.8
Male	570	89,475	25	6.5	03.0-10.0	77	18.2	13.3-23.1	43	8.2	05.3-11.1	415	63.9	58.2-69.6	10	3.2	00.8-05.6
Female	838	91,363	56	9.6	06.3-12.9	109	15.5	12.2-18.8	72	11.7	08.4-15.0	588	61.6	56.9-66.3	13	1.6	00.6-02.6
White/Non-Hisp	1221	155,155	60	7.6	04.9-10.3	146	15.3	12.2-18.4	92	9.4	07.0-11.8	903	65.2	61.3-69.1	20	2.6	01.0-04.2
Black or Afr. Am./Non-Hisp	112	13,436	12	12.1	04.7-19.5	23	23.0	13.4-32.6	13	13.4	05.0-21.8				2	1.8	00.0-04.5
25-34	61	17,422													3	7.1	00.0-15.7
35-44	98	20,481	14	12.0	05.3-18.7				18	17.7	09.5-25.9				3	2.7	00.0-06.0
45-54	220	40,046	15	5.0	02.3-07.7	48	25.5	17.9-33.1	22	9.9	05.4-14.4	130	57.9	49.9-65.9	5	1.6	00.0-03.2
55-64	335	34,838	15	3.5	01.3-05.7	44	12.1	07.6-16.6	20	5.5	02.8-08.2	252	77.5	72.0-83.0	4	1.4	00.0-03.0
65+	666	60,381	16	3.1	01.3-04.9	49	7.4	04.9-09.9	36	4.6	02.8-06.4	558	83.8	80.5-87.1	7	1.1	00.1-02.1
Less Than H.S.	108	10,164	5	5.0	00.0-10.1				10	6.8	02.1-11.5				1	0.7	00.0-02.1
H.S. or G.E.D.	448	56,980	34	11.4	06.3-16.5	59	17.7	12.2-23.2	36	11.3	06.6-16.0	316	59.1	52.4-65.8	3	0.5	00.0-01.3
Some Post-H.S.	391	51,438	20	7.8	02.7-12.9	51	16.9	11.4-22.4	36	11.9	07.4-16.4	280	62.7	55.8-69.6	4	0.7	00.0-01.5
College Graduate	458	61,835	22	5.8	02.9-08.7	60	15.6	10.9-20.3	33	7.8	04.7-10.9	328	65.1	59.0-71.2	15	5.8	02.1-09.5
Less than \$15,000	166	15,929				19	12.3	05.6-19.0	10	6.6	01.5-11.7				1	1.2	00.0-03.6
\$15,000- 24,999	122	10,234	10	7.6	02.3-12.9				9	6.8	02.1-11.5				1	0.5	00.0-01.5
\$25,000- 34,999	114	12,019	10	8.3	02.0-14.6				10	10.6	03.3-17.9						
\$35,000- 49,999	216	26,466	12	6.5	02.6-10.4	33	16.0	09.5-22.5	6	3.6	00.7-06.5	160	72.0	64.6-79.4	5	2.0	00.0-04.0
\$50,000- 74,999	215	28,154	9	6.4	01.3-11.5	20	11.1	05.0-17.2	24	13.2	06.7-19.7	158	67.8	59.2-76.4	4	1.5	00.0-03.1
\$75,000+	333	56,367	18	5.8	02.7-08.9	48	19.4	13.3-25.5	35	10.9	06.8-15.0	222	58.7	51.6-65.8	10	5.2	01.3-09.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	570	89,475	25	6.5	03.0-10.0	77	18.2	13.5-22.9	43	8.2	05.3-11.1	415	63.9	58.2-69.6	10	3.2	00.8-05.6
White/Non-Hisp	497	78,071	21	6.7	02.8-10.6	63	17.2	12.1-22.3	37	8.3	05.2-11.4	368	64.4	58.3-70.5	8	3.4	00.7-06.1
45-54	78	18,108	3	2.2	00.0-04.9				7	7.9	01.6-14.2				2	1.8	00.0-04.3
55-64	139	18,966	4	2.1	00.0-04.5	19	13.1	06.2-20.0	8	4.7	01.0-08.4	108	80.1	72.3-87.9			
65+	290	30,844	6	2.5	00.1-04.9	22	7.3	03.8-10.8	15	4.5	02.0-07.0	243	84.4	79.5-89.3	4	1.3	00.0-02.7
Less Than H.S.	58	6,668	2	4.2	00.0-10.7				4	2.7	00.0-05.4				1	1.0	00.0-03.0
H.S. or G.E.D.	189	26,597	11	7.4	02.3-12.5	27	22.5	13.1-31.9	16	10.6	04.5-16.7	135	59.5	49.9-69.1			
Some Post-H.S.	132	22,919				18	17.7	08.1-27.3	12	10.9	03.8-18.0				1	0.4	00.0-01.2
College Graduate	189	32,945	5	3.3	00.0-07.0	25	14.4	07.3-21.5	11	5.7	02.0-09.4	140	68.5	59.5-77.5	8	8.1	01.8-14.4
Less than \$15,000	59	6,384				3	8.0	00.0-17.6							1	2.9	00.0-08.6
\$25,000- 34,999	54	6,776	2	1.7	00.0-04.2												
\$35,000- 49,999	90	13,663	6	6.8	01.1-12.5	14	15.3	05.7-24.9	2	2.6	00.0-06.1						
\$50,000- 74,999	85	13,690	3	7.8	00.0-16.8				6	10.5	01.1-19.9						
\$75,000+	160	31,821	6	4.1	00.0-08.2	20	18.3	09.5-27.1	16	9.3	03.6-15.0				7	7.7	01.2-14.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	838	91,363	56	9.6	06.3-12.9	109	15.5	12.2-18.8	72	11.7	08.4-15.0	588	61.6	56.9-66.3	13	1.6	00.6-02.6
White/Non-Hisp	724	77,085	39	8.4	04.7-12.1	83	13.4	10.1-16.7	55	10.6	07.1-14.1	535	65.9	60.8-71.0	12	1.7	00.5-02.9
Black or Afr. Am./Non-Hisp	71	7,969													1	2.2	00.0-06.3
35-44	62	10,451	7	10.9	02.5-19.3										2	2.8	00.0-06.7
45-54	142	21,937	12	7.4	02.9-11.9	27	19.0	11.6-26.4	15	11.6	05.5-17.7	85	60.5	51.3-69.7	3	1.5	00.0-03.3
55-64	196	15,871	11	5.3	01.8-08.8	25	10.9	05.8-16.0	12	6.5	02.4-10.6	144	74.4	67.1-81.7	4	3.0	00.0-06.3
65+	376	29,536	10	3.7	01.0-06.4	27	7.4	04.1-10.7	21	4.8	02.6-07.0	315	83.2	78.5-87.9	3	0.9	00.0-02.3
Less Than H.S.	50	3,496	3	6.7	00.0-14.5	8	12.7	02.9-22.5									
H.S. or G.E.D.	259	30,384	23	14.9	06.7-23.1	32	13.6	07.7-19.5	20	11.9	05.0-18.8	181	58.6	49.6-67.6	3	1.0	00.0-02.4
Some Post-H.S.	259	28,520	13	5.3	02.0-08.6	33	16.2	09.9-22.5	24	12.7	06.8-18.6	186	64.9	57.1-72.7	3	0.9	00.0-01.9
College Graduate	269	28,890	17	8.6	03.9-13.3	35	16.9	10.6-23.2	22	10.1	05.0-15.2	188	61.1	53.5-68.7	7	3.3	00.8-05.8
Less than \$15,000	107	9,545				16	15.2	06.0-24.4	5	3.4	00.1-06.7						
\$15,000- 24,999	86	6,879	8	9.5	02.2-16.8				6	6.9	01.0-12.8				1	0.7	00.0-02.1
\$25,000- 34,999	60	5,243				7	12.8	03.2-22.4	4	8.7	00.0-18.1						
\$35,000- 49,999	126	12,802	6	6.1	00.8-11.4	19	16.7	08.3-25.1	4	4.6	00.0-09.3				5	4.2	00.1-08.3
\$50,000- 74,999	130	14,464	6	5.0	00.5-09.5	11	9.3	03.0-15.6	18	15.8	07.0-24.6				4	3.0	00.1-05.9
\$75,000+	173	24,546	12	8.0	03.3-12.7	28	20.7	12.9-28.5	19	12.9	06.6-19.2	111	56.4	47.4-65.4	3	2.0	00.0-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4245	678,857	22	0.8	00.4-01.2	25	0.8	00.4-01.2	4198	98.4	97.8-99.0
Male	1526	323,311	20	1.7	00.7-02.7	22	1.5	00.7-02.3	1484	96.7	95.5-97.9
Female	2719	355,546	2	0.1	00.1-00.1	3	0.1	00.0-00.3	2714	99.8	99.6-0100
White/Non-Hisp	3395	509,272	18	1.0	00.4-01.6	20	0.9	00.3-01.5	3357	98.1	97.3-98.9
Black or Afr. Am./Non-Hisp	541	92,444	2	0.2	00.0-00.4	3	0.4	00.0-01.0	536	99.4	98.8-0100
Oth. Race/Non-Hisp.	107	28,146	1	1.0	00.0-03.0	2	1.3	00.0-03.5	104	97.7	94.8-0100
MultiRacial/Non-Hisp.	56	10,789							56	100.0	0100-0100
Hispanic	113	33,716	1	0.3	00.0-00.9				112	99.7	99.1-0100
18-24	130	84,358	2	1.6	00.0-04.1	3	1.9	00.0-04.1	125	96.6	93.3-99.9
25-34	325	110,709	1	0.7	00.0-02.1	2	0.7	00.0-01.7	322	98.6	96.8-0100
35-44	555	119,550	7	1.4	00.2-02.6	2	0.4	00.0-01.0	546	98.3	97.1-99.5
45-54	777	129,258	10	1.4	00.4-02.4	7	0.8	00.2-01.4	760	97.9	96.7-99.1
55-64	967	102,469				6	1.1	00.0-02.3	961	98.9	97.7-0100
65+	1440	128,074	2	0.1	00.0-00.3	5	0.5	00.1-00.9	1433	99.5	99.1-99.9
Less Than H.S.	277	41,123	2	2.8	00.0-07.7	1	0.4	00.0-01.2	274	96.8	91.7-0100
H.S. or G.E.D.	1276	180,901	10	0.9	00.3-01.5	12	1.2	00.4-02.0	1254	97.9	96.9-98.9
Some Post-H.S.	1105	193,558	6	1.1	00.1-02.1	7	0.7	00.1-01.3	1092	98.2	97.0-99.4
College Graduate	1574	261,718	4	0.3	00.0-00.7	5	0.6	00.0-01.4	1565	99.0	98.2-99.8
Less than \$15,000	452	56,198	2	0.8	00.0-02.0	3	1.4	00.0-03.4	447	97.8	95.4-0100
\$15,000- 24,999	422	49,798	2	0.4	00.0-01.0	3	0.6	00.0-01.2	417	99.0	98.2-99.8
\$25,000- 34,999	361	51,380				3	1.1	00.0-02.5	358	98.9	97.5-0100
\$35,000- 49,999	563	81,218	5	2.3	00.0-05.0	5	1.1	00.0-02.5	553	96.6	93.7-99.5
\$50,000- 74,999	624	97,246	4	1.8	00.0-03.8	3	0.4	00.0-01.0	617	97.7	95.5-99.9
\$75,000+	1125	231,992	5	0.4	00.0-00.8	7	0.9	00.1-01.7	1113	98.7	97.9-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1526	323,311	20	1.7	00.7-02.7	22	1.5	00.7-02.3	1484	96.7	95.5-97.9
White/Non-Hisp	1249	248,209	18	2.1	00.9-03.3	18	1.8	00.8-02.8	1213	96.2	94.6-97.8
Black or Afr. Am./Non-Hisp	160	36,234				2	0.7	00.0-01.7	158	99.3	98.3-0100
25-34	100	54,439	1	1.5	00.0-04.4	1	1.0	00.0-03.0	98	97.5	94.0-0100
35-44	194	58,432	7	2.8	00.6-05.0	2	0.7	00.0-01.7	185	96.4	93.9-98.9
45-54	301	62,322	8	2.6	00.6-04.6	7	1.6	00.2-03.0	286	95.8	93.4-98.2
55-64	358	49,162				4	1.8	00.0-04.0	354	98.2	96.0-0100
65+	518	55,586	2	0.2	00.0-00.4	5	1.0	00.0-02.0	511	98.8	97.8-99.8
Less Than H.S.	119	23,138	1	4.6	00.0-13.2	1	0.7	00.0-02.1	117	94.7	85.9-0100
H.S. or G.E.D.	458	81,676	9	1.8	00.4-03.2	11	2.6	00.6-04.6	438	95.6	93.2-98.0
Some Post-H.S.	355	91,487	6	2.3	00.1-04.5	6	1.3	00.0-02.7	343	96.4	93.9-98.9
College Graduate	590	126,230	4	0.7	00.0-01.5	4	1.2	00.0-02.6	582	98.1	96.5-99.7
Less than \$15,000	143	25,739	2	1.7	00.0-04.1	2	2.3	00.0-06.4	139	96.0	91.3-0100
\$15,000- 24,999	115	17,419	1	0.6	00.0-01.8	3	1.7	00.0-03.7	111	97.8	95.4-0100
\$25,000- 34,999	126	23,216				2	2.0	00.0-04.9	124	98.0	95.1-0100
\$35,000- 49,999	211	39,506	5	4.7	00.0-10.2	5	2.4	00.0-04.9	201	93.0	87.1-98.9
\$50,000- 74,999	240	46,692	4	3.8	00.0-07.9	3	0.9	00.0-02.1	233	95.3	91.0-99.6
\$75,000+	489	121,338	5	0.8	00.0-01.6	6	1.5	00.1-02.9	478	97.6	96.0-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	355,546	2	0.1	00.1-00.1	3	0.1	00.0-00.3	2714	99.8	99.6-0100
White/Non-Hisp	2146	261,063				2	0.1	00.0-00.3	2144	99.9	99.7-0100
Black or Afr. Am./Non-Hisp	381	56,210	2	0.3	00.0-00.7	1	0.2	00.0-00.6	378	99.4	98.8-0100
Oth. Race/Non-Hisp.	61	14,533							61	100.0	0100-0100
Hispanic	70	15,518							70	100.0	0100-0100
18-24	82	42,019							82	100.0	0100-0100
25-34	225	56,270				1	0.4	00.0-01.2	224	99.6	98.8-0100
35-44	361	61,118							361	100.0	0100-0100
45-54	476	66,936	2	0.3	00.0-00.7				474	99.7	99.3-0100
55-64	609	53,308				2	0.4	00.0-01.0	607	99.6	99.0-0100
65+	922	72,488							922	100.0	0100-0100
Less Than H.S.	158	17,985	1	0.5	00.0-01.5				157	99.5	98.5-0100
H.S. or G.E.D.	818	99,225	1	0.1	00.0-00.3	1	0.1	00.0-00.3	816	99.8	99.6-0100
Some Post-H.S.	750	102,071				1	0.2	00.0-00.6	749	99.8	99.4-0100
College Graduate	984	135,488				1	0.1	00.0-00.3	983	99.9	99.7-0100
Less than \$15,000	309	30,459				1	0.7	00.0-02.1	308	99.3	97.9-0100
\$15,000- 24,999	307	32,379	1	0.3	00.0-00.9				306	99.7	99.1-0100
\$25,000- 34,999	235	28,165				1	0.3	00.0-00.9	234	99.7	99.1-0100
\$35,000- 49,999	352	41,711							352	100.0	0100-0100
\$50,000- 74,999	384	50,554							384	100.0	0100-0100
\$75,000+	636	110,654				1	0.1	00.0-00.3	635	99.9	99.7-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	94
2 MALES ONLY	95
3 FEMALES ONLY	96
ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4 MALES AND FEMALES	97
5 MALES ONLY	98
6 FEMALES ONLY	99
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7 MALES AND FEMALES	100
8 MALES ONLY	101
9 FEMALES ONLY	102
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	103
11 MALES ONLY	104
12 FEMALES ONLY	105
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)	
13 MALES AND FEMALES	106
14 MALES ONLY	107
15 FEMALES ONLY	108
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	109
17 MALES ONLY	110
18 FEMALES ONLY	111
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	112
20 MALES ONLY	113
21 FEMALES ONLY	114

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22 MALES AND FEMALES	115
23 MALES ONLY	116
24 FEMALES ONLY	117
ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25 MALES AND FEMALES	118
26 MALES ONLY	119
27 FEMALES ONLY	120
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28 MALES AND FEMALES	121
29 MALES ONLY	122
30 FEMALES ONLY	123
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31 MALES AND FEMALES	124
32 MALES ONLY	125
33 FEMALES ONLY	126
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34 MALES AND FEMALES	127
35 MALES ONLY	128
36 FEMALES ONLY	129
WHAT COUNTY DO YOU LIVE IN? (CTYCODE)	
37 MALES AND FEMALES	130
38 MALES ONLY	131
39 FEMALES ONLY	132
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40 MALES AND FEMALES	133
41 MALES ONLY	134
42 FEMALES ONLY	135

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43	MALES AND FEMALES	136
44	MALES ONLY	137
45	FEMALES ONLY	138
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46	MALES AND FEMALES	139
	DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)	
47	FEMALES ONLY	140
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
52	MALES AND FEMALES	145
53	MALES ONLY	146
54	FEMALES ONLY	147
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
55	MALES AND FEMALES	148
56	MALES ONLY	149
57	FEMALES ONLY	150
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
58	MALES AND FEMALES	151
59	MALES ONLY	152
60	FEMALES ONLY	153
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
61	MALES AND FEMALES	154
62	MALES ONLY	155
63	FEMALES ONLY	156
	INDICATE SEX OF RESPONDENT. (SEX)	
64	MALES AND FEMALES	157
65	MALES ONLY	158

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
66	FEMALES ONLY TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	159
67	MALES AND FEMALES	160
68	MALES ONLY	161
69	FEMALES ONLY	162

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4195	674,514	130	12.5	10.1-14.9	325	16.4	14.4-18.4	555	17.7	16.1-19.3	777	19.2	17.6-20.8	967	15.2	14.0-16.4	1441	19.0	17.8-20.2
Male	1519	322,280	48	13.1	09.2-17.0	100	16.9	13.6-20.2	194	18.1	15.4-20.8	301	19.3	16.8-21.8	358	15.3	13.3-17.3	518	17.2	15.2-19.2
Female	2676	352,235	82	11.9	09.2-14.6	225	16.0	13.8-18.2	361	17.4	15.4-19.4	476	19.0	17.2-20.8	609	15.1	13.7-16.5	923	20.6	19.0-22.2
White/Non-Hisp	3363	506,469	81	9.9	07.5-12.3	219	15.2	13.0-17.4	388	16.3	14.5-18.1	597	20.2	18.4-22.0	792	16.2	14.8-17.6	1286	22.2	20.6-23.8
Black or Afr. Am./Non-Hisp	535	92,029	26	17.6	10.0-25.2	69	20.0	14.9-25.1	101	20.8	16.1-25.5	118	17.3	13.4-21.2	123	14.0	10.9-17.1	98	10.3	07.8-12.8
Oth. Race/Non-Hisp.	104	27,761				15	17.8	08.6-27.0				26	17.2	09.8-24.6	17	10.2	04.3-16.1	19	9.2	04.3-14.1
MultiRacial/Non-Hisp.	54	10,654	1	3.9	00.0-11.5							9	11.8	03.2-20.4	11	8.6	02.3-14.9			
Hispanic	109	33,393							32	23.8	14.0-33.6	21	10.8	05.1-16.5	14	6.0	02.1-09.9	12	2.4	00.8-04.0
Less Than H.S.	276	40,923				14	12.4	05.5-19.3	25	12.7	06.2-19.2	35	10.2	05.9-14.5	45	12.4	06.9-17.9	143	27.5	20.8-34.2
H.S. or G.E.D.	1266	179,905	41	10.7	07.2-14.2	72	15.3	11.4-19.2	118	14.2	11.5-16.9	240	20.8	17.9-23.7	271	14.4	12.2-16.6	524	24.5	22.0-27.0
Some Post-H.S.	1093	192,783	54	21.6	15.9-27.3	97	16.3	12.6-20.0	131	13.7	11.0-16.4	189	16.8	14.1-19.5	276	15.0	12.6-17.4	346	16.6	14.2-19.0
College Graduate	1552	259,827	21	5.1	02.6-07.6	142	17.9	14.8-21.0	280	23.9	21.0-26.8	313	21.3	18.8-23.8	374	16.3	14.3-18.3	422	15.5	13.7-17.3
Less than \$15,000	449	56,037	11	10.3	02.5-18.1	28	18.2	10.8-25.6	32	10.4	06.1-14.7	64	15.6	11.1-20.1	81	12.7	09.0-16.4	233	32.8	26.9-38.7
\$15,000- 24,999	417	49,501	18	21.4	11.6-31.2	17	7.9	03.8-12.0	37	12.8	07.9-17.7	61	13.6	09.5-17.7	86	15.3	10.8-19.8	198	28.9	23.4-34.4
\$25,000- 34,999	360	51,357	11	11.4	04.3-18.5	37	26.6	18.0-35.2	40	13.5	08.6-18.4	40	10.1	06.4-13.8	75	13.1	09.4-16.8	157	25.2	20.1-30.3
\$35,000- 49,999	560	81,023	14	11.6	04.9-18.3	51	17.6	12.5-22.7	74	16.3	12.2-20.4	85	14.2	10.7-17.7	134	16.5	13.2-19.8	202	23.8	19.7-27.9
\$50,000- 74,999	619	96,810	12	7.2	02.3-12.1	66	20.6	15.3-25.9	87	15.9	12.2-19.6	136	23.0	18.7-27.3	168	19.0	15.5-22.5	150	14.3	11.6-17.0
\$75,000+	1119	231,155	29	9.6	05.9-13.3	102	16.2	13.1-19.3	225	24.7	21.4-28.0	295	25.5	22.4-28.6	292	15.5	13.3-17.7	176	8.5	07.1-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1519	322,280	48	13.1	09.2-17.0	100	16.9	13.6-20.2	194	18.1	15.4-20.8	301	19.3	16.8-21.8	358	15.3	13.3-17.3	518	17.2	15.2-19.2
White/Non-Hisp	1244	247,525	31	10.6	06.9-14.3	74	16.0	12.5-19.5	142	16.5	13.6-19.4	247	21.3	18.4-24.2	292	16.2	13.8-18.6	458	19.5	17.3-21.7
Black or Afr. Am./Non-Hisp	160	36,234				15	18.0	08.4-27.6	27	22.6	13.4-31.8	30	13.3	06.8-19.8	43	14.0	08.1-19.9	36	11.5	06.8-16.2
Less Than H.S.	117	22,842				4	8.9	00.0-17.9	7	11.7	02.1-21.3	18	11.8	04.5-19.1	23	15.7	06.5-24.9	58	21.8	13.2-30.4
H.S. or G.E.D.	457	81,516	11	7.4	02.9-11.9	27	19.5	12.4-26.6	49	15.9	11.0-20.8	105	23.2	18.3-28.1	103	14.9	11.4-18.4	162	19.0	15.3-22.7
Some Post-H.S.	355	91,487	24	26.7	17.3-36.1	32	18.8	12.1-25.5	44	13.4	09.1-17.7	54	12.8	08.7-16.9	90	14.0	10.3-17.7	111	14.3	10.8-17.8
College Graduate	587	125,788	6	4.0	00.7-07.3	37	15.3	10.4-20.2	93	24.0	19.1-28.9	124	23.1	18.8-27.4	141	16.2	12.9-19.5	186	17.5	14.6-20.4
Less than \$15,000	143	25,739							6	8.1	01.4-14.8	27	19.3	10.7-27.9	26	10.5	05.2-15.8	69	25.3	16.7-33.9
\$15,000- 24,999	114	17,336				2	2.5	00.0-06.0				21	16.3	07.9-24.7				47	20.9	12.5-29.3
\$25,000- 34,999	126	23,216							11	12.4	04.6-20.2	18	12.5	05.8-19.2	24	11.1	05.4-16.8	58	22.3	14.5-30.1
\$35,000- 49,999	211	39,506	4	9.7	00.5-18.9	14	17.5	09.1-25.9	29	18.4	11.5-25.3	25	10.2	05.3-15.1	57	18.8	13.1-24.5	82	25.4	18.9-31.9
\$50,000- 74,999	239	46,559	5	9.2	00.2-18.2	22	21.8	12.6-31.0	26	12.2	07.1-17.3	48	21.2	14.5-27.9	67	19.4	13.5-25.3	71	16.2	11.7-20.7
\$75,000+	486	120,815	13	10.2	04.7-15.7	31	14.2	09.3-19.1	87	24.1	19.0-29.2	130	25.3	20.6-30.0	125	15.6	12.3-18.9	100	10.5	08.1-12.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 12: DEMOGRAPHICS
 TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2676	352,235	82	11.9	09.2-14.6	225	16.0	13.8-18.2	361	17.4	15.4-19.4	476	19.0	17.2-20.8	609	15.1	13.7-16.5	923	20.6	19.0-22.2
White/Non-Hisp	2119	258,944	50	9.2	06.5-11.9	145	14.4	12.0-16.8	246	16.0	13.8-18.2	350	19.2	17.0-21.4	500	16.3	14.5-18.1	828	24.8	22.8-26.8
Black or Afr. Am./Non-Hisp	375	55,795	17	15.5	07.7-23.3	54	21.3	15.6-27.0	74	19.7	14.6-24.8	88	20.0	15.3-24.7	80	13.9	10.2-17.6	62	9.6	06.7-12.5
Oth. Race/Non-Hisp.	59	14,413										15	17.9	07.9-27.9	8	8.0	01.3-14.7	9	7.9	02.0-13.8
Hispanic	67	15,277				9	12.6	03.8-21.4				12	12.5	04.5-20.5	8	6.4	00.7-12.1	8	3.1	00.6-05.6
Less Than H.S.	159	18,081							18	13.9	05.9-21.9	17	8.1	03.8-12.4	22	8.3	03.8-12.8	85	34.6	25.0-44.2
H.S. or G.E.D.	809	98,390	30	13.5	08.4-18.6	45	11.8	08.1-15.5	69	12.8	09.5-16.1	135	18.9	15.6-22.2	168	14.0	11.5-16.5	362	29.1	25.4-32.8
Some Post-H.S.	738	101,296	30	17.0	10.9-23.1	65	14.1	10.4-17.8	87	14.0	10.7-17.3	135	20.3	16.6-24.0	186	15.9	13.2-18.6	235	18.7	15.8-21.6
College Graduate	965	134,039	15	6.1	02.4-09.8	105	20.4	16.7-24.1	187	23.8	20.3-27.3	189	19.6	16.7-22.5	233	16.4	13.9-18.9	236	13.7	11.7-15.7
Less than \$15,000	306	30,298	7	8.5	00.7-16.3	17	12.9	06.4-19.4	26	12.5	07.2-17.8	37	12.5	08.0-17.0	55	14.5	09.4-19.6	164	39.1	32.0-46.2
\$15,000- 24,999	303	32,165				15	10.9	04.8-17.0	28	11.5	06.6-16.4	40	12.2	07.7-16.7	55	11.4	07.7-15.1	151	33.2	26.3-40.1
\$25,000- 34,999	234	28,142	7	11.4	02.2-20.6	26	23.5	14.9-32.1	29	14.4	08.5-20.3	22	8.2	04.3-12.1	51	14.9	10.2-19.6	99	27.6	21.1-34.1
\$35,000- 49,999	349	41,517	10	13.3	03.9-22.7	37	17.6	11.7-23.5	45	14.4	09.7-19.1	60	17.9	12.8-23.0	77	14.4	10.5-18.3	120	22.3	17.4-27.2
\$50,000- 74,999	380	50,252	7	5.4	01.3-09.5	44	19.4	13.7-25.1	61	19.3	14.2-24.4	88	24.7	19.4-30.0	101	18.5	14.4-22.6	79	12.7	09.6-15.8
\$75,000+	633	110,340	16	9.1	04.6-13.6	71	18.3	14.2-22.4	138	25.2	20.9-29.5	165	25.8	21.9-29.7	167	15.4	12.7-18.1	76	6.2	04.6-07.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4236	677,177	113	5.0	03.6-06.4	4123	95.0	93.6-96.4
Male	1520	322,052	43	5.7	03.3-08.1	1477	94.3	91.9-96.7
Female	2716	355,125	70	4.4	03.0-05.8	2646	95.6	94.2-97.0
18-24	130	84,358	15	14.0	06.4-21.6	115	86.0	78.4-93.6
25-34	324	110,411	15	6.5	02.2-10.8	309	93.5	89.2-97.8
35-44	554	119,423	32	6.7	04.2-09.2	522	93.3	90.8-95.8
45-54	776	129,085	21	2.8	01.4-04.2	755	97.2	95.8-98.6
55-64	965	101,717	14	2.0	00.8-03.2	951	98.0	96.8-99.2
65+	1438	127,961	12	0.6	00.2-01.0	1426	99.4	99.0-99.8
Less Than H.S.	278	41,219	16	7.4	02.5-12.3	262	92.6	87.7-97.5
H.S. or G.E.D.	1274	180,663	29	4.0	02.0-06.0	1245	96.0	94.0-98.0
Some Post-H.S.	1102	192,518	31	7.8	03.9-11.7	1071	92.2	88.3-96.1
College Graduate	1570	261,256	36	3.2	01.8-04.6	1534	96.8	95.4-98.2
Less than \$15,000	451	56,098	10	8.9	00.9-16.9	441	91.1	83.1-99.1
\$15,000- 24,999	422	49,798	13	3.3	00.8-05.8	409	96.7	94.2-99.2
\$25,000- 34,999	360	51,082	13	5.7	02.0-09.4	347	94.3	90.6-98.0
\$35,000- 49,999	563	81,218	16	4.7	01.8-07.6	547	95.3	92.4-98.2
\$50,000- 74,999	623	97,119	14	5.2	01.1-09.3	609	94.8	90.7-98.9
\$75,000+	1123	231,281	24	2.8	01.4-04.2	1099	97.2	95.8-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1520	322,052	43	5.7	03.3-08.1	1477	94.3	91.9-96.7
25-34	99	54,141	6	9.8	01.4-18.2	93	90.2	81.8-98.6
35-44	194	58,432	12	6.8	02.5-11.1	182	93.2	88.9-97.5
45-54	301	62,322	9	2.7	00.7-04.7	292	97.3	95.3-99.3
55-64	356	48,409	6	2.1	00.3-03.9	350	97.9	96.1-99.7
65+	515	55,377	4	0.6	00.0-01.2	511	99.4	98.8-0100
Less Than H.S.	119	23,138	5	6.8	00.0-14.2	114	93.2	85.8-0100
H.S. or G.E.D.	457	81,565	9	3.0	00.1-05.9	448	97.0	94.1-99.9
Some Post-H.S.	352	90,447	16	12.3	05.0-19.6	336	87.7	80.4-95.0
College Graduate	589	126,158	13	2.4	00.8-04.0	576	97.6	96.0-99.2
\$15,000- 24,999	115	17,419	4	2.2	00.0-04.6	111	97.8	95.4-0100
\$25,000- 34,999	125	22,918	6	7.6	00.5-14.7	119	92.4	85.3-99.5
\$35,000- 49,999	211	39,506	7	4.4	00.5-08.3	204	95.6	91.7-99.5
\$50,000- 74,999	240	46,692	7	8.4	00.6-16.2	233	91.6	83.8-99.4
\$75,000+	488	120,696	7	1.2	00.2-02.2	481	98.8	97.8-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	355,125	70	4.4	03.0-05.8	2646	95.6	94.2-97.0
18-24	82	42,019	10	14.3	04.9-23.7	72	85.7	76.3-95.1
25-34	225	56,270	9	3.4	01.0-05.8	216	96.6	94.2-99.0
35-44	360	60,991	20	6.5	03.4-09.6	340	93.5	90.4-96.6
45-54	475	66,763	12	2.9	01.1-04.7	463	97.1	95.3-98.9
55-64	609	53,308	8	1.8	00.2-03.4	601	98.2	96.6-99.8
65+	923	72,584	8	0.7	00.1-01.3	915	99.3	98.7-99.9
Less Than H.S.	159	18,081	11	8.2	02.1-14.3	148	91.8	85.7-97.9
H.S. or G.E.D.	817	99,099	20	4.8	02.3-07.3	797	95.2	92.7-97.7
Some Post-H.S.	750	102,071	15	3.9	01.0-06.8	735	96.1	93.2-99.0
College Graduate	981	135,098	23	3.9	01.7-06.1	958	96.1	93.9-98.3
Less than \$15,000	309	30,459	6	3.9	00.2-07.6	303	96.1	92.4-99.8
\$15,000- 24,999	307	32,379	9	3.9	00.2-07.6	298	96.1	92.4-99.8
\$25,000- 34,999	235	28,165	7	4.3	00.8-07.8	228	95.7	92.2-99.2
\$35,000- 49,999	352	41,711	9	5.0	00.5-09.5	343	95.0	90.5-99.5
\$50,000- 74,999	383	50,428	7	2.3	00.3-04.3	376	97.7	95.7-99.7
\$75,000+	635	110,585	17	4.6	01.9-07.3	618	95.4	92.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4246	678,953	4179	97.7	96.7-98.7	67	2.3	01.3-03.3
Male	1526	323,311	1505	97.6	96.0-99.2	21	2.4	00.8-04.0
Female	2720	355,642	2674	97.8	97.0-98.6	46	2.2	01.4-03.0
18-24	130	84,358	128	98.7	96.9-0100	2	1.3	00.0-03.1
25-34	325	110,709	317	94.6	90.1-99.1	8	5.4	00.9-09.9
35-44	555	119,550	541	97.0	95.2-98.8	14	3.0	01.2-04.8
45-54	777	129,258	766	98.7	97.9-99.5	11	1.3	00.5-02.1
55-64	967	102,469	955	98.9	98.1-99.7	12	1.1	00.3-01.9
65+	1441	128,170	1424	98.4	97.4-99.4	17	1.6	00.6-02.6
Less Than H.S.	278	41,219	272	98.9	97.9-99.9	6	1.1	00.1-02.1
H.S. or G.E.D.	1276	180,901	1263	98.6	97.6-99.6	13	1.4	00.4-02.4
Some Post-H.S.	1105	193,558	1084	96.8	94.4-99.2	21	3.2	00.8-05.6
College Graduate	1574	261,718	1548	97.5	96.1-98.9	26	2.5	01.1-03.9
Less than \$15,000	452	56,198	444	95.0	89.7-0100	8	5.0	00.0-10.3
\$15,000- 24,999	422	49,798	412	97.8	96.2-99.4	10	2.2	00.6-03.8
\$25,000- 34,999	361	51,380	355	97.9	95.9-99.9	6	2.1	00.1-04.1
\$35,000- 49,999	563	81,218	556	99.1	98.3-99.9	7	0.9	00.1-01.7
\$50,000- 74,999	624	97,246	616	97.8	95.1-0100	8	2.2	00.0-04.9
\$75,000+	1125	231,992	1112	98.6	97.6-99.6	13	1.4	00.4-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1526	323,311	1505	97.6	96.0-99.2	21	2.4	00.8-04.0
25-34	100	54,439	97	92.0	83.4-0100	3	8.0	00.0-16.6
35-44	194	58,432	190	97.2	94.3-0100	4	2.8	00.0-05.7
45-54	301	62,322	298	99.2	98.2-0100	3	0.8	00.0-01.8
55-64	358	49,162	354	99.4	98.8-0100	4	0.6	00.0-01.2
65+	518	55,586	511	97.9	95.9-99.9	7	2.1	00.1-04.1
Less Than H.S.	119	23,138	117	99.4	98.4-0100	2	0.6	00.0-01.6
H.S. or G.E.D.	458	81,676	456	99.8	99.6-0100	2	0.2	00.0-00.4
Some Post-H.S.	355	91,487	349	95.6	91.1-0100	6	4.4	00.0-08.9
College Graduate	590	126,230	580	97.2	94.7-99.7	10	2.8	00.3-05.3
Less than \$15,000	143	25,739	139	92.5	82.1-0100	4	7.5	00.0-17.9
\$15,000- 24,999	115	17,419	115	100.0	0100-0100			
\$25,000- 34,999	126	23,216	126	100.0	0100-0100			
\$35,000- 49,999	211	39,506	208	98.9	97.3-0100	3	1.1	00.0-02.7
\$50,000- 74,999	240	46,692	235	96.1	90.4-0100	5	3.9	00.0-09.6
\$75,000+	489	121,338	486	99.3	98.3-0100	3	0.7	00.0-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	355,642	2674	97.8	97.0-98.6	46	2.2	01.4-03.0
18-24	82	42,019	80	97.4	93.7-0100	2	2.6	00.0-06.3
25-34	225	56,270	220	97.1	94.4-99.8	5	2.9	00.2-05.6
35-44	361	61,118	351	96.9	94.5-99.3	10	3.1	00.7-05.5
45-54	476	66,936	468	98.3	96.9-99.7	8	1.7	00.3-03.1
55-64	609	53,308	601	98.4	97.0-99.8	8	1.6	00.2-03.0
65+	923	72,584	913	98.8	98.0-99.6	10	1.2	00.4-02.0
Less Than H.S.	159	18,081	155	98.3	96.5-0100	4	1.7	00.0-03.5
H.S. or G.E.D.	818	99,225	807	97.6	95.8-99.4	11	2.4	00.6-04.2
Some Post-H.S.	750	102,071	735	97.9	96.5-99.3	15	2.1	00.7-03.5
College Graduate	984	135,488	968	97.9	96.5-99.3	16	2.1	00.7-03.5
Less than \$15,000	309	30,459	305	97.1	93.4-0100	4	2.9	00.0-06.6
\$15,000- 24,999	307	32,379	297	96.7	94.3-99.1	10	3.3	00.9-05.7
\$25,000- 34,999	235	28,165	229	96.2	92.7-99.7	6	3.8	00.3-07.3
\$35,000- 49,999	352	41,711	348	99.3	98.7-99.9	4	0.7	00.1-01.3
\$50,000- 74,999	384	50,554	381	99.3	98.3-0100	3	0.7	00.0-01.7
\$75,000+	636	110,654	626	97.7	95.9-99.5	10	2.3	00.5-04.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mths but not now			Yes, active duty in the past but not last 12 mths			No, training for Reserves or Natl. Guard only			No, never served in military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4241	678,625	31	1.0	00.6-01.4	10	0.3	00.1-00.5	577	11.4	10.2-12.6	31	0.5	00.3-00.7	3592	86.9	85.7-88.1
Male	1524	323,152	25	1.8	01.0-02.6	8	0.5	00.1-00.9	520	22.1	19.6-24.6	27	0.9	00.5-01.3	944	74.8	72.3-77.3
Female	2717	355,473	6	0.2	00.0-00.4	2	0.1	00.1-00.1	57	1.7	01.1-02.3	4	0.1	00.1-00.1	2648	97.9	97.3-98.5
18-24	130	84,358	2	0.5	00.0-01.1										128	99.5	98.9-100.0
25-34	325	110,709	13	3.2	01.2-05.2	1	0.3	00.0-00.9	9	3.7	01.0-06.4				302	92.8	89.5-96.1
35-44	555	119,550	6	1.1	00.1-02.1	2	0.5	00.0-01.3	30	6.6	04.1-09.1				517	91.8	89.1-94.5
45-54	776	129,188	4	0.5	00.0-01.1	3	0.6	00.0-01.4	78	9.5	07.1-11.9	4	0.3	00.0-00.7	687	89.2	86.7-91.7
55-64	967	102,469	2	0.2	00.0-00.4	2	0.1	00.0-00.3	145	19.3	16.0-22.6	8	1.2	00.2-02.2	810	79.2	75.7-82.7
65+	1438	127,958	4	0.4	00.0-00.8	2	0.1	00.0-00.3	312	26.0	23.1-28.9	18	1.1	00.5-01.7	1102	72.4	69.5-75.3
Less Than H.S.	278	41,219							36	8.0	04.7-11.3	5	0.7	00.0-01.5	237	91.3	88.0-94.6
H.S. or G.E.D.	1275	180,848	3	0.4	00.0-01.0	3	0.2	00.0-00.4	168	9.9	08.1-11.7	13	0.8	00.2-01.4	1088	88.7	86.7-90.7
Some Post-H.S.	1104	193,435	12	1.5	00.5-02.5	2	0.2	00.0-00.6	156	12.1	09.7-14.5	7	0.4	00.2-00.6	927	85.9	83.4-88.4
College Graduate	1571	261,566	16	1.1	00.5-01.7	5	0.4	00.0-00.8	215	12.5	10.3-14.7	6	0.3	00.1-00.5	1329	85.7	83.5-87.9
Less than \$15,000	452	56,198	1	0.5	00.0-01.5	1	0.4	00.0-01.2	62	12.2	08.5-15.9	5	0.7	00.0-01.5	383	86.2	82.3-90.1
\$15,000- 24,999	422	49,798	1	0.2	00.0-00.6				48	9.4	05.9-12.9	2	0.2	00.0-00.4	371	90.2	86.7-93.7
\$25,000- 34,999	361	51,380	2	0.7	00.0-01.7	1	0.2	00.0-00.6	51	10.5	07.0-14.0	4	0.5	00.0-01.1	303	88.1	84.4-91.8
\$35,000- 49,999	561	81,112	5	1.4	00.0-03.0				89	15.8	11.9-19.7	7	0.8	00.2-01.4	460	82.0	77.7-86.3
\$50,000- 74,999	623	97,123	10	2.2	00.6-03.8	2	0.3	00.0-00.9	97	11.9	09.2-14.6	3	0.5	00.0-01.1	511	85.1	81.8-88.4
\$75,000+	1125	231,992	9	0.9	00.3-01.5	5	0.5	00.0-01.1	156	11.3	09.1-13.5	5	0.3	00.0-00.7	950	86.9	84.5-89.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mths but not now			Yes, active duty in the past but not last 12 mths			No, training for Reserves or Natl. Guard only			No, never served in military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1524	323,152	25	1.8	01.0-02.6	8	0.5	00.1-00.9	520	22.1	19.7-24.5	27	0.9	00.5-01.3	944	74.8	72.3-77.3
25-34	100	54,439	10	5.6	01.9-09.3	1	0.5	00.0-01.5	6	7.0	01.5-12.5				83	86.9	80.2-93.6
35-44	194	58,432	6	2.3	00.3-04.3	1	0.7	00.0-02.1	24	12.2	07.1-17.3				163	84.8	79.3-90.3
45-54	301	62,322	3	0.8	00.0-02.2	3	1.2	00.0-02.8	59	15.4	10.9-19.9	3	0.6	00.0-01.4	233	82.1	77.4-86.8
55-64	358	49,162	1	0.1	00.0-00.3	1	0.2	00.0-00.6	130	38.1	31.8-44.4	7	2.4	00.4-04.4	219	59.2	52.9-65.5
65+	516	55,427	4	0.8	00.0-01.6	2	0.3	00.0-00.7	299	57.5	52.6-62.4	17	2.4	01.2-03.6	194	39.0	34.1-43.9
Less Than H.S.	119	23,138							34	13.4	07.1-19.7	4	1.0	00.0-02.2	81	85.7	79.2-92.2
H.S. or G.E.D.	458	81,676	3	0.9	00.0-02.1	3	0.5	00.0-01.1	155	20.1	16.2-24.0	12	1.8	00.6-03.0	285	76.7	72.4-81.0
Some Post-H.S.	354	91,364	8	2.4	00.6-04.2	2	0.4	00.0-01.0	136	22.6	17.5-27.7	6	0.7	00.1-01.3	202	73.8	68.1-79.5
College Graduate	589	126,194	14	2.2	00.8-03.6	3	0.7	00.0-01.7	193	24.5	20.4-28.6	5	0.4	00.0-00.8	374	72.2	67.9-76.5
Less than \$15,000	143	25,739	1	1.0	00.0-03.0	1	0.9	00.0-02.7	57	25.0	16.2-33.8	5	1.6	00.0-03.2	79	71.6	62.0-81.2
\$15,000- 24,999	115	17,419							38	22.8	12.8-32.8	2	0.4	00.0-01.0			
\$25,000- 34,999	126	23,216				1	0.4	00.0-01.2	46	21.0	13.2-28.8	3	0.9	00.0-02.1	76	77.7	69.5-85.9
\$35,000- 49,999	210	39,470	4	2.6	00.0-05.7				83	31.5	23.7-39.3	6	1.4	00.0-02.8	117	64.5	56.3-72.7
\$50,000- 74,999	239	46,569	9	4.3	01.0-07.6	1	0.6	00.0-01.8	87	22.5	16.6-28.4	3	1.1	00.0-02.3	139	71.5	64.6-78.4
\$75,000+	489	121,338	9	1.8	00.4-03.2	4	0.8	00.0-01.8	141	19.7	15.6-23.8	4	0.5	00.0-01.1	331	77.1	72.8-81.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mths but not now			Yes, active duty in the past but not last 12 mths			No, training for Reserves or Natl. Guard only			No, never served in military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2717	355,473	6	0.2	00.0-00.4	2	0.1	00.1-00.1	57	1.7	01.1-02.3	4	0.1	00.1-00.1	2648	97.9	97.3-98.5
18-24	82	42,019	1	0.3	00.0-00.9										81	99.7	99.1-0100
25-34	225	56,270	3	0.9	00.0-02.1				3	0.6	00.0-01.2				219	98.5	97.3-99.7
35-44	361	61,118				1	0.3	00.0-00.9	6	1.2	00.0-02.4				354	98.5	97.1-99.9
45-54	475	66,866	1	0.1	00.0-00.3				19	4.0	02.0-06.0	1	0.1	00.0-00.3	454	95.8	93.6-98.0
55-64	609	53,308	1	0.2	00.0-00.6	1	0.0	00.0-00.0	15	1.9	00.7-03.1	1	0.1	00.0-00.3	591	97.7	96.5-98.9
65+	922	72,531							13	1.9	00.7-03.1	1	0.2	00.0-00.6	908	98.0	96.8-99.2
Less Than H.S.	159	18,081							2	1.1	00.0-02.9	1	0.3	00.0-00.9	156	98.6	96.8-0100
H.S. or G.E.D.	817	99,172							13	1.5	00.5-02.5	1	0.0	00.0-00.0	803	98.5	97.5-99.5
Some Post-H.S.	750	102,071	4	0.6	00.0-01.2				20	2.6	01.2-04.0	1	0.1	00.0-00.3	725	96.7	95.1-98.3
College Graduate	982	135,372	2	0.2	00.0-00.4	2	0.1	00.0-00.3	22	1.3	00.7-01.9	1	0.1	00.0-00.3	955	98.3	97.5-99.1
Less than \$15,000	309	30,459							5	1.4	00.0-02.8				304	98.6	97.2-0100
\$15,000- 24,999	307	32,379	1	0.3	00.0-00.9				10	2.2	00.6-03.8				296	97.5	95.7-99.3
\$25,000- 34,999	235	28,165	2	1.3	00.0-03.3				5	1.9	00.0-04.1	1	0.2	00.0-00.6	227	96.6	93.7-99.5
\$35,000- 49,999	351	41,641	1	0.3	00.0-00.9				6	0.9	00.1-01.7	1	0.2	00.0-00.6	343	98.6	97.6-99.6
\$50,000- 74,999	384	50,554	1	0.3	00.0-00.9	1	0.0	00.0-00.0	10	2.0	00.6-03.4				372	97.7	96.1-99.3
\$75,000+	636	110,654				1	0.1	00.0-00.3	15	2.1	00.9-03.3	1	0.1	00.0-00.3	619	97.7	96.3-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4231	677,393	2323	58.9	56.5-61.3	616	8.9	07.9-09.9	629	6.5	05.9-07.1	67	1.2	00.8-01.6	501	21.0	18.6-23.4	95	3.5	02.5-04.5
Male	1523	323,095	956	61.3	57.4-65.2	171	6.3	05.1-07.5	117	2.9	02.3-03.5	23	0.7	00.3-01.1	215	24.7	20.6-28.8	41	4.0	02.4-05.6
Female	2708	354,299	1367	56.6	53.9-59.3	445	11.1	09.7-12.5	512	9.7	08.7-10.7	44	1.7	00.9-02.5	286	17.7	15.0-20.4	54	3.1	01.9-04.3
White/Non-Hisp	3387	508,846	1928	63.0	60.5-65.5	477	8.9	07.9-09.9	558	7.5	06.7-08.3	41	1.0	00.6-01.4	304	15.8	13.3-18.3	79	3.8	02.6-05.0
Black or Afr. Am./Non-Hisp	539	92,190	214	42.4	36.3-48.5	103	10.2	07.7-12.7	47	4.3	02.7-05.9	21	2.6	01.2-04.0	148	39.3	32.2-46.4	6	1.2	00.2-02.2
Oth. Race/Non-Hisp.	107	28,146				9	4.4	00.9-07.9	4	1.7	00.0-04.1							2	1.7	00.0-04.4
MultiRacial/Non-Hisp.	54	10,574				8	8.5	01.6-15.4	10	8.3	02.2-14.4	1	0.6	00.0-01.8						
Hispanic	111	33,148				17	8.6	03.3-13.9	6	0.9	00.1-01.7	3	1.6	00.0-03.8				5	5.7	00.0-11.6
18-24	129	83,938	7	3.5	00.2-06.8	1	0.2	00.0-00.6				2	1.0	00.0-02.4	110	89.7	84.2-95.2	9	5.6	01.3-09.9
25-34	325	110,709	189	58.4	51.7-65.1	20	4.0	02.0-06.0	2	0.5	00.0-01.3	3	0.9	00.0-02.3	93	29.2	22.5-35.9	18	6.9	03.4-10.4
35-44	554	119,333	367	73.7	69.6-77.8	60	7.1	04.9-09.3	1	0.1	00.0-00.3	18	2.1	00.9-03.3	83	12.2	09.1-15.3	25	4.9	02.5-07.3
45-54	777	129,258	492	74.4	71.1-77.7	146	13.2	10.7-15.7	23	1.5	00.9-02.1	12	1.0	00.4-01.6	90	8.3	06.3-10.3	14	1.6	00.6-02.6
55-64	967	102,469	579	69.7	66.4-73.0	201	16.4	13.7-19.1	78	5.0	03.6-06.4	18	1.4	00.4-02.4	71	5.3	03.9-06.7	20	2.1	01.1-03.1
65+	1432	127,579	660	57.3	54.4-60.2	181	9.8	08.0-11.6	521	28.1	25.6-30.6	13	0.9	00.3-01.5	48	2.8	02.0-03.6	9	1.1	00.1-02.1
Less Than H.S.	277	40,799	100	34.1	25.5-42.7	41	10.2	05.5-14.9	71	12.9	08.6-17.2	14	4.1	01.0-07.2				8	7.7	00.6-14.8
H.S. or G.E.D.	1271	180,670	663	56.2	52.3-60.1	187	10.1	08.3-11.9	234	8.8	07.4-10.2	21	1.6	00.6-02.6	141	20.1	16.0-24.2	25	3.1	01.3-04.9
Some Post-H.S.	1102	193,206	572	49.5	44.8-54.2	168	8.6	06.8-10.4	170	6.4	05.2-07.6	18	1.0	00.4-01.6	148	30.5	25.0-36.0	26	4.1	02.1-06.1
College Graduate	1571	261,444	982	71.6	68.5-74.7	219	8.0	06.6-09.4	152	3.9	03.1-04.7	14	0.7	00.3-01.1	168	13.0	10.1-15.9	36	2.7	01.7-03.7
Less than \$15,000	451	56,105	147	38.6	31.5-45.7	105	16.6	12.3-20.9	112	12.9	09.8-16.0	14	3.3	01.1-05.5	65	24.6	16.0-33.2	8	4.0	00.3-07.7
\$15,000- 24,999	421	49,738	81	21.5	16.0-27.0	94	16.6	11.9-21.3	130	19.1	14.8-23.4	19	2.8	01.2-04.4	85	37.8	29.0-46.6	12	2.2	00.6-03.8
\$25,000- 34,999	361	51,380	147	41.9	34.3-49.5	68	11.8	08.1-15.5	66	10.2	07.1-13.3	10	4.2	00.7-07.7	63	28.8	20.2-37.4	7	3.2	00.3-06.1
\$35,000- 49,999	563	81,218	304	58.1	51.8-64.4	96	11.6	08.7-14.5	81	6.8	05.0-08.6	7	0.7	00.1-01.3	64	18.3	12.0-24.6	11	4.5	01.0-08.0
\$50,000- 74,999	624	97,246	383	63.9	58.2-69.6	98	10.4	07.9-12.9	49	3.5	02.3-04.7	6	0.5	00.1-00.9	76	18.7	13.0-24.4	12	2.9	00.7-05.1
\$75,000+	1125	231,992	888	77.7	73.8-81.6	85	4.0	03.0-05.0	46	1.5	00.9-02.1	5	0.4	00.0-00.8	72	13.5	09.8-17.2	29	2.9	01.5-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 12: DEMOGRAPHICS
 TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1523	323,095	956	61.3	57.4-65.2	171	6.3	05.1-07.5	117	2.9	02.3-03.5	23	0.7	00.3-01.1	215	24.7	20.6-28.8	41	4.0	02.4-05.6
White/Non-Hisp	1246	247,993	799	65.3	61.2-69.4	137	6.5	05.1-07.9	107	3.4	02.6-04.2	16	0.6	00.2-01.0	154	20.2	16.1-24.3	33	4.1	02.3-05.9
Black or Afr. Am./Non-Hisp	160	36,234				23	7.4	03.3-11.5	6	1.2	00.0-02.4	6	2.0	00.2-03.8				1	0.8	00.0-02.4
25-34	100	54,439				5	2.8	00.1-05.5										7	8.0	01.9-14.1
35-44	194	58,432	134	74.2	67.5-80.9	13	5.1	02.0-08.2				2	0.5	00.0-01.3	32	12.9	08.0-17.8	13	7.3	03.0-11.6
45-54	301	62,322	188	74.2	68.9-79.5	50	11.4	07.7-15.1	6	0.8	00.0-01.6	2	0.7	00.0-01.7	47	10.9	07.2-14.6	8	2.0	00.4-03.6
55-64	358	49,162	245	78.9	74.4-83.4	52	10.1	06.8-13.4	11	2.6	00.6-04.6	9	1.2	00.4-02.0	34	5.7	03.5-07.9	7	1.6	00.4-02.8
65+	515	55,370	327	72.2	67.9-76.5	50	6.8	04.6-09.0	99	13.5	10.6-16.4	10	1.9	00.5-03.3	24	3.6	02.0-05.2	5	2.0	00.0-04.0
Less Than H.S.	119	23,138				22	11.2	04.1-18.3	16	5.6	01.7-09.5	6	2.0	00.2-03.8						
H.S. or G.E.D.	458	81,676	273	60.4	53.7-67.1	66	8.7	06.0-11.4	41	3.5	02.1-04.9	8	1.2	00.2-02.2	60	22.8	15.9-29.7	10	3.4	00.7-06.1
Some Post-H.S.	353	91,353	210	47.8	39.8-55.8	37	5.6	03.4-07.8	26	2.4	01.2-03.6	4	0.4	00.0-01.0	64	39.8	30.8-48.8	12	3.9	01.2-06.6
College Graduate	589	126,148	421	77.2	72.5-81.9	46	4.5	02.7-06.3	34	2.4	01.4-03.4	5	0.4	00.0-00.8	69	12.7	08.4-17.0	14	2.8	01.0-04.6
Less than \$15,000	142	25,645				27	11.7	05.6-17.8	18	4.4	01.9-06.9	4	2.5	00.0-05.2				3	4.8	00.0-11.3
\$15,000- 24,999	115	17,419				26	15.6	07.0-24.2	15	7.8	02.7-12.9	6	2.1	00.1-04.1				4	3.0	00.0-06.5
\$25,000- 34,999	126	23,216				19	7.6	02.9-12.3	14	5.0	01.5-08.5	4	2.2	00.0-04.6				5	4.4	00.0-09.1
\$35,000- 49,999	211	39,506	138	65.2	55.6-74.8	24	8.1	04.0-12.2	22	5.0	02.5-07.5	3	0.6	00.0-01.4	19	14.7	06.1-23.3	5	6.4	00.0-13.1
\$50,000- 74,999	240	46,692	152	62.9	53.3-72.5	30	7.7	04.4-11.0	13	2.4	00.8-04.0	2	0.4	00.0-01.0	36	22.4	12.6-32.2	7	4.2	00.3-08.1
\$75,000+	489	121,338	391	77.3	71.4-83.2	28	2.7	01.5-03.9	17	1.2	00.6-01.8	2	0.2	00.0-00.4	40	16.3	10.4-22.2	11	2.4	00.8-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 12: DEMOGRAPHICS
 TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2708	354,299	1367	56.6	53.9-59.3	445	11.1	09.7-12.5	512	9.7	08.7-10.7	44	1.7	00.9-02.5	286	17.7	15.0-20.4	54	3.1	01.9-04.3
White/Non-Hisp	2141	260,853	1129	60.8	57.9-63.7	340	11.3	09.7-12.9	451	11.3	10.1-12.5	25	1.4	00.6-02.2	150	11.6	09.1-14.1	46	3.6	02.2-05.0
Black or Afr. Am./Non-Hisp	379	55,956	136	41.6	34.9-48.3	80	11.9	08.6-15.2	41	6.4	03.9-08.9	15	3.0	01.0-05.0	102	35.6	28.2-43.0	5	1.5	00.1-02.9
Oth. Race/Non-Hisp.	61	14,533				7	6.8	00.7-12.9	1	0.3	00.0-00.9							1	2.6	00.0-07.7
Hispanic	68	14,950				11	10.2	02.9-17.5	6	1.9	00.1-03.7	3	3.5	00.0-08.2				1	0.8	00.0-02.6
18-24	81	41,599	5	4.6	00.0-10.1							2	1.9	00.0-04.8	66	84.7	75.9-93.5	8	8.8	01.9-15.7
25-34	225	56,270	134	64.8	57.7-71.9	15	5.3	02.2-08.4	2	0.9	00.0-02.5	3	1.8	00.0-04.5	60	21.3	15.6-27.0	11	5.9	02.4-09.4
35-44	360	60,901	233	73.2	68.1-78.3	47	9.0	05.9-12.1	1	0.1	00.0-00.3	16	3.6	01.4-05.8	51	11.5	07.8-15.2	12	2.6	01.0-04.2
45-54	476	66,936	304	74.6	70.5-78.7	96	14.9	11.6-18.2	17	2.1	00.9-03.3	10	1.4	00.4-02.4	43	5.8	03.8-07.8	6	1.3	00.1-02.5
55-64	609	53,308	334	61.3	56.6-66.0	149	22.2	18.3-26.1	67	7.3	05.3-09.3	9	1.7	00.1-03.3	37	5.0	03.2-06.8	13	2.5	00.7-04.3
65+	917	72,209	333	45.8	42.1-49.5	131	12.1	09.7-14.5	422	39.4	35.9-42.9	3	0.2	00.0-00.4	24	2.2	01.2-03.2	4	0.4	00.0-00.8
Less Than H.S.	158	17,661				19	8.8	02.7-14.9	55	22.3	14.5-30.1	8	6.8	00.1-13.5				3	1.3	00.0-02.9
H.S. or G.E.D.	813	98,994	390	52.7	47.8-57.6	121	11.2	08.7-13.7	193	13.3	10.9-15.7	13	2.0	00.2-03.8	81	18.0	13.3-22.7	15	2.9	00.7-05.1
Some Post-H.S.	749	101,853	362	51.0	45.7-56.3	131	11.2	08.8-13.6	144	10.0	08.0-12.0	14	1.5	00.5-02.5	84	22.2	16.5-27.9	14	4.2	01.5-06.9
College Graduate	982	135,296	561	66.5	62.4-70.6	173	11.3	09.1-13.5	118	5.2	04.2-06.2	9	1.0	00.2-01.8	99	13.3	09.4-17.2	22	2.7	01.3-04.1
Less than \$15,000	309	30,459	83	35.2	27.0-43.4	78	20.7	15.0-26.4	94	20.1	15.2-25.0	10	3.9	00.8-07.0	39	16.8	10.5-23.1	5	3.3	00.0-07.0
\$15,000- 24,999	306	32,319	54	20.5	14.4-26.6	68	17.1	11.6-22.6	115	25.2	19.3-31.1	13	3.2	01.0-05.4				8	1.8	00.4-03.2
\$25,000- 34,999	235	28,165	86	36.9	28.7-45.1	49	15.2	09.9-20.5	52	14.4	09.7-19.1	6	5.9	00.0-11.8	40	25.5	16.1-34.9	2	2.2	00.0-05.9
\$35,000- 49,999	352	41,711	166	51.3	43.5-59.1	72	14.9	10.6-19.2	59	8.4	05.9-10.9	4	0.9	00.0-01.9	45	21.6	12.6-30.6	6	2.8	00.1-05.5
\$50,000- 74,999	384	50,554	231	64.9	58.8-71.0	68	12.9	09.2-16.6	36	4.5	02.7-06.3	4	0.6	00.0-01.2	40	15.4	09.7-21.1	5	1.8	00.0-03.6
\$75,000+	636	110,654	497	78.3	73.6-83.0	57	5.5	03.7-07.3	29	1.8	01.0-02.6	3	0.6	00.0-01.4	32	10.5	06.0-15.0	18	3.4	01.4-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4237	677,616	479	16.7	14.9-18.5	445	16.4	14.6-18.2	173	6.6	05.2-08.0	40	1.4	00.8-02.0	18	0.8	00.2-01.4	3082	58.0	55.6-60.4
Male	1521	322,476	152	15.4	12.5-18.3	164	17.1	14.2-20.0	53	6.1	03.7-08.5	13	1.3	00.5-02.1	6	1.1	00.0-02.5	1133	59.1	55.4-62.8
Female	2716	355,140	327	17.9	15.7-20.1	281	15.8	13.6-18.0	120	7.1	05.5-08.7	27	1.5	00.7-02.3	12	0.6	00.2-01.0	1949	57.0	54.3-59.7
White/Non-Hisp	3389	508,117	331	15.2	13.2-17.2	317	15.6	13.6-17.6	115	5.6	04.4-06.8	23	0.9	00.5-01.3	9	0.7	00.0-01.5	2594	61.9	59.4-64.4
Black or Afr. Am./Non-Hisp	540	92,394	98	23.0	17.9-28.1	80	17.6	13.1-22.1	31	10.2	04.1-16.3	12	2.8	00.6-05.0	9	2.2	00.2-04.2	310	44.2	37.9-50.5
Oth. Race/Non-Hisp.	107	28,146							8	7.8	01.9-13.7	1	0.4	00.0-01.2						
Hispanic	113	33,716	12	8.0	02.9-13.1	20	17.9	08.3-27.5	13	10.2	03.5-16.9	4	6.2	00.0-13.1						
18-24	130	84,358	32	21.5	13.5-29.5	20	16.0	08.4-23.6	11	9.7	02.3-17.1	1	1.0	00.0-03.0	3	3.4	00.0-08.1			
25-34	325	110,709	80	25.3	19.4-31.2	92	26.5	20.8-32.2	42	11.8	07.9-15.7	8	2.6	00.6-04.6	6	1.1	00.1-02.1	97	32.7	26.2-39.2
35-44	553	119,135	133	23.0	18.7-27.3	182	34.7	29.8-39.6	85	15.3	11.6-19.0	23	4.0	01.8-06.2	6	0.9	00.0-01.9	124	22.0	17.9-26.1
45-54	773	128,459	164	24.0	20.3-27.7	111	16.4	13.1-19.7	21	2.5	01.3-03.7	6	0.7	00.1-01.3	2	0.2	00.0-00.6	469	56.3	52.0-60.6
55-64	967	102,469	45	5.8	03.8-07.8	27	4.0	02.2-05.8	11	1.7	00.5-02.9							884	88.5	85.8-91.2
65+	1439	128,096	24	2.3	01.3-03.3	10	1.2	00.4-02.0	3	0.3	00.0-00.7	2	0.1	00.0-00.3				1400	96.1	94.7-97.5
Less Than H.S.	278	41,219	29	19.1	10.1-28.1	21	8.6	03.9-13.3	10	5.2	01.1-09.3	3	2.2	00.0-05.9	7	9.3	00.0-18.9			
H.S. or G.E.D.	1274	180,787	134	19.3	15.6-23.0	95	12.4	09.5-15.3	38	6.1	03.7-08.5	10	1.6	00.4-02.8	4	0.3	00.1-00.5	993	60.3	56.2-64.4
Some Post-H.S.	1105	193,558	134	15.9	12.6-19.2	111	16.3	12.6-20.0	48	7.0	03.7-10.3	13	1.6	00.4-02.8	3	0.4	00.0-01.0	796	58.7	54.0-63.4
College Graduate	1568	260,531	182	15.3	12.8-17.8	218	20.6	17.7-23.5	77	7.0	05.2-08.8	14	0.9	00.3-01.5	4	0.2	00.0-00.4	1073	56.0	52.7-59.3
Less than \$15,000	452	56,198	38	15.8	09.5-22.1	29	9.7	04.8-14.6	15	5.6	02.3-08.9	1	0.6	00.0-01.8	3	1.0	00.0-02.2	366	67.3	59.9-74.7
\$15,000- 24,999	422	49,798	32	11.5	06.2-16.8	31	13.7	06.6-20.8	12	3.7	01.0-06.4	2	0.4	00.0-01.0				345	70.7	62.9-78.5
\$25,000- 34,999	361	51,380	32	17.2	09.0-25.4	28	9.8	05.7-13.9	22	10.9	05.4-16.4	4	2.9	00.0-06.2	3	0.8	00.0-01.8	272	58.5	50.1-66.9
\$35,000- 49,999	563	81,218	63	17.5	12.0-23.0	42	13.5	08.6-18.4	22	6.2	03.1-09.3	9	3.2	00.7-05.7	3	0.9	00.0-02.1	424	58.8	52.5-65.1
\$50,000- 74,999	624	97,246	82	18.6	13.9-23.3	77	16.4	12.5-20.3	20	3.9	01.9-05.9	5	0.9	00.0-01.9	3	0.4	00.0-00.8	437	59.9	54.4-65.4
\$75,000+	1124	231,942	179	19.3	16.2-22.4	199	23.6	20.3-26.9	60	7.6	05.4-09.8	15	1.2	00.4-02.0	4	1.1	00.0-02.9	667	47.2	43.3-51.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1521	322,476	152	15.4	12.5-18.3	164	17.1	14.2-20.0	53	6.1	03.7-08.5	13	1.3	00.5-02.1	6	1.1	00.0-02.5	1133	59.1	55.4-62.8
White/Non-Hisp	1246	247,460	114	14.7	11.6-17.8	124	16.7	13.4-20.0	40	5.5	03.5-07.5	7	0.7	00.1-01.3	5	1.1	00.0-02.7	956	61.2	57.1-65.3
Black or Afr. Am./Non-Hisp	159	36,184	24	21.5	12.1-30.9	24	20.6	11.4-29.8				3	2.8	00.0-07.3	1	2.2	00.0-06.3			
25-34	100	54,439	18	19.0	09.8-28.2	28	27.0	17.4-36.6	10	7.9	02.8-13.0	2	2.4	00.0-05.7	1	0.8	00.0-02.4			
35-44	194	58,432	34	20.4	13.7-27.1	64	34.9	27.1-42.7	27	14.9	09.0-20.8	7	3.8	00.5-07.1	1	0.2	00.0-00.6	61	25.8	19.1-32.5
45-54	297	61,523	59	24.4	18.1-30.7	50	19.3	13.6-25.0	5	1.7	00.0-03.5	3	0.8	00.0-01.8	2	0.4	00.0-01.0	178	53.3	46.4-60.2
55-64	358	49,162	19	5.4	02.7-08.1	12	4.1	01.2-07.0	6	2.3	00.5-04.1							321	88.3	84.2-92.4
65+	517	55,550	10	2.5	00.7-04.3	2	0.5	00.0-01.1	2	0.6	00.0-01.4	1	0.1	00.0-00.3				502	96.3	94.3-98.3
Less Than H.S.	119	23,138				6	7.1	00.4-13.8	2	0.9	00.0-02.3	2	3.6	00.0-10.3						
H.S. or G.E.D.	457	81,600	52	23.2	16.7-29.7	32	10.9	06.4-15.4	11	4.4	01.1-07.7	4	2.1	00.0-04.5				358	59.4	52.5-66.3
Some Post-H.S.	355	91,487	39	12.2	07.1-17.3	38	17.7	11.4-24.0	16	8.2	02.1-14.3	4	0.9	00.0-01.9				258	61.0	52.8-69.2
College Graduate	587	125,507	50	12.7	08.8-16.6	88	22.5	17.6-27.4	24	6.7	03.8-09.6	3	0.5	00.0-01.1	2	0.2	00.0-00.6	420	57.3	51.8-62.8
Less than \$15,000	143	25,739	10	11.0	02.8-19.2	7	9.9	00.9-18.9	5	5.2	00.3-10.1									
\$15,000- 24,999	115	17,419	8	8.2	01.9-14.5				1	0.6	00.0-01.8	1	0.2	00.0-00.6						
\$25,000- 34,999	126	23,216				9	9.1	03.0-15.2	5	8.5	00.3-16.7	1	3.6	00.0-10.5						
\$35,000- 49,999	211	39,506	16	18.0	08.2-27.8	16	13.4	06.3-20.5	8	7.1	02.0-12.2	2	2.0	00.0-04.7	1	1.1	00.0-03.3			
\$50,000- 74,999	240	46,692	28	18.9	10.9-26.9	26	15.5	09.0-22.0	4	2.2	00.0-04.6	2	1.1	00.0-03.1				180	62.3	53.1-71.5
\$75,000+	488	121,287	62	16.4	11.9-20.9	82	23.5	18.2-28.8	24	6.9	03.6-10.2	5	0.8	00.0-01.6	3	1.8	00.0-04.9	312	50.6	44.7-56.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	355,140	327	17.9	15.7-20.1	281	15.8	13.6-18.0	120	7.1	05.5-08.7	27	1.5	00.7-02.3	12	0.6	00.2-01.0	1949	57.0	54.3-59.7
White/Non-Hisp	2143	260,657	217	15.6	13.2-18.0	193	14.6	12.2-17.0	75	5.7	04.1-07.3	16	1.1	00.5-01.7	4	0.3	00.0-00.7	1638	62.6	59.7-65.5
Black or Afr. Am./Non-Hisp	381	56,210	74	24.0	18.1-29.9	56	15.8	11.1-20.5	25	10.3	05.6-15.0	9	2.7	00.5-04.9	8	2.2	00.6-03.8	209	45.1	38.0-52.2
Oth. Race/Non-Hisp.	61	14,533							5	8.1	00.7-15.5									
Hispanic	70	15,518	10	13.8	04.4-23.2							2	5.9	00.0-15.9						
18-24	82	42,019							8	9.6	02.3-16.9	1	2.0	00.0-05.7	1	0.4	00.0-01.2			
25-34	225	56,270	62	31.4	24.3-38.5	64	26.0	19.7-32.3	32	15.5	10.0-21.0	6	2.8	00.4-05.2	5	1.4	00.0-02.8	56	22.8	16.7-28.9
35-44	359	60,703	99	25.5	20.2-30.8	118	34.5	28.8-40.2	58	15.7	11.2-20.2	16	4.3	01.8-06.8	5	1.6	00.0-03.4	63	18.3	13.6-23.0
45-54	476	66,936	105	23.6	19.1-28.1	61	13.6	09.9-17.3	16	3.2	01.6-04.8	3	0.5	00.0-01.1				291	59.0	53.9-64.1
55-64	609	53,308	26	6.1	03.4-08.8	15	4.0	01.6-06.4	5	1.2	00.0-02.4							563	88.7	85.2-92.2
65+	922	72,546	14	2.1	00.7-03.5	8	1.8	00.4-03.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3				898	95.9	93.9-97.9
Less Than H.S.	159	18,081				15	10.6	04.3-16.9	8	10.8	02.0-19.6	1	0.5	00.0-01.5	3	3.1	00.0-06.8			
H.S. or G.E.D.	817	99,187	82	16.0	11.9-20.1	63	13.6	09.7-17.5	27	7.5	04.2-10.8	6	1.2	00.0-02.4	4	0.5	00.0-01.1	635	61.1	56.0-66.2
Some Post-H.S.	750	102,071	95	19.3	14.8-23.8	73	15.1	10.8-19.4	32	5.9	03.4-08.4	9	2.3	00.3-04.3	3	0.7	00.0-01.7	538	56.7	51.4-62.0
College Graduate	981	135,024	132	17.7	14.6-20.8	130	18.7	15.4-22.0	53	7.2	05.0-09.4	11	1.3	00.5-02.1	2	0.2	00.0-00.4	653	54.8	50.7-58.9
Less than \$15,000	309	30,459	28	19.8	11.2-28.4	22	9.6	04.9-14.3	10	6.0	01.7-10.3	1	1.1	00.0-03.3	3	1.9	00.0-04.1	245	61.7	53.1-70.3
\$15,000- 24,999	307	32,379	24	13.2	06.1-20.3	23	11.5	05.8-17.2	11	5.3	01.2-09.4	1	0.5	00.0-01.5				248	69.4	60.8-78.0
\$25,000- 34,999	235	28,165	22	17.6	08.4-26.8	19	10.4	05.1-15.7	17	12.8	05.7-19.9	3	2.3	00.0-04.8	3	1.4	00.0-03.0	171	55.4	46.0-64.8
\$35,000- 49,999	352	41,711	47	17.0	11.5-22.5	26	13.6	06.7-20.5	14	5.3	02.0-08.6	7	4.3	00.0-08.6	2	0.6	00.0-01.4	256	59.1	51.1-67.1
\$50,000- 74,999	384	50,554	54	18.4	13.1-23.7	51	17.2	12.5-21.9	16	5.4	02.5-08.3	3	0.6	00.0-01.4	3	0.7	00.0-01.5	257	57.6	51.3-63.9
\$75,000+	636	110,654	117	22.5	18.2-26.8	117	23.6	19.3-27.9	36	8.3	05.2-11.4	10	1.8	00.4-03.2	1	0.4	00.0-01.2	355	43.4	38.5-48.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4233	677,396	54	1.0	00.6-01.4	224	5.0	03.8-06.2	1276	26.7	24.7-28.7	1105	28.6	26.4-30.8	1574	38.6	36.4-40.8
Male	1522	322,532	27	1.3	00.5-02.1	92	5.9	03.7-08.1	458	25.3	22.4-28.2	355	28.4	24.7-32.1	590	39.1	35.6-42.6
Female	2711	354,865	27	0.8	00.4-01.2	132	4.3	03.1-05.5	818	28.0	25.6-30.4	750	28.8	26.3-31.3	984	38.2	35.7-40.7
White/Non-Hisp	3387	508,138	37	1.1	00.5-01.7	149	4.2	03.0-05.4	1068	28.6	26.4-30.8	879	27.6	25.2-30.0	1254	38.6	36.2-41.0
Black or Afr. Am./Non-Hisp	540	92,365	9	0.9	00.3-01.5	55	10.1	05.8-14.4	146	25.0	19.7-30.3	147	28.8	22.3-35.3	183	35.2	29.1-41.3
Oth. Race/Non-Hisp.	107	28,146	1	0.3	00.0-00.9	4	2.4	00.0-04.9	16	11.1	04.2-18.0						
MultiRacial/Non-Hisp.	56	10,789	2	1.6	00.0-04.0	4	2.7	00.0-05.6									
Hispanic	112	33,568	5	1.8	00.0-03.6	11	7.3	01.4-13.2									
18-24	130	84,358	2	1.1	00.0-02.9	12	10.9	03.8-18.0	41	22.9	15.3-30.5				21	15.7	08.3-23.1
25-34	325	110,709	3	0.9	00.0-02.1	11	3.7	01.3-06.1	72	24.9	18.8-31.0	97	28.4	22.3-34.5	142	42.1	35.6-48.6
35-44	554	119,153	2	0.2	00.0-00.6	23	4.1	01.7-06.5	118	21.5	17.4-25.6	131	22.1	18.0-26.2	280	52.0	46.9-57.1
45-54	777	129,258	5	0.4	00.0-00.8	30	2.8	01.4-04.2	240	29.0	25.3-32.7	189	25.0	21.3-28.7	313	42.8	38.5-47.1
55-64	966	102,256	13	1.4	00.2-02.6	32	3.5	01.7-05.3	271	25.3	22.0-28.6	276	28.3	24.8-31.8	374	41.4	37.5-45.3
65+	1435	127,704	27	2.0	01.0-03.0	116	6.8	05.4-08.2	524	34.5	31.6-37.4	346	25.1	22.4-27.8	422	31.6	28.7-34.5
Less than \$15,000	452	56,198	8	1.2	00.2-02.2	40	9.1	04.8-13.4	197	38.8	31.7-45.9	130	30.6	22.8-38.4	77	20.3	14.2-26.4
\$15,000- 24,999	419	49,431	22	4.4	01.7-07.1	91	20.7	13.8-27.6	178	35.5	28.6-42.4	87	28.6	20.4-36.8	41	10.8	06.3-15.3
\$25,000- 34,999	361	51,380	5	1.5	00.0-03.3	17	7.4	02.3-12.5	157	42.9	34.9-50.9	102	28.0	21.3-34.7	80	20.2	14.5-25.9
\$35,000- 49,999	563	81,218	1	0.5	00.0-01.5	18	4.0	01.1-06.9	182	32.5	27.2-37.8	180	33.3	27.2-39.4	182	29.6	24.3-34.9
\$50,000- 74,999	624	97,246	2	0.9	00.0-02.5	12	3.2	00.8-05.6	142	24.0	19.5-28.5	185	29.6	24.5-34.7	283	42.3	36.8-47.8
\$75,000+	1125	231,992	2	0.1	00.0-00.3	8	1.2	00.0-02.8	165	14.7	12.0-17.4	256	24.7	21.2-28.2	694	59.2	55.3-63.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1522	322,532	27	1.3	00.5-02.1	92	5.9	03.7-08.1	458	25.3	22.4-28.2	355	28.4	24.7-32.1	590	39.1	35.6-42.6
White/Non-Hisp	1246	247,466	19	1.3	00.5-02.1	64	4.9	02.7-07.1	393	27.2	23.9-30.5	282	26.3	22.6-30.0	488	40.3	36.6-44.0
Black or Afr. Am./Non-Hisp	160	36,234	4	1.0	00.0-02.2	21	14.2	04.8-23.6							50	27.5	17.7-37.3
25-34	100	54,439	1	0.8	00.0-02.4	3	2.9	00.0-06.4									
35-44	193	58,035	1	0.3	00.0-00.9	6	4.3	00.4-08.2	49	22.4	15.9-28.9	44	21.1	14.8-27.4	93	51.9	43.9-59.9
45-54	301	62,322	2	0.3	00.0-00.7	16	4.0	01.5-06.5	105	30.3	24.2-36.4	54	18.8	13.3-24.3	124	46.5	39.6-53.4
55-64	357	48,948	7	2.1	00.0-04.5	16	5.3	01.8-08.8	103	24.9	19.8-30.0	90	26.1	20.4-31.8	141	41.6	35.1-48.1
65+	517	55,550	13	2.3	00.7-03.9	45	6.7	04.5-08.9	162	27.9	23.6-32.2	111	23.5	19.2-27.8	186	39.6	34.7-44.5
Less than \$15,000	143	25,739	6	2.1	00.1-04.1	16	10.4	02.6-18.2									
\$15,000- 24,999	114	17,205	8	5.8	00.0-12.1										11	8.8	01.2-16.4
\$25,000- 34,999	126	23,216	2	0.6	00.0-01.6	9	7.4	01.5-13.3							27	19.5	09.9-29.1
\$35,000- 49,999	211	39,506	1	1.1	00.0-03.3	14	6.6	00.9-12.3	81	34.0	25.6-42.4	53	28.4	19.4-37.4	62	29.9	21.9-37.9
\$50,000- 74,999	240	46,692	1	1.5	00.0-04.4	6	3.4	00.0-07.1	60	25.4	17.8-33.0	70	31.3	22.7-39.9	103	38.4	29.4-47.4
\$75,000+	489	121,338	2	0.3	00.0-00.7	6	2.2	00.0-05.3	82	15.8	11.5-20.1	105	23.9	18.4-29.4	294	57.7	51.6-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2711	354,865	27	0.8	00.4-01.2	132	4.3	03.1-05.5	818	28.0	25.6-30.4	750	28.8	26.3-31.3	984	38.2	35.7-40.7
White/Non-Hisp	2141	260,673	18	0.8	00.2-01.4	85	3.5	02.3-04.7	675	29.9	27.2-32.6	597	28.8	26.1-31.5	766	37.0	34.3-39.7
Black or Afr. Am./Non-Hisp	380	56,131	5	0.8	00.0-01.6	34	7.5	04.0-11.0	99	22.6	17.1-28.1	109	28.8	22.5-35.1	133	40.2	33.1-47.3
Oth. Race/Non-Hisp.	61	14,533				1	1.6	00.0-04.7	10	13.0	03.4-22.6						
Hispanic	69	15,370	3	2.2	00.0-05.1	8	7.5	00.8-14.2									
18-24	82	42,019	1	0.6	00.0-01.8	6	7.3	00.6-14.0									
25-34	225	56,270	2	0.9	00.0-02.5	8	4.5	01.2-07.8	45	20.6	14.5-26.7	65	25.4	19.1-31.7	105	48.6	41.2-56.0
35-44	361	61,118	1	0.1	00.0-00.3	17	4.0	01.5-06.5	69	20.6	15.7-25.5	87	23.1	17.8-28.4	187	52.1	46.0-58.2
45-54	476	66,936	3	0.6	00.0-01.4	14	1.6	00.8-02.4	135	27.8	23.3-32.3	135	30.8	25.9-35.7	189	39.3	34.2-44.4
55-64	609	53,308	6	0.9	00.1-01.7	16	1.9	00.7-03.1	168	25.8	21.7-29.9	186	30.2	25.9-34.5	233	41.2	36.5-45.9
65+	918	72,154	14	1.8	00.8-02.8	71	6.9	05.1-08.7	362	39.7	36.0-43.4	235	26.3	23.0-29.6	236	25.4	22.3-28.5
Less than \$15,000	309	30,459	2	0.5	00.0-01.3	24	7.9	04.0-11.8	139	46.4	38.4-54.4	94	29.3	22.2-36.4	50	15.9	10.6-21.2
\$15,000- 24,999	305	32,225	14	3.7	01.3-06.1	63	16.6	11.1-22.1	133	38.2	30.2-46.2	65	29.6	20.2-39.0	30	11.9	06.4-17.4
\$25,000- 34,999	235	28,165	3	2.2	00.0-05.5	8	7.4	00.0-15.2	99	40.3	31.5-49.1	72	29.3	21.9-36.7	53	20.8	14.3-27.3
\$35,000- 49,999	352	41,711				4	1.6	00.0-03.6	101	31.2	24.5-37.9	127	38.0	30.2-45.8	120	29.3	22.0-36.6
\$50,000- 74,999	384	50,554	1	0.4	00.0-01.2	6	3.1	00.0-06.4	82	22.7	17.4-28.0	115	27.9	22.4-33.4	180	45.9	39.6-52.2
\$75,000+	636	110,654				2	0.1	00.0-00.3	83	13.5	10.0-17.0	151	25.5	21.0-30.0	400	60.9	56.0-65.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4238	678,063	2096	59.2	57.0-61.4	211	7.6	06.2-09.0	165	4.1	03.3-04.9	69	5.6	03.8-07.4	1493	19.8	18.6-21.0	204	3.7	02.9-04.5
Male	1524	323,174	800	63.4	59.9-66.9	84	7.9	05.5-10.3	2	0.1	00.0-00.3	28	6.6	03.7-09.5	541	18.4	16.4-20.4	69	3.5	02.5-04.5
Female	2714	354,888	1296	55.3	52.8-57.8	127	7.4	05.6-09.2	163	7.7	06.3-09.1	41	4.6	02.8-06.4	952	21.1	19.5-22.7	135	3.9	02.9-04.9
White/Non-Hisp	3392	508,748	1607	58.5	56.1-60.9	155	7.2	05.6-08.8	138	4.3	03.5-05.1	41	3.9	02.3-05.5	1302	22.8	21.2-24.4	149	3.3	02.5-04.1
Black or Afr. Am./Non-Hisp	540	92,421	318	61.6	54.9-68.3	36	10.0	05.7-14.3	10	1.7	00.5-02.9	14	10.0	03.3-16.7	127	13.0	10.1-15.9	35	3.8	02.2-05.4
Oth. Race/Non-Hisp.	107	28,146				4	4.0	00.0-08.9	8	8.2	02.3-14.1				23	10.3	05.2-15.4	5	3.3	00.0-06.6
MultiRacial/Non-Hisp.	56	10,789				2	2.4	00.0-06.1	1	4.5	00.0-13.1	2	7.3	00.0-18.3	18	15.6	05.8-25.4			
Hispanic	113	33,716				13	12.3	02.5-22.1	6	3.9	00.2-07.6				12	2.8	00.8-04.8	8	7.3	00.4-14.2
18-24	130	84,358	59	38.6	28.6-48.6	20	18.4	10.0-26.8	3	1.4	00.0-03.2							4	2.6	00.0-05.3
25-34	325	110,709	257	82.1	77.4-86.8	23	8.5	04.8-12.2	26	6.3	03.6-09.0	12	2.3	00.5-04.1				7	0.8	00.2-01.4
35-44	554	119,224	444	80.6	76.7-84.5	37	7.5	04.8-10.2	42	7.1	04.7-09.5	7	1.3	00.1-02.5	2	0.5	00.0-01.3	22	2.9	01.5-04.3
45-54	777	129,258	603	79.7	76.4-83.0	53	6.5	04.5-08.5	32	4.0	02.4-05.6	2	0.3	00.0-00.7	23	2.8	01.4-04.2	64	6.6	04.6-08.6
55-64	965	102,335	517	56.4	52.5-60.3	54	7.0	04.8-09.2	27	2.5	01.3-03.7	4	0.2	00.0-00.4	283	25.9	22.8-29.0	80	8.0	05.6-10.4
65+	1437	127,888	190	14.7	12.3-17.1	19	1.3	00.7-01.9	31	2.4	01.4-03.4				1171	80.2	77.7-82.7	26	1.4	00.8-02.0
Less Than H.S.	278	41,219							14	7.4	02.7-12.1	6	5.1	00.0-10.2	126	23.6	17.7-29.5	46	12.3	07.4-17.2
H.S. or G.E.D.	1273	180,733	539	52.9	49.0-56.8	82	10.2	07.3-13.1	55	4.8	03.2-06.4	16	3.7	01.5-05.9	513	24.4	21.9-26.9	68	4.0	02.6-05.4
Some Post-H.S.	1103	193,309	557	57.7	53.0-62.4	58	7.0	04.5-09.5	31	2.2	01.2-03.2	35	11.7	07.0-16.4	365	17.2	14.8-19.6	57	4.2	02.6-05.8
College Graduate	1572	261,281	929	68.4	65.5-71.3	51	4.9	03.1-06.7	63	4.5	03.3-05.7	12	2.4	00.6-04.2	484	17.9	15.9-19.9	33	1.8	01.0-02.6
Less than \$15,000	451	56,098	147	38.3	30.9-45.7	34	15.5	09.2-21.8	20	4.9	02.2-07.6	8	5.6	00.0-12.5	206	28.3	23.0-33.6	36	7.4	04.5-10.3
\$15,000- 24,999	422	49,798	74	25.6	18.2-33.0	45	13.6	07.9-19.3	12	3.8	00.9-06.7	7	9.1	01.3-16.9	188	27.8	22.5-33.1	96	20.1	14.8-25.4
\$25,000- 34,999	361	51,380	151	51.9	44.1-59.7	17	12.2	05.3-19.1	13	5.0	01.7-08.3	3	2.2	00.0-05.3	166	26.3	21.0-31.6	11	2.4	00.6-04.2
\$35,000- 49,999	563	81,218	286	56.4	50.3-62.5	23	6.9	03.6-10.2	17	3.1	01.3-04.9	7	5.4	00.5-10.3	218	25.8	21.5-30.1	12	2.5	00.3-04.7
\$50,000- 74,999	624	97,246	373	64.6	59.3-69.9	29	7.1	03.2-11.0	28	4.5	02.5-06.5	8	3.2	00.0-06.5	171	18.0	14.9-21.1	15	2.6	00.8-04.4
\$75,000+	1124	231,881	821	78.0	74.7-81.3	26	3.6	01.4-05.8	47	3.6	02.4-04.8	14	4.1	01.7-06.5	205	9.6	08.0-11.2	11	1.0	00.2-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1524	323,174	800	63.4	59.9-66.9	84	7.9	05.5-10.3	2	0.1	00.0-00.3	28	6.6	03.7-09.5	541	18.4	16.4-20.4	69	3.5	02.5-04.5
White/Non-Hisp	1249	248,209	638	63.2	59.5-66.9	68	7.8	05.3-10.3	2	0.2	00.0-00.4	18	4.5	02.0-07.0	471	21.0	18.6-23.4	52	3.4	02.2-04.6
Black or Afr. Am./Non-Hisp	160	36,234				7	6.5	01.0-12.0							44	12.2	07.5-16.9	12	4.5	01.2-07.8
25-34	100	54,439	87	89.0	82.5-95.5	10	8.8	02.9-14.7				2	1.8	00.0-04.7				1	0.4	00.0-01.2
35-44	194	58,432	164	86.2	80.9-91.5	17	7.9	03.6-12.2				3	1.6	00.0-03.8	2	1.1	00.0-02.7	8	3.2	00.7-05.7
45-54	301	62,322	245	82.7	77.6-87.8	21	7.0	03.7-10.3	1	0.3	00.0-00.9	1	0.4	00.0-01.2	8	2.9	00.5-05.3	25	6.7	03.4-10.0
55-64	358	49,162	201	59.3	53.0-65.6	19	6.6	03.1-10.1	1	0.4	00.0-01.2	2	0.4	00.0-01.0	105	23.8	18.9-28.7	30	9.5	05.4-13.6
65+	516	55,449	80	16.8	12.9-20.7	7	1.1	00.3-01.9							424	81.5	77.6-85.4	5	0.6	00.0-01.4
Less Than H.S.	119	23,138										2	4.5	00.0-11.4	57	21.3	13.1-29.5	22	13.3	05.7-20.9
H.S. or G.E.D.	458	81,676	221	58.9	52.6-65.2	36	11.6	06.9-16.3				7	5.1	01.0-09.2	174	21.6	17.7-25.5	20	2.8	01.2-04.4
Some Post-H.S.	354	91,386	184	60.2	52.0-68.4	19	6.3	02.2-10.4	1	0.2	00.0-00.6	15	14.5	06.1-22.9	119	15.1	11.4-18.8	16	3.7	01.5-05.9
College Graduate	590	126,230	363	72.3	67.8-76.8	21	5.0	02.5-07.5	1	0.2	00.0-00.6	4	2.3	00.0-05.0	190	18.2	15.1-21.3	11	2.1	00.5-03.7
Less than \$15,000	142	25,638				14	16.9	07.3-26.5	1	0.8	00.0-02.4				69	24.9	16.5-33.3	14	9.5	03.6-15.4
\$15,000- 24,999	115	17,419													46	22.1	13.3-30.9			
\$25,000- 34,999	126	23,216				9	12.5	02.7-22.3				2	3.9	00.0-10.8	63	23.2	15.4-31.0	3	2.6	00.0-05.9
\$35,000- 49,999	211	39,506	100	57.5	48.7-66.3	9	7.7	02.2-13.2				2	2.9	00.0-07.6	95	30.0	22.9-37.1	5	1.9	00.0-03.9
\$50,000- 74,999	240	46,692	134	63.8	54.8-72.8	13	7.6	00.7-14.5				2	3.7	00.0-10.2	85	21.5	15.8-27.2	6	3.3	00.0-06.6
\$75,000+	489	121,338	375	81.2	76.3-86.1	10	3.9	00.4-07.4				7	4.7	01.2-08.2	95	9.9	07.5-12.3	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2714	354,888	1296	55.3	52.8-57.8	127	7.4	05.6-09.2	163	7.7	06.3-09.1	41	4.6	02.8-06.4	952	21.1	19.5-22.7	135	3.9	02.9-04.9
White/Non-Hisp	2143	260,539	969	54.0	51.1-56.9	87	6.6	04.6-08.6	136	8.3	06.7-09.9	23	3.3	01.5-05.1	831	24.5	22.5-26.5	97	3.2	02.4-04.0
Black or Afr. Am./Non-Hisp	380	56,187	226	60.9	53.6-68.2	29	12.3	06.4-18.2	10	2.7	00.7-04.7	9	7.4	01.5-13.3	83	13.4	09.9-16.9	23	3.3	01.7-04.9
Oth. Race/Non-Hisp.	61	14,533				2	1.8	00.0-04.5							10	8.2	02.5-13.9	3	2.6	00.0-06.1
Hispanic	70	15,518				8	10.6	02.4-18.8	6	8.5	00.9-16.1	5	6.7	00.0-13.8	7	2.9	00.5-05.3			
18-24	82	42,019							3	2.9	00.0-06.2							4	5.3	00.0-10.8
25-34	225	56,270	170	75.4	68.9-81.9	13	8.2	03.5-12.9	26	12.4	07.5-17.3	10	2.8	00.8-04.8				6	1.2	00.2-02.2
35-44	360	60,792	280	75.2	69.7-80.7	20	7.2	03.7-10.7	42	13.9	09.6-18.2	4	1.1	00.0-02.3				14	2.6	01.0-04.2
45-54	476	66,936	358	76.9	72.6-81.2	32	6.2	03.8-08.6	31	7.5	04.8-10.2	1	0.3	00.0-00.9	15	2.7	01.1-04.3	39	6.4	04.0-08.8
55-64	607	53,174	316	53.7	49.0-58.4	35	7.4	04.5-10.3	26	4.5	02.3-06.7	2	0.1	00.0-00.3	178	27.8	23.7-31.9	50	6.6	04.4-08.8
65+	921	72,438	110	13.1	10.4-15.8	12	1.5	00.5-02.5	31	4.3	02.5-06.1				747	79.3	76.0-82.6	21	1.9	00.9-02.9
Less Than H.S.	159	18,081	36	24.2	14.4-34.0				14	16.8	07.2-26.4	4	5.9	00.0-13.3	69	26.5	18.5-34.5	24	11.0	05.7-16.3
H.S. or G.E.D.	815	99,056	318	48.0	43.1-52.9	46	9.0	05.3-12.7	55	8.7	06.0-11.4	9	2.6	00.6-04.6	339	26.7	23.2-30.2	48	5.0	02.8-07.2
Some Post-H.S.	749	101,923	373	55.5	50.2-60.8	39	7.7	04.6-10.8	30	4.0	02.2-05.8	20	9.1	04.4-13.8	246	19.0	16.1-21.9	41	4.7	02.5-06.9
College Graduate	982	135,051	566	64.8	60.9-68.7	30	4.9	02.4-07.4	62	8.6	06.2-11.0	8	2.6	00.2-05.0	294	17.7	15.3-20.1	22	1.5	00.9-02.1
Less than \$15,000	309	30,459	106	38.9	31.1-46.7	20	14.3	06.1-22.5	19	8.3	03.6-13.0	5	1.7	00.0-03.5	137	31.1	24.8-37.4	22	5.6	02.9-08.3
\$15,000- 24,999	307	32,379	60	26.7	18.9-34.5	25	10.5	03.6-17.4	12	5.8	01.5-10.1	5	8.3	00.1-16.5	142	30.9	24.4-37.4	63	17.8	12.1-23.5
\$25,000- 34,999	235	28,165	102	47.1	38.1-56.1	8	12.0	02.4-21.6	13	9.0	03.1-14.9	1	0.7	00.0-02.1	103	29.0	22.3-35.7	8	2.3	00.5-04.1
\$35,000- 49,999	352	41,711	186	55.3	47.3-63.3	14	6.1	02.6-09.6	17	6.0	02.7-09.3	5	7.7	00.0-15.9	123	21.8	17.1-26.5	7	3.1	00.0-07.0
\$50,000- 74,999	384	50,554	239	65.2	59.3-71.1	16	6.7	02.8-10.6	28	8.6	05.1-12.1	6	2.8	00.0-05.7	86	14.7	11.2-18.2	9	2.0	00.6-03.4
\$75,000+	635	110,543	446	74.5	70.0-79.0	16	3.3	00.9-05.7	47	7.6	05.1-10.1	7	3.4	00.7-06.1	110	9.3	07.3-11.3	9	1.8	00.2-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3547	567,831	234	6.0	04.8-07.2	218	3.9	03.1-04.7	218	4.3	03.3-05.3	204	4.5	03.5-05.5	361	9.0	07.6-10.4	2312	72.3	70.1-74.5
Male	1324	273,909	77	5.9	03.7-08.1	66	3.5	02.1-04.9	64	3.5	02.1-04.9	51	2.8	01.4-04.2	126	8.5	06.3-10.7	940	75.8	72.3-79.3
Female	2223	293,922	157	6.0	04.6-07.4	152	4.3	03.5-05.1	154	5.1	03.9-06.3	153	5.9	04.5-07.3	235	9.6	08.0-11.2	1372	69.0	66.5-71.5
White/Non-Hisp	2822	428,480	188	5.5	04.3-06.7	169	3.8	03.0-04.6	171	3.9	03.1-04.7	137	3.7	02.7-04.7	286	8.7	07.1-10.3	1871	74.4	72.2-76.6
Black or Afr. Am./Non-Hisp	478	77,759	29	4.8	02.6-07.0	39	6.1	03.0-09.2	32	7.5	03.2-11.8	51	9.0	05.3-12.7	47	10.1	06.6-13.6	280	62.4	56.3-68.5
Oth. Race/Non-Hisp.	91	24,891	5	3.1	00.0-06.4	3	2.3	00.0-04.8	2	0.8	00.0-02.0	5	5.9	00.0-12.8	9	8.7	02.0-15.4	67	79.3	69.3-89.3
Hispanic	90	25,016				3	1.4	00.0-03.2	7	4.0	00.0-08.7	6	2.6	00.1-05.1	13	11.7	03.9-19.5			
18-24	95	60,894	9	8.9	01.5-16.3	2	0.5	00.0-01.3	8	7.5	01.0-14.0	10	9.9	02.8-17.0	11	9.6	03.3-15.9			
25-34	301	99,329	15	6.4	02.5-10.3	13	3.8	01.1-06.5	8	1.5	00.1-02.9	9	2.4	00.6-04.2	37	13.7	08.4-19.0	219	72.0	65.5-78.5
35-44	495	104,786	20	3.2	01.6-04.8	12	2.4	00.8-04.0	18	3.4	01.4-05.4	19	2.6	01.2-04.0	40	6.6	04.2-09.0	386	81.8	77.9-85.7
45-54	681	113,427	34	4.5	02.7-06.3	30	3.2	01.6-04.8	25	2.6	01.4-03.8	36	3.4	02.0-04.8	40	4.6	03.0-06.2	516	81.8	78.7-84.9
55-64	836	89,022	37	3.9	02.3-05.5	44	4.1	02.5-05.7	32	3.2	01.6-04.8	54	5.3	03.3-07.3	75	7.6	05.6-09.6	594	75.9	72.4-79.4
65+	1116	98,426	116	10.2	08.0-12.4	117	8.4	06.6-10.2	123	9.0	07.2-10.8	75	5.5	04.1-06.9	157	13.2	11.0-15.4	528	53.6	50.3-56.9
Less Than H.S.	226	33,678	24	8.1	02.6-13.6	24	9.0	03.9-14.1	47	19.2	09.8-28.6	66	17.7	11.4-24.0	22	13.5	05.5-21.5			
H.S. or G.E.D.	1021	145,254	96	9.2	06.7-11.7	101	5.8	04.4-07.2	106	6.9	05.1-08.7	72	5.2	03.6-06.8	157	15.2	11.7-18.7	489	57.7	53.4-62.0
Some Post-H.S.	940	158,846	66	7.0	03.9-10.1	64	3.9	02.5-05.3	45	3.9	02.1-05.7	42	5.0	02.3-07.7	102	9.1	06.7-11.5	621	71.2	66.7-75.7
College Graduate	1357	229,686	48	2.9	01.7-04.1	29	2.1	00.9-03.3	19	0.7	00.3-01.1	22	1.6	00.8-02.4	80	4.5	03.1-05.9	1159	88.2	86.0-90.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1324	273,909	77	5.9	03.7-08.1	66	3.5	02.1-04.9	64	3.5	02.1-04.9	51	2.8	01.4-04.2	126	8.5	06.3-10.7	940	75.8	72.5-79.1
White/Non-Hisp	1083	214,046	64	5.0	03.4-06.6	49	3.1	01.9-04.3	54	2.9	01.9-03.9	36	2.7	00.9-04.5	100	7.8	05.4-10.2	780	78.5	75.2-81.8
Black or Afr. Am./Non-Hisp	142	28,437	5	3.5	00.0-07.2	12	7.6	00.0-15.2				9	5.1	01.0-09.2	14	10.9	03.6-18.2			
25-34	91	48,017	6	7.9	00.8-15.0	5	5.2	00.0-10.5	1	0.3	00.0-00.9	1	0.6	00.0-01.8	11	14.6	05.4-23.8			
35-44	168	49,706	3	1.7	00.0-03.7	3	2.4	00.0-05.3	7	3.8	00.7-06.9	2	1.5	00.0-03.7	11	5.8	02.1-09.5	142	84.7	78.8-90.6
45-54	269	55,133	13	5.1	02.2-08.0	14	3.9	01.4-06.4	9	2.2	00.6-03.8	12	2.9	00.9-04.9	18	5.3	02.6-08.0	203	80.6	75.5-85.7
55-64	330	44,538	11	2.6	00.6-04.6	15	3.4	01.4-05.4	10	3.2	00.5-05.9	21	5.6	02.3-08.9	24	5.8	03.1-08.5	249	79.4	74.1-84.7
65+	427	45,590	40	9.4	06.1-12.7	29	4.9	02.9-06.9	34	5.6	03.4-07.8	13	2.3	00.9-03.7	58	11.4	08.3-14.5	253	66.4	61.5-71.3
Less Than H.S.	99	19,344	10	7.9	00.0-16.5	12	8.7	01.6-15.8				16	10.5	02.9-18.1	11	9.7	02.3-17.1			
H.S. or G.E.D.	384	68,079	31	7.1	04.0-10.2	27	4.2	02.0-06.4	27	4.4	02.2-06.6	18	3.3	01.3-05.3	58	15.7	09.4-22.0	223	65.3	58.4-72.2
Some Post-H.S.	316	73,908	18	8.0	01.7-14.3	18	3.2	01.2-05.2	13	2.7	00.9-04.5	9	3.5	00.0-07.6	30	8.3	04.4-12.2	228	74.3	66.5-82.1
College Graduate	524	112,365	18	3.4	01.4-05.4	9	2.4	00.2-04.6	3	0.5	00.0-01.3	8	0.9	00.1-01.7	27	4.0	01.8-06.2	459	88.8	85.1-92.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2223	293,922	157	6.0	04.6-07.4	152	4.3	03.5-05.1	154	5.1	03.9-06.3	153	5.9	04.5-07.3	235	9.6	08.0-11.2	1372	69.0	66.5-71.5
White/Non-Hisp	1739	214,434	124	6.0	04.4-07.6	120	4.5	03.5-05.5	117	5.0	03.6-06.4	101	4.6	03.4-05.8	186	9.6	07.6-11.6	1091	70.4	67.5-73.3
Black or Afr. Am./Non-Hisp	336	49,322	24	5.6	02.9-08.3	27	5.3	02.9-07.7	22	4.7	02.3-07.1	42	11.3	06.0-16.6	33	9.6	05.9-13.3	188	63.5	56.8-70.2
Hispanic	55	12,001	3	7.1	00.0-15.7	3	2.9	00.0-06.6	7	8.4	00.0-17.8	2	2.1	00.0-05.8	7	10.0	01.8-18.2			
18-24	61	30,708	5	7.3	00.0-15.3	2	1.0	00.0-02.4	5	7.3	00.0-15.1				7	10.4	01.4-19.4			
25-34	210	51,312	9	5.0	01.5-08.5	8	2.6	00.4-04.8	7	2.7	00.3-05.1	8	4.2	01.1-07.3	26	12.9	07.6-18.2	152	72.6	65.7-79.5
35-44	327	55,079	17	4.5	02.0-07.0	9	2.4	00.6-04.2	11	3.1	00.9-05.3	17	3.6	01.6-05.6	29	7.4	04.3-10.5	244	79.1	74.2-84.0
45-54	412	58,294	21	3.9	02.1-05.7	16	2.6	01.0-04.2	16	2.9	01.3-04.5	24	3.8	02.0-05.6	22	3.9	01.9-05.9	313	82.8	79.1-86.5
55-64	506	44,484	26	5.1	02.6-07.6	29	4.8	02.4-07.2	22	3.2	01.8-04.6	33	5.1	02.9-07.3	51	9.4	06.5-12.3	345	72.4	67.9-76.9
65+	689	52,836	76	11.0	08.1-13.9	88	11.4	08.7-14.1	89	11.9	09.4-14.4	62	8.3	06.1-10.5	99	14.7	11.6-17.8	275	42.6	38.3-46.9
Less Than H.S.	127	14,334	14	8.3	02.8-13.8	12	9.5	02.6-16.4	27	18.2	08.6-27.8	50	27.5	17.5-37.5						
H.S. or G.E.D.	637	77,175	65	11.1	07.2-15.0	74	7.2	05.2-09.2	79	9.1	06.4-11.8	54	6.8	04.3-09.3	99	14.7	10.8-18.6	266	51.0	45.7-56.3
Some Post-H.S.	624	84,938	48	6.1	03.7-08.5	46	4.5	02.9-06.1	32	4.9	02.2-07.6	33	6.4	02.9-09.9	72	9.7	07.0-12.4	393	68.5	63.4-73.6
College Graduate	833	117,321	30	2.4	01.2-03.6	20	1.7	00.7-02.7	16	0.9	00.3-01.5	14	2.3	00.7-03.9	53	5.0	03.4-06.6	700	87.6	85.1-90.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4036	652,488	33	1.0	00.4-01.6	1356	31.7	29.5-33.9	1789	44.4	42.0-46.8	657	17.4	15.6-19.2	201	5.6	04.6-06.6
Male	1510	320,381	1	0.1	00.0-00.3	146	12.5	09.6-15.4	802	53.1	49.4-56.8	423	25.7	22.6-28.8	138	8.6	06.6-10.6
Female	2526	332,107	32	1.8	00.8-02.8	1210	50.2	47.5-52.9	987	36.0	33.5-38.5	234	9.3	07.7-10.9	63	2.6	01.6-03.6
White/Non-Hisp	3226	488,511	28	0.7	00.3-01.1	1114	31.4	29.0-33.8	1420	44.7	42.2-47.2	511	17.8	15.8-19.8	153	5.3	04.1-06.5
Black or Afr. Am./Non-Hisp	515	89,116				122	25.2	19.5-30.9	252	46.6	39.9-53.3	104	19.7	13.4-26.0	37	8.5	04.6-12.4
Oth. Race/Non-Hisp.	103	27,257										11	8.4	02.1-14.7	2	2.9	00.0-07.6
MultiRacial/Non-Hisp.	54	10,703													3	8.1	00.0-19.1
Hispanic	108	32,765										11	8.0	01.9-14.1	5	2.7	00.2-05.2
18-24	128	83,938	4	3.2	00.0-06.9				45	35.8	25.8-45.8	15	12.0	04.4-19.6	6	4.3	00.6-08.0
25-34	315	108,019	4	1.1	00.0-02.3	127	33.2	27.1-39.3	129	47.3	40.4-54.2	40	14.7	09.8-19.6	15	3.8	01.4-06.2
35-44	529	113,613				179	30.5	26.0-35.0	232	43.3	38.2-48.4	82	18.0	13.9-22.1	36	8.1	05.0-11.2
45-54	739	122,999	5	0.5	00.0-01.1	207	26.2	22.5-29.9	336	45.4	41.1-49.7	144	20.5	17.0-24.0	47	7.5	04.8-10.2
55-64	924	99,001	4	0.4	00.0-01.0	278	25.8	22.5-29.1	410	45.5	41.4-49.6	183	22.2	18.7-25.7	49	6.1	04.1-08.1
65+	1374	122,725	16	1.2	00.6-01.8	489	32.6	29.7-35.5	629	46.9	43.8-50.0	192	15.9	13.5-18.3	48	3.4	02.4-04.4
Less Than H.S.	265	39,951	2	1.5	00.0-04.2							46	14.2	08.3-20.1	17	4.9	02.0-07.8
H.S. or G.E.D.	1215	174,095	7	0.4	00.0-00.8	401	31.8	28.1-35.5	536	43.7	39.6-47.8	212	18.2	15.3-21.1	59	5.9	03.9-07.9
Some Post-H.S.	1049	186,970	10	1.6	00.0-03.2	332	29.6	25.3-33.9	475	44.2	39.3-49.1	176	18.3	14.4-22.2	56	6.3	03.9-08.7
College Graduate	1498	250,349	13	0.8	00.2-01.4	535	32.6	29.5-35.7	659	45.2	41.7-48.7	223	16.7	14.0-19.4	68	4.8	03.4-06.2
Less than \$15,000	435	54,380	7	1.4	00.2-02.6	138	33.2	25.0-41.4	193	41.7	34.3-49.1	69	14.3	10.2-18.4	28	9.4	04.9-13.9
\$15,000- 24,999	408	47,893	5	2.9	00.0-06.4	137	29.2	22.7-35.7	188	47.8	39.6-56.0	61	13.9	09.4-18.4	17	6.2	01.5-10.9
\$25,000- 34,999	352	50,437	2	0.3	00.0-00.7	114	33.4	26.0-40.8	162	42.1	34.1-50.1	58	18.1	12.0-24.2	16	6.1	02.2-10.0
\$35,000- 49,999	547	79,491	6	2.0	00.0-04.9	168	26.8	21.7-31.9	234	47.0	40.7-53.3	103	18.5	14.4-22.6	36	5.7	03.3-08.1
\$50,000- 74,999	605	94,161	2	0.2	00.0-00.6	195	29.5	24.4-34.6	268	44.8	39.1-50.5	104	19.7	15.0-24.4	36	5.8	03.6-08.0
\$75,000+	1088	225,658	3	0.2	00.0-00.4	348	32.3	28.4-36.2	481	43.6	39.7-47.5	203	18.3	15.4-21.2	53	5.6	03.6-07.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1510	320,381	1	0.1	00.0-00.3	146	12.5	09.6-15.4	802	53.1	49.4-56.8	423	25.7	22.6-28.8	138	8.6	06.6-10.6
White/Non-Hisp	1237	245,750	1	0.1	00.0-00.3	106	10.4	07.5-13.3	662	53.9	50.0-57.8	357	27.1	23.8-30.4	111	8.6	06.6-10.6
Black or Afr. Am./Non-Hisp	157	35,845				17	14.6	05.8-23.4							19	12.1	04.8-19.4
25-34	99	54,290				11	10.6	03.9-17.3				21	20.7	11.7-29.7	6	4.7	00.6-08.8
35-44	192	57,837				18	11.1	06.0-16.2	105	53.1	45.1-61.1	46	23.8	16.9-30.7	23	12.0	06.5-17.5
45-54	298	61,731				18	7.6	03.7-11.5	151	49.1	42.2-56.0	94	30.4	24.3-36.5	35	13.0	07.9-18.1
55-64	354	48,572				32	8.0	04.7-11.3	178	52.2	45.7-58.7	112	30.7	24.6-36.8	32	9.2	05.7-12.7
65+	515	55,057	1	0.3	00.0-00.9	53	9.7	06.6-12.8	284	55.6	50.5-60.7	139	28.1	23.6-32.6	38	6.2	04.0-08.4
Less Than H.S.	116	22,684										32	18.3	08.9-27.7	7	2.8	00.4-05.2
H.S. or G.E.D.	453	80,860				42	9.9	05.8-14.0	225	50.0	43.3-56.7	140	29.4	23.9-34.9	46	10.7	06.8-14.6
Some Post-H.S.	355	91,487				30	12.9	06.4-19.4	190	52.3	44.1-60.5	103	26.2	18.9-33.5	32	8.6	04.7-12.5
College Graduate	583	124,703	1	0.1	00.0-00.3	50	10.7	06.8-14.6	332	56.6	51.1-62.1	148	24.5	19.8-29.2	52	8.1	05.4-10.8
Less than \$15,000	142	25,573										37	18.8	11.0-26.6	14	12.8	04.4-21.2
\$15,000- 24,999	111	16,815										28	19.6	09.6-29.6	6	6.5	00.0-13.0
\$25,000- 34,999	126	23,216				14	10.4	03.7-17.1							6	6.0	00.0-12.9
\$35,000- 49,999	211	39,506				19	10.4	03.7-17.1	105	56.3	47.3-65.3	61	24.0	17.1-30.9	26	9.3	04.8-13.8
\$50,000- 74,999	237	46,087	1	0.4	00.0-01.2	13	8.9	01.6-16.2	120	49.1	39.7-58.5	74	32.5	23.7-41.3	29	9.2	05.3-13.1
\$75,000+	488	121,161				33	11.0	06.1-15.9	265	53.9	47.8-60.0	144	25.1	20.4-29.8	46	10.0	06.5-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2526	332,107	32	1.8	00.8-02.8	1210	50.2	47.5-52.9	987	36.0	33.5-38.5	234	9.3	07.7-10.9	63	2.6	01.6-03.6
White/Non-Hisp	1989	242,761	27	1.4	00.6-02.2	1008	52.7	49.8-55.6	758	35.4	32.7-38.1	154	8.4	06.6-10.2	42	2.1	01.3-02.9
Black or Afr. Am./Non-Hisp	358	53,270				105	32.4	25.5-39.3	171	45.5	38.2-52.8	64	16.1	11.6-20.6	18	6.0	01.7-10.3
Oth. Race/Non-Hisp.	57	13,644							9	6.3	01.6-11.0	2	1.5	00.0-03.9			
Hispanic	66	14,650										5	4.4	00.0-09.3	2	1.6	00.0-04.1
18-24	81	41,859	4	6.5	00.0-13.8							5	4.8	00.0-10.3	2	3.3	00.0-08.2
25-34	216	53,729	4	2.2	00.0-04.6	116	55.9	48.5-63.3	68	30.4	23.5-37.3	19	8.5	04.4-12.6	9	2.9	00.7-05.1
35-44	337	55,777				161	50.6	44.3-56.9	127	33.2	27.5-38.9	36	12.0	07.7-16.3	13	4.1	01.6-06.6
45-54	441	61,268	5	0.9	00.0-01.9	189	44.9	39.6-50.2	185	41.7	36.4-47.0	50	10.6	07.3-13.9	12	1.9	00.7-03.1
55-64	570	50,430	4	0.8	00.0-01.8	246	43.0	38.1-47.9	232	39.1	34.2-44.0	71	14.0	10.5-17.5	17	3.1	01.1-05.1
65+	859	67,669	15	1.9	00.9-02.9	436	51.2	47.3-55.1	345	39.9	36.2-43.6	53	6.0	04.2-07.8	10	1.0	00.2-01.8
Less Than H.S.	149	17,267	2	3.5	00.0-09.8							14	8.9	02.8-15.0	10	7.6	01.5-13.7
H.S. or G.E.D.	762	93,235	7	0.7	00.1-01.3	359	50.8	45.9-55.7	311	38.2	33.5-42.9	72	8.4	06.0-10.8	13	1.7	00.5-02.9
Some Post-H.S.	694	95,483	10	3.1	00.0-06.2	302	45.7	40.2-51.2	285	36.4	31.3-41.5	73	10.8	07.7-13.9	24	4.1	01.6-06.6
College Graduate	915	125,646	12	1.4	00.4-02.4	485	54.3	50.0-58.6	327	33.9	29.8-38.0	75	8.9	06.4-11.4	16	1.5	00.5-02.5
Less than \$15,000	293	28,807	7	2.6	00.4-04.8	109	38.0	29.6-46.4	131	42.7	34.9-50.5	32	10.3	06.2-14.4	14	6.5	02.4-10.6
\$15,000- 24,999	297	31,077	5	4.4	00.0-09.9	118	35.3	27.5-43.1	130	43.4	34.6-52.2	33	10.8	06.3-15.3	11	6.0	00.0-12.5
\$25,000- 34,999	226	27,221	2	0.5	00.0-01.3	100	53.0	44.0-62.0	88	29.2	22.1-36.3	26	11.1	06.2-16.0	10	6.1	01.8-10.4
\$35,000- 49,999	336	39,984	6	4.0	00.0-09.9	149	43.0	35.4-50.6	129	37.7	29.7-45.7	42	13.0	08.3-17.7	10	2.2	00.6-03.8
\$50,000- 74,999	368	48,074	1	0.1	00.0-00.3	182	49.2	42.9-55.5	148	40.7	34.4-47.0	30	7.5	04.6-10.4	7	2.6	00.2-05.0
\$75,000+	600	104,497	3	0.4	00.0-01.0	315	56.9	52.0-61.8	216	31.6	27.1-36.1	59	10.5	07.4-13.6	7	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4207	673,951	257	4.6	03.8-05.4	2096	41.9	39.7-44.1	1608	45.4	43.0-47.8	244	8.0	06.6-09.4	2	0.1	00.0-00.3
Male	1513	320,976	5	0.4	00.0-00.8	167	10.1	08.1-12.1	1098	72.7	69.6-75.8	241	16.5	14.0-19.0	2	0.3	00.0-00.7
Female	2694	352,975	252	8.3	06.9-09.7	1929	70.9	68.5-73.3	510	20.6	18.4-22.8	3	0.2	00.0-00.4			
White/Non-Hisp	3371	506,320	190	3.9	03.1-04.7	1667	40.9	38.5-43.3	1308	45.9	43.4-48.4	204	9.2	07.6-10.8	2	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	533	91,437	37	5.9	03.4-08.4	282	47.3	40.8-53.8	184	41.4	34.5-48.3	30	5.5	03.1-07.9			
Oth. Race/Non-Hisp.	106	28,072	13	11.4	04.3-18.5							5	3.9	00.0-08.4			
MultiRacial/Non-Hisp.	55	10,715	5	5.9	00.0-12.0							2	6.6	00.0-17.2			
Hispanic	110	33,065	11	5.1	01.2-09.0							2	0.9	00.0-02.1			
18-24	129	83,938	6	2.5	00.1-04.9	62	38.8	29.0-48.6				9	6.9	02.0-11.8			
25-34	322	109,245	16	4.2	02.0-06.4	155	38.1	31.8-44.4	125	47.6	40.7-54.5	26	10.1	06.0-14.2			
35-44	552	118,857	28	4.6	02.6-06.6	270	40.3	35.4-45.2	215	44.2	39.1-49.3	38	10.3	06.8-13.8	1	0.6	00.0-01.8
45-54	773	128,920	35	4.0	02.4-05.6	367	41.7	37.6-45.8	320	46.3	42.0-50.6	51	8.0	05.6-10.4			
55-64	962	102,113	49	3.5	02.3-04.7	475	44.4	40.5-48.3	373	43.4	39.3-47.5	64	8.6	06.1-11.1	1	0.1	00.0-00.3
65+	1427	127,295	116	7.3	05.7-08.9	742	46.9	43.8-50.0	516	41.9	38.8-45.0	53	3.9	02.7-05.1			
Less Than H.S.	273	40,508	26	6.7	02.8-10.6	126	37.0	27.8-46.2				11	7.0	00.9-13.1			
H.S. or G.E.D.	1265	180,091	93	5.8	04.2-07.4	647	44.2	40.3-48.1	457	42.9	38.8-47.0	67	7.0	04.8-09.2	1	0.0	00.0-00.0
Some Post-H.S.	1097	192,037	72	4.1	02.9-05.3	575	43.5	39.0-48.0	393	45.2	40.3-50.1	57	7.2	04.8-09.6			
College Graduate	1562	260,060	65	3.7	02.5-04.9	744	40.1	37.0-43.2	644	46.6	43.3-49.9	108	9.3	07.1-11.5	1	0.3	00.0-00.9
Less than \$15,000	450	55,714	29	4.6	02.1-07.1	246	48.3	40.7-55.9	161	42.4	34.6-50.2	14	4.7	01.6-07.8			
\$15,000- 24,999	413	48,743	41	7.0	04.5-09.5	242	54.7	46.7-62.7	115	33.9	25.7-42.1	15	4.3	01.4-07.2			
\$25,000- 34,999	359	51,229	21	5.4	02.5-08.3	199	45.0	37.4-52.6	125	42.9	34.7-51.1	13	6.6	02.1-11.1	1	0.1	00.0-00.3
\$35,000- 49,999	560	80,517	33	5.3	03.1-07.5	269	41.5	35.6-47.4	223	44.2	38.1-50.3	35	9.0	05.3-12.7			
\$50,000- 74,999	622	97,024	30	4.2	02.0-06.4	299	41.0	35.9-46.1	263	47.8	42.1-53.5	30	7.0	04.1-09.9			
\$75,000+	1123	231,700	39	3.0	01.8-04.2	489	36.9	33.4-40.4	484	49.4	45.5-53.3	110	10.5	08.1-12.9	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1513	320,976	5	0.4	00.0-00.8	167	10.1	08.1-12.1	1098	72.7	69.6-75.8	241	16.5	14.0-19.0	2	0.3	00.0-00.7
White/Non-Hisp	1242	246,735	4	0.3	00.0-00.7	126	8.8	06.8-10.8	908	72.0	68.5-75.5	202	18.6	15.5-21.7	2	0.3	00.0-00.9
Black or Afr. Am./Non-Hisp	155	35,455				23	17.0	08.0-26.0				29	13.7	07.4-20.0			
25-34	98	53,440				9	9.8	02.9-16.7	64	69.9	60.1-79.7	25	20.3	12.1-28.5			
35-44	192	57,824	1	1.0	00.0-03.0	24	12.6	07.3-17.9	128	64.0	56.2-71.8	38	21.1	14.4-27.8	1	1.3	00.0-03.8
45-54	299	62,135	2	0.6	00.0-01.4	23	8.7	04.6-12.8	224	74.5	68.6-80.4	50	16.2	11.3-21.1			
55-64	355	48,924				36	11.5	07.4-15.6	254	70.4	64.5-76.3	64	18.0	13.1-22.9	1	0.1	00.0-00.3
65+	515	55,365	2	0.7	00.0-01.7	73	14.5	10.8-18.2	387	75.8	71.5-80.1	53	9.0	06.5-11.5			
Less Than H.S.	117	22,944				17	11.3	03.7-18.9									
H.S. or G.E.D.	454	81,379	2	0.4	00.0-01.0	53	10.2	06.7-13.7	331	73.8	68.3-79.3	67	15.5	11.0-20.0	1	0.1	00.0-00.3
Some Post-H.S.	353	90,723	1	0.2	00.0-00.6	42	9.8	05.9-13.7	255	75.3	69.0-81.6	55	14.7	09.6-19.8			
College Graduate	585	125,150	2	0.7	00.0-01.7	54	10.1	06.8-13.4	421	69.4	64.3-74.5	107	19.2	14.9-23.5	1	0.6	00.0-01.8
Less than \$15,000	141	25,255	1	0.9	00.0-02.7							14	10.4	03.5-17.3			
\$15,000- 24,999	112	17,175	3	2.9	00.0-06.2	21	13.5	05.7-21.3				15	12.2	03.8-20.6			
\$25,000- 34,999	125	23,144				18	8.0	03.5-12.5				13	14.7	05.3-24.1	1	0.3	00.0-00.9
\$35,000- 49,999	210	38,954				23	14.3	07.8-20.8	153	67.6	58.8-76.4	34	18.1	10.7-25.5			
\$50,000- 74,999	239	46,581				22	8.4	03.9-12.9	187	77.1	69.8-84.4	30	14.5	08.4-20.6			
\$75,000+	488	121,126	1	0.5	00.0-01.5	34	6.8	04.3-09.3	343	72.2	67.1-77.3	109	19.9	15.4-24.4	1	0.6	00.0-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2694	352,975	252	8.3	06.9-09.7	1929	70.9	68.5-73.3	510	20.6	18.4-22.8	3	0.2	00.0-00.4
White/Non-Hisp	2129	259,585	186	7.3	05.9-08.7	1541	71.4	68.9-73.9	400	21.2	18.8-23.6	2	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	378	55,981	37	9.6	05.5-13.7	259	66.4	59.5-73.3	81	23.7	17.4-30.0	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	60	14,459							9	11.0	02.4-19.6			
Hispanic	68	14,950	11	11.3	02.7-19.9				11	14.4	04.8-24.0			
18-24	81	41,599	6	5.1	00.4-09.8							1	0.6	00.0-01.8
25-34	224	55,805	16	8.2	04.1-12.3	146	65.3	58.2-72.4	61	26.2	19.9-32.5	1	0.3	00.0-00.9
35-44	360	61,034	27	7.9	04.6-11.2	246	66.6	60.9-72.3	87	25.4	20.1-30.7			
45-54	474	66,785	33	7.2	04.5-09.9	344	72.5	67.8-77.2	96	20.1	16.0-24.2	1	0.3	00.0-00.9
55-64	607	53,188	49	6.7	04.5-08.9	439	74.7	70.6-78.8	119	18.6	14.9-22.3			
65+	912	71,930	114	12.5	10.0-15.0	669	71.8	68.3-75.3	129	15.7	12.8-18.6			
Less Than H.S.	156	17,564	26	15.4	07.0-23.8				21	14.1	06.7-21.5			
H.S. or G.E.D.	811	98,711	91	10.3	07.6-13.0	594	72.2	67.9-76.5	126	17.5	13.8-21.2			
Some Post-H.S.	744	101,313	71	7.5	05.3-09.7	533	73.7	69.6-77.8	138	18.3	14.8-21.8	2	0.4	00.0-01.0
College Graduate	977	134,910	63	6.5	04.5-08.5	690	68.0	63.9-72.1	223	25.4	21.5-29.3	1	0.1	00.0-00.3
Less than \$15,000	309	30,459	28	7.6	03.5-11.7	221	71.5	64.4-78.6	60	20.9	14.6-27.2			
\$15,000- 24,999	301	31,568	38	9.3	05.8-12.8	221	77.1	71.0-83.2	42	13.6	08.7-18.5			
\$25,000- 34,999	234	28,086	21	9.8	04.5-15.1	181	75.4	68.0-82.8	32	14.7	08.8-20.6			
\$35,000- 49,999	350	41,563	33	10.3	06.0-14.6	246	67.0	59.4-74.6	70	22.3	15.0-29.6	1	0.5	00.0-01.5
\$50,000- 74,999	383	50,443	30	8.1	04.2-12.0	277	71.0	65.3-76.7	76	20.9	15.8-26.0			
\$75,000+	635	110,574	38	5.6	03.6-07.6	455	69.8	65.1-74.5	141	24.4	19.9-28.9	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4246	678,953	4226	99.5	99.1-99.9	12	0.3	00.1-00.5	8	0.2	00.0-00.4
Male	1526	323,311	1519	99.5	99.1-99.9	5	0.3	00.0-00.7	2	0.2	00.0-00.6
Female	2720	355,642	2707	99.4	99.0-99.8	7	0.3	00.0-00.7	6	0.2	00.0-00.4
White/Non-Hisp	3396	509,368	3384	99.7	99.5-99.9	6	0.1	00.0-00.3	6	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	541	92,444	537	99.1	97.9-0100	3	0.7	00.0-01.7	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	107	28,146	107	100.0	0100-0100						
MultiRacial/Non-Hisp.	56	10,789	56	100.0	0100-0100						
Hispanic	113	33,716	111	97.3	93.6-0100	2	2.7	00.0-06.4			
18-24	130	84,358	129	99.5	98.5-0100	1	0.5	00.0-01.5			
25-34	325	110,709	323	99.5	98.7-0100	1	0.4	00.0-01.2	1	0.1	00.0-00.3
35-44	555	119,550	552	99.3	98.3-0100	1	0.4	00.0-01.2	2	0.3	00.0-00.7
45-54	777	129,258	776	99.9	99.7-0100	1	0.1	00.0-00.3			
55-64	967	102,469	963	99.3	98.3-0100	2	0.2	00.0-00.4	2	0.5	00.0-01.5
65+	1441	128,170	1434	99.5	99.1-99.9	5	0.3	00.0-00.7	2	0.2	00.0-00.4
Less Than H.S.	278	41,219	275	98.6	96.6-0100	3	1.4	00.0-03.4			
H.S. or G.E.D.	1276	180,901	1271	99.5	98.9-0100	3	0.2	00.0-00.4	2	0.3	00.0-00.9
Some Post-H.S.	1105	193,558	1098	99.2	98.4-0100	3	0.5	00.0-01.3	4	0.3	00.1-00.5
College Graduate	1574	261,718	1569	99.8	99.6-0100	3	0.1	00.0-00.3	2	0.1	00.0-00.3
Less than \$15,000	452	56,198	450	99.7	99.3-0100	1	0.1	00.0-00.3	1	0.2	00.0-00.6
\$15,000- 24,999	422	49,798	422	100.0	0100-0100						
\$25,000- 34,999	361	51,380	360	99.7	99.1-0100	1	0.3	00.0-00.9			
\$35,000- 49,999	563	81,218	559	99.5	98.9-0100	4	0.5	00.0-01.1			
\$50,000- 74,999	624	97,246	624	100.0	0100-0100						
\$75,000+	1125	231,992	1123	99.8	99.4-0100	1	0.2	00.0-00.6	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 12: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1526	323,311	1519	99.5	99.1-99.9	5	0.3	00.0-00.7	2	0.2	00.0-00.6
White/Non-Hisp	1249	248,209	1244	99.6	99.2-0100	3	0.2	00.0-00.4	2	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	160	36,234	159	99.8	99.4-0100	1	0.2	00.0-00.6			
25-34	100	54,439	100	100.0	0100-0100						
35-44	194	58,432	193	99.2	97.6-0100	1	0.8	00.0-02.4			
45-54	301	62,322	300	99.8	99.4-0100	1	0.2	00.0-00.6			
55-64	358	49,162	356	98.8	96.8-0100	1	0.3	00.0-00.9	1	1.0	00.0-03.0
65+	518	55,586	515	99.5	98.9-0100	2	0.4	00.0-01.0	1	0.2	00.0-00.6
Less Than H.S.	119	23,138	118	99.7	99.1-0100	1	0.3	00.0-00.9			
H.S. or G.E.D.	458	81,676	455	99.1	97.9-0100	2	0.3	00.0-00.7	1	0.6	00.0-01.8
Some Post-H.S.	355	91,487	353	99.3	98.3-0100	1	0.5	00.0-01.5	1	0.1	00.0-00.3
College Graduate	590	126,230	589	99.9	99.7-0100	1	0.1	00.0-00.3			
Less than \$15,000	143	25,739	142	99.7	99.1-0100	1	0.3	00.0-00.9			
\$15,000- 24,999	115	17,419	115	100.0	0100-0100						
\$25,000- 34,999	126	23,216	125	99.4	98.2-0100	1	0.6	00.0-01.8			
\$35,000- 49,999	211	39,506	209	99.3	98.3-0100	2	0.7	00.0-01.7			
\$50,000- 74,999	240	46,692	240	100.0	0100-0100						
\$75,000+	489	121,338	488	99.9	99.7-0100				1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	355,642	2707	99.4	99.0-99.8	7	0.3	00.0-00.7	6	0.2	00.0-00.4
White/Non-Hisp	2147	261,159	2140	99.8	99.6-0100	3	0.1	00.1-00.1	4	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	381	56,210	378	98.7	96.9-0100	2	1.0	00.0-02.6	1	0.4	00.0-01.2
Oth. Race/Non-Hisp.	61	14,533	61	100.0	0100-0100						
Hispanic	70	15,518	69	97.3	92.0-0100	1	2.7	00.0-08.0			
18-24	82	42,019	81	99.0	97.0-0100	1	1.0	00.0-03.0			
25-34	225	56,270	223	99.0	97.4-0100	1	0.8	00.0-02.4	1	0.2	00.0-00.6
35-44	361	61,118	359	99.5	98.7-0100				2	0.5	00.0-01.3
45-54	476	66,936	476	100.0	0100-0100						
55-64	609	53,308	607	99.8	99.6-0100	1	0.1	00.0-00.3	1	0.1	00.0-00.3
65+	923	72,584	919	99.5	98.9-0100	3	0.3	00.0-00.7	1	0.2	00.0-00.6
Less Than H.S.	159	18,081	157	97.3	92.8-0100	2	2.7	00.0-07.2			
H.S. or G.E.D.	818	99,225	816	99.8	99.4-0100	1	0.1	00.0-00.3	1	0.1	00.0-00.3
Some Post-H.S.	750	102,071	745	99.1	98.1-0100	2	0.5	00.0-01.5	3	0.4	00.0-00.8
College Graduate	984	135,488	980	99.8	99.6-0100	2	0.1	00.0-00.3	2	0.2	00.0-00.4
Less than \$15,000	309	30,459	308	99.7	99.1-0100				1	0.3	00.0-00.9
\$15,000- 24,999	307	32,379	307	100.0	0100-0100						
\$25,000- 34,999	235	28,165	235	100.0	0100-0100						
\$35,000- 49,999	352	41,711	350	99.7	99.3-0100	2	0.3	00.0-00.7			
\$50,000- 74,999	384	50,554	384	100.0	0100-0100						
\$75,000+	636	110,654	635	99.6	98.8-0100	1	0.4	00.0-01.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4246	678,953	4137	97.6	97.0-98.2	33	0.6	00.4-00.8	76	1.8	01.2-02.4
Male	1526	323,311	1486	97.6	96.6-98.6	17	0.8	00.4-01.2	23	1.6	00.8-02.4
Female	2720	355,642	2651	97.5	96.7-98.3	16	0.5	00.1-00.9	53	2.0	01.4-02.6
White/Non-Hisp	3396	509,368	3316	97.8	97.2-98.4	22	0.5	00.1-00.9	58	1.6	01.0-02.2
Black or Afr. Am./Non-Hisp	541	92,444	526	97.2	95.2-99.2	6	0.9	00.0-01.9	9	1.9	00.3-03.5
Oth. Race/Non-Hisp.	107	28,146	102	97.8	95.6-0100	3	1.5	00.0-03.3	2	0.7	00.0-01.7
MultiRacial/Non-Hisp.	56	10,789	54	91.5	80.1-0100				2	8.5	00.0-19.9
Hispanic	113	33,716	109	98.7	97.3-0100	2	0.6	00.0-01.4	2	0.7	00.0-01.7
18-24	130	84,358	129	99.5	98.5-0100	1	0.5	00.0-01.5			
25-34	325	110,709	321	99.0	97.8-0100				4	1.0	00.0-02.2
35-44	555	119,550	537	96.3	94.3-98.3	1	0.5	00.0-01.5	17	3.2	01.4-05.0
45-54	777	129,258	765	98.1	96.7-99.5	2	0.2	00.0-00.4	10	1.7	00.3-03.1
55-64	967	102,469	942	97.3	96.1-98.5	7	0.7	00.1-01.3	18	2.0	00.8-03.2
65+	1441	128,170	1402	96.8	95.6-98.0	18	1.4	00.6-02.2	21	1.8	00.8-02.8
Less Than H.S.	278	41,219	268	95.8	92.3-99.3	5	2.2	00.0-05.1	5	2.0	00.0-04.0
H.S. or G.E.D.	1276	180,901	1247	97.8	96.8-98.8	10	0.6	00.2-01.0	19	1.6	00.6-02.6
Some Post-H.S.	1105	193,558	1079	98.2	97.4-99.0	6	0.4	00.0-00.8	20	1.4	00.6-02.2
College Graduate	1574	261,718	1535	97.6	96.6-98.6	10	0.5	00.1-00.9	29	2.0	01.0-03.0
Less than \$15,000	452	56,198	440	95.9	92.8-99.0	4	1.4	00.0-03.6	8	2.8	00.4-05.2
\$15,000- 24,999	422	49,798	414	98.6	97.6-99.6	8	1.4	00.4-02.4			
\$25,000- 34,999	361	51,380	354	98.8	97.8-99.8	3	0.5	00.0-01.1	4	0.7	00.0-01.5
\$35,000- 49,999	563	81,218	556	99.2	98.6-99.8	3	0.4	00.0-00.8	4	0.5	00.1-00.9
\$50,000- 74,999	624	97,246	616	98.9	97.9-99.9	2	0.5	00.0-01.1	6	0.7	00.1-01.3
\$75,000+	1125	231,992	1108	98.3	97.3-99.3	2	0.2	00.0-00.4	15	1.6	00.6-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1526	323,311	1486	97.6	96.6-98.6	17	0.8	00.4-01.2	23	1.6	00.8-02.4
White/Non-Hisp	1249	248,209	1219	97.8	96.8-98.8	11	0.8	00.2-01.4	19	1.5	00.7-02.3
Black or Afr. Am./Non-Hisp	160	36,234	155	97.5	94.4-0100	3	0.6	00.0-01.4	2	1.8	00.0-04.7
25-34	100	54,439	100	100.0	0100-0100						
35-44	194	58,432	189	96.7	93.6-99.8	1	1.0	00.0-03.0	4	2.3	00.0-04.7
45-54	301	62,322	297	97.4	94.7-0100				4	2.6	00.0-05.3
55-64	358	49,162	346	96.7	94.5-98.9	5	1.1	00.1-02.1	7	2.2	00.4-04.0
65+	518	55,586	502	96.2	93.8-98.6	10	2.2	00.6-03.8	6	1.6	00.0-03.2
Less Than H.S.	119	23,138	112	94.7	89.2-0100	5	4.0	00.0-09.1	2	1.4	00.0-03.4
H.S. or G.E.D.	458	81,676	448	97.9	96.3-99.5	4	0.7	00.0-01.5	6	1.3	00.0-02.7
Some Post-H.S.	355	91,487	347	98.7	97.7-99.7	3	0.3	00.0-00.7	5	1.0	00.0-02.0
College Graduate	590	126,230	577	97.5	95.9-99.1	5	0.6	00.0-01.2	8	1.9	00.3-03.5
Less than \$15,000	143	25,739	139	95.4	90.1-0100	2	2.5	00.0-07.0	2	2.0	00.0-04.9
\$15,000- 24,999	115	17,419	109	97.0	94.5-99.5	6	3.0	00.5-05.5			
\$25,000- 34,999	126	23,216	124	99.4	98.4-0100	1	0.4	00.0-01.2	1	0.3	00.0-00.9
\$35,000- 49,999	211	39,506	207	99.0	98.0-0100	2	0.5	00.0-01.1	2	0.5	00.0-01.3
\$50,000- 74,999	240	46,692	237	98.5	96.7-0100	2	1.0	00.0-02.4	1	0.5	00.0-01.5
\$75,000+	489	121,338	481	98.2	96.6-99.8	1	0.1	00.0-00.3	7	1.7	00.1-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	355,642	2651	97.5	96.7-98.3	16	0.5	00.1-00.9	53	2.0	01.4-02.6
White/Non-Hisp	2147	261,159	2097	97.9	97.1-98.7	11	0.3	00.1-00.5	39	1.8	01.0-02.6
Black or Afr. Am./Non-Hisp	381	56,210	371	97.0	94.6-99.4	3	1.1	00.0-02.7	7	2.0	00.2-03.8
Oth. Race/Non-Hisp.	61	14,533	57	96.9	93.6-0100	2	1.7	00.0-04.2	2	1.4	00.0-03.4
Hispanic	70	15,518	68	98.5	96.3-0100				2	1.5	00.0-03.7
18-24	82	42,019	81	98.9	96.7-0100	1	1.1	00.0-03.3			
25-34	225	56,270	221	98.0	95.8-0100				4	2.0	00.0-04.2
35-44	361	61,118	348	96.1	93.6-98.6				13	3.9	01.4-06.4
45-54	476	66,936	468	98.7	97.7-99.7	2	0.4	00.0-01.0	6	1.0	00.2-01.8
55-64	609	53,308	596	98.0	96.6-99.4	2	0.3	00.0-00.7	11	1.8	00.4-03.2
65+	923	72,584	900	97.3	96.1-98.5	8	0.7	00.1-01.3	15	2.0	00.8-03.2
Less Than H.S.	159	18,081	156	97.2	93.7-0100				3	2.8	00.0-06.3
H.S. or G.E.D.	818	99,225	799	97.6	96.2-99.0	6	0.5	00.0-01.1	13	1.8	00.4-03.2
Some Post-H.S.	750	102,071	732	97.7	96.3-99.1	3	0.5	00.0-01.5	15	1.7	00.7-02.7
College Graduate	984	135,488	958	97.6	96.4-98.8	5	0.4	00.0-00.8	21	2.1	00.9-03.3
Less than \$15,000	309	30,459	301	96.2	92.7-99.7	2	0.4	00.0-01.0	6	3.4	00.0-06.9
\$15,000- 24,999	307	32,379	305	99.5	98.9-0100	2	0.5	00.0-01.1			
\$25,000- 34,999	235	28,165	230	98.3	96.7-99.9	2	0.6	00.0-01.4	3	1.1	00.0-02.3
\$35,000- 49,999	352	41,711	349	99.3	98.5-0100	1	0.3	00.0-00.9	2	0.4	00.0-01.0
\$50,000- 74,999	384	50,554	379	99.2	98.4-0100				5	0.8	00.0-01.6
\$75,000+	636	110,654	627	98.4	97.2-99.6	1	0.2	00.0-00.6	8	1.4	00.2-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4241	677,645	271	5.4	04.4-06.4	3970	94.6	93.6-95.6
Male	1522	322,040	117	5.7	03.9-07.5	1405	94.3	92.5-96.1
Female	2719	355,605	154	5.1	03.9-06.3	2565	94.9	93.7-96.1
White/Non-Hisp	3392	508,358	209	5.4	04.2-06.6	3183	94.6	93.4-95.8
Black or Afr. Am./Non-Hisp	541	92,444	42	5.4	03.2-07.6	499	94.6	92.4-96.8
Oth. Race/Non-Hisp.	107	28,146	7	5.5	00.0-11.4	100	94.5	88.6-0100
MultiRacial/Non-Hisp.	56	10,789	5	9.3	00.0-19.3	51	90.7	80.7-0100
Hispanic	113	33,716	6	3.4	00.1-06.7	107	96.6	93.3-99.9
18-24	130	84,358	7	5.4	00.5-10.3	123	94.6	89.7-99.5
25-34	324	110,411	14	4.0	01.5-06.5	310	96.0	93.5-98.5
35-44	555	119,550	38	5.4	03.0-07.8	517	94.6	92.2-97.0
45-54	776	128,854	60	6.2	04.4-08.0	716	93.8	92.0-95.6
55-64	965	101,900	70	5.7	04.1-07.3	895	94.3	92.7-95.9
65+	1440	128,133	80	5.4	03.8-07.0	1360	94.6	93.0-96.2
Less Than H.S.	278	41,219	8	2.0	00.4-03.6	270	98.0	96.4-99.6
H.S. or G.E.D.	1274	180,383	64	5.1	03.3-06.9	1210	94.9	93.1-96.7
Some Post-H.S.	1104	193,260	70	5.3	03.1-07.5	1034	94.7	92.5-96.9
College Graduate	1572	261,226	128	6.2	04.6-07.8	1444	93.8	92.2-95.4
Less than \$15,000	452	56,198	14	2.9	00.7-05.1	438	97.1	94.9-99.3
\$15,000- 24,999	422	49,798	11	2.7	00.5-04.9	411	97.3	95.1-99.5
\$25,000- 34,999	360	51,082	23	5.3	01.6-09.0	337	94.7	91.0-98.4
\$35,000- 49,999	563	81,218	26	4.9	01.4-08.4	537	95.1	91.6-98.6
\$50,000- 74,999	624	97,246	30	2.7	01.5-03.9	594	97.3	96.1-98.5
\$75,000+	1124	231,588	118	7.2	05.4-09.0	1006	92.8	91.0-94.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1522	322,040	117	5.7	03.9-07.5	1405	94.3	92.5-96.1
White/Non-Hisp	1246	247,236	92	6.1	04.1-08.1	1154	93.9	91.9-95.9
Black or Afr. Am./Non-Hisp	160	36,234	16	4.4	01.9-06.9	144	95.6	93.1-98.1
25-34	99	54,141	1	1.0	00.0-03.0	98	99.0	97.0-0100
35-44	194	58,432	12	5.4	01.3-09.5	182	94.6	90.5-98.7
45-54	300	61,918	26	6.7	03.8-09.6	274	93.3	90.4-96.2
55-64	356	48,593	28	4.9	02.7-07.1	328	95.1	92.9-97.3
65+	518	55,586	45	7.4	04.7-10.1	473	92.6	89.9-95.3
Less Than H.S.	119	23,138	4	2.0	00.0-04.2	115	98.0	95.8-0100
H.S. or G.E.D.	457	81,195	27	4.0	01.8-06.2	430	96.0	93.8-98.2
Some Post-H.S.	354	91,189	22	5.7	01.4-10.0	332	94.3	90.0-98.6
College Graduate	588	125,738	63	7.4	04.9-09.9	525	92.6	90.1-95.1
Less than \$15,000	143	25,739	7	3.5	00.2-06.8	136	96.5	93.2-99.8
\$15,000- 24,999	115	17,419	5	1.7	00.0-03.7	110	98.3	96.3-0100
\$25,000- 34,999	125	22,918	9	2.5	00.3-04.7	116	97.5	95.3-99.7
\$35,000- 49,999	211	39,506	12	6.3	00.0-13.0	199	93.7	87.0-0100
\$50,000- 74,999	240	46,692	12	2.6	00.8-04.4	228	97.4	95.6-99.2
\$75,000+	488	120,934	55	7.5	04.8-10.2	433	92.5	89.8-95.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	355,605	154	5.1	03.9-06.3	2565	94.9	93.7-96.1
White/Non-Hisp	2146	261,121	117	4.8	03.6-06.0	2029	95.2	94.0-96.4
Black or Afr. Am./Non-Hisp	381	56,210	26	6.1	03.2-09.0	355	93.9	91.0-96.8
Oth. Race/Non-Hisp.	61	14,533	3	3.8	00.0-08.3	58	96.2	91.7-0100
Hispanic	70	15,518	4	6.0	00.0-12.7	66	94.0	87.3-0100
18-24	82	42,019	2	1.4	00.0-03.8	80	98.6	96.2-0100
25-34	225	56,270	13	6.9	02.6-11.2	212	93.1	88.8-97.4
35-44	361	61,118	26	5.5	03.0-08.0	335	94.5	92.0-97.0
45-54	476	66,936	34	5.7	03.3-08.1	442	94.3	91.9-96.7
55-64	609	53,308	42	6.4	04.0-08.8	567	93.6	91.2-96.0
65+	922	72,547	35	3.9	02.3-05.5	887	96.1	94.5-97.7
Less Than H.S.	159	18,081	4	2.1	00.0-04.3	155	97.9	95.7-0100
H.S. or G.E.D.	817	99,188	37	6.0	03.5-08.5	780	94.0	91.5-96.5
Some Post-H.S.	750	102,071	48	4.8	02.8-06.8	702	95.2	93.2-97.2
College Graduate	984	135,488	65	5.1	03.5-06.7	919	94.9	93.3-96.5
Less than \$15,000	309	30,459	7	2.4	00.0-04.9	302	97.6	95.1-0100
\$15,000- 24,999	307	32,379	6	3.2	00.0-06.5	301	96.8	93.5-0100
\$25,000- 34,999	235	28,165	14	7.6	01.3-13.9	221	92.4	86.1-98.7
\$35,000- 49,999	352	41,711	14	3.6	00.9-06.3	338	96.4	93.7-99.1
\$50,000- 74,999	384	50,554	18	2.8	01.4-04.2	366	97.2	95.8-98.6
\$75,000+	636	110,654	63	6.9	04.7-09.1	573	93.1	90.9-95.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	269	36,051	119	54.1	44.5-63.7	140	43.8	34.2-53.4	10	2.1	00.0-04.3
Male	116	18,294							5	3.3	00.0-07.4
Female	153	17,757							5	0.9	00.1-01.7
White/Non-Hisp	208	27,274							7	2.4	00.0-05.1
55-64	70	5,819							2	1.5	00.0-03.7
65+	79	6,943							2	0.6	00.0-01.6
H.S. or G.E.D.	64	9,180							2	4.4	00.0-11.8
Some Post-H.S.	70	10,160							4	1.3	00.0-02.7
College Graduate	127	15,875							4	1.4	00.0-03.2
\$75,000+	118	16,664							1	0.8	00.0-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Three Numbers %	C.I. (95%)
	TOTAL	WEIGHTED	N		
Male	116	18,294	5	3.3	00.0-07.2
White/Non-Hisp	92	14,983	3	3.5	00.0-08.4
College Graduate	63	9,328	2	1.9	00.0-04.8
\$75,000+	55	9,016	1	1.5	00.0-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 12: DEMOGRAPHICS**

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Three Numbers %	C.I. (95%)
	TOTAL	WEIGHTED	N		
Female	153	17,757	5	0.9	00.1-01.7
White/Non-Hisp	116	12,292	4	1.0	00.0-02.0
College Graduate	64	6,547	2	0.6	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 49: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4224	675,151	193	4.9	03.9-05.9	4031	95.1	94.1-96.1
Male	1516	320,951	54	3.4	02.2-04.6	1462	96.6	95.4-97.8
Female	2708	354,200	139	6.2	04.8-07.6	2569	93.8	92.4-95.2
White/Non-Hisp	3382	506,521	137	4.2	03.4-05.0	3245	95.8	95.0-96.6
Black or Afr. Am./Non-Hisp	538	92,076	38	7.6	04.3-10.9	500	92.4	89.1-95.7
Oth. Race/Non-Hisp.	106	27,854	5	6.8	00.1-13.5	101	93.2	86.5-99.9
Hispanic	112	33,646	7	5.2	00.0-10.5	105	94.8	89.5-0100
18-24	129	84,198	9	5.3	01.2-09.4	120	94.7	90.6-98.8
25-34	324	109,867	28	7.7	04.6-10.8	296	92.3	89.2-95.4
35-44	554	119,258	39	5.7	03.7-07.7	515	94.3	92.3-96.3
45-54	772	128,052	37	3.9	02.5-05.3	735	96.1	94.7-97.5
55-64	963	102,089	46	4.5	02.9-06.1	917	95.5	93.9-97.1
65+	1431	127,249	33	2.8	01.6-04.0	1398	97.2	96.0-98.4
Less Than H.S.	273	40,678	21	6.5	02.6-10.4	252	93.5	89.6-97.4
H.S. or G.E.D.	1269	179,051	71	5.8	04.0-07.6	1198	94.2	92.4-96.0
Some Post-H.S.	1103	193,284	58	6.1	03.9-08.3	1045	93.9	91.7-96.1
College Graduate	1567	260,617	43	3.1	01.9-04.3	1524	96.9	95.7-98.1
Less than \$15,000	450	56,025	30	7.1	04.2-10.0	420	92.9	90.0-95.8
\$15,000- 24,999	419	49,500	46	12.1	06.8-17.4	373	87.9	82.6-93.2
\$25,000- 34,999	361	51,380	19	6.3	03.0-09.6	342	93.7	90.4-97.0
\$35,000- 49,999	561	80,923	22	7.0	03.3-10.7	539	93.0	89.3-96.7
\$50,000- 74,999	624	97,246	19	3.0	01.2-04.8	605	97.0	95.2-98.8
\$75,000+	1121	230,855	33	2.8	01.6-04.0	1088	97.2	96.0-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 50: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1516	320,951	54	3.4	02.2-04.6	1462	96.6	95.4-97.8
White/Non-Hisp	1242	246,108	38	2.8	01.6-04.0	1204	97.2	96.0-98.4
Black or Afr. Am./Non-Hisp	159	36,122	6	4.7	00.6-08.8	153	95.3	91.2-99.4
25-34	99	53,597	8	6.8	02.1-11.5	91	93.2	88.5-97.9
35-44	194	58,432	11	5.1	02.0-08.2	183	94.9	91.8-98.0
45-54	297	61,213	8	2.1	00.5-03.7	289	97.9	96.3-99.5
55-64	355	48,851	16	3.8	01.6-06.0	339	96.2	94.0-98.4
65+	516	55,489	10	2.2	00.2-04.2	506	97.8	95.8-99.8
Less Than H.S.	116	22,854	5	1.8	00.0-03.8	111	98.2	96.2-0100
H.S. or G.E.D.	454	80,128	16	3.8	01.4-06.2	438	96.2	93.8-98.6
Some Post-H.S.	355	91,487	24	5.1	02.7-07.5	331	94.9	92.5-97.3
College Graduate	588	125,738	9	2.3	00.5-04.1	579	97.7	95.9-99.5
Less than \$15,000	141	25,566	8	5.1	00.6-09.6	133	94.9	90.4-99.4
\$15,000- 24,999	114	17,308	9	7.8	01.1-14.5	105	92.2	85.5-98.9
\$25,000- 34,999	126	23,216	6	5.3	00.0-10.6	120	94.7	89.4-0100
\$35,000- 49,999	210	39,356	9	4.9	00.8-09.0	201	95.1	91.0-99.2
\$50,000- 74,999	240	46,692	5	2.3	00.0-04.7	235	97.7	95.3-0100
\$75,000+	487	120,530	9	1.9	00.3-03.5	478	98.1	96.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 51: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2708	354,200	139	6.2	04.8-07.6	2569	93.8	92.4-95.2
White/Non-Hisp	2140	260,414	99	5.4	04.0-06.8	2041	94.6	93.2-96.0
Black or Afr. Am./Non-Hisp	379	55,954	32	9.5	05.0-14.0	347	90.5	86.0-95.0
Oth. Race/Non-Hisp.	60	14,241	2	7.6	00.0-19.0	58	92.4	81.0-0100
Hispanic	69	15,449	4	7.6	00.0-17.8	65	92.4	82.2-0100
18-24	81	41,859	9	10.6	02.8-18.4	72	89.4	81.6-97.2
25-34	225	56,270	20	8.7	04.6-12.8	205	91.3	87.2-95.4
35-44	360	60,826	28	6.2	03.7-08.7	332	93.8	91.3-96.3
45-54	475	66,839	29	5.5	03.3-07.7	446	94.5	92.3-96.7
55-64	608	53,238	30	5.0	02.8-07.2	578	95.0	92.8-97.2
65+	915	71,760	23	3.3	01.7-04.9	892	96.7	95.1-98.3
Less Than H.S.	157	17,824	16	12.6	04.4-20.8	141	87.4	79.2-95.6
H.S. or G.E.D.	815	98,923	55	7.5	05.1-09.9	760	92.5	90.1-94.9
Some Post-H.S.	748	101,797	34	7.0	03.7-10.3	714	93.0	89.7-96.3
College Graduate	979	134,878	34	3.8	02.4-05.2	945	96.2	94.8-97.6
Less than \$15,000	309	30,459	22	8.8	04.9-12.7	287	91.2	87.3-95.1
\$15,000- 24,999	305	32,193	37	14.4	07.3-21.5	268	85.6	78.5-92.7
\$25,000- 34,999	235	28,165	13	7.1	03.0-11.2	222	92.9	88.8-97.0
\$35,000- 49,999	351	41,567	13	9.0	02.9-15.1	338	91.0	84.9-97.1
\$50,000- 74,999	384	50,554	14	3.7	01.3-06.1	370	96.3	93.9-98.7
\$75,000+	634	110,324	24	3.7	02.1-05.3	610	96.3	94.7-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 52: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4236	676,827	3535	85.9	84.5-87.3	701	14.1	12.7-15.5
Male	1518	321,497	1231	84.9	82.5-87.3	287	15.1	12.7-17.5
Female	2718	355,330	2304	86.8	85.0-88.6	414	13.2	11.4-15.0
White/Non-Hisp	3388	507,576	2839	86.8	85.4-88.2	549	13.2	11.8-14.6
Black or Afr. Am./Non-Hisp	541	92,444	447	81.8	77.1-86.5	94	18.2	13.5-22.9
Oth. Race/Non-Hisp.	107	28,146	93	92.4	87.9-96.9	14	7.6	03.1-12.1
18-24	130	84,358	116	90.6	85.3-95.9	14	9.4	04.1-14.7
25-34	323	109,859	295	90.7	86.6-94.8	28	9.3	05.2-13.4
35-44	554	119,409	499	88.4	84.9-91.9	55	11.6	08.1-15.1
45-54	773	128,341	659	86.6	83.9-89.3	114	13.4	10.7-16.1
55-64	966	102,381	822	85.0	82.1-87.9	144	15.0	12.1-17.9
65+	1439	128,041	1109	76.8	74.3-79.3	330	23.2	20.7-25.7
Less Than H.S.	278	41,219	172	67.6	58.8-76.4	106	32.4	23.6-41.2
H.S. or G.E.D.	1274	180,208	996	79.5	76.4-82.6	278	20.5	17.4-23.6
Some Post-H.S.	1103	193,166	953	89.2	86.7-91.7	150	10.8	08.3-13.3
College Graduate	1569	260,713	1403	90.7	88.7-92.7	166	9.3	07.3-11.3
Less than \$15,000	449	55,351	321	70.9	64.0-77.8	128	29.1	22.2-36.0
\$15,000- 24,999	422	49,798	257	66.2	59.3-73.1	165	33.8	26.9-40.7
\$25,000- 34,999	360	51,082	297	80.9	74.2-87.6	63	19.1	12.4-25.8
\$35,000- 49,999	563	81,218	480	83.8	79.5-88.1	83	16.2	11.9-20.5
\$50,000- 74,999	624	97,246	567	89.8	86.7-92.9	57	10.2	07.1-13.3
\$75,000+	1122	231,274	1059	94.8	93.2-96.4	63	5.2	03.6-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 53: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1518	321,497	1231	84.9	82.5-87.3	287	15.1	12.7-17.5
White/Non-Hisp	1243	246,729	1014	85.1	82.7-87.5	229	14.9	12.5-17.3
Black or Afr. Am./Non-Hisp	160	36,234	119	78.4	69.8-87.0	41	21.6	13.0-30.2
25-34	98	53,589	86	88.9	81.6-96.2	12	11.1	03.8-18.4
35-44	193	58,291	170	86.2	80.3-92.1	23	13.8	07.9-19.7
45-54	299	61,717	233	81.0	75.9-86.1	66	19.0	13.9-24.1
55-64	357	49,074	293	83.1	78.4-87.8	64	16.9	12.2-21.6
65+	516	55,457	399	77.3	73.0-81.6	117	22.7	18.4-27.0
H.S. or G.E.D.	456	80,983	342	75.5	70.0-81.0	114	24.5	19.0-30.0
Some Post-H.S.	353	91,096	301	89.5	85.4-93.6	52	10.5	06.4-14.6
College Graduate	587	125,537	509	89.4	86.5-92.3	78	10.6	07.7-13.5
\$35,000- 49,999	211	39,506	167	80.7	74.0-87.4	44	19.3	12.6-26.0
\$50,000- 74,999	240	46,692	209	86.8	81.3-92.3	31	13.2	07.7-18.7
\$75,000+	487	120,793	446	92.7	90.0-95.4	41	7.3	04.6-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 54: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2718	355,330	2304	86.8	85.0-88.6	414	13.2	11.4-15.0
White/Non-Hisp	2145	260,847	1825	88.4	86.6-90.2	320	11.6	09.8-13.4
Black or Afr. Am./Non-Hisp	381	56,210	328	84.0	78.3-89.7	53	16.0	10.3-21.7
Oth. Race/Non-Hisp.	61	14,533	53	90.3	82.9-97.7	8	9.7	02.3-17.1
18-24	82	42,019	71	85.7	76.7-94.7	11	14.3	05.3-23.3
25-34	225	56,270	209	92.3	88.2-96.4	16	7.7	03.6-11.8
35-44	361	61,118	329	90.4	86.5-94.3	32	9.6	05.7-13.5
45-54	474	66,624	426	91.8	89.3-94.3	48	8.2	05.7-10.7
55-64	609	53,308	529	86.6	83.3-89.9	80	13.4	10.1-16.7
65+	923	72,584	710	76.3	73.0-79.6	213	23.7	20.4-27.0
H.S. or G.E.D.	818	99,225	654	82.7	79.4-86.0	164	17.3	14.0-20.6
Some Post-H.S.	750	102,071	652	89.0	86.1-91.9	98	11.0	08.1-13.9
College Graduate	982	135,176	894	91.9	89.5-94.3	88	8.1	05.7-10.5
Less than \$15,000	309	30,459	226	70.5	63.2-77.8	83	29.5	22.2-36.8
\$15,000- 24,999	307	32,379	200	70.8	63.5-78.1	107	29.2	21.9-36.5
\$25,000- 34,999	235	28,165	199	82.8	74.6-91.0	36	17.2	09.0-25.4
\$35,000- 49,999	352	41,711	313	86.7	81.4-92.0	39	13.3	08.0-18.6
\$50,000- 74,999	384	50,554	358	92.5	88.8-96.2	26	7.5	03.8-11.2
\$75,000+	635	110,481	613	97.1	95.5-98.7	22	2.9	01.3-04.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 55: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	701	95,525	55	10.0	06.9-13.1	646	90.0	86.9-93.1
Male	287	48,660	27	13.5	08.0-19.0	260	86.5	81.0-92.0
Female	414	46,865	28	6.4	03.7-09.1	386	93.6	90.9-96.3
White/Non-Hisp	549	66,829	45	11.5	07.6-15.4	504	88.5	84.6-92.4
Black or Afr. Am./Non-Hisp	94	16,828	5	6.1	00.0-12.6	89	93.9	87.4-0100
45-54	114	17,165	8	5.9	01.4-10.4	106	94.1	89.6-98.6
55-64	144	15,399	12	13.4	04.4-22.4	132	86.6	77.6-95.6
65+	330	29,746	21	9.5	05.0-14.0	309	90.5	86.0-95.0
Less Than H.S.	106	13,373	8	5.9	01.0-10.8	98	94.1	89.2-99.0
H.S. or G.E.D.	278	37,016	23	12.0	06.3-17.7	255	88.0	82.3-93.7
Some Post-H.S.	150	20,816	11	8.1	02.8-13.4	139	91.9	86.6-97.2
College Graduate	166	24,284	13	11.0	03.9-18.1	153	89.0	81.9-96.1
Less than \$15,000	128	16,095	7	6.2	00.7-11.7	121	93.8	88.3-99.3
\$15,000- 24,999	165	16,841	11	8.2	01.7-14.7	154	91.8	85.3-98.3
\$35,000- 49,999	83	13,177	6	6.7	01.0-12.4	77	93.3	87.6-99.0
\$50,000- 74,999	57	9,935	4	7.4	00.0-14.8	53	92.6	85.2-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 56: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	287	48,660	27	13.5	07.8-19.2	260	86.5	80.8-92.2
White/Non-Hisp	229	36,675	24	14.7	08.2-21.2	205	85.3	78.8-91.8
45-54	66	11,734	3	5.3	00.0-11.4	63	94.7	88.6-100
65+	117	12,562	13	16.6	07.6-25.6	104	83.4	74.4-92.4
H.S. or G.E.D.	114	19,872	12	15.7	06.3-25.1	102	84.3	74.9-93.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 57: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	414	46,865	28	6.4	03.7-09.1	386	93.6	90.9-96.3
White/Non-Hisp	320	30,154	21	7.6	03.9-11.3	299	92.4	88.7-96.1
Black or Afr. Am./Non-Hisp	53	8,984	4	6.2	00.0-13.1	49	93.8	86.9-0100
55-64	80	7,121	9	12.6	03.6-21.6	71	87.4	78.4-96.4
65+	213	17,183	8	4.3	01.0-07.6	205	95.7	92.4-99.0
Less Than H.S.	63	7,407	6	7.0	00.3-13.7	57	93.0	86.3-99.7
H.S. or G.E.D.	164	17,145	11	7.8	02.5-13.1	153	92.2	86.9-97.5
Some Post-H.S.	98	11,263	5	3.7	00.2-07.2	93	96.3	92.8-99.8
College Graduate	88	11,014	6	6.7	00.4-13.0	82	93.3	87.0-99.6
Less than \$15,000	83	8,998	4	2.6	00.0-05.5	79	97.4	94.5-0100
\$15,000- 24,999	107	9,455	9	7.9	02.2-13.6	98	92.1	86.4-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 58: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3533	581,205	429	12.0	10.4-13.6	3104	88.0	86.4-89.6
Male	1231	272,837	181	12.5	10.0-15.0	1050	87.5	85.0-90.0
Female	2302	308,368	248	11.5	09.5-13.5	2054	88.5	86.5-90.5
White/Non-Hisp	2837	440,650	353	11.8	10.2-13.4	2484	88.2	86.6-89.8
Black or Afr. Am./Non-Hisp	447	75,616	42	12.1	07.2-17.0	405	87.9	83.0-92.8
Oth. Race/Non-Hisp.	93	26,005	14	13.6	05.2-22.0	79	86.4	78.0-94.8
18-24	116	76,433	11	11.2	03.8-18.6	105	88.8	81.4-96.2
25-34	295	99,600	37	12.0	07.9-16.1	258	88.0	83.9-92.1
35-44	499	105,535	42	9.7	06.2-13.2	457	90.3	86.8-93.8
45-54	659	111,176	61	9.6	07.1-12.1	598	90.4	87.9-92.9
55-64	820	86,885	91	10.8	08.3-13.3	729	89.2	86.7-91.7
65+	1109	98,295	180	18.4	15.7-21.1	929	81.6	78.9-84.3
Less Than H.S.	172	27,846	21	14.7	06.3-23.1	151	85.3	76.9-93.7
H.S. or G.E.D.	996	143,192	143	13.2	10.3-16.1	853	86.8	83.9-89.7
Some Post-H.S.	952	172,286	114	11.3	08.0-14.6	838	88.7	85.4-92.0
College Graduate	1402	236,396	148	11.4	09.0-13.8	1254	88.6	86.2-91.0
\$15,000- 24,999	257	32,957	32	13.8	07.3-20.3	225	86.2	79.7-92.7
\$25,000- 34,999	297	41,334	39	12.7	07.6-17.8	258	87.3	82.2-92.4
\$35,000- 49,999	480	68,040	50	12.0	07.1-16.9	430	88.0	83.1-92.9
\$50,000- 74,999	567	87,311	70	12.2	08.9-15.5	497	87.8	84.5-91.1
\$75,000+	1059	219,231	107	9.5	07.1-11.9	952	90.5	88.1-92.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 59: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1231	272,837	181	12.5	10.0-15.0	1050	87.5	85.0-90.0
White/Non-Hisp	1014	210,054	150	12.3	09.8-14.8	864	87.7	85.2-90.2
Black or Afr. Am./Non-Hisp	119	28,390	16	12.4	05.3-19.5	103	87.6	80.5-94.7
25-34	86	47,643	9	8.7	02.6-14.8	77	91.3	85.2-97.4
35-44	170	50,265	24	15.3	08.6-22.0	146	84.7	78.0-91.4
45-54	233	49,982	24	9.9	05.6-14.2	209	90.1	85.8-94.4
55-64	293	40,795	38	12.4	07.9-16.9	255	87.6	83.1-92.1
65+	399	42,895	82	21.8	17.1-26.5	317	78.2	73.5-82.9
H.S. or G.E.D.	342	61,112	57	12.9	08.8-17.0	285	87.1	83.0-91.2
Some Post-H.S.	301	81,543	40	11.7	06.0-17.4	261	88.3	82.6-94.0
College Graduate	509	112,267	76	13.1	09.4-16.8	433	86.9	83.2-90.6
\$15,000- 24,999	57	10,033	8	9.6	01.6-17.6	49	90.4	82.4-98.4
\$25,000- 34,999	98	18,011	16	14.9	05.3-24.5	82	85.1	75.5-94.7
\$35,000- 49,999	167	31,887	24	12.1	06.4-17.8	143	87.9	82.2-93.6
\$50,000- 74,999	209	40,528	30	12.4	07.1-17.7	179	87.6	82.3-92.9
\$75,000+	446	111,928	55	10.2	06.9-13.5	391	89.8	86.5-93.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 60: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2302	308,368	248	11.5	09.5-13.5	2054	88.5	86.5-90.5
White/Non-Hisp	1823	230,596	203	11.4	09.2-13.6	1620	88.6	86.4-90.8
Black or Afr. Am./Non-Hisp	328	47,226	26	12.0	05.5-18.5	302	88.0	81.5-94.5
Hispanic	50	10,946	7	8.7	01.3-16.1	43	91.3	83.9-98.7
25-34	209	51,957	28	15.0	09.5-20.5	181	85.0	79.5-90.5
35-44	329	55,270	18	4.7	02.3-07.1	311	95.3	92.9-97.7
45-54	426	61,194	37	9.3	06.0-12.6	389	90.7	87.4-94.0
55-64	527	46,090	53	9.4	06.7-12.1	474	90.6	87.9-93.3
65+	710	55,401	98	15.8	12.5-19.1	612	84.2	80.9-87.5
H.S. or G.E.D.	654	82,081	86	13.4	09.5-17.3	568	86.6	82.7-90.5
Some Post-H.S.	651	90,743	74	10.9	07.2-14.6	577	89.1	85.4-92.8
College Graduate	893	124,129	72	9.8	06.7-12.9	821	90.2	87.1-93.3
\$15,000- 24,999	200	22,924	24	15.6	07.2-24.0	176	84.4	76.0-92.8
\$25,000- 34,999	199	23,323	23	10.9	05.6-16.2	176	89.1	83.8-94.4
\$35,000- 49,999	313	36,153	26	11.9	04.1-19.7	287	88.1	80.3-95.9
\$50,000- 74,999	358	46,783	40	12.1	08.0-16.2	318	87.9	83.8-92.0
\$75,000+	613	107,303	52	8.8	05.7-11.9	561	91.2	88.1-94.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS

TABLE 61: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE?
(CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS

TABLE 62: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE?
(CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS

TABLE 63: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE?
(CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 64: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Males			Females		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4246	678,953	1526	47.6	45.2-50.0	2720	52.4	50.0-54.8	
White/Non-Hisp	3396	509,368	1249	48.7	46.2-51.2	2147	51.3	48.8-53.8	
Black or Afr. Am./Non-Hisp	541	92,444	160	39.2	32.3-46.1	381	60.8	53.9-67.7	
25-34	325	110,709	100	49.2	42.5-55.9	225	50.8	44.1-57.5	
35-44	555	119,550	194	48.9	43.8-54.0	361	51.1	46.0-56.2	
45-54	777	129,258	301	48.2	43.9-52.5	476	51.8	47.5-56.1	
55-64	967	102,469	358	48.0	43.9-52.1	609	52.0	47.9-56.1	
65+	1441	128,170	518	43.4	40.3-46.5	923	56.6	53.5-59.7	
Less Than H.S.	278	41,219	119	56.1	46.3-65.9	159	43.9	34.1-53.7	
H.S. or G.E.D.	1276	180,901	458	45.1	41.0-49.2	818	54.9	50.8-59.0	
Some Post-H.S.	1105	193,558	355	47.3	42.4-52.2	750	52.7	47.8-57.6	
College Graduate	1574	261,718	590	48.2	44.9-51.5	984	51.8	48.5-55.1	
Less than \$15,000	452	56,198	143	45.8	38.0-53.6	309	54.2	46.4-62.0	
\$15,000- 24,999	422	49,798	115	35.0	26.8-43.2	307	65.0	56.8-73.2	
\$25,000- 34,999	361	51,380	126	45.2	37.2-53.2	235	54.8	46.8-62.8	
\$35,000- 49,999	563	81,218	211	48.6	42.5-54.7	352	51.4	45.3-57.5	
\$50,000- 74,999	624	97,246	240	48.0	42.3-53.7	384	52.0	46.3-57.7	
\$75,000+	1125	231,992	489	52.3	48.4-56.2	636	47.7	43.8-51.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 65: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	665	158,306	30	6.0	03.5-08.5	635	94.0	91.5-96.5
White/Non-Hisp	441	102,678	20	5.3	02.6-08.0	421	94.7	92.0-97.4
Black or Afr. Am./Non-Hisp	144	31,219	4	5.7	00.0-12.6	140	94.3	87.4-0100
18-24	82	42,019	7	9.2	01.9-16.5	75	90.8	83.5-98.1
25-34	223	55,495	17	7.6	03.7-11.5	206	92.4	88.5-96.3
35-44	360	60,792	6	2.2	00.4-04.0	354	97.8	96.0-99.6
H.S. or G.E.D.	142	36,677	5	4.9	00.4-09.4	137	95.1	90.6-99.6
Some Post-H.S.	182	45,632	11	8.8	02.3-15.3	171	91.2	84.7-97.7
College Graduate	306	67,130	13	4.8	02.3-07.3	293	95.2	92.7-97.7
\$25,000- 34,999	62	13,880	3	5.8	00.0-12.3	59	94.2	87.7-0100
\$35,000- 49,999	92	18,837	2	2.3	00.0-05.8	90	97.7	94.2-0100
\$50,000- 74,999	112	22,175	4	2.8	00.0-05.9	108	97.2	94.1-0100
\$75,000+	224	57,770	13	7.1	02.8-11.4	211	92.9	88.6-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)	
1	MALES AND FEMALES	160
2	MALES ONLY	161
3	FEMALES ONLY	162
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)	
4	MALES AND FEMALES	163
5	MALES ONLY	164
6	FEMALES ONLY	165
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
7	MALES AND FEMALES	166
8	MALES ONLY	167
9	FEMALES ONLY	168
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
10	MALES AND FEMALES	169
11	MALES ONLY	170
12	FEMALES ONLY	171
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
13	MALES AND FEMALES	172
14	MALES ONLY	173
15	FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4238	678,189	2221	59.3	57.1-61.5	2017	40.7	38.5-42.9
Male	1522	322,893	928	68.3	65.2-71.4	594	31.7	28.6-34.8
Female	2716	355,296	1293	51.1	48.6-53.6	1423	48.9	46.4-51.4
White/Non-Hisp	3390	508,878	1885	63.8	61.6-66.0	1505	36.2	34.0-38.4
Black or Afr. Am./Non-Hisp	541	92,444	202	42.3	35.6-49.0	339	57.7	51.0-64.4
18-24	130	84,358	74	66.2	57.0-75.4	56	33.8	24.6-43.0
25-34	325	110,709	194	63.7	57.4-70.0	131	36.3	30.0-42.6
35-44	554	119,339	358	68.4	63.9-72.9	196	31.6	27.1-36.1
45-54	777	129,258	439	60.9	56.8-65.0	338	39.1	35.0-43.2
55-64	965	102,208	518	55.1	51.2-59.0	447	44.9	41.0-48.8
65+	1436	127,879	617	44.5	41.4-47.6	819	55.5	52.4-58.6
H.S. or G.E.D.	1272	180,640	551	50.4	46.5-54.3	721	49.6	45.7-53.5
Some Post-H.S.	1103	193,245	568	57.7	53.2-62.2	535	42.3	37.8-46.8
College Graduate	1572	261,528	1030	69.0	65.9-72.1	542	31.0	27.9-34.1
Less than \$15,000	451	56,098	164	40.3	32.5-48.1	287	59.7	51.9-67.5
\$15,000- 24,999	422	49,798	115	39.4	31.0-47.8	307	60.6	52.2-69.0
\$25,000- 34,999	361	51,380	169	50.8	43.0-58.6	192	49.2	41.4-57.0
\$35,000- 49,999	563	81,218	267	48.0	41.9-54.1	296	52.0	45.9-58.1
\$50,000- 74,999	624	97,246	381	63.6	58.5-68.7	243	36.4	31.3-41.5
\$75,000+	1123	231,801	810	75.1	72.0-78.2	313	24.9	21.8-28.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1522	322,893	928	68.3	65.2-71.4	594	31.7	28.6-34.8
White/Non-Hisp	1246	247,892	787	70.9	67.8-74.0	459	29.1	26.0-32.2
25-34	100	54,439	74	75.6	66.2-85.0	26	24.4	15.0-33.8
35-44	193	58,221	137	73.6	66.5-80.7	56	26.4	19.3-33.5
45-54	301	62,322	184	64.1	57.6-70.6	117	35.9	29.4-42.4
55-64	357	49,073	222	61.2	54.9-67.5	135	38.8	32.5-45.1
65+	516	55,468	271	54.2	49.3-59.1	245	45.8	40.9-50.7
H.S. or G.E.D.	457	81,588	250	59.0	52.7-65.3	207	41.0	34.7-47.3
Some Post-H.S.	353	91,175	203	67.0	60.1-73.9	150	33.0	26.1-39.9
College Graduate	589	126,213	426	76.4	72.1-80.7	163	23.6	19.3-27.9
\$35,000- 49,999	211	39,506	112	54.6	45.4-63.8	99	45.4	36.2-54.6
\$50,000- 74,999	240	46,692	152	66.5	58.7-74.3	88	33.5	25.7-41.3
\$75,000+	488	121,320	378	82.2	78.3-86.1	110	17.8	13.9-21.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	355,296	1293	51.1	48.6-53.6	1423	48.9	46.4-51.4
White/Non-Hisp	2144	260,986	1098	57.2	54.5-59.9	1046	42.8	40.1-45.5
Black or Afr. Am./Non-Hisp	381	56,210	125	33.8	27.5-40.1	256	66.2	59.9-72.5
25-34	225	56,270	120	52.2	44.8-59.6	105	47.8	40.4-55.2
35-44	361	61,118	221	63.5	57.6-69.4	140	36.5	30.6-42.4
45-54	476	66,936	255	57.8	52.7-62.9	221	42.2	37.1-47.3
55-64	608	53,135	296	49.3	44.6-54.0	312	50.7	46.0-55.4
65+	920	72,411	346	37.0	33.5-40.5	574	63.0	59.5-66.5
H.S. or G.E.D.	815	99,052	301	43.3	38.4-48.2	514	56.7	51.8-61.6
Some Post-H.S.	750	102,071	365	49.3	44.0-54.6	385	50.7	45.4-56.0
College Graduate	983	135,315	604	62.1	58.0-66.2	379	37.9	33.8-42.0
Less than \$15,000	309	30,459	99	32.0	24.0-40.0	210	68.0	60.0-76.0
\$15,000- 24,999	307	32,379	76	35.2	26.2-44.2	231	64.8	55.8-73.8
\$25,000- 34,999	235	28,165	102	45.3	36.1-54.5	133	54.7	45.5-63.9
\$35,000- 49,999	352	41,711	155	41.8	34.4-49.2	197	58.2	50.8-65.6
\$50,000- 74,999	384	50,554	229	60.8	54.7-66.9	155	39.2	33.1-45.3
\$75,000+	635	110,481	432	67.3	62.6-72.0	203	32.7	28.0-37.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 4: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2195	399,000	497	23.9	21.2-26.6	119	3.6	02.6-04.6	1206	57.3	54.2-60.4	372	15.1	12.9-17.3	1	0.0	00.0-00.0
Male	916	218,725	215	25.2	20.9-29.5	65	4.3	02.5-06.1	429	51.1	46.2-56.0	206	19.4	15.9-22.9	1	0.0	00.0-00.0
Female	1279	180,275	282	22.5	19.4-25.6	54	2.8	01.8-03.8	777	64.8	61.5-68.1	166	9.9	08.1-11.7			
White/Non-Hisp	1864	322,859	446	26.1	23.0-29.2	107	3.5	02.7-04.3	974	54.1	50.8-57.4	337	16.4	14.0-18.8			
Black or Afr. Am./Non-Hisp	199	38,352	31	14.5	08.0-21.0	3	1.4	00.0-03.6	149	77.4	69.6-85.2	15	6.5	02.6-10.4	1	0.1	00.0-00.3
Hispanic	62	19,592										8	6.3	00.8-11.8			
18-24	74	55,886				1	2.8	00.0-08.1				7	8.6	00.4-16.8			
25-34	194	70,523	50	28.2	19.8-36.6	1	0.6	00.0-01.8	129	64.3	55.7-72.9	14	6.8	02.5-11.1			
35-44	355	80,910	80	19.9	15.2-24.6	4	0.8	00.0-01.8	224	62.9	56.8-69.0	47	16.4	11.3-21.5			
45-54	436	77,992	109	25.5	20.6-30.4	15	3.5	01.5-05.5	234	53.0	47.5-58.5	77	17.9	13.6-22.2	1	0.1	00.0-00.3
55-64	510	55,601	99	20.6	16.1-25.1	26	4.0	02.2-05.8	280	54.2	48.7-59.7	105	21.2	16.5-25.9			
65+	605	56,014	134	23.7	19.6-27.8	71	11.9	09.0-14.8	280	44.2	39.7-48.7	120	20.2	16.5-23.9			
Less Than H.S.	67	18,269				6	6.1	00.0-12.6				10	7.4	01.3-13.5			
H.S. or G.E.D.	545	90,481	123	24.4	18.9-29.9	32	3.1	01.9-04.3	313	59.2	53.1-65.3	77	13.3	09.6-17.0			
Some Post-H.S.	557	110,096	107	18.9	13.4-24.4	26	3.9	01.0-06.8	333	63.0	56.3-69.7	90	14.1	09.8-18.4	1	0.0	00.0-00.0
College Graduate	1023	179,586	254	25.8	22.3-29.3	55	3.4	02.2-04.6	521	53.6	49.5-57.7	193	17.2	14.1-20.3			
Less than \$15,000	161	22,359	30	19.3	10.3-28.3	14	7.4	02.3-12.5				23	8.8	03.9-13.7			
\$15,000- 24,999	114	19,545				8	3.8	00.7-06.9									
\$25,000- 34,999	167	25,935				7	4.1	00.4-07.8				24	10.9	05.4-16.4			
\$35,000- 49,999	265	38,761	51	20.3	12.7-27.9	15	3.6	01.4-05.8	149	60.1	51.7-68.5	50	16.0	10.5-21.5			
\$50,000- 74,999	377	60,773	82	19.8	14.7-24.9	26	6.2	01.1-11.3	216	59.8	52.4-67.2	53	14.2	08.5-19.9			
\$75,000+	808	173,991	204	25.4	21.3-29.5	36	2.7	01.7-03.7	411	54.8	50.1-59.5	156	17.1	13.8-20.4	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 5: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	916	218,725	215	25.2	20.9-29.5	65	4.3	02.5-06.1	429	51.1	46.2-56.0	206	19.4	15.9-22.9	1	0.0	00.0-00.0
White/Non-Hisp	778	174,653	191	27.5	22.6-32.4	60	4.0	02.8-05.2	343	47.6	42.5-52.7	184	20.9	17.0-24.8			
Black or Afr. Am./Non-Hisp	75	19,412	11	12.3	02.5-22.1	1	2.1	00.0-06.2				12	11.0	03.2-18.8	1	0.3	00.0-00.9
25-34	74	41,160										6	6.9	00.8-13.0			
35-44	136	42,529	31	20.3	13.0-27.6	2	1.2	00.0-03.2	71	53.6	44.0-63.2	32	24.9	16.3-33.5			
45-54	182	39,437	56	29.1	21.5-36.7	9	4.4	01.3-07.5	77	44.0	35.4-52.6	39	22.4	15.3-29.5	1	0.1	00.0-00.3
55-64	217	29,570	36	18.4	11.5-25.3	12	4.2	01.7-06.7	109	49.4	41.0-57.8	60	28.0	20.4-35.6			
65+	267	29,671	59	22.4	16.5-28.3	40	14.1	09.4-18.8	104	38.6	31.9-45.3	64	24.8	18.7-30.9			
H.S. or G.E.D.	247	47,739	59	25.3	16.9-33.7	20	3.7	01.9-05.5	113	51.0	42.0-60.0	55	20.0	13.5-26.5			
Some Post-H.S.	198	60,211	38	20.8	11.6-30.0	14	5.5	00.2-10.8				45	17.6	10.2-25.0	1	0.1	00.0-00.3
College Graduate	423	96,107	110	27.4	21.7-33.1	27	3.7	02.1-05.3	190	47.4	41.1-53.7	96	21.4	16.1-26.7			
Less than \$15,000	64	12,732				7	6.1	00.6-11.6				9	7.7	00.8-14.6			
\$25,000- 34,999	66	13,247				5	6.8	00.0-13.9									
\$35,000- 49,999	110	21,316				10	4.6	01.3-07.9				26	17.6	09.6-25.6			
\$50,000- 74,999	149	30,160	35	19.5	11.3-27.7	12	8.8	00.0-18.6									
\$75,000+	376	99,596	95	26.4	20.1-32.7	20	3.0	01.4-04.6	166	49.2	42.3-56.1	94	21.3	16.2-26.4	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 6: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1279	180,275	282	22.5	19.4-25.6	54	2.8	01.8-03.8	777	64.8	61.5-68.1	166	9.9	08.1-11.7
White/Non-Hisp	1086	148,206	255	24.4	20.9-27.9	47	2.8	01.8-03.8	631	61.9	58.0-65.8	153	11.0	08.8-13.2
Black or Afr. Am./Non-Hisp	124	18,940	20	16.7	08.3-25.1	2	0.8	00.0-02.2	99	80.6	72.0-89.2	3	2.0	00.0-04.4
25-34	120	29,363	29	24.7	15.9-33.5	1	1.4	00.0-04.1	82	67.0	57.4-76.6	8	6.8	01.5-12.1
35-44	219	38,381	49	19.4	13.7-25.1	2	0.4	00.0-01.0	153	73.2	66.7-79.7	15	6.9	03.0-10.8
45-54	254	38,555	53	21.9	15.8-28.0	6	2.6	00.2-05.0	157	62.1	55.2-69.0	38	13.4	08.9-17.9
55-64	293	26,031	63	23.1	17.2-29.0	14	3.9	01.7-06.1	171	59.5	52.8-66.2	45	13.5	09.2-17.8
65+	338	26,343	75	25.1	19.6-30.6	31	9.5	06.0-13.0	176	50.6	44.5-56.7	56	14.9	11.0-18.8
H.S. or G.E.D.	298	42,743	64	23.4	16.5-30.3	12	2.6	01.0-04.2	200	68.4	61.0-75.8	22	5.7	02.6-08.8
Some Post-H.S.	359	49,885	69	16.6	12.1-21.1	12	2.0	00.8-03.2	233	71.5	65.8-77.2	45	9.9	06.4-13.4
College Graduate	600	83,479	144	24.0	19.9-28.1	28	3.1	01.7-04.5	331	60.6	55.9-65.3	97	12.3	09.4-15.2
Less than \$15,000	97	9,627	14	15.9	05.9-25.9	7	9.0	00.0-18.0				14	10.4	03.7-17.1
\$15,000- 24,999	75	11,308				3	3.0	00.0-07.1				3	2.9	00.0-07.2
\$25,000- 34,999	101	12,688				2	1.3	00.0-03.1				13	7.4	02.9-11.9
\$35,000- 49,999	155	17,445	35	23.1	15.1-31.1	5	2.5	00.0-05.0	91	60.3	50.5-70.1	24	14.2	07.1-21.3
\$50,000- 74,999	228	30,614	47	20.1	14.0-26.2	14	3.6	01.6-05.6	145	68.5	61.6-75.4	22	7.8	04.3-11.3
\$75,000+	432	74,395	109	24.1	19.2-29.0	16	2.2	00.8-03.6	245	62.3	56.6-68.0	62	11.4	08.1-14.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 7. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2186	395,516	1036	36.1	33.4-38.8	658	31.1	28.4-33.8	241	14.0	11.5-16.5	101	6.9	04.9-08.9	150	11.9	09.4-14.4
Male	910	216,691	327	27.7	23.8-31.6	275	28.2	24.1-32.3	135	17.4	13.3-21.5	67	8.8	05.9-11.7	106	17.9	13.6-22.2
Female	1276	178,825	709	46.3	42.6-50.0	383	34.6	30.9-38.3	106	9.8	07.6-12.0	34	4.7	02.5-06.9	44	4.6	02.8-06.4
White/Non-Hisp	1861	319,881	895	36.1	33.2-39.0	551	30.9	28.0-33.8	209	13.7	11.3-16.1	80	6.9	04.7-09.1	126	12.4	09.7-15.1
Black or Afr. Am./Non-Hisp	194	38,100	83	35.0	25.4-44.6	67	34.0	24.4-43.6				13	5.2	01.3-09.1	12	7.0	01.9-12.1
18-24	71	53,453	14	16.1	06.3-25.9												
25-34	193	70,395	53	23.3	16.4-30.2	64	31.2	23.4-39.0	28	16.2	09.3-23.1	10	5.8	01.9-09.7	38	23.6	15.6-31.6
35-44	355	80,990	136	36.0	30.1-41.9	121	34.9	28.8-41.0	55	17.0	12.1-21.9	16	5.0	02.3-07.7	27	7.0	04.1-09.9
45-54	431	77,156	161	33.1	28.0-38.2	150	36.3	30.8-41.8	61	15.1	10.8-19.4	24	7.1	04.0-10.2	35	8.4	05.3-11.5
55-64	510	55,405	257	46.6	41.1-52.1	155	31.4	26.3-36.5	48	11.2	07.5-14.9	26	4.7	02.7-06.7	24	6.0	02.7-09.3
65+	606	56,125	401	64.1	59.6-68.6	146	24.9	20.8-29.0	37	6.7	04.3-09.1	12	2.5	00.9-04.1	10	1.7	00.5-02.9
Less Than H.S.	65	17,783				12	9.5	01.7-17.3									
H.S. or G.E.D.	543	89,586	242	32.9	27.6-38.2	146	24.8	19.9-29.7	52	11.0	07.5-14.5	38	10.1	06.0-14.2	65	21.2	14.9-27.5
Some Post-H.S.	554	108,255	270	35.2	29.1-41.3	144	25.5	20.0-31.0	76	19.3	12.8-25.8	26	8.4	03.7-13.1	38	11.7	06.6-16.8
College Graduate	1021	179,325	502	40.4	36.5-44.3	353	39.6	35.5-43.7	99	11.1	08.4-13.8	34	4.3	02.5-06.1	33	4.7	02.7-06.7
Less than \$15,000	160	22,164							14	7.5	02.4-12.6	7	5.4	00.1-10.7	14	13.6	04.2-23.0
\$15,000- 24,999	112	19,335													14	11.7	03.3-20.1
\$25,000- 34,999	168	26,036				41	21.0	13.0-29.0	15	10.9	04.4-17.4						
\$35,000- 49,999	265	38,659	133	42.2	34.0-50.4	66	22.9	16.4-29.4	30	11.5	06.8-16.2	17	10.7	03.3-18.1	19	12.7	05.6-19.8
\$50,000- 74,999	377	61,100	161	33.0	26.9-39.1	118	32.9	25.6-40.2	46	11.8	07.5-16.1	21	6.0	03.1-08.9	31	16.4	09.1-23.7
\$75,000+	803	172,485	347	35.3	31.2-39.4	290	37.8	33.3-42.3	85	12.2	09.1-15.3	30	4.4	02.4-06.4	51	10.3	06.6-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 8: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	910	216,691	327	27.7	23.8-31.6	275	28.2	24.1-32.3	135	17.4	13.3-21.5	67	8.8	05.9-11.7	106	17.9	13.6-22.2
White/Non-Hisp	775	172,709	281	26.8	22.9-30.7	230	28.5	24.2-32.8	118	16.7	13.0-20.4	54	8.7	05.6-11.8	92	19.3	14.6-24.0
Black or Afr. Am./Non-Hisp	72	19,360										7	5.8	00.0-12.1	8	8.7	00.7-16.7
25-34	74	41,160	11	14.1	05.7-22.5							6	6.9	01.0-12.8			
35-44	137	42,826	42	33.1	24.1-42.1	39	29.1	20.3-37.9	26	19.6	11.8-27.4	9	6.4	01.9-10.9	21	11.9	06.4-17.4
45-54	178	38,722	40	22.8	15.5-30.1	65	36.1	27.9-44.3	32	18.1	11.0-25.2	15	9.4	04.1-14.7	26	13.6	07.9-19.3
55-64	217	29,389	79	35.2	27.2-43.2	67	31.4	23.6-39.2	33	16.0	09.5-22.5	19	7.4	03.7-11.1	19	10.0	04.1-15.9
65+	266	29,687	148	55.1	48.2-62.0	75	29.1	22.8-35.4	26	9.7	05.6-13.8	11	4.5	01.6-07.4	6	1.6	00.2-03.0
H.S. or G.E.D.	245	47,593	79	24.3	17.2-31.4	61	18.8	13.1-24.5	34	15.2	09.1-21.3	23	9.8	04.5-15.1	48	31.9	22.3-41.5
Some Post-H.S.	195	58,647	70	24.5	16.1-32.9	48	20.2	12.2-28.2				17	12.9	04.7-21.1	23	17.8	08.8-26.8
College Graduate	424	96,270	164	32.9	27.2-38.6	157	40.3	34.0-46.6	55	13.1	08.8-17.4	25	6.6	03.7-09.5	23	7.0	03.5-10.5
Less than \$15,000	62	12,523							4	4.0	00.0-08.9	6	9.2	00.0-18.8			
\$25,000- 34,999	66	13,272							8	12.0	02.4-21.6						
\$35,000- 49,999	112	21,574				30	23.0	13.2-32.8	14	10.5	04.4-16.6						
\$50,000- 74,999	150	30,558	49	20.8	13.4-28.2				23	14.0	06.7-21.3	14	7.8	02.9-12.7			
\$75,000+	374	99,195	125	28.5	22.8-34.2	133	34.5	28.0-41.0	58	15.7	10.8-20.6	22	6.3	03.2-09.4	36	15.0	08.9-21.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 9: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1276	178,825	709	46.3	42.6-50.0	383	34.6	30.9-38.3	106	9.8	07.6-12.0	34	4.7	02.5-06.9	44	4.6	02.8-06.4
White/Non-Hisp	1086	147,172	614	47.1	43.2-51.0	321	33.9	30.0-37.8	91	10.0	07.6-12.4	26	4.8	02.3-07.3	34	4.2	02.4-06.0
Black or Afr. Am./Non-Hisp	122	18,740	58	38.1	28.1-48.1				10	8.5	02.4-14.6	6	4.7	00.0-09.4	4	5.3	00.0-11.6
25-34	119	29,235	42	36.1	26.1-46.1	41	36.1	26.3-45.9	15	10.7	04.6-16.8	4	4.1	00.0-08.2	17	13.0	06.3-19.7
35-44	218	38,164	94	39.4	32.0-46.8	82	41.4	33.6-49.2	29	14.1	08.6-19.6	7	3.5	00.8-06.2	6	1.6	00.2-03.0
45-54	253	38,434	121	43.5	36.4-50.6	85	36.4	29.5-43.3	29	12.1	07.2-17.0	9	4.8	01.3-08.3	9	3.2	00.7-05.7
55-64	293	26,016	178	59.5	52.8-66.2	88	31.5	25.2-37.8	15	5.7	02.4-09.0	7	1.7	00.1-03.3	5	1.6	00.0-03.2
65+	340	26,438	253	74.2	68.9-79.5	71	20.2	15.5-24.9	11	3.4	01.2-05.6	1	0.4	00.0-01.2	4	1.9	00.0-03.9
H.S. or G.E.D.	298	41,993	163	42.7	35.1-50.3	85	31.5	23.9-39.1	18	6.2	02.7-09.7	15	10.5	04.0-17.0	17	9.1	03.4-14.8
Some Post-H.S.	359	49,609	200	47.7	40.6-54.8	96	31.6	24.7-38.5	39	13.1	08.2-18.0	9	3.1	00.7-05.5	15	4.5	02.0-07.0
College Graduate	597	83,055	338	49.0	43.9-54.1	196	38.8	33.5-44.1	44	8.8	05.9-11.7	9	1.6	00.2-03.0	10	1.9	00.3-03.5
Less than \$15,000	98	9,641							10	12.0	02.6-21.4	1	0.4	00.0-01.2	5	5.9	00.2-11.6
\$15,000- 24,999	74	11,181										1	2.5	00.0-07.4	6	7.9	00.0-16.1
\$25,000- 34,999	102	12,764				24	18.0	09.4-26.6	7	9.9	01.5-18.3						
\$35,000- 49,999	153	17,085				36	22.7	14.7-30.7	16	12.8	05.5-20.1	7	6.7	01.4-12.0	3	2.6	00.0-06.3
\$50,000- 74,999	227	30,542	112	45.1	37.3-52.9	78	38.5	30.7-46.3	23	9.6	05.1-14.1	7	4.2	00.7-07.7	7	2.6	00.4-04.8
\$75,000+	429	73,291	222	44.4	38.5-50.3	157	42.3	36.2-48.4	27	7.5	04.6-10.4	8	1.9	00.3-03.5	15	3.8	01.6-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 10: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2182	396,828	184	11.3	08.9-13.7	99	5.9	04.1-07.7	47	4.4	02.6-06.2	51	3.2	01.8-04.6	113	7.1	05.1-09.1	1688	68.1	64.8-71.4
Male	909	217,506	86	12.4	08.9-15.9	49	6.5	04.0-09.0	29	6.1	03.0-09.2	24	3.6	01.6-05.6	77	10.2	07.1-13.3	644	61.2	56.1-66.3
Female	1273	179,322	98	9.9	07.5-12.3	50	5.2	03.2-07.2	18	2.4	00.8-04.0	27	2.6	01.0-04.2	36	3.4	01.8-05.0	1044	76.4	72.9-79.9
White/Non-Hisp	1858	321,681	162	11.3	09.1-13.5	82	6.2	04.2-08.2	42	4.5	02.5-06.5	43	3.0	01.8-04.2	102	7.7	05.5-09.9	1427	67.3	64.0-70.6
Black or Afr. Am./Non-Hisp	193	37,543				9	4.5	01.2-07.8	3	1.0	00.0-02.2	7	3.2	00.0-06.7	6	2.7	00.0-05.6			
Hispanic	60	19,409				5	5.0	00.1-09.9	1	5.7	00.0-16.5									
18-24	74	55,886				9	11.4	02.4-20.4	6	13.3	03.3-23.3	3	3.3	00.0-07.8	10	13.2	04.0-22.4			
25-34	191	69,835	22	13.2	07.1-19.3	16	6.6	02.7-10.5	13	8.4	02.7-14.1	7	5.5	00.2-10.8	11	6.9	02.2-11.6	122	59.4	50.6-68.2
35-44	353	79,806	44	11.9	08.2-15.6	21	6.4	03.5-09.3	3	1.0	00.0-02.2	4	0.8	00.0-01.8	28	8.9	04.8-13.0	253	71.0	65.3-76.7
45-54	431	77,901	52	14.5	10.4-18.6	24	5.7	03.0-08.4	10	2.2	00.8-03.6	17	4.0	01.8-06.2	24	5.8	03.3-08.3	304	67.8	62.5-73.1
55-64	512	55,727	36	6.9	04.2-09.6	21	4.1	02.1-06.1	11	2.2	00.8-03.6	16	4.9	01.4-08.4	29	5.7	03.2-08.2	399	76.1	71.2-81.0
65+	602	55,706	19	3.5	01.7-05.3	8	1.3	00.3-02.3	4	0.7	00.0-01.5	4	0.6	00.0-01.2	10	1.8	00.4-03.2	557	92.1	89.6-94.6
Less Than H.S.	64	17,312	2	5.1	00.0-12.2				2	7.0	00.0-18.6									
H.S. or G.E.D.	537	88,920	48	11.4	07.3-15.5	21	6.1	02.6-09.6	17	6.0	01.5-10.5	23	4.2	02.0-06.4	40	10.8	06.7-14.9	388	61.5	55.0-68.0
Some Post-H.S.	555	110,363	42	11.5	05.8-17.2	29	5.6	02.5-08.7	13	4.5	01.0-08.0	13	3.0	00.1-05.9	29	8.5	03.8-13.2	429	66.9	59.6-74.2
College Graduate	1023	179,667	91	11.5	08.6-14.4	46	5.4	03.6-07.2	15	3.3	00.9-05.7	10	1.4	00.2-02.6	38	4.3	02.3-06.3	823	74.2	70.1-78.3
Less than \$15,000	157	21,892	8	4.1	00.4-07.8	7	5.5	00.4-10.6	3	3.9	00.0-09.2	4	2.7	00.0-06.6	12	11.6	02.6-20.6			
\$15,000- 24,999	108	19,007	9	7.9	01.2-14.6	3	1.5	00.0-03.3	2	1.3	00.0-03.1	3	4.2	00.0-10.9						
\$25,000- 34,999	165	25,111	11	11.6	02.6-20.6	7	4.5	00.0-09.6				2	4.9	00.0-13.1	7	5.1	00.4-09.8			
\$35,000- 49,999	267	39,019	18	9.5	04.4-14.6	14	4.1	01.6-06.6	11	10.4	02.0-18.8	9	3.2	00.8-05.6	17	6.5	02.6-10.4	198	66.4	57.4-75.4
\$50,000- 74,999	379	61,308	39	10.7	06.4-15.0	18	5.6	02.7-08.5	9	5.7	00.4-11.0	12	3.3	00.6-06.0	17	7.7	02.2-13.2	284	67.0	59.4-74.6
\$75,000+	804	173,110	79	12.2	09.1-15.3	44	6.8	04.1-09.5	14	3.3	00.9-05.7	15	2.2	00.8-03.6	44	6.6	03.9-09.3	608	69.0	64.3-73.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 11: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	909	217,506	86	12.4	08.9-15.9	49	6.5	04.0-09.0	29	6.1	03.0-09.2	24	3.6	01.6-05.6	77	10.2	07.1-13.3	644	61.2	56.1-66.3
White/Non-Hisp	776	174,318	74	11.8	08.7-14.9	42	7.2	04.1-10.3	25	6.5	03.2-09.8	19	3.1	01.3-04.9	72	11.5	08.0-15.0	544	60.0	54.9-65.1
Black or Afr. Am./Non-Hisp	72	18,843	5	3.8	00.0-07.7	3	2.0	00.0-04.4	3	2.0	00.0-04.4	4	4.7	00.0-11.6	2	1.3	00.0-03.5			
25-34	74	41,160	12	17.5	07.9-27.1	4	5.3	00.0-11.0	6	9.7	00.9-18.5	4	7.0	00.0-15.4	6	8.2	01.1-15.3			
35-44	134	41,425	22	13.3	07.4-19.2	12	8.6	03.7-13.5	3	2.0	00.0-04.4	3	1.4	00.0-03.4	18	13.5	06.2-20.8	76	61.2	51.8-70.6
45-54	178	39,328	17	11.9	06.0-17.8	13	7.8	02.9-12.7	5	2.4	00.2-04.6	8	4.3	01.0-07.6	16	8.2	03.7-12.7	119	65.4	57.2-73.6
55-64	219	29,710	21	9.5	04.8-14.2	12	5.2	01.9-08.5	8	3.2	00.8-05.6	8	6.7	00.6-12.8	19	8.2	03.9-12.5	151	67.2	59.2-75.2
65+	265	29,607	9	3.3	00.9-05.7	6	2.1	00.3-03.9	2	0.7	00.0-01.7				9	3.3	00.8-05.8	239	90.6	86.7-94.5
H.S. or G.E.D.	241	46,332	23	12.4	06.1-18.7	11	3.5	01.1-05.9	13	9.6	01.4-17.8	13	5.3	02.0-08.6	29	14.9	08.6-21.2	152	54.4	45.0-63.8
Some Post-H.S.	197	60,701	19	15.1	05.3-24.9	11	6.2	01.1-11.3	8	6.8	00.7-12.9	5	4.1	00.0-09.4	19	12.4	04.4-20.4			
College Graduate	425	96,297	42	11.7	07.6-15.8	24	6.8	03.9-09.7	7	3.7	00.2-07.2	3	1.4	00.0-03.4	23	6.3	02.8-09.8	326	70.1	64.0-76.2
Less than \$15,000	61	12,434	2	3.5	00.0-09.0	3	5.1	00.0-12.0	2	5.1	00.0-13.7									
\$25,000- 34,999	66	12,931	1	0.7	00.0-02.1	1	0.7	00.0-02.1				1	1.1	00.0-03.3	5	5.0	00.0-10.3			
\$35,000- 49,999	112	21,574	10	11.1	03.5-18.7	4	1.6	00.0-03.4				5	4.1	00.0-08.2	13	8.3	02.6-14.0			
\$50,000- 74,999	150	30,565	11	7.5	01.2-13.8	8	5.4	01.3-09.5	6	9.6	00.0-19.8	6	3.8	00.0-08.7						
\$75,000+	373	98,776	43	12.9	08.4-17.4	29	9.2	04.5-13.9	9	3.8	00.5-07.1	8	2.9	00.7-05.1	26	8.0	03.9-12.1	258	63.3	56.4-70.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 12: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1273	179,322	98	9.9	07.4-12.4	50	5.2	03.2-07.2	18	2.4	00.8-04.0	27	2.6	01.0-04.2	36	3.4	01.8-05.0	1044	76.4	72.9-79.9
White/Non-Hisp	1082	147,362	88	10.6	07.9-13.3	40	5.1	02.9-07.3	17	2.1	00.9-03.3	24	3.0	01.2-04.8	30	3.3	01.7-04.9	883	75.9	72.0-79.8
Black or Afr. Am./Non-Hisp	121	18,700	6	5.6	00.3-10.9	4	5.1	00.0-10.4				3	1.8	00.0-04.0	4	4.2	00.0-09.5	104	83.3	74.7-91.9
25-34	117	28,675	10	7.0	02.3-11.7	12	8.5	03.4-13.6	7	6.7	01.6-11.8	3	3.3	00.0-07.6	5	5.1	00.0-10.2	80	69.4	60.0-78.8
35-44	219	38,381	22	10.3	05.6-15.0	9	3.9	01.2-06.6				1	0.2	00.0-00.6	10	4.0	00.9-07.1	177	81.5	75.6-87.4
45-54	253	38,573	35	17.1	11.4-22.8	11	3.5	01.1-05.9	5	2.0	00.0-04.0	9	3.6	01.1-06.1	8	3.4	00.7-06.1	185	70.3	63.6-77.0
55-64	293	26,016	15	3.9	01.7-06.1	9	3.0	00.8-05.2	3	1.0	00.0-02.2	8	2.9	00.5-05.3	10	2.9	00.7-05.1	248	86.4	82.1-90.7
65+	337	26,098	10	3.7	01.2-06.2	2	0.4	00.0-01.0	2	0.7	00.0-01.9	4	1.3	00.0-02.7	1	0.1	00.0-00.3	318	93.8	90.7-96.9
H.S. or G.E.D.	296	42,588	25	10.2	05.1-15.3	10	9.0	02.5-15.5	4	2.2	00.0-04.6	10	3.0	00.8-05.2	11	6.4	01.5-11.3	236	69.2	60.8-77.6
Some Post-H.S.	358	49,662	23	7.2	03.9-10.5	18	4.9	02.4-07.4	5	1.7	00.1-03.3	8	1.6	00.4-02.8	10	3.6	00.9-06.3	294	81.0	75.9-86.1
College Graduate	598	83,370	49	11.3	07.4-15.2	22	3.8	02.0-05.6	8	2.8	00.0-05.7	7	1.3	00.1-02.5	15	1.9	00.7-03.1	497	78.9	74.0-83.8
Less than \$15,000	96	9,458	6	4.9	00.6-09.2	4	5.9	00.0-13.5	1	2.2	00.0-06.5	4	6.2	00.0-14.8	5	4.1	00.0-08.4			
\$15,000- 24,999	73	11,085	7	10.2	00.8-19.6	1	1.1	00.0-03.3	1	1.3	00.0-03.8	1	0.7	00.0-02.1	1	0.6	00.0-01.8	62	86.2	76.2-96.2
\$25,000- 34,999	99	12,180	4	4.4	00.0-09.9	6	8.6	00.0-18.6	2	3.8	00.0-09.3				2	5.3	00.0-13.1			
\$35,000- 49,999	155	17,445	8	7.6	01.5-13.7	10	7.2	02.3-12.1	5	4.7	00.0-09.4	4	2.0	00.0-04.0	4	4.2	00.0-09.7	124	74.3	64.9-83.7
\$50,000- 74,999	229	30,743	28	13.8	08.1-19.5	10	5.9	01.8-10.0	3	1.8	00.0-04.2	6	2.9	00.2-05.6	3	1.0	00.0-02.4	179	74.6	67.5-81.7
\$75,000+	431	74,334	36	11.1	06.8-15.4	15	3.6	01.6-05.6	5	2.6	00.0-05.7	7	1.2	00.2-02.2	18	4.7	01.8-07.6	350	76.7	71.0-82.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 13: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2157	391,325	618	21.2	18.8-23.6	625	25.5	23.0-28.0	354	16.1	13.9-18.3	184	9.7	07.9-11.5	376	27.6	24.3-30.9
Male	895	214,244	166	13.6	10.7-16.5	212	20.4	16.9-23.9	169	16.8	13.5-20.1	88	9.9	07.4-12.4	260	39.2	34.1-44.3
Female	1262	177,081	452	30.3	27.0-33.6	413	31.6	28.1-35.1	185	15.2	12.7-17.7	96	9.4	07.0-11.8	116	13.5	10.4-16.6
White/Non-Hisp	1837	316,728	525	20.6	18.2-23.0	527	25.3	22.6-28.0	306	16.4	14.0-18.8	158	10.2	08.2-12.2	321	27.4	24.1-30.7
Black or Afr. Am./Non-Hisp	189	37,042	54	23.2	15.0-31.4	61	28.3	19.5-37.1	29	17.1	08.3-25.9	16	8.4	03.1-13.7			
Hispanic	60	19,324							7	9.6	01.4-17.8	6	7.9	00.8-15.0			
18-24	72	54,693	9	13.0	03.8-22.2	11	12.8	04.2-21.4	11	13.4	04.6-22.2	8	8.3	02.0-14.6			
25-34	186	67,569	23	10.8	05.7-15.9	57	28.3	20.5-36.1	29	13.0	07.9-18.1	17	8.6	03.7-13.5	60	39.3	30.3-48.3
35-44	349	79,027	81	20.7	15.8-25.6	102	28.1	22.6-33.6	54	15.5	11.0-20.0	33	11.2	06.9-15.5	79	24.5	19.0-30.0
45-54	428	77,189	89	17.9	14.0-21.8	113	24.3	19.6-29.0	78	18.5	14.0-23.0	58	15.3	11.0-19.6	90	24.0	18.9-29.1
55-64	501	55,094	153	26.0	21.5-30.5	145	28.5	23.6-33.4	81	18.6	13.9-23.3	40	7.0	04.5-09.5	82	20.0	15.1-24.9
65+	601	55,762	254	41.0	36.3-45.7	189	29.7	25.6-33.8	99	17.7	14.2-21.2	28	5.2	03.0-07.4	31	6.4	03.9-08.9
Less Than H.S.	64	18,030				12	3.7	01.2-06.2									
H.S. or G.E.D.	530	87,202	158	21.7	17.2-26.2	134	22.9	17.8-28.0	74	11.9	08.2-15.6	49	10.9	07.2-14.6	115	32.5	26.0-39.0
Some Post-H.S.	547	108,224	184	25.8	20.3-31.3	138	20.0	15.1-24.9	92	17.9	13.0-22.8	39	6.3	03.9-08.7	94	30.1	22.7-37.5
College Graduate	1014	177,699	261	18.8	16.1-21.5	339	32.3	28.4-36.2	177	16.9	14.2-19.6	90	10.8	08.1-13.5	147	21.2	17.3-25.1
Less than \$15,000	158	22,086							21	11.3	05.0-17.6	9	5.6	00.7-10.5			
\$15,000- 24,999	109	19,096				25	16.0	06.8-25.2				9	9.0	01.4-16.6			
\$25,000- 34,999	167	25,329	59	25.1	16.5-33.7	46	20.9	13.3-28.5	23	9.9	05.0-14.8	13	10.5	01.7-19.3			
\$35,000- 49,999	257	37,677	77	23.3	16.2-30.4	71	25.4	18.5-32.3	45	14.6	09.9-19.3	13	5.2	01.7-08.7	51	31.6	22.2-41.0
\$50,000- 74,999	375	60,930	91	18.5	13.8-23.2	112	27.3	20.6-34.0	61	14.9	10.6-19.2	43	12.5	08.0-17.0	68	26.9	19.1-34.7
\$75,000+	799	172,667	183	17.3	14.4-20.2	239	28.3	24.2-32.4	141	17.1	13.8-20.4	77	10.0	07.3-12.7	159	27.2	22.5-31.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 14: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	895	214,244	166	13.6	10.7-16.5	212	20.4	16.9-23.9	169	16.8	13.5-20.1	88	9.9	07.4-12.4	260	39.2	34.1-44.3
White/Non-Hisp	762	170,568	143	13.0	10.3-15.7	176	19.7	16.0-23.4	145	17.4	13.7-21.1	75	10.7	07.8-13.6	223	39.2	33.9-44.5
Black or Afr. Am./Non-Hisp	70	19,054										9	10.8	01.6-20.0			
25-34	71	39,559	3	4.9	00.0-10.6				9	11.0	03.7-18.3	8	9.9	02.5-17.3			
35-44	133	41,164	17	14.2	07.1-21.3	26	19.5	11.9-27.1	19	14.3	07.2-21.4	17	15.2	07.9-22.5	54	36.8	27.6-46.0
45-54	177	38,944	16	8.2	03.9-12.5	40	22.0	14.9-29.1	38	20.1	13.2-27.0	23	13.9	07.4-20.4	60	35.9	27.7-44.1
55-64	215	29,411	40	15.9	10.0-21.8	48	21.9	15.2-28.6	42	22.4	14.8-30.0	20	7.4	03.7-11.1	65	32.4	24.2-40.6
65+	261	29,244	84	32.9	26.2-39.6	77	28.8	22.5-35.1	55	20.4	14.9-25.9	18	7.5	03.8-11.2	27	10.4	06.1-14.7
H.S. or G.E.D.	241	46,583	42	12.9	07.4-18.4	51	18.5	11.8-25.2	37	11.4	06.1-16.7	20	10.3	05.0-15.6	91	46.8	37.6-56.0
Some Post-H.S.	191	58,688	46	17.6	09.8-25.4	28	10.1	04.0-16.2	41	21.2	12.8-29.6	17	5.3	02.0-08.6			
College Graduate	419	94,940	68	11.3	08.0-14.6	126	30.3	24.4-36.2	84	16.7	12.6-20.8	46	12.7	08.2-17.2	95	28.9	22.8-35.0
Less than \$15,000	62	12,550							10	7.6	01.5-13.7	6	8.4	00.0-17.0			
\$25,000- 34,999	67	13,340	16	15.0	05.2-24.8				10	9.9	02.3-17.5	3	3.7	00.0-08.2			
\$35,000- 49,999	106	20,675	22	15.5	06.9-24.1				17	11.4	05.3-17.5	5	4.9	00.0-10.0			
\$50,000- 74,999	149	30,416	22	7.6	03.7-11.5				26	14.4	07.7-21.1	18	11.8	04.9-18.7			
\$75,000+	370	98,829	50	10.3	07.0-13.6	93	23.6	17.9-29.3	72	18.4	13.3-23.5	43	11.5	07.2-15.8	112	36.3	29.4-43.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 15: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1262	177,081	452	30.3	27.0-33.6	413	31.6	28.1-35.1	185	15.2	12.7-17.7	96	9.4	07.0-11.8	116	13.5	10.4-16.6
White/Non-Hisp	1075	146,160	382	29.5	26.0-33.0	351	31.9	28.2-35.6	161	15.2	12.5-17.9	83	9.7	07.0-12.4	98	13.7	10.4-17.0
Black or Afr. Am./Non-Hisp	119	17,988	42	28.5	19.5-37.5				19	19.1	10.1-28.1	7	5.9	01.4-10.4	10	8.8	02.1-15.5
25-34	115	28,010	20	19.0	10.2-27.8	39	34.3	24.5-44.1	20	15.9	09.0-22.8	9	6.8	01.7-11.9	27	24.1	15.3-32.9
35-44	216	37,862	64	27.8	20.9-34.7	76	37.4	29.8-45.0	35	16.9	11.0-22.8	16	6.9	03.0-10.8	25	11.0	06.1-15.9
45-54	251	38,245	73	27.8	21.5-34.1	73	26.6	20.5-32.7	40	16.9	11.4-22.4	35	16.8	11.3-22.3	30	12.0	07.1-16.9
55-64	286	25,683	113	37.6	30.9-44.3	97	36.0	29.3-42.7	39	14.3	09.6-19.0	20	6.4	03.3-09.5	17	5.7	02.8-08.6
65+	340	26,518	170	49.9	43.8-56.0	112	30.8	25.3-36.3	44	14.7	10.4-19.0	10	2.7	00.9-04.5	4	1.9	00.0-03.9
H.S. or G.E.D.	289	40,619	116	31.9	24.8-39.0	83	27.9	20.5-35.3	37	12.5	07.6-17.4	29	11.6	06.7-16.5	24	16.0	08.4-23.6
Some Post-H.S.	356	49,536	138	35.5	28.6-42.4	110	31.7	24.8-38.6	51	13.9	09.4-18.4	22	7.4	03.9-10.9	35	11.5	07.2-15.8
College Graduate	595	82,759	193	27.5	23.2-31.8	213	34.6	29.7-39.5	93	17.1	13.4-20.8	44	8.5	05.4-11.6	52	12.3	07.8-16.8
Less than \$15,000	96	9,537										3	1.9	00.0-04.3			
\$15,000- 24,999	73	11,084										4	8.6	00.0-19.0			
\$25,000- 34,999	100	11,989							13	9.8	03.7-15.9						
\$35,000- 49,999	151	17,001				43	25.6	17.4-33.8	28	18.5	11.2-25.8	8	5.6	01.3-09.9	17	17.6	08.6-26.6
\$50,000- 74,999	226	30,514	69	29.2	21.9-36.5	77	31.5	24.2-38.8	35	15.4	09.9-20.9	25	13.2	07.3-19.1	20	10.7	05.6-15.8
\$75,000+	429	73,838	133	26.8	21.9-31.7	146	34.7	28.8-40.6	69	15.3	11.4-19.2	34	8.1	05.0-11.2	47	15.0	09.7-20.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU SHOT? (FLUSHOT4)	
1 MALES AND FEMALES	176
2 MALES ONLY	177
3 FEMALES ONLY	178
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU SHOT? (FLSHTMY1)	
4 MALES AND FEMALES	179
5 MALES ONLY	180
6 FEMALES ONLY	181
THE SEASONAL FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRY3)	
7 MALES AND FEMALES	182
8 MALES ONLY	183
9 FEMALES ONLY	184
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSPRMY1)	
10 MALES AND FEMALES	185
11 MALES ONLY	186
12 FEMALES ONLY	187
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
13 MALES AND FEMALES	188
14 MALES ONLY	189
15 FEMALES ONLY	190

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 1: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU SHOT? (FLUSHOT4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4210	673,239	2102	41.5	39.3-43.7	2108	58.5	56.3-60.7
Male	1510	319,878	696	36.9	33.4-40.4	814	63.1	59.6-66.6
Female	2700	353,360	1406	45.6	43.1-48.1	1294	54.4	51.9-56.9
White/Non-Hisp	3374	506,529	1785	44.1	41.7-46.5	1589	55.9	53.5-58.3
Black or Afr. Am./Non-Hisp	533	91,510	200	35.1	28.6-41.6	333	64.9	58.4-71.4
18-24	128	82,766	32	23.4	14.2-32.6	96	76.6	67.4-85.8
25-34	324	110,157	114	30.5	24.6-36.4	210	69.5	63.6-75.4
35-44	552	118,629	175	31.4	26.7-36.1	377	68.6	63.9-73.3
45-54	771	128,446	294	38.8	34.7-42.9	477	61.2	57.1-65.3
55-64	962	102,012	511	51.1	47.2-55.0	451	48.9	45.0-52.8
65+	1425	127,039	955	66.9	64.0-69.8	470	33.1	30.2-36.0
Less Than H.S.	274	41,002	122	29.3	21.5-37.1	152	70.7	62.9-78.5
H.S. or G.E.D.	1266	179,082	605	39.2	35.5-42.9	661	60.8	57.1-64.5
Some Post-H.S.	1099	191,725	534	38.1	33.6-42.6	565	61.9	57.4-66.4
College Graduate	1559	259,953	833	47.4	44.1-50.7	726	52.6	49.3-55.9
Less than \$15,000	448	55,079	229	41.3	34.2-48.4	219	58.7	51.6-65.8
\$15,000- 24,999	418	49,527	195	40.4	33.0-47.8	223	59.6	52.2-67.0
\$25,000- 34,999	360	51,362	177	34.2	27.7-40.7	183	65.8	59.3-72.3
\$35,000- 49,999	559	80,757	265	37.3	31.8-42.8	294	62.7	57.2-68.2
\$50,000- 74,999	621	96,574	316	42.7	37.4-48.0	305	57.3	52.0-62.6
\$75,000+	1118	231,094	556	43.5	39.8-47.2	562	56.5	52.8-60.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 2: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU SHOT? (FLUSHOT4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1510	319,878	696	36.9	33.4-40.4	814	63.1	59.6-66.6
White/Non-Hisp	1237	246,248	598	38.4	34.7-42.1	639	61.6	57.9-65.3
25-34	99	53,887	26	23.6	14.6-32.6	73	76.4	67.4-85.4
35-44	192	57,837	48	27.3	19.7-34.9	144	72.7	65.1-80.3
45-54	299	62,055	103	35.7	29.0-42.4	196	64.3	57.6-71.0
55-64	356	48,984	165	45.5	39.0-52.0	191	54.5	48.0-61.0
65+	511	55,000	342	66.7	61.8-71.6	169	33.3	28.4-38.2
Less Than H.S.	117	23,030	43	21.0	11.2-30.8	74	79.0	69.2-88.8
H.S. or G.E.D.	455	80,639	191	34.0	27.9-40.1	264	66.0	59.9-72.1
Some Post-H.S.	351	90,089	150	29.2	22.1-36.3	201	70.8	63.7-77.9
College Graduate	583	125,341	310	47.1	41.8-52.4	273	52.9	47.6-58.2
\$25,000- 34,999	125	23,198	51	22.2	14.2-30.2	74	77.8	69.8-85.8
\$35,000- 49,999	208	39,116	94	34.0	26.0-42.0	114	66.0	58.0-74.0
\$50,000- 74,999	237	46,020	118	40.1	31.5-48.7	119	59.9	51.3-68.5
\$75,000+	487	121,165	223	40.1	34.4-45.8	264	59.9	54.2-65.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 3: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU SHOT? (FLUSHOT4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2700	353,360	1406	45.6	43.1-48.1	1294	54.4	51.9-56.9
White/Non-Hisp	2137	260,281	1187	49.4	46.5-52.3	950	50.6	47.7-53.5
Black or Afr. Am./Non-Hisp	375	55,493	143	33.7	27.4-40.0	232	66.3	60.0-72.6
25-34	225	56,270	88	37.1	30.0-44.2	137	62.9	55.8-70.0
35-44	360	60,792	127	35.2	29.3-41.1	233	64.8	58.9-70.7
45-54	472	66,391	191	41.8	36.7-46.9	281	58.2	53.1-63.3
55-64	606	53,027	346	56.2	51.5-60.9	260	43.8	39.1-48.5
65+	914	72,039	613	67.1	63.6-70.6	301	32.9	29.4-36.4
H.S. or G.E.D.	811	98,443	414	43.3	38.6-48.0	397	56.7	52.0-61.4
Some Post-H.S.	748	101,636	384	46.0	40.9-51.1	364	54.0	48.9-59.1
College Graduate	976	134,611	523	47.7	43.6-51.8	453	52.3	48.2-56.4
Less than \$15,000	307	30,094	164	46.8	39.0-54.6	143	53.2	45.4-61.0
\$15,000- 24,999	304	32,191	144	44.4	35.6-53.2	160	55.6	46.8-64.4
\$25,000- 34,999	235	28,165	126	44.1	35.5-52.7	109	55.9	47.3-64.5
\$35,000- 49,999	351	41,641	171	40.4	33.1-47.7	180	59.6	52.3-66.9
\$50,000- 74,999	384	50,554	198	45.1	38.8-51.4	186	54.9	48.6-61.2
\$75,000+	631	109,929	333	47.2	42.3-52.1	298	52.8	47.9-57.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU SHOT? (FLSHTMY1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2009			May-Aug 2009			Sep-Dec 2009			Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1911	251,628	3	0.3	00.0-00.7	27	1.9	00.9-02.9	1364	70.1	67.2-73.0	139	8.1	06.1-10.1	12	0.4	00.2-00.6	366	19.2	16.8-21.6
Male	634	104,096	2	0.6	00.0-01.8	9	2.2	00.6-03.8	434	66.4	61.5-71.3	47	8.5	05.6-11.4	4	0.4	00.0-00.8	138	22.0	17.7-26.3
Female	1277	147,532	1	0.0	00.0-00.0	18	1.8	00.4-03.2	930	72.7	69.2-76.2	92	7.9	05.5-10.3	8	0.4	00.0-00.8	228	17.2	14.5-19.9
White/Non-Hisp	1639	204,947	2	0.0	00.0-00.0	17	1.3	00.5-02.1	1192	72.0	69.1-74.9	104	7.1	05.3-08.9	11	0.5	00.1-00.9	313	19.1	16.6-21.6
Black or Afr. Am./Non-Hisp	174	25,789				8	5.4	01.3-09.5	109	63.3	53.9-72.7	24	10.3	05.2-15.4	1	0.2	00.0-00.6	32	20.7	12.5-28.9
25-34	103	29,352				3	1.9	00.0-04.3	72	71.4	61.8-81.0	9	9.1	02.8-15.4				19	17.7	09.7-25.7
35-44	161	34,453	1	1.7	00.0-05.0	2	1.5	00.0-03.9	119	71.0	61.6-80.4	12	7.4	02.5-12.3	1	0.2	00.0-00.6	26	18.1	09.7-26.5
45-54	266	45,233	1	0.1	00.0-00.3	5	2.3	00.0-04.7	195	73.7	67.2-80.2	18	7.8	03.5-12.1				47	16.1	11.2-21.0
55-64	472	48,614				7	1.6	00.0-03.2	345	71.5	66.2-76.8	36	7.1	04.6-09.6	3	0.4	00.0-00.8	81	19.4	14.5-24.3
65+	866	77,894	1	0.0	00.0-00.0	9	1.5	00.1-02.9	608	69.2	65.7-72.7	58	6.9	04.9-08.9	7	1.0	00.2-01.8	183	21.4	18.3-24.5
Less Than H.S.	101	10,201				3	1.6	00.0-03.6							2	1.4	00.0-03.6	16	13.2	03.8-22.6
H.S. or G.E.D.	544	61,238	1	0.1	00.0-00.3	6	1.4	00.0-02.8	384	73.5	68.8-78.2	42	7.0	04.5-09.5	2	0.3	00.0-00.7	109	17.8	13.9-21.7
Some Post-H.S.	495	64,802	1	0.1	00.0-00.3	9	3.6	00.5-06.7	337	62.6	56.1-69.1	36	10.3	05.4-15.2	4	0.7	00.0-01.5	108	22.8	17.5-28.1
College Graduate	764	114,612	1	0.5	00.0-01.5	9	1.3	00.3-02.3	570	72.6	68.3-76.9	49	6.9	04.4-09.4	3	0.2	00.0-00.4	132	18.4	14.5-22.3
Less than \$15,000	209	20,814	1	0.2	00.0-00.6	2	3.1	00.0-07.4	149	66.5	57.5-75.5	22	16.8	08.4-25.2	1	0.5	00.0-01.5	34	13.0	08.1-17.9
\$15,000- 24,999	169	18,087				3	5.1	00.0-13.7				17	11.6	04.7-18.5	2	1.4	00.0-03.4	35	17.5	10.6-24.4
\$25,000- 34,999	163	15,837				3	2.3	00.0-05.0	106	65.4	56.4-74.4	12	7.2	01.5-12.9	3	1.8	00.0-04.0	39	23.3	15.7-30.9
\$35,000- 49,999	239	26,990	1	0.1	00.0-00.3	5	3.8	00.0-07.7	173	67.4	59.2-75.6	20	10.7	05.4-16.0	3	0.8	00.0-01.8	37	17.1	10.0-24.2
\$50,000- 74,999	295	37,470				5	1.9	00.0-04.3	212	69.2	62.1-76.3	19	6.8	03.1-10.5	1	0.2	00.0-00.6	58	21.9	15.4-28.4
\$75,000+	520	93,572	1	0.6	00.0-01.8	5	1.0	00.0-02.0	400	75.2	70.1-80.3	23	4.4	02.0-06.8	1	0.1	00.0-00.3	90	18.7	14.0-23.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

**TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU SHOT? (FLSHTMY1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2009			May-Aug 2009			Sep-Dec 2009			Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	634	104,096	2	0.6	00.0-01.8	9	2.2	00.6-03.8	434	66.4	61.5-71.3	47	8.5	05.6-11.4	4	0.4	00.0-00.8	138	22.0	17.7-26.3
White/Non-Hisp	549	85,992	1	0.0	00.0-00.0	7	2.1	00.3-03.9	378	67.6	62.3-72.9	37	7.7	04.6-10.8	4	0.5	00.0-01.1	122	22.1	17.4-26.8
Black or Afr. Am./Non-Hisp	50	9,984				2	5.1	00.0-12.2				6	9.6	00.0-19.4						
45-54	93	19,911				3	3.5	00.0-08.0				11	11.7	03.3-20.1				18	18.2	09.6-26.8
55-64	157	21,571							115	68.4	59.0-77.8	10	6.6	02.1-11.1	1	0.3	00.0-00.9	31	24.7	15.5-33.9
65+	311	33,933	1	0.1	00.0-00.3	4	2.7	00.0-05.6	210	66.2	60.1-72.3	19	6.4	03.1-09.7	3	1.0	00.0-02.2	74	23.6	18.3-28.9
H.S. or G.E.D.	170	22,630	1	0.2	00.0-00.6	2	1.3	00.0-03.3	114	70.0	61.6-78.4	18	9.9	04.8-15.0	1	0.4	00.0-01.2	34	18.2	11.3-25.1
Some Post-H.S.	139	21,924				2	3.8	00.0-08.9				7	8.2	00.9-15.5	1	0.7	00.0-02.1	43	30.5	20.9-40.1
College Graduate	290	55,382	1	1.1	00.0-03.3	4	2.0	00.0-04.0	204	66.8	59.4-74.2	21	8.4	04.1-12.7	1	0.1	00.0-00.3	59	21.6	14.9-28.3
Less than \$15,000	60	8,169				2	7.9	00.0-18.7										12	16.1	06.5-25.7
\$35,000- 49,999	85	11,687	1	0.3	00.0-00.9	1	3.4	00.0-09.9				6	9.5	01.5-17.5				11	11.7	04.4-19.0
\$50,000- 74,999	110	16,381				1	2.5	00.0-07.2				8	7.5	01.2-13.8						
\$75,000+	211	45,226	1	1.3	00.0-03.8	3	1.5	00.0-03.3	153	70.3	61.9-78.7	11	5.8	01.5-10.1	1	0.2	00.0-00.6	42	20.9	13.3-28.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU SHOT? (FLSHTMY1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2009			May-Aug 2009			Sep-Dec 2009			Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1277	147,532	1	0.0	00.0-00.0	18	1.8	00.4-03.2	930	72.7	69.2-76.2	92	7.9	05.5-10.3	8	0.4	00.0-00.8	228	17.2	14.5-19.9
White/Non-Hisp	1090	118,955	1	0.0	00.0-00.0	10	0.7	00.1-01.3	814	75.1	71.6-78.6	67	6.7	04.5-08.9	7	0.5	00.1-00.9	191	17.0	14.1-19.9
Black or Afr. Am./Non-Hisp	124	15,804				6	5.5	00.4-10.6				18	10.8	05.1-16.5	1	0.4	00.0-01.2	23	18.1	09.9-26.3
25-34	82	19,469				2	1.5	00.0-03.5				7	8.5	01.8-15.2				15	19.0	09.8-28.2
35-44	118	19,728				1	0.7	00.0-02.1	91	78.8	70.0-87.6	8	6.4	00.7-12.1	1	0.3	00.0-00.9	17	13.7	06.4-21.0
45-54	173	25,322	1	0.2	00.0-00.6	2	1.3	00.0-03.3	134	79.4	72.5-86.3	7	4.8	00.7-08.9				29	14.5	08.8-20.2
55-64	315	27,043				7	2.8	00.1-05.5	230	74.0	68.3-79.7	26	7.5	04.4-10.6	2	0.4	00.0-01.0	50	15.2	10.5-19.9
65+	555	43,961				5	0.6	00.0-01.2	398	71.5	67.2-75.8	39	7.2	04.7-09.7	4	0.9	00.0-01.9	109	19.8	16.1-23.5
Less Than H.S.	68	6,388				2	1.5	00.0-03.7							1	0.7	00.0-02.1			
H.S. or G.E.D.	374	38,608				4	1.5	00.0-03.1	270	75.5	70.0-81.0	24	5.2	02.5-07.9	1	0.2	00.0-00.6	75	17.5	13.0-22.0
Some Post-H.S.	356	42,878	1	0.1	00.0-00.3	7	3.5	00.0-07.4	251	65.6	57.6-73.6	29	11.3	04.8-17.8	3	0.7	00.0-01.5	65	18.8	12.5-25.1
College Graduate	474	59,230				5	0.7	00.0-01.5	366	78.0	73.5-82.5	28	5.5	03.0-08.0	2	0.2	00.0-00.6	73	15.5	11.6-19.4
Less than \$15,000	149	12,645	1	0.3	00.0-00.9				112	76.4	66.8-86.0	13	11.5	02.7-20.3	1	0.8	00.0-02.4	22	11.0	06.1-15.9
\$15,000- 24,999	128	13,123				3	7.1	00.0-18.7				13	12.9	04.1-21.7				26	15.8	08.4-23.2
\$25,000- 34,999	121	11,817				2	2.4	00.0-05.7	85	71.0	61.0-81.0	9	8.3	00.9-15.7	2	1.6	00.0-04.1	23	16.7	09.3-24.1
\$35,000- 49,999	154	15,303				4	4.1	00.0-08.8				14	11.7	04.6-18.8	3	1.5	00.0-03.3			
\$50,000- 74,999	185	21,089				4	1.5	00.0-03.1	136	74.4	66.2-82.6	11	6.3	01.6-11.0	1	0.3	00.0-00.9	33	17.5	10.2-24.8
\$75,000+	309	48,346				2	0.6	00.0-01.6	247	79.8	74.1-85.5	12	3.0	00.8-05.2				48	16.6	11.1-22.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 7. THE SEASONAL FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRY3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4217	674,847	36	1.2	00.6-01.8	4181	98.8	98.2-99.4	
Male	1512	320,419	22	1.8	00.8-02.8	1490	98.2	97.2-99.2	
Female	2705	354,428	14	0.7	00.1-01.3	2691	99.3	98.7-99.9	
White/Non-Hisp	3378	506,288	21	1.0	00.4-01.6	3357	99.0	98.4-99.6	
Black or Afr. Am./Non-Hisp	535	91,917	11	2.6	00.4-04.8	524	97.4	95.2-99.6	
Oth. Race/Non-Hisp.	107	28,146				107	100.0	0100-0100	
MultiRacial/Non-Hisp.	56	10,789	2	7.0	00.0-17.4	54	93.0	82.6-0100	
Hispanic	110	33,540	1	0.1	00.0-00.5	109	99.9	99.5-0100	
18-24	130	84,358	2	1.1	00.0-02.9	128	98.9	97.1-0100	
25-34	323	109,605	14	3.1	01.1-05.1	309	96.9	94.9-98.9	
35-44	553	118,955	11	2.6	00.8-04.4	542	97.4	95.6-99.2	
45-54	771	128,592	2	0.1	00.0-00.3	769	99.9	99.7-0100	
55-64	963	102,100	3	0.2	00.0-00.6	960	99.8	99.4-0100	
65+	1428	126,973	3	0.2	00.0-00.6	1425	99.8	99.4-0100	
Less Than H.S.	273	40,858	2	3.1	00.0-07.4	271	96.9	92.6-0100	
H.S. or G.E.D.	1267	179,399	3	0.3	00.0-00.7	1264	99.7	99.3-0100	
Some Post-H.S.	1099	192,464	12	1.3	00.5-02.1	1087	98.7	97.9-99.5	
College Graduate	1566	260,648	19	1.5	00.7-02.3	1547	98.5	97.7-99.3	
Less than \$15,000	449	55,405	2	1.5	00.0-03.7	447	98.5	96.3-0100	
\$15,000- 24,999	417	49,383	1	1.0	00.0-03.0	416	99.0	97.0-0100	
\$25,000- 34,999	360	51,231	2	0.6	00.0-01.4	358	99.4	98.6-0100	
\$35,000- 49,999	558	80,205	7	0.8	00.2-01.4	551	99.2	98.6-99.8	
\$50,000- 74,999	622	96,662	7	1.5	00.3-02.7	615	98.5	97.3-99.7	
\$75,000+	1120	231,451	14	1.3	00.5-02.1	1106	98.7	97.9-99.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 8: THE SEASONAL FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRY3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1512	320,419	22	1.8	00.8-02.8	1490	98.2	97.2-99.2
White/Non-Hisp	1238	245,748	17	1.7	00.7-02.7	1221	98.3	97.3-99.3
Black or Afr. Am./Non-Hisp	159	36,035	4	4.1	00.0-08.8	155	95.9	91.2-0100
25-34	98	53,335	7	3.5	00.6-06.4	91	96.5	93.6-99.4
35-44	192	57,837	8	4.1	01.0-07.2	184	95.9	92.8-99.0
45-54	298	61,905	2	0.2	00.0-00.6	296	99.8	99.4-0100
55-64	357	49,073	2	0.5	00.0-01.1	355	99.5	98.9-0100
65+	513	54,982	2	0.5	00.0-01.3	511	99.5	98.7-0100
Less Than H.S.	117	23,030	1	3.4	00.0-09.9	116	96.6	90.1-0100
H.S. or G.E.D.	454	80,488	3	0.7	00.0-01.5	451	99.3	98.5-0100
Some Post-H.S.	351	90,578	7	1.6	00.2-03.0	344	98.4	97.0-99.8
College Graduate	586	125,543	11	2.3	00.7-03.9	575	97.7	96.1-99.3
Less than \$15,000	141	24,985	1	1.1	00.0-03.3	140	98.9	96.7-0100
\$15,000- 24,999	114	17,336				114	100.0	0100-0100
\$25,000- 34,999	125	23,067				125	100.0	0100-0100
\$35,000- 49,999	207	38,564	4	1.1	00.0-02.3	203	98.9	97.7-0100
\$50,000- 74,999	238	46,108	5	2.1	00.0-04.3	233	97.9	95.7-0100
\$75,000+	487	121,087	10	2.2	00.6-03.8	477	97.8	96.2-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 9: THE SEASONAL FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRY3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2705	354,428	14	0.7	00.1-01.3	2691	99.3	98.7-99.9	
White/Non-Hisp	2140	260,540	4	0.3	00.0-00.7	2136	99.7	99.3-0100	
Black or Afr. Am./Non-Hisp	376	55,882	7	1.6	00.2-03.0	369	98.4	97.0-99.8	
Oth. Race/Non-Hisp.	61	14,533				61	100.0	0100-0100	
Hispanic	68	15,425				68	100.0	0100-0100	
18-24	82	42,019	1	0.3	00.0-00.9	81	99.7	99.1-0100	
25-34	225	56,270	7	2.8	00.3-05.3	218	97.2	94.7-99.7	
35-44	361	61,118	3	1.1	00.0-02.7	358	98.9	97.3-0100	
45-54	473	66,687				473	100.0	0100-0100	
55-64	606	53,027	1	0.0	00.0-00.0	605	100.0	0100-0100	
65+	915	71,991	1	0.0	00.0-00.0	914	100.0	0100-0100	
Less Than H.S.	156	17,828	1	2.7	00.0-08.0	155	97.3	92.0-0100	
H.S. or G.E.D.	813	98,911				813	100.0	0100-0100	
Some Post-H.S.	748	101,885	5	1.0	00.0-02.2	743	99.0	97.8-0100	
College Graduate	980	135,105	8	0.7	00.1-01.3	972	99.3	98.7-99.9	
Less than \$15,000	308	30,419	1	1.8	00.0-05.3	307	98.2	94.7-0100	
\$15,000- 24,999	303	32,047	1	1.5	00.0-04.4	302	98.5	95.6-0100	
\$25,000- 34,999	235	28,165	2	1.1	00.0-02.7	233	98.9	97.3-0100	
\$35,000- 49,999	351	41,641	3	0.5	00.0-01.1	348	99.5	98.9-0100	
\$50,000- 74,999	384	50,554	2	0.9	00.0-02.3	382	99.1	97.7-0100	
\$75,000+	633	110,364	4	0.4	00.0-00.8	629	99.6	99.2-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION

TABLE 10: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSPRMY1)
Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION

TABLE 11: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSPRMY1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION

TABLE 12: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSPRMY1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 13: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3990	612,646	1553	29.3	27.3-31.3	2437	70.7	68.7-72.7
Male	1409	283,859	536	29.4	26.3-32.5	873	70.6	67.5-73.7
Female	2581	328,787	1017	29.3	27.1-31.5	1564	70.7	68.5-72.9
White/Non-Hisp	3203	463,006	1328	31.0	28.8-33.2	1875	69.0	66.8-71.2
Black or Afr. Am./Non-Hisp	504	81,506	146	27.8	22.5-33.1	358	72.2	66.9-77.5
Oth. Race/Non-Hisp.	100	25,814	26	19.1	09.9-28.3	74	80.9	71.7-90.1
18-24	99	60,368	21	15.7	08.1-23.3	78	84.3	76.7-91.9
25-34	282	95,709	40	18.1	12.0-24.2	242	81.9	75.8-88.0
35-44	507	108,984	73	15.9	11.8-20.0	434	84.1	80.0-88.2
45-54	729	120,910	119	15.6	12.5-18.7	610	84.4	81.3-87.5
55-64	933	98,302	279	28.5	25.0-32.0	654	71.5	68.0-75.0
65+	1393	124,243	1003	70.0	67.1-72.9	390	30.0	27.1-32.9
Less Than H.S.	260	36,653	127	34.5	25.9-43.1	133	65.5	56.9-74.1
H.S. or G.E.D.	1207	167,322	506	33.6	29.7-37.5	701	66.4	62.5-70.3
Some Post-H.S.	1023	163,088	426	31.5	27.6-35.4	597	68.5	64.6-72.4
College Graduate	1488	244,105	488	24.2	21.7-26.7	1000	75.8	73.3-78.3
Less than \$15,000	423	51,750	228	41.8	34.5-49.1	195	58.2	50.9-65.5
\$15,000- 24,999	391	42,085	200	40.9	34.0-47.8	191	59.1	52.2-66.0
\$25,000- 34,999	346	47,721	156	37.4	29.4-45.4	190	62.6	54.6-70.6
\$35,000- 49,999	529	72,310	204	31.4	26.1-36.7	325	68.6	63.3-73.9
\$50,000- 74,999	593	91,085	188	27.3	22.4-32.2	405	72.7	67.8-77.6
\$75,000+	1059	213,899	268	20.0	17.1-22.9	791	80.0	77.1-82.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 14: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1409	283,859	536	29.4	26.3-32.5	873	70.6	67.5-73.7
White/Non-Hisp	1157	221,087	462	30.8	27.3-34.3	695	69.2	65.7-72.7
35-44	173	52,635	28	17.9	11.2-24.6	145	82.1	75.4-88.8
45-54	275	56,512	49	18.9	13.4-24.4	226	81.1	75.6-86.6
55-64	341	46,815	90	25.7	20.0-31.4	251	74.3	68.6-80.0
65+	494	53,416	341	66.4	61.5-71.3	153	33.6	28.7-38.5
H.S. or G.E.D.	423	73,829	157	32.1	25.2-39.0	266	67.9	61.0-74.8
Some Post-H.S.	318	72,100	134	32.2	25.5-38.9	184	67.8	61.1-74.5
College Graduate	557	117,866	193	25.2	21.1-29.3	364	74.8	70.7-78.9
\$35,000- 49,999	195	34,141	78	36.1	27.3-44.9	117	63.9	55.1-72.7
\$50,000- 74,999	221	42,537	81	32.6	23.8-41.4	140	67.4	58.6-76.2
\$75,000+	461	112,016	126	20.7	16.4-25.0	335	79.3	75.0-83.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 15: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2581	328,787	1017	29.3	27.1-31.5	1564	70.7	68.5-72.9
White/Non-Hisp	2046	241,919	866	31.2	28.8-33.6	1180	68.8	66.4-71.2
Black or Afr. Am./Non-Hisp	358	52,250	100	25.5	19.4-31.6	258	74.5	68.4-80.6
18-24	67	34,098	15	15.4	06.4-24.4	52	84.6	75.6-93.6
25-34	194	48,447	21	13.0	07.3-18.7	173	87.0	81.3-92.7
35-44	334	56,349	45	14.1	09.6-18.6	289	85.9	81.4-90.4
45-54	454	64,398	70	12.8	09.5-16.1	384	87.2	83.9-90.5
55-64	592	51,487	189	31.0	26.5-35.5	403	69.0	64.5-73.5
65+	899	70,827	662	72.7	69.4-76.0	237	27.3	24.0-30.6
Less Than H.S.	153	17,369	77	34.2	24.4-44.0	76	65.8	56.0-75.6
H.S. or G.E.D.	784	93,493	349	34.8	30.3-39.3	435	65.2	60.7-69.7
Some Post-H.S.	705	90,987	292	30.9	26.6-35.2	413	69.1	64.8-73.4
College Graduate	931	126,239	295	23.3	20.2-26.4	636	76.7	73.6-79.8
Less than \$15,000	294	28,754	161	43.0	35.4-50.6	133	57.0	49.4-64.6
\$15,000- 24,999	288	29,539	151	42.4	34.0-50.8	137	57.6	49.2-66.0
\$25,000- 34,999	227	26,494	101	36.9	28.5-45.3	126	63.1	54.7-71.5
\$35,000- 49,999	334	38,169	126	27.2	21.3-33.1	208	72.8	66.9-78.7
\$50,000- 74,999	372	48,548	107	22.7	17.8-27.6	265	77.3	72.4-82.2
\$75,000+	598	101,883	142	19.2	15.5-22.9	456	80.8	77.1-84.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 15: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)	
1	MALES AND FEMALES	192
2	MALES ONLY	193
3	FEMALES ONLY	194
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	195
5	MALES ONLY	196
6	FEMALES ONLY	197

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 1: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3159	357,750	286	10.0	08.6-11.4	85	2.4	01.8-03.0	39	1.2	00.6-01.8	15	0.4	00.2-00.6	29	0.9	00.5-01.3	2705	85.1	83.5-86.7
Male	1165	165,817	99	9.7	07.3-12.1	35	2.5	01.5-03.5	14	1.1	00.3-01.9	5	0.4	00.0-00.8	10	0.7	00.1-01.3	1002	85.7	83.2-88.2
Female	1994	191,933	187	10.3	08.5-12.1	50	2.3	01.5-03.1	25	1.3	00.7-01.9	10	0.4	00.2-00.6	19	1.1	00.5-01.7	1703	84.6	82.6-86.6
White/Non-Hisp	2657	295,944	245	10.0	08.4-11.6	73	2.4	01.8-03.0	31	1.2	00.6-01.8	12	0.3	00.1-00.5	26	1.0	00.6-01.4	2270	85.1	83.3-86.9
Black or Afr. Am./Non-Hisp	336	38,116	28	10.6	06.1-15.1	11	3.6	01.2-06.0	5	0.9	00.0-01.9	1	0.7	00.0-02.1	2	0.9	00.0-02.1	289	83.3	78.0-88.6
Oth. Race/Non-Hisp.	62	10,172				1	1.0	00.0-03.0												
45-54	773	128,896	70	9.6	06.9-12.3	26	2.6	01.4-03.8	10	1.4	00.4-02.4	3	0.3	00.0-00.7	12	1.1	00.5-01.7	652	85.0	81.9-88.1
55-64	957	101,853	83	9.9	07.4-12.4	21	1.9	00.9-02.9	11	1.0	00.0-02.0	6	0.4	00.0-00.8	11	1.0	00.2-01.8	825	85.7	82.8-88.6
65+	1429	127,001	133	10.5	08.5-12.5	38	2.6	01.6-03.6	18	1.1	00.5-01.7	6	0.4	00.0-00.8	6	0.7	00.1-01.3	1228	84.7	82.3-87.1
Less Than H.S.	219	20,357	20	10.0	05.1-14.9	11	3.3	01.1-05.5	3	3.4	00.0-08.5				3	2.2	00.0-05.3	182	81.0	73.7-88.3
H.S. or G.E.D.	1026	106,743	93	10.3	07.9-12.7	23	2.3	01.3-03.3	13	0.8	00.4-01.2	5	0.5	00.0-01.1	10	1.0	00.4-01.6	882	85.2	82.7-87.7
Some Post-H.S.	808	93,064	80	11.5	08.4-14.6	24	2.5	01.3-03.7	12	2.1	00.5-03.7	5	0.4	00.0-00.8	9	1.2	00.2-02.2	678	82.2	78.5-85.9
College Graduate	1100	136,985	93	8.9	06.7-11.1	27	2.3	01.3-03.3	11	0.5	00.1-00.9	5	0.3	00.1-00.5	7	0.5	00.1-00.9	957	87.5	85.1-89.9
Less than \$15,000	373	33,908	38	12.9	07.8-18.0	13	3.5	01.1-05.9	9	1.9	00.5-03.3	3	0.9	00.0-01.9	6	1.6	00.0-03.2	304	79.2	73.5-84.9
\$15,000- 24,999	339	28,274	30	8.5	05.2-11.8	22	6.2	03.5-08.9	10	4.5	00.6-08.4	3	0.7	00.0-01.5	7	2.0	00.2-03.8	267	78.1	72.4-83.8
\$25,000- 34,999	272	24,914	24	9.6	05.3-13.9	4	1.5	00.0-03.3	4	1.1	00.0-02.3	1	0.4	00.0-01.2	2	1.2	00.0-03.0	237	86.3	81.4-91.2
\$35,000- 49,999	419	44,080	38	8.7	05.8-11.6	10	3.4	01.0-05.8	4	1.4	00.0-03.0				2	0.4	00.0-01.0	365	86.2	82.3-90.1
\$50,000- 74,999	453	54,447	44	10.1	06.6-13.6	12	2.8	01.0-04.6	3	0.3	00.0-00.7	1	0.5	00.0-01.5	8	1.9	00.5-03.3	385	84.3	80.2-88.4
\$75,000+	758	114,014	71	10.6	07.7-13.5	17	1.6	00.6-02.6	5	0.9	00.0-01.9	3	0.3	00.0-00.7	3	0.3	00.0-00.7	659	86.4	83.3-89.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 2: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1165	165,817	99	9.7	07.3-12.1	35	2.5	01.5-03.5	14	1.1	00.3-01.9	5	0.4	00.0-00.8	10	0.7	00.1-01.3	1002	85.7	83.2-88.2
White/Non-Hisp	987	140,156	86	9.8	07.3-12.3	31	2.7	01.5-03.9	14	1.3	00.3-02.3	2	0.1	00.0-00.3	8	0.6	00.0-01.2	846	85.5	82.6-88.4
Black or Afr. Am./Non-Hisp	109	14,035	8	10.7	02.1-19.3	3	1.8	00.0-04.2				1	1.9	00.0-05.6	1	1.1	00.0-03.3	96	84.5	74.9-94.1
45-54	299	62,070	22	8.5	04.2-12.8	10	2.5	00.7-04.3	3	0.9	00.0-02.3	1	0.4	00.0-01.2	2	0.4	00.0-01.0	261	87.2	82.3-92.1
55-64	355	48,992	29	10.0	05.9-14.1	8	1.8	00.4-03.2	4	1.3	00.0-03.5				6	1.1	00.1-02.1	308	85.7	81.0-90.4
65+	511	54,756	48	10.6	07.5-13.7	17	3.0	01.2-04.8	7	1.0	00.2-01.8	4	0.7	00.0-01.5	2	0.6	00.0-01.6	433	84.0	80.3-87.7
Less Than H.S.	97	11,203	8	8.3	02.0-14.6	3	1.5	00.0-03.3	2	5.1	00.0-14.1				2	3.7	00.0-09.2			
H.S. or G.E.D.	365	46,054	33	9.7	06.0-13.4	10	2.6	00.8-04.4	5	0.8	00.0-01.6	2	0.8	00.0-02.0	4	0.9	00.0-01.9	311	85.2	80.9-89.5
Some Post-H.S.	254	37,530	28	13.9	07.6-20.2	7	1.6	00.2-03.0	3	1.6	00.0-03.8	1	0.3	00.0-00.9	2	0.2	00.0-00.4	213	82.5	75.8-89.2
College Graduate	447	70,780	30	7.7	04.4-11.0	15	3.0	01.2-04.8	4	0.4	00.0-00.8	2	0.3	00.0-00.7	2	0.3	00.0-00.7	394	88.3	84.6-92.0
Less than \$15,000	121	14,103	11	10.4	02.0-18.8	3	2.1	00.0-05.2	5	2.4	00.2-04.6	1	0.7	00.0-02.1	3	1.6	00.0-03.6	98	82.7	73.7-91.7
\$15,000- 24,999	96	10,125	9	9.4	02.5-16.3	8	6.5	01.8-11.2	4	7.4	00.0-17.4	1	0.8	00.0-02.4	1	0.4	00.0-01.2			
\$25,000- 34,999	100	10,653	10	10.8	03.4-18.2	3	2.8	00.0-06.7				1	1.0	00.0-03.0				86	85.4	77.0-93.8
\$35,000- 49,999	163	21,470	17	8.8	04.3-13.3	6	5.0	00.9-09.1	1	0.3	00.0-00.9				1	0.3	00.0-00.9	138	85.5	79.6-91.4
\$50,000- 74,999	185	26,370	15	9.2	03.3-15.1	3	1.6	00.0-03.6	1	0.4	00.0-01.2	1	1.0	00.0-03.0	4	1.8	00.0-03.8	161	86.0	79.5-92.5
\$75,000+	353	62,004	26	9.7	05.4-14.0	9	1.9	00.5-03.3	3	0.9	00.0-02.3	1	0.2	00.0-00.6				314	87.5	83.0-92.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 3: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1994	191,933	187	10.3	08.5-12.1	50	2.3	01.5-03.1	25	1.3	00.7-01.9	10	0.4	00.2-00.6	19	1.1	00.5-01.7	1703	84.6	82.6-86.6
White/Non-Hisp	1670	155,789	159	10.2	08.4-12.0	42	2.2	01.4-03.0	17	1.2	00.4-02.0	10	0.4	00.0-00.8	18	1.3	00.7-01.9	1424	84.7	82.5-86.9
Black or Afr. Am./Non-Hisp	227	24,082	20	10.6	05.5-15.7	8	4.6	01.3-07.9	5	1.4	00.0-02.8				1	0.8	00.0-02.4	193	82.6	76.3-88.9
45-54	474	66,826	48	10.6	07.3-13.9	16	2.6	01.2-04.0	7	1.8	00.2-03.4	2	0.2	00.0-00.4	10	1.7	00.5-02.9	391	83.1	79.2-87.0
55-64	602	52,861	54	9.8	06.9-12.7	13	2.0	00.6-03.4	7	0.7	00.1-01.3	6	0.8	00.0-01.6	5	0.9	00.0-01.9	517	85.7	82.4-89.0
65+	918	72,245	85	10.4	08.0-12.8	21	2.3	01.1-03.5	11	1.2	00.4-02.0	2	0.2	00.0-00.4	4	0.7	00.0-01.5	795	85.2	82.5-87.9
Less Than H.S.	122	9,154	12	12.0	04.4-19.6	8	5.7	01.6-09.8	1	1.4	00.0-04.1				1	0.5	00.0-01.5	100	80.5	72.1-88.9
H.S. or G.E.D.	661	60,689	60	10.7	07.8-13.6	13	2.0	00.8-03.2	8	0.8	00.2-01.4	3	0.3	00.0-00.7	6	1.1	00.1-02.1	571	85.2	81.9-88.5
Some Post-H.S.	554	55,533	52	9.8	06.7-12.9	17	3.2	01.4-05.0	9	2.5	00.5-04.5	4	0.5	00.0-01.1	7	1.9	00.3-03.5	465	82.0	77.9-86.1
College Graduate	653	66,205	63	10.2	07.3-13.1	12	1.5	00.5-02.5	7	0.7	00.1-01.3	3	0.4	00.0-00.8	5	0.6	00.0-01.2	563	86.7	83.6-89.8
Less than \$15,000	252	19,804	27	14.7	08.2-21.2	10	4.4	01.3-07.5	4	1.6	00.0-03.6	2	0.9	00.0-02.5	3	1.7	00.0-03.9	206	76.7	69.4-84.0
\$15,000- 24,999	243	18,149	21	7.9	04.4-11.4	14	6.1	02.8-09.4	6	2.9	00.5-05.3	2	0.7	00.0-01.7	6	2.9	00.2-05.6	194	79.6	73.9-85.3
\$25,000- 34,999	172	14,261	14	8.6	03.7-13.5	1	0.5	00.0-01.5	4	1.9	00.0-03.9				2	2.0	00.0-05.1	151	87.0	81.1-92.9
\$35,000- 49,999	256	22,610	21	8.6	04.7-12.5	4	1.9	00.0-04.1	3	2.3	00.0-05.4				1	0.4	00.0-01.2	227	86.8	81.5-92.1
\$50,000- 74,999	268	28,077	29	11.0	06.7-15.3	9	3.9	01.2-06.6	2	0.3	00.0-00.7				4	2.1	00.0-04.3	224	82.7	77.4-88.0
\$75,000+	405	52,009	45	11.6	07.9-15.3	8	1.3	00.3-02.3	2	0.9	00.0-02.5	2	0.4	00.0-01.0	3	0.6	00.0-01.4	345	85.2	81.1-89.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	452	53,169	115	24.3	19.6-29.0	18	3.3	01.5-05.1	7	1.0	00.2-01.8	3	0.2	00.0-00.4	4	0.5	00.0-01.1	305	70.7	65.6-75.8
Male	163	23,699	31	17.2	10.3-24.1	5	1.4	00.0-02.8	2	0.8	00.0-02.0				1	0.2	00.0-00.6	124	80.5	73.4-87.6
Female	289	29,469	84	30.0	23.5-36.5	13	4.9	01.8-08.0	5	1.2	00.0-02.4	3	0.4	00.0-01.0	3	0.7	00.0-01.7	181	62.8	55.9-69.7
White/Non-Hisp	386	44,105	103	25.6	20.1-31.1	14	2.8	01.0-04.6	5	0.7	00.0-01.5	3	0.3	00.0-00.7	4	0.6	00.0-01.2	257	70.1	64.4-75.8
45-54	121	19,275	27	23.0	14.2-31.8	6	3.2	00.3-06.1	2	1.1	00.0-02.7	1	0.4	00.0-01.2	2	1.0	00.0-02.4	83	71.4	62.0-80.8
55-64	131	14,501	31	21.5	12.5-30.5	6	4.4	00.1-08.7	4	1.3	00.0-02.7	2	0.3	00.0-00.7	2	0.5	00.0-01.1	86	72.0	62.4-81.6
65+	200	19,392	57	27.6	20.5-34.7	6	2.7	00.3-05.1	1	0.6	00.0-01.8							136	69.0	61.7-76.3
H.S. or G.E.D.	144	15,788	32	20.7	13.3-28.1	2	0.5	00.0-01.3	4	1.8	00.0-03.8	2	0.6	00.0-01.6	2	0.8	00.0-02.0	102	75.6	67.8-83.4
Some Post-H.S.	130	16,547	32	23.7	14.3-33.1	9	7.5	02.2-12.8				1	0.1	00.0-00.3	1	0.2	00.0-00.6			
College Graduate	141	16,975	43	28.6	19.6-37.6	3	1.4	00.0-03.0	1	0.4	00.0-01.2				1	0.5	00.0-01.5	93	69.1	60.1-78.1
Less than \$15,000	69	7,045	13	14.7	05.1-24.3	1	0.5	00.0-01.5	2	1.8	00.0-04.3				2	1.8	00.0-04.5			
\$15,000- 24,999	72	6,192				10	10.7	03.6-17.8	2	2.9	00.0-07.4	2	1.6	00.0-04.0	1	0.5	00.0-01.5			
\$35,000- 49,999	54	6,103				2	2.9	00.0-06.8							1	1.5	00.0-04.4			
\$50,000- 74,999	67	8,509	9	10.6	03.2-18.0	3	6.9	00.0-14.5												
\$75,000+	98	15,427				1	1.4	00.0-04.1	1	0.5	00.0-01.5									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	163	23,699	31	17.2	10.5-23.9	5	1.4	00.0-02.8	2	0.8	00.0-02.0	1	0.2	00.0-00.6	124	80.5	73.6-87.4
White/Non-Hisp	141	20,351	28	18.2	10.6-25.8	4	1.1	00.0-02.3	2	0.9	00.0-02.3	1	0.2	00.0-00.6	106	79.7	71.9-87.5
65+	78	8,738				3	2.8	00.0-06.1									
H.S. or G.E.D.	54	6,798	6	10.3	01.5-19.1	2	1.2	00.0-03.0	2	2.6	00.0-06.7				44	85.9	76.1-95.7
College Graduate	53	8,248				1	1.2	00.0-03.6									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	289	29,469	84	30.0	23.5-36.5	13	4.9	01.8-08.0	5	1.2	00.0-02.4	3	0.4	00.0-01.0	3	0.7	00.0-01.7	181	62.8	55.9-69.7
White/Non-Hisp	245	23,754	75	31.9	24.6-39.2	10	4.2	01.1-07.3	3	0.6	00.0-01.4	3	0.5	00.0-01.1	3	0.9	00.0-02.1	151	61.8	54.4-69.2
45-54	83	11,319				6	5.4	00.5-10.3	1	0.7	00.0-02.1	1	0.6	00.0-01.8	2	1.6	00.0-04.0			
55-64	84	7,496				4	7.4	00.0-15.4	3	1.9	00.0-04.3	2	0.6	00.0-01.6	1	0.4	00.0-01.2			
65+	122	10,654	40	32.7	23.3-42.1	3	2.7	00.0-06.0	1	1.2	00.0-03.6							78	63.4	53.6-73.2
H.S. or G.E.D.	90	8,990							2	1.1	00.0-02.9	2	1.1	00.0-02.9	2	1.4	00.0-03.6			
Some Post-H.S.	89	9,969				7	11.0	02.8-19.2				1	0.1	00.0-00.3						
College Graduate	88	8,727				2	1.5	00.0-03.7	1	0.8	00.0-02.6				1	1.1	00.0-03.3			
\$75,000+	59	7,648				1	2.8	00.0-08.1	1	1.0	00.0-03.0									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 16: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

SECTION 16: SEATBELT USE CONTENTS

*** NOTE *** *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE																				PAGE
HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)																				
1 MALES AND FEMALES																				199
2 MALES ONLY																				200
3 FEMALES ONLY																				201
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4226	676,886	3951	91.2	89.6-92.8	156	4.8	03.8-05.8	44	1.5	00.9-02.1	31	1.5	00.7-02.3	37	0.9	00.5-01.3	7	0.1	00.0-00.3
Male	1517	321,906	1368	87.4	84.7-90.1	76	6.4	04.4-08.4	25	2.1	00.9-03.3	22	2.7	00.9-04.5	22	1.3	00.5-02.1	4	0.2	00.0-00.4
Female	2709	354,980	2583	94.6	93.2-96.0	80	3.3	02.3-04.3	19	0.9	00.3-01.5	9	0.4	00.0-00.8	15	0.5	00.1-00.9	3	0.1	00.0-00.3
White/Non-Hisp	3383	508,075	3162	91.0	89.2-92.8	131	5.0	03.8-06.2	36	1.7	00.9-02.5	23	1.4	00.6-02.2	28	0.8	00.4-01.2	3	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	538	92,260	501	93.3	90.8-95.8	18	3.8	01.6-06.0	4	0.5	00.0-01.1	5	1.1	00.0-02.3	7	1.0	00.2-01.8	3	0.3	00.0-00.7
Oth. Race/Non-Hisp.	107	28,146	101	92.9	86.2-99.6	3	2.1	00.0-04.6	1	2.3	00.0-06.8	1	2.3	00.0-06.8	1	0.4	00.0-01.2			
MultiRacial/Non-Hisp.	56	10,789				1	5.5	00.0-15.9										1	4.0	00.0-11.6
Hispanic	111	33,596				3	6.3	00.0-13.9	2	0.8	00.0-02.0	2	5.0	00.0-14.0	1	2.0	00.0-05.9			
18-24	130	84,358	108	85.2	78.1-92.3	11	7.1	02.0-12.2	6	4.1	00.0-08.4	3	2.3	00.0-04.8	2	1.4	00.0-03.4			
25-34	324	110,411	293	85.5	79.6-91.4	17	6.9	03.2-10.6	7	2.4	00.2-04.6	5	4.2	00.0-08.5	2	1.0	00.0-02.6			
35-44	553	119,012	521	93.2	90.7-95.7	22	4.9	02.7-07.1	3	0.7	00.0-01.5	6	1.0	00.0-02.0	1	0.1	00.0-00.3			
45-54	774	129,048	721	92.8	90.6-95.0	34	4.6	02.8-06.4	3	0.4	00.0-00.8	5	0.7	00.0-01.5	10	1.4	00.4-02.4	1	0.1	00.0-00.3
55-64	962	102,066	903	93.7	91.7-95.7	27	2.9	01.5-04.3	13	1.2	00.4-02.0	4	0.8	00.0-01.8	12	1.2	00.4-02.0	3	0.3	00.0-00.7
65+	1434	127,683	1357	94.4	92.8-96.0	45	3.3	02.3-04.3	12	0.9	00.3-01.5	7	0.5	00.1-00.9	10	0.5	00.1-00.9	3	0.5	00.0-01.3
Less Than H.S.	273	40,900	251	87.9	80.5-95.3	8	4.7	00.0-09.4	2	2.8	00.0-07.7	2	2.3	00.0-05.8	8	1.7	00.3-03.1	2	0.6	00.0-01.6
H.S. or G.E.D.	1270	180,122	1177	88.3	85.0-91.6	50	6.0	03.6-08.4	15	1.7	00.5-02.9	12	2.0	00.0-04.0	13	1.8	00.4-03.2	3	0.1	00.0-00.3
Some Post-H.S.	1103	193,137	1028	90.2	86.9-93.5	40	4.8	02.4-07.2	16	2.0	00.4-03.6	11	2.3	00.3-04.3	8	0.8	00.2-01.4			
College Graduate	1568	261,249	1483	94.4	93.0-95.8	58	4.0	02.8-05.2	11	0.7	00.1-01.3	6	0.5	00.1-00.9	8	0.2	00.0-00.4	2	0.2	00.0-00.6
Less than \$15,000	451	56,158	423	92.4	88.3-96.5	21	6.5	02.6-10.4	3	0.4	00.0-00.8	1	0.0	00.0-00.0	3	0.6	00.0-01.4			
\$15,000- 24,999	418	49,574	390	92.1	88.0-96.2	13	4.4	00.9-07.9	1	0.2	00.0-00.6	4	1.5	00.0-03.5	5	0.8	00.0-01.6	5	1.0	00.0-02.0
\$25,000- 34,999	360	51,082	334	86.8	79.2-94.4	10	3.8	00.9-06.7	8	2.7	00.0-05.8	6	6.3	00.0-13.4	2	0.5	00.0-01.3			
\$35,000- 49,999	561	81,122	514	87.3	82.2-92.4	28	7.0	03.1-10.9	10	3.3	00.2-06.4	5	1.5	00.0-03.1	4	0.9	00.0-02.1			
\$50,000- 74,999	622	96,726	574	90.0	86.3-93.7	29	6.8	03.3-10.3	4	0.6	00.0-01.2	5	1.4	00.0-03.0	9	1.1	00.3-01.9	1	0.1	00.0-00.3
\$75,000+	1120	231,500	1056	93.2	91.0-95.4	39	4.2	02.4-06.0	11	1.1	00.3-01.9	6	0.8	00.0-01.6	8	0.8	00.0-01.6			

NOTE: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 16: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1517	321,906	1368	87.4	84.7-90.1	76	6.4	04.4-08.4	25	2.1	00.9-03.3	22	2.7	00.9-04.5	22	1.3	00.5-02.1	4	0.2	00.0-00.4
White/Non-Hisp	1242	247,184	1121	87.2	84.1-90.3	66	6.7	04.5-08.9	19	2.2	00.6-03.8	16	2.3	00.5-04.1	19	1.5	00.5-02.5	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	160	36,234	142	90.7	85.4-96.0	7	4.7	00.8-08.6	3	1.1	00.0-02.5	4	2.3	00.0-05.2	2	0.7	00.0-01.7	2	0.5	00.0-01.1
25-34	99	54,141				7	9.0	02.1-15.9	2	1.3	00.0-03.5	4	8.3	00.0-16.7	1	1.7	00.0-05.0			
35-44	192	57,894	170	88.9	84.0-93.8	14	7.7	03.6-11.8	3	1.5	00.0-03.3	4	1.7	00.0-03.5	1	0.2	00.0-00.6			
45-54	300	62,222	268	89.4	85.5-93.3	19	6.7	03.4-10.0	2	0.6	00.0-01.4	3	1.0	00.0-02.2	7	2.1	00.3-03.9	1	0.2	00.0-00.6
55-64	357	49,073	328	92.4	89.1-95.7	15	4.0	01.6-06.4	5	1.0	00.0-02.0	2	1.1	00.0-03.1	5	1.4	00.0-02.8	2	0.2	00.0-00.4
65+	515	55,288	475	92.0	89.1-94.9	17	3.5	01.7-05.3	9	1.8	00.4-03.2	6	1.0	00.0-02.0	7	1.0	00.2-01.8	1	0.8	00.0-02.4
Less Than H.S.	116	22,881				5	6.7	00.0-14.5	2	5.1	00.0-13.9	2	4.0	00.0-10.3	4	1.1	00.0-02.3	1	0.2	00.0-00.6
H.S. or G.E.D.	455	81,050	406	83.7	77.6-89.8	23	7.9	03.8-12.0	8	1.5	00.0-03.1	9	3.9	00.0-08.2	8	2.9	00.4-05.4	1	0.0	00.0-00.0
Some Post-H.S.	353	91,066	312	84.3	77.8-90.8	20	6.9	02.4-11.4	10	3.8	00.5-07.1	6	3.9	00.0-07.8	5	1.2	00.0-02.4			
College Graduate	589	126,130	544	92.7	90.2-95.2	28	5.0	02.8-07.2	5	0.7	00.0-01.5	5	0.9	00.0-01.9	5	0.3	00.1-00.5	2	0.4	00.0-01.2
Less than \$15,000	143	25,739	129	88.4	80.2-96.6	10	10.3	02.1-18.5	2	0.6	00.0-01.4				2	0.7	00.0-01.7			
\$15,000- 24,999	114	17,336	101	89.5	81.3-97.7	3	4.3	00.0-10.2	1	0.6	00.0-01.8	3	3.3	00.0-08.8	4	1.8	00.0-03.6	2	0.5	00.0-01.3
\$25,000- 34,999	125	22,918				3	1.8	00.0-04.3	3	1.2	00.0-03.0									
\$35,000- 49,999	210	39,481	186	81.1	71.9-90.3	14	10.4	03.0-17.8	5	4.6	00.0-10.3	4	2.8	00.0-05.9	1	1.2	00.0-03.6			
\$50,000- 74,999	238	46,172	209	85.2	78.1-92.3	16	9.5	03.0-16.0	3	0.9	00.0-02.1	3	2.4	00.0-05.5	6	1.7	00.1-03.3	1	0.2	00.0-00.6
\$75,000+	487	121,096	445	90.9	87.6-94.2	23	5.2	02.5-07.9	8	1.7	00.3-03.1	4	1.1	00.0-02.3	7	1.0	00.0-02.0			
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always			Nearly Always			Sometimes		Seldom		Never			Never Ride in Car			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2709	354,980	2583	94.6	93.2-96.0	80	3.3	02.3-04.3	19	0.9	00.3-01.5	9	0.4	00.0-00.8	15	0.5	00.1-00.9	3	0.1	00.0-00.3
White/Non-Hisp	2141	260,891	2041	94.6	93.0-96.2	65	3.4	02.2-04.6	17	1.2	00.4-02.0	7	0.5	00.0-01.1	9	0.2	00.0-00.4	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	378	56,026	359	94.9	92.4-97.4	11	3.2	01.0-05.4	1	0.2	00.0-00.6	1	0.3	00.0-00.9	5	1.3	00.1-02.5	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	61	14,533	58	96.0	90.9-0100	3	4.0	00.0-09.1												
Hispanic	69	15,481	65	90.6	80.0-0100	1	3.6	00.0-10.5	1	0.8	00.0-02.4	1	0.5	00.0-01.5	1	4.4	00.0-12.8			
18-24	82	42,019	71	89.9	83.0-96.8	7	6.6	00.9-12.3	2	0.5	00.0-01.3	1	1.3	00.0-03.8	1	1.6	00.0-04.7			
25-34	225	56,270	208	91.1	86.4-95.8	10	4.9	01.6-08.2	5	3.5	00.0-07.0	1	0.2	00.0-00.6	1	0.3	00.0-00.9			
35-44	361	61,118	351	97.3	95.5-99.1	8	2.3	00.5-04.1				2	0.4	00.0-01.0						
45-54	474	66,826	453	96.0	94.0-98.0	15	2.6	01.0-04.2	1	0.3	00.0-00.9	2	0.5	00.0-01.3	3	0.7	00.0-01.5			
55-64	605	52,993	575	94.9	92.7-97.1	12	1.8	00.6-03.0	8	1.5	00.5-02.5	2	0.5	00.0-01.3	7	1.0	00.0-02.0	1	0.3	00.0-00.9
65+	919	72,395	882	96.2	94.8-97.6	28	3.1	01.7-04.5	3	0.2	00.0-00.4	1	0.1	00.0-00.3	3	0.2	00.0-00.4	2	0.3	00.0-00.7
Less Than H.S.	157	18,019	149	94.4	90.1-98.7	3	2.2	00.0-05.1							4	2.4	00.0-04.9	1	1.0	00.0-03.0
H.S. or G.E.D.	815	99,073	771	92.0	88.7-95.3	27	4.5	02.1-06.9	7	1.9	00.1-03.7	3	0.4	00.0-01.0	5	1.0	00.0-02.4	2	0.2	00.0-00.4
Some Post-H.S.	750	102,071	716	95.4	93.2-97.6	20	2.8	00.8-04.8	6	0.5	00.1-00.9	5	0.9	00.0-02.1	3	0.4	00.0-00.8			
College Graduate	979	135,119	939	96.0	94.4-97.6	30	3.0	01.6-04.4	6	0.7	00.0-01.5	1	0.2	00.0-00.6	3	0.1	00.0-00.3			
Less than \$15,000	308	30,419	294	95.8	93.1-98.5	11	3.2	00.8-05.6	1	0.3	00.0-00.9	1	0.1	00.0-00.3	1	0.6	00.0-01.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 16: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

SECTION 16: SEATBELT USE CONTENTS

*** NOTE *** *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE																PAGE				
\$15,000- 24,999	304	32,238	289	93.5	89.0-98.0	10	4.5	00.2-08.8				1	0.5	00.0-01.5	1	0.3	00.0-00.9	3	1.2	00.0-02.6
\$25,000- 34,999	235	28,165	219	87.8	80.0-95.6	7	5.4	00.5-10.3	5	3.8	00.0-09.1	2	2.1	00.0-05.8	2	0.9	00.0-02.3			
\$35,000- 49,999	351	41,641	328	93.3	89.8-96.8	14	3.9	01.4-06.4	5	2.1	00.0-04.5	1	0.2	00.0-00.6	3	0.5	00.0-01.3			
\$50,000- 74,999	384	50,554	365	94.3	91.2-97.4	13	4.4	01.5-07.3	1	0.3	00.0-00.9	2	0.4	00.0-01.0	3	0.5	00.0-01.3			
\$75,000+	633	110,404	611	95.6	93.2-98.0	16	3.0	01.0-05.0	3	0.3	00.0-00.7	2	0.4	00.0-01.0	1	0.6	00.0-01.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 17: DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	203
2	MALES ONLY	204
3	FEMALES ONLY	205

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 17: DRINKING AND DRIVING**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that didn't drink alcohol in the past 30 days
Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2210	400,867	45	3.7	02.3-05.1	11	0.7	00.1-01.3	6	0.3	00.0-00.7	1	0.0	00.0-00.0	9	0.5	00.1-00.9	2138	94.7	93.1-96.3
Male	923	219,719	33	5.6	03.2-08.0	7	0.6	00.0-01.2	4	0.4	00.0-01.0	1	0.0	00.0-00.0	8	0.9	00.3-01.5	870	92.4	89.9-94.9
Female	1287	181,148	12	1.5	00.3-02.7	4	0.8	00.0-02.0	2	0.1	00.0-00.3				1	0.0	00.0-00.0	1268	97.5	95.7-99.3
White/Non-Hisp	1877	323,938	41	3.9	02.3-05.5	7	0.5	00.1-00.9	6	0.4	00.0-00.8	1	0.0	00.0-00.0	8	0.5	00.1-00.9	1814	94.8	93.2-96.4
Black or Afr. Am./Non-Hisp	200	38,985	1	0.4	00.0-01.2	3	0.8	00.0-01.8							1	1.0	00.0-03.0	195	97.8	95.4-0100
Hispanic	60	19,472				1	5.7	00.0-16.5												
18-24	74	55,886	6	8.2	00.8-15.6	1	2.0	00.0-05.9	1	0.5	00.0-01.5				1	0.7	00.0-02.1	65	88.7	80.3-97.1
25-34	194	70,523	6	5.2	01.1-09.3	1	0.7	00.0-02.1	1	0.8	00.0-02.4				1	0.2	00.0-00.6	185	93.2	88.7-97.7
35-44	357	81,348	9	2.7	00.7-04.7	1	0.3	00.0-00.9	1	0.2	00.0-00.6				1	0.5	00.0-01.5	345	96.2	93.8-98.6
45-54	434	78,294	10	3.4	00.9-05.9	4	0.9	00.0-01.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3	2	0.6	00.0-01.4	416	94.9	92.2-97.6
55-64	513	55,998	11	2.5	00.5-04.5	4	0.7	00.1-01.3							3	0.5	00.0-01.1	495	96.3	94.1-98.5
65+	618	56,828	3	0.8	00.0-01.8				2	0.2	00.0-00.6							613	99.0	98.0-0100
Less Than H.S.	67	18,358	2	6.6	00.0-17.6										1	1.2	00.0-03.6	64	92.2	81.0-0100
H.S. or G.E.D.	548	90,542	13	4.7	01.6-07.8	4	1.0	00.0-02.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3	5	1.2	00.0-02.4	524	92.9	89.4-96.4
Some Post-H.S.	566	111,303	15	4.7	01.4-08.0	3	0.4	00.0-01.0	2	0.3	00.0-00.7				1	0.4	00.0-01.2	545	94.3	90.8-97.8
College Graduate	1026	180,097	15	2.4	00.8-04.0	4	0.9	00.0-02.1	3	0.4	00.0-01.0				2	0.1	00.0-00.3	1002	96.2	94.2-98.2
Less than \$15,000	162	22,476	5	3.9	00.0-08.0				1	2.5	00.0-07.2				1	1.2	00.0-03.6	155	92.4	85.9-98.9
\$15,000- 24,999	111	19,382																111	100.0	0100-0100
\$25,000- 34,999	169	26,104	4	3.5	00.0-07.4										1	1.5	00.0-04.4	164	95.0	90.1-99.9
\$35,000- 49,999	265	38,762	4	5.4	00.0-11.5	1	0.1	00.0-00.3				1	0.2	00.0-00.6	1	0.2	00.0-00.6	258	94.0	87.9-0100
\$50,000- 74,999	380	61,409	9	5.7	00.4-11.0	3	1.2	00.0-02.8	4	0.8	00.0-01.8				2	0.9	00.0-02.3	362	91.5	85.8-97.2
\$75,000+	808	174,007	18	3.3	01.3-05.3	7	1.2	00.0-02.6	1	0.1	00.0-00.3				3	0.3	00.0-00.7	779	95.1	92.7-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 17: DRINKING AND DRIVING**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	923	219,719	33	5.6	03.2-08.0	7	0.6	00.0-01.2	4	0.4	00.0-01.0	1	0.0	00.0-00.0	8	0.9	00.3-01.5	870	92.4	89.9-94.9
White/Non-Hisp	782	174,884	30	5.7	03.2-08.2	5	0.7	00.0-01.5	4	0.5	00.0-01.3	1	0.0	00.0-00.0	7	0.9	00.1-01.7	735	92.2	89.5-94.9
Black or Afr. Am./Non-Hisp	77	20,113	1	0.7	00.0-02.1	2	0.9	00.0-02.3							1	1.9	00.0-05.6	73	96.4	92.1-0100
25-34	74	41,160	4	6.6	00.1-13.1	1	1.1	00.0-03.3	1	1.3	00.0-03.8				1	0.4	00.0-01.2	67	90.6	83.3-97.9
35-44	137	42,641	8	5.0	01.5-08.5	1	0.6	00.0-01.8							1	1.0	00.0-03.0	127	93.4	89.3-97.5
45-54	182	39,799	6	5.1	00.6-09.6	2	1.1	00.0-02.7				1	0.2	00.0-00.6	2	1.2	00.0-03.0	171	92.4	87.3-97.5
55-64	220	29,924	8	4.2	00.7-07.7	3	0.9	00.0-02.1							2	0.7	00.0-01.7	207	94.2	90.5-97.9
65+	271	29,920	3	1.5	00.0-03.3				2	0.4	00.0-01.0							266	98.0	96.0-0100
H.S. or G.E.D.	247	47,618	11	6.8	01.9-11.7	3	1.6	00.0-03.8	1	0.1	00.0-00.3	1	0.2	00.0-00.6	5	2.4	00.0-04.8	226	89.0	83.3-94.7
Some Post-H.S.	202	61,068	10	7.0	01.1-12.9	2	0.5	00.0-01.5	1	0.4	00.0-01.2				1	0.6	00.0-01.8	188	91.4	85.3-97.5
College Graduate	426	96,314	10	3.7	01.0-06.4	2	0.4	00.0-01.0	2	0.7	00.0-01.9				1	0.2	00.0-00.6	411	95.1	92.2-98.0
Less than \$15,000	64	12,779	3	4.9	00.0-11.4				1	4.3	00.0-12.5				1	2.1	00.0-06.2			
\$25,000- 34,999	67	13,340	3	6.3	00.0-13.9										1	2.9	00.0-08.6	63	90.8	81.4-0100
\$35,000- 49,999	111	21,387	2	6.9	00.0-16.7	1	0.2	00.0-00.6				1	0.4	00.0-01.2	1	0.4	00.0-01.2	106	92.2	82.4-0100
\$50,000- 74,999	151	30,666				2	1.9	00.0-05.0	3	1.3	00.0-03.1				2	1.8	00.0-04.5			
\$75,000+	378	99,690	15	5.5	02.2-08.8	4	0.8	00.0-01.6							2	0.4	00.0-01.0	357	93.3	89.8-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 17: DRINKING AND DRIVING**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1287	181,148	12	1.5	00.3-02.7	4	0.8	00.0-02.0	2	0.1	00.0-00.3	1	0.0	00.0-00.0	1268	97.5	95.7-99.3
White/Non-Hisp	1095	149,054	11	1.7	00.3-03.1	2	0.2	00.0-00.4	2	0.2	00.0-00.4	1	0.0	00.0-00.0	1079	97.9	96.3-99.5
Black or Afr. Am./Non-Hisp	123	18,872				1	0.8	00.0-02.4							122	99.2	97.6-0100
25-34	120	29,363	2	3.2	00.0-07.5										118	96.8	92.5-0100
35-44	220	38,707	1	0.2	00.0-00.6				1	0.4	00.0-01.2				218	99.4	98.6-0100
45-54	252	38,494	4	1.7	00.1-03.3	2	0.7	00.0-01.7	1	0.2	00.0-00.6				245	97.4	95.4-99.4
55-64	293	26,074	3	0.5	00.0-01.1	1	0.4	00.0-01.2				1	0.3	00.0-00.9	288	98.8	97.6-0100
65+	347	26,908													347	100.0	0100-0100
H.S. or G.E.D.	301	42,924	2	2.4	00.0-06.3	1	0.3	00.0-00.9							298	97.3	93.4-0100
Some Post-H.S.	364	50,235	5	1.8	00.0-03.8	1	0.2	00.0-00.6	1	0.1	00.0-00.3				357	97.8	95.6-0100
College Graduate	600	83,784	5	0.9	00.0-02.1	2	1.5	00.0-04.0	1	0.2	00.0-00.6	1	0.1	00.0-00.3	591	97.3	94.6-0100
Less than \$15,000	98	9,697	2	2.6	00.0-06.5										96	97.4	93.5-0100
\$15,000- 24,999	74	11,265													74	100.0	0100-0100
\$25,000- 34,999	102	12,764	1	0.6	00.0-01.8										101	99.4	98.2-0100
\$35,000- 49,999	154	17,375	2	3.7	00.0-09.2										152	96.3	90.8-0100
\$50,000- 74,999	229	30,743	1	0.4	00.0-01.2	1	0.4	00.0-01.2	1	0.2	00.0-00.6				226	99.0	97.8-0100
\$75,000+	430	74,318	3	0.4	00.0-01.0	3	1.8	00.0-04.7	1	0.2	00.0-00.6	1	0.1	00.0-00.3	422	97.5	94.6-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 18: WOMENS HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	207
2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	208
3 A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	209
4 HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	210
5 A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	211
6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	212
7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	213

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2706	354,675	2246	69.2	66.5-71.9	460	30.8	28.1-33.5
White/Non-Hisp	2141	260,891	1825	72.2	69.1-75.3	316	27.8	24.7-30.9
Black or Afr. Am./Non-Hisp	376	55,870	288	61.9	54.3-69.5	88	38.1	30.5-45.7
25-34	225	56,270	41	17.8	12.1-23.5	184	82.2	76.5-87.9
35-44	361	61,118	230	63.2	57.3-69.1	131	36.8	30.9-42.7
45-54	474	66,826	445	94.5	92.1-96.9	29	5.5	03.1-07.9
55-64	604	52,955	590	97.2	95.4-99.0	14	2.8	01.0-04.6
65+	919	72,395	886	97.5	96.5-98.5	33	2.5	01.5-03.5
H.S. or G.E.D.	815	99,073	697	70.8	65.5-76.1	118	29.2	23.9-34.5
Some Post-H.S.	749	101,951	621	70.0	64.5-75.5	128	30.0	24.5-35.5
College Graduate	979	135,119	792	67.3	63.0-71.6	187	32.7	28.4-37.0
Less than \$15,000	308	30,419	265	74.7	66.1-83.3	43	25.3	16.7-33.9
\$15,000- 24,999	303	32,200	259	69.0	59.0-79.0	44	31.0	21.0-41.0
\$25,000- 34,999	234	28,045	188	69.8	61.4-78.2	46	30.2	21.8-38.6
\$35,000- 49,999	351	41,641	288	69.7	61.5-77.9	63	30.3	22.1-38.5
\$50,000- 74,999	384	50,554	311	69.8	63.3-76.3	73	30.2	23.7-36.7
\$75,000+	633	110,404	506	66.6	61.3-71.9	127	33.4	28.1-38.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2235	244,292	1534	68.5	66.0-71.0	385	17.7	15.5-19.9	111	5.0	03.8-06.2	84	3.9	02.9-04.9	121	5.0	04.0-06.0
White/Non-Hisp	1815	187,290	1237	67.1	64.2-70.0	314	18.3	15.8-20.8	88	5.1	03.7-06.5	69	4.1	02.9-05.3	107	5.4	04.2-06.6
Black or Afr. Am./Non-Hisp	287	34,483	202	71.6	65.5-77.7	51	16.8	11.9-21.7	17	6.0	02.9-09.1	8	2.4	00.6-04.2	9	3.2	01.0-05.4
35-44	229	38,379	138	57.7	50.1-65.3	50	24.3	17.4-31.2	12	5.2	02.1-08.3	17	7.4	03.7-11.1	12	5.5	02.2-08.8
45-54	445	63,120	300	69.5	64.6-74.4	79	16.9	13.0-20.8	33	7.3	04.4-10.2	20	3.7	01.9-05.5	13	2.7	01.1-04.3
55-64	588	51,339	422	70.7	66.2-75.2	96	16.4	12.7-20.1	26	4.3	02.3-06.3	13	2.6	00.8-04.4	31	6.1	03.6-08.6
65+	880	69,967	609	70.7	67.4-74.0	145	15.5	12.8-18.2	37	4.0	02.6-05.4	29	3.2	01.8-04.6	60	6.7	04.9-08.5
Less Than H.S.	128	12,368				29	21.3	11.7-30.9	5	2.8	00.3-05.3	3	3.5	00.0-07.8	9	6.9	01.8-12.0
H.S. or G.E.D.	693	69,698	468	69.4	65.3-73.5	118	15.7	12.4-19.0	35	4.8	02.8-06.8	28	3.9	02.1-05.7	44	6.1	03.9-08.3
Some Post-H.S.	616	70,925	408	66.0	60.9-71.1	110	18.4	14.3-22.5	32	4.9	02.7-07.1	29	5.4	03.2-07.6	37	5.2	03.2-07.2
College Graduate	791	90,750	572	70.3	66.0-74.6	127	18.1	14.2-22.0	39	5.4	03.4-07.4	22	2.5	01.3-03.7	31	3.7	02.1-05.3
Less than \$15,000	264	22,676	159	59.1	51.3-66.9	55	22.3	15.2-29.4	17	5.6	02.7-08.5	10	5.4	01.3-09.5	23	7.7	04.2-11.2
\$15,000- 24,999	257	21,942	148	60.5	53.1-67.9	55	19.7	14.0-25.4	17	6.1	02.8-09.4	15	6.2	02.5-09.9	22	7.5	04.2-10.8
\$25,000- 34,999	187	19,443	129	72.9	64.9-80.9	29	12.8	07.3-18.3	11	5.6	01.9-09.3	8	2.5	00.5-04.5	10	6.0	02.1-09.9
\$35,000- 49,999	288	29,041	208	71.9	65.4-78.4	43	15.7	10.4-21.0	14	4.3	01.8-06.8	9	4.0	01.3-06.7	14	4.2	01.7-06.7
\$50,000- 74,999	310	35,059	225	71.0	64.7-77.3	51	16.3	11.2-21.4	10	3.5	00.8-06.2	14	4.6	02.1-07.1	10	4.7	01.8-07.6
\$75,000+	506	73,575	370	69.2	63.9-74.5	76	18.2	13.3-23.1	29	6.6	04.1-09.1	14	2.8	01.0-04.6	17	3.3	01.5-05.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2696	353,931	2459	87.9	85.7-90.1	237	12.1	09.9-14.3
White/Non-Hisp	2133	260,295	1971	90.3	87.9-92.7	162	9.7	07.3-12.1
Black or Afr. Am./Non-Hisp	375	55,774	332	87.5	82.2-92.8	43	12.5	07.2-17.8
25-34	225	56,270	207	90.8	86.3-95.3	18	9.2	04.7-13.7
35-44	361	61,118	336	92.3	88.8-95.8	25	7.7	04.2-11.2
45-54	474	66,826	450	95.4	93.2-97.6	24	4.6	02.4-06.8
55-64	604	52,955	567	93.0	90.1-95.9	37	7.0	04.1-09.9
65+	909	71,651	809	88.8	86.3-91.3	100	11.2	08.7-13.7
H.S. or G.E.D.	812	98,864	711	85.1	81.4-88.8	101	14.9	11.2-18.6
Some Post-H.S.	747	101,798	696	86.5	81.2-91.8	51	13.5	08.2-18.8
College Graduate	977	134,967	922	92.3	89.6-95.0	55	7.7	05.0-10.4
Less than \$15,000	308	30,419	263	83.4	77.3-89.5	45	16.6	10.5-22.7
\$15,000- 24,999	300	31,960	260	80.8	72.0-89.6	40	19.2	10.4-28.0
\$25,000- 34,999	232	27,873	213	88.1	79.9-96.3	19	11.9	03.7-20.1
\$35,000- 49,999	351	41,641	326	89.2	82.7-95.7	25	10.8	04.3-17.3
\$50,000- 74,999	384	50,554	361	91.7	87.6-95.8	23	8.3	04.2-12.4
\$75,000+	633	110,404	612	93.0	89.3-96.7	21	7.0	03.3-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a clinical breast exam.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2439	308,911	1759	73.8	71.4-76.2	368	15.3	13.3-17.3	107	3.8	02.8-04.8	70	2.6	01.8-03.4	135	4.6	03.6-05.6
White/Non-Hisp	1955	233,391	1391	73.5	71.0-76.0	299	15.1	12.9-17.3	88	3.7	02.7-04.7	59	2.9	01.9-03.9	118	4.9	03.7-06.1
Black or Afr. Am./Non-Hisp	329	48,462	246	71.1	63.5-78.7	52	19.6	12.5-26.7	11	4.9	00.6-09.2	9	1.9	00.3-03.5	11	2.5	00.5-04.5
Hispanic	52	10,330	44	89.3	80.5-98.1	4	5.6	00.0-12.3	3	3.0	00.0-07.3				1	2.1	00.0-06.2
18-24	51	23,490							4	7.6	00.0-16.6				1	1.7	00.0-05.0
25-34	207	51,066	164	78.1	71.6-84.6	31	14.0	08.9-19.1	2	1.3	00.0-03.1	3	1.7	00.0-03.9	7	5.0	01.3-08.7
35-44	335	56,316	259	75.6	69.9-81.3	51	16.3	11.2-21.4	9	3.2	01.0-05.4	9	2.9	00.7-05.1	7	2.0	00.0-04.0
45-54	449	63,642	320	74.7	70.4-79.0	67	14.2	10.7-17.7	24	4.2	02.4-06.0	21	3.8	02.0-05.6	17	3.2	01.4-05.0
55-64	566	49,238	418	74.0	69.7-78.3	78	13.6	10.3-16.9	24	4.1	02.1-06.1	13	2.3	00.7-03.9	33	6.1	03.7-08.5
65+	793	62,231	531	68.0	64.3-71.7	129	16.7	13.6-19.8	41	4.2	02.8-05.6	23	3.1	01.7-04.5	69	8.0	05.8-10.2
Less Than H.S.	121	13,509							5	3.2	00.0-06.9	5	2.9	00.0-05.8	12	11.7	03.9-19.5
H.S. or G.E.D.	704	83,667	494	72.9	68.6-77.2	107	15.6	11.9-19.3	32	3.5	02.1-04.9	21	2.3	01.1-03.5	50	5.8	03.6-08.0
Some Post-H.S.	687	86,799	486	71.4	66.7-76.1	105	14.7	11.2-18.2	35	5.0	02.3-07.7	24	4.0	02.0-06.0	37	4.9	02.7-07.1
College Graduate	921	124,482	696	77.1	73.6-80.6	136	15.2	11.9-18.5	33	3.2	01.8-04.6	20	1.7	00.9-02.5	36	2.8	01.6-04.0
Less than \$15,000	262	25,338	158	64.2	56.4-72.0	45	15.8	10.1-21.5	16	4.6	02.1-07.1	5	1.8	00.0-03.6	38	13.5	07.6-19.4
\$15,000- 24,999	253	25,123	159	62.6	53.4-71.8	46	17.2	10.9-23.5	17	10.4	02.2-18.6	14	3.7	01.3-06.1	17	6.1	02.0-10.2
\$25,000- 34,999	213	24,560	156	74.0	66.4-81.6	28	13.7	07.4-20.0	13	5.1	01.8-08.4	6	2.0	00.2-03.8	10	5.1	01.6-08.6
\$35,000- 49,999	326	37,154	238	71.4	63.6-79.2	47	17.6	10.0-25.2	15	4.5	01.6-07.4	11	3.6	01.2-06.0	15	2.9	01.1-04.7
\$50,000- 74,999	360	46,300	280	77.5	72.2-82.8	50	14.3	10.0-18.6	13	3.1	01.1-05.1	9	2.6	00.2-05.0	8	2.5	00.7-04.3
\$75,000+	610	102,434	476	78.4	74.3-82.5	87	14.8	11.1-18.5	17	2.4	01.0-03.8	10	1.8	00.4-03.2	20	2.6	01.2-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

**TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2699	353,930	2573	91.9	89.7-94.1	126	8.1	05.9-10.3
White/Non-Hisp	2135	260,304	2050	94.3	92.5-96.1	85	5.7	03.9-07.5
Black or Afr. Am./Non-Hisp	375	55,712	351	88.4	81.7-95.1	24	11.6	04.9-18.3
25-34	225	56,270	221	98.3	96.3-100	4	1.7	00.0-03.7
35-44	360	61,003	355	97.9	95.9-99.9	5	2.1	00.1-04.1
45-54	474	66,826	458	95.9	93.7-98.1	16	4.1	01.9-06.3
55-64	604	52,955	590	97.8	96.4-99.2	14	2.2	00.8-03.6
65+	914	71,830	856	93.7	91.9-95.5	58	6.3	04.5-08.1
Less Than H.S.	154	17,723	145	91.4	83.4-99.4	9	8.6	00.6-16.6
H.S. or G.E.D.	812	98,888	755	90.7	87.4-94.0	57	9.3	06.0-12.6
Some Post-H.S.	748	101,793	715	88.4	83.1-93.7	33	11.6	06.3-16.9
College Graduate	979	135,119	952	95.3	92.6-98.0	27	4.7	02.0-07.4
Less than \$15,000	306	30,283	292	94.9	91.6-98.2	14	5.1	01.8-08.4
\$15,000- 24,999	301	31,941	272	82.8	74.2-91.4	29	17.2	08.6-25.8
\$25,000- 34,999	234	28,045	228	96.7	93.4-100	6	3.3	00.0-06.6
\$35,000- 49,999	351	41,641	335	89.3	80.5-98.1	16	10.7	01.9-19.5
\$50,000- 74,999	384	50,554	377	97.1	94.2-100	7	2.9	00.0-05.8
\$75,000+	633	110,404	616	94.1	90.8-97.4	17	5.9	02.6-09.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a Pap Test.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2546	322,900	1492	64.4	62.0-66.8	432	16.6	14.6-18.6	161	5.4	04.2-06.6	135	4.1	03.1-05.1	326	9.5	08.3-10.7
White/Non-Hisp	2025	243,659	1138	62.2	59.5-64.9	347	16.7	14.5-18.9	139	5.7	04.5-06.9	109	4.4	03.4-05.4	292	11.0	09.4-12.6
Black or Afr. Am./Non-Hisp	351	49,273	238	70.6	64.5-76.7	62	19.6	14.1-25.1	16	3.9	01.9-05.9	16	3.0	01.2-04.8	19	3.0	01.4-04.6
Oth. Race/Non-Hisp.	52	10,167				7	11.2	02.8-19.6	1	1.5	00.0-04.4	4	5.4	00.0-11.1			
Hispanic	62	12,577										5	4.0	00.0-08.5	3	3.7	00.0-09.0
18-24	53	24,018							3	6.6	00.0-15.6						
25-34	219	54,839	177	80.2	74.1-86.3	32	13.2	08.3-18.1	2	1.2	00.0-03.0	4	2.4	00.0-04.9	4	3.0	00.1-05.9
35-44	355	59,716	267	72.5	66.8-78.2	50	16.5	11.6-21.4	11	3.1	01.1-05.1	14	3.6	01.2-06.0	13	4.2	01.7-06.7
45-54	458	64,066	291	65.8	60.9-70.7	85	18.1	14.2-22.0	31	6.1	03.7-08.5	20	4.0	02.0-06.0	31	6.0	03.6-08.4
55-64	587	51,640	353	60.8	56.1-65.5	93	15.3	11.8-18.8	39	6.6	04.2-09.0	33	5.7	03.5-07.9	69	11.6	08.5-14.7
65+	835	65,721	338	40.4	36.5-44.3	156	19.5	16.4-22.6	73	8.5	06.3-10.7	63	6.4	04.6-08.2	205	25.2	21.9-28.5
Less Than H.S.	143	16,111							10	6.3	01.8-10.8	9	5.4	00.0-11.1	31	13.8	08.1-19.5
H.S. or G.E.D.	744	88,871	403	60.0	55.3-64.7	118	17.2	13.5-20.9	52	5.6	03.8-07.4	46	4.6	02.8-06.4	125	12.7	10.0-15.4
Some Post-H.S.	707	89,402	400	61.9	57.2-66.6	137	17.7	14.2-21.2	40	4.8	03.0-06.6	44	5.3	03.3-07.3	86	10.4	07.7-13.1
College Graduate	946	128,110	620	70.9	67.4-74.4	150	14.6	11.9-17.3	58	5.5	03.3-07.7	35	2.7	01.5-03.9	83	6.2	04.6-07.8
Less than \$15,000	287	28,566	130	54.4	46.4-62.4	55	15.3	10.4-20.2	24	6.5	03.6-09.4	21	5.1	02.4-07.8	57	18.6	12.7-24.5
\$15,000- 24,999	269	26,242	123	51.1	42.3-59.9	39	18.0	10.9-25.1	22	7.6	03.7-11.5	22	5.5	02.8-08.2	63	17.8	12.3-23.3
\$25,000- 34,999	227	26,967	123	59.9	51.3-68.5	29	13.4	07.1-19.7	20	8.1	04.0-12.2	14	5.4	01.5-09.3	41	13.2	08.5-17.9
\$35,000- 49,999	334	37,122	198	62.0	55.5-68.5	62	17.9	13.0-22.8	21	5.7	02.6-08.8	21	6.9	03.2-10.6	32	7.6	04.7-10.5
\$50,000- 74,999	374	48,752	244	67.7	62.0-73.4	70	18.5	13.8-23.2	18	4.2	02.0-06.4	15	3.2	01.0-05.4	27	6.4	03.7-09.1
\$75,000+	614	103,532	432	72.9	68.4-77.4	99	15.8	12.1-19.5	31	5.0	02.5-07.5	21	2.6	01.4-03.8	31	3.8	02.2-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2664	343,229	761	20.8	19.0-22.6	1903	79.2	77.4-81.0
White/Non-Hisp	2118	255,137	610	20.9	18.9-22.9	1508	79.1	77.1-81.1
Black or Afr. Am./Non-Hisp	365	53,178	109	22.0	17.1-26.9	256	78.0	73.1-82.9
Oth. Race/Non-Hisp.	56	12,839	9	9.7	02.1-17.3	47	90.3	82.7-97.9
18-24	74	38,042	2	2.6	00.0-06.9	72	97.4	93.1-0100
25-34	206	51,262	4	1.4	00.0-02.8	202	98.6	97.2-0100
35-44	354	59,443	37	10.6	06.7-14.5	317	89.4	85.5-93.3
45-54	472	66,700	101	20.6	16.5-24.7	371	79.4	75.3-83.5
55-64	604	52,955	195	30.6	26.3-34.9	409	69.4	65.1-73.7
65+	916	71,902	412	45.6	41.9-49.3	504	54.4	50.7-58.1
Less Than H.S.	154	17,418	67	28.3	19.7-36.9	87	71.7	63.1-80.3
H.S. or G.E.D.	806	96,333	273	25.0	21.5-28.5	533	75.0	71.5-78.5
Some Post-H.S.	734	97,617	233	24.1	20.2-28.0	501	75.9	72.0-79.8
College Graduate	963	131,311	185	14.3	11.8-16.8	778	85.7	83.2-88.2
Less than \$15,000	302	29,101	106	29.1	22.6-35.6	196	70.9	64.4-77.4
\$15,000- 24,999	299	30,355	120	30.7	24.2-37.2	179	69.3	62.8-75.8
\$25,000- 34,999	230	27,045	75	24.3	17.8-30.8	155	75.7	69.2-82.2
\$35,000- 49,999	349	41,204	100	22.7	16.8-28.6	249	77.3	71.4-83.2
\$50,000- 74,999	379	49,832	90	17.1	13.2-21.0	289	82.9	79.0-86.8
\$75,000+	619	105,965	108	13.5	10.6-16.4	511	86.5	83.6-89.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)	
1	MALES ONLY	215
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
2	MALES ONLY	216
	A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)	
3	MALES ONLY	217
	HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRETIME)	
4	MALES ONLY	218
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)	
5	MALES ONLY	219

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1222	188,873	912	69.0	65.5-72.5	310	31.0	27.5-34.5
White/Non-Hisp	1027	155,094	766	69.4	65.7-73.1	261	30.6	26.9-34.3
45-54	284	58,851	162	55.8	48.7-62.9	122	44.2	37.1-51.3
55-64	346	47,216	280	81.2	75.7-86.7	66	18.8	13.3-24.3
65+	498	54,037	433	86.9	83.4-90.4	65	13.1	09.6-16.6
H.S. or G.E.D.	377	51,436	264	63.1	56.4-69.8	113	36.9	30.2-43.6
Some Post-H.S.	265	42,124	201	74.9	68.2-81.6	64	25.1	18.4-31.8
College Graduate	483	83,096	378	71.5	66.2-76.8	105	28.5	23.2-33.8
\$35,000- 49,999	168	23,654	127	68.0	58.6-77.4	41	32.0	22.6-41.4
\$50,000- 74,999	194	28,695	148	73.5	65.5-81.5	46	26.5	18.5-34.5
\$75,000+	393	76,022	299	70.0	63.9-76.1	94	30.0	23.9-36.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	904	129,662	658	71.6	67.9-75.3	137	15.1	12.4-17.8	48	4.7	03.1-06.3	30	4.7	02.5-06.9	31	3.9	02.3-05.5
White/Non-Hisp	758	106,954	547	70.8	66.7-74.9	120	15.3	12.2-18.4	42	5.2	03.2-07.2	24	4.6	02.2-07.0	25	4.1	02.1-06.1
Black or Afr. Am./Non-Hisp	89	12,141				8	12.6	02.6-22.6	3	2.2	00.0-04.7	4	5.5	00.0-11.2	3	2.3	00.0-05.2
45-54	162	32,855	109	68.6	60.2-77.0	26	13.9	08.2-19.6	10	5.0	00.9-09.1	11	8.4	02.9-13.9	6	4.1	00.8-07.4
55-64	278	38,130	194	70.1	63.4-76.8	44	17.7	11.8-23.6	20	4.6	02.4-06.8	11	3.6	01.1-06.1	9	4.0	00.9-07.1
65+	427	46,551	332	76.8	72.1-81.5	60	14.2	10.3-18.1	16	4.2	02.0-06.4	5	1.4	00.0-02.8	14	3.3	01.3-05.3
Less Than H.S.	62	6,172							5	8.3	00.3-16.3	1	0.9	00.0-02.7	3	6.3	00.0-13.9
H.S. or G.E.D.	264	32,454	189	70.3	63.4-77.2	37	14.0	08.9-19.1	15	5.5	02.4-08.6	12	4.7	02.0-07.4	11	5.7	01.6-09.8
Some Post-H.S.	201	31,556	148	72.0	64.4-79.6	34	16.8	10.5-23.1	6	2.2	00.4-04.0	6	5.3	01.0-09.6	7	3.7	00.8-06.6
College Graduate	375	59,230	278	72.9	67.2-78.6	54	14.3	10.0-18.6	22	5.3	02.4-08.2	11	4.8	01.3-08.3	10	2.7	00.7-04.7
Less than \$15,000	77	9,711				10	9.3	02.6-16.0	6	8.4	01.3-15.5	6	8.9	00.9-16.9	5	7.8	00.5-15.1
\$15,000- 24,999	65	5,960							3	3.9	00.0-08.6	3	7.6	00.0-16.6	3	3.7	00.0-08.0
\$25,000- 34,999	79	8,322							1	1.1	00.0-03.3	2	1.7	00.0-04.2	4	6.4	00.0-13.1
\$35,000- 49,999	126	15,974	99	77.8	69.4-86.2	13	14.0	06.4-21.6	8	4.1	01.2-07.0	1	0.7	00.0-02.1	5	3.3	00.2-06.4
\$50,000- 74,999	148	21,092	109	76.1	68.3-83.9	27	16.4	09.7-23.1	5	2.2	00.2-04.2	4	2.2	00.0-04.6	3	3.1	00.0-07.2
\$75,000+	297	53,098	220	71.6	65.1-78.1	40	13.2	08.7-17.7	18	5.8	02.5-09.1	11	6.1	02.0-10.2	8	3.3	00.8-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 3: A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1254	194,881	985	74.3	71.2-77.4	269	25.7	22.6-28.8	
White/Non-Hisp	1051	159,432	837	75.7	72.2-79.2	214	24.3	20.8-27.8	
45-54	297	61,839	210	71.1	65.0-77.2	87	28.9	22.8-35.0	
55-64	350	48,094	297	83.9	79.0-88.8	53	16.1	11.2-21.0	
65+	508	54,705	436	86.2	82.7-89.7	72	13.8	10.3-17.3	
H.S. or G.E.D.	381	52,357	282	66.2	59.7-72.7	99	33.8	27.3-40.3	
Some Post-H.S.	272	43,079	213	77.2	71.1-83.3	59	22.8	16.7-28.9	
College Graduate	497	86,131	415	80.1	75.4-84.8	82	19.9	15.2-24.6	
Less than \$15,000	121	14,745	101	83.1	74.7-91.5	20	16.9	08.5-25.3	
\$35,000- 49,999	175	24,703	129	66.9	57.9-75.9	46	33.1	24.1-42.1	
\$50,000- 74,999	196	28,563	160	79.9	72.8-87.0	36	20.1	13.0-27.2	
\$75,000+	398	77,695	325	78.2	72.9-83.5	73	21.8	16.5-27.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRE) TIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a digital rectal exam.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	971	142,843	545	55.2	51.3-59.1	160	16.4	13.5-19.3	79	8.0	05.8-10.2	70	7.7	05.5-09.9	117	12.6	09.9-15.3
White/Non-Hisp	824	118,702	464	54.9	50.6-59.2	129	14.9	12.0-17.8	69	8.3	05.9-10.7	61	8.3	05.9-10.7	101	13.6	10.5-16.7
Black or Afr. Am./Non-Hisp	85	12,247							3	2.9	00.0-06.4	3	3.7	00.0-08.2	8	6.6	01.7-11.5
45-54	209	43,180	101	46.7	38.5-54.9	41	20.1	13.6-26.6	14	8.4	03.3-13.5	23	9.8	05.3-14.3	30	15.0	09.3-20.7
55-64	297	40,328	170	59.7	52.6-66.8	45	14.7	09.4-20.0	30	8.6	05.1-12.1	21	7.9	04.0-11.8	31	9.1	05.2-13.0
65+	424	46,260	256	60.1	54.6-65.6	67	15.6	11.5-19.7	31	6.9	04.2-09.6	24	6.5	03.8-09.2	46	10.8	07.5-14.1
Less Than H.S.	69	7,660							9	12.3	03.5-21.1	6	7.1	00.4-13.8	7	9.2	01.6-16.8
H.S. or G.E.D.	280	34,515	151	53.5	46.2-60.8	55	18.2	12.9-23.5	19	5.7	03.0-08.4	16	6.9	03.0-10.8	39	15.7	10.2-21.2
Some Post-H.S.	210	32,233	124	58.1	49.9-66.3	30	13.8	08.1-19.5	15	6.3	02.6-10.0	15	9.0	03.9-14.1	26	12.7	07.4-18.0
College Graduate	411	68,399	234	54.9	48.8-61.0	64	16.6	11.9-21.3	36	9.5	05.8-13.2	33	7.6	04.7-10.5	44	11.4	07.3-15.5
Less than \$15,000	98	12,084				11	10.4	03.3-17.5	6	6.4	00.9-11.9	17	16.4	07.2-25.6	19	18.5	09.9-27.1
\$15,000- 24,999	69	6,394							6	8.5	01.6-15.4	1	1.6	00.0-04.7	12	14.7	05.5-23.9
\$25,000- 34,999	82	8,585				15	17.6	08.0-27.2	6	10.5	00.9-20.1	4	4.1	00.0-08.2	13	14.3	06.3-22.3
\$35,000- 49,999	128	16,488	81	61.2	51.2-71.2	16	13.8	06.4-21.2	10	5.7	01.8-09.6	8	7.6	01.7-13.5	13	11.7	05.0-18.4
\$50,000- 74,999	158	22,642	92	60.5	51.3-69.7	33	19.0	11.9-26.1	8	4.8	01.1-08.5	9	6.6	01.7-11.5	16	9.1	04.4-13.8
\$75,000+	324	59,949	183	54.2	47.5-60.9	52	16.3	11.4-21.2	30	8.4	04.9-11.9	24	7.2	04.1-10.3	35	13.9	08.8-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.
Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1268	196,909	97	6.1	04.5-07.7	1171	93.9	92.3-95.5
White/Non-Hisp	1064	161,388	77	6.0	04.4-07.6	987	94.0	92.4-95.6
Black or Afr. Am./Non-Hisp	120	18,253	15	8.5	03.4-13.6	105	91.5	86.4-96.6
35-44	100	30,536				100	100.0	0100-0100
45-54	299	62,111	4	1.8	00.0-04.0	295	98.2	96.0-0100
55-64	355	48,822	15	4.5	01.6-07.4	340	95.5	92.6-98.4
65+	514	55,440	78	15.7	12.0-19.4	436	84.3	80.6-88.0
Less Than H.S.	104	13,326	10	7.6	02.3-12.9	94	92.4	87.1-97.7
H.S. or G.E.D.	389	53,317	22	4.5	02.0-07.0	367	95.5	93.0-98.0
Some Post-H.S.	277	44,098	22	6.4	03.3-09.5	255	93.6	90.5-96.7
College Graduate	497	86,131	43	6.6	04.1-09.1	454	93.4	90.9-95.9
Less than \$15,000	123	14,965	12	9.0	03.5-14.5	111	91.0	85.5-96.5
\$15,000- 24,999	103	11,546	4	3.0	00.0-06.1	99	97.0	93.9-0100
\$25,000- 34,999	108	12,653	13	6.5	02.6-10.4	95	93.5	89.6-97.4
\$35,000- 49,999	175	24,703	10	3.9	01.4-06.4	165	96.1	93.6-98.6
\$50,000- 74,999	198	29,071	22	10.8	05.5-16.1	176	89.2	83.9-94.5
\$75,000+	401	78,150	25	5.7	03.2-08.2	376	94.3	91.8-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 20: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	221
2	MALES ONLY	222
3	FEMALES ONLY	223
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	224
5	MALES ONLY	225
6	FEMALES ONLY	226
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7	MALES AND FEMALES	227
8	MALES ONLY	228
9	FEMALES ONLY	229
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCO1)	
10	MALES AND FEMALES	230
11	MALES ONLY	231
12	FEMALES ONLY	232
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	233
14	MALES ONLY	234
15	FEMALES ONLY	235

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	2777	293,209	1131	37.4	35.2-39.6	1646	62.6	60.4-64.8	
Male	1008	134,351	405	37.5	34.0-41.0	603	62.5	59.0-66.0	
Female	1769	158,858	726	37.4	34.9-39.9	1043	62.6	60.1-65.1	
White/Non-Hisp	2360	244,524	989	38.7	36.3-41.1	1371	61.3	58.9-63.7	
Black or Afr. Am./Non-Hisp	274	28,920	94	31.4	24.9-37.9	180	68.6	62.1-75.1	
45-54	417	66,404	83	20.3	15.6-25.0	334	79.7	75.0-84.4	
55-64	952	100,961	373	37.0	33.3-40.7	579	63.0	59.3-66.7	
65+	1408	125,844	675	46.8	43.7-49.9	733	53.2	50.1-56.3	
Less Than H.S.	201	18,219	71	31.4	23.8-39.0	130	68.6	61.0-76.2	
H.S. or G.E.D.	915	88,408	385	39.4	35.7-43.1	530	60.6	56.9-64.3	
Some Post-H.S.	709	76,473	294	39.2	34.9-43.5	415	60.8	56.5-65.1	
College Graduate	947	109,721	379	35.6	31.9-39.3	568	64.4	60.7-68.1	
Less than \$15,000	347	30,224	151	43.2	36.7-49.7	196	56.8	50.3-63.3	
\$15,000- 24,999	313	24,969	115	33.1	27.0-39.2	198	66.9	60.8-73.0	
\$25,000- 34,999	254	22,717	102	38.3	31.2-45.4	152	61.7	54.6-68.8	
\$35,000- 49,999	385	39,423	158	39.6	33.7-45.5	227	60.4	54.5-66.3	
\$50,000- 74,999	387	43,832	140	33.0	27.3-38.7	247	67.0	61.3-72.7	
\$75,000+	604	82,467	242	35.4	30.9-39.9	362	64.6	60.1-69.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1008	134,351	405	37.5	34.0-41.0	603	62.5	59.0-66.0
White/Non-Hisp	854	112,974	346	38.7	34.8-42.6	508	61.3	57.4-65.2
45-54	150	31,028	45	28.4	20.2-36.6	105	71.6	63.4-79.8
55-64	353	48,618	133	34.7	28.8-40.6	220	65.3	59.4-71.2
65+	505	54,705	227	45.1	40.0-50.2	278	54.9	49.8-60.0
Less Than H.S.	86	9,545	27	22.1	12.5-31.7	59	77.9	68.3-87.5
H.S. or G.E.D.	312	36,554	130	40.1	33.6-46.6	182	59.9	53.4-66.4
Some Post-H.S.	226	31,261	92	40.6	33.0-48.2	134	59.4	51.8-67.0
College Graduate	383	56,954	156	36.6	30.9-42.3	227	63.4	57.7-69.1
\$25,000- 34,999	94	9,936	25	24.1	14.3-33.9	69	75.9	66.1-85.7
\$35,000- 49,999	152	19,754	73	47.4	38.2-56.6	79	52.6	43.4-61.8
\$50,000- 74,999	158	21,249	55	34.4	25.4-43.4	103	65.6	56.6-74.6
\$75,000+	284	45,357	127	38.4	31.7-45.1	157	61.6	54.9-68.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1769	158,858	726	37.4	34.9-39.9	1043	62.6	60.1-65.1
White/Non-Hisp	1506	131,550	643	38.7	35.8-41.6	863	61.3	58.4-64.2
Black or Afr. Am./Non-Hisp	182	17,836	57	30.0	22.2-37.8	125	70.0	62.2-77.8
45-54	267	35,376	38	13.3	08.6-18.0	229	86.7	82.0-91.4
55-64	599	52,343	240	39.1	34.4-43.8	359	60.9	56.2-65.6
65+	903	71,138	448	48.0	44.3-51.7	455	52.0	48.3-55.7
H.S. or G.E.D.	603	51,854	255	39.0	34.5-43.5	348	61.0	56.5-65.5
Some Post-H.S.	483	45,212	202	38.2	33.1-43.3	281	61.8	56.7-66.9
College Graduate	564	52,766	223	34.4	29.9-38.9	341	65.6	61.1-70.1
Less than \$15,000	237	18,228	106	42.9	35.1-50.7	131	57.1	49.3-64.9
\$15,000- 24,999	228	16,416	86	36.9	29.8-44.0	142	63.1	56.0-70.2
\$25,000- 34,999	160	12,781	77	49.4	40.4-58.4	83	50.6	41.6-59.6
\$35,000- 49,999	233	19,668	85	31.9	25.2-38.6	148	68.1	61.4-74.8
\$50,000- 74,999	229	22,583	85	31.7	24.8-38.6	144	68.3	61.4-75.2
\$75,000+	320	37,110	115	31.7	25.8-37.6	205	68.3	62.4-74.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1097	106,976	294	26.4	23.3-29.5	189	17.0	14.3-19.7	116	10.7	08.5-12.9	142	13.3	10.8-15.8	356	32.7	29.2-36.2
Male	396	49,497	121	28.2	22.9-33.5	79	18.8	14.3-23.3	42	10.3	06.8-13.8	43	12.5	08.4-16.6	111	30.2	24.5-35.9
Female	701	57,479	173	24.8	21.1-28.5	110	15.4	12.3-18.5	74	11.0	08.3-13.7	99	13.9	10.8-17.0	245	34.8	30.7-38.9
White/Non-Hisp	958	92,164	250	26.5	23.0-30.0	158	16.3	13.6-19.0	103	10.4	08.0-12.8	131	14.1	11.4-16.8	316	32.8	29.1-36.5
Black or Afr. Am./Non-Hisp	93	9,012	20	21.6	12.0-31.2	9	13.8	04.4-23.2	8	6.8	01.9-11.7						
45-54	81	13,340				16	18.0	08.8-27.2	13	12.5	04.5-20.5	11	10.8	03.7-17.9			
55-64	362	36,436	103	25.3	20.2-30.4	58	15.4	11.1-19.7	32	9.9	06.2-13.6	52	16.8	11.7-21.9	117	32.6	26.5-38.7
65+	654	57,200	176	27.7	23.6-31.8	115	17.7	14.2-21.2	71	10.8	08.1-13.5	79	11.6	08.9-14.3	213	32.1	28.0-36.2
Less Than H.S.	62	5,285				7	10.7	01.7-19.7				11	16.0	06.6-25.4			
H.S. or G.E.D.	378	34,412	102	26.7	21.2-32.2	70	19.7	14.8-24.6	47	12.9	09.0-16.8	48	11.5	08.0-15.0	111	29.3	23.6-35.0
Some Post-H.S.	285	29,130	81	30.8	24.1-37.5	47	17.3	11.8-22.8	28	8.4	04.9-11.9	32	10.6	06.5-14.7	97	32.9	26.4-39.4
College Graduate	370	38,017	94	22.9	18.0-27.8	64	15.2	11.1-19.3	34	10.0	06.1-13.9	51	16.7	11.6-21.8	127	35.3	29.2-41.4
Less than \$15,000	145	12,531	35	25.2	16.6-33.8	28	21.0	11.4-30.6	21	13.5	07.2-19.8	17	11.9	04.8-19.0	44	28.4	19.6-37.2
\$15,000- 24,999	108	7,683				14	11.6	05.3-17.9	11	12.8	05.2-20.4	10	8.6	03.1-14.1	37	33.5	23.7-43.3
\$25,000- 34,999	99	8,501	17	16.7	08.5-24.9				11	13.0	04.6-21.4	15	12.9	05.8-20.0			
\$35,000- 49,999	155	15,309	44	27.2	18.8-35.6	25	14.2	08.3-20.1	19	13.9	07.2-20.6	14	11.2	05.1-17.3	53	33.5	24.9-42.1
\$50,000- 74,999	137	14,232	38	27.9	17.9-37.9	23	17.8	10.2-25.4	15	9.6	04.5-14.7	19	12.2	05.7-18.7	42	32.6	23.2-42.0
\$75,000+	241	29,091	66	26.7	20.2-33.2	40	14.9	10.0-19.8	21	8.0	04.1-11.9	39	17.6	11.5-23.7	75	32.8	25.4-40.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	396	49,497	121	28.2	23.1-33.3	79	18.8	14.3-23.3	42	10.3	06.8-13.8	43	12.5	08.6-16.4	111	30.2	24.5-35.9
White/Non-Hisp	339	43,102	104	28.9	23.2-34.6	66	17.8	13.1-22.5	34	9.5	05.8-13.2	37	13.1	08.6-17.6	98	30.6	24.5-36.7
55-64	130	16,515	41	26.7	18.1-35.3	24	16.8	09.7-23.9	16	12.6	05.9-19.3	17	16.1	07.7-24.5	32	27.7	17.9-37.5
65+	221	24,176	73	32.7	25.6-39.8	44	19.6	13.3-25.9	19	7.5	03.8-11.2	21	10.7	06.0-15.4	64	29.5	22.4-36.6
H.S. or G.E.D.	129	14,577	44	30.9	21.1-40.7	28	20.8	12.8-28.8	11	7.9	02.8-13.0	9	6.5	02.0-11.0			
Some Post-H.S.	90	12,460							10	8.6	02.7-14.5	9	11.2	03.6-18.8	21	21.9	12.1-31.7
College Graduate	154	20,559	43	23.5	16.1-30.9	27	14.9	08.8-21.0	16	12.1	05.4-18.8	21	17.7	10.1-25.3	47	31.8	22.6-41.0
\$35,000- 49,999	71	9,118				13	15.1	06.9-23.3	9	14.1	04.5-23.7	8	12.5	03.5-21.5			
\$50,000- 74,999	55	7,310							8	10.4	03.0-17.8	4	6.9	00.0-14.2			
\$75,000+	127	17,396	34	23.0	15.2-30.8	23	15.2	08.5-21.9	12	9.2	03.5-14.9	18	18.4	09.8-27.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	701	57,479	173	24.8	21.1-28.5	110	15.4	12.3-18.5	74	11.0	08.3-13.7	99	13.9	10.8-17.0	245	34.8	30.7-38.9
White/Non-Hisp	619	49,062	146	24.3	20.4-28.2	92	14.9	11.6-18.2	69	11.2	08.5-13.9	94	14.9	11.8-18.0	218	34.7	30.2-39.2
Black or Afr. Am./Non-Hisp	57	5,343							3	7.6	00.0-15.8	3	5.3	00.0-11.4			
55-64	232	19,922	62	24.2	17.9-30.5	34	14.4	09.1-19.7	16	7.6	03.3-11.9	35	17.3	10.8-23.8	85	36.6	29.2-44.0
65+	433	33,025	103	24.1	19.6-28.6	71	16.3	12.0-20.6	52	13.2	09.5-16.9	58	12.3	09.0-15.6	149	34.0	28.9-39.1
H.S. or G.E.D.	249	19,835	58	23.6	17.3-29.9	42	18.8	12.5-25.1	36	16.5	11.0-22.0	39	15.1	10.2-20.0	74	25.9	19.8-32.0
Some Post-H.S.	195	16,670	53	28.9	21.1-36.7	25	11.6	06.5-16.7	18	8.3	04.2-12.4	23	10.1	05.8-14.4	76	41.1	32.7-49.5
College Graduate	216	17,458	51	22.2	15.9-28.5	37	15.5	10.2-20.8	18	7.4	03.7-11.1	30	15.5	09.0-22.0	80	39.4	31.6-47.2
Less than \$15,000	102	7,565	17	15.4	07.6-23.2	18	16.7	06.9-26.5	15	14.1	06.5-21.7						
\$15,000- 24,999	81	5,638				12	13.4	05.6-21.2	9	14.7	05.1-24.3	7	8.2	01.9-14.5			
\$25,000- 34,999	76	6,237	12	14.9	06.1-23.7							11	10.0	03.9-16.1			
\$35,000- 49,999	84	6,191				12	13.0	05.0-21.0	10	13.6	05.0-22.2	6	9.3	01.9-16.7			
\$50,000- 74,999	82	6,922	22	22.1	12.1-32.1	9	10.4	02.8-18.0	7	8.6	01.5-15.7						
\$75,000+	114	11,695				17	14.5	07.2-21.8	9	6.4	02.1-10.7	21	16.4	09.1-23.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	2802	295,058	2135	74.0	71.8-76.2	667	26.0	23.8-28.2	
Male	1013	134,412	767	73.5	70.0-77.0	246	26.5	23.0-30.0	
Female	1789	160,647	1368	74.4	71.9-76.9	421	25.6	23.1-28.1	
White/Non-Hisp	2385	246,512	1815	74.0	71.6-76.4	570	26.0	23.6-28.4	
Black or Afr. Am./Non-Hisp	273	28,846	210	74.9	68.4-81.4	63	25.1	18.6-31.6	
45-54	420	66,914	243	56.5	50.8-62.2	177	43.5	37.8-49.2	
55-64	957	101,364	735	77.3	74.0-80.6	222	22.7	19.4-26.0	
65+	1425	126,780	1157	80.5	78.0-83.0	268	19.5	17.0-22.0	
Less Than H.S.	200	17,713	145	68.8	60.4-77.2	55	31.2	22.8-39.6	
H.S. or G.E.D.	920	88,914	686	73.6	70.1-77.1	234	26.4	22.9-29.9	
Some Post-H.S.	719	77,151	543	72.3	68.2-76.4	176	27.7	23.6-31.8	
College Graduate	958	110,893	757	76.3	72.8-79.8	201	23.7	20.2-27.2	
Less than \$15,000	348	30,208	255	69.9	63.6-76.2	93	30.1	23.8-36.4	
\$15,000- 24,999	312	24,794	217	69.2	62.5-75.9	95	30.8	24.1-37.5	
\$25,000- 34,999	254	22,649	200	75.4	68.7-82.1	54	24.6	17.9-31.3	
\$35,000- 49,999	385	39,448	285	71.0	65.3-76.7	100	29.0	23.3-34.7	
\$50,000- 74,999	394	44,277	310	75.1	69.4-80.8	84	24.9	19.2-30.6	
\$75,000+	608	82,944	474	74.9	70.6-79.2	134	25.1	20.8-29.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1013	134,412	767	73.5	70.0-77.0	246	26.5	23.0-30.0
White/Non-Hisp	862	113,515	653	73.6	69.9-77.3	209	26.4	22.7-30.1
45-54	151	31,179	92	58.3	48.9-67.7	59	41.7	32.3-51.1
55-64	352	48,371	259	75.7	70.4-81.0	93	24.3	19.0-29.6
65+	510	54,861	416	80.2	75.9-84.5	94	19.8	15.5-24.1
H.S. or G.E.D.	314	36,727	227	71.7	65.8-77.6	87	28.3	22.4-34.2
Some Post-H.S.	226	31,145	170	73.1	66.0-80.2	56	26.9	19.8-34.0
College Graduate	388	57,489	311	76.0	70.5-81.5	77	24.0	18.5-29.5
Less than \$15,000	110	11,876	76	70.1	60.1-80.1	34	29.9	19.9-39.9
\$35,000- 49,999	151	19,631	112	69.6	60.6-78.6	39	30.4	21.4-39.4
\$50,000- 74,999	159	21,331	124	73.0	63.8-82.2	35	27.0	17.8-36.2
\$75,000+	286	45,532	233	78.4	72.5-84.3	53	21.6	15.7-27.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
 HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1789	160,647	1368	74.4	71.9-76.9	421	25.6	23.1-28.1	
White/Non-Hisp	1523	132,997	1162	74.2	71.5-76.9	361	25.8	23.1-28.5	
Black or Afr. Am./Non-Hisp	183	18,028	143	77.7	70.4-85.0	40	22.3	15.0-29.6	
45-54	269	35,734	151	54.9	47.8-62.0	118	45.1	38.0-52.2	
55-64	605	52,993	476	78.9	75.0-82.8	129	21.1	17.2-25.0	
65+	915	71,919	741	80.8	77.9-83.7	174	19.2	16.3-22.1	
Less Than H.S.	116	8,699	87	72.0	62.4-81.6	29	28.0	18.4-37.6	
H.S. or G.E.D.	606	52,186	459	75.0	70.9-79.1	147	25.0	20.9-29.1	
Some Post-H.S.	493	46,006	373	71.7	66.6-76.8	120	28.3	23.2-33.4	
College Graduate	570	53,404	446	76.6	72.3-80.9	124	23.4	19.1-27.7	
Less than \$15,000	238	18,332	179	69.7	61.9-77.5	59	30.3	22.5-38.1	
\$15,000- 24,999	229	16,448	167	75.0	68.7-81.3	62	25.0	18.7-31.3	
\$25,000- 34,999	162	13,069	132	80.2	72.9-87.5	30	19.8	12.5-27.1	
\$35,000- 49,999	234	19,816	173	72.4	65.5-79.3	61	27.6	20.7-34.5	
\$50,000- 74,999	235	22,947	186	77.1	70.4-83.8	49	22.9	16.2-29.6	
\$75,000+	322	37,412	241	70.6	64.3-76.9	81	29.4	23.1-35.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2106	215,157	105	4.9	03.7-06.1	2001	95.1	93.9-96.3
Male	753	96,560	43	4.8	03.0-06.6	710	95.2	93.4-97.0
Female	1353	118,597	62	4.9	03.5-06.3	1291	95.1	93.7-96.5
White/Non-Hisp	1792	179,670	91	4.7	03.5-05.9	1701	95.3	94.1-96.5
Black or Afr. Am./Non-Hisp	207	21,419	8	5.3	01.2-09.4	199	94.7	90.6-98.8
45-54	240	37,355	9	4.2	01.1-07.3	231	95.8	92.7-98.9
55-64	730	77,900	32	3.8	02.2-05.4	698	96.2	94.6-97.8
65+	1136	99,901	64	5.9	04.3-07.5	1072	94.1	92.5-95.7
Less Than H.S.	143	11,918	5	2.5	00.1-04.9	138	97.5	95.1-99.9
H.S. or G.E.D.	676	64,651	19	3.2	01.4-05.0	657	96.8	95.0-98.6
Some Post-H.S.	534	54,580	42	6.5	04.3-08.7	492	93.5	91.3-95.7
College Graduate	749	83,766	38	5.4	03.4-07.4	711	94.6	92.6-96.6
Less than \$15,000	249	20,206	23	8.8	04.9-12.7	226	91.2	87.3-95.1
\$15,000- 24,999	213	16,797	8	3.4	00.9-05.9	205	96.6	94.1-99.1
\$25,000- 34,999	196	16,751	7	2.9	00.7-05.1	189	97.1	94.9-99.3
\$35,000- 49,999	282	27,737	18	8.6	04.3-12.9	264	91.4	87.1-95.7
\$50,000- 74,999	307	33,109	12	3.5	01.0-06.0	295	96.5	94.0-99.0
\$75,000+	472	61,635	19	3.9	01.9-05.9	453	96.1	94.1-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	753	96,560	43	4.8	03.0-06.6	710	95.2	93.4-97.0
White/Non-Hisp	640	81,560	36	4.1	02.5-05.7	604	95.9	94.3-97.5
Black or Afr. Am./Non-Hisp	67	7,605	4	9.0	00.0-18.8	63	91.0	81.2-0100
45-54	90	17,829	4	3.4	00.0-07.1	86	96.6	92.9-0100
55-64	255	36,155	14	3.9	01.4-06.4	241	96.1	93.6-98.6
65+	408	42,577	25	6.2	03.5-08.9	383	93.8	91.1-96.5
Less Than H.S.	56	5,654	3	2.4	00.0-05.3	53	97.6	94.7-0100
H.S. or G.E.D.	224	25,953	7	2.6	00.4-04.8	217	97.4	95.2-99.6
Some Post-H.S.	166	21,852	14	6.1	02.8-09.4	152	93.9	90.6-97.2
College Graduate	306	43,065	18	5.7	02.6-08.8	288	94.3	91.2-97.4
Less than \$15,000	73	7,607	7	6.4	01.5-11.3	66	93.6	88.7-98.5
\$25,000- 34,999	66	6,445	6	6.7	01.0-12.4	60	93.3	87.6-99.0
\$35,000- 49,999	111	13,504	8	10.5	02.9-18.1	103	89.5	81.9-97.1
\$50,000- 74,999	123	15,531	5	3.4	00.3-06.5	118	96.6	93.5-99.7
\$75,000+	231	35,218	12	4.2	01.7-06.7	219	95.8	93.3-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1353	118,597	62	4.9	03.5-06.3	1291	95.1	93.7-96.5
White/Non-Hisp	1152	98,109	55	5.2	03.6-06.8	1097	94.8	93.2-96.4
Black or Afr. Am./Non-Hisp	140	13,813	4	3.3	00.0-06.8	136	96.7	93.2-0100
45-54	150	19,527	5	5.0	00.0-10.1	145	95.0	89.9-0100
55-64	475	41,746	18	3.7	01.7-05.7	457	96.3	94.3-98.3
65+	728	57,325	39	5.7	03.7-07.7	689	94.3	92.3-96.3
Less Than H.S.	87	6,263	2	2.5	00.0-06.4	85	97.5	93.6-0100
H.S. or G.E.D.	452	38,698	12	3.6	01.2-06.0	440	96.4	94.0-98.8
Some Post-H.S.	368	32,728	28	6.9	04.2-09.6	340	93.1	90.4-95.8
College Graduate	443	40,701	20	4.9	02.2-07.6	423	95.1	92.4-97.8
Less than \$15,000	176	12,600	16	10.3	04.8-15.8	160	89.7	84.2-95.2
\$15,000- 24,999	166	12,269	6	3.9	00.6-07.2	160	96.1	92.8-99.4
\$25,000- 34,999	130	10,306	1	0.5	00.0-01.5	129	99.5	98.5-0100
\$35,000- 49,999	171	14,233	10	6.7	02.4-11.0	161	93.3	89.0-97.6
\$50,000- 74,999	184	17,577	7	3.6	00.0-07.5	177	96.4	92.5-0100
\$75,000+	241	26,417	7	3.4	00.3-06.5	234	96.6	93.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2117	216,963	512	25.0	22.6-27.4	434	20.5	18.3-22.7	335	15.2	13.4-17.0	482	22.2	20.0-24.4	267	13.0	11.2-14.8	87	4.1	03.1-05.1
Male	761	98,143	181	24.7	20.8-28.6	175	22.5	19.0-26.0	124	14.5	11.8-17.2	164	21.6	17.9-25.3	87	12.5	09.4-15.6	30	4.1	02.5-05.7
Female	1356	118,820	331	25.2	22.3-28.1	259	18.8	16.4-21.2	211	15.8	13.4-18.2	318	22.7	20.2-25.2	180	13.3	11.1-15.5	57	4.2	03.0-05.4
White/Non-Hisp	1803	181,552	408	23.7	21.2-26.2	356	19.4	17.2-21.6	282	14.8	12.8-16.8	436	23.8	21.4-26.2	243	14.0	11.8-16.2	78	4.2	03.0-05.4
Black or Afr. Am./Non-Hisp	207	21,451	74	33.6	25.8-41.4	54	29.1	21.1-37.1	31	16.5	10.2-22.8	29	10.9	06.2-15.6	16	8.0	03.7-12.3	3	1.7	00.0-03.7
45-54	241	37,449	84	34.9	27.5-42.3	57	20.8	15.1-26.5	32	14.6	09.1-20.1	44	19.1	12.6-25.6	17	6.9	03.2-10.6	7	3.7	00.8-06.6
55-64	733	78,282	166	22.9	19.0-26.8	139	18.4	14.9-21.9	112	14.2	11.3-17.1	183	24.3	20.4-28.2	109	17.4	13.5-21.3	24	2.7	01.5-03.9
65+	1143	101,232	262	22.9	20.0-25.8	238	21.9	19.0-24.8	191	16.2	13.8-18.6	255	21.8	19.1-24.5	141	11.7	09.5-13.9	56	5.4	03.8-07.0
Less Than H.S.	141	12,028	33	16.5	10.2-22.8	31	21.6	13.0-30.2	27	20.5	12.1-28.9	26	16.8	09.7-23.9				8	5.3	01.6-09.0
H.S. or G.E.D.	679	64,937	180	26.8	22.7-30.9	139	21.2	17.5-24.9	104	15.7	12.4-19.0	152	22.3	18.6-26.0	82	10.9	08.2-13.6	22	3.1	01.5-04.7
Some Post-H.S.	540	55,412	124	24.7	20.2-29.2	110	19.9	15.8-24.0	85	13.9	10.6-17.2	124	22.8	18.3-27.3	75	14.9	11.2-18.6	22	3.8	02.0-05.6
College Graduate	753	84,343	173	24.9	20.8-29.0	154	20.2	16.7-23.7	118	15.0	11.9-18.1	180	22.6	18.9-26.3	94	12.4	09.5-15.3	34	4.9	03.1-06.7
Less than \$15,000	253	20,979	56	24.1	17.2-31.0	47	20.5	13.8-27.2	44	18.6	12.7-24.5	50	15.6	10.7-20.5	41	15.7	10.2-21.2	15	5.6	02.5-08.7
\$15,000- 24,999	212	16,850	67	26.8	20.1-33.5	39	19.5	13.0-26.0	31	15.1	09.6-20.6	38	18.5	12.2-24.8	29	16.1	08.3-23.9	8	3.9	01.2-06.6
\$25,000- 34,999	199	16,802	49	25.4	18.3-32.5	43	23.1	16.0-30.2	27	14.5	08.4-20.6	46	20.5	14.6-26.4	29	13.5	08.2-18.8	5	3.0	00.1-05.9
\$35,000- 49,999	285	27,998	66	21.3	15.6-27.0	58	20.2	14.7-25.7	41	12.5	08.0-17.0	70	25.9	19.6-32.2	38	15.1	10.0-20.2	12	5.0	01.7-08.3
\$50,000- 74,999	310	33,261	77	26.2	20.1-32.3	70	21.8	16.5-27.1	50	15.6	10.9-20.3	76	23.0	17.5-28.5	29	11.0	05.7-16.3	8	2.5	00.1-04.9
\$75,000+	473	62,045	113	26.5	21.4-31.6	100	19.9	15.6-24.2	79	15.6	11.7-19.5	110	21.8	17.3-26.3	53	12.5	08.8-16.2	18	3.8	01.8-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	761	98,143	181	24.7	20.8-28.6	175	22.5	19.0-26.0	124	14.5	11.8-17.2	164	21.6	17.9-25.3	87	12.5	09.4-15.6	30	4.1	02.5-05.7
White/Non-Hisp	648	83,212	147	24.2	20.1-28.3	139	20.9	17.2-24.6	107	14.3	11.4-17.2	149	22.9	18.8-27.0	81	13.9	10.2-17.6	25	3.8	02.2-05.4
Black or Afr. Am./Non-Hisp	67	7,605										7	6.7	01.4-12.0	2	2.7	00.0-06.4	1	2.0	00.0-05.9
45-54	91	17,912				25	24.1	14.3-33.9	13	14.3	06.3-22.3				6	6.0	00.5-11.5	2	2.5	00.0-06.0
55-64	259	36,601	55	20.4	14.3-26.5	59	21.1	15.0-27.2	36	12.1	07.8-16.4	66	26.6	19.5-33.7	38	18.4	11.5-25.3	5	1.4	00.0-02.8
65+	411	43,630	100	25.2	20.3-30.1	91	23.0	18.1-27.9	75	16.6	12.7-20.5	79	17.9	13.8-22.0	43	10.2	07.1-13.3	23	7.1	04.0-10.2
Less Than H.S.	56	5,826	13	13.5	05.1-21.9				9	13.4	03.4-23.4							1	1.2	00.0-03.6
H.S. or G.E.D.	226	26,216	58	29.7	22.1-37.3	49	21.8	15.5-28.1	43	17.8	12.1-23.5	45	18.8	12.7-24.9	21	8.2	04.5-11.9	10	3.7	01.2-06.2
Some Post-H.S.	169	22,501	44	25.2	17.4-33.0	41	22.3	14.9-29.7	25	12.6	07.1-18.1	33	23.0	14.6-31.4	20	12.9	06.6-19.2	6	4.0	00.5-07.5
College Graduate	309	43,563	66	23.0	16.9-29.1	71	22.9	17.2-28.6	47	13.7	09.4-18.0	74	23.3	17.4-29.2	39	12.4	07.9-16.9	12	4.7	02.0-07.4
Less than \$15,000	76	8,328										13	10.0	04.1-15.9	12	16.3	06.3-26.3	5	5.5	00.4-10.6
\$25,000- 34,999	67	6,326										14	16.6	07.8-25.4	9	14.0	04.6-23.4	2	4.3	00.0-10.6
\$35,000- 49,999	112	13,656	23	20.5	11.7-29.3	31	26.7	17.3-36.1	14	9.4	04.1-14.7	28	26.7	17.1-36.3	12	10.6	04.3-16.9	4	6.0	00.0-12.1
\$50,000- 74,999	124	15,565				31	22.4	14.4-30.4	23	18.2	10.4-26.0	26	20.0	12.2-27.8	13	12.7	03.1-22.3	4	2.0	00.0-04.0
\$75,000+	232	35,628	57	26.4	19.1-33.7	53	22.5	16.0-29.0	35	13.0	08.3-17.7	52	22.1	15.4-28.8	26	11.8	06.7-16.9	9	4.3	01.6-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1356	118,820	331	25.2	22.3-28.1	259	18.8	16.4-21.2	211	15.8	13.4-18.2	318	22.7	20.2-25.2	180	13.3	11.1-15.5	57	4.2	03.0-05.4
White/Non-Hisp	1155	98,340	261	23.3	20.4-26.2	217	18.2	15.7-20.7	175	15.2	12.7-17.7	287	24.6	21.7-27.5	162	14.1	11.7-16.5	53	4.6	03.2-06.0
Black or Afr. Am./Non-Hisp	140	13,846	50	35.0	25.2-44.8	29	22.8	14.2-31.4	23	16.4	09.1-23.7	22	13.3	06.6-20.0	14	11.0	04.7-17.3	2	1.5	00.0-03.7
45-54	150	19,537	58	36.9	27.9-45.9	32	17.8	11.3-24.3	19	15.0	07.4-22.6	25	17.8	10.2-25.4	11	7.7	02.8-12.6	5	4.8	00.3-09.3
55-64	474	41,681	111	25.1	20.2-30.0	80	16.1	12.4-19.8	76	16.1	12.0-20.2	117	22.3	18.0-26.6	71	16.6	12.5-20.7	19	3.9	01.9-05.9
65+	732	57,602	162	21.2	17.9-24.5	147	21.1	17.4-24.8	116	15.9	12.8-19.0	176	24.7	21.0-28.4	98	12.9	10.2-15.6	33	4.2	02.6-05.8
Less Than H.S.	85	6,201	20	19.4	10.6-28.2	17	19.4	10.0-28.8				14	16.8	07.6-26.0	9	8.2	02.5-13.9	7	9.1	02.4-15.8
H.S. or G.E.D.	453	38,721	122	24.8	20.1-29.5	90	20.8	16.1-25.5	61	14.2	10.3-18.1	107	24.7	19.8-29.6	61	12.8	09.1-16.5	12	2.8	00.6-05.0
Some Post-H.S.	371	32,911	80	24.4	18.9-29.9	69	18.3	13.8-22.8	60	14.7	10.4-19.0	91	22.7	17.6-27.8	55	16.2	11.7-20.7	16	3.6	01.6-05.6
College Graduate	444	40,780	107	26.8	21.5-32.1	83	17.3	13.4-21.2	71	16.4	11.9-20.9	106	21.9	17.4-26.4	55	12.4	08.9-15.9	22	5.2	02.7-07.7
Less than \$15,000	177	12,650	40	24.4	16.2-32.6	34	20.9	13.1-28.7	27	14.6	08.9-20.3	37	19.3	12.2-26.4	29	15.3	09.2-21.4	10	5.6	01.7-09.5
\$15,000- 24,999	163	12,093	50	28.1	20.5-35.7	27	16.7	10.4-23.0	25	16.5	09.8-23.2	32	21.9	14.3-29.5	23	12.3	07.0-17.6	6	4.4	00.9-07.9
\$25,000- 34,999	132	10,476	28	21.7	13.7-29.7	30	25.8	16.8-34.8	19	14.1	07.4-20.8	32	22.9	15.1-30.7	20	13.2	06.9-19.5	3	2.3	00.0-04.8
\$35,000- 49,999	173	14,342	43	22.1	15.0-29.2	27	14.0	08.5-19.5	27	15.5	08.4-22.6	42	25.1	16.9-33.3	26	19.4	11.8-27.0	8	4.0	01.1-06.9
\$50,000- 74,999	186	17,696	50	27.5	19.9-35.1	39	21.2	14.3-28.1	27	13.2	07.5-18.9	50	25.6	18.2-33.0	16	9.4	04.5-14.3	4	3.0	00.0-06.9
\$75,000+	241	26,417	56	26.6	19.5-33.7	47	16.3	11.2-21.4	44	19.2	12.7-25.7	58	21.4	15.7-27.1	27	13.4	08.3-18.5	9	3.2	00.8-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

SECTION 21: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)	
1 MALES AND FEMALES	237
2 MALES ONLY	238
3 FEMALES ONLY	239
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD2)	
4 MALES AND FEMALES	240
5 MALES ONLY	241
6 FEMALES ONLY	242
WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)	
7 MALES AND FEMALES	243
8 MALES ONLY	244
9 FEMALES ONLY	245
WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)	
10 MALES AND FEMALES	246
11 MALES ONLY	247
12 FEMALES ONLY	248
I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)	
13 MALES AND FEMALES	249
14 MALES ONLY	250
15 FEMALES ONLY	251

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2693	534,912	1213	47.5	44.8-50.2	1480	52.5	49.8-55.2
Male	975	260,802	412	44.0	39.7-48.3	563	56.0	51.7-60.3
Female	1718	274,110	801	50.9	47.8-54.0	917	49.1	46.0-52.2
White/Non-Hisp	2031	385,211	832	43.3	40.4-46.2	1199	56.7	53.8-59.6
Black or Afr. Am./Non-Hisp	427	81,205	258	60.6	53.2-68.0	169	39.4	32.0-46.8
18-24	129	84,238	51	35.8	25.8-45.8	78	64.2	54.2-74.2
25-34	316	107,282	232	68.7	62.2-75.2	84	31.3	24.8-37.8
35-44	542	115,948	350	62.3	57.4-67.2	192	37.7	32.8-42.6
45-54	763	127,590	312	39.2	35.1-43.3	451	60.8	56.7-64.9
55-64	943	99,854	268	28.0	24.5-31.5	675	72.0	68.5-75.5
H.S. or G.E.D.	724	133,008	281	43.1	38.0-48.2	443	56.9	51.8-62.0
Some Post-H.S.	731	156,736	348	47.9	42.2-53.6	383	52.1	46.4-57.8
College Graduate	1104	215,093	512	49.2	45.3-53.1	592	50.8	46.9-54.7
Less than \$15,000	212	37,052	115	60.7	50.9-70.5	97	39.3	29.5-49.1
\$35,000- 49,999	350	60,396	158	47.1	39.5-54.7	192	52.9	45.3-60.5
\$50,000- 74,999	461	81,457	210	47.2	40.7-53.7	251	52.8	46.3-59.3
\$75,000+	921	207,138	405	47.4	43.1-51.7	516	52.6	48.3-56.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	975	260,802	412	44.0	39.7-48.3	563	56.0	51.7-60.3
White/Non-Hisp	768	195,145	300	39.2	34.7-43.7	468	60.8	56.3-65.3
35-44	189	56,641	105	57.6	49.6-65.6	84	42.4	34.4-50.4
45-54	294	61,403	128	41.1	34.2-48.0	166	58.9	52.0-65.8
55-64	347	47,559	105	29.0	23.1-34.9	242	71.0	65.1-76.9
H.S. or G.E.D.	288	64,586	104	38.3	30.5-46.1	184	61.7	53.9-69.5
Some Post-H.S.	236	76,213	111	44.1	34.7-53.5	125	55.9	46.5-65.3
College Graduate	391	101,746	166	47.3	40.8-53.8	225	52.7	46.2-59.2
\$75,000+	381	106,853	163	44.2	37.7-50.7	218	55.8	49.3-62.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1718	274,110	801	50.9	47.8-54.0	917	49.1	46.0-52.2
White/Non-Hisp	1263	190,065	532	47.4	43.7-51.1	731	52.6	48.9-56.3
Black or Afr. Am./Non-Hisp	308	49,978	189	62.3	54.7-69.9	119	37.7	30.1-45.3
25-34	219	54,422	171	76.7	70.2-83.2	48	23.3	16.8-29.8
35-44	353	59,307	245	66.7	60.8-72.6	108	33.3	27.4-39.2
45-54	469	66,187	184	37.4	32.3-42.5	285	62.6	57.5-67.7
55-64	596	52,295	163	27.2	22.7-31.7	433	72.8	68.3-77.3
H.S. or G.E.D.	436	68,422	177	47.7	41.2-54.2	259	52.3	45.8-58.8
Some Post-H.S.	495	80,523	237	51.5	45.2-57.8	258	48.5	42.2-54.8
College Graduate	713	113,346	346	50.9	46.2-55.6	367	49.1	44.4-53.8
\$35,000- 49,999	227	32,159	111	52.6	42.8-62.4	116	47.4	37.6-57.2
\$50,000- 74,999	297	43,055	144	46.7	39.6-53.8	153	53.3	46.2-60.4
\$75,000+	540	100,285	242	50.7	45.4-56.0	298	49.3	44.0-54.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	891	184,362	50	5.2	03.4-07.0	104	10.5	08.0-13.0	138	12.9	10.2-15.6	397	46.5	41.8-51.2	202	24.9	20.6-29.2
Male	284	80,369	21	6.2	03.1-09.3	33	10.5	06.0-15.0	43	13.6	08.7-18.5	118	46.6	38.4-54.8	69	23.2	15.9-30.5
Female	607	103,993	29	4.5	02.5-06.5	71	10.6	07.7-13.5	95	12.3	09.4-15.2	279	46.4	41.1-51.7	133	26.2	20.9-31.5
White/Non-Hisp	627	122,714	43	6.4	04.2-08.6	91	14.5	10.8-18.2	111	15.6	12.1-19.1	265	45.2	40.1-50.3	117	18.3	14.2-22.4
Black or Afr. Am./Non-Hisp	185	34,754	5	3.3	00.0-06.8	6	1.5	00.0-03.1	18	8.4	03.5-13.3	88	45.5	35.7-55.3			
25-34	164	50,633	1	1.1	00.0-03.3	5	3.3	00.2-06.4	8	5.5	01.0-10.0	99	62.9	53.9-71.9	51	27.2	18.8-35.6
35-44	277	57,436	8	4.0	00.9-07.1	38	16.7	10.4-23.0	49	17.1	11.8-22.4	137	47.5	40.2-54.8	45	14.8	10.1-19.5
45-54	234	37,159	21	11.6	06.3-16.9	37	14.8	09.7-19.9	39	19.2	12.5-25.9	84	33.6	26.2-41.0	53	20.9	14.0-27.8
55-64	184	18,779	20	13.5	06.6-20.4	24	14.1	08.0-20.2	42	21.1	14.0-28.2	64	33.1	24.5-41.7	34	18.2	10.9-25.5
H.S. or G.E.D.	201	40,237	12	3.6	01.1-06.1	21	9.6	04.5-14.7	34	14.7	08.4-21.0	82	46.5	37.1-55.9	52	25.6	17.0-34.2
Some Post-H.S.	245	53,263	18	7.1	03.6-10.6	27	9.1	04.6-13.6	39	14.0	08.5-19.5	102	42.0	32.4-51.6	59	27.8	18.6-37.0
College Graduate	396	80,211	19	5.4	02.5-08.3	55	13.2	08.7-17.7	61	11.2	07.9-14.5	187	50.3	43.8-56.8	74	19.8	14.5-25.1
Less than \$15,000	81	14,490	5	4.3	00.0-08.6	3	1.4	00.0-03.2	10	10.2	02.0-18.4						
\$15,000- 24,999	81	12,439	4	7.1	00.0-15.7	8	7.0	01.1-12.9	11	11.1	02.9-19.3						
\$25,000- 34,999	68	14,561	3	1.5	00.0-03.3	4	3.3	00.0-07.6									
\$35,000- 49,999	109	20,654	7	5.0	00.7-09.3	11	7.3	02.0-12.6	13	8.8	02.7-14.9						
\$50,000- 74,999	162	28,448	5	3.9	00.0-08.2	26	13.3	07.4-19.2	26	13.5	07.4-19.6						
\$75,000+	317	76,340	23	7.3	04.0-10.6	42	13.8	08.7-18.9	55	13.9	09.4-18.4	144	46.6	39.7-53.5	53	18.4	12.7-24.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	284	80,369	21	6.2	03.1-09.3	33	10.5	06.0-15.0	43	13.6	08.7-18.5	118	46.6	38.4-54.8	69	23.2	15.9-30.5
White/Non-Hisp	209	53,979	18	7.8	03.7-11.9	30	15.1	08.6-21.6	34	16.5	10.2-22.8	81	43.4	34.8-52.0	46	17.2	11.3-23.1
35-44	75	24,309	3	5.0	00.0-10.9				14	18.0	08.4-27.6				16	16.1	07.5-24.7
45-54	91	17,567	9	11.2	03.2-19.2	9	7.6	02.1-13.1									
55-64	70	9,145							11	12.0	04.2-19.8						
H.S. or G.E.D.	73	17,156	5	3.4	00.1-06.7	9	11.9	02.9-20.9									
Some Post-H.S.	76	23,658	6	6.8	00.9-12.7	8	6.1	01.2-11.0									
College Graduate	115	34,586	9	7.7	01.6-13.8	15	13.9	05.3-22.5	15	9.4	03.9-14.9				27	18.9	10.5-27.3
\$75,000+	120	35,352	10	7.7	02.2-13.2	17	15.4	06.6-24.2	20	15.9	07.7-24.1				22	17.5	08.9-26.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	607	103,993	29	4.5	02.5-06.5	71	10.6	07.7-13.5	95	12.3	09.4-15.2	279	46.4	41.1-51.7	133	26.2	20.9-31.5
White/Non-Hisp	418	68,735	25	5.3	02.9-07.7	61	14.0	09.9-18.1	77	14.8	10.9-18.7	184	46.7	40.4-53.0	71	19.1	13.6-24.6
Black or Afr. Am./Non-Hisp	136	22,535	4	4.7	00.0-10.0	5	2.1	00.0-04.5	12	6.4	02.3-10.5						
25-34	125	29,892				4	3.7	00.0-07.6	3	1.7	00.0-03.9	75	63.2	53.6-72.8	43	31.4	22.2-40.6
35-44	202	33,127	5	3.2	00.0-06.5	26	14.1	07.6-20.6	35	16.5	10.8-22.2	107	52.4	44.2-60.6	29	13.7	08.6-18.8
45-54	143	19,591	12	11.9	05.0-18.8	28	21.3	13.3-29.3	26	20.2	12.0-28.4	47	27.6	19.6-35.6	30	19.0	11.6-26.4
55-64	114	9,634	12	13.9	05.7-22.1	13	10.6	03.9-17.3							17	13.2	04.8-21.6
H.S. or G.E.D.	128	23,081	7	3.8	00.3-07.3	12	7.8	02.3-13.3	22	12.1	06.0-18.2						
Some Post-H.S.	169	29,605	12	7.3	02.8-11.8	19	11.5	04.6-18.4	25	12.6	07.1-18.1	72	38.6	28.8-48.4			
College Graduate	281	45,625	10	3.7	01.0-06.4	40	12.7	08.4-17.0	46	12.6	08.3-16.9	138	50.5	43.2-57.8	47	20.5	14.0-27.0
Less than \$15,000	54	6,757	3	3.9	00.0-08.4	2	1.6	00.0-04.0									
\$15,000- 24,999	62	8,360	2	3.9	00.0-10.4	5	5.0	00.0-10.9	8	10.5	01.9-19.1						
\$35,000- 49,999	77	11,957	5	6.3	00.0-12.8	9	10.4	02.0-18.8	10	9.4	01.8-17.0						
\$50,000- 74,999	113	15,286	2	1.5	00.0-03.7	21	18.2	10.0-26.4	19	14.1	07.4-20.8				20	15.7	08.4-23.0
\$75,000+	197	40,989	13	6.8	02.9-10.7	25	12.4	06.7-18.1	35	12.2	07.7-16.7	93	49.4	41.0-57.8	31	19.3	11.9-26.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1190	249,266	560	46.9	43.0-50.8	91	6.9	05.1-08.7	422	35.7	31.8-39.6	10	0.8	00.0-01.6	38	3.5	02.1-04.9	69	6.2	04.4-08.0
Male	400	111,889	155	36.1	29.6-42.6	33	6.0	03.6-08.4	144	41.7	34.8-48.6	9	1.7	00.1-03.3	21	5.0	02.5-07.5	38	9.5	06.0-13.0
Female	790	137,377	405	55.7	51.2-60.2	58	7.7	05.3-10.1	278	30.9	26.8-35.0	1	0.1	00.0-00.3	17	2.2	01.0-03.4	31	3.5	01.9-05.1
White/Non-Hisp	814	162,951	376	46.8	42.3-51.3	67	7.5	05.3-09.7	293	34.7	30.4-39.0	5	0.3	00.1-00.5	28	4.5	02.5-06.5	45	6.3	03.9-08.7
Black or Afr. Am./Non-Hisp	256	48,722	125	44.2	36.0-52.4	20	7.9	03.4-12.4	86	36.4	27.8-45.0	1	1.7	00.0-05.0	8	2.4	00.4-04.4	16	7.4	03.1-11.7
Hispanic	53	21,053				3	3.3	00.0-07.2				1	1.3	00.0-03.8	1	0.5	00.0-01.5	2	0.8	00.0-02.0
18-24	50	29,781				5	5.3	00.0-10.8										2	3.9	00.0-09.4
25-34	230	72,663	114	48.3	40.3-56.3	18	7.0	03.5-10.5	81	34.8	27.2-42.4	1	1.1	00.0-03.3	5	3.1	00.0-06.2	11	5.7	02.2-09.2
35-44	342	70,924	185	50.8	44.3-57.3	24	7.3	04.0-10.6	103	33.2	26.7-39.7	3	0.6	00.0-01.4	10	3.4	01.2-05.6	17	4.8	02.1-07.5
45-54	304	48,284	122	37.0	30.5-43.5	23	6.6	03.5-09.7	119	39.5	32.6-46.4	3	1.2	00.0-02.6	14	6.3	02.4-10.2	23	9.5	04.8-14.2
55-64	264	27,615	116	45.4	37.8-53.0	21	7.9	04.0-11.8	99	34.9	27.5-42.3	3	0.7	00.0-01.5	9	3.5	01.0-06.0	16	7.7	03.6-11.8
Less Than H.S.	69	15,232										4	3.5	00.0-07.0	1	0.6	00.0-01.8	5	5.5	00.0-11.6
H.S. or G.E.D.	278	56,986	126	45.1	36.9-53.3	25	9.5	05.2-13.8	104	36.0	28.2-43.8	4	1.7	00.0-04.4	9	4.6	00.7-08.5	10	3.1	00.6-05.6
Some Post-H.S.	342	73,404	159	49.9	42.1-57.7	19	4.0	01.6-06.4	126	35.6	28.2-43.0	2	0.6	00.0-01.6	9	2.1	00.5-03.7	27	7.7	04.0-11.4
College Graduate	500	103,248	246	46.6	40.9-52.3	36	6.1	03.7-08.5	172	36.2	30.3-42.1				19	4.2	02.0-06.4	27	6.9	04.0-09.8
Less than \$15,000	113	21,857				9	6.9	01.2-12.6				3	1.8	00.0-04.0	2	1.2	00.0-03.4	3	1.5	00.0-03.7
\$15,000- 24,999	118	18,689				9	5.8	00.5-11.1				3	0.8	00.0-01.8	2	1.2	00.0-03.0	5	2.1	00.1-04.1
\$25,000- 34,999	90	19,369				9	11.3	02.7-19.9				2	5.7	00.0-14.1	3	3.3	00.0-07.2	5	7.6	00.0-15.4
\$35,000- 49,999	157	28,385				7	3.2	00.5-05.9				1	0.5	00.0-01.5	5	3.8	00.1-07.5	7	5.0	00.3-09.7
\$50,000- 74,999	203	37,101	93	42.6	33.0-52.2	17	9.6	04.1-15.1				1	0.5	00.0-01.5	5	2.2	00.0-04.7	10	4.4	01.1-07.7
\$75,000+	401	97,237	205	50.4	44.3-56.5	31	6.6	03.9-09.3	120	30.4	24.7-36.1				16	3.9	01.7-06.1	29	8.5	05.0-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	400	111,889	155	36.1	29.6-42.6	33	6.0	03.6-08.4	144	41.7	35.0-48.4	9	1.7	00.1-03.3	21	5.0	02.5-07.5	38	9.5	06.0-13.0
White/Non-Hisp	290	74,340	114	36.9	29.8-44.0	23	5.7	03.0-08.4	106	39.1	31.8-46.4	4	0.5	00.0-01.1	15	6.4	02.7-10.1	28	11.4	06.7-16.1
Black or Afr. Am./Non-Hisp	68	17,702				8	11.3	01.7-20.9				1	4.7	00.0-13.5	4	4.1	00.0-08.4	8	9.7	01.3-18.1
25-34	60	31,383				4	4.0	00.0-08.1				1	2.6	00.0-07.7	3	5.4	00.0-11.9	7	10.1	02.5-17.7
35-44	103	32,306				5	5.9	00.6-11.2				2	1.0	00.0-02.4	6	4.5	00.8-08.2	7	6.5	01.4-11.6
45-54	122	23,984	40	28.6	19.2-38.0	12	8.5	03.0-14.0				3	2.3	00.0-05.0	7	7.6	01.3-13.9	13	12.9	04.5-21.3
55-64	103	13,532				11	8.9	03.0-14.8				3	1.4	00.0-03.2	5	5.0	00.3-09.7	10	11.4	03.8-19.0
H.S. or G.E.D.	103	24,676				10	9.8	02.9-16.7				3	3.7	00.0-10.2	6	8.3	00.1-16.5	7	5.9	00.2-11.6
Some Post-H.S.	108	32,636				8	3.4	00.5-06.3				2	1.4	00.0-03.4	5	3.3	00.4-06.2	13	11.2	03.8-18.6
College Graduate	160	46,516	61	33.6	24.8-42.4	12	4.4	01.5-07.3							9	5.2	01.3-09.1	14	10.3	04.6-16.0
\$50,000- 74,999	64	17,732				6	7.3	00.6-14.0				1	1.1	00.0-03.3	2	3.6	00.0-08.7	5	6.4	00.0-13.1
\$75,000+	160	46,623	68	40.0	30.8-49.2	12	5.2	01.7-08.7	54	37.3	27.9-46.7				8	4.2	00.9-07.5	18	13.3	06.6-20.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WVRTST8)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	790	137,377	405	55.7	51.2-60.2	58	7.7	05.3-10.1	278	30.9	26.8-35.0	1	0.1	00.0-00.3	17	2.2	01.0-03.4	31	3.5	01.9-05.1
White/Non-Hisp	524	88,611	262	55.2	49.7-60.7	44	9.0	05.9-12.1	187	30.9	26.0-35.8	1	0.1	00.0-00.3	13	2.9	00.9-04.9	17	2.0	00.8-03.2
Black or Afr. Am./Non-Hisp	188	31,020	99	54.9	45.7-64.1	12	5.9	01.4-10.4	65	31.6	23.4-39.8				4	1.4	00.0-03.2	8	6.1	01.4-10.8
25-34	170	41,279	94	56.2	47.8-64.6	14	9.4	04.1-14.7	56	30.7	22.9-38.5				2	1.4	00.0-03.6	4	2.3	00.0-04.8
35-44	239	38,617	141	61.1	53.8-68.4	19	8.4	04.1-12.7	64	24.5	18.2-30.8	1	0.2	00.0-00.6	4	2.4	00.0-04.8	10	3.4	00.7-06.1
45-54	182	24,300	82	45.4	36.8-54.0	11	4.6	01.7-07.5	72	38.9	30.5-47.3				7	5.0	00.5-09.5	10	6.1	02.0-10.2
55-64	161	14,082	68	46.6	36.8-56.4	10	6.9	02.0-11.8	73	40.3	30.9-49.7				4	2.1	00.0-04.3	6	4.1	00.6-07.6
H.S. or G.E.D.	175	32,310				15	9.3	03.6-15.0	70	34.8	25.4-44.2	1	0.2	00.0-00.6	3	1.7	00.0-04.2	3	0.9	00.0-02.1
Some Post-H.S.	234	40,768	117	55.8	47.2-64.4	11	4.5	01.0-08.0	88	33.6	25.8-41.4				4	1.2	00.0-02.8	14	4.9	01.6-08.2
College Graduate	340	56,731	185	57.3	50.8-63.8	24	7.6	04.1-11.1	108	27.6	21.9-33.3				10	3.4	01.0-05.8	13	4.2	01.5-06.9
Less than \$15,000	74	10,442				4	3.0	00.0-06.3							1	0.4	00.0-01.2	1	0.6	00.0-01.8
\$15,000- 24,999	89	12,630				6	3.8	00.1-07.5				1	0.6	00.0-01.8				3	1.9	00.0-04.3
\$25,000- 34,999	61	12,225													1	1.9	00.0-05.6	2	3.5	00.0-09.6
\$35,000- 49,999	111	16,904				6	4.2	00.1-08.3							2	2.9	00.0-07.4	4	3.2	00.0-06.9
\$50,000- 74,999	139	19,369	70	54.5	44.5-64.5	11	11.7	03.5-19.9	50	30.4	22.0-38.8				3	0.9	00.0-02.1	5	2.6	00.2-05.0
\$75,000+	241	50,614	137	60.1	52.8-67.4	19	8.0	04.1-11.9	66	24.1	18.0-30.2				8	3.7	00.8-06.6	11	4.1	01.2-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 10: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRTST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	762	161,548	147	20.8	16.3-25.3	615	79.2	74.7-83.7
Male	247	69,916	55	24.4	16.4-32.4	192	75.6	67.6-83.6
Female	515	91,632	92	18.1	13.2-23.0	423	81.9	77.0-86.8
White/Non-Hisp	489	97,891	74	16.5	11.8-21.2	415	83.5	78.8-88.2
Black or Afr. Am./Non-Hisp	194	36,954	47	24.8	15.0-34.6	147	75.2	65.4-85.0
25-34	149	46,800	24	23.1	13.1-33.1	125	76.9	66.9-86.9
35-44	209	41,057	38	16.3	10.2-22.4	171	83.7	77.6-89.8
45-54	204	32,269	40	16.3	10.6-22.0	164	83.7	78.0-89.4
55-64	159	16,571	29	17.5	10.4-24.6	130	82.5	75.4-89.6
Some Post-H.S.	219	49,547	46	20.0	11.6-28.4	173	80.0	71.6-88.4
College Graduate	302	58,880	40	12.2	07.7-16.7	262	87.8	83.3-92.3
\$35,000- 49,999	101	18,481	23	18.1	08.9-27.3	78	81.9	72.7-91.1
\$75,000+	243	56,348	28	10.3	05.8-14.8	215	89.7	85.2-94.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 11: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	247	69,916	55	24.4	16.2-32.6	192	75.6	67.4-83.8
White/Non-Hisp	170	43,023	30	19.3	11.3-27.3	140	80.7	72.7-88.7
45-54	79	15,380	18	18.0	08.8-27.2	61	82.0	72.8-91.2
College Graduate	98	24,827	14	14.3	05.5-23.1	84	85.7	76.9-94.5
\$75,000+	85	22,972	11	8.7	03.0-14.4	74	91.3	85.6-97.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

**TABLE 12: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	515	91,632	92	18.1	13.2-23.0	423	81.9	77.0-86.8
White/Non-Hisp	319	54,868	44	14.3	08.8-19.8	275	85.7	80.2-91.2
Black or Afr. Am./Non-Hisp	140	22,800	29	19.8	10.0-29.6	111	80.2	70.4-90.0
25-34	110	26,044	14	13.5	05.7-21.3	96	86.5	78.7-94.3
35-44	149	23,077	27	13.9	08.2-19.6	122	86.1	80.4-91.8
45-54	125	16,889	22	14.8	07.7-21.9	103	85.2	78.1-92.3
55-64	99	9,118	15	13.9	06.3-21.5	84	86.1	78.5-93.7
Some Post-H.S.	157	28,559	33	19.1	09.7-28.5	124	80.9	71.5-90.3
College Graduate	204	34,052	26	10.7	06.0-15.4	178	89.3	84.6-94.0
\$35,000- 49,999	71	11,096	13	12.1	04.7-19.5	58	87.9	80.5-95.3
\$50,000- 74,999	83	12,293	16	16.9	07.3-26.5	67	83.1	73.5-92.7
\$75,000+	158	33,376	17	11.5	05.0-18.0	141	88.5	82.0-95.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 13: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2732	542,548	76	4.0	02.6-05.4	2656	96.0	94.6-97.4
Male	990	263,714	26	4.1	01.9-06.3	964	95.9	93.7-98.1
Female	1742	278,835	50	4.0	02.4-05.6	1692	96.0	94.4-97.6
White/Non-Hisp	2064	391,475	44	3.5	02.1-04.9	2020	96.5	95.1-97.9
Black or Afr. Am./Non-Hisp	430	81,455	22	6.7	02.2-11.2	408	93.3	88.8-97.8
Oth. Race/Non-Hisp.	85	25,198	1	0.3	00.0-00.9	84	99.7	99.1-0100
Hispanic	97	32,581	7	6.8	00.0-14.2	90	93.2	85.8-0100
18-24	129	84,238	15	11.7	05.0-18.4	114	88.3	81.6-95.0
25-34	322	109,130	12	4.0	01.3-06.7	310	96.0	93.3-98.7
35-44	553	118,826	21	3.2	01.4-05.0	532	96.8	95.0-98.6
45-54	772	128,795	15	1.8	00.8-02.8	757	98.2	97.2-99.2
55-64	956	101,560	13	1.5	00.5-02.5	943	98.5	97.5-99.5
H.S. or G.E.D.	735	134,841	18	4.7	01.8-07.6	717	95.3	92.4-98.2
Some Post-H.S.	744	159,353	26	3.8	01.6-06.0	718	96.2	94.0-98.4
College Graduate	1119	218,279	20	2.2	01.0-03.4	1099	97.8	96.6-99.0
Less than \$15,000	214	37,587	10	6.2	01.5-10.9	204	93.8	89.1-98.5
\$15,000- 24,999	217	34,707	10	9.5	00.1-18.9	207	90.5	81.1-99.9
\$25,000- 34,999	202	38,275	10	8.3	02.0-14.6	192	91.7	85.4-98.0
\$35,000- 49,999	353	60,913	9	4.2	00.3-08.1	344	95.8	91.9-99.7
\$50,000- 74,999	465	82,213	8	1.3	00.3-02.3	457	98.7	97.7-99.7
\$75,000+	939	211,199	18	2.2	01.0-03.4	921	97.8	96.6-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 14: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	990	263,714	26	4.1	01.9-06.3	964	95.9	93.7-98.1
White/Non-Hisp	779	197,103	18	3.5	01.5-05.5	761	96.5	94.5-98.5
Black or Afr. Am./Non-Hisp	121	31,368	6	8.0	00.0-17.2	115	92.0	82.8-0100
25-34	97	52,860	4	5.0	00.0-10.1	93	95.0	89.9-0100
35-44	192	57,708	5	2.9	00.2-05.6	187	97.1	94.4-99.8
45-54	299	62,111	5	1.2	00.0-02.4	294	98.8	97.6-0100
55-64	354	48,697	7	2.2	00.2-04.2	347	97.8	95.8-99.8
H.S. or G.E.D.	292	65,229	7	4.0	00.1-07.9	285	96.0	92.1-99.9
Some Post-H.S.	242	77,130	6	2.8	00.0-05.9	236	97.2	94.1-0100
College Graduate	396	103,097	8	2.6	00.6-04.6	388	97.4	95.4-99.4
Less than \$15,000	74	19,218	4	8.2	00.0-16.8	70	91.8	83.2-0100
\$25,000- 34,999	68	18,032	3	6.3	00.0-15.5	65	93.7	84.5-0100
\$35,000- 49,999	126	28,754	2	4.8	00.0-12.1	124	95.2	87.9-0100
\$50,000- 74,999	165	38,476	1	0.5	00.0-01.5	164	99.5	98.5-0100
\$75,000+	385	107,987	5	1.6	00.0-03.2	380	98.4	96.8-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 15: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1742	278,835	50	4.0	02.4-05.6	1692	96.0	94.4-97.6
White/Non-Hisp	1285	194,372	26	3.6	01.6-05.6	1259	96.4	94.4-98.4
Black or Afr. Am./Non-Hisp	309	50,086	16	6.0	01.5-10.5	293	94.0	89.5-98.5
Oth. Race/Non-Hisp.	50	13,268	1	0.5	00.0-01.5	49	99.5	98.5-0100
Hispanic	59	14,803	5	6.2	00.0-12.5	54	93.8	87.5-0100
18-24	81	41,899	10	12.7	03.9-21.5	71	87.3	78.5-96.1
25-34	225	56,270	8	3.0	00.6-05.4	217	97.0	94.6-99.4
35-44	361	61,118	16	3.5	01.5-05.5	345	96.5	94.5-98.5
45-54	473	66,684	10	2.4	00.8-04.0	463	97.6	96.0-99.2
55-64	602	52,863	6	0.8	00.0-01.6	596	99.2	98.4-0100
H.S. or G.E.D.	443	69,612	11	5.3	01.0-09.6	432	94.7	90.4-99.0
Some Post-H.S.	502	82,223	20	4.6	01.5-07.7	482	95.4	92.3-98.5
College Graduate	723	115,182	12	2.0	00.8-03.2	711	98.0	96.8-99.2
Less than \$15,000	140	18,369	6	4.1	00.2-08.0	134	95.9	92.0-99.8
\$15,000- 24,999	152	21,478	5	6.2	00.0-15.2	147	93.8	84.8-0100
\$25,000- 34,999	134	20,243	7	10.1	01.5-18.7	127	89.9	81.3-98.5
\$35,000- 49,999	227	32,159	7	3.7	00.2-07.2	220	96.3	92.8-99.8
\$50,000- 74,999	300	43,737	7	2.0	00.2-03.8	293	98.0	96.2-99.8
\$75,000+	554	103,213	13	2.8	00.8-04.8	541	97.2	95.2-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
1	MALES AND FEMALES	253
2	MALES ONLY	254
3	FEMALES ONLY	255
	IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
4	MALES AND FEMALES	256
5	MALES ONLY	257
6	FEMALES ONLY	258

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
 TABLE 1: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
 Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4118	663,114	2286	54.4	52.0-56.8	1147	30.7	28.5-32.9	431	9.6	08.2-11.0	107	2.3	01.7-02.9	147	3.1	02.3-03.9
Male	1466	314,247	827	53.3	49.4-57.2	385	31.1	27.4-34.8	143	9.2	06.8-11.6	42	2.2	01.4-03.0	69	4.2	02.6-05.8
Female	2652	348,867	1459	55.3	52.8-57.8	762	30.3	27.9-32.7	288	9.9	08.5-11.3	65	2.5	01.7-03.3	78	2.1	01.5-02.7
White/Non-Hisp	3299	498,027	1829	54.2	51.7-56.7	986	33.4	31.0-35.8	317	8.5	07.1-09.9	73	2.0	01.4-02.6	94	1.9	01.3-02.5
Black or Afr. Am./Non-Hisp	525	90,565	297	56.8	49.9-63.7	104	24.3	17.4-31.2	68	9.7	06.6-12.8	22	3.1	01.5-04.7	34	6.1	02.4-09.8
Oth. Race/Non-Hisp.	104	27,503							13	10.0	03.7-16.3	3	2.7	00.0-05.8	7	4.0	00.7-07.3
MultiRacial/Non-Hisp.	56	10,789										1	0.5	00.0-01.7	2	4.7	00.0-12.3
Hispanic	107	32,324				17	14.4	05.2-23.6				8	6.1	00.6-11.6	9	9.2	02.3-16.1
18-24	128	83,295							9	7.6	01.3-13.9	2	1.8	00.0-04.2	4	3.9	00.0-08.0
25-34	322	110,071	170	50.7	44.0-57.4	111	37.1	30.4-43.8	34	10.3	06.0-14.6	3	0.5	00.0-01.1	4	1.3	00.0-02.7
35-44	547	117,171	272	50.2	45.1-55.3	186	35.2	30.3-40.1	56	8.4	05.9-10.9	21	3.5	01.7-05.3	12	2.6	00.8-04.4
45-54	763	127,201	372	52.1	47.8-56.4	223	29.8	25.9-33.7	123	13.4	10.5-16.3	27	2.8	01.4-04.2	18	1.9	00.9-02.9
55-64	950	100,535	535	57.1	53.2-61.0	261	28.0	24.5-31.5	106	9.8	07.6-12.0	17	1.9	00.7-03.1	31	3.3	01.5-05.1
65+	1364	120,875	840	60.8	57.7-63.9	316	23.6	20.9-26.3	97	7.1	05.3-08.9	35	2.9	01.7-04.1	76	5.6	04.2-07.0
Less Than H.S.	266	40,525							39	12.2	06.7-17.7	8	1.8	00.4-03.2	28	10.9	03.5-18.3
H.S. or G.E.D.	1228	175,668	693	54.7	50.6-58.8	265	25.7	22.0-29.4	154	11.1	08.7-13.5	52	4.7	02.9-06.5	64	3.9	02.7-05.1
Some Post-H.S.	1079	189,473	578	53.1	48.2-58.0	322	30.9	26.4-35.4	123	11.4	08.1-14.7	26	1.6	00.8-02.4	30	2.9	01.3-04.5
College Graduate	1539	256,609	868	55.6	52.3-58.9	510	34.9	31.6-38.2	115	6.8	05.0-08.6	21	1.3	00.7-01.9	25	1.4	00.6-02.2
Less than \$15,000	433	54,349	199	45.2	37.6-52.8	126	26.0	19.7-32.3	67	19.6	11.6-27.6	19	3.8	01.6-06.0	22	5.4	02.7-08.1
\$15,000- 24,999	401	47,816	185	49.2	41.0-57.4	73	19.1	13.6-24.6	80	16.6	11.7-21.5	25	4.9	02.5-07.3	38	10.2	03.9-16.5
\$25,000- 34,999	356	50,580	187	45.3	37.5-53.1	91	31.0	22.8-39.2	48	14.8	09.3-20.3	11	4.4	00.9-07.9	19	4.5	01.4-07.6
\$35,000- 49,999	545	78,926	300	50.2	44.1-56.3	166	34.5	28.2-40.8	55	9.6	06.3-12.9	7	1.2	00.0-02.4	17	4.5	01.8-07.2
\$50,000- 74,999	617	96,059	330	50.3	44.8-55.8	205	35.3	29.8-40.8	62	11.2	07.3-15.1	15	2.4	01.0-03.8	5	0.7	00.0-01.5
\$75,000+	1113	230,506	675	60.0	56.1-63.9	350	32.9	29.2-36.6	63	4.8	03.0-06.6	12	1.3	00.3-02.3	13	1.0	00.2-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION

TABLE 2. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1466	314,247	827	53.3	49.6-57.0	385	31.1	27.4-34.8	143	9.2	06.8-11.6	42	2.2	01.4-03.0	69	4.2	02.6-05.8
White/Non-Hisp	1202	241,454	679	54.3	50.2-58.4	336	33.5	29.6-37.4	108	7.4	05.4-09.4	33	2.3	01.3-03.3	46	2.5	01.5-03.5
Black or Afr. Am./Non-Hisp	153	35,108							19	10.7	04.2-17.2	6	2.3	00.0-04.7	15	10.6	01.8-19.4
25-34	98	53,865							8	9.6	02.2-17.0				2	1.9	00.0-04.4
35-44	191	57,167	91	48.5	40.3-56.7	68	36.5	28.5-44.5	20	8.6	04.7-12.5	8	3.1	00.7-05.5	4	3.3	00.0-06.6
45-54	294	61,311	154	56.8	49.9-63.7	82	27.6	21.5-33.7	41	11.5	07.0-16.0	8	1.7	00.5-02.9	9	2.4	00.6-04.2
55-64	350	47,949	197	57.3	50.8-63.8	93	27.5	21.6-33.4	40	9.3	05.8-12.8	7	1.9	00.0-03.9	13	4.0	00.9-07.1
65+	480	51,611	302	60.3	55.0-65.6	91	21.5	17.0-26.0	31	6.1	03.4-08.8	18	4.4	02.0-06.8	38	7.7	05.0-10.4
Less Than H.S.	114	22,803							9	4.2	00.1-08.3	3	1.9	00.0-04.1			
H.S. or G.E.D.	434	78,672	250	54.2	47.3-61.1	85	26.3	19.8-32.8	48	10.3	06.2-14.4	24	4.3	01.8-06.8	27	4.9	02.5-07.3
Some Post-H.S.	342	88,852	187	50.4	42.0-58.8	96	31.8	23.8-39.8	37	11.6	05.3-17.9	7	1.4	00.2-02.6	15	4.7	01.6-07.8
College Graduate	574	123,390	326	55.7	50.2-61.2	176	33.3	27.8-38.8	49	7.8	04.9-10.7	8	1.4	00.4-02.4	15	1.8	00.6-03.0
Less than \$15,000	136	24,978										8	3.7	00.6-06.8	14	7.2	02.5-11.9
\$15,000- 24,999	104	16,236							19	13.1	05.5-20.7	9	6.5	01.4-11.6			
\$25,000- 34,999	123	22,660							15	11.9	03.5-20.3	6	6.7	00.0-14.0	8	5.8	00.0-12.1
\$35,000- 49,999	198	37,703	116	49.5	39.9-59.1	46	33.4	23.4-43.4	22	7.7	03.6-11.8	3	1.2	00.0-02.8	11	8.2	02.7-13.7
\$50,000- 74,999	236	45,808	132	50.9	41.5-60.3	70	34.0	24.6-43.4	26	13.0	05.6-20.4	5	1.4	00.0-02.8	3	0.8	00.0-01.8
\$75,000+	483	120,662	307	62.3	56.4-68.2	135	29.8	24.1-35.5	29	5.6	02.7-08.5	4	0.7	00.0-01.5	8	1.5	00.0-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION

TABLE 3. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2652	348,867	1459	55.3	52.8-57.8	762	30.3	27.9-32.7	288	9.9	08.5-11.3	65	2.5	01.7-03.3	78	2.1	01.5-02.7
White/Non-Hisp	2097	256,572	1150	54.1	51.2-57.0	650	33.3	30.6-36.0	209	9.5	07.9-11.1	40	1.7	00.9-02.5	48	1.4	01.0-01.8
Black or Afr. Am./Non-Hisp	372	55,457	211	60.3	53.2-67.4	77	23.7	17.0-30.4	49	9.1	06.2-12.0	16	3.6	01.4-05.8	19	3.2	01.4-05.0
Oth. Race/Non-Hisp.	59	14,210							8	9.8	02.2-17.4	1	2.2	00.0-06.5	5	5.2	00.3-10.1
Hispanic	66	14,805													5	7.7	00.0-15.5
18-24	81	41,899							6	4.8	00.0-09.7	1	1.6	00.0-04.7	1	1.0	00.0-03.0
25-34	224	56,206	115	49.7	42.3-57.1	78	37.6	30.3-44.9	26	11.1	06.2-16.0	3	0.9	00.0-02.1	2	0.7	00.0-01.9
35-44	356	60,004	181	51.9	45.8-58.0	118	34.0	28.1-39.9	36	8.3	05.2-11.4	13	3.8	01.3-06.3	8	2.0	00.4-03.6
45-54	469	65,891	218	47.6	42.3-52.9	141	31.9	27.0-36.8	82	15.1	11.6-18.6	19	3.8	01.6-06.0	9	1.5	00.5-02.5
55-64	600	52,586	338	57.0	52.3-61.7	168	28.4	24.1-32.7	66	10.2	07.5-12.9	10	1.8	00.4-03.2	18	2.6	01.0-04.2
65+	884	69,264	538	61.2	57.5-64.9	225	25.2	21.9-28.5	66	7.8	05.6-10.0	17	1.9	00.9-02.9	38	4.0	02.6-05.4
Less Than H.S.	152	17,722				20	12.3	05.0-19.6				5	1.7	00.1-03.3	16	9.1	03.0-15.2
H.S. or G.E.D.	794	96,996	443	55.0	50.1-59.9	180	25.1	20.8-29.4	106	11.8	08.9-14.7	28	5.0	02.6-07.4	37	3.1	01.7-04.5
Some Post-H.S.	737	100,621	391	55.5	50.4-60.6	226	30.1	25.6-34.6	86	11.2	08.3-14.1	19	1.9	00.9-02.9	15	1.3	00.5-02.1
College Graduate	965	133,219	542	55.5	51.4-59.6	334	36.4	32.3-40.5	66	5.9	04.1-07.7	13	1.2	00.4-02.0	10	1.0	00.2-01.8
Less than \$15,000	297	29,371	144	50.5	42.3-58.7	84	23.4	17.5-29.3	50	18.4	12.3-24.5	11	3.8	00.7-06.9	8	3.8	00.5-07.1
\$15,000- 24,999	297	31,580	137	50.4	41.6-59.2	54	19.9	13.4-26.4	61	18.5	12.4-24.6	16	4.0	01.8-06.2	29	7.3	04.2-10.4
\$25,000- 34,999	233	27,920	124	51.6	42.6-60.6	60	25.4	18.1-32.7	33	17.1	09.8-24.4	5	2.6	00.0-05.3	11	3.4	01.0-05.8
\$35,000- 49,999	347	41,223	184	50.8	43.0-58.6	120	35.5	27.9-43.1	33	11.3	06.2-16.4	4	1.3	00.0-02.9	6	1.2	00.2-02.2
\$50,000- 74,999	381	50,251	198	49.7	43.4-56.0	135	36.6	30.5-42.7	36	9.7	06.2-13.2	10	3.3	00.8-05.8	2	0.7	00.0-01.7
\$75,000+	630	109,844	368	57.5	52.6-62.4	215	36.4	31.5-41.3	34	3.9	02.3-05.5	8	1.9	00.1-03.7	5	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2010
 SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
 TABLE 4. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
 Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4167	671,209	2135	50.7	48.3-53.1	1808	44.3	41.9-46.7	180	4.1	03.3-04.9	44	0.9	00.5-01.3
Male	1504	320,038	803	51.2	47.5-54.9	620	44.2	40.5-47.9	63	3.8	02.4-05.2	18	0.8	00.2-01.4
Female	2663	351,171	1332	50.3	47.6-53.0	1188	44.4	41.9-46.9	117	4.3	03.1-05.5	26	1.0	00.4-01.6
White/Non-Hisp	3339	504,465	1736	52.1	49.6-54.6	1429	43.2	40.8-45.6	139	3.8	02.8-04.8	35	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	528	91,254	262	49.1	42.4-55.8	240	47.0	40.5-53.5	19	2.9	01.1-04.7	7	0.9	00.1-01.7
Oth. Race/Non-Hisp.	106	27,887							7	3.5	00.6-06.4	1	0.5	00.0-01.5
MultiRacial/Non-Hisp.	55	10,366							5	8.4	00.0-17.6			
Hispanic	108	33,005							9	9.9	01.3-18.5	1	2.1	00.0-06.0
18-24	128	83,818							8	6.1	01.4-10.8	3	2.0	00.0-04.5
25-34	323	110,135	176	55.1	48.4-61.8	137	42.6	35.9-49.3	9	2.2	00.4-04.0	1	0.1	00.0-00.3
35-44	546	118,085	250	46.4	41.3-51.5	265	49.0	43.9-54.1	27	4.3	02.5-06.1	4	0.3	00.0-00.7
45-54	766	128,101	345	47.8	43.5-52.1	358	46.3	42.0-50.6	51	4.6	03.0-06.2	12	1.3	00.5-02.1
55-64	947	100,930	541	56.7	52.8-60.6	349	37.1	33.2-41.0	45	5.0	03.2-06.8	12	1.2	00.4-02.0
65+	1414	126,231	742	53.0	49.9-56.1	620	43.2	40.1-46.3	40	3.0	01.8-04.2	12	0.8	00.2-01.4
Less Than H.S.	271	40,558	99	34.6	25.4-43.8	140	57.8	48.0-67.6	25	6.1	03.4-08.8	7	1.5	00.1-02.9
H.S. or G.E.D.	1250	178,992	582	44.4	40.5-48.3	590	49.2	45.3-53.1	59	4.9	02.9-06.9	19	1.5	00.5-02.5
Some Post-H.S.	1084	190,867	532	49.8	45.1-54.5	485	44.0	39.3-48.7	52	5.3	03.3-07.3	15	0.9	00.3-01.5
College Graduate	1553	259,738	917	58.3	55.0-61.6	589	39.0	35.7-42.3	44	2.3	01.5-03.1	3	0.4	00.0-01.0
Less than \$15,000	438	55,244	153	32.2	25.3-39.1	247	61.0	53.9-68.1	30	5.1	02.9-07.3	8	1.8	00.4-03.2
\$15,000- 24,999	405	48,454	139	34.5	26.5-42.5	206	51.6	43.6-59.6	42	10.1	06.2-14.0	18	3.8	01.8-05.8
\$25,000- 34,999	359	51,213	174	43.9	36.1-51.7	165	48.9	40.9-56.9	15	4.8	01.3-08.3	5	2.4	00.0-05.5
\$35,000- 49,999	555	80,594	270	44.7	38.8-50.6	262	50.0	43.9-56.1	20	4.7	02.0-07.4	3	0.6	00.0-01.4
\$50,000- 74,999	620	96,535	319	47.8	42.3-53.3	280	49.3	43.8-54.8	20	2.8	01.2-04.4	1	0.1	00.0-00.3
\$75,000+	1117	231,266	719	62.8	58.9-66.7	376	35.5	31.8-39.2	19	1.4	00.6-02.2	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2010

SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION

TABLE 5. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1504	320,038	803	51.2	47.5-54.9	620	44.2	40.5-47.9	63	3.8	02.4-05.2	18	0.8	00.2-01.4
White/Non-Hisp	1231	245,784	670	53.0	49.1-56.9	497	42.6	38.7-46.5	50	3.6	02.2-05.0	14	0.9	00.1-01.7
Black or Afr. Am./Non-Hisp	158	35,891							7	3.4	00.3-06.5	3	1.0	00.0-02.2
25-34	98	53,865							2	2.1	00.0-05.0			
35-44	192	57,612	82	43.9	35.9-51.9	100	52.3	44.1-60.5	8	3.3	00.9-05.7	2	0.5	00.0-01.3
45-54	299	61,994	145	52.3	45.4-59.2	136	43.4	36.7-50.1	14	3.2	01.0-05.4	4	1.1	00.0-02.3
55-64	351	48,398	212	58.3	51.8-64.8	115	35.2	28.9-41.5	18	5.5	02.4-08.6	6	1.0	00.0-02.0
65+	510	54,882	286	57.1	52.0-62.2	202	38.5	33.6-43.4	17	3.6	01.4-05.8	5	0.8	00.0-01.6
Less Than H.S.	117	23,030							8	3.3	00.6-06.0	5	2.3	00.1-04.5
H.S. or G.E.D.	451	80,780	224	47.5	40.8-54.2	199	47.7	41.0-54.4	20	3.5	01.0-06.0	8	1.3	00.3-02.3
Some Post-H.S.	350	90,453	178	48.8	40.6-57.0	148	44.6	36.4-52.8	21	6.3	02.8-09.8	3	0.3	00.0-00.7
College Graduate	583	125,210	356	59.3	54.0-64.6	211	37.8	32.5-43.1	14	2.3	00.9-03.7	2	0.7	00.0-01.9
Less than \$15,000	139	25,362							10	3.8	00.7-06.9	5	2.8	00.1-05.5
\$15,000- 24,999	112	16,847							12	10.1	02.8-17.4	7	3.6	00.5-06.7
\$25,000- 34,999	126	23,216							7	5.8	00.0-12.5	2	3.8	00.0-10.3
\$35,000- 49,999	209	39,183	107	43.8	34.8-52.8	94	51.7	42.5-60.9	8	4.5	01.0-08.0			
\$50,000- 74,999	236	45,980	125	47.3	38.1-56.5	103	49.7	40.3-59.1	7	2.9	00.2-05.6	1	0.2	00.0-00.6
\$75,000+	487	121,144	328	63.3	57.4-69.2	152	35.1	29.2-41.0	7	1.5	00.1-02.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 6. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2663	351,171	1332	50.3	47.6-53.0	1188	44.4	41.9-46.9	117	4.3	03.1-05.5	26	1.0	00.4-01.6
White/Non-Hisp	2108	258,681	1066	51.3	48.4-54.2	932	43.7	40.8-46.6	89	4.1	02.9-05.3	21	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	370	55,362	182	48.1	41.0-55.2	172	48.3	41.2-55.4	12	2.6	00.8-04.4	4	0.9	00.0-01.9
Oth. Race/Non-Hisp.	60	14,274							5	4.3	00.0-08.6			
Hispanic	66	14,890										1	4.6	00.0-13.2
18-24	80	41,479							4	6.3	00.0-13.0	2	2.2	00.0-05.5
25-34	225	56,270	122	55.9	48.5-63.3	95	41.6	34.2-49.0	7	2.3	00.3-04.3	1	0.2	00.0-00.6
35-44	354	60,472	168	48.7	42.6-54.8	165	45.9	39.8-52.0	19	5.2	02.7-07.7	2	0.2	00.0-00.4
45-54	467	66,107	200	43.6	38.5-48.7	222	49.1	43.8-54.4	37	5.9	03.7-08.1	8	1.4	00.2-02.6
55-64	596	52,532	329	55.2	50.3-60.1	234	38.8	34.1-43.5	27	4.6	02.6-06.6	6	1.4	00.2-02.6
65+	904	71,350	456	49.9	46.2-53.6	418	46.8	43.1-50.5	23	2.5	01.3-03.7	7	0.9	00.1-01.7
Less Than H.S.	154	17,528							17	9.7	04.4-15.0	2	0.5	00.0-01.3
H.S. or G.E.D.	799	98,212	358	41.7	37.0-46.4	391	50.5	45.6-55.4	39	6.0	03.3-08.7	11	1.8	00.2-03.4
Some Post-H.S.	734	100,414	354	50.7	45.4-56.0	337	43.5	38.2-48.8	31	4.4	02.2-06.6	12	1.4	00.6-02.2
College Graduate	970	134,527	561	57.4	53.3-61.5	378	40.2	36.1-44.3	30	2.3	01.3-03.3	1	0.2	00.0-00.6
Less than \$15,000	299	29,882	110	36.2	28.6-43.8	166	56.8	49.0-64.6	20	6.2	03.1-09.3	3	0.9	00.0-02.1
\$15,000- 24,999	293	31,607	103	33.8	25.2-42.4	149	52.2	43.4-61.0	30	10.1	05.4-14.8	11	3.9	01.4-06.4
\$25,000- 34,999	233	27,997	118	47.8	38.8-56.8	104	46.9	37.9-55.9	8	4.0	00.9-07.1	3	1.2	00.0-02.8
\$35,000- 49,999	346	41,411	163	45.5	37.7-53.3	168	48.4	40.6-56.2	12	5.0	00.9-09.1	3	1.1	00.0-02.5
\$50,000- 74,999	384	50,554	194	48.3	42.0-54.6	177	49.0	42.7-55.3	13	2.7	01.1-04.3			
\$75,000+	630	110,122	391	62.2	57.5-66.9	224	35.8	31.1-40.5	12	1.3	00.5-02.1	3	0.8	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2010**

End of Core Data Report