

DELAWARE

2011 Calculated Variables Report

Behavioral Risk Factor Surveillance System

July 26, 2012



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4773	692,407	3968	85.4	84.0-86.8	805	14.6	13.2-16.0
Male	1821	330,382	1538	85.4	83.2-87.6	283	14.6	12.4-16.8
Female	2952	362,025	2430	85.3	83.7-86.9	522	14.7	13.1-16.3
White/Non-Hisp	3685	479,517	3093	85.3	83.7-86.9	592	14.7	13.1-16.3
Black or Afr. Am./Non-Hisp	685	132,551	549	84.2	80.7-87.7	136	15.8	12.3-19.3
Oth. Race/Non-Hisp.	140	22,400	117	86.5	79.2-93.8	23	13.5	06.2-20.8
MultiRacial/Non-Hisp.	80	9,532	58	74.6	62.6-86.6	22	25.4	13.4-37.4
Hispanic	135	44,314	116	91.6	85.9-97.3	19	8.4	02.7-14.1
18-24	241	83,808	224	95.3	92.6-98.0	17	4.7	02.0-07.4
25-34	508	116,205	461	90.8	87.5-94.1	47	9.2	05.9-12.5
35-44	569	115,503	521	90.4	87.1-93.7	48	9.6	06.3-12.9
45-54	825	128,376	696	84.7	81.4-88.0	129	15.3	12.0-18.6
55-64	1028	107,684	818	78.0	74.3-81.7	210	22.0	18.3-25.7
65+	1543	133,188	1197	76.3	73.4-79.2	346	23.7	20.8-26.6
Less Than H.S.	295	93,272	192	73.6	67.5-79.7	103	26.4	20.3-32.5
H.S. or G.E.D.	1457	222,095	1150	84.3	82.1-86.5	307	15.7	13.5-17.9
Some Post-H.S.	1342	200,566	1089	84.7	82.2-87.2	253	15.3	12.8-17.8
College Graduate	1665	174,749	1526	93.7	92.3-95.1	139	6.3	04.9-07.7
Less than \$15,000	521	72,805	365	72.8	67.3-78.3	156	27.2	21.7-32.7
\$15,000- 24,999	521	76,040	316	67.5	61.8-73.2	205	32.5	26.8-38.2
\$25,000- 34,999	389	52,712	317	82.8	77.5-88.1	72	17.2	11.9-22.5
\$35,000- 49,999	620	90,126	522	84.4	80.3-88.5	98	15.6	11.5-19.7
\$50,000- 74,999	711	98,730	644	91.1	88.6-93.6	67	8.9	06.4-11.4
\$75,000+	1227	184,005	1165	95.1	93.3-96.9	62	4.9	03.1-06.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	330,382	1538	85.4	83.2-87.6	283	14.6	12.4-16.8
White/Non-Hisp	1430	226,614	1217	84.8	82.1-87.5	213	15.2	12.5-17.9
Black or Afr. Am./Non-Hisp	217	60,581	180	86.8	81.5-92.1	37	13.2	07.9-18.5
Oth. Race/Non-Hisp.	68	14,748	56	86.2	76.2-96.2	12	13.8	03.8-23.8
18-24	128	42,254	120	95.7	92.0-99.4	8	4.3	00.6-08.0
25-34	205	58,009	191	93.3	88.8-97.8	14	6.7	02.2-11.2
35-44	213	55,866	189	87.2	80.9-93.5	24	12.8	06.5-19.1
45-54	329	62,517	277	84.2	79.1-89.3	52	15.8	10.7-20.9
55-64	371	50,975	300	77.3	70.8-83.8	71	22.7	16.2-29.2
65+	558	57,803	444	76.0	70.9-81.1	114	24.0	18.9-29.1
Less Than H.S.	120	47,394	82	75.4	66.4-84.4	38	24.6	15.6-33.6
H.S. or G.E.D.	550	112,516	448	85.4	81.9-88.9	102	14.6	11.1-18.1
Some Post-H.S.	466	88,423	380	83.1	78.2-88.0	86	16.9	12.0-21.8
College Graduate	680	80,762	624	93.8	91.8-95.8	56	6.2	04.2-08.2
Less than \$15,000	162	31,131	111	71.2	61.6-80.8	51	28.8	19.2-38.4
\$15,000- 24,999	154	29,544	93	65.9	56.1-75.7	61	34.1	24.3-43.9
\$25,000- 34,999	133	24,469	112	83.8	74.6-93.0	21	16.2	07.0-25.4
\$35,000- 49,999	271	48,773	225	82.8	76.3-89.3	46	17.2	10.7-23.7
\$50,000- 74,999	293	47,982	264	90.2	86.3-94.1	29	9.8	05.9-13.7
\$75,000+	547	93,925	518	94.6	91.7-97.5	29	5.4	02.5-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2952	362,025	2430	85.3	83.7-86.9	522	14.7	13.1-16.3
White/Non-Hisp	2255	252,902	1876	85.8	83.8-87.8	379	14.2	12.2-16.2
Black or Afr. Am./Non-Hisp	468	71,970	369	82.0	77.5-86.5	99	18.0	13.5-22.5
Oth. Race/Non-Hisp.	72	7,652	61	86.9	78.3-95.5	11	13.1	04.5-21.7
Hispanic	87	22,872	73	92.5	87.6-97.4	14	7.5	02.6-12.4
18-24	113	41,553	104	94.8	90.9-98.7	9	5.2	01.3-09.1
25-34	303	58,196	270	88.3	83.4-93.2	33	11.7	06.8-16.6
35-44	356	59,637	332	93.5	90.6-96.4	24	6.5	03.6-09.4
45-54	496	65,860	419	85.2	80.9-89.5	77	14.8	10.5-19.1
55-64	657	56,709	518	78.6	74.7-82.5	139	21.4	17.5-25.3
65+	985	75,385	753	76.6	73.3-79.9	232	23.4	20.1-26.7
Less Than H.S.	175	45,878	110	71.7	63.7-79.7	65	28.3	20.3-36.3
H.S. or G.E.D.	907	109,579	702	83.1	80.4-85.8	205	16.9	14.2-19.6
Some Post-H.S.	876	112,143	709	86.1	83.4-88.8	167	13.9	11.2-16.6
College Graduate	985	93,987	902	93.6	91.8-95.4	83	6.4	04.6-08.2
Less than \$15,000	359	41,673	254	73.9	67.6-80.2	105	26.1	19.8-32.4
\$15,000- 24,999	367	46,496	223	68.5	61.8-75.2	144	31.5	24.8-38.2
\$25,000- 34,999	256	28,243	205	81.9	76.2-87.6	51	18.1	12.4-23.8
\$35,000- 49,999	349	41,353	297	86.2	81.1-91.3	52	13.8	08.7-18.9
\$50,000- 74,999	418	50,748	380	92.0	88.7-95.3	38	8.0	04.7-11.3
\$75,000+	680	90,081	647	95.7	93.9-97.5	33	4.3	02.5-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3164	548,582	2808	87.4	85.6-89.2	356	12.6	10.8-14.4
Male	1244	268,921	1077	84.9	82.0-87.8	167	15.1	12.2-18.0
Female	1920	279,661	1731	89.7	87.7-91.7	189	10.3	08.3-12.3
White/Non-Hisp	2299	363,951	2068	89.1	87.1-91.1	231	10.9	08.9-12.9
Black or Afr. Am./Non-Hisp	534	111,389	459	86.7	83.0-90.4	75	13.3	09.6-17.0
Oth. Race/Non-Hisp.	125	21,197	111	87.4	79.2-95.6	14	12.6	04.4-20.8
MultiRacial/Non-Hisp.	61	7,077	51	85.6	75.8-95.4	10	14.4	04.6-24.2
Hispanic	118	42,354	95	74.1	63.7-84.5	23	25.9	15.5-36.3
18-24	237	81,600	201	87.7	83.0-92.4	36	12.3	07.6-17.0
25-34	508	116,205	436	81.4	76.1-86.7	72	18.6	13.3-23.9
35-44	568	115,312	520	89.9	86.8-93.0	48	10.1	07.0-13.2
45-54	823	127,781	733	89.0	86.3-91.7	90	11.0	08.3-13.7
55-64	1028	107,684	918	88.8	86.1-91.5	110	11.2	08.5-13.9
Less Than H.S.	150	62,648	117	74.3	65.5-83.1	33	25.7	16.9-34.5
H.S. or G.E.D.	922	175,103	743	82.0	78.9-85.1	179	18.0	14.9-21.1
Some Post-H.S.	904	165,696	812	90.1	87.6-92.6	92	9.9	07.4-12.4
College Graduate	1182	144,672	1131	96.3	95.1-97.5	51	3.7	02.5-04.9
Less than \$15,000	303	52,946	232	74.8	68.1-81.5	71	25.2	18.5-31.9
\$15,000- 24,999	332	58,755	252	74.1	67.4-80.8	80	25.9	19.2-32.6
\$25,000- 34,999	237	38,606	196	82.8	76.7-88.9	41	17.2	11.1-23.3
\$35,000- 49,999	394	71,913	346	86.7	81.6-91.8	48	13.3	08.2-18.4
\$50,000- 74,999	532	83,650	499	93.1	90.2-96.0	33	6.9	04.0-09.8
\$75,000+	976	163,398	958	98.2	97.2-99.2	18	1.8	00.8-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1244	268,921	1077	84.9	82.0-87.8	167	15.1	12.2-18.0
White/Non-Hisp	929	177,611	827	88.3	85.2-91.4	102	11.7	08.6-14.8
Black or Afr. Am./Non-Hisp	177	52,386	142	81.5	74.6-88.4	35	18.5	11.6-25.4
Oth. Race/Non-Hisp.	62	14,051	53	83.9	71.9-95.9	9	16.1	04.1-28.1
18-24	126	41,555	105	86.5	79.4-93.6	21	13.5	06.4-20.6
25-34	205	58,009	168	76.9	68.3-85.5	37	23.1	14.5-31.7
35-44	213	55,866	188	86.5	80.8-92.2	25	13.5	07.8-19.2
45-54	329	62,517	286	87.7	83.0-92.4	43	12.3	07.6-17.0
55-64	371	50,975	330	87.6	82.9-92.3	41	12.4	07.7-17.1
Less Than H.S.	68	33,802	48	67.4	53.7-81.1	20	32.6	18.9-46.3
H.S. or G.E.D.	384	94,072	296	79.0	73.9-84.1	88	21.0	15.9-26.1
Some Post-H.S.	341	76,247	306	91.1	87.4-94.8	35	8.9	05.2-12.6
College Graduate	449	64,582	425	95.2	92.8-97.6	24	4.8	02.4-07.2
Less than \$15,000	106	24,276	73	64.2	52.4-76.0	33	35.8	24.0-47.6
\$15,000- 24,999	112	23,467	74	64.6	52.4-76.8	38	35.4	23.2-47.6
\$25,000- 34,999	84	19,440	69	87.3	79.9-94.7	15	12.7	05.3-20.1
\$35,000- 49,999	172	39,108	147	85.8	78.2-93.4	25	14.2	06.6-21.8
\$50,000- 74,999	212	40,341	196	92.4	88.1-96.7	16	7.6	03.3-11.9
\$75,000+	410	82,488	399	97.4	95.6-99.2	11	2.6	00.8-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1920	279,661	1731	89.7	87.7-91.7	189	10.3	08.3-12.3
White/Non-Hisp	1370	186,340	1241	89.9	87.5-92.3	129	10.1	07.7-12.5
Black or Afr. Am./Non-Hisp	357	59,003	317	91.4	88.3-94.5	40	8.6	05.5-11.7
Oth. Race/Non-Hisp.	63	7,147	58	94.3	89.0-99.6	5	5.7	00.4-11.0
Hispanic	76	21,759	65	81.2	69.8-92.6	11	18.8	07.4-30.2
18-24	111	40,045	96	89.0	82.7-95.3	15	11.0	04.7-17.3
25-34	303	58,196	268	86.0	80.3-91.7	35	14.0	08.3-19.7
35-44	355	59,446	332	93.1	89.8-96.4	23	6.9	03.6-10.2
45-54	494	65,264	447	90.3	87.2-93.4	47	9.7	06.6-12.8
55-64	657	56,709	588	89.9	87.0-92.8	69	10.1	07.2-13.0
Less Than H.S.	82	28,846	69	82.4	72.8-92.0	13	17.6	08.0-27.2
H.S. or G.E.D.	538	81,031	447	85.5	82.0-89.0	91	14.5	11.0-18.0
Some Post-H.S.	563	89,449	506	89.3	85.6-93.0	57	10.7	07.0-14.4
College Graduate	733	80,090	706	97.2	96.0-98.4	27	2.8	01.6-04.0
Less than \$15,000	197	28,670	159	83.8	77.5-90.1	38	16.2	09.9-22.5
\$15,000- 24,999	220	35,288	178	80.4	73.1-87.7	42	19.6	12.3-26.9
\$25,000- 34,999	153	19,166	127	78.3	69.5-87.1	26	21.7	12.9-30.5
\$35,000- 49,999	222	32,805	199	87.7	80.8-94.6	23	12.3	05.4-19.2
\$50,000- 74,999	320	43,309	303	93.8	89.9-97.7	17	6.2	02.3-10.1
\$75,000+	566	80,910	559	99.0	98.0-100	7	1.0	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4771	691,438	2737	65.2	63.4-67.0	2034	34.8	33.0-36.6
Male	1820	329,690	1024	64.3	61.4-67.2	796	35.7	32.8-38.6
Female	2951	361,748	1713	66.0	63.6-68.4	1238	34.0	31.6-36.4
White/Non-Hisp	3685	478,917	2115	65.5	63.5-67.5	1570	34.5	32.5-36.5
Black or Afr. Am./Non-Hisp	684	132,393	337	56.6	51.5-61.7	347	43.4	38.3-48.5
Oth. Race/Non-Hisp.	140	22,400	104	78.1	69.3-86.9	36	21.9	13.1-30.7
MultiRacial/Non-Hisp.	80	9,532	57	64.7	51.4-78.0	23	35.3	22.0-48.6
Hispanic	134	44,102	99	82.2	74.9-89.5	35	17.8	10.5-25.1
18-24	239	82,977	214	92.1	88.2-96.0	25	7.9	04.0-11.8
25-34	508	116,205	432	83.5	79.2-87.8	76	16.5	12.2-20.8
35-44	570	115,653	456	79.0	74.7-83.3	114	21.0	16.7-25.3
45-54	824	128,164	537	64.8	60.5-69.1	287	35.2	30.9-39.5
55-64	1028	107,684	514	49.1	45.0-53.2	514	50.9	46.8-55.0
65+	1545	133,330	560	35.2	32.1-38.3	985	64.8	61.7-67.9
Less Than H.S.	295	93,157	136	58.4	51.3-65.5	159	41.6	34.5-48.7
H.S. or G.E.D.	1458	222,069	764	63.5	60.2-66.8	694	36.5	33.2-39.8
Some Post-H.S.	1342	199,985	753	64.1	60.6-67.6	589	35.9	32.4-39.4
College Graduate	1662	174,501	1074	72.1	69.6-74.6	588	27.9	25.4-30.4
Less than \$15,000	522	72,955	256	57.4	51.3-63.5	266	42.6	36.5-48.7
\$15,000- 24,999	521	75,886	257	57.5	51.4-63.6	264	42.5	36.4-48.6
\$25,000- 34,999	390	52,809	214	59.6	52.5-66.7	176	40.4	33.3-47.5
\$35,000- 49,999	619	89,914	354	64.6	59.1-70.1	265	35.4	29.9-40.9
\$50,000- 74,999	711	98,730	437	69.8	65.5-74.1	274	30.2	25.9-34.5
\$75,000+	1227	184,005	793	69.9	66.6-73.2	434	30.1	26.8-33.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	329,690	1024	64.3	61.4-67.2	796	35.7	32.8-38.6
White/Non-Hisp	1430	226,080	796	64.5	61.2-67.8	634	35.5	32.2-38.8
Black or Afr. Am./Non-Hisp	216	60,423	118	57.7	49.3-66.1	98	42.3	33.9-50.7
Oth. Race/Non-Hisp.	68	14,748	47	73.0	60.3-85.7	21	27.0	14.3-39.7
18-24	127	41,623	112	91.6	86.1-97.1	15	8.4	02.9-13.9
25-34	205	58,009	166	83.2	77.3-89.1	39	16.8	10.9-22.7
35-44	213	55,866	162	77.3	70.4-84.2	51	22.7	15.8-29.6
45-54	329	62,517	207	61.3	54.2-68.4	122	38.7	31.6-45.8
55-64	371	50,975	179	46.0	39.1-52.9	192	54.0	47.1-60.9
65+	559	57,900	192	33.5	28.2-38.8	367	66.5	61.2-71.8
Less Than H.S.	121	47,491	62	62.1	51.9-72.3	59	37.9	27.7-48.1
H.S. or G.E.D.	550	112,516	303	63.4	58.1-68.7	247	36.6	31.3-41.9
Some Post-H.S.	465	87,792	262	64.2	58.5-69.9	203	35.8	30.1-41.5
College Graduate	679	80,604	394	66.7	62.4-71.0	285	33.3	29.0-37.6
Less than \$15,000	162	31,131	83	56.0	45.8-66.2	79	44.0	33.8-54.2
\$15,000- 24,999	154	29,544	85	56.2	45.6-66.8	69	43.8	33.2-54.4
\$25,000- 34,999	134	24,566	64	52.9	40.4-65.4	70	47.1	34.6-59.6
\$35,000- 49,999	271	48,773	152	66.5	58.9-74.1	119	33.5	25.9-41.1
\$50,000- 74,999	293	47,982	169	66.2	59.5-72.9	124	33.8	27.1-40.5
\$75,000+	547	93,925	324	66.1	61.0-71.2	223	33.9	28.8-39.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2951	361,748	1713	66.0	63.6-68.4	1238	34.0	31.6-36.4
White/Non-Hisp	2255	252,837	1319	66.4	63.9-68.9	936	33.6	31.1-36.1
Black or Afr. Am./Non-Hisp	468	71,970	219	55.6	49.3-61.9	249	44.4	38.1-50.7
Oth. Race/Non-Hisp.	72	7,652	57	88.0	80.6-95.4	15	12.0	04.6-19.4
Hispanic	86	22,660	68	87.4	79.4-95.4	18	12.6	04.6-20.6
18-24	112	41,354	102	92.7	87.0-98.4	10	7.3	01.6-13.0
25-34	303	58,196	266	83.8	77.5-90.1	37	16.2	09.9-22.5
35-44	357	59,787	294	80.6	75.3-85.9	63	19.4	14.1-24.7
45-54	495	65,648	330	68.2	63.1-73.3	165	31.8	26.7-36.9
55-64	657	56,709	335	51.8	46.9-56.7	322	48.2	43.3-53.1
65+	986	75,430	368	36.5	32.6-40.4	618	63.5	59.6-67.4
Less Than H.S.	174	45,666	74	54.5	44.9-64.1	100	45.5	35.9-55.1
H.S. or G.E.D.	908	109,553	461	63.5	59.4-67.6	447	36.5	32.4-40.6
Some Post-H.S.	877	112,193	491	64.1	59.6-68.6	386	35.9	31.4-40.4
College Graduate	983	93,898	680	76.8	73.7-79.9	303	23.2	20.1-26.3
Less than \$15,000	360	41,824	173	58.4	50.8-66.0	187	41.6	34.0-49.2
\$15,000- 24,999	367	46,342	172	58.4	51.1-65.7	195	41.6	34.3-48.9
\$25,000- 34,999	256	28,243	150	65.5	58.1-72.9	106	34.5	27.1-41.9
\$35,000- 49,999	348	41,141	202	62.3	54.7-69.9	146	37.7	30.1-45.3
\$50,000- 74,999	418	50,748	268	73.2	67.9-78.5	150	26.8	21.5-32.1
\$75,000+	680	90,081	469	73.9	70.0-77.8	211	26.1	22.2-30.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)	
4	MALES AND FEMALES	18
5	MALES ONLY	19
6	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4654	670,485	4091	81.2	79.2-83.2	115	2.4	01.8-03.0	448	16.4	14.4-18.4
Male	1782	320,960	1545	79.9	77.0-82.8	46	2.9	01.5-04.3	191	17.3	14.6-20.0
Female	2872	349,525	2546	82.4	79.9-84.9	69	1.9	01.3-02.5	257	15.7	13.2-18.2
White/Non-Hisp	3605	465,301	3212	82.8	80.6-85.0	102	2.7	01.9-03.5	291	14.5	12.3-16.7
Black or Afr. Am./Non-Hisp	658	127,171	575	81.2	76.3-86.1	2	0.5	00.0-01.5	81	18.3	13.6-23.0
Oth. Race/Non-Hisp.	137	22,244	102	68.1	55.9-80.3	5	7.5	00.0-17.5	30	24.4	14.2-34.6
MultiRacial/Non-Hisp.	77	8,546	60	77.1	65.5-88.7	2	2.9	00.0-06.8	15	20.0	08.8-31.2
Hispanic	129	43,129	98	70.0	59.2-80.8	3	2.1	00.0-04.8	28	27.9	17.1-38.7
18-24	221	76,834	102	39.5	31.1-47.9	2	0.5	00.0-01.3	117	60.0	51.6-68.4
25-34	481	110,515	337	69.4	63.9-74.9	17	3.6	01.1-06.1	127	27.0	21.7-32.3
35-44	550	111,520	459	82.3	78.0-86.6	15	3.0	00.6-05.4	76	14.8	10.9-18.7
45-54	820	127,124	733	90.3	87.8-92.8	29	2.9	01.5-04.3	58	6.8	04.6-09.0
55-64	1010	105,769	952	92.8	90.1-95.5	24	2.2	01.2-03.2	34	5.0	02.5-07.5
65+	1515	131,234	1459	96.3	95.1-97.5	24	1.6	00.8-02.4	32	2.1	01.1-03.1
Less Than H.S.	289	90,568	242	74.8	67.5-82.1	5	1.3	00.1-02.5	42	23.9	16.6-31.2
H.S. or G.E.D.	1414	214,661	1226	79.2	75.7-82.7	29	2.6	00.8-04.4	159	18.2	14.9-21.5
Some Post-H.S.	1311	193,780	1137	81.7	78.2-85.2	30	2.0	01.0-03.0	144	16.3	13.0-19.6
College Graduate	1627	169,865	1475	86.9	84.2-89.6	51	3.1	02.1-04.1	101	10.0	07.5-12.5
Less than \$15,000	502	70,746	431	78.1	71.6-84.6	12	1.5	00.5-02.5	59	20.4	13.9-26.9
\$15,000- 24,999	500	72,338	421	76.0	69.7-82.3	15	1.9	00.5-03.3	64	22.1	16.0-28.2
\$25,000- 34,999	377	51,044	317	76.6	69.3-83.9	13	5.2	00.5-09.9	47	18.2	11.7-24.7
\$35,000- 49,999	607	87,605	557	84.0	77.7-90.3	9	2.9	00.0-05.8	41	13.1	07.4-18.8
\$50,000- 74,999	696	95,272	604	80.6	75.7-85.5	15	3.0	01.0-05.0	77	16.4	11.7-21.1
\$75,000+	1211	179,236	1110	89.8	87.4-92.2	29	1.8	01.0-02.6	72	8.4	06.0-10.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1782	320,960	1545	79.9	77.0-82.8	46	2.9	01.5-04.3	191	17.3	14.6-20.0
White/Non-Hisp	1402	220,241	1235	81.6	78.3-84.9	40	2.8	01.4-04.2	127	15.6	12.5-18.7
Black or Afr. Am./Non-Hisp	209	58,370	177	82.0	75.1-88.9	1	1.1	00.0-03.3	31	16.9	10.2-23.6
Oth. Race/Non-Hisp.	68	14,748	51	63.2	46.7-79.7	2	10.0	00.0-24.7	15	26.8	12.5-41.1
18-24	118	38,783	50	39.2	27.4-51.0	2	1.1	00.0-02.9	66	59.7	47.9-71.5
25-34	194	55,080	137	68.8	60.2-77.4	7	4.3	00.0-09.0	50	26.9	18.9-34.9
35-44	207	54,127	176	81.8	74.7-88.9	8	4.7	00.0-09.4	23	13.5	07.6-19.4
45-54	329	62,517	291	89.3	85.4-93.2	11	3.0	00.6-05.4	27	7.7	04.4-11.0
55-64	365	50,294	343	91.7	86.6-96.8	8	1.8	00.2-03.4	14	6.5	01.6-11.4
65+	553	57,316	535	96.0	93.8-98.2	9	1.9	00.3-03.5	9	2.1	00.5-03.7
Less Than H.S.	119	46,479	96	76.4	66.6-86.2	4	2.0	00.0-04.2	19	21.6	11.8-31.4
H.S. or G.E.D.	538	109,723	449	76.1	70.8-81.4	12	3.5	00.4-06.6	77	20.4	15.5-25.3
Some Post-H.S.	453	84,355	388	79.5	73.6-85.4	7	2.2	00.2-04.2	58	18.3	12.4-24.2
College Graduate	668	79,231	610	88.4	84.9-91.9	23	3.3	01.7-04.9	35	8.3	05.0-11.6
Less than \$15,000	157	30,675	127	77.9	69.1-86.7	4	1.9	00.0-03.9	26	20.2	11.6-28.8
\$15,000- 24,999	150	28,957	126	77.9	68.1-87.7	2	1.3	00.0-03.5	22	20.9	11.3-30.5
\$25,000- 34,999	131	24,109	109	71.3	58.4-84.2	5	7.8	00.0-17.2	17	20.9	09.7-32.1
\$35,000- 49,999	266	47,106	235	80.1	71.1-89.1	9	5.4	00.1-10.7	22	14.5	06.5-22.5
\$50,000- 74,999	284	45,777	247	82.4	76.1-88.7	7	3.3	00.2-06.4	30	14.3	08.6-20.0
\$75,000+	541	91,626	497	89.9	86.2-93.6	12	1.2	00.4-02.0	32	8.8	05.1-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2872	349,525	2546	82.4	79.9-84.9	69	1.9	01.3-02.5	257	15.7	13.2-18.2
White/Non-Hisp	2203	245,060	1977	83.9	81.0-86.8	62	2.5	01.7-03.3	164	13.6	10.9-16.3
Black or Afr. Am./Non-Hisp	449	68,801	398	80.5	73.8-87.2	1	0.1	00.0-00.3	50	19.4	12.7-26.1
Oth. Race/Non-Hisp.	69	7,496	51	77.8	66.4-89.2	3	2.5	00.0-05.4	15	19.7	08.7-30.7
Hispanic	82	21,933	64	73.6	59.9-87.3	1	0.4	00.0-01.2	17	25.9	12.2-39.6
18-24	103	38,051	52	39.8	27.5-52.1				51	60.2	47.9-72.5
25-34	287	55,435	200	70.0	62.9-77.1	10	2.9	00.7-05.1	77	27.2	20.3-34.1
35-44	343	57,393	283	82.7	77.6-87.8	7	1.4	00.4-02.4	53	16.0	11.1-20.9
45-54	491	64,607	442	91.3	88.4-94.2	18	2.7	01.3-04.1	31	6.0	03.3-08.7
55-64	645	55,476	609	93.9	91.4-96.4	16	2.5	00.9-04.1	20	3.6	01.4-05.8
65+	962	73,918	924	96.6	95.2-98.0	15	1.4	00.6-02.2	23	2.1	00.9-03.3
Less Than H.S.	170	44,089	146	73.1	62.5-83.7	1	0.6	00.0-01.8	23	26.3	15.5-37.1
H.S. or G.E.D.	876	104,938	777	82.3	77.6-87.0	17	1.8	00.6-03.0	82	15.9	11.2-20.6
Some Post-H.S.	858	109,425	749	83.4	79.5-87.3	23	1.9	01.1-02.7	86	14.7	10.8-18.6
College Graduate	959	90,634	865	85.5	81.6-89.4	28	2.9	01.7-04.1	66	11.5	07.6-15.4
Less than \$15,000	345	40,070	304	78.2	69.0-87.4	8	1.2	00.2-02.2	33	20.6	11.2-30.0
\$15,000- 24,999	350	43,382	295	74.7	66.7-82.7	13	2.4	00.8-04.0	42	22.9	14.9-30.9
\$25,000- 34,999	246	26,934	208	81.3	74.4-88.2	8	2.9	00.5-05.3	30	15.9	09.2-22.6
\$35,000- 49,999	341	40,498	322	88.5	80.3-96.7				19	11.5	03.3-19.7
\$50,000- 74,999	412	49,495	357	78.9	71.6-86.2	8	2.7	00.3-05.1	47	18.4	11.1-25.7
\$75,000+	670	87,610	613	89.7	86.8-92.6	17	2.4	01.2-03.6	40	7.9	05.2-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)
 Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4231	563,433	2322	59.4	57.2-61.6	1909	40.6	38.4-42.8
Male	1594	266,381	839	56.9	53.6-60.2	755	43.1	39.8-46.4
Female	2637	297,053	1483	61.7	59.2-64.2	1154	38.3	35.8-40.8
White/Non-Hisp	3334	399,872	1755	57.4	55.0-59.8	1579	42.6	40.2-45.0
Black or Afr. Am./Non-Hisp	581	104,630	354	62.8	57.5-68.1	227	37.2	31.9-42.5
Oth. Race/Non-Hisp.	107	16,739	71	65.9	52.4-79.4	36	34.1	20.6-47.6
MultiRacial/Non-Hisp.	63	7,217	44	73.8	61.1-86.5	19	26.2	13.5-38.9
Hispanic	102	31,313	69	67.3	54.4-80.2	33	32.7	19.8-45.6
18-24	106	31,411	94	89.3	81.7-96.9	12	10.7	03.1-18.3
25-34	355	80,750	287	79.8	74.1-85.5	68	20.2	14.5-25.9
35-44	477	95,585	351	73.0	67.9-78.1	126	27.0	21.9-32.1
45-54	762	118,531	464	58.3	53.6-63.0	298	41.7	37.0-46.4
55-64	979	101,008	458	45.0	40.9-49.1	521	55.0	50.9-59.1
65+	1499	129,833	637	41.5	38.2-44.8	862	58.5	55.2-61.8
Less Than H.S.	247	68,926	106	48.3	40.3-56.3	141	51.7	43.7-59.7
H.S. or G.E.D.	1269	177,652	666	58.6	54.9-62.3	603	41.4	37.7-45.1
Some Post-H.S.	1173	162,889	641	60.5	56.8-64.2	532	39.5	35.8-43.2
College Graduate	1531	153,296	904	64.2	61.3-67.1	627	35.8	32.9-38.7
Less than \$15,000	448	56,700	222	53.2	46.5-59.9	226	46.8	40.1-53.5
\$15,000- 24,999	440	56,717	213	53.6	47.1-60.1	227	46.4	39.9-52.9
\$25,000- 34,999	335	42,500	175	54.0	46.2-61.8	160	46.0	38.2-53.8
\$35,000- 49,999	568	76,245	301	59.1	53.4-64.8	267	40.9	35.2-46.6
\$50,000- 74,999	619	79,510	349	61.7	56.6-66.8	270	38.3	33.2-43.4
\$75,000+	1139	164,367	678	63.4	59.7-67.1	461	36.6	32.9-40.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1594	266,381	839	56.9	53.6-60.2	755	43.1	39.8-46.4
White/Non-Hisp	1277	186,156	653	55.1	51.4-58.8	624	44.9	41.2-48.6
Black or Afr. Am./Non-Hisp	180	48,915	104	62.4	53.4-71.4	76	37.6	28.6-46.6
Oth. Race/Non-Hisp.	52	10,684	29	55.3	37.1-73.5	23	44.7	26.5-62.9
18-24	54	16,285	44	82.4	68.9-95.9	10	17.6	04.1-31.1
25-34	144	40,259	114	78.5	69.5-87.5	30	21.5	12.5-30.5
35-44	185	46,970	130	70.8	62.6-79.0	55	29.2	21.0-37.4
45-54	300	57,550	152	49.5	41.9-57.1	148	50.5	42.9-58.1
55-64	351	46,930	148	38.7	32.2-45.2	203	61.3	54.8-67.8
65+	547	56,461	242	44.7	39.0-50.4	305	55.3	49.6-61.0
Less Than H.S.	100	36,447	45	51.2	39.0-63.4	55	48.8	36.6-61.0
H.S. or G.E.D.	464	88,134	249	58.7	52.4-65.0	215	41.3	35.0-47.6
Some Post-H.S.	395	68,875	204	56.2	49.9-62.5	191	43.8	37.5-50.1
College Graduate	633	72,692	340	58.2	53.3-63.1	293	41.8	36.9-46.7
Less than \$15,000	134	24,670	75	52.6	41.0-64.2	59	47.4	35.8-59.0
\$15,000- 24,999	128	22,913	67	58.4	47.0-69.8	61	41.6	30.2-53.0
\$25,000- 34,999	115	19,283	59	51.3	37.4-65.2	56	48.7	34.8-62.6
\$35,000- 49,999	243	40,203	122	57.0	48.0-66.0	121	43.0	34.0-52.0
\$50,000- 74,999	254	39,157	138	59.4	51.2-67.6	116	40.6	32.4-48.8
\$75,000+	508	83,483	267	56.1	50.4-61.8	241	43.9	38.2-49.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2637	297,053	1483	61.7	59.2-64.2	1154	38.3	35.8-40.8
White/Non-Hisp	2057	213,716	1102	59.4	56.7-62.1	955	40.6	37.9-43.3
Black or Afr. Am./Non-Hisp	401	55,716	250	63.2	56.9-69.5	151	36.8	30.5-43.1
Oth. Race/Non-Hisp.	55	6,055	42	84.7	74.3-95.1	13	15.3	04.9-25.7
Hispanic	66	16,449	46	74.2	60.5-87.9	20	25.8	12.1-39.5
18-24	52	15,126	50	96.8	91.7-100	2	3.2	00.0-08.3
25-34	211	40,491	173	81.0	73.9-88.1	38	19.0	11.9-26.1
35-44	292	48,616	221	75.1	69.0-81.2	71	24.9	18.8-31.0
45-54	462	60,981	312	66.6	61.1-72.1	150	33.4	27.9-38.9
55-64	628	54,078	310	50.4	45.3-55.5	318	49.6	44.5-54.7
65+	952	73,372	395	39.1	35.2-43.0	557	60.9	57.0-64.8
Less Than H.S.	147	32,479	61	45.0	34.8-55.2	86	55.0	44.8-65.2
H.S. or G.E.D.	805	89,518	417	58.5	54.2-62.8	388	41.5	37.2-45.8
Some Post-H.S.	778	94,014	437	63.7	59.2-68.2	341	36.3	31.8-40.8
College Graduate	898	80,604	564	69.6	65.9-73.3	334	30.4	26.7-34.1
Less than \$15,000	314	32,030	147	53.7	46.1-61.3	167	46.3	38.7-53.9
\$15,000- 24,999	312	33,804	146	50.4	42.8-58.0	166	49.6	42.0-57.2
\$25,000- 34,999	220	23,217	116	56.3	47.7-64.9	104	43.7	35.1-52.3
\$35,000- 49,999	325	36,042	179	61.4	54.5-68.3	146	38.6	31.7-45.5
\$50,000- 74,999	365	40,353	211	63.9	57.8-70.0	154	36.1	30.0-42.2
\$75,000+	631	80,884	411	70.8	66.5-75.1	220	29.2	24.9-33.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
COMPUTED ASTHMA STATUS (_ASTHMS1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4769	692,144	4143	86.0	84.6-87.4	626	14.0	12.6-15.4
Male	1817	330,064	1652	89.9	87.9-91.9	165	10.1	08.1-12.1
Female	2952	362,080	2491	82.5	80.3-84.7	461	17.5	15.3-19.7
White/Non-Hisp	3684	479,602	3237	87.0	85.4-88.6	447	13.0	11.4-14.6
Black or Afr. Am./Non-Hisp	685	132,551	576	83.0	79.1-86.9	109	17.0	13.1-20.9
Oth. Race/Non-Hisp.	140	22,400	122	86.7	79.1-94.3	18	13.3	05.7-20.9
MultiRacial/Non-Hisp.	79	9,311	59	69.5	56.2-82.8	20	30.5	17.2-43.8
Hispanic	135	44,314	112	88.5	82.8-94.2	23	11.5	05.8-17.2
18-24	241	83,808	198	81.3	75.2-87.4	43	18.7	12.6-24.8
25-34	508	116,205	424	82.0	77.5-86.5	84	18.0	13.5-22.5
35-44	569	115,538	491	85.8	82.1-89.5	78	14.2	10.5-17.9
45-54	825	128,376	717	88.6	85.9-91.3	108	11.4	08.7-14.1
55-64	1028	107,684	894	87.9	85.4-90.4	134	12.1	09.6-14.6
65+	1541	133,017	1371	88.7	86.5-90.9	170	11.3	09.1-13.5
Less Than H.S.	295	93,148	241	82.9	77.8-88.0	54	17.1	12.0-22.2
H.S. or G.E.D.	1457	222,224	1281	87.3	84.9-89.7	176	12.7	10.3-15.1
Some Post-H.S.	1339	200,365	1146	85.4	82.7-88.1	193	14.6	11.9-17.3
College Graduate	1664	174,682	1466	86.8	84.4-89.2	198	13.2	10.8-15.6
Less than \$15,000	522	72,955	434	82.4	77.5-87.3	88	17.6	12.7-22.5
\$15,000- 24,999	520	75,751	415	76.7	71.2-82.2	105	23.3	17.8-28.8
\$25,000- 34,999	390	52,809	341	86.4	81.5-91.3	49	13.6	08.7-18.5
\$35,000- 49,999	619	90,077	552	87.9	84.0-91.8	67	12.1	08.2-16.0
\$50,000- 74,999	710	98,670	631	89.5	86.6-92.4	79	10.5	07.6-13.4
\$75,000+	1227	184,005	1077	86.9	84.2-89.6	150	13.1	10.4-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1817	330,064	1652	89.9	87.9-91.9	165	10.1	08.1-12.1
White/Non-Hisp	1429	226,645	1302	89.7	87.3-92.1	127	10.3	07.9-12.7
Black or Afr. Am./Non-Hisp	217	60,581	197	88.7	83.4-94.0	20	11.3	06.0-16.6
Oth. Race/Non-Hisp.	68	14,748	63	93.6	87.1-0100	5	6.4	00.0-12.9
18-24	128	42,254	109	82.6	73.6-91.6	19	17.4	08.4-26.4
25-34	205	58,009	177	87.3	81.8-92.8	28	12.7	07.2-18.2
35-44	213	55,866	189	90.5	86.0-95.0	24	9.5	05.0-14.0
45-54	329	62,517	304	92.1	88.6-95.6	25	7.9	04.4-11.4
55-64	371	50,975	346	92.7	89.4-96.0	25	7.3	04.0-10.6
65+	556	57,613	515	92.5	89.6-95.4	41	7.5	04.6-10.4
Less Than H.S.	120	47,270	107	91.0	85.5-96.5	13	9.0	03.5-14.5
H.S. or G.E.D.	549	112,499	501	90.1	86.6-93.6	48	9.9	06.4-13.4
Some Post-H.S.	464	88,314	423	90.0	85.9-94.1	41	10.0	05.9-14.1
College Graduate	679	80,694	619	89.1	85.8-92.4	60	10.9	07.6-14.2
Less than \$15,000	162	31,131	141	85.8	78.5-93.1	21	14.2	06.9-21.5
\$15,000- 24,999	153	29,323	134	86.0	78.7-93.3	19	14.0	06.7-21.3
\$25,000- 34,999	134	24,566	124	93.0	87.9-98.1	10	7.0	01.9-12.1
\$35,000- 49,999	270	48,724	250	93.1	89.6-96.6	20	6.9	03.4-10.4
\$50,000- 74,999	292	47,922	272	94.2	91.3-97.1	20	5.8	02.9-08.7
\$75,000+	547	93,925	489	86.8	82.5-91.1	58	13.2	08.9-17.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2952	362,080	2491	82.5	80.3-84.7	461	17.5	15.3-19.7
White/Non-Hisp	2255	252,957	1935	84.6	82.2-87.0	320	15.4	13.0-17.8
Black or Afr. Am./Non-Hisp	468	71,970	379	78.2	72.7-83.7	89	21.8	16.3-27.3
Oth. Race/Non-Hisp.	72	7,652	59	73.5	57.0-90.0	13	26.5	10.0-43.0
Hispanic	87	22,872	67	80.8	70.8-90.8	20	19.2	09.2-29.2
18-24	113	41,553	89	79.9	71.5-88.3	24	20.1	11.7-28.5
25-34	303	58,196	247	76.8	69.9-83.7	56	23.2	16.3-30.1
35-44	356	59,672	302	81.3	75.8-86.8	54	18.7	13.2-24.2
45-54	496	65,860	413	85.2	81.5-88.9	83	14.8	11.1-18.5
55-64	657	56,709	548	83.7	80.0-87.4	109	16.3	12.6-20.0
65+	985	75,404	856	85.7	82.6-88.8	129	14.3	11.2-17.4
Less Than H.S.	175	45,878	134	74.6	66.2-83.0	41	25.4	17.0-33.8
H.S. or G.E.D.	908	109,725	780	84.5	81.2-87.8	128	15.5	12.2-18.8
Some Post-H.S.	875	112,052	723	81.8	77.9-85.7	152	18.2	14.3-22.1
College Graduate	985	93,987	847	84.8	81.7-87.9	138	15.2	12.1-18.3
Less than \$15,000	360	41,824	293	79.8	73.3-86.3	67	20.2	13.7-26.7
\$15,000- 24,999	367	46,428	281	70.8	63.5-78.1	86	29.2	21.9-36.5
\$25,000- 34,999	256	28,243	217	80.7	73.3-88.1	39	19.3	11.9-26.7
\$35,000- 49,999	349	41,353	302	81.7	74.6-88.8	47	18.3	11.2-25.4
\$50,000- 74,999	418	50,748	359	85.1	80.2-90.0	59	14.9	10.0-19.8
\$75,000+	680	90,081	588	87.1	84.0-90.2	92	12.9	09.8-16.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4764	691,610	4316	90.2	89.0-91.4	448	9.8	08.6-11.0
Male	1816	329,900	1728	94.9	93.5-96.3	88	5.1	03.7-06.5
Female	2948	361,710	2588	85.8	83.8-87.8	360	14.2	12.2-16.2
White/Non-Hisp	3679	479,068	3364	91.0	89.6-92.4	315	9.0	07.6-10.4
Black or Afr. Am./Non-Hisp	685	132,551	605	87.8	84.5-91.1	80	12.2	08.9-15.5
Oth. Race/Non-Hisp.	140	22,400	126	90.4	83.5-97.3	14	9.6	02.7-16.5
MultiRacial/Non-Hisp.	79	9,311	66	77.6	65.1-90.1	13	22.4	09.9-34.9
Hispanic	135	44,314	117	92.1	87.4-96.8	18	7.9	03.2-12.6
18-24	241	83,808	214	87.0	81.5-92.5	27	13.0	07.5-18.5
25-34	507	116,103	449	86.7	82.8-90.6	58	13.3	09.4-17.2
35-44	568	115,373	510	90.3	87.4-93.2	58	9.7	06.8-12.6
45-54	824	128,310	744	91.5	89.1-93.9	80	8.5	06.1-10.9
55-64	1028	107,684	925	92.2	90.4-94.0	103	7.8	06.0-09.6
65+	1539	132,816	1423	92.1	90.1-94.1	116	7.9	05.9-09.9
Less Than H.S.	295	93,148	250	85.9	81.2-90.6	45	14.1	09.4-18.8
H.S. or G.E.D.	1456	222,177	1329	91.4	89.4-93.4	127	8.6	06.6-10.6
Some Post-H.S.	1339	200,365	1211	90.3	87.8-92.8	128	9.7	07.2-12.2
College Graduate	1661	174,358	1516	90.8	89.0-92.6	145	9.2	07.4-11.0
Less than \$15,000	522	72,955	461	87.3	83.0-91.6	61	12.7	08.4-17.0
\$15,000- 24,999	519	75,586	438	81.0	75.9-86.1	81	19.0	13.9-24.1
\$25,000- 34,999	390	52,809	348	88.9	84.4-93.4	42	11.1	06.6-15.6
\$35,000- 49,999	619	90,077	567	90.9	87.4-94.4	52	9.1	05.6-12.6
\$50,000- 74,999	710	98,670	655	92.8	90.3-95.3	55	7.2	04.7-09.7
\$75,000+	1225	183,838	1131	92.4	90.2-94.6	94	7.6	05.4-09.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1816	329,900	1728	94.9	93.5-96.3	88	5.1	03.7-06.5
White/Non-Hisp	1428	226,481	1361	94.7	92.9-96.5	67	5.3	03.5-07.1
Black or Afr. Am./Non-Hisp	217	60,581	207	94.5	91.0-98.0	10	5.5	02.0-09.0
Oth. Race/Non-Hisp.	68	14,748	66	98.3	95.9-0100	2	1.7	00.0-04.1
18-24	128	42,254	121	91.1	83.3-98.9	7	8.9	01.1-16.7
25-34	205	58,009	190	94.0	90.5-97.5	15	6.0	02.5-09.5
35-44	212	55,701	198	96.0	93.8-98.2	14	4.0	01.8-06.2
45-54	329	62,517	314	95.1	92.4-97.8	15	4.9	02.2-07.6
55-64	371	50,975	356	97.3	95.7-98.9	15	2.7	01.1-04.3
65+	556	57,613	535	95.4	92.9-97.9	21	4.6	02.1-07.1
Less Than H.S.	120	47,270	111	94.8	90.9-98.7	9	5.2	01.3-09.1
H.S. or G.E.D.	549	112,499	524	95.0	92.5-97.5	25	5.0	02.5-07.5
Some Post-H.S.	464	88,314	447	95.7	92.6-98.8	17	4.3	01.2-07.4
College Graduate	679	80,694	643	94.1	91.7-96.5	36	5.9	03.5-08.3
Less than \$15,000	162	31,131	150	92.2	86.9-97.5	12	7.8	02.5-13.1
\$15,000- 24,999	152	29,158	140	89.8	82.9-96.7	12	10.2	03.3-17.1
\$25,000- 34,999	134	24,566	128	96.6	93.5-99.7	6	3.4	00.3-06.5
\$35,000- 49,999	270	48,724	257	96.3	93.9-98.7	13	3.7	01.3-06.1
\$50,000- 74,999	292	47,922	280	96.8	94.6-99.0	12	3.2	01.0-05.4
\$75,000+	547	93,925	523	94.8	91.7-97.9	24	5.2	02.1-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2948	361,710	2588	85.8	83.8-87.8	360	14.2	12.2-16.2
White/Non-Hisp	2251	252,587	2003	87.6	85.4-89.8	248	12.4	10.2-14.6
Black or Afr. Am./Non-Hisp	468	71,970	398	82.2	77.1-87.3	70	17.8	12.7-22.9
Oth. Race/Non-Hisp.	72	7,652	60	75.0	58.5-91.5	12	25.0	08.5-41.5
Hispanic	87	22,872	70	85.3	76.7-93.9	17	14.7	06.1-23.3
18-24	113	41,553	93	82.9	74.9-90.9	20	17.1	09.1-25.1
25-34	302	58,094	259	79.5	72.6-86.4	43	20.5	13.6-27.4
35-44	356	59,672	312	85.0	79.9-90.1	44	15.0	09.9-20.1
45-54	495	65,794	430	88.1	84.6-91.6	65	11.9	08.4-15.4
55-64	657	56,709	569	87.7	84.8-90.6	88	12.3	09.4-15.2
65+	983	75,202	888	89.5	86.8-92.2	95	10.5	07.8-13.2
Less Than H.S.	175	45,878	139	76.7	68.3-85.1	36	23.3	14.9-31.7
H.S. or G.E.D.	907	109,678	805	87.6	84.7-90.5	102	12.4	09.5-15.3
Some Post-H.S.	875	112,052	764	86.0	82.3-89.7	111	14.0	10.3-17.7
College Graduate	982	93,664	873	88.1	85.4-90.8	109	11.9	09.2-14.6
Less than \$15,000	360	41,824	311	83.7	77.4-90.0	49	16.3	10.0-22.6
\$15,000- 24,999	367	46,428	298	75.5	68.4-82.6	69	24.5	17.4-31.6
\$25,000- 34,999	256	28,243	220	82.2	74.9-89.5	36	17.8	10.5-25.1
\$35,000- 49,999	349	41,353	310	84.5	77.6-91.4	39	15.5	08.6-22.4
\$50,000- 74,999	418	50,748	375	89.0	84.5-93.5	43	11.0	06.5-15.5
\$75,000+	678	89,913	608	89.8	86.9-92.7	70	10.2	07.3-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4764	691,610	448	9.8	08.6-11.0	173	4.1	03.3-04.9	4143	86.1	84.7-87.5
Male	1816	329,900	88	5.1	03.7-06.5	76	5.0	03.6-06.4	1652	89.9	87.9-91.9
Female	2948	361,710	360	14.2	12.2-16.2	97	3.3	02.5-04.1	2491	82.6	80.4-84.8
White/Non-Hisp	3679	479,068	315	9.0	07.6-10.4	127	3.9	02.9-04.9	3237	87.1	85.5-88.7
Black or Afr. Am./Non-Hisp	685	132,551	80	12.2	08.9-15.5	29	4.8	02.4-07.2	576	83.0	79.1-86.9
Oth. Race/Non-Hisp.	140	22,400	14	9.6	02.7-16.5	4	3.6	00.0-07.7	122	86.7	79.1-94.3
MultiRacial/Non-Hisp.	79	9,311	13	22.4	09.9-34.9	7	8.1	01.2-15.0	59	69.5	56.2-82.8
Hispanic	135	44,314	18	7.9	03.2-12.6	5	3.6	00.3-06.9	112	88.5	82.8-94.2
18-24	241	83,808	27	13.0	07.5-18.5	16	5.7	02.6-08.8	198	81.3	75.2-87.4
25-34	507	116,103	58	13.3	09.4-17.2	25	4.6	02.2-07.0	424	82.1	77.6-86.6
35-44	568	115,373	58	9.7	06.8-12.6	19	4.4	02.0-06.8	491	85.9	82.2-89.6
45-54	824	128,310	80	8.5	06.1-10.9	27	2.9	01.5-04.3	717	88.6	85.9-91.3
55-64	1028	107,684	103	7.8	06.0-09.6	31	4.3	02.3-06.3	894	87.9	85.4-90.4
65+	1539	132,816	116	7.9	05.9-09.9	52	3.2	02.0-04.4	1371	88.8	86.6-91.0
Less Than H.S.	295	93,148	45	14.1	09.4-18.8	9	3.0	00.8-05.2	241	82.9	77.8-88.0
H.S. or G.E.D.	1456	222,177	127	8.6	06.6-10.6	48	4.0	02.4-05.6	1281	87.4	85.0-89.8
Some Post-H.S.	1339	200,365	128	9.7	07.2-12.2	65	4.8	03.2-06.4	1146	85.4	82.7-88.1
College Graduate	1661	174,358	145	9.2	07.4-11.0	50	3.9	02.5-05.3	1466	87.0	84.6-89.4
Less than \$15,000	522	72,955	61	12.7	08.4-17.0	27	4.9	02.2-07.6	434	82.4	77.5-87.3
\$15,000- 24,999	519	75,586	81	19.0	13.9-24.1	23	4.1	01.9-06.3	415	76.9	71.4-82.4
\$25,000- 34,999	390	52,809	42	11.1	06.6-15.6	7	2.5	00.3-04.7	341	86.4	81.5-91.3
\$35,000- 49,999	619	90,077	52	9.1	05.6-12.6	15	3.0	01.2-04.8	552	87.9	84.0-91.8
\$50,000- 74,999	710	98,670	55	7.2	04.7-09.7	24	3.3	01.7-04.9	631	89.5	86.6-92.4
\$75,000+	1225	183,838	94	7.6	05.4-09.8	54	5.3	03.3-07.3	1077	87.0	84.3-89.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1816	329,900	88	5.1	03.7-06.5	76	5.0	03.6-06.4	1652	89.9	87.9-91.9
White/Non-Hisp	1428	226,481	67	5.3	03.5-07.1	59	5.0	03.4-06.6	1302	89.8	87.4-92.2
Black or Afr. Am./Non-Hisp	217	60,581	10	5.5	02.0-09.0	10	5.8	01.7-09.9	197	88.7	83.4-94.0
Oth. Race/Non-Hisp.	68	14,748	2	1.7	00.0-04.1	3	4.8	00.0-10.9	63	93.6	87.1-0100
18-24	128	42,254	7	8.9	01.1-16.7	12	8.4	03.1-13.7	109	82.6	73.6-91.6
25-34	205	58,009	15	6.0	02.5-09.5	13	6.7	02.4-11.0	177	87.3	81.8-92.8
35-44	212	55,701	14	4.0	01.8-06.2	9	5.2	01.3-09.1	189	90.8	86.3-95.3
45-54	329	62,517	15	4.9	02.2-07.6	10	3.0	00.6-05.4	304	92.1	88.6-95.6
55-64	371	50,975	15	2.7	01.1-04.3	10	4.6	01.5-07.7	346	92.7	89.4-96.0
65+	556	57,613	21	4.6	02.1-07.1	20	2.8	01.2-04.4	515	92.5	89.6-95.4
Less Than H.S.	120	47,270	9	5.2	01.3-09.1	4	3.8	00.0-07.7	107	91.0	85.5-96.5
H.S. or G.E.D.	549	112,499	25	5.0	02.5-07.5	23	4.9	02.4-07.4	501	90.1	86.6-93.6
Some Post-H.S.	464	88,314	17	4.3	01.2-07.4	24	5.7	03.0-08.4	423	90.0	85.9-94.1
College Graduate	679	80,694	36	5.9	03.5-08.3	24	4.9	02.4-07.4	619	89.1	85.8-92.4
Less than \$15,000	162	31,131	12	7.8	02.5-13.1	9	6.3	00.8-11.8	141	85.8	78.5-93.1
\$15,000- 24,999	152	29,158	12	10.2	03.3-17.1	6	3.3	00.6-06.0	134	86.5	79.2-93.8
\$25,000- 34,999	134	24,566	6	3.4	00.3-06.5	4	3.6	00.0-07.7	124	93.0	87.9-98.1
\$35,000- 49,999	270	48,724	13	3.7	01.3-06.1	7	3.2	00.7-05.7	250	93.1	89.6-96.6
\$50,000- 74,999	292	47,922	12	3.2	01.0-05.4	8	2.6	00.4-04.8	272	94.2	91.3-97.1
\$75,000+	547	93,925	24	5.2	02.1-08.3	34	8.0	04.5-11.5	489	86.8	82.5-91.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2948	361,710	360	14.2	12.2-16.2	97	3.3	02.5-04.1	2491	82.6	80.4-84.8
White/Non-Hisp	2251	252,587	248	12.4	10.2-14.6	68	2.9	01.9-03.9	1935	84.7	82.3-87.1
Black or Afr. Am./Non-Hisp	468	71,970	70	17.8	12.7-22.9	19	4.0	01.6-06.4	379	78.2	72.7-83.7
Oth. Race/Non-Hisp.	72	7,652	12	25.0	08.5-41.5	1	1.5	00.0-04.4	59	73.5	57.0-90.0
Hispanic	87	22,872	17	14.7	06.1-23.3	3	4.5	00.0-09.8	67	80.8	70.8-90.8
18-24	113	41,553	20	17.1	09.1-25.1	4	3.0	00.0-06.1	89	79.9	71.5-88.3
25-34	302	58,094	43	20.5	13.6-27.4	12	2.5	00.7-04.3	247	77.0	70.1-83.9
35-44	356	59,672	44	15.0	09.9-20.1	10	3.7	01.0-06.4	302	81.3	75.8-86.8
45-54	495	65,794	65	11.9	08.4-15.4	17	2.9	01.3-04.5	413	85.3	81.6-89.0
55-64	657	56,709	88	12.3	09.4-15.2	21	4.0	01.6-06.4	548	83.7	80.0-87.4
65+	983	75,202	95	10.5	07.8-13.2	32	3.6	02.0-05.2	856	86.0	82.9-89.1
Less Than H.S.	175	45,878	36	23.3	14.9-31.7	5	2.1	00.1-04.1	134	74.6	66.2-83.0
H.S. or G.E.D.	907	109,678	102	12.4	09.5-15.3	25	3.0	01.4-04.6	780	84.6	81.3-87.9
Some Post-H.S.	875	112,052	111	14.0	10.3-17.7	41	4.2	02.4-06.0	723	81.8	77.9-85.7
College Graduate	982	93,664	109	11.9	09.2-14.6	26	3.0	01.4-04.6	847	85.1	82.0-88.2
Less than \$15,000	360	41,824	49	16.3	10.0-22.6	18	3.9	01.5-06.3	293	79.8	73.3-86.3
\$15,000- 24,999	367	46,428	69	24.5	17.4-31.6	17	4.6	01.7-07.5	281	70.8	63.5-78.1
\$25,000- 34,999	256	28,243	36	17.8	10.5-25.1	3	1.5	00.0-03.3	217	80.7	73.3-88.1
\$35,000- 49,999	349	41,353	39	15.5	08.6-22.4	8	2.7	00.3-05.1	302	81.7	74.6-88.8
\$50,000- 74,999	418	50,748	43	11.0	06.5-15.5	16	3.9	01.5-06.3	359	85.1	80.2-90.0
\$75,000+	678	89,913	70	10.2	07.3-13.1	20	2.5	01.1-03.9	588	87.3	84.2-90.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 10: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		YES			NO		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4768	691,949	1641	26.3	24.7-27.9	3127	73.7	72.1-75.3
Male	1818	330,076	518	22.6	20.2-25.0	1300	77.4	75.0-79.8
Female	2950	361,873	1123	29.7	27.5-31.9	1827	70.3	68.1-72.5
White/Non-Hisp	3683	479,243	1346	29.9	27.9-31.9	2337	70.1	68.1-72.1
Black or Afr. Am./Non-Hisp	684	132,471	203	21.2	17.5-24.9	481	78.8	75.1-82.5
Oth. Race/Non-Hisp.	139	22,362	26	9.0	04.9-13.1	113	91.0	86.9-95.1
MultiRacial/Non-Hisp.	80	9,532	22	20.9	10.5-31.3	58	79.1	68.7-89.5
Hispanic	135	44,314	26	11.7	06.0-17.4	109	88.3	82.6-94.0
18-24	241	83,808	6	2.5	00.3-04.7	235	97.5	95.3-99.7
25-34	507	116,053	46	10.7	07.0-14.4	461	89.3	85.6-93.0
35-44	569	115,492	92	16.2	12.5-19.9	477	83.8	80.1-87.5
45-54	824	128,297	236	25.2	21.5-28.9	588	74.8	71.1-78.5
55-64	1027	107,646	443	44.6	40.5-48.7	584	55.4	51.3-59.5
65+	1543	133,158	799	50.3	47.0-53.6	744	49.7	46.4-53.0
Less Than H.S.	296	93,369	119	29.8	23.7-35.9	177	70.2	64.1-76.3
H.S. or G.E.D.	1455	221,988	570	29.7	26.8-32.6	885	70.3	67.4-73.2
Some Post-H.S.	1340	200,338	494	27.5	24.4-30.6	846	72.5	69.4-75.6
College Graduate	1663	174,529	452	18.8	16.6-21.0	1211	81.2	79.0-83.4
Less than \$15,000	522	72,955	211	30.6	25.1-36.1	311	69.4	63.9-74.9
\$15,000- 24,999	522	76,053	244	37.3	31.6-43.0	278	62.7	57.0-68.4
\$25,000- 34,999	390	52,809	155	33.8	27.3-40.3	235	66.2	59.7-72.7
\$35,000- 49,999	620	90,126	240	29.2	24.5-33.9	380	70.8	66.1-75.5
\$50,000- 74,999	709	98,531	212	27.0	22.7-31.3	497	73.0	68.7-77.3
\$75,000+	1226	183,853	287	17.3	14.9-19.7	939	82.7	80.3-85.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 11: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		YES			NO		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1818	330,076	518	22.6	20.2-25.0	1300	77.4	75.0-79.8
White/Non-Hisp	1429	226,455	436	26.5	23.6-29.4	993	73.5	70.6-76.4
Black or Afr. Am./Non-Hisp	216	60,502	52	16.5	11.0-22.0	164	83.5	78.0-89.0
Oth. Race/Non-Hisp.	68	14,748	7	5.3	01.2-09.4	61	94.7	90.6-98.8
18-24	128	42,254	2	1.8	00.0-04.7	126	98.2	95.3-0100
25-34	205	58,009	17	9.1	04.4-13.8	188	90.9	86.2-95.6
35-44	212	55,704	29	14.3	08.8-19.8	183	85.7	80.2-91.2
45-54	328	62,437	77	21.8	16.3-27.3	251	78.2	72.7-83.7
55-64	371	50,975	134	41.1	34.0-48.2	237	58.9	51.8-66.0
65+	558	57,805	256	44.1	38.6-49.6	302	55.9	50.4-61.4
Less Than H.S.	121	47,491	38	23.6	15.2-32.0	83	76.4	68.0-84.8
H.S. or G.E.D.	549	112,421	180	25.0	20.7-29.3	369	75.0	70.7-79.3
Some Post-H.S.	464	88,182	138	23.4	18.7-28.1	326	76.6	71.9-81.3
College Graduate	679	80,694	161	17.8	14.3-21.3	518	82.2	78.7-85.7
Less than \$15,000	162	31,131	60	32.4	22.8-42.0	102	67.6	58.0-77.2
\$15,000- 24,999	154	29,544	54	30.0	20.6-39.4	100	70.0	60.6-79.4
\$25,000- 34,999	134	24,566	49	30.4	19.8-41.0	85	69.6	59.0-80.2
\$35,000- 49,999	271	48,773	94	25.5	18.8-32.2	177	74.5	67.8-81.2
\$50,000- 74,999	292	47,821	73	24.2	17.7-30.7	219	75.8	69.3-82.3
\$75,000+	547	93,925	109	14.8	11.5-18.1	438	85.2	81.9-88.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 12: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		YES			NO		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2950	361,873	1123	29.7	27.5-31.9	1827	70.3	68.1-72.5
White/Non-Hisp	2254	252,788	910	33.0	30.5-35.5	1344	67.0	64.5-69.5
Black or Afr. Am./Non-Hisp	468	71,970	151	25.1	20.0-30.2	317	74.9	69.8-80.0
Oth. Race/Non-Hisp.	71	7,614	19	16.2	07.6-24.8	52	83.8	75.2-92.4
Hispanic	87	22,872	18	12.3	05.0-19.6	69	87.7	80.4-95.0
18-24	113	41,553	4	3.1	00.0-06.4	109	96.9	93.6-0100
25-34	302	58,044	29	12.2	06.7-17.7	273	87.8	82.3-93.3
35-44	357	59,787	63	18.1	13.0-23.2	294	81.9	76.8-87.0
45-54	496	65,860	159	28.5	23.6-33.4	337	71.5	66.6-76.4
55-64	656	56,671	309	47.8	42.9-52.7	347	52.2	47.3-57.1
65+	985	75,352	543	55.0	50.9-59.1	442	45.0	40.9-49.1
Less Than H.S.	175	45,878	81	36.3	27.5-45.1	94	63.7	54.9-72.5
H.S. or G.E.D.	906	109,567	390	34.6	30.7-38.5	516	65.4	61.5-69.3
Some Post-H.S.	876	112,155	356	30.7	26.6-34.8	520	69.3	65.2-73.4
College Graduate	984	93,835	291	19.6	16.9-22.3	693	80.4	77.7-83.1
Less than \$15,000	360	41,824	151	29.2	22.9-35.5	209	70.8	64.5-77.1
\$15,000- 24,999	368	46,509	190	41.9	34.6-49.2	178	58.1	50.8-65.4
\$25,000- 34,999	256	28,243	106	36.7	29.1-44.3	150	63.3	55.7-70.9
\$35,000- 49,999	349	41,353	146	33.6	26.7-40.5	203	66.4	59.5-73.3
\$50,000- 74,999	417	50,710	139	29.5	23.4-35.6	278	70.5	64.4-76.6
\$75,000+	679	89,929	178	19.9	16.4-23.4	501	80.1	76.6-83.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011

SECTION 7: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	35
2	MALES ONLY	36
3	FEMALES ONLY	37
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	38
5	MALES ONLY	39
6	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4762	691,249	628	16.3	14.5-18.1	211	5.5	04.5-06.5	1596	28.3	26.5-30.1	2327	49.9	47.7-52.1
Male	1817	329,844	271	19.2	16.3-22.1	85	6.4	04.6-08.2	673	29.7	27.0-32.4	788	44.7	41.6-47.8
Female	2945	361,405	357	13.6	11.6-15.6	126	4.6	03.4-05.8	923	27.0	24.8-29.2	1539	54.7	52.2-57.2
White/Non-Hisp	3679	479,119	497	17.0	15.0-19.0	139	4.2	03.2-05.2	1332	32.4	30.2-34.6	1711	46.3	43.9-48.7
Black or Afr. Am./Non-Hisp	683	132,425	77	15.0	10.7-19.3	42	6.6	03.9-09.3	162	17.7	14.2-21.2	402	60.7	55.6-65.8
Oth. Race/Non-Hisp.	140	22,400	18	15.5	04.9-26.1	8	7.7	00.6-14.8	26	20.0	11.2-28.8	88	56.8	45.0-68.6
MultiRacial/Non-Hisp.	80	9,532	17	19.2	09.0-29.4	4	8.2	00.0-16.6	20	21.6	10.8-32.4	39	51.0	37.3-64.7
Hispanic	133	43,746	15	12.1	04.8-19.4	16	14.5	06.7-22.3	34	19.1	11.7-26.5	68	54.3	43.1-65.5
18-24	240	83,480	37	13.2	07.7-18.7	16	6.0	02.5-09.5	14	4.0	01.6-06.4	173	76.8	70.1-83.5
25-34	508	116,205	86	24.6	18.9-30.3	40	10.4	06.5-14.3	99	18.7	14.4-23.0	283	46.2	40.5-51.9
35-44	568	115,391	94	19.6	15.1-24.1	35	6.6	03.9-09.3	116	20.5	16.6-24.4	323	53.3	48.0-58.6
45-54	824	128,315	156	19.0	15.3-22.7	37	3.6	02.2-05.0	246	31.7	27.4-36.0	385	45.7	41.2-50.2
55-64	1025	107,323	148	16.2	12.9-19.5	44	3.7	02.3-05.1	361	35.3	31.4-39.2	472	44.9	40.8-49.0
65+	1539	132,958	104	6.2	04.8-07.6	33	2.7	01.3-04.1	740	49.3	46.0-52.6	662	41.8	38.5-45.1
Less Than H.S.	294	93,049	64	28.3	21.2-35.4	16	7.3	03.2-11.4	105	29.7	23.4-36.0	109	34.7	27.6-41.8
H.S. or G.E.D.	1454	221,629	263	20.4	17.3-23.5	73	5.6	03.8-07.4	484	27.4	24.5-30.3	634	46.6	42.9-50.3
Some Post-H.S.	1340	200,404	193	15.4	12.5-18.3	75	7.1	04.9-09.3	452	28.4	25.3-31.5	620	49.2	45.3-53.1
College Graduate	1660	174,441	107	5.7	04.3-07.1	46	2.6	01.6-03.6	549	28.2	25.5-30.9	958	63.5	60.6-66.4
Less than \$15,000	519	72,334	100	25.9	19.6-32.2	41	10.1	06.2-14.0	162	27.7	22.2-33.2	216	36.3	30.2-42.4
\$15,000- 24,999	521	75,875	123	27.7	21.8-33.6	30	4.7	02.3-07.1	152	24.0	19.1-28.9	216	43.6	37.3-49.9
\$25,000- 34,999	389	52,712	74	25.6	18.5-32.7	20	5.6	02.3-08.9	137	33.4	26.3-40.5	158	35.4	28.9-41.9
\$35,000- 49,999	619	90,026	87	19.1	13.4-24.8	28	6.7	03.0-10.4	234	28.8	24.1-33.5	270	45.4	39.3-51.5
\$50,000- 74,999	710	98,714	82	13.5	10.2-16.8	23	3.9	01.7-06.1	238	28.5	24.2-32.8	367	54.0	48.9-59.1
\$75,000+	1225	183,836	85	7.8	05.6-10.0	39	4.0	02.4-05.6	414	30.7	27.4-34.0	687	57.5	53.8-61.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1817	329,844	271	19.2	16.3-22.1	85	6.4	04.6-08.2	673	29.7	27.0-32.4	788	44.7	41.6-47.8
White/Non-Hisp	1428	226,472	212	19.0	15.7-22.3	53	4.6	03.0-06.2	566	34.2	30.9-37.5	597	42.2	38.7-45.7
Black or Afr. Am./Non-Hisp	217	60,581	29	17.6	10.3-24.9	16	7.5	03.0-12.0	53	17.6	11.7-23.5	119	57.3	48.9-65.7
Oth. Race/Non-Hisp.	68	14,748	12	21.2	06.1-36.3	5	9.3	00.0-19.5	13	19.8	08.4-31.2	38	49.7	34.2-65.2
18-24	127	41,926	24	16.8	07.8-25.8	10	8.5	02.0-15.0	10	4.9	01.4-08.4	83	69.8	59.2-80.4
25-34	205	58,009	43	29.5	20.5-38.5	19	11.6	05.7-17.5	41	18.4	12.1-24.7	102	40.5	32.3-48.7
35-44	213	55,866	45	25.1	17.3-32.9	20	10.1	04.8-15.4	46	21.3	15.0-27.6	102	43.5	35.5-51.5
45-54	329	62,517	64	20.0	13.9-26.1	17	4.4	01.9-06.9	102	31.6	24.9-38.3	146	44.0	36.7-51.3
55-64	370	50,898	55	17.4	11.5-23.3	10	2.5	00.7-04.3	154	39.0	32.5-45.5	151	41.2	34.5-47.9
65+	557	57,737	39	6.3	03.9-08.7	7	1.8	00.0-04.2	313	55.6	49.9-61.3	198	36.4	30.9-41.9
Less Than H.S.	121	47,491	35	36.2	25.2-47.2	8	10.0	03.1-16.9	48	29.8	20.6-39.0	30	24.0	14.6-33.4
H.S. or G.E.D.	548	112,111	119	23.5	18.6-28.4	30	6.0	03.3-08.7	193	27.4	22.7-32.1	206	43.2	37.3-49.1
Some Post-H.S.	466	88,423	70	16.2	10.9-21.5	27	7.9	04.2-11.6	176	30.7	25.4-36.0	193	45.3	39.0-51.6
College Graduate	677	80,531	46	6.5	04.1-08.9	20	3.2	01.4-05.0	253	31.1	26.8-35.4	358	59.1	54.4-63.8
Less than \$15,000	160	30,750	37	29.7	19.3-40.1	14	13.1	05.1-21.1	56	29.7	20.7-38.7	53	27.5	19.3-35.7
\$15,000- 24,999	153	29,468	53	36.6	25.8-47.4	7	4.1	00.0-08.8	46	24.4	16.2-32.6	47	34.9	24.5-45.3
\$25,000- 34,999	134	24,566	31	32.2	19.7-44.7	12	9.0	02.5-15.5	53	36.0	23.7-48.3	38	22.8	14.2-31.4
\$35,000- 49,999	271	48,773	45	24.9	15.7-34.1	10	5.1	00.8-09.4	113	29.5	22.6-36.4	103	40.4	31.6-49.2
\$50,000- 74,999	293	47,982	31	12.7	07.6-17.8	12	5.5	01.6-09.4	108	31.6	24.9-38.3	142	50.2	42.6-57.8
\$75,000+	546	93,816	42	8.6	05.1-12.1	18	5.1	02.2-08.0	200	30.8	25.9-35.7	286	55.6	49.9-61.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2945	361,405	357	13.6	11.6-15.6	126	4.6	03.4-05.8	923	27.0	24.8-29.2	1539	54.7	52.2-57.2
White/Non-Hisp	2251	252,647	285	15.2	12.8-17.6	86	3.9	02.7-05.1	766	30.9	28.4-33.4	1114	50.0	47.1-52.9
Black or Afr. Am./Non-Hisp	466	71,844	48	12.8	07.9-17.7	26	5.8	02.7-08.9	109	17.8	13.5-22.1	283	63.6	57.3-69.9
Oth. Race/Non-Hisp.	72	7,652	6	4.7	00.4-09.0	3	4.6	00.0-09.9	13	20.3	06.8-33.8	50	70.4	56.1-84.7
Hispanic	86	22,632	5	1.5	00.0-03.1	7	8.6	00.8-16.4	19	16.6	07.4-25.8	55	73.3	61.5-85.1
18-24	113	41,553	13	9.6	03.3-15.9	6	3.6	00.5-06.7	4	3.1	00.0-06.4	90	83.8	76.2-91.4
25-34	303	58,196	43	19.8	13.1-26.5	21	9.3	03.8-14.8	58	19.0	13.5-24.5	181	51.9	44.5-59.3
35-44	355	59,526	49	14.5	09.8-19.2	15	3.2	01.4-05.0	70	19.8	14.7-24.9	221	62.5	56.2-68.8
45-54	495	65,799	92	18.0	13.5-22.5	20	2.9	01.3-04.5	144	31.7	26.4-37.0	239	47.4	41.7-53.1
55-64	655	56,424	93	15.2	11.5-18.9	34	4.7	02.9-06.5	207	31.9	27.4-36.4	321	48.2	43.3-53.1
65+	982	75,221	65	6.2	04.4-08.0	26	3.4	01.6-05.2	427	44.5	40.4-48.6	464	46.0	42.1-49.9
Less Than H.S.	173	45,558	29	20.1	12.1-28.1	8	4.5	00.4-08.6	57	29.6	21.0-38.2	79	45.8	35.8-55.8
H.S. or G.E.D.	906	109,518	144	17.3	13.8-20.8	43	5.2	03.0-07.4	291	27.5	23.8-31.2	428	50.1	45.4-54.8
Some Post-H.S.	874	111,981	123	14.8	11.5-18.1	48	6.4	03.9-08.9	276	26.6	22.9-30.3	427	52.2	47.5-56.9
College Graduate	983	93,910	61	5.0	03.2-06.8	26	2.1	01.1-03.1	296	25.7	22.2-29.2	600	67.3	63.6-71.0
Less than \$15,000	359	41,584	63	23.1	15.3-30.9	27	7.9	04.8-11.0	106	26.2	19.3-33.1	163	42.8	34.8-50.8
\$15,000- 24,999	368	46,407	70	22.1	15.6-28.6	23	5.1	02.6-07.6	106	23.7	17.6-29.8	169	49.1	41.5-56.7
\$25,000- 34,999	255	28,146	43	19.8	13.1-26.5	8	2.7	00.3-05.1	84	31.1	23.7-38.5	120	46.4	38.2-54.6
\$35,000- 49,999	348	41,253	42	12.3	07.2-17.4	18	8.6	02.1-15.1	121	27.9	21.8-34.0	167	51.2	43.2-59.2
\$50,000- 74,999	417	50,732	51	14.3	09.8-18.8	11	2.4	00.8-04.0	130	25.6	20.3-30.9	225	57.7	51.2-64.2
\$75,000+	679	90,020	43	6.9	04.4-09.4	21	2.9	01.3-04.5	214	30.7	26.2-35.2	401	59.5	54.8-64.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4762	691,249	3923	78.3	76.3-80.3	839	21.7	19.7-23.7
Male	1817	329,844	1461	74.5	71.4-77.6	356	25.5	22.4-28.6
Female	2945	361,405	2462	81.7	79.5-83.9	483	18.3	16.1-20.5
White/Non-Hisp	3679	479,119	3043	78.8	76.6-81.0	636	21.2	19.0-23.4
Black or Afr. Am./Non-Hisp	683	132,425	564	78.5	73.8-83.2	119	21.5	16.8-26.2
Oth. Race/Non-Hisp.	140	22,400	114	76.8	65.2-88.4	26	23.2	11.6-34.8
MultiRacial/Non-Hisp.	80	9,532	59	72.6	60.4-84.8	21	27.4	15.2-39.6
Hispanic	133	43,746	102	73.4	63.6-83.2	31	26.6	16.8-36.4
18-24	240	83,480	187	80.8	74.3-87.3	53	19.2	12.7-25.7
25-34	508	116,205	382	64.9	59.0-70.8	126	35.1	29.2-41.0
35-44	568	115,391	439	73.8	68.9-78.7	129	26.2	21.3-31.1
45-54	824	128,315	631	77.4	73.5-81.3	193	22.6	18.7-26.5
55-64	1025	107,323	833	80.1	76.6-83.6	192	19.9	16.4-23.4
65+	1539	132,958	1402	91.1	89.1-93.1	137	8.9	06.9-10.9
Less Than H.S.	294	93,049	214	64.4	57.0-71.8	80	35.6	28.2-43.0
H.S. or G.E.D.	1454	221,629	1118	74.0	70.7-77.3	336	26.0	22.7-29.3
Some Post-H.S.	1340	200,404	1072	77.5	74.0-81.0	268	22.5	19.0-26.0
College Graduate	1660	174,441	1507	91.7	89.9-93.5	153	8.3	06.5-10.1
Less than \$15,000	519	72,334	378	64.0	57.5-70.5	141	36.0	29.5-42.5
\$15,000- 24,999	521	75,875	368	67.6	61.5-73.7	153	32.4	26.3-38.5
\$25,000- 34,999	389	52,712	295	68.8	61.5-76.1	94	31.2	23.9-38.5
\$35,000- 49,999	619	90,026	504	74.1	67.8-80.4	115	25.9	19.6-32.2
\$50,000- 74,999	710	98,714	605	82.6	78.7-86.5	105	17.4	13.5-21.3
\$75,000+	1225	183,836	1101	88.2	85.5-90.9	124	11.8	09.1-14.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1817	329,844	1461	74.5	71.4-77.6	356	25.5	22.4-28.6
White/Non-Hisp	1428	226,472	1163	76.4	72.9-79.9	265	23.6	20.1-27.1
Black or Afr. Am./Non-Hisp	217	60,581	172	74.9	67.1-82.7	45	25.1	17.3-32.9
Oth. Race/Non-Hisp.	68	14,748	51	69.5	53.2-85.8	17	30.5	14.2-46.8
18-24	127	41,926	93	74.7	64.5-84.9	34	25.3	15.1-35.5
25-34	205	58,009	143	58.9	49.9-67.9	62	41.1	32.1-50.1
35-44	213	55,866	148	64.8	56.6-73.0	65	35.2	27.0-43.4
45-54	329	62,517	248	75.6	69.3-81.9	81	24.4	18.1-30.7
55-64	370	50,898	305	80.2	74.1-86.3	65	19.8	13.7-25.9
65+	557	57,737	511	92.0	88.7-95.3	46	8.0	04.7-11.3
Less Than H.S.	121	47,491	78	53.8	42.6-65.0	43	46.2	35.0-57.4
H.S. or G.E.D.	548	112,111	399	70.6	65.3-75.9	149	29.4	24.1-34.7
Some Post-H.S.	466	88,423	369	75.9	70.0-81.8	97	24.1	18.2-30.0
College Graduate	677	80,531	611	90.2	87.3-93.1	66	9.8	06.9-12.7
Less than \$15,000	160	30,750	109	57.2	46.4-68.0	51	42.8	32.0-53.6
\$15,000- 24,999	153	29,468	93	59.3	48.3-70.3	60	40.7	29.7-51.7
\$25,000- 34,999	134	24,566	91	58.8	46.1-71.5	43	41.2	28.5-53.9
\$35,000- 49,999	271	48,773	216	69.9	60.5-79.3	55	30.1	20.7-39.5
\$50,000- 74,999	293	47,982	250	81.8	75.7-87.9	43	18.2	12.1-24.3
\$75,000+	546	93,816	486	86.3	82.0-90.6	60	13.7	09.4-18.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2945	361,405	2462	81.7	79.5-83.9	483	18.3	16.1-20.5
White/Non-Hisp	2251	252,647	1880	80.9	78.4-83.4	371	19.1	16.6-21.6
Black or Afr. Am./Non-Hisp	466	71,844	392	81.4	75.9-86.9	74	18.6	13.1-24.1
Oth. Race/Non-Hisp.	72	7,652	63	90.7	83.8-97.6	9	9.3	02.4-16.2
Hispanic	86	22,632	74	89.9	81.9-97.9	12	10.1	02.1-18.1
18-24	113	41,553	94	86.9	79.8-94.0	19	13.1	06.0-20.2
25-34	303	58,196	239	70.9	63.3-78.5	64	29.1	21.5-36.7
35-44	355	59,526	291	82.3	77.4-87.2	64	17.7	12.8-22.6
45-54	495	65,799	383	79.1	74.6-83.6	112	20.9	16.4-25.4
55-64	655	56,424	528	80.1	76.2-84.0	127	19.9	16.0-23.8
65+	982	75,221	891	90.5	88.1-92.9	91	9.5	07.1-11.9
Less Than H.S.	173	45,558	136	75.5	66.9-84.1	37	24.5	15.9-33.1
H.S. or G.E.D.	906	109,518	719	77.6	73.7-81.5	187	22.4	18.5-26.3
Some Post-H.S.	874	111,981	703	78.8	74.9-82.7	171	21.2	17.3-25.1
College Graduate	983	93,910	896	93.0	91.0-95.0	87	7.0	05.0-09.0
Less than \$15,000	359	41,584	269	69.0	61.2-76.8	90	31.0	23.2-38.8
\$15,000- 24,999	368	46,407	275	72.8	66.1-79.5	93	27.2	20.5-33.9
\$25,000- 34,999	255	28,146	204	77.5	70.6-84.4	51	22.5	15.6-29.4
\$35,000- 49,999	348	41,253	288	79.1	71.7-86.5	60	20.9	13.5-28.3
\$50,000- 74,999	417	50,732	355	83.3	78.6-88.0	62	16.7	12.0-21.4
\$75,000+	679	90,020	615	90.2	87.3-93.1	64	9.8	06.9-12.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	44
2 MALES ONLY	45
3 FEMALES ONLY	46
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	47
5 MALES ONLY	48
6 FEMALES ONLY	49
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	50
8 MALES ONLY	51
9 FEMALES ONLY	52
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	53
11 MALES ONLY	54
12 FEMALES ONLY	55
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	56
14 MALES ONLY	57
15 FEMALES ONLY	58
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	59
17 MALES ONLY	60
18 FEMALES ONLY	61

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19	MALES AND FEMALES	62
20	MALES ONLY	63
21	FEMALES ONLY	64
	ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
22	MALES AND FEMALES	65
23	MALES ONLY	66
24	FEMALES ONLY	67
	TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25	MALES AND FEMALES	68
26	MALES ONLY	69
27	FEMALES ONLY	70
	REPORTED HEIGHT IN INCHES (HTIN4).	
28	MALES AND FEMALES	71
29	MALES ONLY	72
30	FEMALES ONLY	73
	REPORTED HEIGHT IN METERS (HTM4).	
31	MALES AND FEMALES	74
32	MALES ONLY	75
33	FEMALES ONLY	76
	REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
34	MALES AND FEMALES	77
35	MALES ONLY	78
36	FEMALES ONLY	79
	BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
37	MALES AND FEMALES	80
38	MALES ONLY	81
39	FEMALES ONLY	82

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
40 MALES AND FEMALES	83
41 MALES ONLY	84
42 FEMALES ONLY	85
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
43 MALES AND FEMALES	86
44 MALES ONLY	87
45 FEMALES ONLY	88
RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
46 MALES AND FEMALES	89
47 MALES ONLY	90
48 FEMALES ONLY	91

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4705	680,544	3767	72.5	70.5-74.5	709	20.2	18.4-22.0	71	1.9	01.3-02.5	8	0.1	00.1-00.1	27	0.5	00.3-00.7	123	4.8	03.6-06.0
Male	1791	323,987	1463	71.7	68.6-74.8	226	19.4	16.7-22.1	33	2.4	01.4-03.4	2	0.1	00.0-00.3	11	0.5	00.1-00.9	56	5.9	03.9-07.9
Female	2914	356,557	2304	73.2	70.7-75.7	483	21.0	18.6-23.4	38	1.4	00.8-02.0	6	0.1	00.0-00.3	16	0.4	00.2-00.6	67	3.9	02.3-05.5
18-24	239	81,998	145	60.0	51.8-68.2	67	27.1	19.8-34.4	13	4.2	01.3-07.1	1	0.1	00.0-00.3				13	8.6	02.9-14.3
25-34	502	114,793	332	65.2	59.5-70.9	113	22.2	17.5-26.9	23	3.4	01.8-05.0	2	0.1	00.0-00.3	5	0.4	00.0-00.8	27	8.7	04.6-12.8
35-44	561	113,089	420	69.6	64.5-74.7	92	22.1	17.2-27.0	14	2.3	00.9-03.7	3	0.3	00.0-00.7	4	0.9	00.0-01.9	28	4.7	02.2-07.2
45-54	806	125,180	646	72.7	68.0-77.4	127	21.3	17.2-25.4	8	1.0	00.2-01.8	1	0.0	00.0-00.0	2	0.1	00.0-00.3	22	4.9	02.0-07.8
55-64	1013	106,296	815	77.8	74.3-81.3	160	17.6	14.3-20.9	9	1.3	00.3-02.3	1	0.0	00.0-00.0	9	0.7	00.1-01.3	19	2.6	01.2-04.0
65+	1529	131,819	1367	85.3	82.4-88.2	139	12.7	10.0-15.4	4	0.1	00.0-00.3				6	0.6	00.0-01.2	13	1.2	00.4-02.0
Less Than H.S.	290	91,339	190	59.3	51.9-66.7	76	29.9	22.8-37.0	1	0.0	00.0-00.0				4	0.6	00.0-01.2	19	10.1	05.0-15.2
H.S. or G.E.D.	1439	216,901	1128	71.4	67.9-74.9	259	23.3	20.0-26.6	4	0.1	00.0-00.3	2	0.1	00.0-00.3	10	0.5	00.1-00.9	36	4.5	02.3-06.7
Some Post-H.S.	1322	198,499	1073	74.4	70.7-78.1	192	19.1	15.8-22.4	12	1.5	00.3-02.7	3	0.1	00.0-00.3	7	0.6	00.0-01.2	35	4.2	02.0-06.4
College Graduate	1640	172,079	1367	78.6	75.7-81.5	179	12.5	10.3-14.7	52	5.4	03.8-07.0	3	0.1	00.1-00.1	6	0.2	00.0-00.4	33	3.2	01.2-05.2
Less than \$15,000	515	71,684	381	65.1	58.6-71.6	107	26.4	20.5-32.3	3	0.3	00.0-00.7				2	0.3	00.0-00.9	22	7.7	03.0-12.4
\$15,000- 24,999	512	74,123	343	52.2	45.7-58.7	135	38.8	32.3-45.3	5	1.1	00.0-02.3	2	0.2	00.0-00.6	8	1.4	00.2-02.6	19	6.3	03.0-09.6
\$25,000- 34,999	377	50,432	290	70.9	63.6-78.2	69	20.4	14.5-26.3				1	0.2	00.0-00.6	5	1.0	00.0-02.0	12	7.6	02.1-13.1
\$35,000- 49,999	613	87,641	494	74.2	68.7-79.7	97	21.4	16.3-26.5	4	0.7	00.0-01.5	3	0.4	00.0-01.0				15	3.2	00.5-05.9
\$50,000- 74,999	707	97,998	582	76.4	71.5-81.3	91	16.3	12.4-20.2	17	3.3	01.3-05.3				6	0.8	00.0-01.6	11	3.1	00.0-06.2
\$75,000+	1217	182,146	1061	83.4	80.3-86.5	103	11.1	08.4-13.8	26	2.8	01.4-04.2	2	0.1	00.1-00.1	4	0.1	00.0-00.3	21	2.5	01.1-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1791	323,987	1463	71.7	68.6-74.8	226	19.4	16.7-22.1	33	2.4	01.4-03.4	2	0.1	00.0-00.3	11	0.5	00.1-00.9	56	5.9	03.9-07.9
18-24	127	40,667	84	63.4	52.6-74.2	29	24.2	14.8-33.6	7	5.0	00.3-09.7				7	7.4	01.5-13.3			
25-34	203	57,561	145	65.2	56.6-73.8	31	17.6	10.9-24.3	10	3.8	01.1-06.5				16	13.3	06.0-20.6			
35-44	211	55,089	164	69.3	60.9-77.7	29	21.3	13.7-28.9	7	3.1	00.6-05.6	1	0.4	00.0-01.2	8	4.9	00.4-09.4			
45-54	319	60,447	265	71.8	64.2-79.4	40	21.5	14.6-28.4	4	1.3	00.0-02.7	1	0.1	00.0-00.3	9	5.3	00.2-10.4			
55-64	365	50,385	290	74.5	68.4-80.6	55	19.0	13.3-24.7	5	2.2	00.2-04.2				10	3.3	00.9-05.7			
65+	550	56,948	501	83.5	78.0-89.0	40	14.0	08.5-19.5				3	0.9	00.0-02.1	6	1.7	00.1-03.3			
Less Than H.S.	120	47,359	82	60.1	49.1-71.1	24	25.2	15.4-35.0				3	0.9	00.0-02.1	11	13.8	05.2-22.4			
H.S. or G.E.D.	540	108,798	417	68.2	62.5-73.9	100	25.2	19.9-30.5	1	0.1	00.0-00.3	1	0.2	00.0-00.6	18	5.9	02.2-09.6			
Some Post-H.S.	458	87,451	383	76.1	70.4-81.8	55	17.4	12.3-22.5	4	1.8	00.0-04.0				14	4.2	01.7-06.7			
College Graduate	668	79,091	577	78.4	73.9-82.9	46	10.1	06.6-13.6	28	7.8	04.9-10.7	1	0.0	00.0-00.0	13	3.2	01.0-05.4			
Less than \$15,000	161	30,500	115	62.0	51.6-72.4	34	29.3	19.5-39.1	2	0.7	00.0-01.7				9	7.9	02.0-13.8			
\$15,000- 24,999	151	28,938	101	49.8	38.8-60.8	37	39.2	27.8-50.6	3	2.5	00.0-05.4	1	0.1	00.0-00.3	6	6.1	00.0-12.4			
\$25,000- 34,999	126	23,422	93	64.6	51.5-77.7	22	19.7	09.3-30.1				3	1.5	00.0-03.5	8	14.2	03.0-25.4			
\$35,000- 49,999	267	46,855	223	75.8	68.0-83.6	35	18.2	11.3-25.1	2	0.9	00.0-02.1	1	0.5	00.0-01.5	6	4.6	00.0-09.5			
\$50,000- 74,999	291	47,609	245	74.7	66.9-82.5	30	14.9	09.0-20.8	8	4.2	01.1-07.3				6	5.6	00.0-11.9			
\$75,000+	542	92,797	487	83.4	78.5-88.3	35	11.5	07.0-16.0	11	2.8	00.8-04.8				8	2.3	00.5-04.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2914	356,557	2304	73.2	70.7-75.7	483	21.0	18.6-23.4	38	1.4	0.8-02.0	6	0.1	0.0-00.3	16	0.4	0.2-00.6	67	3.9	0.2-05.5
18-24	112	41,331	61	56.6	44.3-68.9	38	29.9	18.7-41.1	6	3.4	0.0-06.9	1	0.3	0.0-00.9				6	9.8	0.2-19.4
25-34	299	57,232	187	65.2	58.1-72.3	82	26.9	20.2-33.6	13	2.9	0.1-04.7	2	0.2	0.0-00.6	4	0.7	0.0-01.5	11	4.1	0.8-07.4
35-44	350	58,000	256	69.9	63.6-76.2	63	22.9	16.8-29.0	7	1.6	0.2-03.0	2	0.2	0.0-00.6	2	0.7	0.0-01.7	20	4.6	0.2-07.0
45-54	487	64,733	381	73.4	68.1-78.7	87	21.2	16.5-25.9	4	0.7	0.0-01.5				2	0.1	0.0-00.3	13	4.5	0.1-07.4
55-64	648	55,911	525	80.7	76.8-84.6	105	16.4	12.7-20.1	4	0.5	0.0-01.1	1	0.1	0.0-00.3	4	0.3	0.0-00.7	9	2.0	0.4-03.6
65+	979	74,871	866	86.7	83.8-89.6	99	11.7	09.0-14.4	4	0.2	0.0-00.4				3	0.5	0.0-01.1	7	0.9	0.1-01.7
Less Than H.S.	170	43,980	108	58.5	48.5-68.5	52	35.0	25.2-44.8	1	0.1	0.0-00.3				1	0.3	0.0-00.9	8	6.1	0.1-11.0
H.S. or G.E.D.	899	108,102	711	74.7	70.6-78.8	159	21.4	17.5-25.3	3	0.1	0.0-00.3	1	0.1	0.0-00.3	7	0.4	0.0-00.8	18	3.2	0.1-04.8
Some Post-H.S.	864	111,049	690	73.0	68.3-77.7	137	20.5	16.4-24.6	8	1.3	0.0-02.7	3	0.2	0.0-00.4	5	0.7	0.0-01.3	21	4.3	0.1-07.4
College Graduate	972	92,988	790	78.8	74.9-82.7	133	14.5	11.6-17.4	24	3.4	0.1-05.0	2	0.1	0.0-00.3	3	0.1	0.0-00.3	20	3.2	0.1-06.3
Less than \$15,000	354	41,185	266	67.5	59.3-75.7	73	24.4	17.5-31.3	1	0.1	0.0-00.3				1	0.4	0.0-01.2	13	7.6	0.7-14.5
\$15,000- 24,999	361	45,186	242	53.8	46.0-61.6	98	38.6	30.8-46.4	2	0.2	0.0-00.6	1	0.3	0.0-00.9	5	0.8	0.0-01.6	13	6.4	0.2-10.3
\$25,000- 34,999	251	27,010	197	76.3	69.6-83.0	47	20.9	14.4-27.4				1	0.3	0.0-00.9	2	0.6	0.0-01.6	4	1.8	0.0-03.8
\$35,000- 49,999	346	40,786	271	72.4	65.0-79.8	62	25.1	17.7-32.5	2	0.6	0.0-01.4	2	0.3	0.0-00.7				9	1.6	0.4-02.8
\$50,000- 74,999	416	50,388	337	78.1	72.4-83.8	61	17.5	12.2-22.8	9	2.5	0.1-04.9				4	1.0	0.0-02.2	5	0.8	0.0-01.8
\$75,000+	675	89,349	574	83.4	79.7-87.1	68	10.7	07.8-13.6	15	2.8	0.1-04.6	2	0.1	0.0-00.3	3	0.2	0.0-00.4	13	2.8	0.1-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4705	680,544	3730	71.9	69.9-73.9	697	20.0	18.2-21.8	71	1.9	01.3-02.5	7	0.1	00.1-00.1	23	0.4	00.2-00.6	177	5.7	04.5-06.9
Male	1791	323,987	1444	71.0	67.9-74.1	222	19.2	16.5-21.9	33	2.4	01.4-03.4	1	0.1	00.0-00.3	10	0.5	00.1-00.9	81	6.8	04.6-09.0
Female	2914	356,557	2286	72.7	70.2-75.2	475	20.8	18.4-23.2	38	1.4	00.8-02.0	6	0.1	00.0-00.3	13	0.3	00.1-00.5	96	4.8	03.2-06.4
18-24	239	81,998	141	59.1	50.9-67.3	63	26.5	19.2-33.8	13	4.2	01.3-07.1	1	0.1	00.0-00.3				21	10.1	04.2-16.0
25-34	502	114,793	325	64.6	58.9-70.3	111	22.1	17.4-26.8	23	3.4	01.8-05.0	2	0.1	00.0-00.3	4	0.3	00.1-00.5	37	9.5	05.4-13.6
35-44	561	113,089	417	68.7	63.4-74.0	89	21.7	16.8-26.6	14	2.3	00.9-03.7	3	0.3	00.0-00.7	4	0.9	00.0-01.9	34	6.0	03.3-08.7
45-54	806	125,180	640	72.3	67.6-77.0	125	21.2	17.1-25.3	8	1.0	00.2-01.8				2	0.1	00.0-00.3	31	5.5	02.6-08.4
55-64	1013	106,296	811	77.6	74.1-81.1	159	17.5	14.2-20.8	9	1.3	00.3-02.3	1	0.0	00.0-00.0	8	0.6	00.0-01.2	25	3.0	01.6-04.4
65+	1529	131,819	1355	84.6	81.7-87.5	139	12.7	10.0-15.4	4	0.1	00.0-00.3				4	0.4	00.0-00.8	27	2.3	01.3-03.3
Less Than H.S.	290	91,339	189	59.2	51.8-66.6	75	29.7	22.6-36.8	1	0.0	00.0-00.0				3	0.4	00.0-00.8	22	10.7	05.6-15.8
H.S. or G.E.D.	1439	216,901	1117	71.0	67.5-74.5	256	23.1	19.8-26.4	4	0.1	00.0-00.3	2	0.1	00.0-00.3	9	0.4	00.0-00.8	51	5.2	03.0-07.4
Some Post-H.S.	1322	198,499	1057	73.1	69.4-76.8	188	18.9	15.6-22.2	12	1.5	00.3-02.7	3	0.1	00.0-00.3	6	0.5	00.1-00.9	56	5.8	03.6-08.0
College Graduate	1640	172,079	1358	78.3	75.4-81.2	175	12.3	10.1-14.5	52	5.4	03.8-07.0	2	0.1	00.1-00.1	5	0.2	00.0-00.4	48	3.7	01.7-05.7
Less than \$15,000	515	71,684	376	64.7	58.2-71.2	103	25.8	20.1-31.5	3	0.3	00.0-00.7				1	0.1	00.0-00.3	32	9.0	04.3-13.7
\$15,000- 24,999	512	74,123	334	51.1	44.8-57.4	135	38.8	32.3-45.3	5	1.1	00.0-02.3	1	0.2	00.0-00.6	6	1.0	00.0-02.0	31	7.8	04.3-11.3
\$25,000- 34,999	377	50,432	289	70.7	63.4-78.0	68	20.1	14.2-26.0				1	0.2	00.0-00.6	5	1.0	00.0-02.0	14	7.9	02.2-13.6
\$35,000- 49,999	613	87,641	493	74.1	68.6-79.6	96	21.2	16.1-26.3	4	0.7	00.0-01.5	3	0.4	00.0-01.0				17	3.6	00.9-06.3
\$50,000- 74,999	707	97,998	574	75.8	70.9-80.7	89	16.0	12.1-19.9	17	3.3	01.3-05.3				6	0.8	00.0-01.6	21	4.0	00.9-07.1
\$75,000+	1217	182,146	1055	83.0	79.9-86.1	100	11.0	08.3-13.7	26	2.8	01.4-04.2	2	0.1	00.1-00.1	3	0.1	00.1-00.1	31	3.1	01.7-04.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1791	323,987	1444	71.0	67.9-74.1	222	19.2	16.5-21.9	33	2.4	01.4-03.4	1	0.1	00.0-00.3	10	0.5	00.1-00.9	81	6.8	04.6-09.0
18-24	127	40,667	83	63.2	52.4-74.0	26	23.1	13.7-32.5	7	5.0	00.3-09.7							11	8.7	02.6-14.8
25-34	203	57,561	143	64.8	56.2-73.4	31	17.6	10.9-24.3	10	3.8	01.1-06.5				1	0.1	00.0-00.3	18	13.7	06.4-21.0
35-44	211	55,089	162	67.9	59.5-76.3	29	21.3	13.7-28.9	7	3.1	00.6-05.6	1	0.4	00.0-01.2	2	1.1	00.0-02.7	10	6.2	01.3-11.1
45-54	319	60,447	263	71.7	64.1-79.3	40	21.5	14.6-28.4	4	1.3	00.0-02.7							12	5.6	00.5-10.7
55-64	365	50,385	289	74.3	68.2-80.4	54	18.7	13.0-24.4	5	2.2	00.2-04.2				5	1.1	00.1-02.1	12	3.8	01.4-06.2
65+	550	56,948	491	82.2	76.7-87.7	40	14.0	08.5-19.5							2	0.5	00.0-01.3	17	3.4	01.4-05.4
Less Than H.S.	120	47,359	82	60.1	49.1-71.1	23	24.8	15.0-34.6							2	0.5	00.0-01.3	13	14.7	06.1-23.3
H.S. or G.E.D.	540	108,798	412	67.7	62.0-73.4	97	24.8	19.5-30.1	1	0.1	00.0-00.3	1	0.2	00.0-00.6	3	0.5	00.0-01.1	26	6.7	03.0-10.4
Some Post-H.S.	458	87,451	374	74.6	68.9-80.3	55	17.4	12.3-22.5	4	1.8	00.0-04.0				2	0.5	00.0-01.3	23	5.7	02.8-08.6
College Graduate	668	79,091	572	78.0	73.5-82.5	46	10.1	06.6-13.6	28	7.8	04.9-10.7				3	0.3	00.0-00.7	19	3.7	01.5-05.9
Less than \$15,000	161	30,500	112	61.4	51.0-71.8	32	28.2	18.4-38.0	2	0.7	00.0-01.7				1	0.2	00.0-00.6	14	9.5	03.4-15.6
\$15,000- 24,999	151	28,938	96	47.9	37.1-58.7	37	39.2	27.8-50.6	3	2.5	00.0-05.4				2	1.5	00.0-03.7	13	8.8	02.1-15.5
\$25,000- 34,999	126	23,422	92	64.3	51.2-77.4	22	19.7	09.3-30.1							3	1.5	00.0-03.5	9	14.5	03.3-25.7
\$35,000- 49,999	267	46,855	222	75.5	67.7-83.3	35	18.2	11.3-25.1	2	0.9	00.0-02.1	1	0.5	00.0-01.5				7	5.0	00.1-09.9
\$50,000- 74,999	291	47,609	241	74.0	66.2-81.8	29	14.7	08.8-20.6	8	4.2	01.1-07.3				2	0.6	00.0-01.4	11	6.5	00.2-12.8
\$75,000+	542	92,797	484	83.2	78.3-88.1	35	11.5	07.0-16.0	11	2.8	00.8-04.8				1	0.0	00.0-00.0	11	2.5	00.7-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2914	356,557	2286	72.7	70.2-75.2	475	20.8	18.4-23.2	38	1.4	00.8-02.0	6	0.1	00.0-00.3	13	0.3	00.1-00.5	96	4.8	03.2-06.4
18-24	112	41,331	58	55.1	42.8-67.4	37	29.8	18.6-41.0	6	3.4	00.0-06.9	1	0.3	00.0-00.9				10	11.4	01.6-21.2
25-34	299	57,232	182	64.5	57.4-71.6	80	26.7	20.0-33.4	13	2.9	01.1-04.7	2	0.2	00.0-00.6	3	0.4	00.0-01.0	19	5.2	01.9-08.5
35-44	350	58,000	255	69.5	63.2-75.8	60	22.2	16.1-28.3	7	1.6	00.2-03.0	2	0.2	00.0-00.6	2	0.7	00.0-01.7	24	5.7	03.2-08.2
45-54	487	64,733	377	72.9	67.6-78.2	85	20.9	16.2-25.6	4	0.7	00.0-01.5				2	0.1	00.0-00.3	19	5.4	02.3-08.5
55-64	648	55,911	522	80.6	76.7-84.5	105	16.4	12.7-20.1	4	0.5	00.0-01.1	1	0.1	00.0-00.3	3	0.3	00.0-00.7	13	2.2	00.6-03.8
65+	979	74,871	864	86.4	83.5-89.3	99	11.7	09.0-14.4	4	0.2	00.0-00.4				2	0.2	00.0-00.6	10	1.5	00.5-02.5
Less Than H.S.	170	43,980	107	58.2	48.2-68.2	52	35.0	25.2-44.8	1	0.1	00.0-00.3				1	0.3	00.0-00.9	9	6.4	01.5-11.3
H.S. or G.E.D.	899	108,102	705	74.3	70.2-78.4	159	21.4	17.5-25.3	3	0.1	00.0-00.3	1	0.1	00.0-00.3	6	0.3	00.1-00.5	25	3.8	02.0-05.6
Some Post-H.S.	864	111,049	683	72.0	67.3-76.7	133	20.1	16.0-24.2	8	1.3	00.0-02.7	3	0.2	00.0-00.4	4	0.6	00.0-01.2	33	5.8	02.5-09.1
College Graduate	972	92,988	786	78.6	74.7-82.5	129	14.1	11.2-17.0	24	3.4	01.8-05.0	2	0.1	00.0-00.3	2	0.1	00.1-00.1	29	3.8	00.7-06.9
Less than \$15,000	354	41,185	264	67.2	59.0-75.4	71	24.0	17.1-30.9	1	0.1	00.0-00.3							18	8.7	01.8-15.6
\$15,000- 24,999	361	45,186	238	53.2	45.6-60.8	98	38.6	30.8-46.4	2	0.2	00.0-00.6	1	0.3	00.0-00.9	4	0.7	00.0-01.5	18	7.1	03.2-11.0
\$25,000- 34,999	251	27,010	197	76.3	69.6-83.0	46	20.5	14.0-27.0				1	0.3	00.0-00.9	2	0.6	00.0-01.6	5	2.3	00.1-04.5
\$35,000- 49,999	346	40,786	271	72.4	65.0-79.8	61	24.6	17.2-32.0	2	0.6	00.0-01.4	2	0.3	00.0-00.7				10	2.1	00.5-03.7
\$50,000- 74,999	416	50,388	333	77.5	71.8-83.2	60	17.3	12.0-22.6	9	2.5	00.1-04.9				4	1.0	00.0-02.2	10	1.7	00.5-02.9
\$75,000+	675	89,349	571	82.9	79.2-86.6	65	10.5	07.6-13.4	15	2.8	01.0-04.6	2	0.1	00.0-00.3	2	0.1	00.1-00.1	20	3.6	01.6-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4594	644,321	3689	74.5	72.5-76.5	685	20.6	18.8-22.4	69	1.9	01.3-02.5	7	0.1	00.1-00.1	22	0.4	00.2-00.6	122	2.5	01.9-03.1
Male	1751	306,941	1431	73.9	70.8-77.0	217	19.7	16.8-22.6	33	2.6	01.6-03.6	1	0.1	00.0-00.3	10	0.5	00.1-00.9	59	3.3	02.1-04.5
Female	2843	337,380	2258	75.0	72.6-77.4	468	21.3	18.9-23.7	36	1.3	00.7-01.9	6	0.1	00.0-00.3	12	0.3	00.1-00.5	63	1.9	01.3-02.5
18-24	222	73,565	138	65.2	57.0-73.4	58	27.2	19.4-35.0	13	4.7	01.4-08.0	1	0.2	00.0-00.6				12	2.8	00.8-04.8
25-34	474	103,486	315	69.4	64.1-74.7	110	24.3	19.2-29.4	21	3.3	01.5-05.1	2	0.1	00.0-00.3	4	0.3	00.0-00.7	22	2.6	01.2-04.0
35-44	540	106,294	409	70.5	65.2-75.8	87	22.2	17.3-27.1	14	2.5	00.9-04.1	3	0.3	00.0-00.7	4	1.0	00.0-02.0	23	3.5	01.1-05.9
45-54	792	120,721	636	74.4	70.1-78.7	124	21.9	17.6-26.2	8	1.0	00.2-01.8				2	0.1	00.0-00.3	22	2.7	01.1-04.3
55-64	998	102,547	804	78.2	74.7-81.7	158	17.7	14.4-21.0	9	1.4	00.4-02.4	1	0.0	00.0-00.0	8	0.7	00.1-01.3	18	2.0	00.8-03.2
65+	1515	130,417	1347	85.0	82.1-87.9	137	12.6	09.9-15.3	4	0.1	00.0-00.3				4	0.4	00.0-00.8	23	2.0	01.0-03.0
Less Than H.S.	273	82,105	186	64.2	56.8-71.6	74	32.9	25.5-40.3	1	0.0	00.0-00.0				3	0.4	00.0-01.0	9	2.5	00.7-04.3
H.S. or G.E.D.	1406	206,708	1106	73.2	69.7-76.7	253	23.7	20.4-27.0	4	0.1	00.0-00.3	2	0.1	00.0-00.3	9	0.4	00.0-00.8	32	2.4	01.0-03.8
Some Post-H.S.	1298	189,256	1050	75.5	72.0-79.0	184	19.0	15.7-22.3	12	1.6	00.4-02.8	3	0.1	00.0-00.3	6	0.6	00.0-01.2	43	3.2	02.0-04.4
College Graduate	1604	164,703	1338	79.8	77.1-82.5	172	12.4	10.0-14.8	50	5.4	03.6-07.2	2	0.1	00.1-00.1	4	0.2	00.0-00.4	38	2.1	01.1-03.1
Less than \$15,000	497	65,647	370	67.8	61.5-74.1	102	27.9	21.8-34.0	3	0.4	00.0-00.8				1	0.1	00.0-00.3	21	3.8	01.6-06.0
\$15,000- 24,999	495	68,854	331	53.8	47.3-60.3	131	40.3	33.6-47.0	5	1.2	00.0-02.6	1	0.2	00.0-00.6	6	1.1	00.1-02.1	21	3.4	01.6-05.2
\$25,000- 34,999	365	47,381	283	72.6	65.3-79.9	67	20.9	14.6-27.2				1	0.2	00.0-00.6	5	1.1	00.0-02.3	9	5.2	00.0-10.5
\$35,000- 49,999	603	84,296	490	76.6	71.5-81.7	94	20.9	15.8-26.0	4	0.8	00.0-01.6	3	0.4	00.0-01.0				12	1.4	00.4-02.4
\$50,000- 74,999	690	93,311	564	77.5	73.2-81.8	87	16.5	12.4-20.6	17	3.5	01.5-05.5				6	0.8	00.0-01.6	16	1.7	00.7-02.7
\$75,000+	1200	177,337	1047	84.1	81.0-87.2	99	11.1	08.4-13.8	24	2.6	01.2-04.0	2	0.1	00.1-00.1	3	0.1	00.1-00.1	25	2.1	01.1-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	306,941	1431	73.9	70.8-77.0	217	19.7	16.8-22.6	33	2.6	01.6-03.6	1	0.1	00.0-00.3	10	0.5	00.1-00.9	59	3.3	02.1-04.5
18-24	120	37,430	82	68.1	57.3-78.9	24	22.8	13.2-32.4	7	5.5	00.4-10.6							7	3.7	00.6-06.8
25-34	188	49,627	138	72.4	64.4-80.4	31	20.4	13.0-27.8	10	4.4	01.3-07.5				1	0.1	00.0-00.3	8	2.7	00.5-04.9
35-44	207	53,478	161	69.2	60.8-77.6	29	21.9	14.1-29.7	7	3.2	00.7-05.7	1	0.4	00.0-01.2	2	1.2	00.0-02.8	7	4.2	00.0-08.7
45-54	315	58,355	262	73.8	66.5-81.1	40	22.2	15.1-29.3	4	1.4	00.0-02.8							9	2.6	00.4-04.8
55-64	361	48,858	287	74.6	68.5-80.7	53	18.5	12.8-24.2	5	2.3	00.1-04.5				5	1.1	00.1-02.1	11	3.5	01.1-05.9
65+	545	56,363	489	82.7	77.0-88.4	38	13.5	08.0-19.0							2	0.5	00.0-01.3	16	3.3	01.3-05.3
Less Than H.S.	112	41,655	81	67.3	56.5-78.1	22	27.8	17.0-38.6							2	0.5	00.0-01.3	7	4.3	01.0-07.6
H.S. or G.E.D.	528	103,573	408	70.1	64.6-75.6	96	25.5	20.2-30.8	1	0.1	00.0-00.3	1	0.2	00.0-00.6	3	0.5	00.0-01.1	19	3.6	01.1-06.1
Some Post-H.S.	447	83,254	370	76.7	71.0-82.4	54	18.0	12.7-23.3	4	1.9	00.0-04.1				2	0.6	00.0-01.4	17	2.9	01.1-04.7
College Graduate	660	77,349	568	79.0	74.5-83.5	45	9.8	06.3-13.3	28	8.0	04.9-11.1				3	0.3	00.0-00.7	16	2.8	00.8-04.8
Less than \$15,000	154	28,203	110	63.8	53.2-74.4	31	29.9	19.5-40.3	2	0.7	00.0-01.7				1	0.2	00.0-00.6	10	5.4	01.3-09.5
\$15,000- 24,999	147	27,390	95	49.6	38.6-60.6	35	40.0	28.4-51.6	3	2.7	00.0-05.8				2	1.6	00.0-03.8	12	6.2	02.1-10.3
\$25,000- 34,999	121	21,911	91	67.8	54.5-81.1	22	21.1	10.1-32.1							3	1.6	00.0-03.8	5	9.5	00.0-20.3
\$35,000- 49,999	263	44,889	221	78.3	71.0-85.6	35	19.0	11.9-26.1	2	0.9	00.0-02.3	1	0.5	00.0-01.5				4	1.3	00.1-02.5
\$50,000- 74,999	282	44,031	235	76.8	70.1-83.5	29	15.9	09.8-22.0	8	4.5	01.2-07.8				2	0.6	00.0-01.4	8	2.2	00.4-04.0
\$75,000+	538	91,249	482	84.0	79.1-88.9	34	11.3	06.8-15.8	11	2.8	00.8-04.8				1	0.0	00.0-00.0	10	1.9	00.5-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2843	337,380	2258	75.0	72.6-77.4	468	21.3	18.9-23.7	36	1.3	00.7-01.9	6	0.1	00.0-00.3	12	0.3	00.1-00.5	63	1.9	01.3-02.5
18-24	102	36,135	56	62.2	49.9-74.5	34	31.7	19.7-43.7	6	3.9	00.0-07.8	1	0.3	00.0-00.9				5	1.9	00.0-04.3
25-34	286	53,859	177	66.6	59.5-73.7	79	28.0	20.9-35.1	11	2.3	00.7-03.9	2	0.2	00.0-00.6	3	0.5	00.0-01.1	14	2.4	00.8-04.0
35-44	333	52,816	248	71.8	65.5-78.1	58	22.5	16.4-28.6	7	1.8	00.4-03.2	2	0.3	00.0-00.7	2	0.8	00.0-02.0	16	2.9	01.1-04.7
45-54	477	62,367	374	74.9	69.8-80.0	84	21.5	16.6-26.4	4	0.7	00.0-01.5				2	0.2	00.0-00.4	13	2.8	00.6-05.0
55-64	637	53,689	517	81.5	77.6-85.4	105	17.0	13.3-20.7	4	0.5	00.0-01.1	1	0.1	00.0-00.3	3	0.3	00.0-00.7	7	0.6	00.2-01.0
65+	970	74,055	858	86.8	84.1-89.5	99	11.8	09.1-14.5	4	0.2	00.0-00.4				2	0.2	00.0-00.6	7	0.9	00.1-01.7
Less Than H.S.	161	40,450	105	61.0	50.6-71.4	52	38.0	27.6-48.4	1	0.1	00.0-00.3				1	0.4	00.0-01.2	2	0.5	00.0-01.3
H.S. or G.E.D.	878	103,135	698	76.4	72.3-80.5	157	21.9	17.8-26.0	3	0.2	00.0-00.4	1	0.1	00.0-00.3	6	0.3	00.1-00.5	13	1.2	00.4-02.0
Some Post-H.S.	851	106,002	680	74.6	70.3-78.9	130	19.8	15.7-23.9	8	1.4	00.0-02.8	3	0.2	00.0-00.4	4	0.6	00.0-01.2	26	3.4	01.6-05.2
College Graduate	944	87,354	770	80.6	77.3-83.9	127	14.7	11.8-17.6	22	3.1	01.7-04.5	2	0.1	00.0-00.3	1	0.0	00.0-00.0	22	1.5	00.7-02.3
Less than \$15,000	343	37,444	260	70.8	63.5-78.1	71	26.4	19.1-33.7	1	0.1	00.0-00.3							11	2.7	00.7-04.7
\$15,000- 24,999	348	41,465	236	56.6	48.6-64.6	96	40.5	32.5-48.5	2	0.2	00.0-00.6	1	0.3	00.0-00.9	4	0.8	00.0-01.8	9	1.6	00.4-02.8
\$25,000- 34,999	244	25,469	192	76.7	70.0-83.4	45	20.8	14.3-27.3				1	0.3	00.0-00.9	2	0.7	00.0-01.7	4	1.5	00.0-03.1
\$35,000- 49,999	340	39,407	269	74.6	67.3-81.9	59	23.0	15.9-30.1	2	0.6	00.0-01.6	2	0.3	00.0-00.7				8	1.5	00.1-02.9
\$50,000- 74,999	408	49,280	329	78.1	72.2-84.0	58	17.0	11.7-22.3	9	2.6	00.2-05.0				4	1.1	00.0-02.3	8	1.2	00.2-02.2
\$75,000+	662	86,088	565	84.2	80.5-87.9	65	10.9	07.8-14.0	13	2.4	00.8-04.0	2	0.1	00.0-00.3	2	0.1	00.0-00.3	15	2.4	00.8-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4729	688,634	3689	69.7	67.7-71.7	1040	30.3	28.3-32.3
Male	1799	328,382	1431	69.0	65.7-72.3	368	31.0	27.7-34.3
Female	2930	360,252	2258	70.3	67.8-72.8	672	29.7	27.2-32.2
18-24	240	83,595	138	57.3	48.9-65.7	102	42.7	34.3-51.1
25-34	507	116,088	315	61.8	56.1-67.5	192	38.2	32.5-43.9
35-44	569	115,508	409	64.8	59.5-70.1	160	35.2	29.9-40.5
45-54	811	126,846	636	70.8	66.1-75.5	175	29.2	24.5-33.9
55-64	1018	107,076	804	74.9	71.0-78.8	214	25.1	21.2-29.0
65+	1531	132,232	1347	83.9	81.0-86.8	184	16.1	13.2-19.0
Less Than H.S.	294	93,006	186	56.7	49.3-64.1	108	43.3	35.9-50.7
H.S. or G.E.D.	1447	220,872	1106	68.5	64.8-72.2	341	31.5	27.8-35.2
Some Post-H.S.	1330	199,701	1050	71.6	67.9-75.3	280	28.4	24.7-32.1
College Graduate	1644	173,329	1338	75.9	72.8-79.0	306	24.1	21.0-27.2
Less than \$15,000	519	72,644	370	61.2	54.7-67.7	149	38.8	32.3-45.3
\$15,000- 24,999	517	75,543	331	49.0	42.7-55.3	186	51.0	44.7-57.3
\$25,000- 34,999	384	52,342	283	65.7	58.3-73.1	101	34.3	26.9-41.7
\$35,000- 49,999	616	89,749	490	71.9	66.0-77.8	126	28.1	22.2-34.0
\$50,000- 74,999	708	98,424	564	73.4	68.5-78.3	144	26.6	21.7-31.5
\$75,000+	1221	183,214	1047	81.4	78.3-84.5	174	18.6	15.5-21.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1799	328,382	1431	69.0	65.7-72.3	368	31.0	27.7-34.3
18-24	128	42,254	82	60.3	48.9-71.7	46	39.7	28.3-51.1
25-34	204	57,891	138	62.0	53.4-70.6	66	38.0	29.4-46.6
35-44	212	55,721	161	66.4	58.0-74.8	51	33.6	25.2-42.0
45-54	323	61,800	262	69.7	62.1-77.3	61	30.3	22.7-37.9
55-64	366	50,676	287	72.0	65.5-78.5	79	28.0	21.5-34.5
65+	551	57,210	489	81.5	76.0-87.0	62	18.5	13.0-24.0
Less Than H.S.	120	47,359	81	59.2	48.2-70.2	39	40.8	29.8-51.8
H.S. or G.E.D.	543	111,748	408	65.0	59.1-70.9	135	35.0	29.1-40.9
Some Post-H.S.	459	87,792	370	72.8	66.9-78.7	89	27.2	21.3-33.1
College Graduate	672	80,196	568	76.2	71.5-80.9	104	23.8	19.1-28.5
Less than \$15,000	161	31,069	110	57.9	47.5-68.3	51	42.1	31.7-52.5
\$15,000- 24,999	152	29,439	95	46.1	35.5-56.7	57	53.9	43.3-64.5
\$25,000- 34,999	129	24,192	91	61.4	48.7-74.1	38	38.6	25.9-51.3
\$35,000- 49,999	268	48,443	221	72.6	63.6-81.6	47	27.4	18.4-36.4
\$50,000- 74,999	292	47,922	235	70.5	62.5-78.5	57	29.5	21.5-37.5
\$75,000+	544	93,452	482	82.0	76.9-87.1	62	18.0	12.9-23.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2930	360,252	2258	70.3	67.8-72.8	672	29.7	27.2-32.2
18-24	112	41,341	56	54.3	42.0-66.6	56	45.7	33.4-58.0
25-34	303	58,196	177	61.7	54.4-69.0	126	38.3	31.0-45.6
35-44	357	59,787	248	63.4	56.9-69.9	109	36.6	30.1-43.1
45-54	488	65,046	374	71.8	66.5-77.1	114	28.2	22.9-33.5
55-64	652	56,399	517	77.5	73.2-81.8	135	22.5	18.2-26.8
65+	980	75,022	858	85.7	82.8-88.6	122	14.3	11.4-17.2
Less Than H.S.	174	45,648	105	54.1	44.1-64.1	69	45.9	35.9-55.9
H.S. or G.E.D.	904	109,124	698	72.2	68.1-76.3	206	27.8	23.7-31.9
Some Post-H.S.	871	111,909	680	70.7	66.0-75.4	191	29.3	24.6-34.0
College Graduate	972	93,133	770	75.6	71.5-79.7	202	24.4	20.3-28.5
Less than \$15,000	358	41,575	260	63.8	55.4-72.2	98	36.2	27.8-44.6
\$15,000- 24,999	365	46,104	236	50.9	43.3-58.5	129	49.1	41.5-56.7
\$25,000- 34,999	255	28,150	192	69.4	61.4-77.4	63	30.6	22.6-38.6
\$35,000- 49,999	348	41,306	269	71.1	63.7-78.5	79	28.9	21.5-36.3
\$50,000- 74,999	416	50,502	329	76.2	70.3-82.1	87	23.8	17.9-29.7
\$75,000+	677	89,762	565	80.7	76.8-84.6	112	19.3	15.4-23.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4729	688,634	3689	69.7	67.7-71.7	685	19.2	17.4-21.0	140	3.3	02.5-04.1	80	1.4	01.0-01.8	135	6.4	05.0-07.8
Male	1799	328,382	1431	69.0	65.7-72.3	217	18.4	15.7-21.1	68	4.5	03.1-05.9	35	1.5	00.9-02.1	48	6.5	04.3-08.7
Female	2930	360,252	2258	70.3	67.8-72.8	468	20.0	17.8-22.2	72	2.1	01.5-02.7	45	1.3	00.7-01.9	87	6.3	04.5-08.1
18-24	240	83,595	138	57.3	48.9-65.7	58	23.9	16.8-31.0	15	4.4	01.5-07.3	11	2.3	00.5-04.1	18	12.0	05.3-18.7
25-34	507	116,088	315	61.8	56.1-67.5	110	21.7	17.0-26.4	35	4.3	02.5-06.1	14	1.4	00.6-02.2	33	10.9	06.6-15.2
35-44	569	115,508	409	64.8	59.5-70.1	87	20.4	15.7-25.1	29	5.2	02.7-07.7	15	1.6	00.6-02.6	29	8.0	04.9-11.1
45-54	811	126,846	636	70.8	66.1-75.5	124	20.8	16.7-24.9	18	2.4	01.0-03.8	14	1.2	00.4-02.0	19	4.8	01.9-07.7
55-64	1018	107,076	804	74.9	71.0-78.8	158	17.0	13.7-20.3	28	3.3	01.7-04.9	8	0.6	00.0-01.2	20	4.2	02.0-06.4
65+	1531	132,232	1347	83.9	81.0-86.8	137	12.4	09.7-15.1	14	0.9	00.3-01.5	17	1.5	00.7-02.3	16	1.4	00.6-02.2
Less Than H.S.	294	93,006	186	56.7	49.3-64.1	74	29.0	22.1-35.9	6	1.0	00.0-02.0	7	1.6	00.2-03.0	21	11.7	06.2-17.2
H.S. or G.E.D.	1447	220,872	1106	68.5	64.8-72.2	253	22.2	19.1-25.3	29	1.8	00.6-03.0	18	1.0	00.4-01.6	41	6.4	03.9-08.9
Some Post-H.S.	1330	199,701	1050	71.6	67.9-75.3	184	18.0	14.9-21.1	32	3.2	01.6-04.8	32	2.0	01.0-03.0	32	5.2	02.8-07.6
College Graduate	1644	173,329	1338	75.9	72.8-79.0	172	11.8	09.6-14.0	71	6.4	04.6-08.2	23	1.0	00.6-01.4	40	5.0	02.8-07.2
Less than \$15,000	519	72,644	370	61.2	54.7-67.7	102	25.2	19.5-30.9	10	2.0	00.4-03.6	15	1.9	00.7-03.1	22	9.6	04.5-14.7
\$15,000- 24,999	517	75,543	331	49.0	42.7-55.3	131	36.7	30.2-43.2	18	3.2	01.4-05.0	15	2.2	00.8-03.6	22	8.9	04.8-13.0
\$25,000- 34,999	384	52,342	283	65.7	58.3-73.1	67	18.9	13.2-24.6	12	5.2	00.5-09.9	3	0.7	00.0-01.5	19	9.5	04.6-14.4
\$35,000- 49,999	616	89,749	490	71.9	66.0-77.8	94	19.6	14.7-24.5	12	1.5	00.5-02.5	7	0.9	00.1-01.7	13	6.1	01.6-10.6
\$50,000- 74,999	708	98,424	564	73.4	68.5-78.3	87	15.6	11.7-19.5	27	4.4	02.4-06.4	12	1.3	00.5-02.1	18	5.2	01.7-08.7
\$75,000+	1221	183,214	1047	81.4	78.3-84.5	99	10.7	08.0-13.4	36	3.6	02.0-05.2	18	1.1	00.5-01.7	21	3.2	01.6-04.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1799	328,382	1431	69.0	65.7-72.3	217	18.4	15.7-21.1	68	4.5	03.1-05.9	35	1.5	00.9-02.1	48	6.5	04.3-08.7
18-24	128	42,254	82	60.3	48.9-71.7	24	20.2	11.4-29.0	8	5.1	00.6-09.6	6	3.0	00.3-05.7	8	11.4	02.6-20.2
25-34	204	57,891	138	62.0	53.4-70.6	31	17.5	10.8-24.2	15	5.2	02.1-08.3	4	1.0	00.0-02.0	16	14.3	07.0-21.6
35-44	212	55,721	161	66.4	58.0-74.8	29	21.0	13.4-28.6	14	7.5	02.4-12.6	3	1.1	00.0-02.5	5	4.0	00.5-07.5
45-54	323	61,800	262	69.7	62.1-77.3	40	21.0	14.1-27.9	8	3.0	00.6-05.4	5	0.7	00.0-01.5	8	5.6	00.3-10.9
55-64	366	50,676	287	72.0	65.5-78.5	53	17.8	12.3-23.3	17	5.7	02.6-08.8	4	1.0	00.0-02.0	5	3.6	00.3-06.9
65+	551	57,210	489	81.5	76.0-87.0	38	13.3	07.8-18.8	6	1.2	00.0-02.4	12	2.5	00.7-04.3	6	1.5	00.3-02.7
Less Than H.S.	120	47,359	81	59.2	48.2-70.2	22	24.5	14.7-34.3	4	1.5	00.0-03.3	5	2.7	00.3-05.1	8	12.0	03.4-20.6
H.S. or G.E.D.	543	111,748	408	65.0	59.1-70.9	96	23.7	18.6-28.8	14	2.7	00.5-04.9	10	1.4	00.4-02.4	15	7.3	03.0-11.6
Some Post-H.S.	459	87,792	370	72.8	66.9-78.7	54	17.0	11.9-22.1	11	3.5	01.0-06.0	12	1.5	00.5-02.5	12	5.2	02.1-08.3
College Graduate	672	80,196	568	76.2	71.5-80.9	45	9.5	06.2-12.8	39	9.9	06.6-13.2	8	0.9	00.1-01.7	12	3.6	01.4-05.8
Less than \$15,000	161	31,069	110	57.9	47.5-68.3	31	27.1	17.3-36.9	8	4.2	00.7-07.7	5	1.5	00.0-03.1	7	9.2	02.3-16.1
\$15,000- 24,999	152	29,439	95	46.1	35.5-56.7	35	37.2	26.0-48.4	8	5.5	01.4-09.6	9	4.2	00.9-07.5	5	7.0	00.1-13.9
\$25,000- 34,999	129	24,192	91	61.4	48.7-74.1	22	19.1	09.1-29.1	6	9.0	00.0-18.8	2	1.0	00.0-02.6	8	9.4	02.3-16.5
\$35,000- 49,999	268	48,443	221	72.6	63.6-81.6	35	17.7	11.0-24.4	4	1.5	00.0-03.1	3	0.9	00.0-01.9	5	7.3	00.0-14.9
\$50,000- 74,999	292	47,922	235	70.5	62.5-78.5	29	14.6	08.9-20.3	11	4.9	01.8-08.0	7	1.9	00.3-03.5	10	8.1	01.4-14.8
\$75,000+	544	93,452	482	82.0	76.9-87.1	34	11.0	06.7-15.3	17	4.1	01.7-06.5	5	0.5	00.0-01.1	6	2.4	00.4-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2930	360,252	2258	70.3	67.8-72.8	468	20.0	17.8-22.2	72	2.1	01.5-02.7	45	1.3	00.7-01.9	87	6.3	04.5-08.1
18-24	112	41,341	56	54.3	42.0-66.6	34	27.7	16.7-38.7	7	3.7	00.2-07.2	5	1.7	00.0-03.7	10	12.6	02.8-22.4
25-34	303	58,196	177	61.7	54.4-69.0	79	25.9	19.2-32.6	20	3.3	01.5-05.1	10	1.7	00.5-02.9	17	7.5	03.2-11.8
35-44	357	59,787	248	63.4	56.9-69.9	58	19.9	14.4-25.4	15	3.0	01.2-04.8	12	2.0	00.6-03.4	24	11.7	06.6-16.8
45-54	488	65,046	374	71.8	66.5-77.1	84	20.6	15.9-25.3	10	1.9	00.1-03.7	9	1.6	00.0-03.2	11	4.1	01.6-06.6
55-64	652	56,399	517	77.5	73.2-81.8	105	16.2	12.5-19.9	11	1.2	00.4-02.0	4	0.3	00.1-00.5	15	4.8	01.9-07.7
65+	980	75,022	858	85.7	82.8-88.6	99	11.7	09.0-14.4	8	0.6	00.0-01.2	5	0.7	00.0-01.5	10	1.3	00.3-02.3
Less Than H.S.	174	45,648	105	54.1	44.1-64.1	52	33.7	24.1-43.3	2	0.4	00.0-01.0	2	0.5	00.0-01.1	13	11.4	04.7-18.1
H.S. or G.E.D.	904	109,124	698	72.2	68.1-76.3	157	20.7	16.8-24.6	15	1.0	00.4-01.6	8	0.7	00.1-01.3	26	5.5	03.1-07.9
Some Post-H.S.	871	111,909	680	70.7	66.0-75.4	130	18.8	14.9-22.7	21	2.9	01.3-04.5	20	2.4	01.0-03.8	20	5.3	02.0-08.6
College Graduate	972	93,133	770	75.6	71.5-79.7	127	13.8	11.1-16.5	32	3.4	02.0-04.8	15	1.0	00.4-01.6	28	6.2	02.7-09.7
Less than \$15,000	358	41,575	260	63.8	55.4-72.2	71	23.8	16.9-30.7	2	0.4	00.0-01.0	10	2.1	00.3-03.9	15	9.9	02.5-17.3
\$15,000- 24,999	365	46,104	236	50.9	43.3-58.5	96	36.4	28.8-44.0	10	1.7	00.5-02.9	6	0.9	00.1-01.7	17	10.1	05.0-15.2
\$25,000- 34,999	255	28,150	192	69.4	61.4-77.4	45	18.8	12.7-24.9	6	1.8	00.2-03.4	1	0.4	00.0-01.2	11	9.5	02.6-16.4
\$35,000- 49,999	348	41,306	269	71.1	63.7-78.5	59	21.9	15.0-28.8	8	1.5	00.3-02.7	4	0.9	00.0-01.9	8	4.6	00.3-08.9
\$50,000- 74,999	416	50,502	329	76.2	70.3-82.1	58	16.6	11.3-21.9	16	3.9	01.4-06.4	5	0.8	00.0-01.6	8	2.4	00.6-04.2
\$75,000+	677	89,762	565	80.7	76.8-84.6	65	10.4	07.5-13.3	19	3.0	01.2-04.8	13	1.7	00.5-02.9	15	4.1	01.9-06.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Five Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4614	652,538	4537	98.5	98.1-98.9	67	1.3	00.9-01.7	9	0.1	00.1-00.1	1	0.0	00.0-00.0
Male	1747	307,334	1712	98.3	97.7-98.9	33	1.6	01.0-02.2	2	0.1	00.1-00.1			
Female	2867	345,203	2825	98.8	98.2-99.4	34	1.0	00.6-01.4	7	0.2	00.0-00.4	1	0.1	00.0-00.3
18-24	230	76,018	219	97.4	95.4-99.4	11	2.6	00.6-04.6						
25-34	479	105,510	466	98.6	97.8-99.4	10	1.2	00.4-02.0	3	0.2	00.0-00.4			
35-44	543	108,629	529	98.0	96.6-99.4	13	1.9	00.5-03.3	1	0.0	00.0-00.0			
45-54	790	120,208	776	98.8	98.0-99.6	11	0.9	00.1-01.7	2	0.1	00.0-00.3	1	0.2	00.0-00.6
55-64	997	103,835	990	99.6	99.2-0100	6	0.3	00.0-00.7	1	0.1	00.0-00.3			
65+	1521	131,023	1504	98.5	97.7-99.3	15	1.3	00.5-02.1	2	0.2	00.0-00.4			
Less Than H.S.	275	83,094	268	98.2	96.8-99.6	7	1.8	00.4-03.2						
H.S. or G.E.D.	1408	208,170	1390	99.0	98.4-99.6	16	0.9	00.3-01.5	2	0.1	00.0-00.3			
Some Post-H.S.	1301	192,175	1269	97.7	96.7-98.7	28	2.0	01.0-03.0	3	0.1	00.0-00.3	1	0.1	00.0-00.3
College Graduate	1616	167,373	1596	99.2	98.8-99.6	16	0.7	00.3-01.1	4	0.1	00.0-00.3			
Less than \$15,000	499	66,641	484	98.0	96.6-99.4	13	1.6	00.4-02.8	2	0.4	00.0-01.0			
\$15,000- 24,999	498	70,402	482	97.6	96.0-99.2	15	2.3	00.9-03.7	1	0.1	00.0-00.3			
\$25,000- 34,999	366	46,803	363	99.2	98.2-0100	3	0.8	00.0-01.8						
\$35,000- 49,999	603	85,274	596	99.1	98.3-99.9	6	0.9	00.1-01.7	1	0.0	00.0-00.0			
\$50,000- 74,999	698	95,375	688	98.8	98.0-99.6	8	1.0	00.2-01.8	2	0.2	00.0-00.6			
\$75,000+	1205	179,023	1189	99.0	98.4-99.6	13	0.8	00.2-01.4	2	0.1	00.1-00.1	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1747	307,334	1712	98.3	97.7-98.9	33	1.6	01.0-02.2	2	0.1	00.1-00.1
18-24	122	38,385	116	96.7	93.8-99.6	6	3.3	00.4-06.2			
25-34	189	50,272	186	99.0	97.8-0100	3	1.0	00.0-02.2			
35-44	205	52,748	201	97.9	95.7-0100	4	2.1	00.0-04.3			
45-54	312	57,526	307	99.2	98.4-0100	5	0.8	00.0-01.6			
55-64	357	48,978	354	99.4	98.6-0100	2	0.4	00.0-01.0	1	0.2	00.0-00.6
65+	546	56,535	533	97.3	95.5-99.1	12	2.6	00.8-04.4	1	0.1	00.0-00.3
Less Than H.S.	112	41,712	107	96.9	94.2-99.6	5	3.1	00.4-05.8			
H.S. or G.E.D.	525	103,162	514	98.4	97.2-99.6	11	1.6	00.4-02.8			
Some Post-H.S.	448	84,274	436	98.0	96.4-99.6	11	1.9	00.5-03.3	1	0.1	00.0-00.3
College Graduate	657	76,899	650	99.3	98.7-99.9	6	0.7	00.1-01.3	1	0.0	00.0-00.0
Less than \$15,000	153	28,147	147	98.1	96.3-99.9	6	1.9	00.1-03.7			
\$15,000- 24,999	147	27,615	138	95.5	92.0-99.0	9	4.5	01.0-08.0			
\$25,000- 34,999	119	20,279	117	98.8	96.8-0100	2	1.2	00.0-03.2			
\$35,000- 49,999	263	44,989	260	99.0	97.8-0100	3	1.0	00.0-02.2			
\$50,000- 74,999	287	45,412	281	98.2	96.6-99.8	5	1.5	00.0-03.1	1	0.3	00.0-00.9
\$75,000+	536	90,978	532	99.7	99.3-0100	3	0.3	00.0-00.7	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Five Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2867	345,203	2825	98.8	98.2-99.4	34	1.0	00.6-01.4	7	0.2	00.0-00.4	1	0.1	00.0-00.3
18-24	108	37,633	103	98.2	96.0-0100	5	1.8	00.0-04.0						
25-34	290	55,238	280	98.2	96.8-99.6	7	1.4	00.2-02.6	3	0.4	00.0-00.8			
35-44	338	55,881	328	98.2	96.8-99.6	9	1.8	00.4-03.2	1	0.1	00.0-00.3			
45-54	478	62,682	469	98.3	96.7-99.9	6	1.0	00.0-02.2	2	0.2	00.0-00.6	1	0.4	00.0-01.2
55-64	640	54,856	636	99.7	99.5-99.9	4	0.3	00.1-00.5						
65+	975	74,488	971	99.5	98.9-0100	3	0.3	00.0-00.7	1	0.2	00.0-00.6			
Less Than H.S.	163	41,381	161	99.5	98.7-0100	2	0.5	00.0-01.3						
H.S. or G.E.D.	883	105,009	876	99.5	99.1-99.9	5	0.3	00.0-00.7	2	0.2	00.0-00.6			
Some Post-H.S.	853	107,901	833	97.5	96.1-98.9	17	2.2	00.8-03.6	2	0.1	00.0-00.3	1	0.3	00.0-00.9
College Graduate	959	90,474	946	99.2	98.6-99.8	10	0.6	00.2-01.0	3	0.2	00.0-00.4			
Less than \$15,000	346	38,493	337	97.9	96.1-99.7	7	1.4	00.0-03.0	2	0.7	00.0-01.7			
\$15,000- 24,999	351	42,787	344	98.9	97.9-99.9	6	0.9	00.1-01.7	1	0.2	00.0-00.6			
\$25,000- 34,999	247	26,524	246	99.5	98.5-0100	1	0.5	00.0-01.5						
\$35,000- 49,999	340	40,285	336	99.1	97.9-0100	3	0.8	00.0-02.0	1	0.1	00.0-00.3			
\$50,000- 74,999	411	49,963	407	99.4	98.8-0100	3	0.5	00.0-01.1	1	0.2	00.0-00.6			
\$75,000+	669	88,046	657	98.3	97.1-99.5	10	1.3	00.3-02.3	1	0.1	00.0-00.3	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4614	652,538	4537	98.5	98.1-98.9	77	1.5	01.1-01.9
Male	1747	307,334	1712	98.3	97.7-98.9	35	1.7	01.1-02.3
Female	2867	345,203	2825	98.8	98.2-99.4	42	1.2	00.6-01.8
18-24	230	76,018	219	97.4	95.4-99.4	11	2.6	00.6-04.6
25-34	479	105,510	466	98.6	97.8-99.4	13	1.4	00.6-02.2
35-44	543	108,629	529	98.0	96.6-99.4	14	2.0	00.6-03.4
45-54	790	120,208	776	98.8	98.0-99.6	14	1.2	00.4-02.0
55-64	997	103,835	990	99.6	99.2-0100	7	0.4	00.0-00.8
65+	1521	131,023	1504	98.5	97.7-99.3	17	1.5	00.7-02.3
Less Than H.S.	275	83,094	268	98.2	96.8-99.6	7	1.8	00.4-03.2
H.S. or G.E.D.	1408	208,170	1390	99.0	98.4-99.6	18	1.0	00.4-01.6
Some Post-H.S.	1301	192,175	1269	97.7	96.7-98.7	32	2.3	01.3-03.3
College Graduate	1616	167,373	1596	99.2	98.8-99.6	20	0.8	00.4-01.2
Less than \$15,000	499	66,641	484	98.0	96.6-99.4	15	2.0	00.6-03.4
\$15,000- 24,999	498	70,402	482	97.6	96.0-99.2	16	2.4	00.8-04.0
\$25,000- 34,999	366	46,803	363	99.2	98.2-0100	3	0.8	00.0-01.8
\$35,000- 49,999	603	85,274	596	99.1	98.3-99.9	7	0.9	00.1-01.7
\$50,000- 74,999	698	95,375	688	98.8	98.0-99.6	10	1.2	00.4-02.0
\$75,000+	1205	179,023	1189	99.0	98.4-99.6	16	1.0	00.4-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1747	307,334	1712	98.3	97.7-98.9	35	1.7	01.1-02.3
18-24	122	38,385	116	96.7	93.8-99.6	6	3.3	00.4-06.2
25-34	189	50,272	186	99.0	97.8-0100	3	1.0	00.0-02.2
35-44	205	52,748	201	97.9	95.7-0100	4	2.1	00.0-04.3
45-54	312	57,526	307	99.2	98.4-0100	5	0.8	00.0-01.6
55-64	357	48,978	354	99.4	98.6-0100	3	0.6	00.0-01.4
65+	546	56,535	533	97.3	95.5-99.1	13	2.7	00.9-04.5
Less Than H.S.	112	41,712	107	96.9	94.2-99.6	5	3.1	00.4-05.8
H.S. or G.E.D.	525	103,162	514	98.4	97.2-99.6	11	1.6	00.4-02.8
Some Post-H.S.	448	84,274	436	98.0	96.4-99.6	12	2.0	00.4-03.6
College Graduate	657	76,899	650	99.3	98.7-99.9	7	0.7	00.1-01.3
Less than \$15,000	153	28,147	147	98.1	96.3-99.9	6	1.9	00.1-03.7
\$15,000- 24,999	147	27,615	138	95.5	92.0-99.0	9	4.5	01.0-08.0
\$25,000- 34,999	119	20,279	117	98.8	96.8-0100	2	1.2	00.0-03.2
\$35,000- 49,999	263	44,989	260	99.0	97.8-0100	3	1.0	00.0-02.2
\$50,000- 74,999	287	45,412	281	98.2	96.6-99.8	6	1.8	00.2-03.4
\$75,000+	536	90,978	532	99.7	99.3-0100	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS

TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2867	345,203	2825	98.8	98.2-99.4	42	1.2	00.6-01.8
18-24	108	37,633	103	98.2	96.0-0100	5	1.8	00.0-04.0
25-34	290	55,238	280	98.2	96.8-99.6	10	1.8	00.4-03.2
35-44	338	55,881	328	98.2	96.8-99.6	10	1.8	00.4-03.2
45-54	478	62,682	469	98.3	96.7-99.9	9	1.7	00.1-03.3
55-64	640	54,856	636	99.7	99.5-99.9	4	0.3	00.1-00.5
65+	975	74,488	971	99.5	98.9-0100	4	0.5	00.0-01.1
Less Than H.S.	163	41,381	161	99.5	98.7-0100	2	0.5	00.0-01.3
H.S. or G.E.D.	883	105,009	876	99.5	99.1-99.9	7	0.5	00.1-00.9
Some Post-H.S.	853	107,901	833	97.5	96.1-98.9	20	2.5	01.1-03.9
College Graduate	959	90,474	946	99.2	98.6-99.8	13	0.8	00.2-01.4
Less than \$15,000	346	38,493	337	97.9	96.1-99.7	9	2.1	00.3-03.9
\$15,000- 24,999	351	42,787	344	98.9	97.9-99.9	7	1.1	00.1-02.1
\$25,000- 34,999	247	26,524	246	99.5	98.5-0100	1	0.5	00.0-01.5
\$35,000- 49,999	340	40,285	336	99.1	97.9-0100	4	0.9	00.0-02.1
\$50,000- 74,999	411	49,963	407	99.4	98.8-0100	4	0.6	00.0-01.2
\$75,000+	669	88,046	657	98.3	97.1-99.5	12	1.7	00.5-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4718	685,084	485	20.6	18.4-22.8	522	15.8	14.2-17.4	684	18.1	16.5-19.7	942	18.2	16.6-19.8	1019	14.2	13.0-15.4	1066	13.2	12.2-14.2
Male	1805	327,521	229	22.2	19.1-25.3	198	15.7	13.3-18.1	268	18.2	15.7-20.7	356	18.6	16.2-21.0	368	13.5	11.7-15.3	386	11.9	10.3-13.5
Female	2913	357,563	256	19.1	16.4-21.8	324	15.8	13.8-17.8	416	18.0	16.0-20.0	586	17.8	16.0-19.6	651	14.9	13.5-16.3	680	14.4	13.0-15.8
White/Non-Hisp	3649	475,479	290	17.4	15.0-19.8	332	13.6	12.0-15.2	519	18.3	16.5-20.1	732	18.7	17.1-20.3	831	15.9	14.5-17.3	945	16.0	14.6-17.4
Black or Afr. Am./Non-Hisp	674	129,746	107	23.8	18.7-28.9	105	20.8	16.3-25.3	102	17.2	13.3-21.1	138	18.3	14.4-22.2	141	12.3	09.4-15.2	81	7.6	05.2-10.0
Oth. Race/Non-Hisp.	139	22,347	36	30.6	19.6-41.6	32	20.4	12.0-28.8	22	22.0	11.0-33.0	25	15.2	07.2-23.2	14	7.8	02.7-12.9	10	4.0	00.9-07.1
MultiRacial/Non-Hisp.	79	9,459	15	24.0	11.1-36.9	19	21.5	11.3-31.7	11	17.2	06.6-27.8	15	13.5	04.3-22.7	8	8.7	01.4-16.0	11	15.1	05.3-24.9
Hispanic	135	44,314	36	41.1	29.1-53.1	32	21.1	12.9-29.3	23	16.1	08.8-23.4	20	13.3	05.5-21.1	14	5.2	01.5-08.9	10	3.2	01.0-05.4
Less Than H.S.	293	92,268	42	29.4	21.6-37.2	21	11.0	06.3-15.7	26	11.5	06.8-16.2	41	12.5	08.0-17.0	54	13.4	09.1-17.7	109	22.2	17.1-27.3
H.S. or G.E.D.	1442	220,395	154	20.8	17.3-24.3	112	13.2	10.5-15.9	206	18.8	15.9-21.7	292	19.2	16.3-22.1	302	13.8	11.8-15.8	376	14.2	12.4-16.0
Some Post-H.S.	1325	198,571	148	21.6	17.7-25.5	153	16.0	13.1-18.9	191	18.3	15.4-21.2	262	19.3	16.6-22.0	300	14.7	12.5-16.9	271	10.0	08.6-11.4
College Graduate	1648	173,135	141	14.6	11.7-17.5	234	21.2	18.5-23.9	260	20.4	17.7-23.1	345	18.5	16.1-20.9	362	14.5	12.7-16.3	306	10.8	09.4-12.2
Less than \$15,000	518	72,401	67	23.7	17.4-30.0	52	17.5	12.0-23.0	47	10.8	06.9-14.7	86	15.6	11.3-19.9	92	10.7	08.0-13.4	174	21.6	17.1-26.1
\$15,000- 24,999	521	76,045	72	26.1	20.0-32.2	32	10.9	06.6-15.2	62	13.9	09.6-18.2	106	18.6	14.1-23.1	108	14.3	10.2-18.4	141	16.0	12.7-19.3
\$25,000- 34,999	388	52,635	47	17.9	11.8-24.0	40	15.0	09.5-20.5	37	12.7	07.0-18.4	70	19.1	13.0-25.2	88	17.0	11.9-22.1	106	18.3	14.0-22.6
\$35,000- 49,999	619	89,705	71	22.9	16.0-29.8	84	20.4	15.3-25.5	79	15.7	11.4-20.0	90	12.5	09.4-15.6	164	16.3	13.0-19.6	131	12.1	09.6-14.6
\$50,000- 74,999	701	97,527	72	17.7	12.8-22.6	88	14.0	10.7-17.3	125	21.8	17.7-25.9	150	20.3	16.0-24.6	172	18.3	14.8-21.8	94	7.9	05.9-09.9
\$75,000+	1222	183,367	68	10.2	07.3-13.1	172	20.2	16.9-23.5	269	27.6	24.1-31.1	333	24.1	21.2-27.0	234	11.8	10.0-13.6	146	6.1	04.9-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1805	327,521	229	22.2	19.1-25.3	198	15.7	13.3-18.1	268	18.2	15.7-20.7	356	18.6	16.2-21.0	368	13.5	11.7-15.3	386	11.9	10.3-13.5
White/Non-Hisp	1419	224,532	151	19.7	16.2-23.2	134	13.6	11.1-16.1	214	19.1	16.2-22.0	275	18.4	15.9-20.9	303	14.9	12.7-17.1	342	14.4	12.4-16.4
Black or Afr. Am./Non-Hisp	215	60,003	35	19.9	13.0-26.8	39	24.7	16.9-32.5	28	15.5	09.4-21.6	51	21.2	14.3-28.1	39	11.8	06.7-16.9	23	7.0	03.1-10.9
Oth. Race/Non-Hisp.	68	14,748	18	27.3	13.2-41.4	12	17.7	06.7-28.7	14	27.0	11.5-42.5	11	14.9	04.5-25.3	8	8.9	01.8-16.0	5	4.2	00.0-08.5
Less Than H.S.	121	47,491	27	36.5	25.3-47.7	9	8.6	02.7-14.5	13	12.6	05.5-19.7	12	9.4	02.7-16.1	22	13.7	06.8-20.6	38	19.3	12.2-26.4
H.S. or G.E.D.	548	112,292	78	22.1	16.8-27.4	57	15.8	11.3-20.3	86	18.8	14.3-23.3	118	21.2	16.5-25.9	96	11.5	08.8-14.2	113	10.7	08.2-13.2
Some Post-H.S.	459	87,286	63	22.9	16.6-29.2	48	16.3	11.4-21.2	72	18.2	13.3-23.1	105	21.5	16.8-26.2	95	13.2	09.7-16.7	76	7.9	05.7-10.1
College Graduate	674	80,055	61	13.2	09.5-16.9	83	19.1	15.0-23.2	96	20.5	16.2-24.8	121	17.2	13.7-20.7	155	16.4	13.3-19.5	158	13.6	11.2-16.0
Less than \$15,000	162	31,131	30	24.9	15.9-33.9	16	16.2	07.6-24.8	19	13.8	06.4-21.2	32	19.9	11.5-28.3	23	7.6	03.9-11.3	42	17.6	10.7-24.5
\$15,000- 24,999	154	29,544	23	23.4	13.4-33.4	15	15.3	06.5-24.1	21	12.1	06.2-18.0	38	19.7	11.7-27.7	28	17.6	09.0-26.2	29	11.8	06.5-17.1
\$25,000- 34,999	133	24,532	18	19.6	09.2-30.0	10	13.2	04.8-21.6	13	15.6	05.0-26.2	21	20.2	09.2-31.2	32	14.3	06.5-22.1	39	17.2	10.1-24.3
\$35,000- 49,999	270	48,352	39	28.4	18.2-38.6	33	17.9	11.0-24.8	33	15.0	08.9-21.1	36	11.7	07.2-16.2	66	14.2	09.7-18.7	63	12.7	08.8-16.6
\$50,000- 74,999	290	47,565	33	16.0	09.7-22.3	32	12.7	08.0-17.4	49	21.2	14.9-27.5	64	22.2	14.9-29.5	60	18.3	12.8-23.8	52	9.5	06.4-12.6
\$75,000+	544	93,617	38	11.6	07.3-15.9	68	19.9	14.8-25.0	112	26.5	21.4-31.6	131	22.8	18.3-27.3	111	12.4	09.7-15.1	84	6.9	05.1-08.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	357,563	256	19.1	16.4-21.8	324	15.8	13.8-17.8	416	18.0	16.0-20.0	586	17.8	16.0-19.6	651	14.9	13.5-16.3	680	14.4	13.0-15.8
White/Non-Hisp	2230	250,946	139	15.2	12.3-18.1	198	13.7	11.5-15.9	305	17.7	15.3-20.1	457	19.1	16.9-21.3	528	16.8	15.0-18.6	603	17.5	15.7-19.3
Black or Afr. Am./Non-Hisp	459	69,743	72	27.2	20.1-34.3	66	17.4	12.5-22.3	74	18.6	13.7-23.5	87	15.8	11.7-19.9	102	12.8	09.5-16.1	58	8.2	05.7-10.7
Oth. Race/Non-Hisp.	71	7,599	18	36.9	20.6-53.2	20	25.8	13.5-38.1	8	12.2	02.8-21.6	14	15.8	03.6-28.0	6	5.8	00.0-11.7	5	3.5	00.0-07.4
Hispanic	87	22,872	18	31.7	15.8-47.6	25	29.4	16.9-41.9	15	19.1	08.7-29.5	13	10.7	03.6-17.8	10	5.4	01.1-09.7	6	3.7	00.4-07.0
Less Than H.S.	172	44,778	15	22.0	11.2-32.8	12	13.5	06.2-20.8	13	10.4	04.3-16.5	29	15.8	09.5-22.1	32	13.1	07.8-18.4	71	25.2	17.9-32.5
H.S. or G.E.D.	894	108,103	76	19.4	14.5-24.3	55	10.6	07.3-13.9	120	18.8	15.1-22.5	174	17.0	14.1-19.9	206	16.2	13.5-18.9	263	18.0	15.5-20.5
Some Post-H.S.	866	111,286	85	20.6	15.5-25.7	105	15.9	12.4-19.4	119	18.4	14.7-22.1	157	17.6	14.3-20.9	205	15.9	13.2-18.6	195	11.6	09.6-13.6
College Graduate	974	93,080	80	15.7	11.2-20.2	151	22.9	19.0-26.8	164	20.4	17.1-23.7	224	19.7	16.8-22.6	207	12.9	10.7-15.1	148	8.4	06.8-10.0
Less than \$15,000	356	41,270	37	22.8	14.0-31.6	36	18.5	11.6-25.4	28	8.6	04.7-12.5	54	12.4	08.3-16.5	69	13.1	09.2-17.0	132	24.7	18.6-30.8
\$15,000- 24,999	367	46,501	49	27.8	20.0-35.6	17	8.1	03.8-12.4	41	15.1	09.2-21.0	68	17.9	12.4-23.4	80	12.3	08.6-16.0	112	18.8	14.3-23.3
\$25,000- 34,999	255	28,103	29	16.4	09.9-22.9	30	16.6	09.3-23.9	24	10.2	05.5-14.9	49	18.2	12.3-24.1	56	19.4	12.9-25.9	67	19.2	13.7-24.7
\$35,000- 49,999	349	41,353	32	16.5	08.3-24.7	51	23.4	16.1-30.7	46	16.6	10.7-22.5	54	13.5	09.2-17.8	98	18.6	13.9-23.3	68	11.4	08.1-14.7
\$50,000- 74,999	411	49,962	39	19.3	11.9-26.7	56	15.2	10.5-19.9	76	22.4	16.7-28.1	86	18.5	13.8-23.2	112	18.3	14.2-22.4	42	6.4	04.2-08.6
\$75,000+	678	89,750	30	8.9	05.0-12.8	104	20.4	16.3-24.5	157	28.8	24.3-33.3	202	25.4	21.3-29.5	123	11.1	08.7-13.5	62	5.4	03.8-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 25: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4718	685,084	3172	80.5	79.1-81.9	1546	19.5	18.1-20.9
Male	1805	327,521	1246	82.3	80.3-84.3	559	17.7	15.7-19.7
Female	2913	357,563	1926	78.9	77.1-80.7	987	21.1	19.3-22.9
White/Non-Hisp	3649	475,479	2302	76.7	75.1-78.3	1347	23.3	21.7-24.9
Black or Afr. Am./Non-Hisp	674	129,746	537	87.4	84.3-90.5	137	12.6	09.5-15.7
Oth. Race/Non-Hisp.	139	22,347	125	94.9	91.6-98.2	14	5.1	01.8-08.4
MultiRacial/Non-Hisp.	79	9,459	62	78.9	67.7-90.1	17	21.1	09.9-32.3
Hispanic	135	44,314	119	95.9	93.5-98.3	16	4.1	01.7-06.5
Less Than H.S.	293	92,268	153	70.0	63.9-76.1	140	30.0	23.9-36.1
H.S. or G.E.D.	1442	220,395	925	79.9	77.7-82.1	517	20.1	17.9-22.3
Some Post-H.S.	1325	198,571	905	83.5	81.5-85.5	420	16.5	14.5-18.5
College Graduate	1648	173,135	1183	83.6	81.8-85.4	465	16.4	14.6-18.2
Less than \$15,000	518	72,401	303	73.1	68.2-78.0	215	26.9	22.0-31.8
\$15,000- 24,999	521	76,045	333	77.9	73.6-82.2	188	22.1	17.8-26.4
\$25,000- 34,999	388	52,635	238	73.5	68.0-79.0	150	26.5	21.0-32.0
\$35,000- 49,999	619	89,705	395	80.3	77.0-83.6	224	19.7	16.4-23.0
\$50,000- 74,999	701	97,527	532	85.8	83.3-88.3	169	14.2	11.7-16.7
\$75,000+	1222	183,367	976	89.1	87.5-90.7	246	10.9	09.3-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS**

TABLE 26: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1805	327,521	1246	82.3	80.3-84.3	559	17.7	15.7-19.7
White/Non-Hisp	1419	224,532	930	79.2	76.8-81.6	489	20.8	18.4-23.2
Black or Afr. Am./Non-Hisp	215	60,003	177	87.3	81.8-92.8	38	12.7	07.2-18.2
Oth. Race/Non-Hisp.	68	14,748	62	95.3	91.0-99.6	6	4.7	00.4-09.0
Less Than H.S.	121	47,491	68	71.2	62.4-80.0	53	28.8	20.0-37.6
H.S. or G.E.D.	548	112,292	386	84.4	81.3-87.5	162	15.6	12.5-18.7
Some Post-H.S.	459	87,286	341	87.4	84.7-90.1	118	12.6	09.9-15.3
College Graduate	674	80,055	449	80.7	77.8-83.6	225	19.3	16.4-22.2
Less than \$15,000	162	31,131	106	78.0	70.7-85.3	56	22.0	14.7-29.3
\$15,000- 24,999	154	29,544	112	79.4	71.6-87.2	42	20.6	12.8-28.4
\$25,000- 34,999	133	24,532	84	79.2	71.6-86.8	49	20.8	13.2-28.4
\$35,000- 49,999	270	48,352	172	80.9	75.8-86.0	98	19.1	14.0-24.2
\$50,000- 74,999	290	47,565	212	84.8	80.7-88.9	78	15.2	11.1-19.3
\$75,000+	544	93,617	410	88.1	85.7-90.5	134	11.9	09.5-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS**

TABLE 27: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	357,563	1926	78.9	77.1-80.7	987	21.1	19.3-22.9
White/Non-Hisp	2230	250,946	1372	74.4	72.2-76.6	858	25.6	23.4-27.8
Black or Afr. Am./Non-Hisp	459	69,743	360	87.4	84.3-90.5	99	12.6	09.5-15.7
Oth. Race/Non-Hisp.	71	7,599	63	94.0	88.5-99.5	8	6.0	00.5-11.5
Hispanic	87	22,872	77	95.8	92.5-99.1	10	4.2	00.9-07.5
Less Than H.S.	172	44,778	85	68.8	60.8-76.8	87	31.2	23.2-39.2
H.S. or G.E.D.	894	108,103	539	75.1	72.0-78.2	355	24.9	21.8-28.0
Some Post-H.S.	866	111,286	564	80.5	77.8-83.2	302	19.5	16.8-22.2
College Graduate	974	93,080	734	86.2	84.0-88.4	240	13.8	11.6-16.0
Less than \$15,000	356	41,270	197	69.5	62.8-76.2	159	30.5	23.8-37.2
\$15,000- 24,999	367	46,501	221	76.9	72.0-81.8	146	23.1	18.2-28.0
\$25,000- 34,999	255	28,103	154	68.6	61.3-75.9	101	31.4	24.1-38.7
\$35,000- 49,999	349	41,353	223	79.7	75.2-84.2	126	20.3	15.8-24.8
\$50,000- 74,999	411	49,962	320	86.7	83.4-90.0	91	13.3	10.0-16.6
\$75,000+	678	89,750	566	90.1	87.9-92.3	112	9.9	07.7-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 28: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4740	684,940	261	5.1	04.1-06.1	2305	43.8	41.8-45.8	1793	40.6	38.6-42.6	381	10.4	09.0-11.8
Male	1808	326,272	7	0.4	00.0-00.8	189	13.4	10.9-15.9	1236	64.6	61.3-67.9	376	21.6	18.9-24.3
Female	2932	358,669	254	9.4	07.6-11.2	2116	71.5	69.1-73.9	557	18.8	16.8-20.8	5	0.2	00.0-00.4
White/Non-Hisp	3667	476,732	196	4.6	03.6-05.6	1749	42.8	40.4-45.2	1413	42.1	39.7-44.5	309	10.5	08.9-12.1
Black or Afr. Am./Non-Hisp	680	130,895	34	5.0	02.5-07.5	352	42.9	37.8-48.0	242	39.9	34.8-45.0	52	12.2	08.3-16.1
Oth. Race/Non-Hisp.	136	21,361	15	7.3	02.2-12.4	72	50.1	38.3-61.9	47	41.1	29.1-53.1	2	1.6	00.0-04.3
MultiRacial/Non-Hisp.	79	9,361	2	1.2	00.0-03.0	32	40.0	26.3-53.7	36	45.2	31.5-58.9	9	13.6	03.6-23.6
Hispanic	133	42,629	14	11.7	03.7-19.7	77	55.9	44.5-67.3	36	24.4	15.6-33.2	6	8.1	01.0-15.2
18-24	238	83,406	10	7.5	01.6-13.4	96	45.1	36.5-53.7	102	32.2	24.9-39.5	30	15.2	08.7-21.7
25-34	505	114,676	19	3.5	01.5-05.5	221	39.1	33.6-44.6	198	42.4	36.7-48.1	67	15.0	10.7-19.3
35-44	561	112,664	21	3.4	01.6-05.2	268	43.4	38.3-48.5	227	44.1	38.8-49.4	45	9.1	06.2-12.0
45-54	824	128,046	30	3.7	02.1-05.3	376	42.3	37.8-46.8	353	45.4	40.9-49.9	65	8.6	05.7-11.5
55-64	1027	107,553	51	5.4	03.4-07.4	518	42.6	38.7-46.5	377	42.7	38.6-46.8	81	9.2	06.7-11.7
65+	1534	131,674	125	7.5	05.9-09.1	798	49.2	45.9-52.5	522	36.2	32.9-39.5	89	7.1	05.3-08.9
Less Than H.S.	292	90,743	29	7.7	03.8-11.6	141	44.7	37.4-52.0	100	36.8	29.5-44.1	22	10.7	05.4-16.0
H.S. or G.E.D.	1442	219,052	96	5.2	03.6-06.8	714	42.1	38.4-45.8	531	42.1	38.4-45.8	101	10.6	07.9-13.3
Some Post-H.S.	1334	199,587	78	5.2	03.2-07.2	685	46.4	42.7-50.1	465	38.4	34.7-42.1	106	10.0	07.5-12.5
College Graduate	1659	173,873	57	3.7	02.3-05.1	759	42.6	39.5-45.7	692	43.4	40.3-46.5	151	10.4	08.4-12.4
Less than \$15,000	514	71,386	47	7.1	04.6-09.6	279	49.8	43.3-56.3	164	37.1	30.8-43.4	24	6.0	03.1-08.9
\$15,000- 24,999	519	75,782	40	6.3	03.6-09.0	298	53.3	47.0-59.6	153	31.8	26.1-37.5	28	8.6	04.1-13.1
\$25,000- 34,999	390	52,809	14	2.8	01.0-04.6	206	45.7	38.6-52.8	144	40.5	33.4-47.6	26	11.1	04.6-17.6
\$35,000- 49,999	619	89,755	21	2.0	00.8-03.2	289	42.9	36.8-49.0	250	41.1	35.2-47.0	59	14.0	08.7-19.3
\$50,000- 74,999	708	98,482	30	3.7	01.7-05.7	323	42.5	37.4-47.6	289	42.4	37.5-47.3	66	11.4	08.3-14.5
\$75,000+	1225	183,828	45	3.7	02.3-05.1	512	38.5	35.0-42.0	531	46.2	42.5-49.9	137	11.6	09.2-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1808	326,272	7	0.4	00.0-00.8	189	13.4	10.9-15.9	1236	64.6	61.3-67.9	376	21.6	18.9-24.3
White/Non-Hisp	1426	226,389	4	0.2	00.0-00.4	123	10.7	08.2-13.2	993	67.2	63.7-70.7	306	21.9	18.8-25.0
Black or Afr. Am./Non-Hisp	215	59,488	1	0.4	00.0-01.2	24	11.1	05.8-16.4	140	62.3	53.9-70.7	50	26.3	18.5-34.1
Oth. Race/Non-Hisp.	64	13,709	2	4.9	00.0-11.8	21	36.1	20.8-51.4	39	56.6	40.7-72.5	2	2.4	00.0-06.7
18-24	126	42,010				19	20.3	09.9-30.7	78	49.8	38.2-61.4	29	29.9	18.5-41.3
25-34	203	56,582				21	12.2	06.5-17.9	117	58.3	49.7-66.9	65	29.6	21.6-37.6
35-44	210	54,635	1	0.5	00.0-01.5	26	13.6	07.3-19.9	138	67.2	59.4-75.0	45	18.7	12.6-24.8
45-54	329	62,517	1	0.3	00.0-00.9	30	11.2	05.5-16.9	233	70.9	63.8-78.0	65	17.7	12.0-23.4
55-64	370	50,844	3	1.1	00.0-02.7	29	10.1	05.4-14.8	258	69.6	63.1-76.1	80	19.2	13.9-24.5
65+	554	56,793	2	0.5	00.0-01.3	63	14.0	09.9-18.1	401	69.2	64.1-74.3	88	16.3	12.2-20.4
Less Than H.S.	119	45,326	1	0.5	00.0-01.5	20	16.0	08.4-23.6	77	62.2	51.4-73.0	21	21.3	11.7-30.9
H.S. or G.E.D.	547	111,928	2	0.2	00.0-00.4	67	16.2	11.1-21.3	377	62.8	56.9-68.7	101	20.8	15.9-25.7
Some Post-H.S.	461	87,722				47	11.9	07.4-16.4	311	65.8	59.5-72.1	103	22.3	16.8-27.8
College Graduate	676	80,007	4	1.1	00.0-02.3	53	8.9	06.0-11.8	469	67.9	63.4-72.4	150	22.2	18.3-26.1
Less than \$15,000	160	30,890	3	2.0	00.0-04.7	27	19.7	10.9-28.5	106	64.4	54.4-74.4	24	13.8	07.3-20.3
\$15,000- 24,999	153	29,523	1	0.1	00.0-00.3	27	21.9	13.1-30.7	97	56.0	45.0-67.0	28	22.0	11.8-32.2
\$25,000- 34,999	134	24,566				14	11.6	04.2-19.0	95	64.9	52.2-77.6	25	23.5	11.2-35.8
\$35,000- 49,999	271	48,773				33	15.5	07.9-23.1	180	58.9	49.5-68.3	58	25.6	16.8-34.4
\$50,000- 74,999	292	47,933	1	0.5	00.0-01.5	19	9.3	02.6-16.0	207	67.0	59.4-74.6	65	23.1	16.8-29.4
\$75,000+	546	93,794	1	0.2	00.0-00.6	42	9.0	05.3-12.7	368	68.5	63.2-73.8	135	22.3	17.8-26.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2932	358,669	254	9.4	07.6-11.2	2116	71.5	69.1-73.9	557	18.8	16.8-20.8	5	0.2	00.0-00.4
White/Non-Hisp	2241	250,344	192	8.6	06.8-10.4	1626	71.8	69.3-74.3	420	19.4	17.2-21.6	3	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	465	71,407	33	8.8	04.1-13.5	328	69.3	63.2-75.4	102	21.3	16.2-26.4	2	0.5	00.0-01.3
Oth. Race/Non-Hisp.	72	7,652	13	11.5	04.2-18.8	51	75.1	61.4-88.8	8	13.3	00.6-26.0			
Hispanic	87	22,872	14	21.7	08.0-35.4	64	73.0	59.1-86.9	9	5.3	01.4-09.2			
18-24	112	41,396	10	15.0	04.0-26.0	77	70.2	58.6-81.8	24	14.5	07.8-21.2	1	0.3	00.0-00.9
25-34	302	58,094	19	7.0	03.3-10.7	200	65.4	58.5-72.3	81	26.9	20.4-33.4	2	0.7	00.0-01.7
35-44	351	58,029	20	6.2	03.1-09.3	242	71.5	65.8-77.2	89	22.4	17.3-27.5			
45-54	495	65,530	29	7.0	04.1-09.9	346	72.0	67.1-76.9	120	21.0	16.7-25.3			
55-64	657	56,709	48	9.3	06.0-12.6	489	71.8	67.1-76.5	119	18.6	14.7-22.5	1	0.3	00.0-00.9
65+	980	74,881	123	12.8	10.1-15.5	735	76.0	72.7-79.3	121	11.1	08.7-13.5	1	0.1	00.0-00.3
Less Than H.S.	173	45,417	28	15.0	07.6-22.4	121	73.3	64.7-81.9	23	11.5	06.2-16.8	1	0.2	00.0-00.6
H.S. or G.E.D.	895	107,124	94	10.4	07.5-13.3	647	69.2	64.9-73.5	154	20.4	16.7-24.1			
Some Post-H.S.	873	111,865	78	9.2	05.7-12.7	638	73.4	68.9-77.9	154	17.0	13.7-20.3	3	0.4	00.0-00.8
College Graduate	983	93,866	53	5.9	03.7-08.1	706	71.3	67.6-75.0	223	22.5	19.2-25.8	1	0.3	00.0-00.9
Less than \$15,000	354	40,495	44	11.1	07.2-15.0	252	72.8	66.5-79.1	58	16.2	11.1-21.3			
\$15,000- 24,999	366	46,259	39	10.3	05.8-14.8	271	73.3	66.8-79.8	56	16.4	10.9-21.9			
\$25,000- 34,999	256	28,243	14	5.1	01.8-08.4	192	75.4	68.9-81.9	49	19.2	13.5-24.9	1	0.3	00.0-00.9
\$35,000- 49,999	348	40,982	21	4.4	02.0-06.8	256	75.5	69.2-81.8	70	19.8	13.9-25.7	1	0.3	00.0-00.9
\$50,000- 74,999	416	50,549	29	6.7	03.2-10.2	304	74.0	68.3-79.7	82	19.1	14.0-24.2	1	0.3	00.0-00.9
\$75,000+	679	90,035	44	7.3	04.6-10.0	470	69.2	64.7-73.7	163	22.9	19.0-26.8	2	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 31: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4740	684,940	261	5.1	04.1-06.1	2305	43.8	41.8-45.8	1793	40.6	38.6-42.6	381	10.4	09.0-11.8
Male	1808	326,272	7	0.4	00.0-00.8	189	13.4	10.9-15.9	1236	64.6	61.3-67.9	376	21.6	18.9-24.3
Female	2932	358,669	254	9.4	07.6-11.2	2116	71.5	69.1-73.9	557	18.8	16.8-20.8	5	0.2	00.0-00.4
White/Non-Hisp	3667	476,732	196	4.6	03.6-05.6	1749	42.8	40.4-45.2	1413	42.1	39.7-44.5	309	10.5	08.9-12.1
Black or Afr. Am./Non-Hisp	680	130,895	34	5.0	02.5-07.5	352	42.9	37.8-48.0	242	39.9	34.8-45.0	52	12.2	08.3-16.1
Oth. Race/Non-Hisp.	136	21,361	15	7.3	02.2-12.4	72	50.1	38.3-61.9	47	41.1	29.1-53.1	2	1.6	00.0-04.3
MultiRacial/Non-Hisp.	79	9,361	2	1.2	00.0-03.0	32	40.0	26.3-53.7	36	45.2	31.5-58.9	9	13.6	03.6-23.6
Hispanic	133	42,629	14	11.7	03.7-19.7	77	55.9	44.5-67.3	36	24.4	15.6-33.2	6	8.1	01.0-15.2
18-24	238	83,406	10	7.5	01.6-13.4	96	45.1	36.5-53.7	102	32.2	24.9-39.5	30	15.2	08.7-21.7
25-34	505	114,676	19	3.5	01.5-05.5	221	39.1	33.6-44.6	198	42.4	36.7-48.1	67	15.0	10.7-19.3
35-44	561	112,664	21	3.4	01.6-05.2	268	43.4	38.3-48.5	227	44.1	38.8-49.4	45	9.1	06.2-12.0
45-54	824	128,046	30	3.7	02.1-05.3	376	42.3	37.8-46.8	353	45.4	40.9-49.9	65	8.6	05.7-11.5
55-64	1027	107,553	51	5.4	03.4-07.4	518	42.6	38.7-46.5	377	42.7	38.6-46.8	81	9.2	06.7-11.7
65+	1534	131,674	125	7.5	05.9-09.1	798	49.2	45.9-52.5	522	36.2	32.9-39.5	89	7.1	05.3-08.9
Less Than H.S.	292	90,743	29	7.7	03.8-11.6	141	44.7	37.4-52.0	100	36.8	29.5-44.1	22	10.7	05.4-16.0
H.S. or G.E.D.	1442	219,052	96	5.2	03.6-06.8	714	42.1	38.4-45.8	531	42.1	38.4-45.8	101	10.6	07.9-13.3
Some Post-H.S.	1334	199,587	78	5.2	03.2-07.2	685	46.4	42.7-50.1	465	38.4	34.7-42.1	106	10.0	07.5-12.5
College Graduate	1659	173,873	57	3.7	02.3-05.1	759	42.6	39.5-45.7	692	43.4	40.3-46.5	151	10.4	08.4-12.4
Less than \$15,000	514	71,386	47	7.1	04.6-09.6	279	49.8	43.3-56.3	164	37.1	30.8-43.4	24	6.0	03.1-08.9
\$15,000- 24,999	519	75,782	40	6.3	03.6-09.0	298	53.3	47.0-59.6	153	31.8	26.1-37.5	28	8.6	04.1-13.1
\$25,000- 34,999	390	52,809	14	2.8	01.0-04.6	206	45.7	38.6-52.8	144	40.5	33.4-47.6	26	11.1	04.6-17.6
\$35,000- 49,999	619	89,755	21	2.0	00.8-03.2	289	42.9	36.8-49.0	250	41.1	35.2-47.0	59	14.0	08.7-19.3
\$50,000- 74,999	708	98,482	30	3.7	01.7-05.7	323	42.5	37.4-47.6	289	42.4	37.5-47.3	66	11.4	08.3-14.5
\$75,000+	1225	183,828	45	3.7	02.3-05.1	512	38.5	35.0-42.0	531	46.2	42.5-49.9	137	11.6	09.2-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 32: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1808	326,272	7	0.4	00.0-00.8	189	13.4	10.9-15.9	1236	64.6	61.3-67.9	376	21.6	18.9-24.3
White/Non-Hisp	1426	226,389	4	0.2	00.0-00.4	123	10.7	08.2-13.2	993	67.2	63.7-70.7	306	21.9	18.8-25.0
Black or Afr. Am./Non-Hisp	215	59,488	1	0.4	00.0-01.2	24	11.1	05.8-16.4	140	62.3	53.9-70.7	50	26.3	18.5-34.1
Oth. Race/Non-Hisp.	64	13,709	2	4.9	00.0-11.8	21	36.1	20.8-51.4	39	56.6	40.7-72.5	2	2.4	00.0-06.7
18-24	126	42,010				19	20.3	09.9-30.7	78	49.8	38.2-61.4	29	29.9	18.5-41.3
25-34	203	56,582				21	12.2	06.5-17.9	117	58.3	49.7-66.9	65	29.6	21.6-37.6
35-44	210	54,635	1	0.5	00.0-01.5	26	13.6	07.3-19.9	138	67.2	59.4-75.0	45	18.7	12.6-24.8
45-54	329	62,517	1	0.3	00.0-00.9	30	11.2	05.5-16.9	233	70.9	63.8-78.0	65	17.7	12.0-23.4
55-64	370	50,844	3	1.1	00.0-02.7	29	10.1	05.4-14.8	258	69.6	63.1-76.1	80	19.2	13.9-24.5
65+	554	56,793	2	0.5	00.0-01.3	63	14.0	09.9-18.1	401	69.2	64.1-74.3	88	16.3	12.2-20.4
Less Than H.S.	119	45,326	1	0.5	00.0-01.5	20	16.0	08.4-23.6	77	62.2	51.4-73.0	21	21.3	11.7-30.9
H.S. or G.E.D.	547	111,928	2	0.2	00.0-00.4	67	16.2	11.1-21.3	377	62.8	56.9-68.7	101	20.8	15.9-25.7
Some Post-H.S.	461	87,722				47	11.9	07.4-16.4	311	65.8	59.5-72.1	103	22.3	16.8-27.8
College Graduate	676	80,007	4	1.1	00.0-02.3	53	8.9	06.0-11.8	469	67.9	63.4-72.4	150	22.2	18.3-26.1
Less than \$15,000	160	30,890	3	2.0	00.0-04.7	27	19.7	10.9-28.5	106	64.4	54.4-74.4	24	13.8	07.3-20.3
\$15,000- 24,999	153	29,523	1	0.1	00.0-00.3	27	21.9	13.1-30.7	97	56.0	45.0-67.0	28	22.0	11.8-32.2
\$25,000- 34,999	134	24,566				14	11.6	04.2-19.0	95	64.9	52.2-77.6	25	23.5	11.2-35.8
\$35,000- 49,999	271	48,773				33	15.5	07.9-23.1	180	58.9	49.5-68.3	58	25.6	16.8-34.4
\$50,000- 74,999	292	47,933	1	0.5	00.0-01.5	19	9.3	02.6-16.0	207	67.0	59.4-74.6	65	23.1	16.8-29.4
\$75,000+	546	93,794	1	0.2	00.0-00.6	42	9.0	05.3-12.7	368	68.5	63.2-73.8	135	22.3	17.8-26.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 33: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2932	358,669	254	9.4	07.6-11.2	2116	71.5	69.1-73.9	557	18.8	16.8-20.8	5	0.2	00.0-00.4
White/Non-Hisp	2241	250,344	192	8.6	06.8-10.4	1626	71.8	69.3-74.3	420	19.4	17.2-21.6	3	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	465	71,407	33	8.8	04.1-13.5	328	69.3	63.2-75.4	102	21.3	16.2-26.4	2	0.5	00.0-01.3
Oth. Race/Non-Hisp.	72	7,652	13	11.5	04.2-18.8	51	75.1	61.4-88.8	8	13.3	00.6-26.0			
Hispanic	87	22,872	14	21.7	08.0-35.4	64	73.0	59.1-86.9	9	5.3	01.4-09.2			
18-24	112	41,396	10	15.0	04.0-26.0	77	70.2	58.6-81.8	24	14.5	07.8-21.2	1	0.3	00.0-00.9
25-34	302	58,094	19	7.0	03.3-10.7	200	65.4	58.5-72.3	81	26.9	20.4-33.4	2	0.7	00.0-01.7
35-44	351	58,029	20	6.2	03.1-09.3	242	71.5	65.8-77.2	89	22.4	17.3-27.5			
45-54	495	65,530	29	7.0	04.1-09.9	346	72.0	67.1-76.9	120	21.0	16.7-25.3			
55-64	657	56,709	48	9.3	06.0-12.6	489	71.8	67.1-76.5	119	18.6	14.7-22.5	1	0.3	00.0-00.9
65+	980	74,881	123	12.8	10.1-15.5	735	76.0	72.7-79.3	121	11.1	08.7-13.5	1	0.1	00.0-00.3
Less Than H.S.	173	45,417	28	15.0	07.6-22.4	121	73.3	64.7-81.9	23	11.5	06.2-16.8	1	0.2	00.0-00.6
H.S. or G.E.D.	895	107,124	94	10.4	07.5-13.3	647	69.2	64.9-73.5	154	20.4	16.7-24.1			
Some Post-H.S.	873	111,865	78	9.2	05.7-12.7	638	73.4	68.9-77.9	154	17.0	13.7-20.3	3	0.4	00.0-00.8
College Graduate	983	93,866	53	5.9	03.7-08.1	706	71.3	67.6-75.0	223	22.5	19.2-25.8	1	0.3	00.0-00.9
Less than \$15,000	354	40,495	44	11.1	07.2-15.0	252	72.8	66.5-79.1	58	16.2	11.1-21.3			
\$15,000- 24,999	366	46,259	39	10.3	05.8-14.8	271	73.3	66.8-79.8	56	16.4	10.9-21.9			
\$25,000- 34,999	256	28,243	14	5.1	01.8-08.4	192	75.4	68.9-81.9	49	19.2	13.5-24.9	1	0.3	00.0-00.9
\$35,000- 49,999	348	40,982	21	4.4	02.0-06.8	256	75.5	69.2-81.8	70	19.8	13.9-25.7	1	0.3	00.0-00.9
\$50,000- 74,999	416	50,549	29	6.7	03.2-10.2	304	74.0	68.3-79.7	82	19.1	14.0-24.2	1	0.3	00.0-00.9
\$75,000+	679	90,035	44	7.3	04.6-10.0	470	69.2	64.7-73.7	163	22.9	19.0-26.8	2	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4546	664,038	57	1.1	00.5-01.7	1435	31.0	29.0-33.0	1977	42.6	40.4-44.8	845	19.9	18.1-21.7	188	4.2	03.4-05.0	44	1.2	00.8-01.6
Male	1794	324,758	2	0.0	00.0-00.0	177	13.2	10.7-15.7	893	48.6	45.3-51.9	555	29.5	26.6-32.4	131	6.4	05.0-07.8	36	2.2	01.2-03.2
Female	2752	339,280	55	2.2	01.0-03.4	1258	48.0	45.3-50.7	1084	36.8	34.3-39.3	290	10.6	09.0-12.2	57	2.1	01.3-02.9	8	0.3	00.1-00.5
White/Non-Hisp	3511	461,438	42	0.9	00.5-01.3	1137	31.6	29.2-34.0	1529	41.9	39.5-44.3	638	20.3	18.3-22.3	133	4.0	03.2-04.8	32	1.2	00.6-01.8
Black or Afr. Am./Non-Hisp	650	126,247	4	0.2	00.0-00.4	156	24.4	19.7-29.1	286	45.7	40.2-51.2	153	22.8	18.5-27.1	43	5.5	03.1-07.9	8	1.5	00.1-02.9
Oth. Race/Non-Hisp.	136	21,364	5	5.2	00.0-10.5	58	39.7	28.5-50.9	54	39.1	27.1-51.1	16	12.1	05.4-18.8	3	4.0	00.0-08.7			
MultiRacial/Non-Hisp.	78	9,251	2	0.6	00.0-01.4	20	29.5	15.8-43.2	33	37.2	24.3-50.1	17	18.5	08.9-28.1	3	6.7	00.0-14.1	3	7.6	00.0-16.0
Hispanic	131	42,207	3	4.7	00.0-12.0	53	40.0	28.6-51.4	60	43.5	31.9-55.1	11	9.9	03.0-16.8	4	1.8	00.0-04.2			
18-24	237	83,024	5	2.9	00.0-06.8	109	48.8	40.2-57.4	92	36.2	28.0-44.4	25	10.1	05.4-14.8	4	1.3	00.0-02.9	2	0.7	00.0-01.7
25-34	492	112,672	6	1.6	00.0-03.2	146	29.1	23.8-34.4	207	41.5	35.8-47.2	109	23.3	18.4-28.2	18	2.7	01.3-04.1	6	1.8	00.2-03.4
35-44	543	109,484	4	0.5	00.1-00.9	172	27.1	22.4-31.8	230	43.9	38.6-49.2	101	21.8	17.3-26.3	30	5.3	03.1-07.5	6	1.5	00.1-02.9
45-54	779	121,989	6	0.4	00.0-00.8	228	29.1	25.0-33.2	322	42.7	38.0-47.4	169	21.0	17.1-24.9	42	5.7	03.5-07.9	12	1.1	00.3-01.9
55-64	970	102,945	9	0.7	00.1-01.3	271	24.5	21.0-28.0	439	42.6	38.5-46.7	185	24.4	20.3-28.5	51	5.7	03.9-07.5	15	2.3	00.5-04.1
65+	1489	128,629	26	1.3	00.7-01.9	496	31.1	28.0-34.2	671	46.3	43.0-49.6	250	17.1	14.6-19.6	43	4.0	02.0-06.0	3	0.2	00.0-00.4
Less Than H.S.	289	90,854	4	1.2	00.0-03.0	83	30.9	23.6-38.2	136	42.8	35.4-50.2	49	19.2	13.3-25.1	12	3.9	01.2-06.6	5	2.0	00.2-03.8
H.S. or G.E.D.	1380	211,943	17	0.6	00.2-01.0	418	28.0	24.5-31.5	612	46.2	42.5-49.9	256	19.7	16.8-22.6	63	4.4	03.0-05.8	14	1.0	00.4-01.6
Some Post-H.S.	1265	191,416	17	1.7	00.0-03.5	396	33.8	29.9-37.7	528	36.6	32.9-40.3	256	22.3	19.0-25.6	55	4.2	02.8-05.6	13	1.4	00.4-02.4
College Graduate	1603	168,320	19	1.2	00.6-01.8	534	31.4	28.5-34.3	698	44.8	41.5-48.1	282	17.7	15.3-20.1	58	4.1	02.7-05.5	12	0.9	00.3-01.5
Less than \$15,000	498	68,955	8	1.0	00.2-01.8	170	30.6	24.5-36.7	208	45.8	39.1-52.5	85	16.6	12.1-21.1	21	4.3	02.1-06.5	6	1.7	00.0-03.5
\$15,000- 24,999	508	74,422	12	2.0	00.0-04.2	155	30.4	24.5-36.3	217	41.5	35.2-47.8	99	20.2	15.1-25.3	20	4.0	01.6-06.4	5	1.9	00.0-04.1
\$25,000- 34,999	374	51,283	1	0.2	00.0-00.6	123	29.0	22.9-35.1	166	46.5	39.1-53.9	58	16.8	10.5-23.1	19	6.1	02.6-09.6	7	1.4	00.2-02.6
\$35,000- 49,999	599	87,033	3	0.2	00.0-00.4	170	27.3	21.6-33.0	254	41.0	34.9-47.1	136	26.3	20.8-31.8	31	4.4	02.4-06.4	5	0.7	00.1-01.3
\$50,000- 74,999	686	96,107	8	1.2	00.0-02.4	198	28.3	23.4-33.2	316	44.9	39.8-50.0	134	20.7	16.6-24.8	24	3.6	01.8-05.4	6	1.3	00.1-02.5
\$75,000+	1200	180,066	9	0.8	00.2-01.4	355	30.1	26.6-33.6	518	40.6	36.9-44.3	247	22.5	19.4-25.6	59	4.6	03.2-06.0	12	1.3	00.3-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1794	324,758	2	0.0	00.0-00.0	177	13.2	10.7-15.7	893	48.6	45.3-51.9	555	29.5	26.6-32.4	131	6.4	05.0-07.8	36	2.2	01.2-03.2
White/Non-Hisp	1417	225,454	2	0.0	00.0-00.0	120	11.1	08.4-13.8	714	48.5	44.8-52.2	451	31.5	28.2-34.8	102	6.5	04.9-08.1	28	2.3	01.3-03.3
Black or Afr. Am./Non-Hisp	211	58,595				26	13.6	07.5-19.7	99	49.0	40.4-57.6	63	28.7	21.1-36.3	19	6.6	02.7-10.5	4	2.0	00.0-04.7
Oth. Race/Non-Hisp.	65	13,779				17	28.2	14.1-42.3	35	51.3	35.2-67.4	10	14.3	04.7-23.9	3	6.2	00.0-13.5			
18-24	128	42,254				34	31.6	20.2-43.0	70	49.3	37.7-60.9	18	15.3	07.1-23.5	4	2.6	00.0-05.5	2	1.3	00.0-03.1
25-34	200	57,156				16	11.6	04.3-18.9	102	49.9	41.1-58.7	69	32.7	24.7-40.7	9	3.1	00.7-05.5	4	2.7	00.0-05.4
35-44	209	54,123				21	11.1	05.2-17.0	100	47.5	39.1-55.9	61	30.7	22.9-38.5	21	7.7	04.0-11.4	6	3.0	00.5-05.5
45-54	325	61,737				37	13.4	08.5-18.3	140	46.7	39.3-54.1	109	29.5	23.0-36.0	29	8.5	04.6-12.4	10	2.0	00.6-03.4
55-64	370	50,919	1	0.1	00.0-00.3	22	6.3	02.4-10.2	183	44.8	38.1-51.5	119	36.2	29.3-43.1	33	8.6	05.3-11.9	12	4.0	00.7-07.3
65+	549	56,388	1	0.1	00.0-00.3	46	8.4	05.5-11.3	289	53.5	47.8-59.2	176	30.2	25.3-35.1	35	7.4	03.9-10.9	2	0.4	00.0-01.0
Less Than H.S.	118	46,373	1	0.2	00.0-00.6	18	20.5	10.1-30.9	56	43.4	32.4-54.4	31	27.6	17.6-37.6	8	4.9	00.8-09.0	4	3.4	00.0-06.9
H.S. or G.E.D.	543	110,883				59	12.3	08.2-16.4	268	53.3	47.6-59.0	161	26.7	22.0-31.4	43	6.0	03.6-08.4	12	1.7	00.5-02.9
Some Post-H.S.	459	87,191				49	14.9	09.6-20.2	201	40.9	34.8-47.0	162	34.2	28.3-40.1	36	7.0	04.3-09.7	11	2.9	00.5-05.3
College Graduate	669	79,023	1	0.0	00.0-00.0	50	7.6	04.9-10.3	365	53.9	49.0-58.8	200	29.8	25.3-34.3	44	7.3	04.6-10.0	9	1.4	00.4-02.4
Less than \$15,000	158	30,170				20	15.1	07.1-23.1	79	53.5	43.1-63.9	42	21.1	12.9-29.3	13	7.1	02.6-11.6	4	3.1	00.0-06.8
\$15,000- 24,999	150	28,847	1	0.1	00.0-00.3	27	18.1	09.7-26.5	70	44.9	33.9-55.9	40	27.2	17.6-36.8	8	5.2	00.7-09.7	4	4.5	00.0-10.0
\$25,000- 34,999	133	24,502				16	11.4	04.7-18.1	71	55.1	42.6-67.6	31	25.6	13.6-37.6	11	6.4	01.9-10.9	4	1.5	00.0-03.1
\$35,000- 49,999	270	48,352				21	11.2	03.9-18.5	124	45.7	36.7-54.7	95	34.9	26.5-43.3	25	6.9	03.4-10.4	5	1.3	00.1-02.5
\$50,000- 74,999	291	47,708				21	7.9	04.0-11.8	152	52.4	44.8-60.0	98	33.0	25.9-40.1	14	4.1	01.7-06.5	6	2.5	00.1-04.9
\$75,000+	546	93,868				38	9.8	05.5-14.1	264	45.7	40.0-51.4	186	34.5	29.2-39.8	48	7.8	05.3-10.3	10	2.2	00.4-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2752	339,280	55	2.2	01.0-03.4	1258	48.0	45.3-50.7	1084	36.8	34.3-39.3	290	10.6	09.0-12.2	57	2.1	01.3-02.9	8	0.3	00.1-00.5
White/Non-Hisp	2094	235,984	40	1.7	00.9-02.5	1017	51.2	48.1-54.3	815	35.6	32.9-38.3	187	9.6	07.6-11.6	31	1.6	00.8-02.4	4	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	439	67,652	4	0.3	00.0-00.7	130	33.7	27.2-40.2	187	42.9	36.2-49.6	90	17.7	13.0-22.4	24	4.5	02.0-07.0	4	1.0	00.0-02.0
Oth. Race/Non-Hisp.	71	7,585	5	14.5	00.6-28.4	41	60.6	45.3-75.9	19	16.9	07.9-25.9	6	8.0	01.1-14.9						
Hispanic	85	21,833	3	9.1	00.0-22.4	46	54.2	39.1-69.3	32	34.2	20.1-48.3	2	1.6	00.0-04.0	2	0.9	00.0-02.3			
18-24	109	40,770	5	6.0	00.0-13.6	75	66.7	54.4-79.0	22	22.5	11.3-33.7	7	4.8	00.7-08.9						
25-34	292	55,516	6	3.2	00.1-06.3	130	47.1	39.7-54.5	105	32.9	26.0-39.8	40	13.6	08.1-19.1	9	2.3	00.5-04.1	2	0.9	00.0-02.1
35-44	334	55,361	4	0.9	00.0-01.9	151	42.8	36.1-49.5	130	40.3	33.6-47.0	40	13.1	08.6-17.6	9	2.8	00.3-05.3			
45-54	454	60,252	6	0.8	00.0-01.6	191	45.3	39.4-51.2	182	38.5	32.8-44.2	60	12.3	08.0-16.6	13	2.8	01.0-04.6	2	0.3	00.0-00.7
55-64	600	52,027	8	1.2	00.2-02.2	249	42.2	37.1-47.3	256	40.5	35.6-45.4	66	12.7	09.2-16.2	18	2.8	01.2-04.4	3	0.6	00.0-01.4
65+	940	72,241	25	2.3	01.3-03.3	450	48.8	44.7-52.9	382	40.7	36.6-44.8	74	6.8	05.0-08.6	8	1.4	00.0-03.4	1	0.1	00.0-00.3
Less Than H.S.	171	44,480	3	2.2	00.0-05.5	65	41.6	31.6-51.6	80	42.3	32.5-52.1	18	10.5	04.8-16.2	4	2.9	00.0-06.2	1	0.5	00.0-01.5
H.S. or G.E.D.	837	101,061	17	1.4	00.6-02.2	359	45.3	40.4-50.2	344	38.4	33.9-42.9	95	12.0	08.9-15.1	20	2.6	01.0-04.2	2	0.3	00.0-00.7
Some Post-H.S.	806	104,224	17	3.1	00.0-06.2	347	49.6	44.5-54.7	327	33.0	28.7-37.3	94	12.3	09.0-15.6	19	1.9	00.9-02.9	2	0.1	00.0-00.3
College Graduate	934	89,297	18	2.1	00.9-03.3	484	52.5	48.0-57.0	333	36.7	32.2-41.2	82	7.0	05.2-08.8	14	1.3	00.5-02.1	3	0.4	00.0-01.0
Less than \$15,000	340	38,785	8	1.8	00.2-03.4	150	42.7	34.5-50.9	129	39.8	31.4-48.2	43	13.1	08.2-18.0	8	2.0	00.4-03.6	2	0.6	00.0-01.6
\$15,000- 24,999	358	45,574	11	3.2	00.0-06.5	128	38.2	30.6-45.8	147	39.3	31.9-46.7	59	15.8	10.5-21.1	12	3.3	00.8-05.8	1	0.2	00.0-00.6
\$25,000- 34,999	241	26,781	1	0.3	00.0-00.9	107	45.1	36.7-53.5	95	38.7	30.5-46.9	27	8.8	05.1-12.5	8	5.8	00.3-11.3	3	1.3	00.0-02.9
\$35,000- 49,999	329	38,681	3	0.4	00.0-01.0	149	47.5	39.1-55.9	130	35.2	27.8-42.6	41	15.6	08.5-22.7	6	1.3	00.0-02.7			
\$50,000- 74,999	395	48,399	8	2.4	00.0-04.8	177	48.4	41.3-55.5	164	37.5	31.0-44.0	36	8.6	04.9-12.3	10	3.1	00.4-05.8			
\$75,000+	654	86,198	9	1.7	00.5-02.9	317	52.2	47.3-57.1	254	35.1	30.4-39.8	61	9.4	06.5-12.3	11	1.2	00.2-02.2	2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4530	659,942	51	1.0	00.6-01.4	1523	35.3	33.1-37.5	1607	35.0	33.0-37.0	836	17.8	16.2-19.4	513	10.9	09.5-12.3
Male	1788	321,874	8	0.6	00.0-01.2	456	28.9	25.8-32.0	779	41.6	38.5-44.7	367	18.9	16.5-21.3	178	10.0	08.0-12.0
Female	2742	338,068	43	1.4	00.8-02.0	1067	41.4	38.7-44.1	828	28.7	26.3-31.1	469	16.7	14.7-18.7	335	11.9	10.1-13.7
White/Non-Hisp	3501	460,267	40	1.0	00.6-01.4	1211	35.9	33.5-38.3	1271	35.8	33.6-38.0	625	16.9	15.3-18.5	354	10.3	08.7-11.9
Black or Afr. Am./Non-Hisp	649	125,332	5	0.5	00.0-01.1	157	27.8	22.7-32.9	212	33.6	28.5-38.7	151	23.2	18.5-27.9	124	14.8	11.3-18.3
Oth. Race/Non-Hisp.	133	20,776	2	1.9	00.0-04.6	65	54.1	42.3-65.9	41	29.1	18.5-39.7	14	7.0	02.9-11.1	11	7.8	02.1-13.5
MultiRacial/Non-Hisp.	77	9,080	1	0.2	00.0-00.6	25	33.2	19.5-46.9	25	30.1	17.4-42.8	16	18.6	08.8-28.4	10	17.9	06.5-29.3
Hispanic	130	40,958	2	2.4	00.0-06.5	51	41.0	29.4-52.6	47	34.2	23.4-45.0	22	16.6	08.0-25.2	8	5.8	00.9-10.7
18-24	235	82,780	4	1.7	00.0-03.9	137	61.8	53.6-70.0	62	22.3	15.6-29.0	21	9.1	03.8-14.4	11	5.1	01.6-08.6
25-34	489	111,263	7	1.6	00.0-03.2	182	35.9	30.2-41.6	165	37.2	31.5-42.9	80	14.7	11.2-18.2	55	10.6	07.1-14.1
35-44	540	108,618	3	0.4	00.0-00.8	187	32.3	27.2-37.4	178	34.2	29.1-39.3	111	21.9	17.4-26.4	61	11.1	07.8-14.4
45-54	779	121,989	6	0.6	00.0-01.4	247	31.4	27.1-35.7	274	36.9	32.2-41.6	148	18.5	14.8-22.2	104	12.6	09.5-15.7
55-64	969	102,815	9	0.7	00.1-01.3	284	26.9	23.2-30.6	346	36.0	31.9-40.1	197	21.8	18.3-25.3	133	14.7	11.6-17.8
65+	1482	127,182	21	1.2	00.6-01.8	471	29.9	26.8-33.0	572	40.1	36.8-43.4	273	18.5	16.0-21.0	145	10.3	07.9-12.7
Less Than H.S.	286	88,593	4	2.2	00.0-04.7	78	28.2	20.9-35.5	95	34.4	27.3-41.5	66	20.9	15.0-26.8	43	14.3	09.4-19.2
H.S. or G.E.D.	1374	210,983	18	0.9	00.5-01.3	420	34.1	30.4-37.8	504	37.2	33.5-40.9	253	16.3	13.8-18.8	179	11.5	09.1-13.9
Some Post-H.S.	1260	190,700	14	0.7	00.1-01.3	396	37.1	33.0-41.2	435	31.3	27.8-34.8	264	19.4	16.5-22.3	151	11.4	08.9-13.9
College Graduate	1601	168,161	15	0.8	00.2-01.4	626	38.2	35.1-41.3	569	36.9	33.8-40.0	252	16.1	13.4-18.8	139	8.0	06.2-09.8
Less than \$15,000	495	68,589	5	0.7	00.0-01.5	161	32.0	25.9-38.1	162	34.1	27.8-40.4	100	21.5	15.8-27.2	67	11.6	08.1-15.1
\$15,000- 24,999	506	74,269	14	3.7	00.6-06.8	144	28.4	22.7-34.1	164	32.2	26.3-38.1	98	18.7	13.8-23.6	86	16.9	12.2-21.6
\$25,000- 34,999	374	51,283	1	0.2	00.0-00.6	141	39.5	32.1-46.9	108	29.3	22.6-36.0	70	17.5	11.6-23.4	54	13.5	08.8-18.2
\$35,000- 49,999	598	86,662	4	0.5	00.0-01.3	186	34.4	27.9-40.9	207	32.9	27.4-38.4	128	20.8	16.1-25.5	73	11.5	07.6-15.4
\$50,000- 74,999	684	95,968	8	1.1	00.1-02.1	227	35.8	30.7-40.9	260	36.9	31.8-42.0	121	15.6	12.5-18.7	68	10.6	07.3-13.9
\$75,000+	1199	179,936	6	0.5	00.1-00.9	398	33.1	29.6-36.6	459	39.4	35.7-43.1	223	18.2	15.3-21.1	113	8.8	06.8-10.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1788	321,874	8	0.6	00.0-01.2	456	28.9	25.8-32.0	779	41.6	38.5-44.7	367	18.9	16.5-21.3	178	10.0	08.0-12.0
White/Non-Hisp	1416	225,324	6	0.3	00.0-00.7	346	27.4	23.9-30.9	636	43.1	39.6-46.6	295	19.5	16.8-22.2	133	9.6	07.4-11.8
Black or Afr. Am./Non-Hisp	210	57,679	1	0.6	00.0-01.8	55	29.0	20.8-37.2	82	38.3	30.1-46.5	46	21.9	14.6-29.2	26	10.3	05.4-15.2
Oth. Race/Non-Hisp.	62	13,191				28	50.1	33.6-66.6	21	34.1	18.8-49.4	9	7.7	02.0-13.4	4	8.2	00.0-16.4
18-24	126	42,010	1	2.0	00.0-05.9	64	57.0	45.8-68.2	42	27.5	17.9-37.1	12	6.8	02.3-11.3	7	6.7	00.8-12.6
25-34	199	55,906				65	32.5	23.9-41.1	89	45.0	36.2-53.8	32	14.8	09.3-20.3	13	7.7	03.0-12.4
35-44	208	53,778				52	26.3	18.5-34.1	87	41.6	33.6-49.6	44	21.3	14.2-28.4	25	10.8	06.1-15.5
45-54	325	61,737	3	1.0	00.0-02.4	67	22.8	16.7-28.9	143	44.0	36.7-51.3	77	22.9	16.4-29.4	35	9.3	05.6-13.0
55-64	369	50,788	2	0.3	00.0-00.7	77	19.3	13.8-24.8	159	41.8	35.1-48.5	84	24.1	18.2-30.0	47	14.6	09.5-19.7
65+	548	55,472	2	0.6	00.0-01.8	126	21.1	16.8-25.4	254	46.8	41.3-52.3	116	20.8	16.5-25.1	50	10.6	06.9-14.3
Less Than H.S.	116	44,209	3	2.8	00.0-06.7	28	25.9	15.3-36.5	45	40.6	29.6-51.6	23	18.0	09.6-26.4	17	12.7	06.0-19.4
H.S. or G.E.D.	542	110,752	1	0.2	00.0-00.6	134	29.9	24.2-35.6	233	42.6	36.9-48.3	110	17.4	13.3-21.5	64	9.9	06.8-13.0
Some Post-H.S.	456	86,603	2	0.5	00.0-01.3	111	30.2	23.7-36.7	187	35.7	30.0-41.4	110	23.0	17.9-28.1	46	10.5	06.8-14.2
College Graduate	669	79,023	2	0.1	00.0-00.3	182	27.1	22.6-31.6	311	47.5	42.6-52.4	123	17.1	13.6-20.6	51	8.1	05.4-10.8
Less than \$15,000	158	30,170				39	28.4	18.6-38.2	66	43.4	33.0-53.8	34	19.2	11.2-27.2	19	9.0	03.7-14.3
\$15,000- 24,999	150	28,847	3	3.9	00.0-09.8	44	29.1	18.9-39.3	66	38.0	27.8-48.2	23	16.1	07.7-24.5	14	12.9	05.1-20.7
\$25,000- 34,999	133	24,502				46	39.1	26.6-51.6	48	33.2	21.8-44.6	24	17.4	07.2-27.6	15	10.4	03.7-17.1
\$35,000- 49,999	270	48,352	1	0.6	00.0-01.8	64	30.7	21.1-40.3	106	34.5	26.5-42.5	68	24.7	17.4-32.0	31	9.4	05.1-13.7
\$50,000- 74,999	291	47,708	2	0.9	00.0-02.5	72	27.5	20.6-34.4	131	44.3	36.5-52.1	62	16.9	12.0-21.8	24	10.4	05.5-15.3
\$75,000+	545	93,738	1	0.1	00.0-00.3	121	22.2	17.3-27.1	249	46.9	41.2-52.6	122	22.0	17.3-26.7	52	8.8	06.1-11.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2742	338,068	43	1.4	00.8-02.0	1067	41.4	38.7-44.1	828	28.7	26.3-31.1	469	16.7	14.7-18.7	335	11.9	10.1-13.7
White/Non-Hisp	2085	234,943	34	1.7	00.9-02.5	865	44.1	41.0-47.2	635	28.8	26.1-31.5	330	14.3	12.5-16.1	221	11.0	08.8-13.2
Black or Afr. Am./Non-Hisp	439	67,652	4	0.3	00.0-00.7	102	26.9	20.8-33.0	130	29.6	23.3-35.9	105	24.4	18.3-30.5	98	18.7	14.0-23.4
Oth. Race/Non-Hisp.	71	7,585	2	5.3	00.0-12.7	37	61.1	46.8-75.4	20	20.6	10.0-31.2	5	5.8	00.3-11.3	7	7.2	01.1-13.3
Hispanic	85	21,833	1	0.5	00.0-01.5	38	49.6	34.7-64.5	26	26.3	15.1-37.5	16	21.1	07.8-34.4	4	2.4	00.0-04.9
18-24	109	40,770	3	1.3	00.0-02.9	73	66.7	54.7-78.7	20	17.1	08.3-25.9	9	11.5	01.9-21.1	4	3.4	00.0-07.1
25-34	290	55,357	7	3.2	00.1-06.3	117	39.4	32.1-46.7	76	29.3	22.2-36.4	48	14.6	10.1-19.1	42	13.5	08.2-18.8
35-44	332	54,840	3	0.8	00.0-01.8	135	38.3	31.8-44.8	91	27.0	21.1-32.9	67	22.5	16.8-28.2	36	11.4	06.9-15.9
45-54	454	60,252	3	0.2	00.0-00.4	180	40.3	34.6-46.0	131	29.7	24.4-35.0	71	13.9	10.2-17.6	69	16.0	10.9-21.1
55-64	600	52,027	7	1.1	00.1-02.1	207	34.3	29.4-39.2	187	30.3	25.6-35.0	113	19.5	15.4-23.6	86	14.8	11.3-18.3
65+	934	71,710	19	1.7	00.9-02.5	345	36.7	32.6-40.8	318	34.8	30.9-38.7	157	16.7	13.8-19.6	95	10.1	07.4-12.8
Less Than H.S.	170	44,384	1	1.7	00.0-05.0	50	30.5	20.7-40.3	50	28.2	19.6-36.8	43	23.7	15.3-32.1	26	15.9	08.8-23.0
H.S. or G.E.D.	832	100,231	17	1.7	00.7-02.7	286	38.8	33.9-43.7	271	31.2	26.9-35.5	143	15.1	12.0-18.2	115	13.2	09.9-16.5
Some Post-H.S.	804	104,097	12	0.9	00.3-01.5	285	42.8	37.7-47.9	248	27.6	23.3-31.9	154	16.5	13.4-19.6	105	12.2	09.1-15.3
College Graduate	932	89,138	13	1.5	00.5-02.5	444	48.0	43.5-52.5	258	27.4	23.3-31.5	129	15.3	11.4-19.2	88	7.9	05.7-10.1
Less than \$15,000	337	38,419	5	1.3	00.0-02.7	122	34.8	27.0-42.6	96	26.8	19.4-34.2	66	23.4	15.4-31.4	48	13.7	08.8-18.6
\$15,000- 24,999	356	45,421	11	3.5	00.2-06.8	100	28.0	21.3-34.7	98	28.6	21.3-35.9	75	20.4	14.3-26.5	72	19.5	13.4-25.6
\$25,000- 34,999	241	26,781	1	0.4	00.0-01.2	95	39.9	31.7-48.1	60	25.8	18.4-33.2	46	17.6	11.5-23.7	39	16.3	09.8-22.8
\$35,000- 49,999	328	38,310	3	0.4	00.0-01.0	122	39.0	30.6-47.4	101	30.8	23.5-38.1	60	15.8	10.9-20.7	42	14.0	07.1-20.9
\$50,000- 74,999	393	48,259	6	1.3	00.1-02.5	155	44.0	36.7-51.3	129	29.5	23.4-35.6	59	14.4	10.3-18.5	44	10.8	06.3-15.3
\$75,000+	654	86,198	5	1.0	00.0-02.0	277	44.9	39.8-50.0	210	31.2	26.5-35.9	101	14.1	11.0-17.2	61	8.8	05.9-11.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4530	659,942	78	1.7	01.1-02.3	1492	34.6	32.4-36.8	1606	35.0	33.0-37.0	1354	28.8	26.8-30.8
Male	1788	321,874	13	1.0	00.2-01.8	447	28.4	25.3-31.5	780	41.6	38.5-44.7	548	29.0	26.1-31.9
Female	2742	338,068	65	2.3	01.5-03.1	1045	40.4	37.7-43.1	826	28.7	26.3-31.1	806	28.6	26.1-31.1
White/Non-Hisp	3501	460,267	59	1.7	01.1-02.3	1188	35.2	32.8-37.6	1272	35.9	33.7-38.1	982	27.2	25.2-29.2
Black or Afr. Am./Non-Hisp	649	125,332	5	0.5	00.0-01.1	157	27.8	22.7-32.9	210	33.4	28.3-38.5	277	38.2	33.1-43.3
Oth. Race/Non-Hisp.	133	20,776	9	8.0	01.9-14.1	58	48.0	35.8-60.2	41	29.1	18.5-39.7	25	14.8	07.9-21.7
MultiRacial/Non-Hisp.	77	9,080	2	0.6	00.0-01.4	24	32.9	19.2-46.6	25	30.1	17.4-42.8	26	36.5	23.2-49.8
Hispanic	130	40,958	2	2.4	00.0-06.5	51	41.0	29.4-52.6	47	34.2	23.4-45.0	30	22.4	12.8-32.0
18-24	235	82,780	8	3.4	00.7-06.1	132	59.9	51.7-68.1	63	22.5	15.8-29.2	32	14.2	08.1-20.3
25-34	489	111,263	13	2.4	00.6-04.2	176	35.1	29.4-40.8	165	37.2	31.5-42.9	135	25.3	20.6-30.0
35-44	540	108,618	4	0.5	00.1-00.9	186	32.3	27.2-37.4	178	34.2	29.1-39.3	172	33.0	27.9-38.1
45-54	779	121,989	11	1.2	00.2-02.2	242	30.9	26.8-35.0	272	36.6	31.9-41.3	254	31.3	26.8-35.8
55-64	969	102,815	12	1.2	00.4-02.0	280	26.3	22.6-30.0	346	36.0	31.9-40.1	331	36.5	32.4-40.6
65+	1482	127,182	28	1.7	00.9-02.5	463	29.3	26.4-32.2	571	40.1	36.8-43.4	420	28.9	25.8-32.0
Less Than H.S.	286	88,593	6	2.6	00.1-05.1	76	27.9	20.6-35.2	95	34.4	27.3-41.5	109	35.2	28.1-42.3
H.S. or G.E.D.	1374	210,983	26	1.5	00.7-02.3	411	33.5	29.8-37.2	502	37.1	33.4-40.8	435	27.9	24.8-31.0
Some Post-H.S.	1260	190,700	19	1.4	00.6-02.2	391	36.5	32.4-40.6	434	31.2	27.7-34.7	416	30.9	27.4-34.4
College Graduate	1601	168,161	27	1.8	01.0-02.6	611	37.1	34.0-40.2	571	37.0	33.9-40.1	392	24.1	21.2-27.0
Less than \$15,000	495	68,589	8	1.5	00.3-02.7	158	31.3	25.2-37.4	160	33.8	27.5-40.1	169	33.5	27.2-39.8
\$15,000- 24,999	506	74,269	16	4.3	01.0-07.6	142	27.8	22.1-33.5	164	32.2	26.3-38.1	184	35.6	29.5-41.7
\$25,000- 34,999	374	51,283	6	1.6	00.2-03.0	135	38.0	30.6-45.4	109	29.5	22.8-36.2	124	31.0	24.1-37.9
\$35,000- 49,999	598	86,662	6	0.8	00.0-01.6	184	34.0	27.5-40.5	206	32.9	27.4-38.4	202	32.3	26.6-38.0
\$50,000- 74,999	684	95,968	11	1.3	00.3-02.3	223	35.5	30.4-40.6	260	36.8	31.7-41.9	190	26.4	22.1-30.7
\$75,000+	1199	179,936	13	1.5	00.5-02.5	390	32.0	28.5-35.5	460	39.4	35.7-43.1	336	27.0	23.7-30.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1788	321,874	13	1.0	00.2-01.8	447	28.4	25.3-31.5	780	41.6	38.5-44.7	548	29.0	26.1-31.9
White/Non-Hisp	1416	225,324	9	0.8	00.2-01.4	339	26.8	23.3-30.3	639	43.2	39.7-46.7	429	29.2	26.1-32.3
Black or Afr. Am./Non-Hisp	210	57,679	1	0.6	00.0-01.8	55	29.0	20.8-37.2	80	37.9	29.7-46.1	74	32.5	24.5-40.5
Oth. Race/Non-Hisp.	62	13,191	2	2.3	00.0-05.8	26	47.7	31.0-64.4	21	34.1	18.8-49.4	13	15.9	06.1-25.7
18-24	126	42,010	3	3.3	00.0-07.8	61	55.4	44.0-66.8	43	27.7	18.1-37.3	19	13.5	06.2-20.8
25-34	199	55,906				65	32.5	23.9-41.1	89	45.0	36.2-53.8	45	22.5	15.6-29.4
35-44	208	53,778				52	26.3	18.5-34.1	87	41.6	33.6-49.6	69	32.1	24.3-39.9
45-54	325	61,737	4	1.7	00.0-03.7	66	22.1	16.2-28.0	141	43.5	36.2-50.8	114	32.7	25.8-39.6
55-64	369	50,788	3	0.5	00.0-01.1	75	18.9	13.4-24.4	159	41.9	35.2-48.6	132	38.7	31.8-45.6
65+	548	55,472	3	1.0	00.0-02.4	124	20.5	16.2-24.8	255	47.0	41.5-52.5	166	31.5	26.4-36.6
Less Than H.S.	116	44,209	3	2.8	00.0-06.7	28	25.9	15.3-36.5	45	40.6	29.6-51.6	40	30.8	20.8-40.8
H.S. or G.E.D.	542	110,752	5	1.0	00.0-02.0	129	29.0	23.3-34.7	232	42.4	36.7-48.1	176	27.5	22.6-32.4
Some Post-H.S.	456	86,603	3	1.0	00.0-02.4	110	29.7	23.2-36.2	186	35.5	29.8-41.2	157	33.7	27.8-39.6
College Graduate	669	79,023	2	0.1	00.0-00.3	179	26.8	22.5-31.1	314	47.9	43.0-52.8	174	25.2	20.9-29.5
Less than \$15,000	158	30,170				39	28.4	18.6-38.2	64	42.7	32.3-53.1	55	28.8	19.8-37.8
\$15,000- 24,999	150	28,847	4	5.3	00.0-11.8	43	27.6	17.6-37.6	66	38.0	27.8-48.2	37	29.0	18.6-39.4
\$25,000- 34,999	133	24,502	1	0.9	00.0-02.7	44	37.9	25.4-50.4	49	33.5	22.1-44.9	39	27.7	16.3-39.1
\$35,000- 49,999	270	48,352	1	0.6	00.0-01.8	64	30.7	21.1-40.3	106	34.5	26.5-42.5	99	34.1	26.1-42.1
\$50,000- 74,999	291	47,708	2	0.9	00.0-02.5	71	27.3	20.6-34.0	131	44.3	36.5-52.1	87	27.6	21.1-34.1
\$75,000+	545	93,738	3	0.7	00.0-01.7	118	21.5	16.6-26.4	250	47.0	41.3-52.7	174	30.8	25.7-35.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2742	338,068	65	2.3	01.5-03.1	1045	40.4	37.7-43.1	826	28.7	26.3-31.1	806	28.6	26.1-31.1
White/Non-Hisp	2085	234,943	50	2.6	01.6-03.6	849	43.2	40.1-46.3	633	28.8	26.1-31.5	553	25.4	22.9-27.9
Black or Afr. Am./Non-Hisp	439	67,652	4	0.3	00.0-00.7	102	26.9	20.8-33.0	130	29.6	23.3-35.9	203	43.2	36.5-49.9
Oth. Race/Non-Hisp.	71	7,585	7	18.0	03.7-32.3	32	48.4	32.5-64.3	20	20.6	10.0-31.2	12	13.0	04.8-21.2
Hispanic	85	21,833	1	0.5	00.0-01.5	38	49.6	34.7-64.5	26	26.3	15.1-37.5	20	23.5	10.0-37.0
18-24	109	40,770	5	3.5	00.0-07.0	71	64.5	52.3-76.7	20	17.1	08.3-25.9	13	14.9	04.9-24.9
25-34	290	55,357	13	4.9	01.6-08.2	111	37.8	30.5-45.1	76	29.3	22.2-36.4	90	28.1	21.6-34.6
35-44	332	54,840	4	0.9	00.0-01.9	134	38.2	31.7-44.7	91	27.0	21.1-32.9	103	33.9	27.4-40.4
45-54	454	60,252	7	0.6	00.2-01.0	176	39.9	34.2-45.6	131	29.7	24.4-35.0	140	29.9	24.2-35.6
55-64	600	52,027	9	1.8	00.4-03.2	205	33.6	28.7-38.5	187	30.3	25.6-35.0	199	34.3	29.4-39.2
65+	934	71,710	25	2.3	01.3-03.3	339	36.1	32.0-40.2	316	34.7	30.8-38.6	254	26.9	23.2-30.6
Less Than H.S.	170	44,384	3	2.4	00.0-05.7	48	29.8	20.0-39.6	50	28.2	19.6-36.8	69	39.6	29.8-49.4
H.S. or G.E.D.	832	100,231	21	2.1	01.1-03.1	282	38.3	33.4-43.2	270	31.2	26.9-35.5	259	28.4	24.3-32.5
Some Post-H.S.	804	104,097	16	1.7	00.5-02.9	281	42.1	37.0-47.2	248	27.6	23.3-31.9	259	28.6	24.3-32.9
College Graduate	932	89,138	25	3.2	01.6-04.8	432	46.2	41.7-50.7	257	27.4	23.3-31.5	218	23.2	19.1-27.3
Less than \$15,000	337	38,419	8	2.6	00.6-04.6	119	33.5	25.7-41.3	96	26.8	19.4-34.2	114	37.1	28.7-45.5
\$15,000- 24,999	356	45,421	12	3.7	00.2-07.2	99	27.9	21.2-34.6	98	28.6	21.3-35.9	147	39.9	32.5-47.3
\$25,000- 34,999	241	26,781	5	2.2	00.0-04.6	91	38.1	29.9-46.3	60	25.8	18.4-33.2	85	33.9	25.9-41.9
\$35,000- 49,999	328	38,310	5	1.1	00.0-02.3	120	38.3	29.9-46.7	100	30.8	23.5-38.1	103	29.9	22.3-37.5
\$50,000- 74,999	393	48,259	9	1.7	00.5-02.9	152	43.6	36.3-50.9	129	29.5	23.4-35.6	103	25.2	19.5-30.9
\$75,000+	654	86,198	10	2.4	00.6-04.2	272	43.5	38.6-48.4	210	31.2	26.5-35.9	162	22.9	18.8-27.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4530	659,942	1570	36.2	34.0-38.4	2960	63.8	61.6-66.0
Male	1788	321,874	460	29.4	26.3-32.5	1328	70.6	67.5-73.7
Female	2742	338,068	1110	42.8	40.1-45.5	1632	57.2	54.5-59.9
White/Non-Hisp	3501	460,267	1247	36.9	34.5-39.3	2254	63.1	60.7-65.5
Black or Afr. Am./Non-Hisp	649	125,332	162	28.3	23.2-33.4	487	71.7	66.6-76.8
Oth. Race/Non-Hisp.	133	20,776	67	56.0	44.4-67.6	66	44.0	32.4-55.6
MultiRacial/Non-Hisp.	77	9,080	26	33.4	19.7-47.1	51	66.6	52.9-80.3
Hispanic	130	40,958	53	43.3	31.5-55.1	77	56.7	44.9-68.5
18-24	235	82,780	140	63.3	55.3-71.3	95	36.7	28.7-44.7
25-34	489	111,263	189	37.6	31.9-43.3	300	62.4	56.7-68.1
35-44	540	108,618	190	32.7	27.6-37.8	350	67.3	62.2-72.4
45-54	779	121,989	253	32.0	27.7-36.3	526	68.0	63.7-72.3
55-64	969	102,815	292	27.5	23.8-31.2	677	72.5	68.8-76.2
65+	1482	127,182	491	31.0	27.9-34.1	991	69.0	65.9-72.1
Less Than H.S.	286	88,593	82	30.5	23.2-37.8	204	69.5	62.2-76.8
H.S. or G.E.D.	1374	210,983	437	35.0	31.3-38.7	937	65.0	61.3-68.7
Some Post-H.S.	1260	190,700	410	37.8	33.7-41.9	850	62.2	58.1-66.3
College Graduate	1601	168,161	638	38.9	35.8-42.0	963	61.1	58.0-64.2
Less than \$15,000	495	68,589	166	32.7	26.6-38.8	329	67.3	61.2-73.4
\$15,000- 24,999	506	74,269	158	32.1	26.0-38.2	348	67.9	61.8-74.0
\$25,000- 34,999	374	51,283	141	39.6	32.2-47.0	233	60.4	53.0-67.8
\$35,000- 49,999	598	86,662	190	34.9	28.4-41.4	408	65.1	58.6-71.6
\$50,000- 74,999	684	95,968	234	36.8	31.7-41.9	450	63.2	58.1-68.3
\$75,000+	1199	179,936	403	33.5	30.0-37.0	796	66.5	63.0-70.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1788	321,874	460	29.4	26.3-32.5	1328	70.6	67.5-73.7
White/Non-Hisp	1416	225,324	348	27.6	24.1-31.1	1068	72.4	68.9-75.9
Black or Afr. Am./Non-Hisp	210	57,679	56	29.6	21.4-37.8	154	70.4	62.2-78.6
Oth. Race/Non-Hisp.	62	13,191	28	50.1	33.6-66.6	34	49.9	33.4-66.4
18-24	126	42,010	64	58.7	47.7-69.7	62	41.3	30.3-52.3
25-34	199	55,906	65	32.5	23.9-41.1	134	67.5	58.9-76.1
35-44	208	53,778	52	26.3	18.5-34.1	156	73.7	65.9-81.5
45-54	325	61,737	70	23.8	17.7-29.9	255	76.2	70.1-82.3
55-64	369	50,788	78	19.4	13.9-24.9	291	80.6	75.1-86.1
65+	548	55,472	127	21.5	17.0-26.0	421	78.5	74.0-83.0
Less Than H.S.	116	44,209	31	28.7	17.9-39.5	85	71.3	60.5-82.1
H.S. or G.E.D.	542	110,752	134	30.0	24.3-35.7	408	70.0	64.3-75.7
Some Post-H.S.	456	86,603	113	30.7	24.2-37.2	343	69.3	62.8-75.8
College Graduate	669	79,023	181	26.9	22.6-31.2	488	73.1	68.8-77.4
Less than \$15,000	158	30,170	39	28.4	18.6-38.2	119	71.6	61.8-81.4
\$15,000- 24,999	150	28,847	47	33.0	22.2-43.8	103	67.0	56.2-77.8
\$25,000- 34,999	133	24,502	45	38.8	26.3-51.3	88	61.2	48.7-73.7
\$35,000- 49,999	270	48,352	65	31.3	21.7-40.9	205	68.7	59.1-78.3
\$50,000- 74,999	291	47,708	73	28.2	21.3-35.1	218	71.8	64.9-78.7
\$75,000+	545	93,738	121	22.1	17.2-27.0	424	77.9	73.0-82.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2742	338,068	1110	42.8	40.1-45.5	1632	57.2	54.5-59.9
White/Non-Hisp	2085	234,943	899	45.8	42.7-48.9	1186	54.2	51.1-57.3
Black or Afr. Am./Non-Hisp	439	67,652	106	27.2	21.1-33.3	333	72.8	66.7-78.9
Oth. Race/Non-Hisp.	71	7,585	39	66.4	53.1-79.7	32	33.6	20.3-46.9
Hispanic	85	21,833	39	50.1	35.2-65.0	46	49.9	35.0-64.8
18-24	109	40,770	76	68.0	56.0-80.0	33	32.0	20.0-44.0
25-34	290	55,357	124	42.7	35.3-50.1	166	57.3	49.9-64.7
35-44	332	54,840	138	39.1	32.6-45.6	194	60.9	54.4-67.4
45-54	454	60,252	183	40.5	34.8-46.2	271	59.5	53.8-65.2
55-64	600	52,027	214	35.4	30.5-40.3	386	64.6	59.7-69.5
65+	934	71,710	364	38.3	34.2-42.4	570	61.7	57.6-65.8
Less Than H.S.	170	44,384	51	32.2	22.2-42.2	119	67.8	57.8-77.8
H.S. or G.E.D.	832	100,231	303	40.5	35.6-45.4	529	59.5	54.6-64.4
Some Post-H.S.	804	104,097	297	43.8	38.7-48.9	507	56.2	51.1-61.3
College Graduate	932	89,138	457	49.4	44.9-53.9	475	50.6	46.1-55.1
Less than \$15,000	337	38,419	127	36.1	28.1-44.1	210	63.9	55.9-71.9
\$15,000- 24,999	356	45,421	111	31.6	24.5-38.7	245	68.4	61.3-75.5
\$25,000- 34,999	241	26,781	96	40.3	32.1-48.5	145	59.7	51.5-67.9
\$35,000- 49,999	328	38,310	125	39.3	30.9-47.7	203	60.7	52.3-69.1
\$50,000- 74,999	393	48,259	161	45.3	38.0-52.6	232	54.7	47.4-62.0
\$75,000+	654	86,198	282	45.9	40.8-51.0	372	54.1	49.0-59.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS

**TABLE 46: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	691,021	3458	61.5	59.3-63.7	577	17.4	15.6-19.2	453	12.8	11.4-14.2	191	5.7	04.7-06.7	55	1.7	01.1-02.3	27	0.9	00.3-01.5
Male	1814	329,257	1356	64.8	61.5-68.1	206	16.1	13.6-18.6	161	11.8	09.6-14.0	56	4.3	02.9-05.7	25	2.3	01.1-03.5	10	0.7	00.1-01.3
Female	2947	361,764	2102	58.4	55.7-61.1	371	18.7	16.3-21.1	292	13.7	11.7-15.7	135	7.0	05.6-08.4	30	1.2	00.6-01.8	17	1.1	00.3-01.9
White/Non-Hisp	3678	478,650	2833	66.7	64.3-69.1	382	15.5	13.5-17.5	298	11.0	09.6-12.4	124	5.1	03.9-06.3	29	1.3	00.7-01.9	12	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	684	132,474	396	49.7	44.4-55.0	125	22.0	17.5-26.5	98	16.1	12.2-20.0	35	6.3	03.8-08.8	19	2.9	01.1-04.7	11	3.2	00.8-05.6
Oth. Race/Non-Hisp.	139	22,056	79	52.2	40.4-64.0	30	23.6	14.2-33.0	22	19.1	08.3-29.9	6	1.7	00.1-03.3	1	3.0	00.0-08.7	1	0.3	00.0-00.9
MultiRacial/Non-Hisp.	80	9,532	46	57.9	44.4-71.4	13	12.7	04.9-20.5	9	15.0	04.6-25.4	6	5.7	00.4-11.0	3	5.4	00.0-12.3	3	3.3	00.0-07.4
Hispanic	135	44,314	69	45.3	33.9-56.7	19	21.9	12.1-31.7	25	19.1	10.1-28.1	19	12.5	04.9-20.1	3	1.1	00.0-02.5			
18-24	241	83,808	136	51.8	43.4-60.2	67	32.6	24.4-40.8	25	10.8	05.5-16.1	6	1.4	00.0-02.8	5	2.1	00.0-04.3	2	1.3	00.0-03.3
25-34	508	116,205	197	41.0	35.3-46.7	110	23.7	18.6-28.8	110	17.3	13.4-21.2	60	12.6	08.9-16.3	19	3.1	01.3-04.9	12	2.3	00.1-04.5
35-44	568	115,144	141	25.6	20.9-30.3	136	24.3	20.0-28.6	179	31.1	26.2-36.0	80	12.4	09.3-15.5	25	5.1	02.6-07.6	7	1.5	00.1-02.9
45-54	821	127,986	515	58.9	54.4-63.4	170	20.9	17.4-24.4	96	13.0	09.9-16.1	33	6.3	03.2-09.4	3	0.3	00.0-00.7	4	0.6	00.0-01.2
55-64	1024	107,445	917	87.2	84.3-90.1	64	7.5	05.1-09.9	33	4.6	02.8-06.4	7	0.5	00.0-01.1	2	0.1	00.0-00.3	1	0.1	00.0-00.3
65+	1545	133,345	1503	96.5	95.3-97.7	27	1.9	01.1-02.7	8	1.0	00.2-01.8	5	0.4	00.0-00.8	1	0.1	00.0-00.3	1	0.0	00.0-00.0
Less Than H.S.	296	93,369	220	63.1	55.8-70.4	33	17.5	11.2-23.8	21	8.7	04.8-12.6	15	6.8	03.1-10.5	3	1.2	00.0-03.0	4	2.7	00.0-05.4
H.S. or G.E.D.	1457	222,125	1085	60.2	56.3-64.1	162	18.0	14.7-21.3	132	13.9	11.2-16.6	54	5.9	03.7-08.1	16	1.3	00.5-02.1	8	0.7	00.1-01.3
Some Post-H.S.	1340	199,911	958	62.1	58.2-66.0	179	17.6	14.5-20.7	116	11.6	09.1-14.1	60	5.4	03.8-07.0	19	2.6	01.0-04.2	8	0.7	00.0-01.5
College Graduate	1656	174,135	1185	61.2	58.1-64.3	201	16.6	14.1-19.1	184	15.0	12.6-17.4	62	5.1	03.5-06.7	17	1.5	00.7-02.3	7	0.6	00.0-01.2
Less than \$15,000	522	72,955	413	69.4	63.1-75.7	45	12.7	08.2-17.2	40	9.9	06.2-13.6	17	4.2	01.8-06.6	5	2.5	00.0-05.2	2	1.4	00.0-03.8
\$15,000- 24,999	522	75,948	398	63.6	57.3-69.9	58	14.2	09.7-18.7	32	9.2	05.5-12.9	27	10.7	06.0-15.4	5	1.0	00.0-02.0	2	1.4	00.0-03.6
\$25,000- 34,999	389	52,701	295	64.3	56.9-71.7	40	15.5	09.8-21.2	31	13.2	07.3-19.1	11	4.2	01.1-07.3	5	1.3	00.0-02.7	7	1.6	00.0-03.2
\$35,000- 49,999	620	90,126	439	62.0	55.9-68.1	82	17.1	11.6-22.6	55	10.7	07.4-14.0	25	6.1	03.2-09.0	11	1.7	00.5-02.9	8	2.4	00.2-04.6
\$50,000- 74,999	710	98,516	502	62.4	57.3-67.5	93	16.8	12.9-20.7	76	13.2	09.9-16.5	28	5.8	02.5-09.1	9	1.6	00.4-02.8	2	0.2	00.0-00.6
\$75,000+	1226	183,859	793	54.2	50.5-57.9	177	18.8	15.7-21.9	178	18.4	15.5-21.3	62	6.0	04.2-07.8	13	2.3	00.9-03.7	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 47: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1814	329,257	1356	64.8	61.7-67.9	206	16.1	13.6-18.6	161	11.8	09.6-14.0	56	4.3	02.9-05.7	25	2.3	01.1-03.5	10	0.7	00.1-01.3
White/Non-Hisp	1425	225,900	1104	68.8	65.3-72.3	144	14.7	11.8-17.6	111	9.9	07.9-11.9	45	4.3	02.7-05.9	16	1.8	00.6-03.0	5	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	217	60,581	135	56.6	48.2-65.0	33	15.4	09.7-21.1	30	17.6	10.7-24.5	8	4.0	01.1-06.9	8	4.5	00.8-08.2	3	1.9	00.0-04.3
Oth. Race/Non-Hisp.	67	14,404	45	55.1	39.0-71.2	12	20.0	08.0-32.0	9	20.3	04.8-35.8	1	4.6	00.0-13.2						
18-24	128	42,254	81	59.2	47.8-70.6	33	28.8	18.0-39.6	8	7.9	02.2-13.6	3	1.7	00.0-03.9	3	2.4	00.0-05.7			
25-34	205	58,009	115	52.7	43.9-61.5	34	22.6	14.6-30.6	32	12.5	07.6-17.4	16	8.8	04.1-13.5	6	3.0	00.1-05.9	2	0.4	00.0-01.0
35-44	211	55,356	64	30.9	23.1-38.7	49	22.0	15.5-28.5	56	28.0	20.4-35.6	24	8.3	04.6-12.0	14	8.2	03.3-13.1	4	2.6	00.0-05.5
45-54	325	62,127	202	59.6	52.3-66.9	60	17.3	12.2-22.4	48	16.0	10.7-21.3	10	5.6	00.5-10.7	2	0.4	00.0-01.0	3	1.1	00.0-02.5
55-64	370	50,867	330	87.4	82.7-92.1	25	7.9	03.8-12.0	14	4.6	01.9-07.3	1	0.1	00.0-00.3						
65+	559	57,900	549	98.0	96.6-99.4	4	0.8	00.0-01.8	3	0.8	00.0-01.8	2	0.2	00.0-00.6				1	0.1	00.0-00.3
Less Than H.S.	121	47,491	93	70.6	60.4-80.8	12	15.2	06.6-23.8	9	8.2	02.7-13.7	3	2.2	00.0-05.1	2	2.2	00.0-05.5	2	1.6	00.0-04.1
H.S. or G.E.D.	549	112,449	405	60.8	54.9-66.7	68	17.8	13.1-22.5	50	14.0	09.5-18.5	15	5.1	01.8-08.4	8	1.6	00.4-02.8	3	0.6	00.0-01.4
Some Post-H.S.	464	87,864	340	65.1	59.0-71.2	63	17.7	12.4-23.0	40	9.7	06.4-13.0	14	3.8	01.4-06.2	6	3.4	00.5-06.3	1	0.2	00.0-00.6
College Graduate	676	80,330	515	66.3	61.4-71.2	62	12.5	09.0-16.0	62	13.3	09.8-16.8	24	4.8	02.6-07.0	9	2.1	00.5-03.7	4	1.0	00.0-02.4
Less than \$15,000	162	31,131	135	78.5	69.7-87.3	10	6.4	01.7-11.1	8	7.0	02.1-11.9	6	3.9	00.0-07.8	3	4.3	00.0-10.2			
\$15,000- 24,999	153	29,379	123	71.8	61.6-82.0	14	11.5	04.1-18.9	8	9.0	01.9-16.1	6	5.8	00.7-10.9	1	1.2	00.0-03.6	1	0.7	00.0-02.1
\$25,000- 34,999	133	24,458	109	66.3	53.4-79.2	9	13.0	03.6-22.4	11	14.8	04.4-25.2	2	3.4	00.0-09.1	1	1.0	00.0-03.0	1	1.5	00.0-04.4
\$35,000- 49,999	271	48,773	207	68.1	59.3-76.9	31	15.7	07.9-23.5	21	10.5	05.6-15.4	6	2.6	00.2-05.0	3	1.4	00.0-03.0	3	1.8	00.0-04.3
\$50,000- 74,999	292	47,768	212	62.4	54.6-70.2	36	15.9	10.4-21.4	28	11.8	07.1-16.5	9	7.1	00.6-13.6	5	2.4	00.2-04.6	2	0.4	00.0-01.2
\$75,000+	547	93,925	364	54.5	48.8-60.2	73	17.9	13.4-22.4	78	18.5	13.8-23.2	19	4.5	02.1-06.9	10	3.8	01.1-06.5	3	0.8	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 48: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2947	361,764	2102	58.4	55.7-61.1	371	18.7	16.3-21.1	292	13.7	11.7-15.7	135	7.0	05.6-08.4	30	1.2	00.6-01.8	17	1.1	00.3-01.9
White/Non-Hisp	2253	252,750	1729	64.8	61.9-67.7	238	16.2	13.7-18.7	187	12.0	10.0-14.0	79	5.8	04.2-07.4	13	0.8	00.2-01.4	7	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	467	71,893	261	43.8	37.5-50.1	92	27.5	21.0-34.0	68	14.9	10.8-19.0	27	8.1	04.0-12.2	11	1.5	00.5-02.5	8	4.2	00.3-08.1
Oth. Race/Non-Hisp.	72	7,652	34	46.6	30.7-62.5	18	30.4	15.7-45.1	13	17.0	06.2-27.8	6	5.0	00.7-09.3				1	1.0	00.0-03.0
Hispanic	87	22,872	42	41.6	27.3-55.9	8	13.8	03.8-23.8	17	26.1	11.6-40.6	17	16.3	07.9-24.7	3	2.2	00.0-04.7			
18-24	113	41,553	55	44.2	31.9-56.5	34	36.6	24.3-48.9	17	13.7	05.1-22.3	3	1.1	00.0-02.7	2	1.7	00.0-04.2	2	2.7	00.0-06.8
25-34	303	58,196	82	29.4	22.5-36.3	76	24.8	18.7-30.9	78	22.0	16.3-27.7	44	16.3	10.6-22.0	13	3.3	01.3-05.3	10	4.2	00.3-08.1
35-44	357	59,787	77	20.7	15.4-26.0	87	26.4	20.5-32.3	123	33.9	27.8-40.0	56	16.3	11.6-21.0	11	2.2	00.6-03.8	3	0.5	00.0-01.1
45-54	496	65,860	313	58.2	52.5-63.9	110	24.2	19.3-29.1	48	10.3	07.0-13.6	23	6.9	03.4-10.4	1	0.2	00.0-00.6	1	0.2	00.0-00.6
55-64	654	56,578	587	87.0	83.5-90.5	39	7.1	04.6-09.6	19	4.6	02.2-07.0	6	0.9	00.0-01.9	2	0.2	00.0-00.4	1	0.2	00.0-00.6
65+	986	75,445	954	95.3	93.3-97.3	23	2.8	01.4-04.2	5	1.2	00.0-02.4	3	0.6	00.0-01.4	1	0.1	00.0-00.3			
Less Than H.S.	175	45,878	127	55.3	45.3-65.3	21	19.8	11.0-28.6	12	9.3	03.6-15.0	12	11.7	04.8-18.6	1	0.2	00.0-00.6	2	3.8	00.0-08.9
H.S. or G.E.D.	908	109,676	680	59.5	54.6-64.4	94	18.3	13.6-23.0	82	13.7	10.4-17.0	39	6.7	04.2-09.2	8	1.0	00.2-01.8	5	0.7	00.0-01.5
Some Post-H.S.	876	112,047	618	59.7	54.8-64.6	116	17.5	13.8-21.2	76	13.1	09.2-17.0	46	6.7	04.5-08.9	13	1.9	00.5-03.3	7	1.2	00.0-02.6
College Graduate	980	93,805	670	56.9	52.6-61.2	139	20.1	16.4-23.8	122	16.5	13.4-19.6	38	5.4	03.4-07.4	8	0.9	00.1-01.7	3	0.3	00.0-00.7
Less than \$15,000	360	41,824	278	62.6	54.4-70.8	35	17.4	10.5-24.3	32	12.0	06.5-17.5	11	4.4	01.5-07.3	2	1.1	00.0-02.7	2	2.4	00.0-06.5
\$15,000- 24,999	369	46,569	275	58.4	50.6-66.2	44	15.9	10.4-21.4	24	9.3	05.0-13.6	21	13.8	07.1-20.5	4	0.9	00.0-01.9	1	1.8	00.0-05.3
\$25,000- 34,999	256	28,243	186	62.5	54.3-70.7	31	17.6	10.9-24.3	20	11.8	05.3-18.3	9	4.9	01.6-08.2	4	1.5	00.0-03.3	6	1.6	00.2-03.0
\$35,000- 49,999	349	41,353	232	54.8	46.6-63.0	51	18.9	11.5-26.3	34	11.0	06.7-15.3	19	10.3	04.6-16.0	8	2.0	00.4-03.6	5	3.1	00.0-06.8
\$50,000- 74,999	418	50,748	290	62.3	55.8-68.8	57	17.6	12.3-22.9	48	14.6	09.9-19.3	19	4.6	02.2-07.0	4	0.9	00.0-01.9			
\$75,000+	679	89,934	429	53.9	49.0-58.8	104	19.7	15.6-23.8	100	18.2	14.5-21.9	43	7.5	05.0-10.0	3	0.8	00.0-01.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 49: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4763	691,002	296	13.5	11.7-15.3	1459	32.2	30.2-34.2	1343	29.0	27.0-31.0	1665	25.3	23.7-26.9
Male	1817	329,191	121	14.4	11.7-17.1	550	34.2	31.1-37.3	466	26.9	24.0-29.8	680	24.5	22.1-26.9
Female	2946	361,811	175	12.7	10.3-15.1	909	30.3	27.9-32.7	877	31.0	28.5-33.5	985	26.0	23.8-28.2
White/Non-Hisp	3680	478,521	186	11.0	09.0-13.0	1106	31.6	29.4-33.8	1050	29.9	27.7-32.1	1338	27.5	25.7-29.3
Black or Afr. Am./Non-Hisp	683	132,366	74	20.4	15.5-25.3	253	37.0	31.9-42.1	184	27.2	22.7-31.7	172	15.4	12.5-18.3
Oth. Race/Non-Hisp.	138	22,354	6	4.1	00.4-07.8	29	18.0	07.8-28.2	32	28.3	17.3-39.3	71	49.6	38.0-61.2
MultiRacial/Non-Hisp.	80	9,532	7	15.8	04.6-27.0	18	23.8	12.2-35.4	32	42.6	28.9-56.3	23	17.8	09.4-26.2
Hispanic	134	44,136	21	24.7	14.3-35.1	41	32.1	21.3-42.9	32	23.7	14.1-33.3	40	19.5	11.3-27.7
18-24	241	83,808	25	17.1	10.0-24.2	92	36.1	28.1-44.1	92	37.2	29.0-45.4	32	9.6	04.7-14.5
25-34	507	116,061	31	16.9	11.2-22.6	118	26.4	21.3-31.5	138	25.4	20.7-30.1	220	31.4	26.7-36.1
35-44	568	115,435	15	6.0	02.9-09.1	148	32.2	27.1-37.3	164	30.4	25.5-35.3	241	31.4	27.1-35.7
45-54	823	128,303	40	11.1	07.4-14.8	261	35.4	30.9-39.9	223	28.1	24.2-32.0	299	25.4	22.1-28.7
55-64	1027	107,657	42	8.9	05.8-12.0	306	30.3	26.6-34.0	288	31.6	27.7-35.5	391	29.3	26.0-32.6
65+	1542	133,107	140	20.8	17.1-24.5	517	33.4	30.3-36.5	420	24.6	22.1-27.1	465	21.3	19.1-23.5
Less Than H.S.	296	93,369	296	100.0	0100-0100									
H.S. or G.E.D.	1459	222,268				1459	100.0	0100-0100						
Some Post-H.S.	1343	200,616							1343	100.0	0100-0100			
College Graduate	1665	174,749										1665	100.0	0100-0100
Less than \$15,000	520	72,746	57	25.4	18.9-31.9	240	42.2	35.9-48.5	147	23.3	18.4-28.2	76	9.2	05.1-13.3
\$15,000- 24,999	522	75,948	103	36.2	29.7-42.7	232	38.0	32.1-43.9	130	19.5	14.8-24.2	57	6.3	03.9-08.7
\$25,000- 34,999	390	52,809	28	17.4	10.1-24.7	150	38.9	31.8-46.0	136	32.3	25.8-38.8	76	11.4	08.3-14.5
\$35,000- 49,999	620	90,126	23	7.8	04.1-11.5	204	39.5	33.4-45.6	198	33.7	27.8-39.6	195	19.0	15.5-22.5
\$50,000- 74,999	710	98,586	10	4.9	01.2-08.6	187	32.3	27.2-37.4	229	34.3	29.6-39.0	284	28.6	24.7-32.5
\$75,000+	1227	184,005	8	1.8	00.4-03.2	157	16.6	13.5-19.7	300	31.1	27.4-34.8	762	50.5	46.8-54.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 50: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1817	329,191	121	14.4	11.7-17.1	550	34.2	31.1-37.3	466	26.9	24.0-29.8	680	24.5	22.1-26.9
White/Non-Hisp	1427	225,601	81	12.4	09.3-15.5	408	32.2	28.9-35.5	370	28.3	25.0-31.6	568	27.1	24.4-29.8
Black or Afr. Am./Non-Hisp	217	60,581	22	19.1	11.5-26.7	96	43.6	35.2-52.0	54	24.7	17.6-31.8	45	12.5	07.8-17.2
Oth. Race/Non-Hisp.	68	14,748	4	5.0	00.0-10.3	14	20.3	05.8-34.8	11	21.0	07.3-34.7	39	53.7	38.0-69.4
18-24	128	42,254	15	18.5	09.5-27.5	49	37.6	26.4-48.8	44	36.5	25.1-47.9	20	7.4	02.9-11.9
25-34	205	58,009	17	20.8	11.6-30.0	55	30.6	22.6-38.6	47	20.7	14.4-27.0	86	27.9	21.2-34.6
35-44	211	55,647	8	6.2	01.9-10.5	69	38.3	30.1-46.5	51	27.4	19.6-35.2	83	28.0	21.3-34.7
45-54	329	62,517	14	9.9	04.2-15.6	116	40.8	33.4-48.2	98	28.2	22.1-34.3	101	21.0	16.1-25.9
55-64	371	50,975	14	8.3	02.8-13.8	97	28.0	22.3-33.7	101	31.3	24.8-37.8	159	32.4	26.5-38.3
65+	558	57,722	53	23.7	17.4-30.0	162	30.4	25.3-35.5	118	19.1	15.2-23.0	225	26.8	22.7-30.9
Less Than H.S.	121	47,491	121	100.0	0100-0100									
H.S. or G.E.D.	550	112,516				550	100.0	0100-0100						
Some Post-H.S.	466	88,423							466	100.0	0100-0100			
College Graduate	680	80,762										680	100.0	0100-0100
Less than \$15,000	161	30,954	22	25.1	14.7-35.5	78	46.2	36.0-56.4	34	20.6	12.2-29.0	27	8.1	04.0-12.2
\$15,000- 24,999	153	29,379	27	32.3	21.3-43.3	71	42.4	31.8-53.0	34	17.2	09.8-24.6	21	8.1	03.0-13.2
\$25,000- 34,999	134	24,566	15	23.5	10.8-36.2	53	39.5	27.3-51.7	38	26.5	15.9-37.1	28	10.5	05.4-15.6
\$35,000- 49,999	271	48,773	12	9.3	03.2-15.4	110	45.5	36.5-54.5	75	29.7	21.1-38.3	74	15.5	11.0-20.0
\$50,000- 74,999	293	47,982	7	5.1	01.0-09.2	84	37.5	29.5-45.5	90	30.2	23.5-36.9	112	27.3	21.4-33.2
\$75,000+	547	93,925	7	3.4	00.9-05.9	66	17.4	12.5-22.3	134	31.8	26.3-37.3	340	47.3	41.8-52.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 51: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2946	361,811	175	12.7	10.3-15.1	909	30.3	27.9-32.7	877	31.0	28.5-33.5	985	26.0	23.8-28.2
White/Non-Hisp	2253	252,920	105	9.8	07.4-12.2	698	31.1	28.4-33.8	680	31.3	28.6-34.0	770	27.8	25.4-30.2
Black or Afr. Am./Non-Hisp	466	71,785	52	21.4	14.9-27.9	157	31.5	25.6-37.4	130	29.2	23.3-35.1	127	17.9	14.0-21.8
Oth. Race/Non-Hisp.	70	7,605	2	2.5	00.0-06.4	15	13.7	05.7-21.7	21	42.2	25.5-58.9	32	41.7	26.6-56.8
Hispanic	87	22,872	13	22.7	10.4-35.0	26	26.2	15.4-37.0	20	25.8	11.5-40.1	28	25.3	12.4-38.2
18-24	113	41,553	10	15.7	05.1-26.3	43	34.6	23.2-46.0	48	38.0	26.2-49.8	12	11.7	02.9-20.5
25-34	302	58,052	14	12.9	06.4-19.4	63	22.1	16.2-28.0	91	30.1	23.2-37.0	134	34.9	28.4-41.4
35-44	357	59,787	7	5.8	01.5-10.1	79	26.5	20.6-32.4	113	33.1	27.0-39.2	158	34.6	28.9-40.3
45-54	494	65,786	26	12.2	07.5-16.9	145	30.2	25.1-35.3	125	28.0	22.9-33.1	198	29.6	25.1-34.1
55-64	656	56,683	28	9.4	05.9-12.9	209	32.3	27.8-36.8	187	32.0	27.3-36.7	232	26.4	22.5-30.3
65+	984	75,385	87	18.5	14.2-22.8	355	35.7	32.0-39.4	302	28.8	25.3-32.3	240	17.1	14.6-19.6
Less Than H.S.	175	45,878	175	100.0	0100-0100									
H.S. or G.E.D.	909	109,753				909	100.0	0100-0100						
Some Post-H.S.	877	112,193							877	100.0	0100-0100			
College Graduate	985	93,987										985	100.0	0100-0100
Less than \$15,000	359	41,792	35	25.6	17.4-33.8	162	39.2	31.6-46.8	113	25.3	19.4-31.2	49	9.9	03.2-16.6
\$15,000- 24,999	369	46,569	76	38.7	30.9-46.5	161	35.2	28.5-41.9	96	20.9	14.8-27.0	36	5.2	03.0-07.4
\$25,000- 34,999	256	28,243	13	12.1	04.5-19.7	97	38.3	30.5-46.1	98	37.4	30.0-44.8	48	12.1	08.2-16.0
\$35,000- 49,999	349	41,353	11	6.0	02.1-09.9	94	32.4	24.4-40.4	123	38.3	30.5-46.1	121	23.3	17.8-28.8
\$50,000- 74,999	417	50,604	3	4.7	00.0-11.0	103	27.3	21.2-33.4	139	38.1	31.6-44.6	172	29.8	24.5-35.1
\$75,000+	680	90,081	1	0.1	00.0-00.3	91	15.9	12.2-19.6	166	30.2	25.5-34.9	422	53.8	48.9-58.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 52: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3993	574,739	522	12.7	11.1-14.3	523	13.2	11.6-14.8	390	9.2	07.8-10.6	620	15.7	13.9-17.5	1938	49.2	47.0-51.4
Male	1561	275,921	162	11.3	09.1-13.5	154	10.7	08.5-12.9	134	8.9	06.7-11.1	271	17.7	14.8-20.6	840	51.4	47.9-54.9
Female	2432	298,818	360	14.0	11.8-16.2	369	15.6	13.4-17.8	256	9.5	07.9-11.1	349	13.8	11.8-15.8	1098	47.1	44.4-49.8
White/Non-Hisp	3085	401,906	370	11.1	09.5-12.7	331	9.2	07.8-10.6	283	8.6	07.2-10.0	490	16.1	14.1-18.1	1611	55.1	52.6-57.6
Black or Afr. Am./Non-Hisp	580	108,629	102	16.9	12.8-21.0	131	25.5	20.4-30.6	67	9.1	06.2-12.0	94	16.2	12.1-20.3	186	32.3	27.2-37.4
Oth. Race/Non-Hisp.	115	18,755	10	7.9	02.0-13.8	18	12.8	05.9-19.7	12	14.4	02.1-26.7	12	7.1	02.4-11.8	63	57.8	45.1-70.5
MultiRacial/Non-Hisp.	70	7,535	15	17.9	07.3-28.5	15	22.1	09.9-34.3	3	5.0	00.0-10.9	7	10.7	02.1-19.3	30	44.3	30.0-58.6
Hispanic	115	35,090	22	19.9	09.7-30.1	22	19.1	10.5-27.7	19	14.1	06.7-21.5	13	15.5	04.5-26.5	39	31.3	20.3-42.3
18-24	171	53,374	37	18.4	10.8-26.0	39	20.8	13.2-28.4	20	9.4	04.1-14.7	23	17.0	07.4-26.6	52	34.4	24.4-44.4
25-34	459	102,491	62	14.7	10.4-19.0	54	14.1	09.8-18.4	49	8.4	05.7-11.1	82	19.0	14.1-23.9	212	43.7	38.0-49.4
35-44	518	104,176	41	9.0	05.5-12.5	31	6.6	04.1-09.1	36	7.9	04.4-11.4	91	17.7	13.4-22.0	319	58.8	53.3-64.3
45-54	724	112,973	61	7.7	05.3-10.1	90	12.2	09.1-15.3	53	7.2	04.5-09.9	78	10.5	07.6-13.4	442	62.3	57.6-67.0
55-64	905	96,961	102	10.2	07.3-13.1	119	13.3	10.0-16.6	80	9.0	06.5-11.5	121	13.6	10.7-16.5	483	53.8	49.3-58.3
65+	1192	101,706	215	19.1	15.8-22.4	188	16.5	13.6-19.4	150	13.7	11.0-16.4	224	17.4	14.9-19.9	415	33.3	30.0-36.6
Less Than H.S.	229	70,294	57	26.2	19.1-33.3	103	39.1	31.3-46.9	28	13.1	07.2-19.0	23	10.0	05.1-14.9	18	11.6	05.5-17.7
H.S. or G.E.D.	1170	178,141	240	17.2	14.3-20.1	232	16.2	13.5-18.9	150	11.5	09.0-14.0	204	20.0	16.5-23.5	344	35.1	31.2-39.0
Some Post-H.S.	1140	170,059	147	10.0	07.8-12.2	130	8.7	06.5-10.9	136	10.0	07.8-12.2	198	17.8	14.3-21.3	529	53.5	49.4-57.6
College Graduate	1450	155,727	76	4.3	02.3-06.3	57	3.1	01.9-04.3	76	3.9	02.9-04.9	195	11.0	09.0-13.0	1046	77.7	74.8-80.6
Less than \$15,000	522	72,955	522	100.0	0100-0100												
\$15,000- 24,999	523	76,113				523	100.0	0100-0100									
\$25,000- 34,999	390	52,809							390	100.0	0100-0100						
\$35,000- 49,999	620	90,126										620	100.0	0100-0100			
\$50,000- 74,999	711	98,730													711	100.0	0100-0100
\$75,000+	1227	184,005													1227	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 53: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1561	275,921	162	11.3	09.1-13.5	154	10.7	08.5-12.9	134	8.9	06.7-11.1	271	17.7	14.8-20.6	840	51.4	48.1-54.7
White/Non-Hisp	1234	192,033	110	9.4	07.0-11.8	95	7.1	05.3-08.9	91	7.7	05.3-10.1	221	18.3	15.2-21.4	717	57.5	53.6-61.4
Black or Afr. Am./Non-Hisp	186	49,836	31	16.9	10.2-23.6	35	22.0	14.2-29.8	22	9.3	04.2-14.4	35	17.2	10.7-23.7	63	34.7	26.1-43.3
Oth. Race/Non-Hisp.	54	12,011	8	10.9	01.9-19.9	8	13.5	03.7-23.3	6	18.2	00.0-36.4	4	6.1	00.0-12.4	28	51.2	33.8-68.6
18-24	89	26,781	20	16.7	08.3-25.1	16	15.8	06.4-25.2	11	11.6	02.8-20.4	15	24.3	09.0-39.6	27	31.5	18.4-44.6
25-34	180	49,213	20	13.0	06.7-19.3	16	10.9	04.6-17.2	13	7.9	03.0-12.8	34	18.9	11.5-26.3	97	49.2	40.2-58.2
35-44	195	51,005	13	8.6	03.1-14.1	13	7.0	03.3-10.7	10	7.2	01.7-12.7	39	20.0	13.1-26.9	120	57.2	48.6-65.8
45-54	297	55,154	28	8.8	05.1-12.5	30	8.5	04.8-12.2	17	8.0	02.9-13.1	34	11.6	06.7-16.5	188	63.1	55.8-70.4
55-64	335	46,967	25	8.9	04.0-13.8	37	11.9	06.4-17.4	33	9.2	04.7-13.7	50	14.2	09.5-18.9	190	55.7	48.4-63.0
65+	457	45,622	56	15.0	10.3-19.7	42	13.3	08.4-18.2	49	11.2	07.5-14.9	98	20.3	15.8-24.8	212	40.2	34.7-45.7
Less Than H.S.	90	33,212	22	23.4	13.0-33.8	27	28.5	17.5-39.5	15	17.4	07.2-27.6	12	13.6	04.8-22.4	14	17.1	08.1-26.1
H.S. or G.E.D.	462	92,994	78	15.4	11.3-19.5	71	13.4	09.5-17.3	53	10.4	06.7-14.1	110	23.9	18.2-29.6	150	36.9	30.8-43.0
Some Post-H.S.	405	76,818	34	8.3	04.6-12.0	34	6.6	03.7-09.5	38	8.5	04.8-12.2	75	18.9	13.0-24.8	224	57.8	51.1-64.5
College Graduate	602	72,555	27	3.5	01.7-05.3	21	3.3	01.1-05.5	28	3.5	01.9-05.1	74	10.4	07.7-13.1	452	79.3	75.4-83.2
Less than \$15,000	162	31,131	162	100.0	0100-0100												
\$15,000- 24,999	154	29,544				154	100.0	0100-0100									
\$25,000- 34,999	134	24,566							134	100.0	0100-0100						
\$35,000- 49,999	271	48,773										271	100.0	0100-0100			
\$50,000- 74,999	293	47,982													293	100.0	0100-0100
\$75,000+	547	93,925													547	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 54: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2432	298,818	360	14.0	11.8-16.2	369	15.6	13.4-17.8	256	9.5	07.9-11.1	349	13.8	11.8-15.8	1098	47.1	44.4-49.8
White/Non-Hisp	1851	209,874	260	12.6	10.4-14.8	236	11.2	09.2-13.2	192	9.3	07.7-10.9	269	14.0	11.6-16.4	894	52.9	49.8-56.0
Black or Afr. Am./Non-Hisp	394	58,794	71	16.8	11.9-21.7	96	28.5	21.8-35.2	45	9.0	05.9-12.1	59	15.4	10.3-20.5	123	30.2	24.1-36.3
Oth. Race/Non-Hisp.	61	6,744	2	2.4	00.0-06.3	10	11.5	03.3-19.7	6	7.6	01.1-14.1	8	8.9	01.8-16.0	35	69.5	56.2-82.8
Hispanic	74	18,246	15	22.6	07.5-37.7	17	25.4	13.1-37.7	11	14.7	04.1-25.3	8	10.4	00.8-20.0	23	26.8	15.2-38.4
18-24	82	26,593	17	20.1	07.4-32.8	23	25.8	13.8-37.8	9	7.1	01.2-13.0	8	9.6	00.0-20.0	25	37.3	22.6-52.0
25-34	279	53,278	42	16.4	10.5-22.3	38	17.1	11.0-23.2	36	8.8	05.7-11.9	48	19.1	12.6-25.6	115	38.7	31.6-45.8
35-44	323	53,171	28	9.3	05.0-13.6	18	6.2	02.7-09.7	26	8.6	04.5-12.7	52	15.6	10.5-20.7	199	60.3	53.4-67.2
45-54	427	57,819	33	6.7	04.0-09.4	60	15.8	10.7-20.9	36	6.5	04.0-09.0	44	9.4	06.3-12.5	254	61.6	55.7-67.5
55-64	570	49,994	77	11.5	08.4-14.6	82	14.6	10.7-18.5	47	8.7	05.8-11.6	71	13.1	09.6-16.6	293	52.0	46.7-57.3
65+	735	56,084	159	22.5	18.0-27.0	146	19.2	15.7-22.7	101	15.8	12.1-19.5	126	15.0	12.1-17.9	203	27.6	23.7-31.5
Less Than H.S.	139	37,082	35	28.8	19.0-38.6	76	48.6	37.8-59.4	13	9.2	02.9-15.5	11	6.7	02.2-11.2	4	6.6	00.0-15.0
H.S. or G.E.D.	708	85,146	162	19.3	15.4-23.2	161	19.3	15.6-23.0	97	12.7	09.6-15.8	94	15.7	11.2-20.2	194	33.0	28.1-37.9
Some Post-H.S.	735	93,242	113	11.3	08.8-13.8	96	10.4	07.3-13.5	98	11.3	08.8-13.8	123	17.0	13.1-20.9	305	49.9	45.0-54.8
College Graduate	848	83,173	49	5.0	01.7-08.3	36	2.9	01.7-04.1	48	4.1	02.7-05.5	121	11.6	08.9-14.3	594	76.4	72.3-80.5
Less than \$15,000	360	41,824	360	100.0	0100-0100												
\$15,000- 24,999	369	46,569				369	100.0	0100-0100									
\$25,000- 34,999	256	28,243							256	100.0	0100-0100						
\$35,000- 49,999	349	41,353										349	100.0	0100-0100			
\$50,000- 74,999	418	50,748													418	100.0	0100-0100
\$75,000+	680	90,081													680	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 9: FRUITS AND VEGETABLES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)	
1 MALES AND FEMALES	94
2 MALES ONLY	95
3 FEMALES ONLY	96
FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)	
4 MALES AND FEMALES	97
5 MALES ONLY	98
6 FEMALES ONLY	99
BEAN INTAKE IN TIMES PER DAY (BEANDAY_)	
7 MALES AND FEMALES	100
8 MALES ONLY	101
9 FEMALES ONLY	102
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)	
10 MALES AND FEMALES	103
11 MALES ONLY	104
12 FEMALES ONLY	105
ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)	
13 MALES AND FEMALES	106
14 MALES ONLY	107
15 FEMALES ONLY	108
VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)	
16 MALES AND FEMALES	109
17 MALES ONLY	110
18 FEMALES ONLY	111

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011

SECTION 9: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)	
19	MALES AND FEMALES	112
20	MALES ONLY	113
21	FEMALES ONLY	114
	TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)	
22	MALES AND FEMALES	115
23	MALES ONLY	116
24	FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4657	677,619	1898	44.5	42.3-46.7	1172	21.9	20.3-23.5	40	1.2	0.6-01.8	20	0.5	0.01-00.9	1	0.0	0.00-00.0	1526	31.9	29.9-33.9
Male	1770	322,183	760	46.2	42.9-49.5	453	22.0	19.5-24.5	15	1.1	0.3-01.9	9	0.6	0.02-01.0				533	30.1	27.0-33.2
Female	2887	355,437	1138	42.9	40.2-45.6	719	21.7	19.7-23.7	25	1.3	0.5-02.1	11	0.5	0.01-00.9	1	0.0	0.00-00.0	993	33.6	31.1-36.1
White/Non-Hisp	3612	472,149	1410	40.9	38.5-43.3	915	22.0	20.2-23.8	17	0.7	0.1-01.3	12	0.4	0.00-00.8				1258	35.9	33.5-38.3
Black or Afr. Am./Non-Hisp	651	126,994	305	50.4	45.1-55.7	162	21.1	17.0-25.2	16	2.4	0.0-04.8	7	0.8	0.02-01.4	1	0.1	0.00-00.3	160	25.2	20.5-29.9
Oth. Race/Non-Hisp.	138	22,072	68	60.6	49.8-71.4	34	15.9	09.4-22.4	2	3.9	0.0-09.4							34	19.6	11.4-27.8
MultiRacial/Non-Hisp.	78	9,397	35	49.1	35.2-63.0	17	25.6	13.1-38.1	4	4.3	0.0-08.6							22	21.1	10.7-31.5
Hispanic	132	43,045	64	57.4	46.2-68.6	34	24.5	14.7-34.3	1	0.6	0.0-01.8	1	1.4	0.00-04.1				32	16.1	09.6-22.6
18-24	233	82,135	137	55.9	47.3-64.5	43	17.7	11.2-24.2	5	3.6	0.0-07.7	2	1.1	0.00-02.7				46	21.8	14.7-28.9
25-34	498	114,110	242	49.1	43.4-54.8	107	18.7	14.6-22.8	5	0.8	0.0-01.6	5	1.1	0.01-02.1				139	30.3	24.8-35.8
35-44	552	111,930	286	55.0	49.7-60.3	83	14.2	10.5-17.9	2	0.3	0.0-00.7	2	0.3	0.00-00.9				179	30.2	25.5-34.9
45-54	809	126,583	332	41.2	36.7-45.7	159	19.5	16.0-23.0	7	1.2	0.0-02.4	6	0.6	0.00-01.2				305	37.4	32.9-41.9
55-64	1007	105,522	410	41.9	37.8-46.0	232	22.9	19.4-26.4	12	1.5	0.5-02.5	1	0.0	0.00-00.0	1	0.1	0.00-00.3	351	33.5	29.6-37.4
65+	1500	129,735	484	31.3	28.2-34.4	527	34.5	31.4-37.6	9	0.5	0.1-00.9	4	0.3	0.01-00.5				476	33.4	30.1-36.7
Less Than H.S.	286	91,392	95	37.2	29.8-44.6	80	20.2	14.9-25.5	4	2.1	0.0-05.2	2	0.8	0.00-02.0				105	39.7	32.3-47.1
H.S. or G.E.D.	1412	216,743	541	43.1	39.4-46.8	352	22.5	19.6-25.4	10	0.6	0.02-01.0	12	1.0	0.02-01.8				497	32.8	29.3-36.3
Some Post-H.S.	1311	195,656	555	46.0	42.1-49.9	304	20.7	17.6-23.8	17	1.7	0.5-02.9	4	0.3	0.00-00.7				431	31.3	27.8-34.8
College Graduate	1634	172,102	705	48.6	45.3-51.9	430	23.2	20.7-25.7	9	0.8	0.02-01.4	2	0.2	0.00-00.4	1	0.1	0.00-00.3	487	27.2	24.5-29.9
Less than \$15,000	506	70,112	185	38.3	31.8-44.8	145	24.3	19.2-29.4	3	0.4	0.0-00.8	4	0.9	0.00-01.9				169	36.1	29.8-42.4
\$15,000- 24,999	504	73,790	184	43.7	37.2-50.2	126	21.0	16.1-25.9	10	2.0	0.6-03.4	3	0.7	0.00-01.9				181	32.6	26.7-38.5
\$25,000- 34,999	383	51,745	146	37.7	30.6-44.8	98	23.5	17.4-29.6	5	2.2	0.0-04.6	1	0.3	0.00-00.9	1	0.3	0.00-00.9	132	35.9	28.6-43.2
\$35,000- 49,999	604	87,694	260	49.3	43.0-55.6	159	21.0	17.1-24.9	5	1.6	0.0-03.8	5	1.0	0.00-02.0				175	27.1	21.8-32.4
\$50,000- 74,999	699	97,476	313	50.6	45.5-55.7	161	20.9	17.0-24.8	8	1.2	0.2-02.2	2	0.4	0.00-01.0				215	27.0	22.9-31.1
\$75,000+	1212	182,011	548	47.7	44.0-51.4	268	22.0	18.7-25.3	3	0.3	0.00-00.7	3	0.2	0.00-00.6				390	29.8	26.5-33.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES**

TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1770	322,183	760	46.2	42.9-49.5	453	22.0	19.5-24.5	15	1.1	00.3-01.9	9	0.6	00.2-01.0	533	30.1	27.0-33.2
White/Non-Hisp	1394	222,243	575	42.4	38.7-46.1	376	23.3	20.4-26.2	9	1.0	00.0-02.0	6	0.4	00.0-00.8	428	32.9	29.4-36.4
Black or Afr. Am./Non-Hisp	207	57,650	100	51.0	42.4-59.6	44	19.5	12.4-26.6	3	0.7	00.0-01.5	2	0.8	00.0-02.0	58	28.0	20.0-36.0
Oth. Race/Non-Hisp.	67	14,478	40	65.6	51.9-79.3	10	10.5	03.1-17.9	2	6.0	00.0-14.2				15	17.9	07.9-27.9
18-24	124	41,249	79	56.7	44.9-68.5	23	20.1	10.5-29.7	1	2.4	00.0-06.9	1	1.5	00.0-04.2	20	19.4	09.8-29.0
25-34	200	56,893	94	47.5	38.7-56.3	52	22.2	15.1-29.3	1	0.3	00.0-00.9	1	0.4	00.0-01.2	52	29.7	21.1-38.3
35-44	204	53,245	119	59.0	50.8-67.2	27	12.7	06.8-18.6	1	0.6	00.0-01.8	1	0.6	00.0-01.8	57	27.8	20.4-35.2
45-54	322	61,590	133	42.1	34.7-49.5	65	20.3	14.6-26.0	2	1.3	00.0-03.3	4	1.1	00.0-02.3	118	35.2	28.1-42.3
55-64	365	49,948	141	41.2	34.3-48.1	96	23.9	18.2-29.6	8	2.5	00.5-04.5	1	0.0	00.0-00.0	119	32.3	25.8-38.8
65+	538	56,299	191	35.5	30.0-41.0	185	32.4	27.1-37.7	3	0.5	00.0-01.1	1	0.2	00.0-00.6	158	31.4	25.9-36.9
Less Than H.S.	118	47,007	43	38.5	27.7-49.3	27	17.0	09.4-24.6	1	0.6	00.0-01.8				47	43.9	32.7-55.1
H.S. or G.E.D.	531	109,383	220	46.1	40.2-52.0	128	22.1	17.4-26.8	3	0.3	00.0-00.7	6	1.3	00.0-02.7	174	30.2	25.1-35.3
Some Post-H.S.	451	85,501	207	48.4	42.1-54.7	96	20.5	15.2-25.8	7	2.5	00.0-05.0	2	0.3	00.0-00.7	139	28.3	22.8-33.8
College Graduate	665	79,003	289	49.4	44.5-54.3	199	26.2	22.1-30.3	4	0.9	00.0-01.9	1	0.3	00.0-00.9	172	23.2	19.3-27.1
Less than \$15,000	159	29,899	58	38.5	28.3-48.7	39	22.2	14.0-30.4	2	0.7	00.0-01.7	1	0.3	00.0-00.9	59	38.3	28.3-48.3
\$15,000- 24,999	145	28,303	62	41.7	30.9-52.5	25	17.5	07.7-27.3	1	1.1	00.0-03.3	1	0.1	00.0-00.3	56	39.6	28.8-50.4
\$25,000- 34,999	132	24,375	49	35.8	23.8-47.8	38	24.1	13.7-34.5	2	3.3	00.0-08.0				43	36.8	24.1-49.5
\$35,000- 49,999	260	46,589	121	52.9	43.7-62.1	65	18.0	12.7-23.3	3	2.5	00.0-06.6	3	1.6	00.0-03.4	68	25.0	17.2-32.8
\$50,000- 74,999	287	47,359	133	53.3	45.7-60.9	80	24.2	17.9-30.5	4	1.3	00.0-02.7	1	0.2	00.0-00.6	69	20.9	15.4-26.4
\$75,000+	537	92,616	247	49.7	44.0-55.4	134	25.0	19.7-30.3	1	0.1	00.0-00.3	2	0.4	00.0-01.0	153	24.7	20.0-29.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES
 TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2887	355,437	1138	42.9	40.2-45.6	719	21.7	19.7-23.7	25	1.3	00.5-02.1	11	0.5	00.1-00.9	1	0.0	00.0-00.0	993	33.6	31.1-36.1
White/Non-Hisp	2218	249,906	835	39.5	36.6-42.4	539	21.0	18.8-23.2	8	0.5	00.1-00.9	6	0.5	00.1-00.9				830	38.6	35.7-41.5
Black or Afr. Am./Non-Hisp	444	69,344	205	50.0	43.3-56.7	118	22.3	17.6-27.0	13	3.9	00.0-08.0	5	0.8	00.0-01.6	1	0.2	00.0-00.6	102	22.9	17.4-28.4
Oth. Race/Non-Hisp.	71	7,594	28	51.0	35.3-66.7	24	26.3	14.7-37.9										19	22.7	09.0-36.4
Hispanic	85	21,978	41	54.1	39.4-68.8	21	25.7	11.6-39.8	1	1.2	00.0-03.6							22	19.0	09.8-28.2
18-24	109	40,886	58	55.1	42.6-67.6	20	15.3	06.5-24.1	4	4.8	00.0-11.5	1	0.7	00.0-02.1				26	24.1	13.9-34.3
25-34	298	57,217	148	50.6	43.2-58.0	55	15.4	10.9-19.9	4	1.3	00.0-02.7	4	1.8	00.0-03.8				87	30.9	24.0-37.8
35-44	348	58,685	167	51.3	44.8-57.8	56	15.6	10.9-20.3	2	0.5	00.0-01.1	1	0.1	00.0-00.3				122	32.5	26.4-38.6
45-54	487	64,992	199	40.4	34.9-45.9	94	18.8	14.5-23.1	5	1.2	00.0-02.4	2	0.2	00.0-00.4				187	39.5	33.8-45.2
55-64	642	55,573	269	42.4	37.5-47.3	136	22.0	17.7-26.3	4	0.7	00.0-01.5				1	0.3	00.0-00.9	232	34.6	29.9-39.3
65+	962	73,436	293	28.1	24.6-31.6	342	36.2	32.3-40.1	6	0.5	00.1-00.9	3	0.3	00.0-00.7				318	34.9	30.8-39.0
Less Than H.S.	168	44,385	52	35.9	25.7-46.1	53	23.6	16.3-30.9	3	3.8	00.0-09.9	2	1.6	00.0-04.0				58	35.1	25.7-44.5
H.S. or G.E.D.	881	107,359	321	40.1	35.4-44.8	224	23.0	19.3-26.7	7	0.9	00.3-01.5	6	0.6	00.0-01.2				323	35.5	31.0-40.0
Some Post-H.S.	860	110,156	348	44.1	39.2-49.0	208	20.8	16.9-24.7	10	1.1	00.3-01.9	2	0.3	00.0-00.7				292	33.6	29.1-38.1
College Graduate	969	93,099	416	48.0	43.5-52.5	231	20.6	17.5-23.7	5	0.7	00.0-01.5	1	0.1	00.0-00.3	1	0.2	00.0-00.6	315	30.6	26.9-34.3
Less than \$15,000	347	40,212	127	38.2	30.0-46.4	106	25.8	19.5-32.1	1	0.1	00.0-00.3	3	1.4	00.0-03.2				110	34.5	26.3-42.7
\$15,000- 24,999	359	45,487	122	44.9	37.1-52.7	101	23.1	17.6-28.6	9	2.6	00.8-04.4	2	1.1	00.0-03.1				125	28.3	21.6-35.0
\$25,000- 34,999	251	27,370	97	39.5	31.5-47.5	60	23.1	16.2-30.0	3	1.2	00.0-02.6	1	0.6	00.0-01.8	1	0.5	00.0-01.5	89	35.1	27.1-43.1
\$35,000- 49,999	344	41,105	139	45.3	37.1-53.5	94	24.3	18.4-30.2	2	0.5	00.0-01.3	2	0.4	00.0-01.0				107	29.5	22.6-36.4
\$50,000- 74,999	412	50,117	180	48.0	41.1-54.9	81	17.7	12.6-22.8	4	1.1	00.0-02.3	1	0.5	00.0-01.5				146	32.7	26.6-38.8
\$75,000+	675	89,395	301	45.6	40.7-50.5	134	18.9	15.2-22.6	2	0.4	00.0-01.0	1	0.1	00.0-00.3				237	35.0	30.3-39.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4705	682,983	2169	48.5	46.3-50.7	2063	41.3	39.3-43.3	218	3.8	03.0-04.6	76	1.9	01.1-02.7	1	0.0	00.0-00.0	178	4.5	03.5-05.5
Male	1790	324,757	957	54.4	51.1-57.7	685	37.1	34.0-40.2	45	2.0	01.0-03.0	15	1.0	00.4-01.6				88	5.5	04.1-06.9
Female	2915	358,226	1212	43.2	40.7-45.7	1378	45.0	42.5-47.5	173	5.4	04.2-06.6	61	2.7	01.5-03.9	1	0.1	00.0-00.3	90	3.6	02.6-04.6
White/Non-Hisp	3637	474,959	1658	48.2	45.8-50.6	1618	41.4	39.0-43.8	168	3.7	02.9-04.5	51	1.5	00.9-02.1	1	0.1	00.0-00.3	141	5.1	03.9-06.3
Black or Afr. Am./Non-Hisp	669	128,678	337	53.8	48.5-59.1	258	36.0	30.9-41.1	34	4.4	02.2-06.6	16	2.1	00.9-03.3				24	3.8	02.0-05.6
Oth. Race/Non-Hisp.	140	22,400	55	39.9	28.7-51.1	72	54.3	42.9-65.7	7	3.3	00.4-06.2	2	0.3	00.0-00.7				4	2.1	00.0-04.6
MultiRacial/Non-Hisp.	79	9,361	35	42.0	28.5-55.5	34	46.9	33.0-60.8	4	2.2	00.0-04.6	2	3.8	00.0-09.1				4	5.1	00.0-11.0
Hispanic	134	43,622	60	41.5	30.5-52.5	63	47.6	36.0-59.2	3	3.2	00.0-07.3	4	6.0	00.0-13.4				4	1.7	00.0-03.5
18-24	240	83,490	135	51.7	43.1-60.3	83	39.6	31.2-48.0	8	2.0	00.4-03.6	5	3.8	00.0-07.9				9	2.9	00.9-04.9
25-34	499	114,294	237	48.5	42.8-54.2	208	38.1	32.6-43.6	23	5.0	02.3-07.7	6	1.7	00.0-03.7				25	6.6	03.7-09.5
35-44	562	113,958	267	48.9	43.6-54.2	239	42.8	37.7-47.9	30	4.0	02.2-05.8	5	0.8	00.0-01.6				21	3.4	01.8-05.0
45-54	815	126,769	390	46.5	42.0-51.0	344	43.8	39.1-48.5	31	3.7	02.1-05.3	18	2.3	00.9-03.7	1	0.2	00.0-00.6	31	3.4	01.8-05.0
55-64	1019	106,832	471	51.0	46.9-55.1	445	39.6	35.7-43.5	48	3.0	01.8-04.2	18	2.0	01.0-03.0				37	4.4	02.2-06.6
65+	1512	130,075	636	45.7	42.4-49.0	728	43.8	40.5-47.1	73	3.9	02.7-05.1	23	1.3	00.7-01.9				52	5.3	03.3-07.3
Less Than H.S.	286	90,622	156	57.9	50.5-65.3	100	30.2	23.3-37.1	7	3.3	00.8-05.8	2	0.5	00.0-01.3	1	0.3	00.0-00.9	20	7.9	04.0-11.8
H.S. or G.E.D.	1434	219,468	733	51.2	47.5-54.9	560	39.4	35.7-43.1	56	3.2	01.8-04.6	16	1.3	00.5-02.1				69	4.9	03.5-06.3
Some Post-H.S.	1323	197,339	611	48.0	44.1-51.9	583	41.9	38.2-45.6	58	3.2	02.0-04.4	19	2.9	00.9-04.9				52	4.1	02.5-05.7
College Graduate	1648	173,827	663	41.2	38.1-44.3	813	48.8	45.5-52.1	97	5.5	04.1-06.9	39	2.2	01.4-03.0				36	2.3	01.3-03.3
Less than \$15,000	510	69,686	270	55.1	48.6-61.6	191	33.9	27.4-40.4	21	3.6	01.4-05.8	5	0.8	00.0-01.6	1	0.4	00.0-01.2	22	6.2	02.7-09.7
\$15,000- 24,999	513	75,226	263	55.1	48.8-61.4	180	31.9	26.2-37.6	24	4.8	01.7-07.9	6	0.8	00.0-01.8				40	7.4	04.3-10.5
\$25,000- 34,999	385	52,451	177	46.0	38.7-53.3	163	42.8	35.4-50.2	20	3.3	01.5-05.1	3	1.3	00.0-02.9				22	6.6	02.7-10.5
\$35,000- 49,999	613	89,766	317	54.1	48.0-60.2	248	38.7	32.6-44.8	26	3.0	01.4-04.6	10	2.3	00.0-04.7				12	1.9	00.5-03.3
\$50,000- 74,999	707	98,434	323	50.0	44.9-55.1	322	41.9	36.8-47.0	31	3.8	02.2-05.4	8	0.8	00.2-01.4				23	3.5	01.9-05.1
\$75,000+	1219	182,829	495	42.2	38.5-45.9	611	48.3	44.6-52.0	62	4.6	03.2-06.0	21	1.7	00.7-02.7				30	3.3	01.9-04.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES
 TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1790	324,757	957	54.4	51.1-57.7	685	37.1	34.0-40.2	45	2.0	01.0-03.0	15	1.0	00.4-01.6	88	5.5	04.1-06.9
White/Non-Hisp	1407	224,202	752	55.1	51.4-58.8	541	36.0	32.5-39.5	37	2.1	01.1-03.1	8	0.6	00.0-01.2	69	6.3	04.3-08.3
Black or Afr. Am./Non-Hisp	210	57,486	117	56.3	47.7-64.9	72	34.2	26.2-42.2	5	2.7	00.0-06.4	4	1.7	00.0-03.5	12	5.0	01.7-08.3
Oth. Race/Non-Hisp.	68	14,748	34	45.4	30.1-60.7	32	53.5	38.2-68.8				1	0.2	00.0-00.6	1	0.9	00.0-02.7
18-24	127	41,937	81	56.4	44.6-68.2	39	37.8	26.0-49.6	1	1.0	00.0-03.0	2	2.9	00.0-06.8	4	1.9	00.0-03.9
25-34	200	57,086	116	60.0	51.4-68.6	62	28.4	20.8-36.0	6	3.4	00.0-07.1	2	0.9	00.0-02.3	14	7.3	03.0-11.6
35-44	210	54,525	115	53.5	45.3-61.7	81	40.0	31.8-48.2	3	1.5	00.0-03.5	1	0.6	00.0-01.8	10	4.4	01.5-07.3
45-54	324	61,388	173	50.0	42.6-57.4	131	43.8	36.4-51.2	7	1.7	00.1-03.3	2	0.8	00.0-02.0	11	3.8	01.1-06.5
55-64	368	50,576	192	55.8	49.1-62.5	146	35.8	29.7-41.9	8	1.4	00.2-02.6	4	0.9	00.0-01.9	18	6.2	02.1-10.3
65+	545	56,367	270	52.0	46.3-57.7	223	37.5	32.2-42.8	20	2.9	01.3-04.5	4	0.5	00.0-01.1	28	7.1	03.6-10.6
Less Than H.S.	116	45,988	74	64.7	54.1-75.3	31	26.1	16.3-35.9	1	0.7	00.0-02.1				10	8.5	02.8-14.2
H.S. or G.E.D.	540	111,204	309	54.3	48.4-60.2	182	36.1	30.2-42.0	10	1.9	00.0-03.9	6	1.5	00.1-02.9	33	6.1	03.6-08.6
Some Post-H.S.	456	86,016	246	54.7	48.4-61.0	170	36.5	30.4-42.6	13	2.7	00.7-04.7	2	1.1	00.0-02.7	25	5.0	02.5-07.5
College Graduate	673	80,261	325	48.8	43.9-53.7	301	45.8	40.9-50.7	21	2.1	01.1-03.1	7	0.7	00.1-01.3	19	2.6	01.2-04.0
Less than \$15,000	159	29,485	102	64.4	54.2-74.6	41	24.5	15.3-33.7	5	3.0	00.0-06.5	1	0.5	00.0-01.5	10	7.6	01.7-13.5
\$15,000- 24,999	149	29,214	86	57.9	47.3-68.5	39	25.2	16.6-33.8	2	4.2	00.0-11.1	1	1.2	00.0-03.6	21	11.5	05.6-17.4
\$25,000- 34,999	133	24,521	70	45.6	33.3-57.9	48	43.4	30.7-56.1	4	0.7	00.0-01.5	1	1.5	00.0-04.4	10	8.7	01.1-16.3
\$35,000- 49,999	269	48,708	166	64.1	55.3-72.9	91	32.1	23.3-40.9	5	1.5	00.0-03.1	2	0.3	00.0-00.7	5	2.0	00.0-04.0
\$50,000- 74,999	290	47,742	153	53.7	46.1-61.3	114	39.5	31.9-47.1	6	1.4	00.0-02.8	1	0.2	00.0-00.6	16	5.2	02.5-07.9
\$75,000+	542	93,158	262	49.8	44.1-55.5	246	42.8	37.1-48.5	16	2.6	01.0-04.2	3	0.9	00.0-02.3	15	3.9	01.7-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES
 TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2915	358,226	1212	43.2	40.7-45.7	1378	45.0	42.3-47.7	173	5.4	04.2-06.6	61	2.7	01.5-03.9	1	0.1	00.0-00.3	90	3.6	02.6-04.6
White/Non-Hisp	2230	250,756	906	42.0	39.1-44.9	1077	46.3	43.4-49.2	131	5.2	04.0-06.4	43	2.3	01.3-03.3	1	0.1	00.0-00.3	72	4.0	02.6-05.4
Black or Afr. Am./Non-Hisp	459	71,192	220	51.7	45.0-58.4	186	37.5	31.0-44.0	29	5.7	03.2-08.2	12	2.4	00.8-04.0				12	2.8	00.8-04.8
Oth. Race/Non-Hisp.	72	7,652	21	29.5	16.4-42.6	40	55.9	40.6-71.2	7	9.7	01.3-18.1	1	0.3	00.0-00.9				3	4.6	00.0-11.3
Hispanic	86	22,180	36	34.3	21.8-46.8	43	50.4	35.7-65.1	3	6.3	00.0-14.1	2	7.5	00.0-20.6				2	1.6	00.0-04.0
18-24	113	41,553	54	47.0	34.7-59.3	44	41.3	29.0-53.6	7	3.1	00.6-05.6	3	4.7	00.0-12.0				5	3.9	00.4-07.4
25-34	299	57,208	121	37.1	30.2-44.0	146	47.8	40.5-55.1	17	6.7	02.8-10.6	4	2.5	00.0-06.0				11	6.0	01.9-10.1
35-44	352	59,432	152	44.8	38.3-51.3	158	45.3	38.8-51.8	27	6.4	03.7-09.1	4	1.0	00.0-02.0				11	2.5	00.9-04.1
45-54	491	65,381	217	43.2	37.7-48.7	213	43.9	38.2-49.6	24	5.7	03.0-08.4	16	3.7	01.5-05.9	1	0.4	00.0-01.2	20	3.1	01.3-04.9
55-64	651	56,257	279	46.6	41.7-51.5	299	43.1	38.2-48.0	40	4.6	02.8-06.4	14	3.0	01.2-04.8				19	2.8	01.2-04.4
65+	967	73,708	366	41.0	36.9-45.1	505	48.6	44.5-52.7	53	4.7	03.1-06.3	19	1.9	00.9-02.9				24	3.9	01.5-06.3
Less Than H.S.	170	44,634	82	50.8	40.8-60.8	69	34.4	25.0-43.8	6	6.1	01.0-11.2	2	0.9	00.0-02.5	1	0.6	00.0-01.8	10	7.2	01.7-12.7
H.S. or G.E.D.	894	108,265	424	47.9	43.2-52.6	378	42.8	38.1-47.5	46	4.6	03.0-06.2	10	1.0	00.2-01.8				36	3.7	02.1-05.3
Some Post-H.S.	867	111,323	365	42.8	38.1-47.5	413	46.0	41.3-50.7	45	3.6	02.2-05.0	17	4.3	01.0-07.6				27	3.4	01.6-05.2
College Graduate	975	93,566	338	34.6	30.5-38.7	512	51.4	47.1-55.7	76	8.3	05.9-10.7	32	3.6	02.2-05.0				17	2.1	00.9-03.3
Less than \$15,000	351	40,201	168	48.3	40.1-56.5	150	40.8	32.4-49.2	16	4.1	01.4-06.8	4	1.0	00.0-02.2	1	0.7	00.0-02.1	12	5.2	00.7-09.7
\$15,000- 24,999	364	46,013	177	53.3	45.7-60.9	141	36.1	28.8-43.4	22	5.1	02.2-08.0	5	0.6	00.0-01.2				19	4.8	01.3-08.3
\$25,000- 34,999	252	27,930	107	46.2	38.0-54.4	115	42.3	34.3-50.3	16	5.6	02.3-08.9	2	1.1	00.0-02.7				12	4.7	01.6-07.8
\$35,000- 49,999	344	41,058	151	42.2	34.8-49.6	157	46.4	38.4-54.4	21	4.9	02.2-07.6	8	4.7	00.0-09.8				7	1.8	00.2-03.4
\$50,000- 74,999	417	50,691	170	46.6	39.7-53.5	208	44.2	37.5-50.9	25	6.1	03.2-09.0	7	1.2	00.0-02.4				7	1.8	00.2-03.4
\$75,000+	677	89,671	233	34.2	29.5-38.9	365	54.0	49.1-58.9	46	6.6	04.2-09.0	18	2.5	01.1-03.9				15	2.6	01.0-04.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 7: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4662	678,499	3391	71.0	69.0-73.0	154	4.1	03.1-05.1	5	0.2	00.0-00.4	2	0.0	00.0-00.0	1110	24.6	22.8-26.4
Male	1773	322,796	1345	72.3	69.2-75.4	54	4.5	02.7-06.3	4	0.4	00.0-00.8				370	22.8	19.9-25.7
Female	2889	355,703	2046	69.8	67.3-72.3	100	3.8	02.6-05.0	1	0.0	00.0-00.0	2	0.1	00.0-00.3	740	26.3	23.9-28.7
White/Non-Hisp	3598	470,311	2670	74.0	71.8-76.2	108	2.9	02.1-03.7	3	0.2	00.0-00.4	1	0.0	00.0-00.0	816	22.9	20.9-24.9
Black or Afr. Am./Non-Hisp	667	128,936	443	62.1	56.8-67.4	20	3.9	01.5-06.3	1	0.1	00.0-00.3				203	33.9	28.8-39.0
Oth. Race/Non-Hisp.	138	22,356	93	73.2	64.0-82.4	10	6.8	01.5-12.1				1	0.5	00.0-01.5	34	19.6	11.6-27.6
MultiRacial/Non-Hisp.	79	9,311	54	68.9	55.8-82.0										25	31.1	18.0-44.2
Hispanic	134	43,622	96	63.4	51.8-75.0	14	17.6	06.8-28.4	1	0.7	00.0-02.1				23	18.3	09.9-26.7
18-24	239	83,372	155	60.9	52.7-69.1	7	4.9	00.6-09.2							77	34.2	26.2-42.2
25-34	498	114,438	333	65.9	60.2-71.6	12	4.4	01.3-07.5	2	0.8	00.0-02.0	1	0.1	00.0-00.3	150	28.8	23.5-34.1
35-44	558	112,843	413	72.9	68.2-77.6	20	3.3	01.5-05.1							125	23.8	19.3-28.3
45-54	811	126,489	606	75.0	70.9-79.1	31	4.8	02.1-07.5							174	20.2	16.5-23.9
55-64	1013	105,802	765	75.3	71.6-79.0	40	4.3	02.7-05.9	1	0.1	00.0-00.3				207	20.3	16.8-23.8
65+	1486	128,082	1082	73.5	70.4-76.6	41	3.1	01.5-04.7	2	0.2	00.0-00.4	1	0.1	00.0-00.3	360	23.1	20.4-25.8
Less Than H.S.	281	90,201	185	65.1	57.7-72.5	20	9.8	04.7-14.9							76	25.2	18.5-31.9
H.S. or G.E.D.	1415	217,144	979	68.3	64.8-71.8	42	3.2	01.6-04.8	4	0.5	00.0-01.1	1	0.1	00.0-00.3	389	27.9	24.6-31.2
Some Post-H.S.	1312	196,327	958	72.4	68.9-75.9	42	2.6	01.6-03.6				1	0.1	00.0-00.3	311	24.9	21.4-28.4
College Graduate	1640	173,101	1259	76.2	73.3-79.1	49	4.1	02.1-06.1	1	0.1	00.0-00.3				331	19.7	17.2-22.2
Less than \$15,000	511	69,490	338	64.0	57.7-70.3	18	5.9	01.4-10.4	2	0.6	00.0-01.6				153	29.5	23.8-35.2
\$15,000- 24,999	508	74,641	353	67.8	61.7-73.9	20	3.9	01.7-06.1	1	0.0	00.0-00.0				134	28.3	22.4-34.2
\$25,000- 34,999	384	51,876	278	72.0	65.5-78.5	9	3.9	00.0-07.8				1	0.2	00.0-00.6	96	23.9	18.0-29.8
\$35,000- 49,999	605	88,494	449	70.2	64.3-76.1	19	3.3	01.3-05.3	1	0.2	00.0-00.6				136	26.3	20.6-32.0
\$50,000- 74,999	703	98,066	519	71.8	66.5-77.1	21	4.9	01.4-08.4	1	0.6	00.0-01.8				162	22.7	18.0-27.4
\$75,000+	1210	181,569	950	79.2	76.1-82.3	38	2.8	01.8-03.8							222	18.0	15.1-20.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES
 TABLE 8: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1773	322,796	1345	72.3	69.2-75.4	54	4.5	0.2-0.6.3	4	0.4	0.0-0.0.8	370	22.8	19.9-25.7
White/Non-Hisp	1392	221,865	1084	76.4	73.1-79.7	33	2.3	0.1-0.3.3	2	0.3	0.0-0.0.9	273	20.9	17.8-24.0
Black or Afr. Am./Non-Hisp	210	58,106	138	61.7	52.9-70.5	8	5.1	0.4-0.9.8	1	0.2	0.0-0.0.6	63	33.0	24.6-41.4
Oth. Race/Non-Hisp.	67	14,724	50	78.5	67.5-89.5	6	8.9	0.1-1.16.7				11	12.6	0.4-20.8
18-24	127	41,975	85	60.7	49.5-71.9	3	4.7	0.0-10.2				39	34.6	23.8-45.4
25-34	202	57,485	134	61.8	52.8-70.8	6	6.8	0.7-12.9	2	1.5	0.0-0.3.7	60	29.9	21.7-38.1
35-44	208	53,830	167	81.3	74.8-87.8	3	1.2	0.0-0.2.6				38	17.6	11.3-23.9
45-54	324	61,590	248	75.0	67.9-82.1	14	6.4	0.1-3-11.5				62	18.6	12.7-24.5
55-64	365	50,146	281	75.9	69.8-82.0	15	4.0	0.1-5-06.5	1	0.2	0.0-0.0.6	68	19.9	14.0-25.8
65+	531	54,943	418	78.3	73.0-83.6	12	3.3	0.0-0.6.6	1	0.3	0.0-0.0.9	100	18.1	13.4-22.8
Less Than H.S.	113	45,925	75	61.1	49.7-72.5	11	14.6	0.5-6-23.6				27	24.3	14.7-33.9
H.S. or G.E.D.	533	109,833	385	69.8	64.1-75.5	11	2.9	0.0-0.5.8	3	1.0	0.0-0.2.2	134	26.4	21.1-31.7
Some Post-H.S.	452	85,737	351	75.6	69.9-81.3	9	1.7	0.1-0.3.3				92	22.7	17.2-28.2
College Graduate	670	80,013	530	79.4	75.5-83.3	23	3.9	0.1-9-05.9	1	0.1	0.0-0.0.3	116	16.6	13.1-20.1
Less than \$15,000	158	28,813	104	60.8	50.6-71.0	7	5.6	0.9-10.3	2	1.5	0.0-0.3.9	45	32.1	22.3-41.9
\$15,000- 24,999	146	28,500	104	67.8	57.0-78.6	6	3.6	0.1-0.7.1				36	28.6	18.0-39.2
\$25,000- 34,999	132	24,116	105	79.5	68.7-90.3	4	4.6	0.0-12.2				23	15.8	0.7-2-24.4
\$35,000- 49,999	265	48,193	206	71.6	62.8-80.4	5	2.4	0.0-0.4.9	1	0.4	0.0-0.1.2	53	25.6	17.0-34.2
\$50,000- 74,999	288	47,465	227	75.7	67.9-83.5	8	6.4	0.0-13.3	1	1.1	0.0-0.3.3	52	16.7	11.2-22.2
\$75,000+	539	92,912	426	81.1	76.6-85.6	12	2.0	0.0-8-03.2				101	16.9	12.6-21.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES
 TABLE 9: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2889	355,703	2046	69.8	67.3-72.3	100	3.8	02.6-05.0	1	0.0	00.0-00.0	2	0.1	00.0-00.3	740	26.3	23.9-28.7
White/Non-Hisp	2206	248,446	1586	71.9	69.2-74.6	75	3.4	02.4-04.4	1	0.0	00.0-00.0	1	0.1	00.0-00.3	543	24.6	22.1-27.1
Black or Afr. Am./Non-Hisp	457	70,830	305	62.5	56.0-69.0	12	2.9	00.9-04.9							140	34.6	28.3-40.9
Oth. Race/Non-Hisp.	71	7,631	43	62.9	47.8-78.0	4	2.6	00.0-05.3				1	1.4	00.0-04.1	23	33.2	18.3-48.1
Hispanic	86	22,180	65	71.8	57.9-85.7	8	12.5	00.2-24.8							13	15.7	05.9-25.5
18-24	112	41,396	70	61.1	48.9-73.3	4	5.0	00.0-11.9							38	33.9	22.3-45.5
25-34	296	56,953	199	70.0	63.5-76.5	6	2.1	00.1-04.1				1	0.2	00.0-00.6	90	27.7	21.4-34.0
35-44	350	59,013	246	65.2	58.7-71.7	17	5.3	02.4-08.2							87	29.5	23.2-35.8
45-54	487	64,900	358	75.1	70.4-79.8	17	3.3	01.5-05.1							112	21.6	17.1-26.1
55-64	648	55,656	484	74.8	70.5-79.1	25	4.5	02.3-06.7							139	20.7	16.8-24.6
65+	955	73,139	664	69.9	66.2-73.6	29	2.9	01.7-04.1	1	0.0	00.0-00.0	1	0.2	00.0-00.6	260	26.9	23.4-30.4
Less Than H.S.	168	44,276	110	69.2	60.0-78.4	9	4.8	01.3-08.3							49	26.1	17.1-35.1
H.S. or G.E.D.	882	107,312	594	66.7	62.4-71.0	31	3.5	01.9-05.1	1	0.0	00.0-00.0	1	0.2	00.0-00.6	255	29.6	25.5-33.7
Some Post-H.S.	860	110,590	607	70.0	65.5-74.5	33	3.3	01.9-04.7				1	0.1	00.0-00.3	219	26.6	22.1-31.1
College Graduate	970	93,088	729	73.5	69.4-77.6	26	4.2	01.1-07.3							215	22.2	18.7-25.7
Less than \$15,000	353	40,677	234	66.2	58.2-74.2	11	6.0	00.0-12.9							108	27.7	21.0-34.4
\$15,000- 24,999	362	46,141	249	67.8	60.5-75.1	14	4.0	01.3-06.7	1	0.0	00.0-00.0				98	28.1	21.0-35.2
\$25,000- 34,999	252	27,759	173	65.5	57.7-73.3	5	3.3	00.2-06.4				1	0.4	00.0-01.2	73	30.9	23.3-38.5
\$35,000- 49,999	340	40,301	243	68.6	61.2-76.0	14	4.3	01.4-07.2							83	27.1	19.8-34.4
\$50,000- 74,999	415	50,601	292	68.2	61.1-75.3	13	3.5	01.1-05.9							110	28.3	21.2-35.4
\$75,000+	671	88,657	524	77.3	73.2-81.4	26	3.6	02.0-05.2							121	19.1	15.2-23.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 10: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4701	683,406	3294	70.2	68.2-72.2	1133	23.4	21.6-25.2	23	0.6	00.2-01.0	9	0.2	00.0-00.4	242	5.7	04.5-06.9
Male	1791	325,687	1312	72.4	69.3-75.5	356	20.8	18.1-23.5	3	0.1	00.1-00.1	1	0.0	00.0-00.0	119	6.7	04.9-08.5
Female	2910	357,718	1982	68.1	65.6-70.6	777	25.7	23.3-28.1	20	1.0	00.2-01.8	8	0.3	00.1-00.5	123	4.8	03.4-06.2
White/Non-Hisp	3634	474,834	2562	70.6	68.4-72.8	854	22.9	20.9-24.9	15	0.6	00.0-01.2	8	0.2	00.0-00.4	195	5.7	04.5-06.9
Black or Afr. Am./Non-Hisp	668	129,264	452	67.7	62.8-72.6	184	27.0	22.3-31.7	6	0.6	00.0-01.2				26	4.7	02.5-06.9
Oth. Race/Non-Hisp.	140	22,400	100	74.5	65.3-83.7	36	23.7	14.7-32.7	2	0.8	00.0-02.2				2	1.0	00.0-02.4
MultiRacial/Non-Hisp.	80	9,532	54	69.6	57.1-82.1	19	21.6	11.0-32.2							7	8.9	00.3-17.5
Hispanic	133	43,413	97	71.0	59.8-82.2	26	18.2	09.2-27.2				1	0.6	00.0-01.8	9	10.2	01.6-18.8
18-24	240	83,598	168	70.1	62.1-78.1	49	19.7	13.0-26.4							23	10.2	04.5-15.9
25-34	501	114,852	362	70.4	65.1-75.7	110	21.3	16.6-26.0	3	1.1	00.0-02.9	1	0.1	00.0-00.3	25	7.1	03.8-10.4
35-44	561	113,678	425	73.2	68.5-77.9	111	21.7	17.2-26.2	3	0.6	00.0-01.4	2	0.2	00.0-00.6	20	4.2	01.8-06.6
45-54	816	126,933	566	66.5	61.8-71.2	198	27.5	23.0-32.0	8	1.0	00.2-01.8	3	0.6	00.0-01.2	41	4.4	02.8-06.0
55-64	1017	106,744	713	73.0	69.5-76.5	255	23.0	19.7-26.3	4	0.4	00.0-01.0	1	0.0	00.0-00.0	44	3.5	02.3-04.7
65+	1509	130,464	1023	68.5	65.4-71.6	391	25.3	22.4-28.2	5	0.2	00.0-00.4	2	0.0	00.0-00.0	88	6.0	04.2-07.8
Less Than H.S.	285	90,750	191	68.8	61.9-75.7	66	22.5	16.4-28.6	1	0.2	00.0-00.6				27	8.5	04.6-12.4
H.S. or G.E.D.	1430	219,380	1037	71.1	67.6-74.6	292	21.6	18.3-24.9	4	0.3	00.0-00.7	4	0.2	00.0-00.4	93	6.8	05.0-08.6
Some Post-H.S.	1325	197,968	917	68.8	65.1-72.5	333	24.0	20.7-27.3	7	1.0	00.0-02.2	2	0.2	00.0-00.6	66	5.9	03.4-08.4
College Graduate	1648	173,623	1141	71.2	68.5-73.9	438	25.4	22.7-28.1	10	0.6	00.2-01.0	3	0.1	00.0-00.3	56	2.6	01.6-03.6
Less than \$15,000	513	70,562	363	70.1	64.2-76.0	111	21.2	15.9-26.5				1	0.0	00.0-00.0	38	8.7	05.4-12.0
\$15,000- 24,999	511	74,998	361	72.7	67.0-78.4	115	22.4	16.9-27.9	2	0.4	00.0-01.0	1	0.2	00.0-00.6	32	4.3	02.1-06.5
\$25,000- 34,999	387	52,474	288	78.2	72.9-83.5	76	16.7	12.0-21.4	2	0.2	00.0-00.6				21	4.9	02.4-07.4
\$35,000- 49,999	614	89,590	453	68.8	62.5-75.1	128	20.9	15.6-26.2	2	1.3	00.0-03.5	1	0.1	00.0-00.3	30	8.9	04.0-13.8
\$50,000- 74,999	703	98,140	491	71.6	66.9-76.3	175	23.6	19.1-28.1	4	0.7	00.0-01.7	2	0.2	00.0-00.6	31	3.8	02.0-05.6
\$75,000+	1218	182,928	847	69.1	65.6-72.6	321	26.9	23.4-30.4	9	0.5	00.1-00.9	3	0.4	00.0-00.8	38	3.2	01.8-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 11: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1791	325,687	1312	72.4	69.3-75.5	356	20.8	18.1-23.5	3	0.1	00.1-00.1	1	0.0	00.0-00.0	119	6.7	04.9-08.5
White/Non-Hisp	1409	224,440	1040	73.6	70.3-76.9	265	19.2	16.1-22.3	3	0.1	00.0-00.3	1	0.1	00.0-00.3	100	7.0	04.8-09.2
Black or Afr. Am./Non-Hisp	210	58,387	148	68.2	60.0-76.4	53	27.0	19.2-34.8							9	4.8	01.1-08.5
Oth. Race/Non-Hisp.	68	14,748	49	77.8	66.8-88.8	17	20.6	09.8-31.4							2	1.5	00.0-03.7
18-24	127	42,045	90	71.3	60.5-82.1	22	16.1	07.5-24.7							15	12.7	04.3-21.1
25-34	202	57,553	145	69.2	61.0-77.4	36	19.2	12.1-26.3				1	0.3	00.0-00.9	20	11.3	05.6-17.0
35-44	210	54,525	158	73.0	65.6-80.4	42	22.3	15.2-29.4							10	4.7	01.0-08.4
45-54	324	61,472	240	71.3	63.9-78.7	67	25.3	17.9-32.7	1	0.2	00.0-00.6				16	3.1	01.3-04.9
55-64	366	50,414	280	78.8	73.5-84.1	66	17.9	12.8-23.0	1	0.1	00.0-00.3				19	3.2	01.4-05.0
65+	545	56,720	385	70.3	64.8-75.8	120	22.8	17.7-27.9	1	0.1	00.0-00.3				39	6.9	03.8-10.0
Less Than H.S.	116	46,501	83	69.3	58.9-79.7	23	21.2	12.0-30.4							10	9.5	02.6-16.4
H.S. or G.E.D.	539	111,037	401	72.4	66.9-77.9	92	20.7	15.4-26.0	2	0.1	00.0-00.3				44	6.8	04.3-09.3
Some Post-H.S.	459	86,695	338	71.8	65.7-77.9	89	20.5	15.2-25.8	1	0.2	00.0-00.6				31	7.6	03.3-11.9
College Graduate	672	80,167	486	74.4	70.3-78.5	151	21.4	17.7-25.1				1	0.2	00.0-00.6	34	4.0	02.2-05.8
Less than \$15,000	160	29,782	123	71.5	61.5-81.5	25	20.4	10.8-30.0							12	8.1	02.8-13.4
\$15,000- 24,999	149	28,952	109	75.6	66.2-85.0	24	18.1	09.3-26.9							16	6.3	01.8-10.8
\$25,000- 34,999	133	24,357	98	78.3	69.5-87.1	25	16.3	08.5-24.1	1	0.1	00.0-00.3				9	5.4	01.1-09.7
\$35,000- 49,999	270	48,737	207	71.9	62.9-80.9	45	14.8	08.7-20.9							18	13.2	04.8-21.6
\$50,000- 74,999	286	47,449	212	73.5	66.1-80.9	59	23.1	15.7-30.5	1	0.1	00.0-00.3	1	0.3	00.0-00.9	13	3.0	01.0-05.0
\$75,000+	541	93,257	403	73.2	67.9-78.5	110	22.0	16.9-27.1	1	0.1	00.0-00.3				27	4.7	02.3-07.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES**

TABLE 12: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2910	357,718	1982	68.1	65.6-70.6	777	25.7	23.3-28.1	20	1.0	00.2-01.8	8	0.3	00.1-00.5	123	4.8	03.4-06.2
White/Non-Hisp	2225	250,394	1522	67.8	65.1-70.5	589	26.2	23.5-28.9	12	1.1	00.1-02.1	7	0.3	00.0-00.7	95	4.6	03.4-05.8
Black or Afr. Am./Non-Hisp	458	70,876	304	67.2	61.1-73.3	131	27.0	21.3-32.7	6	1.1	00.1-02.1				17	4.6	02.1-07.1
Oth. Race/Non-Hisp.	72	7,652	51	68.2	52.5-83.9	19	29.5	13.8-45.2	2	2.3	00.0-06.4						
Hispanic	86	22,180	65	73.8	59.3-88.3	15	15.1	05.3-24.9				1	1.2	00.0-03.6	5	9.8	00.0-22.9
18-24	113	41,553	78	68.9	57.1-80.7	27	23.4	13.0-33.8							8	7.7	00.1-15.3
25-34	299	57,299	217	71.6	64.7-78.5	74	23.3	17.2-29.4	3	2.1	00.0-05.6				5	2.9	00.0-05.8
35-44	351	59,152	267	73.5	67.4-79.6	69	21.2	15.7-26.7	3	1.1	00.0-02.7	2	0.4	00.0-01.0	10	3.8	00.9-06.7
45-54	492	65,461	326	61.9	56.2-67.6	131	29.6	24.1-35.1	7	1.8	00.2-03.4	3	1.1	00.0-02.5	25	5.6	03.1-08.1
55-64	651	56,331	433	67.9	63.4-72.4	189	27.6	23.3-31.9	3	0.7	00.0-01.7	1	0.1	00.0-00.3	25	3.8	02.0-05.6
65+	964	73,744	638	67.1	63.4-70.8	271	27.1	23.6-30.6	4	0.3	00.0-00.7	2	0.1	00.1-00.1	49	5.4	03.4-07.4
Less Than H.S.	169	44,249	108	68.2	59.6-76.8	43	23.9	15.9-31.9	1	0.5	00.0-01.5				17	7.5	03.6-11.4
H.S. or G.E.D.	891	108,343	636	69.6	65.1-74.1	200	22.6	18.5-26.7	2	0.5	00.0-01.3	4	0.5	00.0-01.1	49	6.8	04.4-09.2
Some Post-H.S.	866	111,273	579	66.4	61.5-71.3	244	26.8	22.5-31.1	6	1.7	00.0-03.7	2	0.4	00.0-01.0	35	4.6	01.5-07.7
College Graduate	976	93,455	655	68.5	64.6-72.4	287	28.9	25.0-32.8	10	1.1	00.3-01.9	2	0.1	00.0-00.3	22	1.5	00.7-02.3
Less than \$15,000	353	40,781	240	69.1	62.2-76.0	86	21.8	16.1-27.5				1	0.1	00.0-00.3	26	9.1	04.6-13.6
\$15,000- 24,999	362	46,045	252	70.9	63.6-78.2	91	25.1	18.0-32.2	2	0.6	00.0-01.6	1	0.4	00.0-01.2	16	3.0	01.0-05.0
\$25,000- 34,999	254	28,117	190	78.1	72.0-84.2	51	17.0	11.5-22.5	1	0.3	00.0-00.9				12	4.6	01.5-07.7
\$35,000- 49,999	344	40,854	246	65.1	56.5-73.7	83	28.1	19.7-36.5	2	2.9	00.0-07.6	1	0.1	00.0-00.3	12	3.8	01.1-06.5
\$50,000- 74,999	417	50,691	279	69.8	63.9-75.7	116	24.1	18.8-29.4	3	1.3	00.0-03.1	1	0.2	00.0-00.6	18	4.6	01.9-07.3
\$75,000+	677	89,671	444	64.9	60.2-69.6	211	32.0	27.3-36.7	8	0.8	00.2-01.4	3	0.8	00.0-01.8	11	1.5	00.5-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 13: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4691	679,288	3725	77.6	75.8-79.4	297	5.5	04.7-06.3	9	0.2	00.0-00.4	2	0.0	00.0-00.0	658	16.7	15.1-18.3
Male	1789	323,228	1393	76.3	73.6-79.0	97	5.0	03.6-06.4	1	0.0	00.0-00.0				298	18.7	16.2-21.2
Female	2902	356,060	2332	78.8	76.6-81.0	200	5.9	04.9-06.9	8	0.4	00.0-00.8	2	0.0	00.0-00.0	360	15.0	12.8-17.2
White/Non-Hisp	3627	472,724	2930	79.4	77.4-81.4	218	5.3	04.3-06.3	7	0.2	00.0-00.4	1	0.0	00.0-00.0	471	15.0	13.2-16.8
Black or Afr. Am./Non-Hisp	667	127,494	489	69.6	64.5-74.7	49	6.0	03.6-08.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3	127	24.3	19.4-29.2
Oth. Race/Non-Hisp.	140	22,400	100	70.7	60.3-81.1	14	6.1	02.2-10.0	1	0.3	00.0-00.9				25	22.9	12.7-33.1
MultiRacial/Non-Hisp.	79	9,311	61	80.3	69.3-91.3	5	3.6	00.0-07.3							13	16.1	05.5-26.7
Hispanic	133	43,410	108	83.6	76.2-91.0	9	5.7	01.0-10.4							16	10.8	04.7-16.9
18-24	238	81,778	171	72.0	64.6-79.4	15	4.9	01.8-08.0							52	23.1	16.0-30.2
25-34	503	115,059	381	75.4	70.5-80.3	28	4.5	02.7-06.3	1	0.2	00.0-00.6				93	20.0	15.3-24.7
35-44	561	113,740	447	78.5	74.2-82.8	31	5.4	03.0-07.8	2	0.4	00.0-01.0				81	15.6	11.7-19.5
45-54	813	125,888	643	80.1	76.8-83.4	39	4.2	02.6-05.8	1	0.2	00.0-00.6	1	0.1	00.0-00.3	129	15.5	12.4-18.6
55-64	1018	106,699	810	77.3	73.4-81.2	66	6.6	04.1-09.1	4	0.4	00.0-00.8	1	0.1	00.0-00.3	137	15.7	12.2-19.2
65+	1499	128,480	1226	80.3	77.4-83.2	115	7.0	05.0-09.0							158	12.7	10.3-15.1
Less Than H.S.	277	87,845	204	71.4	64.1-78.7	14	5.3	01.8-08.8	1	0.3	00.0-00.9				58	23.0	16.1-29.9
H.S. or G.E.D.	1433	218,510	1103	77.0	74.1-79.9	70	4.1	02.7-05.5	2	0.2	00.0-00.6	2	0.1	00.1-00.1	256	18.6	15.9-21.3
Some Post-H.S.	1321	197,549	1049	77.0	73.7-80.3	80	5.0	03.4-06.6	3	0.2	00.0-00.4				189	17.7	14.6-20.8
College Graduate	1646	173,657	1361	82.6	80.2-85.0	131	7.7	06.1-09.3	3	0.2	00.0-00.4				151	9.5	07.5-11.5
Less than \$15,000	508	70,131	380	73.1	67.4-78.8	36	6.1	03.4-08.8	3	0.3	00.0-00.7				89	20.5	15.2-25.8
\$15,000- 24,999	511	75,056	379	71.3	65.2-77.4	33	5.7	02.2-09.2							99	22.9	17.4-28.4
\$25,000- 34,999	385	52,362	298	74.9	68.4-81.4	14	2.6	00.8-04.4							73	22.5	16.2-28.8
\$35,000- 49,999	611	87,783	496	78.0	73.1-82.9	28	3.3	01.7-04.9	3	0.6	00.0-01.4				84	18.1	13.4-22.8
\$50,000- 74,999	707	98,467	582	80.5	76.4-84.6	38	5.5	03.1-07.9				1	0.1	00.0-00.3	86	13.9	10.4-17.4
\$75,000+	1218	182,775	999	82.4	79.7-85.1	97	7.2	05.4-09.0	1	0.1	00.0-00.3				121	10.4	08.0-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 14: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1789	323,228	1393	76.3	73.6-79.0	97	5.0	03.6-06.4	1	0.0	00.0-00.0	298	18.7	16.2-21.2
White/Non-Hisp	1409	223,893	1114	77.2	74.1-80.3	67	4.5	02.9-06.1	1	0.0	00.0-00.0	227	18.2	15.3-21.1
Black or Afr. Am./Non-Hisp	208	56,487	150	71.3	63.5-79.1	18	6.9	02.6-11.2				40	21.9	14.6-29.2
Oth. Race/Non-Hisp.	68	14,748	46	68.0	53.9-82.1	6	4.7	00.4-09.0				16	27.2	13.3-41.1
18-24	126	41,686	92	73.0	63.2-82.8	9	7.1	01.4-12.8				25	19.9	11.3-28.5
25-34	204	57,891	151	74.6	66.8-82.4	12	4.4	01.7-07.1				41	21.0	13.6-28.4
35-44	210	54,525	168	80.0	73.3-86.7	8	3.3	00.4-06.2				34	16.6	10.5-22.7
45-54	323	60,730	261	81.5	76.4-86.6	9	2.4	00.4-04.4				53	16.1	11.2-21.0
55-64	367	50,459	267	67.7	60.6-74.8	25	7.5	03.4-11.6	1	0.1	00.0-00.3	74	24.7	18.2-31.2
65+	542	54,977	440	79.3	74.4-84.2	33	6.6	03.1-10.1				69	14.1	10.4-17.8
Less Than H.S.	110	43,549	76	67.3	56.1-78.5	6	7.6	00.7-14.5				28	25.1	14.9-35.3
H.S. or G.E.D.	541	111,264	401	76.7	72.2-81.2	22	3.4	01.4-05.4				118	19.9	15.8-24.0
Some Post-H.S.	460	86,837	353	74.9	69.4-80.4	22	4.3	02.1-06.5				85	20.8	15.5-26.1
College Graduate	673	80,290	561	83.1	79.4-86.8	46	6.5	04.3-08.7	1	0.1	00.0-00.3	65	10.3	07.2-13.4
Less than \$15,000	158	29,620	116	67.6	57.4-77.8	11	6.3	01.2-11.4	1	0.2	00.0-00.6	30	26.0	16.2-35.8
\$15,000- 24,999	148	28,756	99	65.8	55.0-76.6	11	9.9	01.5-18.3				38	24.3	15.3-33.3
\$25,000- 34,999	134	24,566	101	75.1	64.9-85.3	5	2.6	00.0-05.3				28	22.3	12.5-32.1
\$35,000- 49,999	270	48,737	210	75.0	67.6-82.4	12	3.3	01.1-05.5				48	21.8	14.5-29.1
\$50,000- 74,999	291	47,802	243	83.3	78.0-88.6	11	4.5	01.6-07.4				37	12.2	07.7-16.7
\$75,000+	542	93,259	445	82.3	78.2-86.4	29	4.7	02.7-06.7				68	13.0	09.3-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 15: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2902	356,060	2332	78.8	76.6-81.0	200	5.9	04.9-06.9	8	0.4	00.0-00.8	2	0.0	00.0-00.0	360	15.0	12.8-17.2
White/Non-Hisp	2218	248,831	1816	81.4	79.0-83.8	151	6.0	04.8-07.2	6	0.4	00.0-00.8	1	0.0	00.0-00.0	244	12.1	10.1-14.1
Black or Afr. Am./Non-Hisp	459	71,008	339	68.4	61.7-75.1	31	5.2	02.7-07.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3	87	26.2	19.5-32.9
Oth. Race/Non-Hisp.	72	7,652	54	75.7	61.6-89.8	8	8.8	01.2-16.4	1	1.0	00.0-03.0				9	14.4	01.5-27.3
Hispanic	85	21,968	70	82.9	73.1-92.7	6	5.8	00.9-10.7							9	11.3	02.7-19.9
18-24	112	40,092	79	71.0	59.8-82.2	6	2.6	00.2-05.0							27	26.4	15.4-37.4
25-34	299	57,168	230	76.1	69.8-82.4	16	4.6	02.1-07.1	1	0.3	00.0-00.9				52	18.9	13.0-24.8
35-44	351	59,215	279	77.2	71.5-82.9	23	7.4	03.9-10.9	2	0.8	00.0-02.0				47	14.7	09.8-19.6
45-54	490	65,158	382	78.8	74.3-83.3	30	5.8	03.4-08.2	1	0.3	00.0-00.9	1	0.1	00.0-00.3	76	15.0	11.1-18.9
55-64	651	56,239	543	85.8	82.3-89.3	41	5.8	03.1-08.5	3	0.6	00.0-01.4	1	0.1	00.0-00.3	63	7.7	05.3-10.1
65+	957	73,503	786	81.1	77.6-84.6	82	7.3	05.5-09.1							89	11.6	08.5-14.7
Less Than H.S.	167	44,296	128	75.4	66.4-84.4	8	3.1	00.7-05.5	1	0.5	00.0-01.5				30	21.0	12.0-30.0
H.S. or G.E.D.	892	107,246	702	77.3	73.4-81.2	48	4.8	03.0-06.6	2	0.4	00.0-01.2	2	0.1	00.0-00.3	138	17.4	13.9-20.9
Some Post-H.S.	861	110,712	696	78.7	74.6-82.8	58	5.6	03.6-07.6	3	0.3	00.0-00.7				104	15.3	11.4-19.2
College Graduate	973	93,367	800	82.1	79.0-85.2	85	8.8	06.6-11.0	2	0.3	00.0-00.7				86	8.9	06.5-11.3
Less than \$15,000	350	40,511	264	77.1	70.8-83.4	25	6.0	03.1-08.9	2	0.4	00.0-01.0				59	16.5	10.8-22.2
\$15,000- 24,999	363	46,300	280	74.8	67.7-81.9	22	3.2	01.6-04.8							61	22.0	14.9-29.1
\$25,000- 34,999	251	27,796	197	74.8	66.8-82.8	9	2.5	00.1-04.9							45	22.7	14.9-30.5
\$35,000- 49,999	341	39,047	286	81.9	76.0-87.8	16	3.4	01.2-05.6	3	1.3	00.0-03.3				36	13.5	08.0-19.0
\$50,000- 74,999	416	50,665	339	77.9	71.8-84.0	27	6.5	03.2-09.8				1	0.1	00.0-00.3	49	15.5	10.2-20.8
\$75,000+	676	89,516	554	82.5	78.8-86.2	68	9.7	07.0-12.4	1	0.2	00.0-00.6				53	7.6	05.1-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES
 TABLE 16: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)**
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4689	682,380	2448	55.3	53.1-57.5	2067	40.4	38.4-42.4	55	1.2	00.8-01.6	16	0.3	00.1-00.5	103	2.7	01.9-03.5
Male	1790	325,524	1041	60.2	57.1-63.3	689	35.4	32.3-38.5	14	1.0	00.2-01.8	1	0.1	00.0-00.3	45	3.4	01.8-05.0
Female	2899	356,856	1407	50.9	48.2-53.6	1378	45.1	42.4-47.8	41	1.3	00.9-01.7	15	0.6	00.2-01.0	58	2.1	01.3-02.9
White/Non-Hisp	3622	473,853	1821	52.2	49.8-54.6	1671	43.7	41.3-46.1	46	1.2	00.8-01.6	13	0.4	00.0-00.8	71	2.4	01.4-03.4
Black or Afr. Am./Non-Hisp	669	129,187	413	65.3	60.4-70.2	228	30.2	25.5-34.9	5	1.1	00.0-02.7	3	0.3	00.0-00.7	20	3.0	01.4-04.6
Oth. Race/Non-Hisp.	139	22,377	65	51.6	40.0-63.2	70	43.3	32.1-54.5	2	2.9	00.0-07.6				2	2.1	00.0-05.6
MultiRacial/Non-Hisp.	80	9,532	42	55.4	41.7-69.1	35	42.9	29.2-56.6							3	1.7	00.0-03.7
Hispanic	134	43,622	82	61.3	49.9-72.7	44	33.1	21.9-44.3	1	0.2	00.0-00.6				7	5.5	00.8-10.2
18-24	240	83,660	147	59.6	51.2-68.0	79	35.1	26.7-43.5	2	0.9	00.0-02.3	2	0.9	00.0-02.3	10	3.5	00.6-06.4
25-34	502	114,930	285	58.6	52.9-64.3	197	36.7	31.2-42.2	7	1.6	00.0-03.4				13	3.2	00.3-06.1
35-44	561	113,678	324	59.2	54.1-64.3	213	36.1	31.2-41.0	8	0.8	00.2-01.4	2	0.5	00.0-01.3	14	3.3	01.1-05.5
45-54	816	127,153	407	53.7	49.2-58.2	377	42.5	38.0-47.0	12	2.0	00.6-03.4	4	0.4	00.0-00.8	16	1.3	00.5-02.1
55-64	1014	106,109	509	52.0	47.9-56.1	473	44.8	40.7-48.9	8	0.6	00.2-01.0	4	0.2	00.0-00.4	20	2.4	00.6-04.2
65+	1499	129,804	748	51.2	47.9-54.5	701	44.9	41.6-48.2	17	0.9	00.3-01.5	4	0.2	00.0-00.4	29	2.8	01.4-04.2
Less Than H.S.	282	90,241	164	58.4	51.0-65.8	101	35.6	28.3-42.9	2	0.3	00.0-00.7	1	0.6	00.0-01.8	14	5.1	01.2-09.0
H.S. or G.E.D.	1424	218,966	801	57.2	53.5-60.9	575	39.1	35.4-42.8	10	0.8	00.0-01.8	3	0.4	00.0-00.8	35	2.5	01.3-03.7
Some Post-H.S.	1319	197,569	669	54.4	50.5-58.3	607	41.3	37.6-45.0	15	1.7	00.7-02.7	5	0.2	00.0-00.4	23	2.5	00.9-04.1
College Graduate	1650	173,878	809	52.7	49.6-55.8	775	43.3	40.2-46.4	28	1.5	00.9-02.1	7	0.4	00.0-00.8	31	2.1	01.1-03.1
Less than \$15,000	514	70,588	294	60.7	54.6-66.8	201	35.5	29.6-41.4				1	0.0	00.0-00.0	18	3.8	01.6-06.0
\$15,000- 24,999	507	74,872	295	61.7	55.6-67.8	186	33.5	27.6-39.4	8	2.2	00.0-04.9	2	0.3	00.0-00.7	16	2.3	00.9-03.7
\$25,000- 34,999	387	52,622	213	53.9	46.6-61.2	159	40.5	33.4-47.6	4	1.5	00.0-03.7	1	0.2	00.0-00.6	10	4.0	00.5-07.5
\$35,000- 49,999	611	89,169	322	57.4	51.3-63.5	272	39.8	33.7-45.9	3	0.2	00.0-00.6	2	0.1	00.0-00.3	12	2.4	00.4-04.4
\$50,000- 74,999	705	98,293	356	51.9	46.8-57.0	324	43.5	38.4-48.6	9	1.0	00.2-01.8	2	0.9	00.0-02.3	14	2.7	00.7-04.7
\$75,000+	1219	182,876	596	53.9	50.2-57.6	585	43.3	39.6-47.0	21	1.9	00.9-02.9	4	0.2	00.0-00.4	13	0.7	00.3-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES**

TABLE 17: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1790	325,524	1041	60.2	57.1-63.3	689	35.4	32.3-38.5	14	1.0	00.2-01.8	1	0.1	00.0-00.3	45	3.4	01.8-05.0
White/Non-Hisp	1406	224,040	805	58.0	54.3-61.7	558	37.9	34.4-41.4	10	0.7	00.1-01.3				33	3.4	01.4-05.4
Black or Afr. Am./Non-Hisp	212	58,569	137	66.9	58.9-74.9	64	26.5	19.1-33.9	1	1.8	00.0-05.3	1	0.4	00.0-01.2	9	4.4	01.1-07.7
Oth. Race/Non-Hisp.	68	14,748	36	59.2	44.5-73.9	29	33.6	20.3-46.9	2	4.5	00.0-11.8				1	2.8	00.0-08.3
18-24	127	42,107	85	67.0	55.8-78.2	34	25.2	14.8-35.6	1	1.4	00.0-04.1	1	0.5	00.0-01.5	6	5.8	00.1-11.5
25-34	202	57,553	116	56.7	47.9-65.5	76	36.0	27.6-44.4	2	2.0	00.0-05.5				8	5.3	00.0-10.8
35-44	210	54,525	141	68.7	61.4-76.0	63	28.8	21.7-35.9	1	0.3	00.0-00.9				5	2.3	00.1-04.5
45-54	325	61,749	182	59.5	52.2-66.8	133	38.2	31.1-45.3	4	1.4	00.0-03.2				6	0.9	00.0-01.9
55-64	366	50,280	217	59.9	53.2-66.6	139	36.1	29.6-42.6	2	0.3	00.0-00.9				8	3.6	00.0-07.3
65+	544	56,481	292	52.5	46.8-58.2	236	43.6	37.9-49.3	4	0.6	00.0-01.4				12	3.3	00.6-06.0
Less Than H.S.	115	46,330	66	57.8	46.6-69.0	41	34.9	24.3-45.5	1	0.4	00.0-01.2				7	7.0	00.0-14.3
H.S. or G.E.D.	537	110,870	323	61.8	56.1-67.5	195	34.1	28.6-39.6	3	1.0	00.0-02.8	1	0.2	00.0-00.6	15	2.9	01.1-04.7
Some Post-H.S.	458	86,635	270	60.6	54.5-66.7	175	34.7	29.0-40.4	4	1.6	00.0-03.6				9	3.0	00.1-05.9
College Graduate	675	80,401	379	59.4	54.7-64.1	276	37.5	33.0-42.0	6	0.7	00.1-01.3				14	2.4	00.8-04.0
Less than \$15,000	160	29,782	104	60.1	49.9-70.3	48	34.0	23.8-44.2							8	5.9	01.2-10.6
\$15,000- 24,999	149	29,070	95	65.0	54.4-75.6	46	27.7	18.3-37.1	2	4.2	00.0-11.1				6	3.1	00.2-06.0
\$25,000- 34,999	134	24,566	80	56.2	43.7-68.7	47	36.3	24.3-48.3	3	2.5	00.0-06.8				4	5.0	00.0-11.9
\$35,000- 49,999	267	48,311	150	63.8	55.4-72.2	110	34.1	25.9-42.3	1	0.2	00.0-00.6				6	1.9	00.3-03.5
\$50,000- 74,999	290	47,692	168	58.1	50.3-65.9	114	38.1	30.5-45.7	2	0.5	00.0-01.1				6	3.3	00.0-06.6
\$75,000+	543	93,379	312	62.3	57.0-67.6	218	35.7	30.6-40.8	6	1.2	00.0-02.6				7	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES
 TABLE 18: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2899	356,856	1407	50.9	48.2-53.6	1378	45.1	42.4-47.8	41	1.3	00.9-01.7	15	0.6	00.2-01.0	58	2.1	01.3-02.9
White/Non-Hisp	2216	249,813	1016	47.0	44.1-49.9	1113	49.0	46.1-51.9	36	1.6	01.0-02.2	13	0.8	00.2-01.4	38	1.6	01.0-02.2
Black or Afr. Am./Non-Hisp	457	70,618	276	64.0	57.7-70.3	164	33.2	27.1-39.3	4	0.6	00.0-01.2	2	0.2	00.0-00.4	11	1.9	00.5-03.3
Oth. Race/Non-Hisp.	71	7,629	29	37.1	22.0-52.2	41	62.1	47.0-77.2							1	0.8	00.0-02.4
Hispanic	86	22,180	46	52.5	37.8-67.2	33	37.9	23.4-52.4	1	0.3	00.0-01.1				6	9.2	00.8-17.6
18-24	113	41,553	62	52.2	39.7-64.7	45	45.0	32.5-57.5	1	0.3	00.0-00.9	1	1.2	00.0-03.6	4	1.3	00.0-02.7
25-34	300	57,376	169	60.5	53.4-67.6	121	37.3	30.2-44.4	5	1.1	00.1-02.1				5	1.1	00.0-02.3
35-44	351	59,152	183	50.5	44.0-57.0	150	43.0	36.5-49.5	7	1.3	00.3-02.3	2	1.0	00.0-02.6	9	4.3	00.8-07.8
45-54	491	65,404	225	48.2	42.5-53.9	244	46.7	41.0-52.4	8	2.5	00.5-04.5	4	0.9	00.0-01.9	10	1.8	00.6-03.0
55-64	648	55,829	292	44.9	40.0-49.8	334	52.7	47.8-57.6	6	0.9	00.1-01.7	4	0.3	00.0-00.7	12	1.3	00.5-02.1
65+	955	73,323	456	50.2	46.1-54.3	465	45.9	41.8-50.0	13	1.1	00.3-01.9	4	0.4	00.0-00.8	17	2.4	01.0-03.8
Less Than H.S.	167	43,911	98	59.1	49.1-69.1	60	36.4	26.6-46.2	1	0.2	00.0-00.6	1	1.2	00.0-03.4	7	3.0	00.6-05.4
H.S. or G.E.D.	887	108,096	478	52.5	47.8-57.2	380	44.3	39.6-49.0	7	0.5	00.1-00.9	2	0.5	00.0-01.3	20	2.2	01.0-03.4
Some Post-H.S.	861	110,934	399	49.6	44.7-54.5	432	46.4	41.5-51.3	11	1.7	00.5-02.9	5	0.3	00.1-00.5	14	2.0	00.2-03.8
College Graduate	975	93,477	430	47.0	42.5-51.5	499	48.3	44.0-52.6	22	2.2	01.2-03.2	7	0.7	00.1-01.3	17	1.8	00.8-02.8
Less than \$15,000	354	40,806	190	61.1	53.7-68.5	153	36.6	29.3-43.9				1	0.1	00.0-00.3	10	2.3	00.7-03.9
\$15,000- 24,999	358	45,802	200	59.6	52.2-67.0	140	37.1	29.7-44.5	6	1.0	00.0-02.0	2	0.5	00.0-01.3	10	1.8	00.6-03.0
\$25,000- 34,999	253	28,056	133	52.0	43.8-60.2	112	44.1	35.9-52.3	1	0.6	00.0-01.8	1	0.3	00.0-00.9	6	3.0	00.3-05.7
\$35,000- 49,999	344	40,857	172	49.9	41.9-57.9	162	46.6	38.4-54.8	2	0.3	00.0-00.7	2	0.3	00.0-00.7	6	3.0	00.0-06.9
\$50,000- 74,999	415	50,602	188	46.0	39.3-52.7	210	48.6	41.7-55.5	7	1.5	00.3-02.7	2	1.8	00.0-04.3	8	2.1	00.1-04.1
\$75,000+	676	89,497	284	45.1	40.2-50.0	367	51.3	46.4-56.2	15	2.5	00.9-04.1	4	0.3	00.0-00.7	6	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 19: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4736	687,809	1578	37.0	35.0-39.0	2325	45.8	43.6-48.0	447	8.3	07.3-09.3	274	6.1	04.9-07.3	7	0.2	00.0-00.4	105	2.6	02.0-03.2
Male	1804	327,914	698	42.5	39.2-45.8	864	44.3	41.0-47.6	117	5.7	04.3-07.1	70	3.9	02.5-05.3	4	0.3	00.0-00.7	51	3.3	02.1-04.5
Female	2932	359,895	880	32.1	29.6-34.6	1461	47.2	44.7-49.7	330	10.6	09.0-12.2	204	8.1	06.3-09.9	3	0.1	00.0-00.3	54	1.9	01.1-02.7
White/Non-Hisp	3660	477,542	1192	37.1	34.7-39.5	1855	46.9	44.5-49.3	351	8.3	07.1-09.5	176	4.8	03.8-05.8	4	0.1	00.0-00.3	82	2.8	02.0-03.6
Black or Afr. Am./Non-Hisp	676	130,749	252	40.7	35.4-46.0	282	39.2	34.1-44.3	58	8.2	05.5-10.9	67	8.8	05.7-11.9	2	0.2	00.0-00.4	15	3.0	01.0-05.0
Oth. Race/Non-Hisp.	140	22,400	46	34.7	23.9-45.5	69	46.5	34.9-58.1	12	10.3	03.0-17.6	11	7.7	01.6-13.8				2	0.7	00.0-01.9
MultiRacial/Non-Hisp.	80	9,532	28	34.2	21.3-47.1	32	38.0	24.7-51.3	8	10.2	01.2-19.2	9	13.1	03.5-22.7				3	4.5	00.0-10.2
Hispanic	134	43,622	41	26.8	17.6-36.0	70	56.5	45.3-67.7	12	5.9	02.0-09.8	8	8.8	00.8-16.8	1	1.4	00.0-04.1	2	0.6	00.0-01.4
18-24	241	83,808	115	43.8	35.6-52.0	93	39.9	31.5-48.3	18	7.8	03.3-12.3	13	7.7	02.2-13.2	1	0.7	00.0-02.1	1	0.1	00.0-00.3
25-34	505	115,337	179	37.7	32.0-43.4	238	43.5	37.8-49.2	45	8.3	05.4-11.2	29	7.0	03.7-10.3	1	0.1	00.0-00.3	13	3.4	01.2-05.6
35-44	562	113,958	218	40.2	35.1-45.3	256	46.9	41.6-52.2	42	6.1	03.9-08.3	33	4.9	02.9-06.9				13	2.0	00.6-03.4
45-54	820	127,832	296	35.3	31.0-39.6	370	45.6	41.1-50.1	73	8.5	06.0-11.0	53	7.1	04.7-09.5	3	0.4	00.0-00.8	25	3.1	01.5-04.7
55-64	1022	107,141	345	37.5	33.4-41.6	493	45.1	41.0-49.2	109	10.2	07.8-12.6	58	5.3	03.5-07.1	2	0.2	00.0-00.6	15	1.8	00.6-03.0
65+	1527	132,090	401	30.9	27.6-34.2	853	52.1	48.8-55.4	156	8.6	07.0-10.2	82	4.8	03.6-06.0				35	3.6	01.8-05.4
Less Than H.S.	291	92,266	126	47.2	39.8-54.6	118	37.0	29.9-44.1	18	4.9	02.4-07.4	15	5.9	02.0-09.8	1	0.3	00.0-00.9	13	4.8	01.7-07.9
H.S. or G.E.D.	1444	221,005	553	40.8	37.1-44.5	693	45.8	42.1-49.5	86	5.8	03.8-07.8	70	4.8	03.2-06.4	4	0.4	00.0-01.0	38	2.4	01.4-03.4
Some Post-H.S.	1333	198,657	453	36.0	32.3-39.7	634	45.1	41.4-48.8	142	9.6	07.4-11.8	71	6.8	04.3-09.3	1	0.1	00.0-00.3	32	2.5	01.3-03.7
College Graduate	1654	174,155	443	28.4	25.5-31.3	870	51.4	48.1-54.7	201	11.7	09.7-13.7	118	7.0	05.4-08.6	1	0.1	00.0-00.3	21	1.4	00.6-02.2
Less than \$15,000	516	71,023	192	40.1	34.0-46.2	243	44.0	37.5-50.5	43	6.7	04.2-09.2	22	3.9	01.9-05.9	2	0.6	00.0-01.4	14	4.7	01.4-08.0
\$15,000- 24,999	516	75,691	206	42.6	36.3-48.9	216	42.0	35.7-48.3	39	4.9	02.9-06.9	33	7.1	03.4-10.8				22	3.4	01.8-05.0
\$25,000- 34,999	389	52,764	134	35.3	28.4-42.2	184	48.3	41.0-55.6	38	8.5	05.4-11.6	21	5.4	02.3-08.5	1	0.3	00.0-00.9	11	2.2	00.4-04.0
\$35,000- 49,999	618	90,054	215	40.2	34.1-46.3	296	41.7	35.8-47.6	58	9.3	05.2-13.4	40	7.6	04.1-11.1				9	1.2	00.2-02.2
\$50,000- 74,999	708	98,493	228	37.2	32.1-42.3	372	49.5	44.4-54.6	59	7.1	04.7-09.5	37	4.7	02.9-06.5				12	1.4	00.4-02.4
\$75,000+	1220	183,050	363	32.5	28.8-36.2	632	48.8	45.1-52.5	134	11.1	08.7-13.5	73	5.9	04.3-07.5	1	0.1	00.0-00.3	17	1.7	00.7-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES
 TABLE 20: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1804	327,914	698	42.5	39.2-45.8	864	44.3	41.0-47.6	117	5.7	04.3-07.1	70	3.9	02.5-05.3	4	0.3	00.0-00.7	51	3.3	02.1-04.5
White/Non-Hisp	1417	225,635	539	43.3	39.6-47.0	697	44.4	40.9-47.9	91	5.7	04.3-07.1	49	3.3	01.9-04.7	3	0.2	00.0-00.4	38	3.2	01.8-04.6
Black or Afr. Am./Non-Hisp	214	59,210	91	44.5	36.1-52.9	87	37.7	29.7-45.7	15	6.8	02.3-11.3	13	6.1	01.8-10.4				8	5.0	01.1-08.9
Oth. Race/Non-Hisp.	68	14,748	30	41.6	26.5-56.7	28	44.5	28.8-60.2	5	6.2	00.0-12.9	4	6.8	00.0-15.0				1	0.9	00.0-02.7
18-24	128	42,254	69	46.6	35.2-58.0	48	42.3	30.5-54.1	6	4.7	00.6-08.8	3	4.7	00.0-10.2	1	1.4	00.0-04.1	1	0.2	00.0-00.6
25-34	204	57,891	85	46.3	37.5-55.1	88	39.0	30.6-47.4	14	6.0	02.3-09.7	7	4.0	00.1-07.9	1	0.3	00.0-00.9	9	4.5	01.2-07.8
35-44	210	54,525	98	46.4	38.2-54.6	91	43.9	35.7-52.1	7	3.3	00.8-05.8	8	3.7	01.0-06.4				6	2.8	00.3-05.3
45-54	327	62,323	135	39.9	32.8-47.0	149	45.5	38.2-52.8	21	7.0	02.9-11.1	12	3.8	01.3-06.3	1	0.2	00.0-00.6	9	3.6	00.7-06.5
55-64	369	50,612	134	40.0	33.1-46.9	181	47.0	40.1-53.9	30	6.7	04.0-09.4	16	4.0	01.6-06.4	1	0.2	00.0-00.6	7	2.2	00.2-04.2
65+	549	57,351	170	37.4	31.5-43.3	301	48.9	43.2-54.6	38	6.3	04.1-08.5	24	3.4	01.6-05.2				16	4.0	01.3-06.7
Less Than H.S.	119	47,313	65	55.4	44.4-66.4	40	34.2	23.4-45.0	6	3.7	00.4-07.0	1	0.6	00.0-01.8				7	6.0	01.1-10.9
H.S. or G.E.D.	544	111,931	237	44.2	38.5-49.9	253	45.0	39.3-50.7	16	3.4	01.0-05.8	19	3.7	01.3-06.1	3	0.7	00.0-01.9	16	2.9	01.1-04.7
Some Post-H.S.	461	86,982	189	42.5	36.4-48.6	205	41.9	35.8-48.0	34	6.9	04.0-09.8	17	5.5	02.2-08.8	1	0.2	00.0-00.6	15	3.1	01.3-04.9
College Graduate	675	80,401	206	33.1	28.4-37.8	363	52.0	47.1-56.9	61	9.0	06.5-11.5	33	4.3	02.5-06.1				12	1.7	00.5-02.9
Less than \$15,000	161	30,201	79	47.4	37.4-57.4	61	37.9	27.5-48.3	8	4.8	00.7-08.9	6	3.2	00.0-06.5	1	0.5	00.0-01.5	6	6.3	00.4-12.2
\$15,000- 24,999	150	29,360	75	52.6	41.8-63.4	57	35.1	25.1-45.1	4	1.9	00.0-03.9	4	5.9	00.0-13.2				10	4.6	01.5-07.7
\$25,000- 34,999	133	24,521	50	34.0	22.6-45.4	62	52.9	40.6-65.2	12	6.2	02.1-10.3	5	4.2	00.0-09.5				4	2.6	00.0-06.1
\$35,000- 49,999	271	48,773	113	49.5	40.5-58.5	132	40.2	31.4-49.0	8	2.6	00.2-05.0	15	6.6	01.9-11.3				3	1.1	00.0-02.7
\$50,000- 74,999	291	47,802	100	38.0	30.6-45.4	161	53.1	45.5-60.7	13	4.7	01.8-07.6	9	2.1	00.5-03.7				8	2.1	00.3-03.9
\$75,000+	543	93,379	190	39.0	33.3-44.7	275	46.2	40.5-51.9	45	8.3	05.0-11.6	22	4.1	01.9-06.3	1	0.1	00.0-00.3	10	2.3	00.7-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES
 TABLE 21: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2932	359,895	880	32.1	29.6-34.6	1461	47.2	44.7-49.7	330	10.6	09.0-12.2	204	8.1	06.3-09.9	3	0.1	00.0-00.3	54	1.9	01.1-02.7
White/Non-Hisp	2243	251,907	653	31.5	28.6-34.4	1158	49.1	46.2-52.0	260	10.8	08.8-12.8	127	6.2	04.6-07.8	1	0.1	00.0-00.3	44	2.3	01.3-03.3
Black or Afr. Am./Non-Hisp	462	71,539	161	37.6	31.1-44.1	195	40.4	33.9-46.9	43	9.3	05.8-12.8	54	11.1	06.6-15.6	2	0.3	00.0-00.7	7	1.3	00.1-02.5
Oth. Race/Non-Hisp.	72	7,652	16	21.6	10.2-33.0	41	50.4	34.7-66.1	7	18.3	02.6-34.0	7	9.4	01.0-17.8				1	0.4	00.0-01.2
Hispanic	86	22,180	26	23.7	13.1-34.3	41	51.2	36.5-65.9	11	8.8	03.1-14.5	7	15.8	01.5-30.1				1	0.5	00.0-01.5
18-24	113	41,553	46	41.0	28.8-53.2	45	37.4	25.6-49.2	12	11.0	03.2-18.8	10	10.6	01.2-20.0						
25-34	301	57,446	94	29.0	22.5-35.5	150	48.0	40.7-55.3	31	10.6	06.1-15.1	22	10.1	04.8-15.4				4	2.3	00.0-05.0
35-44	352	59,432	120	34.5	28.2-40.8	165	49.6	43.1-56.1	35	8.7	05.4-12.0	25	6.0	03.5-08.5				7	1.2	00.2-02.2
45-54	493	65,510	161	31.0	25.9-36.1	221	45.7	40.0-51.4	52	9.9	06.8-13.0	41	10.2	06.7-13.7	2	0.5	00.0-01.3	16	2.7	00.9-04.5
55-64	653	56,529	211	35.2	30.5-39.9	312	43.4	38.5-48.3	79	13.4	09.7-17.1	42	6.4	04.0-08.8	1	0.3	00.0-00.9	8	1.4	00.2-02.6
65+	978	74,739	231	25.9	22.2-29.6	552	54.5	50.4-58.6	118	10.4	08.2-12.6	58	5.9	04.1-07.7				19	3.2	00.8-05.6
Less Than H.S.	172	44,953	61	38.5	28.5-48.5	78	39.9	30.5-49.3	12	6.2	02.5-09.9	14	11.3	03.7-18.9	1	0.6	00.0-01.8	6	3.5	00.0-07.2
H.S. or G.E.D.	900	109,075	316	37.3	32.8-41.8	440	46.6	41.9-51.3	70	8.4	05.1-11.7	51	5.8	03.8-07.8	1	0.1	00.0-00.3	22	1.9	00.9-02.9
Some Post-H.S.	872	111,675	264	30.9	26.6-35.2	429	47.6	42.9-52.3	108	11.6	08.7-14.5	54	7.9	04.4-11.4				17	2.0	00.6-03.4
College Graduate	979	93,754	237	24.3	20.4-28.2	507	50.9	46.6-55.2	140	14.1	11.4-16.8	85	9.4	07.0-11.8	1	0.2	00.0-00.6	9	1.2	00.2-02.2
Less than \$15,000	355	40,822	113	34.7	27.1-42.3	182	48.5	40.3-56.7	35	8.2	04.7-11.7	16	4.4	01.9-06.9	1	0.6	00.0-01.8	8	3.6	00.0-07.7
\$15,000- 24,999	366	46,331	131	36.2	28.9-43.5	159	46.4	38.8-54.0	35	6.9	04.0-09.8	29	7.9	04.2-11.6				12	2.6	00.8-04.4
\$25,000- 34,999	256	28,243	84	36.4	28.4-44.4	122	44.3	36.3-52.3	26	10.6	05.9-15.3	16	6.5	02.8-10.2	1	0.5	00.0-01.5	7	1.8	00.2-03.4
\$35,000- 49,999	347	41,281	102	29.2	22.7-35.7	164	43.4	35.8-51.0	50	17.1	09.3-24.9	25	8.8	03.3-14.3				6	1.4	00.2-02.6
\$50,000- 74,999	417	50,691	128	36.5	29.4-43.6	211	46.1	39.4-52.8	46	9.4	05.9-12.9	28	7.3	04.0-10.6				4	0.8	00.0-01.8
\$75,000+	677	89,671	173	25.7	21.2-30.2	357	51.5	46.6-56.4	89	13.9	10.4-17.4	51	7.7	05.2-10.2				7	1.2	00.2-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 22: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4730	686,729	990	23.8	21.8-25.8	2029	42.6	40.6-44.6	1134	22.1	20.3-23.9	548	10.9	09.5-12.3	6	0.1	00.0-00.3	23	0.4	00.2-00.6
Male	1803	327,163	458	28.0	25.1-30.9	783	42.1	39.0-45.2	413	21.1	18.6-23.6	138	8.4	06.4-10.4	1	0.0	00.0-00.0	10	0.4	00.2-00.6
Female	2927	359,566	532	20.1	17.9-22.3	1246	43.0	40.5-45.5	721	23.1	20.9-25.3	410	13.1	11.3-14.9	5	0.2	00.0-00.4	13	0.4	00.0-00.8
White/Non-Hisp	3656	477,128	704	21.3	19.3-23.3	1605	43.7	41.3-46.1	903	23.4	21.4-25.4	421	10.9	09.5-12.3	5	0.2	00.0-00.4	18	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	674	130,084	200	34.2	29.1-39.3	261	37.7	32.6-42.8	136	17.3	13.4-21.2	73	10.3	07.0-13.6	1	0.1	00.0-00.3	3	0.5	00.0-01.1
Oth. Race/Non-Hisp.	140	22,400	21	9.9	04.8-15.0	56	48.8	37.2-60.4	42	27.3	17.9-36.7	21	14.0	06.2-21.8						
MultiRacial/Non-Hisp.	80	9,532	20	25.6	13.8-37.4	32	41.7	28.0-55.4	15	19.5	08.9-30.1	11	12.2	02.8-21.6				2	0.9	00.0-02.3
Hispanic	134	43,622	35	27.9	17.7-38.1	56	41.9	30.5-53.3	31	21.0	12.2-29.8	12	9.2	01.4-17.0						
18-24	241	83,808	87	35.3	27.3-43.3	97	39.9	31.5-48.3	33	16.4	09.7-23.1	21	8.0	04.1-11.9				3	0.4	00.0-01.0
25-34	504	115,268	121	27.5	22.2-32.8	220	39.8	34.3-45.3	101	19.3	15.0-23.6	58	12.6	08.5-16.7				4	0.7	00.0-01.5
35-44	562	113,958	120	20.7	16.6-24.8	252	47.0	41.7-52.3	129	23.6	19.3-27.9	58	8.3	05.8-10.8	1	0.1	00.0-00.3	2	0.3	00.0-00.7
45-54	818	127,364	151	19.1	15.4-22.8	359	42.8	38.3-47.3	194	24.6	20.5-28.7	107	12.8	09.5-16.1	4	0.5	00.0-01.1	3	0.3	00.0-00.7
55-64	1021	107,105	185	20.1	16.4-23.8	435	43.2	39.1-47.3	258	23.7	20.4-27.0	138	12.6	09.7-15.5	1	0.1	00.0-00.3	4	0.3	00.0-00.7
65+	1525	131,583	313	23.8	20.7-26.9	640	41.6	38.3-44.9	409	24.0	21.3-26.7	156	9.9	07.7-12.1				7	0.6	00.0-01.2
Less Than H.S.	288	91,454	100	37.4	30.0-44.8	109	34.8	27.7-41.9	49	17.6	11.9-23.3	26	9.2	04.9-13.5				4	1.0	00.0-02.0
H.S. or G.E.D.	1443	221,039	395	28.2	24.9-31.5	618	41.0	37.5-44.5	311	22.3	19.2-25.4	108	7.8	05.4-10.2	3	0.2	00.0-00.4	8	0.5	00.1-00.9
Some Post-H.S.	1330	198,383	267	21.1	18.0-24.2	556	44.5	40.6-48.4	331	21.9	19.0-24.8	171	12.4	10.0-14.8	1	0.1	00.0-00.3	4	0.1	00.0-00.3
College Graduate	1655	174,128	225	14.5	12.0-17.0	742	46.5	43.2-49.8	438	24.6	21.9-27.3	241	13.9	11.7-16.1	2	0.2	00.0-00.4	7	0.3	00.1-00.5
Less than \$15,000	515	70,604	137	30.5	24.4-36.6	218	40.0	33.7-46.3	104	19.3	14.4-24.2	51	9.1	05.6-12.6				5	1.0	00.0-02.0
\$15,000- 24,999	517	75,653	160	33.3	27.4-39.2	209	40.9	34.8-47.0	94	16.8	12.3-21.3	48	8.3	04.2-12.4	2	0.3	00.0-00.7	4	0.4	00.0-00.8
\$25,000- 34,999	388	52,683	96	27.0	20.1-33.9	172	41.9	34.8-49.0	84	23.2	16.7-29.7	33	7.1	03.8-10.4				3	0.8	00.0-01.8
\$35,000- 49,999	616	89,809	140	28.7	22.8-34.6	266	41.5	35.4-47.6	156	20.7	16.2-25.2	54	9.1	05.4-12.8						
\$50,000- 74,999	708	98,493	125	19.6	15.7-23.5	300	42.7	37.6-47.8	187	23.4	19.3-27.5	94	14.2	10.1-18.3	1	0.1	00.0-00.3	1	0.0	00.0-00.0
\$75,000+	1220	183,050	153	12.9	10.2-15.6	551	47.1	43.4-50.8	330	25.6	22.3-28.9	179	13.9	11.5-16.3	2	0.2	00.0-00.6	5	0.3	00.1-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 9: FRUITS AND VEGETABLES**

TABLE 23: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1803	327,163	458	28.0	25.1-30.9	783	42.1	39.0-45.2	413	21.1	18.6-23.6	138	8.4	06.4-10.4	1	0.0	00.0-00.0	10	0.4	00.2-00.6
White/Non-Hisp	1418	225,525	340	26.4	23.1-29.7	639	44.6	40.9-48.3	329	21.2	18.3-24.1	100	7.2	05.2-09.2	1	0.1	00.0-00.3	9	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	212	58,569	74	34.8	26.8-42.8	78	36.7	28.5-44.9	41	18.8	11.9-25.7	19	9.8	04.3-15.3						
Oth. Race/Non-Hisp.	68	14,748	10	9.5	02.8-16.2	31	54.8	39.7-69.9	18	22.8	11.0-34.6	9	12.8	03.0-22.6						
18-24	128	42,254	53	43.1	31.5-54.7	51	35.3	24.5-46.1	16	14.7	05.7-23.7	7	6.7	00.8-12.6				1	0.2	00.0-00.6
25-34	204	57,891	59	31.3	22.9-39.7	84	35.9	27.7-44.1	39	20.2	12.9-27.5	18	11.3	05.4-17.2				4	1.4	00.0-02.8
35-44	210	54,525	50	22.1	15.2-29.0	103	52.2	44.0-60.4	44	21.1	14.6-27.6	11	4.1	01.6-06.6				2	0.5	00.0-01.3
45-54	326	61,903	75	22.1	16.0-28.2	144	43.1	36.0-50.2	75	24.4	18.1-30.7	31	10.2	04.7-15.7	1	0.2	00.0-00.6			
55-64	368	50,576	95	27.2	20.5-33.9	158	43.1	36.4-49.8	84	20.5	15.6-25.4	31	9.3	05.0-13.6						
65+	550	57,055	123	26.9	21.6-32.2	233	40.6	35.1-46.1	154	24.6	20.1-29.1	37	7.7	04.0-11.4				3	0.2	00.0-00.4
Less Than H.S.	116	46,501	47	41.5	30.3-52.7	38	30.7	20.7-40.7	22	17.5	08.9-26.1	8	10.0	02.7-17.3				1	0.3	00.0-00.9
H.S. or G.E.D.	544	111,940	175	32.6	27.3-37.9	220	38.1	32.6-43.6	118	22.2	17.5-26.9	28	6.6	02.9-10.3				3	0.5	00.0-01.1
Some Post-H.S.	462	87,010	123	26.0	20.5-31.5	204	46.5	40.2-52.8	100	19.4	14.7-24.1	32	7.8	04.7-10.9	1	0.2	00.0-00.6	2	0.2	00.0-00.6
College Graduate	676	80,424	111	16.1	12.4-19.8	320	49.3	44.4-54.2	171	23.4	19.5-27.3	70	10.6	07.7-13.5				4	0.5	00.0-01.1
Less than \$15,000	160	29,782	59	35.3	25.7-44.9	59	36.1	26.5-45.7	32	19.7	11.1-28.3	9	7.9	01.2-14.6				1	1.0	00.0-03.0
\$15,000- 24,999	151	29,240	56	40.6	29.8-51.4	55	31.5	22.1-40.9	27	15.5	08.8-22.2	10	11.7	01.7-21.7				3	0.7	00.0-01.7
\$25,000- 34,999	134	24,566	37	32.6	20.4-44.8	60	38.2	26.2-50.2	28	23.9	12.9-34.9	8	5.1	00.0-10.2				1	0.2	00.0-00.6
\$35,000- 49,999	270	48,737	85	37.3	28.3-46.3	110	42.3	33.3-51.3	57	14.7	10.0-19.4	18	5.7	02.6-08.8						
\$50,000- 74,999	291	47,802	66	23.7	17.4-30.0	130	42.0	34.6-49.4	73	22.9	16.8-29.0	22	11.5	04.6-18.4						
\$75,000+	543	93,379	88	15.3	11.4-19.2	266	50.8	45.1-56.5	134	24.1	19.0-29.2	51	9.3	06.4-12.2	1	0.1	00.0-00.3	3	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 24: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2927	359,566	532	20.1	17.9-22.3	1246	43.0	40.5-45.5	721	23.1	20.9-25.3	410	13.1	11.3-14.9	5	0.2	00.0-00.4	13	0.4	00.0-00.8
White/Non-Hisp	2238	251,603	364	16.8	14.4-19.2	966	42.9	40.0-45.8	574	25.5	23.0-28.0	321	14.3	12.3-16.3	4	0.3	00.1-00.5	9	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	462	71,515	126	33.7	27.0-40.4	183	38.5	32.2-44.8	95	16.1	12.0-20.2	54	10.7	06.8-14.6	1	0.1	00.0-00.3	3	0.9	00.0-01.9
Oth. Race/Non-Hisp.	72	7,652	11	10.7	03.3-18.1	25	37.0	21.5-52.5	24	35.9	20.8-51.0	12	16.3	04.0-28.6						
Hispanic	86	22,180	16	16.4	07.4-25.4	44	60.5	47.2-73.8	18	17.5	07.7-27.3	8	5.6	00.9-10.3						
18-24	113	41,553	34	27.4	16.4-38.4	46	44.7	32.2-57.2	17	18.1	08.1-28.1	14	9.2	03.7-14.7				2	0.6	00.0-01.6
25-34	300	57,376	62	23.7	17.0-30.4	136	43.8	36.5-51.1	62	18.5	13.4-23.6	40	14.0	08.5-19.5						
35-44	352	59,432	70	19.5	14.4-24.6	149	42.1	35.6-48.6	85	25.9	20.2-31.6	47	12.2	08.1-16.3	1	0.3	00.0-00.9			
45-54	492	65,461	76	16.2	11.9-20.5	215	42.4	36.9-47.9	119	24.9	19.8-30.0	76	15.2	11.3-19.1	3	0.8	00.0-01.8	3	0.5	00.0-01.1
55-64	653	56,529	90	13.7	10.2-17.2	277	43.3	38.4-48.2	174	26.7	22.4-31.0	107	15.6	11.9-19.3	1	0.1	00.0-00.3	4	0.6	00.0-01.4
65+	975	74,528	190	21.5	17.6-25.4	407	42.4	38.5-46.3	255	23.6	20.3-26.9	119	11.6	09.2-14.0				4	0.9	00.0-01.9
Less Than H.S.	172	44,953	53	33.1	23.5-42.7	71	39.1	29.3-48.9	27	17.7	10.3-25.1	18	8.4	03.9-12.9				3	1.7	00.0-03.7
H.S. or G.E.D.	899	109,099	220	23.6	19.9-27.3	398	43.9	39.4-48.4	193	22.5	18.4-26.6	80	9.0	06.3-11.7	3	0.4	00.0-01.0	5	0.5	00.0-01.1
Some Post-H.S.	868	111,372	144	17.2	13.5-20.9	352	42.9	38.0-47.8	231	23.8	20.1-27.5	139	16.0	12.5-19.5				2	0.1	00.0-00.3
College Graduate	979	93,704	114	13.1	09.8-16.4	422	44.1	39.8-48.4	267	25.6	22.1-29.1	171	16.8	13.7-19.9	2	0.3	00.0-00.7	3	0.2	00.0-00.4
Less than \$15,000	355	40,822	78	27.1	19.5-34.7	159	42.9	34.7-51.1	72	18.9	13.4-24.4	42	10.0	06.1-13.9				4	1.1	00.0-02.3
\$15,000- 24,999	366	46,412	104	28.7	21.8-35.6	154	46.8	39.2-54.4	67	17.7	11.8-23.6	38	6.2	03.8-08.6	2	0.5	00.0-01.3	1	0.2	00.0-00.6
\$25,000- 34,999	254	28,117	59	22.0	15.3-28.7	112	45.1	37.1-53.1	56	22.7	15.4-30.0	25	8.8	04.7-12.9				2	1.4	00.0-03.4
\$35,000- 49,999	346	41,072	55	18.6	12.5-24.7	156	40.5	33.1-47.9	99	27.8	20.2-35.4	36	13.1	06.2-20.0						
\$50,000- 74,999	417	50,691	59	15.9	11.2-20.6	170	43.4	36.3-50.5	114	23.9	18.6-29.2	72	16.7	11.8-21.6	1	0.1	00.0-00.3	1	0.0	00.0-00.0
\$75,000+	677	89,671	65	10.5	07.0-14.0	285	43.2	38.3-48.1	196	27.2	22.9-31.5	128	18.7	15.0-22.4	1	0.3	00.0-00.9	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 10: EXERCISE CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1 MALES AND FEMALES	144
2 MALES ONLY	145
3 FEMALES ONLY	146
ESTIMATED ACTIVITY INTENSITY FOR FIRST ACTIVITY (ACTINT1_)	
4 MALES AND FEMALES	147
5 MALES ONLY	148
6 FEMALES ONLY	149
ESTIMATED ACTIVITY INTENSITY FOR SECOND ACTIVITY (ACTINT2_)	
7 MALES AND FEMALES	150
8 MALES ONLY	151
9 FEMALES ONLY	152
PHYSICAL ACTIVITY CATEGORIES (_PACAT)	
10 MALES AND FEMALES	153
11 MALES ONLY	154
12 FEMALES ONLY	155
PHYSICAL ACTIVITY INDEX (_PAINDEX)	
13 MALES AND FEMALES	156
14 MALES ONLY	157
15 FEMALES ONLY	158
MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)	
16 MALES AND FEMALES	159
17 MALES ONLY	160
18 FEMALES ONLY	161

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011

SECTION 10: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	AEROBIC AND STRENGTHENING GUIDELINE (_PAREC)	
19	MALES AND FEMALES	162
20	MALES ONLY	163
21	FEMALES ONLY	164
	AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAER)	
22	MALES AND FEMALES	165
23	MALES ONLY	166
24	FEMALES ONLY	167

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Some Physical Activity or Exercise			No Physical Activity or Exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4728	686,063	3419	73.0	71.2-74.8	1309	27.0	25.2-28.8
Male	1805	327,706	1355	73.4	70.5-76.3	450	26.6	23.7-29.5
Female	2923	358,357	2064	72.6	70.4-74.8	859	27.4	25.2-29.6
White/Non-Hisp	3651	476,022	2670	73.6	71.6-75.6	981	26.4	24.4-28.4
Black or Afr. Am./Non-Hisp	676	130,406	456	70.2	65.5-74.9	220	29.8	25.1-34.5
Oth. Race/Non-Hisp.	140	22,400	100	75.0	65.8-84.2	40	25.0	15.8-34.2
MultiRacial/Non-Hisp.	80	9,532	61	73.0	60.7-85.3	19	27.0	14.7-39.3
Hispanic	134	43,622	96	73.4	64.0-82.8	38	26.6	17.2-36.0
18-24	240	82,697	196	86.1	81.2-91.0	44	13.9	09.0-18.8
25-34	504	115,302	395	75.2	69.9-80.5	109	24.8	19.5-30.1
35-44	562	113,959	424	73.9	69.4-78.4	138	26.1	21.6-30.6
45-54	819	127,413	594	72.0	67.9-76.1	225	28.0	23.9-32.1
55-64	1019	107,175	736	71.1	67.2-75.0	283	28.9	25.0-32.8
65+	1525	131,873	1030	64.8	61.5-68.1	495	35.2	31.9-38.5
Less Than H.S.	289	91,776	160	59.0	51.7-66.3	129	41.0	33.7-48.3
H.S. or G.E.D.	1446	221,425	902	66.7	63.4-70.0	544	33.3	30.0-36.6
Some Post-H.S.	1328	198,179	980	77.2	74.1-80.3	348	22.8	19.7-25.9
College Graduate	1651	172,957	1368	84.0	81.6-86.4	283	16.0	13.6-18.4
Less than \$15,000	515	70,733	299	60.9	54.8-67.0	216	39.1	33.0-45.2
\$15,000- 24,999	518	75,775	306	54.6	48.3-60.9	212	45.4	39.1-51.7
\$25,000- 34,999	386	52,435	256	69.0	62.5-75.5	130	31.0	24.5-37.5
\$35,000- 49,999	616	89,857	458	75.8	70.7-80.9	158	24.2	19.1-29.3
\$50,000- 74,999	707	98,449	543	75.6	71.3-79.9	164	24.4	20.1-28.7
\$75,000+	1217	181,855	998	81.4	78.5-84.3	219	18.6	15.7-21.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Some Physical Activity or Exercise			No Physical Activity or Exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1805	327,706	1355	73.4	70.5-76.3	450	26.6	23.7-29.5
White/Non-Hisp	1418	225,728	1072	73.0	69.7-76.3	346	27.0	23.7-30.3
Black or Afr. Am./Non-Hisp	213	58,791	156	74.5	67.2-81.8	57	25.5	18.2-32.8
Oth. Race/Non-Hisp.	68	14,748	48	73.4	60.7-86.1	20	26.6	13.9-39.3
18-24	128	42,254	109	86.8	79.9-93.7	19	13.2	06.3-20.1
25-34	205	58,009	163	72.6	64.2-81.0	42	27.4	19.0-35.8
35-44	210	54,525	160	75.2	68.3-82.1	50	24.8	17.9-31.7
45-54	326	61,903	236	72.1	65.6-78.6	90	27.9	21.4-34.4
55-64	369	50,809	277	69.5	62.6-76.4	92	30.5	23.6-37.4
65+	550	57,247	397	67.7	62.2-73.2	153	32.3	26.8-37.8
Less Than H.S.	118	46,894	65	56.7	45.7-67.7	53	43.3	32.3-54.3
H.S. or G.E.D.	545	112,057	357	68.6	63.5-73.7	188	31.4	26.3-36.5
Some Post-H.S.	461	86,956	353	77.8	72.9-82.7	108	22.2	17.3-27.1
College Graduate	676	80,511	578	85.7	82.2-89.2	98	14.3	10.8-17.8
Less than \$15,000	160	29,782	97	61.5	51.7-71.3	63	38.5	28.7-48.3
\$15,000- 24,999	153	29,433	88	52.0	41.2-62.8	65	48.0	37.2-58.8
\$25,000- 34,999	134	24,566	100	76.8	66.8-86.8	34	23.2	13.2-33.2
\$35,000- 49,999	270	48,737	198	71.6	63.6-79.6	72	28.4	20.4-36.4
\$50,000- 74,999	291	47,802	229	74.0	66.9-81.1	62	26.0	18.9-33.1
\$75,000+	541	93,294	456	83.0	78.7-87.3	85	17.0	12.7-21.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 10: EXERCISE**

TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Some Physical Activity or Exercise			No Physical Activity or Exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2923	358,357	2064	72.6	70.4-74.8	859	27.4	25.2-29.6
White/Non-Hisp	2233	250,294	1598	74.1	71.6-76.6	635	25.9	23.4-28.4
Black or Afr. Am./Non-Hisp	463	71,615	300	66.7	60.6-72.8	163	33.3	27.2-39.4
Oth. Race/Non-Hisp.	72	7,652	52	78.2	66.8-89.6	20	21.8	10.4-33.2
Hispanic	86	22,180	60	72.9	61.5-84.3	26	27.1	15.7-38.5
18-24	112	40,442	87	85.3	78.2-92.4	25	14.7	07.6-21.8
25-34	299	57,293	232	77.9	71.8-84.0	67	22.1	16.0-28.2
35-44	352	59,434	264	72.7	66.8-78.6	88	27.3	21.4-33.2
45-54	493	65,510	358	71.9	66.6-77.2	135	28.1	22.8-33.4
55-64	650	56,366	459	72.5	68.4-76.6	191	27.5	23.4-31.6
65+	975	74,626	633	62.7	58.6-66.8	342	37.3	33.2-41.4
Less Than H.S.	171	44,883	95	61.3	51.9-70.7	76	38.7	29.3-48.1
H.S. or G.E.D.	901	109,368	545	64.7	60.6-68.8	356	35.3	31.2-39.4
Some Post-H.S.	867	111,222	627	76.7	72.8-80.6	240	23.3	19.4-27.2
College Graduate	975	92,446	790	82.5	79.4-85.6	185	17.5	14.4-20.6
Less than \$15,000	355	40,952	202	60.5	52.9-68.1	153	39.5	31.9-47.1
\$15,000- 24,999	365	46,342	218	56.3	48.7-63.9	147	43.7	36.1-51.3
\$25,000- 34,999	252	27,869	156	62.0	54.2-69.8	96	38.0	30.2-45.8
\$35,000- 49,999	346	41,120	260	80.8	75.7-85.9	86	19.2	14.1-24.3
\$50,000- 74,999	416	50,647	314	77.1	71.8-82.4	102	22.9	17.6-28.2
\$75,000+	676	88,560	542	79.6	75.5-83.7	134	20.4	16.3-24.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 4: ESTIMATED ACTIVITY INTENSITY FOR FIRST ACTIVITY (ACTINT1_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Moderate nor Vigorous or No Activity			Moderate			Vigorous		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3362	493,754	109	3.7	02.7-04.7	1994	68.0	65.8-70.2	1259	28.4	26.4-30.4
Male	1336	237,454	65	5.3	03.7-06.9	782	70.0	66.9-73.1	489	24.7	21.8-27.6
Female	2026	256,300	44	2.1	01.3-02.9	1212	66.2	63.3-69.1	770	31.7	29.0-34.4
White/Non-Hisp	2630	346,131	91	4.0	03.0-05.0	1504	65.5	63.1-67.9	1035	30.5	28.1-32.9
Black or Afr. Am./Non-Hisp	447	89,579	8	2.7	00.3-05.1	304	73.8	68.3-79.3	135	23.5	18.4-28.6
Oth. Race/Non-Hisp.	98	16,685	4	5.4	00.0-11.3	69	72.7	60.7-84.7	25	22.0	11.0-33.0
MultiRacial/Non-Hisp.	61	6,958	2	3.9	00.0-10.4	33	56.0	40.1-71.9	26	40.1	24.6-55.6
Hispanic	95	31,681	1	1.2	00.0-03.6	70	80.7	71.3-90.1	24	18.1	08.9-27.3
18-24	195	71,098	7	3.1	00.6-05.6	171	89.0	83.9-94.1	17	7.9	03.4-12.4
25-34	390	85,716	15	4.5	02.1-06.9	325	84.5	80.0-89.0	50	11.0	07.1-14.9
35-44	423	83,910	20	5.5	02.4-08.6	306	72.2	66.7-77.7	97	22.3	17.4-27.2
45-54	592	91,667	20	3.0	01.2-04.8	399	67.0	61.9-72.1	173	30.0	25.1-34.9
55-64	735	76,079	18	2.7	01.1-04.3	469	67.4	63.1-71.7	248	29.9	25.8-34.0
65+	1027	85,283	29	3.0	01.6-04.4	324	31.4	27.7-35.1	674	65.6	61.7-69.5
Less Than H.S.	156	52,927	2	0.8	00.0-02.0	80	68.0	59.4-76.6	74	31.2	22.6-39.8
H.S. or G.E.D.	889	146,158	24	3.0	01.6-04.4	549	71.2	67.3-75.1	316	25.7	22.0-29.4
Some Post-H.S.	964	151,165	30	4.8	02.6-07.0	611	68.9	65.0-72.8	323	26.3	22.8-29.8
College Graduate	1346	143,050	52	4.1	02.7-05.5	750	63.8	60.7-66.9	544	32.1	29.2-35.0
Less than \$15,000	296	42,778	12	3.7	01.2-06.2	159	66.6	59.2-74.0	125	29.7	22.4-37.0
\$15,000- 24,999	303	41,164	4	1.5	00.0-03.5	181	72.2	65.7-78.7	118	26.3	20.0-32.6
\$25,000- 34,999	252	35,321	3	0.9	00.0-02.1	143	62.8	53.8-71.8	106	36.3	27.3-45.3
\$35,000- 49,999	453	67,168	13	3.5	00.6-06.4	289	71.4	65.3-77.5	151	25.1	19.6-30.6
\$50,000- 74,999	536	73,589	21	5.1	02.6-07.6	356	71.8	66.9-76.7	159	23.1	18.8-27.4
\$75,000+	993	147,278	41	4.7	02.9-06.5	587	65.3	61.6-69.0	365	30.0	26.5-33.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 5: ESTIMATED ACTIVITY INTENSITY FOR FIRST ACTIVITY (ACTINT1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Moderate nor Vigorous or No Activity			Moderate			Vigorous		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1336	237,454	65	5.3	03.7-06.9	782	70.0	66.9-73.1	489	24.7	22.0-27.4
White/Non-Hisp	1059	163,111	55	5.7	03.9-07.5	595	67.0	63.5-70.5	409	27.3	24.0-30.6
Black or Afr. Am./Non-Hisp	153	42,925	6	5.3	00.4-10.2	107	75.4	67.0-83.8	40	19.3	11.9-26.7
18-24	108	36,590	6	4.5	00.6-08.4	100	94.9	91.0-98.8	2	0.6	00.0-01.4
25-34	161	41,512	14	8.9	04.0-13.8	141	88.4	82.9-93.9	6	2.7	00.2-05.2
35-44	160	40,981	14	7.3	02.2-12.4	124	79.7	72.1-87.3	22	13.0	06.9-19.1
45-54	235	44,574	10	4.5	01.2-07.8	147	62.8	54.4-71.2	78	32.7	24.7-40.7
55-64	276	35,218	8	2.9	00.4-05.4	175	68.9	62.2-75.6	93	28.2	21.9-34.5
65+	396	38,579	13	3.3	01.1-05.5	95	25.3	19.0-31.6	288	71.4	64.9-77.9
Less Than H.S.	64	26,439	1	0.6	00.0-01.8	32	66.0	52.5-79.5	31	33.3	20.0-46.6
H.S. or G.E.D.	353	76,297	18	5.2	02.5-07.9	228	74.1	68.6-79.6	107	20.7	15.8-25.6
Some Post-H.S.	349	66,714	19	7.4	03.3-11.5	225	72.5	66.6-78.4	105	20.1	15.4-24.8
College Graduate	569	67,827	27	5.2	02.8-07.6	297	64.5	59.8-69.2	245	30.2	25.9-34.5
Less than \$15,000	97	18,304	9	7.7	01.8-13.6	54	67.0	54.8-79.2	34	25.2	13.8-36.6
\$15,000- 24,999	87	15,129	2	2.3	00.0-06.4	57	74.7	62.5-86.9	28	23.0	11.4-34.6
\$25,000- 34,999	97	18,183	2	1.4	00.0-03.4	53	64.0	49.7-78.3	42	34.6	20.3-48.9
\$35,000- 49,999	196	34,374	7	5.3	00.0-11.0	120	74.3	66.3-82.3	69	20.5	14.0-27.0
\$50,000- 74,999	226	34,954	13	8.3	03.2-13.4	144	70.3	63.0-77.6	69	21.4	15.5-27.3
\$75,000+	454	77,220	26	5.9	03.4-08.4	254	67.2	61.9-72.5	174	26.9	22.2-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 10: EXERCISE

TABLE 6: ESTIMATED ACTIVITY INTENSITY FOR FIRST ACTIVITY (ACTINT1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Moderate nor Vigorous or No Activity			Moderate			Vigorous		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2026	256,300	44	2.1	01.3-02.9	1212	66.2	63.3-69.1	770	31.7	29.0-34.4
White/Non-Hisp	1571	183,020	36	2.5	01.3-03.7	909	64.2	60.9-67.5	626	33.3	30.2-36.4
Black or Afr. Am./Non-Hisp	294	46,655	2	0.4	00.0-01.0	197	72.3	65.2-79.4	95	27.3	20.2-34.4
Oth. Race/Non-Hisp.	51	5,929	2	4.0	00.0-11.1	36	68.4	49.0-87.8	13	27.7	08.5-46.9
Hispanic	60	16,172				43	74.3	59.4-89.2	17	25.7	10.8-40.6
18-24	87	34,508	1	1.5	00.0-04.4	71	82.8	73.4-92.2	15	15.7	06.7-24.7
25-34	229	44,205	1	0.4	00.0-01.2	184	80.8	74.1-87.5	44	18.9	12.2-25.6
35-44	263	42,928	6	3.8	00.3-07.3	182	65.0	57.6-72.4	75	31.2	23.9-38.5
45-54	357	47,094	10	1.6	00.4-02.8	252	71.0	65.1-76.9	95	27.4	21.5-33.3
55-64	459	40,862	10	2.5	00.7-04.3	294	66.1	60.6-71.6	155	31.4	26.1-36.7
65+	631	46,704	16	2.8	01.2-04.4	229	36.4	31.9-40.9	386	60.8	56.1-65.5
Less Than H.S.	92	26,488	1	0.9	00.0-02.7	48	70.0	59.0-81.0	43	29.0	18.2-39.8
H.S. or G.E.D.	536	69,862	6	0.7	00.1-01.3	321	68.1	62.6-73.6	209	31.2	25.7-36.7
Some Post-H.S.	615	84,452	11	2.7	00.7-04.7	386	66.0	60.7-71.3	218	31.3	26.2-36.4
College Graduate	777	75,223	25	3.2	01.6-04.8	453	63.1	58.8-67.4	299	33.7	29.4-38.0
Less than \$15,000	199	24,474	3	0.7	00.0-01.5	105	66.3	56.7-75.9	91	33.1	23.7-42.5
\$15,000- 24,999	216	26,035	2	1.0	00.0-02.8	124	70.7	63.4-78.0	90	28.3	21.0-35.6
\$25,000- 34,999	155	17,138	1	0.4	00.0-01.2	90	61.5	51.1-71.9	64	38.1	27.7-48.5
\$35,000- 49,999	257	32,794	6	1.6	00.2-03.0	169	68.4	59.8-77.0	82	30.0	21.4-38.6
\$50,000- 74,999	310	38,635	8	2.2	00.4-04.0	212	73.2	66.7-79.7	90	24.6	18.3-30.9
\$75,000+	539	70,058	15	3.3	01.1-05.5	333	63.3	58.2-68.4	191	33.5	28.4-38.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 10: EXERCISE

TABLE 7: ESTIMATED ACTIVITY INTENSITY FOR SECOND ACTIVITY (ACTINT2_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Moderate nor Vigorous or No Activity			Moderate			Vigorous		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3197	467,911	1670	51.5	49.0-54.0	686	27.8	25.3-30.3	841	20.7	18.9-22.5
Male	1258	223,169	637	51.2	47.3-55.1	320	32.1	28.2-36.0	301	16.7	14.3-19.1
Female	1939	244,742	1033	51.7	48.4-55.0	366	23.9	20.8-27.0	540	24.4	21.7-27.1
White/Non-Hisp	2508	328,972	1276	52.3	49.6-55.0	523	25.2	22.7-27.7	709	22.4	20.2-24.6
Black or Afr. Am./Non-Hisp	416	83,882	251	53.5	46.6-60.4	79	28.7	21.8-35.6	86	17.8	13.1-22.5
Oth. Race/Non-Hisp.	96	16,491	57	54.2	40.3-68.1	23	28.2	16.0-40.4	16	17.6	07.6-27.6
MultiRacial/Non-Hisp.	61	6,958	29	39.1	23.8-54.4	20	31.6	17.5-45.7	12	29.4	13.7-45.1
Hispanic	86	29,019	40	36.7	23.6-49.8	33	53.0	38.5-67.5	13	10.3	04.0-16.6
18-24	169	64,512	87	50.3	40.1-60.5	71	42.6	32.4-52.8	11	7.1	01.4-12.8
25-34	353	78,491	177	47.2	40.3-54.1	140	43.5	36.6-50.4	36	9.3	05.4-13.2
35-44	404	80,624	202	50.4	44.1-56.7	135	34.9	28.8-41.0	67	14.7	10.8-18.6
45-54	563	87,971	311	54.6	49.1-60.1	139	25.6	20.3-30.9	113	19.8	15.5-24.1
55-64	714	73,212	378	53.8	49.1-58.5	116	14.4	11.3-17.5	220	31.8	27.3-36.3
65+	994	83,102	515	52.0	47.9-56.1	85	8.8	06.1-11.5	394	39.2	35.3-43.1
Less Than H.S.	141	47,486	81	47.4	36.4-58.4	27	33.3	22.1-44.5	33	19.2	11.0-27.4
H.S. or G.E.D.	842	138,268	480	56.3	51.2-61.4	160	26.2	21.1-31.3	202	17.6	14.3-20.9
Some Post-H.S.	918	143,789	481	53.6	48.9-58.3	199	24.9	20.8-29.0	238	21.5	18.0-25.0
College Graduate	1289	137,915	625	45.8	42.3-49.3	298	30.6	26.9-34.3	366	23.6	20.9-26.3
Less than \$15,000	273	38,906	155	53.8	44.4-63.2	53	29.4	19.8-39.0	65	16.8	11.1-22.5
\$15,000- 24,999	279	36,156	166	53.6	45.0-62.2	43	25.0	16.2-33.8	70	21.4	15.1-27.7
\$25,000- 34,999	243	33,944	125	52.6	43.0-62.2	49	28.3	18.5-38.1	69	19.1	13.4-24.8
\$35,000- 49,999	426	63,156	218	47.3	39.9-54.7	89	29.6	21.8-37.4	119	23.0	17.5-28.5
\$50,000- 74,999	498	68,101	248	47.8	41.5-54.1	119	29.2	23.1-35.3	131	23.0	17.5-28.5
\$75,000+	965	143,635	471	50.3	46.2-54.4	242	28.3	24.6-32.0	252	21.4	18.3-24.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 10: EXERCISE

TABLE 8: ESTIMATED ACTIVITY INTENSITY FOR SECOND ACTIVITY (ACTINT2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Moderate nor Vigorous or No Activity			Moderate			Vigorous		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1258	223,169	637	51.2	47.3-55.1	320	32.1	28.2-36.0	301	16.7	14.3-19.1
White/Non-Hisp	1001	154,399	502	53.6	49.3-57.9	241	28.1	24.0-32.2	258	18.3	15.6-21.0
Black or Afr. Am./Non-Hisp	139	39,533	81	49.0	38.4-59.6	35	36.4	25.4-47.4	23	14.6	07.2-22.0
18-24	93	33,112	45	54.5	41.0-68.0	47	44.6	31.3-57.9	1	1.0	00.0-03.0
25-34	142	37,342	63	38.6	28.8-48.4	74	58.9	48.9-68.9	5	2.5	00.1-04.9
35-44	149	38,588	74	53.4	43.4-63.4	61	36.8	27.4-46.2	14	9.7	04.2-15.2
45-54	222	42,691	130	56.8	47.6-66.0	62	29.4	20.2-38.6	30	13.7	07.4-20.0
55-64	267	33,551	133	52.3	44.7-59.9	51	15.8	10.9-20.7	83	31.9	24.8-39.0
65+	385	37,884	192	51.2	44.3-58.1	25	7.3	02.2-12.4	168	41.5	34.8-48.2
Less Than H.S.	60	24,283	34	44.2	28.7-59.7	16	46.0	29.5-62.5	10	9.9	03.0-16.8
H.S. or G.E.D.	327	71,042	184	54.5	46.9-62.1	82	31.9	24.3-39.5	61	13.6	09.1-18.1
Some Post-H.S.	327	62,569	171	60.1	53.0-67.2	85	24.6	18.7-30.5	71	15.4	11.1-19.7
College Graduate	543	65,097	247	41.6	36.3-46.9	137	34.4	28.9-39.9	159	24.0	19.7-28.3
Less than \$15,000	84	16,005	45	51.3	36.4-66.2	23	34.0	19.9-48.1	16	14.8	05.2-24.4
\$15,000- 24,999	80	13,295	44	46.1	31.0-61.2	19	35.9	19.4-52.4	17	18.0	08.0-28.0
\$25,000- 34,999	95	17,818	49	55.3	39.8-70.8	16	29.8	13.7-45.9	30	14.9	07.6-22.2
\$35,000- 49,999	182	31,830	92	47.4	35.8-59.0	49	34.8	23.2-46.4	41	17.8	10.9-24.7
\$50,000- 74,999	205	31,563	103	52.6	43.2-62.0	53	31.7	21.9-41.5	49	15.7	10.4-21.0
\$75,000+	438	74,804	215	49.2	42.9-55.5	122	32.3	26.4-38.2	101	18.4	13.7-23.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 10: EXERCISE

TABLE 9: ESTIMATED ACTIVITY INTENSITY FOR SECOND ACTIVITY (ACTINT2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Moderate nor Vigorous or No Activity			Moderate			Vigorous		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1939	244,742	1033	51.7	48.4-55.0	366	23.9	20.8-27.0	540	24.4	21.7-27.1
White/Non-Hisp	1507	174,574	774	51.2	47.5-54.9	282	22.7	19.4-26.0	451	26.1	23.0-29.2
Black or Afr. Am./Non-Hisp	277	44,349	170	57.6	49.0-66.2	44	21.8	13.8-29.8	63	20.7	14.6-26.8
Oth. Race/Non-Hisp.	50	5,862	34	58.7	39.1-78.3	8	20.6	03.5-37.7	8	20.6	03.5-37.7
Hispanic	56	15,565	28	41.1	23.5-58.7	17	43.3	23.3-63.3	11	15.6	05.2-26.0
18-24	76	31,399	42	45.9	31.2-60.6	24	40.5	25.2-55.8	10	13.6	02.6-24.6
25-34	211	41,149	114	54.9	46.1-63.7	66	29.5	21.7-37.3	31	15.6	08.5-22.7
35-44	255	42,035	128	47.6	40.0-55.2	74	33.2	25.4-41.0	53	19.2	13.7-24.7
45-54	341	45,280	181	52.5	46.0-59.0	77	21.9	16.8-27.0	83	25.6	19.7-31.5
55-64	447	39,661	245	55.1	49.0-61.2	65	13.3	09.2-17.4	137	31.7	26.0-37.4
65+	609	45,218	323	52.8	47.9-57.7	60	10.1	07.2-13.0	226	37.2	32.3-42.1
Less Than H.S.	81	23,202	47	50.8	35.7-65.9	11	20.1	07.9-32.3	23	29.1	15.0-43.2
H.S. or G.E.D.	515	67,225	296	58.2	51.7-64.7	78	20.1	13.8-26.4	141	21.7	17.2-26.2
Some Post-H.S.	591	81,220	310	48.7	42.8-54.6	114	25.1	19.4-30.8	167	26.2	21.3-31.1
College Graduate	746	72,819	378	49.5	44.6-54.4	161	27.3	22.4-32.2	207	23.2	19.5-26.9
Less than \$15,000	189	22,901	110	55.5	43.2-67.8	30	26.2	12.9-39.5	49	18.3	11.2-25.4
\$15,000- 24,999	199	22,861	122	57.9	47.7-68.1	24	18.6	09.0-28.2	53	23.4	15.6-31.2
\$25,000- 34,999	148	16,127	76	49.7	38.7-60.7	33	26.6	16.0-37.2	39	23.7	15.3-32.1
\$35,000- 49,999	244	31,326	126	47.3	37.7-56.9	40	24.4	13.6-35.2	78	28.4	20.0-36.8
\$50,000- 74,999	293	36,538	145	43.6	35.6-51.6	66	27.0	19.6-34.4	82	29.4	20.8-38.0
\$75,000+	527	68,831	256	51.5	46.0-57.0	120	23.9	19.2-28.6	151	24.6	20.1-29.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 10: PHYSICAL ACTIVITY CATEGORIES (_PACAT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4459	647,758	1294	28.3	26.3-30.3	814	19.5	17.7-21.3	860	19.1	17.5-20.7	1491	33.0	31.0-35.0
Male	1693	307,515	561	29.1	26.2-32.0	313	20.3	17.4-23.2	276	16.7	14.2-19.2	543	33.9	30.8-37.0
Female	2766	340,243	733	27.6	24.9-30.3	501	18.8	16.6-21.0	584	21.3	19.1-23.5	948	32.2	29.7-34.7
White/Non-Hisp	3452	451,288	1054	29.7	27.5-31.9	626	19.3	17.3-21.3	654	18.9	17.1-20.7	1118	32.1	29.9-34.3
Black or Afr. Am./Non-Hisp	629	120,690	137	25.1	20.0-30.2	128	20.5	16.2-24.8	117	17.9	13.8-22.0	247	36.6	31.5-41.7
Oth. Race/Non-Hisp.	135	22,027	32	18.7	10.7-26.7	17	13.5	06.1-20.9	39	32.3	21.3-43.3	47	35.5	23.7-47.3
MultiRacial/Non-Hisp.	79	9,326	30	35.8	22.5-49.1	12	14.9	05.1-24.7	16	18.5	07.9-29.1	21	30.9	18.0-43.8
Hispanic	125	40,913	29	25.8	15.2-36.4	27	24.7	13.5-35.9	27	18.9	09.7-28.1	42	30.6	20.4-40.8
18-24	219	77,775	77	40.1	31.3-48.9	45	22.1	14.7-29.5	41	17.5	10.6-24.4	56	20.3	14.0-26.6
25-34	465	107,988	106	24.9	19.4-30.4	109	23.5	18.6-28.4	125	22.5	18.0-27.0	125	29.2	23.5-34.9
35-44	536	108,775	135	23.4	19.1-27.7	111	20.2	15.9-24.5	126	23.0	18.3-27.7	164	33.5	28.4-38.6
45-54	784	122,347	196	25.3	21.2-29.4	148	19.7	15.6-23.8	180	21.4	17.7-25.1	260	33.5	29.0-38.0
55-64	983	103,022	291	27.9	24.2-31.6	189	20.5	17.2-23.8	186	18.0	14.9-21.1	317	33.7	29.6-37.8
65+	1457	125,288	489	32.2	29.1-35.3	212	13.4	11.0-15.8	202	13.1	10.9-15.3	554	41.4	37.9-44.9
Less Than H.S.	260	82,924	66	32.1	24.1-40.1	27	10.7	06.0-15.4	28	9.7	05.2-14.2	139	47.4	39.6-55.2
H.S. or G.E.D.	1368	210,321	335	24.6	21.3-27.9	201	18.2	14.7-21.7	241	17.6	14.9-20.3	591	39.6	35.9-43.3
Some Post-H.S.	1252	188,089	372	29.2	25.5-32.9	232	20.7	17.6-23.8	239	20.9	17.4-24.4	409	29.2	25.7-32.7
College Graduate	1568	164,909	520	30.3	27.4-33.2	352	24.4	21.5-27.3	350	23.9	21.0-26.8	346	21.3	18.6-24.0
Less than \$15,000	490	67,120	117	26.9	20.4-33.4	73	15.8	10.9-20.7	64	13.0	08.1-17.9	236	44.2	37.7-50.7
\$15,000- 24,999	481	68,543	111	20.6	15.9-25.3	64	12.4	08.3-16.5	74	13.3	08.8-17.8	232	53.7	47.2-60.2
\$25,000- 34,999	364	49,247	97	28.6	21.2-36.0	55	15.8	10.3-21.3	65	16.2	11.1-21.3	147	39.4	32.0-46.8
\$35,000- 49,999	580	84,037	175	30.8	24.7-36.9	108	19.2	13.9-24.5	118	20.2	15.1-25.3	179	29.8	24.1-35.5
\$50,000- 74,999	665	92,938	202	28.9	24.0-33.8	137	20.4	15.9-24.9	138	21.1	17.0-25.2	188	29.6	24.7-34.5
\$75,000+	1175	176,270	385	29.3	26.0-32.6	251	23.7	20.4-27.0	262	22.7	19.6-25.8	277	24.3	21.0-27.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 11: PHYSICAL ACTIVITY CATEGORIES (_PACAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1693	307,515	561	29.1	26.2-32.0	313	20.3	17.4-23.2	276	16.7	14.2-19.2	543	33.9	30.8-37.0
White/Non-Hisp	1335	213,435	461	31.1	27.6-34.6	245	19.6	16.5-22.7	213	16.0	13.3-18.7	416	33.4	29.9-36.9
Black or Afr. Am./Non-Hisp	193	53,324	50	25.3	17.5-33.1	44	23.7	15.7-31.7	31	16.5	09.4-23.6	68	34.5	26.1-42.9
Oth. Race/Non-Hisp.	66	14,565	15	13.3	05.5-21.1	10	16.2	05.6-26.8	16	28.7	14.4-43.0	25	41.8	25.9-57.7
18-24	116	39,358	43	35.1	23.9-46.3	26	30.2	18.2-42.2	22	16.6	07.0-26.2	25	18.1	10.1-26.1
25-34	187	53,942	40	21.2	13.0-29.4	48	24.7	17.3-32.1	46	20.3	13.6-27.0	53	33.7	24.7-42.7
35-44	196	51,490	54	24.9	18.0-31.8	38	18.4	11.9-24.9	39	20.8	13.2-28.4	65	35.9	27.7-44.1
45-54	306	58,777	86	27.4	20.7-34.1	48	18.0	10.9-25.1	61	19.3	13.6-25.0	111	35.3	28.2-42.4
55-64	355	48,772	121	30.2	24.1-36.3	77	21.8	16.3-27.3	51	12.8	08.7-16.9	106	35.3	28.2-42.4
65+	529	54,233	217	37.7	32.2-43.2	76	12.3	08.2-16.4	57	10.3	06.8-13.8	179	39.6	33.9-45.3
Less Than H.S.	108	42,773	32	34.5	22.7-46.3	7	6.9	01.2-12.6	13	9.9	03.2-16.6	56	48.7	36.9-60.5
H.S. or G.E.D.	509	105,243	144	24.4	19.7-29.1	83	23.3	17.2-29.4	70	13.6	09.7-17.5	212	38.7	33.0-44.4
Some Post-H.S.	432	82,015	149	28.3	22.8-33.8	74	19.6	14.5-24.7	71	21.6	15.3-27.9	138	30.4	24.7-36.1
College Graduate	640	76,311	236	33.7	29.0-38.4	149	24.9	20.4-29.4	121	19.6	15.7-23.5	134	21.8	17.5-26.1
Less than \$15,000	150	27,843	45	31.8	21.2-42.4	18	14.4	06.2-22.6	16	9.0	04.1-13.9	71	44.9	34.5-55.3
\$15,000- 24,999	144	27,203	36	19.7	11.9-27.5	18	13.9	05.5-22.3	19	11.5	04.2-18.8	71	55.0	44.0-66.0
\$25,000- 34,999	123	22,722	43	35.0	21.7-48.3	13	10.1	03.4-16.8	22	19.2	09.8-28.6	45	35.7	23.0-48.4
\$35,000- 49,999	255	45,571	92	29.5	21.9-37.1	45	19.8	11.2-28.4	38	16.7	08.9-24.5	80	34.0	25.2-42.8
\$50,000- 74,999	268	44,236	92	26.5	20.4-32.6	55	22.9	15.1-30.7	45	17.7	11.8-23.6	76	32.9	25.3-40.5
\$75,000+	516	89,676	178	31.5	26.2-36.8	119	24.4	19.3-29.5	98	19.3	14.6-24.0	121	24.7	19.6-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 12: PHYSICAL ACTIVITY CATEGORIES (_PACAT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2766	340,243	733	27.6	24.9-30.3	501	18.8	16.6-21.0	584	21.3	19.1-23.5	948	32.2	29.7-34.7
White/Non-Hisp	2117	237,853	593	28.5	25.6-31.4	381	19.0	16.6-21.4	441	21.5	19.1-23.9	702	30.9	28.2-33.6
Black or Afr. Am./Non-Hisp	436	67,366	87	25.0	18.3-31.7	84	17.9	13.4-22.4	86	18.9	13.8-24.0	179	38.2	31.7-44.7
Oth. Race/Non-Hisp.	69	7,462	17	29.3	13.0-45.6	7	8.3	01.4-15.2	23	39.2	23.5-54.9	22	23.2	11.4-35.0
Hispanic	82	21,611	16	24.8	10.1-39.5	20	24.9	12.4-37.4	18	19.7	06.6-32.8	28	30.6	18.4-42.8
18-24	103	38,418	34	45.2	31.9-58.5	19	13.8	06.5-21.1	19	18.4	08.4-28.4	31	22.6	13.0-32.2
25-34	278	54,047	66	28.5	21.1-35.9	61	22.3	15.8-28.8	79	24.6	18.7-30.5	72	24.6	18.1-31.1
35-44	340	57,285	81	21.9	16.4-27.4	73	21.7	16.2-27.2	87	25.0	19.3-30.7	99	31.3	25.2-37.4
45-54	478	63,570	110	23.4	18.5-28.3	100	21.3	16.8-25.8	119	23.4	18.7-28.1	149	31.9	26.4-37.4
55-64	628	54,250	170	25.8	21.5-30.1	112	19.3	15.0-23.6	135	22.7	18.4-27.0	211	32.2	27.7-36.7
65+	928	71,055	272	27.9	24.2-31.6	136	14.2	11.3-17.1	145	15.1	12.4-17.8	375	42.8	38.5-47.1
Less Than H.S.	152	40,152	34	29.6	18.8-40.4	20	14.8	07.4-22.2	15	9.5	03.4-15.6	83	46.1	35.7-56.5
H.S. or G.E.D.	859	105,078	191	24.9	20.2-29.6	118	13.1	10.2-16.0	171	21.5	17.8-25.2	379	40.5	36.0-45.0
Some Post-H.S.	820	106,073	223	29.9	25.0-34.8	158	21.5	17.4-25.6	168	20.4	16.7-24.1	271	28.2	23.9-32.5
College Graduate	928	88,598	284	27.4	23.9-30.9	203	24.0	20.3-27.7	229	27.6	23.3-31.9	212	21.0	17.5-24.5
Less than \$15,000	340	39,277	72	23.5	15.7-31.3	55	16.9	11.0-22.8	48	15.9	08.5-23.3	165	43.8	35.8-51.8
\$15,000- 24,999	337	41,341	75	21.2	15.3-27.1	46	11.4	07.3-15.5	55	14.5	08.6-20.4	161	52.9	45.1-60.7
\$25,000- 34,999	241	26,525	54	23.0	15.7-30.3	42	20.7	12.9-28.5	43	13.7	09.2-18.2	102	42.5	34.1-50.9
\$35,000- 49,999	325	38,465	83	32.3	23.1-41.5	63	18.5	12.6-24.4	80	24.4	18.3-30.5	99	24.8	18.7-30.9
\$50,000- 74,999	397	48,702	110	31.0	23.6-38.4	82	18.1	13.6-22.6	93	24.3	18.6-30.0	112	26.6	20.9-32.3
\$75,000+	659	86,594	207	26.9	22.8-31.0	132	23.0	18.7-27.3	164	26.1	21.8-30.4	156	24.0	19.7-28.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 13: PHYSICAL ACTIVITY INDEX (_PAINDEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4511	655,932	2160	48.5	46.3-50.7	2351	51.5	49.3-53.7
Male	1714	311,840	895	50.1	46.8-53.4	819	49.9	46.6-53.2
Female	2797	344,092	1265	47.0	44.3-49.7	1532	53.0	50.3-55.7
White/Non-Hisp	3491	457,050	1719	49.6	47.2-52.0	1772	50.4	48.0-52.8
Black or Afr. Am./Non-Hisp	639	122,641	275	46.4	40.9-51.9	364	53.6	48.1-59.1
Oth. Race/Non-Hisp.	135	22,027	49	32.2	22.0-42.4	86	67.8	57.6-78.0
MultiRacial/Non-Hisp.	79	9,326	42	50.6	36.7-64.5	37	49.4	35.5-63.3
Hispanic	128	41,374	59	51.1	39.3-62.9	69	48.9	37.1-60.7
18-24	224	78,997	127	62.8	54.6-71.0	97	37.2	29.0-45.4
25-34	479	110,157	229	49.4	43.5-55.3	250	50.6	44.7-56.5
35-44	541	110,149	251	44.2	38.9-49.5	290	55.8	50.5-61.1
45-54	793	123,506	353	45.6	40.9-50.3	440	54.4	49.7-59.1
55-64	988	103,910	485	48.8	44.5-53.1	503	51.2	46.9-55.5
65+	1471	126,651	715	46.1	42.8-49.4	756	53.9	50.6-57.2
Less Than H.S.	265	84,879	98	44.2	36.2-52.2	167	55.8	47.8-63.8
H.S. or G.E.D.	1382	212,724	550	43.5	39.6-47.4	832	56.5	52.6-60.4
Some Post-H.S.	1266	189,909	618	50.4	46.5-54.3	648	49.6	45.7-53.5
College Graduate	1587	166,905	891	55.3	52.0-58.6	696	44.7	41.4-48.0
Less than \$15,000	494	67,981	194	43.5	36.8-50.2	300	56.5	49.8-63.2
\$15,000- 24,999	491	70,474	185	34.8	28.9-40.7	306	65.2	59.3-71.1
\$25,000- 34,999	369	49,961	157	45.2	37.6-52.8	212	54.8	47.2-62.4
\$35,000- 49,999	587	85,455	290	50.8	44.5-57.1	297	49.2	42.9-55.5
\$50,000- 74,999	676	94,715	350	50.2	44.9-55.5	326	49.8	44.5-55.1
\$75,000+	1182	177,079	643	53.2	49.5-56.9	539	46.8	43.1-50.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 14: PHYSICAL ACTIVITY INDEX (_PAINDEX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1714	311,840	895	50.1	46.8-53.4	819	49.9	46.6-53.2
White/Non-Hisp	1351	216,310	722	51.3	47.6-55.0	629	48.7	45.0-52.4
Black or Afr. Am./Non-Hisp	197	54,532	98	50.0	41.0-59.0	99	50.0	41.0-59.0
Oth. Race/Non-Hisp.	66	14,565	25	29.5	16.8-42.2	41	70.5	57.8-83.2
18-24	119	39,822	72	65.7	54.5-76.9	47	34.3	23.1-45.5
25-34	193	54,857	94	46.8	37.8-55.8	99	53.2	44.2-62.2
35-44	200	52,627	96	44.6	36.4-52.8	104	55.4	47.2-63.6
45-54	310	59,410	138	46.0	38.4-53.6	172	54.0	46.4-61.6
55-64	358	49,548	201	52.7	45.6-59.8	157	47.3	40.2-54.4
65+	530	54,632	294	50.4	44.7-56.1	236	49.6	43.9-55.3
Less Than H.S.	111	44,004	42	43.0	31.4-54.6	69	57.0	45.4-68.6
H.S. or G.E.D.	516	106,879	234	48.5	42.4-54.6	282	51.5	45.4-57.6
Some Post-H.S.	436	82,623	227	48.3	41.8-54.8	209	51.7	45.2-58.2
College Graduate	647	77,161	392	59.0	54.1-63.9	255	41.0	36.1-45.9
Less than \$15,000	151	28,191	64	46.8	36.0-57.6	87	53.2	42.4-64.0
\$15,000- 24,999	147	27,935	57	35.3	24.9-45.7	90	64.7	54.3-75.1
\$25,000- 34,999	123	22,722	56	45.1	31.8-58.4	67	54.9	41.6-68.2
\$35,000- 49,999	259	46,800	141	50.6	41.2-60.0	118	49.4	40.0-58.8
\$50,000- 74,999	274	45,356	153	50.7	42.9-58.5	121	49.3	41.5-57.1
\$75,000+	521	90,315	302	56.3	50.6-62.0	219	43.7	38.0-49.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 15: PHYSICAL ACTIVITY INDEX (_PAINDEX)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2797	344,092	1265	47.0	44.3-49.7	1532	53.0	50.3-55.7
White/Non-Hisp	2140	240,739	997	48.1	45.0-51.2	1143	51.9	48.8-55.0
Black or Afr. Am./Non-Hisp	442	68,109	177	43.5	36.6-50.4	265	56.5	49.6-63.4
Oth. Race/Non-Hisp.	69	7,462	24	37.6	21.3-53.9	45	62.4	46.1-78.7
Hispanic	84	21,831	38	50.2	35.3-65.1	46	49.8	34.9-64.7
18-24	105	39,175	55	59.8	47.5-72.1	50	40.2	27.9-52.5
25-34	286	55,301	135	51.9	44.5-59.3	151	48.1	40.7-55.5
35-44	341	57,522	155	43.9	37.4-50.4	186	56.1	49.6-62.6
45-54	483	64,096	215	45.2	39.5-50.9	268	54.8	49.1-60.5
55-64	630	54,361	284	45.2	40.1-50.3	346	54.8	49.7-59.9
65+	941	72,019	421	42.9	38.8-47.0	520	57.1	53.0-61.2
Less Than H.S.	154	40,876	56	45.4	34.6-56.2	98	54.6	43.8-65.4
H.S. or G.E.D.	866	105,845	316	38.4	33.5-43.3	550	61.6	56.7-66.5
Some Post-H.S.	830	107,286	391	52.0	47.1-56.9	439	48.0	43.1-52.9
College Graduate	940	89,743	499	52.0	47.7-56.3	441	48.0	43.7-52.3
Less than \$15,000	343	39,790	130	41.1	32.9-49.3	213	58.9	50.7-67.1
\$15,000- 24,999	344	42,540	128	34.5	27.4-41.6	216	65.5	58.4-72.6
\$25,000- 34,999	246	27,238	101	45.2	36.8-53.6	145	54.8	46.4-63.2
\$35,000- 49,999	328	38,656	149	51.0	42.8-59.2	179	49.0	40.8-57.2
\$50,000- 74,999	402	49,359	197	49.8	42.7-56.9	205	50.2	43.1-57.3
\$75,000+	661	86,764	341	50.0	45.1-54.9	320	50.0	45.1-54.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 10: EXERCISE**

**TABLE 16: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4646	675,595	1368	32.3	30.3-34.3	3278	67.7	65.7-69.7
Male	1771	322,591	645	39.6	36.3-42.9	1126	60.4	57.1-63.7
Female	2875	353,004	723	25.7	23.3-28.1	2152	74.3	71.9-76.7
White/Non-Hisp	3595	470,477	1047	31.2	29.0-33.4	2548	68.8	66.6-71.0
Black or Afr. Am./Non-Hisp	662	127,870	194	34.9	29.6-40.2	468	65.1	59.8-70.4
Oth. Race/Non-Hisp.	136	21,829	45	32.0	21.6-42.4	91	68.0	57.6-78.4
MultiRacial/Non-Hisp.	79	9,361	28	39.5	25.8-53.2	51	60.5	46.8-74.2
Hispanic	128	42,017	41	35.6	23.8-47.4	87	64.4	52.6-76.2
18-24	237	82,085	112	50.3	41.7-58.9	125	49.7	41.1-58.3
25-34	501	114,801	175	37.2	31.5-42.9	326	62.8	57.1-68.5
35-44	550	111,623	168	31.0	26.1-35.9	382	69.0	64.1-73.9
45-54	807	124,797	250	30.6	26.5-34.7	557	69.4	65.3-73.5
55-64	1003	105,849	269	25.4	21.9-28.9	734	74.6	71.1-78.1
65+	1490	128,939	376	25.2	22.3-28.1	1114	74.8	71.9-77.7
Less Than H.S.	282	89,663	67	30.4	23.0-37.8	215	69.6	62.2-77.0
H.S. or G.E.D.	1424	219,106	307	26.3	22.8-29.8	1117	73.7	70.2-77.2
Some Post-H.S.	1305	195,568	399	34.8	30.9-38.7	906	65.2	61.3-69.1
College Graduate	1621	169,533	591	38.3	35.2-41.4	1030	61.7	58.6-64.8
Less than \$15,000	505	69,623	119	28.0	21.9-34.1	386	72.0	65.9-78.1
\$15,000- 24,999	506	73,673	110	25.7	19.8-31.6	396	74.3	68.4-80.2
\$25,000- 34,999	377	51,591	99	26.4	19.9-32.9	278	73.6	67.1-80.1
\$35,000- 49,999	608	88,957	179	33.4	27.1-39.7	429	66.6	60.3-72.9
\$50,000- 74,999	697	97,505	210	28.9	24.4-33.4	487	71.1	66.6-75.6
\$75,000+	1199	179,167	437	37.5	33.8-41.2	762	62.5	58.8-66.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 17: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1771	322,591	645	39.6	36.3-42.9	1126	60.4	57.1-63.7
White/Non-Hisp	1395	222,991	495	38.0	34.3-41.7	900	62.0	58.3-65.7
Black or Afr. Am./Non-Hisp	209	57,892	90	47.6	39.0-56.2	119	52.4	43.8-61.0
Oth. Race/Non-Hisp.	66	14,468	21	30.1	16.4-43.8	45	69.9	56.2-83.6
18-24	126	41,800	73	62.7	51.7-73.7	53	37.3	26.3-48.3
25-34	205	58,009	101	50.0	41.2-58.8	104	50.0	41.2-58.8
35-44	206	53,912	75	34.6	27.0-42.2	131	65.4	57.8-73.0
45-54	317	59,725	116	35.2	28.3-42.1	201	64.8	57.9-71.7
55-64	362	50,383	110	29.2	23.3-35.1	252	70.8	64.9-76.7
65+	539	55,947	164	30.7	25.2-36.2	375	69.3	63.8-74.8
Less Than H.S.	115	45,831	38	41.4	30.0-52.8	77	58.6	47.2-70.0
H.S. or G.E.D.	540	111,383	155	32.3	26.8-37.8	385	67.7	62.2-73.2
Some Post-H.S.	448	85,390	179	43.6	37.1-50.1	269	56.4	49.9-62.9
College Graduate	663	78,699	271	44.7	39.8-49.6	392	55.3	50.4-60.2
Less than \$15,000	158	29,365	51	36.1	26.1-46.1	107	63.9	53.9-73.9
\$15,000- 24,999	150	28,989	40	33.9	22.7-45.1	110	66.1	54.9-77.3
\$25,000- 34,999	128	23,979	33	28.4	16.8-40.0	95	71.6	60.0-83.2
\$35,000- 49,999	266	48,233	98	43.1	33.7-52.5	168	56.9	47.5-66.3
\$50,000- 74,999	287	47,169	105	34.2	27.3-41.1	182	65.8	58.9-72.7
\$75,000+	532	91,779	224	43.4	37.7-49.1	308	56.6	50.9-62.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 10: EXERCISE**

TABLE 18: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	353,004	723	25.7	23.3-28.1	2152	74.3	71.9-76.7
White/Non-Hisp	2200	247,487	552	25.2	22.7-27.7	1648	74.8	72.3-77.3
Black or Afr. Am./Non-Hisp	453	69,978	104	24.3	18.4-30.2	349	75.7	69.8-81.6
Oth. Race/Non-Hisp.	70	7,362	24	35.8	20.5-51.1	46	64.2	48.9-79.5
Hispanic	84	21,733	24	30.6	15.9-45.3	60	69.4	54.7-84.1
18-24	111	40,285	39	37.4	25.1-49.7	72	62.6	50.3-74.9
25-34	296	56,792	74	24.1	18.0-30.2	222	75.9	69.8-82.0
35-44	344	57,711	93	27.6	21.5-33.7	251	72.4	66.3-78.5
45-54	490	65,072	134	26.4	21.5-31.3	356	73.6	68.7-78.5
55-64	641	55,466	159	21.9	18.0-25.8	482	78.1	74.2-82.0
65+	951	72,992	212	21.0	17.9-24.1	739	79.0	75.9-82.1
Less Than H.S.	167	43,831	29	19.0	10.6-27.4	138	81.0	72.6-89.4
H.S. or G.E.D.	884	107,722	152	20.1	16.0-24.2	732	79.9	75.8-84.0
Some Post-H.S.	857	110,178	220	27.9	23.4-32.4	637	72.1	67.6-76.6
College Graduate	958	90,834	320	32.8	28.9-36.7	638	67.2	63.3-71.1
Less than \$15,000	347	40,259	68	22.1	14.8-29.4	279	77.9	70.6-85.2
\$15,000- 24,999	356	44,683	70	20.3	14.0-26.6	286	79.7	73.4-86.0
\$25,000- 34,999	249	27,613	66	24.7	18.2-31.2	183	75.3	68.8-81.8
\$35,000- 49,999	342	40,724	81	22.1	15.8-28.4	261	77.9	71.6-84.2
\$50,000- 74,999	410	50,335	105	24.0	18.3-29.7	305	76.0	70.3-81.7
\$75,000+	667	87,389	213	31.4	26.9-35.9	454	68.6	64.1-73.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 19: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4441	647,272	884	21.5	19.7-23.3	1250	27.1	25.1-29.1	423	10.7	09.3-12.1	1884	40.7	38.5-42.9
Male	1685	307,164	413	25.4	22.5-28.3	472	24.9	22.0-27.8	198	13.7	11.3-16.1	602	36.0	32.7-39.3
Female	2756	340,108	471	17.9	15.7-20.1	778	29.1	26.6-31.6	225	7.9	06.3-09.5	1282	45.0	42.3-47.7
White/Non-Hisp	3442	452,432	697	21.8	19.8-23.8	1004	28.0	25.8-30.2	307	9.5	07.9-11.1	1434	40.7	38.3-43.1
Black or Afr. Am./Non-Hisp	629	120,946	112	19.8	15.3-24.3	160	26.4	21.5-31.3	72	15.0	10.7-19.3	285	38.7	33.6-43.8
Oth. Race/Non-Hisp.	131	21,456	19	11.5	04.8-18.2	29	20.9	11.9-29.9	24	20.7	11.5-29.9	59	46.9	34.7-59.1
MultiRacial/Non-Hisp.	78	9,155	21	30.0	16.7-43.3	20	19.7	09.5-29.9	6	8.2	01.1-15.3	31	42.1	28.2-56.0
Hispanic	122	39,769	27	26.0	14.2-37.8	29	25.1	14.7-35.5	11	7.0	02.3-11.7	55	41.8	30.0-53.6
18-24	221	78,385	76	37.0	28.4-45.6	49	25.7	17.9-33.5	29	13.0	06.9-19.1	67	24.2	17.1-31.3
25-34	476	109,631	113	24.9	19.6-30.2	115	24.4	19.3-29.5	52	11.6	07.9-15.3	196	39.0	33.3-44.7
35-44	531	108,576	108	18.4	14.5-22.3	140	25.9	21.4-30.4	56	12.8	09.1-16.5	227	42.9	37.6-48.2
45-54	782	120,930	158	19.7	16.2-23.2	191	26.0	21.5-30.5	85	11.3	08.2-14.4	348	43.1	38.4-47.8
55-64	978	103,217	181	17.8	14.7-20.9	300	31.1	27.2-35.0	81	7.4	05.4-09.4	416	43.8	39.5-48.1
65+	1438	123,971	248	16.5	14.1-18.9	455	29.8	26.7-32.9	118	8.7	06.5-10.9	617	45.0	41.5-48.5
Less Than H.S.	259	83,471	35	18.0	11.1-24.9	60	25.8	18.5-33.1	25	11.7	06.4-17.0	139	44.5	36.9-52.1
H.S. or G.E.D.	1363	210,793	178	17.1	14.0-20.2	367	26.5	23.0-30.0	114	9.3	06.9-11.7	704	47.1	43.4-50.8
Some Post-H.S.	1246	187,587	262	23.7	20.2-27.2	350	26.8	23.5-30.1	125	11.2	08.5-13.9	509	38.3	34.4-42.2
College Graduate	1562	163,906	408	26.5	23.6-29.4	471	29.1	26.2-32.0	157	11.3	09.1-13.5	526	33.1	30.0-36.2
Less than \$15,000	485	66,938	59	16.3	10.8-21.8	132	27.4	21.3-33.5	54	11.5	07.4-15.6	240	44.9	38.4-51.4
\$15,000- 24,999	481	69,119	66	15.4	10.5-20.3	115	18.9	14.6-23.2	40	10.2	05.7-14.7	260	55.5	49.0-62.0
\$25,000- 34,999	362	49,193	58	17.0	11.1-22.9	97	28.5	21.2-35.8	36	8.8	05.3-12.3	171	45.6	38.0-53.2
\$35,000- 49,999	579	84,535	117	22.4	16.7-28.1	170	28.5	22.6-34.4	54	11.0	06.3-15.7	238	38.1	32.2-44.0
\$50,000- 74,999	670	94,115	146	20.5	16.6-24.4	201	29.7	24.4-35.0	55	8.3	05.6-11.0	268	41.5	36.4-46.6
\$75,000+	1167	174,979	303	25.9	22.6-29.2	335	27.7	24.4-31.0	122	11.4	08.9-13.9	407	35.0	31.3-38.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 20: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1685	307,164	413	25.4	22.5-28.3	472	24.9	22.0-27.8	198	13.7	11.3-16.1	602	36.0	32.7-39.3
White/Non-Hisp	1331	213,935	327	25.8	22.5-29.1	388	25.8	22.7-28.9	144	12.1	09.6-14.6	472	36.3	32.6-40.0
Black or Afr. Am./Non-Hisp	194	53,670	53	27.4	19.4-35.4	44	22.3	14.7-29.9	30	20.1	12.3-27.9	67	30.2	22.2-38.2
Oth. Race/Non-Hisp.	64	14,284	9	8.5	01.8-15.2	16	21.6	10.0-33.2	12	22.0	09.3-34.7	27	47.9	31.8-64.0
18-24	117	39,367	50	48.1	35.9-60.3	21	17.8	09.0-26.6	16	13.3	04.5-22.1	30	20.8	11.8-29.8
25-34	193	54,857	60	31.1	22.3-39.9	34	15.7	10.0-21.4	35	18.4	11.5-25.3	64	34.8	26.0-43.6
35-44	196	52,013	44	19.0	12.9-25.1	50	25.6	18.3-32.9	28	15.8	09.5-22.1	74	39.6	31.0-48.2
45-54	302	57,271	67	20.3	15.0-25.6	68	25.7	17.9-33.5	44	15.4	09.5-21.3	123	38.6	31.3-45.9
55-64	353	49,200	76	20.1	15.0-25.2	123	32.7	26.2-39.2	31	8.5	05.2-11.8	123	38.7	31.6-45.8
65+	520	53,511	116	19.8	15.3-24.3	176	31.3	26.0-36.6	44	10.6	06.5-14.7	184	38.4	32.7-44.1
Less Than H.S.	108	42,941	19	23.1	12.5-33.7	21	19.2	09.8-28.6	15	16.0	07.4-24.6	53	41.6	30.2-53.0
H.S. or G.E.D.	511	106,197	98	22.9	17.6-28.2	136	25.9	20.6-31.2	50	9.9	06.6-13.2	227	41.3	35.4-47.2
Some Post-H.S.	426	81,301	114	26.6	20.9-32.3	109	21.5	16.6-26.4	57	16.7	11.2-22.2	146	35.1	28.8-41.4
College Graduate	636	75,553	182	29.1	24.6-33.6	206	30.8	26.1-35.5	75	14.7	10.8-18.6	173	25.4	21.1-29.7
Less than \$15,000	149	27,774	25	20.8	11.6-30.0	39	26.7	16.5-36.9	23	15.5	08.1-22.9	62	37.0	27.2-46.8
\$15,000- 24,999	145	27,533	23	18.2	08.6-27.8	33	16.7	10.0-23.4	15	13.7	05.3-22.1	74	51.3	40.3-62.3
\$25,000- 34,999	119	22,211	19	20.0	08.6-31.4	36	25.9	13.9-37.9	11	7.5	01.6-13.4	53	46.6	33.1-60.1
\$35,000- 49,999	256	46,358	68	28.6	19.6-37.6	72	22.1	15.6-28.6	26	14.7	06.9-22.5	90	34.6	26.0-43.2
\$50,000- 74,999	270	44,815	70	23.8	17.7-29.9	81	26.9	19.3-34.5	30	10.6	06.1-15.1	89	38.8	31.0-46.6
\$75,000+	513	88,966	147	27.9	22.6-33.2	153	29.0	23.7-34.3	68	14.8	10.7-18.9	145	28.3	23.0-33.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 21: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2756	340,108	471	17.9	15.7-20.1	778	29.1	26.6-31.6	225	7.9	06.3-09.5	1282	45.0	42.3-47.7
White/Non-Hisp	2111	238,497	370	18.2	15.8-20.6	616	30.0	27.1-32.9	163	7.1	05.5-08.7	962	44.6	41.7-47.5
Black or Afr. Am./Non-Hisp	435	67,276	59	13.7	08.6-18.8	116	29.7	23.2-36.2	42	11.0	06.5-15.5	218	45.5	38.8-52.2
Oth. Race/Non-Hisp.	67	7,172	10	17.6	03.9-31.3	13	19.5	05.4-33.6	12	18.1	07.1-29.1	32	44.9	28.6-61.2
Hispanic	82	21,384	18	25.5	10.6-40.4	19	24.1	11.8-36.4	6	5.6	00.5-10.7	39	44.8	29.9-59.7
18-24	104	39,018	26	25.9	14.1-37.7	28	33.7	21.2-46.2	13	12.7	04.5-20.9	37	27.7	16.9-38.5
25-34	283	54,774	53	18.8	13.1-24.5	81	33.1	25.5-40.7	17	4.8	01.9-07.7	132	43.2	35.8-50.6
35-44	335	56,562	64	17.8	12.5-23.1	90	26.3	20.6-32.0	28	10.0	05.7-14.3	153	45.9	39.2-52.6
45-54	480	63,659	91	19.1	14.6-23.6	123	26.2	21.3-31.1	41	7.6	04.9-10.3	225	47.2	41.5-52.9
55-64	625	54,017	105	15.7	12.2-19.2	177	29.6	24.9-34.3	50	6.3	04.1-08.5	293	48.4	43.3-53.5
65+	918	70,460	132	13.9	11.4-16.4	279	28.7	25.0-32.4	74	7.3	05.3-09.3	433	50.1	46.0-54.2
Less Than H.S.	151	40,530	16	12.5	04.7-20.3	39	32.9	22.3-43.5	10	7.1	01.6-12.6	86	47.4	36.8-58.0
H.S. or G.E.D.	852	104,597	80	11.1	07.8-14.4	231	27.1	22.4-31.8	64	8.8	05.7-11.9	477	53.0	48.1-57.9
Some Post-H.S.	820	106,286	148	21.4	16.9-25.9	241	30.8	26.1-35.5	68	7.1	04.7-09.5	363	40.8	36.1-45.5
College Graduate	926	88,353	226	24.2	20.5-27.9	265	27.7	24.0-31.4	82	8.4	06.0-10.8	353	39.7	35.2-44.2
Less than \$15,000	336	39,165	34	13.0	06.3-19.7	93	27.8	20.4-35.2	31	8.6	04.3-12.9	178	50.5	42.1-58.9
\$15,000- 24,999	336	41,586	43	13.6	08.7-18.5	82	20.3	14.6-26.0	25	7.8	02.7-12.9	186	58.3	50.7-65.9
\$25,000- 34,999	243	26,982	39	14.6	09.3-19.9	61	30.7	22.1-39.3	25	10.0	05.5-14.5	118	44.7	36.5-52.9
\$35,000- 49,999	323	38,177	49	14.7	09.0-20.4	98	36.2	27.2-45.2	28	6.6	03.1-10.1	148	42.5	34.7-50.3
\$50,000- 74,999	400	49,300	76	17.6	12.5-22.7	120	32.2	25.1-39.3	25	6.2	02.7-09.7	179	44.0	37.1-50.9
\$75,000+	654	86,013	156	23.8	19.5-28.1	182	26.5	22.2-30.8	54	7.8	05.3-10.3	262	41.9	37.0-46.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 22: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAER)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4441	647,272	884	21.5	19.7-23.3	3557	78.5	76.7-80.3
Male	1685	307,164	413	25.4	22.5-28.3	1272	74.6	71.7-77.5
Female	2756	340,108	471	17.9	15.7-20.1	2285	82.1	79.9-84.3
White/Non-Hisp	3442	452,432	697	21.8	19.8-23.8	2745	78.2	76.2-80.2
Black or Afr. Am./Non-Hisp	629	120,946	112	19.8	15.3-24.3	517	80.2	75.7-84.7
Oth. Race/Non-Hisp.	131	21,456	19	11.5	04.8-18.2	112	88.5	81.8-95.2
MultiRacial/Non-Hisp.	78	9,155	21	30.0	16.7-43.3	57	70.0	56.7-83.3
Hispanic	122	39,769	27	26.0	14.2-37.8	95	74.0	62.2-85.8
18-24	221	78,385	76	37.0	28.4-45.6	145	63.0	54.4-71.6
25-34	476	109,631	113	24.9	19.6-30.2	363	75.1	69.8-80.4
35-44	531	108,576	108	18.4	14.5-22.3	423	81.6	77.7-85.5
45-54	782	120,930	158	19.7	16.2-23.2	624	80.3	76.8-83.8
55-64	978	103,217	181	17.8	14.7-20.9	797	82.2	79.1-85.3
65+	1438	123,971	248	16.5	14.1-18.9	1190	83.5	81.1-85.9
Less Than H.S.	259	83,471	35	18.0	11.1-24.9	224	82.0	75.1-88.9
H.S. or G.E.D.	1363	210,793	178	17.1	14.0-20.2	1185	82.9	79.8-86.0
Some Post-H.S.	1246	187,587	262	23.7	20.2-27.2	984	76.3	72.8-79.8
College Graduate	1562	163,906	408	26.5	23.6-29.4	1154	73.5	70.6-76.4
Less than \$15,000	485	66,938	59	16.3	10.8-21.8	426	83.7	78.2-89.2
\$15,000- 24,999	481	69,119	66	15.4	10.5-20.3	415	84.6	79.7-89.5
\$25,000- 34,999	362	49,193	58	17.0	11.1-22.9	304	83.0	77.1-88.9
\$35,000- 49,999	579	84,535	117	22.4	16.7-28.1	462	77.6	71.9-83.3
\$50,000- 74,999	670	94,115	146	20.5	16.6-24.4	524	79.5	75.6-83.4
\$75,000+	1167	174,979	303	25.9	22.6-29.2	864	74.1	70.8-77.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 23: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAER)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1685	307,164	413	25.4	22.5-28.3	1272	74.6	71.7-77.5
White/Non-Hisp	1331	213,935	327	25.8	22.5-29.1	1004	74.2	70.9-77.5
Black or Afr. Am./Non-Hisp	194	53,670	53	27.4	19.4-35.4	141	72.6	64.6-80.6
Oth. Race/Non-Hisp.	64	14,284	9	8.5	01.8-15.2	55	91.5	84.8-98.2
18-24	117	39,367	50	48.1	35.9-60.3	67	51.9	39.7-64.1
25-34	193	54,857	60	31.1	22.3-39.9	133	68.9	60.1-77.7
35-44	196	52,013	44	19.0	12.9-25.1	152	81.0	74.9-87.1
45-54	302	57,271	67	20.3	15.0-25.6	235	79.7	74.4-85.0
55-64	353	49,200	76	20.1	15.0-25.2	277	79.9	74.8-85.0
65+	520	53,511	116	19.8	15.3-24.3	404	80.2	75.7-84.7
Less Than H.S.	108	42,941	19	23.1	12.5-33.7	89	76.9	66.3-87.5
H.S. or G.E.D.	511	106,197	98	22.9	17.6-28.2	413	77.1	71.8-82.4
Some Post-H.S.	426	81,301	114	26.6	20.9-32.3	312	73.4	67.7-79.1
College Graduate	636	75,553	182	29.1	24.6-33.6	454	70.9	66.4-75.4
Less than \$15,000	149	27,774	25	20.8	11.6-30.0	124	79.2	70.0-88.4
\$15,000- 24,999	145	27,533	23	18.2	08.6-27.8	122	81.8	72.2-91.4
\$25,000- 34,999	119	22,211	19	20.0	08.6-31.4	100	80.0	68.6-91.4
\$35,000- 49,999	256	46,358	68	28.6	19.6-37.6	188	71.4	62.4-80.4
\$50,000- 74,999	270	44,815	70	23.8	17.7-29.9	200	76.2	70.1-82.3
\$75,000+	513	88,966	147	27.9	22.6-33.2	366	72.1	66.8-77.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 10: EXERCISE**

TABLE 24: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAER)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2756	340,108	471	17.9	15.7-20.1	2285	82.1	79.9-84.3
White/Non-Hisp	2111	238,497	370	18.2	15.8-20.6	1741	81.8	79.4-84.2
Black or Afr. Am./Non-Hisp	435	67,276	59	13.7	08.6-18.8	376	86.3	81.2-91.4
Oth. Race/Non-Hisp.	67	7,172	10	17.6	03.9-31.3	57	82.4	68.7-96.1
Hispanic	82	21,384	18	25.5	10.6-40.4	64	74.5	59.6-89.4
18-24	104	39,018	26	25.9	14.1-37.7	78	74.1	62.3-85.9
25-34	283	54,774	53	18.8	13.1-24.5	230	81.2	75.5-86.9
35-44	335	56,562	64	17.8	12.5-23.1	271	82.2	76.9-87.5
45-54	480	63,659	91	19.1	14.6-23.6	389	80.9	76.4-85.4
55-64	625	54,017	105	15.7	12.2-19.2	520	84.3	80.8-87.8
65+	918	70,460	132	13.9	11.4-16.4	786	86.1	83.6-88.6
Less Than H.S.	151	40,530	16	12.5	04.7-20.3	135	87.5	79.7-95.3
H.S. or G.E.D.	852	104,597	80	11.1	07.8-14.4	772	88.9	85.6-92.2
Some Post-H.S.	820	106,286	148	21.4	16.9-25.9	672	78.6	74.1-83.1
College Graduate	926	88,353	226	24.2	20.5-27.9	700	75.8	72.1-79.5
Less than \$15,000	336	39,165	34	13.0	06.3-19.7	302	87.0	80.3-93.7
\$15,000- 24,999	336	41,586	43	13.6	08.7-18.5	293	86.4	81.5-91.3
\$25,000- 34,999	243	26,982	39	14.6	09.3-19.9	204	85.4	80.1-90.7
\$35,000- 49,999	323	38,177	49	14.7	09.0-20.4	274	85.3	79.6-91.0
\$50,000- 74,999	400	49,300	76	17.6	12.5-22.7	324	82.4	77.3-87.5
\$75,000+	654	86,013	156	23.8	19.5-28.1	498	76.2	71.9-80.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	232
2	MALES ONLY	233
3	FEMALES ONLY	234
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	235
5	MALES ONLY	236
6	FEMALES ONLY	237

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4712	685,002	4569	95.4	94.2-96.6	143	4.6	03.4-05.8
Male	1799	327,276	1711	93.2	91.2-95.2	88	6.8	04.8-08.8
Female	2913	357,726	2858	97.4	96.2-98.6	55	2.6	01.4-03.8
White/Non-Hisp	3637	475,195	3537	96.1	94.9-97.3	100	3.9	02.7-05.1
Black or Afr. Am./Non-Hisp	675	130,286	652	95.7	93.3-98.1	23	4.3	01.9-06.7
Oth. Race/Non-Hisp.	140	22,400	134	93.3	86.2-0100	6	6.7	00.0-13.8
MultiRacial/Non-Hisp.	80	9,532	77	95.6	89.7-0100	3	4.4	00.0-10.3
Hispanic	133	43,508	124	87.9	78.1-97.7	9	12.1	02.3-21.9
18-24	239	82,635	224	92.1	87.0-97.2	15	7.9	02.8-13.0
25-34	504	115,332	477	92.2	88.3-96.1	27	7.8	03.9-11.7
35-44	559	113,668	544	96.5	94.3-98.7	15	3.5	01.3-05.7
45-54	818	127,261	800	96.5	94.0-99.0	18	3.5	01.0-06.0
55-64	1017	107,073	995	96.9	94.9-98.9	22	3.1	01.1-05.1
65+	1516	131,390	1472	96.9	95.7-98.1	44	3.1	01.9-04.3
Less Than H.S.	288	91,723	265	92.5	88.4-96.6	23	7.5	03.4-11.6
H.S. or G.E.D.	1440	221,032	1398	95.4	93.4-97.4	42	4.6	02.6-06.6
Some Post-H.S.	1322	197,697	1286	95.1	92.6-97.6	36	4.9	02.4-07.4
College Graduate	1649	172,866	1608	97.1	95.9-98.3	41	2.9	01.7-04.1
Less than \$15,000	512	70,627	493	95.2	92.5-97.9	19	4.8	02.1-07.5
\$15,000- 24,999	516	75,695	497	95.1	92.2-98.0	19	4.9	02.0-07.8
\$25,000- 34,999	384	52,266	373	95.7	92.6-98.8	11	4.3	01.2-07.4
\$35,000- 49,999	612	89,598	595	95.4	92.1-98.7	17	4.6	01.3-07.9
\$50,000- 74,999	704	98,132	686	96.5	93.4-99.6	18	3.5	00.4-06.6
\$75,000+	1217	181,855	1181	95.7	93.9-97.5	36	4.3	02.5-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 13: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1799	327,276	1711	93.2	91.2-95.2	88	6.8	04.8-08.8
White/Non-Hisp	1412	225,299	1348	94.0	91.8-96.2	64	6.0	03.8-08.2
Black or Afr. Am./Non-Hisp	213	58,791	202	93.6	89.1-98.1	11	6.4	01.9-10.9
Oth. Race/Non-Hisp.	68	14,748	63	90.1	79.7-0100	5	9.9	00.0-20.3
18-24	127	42,193	115	89.2	82.3-96.1	12	10.8	03.9-17.7
25-34	205	58,009	183	87.9	81.4-94.4	22	12.1	05.6-18.6
35-44	210	54,525	202	95.5	91.4-99.6	8	4.5	00.4-08.6
45-54	325	61,752	315	94.7	89.6-99.8	10	5.3	00.2-10.4
55-64	368	50,755	356	95.3	91.6-99.0	12	4.7	01.0-08.4
65+	547	57,085	524	95.5	93.3-97.7	23	4.5	02.3-06.7
Less Than H.S.	117	46,840	107	90.5	83.1-97.9	10	9.5	02.1-16.9
H.S. or G.E.D.	543	111,957	514	92.3	88.6-96.0	29	7.7	04.0-11.4
Some Post-H.S.	458	86,681	438	93.4	89.5-97.3	20	6.6	02.7-10.5
College Graduate	676	80,511	647	95.5	93.5-97.5	29	4.5	02.5-06.5
Less than \$15,000	159	29,745	150	93.4	87.7-99.1	9	6.6	00.9-12.3
\$15,000- 24,999	153	29,433	146	92.8	86.7-98.9	7	7.2	01.1-13.3
\$25,000- 34,999	134	24,566	128	92.5	86.0-99.0	6	7.5	01.0-14.0
\$35,000- 49,999	267	48,559	257	95.3	91.0-99.6	10	4.7	00.4-09.0
\$50,000- 74,999	290	47,650	276	93.5	87.2-99.8	14	6.5	00.2-12.8
\$75,000+	541	93,294	512	93.0	89.7-96.3	29	7.0	03.7-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 13: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	357,726	2858	97.4	96.2-98.6	55	2.6	01.4-03.8
White/Non-Hisp	2225	249,896	2189	98.0	97.0-99.0	36	2.0	01.0-03.0
Black or Afr. Am./Non-Hisp	462	71,495	450	97.5	95.7-99.3	12	2.5	00.7-04.3
Oth. Race/Non-Hisp.	72	7,652	71	99.6	98.8-0100	1	0.4	00.0-01.2
Hispanic	85	22,066	81	90.2	77.1-0100	4	9.8	00.0-22.9
18-24	112	40,442	109	95.1	87.7-0100	3	4.9	00.0-12.3
25-34	299	57,323	294	96.6	92.9-0100	5	3.4	00.0-07.1
35-44	349	59,142	342	97.5	95.5-99.5	7	2.5	00.5-04.5
45-54	493	65,510	485	98.1	96.3-99.9	8	1.9	00.1-03.7
55-64	649	56,318	639	98.4	97.2-99.6	10	1.6	00.4-02.8
65+	969	74,305	948	97.9	96.7-99.1	21	2.1	00.9-03.3
Less Than H.S.	171	44,883	158	94.5	91.2-97.8	13	5.5	02.2-08.8
H.S. or G.E.D.	897	109,075	884	98.6	97.6-99.6	13	1.4	00.4-02.4
Some Post-H.S.	864	111,016	848	96.4	93.1-99.7	16	3.6	00.3-06.9
College Graduate	973	92,355	961	98.5	97.3-99.7	12	1.5	00.3-02.7
Less than \$15,000	353	40,882	343	96.5	94.1-98.9	10	3.5	01.1-05.9
\$15,000- 24,999	363	46,263	351	96.5	93.8-99.2	12	3.5	00.8-06.2
\$25,000- 34,999	250	27,700	245	98.5	96.9-0100	5	1.5	00.0-03.1
\$35,000- 49,999	345	41,039	338	95.7	90.6-0100	7	4.3	00.0-09.4
\$50,000- 74,999	414	50,482	410	99.4	98.8-0100	4	0.6	00.0-01.2
\$75,000+	676	88,560	669	98.6	97.2-0100	7	1.4	00.0-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 13: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4712	685,002	4402	91.1	89.7-92.5	310	8.9	07.5-10.3
Male	1799	327,276	1605	87.3	84.9-89.7	194	12.7	10.3-15.1
Female	2913	357,726	2797	94.6	93.0-96.2	116	5.4	03.8-07.0
White/Non-Hisp	3637	475,195	3417	91.4	89.8-93.0	220	8.6	07.0-10.2
Black or Afr. Am./Non-Hisp	675	130,286	624	92.5	89.8-95.2	51	7.5	04.8-10.2
Oth. Race/Non-Hisp.	140	22,400	127	88.3	80.5-96.1	13	11.7	03.9-19.5
MultiRacial/Non-Hisp.	80	9,532	72	83.6	72.2-95.0	8	16.4	05.0-27.8
Hispanic	133	43,508	122	86.9	77.1-96.7	11	13.1	03.3-22.9
18-24	239	82,635	204	83.0	75.9-90.1	35	17.0	09.9-24.1
25-34	504	115,332	451	87.2	82.9-91.5	53	12.8	08.5-17.1
35-44	559	113,668	531	94.3	91.8-96.8	28	5.7	03.2-08.2
45-54	818	127,261	765	91.3	88.0-94.6	53	8.7	05.4-12.0
55-64	1017	107,073	967	93.9	91.4-96.4	50	6.1	03.6-08.6
65+	1516	131,390	1429	94.0	92.4-95.6	87	6.0	04.4-07.6
Less Than H.S.	288	91,723	253	87.6	82.1-93.1	35	12.4	06.9-17.9
H.S. or G.E.D.	1440	221,032	1343	90.6	88.2-93.0	97	9.4	07.0-11.8
Some Post-H.S.	1322	197,697	1247	91.3	88.4-94.2	75	8.7	05.8-11.6
College Graduate	1649	172,866	1548	93.2	91.6-94.8	101	6.8	05.2-08.4
Less than \$15,000	512	70,627	479	92.9	89.8-96.0	33	7.1	04.0-10.2
\$15,000- 24,999	516	75,695	476	90.9	87.2-94.6	40	9.1	05.4-12.8
\$25,000- 34,999	384	52,266	355	89.7	84.8-94.6	29	10.3	05.4-15.2
\$35,000- 49,999	612	89,598	565	90.3	86.6-94.0	47	9.7	06.0-13.4
\$50,000- 74,999	704	98,132	662	91.6	87.1-96.1	42	8.4	03.9-12.9
\$75,000+	1217	181,855	1147	91.9	89.4-94.4	70	8.1	05.6-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 13: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1799	327,276	1605	87.3	84.9-89.7	194	12.7	10.3-15.1
White/Non-Hisp	1412	225,299	1268	87.3	84.6-90.0	144	12.7	10.0-15.4
Black or Afr. Am./Non-Hisp	213	58,791	190	90.5	85.6-95.4	23	9.5	04.6-14.4
Oth. Race/Non-Hisp.	68	14,748	57	82.7	70.9-94.5	11	17.3	05.5-29.1
18-24	127	42,193	103	81.0	72.0-90.0	24	19.0	10.0-28.0
25-34	205	58,009	165	80.6	73.5-87.7	40	19.4	12.3-26.5
35-44	210	54,525	195	92.6	87.9-97.3	15	7.4	02.7-12.1
45-54	325	61,752	293	87.5	81.6-93.4	32	12.5	06.6-18.4
55-64	368	50,755	340	90.3	85.4-95.2	28	9.7	04.8-14.6
65+	547	57,085	494	90.3	87.2-93.4	53	9.7	06.6-12.8
Less Than H.S.	117	46,840	100	87.7	80.1-95.3	17	12.3	04.7-19.9
H.S. or G.E.D.	543	111,957	474	85.1	80.8-89.4	69	14.9	10.6-19.2
Some Post-H.S.	458	86,681	413	86.9	81.8-92.0	45	13.1	08.0-18.2
College Graduate	676	80,511	614	90.2	87.5-92.9	62	9.8	07.1-12.5
Less than \$15,000	159	29,745	142	89.0	82.3-95.7	17	11.0	04.3-17.7
\$15,000- 24,999	153	29,433	136	88.6	81.9-95.3	17	11.4	04.7-18.1
\$25,000- 34,999	134	24,566	118	82.6	73.0-92.2	16	17.4	07.8-27.0
\$35,000- 49,999	267	48,559	234	87.4	81.9-92.9	33	12.6	07.1-18.1
\$50,000- 74,999	290	47,650	262	88.0	81.1-94.9	28	12.0	05.1-18.9
\$75,000+	541	93,294	489	87.2	82.7-91.7	52	12.8	08.3-17.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 13: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	357,726	2797	94.6	93.0-96.2	116	5.4	03.8-07.0
White/Non-Hisp	2225	249,896	2149	95.1	93.3-96.9	76	4.9	03.1-06.7
Black or Afr. Am./Non-Hisp	462	71,495	434	94.0	91.3-96.7	28	6.0	03.3-08.7
Oth. Race/Non-Hisp.	72	7,652	70	99.3	98.3-0100	2	0.7	00.0-01.7
Hispanic	85	22,066	80	89.9	76.8-0100	5	10.1	00.0-23.2
18-24	112	40,442	101	85.2	74.4-96.0	11	14.8	04.0-25.6
25-34	299	57,323	286	93.9	89.4-98.4	13	6.1	01.6-10.6
35-44	349	59,142	336	95.9	93.5-98.3	13	4.1	01.7-06.5
45-54	493	65,510	472	94.9	92.2-97.6	21	5.1	02.4-07.8
55-64	649	56,318	627	97.0	95.4-98.6	22	3.0	01.4-04.6
65+	969	74,305	935	96.9	95.5-98.3	34	3.1	01.7-04.5
Less Than H.S.	171	44,883	153	87.5	79.7-95.3	18	12.5	04.7-20.3
H.S. or G.E.D.	897	109,075	869	96.2	94.4-98.0	28	3.8	02.0-05.6
Some Post-H.S.	864	111,016	834	94.7	91.2-98.2	30	5.3	01.8-08.8
College Graduate	973	92,355	934	95.9	94.1-97.7	39	4.1	02.3-05.9
Less than \$15,000	353	40,882	337	95.7	93.2-98.2	16	4.3	01.8-06.8
\$15,000- 24,999	363	46,263	340	92.4	88.1-96.7	23	7.6	03.3-11.9
\$25,000- 34,999	250	27,700	237	96.0	93.6-98.4	13	4.0	01.6-06.4
\$35,000- 49,999	345	41,039	331	93.7	88.4-99.0	14	6.3	01.0-11.6
\$50,000- 74,999	414	50,482	400	95.0	88.9-0100	14	5.0	00.0-11.1
\$75,000+	676	88,560	658	96.9	95.1-98.7	18	3.1	01.3-04.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)	
1	MALES AND FEMALES	239
2	MALES ONLY	240
3	FEMALES ONLY	241
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	242
5	MALES ONLY	243
6	FEMALES ONLY	244

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 14: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)
 Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1512	131,074	1013	63.4	59.9-66.9	499	36.6	33.1-40.1
Male	545	56,906	353	60.4	54.5-66.3	192	39.6	33.7-45.5
Female	967	74,169	660	65.7	61.6-69.8	307	34.3	30.2-38.4
White/Non-Hisp	1314	108,611	907	66.0	62.5-69.5	407	34.0	30.5-37.5
Black or Afr. Am./Non-Hisp	137	16,387	74	48.5	36.0-61.0	63	51.5	39.0-64.0
65+	1512	131,074	1013	63.4	59.9-66.9	499	36.6	33.1-40.1
Less Than H.S.	137	27,366	75	48.8	38.2-59.4	62	51.2	40.6-61.8
H.S. or G.E.D.	506	43,586	336	66.0	60.7-71.3	170	34.0	28.7-39.3
Some Post-H.S.	406	31,737	266	63.6	57.9-69.3	140	36.4	30.7-42.1
College Graduate	459	28,134	334	73.1	68.4-77.8	125	26.9	22.2-31.6
Less than \$15,000	211	19,287	133	57.3	47.3-67.3	78	42.7	32.7-52.7
\$15,000- 24,999	185	16,676	117	61.4	51.8-71.0	68	38.6	29.0-48.2
\$25,000- 34,999	148	13,818	111	67.4	55.8-79.0	37	32.6	21.0-44.2
\$35,000- 49,999	220	17,391	153	70.7	63.6-77.8	67	29.3	22.2-36.4
\$50,000- 74,999	165	13,630	109	64.5	55.9-73.1	56	35.5	26.9-44.1
\$75,000+	241	19,677	160	65.5	58.4-72.6	81	34.5	27.4-41.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	545	56,906	353	60.4	54.5-66.3	192	39.6	33.7-45.5
White/Non-Hisp	475	45,610	320	64.9	59.0-70.8	155	35.1	29.2-41.0
65+	545	56,906	353	60.4	54.5-66.3	192	39.6	33.7-45.5
Less Than H.S.	52	13,623	24	40.6	24.9-56.3	28	59.4	43.7-75.1
H.S. or G.E.D.	157	17,081	97	61.1	51.1-71.1	60	38.9	28.9-48.9
Some Post-H.S.	113	10,702	73	64.3	53.9-74.7	40	35.7	25.3-46.1
College Graduate	222	15,322	158	74.2	67.7-80.7	64	25.8	19.3-32.3
Less than \$15,000	54	6,756	27	42.1	25.0-59.2	27	57.9	40.8-75.0
\$35,000- 49,999	97	9,182	71	74.4	64.2-84.6	26	25.6	15.4-35.8
\$50,000- 74,999	77	7,174	44	59.5	46.6-72.4	33	40.5	27.6-53.4
\$75,000+	131	10,991	91	68.5	58.9-78.1	40	31.5	21.9-41.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	967	74,169	660	65.7	61.6-69.8	307	34.3	30.2-38.4
White/Non-Hisp	839	63,001	587	66.8	62.5-71.1	252	33.2	28.9-37.5
Black or Afr. Am./Non-Hisp	99	8,770	54	57.6	45.4-69.8	45	42.4	30.2-54.6
65+	967	74,169	660	65.7	61.6-69.8	307	34.3	30.2-38.4
Less Than H.S.	85	13,743	51	56.9	43.0-70.8	34	43.1	29.2-57.0
H.S. or G.E.D.	349	26,505	239	69.3	63.6-75.0	110	30.7	25.0-36.4
Some Post-H.S.	293	21,035	193	63.3	56.4-70.2	100	36.7	29.8-43.6
College Graduate	237	12,812	176	71.9	65.0-78.8	61	28.1	21.2-35.0
Less than \$15,000	157	12,531	106	65.5	53.7-77.3	51	34.5	22.7-46.3
\$15,000- 24,999	143	10,599	97	66.4	56.6-76.2	46	33.6	23.8-43.4
\$25,000- 34,999	99	8,726	76	69.1	54.6-83.6	23	30.9	16.4-45.4
\$35,000- 49,999	123	8,208	82	66.6	57.2-76.0	41	33.4	24.0-42.8
\$50,000- 74,999	88	6,455	65	70.1	58.9-81.3	23	29.9	18.7-41.1
\$75,000+	110	8,686	69	61.7	51.3-72.1	41	38.3	27.9-48.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 14: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
 Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1465	126,883	1082	69.2	65.7-72.7	383	30.8	27.3-34.3
Male	519	54,612	365	61.9	55.8-68.0	154	38.1	32.0-44.2
Female	946	72,271	717	74.8	71.1-78.5	229	25.2	21.5-28.9
White/Non-Hisp	1276	105,592	955	72.3	68.8-75.8	321	27.7	24.2-31.2
Black or Afr. Am./Non-Hisp	129	15,288	87	49.8	36.7-62.9	42	50.2	37.1-63.3
65+	1465	126,883	1082	69.2	65.7-72.7	383	30.8	27.3-34.3
Less Than H.S.	128	26,227	85	56.9	45.5-68.3	43	43.1	31.7-54.5
H.S. or G.E.D.	493	42,498	367	72.9	67.8-78.0	126	27.1	22.0-32.2
Some Post-H.S.	399	30,920	294	70.5	64.8-76.2	105	29.5	23.8-35.2
College Graduate	442	27,029	334	73.9	69.0-78.8	108	26.1	21.2-31.0
Less than \$15,000	210	19,261	154	68.5	58.5-78.5	56	31.5	21.5-41.5
\$15,000- 24,999	177	15,918	122	61.9	51.3-72.5	55	38.1	27.5-48.7
\$25,000- 34,999	144	13,464	113	79.8	71.6-88.0	31	20.2	12.0-28.4
\$35,000- 49,999	217	17,212	170	78.4	71.9-84.9	47	21.6	15.1-28.1
\$50,000- 74,999	159	13,217	106	62.1	53.1-71.1	53	37.9	28.9-46.9
\$75,000+	233	19,134	174	70.9	63.8-78.0	59	29.1	22.0-36.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	519	54,612	365	61.9	55.8-68.0	154	38.1	32.0-44.2
White/Non-Hisp	455	44,103	329	67.1	61.0-73.2	126	32.9	26.8-39.0
65+	519	54,612	365	61.9	55.8-68.0	154	38.1	32.0-44.2
H.S. or G.E.D.	150	16,565	110	68.7	58.9-78.5	40	31.3	21.5-41.1
Some Post-H.S.	112	10,355	79	67.9	57.5-78.3	33	32.1	21.7-42.5
College Graduate	207	14,332	152	72.7	65.4-80.0	55	27.3	20.0-34.6
Less than \$15,000	55	6,819	35	53.7	35.7-71.7	20	46.3	28.3-64.3
\$35,000- 49,999	94	9,004	77	81.5	72.3-90.7	17	18.5	09.3-27.7
\$50,000- 74,999	71	6,800	47	63.3	50.0-76.6	24	36.7	23.4-50.0
\$75,000+	124	10,614	90	69.1	59.1-79.1	34	30.9	20.9-40.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	946	72,271	717	74.8	71.1-78.5	229	25.2	21.5-28.9
White/Non-Hisp	821	61,490	626	76.0	72.1-79.9	195	24.0	20.1-27.9
Black or Afr. Am./Non-Hisp	96	8,384	71	68.4	56.4-80.4	25	31.6	19.6-43.6
65+	946	72,271	717	74.8	71.1-78.5	229	25.2	21.5-28.9
Less Than H.S.	79	13,044	62	77.8	65.1-90.5	17	22.2	09.5-34.9
H.S. or G.E.D.	343	25,933	257	75.5	70.2-80.8	86	24.5	19.2-29.8
Some Post-H.S.	287	20,566	215	71.7	65.0-78.4	72	28.3	21.6-35.0
College Graduate	235	12,697	182	75.4	68.7-82.1	53	24.6	17.9-31.3
Less than \$15,000	155	12,442	119	76.7	65.1-88.3	36	23.3	11.7-34.9
\$15,000- 24,999	137	10,178	101	73.7	64.7-82.7	36	26.3	17.3-35.3
\$25,000- 34,999	98	8,702	79	80.8	70.8-90.8	19	19.2	09.2-29.2
\$35,000- 49,999	123	8,208	93	74.9	66.1-83.7	30	25.1	16.3-33.9
\$50,000- 74,999	88	6,417	59	60.7	48.7-72.7	29	39.3	27.3-51.3
\$75,000+	109	8,520	84	73.3	63.5-83.1	25	26.7	16.9-36.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1	MALES AND FEMALES	247
2	MALES ONLY	248
3	FEMALES ONLY	249
	DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4	MALES AND FEMALES	250
5	MALES ONLY	251
6	FEMALES ONLY	252
	BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7	MALES AND FEMALES	253
8	MALES ONLY	254
9	FEMALES ONLY	255
	CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)	
10	MALES AND FEMALES	256
11	MALES ONLY	257
12	FEMALES ONLY	258
	CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)	
13	MALES AND FEMALES	259
14	MALES ONLY	260
15	FEMALES ONLY	261

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)	
16	MALES ONLY	262
	ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)	
17	FEMALES ONLY	263

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
17	ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4) FEMALES ONLY	263

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4645	675,396	2622	59.5	57.5-61.5	2023	40.5	38.5-42.5
Male	1775	322,583	1157	66.2	63.1-69.3	618	33.8	30.7-36.9
Female	2870	352,814	1465	53.2	50.5-55.9	1405	46.8	44.1-49.5
White/Non-Hisp	3590	469,694	2148	63.6	61.4-65.8	1442	36.4	34.2-38.6
Black or Afr. Am./Non-Hisp	664	128,746	270	46.4	41.1-51.7	394	53.6	48.3-58.9
Oth. Race/Non-Hisp.	138	22,184	68	49.8	38.2-61.4	70	50.2	38.6-61.8
MultiRacial/Non-Hisp.	80	9,532	43	50.5	36.8-64.2	37	49.5	35.8-63.2
Hispanic	128	41,267	72	61.2	49.6-72.8	56	38.8	27.2-50.4
18-24	236	81,412	138	53.8	45.2-62.4	98	46.2	37.6-54.8
25-34	498	113,758	348	73.7	69.0-78.4	150	26.3	21.6-31.0
35-44	553	112,507	372	69.3	64.6-74.0	181	30.7	26.0-35.4
45-54	810	125,912	476	58.2	53.7-62.7	334	41.8	37.3-46.3
55-64	1003	105,609	558	56.6	52.5-60.7	445	43.4	39.3-47.5
65+	1491	129,648	703	45.6	42.3-48.9	788	54.4	51.1-57.7
Less Than H.S.	283	89,877	88	40.1	32.5-47.7	195	59.9	52.3-67.5
H.S. or G.E.D.	1410	217,345	677	54.7	51.0-58.4	733	45.3	41.6-49.0
Some Post-H.S.	1310	196,308	735	63.8	60.1-67.5	575	36.2	32.5-39.9
College Graduate	1630	171,081	1117	70.6	67.7-73.5	513	29.4	26.5-32.3
Less than \$15,000	507	69,939	201	47.6	41.1-54.1	306	52.4	45.9-58.9
\$15,000- 24,999	505	73,358	186	40.6	34.3-46.9	319	59.4	53.1-65.7
\$25,000- 34,999	380	51,805	202	59.4	52.1-66.7	178	40.6	33.3-47.9
\$35,000- 49,999	609	89,258	338	59.6	53.5-65.7	271	40.4	34.3-46.5
\$50,000- 74,999	700	97,460	440	64.4	59.5-69.3	260	35.6	30.7-40.5
\$75,000+	1205	180,032	898	73.5	70.2-76.8	307	26.5	23.2-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 15: ALCOHOL CONSUMPTION**

TABLE 2: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1775	322,583	1157	66.2	63.1-69.3	618	33.8	30.7-36.9
White/Non-Hisp	1394	222,209	944	70.7	67.4-74.0	450	29.3	26.0-32.6
Black or Afr. Am./Non-Hisp	211	58,300	112	54.1	45.7-62.5	99	45.9	37.5-54.3
Oth. Race/Non-Hisp.	67	14,603	39	57.3	42.2-72.4	28	42.7	27.6-57.8
18-24	125	41,147	89	61.6	49.8-73.4	36	38.4	26.6-50.2
25-34	203	57,491	160	80.4	73.7-87.1	43	19.6	12.9-26.3
35-44	209	54,361	156	76.1	69.4-82.8	53	23.9	17.2-30.6
45-54	320	60,863	204	64.6	57.5-71.7	116	35.4	28.3-42.5
55-64	363	50,199	230	60.3	53.4-67.2	133	39.7	32.8-46.6
65+	542	56,620	308	52.2	46.3-58.1	234	47.8	41.9-53.7
Less Than H.S.	116	45,979	49	48.6	37.4-59.8	67	51.4	40.2-62.6
H.S. or G.E.D.	534	110,349	310	63.7	58.2-69.2	224	36.3	30.8-41.8
Some Post-H.S.	452	86,102	303	69.9	64.0-75.8	149	30.1	24.2-36.0
College Graduate	670	79,806	492	75.9	71.8-80.0	178	24.1	20.0-28.2
Less than \$15,000	158	29,663	81	56.6	46.4-66.8	77	43.4	33.2-53.6
\$15,000- 24,999	148	27,897	63	47.6	36.6-58.6	85	52.4	41.4-63.4
\$25,000- 34,999	132	24,395	81	67.5	55.7-79.3	51	32.5	20.7-44.3
\$35,000- 49,999	265	48,249	160	63.4	54.6-72.2	105	36.6	27.8-45.4
\$50,000- 74,999	288	47,401	197	66.4	58.6-74.2	91	33.6	25.8-41.4
\$75,000+	536	92,386	428	79.1	74.2-84.0	108	20.9	16.0-25.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2870	352,814	1465	53.2	50.5-55.9	1405	46.8	44.1-49.5
White/Non-Hisp	2196	247,485	1204	57.2	54.3-60.1	992	42.8	39.9-45.7
Black or Afr. Am./Non-Hisp	453	70,445	158	40.1	33.4-46.8	295	59.9	53.2-66.6
Oth. Race/Non-Hisp.	71	7,581	29	35.4	20.5-50.3	42	64.6	49.7-79.5
Hispanic	81	20,687	40	58.5	44.2-72.8	41	41.5	27.2-55.8
18-24	111	40,265	49	45.9	33.4-58.4	62	54.1	41.6-66.6
25-34	295	56,267	188	66.9	60.2-73.6	107	33.1	26.4-39.8
35-44	344	58,147	216	62.9	56.6-69.2	128	37.1	30.8-43.4
45-54	490	65,050	272	52.2	46.5-57.9	218	47.8	42.1-53.5
55-64	640	55,410	328	53.2	48.3-58.1	312	46.8	41.9-51.7
65+	949	73,029	395	40.4	36.5-44.3	554	59.6	55.7-63.5
Less Than H.S.	167	43,898	39	31.2	21.2-41.2	128	68.8	58.8-78.8
H.S. or G.E.D.	876	106,996	367	45.5	40.8-50.2	509	54.5	49.8-59.2
Some Post-H.S.	858	110,206	432	59.0	54.5-63.5	426	41.0	36.5-45.5
College Graduate	960	91,275	625	66.0	62.1-69.9	335	34.0	30.1-37.9
Less than \$15,000	349	40,277	120	40.9	32.3-49.5	229	59.1	50.5-67.7
\$15,000- 24,999	357	45,462	123	36.3	29.0-43.6	234	63.7	56.4-71.0
\$25,000- 34,999	248	27,410	121	52.2	44.0-60.4	127	47.8	39.6-56.0
\$35,000- 49,999	344	41,009	178	55.1	47.3-62.9	166	44.9	37.1-52.7
\$50,000- 74,999	412	50,059	243	62.6	56.1-69.1	169	37.4	30.9-43.9
\$75,000+	669	87,646	470	67.6	62.9-72.3	199	32.4	27.7-37.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 15: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4645	675,396	1438	33.7	31.7-35.7	597	14.4	12.8-16.0	211	4.3	03.5-05.1	376	7.2	06.2-08.2	2023	40.5	38.5-42.5
Male	1775	322,583	546	32.6	29.5-35.7	298	18.0	15.5-20.5	107	5.7	04.3-07.1	206	10.0	08.0-12.0	618	33.8	30.7-36.9
Female	2870	352,814	892	34.6	32.1-37.1	299	11.1	09.3-12.9	104	3.0	02.4-03.6	170	4.6	03.6-05.6	1405	46.8	44.1-49.5
White/Non-Hisp	3590	469,694	1111	34.1	31.7-36.5	500	15.8	14.0-17.6	194	5.5	04.5-06.5	343	8.2	07.0-09.4	1442	36.4	34.2-38.6
Black or Afr. Am./Non-Hisp	664	128,746	189	29.4	24.5-34.3	58	12.4	08.5-16.3	10	1.4	00.4-02.4	13	3.3	01.1-05.5	394	53.6	48.3-58.9
Oth. Race/Non-Hisp.	138	22,184	53	39.0	27.2-50.8	12	8.2	02.5-13.9	1	0.3	00.0-00.9	2	2.4	00.0-06.1	70	50.2	38.6-61.8
MultiRacial/Non-Hisp.	80	9,532	27	32.1	19.6-44.6	10	10.3	03.0-17.6	1	1.9	00.0-05.6	5	6.3	00.0-12.8	37	49.5	35.8-63.2
Hispanic	128	41,267	45	39.5	27.7-51.3	13	9.6	03.7-15.5	4	2.2	00.0-04.7	10	9.9	03.0-16.8	56	38.8	27.2-50.4
18-24	236	81,412	92	38.7	30.3-47.1	35	9.7	05.6-13.8	7	2.4	00.0-04.9	4	3.1	00.0-07.0	98	46.2	37.6-54.8
25-34	498	113,758	208	41.7	36.0-47.4	108	24.1	19.0-29.2	14	2.7	01.1-04.3	18	5.3	02.4-08.2	150	26.3	21.6-31.0
35-44	553	112,507	231	41.6	36.5-46.7	92	17.9	13.8-22.0	28	5.6	02.9-08.3	21	4.1	01.9-06.3	181	30.7	26.0-35.4
45-54	810	125,912	273	31.9	27.6-36.2	108	14.0	10.7-17.3	47	5.8	03.8-07.8	48	6.4	04.0-08.8	334	41.8	37.3-46.3
55-64	1003	105,609	286	29.2	25.5-32.9	130	12.4	09.9-14.9	49	4.5	02.9-06.1	93	10.4	07.9-12.9	445	43.4	39.3-47.5
65+	1491	129,648	328	21.3	18.6-24.0	123	8.3	06.5-10.1	66	4.1	02.9-05.3	186	11.9	09.9-13.9	788	54.4	51.1-57.7
Less Than H.S.	283	89,877	59	26.0	18.9-33.1	14	8.4	03.3-13.5	2	0.7	00.0-01.7	13	5.0	01.9-08.1	195	59.9	52.3-67.5
H.S. or G.E.D.	1410	217,345	393	31.4	27.9-34.9	138	13.0	10.3-15.7	48	3.6	02.4-04.8	98	6.7	04.9-08.5	733	45.3	41.6-49.0
Some Post-H.S.	1310	196,308	442	37.8	34.1-41.5	157	14.2	11.5-16.9	47	4.5	02.7-06.3	89	7.4	05.0-09.8	575	36.2	32.5-39.9
College Graduate	1630	171,081	542	35.9	32.8-39.0	285	19.4	16.9-21.9	114	6.7	05.3-08.1	176	8.6	07.0-10.2	513	29.4	26.5-32.3
Less than \$15,000	507	69,939	119	30.4	24.1-36.7	41	9.7	05.2-14.2	13	2.5	00.7-04.3	28	5.0	02.1-07.9	306	52.4	45.9-58.9
\$15,000- 24,999	505	73,358	134	28.7	22.8-34.6	28	7.5	04.0-11.0	6	1.3	00.0-02.7	18	3.1	00.9-05.3	319	59.4	53.1-65.7
\$25,000- 34,999	380	51,805	113	37.7	30.1-45.3	50	12.7	08.4-17.0	13	2.4	00.8-04.0	26	6.7	03.6-09.8	178	40.6	33.3-47.9
\$35,000- 49,999	609	89,258	197	33.4	27.7-39.1	72	14.2	09.9-18.5	27	4.6	02.1-07.1	42	7.3	03.6-11.0	271	40.4	34.3-46.5
\$50,000- 74,999	700	97,460	243	38.2	33.1-43.3	114	15.0	11.7-18.3	31	4.1	02.5-05.7	52	7.2	04.7-09.7	260	35.6	30.7-40.5
\$75,000+	1205	180,032	433	35.1	31.6-38.6	222	21.1	18.0-24.2	98	7.5	05.5-09.5	145	9.8	07.6-12.0	307	26.5	23.2-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 15: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1775	322,583	546	32.6	29.5-35.7	298	18.0	15.5-20.5	107	5.7	04.3-07.1	206	10.0	08.0-12.0	618	33.8	30.7-36.9
White/Non-Hisp	1394	222,209	417	32.7	29.2-36.2	251	20.0	17.1-22.9	96	7.2	05.2-09.2	180	10.7	08.5-12.9	450	29.3	26.0-32.6
Black or Afr. Am./Non-Hisp	211	58,300	66	30.5	22.7-38.3	27	14.8	08.1-21.5	7	2.5	00.3-04.7	12	6.3	02.0-10.6	99	45.9	37.5-54.3
Oth. Race/Non-Hisp.	67	14,603	28	42.7	26.6-58.8	8	10.5	02.1-18.9	1	0.5	00.0-01.5	2	3.6	00.0-09.3	28	42.7	27.6-57.8
18-24	125	41,147	53	39.2	28.0-50.4	27	12.8	06.9-18.7	6	4.3	00.0-09.2	3	5.2	00.0-12.5	36	38.4	26.6-50.2
25-34	203	57,491	77	38.7	29.9-47.5	59	30.0	21.8-38.2	10	4.1	01.4-06.8	14	7.6	02.9-12.3	43	19.6	12.9-26.3
35-44	209	54,361	92	42.7	34.5-50.9	43	20.8	14.1-27.5	11	7.1	02.0-12.2	10	5.5	01.6-09.4	53	23.9	17.2-30.6
45-54	320	60,863	105	30.6	23.7-37.5	44	16.5	10.6-22.4	27	7.9	04.4-11.4	28	9.6	05.1-14.1	116	35.4	28.3-42.5
55-64	363	50,199	94	24.4	18.7-30.1	59	15.2	10.7-19.7	23	5.6	02.9-08.3	54	15.2	10.5-19.9	133	39.7	32.8-46.6
65+	542	56,620	119	20.7	16.4-25.0	65	11.6	07.9-15.3	30	4.7	02.7-06.7	94	15.2	11.7-18.7	234	47.8	41.9-53.7
Less Than H.S.	116	45,979	26	26.9	16.7-37.1	11	12.9	04.1-21.7	2	1.3	00.0-03.3	10	7.5	02.0-13.0	67	51.4	40.2-62.6
H.S. or G.E.D.	534	110,349	149	32.9	27.2-38.6	76	16.1	11.8-20.4	25	4.9	02.7-07.1	60	9.7	06.4-13.0	224	36.3	30.8-41.8
Some Post-H.S.	452	86,102	158	33.4	27.7-39.1	80	19.6	14.7-24.5	23	6.8	03.1-10.5	42	10.1	05.8-14.4	149	30.1	24.2-36.0
College Graduate	670	79,806	212	34.4	29.7-39.1	129	21.9	17.8-26.0	57	8.1	05.6-10.6	94	11.6	08.9-14.3	178	24.1	20.0-28.2
Less than \$15,000	158	29,663	44	30.3	20.9-39.7	18	13.7	05.9-21.5	5	3.9	00.0-07.8	14	8.7	02.4-15.0	77	43.4	33.2-53.6
\$15,000- 24,999	148	27,897	38	32.5	21.3-43.7	13	9.2	03.1-15.3	5	3.3	00.0-06.6	7	2.6	00.1-05.1	85	52.4	41.4-63.4
\$25,000- 34,999	132	24,395	34	37.1	24.0-50.2	26	16.6	08.6-24.6	6	3.2	00.1-06.3	15	10.6	04.5-16.7	51	32.5	20.7-44.3
\$35,000- 49,999	265	48,249	80	31.8	23.4-40.2	34	14.2	08.5-19.9	18	6.6	02.1-11.1	28	10.8	04.1-17.5	105	36.6	27.8-45.4
\$50,000- 74,999	288	47,401	93	32.4	25.3-39.5	56	19.2	13.5-24.9	15	4.0	01.8-06.2	33	10.8	05.9-15.7	91	33.6	25.8-41.4
\$75,000+	536	92,386	178	32.0	26.9-37.1	118	25.6	20.5-30.7	52	9.4	05.9-12.9	80	12.2	08.7-15.7	108	20.9	16.0-25.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 15: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2870	352,814	892	34.6	32.1-37.1	299	11.1	09.3-12.9	104	3.0	02.4-03.6	170	4.6	03.6-05.6	1405	46.8	44.1-49.5
White/Non-Hisp	2196	247,485	694	35.4	32.5-38.3	249	12.0	10.0-14.0	98	3.9	02.9-04.9	163	6.0	04.8-07.2	992	42.8	39.9-45.7
Black or Afr. Am./Non-Hisp	453	70,445	123	28.4	22.5-34.3	31	10.4	05.7-15.1	3	0.5	00.0-01.1	1	0.9	00.0-02.5	295	59.9	53.2-66.6
Oth. Race/Non-Hisp.	71	7,581	25	31.7	17.0-46.4	4	3.7	00.0-07.6							42	64.6	49.7-79.5
Hispanic	81	20,687	30	50.3	35.0-65.6	5	4.0	00.0-08.1	3	2.4	00.0-05.3	2	1.8	00.0-04.3	41	41.5	27.2-55.8
18-24	111	40,265	39	38.1	25.6-50.6	8	6.5	00.6-12.4	1	0.4	00.0-01.2	1	0.9	00.0-02.7	62	54.1	41.6-66.6
25-34	295	56,267	131	44.7	37.4-52.0	49	18.1	12.0-24.2	4	1.2	00.0-02.6	4	3.0	00.0-06.5	107	33.1	26.4-39.8
35-44	344	58,147	139	40.6	34.1-47.1	49	15.3	10.2-20.4	17	4.2	02.0-06.4	11	2.8	01.0-04.6	128	37.1	30.8-43.4
45-54	490	65,050	168	33.2	28.1-38.3	64	11.7	08.2-15.2	20	3.8	01.8-05.8	20	3.4	01.6-05.2	218	47.8	42.1-53.5
55-64	640	55,410	192	33.7	28.8-38.6	71	9.9	07.2-12.6	26	3.6	02.0-05.2	39	6.0	03.8-08.2	312	46.8	41.9-51.7
65+	949	73,029	209	21.7	18.2-25.2	58	5.7	04.1-07.3	36	3.6	02.2-05.0	92	9.3	07.1-11.5	554	59.6	55.7-63.5
Less Than H.S.	167	43,898	33	25.1	15.5-34.7	3	3.8	00.0-08.1				3	2.3	00.0-05.2	128	68.8	58.8-78.8
H.S. or G.E.D.	876	106,996	244	29.7	25.6-33.8	62	9.9	06.6-13.2	23	2.2	01.0-03.4	38	3.6	02.2-05.0	509	54.5	49.8-59.2
Some Post-H.S.	858	110,206	284	41.2	36.3-46.1	77	9.9	07.0-12.8	24	2.7	01.5-03.9	47	5.2	03.0-07.4	426	41.0	36.5-45.5
College Graduate	960	91,275	330	37.2	32.9-41.5	156	17.2	14.1-20.3	57	5.5	03.9-07.1	82	6.1	04.5-07.7	335	34.0	30.1-37.9
Less than \$15,000	349	40,277	75	30.5	21.9-39.1	23	6.7	01.4-12.0	8	1.5	00.3-02.7	14	2.2	00.6-03.8	229	59.1	50.5-67.7
\$15,000- 24,999	357	45,462	96	26.4	20.1-32.7	15	6.5	02.0-11.0	1	0.1	00.0-00.3	11	3.4	00.5-06.3	234	63.7	56.4-71.0
\$25,000- 34,999	248	27,410	79	38.1	29.9-46.3	24	9.2	05.3-13.1	7	1.6	00.2-03.0	11	3.2	00.8-05.6	127	47.8	39.6-56.0
\$35,000- 49,999	344	41,009	117	35.3	27.7-42.9	38	14.3	08.0-20.6	9	2.2	00.6-03.8	14	3.2	01.2-05.2	166	44.9	37.1-52.7
\$50,000- 74,999	412	50,059	150	43.7	36.6-50.8	58	11.1	07.4-14.8	16	4.1	01.7-06.5	19	3.7	01.7-05.7	169	37.4	30.9-43.9
\$75,000+	669	87,646	255	38.4	33.7-43.1	104	16.4	12.7-20.1	46	5.6	03.8-07.4	65	7.3	05.1-09.5	199	32.4	27.7-37.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4617	671,710	3965	79.7	77.7-81.7	652	20.3	18.3-22.3
Male	1761	320,799	1390	72.8	69.7-75.9	371	27.2	24.1-30.3
Female	2856	350,911	2575	86.1	83.9-88.3	281	13.9	11.7-16.1
White/Non-Hisp	3572	467,760	3046	78.8	76.6-81.0	526	21.2	19.0-23.4
Black or Afr. Am./Non-Hisp	657	127,545	588	84.3	80.0-88.6	69	15.7	11.4-20.0
Oth. Race/Non-Hisp.	138	22,184	125	83.9	72.5-95.3	13	16.1	04.7-27.5
MultiRacial/Non-Hisp.	79	9,404	67	85.2	76.0-94.4	12	14.8	05.6-24.0
Hispanic	127	40,976	99	72.0	60.8-83.2	28	28.0	16.8-39.2
18-24	234	80,848	164	70.8	62.8-78.8	70	29.2	21.2-37.2
25-34	495	113,213	331	62.1	56.4-67.8	164	37.9	32.2-43.6
35-44	551	112,213	435	75.6	70.7-80.5	116	24.4	19.5-29.3
45-54	804	125,322	681	82.7	79.0-86.4	123	17.3	13.6-21.0
55-64	996	104,600	899	88.3	85.6-91.0	97	11.7	09.0-14.4
65+	1484	129,158	1405	94.2	92.6-95.8	79	5.8	04.2-07.4
Less Than H.S.	282	89,745	247	81.7	74.8-88.6	35	18.3	11.4-25.2
H.S. or G.E.D.	1398	215,689	1207	79.1	75.8-82.4	191	20.9	17.6-24.2
Some Post-H.S.	1302	194,989	1123	78.3	74.6-82.0	179	21.7	18.0-25.4
College Graduate	1623	170,502	1377	81.2	78.5-83.9	246	18.8	16.1-21.5
Less than \$15,000	502	69,408	447	83.4	78.1-88.7	55	16.6	11.3-21.9
\$15,000- 24,999	502	73,133	448	84.8	80.1-89.5	54	15.2	10.5-19.9
\$25,000- 34,999	377	51,131	319	77.7	71.0-84.4	58	22.3	15.6-29.0
\$35,000- 49,999	606	88,824	517	77.8	72.1-83.5	89	22.2	16.5-27.9
\$50,000- 74,999	698	97,146	585	79.3	74.6-84.0	113	20.7	16.0-25.4
\$75,000+	1200	179,171	991	77.7	74.2-81.2	209	22.3	18.8-25.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	320,799	1390	72.8	69.7-75.9	371	27.2	24.1-30.3
White/Non-Hisp	1386	221,588	1085	71.4	67.9-74.9	301	28.6	25.1-32.1
Black or Afr. Am./Non-Hisp	208	57,690	171	79.3	71.9-86.7	37	20.7	13.3-28.1
Oth. Race/Non-Hisp.	67	14,603	56	76.7	60.4-93.0	11	23.3	07.0-39.6
18-24	125	41,147	71	61.1	49.7-72.5	54	38.9	27.5-50.3
25-34	202	57,199	106	50.8	42.0-59.6	96	49.2	40.4-58.0
35-44	209	54,361	151	69.4	61.4-77.4	58	30.6	22.6-38.6
45-54	317	60,516	255	78.0	71.3-84.7	62	22.0	15.3-28.7
55-64	358	49,366	307	83.8	78.5-89.1	51	16.2	10.9-21.5
65+	537	56,307	489	91.7	88.8-94.6	48	8.3	05.4-11.2
Less Than H.S.	115	45,847	96	78.3	67.9-88.7	19	21.7	11.3-32.1
H.S. or G.E.D.	528	109,418	395	68.3	62.6-74.0	133	31.7	26.0-37.4
Some Post-H.S.	448	85,540	359	72.5	66.4-78.6	89	27.5	21.4-33.6
College Graduate	667	79,648	538	76.0	71.5-80.5	129	24.0	19.5-28.5
Less than \$15,000	156	29,465	125	74.6	65.2-84.0	31	25.4	16.0-34.8
\$15,000- 24,999	147	27,876	120	81.0	73.4-88.6	27	19.0	11.4-26.6
\$25,000- 34,999	130	23,812	97	68.5	56.3-80.7	33	31.5	19.3-43.7
\$35,000- 49,999	263	47,931	201	69.8	61.2-78.4	62	30.2	21.6-38.8
\$50,000- 74,999	287	47,273	229	77.4	71.1-83.7	58	22.6	16.3-28.9
\$75,000+	534	92,142	412	70.2	64.5-75.9	122	29.8	24.1-35.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 15: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2856	350,911	2575	86.1	83.9-88.3	281	13.9	11.7-16.1
White/Non-Hisp	2186	246,173	1961	85.5	83.0-88.0	225	14.5	12.0-17.0
Black or Afr. Am./Non-Hisp	449	69,855	417	88.5	83.8-93.2	32	11.5	06.8-16.2
Oth. Race/Non-Hisp.	71	7,581	69	97.8	94.1-0100	2	2.2	00.0-05.9
Hispanic	81	20,687	70	82.5	68.0-97.0	11	17.5	03.0-32.0
18-24	109	39,701	93	80.9	69.3-92.5	16	19.1	07.5-30.7
25-34	293	56,014	225	73.6	66.5-80.7	68	26.4	19.3-33.5
35-44	342	57,852	284	81.3	75.8-86.8	58	18.7	13.2-24.2
45-54	487	64,806	426	87.1	83.2-91.0	61	12.9	09.0-16.8
55-64	638	55,234	592	92.3	89.8-94.8	46	7.7	05.2-10.2
65+	947	72,851	916	96.1	94.5-97.7	31	3.9	02.3-05.5
Less Than H.S.	167	43,898	151	85.3	76.7-93.9	16	14.7	06.1-23.3
H.S. or G.E.D.	870	106,271	812	90.2	86.9-93.5	58	9.8	06.5-13.1
Some Post-H.S.	854	109,450	764	82.7	78.2-87.2	90	17.3	12.8-21.8
College Graduate	956	90,855	839	85.8	82.9-88.7	117	14.2	11.3-17.1
Less than \$15,000	346	39,942	322	89.8	83.9-95.7	24	10.2	04.3-16.1
\$15,000- 24,999	355	45,257	328	87.1	81.2-93.0	27	12.9	07.0-18.8
\$25,000- 34,999	247	27,319	222	85.6	79.1-92.1	25	14.4	07.9-20.9
\$35,000- 49,999	343	40,892	316	87.2	80.7-93.7	27	12.8	06.3-19.3
\$50,000- 74,999	411	49,873	356	81.0	73.9-88.1	55	19.0	11.9-26.1
\$75,000+	666	87,029	579	85.5	82.0-89.0	87	14.5	11.0-18.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4622	669,139	1931	42.8	40.6-45.0	515	11.3	09.9-12.7	127	3.8	02.8-04.8	19	0.8	00.2-01.4	7	0.3	00.1-00.5	2023	40.9	38.9-42.9
Male	1762	319,582	737	41.1	38.0-44.2	279	15.9	13.5-18.3	108	6.9	04.9-08.9	15	1.6	00.4-02.8	5	0.5	00.0-01.1	618	34.1	31.0-37.2
Female	2860	349,557	1194	44.5	42.0-47.0	236	7.1	05.9-08.3	19	0.9	00.3-01.5	4	0.2	00.0-00.4	2	0.1	00.0-00.3	1405	47.2	44.7-49.7
White/Non-Hisp	3577	467,738	1556	45.4	43.0-47.8	449	12.2	10.8-13.6	108	4.3	03.1-05.5	16	1.0	00.2-01.8	6	0.4	00.0-00.8	1442	36.6	34.4-38.8
Black or Afr. Am./Non-Hisp	656	126,199	221	36.2	30.9-41.5	30	7.3	04.0-10.6	8	1.3	00.3-02.3	2	0.4	00.0-01.0	1	0.1	00.0-00.3	394	54.6	49.3-59.9
Oth. Race/Non-Hisp.	138	22,184	54	31.1	21.1-41.1	11	15.1	03.7-26.5	2	1.7	00.0-04.4	1	1.9	00.0-05.4				70	50.2	38.6-61.8
MultiRacial/Non-Hisp.	80	9,532	35	40.1	27.0-53.2	7	7.5	01.2-13.8	1	2.9	00.0-08.4							37	49.5	35.8-63.2
Hispanic	126	39,512	49	40.8	29.2-52.4	15	12.2	04.9-19.5	6	6.4	00.9-11.9							56	40.5	28.7-52.3
18-24	234	79,612	101	38.6	30.6-46.6	19	6.9	02.6-11.2	15	5.3	02.0-08.6	1	1.9	00.0-05.6				98	47.2	38.6-55.8
25-34	493	111,638	255	50.9	45.0-56.8	60	13.4	09.5-17.3	20	6.9	03.2-10.6	5	1.1	00.1-02.1	3	0.9	00.0-02.1	150	26.8	21.9-31.7
35-44	551	112,233	299	54.0	48.7-59.3	53	10.2	06.9-13.5	15	4.0	01.3-06.7	3	1.0	00.0-02.2				181	30.8	26.1-35.5
45-54	807	125,381	362	42.0	37.5-46.5	85	12.5	09.0-16.0	18	2.2	01.0-03.4	6	0.8	00.2-01.4	2	0.5	00.0-01.3	334	42.0	37.5-46.5
55-64	997	104,663	406	40.3	36.2-44.4	119	11.8	09.1-14.5	23	3.2	01.6-04.8	3	0.6	00.0-01.4	1	0.2	00.0-00.6	445	43.8	39.7-47.9
65+	1487	129,256	489	31.7	28.6-34.8	173	11.5	09.5-13.5	35	2.1	01.3-02.9	1	0.0	00.0-00.0	1	0.1	00.0-00.3	788	54.6	51.3-57.9
Less Than H.S.	280	88,153	64	29.1	21.8-36.4	12	5.8	02.1-09.5	6	2.9	00.0-06.4				3	1.1	00.0-02.5	195	61.1	53.5-68.7
H.S. or G.E.D.	1404	216,335	474	36.6	32.9-40.3	136	12.2	09.5-14.9	48	4.2	02.6-05.8	11	1.1	00.3-01.9	2	0.4	00.0-01.0	733	45.5	41.8-49.2
Some Post-H.S.	1301	193,276	560	46.6	42.7-50.5	127	10.7	08.3-13.1	31	4.4	02.2-06.6	6	1.3	00.0-02.9	2	0.2	00.0-00.4	575	36.8	33.1-40.5
College Graduate	1626	170,768	830	53.5	50.4-56.6	239	13.7	11.5-15.9	42	3.0	01.8-04.2	2	0.4	00.0-01.0				513	29.4	26.5-32.3
Less than \$15,000	504	68,955	148	34.4	27.9-40.9	34	7.2	03.3-11.1	13	3.9	01.2-06.6	2	0.8	00.0-02.0	1	0.6	00.0-01.8	306	53.2	46.7-59.7
\$15,000- 24,999	503	72,615	143	31.7	25.6-37.8	32	6.9	04.0-09.8	8	1.0	00.0-02.0				1	0.3	00.0-00.9	319	60.0	53.7-66.3
\$25,000- 34,999	377	51,356	151	43.7	36.3-51.1	34	11.0	05.5-16.5	10	3.2	00.8-05.6	3	0.7	00.0-01.7	1	0.4	00.0-01.2	178	40.9	33.6-48.2
\$35,000- 49,999	605	88,633	251	41.9	35.8-48.0	58	9.8	06.5-13.1	21	5.2	02.5-07.9	4	2.4	00.0-05.7				271	40.7	34.6-46.8
\$50,000- 74,999	697	96,696	340	49.6	44.5-54.7	74	10.3	07.6-13.0	18	2.8	01.2-04.4	5	1.4	00.0-03.0				260	35.8	30.7-40.9
\$75,000+	1202	179,674	645	51.9	48.2-55.6	201	15.5	12.8-18.2	42	5.0	02.8-07.2	4	0.5	00.1-00.9	3	0.6	00.0-01.4	307	26.5	23.2-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1762	319,582	737	41.1	38.0-44.2	279	15.9	13.5-18.3	108	6.9	04.9-08.9	15	1.6	00.4-02.8	5	0.5	00.0-01.1	618	34.1	31.0-37.2
White/Non-Hisp	1386	220,717	594	43.9	40.2-47.6	232	15.9	13.4-18.4	93	8.0	05.6-10.4	12	1.9	00.3-03.5	5	0.8	00.0-01.6	450	29.5	26.2-32.8
Black or Afr. Am./Non-Hisp	207	56,970	77	36.1	27.7-44.5	23	13.7	07.2-20.2	6	2.3	00.3-04.3	2	0.8	00.0-02.0				99	47.0	38.4-55.6
Oth. Race/Non-Hisp.	67	14,603	26	29.7	16.8-42.6	10	22.2	05.9-38.5	2	2.6	00.0-06.9	1	2.8	00.0-08.3				28	42.7	27.6-57.8
18-24	124	40,924	57	38.1	27.3-48.9	17	10.6	03.9-17.3	13	8.9	02.8-15.0	1	3.7	00.0-10.8				36	38.7	26.9-50.5
25-34	200	56,250	90	44.1	35.3-52.9	44	20.6	13.9-27.3	17	11.7	04.8-18.6	4	2.0	00.0-04.0	2	1.6	00.0-03.8	43	20.0	13.1-26.9
35-44	209	54,361	114	52.7	44.5-60.9	29	14.5	08.2-20.8	10	6.8	01.5-12.1	3	2.1	00.0-04.6				53	23.9	17.2-30.6
45-54	319	60,457	135	40.8	33.5-48.1	48	18.2	11.9-24.5	15	3.8	01.6-06.0	4	0.9	00.0-01.9	1	0.7	00.0-02.1	116	35.6	28.5-42.7
55-64	358	49,369	142	36.3	29.8-42.8	59	15.1	10.4-19.8	20	6.6	03.3-09.9	3	1.3	00.0-03.1	1	0.4	00.0-01.2	133	40.4	33.3-47.5
65+	539	56,318	193	33.2	28.1-38.3	79	13.9	10.4-17.4	32	4.6	02.6-06.6				1	0.3	00.0-00.9	234	48.0	42.1-53.9
Less Than H.S.	114	44,854	30	31.1	20.3-41.9	9	8.8	02.1-15.5	6	5.8	00.0-12.9				2	1.6	00.0-04.1	67	52.7	41.3-64.1
H.S. or G.E.D.	531	109,767	173	35.8	30.1-41.5	84	17.9	13.2-22.6	40	7.3	04.4-10.2	8	1.8	00.2-03.4	2	0.7	00.0-01.7	224	36.5	31.0-42.0
Some Post-H.S.	446	85,043	205	43.2	37.1-49.3	62	15.4	11.1-19.7	24	7.9	03.8-12.0	5	2.8	00.0-06.3	1	0.2	00.0-00.6	149	30.5	24.6-36.4
College Graduate	669	79,749	328	51.6	46.7-56.5	123	17.4	13.9-20.9	38	6.0	03.6-08.4	2	0.9	00.0-02.1				178	24.1	20.0-28.2
Less than \$15,000	156	28,765	52	34.7	24.9-44.5	13	9.1	03.0-15.2	11	8.2	01.9-14.5	2	1.8	00.0-04.7	1	1.5	00.0-04.4	77	44.7	34.5-54.9
\$15,000- 24,999	148	27,897	39	34.4	23.0-45.8	17	10.8	05.1-16.5	7	2.4	00.0-04.8							85	52.4	41.4-63.4
\$25,000- 34,999	130	24,037	45	38.8	26.3-51.3	21	19.2	08.2-30.2	10	6.9	01.8-12.0	2	1.3	00.0-03.3	1	0.8	00.0-02.4	51	33.0	21.0-45.0
\$35,000- 49,999	262	47,741	99	36.7	28.1-45.3	38	14.1	08.4-19.8	17	8.1	03.2-13.0	3	4.1	00.0-10.2				105	37.0	28.2-45.8
\$50,000- 74,999	286	46,767	136	44.3	36.7-51.9	41	13.6	08.7-18.5	14	5.4	02.1-08.7	4	2.6	00.0-05.5				91	34.0	26.2-41.8
\$75,000+	534	92,068	273	49.0	43.3-54.7	111	20.1	15.6-24.6	37	8.4	04.7-12.1	3	0.6	00.0-01.4	2	0.9	00.0-02.3	108	20.9	16.0-25.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 15: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2860	349,557	1194	44.5	42.0-47.0	236	7.1	05.9-08.3	19	0.9	00.3-01.5	4	0.2	00.0-00.4	2	0.1	00.0-00.3	1405	47.2	44.7-49.7
White/Non-Hisp	2191	247,021	962	46.8	43.9-49.7	217	8.9	07.3-10.5	15	1.1	00.3-01.9	4	0.3	00.1-00.5	1	0.1	00.0-00.3	992	42.9	40.0-45.8
Black or Afr. Am./Non-Hisp	449	69,229	144	36.3	29.8-42.8	7	2.1	00.1-04.1	2	0.5	00.0-01.1				1	0.2	00.0-00.6	295	60.9	54.2-67.6
Oth. Race/Non-Hisp.	71	7,581	28	34.0	19.1-48.9	1	1.4	00.0-04.1										42	64.6	49.7-79.5
Hispanic	80	19,109	33	50.9	36.4-65.4	5	4.0	00.3-07.7	1	0.2	00.0-00.6							41	44.9	30.8-59.0
18-24	110	38,688	44	39.1	26.9-51.3	2	3.0	00.0-08.3	2	1.5	00.0-03.7							62	56.3	44.0-68.6
25-34	293	55,388	165	57.7	50.4-65.0	16	6.1	02.4-09.8	3	2.0	00.0-04.5	1	0.3	00.0-00.9	1	0.3	00.0-00.9	107	33.6	26.9-40.3
35-44	342	57,873	185	55.1	48.6-61.6	24	6.1	03.4-08.8	5	1.5	00.0-03.1							128	37.3	31.0-43.6
45-54	488	64,923	227	43.2	37.7-48.7	37	7.1	04.2-10.0	3	0.8	00.0-01.8	2	0.6	00.0-01.6	1	0.4	00.0-01.2	218	47.9	42.2-53.6
55-64	639	55,294	264	43.9	39.0-48.8	60	9.0	06.5-11.5	3	0.3	00.0-00.7							312	46.9	42.0-51.8
65+	948	72,938	296	30.5	26.8-34.2	94	9.7	07.5-11.9	3	0.1	00.0-00.3	1	0.1	00.0-00.3				554	59.7	55.8-63.6
Less Than H.S.	166	43,298	34	27.0	17.0-37.0	3	2.6	00.0-05.7							1	0.6	00.0-01.8	128	69.8	59.8-79.8
H.S. or G.E.D.	873	106,568	301	37.5	33.0-42.0	52	6.3	03.8-08.8	8	1.1	00.1-02.1	3	0.4	00.0-01.0				509	54.8	50.1-59.5
Some Post-H.S.	855	108,233	355	49.3	44.6-54.0	65	7.0	04.8-09.2	7	1.7	00.1-03.3	1	0.1	00.0-00.3	1	0.2	00.0-00.6	426	41.7	37.2-46.2
College Graduate	957	91,019	502	55.1	50.8-59.4	116	10.5	08.1-12.9	4	0.4	00.0-00.8							335	34.1	30.2-38.0
Less than \$15,000	348	40,190	96	34.2	25.8-42.6	21	5.8	00.7-10.9	2	0.8	00.0-02.0							229	59.2	50.6-67.8
\$15,000- 24,999	355	44,718	104	30.1	23.4-36.8	15	4.5	01.2-07.8	1	0.1	00.0-00.3				1	0.6	00.0-01.8	234	64.8	57.7-71.9
\$25,000- 34,999	247	27,319	106	48.0	39.8-56.2	13	3.8	01.4-06.2				1	0.2	00.0-00.6				127	47.9	39.7-56.1
\$35,000- 49,999	343	40,892	152	48.0	40.0-56.0	20	4.8	02.3-07.3	4	1.7	00.0-03.5	1	0.4	00.0-01.2				166	45.0	37.0-53.0
\$50,000- 74,999	411	49,929	204	54.5	47.8-61.2	33	7.3	04.4-10.2	4	0.4	00.0-00.8	1	0.3	00.0-00.9				169	37.5	31.0-44.0
\$75,000+	668	87,606	372	55.0	50.1-59.9	90	10.6	07.9-13.3	5	1.5	00.1-02.9	1	0.3	00.0-00.9	1	0.2	00.0-00.6	199	32.4	27.7-37.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 13: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4622	669,139	901	19.5	17.7-21.3	614	13.3	11.9-14.7	583	12.9	11.5-14.3	348	8.4	07.2-09.6	153	5.0	03.8-06.2	2023	40.9	38.9-42.9
Male	1762	319,582	292	16.6	14.1-19.1	243	12.4	10.4-14.4	272	15.5	13.3-17.7	209	12.5	10.3-14.7	128	9.0	06.8-11.2	618	34.1	31.0-37.2
Female	2860	349,557	609	22.2	20.0-24.4	371	14.1	12.1-16.1	311	10.5	08.9-12.1	139	4.8	03.6-06.0	25	1.2	00.6-01.8	1405	47.2	44.7-49.7
White/Non-Hisp	3577	467,738	694	19.3	17.5-21.1	502	14.8	13.2-16.4	516	14.9	13.3-16.5	293	8.6	07.2-10.0	130	5.8	04.4-07.2	1442	36.6	34.4-38.8
Black or Afr. Am./Non-Hisp	656	126,199	116	18.2	14.1-22.3	66	9.3	06.4-12.2	42	9.5	06.0-13.0	27	6.6	03.5-09.7	11	1.8	00.6-03.0	394	54.6	49.3-59.9
Oth. Race/Non-Hisp.	138	22,184	36	21.4	12.6-30.2	16	8.2	03.1-13.3	3	3.6	00.0-08.1	10	13.1	02.1-24.1	3	3.6	00.0-08.1	70	50.2	38.6-61.8
MultiRacial/Non-Hisp.	80	9,532	17	21.6	10.0-33.2	11	9.7	03.0-16.4	10	12.8	04.6-21.0	4	3.5	00.0-07.4	1	2.9	00.0-08.4	37	49.5	35.8-63.2
Hispanic	126	39,512	30	24.9	14.5-35.3	14	12.2	05.1-19.3	8	5.3	01.4-09.2	12	10.7	03.6-17.8	6	6.4	00.9-11.9	56	40.5	28.7-52.3
18-24	234	79,612	34	16.2	09.9-22.5	42	14.0	08.5-19.5	29	9.2	04.9-13.5	15	6.2	02.1-10.3	16	7.2	02.3-12.1	98	47.2	38.6-55.8
25-34	493	111,638	100	20.9	16.0-25.8	96	17.3	13.2-21.4	72	15.5	11.2-19.8	47	10.6	07.1-14.1	28	9.0	04.9-13.1	150	26.8	21.9-31.7
35-44	551	112,233	126	21.4	17.3-25.5	93	15.8	12.1-19.5	91	18.6	14.3-22.9	42	8.3	05.0-11.6	18	5.0	02.1-07.9	181	30.8	26.1-35.5
45-54	807	125,381	175	20.6	16.9-24.3	108	12.1	09.4-14.8	99	11.5	08.8-14.2	65	10.3	07.0-13.6	26	3.5	01.9-05.1	334	42.0	37.5-46.5
55-64	997	104,663	192	19.5	16.2-22.8	149	14.9	12.2-17.6	107	9.8	07.6-12.0	77	7.9	05.5-10.3	27	4.1	02.3-05.9	445	43.8	39.7-47.9
65+	1487	129,256	259	17.1	14.6-19.6	124	7.4	06.0-08.8	181	12.2	10.0-14.4	98	6.6	05.0-08.2	37	2.2	01.2-03.2	788	54.6	51.3-57.9
Less Than H.S.	280	88,153	36	15.7	09.8-21.6	18	8.0	03.3-12.7	13	6.6	02.9-10.3	9	4.6	01.1-08.1	9	4.1	00.2-08.0	195	61.1	53.5-68.7
H.S. or G.E.D.	1404	216,335	239	17.2	14.5-19.9	147	11.4	09.0-13.8	133	10.7	08.3-13.1	91	9.5	06.8-12.2	61	5.7	03.9-07.5	733	45.5	41.8-49.2
Some Post-H.S.	1301	193,276	276	22.2	19.1-25.3	182	14.2	11.8-16.6	144	13.0	10.3-15.7	85	7.8	05.6-10.0	39	5.9	03.4-08.4	575	36.8	33.1-40.5
College Graduate	1626	170,768	349	21.4	18.7-24.1	266	17.3	14.9-19.7	292	18.8	16.3-21.3	162	9.7	07.9-11.5	44	3.4	02.0-04.8	513	29.4	26.5-32.3
Less than \$15,000	504	68,955	75	18.0	12.5-23.5	35	8.1	04.6-11.6	48	10.3	06.4-14.2	24	5.2	01.7-08.7	16	5.3	02.2-08.4	306	53.2	46.7-59.7
\$15,000- 24,999	503	72,615	88	20.7	15.2-26.2	40	6.6	04.1-09.1	24	5.7	02.6-08.8	23	5.6	02.9-08.3	9	1.3	00.1-02.5	319	60.0	53.7-66.3
\$25,000- 34,999	377	51,356	65	19.1	12.8-25.4	57	15.9	10.8-21.0	35	9.8	05.9-13.7	28	9.9	04.4-15.4	14	4.3	01.6-07.0	178	40.9	33.6-48.2
\$35,000- 49,999	605	88,633	121	19.0	14.3-23.7	78	11.8	08.5-15.1	76	14.3	09.8-18.8	34	6.6	03.7-09.5	25	7.5	03.2-11.8	271	40.7	34.6-46.8
\$50,000- 74,999	697	96,696	151	22.4	18.3-26.5	120	17.8	13.5-22.1	90	11.8	08.7-14.9	53	7.9	05.4-10.4	23	4.3	02.1-06.5	260	35.8	30.7-40.9
\$75,000+	1202	179,674	267	19.5	16.8-22.2	209	17.5	14.8-20.2	231	19.3	16.4-22.2	139	11.1	08.7-13.5	49	6.1	03.9-08.3	307	26.5	23.2-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 14: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1762	319,582	292	16.6	14.1-19.1	243	12.4	10.4-14.4	272	15.5	13.3-17.7	209	12.5	10.3-14.7	128	9.0	06.8-11.2	618	34.1	31.0-37.2
White/Non-Hisp	1386	220,717	221	15.9	13.2-18.6	199	14.0	11.6-16.4	238	18.2	15.5-20.9	168	11.7	09.5-13.9	110	10.6	07.7-13.5	450	29.5	26.2-32.8
Black or Afr. Am./Non-Hisp	207	56,970	34	17.4	10.7-24.1	23	8.2	04.1-12.3	23	12.2	06.1-18.3	20	12.1	05.8-18.4	8	3.2	01.0-05.4	99	47.0	38.4-55.6
Oth. Race/Non-Hisp.	67	14,603	16	19.6	08.4-30.8	8	7.8	01.3-14.3	3	5.4	00.0-12.1	9	19.1	03.2-35.0	3	5.4	00.0-12.3	28	42.7	27.6-57.8
18-24	124	40,924	13	10.4	03.9-16.9	26	15.9	08.6-23.2	22	13.3	06.2-20.4	13	9.1	02.6-15.6	14	12.6	03.8-21.4	36	38.7	26.9-50.5
25-34	200	56,250	32	19.8	11.8-27.8	33	12.5	07.4-17.6	34	16.2	10.3-22.1	35	16.1	10.2-22.0	23	15.3	08.0-22.6	43	20.0	13.1-26.9
35-44	209	54,361	36	15.0	09.5-20.5	39	17.1	11.2-23.0	44	22.9	15.8-30.0	24	12.2	06.1-18.3	13	8.9	03.2-14.6	53	23.9	17.2-30.6
45-54	319	60,457	61	20.2	13.9-26.5	37	9.1	05.6-12.6	48	14.6	09.9-19.3	37	15.0	08.9-21.1	20	5.4	02.7-08.1	116	35.6	28.5-42.7
55-64	358	49,369	54	14.9	10.0-19.8	58	13.9	09.8-18.0	48	11.8	07.9-15.7	41	10.7	06.6-14.8	24	8.3	04.6-12.0	133	40.4	33.3-47.5
65+	539	56,318	93	16.7	12.8-20.6	48	7.2	04.8-09.6	75	13.5	09.8-17.2	56	9.6	06.7-12.5	33	4.9	02.7-07.1	234	48.0	42.1-53.9
Less Than H.S.	114	44,854	14	17.6	08.0-27.2	7	4.5	01.0-08.0	12	11.3	04.6-18.0	6	6.4	00.3-12.5	8	7.4	00.1-14.7	67	52.7	41.3-64.1
H.S. or G.E.D.	531	109,767	76	15.8	11.3-20.3	47	9.3	06.0-12.6	73	13.9	10.0-17.8	61	14.7	10.2-19.2	50	9.8	06.5-13.1	224	36.5	31.0-42.0
Some Post-H.S.	446	85,043	84	15.9	11.8-20.0	72	15.6	11.5-19.7	66	15.1	10.8-19.4	45	12.0	08.1-15.9	30	10.9	05.6-16.2	149	30.5	24.6-36.4
College Graduate	669	79,749	118	17.8	13.9-21.7	117	17.8	14.1-21.5	120	20.2	16.3-24.1	96	13.1	10.2-16.0	40	6.9	04.4-09.4	178	24.1	20.0-28.2
Less than \$15,000	156	28,765	22	13.6	06.7-20.5	11	6.8	02.1-11.5	22	17.3	09.1-25.5	10	6.1	01.2-11.0	14	11.5	04.2-18.8	77	44.7	34.5-54.9
\$15,000- 24,999	148	27,897	23	24.3	13.1-35.5	8	3.7	00.8-06.6	12	8.5	02.6-14.4	13	8.7	03.6-13.8	7	2.4	00.0-04.8	85	52.4	41.4-63.4
\$25,000- 34,999	130	24,037	19	18.3	07.1-29.5	13	9.7	02.6-16.8	14	10.8	03.9-17.7	20	19.1	08.1-30.1	13	9.1	03.4-14.8	51	33.0	21.0-45.0
\$35,000- 49,999	262	47,741	44	15.8	08.9-22.7	29	10.6	05.7-15.5	41	14.3	08.4-20.2	23	10.0	04.7-15.3	20	12.2	04.8-19.6	105	37.0	28.2-45.8
\$50,000- 74,999	286	46,767	45	16.5	10.6-22.4	55	17.0	11.9-22.1	44	13.4	08.7-18.1	33	11.1	06.6-15.6	18	8.0	03.7-12.3	91	34.0	26.2-41.8
\$75,000+	534	92,068	93	14.9	11.2-18.6	94	16.9	13.0-20.8	115	22.8	18.1-27.5	82	14.5	10.4-18.6	42	10.0	06.1-13.9	108	20.9	16.0-25.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 15: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2860	349,557	609	22.2	20.0-24.4	371	14.1	12.1-16.1	311	10.5	08.9-12.1	139	4.8	03.6-06.0	25	1.2	00.6-01.8	1405	47.2	44.7-49.7
White/Non-Hisp	2191	247,021	473	22.3	19.9-24.7	303	15.4	13.2-17.6	278	12.1	10.3-13.9	125	5.9	04.3-07.5	20	1.4	00.6-02.2	992	42.9	40.0-45.8
Black or Afr. Am./Non-Hisp	449	69,229	82	18.8	13.7-23.9	43	10.2	06.1-14.3	19	7.3	03.0-11.6	7	2.1	00.1-04.1	3	0.7	00.0-01.5	295	60.9	54.2-67.6
Oth. Race/Non-Hisp.	71	7,581	20	24.9	10.8-39.0	8	9.0	01.6-16.4				1	1.4	00.0-04.1				42	64.6	49.7-79.5
Hispanic	80	19,109	21	32.5	17.4-47.6	9	15.1	04.1-26.1	5	5.3	00.4-10.2	3	2.0	00.0-04.5	1	0.2	00.0-00.6	41	44.9	30.8-59.0
18-24	110	38,688	21	22.2	11.8-32.6	16	12.0	03.4-20.6	7	4.9	00.8-09.0	2	3.0	00.0-08.3	2	1.5	00.0-03.7	62	56.3	44.0-68.6
25-34	293	55,388	68	21.9	16.2-27.6	63	22.1	15.8-28.4	38	14.7	08.6-20.8	12	5.1	01.4-08.8	5	2.6	00.0-05.3	107	33.6	26.9-40.3
35-44	342	57,873	90	27.4	21.3-33.5	54	14.7	10.2-19.2	47	14.5	09.6-19.4	18	4.6	02.1-07.1	5	1.5	00.0-03.1	128	37.3	31.0-43.6
45-54	488	64,923	114	21.0	16.7-25.3	71	14.8	10.9-18.7	51	8.6	05.9-11.3	28	5.9	03.2-08.6	6	1.8	00.2-03.4	218	47.9	42.2-53.6
55-64	639	55,294	138	23.5	19.0-28.0	91	15.8	12.3-19.3	59	8.1	05.7-10.5	36	5.4	03.4-07.4	3	0.3	00.0-00.7	312	46.9	42.0-51.8
65+	948	72,938	166	17.4	14.1-20.7	76	7.5	05.5-09.5	106	11.1	08.7-13.5	42	4.2	02.8-05.6	4	0.2	00.0-00.4	554	59.7	55.8-63.6
Less Than H.S.	166	43,298	22	13.8	07.3-20.3	11	11.6	03.0-20.2	1	1.6	00.0-04.7	3	2.6	00.0-05.7	1	0.6	00.0-01.8	128	69.8	59.8-79.8
H.S. or G.E.D.	873	106,568	163	18.7	15.4-22.0	100	13.6	10.5-16.7	60	7.3	04.8-09.8	30	4.2	01.8-06.6	11	1.5	00.3-02.7	509	54.8	50.1-59.5
Some Post-H.S.	855	108,233	192	27.2	22.9-31.5	110	13.2	10.3-16.1	78	11.4	08.1-14.7	40	4.5	02.5-06.5	9	2.0	00.4-03.6	426	41.7	37.2-46.2
College Graduate	957	91,019	231	24.5	20.4-28.6	149	16.8	13.7-19.9	172	17.6	14.5-20.7	66	6.7	04.5-08.9	4	0.4	00.0-00.8	335	34.1	30.2-38.0
Less than \$15,000	348	40,190	53	21.1	13.1-29.1	24	9.0	03.7-14.3	26	5.2	02.8-07.6	14	4.7	00.0-09.8	2	0.8	00.0-02.0	229	59.2	50.6-67.8
\$15,000- 24,999	355	44,718	65	18.5	13.0-24.0	32	8.4	04.7-12.1	12	4.0	00.5-07.5	10	3.7	00.6-06.8	2	0.7	00.0-01.9	234	64.8	57.7-71.9
\$25,000- 34,999	247	27,319	46	19.7	12.8-26.6	44	21.3	14.4-28.2	21	9.0	04.5-13.5	8	1.9	00.5-03.3	1	0.2	00.0-00.6	127	47.9	39.7-56.1
\$35,000- 49,999	343	40,892	77	22.6	16.1-29.1	49	13.2	08.7-17.7	35	14.3	07.0-21.6	11	2.7	00.9-04.5	5	2.1	00.1-04.1	166	45.0	37.0-53.0
\$50,000- 74,999	411	49,929	106	27.9	21.8-34.0	65	18.6	11.7-25.5	46	10.3	06.4-14.2	20	4.9	02.4-07.4	5	0.7	00.0-01.5	169	37.5	31.0-44.0
\$75,000+	668	87,606	174	24.4	20.3-28.5	115	18.2	14.5-21.9	116	15.5	12.2-18.8	57	7.5	05.1-09.9	7	2.0	00.4-03.6	199	32.4	27.7-37.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 16: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4622	669,139	4330	92.6	91.4-93.8	292	7.4	06.2-08.6
Male	1762	319,582	1634	91.0	88.8-93.2	128	9.0	06.8-11.2
Female	2860	349,557	2696	94.0	92.6-95.4	164	6.0	04.6-07.4
White/Non-Hisp	3577	467,738	3322	91.1	89.5-92.7	255	8.9	07.3-10.5
Black or Afr. Am./Non-Hisp	656	126,199	638	97.0	95.4-98.6	18	3.0	01.4-04.6
Oth. Race/Non-Hisp.	138	22,184	134	95.9	91.4-0100	4	4.1	00.0-08.6
MultiRacial/Non-Hisp.	80	9,532	76	95.0	88.9-0100	4	5.0	00.0-11.1
Hispanic	126	39,512	117	92.6	86.9-98.3	9	7.4	01.7-13.1
18-24	234	79,612	216	91.3	86.0-96.6	18	8.7	03.4-14.0
25-34	493	111,638	453	88.5	84.2-92.8	40	11.5	07.2-15.8
35-44	551	112,233	515	92.6	89.5-95.7	36	7.4	04.3-10.5
45-54	807	125,381	753	93.4	91.2-95.6	54	6.6	04.4-08.8
55-64	997	104,663	934	93.1	90.9-95.3	63	6.9	04.7-09.1
65+	1487	129,256	1408	95.4	94.2-96.6	79	4.6	03.4-05.8
Less Than H.S.	280	88,153	268	94.7	90.6-98.8	12	5.3	01.2-09.4
H.S. or G.E.D.	1404	216,335	1313	92.2	90.0-94.4	91	7.8	05.6-10.0
Some Post-H.S.	1301	193,276	1222	91.6	88.9-94.3	79	8.4	05.7-11.1
College Graduate	1626	170,768	1516	93.0	91.4-94.6	110	7.0	05.4-08.6
Less than \$15,000	504	68,955	474	92.0	87.7-96.3	30	8.0	03.7-12.3
\$15,000- 24,999	503	72,615	484	96.4	94.2-98.6	19	3.6	01.4-05.8
\$25,000- 34,999	377	51,356	355	94.7	92.0-97.4	22	5.3	02.6-08.0
\$35,000- 49,999	605	88,633	569	91.2	86.9-95.5	36	8.8	04.5-13.1
\$50,000- 74,999	697	96,696	654	93.2	90.7-95.7	43	6.8	04.3-09.3
\$75,000+	1202	179,674	1096	90.2	87.7-92.7	106	9.8	07.3-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 17: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1762	319,582	1634	91.0	88.8-93.2	128	9.0	06.8-11.2
White/Non-Hisp	1386	220,717	1276	89.4	86.5-92.3	110	10.6	07.7-13.5
Black or Afr. Am./Non-Hisp	207	56,970	199	96.8	94.6-99.0	8	3.2	01.0-05.4
Oth. Race/Non-Hisp.	67	14,603	64	94.6	87.7-0100	3	5.4	00.0-12.3
18-24	124	40,924	110	87.4	78.6-96.2	14	12.6	03.8-21.4
25-34	200	56,250	177	84.7	77.4-92.0	23	15.3	08.0-22.6
35-44	209	54,361	196	91.1	85.4-96.8	13	8.9	03.2-14.6
45-54	319	60,457	299	94.6	91.9-97.3	20	5.4	02.7-08.1
55-64	358	49,369	334	91.7	88.0-95.4	24	8.3	04.6-12.0
65+	539	56,318	506	95.1	92.9-97.3	33	4.9	02.7-07.1
Less Than H.S.	114	44,854	106	92.6	85.3-99.9	8	7.4	00.1-14.7
H.S. or G.E.D.	531	109,767	481	90.2	86.9-93.5	50	9.8	06.5-13.1
Some Post-H.S.	446	85,043	416	89.1	83.8-94.4	30	10.9	05.6-16.2
College Graduate	669	79,749	629	93.1	90.6-95.6	40	6.9	04.4-09.4
Less than \$15,000	156	28,765	142	88.5	81.2-95.8	14	11.5	04.2-18.8
\$15,000- 24,999	148	27,897	141	97.6	95.2-0100	7	2.4	00.0-04.8
\$25,000- 34,999	130	24,037	117	90.9	85.2-96.6	13	9.1	03.4-14.8
\$35,000- 49,999	262	47,741	242	87.8	80.4-95.2	20	12.2	04.8-19.6
\$50,000- 74,999	286	46,767	268	92.0	87.7-96.3	18	8.0	03.7-12.3
\$75,000+	534	92,068	492	90.0	86.1-93.9	42	10.0	06.1-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 18: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2860	349,557	2696	94.0	92.6-95.4	164	6.0	04.6-07.4
White/Non-Hisp	2191	247,021	2046	92.7	90.9-94.5	145	7.3	05.5-09.1
Black or Afr. Am./Non-Hisp	449	69,229	439	97.2	95.0-99.4	10	2.8	00.6-05.0
Oth. Race/Non-Hisp.	71	7,581	70	98.6	95.9-0100	1	1.4	00.0-04.1
Hispanic	80	19,109	76	97.8	95.3-0100	4	2.2	00.0-04.7
18-24	110	38,688	106	95.5	89.8-0100	4	4.5	00.0-10.2
25-34	293	55,388	276	92.3	87.8-96.8	17	7.7	03.2-12.2
35-44	342	57,873	319	93.9	91.0-96.8	23	6.1	03.2-09.0
45-54	488	64,923	454	92.3	89.2-95.4	34	7.7	04.6-10.8
55-64	639	55,294	600	94.3	92.3-96.3	39	5.7	03.7-07.7
65+	948	72,938	902	95.6	94.2-97.0	46	4.4	03.0-05.8
Less Than H.S.	166	43,298	162	96.8	93.5-0100	4	3.2	00.0-06.5
H.S. or G.E.D.	873	106,568	832	94.3	91.8-96.8	41	5.7	03.2-08.2
Some Post-H.S.	855	108,233	806	93.5	91.0-96.0	49	6.5	04.0-09.0
College Graduate	957	91,019	887	92.9	90.7-95.1	70	7.1	04.9-09.3
Less than \$15,000	348	40,190	332	94.5	89.4-99.6	16	5.5	00.4-10.6
\$15,000- 24,999	355	44,718	343	95.7	92.4-99.0	12	4.3	01.0-07.6
\$25,000- 34,999	247	27,319	238	98.0	96.6-99.4	9	2.0	00.6-03.4
\$35,000- 49,999	343	40,892	327	95.2	92.5-97.9	16	4.8	02.1-07.5
\$50,000- 74,999	411	49,929	386	94.3	91.6-97.0	25	5.7	03.0-08.4
\$75,000+	668	87,606	604	90.5	87.8-93.2	64	9.5	06.8-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
 SECTION 15: ALCOHOL CONSUMPTION**

TABLE 19: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1762	319,582	1634	91.0	88.8-93.2	128	9.0	06.8-11.2
White/Non-Hisp	1386	220,717	1276	89.4	86.5-92.3	110	10.6	07.7-13.5
Black or Afr. Am./Non-Hisp	207	56,970	199	96.8	94.6-99.0	8	3.2	01.0-05.4
Oth. Race/Non-Hisp.	67	14,603	64	94.6	87.7-0100	3	5.4	00.0-12.3
18-24	124	40,924	110	87.4	78.6-96.2	14	12.6	03.8-21.4
25-34	200	56,250	177	84.7	77.4-92.0	23	15.3	08.0-22.6
35-44	209	54,361	196	91.1	85.4-96.8	13	8.9	03.2-14.6
45-54	319	60,457	299	94.6	91.9-97.3	20	5.4	02.7-08.1
55-64	358	49,369	334	91.7	88.0-95.4	24	8.3	04.6-12.0
65+	539	56,318	506	95.1	92.9-97.3	33	4.9	02.7-07.1
Less Than H.S.	114	44,854	106	92.6	85.3-99.9	8	7.4	00.1-14.7
H.S. or G.E.D.	531	109,767	481	90.2	86.9-93.5	50	9.8	06.5-13.1
Some Post-H.S.	446	85,043	416	89.1	83.8-94.4	30	10.9	05.6-16.2
College Graduate	669	79,749	629	93.1	90.6-95.6	40	6.9	04.4-09.4
Less than \$15,000	156	28,765	142	88.5	81.2-95.8	14	11.5	04.2-18.8
\$15,000- 24,999	148	27,897	141	97.6	95.2-0100	7	2.4	00.0-04.8
\$25,000- 34,999	130	24,037	117	90.9	85.2-96.6	13	9.1	03.4-14.8
\$35,000- 49,999	262	47,741	242	87.8	80.4-95.2	20	12.2	04.8-19.6
\$50,000- 74,999	286	46,767	268	92.0	87.7-96.3	18	8.0	03.7-12.3
\$75,000+	534	92,068	492	90.0	86.1-93.9	42	10.0	06.1-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 20: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2860	349,557	2696	94.0	92.6-95.4	164	6.0	04.6-07.4
White/Non-Hisp	2191	247,021	2046	92.7	90.9-94.5	145	7.3	05.5-09.1
Black or Afr. Am./Non-Hisp	449	69,229	439	97.2	95.0-99.4	10	2.8	00.6-05.0
Oth. Race/Non-Hisp.	71	7,581	70	98.6	95.9-0100	1	1.4	00.0-04.1
Hispanic	80	19,109	76	97.8	95.3-0100	4	2.2	00.0-04.7
18-24	110	38,688	106	95.5	89.8-0100	4	4.5	00.0-10.2
25-34	293	55,388	276	92.3	87.8-96.8	17	7.7	03.2-12.2
35-44	342	57,873	319	93.9	91.0-96.8	23	6.1	03.2-09.0
45-54	488	64,923	454	92.3	89.2-95.4	34	7.7	04.6-10.8
55-64	639	55,294	600	94.3	92.3-96.3	39	5.7	03.7-07.7
65+	948	72,938	902	95.6	94.2-97.0	46	4.4	03.0-05.8
Less Than H.S.	166	43,298	162	96.8	93.5-0100	4	3.2	00.0-06.5
H.S. or G.E.D.	873	106,568	832	94.3	91.8-96.8	41	5.7	03.2-08.2
Some Post-H.S.	855	108,233	806	93.5	91.0-96.0	49	6.5	04.0-09.0
College Graduate	957	91,019	887	92.9	90.7-95.1	70	7.1	04.9-09.3
Less than \$15,000	348	40,190	332	94.5	89.4-99.6	16	5.5	00.4-10.6
\$15,000- 24,999	355	44,718	343	95.7	92.4-99.0	12	4.3	01.0-07.6
\$25,000- 34,999	247	27,319	238	98.0	96.6-99.4	9	2.0	00.6-03.4
\$35,000- 49,999	343	40,892	327	95.2	92.5-97.9	16	4.8	02.1-07.5
\$50,000- 74,999	411	49,929	386	94.3	91.6-97.0	25	5.7	03.0-08.4
\$75,000+	668	87,606	604	90.5	87.8-93.2	64	9.5	06.8-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	268
2	MALES ONLY	269
3	FEMALES ONLY	270

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 16: HIV/AIDS**

**TABLE 1: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3140	544,211	1514	51.7	49.2-54.2	1626	48.3	45.8-50.8
Male	1224	263,537	546	49.4	45.7-53.1	678	50.6	46.9-54.3
Female	1916	280,674	968	53.9	50.8-57.0	948	46.1	43.0-49.2
White/Non-Hisp	2277	359,972	979	46.1	43.4-48.8	1298	53.9	51.2-56.6
Black or Afr. Am./Non-Hisp	531	111,734	362	69.9	64.6-75.2	169	30.1	24.8-35.4
Oth. Race/Non-Hisp.	124	20,962	48	39.2	26.9-51.5	76	60.8	48.5-73.1
MultiRacial/Non-Hisp.	62	7,401	42	56.8	40.7-72.9	20	43.2	27.1-59.3
Hispanic	116	41,479	68	57.5	45.5-69.5	48	42.5	30.5-54.5
18-24	237	82,269	103	40.6	32.4-48.8	134	59.4	51.2-67.6
25-34	498	112,554	345	71.8	66.7-76.9	153	28.2	23.1-33.3
35-44	549	111,319	352	63.8	58.7-68.9	197	36.2	31.1-41.3
45-54	799	125,257	357	46.7	42.0-51.4	442	53.3	48.6-58.0
55-64	1002	105,463	339	32.5	28.8-36.2	663	67.5	63.8-71.2
Less Than H.S.	148	62,403	74	55.0	45.4-64.6	74	45.0	35.4-54.6
H.S. or G.E.D.	920	174,460	416	50.0	45.5-54.5	504	50.0	45.5-54.5
Some Post-H.S.	898	163,545	478	53.7	49.2-58.2	420	46.3	41.8-50.8
College Graduate	1164	142,328	543	50.1	46.4-53.8	621	49.9	46.2-53.6
Less than \$15,000	299	51,062	157	50.6	42.6-58.6	142	49.4	41.4-57.4
\$15,000- 24,999	326	58,384	199	64.0	56.7-71.3	127	36.0	28.7-43.3
\$25,000- 34,999	234	38,247	127	58.1	49.3-66.9	107	41.9	33.1-50.7
\$35,000- 49,999	381	70,305	216	59.4	52.0-66.8	165	40.6	33.2-48.0
\$50,000- 74,999	533	83,578	255	49.3	43.4-55.2	278	50.7	44.8-56.6
\$75,000+	961	160,208	423	50.2	46.1-54.3	538	49.8	45.7-53.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 2: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1224	263,537	546	49.4	45.7-53.1	678	50.6	46.9-54.3
White/Non-Hisp	916	175,350	366	42.9	38.6-47.2	550	57.1	52.8-61.4
Black or Afr. Am./Non-Hisp	171	49,386	116	70.8	62.6-79.0	55	29.2	21.0-37.4
Oth. Race/Non-Hisp.	61	13,780	19	33.9	17.4-50.4	42	66.1	49.6-82.6
18-24	126	42,013	46	38.2	26.6-49.8	80	61.8	50.2-73.4
25-34	202	55,688	122	67.2	59.2-75.2	80	32.8	24.8-40.8
35-44	204	52,424	109	58.7	50.7-66.7	95	41.3	33.3-49.3
45-54	317	60,839	132	44.4	37.0-51.8	185	55.6	48.2-63.0
55-64	361	49,893	132	34.8	28.5-41.1	229	65.2	58.9-71.5
Less Than H.S.	64	31,641	30	56.1	42.4-69.8	34	43.9	30.2-57.6
H.S. or G.E.D.	380	92,852	177	51.5	44.8-58.2	203	48.5	41.8-55.2
Some Post-H.S.	334	74,194	162	47.6	40.5-54.7	172	52.4	45.3-59.5
College Graduate	442	63,741	176	44.7	38.8-50.6	266	55.3	49.4-61.2
Less than \$15,000	104	22,926	50	47.5	35.3-59.7	54	52.5	40.3-64.7
\$15,000- 24,999	109	22,890	59	57.6	45.1-70.1	50	42.4	29.9-54.9
\$25,000- 34,999	83	19,235	40	56.9	42.4-71.4	43	43.1	28.6-57.6
\$35,000- 49,999	164	37,874	92	59.2	48.2-70.2	72	40.8	29.8-51.8
\$50,000- 74,999	212	40,066	92	45.1	36.5-53.7	120	54.9	46.3-63.5
\$75,000+	403	81,035	164	48.6	42.3-54.9	239	51.4	45.1-57.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 3: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1916	280,674	968	53.9	50.8-57.0	948	46.1	43.0-49.2
White/Non-Hisp	1361	184,622	613	49.0	45.3-52.7	748	51.0	47.3-54.7
Black or Afr. Am./Non-Hisp	360	62,348	246	69.2	62.3-76.1	114	30.8	23.9-37.7
Oth. Race/Non-Hisp.	63	7,181	29	49.3	32.6-66.0	34	50.7	34.0-67.4
Hispanic	74	20,885	39	50.2	34.7-65.7	35	49.8	34.3-65.3
18-24	111	40,256	57	43.2	31.0-55.4	54	56.8	44.6-69.0
25-34	296	56,865	223	76.4	70.3-82.5	73	23.6	17.5-29.7
35-44	345	58,896	243	68.3	62.0-74.6	102	31.7	25.4-38.0
45-54	482	64,418	225	48.9	43.2-54.6	257	51.1	45.4-56.8
55-64	641	55,571	207	30.4	25.9-34.9	434	69.6	65.1-74.1
Less Than H.S.	84	30,762	44	53.8	40.5-67.1	40	46.2	32.9-59.5
H.S. or G.E.D.	540	81,608	239	48.3	42.4-54.2	301	51.7	45.8-57.6
Some Post-H.S.	564	89,352	316	58.8	53.3-64.3	248	41.2	35.7-46.7
College Graduate	722	78,587	367	54.4	49.5-59.3	355	45.6	40.7-50.5
Less than \$15,000	195	28,136	107	53.2	42.4-64.0	88	46.8	36.0-57.6
\$15,000- 24,999	217	35,494	140	68.1	59.5-76.7	77	31.9	23.3-40.5
\$25,000- 34,999	151	19,012	87	59.3	48.9-69.7	64	40.7	30.3-51.1
\$35,000- 49,999	217	32,431	124	59.7	49.9-69.5	93	40.3	30.5-50.1
\$50,000- 74,999	321	43,512	163	53.1	45.3-60.9	158	46.9	39.1-54.7
\$75,000+	558	79,173	259	51.8	46.5-57.1	299	48.2	42.9-53.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2011**

End of Calculated Variable Data Report