

DELAWARE

2011 Core Variables Report

Behavioral Risk Factor Surveillance System

July 24, 2012



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4773	692,407	776	18.0	16.2-19.8	1640	35.2	33.2-37.2	1552	32.1	30.1-34.1	589	11.1	09.9-12.3	216	3.5	02.9-04.1
Male	1821	330,382	294	18.3	15.8-20.8	631	33.9	30.8-37.0	613	33.2	30.1-36.3	212	11.3	09.3-13.3	71	3.3	02.3-04.3
Female	2952	362,025	482	17.7	15.5-19.9	1009	36.5	34.0-39.0	939	31.2	28.7-33.7	377	10.9	09.5-12.3	145	3.8	03.0-04.6
White/Non-Hisp	3685	479,517	600	17.2	15.4-19.0	1336	37.3	35.1-39.5	1157	30.8	28.6-33.0	422	10.7	09.3-12.1	170	4.0	03.2-04.8
Black or Afr. Am./Non-Hisp	685	132,551	108	21.3	16.6-26.0	187	29.2	24.5-33.9	254	33.7	28.8-38.6	111	13.5	10.2-16.8	25	2.3	01.1-03.5
Oth. Race/Non-Hisp.	140	22,400	31	21.4	12.8-30.0	39	39.5	27.3-51.7	47	25.6	17.2-34.0	18	10.2	03.9-16.5	5	3.4	00.0-07.3
MultiRacial/Non-Hisp.	80	9,532	14	16.0	06.6-25.4	26	32.8	20.1-45.5	18	25.8	12.9-38.7	16	20.1	08.9-31.3	6	5.4	00.0-10.9
Hispanic	135	44,314	20	16.5	07.7-25.3	41	30.9	20.3-41.5	55	44.2	32.8-55.6	12	6.3	01.0-11.6	7	2.1	00.1-04.1
18-24	241	83,808	59	29.3	21.3-37.3	88	35.4	27.6-43.2	77	30.5	22.5-38.5	15	4.2	01.7-06.7	2	0.6	00.0-01.4
25-34	508	116,205	109	20.2	15.7-24.7	197	36.2	30.7-41.7	155	34.4	28.9-39.9	41	7.6	04.7-10.5	6	1.6	00.0-03.2
35-44	569	115,503	120	22.3	17.8-26.8	232	39.7	34.6-44.8	169	28.4	23.9-32.9	40	8.6	05.3-11.9	8	1.0	00.2-01.8
45-54	825	128,376	133	14.7	11.8-17.6	312	38.7	34.2-43.2	251	31.3	27.0-35.6	80	11.1	08.2-14.0	49	4.3	02.7-05.9
55-64	1028	107,684	156	14.5	11.8-17.2	321	30.4	26.7-34.1	341	33.1	29.2-37.0	153	15.9	12.6-19.2	57	6.1	03.9-08.3
65+	1543	133,188	187	11.0	08.8-13.2	469	30.6	27.5-33.7	541	34.7	31.6-37.8	253	16.9	14.4-19.4	93	6.8	04.8-08.8
Less Than H.S.	295	93,272	21	9.2	04.5-13.9	58	22.9	16.2-29.6	113	41.5	34.2-48.8	67	18.0	12.7-23.3	36	8.4	04.9-11.9
H.S. or G.E.D.	1457	222,095	181	16.5	13.4-19.6	442	33.2	29.7-36.7	527	34.6	31.1-38.1	226	11.9	09.9-13.9	81	3.8	02.8-04.8
Some Post-H.S.	1342	200,566	180	16.8	13.7-19.9	474	38.1	34.4-41.8	435	29.8	26.3-33.3	186	12.1	09.6-14.6	67	3.2	02.2-04.2
College Graduate	1665	174,749	392	25.6	22.7-28.5	663	41.3	38.2-44.4	471	26.8	23.9-29.7	108	5.2	04.0-06.4	31	1.1	00.5-01.7
Less than \$15,000	521	72,805	42	8.4	04.7-12.1	118	23.5	18.2-28.8	205	40.9	34.4-47.4	115	21.1	16.0-26.2	41	6.2	03.8-08.6
\$15,000- 24,999	521	76,040	54	15.7	10.6-20.8	91	20.5	15.4-25.6	171	31.3	25.6-37.0	130	19.2	14.7-23.7	75	13.3	09.0-17.6
\$25,000- 34,999	389	52,712	40	10.5	06.6-14.4	133	32.3	25.4-39.2	144	40.0	32.7-47.3	54	13.9	09.0-18.8	18	3.3	01.3-05.3
\$35,000- 49,999	620	90,126	88	15.9	11.2-20.6	219	31.1	26.0-36.2	215	37.4	31.1-43.7	75	12.8	08.9-16.7	23	2.9	01.3-04.5
\$50,000- 74,999	711	98,730	122	19.3	15.2-23.4	288	41.3	36.2-46.4	234	30.5	26.2-34.8	55	7.4	05.0-09.8	12	1.5	00.5-02.5
\$75,000+	1227	184,005	309	25.7	22.2-29.2	530	44.9	41.2-48.6	326	24.5	21.6-27.4	54	4.5	02.7-06.3	8	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	330,382	294	18.3	15.8-20.8	631	33.9	30.8-37.0	613	33.2	30.1-36.3	212	11.3	09.3-13.3	71	3.3	02.3-04.3
White/Non-Hisp	1430	226,614	224	17.0	14.1-19.9	515	34.5	31.2-37.8	478	33.2	29.7-36.7	155	11.3	08.9-13.7	58	3.8	02.4-05.2
Black or Afr. Am./Non-Hisp	217	60,581	42	26.7	18.7-34.7	63	28.8	21.4-36.2	75	31.3	23.5-39.1	32	11.9	06.6-17.2	5	1.3	00.1-02.5
Oth. Race/Non-Hisp.	68	14,748	14	18.3	07.7-28.9	21	45.6	29.5-61.7	21	22.4	11.8-33.0	9	10.2	01.6-18.8	3	3.6	00.0-09.1
18-24	128	42,254	34	31.3	20.5-42.1	39	30.7	20.3-41.1	47	33.8	22.6-45.0	7	3.7	00.2-07.2	1	0.6	00.0-01.8
25-34	205	58,009	46	22.1	15.0-29.2	79	36.5	27.9-45.1	66	34.7	26.3-43.1	14	6.7	02.2-11.2			
35-44	213	55,866	36	20.0	12.9-27.1	92	38.5	30.7-46.3	61	28.8	21.5-36.1	21	11.9	05.8-18.0	3	0.9	00.0-02.1
45-54	329	62,517	45	12.2	08.1-16.3	121	35.8	28.7-42.9	111	36.1	29.0-43.2	34	11.8	07.1-16.5	18	4.1	01.7-06.5
55-64	371	50,975	64	17.0	12.3-21.7	115	28.9	23.0-34.8	121	31.4	25.1-37.7	52	16.2	10.5-21.9	19	6.5	02.4-10.6
65+	558	57,803	64	10.0	06.3-13.7	177	30.8	25.7-35.9	203	35.2	29.9-40.5	84	16.5	12.2-20.8	30	7.5	03.8-11.2
Less Than H.S.	120	47,394	9	11.0	03.7-18.3	25	22.3	12.3-32.3	48	42.1	31.3-52.9	25	16.7	08.9-24.5	13	7.8	02.5-13.1
H.S. or G.E.D.	550	112,516	68	17.1	12.4-21.8	162	31.4	25.9-36.9	218	36.9	31.4-42.4	76	11.1	08.0-14.2	26	3.4	01.8-05.0
Some Post-H.S.	466	88,423	63	17.4	12.3-22.5	171	37.5	31.6-43.4	146	28.1	22.6-33.6	66	14.1	09.4-18.8	20	2.8	01.2-04.4
College Graduate	680	80,762	153	24.6	20.3-28.9	271	40.6	35.9-45.3	200	28.7	24.2-33.2	44	5.1	03.3-06.9	12	1.0	00.0-02.0
Less than \$15,000	162	31,131	12	9.5	03.2-15.8	28	17.1	09.5-24.7	71	44.7	34.5-54.9	40	23.7	14.5-32.9	11	5.0	01.1-08.9
\$15,000- 24,999	154	29,544	19	19.7	09.9-29.5	31	20.5	11.9-29.1	43	25.7	16.5-34.9	37	18.0	10.7-25.3	24	16.1	08.1-24.1
\$25,000- 34,999	133	24,469	8	5.9	01.0-10.8	46	33.1	21.1-45.1	58	44.8	32.1-57.5	15	12.7	03.9-21.5	6	3.5	00.0-07.0
\$35,000- 49,999	271	48,773	35	14.0	08.3-19.7	91	29.0	21.6-36.4	99	39.8	30.4-49.2	40	14.9	08.8-21.0	6	2.2	00.0-04.4
\$50,000- 74,999	293	47,982	46	17.3	11.6-23.0	117	41.2	33.4-49.0	101	31.7	24.8-38.6	26	9.0	05.1-12.9	3	0.9	00.0-01.9
\$75,000+	547	93,925	140	27.1	21.8-32.4	228	41.7	36.2-47.2	150	25.8	21.3-30.3	22	4.7	01.8-07.6	7	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2952	362,025	482	17.7	15.5-19.9	1009	36.5	34.0-39.0	939	31.2	28.7-33.7	377	10.9	09.5-12.3	145	3.8	03.0-04.6
White/Non-Hisp	2255	252,902	376	17.3	14.9-19.7	821	39.8	36.9-42.7	679	28.7	26.2-31.2	267	10.1	08.5-11.7	112	4.1	03.1-05.1
Black or Afr. Am./Non-Hisp	468	71,970	66	16.7	11.6-21.8	124	29.6	23.7-35.5	179	35.7	29.2-42.2	79	14.8	10.5-19.1	20	3.1	01.1-05.1
Oth. Race/Non-Hisp.	72	7,652	17	27.4	12.9-41.9	18	27.8	12.1-43.5	26	31.8	18.5-45.1	9	10.2	02.8-17.6	2	2.9	00.0-07.4
Hispanic	87	22,872	13	22.3	07.8-36.8	28	28.4	16.6-40.2	32	41.8	27.3-56.3	9	5.9	01.4-10.4	5	1.6	00.0-03.2
18-24	113	41,553	25	27.3	15.3-39.3	49	40.3	28.3-52.3	30	27.2	16.0-38.4	8	4.7	01.0-08.4	1	0.5	00.0-01.5
25-34	303	58,196	63	18.3	12.8-23.8	118	35.9	29.2-42.6	89	34.0	26.7-41.3	27	8.6	04.7-12.5	6	3.1	00.0-06.2
35-44	356	59,637	84	24.4	18.5-30.3	140	40.9	34.4-47.4	108	28.1	22.4-33.8	19	5.5	02.6-08.4	5	1.1	00.1-02.1
45-54	496	65,860	88	17.0	13.1-20.9	191	41.5	36.0-47.0	140	26.7	21.8-31.6	46	10.4	06.5-14.3	31	4.4	02.2-06.6
55-64	657	56,709	92	12.2	09.3-15.1	206	31.7	27.0-36.4	220	34.7	30.0-39.4	101	15.6	12.1-19.1	38	5.8	03.6-08.0
65+	985	75,385	123	11.8	09.4-14.2	292	30.4	26.7-34.1	338	34.4	30.5-38.3	169	17.1	14.2-20.0	63	6.3	04.3-08.3
Less Than H.S.	175	45,878	12	7.4	01.9-12.9	33	23.4	14.4-32.4	65	40.9	31.1-50.7	42	19.3	12.2-26.4	23	9.0	04.1-13.9
H.S. or G.E.D.	907	109,579	113	16.0	11.9-20.1	280	35.0	30.5-39.5	309	32.2	28.1-36.3	150	12.8	10.3-15.3	55	4.1	02.7-05.5
Some Post-H.S.	876	112,143	117	16.3	12.2-20.4	303	38.6	33.9-43.3	289	31.1	26.8-35.4	120	10.5	08.1-12.9	47	3.5	02.1-04.9
College Graduate	985	93,987	239	26.4	22.5-30.3	392	42.0	37.7-46.3	271	25.2	21.3-29.1	64	5.3	03.5-07.1	19	1.2	00.6-01.8
Less than \$15,000	359	41,673	30	7.6	02.9-12.3	90	28.3	21.0-35.6	134	38.0	29.8-46.2	75	19.1	13.6-24.6	30	7.0	04.1-09.9
\$15,000- 24,999	367	46,496	35	13.1	07.6-18.6	60	20.5	14.2-26.8	128	34.9	27.6-42.2	93	19.9	14.2-25.6	51	11.6	06.9-16.3
\$25,000- 34,999	256	28,243	32	14.5	08.6-20.4	87	31.6	24.0-39.2	86	35.8	27.8-43.8	39	15.0	09.7-20.3	12	3.1	00.9-05.3
\$35,000- 49,999	349	41,353	53	18.2	10.4-26.0	128	33.5	26.8-40.2	116	34.5	26.9-42.1	35	10.2	05.3-15.1	17	3.6	01.4-05.8
\$50,000- 74,999	418	50,748	76	21.3	15.4-27.2	171	41.5	34.6-48.4	133	29.3	23.6-35.0	29	5.9	03.0-08.8	9	2.1	00.3-03.9
\$75,000+	680	90,081	169	24.3	20.0-28.6	302	48.4	43.5-53.3	176	23.0	19.1-26.9	32	4.3	02.5-06.1	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4746	689,602	3074	64.7	62.7-66.7	461	10.6	09.4-11.8	466	11.1	09.7-12.5	366	7.3	06.1-08.5	379	6.2	05.4-07.0
Male	1814	329,654	1251	68.7	65.8-71.6	161	8.7	06.9-10.5	164	10.5	08.5-12.5	105	6.2	04.4-08.0	133	5.9	04.5-07.3
Female	2932	359,948	1823	61.1	58.6-63.6	300	12.3	10.5-14.1	302	11.7	09.7-13.7	261	8.3	06.9-09.7	246	6.5	05.5-07.5
White/Non-Hisp	3666	477,924	2390	64.1	61.7-66.5	352	10.7	09.3-12.1	346	10.9	09.3-12.5	281	7.7	06.3-09.1	297	6.5	05.5-07.5
Black or Afr. Am./Non-Hisp	680	131,741	441	65.7	60.8-70.6	68	12.4	08.7-16.1	69	10.9	07.4-14.4	52	5.4	03.6-07.2	50	5.5	03.3-07.7
Oth. Race/Non-Hisp.	139	22,254	94	67.4	55.6-79.2	15	8.7	02.8-14.6	7	6.5	00.2-12.8	12	12.9	02.1-23.7	11	4.4	01.5-07.3
MultiRacial/Non-Hisp.	80	9,532	40	55.0	41.3-68.7	9	9.2	02.1-16.3	13	16.7	05.7-27.7	9	8.8	01.5-16.1	9	10.2	01.8-18.6
Hispanic	134	44,102	85	69.2	59.6-78.8	12	5.0	01.9-08.1	23	15.5	08.2-22.8	7	5.7	00.4-11.0	7	4.6	00.7-08.5
18-24	241	83,808	159	64.3	56.3-72.3	41	15.8	10.1-21.5	30	16.2	09.3-23.1	9	3.3	00.6-06.0	2	0.4	00.0-01.0
25-34	506	115,861	349	70.4	65.3-75.5	55	9.0	06.3-11.7	56	12.2	08.5-15.9	28	5.7	02.8-08.6	18	2.7	01.3-04.1
35-44	568	115,307	377	62.4	57.1-67.7	80	13.6	10.1-17.1	57	12.3	08.8-15.8	31	6.7	03.4-10.0	23	5.0	02.5-07.5
45-54	822	127,912	517	63.8	59.5-68.1	94	11.6	08.7-14.5	72	8.8	06.1-11.5	64	8.3	05.8-10.8	75	7.5	05.3-09.7
55-64	1026	107,526	640	61.3	57.2-65.4	88	8.9	06.5-11.3	107	10.2	07.8-12.6	96	10.3	07.2-13.4	95	9.4	07.0-11.8
65+	1526	132,056	990	65.9	62.8-69.0	97	5.6	04.2-07.0	141	9.5	07.3-11.7	137	8.8	07.0-10.6	161	10.2	08.0-12.4
Less Than H.S.	293	92,543	164	61.7	54.6-68.8	19	7.1	03.6-10.6	27	10.1	05.2-15.0	41	12.6	07.7-17.5	42	8.5	05.4-11.6
H.S. or G.E.D.	1445	220,958	933	64.9	61.4-68.4	124	10.8	08.3-13.3	132	10.2	07.8-12.6	111	6.6	04.8-08.4	145	7.5	05.9-09.1
Some Post-H.S.	1336	200,114	819	61.3	57.6-65.0	119	10.2	07.8-12.6	158	13.6	10.7-16.5	120	8.2	06.0-10.4	120	6.7	04.9-08.5
College Graduate	1659	174,277	1152	70.5	67.6-73.4	198	12.2	10.2-14.2	149	10.2	08.0-12.4	90	4.4	03.2-05.6	70	2.8	02.0-03.6
Less than \$15,000	516	72,617	296	57.8	51.3-64.3	33	9.5	05.4-13.6	52	9.0	05.7-12.3	61	12.0	07.7-16.3	74	11.7	07.8-15.6
\$15,000- 24,999	518	75,798	261	53.9	47.6-60.2	34	7.0	03.7-10.3	59	10.9	06.8-15.0	69	14.5	09.6-19.4	95	13.6	10.1-17.1
\$25,000- 34,999	388	52,627	231	58.1	50.8-65.4	41	9.2	05.5-12.9	48	14.4	09.1-19.7	41	13.4	07.3-19.5	27	4.9	02.5-07.3
\$35,000- 49,999	616	89,602	378	64.2	58.5-69.9	70	11.3	07.6-15.0	66	12.0	08.1-15.9	57	6.4	04.2-08.6	45	6.1	03.7-08.5
\$50,000- 74,999	711	98,730	489	68.0	63.1-72.9	83	11.4	08.5-14.3	73	12.5	08.2-16.8	37	3.7	02.1-05.3	29	4.4	02.2-06.6
\$75,000+	1224	183,709	898	71.5	68.0-75.0	148	12.5	10.0-15.0	96	9.3	07.1-11.5	48	4.8	03.0-06.6	34	1.9	01.1-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1814	329,654	1251	68.7	65.8-71.6	161	8.7	06.9-10.5	164	10.5	08.5-12.5	105	6.2	04.4-08.0	133	5.9	04.5-07.3
White/Non-Hisp	1424	226,032	994	68.5	65.0-72.0	124	8.7	06.7-10.7	123	10.6	08.2-13.0	82	6.5	04.3-08.7	101	5.7	04.1-07.3
Black or Afr. Am./Non-Hisp	216	60,435	152	70.6	63.0-78.2	20	10.9	05.2-16.6	20	9.3	04.6-14.0	6	1.6	00.0-03.2	18	7.7	03.4-12.0
Oth. Race/Non-Hisp.	68	14,748	45	64.6	48.5-80.7	6	6.3	00.8-11.8	4	8.4	00.0-17.8	8	18.0	02.3-33.7	5	2.7	00.2-05.2
18-24	128	42,254	85	69.6	59.4-79.8	23	13.7	06.6-20.8	16	13.6	05.8-21.4	2	2.2	00.0-06.1	2	0.8	00.0-02.0
25-34	204	57,781	158	79.7	73.2-86.2	14	4.3	01.6-07.0	22	12.8	07.1-18.5	6	2.0	00.0-04.0	4	1.2	00.0-02.6
35-44	213	55,866	141	63.1	54.9-71.3	23	10.0	05.3-14.7	28	13.4	08.1-18.7	12	7.9	01.8-14.0	9	5.7	01.4-10.0
45-54	328	62,371	215	64.5	57.4-71.6	35	11.1	06.4-15.8	26	8.9	04.4-13.4	18	6.5	03.0-10.0	34	9.0	05.3-12.7
55-64	370	50,934	247	63.7	56.8-70.6	33	8.9	05.2-12.6	33	8.6	05.1-12.1	27	11.6	05.5-17.7	30	7.2	03.7-10.7
65+	554	57,490	391	71.6	66.5-76.7	30	3.9	02.3-05.5	39	6.9	04.2-09.6	40	7.1	04.2-10.0	54	10.4	06.5-14.3
Less Than H.S.	121	47,491	76	69.2	59.6-78.8	7	5.5	01.2-09.8	12	8.6	03.1-14.1	13	9.7	03.0-16.4	13	6.9	02.4-11.4
H.S. or G.E.D.	547	112,135	368	68.7	63.4-74.0	47	9.3	06.0-12.6	44	8.7	05.4-12.0	39	6.6	03.7-09.5	49	6.7	04.3-09.1
Some Post-H.S.	465	88,315	311	65.0	58.9-71.1	38	7.8	04.5-11.1	50	13.4	09.1-17.7	26	6.4	02.7-10.1	40	7.4	04.1-10.7
College Graduate	676	80,425	495	73.4	69.1-77.7	68	9.9	07.2-12.6	58	11.0	07.5-14.5	25	3.3	01.5-05.1	30	2.5	01.3-03.7
Less than \$15,000	162	31,131	94	61.0	50.8-71.2	15	8.6	03.5-13.7	15	10.2	03.9-16.5	17	9.2	02.5-15.9	21	11.0	04.1-17.9
\$15,000- 24,999	153	29,503	81	55.9	45.1-66.7	9	5.3	00.8-09.8	15	9.0	03.3-14.7	20	16.0	07.0-25.0	28	13.8	07.5-20.1
\$25,000- 34,999	133	24,499	80	58.1	45.6-70.6	14	7.5	02.0-13.0	17	15.0	06.8-23.2	11	14.4	03.0-25.8	11	5.0	01.3-08.7
\$35,000- 49,999	269	48,577	172	67.3	59.3-75.3	34	12.5	06.8-18.2	24	8.4	03.7-13.1	19	4.6	02.1-07.1	20	7.2	03.3-11.1
\$50,000- 74,999	293	47,982	219	73.1	66.2-80.0	28	7.6	04.5-10.7	26	11.8	06.3-17.3	8	2.1	00.3-03.9	12	5.5	01.6-09.4
\$75,000+	546	93,852	425	75.1	70.0-80.2	48	9.4	05.9-12.9	42	9.5	06.2-12.8	18	4.9	01.8-08.0	13	1.1	00.5-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2932	359,948	1823	61.1	58.6-63.6	300	12.3	10.5-14.1	302	11.7	09.7-13.7	261	8.3	06.9-09.7	246	6.5	05.5-07.5
White/Non-Hisp	2242	251,891	1396	60.2	57.3-63.1	228	12.5	10.3-14.7	223	11.1	08.9-13.3	199	8.8	07.0-10.6	196	7.3	05.9-08.7
Black or Afr. Am./Non-Hisp	464	71,306	289	61.6	55.1-68.1	48	13.7	08.8-18.6	49	12.3	07.2-17.4	46	8.7	05.8-11.6	32	3.7	02.1-05.3
Oth. Race/Non-Hisp.	71	7,506	49	73.0	58.9-87.1	9	13.4	00.7-26.1	3	2.7	00.0-05.8	4	3.0	00.0-06.7	6	7.9	01.0-14.8
Hispanic	86	22,660	52	65.4	52.3-78.5	8	5.5	01.4-09.6	16	18.7	07.7-29.7	4	4.4	00.0-10.5	6	6.0	00.9-11.1
18-24	113	41,553	74	58.9	46.6-71.2	18	18.0	09.0-27.0	14	18.8	07.8-29.8	7	4.3	00.6-08.0			
25-34	302	58,080	191	61.1	53.8-68.4	41	13.6	08.9-18.3	34	11.6	07.1-16.1	22	9.5	04.4-14.6	14	4.2	01.7-06.7
35-44	355	59,441	236	61.9	55.4-68.4	57	17.0	11.7-22.3	29	11.2	06.3-16.1	19	5.5	02.8-08.2	14	4.3	01.6-07.0
45-54	494	65,541	302	63.1	57.6-68.6	59	12.0	08.5-15.5	46	8.8	05.7-11.9	46	9.9	06.2-13.6	41	6.1	03.7-08.5
55-64	656	56,593	393	59.0	54.1-63.9	55	8.9	06.0-11.8	74	11.6	08.5-14.7	69	9.1	06.6-11.6	65	11.3	08.0-14.6
65+	972	74,566	599	61.5	57.6-65.4	67	6.9	04.9-08.9	102	11.5	08.6-14.4	97	10.1	07.7-12.5	107	10.0	07.8-12.2
Less Than H.S.	172	45,053	88	53.8	43.8-63.8	12	8.8	03.3-14.3	15	11.6	03.8-19.4	28	15.7	08.6-22.8	29	10.1	05.8-14.4
H.S. or G.E.D.	898	108,822	565	61.1	56.6-65.6	77	12.3	08.8-15.8	88	11.7	08.4-15.0	72	6.6	04.6-08.6	96	8.3	06.1-10.5
Some Post-H.S.	871	111,799	508	58.3	53.6-63.0	81	12.1	08.8-15.4	108	13.8	09.9-17.7	94	9.6	07.1-12.1	80	6.1	04.3-07.9
College Graduate	983	93,852	657	67.9	64.0-71.8	130	14.2	11.3-17.1	91	9.5	07.0-12.0	65	5.3	03.7-06.9	40	3.1	01.9-04.3
Less than \$15,000	354	41,486	202	55.3	47.3-63.3	18	10.3	04.2-16.4	37	8.1	04.6-11.6	44	14.1	08.4-19.8	53	12.2	07.9-16.5
\$15,000- 24,999	365	46,295	180	52.6	45.0-60.2	25	8.1	03.6-12.6	44	12.2	06.7-17.7	49	13.6	08.1-19.1	67	13.5	09.4-17.6
\$25,000- 34,999	255	28,129	151	58.1	49.9-66.3	27	10.8	05.9-15.7	31	13.9	07.2-20.6	30	12.5	06.8-18.2	16	4.8	01.9-07.7
\$35,000- 49,999	347	41,025	206	60.6	53.0-68.2	36	9.8	05.7-13.9	42	16.3	09.8-22.8	38	8.5	05.2-11.8	25	4.8	02.6-07.0
\$50,000- 74,999	418	50,748	270	63.2	56.1-70.3	55	15.0	10.1-19.9	47	13.2	06.7-19.7	29	5.2	02.8-07.6	17	3.4	01.2-05.6
\$75,000+	678	89,858	473	67.8	63.1-72.5	100	15.8	12.3-19.3	54	9.1	06.2-12.0	30	4.6	02.6-06.6	21	2.7	01.3-04.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4748	689,215	3357	68.7	66.7-70.7	365	7.8	06.8-08.8	420	9.9	08.7-11.1	351	8.6	07.2-10.0	255	5.0	04.2-05.8
Male	1809	328,783	1377	74.6	71.7-77.5	113	6.1	04.5-07.7	132	7.5	05.9-09.1	109	7.7	05.7-09.7	78	4.1	02.7-05.5
Female	2939	360,432	1980	63.3	60.8-65.8	252	9.4	07.8-11.0	288	12.1	10.1-14.1	242	9.4	07.6-11.2	177	5.7	04.5-06.9
White/Non-Hisp	3670	477,664	2597	67.8	65.6-70.0	272	7.6	06.4-08.8	329	10.2	08.8-11.6	269	9.0	07.4-10.6	203	5.4	04.4-06.4
Black or Afr. Am./Non-Hisp	680	131,712	490	71.4	66.7-76.1	55	7.8	05.1-10.5	57	10.1	06.6-13.6	51	7.0	04.5-09.5	27	3.7	02.1-05.3
Oth. Race/Non-Hisp.	139	22,254	108	72.2	60.4-84.0	11	11.8	03.8-19.8	5	3.2	00.0-06.5	10	10.0	00.0-20.2	5	2.8	00.3-05.3
MultiRacial/Non-Hisp.	80	9,532	41	54.6	41.1-68.1	12	11.8	03.8-19.8	14	20.1	09.5-30.7	5	5.1	00.0-11.0	8	8.4	01.1-15.7
Hispanic	134	44,276	90	71.6	62.0-81.2	12	7.1	02.2-12.0	12	7.4	02.5-12.3	14	9.9	03.2-16.6	6	4.0	00.5-07.5
18-24	239	83,419	148	66.0	58.4-73.6	23	6.8	03.5-10.1	42	16.5	10.8-22.2	23	9.6	04.3-14.9	3	1.1	00.0-02.5
25-34	506	115,755	297	59.6	53.9-65.3	59	10.4	07.3-13.5	63	11.8	08.3-15.3	56	12.2	08.1-16.3	31	6.0	03.6-08.4
35-44	566	114,959	343	61.6	56.5-66.7	70	10.0	07.1-12.9	67	11.7	08.4-15.0	53	10.7	06.8-14.6	33	6.0	03.6-08.4
45-54	823	128,161	546	68.5	64.4-72.6	73	9.2	06.3-12.1	82	9.3	06.9-11.7	66	7.9	05.5-10.3	56	5.2	03.2-07.2
55-64	1021	106,975	728	71.8	67.9-75.7	67	5.6	03.8-07.4	80	8.1	05.7-10.5	76	7.6	05.1-10.1	70	6.8	04.4-09.2
65+	1536	132,407	1248	81.9	79.4-84.4	69	4.7	03.3-06.1	85	5.1	03.9-06.3	75	4.9	03.5-06.3	59	3.5	02.3-04.7
Less Than H.S.	290	92,355	196	67.2	60.1-74.3	18	6.3	02.6-10.0	18	6.4	03.1-09.7	32	12.2	06.7-17.7	26	7.9	04.4-11.4
H.S. or G.E.D.	1447	220,952	1045	70.6	67.3-73.9	78	5.9	04.1-07.7	133	10.4	08.2-12.6	109	8.4	06.0-10.8	82	4.7	03.3-06.1
Some Post-H.S.	1339	200,009	900	64.5	60.8-68.2	111	8.8	06.8-10.8	126	11.6	08.9-14.3	118	10.1	07.6-12.6	84	5.1	03.7-06.5
College Graduate	1658	174,173	1207	72.1	69.2-75.0	156	9.9	08.1-11.7	142	9.3	07.3-11.3	91	5.4	04.0-06.8	62	3.3	02.1-04.5
Less than \$15,000	514	71,978	326	58.3	51.8-64.8	33	7.2	03.9-10.5	50	10.2	06.7-13.7	57	14.8	09.7-19.9	48	9.5	05.8-13.2
\$15,000- 24,999	517	75,191	316	60.5	54.4-66.6	31	5.8	02.9-08.7	51	10.8	06.7-14.9	57	12.6	08.1-17.1	62	10.3	07.0-13.6
\$25,000- 34,999	388	52,643	270	65.4	58.0-72.8	32	12.2	06.3-18.1	32	9.1	04.6-13.6	36	9.5	04.6-14.4	18	3.8	01.8-05.8
\$35,000- 49,999	620	90,126	430	67.4	61.7-73.1	60	9.6	06.5-12.7	56	9.3	05.8-12.8	45	8.1	04.2-12.0	29	5.7	02.8-08.6
\$50,000- 74,999	706	98,243	502	69.9	65.0-74.8	68	9.8	06.9-12.7	56	8.0	05.5-10.5	54	9.2	05.5-12.9	26	3.1	01.7-04.5
\$75,000+	1227	184,005	914	73.4	70.1-76.7	105	8.0	06.0-10.0	117	10.6	08.2-13.0	59	5.6	03.6-07.6	32	2.5	01.5-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1809	328,783	1377	74.6	71.7-77.5	113	6.1	04.5-07.7	132	7.5	05.9-09.1	109	7.7	05.7-09.7	78	4.1	02.7-05.5	
White/Non-Hisp	1422	225,755	1087	73.8	70.5-77.1	89	6.3	04.5-08.1	104	8.1	06.1-10.1	83	7.3	05.1-09.5	59	4.5	02.7-06.3	
Black or Afr. Am./Non-Hisp	214	59,902	164	78.9	72.2-85.6	13	5.2	01.5-08.9	16	7.4	02.9-11.9	13	5.9	02.0-09.8	8	2.6	00.6-04.6	
Oth. Race/Non-Hisp.	68	14,748	54	73.5	57.4-89.6	4	9.5	00.0-19.3	2	2.3	00.0-06.4	5	12.3	00.0-27.2	3	2.4	00.0-05.1	
18-24	127	42,078	84	77.5	69.7-85.3	9	4.1	01.0-07.2	21	11.2	05.7-16.7	11	5.8	01.7-09.9	2	1.5	00.0-03.7	
25-34	204	57,612	135	68.7	60.7-76.7	20	7.4	03.5-11.3	21	8.8	04.7-12.9	19	10.8	04.5-17.1	9	4.3	01.4-07.2	
35-44	212	55,626	144	65.3	57.1-73.5	20	7.5	03.4-11.6	16	8.8	03.9-13.7	22	13.8	06.5-21.1	10	4.6	01.7-07.5	
45-54	327	62,302	242	74.9	68.4-81.4	25	8.1	03.4-12.8	28	8.0	04.7-11.3	19	5.3	02.4-08.2	13	3.7	00.6-06.8	
55-64	369	50,881	291	77.9	71.6-84.2	19	4.1	01.9-06.3	18	5.2	01.5-08.9	18	6.4	02.3-10.5	23	6.3	02.2-10.4	
65+	554	57,385	468	84.8	80.9-88.7	18	3.8	01.4-06.2	28	4.2	02.4-06.0	20	4.3	01.9-06.7	20	3.0	01.2-04.8	
Less Than H.S.	119	47,188	87	73.6	64.0-83.2	5	4.2	00.0-09.3	8	5.4	01.5-09.3	9	8.8	02.3-15.3	10	8.0	02.3-13.7	
H.S. or G.E.D.	544	111,977	419	75.6	70.5-80.7	21	4.8	02.4-07.2	44	7.4	04.7-10.1	37	8.4	04.7-12.1	23	3.9	01.7-06.1	
Some Post-H.S.	463	87,860	333	71.1	65.4-76.8	34	7.5	04.6-10.4	38	8.4	05.1-11.7	34	9.4	05.1-13.7	24	3.5	01.7-05.3	
College Graduate	678	80,470	535	78.1	74.0-82.2	53	7.4	05.0-09.8	42	8.0	05.1-10.9	28	4.3	02.1-06.5	20	2.1	00.9-03.3	
Less than \$15,000	158	30,608	100	57.5	46.9-68.1	6	5.3	00.6-10.0	22	14.6	07.5-21.7	18	14.5	06.5-22.5	12	8.1	01.2-15.0	
\$15,000- 24,999	152	29,332	91	63.5	53.3-73.7	10	4.1	01.2-07.0	11	8.6	02.7-14.5	15	10.9	03.8-18.0	25	13.0	06.7-19.3	
\$25,000- 34,999	133	24,514	97	65.3	52.2-78.4	9	13.8	02.8-24.8	13	9.6	02.2-17.0	8	8.5	00.0-17.7	6	2.8	00.3-05.3	
\$35,000- 49,999	271	48,773	202	71.3	62.9-79.7	24	8.6	04.1-13.1	21	6.0	03.1-08.9	16	9.7	02.8-16.6	8	4.4	00.3-08.5	
\$50,000- 74,999	290	47,632	228	80.0	74.5-85.5	18	5.6	02.5-08.7	18	6.0	02.9-09.1	17	5.2	02.5-07.9	9	3.2	00.8-05.6	
\$75,000+	547	93,925	452	80.5	75.8-85.2	34	5.4	03.2-07.6	34	7.8	04.5-11.1	19	5.1	02.0-08.2	8	1.2	00.0-02.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None						1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2939	360,432	1980	63.3	60.8-65.8	252	9.4	07.8-11.0	288	12.1	10.1-14.1	242	9.4	07.6-11.2	177	5.7	04.5-06.9			
White/Non-Hisp	2248	251,909	1510	62.4	59.5-65.3	183	8.7	07.1-10.3	225	12.2	10.0-14.4	186	10.5	08.3-12.7	144	6.2	04.8-07.6			
Black or Afr. Am./Non-Hisp	466	71,810	326	65.1	58.6-71.6	42	9.9	06.0-13.8	41	12.4	07.3-17.5	38	7.9	04.4-11.4	19	4.6	02.1-07.1			
Oth. Race/Non-Hisp.	71	7,506	54	69.5	54.4-84.6	7	16.5	02.4-30.6	3	4.8	00.0-10.5	5	5.5	00.2-10.8	2	3.7	00.0-08.8			
Hispanic	86	22,835	55	69.4	57.1-81.7	10	10.6	02.8-18.4	9	11.6	03.0-20.2	8	4.5	00.8-08.2	4	3.9	00.0-08.6			
18-24	112	41,341	64	54.2	41.9-66.5	14	9.6	03.9-15.3	21	22.0	12.2-31.8	12	13.5	03.9-23.1	1	0.7	00.0-02.1			
25-34	302	58,143	162	50.6	43.3-57.9	39	13.4	08.5-18.3	42	14.8	09.1-20.5	37	13.6	08.3-18.9	22	7.6	03.7-11.5			
35-44	354	59,333	199	58.2	51.7-64.7	50	12.3	08.2-16.4	51	14.4	09.9-18.9	31	7.8	04.7-10.9	23	7.3	04.0-10.6			
45-54	496	65,860	304	62.4	56.9-67.9	48	10.2	06.9-13.5	54	10.5	07.2-13.8	47	10.3	06.6-14.0	43	6.6	04.2-09.0			
55-64	652	56,093	437	66.3	61.6-71.0	48	7.0	04.5-09.5	62	10.8	07.7-13.9	58	8.7	05.6-11.8	47	7.2	04.7-09.7			
65+	982	75,022	780	79.7	76.6-82.8	51	5.3	03.5-07.1	57	5.8	04.0-07.6	55	5.3	03.5-07.1	39	3.9	02.3-05.5			
Less Than H.S.	171	45,167	109	60.5	50.5-70.5	13	8.6	03.1-14.1	10	7.4	02.1-12.7	23	15.7	07.1-24.3	16	7.9	03.6-12.2			
H.S. or G.E.D.	903	108,975	626	65.5	61.0-70.0	57	7.0	04.6-09.4	89	13.5	10.2-16.8	72	8.4	05.5-11.3	59	5.6	04.0-07.2			
Some Post-H.S.	876	112,149	567	59.3	54.6-64.0	77	9.8	07.1-12.5	88	14.0	09.9-18.1	84	10.6	07.7-13.5	60	6.3	04.3-08.3			
College Graduate	980	93,703	672	66.9	63.0-70.8	103	12.0	09.3-14.7	100	10.5	08.0-13.0	63	6.4	04.4-08.4	42	4.3	02.5-06.1			
Less than \$15,000	356	41,370	226	58.9	50.9-66.9	27	8.7	04.2-13.2	28	6.9	03.8-10.0	39	15.0	08.1-21.9	36	10.5	06.4-14.6			
\$15,000- 24,999	365	45,859	225	58.7	51.1-66.3	21	6.9	02.6-11.2	40	12.2	06.7-17.7	42	13.7	08.0-19.4	37	8.6	05.1-12.1			
\$25,000- 34,999	255	28,129	173	65.4	57.8-73.0	23	10.8	05.7-15.9	19	8.7	03.4-14.0	28	10.3	06.0-14.6	12	4.7	01.8-07.6			
\$35,000- 49,999	349	41,353	228	62.8	55.2-70.4	36	10.8	06.5-15.1	35	13.1	06.6-19.6	29	6.1	03.4-08.8	21	7.2	03.3-11.1			
\$50,000- 74,999	416	50,611	274	60.4	53.3-67.5	50	13.8	09.1-18.5	38	10.0	06.1-13.9	37	12.9	06.4-19.4	17	2.9	01.3-04.5			
\$75,000+	680	90,081	462	65.9	61.2-70.6	71	10.7	07.6-13.8	83	13.5	10.2-16.8	40	6.1	03.7-08.5	24	3.7	01.9-05.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2340	344,868	1352	57.8	54.9-60.7	257	12.2	10.2-14.2	266	11.4	09.4-13.4	258	11.2	09.2-13.2	207	7.4	05.8-09.0
Male	790	145,582	464	58.9	54.0-63.8	89	11.8	08.5-15.1	78	9.8	06.9-12.7	80	10.2	07.1-13.3	79	9.4	06.5-12.3
Female	1550	199,286	888	57.0	53.5-60.5	168	12.5	10.0-15.0	188	12.6	10.2-15.0	178	11.9	09.4-14.4	128	6.0	04.6-07.4
White/Non-Hisp	1797	245,012	1030	56.3	53.0-59.6	201	13.0	10.6-15.4	203	11.6	09.4-13.8	195	11.0	08.6-13.4	168	8.1	06.3-09.9
Black or Afr. Am./Non-Hisp	334	61,920	200	59.7	52.3-67.1	35	11.2	05.7-16.7	39	11.8	07.1-16.5	41	13.0	08.1-17.9	19	4.3	01.9-06.7
Oth. Race/Non-Hisp.	57	9,251	25	43.4	24.2-62.6	9	13.9	01.9-25.9	8	6.0	01.1-10.9	7	17.1	02.6-31.6	8	19.6	00.0-40.8
MultiRacial/Non-Hisp.	56	6,380	40	66.9	50.6-83.2	3	6.3	00.0-13.4	4	11.2	00.0-22.6	4	12.4	00.0-25.9	5	3.2	00.1-06.3
Hispanic	70	20,335	46	74.0	61.8-86.2	8	8.6	01.2-16.0	7	9.1	00.3-17.9	6	4.4	00.1-08.7	3	3.9	00.0-09.0
18-24	133	43,050	86	61.0	50.0-72.0	22	17.0	08.8-25.2	14	10.9	04.2-17.6	10	10.7	02.3-19.1	1	0.4	00.0-01.2
25-34	270	59,328	163	58.6	50.8-66.4	38	15.8	09.5-22.1	34	11.5	07.0-16.0	27	11.5	06.0-17.0	8	2.6	00.6-04.6
35-44	316	64,912	203	61.5	54.2-68.8	45	14.4	09.1-19.7	31	12.4	07.1-17.7	23	5.4	02.9-07.9	14	6.2	01.9-10.5
45-54	427	64,812	237	56.5	50.2-62.8	44	9.4	06.1-12.7	42	9.7	06.0-13.4	56	16.1	10.8-21.4	48	8.3	05.4-11.2
55-64	516	53,603	265	51.0	44.9-57.1	62	11.5	08.2-14.8	68	12.2	08.7-15.7	67	13.6	09.1-18.1	54	11.8	07.5-16.1
65+	661	55,596	390	58.9	53.8-64.0	45	6.2	03.5-08.9	75	12.2	08.7-15.7	72	9.9	07.2-12.6	79	12.9	08.8-17.0
Less Than H.S.	165	47,992	100	57.8	48.0-67.6	9	6.2	01.3-11.1	15	10.2	04.5-15.9	22	16.4	08.0-24.8	19	9.5	04.4-14.6
H.S. or G.E.D.	702	107,910	419	58.4	53.1-63.7	62	10.5	07.0-14.0	78	11.3	08.2-14.4	76	11.6	07.9-15.3	67	8.2	05.3-11.1
Some Post-H.S.	714	109,248	382	54.0	48.7-59.3	69	14.3	10.0-18.6	88	13.1	09.2-17.0	100	11.4	08.5-14.3	75	7.3	04.9-09.7
College Graduate	750	78,324	449	63.1	58.6-67.6	117	15.6	12.3-18.9	85	10.2	07.5-12.9	57	7.0	04.6-09.4	42	4.1	02.3-05.9
Less than \$15,000	298	41,644	162	62.3	54.9-69.7	23	7.9	03.4-12.4	25	6.8	03.5-10.1	53	13.7	09.2-18.2	35	9.4	05.3-13.5
\$15,000- 24,999	323	45,112	155	47.9	40.1-55.7	17	4.6	01.5-07.7	43	13.9	08.4-19.4	52	19.8	12.9-26.7	56	13.8	09.1-18.5
\$25,000- 34,999	212	29,664	116	52.9	42.5-63.3	19	10.4	03.9-16.9	37	15.6	08.7-22.5	24	10.1	04.8-15.4	16	11.1	02.1-20.1
\$35,000- 49,999	328	47,667	176	46.6	38.8-54.4	47	19.3	11.9-26.7	45	13.8	08.5-19.1	37	13.4	06.7-20.1	23	6.8	03.5-10.1
\$50,000- 74,999	337	48,131	215	61.2	53.4-69.0	43	12.1	07.4-16.8	31	10.6	05.7-15.5	31	11.5	04.6-18.4	17	4.7	02.2-07.2
\$75,000+	510	80,669	336	66.2	60.7-71.7	74	15.3	11.0-19.6	52	10.1	06.4-13.8	28	5.5	03.1-07.9	20	2.9	01.1-04.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	790	145,582	464	58.9	54.0-63.8	89	11.8	08.5-15.1	78	9.8	06.9-12.7	80	10.2	07.1-13.3	79	9.4	06.5-12.3
White/Non-Hisp	613	102,408	360	57.4	51.7-63.1	65	11.0	07.3-14.7	65	10.8	07.3-14.3	60	10.6	06.7-14.5	63	10.2	06.7-13.7
Black or Afr. Am./Non-Hisp	90	23,386	52	58.6	45.7-71.5	13	17.0	05.4-28.6	7	8.8	01.4-16.2	11	9.3	03.2-15.4	7	6.2	01.3-11.1
18-24	71	19,507	53	73.6	59.5-87.7	12	20.9	07.0-34.8	3	2.8	00.0-05.9	2	1.8	00.0-04.5	1	0.9	00.0-02.7
25-34	92	23,815	58	64.4	52.1-76.7	13	12.7	04.9-20.5	10	9.0	02.7-15.3	8	10.6	00.2-21.0	3	3.3	00.0-07.0
35-44	107	29,275	66	58.7	46.5-70.9	11	13.0	04.0-22.0	14	15.6	06.2-25.0	9	5.0	01.3-08.7	7	7.6	00.0-15.4
45-54	151	28,739	85	55.8	45.0-66.6	12	7.2	02.5-11.9	16	10.8	04.3-17.3	18	16.5	07.7-25.3	20	9.6	04.3-14.9
55-64	159	22,398	83	50.9	39.7-62.1	22	12.2	06.1-18.3	16	8.6	02.7-14.5	19	14.8	06.0-23.6	19	13.5	04.9-22.1
65+	206	20,390	117	54.3	44.9-63.7	18	5.1	02.6-07.6	19	9.4	03.5-15.3	24	11.6	06.3-16.9	28	19.5	10.1-28.9
Less Than H.S.	59	20,365	38	67.4	53.3-81.5	1	1.4	00.0-04.1	4	7.8	00.0-15.6	7	9.8	00.8-18.8	9	13.7	03.9-23.5
H.S. or G.E.D.	243	48,768	148	57.3	48.5-66.1	19	10.7	04.6-16.8	23	7.4	04.1-10.7	30	15.0	07.9-22.1	23	9.7	04.0-15.4
Some Post-H.S.	218	43,037	118	53.1	44.1-62.1	24	15.7	08.3-23.1	24	13.9	06.8-21.0	25	8.0	04.1-11.9	27	9.3	04.4-14.2
College Graduate	266	32,239	160	65.7	58.4-73.0	45	15.2	09.9-20.5	27	9.5	04.6-14.4	17	5.8	02.3-09.3	17	3.8	01.4-06.2
Less than \$15,000	96	18,008	58	70.4	59.4-81.4	6	5.5	00.0-11.0	7	5.5	00.6-10.4	15	11.3	04.4-18.2	10	7.3	01.6-13.0
\$15,000- 24,999	93	16,488	40	47.1	33.2-61.0	6	4.3	00.2-08.4	9	9.7	02.3-17.1	18	18.3	07.1-29.5	20	20.6	09.8-31.4
\$25,000- 34,999	69	13,623	41	56.6	38.2-75.0	8	7.3	00.6-14.0	11	11.9	02.1-21.7	3	7.1	00.0-16.3	6	17.1	00.0-35.1
\$35,000- 49,999	130	23,335	70	42.6	30.6-54.6	18	18.8	08.0-29.6	16	10.8	04.3-17.3	15	18.6	06.4-30.8	11	9.2	03.1-15.3
\$50,000- 74,999	114	19,470	69	58.9	47.1-70.7	16	16.0	06.6-25.4	12	12.5	03.7-21.3	7	5.1	00.6-09.6	10	7.5	02.2-12.8
\$75,000+	185	35,345	126	69.2	60.0-78.4	26	13.4	06.3-20.5	16	10.8	03.5-18.1	11	4.9	01.6-08.2	6	1.7	00.0-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1550	199,286	888	57.0	53.5-60.5	168	12.5	10.0-15.0	188	12.6	10.2-15.0	178	11.9	09.4-14.4	128	6.0	04.6-07.4
White/Non-Hisp	1184	142,603	670	55.5	51.4-59.6	136	14.4	11.3-17.5	138	12.2	09.5-14.9	135	11.3	08.4-14.2	105	6.6	05.0-08.2
Black or Afr. Am./Non-Hisp	244	38,534	148	60.3	51.5-69.1	22	7.7	02.4-13.0	32	13.7	07.6-19.8	30	15.2	08.3-22.1	12	3.1	00.9-05.3
18-24	62	23,543	33	50.6	34.7-66.5	10	13.7	04.3-23.1	11	17.7	06.1-29.3	8	18.0	03.5-32.5			
25-34	178	35,513	105	54.7	45.1-64.3	25	17.9	09.1-26.7	24	13.2	06.9-19.5	19	12.1	06.0-18.2	5	2.1	00.1-04.1
35-44	209	35,636	137	63.7	55.3-72.1	34	15.6	09.3-21.9	17	9.8	03.9-15.7	14	5.6	02.3-08.9	7	5.2	00.9-09.5
45-54	276	36,073	152	57.0	49.6-64.4	32	11.2	06.7-15.7	26	8.8	04.5-13.1	38	15.8	09.7-21.9	28	7.2	03.9-10.5
55-64	357	31,205	182	51.0	44.3-57.7	40	10.9	07.0-14.8	52	14.8	10.3-19.3	48	12.7	08.4-17.0	35	10.5	06.4-14.6
65+	455	35,207	273	61.5	55.6-67.4	27	6.8	02.7-10.9	56	13.7	09.4-18.0	48	8.8	05.9-11.7	51	9.1	06.2-12.0
Less Than H.S.	106	27,627	62	50.7	38.0-63.4	8	9.7	01.7-17.7	11	12.0	04.0-20.0	15	21.2	08.7-33.7	10	6.4	01.5-11.3
H.S. or G.E.D.	459	59,142	271	59.3	53.0-65.6	43	10.3	06.4-14.2	55	14.6	09.9-19.3	46	8.8	05.9-11.7	44	7.1	04.6-09.6
Some Post-H.S.	496	66,211	264	54.5	48.0-61.0	45	13.4	08.1-18.7	64	12.5	08.2-16.8	75	13.5	09.4-17.6	48	6.1	04.1-08.1
College Graduate	484	46,085	289	61.2	55.5-66.9	72	15.9	11.6-20.2	58	10.7	07.4-14.0	40	7.9	04.8-11.0	25	4.2	01.7-06.7
Less than \$15,000	202	23,636	104	56.0	46.4-65.6	17	9.8	03.3-16.3	18	7.7	03.2-12.2	38	15.5	09.6-21.4	25	10.9	05.2-16.6
\$15,000- 24,999	230	28,624	115	48.3	38.7-57.9	11	4.7	00.6-08.8	34	16.4	09.1-23.7	34	20.7	12.1-29.3	36	9.9	06.0-13.8
\$25,000- 34,999	143	16,040	75	49.7	38.7-60.7	11	12.9	02.5-23.3	26	18.7	09.7-27.7	21	12.7	06.8-18.6	10	6.0	01.5-10.5
\$35,000- 49,999	198	24,333	106	50.4	40.4-60.4	29	19.9	09.9-29.9	29	16.7	08.5-24.9	22	8.5	03.8-13.2	12	4.6	01.5-07.7
\$50,000- 74,999	223	28,661	146	62.7	52.3-73.1	27	9.4	04.7-14.1	19	9.3	04.0-14.6	24	15.8	05.2-26.4	7	2.8	00.3-05.3
\$75,000+	325	45,325	210	63.9	57.2-70.6	48	16.8	11.5-22.1	36	9.6	05.9-13.3	17	5.9	02.6-09.2	14	3.8	00.9-06.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4766	689,450	4386	89.3	87.9-90.7	380	10.7	09.3-12.1
Male	1820	329,779	1643	86.7	84.2-89.2	177	13.3	10.8-15.8
Female	2946	359,671	2743	91.7	90.1-93.3	203	8.3	06.7-09.9
White/Non-Hisp	3684	479,076	3437	91.1	89.5-92.7	247	8.9	07.3-10.5
Black or Afr. Am./Non-Hisp	682	130,581	603	87.7	84.2-91.2	79	12.3	08.8-15.8
Oth. Race/Non-Hisp.	140	22,400	125	87.8	80.0-95.6	15	12.2	04.4-20.0
MultiRacial/Non-Hisp.	79	9,150	67	87.4	79.6-95.2	12	12.6	04.8-20.4
Hispanic	134	44,168	111	75.2	65.2-85.2	23	24.8	14.8-34.8
18-24	237	81,600	201	87.7	83.0-92.4	36	12.3	07.6-17.0
25-34	508	116,205	436	81.4	76.1-86.7	72	18.6	13.3-23.9
35-44	568	115,312	520	89.9	86.8-93.0	48	10.1	07.0-13.2
45-54	823	127,781	733	89.0	86.3-91.7	90	11.0	08.3-13.7
55-64	1028	107,684	918	88.8	86.1-91.5	110	11.2	08.5-13.9
65+	1545	133,312	1527	97.5	95.7-99.3	18	2.5	00.7-04.3
Less Than H.S.	293	91,399	254	79.8	73.1-86.5	39	20.2	13.5-26.9
H.S. or G.E.D.	1455	221,305	1266	85.4	82.9-87.9	189	14.6	12.1-17.1
Some Post-H.S.	1341	200,424	1247	91.8	89.6-94.0	94	8.2	06.0-10.4
College Graduate	1663	174,596	1607	96.7	95.7-97.7	56	3.3	02.3-04.3
Less than \$15,000	522	72,955	448	81.3	76.4-86.2	74	18.7	13.8-23.6
\$15,000- 24,999	522	75,652	436	79.0	73.7-84.3	86	21.0	15.7-26.3
\$25,000- 34,999	389	52,710	348	87.4	83.1-91.7	41	12.6	08.3-16.9
\$35,000- 49,999	619	89,980	569	89.1	85.0-93.2	50	10.9	06.8-15.0
\$50,000- 74,999	711	98,730	675	93.9	91.4-96.4	36	6.1	03.6-08.6
\$75,000+	1227	184,005	1206	98.3	97.3-99.3	21	1.7	00.7-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	329,779	1643	86.7	84.2-89.2	177	13.3	10.8-15.8
White/Non-Hisp	1430	226,394	1321	89.9	87.4-92.4	109	10.1	07.6-12.6
Black or Afr. Am./Non-Hisp	217	60,581	181	82.5	75.8-89.2	36	17.5	10.8-24.2
Oth. Race/Non-Hisp.	68	14,748	59	84.6	73.2-96.0	9	15.4	04.0-26.8
18-24	126	41,555	105	86.5	79.4-93.6	21	13.5	06.4-20.6
25-34	205	58,009	168	76.9	68.3-85.5	37	23.1	14.5-31.7
35-44	213	55,866	188	86.5	80.8-92.2	25	13.5	07.8-19.2
45-54	329	62,517	286	87.7	83.0-92.4	43	12.3	07.6-17.0
55-64	371	50,975	330	87.6	82.9-92.3	41	12.4	07.7-17.1
65+	559	57,900	552	95.9	92.0-99.8	7	4.1	00.2-08.0
Less Than H.S.	121	47,491	98	72.7	61.9-83.5	23	27.3	16.5-38.1
H.S. or G.E.D.	548	111,816	456	82.0	77.7-86.3	92	18.0	13.7-22.3
Some Post-H.S.	466	88,423	430	92.2	89.1-95.3	36	7.8	04.7-10.9
College Graduate	680	80,762	655	96.1	94.1-98.1	25	3.9	01.9-05.9
Less than \$15,000	162	31,131	129	72.1	62.7-81.5	33	27.9	18.5-37.3
\$15,000- 24,999	154	29,544	114	70.6	60.4-80.8	40	29.4	19.2-39.6
\$25,000- 34,999	134	24,566	119	90.0	84.1-95.9	15	10.0	04.1-15.9
\$35,000- 49,999	271	48,773	245	88.3	82.2-94.4	26	11.7	05.6-17.8
\$50,000- 74,999	293	47,982	276	93.4	89.9-96.9	17	6.6	03.1-10.1
\$75,000+	547	93,925	534	97.6	96.0-99.2	13	2.4	00.8-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2946	359,671	2743	91.7	90.1-93.3	203	8.3	06.7-09.9
White/Non-Hisp	2254	252,682	2116	92.3	90.5-94.1	138	7.7	05.9-09.5
Black or Afr. Am./Non-Hisp	465	70,000	422	92.2	89.5-94.9	43	7.8	05.1-10.5
Oth. Race/Non-Hisp.	72	7,652	66	94.0	88.9-99.1	6	6.0	00.9-11.1
Hispanic	86	22,726	75	82.0	71.2-92.8	11	18.0	07.2-28.8
18-24	111	40,045	96	89.0	82.7-95.3	15	11.0	04.7-17.3
25-34	303	58,196	268	86.0	80.3-91.7	35	14.0	08.3-19.7
35-44	355	59,446	332	93.1	89.8-96.4	23	6.9	03.6-10.2
45-54	494	65,264	447	90.3	87.2-93.4	47	9.7	06.6-12.8
55-64	657	56,709	588	89.9	87.0-92.8	69	10.1	07.2-13.0
65+	986	75,412	975	98.8	98.0-99.6	11	1.2	00.4-02.0
Less Than H.S.	172	43,908	156	87.5	81.0-94.0	16	12.5	06.0-19.0
H.S. or G.E.D.	907	109,489	810	88.8	86.1-91.5	97	11.2	08.5-13.9
Some Post-H.S.	875	112,001	817	91.4	88.5-94.3	58	8.6	05.7-11.5
College Graduate	983	93,835	952	97.3	96.1-98.5	31	2.7	01.5-03.9
Less than \$15,000	360	41,824	319	88.1	83.8-92.4	41	11.9	07.6-16.2
\$15,000- 24,999	368	46,108	322	84.5	79.0-90.0	46	15.5	10.0-21.0
\$25,000- 34,999	255	28,144	229	85.2	78.9-91.5	26	14.8	08.5-21.1
\$35,000- 49,999	348	41,207	324	90.1	84.6-95.6	24	9.9	04.4-15.4
\$50,000- 74,999	418	50,748	399	94.4	90.9-97.9	19	5.6	02.1-09.1
\$75,000+	680	90,081	672	99.0	98.2-99.8	8	1.0	00.2-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4768	691,573	3849	78.3	76.5-80.1	503	9.9	08.5-11.3	416	11.8	10.2-13.4
Male	1820	329,793	1434	75.8	72.9-78.7	171	8.5	06.7-10.3	215	15.8	13.3-18.3
Female	2948	361,780	2415	80.5	78.3-82.7	332	11.3	09.5-13.1	201	8.2	06.6-09.8
White/Non-Hisp	3684	479,501	3013	80.7	78.7-82.7	397	9.9	08.5-11.3	274	9.4	08.0-10.8
Black or Afr. Am./Non-Hisp	684	132,431	544	76.0	71.3-80.7	67	9.8	06.9-12.7	73	14.3	10.2-18.4
Oth. Race/Non-Hisp.	138	21,715	103	78.5	70.5-86.5	10	5.9	01.0-10.8	25	15.6	08.9-22.3
MultiRacial/Non-Hisp.	80	9,532	62	76.7	65.3-88.1	5	5.2	00.1-10.3	13	18.1	07.3-28.9
Hispanic	135	44,314	91	59.3	47.7-70.9	15	12.8	04.4-21.2	29	27.8	17.0-38.6
18-24	239	83,026	164	66.3	58.1-74.5	16	10.4	04.1-16.7	59	23.3	16.4-30.2
25-34	508	116,205	374	72.6	67.5-77.7	40	7.6	04.9-10.3	94	19.7	15.0-24.4
35-44	568	115,459	457	79.7	75.4-84.0	46	8.7	05.6-11.8	65	11.6	08.3-14.9
45-54	825	128,376	666	79.8	75.7-83.9	82	9.5	06.8-12.2	77	10.7	07.4-14.0
55-64	1028	107,684	858	83.7	80.6-86.8	104	10.4	07.9-12.9	66	6.0	03.8-08.2
65+	1543	133,283	1292	84.6	82.2-87.0	205	12.2	10.0-14.4	46	3.2	02.0-04.4
Less Than H.S.	296	93,369	222	73.6	66.9-80.3	35	8.7	05.0-12.4	39	17.7	11.6-23.8
H.S. or G.E.D.	1456	222,043	1172	78.5	75.2-81.8	131	8.1	05.9-10.3	153	13.4	10.7-16.1
Some Post-H.S.	1341	199,910	1075	77.4	73.9-80.9	158	11.8	09.1-14.5	108	10.8	08.1-13.5
College Graduate	1662	174,542	1372	81.8	79.3-84.3	177	11.0	08.8-13.2	113	7.3	05.7-08.9
Less than \$15,000	522	72,955	396	74.8	69.3-80.3	54	6.7	04.2-09.2	72	18.5	13.2-23.8
\$15,000- 24,999	523	76,113	395	69.7	63.6-75.8	56	10.7	06.6-14.8	72	19.6	14.1-25.1
\$25,000- 34,999	390	52,809	312	77.4	71.1-83.7	31	6.3	03.6-09.0	47	16.3	10.4-22.2
\$35,000- 49,999	620	90,126	512	80.4	74.9-85.9	66	11.2	06.9-15.5	42	8.4	04.5-12.3
\$50,000- 74,999	711	98,730	575	79.8	75.3-84.3	77	9.2	06.7-11.7	59	11.1	07.2-15.0
\$75,000+	1226	183,835	1055	85.6	83.1-88.1	114	9.0	07.0-11.0	57	5.4	03.6-07.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	329,793	1434	75.8	72.9-78.7	171	8.5	06.7-10.3	215	15.8	13.3-18.3
White/Non-Hisp	1431	226,711	1158	80.0	77.1-82.9	136	8.2	06.2-10.2	137	11.8	09.3-14.3
Black or Afr. Am./Non-Hisp	217	60,581	159	69.8	61.8-77.8	20	10.2	05.1-15.3	38	19.9	12.6-27.2
Oth. Race/Non-Hisp.	66	14,062	45	75.5	63.9-87.1	5	6.7	00.0-13.8	16	17.8	08.4-27.2
18-24	127	41,592	77	58.4	46.8-70.0	10	10.6	03.0-18.2	40	31.0	20.2-41.8
25-34	205	58,009	138	69.3	61.3-77.3	14	5.4	02.3-08.5	53	25.3	17.7-32.9
35-44	212	55,842	171	78.2	71.3-85.1	10	5.5	01.4-09.6	31	16.2	10.1-22.3
45-54	329	62,517	259	77.6	70.9-84.3	28	8.0	04.3-11.7	42	14.5	08.4-20.6
55-64	371	50,975	309	83.7	78.2-89.2	36	10.0	05.5-14.5	26	6.3	02.6-10.0
65+	559	57,900	468	84.0	79.9-88.1	72	12.3	08.6-16.0	19	3.6	01.6-05.6
Less Than H.S.	121	47,491	86	68.3	57.9-78.7	10	7.4	01.9-12.9	25	24.3	14.5-34.1
H.S. or G.E.D.	550	112,516	423	75.2	70.1-80.3	47	7.1	04.2-10.0	80	17.7	13.0-22.4
Some Post-H.S.	465	87,761	358	74.9	69.2-80.6	56	11.2	07.5-14.9	51	13.8	08.9-18.7
College Graduate	679	80,738	564	82.5	78.8-86.2	58	8.1	05.4-10.8	57	9.4	06.7-12.1
Less than \$15,000	162	31,131	113	66.8	57.0-76.6	14	5.7	01.8-09.6	35	27.4	18.0-36.8
\$15,000- 24,999	154	29,544	107	61.5	50.3-72.7	12	9.5	02.2-16.8	35	29.0	18.2-39.8
\$25,000- 34,999	134	24,566	102	73.9	62.9-84.9	9	5.7	01.2-10.2	23	20.4	10.0-30.8
\$35,000- 49,999	271	48,773	210	78.1	70.5-85.7	30	8.6	04.3-12.9	31	13.3	06.4-20.2
\$50,000- 74,999	293	47,982	235	77.5	70.1-84.9	29	8.0	04.3-11.7	29	14.4	07.3-21.5
\$75,000+	547	93,925	474	87.1	83.6-90.6	43	6.7	04.2-09.2	30	6.2	03.7-08.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2948	361,780	2415	80.5	78.3-82.7	332	11.3	09.5-13.1	201	8.2	06.6-09.8
White/Non-Hisp	2253	252,790	1855	81.4	79.0-83.8	261	11.4	09.4-13.4	137	7.2	05.6-08.8
Black or Afr. Am./Non-Hisp	467	71,850	385	81.1	76.0-86.2	47	9.4	06.1-12.7	35	9.5	05.2-13.8
Oth. Race/Non-Hisp.	72	7,652	58	84.0	74.6-93.4	5	4.3	00.0-09.2	9	11.7	03.5-19.9
Hispanic	87	22,872	61	67.9	53.6-82.2	12	18.9	05.0-32.8	14	13.2	05.4-21.0
18-24	112	41,434	87	74.3	62.9-85.7	6	10.2	00.4-20.0	19	15.5	07.7-23.3
25-34	303	58,196	236	76.0	69.5-82.5	26	9.8	05.5-14.1	41	14.2	08.7-19.7
35-44	356	59,617	286	81.1	76.0-86.2	36	11.6	06.9-16.3	34	7.2	04.7-09.7
45-54	496	65,860	407	82.0	77.5-86.5	54	10.9	07.2-14.6	35	7.1	04.4-09.8
55-64	657	56,709	549	83.6	79.9-87.3	68	10.7	07.8-13.6	40	5.7	03.3-08.1
65+	984	75,383	824	85.0	82.3-87.7	133	12.1	09.7-14.5	27	2.9	01.5-04.3
Less Than H.S.	175	45,878	136	79.1	71.5-86.7	25	10.1	05.0-15.2	14	10.8	04.5-17.1
H.S. or G.E.D.	906	109,528	749	81.9	78.0-85.8	84	9.0	05.9-12.1	73	9.1	06.6-11.6
Some Post-H.S.	876	112,149	717	79.4	74.9-83.9	102	12.2	08.5-15.9	57	8.4	05.5-11.3
College Graduate	983	93,804	808	81.1	77.8-84.4	119	13.5	10.4-16.6	56	5.5	03.9-07.1
Less than \$15,000	360	41,824	283	80.7	74.6-86.8	40	7.5	04.4-10.6	37	11.8	06.3-17.3
\$15,000- 24,999	369	46,569	288	74.9	68.2-81.6	44	11.4	06.5-16.3	37	13.6	08.1-19.1
\$25,000- 34,999	256	28,243	210	80.4	73.7-87.1	22	6.9	03.4-10.4	24	12.6	06.5-18.7
\$35,000- 49,999	349	41,353	302	83.1	75.3-90.9	36	14.2	06.4-22.0	11	2.7	00.9-04.5
\$50,000- 74,999	418	50,748	340	81.9	77.0-86.8	48	10.2	06.7-13.7	30	7.9	04.2-11.6
\$75,000+	679	89,911	581	84.0	80.3-87.7	71	11.5	08.2-14.8	27	4.6	02.4-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4774	692,516	495	12.7	11.3-14.1	4279	87.3	85.9-88.7
Male	1820	330,329	174	12.6	10.4-14.8	1646	87.4	85.2-89.6
Female	2954	362,187	321	12.9	11.1-14.7	2633	87.1	85.3-88.9
White/Non-Hisp	3686	479,626	325	10.8	09.2-12.4	3361	89.2	87.6-90.8
Black or Afr. Am./Non-Hisp	685	132,551	100	15.6	12.1-19.1	585	84.4	80.9-87.9
Oth. Race/Non-Hisp.	140	22,400	22	21.7	10.3-33.1	118	78.3	66.9-89.7
MultiRacial/Non-Hisp.	80	9,532	16	14.6	06.2-23.0	64	85.4	77.0-93.8
Hispanic	135	44,314	26	20.4	12.0-28.8	109	79.6	71.2-88.0
18-24	241	83,808	36	12.3	07.8-16.8	205	87.7	83.2-92.2
25-34	507	116,102	83	18.1	13.6-22.6	424	81.9	77.4-86.4
35-44	570	115,653	79	16.3	12.0-20.6	491	83.7	79.4-88.0
45-54	825	128,376	135	15.8	12.7-18.9	690	84.2	81.1-87.3
55-64	1028	107,684	108	10.8	08.4-13.2	920	89.2	86.8-91.6
65+	1545	133,312	45	3.3	01.9-04.7	1500	96.7	95.3-98.1
Less Than H.S.	296	93,369	52	19.5	13.8-25.2	244	80.5	74.8-86.2
H.S. or G.E.D.	1459	222,268	185	14.2	11.7-16.7	1274	85.8	83.3-88.3
Some Post-H.S.	1343	200,616	164	13.7	11.0-16.4	1179	86.3	83.6-89.0
College Graduate	1662	174,537	92	5.8	04.2-07.4	1570	94.2	92.6-95.8
Less than \$15,000	522	72,955	114	26.1	20.4-31.8	408	73.9	68.2-79.6
\$15,000- 24,999	523	76,113	103	22.5	17.2-27.8	420	77.5	72.2-82.8
\$25,000- 34,999	390	52,809	55	18.1	12.0-24.2	335	81.9	75.8-88.0
\$35,000- 49,999	620	90,126	67	14.3	10.4-18.2	553	85.7	81.8-89.6
\$50,000- 74,999	711	98,730	49	7.9	05.4-10.4	662	92.1	89.6-94.6
\$75,000+	1226	183,959	40	4.6	02.6-06.6	1186	95.4	93.4-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	330,329	174	12.6	10.4-14.8	1646	87.4	85.2-89.6
White/Non-Hisp	1429	226,562	101	9.4	07.0-11.8	1328	90.6	88.2-93.0
Black or Afr. Am./Non-Hisp	217	60,581	37	16.7	10.6-22.8	180	83.3	77.2-89.4
Oth. Race/Non-Hisp.	68	14,748	15	29.1	13.0-45.2	53	70.9	54.8-87.0
18-24	128	42,254	19	12.4	05.9-18.9	109	87.6	81.1-94.1
25-34	204	57,906	35	16.3	10.4-22.2	169	83.7	77.8-89.6
35-44	213	55,866	24	16.6	09.3-23.9	189	83.4	76.1-90.7
45-54	329	62,517	54	16.3	11.0-21.6	275	83.7	78.4-89.0
55-64	371	50,975	28	9.1	05.4-12.8	343	90.9	87.2-94.6
65+	558	57,854	12	3.3	00.6-06.0	546	96.7	94.0-99.4
Less Than H.S.	121	47,491	22	18.9	10.9-26.9	99	81.1	73.1-89.1
H.S. or G.E.D.	550	112,516	76	14.9	11.0-18.8	474	85.1	81.2-89.0
Some Post-H.S.	466	88,423	48	11.7	07.4-16.0	418	88.3	84.0-92.6
College Graduate	678	80,612	27	5.7	03.2-08.2	651	94.3	91.8-96.8
Less than \$15,000	162	31,131	36	28.4	18.8-38.0	126	71.6	62.0-81.2
\$15,000- 24,999	154	29,544	32	24.2	14.8-33.6	122	75.8	66.4-85.2
\$25,000- 34,999	134	24,566	17	16.8	06.2-27.4	117	83.2	72.6-93.8
\$35,000- 49,999	271	48,773	32	15.7	09.6-21.8	239	84.3	78.2-90.4
\$50,000- 74,999	293	47,982	19	6.2	03.1-09.3	274	93.8	90.7-96.9
\$75,000+	546	93,879	19	5.8	02.5-09.1	527	94.2	90.9-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2954	362,187	321	12.9	11.1-14.7	2633	87.1	85.3-88.9
White/Non-Hisp	2257	253,064	224	12.1	10.1-14.1	2033	87.9	85.9-89.9
Black or Afr. Am./Non-Hisp	468	71,970	63	14.6	10.5-18.7	405	85.4	81.3-89.5
Oth. Race/Non-Hisp.	72	7,652	7	7.4	01.3-13.5	65	92.6	86.5-98.7
Hispanic	87	22,872	14	17.8	07.0-28.6	73	82.2	71.4-93.0
18-24	113	41,553	17	12.2	05.7-18.7	96	87.8	81.3-94.3
25-34	303	58,196	48	19.8	13.3-26.3	255	80.2	73.7-86.7
35-44	357	59,787	55	16.0	11.3-20.7	302	84.0	79.3-88.7
45-54	496	65,860	81	15.4	11.5-19.3	415	84.6	80.7-88.5
55-64	657	56,709	80	12.3	09.2-15.4	577	87.7	84.6-90.8
65+	987	75,458	33	3.3	01.9-04.7	954	96.7	95.3-98.1
Less Than H.S.	175	45,878	30	20.1	12.3-27.9	145	79.9	72.1-87.7
H.S. or G.E.D.	909	109,753	109	13.5	10.4-16.6	800	86.5	83.4-89.6
Some Post-H.S.	877	112,193	116	15.3	11.8-18.8	761	84.7	81.2-88.2
College Graduate	984	93,925	65	5.9	04.1-07.7	919	94.1	92.3-95.9
Less than \$15,000	360	41,824	78	24.4	17.7-31.1	282	75.6	68.9-82.3
\$15,000- 24,999	369	46,569	71	21.3	15.2-27.4	298	78.7	72.6-84.8
\$25,000- 34,999	256	28,243	38	19.3	12.2-26.4	218	80.7	73.6-87.8
\$35,000- 49,999	349	41,353	35	12.6	07.9-17.3	314	87.4	82.7-92.1
\$50,000- 74,999	418	50,748	30	9.6	05.5-13.7	388	90.4	86.3-94.5
\$75,000+	680	90,081	21	3.4	01.6-05.2	659	96.6	94.8-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4743	686,748	3922	79.0	77.2-80.8	436	12.1	10.5-13.7	199	4.3	03.5-05.1	167	4.1	03.3-04.9	19	0.4	00.0-00.8
Male	1810	327,422	1450	75.2	72.3-78.1	193	15.0	12.3-17.7	78	3.9	02.9-04.9	80	5.3	03.7-06.9	9	0.7	00.1-01.3
Female	2933	359,327	2472	82.6	80.6-84.6	243	9.5	07.9-11.1	121	4.7	03.7-05.7	87	3.0	02.2-03.8	10	0.2	00.0-00.4
White/Non-Hisp	3667	476,592	3018	78.4	76.4-80.4	341	12.1	10.3-13.9	153	4.8	03.8-05.8	139	4.4	03.4-05.4	16	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	680	131,571	597	84.2	80.1-88.3	51	11.3	07.4-15.2	23	2.5	01.3-03.7	8	1.8	00.0-03.6	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	138	21,616	105	73.1	63.1-83.1	14	13.2	05.0-21.4	13	10.3	04.0-16.6	5	2.8	00.0-05.7	1	0.6	00.0-01.8
MultiRacial/Non-Hisp.	78	8,999	59	74.4	62.6-86.2	9	12.9	03.5-22.3	5	7.1	00.0-14.2	5	5.7	00.6-10.8			
Hispanic	134	43,980	106	73.9	63.5-84.3	16	14.0	05.6-22.4	3	1.9	00.0-04.3	8	8.1	02.0-14.2	1	2.1	00.0-06.2
18-24	235	81,786	162	72.5	65.2-79.8	43	18.2	11.5-24.9	17	4.4	01.9-06.9	12	4.6	01.5-07.7	1	0.2	00.0-00.6
25-34	503	115,528	369	71.7	66.4-77.0	72	15.9	11.4-20.4	32	5.5	03.3-07.7	24	5.3	02.8-07.8	6	1.5	00.0-03.3
35-44	565	114,322	407	73.7	69.2-78.2	95	16.3	12.6-20.0	39	6.5	04.1-08.9	21	3.2	01.6-04.8	3	0.4	00.0-00.8
45-54	822	128,102	637	75.1	70.8-79.4	94	14.1	10.2-18.0	45	5.3	03.3-07.3	45	5.5	03.3-07.7	1	0.0	00.0-00.0
55-64	1023	107,193	880	86.3	83.6-89.0	62	6.3	04.3-08.3	43	3.4	02.2-04.6	35	3.9	02.3-05.5	3	0.1	00.0-00.3
65+	1537	132,241	1424	92.5	90.7-94.3	62	4.3	02.7-05.9	22	1.3	00.7-01.9	25	1.7	00.9-02.5	4	0.2	00.0-00.4
Less Than H.S.	292	92,512	241	76.7	70.2-83.2	25	12.3	07.0-17.6	9	3.0	00.8-05.2	15	6.9	03.0-10.8	2	1.1	00.0-03.1
H.S. or G.E.D.	1451	220,306	1208	78.6	75.3-81.9	127	12.5	09.6-15.4	56	4.8	03.2-06.4	53	3.6	02.4-04.8	7	0.5	00.1-00.9
Some Post-H.S.	1331	198,544	1114	81.2	78.1-84.3	115	11.1	08.4-13.8	50	3.9	02.7-05.1	47	3.6	02.4-04.8	5	0.3	00.0-00.7
College Graduate	1655	173,660	1348	78.7	76.0-81.4	168	12.8	10.4-15.2	83	4.9	03.7-06.1	51	3.5	02.3-04.7	5	0.2	00.0-00.4
Less than \$15,000	516	72,225	421	78.8	73.7-83.9	50	12.5	08.0-17.0	18	3.2	01.4-05.0	23	4.7	02.3-07.1	4	0.7	00.0-01.5
\$15,000- 24,999	519	75,377	425	76.8	71.1-82.5	44	12.2	07.7-16.7	25	5.6	02.7-08.5	24	5.3	02.2-08.4	1	0.1	00.0-00.3
\$25,000- 34,999	387	52,378	312	74.5	67.4-81.6	26	11.5	05.4-17.6	25	5.8	02.7-08.9	22	7.8	03.9-11.7	2	0.3	00.0-00.9
\$35,000- 49,999	617	89,426	523	80.3	74.8-85.8	55	14.3	08.8-19.8	26	3.7	01.9-05.5	11	1.4	00.4-02.4	2	0.2	00.0-00.6
\$50,000- 74,999	708	98,298	577	77.3	72.6-82.0	71	14.1	09.8-18.4	26	3.9	02.1-05.7	33	4.7	02.7-06.7	1	0.1	00.0-00.3
\$75,000+	1226	183,872	1024	81.1	78.0-84.2	123	11.3	08.8-13.8	48	4.5	02.9-06.1	31	3.1	01.7-04.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1810	327,422	1450	75.2	72.3-78.1	193	15.0	12.3-17.7	78	3.9	02.9-04.9	80	5.3	03.7-06.9	9	0.7	00.1-01.3
White/Non-Hisp	1425	225,115	1156	76.4	73.1-79.7	145	14.0	11.1-16.9	55	3.8	02.6-05.0	63	5.3	03.7-06.9	6	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	216	60,505	174	77.1	69.5-84.7	26	16.9	09.8-24.0	10	2.7	00.7-04.7	5	3.0	00.0-06.5	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	66	13,964	43	65.5	51.0-80.0	10	18.0	05.7-30.3	10	12.9	03.9-21.9	2	2.6	00.0-06.7	1	1.0	00.0-03.0
18-24	124	40,728	78	64.9	53.5-76.3	26	23.7	13.1-34.3	9	3.0	00.8-05.2	10	8.1	02.2-14.0	1	0.4	00.0-01.2
25-34	205	58,009	129	63.0	54.6-71.4	38	19.6	12.3-26.9	16	6.5	03.0-10.0	17	8.0	03.5-12.5	5	2.9	00.0-06.2
35-44	210	55,167	141	70.6	63.3-77.9	45	20.4	13.9-26.9	14	5.7	02.4-09.0	8	2.7	00.7-04.7	2	0.5	00.0-01.3
45-54	329	62,517	253	71.1	63.7-78.5	38	17.9	10.8-25.0	16	4.3	01.6-07.0	22	6.6	02.7-10.5			
55-64	369	50,666	319	88.3	84.6-92.0	21	5.2	02.7-07.7	17	3.0	01.4-04.6	11	3.3	00.9-05.7	1	0.1	00.0-00.3
65+	557	57,445	519	92.8	89.5-96.1	24	4.8	01.9-07.7	6	0.7	00.1-01.3	8	1.7	00.3-03.1			
Less Than H.S.	119	47,036	83	65.8	55.2-76.4	18	17.1	08.7-25.5	5	3.4	00.1-06.7	11	11.4	04.1-18.7	2	2.1	00.0-06.0
H.S. or G.E.D.	546	111,158	438	74.6	69.1-80.1	61	17.1	12.0-22.2	21	4.0	02.0-06.0	23	3.7	01.9-05.5	3	0.6	00.0-01.4
Some Post-H.S.	461	87,246	376	78.4	72.9-83.9	46	13.7	08.6-18.8	15	2.9	01.1-04.7	21	4.4	02.0-06.8	3	0.6	00.0-01.2
College Graduate	679	80,694	550	78.5	74.4-82.6	67	12.2	08.7-15.7	37	5.2	03.2-07.2	24	3.9	02.1-05.7	1	0.1	00.0-00.3
Less than \$15,000	161	30,775	117	71.3	62.3-80.3	23	18.1	09.9-26.3	9	4.0	01.1-06.9	11	6.1	02.2-10.0	1	0.6	00.0-01.8
\$15,000- 24,999	153	29,468	115	67.4	56.6-78.2	22	20.0	10.4-29.6	9	5.9	01.2-10.6	7	6.7	00.2-13.2			
\$25,000- 34,999	134	24,566	101	71.2	58.9-83.5	12	16.2	04.4-28.0	10	2.9	00.9-04.9	10	9.1	02.6-15.6	1	0.6	00.0-01.8
\$35,000- 49,999	268	48,074	219	73.8	64.6-83.0	30	20.7	11.5-29.9	9	2.8	00.6-05.0	9	2.3	00.5-04.1	1	0.4	00.0-01.2
\$50,000- 74,999	292	47,749	234	73.7	65.9-81.5	31	17.2	09.6-24.8	11	4.0	01.5-06.5	15	4.8	01.9-07.7	1	0.2	00.0-00.6
\$75,000+	547	93,925	459	81.2	76.7-85.7	51	11.0	07.3-14.7	22	4.1	01.9-06.3	15	3.7	01.3-06.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2933	359,327	2472	82.6	80.6-84.6	243	9.5	07.9-11.1	121	4.7	03.7-05.7	87	3.0	02.2-03.8	10	0.2	00.0-00.4
White/Non-Hisp	2242	251,476	1862	80.3	77.9-82.7	196	10.3	08.5-12.1	98	5.6	04.2-07.0	76	3.6	02.6-04.6	10	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	464	71,066	423	90.3	86.4-94.2	25	6.5	03.0-10.0	13	2.3	00.9-03.7	3	0.9	00.0-02.3			
Oth. Race/Non-Hisp.	72	7,652	62	87.0	78.2-95.8	4	4.4	00.0-08.9	3	5.5	00.0-12.2	3	3.0	00.0-07.1			
Hispanic	86	22,539	72	83.5	73.5-93.5	10	11.7	02.9-20.5	2	1.5	00.0-03.7	2	3.2	00.0-08.3			
18-24	111	41,059	84	80.1	71.5-88.7	17	12.8	05.4-20.2	8	5.9	01.2-10.6	2	1.2	00.0-02.8			
25-34	298	57,519	240	80.5	74.6-86.4	34	12.2	07.1-17.3	16	4.6	01.9-07.3	7	2.6	00.4-04.8	1	0.1	00.0-00.3
35-44	355	59,156	266	76.6	71.3-81.9	50	12.4	08.3-16.5	25	7.2	04.1-10.3	13	3.6	01.1-06.1	1	0.3	00.0-00.9
45-54	493	65,585	384	78.9	74.4-83.4	56	10.5	07.4-13.6	29	6.2	03.5-08.9	23	4.4	02.2-06.6	1	0.1	00.0-00.3
55-64	654	56,527	561	84.5	80.8-88.2	41	7.2	04.5-09.9	26	3.7	01.9-05.5	24	4.4	02.0-06.8	2	0.1	00.0-00.3
65+	980	74,795	905	92.2	90.2-94.2	38	3.9	02.5-05.3	16	1.8	00.8-02.8	17	1.8	00.8-02.8	4	0.3	00.0-00.7
Less Than H.S.	173	45,476	158	88.0	81.3-94.7	7	7.2	01.3-13.1	4	2.6	00.0-05.3	4	2.2	00.0-04.7			
H.S. or G.E.D.	905	109,148	770	82.7	79.2-86.2	66	7.8	05.4-10.2	35	5.7	03.3-08.1	30	3.5	01.7-05.3	4	0.3	00.0-00.7
Some Post-H.S.	870	111,298	738	83.3	80.0-86.6	69	9.1	06.6-11.6	35	4.6	02.8-06.4	26	2.9	01.5-04.3	2	0.1	00.0-00.3
College Graduate	976	92,966	798	78.9	75.2-82.6	101	13.3	10.0-16.6	46	4.6	03.0-06.2	27	3.0	01.6-04.4	4	0.2	00.0-00.4
Less than \$15,000	355	41,449	304	84.4	78.5-90.3	27	8.4	03.5-13.3	9	2.7	00.5-04.9	12	3.7	01.0-06.4	3	0.8	00.0-01.8
\$15,000- 24,999	366	45,909	310	82.8	77.3-88.3	22	7.3	03.6-11.0	16	5.5	02.0-09.0	17	4.4	01.5-07.3	1	0.1	00.0-00.3
\$25,000- 34,999	253	27,812	211	77.4	70.0-84.8	14	7.4	03.1-11.7	15	8.4	02.9-13.9	12	6.6	01.7-11.5	1	0.2	00.0-00.6
\$35,000- 49,999	349	41,353	304	87.8	83.5-92.1	25	7.0	03.7-10.3	17	4.8	02.3-07.3	2	0.3	00.0-00.9	1	0.1	00.0-00.3
\$50,000- 74,999	416	50,548	343	80.7	75.6-85.8	40	11.0	07.1-14.9	15	3.7	01.3-06.1	18	4.6	02.1-07.1			
\$75,000+	679	89,947	565	81.0	76.9-85.1	72	11.5	08.0-15.0	26	5.0	02.8-07.2	16	2.6	01.2-04.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	33
5	MALES ONLY	34
6	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4771	691,438	2034	34.8	33.0-36.6	31	0.8	00.4-01.2	2656	63.3	61.3-65.3	50	1.1	00.7-01.5
Male	1820	329,690	796	35.7	32.8-38.6	1	0.1	00.0-00.3	995	62.4	59.5-65.3	28	1.7	00.7-02.7
Female	2951	361,748	1238	34.0	31.6-36.4	30	1.5	00.7-02.3	1661	64.1	61.7-66.5	22	0.5	00.3-00.7
White/Non-Hisp	3685	478,917	1570	34.5	32.5-36.5	22	0.9	00.3-01.5	2054	63.4	61.2-65.6	39	1.2	00.6-01.8
Black or Afr. Am./Non-Hisp	684	132,393	347	43.4	38.3-48.5	6	0.6	00.0-01.2	327	55.6	50.5-60.7	4	0.4	00.0-01.0
Oth. Race/Non-Hisp.	140	22,400	36	21.9	13.1-30.7	1	0.3	00.0-00.9	102	77.3	68.5-86.1	1	0.6	00.0-01.8
MultiRacial/Non-Hisp.	80	9,532	23	35.3	22.0-48.6	1	0.2	00.0-00.6	54	63.6	50.3-76.9	2	1.0	00.0-02.4
Hispanic	134	44,102	35	17.8	10.5-25.1	1	0.8	00.0-02.4	95	79.8	72.2-87.4	3	1.6	00.0-03.6
18-24	239	82,977	25	7.9	04.0-11.8	2	0.5	00.0-01.3	212	91.6	87.5-95.7			
25-34	508	116,205	76	16.5	12.2-20.8	11	1.9	00.3-03.5	419	80.9	76.4-85.4	2	0.6	00.0-01.4
35-44	570	115,653	114	21.0	16.7-25.3	9	1.3	00.3-02.3	445	77.2	72.9-81.5	2	0.4	00.0-01.0
45-54	824	128,164	287	35.2	30.9-39.5	4	0.9	00.1-01.7	522	62.0	57.5-66.5	11	2.0	00.0-04.0
55-64	1028	107,684	514	50.9	46.8-55.0	3	0.2	00.0-00.4	501	47.5	43.4-51.6	10	1.4	00.2-02.6
65+	1545	133,330	985	64.8	61.7-67.9	2	0.1	00.0-00.3	534	33.4	30.3-36.5	24	1.7	00.9-02.5
Less Than H.S.	295	93,157	159	41.6	34.5-48.7	2	0.9	00.0-02.5	131	55.4	48.1-62.7	3	2.1	00.0-04.8
H.S. or G.E.D.	1458	222,069	694	36.5	33.2-39.8	6	0.5	00.0-01.1	746	62.2	58.9-65.5	12	0.7	00.1-01.3
Some Post-H.S.	1342	199,985	589	35.9	32.4-39.4	12	1.0	00.4-01.6	725	62.3	58.8-65.8	16	0.9	00.5-01.3
College Graduate	1662	174,501	588	27.9	25.4-30.4	11	1.0	00.2-01.8	1045	69.9	67.2-72.6	18	1.2	00.6-01.8
Less than \$15,000	522	72,955	266	42.6	36.5-48.7	1	0.2	00.0-00.6	251	56.7	50.4-63.0	4	0.4	00.0-00.8
\$15,000- 24,999	521	75,886	264	42.5	36.4-48.6	2	1.2	00.0-03.2	252	55.6	49.5-61.7	3	0.7	00.0-01.7
\$25,000- 34,999	390	52,809	176	40.4	33.3-47.5	2	0.5	00.0-01.3	205	55.8	48.5-63.1	7	3.3	00.0-07.8
\$35,000- 49,999	619	89,914	265	35.4	29.9-40.9	8	0.7	00.1-01.3	338	62.3	56.8-67.8	8	1.6	00.0-03.2
\$50,000- 74,999	711	98,730	274	30.2	25.9-34.5	6	1.2	00.0-02.4	425	68.0	63.7-72.3	6	0.6	00.0-01.2
\$75,000+	1227	184,005	434	30.1	26.8-33.4	7	0.8	00.2-01.4	772	68.2	64.9-71.5	14	0.9	00.3-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	329,690	796	35.7	32.8-38.6	1	0.1	00.0-00.3	995	62.4	59.5-65.3	28	1.7	00.7-02.7
White/Non-Hisp	1430	226,080	634	35.5	32.2-38.8	1	0.1	00.0-00.3	772	62.3	59.0-65.6	23	2.1	00.7-03.5
Black or Afr. Am./Non-Hisp	216	60,423	98	42.3	33.9-50.7				116	57.0	48.6-65.4	2	0.7	00.0-01.9
Oth. Race/Non-Hisp.	68	14,748	21	27.0	14.3-39.7				47	73.0	60.3-85.7			
18-24	127	41,623	15	8.4	02.9-13.9				112	91.6	86.1-97.1			
25-34	205	58,009	39	16.8	10.9-22.7				164	81.9	75.8-88.0	2	1.2	00.0-03.0
35-44	213	55,866	51	22.7	15.8-29.6				161	76.6	69.7-83.5	1	0.6	00.0-01.8
45-54	329	62,517	122	38.7	31.6-45.8	1	0.5	00.0-01.5	196	56.9	49.6-64.2	10	3.9	00.0-07.8
55-64	371	50,975	192	54.0	47.1-60.9				174	43.9	37.2-50.6	5	2.1	00.0-04.3
65+	559	57,900	367	66.5	61.2-71.8				182	31.6	26.3-36.9	10	1.9	00.5-03.3
Less Than H.S.	121	47,491	59	37.9	27.7-48.1				59	57.9	47.3-68.5	3	4.2	00.0-09.5
H.S. or G.E.D.	550	112,516	247	36.6	31.3-41.9				296	62.3	57.0-67.6	7	1.1	00.1-02.1
Some Post-H.S.	465	87,792	203	35.8	30.1-41.5				254	62.9	57.2-68.6	8	1.3	00.3-02.3
College Graduate	679	80,604	285	33.3	29.0-37.6	1	0.4	00.0-01.2	383	64.6	60.1-69.1	10	1.7	00.3-03.1
Less than \$15,000	162	31,131	79	44.0	33.8-54.2				82	55.8	45.6-66.0	1	0.2	00.0-00.6
\$15,000- 24,999	154	29,544	69	43.8	33.2-54.4				83	54.9	44.3-65.5	2	1.3	00.0-03.7
\$25,000- 34,999	134	24,566	70	47.1	34.6-59.6				61	47.1	34.6-59.6	3	5.8	00.0-15.0
\$35,000- 49,999	271	48,773	119	33.5	25.9-41.1				146	63.7	55.9-71.5	6	2.8	00.1-05.5
\$50,000- 74,999	293	47,982	124	33.8	27.1-40.5				166	65.5	58.8-72.2	3	0.6	00.0-01.4
\$75,000+	547	93,925	223	33.9	28.8-39.0	1	0.4	00.0-01.2	313	64.3	59.0-69.6	10	1.4	00.4-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2951	361,748	1238	34.0	31.6-36.4	30	1.5	00.7-02.3	1661	64.1	61.7-66.5	22	0.5	00.3-00.7
White/Non-Hisp	2255	252,837	936	33.6	31.1-36.1	21	1.6	00.6-02.6	1282	64.3	61.6-67.0	16	0.5	00.3-00.7
Black or Afr. Am./Non-Hisp	468	71,970	249	44.4	38.1-50.7	6	1.0	00.0-02.0	211	54.5	48.0-61.0	2	0.1	00.0-00.3
Oth. Race/Non-Hisp.	72	7,652	15	12.0	04.6-19.4	1	0.8	00.0-02.4	55	85.6	77.4-93.8	1	1.7	00.0-05.0
Hispanic	86	22,660	18	12.6	04.6-20.6	1	1.5	00.0-04.4	65	84.5	75.7-93.3	2	1.4	00.0-03.6
18-24	112	41,354	10	7.3	01.6-13.0	2	1.1	00.0-02.7	100	91.6	85.7-97.5			
25-34	303	58,196	37	16.2	09.9-22.5	11	3.9	00.8-07.0	255	79.9	73.2-86.6			
35-44	357	59,787	63	19.4	14.1-24.7	9	2.6	00.4-04.8	284	77.8	72.3-83.3	1	0.2	00.0-00.6
45-54	495	65,648	165	31.8	26.7-36.9	3	1.2	00.0-02.6	326	66.9	61.6-72.2	1	0.1	00.0-00.3
55-64	657	56,709	322	48.2	43.3-53.1	3	0.3	00.0-00.7	327	50.8	45.9-55.7	5	0.7	00.1-01.3
65+	986	75,430	618	63.5	59.6-67.4	2	0.2	00.0-00.4	352	34.8	30.9-38.7	14	1.5	00.5-02.5
Less Than H.S.	174	45,666	100	45.5	35.9-55.1	2	1.7	00.0-04.8	72	52.8	43.0-62.6			
H.S. or G.E.D.	908	109,553	447	36.5	32.4-40.6	6	1.1	00.1-02.1	450	62.1	58.0-66.2	5	0.4	00.0-00.8
Some Post-H.S.	877	112,193	386	35.9	31.4-40.4	12	1.7	00.5-02.9	471	61.8	57.3-66.3	8	0.6	00.2-01.0
College Graduate	983	93,898	303	23.2	20.1-26.3	10	1.5	00.3-02.7	662	74.5	71.2-77.8	8	0.7	00.1-01.3
Less than \$15,000	360	41,824	187	41.6	34.0-49.2	1	0.4	00.0-01.2	169	57.4	49.8-65.0	3	0.5	00.0-01.1
\$15,000- 24,999	367	46,342	195	41.6	34.3-48.9	2	2.0	00.0-05.1	169	56.0	48.7-63.3	1	0.3	00.0-00.9
\$25,000- 34,999	256	28,243	106	34.5	27.1-41.9	2	1.0	00.0-02.6	144	63.4	56.0-70.8	4	1.1	00.0-02.5
\$35,000- 49,999	348	41,141	146	37.7	30.1-45.3	8	1.5	00.3-02.7	192	60.6	53.0-68.2	2	0.2	00.0-00.4
\$50,000- 74,999	418	50,748	150	26.8	21.5-32.1	6	2.3	00.0-04.7	259	70.4	64.9-75.9	3	0.6	00.0-01.2
\$75,000+	680	90,081	211	26.1	22.2-30.0	6	1.2	00.0-02.4	459	72.3	68.2-76.4	4	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 4: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2034	240,757	1710	78.1	75.2-81.0	324	21.9	19.0-24.8
Male	796	117,800	632	73.2	68.7-77.7	164	26.8	22.3-31.3
Female	1238	122,958	1078	82.8	79.3-86.3	160	17.2	13.7-20.7
White/Non-Hisp	1570	165,111	1343	80.6	77.5-83.7	227	19.4	16.3-22.5
Black or Afr. Am./Non-Hisp	347	57,488	284	74.7	67.4-82.0	63	25.3	18.0-32.6
25-34	76	19,179	26	32.7	19.6-45.8	50	67.3	54.2-80.4
35-44	114	24,335	69	62.5	51.5-73.5	45	37.5	26.5-48.5
45-54	287	45,076	209	70.5	63.1-77.9	78	29.5	22.1-36.9
55-64	514	54,842	446	87.7	84.2-91.2	68	12.3	08.8-15.8
65+	985	86,390	928	95.2	93.6-96.8	57	4.8	03.2-06.4
Less Than H.S.	159	38,764	138	81.2	72.6-89.8	21	18.8	10.2-27.4
H.S. or G.E.D.	694	81,164	593	78.3	73.6-83.0	101	21.7	17.0-26.4
Some Post-H.S.	589	71,753	499	76.8	71.1-82.5	90	23.2	17.5-28.9
College Graduate	588	48,661	477	77.2	72.5-81.9	111	22.8	18.1-27.5
Less than \$15,000	266	31,098	230	83.2	76.3-90.1	36	16.8	09.9-23.7
\$15,000- 24,999	264	32,247	225	76.5	68.3-84.7	39	23.5	15.3-31.7
\$25,000- 34,999	176	21,312	148	76.4	66.2-86.6	28	23.6	13.4-33.8
\$35,000- 49,999	265	31,860	219	77.8	69.2-86.4	46	22.2	13.6-30.8
\$50,000- 74,999	274	29,817	229	78.8	71.9-85.7	45	21.2	14.3-28.1
\$75,000+	434	55,320	349	76.3	70.6-82.0	85	23.7	18.0-29.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 4: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	796	117,800	632	73.2	68.9-77.5	164	26.8	22.5-31.1
White/Non-Hisp	634	80,215	516	76.7	72.0-81.4	118	23.3	18.6-28.0
Black or Afr. Am./Non-Hisp	98	25,554	74	68.6	56.3-80.9	24	31.4	19.1-43.7
35-44	51	12,707	28	58.3	41.8-74.8	23	41.7	25.2-58.2
45-54	122	24,200	83	64.4	52.6-76.2	39	35.6	23.8-47.4
55-64	192	27,529	159	85.0	79.3-90.7	33	15.0	09.3-20.7
65+	367	38,498	342	94.6	91.9-97.3	25	5.4	02.7-08.1
Less Than H.S.	59	17,996	47	73.8	58.9-88.7	12	26.2	11.3-41.1
H.S. or G.E.D.	247	41,223	192	69.0	60.8-77.2	55	31.0	22.8-39.2
Some Post-H.S.	203	31,452	165	76.3	68.7-83.9	38	23.7	16.1-31.3
College Graduate	285	26,836	226	75.5	68.6-82.4	59	24.5	17.6-31.4
Less than \$15,000	79	13,695	67	79.2	66.3-92.1	12	20.8	07.9-33.7
\$15,000- 24,999	69	12,946	51	66.2	51.7-80.7	18	33.8	19.3-48.3
\$25,000- 34,999	70	11,569	51	64.7	47.8-81.6	19	35.3	18.4-52.2
\$35,000- 49,999	119	16,356	93	71.8	59.6-84.0	26	28.2	16.0-40.4
\$50,000- 74,999	124	16,230	97	74.8	64.6-85.0	27	25.2	15.0-35.4
\$75,000+	223	31,816	177	75.3	67.3-83.3	46	24.7	16.7-32.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 4: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1238	122,958	1078	82.8	79.3-86.3	160	17.2	13.7-20.7
White/Non-Hisp	936	84,896	827	84.3	80.4-88.2	109	15.7	11.8-19.6
Black or Afr. Am./Non-Hisp	249	31,933	210	79.6	71.4-87.8	39	20.4	12.2-28.6
35-44	63	11,628	41	67.1	52.6-81.6	22	32.9	18.4-47.4
45-54	165	20,876	126	77.5	69.7-85.3	39	22.5	14.7-30.3
55-64	322	27,313	287	90.5	86.8-94.2	35	9.5	05.8-13.2
65+	618	47,892	586	95.6	93.6-97.6	32	4.4	02.4-06.4
Less Than H.S.	100	20,768	91	87.6	78.4-96.8	9	12.4	03.2-21.6
H.S. or G.E.D.	447	39,941	401	87.9	83.8-92.0	46	12.1	08.0-16.2
Some Post-H.S.	386	40,302	334	77.3	69.3-85.3	52	22.7	14.7-30.7
College Graduate	303	21,826	251	79.3	73.2-85.4	52	20.7	14.6-26.8
Less than \$15,000	187	17,403	163	86.4	80.1-92.7	24	13.6	07.3-19.9
\$15,000- 24,999	195	19,301	174	83.4	73.8-93.0	21	16.6	07.0-26.2
\$25,000- 34,999	106	9,743	97	90.2	83.3-97.1	9	9.8	02.9-16.7
\$35,000- 49,999	146	15,504	126	84.2	72.2-96.2	20	15.8	03.8-27.8
\$50,000- 74,999	150	13,586	132	83.6	75.0-92.2	18	16.4	07.8-25.0
\$75,000+	211	23,504	172	77.6	70.2-85.0	39	22.4	15.0-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4696	675,253	4248	83.7	81.7-85.7	448	16.3	14.3-18.3
Male	1792	322,474	1601	82.8	80.1-85.5	191	17.2	14.5-19.9
Female	2904	352,779	2647	84.5	82.0-87.0	257	15.5	13.0-18.0
White/Non-Hisp	3639	468,712	3348	85.6	83.4-87.8	291	14.4	12.2-16.6
Black or Afr. Am./Non-Hisp	663	127,906	582	81.8	77.1-86.5	81	18.2	13.5-22.9
Oth. Race/Non-Hisp.	138	22,282	108	75.6	65.4-85.8	30	24.4	14.2-34.6
MultiRacial/Non-Hisp.	78	8,928	63	80.8	69.8-91.8	15	19.2	08.2-30.2
Hispanic	130	43,331	102	72.3	61.5-83.1	28	27.7	16.9-38.5
18-24	223	77,480	106	40.5	32.1-48.9	117	59.5	51.1-67.9
25-34	483	110,909	356	73.1	67.8-78.4	127	26.9	21.6-32.2
35-44	556	112,393	480	85.3	81.6-89.0	76	14.7	11.0-18.4
45-54	823	127,412	765	93.2	91.0-95.4	58	6.8	04.6-09.0
55-64	1018	106,725	984	95.1	92.6-97.6	34	4.9	02.4-07.4
65+	1535	132,804	1503	97.9	96.9-98.9	32	2.1	01.1-03.1
Less Than H.S.	289	90,568	247	76.1	68.8-83.4	42	23.9	16.6-31.2
H.S. or G.E.D.	1431	217,102	1272	82.0	78.7-85.3	159	18.0	14.7-21.3
Some Post-H.S.	1322	194,866	1178	83.8	80.5-87.1	144	16.2	12.9-19.5
College Graduate	1641	171,106	1540	90.0	87.5-92.5	101	10.0	07.5-12.5
Less than \$15,000	508	71,171	449	79.7	73.2-86.2	59	20.3	13.8-26.8
\$15,000- 24,999	505	72,729	441	78.0	71.9-84.1	64	22.0	15.9-28.1
\$25,000- 34,999	382	51,811	335	82.0	75.7-88.3	47	18.0	11.7-24.3
\$35,000- 49,999	611	87,811	570	86.9	81.2-92.6	41	13.1	07.4-18.8
\$50,000- 74,999	700	95,654	623	83.6	78.9-88.3	77	16.4	11.7-21.1
\$75,000+	1216	179,973	1144	91.7	89.3-94.1	72	8.3	05.9-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1792	322,474	1601	82.8	80.1-85.5	191	17.2	14.5-19.9
White/Non-Hisp	1409	220,960	1282	84.5	81.4-87.6	127	15.5	12.4-18.6
Black or Afr. Am./Non-Hisp	211	58,783	180	83.2	76.5-89.9	31	16.8	10.1-23.5
Oth. Race/Non-Hisp.	68	14,748	53	73.2	58.9-87.5	15	26.8	12.5-41.1
18-24	120	39,429	54	41.3	29.7-52.9	66	58.7	47.1-70.3
25-34	194	55,080	144	73.1	65.1-81.1	50	26.9	18.9-34.9
35-44	208	54,284	185	86.5	80.6-92.4	23	13.5	07.6-19.4
45-54	329	62,517	302	92.3	89.0-95.6	27	7.7	04.4-11.0
55-64	367	50,470	353	93.5	88.6-98.4	14	6.5	01.6-11.4
65+	558	57,851	549	97.9	96.3-99.5	9	2.1	00.5-03.7
Less Than H.S.	119	46,479	100	78.4	68.6-88.2	19	21.6	11.8-31.4
H.S. or G.E.D.	543	110,841	466	79.8	74.9-84.7	77	20.2	15.3-25.1
Some Post-H.S.	454	84,418	396	81.7	75.8-87.6	58	18.3	12.4-24.2
College Graduate	672	79,564	637	91.7	88.4-95.0	35	8.3	05.0-11.6
Less than \$15,000	160	30,872	134	79.9	71.3-88.5	26	20.1	11.5-28.7
\$15,000- 24,999	150	28,957	128	79.1	69.5-88.7	22	20.9	11.3-30.5
\$25,000- 34,999	132	24,325	115	79.3	68.1-90.5	17	20.7	09.5-31.9
\$35,000- 49,999	266	47,106	244	85.5	77.5-93.5	22	14.5	06.5-22.5
\$50,000- 74,999	285	45,934	255	85.8	80.1-91.5	30	14.2	08.5-19.9
\$75,000+	542	91,704	510	91.2	87.5-94.9	32	8.8	05.1-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2904	352,779	2647	84.5	82.0-87.0	257	15.5	13.0-18.0
White/Non-Hisp	2230	247,752	2066	86.6	83.9-89.3	164	13.4	10.7-16.1
Black or Afr. Am./Non-Hisp	452	69,123	402	80.7	74.0-87.4	50	19.3	12.6-26.0
Oth. Race/Non-Hisp.	70	7,534	55	80.4	69.6-91.2	15	19.6	08.8-30.4
Hispanic	83	22,135	66	74.3	60.6-88.0	17	25.7	12.0-39.4
18-24	103	38,051	52	39.8	27.5-52.1	51	60.2	47.9-72.5
25-34	289	55,829	212	73.0	66.1-79.9	77	27.0	20.1-33.9
35-44	348	58,109	295	84.2	79.3-89.1	53	15.8	10.9-20.7
45-54	494	64,895	463	94.0	91.3-96.7	31	6.0	03.3-08.7
55-64	651	56,255	631	96.5	94.3-98.7	20	3.5	01.3-05.7
65+	977	74,953	954	97.9	96.7-99.1	23	2.1	00.9-03.3
Less Than H.S.	170	44,089	147	73.7	62.9-84.5	23	26.3	15.5-37.1
H.S. or G.E.D.	888	106,261	806	84.3	79.6-89.0	82	15.7	11.0-20.4
Some Post-H.S.	868	110,448	782	85.4	81.5-89.3	86	14.6	10.7-18.5
College Graduate	969	91,543	903	88.6	84.7-92.5	66	11.4	07.5-15.3
Less than \$15,000	348	40,299	315	79.5	70.3-88.7	33	20.5	11.3-29.7
\$15,000- 24,999	355	43,773	313	77.3	69.5-85.1	42	22.7	14.9-30.5
\$25,000- 34,999	250	27,486	220	84.5	77.8-91.2	30	15.5	08.8-22.2
\$35,000- 49,999	345	40,704	326	88.6	80.4-96.8	19	11.4	03.2-19.6
\$50,000- 74,999	415	49,719	368	81.7	74.6-88.8	47	18.3	11.2-25.4
\$75,000+	674	88,269	634	92.2	89.5-94.9	40	7.8	05.1-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4206	560,221	3374	76.0	74.0-78.0	473	13.6	12.0-15.2	244	7.6	06.4-08.8	115	2.8	02.0-03.6
Male	1591	265,542	1271	74.8	71.5-78.1	177	14.1	11.6-16.6	97	7.6	05.6-09.6	46	3.5	01.9-05.1
Female	2615	294,679	2103	77.1	74.7-79.5	296	13.1	11.3-14.9	147	7.5	06.1-08.9	69	2.3	01.7-02.9
White/Non-Hisp	3314	397,793	2644	75.4	73.2-77.6	372	13.3	11.5-15.1	196	8.2	06.8-09.6	102	3.1	02.1-04.1
Black or Afr. Am./Non-Hisp	577	103,947	484	79.5	74.6-84.4	65	15.0	10.5-19.5	26	4.9	02.5-07.3	2	0.7	00.0-01.9
Oth. Race/Non-Hisp.	107	16,806	80	70.9	57.4-84.4	10	11.7	03.3-20.1	12	7.5	02.6-12.4	5	9.9	00.0-22.8
MultiRacial/Non-Hisp.	62	6,834	47	74.7	62.2-87.2	9	15.5	05.3-25.7	4	6.2	00.0-13.5	2	3.6	00.0-08.5
Hispanic	101	31,110	81	73.7	61.4-86.0	11	13.1	04.5-21.7	6	10.3	00.3-20.3	3	2.9	00.0-06.6
18-24	104	30,765	65	68.0	57.0-79.0	18	17.1	08.3-25.9	19	13.5	06.6-20.4	2	1.4	00.0-03.6
25-34	354	80,633	234	67.2	60.7-73.7	65	17.9	12.6-23.2	38	10.0	06.3-13.7	17	4.9	01.4-08.4
35-44	474	95,045	281	61.2	55.7-66.7	113	22.6	17.9-27.3	65	12.8	09.5-16.1	15	3.5	00.8-06.2
45-54	762	118,465	572	73.3	68.8-77.8	107	15.6	11.9-19.3	54	8.0	04.9-11.1	29	3.1	01.5-04.7
55-64	976	100,508	827	83.4	80.3-86.5	84	9.0	06.5-11.5	41	5.3	03.3-07.3	24	2.3	01.1-03.5
65+	1483	128,462	1352	90.7	88.3-93.1	81	5.3	03.7-06.9	26	2.5	00.9-04.1	24	1.6	00.8-02.4
Less Than H.S.	247	68,926	214	82.6	76.1-89.1	16	9.7	04.4-15.0	12	6.0	02.1-09.9	5	1.7	00.1-03.3
H.S. or G.E.D.	1255	175,591	1032	75.3	71.4-79.2	130	14.2	11.1-17.3	64	7.3	04.9-09.7	29	3.2	01.2-05.2
Some Post-H.S.	1167	162,225	946	76.0	72.5-79.5	125	13.9	11.0-16.8	66	7.7	05.5-09.9	30	2.4	01.2-03.6
College Graduate	1526	152,809	1174	73.9	71.0-76.8	201	14.4	12.0-16.8	100	8.3	06.5-10.1	51	3.4	02.2-04.6
Less than \$15,000	443	56,290	364	80.3	75.4-85.2	38	9.1	05.6-12.6	29	8.7	05.2-12.2	12	1.9	00.5-03.3
\$15,000- 24,999	436	56,370	368	81.4	75.5-87.3	37	11.8	06.5-17.1	16	4.4	01.9-06.9	15	2.5	00.7-04.3
\$25,000- 34,999	330	41,733	265	75.2	67.2-83.2	35	12.3	06.0-18.6	17	6.2	02.3-10.1	13	6.4	00.7-12.1
\$35,000- 49,999	566	76,128	457	76.9	71.4-82.4	64	12.6	08.3-16.9	36	7.2	04.5-09.9	9	3.4	00.1-06.7
\$50,000- 74,999	619	79,616	489	70.5	65.0-76.0	80	16.0	12.1-19.9	35	10.0	05.3-14.7	15	3.6	01.2-06.0
\$75,000+	1139	164,264	884	74.1	70.6-77.6	149	15.8	12.7-18.9	77	8.1	06.1-10.1	29	2.0	01.2-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			>= 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1591	265,542	1271	74.8	71.5-78.1	177	14.1	11.6-16.6	97	7.6	05.6-09.6	46	3.5	01.9-05.1
White/Non-Hisp	1275	185,941	1021	75.0	71.5-78.5	143	14.4	11.5-17.3	71	7.2	05.2-09.2	40	3.3	01.7-04.9
Black or Afr. Am./Non-Hisp	178	48,501	140	75.3	66.7-83.9	20	15.7	08.1-23.3	17	7.8	03.1-12.5	1	1.3	00.0-03.8
Oth. Race/Non-Hisp.	53	10,789	41	70.1	51.1-89.1	4	8.2	00.0-17.2	6	8.0	01.3-14.7	2	13.6	00.0-32.8
18-24	52	15,639	30	65.2	48.9-81.5	10	18.6	05.7-31.5	10	13.5	03.7-23.3	2	2.7	00.0-06.8
25-34	144	40,259	93	64.1	54.1-74.1	27	18.2	10.4-26.0	17	11.9	06.0-17.8	7	5.8	00.0-12.1
35-44	184	46,812	100	57.5	48.7-66.3	47	25.5	17.7-33.3	29	11.6	06.9-16.3	8	5.4	00.1-10.7
45-54	302	57,728	233	73.6	66.0-81.2	39	15.9	09.6-22.2	19	7.2	01.9-12.5	11	3.3	00.8-05.8
55-64	351	47,025	308	87.8	83.3-92.3	22	6.2	02.7-09.7	13	4.1	01.6-06.6	8	2.0	00.2-03.8
65+	544	56,086	497	89.5	85.0-94.0	30	5.5	02.6-08.4	8	3.0	00.0-06.3	9	1.9	00.3-03.5
Less Than H.S.	100	36,447	79	77.4	67.2-87.6	10	11.9	03.5-20.3	7	8.2	01.5-14.9	4	2.5	00.0-05.2
H.S. or G.E.D.	461	87,344	370	72.2	65.7-78.7	51	15.1	10.0-20.2	28	8.4	04.3-12.5	12	4.4	00.5-08.3
Some Post-H.S.	395	68,877	320	74.4	68.5-80.3	45	16.4	11.3-21.5	23	6.5	03.4-09.6	7	2.7	00.3-05.1
College Graduate	633	72,641	501	76.9	72.6-81.2	70	12.0	08.7-15.3	39	7.5	04.8-10.2	23	3.6	01.8-05.4
Less than \$15,000	131	24,472	106	79.8	71.2-88.4	10	8.7	02.2-15.2	11	9.2	03.3-15.1	4	2.4	00.0-04.9
\$15,000- 24,999	128	22,913	103	79.2	68.2-90.2	15	13.5	03.3-23.7	8	5.7	00.8-10.6	2	1.6	00.0-04.3
\$25,000- 34,999	114	19,068	91	73.3	58.6-88.0	12	13.6	01.6-25.6	6	3.2	00.0-06.5	5	9.9	00.0-21.7
\$35,000- 49,999	244	40,269	193	73.2	64.6-81.8	28	13.8	07.3-20.3	14	6.6	02.7-10.5	9	6.3	00.0-12.6
\$50,000- 74,999	254	39,233	201	67.4	58.4-76.4	30	16.3	09.8-22.8	16	12.6	04.6-20.6	7	3.8	00.1-07.5
\$75,000+	509	83,548	402	74.5	69.2-79.8	65	17.6	12.7-22.5	30	6.5	03.8-09.2	12	1.4	00.6-02.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2615	294,679	2103	77.1	74.7-79.5	296	13.1	11.3-14.9	147	7.5	06.1-08.9	69	2.3	01.7-02.9
White/Non-Hisp	2039	211,852	1623	75.7	73.2-78.2	229	12.4	10.4-14.4	125	9.0	07.2-10.8	62	2.9	01.9-03.9
Black or Afr. Am./Non-Hisp	399	55,445	344	83.2	77.9-88.5	45	14.4	09.3-19.5	9	2.3	00.5-04.1	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	54	6,017	39	72.4	55.7-89.1	6	17.9	01.6-34.2	6	6.6	00.5-12.7	3	3.1	00.0-06.6
Hispanic	65	16,247	53	77.2	63.1-91.3	8	15.9	03.6-28.2	3	6.3	00.0-14.1	1	0.6	00.0-01.8
18-24	52	15,126	35	70.9	56.4-85.4	8	15.6	03.8-27.4	9	13.4	04.2-22.6			
25-34	210	40,374	141	70.3	62.3-78.3	38	17.6	10.5-24.7	21	8.1	03.8-12.4	10	3.9	01.0-06.8
35-44	290	48,233	181	64.7	58.0-71.4	66	19.8	14.5-25.1	36	13.9	09.0-18.8	7	1.6	00.2-03.0
45-54	460	60,737	339	73.1	68.0-78.2	68	15.3	11.2-19.4	35	8.7	05.4-12.0	18	2.9	01.3-04.5
55-64	625	53,484	519	79.5	75.0-84.0	62	11.5	08.0-15.0	28	6.4	03.5-09.3	16	2.6	01.0-04.2
65+	939	72,376	855	91.5	89.5-93.5	51	5.1	03.5-06.7	18	2.0	01.0-03.0	15	1.4	00.6-02.2
Less Than H.S.	147	32,479	135	88.4	81.3-95.5	6	7.3	01.0-13.6	5	3.6	00.1-07.1	1	0.8	00.0-02.4
H.S. or G.E.D.	794	88,247	662	78.3	74.0-82.6	79	13.3	09.8-16.8	36	6.3	03.8-08.8	17	2.1	00.7-03.5
Some Post-H.S.	772	93,348	626	77.1	73.0-81.2	80	12.0	08.7-15.3	43	8.6	05.7-11.5	23	2.2	01.2-03.2
College Graduate	893	80,167	673	71.1	67.4-74.8	131	16.6	13.5-19.7	61	9.0	06.5-11.5	28	3.3	01.9-04.7
Less than \$15,000	312	31,817	258	80.7	75.0-86.4	28	9.5	05.4-13.6	18	8.4	04.1-12.7	8	1.5	00.3-02.7
\$15,000- 24,999	308	33,458	265	82.8	76.7-88.9	22	10.6	05.1-16.1	8	3.5	00.6-06.4	13	3.1	00.9-05.3
\$25,000- 34,999	216	22,665	174	76.8	69.0-84.6	23	11.1	06.0-16.2	11	8.7	02.2-15.2	8	3.4	00.7-06.1
\$35,000- 49,999	322	35,859	264	80.9	74.6-87.2	36	11.2	05.7-16.7	22	7.8	04.1-11.5			
\$50,000- 74,999	365	40,383	288	73.5	67.2-79.8	50	15.7	11.0-20.4	19	7.5	03.2-11.8	8	3.3	00.6-06.0
\$75,000+	630	80,716	482	73.6	69.1-78.1	84	14.0	10.7-17.3	47	9.8	06.7-12.9	17	2.6	01.2-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4231	563,433	1909	40.6	38.4-42.8	2322	59.4	57.2-61.6
Male	1594	266,381	755	43.1	39.8-46.4	839	56.9	53.6-60.2
Female	2637	297,053	1154	38.3	35.8-40.8	1483	61.7	59.2-64.2
White/Non-Hisp	3334	399,872	1579	42.6	40.2-45.0	1755	57.4	55.0-59.8
Black or Afr. Am./Non-Hisp	581	104,630	227	37.2	31.9-42.5	354	62.8	57.5-68.1
Oth. Race/Non-Hisp.	107	16,739	36	34.1	20.6-47.6	71	65.9	52.4-79.4
MultiRacial/Non-Hisp.	63	7,217	19	26.2	13.5-38.9	44	73.8	61.1-86.5
Hispanic	102	31,313	33	32.7	19.8-45.6	69	67.3	54.4-80.2
18-24	106	31,411	12	10.7	03.1-18.3	94	89.3	81.7-96.9
25-34	355	80,750	68	20.2	14.5-25.9	287	79.8	74.1-85.5
35-44	477	95,585	126	27.0	21.9-32.1	351	73.0	67.9-78.1
45-54	762	118,531	298	41.7	37.0-46.4	464	58.3	53.6-63.0
55-64	979	101,008	521	55.0	50.9-59.1	458	45.0	40.9-49.1
65+	1499	129,833	862	58.5	55.2-61.8	637	41.5	38.2-44.8
Less Than H.S.	247	68,926	141	51.7	43.7-59.7	106	48.3	40.3-56.3
H.S. or G.E.D.	1269	177,652	603	41.4	37.7-45.1	666	58.6	54.9-62.3
Some Post-H.S.	1173	162,889	532	39.5	35.8-43.2	641	60.5	56.8-64.2
College Graduate	1531	153,296	627	35.8	32.9-38.7	904	64.2	61.3-67.1
Less than \$15,000	448	56,700	226	46.8	40.1-53.5	222	53.2	46.5-59.9
\$15,000- 24,999	440	56,717	227	46.4	39.9-52.9	213	53.6	47.1-60.1
\$25,000- 34,999	335	42,500	160	46.0	38.2-53.8	175	54.0	46.2-61.8
\$35,000- 49,999	568	76,245	267	40.9	35.2-46.6	301	59.1	53.4-64.8
\$50,000- 74,999	619	79,510	270	38.3	33.2-43.4	349	61.7	56.6-66.8
\$75,000+	1139	164,367	461	36.6	32.9-40.3	678	63.4	59.7-67.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1594	266,381	755	43.1	39.8-46.4	839	56.9	53.6-60.2
White/Non-Hisp	1277	186,156	624	44.9	41.2-48.6	653	55.1	51.4-58.8
Black or Afr. Am./Non-Hisp	180	48,915	76	37.6	28.6-46.6	104	62.4	53.4-71.4
Oth. Race/Non-Hisp.	52	10,684	23	44.7	26.5-62.9	29	55.3	37.1-73.5
18-24	54	16,285	10	17.6	04.1-31.1	44	82.4	68.9-95.9
25-34	144	40,259	30	21.5	12.5-30.5	114	78.5	69.5-87.5
35-44	185	46,970	55	29.2	21.0-37.4	130	70.8	62.6-79.0
45-54	300	57,550	148	50.5	42.9-58.1	152	49.5	41.9-57.1
55-64	351	46,930	203	61.3	54.8-67.8	148	38.7	32.2-45.2
65+	547	56,461	305	55.3	49.6-61.0	242	44.7	39.0-50.4
Less Than H.S.	100	36,447	55	48.8	36.6-61.0	45	51.2	39.0-63.4
H.S. or G.E.D.	464	88,134	215	41.3	35.0-47.6	249	58.7	52.4-65.0
Some Post-H.S.	395	68,875	191	43.8	37.5-50.1	204	56.2	49.9-62.5
College Graduate	633	72,692	293	41.8	36.9-46.7	340	58.2	53.3-63.1
Less than \$15,000	134	24,670	59	47.4	35.8-59.0	75	52.6	41.0-64.2
\$15,000- 24,999	128	22,913	61	41.6	30.2-53.0	67	58.4	47.0-69.8
\$25,000- 34,999	115	19,283	56	48.7	34.8-62.6	59	51.3	37.4-65.2
\$35,000- 49,999	243	40,203	121	43.0	34.0-52.0	122	57.0	48.0-66.0
\$50,000- 74,999	254	39,157	116	40.6	32.4-48.8	138	59.4	51.2-67.6
\$75,000+	508	83,483	241	43.9	38.2-49.6	267	56.1	50.4-61.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2637	297,053	1154	38.3	35.8-40.8	1483	61.7	59.2-64.2
White/Non-Hisp	2057	213,716	955	40.6	37.9-43.3	1102	59.4	56.7-62.1
Black or Afr. Am./Non-Hisp	401	55,716	151	36.8	30.5-43.1	250	63.2	56.9-69.5
Oth. Race/Non-Hisp.	55	6,055	13	15.3	04.9-25.7	42	84.7	74.3-95.1
Hispanic	66	16,449	20	25.8	12.1-39.5	46	74.2	60.5-87.9
18-24	52	15,126	2	3.2	00.0-08.3	50	96.8	91.7-0100
25-34	211	40,491	38	19.0	11.9-26.1	173	81.0	73.9-88.1
35-44	292	48,616	71	24.9	18.8-31.0	221	75.1	69.0-81.2
45-54	462	60,981	150	33.4	27.9-38.9	312	66.6	61.1-72.1
55-64	628	54,078	318	49.6	44.5-54.7	310	50.4	45.3-55.5
65+	952	73,372	557	60.9	57.0-64.8	395	39.1	35.2-43.0
Less Than H.S.	147	32,479	86	55.0	44.8-65.2	61	45.0	34.8-55.2
H.S. or G.E.D.	805	89,518	388	41.5	37.2-45.8	417	58.5	54.2-62.8
Some Post-H.S.	778	94,014	341	36.3	31.8-40.8	437	63.7	59.2-68.2
College Graduate	898	80,604	334	30.4	26.7-34.1	564	69.6	65.9-73.3
Less than \$15,000	314	32,030	167	46.3	38.7-53.9	147	53.7	46.1-61.3
\$15,000- 24,999	312	33,804	166	49.6	42.0-57.2	146	50.4	42.8-58.0
\$25,000- 34,999	220	23,217	104	43.7	35.1-52.3	116	56.3	47.7-64.9
\$35,000- 49,999	325	36,042	146	38.6	31.7-45.5	179	61.4	54.5-68.3
\$50,000- 74,999	365	40,353	154	36.1	30.0-42.2	211	63.9	57.8-70.0
\$75,000+	631	80,884	220	29.2	24.9-33.5	411	70.8	66.5-75.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	48
2	MALES ONLY	49
3	FEMALES ONLY	50
	(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	51
5	MALES ONLY	52
6	FEMALES ONLY	53
	(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	54
8	MALES ONLY	55
9	FEMALES ONLY	56
	(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10	MALES AND FEMALES	57
11	MALES ONLY	58
12	FEMALES ONLY	59
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13	MALES AND FEMALES	60
14	MALES ONLY	61
15	FEMALES ONLY	62
	(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16	MALES AND FEMALES	63
17	MALES ONLY	64
18	FEMALES ONLY	65
	(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19	MALES AND FEMALES	66
20	MALES ONLY	67
21	FEMALES ONLY	68

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	(EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)	
22	MALES AND FEMALES	69
23	MALES ONLY	70
24	FEMALES ONLY	71
	(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25	MALES AND FEMALES	72
26	MALES ONLY	73
27	FEMALES ONLY	74
	(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28	MALES AND FEMALES	75
29	MALES ONLY	76
30	FEMALES ONLY	77
	(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31	MALES AND FEMALES	78
32	MALES ONLY	79
33	FEMALES ONLY	80
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES? (CHCVISON)	
34	MALES AND FEMALES	81
35	MALES ONLY	82
36	FEMALES ONLY	83
	(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
37	MALES AND FEMALES	84
38	MALES ONLY	85
39	FEMALES ONLY	86

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4769	692,140	257	3.8	03.2-04.4	4512	96.2	95.6-96.8
Male	1819	330,146	129	4.8	03.6-06.0	1690	95.2	94.0-96.4
Female	2950	361,995	128	3.0	02.2-03.8	2822	97.0	96.2-97.8
18-24	241	83,808				241	100.0	0100-0100
25-34	508	116,205	5	1.1	00.0-02.5	503	98.9	97.5-0100
35-44	570	115,653	6	1.0	00.0-02.0	564	99.0	98.0-0100
45-54	824	128,190	24	2.6	01.2-04.0	800	97.4	96.0-98.8
55-64	1025	107,463	58	5.8	03.6-08.0	967	94.2	92.0-96.4
65+	1543	133,245	161	10.8	08.6-13.0	1382	89.2	87.0-91.4
Less Than H.S.	296	93,369	32	8.1	04.6-11.6	264	91.9	88.4-95.4
H.S. or G.E.D.	1456	222,131	92	4.1	02.9-05.3	1364	95.9	94.7-97.1
Some Post-H.S.	1341	200,499	81	3.3	02.3-04.3	1260	96.7	95.7-97.7
College Graduate	1662	174,416	50	1.8	01.2-02.4	1612	98.2	97.6-98.8
Less than \$15,000	521	72,882	43	5.7	03.5-07.9	478	94.3	92.1-96.5
\$15,000- 24,999	522	76,069	52	8.2	04.7-11.7	470	91.8	88.3-95.3
\$25,000- 34,999	389	52,730	25	5.2	02.7-07.7	364	94.8	92.3-97.3
\$35,000- 49,999	620	90,126	30	3.3	01.7-04.9	590	96.7	95.1-98.3
\$50,000- 74,999	711	98,730	25	2.6	01.4-03.8	686	97.4	96.2-98.6
\$75,000+	1226	183,819	31	2.1	01.1-03.1	1195	97.9	96.9-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	330,146	129	4.8	03.6-06.0	1690	95.2	94.0-96.4
18-24	128	42,254				128	100.0	0100-0100
25-34	205	58,009	1	0.2	00.0-00.6	204	99.8	99.4-0100
35-44	213	55,866	4	1.6	00.0-03.4	209	98.4	96.6-0100
45-54	328	62,330	13	3.4	01.0-05.8	315	96.6	94.2-99.0
55-64	370	50,895	27	7.1	03.2-11.0	343	92.9	89.0-96.8
65+	559	57,900	83	15.4	11.5-19.3	476	84.6	80.7-88.5
Less Than H.S.	121	47,491	19	10.1	04.6-15.6	102	89.9	84.4-95.4
H.S. or G.E.D.	550	112,516	49	4.9	03.1-06.7	501	95.1	93.3-96.9
Some Post-H.S.	466	88,423	30	3.5	01.9-05.1	436	96.5	94.9-98.1
College Graduate	677	80,428	31	2.8	01.6-04.0	646	97.2	96.0-98.4
Less than \$15,000	162	31,131	17	7.0	02.7-11.3	145	93.0	88.7-97.3
\$15,000- 24,999	154	29,544	19	9.9	03.0-16.8	135	90.1	83.2-97.0
\$25,000- 34,999	133	24,487	12	6.1	01.6-10.6	121	93.9	89.4-98.4
\$35,000- 49,999	271	48,773	21	4.7	02.2-07.2	250	95.3	92.8-97.8
\$50,000- 74,999	293	47,982	15	3.6	01.6-05.6	278	96.4	94.4-98.4
\$75,000+	546	93,738	22	3.3	01.5-05.1	524	96.7	94.9-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2950	361,995	128	3.0	02.2-03.8	2822	97.0	96.2-97.8
18-24	113	41,553				113	100.0	0100-0100
25-34	303	58,196	4	1.9	00.0-04.4	299	98.1	95.6-0100
35-44	357	59,787	2	0.5	00.0-01.1	355	99.5	98.9-0100
45-54	496	65,860	11	1.7	00.1-03.3	485	98.3	96.7-99.9
55-64	655	56,568	31	4.7	02.5-06.9	624	95.3	93.1-97.5
65+	984	75,345	78	7.2	05.2-09.2	906	92.8	90.8-94.8
Less Than H.S.	175	45,878	13	6.0	01.7-10.3	162	94.0	89.7-98.3
H.S. or G.E.D.	906	109,615	43	3.3	02.1-04.5	863	96.7	95.5-97.9
Some Post-H.S.	875	112,076	51	3.1	02.1-04.1	824	96.9	95.9-97.9
College Graduate	985	93,987	19	0.9	00.5-01.3	966	99.1	98.7-99.5
Less than \$15,000	359	41,751	26	4.7	02.5-06.9	333	95.3	93.1-97.5
\$15,000- 24,999	368	46,525	33	7.0	03.1-10.9	335	93.0	89.1-96.9
\$25,000- 34,999	256	28,243	13	4.4	01.5-07.3	243	95.6	92.7-98.5
\$35,000- 49,999	349	41,353	9	1.6	00.4-02.8	340	98.4	97.2-99.6
\$50,000- 74,999	418	50,748	10	1.7	00.3-03.1	408	98.3	96.9-99.7
\$75,000+	680	90,081	9	0.9	00.3-01.5	671	99.1	98.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4759	690,804	274	3.9	03.3-04.5	4485	96.1	95.5-96.7
Male	1812	329,376	132	4.5	03.5-05.5	1680	95.5	94.5-96.5
Female	2947	361,428	142	3.3	02.5-04.1	2805	96.7	95.9-97.5
18-24	241	83,808				241	100.0	0100-0100
25-34	508	116,205	3	0.2	00.0-00.4	505	99.8	99.6-0100
35-44	570	115,653	5	0.6	00.0-01.2	565	99.4	98.8-0100
45-54	824	127,957	28	2.7	01.3-04.1	796	97.3	95.9-98.7
55-64	1026	107,495	71	7.3	05.3-09.3	955	92.7	90.7-94.7
65+	1532	132,109	164	11.1	08.9-13.3	1368	88.9	86.7-91.1
Less Than H.S.	291	92,307	31	6.2	03.7-08.7	260	93.8	91.3-96.3
H.S. or G.E.D.	1453	221,868	83	3.8	02.8-04.8	1370	96.2	95.2-97.2
Some Post-H.S.	1340	200,315	90	4.1	02.9-05.3	1250	95.9	94.7-97.1
College Graduate	1661	174,589	68	2.6	01.8-03.4	1593	97.4	96.6-98.2
Less than \$15,000	518	72,325	45	6.2	03.7-08.7	473	93.8	91.3-96.3
\$15,000- 24,999	518	75,624	47	6.4	03.9-08.9	471	93.6	91.1-96.1
\$25,000- 34,999	389	52,773	23	5.3	02.4-08.2	366	94.7	91.8-97.6
\$35,000- 49,999	620	90,126	37	4.1	02.5-05.7	583	95.9	94.3-97.5
\$50,000- 74,999	709	98,583	31	3.3	01.9-04.7	678	96.7	95.3-98.1
\$75,000+	1226	183,959	44	2.1	01.3-02.9	1182	97.9	97.1-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1812	329,376	132	4.5	03.5-05.5	1680	95.5	94.5-96.5
18-24	128	42,254				128	100.0	0100-0100
25-34	205	58,009	2	0.2	00.0-00.4	203	99.8	99.6-0100
35-44	213	55,866	3	0.8	00.0-02.0	210	99.2	98.0-0100
45-54	328	62,097	17	3.9	01.4-06.4	311	96.1	93.6-98.6
55-64	371	50,975	31	7.6	04.7-10.5	340	92.4	89.5-95.3
65+	551	57,284	78	14.0	10.3-17.7	473	86.0	82.3-89.7
Less Than H.S.	119	46,939	13	6.0	02.5-09.5	106	94.0	90.5-97.5
H.S. or G.E.D.	547	112,254	38	4.2	02.4-06.0	509	95.8	94.0-97.6
Some Post-H.S.	464	88,270	34	4.6	02.6-06.6	430	95.4	93.4-97.4
College Graduate	677	80,624	47	4.2	02.8-05.6	630	95.8	94.4-97.2
Less than \$15,000	159	30,524	14	6.1	02.0-10.2	145	93.9	89.8-98.0
\$15,000- 24,999	154	29,544	13	7.0	02.3-11.7	141	93.0	88.3-97.7
\$25,000- 34,999	133	24,530	10	7.2	01.3-13.1	123	92.8	86.9-98.7
\$35,000- 49,999	271	48,773	23	5.3	02.8-07.8	248	94.7	92.2-97.2
\$50,000- 74,999	291	47,835	22	4.9	02.5-07.3	269	95.1	92.7-97.5
\$75,000+	547	93,925	33	3.2	01.8-04.6	514	96.8	95.4-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2947	361,428	142	3.3	02.5-04.1	2805	96.7	95.9-97.5
18-24	113	41,553				113	100.0	0100-0100
25-34	303	58,196	1	0.2	00.0-00.6	302	99.8	99.4-0100
35-44	357	59,787	2	0.3	00.0-00.7	355	99.7	99.3-0100
45-54	496	65,860	11	1.5	00.5-02.5	485	98.5	97.5-99.5
55-64	655	56,521	40	7.0	04.5-09.5	615	93.0	90.5-95.5
65+	981	74,825	86	8.9	06.5-11.3	895	91.1	88.7-93.5
Less Than H.S.	172	45,368	18	6.4	02.7-10.1	154	93.6	89.9-97.3
H.S. or G.E.D.	906	109,613	45	3.4	02.2-04.6	861	96.6	95.4-97.8
Some Post-H.S.	876	112,044	56	3.7	02.5-04.9	820	96.3	95.1-97.5
College Graduate	984	93,965	21	1.2	00.6-01.8	963	98.8	98.2-99.4
Less than \$15,000	359	41,801	31	6.3	03.2-09.4	328	93.7	90.6-96.8
\$15,000- 24,999	364	46,079	34	6.1	03.4-08.8	330	93.9	91.2-96.6
\$25,000- 34,999	256	28,243	13	3.7	01.5-05.9	243	96.3	94.1-98.5
\$35,000- 49,999	349	41,353	14	2.7	00.9-04.5	335	97.3	95.5-99.1
\$50,000- 74,999	418	50,748	9	1.8	00.2-03.4	409	98.2	96.6-99.8
\$75,000+	679	90,035	11	0.9	00.3-01.5	668	99.1	98.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4772	692,385	196	3.2	02.4-04.0	4576	96.8	96.0-97.6
Male	1821	330,430	67	3.2	01.8-04.6	1754	96.8	95.4-98.2
Female	2951	361,956	129	3.2	02.4-04.0	2822	96.8	96.0-97.6
18-24	241	83,808				241	100.0	0100-0100
25-34	508	116,205	5	2.4	00.0-05.3	503	97.6	94.7-0100
35-44	569	115,503	8	1.0	00.2-01.8	561	99.0	98.2-99.8
45-54	825	128,376	27	2.6	01.4-03.8	798	97.4	96.2-98.6
55-64	1027	107,649	45	4.9	02.7-07.1	982	95.1	92.9-97.3
65+	1543	133,202	109	7.3	05.5-09.1	1434	92.7	90.9-94.5
Less Than H.S.	296	93,369	18	5.4	01.7-09.1	278	94.6	90.9-98.3
H.S. or G.E.D.	1457	222,038	81	3.1	02.3-03.9	1376	96.9	96.1-97.7
Some Post-H.S.	1342	200,567	62	4.2	02.6-05.8	1280	95.8	94.2-97.4
College Graduate	1663	174,686	34	1.0	00.6-01.4	1629	99.0	98.6-99.4
Less than \$15,000	521	72,805	35	4.2	02.2-06.2	486	95.8	93.8-97.8
\$15,000- 24,999	522	76,086	49	6.1	03.9-08.3	473	93.9	91.7-96.1
\$25,000- 34,999	390	52,809	16	5.1	01.4-08.8	374	94.9	91.2-98.6
\$35,000- 49,999	619	90,090	25	3.3	01.1-05.5	594	96.7	94.5-98.9
\$50,000- 74,999	711	98,730	16	1.5	00.7-02.3	695	98.5	97.7-99.3
\$75,000+	1226	183,957	22	1.2	00.6-01.8	1204	98.8	98.2-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	330,430	67	3.2	01.8-04.6	1754	96.8	95.4-98.2
18-24	128	42,254				128	100.0	0100-0100
25-34	205	58,009	2	2.9	00.0-08.2	203	97.1	91.8-0100
35-44	213	55,866	3	1.3	00.0-02.7	210	98.7	97.3-0100
45-54	329	62,517	4	1.3	00.0-02.7	325	98.7	97.3-0100
55-64	371	50,975	17	6.2	02.1-10.3	354	93.8	89.7-97.9
65+	558	57,851	41	7.6	04.5-10.7	517	92.4	89.3-95.5
Less Than H.S.	121	47,491	7	6.7	00.0-13.8	114	93.3	86.2-0100
H.S. or G.E.D.	550	112,516	29	3.0	01.6-04.4	521	97.0	95.6-98.4
Some Post-H.S.	465	88,374	17	3.7	01.2-06.2	448	96.3	93.8-98.8
College Graduate	680	80,762	13	0.9	00.3-01.5	667	99.1	98.5-99.7
Less than \$15,000	162	31,131	10	4.3	00.6-08.0	152	95.7	92.0-99.4
\$15,000- 24,999	154	29,544	11	3.8	00.9-06.7	143	96.2	93.3-99.1
\$25,000- 34,999	134	24,566	5	5.6	00.0-12.5	129	94.4	87.5-0100
\$35,000- 49,999	271	48,773	10	1.9	00.3-03.5	261	98.1	96.5-99.7
\$50,000- 74,999	293	47,982	9	2.2	00.6-03.8	284	97.8	96.2-99.4
\$75,000+	546	93,876	8	1.2	00.2-02.2	538	98.8	97.8-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2951	361,956	129	3.2	02.4-04.0	2822	96.8	96.0-97.6
18-24	113	41,553				113	100.0	0100-0100
25-34	303	58,196	3	1.9	00.0-04.6	300	98.1	95.4-0100
35-44	356	59,637	5	0.8	00.0-01.6	351	99.2	98.4-0100
45-54	496	65,860	23	3.8	01.8-05.8	473	96.2	94.2-98.2
55-64	656	56,674	28	3.6	02.0-05.2	628	96.4	94.8-98.0
65+	985	75,350	68	7.1	05.1-09.1	917	92.9	90.9-94.9
Less Than H.S.	175	45,878	11	4.0	01.5-06.5	164	96.0	93.5-98.5
H.S. or G.E.D.	907	109,522	52	3.3	02.1-04.5	855	96.7	95.5-97.9
Some Post-H.S.	877	112,193	45	4.6	02.6-06.6	832	95.4	93.4-97.4
College Graduate	983	93,924	21	1.0	00.4-01.6	962	99.0	98.4-99.6
Less than \$15,000	359	41,673	25	4.1	02.1-06.1	334	95.9	93.9-97.9
\$15,000- 24,999	368	46,541	38	7.6	04.7-10.5	330	92.4	89.5-95.3
\$25,000- 34,999	256	28,243	11	4.6	01.3-07.9	245	95.4	92.1-98.7
\$35,000- 49,999	348	41,317	15	5.1	01.0-09.2	333	94.9	90.8-99.0
\$50,000- 74,999	418	50,748	7	0.8	00.2-01.4	411	99.2	98.6-99.8
\$75,000+	680	90,081	14	1.3	00.5-02.1	666	98.7	97.9-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)
 Denominator Excludes: Respondents reporting only one race
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4769	692,144	626	14.0	12.6-15.4	4143	86.0	84.6-87.4
Male	1817	330,064	165	10.1	08.1-12.1	1652	89.9	87.9-91.9
Female	2952	362,080	461	17.5	15.3-19.7	2491	82.5	80.3-84.7
18-24	241	83,808	43	18.7	12.6-24.8	198	81.3	75.2-87.4
25-34	508	116,205	84	18.0	13.5-22.5	424	82.0	77.5-86.5
35-44	569	115,538	78	14.2	10.5-17.9	491	85.8	82.1-89.5
45-54	825	128,376	108	11.4	08.7-14.1	717	88.6	85.9-91.3
55-64	1028	107,684	134	12.1	09.6-14.6	894	87.9	85.4-90.4
65+	1541	133,017	170	11.3	09.1-13.5	1371	88.7	86.5-90.9
Less Than H.S.	295	93,148	54	17.1	12.0-22.2	241	82.9	77.8-88.0
H.S. or G.E.D.	1457	222,224	176	12.7	10.3-15.1	1281	87.3	84.9-89.7
Some Post-H.S.	1339	200,365	193	14.6	11.9-17.3	1146	85.4	82.7-88.1
College Graduate	1664	174,682	198	13.2	10.8-15.6	1466	86.8	84.4-89.2
Less than \$15,000	522	72,955	88	17.6	12.7-22.5	434	82.4	77.5-87.3
\$15,000- 24,999	520	75,751	105	23.3	17.8-28.8	415	76.7	71.2-82.2
\$25,000- 34,999	390	52,809	49	13.6	08.7-18.5	341	86.4	81.5-91.3
\$35,000- 49,999	619	90,077	67	12.1	08.2-16.0	552	87.9	84.0-91.8
\$50,000- 74,999	710	98,670	79	10.5	07.6-13.4	631	89.5	86.6-92.4
\$75,000+	1227	184,005	150	13.1	10.4-15.8	1077	86.9	84.2-89.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1817	330,064	165	10.1	08.1-12.1	1652	89.9	87.9-91.9
18-24	128	42,254	19	17.4	08.4-26.4	109	82.6	73.6-91.6
25-34	205	58,009	28	12.7	07.2-18.2	177	87.3	81.8-92.8
35-44	213	55,866	24	9.5	05.0-14.0	189	90.5	86.0-95.0
45-54	329	62,517	25	7.9	04.4-11.4	304	92.1	88.6-95.6
55-64	371	50,975	25	7.3	04.0-10.6	346	92.7	89.4-96.0
65+	556	57,613	41	7.5	04.6-10.4	515	92.5	89.6-95.4
Less Than H.S.	120	47,270	13	9.0	03.5-14.5	107	91.0	85.5-96.5
H.S. or G.E.D.	549	112,499	48	9.9	06.4-13.4	501	90.1	86.6-93.6
Some Post-H.S.	464	88,314	41	10.0	05.9-14.1	423	90.0	85.9-94.1
College Graduate	679	80,694	60	10.9	07.6-14.2	619	89.1	85.8-92.4
Less than \$15,000	162	31,131	21	14.2	06.9-21.5	141	85.8	78.5-93.1
\$15,000- 24,999	153	29,323	19	14.0	06.7-21.3	134	86.0	78.7-93.3
\$25,000- 34,999	134	24,566	10	7.0	01.9-12.1	124	93.0	87.9-98.1
\$35,000- 49,999	270	48,724	20	6.9	03.4-10.4	250	93.1	89.6-96.6
\$50,000- 74,999	292	47,922	20	5.8	02.9-08.7	272	94.2	91.3-97.1
\$75,000+	547	93,925	58	13.2	08.9-17.5	489	86.8	82.5-91.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2952	362,080	461	17.5	15.3-19.7	2491	82.5	80.3-84.7
18-24	113	41,553	24	20.1	11.7-28.5	89	79.9	71.5-88.3
25-34	303	58,196	56	23.2	16.3-30.1	247	76.8	69.9-83.7
35-44	356	59,672	54	18.7	13.2-24.2	302	81.3	75.8-86.8
45-54	496	65,860	83	14.8	11.1-18.5	413	85.2	81.5-88.9
55-64	657	56,709	109	16.3	12.6-20.0	548	83.7	80.0-87.4
65+	985	75,404	129	14.3	11.2-17.4	856	85.7	82.6-88.8
Less Than H.S.	175	45,878	41	25.4	17.0-33.8	134	74.6	66.2-83.0
H.S. or G.E.D.	908	109,725	128	15.5	12.2-18.8	780	84.5	81.2-87.8
Some Post-H.S.	875	112,052	152	18.2	14.3-22.1	723	81.8	77.9-85.7
College Graduate	985	93,987	138	15.2	12.1-18.3	847	84.8	81.7-87.9
Less than \$15,000	360	41,824	67	20.2	13.7-26.7	293	79.8	73.3-86.3
\$15,000- 24,999	367	46,428	86	29.2	21.9-36.5	281	70.8	63.5-78.1
\$25,000- 34,999	256	28,243	39	19.3	11.9-26.7	217	80.7	73.3-88.1
\$35,000- 49,999	349	41,353	47	18.3	11.2-25.4	302	81.7	74.6-88.8
\$50,000- 74,999	418	50,748	59	14.9	10.0-19.8	359	85.1	80.2-90.0
\$75,000+	680	90,081	92	12.9	09.8-16.0	588	87.1	84.0-90.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	621	96,139	448	70.7	65.8-75.6	173	29.3	24.4-34.2
Male	164	33,172	88	50.4	40.0-60.8	76	49.6	39.2-60.0
Female	457	62,966	360	81.3	76.6-86.0	97	18.7	14.0-23.4
25-34	83	20,777	58	74.3	62.5-86.1	25	25.7	13.9-37.5
35-44	77	16,283	58	68.8	55.1-82.5	19	31.2	17.5-44.9
45-54	107	14,615	80	74.3	63.7-84.9	27	25.7	15.1-36.3
55-64	134	12,977	103	64.4	53.0-75.8	31	35.6	24.2-47.0
65+	168	14,861	116	71.0	62.2-79.8	52	29.0	20.2-37.8
Less Than H.S.	54	15,905	45	82.5	70.3-94.7	9	17.5	05.3-29.7
H.S. or G.E.D.	175	28,076	127	68.4	58.8-78.0	48	31.6	22.0-41.2
Some Post-H.S.	193	29,216	128	66.8	57.4-76.2	65	33.2	23.8-42.6
College Graduate	195	22,716	145	70.3	61.3-79.3	50	29.7	20.7-38.7
Less than \$15,000	88	12,873	61	72.0	58.5-85.5	27	28.0	14.5-41.5
\$15,000- 24,999	104	17,483	81	82.3	73.5-91.1	23	17.7	08.9-26.5
\$35,000- 49,999	67	10,910	52	75.3	61.8-88.8	15	24.7	11.2-38.2
\$50,000- 74,999	79	10,362	55	68.8	55.7-81.9	24	31.2	18.1-44.3
\$75,000+	148	23,845	94	58.9	47.5-70.3	54	41.1	29.7-52.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	164	33,172	88	50.4	40.2-60.6	76	49.6	39.4-59.8
College Graduate	60	8,764	36	54.8	39.7-69.9	24	45.2	30.1-60.3
\$75,000+	58	12,418	24	39.2	20.4-58.0	34	60.8	42.0-79.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	457	62,966	360	81.3	76.6-86.0	97	18.7	14.0-23.4
25-34	55	13,383	43	89.1	81.7-96.5	12	10.9	03.5-18.3
35-44	54	11,158	44	80.4	67.3-93.5	10	19.6	06.5-32.7
45-54	82	9,700	65	80.5	70.3-90.7	17	19.5	09.3-29.7
55-64	109	9,272	88	75.3	63.0-87.6	21	24.7	12.4-37.0
65+	127	10,562	95	74.6	64.8-84.4	32	25.4	15.6-35.2
H.S. or G.E.D.	127	16,913	102	80.2	71.0-89.4	25	19.8	10.6-29.0
Some Post-H.S.	152	20,398	111	77.1	68.3-85.9	41	22.9	14.1-31.7
College Graduate	135	13,952	109	80.0	70.4-89.6	26	20.0	10.4-29.6
Less than \$15,000	67	8,456	49	80.7	69.5-91.9	18	19.3	08.1-30.5
\$15,000- 24,999	86	13,538	69	84.2	74.2-94.2	17	15.8	05.8-25.8
\$50,000- 74,999	59	7,564	43	73.8	59.3-88.3	16	26.2	11.7-40.7
\$75,000+	90	11,427	70	80.3	70.9-89.7	20	19.7	10.3-29.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4773	692,458	476	6.5	05.7-07.3	4297	93.5	92.7-94.3
Male	1820	330,352	197	6.5	05.3-07.7	1623	93.5	92.3-94.7
Female	2953	362,106	279	6.5	05.5-07.5	2674	93.5	92.5-94.5
White/Non-Hisp	3687	479,694	457	8.8	07.8-09.8	3230	91.2	90.2-92.2
Black or Afr. Am./Non-Hisp	685	132,551	6	0.8	00.0-01.6	679	99.2	98.4-0100
Oth. Race/Non-Hisp.	140	22,400	2	0.8	00.0-02.0	138	99.2	98.0-0100
MultiRacial/Non-Hisp.	79	9,473	7	9.0	01.4-16.6	72	91.0	83.4-98.6
Hispanic	135	44,314	2	1.3	00.0-03.1	133	98.7	96.9-0100
18-24	241	83,808	3	0.8	00.0-01.8	238	99.2	98.2-0100
25-34	508	116,205	4	0.4	00.0-01.0	504	99.6	99.0-0100
35-44	570	115,653	17	2.3	00.9-03.7	553	97.7	96.3-99.1
45-54	823	128,253	45	3.8	02.4-05.2	778	96.2	94.8-97.6
55-64	1028	107,684	100	9.2	06.8-11.6	928	90.8	88.4-93.2
65+	1545	133,278	301	19.5	16.8-22.2	1244	80.5	77.8-83.2
Less Than H.S.	296	93,369	32	7.5	04.2-10.8	264	92.5	89.2-95.8
H.S. or G.E.D.	1458	222,188	132	6.1	04.9-07.3	1326	93.9	92.7-95.1
Some Post-H.S.	1342	200,553	130	5.4	04.2-06.6	1212	94.6	93.4-95.8
College Graduate	1663	174,622	181	8.0	06.4-09.6	1482	92.0	90.4-93.6
Less than \$15,000	522	72,955	56	6.1	03.6-08.6	466	93.9	91.4-96.4
\$15,000- 24,999	523	76,113	40	4.9	02.9-06.9	483	95.1	93.1-97.1
\$25,000- 34,999	390	52,809	37	6.4	03.9-08.9	353	93.6	91.1-96.1
\$35,000- 49,999	620	90,126	67	7.6	05.2-10.0	553	92.4	90.0-94.8
\$50,000- 74,999	711	98,730	64	5.9	04.1-07.7	647	94.1	92.3-95.9
\$75,000+	1225	183,882	116	6.2	04.8-07.6	1109	93.8	92.4-95.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	330,352	197	6.5	05.3-07.7	1623	93.5	92.3-94.7
White/Non-Hisp	1431	226,711	187	9.0	07.4-10.6	1244	91.0	89.4-92.6
Black or Afr. Am./Non-Hisp	217	60,581	2	0.4	00.0-01.0	215	99.6	99.0-0100
Oth. Race/Non-Hisp.	68	14,748	1	0.8	00.0-02.4	67	99.2	97.6-0100
18-24	128	42,254	1	0.4	00.0-01.2	127	99.6	98.8-0100
25-34	205	58,009	1	0.1	00.0-00.3	204	99.9	99.7-0100
35-44	213	55,866	4	1.5	00.0-03.3	209	98.5	96.7-0100
45-54	328	62,457	15	3.4	01.4-05.4	313	96.6	94.6-98.6
55-64	371	50,975	32	8.7	05.0-12.4	339	91.3	87.6-95.0
65+	559	57,900	144	24.1	19.6-28.6	415	75.9	71.4-80.4
Less Than H.S.	121	47,491	15	7.4	02.9-11.9	106	92.6	88.1-97.1
H.S. or G.E.D.	550	112,516	61	6.0	04.2-07.8	489	94.0	92.2-95.8
Some Post-H.S.	466	88,423	41	4.9	03.1-06.7	425	95.1	93.3-96.9
College Graduate	678	80,635	80	8.6	06.2-11.0	598	91.4	89.0-93.8
Less than \$15,000	162	31,131	18	4.3	02.1-06.5	144	95.7	93.5-97.9
\$15,000- 24,999	154	29,544	9	4.5	01.2-07.8	145	95.5	92.2-98.8
\$25,000- 34,999	134	24,566	14	6.0	02.3-09.7	120	94.0	90.3-97.7
\$35,000- 49,999	271	48,773	41	9.5	05.8-13.2	230	90.5	86.8-94.2
\$50,000- 74,999	293	47,982	26	6.2	03.3-09.1	267	93.8	90.9-96.7
\$75,000+	546	93,865	53	6.4	04.2-08.6	493	93.6	91.4-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2953	362,106	279	6.5	05.5-07.5	2674	93.5	92.5-94.5
White/Non-Hisp	2256	252,983	270	8.7	07.3-10.1	1986	91.3	89.9-92.7
Black or Afr. Am./Non-Hisp	468	71,970	4	1.2	00.0-02.8	464	98.8	97.2-0100
Oth. Race/Non-Hisp.	72	7,652	1	0.7	00.0-02.1	71	99.3	97.9-0100
Hispanic	87	22,872	2	2.5	00.0-06.0	85	97.5	94.0-0100
18-24	113	41,553	2	1.1	00.0-02.7	111	98.9	97.3-0100
25-34	303	58,196	3	0.8	00.0-01.8	300	99.2	98.2-0100
35-44	357	59,787	13	3.0	01.0-05.0	344	97.0	95.0-99.0
45-54	495	65,796	30	4.1	02.3-05.9	465	95.9	94.1-97.7
55-64	657	56,709	68	9.7	07.0-12.4	589	90.3	87.6-93.0
65+	986	75,378	157	16.0	12.7-19.3	829	84.0	80.7-87.3
Less Than H.S.	175	45,878	17	7.6	02.9-12.3	158	92.4	87.7-97.1
H.S. or G.E.D.	908	109,673	71	6.2	04.4-08.0	837	93.8	92.0-95.6
Some Post-H.S.	876	112,130	89	5.7	04.3-07.1	787	94.3	92.9-95.7
College Graduate	985	93,987	101	7.4	05.4-09.4	884	92.6	90.6-94.6
Less than \$15,000	360	41,824	38	7.5	03.2-11.8	322	92.5	88.2-96.8
\$15,000- 24,999	369	46,569	31	5.2	02.8-07.6	338	94.8	92.4-97.2
\$25,000- 34,999	256	28,243	23	6.8	03.5-10.1	233	93.2	89.9-96.5
\$35,000- 49,999	349	41,353	26	5.5	03.0-08.0	323	94.5	92.0-97.0
\$50,000- 74,999	418	50,748	38	5.7	03.5-07.9	380	94.3	92.1-96.5
\$75,000+	679	90,018	63	6.1	04.1-08.1	616	93.9	91.9-95.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4772	691,966	479	7.6	06.6-08.6	4293	92.4	91.4-93.4
Male	1820	329,951	184	6.9	05.5-08.3	1636	93.1	91.7-94.5
Female	2952	362,015	295	8.3	06.9-09.7	2657	91.7	90.3-93.1
White/Non-Hisp	3686	479,161	397	8.7	07.5-09.9	3289	91.3	90.1-92.5
Black or Afr. Am./Non-Hisp	685	132,551	52	5.5	03.3-07.7	633	94.5	92.3-96.7
Oth. Race/Non-Hisp.	140	22,400	4	1.3	00.0-02.9	136	98.7	97.1-0100
MultiRacial/Non-Hisp.	80	9,532	11	7.7	02.6-12.8	69	92.3	87.2-97.4
Hispanic	135	44,314	10	5.0	01.3-08.7	125	95.0	91.3-98.7
18-24	241	83,808	5	1.9	00.0-03.9	236	98.1	96.1-0100
25-34	507	115,745	7	2.3	00.3-04.3	500	97.7	95.7-99.7
35-44	570	115,653	20	5.0	02.3-07.7	550	95.0	92.3-97.7
45-54	825	128,376	61	6.2	04.2-08.2	764	93.8	91.8-95.8
55-64	1028	107,684	98	9.0	06.8-11.2	930	91.0	88.8-93.2
65+	1544	133,143	281	18.3	15.6-21.0	1263	81.7	79.0-84.4
Less Than H.S.	295	92,908	38	10.4	06.5-14.3	257	89.6	85.7-93.5
H.S. or G.E.D.	1457	222,053	127	6.8	05.2-08.4	1330	93.2	91.6-94.8
Some Post-H.S.	1343	200,616	141	7.1	05.3-08.9	1202	92.9	91.1-94.7
College Graduate	1663	174,663	171	7.7	06.3-09.1	1492	92.3	90.9-93.7
Less than \$15,000	521	72,910	54	7.5	04.8-10.2	467	92.5	89.8-95.2
\$15,000- 24,999	522	75,653	58	9.9	06.2-13.6	464	90.1	86.4-93.8
\$25,000- 34,999	390	52,809	48	10.2	06.1-14.3	342	89.8	85.7-93.9
\$35,000- 49,999	620	90,126	62	6.6	04.4-08.8	558	93.4	91.2-95.6
\$50,000- 74,999	711	98,730	52	5.6	03.6-07.6	659	94.4	92.4-96.4
\$75,000+	1227	184,005	115	7.5	05.5-09.5	1112	92.5	90.5-94.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	329,951	184	6.9	05.5-08.3	1636	93.1	91.7-94.5
White/Non-Hisp	1430	226,251	155	8.1	06.3-09.9	1275	91.9	90.1-93.7
Black or Afr. Am./Non-Hisp	217	60,581	19	5.9	02.2-09.6	198	94.1	90.4-97.8
Oth. Race/Non-Hisp.	68	14,748	1	0.5	00.0-01.5	67	99.5	98.5-0100
18-24	128	42,254	1	0.4	00.0-01.2	127	99.6	98.8-0100
25-34	204	57,548	1	0.7	00.0-02.1	203	99.3	97.9-0100
35-44	213	55,866	7	4.1	00.0-08.4	206	95.9	91.6-0100
45-54	329	62,517	15	4.4	01.7-07.1	314	95.6	92.9-98.3
55-64	371	50,975	39	8.5	05.2-11.8	332	91.5	88.2-94.8
65+	559	57,900	120	21.9	17.0-26.8	439	78.1	73.2-83.0
Less Than H.S.	120	47,030	17	11.0	05.1-16.9	103	89.0	83.1-94.9
H.S. or G.E.D.	550	112,516	47	5.3	03.3-07.3	503	94.7	92.7-96.7
Some Post-H.S.	466	88,423	42	6.2	03.1-09.3	424	93.8	90.7-96.9
College Graduate	679	80,694	78	7.6	05.4-09.8	601	92.4	90.2-94.6
Less than \$15,000	162	31,131	12	4.8	01.3-08.3	150	95.2	91.7-98.7
\$15,000- 24,999	153	29,084	14	7.3	01.8-12.8	139	92.7	87.2-98.2
\$25,000- 34,999	134	24,566	22	7.9	03.6-12.2	112	92.1	87.8-96.4
\$35,000- 49,999	271	48,773	24	5.6	02.7-08.5	247	94.4	91.5-97.3
\$50,000- 74,999	293	47,982	22	5.3	02.8-07.8	271	94.7	92.2-97.2
\$75,000+	547	93,925	62	8.7	05.6-11.8	485	91.3	88.2-94.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2952	362,015	295	8.3	06.9-09.7	2657	91.7	90.3-93.1
White/Non-Hisp	2256	252,911	242	9.3	07.7-10.9	2014	90.7	89.1-92.3
Black or Afr. Am./Non-Hisp	468	71,970	33	5.1	02.7-07.5	435	94.9	92.5-97.3
Oth. Race/Non-Hisp.	72	7,652	3	2.9	00.0-06.8	69	97.1	93.2-0100
Hispanic	87	22,872	8	8.6	01.7-15.5	79	91.4	84.5-98.3
18-24	113	41,553	4	3.4	00.0-07.1	109	96.6	92.9-0100
25-34	303	58,196	6	3.8	00.5-07.1	297	96.2	92.9-99.5
35-44	357	59,787	13	5.8	02.1-09.5	344	94.2	90.5-97.9
45-54	496	65,860	46	8.0	05.5-10.5	450	92.0	89.5-94.5
55-64	657	56,709	59	9.5	06.8-12.2	598	90.5	87.8-93.2
65+	985	75,242	161	15.6	12.9-18.3	824	84.4	81.7-87.1
Less Than H.S.	175	45,878	21	9.8	04.5-15.1	154	90.2	84.9-95.5
H.S. or G.E.D.	907	109,537	80	8.5	06.0-11.0	827	91.5	89.0-94.0
Some Post-H.S.	877	112,193	99	7.9	05.9-09.9	778	92.1	90.1-94.1
College Graduate	984	93,968	93	7.7	05.7-09.7	891	92.3	90.3-94.3
Less than \$15,000	359	41,778	42	9.4	05.3-13.5	317	90.6	86.5-94.7
\$15,000- 24,999	369	46,569	44	11.6	06.7-16.5	325	88.4	83.5-93.3
\$25,000- 34,999	256	28,243	26	12.3	05.8-18.8	230	87.7	81.2-94.2
\$35,000- 49,999	349	41,353	38	7.6	04.5-10.7	311	92.4	89.3-95.5
\$50,000- 74,999	418	50,748	30	5.8	03.1-08.5	388	94.2	91.5-96.9
\$75,000+	680	90,081	53	6.2	04.2-08.2	627	93.8	91.8-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4770	691,367	352	5.2	04.4-06.0	4418	94.8	94.0-95.6
Male	1820	330,225	106	4.2	03.2-05.2	1714	95.8	94.8-96.8
Female	2950	361,142	246	6.2	05.2-07.2	2704	93.8	92.8-94.8
White/Non-Hisp	3683	478,544	284	5.5	04.7-06.3	3399	94.5	93.7-95.3
Black or Afr. Am./Non-Hisp	685	132,551	34	3.9	02.1-05.7	651	96.1	94.3-97.9
Oth. Race/Non-Hisp.	140	22,400	9	4.4	00.9-07.9	131	95.6	92.1-99.1
MultiRacial/Non-Hisp.	80	9,532	13	17.1	06.9-27.3	67	82.9	72.7-93.1
Hispanic	135	44,314	5	2.9	00.0-05.8	130	97.1	94.2-0100
18-24	240	83,621	3	0.9	00.0-01.9	237	99.1	98.1-0100
25-34	508	116,205	14	2.9	01.1-04.7	494	97.1	95.3-98.9
35-44	570	115,653	17	3.7	01.7-05.7	553	96.3	94.3-98.3
45-54	823	128,047	41	3.7	02.3-05.1	782	96.3	94.9-97.7
55-64	1028	107,684	86	6.5	04.7-08.3	942	93.5	91.7-95.3
65+	1543	132,580	186	11.5	09.3-13.7	1357	88.5	86.3-90.7
Less Than H.S.	295	92,687	38	7.8	04.9-10.7	257	92.2	89.3-95.1
H.S. or G.E.D.	1459	222,268	134	6.4	05.0-07.8	1325	93.6	92.2-95.0
Some Post-H.S.	1340	200,377	110	5.3	03.9-06.7	1230	94.7	93.3-96.1
College Graduate	1662	174,309	69	2.4	01.6-03.2	1593	97.6	96.8-98.4
Less than \$15,000	522	72,955	62	8.7	05.8-11.6	460	91.3	88.4-94.2
\$15,000- 24,999	522	76,069	84	12.2	08.7-15.7	438	87.8	84.3-91.3
\$25,000- 34,999	388	52,075	33	6.7	04.0-09.4	355	93.3	90.6-96.0
\$35,000- 49,999	620	90,126	46	5.0	03.0-07.0	574	95.0	93.0-97.0
\$50,000- 74,999	710	98,544	39	3.9	02.3-05.5	671	96.1	94.5-97.7
\$75,000+	1226	183,819	31	1.5	00.9-02.1	1195	98.5	97.9-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	330,225	106	4.2	03.2-05.2	1714	95.8	94.8-96.8
White/Non-Hisp	1430	226,525	83	4.4	03.2-05.6	1347	95.6	94.4-96.8
Black or Afr. Am./Non-Hisp	217	60,581	10	2.9	00.7-05.1	207	97.1	94.9-99.3
Oth. Race/Non-Hisp.	68	14,748	2	1.8	00.0-04.3	66	98.2	95.7-0100
18-24	128	42,254				128	100.0	0100-0100
25-34	205	58,009	6	3.0	00.5-05.5	199	97.0	94.5-99.5
35-44	213	55,866	8	4.4	01.1-07.7	205	95.6	92.3-98.9
45-54	328	62,330	14	3.1	01.1-05.1	314	96.9	94.9-98.9
55-64	371	50,975	18	3.5	01.7-05.3	353	96.5	94.7-98.3
65+	559	57,900	59	10.1	06.8-13.4	500	89.9	86.6-93.2
Less Than H.S.	121	47,491	11	5.6	01.9-09.3	110	94.4	90.7-98.1
H.S. or G.E.D.	550	112,516	41	4.7	02.9-06.5	509	95.3	93.5-97.1
Some Post-H.S.	466	88,423	29	4.7	02.3-07.1	437	95.3	92.9-97.7
College Graduate	678	80,508	25	2.0	01.0-03.0	653	98.0	97.0-99.0
Less than \$15,000	162	31,131	15	5.3	02.0-08.6	147	94.7	91.4-98.0
\$15,000- 24,999	154	29,544	21	12.0	05.5-18.5	133	88.0	81.5-94.5
\$25,000- 34,999	134	24,566	11	6.0	01.9-10.1	123	94.0	89.9-98.1
\$35,000- 49,999	271	48,773	13	3.6	01.1-06.1	258	96.4	93.9-98.9
\$50,000- 74,999	293	47,982	16	3.7	01.5-05.9	277	96.3	94.1-98.5
\$75,000+	546	93,738	17	1.9	00.9-02.9	529	98.1	97.1-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2950	361,142	246	6.2	05.2-07.2	2704	93.8	92.8-94.8
White/Non-Hisp	2253	252,019	201	6.6	05.4-07.8	2052	93.4	92.2-94.6
Black or Afr. Am./Non-Hisp	468	71,970	24	4.8	02.4-07.2	444	95.2	92.8-97.6
Oth. Race/Non-Hisp.	72	7,652	7	9.5	00.9-18.1	65	90.5	81.9-99.1
Hispanic	87	22,872	3	2.9	00.0-06.8	84	97.1	93.2-0100
18-24	112	41,367	3	1.8	00.0-04.0	109	98.2	96.0-0100
25-34	303	58,196	8	2.9	00.4-05.4	295	97.1	94.6-99.6
35-44	357	59,787	9	3.0	00.6-05.4	348	97.0	94.6-99.4
45-54	495	65,716	27	4.4	02.4-06.4	468	95.6	93.6-97.6
55-64	657	56,709	68	9.1	06.4-11.8	589	90.9	88.2-93.6
65+	984	74,680	127	12.5	10.0-15.0	857	87.5	85.0-90.0
Less Than H.S.	174	45,196	27	10.1	05.4-14.8	147	89.9	85.2-94.6
H.S. or G.E.D.	909	109,753	93	8.1	05.9-10.3	816	91.9	89.7-94.1
Some Post-H.S.	874	111,954	81	5.8	04.2-07.4	793	94.2	92.6-95.8
College Graduate	984	93,801	44	2.7	01.7-03.7	940	97.3	96.3-98.3
Less than \$15,000	360	41,824	47	11.3	06.8-15.8	313	88.7	84.2-93.2
\$15,000- 24,999	368	46,525	63	12.3	08.2-16.4	305	87.7	83.6-91.8
\$25,000- 34,999	254	27,509	22	7.3	03.8-10.8	232	92.7	89.2-96.2
\$35,000- 49,999	349	41,353	33	6.6	03.7-09.5	316	93.4	90.5-96.3
\$50,000- 74,999	417	50,562	23	4.0	01.6-06.4	394	96.0	93.6-98.4
\$75,000+	680	90,081	14	1.2	00.4-02.0	666	98.8	98.0-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4768	691,949	1641	26.3	24.7-27.9	3127	73.7	72.1-75.3
Male	1818	330,076	518	22.6	20.2-25.0	1300	77.4	75.0-79.8
Female	2950	361,873	1123	29.7	27.5-31.9	1827	70.3	68.1-72.5
White/Non-Hisp	3683	479,243	1346	29.9	27.9-31.9	2337	70.1	68.1-72.1
Black or Afr. Am./Non-Hisp	684	132,471	203	21.2	17.5-24.9	481	78.8	75.1-82.5
Oth. Race/Non-Hisp.	139	22,362	26	9.0	04.9-13.1	113	91.0	86.9-95.1
MultiRacial/Non-Hisp.	80	9,532	22	20.9	10.5-31.3	58	79.1	68.7-89.5
Hispanic	135	44,314	26	11.7	06.0-17.4	109	88.3	82.6-94.0
18-24	241	83,808	6	2.5	00.3-04.7	235	97.5	95.3-99.7
25-34	507	116,053	46	10.7	07.0-14.4	461	89.3	85.6-93.0
35-44	569	115,492	92	16.2	12.5-19.9	477	83.8	80.1-87.5
45-54	824	128,297	236	25.2	21.5-28.9	588	74.8	71.1-78.5
55-64	1027	107,646	443	44.6	40.5-48.7	584	55.4	51.3-59.5
65+	1543	133,158	799	50.3	47.0-53.6	744	49.7	46.4-53.0
Less Than H.S.	296	93,369	119	29.8	23.7-35.9	177	70.2	64.1-76.3
H.S. or G.E.D.	1455	221,988	570	29.7	26.8-32.6	885	70.3	67.4-73.2
Some Post-H.S.	1340	200,338	494	27.5	24.4-30.6	846	72.5	69.4-75.6
College Graduate	1663	174,529	452	18.8	16.6-21.0	1211	81.2	79.0-83.4
Less than \$15,000	522	72,955	211	30.6	25.1-36.1	311	69.4	63.9-74.9
\$15,000- 24,999	522	76,053	244	37.3	31.6-43.0	278	62.7	57.0-68.4
\$25,000- 34,999	390	52,809	155	33.8	27.3-40.3	235	66.2	59.7-72.7
\$35,000- 49,999	620	90,126	240	29.2	24.5-33.9	380	70.8	66.1-75.5
\$50,000- 74,999	709	98,531	212	27.0	22.7-31.3	497	73.0	68.7-77.3
\$75,000+	1226	183,853	287	17.3	14.9-19.7	939	82.7	80.3-85.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1818	330,076	518	22.6	20.2-25.0	1300	77.4	75.0-79.8
White/Non-Hisp	1429	226,455	436	26.5	23.6-29.4	993	73.5	70.6-76.4
Black or Afr. Am./Non-Hisp	216	60,502	52	16.5	11.0-22.0	164	83.5	78.0-89.0
Oth. Race/Non-Hisp.	68	14,748	7	5.3	01.2-09.4	61	94.7	90.6-98.8
18-24	128	42,254	2	1.8	00.0-04.7	126	98.2	95.3-100.0
25-34	205	58,009	17	9.1	04.4-13.8	188	90.9	86.2-95.6
35-44	212	55,704	29	14.3	08.8-19.8	183	85.7	80.2-91.2
45-54	328	62,437	77	21.8	16.3-27.3	251	78.2	72.7-83.7
55-64	371	50,975	134	41.1	34.0-48.2	237	58.9	51.8-66.0
65+	558	57,805	256	44.1	38.6-49.6	302	55.9	50.4-61.4
Less Than H.S.	121	47,491	38	23.6	15.2-32.0	83	76.4	68.0-84.8
H.S. or G.E.D.	549	112,421	180	25.0	20.7-29.3	369	75.0	70.7-79.3
Some Post-H.S.	464	88,182	138	23.4	18.7-28.1	326	76.6	71.9-81.3
College Graduate	679	80,694	161	17.8	14.3-21.3	518	82.2	78.7-85.7
Less than \$15,000	162	31,131	60	32.4	22.8-42.0	102	67.6	58.0-77.2
\$15,000- 24,999	154	29,544	54	30.0	20.6-39.4	100	70.0	60.6-79.4
\$25,000- 34,999	134	24,566	49	30.4	19.8-41.0	85	69.6	59.0-80.2
\$35,000- 49,999	271	48,773	94	25.5	18.8-32.2	177	74.5	67.8-81.2
\$50,000- 74,999	292	47,821	73	24.2	17.7-30.7	219	75.8	69.3-82.3
\$75,000+	547	93,925	109	14.8	11.5-18.1	438	85.2	81.9-88.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2950	361,873	1123	29.7	27.5-31.9	1827	70.3	68.1-72.5
White/Non-Hisp	2254	252,788	910	33.0	30.5-35.5	1344	67.0	64.5-69.5
Black or Afr. Am./Non-Hisp	468	71,970	151	25.1	20.0-30.2	317	74.9	69.8-80.0
Oth. Race/Non-Hisp.	71	7,614	19	16.2	07.6-24.8	52	83.8	75.2-92.4
Hispanic	87	22,872	18	12.3	05.0-19.6	69	87.7	80.4-95.0
18-24	113	41,553	4	3.1	00.0-06.4	109	96.9	93.6-0100
25-34	302	58,044	29	12.2	06.7-17.7	273	87.8	82.3-93.3
35-44	357	59,787	63	18.1	13.0-23.2	294	81.9	76.8-87.0
45-54	496	65,860	159	28.5	23.6-33.4	337	71.5	66.6-76.4
55-64	656	56,671	309	47.8	42.9-52.7	347	52.2	47.3-57.1
65+	985	75,352	543	55.0	50.9-59.1	442	45.0	40.9-49.1
Less Than H.S.	175	45,878	81	36.3	27.5-45.1	94	63.7	54.9-72.5
H.S. or G.E.D.	906	109,567	390	34.6	30.7-38.5	516	65.4	61.5-69.3
Some Post-H.S.	876	112,155	356	30.7	26.6-34.8	520	69.3	65.2-73.4
College Graduate	984	93,835	291	19.6	16.9-22.3	693	80.4	77.7-83.1
Less than \$15,000	360	41,824	151	29.2	22.9-35.5	209	70.8	64.5-77.1
\$15,000- 24,999	368	46,509	190	41.9	34.6-49.2	178	58.1	50.8-65.4
\$25,000- 34,999	256	28,243	106	36.7	29.1-44.3	150	63.3	55.7-70.9
\$35,000- 49,999	349	41,353	146	33.6	26.7-40.5	203	66.4	59.5-73.3
\$50,000- 74,999	417	50,710	139	29.5	23.4-35.6	278	70.5	64.4-76.6
\$75,000+	679	89,929	178	19.9	16.4-23.4	501	80.1	76.6-83.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4773	692,296	702	14.2	12.8-15.6	4071	85.8	84.4-87.2
Male	1820	330,354	195	10.3	08.3-12.3	1625	89.7	87.7-91.7
Female	2953	361,943	507	17.8	15.8-19.8	2446	82.2	80.2-84.2
White/Non-Hisp	3687	479,712	573	15.6	13.8-17.4	3114	84.4	82.6-86.2
Black or Afr. Am./Non-Hisp	683	132,244	70	10.2	07.1-13.3	613	89.8	86.7-92.9
Oth. Race/Non-Hisp.	140	22,400	14	8.6	03.1-14.1	126	91.4	85.9-96.9
MultiRacial/Non-Hisp.	80	9,532	18	21.7	10.5-32.9	62	78.3	67.1-89.5
Hispanic	135	44,314	17	11.2	04.3-18.1	118	88.8	81.9-95.7
18-24	241	83,808	20	7.3	03.6-11.0	221	92.7	89.0-96.4
25-34	508	116,205	75	16.4	12.1-20.7	433	83.6	79.3-87.9
35-44	570	115,653	90	17.0	13.1-20.9	480	83.0	79.1-86.9
45-54	823	128,070	135	15.1	11.8-18.4	688	84.9	81.6-88.2
55-64	1027	107,653	206	20.3	16.8-23.8	821	79.7	76.2-83.2
65+	1545	133,263	172	8.8	07.2-10.4	1373	91.2	89.6-92.8
Less Than H.S.	296	93,369	54	19.6	13.7-25.5	242	80.4	74.5-86.3
H.S. or G.E.D.	1457	222,036	200	12.3	10.1-14.5	1257	87.7	85.5-89.9
Some Post-H.S.	1343	200,616	226	15.8	13.1-18.5	1117	84.2	81.5-86.9
College Graduate	1663	174,549	220	12.0	10.0-14.0	1443	88.0	86.0-90.0
Less than \$15,000	522	72,955	108	18.7	14.0-23.4	414	81.3	76.6-86.0
\$15,000- 24,999	522	75,976	140	27.3	21.6-33.0	382	72.7	67.0-78.4
\$25,000- 34,999	390	52,809	64	17.4	11.5-23.3	326	82.6	76.7-88.5
\$35,000- 49,999	620	90,126	101	15.4	11.1-19.7	519	84.6	80.3-88.9
\$50,000- 74,999	710	98,700	87	11.5	08.6-14.4	623	88.5	85.6-91.4
\$75,000+	1226	183,836	122	10.4	08.0-12.8	1104	89.6	87.2-92.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	330,354	195	10.3	08.3-12.3	1625	89.7	87.7-91.7
White/Non-Hisp	1429	226,586	149	10.6	08.2-13.0	1280	89.4	87.0-91.8
Black or Afr. Am./Non-Hisp	217	60,581	18	7.1	03.0-11.2	199	92.9	88.8-97.0
Oth. Race/Non-Hisp.	68	14,748	9	10.0	02.2-17.8	59	90.0	82.2-97.8
18-24	128	42,254	8	7.3	01.2-13.4	120	92.7	86.6-98.8
25-34	205	58,009	18	9.5	04.2-14.8	187	90.5	85.2-95.8
35-44	213	55,866	25	10.8	05.5-16.1	188	89.2	83.9-94.5
45-54	329	62,517	43	12.5	07.8-17.2	286	87.5	82.8-92.2
55-64	370	50,944	55	17.2	10.9-23.5	315	82.8	76.5-89.1
65+	558	57,805	46	4.6	02.8-06.4	512	95.4	93.6-97.2
Less Than H.S.	121	47,491	14	15.8	07.2-24.4	107	84.2	75.6-92.8
H.S. or G.E.D.	549	112,421	53	8.3	05.4-11.2	496	91.7	88.8-94.6
Some Post-H.S.	466	88,423	59	11.0	07.1-14.9	407	89.0	85.1-92.9
College Graduate	679	80,731	68	9.0	06.1-11.9	611	91.0	88.1-93.9
Less than \$15,000	162	31,131	33	18.5	10.5-26.5	129	81.5	73.5-89.5
\$15,000- 24,999	154	29,544	33	20.5	12.1-28.9	121	79.5	71.1-87.9
\$25,000- 34,999	134	24,566	18	14.3	04.1-24.5	116	85.7	75.5-95.9
\$35,000- 49,999	271	48,773	35	12.5	06.2-18.8	236	87.5	81.2-93.8
\$50,000- 74,999	292	47,952	23	6.6	03.1-10.1	269	93.4	89.9-96.9
\$75,000+	547	93,925	36	7.0	03.7-10.3	511	93.0	89.7-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2953	361,943	507	17.8	15.8-19.8	2446	82.2	80.2-84.2
White/Non-Hisp	2258	253,126	424	20.2	17.8-22.6	1834	79.8	77.4-82.2
Black or Afr. Am./Non-Hisp	466	71,663	52	12.9	08.2-17.6	414	87.1	82.4-91.8
Oth. Race/Non-Hisp.	72	7,652	5	5.8	00.1-11.5	67	94.2	88.5-99.9
Hispanic	87	22,872	12	11.0	03.4-18.6	75	89.0	81.4-96.6
18-24	113	41,553	12	7.4	02.9-11.9	101	92.6	88.1-97.1
25-34	303	58,196	57	23.1	16.6-29.6	246	76.9	70.4-83.4
35-44	357	59,787	65	22.8	17.1-28.5	292	77.2	71.5-82.9
45-54	494	65,553	92	17.7	13.2-22.2	402	82.3	77.8-86.8
55-64	657	56,709	151	23.0	18.9-27.1	506	77.0	72.9-81.1
65+	987	75,458	126	12.0	09.5-14.5	861	88.0	85.5-90.5
Less Than H.S.	175	45,878	40	23.6	15.4-31.8	135	76.4	68.2-84.6
H.S. or G.E.D.	908	109,615	147	16.4	13.3-19.5	761	83.6	80.5-86.7
Some Post-H.S.	877	112,193	167	19.5	15.8-23.2	710	80.5	76.8-84.2
College Graduate	984	93,818	152	14.6	11.7-17.5	832	85.4	82.5-88.3
Less than \$15,000	360	41,824	75	18.9	13.6-24.2	285	81.1	75.8-86.4
\$15,000- 24,999	368	46,432	107	31.5	24.2-38.8	261	68.5	61.2-75.8
\$25,000- 34,999	256	28,243	46	20.1	13.6-26.6	210	79.9	73.4-86.4
\$35,000- 49,999	349	41,353	66	18.9	12.8-25.0	283	81.1	75.0-87.2
\$50,000- 74,999	418	50,748	64	16.1	11.4-20.8	354	83.9	79.2-88.6
\$75,000+	679	89,911	86	14.0	10.7-17.3	593	86.0	82.7-89.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4770	691,644	145	2.5	01.9-03.1	4625	97.5	96.9-98.1
Male	1819	330,133	64	2.9	01.9-03.9	1755	97.1	96.1-98.1
Female	2951	361,511	81	2.2	01.6-02.8	2870	97.8	97.2-98.4
White/Non-Hisp	3684	479,354	102	2.2	01.6-02.8	3582	97.8	97.2-98.4
Black or Afr. Am./Non-Hisp	685	132,551	26	3.1	01.3-04.9	659	96.9	95.1-98.7
Oth. Race/Non-Hisp.	140	22,400	3	1.1	00.0-02.5	137	98.9	97.5-0100
MultiRacial/Non-Hisp.	80	9,532	5	5.6	00.0-11.7	75	94.4	88.3-0100
Hispanic	134	43,780	5	4.1	00.0-08.8	129	95.9	91.2-0100
18-24	241	83,808	3	0.9	00.0-01.9	238	99.1	98.1-0100
25-34	507	115,672	4	1.6	00.0-03.4	503	98.4	96.6-0100
35-44	570	115,653	9	1.3	00.1-02.5	561	98.7	97.5-99.9
45-54	824	128,230	15	2.2	00.6-03.8	809	97.8	96.2-99.4
55-64	1028	107,684	28	2.3	01.3-03.3	1000	97.7	96.7-98.7
65+	1542	133,021	83	5.9	04.3-07.5	1459	94.1	92.5-95.7
Less Than H.S.	295	92,835	19	4.3	01.8-06.8	276	95.7	93.2-98.2
H.S. or G.E.D.	1457	221,990	44	2.7	01.5-03.9	1413	97.3	96.1-98.5
Some Post-H.S.	1340	200,411	37	1.9	01.1-02.7	1303	98.1	97.3-98.9
College Graduate	1664	174,682	44	2.1	01.3-02.9	1620	97.9	97.1-98.7
Less than \$15,000	522	72,955	25	4.5	02.0-07.0	497	95.5	93.0-98.0
\$15,000- 24,999	521	75,565	28	3.8	02.0-05.6	493	96.2	94.4-98.0
\$25,000- 34,999	390	52,809	9	1.3	00.3-02.3	381	98.7	97.7-99.7
\$35,000- 49,999	620	90,126	14	1.8	00.6-03.0	606	98.2	97.0-99.4
\$50,000- 74,999	709	98,540	11	1.6	00.4-02.8	698	98.4	97.2-99.6
\$75,000+	1226	183,868	25	1.3	00.7-01.9	1201	98.7	98.1-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	330,133	64	2.9	01.9-03.9	1755	97.1	96.1-98.1
White/Non-Hisp	1429	226,433	44	2.1	01.3-02.9	1385	97.9	97.1-98.7
Black or Afr. Am./Non-Hisp	217	60,581	9	4.2	00.5-07.9	208	95.8	92.1-99.5
Oth. Race/Non-Hisp.	68	14,748	1	0.9	00.0-02.7	67	99.1	97.3-0100
18-24	128	42,254	2	1.1	00.0-02.7	126	98.9	97.3-0100
25-34	205	58,009	3	2.5	00.0-05.8	202	97.5	94.2-0100
35-44	213	55,866	2	0.6	00.0-01.6	211	99.4	98.4-0100
45-54	329	62,517	7	3.1	00.0-06.2	322	96.9	93.8-0100
55-64	371	50,975	9	1.6	00.4-02.8	362	98.4	97.2-99.6
65+	557	57,622	40	7.9	04.8-11.0	517	92.1	89.0-95.2
Less Than H.S.	121	47,491	8	4.5	00.2-08.8	113	95.5	91.2-99.8
H.S. or G.E.D.	548	112,238	21	3.6	01.4-05.8	527	96.4	94.2-98.6
Some Post-H.S.	466	88,423	13	1.9	00.5-03.3	453	98.1	96.7-99.5
College Graduate	679	80,694	22	2.2	01.2-03.2	657	97.8	96.8-98.8
Less than \$15,000	162	31,131	11	5.3	01.0-09.6	151	94.7	90.4-99.0
\$15,000- 24,999	154	29,544	9	4.1	00.8-07.4	145	95.9	92.6-99.2
\$25,000- 34,999	134	24,566	5	1.8	00.0-03.6	129	98.2	96.4-0100
\$35,000- 49,999	271	48,773	5	1.7	00.0-03.5	266	98.3	96.5-0100
\$50,000- 74,999	293	47,982	7	2.0	00.0-04.0	286	98.0	96.0-0100
\$75,000+	546	93,787	12	1.0	00.4-01.6	534	99.0	98.4-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2951	361,511	81	2.2	01.6-02.8	2870	97.8	97.2-98.4
White/Non-Hisp	2255	252,921	58	2.3	01.5-03.1	2197	97.7	96.9-98.5
Black or Afr. Am./Non-Hisp	468	71,970	17	2.2	00.8-03.6	451	97.8	96.4-99.2
Oth. Race/Non-Hisp.	72	7,652	2	1.6	00.0-03.8	70	98.4	96.2-0100
Hispanic	86	22,339	1	0.1	00.0-00.3	85	99.9	99.7-0100
18-24	113	41,553	1	0.6	00.0-01.8	112	99.4	98.2-0100
25-34	302	57,663	1	0.6	00.0-01.8	301	99.4	98.2-0100
35-44	357	59,787	7	2.0	00.0-04.0	350	98.0	96.0-0100
45-54	495	65,714	8	1.4	00.2-02.6	487	98.6	97.4-99.8
55-64	657	56,709	19	3.0	01.4-04.6	638	97.0	95.4-98.6
65+	985	75,399	43	4.4	02.8-06.0	942	95.6	94.0-97.2
Less Than H.S.	174	45,344	11	4.1	01.2-07.0	163	95.9	93.0-98.8
H.S. or G.E.D.	909	109,753	23	1.7	00.9-02.5	886	98.3	97.5-99.1
Some Post-H.S.	874	111,988	24	1.9	00.9-02.9	850	98.1	97.1-99.1
College Graduate	985	93,987	22	2.1	00.9-03.3	963	97.9	96.7-99.1
Less than \$15,000	360	41,824	14	3.8	00.9-06.7	346	96.2	93.3-99.1
\$15,000- 24,999	367	46,021	19	3.6	01.6-05.6	348	96.4	94.4-98.4
\$25,000- 34,999	256	28,243	4	0.8	00.0-01.6	252	99.2	98.4-0100
\$35,000- 49,999	349	41,353	9	2.0	00.4-03.6	340	98.0	96.4-99.6
\$50,000- 74,999	416	50,558	4	1.1	00.0-02.3	412	98.9	97.7-0100
\$75,000+	680	90,081	13	1.6	00.4-02.8	667	98.4	97.2-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 34: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES? (CHCVISON)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4768	691,783	1163	21.5	19.9-23.1	3597	78.3	76.7-79.9	8	0.2	00.0-00.4
Male	1819	329,953	419	19.6	17.2-22.0	1397	80.1	77.6-82.6	3	0.3	00.0-00.7
Female	2949	361,829	744	23.2	21.0-25.4	2200	76.6	74.4-78.8	5	0.1	00.0-00.3
White/Non-Hisp	3682	479,379	939	23.1	21.1-25.1	2738	76.8	74.8-78.8	5	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	684	132,131	150	19.3	15.4-23.2	531	80.0	76.1-83.9	3	0.7	00.0-01.7
Oth. Race/Non-Hisp.	140	22,400	21	11.2	05.7-16.7	119	88.8	83.3-94.3			
MultiRacial/Non-Hisp.	80	9,532	20	26.7	14.4-39.0	60	73.3	61.0-85.6			
Hispanic	135	44,314	22	15.0	06.6-23.4	113	85.0	76.6-93.4			
18-24	241	83,808	34	14.3	08.2-20.4	207	85.7	79.6-91.8			
25-34	508	116,205	70	11.9	08.4-15.4	437	87.9	84.4-91.4	1	0.2	00.0-00.6
35-44	570	115,653	87	15.1	11.6-18.6	483	84.9	81.4-88.4			
45-54	823	127,908	179	21.9	18.0-25.8	642	77.5	73.6-81.4	2	0.6	00.0-01.6
55-64	1027	107,656	269	28.2	24.5-31.9	756	71.5	67.8-75.2	2	0.2	00.0-00.6
65+	1541	132,976	510	33.6	30.5-36.7	1028	66.3	63.2-69.4	3	0.1	00.0-00.3
Less Than H.S.	295	92,949	88	27.3	21.0-33.6	205	72.6	66.3-78.9	2	0.1	00.0-00.3
H.S. or G.E.D.	1458	222,169	336	19.8	17.1-22.5	1121	80.2	77.5-82.9	1	0.1	00.0-00.3
Some Post-H.S.	1341	200,412	353	20.8	18.1-23.5	984	78.8	76.1-81.5	4	0.4	00.0-01.0
College Graduate	1660	174,527	381	21.1	18.4-23.8	1278	78.7	76.0-81.4	1	0.2	00.0-00.6
Less than \$15,000	520	72,475	160	28.7	22.8-34.6	358	71.2	65.3-77.1	2	0.1	00.0-00.3
\$15,000- 24,999	523	76,113	164	29.7	24.2-35.2	357	70.1	64.6-75.6	2	0.3	00.0-00.7
\$25,000- 34,999	390	52,809	108	26.7	20.0-33.4	282	73.3	66.6-80.0			
\$35,000- 49,999	620	90,126	136	17.6	13.7-21.5	484	82.4	78.5-86.3			
\$50,000- 74,999	710	98,575	148	19.5	15.8-23.2	561	79.8	75.9-83.7	1	0.6	00.0-01.8
\$75,000+	1225	183,939	247	16.8	14.3-19.3	977	83.1	80.6-85.6	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 35: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES? (CHCVISON)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	329,953	419	19.6	17.2-22.0	1397	80.1	77.6-82.6	3	0.3	00.0-00.7
White/Non-Hisp	1430	226,672	343	20.6	17.9-23.3	1085	79.3	76.6-82.0	2	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	216	60,162	45	20.2	13.3-27.1	170	78.8	71.7-85.9	1	1.0	00.0-03.0
Oth. Race/Non-Hisp.	68	14,748	11	10.6	03.5-17.7	57	89.4	82.3-96.5			
18-24	128	42,254	12	8.4	02.3-14.5	116	91.6	85.5-97.7			
25-34	205	58,009	28	10.3	05.2-15.4	177	89.7	84.6-94.8			
35-44	213	55,866	31	12.6	07.7-17.5	182	87.4	82.5-92.3			
45-54	328	62,097	65	21.9	15.4-28.4	261	76.9	70.2-83.6	2	1.3	00.0-03.3
55-64	371	50,975	96	28.3	22.0-34.6	274	71.3	65.0-77.6	1	0.4	00.0-01.2
65+	558	57,861	183	32.9	27.6-38.2	375	67.1	61.8-72.4			
Less Than H.S.	120	47,071	33	25.8	16.2-35.4	87	74.2	64.6-83.8			
H.S. or G.E.D.	550	112,516	109	16.6	12.7-20.5	440	83.3	79.4-87.2	1	0.1	00.0-00.3
Some Post-H.S.	466	88,423	117	19.1	14.8-23.4	347	80.0	75.5-84.5	2	0.9	00.0-02.3
College Graduate	678	80,655	157	20.0	16.3-23.7	521	80.0	76.3-83.7			
Less than \$15,000	161	30,712	52	25.3	17.1-33.5	109	74.7	66.5-82.9			
\$15,000- 24,999	154	29,544	40	26.7	17.3-36.1	113	72.8	63.4-82.2	1	0.5	00.0-01.5
\$25,000- 34,999	134	24,566	38	30.7	18.4-43.0	96	69.3	57.0-81.6			
\$35,000- 49,999	271	48,773	55	15.6	09.7-21.5	216	84.4	78.5-90.3			
\$50,000- 74,999	293	47,982	62	19.1	13.4-24.8	230	79.6	73.7-85.5	1	1.3	00.0-03.8
\$75,000+	546	93,886	104	14.5	11.0-18.0	442	85.5	82.0-89.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 36: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES? (CHCVISON)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2949	361,829	744	23.2	21.0-25.4	2200	76.6	74.4-78.8	5	0.1	00.0-00.3
White/Non-Hisp	2252	252,706	596	25.3	22.8-27.8	1653	74.6	72.1-77.1	3	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	468	71,970	105	18.6	14.3-22.9	361	81.0	76.7-85.3	2	0.4	00.0-01.2
Oth. Race/Non-Hisp.	72	7,652	10	12.5	04.3-20.7	62	87.5	79.3-95.7			
Hispanic	87	22,872	15	17.6	05.1-30.1	72	82.4	69.9-94.9			
18-24	113	41,553	22	20.2	09.8-30.6	91	79.8	69.4-90.2			
25-34	303	58,196	42	13.5	08.6-18.4	260	86.0	81.1-90.9	1	0.5	00.0-01.5
35-44	357	59,787	56	17.4	12.5-22.3	301	82.6	77.7-87.5			
45-54	495	65,811	114	21.8	17.1-26.5	381	78.2	73.5-82.9			
55-64	656	56,681	173	28.2	23.7-32.7	482	71.7	67.2-76.2	1	0.1	00.0-00.3
65+	983	75,114	327	34.1	30.2-38.0	653	65.7	61.8-69.6	3	0.2	00.0-00.4
Less Than H.S.	175	45,878	55	28.9	20.7-37.1	118	70.9	62.5-79.3	2	0.2	00.0-00.6
H.S. or G.E.D.	908	109,653	227	23.0	19.1-26.9	681	77.0	73.1-80.9			
Some Post-H.S.	875	111,989	236	22.2	18.7-25.7	637	77.8	74.3-81.3	2	0.1	00.1-00.1
College Graduate	982	93,871	224	22.1	18.2-26.0	757	77.7	73.8-81.6	1	0.3	00.0-00.9
Less than \$15,000	359	41,763	108	31.1	22.9-39.3	249	68.7	60.5-76.9	2	0.2	00.0-00.4
\$15,000- 24,999	369	46,569	124	31.6	24.7-38.5	244	68.3	61.4-75.2	1	0.1	00.0-00.3
\$25,000- 34,999	256	28,243	70	23.3	17.2-29.4	186	76.7	70.6-82.8			
\$35,000- 49,999	349	41,353	81	20.0	14.7-25.3	268	80.0	74.7-85.3			
\$50,000- 74,999	417	50,593	86	19.9	14.8-25.0	331	80.1	75.0-85.2			
\$75,000+	679	90,053	143	19.2	15.5-22.9	535	80.5	76.8-84.2	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 37: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4772	691,971	602	9.7	08.7-10.7	25	0.6	00.2-01.0	4072	88.5	87.3-89.7	73	1.2	00.8-01.6
Male	1818	329,878	246	10.0	08.2-11.8				1542	88.6	86.8-90.4	30	1.4	00.6-02.2
Female	2954	362,094	356	9.4	08.0-10.8	25	1.2	00.6-01.8	2530	88.4	86.8-90.0	43	1.1	00.7-01.5
White/Non-Hisp	3685	479,148	444	9.2	08.0-10.4	17	0.5	00.1-00.9	3170	89.1	87.9-90.3	54	1.2	00.8-01.6
Black or Afr. Am./Non-Hisp	685	132,551	119	13.4	10.1-16.7	4	0.3	00.0-00.7	552	84.8	81.3-88.3	10	1.5	00.1-02.9
Oth. Race/Non-Hisp.	140	22,400	7	4.6	00.0-09.7	2	1.5	00.0-03.9	127	90.2	83.5-96.9	4	3.7	00.0-07.6
MultiRacial/Non-Hisp.	80	9,532	10	9.9	02.5-17.3				67	88.6	81.0-96.2	3	1.5	00.0-03.3
Hispanic	135	44,314	15	5.5	02.2-08.8	2	2.4	00.0-06.1	117	92.0	87.1-96.9	1	0.1	00.0-00.3
18-24	241	83,808	2	0.4	00.0-01.0				238	99.4	98.8-0100	1	0.1	00.0-00.3
25-34	508	116,205	8	2.4	00.4-04.4	6	1.6	00.0-03.2	494	96.0	93.5-98.5			
35-44	569	115,565	27	5.0	02.5-07.5	7	1.0	00.0-02.0	533	93.8	91.1-96.5	2	0.2	00.0-00.6
45-54	824	128,042	85	10.2	07.7-12.7	5	0.6	00.0-01.2	724	87.8	84.9-90.7	10	1.4	00.0-02.8
55-64	1028	107,684	153	14.5	11.6-17.4	5	0.3	00.1-00.5	849	82.7	79.6-85.8	21	2.5	01.3-03.7
65+	1544	133,091	322	21.5	18.6-24.4	2	0.1	00.0-00.3	1182	75.6	72.7-78.5	38	2.8	01.8-03.8
Less Than H.S.	296	93,369	69	16.7	12.0-21.4	2	1.1	00.0-02.9	222	81.7	76.8-86.6	3	0.4	00.0-01.0
H.S. or G.E.D.	1458	222,157	204	9.4	07.8-11.0	4	0.1	00.0-00.3	1217	88.6	86.6-90.6	33	1.9	00.9-02.9
Some Post-H.S.	1343	200,616	177	9.7	07.5-11.9	10	0.8	00.2-01.4	1137	88.6	86.2-91.0	19	0.9	00.5-01.3
College Graduate	1661	174,104	149	6.3	04.9-07.7	9	0.7	00.1-01.3	1485	91.8	90.2-93.4	18	1.2	00.6-01.8
Less than \$15,000	522	72,955	93	15.5	11.0-20.0	1	0.3	00.0-00.9	422	83.5	79.0-88.0	6	0.7	00.0-01.5
\$15,000- 24,999	522	76,002	107	16.9	12.8-21.0	2	0.1	00.0-00.3	401	81.6	77.3-85.9	12	1.4	00.4-02.4
\$25,000- 34,999	390	52,809	49	11.2	06.7-15.7				331	87.1	82.6-91.6	10	1.7	00.5-02.9
\$35,000- 49,999	620	90,126	91	10.9	07.8-14.0	5	0.4	00.0-00.8	511	86.9	83.6-90.2	13	1.8	00.6-03.0
\$50,000- 74,999	711	98,730	70	6.7	04.7-08.7	6	0.8	00.0-01.6	626	91.5	89.3-93.7	9	1.1	00.3-01.9
\$75,000+	1225	183,583	88	4.9	03.5-06.3	7	1.0	00.2-01.8	1117	93.3	91.7-94.9	13	0.9	00.3-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 38: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1818	329,878	246	10.0	08.2-11.8	1542	88.6	86.8-90.4	30	1.4	00.6-02.2
White/Non-Hisp	1428	226,177	192	10.1	08.1-12.1	1216	88.8	86.8-90.8	20	1.1	00.5-01.7
Black or Afr. Am./Non-Hisp	217	60,581	34	11.8	06.7-16.9	179	86.0	80.3-91.7	4	2.2	00.0-05.1
Oth. Race/Non-Hisp.	68	14,748	4	5.5	00.0-12.9	60	88.9	79.7-98.1	4	5.6	00.0-11.5
18-24	128	42,254	1	0.4	00.0-01.4	126	99.3	98.3-0100	1	0.2	00.0-00.6
25-34	205	58,009	6	2.6	00.1-05.1	199	97.4	94.9-99.9			
35-44	212	55,778	6	4.5	00.2-08.8	205	95.1	90.8-99.4	1	0.4	00.0-01.2
45-54	328	62,182	40	10.6	06.7-14.5	285	87.6	83.1-92.1	3	1.8	00.0-04.5
55-64	371	50,975	56	14.2	09.3-19.1	307	83.5	78.4-88.6	8	2.3	00.3-04.3
65+	558	57,789	136	25.6	20.5-30.7	405	70.9	65.6-76.2	17	3.5	01.7-05.3
Less Than H.S.	121	47,491	24	15.3	08.6-22.0	97	84.7	78.0-91.4			
H.S. or G.E.D.	549	112,405	82	7.9	05.7-10.1	455	89.8	87.1-92.5	12	2.2	00.4-04.0
Some Post-H.S.	466	88,423	64	11.7	07.6-15.8	394	87.4	83.3-91.5	8	0.9	00.3-01.5
College Graduate	677	80,272	75	7.8	05.6-10.0	592	90.5	88.0-93.0	10	1.7	00.5-02.9
Less than \$15,000	162	31,131	37	17.8	10.0-25.6	123	81.7	73.9-89.5	2	0.5	00.0-01.3
\$15,000- 24,999	153	29,433	30	17.7	10.4-25.0	120	80.7	73.3-88.1	3	1.6	00.0-03.6
\$25,000- 34,999	134	24,566	23	14.9	06.3-23.5	107	83.4	74.6-92.2	4	1.7	00.0-03.7
\$35,000- 49,999	271	48,773	47	10.3	06.4-14.2	216	87.3	83.0-91.6	8	2.4	00.4-04.4
\$50,000- 74,999	293	47,982	30	6.8	03.7-09.9	259	91.9	88.4-95.4	4	1.4	00.0-03.0
\$75,000+	545	93,502	43	4.9	02.9-06.9	497	94.4	92.4-96.4	5	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 39: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2954	362,094	356	9.4	08.0-10.8	25	1.2	00.6-01.8	2530	88.4	86.8-90.0	43	1.1	00.7-01.5
White/Non-Hisp	2257	252,971	252	8.4	07.0-09.8	17	1.0	00.4-01.6	1954	89.4	87.8-91.0	34	1.2	00.6-01.8
Black or Afr. Am./Non-Hisp	468	71,970	85	14.7	10.4-19.0	4	0.5	00.0-01.1	373	83.8	79.5-88.1	6	0.9	00.1-01.7
Oth. Race/Non-Hisp.	72	7,652	3	2.9	00.0-06.8	2	4.3	00.0-11.2	67	92.8	85.0-0100			
Hispanic	87	22,872	9	6.3	01.4-11.2	2	4.6	00.0-11.7	75	88.9	80.5-97.3	1	0.2	00.0-00.6
18-24	113	41,553	1	0.4	00.0-01.2				112	99.6	98.8-0100			
25-34	303	58,196	2	2.2	00.0-05.3	6	3.2	00.0-06.5	295	94.6	90.3-98.9			
35-44	357	59,787	21	5.5	02.8-08.2	7	1.9	00.1-03.7	328	92.5	89.2-95.8	1	0.1	00.0-00.3
45-54	496	65,860	45	9.8	06.5-13.1	5	1.2	00.0-02.4	439	88.0	84.3-91.7	7	1.0	00.2-01.8
55-64	657	56,709	97	14.8	11.3-18.3	5	0.6	00.0-01.2	542	82.1	78.4-85.8	13	2.6	00.8-04.4
65+	986	75,302	186	18.3	15.2-21.4	2	0.2	00.0-00.4	777	79.1	76.0-82.2	21	2.4	01.2-03.6
Less Than H.S.	175	45,878	45	18.2	11.9-24.5	2	2.3	00.0-05.8	125	78.7	71.6-85.8	3	0.9	00.0-02.1
H.S. or G.E.D.	909	109,753	122	10.9	08.5-13.3	4	0.3	00.0-00.7	762	87.3	84.8-89.8	21	1.6	00.8-02.4
Some Post-H.S.	877	112,193	113	8.1	05.9-10.3	10	1.4	00.2-02.6	743	89.6	87.1-92.1	11	0.9	00.3-01.5
College Graduate	984	93,832	74	4.9	03.5-06.3	9	1.4	00.2-02.6	893	92.9	90.9-94.9	8	0.8	00.2-01.4
Less than \$15,000	360	41,824	56	13.7	08.6-18.8	1	0.6	00.0-01.8	299	84.8	79.5-90.1	4	0.9	00.0-02.1
\$15,000- 24,999	369	46,569	77	16.5	11.6-21.4	2	0.2	00.0-00.4	281	82.1	77.0-87.2	9	1.2	00.2-02.2
\$25,000- 34,999	256	28,243	26	8.0	04.5-11.5				224	90.4	86.5-94.3	6	1.6	00.2-03.0
\$35,000- 49,999	349	41,353	44	11.6	06.7-16.5	5	0.8	00.0-01.6	295	86.4	81.3-91.5	5	1.2	00.0-02.4
\$50,000- 74,999	418	50,748	40	6.5	04.1-08.9	6	1.5	00.1-02.9	367	91.0	88.1-93.9	5	0.9	00.1-01.7
\$75,000+	680	90,081	45	4.9	03.1-06.7	7	2.0	00.4-03.6	620	92.1	89.6-94.6	8	1.1	00.3-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 7: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	84
2 MALES ONLY	85
3 FEMALES ONLY	86
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	87
5 MALES ONLY	88
6 FEMALES ONLY	89
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	90
8 MALES ONLY	91
9 FEMALES ONLY	92
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	93
11 MALES ONLY	94
12 FEMALES ONLY	95
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	96
14 MALES ONLY	97
15 FEMALES ONLY	98

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4763	691,264	2436	50.1	47.9-52.3	2327	49.9	47.7-52.1
Male	1817	329,844	1029	55.3	52.2-58.4	788	44.7	41.6-47.8
Female	2946	361,420	1407	45.3	42.8-47.8	1539	54.7	52.2-57.2
White/Non-Hisp	3680	479,134	1969	53.7	51.3-56.1	1711	46.3	43.9-48.7
Black or Afr. Am./Non-Hisp	683	132,425	281	39.3	34.2-44.4	402	60.7	55.6-65.8
Oth. Race/Non-Hisp.	140	22,400	52	43.2	31.4-55.0	88	56.8	45.0-68.6
MultiRacial/Non-Hisp.	80	9,532	41	49.0	35.3-62.7	39	51.0	37.3-64.7
Hispanic	133	43,746	65	45.7	34.5-56.9	68	54.3	43.1-65.5
18-24	240	83,480	67	23.2	16.5-29.9	173	76.8	70.1-83.5
25-34	508	116,205	225	53.8	48.1-59.5	283	46.2	40.5-51.9
35-44	568	115,391	245	46.7	41.4-52.0	323	53.3	48.0-58.6
45-54	824	128,315	439	54.3	49.8-58.8	385	45.7	41.2-50.2
55-64	1025	107,323	553	55.1	51.0-59.2	472	44.9	40.8-49.0
65+	1540	132,973	878	58.2	54.9-61.5	662	41.8	38.5-45.1
Less Than H.S.	294	93,049	185	65.3	58.2-72.4	109	34.7	27.6-41.8
H.S. or G.E.D.	1454	221,629	820	53.4	49.7-57.1	634	46.6	42.9-50.3
Some Post-H.S.	1341	200,419	721	50.8	46.9-54.7	620	49.2	45.3-53.1
College Graduate	1660	174,441	702	36.5	33.6-39.4	958	63.5	60.6-66.4
Less than \$15,000	519	72,334	303	63.7	57.6-69.8	216	36.3	30.2-42.4
\$15,000- 24,999	521	75,875	305	56.4	50.1-62.7	216	43.6	37.3-49.9
\$25,000- 34,999	389	52,712	231	64.6	58.1-71.1	158	35.4	28.9-41.9
\$35,000- 49,999	619	90,026	349	54.6	48.5-60.7	270	45.4	39.3-51.5
\$50,000- 74,999	710	98,714	343	46.0	40.9-51.1	367	54.0	48.9-59.1
\$75,000+	1225	183,836	538	42.5	38.8-46.2	687	57.5	53.8-61.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1817	329,844	1029	55.3	52.2-58.4	788	44.7	41.6-47.8
White/Non-Hisp	1428	226,472	831	57.8	54.3-61.3	597	42.2	38.7-45.7
Black or Afr. Am./Non-Hisp	217	60,581	98	42.7	34.3-51.1	119	57.3	48.9-65.7
Oth. Race/Non-Hisp.	68	14,748	30	50.3	34.8-65.8	38	49.7	34.2-65.2
18-24	127	41,926	44	30.2	19.6-40.8	83	69.8	59.2-80.4
25-34	205	58,009	103	59.5	51.3-67.7	102	40.5	32.3-48.7
35-44	213	55,866	111	56.5	48.5-64.5	102	43.5	35.5-51.5
45-54	329	62,517	183	56.0	48.7-63.3	146	44.0	36.7-51.3
55-64	370	50,898	219	58.8	52.1-65.5	151	41.2	34.5-47.9
65+	557	57,737	359	63.6	58.1-69.1	198	36.4	30.9-41.9
Less Than H.S.	121	47,491	91	76.0	66.6-85.4	30	24.0	14.6-33.4
H.S. or G.E.D.	548	112,111	342	56.8	50.9-62.7	206	43.2	37.3-49.1
Some Post-H.S.	466	88,423	273	54.7	48.4-61.0	193	45.3	39.0-51.6
College Graduate	677	80,531	319	40.9	36.2-45.6	358	59.1	54.4-63.8
Less than \$15,000	160	30,750	107	72.5	64.3-80.7	53	27.5	19.3-35.7
\$15,000- 24,999	153	29,468	106	65.1	54.7-75.5	47	34.9	24.5-45.3
\$25,000- 34,999	134	24,566	96	77.2	68.6-85.8	38	22.8	14.2-31.4
\$35,000- 49,999	271	48,773	168	59.6	50.8-68.4	103	40.4	31.6-49.2
\$50,000- 74,999	293	47,982	151	49.8	42.2-57.4	142	50.2	42.6-57.8
\$75,000+	546	93,816	260	44.4	38.7-50.1	286	55.6	49.9-61.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2946	361,420	1407	45.3	42.8-47.8	1539	54.7	52.2-57.2
White/Non-Hisp	2252	252,662	1138	50.0	47.1-52.9	1114	50.0	47.1-52.9
Black or Afr. Am./Non-Hisp	466	71,844	183	36.4	30.1-42.7	283	63.6	57.3-69.9
Oth. Race/Non-Hisp.	72	7,652	22	29.6	15.3-43.9	50	70.4	56.1-84.7
Hispanic	86	22,632	31	26.7	14.9-38.5	55	73.3	61.5-85.1
18-24	113	41,553	23	16.2	08.6-23.8	90	83.8	76.2-91.4
25-34	303	58,196	122	48.1	40.7-55.5	181	51.9	44.5-59.3
35-44	355	59,526	134	37.5	31.2-43.8	221	62.5	56.2-68.8
45-54	495	65,799	256	52.6	46.9-58.3	239	47.4	41.7-53.1
55-64	655	56,424	334	51.8	46.9-56.7	321	48.2	43.3-53.1
65+	983	75,236	519	54.0	50.1-57.9	464	46.0	42.1-49.9
Less Than H.S.	173	45,558	94	54.2	44.2-64.2	79	45.8	35.8-55.8
H.S. or G.E.D.	906	109,518	478	49.9	45.2-54.6	428	50.1	45.4-54.8
Some Post-H.S.	875	111,996	448	47.8	43.1-52.5	427	52.2	47.5-56.9
College Graduate	983	93,910	383	32.7	29.0-36.4	600	67.3	63.6-71.0
Less than \$15,000	359	41,584	196	57.2	49.2-65.2	163	42.8	34.8-50.8
\$15,000- 24,999	368	46,407	199	50.9	43.3-58.5	169	49.1	41.5-56.7
\$25,000- 34,999	255	28,146	135	53.6	45.4-61.8	120	46.4	38.2-54.6
\$35,000- 49,999	348	41,253	181	48.8	40.8-56.8	167	51.2	43.2-59.2
\$50,000- 74,999	417	50,732	192	42.3	35.8-48.8	225	57.7	51.2-64.2
\$75,000+	679	90,020	278	40.5	35.8-45.2	401	59.5	54.8-64.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2435	346,003	628	32.5	29.6-35.4	211	10.9	08.9-12.9	1596	56.5	53.6-59.4
Male	1029	182,287	271	34.7	30.2-39.2	85	11.5	08.4-14.6	673	53.8	49.3-58.3
Female	1406	163,717	357	30.1	26.6-33.6	126	10.3	07.8-12.8	923	59.6	55.9-63.3
White/Non-Hisp	1968	257,133	497	31.7	28.4-35.0	139	7.9	06.1-09.7	1332	60.4	57.1-63.7
Black or Afr. Am./Non-Hisp	281	51,996	77	38.1	29.5-46.7	42	16.7	10.2-23.2	162	45.2	37.0-53.4
Oth. Race/Non-Hisp.	52	9,678	18	36.0	15.6-56.4	8	17.8	02.3-33.3	26	46.2	27.0-65.4
Hispanic	65	19,975	15	26.5	12.4-40.6	16	31.7	17.0-46.4	34	41.7	27.4-56.0
18-24	67	19,388	37	56.9	41.4-72.4	16	26.0	12.3-39.7	14	17.2	07.0-27.4
25-34	225	62,500	86	45.8	37.0-54.6	40	19.4	12.3-26.5	99	34.8	27.2-42.4
35-44	245	53,870	94	42.0	34.0-50.0	35	14.1	08.4-19.8	116	43.9	36.1-51.7
45-54	439	69,644	156	35.0	28.9-41.1	37	6.6	04.1-09.1	246	58.4	52.1-64.7
55-64	553	59,165	148	29.4	23.9-34.9	44	6.7	04.3-09.1	361	64.0	58.3-69.7
65+	877	77,337	104	10.7	08.2-13.2	33	4.6	02.2-07.0	740	84.8	81.5-88.1
Less Than H.S.	185	60,792	64	43.3	34.1-52.5	16	11.1	05.0-17.2	105	45.5	36.5-54.5
H.S. or G.E.D.	820	118,345	263	38.2	33.3-43.1	73	10.4	07.3-13.5	484	51.3	46.6-56.0
Some Post-H.S.	720	101,879	193	30.3	25.0-35.6	75	13.9	10.0-17.8	452	55.8	50.5-61.1
College Graduate	702	63,635	107	15.6	11.9-19.3	46	7.2	04.7-09.7	549	77.3	73.2-81.4
Less than \$15,000	303	46,087	100	40.7	32.1-49.3	41	15.9	09.8-22.0	162	43.5	35.3-51.7
\$15,000- 24,999	305	42,794	123	49.2	41.0-57.4	30	8.3	04.2-12.4	152	42.5	34.7-50.3
\$25,000- 34,999	231	34,053	74	39.6	29.8-49.4	20	8.7	03.6-13.8	137	51.7	41.9-61.5
\$35,000- 49,999	349	49,196	87	35.0	26.2-43.8	28	12.3	05.6-19.0	234	52.7	44.3-61.1
\$50,000- 74,999	343	45,377	82	29.5	23.0-36.0	23	8.5	04.2-12.8	238	62.1	55.2-69.0
\$75,000+	538	78,094	85	18.3	13.4-23.2	39	9.5	05.8-13.2	414	72.3	66.8-77.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1029	182,287	271	34.7	30.2-39.2	85	11.5	08.4-14.6	673	53.8	49.5-58.1
White/Non-Hisp	831	130,858	212	33.0	27.9-38.1	53	7.9	05.2-10.6	566	59.1	54.0-64.2
Black or Afr. Am./Non-Hisp	98	25,852	29	41.1	27.6-54.6	16	17.6	07.4-27.8	53	41.3	28.8-53.8
25-34	103	34,526	43	49.6	37.3-61.9	19	19.5	09.9-29.1	41	31.0	20.6-41.4
35-44	111	31,547	45	44.4	32.8-56.0	20	17.9	09.1-26.7	46	37.6	27.0-48.2
45-54	183	35,040	64	35.7	26.3-45.1	17	7.8	03.5-12.1	102	56.5	46.9-66.1
55-64	219	29,945	55	29.5	20.5-38.5	10	4.2	01.1-07.3	154	66.3	57.1-75.5
65+	359	36,733	39	9.8	06.1-13.5	7	2.8	00.0-06.3	313	87.4	82.5-92.3
Less Than H.S.	91	36,108	35	47.6	34.9-60.3	8	13.1	04.1-22.1	48	39.2	27.4-51.0
H.S. or G.E.D.	342	63,684	119	41.3	34.0-48.6	30	10.5	05.8-15.2	193	48.2	41.1-55.3
Some Post-H.S.	273	48,394	70	29.5	20.9-38.1	27	14.5	08.0-21.0	176	56.0	47.4-64.6
College Graduate	319	32,927	46	15.9	10.4-21.4	20	7.9	03.6-12.2	253	76.1	69.6-82.6
Less than \$15,000	107	22,302	37	41.0	27.9-54.1	14	18.0	07.0-29.0	56	41.0	28.8-53.2
\$15,000- 24,999	106	19,186	53	56.2	43.5-68.9	7	6.3	00.0-13.4	46	37.5	25.5-49.5
\$25,000- 34,999	96	18,962	31	41.7	26.4-57.0	12	11.6	03.2-20.0	53	46.7	31.6-61.8
\$35,000- 49,999	168	29,071	45	41.8	29.5-54.1	10	8.6	01.3-15.9	113	49.6	38.0-61.2
\$50,000- 74,999	151	23,912	31	25.6	16.4-34.8	12	11.0	03.6-18.4	108	63.5	53.3-73.7
\$75,000+	260	41,674	42	19.2	11.8-26.6	18	11.5	05.2-17.8	200	69.2	60.8-77.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1406	163,717	357	30.1	26.6-33.6	126	10.3	07.8-12.8	923	59.6	55.9-63.3
White/Non-Hisp	1137	126,275	285	30.4	26.5-34.3	86	7.8	05.4-10.2	766	61.7	57.6-65.8
Black or Afr. Am./Non-Hisp	183	26,144	48	35.2	24.4-46.0	26	15.9	07.7-24.1	109	49.0	38.6-59.4
25-34	122	27,974	43	41.2	29.2-53.2	21	19.3	08.7-29.9	58	39.5	28.5-50.5
35-44	134	22,323	49	38.5	28.1-48.9	15	8.6	04.1-13.1	70	52.9	42.5-63.3
45-54	256	34,604	92	34.3	26.7-41.9	20	5.4	02.7-08.1	144	60.3	52.7-67.9
55-64	334	29,220	93	29.3	22.8-35.8	34	9.1	05.6-12.6	207	61.6	54.9-68.3
65+	518	40,604	65	11.4	08.1-14.7	26	6.2	03.1-09.3	427	82.4	78.1-86.7
Less Than H.S.	94	24,684	29	37.1	24.2-50.0	8	8.2	00.9-15.5	57	54.7	41.8-67.6
H.S. or G.E.D.	478	54,661	144	34.6	28.5-40.7	43	10.3	06.0-14.6	291	55.1	48.8-61.4
Some Post-H.S.	447	53,484	123	31.0	24.7-37.3	48	13.4	08.5-18.3	276	55.7	49.2-62.2
College Graduate	383	30,707	61	15.2	10.3-20.1	26	6.4	03.5-09.3	296	78.5	73.2-83.8
Less than \$15,000	196	23,785	63	40.4	29.0-51.8	27	13.8	08.1-19.5	106	45.8	35.0-56.6
\$15,000- 24,999	199	23,609	70	43.5	33.1-53.9	23	10.0	05.1-14.9	106	46.5	36.3-56.7
\$25,000- 34,999	135	15,091	43	37.0	26.2-47.8	8	5.1	00.8-09.4	84	58.0	47.2-68.8
\$35,000- 49,999	181	20,125	42	25.2	15.4-35.0	18	17.7	05.7-29.7	121	57.1	45.3-68.9
\$50,000- 74,999	192	21,466	51	33.8	24.8-42.8	11	5.7	01.8-09.6	130	60.5	51.3-69.7
\$75,000+	278	36,420	43	17.1	11.0-23.2	21	7.1	03.6-10.6	214	75.8	69.1-82.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	839	150,342	484	63.5	58.8-68.2	355	36.5	31.8-41.2
Male	356	84,266	193	64.9	58.2-71.6	163	35.1	28.4-41.8
Female	483	66,076	291	61.7	55.4-68.0	192	38.3	32.0-44.6
White/Non-Hisp	636	101,801	344	58.3	52.8-63.8	292	41.7	36.2-47.2
Black or Afr. Am./Non-Hisp	119	28,519	84	73.6	62.6-84.6	35	26.4	15.4-37.4
18-24	53	16,060	36	79.1	68.1-90.1	17	20.9	09.9-31.9
25-34	126	40,747	83	71.8	62.2-81.4	43	28.2	18.6-37.8
35-44	129	30,194	78	61.5	50.7-72.3	51	38.5	27.7-49.3
45-54	193	28,987	113	55.8	46.0-65.6	80	44.2	34.4-54.0
55-64	192	21,325	99	51.4	41.2-61.6	93	48.6	38.4-58.8
65+	137	11,787	68	56.2	45.0-67.4	69	43.8	32.6-55.0
Less Than H.S.	80	33,119	54	69.0	57.0-81.0	26	31.0	19.0-43.0
H.S. or G.E.D.	336	57,575	180	56.7	49.4-64.0	156	43.3	36.0-50.6
Some Post-H.S.	268	44,991	169	70.6	63.3-77.9	99	29.4	22.1-36.7
College Graduate	153	14,476	80	56.5	45.9-67.1	73	43.5	32.9-54.1
Less than \$15,000	141	26,060	88	59.8	47.6-72.0	53	40.2	28.0-52.4
\$15,000- 24,999	153	24,617	97	67.3	57.1-77.5	56	32.7	22.5-42.9
\$25,000- 34,999	94	16,456	53	63.5	50.8-76.2	41	36.5	23.8-49.2
\$35,000- 49,999	115	23,286	58	62.3	49.0-75.6	57	37.7	24.4-51.0
\$50,000- 74,999	105	17,212	63	62.0	50.4-73.6	42	38.0	26.4-49.6
\$75,000+	124	21,638	61	56.3	44.5-68.1	63	43.7	31.9-55.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	356	84,266	193	64.9	58.2-71.6	163	35.1	28.4-41.8
White/Non-Hisp	265	53,481	125	55.6	46.8-64.4	140	44.4	35.6-53.2
25-34	62	23,834	43	76.5	64.7-88.3	19	23.5	11.7-35.3
35-44	65	19,671	38	64.7	51.0-78.4	27	35.3	21.6-49.0
45-54	81	15,254	38	46.7	31.8-61.6	43	53.3	38.4-68.2
55-64	65	10,097	31	49.6	32.2-67.0	34	50.4	33.0-67.8
H.S. or G.E.D.	149	33,016	79	56.5	45.9-67.1	70	43.5	32.9-54.1
Some Post-H.S.	97	21,286	59	75.5	65.1-85.9	38	24.5	14.1-34.9
College Graduate	66	7,863	26	48.6	32.7-64.5	40	51.4	35.5-67.3
Less than \$15,000	51	13,158	26	54.6	36.0-73.2	25	45.4	26.8-64.0
\$15,000- 24,999	60	11,987	41	77.2	65.0-89.4	19	22.8	10.6-35.0
\$35,000- 49,999	55	14,659	25	63.3	45.3-81.3	30	36.7	18.7-54.7
\$75,000+	60	12,816	29	64.2	49.1-79.3	31	35.8	20.7-50.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	483	66,076	291	61.7	55.4-68.0	192	38.3	32.0-44.6
White/Non-Hisp	371	48,321	219	61.2	54.3-68.1	152	38.8	31.9-45.7
Black or Afr. Am./Non-Hisp	74	13,342	49	61.5	44.1-78.9	25	38.5	21.1-55.9
25-34	64	16,913	40	65.3	49.4-81.2	24	34.7	18.8-50.6
35-44	64	10,523	40	55.5	39.6-71.4	24	44.5	28.6-60.4
45-54	112	13,732	75	65.8	53.8-77.8	37	34.2	22.2-46.2
55-64	127	11,228	68	53.0	41.8-64.2	59	47.0	35.8-58.2
65+	91	7,152	52	58.9	46.2-71.6	39	41.1	28.4-53.8
H.S. or G.E.D.	187	24,559	101	56.9	47.1-66.7	86	43.1	33.3-52.9
Some Post-H.S.	171	23,705	110	66.2	56.4-76.0	61	33.8	24.0-43.6
College Graduate	87	6,613	54	65.8	52.1-79.5	33	34.2	20.5-47.9
Less than \$15,000	90	12,901	62	65.1	49.4-80.8	28	34.9	19.2-50.6
\$15,000- 24,999	93	12,630	56	58.0	43.5-72.5	37	42.0	27.5-56.5
\$25,000- 34,999	51	6,342	26	48.3	31.1-65.5	25	51.7	34.5-68.9
\$35,000- 49,999	60	8,627	33	60.5	40.7-80.3	27	39.5	19.7-59.3
\$50,000- 74,999	62	8,478	43	74.1	61.2-87.0	19	25.9	13.0-38.8
\$75,000+	64	8,823	32	44.7	29.2-60.2	32	55.3	39.8-70.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1596	195,661	133	11.0	08.6-13.4	210	16.9	14.2-19.6	158	10.2	08.2-12.2	1095	61.9	58.6-65.2
Male	673	98,020	70	15.0	10.9-19.1	86	15.6	11.9-19.3	65	8.9	06.4-11.4	452	60.5	55.4-65.6
Female	923	97,641	63	6.9	04.5-09.3	124	18.2	14.3-22.1	93	11.5	08.6-14.4	643	63.4	59.1-67.7
White/Non-Hisp	1332	155,331	101	10.5	07.8-13.2	167	16.6	13.7-19.5	127	9.0	07.2-10.8	937	63.9	60.2-67.6
Black or Afr. Am./Non-Hisp	162	23,477	18	13.4	06.3-20.5	21	14.8	07.4-22.2	17	13.7	06.1-21.3	106	58.1	47.9-68.3
25-34	99	21,753	34	37.4	25.1-49.7	33	35.3	23.7-46.9	19	17.5	08.3-26.7	13	9.8	04.1-15.5
35-44	116	23,675	14	13.4	05.4-21.4	37	34.7	24.3-45.1	21	15.5	08.4-22.6	44	36.5	26.3-46.7
45-54	246	40,658	20	6.0	02.7-09.3	44	17.6	11.1-24.1	38	14.2	09.1-19.3	144	62.2	54.4-70.0
55-64	361	37,840	28	7.7	04.4-11.0	51	14.7	09.8-19.6	29	6.2	03.7-08.7	253	71.4	65.5-77.3
65+	740	65,551	26	3.5	01.7-05.3	40	4.4	02.6-06.2	49	6.0	04.0-08.0	625	86.1	83.0-89.2
Less Than H.S.	105	27,673	9	9.5	02.1-16.9	14	16.2	07.2-25.2	6	7.1	00.6-13.6	76	67.2	55.6-78.8
H.S. or G.E.D.	484	60,770	38	11.4	06.9-15.9	60	16.6	11.7-21.5	64	12.7	09.2-16.2	322	59.3	53.2-65.4
Some Post-H.S.	452	56,888	40	11.0	06.7-15.3	71	20.1	15.0-25.2	39	7.2	04.5-09.9	302	61.7	55.8-67.6
College Graduate	549	49,159	45	9.9	06.4-13.4	65	14.3	10.2-18.4	49	12.7	08.8-16.6	390	63.1	57.8-68.4
Less than \$15,000	162	20,027	18	11.0	04.3-17.7	24	20.6	11.0-30.2	12	8.8	01.4-16.2	108	59.6	48.2-71.0
\$15,000- 24,999	152	18,177	23	19.9	10.5-29.3	19	22.2	10.8-33.6	23	16.7	08.3-25.1	87	41.2	30.8-51.6
\$25,000- 34,999	137	17,597	7	5.0	00.9-09.1	16	14.9	05.5-24.3	8	2.8	00.4-05.2	106	77.4	67.2-87.6
\$35,000- 49,999	234	25,910	27	14.1	08.4-19.8	36	17.0	10.9-23.1	25	11.4	06.3-16.5	146	57.5	49.7-65.3
\$50,000- 74,999	238	28,166	20	11.8	04.9-18.7	36	18.7	11.8-25.6	29	12.3	07.4-17.2	153	57.2	48.8-65.6
\$75,000+	414	56,456	27	9.7	04.8-14.6	58	17.8	12.5-23.1	40	10.2	06.7-13.7	289	62.2	55.7-68.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	673	98,020	70	15.0	10.9-19.1	86	15.6	11.9-19.3	65	8.9	06.4-11.4	452	60.5	55.6-65.4
White/Non-Hisp	566	77,377	57	15.6	10.7-20.5	71	15.5	11.4-19.6	50	8.0	05.5-10.5	388	60.9	55.4-66.4
Black or Afr. Am./Non-Hisp	53	10,675	8	16.3	04.7-27.9	5	10.3	00.0-20.7	6	11.5	00.5-22.5	34	61.9	45.4-78.4
45-54	102	19,785	10	7.2	01.5-12.9	18	14.6	06.6-22.6	17	14.5	07.1-21.9	57	63.7	52.1-75.3
55-64	154	19,848	14	9.9	04.2-15.6	20	14.6	07.0-22.2	10	5.1	01.4-08.8	110	70.5	61.3-79.7
65+	313	32,099	10	3.6	00.9-06.3	19	5.0	02.1-07.9	24	7.2	03.9-10.5	260	84.1	79.0-89.2
H.S. or G.E.D.	193	30,667	19	16.3	08.3-24.3	24	18.1	10.3-25.9	26	11.0	06.3-15.7	124	54.6	45.2-64.0
Some Post-H.S.	176	27,109	23	14.9	08.2-21.6	25	18.0	10.4-25.6	15	5.4	02.3-08.5	113	61.7	52.5-70.9
College Graduate	253	25,065	22	13.1	06.8-19.4	32	14.3	08.6-20.0	20	11.0	05.9-16.1	179	61.6	54.0-69.2
Less than \$15,000	56	9,143	6	13.9	01.4-26.4	9	20.3	05.6-35.0	3	3.0	00.0-06.9	38	62.8	45.7-79.9
\$25,000- 34,999	53	8,848	3	4.9	00.0-11.4	3	11.6	00.0-27.3	2	1.7	00.0-04.1	45	81.9	65.4-98.4
\$35,000- 49,999	113	14,412	15	19.4	10.4-28.4	12	11.6	04.3-18.9	12	11.0	04.3-17.7	74	58.0	46.8-69.2
\$50,000- 74,999	108	15,178	13	15.2	05.4-25.0	19	22.7	12.1-33.3	11	11.9	04.3-19.5	65	50.2	38.2-62.2
\$75,000+	200	28,859	19	15.8	07.0-24.6	26	15.8	08.7-22.9	18	7.9	03.8-12.0	137	60.5	51.3-69.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	923	97,641	63	6.9	04.5-09.3	124	18.2	14.3-22.1	93	11.5	08.6-14.4	643	63.4	59.1-67.7
White/Non-Hisp	766	77,954	44	5.5	03.1-07.9	96	17.6	13.3-21.9	77	10.1	07.4-12.8	549	66.8	62.1-71.5
Black or Afr. Am./Non-Hisp	109	12,802	10	10.9	02.3-19.5	16	18.5	08.3-28.7	11	15.6	05.4-25.8	72	55.0	42.5-67.5
25-34	58	11,061	16	26.6	11.9-41.3	20	37.5	22.2-52.8	13	23.7	09.4-38.0	9	12.3	03.5-21.1
35-44	70	11,800	5	3.6	00.3-06.9	23	37.6	23.3-51.9	14	20.7	09.3-32.1	28	38.1	24.6-51.6
45-54	144	20,872	10	4.9	01.4-08.4	26	20.4	10.8-30.0	21	13.9	07.0-20.8	87	60.8	50.4-71.2
55-64	207	17,992	14	5.4	02.3-08.5	31	14.8	08.5-21.1	19	7.4	03.9-10.9	143	72.4	65.1-79.7
65+	427	33,451	16	3.3	01.1-05.5	21	3.9	01.9-05.9	25	4.9	02.7-07.1	365	87.9	84.4-91.4
Less Than H.S.	57	13,502	4	7.5	00.0-15.5	9	23.8	08.7-38.9	2	5.9	00.0-15.7	42	62.8	45.9-79.7
H.S. or G.E.D.	291	30,102	19	6.4	03.1-09.7	36	15.0	08.9-21.1	38	14.5	09.2-19.8	198	64.1	56.8-71.4
Some Post-H.S.	276	29,779	17	7.5	02.2-12.8	46	22.1	15.0-29.2	24	8.7	04.6-12.8	189	61.7	53.9-69.5
College Graduate	296	24,094	23	6.4	03.5-09.3	33	14.3	08.6-20.0	29	14.5	08.4-20.6	211	64.7	57.3-72.1
Less than \$15,000	106	10,884	12	8.6	02.9-14.3	15	20.9	08.2-33.6	9	13.6	00.9-26.3	70	56.9	41.6-72.2
\$15,000- 24,999	106	10,979	14	15.9	04.7-27.1	11	25.8	09.3-42.3	13	11.7	03.9-19.5	68	46.7	32.6-60.8
\$25,000- 34,999	84	8,749	4	5.1	00.0-10.4	13	18.2	07.8-28.6	6	3.9	00.0-07.8	61	72.8	61.2-84.4
\$35,000- 49,999	121	11,498	12	7.5	02.6-12.4	24	23.7	13.7-33.7	13	12.0	04.0-20.0	72	56.8	45.6-68.0
\$50,000- 74,999	130	12,988	7	7.7	00.0-17.3	17	14.1	06.3-21.9	18	12.9	06.6-19.2	88	65.3	54.1-76.5
\$75,000+	214	27,598	8	3.3	00.8-05.8	32	20.0	12.4-27.6	22	12.6	06.7-18.5	152	64.1	55.7-72.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4776	692,661	41	1.0	00.6-01.4	36	1.2	00.6-01.8	4699	97.8	97.2-98.4
Male	1821	330,411	36	1.9	01.1-02.7	35	2.6	01.6-03.6	1750	95.5	94.1-96.9
Female	2955	362,249	5	0.1	00.1-00.1	1	0.0	00.0-00.0	2949	99.9	99.9-99.9
White/Non-Hisp	3689	479,837	38	1.3	00.7-01.9	30	1.5	00.9-02.1	3621	97.3	96.5-98.1
Black or Afr. Am./Non-Hisp	685	132,551	2	0.2	00.0-00.4	1	0.6	00.0-01.8	682	99.2	98.0-0100
Oth. Race/Non-Hisp.	140	22,400				1	0.3	00.0-00.9	139	99.7	99.1-0100
MultiRacial/Non-Hisp.	80	9,532				2	3.0	00.0-07.1	78	97.0	92.9-0100
Hispanic	135	44,314	1	0.9	00.0-02.7	1	0.5	00.0-01.5	133	98.6	96.6-0100
18-24	241	83,808	2	0.4	00.0-01.0	7	2.9	00.2-05.6	232	96.7	94.0-99.4
25-34	508	116,205	7	1.6	00.2-03.0	12	2.4	01.0-03.8	489	96.0	94.0-98.0
35-44	570	115,653	7	1.4	00.0-02.8	10	2.2	00.4-04.0	553	96.4	94.2-98.6
45-54	825	128,376	7	0.8	00.2-01.4	2	0.3	00.0-00.7	816	98.9	98.1-99.7
55-64	1028	107,684	8	0.7	00.0-01.5	2	0.1	00.0-00.3	1018	99.2	98.4-0100
65+	1546	133,358	9	0.7	00.1-01.3	3	0.1	00.0-00.3	1534	99.2	98.6-99.8
Less Than H.S.	296	93,369	7	1.9	00.3-03.5				289	98.1	96.5-99.7
H.S. or G.E.D.	1459	222,268	15	1.2	00.4-02.0	17	2.1	00.7-03.5	1427	96.7	95.1-98.3
Some Post-H.S.	1343	200,616	12	0.8	00.2-01.4	10	1.2	00.4-02.0	1321	98.0	97.0-99.0
College Graduate	1664	174,682	7	0.3	00.0-00.7	9	0.8	00.2-01.4	1648	98.8	98.0-99.6
Less than \$15,000	522	72,955	3	0.9	00.0-02.1	5	1.3	00.0-02.7	514	97.8	96.0-99.6
\$15,000- 24,999	523	76,113	8	1.3	00.1-02.5	3	0.4	00.0-01.0	512	98.3	96.9-99.7
\$25,000- 34,999	390	52,809	6	1.5	00.3-02.7	3	0.7	00.0-01.7	381	97.9	96.3-99.5
\$35,000- 49,999	620	90,126	4	0.6	00.0-01.2	4	1.2	00.0-02.4	612	98.2	96.8-99.6
\$50,000- 74,999	711	98,730	6	1.5	00.0-03.1	7	1.5	00.3-02.7	698	96.9	94.9-98.9
\$75,000+	1227	184,005	10	0.9	00.1-01.7	10	1.5	00.3-02.7	1207	97.6	96.2-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	330,411	36	1.9	01.1-02.7	35	2.6	01.6-03.6	1750	95.5	94.1-96.9
White/Non-Hisp	1431	226,711	34	2.5	01.5-03.5	29	3.0	01.6-04.4	1368	94.4	92.6-96.2
Black or Afr. Am./Non-Hisp	217	60,581	1	0.3	00.0-00.9	1	1.3	00.0-03.8	215	98.4	95.7-0100
Oth. Race/Non-Hisp.	68	14,748				1	0.4	00.0-01.2	67	99.6	98.8-0100
18-24	128	42,254	2	0.8	00.0-02.0	7	5.8	00.5-11.1	119	93.4	87.9-98.9
25-34	205	58,009	7	3.2	00.7-05.7	12	4.9	02.0-07.8	186	92.0	88.1-95.9
35-44	213	55,866	6	2.8	00.1-05.5	10	4.6	01.1-08.1	197	92.5	88.2-96.8
45-54	329	62,517	7	1.7	00.3-03.1	2	0.6	00.0-01.4	320	97.7	96.1-99.3
55-64	371	50,975	6	1.1	00.0-02.5	1	0.1	00.0-00.3	364	98.8	97.4-0100
65+	559	57,900	7	1.4	00.0-02.8	3	0.3	00.0-00.7	549	98.3	96.9-99.7
Less Than H.S.	121	47,491	6	3.5	00.4-06.6				115	96.5	93.4-99.6
H.S. or G.E.D.	550	112,516	14	2.3	00.7-03.9	17	4.2	01.7-06.7	519	93.5	90.6-96.4
Some Post-H.S.	466	88,423	11	1.8	00.6-03.0	9	2.6	00.8-04.4	446	95.7	93.5-97.9
College Graduate	679	80,694	5	0.6	00.0-01.4	9	1.8	00.4-03.2	665	97.6	96.0-99.2
Less than \$15,000	162	31,131	2	1.9	00.0-04.6	4	2.9	00.0-06.2	156	95.2	91.1-99.3
\$15,000- 24,999	154	29,544	6	3.1	00.0-06.2	3	1.0	00.0-02.4	145	95.9	92.4-99.4
\$25,000- 34,999	134	24,566	5	2.8	00.3-05.3	3	1.4	00.0-03.4	126	95.8	92.7-98.9
\$35,000- 49,999	271	48,773	4	1.1	00.0-02.3	4	2.1	00.0-04.3	263	96.8	94.4-99.2
\$50,000- 74,999	293	47,982	6	3.2	00.1-06.3	7	3.1	00.7-05.5	280	93.7	89.8-97.6
\$75,000+	547	93,925	9	1.7	00.3-03.1	10	2.9	00.5-05.3	528	95.4	92.9-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2955	362,249	5	0.1	00.1-00.1	1	0.0	00.0-00.0	2949	99.9	99.9-99.9
White/Non-Hisp	2258	253,126	4	0.1	00.0-00.3	1	0.0	00.0-00.0	2253	99.9	99.7-0100
Black or Afr. Am./Non-Hisp	468	71,970	1	0.1	00.0-00.3				467	99.9	99.7-0100
Oth. Race/Non-Hisp.	72	7,652							72	100.0	0100-0100
Hispanic	87	22,872							87	100.0	0100-0100
18-24	113	41,553							113	100.0	0100-0100
25-34	303	58,196							303	100.0	0100-0100
35-44	357	59,787	1	0.1	00.0-00.3				356	99.9	99.7-0100
45-54	496	65,860							496	100.0	0100-0100
55-64	657	56,709	2	0.3	00.0-00.7	1	0.1	00.0-00.3	654	99.6	99.2-0100
65+	987	75,458	2	0.1	00.0-00.3				985	99.9	99.7-0100
Less Than H.S.	175	45,878	1	0.2	00.0-00.6				174	99.8	99.4-0100
H.S. or G.E.D.	909	109,753	1	0.0	00.0-00.0				908	100.0	0100-0100
Some Post-H.S.	877	112,193	1	0.0	00.0-00.0	1	0.1	00.0-00.3	875	99.9	99.7-0100
College Graduate	985	93,987	2	0.1	00.0-00.3				983	99.9	99.7-0100
Less than \$15,000	360	41,824	1	0.1	00.0-00.3	1	0.2	00.0-00.6	358	99.7	99.3-0100
\$15,000- 24,999	369	46,569	2	0.2	00.0-00.4				367	99.8	99.6-0100
\$25,000- 34,999	256	28,243	1	0.4	00.0-01.2				255	99.6	98.8-0100
\$35,000- 49,999	349	41,353							349	100.0	0100-0100
\$50,000- 74,999	418	50,748							418	100.0	0100-0100
\$75,000+	680	90,081	1	0.1	00.0-00.3				679	99.9	99.7-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	102
2 MALES ONLY	103
3 FEMALES ONLY	104
ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4 MALES AND FEMALES	105
5 MALES ONLY	106
6 FEMALES ONLY	107
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7 MALES AND FEMALES	108
8 MALES ONLY	109
9 FEMALES ONLY	110
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	111
11 MALES ONLY	112
12 FEMALES ONLY	113
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)	
13 MALES AND FEMALES	114
14 MALES ONLY	115
15 FEMALES ONLY	116
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	117
17 MALES ONLY	118
18 FEMALES ONLY	119
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	120
20 MALES ONLY	121
21 FEMALES ONLY	122

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22	MALES AND FEMALES	123
23	MALES ONLY	124
24	FEMALES ONLY	125
	ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25	MALES AND FEMALES	126
26	MALES ONLY	127
27	FEMALES ONLY	128
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28	MALES AND FEMALES	129
29	MALES ONLY	130
30	FEMALES ONLY	131
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31	MALES AND FEMALES	132
32	MALES ONLY	133
33	FEMALES ONLY	134
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34	MALES AND FEMALES	135
35	MALES ONLY	136
36	FEMALES ONLY	137
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37	MALES AND FEMALES	138
38	MALES ONLY	139
39	FEMALES ONLY	140
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40	MALES AND FEMALES	141
41	MALES ONLY	142
42	FEMALES ONLY	143

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43	MALES AND FEMALES	144
44	MALES ONLY	145
45	FEMALES ONLY	146
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46	MALES AND FEMALES	147
	DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47	FEMALES ONLY	148
	DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)	
52	MALES AND FEMALES	153
53	MALES ONLY	154
54	FEMALES ONLY	155
	DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)	
55	MALES AND FEMALES	156
56	MALES ONLY	157
57	FEMALES ONLY	158
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
58	MALES AND FEMALES	159
59	MALES ONLY	160
60	FEMALES ONLY	161
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
61	MALES AND FEMALES	162
62	MALES ONLY	163
63	FEMALES ONLY	164
	INDICATE SEX OF RESPONDENT. (SEX)	
64	MALES AND FEMALES	165
65	MALES ONLY	166
66	FEMALES ONLY	167
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
67	MALES AND FEMALES	168
68	MALES ONLY	169
69	FEMALES ONLY	170

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4718	685,084	241	12.2	10.2-14.2	508	17.0	15.2-18.8	570	16.9	15.3-18.5	825	18.7	17.1-20.3	1028	15.7	14.5-16.9	1546	19.5	18.1-20.9
Male	1805	327,521	128	12.9	10.2-15.6	205	17.7	15.0-20.4	213	17.1	14.6-19.6	329	19.1	16.6-21.6	371	15.6	13.6-17.6	559	17.7	15.7-19.7
Female	2913	357,563	113	11.6	09.1-14.1	303	16.3	14.1-18.5	357	16.7	14.7-18.7	496	18.4	16.4-20.4	657	15.9	14.3-17.5	987	21.1	19.3-22.9
White/Non-Hisp	3649	475,479	138	10.1	08.1-12.1	315	15.1	13.1-17.1	409	15.8	14.0-17.6	636	18.9	17.1-20.7	804	16.9	15.3-18.5	1347	23.3	21.7-24.9
Black or Afr. Am./Non-Hisp	674	129,746	58	15.4	10.9-19.9	110	19.4	15.1-23.7	87	18.2	13.9-22.5	124	20.3	16.2-24.4	158	14.0	11.1-16.9	137	12.6	09.5-15.7
Oth. Race/Non-Hisp.	139	22,347	15	16.4	06.6-26.2	35	22.1	13.5-30.7	29	26.7	15.3-38.1	18	13.8	06.2-21.4	28	15.8	08.7-22.9	14	5.1	01.8-08.4
MultiRacial/Non-Hisp.	79	9,459	11	20.7	08.0-33.4	14	16.6	07.4-25.8	15	19.3	08.9-29.7	14	15.6	05.4-25.8	8	6.7	01.2-12.2	17	21.1	09.9-32.3
Hispanic	135	44,314	18	22.6	11.2-34.0	33	28.4	18.0-38.8	29	20.8	12.6-29.0	19	13.8	06.0-21.6	20	10.2	04.7-15.7	16	4.1	01.7-06.5
Less Than H.S.	293	92,268	25	15.6	09.3-21.9	31	21.2	14.1-28.3	15	7.5	03.6-11.4	40	15.4	10.1-20.7	42	10.3	06.4-14.2	140	30.0	23.9-36.1
H.S. or G.E.D.	1442	220,395	92	13.7	10.4-17.0	118	13.9	11.2-16.6	148	16.9	14.0-19.8	261	20.6	17.5-23.7	306	14.8	12.8-16.8	517	20.1	17.9-22.3
Some Post-H.S.	1325	198,571	92	15.7	12.0-19.4	138	14.8	12.1-17.5	164	17.6	14.5-20.7	223	18.2	15.5-20.9	288	17.2	14.7-19.7	420	16.5	14.5-18.5
College Graduate	1648	173,135	32	4.6	02.2-07.0	220	21.0	18.1-23.9	241	20.9	18.2-23.6	299	18.9	16.5-21.3	391	18.2	16.0-20.4	465	16.4	14.6-18.2
Less than \$15,000	518	72,401	37	13.5	08.0-19.0	62	20.9	15.2-26.6	41	12.9	08.0-17.8	61	12.1	08.6-15.6	102	13.7	09.8-17.6	215	26.9	22.0-31.8
\$15,000- 24,999	521	76,045	39	14.6	09.3-19.9	54	19.1	13.4-24.8	31	9.1	05.6-12.6	90	18.2	13.5-22.9	119	17.0	12.7-21.3	188	22.1	17.8-26.4
\$25,000- 34,999	388	52,635	20	9.5	04.2-14.8	49	16.3	11.0-21.6	36	15.6	09.1-22.1	53	15.5	09.8-21.2	80	16.6	11.7-21.5	150	26.5	21.0-32.0
\$35,000- 49,999	619	89,705	23	10.1	04.0-16.2	82	21.7	16.2-27.2	91	20.6	15.7-25.5	78	13.2	09.5-16.9	121	14.7	11.4-18.0	224	19.7	16.4-23.0
\$50,000- 74,999	701	97,527	26	8.9	04.6-13.2	92	16.3	12.4-20.2	106	20.1	16.0-24.2	123	19.4	15.1-23.7	185	21.0	17.3-24.7	169	14.2	11.7-16.7
\$75,000+	1222	183,367	26	5.3	02.8-07.8	120	15.8	12.9-18.7	213	22.7	19.4-26.0	319	28.1	24.8-31.4	298	17.3	14.9-19.7	246	10.9	09.3-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1805	327,521	128	12.9	10.2-15.6	205	17.7	15.0-20.4	213	17.1	14.6-19.6	329	19.1	16.6-21.6	371	15.6	13.6-17.6	559	17.7	15.7-19.7
White/Non-Hisp	1419	224,532	82	11.3	08.2-14.4	138	16.0	13.1-18.9	161	16.5	13.8-19.2	262	19.2	16.5-21.9	287	16.2	13.8-18.6	489	20.8	18.4-23.2
Black or Afr. Am./Non-Hisp	215	60,003	24	14.2	07.9-20.5	31	16.9	10.4-23.4	29	19.5	12.2-26.8	40	21.6	14.3-28.9	53	15.0	09.9-20.1	38	12.7	07.2-18.2
Oth. Race/Non-Hisp.	68	14,748	8	14.6	02.4-26.8	15	20.4	08.8-32.0	14	28.2	12.3-44.1	8	12.6	03.0-22.2	17	19.5	09.1-29.9	6	4.7	00.4-09.0
Less Than H.S.	121	47,491	15	16.5	08.3-24.7	17	25.5	14.5-36.5	8	7.3	02.2-12.4	14	13.1	05.5-20.7	14	8.9	03.0-14.8	53	28.8	20.0-37.6
H.S. or G.E.D.	548	112,292	49	14.1	09.4-18.8	55	15.8	11.3-20.3	69	19.0	14.3-23.7	116	22.7	17.8-27.6	97	12.7	09.8-15.6	162	15.6	12.5-18.7
Some Post-H.S.	459	87,286	44	17.7	11.6-23.8	47	13.7	09.6-17.8	51	17.5	12.2-22.8	98	20.2	15.7-24.7	101	18.3	14.0-22.6	118	12.6	09.9-15.3
College Graduate	674	80,055	20	3.9	01.5-06.3	86	20.2	15.9-24.5	83	19.5	15.2-23.8	101	16.4	12.9-19.9	159	20.6	16.9-24.3	225	19.3	16.4-22.2
Less than \$15,000	162	31,131	20	14.3	07.6-21.0	20	20.5	11.5-29.5	13	14.1	05.5-22.7	28	15.6	08.9-22.3	25	13.4	06.0-20.8	56	22.0	14.7-29.3
\$15,000- 24,999	154	29,544	16	14.4	06.2-22.6	16	18.2	08.4-28.0	13	12.1	05.6-18.6	30	15.9	09.0-22.8	37	18.9	10.5-27.3	42	20.6	12.8-28.4
\$25,000- 34,999	133	24,532	11	12.7	03.3-22.1	13	15.9	06.7-25.1	10	15.0	04.2-25.8	17	17.9	07.1-28.7	33	17.7	09.3-26.1	49	20.8	13.2-28.4
\$35,000- 49,999	270	48,352	15	13.5	04.3-22.7	34	19.2	11.6-26.8	39	21.1	13.8-28.4	34	13.2	07.7-18.7	50	13.8	08.9-18.7	98	19.1	14.0-24.2
\$50,000- 74,999	290	47,565	11	5.7	01.8-09.6	42	18.2	12.1-24.3	36	17.6	11.7-23.5	53	21.4	14.1-28.7	70	22.0	16.1-27.9	78	15.2	11.1-19.3
\$75,000+	544	93,617	16	6.1	02.4-09.8	55	16.6	12.1-21.1	84	22.2	17.1-27.3	135	26.3	21.4-31.2	120	16.8	13.3-20.3	134	11.9	09.5-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	357,563	113	11.6	09.1-14.1	303	16.3	14.1-18.5	357	16.7	14.7-18.7	496	18.4	16.4-20.4	657	15.9	14.3-17.5	987	21.1	19.3-22.9
White/Non-Hisp	2230	250,946	56	8.9	06.2-11.6	177	14.3	11.9-16.7	248	15.1	12.9-17.3	374	18.6	16.4-20.8	517	17.4	15.6-19.2	858	25.6	23.4-27.8
Black or Afr. Am./Non-Hisp	459	69,743	34	16.4	09.7-23.1	79	21.6	15.9-27.3	58	17.0	12.1-21.9	84	19.2	14.5-23.9	105	13.1	09.8-16.4	99	12.6	09.5-15.7
Oth. Race/Non-Hisp.	71	7,599	7	20.0	03.7-36.3	20	25.4	13.2-37.6	15	23.8	11.3-36.3	10	16.2	03.3-29.1	11	8.7	02.6-14.8	8	6.0	00.5-11.5
Hispanic	87	22,872	10	22.8	06.9-38.7	17	19.0	08.2-29.8	24	30.5	17.8-43.2	11	11.7	04.3-19.1	15	11.9	04.6-19.2	10	4.2	00.9-07.5
Less Than H.S.	172	44,778	10	14.6	04.8-24.4	14	16.7	08.3-25.1	7	7.8	01.9-13.7	26	17.9	10.8-25.0	28	11.9	07.0-16.8	87	31.2	23.2-39.2
H.S. or G.E.D.	894	108,103	43	13.3	08.6-18.0	63	11.9	08.6-15.2	79	14.7	11.2-18.2	145	18.4	15.1-21.7	209	16.9	14.2-19.6	355	24.9	21.8-28.0
Some Post-H.S.	866	111,286	48	14.2	09.5-18.9	91	15.7	11.8-19.6	113	17.8	14.1-21.5	125	16.6	13.3-19.9	187	16.3	13.4-19.2	302	19.5	16.8-22.2
College Graduate	974	93,080	12	5.2	01.3-09.1	134	21.7	18.0-25.4	158	22.2	18.5-25.9	198	20.9	17.6-24.2	232	16.1	13.6-18.6	240	13.8	11.6-16.0
Less than \$15,000	356	41,270	17	12.9	04.7-21.1	42	21.1	13.8-28.4	28	12.0	06.5-17.5	33	9.4	05.5-13.3	77	13.9	09.8-18.0	159	30.5	23.8-37.2
\$15,000- 24,999	367	46,501	23	14.8	08.1-21.5	38	19.6	12.9-26.3	18	7.1	03.0-11.2	60	19.7	13.4-26.0	82	15.7	11.2-20.2	146	23.1	18.2-28.0
\$25,000- 34,999	255	28,103	9	6.7	01.4-12.0	36	16.7	11.0-22.4	26	16.2	08.8-23.6	36	13.4	08.3-18.5	47	15.5	10.4-20.6	101	31.4	24.1-38.7
\$35,000- 49,999	349	41,353	8	6.2	00.0-13.1	48	24.6	16.8-32.4	52	20.0	13.5-26.5	44	13.1	08.6-17.6	71	15.8	11.3-20.3	126	20.3	15.8-24.8
\$50,000- 74,999	411	49,962	15	12.0	04.7-19.3	50	14.5	09.8-19.2	70	22.4	16.5-28.3	70	17.6	12.9-22.3	115	20.2	15.7-24.7	91	13.3	10.0-16.6
\$75,000+	678	89,750	10	4.4	01.3-07.5	65	14.9	11.0-18.8	129	23.2	19.1-27.3	184	29.9	25.4-34.4	178	17.8	14.7-20.9	112	9.9	07.7-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4760	691,627	135	6.4	05.0-07.8	4625	93.6	92.2-95.0
Male	1814	329,979	48	6.5	04.3-08.7	1766	93.5	91.3-95.7
Female	2946	361,648	87	6.3	04.5-08.1	2859	93.7	91.9-95.5
18-24	240	83,595	18	12.0	05.3-18.7	222	88.0	81.3-94.7
25-34	508	116,205	33	10.8	06.5-15.1	475	89.2	84.9-93.5
35-44	570	115,653	29	8.0	04.9-11.1	541	92.0	88.9-95.1
45-54	822	128,166	19	4.8	01.9-07.7	803	95.2	92.3-98.1
55-64	1025	107,476	20	4.2	02.0-06.4	1005	95.8	93.6-98.0
65+	1540	133,079	16	1.4	00.6-02.2	1524	98.6	97.8-99.4
Less Than H.S.	296	93,369	21	11.7	06.2-17.2	275	88.3	82.8-93.8
H.S. or G.E.D.	1454	221,718	41	6.4	03.9-08.9	1413	93.6	91.1-96.1
Some Post-H.S.	1338	200,388	32	5.2	02.8-07.6	1306	94.8	92.4-97.2
College Graduate	1658	174,426	40	4.9	02.7-07.1	1618	95.1	92.9-97.3
Less than \$15,000	519	72,644	22	9.6	04.5-14.7	497	90.4	85.3-95.5
\$15,000- 24,999	522	76,071	22	8.8	04.7-12.9	500	91.2	87.1-95.3
\$25,000- 34,999	388	52,639	19	9.4	04.5-14.3	369	90.6	85.7-95.5
\$35,000- 49,999	619	90,095	13	6.1	01.6-10.6	606	93.9	89.4-98.4
\$50,000- 74,999	709	98,562	18	5.2	01.7-08.7	691	94.8	91.3-98.3
\$75,000+	1227	184,005	21	3.2	01.6-04.8	1206	96.8	95.2-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1814	329,979	48	6.5	04.3-08.7	1766	93.5	91.3-95.7
18-24	128	42,254	8	11.4	02.6-20.2	120	88.6	79.8-97.4
25-34	205	58,009	16	14.2	06.9-21.5	189	85.8	78.5-93.1
35-44	213	55,866	5	4.0	00.5-07.5	208	96.0	92.5-99.5
45-54	328	62,451	8	5.5	00.4-10.6	320	94.5	89.4-99.6
55-64	369	50,869	5	3.6	00.3-06.9	364	96.4	93.1-99.7
65+	556	57,700	6	1.5	00.3-02.7	550	98.5	97.3-99.7
Less Than H.S.	121	47,491	8	12.0	03.6-20.4	113	88.0	79.6-96.4
H.S. or G.E.D.	547	112,280	15	7.3	03.0-11.6	532	92.7	88.4-97.0
Some Post-H.S.	463	88,257	12	5.1	02.0-08.2	451	94.9	91.8-98.0
College Graduate	678	80,664	12	3.5	01.3-05.7	666	96.5	94.3-98.7
Less than \$15,000	161	31,069	7	9.2	02.3-16.1	154	90.8	83.9-97.7
\$15,000- 24,999	153	29,502	5	6.9	00.0-13.8	148	93.1	86.2-0100
\$25,000- 34,999	132	24,396	8	9.3	02.4-16.2	124	90.7	83.8-97.6
\$35,000- 49,999	270	48,742	5	7.3	00.0-14.9	265	92.7	85.1-0100
\$50,000- 74,999	292	47,922	10	8.1	01.4-14.8	282	91.9	85.2-98.6
\$75,000+	547	93,925	6	2.3	00.3-04.3	541	97.7	95.7-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2946	361,648	87	6.3	04.5-08.1	2859	93.7	91.9-95.5
18-24	112	41,341	10	12.6	02.8-22.4	102	87.4	77.6-97.2
25-34	303	58,196	17	7.5	03.2-11.8	286	92.5	88.2-96.8
35-44	357	59,787	24	11.7	06.6-16.8	333	88.3	83.2-93.4
45-54	494	65,716	11	4.1	01.6-06.6	483	95.9	93.4-98.4
55-64	656	56,607	15	4.8	01.9-07.7	641	95.2	92.3-98.1
65+	984	75,379	10	1.3	00.3-02.3	974	98.7	97.7-99.7
Less Than H.S.	175	45,878	13	11.3	04.6-18.0	162	88.7	82.0-95.4
H.S. or G.E.D.	907	109,438	26	5.5	03.1-07.9	881	94.5	92.1-96.9
Some Post-H.S.	875	112,131	20	5.3	02.0-08.6	855	94.7	91.4-98.0
College Graduate	980	93,763	28	6.2	02.7-09.7	952	93.8	90.3-97.3
Less than \$15,000	358	41,575	15	9.9	02.5-17.3	343	90.1	82.7-97.5
\$15,000- 24,999	369	46,569	17	10.0	04.9-15.1	352	90.0	84.9-95.1
\$25,000- 34,999	256	28,243	11	9.5	02.6-16.4	245	90.5	83.6-97.4
\$35,000- 49,999	349	41,353	8	4.6	00.3-08.9	341	95.4	91.1-99.7
\$50,000- 74,999	417	50,640	8	2.4	00.6-04.2	409	97.6	95.8-99.4
\$75,000+	680	90,081	15	4.1	01.9-06.3	665	95.9	93.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4777	692,728	4691	98.4	98.0-98.8	86	1.6	01.2-02.0
Male	1822	330,479	1785	98.4	97.8-99.0	37	1.6	01.0-02.2
Female	2955	362,249	2906	98.5	97.9-99.1	49	1.5	00.9-02.1
18-24	241	83,808	229	97.3	95.3-99.3	12	2.7	00.7-04.7
25-34	508	116,205	494	98.6	97.8-99.4	14	1.4	00.6-02.2
35-44	570	115,653	554	98.0	96.8-99.2	16	2.0	00.8-03.2
45-54	825	128,376	810	98.5	97.5-99.5	15	1.5	00.5-02.5
55-64	1028	107,684	1019	99.4	98.8-0100	9	0.6	00.0-01.2
65+	1546	133,358	1527	98.3	97.3-99.3	19	1.7	00.7-02.7
Less Than H.S.	296	93,369	289	98.4	97.0-99.8	7	1.6	00.2-03.0
H.S. or G.E.D.	1459	222,268	1439	98.8	98.2-99.4	20	1.2	00.6-01.8
Some Post-H.S.	1343	200,616	1308	97.4	96.2-98.6	35	2.6	01.4-03.8
College Graduate	1665	174,749	1641	99.0	98.6-99.4	24	1.0	00.6-01.4
Less than \$15,000	522	72,955	506	98.1	96.9-99.3	16	1.9	00.7-03.1
\$15,000- 24,999	523	76,113	506	97.3	95.7-98.9	17	2.7	01.1-04.3
\$25,000- 34,999	390	52,809	387	99.3	98.5-0100	3	0.7	00.0-01.5
\$35,000- 49,999	620	90,126	613	99.1	98.3-99.9	7	0.9	00.1-01.7
\$50,000- 74,999	711	98,730	699	98.7	97.9-99.5	12	1.3	00.5-02.1
\$75,000+	1227	184,005	1208	98.7	97.9-99.5	19	1.3	00.5-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1822	330,479	1785	98.4	97.8-99.0	37	1.6	01.0-02.2
18-24	128	42,254	122	97.0	94.3-99.7	6	3.0	00.3-05.7
25-34	205	58,009	201	99.0	98.0-0100	4	1.0	00.0-02.0
35-44	213	55,866	209	98.0	95.8-0100	4	2.0	00.0-04.2
45-54	329	62,517	324	99.3	98.5-0100	5	0.7	00.0-01.5
55-64	371	50,975	367	99.0	98.0-0100	4	1.0	00.0-02.0
65+	559	57,900	546	97.4	95.6-99.2	13	2.6	00.8-04.4
Less Than H.S.	121	47,491	116	97.3	94.9-99.7	5	2.7	00.3-05.1
H.S. or G.E.D.	550	112,516	539	98.6	97.6-99.6	11	1.4	00.4-02.4
Some Post-H.S.	466	88,423	453	98.0	96.6-99.4	13	2.0	00.6-03.4
College Graduate	680	80,762	672	99.1	98.3-99.9	8	0.9	00.1-01.7
Less than \$15,000	162	31,131	156	98.3	96.7-99.9	6	1.7	00.1-03.3
\$15,000- 24,999	154	29,544	145	95.8	92.5-99.1	9	4.2	00.9-07.5
\$25,000- 34,999	134	24,566	132	99.0	97.4-0100	2	1.0	00.0-02.6
\$35,000- 49,999	271	48,773	268	99.1	98.1-0100	3	0.9	00.0-01.9
\$50,000- 74,999	293	47,982	286	98.1	96.5-99.7	7	1.9	00.3-03.5
\$75,000+	547	93,925	542	99.5	98.9-0100	5	0.5	00.0-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2955	362,249	2906	98.5	97.9-99.1	49	1.5	00.9-02.1
18-24	113	41,553	107	97.6	95.1-0100	6	2.4	00.0-04.9
25-34	303	58,196	293	98.3	97.1-99.5	10	1.7	00.5-02.9
35-44	357	59,787	345	98.0	96.6-99.4	12	2.0	00.6-03.4
45-54	496	65,860	486	97.8	95.8-99.8	10	2.2	00.2-04.2
55-64	657	56,709	652	99.7	99.3-0100	5	0.3	00.0-00.7
65+	987	75,458	981	99.0	98.2-99.8	6	1.0	00.2-01.8
Less Than H.S.	175	45,878	173	99.5	98.9-0100	2	0.5	00.0-01.1
H.S. or G.E.D.	909	109,753	900	99.0	98.2-99.8	9	1.0	00.2-01.8
Some Post-H.S.	877	112,193	855	97.0	95.4-98.6	22	3.0	01.4-04.6
College Graduate	985	93,987	969	98.9	98.3-99.5	16	1.1	00.5-01.7
Less than \$15,000	360	41,824	350	97.9	96.1-99.7	10	2.1	00.3-03.9
\$15,000- 24,999	369	46,569	361	98.3	96.7-99.9	8	1.7	00.1-03.3
\$25,000- 34,999	256	28,243	255	99.6	98.8-0100	1	0.4	00.0-01.2
\$35,000- 49,999	349	41,353	345	99.1	98.1-0100	4	0.9	00.0-01.9
\$50,000- 74,999	418	50,748	413	99.2	98.4-0100	5	0.8	00.0-01.6
\$75,000+	680	90,081	666	97.8	96.2-99.4	14	2.2	00.6-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White			Black or African American			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	63	8,087	37	51.4	36.3-66.5	12	16.9	06.9-26.9	1	0.4	00.0-01.4	4	6.8	00.0-14.4	9	24.4	08.5-40.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4772	692,069	768	14.1	12.7-15.5	4004	85.9	84.5-87.3
Male	1819	330,017	678	27.4	24.9-29.9	1141	72.6	70.1-75.1
Female	2953	362,052	90	2.0	01.4-02.6	2863	98.0	97.4-98.6
18-24	241	83,808	5	1.9	00.0-03.9	236	98.1	96.1-0100
25-34	507	116,088	32	5.9	03.4-08.4	475	94.1	91.6-96.6
35-44	570	115,653	40	7.8	04.9-10.7	530	92.2	89.3-95.1
45-54	824	128,099	109	13.6	10.3-16.9	715	86.4	83.1-89.7
55-64	1028	107,684	176	21.5	17.8-25.2	852	78.5	74.8-82.2
65+	1545	133,307	394	28.7	25.6-31.8	1151	71.3	68.2-74.4
Less Than H.S.	296	93,369	34	10.9	06.6-15.2	262	89.1	84.8-93.4
H.S. or G.E.D.	1458	222,217	216	14.0	11.6-16.4	1242	86.0	83.6-88.4
Some Post-H.S.	1342	200,470	244	16.3	13.8-18.8	1098	83.7	81.2-86.2
College Graduate	1662	174,287	272	13.5	11.3-15.7	1390	86.5	84.3-88.7
Less than \$15,000	522	72,955	55	9.1	05.8-12.4	467	90.9	87.6-94.2
\$15,000- 24,999	523	76,113	59	9.7	06.4-13.0	464	90.3	87.0-93.6
\$25,000- 34,999	390	52,809	67	16.3	11.0-21.6	323	83.7	78.4-89.0
\$35,000- 49,999	620	90,126	132	17.5	13.8-21.2	488	82.5	78.8-86.2
\$50,000- 74,999	710	98,453	125	16.2	12.7-19.7	585	83.8	80.3-87.3
\$75,000+	1226	183,859	210	14.9	12.2-17.6	1016	85.1	82.4-87.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	330,017	678	27.4	24.9-29.9	1141	72.6	70.1-75.1
18-24	128	42,254	3	2.9	00.0-06.6	125	97.1	93.4-0100
25-34	204	57,891	21	9.1	04.6-13.6	183	90.9	86.4-95.4
35-44	213	55,866	31	14.3	08.6-20.0	182	85.7	80.0-91.4
45-54	328	62,240	89	25.6	19.1-32.1	239	74.4	67.9-80.9
55-64	371	50,975	154	43.3	36.4-50.2	217	56.7	49.8-63.6
65+	559	57,900	371	63.9	58.2-69.6	188	36.1	30.4-41.8
Less Than H.S.	121	47,491	34	21.5	13.5-29.5	87	78.5	70.5-86.5
H.S. or G.E.D.	550	112,516	198	26.2	21.7-30.7	352	73.8	69.3-78.3
Some Post-H.S.	466	88,423	211	33.6	28.1-39.1	255	66.4	60.9-71.9
College Graduate	677	80,300	233	26.0	21.9-30.1	444	74.0	69.9-78.1
Less than \$15,000	162	31,131	48	20.1	12.8-27.4	114	79.9	72.6-87.2
\$15,000- 24,999	154	29,544	48	21.3	13.5-29.1	106	78.7	70.9-86.5
\$25,000- 34,999	134	24,566	63	34.0	23.0-45.0	71	66.0	55.0-77.0
\$35,000- 49,999	271	48,773	118	29.9	23.0-36.8	153	70.1	63.2-77.0
\$50,000- 74,999	292	47,705	111	31.5	24.8-38.2	181	68.5	61.8-75.2
\$75,000+	547	93,925	184	26.7	21.8-31.6	363	73.3	68.4-78.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2953	362,052	90	2.0	01.4-02.6	2863	98.0	97.4-98.6
18-24	113	41,553	2	0.9	00.0-02.3	111	99.1	97.7-0100
25-34	303	58,196	11	2.7	00.5-04.9	292	97.3	95.1-99.5
35-44	357	59,787	9	1.7	00.3-03.1	348	98.3	96.9-99.7
45-54	496	65,860	20	2.3	01.1-03.5	476	97.7	96.5-98.9
55-64	657	56,709	22	1.9	00.9-02.9	635	98.1	97.1-99.1
65+	986	75,407	23	1.8	01.0-02.6	963	98.2	97.4-99.0
Less Than H.S.	175	45,878				175	100.0	0100-0100
H.S. or G.E.D.	908	109,702	18	1.5	00.5-02.5	890	98.5	97.5-99.5
Some Post-H.S.	876	112,047	33	2.6	01.4-03.8	843	97.4	96.2-98.6
College Graduate	985	93,987	39	2.8	01.6-04.0	946	97.2	96.0-98.4
Less than \$15,000	360	41,824	7	1.0	00.2-01.8	353	99.0	98.2-99.8
\$15,000- 24,999	369	46,569	11	2.3	00.7-03.9	358	97.7	96.1-99.3
\$25,000- 34,999	256	28,243	4	0.8	00.0-01.6	252	99.2	98.4-0100
\$35,000- 49,999	349	41,353	14	2.8	00.6-05.0	335	97.2	95.0-99.4
\$50,000- 74,999	418	50,748	14	1.7	00.5-02.9	404	98.3	97.1-99.5
\$75,000+	679	89,934	26	2.6	01.2-04.0	653	97.4	96.0-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4752	689,966	2454	49.6	47.6-51.6	683	10.4	09.2-11.6	660	7.7	06.9-08.5	87	2.1	01.5-02.7	746	25.6	23.4-27.8	122	4.6	03.4-05.8
Male	1815	329,100	1049	51.9	48.6-55.2	215	8.6	07.0-10.2	132	4.7	03.5-05.9	30	1.8	00.8-02.8	338	28.6	25.3-31.9	51	4.4	03.0-05.8
Female	2937	360,865	1405	47.4	44.9-49.9	468	12.0	10.4-13.6	528	10.4	09.2-11.6	57	2.4	01.6-03.2	408	22.9	20.2-25.6	71	4.8	03.2-06.4
White/Non-Hisp	3670	477,687	2012	54.5	52.1-56.9	537	10.5	09.3-11.7	549	8.6	07.6-09.6	48	1.7	00.9-02.5	434	20.5	18.1-22.9	90	4.2	03.0-05.4
Black or Afr. Am./Non-Hisp	683	132,419	236	33.9	29.0-38.8	100	9.3	06.9-11.7	82	7.0	04.8-09.2	29	3.8	01.8-05.8	216	41.0	35.7-46.3	20	5.0	02.3-07.7
Oth. Race/Non-Hisp.	140	22,400	80	52.8	41.0-64.6	10	7.9	00.0-17.5	11	3.4	00.9-05.9	3	1.7	00.0-03.9	33	30.6	19.4-41.8	3	3.6	00.0-07.7
MultiRacial/Non-Hisp.	80	9,532	30	38.5	25.2-51.8	12	8.6	02.7-14.5	5	4.6	00.0-09.3	4	5.1	00.0-11.4	26	39.0	25.3-52.7	3	4.3	00.0-09.6
Hispanic	134	43,986	71	42.7	31.7-53.7	19	14.6	07.0-22.2	7	1.9	00.1-03.7	2	1.0	00.0-02.6	29	30.4	19.0-41.8	6	9.4	01.2-17.6
18-24	239	82,624	18	3.7	00.8-06.6	5	1.8	00.0-03.6				1	0.5	00.0-01.5	196	84.6	78.3-90.9	19	9.4	03.9-14.9
25-34	508	116,205	241	38.3	33.0-43.6	35	6.6	03.7-09.5	3	0.6	00.0-01.4	11	2.5	00.7-04.3	184	41.8	36.1-47.5	34	10.2	06.5-13.9
35-44	569	115,620	353	59.1	53.8-64.4	81	12.2	08.7-15.7	7	1.4	00.0-03.0	17	3.2	01.4-05.0	95	20.4	15.9-24.9	16	3.7	01.3-06.1
45-54	819	127,790	490	64.2	59.9-68.5	136	12.4	09.9-14.9	25	2.3	01.3-03.3	31	3.5	01.3-05.7	119	15.0	11.7-18.3	18	2.6	01.0-04.2
55-64	1023	107,399	573	63.4	59.7-67.1	225	17.4	14.7-20.1	107	7.8	05.8-09.8	15	1.6	00.8-02.4	81	7.5	05.5-09.5	22	2.4	01.2-03.6
65+	1542	133,142	748	53.9	50.6-57.2	195	10.0	08.2-11.8	513	29.2	26.1-32.3	11	1.0	00.0-02.0	62	4.3	02.9-05.7	13	1.7	00.5-02.9
Less Than H.S.	296	93,369	91	29.6	23.1-36.1	37	10.1	06.2-14.0	94	17.7	13.2-22.2	10	5.3	01.8-08.8	53	30.9	23.3-38.5	11	6.4	02.5-10.3
H.S. or G.E.D.	1452	221,382	687	46.1	42.4-49.8	213	10.9	08.9-12.9	231	7.4	06.2-08.6	28	1.8	01.0-02.6	267	29.8	26.1-33.5	26	3.9	02.1-05.7
Some Post-H.S.	1338	199,431	668	49.5	45.8-53.2	205	11.5	09.3-13.7	177	6.1	04.7-07.5	29	2.1	01.1-03.1	219	25.3	21.6-29.0	40	5.5	03.1-07.9
College Graduate	1653	174,138	1002	64.7	61.6-67.8	227	8.7	07.3-10.1	155	4.5	03.5-05.5	20	0.8	00.4-01.2	204	17.7	14.6-20.8	45	3.6	02.4-04.8
Less than \$15,000	521	72,628	140	27.9	22.2-33.6	108	15.6	11.5-19.7	132	15.6	11.5-19.7	7	0.9	00.0-01.9	122	35.7	29.2-42.2	12	4.3	01.8-06.8
\$15,000- 24,999	523	76,113	82	18.8	13.7-23.9	122	15.3	11.8-18.8	136	15.3	12.0-18.6	20	4.9	02.0-07.8	144	38.2	31.9-44.5	19	7.5	03.4-11.6
\$25,000- 34,999	390	52,809	142	36.6	29.5-43.7	85	19.6	13.7-25.5	71	10.7	07.4-14.0	10	1.5	00.5-02.5	75	28.5	21.6-35.4	7	3.1	00.2-06.0
\$35,000- 49,999	619	89,270	303	44.2	38.3-50.1	107	13.1	09.4-16.8	74	6.6	04.6-08.6	13	2.1	00.7-03.5	108	29.3	22.6-36.0	14	4.7	01.4-08.0
\$50,000- 74,999	710	98,697	442	59.6	54.5-64.7	94	9.8	07.3-12.3	41	3.0	01.8-04.2	14	1.8	00.6-03.0	95	21.1	16.0-26.2	24	4.7	02.5-06.9
\$75,000+	1223	183,491	964	77.2	73.7-80.7	95	6.1	04.5-07.7	49	1.9	01.3-02.5	9	0.5	00.1-00.9	79	11.5	08.4-14.6	27	2.8	01.6-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS
 TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1815	329,100	1049	51.9	48.8-55.0	215	8.6	07.0-10.2	132	4.7	03.5-05.9	30	1.8	00.8-02.8	338	28.6	25.3-31.9	51	4.4	03.0-05.8
White/Non-Hisp	1426	225,466	867	55.9	52.2-59.6	169	8.1	06.5-09.7	107	5.2	03.8-06.6	19	1.4	00.6-02.2	227	25.5	21.8-29.2	37	3.9	02.3-05.5
Black or Afr. Am./Non-Hisp	217	60,581	89	41.9	33.7-50.1	27	8.2	04.5-11.9	19	5.4	01.9-08.9	9	4.1	00.2-08.0	66	34.9	26.9-42.9	7	5.6	00.9-10.3
Oth. Race/Non-Hisp.	68	14,748	42	53.7	37.8-69.6	5	10.6	00.0-24.9	2	0.7	00.0-01.7	1	1.5	00.0-04.4	16	29.8	15.1-44.5	2	3.7	00.0-08.8
18-24	127	41,398	9	2.8	00.4-05.2	1	0.6	00.0-01.8							107	88.3	81.8-94.8	10	8.3	02.2-14.4
25-34	205	58,009	83	32.1	24.5-39.7	14	6.8	02.1-11.5	2	0.8	00.0-02.0	2	1.6	00.0-03.8	89	50.0	41.2-58.8	15	8.7	04.0-13.4
35-44	212	55,832	135	58.8	50.4-67.2	31	12.7	07.2-18.2	2	1.9	00.0-05.2	4	2.5	00.0-05.0	35	19.7	12.6-26.8	5	4.4	00.3-08.5
45-54	327	62,209	202	66.2	59.5-72.9	44	9.6	06.3-12.9	6	1.2	00.0-02.4	10	3.1	00.0-06.2	58	17.1	11.8-22.4	7	2.8	00.3-05.3
55-64	370	50,908	241	71.2	65.5-76.9	69	14.0	09.9-18.1	22	4.5	02.1-06.9	6	1.0	00.0-02.0	26	7.4	04.1-10.7	6	1.9	00.1-03.7
65+	559	57,900	367	67.3	61.8-72.8	56	6.8	04.4-09.2	100	18.8	14.1-23.5	8	2.0	00.0-04.2	20	3.8	01.4-06.2	8	1.4	00.2-02.6
Less Than H.S.	121	47,491	44	35.4	25.0-45.8	12	6.7	01.4-12.0	25	11.7	06.2-17.2	5	6.4	00.7-12.1	31	35.5	24.5-46.5	4	4.3	00.0-08.6
H.S. or G.E.D.	548	112,207	271	45.8	40.1-51.5	78	10.7	07.6-13.8	45	4.0	02.4-05.6	11	1.5	00.3-02.7	131	33.8	28.1-39.5	12	4.3	01.8-06.8
Some Post-H.S.	465	87,567	262	52.0	45.7-58.3	59	9.5	06.6-12.4	30	4.0	01.6-06.4	7	0.9	00.1-01.7	91	28.4	21.9-34.9	16	5.2	02.1-08.3
College Graduate	676	80,547	468	70.4	65.9-74.9	66	6.1	04.3-07.9	32	2.3	01.3-03.3	7	0.5	00.1-00.9	84	16.8	12.7-20.9	19	3.9	01.7-06.1
Less than \$15,000	162	31,131	51	29.2	19.8-38.6	29	12.4	06.5-18.3	20	10.1	03.4-16.8	2	0.5	00.0-01.3	54	42.0	31.8-52.2	6	5.7	00.8-10.6
\$15,000- 24,999	154	29,544	37	27.3	17.3-37.3	28	10.7	05.6-15.8	21	7.8	03.7-11.9	5	4.1	00.0-08.4	59	45.0	34.2-55.8	4	5.1	00.0-11.0
\$25,000- 34,999	134	24,566	54	39.2	27.0-51.4	25	17.7	07.7-27.7	19	7.1	02.8-11.4	3	0.8	00.0-01.8	29	32.0	19.8-44.2	4	3.1	00.0-06.4
\$35,000- 49,999	270	47,917	143	44.6	36.0-53.2	38	11.6	06.1-17.1	26	5.8	03.1-08.5	5	1.1	00.0-02.3	51	32.2	22.4-42.0	7	4.7	00.2-09.2
\$50,000- 74,999	292	47,949	192	63.5	56.2-70.8	36	9.2	05.9-12.5	6	1.7	00.1-03.3	7	2.3	00.0-04.7	44	20.0	13.7-26.3	7	3.3	00.2-06.4
\$75,000+	545	93,616	427	74.7	69.2-80.2	40	5.7	03.3-08.1	16	1.1	00.5-01.7	4	0.4	00.0-01.0	44	14.3	09.2-19.4	14	3.8	01.6-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS
 TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2937	360,865	1405	47.4	44.9-49.9	468	12.0	10.4-13.6	528	10.4	09.2-11.6	57	2.4	01.6-03.2	408	22.9	20.2-25.6	71	4.8	03.2-06.4
White/Non-Hisp	2244	252,220	1145	53.3	50.4-56.2	368	12.6	10.8-14.4	442	11.7	10.1-13.3	29	2.1	00.9-03.3	207	15.9	13.2-18.6	53	4.4	02.8-06.0
Black or Afr. Am./Non-Hisp	466	71,838	147	27.3	22.0-32.6	73	10.2	07.3-13.1	63	8.3	05.6-11.0	20	3.5	01.7-05.3	150	46.2	39.5-52.9	13	4.5	01.6-07.4
Oth. Race/Non-Hisp.	72	7,652	38	50.9	35.2-66.6	5	2.8	00.0-05.7	9	8.5	01.6-15.4	2	2.2	00.0-05.3	17	32.0	15.9-48.1	1	3.5	00.0-10.2
Hispanic	86	22,544	48	45.8	31.7-59.9	12	14.9	04.9-24.9	6	3.0	00.0-06.3	1	1.5	00.0-04.4	16	22.6	09.1-36.1	3	12.0	00.0-26.1
18-24	112	41,226	9	4.6	00.0-09.7	4	3.0	00.0-06.3				1	1.0	00.0-03.0	89	80.9	70.5-91.3	9	10.4	01.4-19.4
25-34	303	58,196	158	44.6	37.5-51.7	21	6.3	02.8-09.8	1	0.5	00.0-01.5	9	3.4	00.5-06.3	95	33.7	26.6-40.8	19	11.6	05.7-17.5
35-44	357	59,787	218	59.4	52.9-65.9	50	11.7	07.4-16.0	5	0.9	00.1-01.7	13	3.9	01.4-06.4	60	21.1	15.4-26.8	11	3.0	00.8-05.2
45-54	492	65,581	288	62.3	56.8-67.8	92	15.1	11.4-18.8	19	3.3	01.5-05.1	21	4.0	01.3-06.7	61	12.9	09.0-16.8	11	2.4	00.6-04.2
55-64	653	56,491	332	56.3	51.4-61.2	156	20.4	16.5-24.3	85	10.9	08.0-13.8	9	2.0	00.6-03.4	55	7.6	05.2-10.0	16	2.7	01.1-04.3
65+	983	75,242	381	43.6	39.7-47.5	139	12.4	09.9-14.9	413	37.2	33.3-41.1	3	0.2	00.0-00.6	42	4.7	02.9-06.5	5	1.8	00.0-03.8
Less Than H.S.	175	45,878	47	23.7	16.3-31.1	25	13.6	07.7-19.5	69	23.9	16.8-31.0	5	4.1	00.0-08.4	22	26.1	15.5-36.7	7	8.6	02.1-15.1
H.S. or G.E.D.	904	109,174	416	46.5	42.0-51.0	135	11.2	08.8-13.6	186	10.9	08.9-12.9	17	2.2	01.0-03.4	136	25.7	21.0-30.4	14	3.6	01.1-06.1
Some Post-H.S.	873	111,864	406	47.6	42.9-52.3	146	13.1	10.2-16.0	147	7.7	06.1-09.3	22	3.1	01.3-04.9	128	22.8	18.3-27.3	24	5.7	02.2-09.2
College Graduate	977	93,591	534	59.9	55.4-64.4	161	10.9	08.7-13.1	123	6.5	05.1-07.9	13	1.1	00.5-01.7	120	18.4	13.9-22.9	26	3.4	01.8-05.0
Less than \$15,000	359	41,496	89	26.9	19.8-34.0	79	18.0	12.5-23.5	112	19.6	14.1-25.1	5	1.3	00.0-02.7	68	30.9	22.3-39.5	6	3.2	00.5-05.9
\$15,000- 24,999	369	46,569	45	13.5	08.6-18.4	94	18.2	13.3-23.1	115	20.0	15.3-24.7	15	5.4	01.5-09.3	85	33.9	26.3-41.5	15	9.1	03.6-14.6
\$25,000- 34,999	256	28,243	88	34.2	26.6-41.8	60	21.2	14.7-27.7	52	13.9	09.2-18.6	7	2.1	00.3-03.9	46	25.6	18.2-33.0	3	3.0	00.0-07.7
\$35,000- 49,999	349	41,353	160	43.8	36.2-51.4	69	14.7	09.6-19.8	48	7.5	05.0-10.0	8	3.3	00.6-06.0	57	26.0	17.8-34.2	7	4.6	00.0-09.7
\$50,000- 74,999	418	50,748	250	55.9	48.8-63.0	58	10.4	06.9-13.9	35	4.2	02.4-06.0	7	1.4	00.2-02.6	51	22.1	14.5-29.7	17	6.0	02.9-09.1
\$75,000+	678	89,875	537	79.7	75.4-84.0	55	6.4	04.2-08.6	33	2.7	01.5-03.9	5	0.6	00.0-01.2	35	8.6	04.9-12.3	13	1.9	00.7-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	691,021	577	17.4	15.6-19.2	453	12.8	11.4-14.2	191	5.7	04.7-06.7	55	1.7	01.1-02.3	27	0.9	00.3-01.5	3458	61.5	59.3-63.7
Male	1814	329,257	206	16.1	13.6-18.6	161	11.8	09.6-14.0	56	4.3	02.9-05.7	25	2.3	01.1-03.5	10	0.7	00.1-01.3	1356	64.8	61.5-68.1
Female	2947	361,764	371	18.7	16.3-21.1	292	13.7	11.7-15.7	135	7.0	05.6-08.4	30	1.2	00.6-01.8	17	1.1	00.3-01.9	2102	58.4	55.7-61.1
White/Non-Hisp	3678	478,650	382	15.5	13.5-17.5	298	11.0	09.6-12.4	124	5.1	03.9-06.3	29	1.3	00.7-01.9	12	0.4	00.0-00.8	2833	66.7	64.3-69.1
Black or Afr. Am./Non-Hisp	684	132,474	125	22.0	17.5-26.5	98	16.1	12.2-20.0	35	6.3	03.8-08.8	19	2.9	01.1-04.7	11	3.2	00.8-05.6	396	49.7	44.4-55.0
Oth. Race/Non-Hisp.	139	22,056	30	23.6	14.2-33.0	22	19.1	08.3-29.9	6	1.7	00.1-03.3	1	3.0	00.0-08.7	1	0.3	00.0-00.9	79	52.2	40.4-64.0
MultiRacial/Non-Hisp.	80	9,532	13	12.7	04.9-20.5	9	15.0	04.6-25.4	6	5.7	00.4-11.0	3	5.4	00.0-12.3	3	3.3	00.0-07.4	46	57.9	44.4-71.4
Hispanic	135	44,314	19	21.9	12.1-31.7	25	19.1	10.1-28.1	19	12.5	04.9-20.1	3	1.1	00.0-02.5				69	45.3	33.9-56.7
18-24	241	83,808	67	32.6	24.4-40.8	25	10.8	05.5-16.1	6	1.4	00.0-02.8	5	2.1	00.0-04.3	2	1.3	00.0-03.3	136	51.8	43.4-60.2
25-34	508	116,205	110	23.7	18.6-28.8	110	17.3	13.4-21.2	60	12.6	08.9-16.3	19	3.1	01.3-04.9	12	2.3	00.1-04.5	197	41.0	35.3-46.7
35-44	568	115,144	136	24.3	20.0-28.6	179	31.1	26.2-36.0	80	12.4	09.3-15.5	25	5.1	02.6-07.6	7	1.5	00.1-02.9	141	25.6	20.9-30.3
45-54	821	127,986	170	20.9	17.4-24.4	96	13.0	09.9-16.1	33	6.3	03.2-09.4	3	0.3	00.0-00.7	4	0.6	00.0-01.2	515	58.9	54.4-63.4
55-64	1024	107,445	64	7.5	05.1-09.9	33	4.6	02.8-06.4	7	0.5	00.0-01.1	2	0.1	00.0-00.3	1	0.1	00.0-00.3	917	87.2	84.3-90.1
65+	1545	133,345	27	1.9	01.1-02.7	8	1.0	00.2-01.8	5	0.4	00.0-00.8	1	0.1	00.0-00.3	1	0.0	00.0-00.0	1503	96.5	95.3-97.7
Less Than H.S.	296	93,369	33	17.5	11.2-23.8	21	8.7	04.8-12.6	15	6.8	03.1-10.5	3	1.2	00.0-03.0	4	2.7	00.0-05.4	220	63.1	55.8-70.4
H.S. or G.E.D.	1457	222,125	162	18.0	14.7-21.3	132	13.9	11.2-16.6	54	5.9	03.7-08.1	16	1.3	00.5-02.1	8	0.7	00.1-01.3	1085	60.2	56.3-64.1
Some Post-H.S.	1340	199,911	179	17.6	14.5-20.7	116	11.6	09.1-14.1	60	5.4	03.8-07.0	19	2.6	01.0-04.2	8	0.7	00.0-01.5	958	62.1	58.2-66.0
College Graduate	1656	174,135	201	16.6	14.1-19.1	184	15.0	12.6-17.4	62	5.1	03.5-06.7	17	1.5	00.7-02.3	7	0.6	00.0-01.2	1185	61.2	58.1-64.3
Less than \$15,000	522	72,955	45	12.7	08.2-17.2	40	9.9	06.2-13.6	17	4.2	01.8-06.6	5	2.5	00.0-05.2	2	1.4	00.0-03.8	413	69.4	63.1-75.7
\$15,000- 24,999	522	75,948	58	14.2	09.7-18.7	32	9.2	05.5-12.9	27	10.7	06.0-15.4	5	1.0	00.0-02.0	2	1.4	00.0-03.6	398	63.6	57.3-69.9
\$25,000- 34,999	389	52,701	40	15.5	09.8-21.2	31	13.2	07.3-19.1	11	4.2	01.1-07.3	5	1.3	00.0-02.7	7	1.6	00.0-03.2	295	64.3	56.9-71.7
\$35,000- 49,999	620	90,126	82	17.1	11.6-22.6	55	10.7	07.4-14.0	25	6.1	03.2-09.0	11	1.7	00.5-02.9	8	2.4	00.2-04.6	439	62.0	55.9-68.1
\$50,000- 74,999	710	98,516	93	16.8	12.9-20.7	76	13.2	09.9-16.5	28	5.8	02.5-09.1	9	1.6	00.4-02.8	2	0.2	00.0-00.6	502	62.4	57.3-67.5
\$75,000+	1226	183,859	177	18.8	15.7-21.9	178	18.4	15.5-21.3	62	6.0	04.2-07.8	13	2.3	00.9-03.7	3	0.4	00.0-01.0	793	54.2	50.5-57.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1814	329,257	206	16.1	13.6-18.6	161	11.8	09.6-14.0	56	4.3	02.9-05.7	25	2.3	01.1-03.5	10	0.7	00.1-01.3	1356	64.8	61.7-67.9
White/Non-Hisp	1425	225,900	144	14.7	11.8-17.6	111	9.9	07.9-11.9	45	4.3	02.7-05.9	16	1.8	00.6-03.0	5	0.5	00.0-01.1	1104	68.8	65.3-72.3
Black or Afr. Am./Non-Hisp	217	60,581	33	15.4	09.7-21.1	30	17.6	10.7-24.5	8	4.0	01.1-06.9	8	4.5	00.8-08.2	3	1.9	00.0-04.3	135	56.6	48.2-65.0
Oth. Race/Non-Hisp.	67	14,404	12	20.0	08.0-32.0	9	20.3	04.8-35.8				1	4.6	00.0-13.2				45	55.1	39.0-71.2
18-24	128	42,254	33	28.8	18.0-39.6	8	7.9	02.2-13.6	3	1.7	00.0-03.9	3	2.4	00.0-05.7				81	59.2	47.8-70.6
25-34	205	58,009	34	22.6	14.6-30.6	32	12.5	07.6-17.4	16	8.8	04.1-13.5	6	3.0	00.1-05.9	2	0.4	00.0-01.0	115	52.7	43.9-61.5
35-44	211	55,356	49	22.0	15.5-28.5	56	28.0	20.4-35.6	24	8.3	04.6-12.0	14	8.2	03.3-13.1	4	2.6	00.0-05.5	64	30.9	23.1-38.7
45-54	325	62,127	60	17.3	12.2-22.4	48	16.0	10.7-21.3	10	5.6	00.5-10.7	2	0.4	00.0-01.0	3	1.1	00.0-02.5	202	59.6	52.3-66.9
55-64	370	50,867	25	7.9	03.8-12.0	14	4.6	01.9-07.3	1	0.1	00.0-00.3							330	87.4	82.7-92.1
65+	559	57,900	4	0.8	00.0-01.8	3	0.8	00.0-01.8	2	0.2	00.0-00.6				1	0.1	00.0-00.3	549	98.0	96.6-99.4
Less Than H.S.	121	47,491	12	15.2	06.6-23.8	9	8.2	02.7-13.7	3	2.2	00.0-05.1	2	2.2	00.0-05.5	2	1.6	00.0-04.1	93	70.6	60.4-80.8
H.S. or G.E.D.	549	112,449	68	17.8	13.1-22.5	50	14.0	09.5-18.5	15	5.1	01.8-08.4	8	1.6	00.4-02.8	3	0.6	00.0-01.4	405	60.8	54.9-66.7
Some Post-H.S.	464	87,864	63	17.7	12.4-23.0	40	9.7	06.4-13.0	14	3.8	01.4-06.2	6	3.4	00.5-06.3	1	0.2	00.0-00.6	340	65.1	59.0-71.2
College Graduate	676	80,330	62	12.5	09.0-16.0	62	13.3	09.8-16.8	24	4.8	02.6-07.0	9	2.1	00.5-03.7	4	1.0	00.0-02.4	515	66.3	61.4-71.2
Less than \$15,000	162	31,131	10	6.4	01.7-11.1	8	7.0	02.1-11.9	6	3.9	00.0-07.8	3	4.3	00.0-10.2				135	78.5	69.7-87.3
\$15,000- 24,999	153	29,379	14	11.5	04.1-18.9	8	9.0	01.9-16.1	6	5.8	00.7-10.9	1	1.2	00.0-03.6	1	0.7	00.0-02.1	123	71.8	61.6-82.0
\$25,000- 34,999	133	24,458	9	13.0	03.6-22.4	11	14.8	04.4-25.2	2	3.4	00.0-09.1	1	1.0	00.0-03.0	1	1.5	00.0-04.4	109	66.3	53.4-79.2
\$35,000- 49,999	271	48,773	31	15.7	07.9-23.5	21	10.5	05.6-15.4	6	2.6	00.2-05.0	3	1.4	00.0-03.0	3	1.8	00.0-04.3	207	68.1	59.3-76.9
\$50,000- 74,999	292	47,768	36	15.9	10.4-21.4	28	11.8	07.1-16.5	9	7.1	00.6-13.6	5	2.4	00.2-04.6	2	0.4	00.0-01.2	212	62.4	54.6-70.2
\$75,000+	547	93,925	73	17.9	13.4-22.4	78	18.5	13.8-23.2	19	4.5	02.1-06.9	10	3.8	01.1-06.5	3	0.8	00.0-02.0	364	54.5	48.8-60.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2947	361,764	371	18.7	16.3-21.1	292	13.7	11.7-15.7	135	7.0	05.6-08.4	30	1.2	00.6-01.8	17	1.1	00.3-01.9	2102	58.4	55.7-61.1
White/Non-Hisp	2253	252,750	238	16.2	13.7-18.7	187	12.0	10.0-14.0	79	5.8	04.2-07.4	13	0.8	00.2-01.4	7	0.3	00.1-00.5	1729	64.8	61.9-67.7
Black or Afr. Am./Non-Hisp	467	71,893	92	27.5	21.0-34.0	68	14.9	10.8-19.0	27	8.1	04.0-12.2	11	1.5	00.5-02.5	8	4.2	00.3-08.1	261	43.8	37.5-50.1
Oth. Race/Non-Hisp.	72	7,652	18	30.4	15.7-45.1	13	17.0	06.2-27.8	6	5.0	00.7-09.3				1	1.0	00.0-03.0	34	46.6	30.7-62.5
Hispanic	87	22,872	8	13.8	03.8-23.8	17	26.1	11.6-40.6	17	16.3	07.9-24.7	3	2.2	00.0-04.7				42	41.6	27.3-55.9
18-24	113	41,553	34	36.6	24.3-48.9	17	13.7	05.1-22.3	3	1.1	00.0-02.7	2	1.7	00.0-04.2	2	2.7	00.0-06.8	55	44.2	31.9-56.5
25-34	303	58,196	76	24.8	18.7-30.9	78	22.0	16.3-27.7	44	16.3	10.6-22.0	13	3.3	01.3-05.3	10	4.2	00.3-08.1	82	29.4	22.5-36.3
35-44	357	59,787	87	26.4	20.5-32.3	123	33.9	27.8-40.0	56	16.3	11.6-21.0	11	2.2	00.6-03.8	3	0.5	00.0-01.1	77	20.7	15.4-26.0
45-54	496	65,860	110	24.2	19.3-29.1	48	10.3	07.0-13.6	23	6.9	03.4-10.4	1	0.2	00.0-00.6	1	0.2	00.0-00.6	313	58.2	52.5-63.9
55-64	654	56,578	39	7.1	04.6-09.6	19	4.6	02.2-07.0	6	0.9	00.0-01.9	2	0.2	00.0-00.4	1	0.2	00.0-00.6	587	87.0	83.5-90.5
65+	986	75,445	23	2.8	01.4-04.2	5	1.2	00.0-02.4	3	0.6	00.0-01.4	1	0.1	00.0-00.3				954	95.3	93.3-97.3
Less Than H.S.	175	45,878	21	19.8	11.0-28.6	12	9.3	03.6-15.0	12	11.7	04.8-18.6	1	0.2	00.0-00.6	2	3.8	00.0-08.9	127	55.3	45.3-65.3
H.S. or G.E.D.	908	109,676	94	18.3	13.6-23.0	82	13.7	10.4-17.0	39	6.7	04.2-09.2	8	1.0	00.2-01.8	5	0.7	00.0-01.5	680	59.5	54.6-64.4
Some Post-H.S.	876	112,047	116	17.5	13.8-21.2	76	13.1	09.2-17.0	46	6.7	04.5-08.9	13	1.9	00.5-03.3	7	1.2	00.0-02.6	618	59.7	54.8-64.6
College Graduate	980	93,805	139	20.1	16.4-23.8	122	16.5	13.4-19.6	38	5.4	03.4-07.4	8	0.9	00.1-01.7	3	0.3	00.0-00.7	670	56.9	52.6-61.2
Less than \$15,000	360	41,824	35	17.4	10.5-24.3	32	12.0	06.5-17.5	11	4.4	01.5-07.3	2	1.1	00.0-02.7	2	2.4	00.0-06.5	278	62.6	54.4-70.8
\$15,000- 24,999	369	46,569	44	15.9	10.4-21.4	24	9.3	05.0-13.6	21	13.8	07.1-20.5	4	0.9	00.0-01.9	1	1.8	00.0-05.3	275	58.4	50.6-66.2
\$25,000- 34,999	256	28,243	31	17.6	10.9-24.3	20	11.8	05.3-18.3	9	4.9	01.6-08.2	4	1.5	00.0-03.3	6	1.6	00.2-03.0	186	62.5	54.3-70.7
\$35,000- 49,999	349	41,353	51	18.9	11.5-26.3	34	11.0	06.7-15.3	19	10.3	04.6-16.0	8	2.0	00.4-03.6	5	3.1	00.0-06.8	232	54.8	46.6-63.0
\$50,000- 74,999	418	50,748	57	17.6	12.3-22.9	48	14.6	09.9-19.3	19	4.6	02.2-07.0	4	0.9	00.0-01.9				290	62.3	55.8-68.8
\$75,000+	679	89,934	104	19.7	15.6-23.8	100	18.2	14.5-21.9	43	7.5	05.0-10.0	3	0.8	00.0-01.8				429	53.9	49.0-58.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4763	691,002	3	0.1	00.0-00.3	65	2.6	01.8-03.4	228	10.8	09.0-12.6	1459	32.2	30.2-34.2	1343	29.0	27.0-31.0	1665	25.3	23.7-26.9
Male	1817	329,191	1	0.1	00.0-00.3	31	3.1	01.7-04.5	89	11.2	08.7-13.7	550	34.2	31.1-37.3	466	26.9	24.0-29.8	680	24.5	22.1-26.9
Female	2946	361,811	2	0.1	00.0-00.3	34	2.2	01.2-03.2	139	10.4	08.2-12.6	909	30.3	27.9-32.7	877	31.0	28.5-33.5	985	26.0	23.8-28.2
White/Non-Hisp	3680	478,521	2	0.1	00.0-00.3	38	1.9	01.1-02.7	146	9.0	07.2-10.8	1106	31.6	29.4-33.8	1050	29.9	27.7-32.1	1338	27.5	25.7-29.3
Black or Afr. Am./Non-Hisp	683	132,366	1	0.2	00.0-00.6	13	2.5	00.9-04.1	60	17.7	12.8-22.6	253	37.0	31.9-42.1	184	27.2	22.7-31.7	172	15.4	12.5-18.3
Oth. Race/Non-Hisp.	138	22,354	1	1.0	00.0-03.0	1	1.0	00.0-03.0	5	3.1	00.0-06.2	29	18.0	07.8-28.2	32	28.3	17.3-39.3	71	49.6	38.0-61.2
MultiRacial/Non-Hisp.	80	9,532				3	8.0	00.0-16.6	4	7.9	00.0-16.1	18	23.8	12.2-35.4	32	42.6	28.9-56.3	23	17.8	09.4-26.2
Hispanic	134	44,136				10	10.5	03.1-17.9	11	14.2	05.6-22.8	41	32.1	21.3-42.9	32	23.7	14.1-33.3	40	19.5	11.3-27.7
18-24	241	83,808				1	1.0	00.0-03.0	24	16.1	09.2-23.0	92	36.1	28.1-44.1	92	37.2	29.0-45.4	32	9.6	04.7-14.5
25-34	507	116,061				6	3.0	00.3-05.7	25	13.9	08.6-19.2	118	26.4	21.3-31.5	138	25.4	20.7-30.1	220	31.4	26.7-36.1
35-44	568	115,435				3	0.8	00.0-01.8	12	5.2	02.3-08.1	148	32.2	27.1-37.3	164	30.4	25.5-35.3	241	31.4	27.1-35.7
45-54	823	128,303				8	2.0	00.6-03.4	32	9.1	05.6-12.6	261	35.4	30.9-39.9	223	28.1	24.2-32.0	299	25.4	22.1-28.7
55-64	1027	107,657	1	0.2	00.0-00.6	8	2.4	00.4-04.4	33	6.2	03.7-08.7	306	30.3	26.6-34.0	288	31.6	27.7-35.5	391	29.3	26.0-32.6
65+	1542	133,107	2	0.2	00.0-00.6	38	5.6	03.4-07.8	100	15.0	11.7-18.3	517	33.4	30.3-36.5	420	24.6	22.1-27.1	465	21.3	19.1-23.5
Less than \$15,000	520	72,746	1	0.4	00.0-01.2	8	2.9	00.4-05.4	48	22.1	15.8-28.4	240	42.2	35.9-48.5	147	23.3	18.4-28.2	76	9.2	05.1-13.3
\$15,000- 24,999	522	75,948	1	0.1	00.0-00.3	31	11.1	06.4-15.8	71	25.0	18.9-31.1	232	38.0	32.1-43.9	130	19.5	14.8-24.2	57	6.3	03.9-08.7
\$25,000- 34,999	390	52,809				6	1.9	00.3-03.5	22	15.5	08.2-22.8	150	38.9	31.8-46.0	136	32.3	25.8-38.8	76	11.4	08.3-14.5
\$35,000- 49,999	620	90,126				7	1.7	00.1-03.3	16	6.0	02.5-09.5	204	39.5	33.4-45.6	198	33.7	27.8-39.6	195	19.0	15.5-22.5
\$50,000- 74,999	710	98,586				2	0.6	00.0-01.4	8	4.3	00.6-08.0	187	32.3	27.2-37.4	229	34.3	29.6-39.0	284	28.6	24.7-32.5
\$75,000+	1227	184,005				1	0.3	00.0-00.9	7	1.5	00.3-02.7	157	16.6	13.5-19.7	300	31.1	27.4-34.8	762	50.5	46.8-54.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1817	329,191	1	0.1	00.0-00.3	31	3.1	01.7-04.5	89	11.2	08.7-13.7	550	34.2	31.1-37.3	466	26.9	24.0-29.8	680	24.5	22.1-26.9
White/Non-Hisp	1427	225,601				20	2.4	01.0-03.8	61	10.0	07.1-12.9	408	32.2	28.9-35.5	370	28.3	25.0-31.6	568	27.1	24.4-29.8
Black or Afr. Am./Non-Hisp	217	60,581	1	0.4	00.0-01.2	3	1.8	00.0-04.2	18	17.0	09.6-24.4	96	43.6	35.2-52.0	54	24.7	17.6-31.8	45	12.5	07.8-17.2
Oth. Race/Non-Hisp.	68	14,748				1	1.6	00.0-04.7	3	3.4	00.0-07.7	14	20.3	05.8-34.8	11	21.0	07.3-34.7	39	53.7	38.0-69.4
18-24	128	42,254				1	2.0	00.0-05.9	14	16.5	08.1-24.9	49	37.6	26.4-48.8	44	36.5	25.1-47.9	20	7.4	02.9-11.9
25-34	205	58,009				3	3.3	00.0-07.8	14	17.5	08.9-26.1	55	30.6	22.6-38.6	47	20.7	14.4-27.0	86	27.9	21.2-34.6
35-44	211	55,647				3	1.6	00.0-03.6	5	4.6	00.7-08.5	69	38.3	30.1-46.5	51	27.4	19.6-35.2	83	28.0	21.3-34.7
45-54	329	62,517				2	1.0	00.0-02.4	12	9.0	03.3-14.7	116	40.8	33.4-48.2	98	28.2	22.1-34.3	101	21.0	16.1-25.9
55-64	371	50,975				4	3.8	00.0-07.9	10	4.4	00.5-08.3	97	28.0	22.3-33.7	101	31.3	24.8-37.8	159	32.4	26.5-38.3
65+	558	57,722	1	0.4	00.0-01.2	18	7.0	03.1-10.9	34	16.3	10.6-22.0	162	30.4	25.3-35.5	118	19.1	15.2-23.0	225	26.8	22.7-30.9
Less than \$15,000	161	30,954				3	2.1	00.0-05.0	19	22.9	12.7-33.1	78	46.2	36.0-56.4	34	20.6	12.2-29.0	27	8.1	04.0-12.2
\$15,000- 24,999	153	29,379				9	11.5	03.1-19.9	18	20.8	11.2-30.4	71	42.4	31.8-53.0	34	17.2	09.8-24.6	21	8.1	03.0-13.2
\$25,000- 34,999	134	24,566				3	1.8	00.0-04.0	12	21.8	09.1-34.5	53	39.5	27.3-51.7	38	26.5	15.9-37.1	28	10.5	05.4-15.6
\$35,000- 49,999	271	48,773				5	2.6	00.1-05.1	7	6.6	00.9-12.3	110	45.5	36.5-54.5	75	29.7	21.1-38.3	74	15.5	11.0-20.0
\$50,000- 74,999	293	47,982				2	1.2	00.0-03.0	5	3.8	00.0-07.7	84	37.5	29.5-45.5	90	30.2	23.5-36.9	112	27.3	21.4-33.2
\$75,000+	547	93,925				1	0.6	00.0-01.8	6	2.9	00.5-05.3	66	17.4	12.5-22.3	134	31.8	26.3-37.3	340	47.3	41.8-52.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2946	361,811	2	0.1	00.0-00.3	34	2.2	01.2-03.2	139	10.4	08.2-12.6	909	30.3	27.9-32.7	877	31.0	28.5-33.5	985	26.0	23.8-28.2
White/Non-Hisp	2253	252,920	2	0.1	00.0-00.3	18	1.5	00.5-02.5	85	8.1	05.9-10.3	698	31.1	28.4-33.8	680	31.3	28.6-34.0	770	27.8	25.4-30.2
Black or Afr. Am./Non-Hisp	466	71,785				10	3.1	00.7-05.5	42	18.4	12.1-24.7	157	31.5	25.6-37.4	130	29.2	23.3-35.1	127	17.9	14.0-21.8
Oth. Race/Non-Hisp.	70	7,605							2	2.5	00.0-06.4	15	13.7	05.7-21.7	21	42.2	25.5-58.9	32	41.7	26.6-56.8
Hispanic	87	22,872				6	8.6	01.3-15.9	7	14.1	03.1-25.1	26	26.2	15.4-37.0	20	25.8	11.5-40.1	28	25.3	12.4-38.2
18-24	113	41,553							10	15.7	05.1-26.3	43	34.6	23.2-46.0	48	38.0	26.2-49.8	12	11.7	02.9-20.5
25-34	302	58,052				3	2.6	00.0-05.7	11	10.3	04.4-16.2	63	22.1	16.2-28.0	91	30.1	23.2-37.0	134	34.9	28.4-41.4
35-44	357	59,787							7	5.8	01.5-10.1	79	26.5	20.6-32.4	113	33.1	27.0-39.2	158	34.6	28.9-40.3
45-54	494	65,786				6	3.0	00.5-05.5	20	9.2	04.9-13.5	145	30.2	25.1-35.3	125	28.0	22.9-33.1	198	29.6	25.1-34.1
55-64	656	56,683	1	0.5	00.0-01.5	4	1.1	00.0-02.3	23	7.8	04.5-11.1	209	32.3	27.8-36.8	187	32.0	27.3-36.7	232	26.4	22.5-30.3
65+	984	75,385	1	0.1	00.0-00.3	20	4.4	01.9-06.9	66	13.9	10.2-17.6	355	35.7	32.0-39.4	302	28.8	25.3-32.3	240	17.1	14.6-19.6
Less than \$15,000	359	41,792	1	0.6	00.0-01.8	5	3.4	00.0-07.3	29	21.5	13.7-29.3	162	39.2	31.6-46.8	113	25.3	19.4-31.2	49	9.9	03.2-16.6
\$15,000- 24,999	369	46,569	1	0.2	00.0-00.6	22	10.8	05.5-16.1	53	27.6	20.0-35.2	161	35.2	28.5-41.9	96	20.9	14.8-27.0	36	5.2	03.0-07.4
\$25,000- 34,999	256	28,243				3	2.0	00.0-04.4	10	10.1	02.7-17.5	97	38.3	30.5-46.1	98	37.4	30.0-44.8	48	12.1	08.2-16.0
\$35,000- 49,999	349	41,353				2	0.7	00.0-01.7	9	5.4	01.7-09.1	94	32.4	24.4-40.4	123	38.3	30.5-46.1	121	23.3	17.8-28.8
\$50,000- 74,999	417	50,604							3	4.7	00.0-11.0	103	27.3	21.2-33.4	139	38.1	31.6-44.6	172	29.8	24.5-35.1
\$75,000+	680	90,081							1	0.1	00.0-00.3	91	15.9	12.2-19.6	166	30.2	25.5-34.9	422	53.8	48.9-58.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4770	692,070	2407	59.2	57.2-61.2	300	8.0	06.8-09.2	164	3.5	02.9-04.1	98	4.6	03.4-05.8	1583	20.2	18.8-21.6	218	4.5	03.5-05.5
Male	1820	330,118	1007	63.0	59.9-66.1	117	8.3	06.3-10.3	3	0.2	00.0-00.4	49	4.9	03.1-06.7	569	18.8	16.8-20.8	75	4.8	03.2-06.4
Female	2950	361,951	1400	55.8	53.3-58.3	183	7.7	06.3-09.1	161	6.4	05.2-07.6	49	4.3	02.7-05.9	1014	21.5	19.7-23.3	143	4.3	03.3-05.3
White/Non-Hisp	3685	479,376	1816	59.3	57.1-61.5	181	6.4	05.2-07.6	134	3.8	03.0-04.6	49	2.9	01.9-03.9	1347	23.3	21.7-24.9	158	4.3	03.3-05.3
Black or Afr. Am./Non-Hisp	684	132,474	358	56.8	51.7-61.9	83	13.8	10.1-17.5	8	1.0	00.2-01.8	27	6.9	03.6-10.2	171	16.0	12.7-19.3	37	5.5	03.3-07.7
Oth. Race/Non-Hisp.	139	22,382	77	49.3	37.7-60.9	10	9.3	02.4-16.2	11	5.6	01.7-09.5	15	18.8	08.4-29.2	17	8.3	03.6-13.0	9	8.7	00.0-18.5
MultiRacial/Non-Hisp.	80	9,532	45	53.1	39.2-67.0	10	16.5	04.5-28.5	2	3.5	00.0-08.4	2	1.5	00.0-04.0	16	20.8	09.2-32.4	5	4.6	00.0-10.1
Hispanic	135	44,314	88	72.8	62.4-83.2	10	4.9	01.4-08.4	9	6.3	01.8-10.8	5	9.7	00.1-19.3	18	4.6	02.1-07.1	5	1.7	00.0-03.7
18-24	240	83,640	142	55.8	47.4-64.2	31	13.1	07.6-18.6	1	0.2	00.0-00.6	64	30.5	22.5-38.5	1	0.2	00.0-00.6	1	0.4	00.0-01.2
25-34	508	116,205	397	78.5	74.0-83.0	50	11.4	07.7-15.1	31	4.9	02.7-07.1	19	3.1	01.5-04.7	1	0.1	00.0-00.3	10	2.0	00.4-03.6
35-44	569	115,460	467	79.9	75.6-84.2	45	8.9	06.0-11.8	32	5.2	03.0-07.4	7	1.5	00.1-02.9	2	0.4	00.0-01.2	16	4.0	01.5-06.5
45-54	823	128,309	626	76.8	73.1-80.5	77	8.8	06.3-11.3	23	3.5	01.9-05.1	6	0.4	00.0-00.8	25	2.6	01.2-04.0	66	7.8	05.4-10.2
55-64	1026	107,505	532	53.7	49.6-57.8	76	7.3	05.3-09.3	30	3.4	02.0-04.8				287	24.3	21.2-27.4	101	11.3	08.0-14.6
65+	1545	133,306	212	14.3	11.9-16.7	19	1.1	00.5-01.7	45	2.9	01.9-03.9	1	0.1	00.0-00.3	1246	80.3	77.8-82.8	22	1.3	00.5-02.1
Less Than H.S.	296	93,369	88	41.4	34.0-48.8	25	12.3	07.2-17.4	17	3.8	01.6-06.0	7	4.4	00.7-08.1	125	27.0	21.3-32.7	34	11.1	06.6-15.6
H.S. or G.E.D.	1455	221,729	643	56.9	53.4-60.4	131	10.4	08.2-12.6	56	3.3	02.1-04.5	21	3.5	01.5-05.5	522	21.1	18.7-23.5	82	4.8	03.2-06.4
Some Post-H.S.	1341	200,516	644	58.0	54.3-61.7	92	7.3	05.1-09.5	49	3.9	02.5-05.3	54	8.3	05.6-11.0	429	18.3	16.1-20.5	73	4.1	02.7-05.5
College Graduate	1664	174,731	1026	73.0	70.5-75.5	52	3.5	02.3-04.7	42	3.0	02.0-04.0	16	1.7	00.5-02.9	501	17.7	15.7-19.7	27	1.1	00.5-01.7
Less than \$15,000	522	72,955	183	45.4	38.9-51.9	48	12.3	08.0-16.6	24	5.3	02.4-08.2	11	3.1	01.1-05.1	206	24.8	20.1-29.5	50	9.0	05.3-12.7
\$15,000- 24,999	523	76,113	123	33.8	27.3-40.3	102	21.6	16.7-26.5	15	2.7	01.1-04.3	15	3.6	01.4-05.8	179	21.1	17.0-25.2	89	17.2	12.5-21.9
\$25,000- 34,999	390	52,809	179	53.0	45.7-60.3	22	8.5	03.8-13.2	10	1.9	00.5-03.3	7	2.8	00.4-05.2	161	28.0	22.3-33.7	11	5.8	00.5-11.1
\$35,000- 49,999	620	90,126	314	62.4	56.7-68.1	35	7.0	04.1-09.9	24	4.1	02.1-06.1	5	3.4	00.0-07.3	224	20.6	17.1-24.1	18	2.5	00.9-04.1
\$50,000- 74,999	710	98,537	456	73.4	69.5-77.3	15	2.3	01.1-03.5	27	2.9	01.5-04.3	9	2.4	00.6-04.2	187	16.8	13.9-19.7	16	2.4	01.0-03.8
\$75,000+	1227	184,005	880	77.7	74.8-80.6	28	3.6	01.6-05.6	36	3.5	02.1-04.9	16	2.5	01.1-03.9	260	12.2	10.4-14.0	7	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	330,118	1007	63.0	59.9-66.1	117	8.3	06.3-10.3	3	0.2	00.0-00.4	49	4.9	03.1-06.7	569	18.8	16.8-20.8	75	4.8	03.2-06.4
White/Non-Hisp	1429	226,351	788	64.0	60.7-67.3	73	6.4	04.4-08.4	3	0.3	00.0-00.7	28	3.4	01.8-05.0	485	21.3	18.9-23.7	52	4.5	02.7-06.3
Black or Afr. Am./Non-Hisp	217	60,581	115	56.6	48.2-65.0	27	15.3	09.0-21.6				10	6.2	01.9-10.5	49	15.6	09.9-21.3	16	6.3	02.8-09.8
Oth. Race/Non-Hisp.	68	14,748	39	51.2	35.5-66.9	6	10.4	01.0-19.8				9	19.0	05.7-32.3	11	9.8	02.9-16.7	3	9.5	00.0-23.8
18-24	127	42,087	72	50.4	38.8-62.0	17	17.6	08.4-26.8				38	32.0	21.0-43.0						
25-34	205	58,009	180	87.8	82.3-93.3	15	7.4	02.7-12.1				6	2.6	00.2-05.0	1	0.2	00.0-00.6	3	2.0	00.0-04.4
35-44	212	55,672	177	80.9	74.2-87.6	22	10.7	06.0-15.4	1	0.7	00.0-02.1	2	1.4	00.0-03.6	2	0.8	00.0-02.2	8	5.5	00.8-10.2
45-54	329	62,517	266	80.9	75.2-86.6	33	10.1	05.4-14.8	1	0.3	00.0-00.9	2	0.3	00.0-00.7	9	2.2	00.4-04.0	18	6.2	03.1-09.3
55-64	371	50,975	201	56.3	49.6-63.0	26	6.4	03.5-09.3	1	0.3	00.0-00.9				105	23.5	18.6-28.4	38	13.6	07.5-19.7
65+	559	57,900	102	16.6	12.9-20.3	3	0.5	00.0-01.1				1	0.2	00.0-00.6	445	81.2	77.3-85.1	8	1.5	00.1-02.9
Less Than H.S.	121	47,491	47	46.3	35.1-57.5	11	13.0	05.2-20.8				3	3.7	00.0-08.0	43	24.7	16.3-33.1	17	12.2	05.5-18.9
H.S. or G.E.D.	548	112,155	283	63.5	58.2-68.8	59	11.6	08.1-15.1	1	0.1	00.0-00.3	9	3.2	00.3-06.1	169	17.4	14.1-20.7	27	4.2	01.7-06.7
Some Post-H.S.	466	88,423	257	62.8	56.9-68.7	32	6.9	03.4-10.4	2	0.7	00.0-01.7	28	9.6	05.3-13.9	128	15.3	12.0-18.6	19	4.7	02.0-07.4
College Graduate	680	80,762	418	72.4	68.5-76.3	15	2.7	00.9-04.5				9	2.7	00.5-04.9	227	20.9	17.8-24.0	11	1.3	00.3-02.3
Less than \$15,000	162	31,131	66	48.4	38.2-58.6	16	12.7	05.4-20.0	1	0.5	00.0-01.5	6	4.6	00.7-08.5	57	22.4	15.0-29.8	16	11.4	04.1-18.7
\$15,000- 24,999	154	29,544	35	31.9	20.9-42.9	41	24.0	15.6-32.4				9	5.7	01.6-09.8	38	18.5	10.9-26.1	31	19.9	11.3-28.5
\$25,000- 34,999	134	24,566	58	51.0	38.5-63.5	8	8.8	00.2-17.4				3	3.3	00.0-07.8	60	26.5	17.5-35.5	5	10.4	00.0-21.2
\$35,000- 49,999	271	48,773	142	63.6	55.2-72.0	17	8.0	03.3-12.7				4	5.8	00.0-12.9	101	20.1	14.8-25.4	7	2.5	00.3-04.7
\$50,000- 74,999	292	47,789	192	77.4	72.3-82.5	5	1.7	00.1-03.3				3	1.1	00.0-02.3	88	18.1	13.6-22.6	4	1.7	00.0-03.5
\$75,000+	547	93,925	398	78.3	73.6-83.0	14	5.2	01.7-08.7	2	0.6	00.0-01.6	8	3.1	00.7-05.5	123	12.6	09.9-15.3	2	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2950	361,951	1400	55.8	53.3-58.3	183	7.7	06.3-09.1	161	6.4	05.2-07.6	49	4.3	02.7-05.9	1014	21.5	19.7-23.3	143	4.3	03.3-05.3
White/Non-Hisp	2256	253,026	1028	55.0	52.1-57.9	108	6.4	04.8-08.0	131	6.9	05.5-08.3	21	2.5	01.1-03.9	862	25.1	22.9-27.3	106	4.1	02.9-05.3
Black or Afr. Am./Non-Hisp	467	71,893	243	57.0	50.5-63.5	56	12.5	08.2-16.8	8	1.8	00.4-03.2	17	7.6	02.7-12.5	122	16.3	12.4-20.2	21	4.8	02.1-07.5
Oth. Race/Non-Hisp.	71	7,634	38	45.7	30.2-61.2	4	7.3	00.0-15.3	11	16.5	05.5-27.5	6	18.3	02.2-34.4	6	5.2	00.0-10.5	6	7.1	00.8-13.4
Hispanic	87	22,872	51	63.6	49.3-77.9	7	5.3	01.0-09.6	9	12.2	03.8-20.6	3	10.7	00.0-24.0	12	4.9	01.4-08.4	5	3.2	00.0-06.9
18-24	113	41,553	70	61.1	48.9-73.3	14	8.5	03.4-13.6	1	0.3	00.0-00.9	26	28.9	17.1-40.7	1	0.3	00.0-01.1	1	0.7	00.0-02.1
25-34	303	58,196	217	69.2	62.3-76.1	35	15.5	09.6-21.4	31	9.7	05.6-13.8	13	3.6	01.4-05.8				7	2.1	00.0-04.3
35-44	357	59,787	290	79.1	73.6-84.6	23	7.3	03.8-10.8	31	9.4	05.7-13.1	5	1.6	00.0-03.4				8	2.7	00.3-05.1
45-54	494	65,793	360	72.9	67.8-78.0	44	7.7	05.2-10.2	22	6.6	03.5-09.7	4	0.5	00.0-01.1	16	3.0	01.0-05.0	48	9.2	05.5-12.9
55-64	655	56,530	331	51.3	46.4-56.2	50	8.2	05.5-10.9	29	6.2	03.7-08.7				182	25.1	21.0-29.2	63	9.2	06.5-11.9
65+	986	75,406	110	12.5	09.4-15.6	16	1.7	00.7-02.7	45	5.1	03.3-06.9				801	79.6	76.1-83.1	14	1.2	00.4-02.0
Less Than H.S.	175	45,878	41	36.3	26.3-46.3	14	11.5	05.0-18.0	17	7.7	03.4-12.0	4	5.1	00.0-11.4	82	29.4	21.8-37.0	17	10.0	04.1-15.9
H.S. or G.E.D.	907	109,574	360	50.2	45.5-54.9	72	9.2	06.5-11.9	55	6.6	04.4-08.8	12	3.9	01.2-06.6	353	24.9	21.8-28.0	55	5.3	03.5-07.1
Some Post-H.S.	875	112,093	387	54.3	49.6-59.0	60	7.7	05.3-10.1	47	6.5	04.3-08.7	26	7.3	03.6-11.0	301	20.6	17.7-23.5	54	3.6	02.4-04.8
College Graduate	984	93,969	608	73.6	70.3-76.9	37	4.1	02.5-05.7	42	5.5	03.5-07.5	7	0.9	00.0-02.1	274	14.9	12.7-17.1	16	1.0	00.4-01.6
Less than \$15,000	360	41,824	117	43.2	34.8-51.6	32	12.0	06.5-17.5	23	8.9	04.0-13.8	5	2.0	00.2-03.8	149	26.7	20.8-32.6	34	7.1	03.8-10.4
\$15,000- 24,999	369	46,569	88	35.1	27.3-42.9	61	20.0	13.9-26.1	15	4.4	01.9-06.9	6	2.3	00.1-04.5	141	22.8	17.9-27.7	58	15.5	10.0-21.0
\$25,000- 34,999	256	28,243	121	54.7	46.7-62.7	14	8.1	03.6-12.6	10	3.6	01.1-06.1	4	2.4	00.0-04.9	101	29.4	22.5-36.3	6	1.8	00.0-03.8
\$35,000- 49,999	349	41,353	172	61.1	54.0-68.2	18	5.7	02.8-08.6	24	8.9	04.8-13.0	1	0.6	00.0-01.8	123	21.0	16.3-25.7	11	2.6	00.8-04.4
\$50,000- 74,999	418	50,748	264	69.6	63.9-75.3	10	2.8	00.8-04.8	27	5.5	03.0-08.0	6	3.5	00.6-06.4	99	15.5	11.6-19.4	12	3.0	01.0-05.0
\$75,000+	680	90,081	482	77.2	73.5-80.9	14	2.1	00.9-03.3	34	6.5	04.0-09.0	8	1.8	00.0-03.6	137	11.8	09.4-14.2	5	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3993	574,739	242	6.4	05.2-07.6	280	6.3	05.3-07.3	266	6.3	05.1-07.5	257	7.0	05.8-08.2	390	9.2	07.8-10.6	2558	64.9	62.7-67.1
Male	1561	275,921	73	5.3	03.7-06.9	89	6.0	04.4-07.6	73	4.6	03.0-06.2	81	6.1	04.3-07.9	134	8.9	06.7-11.1	1111	69.1	65.8-72.4
Female	2432	298,818	169	7.4	05.6-09.2	191	6.5	05.3-07.7	193	7.8	06.2-09.4	176	7.8	06.2-09.4	256	9.5	07.9-11.1	1447	61.0	58.3-63.7
White/Non-Hisp	3085	401,906	175	5.7	04.5-06.9	195	5.4	04.4-06.4	185	4.7	03.7-05.7	146	4.5	03.5-05.5	283	8.6	07.2-10.0	2101	71.2	69.0-73.4
Black or Afr. Am./Non-Hisp	580	108,629	46	8.2	05.1-11.3	56	8.7	05.8-11.6	49	10.8	06.7-14.9	82	14.7	10.8-18.6	67	9.1	06.2-12.0	280	48.5	43.0-54.0
Oth. Race/Non-Hisp.	115	18,755	5	4.2	00.0-08.9	5	3.6	00.0-07.3	10	8.5	02.4-14.6	8	4.3	00.8-07.8	12	14.4	02.1-26.7	75	64.9	52.2-77.6
MultiRacial/Non-Hisp.	70	7,535	6	7.8	00.0-15.6	9	10.1	02.1-18.1	7	6.2	01.1-11.3	8	15.9	04.5-27.3	3	5.0	00.0-10.9	37	55.1	41.0-69.2
Hispanic	115	35,090	9	10.4	01.8-19.0	13	9.5	03.0-16.0	12	8.9	03.0-14.8	10	10.1	03.2-17.0	19	14.1	06.7-21.5	52	46.9	34.6-59.2
18-24	171	53,374	14	9.4	02.5-16.3	23	9.0	04.9-13.1	20	11.4	05.3-17.5	19	9.4	04.3-14.5	20	9.4	04.1-14.7	75	51.4	41.0-61.8
25-34	459	102,491	32	8.9	05.2-12.6	30	5.9	03.4-08.4	21	6.0	02.9-09.1	33	8.1	04.8-11.4	49	8.4	05.7-11.1	294	62.7	57.0-68.4
35-44	518	104,176	18	4.4	01.9-06.9	23	4.6	02.1-07.1	11	2.6	01.0-04.2	20	4.0	01.8-06.2	36	7.9	04.4-11.4	410	76.5	71.6-81.4
45-54	724	112,973	27	3.3	01.7-04.9	34	4.5	02.7-06.3	36	4.8	02.8-06.8	54	7.4	04.9-09.9	53	7.2	04.5-09.9	520	72.8	68.5-77.1
55-64	905	96,961	44	4.9	02.9-06.9	58	5.4	03.2-07.6	54	5.6	03.2-08.0	65	7.7	05.2-10.2	80	9.0	06.5-11.5	604	67.5	63.2-71.8
65+	1192	101,706	105	9.4	06.9-11.9	110	9.8	07.4-12.2	124	10.0	07.6-12.4	64	6.5	04.5-08.5	150	13.7	11.0-16.4	639	50.6	46.9-54.3
Less Than H.S.	229	70,294	28	15.1	09.0-21.2	29	11.2	06.5-15.9	40	14.0	08.7-19.3	63	25.1	18.2-32.0	28	13.1	07.2-19.0	41	21.6	14.3-28.9
H.S. or G.E.D.	1170	178,141	108	8.0	05.8-10.2	132	9.2	07.2-11.2	127	8.7	06.5-10.9	105	7.5	05.7-09.3	150	11.5	09.0-14.0	548	55.0	51.1-58.9
Some Post-H.S.	1140	170,059	66	4.5	03.1-05.9	81	5.4	03.6-07.2	70	5.0	03.0-07.0	60	3.7	02.5-04.9	136	10.0	07.8-12.2	727	71.3	67.8-74.8
College Graduate	1450	155,727	39	2.7	00.7-04.7	37	1.6	01.0-02.2	28	1.4	00.6-02.2	29	1.7	00.7-02.7	76	3.9	02.9-04.9	1241	88.8	86.4-91.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1561	275,921	73	5.3	03.7-06.9	89	6.0	04.4-07.6	73	4.6	03.0-06.2	81	6.1	04.3-07.9	134	8.9	06.7-11.1	1111	69.1	66.0-72.2
White/Non-Hisp	1234	192,033	52	4.6	02.8-06.4	58	4.8	03.2-06.4	47	3.1	01.9-04.3	48	3.9	02.3-05.5	91	7.7	05.3-10.1	938	75.8	72.5-79.1
Black or Afr. Am./Non-Hisp	186	49,836	13	7.5	02.8-12.2	18	9.4	04.1-14.7	14	10.1	03.8-16.4	21	11.9	06.2-17.6	22	9.3	04.2-14.4	98	51.8	42.6-61.0
Oth. Race/Non-Hisp.	54	12,011	4	6.4	00.0-13.8	4	4.6	00.0-09.9	5	9.3	00.7-17.9	3	4.2	00.0-09.1	6	18.2	00.0-36.4	32	57.4	39.8-75.0
18-24	89	26,781	7	5.8	00.7-10.9	13	10.9	04.2-17.6	7	5.6	00.7-10.5	9	10.2	02.0-18.4	11	11.6	02.8-20.4	42	55.8	41.9-69.7
25-34	180	49,213	11	8.9	03.2-14.6	9	4.0	01.1-06.9	6	3.7	00.0-08.0	10	7.3	02.4-12.2	13	7.9	03.0-12.8	131	68.1	59.5-76.7
35-44	195	51,005	5	3.3	00.0-06.6	8	5.4	00.9-09.9	6	3.0	00.5-05.5	7	4.0	01.1-06.9	10	7.2	01.7-12.7	159	77.2	69.4-85.0
45-54	297	55,154	12	3.5	01.3-05.7	16	5.3	02.2-08.4	11	3.5	01.0-06.0	19	5.0	02.3-07.7	17	8.0	02.9-13.1	222	74.7	68.0-81.4
55-64	335	46,967	10	3.7	00.8-06.6	15	5.2	01.1-09.3	16	5.2	01.5-08.9	21	6.7	02.4-11.0	33	9.2	04.7-13.7	240	70.0	62.7-77.3
65+	457	45,622	28	7.1	03.6-10.6	28	8.0	04.3-11.7	27	7.7	03.6-11.8	15	5.6	02.3-08.9	49	11.2	07.5-14.9	310	60.5	54.4-66.6
Less Than H.S.	90	33,212	12	14.5	05.9-23.1	10	8.9	02.2-15.6	6	6.1	00.6-11.6	21	22.5	12.3-32.7	15	17.4	07.2-27.6	26	30.7	19.3-42.1
H.S. or G.E.D.	462	92,994	34	6.4	03.7-09.1	44	9.0	05.9-12.1	38	7.2	04.1-10.3	33	6.2	03.7-08.7	53	10.4	06.7-14.1	260	60.8	54.9-66.7
Some Post-H.S.	405	76,818	16	3.3	01.3-05.3	18	5.0	01.9-08.1	17	3.5	01.1-05.9	17	3.1	01.3-04.9	38	8.5	04.8-12.2	299	76.6	71.1-82.1
College Graduate	602	72,555	11	1.6	00.2-03.0	16	1.9	00.9-02.9	11	1.7	00.3-03.1	10	1.6	00.0-03.2	28	3.5	01.9-05.1	526	89.7	86.6-92.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2432	298,818	169	7.4	05.6-09.2	191	6.5	05.3-07.7	193	7.8	06.2-09.4	176	7.8	06.2-09.4	256	9.5	07.9-11.1	1447	61.0	58.3-63.7
White/Non-Hisp	1851	209,874	123	6.7	04.9-08.5	137	5.9	04.5-07.3	138	6.1	04.7-07.5	98	5.1	03.7-06.5	192	9.3	07.7-10.9	1163	66.9	64.0-69.8
Black or Afr. Am./Non-Hisp	394	58,794	33	8.7	04.6-12.8	38	8.1	05.0-11.2	35	11.4	06.1-16.7	61	17.1	12.0-22.2	45	9.0	05.9-12.1	182	45.6	38.9-52.3
Oth. Race/Non-Hisp.	61	6,744	1	0.5	00.0-01.5	1	1.9	00.0-05.6	5	7.1	00.2-14.0	5	4.4	00.0-08.9	6	7.6	01.1-14.1	43	78.5	67.3-89.7
Hispanic	74	18,246	6	13.5	00.0-28.0	9	9.2	01.0-17.4	11	15.8	05.4-26.2	6	9.6	02.0-17.2	11	14.7	04.1-25.3	31	37.2	23.3-51.1
18-24	82	26,593	7	13.1	00.8-25.4	10	7.0	02.3-11.7	13	17.2	06.2-28.2	10	8.6	02.9-14.3	9	7.1	01.2-13.0	33	46.9	31.8-62.0
25-34	279	53,278	21	8.8	04.1-13.5	21	7.6	03.7-11.5	15	8.2	03.5-12.9	23	8.9	04.6-13.2	36	8.8	05.7-11.9	163	57.8	50.4-65.2
35-44	323	53,171	13	5.4	01.7-09.1	15	3.9	01.5-06.3	5	2.2	00.2-04.2	13	4.0	00.9-07.1	26	8.6	04.5-12.7	251	75.9	69.6-82.2
45-54	427	57,819	15	3.0	01.0-05.0	18	3.7	01.7-05.7	25	6.0	02.9-09.1	35	9.8	05.5-14.1	36	6.5	04.0-09.0	298	70.9	65.2-76.6
55-64	570	49,994	34	6.0	03.5-08.5	43	5.5	03.5-07.5	38	6.1	03.4-08.8	44	8.6	05.5-11.7	47	8.7	05.8-11.6	364	65.1	60.0-70.2
65+	735	56,084	77	11.2	07.7-14.7	82	11.2	07.9-14.5	97	11.9	09.2-14.6	49	7.3	04.9-09.7	101	15.8	12.1-19.5	329	42.6	38.1-47.1
Less Than H.S.	139	37,082	16	15.6	07.4-23.8	19	13.2	06.5-19.9	34	21.2	12.6-29.8	42	27.4	18.4-36.4	13	9.2	02.9-15.5	15	13.4	04.4-22.4
H.S. or G.E.D.	708	85,146	74	9.7	06.4-13.0	88	9.5	07.1-11.9	89	10.4	07.7-13.1	72	8.9	06.4-11.4	97	12.7	09.6-15.8	288	48.8	43.7-53.9
Some Post-H.S.	735	93,242	50	5.5	03.7-07.3	63	5.8	04.0-07.6	53	6.2	03.3-09.1	43	4.3	02.7-05.9	98	11.3	08.8-13.8	428	66.9	62.6-71.2
College Graduate	848	83,173	28	3.6	00.3-06.9	21	1.4	00.6-02.2	17	1.0	00.4-01.6	19	1.9	00.9-02.9	48	4.1	02.7-05.5	715	88.0	84.3-91.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4546	664,038	56	1.1	00.5-01.7	1407	30.5	28.5-32.5	2006	43.1	40.9-45.3	845	19.9	18.1-21.7	232	5.4	04.4-06.4
Male	1794	324,758	2	0.0	00.0-00.0	169	12.9	10.4-15.4	901	49.0	45.7-52.3	555	29.5	26.6-32.4	167	8.6	07.0-10.2
Female	2752	339,280	54	2.2	01.0-03.4	1238	47.4	44.7-50.1	1105	37.4	34.9-39.9	290	10.6	09.0-12.2	65	2.4	01.6-03.2
White/Non-Hisp	3511	461,438	41	0.9	00.5-01.3	1120	31.2	28.8-33.6	1547	42.4	40.0-44.8	638	20.3	18.3-22.3	165	5.2	04.2-06.2
Black or Afr. Am./Non-Hisp	650	126,247	4	0.2	00.0-00.4	148	23.6	18.9-28.3	294	46.5	41.0-52.0	153	22.8	18.5-27.1	51	6.9	04.4-09.4
Oth. Race/Non-Hisp.	136	21,364	5	5.2	00.0-10.5	56	39.0	27.8-50.2	56	39.8	27.8-51.8	16	12.1	05.4-18.8	3	4.0	00.0-08.7
MultiRacial/Non-Hisp.	78	9,251	2	0.6	00.0-01.4	19	28.9	15.2-42.6	34	37.8	24.9-50.7	17	18.5	08.9-28.1	6	14.2	03.4-25.0
Hispanic	131	42,207	3	4.7	00.0-12.0	53	40.0	28.6-51.4	60	43.5	31.9-55.1	11	9.9	03.0-16.8	4	1.8	00.0-04.2
18-24	237	83,024	5	2.9	00.0-06.8	108	48.7	40.1-57.3	93	36.3	28.1-44.5	25	10.1	05.4-14.8	6	1.9	00.1-03.7
25-34	492	112,672	6	1.6	00.0-03.2	145	29.0	23.7-34.3	208	41.6	35.9-47.3	109	23.3	18.4-28.2	24	4.5	02.3-06.7
35-44	543	109,484	4	0.5	00.1-00.9	170	27.0	22.3-31.7	232	44.0	38.7-49.3	101	21.8	17.3-26.3	36	6.7	04.2-09.2
45-54	779	121,989	6	0.4	00.0-00.8	226	28.8	24.7-32.9	324	43.0	38.3-47.7	169	21.0	17.1-24.9	54	6.8	04.4-09.2
55-64	970	102,945	9	0.7	00.1-01.3	263	23.5	20.0-27.0	447	43.5	39.4-47.6	185	24.4	20.3-28.5	66	7.9	05.5-10.3
65+	1489	128,629	25	1.2	00.6-01.8	482	29.9	27.0-32.8	686	47.5	44.2-50.8	250	17.1	14.6-19.6	46	4.3	02.3-06.3
Less Than H.S.	289	90,854	4	1.2	00.0-03.0	80	30.3	23.0-37.6	139	43.4	36.0-50.8	49	19.2	13.3-25.1	17	5.9	02.8-09.0
H.S. or G.E.D.	1380	211,943	17	0.6	00.2-01.0	410	27.7	24.2-31.2	620	46.5	42.8-50.2	256	19.7	16.8-22.6	77	5.4	03.8-07.0
Some Post-H.S.	1265	191,416	16	1.7	00.0-03.5	386	32.9	29.0-36.8	539	37.5	33.8-41.2	256	22.3	19.0-25.6	68	5.7	03.9-07.5
College Graduate	1603	168,320	19	1.2	00.6-01.8	527	31.2	28.3-34.1	705	45.0	41.7-48.3	282	17.7	15.3-20.1	70	5.0	03.4-06.6
Less than \$15,000	498	68,955	8	1.0	00.2-01.8	166	30.2	24.1-36.3	212	46.3	39.6-53.0	85	16.6	12.1-21.1	27	6.0	03.3-08.7
\$15,000- 24,999	508	74,422	12	2.0	00.0-04.2	149	29.8	23.9-35.7	223	42.0	35.7-48.3	99	20.2	15.1-25.3	25	5.9	02.8-09.0
\$25,000- 34,999	374	51,283	1	0.2	00.0-00.6	121	28.6	22.5-34.7	168	46.9	39.5-54.3	58	16.8	10.5-23.1	26	7.5	03.8-11.2
\$35,000- 49,999	599	87,033	3	0.2	00.0-00.4	167	26.6	20.9-32.3	257	41.8	35.7-47.9	136	26.3	20.8-31.8	36	5.1	02.9-07.3
\$50,000- 74,999	686	96,107	8	1.2	00.0-02.4	195	28.1	23.2-33.0	319	45.1	40.0-50.2	134	20.7	16.6-24.8	30	4.9	02.7-07.1
\$75,000+	1200	180,066	9	0.8	00.2-01.4	346	29.3	25.8-32.8	527	41.4	37.7-45.1	247	22.5	19.4-25.6	71	6.0	04.2-07.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1794	324,758	2	0.0	00.0-00.0	169	12.9	10.4-15.4	901	49.0	45.7-52.3	555	29.5	26.6-32.4	167	8.6	07.0-10.2
White/Non-Hisp	1417	225,454	2	0.0	00.0-00.0	115	10.7	08.0-13.4	719	48.9	45.2-52.6	451	31.5	28.2-34.8	130	8.9	06.9-10.9
Black or Afr. Am./Non-Hisp	211	58,595				24	13.3	07.2-19.4	101	49.4	40.8-58.0	63	28.7	21.1-36.3	23	8.6	03.9-13.3
Oth. Race/Non-Hisp.	65	13,779				17	28.2	14.1-42.3	35	51.3	35.2-67.4	10	14.3	04.7-23.9	3	6.2	00.0-13.5
18-24	128	42,254				34	31.6	20.2-43.0	70	49.3	37.7-60.9	18	15.3	07.1-23.5	6	3.8	00.3-07.3
25-34	200	57,156				16	11.6	04.3-18.9	102	49.9	41.1-58.7	69	32.7	24.7-40.7	13	5.8	02.3-09.3
35-44	209	54,123				20	11.0	05.1-16.9	101	47.6	39.2-56.0	61	30.7	22.9-38.5	27	10.7	06.2-15.2
45-54	325	61,737				36	12.7	07.8-17.6	141	47.4	40.0-54.8	109	29.5	23.0-36.0	39	10.5	06.2-14.8
55-64	370	50,919	1	0.1	00.0-00.3	22	6.3	02.4-10.2	183	44.8	38.1-51.5	119	36.2	29.3-43.1	45	12.5	08.0-17.0
65+	549	56,388	1	0.1	00.0-00.3	40	7.2	04.5-09.9	295	54.7	49.0-60.4	176	30.2	25.3-35.1	37	7.8	04.3-11.3
Less Than H.S.	118	46,373	1	0.2	00.0-00.6	17	20.3	09.9-30.7	57	43.6	32.6-54.6	31	27.6	17.6-37.6	12	8.3	03.0-13.6
H.S. or G.E.D.	543	110,883				58	12.1	08.0-16.2	269	53.5	47.8-59.2	161	26.7	22.0-31.4	55	7.7	05.2-10.2
Some Post-H.S.	459	87,191				46	14.2	08.9-19.5	204	41.7	35.6-47.8	162	34.2	28.3-40.1	47	10.0	06.5-13.5
College Graduate	669	79,023	1	0.0	00.0-00.0	47	7.3	04.6-10.0	368	54.2	49.3-59.1	200	29.8	25.3-34.3	53	8.7	05.8-11.6
Less than \$15,000	158	30,170				20	15.1	07.1-23.1	79	53.5	43.1-63.9	42	21.1	12.9-29.3	17	10.2	04.5-15.9
\$15,000- 24,999	150	28,847	1	0.1	00.0-00.3	25	17.4	09.2-25.6	72	45.6	34.6-56.6	40	27.2	17.6-36.8	12	9.7	02.6-16.8
\$25,000- 34,999	133	24,502				16	11.4	04.7-18.1	71	55.1	42.6-67.6	31	25.6	13.6-37.6	15	7.9	03.0-12.8
\$35,000- 49,999	270	48,352				20	10.9	03.6-18.2	125	46.1	37.1-55.1	95	34.9	26.5-43.3	30	8.2	04.5-11.9
\$50,000- 74,999	291	47,708				21	7.9	04.0-11.8	152	52.4	44.8-60.0	98	33.0	25.9-40.1	20	6.6	03.3-09.9
\$75,000+	546	93,868				35	9.1	04.8-13.4	267	46.4	40.7-52.1	186	34.5	29.2-39.8	58	10.0	06.9-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2752	339,280	54	2.2	01.0-03.4	1238	47.4	44.7-50.1	1105	37.4	34.9-39.9	290	10.6	09.0-12.2	65	2.4	01.6-03.2
White/Non-Hisp	2094	235,984	39	1.7	00.9-02.5	1005	50.7	47.6-53.8	828	36.2	33.5-38.9	187	9.6	07.6-11.6	35	1.8	01.0-02.6
Black or Afr. Am./Non-Hisp	439	67,652	4	0.3	00.0-00.7	124	32.6	26.1-39.1	193	43.9	37.2-50.6	90	17.7	13.0-22.4	28	5.4	02.7-08.1
Oth. Race/Non-Hisp.	71	7,585	5	14.5	00.6-28.4	39	58.4	42.9-73.9	21	19.0	09.4-28.6	6	8.0	01.1-14.9			
Hispanic	85	21,833	3	9.1	00.0-22.4	46	54.2	39.1-69.3	32	34.2	20.1-48.3	2	1.6	00.0-04.0	2	0.9	00.0-02.3
18-24	109	40,770	5	6.0	00.0-13.6	74	66.4	54.1-78.7	23	22.8	11.6-34.0	7	4.8	00.7-08.9			
25-34	292	55,516	6	3.2	00.1-06.3	129	47.0	39.6-54.4	106	33.0	26.1-39.9	40	13.6	08.1-19.1	11	3.2	01.0-05.4
35-44	334	55,361	4	0.9	00.0-01.9	150	42.6	35.9-49.3	131	40.6	33.9-47.3	40	13.1	08.6-17.6	9	2.8	00.3-05.3
45-54	454	60,252	6	0.8	00.0-01.6	190	45.2	39.3-51.1	183	38.6	32.9-44.3	60	12.3	08.0-16.6	15	3.1	01.1-05.1
55-64	600	52,027	8	1.2	00.2-02.2	241	40.4	35.3-45.5	264	42.3	37.2-47.4	66	12.7	09.2-16.2	21	3.4	01.6-05.2
65+	940	72,241	24	2.1	01.1-03.1	442	47.6	43.5-51.7	391	42.0	37.9-46.1	74	6.8	05.0-08.6	9	1.5	00.0-03.5
Less Than H.S.	171	44,480	3	2.2	00.0-05.5	63	40.7	30.7-50.7	82	43.2	33.4-53.0	18	10.5	04.8-16.2	5	3.4	00.0-06.9
H.S. or G.E.D.	837	101,061	17	1.4	00.6-02.2	352	44.8	39.9-49.7	351	38.9	34.4-43.4	95	12.0	08.9-15.1	22	2.9	01.3-04.5
Some Post-H.S.	806	104,224	16	3.1	00.0-06.2	340	48.7	43.6-53.8	335	34.0	29.7-38.3	94	12.3	09.0-15.6	21	2.0	01.0-03.0
College Graduate	934	89,297	18	2.1	00.9-03.3	480	52.3	47.8-56.8	337	36.9	32.4-41.4	82	7.0	05.2-08.8	17	1.7	00.7-02.7
Less than \$15,000	340	38,785	8	1.8	00.2-03.4	146	41.9	33.7-50.1	133	40.6	32.2-49.0	43	13.1	08.2-18.0	10	2.6	00.6-04.6
\$15,000- 24,999	358	45,574	11	3.2	00.0-06.5	124	37.7	30.1-45.3	151	39.7	32.3-47.1	59	15.8	10.5-21.1	13	3.5	01.0-06.0
\$25,000- 34,999	241	26,781	1	0.3	00.0-00.9	105	44.3	35.9-52.7	97	39.5	31.3-47.7	27	8.8	05.1-12.5	11	7.0	01.3-12.7
\$35,000- 49,999	329	38,681	3	0.4	00.0-01.0	147	46.3	37.9-54.7	132	36.4	29.0-43.8	41	15.6	08.5-22.7	6	1.3	00.0-02.7
\$50,000- 74,999	395	48,399	8	2.4	00.0-04.8	174	47.9	40.8-55.0	167	37.9	31.4-44.4	36	8.6	04.9-12.3	10	3.1	00.4-05.8
\$75,000+	654	86,198	9	1.7	00.5-02.9	311	51.3	46.2-56.4	260	36.0	31.3-40.7	61	9.4	06.5-12.3	13	1.6	00.4-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4740	684,940	261	5.1	04.1-06.1	2305	43.8	41.8-45.8	1793	40.6	38.6-42.6	368	10.0	08.6-11.4	13	0.4	00.2-00.6
Male	1808	326,272	7	0.4	00.0-00.8	189	13.4	10.9-15.9	1236	64.6	61.3-67.9	363	20.8	18.1-23.5	13	0.8	00.2-01.4
Female	2932	358,669	254	9.4	07.6-11.2	2116	71.5	69.1-73.9	557	18.8	16.8-20.8	5	0.2	00.0-00.4			
White/Non-Hisp	3667	476,732	196	4.6	03.6-05.6	1749	42.8	40.4-45.2	1413	42.1	39.7-44.5	300	10.2	08.6-11.8	9	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	680	130,895	34	5.0	02.5-07.5	352	42.9	37.8-48.0	242	39.9	34.8-45.0	50	11.5	07.6-15.4	2	0.7	00.0-01.7
Oth. Race/Non-Hisp.	136	21,361	15	7.3	02.2-12.4	72	50.1	38.3-61.9	47	41.1	29.1-53.1	2	1.6	00.0-04.3			
MultiRacial/Non-Hisp.	79	9,361	2	1.2	00.0-03.0	32	40.0	26.3-53.7	36	45.2	31.5-58.9	7	10.3	01.5-19.1	2	3.4	00.0-08.7
Hispanic	133	42,629	14	11.7	03.7-19.7	77	55.9	44.5-67.3	36	24.4	15.6-33.2	6	8.1	01.0-15.2			
18-24	238	83,406	10	7.5	01.6-13.4	96	45.1	36.5-53.7	102	32.2	24.9-39.5	30	15.2	08.7-21.7			
25-34	505	114,676	19	3.5	01.5-05.5	221	39.1	33.6-44.6	198	42.4	36.7-48.1	62	14.3	10.0-18.6	5	0.7	00.0-01.5
35-44	561	112,664	21	3.4	01.6-05.2	268	43.4	38.3-48.5	227	44.1	38.8-49.4	41	8.4	05.5-11.3	4	0.6	00.0-01.4
45-54	824	128,046	30	3.7	02.1-05.3	376	42.3	37.8-46.8	353	45.4	40.9-49.9	65	8.6	05.7-11.5			
55-64	1027	107,553	51	5.4	03.4-07.4	518	42.6	38.7-46.5	377	42.7	38.6-46.8	81	9.2	06.7-11.7			
65+	1534	131,674	125	7.5	05.9-09.1	798	49.2	45.9-52.5	522	36.2	32.9-39.5	85	6.3	04.7-07.9	4	0.8	00.0-01.8
Less Than H.S.	292	90,743	29	7.7	03.8-11.6	141	44.7	37.4-52.0	100	36.8	29.5-44.1	21	10.0	04.9-15.1	1	0.7	00.0-02.1
H.S. or G.E.D.	1442	219,052	96	5.2	03.6-06.8	714	42.1	38.4-45.8	531	42.1	38.4-45.8	98	10.3	07.6-13.0	3	0.3	00.0-00.7
Some Post-H.S.	1334	199,587	78	5.2	03.2-07.2	685	46.4	42.7-50.1	465	38.4	34.7-42.1	102	9.6	07.1-12.1	4	0.4	00.0-00.8
College Graduate	1659	173,873	57	3.7	02.3-05.1	759	42.6	39.5-45.7	692	43.4	40.3-46.5	146	10.2	08.2-12.2	5	0.2	00.0-00.4
Less than \$15,000	514	71,386	47	7.1	04.6-09.6	279	49.8	43.3-56.3	164	37.1	30.8-43.4	23	5.6	02.9-08.3	1	0.4	00.0-01.2
\$15,000- 24,999	519	75,782	40	6.3	03.6-09.0	298	53.3	47.0-59.6	153	31.8	26.1-37.5	28	8.6	04.1-13.1			
\$25,000- 34,999	390	52,809	14	2.8	01.0-04.6	206	45.7	38.6-52.8	144	40.5	33.4-47.6	24	10.7	04.2-17.2	2	0.4	00.0-01.0
\$35,000- 49,999	619	89,755	21	2.0	00.8-03.2	289	42.9	36.8-49.0	250	41.1	35.2-47.0	59	14.0	08.7-19.3			
\$50,000- 74,999	708	98,482	30	3.7	01.7-05.7	323	42.5	37.4-47.6	289	42.4	37.5-47.3	64	11.0	07.9-14.1	2	0.5	00.0-01.3
\$75,000+	1225	183,828	45	3.7	02.3-05.1	512	38.5	35.0-42.0	531	46.2	42.5-49.9	134	11.4	09.0-13.8	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1808	326,272	7	0.4	00.0-00.8	189	13.4	10.9-15.9	1236	64.6	61.3-67.9	363	20.8	18.1-23.5	13	0.8	00.2-01.4
White/Non-Hisp	1426	226,389	4	0.2	00.0-00.4	123	10.7	08.2-13.2	993	67.2	63.7-70.7	297	21.3	18.2-24.4	9	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	215	59,488	1	0.4	00.0-01.2	24	11.1	05.8-16.4	140	62.3	53.9-70.7	48	24.7	17.1-32.3	2	1.6	00.0-04.0
Oth. Race/Non-Hisp.	64	13,709	2	4.9	00.0-11.8	21	36.1	20.8-51.4	39	56.6	40.7-72.5	2	2.4	00.0-06.7			
18-24	126	42,010				19	20.3	09.9-30.7	78	49.8	38.2-61.4	29	29.9	18.5-41.3			
25-34	203	56,582				21	12.2	06.5-17.9	117	58.3	49.7-66.9	60	28.2	20.4-36.0	5	1.4	00.0-03.0
35-44	210	54,635	1	0.5	00.0-01.5	26	13.6	07.3-19.9	138	67.2	59.4-75.0	41	17.4	11.5-23.3	4	1.3	00.0-02.9
45-54	329	62,517	1	0.3	00.0-00.9	30	11.2	05.5-16.9	233	70.9	63.8-78.0	65	17.7	12.0-23.4			
55-64	370	50,844	3	1.1	00.0-02.7	29	10.1	05.4-14.8	258	69.6	63.1-76.1	80	19.2	13.9-24.5			
65+	554	56,793	2	0.5	00.0-01.3	63	14.0	09.9-18.1	401	69.2	64.1-74.3	84	14.5	11.0-18.0	4	1.8	00.0-04.2
Less Than H.S.	119	45,326	1	0.5	00.0-01.5	20	16.0	08.4-23.6	77	62.2	51.4-73.0	20	19.9	10.5-29.3	1	1.4	00.0-04.1
H.S. or G.E.D.	547	111,928	2	0.2	00.0-00.4	67	16.2	11.1-21.3	377	62.8	56.9-68.7	98	20.2	15.3-25.1	3	0.7	00.0-01.5
Some Post-H.S.	461	87,722				47	11.9	07.4-16.4	311	65.8	59.5-72.1	99	21.4	16.1-26.7	4	0.9	00.0-02.1
College Graduate	676	80,007	4	1.1	00.0-02.3	53	8.9	06.0-11.8	469	67.9	63.4-72.4	145	21.8	17.9-25.7	5	0.4	00.0-00.8
Less than \$15,000	160	30,890	3	2.0	00.0-04.7	27	19.7	10.9-28.5	106	64.4	54.4-74.4	23	12.9	06.6-19.2	1	1.0	00.0-03.0
\$15,000- 24,999	153	29,523	1	0.1	00.0-00.3	27	21.9	13.1-30.7	97	56.0	45.0-67.0	28	22.0	11.8-32.2			
\$25,000- 34,999	134	24,566				14	11.6	04.2-19.0	95	64.9	52.2-77.6	23	22.6	10.3-34.9	2	0.9	00.0-02.3
\$35,000- 49,999	271	48,773				33	15.5	07.9-23.1	180	58.9	49.5-68.3	58	25.6	16.8-34.4			
\$50,000- 74,999	292	47,933	1	0.5	00.0-01.5	19	9.3	02.6-16.0	207	67.0	59.4-74.6	63	22.2	16.1-28.3	2	0.9	00.0-02.5
\$75,000+	546	93,794	1	0.2	00.0-00.6	42	9.0	05.3-12.7	368	68.5	63.2-73.8	132	21.8	17.5-26.1	3	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2932	358,669	254	9.4	07.6-11.2	2116	71.5	69.1-73.9	557	18.8	16.8-20.8	5	0.2	00.0-00.4
White/Non-Hisp	2241	250,344	192	8.6	06.8-10.4	1626	71.8	69.3-74.3	420	19.4	17.2-21.6	3	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	465	71,407	33	8.8	04.1-13.5	328	69.3	63.2-75.4	102	21.3	16.2-26.4	2	0.5	00.0-01.3
Oth. Race/Non-Hisp.	72	7,652	13	11.5	04.2-18.8	51	75.1	61.4-88.8	8	13.3	00.6-26.0			
Hispanic	87	22,872	14	21.7	08.0-35.4	64	73.0	59.1-86.9	9	5.3	01.4-09.2			
18-24	112	41,396	10	15.0	04.0-26.0	77	70.2	58.6-81.8	24	14.5	07.8-21.2	1	0.3	00.0-00.9
25-34	302	58,094	19	7.0	03.3-10.7	200	65.4	58.5-72.3	81	26.9	20.4-33.4	2	0.7	00.0-01.7
35-44	351	58,029	20	6.2	03.1-09.3	242	71.5	65.8-77.2	89	22.4	17.3-27.5			
45-54	495	65,530	29	7.0	04.1-09.9	346	72.0	67.1-76.9	120	21.0	16.7-25.3			
55-64	657	56,709	48	9.3	06.0-12.6	489	71.8	67.1-76.5	119	18.6	14.7-22.5	1	0.3	00.0-00.9
65+	980	74,881	123	12.8	10.1-15.5	735	76.0	72.7-79.3	121	11.1	08.7-13.5	1	0.1	00.0-00.3
Less Than H.S.	173	45,417	28	15.0	07.6-22.4	121	73.3	64.7-81.9	23	11.5	06.2-16.8	1	0.2	00.0-00.6
H.S. or G.E.D.	895	107,124	94	10.4	07.5-13.3	647	69.2	64.9-73.5	154	20.4	16.7-24.1			
Some Post-H.S.	873	111,865	78	9.2	05.7-12.7	638	73.4	68.9-77.9	154	17.0	13.7-20.3	3	0.4	00.0-00.8
College Graduate	983	93,866	53	5.9	03.7-08.1	706	71.3	67.6-75.0	223	22.5	19.2-25.8	1	0.3	00.0-00.9
Less than \$15,000	354	40,495	44	11.1	07.2-15.0	252	72.8	66.5-79.1	58	16.2	11.1-21.3			
\$15,000- 24,999	366	46,259	39	10.3	05.8-14.8	271	73.3	66.8-79.8	56	16.4	10.9-21.9			
\$25,000- 34,999	256	28,243	14	5.1	01.8-08.4	192	75.4	68.9-81.9	49	19.2	13.5-24.9	1	0.3	00.0-00.9
\$35,000- 49,999	348	40,982	21	4.4	02.0-06.8	256	75.5	69.2-81.8	70	19.8	13.9-25.7	1	0.3	00.0-00.9
\$50,000- 74,999	416	50,549	29	6.7	03.2-10.2	304	74.0	68.3-79.7	82	19.1	14.0-24.2	1	0.3	00.0-00.9
\$75,000+	679	90,035	44	7.3	04.6-10.0	470	69.2	64.7-73.7	163	22.9	19.0-26.8	2	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4775	692,433	4740	99.1	98.7-99.5	16	0.4	00.2-00.6	19	0.5	00.1-00.9
Male	1821	330,250	1805	99.0	98.4-99.6	5	0.2	00.0-00.4	11	0.7	00.1-01.3
Female	2954	362,183	2935	99.2	98.8-99.6	11	0.5	00.1-00.9	8	0.3	00.1-00.5
White/Non-Hisp	3687	479,542	3673	99.5	99.1-99.9	8	0.2	00.0-00.4	6	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	685	132,551	678	98.9	97.9-99.9	3	0.6	00.0-01.4	4	0.6	00.0-01.2
Oth. Race/Non-Hisp.	140	22,400	135	97.6	95.2-0100	1	0.3	00.0-00.9	4	2.1	00.0-04.5
MultiRacial/Non-Hisp.	80	9,532	78	95.3	87.9-0100	2	4.7	00.0-12.1			
Hispanic	135	44,314	132	98.6	97.0-0100	2	0.9	00.0-02.3	1	0.5	00.0-01.5
18-24	241	83,808	237	99.1	98.1-0100	2	0.6	00.0-01.4	2	0.4	00.0-01.0
25-34	507	115,976	497	98.2	96.6-99.8	3	0.5	00.0-01.1	7	1.3	00.0-02.7
35-44	570	115,653	565	99.2	98.4-0100	1	0.1	00.0-00.3	4	0.8	00.0-01.6
45-54	824	128,310	818	98.8	97.8-99.8	5	1.0	00.0-02.0	1	0.2	00.0-00.6
55-64	1028	107,684	1023	99.5	99.1-99.9	2	0.1	00.0-00.3	3	0.3	00.0-00.7
65+	1546	133,358	1541	99.8	99.6-0100	3	0.1	00.1-00.1	2	0.1	00.0-00.3
Less Than H.S.	296	93,369	293	98.4	96.4-0100	2	0.7	00.0-01.7	1	0.9	00.0-02.7
H.S. or G.E.D.	1459	222,268	1447	99.2	98.6-99.8	6	0.4	00.0-00.8	6	0.5	00.1-00.9
Some Post-H.S.	1342	200,387	1337	99.5	99.1-99.9	2	0.3	00.0-00.7	3	0.2	00.0-00.4
College Graduate	1664	174,683	1649	99.0	98.4-99.6	6	0.4	00.0-00.8	9	0.7	00.3-01.1
Less than \$15,000	522	72,955	518	99.1	97.9-0100	1	0.0	00.0-00.0	3	0.9	00.0-02.1
\$15,000- 24,999	523	76,113	522	99.4	98.2-0100	1	0.6	00.0-01.8			
\$25,000- 34,999	389	52,580	383	99.1	98.3-99.9	2	0.2	00.0-00.6	4	0.7	00.0-01.5
\$35,000- 49,999	620	90,126	618	99.5	98.9-0100	1	0.2	00.0-00.6	1	0.2	00.0-00.6
\$50,000- 74,999	711	98,730	706	98.6	96.8-0100	2	0.3	00.0-00.7	3	1.1	00.0-02.7
\$75,000+	1226	183,939	1218	99.3	98.7-99.9	5	0.5	00.0-01.1	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	330,250	1805	99.0	98.4-99.6	5	0.2	00.0-00.4	11	0.7	00.1-01.3
White/Non-Hisp	1430	226,482	1424	99.3	98.5-0100	4	0.3	00.0-00.7	2	0.4	00.0-01.2
Black or Afr. Am./Non-Hisp	217	60,581	214	98.9	97.5-0100	1	0.3	00.0-00.9	2	0.8	00.0-02.0
Oth. Race/Non-Hisp.	68	14,748	64	96.8	93.1-0100				4	3.2	00.0-06.9
18-24	128	42,254	127	99.7	99.1-0100				1	0.3	00.0-00.9
25-34	204	57,780	197	96.9	93.8-0100	2	0.9	00.0-02.3	5	2.2	00.0-04.9
35-44	213	55,866	210	98.8	97.2-0100				3	1.2	00.0-02.8
45-54	329	62,517	327	99.3	98.3-0100	1	0.3	00.0-00.9	1	0.3	00.0-00.9
55-64	371	50,975	369	99.6	99.0-0100	1	0.1	00.0-00.3	1	0.3	00.0-00.9
65+	559	57,900	558	100.0	0100-0100	1	0.0	00.0-00.0			
Less Than H.S.	121	47,491	120	98.3	95.0-0100				1	1.7	00.0-05.0
H.S. or G.E.D.	550	112,516	544	99.1	98.1-0100	3	0.4	00.0-01.0	3	0.5	00.0-01.1
Some Post-H.S.	465	88,194	463	99.5	98.9-0100	1	0.2	00.0-00.6	1	0.2	00.0-00.6
College Graduate	680	80,762	673	98.7	97.7-99.7	1	0.2	00.0-00.6	6	1.1	00.1-02.1
Less than \$15,000	162	31,131	160	98.5	96.1-0100				2	1.5	00.0-03.9
\$15,000- 24,999	154	29,544	154	100.0	0100-0100						
\$25,000- 34,999	133	24,337	130	99.2	98.0-0100	1	0.1	00.0-00.3	2	0.8	00.0-02.0
\$35,000- 49,999	271	48,773	270	99.6	98.8-0100				1	0.4	00.0-01.2
\$50,000- 74,999	293	47,982	290	97.7	94.4-0100				3	2.3	00.0-05.6
\$75,000+	547	93,925	543	99.3	98.5-0100	2	0.4	00.0-01.0	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2954	362,183	2935	99.2	98.8-99.6	11	0.5	00.1-00.9	8	0.3	00.1-00.5
White/Non-Hisp	2257	253,060	2249	99.6	99.2-0100	4	0.2	00.0-00.4	4	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	468	71,970	464	98.9	97.5-0100	2	0.8	00.0-02.0	2	0.4	00.0-01.0
Oth. Race/Non-Hisp.	72	7,652	71	99.1	97.3-0100	1	0.9	00.0-02.7			
Hispanic	87	22,872	85	98.2	95.7-0100	2	1.8	00.0-04.3			
18-24	113	41,553	110	98.4	96.4-0100	2	1.1	00.0-02.7	1	0.5	00.0-01.5
25-34	303	58,196	300	99.5	98.9-0100	1	0.1	00.0-00.3	2	0.4	00.0-01.0
35-44	357	59,787	355	99.6	99.0-0100	1	0.1	00.0-00.3	1	0.3	00.0-00.9
45-54	495	65,793	491	98.3	96.5-0100	4	1.7	00.0-03.5			
55-64	657	56,709	654	99.5	98.9-0100	1	0.1	00.0-00.3	2	0.4	00.0-01.0
65+	987	75,458	983	99.8	99.4-0100	2	0.1	00.0-00.3	2	0.1	00.0-00.3
Less Than H.S.	175	45,878	173	98.5	96.3-0100	2	1.5	00.0-03.7			
H.S. or G.E.D.	909	109,753	903	99.2	98.4-0100	3	0.4	00.0-01.0	3	0.5	00.0-01.1
Some Post-H.S.	877	112,193	874	99.5	98.9-0100	1	0.3	00.0-00.9	2	0.2	00.0-00.4
College Graduate	984	93,921	976	99.2	98.6-99.8	5	0.5	00.1-00.9	3	0.3	00.0-00.7
Less than \$15,000	360	41,824	358	99.4	98.4-0100	1	0.0	00.0-00.0	1	0.5	00.0-01.5
\$15,000- 24,999	369	46,569	368	99.0	97.0-0100	1	1.0	00.0-03.0			
\$25,000- 34,999	256	28,243	253	99.1	98.1-0100	1	0.3	00.0-00.9	2	0.6	00.0-01.6
\$35,000- 49,999	349	41,353	348	99.5	98.5-0100	1	0.5	00.0-01.5			
\$50,000- 74,999	418	50,748	416	99.4	98.6-0100	2	0.6	00.0-01.4			
\$75,000+	679	90,014	675	99.3	98.3-0100	3	0.6	00.0-01.4	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4776	692,381	4672	97.7	97.1-98.3	31	0.9	00.3-01.5	73	1.3	00.9-01.7
Male	1821	330,131	1786	97.4	96.2-98.6	13	1.5	00.5-02.5	22	1.1	00.5-01.7
Female	2955	362,249	2886	98.1	97.5-98.7	18	0.4	00.2-00.6	51	1.6	01.0-02.2
White/Non-Hisp	3689	479,837	3625	98.5	97.9-99.1	21	0.6	00.2-01.0	43	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	684	132,203	668	97.4	95.6-99.2	4	0.9	00.0-02.1	12	1.7	00.5-02.9
Oth. Race/Non-Hisp.	140	22,400	134	95.3	90.8-99.8	1	1.3	00.0-03.8	5	3.4	00.0-07.1
MultiRacial/Non-Hisp.	80	9,532	76	93.8	86.2-0100	2	4.7	00.0-12.1	2	1.5	00.0-03.7
Hispanic	135	44,314	131	95.0	89.7-0100	2	3.5	00.0-08.4	2	1.4	00.0-03.6
18-24	241	83,808	236	98.8	97.6-0100	1	0.2	00.0-00.6	4	1.0	00.0-02.0
25-34	508	116,205	499	98.3	96.5-0100	3	1.1	00.0-02.7	6	0.6	00.2-01.0
35-44	569	115,306	559	97.5	95.5-99.5	4	1.4	00.0-03.2	6	1.1	00.1-02.1
45-54	825	128,376	814	98.4	97.4-99.4	1	0.3	00.0-00.9	10	1.3	00.3-02.3
55-64	1028	107,684	1005	98.0	97.0-99.0	3	0.3	00.0-00.7	20	1.8	00.8-02.8
65+	1546	133,358	1512	97.1	95.5-98.7	18	2.0	00.4-03.6	16	1.0	00.4-01.6
Less Than H.S.	296	93,369	287	96.0	92.9-99.1	6	3.1	00.2-06.0	3	0.8	00.0-01.8
H.S. or G.E.D.	1458	221,921	1434	97.9	96.7-99.1	6	0.8	00.0-01.8	18	1.3	00.5-02.1
Some Post-H.S.	1343	200,616	1319	98.6	97.8-99.4	9	0.4	00.0-00.8	15	1.0	00.4-01.6
College Graduate	1665	174,749	1620	97.6	96.8-98.4	10	0.5	00.1-00.9	35	1.9	01.1-02.7
Less than \$15,000	521	72,608	515	98.1	96.1-0100	2	0.9	00.0-02.7	4	1.0	00.0-02.2
\$15,000- 24,999	523	76,113	517	99.2	98.4-0100	5	0.8	00.0-01.6	1	0.0	00.0-00.0
\$25,000- 34,999	390	52,809	386	99.6	99.2-0100				4	0.4	00.0-00.8
\$35,000- 49,999	620	90,126	617	98.7	96.7-0100	1	0.9	00.0-02.7	2	0.4	00.0-01.0
\$50,000- 74,999	711	98,730	702	99.0	98.2-99.8	5	0.5	00.0-01.1	4	0.4	00.0-01.0
\$75,000+	1227	184,005	1210	98.8	98.2-99.4	4	0.3	00.0-00.7	13	0.8	00.2-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	330,131	1786	97.4	96.2-98.6	13	1.5	00.5-02.5	22	1.1	00.5-01.7
White/Non-Hisp	1431	226,711	1413	98.5	97.5-99.5	7	0.9	00.0-01.9	11	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	216	60,234	211	97.3	94.4-0100	3	1.9	00.0-04.6	2	0.8	00.0-02.0
Oth. Race/Non-Hisp.	68	14,748	63	93.3	86.6-0100	1	2.0	00.0-05.9	4	4.7	00.0-10.2
18-24	128	42,254	127	99.6	98.8-0100				1	0.4	00.0-01.2
25-34	205	58,009	199	97.1	93.8-0100	2	2.1	00.0-05.4	4	0.8	00.0-01.6
35-44	212	55,518	205	95.4	91.3-99.5	4	3.0	00.0-06.5	3	1.6	00.0-03.6
45-54	329	62,517	324	98.7	97.3-0100				5	1.3	00.0-02.7
55-64	371	50,975	365	98.5	97.1-99.9	1	0.2	00.0-00.6	5	1.3	00.1-02.5
65+	559	57,900	550	95.7	92.2-99.2	6	3.6	00.1-07.1	3	0.7	00.0-01.7
Less Than H.S.	121	47,491	115	93.4	87.7-99.1	5	6.0	00.3-11.7	1	0.6	00.0-01.8
H.S. or G.E.D.	549	112,168	540	97.7	95.7-99.7	4	1.4	00.0-03.2	5	0.9	00.0-01.9
Some Post-H.S.	466	88,423	458	98.4	97.2-99.6	1	0.2	00.0-00.6	7	1.5	00.3-02.7
College Graduate	680	80,762	668	98.3	97.1-99.5	3	0.6	00.0-01.4	9	1.1	00.3-01.9
Less than \$15,000	161	30,784	160	97.9	94.0-0100	1	2.1	00.0-06.0			
\$15,000- 24,999	154	29,544	151	98.6	96.4-0100	2	1.4	00.0-03.6	1	0.1	00.0-00.3
\$25,000- 34,999	134	24,566	132	99.5	98.7-0100				2	0.5	00.0-01.3
\$35,000- 49,999	271	48,773	269	97.7	94.4-0100	1	1.7	00.0-04.8	1	0.6	00.0-01.8
\$50,000- 74,999	293	47,982	290	99.3	98.5-0100	1	0.3	00.0-00.9	2	0.4	00.0-01.0
\$75,000+	547	93,925	540	98.9	97.9-99.9	2	0.2	00.0-00.4	5	1.0	00.2-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2955	362,249	2886	98.1	97.5-98.7	18	0.4	00.2-00.6	51	1.6	01.0-02.2
White/Non-Hisp	2258	253,126	2212	98.5	97.9-99.1	14	0.3	00.1-00.5	32	1.2	00.6-01.8
Black or Afr. Am./Non-Hisp	468	71,970	457	97.5	95.5-99.5	1	0.1	00.0-00.3	10	2.4	00.4-04.4
Oth. Race/Non-Hisp.	72	7,652	71	99.1	97.3-0100				1	0.9	00.0-02.7
Hispanic	87	22,872	86	99.1	97.3-0100				1	0.9	00.0-02.7
18-24	113	41,553	109	97.9	95.7-0100	1	0.5	00.0-01.5	3	1.6	00.0-03.6
25-34	303	58,196	300	99.5	98.9-0100	1	0.1	00.0-00.3	2	0.3	00.0-00.7
35-44	357	59,787	354	99.4	98.8-0100				3	0.6	00.0-01.2
45-54	496	65,860	490	98.1	96.5-99.7	1	0.6	00.0-01.8	5	1.3	00.1-02.5
55-64	657	56,709	640	97.4	96.0-98.8	2	0.3	00.0-00.7	15	2.3	00.9-03.7
65+	987	75,458	962	98.1	97.1-99.1	12	0.7	00.3-01.1	13	1.2	00.4-02.0
Less Than H.S.	175	45,878	172	98.8	97.0-0100	1	0.2	00.0-00.6	2	1.0	00.0-02.6
H.S. or G.E.D.	909	109,753	894	98.1	96.9-99.3	2	0.1	00.0-00.3	13	1.8	00.6-03.0
Some Post-H.S.	877	112,193	861	98.7	97.7-99.7	8	0.6	00.0-01.2	8	0.7	00.1-01.3
College Graduate	985	93,987	952	97.0	95.6-98.4	7	0.5	00.1-00.9	26	2.5	01.3-03.7
Less than \$15,000	360	41,824	355	98.2	96.2-0100	1	0.0	00.0-00.0	4	1.7	00.0-03.7
\$15,000- 24,999	369	46,569	366	99.6	99.2-0100	3	0.4	00.0-00.8			
\$25,000- 34,999	256	28,243	254	99.6	99.0-0100				2	0.4	00.0-01.0
\$35,000- 49,999	349	41,353	348	99.9	99.7-0100				1	0.1	00.0-00.3
\$50,000- 74,999	418	50,748	412	98.8	97.6-0100	4	0.7	00.0-01.5	2	0.4	00.0-01.2
\$75,000+	680	90,081	670	98.8	97.8-99.8	2	0.5	00.0-01.3	8	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4120	577,229	202	3.9	03.1-04.7	3918	96.1	95.3-96.9
Male	1478	258,936	94	4.6	03.2-06.0	1384	95.4	94.0-96.8
Female	2642	318,293	108	3.4	02.6-04.2	2534	96.6	95.8-97.4
White/Non-Hisp	3284	414,426	156	4.3	03.3-05.3	3128	95.7	94.7-96.7
Black or Afr. Am./Non-Hisp	535	104,366	34	3.7	01.9-05.5	501	96.3	94.5-98.1
Oth. Race/Non-Hisp.	104	18,382	3	3.5	00.0-08.8	101	96.5	91.2-0100
MultiRacial/Non-Hisp.	63	7,168	5	4.9	00.0-10.2	58	95.1	89.8-0100
Hispanic	94	29,637	1	0.1	00.0-00.3	93	99.9	99.7-0100
18-24	123	59,593	3	2.6	00.0-05.5	120	97.4	94.5-0100
25-34	306	71,868	12	5.8	02.1-09.5	294	94.2	90.5-97.9
35-44	468	97,740	21	3.7	01.7-05.7	447	96.3	94.3-98.3
45-54	712	112,874	35	3.5	02.1-04.9	677	96.5	95.1-97.9
55-64	955	100,112	52	4.3	02.5-06.1	903	95.7	93.9-97.5
65+	1508	129,723	76	3.9	02.7-05.1	1432	96.1	94.9-97.3
Less Than H.S.	248	71,540	5	2.3	00.0-04.8	243	97.7	95.2-0100
H.S. or G.E.D.	1248	181,631	45	3.3	02.1-04.5	1203	96.7	95.5-97.9
Some Post-H.S.	1140	169,287	60	4.3	02.7-05.9	1080	95.7	94.1-97.3
College Graduate	1472	153,987	91	5.1	03.5-06.7	1381	94.9	93.3-96.5
Less than \$15,000	425	53,039	12	2.0	00.6-03.4	413	98.0	96.6-99.4
\$15,000- 24,999	422	55,323	7	0.9	00.1-01.7	415	99.1	98.3-99.9
\$25,000- 34,999	321	41,234	10	2.2	00.6-03.8	311	97.8	96.2-99.4
\$35,000- 49,999	515	71,863	21	3.7	01.3-06.1	494	96.3	93.9-98.7
\$50,000- 74,999	603	82,422	28	3.6	01.6-05.6	575	96.4	94.4-98.4
\$75,000+	1127	170,731	93	6.5	04.5-08.5	1034	93.5	91.5-95.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1478	258,936	94	4.6	03.2-06.0	1384	95.4	94.0-96.8
White/Non-Hisp	1204	185,367	76	5.1	03.3-06.9	1128	94.9	93.1-96.7
Black or Afr. Am./Non-Hisp	155	45,424	10	3.2	00.5-05.9	145	96.8	94.1-99.5
Oth. Race/Non-Hisp.	51	12,403	3	5.1	00.0-12.9	48	94.9	87.1-0100
18-24	63	29,038	2	4.0	00.0-09.5	61	96.0	90.5-0100
25-34	99	28,803	6	10.1	02.1-18.1	93	89.9	81.9-97.9
35-44	157	44,327	9	4.2	01.1-07.3	148	95.8	92.7-98.9
45-54	268	52,369	21	4.5	02.3-06.7	247	95.5	93.3-97.7
55-64	333	46,331	17	2.7	01.3-04.1	316	97.3	95.9-98.7
65+	545	56,400	38	4.3	02.5-06.1	507	95.7	93.9-97.5
Less Than H.S.	93	32,551	3	3.3	00.0-08.0	90	96.7	92.0-0100
H.S. or G.E.D.	429	85,801	17	3.1	01.1-05.1	412	96.9	94.9-98.9
Some Post-H.S.	369	71,344	26	4.9	02.2-07.6	343	95.1	92.4-97.8
College Graduate	584	68,893	47	6.9	04.0-09.8	537	93.1	90.2-96.0
Less than \$15,000	116	19,795	3	1.8	00.0-04.2	113	98.2	95.8-0100
\$15,000- 24,999	111	19,107	1	0.9	00.0-02.7	110	99.1	97.3-0100
\$25,000- 34,999	104	18,557	4	1.0	00.0-02.0	100	99.0	98.0-0100
\$35,000- 49,999	210	35,911	7	2.7	00.0-05.6	203	97.3	94.4-0100
\$50,000- 74,999	228	36,567	11	4.0	00.5-07.5	217	96.0	92.5-99.5
\$75,000+	487	84,415	54	8.2	05.1-11.3	433	91.8	88.7-94.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2642	318,293	108	3.4	02.6-04.2	2534	96.6	95.8-97.4
White/Non-Hisp	2080	229,059	80	3.5	02.3-04.7	2000	96.5	95.3-97.7
Black or Afr. Am./Non-Hisp	380	58,942	24	4.0	01.8-06.2	356	96.0	93.8-98.2
Oth. Race/Non-Hisp.	53	5,980				53	100.0	0100-0100
Hispanic	70	18,646	1	0.1	00.0-00.3	69	99.9	99.7-0100
18-24	60	30,555	1	1.2	00.0-03.6	59	98.8	96.4-0100
25-34	207	43,064	6	3.0	00.3-05.7	201	97.0	94.3-99.7
35-44	311	53,413	12	3.3	00.9-05.7	299	96.7	94.3-99.1
45-54	444	60,504	14	2.6	01.0-04.2	430	97.4	95.8-99.0
55-64	622	53,781	35	5.8	02.9-08.7	587	94.2	91.3-97.1
65+	963	73,323	38	3.5	02.1-04.9	925	96.5	95.1-97.9
Less Than H.S.	155	38,989	2	1.5	00.0-03.9	153	98.5	96.1-0100
H.S. or G.E.D.	819	95,831	28	3.4	01.8-05.0	791	96.6	95.0-98.2
Some Post-H.S.	771	97,942	34	3.9	02.1-05.7	737	96.1	94.3-97.9
College Graduate	888	85,094	44	3.7	02.3-05.1	844	96.3	94.9-97.7
Less than \$15,000	309	33,244	9	2.1	00.5-03.7	300	97.9	96.3-99.5
\$15,000- 24,999	311	36,216	6	0.8	00.0-01.6	305	99.2	98.4-0100
\$25,000- 34,999	217	22,676	6	3.2	00.5-05.9	211	96.8	94.1-99.5
\$35,000- 49,999	305	35,952	14	4.8	01.3-08.3	291	95.2	91.7-98.7
\$50,000- 74,999	375	45,855	17	3.3	01.3-05.3	358	96.7	94.7-98.7
\$75,000+	640	86,315	39	4.7	02.5-06.9	601	95.3	93.1-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	200	22,599	70	52.5	42.5-62.5	121	45.0	35.2-54.8	8	1.7	00.3-03.1	1	0.7	00.0-02.1
Male	93	11,925	25	46.3	30.6-62.0	62	50.8	35.3-66.3	5	1.6	00.2-03.0	1	1.4	00.0-04.1
Female	107	10,674	45	59.5	47.5-71.5	59	38.6	26.8-50.4	3	1.9	00.0-04.4			
White/Non-Hisp	156	17,630	60	56.9	45.7-68.1	89	40.8	29.8-51.8	6	1.4	00.0-02.8	1	1.0	00.0-03.0
55-64	51	4,281	18	52.9	33.5-72.3	30	43.4	24.8-62.0	3	3.6	00.0-08.9			
65+	76	5,010	23	44.3	30.0-58.6	50	53.8	39.7-67.9	3	1.9	00.0-04.1			
Some Post-H.S.	59	7,206	21	53.2	35.0-71.4	34	42.2	24.4-60.0	3	2.3	00.0-05.4	1	2.3	00.0-06.8
College Graduate	91	7,847	31	54.5	40.4-68.6	56	43.7	29.8-57.6	4	1.8	00.0-03.8			
\$75,000+	92	10,966	30	52.7	37.4-68.0	56	44.1	29.2-59.0	5	1.6	00.0-03.2	1	1.5	00.0-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	93	11,925	25	46.3	30.6-62.0	62	50.8	35.3-66.3	5	1.6	00.2-03.0	1	1.4	00.0-04.1
White/Non-Hisp	76	9,517	22	45.7	28.6-62.8	49	51.0	33.9-68.1	4	1.6	00.0-03.2	1	1.8	00.0-05.3
\$75,000+	53	6,881	13	43.6	22.6-64.6	35	51.6	30.8-72.4	4	2.4	00.0-04.8	1	2.4	00.0-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	107	10,674	45	59.5	47.7-71.3	59	38.6	27.0-50.2	3	1.9	00.0-04.4
White/Non-Hisp	80	8,113	38	70.0	58.4-81.6	40	28.8	17.4-40.2	2	1.2	00.0-03.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4119	577,108	3465	89.2	87.8-90.6	654	10.8	09.4-12.2
Male	1475	258,694	1250	89.3	87.3-91.3	225	10.7	08.7-12.7
Female	2644	318,414	2215	89.1	87.5-90.7	429	10.9	09.3-12.5
White/Non-Hisp	3284	414,373	2800	90.8	89.6-92.0	484	9.2	08.0-10.4
Black or Afr. Am./Non-Hisp	535	104,366	435	86.8	83.1-90.5	100	13.2	09.5-16.9
Oth. Race/Non-Hisp.	103	18,325	80	88.4	82.3-94.5	23	11.6	05.5-17.7
MultiRacial/Non-Hisp.	62	7,094	48	78.7	65.2-92.2	14	21.3	07.8-34.8
Hispanic	94	29,637	73	78.9	67.5-90.3	21	21.1	09.7-32.5
18-24	123	59,593	112	96.1	93.4-98.8	11	3.9	01.2-06.6
25-34	306	71,928	264	86.9	81.4-92.4	42	13.1	07.6-18.6
35-44	468	97,740	426	92.4	89.5-95.3	42	7.6	04.7-10.5
45-54	711	112,722	620	90.7	88.2-93.2	91	9.3	06.8-11.8
55-64	957	100,317	810	90.0	87.8-92.2	147	10.0	07.8-12.2
65+	1509	129,710	1199	83.3	80.8-85.8	310	16.7	14.2-19.2
Less Than H.S.	248	71,540	150	69.9	62.6-77.2	98	30.1	22.8-37.4
H.S. or G.E.D.	1247	181,652	1002	89.2	87.2-91.2	245	10.8	08.8-12.8
Some Post-H.S.	1138	169,061	964	91.9	90.1-93.7	174	8.1	06.3-09.9
College Graduate	1474	154,071	1343	95.2	94.0-96.4	131	4.8	03.6-06.0
Less than \$15,000	425	53,039	313	78.0	71.9-84.1	112	22.0	15.9-28.1
\$15,000- 24,999	422	55,323	269	71.9	65.6-78.2	153	28.1	21.8-34.4
\$25,000- 34,999	320	41,176	263	87.5	82.6-92.4	57	12.5	07.6-17.4
\$35,000- 49,999	515	71,863	447	91.6	89.1-94.1	68	8.4	05.9-10.9
\$50,000- 74,999	602	82,270	549	94.0	91.8-96.2	53	6.0	03.8-08.2
\$75,000+	1127	170,728	1070	97.1	96.1-98.1	57	2.9	01.9-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1475	258,694	1250	89.3	87.3-91.3	225	10.7	08.7-12.7
White/Non-Hisp	1203	185,206	1028	90.5	88.5-92.5	175	9.5	07.5-11.5
Black or Afr. Am./Non-Hisp	155	45,424	129	87.6	81.9-93.3	26	12.4	06.7-18.1
Oth. Race/Non-Hisp.	50	12,345	40	88.3	80.3-96.3	10	11.7	03.7-19.7
18-24	63	29,038	56	93.6	88.3-98.9	7	6.4	01.1-11.7
25-34	99	28,864	88	89.0	79.8-98.2	11	11.0	01.8-20.2
35-44	157	44,327	140	92.0	87.3-96.7	17	8.0	03.3-12.7
45-54	267	52,218	226	90.0	86.3-93.7	41	10.0	06.3-13.7
55-64	333	46,331	283	90.7	87.6-93.8	50	9.3	06.2-12.4
65+	546	56,471	449	83.6	78.9-88.3	97	16.4	11.7-21.1
Less Than H.S.	93	32,551	66	75.2	64.2-86.2	27	24.8	13.8-35.8
H.S. or G.E.D.	428	85,744	348	89.9	86.8-93.0	80	10.1	07.0-13.2
Some Post-H.S.	367	71,119	311	90.3	87.0-93.6	56	9.7	06.4-13.0
College Graduate	584	68,934	523	94.5	92.7-96.3	61	5.5	03.7-07.3
Less than \$15,000	116	19,795	83	77.2	67.2-87.2	33	22.8	12.8-32.8
\$15,000- 24,999	111	19,107	69	70.1	58.5-81.7	42	29.9	18.3-41.5
\$25,000- 34,999	103	18,500	85	90.0	83.7-96.3	18	10.0	03.7-16.3
\$35,000- 49,999	210	35,911	180	92.2	88.7-95.7	30	7.8	04.3-11.3
\$50,000- 74,999	227	36,415	204	92.1	88.2-96.0	23	7.9	04.0-11.8
\$75,000+	487	84,413	459	96.9	95.1-98.7	28	3.1	01.3-04.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2644	318,414	2215	89.1	87.5-90.7	429	10.9	09.3-12.5
White/Non-Hisp	2081	229,166	1772	91.0	89.6-92.4	309	9.0	07.6-10.4
Black or Afr. Am./Non-Hisp	380	58,942	306	86.2	81.3-91.1	74	13.8	08.9-18.7
Oth. Race/Non-Hisp.	53	5,980	40	88.5	80.5-96.5	13	11.5	03.5-19.5
Hispanic	70	18,646	51	74.0	60.5-87.5	19	26.0	12.5-39.5
18-24	60	30,555	56	98.6	97.0-100	4	1.4	00.0-03.0
25-34	207	43,064	176	85.5	78.6-92.4	31	14.5	07.6-21.4
35-44	311	53,413	286	92.7	88.8-96.6	25	7.3	03.4-11.2
45-54	444	60,504	394	91.4	88.1-94.7	50	8.6	05.3-11.9
55-64	624	53,986	527	89.4	86.7-92.1	97	10.6	07.9-13.3
65+	963	73,240	750	83.0	80.3-85.7	213	17.0	14.3-19.7
Less Than H.S.	155	38,989	84	65.5	55.7-75.3	71	34.5	24.7-44.3
H.S. or G.E.D.	819	95,908	654	88.6	86.2-91.0	165	11.4	09.0-13.8
Some Post-H.S.	771	97,942	653	93.1	91.5-94.7	118	6.9	05.3-08.5
College Graduate	890	85,137	820	95.8	94.4-97.2	70	4.2	02.8-05.6
Less than \$15,000	309	33,244	230	78.4	70.8-86.0	79	21.6	14.0-29.2
\$15,000- 24,999	311	36,216	200	72.8	65.4-80.2	111	27.2	19.8-34.6
\$25,000- 34,999	217	22,676	178	85.4	78.1-92.7	39	14.6	07.3-21.9
\$35,000- 49,999	305	35,952	267	91.0	87.3-94.7	38	9.0	05.3-12.7
\$50,000- 74,999	375	45,855	345	95.4	93.2-97.6	30	4.6	02.4-06.8
\$75,000+	640	86,315	611	97.3	96.1-98.5	29	2.7	01.5-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 52: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	361	37,397	21	13.0	06.3-19.7	340	87.0	80.3-93.7
Male	130	17,825	12	14.0	04.4-23.6	118	86.0	76.4-95.6
Female	231	19,572	9	12.1	02.7-21.5	222	87.9	78.5-97.3
White/Non-Hisp	271	23,997	15	11.2	03.9-18.5	256	88.8	81.5-96.1
Black or Afr. Am./Non-Hisp	61	9,060	3	17.8	00.0-35.6	58	82.2	64.4-0100
45-54	51	5,853				51	100.0	0100-0100
55-64	85	5,835	7	17.9	04.6-31.2	78	82.1	68.8-95.4
65+	169	13,164	7	9.4	00.0-19.4	162	90.6	80.6-0100
Less Than H.S.	51	12,863	2	11.1	00.0-25.4	49	88.9	74.6-0100
H.S. or G.E.D.	132	11,304	4	9.7	00.0-19.9	128	90.3	80.1-0100
Some Post-H.S.	94	8,187	9	18.1	05.4-30.8	85	81.9	69.2-94.6
College Graduate	81	4,968	6	17.3	03.8-30.8	75	82.7	69.2-96.2
Less than \$15,000	63	7,628				63	100.0	0100-0100
\$15,000- 24,999	81	8,168	3	22.4	01.2-43.6	78	77.6	56.4-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS**

TABLE 53: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	130	17,825	12	14.0	04.4-23.6	118	86.0	76.4-95.6
White/Non-Hisp	102	11,534	9	11.0	03.0-19.0	93	89.0	81.0-97.0
65+	55	6,310	6	18.2	00.0-38.0	49	81.8	62.0-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 54: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	231	19,572	9	12.1	02.7-21.5	222	87.9	78.5-97.3
White/Non-Hisp	169	12,462	6	11.4	00.0-23.2	163	88.6	76.8-0100
55-64	55	3,442	3	8.8	00.0-19.8	52	91.2	80.2-0100
65+	114	6,854	1	1.3	00.0-03.8	113	98.7	96.2-0100
H.S. or G.E.D.	92	6,955	2	11.3	00.0-26.4	90	88.7	73.6-0100
Some Post-H.S.	61	3,279	4	11.9	00.0-24.2	57	88.1	75.8-0100
\$15,000- 24,999	62	5,767	1	13.0	00.0-35.7	61	87.0	64.3-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 55: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3462	514,406	372	11.9	10.1-13.7	3090	88.1	86.3-89.9
Male	1250	231,089	127	11.5	08.8-14.2	1123	88.5	85.8-91.2
Female	2212	283,318	245	12.3	10.3-14.3	1967	87.7	85.7-89.7
White/Non-Hisp	2798	376,049	301	11.7	09.9-13.5	2497	88.3	86.5-90.1
Black or Afr. Am./Non-Hisp	435	90,579	45	11.0	06.9-15.1	390	89.0	84.9-93.1
Oth. Race/Non-Hisp.	80	16,196	10	17.7	05.9-29.5	70	82.3	70.5-94.1
Hispanic	73	23,370	10	16.7	03.6-29.8	63	83.3	70.2-96.4
18-24	112	57,296	13	13.1	05.5-20.7	99	86.9	79.3-94.5
25-34	264	62,535	29	11.4	06.5-16.3	235	88.6	83.7-93.5
35-44	425	90,269	50	10.6	07.1-14.1	375	89.4	85.9-92.9
45-54	620	102,258	65	11.4	07.3-15.5	555	88.6	84.5-92.7
55-64	809	90,101	79	11.4	08.1-14.7	730	88.6	85.3-91.9
65+	1198	107,976	134	13.9	11.2-16.6	1064	86.1	83.4-88.8
Less Than H.S.	150	50,017	21	15.2	08.5-21.9	129	84.8	78.1-91.5
H.S. or G.E.D.	1001	161,889	110	12.0	08.9-15.1	891	88.0	84.9-91.1
Some Post-H.S.	964	155,428	121	14.4	10.9-17.9	843	85.6	82.1-89.1
College Graduate	1341	146,595	119	8.2	06.2-10.2	1222	91.8	89.8-93.8
Less than \$15,000	313	41,346	35	13.1	07.6-18.6	278	86.9	81.4-92.4
\$15,000- 24,999	269	39,756	27	14.8	07.9-21.7	242	85.2	78.3-92.1
\$25,000- 34,999	262	35,956	35	12.9	07.6-18.2	227	87.1	81.8-92.4
\$35,000- 49,999	447	65,842	54	15.4	08.9-21.9	393	84.6	78.1-91.1
\$50,000- 74,999	549	77,301	71	16.4	11.1-21.7	478	83.6	78.3-88.9
\$75,000+	1069	165,730	97	8.6	06.4-10.8	972	91.4	89.2-93.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 56: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1250	231,089	127	11.5	08.8-14.2	1123	88.5	85.8-91.2
White/Non-Hisp	1028	167,664	106	11.0	08.1-13.9	922	89.0	86.1-91.9
Black or Afr. Am./Non-Hisp	129	39,782	11	11.4	04.0-18.8	118	88.6	81.2-96.0
18-24	56	27,180	4	11.8	00.0-24.0	52	88.2	76.0-100.0
25-34	88	25,700	11	10.7	03.1-18.3	77	89.3	81.7-96.9
35-44	140	40,785	12	8.1	02.8-13.4	128	91.9	86.6-97.2
45-54	226	46,983	18	11.2	03.8-18.6	208	88.8	81.4-96.2
55-64	283	42,006	26	11.5	05.8-17.2	257	88.5	82.8-94.2
65+	449	47,215	55	14.8	10.1-19.5	394	85.2	80.5-89.9
Less Than H.S.	66	24,479	10	14.9	05.5-24.3	56	85.1	75.7-94.5
H.S. or G.E.D.	348	77,099	33	11.0	05.7-16.3	315	89.0	83.7-94.3
Some Post-H.S.	311	64,204	32	13.4	07.1-19.7	279	86.6	80.3-92.9
College Graduate	523	65,138	52	8.8	05.9-11.7	471	91.2	88.3-94.1
Less than \$15,000	83	15,279	10	14.0	04.2-23.8	73	86.0	76.2-95.8
\$15,000- 24,999	69	13,391	6	17.6	03.7-31.5	63	82.4	68.5-96.3
\$25,000- 34,999	85	16,643	8	7.8	00.4-15.2	77	92.2	84.8-99.6
\$35,000- 49,999	180	33,127	30	23.8	12.2-35.4	150	76.2	64.6-87.8
\$50,000- 74,999	204	33,541	26	16.8	07.4-26.2	178	83.2	73.8-92.6
\$75,000+	459	81,790	39	6.4	04.2-08.6	420	93.6	91.4-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 57: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2212	283,318	245	12.3	10.3-14.3	1967	87.7	85.7-89.7
White/Non-Hisp	1770	208,385	195	12.4	10.2-14.6	1575	87.6	85.4-89.8
Black or Afr. Am./Non-Hisp	306	50,797	34	10.7	06.0-15.4	272	89.3	84.6-94.0
Hispanic	51	13,806	6	12.0	01.6-22.4	45	88.0	77.6-98.4
18-24	56	30,116	9	14.3	04.7-23.9	47	85.7	76.1-95.3
25-34	176	36,834	18	11.9	05.4-18.4	158	88.1	81.6-94.6
35-44	285	49,484	38	12.7	07.8-17.6	247	87.3	82.4-92.2
45-54	394	55,275	47	11.5	07.6-15.4	347	88.5	84.6-92.4
55-64	526	48,095	53	11.3	07.6-15.0	473	88.7	85.0-92.4
65+	749	60,761	79	13.2	09.9-16.5	670	86.8	83.5-90.1
Less Than H.S.	84	25,538	11	15.5	06.3-24.7	73	84.5	75.3-93.7
H.S. or G.E.D.	653	84,790	77	12.9	09.4-16.4	576	87.1	83.6-90.6
Some Post-H.S.	653	91,225	89	15.1	11.2-19.0	564	84.9	81.0-88.8
College Graduate	818	81,457	67	7.7	05.2-10.2	751	92.3	89.8-94.8
Less than \$15,000	230	26,067	25	12.6	05.9-19.3	205	87.4	80.7-94.1
\$15,000- 24,999	200	26,365	21	13.3	05.9-20.7	179	86.7	79.3-94.1
\$25,000- 34,999	177	19,313	27	17.2	09.9-24.5	150	82.8	75.5-90.1
\$35,000- 49,999	267	32,716	24	6.9	03.6-10.2	243	93.1	89.8-96.4
\$50,000- 74,999	345	43,759	45	16.0	10.3-21.7	300	84.0	78.3-89.7
\$75,000+	610	83,940	58	10.7	07.2-14.2	552	89.3	85.8-92.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 58: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE?
(CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 59: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE?
(CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 60: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE?
(CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 61: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4719	685,544	3696	73.6	71.6-75.6	862	21.1	19.3-22.9	161	5.4	04.2-06.6
Male	1798	327,192	1389	72.0	68.9-75.1	343	21.6	18.9-24.3	66	6.4	04.2-08.6
Female	2921	358,351	2307	75.0	72.5-77.5	519	20.6	18.2-23.0	95	4.4	03.0-05.8
18-24	235	82,008	99	53.2	44.8-61.6	94	28.7	21.6-35.8	42	18.2	11.3-25.1
25-34	505	115,683	259	49.1	43.4-54.8	219	43.6	37.9-49.3	27	7.3	03.8-10.8
35-44	565	114,531	438	74.4	69.5-79.3	112	21.6	17.1-26.1	15	4.0	01.3-06.7
45-54	820	127,704	661	82.0	78.7-85.3	136	14.8	11.9-17.7	23	3.1	01.5-04.7
55-64	1018	106,912	860	85.3	82.4-88.2	141	12.9	10.2-15.6	17	1.9	00.9-02.9
65+	1528	132,453	1339	89.4	87.4-91.4	154	8.6	06.8-10.4	35	2.0	01.2-02.8
Less Than H.S.	293	92,425	178	55.5	48.1-62.9	99	36.0	28.7-43.3	16	8.5	03.6-13.4
H.S. or G.E.D.	1440	219,703	1072	70.3	66.8-73.8	297	23.0	19.9-26.1	71	6.7	04.3-09.1
Some Post-H.S.	1334	199,146	1041	76.6	73.3-79.9	249	18.3	15.6-21.0	44	5.1	02.9-07.3
College Graduate	1641	172,679	1398	84.2	81.7-86.7	214	13.6	11.2-16.0	29	2.2	01.2-03.2
Less than \$15,000	518	72,509	320	50.7	44.2-57.2	175	44.2	37.7-50.7	23	5.0	02.5-07.5
\$15,000- 24,999	517	75,661	265	46.4	40.1-52.7	210	42.1	36.0-48.2	42	11.6	07.1-16.1
\$25,000- 34,999	388	52,556	294	70.5	64.0-77.0	81	25.7	19.4-32.0	13	3.9	01.5-06.3
\$35,000- 49,999	618	89,939	485	73.2	67.5-78.9	114	20.7	16.0-25.4	19	6.0	01.5-10.5
\$50,000- 74,999	711	98,730	608	82.8	79.1-86.5	92	14.5	11.2-17.8	11	2.6	00.4-04.8
\$75,000+	1225	183,840	1130	90.5	87.8-93.2	78	6.6	04.6-08.6	17	2.9	00.9-04.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 62: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1798	327,192	1389	72.0	69.1-74.9	343	21.6	19.1-24.1	66	6.4	04.2-08.6
18-24	125	41,550	53	53.1	41.5-64.7	47	24.1	15.9-32.3	25	22.9	12.3-33.5
25-34	202	57,487	98	45.2	36.6-53.8	93	46.7	37.9-55.5	11	8.1	02.2-14.0
35-44	209	54,786	150	70.8	63.0-78.6	53	24.0	16.9-31.1	6	5.2	00.1-10.3
45-54	327	62,243	258	82.4	77.7-87.1	57	14.1	09.8-18.4	12	3.5	01.3-05.7
55-64	368	50,796	308	83.7	78.8-88.6	54	14.4	09.7-19.1	6	1.9	00.3-03.5
65+	552	57,520	510	92.3	89.2-95.4	37	6.8	03.7-09.9	5	1.0	00.0-02.0
Less Than H.S.	120	47,028	75	57.4	46.2-68.6	38	35.4	24.4-46.4	7	7.2	01.1-13.3
H.S. or G.E.D.	542	111,363	393	69.7	64.4-75.0	116	21.9	17.6-26.2	33	8.4	04.5-12.3
Some Post-H.S.	463	88,199	357	74.5	68.8-80.2	88	18.2	13.9-22.5	18	7.3	02.8-11.8
College Graduate	668	79,315	561	81.8	78.1-85.5	100	16.3	12.8-19.8	7	1.9	00.3-03.5
Less than \$15,000	162	31,131	92	47.8	37.6-58.0	63	46.7	36.5-56.9	7	5.5	00.6-10.4
\$15,000- 24,999	150	29,308	72	44.6	33.8-55.4	63	42.9	32.1-53.7	15	12.6	04.6-20.6
\$25,000- 34,999	133	24,509	97	70.3	59.9-80.7	30	25.2	15.4-35.0	6	4.5	00.8-08.2
\$35,000- 49,999	269	48,586	206	71.9	63.3-80.5	55	19.3	13.4-25.2	8	8.8	00.8-16.8
\$50,000- 74,999	293	47,982	240	80.2	74.3-86.1	48	16.7	11.6-21.8	5	3.1	00.0-06.6
\$75,000+	546	93,865	490	86.2	81.5-90.9	46	9.4	06.1-12.7	10	4.4	00.7-08.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 63: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2921	358,351	2307	75.0	72.6-77.4	519	20.6	18.2-23.0	95	4.4	03.0-05.8
18-24	110	40,458	46	53.2	40.7-65.7	47	33.4	22.0-44.8	17	13.4	05.2-21.6
25-34	303	58,196	161	53.0	45.7-60.3	126	40.6	33.3-47.9	16	6.4	02.3-10.5
35-44	356	59,745	288	77.7	71.8-83.6	59	19.3	13.6-25.0	9	2.9	00.5-05.3
45-54	493	65,462	403	81.7	77.2-86.2	79	15.6	11.3-19.9	11	2.7	00.5-04.9
55-64	650	56,116	552	86.6	83.5-89.7	87	11.5	08.6-14.4	11	1.9	00.7-03.1
65+	976	74,933	829	87.2	84.8-89.6	117	10.0	07.8-12.2	30	2.8	01.6-04.0
Less Than H.S.	173	45,397	103	53.6	43.6-63.6	61	36.6	27.2-46.0	9	9.8	02.4-17.2
H.S. or G.E.D.	898	108,340	679	71.0	66.7-75.3	181	24.1	19.8-28.4	38	5.0	03.0-07.0
Some Post-H.S.	871	110,947	684	78.3	74.4-82.2	161	18.4	14.7-22.1	26	3.3	01.5-05.1
College Graduate	973	93,364	837	86.1	82.6-89.6	114	11.3	08.0-14.6	22	2.6	01.2-04.0
Less than \$15,000	356	41,377	228	52.9	44.7-61.1	112	42.4	33.8-51.0	16	4.7	02.0-07.4
\$15,000- 24,999	367	46,353	193	47.5	40.1-54.9	147	41.6	34.2-49.0	27	10.9	05.6-16.2
\$25,000- 34,999	255	28,047	197	70.6	62.8-78.4	51	26.0	18.4-33.6	7	3.4	00.7-06.1
\$35,000- 49,999	349	41,353	279	74.8	67.4-82.2	59	22.4	15.1-29.7	11	2.7	00.3-05.1
\$50,000- 74,999	418	50,748	368	85.3	80.4-90.2	44	12.5	08.2-16.8	6	2.2	00.0-04.7
\$75,000+	679	89,975	640	94.9	92.9-96.9	32	3.7	02.1-05.3	7	1.4	00.0-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 64: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4777	692,728	1822	47.7	45.5-49.9	2955	52.3	50.1-54.5
White/Non-Hisp	3689	479,837	1431	47.2	44.8-49.6	2258	52.8	50.4-55.2
Black or Afr. Am./Non-Hisp	685	132,551	217	45.7	40.4-51.0	468	54.3	49.0-59.6
Oth. Race/Non-Hisp.	140	22,400	68	65.8	55.8-75.8	72	34.2	24.2-44.2
MultiRacial/Non-Hisp.	80	9,532	35	51.4	37.7-65.1	45	48.6	34.9-62.3
Hispanic	135	44,314	48	48.4	37.0-59.8	87	51.6	40.2-63.0
18-24	241	83,808	128	50.4	42.0-58.8	113	49.6	41.2-58.0
25-34	508	116,205	205	49.9	44.2-55.6	303	50.1	44.4-55.8
35-44	570	115,653	213	48.3	43.0-53.6	357	51.7	46.4-57.0
45-54	825	128,376	329	48.7	44.2-53.2	496	51.3	46.8-55.8
55-64	1028	107,684	371	47.3	43.2-51.4	657	52.7	48.6-56.8
65+	1546	133,358	559	43.4	40.1-46.7	987	56.6	53.3-59.9
Less Than H.S.	296	93,369	121	50.9	43.5-58.3	175	49.1	41.7-56.5
H.S. or G.E.D.	1459	222,268	550	50.6	46.9-54.3	909	49.4	45.7-53.1
Some Post-H.S.	1343	200,616	466	44.1	40.2-48.0	877	55.9	52.0-59.8
College Graduate	1665	174,749	680	46.2	42.9-49.5	985	53.8	50.5-57.1
Less than \$15,000	522	72,955	162	42.7	36.2-49.2	360	57.3	50.8-63.8
\$15,000- 24,999	523	76,113	154	38.8	32.5-45.1	369	61.2	54.9-67.5
\$25,000- 34,999	390	52,809	134	46.5	39.1-53.9	256	53.5	46.1-60.9
\$35,000- 49,999	620	90,126	271	54.1	48.0-60.2	349	45.9	39.8-52.0
\$50,000- 74,999	711	98,730	293	48.6	43.5-53.7	418	51.4	46.3-56.5
\$75,000+	1227	184,005	547	51.0	47.3-54.7	680	49.0	45.3-52.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 65: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents aged 45 years and older

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 9: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)	
1 MALES AND FEMALES	168
2 MALES ONLY	169
3 FEMALES ONLY	170
DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)	
4 MALES AND FEMALES	171
5 MALES ONLY	172
6 FEMALES ONLY	173
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)	
7 MALES AND FEMALES	174
8 MALES ONLY	175
9 FEMALES ONLY	176
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)	
10 MALES AND FEMALES	177
11 MALES ONLY	178
12 FEMALES ONLY	179
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)	
13 MALES AND FEMALES	180
14 MALES ONLY	181
15 FEMALES ONLY	182
NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGTAB1)	
16 MALES AND FEMALES	183
17 MALES ONLY	184

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 9: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE
18 FEMALES ONLY

PAGE
185

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4657	677,619	1110	21.2	19.6-22.8	818	20.6	18.8-22.4	1203	26.3	24.5-28.1	1526	31.9	29.9-33.9
Male	1770	322,183	427	20.9	18.4-23.4	333	22.0	19.1-24.9	477	27.0	24.1-29.9	533	30.1	27.0-33.2
Female	2887	355,437	683	21.5	19.3-23.7	485	19.3	16.9-21.7	726	25.6	23.2-28.0	993	33.6	31.1-36.1
White/Non-Hisp	3612	472,149	850	20.9	19.1-22.7	592	18.1	16.1-20.1	912	25.1	23.1-27.1	1258	35.9	33.5-38.3
Black or Afr. Am./Non-Hisp	651	126,994	167	21.7	17.4-26.0	134	23.8	19.1-28.5	190	29.3	24.4-34.2	160	25.2	20.5-29.9
Oth. Race/Non-Hisp.	138	22,072	29	16.4	09.0-23.8	37	31.2	19.6-42.8	38	32.8	21.6-44.0	34	19.6	11.4-27.8
MultiRacial/Non-Hisp.	78	9,397	21	29.8	16.9-42.7	13	14.4	05.4-23.4	22	34.7	21.0-48.4	22	21.1	10.7-31.5
Hispanic	132	43,045	33	23.4	13.8-33.0	36	35.1	22.9-47.3	31	25.3	15.9-34.7	32	16.1	09.6-22.6
18-24	233	82,135	43	19.6	12.5-26.7	66	28.8	20.6-37.0	78	29.9	22.5-37.3	46	21.8	14.7-28.9
25-34	498	114,110	109	19.5	15.2-23.8	124	26.0	20.7-31.3	126	24.2	19.5-28.9	139	30.3	24.8-35.8
35-44	552	111,930	78	13.2	09.7-16.7	115	23.1	18.4-27.8	180	33.4	28.5-38.3	179	30.2	25.5-34.9
45-54	809	126,583	148	18.7	15.2-22.2	142	18.5	14.8-22.2	214	25.4	21.5-29.3	305	37.4	32.9-41.9
55-64	1007	105,522	219	22.0	18.5-25.5	146	15.7	12.8-18.6	291	28.7	24.8-32.6	351	33.5	29.6-37.4
65+	1500	129,735	495	31.9	28.8-35.0	221	15.3	12.6-18.0	308	19.5	17.0-22.0	476	33.4	30.1-36.7
Less Than H.S.	286	91,392	74	19.1	13.8-24.4	52	23.3	16.4-30.2	55	18.0	12.5-23.5	105	39.7	32.3-47.1
H.S. or G.E.D.	1412	216,743	338	22.1	19.2-25.0	251	21.0	17.5-24.5	326	24.0	20.9-27.1	497	32.8	29.3-36.3
Some Post-H.S.	1311	195,656	296	20.6	17.3-23.9	217	18.2	15.3-21.1	367	29.9	26.4-33.4	431	31.3	27.8-34.8
College Graduate	1634	172,102	397	21.8	19.3-24.3	296	21.4	18.5-24.3	454	29.6	26.5-32.7	487	27.2	24.5-29.9
Less than \$15,000	506	70,112	135	23.6	18.5-28.7	80	15.6	10.5-20.7	122	24.7	19.2-30.2	169	36.1	29.8-42.4
\$15,000- 24,999	504	73,790	120	19.2	14.7-23.7	82	22.8	17.1-28.5	121	25.3	19.8-30.8	181	32.6	26.7-38.5
\$25,000- 34,999	383	51,745	96	24.8	18.5-31.1	64	19.7	13.4-26.0	91	19.6	14.7-24.5	132	35.9	28.6-43.2
\$35,000- 49,999	604	87,694	155	21.4	17.1-25.7	103	22.8	16.5-29.1	171	28.7	23.2-34.2	175	27.1	21.8-32.4
\$50,000- 74,999	699	97,476	159	20.8	16.9-24.7	137	24.8	19.5-30.1	188	27.4	22.9-31.9	215	27.0	22.9-31.1
\$75,000+	1212	182,011	244	20.2	17.1-23.3	229	20.9	17.8-24.0	349	29.2	25.7-32.7	390	29.8	26.5-33.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1770	322,183	427	20.9	18.4-23.4	333	22.0	19.1-24.9	477	27.0	24.1-29.9	533	30.1	27.0-33.2
White/Non-Hisp	1394	222,243	348	22.0	19.1-24.9	246	18.5	15.8-21.2	372	26.5	23.4-29.6	428	32.9	29.4-36.4
Black or Afr. Am./Non-Hisp	207	57,650	45	18.0	11.3-24.7	45	24.9	17.5-32.3	59	29.1	21.5-36.7	58	28.0	20.0-36.0
Oth. Race/Non-Hisp.	67	14,478	10	13.5	03.5-23.5	22	36.6	20.5-52.7	20	31.9	17.4-46.4	15	17.9	07.9-27.9
18-24	124	41,249	20	19.4	09.6-29.2	40	28.7	17.9-39.5	44	32.5	21.7-43.3	20	19.4	09.8-29.0
25-34	200	56,893	51	21.5	14.6-28.4	42	22.4	14.8-30.0	55	26.4	19.0-33.8	52	29.7	21.1-38.3
35-44	204	53,245	25	12.2	06.3-18.1	52	27.7	20.1-35.3	70	32.3	24.7-39.9	57	27.8	20.4-35.2
45-54	322	61,590	59	19.6	13.9-25.3	63	21.8	15.3-28.3	82	23.4	17.3-29.5	118	35.2	28.1-42.3
55-64	365	49,948	97	24.0	18.3-29.7	50	15.8	10.9-20.7	99	28.0	21.7-34.3	119	32.3	25.8-38.8
65+	538	56,299	171	28.7	24.0-33.4	86	17.9	12.8-23.0	123	22.0	17.5-26.5	158	31.4	25.9-36.9
Less Than H.S.	118	47,007	21	11.6	05.9-17.3	24	25.1	15.1-35.1	26	19.4	11.0-27.8	47	43.9	32.7-55.1
H.S. or G.E.D.	531	109,383	123	21.6	16.9-26.3	103	22.9	17.4-28.4	131	25.3	20.4-30.2	174	30.2	25.1-35.3
Some Post-H.S.	451	85,501	95	21.4	15.7-27.1	74	18.1	13.4-22.8	143	32.2	26.3-38.1	139	28.3	22.8-33.8
College Graduate	665	79,003	185	24.8	20.7-28.9	132	23.3	18.8-27.8	176	28.7	24.2-33.2	172	23.2	19.3-27.1
Less than \$15,000	159	29,899	38	21.7	13.5-29.9	19	9.8	04.1-15.5	43	30.2	20.2-40.2	59	38.3	28.3-48.3
\$15,000- 24,999	145	28,303	21	11.9	04.1-19.7	24	18.8	10.0-27.6	44	29.6	19.8-39.4	56	39.6	28.8-50.4
\$25,000- 34,999	132	24,375	38	26.3	15.5-37.1	23	20.6	10.0-31.2	28	16.3	08.7-23.9	43	36.8	24.1-49.5
\$35,000- 49,999	260	46,589	63	20.2	13.9-26.5	51	24.6	15.8-33.4	78	30.1	21.5-38.7	68	25.0	17.2-32.8
\$50,000- 74,999	287	47,359	77	22.9	16.8-29.0	61	26.9	19.1-34.7	80	29.3	22.4-36.2	69	20.9	15.4-26.4
\$75,000+	537	92,616	123	23.0	17.7-28.3	112	24.5	19.6-29.4	149	27.8	22.7-32.9	153	24.7	20.0-29.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2887	355,437	683	21.5	19.3-23.7	485	19.3	16.9-21.7	726	25.6	23.2-28.0	993	33.6	31.1-36.1
White/Non-Hisp	2218	249,906	502	20.0	17.8-22.2	346	17.6	15.1-20.1	540	23.8	21.4-26.2	830	38.6	35.7-41.5
Black or Afr. Am./Non-Hisp	444	69,344	122	24.7	19.0-30.4	89	22.9	17.0-28.8	131	29.5	23.4-35.6	102	22.9	17.4-28.4
Oth. Race/Non-Hisp.	71	7,594	19	21.8	11.0-32.6	15	20.9	09.3-32.5	18	34.6	18.3-50.9	19	22.7	09.0-36.4
Hispanic	85	21,978	20	24.8	10.7-38.9	23	28.3	14.2-42.4	20	27.9	15.0-40.8	22	19.0	09.8-28.2
18-24	109	40,886	23	19.8	09.4-30.2	26	28.8	16.5-41.1	34	27.2	16.8-37.6	26	24.1	13.9-34.3
25-34	298	57,217	58	17.4	12.5-22.3	82	29.6	22.5-36.7	71	22.0	15.9-28.1	87	30.9	24.0-37.8
35-44	348	58,685	53	14.2	09.7-18.7	63	19.0	13.5-24.5	110	34.3	28.0-40.6	122	32.5	26.4-38.6
45-54	487	64,992	89	17.9	13.6-22.2	79	15.3	11.6-19.0	132	27.3	22.4-32.2	187	39.5	33.8-45.2
55-64	642	55,573	122	20.3	16.0-24.6	96	15.6	12.1-19.1	192	29.5	25.0-34.0	232	34.6	29.9-39.3
65+	962	73,436	324	34.3	30.4-38.2	135	13.2	10.7-15.7	185	17.6	14.7-20.5	318	34.9	30.8-39.0
Less Than H.S.	168	44,385	53	27.0	18.4-35.6	28	21.4	12.2-30.6	29	16.5	09.2-23.8	58	35.1	25.7-44.5
H.S. or G.E.D.	881	107,359	215	22.6	18.9-26.3	148	19.1	15.0-23.2	195	22.8	19.1-26.5	323	35.5	31.0-40.0
Some Post-H.S.	860	110,156	201	19.9	16.0-23.8	143	18.3	14.4-22.2	224	28.2	23.9-32.5	292	33.6	29.1-38.1
College Graduate	969	93,099	212	19.3	16.2-22.4	164	19.7	15.6-23.8	278	30.4	26.3-34.5	315	30.6	26.9-34.3
Less than \$15,000	347	40,212	97	25.0	18.7-31.3	61	19.9	12.3-27.5	79	20.6	14.9-26.3	110	34.5	26.3-42.7
\$15,000- 24,999	359	45,487	99	23.8	18.1-29.5	58	25.2	17.8-32.6	77	22.7	16.0-29.4	125	28.3	21.6-35.0
\$25,000- 34,999	251	27,370	58	23.4	16.5-30.3	41	18.9	12.0-25.8	63	22.6	16.5-28.7	89	35.1	27.1-43.1
\$35,000- 49,999	344	41,105	92	22.7	17.0-28.4	52	20.7	12.1-29.3	93	27.2	20.5-33.9	107	29.5	22.6-36.4
\$50,000- 74,999	412	50,117	82	18.8	13.7-23.9	76	22.9	16.0-29.8	108	25.6	19.9-31.3	146	32.7	26.6-38.8
\$75,000+	675	89,395	121	17.2	13.7-20.7	117	17.2	13.7-20.7	200	30.7	26.0-35.4	237	35.0	30.3-39.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4705	682,983	2113	41.8	39.6-44.0	1176	26.4	24.6-28.2	1238	27.2	25.2-29.2	178	4.5	03.5-05.5
Male	1790	324,757	650	34.6	31.5-37.7	508	28.8	25.9-31.7	544	31.1	28.2-34.0	88	5.5	04.1-06.9
Female	2915	358,226	1463	48.4	45.7-51.1	668	24.3	21.9-26.7	694	23.7	21.3-26.1	90	3.6	02.6-04.6
White/Non-Hisp	3637	474,959	1644	41.6	39.2-44.0	903	26.0	24.0-28.0	949	27.3	25.1-29.5	141	5.1	03.9-06.3
Black or Afr. Am./Non-Hisp	669	128,678	280	37.9	32.8-43.0	173	28.8	23.9-33.7	192	29.6	24.7-34.5	24	3.8	02.0-05.6
Oth. Race/Non-Hisp.	140	22,400	69	48.4	36.8-60.0	34	23.4	14.8-32.0	33	26.0	15.6-36.4	4	2.1	00.0-04.6
MultiRacial/Non-Hisp.	79	9,361	38	50.0	36.1-63.9	14	13.6	06.0-21.2	23	31.2	18.3-44.1	4	5.1	00.0-11.0
Hispanic	134	43,622	64	52.0	40.6-63.4	40	27.9	18.1-37.7	26	18.4	10.4-26.4	4	1.7	00.0-03.5
18-24	240	83,490	85	40.8	32.2-49.4	71	25.6	18.5-32.7	75	30.8	23.0-38.6	9	2.9	00.9-04.9
25-34	499	114,294	216	40.6	34.9-46.3	138	26.9	21.8-32.0	120	25.9	20.6-31.2	25	6.6	03.7-09.5
35-44	562	113,958	238	42.3	37.2-47.4	144	26.2	21.7-30.7	159	28.1	23.4-32.8	21	3.4	01.8-05.0
45-54	815	126,769	354	44.1	39.4-48.8	219	27.6	23.5-31.7	211	24.9	21.2-28.6	31	3.4	01.8-05.0
55-64	1019	106,832	448	38.8	34.9-42.7	238	25.8	22.1-29.5	296	31.0	27.1-34.9	37	4.4	02.2-06.6
65+	1512	130,075	755	44.5	41.2-47.8	345	25.8	22.7-28.9	360	24.5	21.6-27.4	52	5.3	03.3-07.3
Less Than H.S.	286	90,622	100	29.8	23.1-36.5	91	36.3	29.0-43.6	75	26.0	19.1-32.9	20	7.9	04.0-11.8
H.S. or G.E.D.	1434	219,468	573	39.0	35.3-42.7	361	22.9	20.0-25.8	431	33.1	29.6-36.6	69	4.9	03.5-06.3
Some Post-H.S.	1323	197,339	594	43.8	39.9-47.7	332	27.8	24.3-31.3	345	24.4	21.3-27.5	52	4.1	02.5-05.7
College Graduate	1648	173,827	841	49.6	46.3-52.9	387	24.4	21.5-27.3	384	23.7	21.0-26.4	36	2.3	01.3-03.3
Less than \$15,000	510	69,686	198	35.2	28.9-41.5	130	24.1	18.8-29.4	160	34.5	28.4-40.6	22	6.2	02.7-09.7
\$15,000- 24,999	513	75,226	189	33.3	27.4-39.2	141	33.0	26.9-39.1	143	26.3	20.8-31.8	40	7.4	04.3-10.5
\$25,000- 34,999	385	52,451	171	43.9	36.5-51.3	103	25.1	19.4-30.8	89	24.4	18.1-30.7	22	6.6	02.7-10.5
\$35,000- 49,999	613	89,766	256	40.1	33.8-46.4	145	21.5	17.0-26.0	200	36.4	30.5-42.3	12	1.9	00.5-03.3
\$50,000- 74,999	707	98,434	327	42.9	37.8-48.0	181	28.0	23.5-32.5	176	25.6	20.9-30.3	23	3.5	01.9-05.1
\$75,000+	1219	182,829	609	47.2	43.5-50.9	288	25.0	21.7-28.3	292	24.5	21.2-27.8	30	3.3	01.9-04.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1790	324,757	650	34.6	31.5-37.7	508	28.8	25.9-31.7	544	31.1	28.2-34.0	88	5.5	04.1-06.9
White/Non-Hisp	1407	224,202	508	33.2	29.7-36.7	397	28.5	25.2-31.8	433	32.0	28.5-35.5	69	6.3	04.3-08.3
Black or Afr. Am./Non-Hisp	210	57,486	73	33.8	25.8-41.8	64	32.2	24.0-40.4	61	29.0	21.2-36.8	12	5.0	01.7-08.3
Oth. Race/Non-Hisp.	68	14,748	27	42.2	26.5-57.9	20	24.4	12.8-36.0	20	32.5	17.8-47.2	1	0.9	00.0-02.7
18-24	127	41,937	37	37.6	25.8-49.4	40	25.6	15.8-35.4	46	34.9	24.3-45.5	4	1.9	00.0-03.9
25-34	200	57,086	62	28.3	20.7-35.9	61	31.1	22.9-39.3	63	33.4	24.6-42.2	14	7.3	03.0-11.6
35-44	210	54,525	71	37.1	29.1-45.1	55	25.9	18.8-33.0	74	32.6	25.0-40.2	10	4.4	01.5-07.3
45-54	324	61,388	119	38.0	30.6-45.4	101	30.0	23.5-36.5	93	28.3	22.0-34.6	11	3.8	01.1-06.5
55-64	368	50,576	139	32.4	26.7-38.1	85	25.4	19.1-31.7	126	36.1	29.4-42.8	18	6.2	02.1-10.3
65+	545	56,367	221	35.9	30.8-41.0	160	33.7	27.8-39.6	136	23.3	18.8-27.8	28	7.1	03.6-10.6
Less Than H.S.	116	45,988	27	20.1	11.5-28.7	43	42.8	31.6-54.0	36	28.6	18.2-39.0	10	8.5	02.8-14.2
H.S. or G.E.D.	540	111,204	176	35.4	29.5-41.3	144	21.6	17.5-25.7	187	36.9	31.4-42.4	33	6.1	03.6-08.6
Some Post-H.S.	456	86,016	158	35.4	29.3-41.5	137	32.2	26.3-38.1	136	27.4	22.1-32.7	25	5.0	02.5-07.5
College Graduate	673	80,261	288	41.1	36.4-45.8	184	27.6	23.3-31.9	182	28.7	24.2-33.2	19	2.6	01.2-04.0
Less than \$15,000	159	29,485	43	27.3	17.7-36.9	49	26.8	18.2-35.4	57	38.3	28.3-48.3	10	7.6	01.7-13.5
\$15,000- 24,999	149	29,214	35	26.9	17.1-36.7	44	34.1	23.1-45.1	49	27.6	18.6-36.6	21	11.5	05.6-17.4
\$25,000- 34,999	133	24,521	48	42.7	29.8-55.6	44	25.1	15.9-34.3	31	23.4	13.0-33.8	10	8.7	01.1-16.3
\$35,000- 49,999	269	48,708	84	29.0	20.4-37.6	72	25.6	18.2-33.0	108	43.4	34.4-52.4	5	2.0	00.0-04.0
\$50,000- 74,999	290	47,742	107	36.7	29.1-44.3	89	31.6	24.5-38.7	78	26.5	19.8-33.2	16	5.2	02.5-07.9
\$75,000+	542	93,158	226	38.9	33.2-44.6	143	27.0	22.1-31.9	158	30.3	25.0-35.6	15	3.9	01.7-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2915	358,226	1463	48.4	45.7-51.1	668	24.3	21.9-26.7	694	23.7	21.3-26.1	90	3.6	02.6-04.6
White/Non-Hisp	2230	250,756	1136	49.1	46.2-52.0	506	23.7	21.2-26.2	516	23.1	20.6-25.6	72	4.0	02.6-05.4
Black or Afr. Am./Non-Hisp	459	71,192	207	41.2	34.7-47.7	109	25.9	20.0-31.8	131	30.0	24.1-35.9	12	2.8	00.8-04.8
Oth. Race/Non-Hisp.	72	7,652	42	60.4	45.7-75.1	14	21.5	09.7-33.3	13	13.5	05.1-21.9	3	4.6	00.0-11.3
Hispanic	86	22,180	43	58.9	45.4-72.4	28	28.7	16.9-40.5	13	10.9	04.0-17.8	2	1.6	00.0-04.0
18-24	113	41,553	48	43.9	31.4-56.4	31	25.5	15.5-35.5	29	26.6	15.2-38.0	5	3.9	00.4-07.4
25-34	299	57,208	154	52.8	45.5-60.1	77	22.8	16.9-28.7	57	18.4	13.1-23.7	11	6.0	01.9-10.1
35-44	352	59,432	167	47.1	40.6-53.6	89	26.5	20.6-32.4	85	23.9	18.4-29.4	11	2.5	00.9-04.1
45-54	491	65,381	235	49.8	44.1-55.5	118	25.4	20.3-30.5	118	21.7	17.4-26.0	20	3.1	01.3-04.9
55-64	651	56,257	309	44.7	39.8-49.6	153	26.2	21.9-30.5	170	26.4	22.1-30.7	19	2.8	01.2-04.4
65+	967	73,708	534	51.0	46.9-55.1	185	19.8	16.5-23.1	224	25.4	21.7-29.1	24	3.9	01.5-06.3
Less Than H.S.	170	44,634	73	39.8	30.0-49.6	48	29.5	20.7-38.3	39	23.5	14.5-32.5	10	7.2	01.7-12.7
H.S. or G.E.D.	894	108,265	397	42.8	38.3-47.3	217	24.3	20.4-28.2	244	29.2	24.9-33.5	36	3.7	02.1-05.3
Some Post-H.S.	867	111,323	436	50.3	45.4-55.2	195	24.3	20.2-28.4	209	22.0	18.3-25.7	27	3.4	01.6-05.2
College Graduate	975	93,566	553	56.9	52.6-61.2	203	21.7	18.0-25.4	202	19.4	16.1-22.7	17	2.1	00.9-03.3
Less than \$15,000	351	40,201	155	40.9	32.7-49.1	81	22.2	15.5-28.9	103	31.7	24.1-39.3	12	5.2	00.7-09.7
\$15,000- 24,999	364	46,013	154	37.4	30.1-44.7	97	32.3	25.0-39.6	94	25.5	18.6-32.4	19	4.8	01.3-08.3
\$25,000- 34,999	252	27,930	123	45.0	37.0-53.0	59	25.1	17.8-32.4	58	25.2	17.6-32.8	12	4.7	01.6-07.8
\$35,000- 49,999	344	41,058	172	53.4	45.6-61.2	73	16.6	12.1-21.1	92	28.1	21.6-34.6	7	1.8	00.2-03.4
\$50,000- 74,999	417	50,691	220	48.8	41.9-55.7	92	24.6	18.9-30.3	98	24.7	18.0-31.4	7	1.8	00.2-03.4
\$75,000+	677	89,671	383	55.9	51.0-60.8	145	22.9	18.4-27.4	134	18.6	14.9-22.3	15	2.6	01.0-04.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4662	678,499	129	3.6	02.6-04.6	1253	26.7	24.9-28.5	2170	45.1	42.9-47.3	1110	24.6	22.8-26.4
Male	1773	322,796	45	3.9	02.1-05.7	480	27.2	24.3-30.1	878	46.1	42.8-49.4	370	22.8	19.9-25.7
Female	2889	355,703	84	3.2	02.0-04.4	773	26.3	23.9-28.7	1292	44.2	41.5-46.9	740	26.3	23.9-28.7
White/Non-Hisp	3598	470,311	86	2.3	01.7-02.9	987	26.7	24.7-28.7	1709	48.1	45.7-50.5	816	22.9	20.9-24.9
Black or Afr. Am./Non-Hisp	667	128,936	17	3.0	01.0-05.0	130	19.1	15.0-23.2	317	44.0	38.7-49.3	203	33.9	28.8-39.0
Oth. Race/Non-Hisp.	138	22,356	11	7.2	01.9-12.5	44	40.6	28.6-52.6	49	32.6	22.2-43.0	34	19.6	11.6-27.6
MultiRacial/Non-Hisp.	79	9,311	19	25.6	13.3-37.9	19	25.6	13.3-37.9	35	43.3	29.8-56.8	25	31.1	18.0-44.2
Hispanic	134	43,622	13	17.5	06.7-28.3	59	42.0	30.6-53.4	39	22.2	14.2-30.2	23	18.3	09.9-26.7
18-24	239	83,372	7	4.9	00.6-09.2	54	22.2	14.9-29.5	101	38.7	30.5-46.9	77	34.2	26.2-42.2
25-34	498	114,438	13	4.7	01.4-08.0	132	25.4	20.7-30.1	203	41.1	35.4-46.8	150	28.8	23.5-34.1
35-44	558	112,843	18	2.9	01.3-04.5	158	28.8	24.1-33.5	257	44.5	39.4-49.6	125	23.8	19.3-28.3
45-54	811	126,489	25	4.0	01.5-06.5	226	29.6	25.3-33.9	386	46.2	41.7-50.7	174	20.2	16.5-23.9
55-64	1013	105,802	29	3.4	01.8-05.0	285	26.9	23.4-30.4	492	49.4	45.3-53.5	207	20.3	16.8-23.8
65+	1486	128,082	35	2.1	01.3-02.9	386	26.7	23.6-29.8	705	48.1	44.6-51.6	360	23.1	20.4-25.8
Less Than H.S.	281	90,201	18	8.5	03.8-13.2	69	22.3	16.2-28.4	118	44.0	36.6-51.4	76	25.2	18.5-31.9
H.S. or G.E.D.	1415	217,144	35	3.0	01.4-04.6	352	24.3	21.0-27.6	639	44.8	41.1-48.5	389	27.9	24.6-31.2
Some Post-H.S.	1312	196,327	35	2.2	01.2-03.2	340	27.8	24.3-31.3	626	45.1	41.4-48.8	311	24.9	21.4-28.4
College Graduate	1640	173,101	40	3.4	01.6-05.2	491	31.1	28.2-34.0	778	45.9	42.6-49.2	331	19.7	17.2-22.2
Less than \$15,000	511	69,490	17	6.1	01.6-10.6	122	19.7	15.0-24.4	219	44.7	38.2-51.2	153	29.5	23.8-35.2
\$15,000- 24,999	508	74,641	19	3.5	01.3-05.7	122	24.1	18.8-29.4	233	44.1	37.8-50.4	134	28.3	22.4-34.2
\$25,000- 34,999	384	51,876	7	3.6	00.0-07.5	105	29.1	21.7-36.5	176	43.4	36.3-50.5	96	23.9	18.0-29.8
\$35,000- 49,999	605	88,494	16	2.6	00.8-04.4	140	22.8	17.3-28.3	313	48.3	42.2-54.4	136	26.3	20.6-32.0
\$50,000- 74,999	703	98,066	18	4.6	01.1-08.1	211	32.5	27.8-37.2	312	40.2	35.5-44.9	162	22.7	18.0-27.4
\$75,000+	1210	181,569	31	2.2	01.2-03.2	363	30.6	27.3-33.9	594	49.2	45.5-52.9	222	18.0	15.1-20.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1773	322,796	45	3.9	02.1-05.7	480	27.2	24.3-30.1	878	46.1	42.8-49.4	370	22.8	19.9-25.7
White/Non-Hisp	1392	221,865	23	1.8	00.8-02.8	383	27.2	23.9-30.5	713	50.1	46.4-53.8	273	20.9	17.8-24.0
Black or Afr. Am./Non-Hisp	210	58,106	8	3.7	00.0-07.4	44	20.8	13.9-27.7	95	42.5	34.1-50.9	63	33.0	24.6-41.4
Oth. Race/Non-Hisp.	67	14,724	6	8.9	01.1-16.7	25	43.8	27.7-59.9	25	34.7	20.6-48.8	11	12.6	04.4-20.8
18-24	127	41,975	3	4.7	00.0-10.2	28	24.2	13.2-35.2	57	36.5	25.7-47.3	39	34.6	23.8-45.4
25-34	202	57,485	7	7.3	01.2-13.4	47	22.7	15.8-29.6	88	40.1	31.5-48.7	60	29.9	21.7-38.1
35-44	208	53,830	3	1.2	00.0-02.6	59	28.5	21.1-35.9	108	52.7	44.5-60.9	38	17.6	11.3-23.9
45-54	324	61,590	11	5.6	00.5-10.7	87	29.3	22.4-36.2	164	46.5	39.2-53.8	62	18.6	12.7-24.5
55-64	365	50,146	12	3.2	01.0-05.4	102	26.4	20.5-32.3	183	50.5	43.6-57.4	68	19.9	14.0-25.8
65+	531	54,943	9	1.6	00.4-02.8	154	32.0	26.1-37.9	268	48.3	42.4-54.2	100	18.1	13.4-22.8
Less Than H.S.	113	45,925	10	12.6	04.2-21.0	23	18.6	09.8-27.4	53	44.5	33.3-55.7	27	24.3	14.7-33.9
H.S. or G.E.D.	533	109,833	10	3.1	00.2-06.0	139	26.1	20.8-31.4	250	44.4	38.7-50.1	134	26.4	21.1-31.7
Some Post-H.S.	452	85,737	7	1.3	00.0-02.7	119	28.9	23.0-34.8	234	47.1	40.8-53.4	92	22.7	17.2-28.2
College Graduate	670	80,013	18	3.0	01.2-04.8	199	32.2	27.5-36.9	337	48.2	43.3-53.1	116	16.6	13.1-20.1
Less than \$15,000	158	28,813	8	6.9	01.8-12.0	38	18.7	11.4-26.0	67	42.4	32.2-52.6	45	32.1	22.3-41.9
\$15,000- 24,999	146	28,500	5	3.1	00.0-06.4	33	21.4	12.2-30.6	72	47.0	36.0-58.0	36	28.6	18.0-39.2
\$25,000- 34,999	132	24,116	3	4.5	00.0-12.3	35	32.5	19.2-45.8	71	47.1	34.6-59.6	23	15.8	07.2-24.4
\$35,000- 49,999	265	48,193	5	2.5	00.0-05.0	59	22.8	14.2-31.4	148	49.0	40.0-58.0	53	25.6	17.0-34.2
\$50,000- 74,999	288	47,465	7	6.3	00.0-13.2	91	36.0	28.6-43.4	138	41.0	33.7-48.3	52	16.7	11.2-22.2
\$75,000+	539	92,912	8	1.3	00.3-02.3	162	30.3	25.2-35.4	268	51.5	45.8-57.2	101	16.9	12.6-21.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2889	355,703	84	3.2	02.0-04.4	773	26.3	23.9-28.7	1292	44.2	41.5-46.9	740	26.3	23.9-28.7
White/Non-Hisp	2206	248,446	63	2.8	01.8-03.8	604	26.2	23.7-28.7	996	46.4	43.5-49.3	543	24.6	22.1-27.1
Black or Afr. Am./Non-Hisp	457	70,830	9	2.4	00.4-04.4	86	17.7	13.0-22.4	222	45.2	38.7-51.7	140	34.6	28.3-40.9
Oth. Race/Non-Hisp.	71	7,631	5	4.0	00.1-07.9	19	34.3	18.4-50.2	24	28.5	15.8-41.2	23	33.2	18.3-48.1
Hispanic	86	22,180	6	10.9	00.0-23.1	43	49.9	35.2-64.6	24	23.5	12.1-34.9	13	15.7	05.9-25.5
18-24	112	41,396	4	5.0	00.0-11.9	26	20.1	10.5-29.7	44	40.9	28.6-53.2	38	33.9	22.3-45.5
25-34	296	56,953	6	2.0	00.0-04.0	85	28.2	21.7-34.7	115	42.1	34.7-49.5	90	27.7	21.4-34.0
35-44	350	59,013	15	4.5	02.0-07.0	99	29.1	23.0-35.2	149	37.0	30.9-43.1	87	29.5	23.2-35.8
45-54	487	64,900	14	2.4	01.0-03.8	139	29.9	24.6-35.2	222	46.0	40.3-51.7	112	21.6	17.1-26.1
55-64	648	55,656	17	3.5	01.3-05.7	183	27.3	23.0-31.6	309	48.5	43.6-53.4	139	20.7	16.8-24.6
65+	955	73,139	26	2.4	01.2-03.6	232	22.7	19.4-26.0	437	47.9	43.8-52.0	260	26.9	23.4-30.4
Less Than H.S.	168	44,276	8	4.3	01.0-07.6	46	26.2	18.0-34.4	65	43.5	33.3-53.7	49	26.1	17.1-35.1
H.S. or G.E.D.	882	107,312	25	2.8	01.4-04.2	213	22.4	18.7-26.1	389	45.2	40.5-49.9	255	29.6	25.5-33.7
Some Post-H.S.	860	110,590	28	2.8	01.4-04.2	221	27.0	22.5-31.5	392	43.6	38.9-48.3	219	26.6	22.1-31.1
College Graduate	970	93,088	22	3.7	00.6-06.8	292	30.1	26.2-34.0	441	43.9	39.6-48.2	215	22.2	18.7-25.7
Less than \$15,000	353	40,677	9	5.5	00.0-12.4	84	20.4	14.1-26.7	152	46.4	38.2-54.6	108	27.7	21.0-34.4
\$15,000- 24,999	362	46,141	14	3.8	01.1-06.5	89	25.8	19.5-32.1	161	42.3	34.9-49.7	98	28.1	21.0-35.2
\$25,000- 34,999	252	27,759	4	2.8	00.0-05.7	70	26.2	18.6-33.8	105	40.2	32.2-48.2	73	30.9	23.3-38.5
\$35,000- 49,999	340	40,301	11	2.6	00.6-04.6	81	22.8	16.9-28.7	165	47.4	39.2-55.6	83	27.1	19.8-34.4
\$50,000- 74,999	415	50,601	11	3.1	00.7-05.5	120	29.2	23.1-35.3	174	39.4	33.1-45.7	110	28.3	21.2-35.4
\$75,000+	671	88,657	23	3.2	01.6-04.8	201	31.0	26.3-35.7	326	46.7	41.8-51.6	121	19.1	15.2-23.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4701	683,406	1001	20.4	18.6-22.2	1784	39.0	37.0-41.0	1674	34.8	32.8-36.8	242	5.7	04.5-06.9
Male	1791	325,687	296	16.7	14.2-19.2	667	39.3	36.0-42.6	709	37.3	34.2-40.4	119	6.7	04.9-08.5
Female	2910	357,718	705	23.8	21.4-26.2	1117	38.8	36.3-41.3	965	32.6	30.1-35.1	123	4.8	03.4-06.2
White/Non-Hisp	3634	474,834	750	19.8	17.8-21.8	1391	38.8	36.4-41.2	1298	35.6	33.4-37.8	195	5.7	04.5-06.9
Black or Afr. Am./Non-Hisp	668	129,264	166	23.3	18.8-27.8	228	36.0	30.7-41.3	248	36.1	31.2-41.0	26	4.7	02.5-06.9
Oth. Race/Non-Hisp.	140	22,400	34	23.1	14.1-32.1	58	44.4	32.6-56.2	46	31.5	21.1-41.9	2	1.0	00.0-02.4
MultiRacial/Non-Hisp.	80	9,532	16	19.2	09.0-29.4	28	38.4	24.9-51.9	29	33.5	20.8-46.2	7	8.9	00.3-17.5
Hispanic	133	43,413	24	17.4	08.4-26.4	64	47.9	36.3-59.5	36	24.5	15.7-33.3	9	10.2	01.6-18.8
18-24	240	83,598	44	16.7	10.4-23.0	88	39.7	31.3-48.1	85	33.4	25.6-41.2	23	10.2	04.5-15.9
25-34	501	114,852	100	19.2	14.9-23.5	199	38.9	33.2-44.6	177	34.8	29.3-40.3	25	7.1	03.8-10.4
35-44	561	113,678	98	19.9	15.6-24.2	235	40.4	35.3-45.5	208	35.4	30.5-40.3	20	4.2	01.8-06.6
45-54	816	126,933	171	23.2	18.9-27.5	316	39.6	35.1-44.1	288	32.7	28.6-36.8	41	4.4	02.8-06.0
55-64	1017	106,744	227	20.4	17.1-23.7	363	36.3	32.4-40.2	383	39.9	35.8-44.0	44	3.5	02.3-04.7
65+	1509	130,464	348	21.7	19.0-24.4	561	39.2	35.9-42.5	512	33.1	30.0-36.2	88	6.0	04.2-07.8
Less Than H.S.	285	90,750	58	18.4	13.1-23.7	109	41.1	33.7-48.5	91	32.0	24.7-39.3	27	8.5	04.6-12.4
H.S. or G.E.D.	1430	219,380	257	18.1	15.0-21.2	529	37.0	33.5-40.5	551	38.1	34.6-41.6	93	6.8	05.0-08.6
Some Post-H.S.	1325	197,968	294	21.9	18.6-25.2	500	40.0	36.3-43.7	465	32.2	28.9-35.5	66	5.9	03.4-08.4
College Graduate	1648	173,623	388	22.8	20.3-25.3	642	39.2	36.1-42.3	562	35.3	32.2-38.4	56	2.6	01.6-03.6
Less than \$15,000	513	70,562	97	19.0	13.9-24.1	178	32.5	26.4-38.6	200	39.8	33.5-46.1	38	8.7	05.4-12.0
\$15,000- 24,999	511	74,998	103	19.6	14.3-24.9	180	37.9	31.8-44.0	196	38.2	32.1-44.3	32	4.3	02.1-06.5
\$25,000- 34,999	387	52,474	64	14.3	10.0-18.6	169	44.9	37.5-52.3	133	35.9	29.0-42.8	21	4.9	02.4-07.4
\$35,000- 49,999	614	89,590	115	19.1	14.0-24.2	225	35.9	30.0-41.8	244	36.1	30.6-41.6	30	8.9	04.0-13.8
\$50,000- 74,999	703	98,140	152	20.0	15.7-24.3	272	41.4	36.3-46.5	248	34.9	30.0-39.8	31	3.8	02.0-05.6
\$75,000+	1218	182,928	287	24.3	21.0-27.6	474	39.0	35.3-42.7	419	33.6	30.1-37.1	38	3.2	01.8-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1791	325,687	296	16.7	14.2-19.2	667	39.3	36.0-42.6	709	37.3	34.2-40.4	119	6.7	04.9-08.5
White/Non-Hisp	1409	224,440	217	15.1	12.4-17.8	528	39.2	35.7-42.7	564	38.6	35.1-42.1	100	7.0	04.8-09.2
Black or Afr. Am./Non-Hisp	210	58,387	44	20.3	13.4-27.2	73	38.4	29.8-47.0	84	36.6	28.6-44.6	9	4.8	01.1-08.5
Oth. Race/Non-Hisp.	68	14,748	17	20.6	09.8-31.4	30	47.7	32.0-63.4	19	30.1	16.0-44.2	2	1.5	00.0-03.7
18-24	127	42,045	20	13.3	05.7-20.9	46	41.5	29.7-53.3	46	32.5	22.3-42.7	15	12.7	04.3-21.1
25-34	202	57,553	30	14.5	08.6-20.4	75	37.6	29.0-46.2	77	36.6	28.2-45.0	20	11.3	05.6-17.0
35-44	210	54,525	34	18.9	12.0-25.8	82	39.2	31.2-47.2	84	37.2	29.4-45.0	10	4.7	01.0-08.4
45-54	324	61,472	56	20.6	13.7-27.5	125	41.2	33.9-48.5	127	35.1	28.4-41.8	16	3.1	01.3-04.9
55-64	366	50,414	56	14.4	09.7-19.1	134	37.1	30.4-43.8	157	45.3	38.4-52.2	19	3.2	01.4-05.0
65+	545	56,720	99	17.9	13.6-22.2	197	38.8	33.1-44.5	210	36.5	31.2-41.8	39	6.9	03.8-10.0
Less Than H.S.	116	46,501	18	15.3	07.7-22.9	47	42.2	31.0-53.4	41	33.0	22.6-43.4	10	9.5	02.6-16.4
H.S. or G.E.D.	539	111,037	79	16.0	11.3-20.7	183	36.6	30.9-42.3	233	40.6	35.1-46.1	44	6.8	04.3-09.3
Some Post-H.S.	459	86,695	70	16.8	11.7-21.9	178	41.9	35.8-48.0	180	33.6	28.1-39.1	31	7.6	03.3-11.9
College Graduate	672	80,167	129	18.7	15.2-22.2	258	38.2	33.5-42.9	251	39.1	34.2-44.0	34	4.0	02.2-05.8
Less than \$15,000	160	29,782	21	19.0	09.4-28.6	52	26.3	18.3-34.3	75	46.6	36.4-56.8	12	8.1	02.8-13.4
\$15,000- 24,999	149	28,952	20	15.5	07.1-23.9	45	33.4	22.6-44.2	68	44.9	34.1-55.7	16	6.3	01.8-10.8
\$25,000- 34,999	133	24,357	21	13.3	06.2-20.4	58	49.0	36.3-61.7	45	32.3	21.1-43.5	9	5.4	01.1-09.7
\$35,000- 49,999	270	48,737	38	10.7	06.6-14.8	89	36.5	27.3-45.7	125	39.6	31.4-47.8	18	13.2	04.8-21.6
\$50,000- 74,999	286	47,449	48	17.3	10.4-24.2	119	45.0	37.4-52.6	106	34.7	27.6-41.8	13	3.0	01.0-05.0
\$75,000+	541	93,257	93	19.5	14.4-24.6	209	38.6	33.1-44.1	212	37.2	31.7-42.7	27	4.7	02.3-07.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2910	357,718	705	23.8	21.4-26.2	1117	38.8	36.3-41.3	965	32.6	30.1-35.1	123	4.8	03.4-06.2
White/Non-Hisp	2225	250,394	533	24.0	21.5-26.5	863	38.5	35.8-41.2	734	32.9	30.0-35.8	95	4.6	03.4-05.8
Black or Afr. Am./Non-Hisp	458	70,876	122	25.7	20.0-31.4	155	34.0	27.7-40.3	164	35.6	29.3-41.9	17	4.6	02.1-07.1
Oth. Race/Non-Hisp.	72	7,652	17	27.8	12.1-43.5	28	38.0	22.9-53.1	27	34.2	20.3-48.1			
Hispanic	86	22,180	14	14.5	04.9-24.1	48	55.3	40.4-70.2	19	20.4	09.8-31.0	5	9.8	00.0-22.9
18-24	113	41,553	24	20.3	10.3-30.3	42	37.8	26.0-49.6	39	34.2	22.2-46.2	8	7.7	00.1-15.3
25-34	299	57,299	70	23.8	17.3-30.3	124	40.2	32.9-47.5	100	33.0	26.1-39.9	5	2.9	00.0-05.8
35-44	351	59,152	64	20.8	15.3-26.3	153	41.6	35.3-47.9	124	33.7	27.4-40.0	10	3.8	00.9-06.7
45-54	492	65,461	115	25.7	20.6-30.8	191	38.2	32.7-43.7	161	30.4	25.3-35.5	25	5.6	03.1-08.1
55-64	651	56,331	171	25.7	21.4-30.0	229	35.5	30.8-40.2	226	35.0	30.3-39.7	25	3.8	02.0-05.6
65+	964	73,744	249	24.6	21.3-27.9	364	39.6	35.7-43.5	302	30.5	26.6-34.4	49	5.4	03.4-07.4
Less Than H.S.	169	44,249	40	21.6	14.2-29.0	62	39.9	29.9-49.9	50	31.0	21.0-41.0	17	7.5	03.6-11.4
H.S. or G.E.D.	891	108,343	178	20.3	16.2-24.4	346	37.4	33.1-41.7	318	35.5	31.0-40.0	49	6.8	04.4-09.2
Some Post-H.S.	866	111,273	224	25.9	21.6-30.2	322	38.4	33.9-42.9	285	31.0	26.7-35.3	35	4.6	01.5-07.7
College Graduate	976	93,455	259	26.3	22.6-30.0	384	40.1	35.8-44.4	311	32.1	28.0-36.2	22	1.5	00.7-02.3
Less than \$15,000	353	40,781	76	19.0	13.5-24.5	126	37.1	28.7-45.5	125	34.8	27.2-42.4	26	9.1	04.6-13.6
\$15,000- 24,999	362	46,045	83	22.1	15.4-28.8	135	40.8	33.4-48.2	128	34.1	26.8-41.4	16	3.0	01.0-05.0
\$25,000- 34,999	254	28,117	43	15.2	09.9-20.5	111	41.3	33.5-49.1	88	38.9	30.5-47.3	12	4.6	01.5-07.7
\$35,000- 49,999	344	40,854	77	29.1	20.3-37.9	136	35.3	28.2-42.4	119	31.8	24.9-38.7	12	3.8	01.1-06.5
\$50,000- 74,999	417	50,691	104	22.4	17.1-27.7	153	38.0	31.5-44.5	142	35.0	28.1-41.9	18	4.6	01.9-07.3
\$75,000+	677	89,671	194	29.3	24.8-33.8	265	39.4	34.5-44.3	207	29.9	25.4-34.4	11	1.5	00.5-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4691	679,288	275	5.0	04.2-05.8	1597	32.6	30.6-34.6	2161	45.7	43.5-47.9	658	16.7	15.1-18.3
Male	1789	323,228	81	4.1	02.9-05.3	541	29.5	26.6-32.4	869	47.7	44.4-51.0	298	18.7	16.2-21.2
Female	2902	356,060	194	5.8	04.8-06.8	1056	35.4	32.9-37.9	1292	43.8	41.3-46.3	360	15.0	12.8-17.2
White/Non-Hisp	3627	472,724	198	4.9	03.9-05.9	1266	33.0	30.8-35.2	1692	47.1	44.7-49.5	471	15.0	13.2-16.8
Black or Afr. Am./Non-Hisp	667	127,494	48	5.2	03.2-07.2	182	26.6	21.9-31.3	310	43.9	38.6-49.2	127	24.3	19.4-29.2
Oth. Race/Non-Hisp.	140	22,400	15	6.5	02.6-10.4	50	32.5	22.5-42.5	50	38.1	26.3-49.9	25	22.9	12.7-33.1
MultiRacial/Non-Hisp.	79	9,311	4	2.0	00.0-04.2	27	38.5	24.8-52.2	35	43.4	29.7-57.1	13	16.1	05.5-26.7
Hispanic	133	43,410	8	5.3	00.8-09.8	58	45.7	34.1-57.3	51	38.3	27.1-49.5	16	10.8	04.7-16.9
18-24	238	81,778	15	4.9	01.8-08.0	65	25.0	17.7-32.3	106	46.9	38.3-55.5	52	23.1	16.0-30.2
25-34	503	115,059	28	4.5	02.7-06.3	175	33.4	27.9-38.9	207	42.1	36.4-47.8	93	20.0	15.3-24.7
35-44	561	113,740	27	4.9	02.7-07.1	190	31.1	26.4-35.8	263	48.4	43.1-53.7	81	15.6	11.7-19.5
45-54	813	125,888	37	4.1	02.5-05.7	284	37.6	33.1-42.1	363	42.8	38.3-47.3	129	15.5	12.4-18.6
55-64	1018	106,699	65	6.1	03.7-08.5	329	30.6	27.1-34.1	487	47.6	43.5-51.7	137	15.7	12.2-19.2
65+	1499	128,480	100	5.5	04.1-06.9	538	35.8	32.5-39.1	703	46.0	42.7-49.3	158	12.7	10.3-15.1
Less Than H.S.	277	87,845	14	4.5	01.4-07.6	81	26.2	19.7-32.7	124	46.2	38.6-53.8	58	23.0	16.1-29.9
H.S. or G.E.D.	1433	218,510	65	3.8	02.4-05.2	439	30.0	26.5-33.5	673	47.6	43.9-51.3	256	18.6	15.9-21.3
Some Post-H.S.	1321	197,549	75	4.8	03.4-06.2	456	34.7	31.0-38.4	601	42.7	39.0-46.4	189	17.7	14.6-20.8
College Graduate	1646	173,657	120	7.0	05.4-08.6	617	37.0	33.9-40.1	758	46.4	43.1-49.7	151	9.5	07.5-11.5
Less than \$15,000	508	70,131	37	6.1	03.4-08.8	164	29.2	23.7-34.7	218	44.2	37.7-50.7	89	20.5	15.2-25.8
\$15,000- 24,999	511	75,056	33	5.7	02.2-09.2	141	27.2	21.7-32.7	238	44.2	37.9-50.5	99	22.9	17.4-28.4
\$25,000- 34,999	385	52,362	14	2.6	00.8-04.4	136	30.0	23.7-36.3	162	44.9	37.5-52.3	73	22.5	16.2-28.8
\$35,000- 49,999	611	87,783	27	3.1	01.7-04.5	194	30.6	24.7-36.5	306	48.2	42.1-54.3	84	18.1	13.4-22.8
\$50,000- 74,999	707	98,467	33	4.7	02.5-06.9	254	35.0	30.1-39.9	334	46.3	41.2-51.4	86	13.9	10.4-17.4
\$75,000+	1218	182,775	85	6.3	04.7-07.9	450	38.1	34.4-41.8	562	45.2	41.5-48.9	121	10.4	08.0-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1789	323,228	81	4.1	02.9-05.3	541	29.5	26.6-32.4	869	47.7	44.4-51.0	298	18.7	16.2-21.2
White/Non-Hisp	1409	223,893	54	3.8	02.4-05.2	440	29.7	26.6-32.8	688	48.3	44.6-52.0	227	18.2	15.3-21.1
Black or Afr. Am./Non-Hisp	208	56,487	17	5.3	02.4-08.2	51	25.5	17.7-33.3	100	47.4	38.8-56.0	40	21.9	14.6-29.2
Oth. Race/Non-Hisp.	68	14,748	6	4.7	00.4-09.0	22	26.5	14.5-38.5	24	41.5	25.4-57.6	16	27.2	13.3-41.1
18-24	126	41,686	9	7.1	01.4-12.8	30	22.4	12.2-32.6	62	50.6	38.8-62.4	25	19.9	11.3-28.5
25-34	204	57,891	11	4.0	01.5-06.5	62	30.0	22.0-38.0	90	45.0	36.2-53.8	41	21.0	13.6-28.4
35-44	210	54,525	6	2.9	00.0-05.8	60	26.5	19.6-33.4	110	54.0	46.0-62.0	34	16.6	10.5-22.7
45-54	323	60,730	7	2.2	00.2-04.2	107	37.2	29.9-44.5	156	44.5	37.2-51.8	53	16.1	11.2-21.0
55-64	367	50,459	23	6.0	02.3-09.7	98	23.4	18.1-28.7	172	46.0	39.1-52.9	74	24.7	18.2-31.2
65+	542	54,977	25	3.9	02.1-05.7	179	35.3	29.6-41.0	269	46.7	41.0-52.4	69	14.1	10.4-17.8
Less Than H.S.	110	43,549	5	5.5	00.0-11.2	26	22.3	13.1-31.5	51	47.1	35.5-58.7	28	25.1	14.9-35.3
H.S. or G.E.D.	541	111,264	18	2.9	00.9-04.9	155	28.5	23.0-34.0	250	48.7	42.8-54.6	118	19.9	15.8-24.0
Some Post-H.S.	460	86,837	18	3.8	01.6-06.0	141	31.4	25.7-37.1	216	44.0	37.7-50.3	85	20.8	15.5-26.1
College Graduate	673	80,290	40	5.5	03.5-07.5	219	33.3	28.6-38.0	349	50.8	45.9-55.7	65	10.3	07.2-13.4
Less than \$15,000	158	29,620	10	5.6	00.5-10.7	38	20.9	13.3-28.5	80	47.5	37.1-57.9	30	26.0	16.2-35.8
\$15,000- 24,999	148	28,756	11	9.9	01.5-18.3	32	24.0	14.0-34.0	67	41.8	31.2-52.4	38	24.3	15.3-33.3
\$25,000- 34,999	134	24,566	5	2.6	00.0-05.3	44	26.6	16.4-36.8	57	48.5	35.8-61.2	28	22.3	12.5-32.1
\$35,000- 49,999	270	48,737	11	2.9	00.9-04.9	69	27.0	18.4-35.6	142	48.3	39.3-57.3	48	21.8	14.5-29.1
\$50,000- 74,999	291	47,802	9	3.2	00.8-05.6	101	37.6	29.8-45.4	144	47.0	39.4-54.6	37	12.2	07.7-16.7
\$75,000+	542	93,259	23	3.9	01.9-05.9	180	33.8	28.5-39.1	271	49.3	43.6-55.0	68	13.0	09.3-16.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2902	356,060	194	5.8	04.8-06.8	1056	35.4	32.9-37.9	1292	43.8	41.3-46.3	360	15.0	12.8-17.2
White/Non-Hisp	2218	248,831	144	5.9	04.7-07.1	826	35.9	33.2-38.6	1004	46.1	43.2-49.0	244	12.1	10.1-14.1
Black or Afr. Am./Non-Hisp	459	71,008	31	5.2	02.7-07.7	131	27.5	21.8-33.2	210	41.1	34.8-47.4	87	26.2	19.5-32.9
Oth. Race/Non-Hisp.	72	7,652	9	9.8	02.0-17.6	28	44.1	28.2-60.0	26	31.6	18.5-44.7	9	14.4	01.5-27.3
Hispanic	85	21,968	6	5.8	00.9-10.7	42	47.8	32.9-62.7	28	35.0	20.3-49.7	9	11.3	02.7-19.9
18-24	112	40,092	6	2.6	00.2-05.0	35	27.8	17.2-38.4	44	43.2	30.7-55.7	27	26.4	15.4-37.4
25-34	299	57,168	17	5.0	02.5-07.5	113	36.9	29.6-44.2	117	39.2	32.1-46.3	52	18.9	13.0-24.8
35-44	351	59,215	21	6.7	03.4-10.0	130	35.3	29.2-41.4	153	43.3	36.8-49.8	47	14.7	09.8-19.6
45-54	490	65,158	30	5.8	03.4-08.2	177	38.1	32.6-43.6	207	41.1	35.6-46.6	76	15.0	11.1-18.9
55-64	651	56,239	42	6.3	03.4-09.2	231	37.0	32.3-41.7	315	49.1	44.2-54.0	63	7.7	05.3-10.1
65+	957	73,503	75	6.7	04.9-08.5	359	36.1	32.2-40.0	434	45.5	41.4-49.6	89	11.6	08.5-14.7
Less Than H.S.	167	44,296	9	3.6	01.1-06.1	55	30.0	21.2-38.8	73	45.4	35.4-55.4	30	21.0	12.0-30.0
H.S. or G.E.D.	892	107,246	47	4.6	02.8-06.4	284	31.5	27.4-35.6	423	46.5	42.0-51.0	138	17.4	13.9-20.9
Some Post-H.S.	861	110,712	57	5.6	03.6-07.6	315	37.3	32.6-42.0	385	41.7	37.0-46.4	104	15.3	11.4-19.2
College Graduate	973	93,367	80	8.3	06.1-10.5	398	40.2	36.1-44.3	409	42.6	38.1-47.1	86	8.9	06.5-11.3
Less than \$15,000	350	40,511	27	6.4	03.5-09.3	126	35.3	27.7-42.9	138	41.8	33.4-50.2	59	16.5	10.8-22.2
\$15,000- 24,999	363	46,300	22	3.2	01.6-04.8	109	29.2	22.5-35.9	171	45.6	38.0-53.2	61	22.0	14.9-29.1
\$25,000- 34,999	251	27,796	9	2.5	00.1-04.9	92	33.0	25.7-40.3	105	41.8	33.8-49.8	45	22.7	14.9-30.5
\$35,000- 49,999	341	39,047	16	3.4	01.2-05.6	125	35.0	27.6-42.4	164	48.1	40.7-55.5	36	13.5	08.0-19.0
\$50,000- 74,999	416	50,665	24	6.1	02.8-09.4	153	32.6	26.7-38.5	190	45.7	38.8-52.6	49	15.5	10.2-20.8
\$75,000+	676	89,516	62	8.9	06.2-11.6	270	42.6	37.7-47.5	291	40.9	36.0-45.8	53	7.6	05.1-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS
BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4689	682,380	1828	36.3	34.3-38.3	1342	29.9	27.9-31.9	1416	31.2	29.2-33.2	103	2.7	01.9-03.5
Male	1790	325,524	593	31.1	28.2-34.0	547	31.9	28.8-35.0	605	33.6	30.5-36.7	45	3.4	01.8-05.0
Female	2899	356,856	1235	41.0	38.5-43.5	795	28.0	25.6-30.4	811	28.9	26.5-31.3	58	2.1	01.3-02.9
White/Non-Hisp	3622	473,853	1476	39.2	36.8-41.6	1004	28.0	25.8-30.2	1071	30.3	28.1-32.5	71	2.4	01.4-03.4
Black or Afr. Am./Non-Hisp	669	129,187	202	26.9	22.2-31.6	215	33.5	28.4-38.6	232	36.6	31.5-41.7	20	3.0	01.4-04.6
Oth. Race/Non-Hisp.	139	22,377	62	39.3	28.5-50.1	46	37.8	26.0-49.6	29	20.8	11.6-30.0	2	2.1	00.0-05.6
MultiRacial/Non-Hisp.	80	9,532	32	40.5	26.8-54.2	17	22.4	11.2-33.6	28	35.4	22.3-48.5	3	1.7	00.0-03.7
Hispanic	134	43,622	37	29.4	18.2-40.6	49	37.3	26.1-48.5	41	27.9	18.5-37.3	7	5.5	00.8-10.2
18-24	240	83,660	78	33.8	25.6-42.0	76	31.5	23.7-39.3	76	31.1	23.5-38.7	10	3.5	00.6-06.4
25-34	502	114,930	185	35.5	30.0-41.0	154	29.2	24.1-34.3	150	32.2	26.7-37.7	13	3.2	00.3-06.1
35-44	561	113,678	192	31.9	27.2-36.6	177	32.2	27.3-37.1	178	32.6	27.7-37.5	14	3.3	01.1-05.5
45-54	816	127,153	329	38.0	33.5-42.5	228	31.5	27.0-36.0	243	29.1	25.2-33.0	16	1.3	00.5-02.1
55-64	1014	106,109	406	37.4	33.5-41.3	251	26.4	22.7-30.1	337	33.8	29.9-37.7	20	2.4	00.6-04.2
65+	1499	129,804	621	39.9	36.6-43.2	439	28.8	25.7-31.9	410	28.5	25.4-31.6	29	2.8	01.4-04.2
Less Than H.S.	282	90,241	88	31.3	24.2-38.4	100	36.7	29.4-44.0	80	26.9	20.4-33.4	14	5.1	01.2-09.0
H.S. or G.E.D.	1424	218,966	507	34.9	31.4-38.4	405	27.3	24.0-30.6	477	35.3	31.8-38.8	35	2.5	01.3-03.7
Some Post-H.S.	1319	197,569	538	37.3	33.6-41.0	374	30.0	26.5-33.5	384	30.1	26.6-33.6	23	2.5	00.9-04.1
College Graduate	1650	173,878	687	38.9	35.8-42.0	461	29.7	26.6-32.8	471	29.4	26.5-32.3	31	2.1	01.1-03.1
Less than \$15,000	514	70,588	171	29.9	24.2-35.6	149	27.8	21.9-33.7	176	38.5	32.2-44.8	18	3.8	01.6-06.0
\$15,000- 24,999	507	74,872	166	32.0	25.9-38.1	160	34.8	28.7-40.9	165	30.9	25.2-36.6	16	2.3	00.9-03.7
\$25,000- 34,999	387	52,622	142	37.5	30.4-44.6	137	35.8	28.5-43.1	98	22.7	17.2-28.2	10	4.0	00.5-07.5
\$35,000- 49,999	611	89,169	227	33.9	28.0-39.8	150	24.4	18.9-29.9	222	39.3	33.4-45.2	12	2.4	00.4-04.4
\$50,000- 74,999	705	98,293	293	40.7	35.6-45.8	198	31.5	26.8-36.2	200	25.1	21.0-29.2	14	2.7	00.7-04.7
\$75,000+	1219	182,876	521	38.9	35.4-42.4	335	29.7	26.2-33.2	350	30.6	26.9-34.3	13	0.7	00.3-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS
BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1790	325,524	593	31.1	28.2-34.0	547	31.9	28.8-35.0	605	33.6	30.5-36.7	45	3.4	01.8-05.0
White/Non-Hisp	1406	224,040	471	32.6	29.3-35.9	437	31.9	28.6-35.2	465	32.2	28.9-35.5	33	3.4	01.4-05.4
Black or Afr. Am./Non-Hisp	212	58,569	58	24.5	17.2-31.8	68	33.3	25.1-41.5	77	37.9	29.7-46.1	9	4.4	01.1-07.7
Oth. Race/Non-Hisp.	68	14,748	27	31.5	18.4-44.6	22	39.6	23.5-55.7	18	26.0	12.7-39.3	1	2.8	00.0-08.3
18-24	127	42,107	35	24.9	14.9-34.9	40	33.4	22.2-44.6	46	35.9	24.9-46.9	6	5.8	00.1-11.5
25-34	202	57,553	69	34.1	25.7-42.5	59	27.3	19.9-34.7	66	33.4	25.2-41.6	8	5.3	00.0-10.8
35-44	210	54,525	53	24.1	17.4-30.8	75	37.5	29.5-45.5	77	36.1	28.1-44.1	5	2.3	00.1-04.5
45-54	325	61,749	109	32.5	25.4-39.6	105	36.9	29.6-44.2	105	29.7	23.6-35.8	6	0.9	00.0-01.9
55-64	366	50,280	118	30.5	24.4-36.6	103	27.5	21.6-33.4	137	38.3	31.6-45.0	8	3.6	00.0-07.3
65+	544	56,481	203	37.2	31.7-42.7	161	29.5	24.2-34.8	168	30.1	24.8-35.4	12	3.3	00.6-06.0
Less Than H.S.	115	46,330	37	30.8	20.6-41.0	38	35.8	25.0-46.6	33	26.4	16.8-36.0	7	7.0	00.0-14.3
H.S. or G.E.D.	537	110,870	173	30.9	25.6-36.2	157	28.7	23.4-34.0	192	37.6	32.1-43.1	15	2.9	01.1-04.7
Some Post-H.S.	458	86,635	144	30.0	24.3-35.7	155	35.0	29.1-40.9	150	32.1	26.2-38.0	9	3.0	00.1-05.9
College Graduate	675	80,401	237	32.1	27.8-36.4	197	31.4	26.7-36.1	227	34.2	29.5-38.9	14	2.4	00.8-04.0
Less than \$15,000	160	29,782	42	30.2	20.2-40.2	49	24.3	16.3-32.3	61	39.6	29.6-49.6	8	5.9	01.2-10.6
\$15,000- 24,999	149	29,070	42	29.5	19.1-39.9	44	32.5	21.9-43.1	57	35.0	24.8-45.2	6	3.1	00.2-06.0
\$25,000- 34,999	134	24,566	44	35.5	23.5-47.5	51	38.8	26.1-51.5	35	20.7	12.5-28.9	4	5.0	00.0-11.9
\$35,000- 49,999	267	48,311	92	29.3	21.3-37.3	65	27.9	19.1-36.7	104	40.9	32.1-49.7	6	1.9	00.3-03.5
\$50,000- 74,999	290	47,692	98	32.6	25.2-40.0	96	36.5	29.1-43.9	90	27.7	21.4-34.0	6	3.3	00.0-06.6
\$75,000+	543	93,379	180	30.3	25.4-35.2	170	32.9	27.6-38.2	186	36.2	30.5-41.9	7	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS
BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2899	356,856	1235	41.0	38.5-43.5	795	28.0	25.6-30.4	811	28.9	26.5-31.3	58	2.1	01.3-02.9
White/Non-Hisp	2216	249,813	1005	45.1	42.2-48.0	567	24.6	22.1-27.1	606	28.7	26.0-31.4	38	1.6	01.0-02.2
Black or Afr. Am./Non-Hisp	457	70,618	144	28.8	22.9-34.7	147	33.6	27.3-39.9	155	35.6	29.3-41.9	11	1.9	00.5-03.3
Oth. Race/Non-Hisp.	71	7,629	35	54.2	38.7-69.7	24	34.3	19.2-49.4	11	10.6	03.5-17.7	1	0.8	00.0-02.4
Hispanic	86	22,180	27	32.6	18.1-47.1	35	43.1	28.4-57.8	18	15.1	06.5-23.7	6	9.2	00.8-17.6
18-24	113	41,553	43	42.9	30.4-55.4	36	29.6	18.6-40.6	30	26.3	15.7-36.9	4	1.3	00.0-02.7
25-34	300	57,376	116	36.8	29.7-43.9	95	31.1	24.2-38.0	84	31.0	23.9-38.1	5	1.1	00.0-02.3
35-44	351	59,152	139	39.0	32.7-45.3	102	27.4	21.7-33.1	101	29.3	23.4-35.2	9	4.3	00.8-07.8
45-54	491	65,404	220	43.1	37.4-48.8	123	26.5	21.4-31.6	138	28.6	23.7-33.5	10	1.8	00.6-03.0
55-64	648	55,829	288	43.6	38.7-48.5	148	25.4	21.1-29.7	200	29.7	25.2-34.2	12	1.3	00.5-02.1
65+	955	73,323	418	42.0	38.1-45.9	278	28.3	24.6-32.0	242	27.3	23.4-31.2	17	2.4	01.0-03.8
Less Than H.S.	167	43,911	51	31.8	22.2-41.4	62	37.6	27.8-47.4	47	27.5	18.7-36.3	7	3.0	00.6-05.4
H.S. or G.E.D.	887	108,096	334	39.1	34.4-43.8	248	25.8	21.9-29.7	285	32.9	28.6-37.2	20	2.2	01.0-03.4
Some Post-H.S.	861	110,934	394	43.1	38.4-47.8	219	26.2	22.1-30.3	234	28.7	24.4-33.0	14	2.0	00.2-03.8
College Graduate	975	93,477	450	44.8	40.5-49.1	264	28.2	24.1-32.3	244	25.2	21.3-29.1	17	1.8	00.8-02.8
Less than \$15,000	354	40,806	129	29.7	23.2-36.2	100	30.4	22.4-38.4	115	37.6	29.4-45.8	10	2.3	00.7-03.9
\$15,000- 24,999	358	45,802	124	33.7	26.4-41.0	116	36.3	28.9-43.7	108	28.2	21.5-34.9	10	1.8	00.6-03.0
\$25,000- 34,999	253	28,056	98	39.3	31.1-47.5	86	33.1	25.7-40.5	63	24.5	17.4-31.6	6	3.0	00.3-05.7
\$35,000- 49,999	344	40,857	135	39.3	31.1-47.5	85	20.3	15.2-25.4	118	37.4	30.0-44.8	6	3.0	00.0-06.9
\$50,000- 74,999	415	50,602	195	48.4	41.5-55.3	102	26.9	21.0-32.8	110	22.6	17.5-27.7	8	2.1	00.1-04.1
\$75,000+	676	89,497	341	48.0	43.1-52.9	165	26.5	22.0-31.0	164	24.9	20.4-29.4	6	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 10: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	188
2 MALES ONLY	189
3 FEMALES ONLY	190
WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)	
4 MALES AND FEMALES	191
5 MALES ONLY	192
6 FEMALES ONLY	193
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7 MALES AND FEMALES	194
8 MALES ONLY	195
9 FEMALES ONLY	196
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10 MALES AND FEMALES	197
11 MALES ONLY	198
12 FEMALES ONLY	199
WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)	
13 MALES AND FEMALES	200
14 MALES ONLY	201
15 FEMALES ONLY	202

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 10: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16 MALES AND FEMALES	203
17 MALES ONLY	204
18 FEMALES ONLY	205
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19 MALES AND FEMALES	206
20 MALES ONLY	207
21 FEMALES ONLY	208
DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22 MALES AND FEMALES	209
23 MALES ONLY	210
24 FEMALES ONLY	211
33	
25 MALES AND FEMALES	212
26 MALES ONLY	213
27 FEMALES ONLY	214
37	
28 MALES AND FEMALES	215
29 MALES ONLY	216
30 FEMALES ONLY	217

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4728	686,063	3419	73.0	71.2-74.8	1309	27.0	25.2-28.8
Male	1805	327,706	1355	73.4	70.5-76.3	450	26.6	23.7-29.5
Female	2923	358,357	2064	72.6	70.4-74.8	859	27.4	25.2-29.6
White/Non-Hisp	3651	476,022	2670	73.6	71.6-75.6	981	26.4	24.4-28.4
Black or Afr. Am./Non-Hisp	676	130,406	456	70.2	65.5-74.9	220	29.8	25.1-34.5
Oth. Race/Non-Hisp.	140	22,400	100	75.0	65.8-84.2	40	25.0	15.8-34.2
MultiRacial/Non-Hisp.	80	9,532	61	73.0	60.7-85.3	19	27.0	14.7-39.3
Hispanic	134	43,622	96	73.4	64.0-82.8	38	26.6	17.2-36.0
18-24	240	82,697	196	86.1	81.2-91.0	44	13.9	09.0-18.8
25-34	504	115,302	395	75.2	69.9-80.5	109	24.8	19.5-30.1
35-44	562	113,959	424	73.9	69.4-78.4	138	26.1	21.6-30.6
45-54	819	127,413	594	72.0	67.9-76.1	225	28.0	23.9-32.1
55-64	1019	107,175	736	71.1	67.2-75.0	283	28.9	25.0-32.8
65+	1525	131,873	1030	64.8	61.5-68.1	495	35.2	31.9-38.5
Less Than H.S.	289	91,776	160	59.0	51.7-66.3	129	41.0	33.7-48.3
H.S. or G.E.D.	1446	221,425	902	66.7	63.4-70.0	544	33.3	30.0-36.6
Some Post-H.S.	1328	198,179	980	77.2	74.1-80.3	348	22.8	19.7-25.9
College Graduate	1651	172,957	1368	84.0	81.6-86.4	283	16.0	13.6-18.4
Less than \$15,000	515	70,733	299	60.9	54.8-67.0	216	39.1	33.0-45.2
\$15,000- 24,999	518	75,775	306	54.6	48.3-60.9	212	45.4	39.1-51.7
\$25,000- 34,999	386	52,435	256	69.0	62.5-75.5	130	31.0	24.5-37.5
\$35,000- 49,999	616	89,857	458	75.8	70.7-80.9	158	24.2	19.1-29.3
\$50,000- 74,999	707	98,449	543	75.6	71.3-79.9	164	24.4	20.1-28.7
\$75,000+	1217	181,855	998	81.4	78.5-84.3	219	18.6	15.7-21.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1805	327,706	1355	73.4	70.5-76.3	450	26.6	23.7-29.5
White/Non-Hisp	1418	225,728	1072	73.0	69.7-76.3	346	27.0	23.7-30.3
Black or Afr. Am./Non-Hisp	213	58,791	156	74.5	67.2-81.8	57	25.5	18.2-32.8
Oth. Race/Non-Hisp.	68	14,748	48	73.4	60.7-86.1	20	26.6	13.9-39.3
18-24	128	42,254	109	86.8	79.9-93.7	19	13.2	06.3-20.1
25-34	205	58,009	163	72.6	64.2-81.0	42	27.4	19.0-35.8
35-44	210	54,525	160	75.2	68.3-82.1	50	24.8	17.9-31.7
45-54	326	61,903	236	72.1	65.6-78.6	90	27.9	21.4-34.4
55-64	369	50,809	277	69.5	62.6-76.4	92	30.5	23.6-37.4
65+	550	57,247	397	67.7	62.2-73.2	153	32.3	26.8-37.8
Less Than H.S.	118	46,894	65	56.7	45.7-67.7	53	43.3	32.3-54.3
H.S. or G.E.D.	545	112,057	357	68.6	63.5-73.7	188	31.4	26.3-36.5
Some Post-H.S.	461	86,956	353	77.8	72.9-82.7	108	22.2	17.3-27.1
College Graduate	676	80,511	578	85.7	82.2-89.2	98	14.3	10.8-17.8
Less than \$15,000	160	29,782	97	61.5	51.7-71.3	63	38.5	28.7-48.3
\$15,000- 24,999	153	29,433	88	52.0	41.2-62.8	65	48.0	37.2-58.8
\$25,000- 34,999	134	24,566	100	76.8	66.8-86.8	34	23.2	13.2-33.2
\$35,000- 49,999	270	48,737	198	71.6	63.6-79.6	72	28.4	20.4-36.4
\$50,000- 74,999	291	47,802	229	74.0	66.9-81.1	62	26.0	18.9-33.1
\$75,000+	541	93,294	456	83.0	78.7-87.3	85	17.0	12.7-21.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2923	358,357	2064	72.6	70.4-74.8	859	27.4	25.2-29.6
White/Non-Hisp	2233	250,294	1598	74.1	71.6-76.6	635	25.9	23.4-28.4
Black or Afr. Am./Non-Hisp	463	71,615	300	66.7	60.6-72.8	163	33.3	27.2-39.4
Oth. Race/Non-Hisp.	72	7,652	52	78.2	66.8-89.6	20	21.8	10.4-33.2
Hispanic	86	22,180	60	72.9	61.5-84.3	26	27.1	15.7-38.5
18-24	112	40,442	87	85.3	78.2-92.4	25	14.7	07.6-21.8
25-34	299	57,293	232	77.9	71.8-84.0	67	22.1	16.0-28.2
35-44	352	59,434	264	72.7	66.8-78.6	88	27.3	21.4-33.2
45-54	493	65,510	358	71.9	66.6-77.2	135	28.1	22.8-33.4
55-64	650	56,366	459	72.5	68.4-76.6	191	27.5	23.4-31.6
65+	975	74,626	633	62.7	58.6-66.8	342	37.3	33.2-41.4
Less Than H.S.	171	44,883	95	61.3	51.9-70.7	76	38.7	29.3-48.1
H.S. or G.E.D.	901	109,368	545	64.7	60.6-68.8	356	35.3	31.2-39.4
Some Post-H.S.	867	111,222	627	76.7	72.8-80.6	240	23.3	19.4-27.2
College Graduate	975	92,446	790	82.5	79.4-85.6	185	17.5	14.4-20.6
Less than \$15,000	355	40,952	202	60.5	52.9-68.1	153	39.5	31.9-47.1
\$15,000- 24,999	365	46,342	218	56.3	48.7-63.9	147	43.7	36.1-51.3
\$25,000- 34,999	252	27,869	156	62.0	54.2-69.8	96	38.0	30.2-45.8
\$35,000- 49,999	346	41,120	260	80.8	75.7-85.9	86	19.2	14.1-24.3
\$50,000- 74,999	416	50,647	314	77.1	71.8-82.4	102	22.9	17.6-28.2
\$75,000+	676	88,560	542	79.6	75.5-83.7	134	20.4	16.3-24.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and/or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3369	493,239	838	29.4	27.0-31.8	1746	46.9	44.4-49.4	234	8.1	06.7-09.5	70	2.4	01.4-03.4	9	0.4	00.2-00.6	472	12.9	11.3-14.5
Male	1342	238,037	393	31.5	28.0-35.0	571	37.7	34.0-41.4	137	12.6	09.9-15.3	28	3.0	01.2-04.8	7	0.6	00.0-01.2	206	14.7	12.2-17.2
Female	2027	255,201	445	27.4	24.3-30.5	1175	55.4	52.3-58.5	97	4.0	02.8-05.2	42	1.8	01.0-02.6	2	0.2	00.0-00.4	266	11.2	09.4-13.0
White/Non-Hisp	2640	346,928	636	29.3	26.6-32.0	1366	46.7	44.0-49.4	178	7.4	05.8-09.0	60	2.3	01.5-03.1	7	0.4	00.0-00.8	393	13.9	12.1-15.7
Black or Afr. Am./Non-Hisp	445	88,933	118	28.9	22.8-35.0	250	53.0	46.5-59.5	30	6.3	03.6-09.0	4	0.6	00.0-01.4	1	0.3	00.0-00.9	42	10.9	06.6-15.2
Oth. Race/Non-Hisp.	98	16,719	34	40.9	27.4-54.4	43	29.2	18.8-39.6	6	11.4	01.4-21.4	3	2.1	00.0-05.6	1	1.3	00.0-03.8	11	15.2	01.9-28.5
MultiRacial/Non-Hisp.	60	6,930	21	45.7	29.4-62.0	23	37.5	22.4-52.6	2	3.3	00.0-08.4							14	13.5	04.9-22.1
Hispanic	92	30,866	24	23.6	13.0-34.2	44	41.3	27.0-55.6	15	21.6	10.2-33.0	3	9.2	00.0-20.6				6	4.3	00.2-08.4
18-24	192	69,548	106	54.0	44.4-63.6	36	20.0	11.6-28.4	27	14.9	08.2-21.6	5	3.7	00.0-08.4	1	0.3	00.0-00.9	17	7.0	03.3-10.7
25-34	386	85,121	164	39.8	33.5-46.1	151	38.7	32.2-45.2	23	8.3	04.6-12.0	8	3.3	00.2-06.4	2	0.7	00.0-01.7	38	9.3	06.0-12.6
35-44	416	82,983	130	30.2	24.7-35.7	193	42.9	36.8-49.0	29	7.8	04.3-11.3	8	2.1	00.3-03.9	2	0.7	00.0-01.7	54	16.3	11.0-21.6
45-54	587	91,025	150	25.2	20.5-29.9	326	55.4	50.1-60.7	29	5.3	02.9-07.7	8	1.5	00.1-02.9	2	0.4	00.0-01.0	72	12.1	08.8-15.4
55-64	726	74,872	129	15.9	12.8-19.0	436	62.9	58.4-67.4	48	7.0	04.6-09.4	9	0.9	00.1-01.7	2	0.1	00.0-00.3	102	13.1	10.0-16.2
65+	1020	84,804	149	14.6	11.7-17.5	578	56.5	52.4-60.6	77	7.2	05.4-09.0	30	2.7	01.5-03.9				186	19.0	15.7-22.3
Less Than H.S.	157	53,136	26	24.5	14.9-34.1	93	53.2	43.0-63.4	7	7.2	01.5-12.9	4	3.8	00.0-08.3				27	11.4	06.3-16.5
H.S. or G.E.D.	889	145,159	174	24.6	20.3-28.9	500	49.7	44.8-54.6	72	8.9	06.4-11.4	13	2.6	00.2-05.0	1	0.3	00.0-00.9	129	13.9	10.6-17.2
Some Post-H.S.	965	151,103	208	28.7	24.4-33.0	521	46.1	41.6-50.6	68	9.9	06.8-13.0	20	1.6	00.8-02.4	1	0.1	00.0-00.3	147	13.6	10.7-16.5
College Graduate	1349	143,192	429	36.9	33.4-40.4	627	42.4	38.9-45.9	87	6.0	04.4-07.6	33	2.5	01.3-03.7	7	0.8	00.0-01.6	166	11.5	09.3-13.7
Less than \$15,000	295	42,600	49	20.9	13.6-28.2	161	53.0	44.2-61.8	22	10.0	04.7-15.3	6	0.9	00.1-01.7				57	15.3	10.0-20.6
\$15,000- 24,999	303	40,791	58	26.1	17.9-34.3	191	56.6	48.2-65.0	20	8.4	03.3-13.5	3	0.8	00.0-01.8				31	8.0	04.1-11.9
\$25,000- 34,999	248	34,570	48	21.4	13.0-29.8	137	52.9	43.5-62.3	16	6.2	01.3-11.1	6	1.7	00.3-03.1				41	17.8	10.2-25.4
\$35,000- 49,999	445	66,757	82	21.0	14.7-27.3	243	49.1	41.8-56.4	41	11.1	06.6-15.6	14	6.2	00.7-11.7	1	0.6	00.0-01.8	64	12.0	07.9-16.1
\$50,000- 74,999	538	73,861	135	29.4	23.7-35.1	281	50.9	45.0-56.8	32	5.9	03.4-08.4	12	1.3	00.5-02.1	2	0.3	00.0-00.7	76	12.2	08.7-15.7
\$75,000+	992	147,054	319	34.2	30.3-38.1	457	41.3	37.2-45.4	72	8.8	06.1-11.5	19	2.2	00.8-03.6	5	0.7	00.1-01.3	120	12.8	10.1-15.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and/or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1342	238,037	393	31.5	28.0-35.0	571	37.7	34.0-41.4	137	12.6	09.9-15.3	28	3.0	01.2-04.8	7	0.6	00.0-01.2	206	14.7	12.2-17.2
White/Non-Hisp	1067	164,196	308	32.7	28.6-36.8	458	37.9	33.8-42.0	102	11.4	08.5-14.3	24	2.4	01.0-03.8	6	0.7	00.1-01.3	169	14.8	12.1-17.5
Black or Afr. Am./Non-Hisp	154	42,976	49	30.8	21.6-40.0	70	44.4	34.2-54.6	17	8.8	04.1-13.5	1	0.3	00.0-00.9				17	15.8	08.0-23.6
18-24	106	35,819	55	49.8	36.9-62.7	12	8.5	02.0-15.0	22	25.4	13.8-37.0	5	7.3	00.0-16.3	1	0.5	00.0-01.5	11	8.5	02.8-14.2
25-34	161	41,512	80	44.3	34.7-53.9	33	21.4	12.2-30.6	19	15.2	07.9-22.5	5	4.9	00.0-10.4	1	0.8	00.0-02.4	23	13.4	07.5-19.3
35-44	160	40,981	53	28.9	20.9-36.9	53	34.2	24.8-43.6	18	10.9	05.2-16.6	4	2.5	00.0-05.2	2	1.3	00.0-03.3	30	22.3	13.3-31.3
45-54	233	44,196	72	29.9	22.1-37.7	112	49.1	40.3-57.9	16	7.7	03.4-12.0	3	0.5	00.0-01.1	1	0.5	00.0-01.5	29	12.4	07.3-17.5
55-64	275	35,135	60	19.5	14.0-25.0	153	59.9	52.6-67.2	23	8.6	04.5-12.7	3	0.6	00.0-01.4	2	0.2	00.0-00.4	34	11.2	06.3-16.1
65+	396	38,579	69	16.6	11.7-21.5	202	51.3	44.4-58.2	39	9.6	06.3-12.9	7	2.3	00.1-04.5				79	20.2	14.9-25.5
Less Than H.S.	63	25,913	12	24.4	11.1-37.7	30	44.1	28.6-59.6	5	11.4	01.2-21.6	4	7.7	00.0-16.7				12	12.4	04.4-20.4
H.S. or G.E.D.	353	76,236	84	26.1	19.8-32.4	158	39.5	32.4-46.6	38	12.4	07.9-16.9	5	3.7	00.0-08.0	1	0.5	00.0-01.5	67	17.8	12.3-23.3
Some Post-H.S.	351	67,213	95	31.0	24.1-37.9	153	35.6	29.1-42.1	42	17.2	10.9-23.5	5	0.9	00.1-01.7	1	0.3	00.0-00.9	55	15.0	10.1-19.9
College Graduate	573	68,383	201	40.7	35.4-46.0	229	35.3	30.4-40.2	52	8.8	05.9-11.7	14	2.4	00.8-04.0	5	1.1	00.0-02.3	72	11.8	08.5-15.1
Less than \$15,000	97	18,304	20	22.0	11.8-32.2	42	40.2	26.5-53.9	10	17.5	06.7-28.3	1	0.5	00.0-01.5				24	19.9	09.9-29.9
\$15,000- 24,999	86	14,884	21	34.2	18.3-50.1	47	42.7	28.6-56.8	6	10.6	00.0-22.0	3	2.3	00.0-05.0				9	10.2	01.6-18.8
\$25,000- 34,999	96	17,657	25	28.1	13.6-42.6	44	42.5	27.6-57.4	9	5.8	01.1-10.5							18	23.7	10.2-37.2
\$35,000- 49,999	197	34,794	39	20.1	10.9-29.3	91	38.1	28.5-47.7	31	18.4	10.2-26.6	5	9.1	00.0-19.3	1	1.1	00.0-03.3	30	13.2	06.3-20.1
\$50,000- 74,999	227	35,086	68	28.2	21.1-35.3	104	46.7	37.9-55.5	14	7.6	02.9-12.3	4	1.2	00.0-02.4	2	0.6	00.0-01.6	35	15.6	09.3-21.9
\$75,000+	455	77,301	158	36.0	30.1-41.9	168	33.0	27.1-38.9	53	13.7	08.8-18.6	10	1.6	00.4-02.8	3	0.7	00.0-01.7	63	14.9	10.4-19.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2027	255,201	445	27.4	24.3-30.5	1175	55.4	52.3-58.5	97	4.0	02.8-05.2	42	1.8	01.0-02.6	2	0.2	00.0-00.4	266	11.2	09.4-13.0
White/Non-Hisp	1573	182,732	328	26.3	22.8-29.8	908	54.6	51.1-58.1	76	3.7	02.7-04.7	36	2.2	01.2-03.2	1	0.1	00.0-00.3	224	13.1	10.9-15.3
Black or Afr. Am./Non-Hisp	291	45,956	69	27.0	19.2-34.8	180	61.0	52.8-69.2	13	3.9	01.4-06.4	3	1.0	00.0-02.4	1	0.6	00.0-01.8	25	6.4	02.7-10.1
Oth. Race/Non-Hisp.	51	5,963	17	48.6	29.6-67.6	28	45.1	27.3-62.9				2	1.0	00.0-02.4				4	5.3	00.0-12.7
Hispanic	59	15,827	17	32.3	15.8-48.8	33	54.8	36.6-73.0	4	8.7	00.0-18.9	1	0.9	00.0-02.7				4	3.4	00.0-06.9
18-24	86	33,730	51	58.4	44.1-72.7	24	32.3	17.8-46.8	5	3.9	00.4-07.4							6	5.5	00.4-10.6
25-34	225	43,609	84	35.5	27.3-43.7	118	55.1	46.7-63.5	4	1.6	00.0-03.4	3	1.8	00.0-04.7	1	0.6	00.0-01.8	15	5.4	02.3-08.5
35-44	256	42,002	77	31.6	24.3-38.9	140	51.4	43.6-59.2	11	4.9	01.0-08.8	4	1.8	00.0-03.8				24	10.4	05.7-15.1
45-54	354	46,830	78	20.8	15.7-25.9	214	61.4	55.1-67.7	13	3.1	01.1-05.1	5	2.5	00.1-04.9	1	0.3	00.0-00.9	43	11.9	07.8-16.0
55-64	451	39,738	69	12.6	09.1-16.1	283	65.6	60.1-71.1	25	5.7	03.2-08.2	6	1.3	00.1-02.5				68	14.8	10.7-18.9
65+	624	46,225	80	13.0	09.7-16.3	376	60.9	56.0-65.8	38	5.1	03.3-06.9	23	3.0	01.6-04.4				107	18.0	13.9-22.1
Less Than H.S.	94	27,223	14	24.6	11.1-38.1	63	61.8	48.1-75.5	2	3.2	00.0-08.7							15	10.4	03.9-16.9
H.S. or G.E.D.	536	68,923	90	23.1	17.0-29.2	342	61.1	54.8-67.4	34	4.9	02.7-07.1	8	1.4	00.0-02.8				62	9.5	06.4-12.6
Some Post-H.S.	614	83,891	113	26.8	21.1-32.5	368	54.6	48.9-60.3	26	4.0	02.2-05.8	15	2.1	00.7-03.5				92	12.5	09.2-15.8
College Graduate	776	74,809	228	33.3	28.8-37.8	398	48.9	44.0-53.8	35	3.4	02.0-04.8	19	2.6	00.6-04.6	2	0.5	00.0-01.3	94	11.2	08.5-13.9
Less than \$15,000	198	24,296	29	20.0	10.0-30.0	119	62.6	51.8-73.4	12	4.5	01.0-08.0	5	1.2	00.0-02.4				33	11.8	06.7-16.9
\$15,000- 24,999	217	25,907	37	21.5	12.5-30.5	144	64.7	55.3-74.1	14	7.1	02.4-11.8							22	6.7	02.8-10.6
\$25,000- 34,999	152	16,913	23	14.4	07.7-21.1	93	63.8	53.4-74.2	7	6.7	00.0-15.3	6	3.4	00.5-06.3				23	11.6	05.9-17.3
\$35,000- 49,999	248	31,963	43	22.1	13.7-30.5	152	61.1	51.9-70.3	10	3.1	00.7-05.5	9	3.0	00.5-05.5				34	10.7	06.2-15.2
\$50,000- 74,999	311	38,775	67	30.5	21.7-39.3	177	54.6	46.4-62.8	18	4.5	02.1-06.9	8	1.3	00.1-02.5				41	9.1	05.8-12.4
\$75,000+	537	69,753	161	32.2	27.1-37.3	289	50.4	44.9-55.9	19	3.3	01.5-05.1	9	2.9	00.5-05.3	2	0.6	00.0-01.4	57	10.6	07.3-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3388	496,997	1647	50.0	47.5-52.5	1081	30.7	28.3-33.1	383	11.5	09.9-13.1	115	3.4	02.6-04.2	162	4.5	03.5-05.5
Male	1341	238,684	621	51.0	47.3-54.7	424	27.8	24.7-30.9	162	11.6	09.2-14.0	51	3.7	02.3-05.1	83	6.0	04.0-08.0
Female	2047	258,314	1026	49.0	45.9-52.1	657	33.3	30.2-36.4	221	11.5	09.5-13.5	64	3.2	02.2-04.2	79	3.1	02.3-03.9
White/Non-Hisp	2647	347,903	1281	49.5	46.8-52.2	845	30.6	28.1-33.1	296	11.7	09.9-13.5	90	3.4	02.4-04.4	135	4.8	03.6-06.0
Black or Afr. Am./Non-Hisp	453	91,089	209	46.9	40.4-53.4	156	33.8	27.7-39.9	52	10.8	06.9-14.7	16	3.5	01.1-05.9	20	5.0	02.1-07.9
Oth. Race/Non-Hisp.	98	16,627	58	69.7	58.5-80.9	26	19.1	10.5-27.7	7	4.2	00.7-07.7	3	4.8	00.0-10.9	4	2.2	00.0-04.7
MultiRacial/Non-Hisp.	60	6,752	30	52.5	36.4-68.6	16	29.8	15.1-44.5	10	12.5	03.3-21.7	2	0.5	00.0-01.1	2	4.8	00.0-12.6
Hispanic	95	31,681	52	52.5	38.4-66.6	26	29.0	15.9-42.1	14	14.6	05.6-23.6	3	3.9	00.0-08.4			
18-24	195	71,098	101	53.0	43.6-62.4	58	30.4	21.6-39.2	23	9.5	04.6-14.4	10	4.3	01.4-07.2	3	2.8	00.0-06.5
25-34	390	85,716	216	51.2	44.7-57.7	98	27.5	21.4-33.6	49	15.0	10.3-19.7	11	2.8	00.6-05.0	16	3.4	01.6-05.2
35-44	418	83,370	234	54.1	47.8-60.4	104	24.1	19.0-29.2	47	13.1	08.4-17.8	15	4.1	01.4-06.8	18	4.6	02.1-07.1
45-54	591	91,540	322	55.4	50.1-60.7	163	26.1	21.6-30.6	59	9.2	06.5-11.9	22	3.0	01.6-04.4	25	6.3	03.4-09.2
55-64	728	75,355	317	43.5	38.8-48.2	253	35.8	31.1-40.5	96	12.3	09.2-15.4	19	3.4	01.6-05.2	43	5.0	03.2-06.8
65+	1024	85,033	438	42.4	38.3-46.5	391	40.2	36.1-44.3	105	9.9	07.7-12.1	38	3.3	02.1-04.5	52	4.3	02.9-05.7
Less Than H.S.	157	53,589	56	40.8	30.4-51.2	73	44.7	34.7-54.7	18	9.8	04.3-15.3	6	2.7	00.2-05.2	4	1.9	00.0-04.3
H.S. or G.E.D.	892	146,481	404	48.4	43.5-53.3	306	31.0	26.7-35.3	114	12.8	09.9-15.7	26	3.3	01.5-05.1	42	4.5	02.5-06.5
Some Post-H.S.	973	152,074	452	49.2	44.7-53.7	314	28.5	24.6-32.4	116	13.0	09.7-16.3	43	4.1	02.5-05.7	48	5.3	03.1-07.5
College Graduate	1357	144,204	730	55.7	52.2-59.2	385	27.4	24.3-30.5	135	9.4	07.4-11.4	40	3.1	01.9-04.3	67	4.4	03.0-05.8
Less than \$15,000	298	42,930	113	37.7	29.3-46.1	110	38.9	30.1-47.7	50	15.0	09.3-20.7	10	3.9	01.0-06.8	15	4.5	01.0-08.0
\$15,000- 24,999	301	40,988	125	42.9	34.7-51.1	126	41.1	33.3-48.9	34	10.6	06.1-15.1	7	3.2	00.5-05.9	9	2.1	00.5-03.7
\$25,000- 34,999	252	35,331	119	51.5	42.3-60.7	87	34.5	26.1-42.9	25	7.9	04.0-11.8	10	3.7	00.2-07.2	11	2.3	00.7-03.9
\$35,000- 49,999	451	67,151	225	51.0	43.7-58.3	140	30.4	23.5-37.3	50	11.4	07.5-15.3	19	3.5	01.5-05.5	17	3.8	01.6-06.0
\$50,000- 74,999	540	74,191	276	55.9	50.2-61.6	152	24.8	20.1-29.5	66	12.2	08.5-15.9	15	2.3	00.9-03.7	31	5.0	02.8-07.2
\$75,000+	994	147,431	522	53.5	49.4-57.6	273	25.6	22.1-29.1	105	11.5	08.6-14.4	41	4.3	02.5-06.1	53	5.0	02.8-07.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1341	238,684	621	51.0	47.3-54.7	424	27.8	24.7-30.9	162	11.6	09.2-14.0	51	3.7	02.3-05.1	83	6.0	04.2-07.8
White/Non-Hisp	1063	163,873	480	48.2	43.9-52.5	344	29.4	25.7-33.1	128	12.5	09.6-15.4	39	3.0	01.8-04.2	72	6.9	04.5-09.3
Black or Afr. Am./Non-Hisp	155	43,502	70	51.1	41.1-61.1	52	29.2	20.6-37.8	16	8.1	03.0-13.2	7	4.9	00.4-09.4	10	6.7	01.4-12.0
18-24	108	36,590	55	54.8	42.3-67.3	29	23.7	14.1-33.3	15	11.3	03.9-18.7	6	4.8	00.7-08.9	3	5.4	00.0-12.7
25-34	161	41,512	90	57.1	47.5-66.7	36	21.0	13.0-29.0	22	15.4	08.3-22.5	1	1.4	00.0-04.1	12	5.1	01.8-08.4
35-44	159	40,871	83	52.6	42.8-62.4	35	19.2	12.3-26.1	22	15.6	07.6-23.6	10	6.6	01.5-11.7	9	6.0	01.5-10.5
45-54	234	44,446	123	56.6	48.2-65.0	65	24.6	17.7-31.5	26	8.1	04.4-11.8	8	2.7	00.7-04.7	12	8.0	02.7-13.3
55-64	272	34,869	105	41.8	34.4-49.2	102	38.1	30.7-45.5	33	9.8	05.7-13.9	9	3.8	00.9-06.7	23	6.6	03.5-09.7
65+	396	38,579	160	41.8	35.1-48.5	155	42.0	35.1-48.9	42	8.8	05.9-11.7	17	3.0	01.4-04.6	22	4.3	02.1-06.5
Less Than H.S.	64	26,439	24	45.5	30.0-61.0	27	37.7	23.2-52.2	7	9.8	01.2-18.4	3	3.6	00.0-08.1	3	3.4	00.0-08.1
H.S. or G.E.D.	351	76,141	160	51.1	43.8-58.4	111	26.3	20.4-32.2	47	13.4	08.9-17.9	11	3.2	00.7-05.7	22	6.0	02.5-09.5
Some Post-H.S.	352	67,583	154	51.4	44.1-58.7	118	26.3	20.6-32.0	46	12.1	07.0-17.2	14	3.5	01.0-06.0	20	6.7	02.4-11.0
College Graduate	572	68,228	282	52.6	47.3-57.9	168	27.1	22.6-31.6	62	9.8	06.7-12.9	23	4.5	02.1-06.9	37	6.1	03.7-08.5
Less than \$15,000	97	18,304	37	39.3	26.6-52.0	29	30.4	16.9-43.9	20	18.7	09.1-28.3	4	5.3	00.0-11.4	7	6.3	00.0-13.7
\$15,000- 24,999	85	15,011	36	55.3	40.8-69.8	35	32.1	19.6-44.6	10	6.7	01.4-12.0	2	3.4	00.0-08.3	2	2.5	00.0-06.0
\$25,000- 34,999	96	18,052	44	53.9	39.0-68.8	29	29.6	16.9-42.3	12	9.2	02.9-15.5	4	4.9	00.0-11.6	7	2.4	00.2-04.6
\$35,000- 49,999	196	34,694	85	52.3	41.7-62.9	73	30.7	21.7-39.7	23	9.8	04.9-14.7	8	2.7	00.5-04.9	7	4.5	00.8-08.2
\$50,000- 74,999	227	35,183	106	51.1	42.5-59.7	65	24.7	17.8-31.6	31	14.0	08.1-19.9	9	3.2	00.7-05.7	16	7.0	03.1-10.9
\$75,000+	455	77,343	233	53.8	47.5-60.1	126	24.1	19.2-29.0	45	11.3	06.6-16.0	20	4.1	01.6-06.6	31	6.7	03.0-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2047	258,314	1026	49.0	45.9-52.1	657	33.3	30.2-36.4	221	11.5	09.5-13.5	64	3.2	02.2-04.2	79	3.1	02.3-03.9
White/Non-Hisp	1584	184,029	801	50.7	47.2-54.2	501	31.6	28.3-34.9	168	11.1	08.9-13.3	51	3.6	02.2-05.0	63	3.0	02.0-04.0
Black or Afr. Am./Non-Hisp	298	47,586	139	43.1	35.1-51.1	104	38.0	29.8-46.2	36	13.4	07.3-19.5	9	2.2	00.4-04.0	10	3.4	01.0-05.8
Oth. Race/Non-Hisp.	52	5,982	31	62.5	45.8-79.2	13	22.5	09.0-36.0	4	8.1	00.0-16.3	1	1.3	00.0-03.8	3	5.7	00.0-12.8
Hispanic	60	16,172	27	40.6	22.4-58.8	23	45.8	27.0-64.6	9	11.7	02.3-21.1	1	2.0	00.0-05.9			
18-24	87	34,508	46	51.2	37.1-65.3	29	37.5	23.4-51.6	8	7.5	01.0-14.0	4	3.7	00.0-07.6			
25-34	229	44,205	126	45.7	37.5-53.9	62	33.7	25.1-42.3	27	14.7	08.2-21.2	10	4.2	01.1-07.3	4	1.8	00.0-03.6
35-44	259	42,500	151	55.6	48.0-63.2	69	28.8	21.5-36.1	25	10.8	05.9-15.7	5	1.7	00.0-03.5	9	3.2	01.0-05.4
45-54	357	47,094	199	54.3	48.0-60.6	98	27.5	21.8-33.2	33	10.3	06.4-14.2	14	3.2	01.0-05.4	13	4.7	01.8-07.6
55-64	456	40,486	212	44.9	39.0-50.8	151	33.8	28.1-39.5	63	14.6	10.1-19.1	10	3.0	00.6-05.4	20	3.7	01.7-05.7
65+	628	46,454	278	42.9	38.0-47.8	236	38.7	33.8-43.6	63	10.7	07.6-13.8	21	3.5	01.7-05.3	30	4.2	02.4-06.0
Less Than H.S.	93	27,150	32	36.3	22.8-49.8	46	51.5	37.8-65.2	11	9.9	03.0-16.8	3	1.8	00.0-04.2	1	0.4	00.0-01.2
H.S. or G.E.D.	541	70,341	244	45.5	39.4-51.6	195	36.1	30.0-42.2	67	12.0	08.3-15.7	15	3.5	01.3-05.7	20	3.0	01.4-04.6
Some Post-H.S.	621	84,491	298	47.4	41.7-53.1	196	30.2	24.7-35.7	70	13.7	09.4-18.0	29	4.5	02.3-06.7	28	4.1	02.3-05.9
College Graduate	785	75,976	448	58.5	53.8-63.2	217	27.7	23.6-31.8	73	9.0	06.5-11.5	17	1.9	00.7-03.1	30	2.9	01.5-04.3
Less than \$15,000	201	24,626	76	36.5	25.3-47.7	81	45.1	33.5-56.7	30	12.3	05.6-19.0	6	2.8	00.3-05.3	8	3.2	00.3-06.1
\$15,000- 24,999	216	25,977	89	35.7	26.5-44.9	91	46.3	36.9-55.7	24	12.9	06.6-19.2	5	3.2	00.0-06.5	7	1.9	00.3-03.5
\$25,000- 34,999	156	17,278	75	49.1	38.5-59.7	58	39.7	29.3-50.1	13	6.6	02.1-11.1	6	2.5	00.3-04.7	4	2.2	00.0-04.6
\$35,000- 49,999	255	32,457	140	49.6	40.2-59.0	67	30.1	19.9-40.3	27	13.1	06.8-19.4	11	4.3	01.2-07.4	10	3.0	00.8-05.2
\$50,000- 74,999	313	39,008	170	60.1	52.5-67.7	87	24.8	18.5-31.1	35	10.5	06.0-15.0	6	1.4	00.0-03.0	15	3.2	01.2-05.2
\$75,000+	539	70,088	289	53.1	47.8-58.4	147	27.3	22.6-32.0	60	11.8	08.3-15.3	21	4.6	02.2-07.0	22	3.2	01.4-05.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3395	497,658	1615	45.2	42.8-47.6	498	14.6	12.8-16.4	56	1.6	01.0-02.2	767	23.9	21.7-26.1	289	9.8	08.0-11.6	170	4.8	03.8-05.8
Male	1343	238,921	585	41.0	37.3-44.7	166	12.2	09.5-14.9	20	1.7	00.7-02.7	325	25.5	22.2-28.8	151	12.9	10.2-15.6	96	6.7	04.9-08.5
Female	2052	258,737	1030	49.1	46.0-52.2	332	16.9	14.5-19.3	36	1.5	00.9-02.1	442	22.5	20.0-25.0	138	6.9	04.9-08.9	74	3.2	02.2-04.2
White/Non-Hisp	2652	348,232	1255	45.6	42.9-48.3	407	15.2	13.2-17.2	47	1.6	01.0-02.2	590	23.6	21.2-26.0	213	8.6	06.8-10.4	140	5.3	04.1-06.5
Black or Afr. Am./Non-Hisp	454	91,220	222	44.9	38.6-51.2	65	13.5	09.0-18.0	6	2.0	00.0-04.4	99	23.9	18.4-29.4	42	10.7	06.2-15.2	20	5.0	02.3-07.7
Oth. Race/Non-Hisp.	98	16,622	50	57.6	44.3-70.9	9	7.8	02.1-13.5	2	0.8	00.0-02.2	26	25.9	14.3-37.5	8	7.1	00.0-14.9	3	0.9	00.0-02.3
MultiRacial/Non-Hisp.	61	6,958	28	51.6	35.7-67.5	2	5.5	00.0-13.1	1	4.0	00.0-11.6	20	30.3	16.4-44.2	8	7.1	01.4-12.8	2	1.6	00.0-03.8
Hispanic	95	31,681	41	33.4	20.9-45.9	13	18.1	05.6-30.6				25	25.3	13.7-36.9	14	21.7	09.2-34.2	2	1.4	00.0-03.6
18-24	195	71,098	74	36.5	27.5-45.5	22	15.4	07.6-23.2	1	0.3	00.0-00.9	56	25.7	18.3-33.1	33	18.3	10.7-25.9	9	3.8	00.1-07.5
25-34	388	85,228	167	38.7	32.6-44.8	66	14.9	10.8-19.0	5	0.9	00.1-01.7	101	28.2	22.1-34.3	37	13.9	08.6-19.2	12	3.3	00.9-05.7
35-44	421	83,740	192	45.8	39.7-51.9	71	14.0	10.3-17.7	9	3.2	00.7-05.7	104	25.3	19.8-30.8	29	7.3	04.0-10.6	16	4.4	02.0-06.8
45-54	592	91,667	275	46.0	40.7-51.3	99	18.0	13.5-22.5	14	2.2	00.6-03.8	148	24.1	19.8-28.4	38	6.2	03.8-08.6	18	3.5	01.7-05.3
55-64	734	76,011	364	49.9	45.2-54.6	97	11.3	08.6-14.0	12	1.6	00.2-03.0	163	24.1	20.0-28.2	63	8.0	05.6-10.4	35	5.1	02.9-07.3
65+	1024	85,144	521	52.1	48.0-56.2	137	13.6	10.9-16.3	14	1.1	00.5-01.7	189	17.2	14.3-20.1	85	7.0	05.2-08.8	78	9.0	06.3-11.7
Less Than H.S.	158	53,662	80	43.9	33.9-53.9	11	9.1	02.8-15.4				33	23.7	15.3-32.1	18	16.4	07.6-25.2	16	6.8	02.9-10.7
H.S. or G.E.D.	896	146,788	452	46.9	42.2-51.6	100	12.5	08.8-16.2	8	0.7	00.1-01.3	183	25.3	21.0-29.6	96	9.9	07.4-12.4	57	4.7	03.1-06.3
Some Post-H.S.	976	152,633	469	45.1	40.8-49.4	123	12.0	09.1-14.9	16	2.5	00.9-04.1	231	23.6	20.1-27.1	86	11.3	08.0-14.6	51	5.6	03.2-08.0
College Graduate	1357	144,041	609	44.0	40.5-47.5	264	21.7	18.6-24.8	32	2.2	01.2-03.2	318	22.9	20.2-25.6	89	5.7	04.1-07.3	45	3.5	02.1-04.9
Less than \$15,000	297	42,914	140	35.7	28.1-43.3	35	21.3	12.1-30.5	7	3.0	00.0-06.1	60	20.1	13.4-26.8	37	14.7	09.0-20.4	18	5.2	02.3-08.1
\$15,000- 24,999	304	41,117	160	48.1	40.1-56.1	35	10.8	06.3-15.3	3	0.9	00.0-02.1	65	25.5	17.7-33.3	21	8.2	03.9-12.5	20	6.5	03.0-10.0
\$25,000- 34,999	253	35,461	130	47.6	38.4-56.8	33	12.7	05.6-19.8	5	1.4	00.0-02.8	51	27.2	18.6-35.8	19	6.3	02.8-09.8	15	4.7	01.8-07.6
\$35,000- 49,999	451	67,042	218	43.3	36.2-50.4	63	14.8	08.5-21.1	5	2.0	00.0-04.7	103	24.2	18.3-30.1	35	9.8	05.1-14.5	27	5.9	03.0-08.8
\$50,000- 74,999	541	74,318	249	50.2	44.3-56.1	97	15.8	12.1-19.5	10	1.6	00.4-02.8	120	22.8	18.3-27.3	46	7.0	04.5-09.5	19	2.6	01.2-04.0
\$75,000+	996	147,782	457	44.4	40.3-48.5	172	16.4	13.5-19.3	22	2.0	00.8-03.2	239	24.0	20.5-27.5	71	8.5	06.0-11.0	35	4.7	02.5-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1343	238,921	585	41.0	37.3-44.7	166	12.2	09.5-14.9	20	1.7	00.7-02.7	325	25.5	22.2-28.8	151	12.9	10.2-15.6	96	6.7	04.9-08.5
White/Non-Hisp	1064	164,000	464	40.5	36.4-44.6	143	13.2	10.1-16.3	17	1.6	00.6-02.6	249	25.2	21.7-28.7	110	11.8	08.7-14.9	81	7.7	05.3-10.1
Black or Afr. Am./Non-Hisp	155	43,502	66	40.9	30.9-50.9	14	9.0	02.9-15.1	2	3.3	00.0-08.0	42	28.4	19.2-37.6	20	11.8	06.1-17.5	11	6.7	02.2-11.2
18-24	108	36,590	37	30.6	19.4-41.8	6	12.4	01.2-23.6	1	0.5	00.0-01.5	36	31.7	20.5-42.9	23	19.5	10.3-28.7	5	5.3	00.0-12.2
25-34	161	41,512	59	31.8	23.4-40.2	24	9.9	05.6-14.2	2	0.8	00.0-01.8	40	28.7	19.5-37.9	29	24.8	15.0-34.6	7	4.0	00.9-07.1
35-44	159	40,869	65	42.8	33.0-52.6	19	10.3	04.8-15.8	3	3.3	00.0-08.0	43	24.5	16.5-32.5	18	12.0	05.7-18.3	11	7.1	02.8-11.4
45-54	235	44,574	106	43.2	34.6-51.8	34	17.5	09.9-25.1	4	2.2	00.0-04.7	56	23.4	16.7-30.1	22	8.5	04.4-12.6	13	5.2	02.1-08.3
55-64	276	35,218	133	48.5	40.9-56.1	26	8.7	04.8-12.6	4	2.2	00.0-05.1	72	28.4	21.7-35.1	26	7.1	03.8-10.4	15	5.0	01.9-08.1
65+	394	38,457	180	48.7	41.8-55.6	54	12.5	08.2-16.8	6	1.4	00.2-02.6	78	18.1	13.4-22.8	32	5.9	03.5-08.3	44	13.4	08.5-18.3
Less Than H.S.	64	26,439	27	37.0	22.7-51.3	2	5.5	00.0-14.3				19	30.6	16.9-44.3	8	18.0	04.3-31.7	8	9.0	01.9-16.1
H.S. or G.E.D.	353	76,277	143	38.1	31.0-45.2	34	12.2	06.5-17.9	2	0.7	00.0-01.9	83	27.7	21.2-34.2	57	14.7	10.2-19.2	34	6.6	04.1-09.1
Some Post-H.S.	352	67,621	152	41.1	34.0-48.2	37	10.3	05.2-15.4	8	3.6	00.3-06.9	87	22.8	17.3-28.3	42	15.0	09.5-20.5	26	7.2	02.9-11.5
College Graduate	573	68,406	262	45.6	40.3-50.9	93	16.6	12.7-20.5	10	1.6	00.2-03.0	136	23.8	19.5-28.1	44	7.1	04.4-09.8	28	5.3	02.9-07.7
Less than \$15,000	97	18,304	33	26.7	14.7-38.7	12	15.9	05.3-26.5	3	5.4	00.0-12.3	20	21.6	10.4-32.8	19	25.2	13.6-36.8	10	5.4	01.3-09.5
\$15,000- 24,999	87	15,129	40	39.8	25.5-54.1	6	5.6	00.1-11.1	2	2.3	00.0-05.4	22	30.9	15.4-46.4	10	12.5	03.3-21.7	7	8.8	01.2-16.4
\$25,000- 34,999	97	18,183	51	51.3	36.0-66.6	8	10.9	00.0-23.4	1	0.6	00.0-01.8	20	25.1	12.6-37.6	9	6.7	01.4-12.0	8	5.4	00.9-09.9
\$35,000- 49,999	195	34,620	80	34.5	25.3-43.7	27	17.7	06.5-28.9	2	3.1	00.0-08.2	48	24.4	16.0-32.8	20	13.7	05.3-22.1	18	6.6	03.1-10.1
\$50,000- 74,999	228	35,311	94	45.0	36.2-53.8	44	18.1	12.2-24.0	4	1.3	00.0-02.7	52	23.6	16.7-30.5	22	8.0	04.1-11.9	12	4.0	01.3-06.7
\$75,000+	455	77,394	204	41.2	35.3-47.1	56	11.0	07.1-14.9	8	1.5	00.1-02.9	114	25.6	20.1-31.1	46	12.7	08.4-17.0	27	8.0	03.9-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2052	258,737	1030	49.1	46.0-52.2	332	16.9	14.5-19.3	36	1.5	0.9-02.1	442	22.5	20.0-25.0	138	6.9	04.9-08.9	74	3.2	02.2-04.2
White/Non-Hisp	1588	184,232	791	50.1	46.6-53.6	264	16.9	14.4-19.4	30	1.7	0.9-02.5	341	22.2	19.3-25.1	103	5.8	04.2-07.4	59	3.2	02.0-04.4
Black or Afr. Am./Non-Hisp	299	47,717	156	48.5	40.3-56.7	51	17.6	11.3-23.9	4	0.8	0.0-01.6	57	19.9	13.6-26.2	22	9.8	02.9-16.7	9	3.5	00.2-06.8
Oth. Race/Non-Hisp.	51	5,866	25	51.1	32.3-69.9	7	14.8	03.4-26.2	1	0.4	0.0-01.2	13	31.2	12.0-50.4	3	1.9	00.0-04.4	2	0.6	00.0-01.4
Hispanic	60	16,172	29	35.4	19.5-51.3	8	18.2	01.7-34.7				17	30.8	14.5-47.1	4	12.8	00.0-30.2	2	2.8	00.0-07.1
18-24	87	34,508	37	42.8	28.9-56.7	16	18.6	07.4-29.8				20	19.4	10.2-28.6	10	17.1	04.9-29.3	4	2.1	00.0-04.5
25-34	227	43,717	108	45.2	36.8-53.6	42	19.7	12.8-26.6	3	1.1	0.0-02.5	61	27.8	20.2-35.4	8	3.5	00.6-06.4	5	2.7	00.0-06.2
35-44	262	42,870	127	48.5	40.9-56.1	52	17.5	12.2-22.8	6	3.1	0.4-05.8	61	26.2	18.9-33.5	11	2.8	00.8-04.8	5	1.9	00.0-03.9
45-54	357	47,094	169	48.6	42.1-55.1	65	18.4	13.5-23.3	10	2.3	0.5-04.1	92	24.8	19.3-30.3	16	4.1	01.6-06.6	5	1.8	00.0-03.6
55-64	458	40,793	231	51.1	45.2-57.0	71	13.6	09.9-17.3	8	1.1	0.3-01.9	91	20.4	15.3-25.5	37	8.7	05.6-11.8	20	5.2	02.5-07.9
65+	630	46,688	341	55.0	50.1-59.9	83	14.5	10.8-18.2	8	0.8	0.2-01.4	111	16.5	13.2-19.8	53	7.9	05.4-10.4	34	5.3	02.8-07.8
Less Than H.S.	94	27,223	53	50.6	36.9-64.3	9	12.7	03.9-21.5				14	17.1	07.3-26.9	10	14.8	03.6-26.0	8	4.7	01.2-08.2
H.S. or G.E.D.	543	70,511	309	56.4	50.3-62.5	66	12.9	08.4-17.4	6	0.6	0.0-01.2	100	22.7	17.2-28.2	39	4.8	03.0-06.6	23	2.6	01.0-04.2
Some Post-H.S.	624	85,012	317	48.2	42.5-53.9	86	13.3	10.0-16.6	8	1.6	0.2-03.0	144	24.3	19.6-29.0	44	8.3	04.0-12.6	25	4.3	01.9-06.7
College Graduate	784	75,635	347	42.6	37.9-47.3	171	26.4	21.5-31.3	22	2.7	01.3-04.1	182	22.1	18.6-25.6	45	4.5	02.9-06.1	17	1.8	00.6-03.0
Less than \$15,000	200	24,609	107	42.4	31.8-53.0	23	25.4	12.1-38.7	4	1.3	0.0-03.1	40	19.0	10.8-27.2	18	6.9	03.0-10.8	8	5.0	00.7-09.3
\$15,000- 24,999	217	25,987	120	52.9	43.5-62.3	29	13.8	07.7-19.9	1	0.2	0.0-00.6	43	22.4	14.4-30.4	11	5.6	01.1-10.1	13	5.2	01.7-08.7
\$25,000- 34,999	156	17,278	79	43.7	33.7-53.7	25	14.7	08.4-21.0	4	2.3	0.0-05.0	31	29.5	17.9-41.1	10	5.9	01.4-10.4	7	4.0	00.1-07.9
\$35,000- 49,999	256	32,422	138	52.6	43.2-62.0	36	11.6	06.9-16.3	3	0.9	0.0-01.9	55	24.0	15.6-32.4	15	5.7	02.0-09.4	9	5.2	00.1-10.3
\$50,000- 74,999	313	39,008	155	54.9	47.1-62.7	53	13.8	09.5-18.1	6	1.9	0.0-03.9	68	22.1	16.0-28.2	24	6.1	02.8-09.4	7	1.2	00.2-02.2
\$75,000+	541	70,389	253	47.9	42.6-53.2	116	22.4	17.9-26.9	14	2.5	0.7-04.3	125	22.3	18.0-26.6	25	3.8	01.8-05.8	8	1.1	00.1-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1648	243,543	458	33.0	29.3-36.7	422	21.7	19.0-24.4	166	10.9	08.7-13.1	91	6.3	04.1-08.5	9	0.7	00.1-01.3	502	27.3	24.2-30.4
Male	668	116,792	187	33.9	28.4-39.4	163	20.2	16.1-24.3	107	15.2	11.7-18.7	36	6.2	03.1-09.3	6	1.3	00.3-02.3	169	23.2	18.7-27.7
Female	980	126,751	271	32.2	27.3-37.1	259	23.0	19.1-26.9	59	7.0	04.3-09.7	55	6.5	03.6-09.4	3	0.2	00.0-00.6	333	31.1	27.0-35.2
White/Non-Hisp	1326	167,929	355	29.7	26.0-33.4	348	21.8	19.1-24.5	131	10.9	08.4-13.4	75	7.6	04.7-10.5	8	0.8	00.2-01.4	409	29.2	25.9-32.5
Black or Afr. Am./Non-Hisp	174	41,613	58	35.5	25.7-45.3	38	24.4	14.6-34.2	22	13.9	07.0-20.8	5	1.3	00.1-02.5	1	0.9	00.0-02.7	50	24.2	16.2-32.2
18-24	94	36,272	35	46.2	32.3-60.1	12	14.2	05.0-23.4	19	16.4	07.4-25.4	9	8.8	00.0-17.6	1	0.4	00.0-01.4	18	14.0	05.8-22.2
25-34	189	42,340	78	40.5	31.3-49.7	28	14.9	07.5-22.3	26	14.5	07.8-21.2	12	10.1	02.3-17.9	2	1.2	00.0-03.0	43	18.8	12.1-25.5
35-44	218	43,534	72	34.3	26.3-42.3	56	23.5	16.8-30.2	17	7.1	03.4-10.8	10	3.7	01.2-06.2	3	1.8	00.0-04.0	60	29.6	21.8-37.4
45-54	279	43,522	70	27.4	19.4-35.4	72	21.5	15.4-27.6	30	10.6	06.3-14.9	11	3.7	01.2-06.2				96	36.7	28.7-44.7
55-64	351	35,095	88	28.5	22.0-35.0	95	26.4	20.7-32.1	26	6.7	03.8-09.6	29	9.8	05.5-14.1				113	28.7	22.8-34.6
65+	498	40,700	108	22.0	17.5-26.5	157	30.3	24.6-36.0	42	9.1	05.6-12.6	20	3.3	01.5-05.1	3	0.7	00.0-01.7	168	34.5	29.0-40.0
Less Than H.S.	60	24,939	17	34.1	18.4-49.8	15	18.9	07.3-30.5	6	10.1	01.1-19.1	4	15.7	00.0-31.6				18	21.2	10.0-32.4
H.S. or G.E.D.	379	63,765	102	31.8	24.0-39.6	95	22.2	15.9-28.5	38	11.6	06.9-16.3	13	2.9	00.9-04.9	2	0.7	00.0-01.9	129	30.7	23.4-38.0
Some Post-H.S.	468	71,588	123	33.3	27.0-39.6	128	23.2	18.1-28.3	42	10.0	06.1-13.9	39	7.7	04.8-10.6	1	0.2	00.0-00.6	135	25.5	20.4-30.6
College Graduate	735	82,827	215	33.4	28.5-38.3	181	20.7	17.2-24.2	80	11.5	08.4-14.6	35	5.0	02.6-07.4	6	1.4	00.2-02.6	218	27.9	23.6-32.2
Less than \$15,000	125	18,410	33	29.7	15.0-44.4	28	15.3	07.3-23.3	12	14.5	02.5-26.5	9	6.4	01.3-11.5				43	34.0	21.1-46.9
\$15,000- 24,999	124	18,527	34	32.7	20.7-44.7	34	24.7	12.0-37.4	9	13.1	03.5-22.7	5	2.8	00.0-05.7				42	26.8	16.4-37.2
\$25,000- 34,999	120	16,288	26	37.0	20.9-53.1	41	28.2	17.0-39.4	5	3.3	00.0-06.8	5	3.9	00.2-07.6				43	27.6	17.2-38.0
\$35,000- 49,999	211	32,745	60	41.1	29.3-52.9	53	20.6	12.4-28.8	23	10.0	04.9-15.1	12	5.8	01.7-09.9	1	1.1	00.0-03.3	62	21.4	14.5-28.3
\$50,000- 74,999	265	36,982	77	28.3	20.9-35.7	61	19.3	13.0-25.6	27	11.0	05.7-16.3	21	12.3	03.7-20.9	5	1.7	00.1-03.3	74	27.4	18.6-36.2
\$75,000+	549	80,191	159	33.2	27.9-38.5	135	21.3	17.2-25.4	60	9.7	07.0-12.4	33	5.8	03.1-08.5	3	0.9	00.0-02.1	159	29.1	24.0-34.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	668	116,792	187	33.9	28.4-39.4	163	20.2	16.1-24.3	107	15.2	11.7-18.7	36	6.2	03.1-09.3	6	1.3	00.3-02.3	169	23.2	18.7-27.7
White/Non-Hisp	535	76,518	144	32.2	26.5-37.9	139	21.2	17.1-25.3	85	14.6	11.1-18.1	30	7.4	02.9-11.9	5	1.4	00.0-02.8	132	23.2	18.5-27.9
Black or Afr. Am./Non-Hisp	65	22,364	23	35.6	20.7-50.5	8	17.8	04.3-31.3	11	18.9	07.3-30.5	1	0.8	00.0-02.4	1	1.6	00.0-04.7	21	25.2	13.0-37.4
18-24	54	16,499	17	46.6	28.4-64.8	7	11.2	02.0-20.4	13	22.2	08.5-35.9	5	6.0	00.0-12.1	1	1.0	00.0-03.0	11	13.1	03.9-22.3
25-34	83	23,607	33	42.5	28.6-56.4	9	13.7	03.1-24.3	20	15.9	07.7-24.1	4	11.0	00.0-23.9	2	2.2	00.0-05.3	15	14.7	05.7-23.7
35-44	81	19,670	25	34.3	21.8-46.8	20	21.7	12.1-31.3	12	11.7	04.6-18.8	3	3.9	00.0-08.4	2	3.1	00.0-07.4	19	25.3	13.1-37.5
45-54	102	20,234	22	27.5	13.2-41.8	28	20.7	10.3-31.1	20	16.9	08.5-25.3	2	1.6	00.0-04.3				30	33.3	19.2-47.4
55-64	142	16,978	43	32.5	22.7-42.3	39	25.6	17.2-34.0	16	10.2	04.5-15.9	15	12.4	05.1-19.7				29	19.3	11.7-26.9
65+	201	18,884	46	21.0	13.9-28.1	60	30.4	20.8-40.0	24	12.6	06.1-19.1	7	2.6	00.4-04.8	1	1.0	00.0-03.0	63	32.5	23.7-41.3
H.S. or G.E.D.	153	33,665	45	36.4	24.6-48.2	34	19.4	10.4-28.4	26	15.1	08.4-21.8	7	3.9	00.6-07.2	1	1.1	00.0-03.3	40	24.1	13.7-34.5
Some Post-H.S.	166	27,586	42	32.1	22.7-41.5	51	25.0	17.4-32.6	23	13.2	07.3-19.1	11	6.2	02.1-10.3	1	0.6	00.0-01.8	38	22.9	15.3-30.5
College Graduate	322	41,537	92	32.6	25.7-39.5	73	18.9	13.8-24.0	54	17.0	11.7-22.3	16	5.7	01.8-09.6	4	2.3	00.0-04.7	83	23.5	17.8-29.2
\$35,000- 49,999	95	17,458	28	45.9	29.8-62.0	20	14.3	07.0-21.6	17	16.4	07.2-25.6	5	3.4	00.0-06.9	1	2.1	00.0-06.2	24	18.0	09.0-27.0
\$50,000- 74,999	108	15,816	31	25.7	14.9-36.5	28	22.2	12.2-32.2	16	14.7	06.7-22.7	5	4.9	00.0-10.4	2	2.2	00.0-05.1	26	30.4	14.7-46.1
\$75,000+	248	41,943	69	33.2	25.2-41.2	58	21.1	15.0-27.2	42	13.7	09.0-18.4	13	6.0	01.9-10.1	3	1.8	00.0-04.0	63	24.2	17.1-31.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and/or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	980	126,751	271	32.2	27.3-37.1	259	23.0	19.1-26.9	59	7.0	04.3-09.7	55	6.5	03.6-09.4	3	0.2	00.0-00.6	333	31.1	27.0-35.2
White/Non-Hisp	791	91,411	211	27.7	23.0-32.4	209	22.3	18.4-26.2	46	7.8	04.3-11.3	45	7.8	03.9-11.7	3	0.3	00.0-00.7	277	34.2	29.3-39.1
Black or Afr. Am./Non-Hisp	109	19,249	35	35.4	22.9-47.9	30	31.9	18.2-45.6	11	8.0	02.1-13.9	4	1.8	00.0-03.8				29	22.9	12.9-32.9
25-34	106	18,733	45	38.0	26.8-49.2	19	16.3	06.3-26.3	6	12.7	01.9-23.5	8	9.0	01.9-16.1				28	24.0	14.4-33.6
35-44	137	23,864	47	34.3	24.1-44.5	36	25.0	15.6-34.4	5	3.3	00.2-06.4	7	3.5	00.6-06.4	1	0.7	00.0-02.1	41	33.1	23.1-43.1
45-54	177	23,289	48	27.4	18.8-36.0	44	22.3	15.2-29.4	10	5.2	01.5-08.9	9	5.6	01.5-09.7				66	39.6	30.6-48.6
55-64	209	18,117	45	24.7	15.9-33.5	56	27.1	19.1-35.1	10	3.3	01.1-05.5	14	7.3	02.6-12.0				84	37.6	29.0-46.2
65+	297	21,816	62	22.8	16.9-28.7	97	30.1	23.8-36.4	18	6.1	03.2-09.0	13	4.0	01.6-06.4	2	0.5	00.0-01.3	105	36.4	29.7-43.1
H.S. or G.E.D.	226	30,100	57	26.7	16.3-37.1	61	25.3	16.5-34.1	12	7.7	00.4-15.0	6	1.7	00.0-03.5	1	0.3	00.0-00.9	89	38.2	28.2-48.2
Some Post-H.S.	302	44,002	81	34.0	25.6-42.4	77	22.1	15.0-29.2	19	8.0	02.9-13.1	28	8.7	04.8-12.6				97	27.2	20.5-33.9
College Graduate	413	41,290	123	34.3	27.2-41.4	108	22.4	17.5-27.3	26	6.0	03.3-08.7	19	4.4	01.9-06.9	2	0.5	00.0-01.3	135	32.4	26.1-38.7
Less than \$15,000	82	9,762	22	32.6	10.3-54.9	20	18.0	07.2-28.8	6	13.8	00.0-32.8	4	3.8	00.0-08.1				30	31.7	15.0-48.4
\$15,000- 24,999	85	10,633	25	39.8	24.1-55.5	26	26.9	12.0-41.8	2	5.3	00.0-13.3	2	0.8	00.0-02.0				30	27.2	14.5-39.9
\$25,000- 34,999	74	8,183	16	27.5	11.0-44.0	22	27.6	14.7-40.5	2	1.9	00.0-04.6	2	2.5	00.0-06.0				32	40.5	26.2-54.8
\$35,000- 49,999	116	15,287	32	35.7	19.6-51.8	33	27.8	13.3-42.3	6	2.8	00.3-05.3	7	8.5	00.9-16.1				38	25.2	14.6-35.8
\$50,000- 74,999	157	21,167	46	30.2	20.0-40.4	33	17.1	09.3-24.9	11	8.3	01.4-15.2	16	17.9	04.4-31.4	3	1.4	00.0-03.2	48	25.2	15.8-34.6
\$75,000+	301	38,248	90	33.2	26.1-40.3	77	21.6	16.3-26.9	18	5.3	02.6-08.0	20	5.5	02.4-08.6				96	34.4	27.3-41.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1704	252,928	954	57.3	53.8-60.8	314	17.5	15.0-20.0	340	19.4	16.7-22.1	59	3.9	02.5-05.3	37	1.9	01.1-02.7
Male	688	120,612	385	58.0	52.7-63.3	116	17.1	13.2-21.0	136	17.9	14.2-21.6	31	5.0	02.6-07.4	20	2.0	01.0-03.0
Female	1016	132,316	569	56.6	51.9-61.3	198	17.8	14.5-21.1	204	20.8	17.1-24.5	28	2.9	01.3-04.5	17	1.9	00.7-03.1
White/Non-Hisp	1360	174,879	756	56.9	53.2-60.6	256	17.5	14.8-20.2	282	21.0	17.9-24.1	40	2.8	01.6-04.0	26	1.9	01.1-02.7
Black or Afr. Am./Non-Hisp	196	44,348	104	47.1	37.3-56.9	36	23.5	15.1-31.9	39	19.7	11.9-27.5	13	8.1	02.8-13.4	4	1.6	00.0-03.6
Hispanic	50	19,403	32	78.5	66.7-90.3	5	6.9	00.0-14.0	8	9.6	02.2-17.0	2	1.4	00.0-03.6	3	3.6	00.0-07.9
18-24	106	38,359	60	58.7	46.0-71.4	20	22.4	12.2-32.6	20	16.2	06.4-26.0	3	1.2	00.0-02.6	3	1.5	00.0-03.5
25-34	207	46,386	119	59.3	50.7-67.9	30	14.2	08.5-19.9	48	21.4	14.3-28.5	7	3.9	00.2-07.6	3	1.1	00.0-02.5
35-44	220	43,058	133	59.5	51.5-67.5	26	12.6	07.1-18.1	49	21.4	14.7-28.1	7	4.0	00.9-07.1	5	2.5	00.1-04.9
45-54	285	44,659	161	58.4	50.6-66.2	54	16.7	11.6-21.8	54	17.9	12.4-23.4	8	4.3	00.2-08.4	8	2.7	00.5-04.9
55-64	364	36,767	209	55.5	48.8-62.2	55	15.6	10.7-20.5	82	22.0	16.7-27.3	13	4.8	01.3-08.3	5	2.1	00.0-04.3
65+	503	41,617	260	51.5	45.6-57.4	126	24.1	19.2-29.0	83	17.4	12.9-21.9	21	5.2	02.1-08.3	13	1.8	00.6-03.0
Less Than H.S.	63	25,560	29	47.0	30.9-63.1	23	33.9	19.8-48.0	9	17.5	04.4-30.6	1	1.2	00.0-03.6	1	0.5	00.0-01.5
H.S. or G.E.D.	396	66,951	207	55.6	48.2-63.0	83	17.7	12.8-22.6	82	20.5	14.8-26.2	14	4.4	01.1-07.7	10	1.9	00.5-03.3
Some Post-H.S.	485	75,185	273	58.0	51.9-64.1	89	17.1	12.8-21.4	87	16.8	12.5-21.1	23	5.5	02.6-08.4	13	2.6	01.0-04.2
College Graduate	754	84,808	444	61.2	56.7-65.7	118	12.8	09.9-15.7	158	21.2	17.5-24.9	21	2.9	01.3-04.5	13	1.8	00.4-03.2
Less than \$15,000	132	20,051	59	45.2	31.1-59.3	29	20.1	10.7-29.5	34	24.7	14.7-34.7	5	6.4	00.0-13.3	5	3.6	00.0-07.3
\$15,000- 24,999	130	19,140	69	48.2	35.9-60.5	34	25.5	14.9-36.1	20	20.4	08.8-32.0	5	4.0	00.0-08.1	2	1.9	00.0-05.2
\$25,000- 34,999	124	17,202	63	50.4	36.5-64.3	26	27.9	14.8-41.0	28	18.2	10.0-26.4	3	2.6	00.0-06.3	4	1.0	00.0-02.0
\$35,000- 49,999	224	35,206	138	65.8	57.0-74.6	37	14.2	08.3-20.1	36	14.7	08.8-20.6	9	3.1	00.7-05.5	4	2.1	00.0-04.3
\$50,000- 74,999	285	39,883	166	56.0	47.2-64.8	44	14.4	08.7-20.1	56	22.5	14.3-30.7	12	3.8	01.3-06.3	7	3.4	00.5-06.3
\$75,000+	551	80,112	322	61.8	56.5-67.1	84	14.6	10.9-18.3	115	19.2	14.9-23.5	19	2.9	01.3-04.5	11	1.5	00.5-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	688	120,612	385	58.0	52.7-63.3	116	17.1	13.2-21.0	136	17.9	14.2-21.6	31	5.0	02.6-07.4	20	2.0	01.0-03.0
White/Non-Hisp	549	79,017	307	59.5	54.2-64.8	89	15.3	11.6-19.0	116	19.6	15.5-23.7	20	3.0	01.4-04.6	17	2.6	01.2-04.0
Black or Afr. Am./Non-Hisp	72	23,803	36	42.4	28.1-56.7	18	28.7	15.6-41.8	10	16.9	05.1-28.7	8	12.0	02.6-21.4			
18-24	63	18,049	33	51.1	34.6-67.6	13	30.7	15.2-46.2	12	14.3	05.1-23.5	3	2.5	00.0-05.4	2	1.4	00.0-03.4
25-34	90	25,020	56	66.2	54.0-78.4	12	12.5	04.7-20.3	17	16.8	06.8-26.8	3	2.8	00.0-06.1	2	1.7	00.0-04.2
35-44	81	19,633	49	55.0	42.1-67.9	8	14.3	04.7-23.9	15	20.2	09.0-31.4	6	7.5	01.0-14.0	3	2.9	00.0-06.2
45-54	102	20,312	52	59.8	46.5-73.1	24	15.3	08.0-22.6	19	16.0	08.0-24.0	5	7.4	00.0-16.0	2	1.5	00.0-03.9
55-64	143	17,309	80	55.8	45.8-65.8	21	13.9	07.0-20.8	36	24.5	16.1-32.9	3	3.6	00.0-09.3	3	2.2	00.0-04.7
65+	204	19,368	110	55.2	45.8-64.6	38	18.7	11.6-25.8	37	17.3	10.6-24.0	11	6.4	00.9-11.9	8	2.4	00.2-04.6
H.S. or G.E.D.	158	35,173	84	55.0	43.8-66.2	26	14.3	07.8-20.8	34	22.3	13.1-31.5	8	6.5	00.6-12.4	6	2.0	00.0-04.0
Some Post-H.S.	174	29,052	95	58.1	49.3-66.9	36	19.5	12.4-26.6	28	13.5	08.0-19.0	11	6.7	02.0-11.4	4	2.2	00.0-04.6
College Graduate	328	42,288	191	60.9	54.0-67.8	44	12.0	07.5-16.5	71	20.4	15.1-25.7	12	4.2	01.3-07.1	10	2.5	00.5-04.5
\$35,000- 49,999	99	18,146	60	66.3	54.0-78.6	18	17.0	08.0-26.0	14	10.2	03.5-16.9	4	3.2	00.0-06.9	3	3.3	00.0-07.2
\$50,000- 74,999	118	17,608	74	64.0	52.4-75.6	14	11.4	03.8-19.0	17	13.9	06.6-21.2	8	7.0	01.3-12.7	5	3.7	00.0-07.4
\$75,000+	247	41,643	140	60.8	53.0-68.6	36	13.8	08.5-19.1	56	20.8	14.1-27.5	9	3.0	00.6-05.4	6	1.6	00.2-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1016	132,316	569	56.6	51.9-61.3	198	17.8	14.5-21.1	204	20.8	17.1-24.5	28	2.9	01.3-04.5	17	1.9	00.7-03.1
White/Non-Hisp	811	95,863	449	54.7	49.6-59.8	167	19.4	15.5-23.3	166	22.1	17.6-26.6	20	2.6	00.8-04.4	9	1.2	00.2-02.2
Black or Afr. Am./Non-Hisp	124	20,545	68	52.6	40.1-65.1	18	17.4	08.2-26.6	29	22.9	12.5-33.3	5	3.6	00.0-07.3	4	3.6	00.0-07.7
25-34	117	21,366	63	51.3	39.3-63.3	18	16.2	08.0-24.4	31	26.8	17.2-36.4	4	5.3	00.0-12.4	1	0.4	00.0-01.2
35-44	139	23,424	84	63.3	53.7-72.9	18	11.2	05.1-17.3	34	22.3	14.5-30.1	1	1.0	00.0-03.0	2	2.3	00.0-05.6
45-54	183	24,347	109	57.2	48.2-66.2	30	17.9	10.6-25.2	35	19.5	12.4-26.6	3	1.7	00.0-04.1	6	3.7	00.2-07.2
55-64	221	19,458	129	55.2	46.4-64.0	34	17.2	10.1-24.3	46	19.8	13.1-26.5	10	5.8	01.5-10.1	2	2.0	00.0-05.1
65+	299	22,249	150	48.2	41.1-55.3	88	28.9	22.4-35.4	46	17.4	11.1-23.7	10	4.1	00.8-07.4	5	1.4	00.0-02.8
H.S. or G.E.D.	238	31,778	123	56.2	46.6-65.8	57	21.4	14.1-28.7	48	18.5	12.2-24.8	6	2.1	00.0-04.3	4	1.8	00.0-04.0
Some Post-H.S.	311	46,133	178	58.0	50.0-66.0	53	15.5	09.8-21.2	59	18.9	12.8-25.0	12	4.7	01.0-08.4	9	2.9	00.5-05.3
College Graduate	426	42,520	253	61.6	55.5-67.7	74	13.5	09.8-17.2	87	22.1	17.0-27.2	9	1.6	00.4-02.8	3	1.2	00.0-03.0
Less than \$15,000	87	10,983	38	45.8	25.6-66.0	20	22.5	09.0-36.0	25	25.5	12.2-38.8	1	1.5	00.0-04.4	3	4.7	00.0-11.0
\$15,000- 24,999	89	10,781	47	49.5	34.6-64.4	26	30.2	16.9-43.5	12	13.9	04.7-23.1	2	3.1	00.0-08.6	2	3.3	00.0-09.0
\$25,000- 34,999	76	8,618	39	54.0	39.1-68.9	18	24.0	11.7-36.3	14	16.0	06.2-25.8	2	4.5	00.0-11.6	3	1.5	00.0-03.3
\$35,000- 49,999	125	17,060	78	65.3	52.6-78.0	19	11.3	04.0-18.6	22	19.5	09.5-29.5	5	3.0	00.1-05.9	1	0.9	00.0-02.7
\$50,000- 74,999	167	22,275	92	49.6	37.8-61.4	30	16.8	08.6-25.0	39	29.3	16.8-41.8	4	1.2	00.0-02.6	2	3.1	00.0-07.4
\$75,000+	304	38,469	182	63.0	56.1-69.9	48	15.4	10.3-20.5	59	17.4	12.3-22.5	10	2.7	00.7-04.7	5	1.4	00.0-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1714	255,127	729	40.6	37.3-43.9	205	13.6	10.9-16.3	16	0.8	0.2-01.4	426	24.5	21.6-27.4	213	14.0	11.3-16.7	125	6.5	04.9-08.1
Male	696	121,724	254	36.2	31.1-41.3	82	12.1	08.2-16.0	5	0.8	0.0-01.6	169	27.1	22.0-32.2	110	16.1	12.4-19.8	76	7.7	05.7-09.7
Female	1018	133,403	475	44.6	39.9-49.3	123	15.0	11.1-18.9	11	0.8	0.2-01.4	257	22.1	18.6-25.6	103	12.1	08.2-16.0	49	5.4	03.2-07.6
White/Non-Hisp	1366	175,908	583	40.2	36.5-43.9	157	12.6	09.7-15.5	12	0.5	0.1-00.9	331	24.4	21.1-27.7	172	14.1	11.2-17.0	111	8.2	06.2-10.2
Black or Afr. Am./Non-Hisp	198	45,144	76	40.5	30.9-50.1	25	13.0	06.9-19.1	1	0.9	0.0-02.7	57	24.9	16.7-33.1	30	17.4	09.8-25.0	9	3.3	00.8-05.8
Hispanic	50	19,403	21	31.5	15.0-48.0	9	25.8	07.0-44.6	2	3.0	0.0-07.3	13	26.7	09.5-43.9	4	11.9	00.0-27.2	1	1.1	00.0-03.3
18-24	106	38,359	33	26.1	15.7-36.5	13	23.7	10.6-36.8	3	2.5	0.0-05.4	34	22.5	13.7-31.3	15	21.3	08.8-33.8	8	3.8	00.7-06.9
25-34	207	46,386	95	45.4	36.2-54.6	25	9.5	05.2-13.8				51	25.9	17.3-34.5	29	15.3	09.2-21.4	7	3.9	00.0-07.8
35-44	223	44,226	93	43.7	35.5-51.9	41	17.2	11.5-22.9	1	0.5	0.0-01.5	55	22.9	16.2-29.6	23	10.9	05.6-16.2	10	4.8	01.5-08.1
45-54	288	45,200	121	37.4	30.0-44.8	38	14.6	08.1-21.1	3	0.3	0.0-00.7	80	30.6	22.4-38.8	25	10.0	05.7-14.3	21	7.0	03.7-10.3
55-64	366	36,951	149	43.3	36.6-50.0	31	7.1	04.2-10.0	3	0.5	0.0-01.3	107	29.1	23.2-35.0	47	11.8	07.9-15.7	29	8.2	04.7-11.7
65+	505	41,924	231	46.4	40.5-52.3	57	10.3	07.4-13.2	6	1.0	0.2-01.8	92	15.9	12.4-19.4	72	15.5	10.8-20.2	47	10.9	06.8-15.0
Less Than H.S.	64	26,266	32	45.4	29.9-60.9	5	9.3	00.0-19.1				9	16.5	03.6-29.4	12	21.3	07.4-35.2	6	7.5	01.0-14.0
H.S. or G.E.D.	395	67,081	173	36.2	29.3-43.1	37	14.7	07.4-22.0	3	1.3	0.0-02.9	97	27.2	20.1-34.3	59	15.3	10.0-20.6	26	5.3	02.9-07.7
Some Post-H.S.	491	76,215	198	40.7	34.6-46.8	49	10.5	07.0-14.0	5	0.8	0.0-01.6	134	26.5	21.4-31.6	64	13.1	08.2-18.0	41	8.4	05.1-11.7
College Graduate	758	85,140	324	42.6	37.9-47.3	114	16.9	12.6-21.2	8	0.5	0.1-00.9	184	22.9	19.0-26.8	78	11.7	08.4-15.0	50	5.3	03.5-07.1
Less than \$15,000	133	20,120	59	40.0	27.1-52.9	15	15.5	02.6-28.4	1	0.5	0.0-01.5	24	17.1	08.7-25.5	27	22.6	10.6-34.6	7	4.4	00.7-08.1
\$15,000- 24,999	131	19,827	61	48.0	35.5-60.5	10	7.1	01.4-12.8	1	1.9	0.0-05.4	30	18.8	10.6-27.0	20	20.1	10.1-30.1	9	4.2	00.7-07.7
\$25,000- 34,999	125	17,295	56	39.7	27.2-52.2	15	19.2	05.5-32.9				21	14.7	05.7-23.7	24	19.4	08.0-30.8	9	7.1	01.0-13.2
\$35,000- 49,999	225	35,620	93	39.1	29.1-49.1	20	16.0	05.0-27.0	2	0.2	0.0-00.4	66	25.3	17.1-33.5	23	11.3	05.6-17.0	21	8.1	03.8-12.4
\$50,000- 74,999	286	39,974	119	37.1	29.3-44.9	37	11.4	06.7-16.1	2	0.7	0.0-01.9	72	28.4	20.2-36.6	41	18.1	09.7-26.5	15	4.3	01.9-06.7
\$75,000+	556	80,975	232	41.6	36.3-46.9	81	13.9	10.4-17.4	5	0.3	0.0-00.7	141	26.5	21.4-31.6	53	10.3	06.8-13.8	44	7.4	04.9-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	696	121,724	254	36.2	31.1-41.3	82	12.1	08.2-16.0	5	0.8	00.0-01.6	169	27.1	22.0-32.2	110	16.1	12.4-19.8	76	7.7	05.7-09.7
White/Non-Hisp	557	80,132	196	32.8	27.7-37.9	68	12.8	08.7-16.9	4	0.6	00.0-01.2	133	27.5	22.0-33.0	87	15.7	12.0-19.4	69	10.5	07.6-13.4
Black or Afr. Am./Non-Hisp	72	23,803	23	35.4	21.1-49.7	8	8.7	02.0-15.4	1	1.8	00.0-05.3	20	27.1	14.4-39.8	17	25.3	12.4-38.2	3	1.8	00.0-04.2
18-24	63	18,049	18	22.9	10.7-35.1	5	16.2	00.0-33.1	2	3.3	00.0-08.2	24	34.8	20.1-49.5	9	18.5	05.0-32.0	5	4.3	00.2-08.4
25-34	90	25,020	37	46.6	32.9-60.3	13	9.6	03.7-15.5				18	25.9	12.4-39.4	19	16.7	08.5-24.9	3	1.2	00.0-02.6
35-44	82	19,890	28	38.0	25.3-50.7	11	15.2	06.4-24.0				24	24.7	14.5-34.9	13	16.2	05.8-26.6	6	5.9	01.0-10.8
45-54	106	21,002	35	27.0	16.0-38.0	10	11.7	00.7-22.7				29	36.3	21.6-51.0	13	11.6	04.5-18.7	19	13.4	06.3-20.5
55-64	146	17,458	53	39.1	29.3-48.9	16	9.5	04.4-14.6	1	0.8	00.0-02.4	37	26.3	17.5-35.1	20	12.4	06.3-18.5	19	11.9	06.0-17.8
65+	204	19,384	81	41.0	31.2-50.8	27	11.6	06.5-16.7	2	0.9	00.0-02.3	36	15.6	09.9-21.3	35	19.9	11.5-28.3	23	10.9	05.6-16.2
H.S. or G.E.D.	160	35,493	57	30.5	20.7-40.3	16	12.3	03.1-21.5	1	1.2	00.0-03.6	42	31.9	20.9-42.9	26	16.8	09.2-24.4	18	7.3	03.4-11.2
Some Post-H.S.	178	29,697	61	37.1	28.1-46.1	15	8.1	03.6-12.6	2	1.0	00.0-02.4	50	30.6	22.6-38.6	29	13.2	07.7-18.7	21	10.1	05.2-15.0
College Graduate	330	42,434	126	40.3	33.4-47.2	48	14.2	09.3-19.1	2	0.5	00.0-01.3	70	20.7	15.0-26.4	48	16.2	10.7-21.7	36	8.1	05.2-11.0
\$35,000- 49,999	100	18,425	37	39.0	24.5-53.5	9	15.7	00.0-31.4				26	20.9	11.7-30.1	15	14.9	05.9-23.9	13	9.4	03.1-15.7
\$50,000- 74,999	118	17,608	41	32.6	21.2-44.0	15	11.7	04.8-18.6	1	0.4	00.0-01.2	32	32.6	18.5-46.7	19	15.2	07.4-23.0	10	7.6	02.5-12.7
\$75,000+	251	42,347	90	35.2	27.6-42.8	33	11.2	06.9-15.5	1	0.3	00.0-00.9	62	28.5	20.7-36.3	33	14.9	08.6-21.2	32	9.9	06.0-13.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1018	133,403	475	44.6	39.9-49.3	123	15.0	11.1-18.9	11	0.8	0.2-0.4	257	22.1	18.6-25.6	103	12.1	08.2-16.0	49	5.4	03.2-07.6
White/Non-Hisp	809	95,775	387	46.4	41.3-51.5	89	12.4	08.3-16.5	8	0.4	0.0-0.8	198	21.8	18.1-25.5	85	12.8	08.3-17.3	42	6.2	03.5-08.9
Black or Afr. Am./Non-Hisp	126	21,341	53	46.1	33.6-58.6	17	17.8	07.6-28.0				37	22.4	12.4-32.4	13	8.6	03.1-14.1	6	5.1	00.4-09.8
25-34	117	21,366	58	44.0	32.2-55.8	12	9.4	03.3-15.5				33	26.0	15.8-36.2	10	13.5	04.7-22.3	4	7.1	00.0-15.1
35-44	141	24,336	65	48.4	37.8-59.0	30	18.9	11.8-26.0	1	0.9	0.0-0.2.7	31	21.3	12.3-30.3	10	6.5	02.0-11.0	4	3.9	00.0-08.6
45-54	182	24,197	86	46.5	37.5-55.5	28	17.1	09.7-24.5	3	0.6	0.0-0.1.4	51	25.8	18.0-33.6	12	8.5	03.2-13.8	2	1.5	00.0-03.7
55-64	220	19,493	96	47.1	38.3-55.9	15	4.9	02.0-07.8	2	0.2	0.0-0.0.4	70	31.6	23.6-39.6	27	11.2	06.1-16.3	10	5.0	01.1-08.9
65+	301	22,539	150	51.0	43.9-58.1	30	9.2	05.7-12.7	4	1.0	0.0-0.2.2	56	16.2	11.7-20.7	37	11.7	07.4-16.0	24	10.9	05.0-16.8
H.S. or G.E.D.	235	31,588	116	42.6	33.0-52.2	21	17.4	06.0-28.8	2	1.4	0.0-0.3.8	55	22.1	14.3-29.9	33	13.5	06.2-20.8	8	3.0	00.5-05.5
Some Post-H.S.	313	46,518	137	43.0	34.8-51.2	34	12.0	07.1-16.9	3	0.7	0.0-0.1.7	84	23.9	17.4-30.4	35	13.1	05.8-20.4	20	7.3	02.8-11.8
College Graduate	428	42,707	198	44.9	38.4-51.4	66	19.6	12.7-26.5	6	0.6	0.0-0.1.2	114	25.1	19.8-30.4	30	7.3	03.8-10.8	14	2.5	00.9-04.1
Less than \$15,000	87	11,004	45	43.8	25.8-61.8	10	21.1	00.0-42.5				13	9.3	02.4-16.2	18	25.3	07.5-43.1	1	0.5	00.0-01.5
\$15,000- 24,999	89	11,427	43	51.7	36.6-66.8	7	7.8	00.2-15.4	1	3.2	0.0-0.9.5	22	18.9	08.7-29.1	9	12.0	02.8-21.2	7	6.3	00.4-12.2
\$25,000- 34,999	76	8,670	43	57.2	42.7-71.7	5	7.1	00.6-13.6				14	14.8	06.4-23.2	11	13.9	04.7-23.1	3	7.0	00.0-16.0
\$35,000- 49,999	125	17,194	56	39.1	25.2-53.0	11	16.3	01.0-31.6	2	0.4	0.0-0.1.0	40	30.0	16.5-43.5	8	7.5	01.0-14.0	8	6.7	00.6-12.8
\$50,000- 74,999	168	22,366	78	40.7	29.7-51.7	22	11.2	04.5-17.9	1	1.0	0.0-0.3.0	40	25.1	16.1-34.1	22	20.4	07.1-33.7	5	1.7	00.1-03.3
\$75,000+	305	38,628	142	48.5	41.2-55.8	48	16.8	11.3-22.3	4	0.3	0.0-0.0.7	79	24.4	18.3-30.5	20	5.2	02.3-08.1	12	4.8	01.5-08.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 10: EXERCISE

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4646	675,595	932	21.7	19.9-23.5	411	10.3	08.9-11.7	349	9.0	07.6-10.4	78	2.1	01.5-02.7	63	1.5	00.9-02.1	2813	55.4	53.2-57.6
Male	1771	322,591	399	23.0	20.3-25.7	200	13.4	11.0-15.8	146	9.4	07.2-11.6	43	3.0	01.8-04.2	34	2.1	00.9-03.3	949	49.1	45.8-52.4
Female	2875	353,004	533	20.4	18.0-22.8	211	7.4	06.0-08.8	203	8.7	06.9-10.5	35	1.3	00.7-01.9	29	0.9	00.5-01.3	1864	61.3	58.6-64.0
White/Non-Hisp	3595	470,477	728	21.7	19.7-23.7	301	9.2	07.8-10.6	251	7.9	06.5-09.3	56	1.9	01.3-02.5	49	1.4	00.6-02.2	2210	57.9	55.5-60.3
Black or Afr. Am./Non-Hisp	662	127,870	125	21.5	16.8-26.2	66	11.4	08.1-14.7	58	12.0	08.1-15.9	12	3.3	01.1-05.5	10	2.2	00.4-04.0	391	49.6	44.3-54.9
Oth. Race/Non-Hisp.	136	21,829	26	21.1	11.7-30.5	16	10.3	04.2-16.4	13	9.3	02.4-16.2	4	3.8	00.0-08.7	1	0.3	00.0-01.1	76	55.1	43.5-66.7
MultiRacial/Non-Hisp.	79	9,361	18	29.9	16.6-43.2	7	7.0	01.3-12.7	11	16.7	05.7-27.7	2	0.3	00.0-00.7	3	3.8	00.0-09.5	38	42.3	28.8-55.8
Hispanic	128	42,017	28	20.6	10.4-30.8	14	18.9	08.3-29.5	13	11.1	03.3-18.9	3	1.5	00.0-03.5				70	47.9	36.1-59.7
18-24	237	82,085	69	32.5	24.1-40.9	48	20.7	13.8-27.6	39	19.6	12.7-26.5	6	2.4	00.2-04.6	1	0.6	00.0-01.8	74	24.1	17.4-30.8
25-34	501	114,801	138	26.1	21.2-31.0	43	10.2	06.5-13.9	50	8.1	05.6-10.6	18	4.9	02.4-07.4	8	2.3	00.0-05.0	244	48.4	42.7-54.1
35-44	550	111,623	122	23.7	19.2-28.2	46	8.8	05.7-11.9	52	9.7	06.6-12.8	7	1.2	00.2-02.2	10	1.3	00.3-02.3	313	55.4	50.1-60.7
45-54	807	124,797	180	19.4	16.1-22.7	66	9.0	06.5-11.5	58	7.1	04.2-10.0	12	1.7	00.1-03.3	11	2.0	00.2-03.8	480	60.8	56.3-65.3
55-64	1003	105,849	174	16.9	14.0-19.8	80	7.4	05.4-09.4	74	7.7	05.5-09.9	14	1.0	00.4-01.6	13	1.4	00.4-02.4	648	65.6	61.7-69.5
65+	1490	128,939	237	15.1	12.7-17.5	122	8.6	06.4-10.8	73	5.5	03.7-07.3	21	1.9	00.7-03.1	18	1.0	00.4-01.6	1019	68.0	64.7-71.3
Less Than H.S.	282	89,663	35	14.8	09.3-20.3	31	12.6	07.5-17.7	15	7.7	02.8-12.6	2	1.7	00.0-04.1	2	2.9	00.0-06.8	197	60.3	52.5-68.1
H.S. or G.E.D.	1424	219,106	184	15.8	12.9-18.7	119	10.4	07.9-12.9	87	9.3	06.8-11.8	11	1.4	00.4-02.4	20	1.2	00.6-01.8	1003	61.9	58.2-65.6
Some Post-H.S.	1305	195,568	266	24.6	20.9-28.3	115	9.5	07.1-11.9	95	8.5	06.1-10.9	27	2.6	01.4-03.8	21	1.5	00.7-02.3	781	53.4	49.5-57.3
College Graduate	1621	169,533	445	29.6	26.5-32.7	144	9.8	07.8-11.8	150	9.9	07.9-11.9	38	2.8	01.6-04.0	20	1.2	00.6-01.8	824	46.7	43.6-49.8
Less than \$15,000	505	69,623	72	18.0	12.1-23.9	39	8.6	05.1-12.1	30	7.7	04.4-11.0	6	2.3	00.0-04.8	8	1.1	00.1-02.1	350	62.3	55.6-69.0
\$15,000- 24,999	506	73,673	48	11.3	06.4-16.2	61	14.1	09.6-18.6	35	7.0	04.3-09.7	5	2.3	00.0-04.8	4	0.3	00.1-00.5	353	65.0	58.7-71.3
\$25,000- 34,999	377	51,591	63	17.6	11.9-23.3	29	9.0	04.3-13.7	22	6.4	03.1-09.7	7	1.9	00.1-03.7	6	1.0	00.0-02.0	250	64.1	57.0-71.2
\$35,000- 49,999	608	88,957	136	25.2	19.5-30.9	48	11.1	06.2-16.0	37	6.2	03.5-08.9	6	1.2	00.0-02.4	5	0.8	00.0-01.8	376	55.5	49.2-61.8
\$50,000- 74,999	697	97,505	152	22.6	18.5-26.7	63	7.5	05.1-09.9	45	9.6	04.9-14.3	15	2.7	00.9-04.5	6	0.9	00.0-01.9	416	56.7	51.4-62.0
\$75,000+	1199	179,167	332	27.0	23.7-30.3	100	10.3	07.6-13.0	117	10.0	07.6-12.4	29	2.5	01.3-03.7	23	1.8	01.0-02.6	598	48.3	44.6-52.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1771	322,591	399	23.0	20.3-25.7	200	13.4	11.0-15.8	146	9.4	07.2-11.6	43	3.0	01.8-04.2	34	2.1	00.9-03.3	949	49.1	45.8-52.4
White/Non-Hisp	1395	222,991	314	24.1	21.0-27.2	142	11.4	08.9-13.9	108	7.9	05.9-09.9	32	2.4	01.2-03.6	28	2.1	00.5-03.7	771	52.1	48.4-55.8
Black or Afr. Am./Non-Hisp	209	57,892	49	23.3	16.0-30.6	34	16.9	10.6-23.2	20	12.2	05.9-18.5	8	6.0	01.5-10.5	6	3.6	00.0-07.3	92	38.0	29.8-46.2
Oth. Race/Non-Hisp.	66	14,468	12	16.8	06.2-27.4	9	10.4	02.4-18.4	6	10.2	00.4-20.0	1	3.4	00.0-10.1				38	59.2	43.9-74.5
18-24	126	41,800	41	30.8	20.0-41.6	32	31.0	19.6-42.4	22	18.8	10.0-27.6	3	1.8	00.0-04.0	1	1.3	00.0-03.7	27	16.3	08.5-24.1
25-34	205	58,009	61	26.9	19.6-34.2	26	13.6	07.3-19.9	21	8.4	04.3-12.5	12	8.1	03.2-13.0	7	4.4	00.0-09.7	78	38.6	30.0-47.2
35-44	206	53,912	52	26.2	18.9-33.5	18	8.4	04.1-12.7	18	10.0	04.5-15.5	5	1.8	00.0-03.8	6	2.0	00.0-04.0	107	51.6	43.4-59.8
45-54	317	59,725	76	20.3	15.0-25.6	38	11.6	07.3-15.9	22	7.4	02.1-12.7	5	2.3	00.0-05.2	4	2.4	00.0-05.7	172	56.0	48.6-63.4
55-64	362	50,383	65	18.9	13.8-24.0	38	9.0	05.7-12.3	30	8.1	04.4-11.8	6	1.0	00.0-02.0	6	1.5	00.1-02.9	217	61.5	55.0-68.0
65+	539	55,947	99	16.7	12.8-20.6	47	10.9	06.6-15.2	33	6.5	03.0-10.0	12	2.7	00.5-04.9	9	0.6	00.2-01.0	339	62.7	57.0-68.4
Less Than H.S.	115	45,831	19	16.3	08.7-23.9	16	17.4	08.6-26.2	7	8.8	02.1-15.5	2	3.4	00.0-08.1	2	5.6	00.0-13.2	69	48.5	37.3-59.7
H.S. or G.E.D.	540	111,383	93	18.3	14.0-22.6	55	12.8	08.5-17.1	40	10.4	06.3-14.5	5	1.9	00.0-03.9	12	1.5	00.3-02.7	335	55.2	49.3-61.1
Some Post-H.S.	448	85,390	111	27.5	21.6-33.4	56	13.0	08.5-17.5	31	8.1	04.2-12.0	14	3.2	01.2-05.2	6	1.4	00.0-02.8	230	46.8	40.5-53.1
College Graduate	663	78,699	174	28.8	24.3-33.3	73	12.4	08.9-15.9	67	9.7	07.0-12.4	22	4.4	02.0-06.8	14	1.8	00.6-03.0	313	42.8	37.9-47.7
Less than \$15,000	158	29,365	31	19.3	11.5-27.1	11	7.8	02.3-13.3	12	11.8	04.5-19.1	4	5.0	00.0-11.1	3	0.4	00.0-01.0	97	55.8	45.4-66.2
\$15,000- 24,999	150	28,989	14	10.7	02.5-18.9	21	17.7	08.9-26.5	17	8.2	03.7-12.7	5	5.9	00.0-12.2	1	0.2	00.0-00.6	92	57.3	46.3-68.3
\$25,000- 34,999	128	23,979	21	21.0	10.4-31.6	11	11.3	02.3-20.3	7	5.1	00.2-10.0	4	3.0	00.0-06.3	1	0.4	00.0-01.2	84	59.3	46.8-71.8
\$35,000- 49,999	266	48,233	64	26.0	17.6-34.4	31	14.6	06.8-22.4	15	6.5	02.2-10.8	3	1.7	00.0-03.7	4	1.4	00.0-03.2	149	49.8	40.6-59.0
\$50,000- 74,999	287	47,169	71	24.3	18.2-30.4	34	10.7	06.4-15.0	18	10.0	03.3-16.7	7	2.6	00.2-05.0	3	1.3	00.0-03.1	154	51.1	43.3-58.9
\$75,000+	532	91,779	147	27.5	22.6-32.4	58	13.3	08.8-17.8	55	10.5	06.8-14.2	18	3.3	01.5-05.1	13	1.9	00.7-03.1	241	43.6	37.9-49.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	353,004	533	20.4	18.0-22.8	211	7.4	06.0-08.8	203	8.7	06.9-10.5	35	1.3	00.7-01.9	29	0.9	00.5-01.3	1864	61.3	58.6-64.0
White/Non-Hisp	2200	247,487	414	19.6	17.1-22.1	159	7.2	05.6-08.8	143	7.8	05.8-09.8	24	1.4	00.6-02.2	21	0.8	00.4-01.2	1439	63.2	60.3-66.1
Black or Afr. Am./Non-Hisp	453	69,978	76	20.0	13.7-26.3	32	7.0	04.1-09.9	38	11.8	06.9-16.7	4	1.1	00.0-02.3	4	1.0	00.0-02.0	299	59.1	52.4-65.8
Oth. Race/Non-Hisp.	70	7,362	14	29.6	12.9-46.3	7	10.2	02.0-18.4	7	7.7	01.4-14.0	3	4.4	00.0-10.7	1	1.0	00.0-03.0	38	47.1	31.0-63.2
Hispanic	84	21,733	20	28.5	12.4-44.6	6	10.5	01.3-19.7	8	7.9	02.0-13.8	1	0.4	00.0-01.2				49	52.7	37.6-67.8
18-24	111	40,285	28	34.2	21.3-47.1	16	10.1	04.4-15.8	17	20.4	09.8-31.0	3	3.1	00.0-06.6				47	32.2	21.4-43.0
25-34	296	56,792	77	25.3	18.6-32.0	17	6.8	03.1-10.5	29	7.8	04.5-11.1	6	1.6	00.0-03.2	1	0.1	00.0-00.3	166	58.4	51.1-65.7
35-44	344	57,711	70	21.4	15.9-26.9	28	9.2	04.7-13.7	34	9.3	05.8-12.8	2	0.6	00.0-01.4	4	0.6	00.0-01.2	206	58.9	52.4-65.4
45-54	490	65,072	104	18.5	14.4-22.6	28	6.7	03.8-09.6	36	6.8	04.3-09.3	7	1.2	00.0-02.6	7	1.6	00.0-03.2	308	65.3	60.0-70.6
55-64	641	55,466	109	15.0	11.7-18.3	42	6.0	03.8-08.2	44	7.3	04.8-09.8	8	1.0	00.2-01.8	7	1.3	00.0-02.7	431	69.4	64.9-73.9
65+	951	72,992	138	13.9	11.4-16.4	75	6.9	05.1-08.7	40	4.7	02.9-06.5	9	1.2	00.2-02.2	9	1.2	00.4-02.0	680	72.1	68.6-75.6
Less Than H.S.	167	43,831	16	13.2	05.2-21.2	15	7.5	03.0-12.0	8	6.6	00.0-13.9							128	72.6	62.6-82.6
H.S. or G.E.D.	884	107,722	91	13.2	09.3-17.1	64	7.9	05.4-10.4	47	8.2	05.3-11.1	6	1.0	00.0-02.0	8	0.8	00.0-01.6	668	68.8	64.1-73.5
Some Post-H.S.	857	110,178	155	22.3	17.6-27.0	59	6.7	04.2-09.2	64	8.8	05.9-11.7	13	2.1	00.5-03.7	15	1.6	00.6-02.6	551	58.5	53.6-63.4
College Graduate	958	90,834	271	30.3	26.0-34.6	71	7.5	05.3-09.7	83	10.0	07.5-12.5	16	1.4	00.4-02.4	6	0.6	00.0-01.2	511	50.2	45.9-54.5
Less than \$15,000	347	40,259	41	17.0	08.6-25.4	28	9.2	04.5-13.9	18	4.8	02.3-07.3	2	0.3	00.0-00.7	5	1.6	00.0-03.4	253	67.0	58.4-75.6
\$15,000- 24,999	356	44,683	34	11.7	05.6-17.8	40	11.8	07.1-16.5	18	6.3	03.0-09.6				3	0.3	00.0-00.7	261	69.9	62.6-77.2
\$25,000- 34,999	249	27,613	42	14.6	09.9-19.3	18	7.0	03.3-10.7	15	7.6	03.1-12.1	3	0.9	00.0-02.1	5	1.5	00.0-03.1	166	68.4	61.1-75.7
\$35,000- 49,999	342	40,724	72	24.3	16.9-31.7	17	7.0	02.1-11.9	22	5.9	03.0-08.8	3	0.5	00.0-01.1	1	0.1	00.0-00.3	227	62.2	54.2-70.2
\$50,000- 74,999	410	50,335	81	21.0	15.5-26.5	29	4.5	02.3-06.7	27	9.2	02.7-15.7	8	2.9	00.4-05.4	3	0.5	00.0-01.1	262	61.9	54.6-69.2
\$75,000+	667	87,389	185	26.5	22.2-30.8	42	7.1	04.6-09.6	62	9.6	06.9-12.3	11	1.8	00.6-03.0	10	1.8	00.6-03.0	357	53.3	48.4-58.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 11: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	219
2	MALES ONLY	220
3	FEMALES ONLY	221
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	222
5	MALES ONLY	223
6	FEMALES ONLY	224

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4709	683,432	1229	21.8	20.2-23.4	3480	78.2	76.6-79.8
Male	1797	325,975	410	19.6	17.1-22.1	1387	80.4	77.9-82.9
Female	2912	357,457	819	23.9	21.7-26.1	2093	76.1	73.9-78.3
White/Non-Hisp	3635	473,878	1008	24.8	22.8-26.8	2627	75.2	73.2-77.2
Black or Afr. Am./Non-Hisp	675	130,286	142	16.3	13.0-19.6	533	83.7	80.4-87.0
Oth. Race/Non-Hisp.	140	22,400	26	18.1	07.3-28.9	114	81.9	71.1-92.7
MultiRacial/Non-Hisp.	79	9,280	23	24.7	13.5-35.9	56	75.3	64.1-86.5
Hispanic	133	43,508	16	7.3	02.8-11.8	117	92.7	88.2-97.2
18-24	239	82,635	24	10.3	05.2-15.4	215	89.7	84.6-94.8
25-34	504	115,157	81	15.1	11.4-18.8	423	84.9	81.2-88.6
35-44	557	113,402	104	19.2	14.9-23.5	453	80.8	76.5-85.1
45-54	819	127,413	198	22.6	18.9-26.3	621	77.4	73.7-81.1
55-64	1017	106,893	332	30.6	26.7-34.5	685	69.4	65.5-73.3
65+	1516	131,145	476	29.4	26.5-32.3	1040	70.6	67.7-73.5
Less Than H.S.	289	91,776	90	25.8	19.7-31.9	199	74.2	68.1-80.3
H.S. or G.E.D.	1437	220,188	362	21.4	18.5-24.3	1075	78.6	75.7-81.5
Some Post-H.S.	1322	197,733	410	24.3	21.2-27.4	912	75.7	72.6-78.8
College Graduate	1648	172,785	363	17.4	15.2-19.6	1285	82.6	80.4-84.8
Less than \$15,000	512	70,530	170	27.8	22.3-33.3	342	72.2	66.7-77.7
\$15,000- 24,999	515	75,580	224	36.3	30.4-42.2	291	63.7	57.8-69.6
\$25,000- 34,999	384	52,266	118	30.0	22.9-37.1	266	70.0	62.9-77.1
\$35,000- 49,999	613	89,463	158	21.1	16.8-25.4	455	78.9	74.6-83.2
\$50,000- 74,999	705	98,284	161	19.2	15.7-22.7	544	80.8	77.3-84.3
\$75,000+	1217	181,855	210	15.2	12.5-17.9	1007	84.8	82.1-87.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1797	325,975	410	19.6	17.1-22.1	1387	80.4	77.9-82.9
White/Non-Hisp	1411	224,250	337	22.1	19.0-25.2	1074	77.9	74.8-81.0
Black or Afr. Am./Non-Hisp	213	58,791	39	14.0	09.1-18.9	174	86.0	81.1-90.9
Oth. Race/Non-Hisp.	68	14,748	13	20.9	05.4-36.4	55	79.1	63.6-94.6
18-24	127	42,193	11	9.6	02.0-17.2	116	90.4	82.8-98.0
25-34	204	57,781	24	10.3	05.6-15.0	180	89.7	85.0-94.4
35-44	210	54,525	40	20.6	13.3-27.9	170	79.4	72.1-86.7
45-54	326	61,903	71	21.0	15.3-26.7	255	79.0	73.3-84.7
55-64	368	50,576	105	27.4	21.1-33.7	263	72.6	66.3-78.9
65+	547	56,896	157	26.8	21.9-31.7	390	73.2	68.3-78.1
Less Than H.S.	118	46,894	26	17.8	10.2-25.4	92	82.2	74.6-89.8
H.S. or G.E.D.	541	111,307	122	19.6	15.1-24.1	419	80.4	75.9-84.9
Some Post-H.S.	459	86,833	126	24.5	19.0-30.0	333	75.5	70.0-81.0
College Graduate	675	80,430	134	15.2	12.1-18.3	541	84.8	81.7-87.9
Less than \$15,000	159	29,745	47	25.0	16.2-33.8	112	75.0	66.2-83.8
\$15,000- 24,999	153	29,433	58	28.7	20.1-37.3	95	71.3	62.7-79.9
\$25,000- 34,999	134	24,566	36	29.9	17.9-41.9	98	70.1	58.1-82.1
\$35,000- 49,999	267	48,380	68	22.1	15.2-29.0	199	77.9	71.0-84.8
\$50,000- 74,999	291	47,802	57	15.9	11.0-20.8	234	84.1	79.2-89.0
\$75,000+	541	93,294	85	13.8	09.5-18.1	456	86.2	81.9-90.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2912	357,457	819	23.9	21.7-26.1	2093	76.1	73.9-78.3
White/Non-Hisp	2224	249,627	671	27.2	24.7-29.7	1553	72.8	70.3-75.3
Black or Afr. Am./Non-Hisp	462	71,495	103	18.1	13.6-22.6	359	81.9	77.4-86.4
Oth. Race/Non-Hisp.	72	7,652	13	12.7	04.9-20.5	59	87.3	79.5-95.1
Hispanic	85	22,066	12	8.7	02.4-15.0	73	91.3	85.0-97.6
18-24	112	40,442	13	10.9	04.2-17.6	99	89.1	82.4-95.8
25-34	300	57,376	57	19.9	14.0-25.8	243	80.1	74.2-86.0
35-44	347	58,876	64	17.8	12.9-22.7	283	82.2	77.3-87.1
45-54	493	65,510	127	24.1	19.2-29.0	366	75.9	71.0-80.8
55-64	649	56,318	227	33.5	28.8-38.2	422	66.5	61.8-71.2
65+	969	74,249	319	31.4	27.7-35.1	650	68.6	64.9-72.3
Less Than H.S.	171	44,883	64	34.2	25.2-43.2	107	65.8	56.8-74.8
H.S. or G.E.D.	896	108,881	240	23.2	19.7-26.7	656	76.8	73.3-80.3
Some Post-H.S.	863	110,900	284	24.1	20.6-27.6	579	75.9	72.4-79.4
College Graduate	973	92,355	229	19.3	16.2-22.4	744	80.7	77.6-83.8
Less than \$15,000	353	40,785	123	29.8	22.9-36.7	230	70.2	63.3-77.1
\$15,000- 24,999	362	46,147	166	41.2	33.8-48.6	196	58.8	51.4-66.2
\$25,000- 34,999	250	27,700	82	30.1	22.5-37.7	168	69.9	62.3-77.5
\$35,000- 49,999	346	41,083	90	20.0	14.7-25.3	256	80.0	74.7-85.3
\$50,000- 74,999	414	50,482	104	22.4	17.3-27.5	310	77.6	72.5-82.7
\$75,000+	676	88,560	125	16.6	13.1-20.1	551	83.4	79.9-86.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4715	684,995	495	7.4	06.4-08.4	4220	92.6	91.6-93.6
Male	1802	327,553	152	6.6	05.0-08.2	1650	93.4	91.8-95.0
Female	2913	357,441	343	8.2	07.0-09.4	2570	91.8	90.6-93.0
White/Non-Hisp	3640	475,188	385	7.6	06.4-08.8	3255	92.4	91.2-93.6
Black or Afr. Am./Non-Hisp	675	130,286	71	7.5	05.3-09.7	604	92.5	90.3-94.7
Oth. Race/Non-Hisp.	140	22,400	17	13.0	02.8-23.2	123	87.0	76.8-97.2
MultiRacial/Non-Hisp.	80	9,532	8	8.1	01.2-15.0	72	91.9	85.0-98.8
Hispanic	133	43,508	7	2.2	00.0-04.4	126	97.8	95.6-0100
18-24	239	82,476	3	1.5	00.0-03.7	236	98.5	96.3-0100
25-34	505	115,385	18	2.7	01.1-04.3	487	97.3	95.7-98.9
35-44	559	113,668	21	4.8	02.3-07.3	538	95.2	92.7-97.7
45-54	819	127,413	59	6.3	04.1-08.5	760	93.7	91.5-95.9
55-64	1016	106,913	112	10.1	07.4-12.8	904	89.9	87.2-92.6
65+	1518	131,495	277	16.6	14.1-19.1	1241	83.4	80.9-85.9
Less Than H.S.	288	91,723	48	11.8	07.5-16.1	240	88.2	83.9-92.5
H.S. or G.E.D.	1442	221,149	149	6.6	05.0-08.2	1293	93.4	91.8-95.0
Some Post-H.S.	1323	197,690	163	8.0	06.2-09.8	1160	92.0	90.2-93.8
College Graduate	1648	172,707	131	5.4	04.0-06.8	1517	94.6	93.2-96.0
Less than \$15,000	512	70,460	85	12.5	08.4-16.6	427	87.5	83.4-91.6
\$15,000- 24,999	516	75,695	130	15.9	12.2-19.6	386	84.1	80.4-87.8
\$25,000- 34,999	384	52,266	44	12.7	06.6-18.8	340	87.3	81.2-93.4
\$35,000- 49,999	613	89,660	67	8.1	05.2-11.0	546	91.9	89.0-94.8
\$50,000- 74,999	704	98,125	34	3.0	01.8-04.2	670	97.0	95.8-98.2
\$75,000+	1217	181,855	57	3.1	01.9-04.3	1160	96.9	95.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1802	327,553	152	6.6	05.0-08.2	1650	93.4	91.8-95.0
White/Non-Hisp	1415	225,576	119	6.5	04.7-08.3	1296	93.5	91.7-95.3
Black or Afr. Am./Non-Hisp	213	58,791	18	6.5	03.0-10.0	195	93.5	90.0-97.0
Oth. Race/Non-Hisp.	68	14,748	9	15.3	00.6-30.0	59	84.7	70.0-99.4
18-24	128	42,254	2	2.5	00.0-06.6	126	97.5	93.4-0100
25-34	205	58,009	6	1.2	00.0-02.4	199	98.8	97.6-0100
35-44	210	54,525	10	6.0	01.3-10.7	200	94.0	89.3-98.7
45-54	326	61,903	20	5.1	02.4-07.8	306	94.9	92.2-97.6
55-64	368	50,755	39	10.5	05.4-15.6	329	89.5	84.4-94.6
65+	548	57,148	75	13.9	09.6-18.2	473	86.1	81.8-90.4
Less Than H.S.	117	46,840	12	8.5	02.8-14.2	105	91.5	85.8-97.2
H.S. or G.E.D.	544	112,021	40	4.9	02.4-07.4	504	95.1	92.6-97.6
Some Post-H.S.	460	86,894	47	9.0	05.5-12.5	413	91.0	87.5-94.5
College Graduate	676	80,511	51	4.8	03.2-06.4	625	95.2	93.6-96.8
Less than \$15,000	159	29,745	25	14.4	06.6-22.2	134	85.6	77.8-93.4
\$15,000- 24,999	153	29,433	26	9.4	04.9-13.9	127	90.6	86.1-95.1
\$25,000- 34,999	134	24,566	14	13.7	02.7-24.7	120	86.3	75.3-97.3
\$35,000- 49,999	268	48,621	30	10.1	05.2-15.0	238	89.9	85.0-94.8
\$50,000- 74,999	291	47,802	11	2.1	00.7-03.5	280	97.9	96.5-99.3
\$75,000+	541	93,294	32	3.3	01.9-04.7	509	96.7	95.3-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	357,441	343	8.2	07.0-09.4	2570	91.8	90.6-93.0
White/Non-Hisp	2225	249,612	266	8.6	07.0-10.2	1959	91.4	89.8-93.0
Black or Afr. Am./Non-Hisp	462	71,495	53	8.3	05.4-11.2	409	91.7	88.8-94.6
Oth. Race/Non-Hisp.	72	7,652	8	8.6	01.5-15.7	64	91.4	84.3-98.5
Hispanic	85	22,066	5	2.7	00.0-06.0	80	97.3	94.0-0100
18-24	111	40,222	1	0.3	00.0-00.9	110	99.7	99.1-0100
25-34	300	57,376	12	4.2	01.3-07.1	288	95.8	92.9-98.7
35-44	349	59,142	11	3.7	01.2-06.2	338	96.3	93.8-98.8
45-54	493	65,510	39	7.4	04.1-10.7	454	92.6	89.3-95.9
55-64	648	56,159	73	9.8	07.1-12.5	575	90.2	87.5-92.9
65+	970	74,347	202	18.7	15.6-21.8	768	81.3	78.2-84.4
Less Than H.S.	171	44,883	36	15.2	08.7-21.7	135	84.8	78.3-91.3
H.S. or G.E.D.	898	109,128	109	8.2	06.2-10.2	789	91.8	89.8-93.8
Some Post-H.S.	863	110,796	116	7.3	05.7-08.9	747	92.7	91.1-94.3
College Graduate	972	92,196	80	6.0	04.0-08.0	892	94.0	92.0-96.0
Less than \$15,000	353	40,715	60	11.2	07.1-15.3	293	88.8	84.7-92.9
\$15,000- 24,999	363	46,263	104	20.0	14.5-25.5	259	80.0	74.5-85.5
\$25,000- 34,999	250	27,700	30	11.8	05.9-17.7	220	88.2	82.3-94.1
\$35,000- 49,999	345	41,039	37	5.7	03.3-08.1	308	94.3	91.9-96.7
\$50,000- 74,999	413	50,323	23	3.8	02.0-05.6	390	96.2	94.4-98.0
\$75,000+	676	88,560	25	2.9	01.1-04.7	651	97.1	95.3-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 12: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
1	MALES AND FEMALES	226
2	MALES ONLY	227
3	FEMALES ONLY	228
	IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
4	MALES AND FEMALES	229
5	MALES ONLY	230
6	FEMALES ONLY	231
	DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
7	MALES AND FEMALES	232
8	MALES ONLY	233
9	FEMALES ONLY	234
	PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)	
10	MALES AND FEMALES	235
11	MALES ONLY	236
12	FEMALES ONLY	237

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1614	180,329	743	45.4	42.1-48.7	871	54.6	51.3-57.9
Male	508	73,855	209	42.2	36.3-48.1	299	57.8	51.9-63.7
Female	1106	106,474	534	47.5	43.4-51.6	572	52.5	48.4-56.6
White/Non-Hisp	1322	141,850	603	46.0	42.3-49.7	719	54.0	50.3-57.7
Black or Afr. Am./Non-Hisp	200	27,887	91	39.6	30.8-48.4	109	60.4	51.6-69.2
35-44	92	18,755	44	46.7	34.2-59.2	48	53.3	40.8-65.8
45-54	235	32,266	134	59.7	51.9-67.5	101	40.3	32.5-48.1
55-64	436	47,674	198	42.2	35.5-48.9	238	57.8	51.1-64.5
65+	780	65,754	341	41.5	37.0-46.0	439	58.5	54.0-63.0
Less Than H.S.	119	27,866	62	57.5	46.7-68.3	57	42.5	31.7-53.3
H.S. or G.E.D.	557	65,242	247	43.5	38.0-49.0	310	56.5	51.0-62.0
Some Post-H.S.	484	54,347	244	46.0	39.9-52.1	240	54.0	47.9-60.1
College Graduate	448	32,541	186	37.1	31.6-42.6	262	62.9	57.4-68.4
Less than \$15,000	206	22,123	99	48.4	38.4-58.4	107	51.6	41.6-61.6
\$15,000- 24,999	242	28,278	154	66.4	58.2-74.6	88	33.6	25.4-41.8
\$25,000- 34,999	153	17,679	74	48.7	37.7-59.7	79	51.3	40.3-62.3
\$35,000- 49,999	234	25,973	83	34.1	25.9-42.3	151	65.9	57.7-74.1
\$50,000- 74,999	210	26,469	86	41.1	31.9-50.3	124	58.9	49.7-68.1
\$75,000+	282	31,301	119	37.6	30.5-44.7	163	62.4	55.3-69.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 12: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	508	73,855	209	42.2	36.3-48.1	299	57.8	51.9-63.7
White/Non-Hisp	426	59,255	173	43.0	36.3-49.7	253	57.0	50.3-63.7
Black or Afr. Am./Non-Hisp	52	10,005	21	36.2	20.1-52.3	31	63.8	47.7-79.9
45-54	76	13,514	43	64.4	52.1-76.7	33	35.6	23.3-47.9
55-64	133	20,935	47	31.7	19.9-43.5	86	68.3	56.5-80.1
65+	248	24,991	97	38.1	30.3-45.9	151	61.9	54.1-69.7
H.S. or G.E.D.	175	27,743	72	40.6	31.2-50.0	103	59.4	50.0-68.8
Some Post-H.S.	136	20,572	60	44.0	32.6-55.4	76	56.0	44.6-67.4
College Graduate	158	14,166	58	30.7	21.9-39.5	100	69.3	60.5-78.1
Less than \$15,000	59	10,044	33	56.9	38.5-75.3	26	43.1	24.7-61.5
\$15,000- 24,999	54	8,872	27	53.9	36.1-71.7	27	46.1	28.3-63.9
\$35,000- 49,999	92	12,345	32	37.5	24.2-50.8	60	62.5	49.2-75.8
\$50,000- 74,999	72	11,538	27	36.8	22.3-51.3	45	63.2	48.7-77.7
\$75,000+	105	13,580	39	34.5	22.9-46.1	66	65.5	53.9-77.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1106	106,474	534	47.5	43.4-51.6	572	52.5	48.4-56.6
White/Non-Hisp	896	82,595	430	48.1	43.6-52.6	466	51.9	47.4-56.4
Black or Afr. Am./Non-Hisp	148	17,882	70	41.6	31.0-52.2	78	58.4	47.8-69.0
35-44	63	10,816	26	37.7	23.2-52.2	37	62.3	47.8-76.8
45-54	159	18,753	91	56.3	46.3-66.3	68	43.7	33.7-53.7
55-64	303	26,739	151	50.5	43.1-57.9	152	49.5	42.1-56.9
65+	532	40,763	244	43.5	38.0-49.0	288	56.5	51.0-62.0
Less Than H.S.	81	16,669	44	58.1	45.0-71.2	37	41.9	28.8-55.0
H.S. or G.E.D.	382	37,499	175	45.7	39.4-52.0	207	54.3	48.0-60.6
Some Post-H.S.	348	33,775	184	47.3	40.0-54.6	164	52.7	45.4-60.0
College Graduate	290	18,375	128	42.0	35.1-48.9	162	58.0	51.1-64.9
Less than \$15,000	147	12,079	66	41.3	30.9-51.7	81	58.7	48.3-69.1
\$15,000- 24,999	188	19,407	127	72.1	63.5-80.7	61	27.9	19.3-36.5
\$25,000- 34,999	104	10,223	53	54.1	41.6-66.6	51	45.9	33.4-58.4
\$35,000- 49,999	142	13,627	51	31.0	21.0-41.0	91	69.0	59.0-79.0
\$50,000- 74,999	138	14,931	59	44.5	32.9-56.1	79	55.5	43.9-67.1
\$75,000+	177	17,721	80	40.1	31.3-48.9	97	59.9	51.1-68.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1598	177,760	493	34.1	30.8-37.4	1105	65.9	62.6-69.2
Male	503	72,543	146	32.9	27.0-38.8	357	67.1	61.2-73.0
Female	1095	105,217	347	34.9	30.8-39.0	748	65.1	61.0-69.2
White/Non-Hisp	1312	139,740	396	33.9	30.0-37.8	916	66.1	62.2-70.0
Black or Afr. Am./Non-Hisp	198	27,719	64	37.0	27.8-46.2	134	63.0	53.8-72.2
35-44	92	18,755	40	48.8	36.3-61.3	52	51.2	38.7-63.7
45-54	232	31,902	92	43.4	34.8-52.0	140	56.6	48.0-65.2
55-64	432	47,188	139	32.0	25.5-38.5	293	68.0	61.5-74.5
65+	772	64,136	195	24.7	21.0-28.4	577	75.3	71.6-79.0
Less Than H.S.	116	27,075	56	53.7	42.3-65.1	60	46.3	34.9-57.7
H.S. or G.E.D.	551	64,165	185	36.0	30.5-41.5	366	64.0	58.5-69.5
Some Post-H.S.	478	53,646	157	30.5	25.0-36.0	321	69.5	64.0-75.0
College Graduate	448	32,556	92	19.7	14.6-24.8	356	80.3	75.2-85.4
Less than \$15,000	205	21,486	72	41.3	30.9-51.7	133	58.7	48.3-69.1
\$15,000- 24,999	237	27,529	129	62.6	54.4-70.8	108	37.4	29.2-45.6
\$25,000- 34,999	150	17,311	48	28.9	20.1-37.7	102	71.1	62.3-79.9
\$35,000- 49,999	234	25,846	67	29.5	21.5-37.5	167	70.5	62.5-78.5
\$50,000- 74,999	207	26,062	54	33.3	23.7-42.9	153	66.7	57.1-76.3
\$75,000+	281	31,239	45	16.6	10.7-22.5	236	83.4	77.5-89.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	503	72,543	146	32.9	27.0-38.8	357	67.1	61.2-73.0
White/Non-Hisp	423	58,100	121	33.9	27.0-40.8	302	66.1	59.2-73.0
Black or Afr. Am./Non-Hisp	51	9,892	15	31.1	15.4-46.8	36	68.9	53.2-84.6
45-54	76	13,514	28	40.5	26.4-54.6	48	59.5	45.4-73.6
55-64	132	20,822	40	30.4	18.6-42.2	92	69.6	57.8-81.4
65+	244	23,791	59	23.9	17.4-30.4	185	76.1	69.6-82.6
H.S. or G.E.D.	174	27,287	61	36.8	27.2-46.4	113	63.2	53.6-72.8
Some Post-H.S.	133	20,306	39	28.7	18.3-39.1	94	71.3	60.9-81.7
College Graduate	159	14,237	28	16.7	07.7-25.7	131	83.3	74.3-92.3
Less than \$15,000	57	9,382	22	47.8	28.2-67.4	35	52.2	32.6-71.8
\$15,000- 24,999	52	8,371	29	62.0	45.1-78.9	23	38.0	21.1-54.9
\$35,000- 49,999	92	12,345	25	28.9	16.6-41.2	67	71.1	58.8-83.4
\$50,000- 74,999	71	11,430	17	32.6	17.1-48.1	54	67.4	51.9-82.9
\$75,000+	106	13,651	16	14.5	04.7-24.3	90	85.5	75.7-95.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1095	105,217	347	34.9	31.0-38.8	748	65.1	61.2-69.0
White/Non-Hisp	889	81,639	275	33.9	29.4-38.4	614	66.1	61.6-70.6
Black or Afr. Am./Non-Hisp	147	17,827	49	40.2	29.0-51.4	98	59.8	48.6-71.0
35-44	63	10,816	25	46.3	30.6-62.0	38	53.7	38.0-69.4
45-54	156	18,389	64	45.5	34.9-56.1	92	54.5	43.9-65.1
55-64	300	26,366	99	33.2	26.3-40.1	201	66.8	59.9-73.7
65+	528	40,346	136	25.1	20.6-29.6	392	74.9	70.4-79.4
Less Than H.S.	80	16,540	39	54.7	41.2-68.2	41	45.3	31.8-58.8
H.S. or G.E.D.	377	36,878	124	35.5	29.0-42.0	253	64.5	58.0-71.0
Some Post-H.S.	345	33,339	118	31.5	25.0-38.0	227	68.5	62.0-75.0
College Graduate	289	18,319	64	22.1	16.2-28.0	225	77.9	72.0-83.8
Less than \$15,000	148	12,105	50	36.3	25.7-46.9	98	63.7	53.1-74.3
\$15,000- 24,999	185	19,158	100	62.9	53.5-72.3	85	37.1	27.7-46.5
\$25,000- 34,999	102	9,967	35	35.5	23.7-47.3	67	64.5	52.7-76.3
\$35,000- 49,999	142	13,500	42	30.1	19.9-40.3	100	69.9	59.7-80.1
\$50,000- 74,999	136	14,632	37	33.8	21.6-46.0	99	66.2	54.0-78.4
\$75,000+	175	17,588	29	18.3	11.2-25.4	146	81.7	74.6-88.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1606	179,857	285	19.0	16.1-21.9	404	25.7	22.6-28.8	917	55.3	51.8-58.8
Male	506	73,688	83	18.5	13.6-23.4	108	21.8	16.9-26.7	315	59.6	53.7-65.5
Female	1100	106,169	202	19.4	16.1-22.7	296	28.3	24.6-32.0	602	52.3	48.2-56.4
White/Non-Hisp	1316	141,543	214	17.8	14.7-20.9	330	26.0	22.7-29.3	772	56.2	52.3-60.1
Black or Afr. Am./Non-Hisp	199	27,737	43	21.0	13.6-28.4	49	22.7	14.9-30.5	107	56.3	46.9-65.7
35-44	92	18,755	19	18.7	09.7-27.7	26	31.4	19.1-43.7	47	50.0	37.5-62.5
45-54	234	32,250	61	29.0	20.8-37.2	53	20.8	14.5-27.1	120	50.2	42.0-58.4
55-64	431	47,236	85	20.2	14.3-26.1	104	22.9	17.2-28.6	242	56.8	49.9-63.7
65+	778	65,735	105	12.1	09.4-14.8	197	27.0	22.9-31.1	476	60.9	56.4-65.4
Less Than H.S.	119	27,866	39	37.4	26.0-48.8	34	27.4	17.4-37.4	46	35.1	24.9-45.3
H.S. or G.E.D.	555	65,026	113	18.3	14.2-22.4	152	27.3	22.4-32.2	290	54.3	48.8-59.8
Some Post-H.S.	479	54,104	94	17.6	13.1-22.1	120	25.4	19.7-31.1	265	57.1	50.8-63.4
College Graduate	448	32,542	39	7.3	04.6-10.0	95	21.3	16.4-26.2	314	71.4	65.9-76.9
Less than \$15,000	207	22,148	47	25.6	15.6-35.6	55	31.4	22.0-40.8	105	42.9	33.5-52.3
\$15,000- 24,999	239	28,158	93	45.7	36.5-54.9	71	26.3	18.3-34.3	75	28.0	20.4-35.6
\$25,000- 34,999	152	17,610	22	12.2	06.5-17.9	54	38.1	27.5-48.7	76	49.7	38.7-60.7
\$35,000- 49,999	235	26,039	31	15.3	08.6-22.0	56	19.8	13.7-25.9	148	65.0	57.0-73.0
\$50,000- 74,999	210	26,469	31	14.9	07.8-22.0	45	21.4	14.0-28.8	134	63.7	54.7-72.7
\$75,000+	281	31,267	21	6.6	03.1-10.1	56	22.9	16.0-29.8	204	70.5	63.2-77.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	506	73,688	83	18.5	13.6-23.4	108	21.8	16.7-26.9	315	59.6	53.7-65.5
White/Non-Hisp	425	59,238	64	16.9	11.6-22.2	95	23.1	17.4-28.8	266	60.0	53.5-66.5
Black or Afr. Am./Non-Hisp	51	9,855	11	22.3	08.4-36.2	5	11.3	00.5-22.1	35	66.5	50.2-82.8
45-54	76	13,514	16	23.9	10.8-37.0	18	23.6	12.2-35.0	42	52.5	38.8-66.2
55-64	131	20,725	25	20.9	09.9-31.9	23	15.8	06.6-25.0	83	63.3	51.0-75.6
65+	248	25,033	31	12.6	07.5-17.7	56	23.0	16.3-29.7	161	64.3	56.7-71.9
H.S. or G.E.D.	174	27,593	36	17.3	10.2-24.4	38	24.1	15.7-32.5	100	58.5	49.1-67.9
Some Post-H.S.	134	20,483	23	18.5	09.7-27.3	29	20.9	11.7-30.1	82	60.6	49.2-72.0
College Graduate	159	14,237	11	5.2	01.9-08.5	32	19.1	10.5-27.7	116	75.7	66.7-84.7
Less than \$15,000	59	10,044	15	28.2	09.6-46.8	21	36.6	19.5-53.7	23	35.2	19.9-50.5
\$15,000- 24,999	53	8,843	23	45.1	27.1-63.1	9	21.2	03.6-38.8	21	33.8	17.5-50.1
\$35,000- 49,999	92	12,345	12	17.6	06.4-28.8	17	16.2	07.6-24.8	63	66.2	53.5-78.9
\$50,000- 74,999	72	11,538	11	18.0	05.5-30.5	14	17.0	06.2-27.8	47	65.0	50.3-79.7
\$75,000+	105	13,591	4	3.9	00.0-09.2	19	19.2	09.2-29.2	82	76.9	66.1-87.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1100	106,169	202	19.4	16.1-22.7	296	28.3	24.6-32.0	602	52.3	48.2-56.4
White/Non-Hisp	891	82,306	150	18.5	14.6-22.4	235	28.1	23.8-32.4	506	53.4	48.9-57.9
Black or Afr. Am./Non-Hisp	148	17,882	32	20.3	11.9-28.7	44	29.0	18.8-39.2	72	50.8	39.8-61.8
35-44	63	10,816	10	15.8	04.4-27.2	20	33.3	18.2-48.4	33	50.9	35.2-66.6
45-54	158	18,736	45	32.6	22.2-43.0	35	18.8	11.9-25.7	78	48.6	38.4-58.8
55-64	300	26,511	60	19.7	14.0-25.4	81	28.5	21.4-35.6	159	51.8	44.4-59.2
65+	530	40,702	74	11.8	08.7-14.9	141	29.5	24.2-34.8	315	58.7	53.2-64.2
Less Than H.S.	81	16,669	26	36.5	22.4-50.6	25	31.3	18.8-43.8	30	32.2	20.4-44.0
H.S. or G.E.D.	381	37,433	77	19.0	14.3-23.7	114	29.7	24.0-35.4	190	51.2	44.7-57.7
Some Post-H.S.	345	33,621	71	17.0	12.3-21.7	91	28.0	20.7-35.3	183	54.9	47.5-62.3
College Graduate	289	18,306	28	8.9	04.8-13.0	63	23.0	17.1-28.9	198	68.0	61.5-74.5
Less than \$15,000	148	12,105	32	23.5	13.9-33.1	34	27.1	17.5-36.7	82	49.4	38.8-60.0
\$15,000- 24,999	186	19,315	70	46.0	35.4-56.6	62	28.7	20.1-37.3	54	25.3	17.1-33.5
\$25,000- 34,999	103	10,154	15	14.2	06.4-22.0	36	40.1	27.0-53.2	52	45.6	33.1-58.1
\$35,000- 49,999	143	13,693	19	13.2	05.9-20.5	39	23.0	14.6-31.4	85	63.9	53.7-74.1
\$50,000- 74,999	138	14,931	20	12.5	04.7-20.3	31	24.8	14.6-35.0	87	62.7	51.3-74.1
\$75,000+	176	17,676	17	8.6	03.9-13.3	37	25.7	16.5-34.9	122	65.7	56.3-75.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1590	177,714	124	8.0	06.0-10.0	539	32.9	29.8-36.0	533	32.1	29.0-35.2	278	19.0	16.1-21.9	116	8.0	06.0-10.0
Male	497	72,018	43	10.2	06.3-14.1	201	37.7	32.0-43.4	153	30.2	24.7-35.7	69	15.6	10.9-20.3	31	6.3	03.4-09.2
Female	1093	105,696	81	6.5	04.7-08.3	338	29.7	26.2-33.2	380	33.4	29.7-37.1	209	21.3	17.6-25.0	85	9.2	06.5-11.9
White/Non-Hisp	1305	140,514	101	7.9	05.7-10.1	471	35.2	31.7-38.7	448	33.7	30.2-37.2	207	16.7	13.6-19.8	78	6.5	04.5-08.5
Black or Afr. Am./Non-Hisp	197	26,986	20	9.9	04.2-15.6	46	22.0	14.2-29.8	61	26.6	18.8-34.4	47	27.1	18.3-35.9	23	14.3	06.5-22.1
35-44	92	18,755	6	7.9	00.5-15.3	24	20.0	11.0-29.0	36	42.4	29.9-54.9	21	24.7	13.5-35.9	5	5.0	00.1-09.9
45-54	234	32,201	14	6.1	02.4-09.8	75	29.7	22.6-36.8	68	27.2	20.1-34.3	51	23.4	16.0-30.8	26	13.5	06.8-20.2
55-64	433	47,481	30	8.6	04.1-13.1	164	38.5	32.0-45.0	124	28.0	22.1-33.9	83	18.3	12.8-23.8	32	6.5	03.8-09.2
65+	760	63,395	68	8.6	06.2-11.0	252	34.4	30.1-38.7	285	36.5	32.2-40.8	112	15.2	11.7-18.7	43	5.3	03.3-07.3
Less Than H.S.	115	26,739	5	3.9	00.2-07.6	20	17.4	09.4-25.4	35	25.8	16.2-35.4	35	35.0	23.6-46.4	20	17.9	08.7-27.1
H.S. or G.E.D.	550	64,726	45	8.4	05.3-11.5	160	30.0	24.9-35.1	187	35.2	29.9-40.5	109	18.6	14.3-22.9	49	7.8	05.1-10.5
Some Post-H.S.	477	53,605	41	9.8	05.5-14.1	157	35.6	29.7-41.5	162	30.6	25.1-36.1	84	17.5	12.6-22.4	33	6.6	03.3-09.9
College Graduate	442	32,309	33	7.8	04.5-11.1	202	47.4	41.3-53.5	144	33.0	27.1-38.9	50	9.3	06.4-12.2	13	2.6	00.8-04.4
Less than \$15,000	204	22,009	17	5.4	02.5-08.3	56	28.5	19.5-37.5	66	29.6	20.8-38.4	41	26.1	15.7-36.5	24	10.5	05.4-15.6
\$15,000- 24,999	239	27,772	14	5.3	02.0-08.6	29	11.9	06.2-17.6	79	29.6	21.4-37.8	78	33.7	25.1-42.3	39	19.5	11.5-27.5
\$25,000- 34,999	153	17,679	10	11.7	01.7-21.7	49	31.0	21.4-40.6	60	34.6	25.0-44.2	25	17.7	08.5-26.9	9	5.0	01.1-08.9
\$35,000- 49,999	231	25,672	24	11.2	05.5-16.9	83	36.0	27.8-44.2	76	28.4	21.1-35.7	37	16.3	09.8-22.8	11	8.1	01.0-15.2
\$50,000- 74,999	208	26,311	17	8.7	03.2-14.2	86	36.8	28.0-45.6	68	30.3	22.1-38.5	27	17.6	09.0-26.2	10	6.6	01.5-11.7
\$75,000+	280	31,248	21	7.5	03.8-11.2	130	45.5	38.1-52.9	99	36.0	28.9-43.1	25	9.8	04.7-14.9	5	1.2	00.0-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2011
 SECTION 12: ARTHRITIS BURDEN**

TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	497	72,018	43	10.2	06.3-14.1	201	37.7	32.0-43.4	153	30.2	24.7-35.7	69	15.6	10.9-20.3	31	6.3	03.4-09.2
White/Non-Hisp	418	58,316	35	9.9	05.6-14.2	182	39.8	33.5-46.1	128	32.1	25.8-38.4	52	13.3	08.4-18.2	21	4.9	02.0-07.8
Black or Afr. Am./Non-Hisp	51	9,366	7	14.5	01.8-27.2	13	27.7	11.0-44.4	14	18.6	07.2-30.0	12	26.0	11.5-40.5	5	13.3	00.8-25.8
45-54	76	13,514	8	10.0	02.4-17.6	25	32.7	20.2-45.2	20	24.8	12.8-36.8	15	22.7	10.5-34.9	8	9.9	00.5-19.3
55-64	133	20,935	12	12.3	03.3-21.3	60	40.6	29.0-52.2	30	25.1	14.5-35.7	22	18.9	08.3-29.5	9	3.1	00.7-05.5
65+	237	23,153	17	6.2	03.1-09.3	102	45.0	36.8-53.2	82	31.9	24.6-39.2	27	12.2	06.7-17.7	9	4.6	00.9-08.3
H.S. or G.E.D.	172	27,572	19	11.0	04.9-17.1	49	31.0	22.0-40.0	61	35.7	26.7-44.7	28	14.5	08.0-21.0	15	7.9	03.0-12.8
Some Post-H.S.	133	20,103	10	14.1	04.1-24.1	59	40.3	29.1-51.5	38	26.5	16.7-36.3	19	16.2	07.4-25.0	7	2.9	00.4-05.4
College Graduate	156	14,047	13	9.3	03.0-15.6	83	55.7	44.9-66.5	44	27.6	18.0-37.2	12	5.5	02.0-09.0	4	2.0	00.0-04.4
Less than \$15,000	58	9,988	2	1.7	00.0-04.2	16	28.0	11.5-44.5	18	26.5	10.6-42.4	14	33.3	14.5-52.1	8	10.5	01.9-19.1
\$15,000- 24,999	52	8,431	2	2.3	00.0-05.6	7	12.5	00.5-24.5	15	37.1	17.7-56.5	16	24.3	10.8-37.8	12	23.8	07.5-40.1
\$35,000- 49,999	91	12,078	11	15.9	05.3-26.5	35	35.4	22.7-48.1	30	27.8	16.4-39.2	12	16.3	06.1-26.5	3	4.6	00.0-12.2
\$50,000- 74,999	70	11,380	8	14.3	02.5-26.1	34	43.2	27.7-58.7	19	25.8	12.7-38.9	5	11.2	00.0-23.0	4	5.5	00.0-11.4
\$75,000+	104	13,572	10	9.5	02.4-16.6	52	47.1	34.9-59.3	34	35.3	23.5-47.1	8	8.1	00.0-16.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1093	105,696	81	6.5	04.7-08.3	338	29.7	26.2-33.2	380	33.4	29.7-37.1	209	21.3	17.6-25.0	85	9.2	06.5-11.9
White/Non-Hisp	887	82,198	66	6.4	04.6-08.2	289	31.9	27.8-36.0	320	34.8	30.5-39.1	155	19.2	15.3-23.1	57	7.6	04.9-10.3
Black or Afr. Am./Non-Hisp	146	17,620	13	7.5	02.6-12.4	33	19.0	11.4-26.6	47	30.9	20.9-40.9	35	27.8	16.8-38.8	18	14.9	05.1-24.7
35-44	63	10,816	4	5.4	00.0-10.9	18	23.9	11.4-36.4	22	33.7	19.2-48.2	17	35.4	19.3-51.5	2	1.5	00.0-03.7
45-54	158	18,688	6	3.3	00.2-06.4	50	27.5	19.3-35.7	48	29.0	20.2-37.8	36	24.0	14.8-33.2	18	16.1	06.7-25.5
55-64	300	26,547	18	5.7	02.4-09.0	104	36.9	29.6-44.2	94	30.3	23.8-36.8	61	17.9	12.4-23.4	23	9.2	04.7-13.7
65+	523	40,242	51	10.0	06.7-13.3	150	28.4	23.5-33.3	203	39.1	33.8-44.4	85	16.9	12.4-21.4	34	5.7	03.5-07.9
Less Than H.S.	80	16,622	4	5.3	00.0-11.0	10	11.9	03.9-19.9	26	26.2	15.2-37.2	25	36.8	23.1-50.5	15	19.8	07.8-31.8
H.S. or G.E.D.	378	37,154	26	6.5	03.6-09.4	111	29.4	23.5-35.3	126	34.8	28.5-41.1	81	21.6	15.9-27.3	34	7.7	04.8-10.6
Some Post-H.S.	344	33,502	31	7.2	04.3-10.1	98	32.7	25.4-40.0	124	33.0	26.1-39.9	65	18.3	12.6-24.0	26	8.8	03.7-13.9
College Graduate	286	18,262	20	6.6	03.5-09.7	119	41.0	34.1-47.9	100	37.2	30.1-44.3	38	12.2	07.9-16.5	9	3.0	00.6-05.4
Less than \$15,000	146	12,021	15	8.4	03.7-13.1	40	28.9	19.3-38.5	48	32.1	22.3-41.9	27	20.1	10.5-29.7	16	10.4	04.7-16.1
\$15,000- 24,999	187	19,341	12	6.6	01.9-11.3	22	11.6	05.1-18.1	64	26.3	18.5-34.1	62	37.9	27.5-48.3	27	17.7	08.7-26.7
\$25,000- 34,999	104	10,223	7	8.6	00.4-16.8	30	22.9	13.9-31.9	40	37.8	26.0-49.6	19	22.3	09.4-35.2	8	8.3	01.8-14.8
\$35,000- 49,999	140	13,594	13	7.0	02.9-11.1	48	36.5	25.9-47.1	46	28.9	19.9-37.9	25	16.4	08.2-24.6	8	11.2	00.0-22.4
\$50,000- 74,999	138	14,931	9	4.5	01.4-07.6	52	31.9	21.9-41.9	49	33.7	23.1-44.3	22	22.5	10.5-34.5	6	7.5	00.0-15.1
\$75,000+	176	17,676	11	6.0	01.9-10.1	78	44.2	34.8-53.6	65	36.5	27.7-45.3	17	11.1	04.8-17.4	5	2.1	00.0-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	239
2	MALES ONLY	240
3	FEMALES ONLY	241

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 13: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4712	685,002	4394	90.9	89.5-92.3	167	4.3	03.3-05.3	66	1.8	01.0-02.6	24	1.0	00.4-01.6	53	1.8	01.0-02.6	8	0.1	00.0-00.3
Male	1799	327,276	1604	87.2	84.8-89.6	106	5.9	04.3-07.5	35	2.5	01.3-03.7	16	1.8	00.6-03.0	37	2.6	01.2-04.0	1	0.0	00.0-00.0
Female	2913	357,726	2790	94.3	92.5-96.1	61	2.8	01.6-04.0	31	1.3	00.5-02.1	8	0.2	00.0-00.4	16	1.1	00.1-02.1	7	0.3	00.0-00.7
White/Non-Hisp	3637	475,195	3412	91.2	89.4-93.0	120	4.7	03.5-05.9	44	1.5	00.9-02.1	16	0.8	00.2-01.4	40	1.6	00.8-02.4	5	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	675	130,286	623	92.4	89.7-95.1	28	3.3	01.7-04.9	13	1.5	00.5-02.5	5	1.2	00.0-02.8	5	1.5	00.0-03.1	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	140	22,400	125	88.0	80.0-96.0	7	5.0	00.7-09.3	2	0.2	00.0-00.6	1	3.0	00.0-08.7	3	3.5	00.0-07.8	2	0.3	00.0-00.7
MultiRacial/Non-Hisp.	80	9,532	72	83.6	72.2-95.0	5	11.9	01.5-22.3	1	2.7	00.0-07.8	1	0.3	00.0-00.9	1	1.5	00.0-04.4			
Hispanic	133	43,508	122	86.9	77.1-96.7	2	1.0	00.0-02.8	5	6.4	00.0-13.7	1	1.4	00.0-04.1	3	4.3	00.0-11.2			
18-24	239	82,635	204	83.0	75.9-90.1	20	9.1	03.8-14.4	5	1.7	00.0-03.5	4	2.9	00.0-06.0	6	3.3	00.0-07.2			
25-34	504	115,332	451	87.2	82.9-91.5	26	5.0	02.8-07.2	15	3.6	01.2-06.0	3	1.0	00.0-02.2	9	3.2	00.3-06.1			
35-44	559	113,668	529	93.6	90.9-96.3	13	2.3	00.9-03.7	6	1.0	00.0-02.0	3	1.3	00.0-03.1	6	1.1	00.1-02.1	2	0.7	00.0-01.7
45-54	818	127,261	765	91.3	88.0-94.6	35	5.2	03.0-07.4	9	2.1	00.0-04.5	2	0.1	00.0-00.3	7	1.3	00.1-02.5			
55-64	1017	107,073	965	93.8	91.3-96.3	28	3.1	01.3-04.9	9	0.9	00.1-01.7	5	0.6	00.0-01.2	8	1.5	00.0-03.1	2	0.1	00.0-00.3
65+	1516	131,390	1426	94.0	92.4-95.6	43	2.8	01.8-03.8	20	1.5	00.7-02.3	7	0.5	00.1-00.9	17	1.1	00.5-01.7	3	0.1	00.1-00.1
Less Than H.S.	288	91,723	251	87.5	82.0-93.0	12	4.9	01.0-08.8	13	3.3	01.1-05.5	4	0.7	00.0-01.5	6	3.4	00.0-07.1	2	0.1	00.0-00.3
H.S. or G.E.D.	1440	221,032	1341	90.3	87.8-92.8	55	4.8	03.2-06.4	15	2.0	00.4-03.6	5	0.9	00.0-01.9	22	1.7	00.9-02.5	2	0.3	00.0-00.9
Some Post-H.S.	1322	197,697	1246	91.2	88.3-94.1	39	3.8	02.0-05.6	16	1.5	00.3-02.7	8	1.7	00.3-03.1	12	1.7	00.0-03.5	1	0.1	00.0-00.3
College Graduate	1649	172,866	1546	93.2	91.6-94.8	60	3.9	02.7-05.1	21	1.3	00.5-02.1	7	0.4	00.0-00.8	13	1.2	00.4-02.0	2	0.0	00.0-00.0
Less than \$15,000	512	70,627	477	91.8	88.3-95.3	14	2.3	00.5-04.1	9	2.7	00.5-04.9	4	1.1	00.0-02.5	6	0.9	00.0-02.1	2	1.1	00.0-02.7
\$15,000- 24,999	516	75,695	474	90.8	87.1-94.5	21	4.2	01.8-06.6	8	1.5	00.3-02.7	2	0.3	00.0-00.7	9	3.2	00.5-05.9	2	0.1	00.0-00.3
\$25,000- 34,999	384	52,266	355	89.7	84.8-94.6	18	5.9	02.0-09.8	7	2.2	00.2-04.2	1	1.1	00.0-03.3	3	1.0	00.0-02.2			
\$35,000- 49,999	612	89,598	565	90.3	86.6-94.0	30	5.2	03.0-07.4	10	2.5	00.1-04.9	3	1.3	00.0-03.5	4	0.8	00.0-01.6			
\$50,000- 74,999	704	98,132	662	91.6	87.1-96.1	24	4.9	01.4-08.4	9	2.3	00.0-05.2	3	0.5	00.0-01.1	6	0.7	00.0-01.5			
\$75,000+	1217	181,855	1147	91.9	89.4-94.4	34	3.8	02.0-05.6	14	1.3	00.3-02.3	7	1.3	00.0-02.7	15	1.6	00.6-02.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1799	327,276	1604	87.2	84.8-89.6	106	5.9	04.3-07.5	35	2.5	01.3-03.7	16	1.8	00.6-03.0	37	2.6	01.2-04.0	1	0.0	00.0-00.0
White/Non-Hisp	1412	225,299	1267	87.3	84.6-90.0	80	6.7	04.7-08.7	24	1.8	00.8-02.8	11	1.4	00.2-02.6	29	2.7	01.1-04.3	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	213	58,791	190	90.5	85.6-95.4	12	3.1	01.1-05.1	6	2.2	00.2-04.2	3	2.1	00.0-05.2	2	2.0	00.0-04.9			
Oth. Race/Non-Hisp.	68	14,748	57	82.7	70.9-94.5	6	7.4	00.9-13.9	1	0.2	00.0-00.6	1	4.5	00.0-12.9	3	5.3	00.0-12.0			
18-24	127	42,193	103	81.0	72.0-90.0	12	8.2	01.5-14.9	3	2.4	00.0-05.5	4	5.7	00.0-11.6	5	2.7	00.0-05.4			
25-34	205	58,009	165	80.6	73.5-87.7	18	7.3	03.8-10.8	10	3.7	00.8-06.6	3	2.0	00.0-04.4	9	6.4	00.7-12.1			
35-44	210	54,525	195	92.6	87.9-97.3	7	3.0	00.3-05.7	4	1.4	00.0-03.4	2	2.4	00.0-05.9	2	0.6	00.0-01.6			
45-54	325	61,752	293	87.5	81.6-93.4	22	7.2	03.5-10.9	4	3.5	00.0-08.4	1	0.2	00.0-00.6	5	1.6	00.0-03.4			
55-64	368	50,755	339	90.2	85.3-95.1	16	5.0	01.3-08.7	3	1.2	00.0-02.6	3	0.5	00.0-01.1	6	3.0	00.0-06.3	1	0.1	00.0-00.3
65+	547	57,085	494	90.3	87.2-93.4	30	5.2	03.0-07.4	10	2.2	00.4-04.0	3	0.8	00.0-01.8	10	1.5	00.5-02.5			
Less Than H.S.	117	46,840	99	87.6	80.0-95.2	7	2.8	00.4-05.2	7	4.8	00.9-08.7	1	0.5	00.0-01.5	2	4.2	00.0-10.9	1	0.2	00.0-00.6
H.S. or G.E.D.	543	111,957	474	85.1	80.8-89.4	40	7.2	04.5-09.9	8	3.1	00.2-06.0	5	1.7	00.0-03.5	16	2.9	01.3-04.5			
Some Post-H.S.	458	86,681	413	86.9	81.8-92.0	25	6.5	02.8-10.2	5	0.9	00.0-02.1	7	3.8	00.7-06.9	8	1.8	00.0-03.8			
College Graduate	676	80,511	614	90.2	87.5-92.9	33	5.3	03.1-07.5	15	2.0	00.8-03.2	3	0.4	00.0-00.8	11	2.1	00.5-03.7			
Less than \$15,000	159	29,745	142	89.0	82.3-95.7	8	4.4	00.7-08.1	2	2.6	00.0-06.7	2	1.9	00.0-05.0	5	2.1	00.0-04.8			
\$15,000- 24,999	153	29,433	136	88.6	81.9-95.3	10	4.2	01.3-07.1	4	3.1	00.0-06.2				3	4.1	00.0-09.6			
\$25,000- 34,999	134	24,566	118	82.6	73.0-92.2	10	9.9	02.1-17.7	3	3.5	00.0-07.6	1	2.4	00.0-07.1	2	1.5	00.0-03.7			
\$35,000- 49,999	267	48,559	234	87.4	81.9-92.9	23	7.9	04.2-11.6	5	1.2	00.0-02.4	2	2.2	00.0-06.1	3	1.3	00.0-02.9			
\$50,000- 74,999	290	47,650	262	88.0	81.1-94.9	14	5.5	02.0-09.0	6	4.3	00.0-10.4	2	0.7	00.0-01.7	6	1.5	00.0-03.1			
\$75,000+	541	93,294	489	87.2	82.7-91.7	23	5.8	02.5-09.1	11	2.0	00.4-03.6	5	2.4	00.0-04.9	13	2.6	01.0-04.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	357,726	2790	94.3	92.5-96.1	61	2.8	01.6-04.0	31	1.3	00.5-02.1	8	0.2	00.0-00.4	16	1.1	00.1-02.1	7	0.3	00.0-00.7
White/Non-Hisp	2225	249,896	2145	94.8	92.8-96.8	40	2.9	01.3-04.5	20	1.3	00.3-02.3	5	0.2	00.0-00.4	11	0.6	00.2-01.0	4	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	462	71,495	433	94.0	91.3-96.7	16	3.5	01.3-05.7	7	1.0	00.2-01.8	2	0.5	00.0-01.1	3	1.1	00.0-02.5	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	72	7,652	68	98.4	96.6-0100	1	0.3	00.0-00.9	1	0.4	00.0-01.2							2	0.9	00.0-02.3
Hispanic	85	22,066	80	89.9	76.8-0100	1	0.3	00.0-00.9	2	1.7	00.0-04.1				2	8.1	00.0-21.2			
18-24	112	40,442	101	85.2	74.4-96.0	8	9.9	01.5-18.3	2	1.0	00.0-02.4				1	3.9	00.0-11.3			
25-34	299	57,323	286	93.9	89.4-98.4	8	2.7	00.2-05.2	5	3.4	00.0-07.1									
35-44	349	59,142	334	94.6	91.7-97.5	6	1.6	00.2-03.0	2	0.7	00.0-01.9	1	0.2	00.0-00.6	4	1.6	00.0-03.2	2	1.3	00.0-03.3
45-54	493	65,510	472	94.9	92.2-97.6	13	3.2	01.0-05.4	5	0.8	00.0-01.6	1	0.1	00.0-00.3	2	1.0	00.0-02.6			
55-64	649	56,318	626	97.0	95.4-98.6	12	1.3	00.3-02.3	6	0.7	00.0-01.5	2	0.7	00.0-01.7	2	0.2	00.0-00.4	1	0.1	00.0-00.3
65+	969	74,305	932	96.8	95.4-98.2	13	1.0	00.4-01.6	10	1.0	00.4-01.6	4	0.3	00.0-00.7	7	0.8	00.0-01.6	3	0.1	00.0-00.3
Less Than H.S.	171	44,883	152	87.4	79.6-95.2	5	7.0	00.0-14.4	6	1.9	00.3-03.5	3	1.0	00.0-02.2	4	2.6	00.0-05.3	1	0.1	00.0-00.3
H.S. or G.E.D.	897	109,075	867	95.6	93.6-97.6	15	2.4	00.8-04.0	7	0.9	00.1-01.7				6	0.5	00.0-01.1	2	0.6	00.0-01.6
Some Post-H.S.	864	111,016	833	94.6	91.1-98.1	14	1.7	00.3-03.1	11	1.9	00.0-03.9	1	0.0	00.0-00.0	4	1.7	00.0-04.4	1	0.2	00.0-00.6
College Graduate	973	92,355	932	95.8	94.0-97.6	27	2.6	01.4-03.8	6	0.8	00.0-01.8	4	0.4	00.0-00.8	2	0.4	00.0-01.0	2	0.1	00.1-00.1
Less than \$15,000	353	40,882	335	93.9	90.2-97.6	6	0.9	00.0-01.9	7	2.8	00.6-05.0	2	0.6	00.0-01.6	1	0.1	00.0-00.3	2	1.8	00.0-04.5
\$15,000- 24,999	363	46,263	338	92.2	87.9-96.5	11	4.1	00.8-07.4	4	0.5	00.0-01.1	2	0.4	00.0-01.2	6	2.6	00.1-05.1	2	0.2	00.0-00.4
\$25,000- 34,999	250	27,700	237	96.0	93.6-98.4	8	2.4	00.6-04.2	4	0.9	00.0-01.9				1	0.6	00.0-01.8			
\$35,000- 49,999	345	41,039	331	93.7	88.4-99.0	7	2.0	00.2-03.8	5	4.0	00.0-09.1	1	0.2	00.0-00.6	1	0.2	00.0-00.6			
\$50,000- 74,999	414	50,482	400	95.0	88.9-0100	10	4.4	00.0-10.5	3	0.4	00.0-00.8	1	0.2	00.0-00.6						
\$75,000+	676	88,560	658	96.9	95.1-98.7	11	1.7	00.5-02.9	3	0.6	00.0-01.6	2	0.2	00.0-00.6	2	0.6	00.0-01.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)	
1 MALES AND FEMALES	243
2 MALES ONLY	244
3 FEMALES ONLY	245
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	246
5 MALES ONLY	247
6 FEMALES ONLY	248
AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
7 MALES AND FEMALES	249
8 MALES ONLY	250
9 FEMALES ONLY	251
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10 MALES AND FEMALES	252
11 MALES ONLY	253
12 FEMALES ONLY	254

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4701	683,330	2272	40.8	38.8-42.8	2429	59.2	57.2-61.2
Male	1793	326,730	783	35.9	33.0-38.8	1010	64.1	61.2-67.0
Female	2908	356,600	1489	45.2	42.7-47.7	1419	54.8	52.3-57.3
White/Non-Hisp	3631	474,647	1883	43.4	41.2-45.6	1748	56.6	54.4-58.8
Black or Afr. Am./Non-Hisp	674	129,654	239	32.8	27.9-37.7	435	67.2	62.3-72.1
Oth. Race/Non-Hisp.	137	22,037	47	31.9	21.3-42.5	90	68.1	57.5-78.7
MultiRacial/Non-Hisp.	79	9,404	26	32.3	19.8-44.8	53	67.7	55.2-80.2
Hispanic	133	43,508	51	40.9	29.1-52.7	82	59.1	47.3-70.9
18-24	237	81,880	62	28.0	20.2-35.8	175	72.0	64.2-79.8
25-34	504	115,332	143	27.1	22.2-32.0	361	72.9	68.0-77.8
35-44	557	113,427	181	31.8	27.1-36.5	376	68.2	63.5-72.9
45-54	817	127,118	326	40.2	35.7-44.7	491	59.8	55.3-64.3
55-64	1015	106,856	519	48.1	44.0-52.2	496	51.9	47.8-56.0
65+	1512	131,074	1013	63.4	59.9-66.9	499	36.6	33.1-40.1
Less Than H.S.	288	91,723	123	34.4	27.7-41.1	165	65.6	58.9-72.3
H.S. or G.E.D.	1436	220,107	648	37.5	34.0-41.0	788	62.5	59.0-66.0
Some Post-H.S.	1319	197,459	641	41.7	38.0-45.4	678	58.3	54.6-62.0
College Graduate	1644	172,315	856	47.5	44.4-50.6	788	52.5	49.4-55.6
Less than \$15,000	511	70,564	237	38.6	32.5-44.7	274	61.4	55.3-67.5
\$15,000- 24,999	516	75,695	225	35.1	29.4-40.8	291	64.9	59.2-70.6
\$25,000- 34,999	384	52,266	198	44.1	36.8-51.4	186	55.9	48.6-63.2
\$35,000- 49,999	611	89,468	296	40.5	34.6-46.4	315	59.5	53.6-65.4
\$50,000- 74,999	702	97,478	325	40.0	35.1-44.9	377	60.0	55.1-64.9
\$75,000+	1213	181,613	606	44.2	40.5-47.9	607	55.8	52.1-59.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1793	326,730	783	35.9	33.0-38.8	1010	64.1	61.2-67.0
White/Non-Hisp	1410	225,244	657	37.8	34.5-41.1	753	62.2	58.9-65.5
Black or Afr. Am./Non-Hisp	213	58,791	72	30.4	22.6-38.2	141	69.6	61.8-77.4
Oth. Race/Non-Hisp.	65	14,385	15	27.2	13.5-40.9	50	72.8	59.1-86.5
18-24	126	42,071	26	23.5	13.1-33.9	100	76.5	66.1-86.9
25-34	205	58,009	44	20.9	14.0-27.8	161	79.1	72.2-86.0
35-44	208	54,284	54	28.0	20.6-35.4	154	72.0	64.6-79.4
45-54	325	61,876	119	36.3	29.0-43.6	206	63.7	56.4-71.0
55-64	367	50,627	181	45.2	38.3-52.1	186	54.8	47.9-61.7
65+	545	56,906	353	60.4	54.5-66.3	192	39.6	33.7-45.5
Less Than H.S.	117	46,840	39	26.5	17.3-35.7	78	73.5	64.3-82.7
H.S. or G.E.D.	542	111,829	200	31.0	25.5-36.5	342	69.0	63.5-74.5
Some Post-H.S.	456	86,532	203	38.3	32.4-44.2	253	61.7	55.8-67.6
College Graduate	673	80,242	340	46.1	41.2-51.0	333	53.9	49.0-58.8
Less than \$15,000	158	29,682	47	23.4	14.8-32.0	111	76.6	68.0-85.2
\$15,000- 24,999	153	29,433	54	29.7	20.5-38.9	99	70.3	61.1-79.5
\$25,000- 34,999	134	24,566	67	39.9	28.1-51.7	67	60.1	48.3-71.9
\$35,000- 49,999	266	48,429	128	40.7	31.7-49.7	138	59.3	50.3-68.3
\$50,000- 74,999	290	47,674	120	37.7	30.1-45.3	170	62.3	54.7-69.9
\$75,000+	539	93,156	256	40.8	35.3-46.3	283	59.2	53.7-64.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2908	356,600	1489	45.2	42.7-47.7	1419	54.8	52.3-57.3
White/Non-Hisp	2221	249,403	1226	48.5	45.6-51.4	995	51.5	48.6-54.4
Black or Afr. Am./Non-Hisp	461	70,863	167	34.8	28.7-40.9	294	65.2	59.1-71.3
Oth. Race/Non-Hisp.	72	7,652	32	40.9	25.6-56.2	40	59.1	43.8-74.4
Hispanic	85	22,066	37	46.1	31.2-61.0	48	53.9	39.0-68.8
18-24	111	39,810	36	32.9	21.1-44.7	75	67.1	55.3-78.9
25-34	299	57,323	99	33.3	26.4-40.2	200	66.7	59.8-73.6
35-44	349	59,142	127	35.2	29.1-41.3	222	64.8	58.7-70.9
45-54	492	65,242	207	43.9	38.2-49.6	285	56.1	50.4-61.8
55-64	648	56,229	338	50.8	45.9-55.7	310	49.2	44.3-54.1
65+	967	74,169	660	65.7	61.6-69.8	307	34.3	30.2-38.4
Less Than H.S.	171	44,883	84	42.7	33.1-52.3	87	57.3	47.7-66.9
H.S. or G.E.D.	894	108,279	448	44.3	39.8-48.8	446	55.7	51.2-60.2
Some Post-H.S.	863	110,927	438	44.3	39.6-49.0	425	55.7	51.0-60.4
College Graduate	971	92,073	516	48.7	44.4-53.0	455	51.3	47.0-55.6
Less than \$15,000	353	40,882	190	49.7	41.5-57.9	163	50.3	42.1-58.5
\$15,000- 24,999	363	46,263	171	38.5	31.4-45.6	192	61.5	54.4-68.6
\$25,000- 34,999	250	27,700	131	47.7	39.5-55.9	119	52.3	44.1-60.5
\$35,000- 49,999	345	41,039	168	40.2	32.8-47.6	177	59.8	52.4-67.2
\$50,000- 74,999	412	49,804	205	42.2	35.7-48.7	207	57.8	51.3-64.3
\$75,000+	674	88,458	350	47.8	42.9-52.7	324	52.2	47.3-57.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010			Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2110	254,837	14	0.8	00.4-01.2	22	1.9	00.5-03.3	1410	64.8	61.7-67.9	151	10.7	08.3-13.1	42	3.4	01.6-05.2	471	18.4	16.2-20.6
Male	724	107,767	3	0.5	00.0-01.1	10	3.0	00.0-06.1	473	63.3	57.8-68.8	61	13.0	08.5-17.5	19	3.3	01.3-05.3	158	16.9	13.4-20.4
Female	1386	147,070	11	1.0	00.2-01.8	12	1.1	00.3-01.9	937	65.9	62.2-69.6	90	8.9	06.4-11.4	23	3.5	01.0-06.0	313	19.6	16.9-22.3
White/Non-Hisp	1755	189,807	11	0.8	00.2-01.4	17	1.3	00.5-02.1	1200	69.0	65.9-72.1	104	8.2	05.8-10.6	28	1.8	00.8-02.8	395	19.0	16.8-21.2
Black or Afr. Am./Non-Hisp	220	38,808	2	0.6	00.0-01.6	1	0.7	00.0-02.1	133	56.1	46.7-65.5	28	19.1	11.1-27.1	10	5.7	01.2-10.2	46	17.8	10.7-24.9
18-24	52	19,417	4	3.8	00.0-07.9	2	11.6	00.0-27.5	26	41.8	24.4-59.2	13	26.8	10.9-42.7	4	13.8	00.0-30.1	3	2.3	00.0-05.0
25-34	132	28,072	2	1.6	00.0-03.8	2	1.2	00.0-03.0	90	67.1	56.7-77.5	9	12.6	04.0-21.2	3	3.9	00.0-08.6	26	13.6	07.5-19.7
35-44	165	32,453	2	0.8	00.0-02.0				100	57.7	48.1-67.3	17	11.9	05.6-18.2	2	2.2	00.0-05.7	44	27.4	18.6-36.2
45-54	305	47,308				5	1.9	00.0-03.9	206	64.5	56.9-72.1	26	13.1	06.0-20.2	6	3.5	00.2-06.8	62	16.9	11.8-22.0
55-64	487	47,017	3	0.8	00.0-02.0	4	1.2	00.0-02.8	332	69.4	63.9-74.9	33	7.8	03.5-12.1	9	1.7	00.3-03.1	106	19.1	15.0-23.2
65+	945	78,135	3	0.2	00.0-00.4	9	1.1	00.1-02.1	638	69.5	65.8-73.2	51	5.7	03.5-07.9	18	2.1	00.7-03.5	226	21.4	18.3-24.5
Less Than H.S.	113	27,794	1	0.9	00.0-02.7	1	1.2	00.0-03.6	68	57.5	45.9-69.1	13	18.6	08.2-29.0	3	4.0	00.0-08.9	27	17.8	09.6-26.0
H.S. or G.E.D.	592	75,569	6	0.9	00.0-01.9	7	3.5	00.0-07.8	394	69.0	62.7-75.3	46	9.9	05.0-14.8	11	1.7	00.3-03.1	128	15.0	11.7-18.3
Some Post-H.S.	593	74,226	2	0.5	00.0-01.1	6	1.1	00.0-02.3	393	59.9	53.8-66.0	49	12.6	08.1-17.1	14	6.8	01.7-11.9	129	19.2	14.9-23.5
College Graduate	809	77,012	5	0.9	00.0-01.9	7	1.4	00.2-02.6	554	68.2	63.9-72.5	42	6.7	04.2-09.2	14	1.5	00.0-03.1	187	21.3	17.8-24.8
Less than \$15,000	219	24,436	3	2.0	00.0-04.5	1	0.5	00.0-01.5	141	63.6	53.8-73.4	22	14.3	05.5-23.1	4	1.4	00.0-03.4	48	18.2	11.3-25.1
\$15,000- 24,999	206	23,036	4	2.3	00.0-04.8	3	1.8	00.0-04.7	131	60.0	50.4-69.6	21	14.0	06.6-21.4	4	5.0	00.0-10.9	43	16.9	10.4-23.4
\$25,000- 34,999	186	20,649	1	0.4	00.0-01.2	3	1.0	00.0-02.2	124	62.8	52.6-73.0	11	6.7	00.4-13.0	4	3.4	00.0-08.9	43	25.7	16.5-34.9
\$35,000- 49,999	285	34,963	2	1.4	00.0-03.4	1	4.5	00.0-13.1	193	64.7	55.1-74.3	21	8.4	03.9-12.9	8	3.5	00.8-06.2	60	17.4	10.9-23.9
\$50,000- 74,999	309	37,027				4	1.7	00.0-03.5	225	70.3	61.9-78.7	11	7.4	00.0-15.2	6	1.9	00.3-03.5	63	18.7	12.6-24.8
\$75,000+	578	75,889	2	0.2	00.0-00.4	6	1.4	00.0-02.8	395	69.2	64.3-74.1	37	9.3	05.6-13.0	8	2.0	00.0-04.0	130	17.8	14.3-21.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010			Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	724	107,767	3	0.5	00.0-01.1	10	3.0	00.0-06.1	473	63.3	57.8-68.8	61	13.0	08.5-17.5	19	3.3	01.3-05.3	158	16.9	13.4-20.4
White/Non-Hisp	608	77,582	3	0.7	00.0-01.5	7	1.7	00.0-03.5	410	67.1	61.8-72.4	42	10.8	06.1-15.5	13	2.0	00.6-03.4	133	17.7	14.2-21.2
Black or Afr. Am./Non-Hisp	67	17,067							34	54.8	39.1-70.5	12	17.5	06.7-28.3	5	8.0	00.0-16.0	16	19.7	06.6-32.8
45-54	108	20,566				1	1.0	00.0-03.0	69	61.5	47.8-75.2	13	18.3	04.6-32.0	2	0.9	00.0-02.3	23	18.4	09.2-27.6
55-64	167	20,458				2	0.8	00.0-02.0	117	71.4	61.6-81.2	15	11.0	02.0-20.0	3	2.1	00.0-04.6	30	14.8	08.9-20.7
65+	332	32,482				3	0.9	00.0-02.1	215	68.7	62.6-74.8	19	5.4	02.5-08.3	9	3.7	00.8-06.6	86	21.2	16.1-26.3
H.S. or G.E.D.	177	32,103	1	0.9	00.0-02.7	3	7.3	00.0-17.1	114	61.9	49.9-73.9	16	13.3	02.9-23.7	6	3.3	00.4-06.2	37	13.2	07.5-18.9
Some Post-H.S.	190	29,381	1	0.6	00.0-01.8	1	0.3	00.0-00.9	123	62.3	52.9-71.7	19	13.7	06.8-20.6	7	5.4	00.5-10.3	39	17.8	10.0-25.6
College Graduate	319	33,984	1	0.3	00.0-00.9	6	2.4	00.2-04.6	210	65.5	58.6-72.4	21	7.7	03.0-12.4	6	2.6	00.0-05.9	75	21.6	15.9-27.3
\$25,000- 34,999	61	8,062							40	60.3	42.9-77.7	4	11.8	00.0-26.7	3	8.2	00.0-21.7	14	19.6	07.8-31.4
\$35,000- 49,999	124	19,262				1	8.2	00.0-23.1	77	57.8	42.9-72.7	11	10.9	03.5-18.3	6	5.8	00.9-10.7	29	17.3	07.3-27.3
\$50,000- 74,999	112	17,015				2	1.7	00.0-04.2	86	71.2	55.7-86.7	5	12.1	00.0-28.0	3	1.8	00.0-04.0	16	13.2	04.4-22.0
\$75,000+	242	34,862				4	1.4	00.0-03.0	161	68.8	61.0-76.6	20	10.0	04.3-15.7	5	2.9	00.0-06.4	52	16.9	11.4-22.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010			Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1386	147,070	11	1.0	00.2-01.8	12	1.1	00.3-01.9	937	65.9	62.2-69.6	90	8.9	06.4-11.4	23	3.5	01.0-06.0	313	19.6	16.9-22.3
White/Non-Hisp	1147	112,225	8	0.9	00.1-01.7	10	0.9	00.1-01.7	790	70.3	66.8-73.8	62	6.4	04.2-08.6	15	1.6	00.0-03.2	262	19.9	17.0-22.8
Black or Afr. Am./Non-Hisp	153	21,741	2	1.0	00.0-02.6	1	1.2	00.0-03.6	99	57.1	45.7-68.5	16	20.3	09.1-31.5	5	4.0	00.0-09.1	30	16.4	09.5-23.3
25-34	90	16,236	1	1.7	00.0-05.0				63	71.4	60.0-82.8	5	8.4	00.0-17.2	1	1.5	00.0-04.4	20	17.0	08.8-25.2
35-44	118	19,440	2	1.3	00.0-03.5				68	56.8	45.6-68.0	13	11.8	04.9-18.7	1	0.8	00.0-02.4	34	29.4	18.8-40.0
45-54	197	26,743				4	2.7	00.0-05.8	137	66.8	58.4-75.2	13	9.2	03.3-15.1	4	5.6	00.0-11.5	39	15.8	10.3-21.3
55-64	320	26,558	3	1.5	00.0-03.5	2	1.4	00.0-03.9	215	67.9	61.6-74.2	18	5.3	02.6-08.0	6	1.4	00.0-03.0	76	22.5	17.0-28.0
65+	613	45,652	3	0.3	00.0-00.7	6	1.2	00.0-02.4	423	70.0	65.3-74.7	32	6.0	03.1-08.9	9	1.0	00.2-01.8	140	21.5	17.4-25.6
Less Than H.S.	76	15,673	1	1.6	00.0-04.7	1	2.2	00.0-06.5	43	53.2	39.3-67.1	8	13.2	03.2-23.2	3	7.1	00.0-15.7	20	22.7	10.7-34.7
H.S. or G.E.D.	415	43,465	5	0.9	00.0-01.9	4	0.7	00.1-01.3	280	74.2	68.9-79.5	30	7.4	04.1-10.7	5	0.5	00.0-01.1	91	16.4	12.3-20.5
Some Post-H.S.	403	44,845	1	0.4	00.0-01.2	5	1.6	00.0-03.4	270	58.3	50.5-66.1	30	11.8	05.7-17.9	7	7.8	00.2-15.4	90	20.1	15.0-25.2
College Graduate	490	43,028	4	1.4	00.0-03.0	1	0.6	00.0-01.8	344	70.3	65.2-75.4	21	5.9	03.0-08.8	8	0.7	00.1-01.3	112	21.1	16.8-25.4
Less than \$15,000	176	17,825	2	1.2	00.0-03.2				118	71.5	62.5-80.5	16	7.9	03.0-12.8	4	1.9	00.0-04.6	36	17.5	09.9-25.1
\$15,000- 24,999	157	15,005	2	1.9	00.0-05.0	3	2.8	00.0-07.3	99	58.2	47.0-69.4	16	14.9	06.1-23.7	4	7.6	00.0-16.4	33	14.7	08.8-20.6
\$25,000- 34,999	125	12,587	1	0.6	00.0-01.8	3	1.6	00.0-03.6	84	64.4	51.9-76.9	7	3.5	00.6-06.4	1	0.4	00.0-01.2	29	29.5	16.8-42.2
\$35,000- 49,999	161	15,700	2	3.0	00.0-07.1				116	73.3	64.5-82.1	10	5.4	01.1-09.7	2	0.7	00.0-01.7	31	17.6	10.3-24.9
\$50,000- 74,999	197	20,013				2	1.7	00.0-04.2	139	69.6	61.0-78.2	6	3.4	00.1-06.7	3	1.9	00.0-04.4	47	23.4	15.4-31.4
\$75,000+	336	41,027	2	0.4	00.0-01.0	2	1.4	00.0-03.4	234	69.6	63.1-76.1	17	8.8	03.9-13.7	3	1.2	00.0-03.2	78	18.6	13.9-23.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

**TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2260	276,730	1201	53.5	50.6-56.4	105	4.7	03.3-06.1	38	1.0	00.6-01.4	573	20.4	18.2-22.6	343	20.4	17.9-22.9
Male	780	117,133	405	53.1	48.0-58.2	45	4.8	02.8-06.8	14	0.8	00.2-01.4	191	19.6	16.1-23.1	125	21.7	17.4-26.0
Female	1480	159,597	796	53.8	50.1-57.5	60	4.7	02.7-06.7	24	1.1	00.5-01.7	382	20.9	18.4-23.4	218	19.5	16.6-22.4
White/Non-Hisp	1873	204,821	962	51.3	48.2-54.4	81	4.1	02.9-05.3	32	1.1	00.7-01.5	521	23.2	20.8-25.6	277	20.2	17.7-22.7
Black or Afr. Am./Non-Hisp	237	41,894	154	62.1	53.3-70.9	10	5.7	00.6-10.8	4	0.6	00.0-01.4	25	10.6	04.9-16.3	44	21.0	13.9-28.1
Hispanic	51	17,815	31	60.6	41.2-80.0	3	6.3	00.0-15.3				8	8.9	00.5-17.3	9	24.2	06.4-42.0
18-24	60	22,346	34	62.8	47.3-78.3	8	14.1	02.5-25.7				3	2.0	00.0-04.5	15	21.1	09.3-32.9
25-34	143	31,223	71	49.7	39.1-60.3	10	7.5	01.4-13.6				13	10.1	03.6-16.6	49	32.7	23.3-42.1
35-44	180	35,976	92	49.1	40.1-58.1	7	2.2	00.2-04.2	1	0.2	00.0-00.6	22	12.8	06.3-19.3	58	35.7	26.9-44.5
45-54	325	51,080	136	45.5	38.1-52.9	20	3.6	01.6-05.6	2	0.2	00.0-00.4	61	16.6	11.3-21.9	106	34.1	26.8-41.4
55-64	517	51,259	298	58.8	53.3-64.3	28	4.9	02.7-07.1	9	1.5	00.3-02.7	108	20.9	16.6-25.2	74	13.8	10.1-17.5
65+	1009	82,726	558	56.0	52.1-59.9	28	2.5	01.3-03.7	26	2.1	01.1-03.1	362	34.8	31.1-38.5	35	4.6	02.6-06.6
Less Than H.S.	122	31,089	81	67.1	56.5-77.7	4	5.4	00.0-11.5				30	19.6	11.4-27.8	7	7.8	01.3-14.3
H.S. or G.E.D.	644	81,740	373	59.2	53.5-64.9	29	4.4	02.0-06.8	11	1.0	00.2-01.8	161	19.6	15.9-23.3	70	15.8	10.9-20.7
Some Post-H.S.	638	82,140	361	55.7	50.0-61.4	23	4.4	01.7-07.1	14	1.4	00.6-02.2	151	19.3	15.2-23.4	89	19.1	14.6-23.6
College Graduate	852	81,485	384	40.3	36.0-44.6	48	5.1	03.3-06.9	13	0.8	00.2-01.4	230	22.5	19.2-25.8	177	31.3	26.8-35.8
Less than \$15,000	235	27,091	135	68.0	60.0-76.0	11	4.4	01.1-07.7	7	1.0	00.2-01.8	62	17.7	11.6-23.8	20	8.9	04.2-13.6
\$15,000- 24,999	224	26,386	142	65.1	56.1-74.1	10	3.1	00.9-05.3	7	1.3	00.1-02.5	56	22.1	14.3-29.9	9	8.3	02.6-14.0
\$25,000- 34,999	197	22,898	102	50.8	40.8-60.8	14	5.7	02.2-09.2	4	1.8	00.0-03.8	60	26.6	18.2-35.0	17	15.1	06.1-24.1
\$35,000- 49,999	296	36,201	167	58.7	50.3-67.1	11	2.8	00.6-05.0	3	0.7	00.0-01.7	76	20.4	13.9-26.9	39	17.4	11.3-23.5
\$50,000- 74,999	325	38,998	175	50.1	42.3-57.9	15	4.0	01.5-06.5	3	0.8	00.0-01.8	70	17.9	12.8-23.0	62	27.1	18.9-35.3
\$75,000+	604	80,105	265	41.9	36.6-47.2	29	3.8	02.0-05.6	6	0.6	00.0-01.2	140	19.3	15.6-23.0	164	34.3	29.0-39.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	780	117,133	405	53.1	48.0-58.2	45	4.8	02.8-06.8	14	0.8	00.2-01.4	191	19.6	16.1-23.1	125	21.7	17.4-26.0
White/Non-Hisp	654	84,801	333	51.6	46.3-56.9	35	4.4	02.0-06.8	11	1.0	00.4-01.6	174	21.7	18.0-25.4	101	21.3	16.8-25.8
Black or Afr. Am./Non-Hisp	72	17,852	43	60.2	45.5-74.9	3	4.2	00.0-09.5	2	0.5	00.0-01.1	10	14.1	02.9-25.3	14	21.0	09.2-32.8
35-44	54	15,197	25	44.4	28.9-59.9	2	0.5	00.0-01.1				6	13.0	00.8-25.2	21	42.2	26.9-57.5
45-54	119	22,468	53	45.6	32.9-58.3	7	3.6	00.3-06.9	2	0.4	00.0-01.0	18	15.9	07.7-24.1	39	34.5	21.6-47.4
55-64	180	22,822	101	61.0	51.8-70.2	15	6.6	02.7-10.5	4	1.2	00.0-02.6	33	16.9	10.4-23.4	27	14.2	07.7-20.7
65+	353	34,378	192	55.5	49.0-62.0	10	2.4	00.4-04.4	8	1.8	00.4-03.2	128	33.7	27.6-39.8	15	6.6	02.7-10.5
H.S. or G.E.D.	199	34,551	111	57.4	46.8-68.0	12	7.0	01.7-12.3	2	0.3	00.0-00.7	48	17.4	11.5-23.3	26	18.0	08.4-27.6
Some Post-H.S.	203	33,179	110	52.4	43.2-61.6	12	4.0	01.5-06.5	5	1.3	00.0-02.7	42	20.3	12.5-28.1	34	22.0	14.6-29.4
College Graduate	338	36,836	157	42.7	35.6-49.8	20	3.9	01.5-06.3	7	1.2	00.2-02.2	92	22.3	17.0-27.6	62	29.9	22.6-37.2
\$15,000- 24,999	54	8,734	33	67.8	52.9-82.7	6	5.7	00.4-11.0	1	0.5	00.0-01.5	9	12.5	02.9-22.1	5	13.5	01.9-25.1
\$25,000- 34,999	66	9,675	36	57.7	40.8-74.6	7	7.8	00.7-14.9				20	30.5	14.4-46.6	3	4.0	00.0-08.9
\$35,000- 49,999	128	19,690	69	58.0	44.7-71.3	6	3.5	00.0-07.2				35	20.8	10.4-31.2	18	17.7	08.5-26.9
\$50,000- 74,999	120	17,986	56	42.6	29.9-55.3	8	5.1	00.6-09.6	2	1.3	00.0-03.3	32	22.0	12.6-31.4	22	29.0	13.9-44.1
\$75,000+	255	37,958	115	44.2	36.0-52.4	12	3.4	00.7-06.1	4	0.8	00.0-01.6	60	17.9	12.4-23.4	64	33.8	25.8-41.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1480	159,597	796	53.8	50.1-57.5	60	4.7	02.7-06.7	24	1.1	00.5-01.7	382	20.9	18.4-23.4	218	19.5	16.6-22.4
White/Non-Hisp	1219	120,021	629	51.0	47.3-54.7	46	3.9	02.5-05.3	21	1.2	00.6-01.8	347	24.3	21.2-27.4	176	19.5	16.4-22.6
Black or Afr. Am./Non-Hisp	165	24,043	111	63.5	52.7-74.3	7	6.8	00.0-14.6	2	0.7	00.0-02.1	15	8.0	02.7-13.3	30	21.0	12.4-29.6
25-34	99	19,106	54	52.7	40.0-65.4	4	7.5	00.0-16.1				8	6.7	01.6-11.8	33	33.1	21.5-44.7
35-44	126	20,780	67	52.6	41.8-63.4	5	3.5	00.4-06.6	1	0.3	00.0-00.9	16	12.7	05.8-19.6	37	30.9	20.3-41.5
45-54	206	28,612	83	45.5	36.7-54.3	13	3.6	01.4-05.8				43	17.2	10.3-24.1	67	33.7	25.7-41.7
55-64	337	28,437	197	57.1	50.4-63.8	13	3.5	01.3-05.7	5	1.8	00.0-03.6	75	24.1	18.2-30.0	47	13.5	09.4-17.6
65+	656	48,348	366	56.4	51.7-61.1	18	2.5	01.1-03.9	18	2.3	01.1-03.5	234	35.6	31.1-40.1	20	3.2	01.6-04.8
Less Than H.S.	83	18,699	55	62.9	49.0-76.8	3	6.8	00.0-15.8				21	21.9	10.7-33.1	4	8.4	00.0-17.4
H.S. or G.E.D.	445	47,189	262	60.6	54.5-66.7	17	2.6	01.2-04.0	9	1.5	00.3-02.7	113	21.2	16.7-25.7	44	14.1	09.2-19.0
Some Post-H.S.	435	48,961	251	57.9	50.8-65.0	11	4.7	00.4-09.0	9	1.5	00.3-02.7	109	18.7	14.4-23.0	55	17.2	11.7-22.7
College Graduate	514	44,649	227	38.3	33.0-43.6	28	6.0	03.5-08.5	6	0.5	00.0-01.1	138	22.7	18.4-27.0	115	32.5	26.8-38.2
Less than \$15,000	188	20,149	104	65.1	55.5-74.7	10	5.3	01.0-09.6	4	0.6	00.0-01.2	52	19.6	12.2-27.0	18	9.4	04.3-14.5
\$15,000- 24,999	170	17,651	109	63.8	52.8-74.8	4	1.9	00.0-03.9	6	1.7	00.1-03.3	47	26.9	16.5-37.3	4	5.7	00.0-12.0
\$25,000- 34,999	131	13,223	66	45.8	34.2-57.4	7	4.2	00.7-07.7	4	3.1	00.0-06.4	40	23.7	15.5-31.9	14	23.2	09.5-36.9
\$35,000- 49,999	168	16,511	98	59.6	49.8-69.4	5	1.9	00.1-03.7	3	1.6	00.0-03.6	41	19.9	12.8-27.0	21	17.1	09.3-24.9
\$50,000- 74,999	205	21,012	119	56.6	47.6-65.6	7	3.1	00.4-05.8	1	0.4	00.0-01.2	38	14.4	08.9-19.9	40	25.5	17.5-33.5
\$75,000+	349	42,147	150	39.9	33.4-46.4	17	4.2	01.8-06.6	2	0.5	00.0-01.1	80	20.6	15.7-25.5	100	34.8	28.1-41.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4386	624,684	1757	31.6	29.6-33.6	2629	68.4	66.4-70.4
Male	1629	291,353	612	28.4	25.5-31.3	1017	71.6	68.7-74.5
Female	2757	333,330	1145	34.4	31.9-36.9	1612	65.6	63.1-68.1
White/Non-Hisp	3394	432,034	1458	34.2	32.0-36.4	1936	65.8	63.6-68.0
Black or Afr. Am./Non-Hisp	628	120,102	205	27.1	22.4-31.8	423	72.9	68.2-77.6
Oth. Race/Non-Hisp.	124	19,060	25	21.7	09.2-34.2	99	78.3	65.8-90.8
MultiRacial/Non-Hisp.	73	8,690	21	26.6	14.4-38.8	52	73.4	61.2-85.6
Hispanic	124	41,114	30	22.0	11.2-32.8	94	78.0	67.2-88.8
18-24	191	67,041	50	29.1	20.1-38.1	141	70.9	61.9-79.9
25-34	426	97,363	68	17.4	12.7-22.1	358	82.6	77.9-87.3
35-44	508	104,647	67	14.9	10.6-19.2	441	85.1	80.8-89.4
45-54	767	119,911	148	19.8	15.9-23.7	619	80.2	76.3-84.1
55-64	974	101,590	315	30.6	26.9-34.3	659	69.4	65.7-73.1
65+	1465	126,883	1082	69.2	65.7-72.7	383	30.8	27.3-34.3
Less Than H.S.	267	83,556	123	33.1	26.4-39.8	144	66.9	60.2-73.6
H.S. or G.E.D.	1353	203,259	564	32.5	29.0-36.0	789	67.5	64.0-71.0
Some Post-H.S.	1233	180,159	512	32.8	29.1-36.5	721	67.2	63.5-70.9
College Graduate	1521	156,105	555	28.5	25.8-31.2	966	71.5	68.8-74.2
Less than \$15,000	484	65,904	227	33.5	28.0-39.0	257	66.5	61.0-72.0
\$15,000- 24,999	487	71,598	221	35.9	30.0-41.8	266	64.1	58.2-70.0
\$25,000- 34,999	352	45,985	162	39.6	32.2-47.0	190	60.4	53.0-67.8
\$35,000- 49,999	569	81,227	268	40.0	33.9-46.1	301	60.0	53.9-66.1
\$50,000- 74,999	659	89,396	223	26.0	21.9-30.1	436	74.0	69.9-78.1
\$75,000+	1126	166,753	326	22.4	19.3-25.5	800	77.6	74.5-80.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1629	291,353	612	28.4	25.5-31.3	1017	71.6	68.7-74.5
White/Non-Hisp	1280	199,646	515	30.4	27.3-33.5	765	69.6	66.5-72.7
Black or Afr. Am./Non-Hisp	195	53,477	51	22.7	15.3-30.1	144	77.3	69.9-84.7
Oth. Race/Non-Hisp.	59	12,205	13	23.9	06.3-41.5	46	76.1	58.5-93.7
18-24	97	31,389	28	31.9	18.8-45.0	69	68.1	55.0-81.2
25-34	174	49,254	28	14.2	08.3-20.1	146	85.8	79.9-91.7
35-44	188	49,407	29	18.8	11.0-26.6	159	81.2	73.4-89.0
45-54	295	57,248	60	18.5	12.8-24.2	235	81.5	75.8-87.2
55-64	341	46,663	96	24.8	19.1-30.5	245	75.2	69.5-80.9
65+	519	54,612	365	61.9	55.8-68.0	154	38.1	32.0-44.2
Less Than H.S.	106	40,741	31	20.5	12.5-28.5	75	79.5	71.5-87.5
H.S. or G.E.D.	492	99,850	183	29.0	23.5-34.5	309	71.0	65.5-76.5
Some Post-H.S.	416	77,903	163	31.0	25.1-36.9	253	69.0	63.1-74.9
College Graduate	610	71,571	233	29.6	25.3-33.9	377	70.4	66.1-74.7
Less than \$15,000	153	28,545	56	25.6	17.4-33.8	97	74.4	66.2-82.6
\$15,000- 24,999	141	27,580	48	28.0	18.6-37.4	93	72.0	62.6-81.4
\$25,000- 34,999	118	20,681	55	40.4	27.5-53.3	63	59.6	46.7-72.5
\$35,000- 49,999	240	42,226	123	41.7	32.5-50.9	117	58.3	49.1-67.5
\$50,000- 74,999	267	43,697	93	26.1	20.0-32.2	174	73.9	67.8-80.0
\$75,000+	488	84,246	150	22.6	17.7-27.5	338	77.4	72.5-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2757	333,330	1145	34.4	31.9-36.9	1612	65.6	63.1-68.1
White/Non-Hisp	2114	232,388	943	37.5	34.6-40.4	1171	62.5	59.6-65.4
Black or Afr. Am./Non-Hisp	433	66,625	154	30.7	24.6-36.8	279	69.3	63.2-75.4
Oth. Race/Non-Hisp.	65	6,855	12	17.7	03.4-32.0	53	82.3	68.0-96.6
Hispanic	81	21,235	18	20.6	06.5-34.7	63	79.4	65.3-93.5
18-24	94	35,652	22	26.7	14.4-39.0	72	73.3	61.0-85.6
25-34	252	48,109	40	20.6	13.3-27.9	212	79.4	72.1-86.7
35-44	320	55,240	38	11.5	07.4-15.6	282	88.5	84.4-92.6
45-54	472	62,663	88	21.0	15.9-26.1	384	79.0	73.9-84.1
55-64	633	54,927	219	35.5	30.8-40.2	414	64.5	59.8-69.2
65+	946	72,271	717	74.8	71.1-78.5	229	25.2	21.5-28.9
Less Than H.S.	161	42,815	92	45.2	35.2-55.2	69	54.8	44.8-64.8
H.S. or G.E.D.	861	103,409	381	35.8	31.5-40.1	480	64.2	59.9-68.5
Some Post-H.S.	817	102,256	349	34.2	29.5-38.9	468	65.8	61.1-70.5
College Graduate	911	84,534	322	27.6	23.9-31.3	589	72.4	68.7-76.1
Less than \$15,000	331	37,359	171	39.5	31.9-47.1	160	60.5	52.9-68.1
\$15,000- 24,999	346	44,019	173	40.8	33.4-48.2	173	59.2	51.8-66.6
\$25,000- 34,999	234	25,303	107	39.0	31.0-47.0	127	61.0	53.0-69.0
\$35,000- 49,999	329	39,001	145	38.0	30.2-45.8	184	62.0	54.2-69.8
\$50,000- 74,999	392	45,699	130	25.9	20.2-31.6	262	74.1	68.4-79.8
\$75,000+	638	82,507	176	22.3	18.4-26.2	462	77.7	73.8-81.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	256
2 MALES ONLY	257
3 FEMALES ONLY	258
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	259
5 MALES ONLY	260
6 FEMALES ONLY	261
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	262
8 MALES ONLY	263
9 FEMALES ONLY	264
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	265
11 MALES ONLY	266
12 FEMALES ONLY	267
WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)	
13 MALES AND FEMALES	268
14 MALES ONLY	269
15 FEMALES ONLY	270

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4645	675,396	717	16.9	15.3-18.5	217	4.1	03.3-04.9	1333	31.0	29.0-33.0	355	7.5	06.3-08.7	2023	40.5	38.5-42.5
Male	1775	322,583	320	19.1	16.6-21.6	122	6.0	04.6-07.4	523	30.6	27.5-33.7	192	10.5	08.3-12.7	618	33.8	30.7-36.9
Female	2870	352,814	397	14.9	12.9-16.9	95	2.5	01.9-03.1	810	31.2	28.7-33.7	163	4.7	03.7-05.7	1405	46.8	44.1-49.5
White/Non-Hisp	3590	469,694	596	18.4	16.6-20.2	195	4.5	03.7-05.3	1035	31.5	29.3-33.7	322	9.1	07.5-10.7	1442	36.4	34.2-38.6
Black or Afr. Am./Non-Hisp	664	128,746	72	14.3	10.0-18.6	8	2.1	00.1-04.1	174	26.8	22.3-31.3	16	3.2	01.4-05.0	394	53.6	48.3-58.9
Oth. Race/Non-Hisp.	138	22,184	18	9.4	03.5-15.3	1	0.5	00.0-01.5	46	35.7	23.9-47.5	3	4.2	00.0-09.5	70	50.2	38.6-61.8
MultiRacial/Non-Hisp.	80	9,532	6	8.2	01.1-15.3	5	6.3	00.0-12.8	27	30.8	18.5-43.1	5	5.2	00.0-10.9	37	49.5	35.8-63.2
Hispanic	128	41,267	21	14.2	07.3-21.1	7	7.4	01.1-13.7	37	34.5	22.7-46.3	7	5.1	00.8-09.4	56	38.8	27.2-50.4
18-24	236	81,412	35	10.2	05.7-14.7	2	0.8	00.0-02.0	85	36.9	28.7-45.1	16	5.9	01.6-10.2	98	46.2	37.6-54.8
25-34	498	113,758	117	24.1	19.2-29.0	12	3.1	00.9-05.3	192	38.8	33.1-44.5	27	7.8	04.1-11.5	150	26.3	21.6-31.0
35-44	553	112,507	116	23.4	18.7-28.1	8	1.5	00.3-02.7	210	36.8	31.7-41.9	38	7.6	04.5-10.7	181	30.7	26.0-35.4
45-54	810	125,912	129	16.6	13.3-19.9	26	4.0	01.8-06.2	258	29.6	25.5-33.7	63	8.0	05.5-10.5	334	41.8	37.3-46.3
55-64	1003	105,609	141	14.5	11.8-17.2	51	6.1	03.9-08.3	271	27.1	23.4-30.8	95	9.0	06.8-11.2	445	43.4	39.3-47.5
65+	1491	129,648	172	11.8	09.6-14.0	115	7.7	06.1-09.3	303	19.4	16.9-21.9	113	6.6	05.2-08.0	788	54.4	51.1-57.7
Less Than H.S.	283	89,877	17	8.8	04.3-13.3	7	3.4	00.7-06.1	53	23.0	16.1-29.9	11	4.9	01.0-08.8	195	59.9	52.3-67.5
H.S. or G.E.D.	1410	217,345	161	13.1	10.6-15.6	56	3.9	02.5-05.3	370	30.8	27.3-34.3	90	6.9	05.1-08.7	733	45.3	41.6-49.0
Some Post-H.S.	1310	196,308	191	18.9	15.8-22.0	60	4.5	03.1-05.9	403	32.9	29.4-36.4	81	7.5	05.1-09.9	575	36.2	32.5-39.9
College Graduate	1630	171,081	345	23.5	20.8-26.2	94	4.5	03.3-05.7	505	33.0	29.9-36.1	173	9.6	07.8-11.4	513	29.4	26.5-32.3
Less than \$15,000	507	69,939	46	10.2	06.1-14.3	13	1.8	00.2-03.4	111	28.9	22.4-35.4	31	6.7	03.4-10.0	306	52.4	45.9-58.9
\$15,000- 24,999	505	73,358	25	7.3	03.6-11.0	11	1.3	00.3-02.3	135	28.2	22.5-33.9	15	3.8	01.3-06.3	319	59.4	53.1-65.7
\$25,000- 34,999	380	51,805	58	15.3	10.6-20.0	19	4.8	02.3-07.3	103	34.3	26.9-41.7	22	5.1	02.6-07.6	178	40.6	33.3-47.9
\$35,000- 49,999	609	89,258	70	15.3	10.4-20.2	26	3.5	01.7-05.3	199	31.3	25.8-36.8	43	9.4	05.1-13.7	271	40.4	34.3-46.5
\$50,000- 74,999	700	97,460	141	20.2	16.3-24.1	30	4.3	02.3-06.3	210	32.6	27.7-37.5	59	7.4	05.0-09.8	260	35.6	30.7-40.5
\$75,000+	1205	180,032	281	25.6	22.3-28.9	83	6.2	04.4-08.0	402	32.3	28.8-35.8	132	9.5	07.3-11.7	307	26.5	23.2-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1775	322,583	320	19.1	16.6-21.6	122	6.0	04.6-07.4	523	30.6	27.5-33.7	192	10.5	08.3-12.7	618	33.8	30.7-36.9
White/Non-Hisp	1394	222,209	270	21.2	18.3-24.1	105	6.0	04.6-07.4	398	30.7	27.2-34.2	171	12.7	10.0-15.4	450	29.3	26.0-32.6
Black or Afr. Am./Non-Hisp	211	58,300	32	17.5	10.2-24.8	8	4.7	00.6-08.8	61	27.5	20.1-34.9	11	4.4	01.5-07.3	99	45.9	37.5-54.3
Oth. Race/Non-Hisp.	67	14,603	7	5.6	00.9-10.3	1	0.8	00.0-02.4	28	44.5	28.6-60.4	3	6.4	00.0-14.4	28	42.7	27.6-57.8
18-24	125	41,147	24	13.7	06.3-21.1	2	1.5	00.0-03.9	50	36.4	25.6-47.2	13	10.0	02.2-17.8	36	38.4	26.6-50.2
25-34	203	57,491	55	24.3	17.4-31.2	10	5.7	01.4-10.0	75	38.9	30.1-47.7	20	11.5	05.2-17.8	43	19.6	12.9-26.3
35-44	209	54,361	48	26.8	19.2-34.4	4	2.0	00.0-04.2	85	36.7	28.9-44.5	19	10.6	04.7-16.5	53	23.9	17.2-30.6
45-54	320	60,863	51	18.1	12.2-24.0	16	6.2	02.1-10.3	103	29.6	22.9-36.3	34	10.7	06.2-15.2	116	35.4	28.3-42.5
55-64	363	50,199	61	15.1	10.8-19.4	31	9.2	05.3-13.1	93	24.8	19.1-30.5	45	11.2	07.3-15.1	133	39.7	32.8-46.6
65+	542	56,620	78	14.9	10.8-19.0	57	9.4	06.5-12.3	113	18.6	14.7-22.5	60	9.4	06.7-12.1	234	47.8	41.9-53.7
Less Than H.S.	116	45,979	11	11.5	04.4-18.6	7	6.6	01.3-11.9	24	24.2	14.2-34.2	7	6.4	00.0-13.3	67	51.4	40.2-62.6
H.S. or G.E.D.	534	110,349	74	14.9	10.8-19.0	36	5.3	02.8-07.8	152	33.8	28.1-39.5	48	9.7	06.4-13.0	224	36.3	30.8-41.8
Some Post-H.S.	452	86,102	92	24.2	18.7-29.7	28	6.5	03.6-09.4	141	28.0	22.9-33.1	42	11.2	06.3-16.1	149	30.1	24.2-36.0
College Graduate	670	79,806	141	23.7	19.6-27.8	51	6.0	04.0-08.0	205	32.7	28.0-37.4	95	13.5	10.2-16.8	178	24.1	20.0-28.2
Less than \$15,000	158	29,663	19	12.6	05.9-19.3	6	2.5	00.0-05.6	42	29.8	20.2-39.4	14	11.8	04.5-19.1	77	43.4	33.2-53.6
\$15,000- 24,999	148	27,897	7	6.3	00.6-12.0	4	1.9	00.0-04.3	43	35.1	23.9-46.3	9	4.3	01.0-07.6	85	52.4	41.4-63.4
\$25,000- 34,999	132	24,395	26	19.3	10.5-28.1	12	7.4	02.5-12.3	33	34.6	21.5-47.7	10	6.2	01.5-10.9	51	32.5	20.7-44.3
\$35,000- 49,999	265	48,249	31	14.5	08.0-21.0	18	5.0	02.1-07.9	83	29.5	21.5-37.5	28	14.3	06.9-21.7	105	36.6	27.8-45.4
\$50,000- 74,999	288	47,401	63	20.4	14.5-26.3	20	6.8	02.9-10.7	82	28.9	22.2-35.6	32	10.3	06.0-14.6	91	33.6	25.8-41.4
\$75,000+	536	92,386	135	28.8	23.5-34.1	44	7.7	04.4-11.0	173	30.3	25.2-35.4	76	12.3	08.6-16.0	108	20.9	16.0-25.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2870	352,814	397	14.9	12.9-16.9	95	2.5	01.9-03.1	810	31.2	28.7-33.7	163	4.7	03.7-05.7	1405	46.8	44.1-49.5
White/Non-Hisp	2196	247,485	326	16.0	13.8-18.2	90	3.2	02.4-04.0	637	32.2	29.3-35.1	151	5.8	04.6-07.0	992	42.8	39.9-45.7
Black or Afr. Am./Non-Hisp	453	70,445	40	11.7	06.6-16.8				113	26.2	20.5-31.9	5	2.2	00.0-04.4	295	59.9	53.2-66.6
Oth. Race/Non-Hisp.	71	7,581	11	16.8	03.5-30.1				18	18.6	08.4-28.8				42	64.6	49.7-79.5
Hispanic	81	20,687	14	14.1	05.7-22.5	2	1.8	00.0-04.3	23	42.3	26.0-58.6	1	0.3	00.0-00.9	41	41.5	27.2-55.8
18-24	111	40,265	11	6.6	02.1-11.1				35	37.5	24.8-50.2	3	1.7	00.0-03.9	62	54.1	41.6-66.6
25-34	295	56,267	62	23.8	16.7-30.9	2	0.5	00.0-01.3	117	38.6	31.5-45.7	7	4.0	00.5-07.5	107	33.1	26.4-39.8
35-44	344	58,147	68	20.1	14.8-25.4	4	1.0	00.0-02.0	125	37.0	30.5-43.5	19	4.8	02.3-07.3	128	37.1	30.8-43.4
45-54	490	65,050	78	15.2	11.5-18.9	10	1.9	00.3-03.5	155	29.6	24.7-34.5	29	5.5	03.0-08.0	218	47.8	42.1-53.5
55-64	640	55,410	80	13.9	10.4-17.4	20	3.3	01.7-04.9	178	29.1	24.6-33.6	50	6.9	04.7-09.1	312	46.8	41.9-51.7
65+	949	73,029	94	9.4	07.2-11.6	58	6.4	04.4-08.4	190	20.1	16.8-23.4	53	4.5	03.1-05.9	554	59.6	55.7-63.5
Less Than H.S.	167	43,898	6	6.0	00.3-11.7				29	21.7	12.5-30.9	4	3.4	00.0-06.9	128	68.8	58.8-78.8
H.S. or G.E.D.	876	106,996	87	11.4	08.3-14.5	20	2.3	01.1-03.5	218	27.8	23.5-32.1	42	4.0	02.4-05.6	509	54.5	49.8-59.2
Some Post-H.S.	858	110,206	99	14.7	11.0-18.4	32	3.0	01.8-04.2	262	36.8	31.9-41.7	39	4.6	02.6-06.6	426	41.0	36.5-45.5
College Graduate	960	91,275	204	23.3	19.8-26.8	43	3.2	02.0-04.4	300	33.3	29.0-37.6	78	6.2	04.6-07.8	335	34.0	30.1-37.9
Less than \$15,000	349	40,277	27	8.4	03.5-13.3	7	1.3	00.1-02.5	69	28.3	19.7-36.9	17	3.0	01.2-04.8	229	59.1	50.5-67.7
\$15,000- 24,999	357	45,462	18	7.9	03.0-12.8	7	0.9	00.1-01.7	92	23.9	18.0-29.8	6	3.5	00.0-07.0	234	63.7	56.4-71.0
\$25,000- 34,999	248	27,410	32	11.7	07.2-16.2	7	2.5	00.3-04.7	70	34.0	25.8-42.2	12	4.1	01.4-06.8	127	47.8	39.6-56.0
\$35,000- 49,999	344	41,009	39	16.2	08.9-23.5	8	1.7	00.3-03.1	116	33.5	26.2-40.8	15	3.7	01.5-05.9	166	44.9	37.1-52.7
\$50,000- 74,999	412	50,059	78	19.9	14.4-25.4	10	1.8	00.6-03.0	128	36.0	28.9-43.1	27	4.8	02.6-07.0	169	37.4	30.9-43.9
\$75,000+	669	87,646	146	22.1	18.2-26.0	39	4.6	02.8-06.4	229	34.3	29.6-39.0	56	6.6	04.4-08.8	199	32.4	27.7-37.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2599	395,305	1150	35.5	33.0-38.0	823	31.8	29.3-34.3	307	13.6	11.6-15.6	129	6.5	05.1-07.9	190	12.6	10.2-15.0
Male	1144	210,696	370	26.2	22.9-29.5	362	30.2	26.7-33.7	182	16.0	13.3-18.7	87	8.7	06.3-11.1	143	18.9	15.2-22.6
Female	1455	184,609	780	46.0	42.5-49.5	461	33.7	30.2-37.2	125	11.0	08.3-13.7	42	4.0	02.2-05.8	47	5.3	03.3-07.3
White/Non-Hisp	2135	296,573	961	36.4	33.7-39.1	673	31.3	28.6-34.0	249	13.3	11.1-15.5	104	6.3	04.7-07.9	148	12.7	10.2-15.2
Black or Afr. Am./Non-Hisp	262	57,242	105	33.3	25.9-40.7	93	36.7	28.7-44.7	32	14.8	08.7-20.9	11	6.5	01.6-11.4	21	8.7	04.4-13.0
Oth. Race/Non-Hisp.	68	11,052	33	35.3	19.6-51.0	15	20.8	08.5-33.1	6	9.3	00.9-17.7	4	5.6	00.0-11.5	10	29.1	09.5-48.7
Hispanic	70	23,500	26	29.7	17.5-41.9	20	33.0	18.1-47.9	12	15.4	06.0-24.8	5	8.8	01.0-16.6	7	13.1	01.3-24.9
18-24	136	41,996	25	18.9	10.3-27.5	32	22.1	13.1-31.1	24	17.0	08.2-25.8	11	9.3	03.2-15.4	44	32.7	21.7-43.7
25-34	343	81,772	93	23.8	18.1-29.5	99	27.9	21.6-34.2	67	18.7	13.6-23.8	31	9.2	05.3-13.1	53	20.4	14.1-26.7
35-44	370	77,660	133	31.4	25.7-37.1	124	33.3	27.4-39.2	49	14.4	09.7-19.1	35	8.8	05.1-12.5	29	12.1	06.8-17.4
45-54	473	72,756	187	34.0	28.5-39.5	175	40.3	34.2-46.4	59	13.0	08.9-17.1	27	6.2	02.9-09.5	25	6.6	03.9-09.3
55-64	552	58,819	265	44.7	39.2-50.2	198	36.2	31.1-41.3	56	11.2	07.7-14.7	10	2.2	00.4-04.0	23	5.7	03.0-08.4
65+	699	58,703	430	59.8	55.1-64.5	191	28.6	24.1-33.1	50	6.8	04.6-09.0	14	2.3	00.7-03.9	14	2.4	00.8-04.0
Less Than H.S.	85	34,293	25	25.8	14.6-37.0	29	31.4	19.4-43.4	12	15.8	05.0-26.6	5	7.2	00.1-14.3	14	19.7	07.9-31.5
H.S. or G.E.D.	671	117,900	275	30.2	25.7-34.7	179	28.5	23.8-33.2	90	15.2	11.3-19.1	45	7.6	04.9-10.3	82	18.5	13.8-23.2
Some Post-H.S.	726	122,191	324	37.4	32.7-42.1	223	29.7	25.4-34.0	83	13.6	10.3-16.9	33	6.2	03.5-08.9	63	13.1	09.0-17.2
College Graduate	1113	120,529	524	41.4	37.7-45.1	391	37.4	33.5-41.3	121	11.4	08.9-13.9	46	5.5	03.5-07.5	31	4.2	02.4-06.0
Less than \$15,000	198	32,304	80	29.2	21.2-37.2	57	30.6	20.0-41.2	27	18.3	09.7-26.9	11	4.8	01.7-07.9	23	17.2	08.8-25.6
\$15,000- 24,999	184	29,030	71	37.7	27.3-48.1	52	27.2	18.0-36.4	28	15.0	08.1-21.9	11	5.8	01.9-09.7	22	14.3	07.6-21.0
\$25,000- 34,999	199	30,335	82	33.3	23.9-42.7	49	22.6	15.0-30.2	35	19.5	12.1-26.9	14	10.1	03.6-16.6	19	14.5	06.1-22.9
\$35,000- 49,999	334	52,539	146	35.6	28.2-43.0	94	26.2	19.7-32.7	44	14.0	08.1-19.9	20	9.1	03.6-14.6	30	15.2	08.1-22.3
\$50,000- 74,999	437	62,043	194	36.9	31.0-42.8	147	34.9	28.8-41.0	44	13.5	07.6-19.4	24	6.3	03.6-09.0	28	8.5	04.8-12.2
\$75,000+	895	132,041	390	35.4	31.5-39.3	328	38.1	33.8-42.4	99	12.8	09.9-15.7	38	4.4	02.8-06.0	40	9.3	06.0-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1144	210,696	370	26.2	22.9-29.5	362	30.2	26.7-33.7	182	16.0	13.3-18.7	87	8.7	06.3-11.1	143	18.9	15.2-22.6
White/Non-Hisp	936	155,511	312	27.9	24.0-31.8	292	29.0	25.3-32.7	151	15.9	12.8-19.0	69	8.0	05.6-10.4	112	19.2	14.9-23.5
Black or Afr. Am./Non-Hisp	108	30,200	25	20.9	11.3-30.5	46	41.7	29.5-53.9	15	14.4	06.4-22.4	8	11.2	02.2-20.2	14	11.8	04.7-18.9
18-24	88	25,103	13	14.8	05.0-24.6	11	11.0	03.7-18.3	18	17.3	08.3-26.3	8	11.2	02.4-20.0	38	45.7	31.4-60.0
25-34	157	44,995	33	19.7	11.3-28.1	42	25.1	16.7-33.5	28	16.2	09.7-22.7	17	10.4	05.1-15.7	37	28.6	18.6-38.6
35-44	156	41,357	35	19.8	12.7-26.9	48	27.7	19.5-35.9	25	19.3	11.5-27.1	23	12.2	06.1-18.3	25	21.0	11.8-30.2
45-54	203	38,912	53	24.6	16.4-32.8	81	44.8	35.4-54.2	32	14.3	07.8-20.8	20	8.8	03.1-14.5	17	7.5	03.6-11.4
55-64	225	29,444	80	33.5	25.5-41.5	84	37.2	29.4-45.0	39	17.3	11.2-23.4	7	3.4	00.3-06.5	15	8.7	03.6-13.8
65+	305	29,272	153	49.9	42.8-57.0	93	31.7	24.8-38.6	38	10.7	06.8-14.6	11	3.9	01.2-06.6	10	3.8	00.9-06.7
H.S. or G.E.D.	307	69,682	73	18.3	12.6-24.0	84	27.9	21.2-34.6	56	18.7	12.8-24.6	32	9.9	05.8-14.0	62	25.2	18.1-32.3
Some Post-H.S.	297	59,122	96	26.5	20.2-32.8	93	28.9	22.6-35.2	45	15.9	10.8-21.0	18	7.3	03.0-11.6	45	21.4	14.0-28.8
College Graduate	491	60,522	191	35.6	30.3-40.9	168	34.5	29.2-39.8	73	14.7	10.6-18.8	33	8.1	05.0-11.2	26	7.1	04.0-10.2
Less than \$15,000	79	15,898	19	19.8	09.8-29.8	20	26.9	13.8-40.0	18	25.0	12.1-37.9	8	7.5	01.8-13.2	14	20.8	09.0-32.6
\$15,000- 24,999	63	13,272	11	27.1	08.9-45.3	18	28.5	12.8-44.2	13	17.7	05.9-29.5	6	8.4	01.0-15.8	15	18.3	07.9-28.7
\$25,000- 34,999	79	16,114	18	23.7	08.4-39.0	16	15.6	06.6-24.6	21	26.0	13.3-38.7	8	9.6	00.8-18.4	16	25.2	10.5-39.9
\$35,000- 49,999	157	30,067	59	29.2	19.0-39.4	37	21.0	13.2-28.8	23	15.2	06.6-23.8	13	11.4	04.0-18.8	25	23.2	11.8-34.6
\$50,000- 74,999	195	30,848	65	29.0	21.2-36.8	71	36.9	28.3-45.5	24	12.9	07.4-18.4	15	7.7	03.6-11.8	20	13.5	06.8-20.2
\$75,000+	426	72,802	140	26.0	20.9-31.1	160	38.2	32.1-44.3	66	15.4	11.1-19.7	29	6.2	03.5-08.9	31	14.2	08.7-19.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1455	184,609	780	46.0	42.5-49.5	461	33.7	30.2-37.2	125	11.0	08.3-13.7	42	4.0	02.2-05.8	47	5.3	03.3-07.3
White/Non-Hisp	1199	141,062	649	45.7	41.8-49.6	381	33.8	30.1-37.5	98	10.5	07.6-13.4	35	4.4	02.4-06.4	36	5.7	03.3-08.1
Black or Afr. Am./Non-Hisp	154	27,041	80	47.1	36.3-57.9	47	31.1	20.7-41.5	17	15.1	05.7-24.5	3	1.4	00.0-03.2	7	5.4	00.9-09.9
25-34	186	36,777	60	28.8	21.2-36.4	57	31.2	22.0-40.4	39	21.9	13.7-30.1	14	7.8	01.9-13.7	16	10.3	04.6-16.0
35-44	214	36,303	98	44.6	36.2-53.0	76	39.6	31.2-48.0	24	8.9	04.4-13.4	12	5.0	01.1-08.9	4	2.0	00.0-04.5
45-54	270	33,844	134	44.8	37.5-52.1	94	35.1	28.0-42.2	27	11.4	06.3-16.5	7	3.2	00.5-05.9	8	5.5	01.4-09.6
55-64	327	29,375	185	55.9	49.0-62.8	114	35.3	28.8-41.8	17	5.2	02.3-08.1	3	0.9	00.0-02.1	8	2.6	00.4-04.8
65+	394	29,430	277	69.6	63.5-75.7	98	25.6	19.7-31.5	12	2.9	00.9-04.9	3	0.8	00.0-02.0	4	1.1	00.0-02.3
H.S. or G.E.D.	364	48,217	202	47.5	40.6-54.4	95	29.3	22.8-35.8	34	10.2	05.9-14.5	13	4.3	01.4-07.2	20	8.8	03.5-14.1
Some Post-H.S.	429	63,069	228	47.6	41.1-54.1	130	30.5	24.6-36.4	38	11.5	07.0-16.0	15	5.1	01.4-08.8	18	5.3	02.4-08.2
College Graduate	622	60,007	333	47.2	41.9-52.5	223	40.4	34.9-45.9	48	8.1	05.4-10.8	13	2.9	00.5-05.3	5	1.4	00.0-03.0
Less than \$15,000	119	16,406	61	38.3	25.2-51.4	37	34.1	18.0-50.2	9	11.8	00.8-22.8	3	2.2	00.0-04.7	9	13.6	01.3-25.9
\$15,000- 24,999	121	15,758	60	46.7	34.5-58.9	34	26.1	15.1-37.1	15	12.7	04.9-20.5	5	3.6	00.1-07.1	7	10.9	01.9-19.9
\$25,000- 34,999	120	14,221	64	44.2	33.2-55.2	33	30.5	19.3-41.7	14	12.1	05.0-19.2	6	10.7	01.3-20.1	3	2.5	00.0-05.6
\$35,000- 49,999	177	22,472	87	44.2	33.4-55.0	57	33.1	22.7-43.5	21	12.4	04.8-20.0	7	6.0	00.0-14.4	5	4.4	00.5-08.3
\$50,000- 74,999	242	31,195	129	44.7	35.7-53.7	76	32.8	24.6-41.0	20	14.0	03.8-24.2	9	4.9	01.4-08.4	8	3.4	00.3-06.5
\$75,000+	469	59,240	250	47.0	41.3-52.7	168	38.0	32.3-43.7	33	9.6	05.7-13.5	9	2.1	00.3-03.9	9	3.3	00.9-05.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2594	397,877	244	12.2	10.2-14.2	138	6.9	05.3-08.5	54	2.8	01.8-03.8	68	3.3	02.3-04.3	148	9.0	07.0-11.0	1942	65.8	63.1-68.5
Male	1143	211,913	117	13.3	10.4-16.2	74	7.0	05.0-09.0	28	3.2	01.6-04.8	47	4.7	02.9-06.5	105	13.0	09.7-16.3	772	58.8	54.7-62.9
Female	1451	185,964	127	10.9	08.2-13.6	64	6.8	04.3-09.3	26	2.4	01.4-03.4	21	1.8	00.8-02.8	43	4.4	02.6-06.2	1170	73.8	70.1-77.5
White/Non-Hisp	2130	296,596	205	12.4	10.2-14.6	105	6.0	04.4-07.6	39	2.0	01.2-02.8	60	3.9	02.5-05.3	117	9.1	06.7-11.5	1604	66.6	63.5-69.7
Black or Afr. Am./Non-Hisp	263	58,587	19	10.4	04.5-16.3	21	10.5	05.2-15.8	8	4.4	00.5-08.3	5	1.9	00.1-03.7	16	6.9	03.2-10.6	194	65.8	57.8-73.8
Oth. Race/Non-Hisp.	68	11,052	3	2.4	00.0-05.3	1	1.2	00.0-03.6	2	2.5	00.0-06.0	1	0.9	00.0-02.7	6	25.3	05.1-45.5	55	67.6	48.2-87.0
Hispanic	71	24,964	11	19.2	06.9-31.5	7	11.6	00.0-23.9	5	9.5	00.5-18.5	1	1.5	00.0-04.4	4	4.2	00.0-09.5	43	54.1	38.6-69.6
18-24	136	43,233	20	16.9	07.5-26.3	16	11.9	03.3-20.5	4	3.1	00.0-06.4	7	6.3	00.8-11.8	23	16.3	07.5-25.1	66	45.4	34.0-56.8
25-34	345	83,346	59	15.9	10.8-21.0	34	10.6	06.5-14.7	12	4.0	01.1-06.9	14	5.2	02.1-08.3	45	15.8	10.1-21.5	181	48.5	41.4-55.6
35-44	370	77,639	44	14.2	09.5-18.9	30	8.0	04.3-11.7	6	1.3	00.3-02.3	14	3.2	01.2-05.2	22	8.7	04.0-13.4	254	64.7	58.2-71.2
45-54	470	72,698	52	12.3	08.0-16.6	19	4.6	01.7-07.5	13	4.4	01.3-07.5	13	2.3	00.9-03.7	26	6.3	03.6-09.0	347	70.2	64.3-76.1
55-64	551	58,757	37	8.2	04.9-11.5	19	3.7	01.5-05.9	8	1.8	00.4-03.2	14	2.7	01.1-04.3	19	4.4	01.9-06.9	454	79.1	74.4-83.8
65+	696	58,605	30	4.7	02.5-06.9	20	3.0	01.4-04.6	10	1.6	00.4-02.8	6	1.0	00.0-02.0	13	2.7	00.9-04.5	617	87.1	83.8-90.4
Less Than H.S.	87	35,885	11	14.5	03.7-25.3	3	4.4	00.0-09.5	7	9.5	01.5-17.5	3	3.7	00.0-08.6	11	13.7	03.9-23.5	52	54.3	41.0-67.6
H.S. or G.E.D.	665	117,253	56	12.1	08.2-16.0	44	9.2	05.7-12.7	18	2.9	01.3-04.5	25	4.5	02.1-06.9	48	9.8	06.5-13.1	474	61.5	56.2-66.8
Some Post-H.S.	727	123,904	80	13.5	10.0-17.0	29	6.1	03.0-09.2	8	1.1	00.3-01.9	18	3.1	01.3-04.9	44	10.4	06.3-14.5	548	65.8	60.5-71.1
College Graduate	1110	120,264	97	10.3	07.8-12.8	61	6.1	04.3-07.9	21	2.4	01.0-03.8	22	2.4	01.0-03.8	45	5.4	03.6-07.2	864	73.4	69.9-76.9
Less than \$15,000	196	32,757	16	7.6	03.3-11.9	12	8.0	00.9-15.1	6	5.6	00.9-10.3	6	4.7	00.0-10.0	15	9.3	03.8-14.8	141	64.7	54.7-74.7
\$15,000- 24,999	183	29,549	18	11.3	05.2-17.4	10	8.1	01.8-14.4	7	4.5	00.6-08.4	3	2.0	00.0-04.4	16	11.8	05.3-18.3	129	62.3	52.3-72.3
\$25,000- 34,999	199	30,110	17	10.3	04.2-16.4	14	10.0	04.1-15.9	3	1.5	00.0-03.3	11	6.8	02.1-11.5	13	9.4	01.4-17.4	141	62.0	52.0-72.0
\$35,000- 49,999	335	52,729	39	14.6	08.9-20.3	13	5.8	01.1-10.5	6	1.7	00.3-03.1	10	3.4	01.0-05.8	21	11.8	04.9-18.7	246	62.6	54.4-70.8
\$50,000- 74,999	438	62,492	43	13.3	07.4-19.2	26	6.3	03.6-09.0	10	2.8	01.0-04.6	9	3.4	00.7-06.1	25	6.5	03.4-09.6	325	67.8	61.3-74.3
\$75,000+	893	131,539	82	12.3	09.0-15.6	44	5.8	03.6-08.0	14	1.3	00.5-02.1	26	3.0	01.6-04.4	43	7.9	05.0-10.8	684	69.6	65.3-73.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1143	211,913	117	13.3	10.4-16.2	74	7.0	05.0-09.0	28	3.2	01.6-04.8	47	4.7	02.9-06.5	105	13.0	09.7-16.3	772	58.8	54.7-62.9
White/Non-Hisp	936	156,382	98	13.2	10.1-16.3	57	6.5	04.3-08.7	19	1.8	00.8-02.8	41	5.5	03.3-07.7	86	13.6	09.7-17.5	635	59.4	54.9-63.9
Black or Afr. Am./Non-Hisp	109	30,920	9	12.4	02.8-22.0	11	10.5	03.4-17.6	3	4.8	00.0-11.3	4	3.2	00.0-06.5	10	7.7	02.6-12.8	72	61.3	49.3-73.3
18-24	89	25,327	11	16.0	05.2-26.8	14	9.9	03.8-16.0	3	3.2	00.0-07.3	6	9.1	00.3-17.9	20	25.0	11.5-38.5	35	36.8	23.9-49.7
25-34	159	45,944	26	16.8	09.4-24.2	19	10.8	05.3-16.3	6	5.1	00.2-10.0	10	6.6	01.9-11.3	35	21.9	13.3-30.5	63	38.8	29.0-48.6
35-44	156	41,357	21	14.5	07.6-21.4	11	6.5	01.6-11.4	5	2.2	00.2-04.2	8	4.3	01.0-07.6	13	12.6	04.4-20.8	98	59.8	50.0-69.6
45-54	201	38,971	25	14.6	07.3-21.9	8	5.0	00.0-10.1	5	4.5	00.0-09.6	8	3.1	00.7-05.5	16	7.0	02.9-11.1	139	65.9	56.7-75.1
55-64	225	29,441	16	9.3	03.4-15.2	9	4.9	01.0-08.8	4	1.6	00.0-03.4	11	4.6	01.7-07.5	11	6.8	02.1-11.5	174	72.8	65.0-80.6
65+	303	29,262	17	5.7	02.4-09.0	13	4.2	01.5-06.9	4	0.6	00.0-01.2	4	1.3	00.0-02.9	10	4.2	01.1-07.3	255	84.0	78.7-89.3
H.S. or G.E.D.	304	69,333	31	14.6	08.5-20.7	29	10.0	05.3-14.7	14	4.1	01.7-06.5	21	6.8	03.1-10.5	38	14.5	09.0-20.0	171	50.0	42.4-57.6
Some Post-H.S.	299	59,619	35	14.2	09.1-19.3	11	4.1	01.2-07.0	2	0.7	00.0-01.7	13	4.6	01.9-07.3	28	15.9	08.6-23.2	210	60.6	53.0-68.2
College Graduate	489	60,421	46	11.8	07.5-16.1	32	7.9	04.8-11.0	9	1.8	00.4-03.2	10	2.1	00.5-03.7	32	8.1	05.0-11.2	360	68.4	62.9-73.9
Less than \$15,000	79	16,598	4	4.0	00.0-08.7	8	8.0	00.7-15.3	5	9.9	00.9-18.9	5	8.7	00.0-18.7	9	14.5	04.7-24.3	48	54.9	40.6-69.2
\$15,000- 24,999	62	13,251	6	11.1	01.1-21.1	4	7.0	00.0-14.4	3	2.3	00.0-05.2	3	4.5	00.0-09.8	11	15.2	05.4-25.0	35	59.9	44.0-75.8
\$25,000- 34,999	79	15,889	6	8.3	00.5-16.1	7	9.5	01.1-17.9	2	2.3	00.0-05.6	8	10.9	02.3-19.5	10	16.3	02.0-30.6	46	52.8	36.7-68.9
\$35,000- 49,999	158	30,257	23	14.6	07.5-21.7	8	6.1	00.0-12.4	5	2.4	00.2-04.6	7	5.3	01.2-09.4	19	19.5	08.3-30.7	96	52.1	40.5-63.7
\$50,000- 74,999	196	31,353	17	10.9	04.6-17.2	12	4.8	02.1-07.5	3	2.3	00.0-04.8	8	4.6	00.9-08.3	18	11.5	05.6-17.4	138	65.9	57.5-74.3
\$75,000+	426	72,876	46	14.7	09.6-19.8	28	8.3	04.6-12.0	6	1.0	00.0-02.0	13	2.8	01.0-04.6	29	10.8	05.9-15.7	304	62.4	55.9-68.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1451	185,964	127	10.9	08.2-13.6	64	6.8	04.3-09.3	26	2.4	01.4-03.4	21	1.8	00.8-02.8	43	4.4	02.6-06.2	1170	73.8	70.1-77.5
White/Non-Hisp	1194	140,214	107	11.5	08.4-14.6	48	5.5	03.3-07.7	20	2.2	01.0-03.4	19	2.2	00.8-03.6	31	4.1	02.1-06.1	969	74.6	70.7-78.5
Black or Afr. Am./Non-Hisp	154	27,667	10	8.2	02.3-14.1	10	10.6	02.6-18.6	5	3.9	00.0-07.8	1	0.4	00.0-01.2	6	6.1	00.4-11.8	122	70.9	60.3-81.5
25-34	186	37,402	33	14.8	08.3-21.3	15	10.2	04.1-16.3	6	2.7	00.5-04.9	4	3.4	00.0-07.5	10	8.4	02.1-14.7	118	60.4	51.0-69.8
35-44	214	36,282	23	13.9	07.4-20.4	19	9.6	03.9-15.3	1	0.3	00.0-00.9	6	1.8	00.0-03.6	9	4.1	01.0-07.2	156	70.2	62.2-78.2
45-54	269	33,727	27	9.6	05.1-14.1	11	4.2	01.3-07.1	8	4.2	00.7-07.7	5	1.3	00.0-02.7	10	5.5	01.6-09.4	208	75.2	68.5-81.9
55-64	326	29,315	21	7.0	03.7-10.3	10	2.5	00.7-04.3	4	2.0	00.0-04.2	3	0.9	00.0-02.1	8	2.1	00.5-03.7	280	85.5	81.0-90.0
65+	393	29,343	13	3.6	01.1-06.1	7	1.9	00.3-03.5	6	2.5	00.3-04.7	2	0.7	00.0-01.9	3	1.1	00.0-02.5	362	90.3	86.4-94.2
H.S. or G.E.D.	361	47,920	25	8.5	04.2-12.8	15	8.1	02.8-13.4	4	1.2	00.0-02.4	4	1.1	00.0-02.3	10	3.0	00.6-05.4	303	78.2	71.5-84.9
Some Post-H.S.	428	64,286	45	12.9	08.2-17.6	18	8.0	02.5-13.5	6	1.4	00.2-02.6	5	1.7	00.0-03.9	16	5.3	01.8-08.8	338	70.6	63.5-77.7
College Graduate	621	59,843	51	8.9	06.2-11.6	29	4.3	02.3-06.3	12	3.1	00.9-05.3	12	2.7	00.5-04.9	13	2.6	01.0-04.2	504	78.4	73.9-82.9
Less than \$15,000	117	16,159	12	11.4	04.1-18.7	4	7.9	00.0-20.1	1	1.2	00.0-03.6	1	0.6	00.0-01.8	6	4.0	00.5-07.5	93	74.9	61.4-88.4
\$15,000- 24,999	121	16,298	12	11.4	04.0-18.8	6	9.1	00.0-18.7	4	6.2	00.0-12.9				5	9.0	00.0-18.0	94	64.2	51.3-77.1
\$25,000- 34,999	120	14,222	11	12.5	03.3-21.7	7	10.7	02.7-18.7	1	0.7	00.0-02.1	3	2.2	00.0-04.9	3	1.6	00.0-03.6	95	72.4	61.2-83.6
\$35,000- 49,999	177	22,472	16	14.7	05.3-24.1	5	5.4	00.0-12.3	1	0.8	00.0-02.4	3	1.0	00.0-02.2	2	1.5	00.0-03.7	150	76.6	65.8-87.4
\$50,000- 74,999	242	31,139	26	15.6	05.6-25.6	14	7.9	03.2-12.6	7	3.3	00.8-05.8	1	2.1	00.0-06.2	7	1.4	00.2-02.6	187	69.6	59.4-79.8
\$75,000+	467	58,663	36	9.4	05.9-12.9	16	2.8	01.0-04.6	8	1.7	00.3-03.1	13	3.4	01.0-05.8	14	4.2	01.7-06.7	380	78.5	73.6-83.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2555	385,387	682	22.6	20.2-25.0	715	23.4	21.2-25.6	441	16.0	14.2-17.8	209	9.2	07.4-11.0	508	28.8	26.1-31.5
Male	1111	201,148	193	15.8	12.7-18.9	251	18.0	15.3-20.7	222	17.5	14.8-20.2	99	8.9	06.5-11.3	346	39.8	35.7-43.9
Female	1444	184,238	489	30.0	26.7-33.3	464	29.4	26.3-32.5	219	14.3	11.9-16.7	110	9.5	07.0-12.0	162	16.7	13.4-20.0
White/Non-Hisp	2098	287,252	547	21.1	18.7-23.5	590	24.8	22.4-27.2	379	17.3	15.1-19.5	173	9.1	07.1-11.1	409	27.7	24.8-30.6
Black or Afr. Am./Non-Hisp	257	55,880	70	26.1	19.0-33.2	85	24.2	17.7-30.7	33	12.7	07.2-18.2	19	10.9	04.6-17.2	50	26.1	18.5-33.7
Oth. Race/Non-Hisp.	68	11,052	31	34.5	18.8-50.2	12	10.1	03.2-17.0	10	18.6	06.1-31.1	4	6.0	00.0-12.5	11	30.8	11.2-50.4
Hispanic	70	24,478	19	26.9	13.2-40.6	14	12.9	05.3-20.5	5	5.2	00.3-10.1	8	8.1	01.4-14.8	24	46.8	31.1-62.5
18-24	129	40,225	15	15.6	06.0-25.2	21	12.0	05.7-18.3	16	10.4	04.5-16.3	9	8.8	00.8-16.8	68	53.2	41.2-65.2
25-34	334	78,232	54	16.7	11.2-22.2	55	13.8	09.5-18.1	57	13.7	09.4-18.0	32	10.4	05.9-14.9	136	45.5	38.4-52.6
35-44	363	75,352	83	20.2	15.3-25.1	86	20.6	15.9-25.3	65	17.8	12.9-22.7	36	11.1	06.8-15.4	93	30.3	23.8-36.8
45-54	468	71,660	101	21.1	16.0-26.2	147	28.8	23.5-34.1	78	16.0	12.1-19.9	50	11.1	07.0-15.2	92	22.9	17.4-28.4
55-64	546	58,209	154	25.5	20.6-30.4	167	30.8	25.9-35.7	118	20.7	16.6-24.8	39	6.8	04.3-09.3	68	16.3	11.8-20.8
65+	689	57,956	264	35.8	31.3-40.3	231	34.5	29.8-39.2	104	16.0	12.7-19.3	42	5.9	03.9-07.9	48	7.8	05.3-10.3
Less Than H.S.	78	31,080	21	24.4	12.8-36.0	17	17.1	08.1-26.1	12	12.2	04.0-20.4	6	14.7	02.5-26.9	22	31.6	18.7-44.5
H.S. or G.E.D.	654	112,733	169	20.4	16.3-24.5	154	19.0	15.3-22.7	114	16.6	12.9-20.3	48	7.7	05.0-10.4	169	36.3	31.0-41.6
Some Post-H.S.	718	121,867	210	24.0	19.9-28.1	206	24.1	20.2-28.0	108	13.9	11.0-16.8	64	10.3	07.2-13.4	130	27.7	22.4-33.0
College Graduate	1101	119,314	281	22.8	19.3-26.3	336	28.5	25.2-31.8	206	18.5	15.6-21.4	91	8.1	06.1-10.1	187	22.1	18.6-25.6
Less than \$15,000	196	31,983	53	24.5	14.9-34.1	45	14.7	08.6-20.8	32	18.9	10.3-27.5	18	9.5	04.0-15.0	48	32.4	22.4-42.4
\$15,000- 24,999	178	28,037	47	26.6	16.4-36.8	41	18.2	10.9-25.5	32	15.2	08.3-22.1	15	7.9	01.8-14.0	43	32.2	22.4-42.0
\$25,000- 34,999	194	29,256	56	26.0	16.6-35.4	47	19.9	12.6-27.2	36	17.1	10.2-24.0	12	5.7	01.8-09.6	43	31.2	21.0-41.4
\$35,000- 49,999	330	51,933	93	25.2	17.9-32.5	92	21.5	16.2-26.8	50	11.5	07.0-16.0	24	8.7	03.4-14.0	71	33.1	24.7-41.5
\$50,000- 74,999	431	61,136	112	23.9	18.6-29.2	124	25.6	20.3-30.9	68	14.2	10.3-18.1	43	12.5	07.0-18.0	84	23.9	18.4-29.4
\$75,000+	887	130,207	201	17.4	14.5-20.3	267	27.3	23.6-31.0	174	19.8	16.5-23.1	78	9.1	06.7-11.5	167	26.5	22.2-30.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1111	201,148	193	15.8	12.7-18.9	251	18.0	15.3-20.7	222	17.5	14.8-20.2	99	8.9	06.5-11.3	346	39.8	35.7-43.9
White/Non-Hisp	906	146,891	151	15.0	11.5-18.5	208	19.0	16.1-21.9	186	18.7	15.6-21.8	80	7.9	05.7-10.1	281	39.4	34.9-43.9
Black or Afr. Am./Non-Hisp	107	30,005	17	17.2	08.0-26.4	30	20.4	11.2-29.6	16	13.3	05.7-20.9	11	14.3	04.5-24.1	33	34.8	23.0-46.6
18-24	81	21,941	7	11.2	01.4-21.0	7	4.6	01.1-08.1	8	9.2	01.8-16.6	7	8.4	01.5-15.3	52	66.7	53.6-79.8
25-34	150	41,498	16	14.8	06.2-23.4	16	7.5	03.2-11.8	21	11.3	05.6-17.0	11	7.4	02.1-12.7	86	59.1	49.1-69.1
35-44	151	39,778	22	11.4	05.9-16.9	27	15.7	09.2-22.2	29	19.4	12.0-26.8	14	10.6	03.9-17.3	59	42.8	32.8-52.8
45-54	199	38,383	22	14.8	07.0-22.6	52	23.0	15.4-30.6	41	18.6	12.3-24.9	22	11.6	05.3-17.9	62	32.0	23.0-41.0
55-64	222	29,094	44	17.3	10.4-24.2	56	25.5	18.4-32.6	59	24.7	18.0-31.4	16	6.3	02.6-10.0	47	26.2	18.2-34.2
65+	298	28,843	81	26.8	20.5-33.1	89	31.6	24.7-38.5	62	21.6	15.9-27.3	28	8.2	04.7-11.7	38	11.8	07.3-16.3
H.S. or G.E.D.	295	65,458	37	12.4	06.7-18.1	53	14.1	09.2-19.0	51	15.2	10.1-20.3	26	7.1	03.8-10.4	128	51.2	43.6-58.8
Some Post-H.S.	290	57,268	56	15.9	10.8-21.0	71	18.9	13.8-24.0	57	17.9	12.8-23.0	25	9.4	04.7-14.1	81	38.0	30.2-45.8
College Graduate	482	59,622	91	15.9	11.8-20.0	118	22.9	18.2-27.6	105	21.5	17.0-26.0	44	8.7	05.6-11.8	124	31.0	25.5-36.5
Less than \$15,000	78	15,727	15	15.7	06.7-24.7	7	5.4	01.1-09.7	17	22.0	10.0-34.0	10	12.6	03.0-22.2	29	44.3	30.0-58.6
\$15,000- 24,999	61	13,103	7	20.3	02.3-38.3	10	15.7	03.2-28.2	12	14.9	04.3-25.5	7	10.6	00.0-22.4	25	38.5	22.6-54.4
\$25,000- 34,999	75	15,135	12	22.7	06.6-38.8	12	9.3	02.6-16.0	17	19.3	07.5-31.1	2	1.9	00.0-04.8	32	46.8	30.3-63.3
\$35,000- 49,999	155	29,766	32	19.1	09.3-28.9	34	15.0	08.9-21.1	20	11.3	04.8-17.8	13	8.5	01.6-15.4	56	46.1	34.3-57.9
\$50,000- 74,999	192	30,661	34	18.3	10.9-25.7	48	23.1	15.7-30.5	36	15.3	09.8-20.8	21	10.4	05.5-15.3	53	33.0	24.4-41.6
\$75,000+	417	70,927	58	9.5	06.2-12.8	106	21.8	17.1-26.5	96	22.2	17.3-27.1	39	8.4	05.1-11.7	118	38.1	31.6-44.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1444	184,238	489	30.0	26.7-33.3	464	29.4	26.3-32.5	219	14.3	11.9-16.7	110	9.5	07.0-12.0	162	16.7	13.4-20.0
White/Non-Hisp	1192	140,361	396	27.4	24.3-30.5	382	30.9	27.4-34.4	193	15.9	13.2-18.6	93	10.4	07.3-13.5	128	15.4	12.1-18.7
Black or Afr. Am./Non-Hisp	150	25,875	53	36.5	25.9-47.1	55	28.5	19.7-37.3	17	11.9	03.9-19.9	8	7.1	00.0-14.2	17	16.0	07.0-25.0
25-34	184	36,734	38	18.8	12.3-25.3	39	20.9	13.5-28.3	36	16.5	09.6-23.4	21	13.7	06.4-21.0	50	30.1	20.7-39.5
35-44	212	35,575	61	30.1	22.3-37.9	59	26.0	18.9-33.1	36	16.0	09.7-22.3	22	11.6	06.3-16.9	34	16.3	09.6-23.0
45-54	269	33,277	79	28.3	21.8-34.8	95	35.6	28.5-42.7	37	13.1	08.2-18.0	28	10.6	05.9-15.3	30	12.5	07.2-17.8
55-64	324	29,116	110	33.6	26.9-40.3	111	36.0	29.1-42.9	59	16.6	11.9-21.3	23	7.4	04.1-10.7	21	6.4	03.3-09.5
65+	391	29,113	183	44.7	38.6-50.8	142	37.3	31.0-43.6	42	10.5	07.0-14.0	14	3.7	01.5-05.9	10	3.7	01.2-06.2
H.S. or G.E.D.	359	47,275	132	31.4	25.5-37.3	101	25.8	20.3-31.3	63	18.6	13.1-24.1	22	8.5	03.8-13.2	41	15.7	09.6-21.8
Some Post-H.S.	428	64,600	154	31.2	25.1-37.3	135	28.7	22.8-34.6	51	10.4	07.1-13.7	39	11.1	06.8-15.4	49	18.7	12.0-25.4
College Graduate	619	59,692	190	29.7	24.2-35.2	218	34.2	29.3-39.1	101	15.5	12.0-19.0	47	7.5	05.1-09.9	63	13.1	09.2-17.0
Less than \$15,000	118	16,256	38	33.0	17.5-48.5	38	23.6	12.6-34.6	15	15.9	03.7-28.1	8	6.4	01.1-11.7	19	21.0	08.1-33.9
\$15,000- 24,999	117	14,933	40	32.0	20.6-43.4	31	20.4	12.0-28.8	20	15.5	06.7-24.3	8	5.5	01.0-10.0	18	26.6	13.9-39.3
\$25,000- 34,999	119	14,121	44	29.6	20.2-39.0	35	31.3	20.1-42.5	19	14.8	07.7-21.9	10	9.9	02.8-17.0	11	14.4	04.6-24.2
\$35,000- 49,999	175	22,167	61	33.4	23.0-43.8	58	30.1	21.1-39.1	30	11.9	06.4-17.4	11	9.0	00.8-17.2	15	15.5	04.7-26.3
\$50,000- 74,999	239	30,475	78	29.5	21.7-37.3	76	28.1	20.7-35.5	32	13.1	07.6-18.6	22	14.6	04.8-24.4	31	14.7	08.4-21.0
\$75,000+	470	59,279	143	26.8	21.9-31.7	161	33.8	28.1-39.5	78	16.9	12.6-21.2	39	9.8	06.1-13.5	49	12.6	08.5-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	272
2	MALES ONLY	273
3	FEMALES ONLY	274
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	275
5	MALES ONLY	276
6	FEMALES ONLY	277
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)	
7	MALES AND FEMALES	278
8	MALES ONLY	279
9	FEMALES ONLY	280

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3085	536,863	1496	51.8	49.3-54.3	1589	48.2	45.7-50.7
Male	1210	260,857	541	49.3	45.6-53.0	669	50.7	47.0-54.4
Female	1875	276,006	955	54.1	51.0-57.2	920	45.9	42.8-49.0
White/Non-Hisp	2240	355,842	969	46.1	43.2-49.0	1271	53.9	51.0-56.8
Black or Afr. Am./Non-Hisp	520	108,929	355	70.2	64.9-75.5	165	29.8	24.5-35.1
Oth. Race/Non-Hisp.	123	20,909	48	39.3	27.0-51.6	75	60.7	48.4-73.0
MultiRacial/Non-Hisp.	61	7,328	42	57.4	41.3-73.5	19	42.6	26.5-58.7
Hispanic	116	41,479	68	57.5	45.5-69.5	48	42.5	30.5-54.5
18-24	237	82,269	103	40.6	32.4-48.8	134	59.4	51.2-67.6
25-34	498	112,554	345	71.8	66.7-76.9	153	28.2	23.1-33.3
35-44	549	111,319	352	63.8	58.7-68.9	197	36.2	31.1-41.3
45-54	799	125,257	357	46.7	42.0-51.4	442	53.3	48.6-58.0
55-64	1002	105,463	339	32.5	28.8-36.2	663	67.5	63.8-71.2
Less Than H.S.	145	61,302	74	56.0	46.4-65.6	71	44.0	34.4-53.6
H.S. or G.E.D.	903	172,647	412	49.9	45.4-54.4	491	50.1	45.6-54.6
Some Post-H.S.	880	161,501	472	53.8	49.3-58.3	408	46.2	41.7-50.7
College Graduate	1151	140,951	537	50.1	46.4-53.8	614	49.9	46.2-53.6
Less than \$15,000	295	50,509	155	50.9	42.9-58.9	140	49.1	41.1-57.1
\$15,000- 24,999	324	58,316	199	64.1	56.8-71.4	125	35.9	28.6-43.2
\$25,000- 34,999	231	38,001	126	58.4	49.4-67.4	105	41.6	32.6-50.6
\$35,000- 49,999	380	69,885	215	59.2	51.8-66.6	165	40.8	33.4-48.2
\$50,000- 74,999	524	82,415	253	49.5	43.6-55.4	271	50.5	44.6-56.4
\$75,000+	956	159,569	421	50.1	46.0-54.2	535	49.9	45.8-54.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1210	260,857	541	49.3	45.6-53.0	669	50.7	47.0-54.4
White/Non-Hisp	906	173,382	363	42.9	38.6-47.2	543	57.1	52.8-61.4
Black or Afr. Am./Non-Hisp	169	48,808	114	70.4	62.2-78.6	55	29.6	21.4-37.8
Oth. Race/Non-Hisp.	61	13,780	19	33.9	17.4-50.4	42	66.1	49.6-82.6
18-24	126	42,013	46	38.2	26.6-49.8	80	61.8	50.2-73.4
25-34	202	55,688	122	67.2	59.2-75.2	80	32.8	24.8-40.8
35-44	204	52,424	109	58.7	50.7-66.7	95	41.3	33.3-49.3
45-54	317	60,839	132	44.4	37.0-51.8	185	55.6	48.2-63.0
55-64	361	49,893	132	34.8	28.5-41.1	229	65.2	58.9-71.5
Less Than H.S.	64	31,641	30	56.1	42.4-69.8	34	43.9	30.2-57.6
H.S. or G.E.D.	379	92,759	177	51.5	44.8-58.2	202	48.5	41.8-55.2
Some Post-H.S.	327	73,056	159	47.5	40.2-54.8	168	52.5	45.2-59.8
College Graduate	438	63,182	175	44.9	39.0-50.8	263	55.1	49.2-61.0
Less than \$15,000	104	22,926	50	47.5	35.3-59.7	54	52.5	40.3-64.7
\$15,000- 24,999	109	22,890	59	57.6	45.1-70.1	50	42.4	29.9-54.9
\$25,000- 34,999	82	19,201	39	56.8	42.3-71.3	43	43.2	28.7-57.7
\$35,000- 49,999	163	37,454	91	58.7	47.7-69.7	72	41.3	30.3-52.3
\$50,000- 74,999	209	39,650	91	45.2	36.4-54.0	118	54.8	46.0-63.6
\$75,000+	400	80,727	164	48.8	42.5-55.1	236	51.2	44.9-57.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1875	276,006	955	54.1	51.0-57.2	920	45.9	42.8-49.0
White/Non-Hisp	1334	182,460	606	49.1	45.4-52.8	728	50.9	47.2-54.6
Black or Afr. Am./Non-Hisp	351	60,121	241	70.1	63.2-77.0	110	29.9	23.0-36.8
Oth. Race/Non-Hisp.	62	7,128	29	49.7	33.0-66.4	33	50.3	33.6-67.0
Hispanic	74	20,885	39	50.2	34.7-65.7	35	49.8	34.3-65.3
18-24	111	40,256	57	43.2	31.0-55.4	54	56.8	44.6-69.0
25-34	296	56,865	223	76.4	70.3-82.5	73	23.6	17.5-29.7
35-44	345	58,896	243	68.3	62.0-74.6	102	31.7	25.4-38.0
45-54	482	64,418	225	48.9	43.2-54.6	257	51.1	45.4-56.8
55-64	641	55,571	207	30.4	25.9-34.9	434	69.6	65.1-74.1
Less Than H.S.	81	29,662	44	55.8	42.1-69.5	37	44.2	30.5-57.9
H.S. or G.E.D.	524	79,887	235	48.0	42.1-53.9	289	52.0	46.1-57.9
Some Post-H.S.	553	88,444	313	59.0	53.3-64.7	240	41.0	35.3-46.7
College Graduate	713	77,769	362	54.3	49.4-59.2	351	45.7	40.8-50.6
Less than \$15,000	191	27,582	105	53.7	42.7-64.7	86	46.3	35.3-57.3
\$15,000- 24,999	215	35,426	140	68.3	59.7-76.9	75	31.7	23.1-40.3
\$25,000- 34,999	149	18,800	87	59.9	49.5-70.3	62	40.1	29.7-50.5
\$35,000- 49,999	217	32,431	124	59.7	49.9-69.5	93	40.3	30.5-50.1
\$50,000- 74,999	315	42,766	162	53.5	45.7-61.3	153	46.5	38.7-54.3
\$75,000+	556	78,842	257	51.6	46.3-56.9	299	48.4	43.1-53.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2010			2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1224	231,360	53	2.4	01.6-03.2	69	3.6	02.6-04.6	123	7.9	06.1-09.7	245	18.0	15.3-20.7	567	52.4	48.7-56.1	167	15.7	12.8-18.6
Male	425	103,185	13	2.0	00.6-03.4	16	1.7	00.7-02.7	28	4.8	02.6-07.0	80	15.7	11.6-19.8	227	61.6	55.7-67.5	61	14.2	10.1-18.3
Female	799	128,175	40	2.7	01.5-03.9	53	5.1	03.3-06.9	95	10.4	07.9-12.9	165	19.9	16.4-23.4	340	44.9	40.2-49.6	106	16.9	13.0-20.8
White/Non-Hisp	781	135,833	47	3.5	02.1-04.9	60	5.5	03.7-07.3	99	10.8	08.3-13.3	176	21.7	18.0-25.4	324	48.2	43.5-52.9	75	10.3	07.6-13.0
Black or Afr. Am./Non-Hisp	297	62,640	4	1.1	00.0-02.5	4	0.7	00.0-01.5	12	2.5	00.9-04.1	43	11.0	06.9-15.1	175	61.1	53.8-68.4	59	23.6	17.1-30.1
Hispanic	56	21,078	2	1.4	00.0-03.9	2	1.4	00.0-03.9	5	5.5	00.0-11.8	12	18.2	07.2-29.2	25	51.6	34.7-68.5	12	23.2	07.9-38.5
18-24	95	30,741										3	2.1	00.0-04.6	59	64.4	51.5-77.3	33	33.5	20.8-46.2
25-34	310	72,021				1	0.1	00.0-00.3	15	5.2	02.3-08.1	55	15.8	11.1-20.5	182	61.5	54.8-68.2	57	17.4	12.3-22.5
35-44	304	61,236	3	0.6	00.0-01.4	20	5.3	02.6-08.0	40	11.7	07.6-15.8	80	23.7	17.8-29.6	125	46.6	39.3-53.9	36	12.2	07.3-17.1
45-54	279	43,413	21	6.8	03.3-10.3	27	8.3	04.6-12.0	41	12.0	07.9-16.1	62	24.4	17.5-31.3	105	39.7	32.3-47.1	23	8.9	04.8-13.0
55-64	236	23,949	29	9.3	05.2-13.4	21	5.9	02.8-09.0	27	9.4	04.7-14.1	45	18.9	12.8-25.0	96	47.1	38.9-55.3	18	9.3	04.2-14.4
Less Than H.S.	59	27,123	2	2.1	00.0-05.0	1	0.3	00.0-00.9	1	0.8	00.0-02.4	12	16.9	06.9-26.9	33	64.9	52.0-77.8	10	14.9	05.7-24.1
H.S. or G.E.D.	327	70,662	12	2.2	00.6-03.8	15	3.1	01.1-05.1	25	5.7	03.0-08.4	58	18.4	13.1-23.7	170	57.4	50.5-64.3	47	13.3	09.0-17.6
Some Post-H.S.	388	73,446	17	2.2	01.0-03.4	28	4.6	02.4-06.8	35	7.8	04.7-10.9	70	15.1	11.0-19.2	180	50.9	44.0-57.8	58	19.3	13.0-25.6
College Graduate	449	59,985	22	3.0	01.2-04.8	25	4.4	02.2-06.6	62	14.0	10.1-17.9	104	21.5	17.0-26.0	184	42.6	36.9-48.3	52	14.5	10.0-19.0
Less than \$15,000	128	22,268	3	0.6	00.0-01.4	7	1.6	00.2-03.0	8	5.3	00.8-09.8	24	17.8	09.6-26.0	64	53.7	42.3-65.1	22	20.9	11.7-30.1
\$15,000- 24,999	162	31,997	5	0.7	00.1-01.3	6	2.0	00.2-03.8	13	2.8	00.8-04.8	19	14.2	06.6-21.8	92	63.0	53.0-73.0	27	17.4	09.8-25.0
\$25,000- 34,999	108	18,786	3	0.8	00.0-01.8	6	2.0	00.2-03.8	5	5.8	00.0-12.5	18	14.3	06.3-22.3	59	62.9	50.9-74.9	17	14.2	06.9-21.5
\$35,000- 49,999	185	36,278	5	1.3	00.0-03.1	7	1.7	00.3-03.1	18	5.1	02.6-07.6	38	18.7	11.8-25.6	94	58.4	48.6-68.2	23	14.8	07.4-22.2
\$50,000- 74,999	206	33,511	12	4.0	01.3-06.7	12	5.1	01.8-08.4	28	12.1	07.0-17.2	51	19.8	13.3-26.3	80	45.7	36.9-54.5	23	13.3	07.2-19.4
\$75,000+	345	66,251	22	4.2	02.0-06.4	29	6.4	03.5-09.3	44	12.6	08.7-16.5	78	20.2	14.9-25.5	133	44.8	37.9-51.7	39	11.8	07.5-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2010			2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	425	103,185	13	2.0	00.6-03.4	16	1.7	00.7-02.7	28	4.8	02.6-07.0	80	15.7	11.6-19.8	227	61.6	55.9-67.3	61	14.2	10.1-18.3
White/Non-Hisp	273	57,132	11	2.7	00.7-04.7	15	2.8	01.0-04.6	20	5.5	02.8-08.2	63	21.8	15.7-27.9	137	58.9	51.6-66.2	27	8.3	04.8-11.8
Black or Afr. Am./Non-Hisp	101	28,796	2	1.7	00.0-04.4	1	0.6	00.0-01.8	1	0.8	00.0-02.4	7	3.2	00.7-05.7	67	68.9	57.9-79.9	23	24.8	14.4-35.2
25-34	102	32,061							4	3.8	00.0-08.1	23	18.5	10.1-26.9	57	63.6	52.8-74.4	18	14.1	07.2-21.0
35-44	92	26,478	1	0.5	00.0-01.5	3	2.1	00.0-04.5	9	7.3	02.2-12.4	15	14.6	06.8-22.4	51	61.9	50.1-73.7	13	13.5	04.5-22.5
45-54	95	17,727	6	7.7	00.8-14.6	8	4.4	01.1-07.7	7	4.1	00.6-07.6	20	21.4	11.2-31.6	46	51.8	39.5-64.1	8	10.5	02.9-18.1
55-64	95	12,318	6	4.3	00.8-07.8	5	3.5	00.0-07.6	8	8.8	01.0-16.6	22	21.0	11.6-30.4	45	50.6	38.3-62.9	9	11.8	03.0-20.6
H.S. or G.E.D.	135	38,004	3	1.1	00.0-02.7	2	0.8	00.0-02.0	6	2.2	00.0-04.4	17	12.4	05.5-19.3	87	71.4	62.6-80.2	20	12.0	06.3-17.7
Some Post-H.S.	121	27,645	3	1.2	00.0-02.6	7	2.9	00.5-05.3	6	4.7	00.0-09.8	26	19.2	11.0-27.4	62	54.0	42.2-65.8	17	18.1	08.7-27.5
College Graduate	145	23,841	5	3.0	00.0-06.5	7	2.8	00.1-05.5	15	10.9	04.8-17.0	34	20.9	13.3-28.5	62	45.1	35.3-54.9	22	17.3	09.1-25.5
\$15,000- 24,999	51	11,979	1	0.3	00.0-00.9	1	1.6	00.0-04.7	5	3.4	00.0-07.5	8	15.1	02.8-27.4	29	60.8	43.6-78.0	7	18.6	04.5-32.7
\$35,000- 49,999	76	19,220	1	1.6	00.0-04.7	2	0.8	00.0-02.2	5	3.5	00.4-06.6	14	15.1	06.1-24.1	41	62.5	48.4-76.6	13	16.5	05.5-27.5
\$50,000- 74,999	65	13,425	4	5.4	00.0-11.3	4	3.9	00.0-08.0	3	3.9	00.0-08.8	13	11.3	04.6-18.0	35	67.3	54.8-79.8	6	8.2	01.1-15.3
\$75,000+	129	31,029	5	2.7	00.0-05.6	7	2.3	00.1-04.5	10	5.9	01.8-10.0	31	23.0	14.0-32.0	58	52.1	41.1-63.1	18	13.9	06.6-21.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2010			2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	799	128,175	40	2.7	01.5-03.9	53	5.1	03.3-06.9	95	10.4	07.9-12.9	165	19.9	16.4-23.4	340	44.9	40.2-49.6	106	16.9	13.0-20.8
White/Non-Hisp	508	78,701	36	4.1	02.3-05.9	45	7.4	04.7-10.1	79	14.6	10.9-18.3	113	21.6	16.9-26.3	187	40.5	34.8-46.2	48	11.8	07.9-15.7
Black or Afr. Am./Non-Hisp	196	33,844	2	0.6	00.0-01.4	3	0.8	00.0-01.8	11	3.9	01.2-06.6	36	17.7	10.8-24.6	108	54.4	44.8-64.0	36	22.6	14.4-30.8
18-24	54	16,139										3	4.0	00.0-08.7	31	52.2	34.2-70.2	20	43.8	25.6-62.0
25-34	208	39,960				1	0.2	00.0-00.6	11	6.3	02.4-10.2	32	13.6	08.3-18.9	125	59.9	51.5-68.3	39	20.1	13.0-27.2
35-44	212	34,758	2	0.6	00.0-01.6	17	7.7	03.4-12.0	31	15.0	09.1-20.9	65	30.7	22.9-38.5	74	34.9	27.3-42.5	23	11.1	05.6-16.6
45-54	184	25,686	15	6.2	02.3-10.1	19	10.9	05.2-16.6	34	17.4	10.9-23.9	42	26.4	17.2-35.6	59	31.3	22.9-39.7	15	7.8	03.1-12.5
55-64	141	11,632	23	14.6	07.3-21.9	16	8.5	03.8-13.2	19	10.1	04.8-15.4	23	16.8	09.0-24.6	51	43.5	32.7-54.3	9	6.6	01.5-11.7
H.S. or G.E.D.	192	32,658	9	3.3	00.4-06.2	13	5.7	02.0-09.4	19	9.7	04.4-15.0	41	25.3	17.3-33.3	83	41.1	32.3-49.9	27	14.9	08.4-21.4
Some Post-H.S.	267	45,800	14	2.9	01.1-04.7	21	5.7	02.4-09.0	29	9.6	05.7-13.5	44	12.6	08.1-17.1	118	49.1	40.7-57.5	41	20.1	12.1-28.1
College Graduate	304	36,144	17	3.0	01.4-04.6	18	5.5	02.6-08.4	47	16.0	10.9-21.1	70	21.9	16.2-27.6	122	41.0	34.1-47.9	30	12.6	07.5-17.7
Less than \$15,000	86	12,147	2	1.0	00.0-02.4	7	3.0	00.5-05.5	6	4.5	00.8-08.2	19	25.0	12.8-37.2	37	40.8	27.3-54.3	15	25.8	13.1-38.5
\$15,000- 24,999	111	20,018	4	0.9	00.0-01.9	5	2.2	00.2-04.2	8	2.4	00.4-04.4	11	13.6	03.8-23.4	63	64.4	52.2-76.6	20	16.6	08.0-25.2
\$25,000- 34,999	77	10,456	3	1.4	00.0-03.0	4	2.0	00.0-04.2	3	3.3	00.0-07.6	13	18.0	06.4-29.6	40	53.8	40.3-67.3	14	21.6	10.8-32.4
\$35,000- 49,999	109	17,059	4	0.9	00.0-01.9	5	2.6	00.1-05.1	13	6.9	02.8-11.0	24	22.7	12.7-32.7	53	53.9	41.0-66.8	10	12.9	02.9-22.9
\$50,000- 74,999	141	20,085	8	3.0	00.6-05.4	8	5.9	01.0-10.8	25	17.5	09.9-25.1	38	25.4	16.0-34.8	45	31.4	21.8-41.0	17	16.7	07.9-25.5
\$75,000+	216	35,223	17	5.6	02.3-08.9	22	10.0	05.1-14.9	34	18.4	12.1-24.7	47	17.8	11.9-23.7	75	38.2	30.0-46.4	21	10.0	05.1-14.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3114	540,407	94	4.3	03.1-05.5	3020	95.7	94.5-96.9
Male	1223	262,748	47	5.4	03.4-07.4	1176	94.6	92.6-96.6
Female	1891	277,659	47	3.3	02.1-04.5	1844	96.7	95.5-97.9
White/Non-Hisp	2267	358,518	58	3.4	02.2-04.6	2209	96.6	95.4-97.8
Black or Afr. Am./Non-Hisp	521	109,470	21	5.1	02.6-07.6	500	94.9	92.4-97.4
Oth. Race/Non-Hisp.	122	20,889				122	100.0	0100-0100
MultiRacial/Non-Hisp.	62	7,460	3	6.6	00.0-14.8	59	93.4	85.2-0100
Hispanic	117	41,694	12	12.4	04.0-20.8	105	87.6	79.2-96.0
18-24	238	82,513	22	7.9	03.6-12.2	216	92.1	87.8-96.4
25-34	499	112,653	27	6.9	03.8-10.0	472	93.1	90.0-96.2
35-44	553	111,887	14	2.7	00.9-04.5	539	97.3	95.5-99.1
45-54	814	126,841	16	3.4	00.7-06.1	798	96.6	93.9-99.3
55-64	1010	106,513	15	1.6	00.6-02.6	995	98.4	97.4-99.4
Less Than H.S.	146	61,468	6	5.4	00.9-09.9	140	94.6	90.1-99.1
H.S. or G.E.D.	909	173,558	36	6.1	03.6-08.6	873	93.9	91.4-96.4
Some Post-H.S.	892	162,978	28	3.8	01.6-06.0	864	96.2	94.0-98.4
College Graduate	1161	141,940	24	2.3	01.3-03.3	1137	97.7	96.7-98.7
Less than \$15,000	295	50,655	15	7.3	02.6-12.0	280	92.7	88.0-97.4
\$15,000- 24,999	327	58,821	18	8.4	03.9-12.9	309	91.6	87.1-96.1
\$25,000- 34,999	234	38,274	13	6.7	02.6-10.8	221	93.3	89.2-97.4
\$35,000- 49,999	387	70,418	8	1.9	00.3-03.5	379	98.1	96.5-99.7
\$50,000- 74,999	528	83,297	19	5.5	01.6-09.4	509	94.5	90.6-98.4
\$75,000+	966	160,594	12	1.6	00.0-03.2	954	98.4	96.8-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1223	262,748	47	5.4	03.4-07.4	1176	94.6	92.6-96.6
White/Non-Hisp	917	174,538	27	3.8	01.8-05.8	890	96.2	94.2-98.2
Black or Afr. Am./Non-Hisp	171	49,393	10	6.3	02.2-10.4	161	93.7	89.6-97.8
Oth. Race/Non-Hisp.	60	13,798				60	100.0	0100-0100
18-24	126	42,071	11	8.4	01.5-15.3	115	91.6	84.7-98.5
25-34	202	55,688	10	6.3	02.0-10.6	192	93.7	89.4-98.0
35-44	206	52,901	9	4.9	01.4-08.4	197	95.1	91.6-98.6
45-54	323	61,454	11	6.1	00.8-11.4	312	93.9	88.6-99.2
55-64	366	50,634	6	1.5	00.1-02.9	360	98.5	97.1-99.9
Less Than H.S.	64	31,641	3	5.7	00.0-12.2	61	94.3	87.8-0100
H.S. or G.E.D.	380	92,926	22	7.5	03.4-11.6	358	92.5	88.4-96.6
Some Post-H.S.	334	74,027	12	5.1	01.0-09.2	322	94.9	90.8-99.0
College Graduate	443	63,937	10	2.5	00.7-04.3	433	97.5	95.7-99.3
Less than \$15,000	104	22,926	7	11.0	01.8-20.2	97	89.0	79.8-98.2
\$15,000- 24,999	111	23,355	5	6.8	00.7-12.9	106	93.2	87.1-99.3
\$25,000- 34,999	84	19,440	7	10.0	02.4-17.6	77	90.0	82.4-97.6
\$35,000- 49,999	166	37,865	4	2.5	00.0-05.0	162	97.5	95.0-0100
\$50,000- 74,999	211	40,211	14	10.1	02.3-17.9	197	89.9	82.1-97.7
\$75,000+	403	81,065	6	2.3	00.0-05.4	397	97.7	94.6-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1891	277,659	47	3.3	02.1-04.5	1844	96.7	95.5-97.9
White/Non-Hisp	1350	183,980	31	3.0	01.6-04.4	1319	97.0	95.6-98.4
Black or Afr. Am./Non-Hisp	350	60,077	11	4.2	00.9-07.5	339	95.8	92.5-99.1
Oth. Race/Non-Hisp.	62	7,091				62	100.0	0100-0100
Hispanic	75	21,099	5	5.6	00.3-10.9	70	94.4	89.1-99.7
18-24	112	40,442	11	7.4	02.3-12.5	101	92.6	87.5-97.7
25-34	297	56,965	17	7.4	02.9-11.9	280	92.6	88.1-97.1
35-44	347	58,986	5	0.8	00.0-01.6	342	99.2	98.4-0100
45-54	491	65,387	5	0.8	00.0-01.6	486	99.2	98.4-0100
55-64	644	55,878	9	1.7	00.3-03.1	635	98.3	96.9-99.7
Less Than H.S.	82	29,828	3	5.1	00.0-11.4	79	94.9	88.6-0100
H.S. or G.E.D.	529	80,633	14	4.5	01.8-07.2	515	95.5	92.8-98.2
Some Post-H.S.	558	88,951	16	2.6	00.6-04.6	542	97.4	95.4-99.4
College Graduate	718	78,003	14	2.2	01.0-03.4	704	97.8	96.6-99.0
Less than \$15,000	191	27,729	8	4.2	00.9-07.5	183	95.8	92.5-99.1
\$15,000- 24,999	216	35,466	13	9.5	03.4-15.6	203	90.5	84.4-96.6
\$25,000- 34,999	150	18,833	6	3.3	00.2-06.4	144	96.7	93.6-99.8
\$35,000- 49,999	221	32,553	4	1.2	00.0-02.6	217	98.8	97.4-0100
\$50,000- 74,999	317	43,086	5	1.3	00.0-02.7	312	98.7	97.3-0100
\$75,000+	563	79,530	6	0.9	00.1-01.7	557	99.1	98.3-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2011**

End of Core Data Report