

DELAWARE

2012 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5168	709,709	4269	83.6	82.2-85.0	899	16.4	15.0-17.8
Male	2001	338,476	1662	83.9	81.7-86.1	339	16.1	13.9-18.3
Female	3167	371,233	2607	83.4	81.6-85.2	560	16.6	14.8-18.4
White/Non-Hisp	4009	475,917	3357	84.8	83.2-86.4	652	15.2	13.6-16.8
Black or Afr. Am./Non-Hisp	731	141,238	569	78.1	74.2-82.0	162	21.9	18.0-25.8
Oth. Race/Non-Hisp.	140	27,752	115	89.1	82.8-95.4	25	10.9	04.6-17.2
MultiRacial/Non-Hisp.	105	9,133	77	79.5	70.7-88.3	28	20.5	11.7-29.3
Hispanic	155	52,690	126	85.2	78.9-91.5	29	14.8	08.5-21.1
18-24	311	91,129	290	94.1	91.2-97.0	21	5.9	03.0-08.8
25-34	528	115,044	476	87.1	83.2-91.0	52	12.9	09.0-16.8
35-44	642	112,385	588	90.4	87.3-93.5	54	9.6	06.5-12.7
45-54	917	130,110	773	83.5	80.2-86.8	144	16.5	13.2-19.8
55-64	1021	115,307	825	79.5	75.8-83.2	196	20.5	16.8-24.2
65+	1698	141,148	1270	71.8	68.9-74.7	428	28.2	25.3-31.1
Less Than H.S.	335	94,217	203	68.3	62.0-74.6	132	31.7	25.4-38.0
H.S. or G.E.D.	1558	222,495	1216	81.8	79.4-84.2	342	18.2	15.8-20.6
Some Post-H.S.	1392	211,109	1136	84.4	82.0-86.8	256	15.6	13.2-18.0
College Graduate	1876	181,075	1709	92.8	91.4-94.2	167	7.2	05.8-08.6
Less than \$15,000	600	82,032	425	70.8	65.7-75.9	175	29.2	24.1-34.3
\$15,000- 24,999	528	76,976	317	63.7	57.6-69.8	211	36.3	30.2-42.4
\$25,000- 34,999	486	63,601	400	86.4	82.7-90.1	86	13.6	09.9-17.3
\$35,000- 49,999	649	89,766	558	86.1	82.4-89.8	91	13.9	10.2-17.6
\$50,000- 74,999	767	104,928	674	89.0	86.1-91.9	93	11.0	08.1-13.9
\$75,000+	1424	196,429	1309	91.5	89.5-93.5	115	8.5	06.5-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2001	338,476	1662	83.9	81.7-86.1	339	16.1	13.9-18.3
White/Non-Hisp	1557	227,139	1305	84.7	82.3-87.1	252	15.3	12.9-17.7
Black or Afr. Am./Non-Hisp	251	64,366	194	75.1	68.0-82.2	57	24.9	17.8-32.0
Oth. Race/Non-Hisp.	68	15,500	59	92.2	84.4-0100	9	7.8	00.0-15.6
Hispanic	67	25,601	56	92.4	86.9-97.9	11	7.6	02.1-13.1
18-24	156	46,017	147	95.2	91.9-98.5	9	4.8	01.5-08.1
25-34	207	57,219	188	89.2	83.9-94.5	19	10.8	05.5-16.1
35-44	252	54,600	231	89.4	84.3-94.5	21	10.6	05.5-15.7
45-54	346	63,007	294	82.9	77.4-88.4	52	17.1	11.6-22.6
55-64	399	54,266	343	83.2	77.1-89.3	56	16.8	10.7-22.9
65+	626	61,663	444	66.7	61.6-71.8	182	33.3	28.2-38.4
Less Than H.S.	168	57,223	109	70.0	61.4-78.6	59	30.0	21.4-38.6
H.S. or G.E.D.	585	103,166	461	83.0	79.3-86.7	124	17.0	13.3-20.7
Some Post-H.S.	499	92,242	405	85.1	81.6-88.6	94	14.9	11.4-18.4
College Graduate	748	85,727	686	92.9	90.5-95.3	62	7.1	04.7-09.5
Less than \$15,000	219	39,919	151	71.2	63.2-79.2	68	28.8	20.8-36.8
\$15,000- 24,999	167	30,256	106	62.0	51.2-72.8	61	38.0	27.2-48.8
\$25,000- 34,999	173	28,465	136	84.1	77.4-90.8	37	15.9	09.2-22.6
\$35,000- 49,999	246	42,369	210	87.0	81.5-92.5	36	13.0	07.5-18.5
\$50,000- 74,999	311	53,134	263	87.6	83.3-91.9	48	12.4	08.1-16.7
\$75,000+	673	108,059	620	91.6	88.7-94.5	53	8.4	05.5-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3167	371,233	2607	83.4	81.6-85.2	560	16.6	14.8-18.4
White/Non-Hisp	2452	248,778	2052	84.9	82.9-86.9	400	15.1	13.1-17.1
Black or Afr. Am./Non-Hisp	480	76,872	375	80.6	76.1-85.1	105	19.4	14.9-23.9
Oth. Race/Non-Hisp.	72	12,252	56	85.2	75.4-95.0	16	14.8	05.0-24.6
MultiRacial/Non-Hisp.	59	4,768	40	70.4	56.1-84.7	19	29.6	15.3-43.9
Hispanic	88	27,088	70	78.4	67.8-89.0	18	21.6	11.0-32.2
18-24	155	45,112	143	92.9	88.2-97.6	12	7.1	02.4-11.8
25-34	321	57,825	288	85.0	79.3-90.7	33	15.0	09.3-20.7
35-44	390	57,786	357	91.3	87.6-95.0	33	8.7	05.0-12.4
45-54	571	67,102	479	83.9	80.2-87.6	92	16.1	12.4-19.8
55-64	622	61,042	482	76.3	72.0-80.6	140	23.7	19.4-28.0
65+	1072	79,485	826	75.7	72.2-79.2	246	24.3	20.8-27.8
Less Than H.S.	167	36,994	94	65.7	56.7-74.7	73	34.3	25.3-43.3
H.S. or G.E.D.	973	119,329	755	80.9	77.6-84.2	218	19.1	15.8-22.4
Some Post-H.S.	893	118,867	731	83.9	80.8-87.0	162	16.1	13.0-19.2
College Graduate	1128	95,348	1023	92.7	90.9-94.5	105	7.3	05.5-09.1
Less than \$15,000	381	42,114	274	70.3	64.0-76.6	107	29.7	23.4-36.0
\$15,000- 24,999	361	46,720	211	64.8	57.7-71.9	150	35.2	28.1-42.3
\$25,000- 34,999	313	35,137	264	88.3	84.2-92.4	49	11.7	07.6-15.8
\$35,000- 49,999	403	47,396	348	85.4	80.3-90.5	55	14.6	09.5-19.7
\$50,000- 74,999	456	51,793	411	90.5	86.8-94.2	45	9.5	05.8-13.2
\$75,000+	751	88,370	689	91.5	89.0-94.0	62	8.5	06.0-11.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3412	562,948	3034	86.1	84.3-87.9	378	13.9	12.1-15.7
Male	1358	275,052	1179	83.1	80.2-86.0	179	16.9	14.0-19.8
Female	2054	287,896	1855	89.0	87.0-91.0	199	11.0	09.0-13.0
White/Non-Hisp	2509	358,547	2266	88.8	87.0-90.6	243	11.2	09.4-13.0
Black or Afr. Am./Non-Hisp	567	121,357	489	84.0	79.7-88.3	78	16.0	11.7-20.3
Oth. Race/Non-Hisp.	108	24,148	95	89.6	81.6-97.6	13	10.4	02.4-18.4
MultiRacial/Non-Hisp.	78	7,396	70	87.5	78.7-96.3	8	12.5	03.7-21.3
Hispanic	137	49,794	103	69.7	59.7-79.7	34	30.3	20.3-40.3
18-24	307	90,545	257	83.0	77.7-88.3	50	17.0	11.7-22.3
25-34	527	114,756	457	81.9	77.2-86.6	70	18.1	13.4-22.8
35-44	641	112,300	574	85.0	80.7-89.3	67	15.0	10.7-19.3
45-54	915	129,940	830	90.3	87.6-93.0	85	9.7	07.0-12.4
55-64	1022	115,408	916	88.9	85.8-92.0	106	11.1	08.0-14.2
Less Than H.S.	189	72,496	138	67.6	59.0-76.2	51	32.4	23.8-41.0
H.S. or G.E.D.	928	167,787	787	85.1	82.2-88.0	141	14.9	12.0-17.8
Some Post-H.S.	949	173,016	836	87.5	84.8-90.2	113	12.5	09.8-15.2
College Graduate	1343	149,393	1270	94.5	92.7-96.3	73	5.5	03.7-07.3
Less than \$15,000	327	58,942	241	69.1	61.7-76.5	86	30.9	23.5-38.3
\$15,000- 24,999	322	59,366	256	77.7	70.8-84.6	66	22.3	15.4-29.2
\$25,000- 34,999	290	47,429	230	76.1	68.7-83.5	60	23.9	16.5-31.3
\$35,000- 49,999	427	70,576	382	86.4	82.1-90.7	45	13.6	09.3-17.9
\$50,000- 74,999	538	87,123	505	92.9	90.0-95.8	33	7.1	04.2-10.0
\$75,000+	1159	174,435	1119	94.7	92.5-96.9	40	5.3	03.1-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1358	275,052	1179	83.1	80.2-86.0	179	16.9	14.0-19.8
White/Non-Hisp	1015	177,175	905	87.2	84.3-90.1	110	12.8	09.9-15.7
Black or Afr. Am./Non-Hisp	190	54,495	152	77.8	69.8-85.8	38	22.2	14.2-30.2
Oth. Race/Non-Hisp.	54	14,096	47	86.2	73.3-99.1	7	13.8	00.9-26.7
Hispanic	59	24,844	42	62.9	47.0-78.8	17	37.1	21.2-53.0
18-24	153	45,754	122	78.5	69.9-87.1	31	21.5	12.9-30.1
25-34	207	57,219	166	75.6	67.8-83.4	41	24.4	16.6-32.2
35-44	251	54,514	220	82.3	75.2-89.4	31	17.7	10.6-24.8
45-54	347	63,159	311	89.6	85.1-94.1	36	10.4	05.9-14.9
55-64	400	54,405	360	87.9	82.4-93.4	40	12.1	06.6-17.6
Less Than H.S.	103	45,038	72	62.6	50.8-74.4	31	37.4	25.6-49.2
H.S. or G.E.D.	382	82,906	311	81.5	76.8-86.2	71	18.5	13.8-23.2
Some Post-H.S.	346	76,759	303	86.8	82.3-91.3	43	13.2	08.7-17.7
College Graduate	526	70,231	492	93.9	90.8-97.0	34	6.1	03.0-09.2
Less than \$15,000	125	29,774	84	60.9	48.7-73.1	41	39.1	26.9-51.3
\$15,000- 24,999	111	24,061	87	74.7	62.5-86.9	24	25.3	13.1-37.5
\$25,000- 34,999	101	20,789	70	62.9	49.4-76.4	31	37.1	23.6-50.6
\$35,000- 49,999	153	33,063	131	81.4	73.6-89.2	22	18.6	10.8-26.4
\$50,000- 74,999	210	43,959	190	90.6	85.5-95.7	20	9.4	04.3-14.5
\$75,000+	533	96,272	510	93.3	89.6-97.0	23	6.7	03.0-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2054	287,896	1855	89.0	87.0-91.0	199	11.0	09.0-13.0
White/Non-Hisp	1494	181,372	1361	90.2	88.2-92.2	133	9.8	07.8-11.8
Black or Afr. Am./Non-Hisp	377	66,862	337	89.1	85.2-93.0	40	10.9	07.0-14.8
Oth. Race/Non-Hisp.	54	10,052	48	94.3	88.4-100.0	6	5.7	00.0-11.6
Hispanic	78	24,950	61	76.4	64.6-88.2	17	23.6	11.8-35.4
18-24	154	44,790	135	87.6	81.7-93.5	19	12.4	06.5-18.3
25-34	320	57,537	291	88.2	83.5-92.9	29	11.8	07.1-16.5
35-44	390	57,786	354	87.6	82.5-92.7	36	12.4	07.3-17.5
45-54	568	66,780	519	91.0	87.9-94.1	49	9.0	05.9-12.1
55-64	622	61,003	556	89.7	86.8-92.6	66	10.3	07.4-13.2
Less Than H.S.	86	27,458	66	75.7	64.5-86.9	20	24.3	13.1-35.5
H.S. or G.E.D.	546	84,881	476	88.5	85.4-91.6	70	11.5	08.4-14.6
Some Post-H.S.	603	96,257	533	88.2	84.9-91.5	70	11.8	08.5-15.1
College Graduate	817	79,162	778	95.1	93.1-97.1	39	4.9	02.9-06.9
Less than \$15,000	202	29,169	157	77.4	70.1-84.7	45	22.6	15.3-29.9
\$15,000- 24,999	211	35,305	169	79.8	72.0-87.6	42	20.2	12.4-28.0
\$25,000- 34,999	189	26,639	160	86.5	80.0-93.0	29	13.5	07.0-20.0
\$35,000- 49,999	274	37,513	251	90.8	86.7-94.9	23	9.2	05.1-13.3
\$50,000- 74,999	328	43,164	315	95.2	92.7-97.7	13	4.8	02.3-07.3
\$75,000+	626	78,163	609	96.4	94.4-98.4	17	3.6	01.6-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 4: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5172	709,953	3905	76.5	74.9-78.1	1267	23.5	21.9-25.1
Male	2003	338,688	1579	79.4	77.0-81.8	424	20.6	18.2-23.0
Female	3169	371,265	2326	73.9	71.7-76.1	843	26.1	23.9-28.3
White/Non-Hisp	4012	476,145	3056	76.8	75.0-78.6	956	23.2	21.4-25.0
Black or Afr. Am./Non-Hisp	731	141,238	526	74.7	70.8-78.6	205	25.3	21.4-29.2
Oth. Race/Non-Hisp.	141	27,769	110	84.0	76.6-91.4	31	16.0	08.6-23.4
MultiRacial/Non-Hisp.	105	9,133	80	74.6	64.4-84.8	25	25.4	15.2-35.6
Hispanic	155	52,690	113	75.0	66.6-83.4	42	25.0	16.6-33.4
18-24	311	91,129	262	83.1	78.2-88.0	49	16.9	12.0-21.8
25-34	528	115,044	444	84.3	80.6-88.0	84	15.7	12.0-19.4
35-44	642	112,385	526	79.6	75.3-83.9	116	20.4	16.1-24.7
45-54	917	130,102	707	76.0	72.3-79.7	210	24.0	20.3-27.7
55-64	1023	115,463	764	73.6	69.7-77.5	259	26.4	22.5-30.3
65+	1700	141,243	1161	66.0	63.1-68.9	539	34.0	31.1-36.9
Less Than H.S.	336	94,250	183	61.1	54.4-67.8	153	38.9	32.2-45.6
H.S. or G.E.D.	1560	222,650	1045	73.0	70.3-75.7	515	27.0	24.3-29.7
Some Post-H.S.	1393	211,125	1054	77.4	74.7-80.1	339	22.6	19.9-25.3
College Graduate	1876	181,115	1619	88.0	86.2-89.8	257	12.0	10.2-13.8
Less than \$15,000	600	82,032	376	67.2	62.1-72.3	224	32.8	27.7-37.9
\$15,000- 24,999	531	77,148	313	60.6	54.5-66.7	218	39.4	33.3-45.5
\$25,000- 34,999	485	63,442	344	71.3	65.6-77.0	141	28.7	23.0-34.4
\$35,000- 49,999	648	89,745	500	77.5	73.2-81.8	148	22.5	18.2-26.8
\$50,000- 74,999	767	104,928	622	81.8	78.1-85.5	145	18.2	14.5-21.9
\$75,000+	1425	196,581	1231	85.8	83.3-88.3	194	14.2	11.7-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2003	338,688	1579	79.4	77.0-81.8	424	20.6	18.2-23.0
White/Non-Hisp	1559	227,351	1237	79.1	76.4-81.8	322	20.9	18.2-23.6
Black or Afr. Am./Non-Hisp	251	64,366	187	78.2	71.9-84.5	64	21.8	15.5-28.1
Oth. Race/Non-Hisp.	68	15,500	56	86.3	76.1-96.5	12	13.7	03.5-23.9
Hispanic	67	25,601	53	80.3	68.3-92.3	14	19.7	07.7-31.7
18-24	156	46,017	141	91.3	86.6-96.0	15	8.7	04.0-13.4
25-34	207	57,219	175	84.8	78.9-90.7	32	15.2	09.3-21.1
35-44	252	54,600	216	83.5	77.4-89.6	36	16.5	10.4-22.6
45-54	346	63,000	279	78.4	72.7-84.1	67	21.6	15.9-27.3
55-64	400	54,405	306	72.0	65.3-78.7	94	28.0	21.3-34.7
65+	627	61,742	449	69.1	64.4-73.8	178	30.9	26.2-35.6
Less Than H.S.	169	57,255	99	64.2	55.2-73.2	70	35.8	26.8-44.8
H.S. or G.E.D.	586	103,305	428	79.4	75.7-83.1	158	20.6	16.9-24.3
Some Post-H.S.	499	92,242	391	78.8	74.3-83.3	108	21.2	16.7-25.7
College Graduate	748	85,766	660	90.1	87.6-92.6	88	9.9	07.4-12.4
Less than \$15,000	219	39,919	138	68.1	59.9-76.3	81	31.9	23.7-40.1
\$15,000- 24,999	168	30,396	106	62.7	52.1-73.3	62	37.3	26.7-47.9
\$25,000- 34,999	172	28,305	123	69.8	60.2-79.4	49	30.2	20.6-39.8
\$35,000- 49,999	245	42,349	192	78.0	71.1-84.9	53	22.0	15.1-28.9
\$50,000- 74,999	311	53,134	252	81.7	76.2-87.2	59	18.3	12.8-23.8
\$75,000+	674	108,211	597	88.0	84.7-91.3	77	12.0	08.7-15.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3169	371,265	2326	73.9	71.7-76.1	843	26.1	23.9-28.3
White/Non-Hisp	2453	248,794	1819	74.7	72.3-77.1	634	25.3	22.9-27.7
Black or Afr. Am./Non-Hisp	480	76,872	339	71.8	66.7-76.9	141	28.2	23.1-33.3
Oth. Race/Non-Hisp.	73	12,268	54	81.0	70.6-91.4	19	19.0	08.6-29.4
MultiRacial/Non-Hisp.	59	4,768	43	66.9	51.6-82.2	16	33.1	17.8-48.4
Hispanic	88	27,088	60	70.0	58.2-81.8	28	30.0	18.2-41.8
18-24	155	45,112	121	74.8	66.8-82.8	34	25.2	17.2-33.2
25-34	321	57,825	269	83.8	78.9-88.7	52	16.2	11.3-21.1
35-44	390	57,786	310	75.9	69.8-82.0	80	24.1	18.0-30.2
45-54	571	67,102	428	73.8	69.1-78.5	143	26.2	21.5-30.9
55-64	623	61,058	458	75.1	71.0-79.2	165	24.9	20.8-29.0
65+	1073	79,501	712	63.7	59.8-67.6	361	36.3	32.4-40.2
Less Than H.S.	167	36,994	84	56.2	46.4-66.0	83	43.8	34.0-53.6
H.S. or G.E.D.	974	119,345	617	67.4	63.5-71.3	357	32.6	28.7-36.5
Some Post-H.S.	894	118,883	663	76.4	72.9-79.9	231	23.6	20.1-27.1
College Graduate	1128	95,348	959	86.2	83.7-88.7	169	13.8	11.3-16.3
Less than \$15,000	381	42,114	238	66.3	60.2-72.4	143	33.7	27.6-39.8
\$15,000- 24,999	363	46,752	207	59.3	51.9-66.7	156	40.7	33.3-48.1
\$25,000- 34,999	313	35,137	221	72.5	65.8-79.2	92	27.5	20.8-34.2
\$35,000- 49,999	403	47,396	308	77.0	71.9-82.1	95	23.0	17.9-28.1
\$50,000- 74,999	456	51,793	370	81.9	77.2-86.6	86	18.1	13.4-22.8
\$75,000+	751	88,370	634	83.1	79.4-86.8	117	16.9	13.2-20.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
1 MALES AND FEMALES	15
2 MALES ONLY	16
3 FEMALES ONLY	17
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
4 MALES AND FEMALES	18
5 MALES ONLY	19
6 FEMALES ONLY	20
COMPUTED ASTHMA STATUS (_ASTHMS1)	
7 MALES AND FEMALES	21
8 MALES ONLY	22
9 FEMALES ONLY	23
RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
10 MALES AND FEMALES	24
11 MALES ONLY	25
12 FEMALES ONLY	26

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5166	708,708	4496	86.4	85.0-87.8	670	13.6	12.2-15.0
Male	2004	338,655	1823	89.7	87.7-91.7	181	10.3	08.3-12.3
Female	3162	370,053	2673	83.4	81.6-85.2	489	16.6	14.8-18.4
White/Non-Hisp	4009	475,258	3540	87.9	86.5-89.3	469	12.1	10.7-13.5
Black or Afr. Am./Non-Hisp	731	141,238	603	81.5	77.8-85.2	128	18.5	14.8-22.2
Oth. Race/Non-Hisp.	138	27,411	120	87.7	79.1-96.3	18	12.3	03.7-20.9
MultiRacial/Non-Hisp.	105	9,133	78	76.3	66.9-85.7	27	23.7	14.3-33.1
Hispanic	155	52,690	131	87.2	81.1-93.3	24	12.8	06.7-18.9
18-24	310	90,610	263	84.2	79.3-89.1	47	15.8	10.9-20.7
25-34	527	114,756	436	84.3	80.6-88.0	91	15.7	12.0-19.4
35-44	642	112,385	551	85.8	82.3-89.3	91	14.2	10.7-17.7
45-54	918	130,262	799	87.3	84.4-90.2	119	12.7	09.8-15.6
55-64	1022	115,250	883	85.4	82.5-88.3	139	14.6	11.7-17.5
65+	1696	140,858	1516	89.9	88.1-91.7	180	10.1	08.3-11.9
Less Than H.S.	335	94,214	287	84.2	79.1-89.3	48	15.8	10.7-20.9
H.S. or G.E.D.	1557	222,394	1360	86.3	83.9-88.7	197	13.7	11.3-16.1
Some Post-H.S.	1390	210,280	1197	86.0	83.6-88.4	193	14.0	11.6-16.4
College Graduate	1877	181,007	1645	88.1	86.3-89.9	232	11.9	10.1-13.7
Less than \$15,000	598	81,790	504	83.2	79.1-87.3	94	16.8	12.7-20.9
\$15,000- 24,999	529	77,018	423	77.7	72.4-83.0	106	22.3	17.0-27.6
\$25,000- 34,999	486	63,601	436	88.8	85.3-92.3	50	11.2	07.7-14.7
\$35,000- 49,999	649	89,766	570	88.6	85.5-91.7	79	11.4	08.3-14.5
\$50,000- 74,999	767	104,928	673	87.0	83.7-90.3	94	13.0	09.7-16.3
\$75,000+	1424	196,369	1252	88.3	86.1-90.5	172	11.7	09.5-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2004	338,655	1823	89.7	87.7-91.7	181	10.3	08.3-12.3
White/Non-Hisp	1560	227,318	1432	90.6	88.6-92.6	128	9.4	07.4-11.4
Black or Afr. Am./Non-Hisp	251	64,366	221	86.9	81.6-92.2	30	13.1	07.8-18.4
Oth. Race/Non-Hisp.	68	15,500	60	84.6	70.5-98.7	8	15.4	01.3-29.5
Hispanic	67	25,601	59	92.5	86.6-98.4	8	7.5	01.6-13.4
18-24	156	46,017	137	86.1	78.8-93.4	19	13.9	06.6-21.2
25-34	207	57,219	181	87.2	81.7-92.7	26	12.8	07.3-18.3
35-44	252	54,600	225	89.6	85.3-93.9	27	10.4	06.1-14.7
45-54	347	63,159	314	90.6	86.5-94.7	33	9.4	05.3-13.5
55-64	399	54,193	363	90.3	86.6-94.0	36	9.7	06.0-13.4
65+	628	61,763	589	93.2	90.7-95.7	39	6.8	04.3-09.3
Less Than H.S.	169	57,255	154	88.9	82.8-95.0	15	11.1	05.0-17.2
H.S. or G.E.D.	586	103,305	522	86.9	83.0-90.8	64	13.1	09.2-17.0
Some Post-H.S.	498	92,030	458	91.3	88.4-94.2	40	8.7	05.8-11.6
College Graduate	750	85,946	688	91.9	89.5-94.3	62	8.1	05.7-10.5
Less than \$15,000	219	39,919	199	89.5	83.8-95.2	20	10.5	04.8-16.2
\$15,000- 24,999	168	30,396	143	85.0	77.6-92.4	25	15.0	07.6-22.4
\$25,000- 34,999	173	28,465	159	92.0	87.1-96.9	14	8.0	03.1-12.9
\$35,000- 49,999	246	42,369	225	89.8	84.7-94.9	21	10.2	05.1-15.3
\$50,000- 74,999	311	53,134	284	90.0	85.3-94.7	27	10.0	05.3-14.7
\$75,000+	673	107,999	615	91.0	88.1-93.9	58	9.0	06.1-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3162	370,053	2673	83.4	81.6-85.2	489	16.6	14.8-18.4
White/Non-Hisp	2449	247,939	2108	85.5	83.7-87.3	341	14.5	12.7-16.3
Black or Afr. Am./Non-Hisp	480	76,872	382	77.0	72.1-81.9	98	23.0	18.1-27.9
Oth. Race/Non-Hisp.	70	11,911	60	91.8	85.3-98.3	10	8.2	01.7-14.7
MultiRacial/Non-Hisp.	59	4,768	38	67.3	53.0-81.6	21	32.7	18.4-47.0
Hispanic	88	27,088	72	82.3	72.3-92.3	16	17.7	07.7-27.7
18-24	154	44,593	126	82.2	75.3-89.1	28	17.8	10.9-24.7
25-34	320	57,537	255	81.3	76.2-86.4	65	18.7	13.6-23.8
35-44	390	57,786	326	82.1	76.8-87.4	64	17.9	12.6-23.2
45-54	571	67,102	485	84.3	80.4-88.2	86	15.7	11.8-19.6
55-64	623	61,058	520	81.0	76.9-85.1	103	19.0	14.9-23.1
65+	1068	79,095	927	87.3	84.8-89.8	141	12.7	10.2-15.2
Less Than H.S.	166	36,959	133	77.0	68.4-85.6	33	23.0	14.4-31.6
H.S. or G.E.D.	971	119,089	838	85.8	83.1-88.5	133	14.2	11.5-16.9
Some Post-H.S.	892	118,250	739	81.9	78.6-85.2	153	18.1	14.8-21.4
College Graduate	1127	95,061	957	84.7	82.0-87.4	170	15.3	12.6-18.0
Less than \$15,000	379	41,871	305	77.2	71.3-83.1	74	22.8	16.9-28.7
\$15,000- 24,999	361	46,622	280	73.0	65.9-80.1	81	27.0	19.9-34.1
\$25,000- 34,999	313	35,137	277	86.2	81.1-91.3	36	13.8	08.7-18.9
\$35,000- 49,999	403	47,396	345	87.6	83.9-91.3	58	12.4	08.7-16.1
\$50,000- 74,999	456	51,793	389	84.0	79.5-88.5	67	16.0	11.5-20.5
\$75,000+	751	88,370	637	85.1	82.0-88.2	114	14.9	11.8-18.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5150	706,049	4649	90.1	88.9-91.3	501	9.9	08.7-11.1
Male	1998	337,332	1880	93.5	91.9-95.1	118	6.5	04.9-08.1
Female	3152	368,717	2769	87.0	85.4-88.6	383	13.0	11.4-14.6
White/Non-Hisp	4000	474,120	3648	91.1	89.9-92.3	352	8.9	07.7-10.1
Black or Afr. Am./Non-Hisp	729	140,678	631	85.9	82.6-89.2	98	14.1	10.8-17.4
Oth. Race/Non-Hisp.	138	27,411	124	90.0	81.8-98.2	14	10.0	01.8-18.2
MultiRacial/Non-Hisp.	103	8,864	84	84.6	76.6-92.6	19	15.4	07.4-23.4
Hispanic	154	52,227	137	92.8	88.5-97.1	17	7.2	02.9-11.5
18-24	308	89,987	275	88.1	83.6-92.6	33	11.9	07.4-16.4
25-34	524	114,220	469	90.5	87.6-93.4	55	9.5	06.6-12.4
35-44	641	111,922	570	90.0	87.3-92.7	71	10.0	07.3-12.7
45-54	915	129,899	830	90.5	88.0-93.0	85	9.5	07.0-12.0
55-64	1020	115,102	909	88.1	85.4-90.8	111	11.9	09.2-14.6
65+	1691	140,331	1547	91.9	90.3-93.5	144	8.1	06.5-09.7
Less Than H.S.	332	93,590	294	88.7	84.4-93.0	38	11.3	07.0-15.6
H.S. or G.E.D.	1550	221,139	1402	89.9	87.7-92.1	148	10.1	07.9-12.3
Some Post-H.S.	1387	209,685	1237	89.2	87.0-91.4	150	10.8	08.6-13.0
College Graduate	1874	180,822	1709	91.9	90.3-93.5	165	8.1	06.5-09.7
Less than \$15,000	596	81,035	520	86.7	83.0-90.4	76	13.3	09.6-17.0
\$15,000- 24,999	525	76,320	436	81.9	77.0-86.8	89	18.1	13.2-23.0
\$25,000- 34,999	485	63,460	449	91.9	88.8-95.0	36	8.1	05.0-11.2
\$35,000- 49,999	648	89,731	591	92.4	89.9-94.9	57	7.6	05.1-10.1
\$50,000- 74,999	766	104,833	693	90.5	87.8-93.2	73	9.5	06.8-12.2
\$75,000+	1422	196,001	1312	92.9	91.3-94.5	110	7.1	05.5-08.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1998	337,332	1880	93.5	91.9-95.1	118	6.5	04.9-08.1
White/Non-Hisp	1557	226,712	1473	93.9	92.3-95.5	84	6.1	04.5-07.7
Black or Afr. Am./Non-Hisp	251	64,366	233	92.5	88.4-96.6	18	7.5	03.4-11.6
Oth. Race/Non-Hisp.	68	15,500	61	86.7	72.8-0100	7	13.3	00.0-27.2
Hispanic	66	25,138	60	95.4	91.3-99.5	6	4.6	00.5-08.7
18-24	155	45,686	145	92.1	86.2-98.0	10	7.9	02.0-13.8
25-34	206	57,078	192	92.8	88.7-96.9	14	7.2	03.1-11.3
35-44	251	54,137	236	94.1	90.8-97.4	15	5.9	02.6-09.2
45-54	347	63,159	323	93.4	89.7-97.1	24	6.6	02.9-10.3
55-64	398	54,080	371	92.6	89.3-95.9	27	7.4	04.1-10.7
65+	626	61,488	598	95.1	92.9-97.3	28	4.9	02.7-07.1
Less Than H.S.	168	56,924	159	93.9	89.4-98.4	9	6.1	01.6-10.6
H.S. or G.E.D.	583	102,634	540	91.5	88.2-94.8	43	8.5	05.2-11.8
Some Post-H.S.	497	91,822	467	93.8	91.3-96.3	30	6.2	03.7-08.7
College Graduate	749	85,833	713	95.2	93.2-97.2	36	4.8	02.8-06.8
Less than \$15,000	218	39,456	203	92.0	87.1-96.9	15	8.0	03.1-12.9
\$15,000- 24,999	168	30,396	146	87.3	80.2-94.4	22	12.7	05.6-19.8
\$25,000- 34,999	172	28,323	164	95.3	91.6-99.0	8	4.7	01.0-08.4
\$35,000- 49,999	246	42,369	235	95.1	91.6-98.6	11	4.9	01.4-08.4
\$50,000- 74,999	311	53,134	290	93.6	90.3-96.9	21	6.4	03.1-09.7
\$75,000+	672	107,668	642	95.6	93.8-97.4	30	4.4	02.6-06.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3152	368,717	2769	87.0	85.4-88.6	383	13.0	11.4-14.6
White/Non-Hisp	2443	247,408	2175	88.5	86.7-90.3	268	11.5	09.7-13.3
Black or Afr. Am./Non-Hisp	478	76,312	398	80.3	75.6-85.0	80	19.7	15.0-24.4
Oth. Race/Non-Hisp.	70	11,911	63	94.3	89.2-99.4	7	5.7	00.6-10.8
MultiRacial/Non-Hisp.	58	4,640	42	75.1	61.6-88.6	16	24.9	11.4-38.4
Hispanic	88	27,088	77	90.5	83.2-97.8	11	9.5	02.2-16.8
18-24	153	44,301	130	84.1	77.4-90.8	23	15.9	09.2-22.6
25-34	318	57,142	277	88.3	84.2-92.4	41	11.7	07.6-15.8
35-44	390	57,786	334	86.1	81.8-90.4	56	13.9	09.6-18.2
45-54	568	66,740	507	87.8	84.1-91.5	61	12.2	08.5-15.9
55-64	622	61,023	538	84.1	80.2-88.0	84	15.9	12.0-19.8
65+	1065	78,844	949	89.5	87.1-91.9	116	10.5	08.1-12.9
Less Than H.S.	164	36,666	135	80.6	72.6-88.6	29	19.4	11.4-27.4
H.S. or G.E.D.	967	118,505	862	88.6	86.1-91.1	105	11.4	08.9-13.9
Some Post-H.S.	890	117,863	770	85.7	82.6-88.8	120	14.3	11.2-17.4
College Graduate	1125	94,989	996	89.0	86.6-91.4	129	11.0	08.6-13.4
Less than \$15,000	378	41,579	317	81.7	76.4-87.0	61	18.3	13.0-23.6
\$15,000- 24,999	357	45,924	290	78.3	71.8-84.8	67	21.7	15.2-28.2
\$25,000- 34,999	313	35,137	285	89.2	84.5-93.9	28	10.8	06.1-15.5
\$35,000- 49,999	402	47,361	356	90.1	86.6-93.6	46	9.9	06.4-13.4
\$50,000- 74,999	455	51,699	403	87.3	83.0-91.6	52	12.7	08.4-17.0
\$75,000+	750	88,333	670	89.5	86.8-92.2	80	10.5	07.8-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5150	706,049	501	9.9	08.7-11.1	153	3.3	02.5-04.1	4496	86.8	85.4-88.2
Male	1998	337,332	118	6.5	04.9-08.1	57	3.4	02.2-04.6	1823	90.1	88.3-91.9
Female	3152	368,717	383	13.0	11.4-14.6	96	3.2	02.4-04.0	2673	83.7	81.9-85.5
White/Non-Hisp	4000	474,120	352	8.9	07.7-10.1	108	2.9	02.1-03.7	3540	88.1	86.7-89.5
Black or Afr. Am./Non-Hisp	729	140,678	98	14.1	10.8-17.4	28	4.1	02.1-06.1	603	81.8	78.1-85.5
Oth. Race/Non-Hisp.	138	27,411	14	10.0	01.8-18.2	4	2.3	00.0-05.2	120	87.7	79.1-96.3
MultiRacial/Non-Hisp.	103	8,864	19	15.4	07.4-23.4	6	5.9	00.6-11.2	78	78.7	69.5-87.9
Hispanic	154	52,227	17	7.2	02.9-11.5	6	4.8	00.5-09.1	131	88.0	82.1-93.9
18-24	308	89,987	33	11.9	07.4-16.4	12	3.4	01.0-05.8	263	84.8	79.9-89.7
25-34	524	114,220	55	9.5	06.6-12.4	33	5.9	03.4-08.4	436	84.7	81.0-88.4
35-44	641	111,922	71	10.0	07.3-12.7	19	3.9	01.7-06.1	551	86.1	82.8-89.4
45-54	915	129,899	85	9.5	07.0-12.0	31	3.0	01.8-04.2	799	87.6	84.9-90.3
55-64	1020	115,102	111	11.9	09.2-14.6	26	2.6	01.4-03.8	883	85.5	82.6-88.4
65+	1691	140,331	144	8.1	06.5-09.7	31	1.7	00.9-02.5	1516	90.2	88.4-92.0
Less Than H.S.	332	93,590	38	11.3	07.0-15.6	7	3.9	00.8-07.0	287	84.8	79.7-89.9
H.S. or G.E.D.	1550	221,139	148	10.1	07.9-12.3	42	3.1	01.9-04.3	1360	86.8	84.4-89.2
Some Post-H.S.	1387	209,685	150	10.8	08.6-13.0	40	3.0	01.8-04.2	1197	86.3	83.9-88.7
College Graduate	1874	180,822	165	8.1	06.5-09.7	64	3.7	02.5-04.9	1645	88.2	86.4-90.0
Less than \$15,000	596	81,035	76	13.3	09.6-17.0	16	2.7	00.7-04.7	504	84.0	79.9-88.1
\$15,000- 24,999	525	76,320	89	18.1	13.2-23.0	13	3.4	00.7-06.1	423	78.5	73.2-83.8
\$25,000- 34,999	485	63,460	36	8.1	05.0-11.2	13	2.9	00.9-04.9	436	89.0	85.5-92.5
\$35,000- 49,999	648	89,731	57	7.6	05.1-10.1	21	3.8	01.8-05.8	570	88.7	85.6-91.8
\$50,000- 74,999	766	104,833	73	9.5	06.8-12.2	20	3.4	01.4-05.4	673	87.1	83.8-90.4
\$75,000+	1422	196,001	110	7.1	05.5-08.7	60	4.3	02.9-05.7	1252	88.5	86.3-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1998	337,332	118	6.5	04.9-08.1	57	3.4	02.2-04.6	1823	90.1	88.3-91.9
White/Non-Hisp	1557	226,712	84	6.1	04.5-07.7	41	3.0	01.8-04.2	1432	90.9	88.9-92.9
Black or Afr. Am./Non-Hisp	251	64,366	18	7.5	03.4-11.6	12	5.6	01.9-09.3	221	86.9	81.6-92.2
Oth. Race/Non-Hisp.	68	15,500	7	13.3	00.0-27.2	1	2.2	00.0-06.5	60	84.6	70.5-98.7
Hispanic	66	25,138	6	4.6	00.5-08.7	1	1.2	00.0-03.6	59	94.2	89.5-98.9
18-24	155	45,686	10	7.9	02.0-13.8	8	5.4	00.9-09.9	137	86.7	79.6-93.8
25-34	206	57,078	14	7.2	03.1-11.3	11	5.4	01.5-09.3	181	87.4	81.9-92.9
35-44	251	54,137	15	5.9	02.6-09.2	11	3.7	01.2-06.2	225	90.4	86.3-94.5
45-54	347	63,159	24	6.6	02.9-10.3	9	2.9	00.7-05.1	314	90.6	86.5-94.7
55-64	398	54,080	27	7.4	04.1-10.7	8	2.1	00.3-03.9	363	90.5	86.8-94.2
65+	626	61,488	28	4.9	02.7-07.1	9	1.5	00.1-02.9	589	93.6	91.1-96.1
Less Than H.S.	168	56,924	9	6.1	01.6-10.6	5	4.5	00.2-08.8	154	89.4	83.3-95.5
H.S. or G.E.D.	583	102,634	43	8.5	05.2-11.8	18	4.0	01.8-06.2	522	87.5	83.8-91.2
Some Post-H.S.	497	91,822	30	6.2	03.7-08.7	9	2.3	00.7-03.9	458	91.5	88.6-94.4
College Graduate	749	85,833	36	4.8	02.8-06.8	25	3.2	01.6-04.8	688	92.0	89.6-94.4
Less than \$15,000	218	39,456	15	8.0	03.1-12.9	4	1.5	00.0-03.5	199	90.5	85.2-95.8
\$15,000- 24,999	168	30,396	22	12.7	05.6-19.8	3	2.4	00.0-05.3	143	85.0	77.6-92.4
\$25,000- 34,999	172	28,323	8	4.7	01.0-08.4	5	2.8	00.0-05.7	159	92.5	87.8-97.2
\$35,000- 49,999	246	42,369	11	4.9	01.4-08.4	10	5.3	01.6-09.0	225	89.8	84.7-94.9
\$50,000- 74,999	311	53,134	21	6.4	03.1-09.7	6	3.6	00.0-07.3	284	90.0	85.3-94.7
\$75,000+	672	107,668	30	4.4	02.6-06.2	27	4.4	02.2-06.6	615	91.3	88.6-94.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3152	368,717	383	13.0	11.4-14.6	96	3.2	02.4-04.0	2673	83.7	81.9-85.5
White/Non-Hisp	2443	247,408	268	11.5	09.7-13.3	67	2.9	02.1-03.7	2108	85.6	83.8-87.4
Black or Afr. Am./Non-Hisp	478	76,312	80	19.7	15.0-24.4	16	2.7	01.1-04.3	382	77.6	72.7-82.5
Oth. Race/Non-Hisp.	70	11,911	7	5.7	00.6-10.8	3	2.5	00.0-06.4	60	91.8	85.3-98.3
MultiRacial/Non-Hisp.	58	4,640	16	24.9	11.4-38.4	4	6.0	00.0-12.3	38	69.2	55.1-83.3
Hispanic	88	27,088	11	9.5	02.2-16.8	5	8.2	00.4-16.0	72	82.3	72.3-92.3
18-24	153	44,301	23	15.9	09.2-22.6	4	1.3	00.0-02.7	126	82.8	75.9-89.7
25-34	318	57,142	41	11.7	07.6-15.8	22	6.4	03.3-09.5	255	81.9	77.0-86.8
35-44	390	57,786	56	13.9	09.6-18.2	8	4.0	00.5-07.5	326	82.1	76.8-87.4
45-54	568	66,740	61	12.2	08.5-15.9	22	3.0	01.6-04.4	485	84.8	80.9-88.7
55-64	622	61,023	84	15.9	12.0-19.8	18	3.1	01.5-04.7	520	81.0	76.9-85.1
65+	1065	78,844	116	10.5	08.1-12.9	22	1.9	00.9-02.9	927	87.5	85.1-89.9
Less Than H.S.	164	36,666	29	19.4	11.4-27.4	2	2.9	00.0-07.4	133	77.6	69.0-86.2
H.S. or G.E.D.	967	118,505	105	11.4	08.9-13.9	24	2.3	01.1-03.5	838	86.3	83.6-89.0
Some Post-H.S.	890	117,863	120	14.3	11.2-17.4	31	3.5	01.9-05.1	739	82.2	78.9-85.5
College Graduate	1125	94,989	129	11.0	08.6-13.4	39	4.2	02.6-05.8	957	84.7	82.0-87.4
Less than \$15,000	378	41,579	61	18.3	13.0-23.6	12	3.9	00.8-07.0	305	77.8	72.1-83.5
\$15,000- 24,999	357	45,924	67	21.7	15.2-28.2	10	4.1	00.0-08.2	280	74.2	67.1-81.3
\$25,000- 34,999	313	35,137	28	10.8	06.1-15.5	8	3.0	00.5-05.5	277	86.2	81.1-91.3
\$35,000- 49,999	402	47,361	46	9.9	06.4-13.4	11	2.4	00.8-04.0	345	87.7	84.0-91.4
\$50,000- 74,999	455	51,699	52	12.7	08.4-17.0	14	3.2	01.4-05.0	389	84.1	79.6-88.6
\$75,000+	750	88,333	80	10.5	07.8-13.2	33	4.3	02.5-06.1	637	85.1	82.0-88.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 10: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5166	708,833	1762	28.0	26.4-29.6	3404	72.0	70.4-73.6
Male	2003	337,993	577	23.8	21.4-26.2	1426	76.2	73.8-78.6
Female	3163	370,840	1185	31.7	29.5-33.9	1978	68.3	66.1-70.5
White/Non-Hisp	4009	475,968	1426	30.9	29.1-32.7	2583	69.1	67.3-70.9
Black or Afr. Am./Non-Hisp	729	141,094	225	24.8	21.1-28.5	504	75.2	71.5-78.9
Oth. Race/Non-Hisp.	141	27,769	33	19.6	10.4-28.8	108	80.4	71.2-89.6
MultiRacial/Non-Hisp.	105	9,133	33	30.8	20.2-41.4	72	69.2	58.6-79.8
Hispanic	154	51,892	37	14.5	08.8-20.2	117	85.5	79.8-91.2
18-24	311	91,129	19	6.3	03.2-09.4	292	93.7	90.6-96.8
25-34	528	115,044	47	9.0	05.9-12.1	481	91.0	87.9-94.1
35-44	640	111,503	97	15.6	11.9-19.3	543	84.4	80.7-88.1
45-54	917	130,194	242	28.2	24.3-32.1	675	71.8	67.9-75.7
55-64	1020	115,219	421	42.9	38.8-47.0	599	57.1	53.0-61.2
65+	1699	141,159	921	54.7	51.6-57.8	778	45.3	42.2-48.4
Less Than H.S.	334	93,375	148	31.7	25.6-37.8	186	68.3	62.2-74.4
H.S. or G.E.D.	1556	222,402	575	30.5	27.6-33.4	981	69.5	66.6-72.4
Some Post-H.S.	1392	211,017	512	30.1	27.2-33.0	880	69.9	67.0-72.8
College Graduate	1877	181,227	525	20.5	18.3-22.7	1352	79.5	77.3-81.7
Less than \$15,000	596	81,015	257	34.9	29.8-40.0	339	65.1	60.0-70.2
\$15,000- 24,999	530	77,110	242	36.4	30.7-42.1	288	63.6	57.9-69.3
\$25,000- 34,999	485	63,533	174	29.7	24.4-35.0	311	70.3	65.0-75.6
\$35,000- 49,999	649	89,766	242	30.3	25.8-34.8	407	69.7	65.2-74.2
\$50,000- 74,999	766	104,860	249	28.6	24.5-32.7	517	71.4	67.3-75.5
\$75,000+	1425	196,581	343	20.9	18.2-23.6	1082	79.1	76.4-81.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 11: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2003	337,993	577	23.8	21.4-26.2	1426	76.2	73.8-78.6
White/Non-Hisp	1561	227,531	469	27.3	24.6-30.0	1092	72.7	70.0-75.4
Black or Afr. Am./Non-Hisp	250	64,289	61	18.2	12.7-23.7	189	81.8	76.3-87.3
Oth. Race/Non-Hisp.	68	15,500	17	19.6	06.7-32.5	51	80.4	67.5-93.3
Hispanic	66	24,803	12	8.5	02.4-14.6	54	91.5	85.4-97.6
18-24	156	46,017	10	6.3	02.0-10.6	146	93.7	89.4-98.0
25-34	207	57,219	17	8.9	04.0-13.8	190	91.1	86.2-96.0
35-44	251	53,802	26	11.1	06.6-15.6	225	88.9	84.4-93.4
45-54	347	63,159	78	24.0	17.9-30.1	269	76.0	69.9-82.1
55-64	399	54,329	145	38.7	32.2-45.2	254	61.3	54.8-67.8
65+	628	61,763	298	48.7	43.6-53.8	330	51.3	46.2-56.4
Less Than H.S.	167	56,381	57	25.4	17.8-33.0	110	74.6	67.0-82.2
H.S. or G.E.D.	586	103,305	176	25.7	21.4-30.0	410	74.3	70.0-78.6
Some Post-H.S.	499	92,242	149	24.1	19.8-28.4	350	75.9	71.6-80.2
College Graduate	750	85,946	195	20.3	17.0-23.6	555	79.7	76.4-83.0
Less than \$15,000	217	39,044	70	28.0	20.4-35.6	147	72.0	64.4-79.6
\$15,000- 24,999	168	30,396	67	31.1	21.5-40.7	101	68.9	59.3-78.5
\$25,000- 34,999	173	28,465	51	25.6	17.2-34.0	122	74.4	66.0-82.8
\$35,000- 49,999	246	42,369	88	27.8	20.9-34.7	158	72.2	65.3-79.1
\$50,000- 74,999	311	53,134	85	26.3	19.8-32.8	226	73.7	67.2-80.2
\$75,000+	674	108,211	162	19.7	16.0-23.4	512	80.3	76.6-84.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 12: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3163	370,840	1185	31.7	29.5-33.9	1978	68.3	66.1-70.5
White/Non-Hisp	2448	248,437	957	34.1	31.7-36.5	1491	65.9	63.5-68.3
Black or Afr. Am./Non-Hisp	479	76,804	164	30.3	25.2-35.4	315	69.7	64.6-74.8
Oth. Race/Non-Hisp.	73	12,268	16	19.4	06.5-32.3	57	80.6	67.7-93.5
MultiRacial/Non-Hisp.	59	4,768	19	32.1	17.6-46.6	40	67.9	53.4-82.4
Hispanic	88	27,088	25	20.0	11.0-29.0	63	80.0	71.0-89.0
18-24	155	45,112	9	6.4	01.7-11.1	146	93.6	88.9-98.3
25-34	321	57,825	30	9.1	05.2-13.0	291	90.9	87.0-94.8
35-44	389	57,701	71	19.7	14.0-25.4	318	80.3	74.6-86.0
45-54	570	67,034	164	32.1	27.0-37.2	406	67.9	62.8-73.0
55-64	621	60,890	276	46.7	41.6-51.8	345	53.3	48.2-58.4
65+	1071	79,396	623	59.4	55.5-63.3	448	40.6	36.7-44.5
Less Than H.S.	167	36,994	91	41.2	31.8-50.6	76	58.8	49.4-68.2
H.S. or G.E.D.	970	119,097	399	34.6	30.7-38.5	571	65.4	61.5-69.3
Some Post-H.S.	893	118,774	363	34.7	30.8-38.6	530	65.3	61.4-69.2
College Graduate	1127	95,281	330	20.6	18.1-23.1	797	79.4	76.9-81.9
Less than \$15,000	379	41,971	187	41.3	34.8-47.8	192	58.7	52.2-65.2
\$15,000- 24,999	362	46,714	175	39.8	32.5-47.1	187	60.2	52.9-67.5
\$25,000- 34,999	312	35,069	123	33.0	26.1-39.9	189	67.0	60.1-73.9
\$35,000- 49,999	403	47,396	154	32.6	26.7-38.5	249	67.4	61.5-73.3
\$50,000- 74,999	455	51,726	164	30.9	25.6-36.2	291	69.1	63.8-74.4
\$75,000+	751	88,370	181	22.4	18.5-26.3	570	77.6	73.7-81.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 6: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	28
2	MALES ONLY	29
3	FEMALES ONLY	30
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	31
5	MALES ONLY	32
6	FEMALES ONLY	33
	ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)	
7	MALES AND FEMALES	34
8	MALES ONLY	35
9	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 6: ORAL HEALTH

TABLE 1: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5089	702,575	2467	54.8	53.0-56.6	2622	45.2	43.4-47.0
Male	1984	336,974	973	55.5	52.6-58.4	1011	44.5	41.6-47.4
Female	3105	365,601	1494	54.1	51.7-56.5	1611	45.9	43.5-48.3
White/Non-Hisp	3947	471,107	1932	54.9	52.9-56.9	2015	45.1	43.1-47.1
Black or Afr. Am./Non-Hisp	718	139,464	297	47.0	42.3-51.7	421	53.0	48.3-57.7
Oth. Race/Non-Hisp.	139	27,473	81	75.6	67.0-84.2	58	24.4	15.8-33.0
MultiRacial/Non-Hisp.	103	8,972	55	58.3	46.9-69.7	48	41.7	30.3-53.1
Hispanic	154	52,579	81	61.8	52.2-71.4	73	38.2	28.6-47.8
18-24	311	91,129	280	91.8	88.7-94.9	31	8.2	05.1-11.3
25-34	524	114,580	397	73.5	68.6-78.4	127	26.5	21.6-31.4
35-44	642	112,385	459	67.9	63.0-72.8	183	32.1	27.2-37.0
45-54	908	129,139	485	49.8	45.5-54.1	423	50.2	45.9-54.5
55-64	1009	113,884	399	37.7	33.8-41.6	610	62.3	58.4-66.2
65+	1645	136,934	422	22.9	20.4-25.4	1223	77.1	74.6-79.6
Less Than H.S.	328	92,888	91	40.6	33.3-47.9	237	59.4	52.1-66.7
H.S. or G.E.D.	1535	220,511	563	48.1	44.8-51.4	972	51.9	48.6-55.2
Some Post-H.S.	1372	208,714	642	55.9	52.6-59.2	730	44.1	40.8-47.4
College Graduate	1847	179,650	1169	69.2	66.7-71.7	678	30.8	28.3-33.3
Less than \$15,000	593	81,466	182	38.5	32.6-44.4	411	61.5	55.6-67.4
\$15,000- 24,999	511	74,724	169	46.1	39.6-52.6	342	53.9	47.4-60.4
\$25,000- 34,999	477	63,056	172	42.8	36.3-49.3	305	57.2	50.7-63.7
\$35,000- 49,999	639	88,742	278	50.9	45.8-56.0	361	49.1	44.0-54.2
\$50,000- 74,999	757	103,813	376	52.4	47.5-57.3	381	47.6	42.7-52.5
\$75,000+	1417	196,063	941	69.8	66.7-72.9	476	30.2	27.1-33.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1984	336,974	973	55.5	52.6-58.4	1011	44.5	41.6-47.4
White/Non-Hisp	1546	226,179	758	55.0	51.9-58.1	788	45.0	41.9-48.1
Black or Afr. Am./Non-Hisp	247	64,118	108	47.8	40.2-55.4	139	52.2	44.6-59.8
Oth. Race/Non-Hisp.	66	15,205	36	77.3	66.1-88.5	30	22.7	11.5-33.9
Hispanic	67	25,601	35	63.5	49.0-78.0	32	36.5	22.0-51.0
18-24	156	46,017	139	90.7	85.8-95.6	17	9.3	04.4-14.2
25-34	206	57,171	165	77.2	69.6-84.8	41	22.8	15.2-30.4
35-44	252	54,600	190	70.8	63.5-78.1	62	29.2	21.9-36.5
45-54	346	63,129	180	47.8	41.1-54.5	166	52.2	45.5-58.9
55-64	395	53,716	158	37.1	30.8-43.4	237	62.9	56.6-69.2
65+	614	60,638	133	19.0	15.3-22.7	481	81.0	77.3-84.7
Less Than H.S.	166	56,856	52	41.4	31.6-51.2	114	58.6	48.8-68.4
H.S. or G.E.D.	584	103,099	235	49.2	43.9-54.5	349	50.8	45.5-56.1
Some Post-H.S.	493	91,441	236	58.7	53.4-64.0	257	41.3	36.0-46.6
College Graduate	740	85,459	450	69.1	65.2-73.0	290	30.9	27.0-34.8
Less than \$15,000	219	39,919	65	40.1	30.5-49.7	154	59.9	50.3-69.5
\$15,000- 24,999	165	30,093	65	50.0	39.2-60.8	100	50.0	39.2-60.8
\$25,000- 34,999	170	28,293	54	39.0	28.4-49.6	116	61.0	50.4-71.6
\$35,000- 49,999	243	42,156	93	49.2	41.0-57.4	150	50.8	42.6-59.0
\$50,000- 74,999	305	52,307	143	51.0	43.6-58.4	162	49.0	41.6-56.4
\$75,000+	671	108,092	429	69.9	65.6-74.2	242	30.1	25.8-34.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3105	365,601	1494	54.1	51.7-56.5	1611	45.9	43.5-48.3
White/Non-Hisp	2401	244,928	1174	54.8	52.3-57.3	1227	45.2	42.7-47.7
Black or Afr. Am./Non-Hisp	471	75,346	189	46.4	40.5-52.3	282	53.6	47.7-59.5
Oth. Race/Non-Hisp.	73	12,268	45	73.6	60.5-86.7	28	26.4	13.3-39.5
MultiRacial/Non-Hisp.	57	4,607	28	52.9	37.0-68.8	29	47.1	31.2-63.0
Hispanic	87	26,978	46	60.3	47.8-72.8	41	39.7	27.2-52.2
18-24	155	45,112	141	92.9	88.8-97.0	14	7.1	03.0-11.2
25-34	318	57,409	232	69.7	63.6-75.8	86	30.3	24.2-36.4
35-44	390	57,786	269	65.1	58.6-71.6	121	34.9	28.4-41.4
45-54	562	66,010	305	51.7	46.4-57.0	257	48.3	43.0-53.6
55-64	614	60,168	241	38.2	33.3-43.1	373	61.8	56.9-66.7
65+	1031	76,296	289	25.9	22.4-29.4	742	74.1	70.6-77.6
Less Than H.S.	162	36,032	39	39.4	29.0-49.8	123	60.6	50.2-71.0
H.S. or G.E.D.	951	117,412	328	47.1	42.6-51.6	623	52.9	48.4-57.4
Some Post-H.S.	879	117,272	406	53.7	49.6-57.8	473	46.3	42.2-50.4
College Graduate	1107	94,191	719	69.4	66.1-72.7	388	30.6	27.3-33.9
Less than \$15,000	374	41,547	117	37.0	29.9-44.1	257	63.0	55.9-70.1
\$15,000- 24,999	346	44,631	104	43.5	35.5-51.5	242	56.5	48.5-64.5
\$25,000- 34,999	307	34,763	118	45.8	38.0-53.6	189	54.2	46.4-62.0
\$35,000- 49,999	396	46,587	185	52.4	45.9-58.9	211	47.6	41.1-54.1
\$50,000- 74,999	452	51,505	233	53.9	47.8-60.0	219	46.1	40.0-52.2
\$75,000+	746	87,971	512	69.8	65.7-73.9	234	30.2	26.1-34.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 6: ORAL HEALTH

TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1645	136,934	1382	83.1	80.6-85.6	263	16.9	14.4-19.4
Male	614	60,638	521	82.7	78.6-86.8	93	17.3	13.2-21.4
Female	1031	76,296	861	83.5	80.6-86.4	170	16.5	13.6-19.4
White/Non-Hisp	1414	110,359	1201	84.7	82.3-87.1	213	15.3	12.9-17.7
Black or Afr. Am./Non-Hisp	153	18,842	119	74.3	64.3-84.3	34	25.7	15.7-35.7
65+	1645	136,934	1382	83.1	80.6-85.6	263	16.9	14.4-19.4
Less Than H.S.	139	20,730	86	66.1	55.9-76.3	53	33.9	23.7-44.1
H.S. or G.E.D.	597	50,891	469	80.5	76.6-84.4	128	19.5	15.6-23.4
Some Post-H.S.	420	36,022	362	86.4	82.3-90.5	58	13.6	09.5-17.7
College Graduate	486	28,790	463	96.9	95.5-98.3	23	3.1	01.7-04.5
Less than \$15,000	266	22,611	207	76.2	69.3-83.1	59	23.8	16.9-30.7
\$15,000- 24,999	193	15,905	122	62.9	53.5-72.3	71	37.1	27.7-46.5
\$25,000- 34,999	187	15,503	158	85.9	80.2-91.6	29	14.1	08.4-19.8
\$35,000- 49,999	213	18,467	179	81.4	74.0-88.8	34	18.6	11.2-26.0
\$50,000- 74,999	219	17,136	205	92.7	87.6-97.8	14	7.3	02.2-12.4
\$75,000+	247	20,084	236	96.2	93.1-99.3	11	3.8	00.7-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 6: ORAL HEALTH

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	614	60,638	521	82.7	78.6-86.8	93	17.3	13.2-21.4
White/Non-Hisp	523	47,886	448	84.5	80.4-88.6	75	15.5	11.4-19.6
Black or Afr. Am./Non-Hisp	56	9,537	45	73.8	58.3-89.3	11	26.2	10.7-41.7
65+	614	60,638	521	82.7	78.6-86.8	93	17.3	13.2-21.4
Less Than H.S.	63	11,817	41	69.3	55.4-83.2	22	30.7	16.8-44.6
H.S. or G.E.D.	194	19,190	146	76.2	68.8-83.6	48	23.8	16.4-31.2
Some Post-H.S.	148	14,884	129	85.7	78.4-93.0	19	14.3	07.0-21.6
College Graduate	209	14,747	205	98.7	97.3-0100	4	1.3	00.0-02.7
Less than \$15,000	94	10,145	69	71.6	59.6-83.6	25	28.4	16.4-40.4
\$15,000- 24,999	53	5,896	32	66.9	51.6-82.2	21	33.1	17.8-48.4
\$25,000- 34,999	69	7,503	59	87.3	78.5-96.1	10	12.7	03.9-21.5
\$35,000- 49,999	89	8,958	76	80.6	68.6-92.6	13	19.4	07.4-31.4
\$50,000- 74,999	98	8,951	90	89.8	80.8-98.8	8	10.2	01.2-19.2
\$75,000+	133	11,099	130	98.6	96.6-0100	3	1.4	00.0-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 6: ORAL HEALTH

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1031	76,296	861	83.5	80.6-86.4	170	16.5	13.6-19.4
White/Non-Hisp	891	62,473	753	84.9	82.0-87.8	138	15.1	12.2-18.0
Black or Afr. Am./Non-Hisp	97	9,306	74	74.8	62.6-87.0	23	25.2	13.0-37.4
65+	1031	76,296	861	83.5	80.6-86.4	170	16.5	13.6-19.4
Less Than H.S.	76	8,913	45	62.0	47.7-76.3	31	38.0	23.7-52.3
H.S. or G.E.D.	403	31,702	323	83.1	78.8-87.4	80	16.9	12.6-21.2
Some Post-H.S.	272	21,137	233	86.8	82.1-91.5	39	13.2	08.5-17.9
College Graduate	277	14,043	258	95.1	92.6-97.6	19	4.9	02.4-07.4
Less than \$15,000	172	12,466	138	79.9	72.1-87.7	34	20.1	12.3-27.9
\$15,000- 24,999	140	10,009	90	60.6	49.0-72.2	50	39.4	27.8-51.0
\$25,000- 34,999	118	7,999	99	84.5	77.1-91.9	19	15.5	08.1-22.9
\$35,000- 49,999	124	9,509	103	82.3	73.5-91.1	21	17.7	08.9-26.5
\$50,000- 74,999	121	8,185	115	95.9	92.6-99.2	6	4.1	00.8-07.4
\$75,000+	114	8,985	106	93.3	86.6-0100	8	6.7	00.0-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 7: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5152	707,126	3738	70.0	68.2-71.8	1414	30.0	28.2-31.8
Male	1996	337,002	1416	66.7	63.8-69.6	580	33.3	30.4-36.2
Female	3156	370,124	2322	73.1	70.9-75.3	834	26.9	24.7-29.1
White/Non-Hisp	4002	475,494	3001	73.4	71.6-75.2	1001	26.6	24.8-28.4
Black or Afr. Am./Non-Hisp	723	139,301	450	60.9	56.2-65.6	273	39.1	34.4-43.8
Oth. Race/Non-Hisp.	141	27,769	101	75.2	65.8-84.6	40	24.8	15.4-34.2
MultiRacial/Non-Hisp.	103	8,893	63	62.0	50.8-73.2	40	38.0	26.8-49.2
Hispanic	155	52,690	101	62.2	52.2-72.2	54	37.8	27.8-47.8
18-24	309	90,793	237	77.6	72.1-83.1	72	22.4	16.9-27.9
25-34	521	113,403	346	58.7	53.2-64.2	175	41.3	35.8-46.8
35-44	642	112,385	482	72.9	68.4-77.4	160	27.1	22.6-31.6
45-54	915	129,870	675	72.7	68.8-76.6	240	27.3	23.4-31.2
55-64	1021	115,406	744	69.4	65.3-73.5	277	30.6	26.5-34.7
65+	1693	140,683	1213	69.6	66.7-72.5	480	30.4	27.5-33.3
Less Than H.S.	335	94,202	138	45.7	38.6-52.8	197	54.3	47.2-61.4
H.S. or G.E.D.	1553	221,661	990	67.0	63.9-70.1	563	33.0	29.9-36.1
Some Post-H.S.	1385	209,578	1001	71.4	68.3-74.5	384	28.6	25.5-31.7
College Graduate	1872	180,872	1604	85.0	82.8-87.2	268	15.0	12.8-17.2
Less than \$15,000	596	81,841	326	53.7	47.8-59.6	270	46.3	40.4-52.2
\$15,000- 24,999	529	76,658	226	40.8	34.7-46.9	303	59.2	53.1-65.3
\$25,000- 34,999	484	63,474	311	60.1	53.6-66.6	173	39.9	33.4-46.4
\$35,000- 49,999	647	89,343	461	68.2	63.3-73.1	186	31.8	26.9-36.7
\$50,000- 74,999	766	104,833	623	76.0	71.7-80.3	143	24.0	19.7-28.3
\$75,000+	1423	196,373	1248	85.6	83.1-88.1	175	14.4	11.9-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 6: ORAL HEALTH

TABLE 8: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1996	337,002	1416	66.7	63.8-69.6	580	33.3	30.4-36.2
White/Non-Hisp	1558	227,276	1157	71.5	68.6-74.4	401	28.5	25.6-31.4
Black or Afr. Am./Non-Hisp	246	62,860	141	56.4	48.6-64.2	105	43.6	35.8-51.4
Oth. Race/Non-Hisp.	68	15,500	45	68.0	53.3-82.7	23	32.0	17.3-46.7
Hispanic	67	25,601	35	48.9	33.4-64.4	32	51.1	35.6-66.6
18-24	154	45,681	123	79.7	72.3-87.1	31	20.3	12.9-27.7
25-34	203	56,016	123	52.3	43.7-60.9	80	47.7	39.1-56.3
35-44	252	54,600	178	65.2	57.8-72.6	74	34.8	27.4-42.2
45-54	345	62,862	248	71.0	64.7-77.3	97	29.0	22.7-35.3
55-64	400	54,405	281	65.5	58.6-72.4	119	34.5	27.6-41.4
65+	627	61,734	450	67.8	62.9-72.7	177	32.2	27.3-37.1
Less Than H.S.	169	57,255	77	46.6	37.0-56.2	92	53.4	43.8-63.0
H.S. or G.E.D.	583	102,594	364	65.4	60.5-70.3	219	34.6	29.7-39.5
Some Post-H.S.	495	91,314	349	66.6	61.3-71.9	146	33.4	28.1-38.7
College Graduate	748	85,720	625	81.9	78.4-85.4	123	18.1	14.6-21.6
Less than \$15,000	218	39,866	115	54.6	45.2-64.0	103	45.4	36.0-54.8
\$15,000- 24,999	168	30,396	69	30.6	21.8-39.4	99	69.4	60.6-78.2
\$25,000- 34,999	172	28,359	104	52.8	42.0-63.6	68	47.2	36.4-58.0
\$35,000- 49,999	245	42,125	166	63.0	55.0-71.0	79	37.0	29.0-45.0
\$50,000- 74,999	311	53,134	226	66.9	59.8-74.0	85	33.1	26.0-40.2
\$75,000+	673	108,038	574	83.3	79.6-87.0	99	16.7	13.0-20.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 9: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3156	370,124	2322	73.1	70.9-75.3	834	26.9	24.7-29.1
White/Non-Hisp	2444	248,218	1844	75.1	72.7-77.5	600	24.9	22.5-27.3
Black or Afr. Am./Non-Hisp	477	76,441	309	64.6	59.1-70.1	168	35.4	29.9-40.9
Oth. Race/Non-Hisp.	73	12,268	56	84.2	73.6-94.8	17	15.8	05.2-26.4
MultiRacial/Non-Hisp.	58	4,634	34	60.4	44.9-75.9	24	39.6	24.1-55.1
Hispanic	88	27,088	66	74.7	62.9-86.5	22	25.3	13.5-37.1
18-24	155	45,112	114	75.4	67.4-83.4	41	24.6	16.6-32.6
25-34	318	57,387	223	65.1	58.4-71.8	95	34.9	28.2-41.6
35-44	390	57,786	304	80.2	75.3-85.1	86	19.8	14.9-24.7
45-54	570	67,008	427	74.3	69.6-79.0	143	25.7	21.0-30.4
55-64	621	61,001	463	72.9	68.2-77.6	158	27.1	22.4-31.8
65+	1066	78,949	763	71.0	67.5-74.5	303	29.0	25.5-32.5
Less Than H.S.	166	36,947	61	44.4	34.2-54.6	105	55.6	45.4-65.8
H.S. or G.E.D.	970	119,066	626	68.4	64.5-72.3	344	31.6	27.7-35.5
Some Post-H.S.	890	118,264	652	75.0	71.5-78.5	238	25.0	21.5-28.5
College Graduate	1124	95,152	979	87.8	85.4-90.2	145	12.2	09.8-14.6
Less than \$15,000	378	41,975	211	52.8	45.9-59.7	167	47.2	40.3-54.1
\$15,000- 24,999	361	46,262	157	47.5	39.9-55.1	204	52.5	44.9-60.1
\$25,000- 34,999	312	35,114	207	66.0	58.9-73.1	105	34.0	26.9-41.1
\$35,000- 49,999	402	47,218	295	72.9	67.2-78.6	107	27.1	21.4-32.8
\$50,000- 74,999	455	51,699	397	85.5	81.4-89.6	58	14.5	10.4-18.6
\$75,000+	750	88,336	674	88.4	85.3-91.5	76	11.6	08.5-14.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19	MALES AND FEMALES	58
20	MALES ONLY	59
21	FEMALES ONLY	60
	ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
22	MALES AND FEMALES	61
23	MALES ONLY	62
24	FEMALES ONLY	63
	TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25	MALES AND FEMALES	64
26	MALES ONLY	65
27	FEMALES ONLY	66
	REPORTED HEIGHT IN INCHES (HTIN4).	
28	MALES AND FEMALES	67
29	MALES ONLY	68
30	FEMALES ONLY	69
	REPORTED HEIGHT IN METERS (HTM4).	
31	MALES AND FEMALES	70
32	MALES ONLY	71
33	FEMALES ONLY	72
	REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
34	MALES AND FEMALES	73
35	MALES ONLY	74
36	FEMALES ONLY	75
	BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
37	MALES AND FEMALES	76
38	MALES ONLY	77
39	FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
46	MALES AND FEMALES	85
47	MALES ONLY	86
48	FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5124	700,581	4125	71.4	69.4-73.4	763	20.8	19.2-22.4	63	2.7	01.9-03.5	9	0.3	00.0-00.7	38	1.1	00.5-01.7	126	3.8	02.8-04.8
Male	1986	335,447	1610	71.5	68.6-74.4	264	19.8	17.3-22.3	35	3.3	01.9-04.7	3	0.4	00.0-01.0	14	1.1	00.3-01.9	60	3.8	02.4-05.2
Female	3138	365,134	2515	71.2	68.8-73.6	499	21.8	19.6-24.0	28	2.0	01.2-02.8	6	0.2	00.0-00.4	24	1.1	00.5-01.7	66	3.8	02.4-05.2
18-24	305	88,474	202	62.1	55.4-68.8	72	24.8	19.1-30.5	10	4.0	01.3-06.7	1	1.3	00.0-03.7	5	2.4	00.0-05.1	15	5.5	02.2-08.8
25-34	522	113,560	356	61.8	56.3-67.3	115	24.6	19.7-29.5	16	4.4	02.0-06.8	4	0.3	00.0-00.7	5	1.5	00.0-03.1	26	7.3	03.8-10.8
35-44	629	109,663	467	65.4	60.3-70.5	119	24.5	20.0-29.0	14	3.3	01.3-05.3	1	0.2	00.0-00.6	3	0.4	00.0-01.0	25	6.1	03.0-09.2
45-54	914	129,631	722	72.2	68.1-76.3	157	22.7	19.0-26.4	8	2.4	00.4-04.4	1	0.0	00.0-00.0	6	1.0	00.0-02.0	20	1.7	00.5-02.9
55-64	1019	114,964	856	78.5	74.6-82.4	133	17.3	13.6-21.0	6	1.6	00.2-03.0				7	0.7	00.0-01.7	17	1.9	00.5-03.3
65+	1689	140,070	1484	82.8	79.9-85.7	163	14.1	11.6-16.6	7	0.7	00.0-01.5	2	0.1	00.0-00.3	12	0.8	00.0-01.6	21	1.6	00.4-02.8
Less Than H.S.	332	93,371	227	59.9	52.6-67.2	86	30.8	24.1-37.5				1	1.2	00.0-03.6	5	0.4	00.0-00.8	13	7.7	03.0-12.4
H.S. or G.E.D.	1541	217,896	1246	72.1	68.8-75.4	244	21.5	18.6-24.4	9	1.7	00.3-03.1	1	0.1	00.0-00.3	10	0.8	00.0-01.8	31	3.8	02.0-05.6
Some Post-H.S.	1384	208,907	1111	73.1	69.8-76.4	213	20.2	17.3-23.1	8	1.5	00.3-02.7	2	0.1	00.0-00.3	15	2.1	00.9-03.3	35	2.9	01.5-04.3
College Graduate	1861	179,671	1537	74.4	71.5-77.3	219	15.6	13.2-18.0	46	6.5	04.3-08.7	5	0.1	00.0-00.3	8	0.6	00.0-01.2	46	2.7	01.5-03.9
Less than \$15,000	593	80,868	444	66.5	60.8-72.2	125	28.0	22.7-33.3	2	0.4	00.0-01.0	1	0.1	00.0-00.3	5	0.3	00.1-00.5	16	4.7	01.4-08.0
\$15,000- 24,999	528	76,436	354	54.0	47.7-60.3	146	38.2	31.9-44.5	1	0.6	00.0-01.8	1	0.3	00.0-00.9	8	0.7	00.1-01.3	18	6.2	02.5-09.9
\$25,000- 34,999	484	63,261	378	70.3	64.0-76.6	83	21.0	16.1-25.9	1	0.1	00.0-00.3	1	0.3	00.0-00.9	6	2.2	00.0-04.4	15	6.2	01.3-11.1
\$35,000- 49,999	639	87,720	517	72.4	67.3-77.5	90	19.6	15.3-23.9	2	1.1	00.0-02.7	2	0.1	00.0-00.3	7	1.6	00.2-03.0	21	5.3	02.4-08.2
\$50,000- 74,999	759	103,285	628	73.3	68.4-78.2	97	18.0	13.9-22.1	12	3.3	00.9-05.7	3	1.2	00.0-03.4	4	1.3	00.0-02.9	15	2.9	00.9-04.9
\$75,000+	1420	196,143	1229	79.3	76.2-82.4	130	13.6	10.9-16.3	31	5.2	03.0-07.4				6	0.8	00.0-01.6	24	1.1	00.5-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1986	335,447	1610	71.5	68.6-74.4	264	19.8	17.3-22.3	35	3.3	01.9-04.7	3	0.4	00.0-01.0	14	1.1	00.3-01.9	60	3.8	02.4-05.2
18-24	154	45,736	96	58.0	48.4-67.6	40	27.1	18.7-35.5	6	4.6	00.5-08.7	1	2.4	00.0-07.1	3	3.0	00.0-07.7	8	4.9	00.6-09.2
25-34	206	56,693	146	61.9	53.3-70.5	38	23.2	15.8-30.6	7	4.4	00.7-08.1	1	0.3	00.0-00.9	2	1.9	00.0-04.4	12	8.2	02.5-13.9
35-44	248	53,635	193	69.2	61.6-76.8	34	19.7	13.2-26.2	10	5.1	01.6-08.6				1	0.4	00.0-01.2	10	5.6	01.1-10.1
45-54	344	62,598	278	74.8	68.3-81.3	47	19.1	13.4-24.8	6	4.2	00.3-08.1	1	0.0	00.0-00.0	2	0.5	00.0-01.1	10	1.4	00.2-02.6
55-64	397	53,967	341	79.8	73.1-86.5	44	16.1	10.0-22.2	3	1.9	00.0-04.4				1	0.1	00.0-00.3	8	2.1	00.0-04.6
65+	624	61,282	544	81.2	76.5-85.9	61	16.0	11.5-20.5	3	0.4	00.0-01.0				5	1.1	00.0-02.5	11	1.3	00.5-02.1
Less Than H.S.	167	56,563	112	57.7	47.9-67.5	42	31.1	21.9-40.3				1	2.0	00.0-05.7	3	0.4	00.0-01.0	9	8.8	02.3-15.3
H.S. or G.E.D.	576	101,801	465	72.2	66.9-77.5	87	20.4	15.9-24.9	6	2.7	00.2-05.2				4	1.3	00.0-03.5	14	3.3	00.9-05.7
Some Post-H.S.	495	91,277	394	73.0	67.7-78.3	75	19.5	14.8-24.2	6	2.7	00.2-05.2	1	0.2	00.0-00.6	6	2.2	00.2-04.2	13	2.4	00.8-04.0
College Graduate	747	85,687	638	78.1	73.6-82.6	60	12.1	08.8-15.4	23	7.0	03.7-10.3	1	0.0	00.0-00.0	1	0.1	00.0-00.3	24	2.7	01.1-04.3
Less than \$15,000	215	39,477	157	66.1	56.9-75.3	48	28.7	20.1-37.3	1	0.3	00.0-00.9				2	0.3	00.0-00.7	7	4.6	00.0-09.5
\$15,000- 24,999	167	29,870	116	53.4	42.4-64.4	41	41.1	29.9-52.3							2	0.3	00.0-00.7	8	5.2	00.0-10.5
\$25,000- 34,999	171	28,124	135	70.4	59.6-81.2	23	15.0	07.9-22.1	1	0.1	00.0-00.3	1	0.6	00.0-01.8	2	2.1	00.0-05.2	9	11.9	01.7-22.1
\$35,000- 49,999	244	41,860	204	74.4	66.6-82.2	27	16.3	10.0-22.6	2	2.2	00.0-05.3				3	1.0	00.0-02.4	8	6.0	01.1-10.9
\$50,000- 74,999	308	52,313	250	70.8	63.2-78.4	37	16.3	10.4-22.2	9	5.6	01.5-09.7	2	2.2	00.0-06.3	3	2.2	00.0-05.1	7	3.0	00.5-05.5
\$75,000+	673	108,098	588	80.6	76.1-85.1	54	12.9	09.2-16.6	17	5.6	02.5-08.7				1	0.2	00.0-00.6	13	0.7	00.3-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3138	365,134	2515	71.2	68.8-73.6	499	21.8	19.6-24.0	28	2.0	01.2-02.8	6	0.2	00.0-00.4	24	1.1	00.5-01.7	66	3.8	02.4-05.2
18-24	151	42,737	106	66.5	57.9-75.1	32	22.3	15.0-29.6	4	3.4	00.1-06.7				2	1.8	00.0-04.3	7	6.0	00.7-11.3
25-34	316	56,867	210	61.7	54.8-68.6	77	26.0	19.9-32.1	9	4.3	01.4-07.2	3	0.4	00.0-01.0	3	1.2	00.0-02.8	14	6.4	02.1-10.7
35-44	381	56,028	274	61.9	55.0-68.8	85	29.1	22.8-35.4	4	1.6	00.0-03.4	1	0.4	00.0-01.2	2	0.4	00.0-01.2	15	6.5	02.0-11.0
45-54	570	67,033	444	69.9	64.6-75.2	110	26.0	20.9-31.1	2	0.8	00.0-02.0				4	1.4	00.0-03.2	10	1.9	00.0-03.9
55-64	622	60,997	515	77.3	72.6-82.0	89	18.4	14.1-22.7	3	1.3	00.0-02.9				6	1.3	00.0-02.9	9	1.6	00.4-02.8
65+	1065	78,788	940	84.0	80.5-87.5	102	12.5	09.6-15.4	4	0.9	00.0-02.3	2	0.1	00.0-00.3	7	0.5	00.0-01.1	10	1.9	00.0-03.9
Less Than H.S.	165	36,809	115	63.4	53.4-73.4	44	30.2	20.8-39.6							2	0.4	00.0-01.0	4	6.1	00.0-12.4
H.S. or G.E.D.	965	116,095	781	72.0	67.7-76.3	157	22.4	18.7-26.1	3	0.8	00.0-01.8	1	0.2	00.0-00.6	6	0.3	00.0-00.7	17	4.3	01.6-07.0
Some Post-H.S.	889	117,630	717	73.1	69.0-77.2	138	20.8	17.1-24.5	2	0.6	00.0-01.4	1	0.1	00.0-00.3	9	2.0	00.4-03.6	22	3.3	01.3-05.3
College Graduate	1114	93,984	899	70.9	67.0-74.8	159	18.9	15.8-22.0	23	6.1	03.4-08.8	4	0.2	00.0-00.4	7	1.1	00.1-02.1	22	2.8	01.2-04.4
Less than \$15,000	378	41,391	287	66.9	60.0-73.8	77	27.3	21.0-33.6	1	0.6	00.0-01.8	1	0.1	00.0-00.3	3	0.3	00.0-00.7	9	4.8	00.3-09.3
\$15,000- 24,999	361	46,567	238	54.4	46.8-62.0	105	36.4	29.1-43.7	1	1.0	00.0-03.0	1	0.5	00.0-01.5	6	0.9	00.0-01.9	10	6.8	01.7-11.9
\$25,000- 34,999	313	35,137	243	70.2	63.1-77.3	60	25.9	19.0-32.8							4	2.3	00.0-05.2	6	1.6	00.0-03.2
\$35,000- 49,999	395	45,860	313	70.6	63.9-77.3	63	22.5	16.4-28.6				2	0.2	00.0-00.4	4	2.1	00.0-04.6	13	4.6	01.3-07.9
\$50,000- 74,999	451	50,973	378	75.9	69.8-82.0	60	19.8	14.1-25.5	3	1.0	00.0-02.4	1	0.1	00.0-00.3	1	0.3	00.0-00.9	8	2.9	00.0-06.0
\$75,000+	747	88,045	641	77.7	73.4-82.0	76	14.5	10.8-18.2	14	4.6	02.1-07.1				5	1.5	00.0-03.1	11	1.7	00.3-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5124	700,581	4076	70.6	68.6-72.6	740	20.5	18.9-22.1	61	2.6	01.8-03.4	9	0.3	00.0-00.7	35	1.0	00.4-01.6	203	5.0	04.0-06.0
Male	1986	335,447	1588	70.6	67.7-73.5	255	19.6	17.1-22.1	33	3.3	01.9-04.7	3	0.4	00.0-01.0	13	1.1	00.3-01.9	94	5.0	03.4-06.6
Female	3138	365,134	2488	70.7	68.3-73.1	485	21.2	19.0-23.4	28	2.0	01.2-02.8	6	0.2	00.0-00.4	22	0.9	00.3-01.5	109	5.0	03.6-06.4
18-24	305	88,474	195	61.2	54.5-67.9	69	24.3	18.6-30.0	9	3.9	01.2-06.6	1	1.3	00.0-03.7	4	1.9	00.0-04.4	27	7.5	03.8-11.2
25-34	522	113,560	349	61.1	55.6-66.6	107	23.3	18.6-28.0	16	4.4	02.0-06.8	4	0.3	00.0-00.7	5	1.5	00.0-03.1	41	9.3	05.6-13.0
35-44	629	109,663	459	64.2	59.1-69.3	116	24.2	19.7-28.7	13	3.2	01.2-05.2	1	0.2	00.0-00.6	3	0.4	00.0-01.0	37	7.7	04.4-11.0
45-54	914	129,631	712	71.5	67.4-75.6	154	22.5	18.8-26.2	8	2.4	00.4-04.4	1	0.0	00.0-00.0	6	1.0	00.0-02.0	33	2.5	01.1-03.9
55-64	1019	114,964	850	78.1	74.2-82.0	131	17.1	13.4-20.8	6	1.6	00.2-03.0				7	0.7	00.0-01.7	25	2.5	01.1-03.9
65+	1689	140,070	1473	82.3	79.4-85.2	159	14.0	11.5-16.5	7	0.7	00.0-01.5	2	0.1	00.0-00.3	10	0.7	00.1-01.3	38	2.3	01.1-03.5
Less Than H.S.	332	93,371	225	59.7	52.4-67.0	82	30.1	23.4-36.8				1	1.2	00.0-03.6	5	0.4	00.0-00.8	19	8.6	03.9-13.3
H.S. or G.E.D.	1541	217,896	1228	71.2	67.9-74.5	238	21.2	18.3-24.1	8	1.6	00.2-03.0	1	0.1	00.0-00.3	9	0.7	00.0-01.7	57	5.2	03.2-07.2
Some Post-H.S.	1384	208,907	1090	72.0	68.7-75.3	207	19.6	16.7-22.5	7	1.5	00.3-02.7	2	0.1	00.0-00.3	14	1.9	00.7-03.1	64	4.9	03.3-06.5
College Graduate	1861	179,671	1529	74.1	71.2-77.0	212	15.5	13.1-17.9	46	6.5	04.3-08.7	5	0.1	00.0-00.3	7	0.6	00.0-01.2	62	3.1	01.9-04.3
Less than \$15,000	593	80,868	439	65.4	59.7-71.1	121	27.5	22.2-32.8	2	0.4	00.0-01.0	1	0.1	00.0-00.3	4	0.2	00.0-00.4	26	6.3	02.8-09.8
\$15,000- 24,999	528	76,436	345	52.9	46.6-59.2	141	37.5	31.2-43.8	1	0.6	00.0-01.8	1	0.3	00.0-00.9	7	0.7	00.1-01.3	33	8.0	04.1-11.9
\$25,000- 34,999	484	63,261	372	69.3	63.0-75.6	81	20.5	15.6-25.4	1	0.1	00.0-00.3	1	0.3	00.0-00.9	5	1.4	00.0-03.0	24	8.5	03.4-13.6
\$35,000- 49,999	639	87,720	509	71.7	66.6-76.8	85	18.4	14.3-22.5	2	1.1	00.0-02.7	2	0.1	00.0-00.3	7	1.6	00.2-03.0	34	7.2	03.9-10.5
\$50,000- 74,999	759	103,285	622	72.9	68.0-77.8	95	17.9	13.8-22.0	12	3.3	00.9-05.7	3	1.2	00.0-03.4	4	1.3	00.0-02.9	23	3.5	01.3-05.7
\$75,000+	1420	196,143	1218	78.6	75.5-81.7	128	13.6	10.9-16.3	30	5.1	02.9-07.3				6	0.8	00.0-01.6	38	1.9	01.1-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1986	335,447	1588	70.6	67.7-73.5	255	19.6	17.1-22.1	33	3.3	01.9-04.7	3	0.4	00.0-01.0	13	1.1	00.3-01.9	94	5.0	03.4-06.6
18-24	154	45,736	94	57.5	47.9-67.1	38	26.6	18.2-35.0	5	4.3	00.2-08.4	1	2.4	00.0-07.1	3	3.0	00.0-07.7	13	6.2	01.7-10.7
25-34	206	56,693	141	60.8	52.2-69.4	35	22.8	15.4-30.2	7	4.4	00.7-08.1	1	0.3	00.0-00.9	2	1.9	00.0-04.4	20	9.7	04.0-15.4
35-44	248	53,635	188	67.3	59.7-74.9	32	19.4	12.9-25.9	9	4.8	01.3-08.3				1	0.4	00.0-01.2	18	8.1	03.2-13.0
45-54	344	62,598	274	73.8	67.3-80.3	47	19.1	13.4-24.8	6	4.2	00.3-08.1	1	0.0	00.0-00.0	2	0.5	00.0-01.1	14	2.4	00.8-04.0
55-64	397	53,967	340	79.7	73.0-86.4	43	15.7	09.6-21.8	3	1.9	00.0-04.4				1	0.1	00.0-00.3	10	2.6	00.1-05.1
65+	624	61,282	539	80.6	75.9-85.3	60	16.0	11.5-20.5	3	0.4	00.0-01.0				4	1.0	00.0-02.4	18	2.0	01.0-03.0
Less Than H.S.	167	56,563	110	57.2	47.4-67.0	42	31.1	21.9-40.3				1	2.0	00.0-05.7	3	0.4	00.0-01.0	11	9.2	02.7-15.7
H.S. or G.E.D.	576	101,801	455	71.0	65.7-76.3	82	19.8	15.3-24.3	5	2.6	00.1-05.1				3	1.2	00.0-03.4	31	5.3	02.8-07.8
Some Post-H.S.	495	91,277	385	71.5	66.2-76.8	73	19.3	14.6-24.0	5	2.5	00.0-05.0	1	0.2	00.0-00.6	6	2.2	00.2-04.2	25	4.1	02.1-06.1
College Graduate	747	85,687	637	78.1	73.6-82.6	58	12.0	08.7-15.3	23	7.0	03.7-10.3	1	0.0	00.0-00.0	1	0.1	00.0-00.3	27	2.8	01.2-04.4
Less than \$15,000	215	39,477	155	64.7	55.5-73.9	47	28.6	20.0-37.2	1	0.3	00.0-00.9				1	0.2	00.0-00.6	11	6.3	01.0-11.6
\$15,000- 24,999	167	29,870	116	53.4	42.4-64.4	41	41.1	29.9-52.3							2	0.3	00.0-00.7	8	5.2	00.0-10.5
\$25,000- 34,999	171	28,124	130	68.3	57.5-79.1	21	13.7	06.8-20.6	1	0.1	00.0-00.3	1	0.6	00.0-01.8	2	2.1	00.0-05.2	16	15.1	04.9-25.3
\$35,000- 49,999	244	41,860	199	73.1	65.3-80.9	27	16.3	10.0-22.6	2	2.2	00.0-05.3				3	1.0	00.0-02.4	13	7.3	02.2-12.4
\$50,000- 74,999	308	52,313	246	70.2	62.6-77.8	35	16.1	10.2-22.0	9	5.6	01.5-09.7	2	2.2	00.0-06.3	3	2.2	00.0-05.1	13	3.8	01.3-06.3
\$75,000+	673	108,098	582	79.8	75.3-84.3	53	12.9	09.2-16.6	16	5.5	02.4-08.6				1	0.2	00.0-00.6	21	1.7	00.7-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3138	365,134	2488	70.7	68.3-73.1	485	21.2	19.0-23.4	28	2.0	01.2-02.8	6	0.2	00.0-00.4	22	0.9	00.3-01.5	109	5.0	03.6-06.4
18-24	151	42,737	101	65.2	56.6-73.8	31	21.8	14.5-29.1	4	3.4	00.1-06.7				1	0.7	00.0-02.1	14	9.0	03.1-14.9
25-34	316	56,867	208	61.5	54.6-68.4	72	23.8	17.9-29.7	9	4.3	01.4-07.2	3	0.4	00.0-01.0	3	1.2	00.0-02.8	21	8.9	04.0-13.8
35-44	381	56,028	271	61.3	54.4-68.2	84	28.8	22.5-35.1	4	1.6	00.0-03.4	1	0.4	00.0-01.2	2	0.4	00.0-01.2	19	7.4	02.7-12.1
45-54	570	67,033	438	69.4	64.1-74.7	107	25.7	20.6-30.8	2	0.8	00.0-02.0				4	1.4	00.0-03.2	19	2.7	00.7-04.7
55-64	622	60,997	510	76.6	71.9-81.3	88	18.4	14.1-22.7	3	1.3	00.0-02.9				6	1.3	00.0-02.9	15	2.4	01.0-03.8
65+	1065	78,788	934	83.6	80.1-87.1	99	12.4	09.5-15.3	4	0.9	00.0-02.3	2	0.1	00.0-00.3	6	0.5	00.0-01.1	20	2.5	00.5-04.5
Less Than H.S.	165	36,809	115	63.4	53.4-73.4	40	28.6	19.4-37.8							2	0.4	00.0-01.0	8	7.6	01.1-14.1
H.S. or G.E.D.	965	116,095	773	71.3	67.0-75.6	156	22.4	18.7-26.1	3	0.8	00.0-01.8	1	0.2	00.0-00.6	6	0.3	00.0-00.7	26	5.0	02.3-07.7
Some Post-H.S.	889	117,630	705	72.3	68.2-76.4	134	19.8	16.1-23.5	2	0.6	00.0-01.4	1	0.1	00.0-00.3	8	1.6	00.2-03.0	39	5.5	03.1-07.9
College Graduate	1114	93,984	892	70.4	66.5-74.3	154	18.8	15.7-21.9	23	6.1	03.4-08.8	4	0.2	00.0-00.4	6	1.1	00.1-02.1	35	3.4	01.8-05.0
Less than \$15,000	378	41,391	284	66.2	59.3-73.1	74	26.5	20.2-32.8	1	0.6	00.0-01.8	1	0.1	00.0-00.3	3	0.3	00.0-00.7	15	6.3	01.6-11.0
\$15,000- 24,999	361	46,567	229	52.6	45.0-60.2	100	35.2	27.9-42.5	1	1.0	00.0-03.0	1	0.5	00.0-01.5	5	0.9	00.0-01.9	25	9.7	04.4-15.0
\$25,000- 34,999	313	35,137	242	70.1	63.0-77.2	60	25.9	19.0-32.8							3	0.9	00.0-02.3	8	3.1	00.2-06.0
\$35,000- 49,999	395	45,860	310	70.4	63.9-76.9	58	20.3	14.8-25.8				2	0.2	00.0-00.4	4	2.1	00.0-04.6	21	7.0	02.5-11.5
\$50,000- 74,999	451	50,973	376	75.6	69.5-81.7	60	19.8	14.1-25.5	3	1.0	00.0-02.4	1	0.1	00.0-00.3	1	0.3	00.0-00.9	10	3.2	00.0-06.5
\$75,000+	747	88,045	636	77.1	72.8-81.4	75	14.5	10.8-18.2	14	4.6	02.1-07.1				5	1.5	00.0-03.1	17	2.3	00.9-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4991	654,464	4014	72.8	71.0-74.6	731	21.6	19.8-23.4	60	2.7	01.9-03.5	8	0.1	00.0-00.3	32	0.9	00.5-01.3	146	2.0	01.6-02.4
Male	1926	311,761	1561	73.0	70.1-75.9	251	20.6	17.9-23.3	32	3.3	01.9-04.7	2	0.1	00.0-00.3	12	1.0	00.2-01.8	68	2.1	01.5-02.7
Female	3065	342,703	2453	72.6	70.2-75.0	480	22.4	20.2-24.6	28	2.2	01.2-03.2	6	0.2	00.0-00.4	20	0.8	00.2-01.4	78	1.8	01.2-02.4
18-24	288	79,271	190	64.3	57.8-70.8	68	26.9	20.8-33.0	9	4.3	01.4-07.2				3	1.7	00.0-04.4	18	2.8	01.4-04.2
25-34	489	99,136	339	65.5	60.2-70.8	105	26.4	21.3-31.5	15	4.2	01.8-06.6	4	0.4	00.0-00.8	4	1.1	00.0-02.3	22	2.4	01.0-03.8
35-44	604	98,681	449	67.0	62.1-71.9	115	26.1	21.4-30.8	13	3.5	01.3-05.7	1	0.3	00.0-00.9	3	0.5	00.0-01.1	23	2.7	01.3-04.1
45-54	891	124,942	700	72.5	68.4-76.6	151	23.0	19.1-26.9	8	2.5	00.3-04.7	1	0.0	00.0-00.0	5	0.8	00.0-01.8	26	1.2	00.6-01.8
55-64	1000	110,754	837	78.4	74.5-82.3	130	17.7	14.0-21.4	6	1.7	00.3-03.1				7	0.8	00.0-01.8	20	1.5	00.7-02.3
65+	1674	137,514	1462	82.8	80.1-85.5	158	14.1	11.6-16.6	7	0.7	00.0-01.5	2	0.1	00.0-00.3	10	0.7	00.0-01.5	35	1.6	01.0-02.2
Less Than H.S.	306	77,621	212	62.4	55.1-69.7	80	35.0	27.7-42.3							5	0.5	00.0-01.1	9	2.1	00.5-03.7
H.S. or G.E.D.	1514	207,621	1217	73.4	70.3-76.5	238	22.2	19.3-25.1	8	1.7	00.3-03.1	1	0.1	00.0-00.3	9	0.8	00.0-01.8	41	1.8	01.2-02.4
Some Post-H.S.	1346	196,864	1075	74.1	71.0-77.2	202	20.4	17.5-23.3	6	1.1	00.1-02.1	2	0.1	00.0-00.3	12	1.5	00.5-02.5	49	2.7	01.9-03.5
College Graduate	1820	171,965	1507	75.2	72.3-78.1	210	16.1	13.7-18.5	46	6.8	04.6-09.0	5	0.1	00.0-00.3	6	0.5	00.0-01.1	46	1.2	00.8-01.6
Less than \$15,000	570	71,516	427	67.3	61.8-72.8	119	29.8	24.3-35.3	2	0.5	00.0-01.3	1	0.1	00.0-00.3	4	0.3	00.1-00.5	17	2.1	00.9-03.3
\$15,000- 24,999	507	69,507	335	54.7	48.2-61.2	139	40.7	34.2-47.2	1	0.7	00.0-02.1	1	0.4	00.0-01.2	7	0.7	00.1-01.3	24	2.8	01.4-04.2
\$25,000- 34,999	466	55,699	364	72.5	67.0-78.0	80	23.0	17.7-28.3	1	0.1	00.0-00.3	1	0.3	00.0-00.9	5	1.6	00.0-03.4	15	2.5	01.1-03.9
\$35,000- 49,999	627	83,169	506	74.7	70.0-79.4	85	19.4	15.1-23.7	2	1.1	00.0-02.7	2	0.1	00.0-00.3	6	1.3	00.0-02.7	26	3.3	01.5-05.1
\$50,000- 74,999	739	96,624	615	76.2	71.7-80.7	94	19.0	14.7-23.3	11	2.7	00.9-04.5	2	0.1	00.0-00.3	3	0.7	00.0-01.7	14	1.2	00.4-02.0
\$75,000+	1394	189,889	1201	78.9	75.6-82.2	126	13.9	11.2-16.6	30	5.2	03.0-07.4				5	0.7	00.0-01.5	32	1.2	00.6-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1926	311,761	1561	73.0	70.1-75.9	251	20.6	17.9-23.3	32	3.3	01.9-04.7	2	0.1	00.0-00.3	12	1.0	00.2-01.8	68	2.1	01.5-02.7
18-24	145	40,758	91	59.7	50.1-69.3	37	29.5	20.5-38.5	5	4.9	00.2-09.6				3	3.4	00.0-08.7	9	2.6	00.6-04.6
25-34	192	48,722	138	65.8	57.4-74.2	34	26.1	17.9-34.3	6	3.5	00.4-06.6	1	0.3	00.0-00.9	1	0.9	00.0-02.7	12	3.3	00.8-05.8
35-44	236	47,828	184	71.6	64.3-78.9	31	20.1	13.4-26.8	9	5.4	01.5-09.3				1	0.5	00.0-01.5	11	2.5	00.9-04.1
45-54	333	60,176	268	74.4	67.7-81.1	46	19.6	13.7-25.5	6	4.4	00.3-08.5	1	0.1	00.0-00.3	2	0.5	00.0-01.1	10	1.2	00.4-02.0
55-64	391	52,217	336	80.3	73.8-86.8	43	16.2	09.9-22.5	3	2.0	00.0-04.5				1	0.1	00.0-00.3	8	1.4	00.0-02.8
65+	617	60,576	533	80.5	75.8-85.2	60	16.2	11.5-20.9	3	0.4	00.0-01.0				4	1.0	00.0-02.4	17	1.9	00.9-02.9
Less Than H.S.	152	45,680	103	60.4	50.2-70.6	41	36.8	26.6-47.0							3	0.6	00.0-01.4	5	2.3	00.0-04.7
H.S. or G.E.D.	565	97,984	451	73.0	67.9-78.1	82	20.6	16.1-25.1	5	2.7	00.2-05.2				3	1.3	00.0-03.5	24	2.4	01.2-03.6
Some Post-H.S.	477	85,379	379	73.8	68.7-78.9	70	20.0	15.1-24.9	4	1.8	00.0-03.8	1	0.2	00.0-00.6	5	1.6	00.0-03.2	18	2.5	01.1-03.9
College Graduate	731	82,599	627	79.0	74.5-83.5	58	12.4	08.9-15.9	23	7.2	03.7-10.7	1	0.0	00.0-00.0	1	0.1	00.0-00.3	21	1.2	00.6-01.8
Less than \$15,000	201	32,680	147	66.1	57.1-75.1	45	31.6	22.6-40.6	1	0.3	00.0-00.9				1	0.2	00.0-00.6	7	1.8	00.2-03.4
\$15,000- 24,999	161	28,350	114	55.7	44.3-67.1	40	42.6	31.0-54.2							2	0.4	00.0-01.0	5	1.3	00.1-02.5
\$25,000- 34,999	163	23,917	128	76.1	67.5-84.7	21	16.2	08.6-23.8	1	0.1	00.0-00.3	1	0.7	00.0-02.1	2	2.4	00.0-06.1	10	4.4	01.3-07.5
\$35,000- 49,999	237	39,394	196	75.7	68.3-83.1	27	17.3	10.6-24.0	2	2.4	00.0-05.7				3	1.1	00.0-02.5	9	3.5	00.6-06.4
\$50,000- 74,999	297	47,955	243	75.3	68.4-82.2	35	17.6	11.3-23.9	8	4.4	01.1-07.7	1	0.1	00.0-00.3	2	1.0	00.0-02.8	8	1.6	00.2-03.0
\$75,000+	662	104,662	573	79.5	74.8-84.2	53	13.3	09.4-17.2	16	5.7	02.4-09.0				1	0.2	00.0-00.6	19	1.3	00.5-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3065	342,703	2453	72.6	70.2-75.0	480	22.4	20.2-24.6	28	2.2	01.2-03.2	6	0.2	00.0-00.4	20	0.8	00.2-01.4	78	1.8	01.2-02.4
18-24	143	38,512	99	69.1	60.7-77.5	31	24.2	16.4-32.0	4	3.8	00.1-07.5							9	2.9	00.7-05.1
25-34	297	50,414	201	65.2	58.5-71.9	71	26.6	20.3-32.9	9	4.8	01.5-08.1	3	0.4	00.0-01.0	3	1.3	00.0-03.1	10	1.6	00.4-02.8
35-44	368	50,853	265	62.7	56.0-69.4	84	31.7	25.0-38.4	4	1.8	00.0-03.8	1	0.5	00.0-01.5	2	0.5	00.0-01.3	12	2.8	00.8-04.8
45-54	558	64,766	432	70.7	65.4-76.0	105	26.2	21.1-31.3	2	0.8	00.0-02.0				3	1.1	00.0-02.7	16	1.3	00.5-02.1
55-64	609	58,537	501	76.7	72.0-81.4	87	19.0	14.5-23.5	3	1.4	00.0-03.0				6	1.4	00.0-03.2	12	1.6	00.6-02.6
65+	1057	76,938	929	84.6	81.3-87.9	98	12.6	09.7-15.5	4	0.9	00.0-02.3	2	0.1	00.0-00.3	6	0.5	00.0-01.1	18	1.3	00.5-02.1
Less Than H.S.	154	31,941	109	65.3	55.1-75.5	39	32.4	22.4-42.4							2	0.4	00.0-01.0	4	1.9	00.0-03.9
H.S. or G.E.D.	949	109,637	766	73.7	69.8-77.6	156	23.7	19.8-27.6	3	0.8	00.0-01.8	1	0.2	00.0-00.6	6	0.3	00.0-00.7	17	1.3	00.5-02.1
Some Post-H.S.	869	111,485	696	74.3	70.4-78.2	132	20.7	17.0-24.4	2	0.6	00.0-01.6	1	0.1	00.0-00.3	7	1.4	00.0-02.8	31	2.8	01.6-04.0
College Graduate	1089	89,366	880	71.7	67.8-75.6	152	19.5	16.2-22.8	23	6.5	03.8-09.2	4	0.2	00.0-00.4	5	0.9	00.0-01.9	25	1.3	00.7-01.9
Less than \$15,000	369	38,836	280	68.3	61.6-75.0	74	28.3	21.8-34.8	1	0.6	00.0-01.8	1	0.2	00.0-00.6	3	0.3	00.0-00.7	10	2.4	00.6-04.2
\$15,000- 24,999	346	41,157	221	54.0	46.4-61.6	99	39.4	31.8-47.0	1	1.1	00.0-03.3	1	0.6	00.0-01.8	5	1.0	00.0-02.0	19	3.9	01.7-06.1
\$25,000- 34,999	303	31,781	236	69.8	62.5-77.1	59	28.2	20.9-35.5							3	1.0	00.0-02.6	5	1.0	00.0-02.0
\$35,000- 49,999	390	43,775	310	73.8	67.7-79.9	58	21.3	15.6-27.0				2	0.2	00.0-00.4	3	1.6	00.0-04.0	17	3.2	01.0-05.4
\$50,000- 74,999	442	48,669	372	77.1	71.2-83.0	59	20.5	14.6-26.4	3	1.1	00.0-02.7	1	0.1	00.0-00.3	1	0.3	00.0-00.9	6	0.9	00.1-01.7
\$75,000+	732	85,227	628	78.1	73.6-82.6	73	14.7	11.0-18.4	14	4.7	02.2-07.2				4	1.3	00.0-02.9	13	1.2	00.4-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5146	707,154	4014	67.4	65.4-69.4	1132	32.6	30.6-34.6
Male	1993	337,362	1561	67.4	64.3-70.5	432	32.6	29.5-35.7
Female	3153	369,791	2453	67.3	64.9-69.7	700	32.7	30.3-35.1
18-24	309	90,762	190	56.1	49.4-62.8	119	43.9	37.2-50.6
25-34	524	114,339	339	56.8	51.3-62.3	185	43.2	37.7-48.7
35-44	640	112,115	449	59.0	53.9-64.1	191	41.0	35.9-46.1
45-54	916	130,105	700	69.6	65.5-73.7	216	30.4	26.3-34.5
55-64	1020	115,256	837	75.3	71.2-79.4	183	24.7	20.6-28.8
65+	1691	140,358	1462	81.1	78.2-84.0	229	18.9	16.0-21.8
Less Than H.S.	335	94,190	212	51.4	44.3-58.5	123	48.6	41.5-55.7
H.S. or G.E.D.	1551	221,559	1217	68.7	65.4-72.0	334	31.3	28.0-34.6
Some Post-H.S.	1389	210,517	1075	69.3	66.0-72.6	314	30.7	27.4-34.0
College Graduate	1865	180,153	1507	71.8	68.9-74.7	358	28.2	25.3-31.1
Less than \$15,000	596	81,498	427	59.0	52.9-65.1	169	41.0	34.9-47.1
\$15,000- 24,999	530	77,088	335	49.3	43.0-55.6	195	50.7	44.4-57.0
\$25,000- 34,999	485	63,568	364	63.5	56.8-70.2	121	36.5	29.8-43.2
\$35,000- 49,999	644	89,284	506	69.6	64.5-74.7	138	30.4	25.3-35.5
\$50,000- 74,999	765	104,508	615	70.5	65.6-75.4	150	29.5	24.6-34.4
\$75,000+	1421	196,356	1201	76.3	73.0-79.6	220	23.7	20.4-27.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1993	337,362	1561	67.4	64.3-70.5	432	32.6	29.5-35.7
18-24	154	45,650	91	53.3	43.7-62.9	63	46.7	37.1-56.3
25-34	207	57,219	138	56.1	47.5-64.7	69	43.9	35.3-52.5
35-44	251	54,346	184	63.0	55.2-70.8	67	37.0	29.2-44.8
45-54	346	63,072	268	71.0	64.5-77.5	78	29.0	22.5-35.5
55-64	398	54,259	336	77.3	70.6-84.0	62	22.7	16.0-29.4
65+	624	61,282	533	79.6	74.9-84.3	91	20.4	15.7-25.1
Less Than H.S.	169	57,255	103	48.2	38.6-57.8	66	51.8	42.2-61.4
H.S. or G.E.D.	580	102,619	451	69.7	64.4-75.0	129	30.3	25.0-35.6
Some Post-H.S.	496	91,683	379	68.7	63.2-74.2	117	31.3	25.8-36.8
College Graduate	747	85,687	627	76.2	71.7-80.7	120	23.8	19.3-28.3
Less than \$15,000	216	39,539	147	54.6	44.8-64.4	69	45.4	35.6-55.2
\$15,000- 24,999	168	30,396	114	52.0	41.2-62.8	54	48.0	37.2-58.8
\$25,000- 34,999	172	28,431	128	64.0	52.8-75.2	44	36.0	24.8-47.2
\$35,000- 49,999	245	42,237	196	70.7	62.7-78.7	49	29.3	21.3-37.3
\$50,000- 74,999	310	52,880	243	68.3	60.7-75.9	67	31.7	24.1-39.3
\$75,000+	673	108,098	573	77.0	72.1-81.9	100	23.0	18.1-27.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 7: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3153	369,791	2453	67.3	64.9-69.7	700	32.7	30.3-35.1
18-24	155	45,112	99	59.0	49.8-68.2	56	41.0	31.8-50.2
25-34	317	57,120	201	57.5	50.6-64.4	116	42.5	35.6-49.4
35-44	389	57,770	265	55.2	48.3-62.1	124	44.8	37.9-51.7
45-54	570	67,033	432	68.3	63.0-73.6	138	31.7	26.4-37.0
55-64	622	60,997	501	73.6	68.7-78.5	121	26.4	21.5-31.3
65+	1067	79,076	929	82.3	78.6-86.0	138	17.7	14.0-21.4
Less Than H.S.	166	36,935	109	56.5	46.3-66.7	57	43.5	33.3-53.7
H.S. or G.E.D.	971	118,940	766	67.9	63.4-72.4	205	32.1	27.6-36.6
Some Post-H.S.	893	118,835	696	69.7	65.4-74.0	197	30.3	26.0-34.6
College Graduate	1118	94,466	880	67.8	63.9-71.7	238	32.2	28.3-36.1
Less than \$15,000	380	41,959	280	63.2	56.1-70.3	100	36.8	29.7-43.9
\$15,000- 24,999	362	46,692	221	47.6	40.0-55.2	141	52.4	44.8-60.0
\$25,000- 34,999	313	35,137	236	63.1	55.3-70.9	77	36.9	29.1-44.7
\$35,000- 49,999	399	47,047	310	68.6	61.9-75.3	89	31.4	24.7-38.1
\$50,000- 74,999	455	51,627	372	72.7	66.4-79.0	83	27.3	21.0-33.6
\$75,000+	748	88,258	628	75.4	70.9-79.9	120	24.6	20.1-29.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5146	707,154	4014	67.4	65.4-69.4	731	20.0	18.4-21.6	141	3.9	03.1-04.7	105	1.3	00.9-01.7	155	7.5	06.1-08.9
Male	1993	337,362	1561	67.4	64.3-70.5	251	19.1	16.6-21.6	68	4.6	03.0-06.2	46	1.3	00.9-01.7	67	7.6	05.4-09.8
Female	3153	369,791	2453	67.3	64.9-69.7	480	20.8	18.8-22.8	73	3.3	02.3-04.3	59	1.3	00.9-01.7	88	7.3	05.5-09.1
18-24	309	90,762	190	56.1	49.4-62.8	68	23.5	18.0-29.0	13	5.5	02.0-09.0	17	2.2	01.0-03.4	21	12.7	07.0-18.4
25-34	524	114,339	339	56.8	51.3-62.3	105	22.9	18.2-27.6	27	5.5	03.1-07.9	18	1.5	00.7-02.3	35	13.3	08.6-18.0
35-44	640	112,115	449	59.0	53.9-64.1	115	23.0	18.7-27.3	27	4.7	02.5-06.9	13	1.4	00.6-02.2	36	12.0	07.5-16.5
45-54	916	130,105	700	69.6	65.5-73.7	151	22.1	18.4-25.8	20	3.4	01.2-05.6	20	1.0	00.4-01.6	25	4.0	02.2-05.8
55-64	1020	115,256	837	75.3	71.2-79.4	130	17.0	13.5-20.5	23	3.1	01.3-04.9	10	0.7	00.1-01.3	20	3.9	01.9-05.9
65+	1691	140,358	1462	81.1	78.2-84.0	158	13.9	11.4-16.4	28	1.8	00.6-03.0	26	1.2	00.6-01.8	17	2.0	00.6-03.4
Less Than H.S.	335	94,190	212	51.4	44.3-58.5	80	28.8	22.1-35.5	9	1.4	00.2-02.6	5	0.8	00.0-01.6	29	17.6	11.1-24.1
H.S. or G.E.D.	1551	221,559	1217	68.7	65.4-72.0	238	20.8	17.9-23.7	24	2.6	01.0-04.2	35	1.5	00.9-02.1	37	6.3	03.9-08.7
Some Post-H.S.	1389	210,517	1075	69.3	66.0-72.6	202	19.1	16.2-22.0	30	3.3	01.9-04.7	39	1.8	01.2-02.4	43	6.5	04.1-08.9
College Graduate	1865	180,153	1507	71.8	68.9-74.7	210	15.4	13.0-17.8	77	7.6	05.4-09.8	26	0.7	00.3-01.1	45	4.5	02.9-06.1
Less than \$15,000	596	81,498	427	59.0	52.9-65.1	119	26.1	21.0-31.2	10	1.0	00.2-01.8	14	1.6	00.6-02.6	26	12.2	06.7-17.7
\$15,000- 24,999	530	77,088	335	49.3	43.0-55.6	139	36.7	30.4-43.0	13	1.9	00.3-03.5	20	2.2	01.0-03.4	23	9.8	05.1-14.5
\$25,000- 34,999	485	63,568	364	63.5	56.8-70.2	80	20.2	15.3-25.1	12	2.2	00.4-04.0	10	1.7	00.5-02.9	19	12.4	06.1-18.7
\$35,000- 49,999	644	89,284	506	69.6	64.5-74.7	85	18.1	14.0-22.2	15	3.6	01.2-06.0	21	1.9	00.9-02.9	17	6.8	03.3-10.3
\$50,000- 74,999	765	104,508	615	70.5	65.6-75.4	94	17.6	13.5-21.7	20	3.7	01.7-05.7	10	0.7	00.1-01.3	26	7.5	04.0-11.0
\$75,000+	1421	196,356	1201	76.3	73.0-79.6	126	13.5	11.0-16.0	49	6.2	04.0-08.4	18	0.8	00.4-01.2	27	3.3	01.7-04.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1993	337,362	1561	67.4	64.3-70.5	251	19.1	16.6-21.6	68	4.6	03.0-06.2	46	1.3	00.9-01.7	67	7.6	05.4-09.8
18-24	154	45,650	91	53.3	43.7-62.9	37	26.3	17.9-34.7	9	7.7	01.6-13.8	8	2.0	00.4-03.6	9	10.7	02.9-18.5
25-34	207	57,219	138	56.1	47.5-64.7	34	22.2	14.8-29.6	10	4.9	01.4-08.4	10	1.9	00.5-03.3	15	14.9	07.1-22.7
35-44	251	54,346	184	63.0	55.2-70.8	31	17.7	11.6-23.8	14	5.8	02.3-09.3	7	1.5	00.3-02.7	15	12.0	05.3-18.7
45-54	346	63,072	268	71.0	64.5-77.5	46	18.7	13.0-24.4	13	5.0	01.1-08.9	6	0.8	00.2-01.4	13	4.6	01.9-07.3
55-64	398	54,259	336	77.3	70.6-84.0	43	15.6	09.5-21.7	9	2.8	00.1-05.5	3	0.5	00.0-01.3	7	3.8	00.7-06.9
65+	624	61,282	533	79.6	74.9-84.3	60	16.0	11.5-20.5	13	2.2	00.6-03.8	11	1.2	00.4-02.0	7	1.2	00.2-02.2
Less Than H.S.	169	57,255	103	48.2	38.6-57.8	41	29.4	20.4-38.4	6	1.8	00.0-03.8	2	0.4	00.0-01.0	17	20.2	11.0-29.4
H.S. or G.E.D.	580	102,619	451	69.7	64.4-75.0	82	19.7	15.2-24.2	10	4.0	00.9-07.1	22	2.0	01.0-03.0	15	4.5	01.8-07.2
Some Post-H.S.	496	91,683	379	68.7	63.2-74.2	70	18.6	14.1-23.1	13	3.9	01.5-06.3	15	1.9	00.9-02.9	19	6.9	03.2-10.6
College Graduate	747	85,687	627	76.2	71.7-80.7	58	12.0	08.7-15.3	39	7.9	04.6-11.2	7	0.4	00.2-00.6	16	3.6	01.6-05.6
Less than \$15,000	216	39,539	147	54.6	44.8-64.4	45	26.1	17.9-34.3	4	0.9	00.0-01.9	5	1.0	00.0-02.0	15	17.3	07.7-26.9
\$15,000- 24,999	168	30,396	114	52.0	41.2-62.8	40	39.7	28.5-50.9	3	0.5	00.0-01.1	4	1.0	00.0-02.2	7	6.7	00.4-13.0
\$25,000- 34,999	172	28,431	128	64.0	52.8-75.2	21	13.6	06.9-20.3	5	2.9	00.0-06.2	9	3.6	01.1-06.1	9	15.9	04.7-27.1
\$35,000- 49,999	245	42,237	196	70.7	62.7-78.7	27	16.2	09.9-22.5	8	5.0	00.9-09.1	6	1.4	00.0-02.8	8	6.7	01.4-12.0
\$50,000- 74,999	310	52,880	243	68.3	60.7-75.9	35	16.0	10.3-21.7	13	5.7	02.2-09.2	6	0.8	00.0-01.6	13	9.3	03.4-15.2
\$75,000+	673	108,098	573	77.0	72.1-81.9	53	12.9	09.2-16.6	28	6.2	03.1-09.3	8	0.7	00.1-01.3	11	3.2	00.7-05.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3153	369,791	2453	67.3	64.9-69.7	480	20.8	18.8-22.8	73	3.3	02.3-04.3	59	1.3	00.9-01.7	88	7.3	05.5-09.1
18-24	155	45,112	99	59.0	49.8-68.2	31	20.7	13.6-27.8	4	3.2	00.1-06.3	9	2.5	00.7-04.3	12	14.6	06.6-22.6
25-34	317	57,120	201	57.5	50.6-64.4	71	23.5	17.8-29.2	17	6.1	02.8-09.4	8	1.2	00.2-02.2	20	11.7	06.2-17.2
35-44	389	57,770	265	55.2	48.3-62.1	84	27.9	21.6-34.2	13	3.7	01.3-06.1	6	1.2	00.0-02.4	21	12.0	06.1-17.9
45-54	570	67,033	432	68.3	63.0-73.6	105	25.3	20.2-30.4	7	1.9	00.0-03.9	14	1.1	00.3-01.9	12	3.4	01.0-05.8
55-64	622	60,997	501	73.6	68.7-78.5	87	18.2	13.9-22.5	14	3.3	00.9-05.7	7	0.9	00.1-01.7	13	4.0	01.6-06.4
65+	1067	79,076	929	82.3	78.6-86.0	98	12.2	09.3-15.1	15	1.6	00.2-03.0	15	1.2	00.4-02.0	10	2.7	00.5-04.9
Less Than H.S.	166	36,935	109	56.5	46.3-66.7	39	28.0	18.8-37.2	3	0.7	00.0-01.7	3	1.2	00.0-02.8	12	13.5	05.1-21.9
H.S. or G.E.D.	971	118,940	766	67.9	63.4-72.4	156	21.8	18.1-25.5	14	1.4	00.2-02.6	13	1.1	00.3-01.9	22	7.8	04.3-11.3
Some Post-H.S.	893	118,835	696	69.7	65.4-74.0	132	19.4	15.9-22.9	17	2.9	01.3-04.5	24	1.8	01.0-02.6	24	6.2	03.5-08.9
College Graduate	1118	94,466	880	67.8	63.9-71.7	152	18.4	15.3-21.5	38	7.4	04.7-10.1	19	0.9	00.3-01.5	29	5.4	03.2-07.6
Less than \$15,000	380	41,959	280	63.2	56.1-70.3	74	26.2	19.9-32.5	6	1.1	00.0-02.3	9	2.1	00.3-03.9	11	7.4	02.3-12.5
\$15,000- 24,999	362	46,692	221	47.6	40.0-55.2	99	34.7	27.4-42.0	10	2.8	00.3-05.3	16	3.0	01.2-04.8	16	11.9	05.4-18.4
\$25,000- 34,999	313	35,137	236	63.1	55.3-70.9	59	25.5	18.6-32.4	7	1.7	00.1-03.3	1	0.2	00.0-00.6	10	9.5	03.0-16.0
\$35,000- 49,999	399	47,047	310	68.6	61.9-75.3	58	19.8	14.3-25.3	7	2.3	00.0-04.7	15	2.3	00.7-03.9	9	7.0	02.1-11.9
\$50,000- 74,999	455	51,627	372	72.7	66.4-79.0	59	19.3	13.8-24.8	7	1.7	00.1-03.3	4	0.6	00.0-01.2	13	5.7	01.8-09.6
\$75,000+	748	88,258	628	75.4	70.9-79.9	73	14.2	10.7-17.7	21	6.1	03.2-09.0	10	0.8	00.2-01.4	16	3.4	01.4-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Four Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5035	677,031	4941	98.6	98.2-99.0	81	1.2	00.8-01.6	12	0.2	00.0-00.4	1	0.0	00.0-00.0
Male	1943	324,055	1903	98.9	98.5-99.3	34	1.0	00.6-01.4	5	0.1	00.0-00.3	1	0.0	00.0-00.0
Female	3092	352,976	3038	98.4	97.8-99.0	47	1.4	00.8-02.0	7	0.3	00.0-00.7			
18-24	297	84,434	278	96.9	95.1-98.7	15	2.0	00.8-03.2	4	1.1	00.0-02.3			
25-34	502	105,788	486	97.9	96.3-99.5	15	2.0	00.4-03.6	1	0.1	00.0-00.3			
35-44	607	103,225	595	98.6	97.8-99.4	10	1.2	00.4-02.0	2	0.2	00.0-00.4			
45-54	903	127,972	889	99.3	98.9-99.7	12	0.6	00.2-01.0	1	0.0	00.0-00.0	1	0.1	00.0-00.3
55-64	1004	112,904	995	99.5	99.1-99.9	8	0.5	00.1-00.9	1	0.0	00.0-00.0			
65+	1677	138,557	1654	98.9	98.3-99.5	20	1.0	00.4-01.6	3	0.0	00.0-00.0			
Less Than H.S.	319	86,165	314	99.2	98.4-0100	4	0.6	00.0-01.2	1	0.2	00.0-00.6			
H.S. or G.E.D.	1520	210,504	1491	98.7	98.1-99.3	26	1.2	00.6-01.8	3	0.1	00.0-00.3			
Some Post-H.S.	1364	204,253	1327	97.7	96.7-98.7	33	2.0	01.0-03.0	4	0.4	00.0-00.8			
College Graduate	1827	175,393	1804	99.4	99.0-99.8	18	0.6	00.2-01.0	4	0.1	00.1-00.1	1	0.0	00.0-00.0
Less than \$15,000	583	77,614	569	98.4	97.4-99.4	10	1.1	00.3-01.9	4	0.6	00.0-01.2			
\$15,000- 24,999	515	72,055	498	97.9	96.7-99.1	16	2.0	00.8-03.2	1	0.0	00.0-00.0			
\$25,000- 34,999	472	59,571	463	97.8	96.0-99.6	8	1.4	00.4-02.4	1	0.8	00.0-02.4			
\$35,000- 49,999	627	83,915	608	97.3	95.3-99.3	17	2.5	00.5-04.5	2	0.1	00.0-00.3			
\$50,000- 74,999	749	100,703	741	99.5	99.1-99.9	8	0.5	00.1-00.9						
\$75,000+	1401	194,152	1386	99.3	98.9-99.7	12	0.6	00.2-01.0	2	0.1	00.1-00.1	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Four Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1943	324,055	1903	98.9	98.5-99.3	34	1.0	00.6-01.4	5	0.1	00.0-00.3	1	0.0	00.0-00.0
18-24	150	43,928	141	97.7	95.9-99.5	8	2.0	00.4-03.6	1	0.3	00.0-00.9			
25-34	197	52,402	189	98.5	97.3-99.7	7	1.4	00.2-02.6	1	0.2	00.0-00.6			
35-44	238	50,612	232	98.6	97.4-99.8	4	1.0	00.0-02.0	2	0.4	00.0-01.0			
45-54	338	61,959	333	99.3	98.7-99.9	4	0.6	00.0-01.2				1	0.1	00.0-00.3
55-64	390	52,836	388	99.9	99.7-0100	2	0.1	00.0-00.3						
65+	617	60,782	608	99.1	98.3-99.9	8	0.9	00.1-01.7	1	0.0	00.0-00.0			
Less Than H.S.	158	51,590	157	99.8	99.4-0100	1	0.2	00.0-00.6						
H.S. or G.E.D.	568	98,931	550	98.3	97.3-99.3	16	1.4	00.6-02.2	2	0.3	00.0-00.7			
Some Post-H.S.	488	89,735	475	98.4	97.4-99.4	11	1.4	00.4-02.4	2	0.2	00.0-00.4			
College Graduate	728	83,679	720	99.5	99.1-99.9	6	0.4	00.0-00.8	1	0.0	00.0-00.0	1	0.1	00.0-00.3
Less than \$15,000	210	37,843	206	99.3	98.5-0100	3	0.4	00.0-00.8	1	0.3	00.0-00.9			
\$15,000- 24,999	163	28,624	159	98.9	97.7-0100	4	1.1	00.0-02.3						
\$25,000- 34,999	165	25,000	158	97.0	94.6-99.4	7	3.0	00.6-05.4						
\$35,000- 49,999	237	39,398	232	98.9	97.5-0100	4	0.9	00.0-02.1	1	0.2	00.0-00.8			
\$50,000- 74,999	303	50,986	298	99.5	98.9-0100	5	0.5	00.0-01.1						
\$75,000+	661	107,406	654	99.3	98.7-99.9	5	0.6	00.0-01.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3092	352,976	3038	98.4	97.8-99.0	47	1.4	00.8-02.0	7	0.3	00.0-00.7
18-24	147	40,505	137	96.0	93.1-98.9	7	2.0	00.4-03.6	3	1.9	00.0-04.4
25-34	305	53,385	297	97.4	94.5-0100	8	2.6	00.0-05.5			
35-44	369	52,612	363	98.6	97.4-99.8	6	1.4	00.2-02.6			
45-54	565	66,013	556	99.2	98.6-99.8	8	0.7	00.1-01.3	1	0.1	00.0-00.3
55-64	614	60,067	607	99.1	98.3-99.9	6	0.8	00.0-01.6	1	0.0	00.0-00.0
65+	1060	77,774	1046	98.8	98.0-99.6	12	1.1	00.3-01.9	2	0.1	00.1-00.1
Less Than H.S.	161	34,574	157	98.3	96.5-0100	3	1.1	00.0-02.5	1	0.6	00.0-01.8
H.S. or G.E.D.	952	111,573	941	99.0	98.2-99.8	10	1.0	00.2-01.8	1	0.0	00.0-00.0
Some Post-H.S.	876	114,518	852	97.1	95.3-98.9	22	2.4	00.8-04.0	2	0.5	00.0-01.3
College Graduate	1099	91,714	1084	99.2	98.6-99.8	12	0.7	00.1-01.3	3	0.1	00.0-00.3
Less than \$15,000	373	39,771	363	97.5	95.5-99.5	7	1.7	00.1-03.3	3	0.8	00.0-02.0
\$15,000- 24,999	352	43,431	339	97.3	95.5-99.1	12	2.7	00.9-04.5	1	0.1	00.0-00.3
\$25,000- 34,999	307	34,570	305	98.4	95.7-0100	1	0.2	00.0-00.6	1	1.4	00.0-04.1
\$35,000- 49,999	390	44,517	376	95.9	92.2-99.6	13	4.0	00.3-07.7	1	0.1	00.0-00.3
\$50,000- 74,999	446	49,717	443	99.5	98.9-0100	3	0.5	00.0-01.1			
\$75,000+	740	86,746	732	99.3	98.7-99.9	7	0.7	00.1-01.3	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5035	677,031	4941	98.6	98.2-99.0	94	1.4	01.0-01.8
Male	1943	324,055	1903	98.9	98.5-99.3	40	1.1	00.7-01.5
Female	3092	352,976	3038	98.4	97.8-99.0	54	1.6	01.0-02.2
18-24	297	84,434	278	96.9	95.1-98.7	19	3.1	01.3-04.9
25-34	502	105,788	486	97.9	96.3-99.5	16	2.1	00.5-03.7
35-44	607	103,225	595	98.6	97.8-99.4	12	1.4	00.6-02.2
45-54	903	127,972	889	99.3	98.9-99.7	14	0.7	00.3-01.1
55-64	1004	112,904	995	99.5	99.1-99.9	9	0.5	00.1-00.9
65+	1677	138,557	1654	98.9	98.3-99.5	23	1.1	00.5-01.7
Less Than H.S.	319	86,165	314	99.2	98.4-0100	5	0.8	00.0-01.6
H.S. or G.E.D.	1520	210,504	1491	98.7	98.1-99.3	29	1.3	00.7-01.9
Some Post-H.S.	1364	204,253	1327	97.7	96.7-98.7	37	2.3	01.3-03.3
College Graduate	1827	175,393	1804	99.4	99.0-99.8	23	0.6	00.2-01.0
Less than \$15,000	583	77,614	569	98.4	97.4-99.4	14	1.6	00.6-02.6
\$15,000- 24,999	515	72,055	498	97.9	96.7-99.1	17	2.1	00.9-03.3
\$25,000- 34,999	472	59,571	463	97.8	96.0-99.6	9	2.2	00.4-04.0
\$35,000- 49,999	627	83,915	608	97.3	95.3-99.3	19	2.7	00.7-04.7
\$50,000- 74,999	749	100,703	741	99.5	99.1-99.9	8	0.5	00.1-00.9
\$75,000+	1401	194,152	1386	99.3	98.9-99.7	15	0.7	00.3-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS

TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1943	324,055	1903	98.9	98.5-99.3	40	1.1	00.7-01.5
18-24	150	43,928	141	97.7	95.9-99.5	9	2.3	00.5-04.1
25-34	197	52,402	189	98.5	97.3-99.7	8	1.5	00.3-02.7
35-44	238	50,612	232	98.6	97.4-99.8	6	1.4	00.2-02.6
45-54	338	61,959	333	99.3	98.7-99.9	5	0.7	00.1-01.3
55-64	390	52,836	388	99.9	99.7-0100	2	0.1	00.0-00.3
65+	617	60,782	608	99.1	98.3-99.9	9	0.9	00.1-01.7
Less Than H.S.	158	51,590	157	99.8	99.4-0100	1	0.2	00.0-00.6
H.S. or G.E.D.	568	98,931	550	98.3	97.3-99.3	18	1.7	00.7-02.7
Some Post-H.S.	488	89,735	475	98.4	97.4-99.4	13	1.6	00.6-02.6
College Graduate	728	83,679	720	99.5	99.1-99.9	8	0.5	00.1-00.9
Less than \$15,000	210	37,843	206	99.3	98.5-0100	4	0.7	00.0-01.5
\$15,000- 24,999	163	28,624	159	98.9	97.7-0100	4	1.1	00.0-02.3
\$25,000- 34,999	165	25,000	158	97.0	94.6-99.4	7	3.0	00.6-05.4
\$35,000- 49,999	237	39,398	232	98.9	97.5-0100	5	1.1	00.0-02.5
\$50,000- 74,999	303	50,986	298	99.5	98.9-0100	5	0.5	00.0-01.1
\$75,000+	661	107,406	654	99.3	98.7-99.9	7	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS

TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3092	352,976	3038	98.4	97.8-99.0	54	1.6	01.0-02.2
18-24	147	40,505	137	96.0	93.1-98.9	10	4.0	01.1-06.9
25-34	305	53,385	297	97.4	94.5-0100	8	2.6	00.0-05.5
35-44	369	52,612	363	98.6	97.4-99.8	6	1.4	00.2-02.6
45-54	565	66,013	556	99.2	98.6-99.8	9	0.8	00.2-01.4
55-64	614	60,067	607	99.1	98.3-99.9	7	0.9	00.1-01.7
65+	1060	77,774	1046	98.8	98.0-99.6	14	1.2	00.4-02.0
Less Than H.S.	161	34,574	157	98.3	96.5-0100	4	1.7	00.0-03.5
H.S. or G.E.D.	952	111,573	941	99.0	98.2-99.8	11	1.0	00.2-01.8
Some Post-H.S.	876	114,518	852	97.1	95.3-98.9	24	2.9	01.1-04.7
College Graduate	1099	91,714	1084	99.2	98.6-99.8	15	0.8	00.2-01.4
Less than \$15,000	373	39,771	363	97.5	95.5-99.5	10	2.5	00.5-04.5
\$15,000- 24,999	352	43,431	339	97.3	95.5-99.1	13	2.7	00.9-04.5
\$25,000- 34,999	307	34,570	305	98.4	95.7-0100	2	1.6	00.0-04.3
\$35,000- 49,999	390	44,517	376	95.9	92.2-99.6	14	4.1	00.4-07.8
\$50,000- 74,999	446	49,717	443	99.5	98.9-0100	3	0.5	00.0-01.1
\$75,000+	740	86,746	732	99.3	98.7-99.9	8	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGE5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5123	705,546	565	21.6	19.8-23.4	556	14.4	13.0-15.8	760	17.5	16.1-18.9	1001	18.3	16.9-19.7	1077	14.8	13.6-16.0	1164	13.5	12.5-14.5
Male	1990	337,163	253	22.8	20.1-25.5	210	14.1	11.9-16.3	317	18.6	16.2-21.0	369	18.2	15.8-20.6	436	14.8	13.0-16.6	405	11.5	10.1-12.9
Female	3133	368,383	312	20.5	18.1-22.9	346	14.6	12.8-16.4	443	16.5	14.7-18.3	632	18.3	16.5-20.1	641	14.7	13.3-16.1	759	15.4	14.0-16.8
White/Non-Hisp	3977	473,181	347	17.7	15.9-19.5	380	12.6	11.2-14.0	563	16.7	15.1-18.3	781	19.8	18.2-21.4	899	16.7	15.3-18.1	1007	16.5	15.3-17.7
Black or Afr. Am./Non-Hisp	727	140,944	114	24.2	19.9-28.5	112	17.1	13.6-20.6	122	19.4	15.7-23.1	155	18.6	15.1-22.1	122	11.7	09.2-14.2	102	9.0	06.6-11.4
Oth. Race/Non-Hisp.	138	27,106	31	33.5	21.9-45.1	17	10.8	04.5-17.1	29	25.5	15.3-35.7	20	11.2	03.8-18.6	22	14.9	06.9-22.9	19	4.1	01.7-06.5
MultiRacial/Non-Hisp.	104	9,066	27	33.7	22.3-45.1	15	16.8	08.4-25.2	11	13.0	04.8-21.2	22	13.1	06.8-19.4	11	9.4	02.7-16.1	18	13.9	06.5-21.3
Hispanic	154	52,639	41	40.8	30.4-51.2	30	24.4	15.4-33.4	33	16.7	10.0-23.4	20	8.6	04.3-12.9	19	6.8	02.9-10.7	11	2.7	00.7-04.7
Less Than H.S.	335	94,166	43	25.4	18.5-32.3	29	16.4	10.5-22.3	43	14.7	09.8-19.6	46	14.4	09.5-19.3	54	10.7	07.2-14.2	120	18.4	14.1-22.7
H.S. or G.E.D.	1547	220,796	203	26.4	23.1-29.7	89	7.9	06.1-09.7	191	15.6	13.1-18.1	304	18.8	16.3-21.3	325	15.6	13.4-17.8	435	15.7	13.9-17.5
Some Post-H.S.	1384	210,355	174	22.1	19.0-25.2	145	14.0	11.5-16.5	198	17.6	14.9-20.3	279	19.2	16.7-21.7	292	15.1	13.1-17.1	296	12.0	10.4-13.6
College Graduate	1850	179,417	145	13.2	11.0-15.4	293	21.7	19.2-24.2	327	21.3	18.8-23.8	370	18.5	16.3-20.7	405	15.5	13.7-17.3	310	9.8	08.4-11.2
Less than \$15,000	599	81,976	75	23.7	18.0-29.4	47	14.9	10.0-19.8	56	12.2	08.3-16.1	95	14.0	10.7-17.3	121	13.3	10.4-16.2	205	22.0	18.1-25.9
\$15,000- 24,999	530	77,076	75	27.9	21.8-34.0	43	13.0	08.3-17.7	56	13.2	09.1-17.3	100	17.0	11.9-22.1	98	12.9	09.4-16.4	158	16.0	12.7-19.3
\$25,000- 34,999	485	63,462	56	22.1	16.0-28.2	54	18.0	12.5-23.5	51	12.7	08.2-17.2	72	12.2	08.7-15.7	119	18.0	13.9-22.1	133	17.0	13.3-20.7
\$35,000- 49,999	645	89,521	73	20.5	15.8-25.2	73	15.0	11.1-18.9	91	16.9	12.8-21.0	115	17.0	13.3-20.7	150	16.7	13.2-20.2	143	13.9	11.2-16.6
\$50,000- 74,999	764	104,761	68	15.7	11.6-19.8	85	14.7	11.0-18.4	129	20.3	16.4-24.2	168	23.1	19.0-27.2	177	16.8	13.9-19.7	137	9.4	07.4-11.4
\$75,000+	1411	194,874	111	15.1	12.0-18.2	217	16.8	14.3-19.3	323	25.9	22.8-29.0	362	23.9	21.2-26.6	268	13.0	11.0-15.0	130	5.2	04.0-06.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1990	337,163	253	22.8	20.1-25.5	210	14.1	11.9-16.3	317	18.6	16.2-21.0	369	18.2	15.8-20.6	436	14.8	13.0-16.6	405	11.5	10.1-12.9
White/Non-Hisp	1550	226,114	151	17.7	15.0-20.4	153	13.4	11.0-15.8	242	18.2	15.7-20.7	293	20.1	17.6-22.6	370	17.2	15.0-19.4	341	13.4	11.6-15.2
Black or Afr. Am./Non-Hisp	251	64,366	52	28.5	21.2-35.8	32	15.5	09.8-21.2	37	17.4	11.7-23.1	47	17.4	11.3-23.5	46	11.8	07.7-15.9	37	9.4	05.5-13.3
Oth. Race/Non-Hisp.	68	15,500	16	36.0	19.1-52.9	6	6.6	00.3-12.9	16	28.1	13.2-43.0	11	12.0	00.6-23.4	10	12.7	02.3-23.1	9	4.7	01.2-08.2
Hispanic	66	25,550	19	42.9	27.0-58.8	9	21.0	07.7-34.3	16	20.1	09.1-31.1	11	10.1	03.0-17.2	4	3.2	00.0-06.9	7	2.8	00.4-05.2
Less Than H.S.	169	57,255	27	27.9	18.3-37.5	17	16.9	08.9-24.9	24	14.1	07.8-20.4	23	15.0	07.9-22.1	28	9.8	05.3-14.3	50	16.3	10.8-21.8
H.S. or G.E.D.	580	102,526	107	30.1	25.0-35.2	40	8.6	05.7-11.5	83	17.1	13.2-21.0	99	17.9	13.8-22.0	125	15.8	12.5-19.1	126	10.5	08.3-12.7
Some Post-H.S.	498	91,921	76	24.1	18.8-29.4	44	12.3	08.4-16.2	78	18.1	13.8-22.4	100	20.3	16.0-24.6	102	14.7	11.4-18.0	98	10.4	08.0-12.8
College Graduate	742	85,342	43	9.3	06.4-12.2	109	20.8	16.9-24.7	132	23.9	19.6-28.2	146	18.4	15.1-21.7	181	17.0	14.1-19.9	131	10.5	08.3-12.7
Less than \$15,000	219	39,919	34	26.1	16.9-35.3	19	16.9	08.5-25.3	22	13.2	06.5-19.9	32	12.5	07.2-17.8	41	11.2	06.7-15.7	71	20.0	13.9-26.1
\$15,000- 24,999	168	30,396	34	29.7	19.9-39.5	6	6.3	00.0-12.6	24	13.4	07.3-19.5	32	23.3	12.7-33.9	37	15.1	08.6-21.6	35	12.2	07.1-17.3
\$25,000- 34,999	173	28,465	22	23.4	13.2-33.6	20	19.1	09.5-28.7	16	10.9	04.4-17.4	20	8.0	03.7-12.3	50	23.4	15.6-31.2	45	15.1	09.0-21.2
\$35,000- 49,999	244	42,186	33	22.7	15.3-30.1	25	14.0	08.3-19.7	29	16.0	09.7-22.3	40	18.1	11.6-24.6	55	15.2	10.1-20.3	62	14.0	09.7-18.3
\$50,000- 74,999	311	53,134	30	17.5	10.6-24.4	33	14.3	08.8-19.8	54	21.4	15.3-27.5	60	21.3	15.2-27.4	68	15.2	10.7-19.7	66	10.3	07.4-13.2
\$75,000+	668	107,496	55	16.2	11.7-20.7	93	16.1	12.6-19.6	153	26.3	22.0-30.6	158	22.9	19.0-26.8	138	13.5	10.8-16.2	71	5.1	03.5-06.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3133	368,383	312	20.5	18.3-22.7	346	14.6	12.8-16.4	443	16.5	14.7-18.3	632	18.3	16.5-20.1	641	14.7	13.3-16.1	759	15.4	14.0-16.8
White/Non-Hisp	2427	247,067	196	17.7	15.2-20.2	227	11.9	10.1-13.7	321	15.3	13.3-17.3	488	19.6	17.6-21.6	529	16.2	14.6-17.8	666	19.4	17.6-21.2
Black or Afr. Am./Non-Hisp	476	76,579	62	20.5	15.6-25.4	80	18.5	14.0-23.0	85	21.1	16.2-26.0	108	19.7	15.4-24.0	76	11.5	08.4-14.6	65	8.6	05.9-11.3
Oth. Race/Non-Hisp.	70	11,606	15	30.2	15.7-44.7	11	16.5	04.7-28.3	13	22.2	09.3-35.1	9	10.1	01.9-18.3	12	17.8	05.3-30.3	10	3.2	00.7-05.7
MultiRacial/Non-Hisp.	59	4,768	14	30.3	15.6-45.0	5	12.9	01.7-24.1	7	12.5	01.5-23.5	16	19.2	08.6-29.8	7	9.9	01.3-18.5	10	15.2	03.8-26.6
Hispanic	88	27,088	22	38.8	25.5-52.1	21	27.6	15.4-39.8	17	13.5	05.9-21.1	9	7.2	01.9-12.5	15	10.2	03.5-16.9	4	2.6	00.0-05.5
Less Than H.S.	166	36,910	16	21.4	12.0-30.8	12	15.7	06.9-24.5	19	15.7	08.3-23.1	23	13.6	07.5-19.7	26	12.0	06.5-17.5	70	21.6	15.1-28.1
H.S. or G.E.D.	967	118,270	96	23.2	18.7-27.7	49	7.4	05.0-09.8	108	14.2	11.1-17.3	205	19.6	16.5-22.7	200	15.4	12.7-18.1	309	20.2	17.5-22.9
Some Post-H.S.	886	118,434	98	20.5	16.6-24.4	101	15.4	12.1-18.7	120	17.1	13.8-20.4	179	18.3	15.4-21.2	190	15.5	13.0-18.0	198	13.2	11.0-15.4
College Graduate	1108	94,075	102	16.7	13.6-19.8	184	22.5	19.2-25.8	195	19.0	16.1-21.9	224	18.6	15.9-21.3	224	14.1	11.7-16.5	179	9.1	07.5-10.7
Less than \$15,000	380	42,057	41	21.4	14.5-28.3	28	12.9	07.6-18.2	34	11.2	06.9-15.5	63	15.3	11.0-19.6	80	15.3	11.4-19.2	134	23.8	18.9-28.7
\$15,000- 24,999	362	46,681	41	26.7	19.1-34.3	37	17.3	10.6-24.0	32	13.0	07.5-18.5	68	13.0	08.9-17.1	61	11.5	07.8-15.2	123	18.5	14.2-22.8
\$25,000- 34,999	312	34,997	34	21.1	13.8-28.4	34	17.1	10.8-23.4	35	14.2	08.3-20.1	52	15.5	10.4-20.6	69	13.6	09.7-17.5	88	18.5	14.0-23.0
\$35,000- 49,999	401	47,335	40	18.5	12.8-24.2	48	15.9	10.8-21.0	62	17.8	12.7-22.9	75	16.0	11.7-20.3	95	18.0	13.3-22.7	81	13.8	10.3-17.3
\$50,000- 74,999	453	51,627	38	13.8	09.1-18.5	52	15.0	09.9-20.1	75	19.2	14.3-24.1	108	25.0	19.7-30.3	109	18.4	14.5-22.3	71	8.5	06.1-10.9
\$75,000+	743	87,377	56	13.9	10.0-17.8	124	17.7	14.2-21.2	170	25.4	21.3-29.5	204	25.2	21.3-29.1	130	12.5	10.0-15.0	59	5.3	03.7-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 25: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5123	705,546	3422	80.0	78.8-81.2	1701	20.0	18.8-21.2
Male	1990	337,163	1362	81.7	79.9-83.5	628	18.3	16.5-20.1
Female	3133	368,383	2060	78.4	76.8-80.0	1073	21.6	20.0-23.2
White/Non-Hisp	3977	473,181	2515	75.9	74.5-77.3	1462	24.1	22.7-25.5
Black or Afr. Am./Non-Hisp	727	140,944	569	86.2	83.5-88.9	158	13.8	11.1-16.5
Oth. Race/Non-Hisp.	138	27,106	110	90.5	85.0-96.0	28	9.5	04.0-15.0
MultiRacial/Non-Hisp.	104	9,066	78	81.6	73.4-89.8	26	18.4	10.2-26.6
Hispanic	154	52,639	137	94.6	91.1-98.1	17	5.4	01.9-08.9
Less Than H.S.	335	94,166	189	77.0	72.3-81.7	146	23.0	18.3-27.7
H.S. or G.E.D.	1547	220,796	933	76.3	73.9-78.7	614	23.7	21.3-26.1
Some Post-H.S.	1384	210,355	950	82.3	80.3-84.3	434	17.7	15.7-19.7
College Graduate	1850	179,417	1346	83.5	81.7-85.3	504	16.5	14.7-18.3
Less than \$15,000	599	81,976	327	71.9	67.6-76.2	272	28.1	23.8-32.4
\$15,000- 24,999	530	77,076	326	77.7	73.6-81.8	204	22.3	18.2-26.4
\$25,000- 34,999	485	63,462	290	74.7	70.2-79.2	195	25.3	20.8-29.8
\$35,000- 49,999	645	89,521	427	78.8	75.5-82.1	218	21.2	17.9-24.5
\$50,000- 74,999	764	104,761	539	83.3	80.6-86.0	225	16.7	14.0-19.4
\$75,000+	1411	194,874	1161	89.6	88.0-91.2	250	10.4	08.8-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 26: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1990	337,163	1362	81.7	79.9-83.5	628	18.3	16.5-20.1
White/Non-Hisp	1550	226,114	1017	78.4	76.2-80.6	533	21.6	19.4-23.8
Black or Afr. Am./Non-Hisp	251	64,366	191	84.8	80.1-89.5	60	15.2	10.5-19.9
Oth. Race/Non-Hisp.	68	15,500	55	91.5	85.0-98.0	13	8.5	02.0-15.0
Hispanic	66	25,550	59	97.2	94.8-99.6	7	2.8	00.4-05.2
Less Than H.S.	169	57,255	103	78.7	72.4-85.0	66	21.3	15.0-27.6
H.S. or G.E.D.	580	102,526	385	81.1	78.0-84.2	195	18.9	15.8-22.0
Some Post-H.S.	498	91,921	346	83.5	80.4-86.6	152	16.5	13.4-19.6
College Graduate	742	85,342	527	82.4	79.7-85.1	215	17.6	14.9-20.3
Less than \$15,000	219	39,919	125	74.6	67.9-81.3	94	25.4	18.7-32.1
\$15,000- 24,999	168	30,396	113	79.7	72.6-86.8	55	20.3	13.2-27.4
\$25,000- 34,999	173	28,465	101	73.0	65.0-81.0	72	27.0	19.0-35.0
\$35,000- 49,999	244	42,186	153	78.4	72.9-83.9	91	21.6	16.1-27.1
\$50,000- 74,999	311	53,134	210	82.7	78.6-86.8	101	17.3	13.2-21.4
\$75,000+	668	107,496	534	89.6	87.4-91.8	134	10.4	08.2-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 27: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3133	368,383	2060	78.4	76.8-80.0	1073	21.6	20.0-23.2
White/Non-Hisp	2427	247,067	1498	73.7	71.7-75.7	929	26.3	24.3-28.3
Black or Afr. Am./Non-Hisp	476	76,579	378	87.4	84.3-90.5	98	12.6	09.5-15.7
Oth. Race/Non-Hisp.	70	11,606	55	89.1	79.7-98.5	15	10.9	01.5-20.3
MultiRacial/Non-Hisp.	59	4,768	44	79.9	67.7-92.1	15	20.1	07.9-32.3
Hispanic	88	27,088	78	92.1	85.8-98.4	10	7.9	01.6-14.2
Less Than H.S.	166	36,910	86	74.4	67.1-81.7	80	25.6	18.3-32.9
H.S. or G.E.D.	967	118,270	548	72.1	68.8-75.4	419	27.9	24.6-31.2
Some Post-H.S.	886	118,434	604	81.4	78.9-83.9	282	18.6	16.1-21.1
College Graduate	1108	94,075	819	84.6	82.4-86.8	289	15.4	13.2-17.6
Less than \$15,000	380	42,057	202	69.4	63.9-74.9	178	30.6	25.1-36.1
\$15,000- 24,999	362	46,681	213	76.4	71.3-81.5	149	23.6	18.5-28.7
\$25,000- 34,999	312	34,997	189	76.1	71.0-81.2	123	23.9	18.8-29.0
\$35,000- 49,999	401	47,335	274	79.2	74.9-83.5	127	20.8	16.5-25.1
\$50,000- 74,999	453	51,627	329	83.8	80.5-87.1	124	16.2	12.9-19.5
\$75,000+	743	87,377	627	89.6	87.2-92.0	116	10.4	08.0-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 28: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5145	704,988	282	4.9	04.1-05.7	2452	42.9	41.1-44.7	2025	43.6	41.6-45.6	386	8.6	07.6-09.6
Male	1995	336,289	4	0.3	00.0-00.7	219	12.3	10.3-14.3	1394	69.8	67.1-72.5	378	17.6	15.4-19.8
Female	3150	368,699	278	9.2	07.8-10.6	2233	70.8	68.6-73.0	631	19.7	17.7-21.7	8	0.4	00.2-00.6
White/Non-Hisp	3998	474,812	201	4.3	03.5-05.1	1888	42.1	40.1-44.1	1593	43.7	41.5-45.9	316	9.9	08.5-11.3
Black or Afr. Am./Non-Hisp	724	140,160	39	4.0	02.4-05.6	365	42.6	38.1-47.1	276	46.6	41.9-51.3	44	6.8	04.4-09.2
Oth. Race/Non-Hisp.	138	26,622	15	10.7	03.8-17.6	67	49.4	37.6-61.2	44	33.0	21.0-45.0	12	6.9	02.0-11.8
MultiRacial/Non-Hisp.	104	9,104	10	8.3	01.8-14.8	46	39.8	28.8-50.8	41	43.7	32.3-55.1	7	8.2	01.3-15.1
Hispanic	153	51,311	16	9.8	04.3-15.3	75	48.0	37.8-58.2	57	39.3	29.1-49.5	5	2.8	00.1-05.5
18-24	308	90,421	15	4.9	02.2-07.6	123	39.2	32.7-45.7	133	45.8	39.1-52.5	37	10.2	06.9-13.5
25-34	525	114,032	28	4.9	02.7-07.1	229	41.5	36.2-46.8	221	43.7	38.2-49.2	47	9.9	06.8-13.0
35-44	638	110,651	29	5.2	02.8-07.6	291	42.3	37.4-47.2	255	43.5	38.4-48.6	63	8.9	06.4-11.4
45-54	912	129,262	33	3.2	01.8-04.6	436	40.0	35.9-44.1	378	49.5	45.2-53.8	65	7.3	05.1-09.5
55-64	1022	115,407	35	2.9	01.7-04.1	484	44.1	40.2-48.0	424	43.3	39.2-47.4	79	9.8	07.3-12.3
65+	1690	140,654	140	8.1	06.3-09.9	862	48.2	45.1-51.3	596	37.2	34.3-40.1	92	6.5	04.9-08.1
Less Than H.S.	333	92,755	25	5.7	02.6-08.8	143	38.2	31.3-45.1	143	49.9	42.8-57.0	22	6.2	03.3-09.1
H.S. or G.E.D.	1553	221,511	108	5.5	04.1-06.9	783	46.1	42.8-49.4	562	40.4	37.1-43.7	100	8.1	06.1-10.1
Some Post-H.S.	1383	209,649	76	5.5	03.9-07.1	685	42.8	39.5-46.1	533	43.4	39.9-46.9	89	8.3	06.3-10.3
College Graduate	1869	180,260	73	3.2	02.2-04.2	836	41.3	38.4-44.2	785	44.6	41.7-47.5	175	10.9	09.1-12.7
Less than \$15,000	597	81,073	48	6.9	04.2-09.6	308	44.4	38.7-50.1	210	43.1	37.2-49.0	31	5.6	02.9-08.3
\$15,000- 24,999	527	76,583	46	11.9	07.4-16.4	286	47.9	41.6-54.2	168	34.6	28.3-40.9	27	5.7	03.2-08.2
\$25,000- 34,999	484	62,691	29	4.0	02.0-06.0	258	49.9	43.6-56.2	161	36.7	30.6-42.8	36	9.4	05.7-13.1
\$35,000- 49,999	648	89,701	38	3.8	02.2-05.4	302	41.7	36.6-46.8	260	44.2	39.1-49.3	48	10.3	06.8-13.8
\$50,000- 74,999	762	103,973	26	2.9	01.5-04.3	348	40.1	35.6-44.6	335	47.7	42.8-52.6	53	9.2	06.5-11.9
\$75,000+	1423	196,205	40	2.5	01.5-03.5	575	37.3	34.0-40.6	648	48.7	45.2-52.2	160	11.5	09.3-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1995	336,289	4	0.3	00.0-00.7	219	12.3	10.3-14.3	1394	69.8	67.1-72.5	378	17.6	15.4-19.8
White/Non-Hisp	1558	227,112	3	0.2	00.0-00.4	148	9.6	07.6-11.6	1096	69.8	66.9-72.7	311	20.4	17.9-22.9
Black or Afr. Am./Non-Hisp	248	63,893	1	0.9	00.0-02.7	28	10.1	06.0-14.2	178	75.5	69.4-81.6	41	13.6	08.9-18.3
Oth. Race/Non-Hisp.	66	14,641				17	32.6	17.3-47.9	37	54.9	38.2-71.6	12	12.5	03.5-21.5
Hispanic	66	24,801				18	30.5	16.2-44.8	43	63.7	49.0-78.4	5	5.9	00.2-11.6
18-24	154	45,640				18	10.3	05.2-15.4	100	70.1	62.3-77.9	36	19.5	13.0-26.0
25-34	205	56,495	1	1.0	00.0-03.0	23	14.9	08.0-21.8	134	64.1	55.9-72.3	47	20.0	13.9-26.1
35-44	251	53,799	1	0.3	00.0-00.9	24	14.1	08.4-19.8	166	68.4	61.5-75.3	60	17.3	12.2-22.4
45-54	343	62,511	1	0.3	00.0-00.9	31	8.1	04.8-11.4	249	77.3	72.0-82.6	62	14.4	10.1-18.7
55-64	400	54,405				34	10.7	06.2-15.2	287	68.5	62.2-74.8	79	20.8	15.5-26.1
65+	627	61,734	1	0.1	00.0-00.3	88	15.8	11.9-19.7	447	69.4	64.7-74.1	91	14.7	11.2-18.2
Less Than H.S.	168	56,455	1	1.0	00.0-03.0	30	17.6	10.2-25.0	115	71.2	62.8-79.6	22	10.3	05.4-15.2
H.S. or G.E.D.	582	102,483	2	0.3	00.0-00.7	84	14.9	11.2-18.6	400	68.0	63.1-72.9	96	16.7	12.8-20.6
Some Post-H.S.	495	91,433				51	8.9	05.8-12.0	357	72.6	67.7-77.5	87	18.5	14.2-22.8
College Graduate	749	85,798	1	0.1	00.0-00.3	54	9.3	06.2-12.4	521	68.0	63.7-72.3	173	22.7	19.0-26.4
Less than \$15,000	216	38,959	2	1.9	00.0-04.8	39	18.1	10.5-25.7	145	68.9	60.1-77.7	30	11.2	05.7-16.7
\$15,000- 24,999	167	30,181				29	18.6	10.6-26.6	111	67.0	57.6-76.4	27	14.4	08.1-20.7
\$25,000- 34,999	173	28,465	1	0.2	00.0-00.6	33	23.1	13.1-33.1	105	57.9	47.3-68.5	34	18.7	11.3-26.1
\$35,000- 49,999	246	42,369				20	8.8	03.7-13.9	179	69.5	61.7-77.3	47	21.7	14.8-28.6
\$50,000- 74,999	308	52,252	1	0.3	00.0-00.9	23	8.8	04.5-13.1	233	73.4	66.9-79.9	51	17.5	12.2-22.8
\$75,000+	673	108,063				51	9.1	06.2-12.0	463	70.2	65.9-74.5	159	20.7	17.0-24.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3150	368,699	278	9.2	07.8-10.6	2233	70.8	68.6-73.0	631	19.7	17.7-21.7	8	0.4	00.2-00.6
White/Non-Hisp	2440	247,699	198	8.1	06.5-09.7	1740	72.0	69.6-74.4	497	19.7	17.7-21.7	5	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	476	76,266	38	6.7	04.2-09.2	337	69.8	64.5-75.1	98	22.5	17.6-27.4	3	1.1	00.0-02.3
Oth. Race/Non-Hisp.	72	11,981	15	23.8	10.3-37.3	50	70.0	55.7-84.3	7	6.2	00.0-13.1			
MultiRacial/Non-Hisp.	59	4,768	10	15.8	04.0-27.6	39	64.9	50.0-79.8	10	19.4	07.1-31.7			
Hispanic	87	26,510	16	19.0	09.0-29.0	57	64.5	52.2-76.8	14	16.6	07.0-26.2			
18-24	154	44,780	15	9.9	04.4-15.4	105	68.5	60.1-76.9	33	21.0	13.6-28.4	1	0.6	00.0-01.8
25-34	320	57,537	27	8.7	05.0-12.4	206	67.6	61.3-73.9	87	23.7	18.2-29.2			
35-44	387	56,852	28	9.9	05.4-14.4	267	69.1	63.0-75.2	89	20.0	15.1-24.9	3	1.1	00.0-02.5
45-54	569	66,751	32	5.9	03.2-08.6	405	70.0	65.1-74.9	129	23.5	19.2-27.8	3	0.7	00.0-01.5
55-64	622	61,001	35	5.4	03.0-07.8	450	73.8	69.5-78.1	137	20.8	16.7-24.9			
65+	1063	78,920	139	14.4	11.5-17.3	774	73.5	70.0-77.0	149	12.0	09.6-14.4	1	0.0	00.0-00.0
Less Than H.S.	165	36,300	24	12.9	06.0-19.8	113	70.3	61.3-79.3	28	16.8	09.7-23.9			
H.S. or G.E.D.	971	119,027	106	10.0	07.5-12.5	699	72.9	69.2-76.6	162	16.6	13.5-19.7	4	0.6	00.0-01.2
Some Post-H.S.	888	118,215	76	9.7	07.2-12.2	634	69.0	64.9-73.1	176	20.9	17.2-24.6	2	0.4	00.0-01.0
College Graduate	1120	94,462	72	6.1	04.1-08.1	782	70.4	67.1-73.7	264	23.3	20.2-26.4	2	0.2	00.0-00.4
Less than \$15,000	381	42,114	46	11.5	07.2-15.8	269	68.8	62.5-75.1	65	19.2	13.9-24.5	1	0.4	00.0-01.2
\$15,000- 24,999	360	46,402	46	19.6	12.7-26.5	257	66.9	59.5-74.3	57	13.5	08.6-18.4			
\$25,000- 34,999	311	34,227	28	7.2	03.9-10.5	225	72.2	65.5-78.9	56	19.0	13.1-24.9	2	1.6	00.0-04.0
\$35,000- 49,999	402	47,331	38	7.2	04.5-09.9	282	71.1	65.2-77.0	81	21.6	16.1-27.1	1	0.1	00.0-00.3
\$50,000- 74,999	454	51,721	25	5.6	02.9-08.3	325	71.8	66.3-77.3	102	21.8	16.9-26.7	2	0.8	00.0-02.0
\$75,000+	750	88,143	40	5.5	03.3-07.7	524	71.9	67.8-76.0	185	22.5	18.8-26.2	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 31: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5146	705,788	283	5.0	04.2-05.8	2452	42.8	41.0-44.6	2025	43.5	41.5-45.5	386	8.6	07.6-09.6
Male	1996	337,089	5	0.5	00.0-01.1	219	12.3	10.3-14.3	1394	69.6	66.9-72.3	378	17.6	15.4-19.8
Female	3150	368,699	278	9.2	07.8-10.6	2233	70.8	68.6-73.0	631	19.7	17.7-21.7	8	0.4	00.2-00.6
White/Non-Hisp	3998	474,812	201	4.3	03.5-05.1	1888	42.1	40.1-44.1	1593	43.7	41.5-45.9	316	9.9	08.5-11.3
Black or Afr. Am./Non-Hisp	724	140,160	39	4.0	02.4-05.6	365	42.6	38.1-47.1	276	46.6	41.9-51.3	44	6.8	04.4-09.2
Oth. Race/Non-Hisp.	138	26,622	15	10.7	03.8-17.6	67	49.4	37.6-61.2	44	33.0	21.0-45.0	12	6.9	02.0-11.8
MultiRacial/Non-Hisp.	104	9,104	10	8.3	01.8-14.8	46	39.8	28.8-50.8	41	43.7	32.3-55.1	7	8.2	01.3-15.1
Hispanic	154	52,111	17	11.2	05.1-17.3	75	47.3	37.1-57.5	57	38.7	28.7-48.7	5	2.8	00.1-05.5
18-24	308	90,421	15	4.9	02.2-07.6	123	39.2	32.7-45.7	133	45.8	39.1-52.5	37	10.2	06.9-13.5
25-34	525	114,032	28	4.9	02.7-07.1	229	41.5	36.2-46.8	221	43.7	38.2-49.2	47	9.9	06.8-13.0
35-44	639	111,451	30	5.9	03.2-08.6	291	42.0	37.1-46.9	255	43.2	38.1-48.3	63	8.9	06.4-11.4
45-54	912	129,262	33	3.2	01.8-04.6	436	40.0	35.9-44.1	378	49.5	45.2-53.8	65	7.3	05.1-09.5
55-64	1022	115,407	35	2.9	01.7-04.1	484	44.1	40.2-48.0	424	43.3	39.2-47.4	79	9.8	07.3-12.3
65+	1690	140,654	140	8.1	06.3-09.9	862	48.2	45.1-51.3	596	37.2	34.3-40.1	92	6.5	04.9-08.1
Less Than H.S.	334	93,555	26	6.5	03.2-09.8	143	37.9	31.2-44.6	143	49.5	42.4-56.6	22	6.2	03.3-09.1
H.S. or G.E.D.	1553	221,511	108	5.5	04.1-06.9	783	46.1	42.8-49.4	562	40.4	37.1-43.7	100	8.1	06.1-10.1
Some Post-H.S.	1383	209,649	76	5.5	03.9-07.1	685	42.8	39.5-46.1	533	43.4	39.9-46.9	89	8.3	06.3-10.3
College Graduate	1869	180,260	73	3.2	02.2-04.2	836	41.3	38.4-44.2	785	44.6	41.7-47.5	175	10.9	09.1-12.7
Less than \$15,000	598	81,873	49	7.8	04.5-11.1	308	44.0	38.3-49.7	210	42.7	36.8-48.6	31	5.5	02.8-08.2
\$15,000- 24,999	527	76,583	46	11.9	07.4-16.4	286	47.9	41.6-54.2	168	34.6	28.3-40.9	27	5.7	03.2-08.2
\$25,000- 34,999	484	62,691	29	4.0	02.0-06.0	258	49.9	43.6-56.2	161	36.7	30.6-42.8	36	9.4	05.7-13.1
\$35,000- 49,999	648	89,701	38	3.8	02.2-05.4	302	41.7	36.6-46.8	260	44.2	39.1-49.3	48	10.3	06.8-13.8
\$50,000- 74,999	762	103,973	26	2.9	01.5-04.3	348	40.1	35.6-44.6	335	47.7	42.8-52.6	53	9.2	06.5-11.9
\$75,000+	1423	196,205	40	2.5	01.5-03.5	575	37.3	34.0-40.6	648	48.7	45.2-52.2	160	11.5	09.3-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 32: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1996	337,089	5	0.5	00.0-01.1	219	12.3	10.3-14.3	1394	69.6	66.9-72.3	378	17.6	15.4-19.8
White/Non-Hisp	1558	227,112	3	0.2	00.0-00.4	148	9.6	07.6-11.6	1096	69.8	66.9-72.7	311	20.4	17.9-22.9
Black or Afr. Am./Non-Hisp	248	63,893	1	0.9	00.0-02.7	28	10.1	06.0-14.2	178	75.5	69.4-81.6	41	13.6	08.9-18.3
Oth. Race/Non-Hisp.	66	14,641				17	32.6	17.3-47.9	37	54.9	38.2-71.6	12	12.5	03.5-21.5
Hispanic	67	25,601	1	3.1	00.0-09.2	18	29.5	15.6-43.4	43	61.7	46.8-76.6	5	5.7	00.2-11.2
18-24	154	45,640				18	10.3	05.2-15.4	100	70.1	62.3-77.9	36	19.5	13.0-26.0
25-34	205	56,495	1	1.0	00.0-03.0	23	14.9	08.0-21.8	134	64.1	55.9-72.3	47	20.0	13.9-26.1
35-44	252	54,600	2	1.8	00.0-04.7	24	13.9	08.2-19.6	166	67.4	60.3-74.5	60	17.0	11.9-22.1
45-54	343	62,511	1	0.3	00.0-00.9	31	8.1	04.8-11.4	249	77.3	72.0-82.6	62	14.4	10.1-18.7
55-64	400	54,405				34	10.7	06.2-15.2	287	68.5	62.2-74.8	79	20.8	15.5-26.1
65+	627	61,734	1	0.1	00.0-00.3	88	15.8	11.9-19.7	447	69.4	64.7-74.1	91	14.7	11.2-18.2
Less Than H.S.	169	57,255	2	2.4	00.0-05.7	30	17.3	10.0-24.6	115	70.2	61.6-78.8	22	10.1	05.4-14.8
H.S. or G.E.D.	582	102,483	2	0.3	00.0-00.7	84	14.9	11.2-18.6	400	68.0	63.1-72.9	96	16.7	12.8-20.6
Some Post-H.S.	495	91,433				51	8.9	05.8-12.0	357	72.6	67.7-77.5	87	18.5	14.2-22.8
College Graduate	749	85,798	1	0.1	00.0-00.3	54	9.3	06.2-12.4	521	68.0	63.7-72.3	173	22.7	19.0-26.4
Less than \$15,000	217	39,760	3	3.9	00.0-08.6	39	17.7	10.3-25.1	145	67.5	58.5-76.5	30	11.0	05.5-16.5
\$15,000- 24,999	167	30,181				29	18.6	10.6-26.6	111	67.0	57.6-76.4	27	14.4	08.1-20.7
\$25,000- 34,999	173	28,465	1	0.2	00.0-00.6	33	23.1	13.1-33.1	105	57.9	47.3-68.5	34	18.7	11.3-26.1
\$35,000- 49,999	246	42,369				20	8.8	03.7-13.9	179	69.5	61.7-77.3	47	21.7	14.8-28.6
\$50,000- 74,999	308	52,252	1	0.3	00.0-00.9	23	8.8	04.5-13.1	233	73.4	66.9-79.9	51	17.5	12.2-22.8
\$75,000+	673	108,063				51	9.1	06.2-12.0	463	70.2	65.9-74.5	159	20.7	17.0-24.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 33: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3150	368,699	278	9.2	07.8-10.6	2233	70.8	68.6-73.0	631	19.7	17.7-21.7	8	0.4	00.2-00.6
White/Non-Hisp	2440	247,699	198	8.1	06.5-09.7	1740	72.0	69.6-74.4	497	19.7	17.7-21.7	5	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	476	76,266	38	6.7	04.2-09.2	337	69.8	64.5-75.1	98	22.5	17.6-27.4	3	1.1	00.0-02.3
Oth. Race/Non-Hisp.	72	11,981	15	23.8	10.3-37.3	50	70.0	55.7-84.3	7	6.2	00.0-13.1			
MultiRacial/Non-Hisp.	59	4,768	10	15.8	04.0-27.6	39	64.9	50.0-79.8	10	19.4	07.1-31.7			
Hispanic	87	26,510	16	19.0	09.0-29.0	57	64.5	52.2-76.8	14	16.6	07.0-26.2			
18-24	154	44,780	15	9.9	04.4-15.4	105	68.5	60.1-76.9	33	21.0	13.6-28.4	1	0.6	00.0-01.8
25-34	320	57,537	27	8.7	05.0-12.4	206	67.6	61.3-73.9	87	23.7	18.2-29.2			
35-44	387	56,852	28	9.9	05.4-14.4	267	69.1	63.0-75.2	89	20.0	15.1-24.9	3	1.1	00.0-02.5
45-54	569	66,751	32	5.9	03.2-08.6	405	70.0	65.1-74.9	129	23.5	19.2-27.8	3	0.7	00.0-01.5
55-64	622	61,001	35	5.4	03.0-07.8	450	73.8	69.5-78.1	137	20.8	16.7-24.9			
65+	1063	78,920	139	14.4	11.5-17.3	774	73.5	70.0-77.0	149	12.0	09.6-14.4	1	0.0	00.0-00.0
Less Than H.S.	165	36,300	24	12.9	06.0-19.8	113	70.3	61.3-79.3	28	16.8	09.7-23.9			
H.S. or G.E.D.	971	119,027	106	10.0	07.5-12.5	699	72.9	69.2-76.6	162	16.6	13.5-19.7	4	0.6	00.0-01.2
Some Post-H.S.	888	118,215	76	9.7	07.2-12.2	634	69.0	64.9-73.1	176	20.9	17.2-24.6	2	0.4	00.0-01.0
College Graduate	1120	94,462	72	6.1	04.1-08.1	782	70.4	67.1-73.7	264	23.3	20.2-26.4	2	0.2	00.0-00.4
Less than \$15,000	381	42,114	46	11.5	07.2-15.8	269	68.8	62.5-75.1	65	19.2	13.9-24.5	1	0.4	00.0-01.2
\$15,000- 24,999	360	46,402	46	19.6	12.7-26.5	257	66.9	59.5-74.3	57	13.5	08.6-18.4			
\$25,000- 34,999	311	34,227	28	7.2	03.9-10.5	225	72.2	65.5-78.9	56	19.0	13.1-24.9	2	1.6	00.0-04.0
\$35,000- 49,999	402	47,331	38	7.2	04.5-09.9	282	71.1	65.2-77.0	81	21.6	16.1-27.1	1	0.1	00.0-00.3
\$50,000- 74,999	454	51,721	25	5.6	02.9-08.3	325	71.8	66.3-77.3	102	21.8	16.9-26.7	2	0.8	00.0-02.0
\$75,000+	750	88,143	40	5.5	03.3-07.7	524	71.9	67.8-76.0	185	22.5	18.8-26.2	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4983	685,534	54	0.9	00.5-01.3	1630	30.7	28.9-32.5	2215	44.9	42.9-46.9	845	18.1	16.5-19.7	198	4.6	03.8-05.4	41	0.9	00.5-01.3
Male	1990	335,918	3	0.1	00.1-00.1	203	12.7	10.5-14.9	1059	52.8	49.9-55.7	569	26.8	24.3-29.3	131	6.7	05.3-08.1	25	1.0	00.6-01.4
Female	2993	349,616	51	1.7	00.9-02.5	1427	47.9	45.5-50.3	1156	37.3	34.9-39.7	276	9.7	08.3-11.1	67	2.5	01.7-03.3	16	0.9	00.3-01.5
White/Non-Hisp	3861	460,562	42	0.9	00.5-01.3	1284	30.3	28.3-32.3	1722	45.2	43.0-47.4	637	18.4	16.6-20.2	150	4.6	03.6-05.6	26	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	707	136,279	5	0.6	00.0-01.2	199	27.5	23.4-31.6	301	43.2	38.5-47.9	154	21.1	17.4-24.8	36	6.0	03.8-08.2	12	1.7	00.7-02.7
Oth. Race/Non-Hisp.	137	27,059	5	4.5	00.0-09.0	52	40.2	29.0-51.4	63	49.0	37.2-60.8	13	5.0	01.1-08.9	3	1.2	00.0-03.0	1	0.2	00.0-00.6
MultiRacial/Non-Hisp.	103	9,000	2	1.3	00.0-03.3	32	34.3	22.9-45.7	48	44.3	32.9-55.7	16	16.1	07.7-24.5	4	2.9	00.0-05.8	1	1.0	00.0-03.0
Hispanic	150	49,909				57	37.6	27.8-47.4	66	43.6	33.4-53.8	22	14.2	06.9-21.5	4	3.0	00.0-06.3	1	1.5	00.0-04.4
18-24	303	87,922	3	1.6	00.0-03.6	159	52.3	45.6-59.0	108	35.3	28.8-41.8	28	9.3	05.6-13.0	4	1.0	00.0-02.2	1	0.5	00.0-01.5
25-34	515	111,899	6	1.1	00.1-02.1	181	33.4	28.3-38.5	226	43.2	37.7-48.7	73	15.9	11.8-20.0	24	5.3	02.9-07.7	5	1.2	00.0-02.6
35-44	620	107,832	7	0.5	00.0-01.1	190	25.6	21.3-29.9	284	49.4	44.3-54.5	100	17.7	13.8-21.6	32	5.8	03.4-08.2	7	1.0	00.2-01.8
45-54	873	125,236	5	0.2	00.0-00.4	242	21.7	18.4-25.0	399	48.0	43.7-52.3	177	23.7	19.8-27.6	40	5.7	03.5-07.9	10	0.7	00.1-01.3
55-64	987	111,972	5	0.5	00.0-01.1	257	22.8	19.5-26.1	447	46.8	42.7-50.9	214	21.6	18.3-24.9	51	6.5	04.1-08.9	13	1.8	00.6-03.0
65+	1648	137,175	28	1.5	00.9-02.1	581	32.7	29.8-35.6	740	44.9	41.8-48.0	248	17.7	15.2-20.2	46	2.9	01.9-03.9	5	0.4	00.0-01.0
Less Than H.S.	326	90,854	2	0.7	00.0-01.9	95	27.3	20.8-33.8	146	47.8	40.5-55.1	63	17.7	12.6-22.8	16	5.1	02.2-08.0	4	1.3	00.0-02.7
H.S. or G.E.D.	1499	213,978	18	1.1	00.3-01.9	479	30.9	27.8-34.0	670	44.7	41.4-48.0	256	17.2	14.7-19.7	61	5.0	03.4-06.6	15	1.0	00.4-01.6
Some Post-H.S.	1334	203,429	13	0.7	00.1-01.3	429	29.8	26.7-32.9	585	43.2	39.7-46.7	240	20.6	17.7-23.5	58	4.9	03.5-06.3	9	0.8	00.0-01.6
College Graduate	1817	176,460	21	0.9	00.3-01.5	625	33.0	30.3-35.7	810	45.6	42.7-48.5	285	16.3	14.1-18.5	63	3.5	02.3-04.7	13	0.7	00.3-01.1
Less than \$15,000	595	81,445	6	0.6	00.0-01.2	196	31.2	25.7-36.7	255	44.9	39.0-50.8	102	15.2	11.7-18.7	34	7.7	04.6-10.8	2	0.4	00.0-01.0
\$15,000- 24,999	519	74,804	11	2.3	00.0-04.7	176	34.0	28.1-39.9	218	42.0	35.7-48.3	77	14.5	10.2-18.8	22	4.5	02.0-07.0	15	2.7	00.9-04.5
\$25,000- 34,999	468	61,890	3	0.3	00.0-00.7	141	25.9	20.6-31.2	220	45.4	38.9-51.9	77	19.2	14.1-24.3	24	8.5	04.8-12.2	3	0.8	00.0-01.8
\$35,000- 49,999	629	87,114	6	0.8	00.0-01.6	184	24.5	20.4-28.6	289	45.0	39.9-50.1	122	24.7	20.0-29.4	21	3.5	01.5-05.5	7	1.5	00.0-03.3
\$50,000- 74,999	738	100,987	8	0.4	00.0-00.8	229	28.1	24.0-32.2	354	50.4	45.5-55.3	113	15.9	12.4-19.4	30	4.7	02.7-06.7	4	0.5	00.0-01.1
\$75,000+	1394	192,887	8	0.5	00.1-00.9	425	29.8	26.7-32.9	619	43.4	40.1-46.7	276	21.5	18.6-24.4	57	4.1	02.7-05.5	9	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1990	335,918	3	0.1	00.1-00.1	203	12.7	10.5-14.9	1059	52.8	49.9-55.7	569	26.8	24.3-29.3	131	6.7	05.3-08.1	25	1.0	00.6-01.4
White/Non-Hisp	1552	226,178	3	0.1	00.0-00.3	135	10.0	08.0-12.0	839	53.5	50.4-56.6	457	28.8	25.9-31.7	100	6.8	05.0-08.6	18	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	247	63,307				40	17.4	11.7-23.1	105	46.4	38.6-54.2	75	26.1	19.6-32.6	21	8.2	04.3-12.1	6	1.9	00.1-03.7
Oth. Race/Non-Hisp.	67	14,990				11	15.7	03.2-28.2	45	75.1	61.2-89.0	8	7.2	00.3-14.1	2	1.7	00.0-04.6	1	0.4	00.0-01.2
Hispanic	67	25,601				13	23.5	10.0-37.0	34	47.1	31.6-62.6	16	23.5	10.4-36.6	4	5.9	00.0-12.4			
18-24	154	45,521				49	33.1	24.3-41.9	79	50.8	41.2-60.4	22	14.3	08.0-20.6	4	1.8	00.0-04.0			
25-34	205	56,462				27	15.9	09.2-22.6	116	53.8	45.4-62.2	49	24.8	17.4-32.2	11	5.2	01.7-08.7	2	0.3	00.0-00.7
35-44	249	53,908				26	10.9	06.0-15.8	127	53.0	45.4-60.6	71	26.1	19.6-32.6	20	8.4	04.3-12.5	5	1.6	00.2-03.0
45-54	344	62,707	1	0.1	00.0-00.3	17	4.8	02.1-07.5	183	52.6	45.7-59.5	111	33.0	26.5-39.5	26	8.6	04.7-12.5	6	0.9	00.0-01.9
55-64	399	54,251	1	0.2	00.0-00.6	20	5.7	02.4-09.0	197	51.8	45.1-58.5	139	30.1	24.4-35.8	34	10.2	05.9-14.5	8	2.0	00.2-03.8
65+	624	61,365	1	0.2	00.0-00.6	61	10.1	06.8-13.4	347	54.3	49.2-59.4	176	29.4	24.9-33.9	35	5.1	03.1-07.1	4	1.0	00.0-02.2
Less Than H.S.	169	57,255				31	18.6	10.8-26.4	81	53.7	44.1-63.3	43	20.8	13.7-27.9	12	6.1	02.0-10.2	2	0.8	00.0-02.0
H.S. or G.E.D.	584	102,873	2	0.2	00.0-00.4	63	12.2	08.7-15.7	300	52.5	47.2-57.8	168	25.9	21.4-30.4	41	7.7	04.8-10.6	10	1.5	00.3-02.7
Some Post-H.S.	490	90,339				50	12.8	08.9-16.7	260	49.1	43.4-54.8	141	30.8	25.5-36.1	35	6.9	04.4-09.4	4	0.5	00.0-01.1
College Graduate	746	85,331	1	0.1	00.0-00.3	59	9.3	06.6-12.0	417	56.3	51.8-60.8	217	27.6	23.7-31.5	43	5.8	03.6-08.0	9	1.0	00.2-01.8
Less than \$15,000	218	39,890	1	0.3	00.0-00.9	34	20.4	11.4-29.4	108	51.2	41.8-60.6	56	18.3	12.4-24.2	19	9.7	04.4-15.0			
\$15,000- 24,999	166	30,137	1	0.3	00.0-00.9	23	13.5	07.0-20.0	90	57.9	47.5-68.3	37	20.0	12.0-28.0	8	5.0	00.3-09.7	7	3.3	00.2-06.4
\$25,000- 34,999	172	28,354				20	11.3	05.2-17.4	94	50.1	39.5-60.7	45	27.7	18.3-37.1	11	9.7	03.2-16.2	2	1.2	00.0-03.0
\$35,000- 49,999	246	42,369				17	8.8	04.1-13.5	132	47.1	39.1-55.1	78	37.1	29.1-45.1	14	5.9	02.2-09.6	5	1.1	00.0-02.3
\$50,000- 74,999	307	52,029	1	0.1	00.0-00.3	20	8.9	04.6-13.2	178	58.6	51.3-65.9	82	23.7	17.8-29.6	23	8.0	04.1-11.9	3	0.7	00.0-01.7
\$75,000+	669	107,135				54	10.4	07.1-13.7	340	50.5	45.6-55.4	217	31.5	27.0-36.0	51	6.8	04.4-09.2	7	0.8	00.2-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2993	349,616	51	1.7	00.9-02.5	1427	47.9	45.5-50.3	1156	37.3	34.9-39.7	276	9.7	08.3-11.1	67	2.5	01.7-03.3	16	0.9	00.3-01.5
White/Non-Hisp	2309	234,384	39	1.6	00.8-02.4	1149	49.9	47.2-52.6	883	37.2	34.7-39.7	180	8.5	06.9-10.1	50	2.4	01.6-03.2	8	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	460	72,971	5	1.1	00.1-02.1	159	36.2	30.5-41.9	196	40.3	34.6-46.0	79	16.8	12.5-21.1	15	4.1	01.9-06.3	6	1.6	00.2-03.0
Oth. Race/Non-Hisp.	70	12,069	5	10.1	00.3-19.9	41	70.6	57.3-83.9	18	16.6	06.4-26.8	5	2.2	00.0-04.7	1	0.5	00.0-01.5			
MultiRacial/Non-Hisp.	58	4,664	2	2.5	00.0-06.2	28	51.6	35.9-67.3	21	34.2	19.5-48.9	5	7.7	00.0-15.9	1	2.0	00.0-05.9	1	2.0	00.0-05.9
Hispanic	83	24,308				44	52.4	39.1-65.7	32	39.9	26.8-53.0	6	4.5	00.4-08.6				1	3.2	00.0-09.3
18-24	149	42,401	3	3.3	00.0-07.4	110	72.9	64.5-81.3	29	18.7	11.4-26.0	6	4.0	00.7-07.3				1	1.0	00.0-03.0
25-34	310	55,437	6	2.3	00.1-04.5	154	51.2	44.3-58.1	110	32.3	26.0-38.6	24	6.8	03.7-09.9	13	5.4	02.3-08.5	3	2.0	00.0-04.7
35-44	371	53,925	7	1.0	00.0-02.0	164	40.3	33.8-46.8	157	45.8	38.9-52.7	29	9.3	05.2-13.4	12	3.1	00.9-05.3	2	0.4	00.0-01.0
45-54	529	62,529	4	0.4	00.0-00.8	225	38.6	33.3-43.9	216	43.5	38.0-49.0	66	14.4	10.3-18.5	14	2.7	00.9-04.5	4	0.5	00.0-01.1
55-64	588	57,721	4	0.8	00.0-01.8	237	38.8	33.9-43.7	250	42.2	37.1-47.3	75	13.7	10.0-17.4	17	2.9	01.1-04.7	5	1.5	00.1-02.9
65+	1024	75,810	27	2.5	01.3-03.7	520	50.9	47.0-54.8	393	37.3	33.6-41.0	72	8.2	05.8-10.6	11	1.1	00.3-01.9	1	0.0	00.0-00.0
Less Than H.S.	157	33,598	2	2.0	00.0-04.9	64	42.2	32.0-52.4	65	37.8	27.8-47.8	20	12.5	06.0-19.0	4	3.3	00.0-06.8	2	2.2	00.0-05.3
H.S. or G.E.D.	915	111,105	16	2.0	00.4-03.6	416	48.2	43.7-52.7	370	37.5	33.2-41.8	88	9.2	06.8-11.6	20	2.5	01.1-03.9	5	0.6	00.0-01.2
Some Post-H.S.	844	113,090	13	1.3	00.3-02.3	379	43.4	39.1-47.7	325	38.5	34.2-42.8	99	12.6	09.7-15.5	23	3.2	01.6-04.8	5	1.1	00.0-02.5
College Graduate	1071	91,129	20	1.7	00.5-02.9	566	55.2	51.5-58.9	393	35.5	32.0-39.0	68	5.6	03.8-07.4	20	1.5	00.7-02.3	4	0.5	00.0-01.1
Less than \$15,000	377	41,555	5	0.9	00.0-02.1	162	41.6	34.7-48.5	147	38.7	32.0-45.4	46	12.3	08.2-16.4	15	5.7	02.2-09.2	2	0.8	00.0-02.0
\$15,000- 24,999	353	44,667	10	3.6	00.0-07.5	153	47.8	40.2-55.4	128	31.2	24.3-38.1	40	10.9	06.2-15.6	14	4.2	01.7-06.7	8	2.3	00.3-04.3
\$25,000- 34,999	296	33,535	3	0.5	00.0-01.3	121	38.3	30.7-45.9	126	41.4	33.6-49.2	32	12.0	07.1-16.9	13	7.4	03.1-11.7	1	0.4	00.0-01.2
\$35,000- 49,999	383	44,744	6	1.6	00.2-03.0	167	39.3	33.0-45.6	157	42.9	36.4-49.4	44	13.0	08.7-17.3	7	1.3	00.3-02.3	2	1.9	00.0-05.2
\$50,000- 74,999	431	48,959	7	0.8	00.2-01.4	209	48.5	42.2-54.8	176	41.7	35.6-47.8	31	7.6	04.1-11.1	7	1.1	00.1-02.1	1	0.3	00.0-00.9
\$75,000+	725	85,752	8	1.1	00.1-02.1	371	54.0	49.3-58.7	279	34.6	30.3-38.9	59	9.0	06.3-11.7	6	0.8	00.0-01.6	2	0.6	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4944	678,312	59	1.0	00.6-01.4	1646	33.1	31.3-34.9	1884	39.0	37.0-41.0	836	16.3	14.9-17.7	519	10.5	09.3-11.7
Male	1986	335,096	19	1.0	00.4-01.6	517	27.3	24.6-30.0	901	45.8	42.9-48.7	378	17.9	15.7-20.1	171	8.0	06.4-09.6
Female	2958	343,216	40	1.1	00.7-01.5	1129	38.8	36.4-41.2	983	32.4	30.0-34.8	458	14.8	13.0-16.6	348	12.9	11.1-14.7
White/Non-Hisp	3837	457,190	46	1.1	00.7-01.5	1311	33.7	31.7-35.7	1499	39.7	37.5-41.9	624	16.2	14.6-17.8	357	9.3	08.1-10.5
Black or Afr. Am./Non-Hisp	697	134,276	6	0.8	00.0-01.6	194	29.9	25.4-34.4	223	34.7	30.0-39.4	145	17.5	14.2-20.8	129	17.1	13.8-20.4
Oth. Race/Non-Hisp.	134	26,266	1	0.1	00.0-00.3	56	42.3	30.7-53.9	57	50.1	38.1-62.1	12	4.1	00.8-07.4	8	3.4	00.5-06.3
MultiRacial/Non-Hisp.	103	9,000	2	1.3	00.0-03.3	34	37.4	25.8-49.0	35	34.7	23.7-45.7	22	16.1	08.7-23.5	10	10.5	03.4-17.6
Hispanic	148	48,855	3	1.6	00.0-03.4	44	30.1	20.5-39.7	60	39.7	29.7-49.7	27	20.7	11.7-29.7	14	7.9	02.8-13.0
18-24	298	86,384	10	2.9	00.9-04.9	175	59.1	52.4-65.8	81	28.2	22.1-34.3	24	7.2	04.1-10.3	8	2.7	00.5-04.9
25-34	494	108,863	6	1.0	00.0-02.0	191	38.3	33.0-43.6	183	36.1	30.8-41.4	72	15.8	11.3-20.3	42	8.9	05.8-12.0
35-44	615	106,239	9	1.0	00.2-01.8	205	28.3	24.0-32.6	228	41.3	36.2-46.4	101	15.9	12.4-19.4	72	13.5	10.0-17.0
45-54	869	124,407	6	0.5	00.0-01.1	238	22.0	18.7-25.3	354	45.4	41.1-49.7	159	19.0	15.5-22.5	112	13.1	10.2-16.0
55-64	987	111,972	2	0.1	00.0-00.3	292	28.1	24.4-31.8	347	36.7	32.6-40.8	206	21.0	17.7-24.3	140	14.0	11.3-16.7
65+	1644	136,948	26	1.3	00.7-01.9	528	30.2	27.3-33.1	676	42.5	39.4-45.6	272	16.8	14.4-19.2	142	9.2	07.4-11.0
Less Than H.S.	323	89,781	5	1.0	00.0-02.0	100	32.6	25.7-39.5	112	38.8	31.5-46.1	56	15.2	10.1-20.3	50	12.4	08.3-16.5
H.S. or G.E.D.	1491	211,813	20	1.0	00.4-01.6	457	31.9	28.8-35.0	571	39.5	36.2-42.8	270	16.6	14.2-19.0	173	10.9	08.9-12.9
Some Post-H.S.	1323	201,267	15	1.2	00.4-02.0	433	32.6	29.3-35.9	466	35.0	31.7-38.3	251	18.9	16.2-21.6	158	12.2	09.8-14.6
College Graduate	1800	174,638	19	0.9	00.3-01.5	654	35.4	32.7-38.1	731	43.2	40.3-46.1	258	13.6	11.6-15.6	138	6.9	05.5-08.3
Less than \$15,000	593	81,039	7	1.2	00.2-02.2	186	30.3	24.8-35.8	189	36.5	30.8-42.2	120	17.2	13.3-21.1	91	14.8	11.1-18.5
\$15,000- 24,999	514	73,854	15	2.0	00.6-03.4	172	35.1	29.0-41.2	156	32.8	26.5-39.1	83	13.4	09.3-17.5	88	16.7	12.2-21.2
\$25,000- 34,999	462	60,141	3	0.2	00.0-00.6	129	25.0	19.7-30.3	188	40.1	33.8-46.4	83	17.7	12.2-23.2	59	17.0	12.1-21.9
\$35,000- 49,999	627	86,964	5	0.9	00.0-01.9	190	27.9	23.4-32.4	249	40.7	35.6-45.8	109	18.6	14.5-22.7	74	11.9	08.4-15.4
\$50,000- 74,999	732	99,529	8	0.6	00.0-01.2	246	33.8	29.1-38.5	293	39.5	34.8-44.2	120	18.3	14.6-22.0	65	7.8	05.6-10.0
\$75,000+	1383	191,680	12	1.1	00.3-01.9	469	34.2	30.9-37.5	563	40.2	36.9-43.5	233	16.5	14.0-19.0	106	7.9	05.9-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1986	335,096	19	1.0	00.4-01.6	517	27.3	24.6-30.0	901	45.8	42.9-48.7	378	17.9	15.7-20.1	171	8.0	06.4-09.6
White/Non-Hisp	1552	226,178	16	1.1	00.5-01.7	392	26.3	23.4-29.2	718	46.4	43.3-49.5	301	18.6	16.2-21.0	125	7.5	05.7-09.3
Black or Afr. Am./Non-Hisp	244	62,835	3	1.1	00.0-02.5	72	30.2	23.1-37.3	88	41.2	33.4-49.0	47	15.2	10.1-20.3	34	12.3	07.8-16.8
Oth. Race/Non-Hisp.	66	14,641				23	31.1	15.8-46.4	35	61.3	45.2-77.4	4	5.0	00.0-10.7	4	2.6	00.0-05.9
Hispanic	67	25,601				17	26.2	12.3-40.1	30	42.4	27.3-57.5	16	25.9	11.8-40.0	4	5.4	00.0-11.7
18-24	153	45,391	6	3.4	00.5-06.3	79	51.6	42.0-61.2	55	37.1	27.7-46.5	10	6.6	01.9-11.3	3	1.3	00.0-03.3
25-34	204	56,247	3	1.1	00.0-02.7	65	33.2	25.2-41.2	91	41.0	32.8-49.2	32	18.9	11.5-26.3	13	5.7	02.2-09.2
35-44	249	53,908	1	0.4	00.0-01.2	63	21.7	15.6-27.8	117	52.0	44.4-59.6	47	16.1	11.2-21.0	21	9.8	05.3-14.3
45-54	342	62,230	2	0.3	00.0-00.9	55	15.1	10.6-19.6	176	53.0	46.1-59.9	75	21.9	16.2-27.6	34	9.6	05.5-13.7
55-64	399	54,251	1	0.2	00.0-00.6	87	22.1	16.6-27.6	171	44.4	37.7-51.1	94	21.8	16.7-26.9	46	11.5	07.2-15.8
65+	624	61,365	6	1.0	00.0-02.0	164	26.1	21.4-30.8	281	44.6	39.5-49.7	119	19.5	15.6-23.4	54	8.9	06.2-11.6
Less Than H.S.	169	57,255	2	0.6	00.0-01.6	54	32.2	23.0-41.4	67	45.7	35.9-55.5	26	13.1	06.8-19.4	20	8.4	03.9-12.9
H.S. or G.E.D.	580	102,051	8	1.0	00.2-01.8	145	25.2	20.7-29.7	248	44.7	39.4-50.0	121	19.2	15.3-23.1	58	9.9	06.8-13.0
Some Post-H.S.	490	90,339	3	1.3	00.0-02.7	133	29.5	24.4-34.6	211	41.0	35.5-46.5	104	21.4	16.5-26.3	39	6.8	04.3-09.3
College Graduate	746	85,331	6	0.9	00.1-01.7	184	24.2	20.5-27.9	375	52.5	48.0-57.0	127	15.8	12.7-18.9	54	6.6	04.2-09.0
Less than \$15,000	217	39,760	3	0.7	00.0-01.5	64	30.7	21.5-39.9	83	44.5	35.1-53.9	42	13.2	08.3-18.1	25	11.0	05.7-16.3
\$15,000- 24,999	165	29,922	4	1.9	00.0-04.1	51	30.6	21.0-40.2	66	45.5	34.5-56.5	26	12.8	06.3-19.3	18	9.2	03.5-14.9
\$25,000- 34,999	172	28,354	1	0.4	00.0-01.2	42	18.9	11.8-26.0	87	50.0	39.4-60.6	27	18.8	09.0-28.6	15	12.0	05.3-18.7
\$35,000- 49,999	246	42,369				60	24.8	17.9-31.7	115	45.5	37.3-53.7	46	20.2	13.3-27.1	25	9.5	05.0-14.0
\$50,000- 74,999	306	51,680	2	0.7	00.0-01.9	84	29.3	22.2-36.4	133	43.3	35.9-50.7	61	20.3	14.4-26.2	26	6.5	03.6-09.4
\$75,000+	669	107,135	6	1.3	00.1-02.5	152	24.8	20.3-29.3	324	46.5	41.6-51.4	134	20.0	15.9-24.1	53	7.5	04.8-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2958	343,216	40	1.1	00.7-01.5	1129	38.8	36.4-41.2	983	32.4	30.0-34.8	458	14.8	13.0-16.6	348	12.9	11.1-14.7
White/Non-Hisp	2285	231,012	30	1.0	00.4-01.6	919	41.0	38.3-43.7	781	33.1	30.6-35.6	323	13.8	12.0-15.6	232	11.0	09.2-12.8
Black or Afr. Am./Non-Hisp	453	71,442	3	0.6	00.0-01.4	122	29.6	24.1-35.1	135	29.0	23.9-34.1	98	19.5	15.0-24.0	95	21.3	16.6-26.0
Oth. Race/Non-Hisp.	68	11,625	1	0.3	00.0-00.9	33	56.4	40.7-72.1	22	35.9	20.2-51.6	8	3.0	00.3-05.7	4	4.4	00.0-09.3
MultiRacial/Non-Hisp.	58	4,664	2	2.5	00.0-06.2	24	44.0	28.1-59.9	11	19.9	07.6-32.2	14	17.1	06.9-27.3	7	16.5	04.0-29.0
Hispanic	81	23,254	3	3.4	00.0-07.3	27	34.4	21.5-47.3	30	36.7	23.8-49.6	11	15.0	04.6-25.4	10	10.5	02.5-18.5
18-24	145	40,994	4	2.3	00.0-04.7	96	67.4	58.8-76.0	26	18.3	10.9-25.7	14	7.9	03.6-12.2	5	4.2	00.5-07.9
25-34	290	52,616	3	0.8	00.0-01.8	126	43.7	36.8-50.6	92	30.8	24.3-37.3	40	12.5	07.6-17.4	29	12.3	07.4-17.2
35-44	366	52,331	8	1.6	00.0-03.2	142	35.0	28.7-41.3	111	30.3	24.2-36.4	54	15.8	10.5-21.1	51	17.3	12.0-22.6
45-54	527	62,177	4	0.7	00.0-01.5	183	29.0	24.3-33.7	178	37.8	32.3-43.3	84	16.1	12.4-19.8	78	16.5	12.2-20.8
55-64	588	57,721	1	0.1	00.0-00.3	205	33.8	28.9-38.7	176	29.4	24.5-34.3	112	20.4	16.1-24.7	94	16.4	12.7-20.1
65+	1020	75,583	20	1.5	00.7-02.3	364	33.6	29.9-37.3	395	40.8	36.7-44.9	153	14.5	11.8-17.2	88	9.5	07.0-12.0
Less Than H.S.	154	32,526	3	1.6	00.0-03.6	46	33.4	23.2-43.6	45	26.7	17.9-35.5	30	18.8	10.6-27.0	30	19.5	11.5-27.5
H.S. or G.E.D.	911	109,761	12	1.1	00.3-01.9	312	38.2	33.7-42.7	323	34.6	30.5-38.7	149	14.2	11.3-17.1	115	11.9	09.4-14.4
Some Post-H.S.	833	110,927	12	1.2	00.2-02.2	300	35.1	31.0-39.2	255	30.1	26.0-34.2	147	17.0	13.9-20.1	119	16.6	13.1-20.1
College Graduate	1054	89,307	13	0.9	00.3-01.5	470	46.2	42.3-50.1	356	34.3	30.6-38.0	131	11.5	09.1-13.9	84	7.2	05.2-09.2
Less than \$15,000	376	41,280	4	1.6	00.0-03.4	122	30.0	23.5-36.5	106	28.8	22.5-35.1	78	21.1	15.2-27.0	66	18.5	13.4-23.6
\$15,000- 24,999	349	43,932	11	2.0	00.4-03.6	121	38.2	30.6-45.8	90	24.2	17.9-30.5	57	13.8	08.3-19.3	70	21.8	15.5-28.1
\$25,000- 34,999	290	31,787	2	0.1	00.0-00.3	87	30.4	23.0-37.8	101	31.2	24.1-38.3	56	16.7	11.2-22.2	44	21.6	14.5-28.7
\$35,000- 49,999	381	44,595	5	1.7	00.0-03.5	130	30.8	24.9-36.7	134	36.1	29.6-42.6	63	17.2	12.5-21.9	49	14.1	09.0-19.2
\$50,000- 74,999	426	47,849	6	0.5	00.1-00.9	162	38.7	32.6-44.8	160	35.5	29.6-41.4	59	16.1	11.4-20.8	39	9.2	05.7-12.7
\$75,000+	714	84,545	6	1.0	00.0-02.0	317	46.2	41.5-50.9	239	32.3	27.8-36.8	99	12.1	09.4-14.8	53	8.5	05.8-11.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4944	678,312	80	1.5	01.1-01.9	1618	32.5	30.7-34.3	1889	39.1	37.1-41.1	1357	26.9	25.1-28.7
Male	1986	335,096	21	1.0	00.4-01.6	511	27.1	24.4-29.8	904	45.9	43.0-48.8	550	26.0	23.5-28.5
Female	2958	343,216	59	1.9	01.3-02.5	1107	37.9	35.5-40.3	985	32.5	30.1-34.9	807	27.8	25.6-30.0
White/Non-Hisp	3837	457,190	61	1.5	00.9-02.1	1291	33.2	31.2-35.2	1502	39.7	37.5-41.9	983	25.6	23.8-27.4
Black or Afr. Am./Non-Hisp	697	134,276	9	1.1	00.3-01.9	189	29.4	24.9-33.9	225	35.0	30.3-39.7	274	34.5	30.2-38.8
Oth. Race/Non-Hisp.	134	26,266	3	1.7	00.0-04.1	54	40.7	29.3-52.1	57	50.1	38.1-62.1	20	7.5	03.0-12.0
MultiRacial/Non-Hisp.	103	9,000	2	1.3	00.0-03.3	34	37.4	25.8-49.0	35	34.7	23.7-45.7	32	26.6	17.0-36.2
Hispanic	148	48,855	4	1.9	00.0-03.9	43	29.8	20.2-39.4	60	39.7	29.7-49.7	41	28.6	19.0-38.2
18-24	298	86,384	13	3.9	01.5-06.3	172	58.0	51.3-64.7	81	28.2	22.1-34.3	32	9.9	06.2-13.6
25-34	494	108,863	8	1.2	00.2-02.2	188	37.7	32.4-43.0	183	35.9	30.6-41.2	115	25.2	20.1-30.3
35-44	615	106,239	11	1.3	00.3-02.3	202	27.9	23.6-32.2	229	41.4	36.3-46.5	173	29.4	24.9-33.9
45-54	869	124,407	8	0.7	00.1-01.3	236	21.8	18.5-25.1	354	45.4	41.1-49.7	271	32.1	28.0-36.2
55-64	987	111,972	6	0.7	00.0-01.5	286	27.2	23.7-30.7	348	36.9	32.8-41.0	347	35.1	31.2-39.0
65+	1644	136,948	34	1.5	00.9-02.1	517	29.7	26.8-32.6	679	42.8	39.7-45.9	414	26.0	23.3-28.7
Less Than H.S.	323	89,781	5	1.0	00.0-02.0	100	32.6	25.7-39.5	112	38.8	31.5-46.1	106	27.6	21.5-33.7
H.S. or G.E.D.	1491	211,813	26	1.6	00.8-02.4	446	30.9	27.8-34.0	574	39.6	36.3-42.9	445	27.8	24.9-30.7
Some Post-H.S.	1323	201,267	19	1.4	00.6-02.2	428	32.3	29.0-35.6	467	35.0	31.7-38.3	409	31.2	27.9-34.5
College Graduate	1800	174,638	30	1.6	00.8-02.4	642	34.7	32.0-37.4	732	43.2	40.3-46.1	396	20.5	18.1-22.9
Less than \$15,000	593	81,039	10	1.3	00.3-02.3	182	30.1	24.6-35.6	190	36.6	30.9-42.3	211	32.0	26.9-37.1
\$15,000- 24,999	514	73,854	18	2.2	00.8-03.6	167	34.4	28.3-40.5	158	33.3	27.0-39.6	171	30.1	24.4-35.8
\$25,000- 34,999	462	60,141	4	0.5	00.0-01.1	128	24.8	19.5-30.1	187	39.2	32.9-45.5	143	35.5	29.0-42.0
\$35,000- 49,999	627	86,964	6	0.9	00.0-01.9	189	27.9	23.4-32.4	249	40.7	35.6-45.8	183	30.5	25.6-35.4
\$50,000- 74,999	732	99,529	10	0.7	00.1-01.3	243	33.6	28.9-38.3	293	39.5	34.8-44.2	186	26.1	22.0-30.2
\$75,000+	1383	191,680	20	1.9	00.9-02.9	460	33.3	30.0-36.6	564	40.4	37.1-43.7	339	24.4	21.5-27.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1986	335,096	21	1.0	00.4-01.6	511	27.1	24.4-29.8	904	45.9	43.0-48.8	550	26.0	23.5-28.5
White/Non-Hisp	1552	226,178	17	1.2	00.6-01.8	387	26.0	23.1-28.9	721	46.5	43.4-49.6	427	26.3	23.6-29.0
Black or Afr. Am./Non-Hisp	244	62,835	3	1.1	00.0-02.5	72	30.2	23.1-37.3	88	41.2	33.4-49.0	81	27.4	20.9-33.9
Oth. Race/Non-Hisp.	66	14,641				23	31.1	15.8-46.4	35	61.3	45.2-77.4	8	7.6	00.9-14.3
Hispanic	67	25,601	1	0.7	00.0-02.1	16	25.6	11.7-39.5	30	42.4	27.3-57.5	20	31.3	16.6-46.0
18-24	153	45,391	6	3.4	00.5-06.3	79	51.6	42.0-61.2	55	37.1	27.7-46.5	13	7.9	03.0-12.8
25-34	204	56,247	3	1.1	00.0-02.7	65	33.2	25.2-41.2	90	40.1	31.9-48.3	46	25.5	17.7-33.3
35-44	249	53,908	1	0.4	00.0-01.2	62	21.6	15.5-27.7	118	52.2	44.6-59.8	68	25.9	19.6-32.2
45-54	342	62,230	3	0.6	00.0-01.4	54	14.9	10.4-19.4	176	53.0	46.1-59.9	109	31.6	25.1-38.1
55-64	399	54,251	1	0.2	00.0-00.6	85	21.4	16.1-26.7	173	45.1	38.4-51.8	140	33.2	27.1-39.3
65+	624	61,365	7	1.1	00.1-02.1	162	25.7	21.2-30.2	282	44.9	39.8-50.0	173	28.4	23.9-32.9
Less Than H.S.	169	57,255	2	0.6	00.0-01.6	54	32.2	23.0-41.4	67	45.7	35.9-55.5	46	21.5	14.1-28.9
H.S. or G.E.D.	580	102,051	9	1.1	00.3-01.9	142	24.7	20.2-29.2	249	44.7	39.4-50.0	180	29.5	24.8-34.2
Some Post-H.S.	490	90,339	3	1.3	00.0-02.7	132	29.4	24.3-34.5	212	41.1	35.6-46.6	143	28.2	23.1-33.3
College Graduate	746	85,331	7	1.1	00.1-02.1	182	23.9	20.2-27.6	376	52.6	48.1-57.1	181	22.5	18.8-26.2
Less than \$15,000	217	39,760	4	0.8	00.0-01.6	63	30.5	21.3-39.7	83	44.5	35.1-53.9	67	24.2	17.1-31.3
\$15,000- 24,999	165	29,922	4	1.9	00.0-04.1	50	30.4	20.8-40.0	67	45.7	34.7-56.7	44	22.0	13.8-30.2
\$25,000- 34,999	172	28,354	1	0.4	00.0-01.2	42	18.9	11.8-26.0	86	48.2	37.6-58.8	43	32.5	21.7-43.3
\$35,000- 49,999	246	42,369				60	24.8	17.9-31.7	115	45.5	37.3-53.7	71	29.7	22.3-37.1
\$50,000- 74,999	306	51,680	2	0.7	00.0-01.9	83	29.2	22.1-36.3	134	43.4	36.0-50.8	87	26.7	20.4-33.0
\$75,000+	669	107,135	7	1.4	00.2-02.6	150	24.4	19.9-28.9	325	46.7	41.8-51.6	187	27.4	22.9-31.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2958	343,216	59	1.9	01.3-02.5	1107	37.9	35.5-40.3	985	32.5	30.1-34.9	807	27.8	25.6-30.0
White/Non-Hisp	2285	231,012	44	1.8	01.0-02.6	904	40.2	37.5-42.9	781	33.2	30.7-35.7	556	24.9	22.5-27.3
Black or Afr. Am./Non-Hisp	453	71,442	6	1.1	00.1-02.1	117	28.6	23.1-34.1	137	29.5	24.4-34.6	193	40.8	35.1-46.5
Oth. Race/Non-Hisp.	68	11,625	3	3.9	00.0-09.2	31	52.8	37.1-68.5	22	35.9	20.2-51.6	12	7.4	01.7-13.1
MultiRacial/Non-Hisp.	58	4,664	2	2.5	00.0-06.2	24	44.0	28.1-59.9	11	19.9	07.6-32.2	21	33.6	18.9-48.3
Hispanic	81	23,254	3	3.4	00.0-07.3	27	34.4	21.5-47.3	30	36.7	23.8-49.6	21	25.5	13.3-37.7
18-24	145	40,994	7	4.5	01.0-08.0	93	65.1	56.3-73.9	26	18.3	10.9-25.7	19	12.1	06.4-17.8
25-34	290	52,616	5	1.4	00.0-02.8	123	42.6	35.7-49.5	93	31.3	24.8-37.8	69	24.8	18.3-31.3
35-44	366	52,331	10	2.2	00.4-04.0	140	34.5	28.2-40.8	111	30.3	24.2-36.4	105	33.0	26.5-39.5
45-54	527	62,177	5	0.8	00.0-01.8	182	28.8	24.1-33.5	178	37.8	32.3-43.3	162	32.6	27.5-37.7
55-64	588	57,721	5	1.2	00.0-02.6	201	32.6	27.9-37.3	175	29.2	24.3-34.1	207	36.9	31.8-42.0
65+	1020	75,583	27	1.9	01.1-02.7	355	33.0	29.3-36.7	397	41.1	37.0-45.2	241	24.1	20.8-27.4
Less Than H.S.	154	32,526	3	1.6	00.0-03.6	46	33.4	23.2-43.6	45	26.7	17.9-35.5	60	38.4	28.2-48.6
H.S. or G.E.D.	911	109,761	17	2.1	00.7-03.5	304	36.8	32.5-41.1	325	34.9	30.8-39.0	265	26.3	22.6-30.0
Some Post-H.S.	833	110,927	16	1.6	00.6-02.6	296	34.7	30.6-38.8	255	30.1	26.0-34.2	266	33.6	29.5-37.7
College Graduate	1054	89,307	23	2.1	00.9-03.3	460	45.0	41.1-48.9	356	34.3	30.6-38.0	215	18.7	15.8-21.6
Less than \$15,000	376	41,280	6	1.7	00.0-03.5	119	29.6	23.1-36.1	107	29.1	22.8-35.4	144	39.5	32.6-46.4
\$15,000- 24,999	349	43,932	14	2.4	00.6-04.2	117	37.2	29.6-44.8	91	24.8	18.3-31.3	127	35.6	28.2-43.0
\$25,000- 34,999	290	31,787	3	0.5	00.0-01.3	86	30.0	22.6-37.4	101	31.2	24.1-38.3	100	38.2	30.6-45.8
\$35,000- 49,999	381	44,595	6	1.8	00.0-03.6	129	30.8	24.9-36.7	134	36.1	29.6-42.6	112	31.3	25.0-37.6
\$50,000- 74,999	426	47,849	8	0.7	00.1-01.3	160	38.5	32.4-44.6	159	35.3	29.4-41.2	99	25.5	20.0-31.0
\$75,000+	714	84,545	13	2.4	00.8-04.0	310	44.7	40.0-49.4	239	32.3	27.8-36.8	152	20.5	16.8-24.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4944	678,312	1698	34.0	32.2-35.8	3246	66.0	64.2-67.8
Male	1986	335,096	532	28.1	25.4-30.8	1454	71.9	69.2-74.6
Female	2958	343,216	1166	39.7	37.3-42.1	1792	60.3	57.9-62.7
White/Non-Hisp	3837	457,190	1352	34.7	32.7-36.7	2485	65.3	63.3-67.3
Black or Afr. Am./Non-Hisp	697	134,276	198	30.5	26.0-35.0	499	69.5	65.0-74.0
Oth. Race/Non-Hisp.	134	26,266	57	42.4	30.8-54.0	77	57.6	46.0-69.2
MultiRacial/Non-Hisp.	103	9,000	36	38.7	27.1-50.3	67	61.3	49.7-72.9
Hispanic	148	48,855	47	31.7	22.1-41.3	101	68.3	58.7-77.9
18-24	298	86,384	185	61.9	55.4-68.4	113	38.1	31.6-44.6
25-34	494	108,863	196	39.0	33.7-44.3	298	61.0	55.7-66.3
35-44	615	106,239	213	29.2	24.7-33.7	402	70.8	66.3-75.3
45-54	869	124,407	244	22.5	19.2-25.8	625	77.5	74.2-80.8
55-64	987	111,972	292	28.0	24.3-31.7	695	72.0	68.3-75.7
65+	1644	136,948	551	31.2	28.3-34.1	1093	68.8	65.9-71.7
Less Than H.S.	323	89,781	105	33.6	26.7-40.5	218	66.4	59.5-73.3
H.S. or G.E.D.	1491	211,813	472	32.5	29.4-35.6	1019	67.5	64.4-70.6
Some Post-H.S.	1323	201,267	447	33.8	30.5-37.1	876	66.2	62.9-69.5
College Graduate	1800	174,638	672	36.3	33.6-39.0	1128	63.7	61.0-66.4
Less than \$15,000	593	81,039	192	31.3	25.6-37.0	401	68.7	63.0-74.4
\$15,000- 24,999	514	73,854	185	36.7	30.6-42.8	329	63.3	57.2-69.4
\$25,000- 34,999	462	60,141	132	25.3	20.0-30.6	330	74.7	69.4-80.0
\$35,000- 49,999	627	86,964	195	28.8	24.3-33.3	432	71.2	66.7-75.7
\$50,000- 74,999	732	99,529	253	34.3	29.6-39.0	479	65.7	61.0-70.4
\$75,000+	1383	191,680	480	35.2	31.9-38.5	903	64.8	61.5-68.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1986	335,096	532	28.1	25.4-30.8	1454	71.9	69.2-74.6
White/Non-Hisp	1552	226,178	404	27.2	24.3-30.1	1148	72.8	69.9-75.7
Black or Afr. Am./Non-Hisp	244	62,835	75	31.3	24.0-38.6	169	68.7	61.4-76.0
Oth. Race/Non-Hisp.	66	14,641	23	31.1	15.8-46.4	43	68.9	53.6-84.2
Hispanic	67	25,601	17	26.2	12.3-40.1	50	73.8	59.9-87.7
18-24	153	45,391	85	55.0	45.4-64.6	68	45.0	35.4-54.6
25-34	204	56,247	68	34.3	26.3-42.3	136	65.7	57.7-73.7
35-44	249	53,908	63	22.0	15.9-28.1	186	78.0	71.9-84.1
45-54	342	62,230	57	15.5	11.0-20.0	285	84.5	80.0-89.0
55-64	399	54,251	86	21.6	16.3-26.9	313	78.4	73.1-83.7
65+	624	61,365	169	26.7	22.0-31.4	455	73.3	68.6-78.0
Less Than H.S.	169	57,255	56	32.9	23.7-42.1	113	67.1	57.9-76.3
H.S. or G.E.D.	580	102,051	151	25.8	21.3-30.3	429	74.2	69.7-78.7
Some Post-H.S.	490	90,339	135	30.7	25.4-36.0	355	69.3	64.0-74.6
College Graduate	746	85,331	189	25.0	21.1-28.9	557	75.0	71.1-78.9
Less than \$15,000	217	39,760	67	31.3	22.1-40.5	150	68.7	59.5-77.9
\$15,000- 24,999	165	29,922	54	32.3	22.5-42.1	111	67.7	57.9-77.5
\$25,000- 34,999	172	28,354	43	19.3	12.2-26.4	129	80.7	73.6-87.8
\$35,000- 49,999	246	42,369	60	24.8	17.9-31.7	186	75.2	68.3-82.1
\$50,000- 74,999	306	51,680	85	29.9	22.8-37.0	221	70.1	63.0-77.2
\$75,000+	669	107,135	157	25.8	21.3-30.3	512	74.2	69.7-78.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2958	343,216	1166	39.7	37.3-42.1	1792	60.3	57.9-62.7
White/Non-Hisp	2285	231,012	948	42.0	39.3-44.7	1337	58.0	55.3-60.7
Black or Afr. Am./Non-Hisp	453	71,442	123	29.7	24.2-35.2	330	70.3	64.8-75.8
Oth. Race/Non-Hisp.	68	11,625	34	56.7	41.0-72.4	34	43.3	27.6-59.0
MultiRacial/Non-Hisp.	58	4,664	26	46.5	30.6-62.4	32	53.5	37.6-69.4
Hispanic	81	23,254	30	37.8	24.9-50.7	51	62.2	49.3-75.1
18-24	145	40,994	100	69.6	61.2-78.0	45	30.4	22.0-38.8
25-34	290	52,616	128	43.9	37.0-50.8	162	56.1	49.2-63.0
35-44	366	52,331	150	36.7	30.4-43.0	216	63.3	57.0-69.6
45-54	527	62,177	187	29.6	24.9-34.3	340	70.4	65.7-75.1
55-64	588	57,721	206	33.9	29.0-38.8	382	66.1	61.2-71.0
65+	1020	75,583	382	34.9	31.2-38.6	638	65.1	61.4-68.8
Less Than H.S.	154	32,526	49	34.9	24.7-45.1	105	65.1	54.9-75.3
H.S. or G.E.D.	911	109,761	321	38.8	34.3-43.3	590	61.2	56.7-65.7
Some Post-H.S.	833	110,927	312	36.3	32.2-40.4	521	63.7	59.6-67.8
College Graduate	1054	89,307	483	47.1	43.2-51.0	571	52.9	49.0-56.8
Less than \$15,000	376	41,280	125	31.4	24.9-37.9	251	68.6	62.1-75.1
\$15,000- 24,999	349	43,932	131	39.6	32.0-47.2	218	60.4	52.8-68.0
\$25,000- 34,999	290	31,787	89	30.6	23.2-38.0	201	69.4	62.0-76.8
\$35,000- 49,999	381	44,595	135	32.6	26.5-38.7	246	67.4	61.3-73.5
\$50,000- 74,999	426	47,849	168	39.1	33.0-45.2	258	60.9	54.8-67.0
\$75,000+	714	84,545	323	47.1	42.4-51.8	391	52.9	48.2-57.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS

**TABLE 46: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5166	709,099	3781	63.9	61.9-65.9	626	16.2	14.6-17.8	478	12.5	11.1-13.9	195	5.2	04.2-06.2	64	1.5	01.1-01.9	22	0.7	00.3-01.1
Male	2002	338,604	1488	65.2	62.3-68.1	244	16.9	14.5-19.3	183	12.3	10.1-14.5	63	4.3	02.9-05.7	18	0.9	00.5-01.3	6	0.3	00.1-00.5
Female	3164	370,494	2293	62.7	60.3-65.1	382	15.5	13.7-17.3	295	12.7	10.9-14.5	132	6.1	04.9-07.3	46	2.1	01.3-02.9	16	1.0	00.4-01.6
White/Non-Hisp	4011	476,062	3084	69.4	67.4-71.4	411	13.8	12.2-15.4	330	10.6	09.2-12.0	131	4.5	03.5-05.5	41	1.2	00.8-01.6	14	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	729	141,096	438	52.1	47.4-56.8	135	22.5	18.4-26.6	100	16.7	13.0-20.4	36	6.1	03.7-08.5	14	1.7	00.5-02.9	6	0.9	00.1-01.7
Oth. Race/Non-Hisp.	140	27,319	100	66.6	55.8-77.4	21	18.8	09.8-27.8	14	10.9	04.2-17.6	5	3.6	00.0-07.5						
MultiRacial/Non-Hisp.	104	9,066	65	58.4	47.0-69.8	21	23.2	13.0-33.4	7	5.7	00.2-11.2	8	7.7	02.0-13.4	2	3.4	00.0-08.1	1	1.5	00.0-04.4
Hispanic	155	52,690	77	46.2	36.2-56.2	29	17.2	09.4-25.0	26	21.1	12.7-29.5	15	10.1	03.8-16.4	7	4.4	00.5-08.3	1	0.9	00.0-02.7
18-24	311	91,129	195	59.9	53.4-66.4	75	25.3	19.6-31.0	19	6.7	03.4-10.0	12	4.2	01.5-06.9	4	1.3	00.0-02.7	6	2.6	00.4-04.8
25-34	527	114,594	220	40.1	34.8-45.4	129	24.9	20.2-29.6	92	18.1	13.8-22.4	58	12.7	08.8-16.6	21	3.2	01.6-04.8	7	1.0	00.0-02.0
35-44	641	112,302	187	32.1	27.2-37.0	119	16.9	13.4-20.4	225	35.8	30.9-40.7	82	11.5	08.6-14.4	24	3.2	01.4-05.0	4	0.4	00.0-00.8
45-54	915	129,965	575	60.3	56.2-64.4	190	23.0	19.3-26.7	100	11.7	08.8-14.6	36	3.4	02.2-04.6	10	1.2	00.2-02.2	4	0.5	00.0-01.1
55-64	1022	115,350	931	87.3	84.2-90.4	64	7.7	05.5-09.9	20	3.6	01.6-05.6	4	1.0	00.0-02.0	3	0.4	00.0-01.0			
65+	1701	141,264	1632	94.6	93.0-96.2	45	3.7	02.3-05.1	19	1.3	00.5-02.1	3	0.3	00.0-00.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3
Less Than H.S.	336	94,250	240	57.5	50.2-64.8	43	18.5	12.8-24.2	28	13.2	07.9-18.5	14	7.0	02.9-11.1	8	2.7	00.5-04.9	3	1.1	00.0-02.5
H.S. or G.E.D.	1559	222,601	1224	68.4	65.1-71.7	164	14.6	12.1-17.1	105	10.8	08.4-13.2	46	4.3	02.9-05.7	14	1.2	00.4-02.0	6	0.8	00.0-01.6
Some Post-H.S.	1391	211,017	1014	64.4	61.1-67.7	177	16.2	13.7-18.7	117	11.6	09.2-14.0	58	5.6	03.8-07.4	16	1.5	00.7-02.3	9	0.6	00.0-01.2
College Graduate	1873	180,418	1298	61.1	58.2-64.0	241	16.9	14.5-19.3	228	15.4	13.2-17.6	76	5.0	03.8-06.2	26	1.3	00.7-01.9	4	0.3	00.0-00.7
Less than \$15,000	600	82,032	476	66.0	60.1-71.9	65	15.6	11.3-19.9	35	10.1	06.0-14.2	19	5.9	02.2-09.6	3	1.0	00.0-02.2	2	1.4	00.0-03.4
\$15,000- 24,999	531	77,148	406	61.1	54.6-67.6	56	16.4	11.3-21.5	30	10.6	06.1-15.1	24	7.5	04.2-10.8	11	3.9	01.0-06.8	4	0.5	00.0-01.1
\$25,000- 34,999	486	63,601	358	63.4	56.9-69.9	60	16.6	11.1-22.1	39	13.2	08.3-18.1	21	5.0	02.6-07.4	7	1.1	00.1-02.1	1	0.7	00.0-02.1
\$35,000- 49,999	649	89,766	494	67.6	62.5-72.7	72	12.6	09.3-15.9	55	13.5	09.4-17.6	18	4.5	02.1-06.9	6	1.1	00.3-01.9	4	0.7	00.0-01.5
\$50,000- 74,999	767	104,928	568	65.1	60.2-70.0	87	15.2	11.7-18.7	68	13.2	09.5-16.9	28	4.2	02.0-06.4	12	1.9	00.5-03.3	4	0.5	00.0-01.1
\$75,000+	1425	196,581	894	57.7	54.4-61.0	230	20.1	17.2-23.0	214	15.9	13.5-18.3	62	4.9	03.5-06.3	21	1.2	00.6-01.8	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 47: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2002	338,604	1488	65.2	62.3-68.1	244	16.9	14.5-19.3	183	12.3	10.1-14.5	63	4.3	02.9-05.7	18	0.9	00.5-01.3	6	0.3	00.1-00.5
White/Non-Hisp	1560	227,447	1194	69.2	66.1-72.3	173	14.7	12.3-17.1	136	11.4	09.2-13.6	43	3.7	02.3-05.1	11	0.8	00.2-01.4	3	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	251	64,366	161	53.0	45.4-60.6	47	25.7	18.6-32.8	25	12.8	07.3-18.3	12	6.8	02.7-10.9	3	0.8	00.0-01.8	3	0.9	00.0-01.9
Oth. Race/Non-Hisp.	68	15,500	47	63.9	48.2-79.6	10	20.3	06.8-33.8	9	14.8	03.8-25.8	2	1.1	00.0-02.7						
Hispanic	67	25,601	43	59.9	44.6-75.2	8	13.3	02.3-24.3	11	19.9	07.6-32.2	2	4.5	00.0-12.3	3	2.4	00.0-05.3			
18-24	156	46,017	109	67.5	58.9-76.1	34	23.5	15.9-31.1	4	3.4	00.0-07.3	7	5.1	00.6-09.6	1	0.2	00.0-00.6	1	0.4	00.0-01.2
25-34	207	57,219	116	50.3	41.9-58.7	42	25.0	17.2-32.8	33	15.3	09.2-21.4	10	7.5	02.2-12.8	5	1.7	00.1-03.3	1	0.2	00.0-00.6
35-44	251	54,516	91	35.5	28.2-42.8	35	14.0	08.9-19.1	93	38.7	31.3-46.1	25	9.6	05.3-13.9	6	1.7	00.1-03.3	1	0.5	00.0-01.5
45-54	347	63,159	200	55.4	48.7-62.1	78	25.4	19.3-31.5	41	12.8	08.1-17.5	20	4.3	02.1-06.5	5	1.3	00.1-02.5	3	0.8	00.0-01.8
55-64	399	54,292	352	84.9	80.0-89.8	36	11.0	06.9-15.1	9	3.6	00.7-06.5	1	0.1	00.0-00.3	1	0.5	00.0-01.5			
65+	628	61,763	607	95.5	93.1-97.9	19	4.0	01.8-06.2	2	0.5	00.0-01.3									
Less Than H.S.	169	57,255	124	61.4	51.6-71.2	22	18.3	10.5-26.1	11	11.6	04.7-18.5	7	6.7	01.0-12.4	4	1.7	00.1-03.3	1	0.3	00.0-00.9
H.S. or G.E.D.	586	103,305	455	69.4	64.5-74.3	66	15.7	11.6-19.8	46	11.4	07.9-14.9	15	3.1	01.3-04.9	3	0.4	00.0-00.8	1	0.1	00.0-00.3
Some Post-H.S.	498	92,159	365	65.2	59.7-70.7	78	19.1	14.8-23.4	36	10.5	06.8-14.2	14	4.1	01.6-06.6	3	0.7	00.0-01.5	2	0.4	00.0-01.0
College Graduate	748	85,766	544	62.8	58.3-67.3	77	15.1	11.4-18.8	90	16.0	12.5-19.5	27	4.4	02.6-06.2	8	1.3	00.3-02.3	2	0.5	00.0-01.3
Less than \$15,000	219	39,919	180	68.8	59.2-78.4	21	15.9	08.6-23.2	12	10.8	03.9-17.7	4	3.4	00.0-08.5	2	1.1	00.0-02.7			
\$15,000- 24,999	168	30,396	140	69.5	58.9-80.1	14	15.7	07.3-24.1	6	9.2	01.2-17.2	5	3.3	00.2-06.4	2	1.8	00.0-04.3	1	0.4	00.0-01.2
\$25,000- 34,999	173	28,465	129	61.7	50.5-72.9	27	21.4	11.2-31.6	10	12.3	03.7-20.9	5	3.7	00.2-07.2	2	1.0	00.0-02.4			
\$35,000- 49,999	246	42,369	194	69.8	62.0-77.6	23	12.4	06.9-17.9	22	13.2	06.7-19.7	5	3.6	00.5-06.7	2	0.9	00.0-02.1			
\$50,000- 74,999	311	53,134	243	68.0	60.7-75.3	29	12.8	07.5-18.1	26	13.1	07.8-18.4	10	4.8	00.9-08.7	2	0.9	00.0-02.1	1	0.5	00.0-01.5
\$75,000+	674	108,211	431	56.8	51.9-61.7	106	21.2	16.9-25.5	97	15.7	12.2-19.2	30	5.0	02.8-07.2	7	0.8	00.2-01.4	3	0.5	00.0-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 48: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3164	370,494	2293	62.7	60.3-65.1	382	15.5	13.7-17.3	295	12.7	10.9-14.5	132	6.1	04.9-07.3	46	2.1	01.3-02.9	16	1.0	00.4-01.6
White/Non-Hisp	2451	248,614	1890	69.6	67.1-72.1	238	12.9	10.9-14.9	194	9.8	08.2-11.4	88	5.2	04.0-06.4	30	1.6	00.8-02.4	11	0.9	00.1-01.7
Black or Afr. Am./Non-Hisp	478	76,730	277	51.4	45.7-57.1	88	19.8	15.3-24.3	75	20.0	15.1-24.9	24	5.5	03.0-08.0	11	2.4	00.6-04.2	3	1.0	00.0-02.4
Oth. Race/Non-Hisp.	72	11,819	53	70.2	56.5-83.9	11	16.9	05.9-27.9	5	5.9	00.0-11.8	3	7.0	00.0-15.8						
MultiRacial/Non-Hisp.	59	4,768	30	43.7	28.6-58.8	17	34.4	19.1-49.7	6	10.1	00.1-20.1	4	5.4	00.0-11.1	1	3.6	00.0-10.5	1	2.8	00.0-08.3
Hispanic	88	27,088	34	33.3	21.5-45.1	21	20.9	09.9-31.9	15	22.2	10.6-33.8	13	15.4	06.0-24.8	4	6.4	00.0-13.5	1	1.8	00.0-05.1
18-24	155	45,112	86	52.2	43.0-61.4	41	27.1	18.7-35.5	15	10.1	04.6-15.6	5	3.3	00.4-06.2	3	2.5	00.0-05.4	5	4.8	00.5-09.1
25-34	320	57,375	104	29.9	24.0-35.8	87	24.7	19.2-30.2	59	21.0	15.1-26.9	48	17.9	12.2-23.6	16	4.7	02.0-07.4	6	1.8	00.0-03.8
35-44	390	57,786	96	28.9	22.4-35.4	84	19.7	14.8-24.6	132	33.2	26.9-39.5	57	13.3	09.2-17.4	18	4.6	01.3-07.9	3	0.3	00.0-00.7
45-54	568	66,806	375	64.9	59.8-70.0	112	20.7	16.6-24.8	59	10.7	07.2-14.2	16	2.5	01.1-03.9	5	1.0	00.0-02.6	1	0.1	00.0-00.3
55-64	623	61,058	579	89.5	85.8-93.2	28	4.7	02.7-06.7	11	3.6	00.9-06.3	3	1.7	00.0-03.7	2	0.4	00.0-01.0			
65+	1073	79,501	1025	93.9	91.7-96.1	26	3.4	01.6-05.2	17	2.0	00.8-03.2	3	0.5	00.0-01.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3
Less Than H.S.	167	36,994	116	51.5	41.5-61.5	21	18.8	10.6-27.0	17	15.5	07.3-23.7	7	7.3	01.6-13.0	4	4.4	00.0-09.5	2	2.4	00.0-05.7
H.S. or G.E.D.	973	119,296	769	67.5	63.2-71.8	98	13.6	10.5-16.7	59	10.4	07.3-13.5	31	5.3	02.9-07.7	11	1.9	00.5-03.3	5	1.4	00.0-02.8
Some Post-H.S.	893	118,858	649	63.7	59.4-68.0	99	14.1	11.0-17.2	81	12.5	09.4-15.6	44	6.8	04.4-09.2	13	2.1	00.7-03.5	7	0.8	00.0-01.6
College Graduate	1125	94,652	754	59.6	55.9-63.3	164	18.6	15.5-21.7	138	14.8	12.1-17.5	49	5.6	03.8-07.4	18	1.3	00.5-02.1	2	0.1	00.0-00.3
Less than \$15,000	381	42,114	296	63.3	56.0-70.6	44	15.3	10.4-20.2	23	9.5	04.8-14.2	15	8.4	03.1-13.7	1	0.8	00.0-02.4	2	2.7	00.0-06.4
\$15,000- 24,999	363	46,752	266	55.6	47.8-63.4	42	16.8	10.5-23.1	24	11.5	06.0-17.0	19	10.2	05.1-15.3	9	5.2	00.9-09.5	3	0.6	00.0-01.4
\$25,000- 34,999	313	35,137	229	64.7	57.4-72.0	33	12.7	07.6-17.8	29	14.0	08.5-19.5	16	6.1	02.6-09.6	5	1.2	00.0-02.4	1	1.4	00.0-03.9
\$35,000- 49,999	403	47,396	300	65.6	59.1-72.1	49	12.7	08.6-16.8	33	13.7	08.4-19.0	13	5.3	01.8-08.8	4	1.2	00.0-02.4	4	1.4	00.0-03.0
\$50,000- 74,999	456	51,793	325	62.1	55.8-68.4	58	17.6	12.7-22.5	42	13.3	08.2-18.4	18	3.6	01.6-05.6	10	2.9	00.5-05.3	3	0.4	00.0-01.0
\$75,000+	751	88,370	463	58.9	54.4-63.4	124	18.7	15.2-22.2	117	16.1	12.8-19.4	32	4.7	02.9-06.5	14	1.6	00.4-02.8	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 49: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5167	709,320	336	13.3	11.5-15.1	1560	31.4	29.6-33.2	1393	29.8	28.0-31.6	1878	25.6	24.2-27.0
Male	2004	338,749	169	16.9	14.0-19.8	586	30.5	27.8-33.2	499	27.2	24.7-29.7	750	25.4	23.2-27.6
Female	3163	370,571	167	10.0	08.2-11.8	974	32.2	29.8-34.6	894	32.1	29.9-34.3	1128	25.7	23.9-27.5
White/Non-Hisp	4011	476,006	212	10.2	08.6-11.8	1217	32.0	30.0-34.0	1075	30.7	28.7-32.7	1507	27.2	25.6-28.8
Black or Afr. Am./Non-Hisp	730	141,183	80	19.2	14.7-23.7	238	32.7	28.4-37.0	202	28.4	24.3-32.5	210	19.6	16.5-22.7
Oth. Race/Non-Hisp.	140	27,750	9	4.7	00.6-08.8	24	20.8	09.8-31.8	30	25.0	15.4-34.6	77	49.4	37.8-61.0
MultiRacial/Non-Hisp.	105	9,133	5	7.8	01.1-14.5	35	37.1	25.9-48.3	39	42.1	30.9-53.3	26	13.1	06.6-19.6
Hispanic	154	52,348	29	31.7	21.3-42.1	37	26.6	17.8-35.4	43	26.1	17.5-34.7	45	15.6	10.3-20.9
18-24	311	91,129	24	14.8	08.9-20.7	132	42.6	36.1-49.1	107	33.0	27.1-38.9	48	9.5	06.6-12.4
25-34	528	115,044	35	15.1	10.0-20.2	111	24.6	20.1-29.1	142	28.5	23.6-33.4	240	31.8	27.3-36.3
35-44	641	112,367	27	12.7	07.8-17.6	142	25.3	21.0-29.6	164	28.3	23.8-32.8	308	33.7	29.4-38.0
45-54	917	130,142	47	11.0	07.7-14.3	262	30.6	26.7-34.5	243	30.5	26.6-34.4	365	27.8	24.5-31.1
55-64	1021	115,289	56	11.3	07.8-14.8	286	28.7	25.2-32.2	294	33.5	29.6-37.4	385	26.5	23.4-29.6
65+	1698	140,762	146	15.4	12.5-18.3	614	37.2	34.3-40.1	434	26.4	23.7-29.1	504	21.0	18.8-23.2
Less Than H.S.	336	94,250	336	100.0	0100-0100									
H.S. or G.E.D.	1560	222,650				1560	100.0	0100-0100						
Some Post-H.S.	1393	211,125							1393	100.0	0100-0100			
College Graduate	1878	181,295										1878	100.0	0100-0100
Less than \$15,000	600	82,032	80	26.2	20.1-32.3	269	39.3	33.8-44.8	166	26.8	22.1-31.5	85	7.6	05.4-09.8
\$15,000- 24,999	529	76,751	107	35.5	28.8-42.2	227	36.4	30.7-42.1	143	23.1	18.4-27.8	52	4.9	03.1-06.7
\$25,000- 34,999	486	63,601	33	16.5	10.2-22.8	191	35.7	30.0-41.4	150	33.8	27.9-39.7	112	14.0	10.5-17.5
\$35,000- 49,999	649	89,766	26	9.2	05.5-12.9	225	38.0	32.9-43.1	214	36.2	31.3-41.1	184	16.6	13.7-19.5
\$50,000- 74,999	767	104,928	17	5.6	02.3-08.9	193	29.9	25.4-34.4	239	38.6	33.9-43.3	318	25.9	22.4-29.4
\$75,000+	1425	196,581	19	4.0	01.8-06.2	200	18.8	15.9-21.7	299	26.5	23.4-29.6	907	50.7	47.2-54.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 50: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2004	338,749	169	16.9	14.2-19.6	586	30.5	27.8-33.2	499	27.2	24.7-29.7	750	25.4	23.2-27.6
White/Non-Hisp	1560	227,412	103	12.1	09.4-14.8	451	31.5	28.6-34.4	379	27.7	24.8-30.6	627	28.7	26.2-31.2
Black or Afr. Am./Non-Hisp	251	64,366	41	26.1	18.3-33.9	82	31.4	24.5-38.3	70	26.5	20.0-33.0	58	16.0	11.3-20.7
Oth. Race/Non-Hisp.	68	15,500	6	6.7	00.0-13.6	10	26.8	09.6-44.0	13	22.9	09.6-36.2	39	43.6	27.5-59.7
Hispanic	67	25,601	17	45.2	29.3-61.1	15	18.1	07.5-28.7	19	24.6	11.9-37.3	16	12.1	05.2-19.0
18-24	156	46,017	16	20.9	11.3-30.5	74	43.6	34.4-52.8	48	27.8	20.2-35.4	18	7.7	04.0-11.4
25-34	207	57,219	21	20.2	11.8-28.6	54	27.1	20.0-34.2	52	28.0	20.2-35.8	80	24.7	18.6-30.8
35-44	252	54,600	14	14.2	06.8-21.6	64	27.1	20.6-33.6	59	24.3	18.0-30.6	115	34.4	27.7-41.1
45-54	347	63,159	28	14.6	08.9-20.3	92	29.8	23.5-36.1	86	27.5	21.4-33.6	141	28.2	22.7-33.7
55-64	399	54,286	24	12.7	06.4-19.0	101	25.8	20.3-31.3	101	31.9	25.6-38.2	173	29.5	24.2-34.8
65+	628	61,763	66	19.8	14.7-24.9	195	31.3	26.8-35.8	152	24.5	20.4-28.6	215	24.3	20.6-28.0
Less Than H.S.	169	57,255	169	100.0	0100-0100									
H.S. or G.E.D.	586	103,305				586	100.0	0100-0100						
Some Post-H.S.	499	92,242							499	100.0	0100-0100			
College Graduate	750	85,946										750	100.0	0100-0100
Less than \$15,000	219	39,919	49	39.7	29.7-49.7	96	33.2	25.2-41.2	51	21.8	14.5-29.1	23	5.3	02.6-08.0
\$15,000- 24,999	168	30,396	37	36.7	25.1-48.3	76	39.7	29.7-49.7	36	18.9	11.5-26.3	19	4.6	02.1-07.1
\$25,000- 34,999	173	28,465	24	30.5	18.9-42.1	73	37.7	28.3-47.1	41	21.7	14.1-29.3	35	10.2	05.3-15.1
\$35,000- 49,999	246	42,369	18	12.9	06.6-19.2	88	41.0	33.0-49.0	77	32.7	25.1-40.3	63	13.4	09.3-17.5
\$50,000- 74,999	311	53,134	9	6.7	01.2-12.2	91	32.5	25.6-39.4	101	39.8	32.4-47.2	110	21.0	16.1-25.9
\$75,000+	674	108,211	13	5.5	02.2-08.8	100	20.1	15.8-24.4	135	24.5	20.0-29.0	426	49.9	45.0-54.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 51: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3163	370,571	167	10.0	08.2-11.8	974	32.2	29.8-34.6	894	32.1	29.9-34.3	1128	25.7	23.9-27.5
White/Non-Hisp	2451	248,594	109	8.4	06.4-10.4	766	32.5	30.0-35.0	696	33.3	30.8-35.8	880	25.8	23.8-27.8
Black or Afr. Am./Non-Hisp	479	76,817	39	13.5	08.8-18.2	156	33.8	28.5-39.1	132	30.0	24.7-35.3	152	22.7	18.6-26.8
Oth. Race/Non-Hisp.	72	12,250	3	2.3	00.0-05.0	14	13.2	03.0-23.4	17	27.7	13.8-41.6	38	56.9	41.8-72.0
MultiRacial/Non-Hisp.	59	4,768	3	9.6	00.0-20.4	13	27.1	12.4-41.8	24	44.6	29.3-59.9	19	18.6	07.8-29.4
Hispanic	87	26,747	12	18.7	07.3-30.1	22	34.8	21.7-47.9	24	27.5	16.1-38.9	29	19.1	11.1-27.1
18-24	155	45,112	8	8.6	02.7-14.5	58	41.6	32.4-50.8	59	38.4	29.6-47.2	30	11.4	06.9-15.9
25-34	321	57,825	14	10.0	04.7-15.3	57	22.1	16.4-27.8	90	29.1	23.0-35.2	160	38.8	32.5-45.1
35-44	389	57,767	13	11.3	05.0-17.6	78	23.5	17.6-29.4	105	32.1	26.0-38.2	193	33.1	27.6-38.6
45-54	570	66,983	19	7.7	04.0-11.4	170	31.4	26.5-36.3	157	33.4	28.3-38.5	224	27.5	23.4-31.6
55-64	622	61,003	32	10.0	06.1-13.9	185	31.3	26.6-36.0	193	35.0	30.3-39.7	212	23.7	20.0-27.4
65+	1070	79,000	80	12.0	08.9-15.1	419	41.7	37.8-45.6	282	27.9	24.6-31.2	289	18.4	15.9-20.9
Less Than H.S.	167	36,994	167	100.0	0100-0100									
H.S. or G.E.D.	974	119,345				974	100.0	0100-0100						
Some Post-H.S.	894	118,883							894	100.0	0100-0100			
College Graduate	1128	95,348										1128	100.0	0100-0100
Less than \$15,000	381	42,114	31	13.5	08.0-19.0	173	45.1	38.2-52.0	115	31.6	25.3-37.9	62	9.8	06.5-13.1
\$15,000- 24,999	361	46,355	70	34.8	26.8-42.8	151	34.3	27.4-41.2	107	25.8	19.7-31.9	33	5.1	02.7-07.5
\$25,000- 34,999	313	35,137	9	5.2	00.9-09.5	118	34.1	27.0-41.2	109	43.6	36.0-51.2	77	17.1	12.2-22.0
\$35,000- 49,999	403	47,396	8	5.9	01.8-10.0	137	35.3	29.2-41.4	137	39.3	32.8-45.8	121	19.4	15.3-23.5
\$50,000- 74,999	456	51,793	8	4.4	00.7-08.1	102	27.1	21.4-32.8	138	37.5	31.6-43.4	208	31.0	26.1-35.9
\$75,000+	751	88,370	6	2.3	00.1-04.5	100	17.1	13.2-21.0	164	28.9	24.4-33.4	481	51.7	47.0-56.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 52: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4458	614,056	600	13.4	12.0-14.8	531	12.6	11.2-14.0	486	10.4	09.2-11.6	649	14.6	13.2-16.0	2192	49.1	47.1-51.1
Male	1791	302,493	219	13.2	10.8-15.6	168	10.0	08.0-12.0	173	9.4	07.4-11.4	246	14.0	11.8-16.2	985	53.3	50.2-56.4
Female	2667	311,562	381	13.5	11.7-15.3	363	15.0	12.8-17.2	313	11.3	09.7-12.9	403	15.2	13.4-17.0	1207	45.0	42.5-47.5
White/Non-Hisp	3448	412,105	427	11.7	10.3-13.1	335	9.2	07.8-10.6	364	9.8	08.4-11.2	506	15.1	13.5-16.7	1816	54.2	52.0-56.4
Black or Afr. Am./Non-Hisp	643	123,398	119	17.3	13.8-20.8	139	22.9	18.4-27.4	80	10.4	07.7-13.1	85	13.1	10.0-16.2	220	36.3	31.6-41.0
Oth. Race/Non-Hisp.	119	22,851	10	3.6	00.9-06.3	13	6.4	01.3-11.5	12	6.1	01.2-11.0	15	14.0	05.4-22.6	69	69.8	59.2-80.4
MultiRacial/Non-Hisp.	93	8,049	14	15.8	06.6-25.0	20	21.3	11.5-31.1	10	13.6	05.0-22.2	21	21.2	10.8-31.6	28	28.1	17.3-38.9
Hispanic	138	45,898	26	21.7	12.3-31.1	23	16.5	08.9-24.1	19	17.1	08.5-25.7	17	13.3	06.4-20.2	53	31.3	21.7-40.9
18-24	225	62,786	41	16.3	10.6-22.0	51	22.2	15.9-28.5	16	7.6	03.5-11.7	33	13.6	08.5-18.7	84	40.2	32.6-47.8
25-34	490	106,851	55	14.0	09.7-18.3	52	12.8	08.9-16.7	72	14.8	10.7-18.9	85	18.0	13.9-22.1	226	40.4	34.9-45.9
35-44	596	104,838	56	11.8	07.9-15.7	37	8.2	04.9-11.5	43	9.4	05.9-12.9	72	11.6	08.5-14.7	388	59.1	53.8-64.4
45-54	850	121,629	77	8.9	06.5-11.3	81	10.0	07.1-12.9	69	6.5	04.5-08.5	103	12.1	09.2-15.0	520	62.4	58.1-66.7
55-64	909	102,634	98	10.4	07.9-12.9	105	11.2	07.9-14.5	90	8.8	06.4-11.2	134	15.5	12.2-18.8	482	54.2	49.9-58.5
65+	1364	112,932	272	20.4	17.7-23.1	204	15.2	12.7-17.7	195	14.2	11.7-16.7	218	16.8	14.3-19.3	475	33.4	30.3-36.5
Less Than H.S.	282	81,358	80	26.5	19.8-33.2	107	33.5	26.2-40.8	33	12.9	07.6-18.2	26	10.2	06.1-14.3	36	17.0	10.9-23.1
H.S. or G.E.D.	1305	185,337	269	17.4	14.9-19.9	227	15.1	12.6-17.6	191	12.2	10.0-14.4	225	18.4	15.7-21.1	393	36.8	33.3-40.3
Some Post-H.S.	1211	186,266	166	11.8	09.6-14.0	143	9.5	07.5-11.5	150	11.5	09.1-13.9	214	17.4	14.7-20.1	538	49.7	46.0-53.4
College Graduate	1658	160,698	85	3.9	02.7-05.1	52	2.3	01.5-03.1	112	5.6	04.2-07.0	184	9.3	07.7-10.9	1225	78.9	76.5-81.3
Less than \$15,000	600	82,032	600	100.0	0100-0100												
\$15,000- 24,999	531	77,148				531	100.0	0100-0100									
\$25,000- 34,999	486	63,601							486	100.0	0100-0100						
\$35,000- 49,999	649	89,766										649	100.0	0100-0100			
\$50,000- 74,999	767	104,928													767	100.0	0100-0100
\$75,000+	1425	196,581													1425	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 53: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1791	302,493	219	13.2	10.8-15.6	168	10.0	08.0-12.0	173	9.4	07.4-11.4	246	14.0	11.8-16.2	985	53.3	50.2-56.4
White/Non-Hisp	1401	204,811	147	10.5	08.3-12.7	114	7.7	05.9-09.5	128	8.9	06.9-10.9	196	14.6	12.1-17.1	816	58.3	55.0-61.6
Black or Afr. Am./Non-Hisp	221	55,456	45	18.6	12.5-24.7	40	21.8	14.2-29.4	21	7.0	03.5-10.5	27	12.3	07.2-17.4	88	40.3	32.5-48.1
Oth. Race/Non-Hisp.	61	13,122	4	2.8	00.0-05.7	3	1.2	00.0-02.6	5	6.2	00.0-13.3	8	16.1	03.6-28.6	41	73.7	59.6-87.8
Hispanic	63	24,623	15	27.9	13.0-42.8	7	8.3	00.5-16.1	9	18.3	05.0-31.6	8	11.5	02.5-20.5	24	34.0	19.3-48.7
18-24	116	32,921	21	17.6	09.0-26.2	25	17.7	10.1-25.3	7	6.1	01.2-11.0	18	14.6	07.2-22.0	45	44.0	33.0-55.0
25-34	195	54,164	22	14.3	07.4-21.2	14	9.1	03.6-14.6	28	14.4	07.9-20.9	34	17.5	11.4-23.6	97	44.7	36.1-53.3
35-44	236	51,410	19	13.0	06.3-19.7	10	3.6	01.1-06.1	14	7.7	02.6-12.8	24	10.8	06.1-15.5	169	64.8	56.8-72.8
45-54	326	59,912	31	8.9	05.2-12.6	29	10.2	05.7-14.7	21	4.9	02.5-07.3	30	10.4	05.9-14.9	215	65.7	59.0-72.4
55-64	363	49,771	32	8.5	04.8-12.2	35	11.1	05.0-17.2	31	8.2	04.7-11.7	47	14.0	08.9-19.1	218	58.2	51.1-65.3
65+	547	53,416	94	19.0	14.5-23.5	55	11.5	07.8-15.2	72	14.4	10.3-18.5	91	17.1	13.2-21.0	235	38.0	32.9-43.1
Less Than H.S.	150	50,650	49	31.3	21.7-40.9	37	22.0	13.4-30.6	24	17.1	09.3-24.9	18	10.8	05.3-16.3	22	18.8	10.4-27.2
H.S. or G.E.D.	524	92,512	96	14.3	10.8-17.8	76	13.1	09.6-16.6	73	11.6	08.5-14.7	88	18.8	14.3-23.3	191	42.2	36.7-47.7
Some Post-H.S.	441	82,093	51	10.6	07.1-14.1	36	7.0	04.3-09.7	41	7.5	04.8-10.2	77	16.9	12.6-21.2	236	58.0	52.1-63.9
College Graduate	676	77,238	23	2.7	01.3-04.1	19	1.8	00.8-02.8	35	3.8	02.0-05.6	63	7.4	05.2-09.6	536	84.3	81.2-87.4
Less than \$15,000	219	39,919	219	100.0	0100-0100												
\$15,000- 24,999	168	30,396				168	100.0	0100-0100									
\$25,000- 34,999	173	28,465							173	100.0	0100-0100						
\$35,000- 49,999	246	42,369										246	100.0	0100-0100			
\$50,000- 74,999	311	53,134													311	100.0	0100-0100
\$75,000+	674	108,211													674	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 54: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2667	311,562	381	13.5	11.7-15.3	363	15.0	13.0-17.0	313	11.3	09.7-12.9	403	15.2	13.4-17.0	1207	45.0	42.5-47.5
White/Non-Hisp	2047	207,295	280	12.8	10.8-14.8	221	10.7	08.7-12.7	236	10.7	08.9-12.5	310	15.6	13.6-17.6	1000	50.2	47.3-53.1
Black or Afr. Am./Non-Hisp	422	67,942	74	16.2	11.9-20.5	99	23.9	18.6-29.2	59	13.2	09.3-17.1	58	13.7	09.8-17.6	132	33.1	27.4-38.8
Oth. Race/Non-Hisp.	58	9,729	6	4.7	00.0-10.0	10	13.5	02.1-24.9	7	6.1	00.2-12.0	7	11.2	00.0-22.4	28	64.5	48.6-80.4
MultiRacial/Non-Hisp.	55	4,480	9	19.5	05.6-33.4	16	31.4	16.5-46.3	1	1.4	00.0-04.1	15	24.4	10.3-38.5	14	23.4	10.5-36.3
Hispanic	75	21,275	11	14.7	04.7-24.7	16	26.0	13.1-38.9	10	15.8	05.2-26.4	9	15.4	04.8-26.0	29	28.2	16.6-39.8
18-24	109	29,865	20	14.9	07.6-22.2	26	27.2	17.2-37.2	9	9.3	02.4-16.2	15	12.5	05.8-19.2	39	36.0	25.8-46.2
25-34	295	52,687	33	13.6	08.1-19.1	38	16.7	11.0-22.4	44	15.1	10.4-19.8	51	18.6	12.9-24.3	129	36.0	29.5-42.5
35-44	360	53,428	37	10.6	06.7-14.5	27	12.5	06.6-18.4	29	11.0	06.1-15.9	48	12.2	08.3-16.1	219	53.6	46.7-60.5
45-54	524	61,717	46	8.9	06.0-11.8	52	9.9	06.4-13.4	48	8.2	05.3-11.1	73	13.8	09.9-17.7	305	59.2	53.7-64.7
55-64	546	52,862	66	12.1	08.8-15.4	70	11.2	07.9-14.5	59	9.4	06.7-12.1	87	16.9	12.6-21.2	264	50.4	45.1-55.7
65+	817	59,515	178	21.7	18.0-25.4	149	18.5	15.0-22.0	123	14.0	11.1-16.9	127	16.5	13.4-19.6	240	29.3	25.4-33.2
Less Than H.S.	132	30,708	31	18.4	10.8-26.0	70	52.5	41.5-63.5	9	5.9	01.0-10.8	8	9.2	02.7-15.7	14	14.0	05.8-22.2
H.S. or G.E.D.	781	92,825	173	20.5	16.8-24.2	151	17.1	13.6-20.6	118	12.9	10.0-15.8	137	18.0	14.5-21.5	202	31.5	27.0-36.0
Some Post-H.S.	770	104,173	115	12.8	10.1-15.5	107	11.5	08.6-14.4	109	14.7	11.4-18.0	137	17.9	14.4-21.4	302	43.1	38.6-47.6
College Graduate	982	83,459	62	5.0	03.4-06.6	33	2.8	01.6-04.0	77	7.2	05.0-09.4	121	11.0	08.6-13.4	689	74.0	70.7-77.3
Less than \$15,000	381	42,114	381	100.0	0100-0100												
\$15,000- 24,999	363	46,752				363	100.0	0100-0100									
\$25,000- 34,999	313	35,137							313	100.0	0100-0100						
\$35,000- 49,999	403	47,396										403	100.0	0100-0100			
\$50,000- 74,999	456	51,793													456	100.0	0100-0100
\$75,000+	751	88,370													751	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5146	707,268	627	14.6	13.2-16.0	228	5.1	04.3-05.9	1634	26.9	25.3-28.5	2657	53.4	51.4-55.4
Male	1995	337,604	243	15.5	13.1-17.9	87	5.2	03.8-06.6	721	30.3	27.8-32.8	944	49.0	46.1-51.9
Female	3151	369,664	384	13.8	12.0-15.6	141	5.0	03.8-06.2	913	23.7	21.9-25.5	1713	57.4	55.0-59.8
White/Non-Hisp	3994	474,274	507	16.2	14.4-18.0	155	4.7	03.7-05.7	1397	31.4	29.6-33.2	1935	47.7	45.7-49.7
Black or Afr. Am./Non-Hisp	726	140,576	81	13.1	09.6-16.6	49	6.6	04.4-08.8	136	18.2	14.5-21.9	460	62.0	57.3-66.7
Oth. Race/Non-Hisp.	141	27,769	9	5.3	01.0-09.6	3	1.1	00.0-02.7	29	17.6	08.8-26.4	100	76.0	66.4-85.6
MultiRacial/Non-Hisp.	103	9,098	12	15.3	06.1-24.5	13	13.6	05.2-22.0	32	28.5	18.5-38.5	46	42.6	31.4-53.8
Hispanic	155	52,690	15	9.8	04.1-15.5	7	5.2	00.9-09.5	30	13.7	07.6-19.8	103	71.3	62.7-79.9
18-24	311	91,129	44	14.8	10.3-19.3	21	6.4	03.5-09.3	19	5.5	02.8-08.2	227	73.3	67.6-79.0
25-34	526	114,822	83	19.5	15.0-24.0	36	8.4	05.3-11.5	93	16.9	13.0-20.8	314	55.3	50.0-60.6
35-44	641	112,261	94	17.1	13.0-21.2	41	5.8	03.8-07.8	128	19.7	15.8-23.6	378	57.4	52.5-62.3
45-54	911	129,175	156	18.5	15.0-22.0	50	4.9	03.1-06.7	225	24.6	20.9-28.3	480	51.9	47.6-56.2
55-64	1021	115,338	131	13.1	10.4-15.8	43	3.9	02.3-05.5	357	36.5	32.4-40.6	490	46.5	42.4-50.6
65+	1687	140,061	117	6.7	05.1-08.3	36	2.3	01.3-03.3	796	48.6	45.5-51.7	738	42.5	39.4-45.6
Less Than H.S.	334	94,004	80	28.5	22.0-35.0	17	4.3	01.9-06.7	108	27.7	21.6-33.8	129	39.5	32.4-46.6
H.S. or G.E.D.	1549	221,229	260	18.1	15.6-20.6	74	5.3	03.7-06.9	494	25.7	23.0-28.4	721	50.9	47.6-54.2
Some Post-H.S.	1384	210,236	178	12.9	10.7-15.1	77	6.6	04.8-08.4	461	28.8	25.9-31.7	668	51.7	48.4-55.0
College Graduate	1872	180,987	109	5.2	04.0-06.4	60	3.5	02.3-04.7	568	25.8	23.4-28.2	1135	65.5	62.8-68.2
Less than \$15,000	597	81,575	109	21.4	16.5-26.3	37	7.0	04.1-09.9	197	27.2	22.3-32.1	254	44.5	38.6-50.4
\$15,000- 24,999	530	77,006	94	23.0	17.5-28.5	43	7.7	04.8-10.6	141	20.8	15.7-25.9	252	48.5	42.2-54.8
\$25,000- 34,999	483	63,299	72	15.2	11.1-19.3	23	6.2	03.3-09.1	159	27.0	21.9-32.1	229	51.6	45.3-57.9
\$35,000- 49,999	644	89,524	104	21.2	16.7-25.7	22	3.9	01.7-06.1	225	30.5	26.0-35.0	293	44.4	39.3-49.5
\$50,000- 74,999	765	104,850	97	14.8	11.3-18.3	25	3.5	01.7-05.3	258	30.7	26.6-34.8	385	51.0	46.1-55.9
\$75,000+	1422	195,834	96	8.2	06.0-10.4	55	4.9	03.3-06.5	435	27.0	24.1-29.9	836	59.9	56.6-63.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1995	337,604	243	15.5	13.1-17.9	87	5.2	03.8-06.6	721	30.3	27.8-32.8	944	49.0	46.1-51.9
White/Non-Hisp	1554	226,569	197	17.6	14.9-20.3	57	4.7	03.3-06.1	611	34.8	31.9-37.7	689	42.9	39.8-46.0
Black or Afr. Am./Non-Hisp	249	64,079	25	11.5	06.0-17.0	21	8.2	04.3-12.1	57	22.9	16.0-29.8	146	57.4	49.6-65.2
Oth. Race/Non-Hisp.	68	15,500	6	6.6	00.0-13.7	1	0.4	00.0-01.2	16	21.5	07.8-35.2	45	71.4	56.7-86.1
Hispanic	67	25,601	9	13.3	03.1-23.5	1	2.0	00.0-05.9	14	14.5	04.9-24.1	43	70.2	56.9-83.5
18-24	156	46,017	27	17.1	10.2-24.0	10	6.6	02.3-10.9	6	3.2	00.5-05.9	113	73.1	65.1-81.1
25-34	207	57,219	47	25.4	17.8-33.0	20	9.8	05.1-14.5	33	14.9	09.2-20.6	107	49.9	41.5-58.3
35-44	251	54,476	38	17.6	11.5-23.7	12	4.1	01.6-06.6	56	25.3	18.4-32.2	145	53.0	45.4-60.6
45-54	344	62,532	46	15.0	09.9-20.1	18	4.9	02.2-07.6	85	27.1	20.8-33.4	195	53.0	46.1-59.9
55-64	399	54,390	50	13.6	08.9-18.3	12	3.5	01.1-05.9	163	42.4	35.7-49.1	174	40.6	34.1-47.1
65+	623	61,265	35	5.8	03.3-08.3	15	2.6	01.2-04.0	371	61.3	56.4-66.2	202	30.2	25.7-34.7
Less Than H.S.	167	57,009	42	28.0	19.4-36.6	9	4.0	01.1-06.9	68	33.4	24.6-42.2	48	34.6	25.0-44.2
H.S. or G.E.D.	582	102,766	99	19.3	15.2-23.4	30	5.6	03.2-08.0	210	28.0	23.7-32.3	243	47.1	41.8-52.4
Some Post-H.S.	497	91,921	64	13.8	10.1-17.5	27	7.3	04.4-10.2	189	31.4	26.5-36.3	217	47.5	42.0-53.0
College Graduate	748	85,790	38	4.5	02.5-06.5	21	3.2	01.4-05.0	253	30.0	26.1-33.9	436	62.4	58.1-66.7
Less than \$15,000	218	39,807	46	22.6	14.4-30.8	14	5.8	02.1-09.5	75	27.8	19.8-35.8	83	43.7	34.3-53.1
\$15,000- 24,999	167	30,253	35	23.7	14.7-32.7	12	5.5	01.6-09.4	51	27.1	16.7-37.5	69	43.7	33.1-54.3
\$25,000- 34,999	171	28,252	25	14.4	07.7-21.1	11	9.3	03.4-15.2	72	34.7	25.3-44.1	63	41.5	30.5-52.5
\$35,000- 49,999	246	42,369	41	26.1	18.3-33.9	8	4.2	00.7-07.7	102	33.2	25.9-40.5	95	36.5	28.9-44.1
\$50,000- 74,999	310	53,117	38	16.8	10.9-22.7	10	3.9	00.8-07.0	115	31.3	24.8-37.8	147	48.0	40.6-55.4
\$75,000+	672	107,726	41	7.9	04.8-11.0	24	4.9	02.7-07.1	230	30.5	26.0-35.0	377	56.8	51.9-61.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3151	369,664	384	13.8	12.0-15.6	141	5.0	03.8-06.2	913	23.7	21.9-25.5	1713	57.4	55.0-59.8
White/Non-Hisp	2440	247,705	310	14.9	12.9-16.9	98	4.7	03.5-05.9	786	28.2	26.0-30.4	1246	52.1	49.6-54.6
Black or Afr. Am./Non-Hisp	477	76,497	56	14.5	10.2-18.8	28	5.3	02.9-07.7	79	14.3	10.6-18.0	314	65.9	60.4-71.4
Oth. Race/Non-Hisp.	73	12,268	3	3.6	00.0-08.3	2	2.0	00.0-05.5	13	12.6	02.8-22.4	55	81.8	70.6-93.0
MultiRacial/Non-Hisp.	58	4,748	7	15.7	03.0-28.4	6	8.4	00.0-17.4	16	30.7	16.4-45.0	29	45.2	29.7-60.7
Hispanic	88	27,088	6	6.5	00.8-12.2	6	8.1	00.8-15.4	16	13.0	05.4-20.6	60	72.3	61.3-83.3
18-24	155	45,112	17	12.5	06.4-18.6	11	6.3	02.2-10.4	13	7.8	03.1-12.5	114	73.4	65.6-81.2
25-34	319	57,602	36	13.6	08.7-18.5	16	7.0	02.9-11.1	60	18.9	13.6-24.2	207	60.6	53.9-67.3
35-44	390	57,786	56	16.6	11.3-21.9	29	7.4	04.3-10.5	72	14.4	10.5-18.3	233	61.6	55.3-67.9
45-54	567	66,643	110	21.9	17.2-26.6	32	4.8	02.6-07.0	140	22.3	18.2-26.4	285	50.9	45.6-56.2
55-64	622	60,947	81	12.6	09.5-15.7	31	4.2	02.2-06.2	194	31.3	26.6-36.0	316	51.9	46.8-57.0
65+	1064	78,796	82	7.3	05.3-09.3	21	2.0	00.8-03.2	425	38.7	35.0-42.4	536	52.0	48.1-55.9
Less Than H.S.	167	36,994	38	29.3	19.9-38.7	8	4.8	01.1-08.5	40	18.9	11.6-26.2	81	47.0	37.0-57.0
H.S. or G.E.D.	967	118,463	161	17.1	13.8-20.4	44	5.0	02.8-07.2	284	23.7	20.4-27.0	478	54.2	49.9-58.5
Some Post-H.S.	887	118,315	114	12.3	09.8-14.8	50	6.0	03.8-08.2	272	26.8	23.3-30.3	451	54.9	50.8-59.0
College Graduate	1124	95,197	71	5.9	04.1-07.7	39	3.9	02.3-05.5	315	22.0	19.3-24.7	699	68.3	65.0-71.6
Less than \$15,000	379	41,767	63	20.2	14.3-26.1	23	8.1	03.6-12.6	122	26.6	21.1-32.1	171	45.2	38.3-52.1
\$15,000- 24,999	363	46,752	59	22.6	15.5-29.7	31	9.1	05.0-13.2	90	16.7	12.0-21.4	183	51.6	44.0-59.2
\$25,000- 34,999	312	35,048	47	15.8	10.7-20.9	12	3.6	00.9-06.3	87	20.8	15.3-26.3	166	59.8	52.5-67.1
\$35,000- 49,999	398	47,155	63	16.8	12.1-21.5	14	3.7	01.2-06.2	123	28.0	22.3-33.7	198	51.5	45.0-58.0
\$50,000- 74,999	455	51,733	59	12.7	08.8-16.6	15	3.2	01.2-05.2	143	30.1	24.8-35.4	238	54.0	47.9-60.1
\$75,000+	750	88,107	55	8.5	05.6-11.4	31	5.0	02.8-07.2	205	22.7	19.2-26.2	459	63.8	59.3-68.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5146	707,268	4291	80.3	78.7-81.9	855	19.7	18.1-21.3
Male	1995	337,604	1665	79.3	76.8-81.8	330	20.7	18.2-23.2
Female	3151	369,664	2626	81.1	79.1-83.1	525	18.9	16.9-20.9
White/Non-Hisp	3994	474,274	3332	79.1	77.3-80.9	662	20.9	19.1-22.7
Black or Afr. Am./Non-Hisp	726	140,576	596	80.3	76.4-84.2	130	19.7	15.8-23.6
Oth. Race/Non-Hisp.	141	27,769	129	93.6	88.9-98.3	12	6.4	01.7-11.1
MultiRacial/Non-Hisp.	103	9,098	78	71.1	60.1-82.1	25	28.9	17.9-39.9
Hispanic	155	52,690	133	85.0	78.1-91.9	22	15.0	08.1-21.9
18-24	311	91,129	246	78.7	73.6-83.8	65	21.3	16.2-26.4
25-34	526	114,822	407	72.1	67.0-77.2	119	27.9	22.8-33.0
35-44	641	112,261	506	77.1	72.8-81.4	135	22.9	18.6-27.2
45-54	911	129,175	705	76.6	72.9-80.3	206	23.4	19.7-27.1
55-64	1021	115,338	847	83.1	80.0-86.2	174	16.9	13.8-20.0
65+	1687	140,061	1534	91.1	89.3-92.9	153	8.9	07.1-10.7
Less Than H.S.	334	94,004	237	67.2	60.5-73.9	97	32.8	26.1-39.5
H.S. or G.E.D.	1549	221,229	1215	76.6	73.7-79.5	334	23.4	20.5-26.3
Some Post-H.S.	1384	210,236	1129	80.5	77.8-83.2	255	19.5	16.8-22.2
College Graduate	1872	180,987	1703	91.2	89.6-92.8	169	8.8	07.2-10.4
Less than \$15,000	597	81,575	451	71.6	66.1-77.1	146	28.4	22.9-33.9
\$15,000- 24,999	530	77,006	393	69.3	63.4-75.2	137	30.7	24.8-36.6
\$25,000- 34,999	483	63,299	388	78.6	73.7-83.5	95	21.4	16.5-26.3
\$35,000- 49,999	644	89,524	518	74.9	70.0-79.8	126	25.1	20.2-30.0
\$50,000- 74,999	765	104,850	643	81.7	77.8-85.6	122	18.3	14.4-22.2
\$75,000+	1422	195,834	1271	86.9	84.4-89.4	151	13.1	10.6-15.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1995	337,604	1665	79.3	76.8-81.8	330	20.7	18.2-23.2
White/Non-Hisp	1554	226,569	1300	77.7	74.8-80.6	254	22.3	19.4-25.2
Black or Afr. Am./Non-Hisp	249	64,079	203	80.3	74.0-86.6	46	19.7	13.4-26.0
Oth. Race/Non-Hisp.	68	15,500	61	93.0	85.9-0100	7	7.0	00.0-14.1
Hispanic	67	25,601	57	84.7	74.1-95.3	10	15.3	04.7-25.9
18-24	156	46,017	119	76.4	68.8-84.0	37	23.6	16.0-31.2
25-34	207	57,219	140	64.8	56.8-72.8	67	35.2	27.2-43.2
35-44	251	54,476	201	78.2	71.9-84.5	50	21.8	15.5-28.1
45-54	344	62,532	280	80.1	74.4-85.8	64	19.9	14.2-25.6
55-64	399	54,390	337	82.9	77.8-88.0	62	17.1	12.0-22.2
65+	623	61,265	573	91.6	88.9-94.3	50	8.4	05.7-11.1
Less Than H.S.	167	57,009	116	68.0	59.0-77.0	51	32.0	23.0-41.0
H.S. or G.E.D.	582	102,766	453	75.1	70.6-79.6	129	24.9	20.4-29.4
Some Post-H.S.	497	91,921	406	78.9	74.4-83.4	91	21.1	16.6-25.6
College Graduate	748	85,790	689	92.3	89.8-94.8	59	7.7	05.2-10.2
Less than \$15,000	218	39,807	158	71.6	63.0-80.2	60	28.4	19.8-37.0
\$15,000- 24,999	167	30,253	120	70.8	61.4-80.2	47	29.2	19.8-38.6
\$25,000- 34,999	171	28,252	135	76.2	67.8-84.6	36	23.8	15.4-32.2
\$35,000- 49,999	246	42,369	197	69.7	61.7-77.7	49	30.3	22.3-38.3
\$50,000- 74,999	310	53,117	262	79.3	73.0-85.6	48	20.7	14.4-27.0
\$75,000+	672	107,726	607	87.2	83.5-90.9	65	12.8	09.1-16.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3151	369,664	2626	81.1	79.1-83.1	525	18.9	16.9-20.9
White/Non-Hisp	2440	247,705	2032	80.4	78.2-82.6	408	19.6	17.4-21.8
Black or Afr. Am./Non-Hisp	477	76,497	393	80.2	75.5-84.9	84	19.8	15.1-24.5
Oth. Race/Non-Hisp.	73	12,268	68	94.4	88.5-100.0	5	5.6	00.0-11.5
MultiRacial/Non-Hisp.	58	4,748	45	75.9	61.6-90.2	13	24.1	09.8-38.4
Hispanic	88	27,088	76	85.4	76.6-94.2	12	14.6	05.8-23.4
18-24	155	45,112	127	81.2	74.1-88.3	28	18.8	11.7-25.9
25-34	319	57,602	267	79.5	73.6-85.4	52	20.5	14.6-26.4
35-44	390	57,786	305	76.0	70.1-81.9	85	24.0	18.1-29.9
45-54	567	66,643	425	73.3	68.4-78.2	142	26.7	21.8-31.6
55-64	622	60,947	510	83.2	79.7-86.7	112	16.8	13.3-20.3
65+	1064	78,796	961	90.7	88.5-92.9	103	9.3	07.1-11.5
Less Than H.S.	167	36,994	121	65.9	56.3-75.5	46	34.1	24.5-43.7
H.S. or G.E.D.	967	118,463	762	77.9	74.2-81.6	205	22.1	18.4-25.8
Some Post-H.S.	887	118,315	723	81.7	78.6-84.8	164	18.3	15.2-21.4
College Graduate	1124	95,197	1014	90.2	88.0-92.4	110	9.8	07.6-12.0
Less than \$15,000	379	41,767	293	71.7	65.0-78.4	86	28.3	21.6-35.0
\$15,000- 24,999	363	46,752	273	68.3	60.9-75.7	90	31.7	24.3-39.1
\$25,000- 34,999	312	35,048	253	80.5	74.8-86.2	59	19.5	13.8-25.2
\$35,000- 49,999	398	47,155	321	79.5	74.2-84.8	77	20.5	15.2-25.8
\$50,000- 74,999	455	51,733	381	84.1	79.8-88.4	74	15.9	11.6-20.2
\$75,000+	750	88,107	664	86.5	83.0-90.0	86	13.5	10.0-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5129	702,767	2775	55.1	53.1-57.1	2354	44.9	42.9-46.9
Male	1988	335,790	1183	59.9	57.0-62.8	805	40.1	37.2-43.0
Female	3141	366,978	1592	50.7	48.3-53.1	1549	49.3	46.9-51.7
White/Non-Hisp	3981	471,333	2282	59.0	57.0-61.0	1699	41.0	39.0-43.0
Black or Afr. Am./Non-Hisp	725	140,430	282	43.8	39.1-48.5	443	56.2	51.5-60.9
Oth. Race/Non-Hisp.	141	27,769	70	52.8	41.4-64.2	71	47.2	35.8-58.6
MultiRacial/Non-Hisp.	103	9,043	55	58.3	46.9-69.7	48	41.7	30.3-53.1
Hispanic	153	51,366	70	50.7	40.5-60.9	83	49.3	39.1-59.5
18-24	305	88,678	176	57.7	51.2-64.2	129	42.3	35.8-48.8
25-34	526	114,671	341	64.6	59.3-69.9	185	35.4	30.1-40.7
35-44	640	112,250	405	60.4	55.3-65.5	235	39.6	34.5-44.7
45-54	906	127,998	526	57.1	52.8-61.4	380	42.9	38.6-47.2
55-64	1021	115,149	546	50.7	46.6-54.8	475	49.3	45.2-53.4
65+	1684	139,639	756	42.9	39.8-46.0	928	57.1	54.0-60.2
Less Than H.S.	329	92,408	113	45.4	38.1-52.7	216	54.6	47.3-61.9
H.S. or G.E.D.	1544	219,510	684	48.3	45.0-51.6	860	51.7	48.4-55.0
Some Post-H.S.	1381	209,576	737	55.1	51.8-58.4	644	44.9	41.6-48.2
College Graduate	1868	180,459	1238	68.5	65.8-71.2	630	31.5	28.8-34.2
Less than \$15,000	595	81,332	254	47.9	42.0-53.8	341	52.1	46.2-58.0
\$15,000- 24,999	527	76,588	163	37.0	30.9-43.1	364	63.0	56.9-69.1
\$25,000- 34,999	479	62,850	233	50.0	43.5-56.5	246	50.0	43.5-56.5
\$35,000- 49,999	644	88,979	352	55.3	50.2-60.4	292	44.7	39.6-49.8
\$50,000- 74,999	766	104,692	456	57.2	52.5-61.9	310	42.8	38.1-47.5
\$75,000+	1418	195,264	1001	70.6	67.5-73.7	417	29.4	26.3-32.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1988	335,790	1183	59.9	57.0-62.8	805	40.1	37.2-43.0
White/Non-Hisp	1547	224,815	982	65.1	62.0-68.2	565	34.9	31.8-38.0
Black or Afr. Am./Non-Hisp	249	64,073	105	46.5	38.9-54.1	144	53.5	45.9-61.1
Oth. Race/Non-Hisp.	68	15,500	32	49.0	32.3-65.7	36	51.0	34.3-67.7
Hispanic	67	25,601	32	54.5	39.2-69.8	35	45.5	30.2-60.8
18-24	155	45,582	96	66.3	57.7-74.9	59	33.7	25.1-42.3
25-34	206	56,886	144	65.8	57.6-74.0	62	34.2	26.0-42.4
35-44	251	54,534	176	67.9	60.6-75.2	75	32.1	24.8-39.4
45-54	341	61,740	209	60.2	53.3-67.1	132	39.8	32.9-46.7
55-64	399	54,202	241	56.0	49.3-62.7	158	44.0	37.3-50.7
65+	622	61,172	307	45.2	40.1-50.3	315	54.8	49.7-59.9
Less Than H.S.	166	56,154	75	54.6	45.0-64.2	91	45.4	35.8-55.0
H.S. or G.E.D.	578	102,056	291	55.0	49.9-60.1	287	45.0	39.9-50.1
Some Post-H.S.	497	91,973	286	57.1	51.6-62.6	211	42.9	37.4-48.4
College Graduate	746	85,487	531	72.5	68.2-76.8	215	27.5	23.2-31.8
Less than \$15,000	218	39,807	106	53.8	44.4-63.2	112	46.2	36.8-55.6
\$15,000- 24,999	167	30,330	60	39.1	28.7-49.5	107	60.9	50.5-71.3
\$25,000- 34,999	168	27,834	86	52.2	41.4-63.0	82	47.8	37.0-58.6
\$35,000- 49,999	245	41,934	138	57.1	49.1-65.1	107	42.9	34.9-50.9
\$50,000- 74,999	311	53,134	187	58.8	51.5-66.1	124	41.2	33.9-48.5
\$75,000+	671	107,583	500	73.6	69.1-78.1	171	26.4	21.9-30.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3141	366,978	1592	50.7	48.3-53.1	1549	49.3	46.9-51.7
White/Non-Hisp	2434	246,518	1300	53.4	50.7-56.1	1134	46.6	43.9-49.3
Black or Afr. Am./Non-Hisp	476	76,357	177	41.6	35.9-47.3	299	58.4	52.7-64.1
Oth. Race/Non-Hisp.	73	12,268	38	57.7	42.8-72.6	35	42.3	27.4-57.2
MultiRacial/Non-Hisp.	58	4,748	31	58.5	43.2-73.8	27	41.5	26.2-56.8
Hispanic	86	25,764	38	46.9	33.8-60.0	48	53.1	40.0-66.2
18-24	150	43,097	80	48.6	39.4-57.8	70	51.4	42.2-60.6
25-34	320	57,785	197	63.4	56.9-69.9	123	36.6	30.1-43.1
35-44	389	57,716	229	53.3	46.6-60.0	160	46.7	40.0-53.4
45-54	565	66,258	317	54.3	49.0-59.6	248	45.7	40.4-51.0
55-64	622	60,947	305	46.0	41.1-50.9	317	54.0	49.1-58.9
65+	1062	78,468	449	41.1	37.4-44.8	613	58.9	55.2-62.6
Less Than H.S.	163	36,254	38	31.2	21.6-40.8	125	68.8	59.2-78.4
H.S. or G.E.D.	966	117,454	393	42.5	38.2-46.8	573	57.5	53.2-61.8
Some Post-H.S.	884	117,603	451	53.5	49.2-57.8	433	46.5	42.2-50.8
College Graduate	1122	94,972	707	65.0	61.5-68.5	415	35.0	31.5-38.5
Less than \$15,000	377	41,525	148	42.3	35.4-49.2	229	57.7	50.8-64.6
\$15,000- 24,999	360	46,258	103	35.6	28.2-43.0	257	64.4	57.0-71.8
\$25,000- 34,999	311	35,016	147	48.2	40.6-55.8	164	51.8	44.2-59.4
\$35,000- 49,999	399	47,045	214	53.6	47.1-60.1	185	46.4	39.9-52.9
\$50,000- 74,999	455	51,557	269	55.5	49.4-61.6	186	44.5	38.4-50.6
\$75,000+	747	87,681	501	67.0	62.7-71.3	246	33.0	28.7-37.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5129	702,767	1582	31.8	30.0-33.6	617	13.5	12.1-14.9	193	3.4	02.8-04.0	383	6.5	05.7-07.3	2354	44.9	42.9-46.9
Male	1988	335,790	568	29.7	27.0-32.4	301	16.7	14.3-19.1	91	4.2	03.2-05.2	223	9.3	07.7-10.9	805	40.1	37.2-43.0
Female	3141	366,978	1014	33.6	31.4-35.8	316	10.4	09.0-11.8	102	2.6	02.0-03.2	160	4.0	03.2-04.8	1549	49.3	46.9-51.7
White/Non-Hisp	3981	471,333	1243	31.9	29.9-33.9	513	14.3	12.7-15.9	175	4.2	03.4-05.0	351	8.5	07.3-09.7	1699	41.0	39.0-43.0
Black or Afr. Am./Non-Hisp	725	140,430	200	29.5	25.2-33.8	57	10.2	07.1-13.3	8	1.6	00.4-02.8	17	2.5	01.1-03.9	443	56.2	51.5-60.9
Oth. Race/Non-Hisp.	141	27,769	42	32.1	21.3-42.9	16	14.3	05.3-23.3	4	2.5	00.0-05.4	8	3.9	00.0-07.8	71	47.2	35.8-58.6
MultiRacial/Non-Hisp.	103	9,043	37	35.8	25.0-46.6	12	15.4	06.4-24.4	3	3.9	00.0-09.2	3	3.2	00.0-07.1	48	41.7	30.3-53.1
Hispanic	153	51,366	51	35.8	26.0-45.6	14	12.3	05.0-19.6	2	1.1	00.0-03.1	3	1.6	00.0-03.8	83	49.3	39.1-59.5
18-24	305	88,678	102	33.5	27.2-39.8	50	17.6	12.3-22.9	11	2.9	00.9-04.9	13	3.8	01.4-06.2	129	42.3	35.8-48.8
25-34	526	114,671	202	37.5	32.2-42.8	98	18.7	14.6-22.8	24	5.0	02.8-07.2	17	3.4	01.6-05.2	185	35.4	30.1-40.7
35-44	640	112,250	261	37.8	33.1-42.5	106	16.7	13.0-20.4	16	1.7	00.7-02.7	22	4.2	01.8-06.6	235	39.6	34.5-44.7
45-54	906	127,998	329	35.5	31.4-39.6	108	12.2	09.5-14.9	36	3.9	02.3-05.5	53	5.6	03.6-07.6	380	42.9	38.6-47.2
55-64	1021	115,149	306	28.6	25.1-32.1	103	8.8	06.6-11.0	49	4.1	02.7-05.5	88	9.2	06.8-11.6	475	49.3	45.2-53.4
65+	1684	139,639	368	20.3	17.9-22.7	147	9.0	07.2-10.8	55	2.7	01.7-03.7	186	11.0	09.0-13.0	928	57.1	54.0-60.2
Less Than H.S.	329	92,408	63	25.7	19.0-32.4	28	12.3	07.2-17.4	9	2.5	00.5-04.5	13	5.0	01.9-08.1	216	54.6	47.3-61.9
H.S. or G.E.D.	1544	219,510	398	28.7	25.6-31.8	143	10.7	08.5-12.9	36	2.2	01.2-03.2	107	6.7	04.9-08.5	860	51.7	48.4-55.0
Some Post-H.S.	1381	209,576	444	32.3	29.2-35.4	149	13.8	11.3-16.3	39	3.0	01.8-04.2	105	6.1	04.7-07.5	644	44.9	41.6-48.2
College Graduate	1868	180,459	675	38.2	35.5-40.9	296	17.1	14.9-19.3	109	5.7	04.3-07.1	158	7.6	06.2-09.0	630	31.5	28.8-34.2
Less than \$15,000	595	81,332	153	27.5	22.0-33.0	48	11.8	07.5-16.1	20	3.6	01.4-05.8	33	5.0	02.6-07.4	341	52.1	46.2-58.0
\$15,000- 24,999	527	76,588	109	22.8	17.7-27.9	27	8.7	04.8-12.6	8	1.6	00.2-03.0	19	3.9	01.7-06.1	364	63.0	56.9-69.1
\$25,000- 34,999	479	62,850	148	33.6	27.3-39.9	43	9.6	05.9-13.3	7	1.1	00.1-02.1	35	5.7	02.8-08.6	246	50.0	43.5-56.5
\$35,000- 49,999	644	88,979	196	31.4	26.5-36.3	78	13.3	09.8-16.8	25	3.3	01.7-04.9	53	7.3	04.8-09.8	292	44.7	39.6-49.8
\$50,000- 74,999	766	104,692	220	26.5	22.4-30.6	118	18.5	14.4-22.6	42	4.6	02.8-06.4	76	7.6	05.4-09.8	310	42.8	38.1-47.5
\$75,000+	1418	195,264	567	41.4	38.1-44.7	237	16.5	14.0-19.0	76	4.7	03.3-06.1	121	8.0	06.0-10.0	417	29.4	26.3-32.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1988	335,790	568	29.7	27.0-32.4	301	16.7	14.3-19.1	91	4.2	03.2-05.2	223	9.3	07.7-10.9	805	40.1	37.2-43.0
White/Non-Hisp	1547	224,815	452	30.3	27.4-33.2	250	17.9	15.4-20.4	78	5.0	03.6-06.4	202	12.0	10.0-14.0	565	34.9	31.8-38.0
Black or Afr. Am./Non-Hisp	249	64,073	64	27.6	20.7-34.5	25	12.1	07.0-17.2	5	2.3	00.0-04.7	11	4.4	01.5-07.3	144	53.5	45.9-61.1
Oth. Race/Non-Hisp.	68	15,500	15	24.6	10.3-38.9	9	17.9	03.2-32.6	3	3.1	00.0-07.6	5	3.4	00.0-07.1	36	51.0	34.3-67.7
Hispanic	67	25,601	20	33.6	18.7-48.5	8	15.9	03.7-28.1	2	2.1	00.0-05.8	2	2.9	00.0-07.2	35	45.5	30.2-60.8
18-24	155	45,582	51	36.1	26.9-45.3	28	21.1	12.7-29.5	5	2.4	00.2-04.6	12	6.8	02.7-10.9	59	33.7	25.1-42.3
25-34	206	56,886	69	32.4	24.6-40.2	47	20.6	13.9-27.3	16	7.4	03.3-11.5	12	5.4	02.1-08.7	62	34.2	26.0-42.4
35-44	251	54,534	94	35.8	28.5-43.1	64	24.4	17.7-31.1	6	2.0	00.2-03.8	12	5.6	01.9-09.3	75	32.1	24.8-39.4
45-54	341	61,740	114	31.7	25.4-38.0	50	15.5	10.6-20.4	20	5.8	02.9-08.7	25	7.2	03.9-10.5	132	39.8	32.9-46.7
55-64	399	54,202	116	27.0	21.5-32.5	42	9.2	05.9-12.5	26	4.9	02.5-07.3	57	15.0	10.5-19.5	158	44.0	37.3-50.7
65+	622	61,172	118	17.0	13.5-20.5	67	10.8	07.7-13.9	18	2.4	00.8-04.0	104	15.0	11.5-18.5	315	54.8	49.7-59.9
Less Than H.S.	166	56,154	38	29.4	20.0-38.8	20	15.4	08.0-22.8	6	2.7	00.0-05.4	11	7.1	02.2-12.0	91	45.4	35.8-55.0
H.S. or G.E.D.	578	102,056	139	27.8	22.9-32.7	75	14.9	11.0-18.8	16	3.0	01.2-04.8	61	9.2	06.5-11.9	287	45.0	39.9-50.1
Some Post-H.S.	497	91,973	144	27.4	22.7-32.1	68	16.5	12.2-20.8	18	4.0	01.8-06.2	56	9.2	06.5-11.9	211	42.9	37.4-48.4
College Graduate	746	85,487	247	34.7	30.4-39.0	138	20.1	16.4-23.8	51	6.6	04.4-08.8	95	11.0	08.5-13.5	215	27.5	23.2-31.8
Less than \$15,000	218	39,807	55	28.0	19.0-37.0	20	12.5	05.6-19.4	11	5.7	01.4-10.0	20	7.6	03.3-11.9	112	46.2	36.8-55.6
\$15,000- 24,999	167	30,330	27	17.7	09.7-25.7	15	11.4	04.3-18.5	6	2.6	00.1-05.1	12	7.4	02.5-12.3	107	60.9	50.5-71.3
\$25,000- 34,999	168	27,834	45	30.5	20.3-40.7	18	10.7	04.4-17.0	5	1.9	00.0-04.1	18	9.1	03.0-15.2	82	47.8	37.0-58.6
\$35,000- 49,999	245	41,934	67	30.4	22.8-38.0	32	13.1	07.6-18.6	9	3.4	00.9-05.9	30	10.2	05.5-14.9	107	42.9	34.9-50.9
\$50,000- 74,999	311	53,134	67	21.0	15.3-26.7	64	23.9	16.8-31.0	17	4.4	01.9-06.9	39	9.5	05.6-13.4	124	41.2	33.9-48.5
\$75,000+	671	107,583	254	37.7	33.0-42.4	126	20.4	16.5-24.3	40	5.4	03.4-07.4	80	10.1	07.4-12.8	171	26.4	21.9-30.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3141	366,978	1014	33.6	31.4-35.8	316	10.4	09.0-11.8	102	2.6	02.0-03.2	160	4.0	03.2-04.8	1549	49.3	46.9-51.7
White/Non-Hisp	2434	246,518	791	33.4	31.0-35.8	263	11.1	09.5-12.7	97	3.5	02.5-04.5	149	5.4	04.2-06.6	1134	46.6	43.9-49.3
Black or Afr. Am./Non-Hisp	476	76,357	136	31.1	25.8-36.4	32	8.6	05.1-12.1	3	1.0	00.0-02.2	6	0.9	00.1-01.7	299	58.4	52.7-64.1
Oth. Race/Non-Hisp.	73	12,268	27	41.6	26.3-56.9	7	9.6	01.6-17.6	1	1.8	00.0-05.3	3	4.6	00.0-12.2	35	42.3	27.4-57.2
MultiRacial/Non-Hisp.	58	4,748	23	42.5	27.2-57.8	6	11.7	00.5-22.9	1	1.8	00.0-05.3	1	2.5	00.0-07.4	27	41.5	26.2-56.8
Hispanic	86	25,764	31	38.0	25.3-50.7	6	8.6	00.8-16.4				1	0.3	00.0-00.9	48	53.1	40.0-66.2
18-24	150	43,097	51	30.7	22.5-38.9	22	13.8	07.5-20.1	6	3.4	00.3-06.5	1	0.7	00.0-02.1	70	51.4	42.2-60.6
25-34	320	57,785	133	42.6	35.9-49.3	51	16.8	11.7-21.9	8	2.6	00.6-04.6	5	1.4	00.0-02.8	123	36.6	30.1-43.1
35-44	389	57,716	167	39.7	33.4-46.0	42	9.4	05.9-12.9	10	1.4	00.4-02.4	10	2.8	00.0-05.7	160	46.7	40.0-53.4
45-54	565	66,258	215	39.0	33.7-44.3	58	9.1	06.4-11.8	16	2.2	01.0-03.4	28	4.1	02.3-05.9	248	45.7	40.4-51.0
55-64	622	60,947	190	29.9	25.4-34.4	61	8.5	06.0-11.0	23	3.5	01.7-05.3	31	4.1	02.3-05.9	317	54.0	49.1-58.9
65+	1062	78,468	250	22.9	19.8-26.0	80	7.6	05.6-09.6	37	2.8	01.8-03.8	82	7.8	05.8-09.8	613	58.9	55.2-62.6
Less Than H.S.	163	36,254	25	19.8	11.4-28.2	8	7.5	01.6-13.4	3	2.2	00.0-04.9	2	1.7	00.0-04.1	125	68.8	59.2-78.4
H.S. or G.E.D.	966	117,454	259	29.4	25.5-33.3	68	7.0	04.8-09.2	20	1.5	00.7-02.3	46	4.6	02.6-06.6	573	57.5	53.2-61.8
Some Post-H.S.	884	117,603	300	36.0	31.9-40.1	81	11.6	08.7-14.5	21	2.2	01.0-03.4	49	3.7	02.5-04.9	433	46.5	42.2-50.8
College Graduate	1122	94,972	428	41.3	37.6-45.0	158	14.3	11.8-16.8	58	4.8	03.4-06.2	63	4.6	03.2-06.0	415	35.0	31.5-38.5
Less than \$15,000	377	41,525	98	27.1	21.0-33.2	28	11.1	05.8-16.4	9	1.6	00.4-02.8	13	2.6	00.8-04.4	229	57.7	50.8-64.6
\$15,000- 24,999	360	46,258	82	26.1	19.6-32.6	12	6.9	02.2-11.6	2	0.9	00.0-02.5	7	1.6	00.0-03.4	257	64.4	57.0-71.8
\$25,000- 34,999	311	35,016	103	36.0	28.4-43.6	25	8.8	04.5-13.1	2	0.4	00.0-01.0	17	2.9	01.3-04.5	164	51.8	44.2-59.4
\$35,000- 49,999	399	47,045	129	32.2	26.1-38.3	46	13.5	08.8-18.2	16	3.1	00.9-05.3	23	4.7	02.3-07.1	185	46.4	39.9-52.9
\$50,000- 74,999	455	51,557	153	32.2	26.5-37.9	54	12.8	08.9-16.7	25	4.9	02.4-07.4	37	5.6	03.4-07.8	186	44.5	38.4-50.6
\$75,000+	747	87,681	313	46.0	41.3-50.7	111	11.8	09.3-14.3	36	3.9	02.5-05.3	41	5.4	02.9-07.9	246	33.0	28.7-37.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5094	695,814	4362	81.4	79.8-83.0	732	18.6	17.0-20.2
Male	1968	330,980	1588	76.4	73.7-79.1	380	23.6	20.9-26.3
Female	3126	364,834	2774	86.0	84.2-87.8	352	14.0	12.2-15.8
White/Non-Hisp	3958	468,165	3357	80.1	78.3-81.9	601	19.9	18.1-21.7
Black or Afr. Am./Non-Hisp	722	139,847	648	86.1	82.6-89.6	74	13.9	10.4-17.4
Oth. Race/Non-Hisp.	141	27,769	128	85.6	76.2-95.0	13	14.4	05.0-23.8
MultiRacial/Non-Hisp.	100	8,792	81	74.3	63.5-85.1	19	25.7	14.9-36.5
Hispanic	147	48,415	125	80.2	71.2-89.2	22	19.8	10.8-28.8
18-24	302	87,470	197	64.9	58.4-71.4	105	35.1	28.6-41.6
25-34	520	112,987	376	70.3	65.4-75.2	144	29.7	24.8-34.6
35-44	636	110,639	501	77.9	73.6-82.2	135	22.1	17.8-26.4
45-54	900	127,143	751	83.5	80.4-86.6	149	16.5	13.4-19.6
55-64	1015	114,318	904	89.1	86.6-91.6	111	10.9	08.4-13.4
65+	1675	138,944	1589	95.0	93.6-96.4	86	5.0	03.6-06.4
Less Than H.S.	325	90,941	290	81.5	75.2-87.8	35	18.5	12.2-24.8
H.S. or G.E.D.	1530	217,255	1335	83.1	80.4-85.8	195	16.9	14.2-19.6
Some Post-H.S.	1370	207,154	1170	81.2	78.5-83.9	200	18.8	16.1-21.5
College Graduate	1862	179,651	1560	79.5	77.0-82.0	302	20.5	18.0-23.0
Less than \$15,000	590	80,099	515	80.3	75.2-85.4	75	19.7	14.6-24.8
\$15,000- 24,999	523	75,666	477	88.2	84.1-92.3	46	11.8	07.7-15.9
\$25,000- 34,999	478	62,790	415	82.7	77.2-88.2	63	17.3	11.8-22.8
\$35,000- 49,999	635	87,575	540	82.2	78.1-86.3	95	17.8	13.7-21.9
\$50,000- 74,999	762	103,417	630	77.3	73.0-81.6	132	22.7	18.4-27.0
\$75,000+	1414	194,917	1153	77.8	74.9-80.7	261	22.2	19.3-25.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1968	330,980	1588	76.4	73.7-79.1	380	23.6	20.9-26.3
White/Non-Hisp	1534	222,722	1219	74.6	71.7-77.5	315	25.4	22.5-28.3
Black or Afr. Am./Non-Hisp	249	64,073	216	83.0	76.7-89.3	33	17.0	10.7-23.3
Oth. Race/Non-Hisp.	68	15,500	61	84.5	70.0-99.0	7	15.5	01.0-30.0
Hispanic	62	23,116	50	72.0	56.7-87.3	12	28.0	12.7-43.3
18-24	155	45,582	98	59.9	50.5-69.3	57	40.1	30.7-49.5
25-34	201	55,263	128	64.8	56.8-72.8	73	35.2	27.2-43.2
35-44	248	53,106	170	68.2	60.9-75.5	78	31.8	24.5-39.1
45-54	337	61,080	271	81.1	76.0-86.2	66	18.9	13.8-24.0
55-64	396	53,617	333	85.0	80.5-89.5	63	15.0	10.5-19.5
65+	618	60,726	576	94.0	91.5-96.5	42	6.0	03.5-08.5
Less Than H.S.	163	54,869	138	76.9	67.7-86.1	25	23.1	13.9-32.3
H.S. or G.E.D.	572	100,900	460	75.6	70.7-80.5	112	24.4	19.5-29.3
Some Post-H.S.	491	90,382	397	77.7	73.0-82.4	94	22.3	17.6-27.0
College Graduate	741	84,710	592	75.6	71.5-79.7	149	24.4	20.3-28.5
Less than \$15,000	214	38,633	175	75.5	66.9-84.1	39	24.5	15.9-33.1
\$15,000- 24,999	165	29,815	140	85.6	78.9-92.3	25	14.4	07.7-21.1
\$25,000- 34,999	168	27,834	141	80.5	70.7-90.3	27	19.5	09.7-29.3
\$35,000- 49,999	238	40,604	198	82.0	75.5-88.5	40	18.0	11.5-24.5
\$50,000- 74,999	309	52,092	239	70.3	63.0-77.6	70	29.7	22.4-37.0
\$75,000+	669	107,427	517	72.6	68.1-77.1	152	27.4	22.9-31.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3126	364,834	2774	86.0	84.2-87.8	352	14.0	12.2-15.8
White/Non-Hisp	2424	245,442	2138	85.0	83.0-87.0	286	15.0	13.0-17.0
Black or Afr. Am./Non-Hisp	473	75,774	432	88.7	84.8-92.6	41	11.3	07.4-15.2
Oth. Race/Non-Hisp.	73	12,268	67	86.9	75.7-98.1	6	13.1	01.9-24.3
MultiRacial/Non-Hisp.	57	4,729	48	79.0	65.5-92.5	9	21.0	07.5-34.5
Hispanic	85	25,299	75	87.6	78.6-96.6	10	12.4	03.4-21.4
18-24	147	41,888	99	70.4	62.2-78.6	48	29.6	21.4-37.8
25-34	319	57,725	248	75.5	69.6-81.4	71	24.5	18.6-30.4
35-44	388	57,533	331	86.9	82.8-91.0	57	13.1	09.0-17.2
45-54	563	66,063	480	85.8	82.3-89.3	83	14.2	10.7-17.7
55-64	619	60,701	571	92.8	90.4-95.2	48	7.2	04.8-09.6
65+	1057	78,218	1013	95.8	94.2-97.4	44	4.2	02.6-05.8
Less Than H.S.	162	36,072	152	88.4	81.3-95.5	10	11.6	04.5-18.7
H.S. or G.E.D.	958	116,355	875	89.6	86.9-92.3	83	10.4	07.7-13.1
Some Post-H.S.	879	116,771	773	83.9	80.6-87.2	106	16.1	12.8-19.4
College Graduate	1121	94,941	968	83.1	80.2-86.0	153	16.9	14.0-19.8
Less than \$15,000	376	41,466	340	84.9	79.0-90.8	36	15.1	09.2-21.0
\$15,000- 24,999	358	45,851	337	89.9	84.6-95.2	21	10.1	04.8-15.4
\$25,000- 34,999	310	34,956	274	84.4	78.5-90.3	36	15.6	09.7-21.5
\$35,000- 49,999	397	46,971	342	82.2	76.7-87.7	55	17.8	12.3-23.3
\$50,000- 74,999	453	51,325	391	84.5	80.2-88.8	62	15.5	11.2-19.8
\$75,000+	745	87,491	636	84.1	80.8-87.4	109	15.9	12.6-19.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5094	696,502	2020	39.3	37.5-41.1	538	11.0	09.8-12.2	155	3.8	03.0-04.6	22	0.6	00.4-00.8	5	0.1	00.1-00.1	2354	45.3	43.3-47.3
Male	1974	333,398	733	37.0	34.1-39.9	300	15.1	12.9-17.3	113	6.4	04.8-08.0	18	1.0	00.4-01.6	5	0.1	00.0-00.3	805	40.3	37.4-43.2
Female	3120	363,103	1287	41.4	39.0-43.8	238	7.2	06.0-08.4	42	1.4	00.8-02.0	4	0.2	00.0-00.4				1549	49.8	47.4-52.2
White/Non-Hisp	3959	467,616	1628	40.6	38.6-42.6	480	13.2	11.6-14.8	128	4.1	03.3-04.9	20	0.7	00.3-01.1	4	0.1	00.1-00.1	1699	41.4	39.4-43.4
Black or Afr. Am./Non-Hisp	715	138,442	227	35.0	30.5-39.5	32	5.7	03.3-08.1	11	1.7	00.3-03.1	2	0.6	00.0-01.4				443	57.0	52.3-61.7
Oth. Race/Non-Hisp.	141	27,769	55	41.7	30.5-52.9	12	8.2	00.2-16.2	3	2.9	00.0-06.8							71	47.2	35.8-58.6
MultiRacial/Non-Hisp.	102	9,024	43	42.0	30.8-53.2	4	5.0	00.0-10.1	6	10.8	02.0-19.6				1	0.4	00.0-01.2	48	41.8	30.4-53.2
Hispanic	151	50,824	55	36.8	27.0-46.6	6	6.9	00.8-13.0	7	6.5	00.8-12.2							83	49.8	39.6-60.0
18-24	295	85,777	108	36.0	29.5-42.5	37	11.8	07.5-16.1	19	8.0	03.9-12.1	1	0.3	00.0-00.9	1	0.1	00.0-00.3	129	43.7	37.0-50.4
25-34	525	114,510	256	46.3	41.0-51.6	54	11.9	08.2-15.6	23	5.0	02.6-07.4	6	1.2	00.2-02.2	1	0.1	00.0-00.3	185	35.5	30.2-40.8
35-44	635	111,073	320	46.8	41.7-51.9	66	11.0	07.5-14.5	13	2.0	00.8-03.2	1	0.2	00.0-00.6				235	40.0	34.9-45.1
45-54	900	127,186	399	42.8	38.5-47.1	82	10.1	07.6-12.6	33	3.4	02.0-04.8	4	0.4	00.0-01.0	2	0.2	00.0-00.4	380	43.1	38.8-47.4
55-64	1018	114,885	394	35.6	31.9-39.3	112	10.2	07.8-12.6	31	3.7	01.9-05.5	6	1.1	00.1-02.1				475	49.4	45.3-53.5
65+	1674	138,689	523	29.1	26.4-31.8	182	10.9	08.9-12.9	36	2.3	01.3-03.3	4	0.2	00.0-00.4	1	0.0	00.0-00.0	928	57.5	54.4-60.6
Less Than H.S.	325	91,165	69	27.2	20.5-33.9	28	12.1	07.2-17.0	8	4.4	00.9-07.9	4	1.0	00.0-02.2				216	55.3	48.0-62.6
H.S. or G.E.D.	1528	216,395	472	33.5	30.4-36.6	138	9.8	07.6-12.0	44	3.3	02.1-04.5	10	0.8	00.2-01.4	4	0.2	00.0-00.4	860	52.4	49.1-55.7
Some Post-H.S.	1376	208,745	542	40.1	36.8-43.4	133	9.8	07.8-11.8	51	4.6	03.0-06.2	5	0.4	00.0-00.8	1	0.1	00.0-00.3	644	45.1	41.8-48.4
College Graduate	1858	179,383	934	51.5	48.6-54.4	239	13.4	11.4-15.4	52	3.1	02.1-04.1	3	0.3	00.0-00.7				630	31.7	29.0-34.4
Less than \$15,000	590	80,230	177	32.1	26.4-37.8	57	11.6	07.3-15.9	11	2.6	00.6-04.6	3	0.8	00.0-01.8	1	0.1	00.0-00.3	341	52.8	46.9-58.7
\$15,000- 24,999	520	75,009	118	26.0	20.5-31.5	24	6.7	03.6-09.8	12	2.3	00.7-03.9	2	0.7	00.0-01.7				364	64.4	58.3-70.5
\$25,000- 34,999	478	62,770	182	38.6	32.3-44.9	36	9.2	04.9-13.5	10	1.6	00.4-02.8	3	0.4	00.0-00.8	1	0.2	00.0-00.6	246	50.1	43.6-56.6
\$35,000- 49,999	643	88,959	246	38.8	33.7-43.9	83	11.9	08.6-15.2	18	3.7	01.7-05.7	2	0.6	00.0-01.4	2	0.3	00.0-00.7	292	44.7	39.6-49.8
\$50,000- 74,999	763	104,209	311	36.7	32.2-41.2	90	10.2	07.5-12.9	43	8.7	05.2-12.2	8	1.3	00.1-02.5	1	0.0	00.0-00.0	310	43.0	38.3-47.7
\$75,000+	1410	194,129	743	51.6	48.1-55.1	193	14.2	11.7-16.7	53	4.2	02.8-05.6	4	0.4	00.0-00.8				417	29.6	26.5-32.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1974	333,398	733	37.0	34.1-39.9	300	15.1	12.9-17.3	113	6.4	04.8-08.0	18	1.0	00.4-01.6	5	0.1	00.0-00.3	805	40.3	37.4-43.2
White/Non-Hisp	1536	223,169	599	39.2	36.1-42.3	263	17.9	15.4-20.4	89	6.4	04.8-08.0	16	1.2	00.6-01.8	4	0.2	00.0-00.4	565	35.2	32.1-38.3
Black or Afr. Am./Non-Hisp	247	63,404	73	32.4	25.1-39.7	18	8.6	04.3-12.9	10	3.7	00.8-06.6	2	1.2	00.0-03.0				144	54.1	46.5-61.7
Oth. Race/Non-Hisp.	68	15,500	20	32.7	17.4-48.0	9	11.1	00.0-24.0	3	5.2	00.0-12.1							36	51.0	34.3-67.7
Hispanic	66	25,525	20	31.2	16.7-45.7	4	10.3	00.1-20.5	7	13.0	02.0-24.0							35	45.6	30.3-60.9
18-24	150	44,554	52	37.6	28.2-47.0	23	15.6	08.7-22.5	15	12.1	05.0-19.2				1	0.2	00.0-00.6	59	34.4	25.6-43.2
25-34	205	56,725	86	38.4	30.4-46.4	34	16.7	10.2-23.2	17	8.3	03.8-12.8	5	2.1	00.1-04.1	1	0.2	00.0-00.6	62	34.3	25.9-42.7
35-44	249	53,909	124	48.2	40.6-55.8	39	15.2	09.3-21.1	10	3.7	01.2-06.2	1	0.4	00.0-01.2				75	32.5	25.2-39.8
45-54	340	61,715	134	38.6	31.9-45.3	48	15.3	10.4-20.2	21	5.1	02.7-07.5	3	0.8	00.0-01.8	2	0.3	00.0-00.7	132	39.9	33.0-46.8
55-64	398	54,153	145	32.7	26.8-38.6	65	14.2	10.3-18.1	24	6.8	03.3-10.3	6	2.3	00.1-04.5				158	44.0	37.3-50.7
65+	618	60,667	184	26.5	22.2-30.8	89	14.0	10.3-17.7	26	3.8	01.8-05.8	3	0.4	00.0-00.8	1	0.1	00.0-00.3	315	55.2	50.1-60.3
Less Than H.S.	165	55,850	42	30.9	21.5-40.3	22	16.1	08.7-23.5	6	5.7	00.4-11.0	4	1.7	00.0-03.7				91	45.6	35.8-55.4
H.S. or G.E.D.	570	100,504	167	33.5	28.4-38.6	73	13.3	09.6-17.0	32	6.0	03.5-08.5	7	1.1	00.1-02.1	4	0.4	00.0-00.8	287	45.7	40.4-51.0
Some Post-H.S.	497	91,973	178	34.5	29.4-39.6	64	13.2	09.5-16.9	38	8.4	05.3-11.5	5	0.9	00.0-01.9	1	0.1	00.0-00.3	211	42.9	37.4-48.4
College Graduate	741	84,952	346	47.8	43.3-52.3	141	18.8	15.3-22.3	37	5.1	03.1-07.1	2	0.5	00.0-01.3				215	27.7	23.4-32.0
Less than \$15,000	215	38,913	60	30.8	21.6-40.0	32	16.5	09.1-23.9	7	3.6	00.1-07.1	3	1.6	00.0-03.8	1	0.3	00.0-00.9	112	47.3	37.9-56.7
\$15,000- 24,999	164	29,702	31	21.8	12.6-31.0	15	10.7	04.8-16.6	10	4.2	01.3-07.1	1	1.1	00.0-03.3				107	62.2	51.8-72.6
\$25,000- 34,999	168	27,834	60	34.6	24.6-44.6	17	13.8	05.2-22.4	6	2.7	00.0-05.4	2	0.7	00.0-01.7	1	0.4	00.0-01.2	82	47.8	37.0-58.6
\$35,000- 49,999	245	41,934	83	36.5	28.7-44.3	39	13.3	08.0-18.6	13	6.4	02.5-10.3	1	0.5	00.0-01.5	2	0.6	00.0-01.4	107	42.9	34.9-50.9
\$50,000- 74,999	311	53,134	98	28.8	22.3-35.3	49	13.3	08.6-18.0	32	14.1	07.8-20.4	7	2.5	00.3-04.7	1	0.1	00.0-00.3	124	41.2	33.9-48.5
\$75,000+	667	107,238	330	48.4	43.5-53.3	123	18.2	14.5-21.9	39	6.2	03.8-08.6	4	0.7	00.0-01.5				171	26.5	22.0-31.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3120	363,103	1287	41.4	39.0-43.8	238	7.2	06.0-08.4	42	1.4	00.8-02.0	4	0.2	00.0-00.4	1549	49.8	47.4-52.2
White/Non-Hisp	2423	244,447	1029	41.8	39.3-44.3	217	9.0	07.4-10.6	39	2.0	01.2-02.8	4	0.2	00.0-00.4	1134	47.0	44.3-49.7
Black or Afr. Am./Non-Hisp	468	75,038	154	37.2	31.5-42.9	14	3.3	00.9-05.7	1	0.1	00.0-00.3				299	59.4	53.7-65.1
Oth. Race/Non-Hisp.	73	12,268	35	53.1	38.0-68.2	3	4.6	00.0-12.2							35	42.3	27.4-57.2
MultiRacial/Non-Hisp.	57	4,729	27	48.1	32.4-63.8	1	2.8	00.0-08.1	2	7.4	00.0-17.6				27	41.7	26.2-57.2
Hispanic	85	25,299	35	42.4	29.5-55.3	2	3.5	00.0-09.8							48	54.1	41.0-67.2
18-24	145	41,223	56	34.2	25.6-42.8	14	7.7	03.2-12.2	4	3.6	00.0-07.3	1	0.7	00.0-02.1	70	53.8	44.6-63.0
25-34	320	57,785	170	54.1	47.4-60.8	20	7.3	03.4-11.2	6	1.7	00.3-03.1	1	0.3	00.0-00.9	123	36.6	30.1-43.1
35-44	386	57,164	196	45.4	38.7-52.1	27	7.0	03.1-10.9	3	0.5	00.0-01.1				160	47.1	40.2-54.0
45-54	560	65,471	265	46.7	41.4-52.0	34	5.2	03.2-07.2	12	1.8	00.4-03.2	1	0.0	00.0-00.0	248	46.2	40.9-51.5
55-64	620	60,732	249	38.2	33.5-42.9	47	6.7	04.3-09.1	7	0.9	00.1-01.7				317	54.2	49.3-59.1
65+	1056	78,022	339	31.2	27.7-34.7	93	8.5	06.3-10.7	10	1.0	00.2-01.8	1	0.1	00.0-00.3	613	59.2	55.5-62.9
Less Than H.S.	160	35,315	27	21.4	12.6-30.2	6	5.8	00.7-10.9	2	2.2	00.0-05.3				125	70.6	61.0-80.2
H.S. or G.E.D.	958	115,891	305	33.5	29.6-37.4	65	6.8	04.3-09.3	12	1.0	00.4-01.6	3	0.4	00.0-01.0	573	58.3	54.0-62.6
Some Post-H.S.	879	116,772	364	44.5	40.2-48.8	69	7.0	05.0-09.0	13	1.7	00.5-02.9				433	46.8	42.5-51.1
College Graduate	1117	94,431	588	54.8	51.1-58.5	98	8.5	06.5-10.5	15	1.3	00.5-02.1	1	0.1	00.0-00.3	415	35.2	31.7-38.7
Less than \$15,000	375	41,317	117	33.4	26.9-39.9	25	6.9	02.6-11.2	4	1.7	00.0-03.7				229	58.0	51.1-64.9
\$15,000- 24,999	356	45,307	87	28.7	21.8-35.6	9	4.1	00.4-07.8	2	1.0	00.0-02.6	1	0.4	00.0-01.2	257	65.8	58.4-73.2
\$25,000- 34,999	310	34,936	122	41.8	34.2-49.4	19	5.6	02.5-08.7	4	0.7	00.0-01.5	1	0.1	00.0-00.3	164	51.9	44.3-59.5
\$35,000- 49,999	398	47,026	163	40.9	34.4-47.4	44	10.6	06.7-14.5	5	1.4	00.0-02.8	1	0.6	00.0-01.8	185	46.4	39.9-52.9
\$50,000- 74,999	452	51,074	213	45.0	38.9-51.1	41	7.0	04.5-09.5	11	3.0	00.5-05.5	1	0.1	00.0-00.3	186	44.9	38.8-51.0
\$75,000+	743	86,891	413	55.6	50.9-60.3	70	9.3	06.4-12.2	14	1.7	00.5-02.9				246	33.3	28.8-37.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 13: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5094	696,502	1013	18.7	17.3-20.1	616	12.4	11.2-13.6	595	11.8	10.6-13.0	334	7.3	06.3-08.3	182	4.4	03.6-05.2	2354	45.3	43.3-47.3
Male	1974	333,398	290	14.1	12.1-16.1	256	12.8	10.8-14.8	292	14.9	12.7-17.1	195	10.3	08.5-12.1	136	7.5	05.9-09.1	805	40.3	37.4-43.2
Female	3120	363,103	723	22.9	20.9-24.9	360	12.1	10.5-13.7	303	8.9	07.7-10.1	139	4.6	03.4-05.8	46	1.6	01.0-02.2	1549	49.8	47.4-52.2
White/Non-Hisp	3959	467,616	792	18.3	16.7-19.9	498	12.9	11.5-14.3	522	13.7	12.3-15.1	296	8.9	07.5-10.3	152	4.8	03.8-05.8	1699	41.4	39.4-43.4
Black or Afr. Am./Non-Hisp	715	138,442	131	18.6	15.1-22.1	68	11.5	08.2-14.8	39	6.5	04.1-08.9	21	4.0	02.0-06.0	13	2.3	00.7-03.9	443	57.0	52.3-61.7
Oth. Race/Non-Hisp.	141	27,769	30	22.3	12.7-31.9	17	12.9	05.8-20.0	13	9.0	02.9-15.1	7	5.8	00.0-13.2	3	2.9	00.0-06.8	71	47.2	35.8-58.6
MultiRacial/Non-Hisp.	102	9,024	24	23.0	13.4-32.6	14	15.5	07.7-23.3	6	5.0	00.3-09.7	3	3.5	00.0-07.8	7	11.2	02.4-20.0	48	41.8	30.4-53.2
Hispanic	151	50,824	31	20.2	12.2-28.2	14	9.6	03.7-15.5	12	10.6	03.5-17.7	4	3.3	00.0-07.0	7	6.5	00.8-12.2	83	49.8	39.6-60.0
18-24	295	85,777	33	10.6	06.7-14.5	46	14.8	10.1-19.5	37	12.7	08.0-17.4	29	9.7	05.8-13.6	21	8.5	04.4-12.6	129	43.7	37.0-50.4
25-34	525	114,510	112	20.9	16.4-25.4	90	14.6	11.1-18.1	66	13.6	10.1-17.1	42	9.2	05.9-12.5	30	6.3	03.8-08.8	185	35.5	30.2-40.8
35-44	635	111,073	149	22.0	17.9-26.1	101	14.5	11.2-17.8	86	13.1	09.8-16.4	50	8.1	05.0-11.2	14	2.2	00.8-03.6	235	40.0	34.9-45.1
45-54	900	127,186	203	21.9	18.4-25.4	122	13.4	10.5-16.3	101	11.0	08.5-13.5	55	6.6	04.4-08.8	39	4.0	02.6-05.4	380	43.1	38.8-47.4
55-64	1018	114,885	209	19.1	16.0-22.2	118	10.5	08.1-12.9	111	10.1	07.7-12.5	68	6.2	04.4-08.0	37	4.7	02.7-06.7	475	49.4	45.3-53.5
65+	1674	138,689	298	16.0	13.8-18.2	132	8.2	06.6-09.8	186	10.2	08.4-12.0	89	5.6	04.0-07.2	41	2.5	01.5-03.5	928	57.5	54.4-60.6
Less Than H.S.	325	91,165	35	13.4	08.3-18.5	20	8.2	03.9-12.5	22	9.8	05.1-14.5	20	7.9	04.0-11.8	12	5.4	01.7-09.1	216	55.3	48.0-62.6
H.S. or G.E.D.	1528	216,395	271	18.0	15.5-20.5	123	8.8	06.8-10.8	133	9.5	07.5-11.5	83	7.0	05.0-09.0	58	4.3	02.9-05.7	860	52.4	49.1-55.7
Some Post-H.S.	1376	208,745	274	18.5	16.0-21.0	173	13.5	11.3-15.7	149	11.6	09.4-13.8	79	6.2	04.4-08.0	57	5.1	03.5-06.7	644	45.1	41.8-48.4
College Graduate	1858	179,383	431	22.6	20.2-25.0	299	17.8	15.6-20.0	291	15.7	13.7-17.7	152	8.9	07.1-10.7	55	3.4	02.4-04.4	630	31.7	29.0-34.4
Less than \$15,000	590	80,230	93	15.9	11.4-20.4	50	8.0	05.5-10.5	58	11.9	07.6-16.2	33	7.8	04.1-11.5	15	3.5	01.3-05.7	341	52.8	46.9-58.7
\$15,000- 24,999	520	75,009	69	14.6	10.1-19.1	33	7.3	04.0-10.6	26	7.1	03.8-10.4	14	3.7	01.2-06.2	14	3.0	01.2-04.8	364	64.4	58.3-70.5
\$25,000- 34,999	478	62,770	94	16.5	12.2-20.8	61	16.0	10.9-21.1	43	10.2	05.9-14.5	20	5.1	02.0-08.2	14	2.1	00.7-03.5	246	50.1	43.6-56.6
\$35,000- 49,999	643	88,959	135	20.5	16.4-24.6	69	10.8	07.7-13.9	72	11.6	08.3-14.9	53	7.8	05.1-10.5	22	4.6	02.4-06.8	292	44.7	39.6-49.8
\$50,000- 74,999	763	104,209	148	15.5	12.4-18.6	79	10.8	08.1-13.5	114	13.5	10.4-16.6	60	7.3	04.9-09.7	52	10.0	06.3-13.7	310	43.0	38.3-47.7
\$75,000+	1410	194,129	336	23.4	20.5-26.3	256	17.6	15.1-20.1	215	14.4	12.0-16.8	129	10.4	08.2-12.6	57	4.6	03.0-06.2	417	29.6	26.5-32.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 14: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1974	333,398	290	14.1	12.1-16.1	256	12.8	10.8-14.8	292	14.9	12.7-17.1	195	10.3	08.5-12.1	136	7.5	05.9-09.1	805	40.3	37.4-43.2
White/Non-Hisp	1536	223,169	231	14.1	11.9-16.3	206	13.2	11.2-15.2	258	17.5	15.0-20.0	167	12.3	09.9-14.7	109	7.7	05.9-09.5	565	35.2	32.1-38.3
Black or Afr. Am./Non-Hisp	247	63,404	34	13.8	08.7-18.9	29	14.1	08.2-20.0	15	6.9	03.2-10.6	13	6.2	02.5-09.9	12	4.9	01.6-08.2	144	54.1	46.5-61.7
Oth. Race/Non-Hisp.	68	15,500	8	13.5	01.3-25.7	7	12.1	02.3-21.9	7	7.8	00.4-15.2	7	10.4	00.0-23.3	3	5.2	00.0-12.1	36	51.0	34.3-67.7
Hispanic	66	25,525	10	14.7	03.3-26.1	4	6.3	00.0-13.9	8	17.4	04.7-30.1	2	3.1	00.0-07.4	7	13.0	02.0-24.0	35	45.6	30.3-60.9
18-24	150	44,554	15	10.2	04.7-15.7	21	14.4	07.7-21.1	23	17.0	09.4-24.6	16	11.7	05.2-18.2	16	12.3	05.2-19.4	59	34.4	25.6-43.2
25-34	205	56,725	31	15.0	08.7-21.3	30	11.7	06.8-16.6	30	15.1	09.2-21.0	29	13.3	07.6-19.0	23	10.6	05.7-15.5	62	34.3	25.9-42.7
35-44	249	53,909	35	13.9	08.8-19.0	51	19.3	13.4-25.2	49	19.8	13.5-26.1	28	10.4	05.7-15.1	11	4.1	01.6-06.6	75	32.5	25.2-39.8
45-54	340	61,715	59	17.4	12.1-22.7	49	13.8	09.3-18.3	41	12.9	08.4-17.4	33	9.8	05.9-13.7	26	6.3	03.6-09.0	132	39.9	33.0-46.8
55-64	398	54,153	62	14.7	10.4-19.0	54	10.9	07.4-14.4	50	12.3	08.4-16.2	44	9.1	06.0-12.2	30	9.1	05.2-13.0	158	44.0	37.3-50.7
65+	618	60,667	85	12.2	09.1-15.3	47	7.2	04.8-09.6	96	12.5	09.6-15.4	45	8.5	05.2-11.8	30	4.3	02.3-06.3	315	55.2	50.1-60.3
Less Than H.S.	165	55,850	20	13.7	06.8-20.6	13	10.1	03.6-16.6	15	12.8	05.5-20.1	16	10.4	04.5-16.3	10	7.4	01.7-13.1	91	45.6	35.8-55.4
H.S. or G.E.D.	570	100,504	74	14.7	10.8-18.6	54	9.4	06.5-12.3	61	12.0	08.5-15.5	51	10.7	07.2-14.2	43	7.5	04.8-10.2	287	45.7	40.4-51.0
Some Post-H.S.	497	91,973	69	11.5	08.2-14.8	67	13.3	09.8-16.8	70	14.8	10.9-18.7	36	8.1	05.0-11.2	44	9.4	06.1-12.7	211	42.9	37.4-48.4
College Graduate	741	84,952	127	16.3	13.2-19.4	122	18.3	14.8-21.8	146	19.7	16.2-23.2	92	12.4	09.5-15.3	39	5.6	03.6-07.6	215	27.7	23.4-32.0
Less than \$15,000	215	38,913	28	14.8	07.2-22.4	18	7.4	03.5-11.3	23	12.4	04.8-20.0	23	12.7	06.4-19.0	11	5.5	01.4-09.6	112	47.3	37.9-56.7
\$15,000- 24,999	164	29,702	11	9.9	02.8-17.0	11	7.0	01.3-12.7	15	10.1	04.0-16.2	9	5.5	01.4-09.6	11	5.3	01.6-09.0	107	62.2	51.8-72.6
\$25,000- 34,999	168	27,834	23	11.2	05.7-16.7	19	14.4	06.4-22.4	25	15.5	07.1-23.9	10	7.2	01.3-13.1	9	3.8	00.9-06.7	82	47.8	37.0-58.6
\$35,000- 49,999	245	41,934	39	17.7	11.2-24.2	29	11.2	06.3-16.1	28	11.6	06.3-16.9	26	9.2	04.7-13.7	16	7.4	03.3-11.5	107	42.9	34.9-50.9
\$50,000- 74,999	311	53,134	34	7.9	04.8-11.0	25	8.9	04.8-13.0	54	15.7	10.6-20.8	34	9.7	05.4-14.0	40	16.7	10.2-23.2	124	41.2	33.9-48.5
\$75,000+	667	107,238	128	17.7	14.0-21.4	127	18.3	14.8-21.8	118	17.7	14.0-21.4	80	13.0	09.7-16.3	43	6.9	04.4-09.4	171	26.5	22.0-31.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 15: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3120	363,103	723	22.9	20.9-24.9	360	12.1	10.5-13.7	303	8.9	07.7-10.1	139	4.6	03.4-05.8	46	1.6	01.0-02.2	1549	49.8	47.4-52.2
White/Non-Hisp	2423	244,447	561	22.1	19.9-24.3	292	12.6	10.8-14.4	264	10.3	08.7-11.9	129	5.8	04.4-07.2	43	2.2	01.4-03.0	1134	47.0	44.3-49.7
Black or Afr. Am./Non-Hisp	468	75,038	97	22.7	17.8-27.6	39	9.4	05.9-12.9	24	6.2	03.5-08.9	8	2.2	00.0-04.4	1	0.1	00.0-00.3	299	59.4	53.7-65.1
Oth. Race/Non-Hisp.	73	12,268	22	33.4	18.7-48.1	10	13.9	03.7-24.1	6	10.4	00.6-20.2							35	42.3	27.4-57.2
MultiRacial/Non-Hisp.	57	4,729	18	31.2	16.7-45.7	6	13.8	03.2-24.4	4	5.8	00.0-12.5				2	7.4	00.0-17.6	27	41.7	26.2-57.2
Hispanic	85	25,299	21	25.9	14.3-37.5	10	12.9	04.1-21.7	4	3.7	00.0-07.8	2	3.5	00.0-09.8				48	54.1	41.0-67.2
18-24	145	41,223	18	11.0	05.5-16.5	25	15.2	08.5-21.9	14	8.1	03.4-12.8	13	7.6	03.1-12.1	5	4.3	00.4-08.2	70	53.8	44.6-63.0
25-34	320	57,785	81	26.7	20.6-32.8	60	17.5	12.8-22.2	36	12.1	07.8-16.4	13	5.1	01.6-08.6	7	2.0	00.4-03.6	123	36.6	30.1-43.1
35-44	386	57,164	114	29.6	23.7-35.5	50	10.0	06.7-13.3	37	6.8	04.3-09.3	22	6.0	02.1-09.9	3	0.5	00.0-01.1	160	47.1	40.2-54.0
45-54	560	65,471	144	26.2	21.5-30.9	73	13.0	09.3-16.7	60	9.2	06.7-11.7	22	3.6	01.8-05.4	13	1.8	00.4-03.2	248	46.2	40.9-51.5
55-64	620	60,732	147	23.0	18.9-27.1	64	10.2	07.3-13.1	61	8.2	05.8-10.6	24	3.5	01.7-05.3	7	0.9	00.1-01.7	317	54.2	49.3-59.1
65+	1056	78,022	213	19.0	16.1-21.9	85	9.0	06.8-11.2	90	8.4	06.2-10.6	44	3.4	02.2-04.6	11	1.1	00.3-01.9	613	59.2	55.5-62.9
Less Than H.S.	160	35,315	15	12.8	05.4-20.2	7	5.3	00.6-10.0	7	5.0	00.7-09.3	4	4.1	00.0-08.4	2	2.2	00.0-05.3	125	70.6	61.0-80.2
H.S. or G.E.D.	958	115,891	197	20.8	17.5-24.1	69	8.3	05.8-10.8	72	7.4	05.2-09.6	32	3.7	01.5-05.9	15	1.5	00.5-02.5	573	58.3	54.0-62.6
Some Post-H.S.	879	116,772	205	23.9	20.2-27.6	106	13.7	10.8-16.6	79	9.1	06.7-11.5	43	4.8	03.0-06.6	13	1.7	00.5-02.9	433	46.8	42.5-51.1
College Graduate	1117	94,431	304	28.2	24.7-31.7	177	17.3	14.4-20.2	145	12.2	09.8-14.6	60	5.7	03.9-07.5	16	1.4	00.6-02.2	415	35.2	31.7-38.7
Less than \$15,000	375	41,317	65	16.9	11.6-22.2	32	8.7	05.2-12.2	35	11.5	07.0-16.0	10	3.2	00.0-07.1	4	1.7	00.0-03.7	229	58.0	51.1-64.9
\$15,000- 24,999	356	45,307	58	17.6	11.9-23.3	22	7.5	03.4-11.6	11	5.1	01.4-08.8	5	2.5	00.0-05.6	3	1.4	00.0-03.2	257	65.8	58.4-73.2
\$25,000- 34,999	310	34,936	71	20.6	14.5-26.7	42	17.3	10.8-23.8	18	5.9	02.6-09.2	10	3.5	00.8-06.2	5	0.7	00.0-01.5	164	51.9	44.3-59.5
\$35,000- 49,999	398	47,026	96	23.0	17.5-28.5	40	10.4	06.3-14.5	44	11.5	07.4-15.6	27	6.6	03.3-09.9	6	2.1	00.1-04.1	185	46.4	39.9-52.9
\$50,000- 74,999	452	51,074	114	23.4	18.3-28.5	54	12.7	08.8-16.6	60	11.2	07.9-14.5	26	4.7	02.7-06.7	12	3.1	00.6-05.6	186	44.9	38.8-51.0
\$75,000+	743	86,891	208	30.5	26.0-35.0	129	16.8	13.5-20.1	97	10.4	07.9-12.9	49	7.2	04.5-09.9	14	1.7	00.5-02.9	246	33.3	28.8-37.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 16: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5094	696,502	4773	93.2	92.2-94.2	321	6.8	05.8-07.8
Male	1974	333,398	1838	92.5	90.9-94.1	136	7.5	05.9-09.1
Female	3120	363,103	2935	93.8	92.6-95.0	185	6.2	05.0-07.4
White/Non-Hisp	3959	467,616	3678	92.1	90.9-93.3	281	7.9	06.7-09.1
Black or Afr. Am./Non-Hisp	715	138,442	694	96.5	94.5-98.5	21	3.5	01.5-05.5
Oth. Race/Non-Hisp.	141	27,769	138	97.1	93.2-0100	3	2.9	00.0-06.8
MultiRacial/Non-Hisp.	102	9,024	95	88.8	80.0-97.6	7	11.2	02.4-20.0
Hispanic	151	50,824	142	91.8	85.5-98.1	9	8.2	01.9-14.5
18-24	295	85,777	261	87.9	83.4-92.4	34	12.1	07.6-16.6
25-34	525	114,510	482	91.2	88.1-94.3	43	8.8	05.7-11.9
35-44	635	111,073	599	94.7	92.3-97.1	36	5.3	02.9-07.7
45-54	900	127,186	839	94.2	92.4-96.0	61	5.8	04.0-07.6
55-64	1018	114,885	957	93.4	91.2-95.6	61	6.6	04.4-08.8
65+	1674	138,689	1589	95.6	94.4-96.8	85	4.4	03.2-05.6
Less Than H.S.	325	91,165	309	93.0	89.1-96.9	16	7.0	03.1-10.9
H.S. or G.E.D.	1528	216,395	1438	93.7	91.9-95.5	90	6.3	04.5-08.1
Some Post-H.S.	1376	208,745	1276	92.2	90.4-94.0	100	7.8	06.0-09.6
College Graduate	1858	179,383	1743	93.6	92.2-95.0	115	6.4	05.0-07.8
Less than \$15,000	590	80,230	565	94.8	91.9-97.7	25	5.2	02.3-08.1
\$15,000- 24,999	520	75,009	501	95.6	93.1-98.1	19	4.4	01.9-06.9
\$25,000- 34,999	478	62,770	454	96.0	94.0-98.0	24	4.0	02.0-06.0
\$35,000- 49,999	643	88,959	594	91.9	89.2-94.6	49	8.1	05.4-10.8
\$50,000- 74,999	763	104,209	685	87.7	84.0-91.4	78	12.3	08.6-16.0
\$75,000+	1410	194,129	1304	92.2	90.2-94.2	106	7.8	05.8-09.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 17: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1974	333,398	1838	92.5	90.9-94.1	136	7.5	05.9-09.1
White/Non-Hisp	1536	223,169	1427	92.3	90.5-94.1	109	7.7	05.9-09.5
Black or Afr. Am./Non-Hisp	247	63,404	235	95.1	91.8-98.4	12	4.9	01.6-08.2
Oth. Race/Non-Hisp.	68	15,500	65	94.8	87.9-0100	3	5.2	00.0-12.1
Hispanic	66	25,525	59	87.0	76.0-98.0	7	13.0	02.0-24.0
18-24	150	44,554	134	87.7	80.6-94.8	16	12.3	05.2-19.4
25-34	205	56,725	182	89.4	84.5-94.3	23	10.6	05.7-15.5
35-44	249	53,909	238	95.9	93.4-98.4	11	4.1	01.6-06.6
45-54	340	61,715	314	93.7	91.0-96.4	26	6.3	03.6-09.0
55-64	398	54,153	368	90.9	87.0-94.8	30	9.1	05.2-13.0
65+	618	60,667	588	95.7	93.7-97.7	30	4.3	02.3-06.3
Less Than H.S.	165	55,850	155	92.6	86.9-98.3	10	7.4	01.7-13.1
H.S. or G.E.D.	570	100,504	527	92.5	89.8-95.2	43	7.5	04.8-10.2
Some Post-H.S.	497	91,973	453	90.6	87.3-93.9	44	9.4	06.1-12.7
College Graduate	741	84,952	702	94.4	92.4-96.4	39	5.6	03.6-07.6
Less than \$15,000	215	38,913	204	94.5	90.4-98.6	11	5.5	01.4-09.6
\$15,000- 24,999	164	29,702	153	94.7	91.0-98.4	11	5.3	01.6-09.0
\$25,000- 34,999	168	27,834	159	96.2	93.3-99.1	9	3.8	00.9-06.7
\$35,000- 49,999	245	41,934	229	92.6	88.5-96.7	16	7.4	03.3-11.5
\$50,000- 74,999	311	53,134	271	83.3	76.8-89.8	40	16.7	10.2-23.2
\$75,000+	667	107,238	624	93.1	90.6-95.6	43	6.9	04.4-09.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 18: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3120	363,103	2935	93.8	92.6-95.0	185	6.2	05.0-07.4
White/Non-Hisp	2423	244,447	2251	92.0	90.4-93.6	172	8.0	06.4-09.6
Black or Afr. Am./Non-Hisp	468	75,038	459	97.7	95.5-99.9	9	2.3	00.1-04.5
Oth. Race/Non-Hisp.	73	12,268	73	100.0	0100-0100			
MultiRacial/Non-Hisp.	57	4,729	55	92.6	82.4-0100	2	7.4	00.0-17.6
Hispanic	85	25,299	83	96.5	90.2-0100	2	3.5	00.0-09.8
18-24	145	41,223	127	88.1	82.4-93.8	18	11.9	06.2-17.6
25-34	320	57,785	300	92.9	89.2-96.6	20	7.1	03.4-10.8
35-44	386	57,164	361	93.5	89.6-97.4	25	6.5	02.6-10.4
45-54	560	65,471	525	94.6	92.4-96.8	35	5.4	03.2-07.6
55-64	620	60,732	589	95.6	93.8-97.4	31	4.4	02.6-06.2
65+	1056	78,022	1001	95.5	94.1-96.9	55	4.5	03.1-05.9
Less Than H.S.	160	35,315	154	93.7	88.4-99.0	6	6.3	01.0-11.6
H.S. or G.E.D.	958	115,891	911	94.8	92.4-97.2	47	5.2	02.8-07.6
Some Post-H.S.	879	116,772	823	93.5	91.3-95.7	56	6.5	04.3-08.7
College Graduate	1117	94,431	1041	92.9	90.9-94.9	76	7.1	05.1-09.1
Less than \$15,000	375	41,317	361	95.1	90.8-99.4	14	4.9	00.6-09.2
\$15,000- 24,999	356	45,307	348	96.1	92.6-99.6	8	3.9	00.4-07.4
\$25,000- 34,999	310	34,936	295	95.8	93.1-98.5	15	4.2	01.5-06.9
\$35,000- 49,999	398	47,026	365	91.3	87.6-95.0	33	8.7	05.0-12.4
\$50,000- 74,999	452	51,074	414	92.2	89.1-95.3	38	7.8	04.7-10.9
\$75,000+	743	86,891	680	91.0	88.1-93.9	63	9.0	06.1-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 19: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1974	333,398	1838	92.5	90.9-94.1	136	7.5	05.9-09.1
White/Non-Hisp	1536	223,169	1427	92.3	90.5-94.1	109	7.7	05.9-09.5
Black or Afr. Am./Non-Hisp	247	63,404	235	95.1	91.8-98.4	12	4.9	01.6-08.2
Oth. Race/Non-Hisp.	68	15,500	65	94.8	87.9-0100	3	5.2	00.0-12.1
Hispanic	66	25,525	59	87.0	76.0-98.0	7	13.0	02.0-24.0
18-24	150	44,554	134	87.7	80.6-94.8	16	12.3	05.2-19.4
25-34	205	56,725	182	89.4	84.5-94.3	23	10.6	05.7-15.5
35-44	249	53,909	238	95.9	93.4-98.4	11	4.1	01.6-06.6
45-54	340	61,715	314	93.7	91.0-96.4	26	6.3	03.6-09.0
55-64	398	54,153	368	90.9	87.0-94.8	30	9.1	05.2-13.0
65+	618	60,667	588	95.7	93.7-97.7	30	4.3	02.3-06.3
Less Than H.S.	165	55,850	155	92.6	86.9-98.3	10	7.4	01.7-13.1
H.S. or G.E.D.	570	100,504	527	92.5	89.8-95.2	43	7.5	04.8-10.2
Some Post-H.S.	497	91,973	453	90.6	87.3-93.9	44	9.4	06.1-12.7
College Graduate	741	84,952	702	94.4	92.4-96.4	39	5.6	03.6-07.6
Less than \$15,000	215	38,913	204	94.5	90.4-98.6	11	5.5	01.4-09.6
\$15,000- 24,999	164	29,702	153	94.7	91.0-98.4	11	5.3	01.6-09.0
\$25,000- 34,999	168	27,834	159	96.2	93.3-99.1	9	3.8	00.9-06.7
\$35,000- 49,999	245	41,934	229	92.6	88.5-96.7	16	7.4	03.3-11.5
\$50,000- 74,999	311	53,134	271	83.3	76.8-89.8	40	16.7	10.2-23.2
\$75,000+	667	107,238	624	93.1	90.6-95.6	43	6.9	04.4-09.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 20: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3120	363,103	2935	93.8	92.6-95.0	185	6.2	05.0-07.4
White/Non-Hisp	2423	244,447	2251	92.0	90.4-93.6	172	8.0	06.4-09.6
Black or Afr. Am./Non-Hisp	468	75,038	459	97.7	95.5-99.9	9	2.3	00.1-04.5
Oth. Race/Non-Hisp.	73	12,268	73	100.0	0100-0100			
MultiRacial/Non-Hisp.	57	4,729	55	92.6	82.4-0100	2	7.4	00.0-17.6
Hispanic	85	25,299	83	96.5	90.2-0100	2	3.5	00.0-09.8
18-24	145	41,223	127	88.1	82.4-93.8	18	11.9	06.2-17.6
25-34	320	57,785	300	92.9	89.2-96.6	20	7.1	03.4-10.8
35-44	386	57,164	361	93.5	89.6-97.4	25	6.5	02.6-10.4
45-54	560	65,471	525	94.6	92.4-96.8	35	5.4	03.2-07.6
55-64	620	60,732	589	95.6	93.8-97.4	31	4.4	02.6-06.2
65+	1056	78,022	1001	95.5	94.1-96.9	55	4.5	03.1-05.9
Less Than H.S.	160	35,315	154	93.7	88.4-99.0	6	6.3	01.0-11.6
H.S. or G.E.D.	958	115,891	911	94.8	92.4-97.2	47	5.2	02.8-07.6
Some Post-H.S.	879	116,772	823	93.5	91.3-95.7	56	6.5	04.3-08.7
College Graduate	1117	94,431	1041	92.9	90.9-94.9	76	7.1	05.1-09.1
Less than \$15,000	375	41,317	361	95.1	90.8-99.4	14	4.9	00.6-09.2
\$15,000- 24,999	356	45,307	348	96.1	92.6-99.6	8	3.9	00.4-07.4
\$25,000- 34,999	310	34,936	295	95.8	93.1-98.5	15	4.2	01.5-06.9
\$35,000- 49,999	398	47,026	365	91.3	87.6-95.0	33	8.7	05.0-12.4
\$50,000- 74,999	452	51,074	414	92.2	89.1-95.3	38	7.8	04.7-10.9
\$75,000+	743	86,891	680	91.0	88.1-93.9	63	9.0	06.1-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 11: IMMUNIZATION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)	
1	MALES AND FEMALES	122
2	MALES ONLY	123
3	FEMALES ONLY	124
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	125
5	MALES ONLY	126
6	FEMALES ONLY	127

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 11: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)
 Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1682	140,028	1063	63.1	60.2-66.0	619	36.9	34.0-39.8
Male	623	61,308	377	60.0	55.1-64.9	246	40.0	35.1-44.9
Female	1059	78,720	686	65.5	61.8-69.2	373	34.5	30.8-38.2
White/Non-Hisp	1446	112,765	932	64.4	61.3-67.5	514	35.6	32.5-38.7
Black or Afr. Am./Non-Hisp	157	19,395	90	58.0	47.6-68.4	67	42.0	31.6-52.4
65+	1682	140,028	1063	63.1	60.2-66.0	619	36.9	34.0-39.8
Less Than H.S.	145	21,566	85	57.1	46.7-67.5	60	42.9	32.5-53.3
H.S. or G.E.D.	607	51,777	378	62.9	58.2-67.6	229	37.1	32.4-41.8
Some Post-H.S.	429	36,944	264	62.5	56.8-68.2	165	37.5	31.8-43.2
College Graduate	498	29,239	335	69.5	64.6-74.4	163	30.5	25.6-35.4
Less than \$15,000	269	22,842	166	63.7	56.1-71.3	103	36.3	28.7-43.9
\$15,000- 24,999	201	17,061	120	58.6	49.2-68.0	81	41.4	32.0-50.8
\$25,000- 34,999	193	15,884	117	63.7	54.9-72.5	76	36.3	27.5-45.1
\$35,000- 49,999	217	18,925	146	67.3	59.3-75.3	71	32.7	24.7-40.7
\$50,000- 74,999	225	17,518	138	62.3	54.5-70.1	87	37.7	29.9-45.5
\$75,000+	250	20,243	168	64.1	56.7-71.5	82	35.9	28.5-43.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	623	61,308	377	60.0	55.1-64.9	246	40.0	35.1-44.9
White/Non-Hisp	529	48,359	327	61.6	56.3-66.9	202	38.4	33.1-43.7
Black or Afr. Am./Non-Hisp	59	9,733	32	57.0	40.7-73.3	27	43.0	26.7-59.3
65+	623	61,308	377	60.0	55.1-64.9	246	40.0	35.1-44.9
Less Than H.S.	65	12,113	36	56.9	41.8-72.0	29	43.1	28.0-58.2
H.S. or G.E.D.	193	19,196	107	55.8	47.2-64.4	86	44.2	35.6-52.8
Some Post-H.S.	152	15,162	90	58.5	48.9-68.1	62	41.5	31.9-51.1
College Graduate	213	14,837	144	69.6	62.3-76.9	69	30.4	23.1-37.7
Less than \$15,000	93	10,034	52	57.5	44.2-70.8	41	42.5	29.2-55.8
\$15,000- 24,999	54	6,109	30	55.6	38.2-73.0	24	44.4	27.0-61.8
\$25,000- 34,999	72	7,675	40	59.4	44.3-74.5	32	40.6	25.5-55.7
\$35,000- 49,999	91	9,122	62	66.0	53.5-78.5	29	34.0	21.5-46.5
\$50,000- 74,999	101	9,175	54	55.8	43.8-67.8	47	44.2	32.2-56.2
\$75,000+	134	11,139	88	62.7	52.5-72.9	46	37.3	27.1-47.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1059	78,720	686	65.5	61.8-69.2	373	34.5	30.8-38.2
White/Non-Hisp	917	64,406	605	66.5	62.6-70.4	312	33.5	29.6-37.4
Black or Afr. Am./Non-Hisp	98	9,661	58	59.1	46.2-72.0	40	40.9	28.0-53.8
65+	1059	78,720	686	65.5	61.8-69.2	373	34.5	30.8-38.2
Less Than H.S.	80	9,453	49	57.4	43.1-71.7	31	42.6	28.3-56.9
H.S. or G.E.D.	414	32,581	271	67.1	61.4-72.8	143	32.9	27.2-38.6
Some Post-H.S.	277	21,782	174	65.2	58.5-71.9	103	34.8	28.1-41.5
College Graduate	285	14,402	191	69.4	62.7-76.1	94	30.6	23.9-37.3
Less than \$15,000	176	12,808	114	68.6	60.2-77.0	62	31.4	23.0-39.8
\$15,000- 24,999	147	10,952	90	60.2	49.2-71.2	57	39.8	28.8-50.8
\$25,000- 34,999	121	8,208	77	67.8	58.2-77.4	44	32.2	22.6-41.8
\$35,000- 49,999	126	9,803	84	68.4	58.4-78.4	42	31.6	21.6-41.6
\$50,000- 74,999	124	8,343	84	69.5	60.3-78.7	40	30.5	21.3-39.7
\$75,000+	116	9,104	80	65.8	54.8-76.8	36	34.2	23.2-45.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1624	135,637	1191	70.7	67.8-73.6	433	29.3	26.4-32.2
Male	593	58,876	418	68.0	63.1-72.9	175	32.0	27.1-36.9
Female	1031	76,761	773	72.7	69.2-76.2	258	27.3	23.8-30.8
White/Non-Hisp	1400	109,149	1064	74.4	71.5-77.3	336	25.6	22.7-28.5
Black or Afr. Am./Non-Hisp	148	18,817	88	58.7	48.1-69.3	60	41.3	30.7-51.9
65+	1624	135,637	1191	70.7	67.8-73.6	433	29.3	26.4-32.2
Less Than H.S.	139	20,858	92	65.5	55.5-75.5	47	34.5	24.5-44.5
H.S. or G.E.D.	591	50,692	432	71.7	67.0-76.4	159	28.3	23.6-33.0
Some Post-H.S.	407	35,130	306	73.3	68.0-78.6	101	26.7	21.4-32.0
College Graduate	484	28,456	360	70.2	64.5-75.9	124	29.8	24.1-35.5
Less than \$15,000	260	22,010	189	71.3	63.9-78.7	71	28.7	21.3-36.1
\$15,000- 24,999	193	16,374	139	69.9	61.1-78.7	54	30.1	21.3-38.9
\$25,000- 34,999	187	15,565	141	74.6	66.6-82.6	46	25.4	17.4-33.4
\$35,000- 49,999	210	18,523	156	69.1	60.7-77.5	54	30.9	22.5-39.3
\$50,000- 74,999	217	16,988	154	70.5	62.9-78.1	63	29.5	21.9-37.1
\$75,000+	243	19,664	176	66.3	58.3-74.3	67	33.7	25.7-41.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	593	58,876	418	68.0	63.1-72.9	175	32.0	27.1-36.9
White/Non-Hisp	504	46,192	371	71.8	66.7-76.9	133	28.2	23.1-33.3
Black or Afr. Am./Non-Hisp	55	9,580	31	57.1	40.4-73.8	24	42.9	26.2-59.6
65+	593	58,876	418	68.0	63.1-72.9	175	32.0	27.1-36.9
Less Than H.S.	60	11,453	37	62.3	47.0-77.6	23	37.7	22.4-53.0
H.S. or G.E.D.	186	18,787	134	71.0	62.8-79.2	52	29.0	20.8-37.2
Some Post-H.S.	142	14,284	102	67.2	57.6-76.8	40	32.8	23.2-42.4
College Graduate	205	14,352	145	69.5	61.7-77.3	60	30.5	22.7-38.3
Less than \$15,000	88	9,546	63	65.9	52.4-79.4	25	34.1	20.6-47.6
\$15,000- 24,999	51	5,686	32	65.4	48.0-82.8	19	34.6	17.2-52.0
\$25,000- 34,999	69	7,483	50	74.3	61.6-87.0	19	25.7	13.0-38.4
\$35,000- 49,999	88	8,867	64	68.6	55.5-81.7	24	31.4	18.3-44.5
\$50,000- 74,999	96	8,945	64	67.4	55.6-79.2	32	32.6	20.8-44.4
\$75,000+	130	10,852	94	65.7	54.9-76.5	36	34.3	23.5-45.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1031	76,761	773	72.7	69.2-76.2	258	27.3	23.8-30.8
White/Non-Hisp	896	62,957	693	76.3	73.0-79.6	203	23.7	20.4-27.0
Black or Afr. Am./Non-Hisp	93	9,237	57	60.4	47.1-73.7	36	39.6	26.3-52.9
65+	1031	76,761	773	72.7	69.2-76.2	258	27.3	23.8-30.8
Less Than H.S.	79	9,405	55	69.4	57.1-81.7	24	30.6	18.3-42.9
H.S. or G.E.D.	405	31,905	298	72.1	66.4-77.8	107	27.9	22.2-33.6
Some Post-H.S.	265	20,846	204	77.5	71.4-83.6	61	22.5	16.4-28.6
College Graduate	279	14,104	215	71.0	62.8-79.2	64	29.0	20.8-37.2
Less than \$15,000	172	12,464	126	75.5	67.9-83.1	46	24.5	16.9-32.1
\$15,000- 24,999	142	10,688	107	72.4	62.4-82.4	35	27.6	17.6-37.6
\$25,000- 34,999	118	8,082	91	74.9	64.9-84.9	27	25.1	15.1-35.1
\$35,000- 49,999	122	9,656	92	69.6	58.8-80.4	30	30.4	19.6-41.2
\$50,000- 74,999	121	8,044	90	73.9	64.7-83.1	31	26.1	16.9-35.3
\$75,000+	113	8,812	82	67.0	54.7-79.3	31	33.0	20.7-45.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 13: SEATBELT USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	129
2	MALES ONLY	130
3	FEMALES ONLY	131
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	132
5	MALES ONLY	133
6	FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5137	705,934	4983	96.1	95.3-96.9	154	3.9	03.1-04.7
Male	1993	336,869	1891	93.9	92.5-95.3	102	6.1	04.7-07.5
Female	3144	369,065	3092	98.1	97.5-98.7	52	1.9	01.3-02.5
White/Non-Hisp	3986	472,923	3878	96.3	95.5-97.1	108	3.7	02.9-04.5
Black or Afr. Am./Non-Hisp	725	140,741	697	95.4	93.4-97.4	28	4.6	02.6-06.6
Oth. Race/Non-Hisp.	141	27,769	137	97.8	95.3-0100	4	2.2	00.0-04.7
MultiRacial/Non-Hisp.	103	8,949	97	95.9	92.0-99.8	6	4.1	00.2-08.0
Hispanic	155	52,690	148	95.0	90.5-99.5	7	5.0	00.5-09.5
18-24	310	90,804	289	92.9	89.6-96.2	21	7.1	03.8-10.4
25-34	526	114,667	498	94.4	92.0-96.8	28	5.6	03.2-08.0
35-44	642	112,385	625	95.6	93.1-98.1	17	4.4	01.9-06.9
45-54	908	128,351	876	96.3	94.7-97.9	32	3.7	02.1-05.3
55-64	1018	115,040	993	97.8	96.6-99.0	25	2.2	01.0-03.4
65+	1684	140,241	1654	98.3	97.5-99.1	30	1.7	00.9-02.5
Less Than H.S.	333	93,500	315	93.4	89.7-97.1	18	6.6	02.9-10.3
H.S. or G.E.D.	1545	221,061	1488	95.2	93.6-96.8	57	4.8	03.2-06.4
Some Post-H.S.	1381	209,711	1346	97.4	96.4-98.4	35	2.6	01.6-03.6
College Graduate	1871	180,849	1827	97.2	96.2-98.2	44	2.8	01.8-03.8
Less than \$15,000	595	81,681	581	95.8	92.9-98.7	14	4.2	01.3-07.1
\$15,000- 24,999	526	76,982	506	96.2	94.0-98.4	20	3.8	01.6-06.0
\$25,000- 34,999	481	63,052	466	96.3	93.6-99.0	15	3.7	01.0-06.4
\$35,000- 49,999	645	89,263	624	94.9	92.4-97.4	21	5.1	02.6-07.6
\$50,000- 74,999	766	104,764	745	96.6	94.8-98.4	21	3.4	01.6-05.2
\$75,000+	1422	195,834	1376	95.7	94.1-97.3	46	4.3	02.7-05.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 13: SEATBELT USE

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1993	336,869	1891	93.9	92.5-95.3	102	6.1	04.7-07.5
White/Non-Hisp	1554	226,093	1482	94.3	92.7-95.9	72	5.7	04.1-07.3
Black or Afr. Am./Non-Hisp	247	63,969	229	92.6	88.5-96.7	18	7.4	03.3-11.5
Oth. Race/Non-Hisp.	68	15,500	65	97.9	95.4-0100	3	2.1	00.0-04.6
Hispanic	67	25,601	62	91.0	82.0-0100	5	9.0	00.0-18.0
18-24	156	46,017	140	89.2	83.5-94.9	16	10.8	05.1-16.5
25-34	206	57,055	187	90.9	86.4-95.4	19	9.1	04.6-13.6
35-44	252	54,600	238	92.1	87.4-96.8	14	7.9	03.2-12.6
45-54	343	61,953	323	94.9	92.4-97.4	20	5.1	02.6-07.6
55-64	397	54,110	380	96.8	95.0-98.6	17	3.2	01.4-05.0
65+	624	61,430	609	98.2	97.2-99.2	15	1.8	00.8-02.8
Less Than H.S.	167	56,589	154	91.6	86.1-97.1	13	8.4	02.9-13.9
H.S. or G.E.D.	581	102,656	542	91.5	88.6-94.4	39	8.5	05.6-11.4
Some Post-H.S.	497	91,875	475	96.0	94.0-98.0	22	4.0	02.0-06.0
College Graduate	747	85,630	719	96.0	94.2-97.8	28	4.0	02.2-05.8
Less than \$15,000	217	39,754	209	94.6	89.5-99.7	8	5.4	00.3-10.5
\$15,000- 24,999	166	30,307	152	91.9	86.6-97.2	14	8.1	02.8-13.4
\$25,000- 34,999	171	28,102	164	94.5	89.0-0100	7	5.5	00.0-11.0
\$35,000- 49,999	245	42,205	232	92.1	87.4-96.8	13	7.9	03.2-12.6
\$50,000- 74,999	311	53,134	297	95.0	91.9-98.1	14	5.0	01.9-08.1
\$75,000+	672	107,726	634	93.3	90.8-95.8	38	6.7	04.2-09.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 13: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3144	369,065	3092	98.1	97.5-98.7	52	1.9	01.3-02.5
White/Non-Hisp	2432	246,831	2396	98.2	97.4-99.0	36	1.8	01.0-02.6
Black or Afr. Am./Non-Hisp	478	76,772	468	97.8	96.2-99.4	10	2.2	00.6-03.8
Oth. Race/Non-Hisp.	73	12,268	72	97.7	93.2-0100	1	2.3	00.0-06.8
MultiRacial/Non-Hisp.	58	4,748	56	98.7	96.7-0100	2	1.3	00.0-03.3
Hispanic	88	27,088	86	98.7	96.7-0100	2	1.3	00.0-03.3
18-24	154	44,787	149	96.7	93.8-99.6	5	3.3	00.4-06.2
25-34	320	57,612	311	97.9	96.3-99.5	9	2.1	00.5-03.7
35-44	390	57,786	387	98.9	97.5-0100	3	1.1	00.0-02.5
45-54	565	66,398	553	97.7	96.1-99.3	12	2.3	00.7-03.9
55-64	621	60,930	613	98.6	97.2-0100	8	1.4	00.0-02.8
65+	1060	78,810	1045	98.4	97.4-99.4	15	1.6	00.6-02.6
Less Than H.S.	166	36,910	161	96.3	92.6-0100	5	3.7	00.0-07.4
H.S. or G.E.D.	964	118,405	946	98.3	97.3-99.3	18	1.7	00.7-02.7
Some Post-H.S.	884	117,836	871	98.5	97.5-99.5	13	1.5	00.5-02.5
College Graduate	1124	95,219	1108	98.2	97.0-99.4	16	1.8	00.6-03.0
Less than \$15,000	378	41,927	372	96.9	94.2-99.6	6	3.1	00.4-05.8
\$15,000- 24,999	360	46,675	354	99.1	98.3-99.9	6	0.9	00.1-01.7
\$25,000- 34,999	310	34,951	302	97.7	95.7-99.7	8	2.3	00.3-04.3
\$35,000- 49,999	400	47,058	392	97.5	95.3-99.7	8	2.5	00.3-04.7
\$50,000- 74,999	455	51,629	448	98.2	96.6-99.8	7	1.8	00.2-03.4
\$75,000+	750	88,107	742	98.6	97.4-99.8	8	1.4	00.2-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 13: SEATBELT USE

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5137	705,934	4797	91.9	90.9-92.9	340	8.1	07.1-09.1
Male	1993	336,869	1794	88.7	86.7-90.7	199	11.3	09.3-13.3
Female	3144	369,065	3003	94.8	93.8-95.8	141	5.2	04.2-06.2
White/Non-Hisp	3986	472,923	3730	91.8	90.6-93.0	256	8.2	07.0-09.4
Black or Afr. Am./Non-Hisp	725	140,741	678	92.1	89.6-94.6	47	7.9	05.4-10.4
Oth. Race/Non-Hisp.	141	27,769	128	94.5	90.8-98.2	13	5.5	01.8-09.2
MultiRacial/Non-Hisp.	103	8,949	92	88.0	80.2-95.8	11	12.0	04.2-19.8
Hispanic	155	52,690	144	91.2	85.5-96.9	11	8.8	03.1-14.5
18-24	310	90,804	267	85.8	81.5-90.1	43	14.2	09.9-18.5
25-34	526	114,667	470	88.6	85.3-91.9	56	11.4	08.1-14.7
35-44	642	112,385	596	90.5	87.2-93.8	46	9.5	06.2-12.8
45-54	908	128,351	851	93.8	91.8-95.8	57	6.2	04.2-08.2
55-64	1018	115,040	956	94.2	92.4-96.0	62	5.8	04.0-07.6
65+	1684	140,241	1610	95.9	94.7-97.1	74	4.1	02.9-05.3
Less Than H.S.	333	93,500	306	90.9	86.6-95.2	27	9.1	04.8-13.4
H.S. or G.E.D.	1545	221,061	1439	91.3	89.3-93.3	106	8.7	06.7-10.7
Some Post-H.S.	1381	209,711	1290	91.6	89.6-93.6	91	8.4	06.4-10.4
College Graduate	1871	180,849	1756	93.4	92.0-94.8	115	6.6	05.2-08.0
Less than \$15,000	595	81,681	560	91.9	88.4-95.4	35	8.1	04.6-11.6
\$15,000- 24,999	526	76,982	486	91.9	88.8-95.0	40	8.1	05.0-11.2
\$25,000- 34,999	481	63,052	439	89.5	85.6-93.4	42	10.5	06.6-14.4
\$35,000- 49,999	645	89,263	604	91.2	88.1-94.3	41	8.8	05.7-11.9
\$50,000- 74,999	766	104,764	714	91.3	88.6-94.0	52	8.7	06.0-11.4
\$75,000+	1422	195,834	1324	91.6	89.4-93.8	98	8.4	06.2-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 13: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1993	336,869	1794	88.7	86.7-90.7	199	11.3	09.3-13.3
White/Non-Hisp	1554	226,093	1404	88.6	86.4-90.8	150	11.4	09.2-13.6
Black or Afr. Am./Non-Hisp	247	63,969	220	88.5	83.6-93.4	27	11.5	06.6-16.4
Oth. Race/Non-Hisp.	68	15,500	62	96.7	93.8-99.6	6	3.3	00.4-06.2
Hispanic	67	25,601	60	87.1	76.9-97.3	7	12.9	02.7-23.1
18-24	156	46,017	132	84.2	77.5-90.9	24	15.8	09.1-22.5
25-34	206	57,055	171	83.3	77.4-89.2	35	16.7	10.8-22.6
35-44	252	54,600	217	83.6	77.5-89.7	35	16.4	10.3-22.5
45-54	343	61,953	314	92.1	89.0-95.2	29	7.9	04.8-11.0
55-64	397	54,110	360	92.6	89.7-95.5	37	7.4	04.5-10.3
65+	624	61,430	587	94.9	92.9-96.9	37	5.1	03.1-07.1
Less Than H.S.	167	56,589	147	88.2	81.7-94.7	20	11.8	05.3-18.3
H.S. or G.E.D.	581	102,656	516	86.7	83.2-90.2	65	13.3	09.8-16.8
Some Post-H.S.	497	91,875	444	88.2	84.7-91.7	53	11.8	08.3-15.3
College Graduate	747	85,630	686	92.1	89.7-94.5	61	7.9	05.5-10.3
Less than \$15,000	217	39,754	196	89.0	82.7-95.3	21	11.0	04.7-17.3
\$15,000- 24,999	166	30,307	143	87.2	80.9-93.5	23	12.8	06.5-19.1
\$25,000- 34,999	171	28,102	153	86.9	79.8-94.0	18	13.1	06.0-20.2
\$35,000- 49,999	245	42,205	221	86.3	80.4-92.2	24	13.7	07.8-19.6
\$50,000- 74,999	311	53,134	276	87.1	82.2-92.0	35	12.9	08.0-17.8
\$75,000+	672	107,726	611	89.9	86.8-93.0	61	10.1	07.0-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 13: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3144	369,065	3003	94.8	93.8-95.8	141	5.2	04.2-06.2
White/Non-Hisp	2432	246,831	2326	94.7	93.5-95.9	106	5.3	04.1-06.5
Black or Afr. Am./Non-Hisp	478	76,772	458	95.2	92.8-97.6	20	4.8	02.4-07.2
Oth. Race/Non-Hisp.	73	12,268	66	91.8	84.4-99.2	7	8.2	00.8-15.6
MultiRacial/Non-Hisp.	58	4,748	55	94.3	85.9-0100	3	5.7	00.0-14.1
Hispanic	88	27,088	84	95.1	89.8-0100	4	4.9	00.0-10.2
18-24	154	44,787	135	87.4	81.7-93.1	19	12.6	06.9-18.3
25-34	320	57,612	299	93.7	90.6-96.8	21	6.3	03.2-09.4
35-44	390	57,786	379	96.9	94.9-98.9	11	3.1	01.1-05.1
45-54	565	66,398	537	95.4	93.4-97.4	28	4.6	02.6-06.6
55-64	621	60,930	596	95.6	93.2-98.0	25	4.4	02.0-06.8
65+	1060	78,810	1023	96.7	95.3-98.1	37	3.3	01.9-04.7
Less Than H.S.	166	36,910	159	95.0	90.7-99.3	7	5.0	00.7-09.3
H.S. or G.E.D.	964	118,405	923	95.4	93.6-97.2	41	4.6	02.8-06.4
Some Post-H.S.	884	117,836	846	94.3	92.1-96.5	38	5.7	03.5-07.9
College Graduate	1124	95,219	1070	94.5	92.7-96.3	54	5.5	03.7-07.3
Less than \$15,000	378	41,927	364	94.7	91.4-98.0	14	5.3	02.0-08.6
\$15,000- 24,999	360	46,675	343	94.9	91.8-98.0	17	5.1	02.0-08.2
\$25,000- 34,999	310	34,951	286	91.7	87.4-96.0	24	8.3	04.0-12.6
\$35,000- 49,999	400	47,058	383	95.7	93.2-98.2	17	4.3	01.8-06.8
\$50,000- 74,999	455	51,629	438	95.7	93.2-98.2	17	4.3	01.8-06.8
\$75,000+	750	88,107	713	93.7	91.2-96.2	37	6.3	03.8-08.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	136
2	WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	137
3	WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	138

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that reported being less than 40 years old
 Denominator excludes: Respondents who are male**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2439	236,533	1974	80.5	78.3-82.7	465	19.5	17.3-21.7
White/Non-Hisp	1973	171,639	1579	79.5	77.1-81.9	394	20.5	18.1-22.9
Black or Afr. Am./Non-Hisp	332	46,605	289	84.0	78.9-89.1	43	16.0	10.9-21.1
40-44	208	31,508	142	70.4	62.8-78.0	66	29.6	22.0-37.2
45-54	562	66,018	450	79.6	75.3-83.9	112	20.4	16.1-24.7
55-64	620	60,860	522	84.1	80.6-87.6	98	15.9	12.4-19.4
65+	1049	78,147	860	82.6	79.7-85.5	189	17.4	14.5-20.3
Less Than H.S.	134	22,643	95	65.9	55.3-76.5	39	34.1	23.5-44.7
H.S. or G.E.D.	806	81,081	640	80.9	77.4-84.4	166	19.1	15.6-22.6
Some Post-H.S.	677	75,104	541	81.5	78.0-85.0	136	18.5	15.0-22.0
College Graduate	816	57,010	694	85.2	82.1-88.3	122	14.8	11.7-17.9
Less than \$15,000	307	27,394	240	76.8	70.7-82.9	67	23.2	17.1-29.3
\$15,000- 24,999	276	25,447	202	71.5	63.5-79.5	74	28.5	20.5-36.5
\$25,000- 34,999	241	21,433	179	72.5	64.9-80.1	62	27.5	19.9-35.1
\$35,000- 49,999	310	30,855	251	79.8	73.7-85.9	59	20.2	14.1-26.3
\$50,000- 74,999	362	36,547	314	85.2	80.5-89.9	48	14.8	10.1-19.5
\$75,000+	562	59,555	486	86.9	83.4-90.4	76	13.1	09.6-16.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2000	176,269	1651	82.8	80.6-85.0	349	17.2	15.0-19.4
White/Non-Hisp	1656	134,391	1352	81.5	79.1-83.9	304	18.5	16.1-20.9
Black or Afr. Am./Non-Hisp	247	30,418	221	88.0	82.7-93.3	26	12.0	06.7-17.3
50-54	331	37,262	269	80.9	75.6-86.2	62	19.1	13.8-24.4
55-64	620	60,860	522	84.1	80.6-87.6	98	15.9	12.4-19.4
65+	1049	78,147	860	82.6	79.7-85.5	189	17.4	14.5-20.3
Less Than H.S.	116	17,089	89	73.2	63.0-83.4	27	26.8	16.6-37.0
H.S. or G.E.D.	700	64,446	565	83.1	79.8-86.4	135	16.9	13.6-20.2
Some Post-H.S.	558	54,918	449	81.2	77.3-85.1	109	18.8	14.9-22.7
College Graduate	621	39,140	545	89.6	86.7-92.5	76	10.4	07.5-13.3
Less than \$15,000	274	22,761	218	78.7	72.4-85.0	56	21.3	15.0-27.6
\$15,000- 24,999	246	19,631	182	74.9	67.5-82.3	64	25.1	17.7-32.5
\$25,000- 34,999	206	16,469	163	78.0	70.6-85.4	43	22.0	14.6-29.4
\$35,000- 49,999	249	22,528	205	82.8	76.9-88.7	44	17.2	11.3-23.1
\$50,000- 74,999	287	26,626	257	88.6	83.7-93.5	30	11.4	06.5-16.3
\$75,000+	392	37,336	345	87.9	83.8-92.0	47	12.1	08.0-16.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2279	287,659	1881	82.2	79.8-84.6	398	17.8	15.4-20.2
White/Non-Hisp	1749	189,964	1431	82.0	79.5-84.5	318	18.0	15.5-20.5
Black or Afr. Am./Non-Hisp	338	58,832	300	87.5	82.8-92.2	38	12.5	07.8-17.2
Oth. Race/Non-Hisp.	60	10,175	44	68.6	52.5-84.7	16	31.4	15.3-47.5
Hispanic	77	23,799	61	76.3	64.5-88.1	16	23.7	11.9-35.5
18-24	152	44,505	103	61.1	51.9-70.3	49	38.9	29.7-48.1
25-34	310	55,272	290	91.9	87.8-96.0	20	8.1	04.0-12.2
35-44	353	52,311	336	94.9	92.0-97.8	17	5.1	02.2-08.0
45-54	441	51,244	384	87.8	84.1-91.5	57	12.2	08.5-15.9
55-64	427	41,007	361	83.6	79.3-87.9	66	16.4	12.1-20.7
65+	596	43,319	407	68.3	63.4-73.2	189	31.7	26.8-36.6
Less Than H.S.	98	26,781	61	73.3	62.9-83.7	37	26.7	16.3-37.1
H.S. or G.E.D.	632	86,254	492	77.5	72.8-82.2	140	22.5	17.8-27.2
Some Post-H.S.	634	92,496	510	82.8	78.9-86.7	124	17.2	13.3-21.1
College Graduate	911	81,567	816	89.9	87.2-92.6	95	10.1	07.4-12.8
Less than \$15,000	249	30,214	188	79.6	72.9-86.3	61	20.4	13.7-27.1
\$15,000- 24,999	244	34,375	174	72.2	63.6-80.8	70	27.8	19.2-36.4
\$25,000- 34,999	227	27,851	187	85.5	79.8-91.2	40	14.5	08.8-20.2
\$35,000- 49,999	277	34,969	239	87.3	82.4-92.2	38	12.7	07.8-17.6
\$50,000- 74,999	353	41,751	312	89.3	85.2-93.4	41	10.7	06.6-14.8
\$75,000+	614	74,256	554	88.5	84.8-92.2	60	11.5	07.8-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21) MALES ONLY	140

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
 SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1411	196,054	828	52.7	49.2-56.2	583	47.3	43.8-50.8
White/Non-Hisp	1155	142,799	702	56.6	52.9-60.3	453	43.4	39.7-47.1
Black or Afr. Am./Non-Hisp	154	34,257	81	46.1	36.1-56.1	73	53.9	43.9-63.9
40-44	131	29,235	34	27.5	18.3-36.7	97	72.5	63.3-81.7
45-54	316	57,637	115	39.0	31.9-46.1	201	61.0	53.9-68.1
55-64	372	50,731	243	60.4	53.3-67.5	129	39.6	32.5-46.7
65+	592	58,451	436	72.2	67.5-76.9	156	27.8	23.1-32.5
Less Than H.S.	113	28,104	53	40.8	29.4-52.2	60	59.2	47.8-70.6
H.S. or G.E.D.	395	57,475	217	49.8	43.5-56.1	178	50.2	43.9-56.5
Some Post-H.S.	351	54,989	210	56.8	50.1-63.5	141	43.2	36.5-49.9
College Graduate	552	55,486	348	57.7	52.2-63.2	204	42.3	36.8-47.8
Less than \$15,000	147	20,034	72	49.3	38.3-60.3	75	50.7	39.7-61.7
\$15,000- 24,999	124	19,181	57	41.1	28.6-53.6	67	58.9	46.4-71.4
\$25,000- 34,999	121	14,728	73	49.3	37.3-61.3	48	50.7	38.7-62.7
\$35,000- 49,999	176	25,767	108	52.6	42.8-62.4	68	47.4	37.6-57.2
\$50,000- 74,999	226	32,563	140	50.7	42.3-59.1	86	49.3	40.9-57.7
\$75,000+	487	67,706	295	56.4	50.7-62.1	192	43.6	37.9-49.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDS2).	
1	MALES AND FEMALES	142
2	MALES ONLY	143
3	FEMALES ONLY	144
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).	
4	MALES AND FEMALES	145
5	MALES ONLY	146
6	FEMALES ONLY	147

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLS2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3133	318,532	428	12.9	11.5-14.3	2705	87.1	85.7-88.5
Male	1178	145,548	177	12.9	10.7-15.1	1001	87.1	84.9-89.3
Female	1955	172,984	251	12.9	10.9-14.9	1704	87.1	85.1-89.1
White/Non-Hisp	2599	243,283	354	13.0	11.4-14.6	2245	87.0	85.4-88.6
Black or Afr. Am./Non-Hisp	365	53,822	54	12.6	08.7-16.5	311	87.4	83.5-91.3
Oth. Race/Non-Hisp.	61	8,173	8	13.9	00.6-27.2	53	86.1	72.8-99.4
50-54	509	70,117	42	7.9	05.2-10.6	467	92.1	89.4-94.8
55-64	1003	113,020	116	11.0	08.6-13.4	887	89.0	86.6-91.4
65+	1621	135,395	270	17.0	14.6-19.4	1351	83.0	80.6-85.4
Less Than H.S.	211	39,442	33	13.2	08.1-18.3	178	86.8	81.7-91.9
H.S. or G.E.D.	1022	106,889	144	13.6	11.1-16.1	878	86.4	83.9-88.9
Some Post-H.S.	839	94,806	107	11.2	08.8-13.6	732	88.8	86.4-91.2
College Graduate	1055	76,601	144	14.0	11.3-16.7	911	86.0	83.3-88.7
Less than \$15,000	404	38,722	60	15.8	11.1-20.5	344	84.2	79.5-88.9
\$15,000- 24,999	345	34,534	38	10.5	06.4-14.6	307	89.5	85.4-93.6
\$25,000- 34,999	313	29,047	54	16.9	11.8-22.0	259	83.1	78.0-88.2
\$35,000- 49,999	398	41,935	51	11.2	07.5-14.9	347	88.8	85.1-92.5
\$50,000- 74,999	468	49,939	59	11.8	08.1-15.5	409	88.2	84.5-91.9
\$75,000+	748	80,840	101	12.5	09.6-15.4	647	87.5	84.6-90.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLS2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1178	145,548	177	12.9	10.7-15.1	1001	87.1	84.9-89.3
White/Non-Hisp	978	111,141	144	13.1	10.7-15.5	834	86.9	84.5-89.3
Black or Afr. Am./Non-Hisp	126	24,332	25	13.9	07.4-20.4	101	86.1	79.6-92.6
50-54	179	32,902	18	7.8	03.5-12.1	161	92.2	87.9-96.5
55-64	390	52,697	43	9.5	06.4-12.6	347	90.5	87.4-93.6
65+	609	59,950	116	18.6	14.9-22.3	493	81.4	77.7-85.1
Less Than H.S.	95	22,312	17	11.0	05.1-16.9	78	89.0	83.1-94.9
H.S. or G.E.D.	339	43,853	54	15.1	10.6-19.6	285	84.9	80.4-89.4
Some Post-H.S.	292	40,865	45	11.6	07.7-15.5	247	88.4	84.5-92.3
College Graduate	451	38,399	61	12.8	09.3-16.3	390	87.2	83.7-90.7
Less than \$15,000	137	16,755	22	16.9	09.1-24.7	115	83.1	75.3-90.9
\$15,000- 24,999	100	14,988	12	10.3	03.8-16.8	88	89.7	83.2-96.2
\$25,000- 34,999	111	12,752	19	16.6	08.4-24.8	92	83.4	75.2-91.6
\$35,000- 49,999	154	19,701	19	7.0	03.3-10.7	135	93.0	89.3-96.7
\$50,000- 74,999	190	23,946	29	13.1	07.4-18.8	161	86.9	81.2-92.6
\$75,000+	363	43,937	56	12.3	08.6-16.0	307	87.7	84.0-91.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLS2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1955	172,984	251	12.9	10.9-14.9	1704	87.1	85.1-89.1
White/Non-Hisp	1621	132,142	210	12.8	10.6-15.0	1411	87.2	85.0-89.4
Black or Afr. Am./Non-Hisp	239	29,490	29	11.5	06.6-16.4	210	88.5	83.6-93.4
50-54	330	37,216	24	7.9	04.2-11.6	306	92.1	88.4-95.8
55-64	613	60,323	73	12.4	09.1-15.7	540	87.6	84.3-90.9
65+	1012	75,445	154	15.8	12.9-18.7	858	84.2	81.3-87.1
Less Than H.S.	116	17,129	16	16.1	07.7-24.5	100	83.9	75.5-92.3
H.S. or G.E.D.	683	63,036	90	12.6	09.5-15.7	593	87.4	84.3-90.5
Some Post-H.S.	547	53,941	62	10.8	07.7-13.9	485	89.2	86.1-92.3
College Graduate	604	38,202	83	15.1	10.8-19.4	521	84.9	80.6-89.2
Less than \$15,000	267	21,968	38	14.9	09.0-20.8	229	85.1	79.2-91.0
\$15,000- 24,999	245	19,545	26	10.7	05.4-16.0	219	89.3	84.0-94.6
\$25,000- 34,999	202	16,295	35	17.1	10.6-23.6	167	82.9	76.4-89.4
\$35,000- 49,999	244	22,235	32	15.0	08.9-21.1	212	85.0	78.9-91.1
\$50,000- 74,999	278	25,993	30	10.6	05.9-15.3	248	89.4	84.7-94.1
\$75,000+	385	36,904	45	12.7	08.0-17.4	340	87.3	82.6-92.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3194	323,303	2455	75.1	72.9-77.3	739	24.9	22.7-27.1
Male	1193	147,160	934	74.7	71.2-78.2	259	25.3	21.8-28.8
Female	2001	176,143	1521	75.4	73.0-77.8	480	24.6	22.2-27.0
White/Non-Hisp	2654	247,022	2048	75.5	73.3-77.7	606	24.5	22.3-26.7
Black or Afr. Am./Non-Hisp	369	54,518	278	72.1	65.2-79.0	91	27.9	21.0-34.8
Oth. Race/Non-Hisp.	61	8,173	46	79.5	65.8-93.2	15	20.5	06.8-34.2
50-54	510	70,217	292	55.5	49.8-61.2	218	44.5	38.8-50.2
55-64	1013	113,925	792	78.3	74.6-82.0	221	21.7	18.0-25.4
65+	1671	139,162	1371	82.3	79.9-84.7	300	17.7	15.3-20.1
Less Than H.S.	215	39,841	141	61.7	52.7-70.7	74	38.3	29.3-47.3
H.S. or G.E.D.	1048	108,853	787	74.7	71.4-78.0	261	25.3	22.0-28.6
Some Post-H.S.	855	96,304	650	76.2	72.5-79.9	205	23.8	20.1-27.5
College Graduate	1070	77,510	873	81.4	78.5-84.3	197	18.6	15.7-21.5
Less than \$15,000	415	39,874	308	73.0	67.1-78.9	107	27.0	21.1-32.9
\$15,000- 24,999	350	35,014	219	60.6	52.2-69.0	131	39.4	31.0-47.8
\$25,000- 34,999	319	29,358	250	76.8	70.5-83.1	69	23.2	16.9-29.5
\$35,000- 49,999	406	42,555	329	77.4	71.3-83.5	77	22.6	16.5-28.7
\$50,000- 74,999	477	50,568	381	77.2	72.1-82.3	96	22.8	17.7-27.9
\$75,000+	755	81,524	603	76.8	72.9-80.7	152	23.2	19.3-27.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1193	147,160	934	74.7	71.2-78.2	259	25.3	21.8-28.8
White/Non-Hisp	994	112,603	783	76.1	72.4-79.8	211	23.9	20.2-27.6
Black or Afr. Am./Non-Hisp	124	24,224	92	66.4	54.1-78.7	32	33.6	21.3-45.9
50-54	179	32,902	97	50.1	40.7-59.5	82	49.9	40.5-59.3
55-64	395	53,226	315	79.6	73.3-85.9	80	20.4	14.1-26.7
65+	619	61,033	522	83.6	79.7-87.5	97	16.4	12.5-20.3
Less Than H.S.	98	22,677	65	58.2	44.9-71.5	33	41.8	28.5-55.1
H.S. or G.E.D.	345	44,369	258	73.8	67.9-79.7	87	26.2	20.3-32.1
Some Post-H.S.	297	41,417	232	76.1	69.6-82.6	65	23.9	17.4-30.4
College Graduate	452	38,578	378	83.6	79.3-87.9	74	16.4	12.1-20.7
Less than \$15,000	141	17,109	101	67.6	57.0-78.2	40	32.4	21.8-43.0
\$15,000- 24,999	101	15,171	69	58.1	41.8-74.4	32	41.9	25.6-58.2
\$25,000- 34,999	113	12,889	84	77.7	67.7-87.7	29	22.3	12.3-32.3
\$35,000- 49,999	156	19,957	126	72.6	62.0-83.2	30	27.4	16.8-38.0
\$50,000- 74,999	191	23,997	149	75.5	67.5-83.5	42	24.5	16.5-32.5
\$75,000+	366	44,384	307	79.7	74.2-85.2	59	20.3	14.8-25.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 6: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2001	176,143	1521	75.4	73.0-77.8	480	24.6	22.2-27.0
White/Non-Hisp	1660	134,419	1265	74.9	72.2-77.6	395	25.1	22.4-27.8
Black or Afr. Am./Non-Hisp	245	30,293	186	76.6	69.9-83.3	59	23.4	16.7-30.1
50-54	331	37,315	195	60.2	53.7-66.7	136	39.8	33.3-46.3
55-64	618	60,699	477	77.2	72.9-81.5	141	22.8	18.5-27.1
65+	1052	78,129	849	81.2	78.3-84.1	203	18.8	15.9-21.7
Less Than H.S.	117	17,164	76	66.3	55.5-77.1	41	33.7	22.9-44.5
H.S. or G.E.D.	703	64,485	529	75.2	71.3-79.1	174	24.8	20.9-28.7
Some Post-H.S.	558	54,887	418	76.3	72.0-80.6	140	23.7	19.4-28.0
College Graduate	618	38,932	495	79.1	75.0-83.2	123	20.9	16.8-25.0
Less than \$15,000	274	22,765	207	77.1	71.0-83.2	67	22.9	16.8-29.0
\$15,000- 24,999	249	19,842	150	62.6	54.8-70.4	99	37.4	29.6-45.2
\$25,000- 34,999	206	16,469	166	76.1	68.3-83.9	40	23.9	16.1-31.7
\$35,000- 49,999	250	22,598	203	81.6	75.5-87.7	47	18.4	12.3-24.5
\$50,000- 74,999	286	26,571	232	78.7	72.4-85.0	54	21.3	15.0-27.6
\$75,000+	389	37,140	296	73.4	67.7-79.1	93	26.6	20.9-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	149
2	MALES ONLY	150
3	FEMALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 18: HIV/AIDS**

**TABLE 1: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4982	687,421	1768	42.8	40.8-44.8	3214	57.2	55.2-59.2
Male	1921	326,239	685	42.1	39.2-45.0	1236	57.9	55.0-60.8
Female	3061	361,182	1083	43.5	41.1-45.9	1978	56.5	54.1-58.9
White/Non-Hisp	3859	458,287	1164	34.7	32.7-36.7	2695	65.3	63.3-67.3
Black or Afr. Am./Non-Hisp	709	138,582	423	66.2	61.9-70.5	286	33.8	29.5-38.1
Oth. Race/Non-Hisp.	138	26,875	52	36.0	24.4-47.6	86	64.0	52.4-75.6
MultiRacial/Non-Hisp.	100	8,766	49	51.0	39.2-62.8	51	49.0	37.2-60.8
Hispanic	151	52,164	71	54.6	44.6-64.6	80	45.4	35.4-55.4
18-24	310	90,804	136	44.3	37.6-51.0	174	55.7	49.0-62.4
25-34	521	113,835	347	68.5	63.6-73.4	174	31.5	26.6-36.4
35-44	631	111,012	396	61.0	56.1-65.9	235	39.0	34.1-43.9
45-54	885	123,776	397	45.8	41.5-50.1	488	54.2	49.9-58.5
55-64	981	110,286	278	30.1	26.2-34.0	703	69.9	66.0-73.8
65+	1606	133,583	202	13.3	10.9-15.7	1404	86.7	84.3-89.1
Less Than H.S.	319	90,487	115	48.0	40.7-55.3	204	52.0	44.7-59.3
H.S. or G.E.D.	1499	215,439	454	39.3	36.0-42.6	1045	60.7	57.4-64.0
Some Post-H.S.	1343	204,877	516	45.4	41.9-48.9	827	54.6	51.1-58.1
College Graduate	1814	175,805	681	41.6	38.7-44.5	1133	58.4	55.5-61.3
Less than \$15,000	577	79,812	204	48.5	42.6-54.4	373	51.5	45.6-57.4
\$15,000- 24,999	514	75,817	230	55.1	48.8-61.4	284	44.9	38.6-51.2
\$25,000- 34,999	468	62,037	155	43.1	36.6-49.6	313	56.9	50.4-63.4
\$35,000- 49,999	623	86,555	231	45.4	40.1-50.7	392	54.6	49.3-59.9
\$50,000- 74,999	742	100,739	290	46.6	41.7-51.5	452	53.4	48.5-58.3
\$75,000+	1383	190,342	497	38.8	35.5-42.1	886	61.2	57.9-64.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 2: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1921	326,239	685	42.1	39.2-45.0	1236	57.9	55.0-60.8
White/Non-Hisp	1494	217,002	471	34.9	31.8-38.0	1023	65.1	62.0-68.2
Black or Afr. Am./Non-Hisp	242	63,191	141	65.5	58.1-72.9	101	34.5	27.1-41.9
Oth. Race/Non-Hisp.	66	15,141	20	28.6	11.9-45.3	46	71.4	54.7-88.1
Hispanic	65	25,368	30	52.7	37.2-68.2	35	47.3	31.8-62.8
18-24	156	46,017	61	40.4	31.0-49.8	95	59.6	50.2-69.0
25-34	205	56,738	123	63.8	55.8-71.8	82	36.2	28.2-44.2
35-44	245	53,620	133	53.3	45.7-60.9	112	46.7	39.1-54.3
45-54	333	59,029	155	47.7	40.8-54.6	178	52.3	45.4-59.2
55-64	379	51,006	113	29.6	23.5-35.7	266	70.4	64.3-76.5
65+	589	58,445	96	17.6	13.5-21.7	493	82.4	78.3-86.5
Less Than H.S.	161	55,011	62	48.7	38.7-58.7	99	51.3	41.3-61.3
H.S. or G.E.D.	555	98,604	199	42.4	37.1-47.7	356	57.6	52.3-62.9
Some Post-H.S.	481	89,164	188	43.1	37.6-48.6	293	56.9	51.4-62.4
College Graduate	723	83,341	235	36.1	31.6-40.6	488	63.9	59.4-68.4
Less than \$15,000	206	38,837	75	49.6	40.0-59.2	131	50.4	40.8-60.0
\$15,000- 24,999	163	29,998	77	52.2	41.4-63.0	86	47.8	37.0-58.6
\$25,000- 34,999	165	27,525	50	38.3	27.3-49.3	115	61.7	50.7-72.7
\$35,000- 49,999	231	40,258	89	44.4	36.0-52.8	142	55.6	47.2-64.0
\$50,000- 74,999	298	49,906	123	48.4	40.8-56.0	175	51.6	44.0-59.2
\$75,000+	653	104,553	216	37.1	32.2-42.0	437	62.9	58.0-67.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 3: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3061	361,182	1083	43.5	41.1-45.9	1978	56.5	54.1-58.9
White/Non-Hisp	2365	241,285	693	34.5	32.0-37.0	1672	65.5	63.0-68.0
Black or Afr. Am./Non-Hisp	467	75,390	282	66.8	61.7-71.9	185	33.2	28.1-38.3
Oth. Race/Non-Hisp.	72	11,734	32	45.5	30.2-60.8	40	54.5	39.2-69.8
MultiRacial/Non-Hisp.	57	4,690	29	51.0	35.3-66.7	28	49.0	33.3-64.7
Hispanic	86	26,795	41	56.4	43.5-69.3	45	43.6	30.7-56.5
18-24	154	44,787	75	48.3	39.1-57.5	79	51.7	42.5-60.9
25-34	316	57,097	224	73.1	67.4-78.8	92	26.9	21.2-32.6
35-44	386	57,391	263	68.2	61.9-74.5	123	31.8	25.5-38.1
45-54	552	64,747	242	44.1	38.8-49.4	310	55.9	50.6-61.2
55-64	602	59,279	165	30.6	25.7-35.5	437	69.4	64.5-74.3
65+	1017	75,138	106	10.0	07.5-12.5	911	90.0	87.5-92.5
Less Than H.S.	158	35,476	53	46.9	36.5-57.3	105	53.1	42.7-63.5
H.S. or G.E.D.	944	116,835	255	36.7	32.2-41.2	689	63.3	58.8-67.8
Some Post-H.S.	862	115,713	328	47.2	42.9-51.5	534	52.8	48.5-57.1
College Graduate	1091	92,464	446	46.5	42.8-50.2	645	53.5	49.8-57.2
Less than \$15,000	371	40,975	129	47.6	40.5-54.7	242	52.4	45.3-59.5
\$15,000- 24,999	351	45,819	153	56.9	49.5-64.3	198	43.1	35.7-50.5
\$25,000- 34,999	303	34,512	105	46.9	39.1-54.7	198	53.1	45.3-60.9
\$35,000- 49,999	392	46,296	142	46.2	39.5-52.9	250	53.8	47.1-60.5
\$50,000- 74,999	444	50,833	167	44.9	38.6-51.2	277	55.1	48.8-61.4
\$75,000+	730	85,789	281	40.9	36.2-45.6	449	59.1	54.4-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2012**

End of Calculated Variable Data Report