

Delaware

2012 ADULT Landline Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4425	620,531	2880	60.6	58.6-62.6	1545	39.4	37.4-41.4
Male	1656	291,157	1058	58.4	55.1-61.7	598	41.6	38.3-44.9
Female	2769	329,374	1822	62.5	60.0-65.0	947	37.5	35.0-40.0
White/Non-Hisp	3449	414,894	2276	62.2	60.0-64.4	1173	37.8	35.6-40.0
Black or Afr. Am./Non-Hisp	601	120,637	394	63.1	58.0-68.2	207	36.9	31.8-42.0
Oth. Race/Non-Hisp.	128	26,159	73	49.2	37.2-61.2	55	50.8	38.8-62.8
MultiRacial/Non-Hisp.	89	7,916	54	58.1	45.9-70.3	35	41.9	29.7-54.1
Hispanic	134	48,451	69	46.7	36.1-57.3	65	53.3	42.7-63.9
18-24	293	85,263	89	30.1	23.8-36.4	204	69.9	63.6-76.2
25-34	499	108,284	266	50.7	45.2-56.2	233	49.3	43.8-54.8
35-44	602	102,101	360	60.8	55.7-65.9	242	39.2	34.1-44.3
45-54	814	113,579	561	70.1	66.0-74.2	253	29.9	25.8-34.0
55-64	853	97,333	614	71.8	67.5-76.1	239	28.2	23.9-32.5
65+	1321	109,972	962	73.8	70.9-76.7	359	26.2	23.3-29.1
Less Than H.S.	263	77,839	158	58.7	50.9-66.5	105	41.3	33.5-49.1
H.S. or G.E.D.	1314	195,063	810	57.9	54.2-61.6	504	42.1	38.4-45.8
Some Post-H.S.	1190	184,816	797	61.7	58.0-65.4	393	38.3	34.6-42.0
College Graduate	1652	162,055	1110	63.2	60.3-66.1	542	36.8	33.9-39.7
Less than \$15,000	491	69,050	301	58.8	52.5-65.1	190	41.2	34.9-47.5
\$15,000- 24,999	421	64,647	252	53.8	46.7-60.9	169	46.2	39.1-53.3
\$25,000- 34,999	418	56,009	267	60.2	53.3-67.1	151	39.8	32.9-46.7
\$35,000- 49,999	552	78,910	367	62.8	57.3-68.3	185	37.2	31.7-42.7
\$50,000- 74,999	665	93,375	466	64.9	59.8-70.0	199	35.1	30.0-40.2
\$75,000+	1267	173,938	846	64.4	60.9-67.9	421	35.6	32.1-39.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1656	291,157	1058	58.4	55.1-61.7	598	41.6	38.3-44.9
White/Non-Hisp	1293	194,909	857	62.0	58.5-65.5	436	38.0	34.5-41.5
Black or Afr. Am./Non-Hisp	201	54,688	124	59.4	50.8-68.0	77	40.6	32.0-49.2
Oth. Race/Non-Hisp.	61	14,605	27	37.1	20.2-54.0	34	62.9	46.0-79.8
Hispanic	53	22,206	25	41.0	24.3-57.7	28	59.0	42.3-75.7
18-24	148	44,006	41	31.1	21.9-40.3	107	68.9	59.7-78.1
25-34	194	53,979	81	38.7	30.3-47.1	113	61.3	52.9-69.7
35-44	227	47,820	137	60.2	52.4-68.0	90	39.8	32.0-47.6
45-54	296	53,944	211	73.1	66.6-79.6	85	26.9	20.4-33.4
55-64	325	45,282	251	73.9	66.6-81.2	74	26.1	18.8-33.4
65+	455	44,627	329	73.4	68.3-78.5	126	26.6	21.5-31.7
Less Than H.S.	133	47,927	79	56.0	45.0-67.0	54	44.0	33.0-55.0
H.S. or G.E.D.	484	90,316	287	57.7	52.0-63.4	197	42.3	36.6-48.0
Some Post-H.S.	417	79,633	274	57.5	51.4-63.6	143	42.5	36.4-48.6
College Graduate	621	73,162	417	61.5	56.6-66.4	204	38.5	33.6-43.4
Less than \$15,000	174	32,957	103	55.6	45.0-66.2	71	44.4	33.8-55.0
\$15,000- 24,999	137	25,484	79	50.8	38.8-62.8	58	49.2	37.2-61.2
\$25,000- 34,999	137	24,512	80	54.2	42.4-66.0	57	45.8	34.0-57.6
\$35,000- 49,999	205	37,033	126	55.2	46.4-64.0	79	44.8	36.0-53.6
\$50,000- 74,999	255	45,952	175	61.5	53.1-69.9	80	38.5	30.1-46.9
\$75,000+	568	92,804	386	65.5	60.4-70.6	182	34.5	29.4-39.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2769	329,374	1822	62.5	60.0-65.0	947	37.5	35.0-40.0
White/Non-Hisp	2156	219,985	1419	62.4	59.7-65.1	737	37.6	34.9-40.3
Black or Afr. Am./Non-Hisp	400	65,948	270	66.2	60.3-72.1	130	33.8	27.9-39.7
Oth. Race/Non-Hisp.	67	11,554	46	64.6	49.3-79.9	21	35.4	20.1-50.7
MultiRacial/Non-Hisp.	50	4,237	34	69.4	54.7-84.1	16	30.6	15.9-45.3
Hispanic	81	26,245	44	51.4	37.9-64.9	37	48.6	35.1-62.1
18-24	145	41,258	48	29.1	21.1-37.1	97	70.9	62.9-78.9
25-34	305	54,306	185	62.6	56.1-69.1	120	37.4	30.9-43.9
35-44	375	54,281	223	61.4	54.7-68.1	152	38.6	31.9-45.3
45-54	518	59,635	350	67.4	62.1-72.7	168	32.6	27.3-37.9
55-64	528	52,051	363	69.9	65.0-74.8	165	30.1	25.2-35.0
65+	866	65,345	633	74.0	70.3-77.7	233	26.0	22.3-29.7
Less Than H.S.	130	29,912	79	63.1	52.5-73.7	51	36.9	26.3-47.5
H.S. or G.E.D.	830	104,747	523	58.1	53.4-62.8	307	41.9	37.2-46.6
Some Post-H.S.	773	105,183	523	64.9	60.4-69.4	250	35.1	30.6-39.6
College Graduate	1031	88,893	693	64.6	60.9-68.3	338	35.4	31.7-39.1
Less than \$15,000	317	36,092	198	61.8	54.7-68.9	119	38.2	31.1-45.3
\$15,000- 24,999	284	39,162	173	55.7	47.1-64.3	111	44.3	35.7-52.9
\$25,000- 34,999	281	31,498	187	64.8	57.0-72.6	94	35.2	27.4-43.0
\$35,000- 49,999	347	41,876	241	69.5	63.2-75.8	106	30.5	24.2-36.8
\$50,000- 74,999	410	47,422	291	68.2	62.1-74.3	119	31.8	25.7-37.9
\$75,000+	699	81,134	460	63.1	58.4-67.8	239	36.9	32.2-41.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4531	634,536	426	8.2	07.2-09.2	59	1.3	00.9-01.7	4046	90.5	89.3-91.7
Male	1704	298,040	166	8.2	06.4-10.0				1538	91.8	90.0-93.6
Female	2827	336,496	260	8.2	06.8-09.6	59	2.5	01.7-03.3	2508	89.3	87.7-90.9
White/Non-Hisp	3544	426,888	324	8.6	07.4-09.8	46	1.4	00.8-02.0	3174	90.0	88.6-91.4
Black or Afr. Am./Non-Hisp	610	122,235	62	7.4	05.0-09.8	9	1.3	00.1-02.5	539	91.3	88.8-93.8
Oth. Race/Non-Hisp.	128	25,887	19	8.5	02.4-14.6				109	91.5	85.4-97.6
MultiRacial/Non-Hisp.	90	8,086	9	10.7	02.3-19.1	1	1.6	00.0-04.7	80	87.7	78.9-96.5
Hispanic	135	48,966	11	6.9	02.0-11.8	3	1.1	00.0-02.5	121	92.0	87.1-96.9
18-24	301	87,999	8	3.0	00.8-05.2	2	0.5	00.0-01.3	291	96.5	94.1-98.9
25-34	511	111,064	15	3.0	01.0-05.0	13	2.4	00.8-04.0	483	94.6	92.1-97.1
35-44	614	104,588	31	5.2	02.8-07.6	16	1.8	00.8-02.8	567	93.0	90.6-95.4
45-54	830	115,357	66	9.8	06.9-12.7	16	1.7	00.7-02.7	748	88.5	85.4-91.6
55-64	868	98,555	121	13.9	11.0-16.8	7	1.2	00.2-02.2	740	84.9	81.8-88.0
65+	1361	112,672	181	13.3	10.8-15.8	5	0.4	00.0-00.8	1175	86.3	83.8-88.8
Less Than H.S.	274	80,867	26	7.8	03.9-11.7	1	0.7	00.0-02.1	247	91.4	87.3-95.5
H.S. or G.E.D.	1339	197,833	136	8.8	06.8-10.8	17	1.5	00.7-02.3	1186	89.7	87.5-91.9
Some Post-H.S.	1213	188,708	122	9.0	07.0-11.0	16	1.1	00.5-01.7	1075	89.9	87.9-91.9
College Graduate	1699	166,370	142	6.9	05.3-08.5	25	1.6	00.8-02.4	1532	91.5	89.7-93.3
Less than \$15,000	500	70,088	49	8.5	05.4-11.6	6	2.0	00.0-04.0	445	89.5	86.0-93.0
\$15,000- 24,999	424	65,139	39	7.1	04.0-10.2	9	2.1	00.5-03.7	376	90.7	87.2-94.2
\$25,000- 34,999	426	56,474	47	9.8	06.1-13.5	4	0.2	00.0-00.4	375	89.9	86.0-93.8
\$35,000- 49,999	567	80,521	69	10.3	07.0-13.6	9	1.5	00.3-02.7	489	88.2	84.9-91.5
\$50,000- 74,999	687	95,830	67	7.9	05.2-10.6	9	1.2	00.2-02.2	611	90.9	88.0-93.8
\$75,000+	1298	179,586	100	7.4	05.4-09.4	20	1.6	00.8-02.4	1178	91.1	88.9-93.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1704	298,040	166	8.2	06.4-10.0	1538	91.8	90.0-93.6
White/Non-Hisp	1334	200,108	135	9.4	07.2-11.6	1199	90.6	88.4-92.8
Black or Afr. Am./Non-Hisp	206	55,842	21	8.0	03.9-12.1	185	92.0	87.9-96.1
Oth. Race/Non-Hisp.	62	14,620	5	3.8	00.0-08.7	57	96.2	91.3-0100
Hispanic	54	22,721	3	2.1	00.0-04.5	51	97.9	95.5-0100
18-24	153	45,331	5	4.0	00.5-07.5	148	96.0	92.5-99.5
25-34	202	55,682	5	3.7	00.0-07.4	197	96.3	92.6-0100
35-44	233	49,293	9	4.8	01.3-08.3	224	95.2	91.7-98.7
45-54	304	54,841	29	11.7	06.6-16.8	275	88.3	83.2-93.4
55-64	333	45,791	49	13.2	08.5-17.9	284	86.8	82.1-91.5
65+	466	45,550	69	12.7	09.4-16.0	397	87.3	84.0-90.6
Less Than H.S.	137	48,547	14	10.1	04.0-16.2	123	89.9	83.8-96.0
H.S. or G.E.D.	491	91,101	41	6.5	03.8-09.2	450	93.5	90.8-96.2
Some Post-H.S.	430	82,213	49	9.8	06.5-13.1	381	90.2	86.9-93.5
College Graduate	645	76,059	62	7.4	05.0-09.8	583	92.6	90.2-95.0
Less than \$15,000	176	33,143	12	6.7	01.8-11.6	164	93.3	88.4-98.2
\$15,000- 24,999	139	25,817	17	10.0	03.7-16.3	122	90.0	83.7-96.3
\$25,000- 34,999	140	24,673	19	11.4	04.5-18.3	121	88.6	81.7-95.5
\$35,000- 49,999	210	37,611	25	10.2	05.1-15.3	185	89.8	84.7-94.9
\$50,000- 74,999	266	47,377	26	8.2	03.5-12.9	240	91.8	87.1-96.5
\$75,000+	587	96,264	54	7.7	05.0-10.4	533	92.3	89.6-95.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2827	336,496	260	8.2	06.8-09.6	59	2.5	01.7-03.3	2508	89.3	87.7-90.9
White/Non-Hisp	2210	226,780	189	7.9	06.5-09.3	46	2.7	01.7-03.7	1975	89.4	87.8-91.0
Black or Afr. Am./Non-Hisp	404	66,393	41	7.0	04.3-09.7	9	2.4	00.2-04.6	354	90.7	87.4-94.0
Oth. Race/Non-Hisp.	66	11,267	14	14.4	02.4-26.4				52	85.6	73.6-97.6
MultiRacial/Non-Hisp.	51	4,407	7	13.8	01.8-25.8	1	2.9	00.0-08.6	43	83.3	70.4-96.2
Hispanic	81	26,245	8	11.2	02.8-19.6	3	2.0	00.0-04.4	70	86.9	78.1-95.7
18-24	148	42,668	3	1.9	00.0-04.3	2	1.0	00.0-02.8	143	97.1	94.2-0100
25-34	309	55,381	10	2.3	00.5-04.1	13	4.8	01.7-07.9	286	92.9	89.4-96.4
35-44	381	55,295	22	5.6	02.7-08.5	16	3.3	01.5-05.1	343	91.1	87.8-94.4
45-54	526	60,516	37	8.2	04.9-11.5	16	3.2	01.2-05.2	473	88.7	85.0-92.4
55-64	535	52,765	72	14.5	10.6-18.4	7	2.2	00.2-04.2	456	83.3	79.0-87.6
65+	895	67,122	112	13.7	10.2-17.2	5	0.6	00.0-01.2	778	85.7	82.2-89.2
Less Than H.S.	137	32,320	12	4.4	01.3-07.5	1	1.8	00.0-05.3	124	93.8	89.1-98.5
H.S. or G.E.D.	848	106,731	95	10.7	07.8-13.6	17	2.9	01.3-04.5	736	86.4	83.3-89.5
Some Post-H.S.	783	106,495	73	8.3	05.9-10.7	16	2.0	00.8-03.2	694	89.7	87.2-92.2
College Graduate	1054	90,311	80	6.6	04.6-08.6	25	2.9	01.5-04.3	949	90.5	88.1-92.9
Less than \$15,000	324	36,946	37	10.1	06.2-14.0	6	3.8	00.1-07.5	281	86.1	81.0-91.2
\$15,000- 24,999	285	39,322	22	5.3	02.2-08.4	9	3.5	00.8-06.2	254	91.2	87.1-95.3
\$25,000- 34,999	286	31,801	28	8.6	04.3-12.9	4	0.4	00.0-00.8	254	90.9	86.6-95.2
\$35,000- 49,999	357	42,910	44	10.4	06.3-14.5	9	2.8	00.6-05.0	304	86.8	82.3-91.3
\$50,000- 74,999	421	48,453	41	7.7	05.0-10.4	9	2.3	00.3-04.3	371	90.0	86.7-93.3
\$75,000+	711	83,322	46	7.0	04.3-09.7	20	3.4	01.6-05.2	645	89.6	86.5-92.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 2: DIABETES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13
	ARE YOU NOW TAKING INSULIN? (INSULIN)	
4	MALES AND FEMALES	14
5	MALES ONLY	15
6	FEMALES ONLY	16
	ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7	MALES AND FEMALES	17
8	MALES ONLY	18
9	FEMALES ONLY	19
	ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10	MALES AND FEMALES	20
11	MALES ONLY	21
12	FEMALES ONLY	22
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13	MALES AND FEMALES	23
14	MALES ONLY	24
15	FEMALES ONLY	25
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16	MALES AND FEMALES	26
17	MALES ONLY	27
18	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 2: DIABETES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28	MALES AND FEMALES	38
29	MALES ONLY	39
30	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	581	66,369	16	4.1	01.4-06.8	32	8.9	05.0-12.8	130	30.5	24.8-36.2	248	37.6	32.3-42.9	155	18.9	15.4-22.4
Male	275	35,861	6	1.9	00.1-03.7	13	7.6	02.9-12.3	72	35.9	27.9-43.9	116	35.4	28.1-42.7	68	19.2	14.1-24.3
Female	306	30,508	10	6.6	01.1-12.1	19	10.4	04.3-16.5	58	24.2	16.8-31.6	132	40.2	32.6-47.8	87	18.6	13.5-23.7
White/Non-Hisp	431	44,382	12	3.9	00.6-07.2	16	4.3	01.6-07.0	92	31.3	24.2-38.4	185	38.8	32.5-45.1	126	21.7	17.2-26.2
Black or Afr. Am./Non-Hisp	106	16,569	3	5.1	00.0-11.0	14	21.9	09.7-34.1	23	23.7	13.7-33.7	45	35.4	23.2-47.6	21	13.9	06.3-21.5
45-54	80	13,803	5	3.5	00.0-07.2	10	12.5	03.7-21.3	43	58.3	44.4-72.2	22	25.6	13.4-37.8			
55-64	147	16,156	2	0.6	00.0-01.4	9	7.2	02.1-12.3	31	29.1	18.9-39.3	97	60.8	50.4-71.2	8	2.3	00.3-04.3
65+	317	26,710	3	0.8	00.0-02.0	3	0.5	00.0-01.3	37	10.1	06.2-14.0	127	42.9	35.8-50.0	147	45.6	38.5-52.7
Less Than H.S.	55	11,851	2	5.8	00.0-13.6	4	13.7	00.0-27.8	14	33.9	15.7-52.1	22	32.9	17.4-48.4	13	13.7	04.9-22.5
H.S. or G.E.D.	201	22,212	6	5.2	00.0-11.5	8	7.0	01.3-12.7	38	22.8	14.6-31.0	84	39.8	31.0-48.6	65	25.2	17.9-32.5
Some Post-H.S.	163	19,603	4	2.0	00.0-04.4	9	8.3	02.4-14.2	40	37.8	27.4-48.2	66	35.2	26.0-44.4	44	16.7	10.8-22.6
College Graduate	162	12,703	4	3.7	00.0-07.8	11	8.7	02.4-15.0	38	29.6	20.0-39.2	76	41.8	32.2-51.4	33	16.2	10.1-22.3
Less than \$15,000	90	10,474	2	8.3	00.0-20.6	4	11.2	00.0-23.0	18	16.7	07.1-26.3	36	37.2	23.3-51.1	30	26.6	15.2-38.0
\$15,000- 24,999	91	10,191	2	2.9	00.0-08.0	7	8.5	01.4-15.6	22	38.4	22.3-54.5	33	33.4	20.1-46.7	27	16.8	08.6-25.0
\$25,000- 34,999	55	6,262				2	8.8	00.0-20.6	11	36.5	16.7-56.3	27	37.0	20.9-53.1	15	17.7	07.3-28.1
\$35,000- 49,999	76	7,858	3	1.7	00.0-03.7	5	10.1	00.3-19.9	14	18.9	07.9-29.9	39	49.8	35.1-64.5	15	19.4	09.0-29.8
\$50,000- 74,999	74	8,051	2	1.8	00.0-04.9	3	1.7	00.0-03.7	17	30.5	15.2-45.8	30	47.4	31.9-62.9	22	18.5	09.5-27.5
\$75,000+	118	15,593	5	4.2	00.1-08.3	5	7.5	00.1-14.9	39	48.4	35.9-60.9	54	32.4	22.2-42.6	15	7.5	03.4-11.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	275	35,861	6	1.9	00.1-03.7	13	7.6	03.9-11.3	72	35.9	27.9-43.9	116	35.4	28.1-42.7	68	19.2	14.3-24.1
White/Non-Hisp	208	24,633	5	2.1	00.0-04.3	6	3.1	00.4-05.8	49	34.5	24.7-44.3	93	38.3	29.7-46.9	55	22.1	15.6-28.6
55-64	64	8,250	1	0.5	00.0-01.5	3	6.3	00.0-13.6	19	38.8	22.5-55.1	38	51.7	35.6-67.8	3	2.6	00.0-05.7
65+	152	15,040	2	1.3	00.0-03.5	1	0.1	00.0-00.3	17	9.6	04.9-14.3	67	44.8	34.8-54.8	65	44.3	34.7-53.9
H.S. or G.E.D.	84	10,413	1	1.6	00.0-04.7	1	3.3	00.0-09.8	20	29.3	15.8-42.8	39	41.9	29.0-54.8	23	23.9	13.5-34.3
Some Post-H.S.	65	8,944	1	0.5	00.0-01.5	4	10.1	00.5-19.7	20	44.1	29.0-59.2	23	26.6	14.6-38.6	17	18.8	09.0-28.6
College Graduate	97	9,004	4	5.2	00.0-11.1	6	7.6	00.3-14.9	24	32.5	20.0-45.0	42	37.9	25.7-50.1	21	16.7	08.9-24.5
\$75,000+	82	11,239	3	4.0	00.0-08.7	4	6.0	00.0-12.3	29	55.0	40.9-69.1	35	26.4	15.4-37.4	11	8.6	03.1-14.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	306	30,508	10	6.6	01.1-12.1	19	10.4	04.5-16.3	58	24.2	16.8-31.6	132	40.2	32.6-47.8	87	18.6	13.5-23.7
White/Non-Hisp	223	19,749	7	6.1	00.0-13.2	10	5.9	00.6-11.2	43	27.3	17.5-37.1	92	39.5	30.5-48.5	71	21.2	15.3-27.1
Black or Afr. Am./Non-Hisp	66	9,332	2	7.3	00.0-17.1	8	20.1	04.6-35.6	12	19.9	07.6-32.2	31	38.6	22.9-54.3	13	14.1	02.9-25.3
55-64	83	7,906	1	0.7	00.0-02.1	6	8.1	01.2-15.0	12	19.0	08.6-29.4	59	70.3	58.5-82.1	5	1.9	00.0-03.9
65+	165	11,669	1	0.3	00.0-00.9	2	1.0	00.0-02.8	20	10.9	04.4-17.4	60	40.5	30.5-50.5	82	47.3	37.1-57.5
H.S. or G.E.D.	117	11,800	5	8.3	00.0-19.3	7	10.2	01.0-19.4	18	17.1	08.3-25.9	45	38.0	26.0-50.0	42	26.4	16.4-36.4
Some Post-H.S.	98	10,659	3	3.3	00.0-07.4	5	6.8	00.0-13.9	20	32.6	18.5-46.7	43	42.4	29.5-55.3	27	14.9	07.8-22.0
College Graduate	65	3,699				5	11.3	00.0-23.3	14	22.5	10.0-35.0	34	51.3	36.2-66.4	12	14.9	05.3-24.5
Less than \$15,000	51	4,680	2	18.6	00.0-43.5	2	6.1	00.0-15.7	13	25.7	08.8-42.6	17	27.1	11.8-42.4	17	22.5	08.8-36.2
\$15,000- 24,999	66	6,256	2	4.8	00.0-13.0	6	13.6	02.4-24.8	12	25.6	07.2-44.0	24	38.6	22.1-55.1	22	17.3	08.3-26.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	605	68,223	192	33.1	27.8-38.4	413	66.9	61.6-72.2
Male	281	36,593	90	31.9	24.6-39.2	191	68.1	60.8-75.4
Female	324	31,631	102	34.6	26.8-42.4	222	65.4	57.6-73.2
White/Non-Hisp	442	45,042	133	30.3	24.4-36.2	309	69.7	63.8-75.6
Black or Afr. Am./Non-Hisp	115	17,595	42	38.6	26.4-50.8	73	61.4	49.2-73.6
45-54	82	14,009	35	42.1	28.4-55.8	47	57.9	44.2-71.6
55-64	151	16,447	44	33.1	22.9-43.3	107	66.9	56.7-77.1
65+	334	27,984	100	28.7	22.4-35.0	234	71.3	65.0-77.6
Less Than H.S.	61	12,582	26	38.9	22.2-55.6	35	61.1	44.4-77.8
H.S. or G.E.D.	211	22,879	65	31.9	23.5-40.3	146	68.1	59.7-76.5
Some Post-H.S.	169	19,985	49	32.6	23.2-42.0	120	67.4	58.0-76.8
College Graduate	163	12,723	52	30.7	21.7-39.7	111	69.3	60.3-78.3
Less than \$15,000	96	10,772	35	43.1	28.6-57.6	61	56.9	42.4-71.4
\$15,000- 24,999	102	11,253	42	42.4	28.3-56.5	60	57.6	43.5-71.7
\$25,000- 34,999	55	6,262	15	24.4	10.5-38.3	40	75.6	61.7-89.5
\$35,000- 49,999	77	7,878	19	24.8	12.5-37.1	58	75.2	62.9-87.5
\$50,000- 74,999	76	8,230	21	26.4	12.9-39.9	55	73.6	60.1-87.1
\$75,000+	118	15,593	39	31.1	20.5-41.7	79	68.9	58.3-79.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	281	36,593	90	31.9	24.6-39.2	191	68.1	60.8-75.4
White/Non-Hisp	211	24,860	66	31.0	23.0-39.0	145	69.0	61.0-77.0
55-64	64	8,250	17	32.9	16.6-49.2	47	67.1	50.8-83.4
65+	158	15,772	50	33.0	23.8-42.2	108	67.0	57.8-76.2
H.S. or G.E.D.	88	10,736	30	33.9	21.9-45.9	58	66.1	54.1-78.1
Some Post-H.S.	65	8,944	16	29.8	16.1-43.5	49	70.2	56.5-83.9
College Graduate	97	9,004	33	31.3	19.9-42.7	64	68.7	57.3-80.1
\$75,000+	82	11,239	29	32.1	19.2-45.0	53	67.9	55.0-80.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	324	31,631	102	34.6	26.8-42.4	222	65.4	57.6-73.2
White/Non-Hisp	231	20,183	67	29.5	20.5-38.5	164	70.5	61.5-79.5
Black or Afr. Am./Non-Hisp	73	9,944	29	44.9	28.6-61.2	44	55.1	38.8-71.4
55-64	87	8,197	27	33.2	21.0-45.4	60	66.8	54.6-79.0
65+	176	12,212	50	23.2	15.9-30.5	126	76.8	69.5-84.1
H.S. or G.E.D.	123	12,143	35	30.2	18.0-42.4	88	69.8	57.6-82.0
Some Post-H.S.	104	11,040	33	34.8	21.9-47.7	71	65.2	52.3-78.1
College Graduate	66	3,718	19	29.0	14.3-43.7	47	71.0	56.3-85.7
Less than \$15,000	56	4,929	20	44.6	23.8-65.4	36	55.4	34.6-76.2
\$15,000- 24,999	74	6,814	32	40.3	24.6-56.0	42	59.7	44.0-75.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	601	68,040	55	9.6	05.7-13.5	145	24.7	20.0-29.4	392	64.0	58.5-69.5	9	1.8	00.4-03.2
Male	279	36,530	30	11.6	05.7-17.5	68	23.2	16.7-29.7	175	63.2	55.6-70.8	6	2.0	00.0-04.0
Female	322	31,510	25	7.3	02.6-12.0	77	26.3	19.2-33.4	217	65.0	57.4-72.6	3	1.5	00.0-03.5
White/Non-Hisp	439	44,919	45	10.8	05.7-15.9	110	25.2	19.5-30.9	280	62.7	56.2-69.2	4	1.2	00.0-02.6
Black or Afr. Am./Non-Hisp	114	17,534	8	8.0	00.7-15.3	28	24.7	14.3-35.1	77	65.7	53.9-77.5	1	1.6	00.0-04.7
45-54	82	14,009	4	1.9	00.0-04.3	22	24.5	12.7-36.3	53	70.8	58.5-83.1	3	2.8	00.0-06.9
55-64	150	16,386	15	9.6	04.1-15.1	39	25.7	16.9-34.5	95	63.0	53.2-72.8	1	1.7	00.0-04.8
65+	331	27,861	31	8.1	04.8-11.4	79	27.9	21.0-34.8	219	63.4	56.5-70.3	2	0.6	00.0-01.6
Less Than H.S.	61	12,582	7	16.3	01.2-31.4	12	20.3	07.8-32.8	41	61.3	44.2-78.4	1	2.2	00.0-06.5
H.S. or G.E.D.	210	22,838	16	5.3	02.4-08.2	53	31.2	22.2-40.2	139	63.0	54.0-72.0	2	0.5	00.0-01.3
Some Post-H.S.	167	19,902	12	9.5	02.2-16.8	41	21.9	14.5-29.3	112	67.1	57.7-76.5	2	1.5	00.0-03.7
College Graduate	162	12,662	20	10.8	05.1-16.5	39	21.7	13.5-29.9	99	63.6	54.0-73.2	4	3.9	00.0-08.6
Less than \$15,000	96	10,772	12	13.6	03.0-24.2	20	19.0	09.2-28.8	64	67.3	54.2-80.4			
\$15,000- 24,999	102	11,253	7	3.8	00.1-07.5	12	13.3	03.7-22.9	81	79.8	69.0-90.6	2	3.0	00.0-07.9
\$25,000- 34,999	55	6,262	5	18.5	00.0-37.9	16	20.7	08.7-32.7	33	59.8	41.2-78.4	1	0.9	00.0-02.7
\$35,000- 49,999	76	7,856	6	6.7	01.2-12.2	24	38.6	23.9-53.3	45	54.0	39.3-68.7	1	0.6	00.0-02.0
\$50,000- 74,999	76	8,230	6	4.3	00.2-08.4	20	31.9	16.6-47.2	48	61.7	46.6-76.8	2	2.2	00.0-05.5
\$75,000+	117	15,533	12	13.1	02.3-23.9	33	26.6	16.0-37.2	70	57.8	45.3-70.3	2	2.5	00.0-06.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	279	36,530	30	11.6	05.5-17.7	68	23.2	16.7-29.7	175	63.2	55.4-71.0	6	2.0	00.0-04.0
White/Non-Hisp	209	24,797	22	10.9	03.8-18.0	52	23.6	16.0-31.2	133	64.6	55.6-73.6	2	0.9	00.0-02.3
55-64	64	8,250	9	12.2	03.0-21.4	20	28.9	15.4-42.4	35	58.8	43.9-73.7			
65+	156	15,709	17	9.7	04.8-14.6	39	24.1	15.5-32.7	99	65.5	56.3-74.7	1	0.7	00.0-02.1
H.S. or G.E.D.	87	10,696	9	7.7	02.2-13.2	24	33.8	20.3-47.3	53	57.9	44.6-71.2	1	0.6	00.0-01.8
Some Post-H.S.	64	8,922	5	6.5	00.4-12.6	14	19.8	08.4-31.2	44	71.7	59.2-84.2	1	1.9	00.0-05.6
College Graduate	97	9,004	12	11.6	04.2-19.0	22	19.4	09.2-29.6	59	63.5	51.3-75.7	4	5.5	00.0-12.0
\$75,000+	82	11,239	9	15.2	00.9-29.5	18	20.4	09.2-31.6	53	60.9	45.4-76.4	2	3.5	00.0-08.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	322	31,510	25	7.3	02.6-12.0	77	26.3	19.2-33.4	217	65.0	57.4-72.6	3	1.5	00.0-03.5
White/Non-Hisp	230	20,122	23	10.7	03.6-17.8	58	27.2	19.0-35.4	147	60.4	51.0-69.8	2	1.6	00.0-04.3
Black or Afr. Am./Non-Hisp	72	9,883	2	1.4	00.0-03.6	17	26.2	11.9-40.5	53	72.4	58.1-86.7			
55-64	86	8,136	6	6.9	00.8-13.0	19	22.5	11.1-33.9	60	67.2	54.7-79.7	1	3.3	00.0-09.8
65+	175	12,152	14	6.1	02.4-09.8	40	32.8	22.2-43.4	120	60.6	50.2-71.0	1	0.5	00.0-01.5
H.S. or G.E.D.	123	12,143	7	3.2	00.5-05.9	29	28.9	16.7-41.1	86	67.4	55.2-79.6	1	0.5	00.0-01.5
Some Post-H.S.	103	10,979	7	11.9	00.0-23.9	27	23.6	13.8-33.4	68	63.3	50.2-76.4	1	1.2	00.0-03.6
College Graduate	65	3,658	8	8.9	02.0-15.8	17	27.1	13.6-40.6	40	64.0	49.7-78.3			
Less than \$15,000	56	4,929	6	8.1	00.0-16.7	13	25.1	10.0-40.2	37	66.8	49.9-83.7			
\$15,000- 24,999	74	6,814	5	4.5	00.0-10.0	7	14.8	01.5-28.1	61	76.6	61.7-91.5	1	4.0	00.0-11.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	596	67,407	397	65.1	59.8-70.4	86	15.2	11.1-19.3	26	4.7	02.2-07.2	8	1.4	00.2-02.6	73	12.8	09.1-16.5	6	0.9	00.1-01.7
Male	277	36,082	182	63.6	56.0-71.2	40	15.6	09.9-21.3	13	5.2	01.1-09.3	5	1.9	00.1-03.7	35	12.7	07.8-17.6	2	1.0	00.0-02.4
Female	319	31,326	215	66.8	59.2-74.4	46	14.7	08.8-20.6	13	4.0	01.5-06.5	3	0.9	00.0-02.1	38	12.8	06.9-18.7	4	0.8	00.0-01.6
White/Non-Hisp	435	44,610	288	65.2	58.9-71.5	72	17.2	12.1-22.3	13	1.7	00.7-02.7	3	0.9	00.0-01.9	55	13.9	09.0-18.8	4	1.1	00.0-02.3
Black or Afr. Am./Non-Hisp	114	17,277	84	71.3	60.1-82.5	9	11.5	02.5-20.5	8	6.2	01.5-10.9	2	1.5	00.0-04.2	10	8.9	02.4-15.4	1	0.5	00.0-01.5
45-54	81	13,944	54	68.5	55.8-81.2	15	16.1	06.9-25.3	4	4.1	00.0-08.6				7	11.1	01.5-20.7	1	0.1	00.0-00.3
55-64	151	16,447	109	69.6	59.8-79.4	15	9.2	03.9-14.5	8	8.5	00.3-16.7	3	2.8	00.0-06.1	14	8.0	03.3-12.7	2	2.0	00.0-04.9
65+	326	27,233	212	62.9	56.0-69.8	47	14.6	09.7-19.5	12	3.0	01.0-05.0	4	1.7	00.0-03.5	48	16.8	11.3-22.3	3	0.9	00.0-02.1
Less Than H.S.	60	12,264	40	65.2	48.9-81.5	7	16.8	03.9-29.7	5	7.8	00.0-18.0	1	1.1	00.0-03.5	7	9.0	01.0-17.0			
H.S. or G.E.D.	207	22,604	149	68.6	59.6-77.6	19	7.1	03.6-10.6	11	4.2	01.3-07.1	2	1.4	00.0-03.4	24	17.9	09.3-26.5	2	0.9	00.0-02.1
Some Post-H.S.	167	19,902	105	62.1	52.5-71.7	32	22.6	13.6-31.6	4	3.5	00.0-07.0	1	0.6	00.0-01.8	22	9.5	04.8-14.2	3	1.7	00.0-04.2
College Graduate	161	12,582	102	63.3	53.7-72.9	28	16.4	09.1-23.7	6	4.3	00.0-08.6	4	3.1	00.0-07.0	20	12.5	06.4-18.6	1	0.5	00.0-01.5
Less than \$15,000	94	10,685	69	68.9	54.4-83.4	11	11.7	01.5-21.9	2	1.6	00.0-04.0	1	0.7	00.0-02.1	11	17.0	04.1-29.9			
\$15,000- 24,999	100	10,870	73	68.9	55.0-82.8	8	5.6	00.1-11.1	6	10.8	00.0-22.6	2	2.3	00.0-05.6	10	11.3	02.3-20.3	1	1.0	00.0-03.0
\$25,000- 34,999	53	6,143	31	51.6	33.0-70.2	9	28.2	08.2-48.2	5	7.0	00.0-15.0	1	1.9	00.0-05.6	7	11.3	02.1-20.5			
\$35,000- 49,999	75	7,756	47	62.0	47.5-76.5	10	18.9	06.2-31.6	3	2.8	00.0-06.1	2	3.3	00.0-08.6	10	10.5	01.3-19.7	3	2.4	00.0-05.5
\$50,000- 74,999	76	8,230	53	68.1	53.6-82.6	8	9.1	01.5-16.7	6	5.9	00.6-11.2	1	0.3	00.0-00.9	8	16.6	03.1-30.1			
\$75,000+	117	15,488	71	63.5	52.3-74.7	26	20.1	11.3-28.9	2	2.4	00.0-05.7	1	1.6	00.0-04.5	15	10.4	04.3-16.5	2	1.9	00.0-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	277	36,082	182	63.6	56.3-70.9	40	15.6	10.5-20.7	13	5.2	01.1-09.3	5	1.9	00.1-03.7	35	12.7	07.8-17.6	2	1.0	00.0-02.4
White/Non-Hisp	209	24,732	140	68.1	59.9-76.3	32	15.3	09.2-21.4	6	1.3	00.1-02.5	3	1.6	00.0-03.6	26	12.2	06.3-18.1	2	1.4	00.0-03.6
55-64	64	8,250	47	67.2	51.1-83.3	5	6.3	00.0-13.4	3	11.1	00.0-26.0	2	3.8	00.0-09.7	6	8.6	01.5-15.7	1	2.9	00.0-08.6
65+	155	15,326	101	63.8	54.4-73.2	24	17.5	09.7-25.3	5	1.8	00.0-03.8	2	2.1	00.0-05.0	22	14.1	07.8-20.4	1	0.7	00.0-02.1
H.S. or G.E.D.	87	10,671	60	66.3	53.6-79.0	8	7.4	01.9-12.9	5	3.2	00.1-06.3	2	3.0	00.0-07.1	11	19.1	07.1-31.1	1	1.0	00.0-03.0
Some Post-H.S.	64	8,922	42	62.4	48.3-76.5	10	17.7	05.7-29.7	2	4.7	00.0-11.0				9	12.5	03.9-21.1	1	2.7	00.0-08.0
College Graduate	96	8,899	60	61.2	48.9-73.5	17	18.6	09.0-28.2	3	3.5	00.0-08.8	3	4.1	00.0-09.6	13	12.6	05.0-20.2			
\$75,000+	81	11,133	51	63.7	50.0-77.4	19	21.8	10.6-33.0	1	2.2	00.0-06.3	1	2.2	00.0-06.3	8	8.0	01.9-14.1	1	2.2	00.0-06.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	319	31,326	215	66.8	59.4-74.2	46	14.7	08.8-20.6	13	4.0	01.5-06.5	3	0.9	00.0-02.1	38	12.8	06.9-18.7	4	0.8	00.0-01.6
White/Non-Hisp	226	19,877	148	61.5	51.9-71.1	40	19.6	11.4-27.8	7	2.3	00.5-04.1				29	16.0	07.8-24.2	2	0.7	00.0-01.7
Black or Afr. Am./Non-Hisp	73	9,944	58	81.6	69.8-93.4	4	6.2	00.0-14.4	5	7.1	00.4-13.8	1	0.3	00.0-00.9	4	4.0	00.0-09.9	1	0.9	00.0-02.7
55-64	87	8,197	62	71.9	60.9-82.9	10	12.2	04.2-20.2	5	5.8	00.3-11.3	1	1.7	00.0-05.0	8	7.3	01.0-13.6	1	1.0	00.0-03.0
65+	171	11,907	111	61.9	51.9-71.9	23	10.9	05.8-16.0	7	4.6	01.1-08.1	2	1.2	00.0-03.2	26	20.2	10.8-29.6	2	1.2	00.0-03.0
H.S. or G.E.D.	120	11,933	89	70.6	58.1-83.1	11	6.7	02.2-11.2	6	5.2	00.3-10.1				13	16.7	04.5-28.9	1	0.7	00.0-02.1
Some Post-H.S.	103	10,980	63	61.9	48.8-75.0	22	26.6	13.5-39.7	2	2.5	00.0-06.0	1	1.0	00.0-03.0	13	7.0	02.5-11.5	2	1.0	00.0-02.6
College Graduate	65	3,683	42	68.4	54.9-81.9	11	11.0	03.2-18.8	3	6.3	00.0-13.9	1	0.7	00.0-02.1	7	12.0	02.6-21.4	1	1.6	00.0-04.7
Less than \$15,000	54	4,843	37	56.5	34.9-78.1	8	11.8	01.6-22.0	1	1.7	00.0-05.0				8	30.0	06.5-53.5			
\$15,000- 24,999	74	6,814	57	77.8	63.9-91.7	6	4.6	00.0-09.5	3	3.7	00.0-09.0	2	3.7	00.0-08.8	6	10.1	00.0-22.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	602	67,484	77	12.5	09.0-16.0	115	18.3	14.2-22.4	89	14.8	10.7-18.9	179	28.2	23.3-33.1	81	15.8	11.7-19.9	61	10.4	06.9-13.9
Male	280	36,571	35	11.4	07.1-15.7	67	21.8	15.7-27.9	44	16.1	10.0-22.2	70	22.1	16.2-28.0	38	18.0	11.5-24.5	26	10.7	05.0-16.4
Female	322	30,914	42	13.9	08.0-19.8	48	14.1	08.8-19.4	45	13.4	08.5-18.3	109	35.4	27.8-43.0	43	13.2	08.1-18.3	35	10.0	05.9-14.1
White/Non-Hisp	440	44,999	56	11.7	07.8-15.6	92	19.8	14.9-24.7	70	17.4	12.1-22.7	136	31.2	25.1-37.3	43	10.8	06.9-14.7	43	9.1	04.8-13.4
Black or Afr. Am./Non-Hisp	114	16,899	15	14.6	06.0-23.2	14	15.4	06.4-24.4	14	8.8	02.9-14.7	31	22.5	13.5-31.5	26	23.4	13.2-33.6	14	15.3	06.9-23.7
45-54	81	13,989	13	13.5	03.3-23.7	14	15.0	04.8-25.2	11	19.7	07.0-32.4	21	20.0	10.2-29.8	13	20.2	09.0-31.4	9	11.6	03.4-19.8
55-64	151	16,447	18	9.4	04.5-14.3	26	16.2	09.1-23.3	20	11.2	05.7-16.7	50	37.1	27.1-47.1	22	18.3	08.9-27.7	15	7.8	03.5-12.1
65+	333	27,961	40	15.3	09.8-20.8	72	23.0	17.1-28.9	53	15.3	10.4-20.2	94	24.2	18.5-29.9	41	12.3	07.8-16.8	33	9.9	05.4-14.4
Less Than H.S.	60	11,886	3	9.0	00.0-20.0	10	14.4	03.4-25.4	12	18.0	05.7-30.3	15	15.9	05.5-26.3	17	33.2	16.9-49.5	3	9.4	00.0-23.1
H.S. or G.E.D.	211	22,879	30	15.1	08.4-21.8	41	21.7	13.9-29.5	31	12.4	06.7-18.1	63	29.5	21.1-37.9	20	9.3	04.6-14.0	26	12.0	06.3-17.7
Some Post-H.S.	167	19,942	25	12.2	06.7-17.7	28	16.2	09.3-23.1	26	15.8	07.8-23.8	47	28.7	19.5-37.9	25	17.5	09.7-25.3	16	9.6	04.1-15.1
College Graduate	163	12,723	19	11.8	05.9-17.7	36	18.9	12.0-25.8	20	14.7	06.9-22.5	54	36.6	26.6-46.6	18	8.3	04.0-12.6	16	9.7	04.0-15.4
Less than \$15,000	96	10,772	7	5.7	00.4-11.0	20	21.8	10.0-33.6	16	11.0	04.5-17.5	27	24.9	11.8-38.0	14	20.0	07.1-32.9	12	16.5	06.9-26.1
\$15,000- 24,999	101	11,233	12	14.4	03.0-25.8	9	4.9	00.8-09.0	11	14.8	03.0-26.6	29	23.2	13.0-33.4	29	38.4	24.3-52.5	11	4.3	01.2-07.4
\$25,000- 34,999	55	6,262	9	9.2	01.9-16.5	10	14.5	04.5-24.5	9	16.2	03.3-29.1	16	39.5	20.3-58.7	6	9.2	00.0-18.6	5	11.5	00.1-22.9
\$35,000- 49,999	76	7,856	7	14.6	03.2-26.0	15	16.9	07.3-26.5	13	12.5	04.9-20.1	26	33.4	19.3-47.5	7	11.1	01.5-20.7	8	11.5	01.7-21.3
\$50,000- 74,999	76	8,230	15	16.5	06.7-26.3	13	21.0	07.5-34.5	10	8.5	02.6-14.4	24	33.9	19.8-48.0	10	15.7	03.0-28.4	4	4.3	00.0-10.4
\$75,000+	118	15,593	16	11.1	05.0-17.2	28	20.7	11.3-30.1	19	23.7	12.1-35.3	29	22.6	13.4-31.8	11	7.7	02.6-12.8	15	14.2	03.2-25.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	280	36,571	35	11.4	07.1-15.7	67	21.8	15.7-27.9	44	16.1	09.8-22.4	70	22.1	16.2-28.0	38	18.0	11.3-24.7	26	10.7	05.0-16.4
White/Non-Hisp	210	24,838	25	11.1	06.4-15.8	55	23.9	16.6-31.2	35	18.4	10.4-26.4	56	24.8	17.4-32.2	22	13.3	07.2-19.4	17	8.6	01.5-15.7
55-64	64	8,250	10	10.7	03.1-18.3	14	21.7	09.4-34.0	6	8.9	01.1-16.7	18	31.0	16.5-45.5	9	19.8	04.3-35.3	7	7.9	01.6-14.2
65+	157	15,750	18	15.0	07.9-22.1	43	27.5	18.7-36.3	27	14.9	08.6-21.2	37	20.0	12.6-27.4	18	13.5	06.4-20.6	14	9.1	03.2-15.0
H.S. or G.E.D.	88	10,736	13	13.6	05.6-21.6	22	26.6	14.4-38.8	12	11.9	02.3-21.5	21	21.7	11.7-31.7	11	12.9	04.7-21.1	9	13.3	03.7-22.9
Some Post-H.S.	64	8,922	11	14.1	05.1-23.1	14	24.8	11.9-37.7	10	19.3	05.0-33.6	14	16.8	06.4-27.2	10	19.3	07.3-31.3	5	5.7	00.0-11.8
College Graduate	97	9,004	9	10.7	03.3-18.1	25	20.5	11.5-29.5	17	18.8	08.2-29.4	29	34.3	21.6-47.0	7	5.8	01.1-10.5	10	9.8	02.5-17.1
\$75,000+	82	11,239	12	12.5	04.9-20.1	20	18.3	08.5-28.1	14	25.5	11.2-39.8	19	20.2	09.6-30.8	8	7.4	01.3-13.5	9	16.2	01.5-30.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	322	30,914	42	13.9	08.2-19.6	48	14.1	08.8-19.4	45	13.4	08.5-18.3	109	35.4	27.8-43.0	43	13.2	08.1-18.3	35	10.0	05.9-14.1				
White/Non-Hisp	230	20,162	31	12.4	05.9-18.9	37	14.8	08.5-21.1	35	16.3	09.4-23.2	80	39.0	29.4-48.6	21	7.8	03.5-12.1	26	9.8	05.3-14.3				
Black or Afr. Am./Non-Hisp	72	9,248	8	16.1	03.4-28.8	7	12.0	01.4-22.6	9	7.4	02.1-12.7	22	28.1	15.2-41.0	18	24.5	11.2-37.8	8	11.9	02.1-21.7				
55-64	87	8,197	8	8.1	01.6-14.6	12	10.6	04.1-17.1	14	13.5	05.9-21.1	32	43.2	30.3-56.1	13	16.8	06.4-27.2	8	7.7	01.6-13.8				
65+	176	12,212	22	15.7	07.3-24.1	29	17.2	10.3-24.1	26	15.8	08.0-23.6	57	29.6	21.0-38.2	23	10.8	05.9-15.7	19	10.9	04.2-17.6				
H.S. or G.E.D.	123	12,143	17	16.5	06.5-26.5	19	17.4	07.6-27.2	19	12.9	06.2-19.6	42	36.3	23.8-48.8	9	6.0	01.1-10.9	17	10.8	04.1-17.5				
Some Post-H.S.	103	11,020	14	10.7	04.0-17.4	14	9.3	03.4-15.2	16	13.1	04.5-21.7	33	38.3	24.8-51.8	15	16.1	05.9-26.3	11	12.6	04.2-21.0				
College Graduate	66	3,718	10	14.3	04.5-24.1	11	15.0	05.6-24.4	3	4.8	00.0-11.7	25	42.1	27.0-57.2	11	14.3	04.9-23.7	6	9.4	00.6-18.2				
Less than \$15,000	56	4,929	6	11.1	00.1-22.1	8	8.1	01.4-14.8	7	10.0	01.8-18.2	20	39.5	18.1-60.9	6	4.8	00.7-08.9	9	26.4	09.3-43.5				
\$15,000- 24,999	73	6,794	8	16.9	00.6-33.2	4	3.1	00.0-06.6	8	13.7	01.2-26.2	26	33.3	19.0-47.6	18	28.3	14.0-42.6	9	4.6	00.9-08.3				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	565	64,196	242	42.4	36.9-47.9	237	40.4	34.9-45.9	17	2.8	0.1-04.4	11	3.0	0.0-05.2	58	11.5	07.4-15.6
Male	265	34,372	123	45.3	37.5-53.1	100	35.4	28.0-42.8	8	2.8	0.0-05.0	6	3.8	0.0-06.9	28	12.6	06.1-19.1
Female	300	29,824	119	39.0	31.2-46.8	137	46.0	37.8-54.2	9	2.8	0.0-05.0	5	2.0	0.0-04.7	30	10.2	05.1-15.3
White/Non-Hisp	415	43,328	181	41.8	35.3-48.3	179	42.0	35.3-48.7	9	2.3	0.0-04.1	5	2.1	0.0-04.1	41	11.8	06.3-17.3
Black or Afr. Am./Non-Hisp	108	16,298	43	40.9	28.9-52.9	43	38.6	26.6-50.6	6	4.0	0.0-07.5	4	5.4	0.0-11.7	12	11.1	03.8-18.4
45-54	80	13,874	34	42.4	28.3-56.5	31	38.4	24.7-52.1	4	3.6	0.0-07.5	2	3.7	0.0-09.0	9	11.9	02.1-21.7
55-64	144	15,521	73	51.0	41.2-60.8	57	39.5	29.7-49.3	3	2.7	0.0-06.2	2	0.7	0.0-01.7	9	6.1	02.0-10.2
65+	305	25,323	121	43.2	36.1-50.3	134	38.7	32.0-45.4	9	3.3	0.0-05.7	6	3.4	0.0-06.5	35	11.4	06.5-16.3
Less Than H.S.	53	11,146	19	36.5	19.6-53.4	21	31.7	15.6-47.8	3	3.4	0.0-07.5	4	8.8	0.0-18.0	6	19.6	02.4-36.8
H.S. or G.E.D.	195	21,332	84	43.8	34.6-53.0	78	36.9	27.7-46.1	4	2.4	0.0-04.9	2	2.4	0.0-05.9	27	14.5	07.6-21.4
Some Post-H.S.	156	19,111	70	47.0	36.8-57.2	65	43.2	33.0-53.4	2	1.9	0.0-04.8	3	1.6	0.0-04.0	16	6.4	02.1-10.7
College Graduate	160	12,552	69	38.4	29.0-47.8	73	49.8	39.8-59.8	8	4.5	0.1-07.8	1	0.4	0.0-01.2	9	6.8	01.5-12.1
Less than \$15,000	87	9,669	33	36.3	22.4-50.2	37	40.9	25.6-56.2	3	3.1	0.0-06.6	1	2.3	0.0-06.8	13	17.4	07.0-27.8
\$15,000- 24,999	92	10,101	34	39.6	26.1-53.1	33	35.3	21.6-49.0	4	4.6	0.0-09.7	4	3.3	0.0-07.2	17	17.3	04.6-30.0
\$25,000- 34,999	52	6,072	19	34.4	17.5-51.3	24	49.7	31.1-68.3	2	4.2	0.0-10.9	1	3.9	0.0-11.3	6	7.9	00.5-15.3
\$35,000- 49,999	72	7,563	36	54.4	39.5-69.3	26	30.0	17.1-42.9	4	6.7	0.0-14.3	1	4.6	0.0-13.2	5	4.4	00.0-09.1
\$50,000- 74,999	75	8,150	28	35.0	20.5-49.5	40	50.1	34.8-65.4	2	1.7	0.0-04.1	2	3.5	0.0-09.2	3	9.6	00.0-19.8
\$75,000+	117	15,557	58	45.2	33.0-57.4	49	41.5	29.5-53.5	1	0.6	0.0-01.8				9	12.7	00.9-24.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	265	34,372	123	45.3	37.7-52.9	100	35.4	27.8-43.0	8	2.8	00.6-05.0	6	3.8	00.7-06.9	28	12.6	06.1-19.1
White/Non-Hisp	203	24,260	97	45.9	36.7-55.1	79	35.4	26.8-44.0	4	2.7	00.0-05.6	4	3.6	00.1-07.1	19	12.5	04.3-20.7
55-64	60	7,465	35	57.3	42.2-72.4	20	33.2	18.7-47.7	1	3.6	00.0-10.7				4	5.9	00.4-11.4
65+	149	14,693	64	46.4	36.6-56.2	57	32.4	24.0-40.8	5	3.8	00.3-07.3	4	5.4	00.1-10.7	19	11.9	05.0-18.8
H.S. or G.E.D.	82	10,213	39	49.7	36.0-63.4	26	26.2	15.6-36.8	2	2.1	00.0-05.0	2	5.1	00.0-12.2	13	17.0	05.4-28.6
Some Post-H.S.	59	8,450	33	59.6	44.7-74.5	21	30.3	16.8-43.8	1	3.2	00.0-09.3	1	2.7	00.0-08.0	3	4.2	00.0-10.7
College Graduate	96	8,925	42	37.2	25.4-49.0	43	52.4	39.9-64.9	4	3.1	00.0-06.2				7	7.3	00.6-14.0
\$75,000+	82	11,239	44	48.8	33.7-63.9	31	35.6	22.1-49.1	1	0.8	00.0-02.4				6	14.7	00.0-30.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	300	29,824	119	39.0	31.2-46.8	137	46.0	37.8-54.2	9	2.8	00.6-05.0	5	2.0	00.0-04.7	30	10.2	05.1-15.3
White/Non-Hisp	212	19,068	84	36.6	27.6-45.6	100	50.5	40.7-60.3	5	2.0	00.2-03.8	1	0.1	00.0-00.3	22	10.9	04.0-17.8
Black or Afr. Am./Non-Hisp	70	9,309	27	41.0	24.7-57.3	29	38.4	22.9-53.9	4	5.0	00.0-10.7	3	5.7	00.0-14.3	7	10.0	01.4-18.6
55-64	84	8,056	38	45.2	32.5-57.9	37	45.3	32.4-58.2	2	1.8	00.0-04.3	2	1.4	00.0-03.4	5	6.3	00.4-12.2
65+	156	10,630	57	38.6	28.6-48.6	77	47.4	37.4-57.4	4	2.6	00.1-05.1	2	0.6	00.0-01.6	16	10.7	03.6-17.8
H.S. or G.E.D.	113	11,119	45	38.4	26.4-50.4	52	46.8	33.7-59.9	2	2.6	00.0-06.7				14	12.2	04.6-19.8
Some Post-H.S.	97	10,661	37	37.0	24.3-49.7	44	53.4	40.1-66.7	1	0.8	00.0-02.4	2	0.7	00.0-01.9	13	8.2	02.5-13.9
College Graduate	64	3,627	27	41.6	26.7-56.5	30	43.4	28.1-58.7	4	8.0	00.2-15.8	1	1.4	00.0-04.1	2	5.6	00.0-13.8
Less than \$15,000	53	4,712	20	30.4	14.3-46.5	26	48.5	27.5-69.5							7	21.2	05.1-37.3
\$15,000- 24,999	68	6,496	22	38.3	22.2-54.4	28	37.2	21.5-52.9	4	7.1	00.0-14.9	2	1.1	00.0-02.9	12	16.3	00.0-32.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	1 time			2 times			3 times			4 times			5 or more times			None	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	594	67,303	103	17.4	13.3-21.5	77	13.4	09.5-17.3	70	11.7	08.0-15.4	103	15.0	11.5-18.5	80	14.8	10.7-18.9	161	27.6	22.5-32.7
Male	279	36,240	55	17.5	11.8-23.2	40	14.3	08.8-19.8	37	12.9	07.8-18.0	45	15.0	09.9-20.1	38	15.2	09.3-21.1	64	25.2	17.8-32.6
Female	315	31,064	48	17.3	11.0-23.6	37	12.5	06.8-18.2	33	10.3	04.8-15.8	58	15.1	10.2-20.0	42	14.4	08.3-20.5	97	30.4	23.1-37.7
White/Non-Hisp	437	44,439	77	17.0	12.3-21.7	58	12.6	08.3-16.9	55	12.6	08.3-16.9	82	17.9	13.2-22.6	51	11.9	07.8-16.0	114	28.0	21.5-34.5
Black or Afr. Am./Non-Hisp	112	17,440	19	19.3	09.7-28.9	15	17.9	07.9-27.9	12	9.9	01.5-18.3	16	10.0	03.7-16.3	20	17.0	07.6-26.4	30	25.9	15.9-35.9
45-54	81	13,990	14	17.1	06.1-28.1	10	15.8	05.4-26.2	6	8.3	00.0-16.9	10	10.7	03.3-18.1	14	19.6	07.6-31.6	27	28.5	16.3-40.7
55-64	146	15,953	27	19.7	11.5-27.9	20	11.2	05.7-16.7	22	13.7	06.8-20.6	27	19.6	11.4-27.8	17	13.5	04.7-22.3	33	22.2	14.0-30.4
65+	329	27,577	56	18.7	13.0-24.4	40	11.9	07.8-16.0	39	12.2	07.5-16.9	59	16.1	10.8-21.4	47	16.4	10.9-21.9	88	24.6	18.9-30.3
Less Than H.S.	61	12,582	8	14.5	03.5-25.5	2	4.9	00.0-13.5	10	19.7	05.4-34.0	16	18.5	07.3-29.7	12	22.4	07.9-36.9	13	20.0	05.5-34.5
H.S. or G.E.D.	207	22,548	40	22.2	14.2-30.2	26	11.6	06.5-16.7	24	9.8	05.1-14.5	31	11.3	06.2-16.4	25	12.3	06.8-17.8	61	32.7	23.5-41.9
Some Post-H.S.	164	19,575	27	14.1	07.8-20.4	21	18.0	09.0-27.0	18	9.6	04.3-14.9	27	14.9	08.6-21.2	21	14.5	06.9-22.1	50	28.8	19.6-38.0
College Graduate	161	12,543	28	17.1	09.5-24.7	28	18.2	10.0-26.4	18	10.4	04.5-16.3	29	18.4	10.6-26.2	21	11.9	05.8-18.0	37	24.1	15.7-32.5
Less than \$15,000	95	10,665	14	14.5	04.5-24.5	13	19.5	07.0-32.0	13	8.4	03.1-13.7	16	12.5	04.3-20.7	12	12.1	02.7-21.5	27	32.9	18.8-47.0
\$15,000- 24,999	99	11,080	13	14.2	05.2-23.2	7	4.7	00.0-09.4	10	13.0	01.4-24.6	13	14.5	05.1-23.9	25	31.9	17.4-46.4	31	21.7	11.7-31.7
\$25,000- 34,999	55	6,262	16	22.0	09.1-34.9	6	19.0	00.0-38.2	8	15.0	02.8-27.2	7	6.9	01.0-12.8	6	14.3	01.6-27.0	12	22.9	08.6-37.2
\$35,000- 49,999	74	7,688	9	14.6	02.6-26.6	7	7.2	00.5-13.9	10	14.3	03.9-24.7	16	20.2	07.9-32.5	6	5.4	00.7-10.1	26	38.3	24.0-52.6
\$50,000- 74,999	76	8,230	14	25.2	10.5-39.9	10	8.7	02.6-14.8	8	11.2	02.4-20.0	18	21.5	10.3-32.7	7	12.8	00.5-25.1	19	20.6	09.6-31.6
\$75,000+	115	15,172	20	13.3	06.4-20.2	23	19.6	10.2-29.0	11	7.7	02.2-13.2	14	12.5	05.4-19.6	17	14.7	06.7-22.7	30	32.1	18.8-45.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	279	36,240	55	17.5	12.0-23.0	40	14.3	08.8-19.8	37	12.9	07.8-18.0	45	15.0	09.9-20.1	38	15.2	09.3-21.1	64	25.2	17.6-32.8
White/Non-Hisp	209	24,507	44	18.8	11.7-25.9	32	12.0	07.3-16.7	30	15.1	08.4-21.8	38	18.8	11.9-25.7	23	10.8	05.7-15.9	42	24.5	15.1-33.9
55-64	63	8,009	10	17.2	05.6-28.8	11	11.9	03.7-20.1	10	17.7	05.7-29.7	9	13.8	03.2-24.4	10	20.7	05.0-36.4	13	18.8	07.0-30.6
65+	157	15,660	35	20.8	13.4-28.2	19	11.9	06.0-17.8	22	13.8	07.5-20.1	26	16.6	08.8-24.4	21	16.0	08.2-23.8	34	21.0	13.2-28.8
H.S. or G.E.D.	87	10,625	21	25.1	12.9-37.3	12	11.9	04.6-19.2	11	11.2	03.4-19.0	15	13.4	05.8-21.0	9	11.3	03.3-19.3	19	27.1	14.4-39.8
Some Post-H.S.	64	8,703	14	15.2	06.4-24.0	8	16.9	04.9-28.9	8	14.1	03.9-24.3	11	12.2	03.8-20.6	7	14.0	03.2-24.8	16	27.6	12.3-42.9
College Graduate	97	9,004	17	16.7	07.1-26.3	19	20.8	10.0-31.6	13	12.1	04.3-19.9	12	16.1	06.3-25.9	14	13.0	05.2-20.8	22	21.2	11.4-31.0
\$75,000+	81	10,997	14	14.1	05.5-22.7	17	18.9	08.1-29.7	8	8.2	01.3-15.1	9	11.2	03.2-19.2	14	16.9	06.7-27.1	19	30.8	14.1-47.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	315	31,064	48	17.3	11.0-23.6	37	12.5	06.8-18.2	33	10.3	04.8-15.8	58	15.1	10.2-20.0	42	14.4	08.3-20.5	97	30.4	23.1-37.7
White/Non-Hisp	228	19,932	33	14.8	08.5-21.1	26	13.4	05.8-21.0	25	9.5	04.4-14.6	44	16.8	10.7-22.9	28	13.2	06.1-20.3	72	32.2	23.4-41.0
Black or Afr. Am./Non-Hisp	70	9,789	11	21.9	07.4-36.4	8	9.6	01.4-17.8	8	13.3	00.0-27.0	12	11.9	03.1-20.7	14	18.9	06.4-31.4	17	24.5	11.8-37.2
55-64	83	7,944	17	22.3	10.7-33.9	9	10.5	03.2-17.8	12	9.6	03.3-15.9	18	25.6	13.6-37.6	7	6.3	00.8-11.8	20	25.6	14.4-36.8
65+	172	11,917	21	16.1	06.9-25.3	21	11.9	06.0-17.8	17	10.1	03.0-17.2	33	15.5	09.0-22.0	26	17.0	09.6-24.4	54	29.4	21.0-37.8
H.S. or G.E.D.	120	11,923	19	19.5	08.7-30.3	14	11.4	04.1-18.7	13	8.6	02.7-14.5	16	9.5	02.8-16.2	16	13.2	05.6-20.8	42	37.7	24.8-50.6
Some Post-H.S.	100	10,872	13	13.3	04.5-22.1	13	18.9	06.0-31.8	10	6.0	01.5-10.5	16	17.0	07.8-26.2	14	15.0	04.2-25.8	34	29.8	18.6-41.0
College Graduate	64	3,538	11	18.1	05.9-30.3	9	11.4	02.6-20.2	5	6.1	00.6-11.6	17	24.3	12.0-36.6	7	8.9	01.3-16.5	15	31.3	15.8-46.8
Less than \$15,000	55	4,823	6	12.4	00.0-25.7	7	11.0	01.8-20.2	7	10.6	01.4-19.8	10	10.9	01.3-20.5	5	4.3	00.2-08.4	20	50.8	30.6-71.0
\$15,000- 24,999	72	6,752	9	14.1	03.3-24.9	5	6.2	00.0-13.5	8	12.0	00.2-23.8	12	18.6	06.4-30.8	16	27.3	10.6-44.0	22	21.8	10.2-33.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	600	67,023	150	23.0	18.7-27.3	340	56.2	50.7-61.7	63	10.2	07.1-13.3	35	7.9	04.4-11.4	12	2.7	00.0-05.4
Male	278	35,851	70	24.1	17.6-30.6	159	57.3	49.5-65.1	27	8.0	04.3-11.7	18	7.5	03.2-11.8	4	3.2	00.0-07.9
Female	322	31,172	80	21.9	16.2-27.6	181	55.0	47.2-62.8	36	12.8	07.3-18.3	17	8.3	02.8-13.8	8	2.1	00.0-04.5
White/Non-Hisp	439	44,906	107	23.4	18.1-28.7	248	54.7	48.0-61.4	47	10.1	06.6-13.6	28	8.9	04.8-13.0	9	2.8	00.0-06.5
Black or Afr. Am./Non-Hisp	114	17,180	28	21.3	12.1-30.5	68	58.3	46.1-70.5	11	11.6	03.6-19.6	5	6.3	00.0-14.3	2	2.6	00.0-06.7
45-54	82	14,009	14	18.3	07.5-29.1	45	60.8	47.5-74.1	17	14.5	06.3-22.7	5	3.8	00.0-07.7	1	2.6	00.0-07.7
55-64	150	15,798	32	20.5	12.7-28.3	91	60.9	51.3-70.5	15	8.8	03.3-14.3	11	9.6	03.3-15.9	1	0.1	00.0-00.3
65+	331	27,847	99	32.1	25.4-38.8	183	50.9	43.8-58.0	27	10.8	05.3-16.3	14	4.5	01.6-07.4	8	1.6	00.4-02.8
Less Than H.S.	59	11,518	19	23.2	10.5-35.9	31	51.7	34.1-69.3	4	9.0	00.0-18.6	3	7.8	00.0-19.4	2	8.2	00.0-21.9
H.S. or G.E.D.	210	22,835	54	22.4	15.1-29.7	110	49.3	40.3-58.3	24	12.6	06.5-18.7	17	13.1	05.8-20.4	5	2.6	00.0-05.9
Some Post-H.S.	168	19,956	45	24.1	16.3-31.9	97	63.2	54.0-72.4	15	7.5	03.0-12.0	9	4.7	01.0-08.4	2	0.5	00.0-01.3
College Graduate	162	12,659	32	22.4	14.0-30.8	101	61.7	52.1-71.3	20	11.3	05.8-16.8	6	3.5	00.4-06.6	3	1.1	00.0-02.7
Less than \$15,000	96	10,772	23	21.2	10.2-32.2	49	57.3	43.6-71.0	14	13.1	04.9-21.3	7	6.9	00.8-13.0	3	1.5	00.0-03.5
\$15,000- 24,999	101	10,604	24	19.1	09.9-28.3	60	61.7	48.6-74.8	10	12.3	02.3-22.3	5	5.9	00.2-11.6	2	1.0	00.0-02.8
\$25,000- 34,999	55	6,262	14	19.7	07.7-31.7	32	66.9	51.4-82.4	2	2.2	00.0-05.3	7	11.3	01.3-21.3			
\$35,000- 49,999	77	7,878	15	25.4	11.5-39.3	47	49.7	35.4-64.0	5	7.1	00.4-13.8	7	11.3	01.7-20.9	3	6.5	00.0-15.5
\$50,000- 74,999	76	8,230	21	32.8	18.1-47.5	40	50.4	35.3-65.5	12	15.1	04.3-25.9	2	1.4	00.0-03.8	1	0.3	00.0-00.9
\$75,000+	118	15,593	30	20.5	12.1-28.9	66	55.6	43.3-67.9	14	8.0	03.3-12.7	6	9.7	00.7-18.7	2	6.2	00.0-16.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	278	35,851	70	24.1	17.6-30.6	159	57.3	49.5-65.1	27	8.0	04.3-11.7	18	7.5	03.2-11.8	4	3.2	00.0-07.9
White/Non-Hisp	209	24,767	46	21.6	14.3-28.9	125	56.9	47.5-66.3	21	8.4	04.1-12.7	14	8.8	03.1-14.5	3	4.2	00.0-10.9
55-64	63	7,601	11	14.7	04.7-24.7	41	68.7	55.0-82.4	5	5.9	00.2-11.6	6	10.7	00.9-20.5			
65+	156	15,679	51	35.0	25.4-44.6	84	51.8	42.0-61.6	11	6.6	01.7-11.5	8	5.5	00.8-10.2	2	1.1	00.0-02.7
H.S. or G.E.D.	88	10,736	23	24.7	12.7-36.7	46	48.0	35.1-60.9	8	8.5	02.0-15.0	10	17.9	05.9-29.9	1	0.8	00.0-02.4
Some Post-H.S.	64	8,916	22	28.4	15.9-40.9	34	62.4	48.1-76.7	4	3.7	00.0-07.8	4	5.6	00.0-12.1			
College Graduate	96	8,940	17	20.7	10.1-31.3	62	64.0	52.0-76.0	12	11.0	04.1-17.9	4	3.1	00.0-06.8	1	1.1	00.0-03.3
\$75,000+	82	11,239	17	16.9	07.7-26.1	51	60.9	45.6-76.2	8	5.9	01.4-10.4	4	7.7	00.0-16.9	2	8.5	00.0-22.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	322	31,172	80	21.9	16.2-27.6	181	55.0	47.0-63.0	36	12.8	07.3-18.3	17	8.3	02.8-13.8	8	2.1	00.0-04.5
White/Non-Hisp	230	20,139	61	25.6	18.2-33.0	123	52.0	42.6-61.4	26	12.3	06.4-18.2	14	9.1	03.2-15.0	6	1.0	00.0-02.0
Black or Afr. Am./Non-Hisp	72	9,529	13	12.6	04.2-21.0	47	59.8	43.3-76.3	8	15.1	02.8-27.4	2	7.8	00.0-21.3	2	4.7	00.0-12.1
55-64	87	8,197	21	25.9	14.3-37.5	50	53.6	40.7-66.5	10	11.5	02.7-20.3	5	8.6	01.0-16.2	1	0.3	00.0-00.9
65+	175	12,168	48	28.4	19.8-37.0	99	49.8	39.8-59.8	16	16.3	06.1-26.5	6	3.3	00.6-06.0	6	2.2	00.2-04.2
H.S. or G.E.D.	122	12,099	31	20.4	11.8-29.0	64	50.4	37.7-63.1	16	16.2	06.2-26.2	7	8.9	00.5-17.3	4	4.2	00.0-10.1
Some Post-H.S.	104	11,040	23	20.7	11.1-30.3	63	63.8	51.6-76.0	11	10.6	03.3-17.9	5	4.0	00.0-08.1	2	0.9	00.0-02.5
College Graduate	66	3,718	15	26.5	13.0-40.0	39	56.1	41.0-71.2	8	11.9	02.5-21.3	2	4.5	00.0-11.0	2	1.1	00.0-02.7
Less than \$15,000	56	4,929	13	16.8	05.2-28.4	28	58.8	40.6-77.0	10	18.0	04.9-31.1	3	5.0	00.0-10.7	2	1.4	00.0-03.6
\$15,000- 24,999	74	6,814	18	24.4	11.5-37.3	48	63.4	47.7-79.1	4	7.4	00.0-18.6	3	4.6	00.0-10.5	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	597	67,816	124	25.2	20.3-30.1	473	74.8	69.9-79.7
Male	277	36,365	52	24.5	17.2-31.8	225	75.5	68.2-82.8
Female	320	31,451	72	26.1	19.0-33.2	248	73.9	66.8-81.0
White/Non-Hisp	438	44,822	83	22.6	17.1-28.1	355	77.4	71.9-82.9
Black or Afr. Am./Non-Hisp	112	17,464	28	29.4	18.0-40.8	84	70.6	59.2-82.0
45-54	79	13,826	20	30.4	16.5-44.3	59	69.6	55.7-83.5
55-64	149	16,365	39	31.5	21.3-41.7	110	68.5	58.3-78.7
65+	331	27,842	55	19.4	13.5-25.3	276	80.6	74.7-86.5
Less Than H.S.	60	12,532	20	32.1	15.8-48.4	40	67.9	51.6-84.2
H.S. or G.E.D.	208	22,661	43	24.1	16.1-32.1	165	75.9	67.9-83.9
Some Post-H.S.	167	19,912	35	25.9	16.9-34.9	132	74.1	65.1-83.1
College Graduate	161	12,656	26	19.6	11.4-27.8	135	80.4	72.2-88.6
Less than \$15,000	95	10,707	17	18.9	08.1-29.7	78	81.1	70.3-91.9
\$15,000- 24,999	97	11,008	31	39.3	24.8-53.8	66	60.7	46.2-75.2
\$25,000- 34,999	53	6,165	13	27.3	11.6-43.0	40	72.7	57.0-88.4
\$35,000- 49,999	77	7,878	16	24.1	11.2-37.0	61	75.9	63.0-88.8
\$50,000- 74,999	76	8,230	16	28.3	13.4-43.2	60	71.7	56.8-86.6
\$75,000+	118	15,593	21	18.8	09.2-28.4	97	81.2	71.6-90.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	277	36,365	52	24.5	17.2-31.8	225	75.5	68.2-82.8
White/Non-Hisp	209	24,706	31	20.7	12.5-28.9	178	79.3	71.1-87.5
55-64	63	8,232	14	29.6	13.5-45.7	49	70.4	54.3-86.5
65+	157	15,697	24	17.3	09.7-24.9	133	82.7	75.1-90.3
H.S. or G.E.D.	86	10,583	19	25.3	13.0-37.6	67	74.7	62.4-87.0
Some Post-H.S.	64	8,889	9	22.9	07.8-38.0	55	77.1	62.0-92.2
College Graduate	96	8,986	16	20.0	09.8-30.2	80	80.0	69.8-90.2
\$75,000+	82	11,239	15	21.3	08.8-33.8	67	78.7	66.2-91.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	320	31,451	72	26.1	19.2-33.0	248	73.9	67.0-80.8
White/Non-Hisp	229	20,116	52	25.0	17.6-32.4	177	75.0	67.6-82.4
Black or Afr. Am./Non-Hisp	71	9,831	14	28.3	12.0-44.6	57	71.7	55.4-88.0
55-64	86	8,132	25	33.4	21.1-45.7	61	66.6	54.3-78.9
65+	174	12,145	31	22.1	13.1-31.1	143	77.9	68.9-86.9
H.S. or G.E.D.	122	12,078	24	23.0	12.6-33.4	98	77.0	66.6-87.4
Some Post-H.S.	103	11,024	26	28.2	16.8-39.6	77	71.8	60.4-83.2
College Graduate	65	3,670	10	18.6	05.3-31.9	55	81.4	68.1-94.7
Less than \$15,000	55	4,865	9	20.3	05.2-35.4	46	79.7	64.6-94.8
\$15,000- 24,999	71	6,699	20	31.3	16.6-46.0	51	68.7	54.0-83.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	603	68,152	314	50.8	45.1-56.5	289	49.2	43.5-54.9
Male	280	36,571	137	45.2	37.6-52.8	143	54.8	47.2-62.4
Female	323	31,582	177	57.3	49.5-65.1	146	42.7	34.9-50.5
White/Non-Hisp	441	45,020	238	52.0	45.5-58.5	203	48.0	41.5-54.5
Black or Afr. Am./Non-Hisp	114	17,546	55	49.7	37.5-61.9	59	50.3	38.1-62.5
45-54	81	13,960	47	56.5	42.6-70.4	34	43.5	29.6-57.4
55-64	151	16,447	91	61.3	51.5-71.1	60	38.7	28.9-48.5
65+	333	27,961	158	43.6	36.7-50.5	175	56.4	49.5-63.3
Less Than H.S.	61	12,582	26	45.6	28.7-62.5	35	54.4	37.5-71.3
H.S. or G.E.D.	211	22,879	96	40.5	31.7-49.3	115	59.5	50.7-68.3
Some Post-H.S.	168	19,962	95	61.7	52.5-70.9	73	38.3	29.1-47.5
College Graduate	162	12,674	96	57.3	47.3-67.3	66	42.7	32.7-52.7
Less than \$15,000	96	10,772	49	45.8	31.3-60.3	47	54.2	39.7-68.7
\$15,000- 24,999	101	11,204	49	56.5	42.6-70.4	52	43.5	29.6-57.4
\$25,000- 34,999	55	6,262	23	49.0	30.6-67.4	32	51.0	32.6-69.4
\$35,000- 49,999	76	7,856	44	47.6	33.1-62.1	32	52.4	37.9-66.9
\$50,000- 74,999	76	8,230	36	47.2	32.1-62.3	40	52.8	37.7-67.9
\$75,000+	118	15,593	73	54.0	41.5-66.5	45	46.0	33.5-58.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	280	36,571	137	45.2	37.6-52.8	143	54.8	47.2-62.4
White/Non-Hisp	210	24,838	109	46.6	37.4-55.8	101	53.4	44.2-62.6
55-64	64	8,250	36	57.5	42.2-72.8	28	42.5	27.2-57.8
65+	157	15,750	72	41.6	32.0-51.2	85	58.4	48.8-68.0
H.S. or G.E.D.	88	10,736	29	28.4	17.6-39.2	59	71.6	60.8-82.4
Some Post-H.S.	64	8,922	34	53.8	39.1-68.5	30	46.2	31.5-60.9
College Graduate	97	9,004	59	56.2	43.3-69.1	38	43.8	30.9-56.7
\$75,000+	82	11,239	52	53.9	38.4-69.4	30	46.1	30.6-61.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	323	31,582	177	57.3	49.5-65.1	146	42.7	34.9-50.5
White/Non-Hisp	231	20,183	129	58.7	49.9-67.5	102	41.3	32.5-50.1
Black or Afr. Am./Non-Hisp	72	9,895	39	57.6	42.3-72.9	33	42.4	27.1-57.7
55-64	87	8,197	55	65.1	52.9-77.3	32	34.9	22.7-47.1
65+	176	12,212	86	46.1	36.5-55.7	90	53.9	44.3-63.5
H.S. or G.E.D.	123	12,143	67	51.1	38.4-63.8	56	48.9	36.2-61.6
Some Post-H.S.	104	11,040	61	68.2	57.0-79.4	43	31.8	20.6-43.0
College Graduate	65	3,670	37	60.2	45.7-74.7	28	39.8	25.3-54.3
Less than \$15,000	56	4,929	32	52.9	33.3-72.5	24	47.1	27.5-66.7
\$15,000- 24,999	73	6,765	33	51.7	35.4-68.0	40	48.3	32.0-64.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR1)	
1 MALES AND FEMALES	42
2 MALES ONLY	43
3 FEMALES ONLY	44
DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SWEETENED FRUIT DRINKS, SUCH AS KOOL-AID, CRANBERRY JUICE COCKTAIL, AND LEMONADE? INCLUDE FRUIT DRINKS YOU MADE AT HOME AND ADDED SUGAR TO. (SSBFRUT1)	
4 MALES AND FEMALES	45
5 MALES ONLY	46
6 FEMALES ONLY	47
THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (SSBCALRI)	
7 MALES AND FEMALES	48
8 MALES ONLY	49
9 FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

**TABLE 1: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5051	692,316	2439	41.5	39.7-43.3	535	13.8	12.2-15.4	49	1.4	0.8-02.0	16	0.4	0.2-00.6	460	10.5	09.3-11.7	1552	32.4	30.6-34.2
Male	1956	329,649	837	37.1	34.4-39.8	245	16.5	14.0-19.0	27	1.9	0.9-02.9	7	0.5	0.1-00.9	183	10.5	08.5-12.5	657	33.5	30.8-36.2
Female	3095	362,667	1602	45.5	43.1-47.9	290	11.3	09.7-12.9	22	1.0	0.4-01.6	9	0.3	0.1-00.5	277	10.5	08.9-12.1	895	31.4	29.0-33.8
White/Non-Hisp	3932	465,205	2025	45.9	43.9-47.9	381	12.4	10.8-14.0	36	1.5	0.9-02.1	13	0.5	0.1-00.9	310	8.1	06.9-09.3	1167	31.7	29.7-33.7
Black or Afr. Am./Non-Hisp	706	137,487	254	31.9	27.6-36.2	102	17.3	13.4-21.2	7	1.6	0.0-03.2	2	0.2	0.0-00.6	100	15.5	12.0-19.0	241	33.5	29.0-38.0
Oth. Race/Non-Hisp.	139	27,278	59	41.6	30.0-53.2	9	6.8	00.3-13.3	1	0.4	0.0-01.2	1	0.6	0.0-01.8	21	17.0	08.8-25.2	48	33.7	22.5-44.9
MultiRacial/Non-Hisp.	101	8,820	37	30.4	20.2-40.6	18	15.0	07.2-22.8	4	4.7	0.0-09.6	8	8.2	02.1-14.3	34	41.6	29.8-53.4	34	41.6	29.8-53.4
Hispanic	149	50,814	56	30.0	21.2-38.8	22	20.6	11.2-30.0	1	0.8	0.0-02.4	17	15.4	07.6-23.2	53	33.2	23.8-42.6	53	33.2	23.8-42.6
18-24	303	88,970	74	24.5	18.8-30.2	56	21.1	15.2-27.0	11	2.9	0.9-04.9	2	0.5	0.0-01.1	49	17.8	12.5-23.1	111	33.3	27.2-39.4
25-34	514	111,992	161	25.7	21.4-30.0	83	18.5	14.0-23.0	11	2.6	0.6-04.6	6	0.8	0.0-01.6	64	14.0	09.9-18.1	189	38.4	33.1-43.7
35-44	630	109,444	243	36.8	31.9-41.7	79	12.5	09.2-15.8	8	1.6	0.4-02.8	3	0.4	0.0-00.8	65	10.4	07.3-13.5	232	38.4	33.5-43.3
45-54	897	126,936	423	44.0	39.7-48.3	96	14.1	10.8-17.4	12	1.7	0.5-02.9	2	0.1	0.0-00.3	72	8.1	05.7-10.5	292	32.0	27.9-36.1
55-64	1004	112,935	545	52.5	48.4-56.6	93	11.5	08.2-14.8	6	0.4	0.0-00.8	2	0.7	0.0-01.9	71	6.9	04.9-08.9	287	28.1	24.6-31.6
65+	1657	137,999	967	57.3	54.2-60.4	125	8.2	06.2-10.2	1	0.1	0.0-00.3	1	0.0	0.0-00.0	133	8.3	06.5-10.1	430	26.2	23.5-28.9
Less Than H.S.	325	91,955	125	30.1	23.8-36.4	71	27.3	20.6-34.0	6	2.3	0.0-04.7	2	0.2	0.0-00.6	45	15.8	10.3-21.3	76	24.2	18.1-30.3
H.S. or G.E.D.	1517	216,088	700	41.8	38.5-45.1	196	15.5	12.8-18.2	26	2.4	0.1-03.4	7	0.5	0.1-00.9	159	10.6	08.4-12.8	429	29.3	26.2-32.4
Some Post-H.S.	1359	205,366	633	38.9	35.6-42.2	145	12.4	10.0-14.8	12	1.0	0.4-01.6	5	0.5	0.0-01.1	123	9.9	07.7-12.1	441	37.3	33.8-40.8
College Graduate	1843	178,093	979	50.1	47.2-53.0	122	6.3	04.9-07.7	5	0.3	0.0-00.7	2	0.2	0.0-00.4	132	8.4	06.6-10.2	603	34.7	32.0-37.4
Less than \$15,000	584	79,257	251	37.1	31.4-42.8	75	14.2	09.9-18.5	6	2.1	0.0-04.5	4	0.4	0.0-00.8	74	14.4	10.1-18.7	174	31.8	26.5-37.1
\$15,000- 24,999	513	74,600	213	34.1	28.4-39.8	88	20.9	15.4-26.4	11	2.9	0.7-05.1	3	0.6	0.0-01.4	44	9.9	05.6-14.2	154	31.5	25.6-37.4
\$25,000- 34,999	473	62,046	195	32.9	27.2-38.6	70	19.5	13.6-25.4	8	2.5	0.5-04.5	1	0.3	0.0-00.9	34	7.5	04.0-11.0	165	37.4	31.1-43.7
\$35,000- 49,999	636	87,852	317	45.1	40.0-50.2	70	14.4	10.5-18.3	6	1.3	0.1-02.5	1	0.7	0.0-02.1	63	10.2	07.1-13.3	179	28.3	23.6-33.0
\$50,000- 74,999	758	103,042	358	39.8	35.3-44.3	77	14.2	10.1-18.3	7	1.5	0.3-02.7	2	0.2	0.0-00.4	67	10.6	07.5-13.7	247	33.8	29.3-38.3
\$75,000+	1402	193,133	744	45.9	42.6-49.2	101	9.8	07.4-12.2	6	0.7	0.1-01.3	3	0.2	0.0-00.4	105	8.8	06.8-10.8	443	34.6	31.3-37.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 2: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1956	329,649	837	37.1	34.4-39.8	245	16.5	14.0-19.0	27	1.9	0.9-02.9	7	0.5	0.1-0.9	183	10.5	0.8-12.5	657	33.5	30.8-36.2
White/Non-Hisp	1529	221,645	688	40.3	37.2-43.4	180	14.6	12.1-17.1	23	2.2	0.1-03.2	5	0.6	0.0-01.2	122	8.3	0.6-10.1	511	34.0	30.9-37.1
Black or Afr. Am./Non-Hisp	241	62,824	92	33.5	26.6-40.4	39	20.5	13.4-27.6	2	2.0	0.0-04.7	1	0.1	0.0-00.3	38	16.8	10.7-22.9	69	27.0	20.3-33.7
Oth. Race/Non-Hisp.	68	15,500	24	32.0	15.9-48.1	6	10.6	0.0-21.4				1	1.1	0.0-03.3	8	9.5	0.1-17.1	29	46.8	30.1-63.5
Hispanic	63	24,090	18	24.8	11.9-37.7	12	27.9	12.2-43.6							9	14.6	0.3-26.0	24	32.8	18.5-47.1
18-24	154	45,388	33	22.5	14.7-30.3	29	22.8	14.0-31.6	8	4.5	0.1-08.0	1	0.4	0.0-01.2	24	18.3	10.7-25.9	59	31.4	23.0-39.8
25-34	204	56,230	52	20.0	14.1-25.9	38	23.1	15.5-30.7	4	2.3	0.0-05.4	3	1.1	0.0-02.5	25	14.4	0.7-20.9	82	39.1	30.9-47.3
35-44	246	52,633	78	33.7	26.4-41.0	37	15.3	09.4-21.2	4	2.1	0.0-04.3				25	9.7	0.5-14.0	102	39.2	31.8-46.6
45-54	337	61,198	137	40.8	34.1-47.5	45	17.3	11.8-22.8	8	2.5	0.3-04.7	1	0.1	0.0-00.3	29	7.3	0.4-10.4	117	32.1	25.6-38.6
55-64	388	52,360	192	48.1	41.4-54.8	41	13.5	07.6-19.4	2	0.2	0.0-00.4	2	1.4	0.0-03.8	28	6.9	0.3-10.0	123	30.0	24.1-35.9
65+	614	60,507	340	53.4	48.3-58.5	54	8.9	05.8-12.0	1	0.2	0.0-00.6				49	8.2	0.5-11.1	170	29.4	24.7-34.1
Less Than H.S.	162	55,361	52	25.6	17.6-33.6	47	34.3	24.5-44.1	4	3.5	0.0-07.2				20	14.0	0.6-21.1	39	22.7	14.7-30.7
H.S. or G.E.D.	567	99,462	236	37.1	32.2-42.0	83	18.0	13.7-22.3	15	3.3	0.1-05.3	4	0.7	0.0-01.5	60	11.0	0.7-14.5	169	29.9	25.2-34.6
Some Post-H.S.	490	90,250	200	35.8	30.5-41.1	60	13.3	09.4-17.2	5	0.7	0.1-01.3	3	1.1	0.0-02.5	48	10.0	0.6-13.3	174	39.2	33.7-44.7
College Graduate	736	84,458	348	45.9	41.4-50.4	55	6.7	04.3-09.1	3	0.4	0.0-01.0				55	8.3	0.5-10.8	275	38.8	34.3-43.3
Less than \$15,000	214	38,747	86	35.0	26.2-43.8	32	17.0	09.4-24.6	3	3.1	0.0-07.4	1	0.4	0.0-01.2	27	14.3	0.6-21.7	65	30.2	22.0-38.4
\$15,000- 24,999	161	29,209	56	29.9	20.7-39.1	29	25.2	14.4-36.0	3	3.7	0.0-08.2	2	1.0	0.0-02.6	14	7.8	0.2-12.7	57	32.4	22.2-42.6
\$25,000- 34,999	163	27,096	58	29.8	20.6-39.0	33	27.1	16.1-38.1	4	2.7	0.0-05.6	1	0.6	0.0-01.8	8	3.6	0.0-06.7	59	36.2	25.8-46.6
\$35,000- 49,999	241	41,512	103	38.8	31.0-46.6	26	14.0	07.9-20.1	5	2.4	0.0-04.9	1	1.6	0.0-04.5	24	9.9	0.4-15.2	82	33.4	25.8-41.0
\$50,000- 74,999	307	51,681	130	33.8	27.1-40.5	38	18.5	11.6-25.4	5	2.0	0.0-04.2				30	12.1	0.6-17.4	104	33.5	26.6-40.4
\$75,000+	663	106,171	314	41.4	36.7-46.1	63	13.0	09.1-16.9	5	1.0	0.0-02.0	1	0.0	0.0-00.0	50	8.3	0.5-11.0	230	36.3	31.4-41.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 3: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3095	362,667	1602	45.5	43.1-47.9	290	11.3	09.7-12.9	22	1.0	00.4-01.6	9	0.3	00.1-00.5	277	10.5	08.9-12.1	895	31.4	29.0-33.8
White/Non-Hisp	2403	243,560	1337	51.0	48.3-53.7	201	10.4	08.6-12.2	13	0.8	00.2-01.4	8	0.3	00.1-00.5	188	8.0	06.6-09.4	656	29.5	27.0-32.0
Black or Afr. Am./Non-Hisp	465	74,663	162	30.6	25.3-35.9	63	14.6	10.3-18.9	5	1.3	00.0-02.7	1	0.3	00.0-00.9	62	14.3	10.4-18.2	172	38.9	33.2-44.6
Oth. Race/Non-Hisp.	71	11,778	35	54.1	38.6-69.6	3	1.8	00.0-04.5	1	0.8	00.0-02.4				13	26.9	12.2-41.6	19	16.4	06.8-26.0
MultiRacial/Non-Hisp.	57	4,690	25	43.1	27.6-58.6	11	13.4	04.0-22.8	2	5.7	00.0-13.5				5	7.9	00.1-15.7	14	30.0	14.9-45.1
Hispanic	86	26,724	38	34.8	22.8-46.8	10	14.1	04.1-24.1	1	1.5	00.0-04.2				8	16.0	05.0-27.0	29	33.7	21.4-46.0
18-24	149	43,582	41	26.5	18.1-34.9	27	19.3	11.5-27.1	3	1.2	00.0-02.8	1	0.5	00.0-01.5	25	17.3	10.2-24.4	52	35.3	26.5-44.1
25-34	310	55,761	109	31.5	25.2-37.8	45	13.8	09.3-18.3	7	2.8	00.4-05.2	3	0.5	00.0-01.1	39	13.7	08.8-18.6	107	37.7	30.8-44.6
35-44	384	56,811	165	39.7	33.2-46.2	42	9.8	06.3-13.3	4	1.1	00.0-02.5	3	0.7	00.0-01.5	40	11.0	06.1-15.9	130	37.7	31.0-44.4
45-54	560	65,738	286	47.0	41.7-52.3	51	11.1	07.4-14.8	4	1.0	00.0-02.2	1	0.1	00.0-00.3	43	8.8	05.5-12.1	175	32.0	26.9-37.1
55-64	616	60,575	353	56.3	51.2-61.4	52	9.7	06.4-13.0	4	0.5	00.0-01.1				43	7.0	04.5-09.5	164	26.5	22.0-31.0
65+	1043	77,491	627	60.3	56.6-64.0	71	7.6	05.2-10.0				1	0.1	00.0-00.3	84	8.3	06.1-10.5	260	23.7	20.6-26.8
Less Than H.S.	163	36,594	73	37.0	27.6-46.4	24	16.8	09.4-24.2	2	0.6	00.0-01.6	2	0.6	00.0-01.4	25	18.5	09.9-27.1	37	26.5	17.3-35.7
H.S. or G.E.D.	950	116,627	464	45.7	41.4-50.0	113	13.4	10.3-16.5	11	1.6	00.4-02.8	3	0.3	00.0-00.7	99	10.2	07.7-12.7	260	28.8	24.9-32.7
Some Post-H.S.	869	115,116	433	41.4	37.3-45.5	85	11.6	08.7-14.5	7	1.2	00.2-02.2	2	0.1	00.0-00.3	75	9.8	07.1-12.5	267	35.9	31.6-40.2
College Graduate	1107	93,636	631	53.9	50.2-57.6	67	6.0	04.2-07.8	2	0.3	00.0-00.7	2	0.3	00.0-00.7	77	8.5	06.1-10.9	328	31.0	27.5-34.5
Less than \$15,000	370	40,510	165	39.1	32.2-46.0	43	11.5	07.4-15.6	3	1.2	00.0-03.2	3	0.5	00.0-01.1	47	14.4	09.7-19.1	109	33.3	26.6-40.0
\$15,000- 24,999	352	45,391	157	36.8	29.5-44.1	59	18.1	12.4-23.8	8	2.4	00.2-04.6	1	0.3	00.0-00.9	30	11.3	05.2-17.4	97	31.0	23.7-38.3
\$25,000- 34,999	310	34,951	137	35.3	28.2-42.4	37	13.6	08.1-19.1	4	2.3	00.0-04.8				26	10.5	04.8-16.2	106	38.3	30.9-45.7
\$35,000- 49,999	395	46,339	214	50.7	44.2-57.2	44	14.8	09.9-19.7	1	0.3	00.0-00.9				39	10.4	06.5-14.3	97	23.8	17.9-29.7
\$50,000- 74,999	451	51,361	228	45.8	39.7-51.9	39	9.9	06.2-13.6	2	0.9	00.0-02.3	2	0.3	00.0-00.7	37	9.0	05.7-12.3	143	34.0	28.1-39.9
\$75,000+	739	86,962	430	51.4	46.7-56.1	38	5.9	03.5-08.3	1	0.3	00.0-00.9	2	0.3	00.0-00.9	55	9.4	06.3-12.5	213	32.6	28.1-37.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 4: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SWEETENED FRUIT DRINKS, SUCH AS KOOL-AID, CRANBERRY JUICE COCKTAIL, AND LEMONADE? INCLUDE FRUIT DRINKS YOU MADE AT HOME AND ADDED SUGAR TO. (SSBFRUT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5041	691,417	3115	55.4	53.4-57.4	374	8.5	07.3-09.7	32	1.2	00.6-01.8	5	0.1	00.1-00.1	351	8.6	07.4-09.8	1164	26.3	24.5-28.1	
Male	1948	328,206	1139	51.7	48.8-54.6	155	9.3	07.3-11.3	16	1.5	00.5-02.5	2	0.1	00.0-00.3	165	10.0	08.0-12.0	471	27.4	24.7-30.1	
Female	3093	363,211	1976	58.6	56.2-61.0	219	7.8	06.4-09.2	16	0.8	00.2-01.4	3	0.1	00.0-00.3	186	7.4	06.0-08.8	693	25.3	23.1-27.5	
White/Non-Hisp	3921	464,072	2630	62.6	60.4-64.8	239	6.4	05.4-07.4	18	0.8	00.2-01.4	3	0.1	00.1-00.1	207	5.9	04.9-06.9	824	24.2	22.4-26.0	
Black or Afr. Am./Non-Hisp	706	137,469	288	38.1	33.6-42.6	90	14.8	11.1-18.5	10	1.7	00.1-03.3				102	15.2	11.7-18.7	216	30.1	25.8-34.4	
Oth. Race/Non-Hisp.	140	27,530	73	45.7	34.3-57.1	12	6.0	02.1-09.9							15	16.4	06.6-26.2	40	31.9	20.9-42.9	
MultiRacial/Non-Hisp.	101	8,820	47	44.3	32.7-55.9	15	13.8	05.6-22.0	2	3.9	00.0-09.2	1	1.7	00.0-05.0	7	9.0	02.5-15.5	29	27.3	17.1-37.5	
Hispanic	149	50,814	64	43.5	33.3-53.7	17	11.7	04.8-18.6	2	2.7	00.0-06.8	1	0.2	00.0-00.6	17	10.6	04.5-16.7	48	31.4	22.0-40.8	
18-24	302	88,758	98	31.4	25.1-37.7	35	14.0	08.7-19.3	6	1.4	00.2-02.6	1	0.2	00.0-00.6	47	16.0	11.1-20.9	115	37.0	30.7-43.3	
25-34	516	112,518	240	43.4	38.1-48.7	58	12.1	08.6-15.6	6	2.6	00.1-05.1	1	0.1	00.0-00.3	44	11.1	07.2-15.0	167	30.8	25.9-35.7	
35-44	633	109,750	346	51.5	46.4-56.6	41	7.5	04.8-10.2	6	1.7	00.0-03.5	2	0.1	00.0-00.3	44	8.2	05.3-11.1	194	30.9	26.2-35.6	
45-54	894	126,570	543	58.3	54.0-62.6	60	6.5	04.5-08.5	5	0.9	00.0-01.9	1	0.1	00.0-00.3	59	6.5	04.3-08.7	226	27.7	23.8-31.6	
55-64	998	112,237	684	67.2	63.3-71.1	58	6.4	04.2-08.6	5	0.3	00.1-00.5				56	6.3	04.3-08.3	195	19.9	16.4-23.4	
65+	1652	137,546	1177	71.0	68.1-73.9	117	6.4	04.8-08.0	4	0.4	00.0-01.0				96	5.9	04.3-07.5	258	16.2	13.8-18.6	
Less Than H.S.	325	91,601	192	51.9	44.6-59.2	28	9.0	04.9-13.1	9	4.3	00.8-07.8	1	0.1	00.0-00.3	29	9.9	05.4-14.4	66	24.8	18.3-31.3	
H.S. or G.E.D.	1515	216,294	960	56.8	53.5-60.1	149	12.5	10.0-15.0	9	0.7	00.1-01.3	1	0.1	00.0-00.3	116	9.1	06.9-11.3	280	20.8	18.1-23.5	
Some Post-H.S.	1354	204,870	814	53.4	49.9-56.9	91	6.7	04.9-08.5	9	0.9	00.1-01.7	1	0.0	00.0-00.0	104	8.9	06.9-10.9	335	30.0	26.7-33.3	
College Graduate	1840	177,840	1145	57.6	54.7-60.5	106	5.5	04.1-06.9	5	0.3	00.0-00.7	2	0.1	00.0-00.3	101	6.9	05.1-08.7	481	29.5	26.8-32.2	
Less than \$15,000	586	79,489	342	49.2	43.3-55.1	53	9.3	06.0-12.6	8	3.7	00.4-07.0	1	0.1	00.0-00.3	57	11.5	07.8-15.2	125	26.3	20.8-31.8	
\$15,000- 24,999	510	74,583	296	50.4	43.9-56.9	51	9.5	06.2-12.8	7	2.5	00.1-04.9				48	10.7	06.2-15.2	108	26.9	20.8-33.0	
\$25,000- 34,999	471	61,743	288	56.1	49.6-62.6	46	11.9	07.6-16.2	4	1.0	00.0-02.2	1	0.2	00.0-00.6	28	5.3	02.9-07.7	104	25.5	19.6-31.4	
\$35,000- 49,999	636	88,019	405	59.5	54.4-64.6	49	10.5	06.8-14.2	6	0.7	00.1-01.3	1	0.1	00.0-00.3	39	7.6	04.7-10.5	136	21.6	17.3-25.9	
\$50,000- 74,999	756	102,465	464	55.6	50.7-60.5	51	7.4	04.7-10.1	1	0.6	00.0-01.8				57	9.1	06.2-12.0	183	27.3	23.0-31.6	
\$75,000+	1399	192,668	893	58.6	55.1-62.1	60	5.2	03.4-07.0	3	0.1	00.0-00.3	1	0.1	00.0-00.3	77	6.9	04.9-08.9	365	29.2	26.1-32.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 5: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SWEETENED FRUIT DRINKS, SUCH AS KOOL-AID, CRANBERRY JUICE COCKTAIL, AND LEMONADE? INCLUDE FRUIT DRINKS YOU MADE AT HOME AND ADDED SUGAR TO. (SSBFRUT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1948	328,206	1139	51.7	48.8-54.6	155	9.3	07.3-11.3	16	1.5	00.5-02.5	2	0.1	00.0-00.3	165	10.0	08.0-12.0	471	27.4	24.7-30.1
White/Non-Hisp	1525	220,821	961	58.2	54.9-61.5	102	7.2	05.4-09.0	11	1.1	00.3-01.9	1	0.1	00.0-00.3	100	7.1	05.3-08.9	350	26.4	23.5-29.3
Black or Afr. Am./Non-Hisp	237	62,205	90	34.0	26.9-41.1	33	17.1	10.6-23.6	4	2.5	00.0-05.6				41	18.5	12.2-24.8	69	27.9	20.8-35.0
Oth. Race/Non-Hisp.	68	15,500	38	47.7	31.0-64.4	6	4.8	00.5-09.1							5	12.4	00.0-26.3	19	35.2	18.9-51.5
Hispanic	63	24,090	26	44.0	27.9-60.1	7	10.6	01.6-19.6	1	4.4	00.0-12.6				10	9.9	01.9-17.9	19	31.1	16.4-45.8
18-24	152	44,841	43	27.8	19.2-36.4	17	14.1	06.7-21.5	2	0.7	00.0-01.7	1	0.3	00.0-00.9	28	19.0	11.4-26.6	61	38.0	29.0-47.0
25-34	204	56,230	91	39.0	31.0-47.0	25	15.1	09.0-21.2	5	4.8	00.0-09.7	1	0.2	00.0-00.6	20	12.2	05.9-18.5	62	28.7	21.1-36.3
35-44	246	52,449	124	46.5	38.9-54.1	18	8.0	03.9-12.1	3	1.7	00.0-04.1				21	10.3	05.6-15.0	80	33.5	26.1-40.9
45-54	335	60,853	190	55.3	48.4-62.2	19	5.3	02.4-08.2	2	1.1	00.0-02.9				27	7.5	04.0-11.0	97	30.8	24.3-37.3
55-64	384	51,762	254	66.5	59.8-73.2	31	7.8	04.5-11.1	2	0.3	00.0-00.7				28	6.7	03.6-09.8	69	18.7	12.8-24.6
65+	614	60,740	429	69.4	64.7-74.1	44	6.7	04.0-09.4	2	0.5	00.0-01.5				39	6.0	03.6-08.4	100	17.3	13.4-21.2
Less Than H.S.	163	55,190	85	43.6	34.0-53.2	16	9.8	03.9-15.7	5	4.8	00.0-09.7	1	0.2	00.0-00.6	17	12.1	05.4-18.8	39	29.4	20.2-38.6
H.S. or G.E.D.	566	99,484	339	52.2	46.9-57.5	62	13.7	09.8-17.6	5	0.9	00.1-01.7	1	0.2	00.0-00.6	57	12.5	08.6-16.4	102	20.6	16.3-24.9
Some Post-H.S.	486	89,348	270	50.4	44.7-56.1	39	8.2	04.7-11.7	5	1.7	00.0-03.5				44	8.3	05.6-11.0	128	31.4	26.1-36.7
College Graduate	732	84,066	444	57.9	53.4-62.4	38	4.9	02.9-06.9	1	0.0	00.0-00.0				47	7.3	04.8-09.8	202	29.9	25.6-34.2
Less than \$15,000	213	38,427	111	41.4	32.4-50.4	19	8.9	03.6-14.2	5	6.1	00.0-12.8				26	12.8	06.7-18.9	52	30.8	21.6-40.0
\$15,000- 24,999	160	29,322	85	43.2	32.8-53.6	16	8.2	03.1-13.3	3	2.9	00.0-06.8				17	13.3	04.9-21.7	39	32.4	21.2-43.6
\$25,000- 34,999	163	26,892	94	54.6	43.6-65.6	20	14.8	07.5-22.1	2	1.2	00.0-03.4	1	0.5	00.0-01.5	10	4.5	01.0-08.0	36	24.5	14.3-34.7
\$35,000- 49,999	241	41,512	140	52.4	44.2-60.6	25	15.5	08.8-22.2	2	0.4	00.0-01.0				19	8.9	03.6-14.2	55	22.8	15.9-29.7
\$50,000- 74,999	306	51,165	176	52.1	44.7-59.5	27	9.2	04.7-13.7	1	1.2	00.0-03.6				28	11.2	06.1-16.3	74	26.2	19.7-32.7
\$75,000+	660	105,743	410	57.5	52.4-62.6	27	5.1	02.6-07.6	2	0.2	00.0-00.4				45	7.8	04.9-10.7	176	29.4	24.7-34.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 6: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SWEETENED FRUIT DRINKS, SUCH AS KOOL-AID, CRANBERRY JUICE COCKTAIL, AND LEMONADE? INCLUDE FRUIT DRINKS YOU MADE AT HOME AND ADDED SUGAR TO. (SSBFRUT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	3093	363,211	1976	58.6	56.2-61.0	219	7.8	06.4-09.2	16	0.8	00.2-01.4	3	0.1	00.0-00.3	186	7.4	06.0-08.8	693	25.3	23.1-27.5	
White/Non-Hisp	2396	243,251	1669	66.6	64.1-69.1	137	5.6	04.4-06.8	7	0.6	00.0-01.2	2	0.1	00.0-00.3	107	4.8	03.6-06.0	474	22.2	19.8-24.6	
Black or Afr. Am./Non-Hisp	469	75,264	198	41.5	35.8-47.2	57	12.9	08.8-17.0	6	1.1	00.1-02.1				61	12.5	08.8-16.2	147	32.0	26.5-37.5	
Oth. Race/Non-Hisp.	72	12,030	35	43.0	27.9-58.1	6	7.7	00.4-15.0							10	21.5	07.8-35.2	21	27.7	14.0-41.4	
MultiRacial/Non-Hisp.	57	4,690	28	48.5	32.8-64.2	8	12.7	02.5-22.9	2	7.3	00.0-16.9				1	2.0	00.0-05.9	18	29.4	15.5-43.3	
Hispanic	86	26,724	38	43.0	29.9-56.1	10	12.7	02.5-22.9	1	1.1	00.0-03.3	1	0.3	00.0-00.9	7	11.3	02.5-20.1	29	31.7	19.9-43.5	
18-24	150	43,917	55	35.2	26.4-44.0	18	13.8	06.5-21.1	4	2.1	00.0-04.3				19	12.9	06.8-19.0	54	36.0	27.2-44.8	
25-34	312	56,287	149	47.7	40.8-54.6	33	9.1	05.6-12.6	1	0.3	00.0-00.9				24	10.0	05.5-14.5	105	32.8	26.3-39.3	
35-44	387	57,302	222	56.1	49.4-62.8	23	7.1	03.4-10.8	3	1.7	00.0-04.1	2	0.3	00.0-00.7	23	6.2	02.7-09.7	114	28.5	22.6-34.4	
45-54	559	65,716	353	61.1	55.8-66.4	41	7.5	04.8-10.2	3	0.8	00.0-02.0	1	0.2	00.0-00.6	32	5.7	03.2-08.2	129	24.7	20.0-29.4	
55-64	614	60,475	430	67.7	63.0-72.4	27	5.1	02.6-07.6	3	0.3	00.0-00.7				28	5.9	03.4-08.4	126	21.0	16.9-25.1	
65+	1038	76,806	748	72.3	69.0-75.6	73	6.2	04.6-07.8	2	0.3	00.0-00.9				57	5.9	03.9-07.9	158	15.2	12.5-17.9	
Less Than H.S.	162	36,411	107	64.3	54.5-74.1	12	7.7	02.6-12.8	4	3.5	00.0-07.6				12	6.6	01.1-12.1	27	17.9	10.1-25.7	
H.S. or G.E.D.	949	116,810	621	60.8	56.5-65.1	87	11.4	08.1-14.7	4	0.6	00.0-01.4				59	6.2	04.2-08.2	178	20.9	17.2-24.6	
Some Post-H.S.	868	115,522	544	55.8	51.5-60.1	52	5.6	03.8-07.4	4	0.4	00.0-00.8	1	0.1	00.0-00.3	60	9.3	06.4-12.2	207	28.8	24.7-32.9	
College Graduate	1108	93,774	701	57.4	53.7-61.1	68	6.1	04.3-07.9	4	0.6	00.0-01.2	2	0.2	00.0-00.6	54	6.5	04.3-08.7	279	29.1	25.6-32.6	
Less than \$15,000	373	41,062	231	56.4	49.3-63.5	34	9.7	05.8-13.6	3	1.6	00.0-03.6	1	0.2	00.0-00.6	31	10.2	05.9-14.5	73	22.0	15.9-28.1	
\$15,000- 24,999	350	45,261	211	55.0	47.2-62.8	35	10.4	06.1-14.7	4	2.3	00.0-05.2				31	9.0	04.1-13.9	69	23.3	16.6-30.0	
\$25,000- 34,999	308	34,851	194	57.3	49.5-65.1	26	9.7	04.2-15.2	2	0.8	00.0-02.4				18	5.9	02.6-09.2	68	26.3	19.2-33.4	
\$35,000- 49,999	395	46,507	265	65.9	59.6-72.2	24	6.0	02.9-09.1	4	1.1	00.0-02.3	1	0.2	00.0-00.6	20	6.3	03.0-09.6	81	20.5	15.2-25.8	
\$50,000- 74,999	450	51,301	288	59.0	52.9-65.1	24	5.5	02.2-08.8							29	7.1	04.0-10.2	109	28.4	22.5-34.3	
\$75,000+	739	86,925	483	59.8	55.1-64.5	33	5.3	03.1-07.5	1	0.1	00.0-00.3	1	0.2	00.0-00.6	32	5.8	03.3-08.3	189	28.9	24.6-33.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 7: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (SSBCALRI)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always most of time			About half Sometimes			Never			Never noticed never look for info			Usually cannot find Info			Dont eat at fast food or chain restaurants		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5063	694,735	1170	22.3	20.7-23.9	1291	26.6	24.8-28.4	2020	41.5	39.5-43.5	142	2.9	02.3-03.5	17	0.2	00.0-00.4	423	6.5	05.7-07.3
Male	1961	330,300	305	15.6	13.4-17.8	453	25.4	22.9-27.9	997	50.1	47.2-53.0	66	3.3	02.1-04.5	4	0.1	00.0-00.3	136	5.5	04.3-06.7
Female	3102	364,436	865	28.4	26.2-30.6	838	27.6	25.4-29.8	1023	33.7	31.3-36.1	76	2.4	01.8-03.0	13	0.4	00.2-00.6	287	7.4	06.2-08.6
White/Non-Hisp	3935	466,243	891	21.6	19.8-23.4	1019	27.1	25.1-29.1	1571	41.8	39.6-44.0	110	2.7	02.1-03.3	16	0.3	00.1-00.5	328	6.4	05.4-07.4
Black or Afr. Am./Non-Hisp	711	138,459	179	24.5	20.6-28.4	182	25.3	21.2-29.4	267	39.8	35.1-44.5	19	2.9	00.7-05.1	1	0.1	00.0-00.3	63	7.4	05.0-09.8
Oth. Race/Non-Hisp.	140	27,530	36	28.1	17.5-38.7	40	32.1	21.3-42.9	47	31.8	20.8-42.8	5	4.4	00.3-08.5				12	3.8	01.1-06.5
MultiRacial/Non-Hisp.	102	8,890	27	28.7	18.1-39.3	12	12.6	04.8-20.4	52	46.2	34.8-57.6	5	9.5	01.5-17.5				6	3.1	00.2-06.0
Hispanic	150	50,865	32	19.1	11.3-26.9	32	24.5	15.3-33.7	69	47.4	37.2-57.6	3	2.2	00.0-04.9				14	6.7	02.0-11.4
18-24	305	89,510	58	20.0	14.5-25.5	82	29.0	22.9-35.1	144	45.0	38.3-51.7	12	3.9	01.5-06.3				9	2.1	00.3-03.9
25-34	516	112,518	141	24.9	20.4-29.4	161	27.9	23.2-32.6	186	41.0	35.5-46.5	13	2.3	00.9-03.7	3	0.6	00.0-01.4	12	3.3	01.1-05.5
35-44	633	109,962	164	23.4	19.3-27.5	193	31.1	26.4-35.8	238	39.3	34.2-44.4	12	1.2	00.4-02.0	1	0.1	00.0-00.3	25	4.9	02.5-07.3
45-54	899	127,185	228	23.2	19.7-26.7	252	27.5	23.6-31.4	336	41.4	37.1-45.7	23	2.4	01.2-03.6	4	0.3	00.0-00.7	56	5.3	03.7-06.9
55-64	1004	113,090	257	23.3	20.0-26.6	255	25.5	22.0-29.0	380	39.6	35.5-43.7	18	3.3	00.8-05.8	3	0.2	00.0-00.4	91	8.0	06.0-10.0
65+	1659	138,374	310	19.2	16.7-21.7	339	20.7	18.2-23.2	716	43.0	39.9-46.1	62	4.0	02.8-05.2	6	0.2	00.0-00.4	226	12.9	10.7-15.1
Less Than H.S.	328	92,196	50	13.5	09.0-18.0	69	26.0	19.5-32.5	153	48.2	40.9-55.5	11	3.2	00.3-06.1	1	0.0	00.0-00.0	44	9.2	05.5-12.9
H.S. or G.E.D.	1520	217,074	282	19.1	16.4-21.8	347	24.1	21.2-27.0	685	45.8	42.5-49.1	56	3.6	02.4-04.8	9	0.5	00.1-00.9	141	6.9	05.3-08.5
Some Post-H.S.	1363	206,474	308	23.7	20.8-26.6	350	26.3	23.4-29.2	558	41.5	38.2-44.8	30	2.1	01.1-03.1	3	0.1	00.0-00.3	114	6.2	04.8-07.6
College Graduate	1845	178,178	528	29.2	26.5-31.9	523	30.3	27.6-33.0	622	32.8	30.1-35.5	45	2.6	01.6-03.6	4	0.2	00.0-00.4	123	4.9	03.7-06.1
Less than \$15,000	588	79,909	95	16.0	11.9-20.1	142	24.1	18.8-29.4	269	47.2	41.3-53.1	19	4.1	01.9-06.3	3	0.5	00.0-01.1	60	8.0	05.3-10.7
\$15,000- 24,999	515	75,242	101	19.1	14.4-23.8	105	24.7	19.0-30.4	215	41.2	34.9-47.5	16	3.8	00.3-07.3	2	0.3	00.0-00.7	76	11.0	07.3-14.7
\$25,000- 34,999	474	62,234	109	22.9	17.6-28.2	130	29.5	23.6-35.4	185	41.1	34.6-47.6	16	2.4	00.8-04.0	4	0.4	00.0-00.8	30	3.7	01.9-05.5
\$35,000- 49,999	638	88,150	154	22.3	18.0-26.6	155	25.7	21.2-30.2	268	43.1	38.0-48.2	16	3.8	01.6-06.0	2	0.4	00.0-01.2	43	4.7	02.7-06.7
\$50,000- 74,999	758	103,015	191	23.5	19.6-27.4	193	24.8	20.7-28.9	304	42.9	38.0-47.8	20	2.1	01.1-03.1	2	0.1	00.0-00.3	48	6.6	04.1-09.1
\$75,000+	1405	193,227	380	26.5	23.4-29.6	412	29.5	26.4-32.6	498	37.4	34.1-40.7	37	2.6	01.6-03.6	1	0.0	00.0-00.0	77	4.0	03.0-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 8: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (SSBCALRI)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always most of time			About half Sometimes			Never			Never noticed never look for info			Usually cannot find Info			Dont eat at fast food or chain restaurants		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1961	330,300	305	15.6	13.4-17.8	453	25.4	22.9-27.9	997	50.1	47.2-53.0	66	3.3	02.1-04.5	4	0.1	00.0-00.3	136	5.5	04.3-06.7
White/Non-Hisp	1532	222,174	225	14.8	12.4-17.2	353	25.0	22.1-27.9	790	51.4	48.3-54.5	51	3.0	02.0-04.0	4	0.1	00.0-00.3	109	5.6	04.4-06.8
Black or Afr. Am./Non-Hisp	241	62,824	45	17.4	11.7-23.1	61	26.1	19.2-33.0	110	46.7	38.9-54.5	8	3.8	00.0-07.9				17	6.0	02.5-09.5
Oth. Race/Non-Hisp.	68	15,500	16	24.7	09.6-39.8	14	28.7	13.4-44.0	31	41.1	24.6-57.6	2	2.6	00.0-06.9				5	2.8	00.0-05.7
Hispanic	64	24,141	10	11.7	01.5-21.9	15	26.2	11.9-40.5	33	52.4	36.5-68.3	2	4.3	00.0-10.2				4	5.5	00.0-11.6
18-24	154	45,388	25	17.0	09.6-24.4	37	24.9	16.7-33.1	80	50.7	41.1-60.3	7	4.6	00.9-08.3				5	2.9	00.0-05.8
25-34	204	56,230	42	15.2	09.5-20.9	60	29.2	21.6-36.8	90	48.9	40.3-57.5	8	3.5	00.8-06.2				4	3.2	00.1-06.3
35-44	246	52,660	39	14.8	09.7-19.9	78	32.8	25.5-40.1	115	47.3	39.7-54.9	1	0.3	00.0-00.9				13	4.7	02.2-07.2
45-54	338	61,268	55	14.8	09.9-19.7	94	28.2	21.9-34.5	158	49.6	42.7-56.5	7	1.5	00.3-02.7	3	0.5	00.0-01.1	21	5.6	02.9-08.3
55-64	389	52,564	66	17.2	12.5-21.9	77	20.6	15.5-25.7	201	50.9	44.2-57.6	13	5.9	00.8-11.0				32	5.5	03.1-07.9
65+	617	60,836	76	15.0	10.9-19.1	105	17.5	13.6-21.4	346	53.0	47.9-58.1	28	4.3	02.3-06.3	1	0.1	00.0-00.3	61	10.1	06.8-13.4
Less Than H.S.	165	55,602	18	9.8	04.5-15.1	35	27.0	18.0-36.0	93	53.1	43.3-62.9	4	3.3	00.0-08.0	1	0.1	00.0-00.3	14	6.6	02.5-10.7
H.S. or G.E.D.	568	99,838	83	16.1	12.0-20.2	107	20.8	16.7-24.9	307	53.3	48.0-58.6	25	4.2	02.2-06.2	1	0.0	00.0-00.0	45	5.5	03.5-07.5
Some Post-H.S.	490	90,250	71	15.2	10.9-19.5	111	24.5	19.6-29.4	256	51.8	46.1-57.5	15	2.7	00.9-04.5	1	0.1	00.0-00.3	36	5.7	03.3-08.1
College Graduate	737	84,491	133	19.2	15.5-22.9	200	30.8	26.5-35.1	341	42.7	38.2-47.2	22	2.9	01.5-04.3	1	0.2	00.0-00.6	40	4.2	02.6-05.8
Less than \$15,000	214	38,747	23	10.5	05.2-15.8	43	23.0	14.2-31.8	120	55.9	46.5-65.3	8	3.8	00.7-06.9				20	6.9	02.8-11.0
\$15,000- 24,999	163	29,436	24	12.5	06.0-19.0	36	29.2	19.2-39.2	77	43.6	32.8-54.4	6	6.6	00.0-15.0	1	0.4	00.0-01.2	19	7.7	03.4-12.0
\$25,000- 34,999	165	27,309	25	15.8	08.2-23.4	36	25.0	15.6-34.4	88	54.8	44.0-65.6	5	1.7	00.1-03.3	1	0.1	00.0-00.3	10	2.6	00.6-04.6
\$35,000- 49,999	241	41,530	32	11.7	06.8-16.6	60	25.5	18.4-32.6	126	52.9	44.7-61.1	9	5.3	01.2-09.4				14	4.6	01.3-07.9
\$50,000- 74,999	306	51,638	48	14.6	09.7-19.5	64	22.0	15.9-28.1	165	54.1	46.7-61.5	9	1.8	00.2-03.4				20	7.5	03.6-11.4
\$75,000+	663	106,074	119	19.4	15.3-23.5	180	29.3	24.8-33.8	308	45.1	40.2-50.0	21	2.9	01.3-04.5				35	3.3	01.9-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 9: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (SSBCALRI)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always most of time			About half Sometimes			Never			Never noticed never look for info			Usually cannot find Info			Dont eat at fast food or chain restaurants		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3102	364,436	865	28.4	26.2-30.6	838	27.6	25.4-29.8	1023	33.7	31.3-36.1	76	2.4	0.1-03.0	13	0.4	0.0-00.6	287	7.4	06.2-08.6
White/Non-Hisp	2403	244,069	666	27.7	25.3-30.1	666	29.1	26.7-31.5	781	33.1	30.6-35.6	59	2.4	0.1-03.2	12	0.5	0.0-00.9	219	7.2	05.8-08.6
Black or Afr. Am./Non-Hisp	470	75,635	134	30.3	25.0-35.6	121	24.6	19.7-29.5	157	34.1	28.6-39.6	11	2.2	0.0-03.8	1	0.1	0.0-00.3	46	8.6	05.5-11.7
Oth. Race/Non-Hisp.	72	12,030	20	32.3	17.6-47.0	26	36.3	21.4-51.2	16	19.8	07.3-32.3	3	6.6	0.0-13.9				7	5.0	00.3-09.7
MultiRacial/Non-Hisp.	57	4,690	18	34.6	19.5-49.7	5	10.6	00.0-21.4	27	40.8	25.7-55.9	2	8.4	0.0-19.4				5	5.5	00.0-11.0
Hispanic	86	26,724	22	25.8	14.4-37.2	17	23.0	11.0-35.0	36	42.9	30.0-55.8	1	0.4	0.0-01.2				10	7.9	01.0-14.8
18-24	151	44,122	33	23.1	15.3-30.9	45	33.2	24.2-42.2	64	39.2	30.2-48.2	5	3.1	0.0-05.8				4	1.4	00.0-03.0
25-34	312	56,287	99	34.6	27.9-41.3	101	26.7	21.0-32.4	96	33.0	26.5-39.5	5	1.1	0.0-02.1	3	1.2	0.0-02.8	8	3.5	00.6-06.4
35-44	387	57,302	125	31.2	25.1-37.3	115	29.6	23.5-35.7	123	32.0	25.7-38.3	11	2.0	0.0-03.4	1	0.1	0.0-00.3	12	5.1	01.0-09.2
45-54	561	65,917	173	31.0	26.1-35.9	158	26.9	22.2-31.6	178	33.7	28.6-38.8	16	3.2	0.1-05.0	1	0.1	0.0-00.3	35	5.0	03.0-07.0
55-64	615	60,527	191	28.6	24.1-33.1	178	29.8	25.3-34.3	179	29.8	25.1-34.5	5	1.1	0.0-02.3	3	0.4	0.0-00.8	59	10.3	07.2-13.4
65+	1042	77,538	234	22.4	19.1-25.7	234	23.2	19.9-26.5	370	35.2	31.5-38.9	34	3.8	0.2-05.4	5	0.4	0.0-00.8	165	15.1	12.4-17.8
Less Than H.S.	163	36,594	32	19.0	11.4-26.6	34	24.4	15.4-33.4	60	40.7	30.7-50.7	7	2.9	0.0-05.3				30	13.1	06.4-19.8
H.S. or G.E.D.	952	117,236	199	21.6	17.9-25.3	240	26.9	23.0-30.8	378	39.4	35.1-43.7	31	3.2	0.1-04.6	8	0.9	0.0-01.7	96	8.0	05.8-10.2
Some Post-H.S.	873	116,224	237	30.4	26.3-34.5	239	27.7	23.8-31.6	302	33.5	29.6-37.4	15	1.7	0.0-02.7	2	0.1	0.0-00.3	78	6.6	04.8-08.4
College Graduate	1108	93,687	395	38.3	34.6-42.0	323	29.9	26.6-33.2	281	24.0	20.9-27.1	23	2.3	0.1-03.5	3	0.1	0.0-00.3	83	5.5	04.1-06.9
Less than \$15,000	374	41,162	72	21.2	15.3-27.1	99	25.2	19.1-31.3	149	39.1	32.4-45.8	11	4.5	0.1-07.4	3	0.9	0.0-02.1	40	9.2	05.7-12.7
\$15,000- 24,999	352	45,805	77	23.3	16.8-29.8	69	21.8	15.1-28.5	138	39.6	32.0-47.2	10	1.9	0.0-03.5	1	0.2	0.0-00.6	57	13.1	07.8-18.4
\$25,000- 34,999	309	34,925	84	28.5	21.4-35.6	94	33.1	25.8-40.4	97	30.4	23.3-37.5	11	2.9	0.0-05.3	3	0.5	0.0-01.1	20	4.6	02.1-07.1
\$35,000- 49,999	397	46,620	122	31.9	25.6-38.2	95	25.8	19.9-31.7	142	34.5	28.4-40.6	7	2.4	0.0-04.6	2	0.8	0.0-02.4	29	4.7	02.5-06.9
\$50,000- 74,999	452	51,377	143	32.4	26.7-38.1	129	27.6	22.1-33.1	139	31.7	26.0-37.4	11	2.3	0.0-03.7	2	0.3	0.0-00.7	28	5.7	02.4-09.0
\$75,000+	742	87,153	261	35.1	30.6-39.6	232	29.7	25.6-33.8	190	28.1	23.6-32.6	16	2.3	0.0-03.7	1	0.1	0.0-00.3	42	4.9	03.1-06.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012

MODULE 8: FRUITS AND VEGETABLES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE PAGE

	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)
1	MALES AND FEMALES
2	MALES ONLY
3	FEMALES ONLY
	DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
4	MALES AND FEMALES
5	MALES ONLY
6	FEMALES ONLY
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)
7	MALES AND FEMALES
8	MALES ONLY
9	FEMALES ONLY
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)
10	MALES AND FEMALES
11	MALES ONLY
12	FEMALES ONLY
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)
13	MALES AND FEMALES
14	MALES ONLY
15	FEMALES ONLY
	NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGETAB1)
16	MALES AND FEMALES

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012

MODULE 8: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE

PAGE

- 17 MALES ONLY
- 18 FEMALES ONLY

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5014	689,010	906	16.3	14.9-17.7	632	14.1	12.7-15.5	1446	29.7	27.9-31.5	450	9.0	07.8-10.2	1580	30.9	29.1-32.7
Male	1940	327,842	376	17.0	14.8-19.2	266	14.3	12.1-16.5	599	31.9	29.2-34.6	168	9.1	07.3-10.9	531	27.6	25.1-30.1
Female	3074	361,168	530	15.7	13.9-17.5	366	13.9	12.1-15.7	847	27.7	25.5-29.9	282	8.9	07.5-10.3	1049	33.8	31.4-36.2
White/Non-Hisp	3903	462,942	693	15.8	14.2-17.4	446	12.5	11.1-13.9	1091	28.6	26.6-30.6	374	9.3	08.1-10.5	1299	33.8	31.8-35.8
Black or Afr. Am./Non-Hisp	699	136,332	132	16.8	13.3-20.3	126	18.9	15.0-22.8	224	31.9	27.4-36.4	47	7.9	05.2-10.6	170	24.6	20.7-28.5
Oth. Race/Non-Hisp.	138	27,403	25	16.3	08.1-24.5	21	14.8	07.2-22.4	47	35.7	24.3-47.1	10	5.8	01.1-10.5	35	27.4	16.8-38.0
MultiRacial/Non-Hisp.	101	8,820	23	19.1	10.5-27.7	11	12.7	04.3-21.1	29	29.4	18.8-40.0	8	11.4	03.6-19.2	30	27.5	17.3-37.7
Hispanic	149	50,814	31	19.8	11.8-27.8	23	16.2	08.4-24.0	44	29.3	20.1-38.5	10	10.6	03.5-17.7	41	24.1	15.5-32.7
18-24	303	88,905	29	8.2	04.7-11.7	68	23.5	17.6-29.4	102	32.8	26.7-38.9	23	8.3	04.2-12.4	81	27.1	21.2-33.0
25-34	512	111,846	79	15.6	11.5-19.7	79	15.1	11.2-19.0	168	32.9	27.8-38.0	50	9.3	06.2-12.4	136	27.2	22.3-32.1
35-44	631	109,830	97	17.8	13.5-22.1	80	12.3	09.0-15.6	216	32.9	28.2-37.6	54	8.9	06.0-11.8	184	28.0	23.5-32.5
45-54	892	126,507	114	13.3	10.4-16.2	116	14.5	11.4-17.6	275	29.9	26.0-33.8	95	10.5	08.0-13.0	292	31.9	28.0-35.8
55-64	991	111,622	158	15.1	12.4-17.8	102	10.3	07.9-12.7	287	29.4	25.5-33.3	93	9.5	07.0-12.0	351	35.8	31.9-39.7
65+	1638	136,225	416	24.6	21.9-27.3	185	11.9	09.7-14.1	385	22.5	20.0-25.0	133	7.6	06.0-09.2	519	33.5	30.4-36.6
Less Than H.S.	324	91,664	61	18.5	12.8-24.2	53	19.9	13.8-26.0	68	20.6	14.7-26.5	36	12.8	07.7-17.9	106	28.1	22.0-34.2
H.S. or G.E.D.	1495	214,545	259	15.3	12.9-17.7	173	12.1	09.9-14.3	394	28.7	25.6-31.8	147	9.9	07.7-12.1	522	34.0	30.7-37.3
Some Post-H.S.	1354	204,516	243	15.9	13.4-18.4	181	14.5	12.1-16.9	379	31.2	27.9-34.5	116	7.4	05.8-09.0	435	31.0	27.9-34.1
College Graduate	1834	177,472	341	16.9	14.7-19.1	224	13.3	11.3-15.3	602	33.9	31.2-36.6	151	7.7	06.1-09.3	516	28.3	25.6-31.0
Less than \$15,000	578	79,463	103	17.3	12.6-22.0	78	14.4	10.1-18.7	157	28.1	23.0-33.2	52	7.7	05.0-10.4	188	32.4	26.9-37.9
\$15,000- 24,999	510	74,273	89	16.1	11.6-20.6	82	18.4	13.1-23.7	141	28.1	22.2-34.0	41	10.7	06.0-15.4	157	26.7	21.4-32.0
\$25,000- 34,999	469	61,892	85	18.1	13.2-23.0	57	13.9	09.0-18.8	131	28.3	22.6-34.0	42	9.2	05.5-12.9	154	30.4	24.7-36.1
\$35,000- 49,999	630	87,330	112	17.6	13.5-21.7	80	12.6	09.5-15.7	169	27.6	22.9-32.3	60	10.1	06.8-13.4	209	32.1	27.4-36.8
\$50,000- 74,999	754	102,765	115	12.0	09.1-14.9	93	14.2	10.7-17.7	230	31.9	27.4-36.4	79	10.7	07.6-13.8	237	31.2	26.9-35.5
\$75,000+	1396	191,817	239	16.3	13.8-18.8	165	12.1	09.9-14.3	459	34.2	30.9-37.5	122	7.9	06.1-09.7	411	29.6	26.5-32.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

**TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1940	327,842	376	17.0	14.8-19.2	266	14.3	12.1-16.5	599	31.9	29.2-34.6	168	9.1	07.3-10.9	531	27.6	25.1-30.1
White/Non-Hisp	1518	220,921	311	17.7	15.3-20.1	192	13.3	11.1-15.5	457	31.1	28.2-34.0	137	9.1	07.3-10.9	421	28.8	25.9-31.7
Black or Afr. Am./Non-Hisp	237	61,842	30	12.1	07.0-17.2	49	19.4	13.1-25.7	82	35.1	27.5-42.7	15	8.1	03.4-12.8	61	25.4	18.9-31.9
Oth. Race/Non-Hisp.	67	15,398	11	17.5	05.0-30.0	9	9.5	01.3-17.7	21	33.7	16.8-50.6	6	5.0	00.0-10.3	20	34.4	18.5-50.3
Hispanic	63	24,090	15	24.3	10.8-37.8	10	14.4	02.8-26.0	19	29.1	14.8-43.4	4	12.5	00.7-24.3	15	19.7	07.7-31.7
18-24	153	45,301	14	8.0	03.1-12.9	34	24.4	15.8-33.0	57	37.0	27.8-46.2	15	11.2	04.3-18.1	33	19.3	12.6-26.0
25-34	204	56,230	28	16.9	10.0-23.8	40	18.1	11.6-24.6	70	32.3	24.5-40.1	20	8.7	04.0-13.4	46	24.0	16.7-31.3
35-44	246	52,772	40	17.8	11.1-24.5	32	10.0	06.1-13.9	89	35.7	28.4-43.0	16	7.0	03.5-10.5	69	29.5	22.6-36.4
45-54	333	60,701	48	15.6	10.3-20.9	44	14.0	09.3-18.7	120	34.3	27.6-41.0	33	10.4	06.1-14.7	88	25.7	19.8-31.6
55-64	380	51,367	75	15.7	11.4-20.0	38	9.0	05.5-12.5	113	30.8	24.1-37.5	35	9.9	05.6-14.2	119	34.6	28.1-41.1
65+	611	60,138	166	25.4	21.1-29.7	78	12.3	09.0-15.6	147	23.5	19.4-27.6	48	7.5	05.0-10.0	172	31.3	26.2-36.4
Less Than H.S.	163	55,179	25	16.5	08.9-24.1	30	20.5	12.3-28.7	37	25.4	16.6-34.2	20	14.0	06.9-21.1	51	23.7	16.1-31.3
H.S. or G.E.D.	556	98,570	104	16.2	12.3-20.1	75	11.9	08.6-15.2	151	30.8	25.7-35.9	56	10.9	07.6-14.2	170	30.3	25.4-35.2
Some Post-H.S.	487	89,794	100	17.9	13.6-22.2	66	13.4	09.9-16.9	151	35.0	29.5-40.5	40	6.4	04.0-08.8	130	27.3	22.2-32.4
College Graduate	733	84,179	146	17.5	14.2-20.8	95	14.2	11.1-17.3	260	34.4	30.1-38.7	52	6.5	04.3-08.7	180	27.4	23.3-31.5
Less than \$15,000	210	38,585	34	17.8	09.6-26.0	29	14.4	07.1-21.7	65	31.2	22.8-39.6	19	8.3	03.4-13.2	63	28.4	20.2-36.6
\$15,000- 24,999	162	29,118	27	12.0	06.7-17.3	33	20.7	11.7-29.7	47	34.3	23.3-45.3	13	9.2	02.1-16.3	42	23.9	15.3-32.5
\$25,000- 34,999	162	27,187	30	18.9	10.1-27.7	19	11.2	03.8-18.6	48	28.5	19.1-37.9	14	9.4	03.5-15.3	51	32.0	21.8-42.2
\$35,000- 49,999	238	41,204	52	20.4	13.7-27.1	34	12.9	07.6-18.2	70	27.4	20.1-34.7	22	10.9	05.2-16.6	60	28.3	20.7-35.9
\$50,000- 74,999	304	51,467	55	11.9	07.8-16.0	40	14.1	08.6-19.6	89	31.7	24.6-38.8	37	13.4	07.7-19.1	83	28.8	22.1-35.5
\$75,000+	657	105,131	130	19.2	15.1-23.3	85	12.3	09.4-15.2	227	35.8	30.9-40.7	50	6.7	04.3-09.1	165	26.0	21.7-30.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3074	361,168	530	15.7	13.9-17.5	366	13.9	12.1-15.7	847	27.7	25.5-29.9	282	8.9	07.5-10.3	1049	33.8	31.4-36.2
White/Non-Hisp	2385	242,021	382	14.1	12.3-15.9	254	11.7	09.9-13.5	634	26.3	23.9-28.7	237	9.5	07.9-11.1	878	38.4	35.9-40.9
Black or Afr. Am./Non-Hisp	462	74,490	102	20.7	15.8-25.6	77	18.5	13.8-23.2	142	29.2	24.1-34.3	32	7.7	04.6-10.8	109	23.9	19.0-28.8
Oth. Race/Non-Hisp.	71	12,004	14	14.7	05.1-24.3	12	21.5	08.2-34.8	26	38.3	23.4-53.2	4	6.9	00.0-15.1	15	18.6	06.1-31.1
MultiRacial/Non-Hisp.	57	4,690	14	19.4	08.2-30.6	7	17.2	03.5-30.9	16	29.0	14.7-43.3	3	5.9	00.0-12.8	17	28.6	14.5-42.7
Hispanic	86	26,724	16	15.7	06.7-24.7	13	17.8	07.4-28.2	25	29.5	17.7-41.3	6	9.0	00.8-17.2	26	28.0	15.8-40.2
18-24	150	43,604	15	8.5	03.8-13.2	34	22.6	14.8-30.4	45	28.4	20.4-36.4	8	5.3	01.0-09.6	48	35.2	26.0-44.4
25-34	308	55,616	51	14.3	09.8-18.8	39	12.1	07.6-16.6	98	33.5	27.0-40.0	30	9.8	05.7-13.9	90	30.3	23.8-36.8
35-44	385	57,058	57	17.9	12.2-23.6	48	14.5	09.2-19.8	127	30.3	24.4-36.2	38	10.7	06.2-15.2	115	26.6	20.9-32.3
45-54	559	65,805	66	11.1	07.8-14.4	72	14.9	11.0-18.8	155	25.8	21.1-30.5	62	10.6	07.5-13.7	204	37.6	32.5-42.7
55-64	611	60,255	83	14.5	10.8-18.2	64	11.4	08.1-14.7	174	28.2	23.7-32.7	58	9.1	06.2-12.0	232	36.8	31.9-41.7
65+	1027	76,088	250	23.9	20.6-27.2	107	11.6	08.9-14.3	238	21.8	18.9-24.7	85	7.6	05.6-09.6	347	35.2	31.3-39.1
Less Than H.S.	161	36,485	36	21.5	13.5-29.5	23	19.0	10.6-27.4	31	13.5	07.8-19.2	16	11.1	04.2-18.0	55	34.9	25.1-44.7
H.S. or G.E.D.	939	115,974	155	14.6	11.7-17.5	98	12.3	09.4-15.2	243	26.9	23.0-30.8	91	9.1	06.6-11.6	352	37.2	32.9-41.5
Some Post-H.S.	867	114,722	143	14.4	11.5-17.3	115	15.4	12.1-18.7	228	28.2	24.1-32.3	76	8.2	06.0-10.4	305	33.8	29.7-37.9
College Graduate	1101	93,293	195	16.4	13.7-19.1	129	12.4	09.9-14.9	342	33.4	29.7-37.1	99	8.7	06.5-10.9	336	29.1	25.8-32.4
Less than \$15,000	368	40,877	69	16.9	12.0-21.8	49	14.4	09.5-19.3	92	25.3	19.4-31.2	33	7.2	04.3-10.1	125	36.3	29.2-43.4
\$15,000- 24,999	348	45,154	62	18.8	12.5-25.1	49	16.9	10.4-23.4	94	24.2	18.1-30.3	28	11.7	05.6-17.8	115	28.5	21.8-35.2
\$25,000- 34,999	307	34,705	55	17.5	12.0-23.0	38	16.1	09.4-22.8	83	28.1	21.0-35.2	28	9.1	04.2-14.0	103	29.1	22.8-35.4
\$35,000- 49,999	392	46,126	60	15.1	10.2-20.0	46	12.3	08.4-16.2	99	27.7	21.4-34.0	38	9.3	05.6-13.0	149	35.6	29.5-41.7
\$50,000- 74,999	450	51,298	60	12.0	07.9-16.1	53	14.4	09.7-19.1	141	32.0	26.3-37.7	42	7.9	05.2-10.6	154	33.7	28.0-39.4
\$75,000+	739	86,686	109	12.8	09.9-15.7	80	11.7	08.6-14.8	232	32.2	27.9-36.5	72	9.4	06.9-11.9	246	33.9	29.4-38.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

**TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5029	690,362	2190	41.1	39.1-43.1	1082	21.8	20.2-23.4	1563	32.8	31.0-34.6	48	1.2	00.8-01.6	146	3.1	02.5-03.7
Male	1945	328,451	704	35.6	32.7-38.5	461	22.7	20.2-25.2	693	36.7	33.8-39.6	18	1.2	00.4-02.0	69	3.7	02.5-04.9
Female	3084	361,911	1486	46.1	43.7-48.5	621	21.0	19.0-23.0	870	29.2	27.0-31.4	30	1.2	00.6-01.8	77	2.5	01.7-03.3
White/Non-Hisp	3910	463,386	1731	41.6	39.6-43.6	817	21.1	19.3-22.9	1212	33.0	31.0-35.0	41	1.3	00.9-01.7	109	2.9	02.3-03.5
Black or Afr. Am./Non-Hisp	705	137,100	281	37.6	33.1-42.1	169	23.4	19.5-27.3	225	33.7	29.2-38.2	6	1.6	00.0-03.2	24	3.7	01.9-05.5
Oth. Race/Non-Hisp.	140	27,530	62	45.2	33.8-56.6	34	24.1	13.5-34.7	40	28.3	17.9-38.7	1	0.5	00.0-01.7	3	1.9	00.0-04.8
MultiRacial/Non-Hisp.	101	8,820	44	47.7	36.1-59.3	22	16.2	08.6-23.8	32	35.1	23.9-46.3	3	1.0	00.0-02.2	3	1.0	00.0-02.2
Hispanic	149	50,814	61	42.5	32.3-52.7	35	23.7	15.1-32.3	46	29.6	20.2-39.0				7	4.3	00.6-08.0
18-24	303	88,629	120	37.5	31.0-44.0	70	23.1	17.2-29.0	105	37.0	30.5-43.5	2	0.5	00.0-01.1	6	1.9	00.3-03.5
25-34	516	112,518	202	38.6	33.3-43.9	135	25.4	20.7-30.1	159	30.4	25.5-35.3	6	1.8	00.0-03.6	14	3.7	01.5-05.9
35-44	631	109,843	263	43.6	38.5-48.7	132	19.3	15.4-23.2	214	32.4	27.7-37.1	5	0.9	00.1-01.7	17	3.8	01.6-06.0
45-54	893	126,734	375	39.9	35.8-44.0	182	20.5	17.2-23.8	300	35.4	31.3-39.5	11	2.1	00.5-03.7	25	2.1	01.1-03.1
55-64	999	112,596	403	38.5	34.6-42.4	224	22.5	19.0-26.0	336	35.2	31.1-39.3	5	0.3	00.0-00.7	31	3.5	02.1-04.9
65+	1642	136,033	799	46.1	43.0-49.2	331	20.9	18.2-23.6	442	28.4	25.5-31.3	18	1.1	00.5-01.7	52	3.5	02.3-04.7
Less Than H.S.	322	91,223	128	39.1	32.0-46.2	88	27.9	21.6-34.2	90	28.5	21.8-35.2	3	1.9	00.0-04.3	13	2.6	00.8-04.4
H.S. or G.E.D.	1506	215,311	598	38.0	34.7-41.3	337	21.2	18.3-24.1	474	33.9	30.6-37.2	23	1.4	00.6-02.2	74	5.5	03.9-07.1
Some Post-H.S.	1354	205,118	578	39.7	36.4-43.0	277	21.0	18.3-23.7	458	36.2	32.9-39.5	12	1.1	00.3-01.9	29	2.0	01.0-03.0
College Graduate	1840	177,897	882	47.5	44.6-50.4	377	20.3	17.9-22.7	541	29.9	27.2-32.6	10	0.6	00.2-01.0	30	1.8	01.0-02.6
Less than \$15,000	580	78,754	218	38.9	33.0-44.8	137	25.2	19.9-30.5	191	31.0	25.7-36.3	10	1.3	00.3-02.3	24	3.5	01.7-05.3
\$15,000- 24,999	511	74,602	201	34.5	28.6-40.4	116	21.8	16.5-27.1	167	36.8	30.5-43.1	4	1.4	00.0-03.4	23	5.4	02.7-08.1
\$25,000- 34,999	472	62,146	196	41.3	35.0-47.6	91	19.5	14.2-24.8	162	35.5	29.2-41.8	8	1.7	00.3-03.1	15	2.0	00.8-03.2
\$35,000- 49,999	635	87,909	261	39.5	34.4-44.6	144	22.3	18.0-26.6	204	33.6	28.7-38.5	6	1.1	00.1-02.1	20	3.5	01.7-05.3
\$50,000- 74,999	756	102,869	339	40.9	36.2-45.6	166	21.2	17.3-25.1	219	31.5	27.0-36.0	5	1.2	00.2-02.2	27	5.2	02.7-07.7
\$75,000+	1401	192,964	650	45.0	41.5-48.5	285	19.8	17.1-22.5	437	32.7	29.4-36.0	10	1.1	00.1-02.1	19	1.3	00.5-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

**TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1945	328,451	704	35.6	32.7-38.5	461	22.7	20.2-25.2	693	36.7	33.8-39.6	18	1.2	00.4-02.0	69	3.7	02.5-04.9
White/Non-Hisp	1523	221,452	566	36.5	33.4-39.6	351	22.3	19.6-25.0	544	37.0	33.9-40.1	15	1.0	00.4-01.6	47	3.2	02.0-04.4
Black or Afr. Am./Non-Hisp	236	61,818	73	29.4	22.5-36.3	61	24.3	17.6-31.0	88	39.1	31.3-46.9	2	2.5	00.0-06.0	12	4.6	01.7-07.5
Oth. Race/Non-Hisp.	68	15,500	26	40.5	24.4-56.6	20	27.2	11.3-43.1	18	27.9	12.8-43.0	1	1.0	00.0-03.0	3	3.4	00.0-08.7
Hispanic	63	24,090	21	39.7	23.6-55.8	16	21.2	09.0-33.4	21	31.9	17.0-46.8				5	7.2	00.0-14.5
18-24	153	45,025	54	36.5	27.3-45.7	35	21.2	13.2-29.2	59	39.3	29.9-48.7	1	0.5	00.0-01.5	4	2.4	00.0-04.9
25-34	204	56,230	67	35.7	27.5-43.9	55	25.4	18.0-32.8	69	30.9	23.3-38.5	3	2.1	00.0-05.0	10	5.8	01.9-09.7
35-44	246	52,660	89	37.4	30.0-44.8	58	21.1	15.0-27.2	89	36.0	28.6-43.4	1	0.5	00.0-01.5	9	5.0	01.7-08.3
45-54	334	60,904	108	33.5	27.0-40.0	70	19.9	14.8-25.0	141	42.2	35.3-49.1	5	2.5	00.0-05.2	10	2.0	00.6-03.4
55-64	386	52,273	118	29.8	23.9-35.7	109	27.6	21.7-33.5	143	39.2	32.3-46.1	3	0.4	00.0-01.0	13	3.0	01.0-05.0
65+	609	60,026	260	39.8	34.9-44.7	132	21.7	17.4-26.0	189	33.5	28.4-38.6	5	0.8	00.0-01.6	23	4.2	02.0-06.4
Less Than H.S.	163	55,331	56	33.5	24.1-42.9	48	28.5	19.9-37.1	50	32.7	23.3-42.1	2	2.8	00.0-06.7	7	2.4	00.0-04.8
H.S. or G.E.D.	560	98,604	197	34.5	29.4-39.6	119	20.5	16.0-25.0	200	36.5	31.4-41.6	10	1.7	00.5-02.9	34	6.8	04.3-09.3
Some Post-H.S.	488	90,185	176	35.7	30.2-41.2	113	20.6	16.3-24.9	183	40.6	35.1-46.1	4	0.5	00.0-01.1	12	2.5	00.5-04.5
College Graduate	733	84,212	274	38.0	33.7-42.3	181	23.9	20.2-27.6	260	35.5	31.0-40.0	2	0.2	00.0-00.4	16	2.4	00.8-04.0
Less than \$15,000	212	38,262	76	41.2	31.6-50.8	50	24.5	16.3-32.7	76	30.5	22.3-38.7	1	0.1	00.0-00.3	9	3.7	01.0-06.4
\$15,000- 24,999	162	29,396	47	21.8	14.2-29.4	37	21.0	12.4-29.6	62	45.4	34.4-56.4	3	3.1	00.0-08.2	13	8.7	02.8-14.6
\$25,000- 34,999	162	27,195	57	37.6	27.2-48.0	35	21.8	12.2-31.4	62	37.2	26.6-47.8	2	1.5	00.0-03.7	6	2.0	00.0-04.0
\$35,000- 49,999	240	41,445	88	36.3	28.3-44.3	53	20.6	13.9-27.3	86	37.0	29.0-45.0	3	0.7	00.0-01.5	10	5.4	01.9-08.9
\$50,000- 74,999	305	51,589	110	33.2	26.3-40.1	79	23.8	17.5-30.1	96	34.2	26.9-41.5	3	1.5	00.0-03.1	17	7.3	03.2-11.4
\$75,000+	661	105,984	257	39.8	34.9-44.7	151	21.0	17.3-24.7	240	37.0	32.3-41.7	6	1.4	00.0-03.0	7	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

**TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3084	361,911	1486	46.1	43.7-48.5	621	21.0	19.0-23.0	870	29.2	27.0-31.4	30	1.2	0.6-01.8	77	2.5	01.7-03.3
White/Non-Hisp	2387	241,933	1165	46.3	43.8-48.8	466	20.1	17.9-22.3	668	29.4	26.9-31.9	26	1.5	00.7-02.3	62	2.7	01.9-03.5
Black or Afr. Am./Non-Hisp	469	75,281	208	44.4	38.7-50.1	108	22.6	17.9-27.3	137	29.3	24.2-34.4	4	0.9	00.1-01.7	12	2.9	00.5-05.3
Oth. Race/Non-Hisp.	72	12,030	36	51.1	35.6-66.6	14	20.1	07.6-32.6	22	28.8	15.1-42.5						
MultiRacial/Non-Hisp.	57	4,690	29	52.2	36.5-67.9	11	14.1	05.1-23.1	16	33.3	17.6-49.0				1	0.4	00.0-01.2
Hispanic	86	26,724	40	44.9	31.8-58.0	19	25.9	13.7-38.1	25	27.5	15.9-39.1				2	1.8	00.0-04.3
18-24	150	43,604	66	38.6	29.8-47.4	35	25.1	16.5-33.7	46	34.6	25.6-43.6	1	0.4	00.0-01.2	2	1.3	00.0-03.1
25-34	312	56,287	135	41.5	34.6-48.4	80	25.4	19.5-31.3	90	29.9	23.8-36.0	3	1.5	00.0-03.3	4	1.6	00.0-03.2
35-44	385	57,182	174	49.3	42.6-56.0	74	17.7	12.8-22.6	125	29.0	23.1-34.9	4	1.3	00.0-02.7	8	2.7	00.0-05.4
45-54	559	65,830	267	45.9	40.6-51.2	112	21.1	16.6-25.6	159	29.2	24.3-34.1	6	1.7	00.3-03.1	15	2.2	00.8-03.6
55-64	613	60,323	285	46.0	40.9-51.1	115	18.1	14.4-21.8	193	31.7	27.0-36.4	2	0.2	00.0-00.6	18	3.9	01.7-06.1
65+	1033	76,007	539	51.0	47.1-54.9	199	20.2	16.7-23.7	253	24.4	21.3-27.5	13	1.3	00.3-02.3	29	3.0	01.6-04.4
Less Than H.S.	159	35,892	72	47.7	37.5-57.9	40	27.0	17.8-36.2	40	21.9	14.1-29.7	1	0.5	00.0-01.5	6	2.9	00.2-05.6
H.S. or G.E.D.	946	116,707	401	40.9	36.6-45.2	218	21.7	18.0-25.4	274	31.7	27.6-35.8	13	1.1	00.3-01.9	40	4.5	02.5-06.5
Some Post-H.S.	866	114,933	402	42.8	38.5-47.1	164	21.4	17.9-24.9	275	32.7	28.6-36.8	8	1.6	00.4-02.8	17	1.5	00.5-02.5
College Graduate	1107	93,685	608	56.0	52.3-59.7	196	17.0	14.3-19.7	281	24.8	21.7-27.9	8	1.0	00.2-01.8	14	1.2	00.4-02.0
Less than \$15,000	368	40,492	142	36.7	30.0-43.4	87	26.0	19.5-32.5	115	31.5	25.2-37.8	9	2.5	00.5-04.5	15	3.3	01.3-05.3
\$15,000- 24,999	349	45,206	154	42.7	34.9-50.5	79	22.4	15.7-29.1	105	31.3	24.2-38.4	1	0.4	00.0-01.2	10	3.2	00.8-05.6
\$25,000- 34,999	310	34,951	139	44.2	36.6-51.8	56	17.8	12.1-23.5	100	34.3	26.9-41.7	6	1.8	00.0-03.8	9	2.0	00.2-03.8
\$35,000- 49,999	395	46,464	173	42.3	35.8-48.8	91	23.9	18.4-29.4	118	30.5	24.4-36.6	3	1.5	00.0-03.3	10	1.7	00.5-02.9
\$50,000- 74,999	451	51,281	229	48.6	42.5-54.7	87	18.6	14.1-23.1	123	28.8	23.5-34.1	2	0.9	00.0-02.1	10	3.2	00.1-06.3
\$75,000+	740	86,980	393	51.3	46.6-56.0	134	18.3	14.6-22.0	197	27.5	23.2-31.8	4	0.7	00.0-01.5	12	2.2	00.8-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5017	689,166	166	3.9	03.1-04.7	1087	21.5	19.9-23.1	2496	48.3	46.3-50.3	322	7.0	06.0-08.0	946	19.3	17.7-20.9
Male	1936	327,021	58	3.7	02.3-05.1	397	20.1	17.6-22.6	1027	51.4	48.5-54.3	116	7.0	05.2-08.8	338	17.9	15.7-20.1
Female	3081	362,145	108	4.1	03.1-05.1	690	22.9	20.7-25.1	1469	45.4	43.0-47.8	206	7.0	05.6-08.4	608	20.6	18.6-22.6
White/Non-Hisp	3899	461,834	110	2.8	02.0-03.6	878	21.6	19.8-23.4	1972	50.8	48.6-53.0	237	6.5	05.5-07.5	702	18.3	16.7-19.9
Black or Afr. Am./Non-Hisp	707	137,664	22	2.3	00.9-03.7	105	16.8	12.9-20.7	338	43.8	39.1-48.5	60	8.8	06.1-11.5	182	28.3	24.0-32.6
Oth. Race/Non-Hisp.	138	27,414	11	10.3	03.4-17.2	35	28.2	18.0-38.4	63	39.4	28.2-50.6	7	8.2	00.0-17.4	22	14.0	06.6-21.4
MultiRacial/Non-Hisp.	101	8,820	5	8.6	01.2-16.0	19	16.4	08.2-24.6	44	44.0	32.4-55.6	9	9.8	03.1-16.5	24	21.2	11.6-30.8
Hispanic	149	50,814	16	13.7	06.1-21.3	44	31.5	21.7-41.3	66	41.6	31.6-51.6	8	5.7	00.4-11.0	15	7.5	02.8-12.2
18-24	303	88,939	9	4.2	01.1-07.3	58	21.9	16.0-27.8	120	38.5	32.0-45.0	30	11.4	06.5-16.3	86	23.9	18.6-29.2
25-34	515	112,140	18	4.6	01.7-07.5	128	24.1	19.4-28.8	230	42.6	37.3-47.9	38	7.5	04.8-10.2	101	21.2	16.7-25.7
35-44	630	108,963	26	5.5	03.1-07.9	135	21.4	16.9-25.9	322	50.4	45.3-55.5	45	6.8	04.3-09.3	102	15.9	12.4-19.4
45-54	893	126,718	30	4.0	02.2-05.8	204	20.3	17.0-23.6	437	50.0	45.7-54.3	67	7.9	05.4-10.4	155	17.8	14.5-21.1
55-64	1000	112,638	31	2.6	01.4-03.8	215	21.1	17.8-24.4	515	53.1	49.0-57.2	59	5.4	03.6-07.2	180	17.7	14.6-20.8
65+	1629	135,694	49	2.8	01.6-04.0	337	20.6	17.9-23.3	852	52.2	49.1-55.3	78	4.3	03.1-05.5	313	20.1	17.4-22.8
Less Than H.S.	320	90,514	14	5.7	01.6-09.8	64	23.6	17.1-30.1	145	40.2	33.3-47.1	23	8.5	04.2-12.8	74	22.0	16.3-27.7
H.S. or G.E.D.	1504	214,970	46	3.8	02.4-05.2	294	19.1	16.4-21.8	713	46.9	43.6-50.2	116	8.5	06.3-10.7	335	21.7	19.0-24.4
Some Post-H.S.	1354	205,382	38	2.5	01.5-03.5	280	21.6	18.7-24.5	678	50.3	46.8-53.8	95	6.3	04.7-07.9	263	19.3	16.6-22.0
College Graduate	1833	177,566	67	4.5	02.9-06.1	449	23.5	21.1-25.9	958	51.8	48.9-54.7	87	5.2	03.6-06.8	272	14.9	12.7-17.1
Less than \$15,000	577	78,085	19	4.1	01.0-07.2	114	20.6	15.7-25.5	283	46.2	40.3-52.1	28	3.9	01.9-05.9	133	25.2	19.9-30.5
\$15,000- 24,999	512	74,543	21	4.8	02.1-07.5	81	18.1	12.8-23.4	232	45.2	38.7-51.7	41	8.2	04.5-11.9	137	23.7	18.6-28.8
\$25,000- 34,999	472	62,094	19	7.4	02.5-12.3	102	20.2	14.9-25.5	224	44.7	38.4-51.0	40	11.3	07.0-15.6	87	16.3	12.0-20.6
\$35,000- 49,999	631	87,606	13	3.1	00.9-05.3	146	22.0	17.7-26.3	319	49.4	44.1-54.7	37	5.4	03.2-07.6	116	20.1	15.8-24.4
\$50,000- 74,999	753	102,727	25	2.3	01.3-03.3	161	21.7	17.6-25.8	401	52.5	47.6-57.4	51	7.6	04.7-10.5	115	15.8	12.3-19.3
\$75,000+	1401	193,072	44	3.8	02.4-05.2	332	21.7	19.0-24.4	740	52.3	48.8-55.8	73	6.4	04.4-08.4	212	15.8	13.4-18.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1936	327,021	58	3.7	02.3-05.1	397	20.1	17.6-22.6	1027	51.4	48.5-54.3	116	7.0	05.2-08.8	338	17.9	15.7-20.1
White/Non-Hisp	1512	219,726	36	2.4	01.4-03.4	321	20.6	17.9-23.3	817	54.0	50.7-57.3	87	6.3	04.7-07.9	251	16.7	14.3-19.1
Black or Afr. Am./Non-Hisp	239	62,216	5	0.9	00.0-01.9	34	16.2	09.9-22.5	121	48.3	40.5-56.1	16	7.6	03.1-12.1	63	26.9	20.0-33.8
Oth. Race/Non-Hisp.	67	15,398	7	10.6	01.4-19.8	15	24.0	10.3-37.7	33	39.6	23.7-55.5	4	13.1	00.0-28.8	8	12.6	02.2-23.0
Hispanic	63	24,090	6	16.2	02.7-29.7	17	23.9	10.6-37.2	28	42.2	26.7-57.7	4	6.8	00.0-15.8	8	10.9	02.1-19.7
18-24	153	45,141	4	4.8	00.0-10.1	21	16.1	08.7-23.5	66	41.9	32.7-51.1	22	16.4	08.2-24.6	40	20.8	13.9-27.7
25-34	203	55,852	7	6.0	00.7-11.3	49	24.8	17.2-32.4	92	42.0	33.8-50.2	17	7.2	02.9-11.5	38	20.1	13.2-27.0
35-44	245	51,941	11	5.9	02.0-09.8	48	19.9	13.4-26.4	145	57.9	50.3-65.5	11	3.8	01.4-06.2	30	12.5	07.8-17.2
45-54	335	61,109	8	1.9	00.3-03.5	67	17.9	13.0-22.8	188	56.0	49.1-62.9	23	8.3	04.2-12.4	49	15.9	10.8-21.0
55-64	385	52,136	8	1.4	00.2-02.6	83	21.2	15.7-26.7	208	56.0	49.3-62.7	23	4.9	02.5-07.3	63	16.5	11.6-21.4
65+	602	59,509	20	2.7	01.3-04.1	126	19.8	15.7-23.9	320	52.6	47.5-57.7	20	3.1	01.5-04.7	116	21.8	17.3-26.3
Less Than H.S.	161	54,607	10	7.0	00.7-13.3	33	24.7	15.9-33.5	79	41.9	32.3-51.5	15	10.7	04.2-17.2	24	15.8	08.9-22.7
H.S. or G.E.D.	559	98,660	19	3.5	01.5-05.5	113	18.1	14.0-22.2	272	49.7	44.4-55.0	42	8.8	05.5-12.1	113	19.9	15.8-24.0
Some Post-H.S.	485	89,543	8	1.3	00.1-02.5	97	19.4	15.1-23.7	264	55.5	49.8-61.2	27	4.4	02.2-06.6	89	19.4	14.9-23.9
College Graduate	730	84,092	21	4.2	01.8-06.6	154	20.1	16.6-23.6	412	55.2	50.7-59.7	31	5.1	02.6-07.6	112	15.4	12.1-18.7
Less than \$15,000	208	37,614	12	6.5	00.4-12.6	41	20.5	12.5-28.5	101	44.3	34.9-53.7	5	2.2	00.0-04.6	49	26.5	18.1-34.9
\$15,000- 24,999	160	28,856	5	2.1	00.0-04.3	25	13.8	06.7-20.9	79	54.4	43.6-65.2	14	7.9	02.4-13.4	37	21.8	13.4-30.2
\$25,000- 34,999	163	27,181	8	11.1	01.1-21.1	34	19.9	10.7-29.1	92	51.0	40.0-62.0	10	8.2	02.7-13.7	19	9.8	04.3-15.3
\$35,000- 49,999	239	41,309	2	0.5	00.0-01.5	51	21.4	14.5-28.3	128	51.8	43.6-60.0	14	5.6	02.1-09.1	44	20.6	13.7-27.5
\$50,000- 74,999	304	51,457	6	1.2	00.2-02.2	66	22.0	15.5-28.5	163	51.8	44.2-59.4	22	9.2	04.1-14.3	47	15.8	10.1-21.5
\$75,000+	661	106,079	19	3.6	01.4-05.8	137	19.5	15.6-23.4	373	56.4	51.5-61.3	33	6.2	03.3-09.1	99	14.4	11.3-17.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3081	362,145	108	4.1	03.1-05.1	690	22.9	20.7-25.1	1469	45.4	43.0-47.8	206	7.0	05.6-08.4	608	20.6	18.6-22.6
White/Non-Hisp	2387	242,107	74	3.1	02.1-04.1	557	22.5	20.3-24.7	1155	47.9	45.2-50.6	150	6.8	05.4-08.2	451	19.7	17.5-21.9
Black or Afr. Am./Non-Hisp	468	75,448	17	3.4	01.2-05.6	71	17.3	12.6-22.0	217	40.1	34.6-45.6	44	9.7	06.4-13.0	119	29.5	24.0-35.0
Oth. Race/Non-Hisp.	71	12,015	4	9.8	00.0-20.0	20	33.6	18.7-48.5	30	39.1	24.2-54.0	3	1.8	00.0-04.3	14	15.7	05.3-26.1
MultiRacial/Non-Hisp.	57	4,690	1	4.4	00.0-12.8	10	14.7	04.5-24.9	26	47.5	31.8-63.2	4	7.0	00.0-14.3	16	26.4	11.9-40.9
Hispanic	86	26,724	10	11.4	04.0-18.8	27	38.3	25.0-51.6	38	41.1	28.2-54.0	4	4.8	00.0-10.7	7	4.4	00.7-08.1
18-24	150	43,798	5	3.6	00.5-06.7	37	27.9	19.1-36.7	54	35.0	26.2-43.8	8	6.3	01.2-11.4	46	27.1	19.5-34.7
25-34	312	56,287	11	3.2	00.8-05.6	79	23.5	17.8-29.2	138	43.2	36.5-49.9	21	7.9	04.4-11.4	63	22.2	16.3-28.1
35-44	385	57,021	15	5.0	02.1-07.9	87	22.8	16.7-28.9	177	43.5	36.8-50.2	34	9.6	05.5-13.7	72	19.1	14.0-24.2
45-54	558	65,609	22	5.9	02.8-09.0	137	22.5	18.2-26.8	249	44.4	39.1-49.7	44	7.6	04.9-10.3	106	19.6	15.3-23.9
55-64	615	60,503	23	3.8	02.0-05.6	132	21.0	16.9-25.1	307	50.5	45.4-55.6	36	5.9	03.5-08.3	117	18.8	14.7-22.9
65+	1027	76,184	29	3.0	01.2-04.8	211	21.1	17.6-24.6	532	51.8	47.9-55.7	58	5.3	03.7-06.9	197	18.7	15.6-21.8
Less Than H.S.	159	35,907	4	3.7	00.0-07.8	31	22.1	13.1-31.1	66	37.5	27.7-47.3	8	5.2	00.7-09.7	50	31.5	22.1-40.9
H.S. or G.E.D.	945	116,310	27	4.1	02.1-06.1	181	19.9	16.2-23.6	441	44.5	40.2-48.8	74	8.3	05.6-11.0	222	23.2	19.7-26.7
Some Post-H.S.	869	115,838	30	3.5	01.9-05.1	183	23.2	19.3-27.1	414	46.3	42.0-50.6	68	7.8	05.6-10.0	174	19.2	15.9-22.5
College Graduate	1103	93,474	46	4.8	02.8-06.8	295	26.6	23.3-29.9	546	48.8	45.1-52.5	56	5.3	03.5-07.1	160	14.5	11.8-17.2
Less than \$15,000	369	40,471	7	1.9	00.0-03.9	73	20.7	15.2-26.2	182	47.9	41.0-54.8	23	5.6	02.7-08.5	84	23.9	17.6-30.2
\$15,000- 24,999	352	45,688	16	6.5	02.2-10.8	56	20.8	13.7-27.9	153	39.4	32.0-46.8	27	8.4	03.5-13.3	100	24.9	18.6-31.2
\$25,000- 34,999	309	34,913	11	4.6	01.1-08.1	68	20.5	14.4-26.6	132	39.8	32.4-47.2	30	13.7	07.4-20.0	68	21.4	15.3-27.5
\$35,000- 49,999	392	46,297	11	5.3	01.4-09.2	95	22.5	17.0-28.0	191	47.2	40.7-53.7	23	5.3	02.8-07.8	72	19.7	14.4-25.0
\$50,000- 74,999	449	51,270	19	3.4	01.4-05.4	95	21.4	16.1-26.7	238	53.3	47.2-59.4	29	6.1	03.4-08.8	68	15.7	11.4-20.0
\$75,000+	740	86,993	25	4.0	02.0-06.0	195	24.5	20.6-28.4	367	47.4	42.7-52.1	40	6.6	04.1-09.1	113	17.5	13.8-21.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5040	692,101	1013	19.0	17.4-20.6	1620	31.3	29.5-33.1	2131	44.1	42.1-46.1	77	1.6	01.0-02.2	199	4.1	03.3-04.9
Male	1951	329,147	287	14.8	12.6-17.0	614	29.4	26.7-32.1	914	48.9	46.0-51.8	41	2.1	01.1-03.1	95	4.8	03.4-06.2
Female	3089	362,954	726	22.7	20.7-24.7	1006	33.0	30.6-35.4	1217	39.6	37.2-42.0	36	1.2	00.6-01.8	104	3.4	02.4-04.4
White/Non-Hisp	3921	464,734	755	17.8	16.2-19.4	1256	30.6	28.6-32.6	1694	46.2	44.0-48.4	62	1.7	01.1-02.3	154	3.7	02.9-04.5
Black or Afr. Am./Non-Hisp	704	137,421	160	20.9	17.2-24.6	226	32.2	27.7-36.7	295	43.4	38.7-48.1	6	0.6	00.0-01.2	17	2.9	01.1-04.7
Oth. Race/Non-Hisp.	140	27,530	27	17.7	09.7-25.7	50	32.9	22.3-43.5	48	37.4	26.0-48.8	3	4.7	00.0-12.1	12	7.2	01.7-12.7
MultiRacial/Non-Hisp.	102	8,890	33	35.7	24.5-46.9	26	23.8	14.4-33.2	37	34.4	23.4-45.4	2	1.1	00.0-03.1	4	5.0	00.0-10.9
Hispanic	149	50,814	32	22.5	13.7-31.3	57	36.6	26.6-46.6	44	30.3	21.1-39.5	4	1.8	00.0-04.0	12	8.7	02.4-15.0
18-24	305	89,510	57	16.6	11.9-21.3	95	31.3	25.0-37.6	132	44.9	38.2-51.6	4	2.3	00.0-05.0	17	4.9	02.4-07.4
25-34	513	112,031	85	17.0	12.7-21.3	196	35.1	29.8-40.4	207	41.9	36.6-47.2	8	1.4	00.2-02.6	17	4.6	01.9-07.3
35-44	634	110,098	130	20.6	16.5-24.7	200	30.1	25.4-34.8	278	44.2	39.1-49.3	6	0.9	00.1-01.7	20	4.1	01.6-06.6
45-54	895	126,669	174	19.9	16.4-23.4	296	30.9	27.0-34.8	376	43.9	39.6-48.2	14	2.4	00.8-04.0	35	3.0	01.8-04.2
55-64	1003	112,892	205	19.1	16.2-22.0	301	29.1	25.4-32.8	448	47.7	43.6-51.8	16	0.9	00.5-01.3	33	3.2	01.6-04.8
65+	1644	136,861	354	20.1	17.7-22.5	510	30.4	27.5-33.3	675	42.8	39.7-45.9	29	1.7	00.9-02.5	76	4.9	03.3-06.5
Less Than H.S.	323	91,297	44	13.0	08.3-17.7	101	33.0	26.1-39.9	128	42.1	35.0-49.2	14	2.6	00.8-04.4	36	9.3	05.2-13.4
H.S. or G.E.D.	1507	215,440	260	17.0	14.5-19.5	491	30.9	27.8-34.0	647	44.5	41.2-47.8	30	2.7	01.3-04.1	79	4.9	03.5-06.3
Some Post-H.S.	1362	206,410	292	21.1	18.2-24.0	431	30.0	26.9-33.1	583	45.3	41.8-48.8	10	0.6	00.2-01.0	46	3.1	01.9-04.3
College Graduate	1841	178,142	415	22.0	19.6-24.4	593	32.2	29.5-34.9	772	43.2	40.3-46.1	23	1.0	00.6-01.4	38	1.6	00.8-02.4
Less than \$15,000	581	79,013	110	19.5	14.6-24.4	176	29.9	24.4-35.4	257	43.0	37.3-48.7	6	1.8	00.2-03.4	32	5.8	02.9-08.7
\$15,000- 24,999	513	74,940	100	18.0	13.3-22.7	145	25.7	20.0-31.4	215	46.6	40.1-53.1	10	2.5	00.3-04.7	43	7.2	04.3-10.1
\$25,000- 34,999	470	62,078	90	20.1	15.2-25.0	144	32.0	25.7-38.3	203	41.6	35.3-47.9	10	1.8	00.2-03.4	23	4.5	01.0-08.0
\$35,000- 49,999	636	88,000	124	18.4	14.3-22.5	198	29.3	24.8-33.8	278	46.2	40.9-51.5	11	1.8	00.6-03.0	25	4.2	01.8-06.6
\$50,000- 74,999	757	102,825	144	17.1	13.6-20.6	259	33.2	28.7-37.7	321	45.3	40.4-50.2	11	1.2	00.2-02.2	22	3.1	01.5-04.7
\$75,000+	1402	193,077	295	19.7	17.0-22.4	446	30.4	27.3-33.5	620	47.0	43.5-50.5	16	0.9	00.3-01.5	25	1.9	00.9-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1951	329,147	287	14.8	12.6-17.0	614	29.4	26.7-32.1	914	48.9	46.0-51.8	41	2.1	01.1-03.1	95	4.8	03.4-06.2
White/Non-Hisp	1526	221,523	218	14.3	12.1-16.5	479	28.9	26.0-31.8	720	50.2	47.1-53.3	33	2.2	01.2-03.2	76	4.4	03.2-05.6
Black or Afr. Am./Non-Hisp	238	62,374	36	14.0	08.9-19.1	69	29.5	22.2-36.8	126	54.0	46.2-61.8	3	0.5	00.0-01.3	4	1.9	00.0-04.1
Oth. Race/Non-Hisp.	68	15,500	10	9.7	01.5-17.9	25	32.2	17.5-46.9	24	41.0	24.3-57.7	3	8.4	00.0-21.3	6	8.7	00.1-17.3
Hispanic	63	24,090	14	23.5	09.8-37.2	22	32.2	17.3-47.1	19	30.0	15.9-44.1	1	1.3	00.0-03.8	7	13.0	01.2-24.8
18-24	154	45,388	26	17.8	10.4-25.2	34	20.8	13.2-28.4	80	52.4	42.8-62.0	3	3.7	00.0-08.6	11	5.3	02.0-08.6
25-34	203	56,079	25	13.0	07.1-18.9	75	36.3	27.9-44.7	91	43.6	35.2-52.0	4	1.2	00.0-02.6	8	5.9	01.0-10.8
35-44	247	52,796	37	16.2	10.5-21.9	80	28.8	21.9-35.7	121	49.6	42.0-57.2	1	0.4	00.0-01.2	8	5.0	00.9-09.1
45-54	335	60,941	48	14.9	10.0-19.8	108	29.1	23.0-35.2	159	50.5	43.6-57.4	8	3.4	00.7-06.1	12	2.1	00.5-03.7
55-64	387	52,317	52	12.9	08.8-17.0	118	28.7	22.8-34.6	192	53.4	46.7-60.1	9	1.1	00.3-01.9	16	3.9	01.2-06.6
65+	612	60,294	99	15.1	11.8-18.4	192	30.1	25.4-34.8	265	45.4	40.3-50.5	16	2.7	01.1-04.3	40	6.7	04.2-09.2
Less Than H.S.	163	55,220	13	8.5	03.0-14.0	54	35.4	25.8-45.0	71	44.1	34.3-53.9	9	3.7	00.8-06.6	16	8.4	02.7-14.1
H.S. or G.E.D.	562	99,089	83	15.7	11.8-19.6	172	26.7	22.2-31.2	251	48.4	43.1-53.7	19	3.8	01.3-06.3	37	5.4	03.2-07.6
Some Post-H.S.	490	90,250	74	16.1	11.6-20.6	151	27.6	22.7-32.5	236	51.5	45.8-57.2	4	0.3	00.0-00.7	25	4.5	02.3-06.7
College Graduate	735	84,469	117	16.7	13.4-20.0	236	30.5	26.4-34.6	356	49.9	45.4-54.4	9	0.9	00.1-01.7	17	2.0	00.8-03.2
Less than \$15,000	211	38,369	33	17.2	09.6-24.8	61	29.7	20.9-38.5	98	43.1	33.7-52.5	3	2.7	00.0-05.8	16	7.3	01.8-12.8
\$15,000- 24,999	163	29,436	24	9.5	05.0-14.0	37	20.7	11.9-29.5	80	57.8	47.2-68.4	6	4.0	00.0-08.3	16	8.0	02.7-13.3
\$25,000- 34,999	164	27,281	27	17.8	10.2-25.4	44	27.9	17.3-38.5	79	44.8	34.2-55.4	3	2.2	00.0-04.7	11	7.3	00.0-15.1
\$35,000- 49,999	240	41,445	32	13.6	08.1-19.1	78	28.3	21.2-35.4	112	50.1	41.9-58.3	6	2.2	00.0-04.4	12	5.7	01.4-10.0
\$50,000- 74,999	306	51,638	41	13.9	08.8-19.0	105	31.5	24.6-38.4	142	49.1	41.7-56.5	7	1.9	00.1-03.7	11	3.6	01.1-06.1
\$75,000+	661	105,959	96	14.7	11.0-18.4	219	30.2	25.7-34.7	321	52.1	47.2-57.0	8	0.7	00.1-01.3	17	2.3	00.9-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3089	362,954	726	22.7	20.7-24.7	1006	33.0	30.6-35.4	1217	39.6	37.2-42.0	36	1.2	00.6-01.8	104	3.4	02.4-04.4
White/Non-Hisp	2395	243,211	537	20.9	18.7-23.1	777	32.1	29.6-34.6	974	42.6	39.9-45.3	29	1.2	00.6-01.8	78	3.1	02.1-04.1
Black or Afr. Am./Non-Hisp	466	75,048	124	26.7	21.6-31.8	157	34.4	28.7-40.1	169	34.6	29.3-39.9	3	0.6	00.0-01.6	13	3.7	01.2-06.2
Oth. Race/Non-Hisp.	72	12,030	17	28.0	14.1-41.9	25	33.9	19.4-48.4	24	32.8	18.1-47.5				6	5.3	00.0-11.0
MultiRacial/Non-Hisp.	57	4,690	25	44.1	28.4-59.8	9	14.1	04.1-24.1	20	34.8	19.7-49.9	1	1.8	00.0-05.3	2	5.2	00.0-14.2
Hispanic	86	26,724	18	21.6	10.2-33.0	35	40.6	27.5-53.7	25	30.5	18.5-42.5	3	2.4	00.0-05.9	5	4.9	00.4-09.4
18-24	151	44,122	31	15.5	09.6-21.4	61	42.2	33.0-51.4	52	37.1	28.1-46.1	1	0.8	00.0-02.4	6	4.4	00.7-08.1
25-34	310	55,953	60	20.9	14.8-27.0	121	33.9	27.6-40.2	116	40.1	33.4-46.8	4	1.7	00.0-03.7	9	3.3	00.9-05.7
35-44	387	57,302	93	24.7	19.0-30.4	120	31.4	25.1-37.7	157	39.3	32.8-45.8	5	1.3	00.0-02.7	12	3.3	00.6-06.0
45-54	560	65,728	126	24.5	19.6-29.4	188	32.5	27.6-37.4	217	37.8	32.5-43.1	6	1.4	00.2-02.6	23	3.8	01.8-05.8
55-64	616	60,575	153	24.4	20.3-28.5	183	29.5	25.0-34.0	256	42.8	37.7-47.9	7	0.7	00.1-01.3	17	2.6	01.0-04.2
65+	1032	76,567	255	24.1	20.8-27.4	318	30.6	26.9-34.3	410	40.7	36.8-44.6	13	1.0	00.4-01.6	36	3.5	01.7-05.3
Less Than H.S.	160	36,077	31	19.9	11.5-28.3	47	29.5	20.1-38.9	57	39.0	29.0-49.0	5	1.0	00.0-02.0	20	10.7	04.6-16.8
H.S. or G.E.D.	945	116,351	177	18.2	14.9-21.5	319	34.5	30.2-38.8	396	41.2	36.9-45.5	11	1.7	00.5-02.9	42	4.4	02.6-06.2
Some Post-H.S.	872	116,160	218	24.9	21.2-28.6	280	31.8	27.9-35.7	347	40.5	36.2-44.8	6	0.8	00.0-01.6	21	1.9	00.9-02.9
College Graduate	1106	93,673	298	26.8	23.5-30.1	357	33.7	30.2-37.2	416	37.1	33.4-40.8	14	1.1	00.5-01.7	21	1.3	00.5-02.1
Less than \$15,000	370	40,644	77	21.7	15.8-27.6	115	30.0	23.7-36.3	159	42.9	36.0-49.8	3	0.9	00.0-01.9	16	4.5	02.0-07.0
\$15,000- 24,999	350	45,504	76	23.4	16.5-30.3	108	29.0	21.7-36.3	135	39.3	31.9-46.7	4	1.5	00.0-03.7	27	6.7	03.2-10.2
\$25,000- 34,999	306	34,797	63	21.9	15.6-28.2	100	35.2	27.8-42.6	124	39.0	31.6-46.4	7	1.5	00.0-03.3	12	2.3	00.5-04.1
\$35,000- 49,999	396	46,555	92	22.7	16.8-28.6	120	30.2	24.3-36.1	166	42.6	36.1-49.1	5	1.5	00.1-02.9	13	2.9	00.9-04.9
\$50,000- 74,999	451	51,187	103	20.4	15.9-24.9	154	35.0	29.1-40.9	179	41.4	35.3-47.5	4	0.5	00.0-01.1	11	2.7	00.7-04.7
\$75,000+	741	87,117	199	25.9	21.8-30.0	227	30.7	26.4-35.0	299	40.9	36.2-45.6	8	1.0	00.2-01.8	8	1.5	00.1-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5032	690,747	247	4.8	04.0-05.6	1456	26.6	25.0-28.2	2562	50.1	48.1-52.1	200	5.3	04.3-06.3	567	13.2	11.8-14.6
Male	1945	328,121	66	3.9	02.5-05.3	496	22.6	20.2-25.0	1033	52.7	49.8-55.6	95	6.5	04.7-08.3	255	14.2	12.0-16.4
Female	3087	362,626	181	5.5	04.3-06.7	960	30.3	28.1-32.5	1529	47.6	45.2-50.0	105	4.2	03.2-05.2	312	12.3	10.5-14.1
White/Non-Hisp	3917	464,045	188	4.2	03.4-05.0	1163	27.5	25.7-29.3	2014	51.6	49.4-53.8	134	4.1	03.3-04.9	418	12.5	11.1-13.9
Black or Afr. Am./Non-Hisp	701	136,770	33	3.9	02.3-05.5	175	24.0	19.9-28.1	358	48.3	43.6-53.0	44	8.3	05.4-11.2	91	15.4	11.9-18.9
Oth. Race/Non-Hisp.	139	27,516	6	7.9	00.8-15.0	39	19.9	11.9-27.9	67	49.5	37.9-61.1	10	10.9	01.9-19.9	17	11.8	04.7-18.9
MultiRacial/Non-Hisp.	102	8,890	7	6.7	01.0-12.4	27	25.6	15.6-35.6	48	46.8	35.2-58.4	4	5.0	00.0-10.9	16	15.8	07.0-24.6
Hispanic	149	50,814	12	10.2	03.7-16.7	47	29.8	20.4-39.2	60	40.3	30.1-50.5	7	5.6	01.1-10.1	23	14.1	07.0-21.2
18-24	304	89,423	9	2.7	00.3-05.1	70	23.1	17.4-28.8	136	44.8	38.1-51.5	29	11.3	06.8-15.8	60	18.0	13.3-22.7
25-34	516	112,518	18	4.2	01.7-06.7	158	27.3	22.6-32.0	249	48.9	43.4-54.4	25	5.5	02.8-08.2	66	14.2	10.3-18.1
35-44	630	109,140	33	6.5	03.8-09.2	176	28.7	24.0-33.4	316	46.7	41.6-51.8	30	4.6	02.6-06.6	75	13.5	10.0-17.0
45-54	893	126,442	38	3.6	02.0-05.2	222	23.2	19.7-26.7	467	52.6	48.3-56.9	40	5.9	03.5-08.3	126	14.6	11.7-17.5
55-64	1000	112,489	57	5.5	03.7-07.3	282	25.7	22.4-29.0	528	56.0	51.9-60.1	32	3.2	01.8-04.6	101	9.7	07.3-12.1
65+	1643	136,696	89	5.7	04.1-07.3	523	29.6	26.9-32.3	851	50.6	47.5-53.7	43	3.1	01.7-04.5	137	11.0	08.6-13.4
Less Than H.S.	323	91,307	18	5.0	01.9-08.1	83	25.4	19.1-31.7	144	44.0	36.7-51.3	18	7.1	03.2-11.0	60	18.5	13.0-24.0
H.S. or G.E.D.	1511	215,733	61	4.2	02.8-05.6	412	24.9	22.0-27.8	735	46.9	43.6-50.2	82	7.3	05.3-09.3	221	16.8	14.3-19.3
Some Post-H.S.	1361	206,077	73	4.8	03.2-06.4	381	25.7	22.8-28.6	719	54.3	50.8-57.8	47	4.3	02.9-05.7	141	10.8	08.6-13.0
College Graduate	1830	176,817	94	5.3	03.9-06.7	576	30.4	27.9-32.9	962	52.0	49.1-54.9	53	3.2	02.0-04.4	145	9.0	07.2-10.8
Less than \$15,000	582	79,237	22	4.1	01.7-06.5	159	24.1	19.4-28.8	294	50.2	44.3-56.1	25	5.2	02.7-07.7	82	16.4	12.1-20.7
\$15,000- 24,999	515	75,146	24	2.6	01.2-04.0	134	22.3	17.0-27.6	256	51.6	45.3-57.9	24	6.0	02.9-09.1	77	17.5	12.8-22.2
\$25,000- 34,999	472	62,148	25	5.0	02.3-07.7	126	29.7	23.4-36.0	242	47.3	41.0-53.6	19	4.6	01.9-07.3	60	13.4	08.5-18.3
\$35,000- 49,999	635	87,958	20	2.8	01.2-04.4	174	24.4	20.1-28.7	342	52.2	46.9-57.5	30	7.3	04.2-10.4	69	13.3	09.6-17.0
\$50,000- 74,999	756	102,928	36	3.9	02.3-05.5	218	28.4	24.1-32.7	403	53.8	49.1-58.5	26	4.1	02.1-06.1	73	9.9	07.2-12.6
\$75,000+	1396	191,826	71	6.3	04.1-08.5	417	26.5	23.6-29.4	731	52.6	49.1-56.1	49	4.4	02.8-06.0	128	10.2	08.0-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1945	328,121	66	3.9	02.5-05.3	496	22.6	20.2-25.0	1033	52.7	49.8-55.6	95	6.5	04.7-08.3	255	14.2	12.0-16.4
White/Non-Hisp	1523	221,044	50	3.5	02.1-04.9	403	23.4	20.9-25.9	816	54.3	51.2-57.4	65	5.0	03.4-06.6	189	13.8	11.6-16.0
Black or Afr. Am./Non-Hisp	235	61,827	5	1.4	00.0-02.8	55	23.4	16.7-30.1	121	49.5	41.7-57.3	17	10.7	05.2-16.2	37	15.1	09.6-20.6
Oth. Race/Non-Hisp.	68	15,500	4	10.7	00.0-22.3	13	13.3	04.1-22.5	36	50.9	34.2-67.6	6	11.1	00.0-24.4	9	14.0	03.2-24.8
Hispanic	63	24,090	5	9.4	00.0-19.2	13	20.0	07.3-32.7	28	47.3	31.2-63.4	4	6.3	00.0-13.4	13	17.0	05.4-28.6
18-24	153	45,301	5	3.0	00.0-06.7	20	11.6	06.1-17.1	75	52.0	42.4-61.6	19	15.6	08.0-23.2	34	17.7	11.4-24.0
25-34	204	56,230	6	4.2	00.0-08.5	59	27.3	19.7-34.9	101	47.3	38.9-55.7	9	5.6	01.3-09.9	29	15.6	09.1-22.1
35-44	245	52,318	13	7.5	02.8-12.2	64	25.0	18.1-31.9	129	50.3	42.7-57.9	9	3.7	01.2-06.2	30	13.5	08.6-18.4
45-54	333	60,628	8	2.4	00.2-04.6	73	19.3	14.4-24.2	185	57.2	50.5-63.9	20	7.5	03.6-11.4	47	13.5	09.0-18.0
55-64	386	52,016	12	2.8	00.8-04.8	97	22.8	17.5-28.1	215	59.6	53.1-66.1	18	4.6	02.1-07.1	44	10.1	06.2-14.0
65+	611	60,296	22	3.8	01.8-05.8	177	26.8	22.5-31.1	322	50.5	45.4-55.6	19	3.4	01.4-05.4	71	15.5	11.0-20.0
Less Than H.S.	164	55,371	8	5.2	00.9-09.5	39	23.5	15.3-31.7	71	41.7	31.9-51.5	15	11.0	04.7-17.3	31	18.6	11.2-26.0
H.S. or G.E.D.	560	98,724	16	3.1	00.9-05.3	148	21.6	17.5-25.7	264	49.0	43.7-54.3	38	9.1	05.6-12.6	94	17.3	13.6-21.0
Some Post-H.S.	488	89,927	17	3.8	01.1-06.5	115	20.3	16.0-24.6	284	60.7	55.2-66.2	18	4.4	02.0-06.8	54	10.9	07.6-14.2
College Graduate	732	83,980	25	4.3	02.3-06.3	193	25.5	21.6-29.4	414	56.1	51.6-60.6	24	2.8	01.6-04.0	76	11.3	08.4-14.2
Less than \$15,000	211	38,566	9	5.1	00.6-09.6	51	20.9	13.6-28.2	101	48.8	39.2-58.4	11	6.4	01.9-10.9	39	18.8	11.7-25.9
\$15,000- 24,999	163	29,436	4	1.3	00.0-02.9	32	18.6	10.0-27.2	92	57.3	46.5-68.1	7	6.3	00.2-12.4	28	16.5	09.1-23.9
\$25,000- 34,999	163	27,235	4	3.2	00.0-06.5	40	29.4	18.8-40.0	90	47.3	36.7-57.9	6	4.4	00.3-08.5	23	15.8	06.4-25.2
\$35,000- 49,999	240	41,445	4	0.8	00.0-01.8	60	20.9	14.6-27.2	123	49.7	41.5-57.9	19	11.5	05.4-17.6	34	17.1	10.6-23.6
\$50,000- 74,999	306	51,638	8	2.5	00.5-04.5	82	25.2	18.7-31.7	167	56.3	48.9-63.7	12	4.3	01.6-07.0	37	11.7	07.2-16.2
\$75,000+	658	105,292	25	6.0	02.7-09.3	170	21.5	17.8-25.2	368	56.7	51.8-61.6	28	5.3	02.8-07.8	67	10.5	07.6-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3087	362,626	181	5.5	04.3-06.7	960	30.3	28.1-32.5	1529	47.6	45.2-50.0	105	4.2	03.2-05.2	312	12.3	10.5-14.1
White/Non-Hisp	2394	243,000	138	4.8	03.8-05.8	760	31.3	28.8-33.8	1198	49.2	46.5-51.9	69	3.2	02.2-04.2	229	11.4	09.6-13.2
Black or Afr. Am./Non-Hisp	466	74,943	28	6.0	03.3-08.7	120	24.6	19.5-29.7	237	47.3	41.6-53.0	27	6.4	03.7-09.1	54	15.7	11.0-20.4
Oth. Race/Non-Hisp.	71	12,015	2	4.4	00.0-10.9	26	28.5	15.4-41.6	31	47.6	32.1-63.1	4	10.5	00.0-21.7	8	8.9	00.5-17.3
MultiRacial/Non-Hisp.	57	4,690	5	6.2	00.3-12.1	15	24.9	11.6-38.2	26	48.0	32.3-63.7	2	4.3	00.0-10.4	9	16.6	03.7-29.5
Hispanic	86	26,724	7	10.8	02.4-19.2	34	38.7	25.6-51.8	32	33.9	21.6-46.2	3	5.0	00.0-10.7	10	11.5	03.3-19.7
18-24	151	44,122	4	2.4	00.0-05.1	50	35.0	25.8-44.2	61	37.5	28.7-46.3	10	6.9	02.4-11.4	26	18.3	11.2-25.4
25-34	312	56,287	12	4.1	01.2-07.0	99	27.3	21.6-33.0	148	50.4	43.5-57.3	16	5.4	02.3-08.5	37	12.7	08.0-17.4
35-44	385	56,822	20	5.6	02.7-08.5	112	32.1	25.6-38.6	187	43.5	37.0-50.0	21	5.3	02.6-08.0	45	13.5	08.4-18.6
45-54	560	65,814	30	4.7	02.5-06.9	149	26.8	22.1-31.5	282	48.3	43.0-53.6	20	4.5	02.1-06.9	79	15.7	11.6-19.8
55-64	614	60,473	45	7.7	05.0-10.4	185	28.1	23.6-32.6	313	52.9	47.8-58.0	14	1.9	00.7-03.1	57	9.3	06.4-12.2
65+	1032	76,400	67	7.2	04.7-09.7	346	31.8	28.3-35.3	529	50.7	46.8-54.6	24	2.9	01.1-04.7	66	7.4	05.2-09.6
Less Than H.S.	159	35,936	10	4.6	00.9-08.3	44	28.4	18.8-38.0	73	47.6	37.4-57.8	3	1.0	00.0-02.2	29	18.3	10.5-26.1
H.S. or G.E.D.	951	117,009	45	5.1	03.1-07.1	264	27.7	23.6-31.8	471	45.1	40.8-49.4	44	5.7	03.5-07.9	127	16.4	12.9-19.9
Some Post-H.S.	873	116,149	56	5.6	03.6-07.6	266	29.9	26.0-33.8	435	49.5	45.2-53.8	29	4.3	02.3-06.3	87	10.8	08.1-13.5
College Graduate	1098	92,837	69	6.2	04.4-08.0	383	34.8	31.3-38.3	548	48.4	44.7-52.1	29	3.7	01.9-05.5	69	6.9	04.9-08.9
Less than \$15,000	371	40,671	13	3.1	00.9-05.3	108	27.2	21.3-33.1	193	51.4	44.5-58.3	14	4.1	01.4-06.8	43	14.1	09.0-19.2
\$15,000- 24,999	352	45,710	20	3.5	01.7-05.3	102	24.6	17.9-31.3	164	48.0	40.2-55.8	17	5.8	02.5-09.1	49	18.2	12.1-24.3
\$25,000- 34,999	309	34,913	21	6.4	02.3-10.5	86	29.9	22.6-37.2	152	47.3	39.7-54.9	13	4.8	01.3-08.3	37	11.6	07.1-16.1
\$35,000- 49,999	395	46,513	16	4.6	01.7-07.5	114	27.5	21.8-33.2	219	54.4	47.9-60.9	11	3.5	01.1-05.9	35	9.9	05.8-14.0
\$50,000- 74,999	450	51,290	28	5.4	02.9-07.9	136	31.6	25.7-37.5	236	51.2	45.1-57.3	14	3.9	01.4-06.4	36	8.0	04.9-11.1
\$75,000+	738	86,534	46	6.5	04.1-08.9	247	32.7	28.4-37.0	363	47.6	42.9-52.3	21	3.3	01.5-05.1	61	9.9	06.6-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5060	694,160	1788	32.3	30.5-34.1	1263	25.4	23.6-27.2	1899	40.0	38.0-42.0	32	0.8	00.4-01.2	78	1.5	01.1-01.9
Male	1957	329,829	599	28.6	25.9-31.3	484	24.1	21.6-26.6	827	44.6	41.7-47.5	13	0.8	00.2-01.4	34	1.9	01.1-02.7
Female	3103	364,331	1189	35.7	33.3-38.1	779	26.6	24.4-28.8	1072	35.9	33.5-38.3	19	0.8	00.4-01.2	44	1.1	00.7-01.5
White/Non-Hisp	3934	465,555	1455	34.6	32.6-36.6	956	24.0	22.2-25.8	1455	39.6	37.6-41.6	17	0.7	00.3-01.1	51	1.2	00.8-01.6
Black or Afr. Am./Non-Hisp	709	138,115	191	24.5	20.6-28.4	187	26.7	22.4-31.0	299	44.5	39.8-49.2	14	1.6	00.6-02.6	18	2.7	01.1-04.3
Oth. Race/Non-Hisp.	140	27,530	51	35.0	24.4-45.6	34	22.2	12.8-31.6	53	42.3	30.5-54.1				2	0.4	00.0-01.2
MultiRacial/Non-Hisp.	102	8,890	36	38.0	26.6-49.4	27	21.3	12.5-30.1	35	38.3	26.9-49.7	1	1.0	00.0-03.0	3	1.4	00.0-03.2
Hispanic	150	51,322	45	30.0	20.6-39.4	53	38.0	27.8-48.2	49	30.4	21.4-39.4				3	1.6	00.0-03.8
18-24	305	89,510	82	24.6	19.1-30.1	88	28.2	22.1-34.3	120	42.9	36.2-49.6	5	1.3	00.0-02.9	10	2.9	00.9-04.9
25-34	517	113,026	166	30.2	25.3-35.1	155	31.2	25.9-36.5	189	37.2	32.1-42.3	2	0.3	00.0-00.7	5	1.1	00.0-02.3
35-44	633	109,749	211	31.9	27.2-36.6	159	25.7	21.2-30.2	248	39.9	35.0-44.8	5	1.2	00.0-02.4	10	1.3	00.1-02.5
45-54	895	126,898	305	33.1	29.0-37.2	209	22.4	18.9-25.9	365	42.4	38.1-46.7	4	0.7	00.0-01.5	12	1.4	00.4-02.4
55-64	1003	112,824	361	34.4	30.7-38.1	245	23.3	20.0-26.6	381	41.0	36.9-45.1	7	0.7	00.0-01.5	9	0.6	00.0-01.2
65+	1660	138,079	642	36.6	33.7-39.5	396	23.1	20.4-25.8	583	38.0	34.9-41.1	8	0.5	00.1-00.9	31	1.8	00.8-02.8
Less Than H.S.	325	91,856	100	27.1	20.8-33.4	85	29.2	22.5-35.9	123	39.3	32.2-46.4	7	1.7	00.0-03.5	10	2.7	00.7-04.7
H.S. or G.E.D.	1517	216,624	482	30.1	27.2-33.0	414	25.7	22.8-28.6	575	40.9	37.6-44.2	16	1.3	00.5-02.1	30	2.0	01.0-03.0
Some Post-H.S.	1365	206,539	482	33.3	30.2-36.4	319	24.3	21.2-27.4	541	41.1	37.8-44.4	5	0.2	00.0-00.4	18	1.1	00.3-01.9
College Graduate	1846	178,328	720	36.4	33.7-39.1	442	24.4	21.9-26.9	660	38.2	35.3-41.1	4	0.3	00.0-00.7	20	0.7	00.3-01.1
Less than \$15,000	586	79,754	177	28.3	23.2-33.4	165	30.7	25.2-36.2	228	37.9	32.2-43.6	3	0.4	00.0-00.8	13	2.7	00.7-04.7
\$15,000- 24,999	517	75,755	144	25.2	20.1-30.3	130	23.3	17.6-29.0	217	46.0	39.7-52.3	7	1.8	00.0-03.8	19	3.8	01.6-06.0
\$25,000- 34,999	475	62,260	167	32.4	26.5-38.3	122	29.2	22.9-35.5	175	36.5	30.4-42.6	3	1.1	00.0-02.7	8	0.7	00.1-01.3
\$35,000- 49,999	637	88,065	223	33.8	28.9-38.7	151	22.7	18.4-27.0	249	41.3	36.2-46.4	3	0.4	00.0-01.0	11	1.7	00.3-03.1
\$50,000- 74,999	757	102,953	298	36.8	32.3-41.3	178	23.8	19.7-27.9	271	38.2	33.5-42.9	5	1.0	00.0-02.0	5	0.2	00.0-00.4
\$75,000+	1404	192,962	513	32.4	29.3-35.5	331	23.1	20.2-26.0	551	43.6	40.1-47.1	3	0.2	00.0-00.4	6	0.7	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1957	329,829	599	28.6	25.9-31.3	484	24.1	21.6-26.6	827	44.6	41.7-47.5	13	0.8	00.2-01.4	34	1.9	01.1-02.7
White/Non-Hisp	1530	221,592	487	30.4	27.5-33.3	381	24.5	21.8-27.2	634	43.1	40.0-46.2	7	0.6	00.0-01.2	21	1.4	00.6-02.2
Black or Afr. Am./Non-Hisp	239	62,478	53	20.3	14.4-26.2	52	21.5	14.8-28.2	118	52.4	44.6-60.2	6	1.9	00.1-03.7	10	3.9	01.0-06.8
Oth. Race/Non-Hisp.	68	15,500	23	30.9	16.8-45.0	16	18.9	06.4-31.4	29	50.2	33.5-66.9						
Hispanic	64	24,598	19	30.4	15.5-45.3	20	31.7	17.0-46.4	23	34.8	20.1-49.5				2	3.1	00.0-07.6
18-24	154	45,388	35	22.8	15.0-30.6	38	21.2	13.9-28.5	69	48.9	39.3-58.5	4	2.1	00.0-05.0	8	5.0	01.3-08.7
25-34	205	56,738	54	26.4	18.8-34.0	62	32.3	23.9-40.7	86	39.5	31.5-47.5				3	1.8	00.0-04.0
35-44	246	52,447	68	29.4	22.3-36.5	67	24.2	17.5-30.9	109	44.8	37.2-52.4				2	1.6	00.0-04.0
45-54	336	61,102	88	27.5	21.4-33.6	78	20.6	15.3-25.9	163	49.4	42.5-56.3	3	1.4	00.0-03.0	4	1.1	00.0-02.5
55-64	387	52,249	122	29.8	23.9-35.7	92	22.0	16.7-27.3	165	46.2	39.3-53.1	2	0.8	00.0-02.4	6	1.0	00.0-02.2
65+	616	60,573	226	34.3	29.6-39.0	145	23.5	19.0-28.0	230	39.8	34.7-44.9	4	0.6	00.0-01.4	11	1.7	00.1-03.3
Less Than H.S.	164	55,371	44	24.3	15.9-32.7	41	28.3	19.3-37.3	70	41.6	31.8-51.4	3	2.2	00.0-04.9	6	3.6	00.5-06.7
H.S. or G.E.D.	566	99,580	159	25.9	21.4-30.4	160	24.9	20.4-29.4	226	45.4	40.1-50.7	9	1.4	00.2-02.6	12	2.4	00.8-04.0
Some Post-H.S.	490	90,250	159	31.8	26.5-37.1	101	20.4	15.9-24.9	220	46.1	40.4-51.8	1	0.0	00.0-00.0	9	1.7	00.1-03.3
College Graduate	736	84,508	236	31.2	27.1-35.3	182	24.2	20.3-28.1	311	44.0	39.5-48.5				7	0.5	00.0-01.1
Less than \$15,000	213	38,639	57	26.6	18.0-35.2	62	30.4	21.6-39.2	86	38.7	29.5-47.9	1	0.3	00.0-00.9	7	3.9	00.4-07.4
\$15,000- 24,999	164	29,945	39	19.7	12.1-27.3	33	17.4	09.0-25.8	82	55.4	44.8-66.0	2	2.6	00.0-06.9	8	4.9	00.6-09.2
\$25,000- 34,999	165	27,309	45	26.7	16.9-36.5	44	30.7	19.9-41.5	73	40.7	30.5-50.9	1	1.5	00.0-04.2	2	0.4	00.0-01.0
\$35,000- 49,999	240	41,445	74	28.9	21.5-36.3	57	20.7	14.2-27.2	101	47.4	39.2-55.6	3	0.9	00.0-02.1	5	2.1	00.0-04.3
\$50,000- 74,999	306	51,638	117	35.8	28.7-42.9	76	23.6	17.1-30.1	108	39.1	31.7-46.5	2	1.1	00.0-02.7	3	0.3	00.0-00.7
\$75,000+	662	105,810	200	27.9	23.4-32.4	156	22.8	18.7-26.9	301	48.0	43.1-52.9	1	0.2	00.0-00.6	4	1.1	00.0-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3103	364,331	1189	35.7	33.3-38.1	779	26.6	24.4-28.8	1072	35.9	33.5-38.3	19	0.8	00.4-01.2	44	1.1	00.7-01.5
White/Non-Hisp	2404	243,963	968	38.4	35.9-40.9	575	23.5	21.3-25.7	821	36.4	33.9-38.9	10	0.7	00.1-01.3	30	1.0	00.6-01.4
Black or Afr. Am./Non-Hisp	470	75,637	138	28.0	22.9-33.1	135	30.9	25.4-36.4	181	38.0	32.5-43.5	8	1.3	00.3-02.3	8	1.7	00.3-03.1
Oth. Race/Non-Hisp.	72	12,030	28	40.4	25.3-55.5	18	26.5	12.6-40.4	24	32.1	18.0-46.2	2	1.0	00.0-02.6	2	1.0	00.0-02.6
MultiRacial/Non-Hisp.	57	4,690	24	39.8	24.7-54.9	13	21.9	08.8-35.0	17	34.7	19.0-50.4	1	1.8	00.0-05.3	2	1.8	00.0-04.7
Hispanic	86	26,724	26	29.7	18.1-41.3	33	43.8	30.3-57.3	26	26.3	15.5-37.1	1	0.3	00.0-00.9	1	0.3	00.0-00.9
18-24	151	44,122	47	26.5	18.7-34.3	50	35.3	26.1-44.5	51	36.8	27.8-45.8	1	0.5	00.0-01.5	2	0.8	00.0-02.2
25-34	312	56,287	112	34.1	27.6-40.6	93	30.0	23.5-36.5	103	34.7	28.2-41.2	2	0.6	00.0-01.6	2	0.5	00.0-01.1
35-44	387	57,302	143	34.2	27.9-40.5	92	27.1	20.6-33.6	139	35.3	29.0-41.6	5	2.3	00.1-04.5	8	1.1	00.3-01.9
45-54	559	65,796	217	38.3	33.0-43.6	131	24.1	19.6-28.6	202	35.9	30.8-41.0	1	0.1	00.0-00.3	8	1.6	00.2-03.0
55-64	616	60,575	239	38.3	33.4-43.2	153	24.5	20.2-28.8	216	36.4	31.5-41.3	5	0.6	00.0-01.2	3	0.3	00.0-00.7
65+	1044	77,506	416	38.5	34.6-42.4	251	22.7	19.4-26.0	353	36.6	32.9-40.3	4	0.4	00.0-00.8	20	1.9	00.7-03.1
Less Than H.S.	161	36,485	56	31.5	22.3-40.7	44	30.6	20.8-40.4	53	35.6	26.0-45.2	4	1.0	00.0-02.2	4	1.2	00.0-02.4
H.S. or G.E.D.	951	117,044	323	33.6	29.5-37.7	254	26.4	22.3-30.5	349	37.2	32.9-41.5	7	1.2	00.0-02.4	18	1.6	00.6-02.6
Some Post-H.S.	875	116,289	323	34.5	30.6-38.4	218	27.3	23.2-31.4	321	37.2	33.1-41.3	4	0.4	00.0-00.8	9	0.7	00.1-01.3
College Graduate	1110	93,820	484	41.0	37.3-44.7	260	24.6	21.5-27.7	349	33.0	29.5-36.5	4	0.6	00.0-01.2	13	0.8	00.2-01.4
Less than \$15,000	373	41,115	120	29.8	23.7-35.9	103	31.0	24.1-37.9	142	37.2	30.5-43.9	2	0.5	00.0-01.3	6	1.5	00.0-03.1
\$15,000- 24,999	353	45,810	105	28.8	21.9-35.7	97	27.1	19.8-34.4	135	39.8	32.4-47.2	5	1.3	00.0-02.7	11	3.0	00.8-05.2
\$25,000- 34,999	310	34,951	122	36.8	29.5-44.1	78	28.0	20.7-35.3	102	33.3	26.0-40.6	2	0.9	00.0-02.5	6	1.0	00.0-02.0
\$35,000- 49,999	397	46,620	149	38.2	31.9-44.5	94	24.5	18.8-30.2	148	36.0	29.7-42.3	6	1.4	00.0-02.8	6	1.4	00.0-02.8
\$50,000- 74,999	451	51,315	181	37.7	31.6-43.8	102	24.1	18.8-29.4	163	37.2	31.5-42.9	3	0.9	00.0-01.9	2	0.1	00.0-00.3
\$75,000+	742	87,153	313	37.9	33.4-42.4	175	23.4	19.5-27.3	250	38.3	33.6-43.0	2	0.3	00.0-00.7	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 13: ADULT HUMAN PAPILOMA VIRUS (HPV) CONTENTS

*** NOTE * * * * ***
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADV2)	
1 MALES AND FEMALES	71
2 MALES ONLY	72
3 FEMALES ONLY	73
HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)	
4 MALES AND FEMALES	74
5 MALES ONLY	75
6 FEMALES ONLY	76

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 13: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 1: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1828	359,995	239	16.3	13.9-18.7	1589	83.7	81.3-86.1
Male	742	176,592	49	9.1	06.2-12.0	693	90.9	88.0-93.8
Female	1086	183,403	190	23.3	19.8-26.8	896	76.7	73.2-80.2
White/Non-Hisp	1262	213,065	131	13.7	11.2-16.2	1131	86.3	83.8-88.8
Black or Afr. Am./Non-Hisp	333	81,815	69	22.6	17.1-28.1	264	77.4	71.9-82.9
Oth. Race/Non-Hisp.	69	17,581	10	12.9	04.1-21.7	59	87.1	78.3-95.9
MultiRacial/Non-Hisp.	51	5,262	13	31.2	16.3-46.1	38	68.8	53.9-83.7
Hispanic	99	40,475	13	16.2	06.6-25.8	86	83.8	74.2-93.4
18-24	289	84,942	124	43.0	36.1-49.9	165	57.0	50.1-63.9
25-34	493	108,110	74	13.4	09.7-17.1	419	86.6	82.9-90.3
35-44	619	107,727	30	4.9	02.7-07.1	589	95.1	92.9-97.3
45-54	379	55,091	11	4.4	01.5-07.3	368	95.6	92.7-98.5
Less Than H.S.	108	50,724	17	17.4	09.0-25.8	91	82.6	74.2-91.0
H.S. or G.E.D.	462	103,801	78	20.5	15.8-25.2	384	79.5	74.8-84.2
Some Post-H.S.	498	107,452	75	17.7	13.6-21.8	423	82.3	78.2-86.4
College Graduate	760	98,017	69	9.8	07.4-12.2	691	90.2	87.8-92.6
Less than \$15,000	163	37,599	28	19.9	11.3-28.5	135	80.1	71.5-88.7
\$15,000- 24,999	163	39,215	37	24.7	16.5-32.9	126	75.3	67.1-83.5
\$25,000- 34,999	156	32,549	17	11.6	05.5-17.7	139	88.4	82.3-94.5
\$35,000- 49,999	229	44,635	35	18.4	11.9-24.9	194	81.6	75.1-88.1
\$50,000- 74,999	273	51,145	26	10.3	05.8-14.8	247	89.7	85.2-94.2
\$75,000+	639	109,575	55	10.5	07.2-13.8	584	89.5	86.2-92.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 13: ADULT HUMAN PAPILOMA VIRUS (HPV)**

TABLE 2: A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADV2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	742	176,592	49	9.1	06.2-12.0	693	90.9	88.0-93.8
White/Non-Hisp	528	106,286	20	4.5	02.3-06.7	508	95.5	93.3-97.7
Black or Afr. Am./Non-Hisp	109	36,958	20	21.9	12.5-31.3	89	78.1	68.7-87.5
18-24	142	42,443	25	21.0	12.4-29.6	117	79.0	70.4-87.6
25-34	192	53,830	11	7.1	02.2-12.0	181	92.9	88.0-97.8
35-44	238	51,272	8	4.6	01.3-07.9	230	95.4	92.1-98.7
45-54	156	27,664	5	3.4	00.3-06.5	151	96.6	93.5-99.7
Less Than H.S.	65	32,213	10	16.8	05.8-27.8	55	83.2	72.2-94.2
H.S. or G.E.D.	218	53,248	20	11.6	06.1-17.1	198	88.4	82.9-93.9
Some Post-H.S.	186	47,697	11	6.4	02.5-10.3	175	93.6	89.7-97.5
College Graduate	273	43,434	8	3.2	01.0-05.4	265	96.8	94.6-99.0
Less than \$15,000	67	20,208	6	15.5	02.4-28.6	61	84.5	71.4-97.6
\$15,000- 24,999	58	13,894	5	11.6	00.0-23.6	53	88.4	76.4-0100
\$25,000- 34,999	54	14,333	2	6.1	00.0-14.3	52	93.9	85.7-0100
\$35,000- 49,999	81	20,474	10	14.0	04.6-23.4	71	86.0	76.6-95.4
\$50,000- 74,999	111	26,923	7	6.3	01.4-11.2	104	93.7	88.8-98.6
\$75,000+	292	60,656	10	4.6	01.1-08.1	282	95.4	91.9-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 13: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 3: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADV2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1086	183,403	190	23.3	19.8-26.8	896	76.7	73.2-80.2
White/Non-Hisp	734	106,779	111	22.9	18.6-27.2	623	77.1	72.8-81.4
Black or Afr. Am./Non-Hisp	224	44,857	49	23.1	16.6-29.6	175	76.9	70.4-83.4
Hispanic	57	20,340	8	20.7	06.4-35.0	49	79.3	65.0-93.6
18-24	147	42,499	99	65.0	56.0-74.0	48	35.0	26.0-44.0
25-34	301	54,280	63	19.6	14.3-24.9	238	80.4	75.1-85.7
35-44	381	56,455	22	5.2	02.7-07.7	359	94.8	92.3-97.3
45-54	223	27,426	6	5.5	00.6-10.4	217	94.5	89.6-99.4
H.S. or G.E.D.	244	50,553	58	30.0	22.6-37.4	186	70.0	62.6-77.4
Some Post-H.S.	312	59,755	64	26.7	20.2-33.2	248	73.3	66.8-79.8
College Graduate	487	54,584	61	15.0	11.3-18.7	426	85.0	81.3-88.7
Less than \$15,000	96	17,391	22	25.1	14.1-36.1	74	74.9	63.9-85.9
\$15,000- 24,999	105	25,321	32	31.9	21.1-42.7	73	68.1	57.3-78.9
\$25,000- 34,999	102	18,216	15	15.9	07.3-24.5	87	84.1	75.5-92.7
\$35,000- 49,999	148	24,161	25	22.2	13.4-31.0	123	77.8	69.0-86.6
\$50,000- 74,999	162	24,222	19	14.7	07.4-22.0	143	85.3	78.0-92.6
\$75,000+	347	48,919	45	17.8	12.1-23.5	302	82.2	76.5-87.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 13: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

**TABLE 4: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	82	17,755	24	32.2	16.9-47.5	12	14.2	04.2-24.2	46	53.6	38.1-69.1
Female	66	13,201	19	32.4	14.2-50.6	10	13.4	02.4-24.4	37	54.2	36.4-72.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012
MODULE 13: ADULT HUMAN PAPILLOMA VIRUS (HPV)
TABLE 5: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)**
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 13: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 6: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	66	13,201	19	32.4	14.2-50.6	10	13.4	02.4-24.4	37	54.2	36.2-72.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012

MODULE 14: PROSTATE CANCER SCREENING DECISION MAKING MODULE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WHICH OF THE FOLLOWING BEST DESCRIBES THE DECISION TO HAVE THE PSA TEST DONE? (PCPSADEC)	
1	MALES ONLY	78
	WHO MADE THE DECISION WITH YOU? (MARK ALL THAT APPLY) (PCDMDECN)	
2	MALES ONLY	79

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 14: PROSTATE CANCER SCREENING DECISION MAKING MODULE
 TABLE 1: WHICH OF THE FOLLOWING BEST DESCRIBES THE DECISION TO HAVE THE PSA TEST DONE? (PCPSADEC)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 40 years old.
 Denominator excludes: Respondents that have never had a digital rectal exam.**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		You made decision			Your doctor, nurse, health care provider			Your doctor, nurse, health care provider together			Spouse, significant other family		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	981	123,780	186	19.6	16.3-22.9	416	38.5	34.4-42.6	313	36.2	31.9-40.5	66	5.7	03.9-07.5
White/Non-Hisp	827	95,415	152	18.3	15.0-21.6	357	39.7	35.4-44.0	266	36.2	31.9-40.5	52	5.8	03.6-08.0
Black or Afr. Am./Non-Hisp	99	20,823	23	25.2	14.0-36.4	43	37.7	25.4-50.0	28	33.5	20.2-46.8	5	3.5	00.0-07.0
45-54	144	27,072	33	19.5	11.7-27.3	51	30.4	21.2-39.6	55	45.0	34.4-55.6	5	5.1	00.0-10.2
55-64	287	38,376	48	15.2	10.1-20.3	117	39.0	31.6-46.4	101	40.0	32.0-48.0	21	5.8	03.1-08.5
65+	509	48,386	94	19.9	15.4-24.4	236	44.0	38.3-49.7	140	29.0	23.7-34.3	39	7.0	04.3-09.7
Less Than H.S.	66	15,865	14	18.9	07.1-30.7	28	34.6	19.9-49.3	16	38.4	21.7-55.1	8	8.0	01.1-14.9
H.S. or G.E.D.	267	35,836	50	18.4	12.5-24.3	129	41.2	33.6-48.8	72	35.6	27.4-43.8	16	4.8	02.1-07.5
Some Post-H.S.	246	35,751	43	19.9	13.6-26.2	112	41.9	34.1-49.7	76	32.5	25.2-39.8	15	5.7	01.8-09.6
College Graduate	402	36,328	79	20.7	15.4-26.0	147	34.2	28.5-39.9	149	39.5	33.4-45.6	27	5.5	03.0-08.0
Less than \$15,000	99	12,675	24	20.1	11.1-29.1	38	29.6	18.2-41.0	28	41.8	28.5-55.1	9	8.5	02.0-15.0
\$15,000- 24,999	72	10,525	16	15.0	06.2-23.8	36	41.6	24.2-59.0	15	40.8	21.0-60.6	5	2.6	00.0-05.3
\$25,000- 34,999	86	9,363	17	17.1	07.7-26.5	45	48.5	34.4-62.6	19	28.9	14.8-43.0	5	5.4	00.5-10.3
\$35,000- 49,999	125	16,140	18	19.8	09.2-30.4	56	43.1	31.7-54.5	42	26.5	17.7-35.3	9	10.5	01.7-19.3
\$50,000- 74,999	161	18,775	21	17.3	08.7-25.9	69	36.0	26.6-45.4	59	41.0	30.6-51.4	12	5.8	01.9-09.7
\$75,000+	341	44,840	68	20.4	14.7-26.1	128	35.5	28.8-42.2	128	40.3	33.2-47.4	17	3.8	01.6-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 14: PROSTATE CANCER SCREENING DECISION MAKING MODULE
 TABLE 2: WHO MADE THE DECISION WITH YOU? (MARK ALL THAT APPLY) (PCDMDECN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 40 years old.
 Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Multiple responses	
	TOTAL	WEIGHTED		%	C.I. (95%)
Male	312	44,766	312	100.0	0100-0100
White/Non-Hisp	265	34,506	265	100.0	0100-0100
45-54	55	12,176	55	100.0	0100-0100
55-64	101	15,361	101	100.0	0100-0100
65+	139	13,986	139	100.0	0100-0100
H.S. or G.E.D.	72	12,752	72	100.0	0100-0100
Some Post-H.S.	76	11,617	76	100.0	0100-0100
College Graduate	148	14,298	148	100.0	0100-0100
\$50,000- 74,999	59	7,692	59	100.0	0100-0100
\$75,000+	127	18,023	127	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2012**

End of Module Data Report