

DELAWARE

2013 Calculated Variables Report

Behavioral Risk Factor Surveillance System

September 19, 2014



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH) | |
| 1 | MALES AND FEMALES | 3 |
| 2 | MALES ONLY | 4 |
| 3 | FEMALES ONLY | 5 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Good or Better Health | | | Fair or Poor Health | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5200 | 722,792 | 4229 | 82.7 | 81.3-84.1 | 971 | 17.3 | 15.9-18.7 |
| Male | 2083 | 345,589 | 1721 | 83.7 | 81.5-85.9 | 362 | 16.3 | 14.1-18.5 |
| Female | 3117 | 377,204 | 2508 | 81.7 | 79.9-83.5 | 609 | 18.3 | 16.5-20.1 |
| White/Non-Hisp | 3826 | 483,024 | 3161 | 84.2 | 82.6-85.8 | 665 | 15.8 | 14.2-17.4 |
| Black or Afr. Am./Non-Hisp | 772 | 141,057 | 586 | 77.5 | 73.6-81.4 | 186 | 22.5 | 18.6-26.4 |
| Oth. Race/Non-Hisp. | 213 | 31,563 | 187 | 93.3 | 89.8-96.8 | 26 | 6.7 | 03.2-10.2 |
| MultiRacial/Non-Hisp. | 70 | 5,267 | 48 | 69.0 | 55.9-82.1 | 22 | 31.0 | 17.9-44.1 |
| Hispanic | 245 | 53,618 | 190 | 78.4 | 72.1-84.7 | 55 | 21.6 | 15.3-27.9 |
| 18-24 | 281 | 92,222 | 256 | 90.1 | 85.6-94.6 | 25 | 9.9 | 05.4-14.4 |
| 25-34 | 489 | 117,896 | 430 | 86.2 | 82.3-90.1 | 59 | 13.8 | 09.9-17.7 |
| 35-44 | 608 | 110,664 | 539 | 88.3 | 85.2-91.4 | 69 | 11.7 | 08.6-14.8 |
| 45-54 | 887 | 130,642 | 725 | 81.7 | 78.4-85.0 | 162 | 18.3 | 15.0-21.6 |
| 55-64 | 1101 | 120,302 | 877 | 77.8 | 74.5-81.1 | 224 | 22.2 | 18.9-25.5 |
| 65+ | 1780 | 146,240 | 1358 | 76.1 | 73.6-78.6 | 422 | 23.9 | 21.4-26.4 |
| Less Than H.S. | 423 | 98,328 | 227 | 60.1 | 54.0-66.2 | 196 | 39.9 | 33.8-46.0 |
| H.S. or G.E.D. | 1564 | 226,632 | 1205 | 81.2 | 78.8-83.6 | 359 | 18.8 | 16.4-21.2 |
| Some Post-H.S. | 1344 | 211,661 | 1100 | 85.9 | 83.7-88.1 | 244 | 14.1 | 11.9-16.3 |
| College Graduate | 1848 | 184,157 | 1681 | 93.0 | 91.4-94.6 | 167 | 7.0 | 05.4-08.6 |
| Less than \$15,000 | 450 | 62,822 | 286 | 67.3 | 61.0-73.6 | 164 | 32.7 | 26.4-39.0 |
| \$15,000- 24,999 | 737 | 98,689 | 457 | 62.3 | 57.6-67.0 | 280 | 37.7 | 33.0-42.4 |
| \$25,000- 34,999 | 495 | 64,822 | 382 | 78.3 | 73.4-83.2 | 113 | 21.7 | 16.8-26.6 |
| \$35,000- 49,999 | 688 | 95,602 | 598 | 88.3 | 85.6-91.0 | 90 | 11.7 | 09.0-14.4 |
| \$50,000- 74,999 | 686 | 93,980 | 611 | 89.9 | 87.0-92.8 | 75 | 10.1 | 07.2-13.0 |
| \$75,000+ | 1350 | 201,839 | 1258 | 93.0 | 91.0-95.0 | 92 | 7.0 | 05.0-09.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Good or Better Health | | | Fair or Poor Health | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2083 | 345,589 | 1721 | 83.7 | 81.5-85.9 | 362 | 16.3 | 14.1-18.5 |
| White/Non-Hisp | 1529 | 230,791 | 1262 | 83.7 | 81.3-86.1 | 267 | 16.3 | 13.9-18.7 |
| Black or Afr. Am./Non-Hisp | 288 | 64,799 | 235 | 83.0 | 77.3-88.7 | 53 | 17.0 | 11.3-22.7 |
| Oth. Race/Non-Hisp. | 102 | 17,727 | 94 | 97.5 | 95.5-99.5 | 8 | 2.5 | 00.5-04.5 |
| Hispanic | 101 | 24,700 | 81 | 75.8 | 65.8-85.8 | 20 | 24.2 | 14.2-34.2 |
| 18-24 | 137 | 46,561 | 125 | 90.4 | 83.9-96.9 | 12 | 9.6 | 03.1-16.1 |
| 25-34 | 211 | 58,969 | 194 | 87.5 | 81.4-93.6 | 17 | 12.5 | 06.4-18.6 |
| 35-44 | 260 | 53,811 | 228 | 86.8 | 82.1-91.5 | 32 | 13.2 | 08.5-17.9 |
| 45-54 | 365 | 63,184 | 306 | 84.4 | 79.7-89.1 | 59 | 15.6 | 10.9-20.3 |
| 55-64 | 421 | 57,143 | 341 | 79.9 | 75.2-84.6 | 80 | 20.1 | 15.4-24.8 |
| 65+ | 673 | 64,429 | 515 | 76.0 | 72.1-79.9 | 158 | 24.0 | 20.1-27.9 |
| Less Than H.S. | 179 | 49,313 | 106 | 64.1 | 55.3-72.9 | 73 | 35.9 | 27.1-44.7 |
| H.S. or G.E.D. | 646 | 116,047 | 503 | 82.1 | 78.8-85.4 | 143 | 17.9 | 14.6-21.2 |
| Some Post-H.S. | 471 | 92,081 | 398 | 87.8 | 84.3-91.3 | 73 | 12.2 | 08.7-15.7 |
| College Graduate | 777 | 86,884 | 706 | 93.0 | 90.6-95.4 | 71 | 7.0 | 04.6-09.4 |
| Less than \$15,000 | 133 | 24,211 | 81 | 67.2 | 56.4-78.0 | 52 | 32.8 | 22.0-43.6 |
| \$15,000- 24,999 | 261 | 43,801 | 170 | 68.5 | 61.4-75.6 | 91 | 31.5 | 24.4-38.6 |
| \$25,000- 34,999 | 192 | 31,366 | 151 | 80.1 | 72.3-87.9 | 41 | 19.9 | 12.1-27.7 |
| \$35,000- 49,999 | 299 | 48,263 | 259 | 87.7 | 83.4-92.0 | 40 | 12.3 | 08.0-16.6 |
| \$50,000- 74,999 | 295 | 47,516 | 258 | 88.7 | 84.0-93.4 | 37 | 11.3 | 06.6-16.0 |
| \$75,000+ | 639 | 106,065 | 592 | 91.5 | 88.4-94.6 | 47 | 8.5 | 05.4-11.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Good or Better Health | | | Fair or Poor Health | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3117 | 377,204 | 2508 | 81.7 | 79.9-83.5 | 609 | 18.3 | 16.5-20.1 |
| White/Non-Hisp | 2297 | 252,233 | 1899 | 84.6 | 82.6-86.6 | 398 | 15.4 | 13.4-17.4 |
| Black or Afr. Am./Non-Hisp | 484 | 76,258 | 351 | 72.8 | 67.5-78.1 | 133 | 27.2 | 21.9-32.5 |
| Oth. Race/Non-Hisp. | 111 | 13,836 | 93 | 87.9 | 80.5-95.3 | 18 | 12.1 | 04.7-19.5 |
| Hispanic | 144 | 28,918 | 109 | 80.6 | 73.0-88.2 | 35 | 19.4 | 11.8-27.0 |
| 18-24 | 144 | 45,661 | 131 | 89.8 | 83.7-95.9 | 13 | 10.2 | 04.1-16.3 |
| 25-34 | 278 | 58,927 | 236 | 84.9 | 79.8-90.0 | 42 | 15.1 | 10.0-20.2 |
| 35-44 | 348 | 56,853 | 311 | 89.7 | 85.8-93.6 | 37 | 10.3 | 06.4-14.2 |
| 45-54 | 522 | 67,458 | 419 | 79.1 | 74.4-83.8 | 103 | 20.9 | 16.2-25.6 |
| 55-64 | 680 | 63,159 | 536 | 75.8 | 71.1-80.5 | 144 | 24.2 | 19.5-28.9 |
| 65+ | 1107 | 81,812 | 843 | 76.1 | 73.0-79.2 | 264 | 23.9 | 20.8-27.0 |
| Less Than H.S. | 244 | 49,015 | 121 | 56.0 | 47.6-64.4 | 123 | 44.0 | 35.6-52.4 |
| H.S. or G.E.D. | 918 | 110,585 | 702 | 80.4 | 77.3-83.5 | 216 | 19.6 | 16.5-22.7 |
| Some Post-H.S. | 873 | 119,580 | 702 | 84.4 | 81.7-87.1 | 171 | 15.6 | 12.9-18.3 |
| College Graduate | 1071 | 97,273 | 975 | 92.9 | 90.9-94.9 | 96 | 7.1 | 05.1-09.1 |
| Less than \$15,000 | 317 | 38,611 | 205 | 67.4 | 59.8-75.0 | 112 | 32.6 | 25.0-40.2 |
| \$15,000- 24,999 | 476 | 54,888 | 287 | 57.4 | 51.3-63.5 | 189 | 42.6 | 36.5-48.7 |
| \$25,000- 34,999 | 303 | 33,455 | 231 | 76.6 | 70.5-82.7 | 72 | 23.4 | 17.3-29.5 |
| \$35,000- 49,999 | 389 | 47,340 | 339 | 88.8 | 85.3-92.3 | 50 | 11.2 | 07.7-14.7 |
| \$50,000- 74,999 | 391 | 46,464 | 353 | 91.1 | 87.8-94.4 | 38 | 8.9 | 05.6-12.2 |
| \$75,000+ | 711 | 95,773 | 666 | 94.7 | 92.7-96.7 | 45 | 5.3 | 03.3-07.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651) | |
| 1 | MALES AND FEMALES | 7 |
| 2 | MALES ONLY | 8 |
| 3 | FEMALES ONLY | 9 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Have health care coverage | | | Do not have health care coverage | | |
|----------------------------|-------------------|----------|---------------------------|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3351 | 566,335 | 2937 | 85.7 | 84.1-87.3 | 414 | 14.3 | 12.7-15.9 |
| Male | 1385 | 275,929 | 1171 | 82.5 | 80.0-85.0 | 214 | 17.5 | 15.0-20.0 |
| Female | 1966 | 290,406 | 1766 | 88.7 | 86.7-90.7 | 200 | 11.3 | 09.3-13.3 |
| White/Non-Hisp | 2280 | 359,308 | 2065 | 89.9 | 88.1-91.7 | 215 | 10.1 | 08.3-11.9 |
| Black or Afr. Am./Non-Hisp | 591 | 118,370 | 504 | 83.1 | 79.2-87.0 | 87 | 16.9 | 13.0-20.8 |
| Oth. Race/Non-Hisp. | 169 | 28,595 | 140 | 83.5 | 75.3-91.7 | 29 | 16.5 | 08.3-24.7 |
| MultiRacial/Non-Hisp. | 50 | 4,118 | 42 | 81.0 | 68.3-93.7 | 8 | 19.0 | 06.3-31.7 |
| Hispanic | 222 | 50,809 | 152 | 62.9 | 55.3-70.5 | 70 | 37.1 | 29.5-44.7 |
| 18-24 | 271 | 87,830 | 211 | 80.9 | 75.6-86.2 | 60 | 19.1 | 13.8-24.4 |
| 25-34 | 488 | 117,582 | 408 | 80.5 | 76.0-85.0 | 80 | 19.5 | 15.0-24.0 |
| 35-44 | 607 | 110,310 | 520 | 84.5 | 81.0-88.0 | 87 | 15.5 | 12.0-19.0 |
| 45-54 | 885 | 130,518 | 789 | 89.0 | 86.3-91.7 | 96 | 11.0 | 08.3-13.7 |
| 55-64 | 1100 | 120,095 | 1009 | 91.6 | 89.2-94.0 | 91 | 8.4 | 06.0-10.8 |
| Less Than H.S. | 250 | 74,247 | 173 | 67.1 | 60.0-74.2 | 77 | 32.9 | 25.8-40.0 |
| H.S. or G.E.D. | 927 | 170,200 | 770 | 82.1 | 79.0-85.2 | 157 | 17.9 | 14.8-21.0 |
| Some Post-H.S. | 920 | 173,223 | 808 | 88.9 | 86.5-91.3 | 112 | 11.1 | 08.7-13.5 |
| College Graduate | 1246 | 147,626 | 1178 | 95.2 | 93.8-96.6 | 68 | 4.8 | 03.4-06.2 |
| Less than \$15,000 | 272 | 47,820 | 199 | 70.3 | 63.0-77.6 | 73 | 29.7 | 22.4-37.0 |
| \$15,000- 24,999 | 443 | 72,452 | 339 | 72.6 | 67.1-78.1 | 104 | 27.4 | 21.9-32.9 |
| \$25,000- 34,999 | 297 | 48,579 | 228 | 72.2 | 65.3-79.1 | 69 | 27.8 | 20.9-34.7 |
| \$35,000- 49,999 | 433 | 72,904 | 383 | 85.6 | 80.9-90.3 | 50 | 14.4 | 09.7-19.1 |
| \$50,000- 74,999 | 475 | 75,876 | 438 | 92.0 | 89.1-94.9 | 37 | 8.0 | 05.1-10.9 |
| \$75,000+ | 1069 | 179,042 | 1039 | 96.4 | 94.8-98.0 | 30 | 3.6 | 02.0-05.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Have health care coverage | | | Do not have health care coverage | | |
|----------------------------|-------------------|----------|---------------------------|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1385 | 275,929 | 1171 | 82.5 | 80.0-85.0 | 214 | 17.5 | 15.0-20.0 |
| White/Non-Hisp | 946 | 176,668 | 835 | 86.8 | 83.9-89.7 | 111 | 13.2 | 10.3-16.1 |
| Black or Afr. Am./Non-Hisp | 228 | 54,410 | 188 | 81.2 | 75.1-87.3 | 40 | 18.8 | 12.7-24.9 |
| Oth. Race/Non-Hisp. | 85 | 16,416 | 71 | 89.2 | 82.3-96.1 | 14 | 10.8 | 03.9-17.7 |
| Hispanic | 92 | 23,498 | 51 | 48.4 | 37.0-59.8 | 41 | 51.6 | 40.2-63.0 |
| 18-24 | 131 | 43,397 | 96 | 78.0 | 70.2-85.8 | 35 | 22.0 | 14.2-29.8 |
| 25-34 | 210 | 58,655 | 167 | 75.6 | 68.5-82.7 | 43 | 24.4 | 17.3-31.5 |
| 35-44 | 260 | 53,811 | 209 | 78.2 | 72.1-84.3 | 51 | 21.8 | 15.7-27.9 |
| 45-54 | 364 | 63,130 | 319 | 86.9 | 82.4-91.4 | 45 | 13.1 | 08.6-17.6 |
| 55-64 | 420 | 56,937 | 380 | 92.2 | 89.5-94.9 | 40 | 7.8 | 05.1-10.5 |
| Less Than H.S. | 109 | 36,731 | 66 | 56.6 | 45.2-68.0 | 43 | 43.4 | 32.0-54.8 |
| H.S. or G.E.D. | 436 | 93,090 | 333 | 78.5 | 74.0-83.0 | 103 | 21.5 | 17.0-26.0 |
| Some Post-H.S. | 342 | 77,992 | 301 | 88.2 | 84.1-92.3 | 41 | 11.8 | 07.7-15.9 |
| College Graduate | 494 | 67,498 | 467 | 95.2 | 93.0-97.4 | 27 | 4.8 | 02.6-07.0 |
| Less than \$15,000 | 91 | 19,286 | 55 | 58.8 | 45.5-72.1 | 36 | 41.2 | 27.9-54.5 |
| \$15,000- 24,999 | 173 | 34,233 | 126 | 68.4 | 59.8-77.0 | 47 | 31.6 | 23.0-40.2 |
| \$25,000- 34,999 | 115 | 24,076 | 77 | 61.7 | 50.1-73.3 | 38 | 38.3 | 26.7-49.9 |
| \$35,000- 49,999 | 189 | 37,778 | 160 | 84.4 | 78.1-90.7 | 29 | 15.6 | 09.3-21.9 |
| \$50,000- 74,999 | 190 | 37,035 | 168 | 90.0 | 85.3-94.7 | 22 | 10.0 | 05.3-14.7 |
| \$75,000+ | 484 | 92,325 | 464 | 94.4 | 91.5-97.3 | 20 | 5.6 | 02.7-08.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Have health care coverage | | | Do not have health care coverage | | |
|----------------------------|-------------------|----------|---------------------------|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1966 | 290,406 | 1766 | 88.7 | 86.7-90.7 | 200 | 11.3 | 09.3-13.3 |
| White/Non-Hisp | 1334 | 182,639 | 1230 | 92.9 | 91.3-94.5 | 104 | 7.1 | 05.5-08.7 |
| Black or Afr. Am./Non-Hisp | 363 | 63,960 | 316 | 84.8 | 79.7-89.9 | 47 | 15.2 | 10.1-20.3 |
| Oth. Race/Non-Hisp. | 84 | 12,178 | 69 | 75.8 | 60.5-91.1 | 15 | 24.2 | 08.9-39.5 |
| Hispanic | 130 | 27,312 | 101 | 75.4 | 66.2-84.6 | 29 | 24.6 | 15.4-33.8 |
| 18-24 | 140 | 44,433 | 115 | 83.8 | 76.7-90.9 | 25 | 16.2 | 09.1-23.3 |
| 25-34 | 278 | 58,927 | 241 | 85.4 | 80.3-90.5 | 37 | 14.6 | 09.5-19.7 |
| 35-44 | 347 | 56,499 | 311 | 90.6 | 87.1-94.1 | 36 | 9.4 | 05.9-12.9 |
| 45-54 | 521 | 67,388 | 470 | 91.0 | 88.3-93.7 | 51 | 9.0 | 06.3-11.7 |
| 55-64 | 680 | 63,159 | 629 | 91.1 | 87.4-94.8 | 51 | 8.9 | 05.2-12.6 |
| Less Than H.S. | 141 | 37,516 | 107 | 77.3 | 69.1-85.5 | 34 | 22.7 | 14.5-30.9 |
| H.S. or G.E.D. | 491 | 77,110 | 437 | 86.5 | 82.2-90.8 | 54 | 13.5 | 09.2-17.8 |
| Some Post-H.S. | 578 | 95,230 | 507 | 89.4 | 86.5-92.3 | 71 | 10.6 | 07.7-13.5 |
| College Graduate | 752 | 80,128 | 711 | 95.2 | 93.2-97.2 | 41 | 4.8 | 02.8-06.8 |
| Less than \$15,000 | 181 | 28,534 | 144 | 78.2 | 70.0-86.4 | 37 | 21.8 | 13.6-30.0 |
| \$15,000- 24,999 | 270 | 38,219 | 213 | 76.4 | 69.3-83.5 | 57 | 23.6 | 16.5-30.7 |
| \$25,000- 34,999 | 182 | 24,503 | 151 | 82.4 | 75.7-89.1 | 31 | 17.6 | 10.9-24.3 |
| \$35,000- 49,999 | 244 | 35,126 | 223 | 87.0 | 79.9-94.1 | 21 | 13.0 | 05.9-20.1 |
| \$50,000- 74,999 | 285 | 38,841 | 270 | 94.0 | 90.3-97.7 | 15 | 6.0 | 02.3-09.7 |
| \$75,000+ | 585 | 86,717 | 575 | 98.6 | 97.6-99.6 | 10 | 1.4 | 00.4-02.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 5: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5) | |
| 1 | MALES AND FEMALES | 11 |
| 2 | MALES ONLY | 12 |
| 3 | FEMALES ONLY | 13 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5191 | 721,222 | 2991 | 64.4 | 62.6-66.2 | 2200 | 35.6 | 33.8-37.4 |
| Male | 2081 | 344,991 | 1204 | 64.4 | 61.7-67.1 | 877 | 35.6 | 32.9-38.3 |
| Female | 3110 | 376,231 | 1787 | 64.4 | 62.2-66.6 | 1323 | 35.6 | 33.4-37.8 |
| White/Non-Hisp | 3823 | 482,482 | 2189 | 64.1 | 62.1-66.1 | 1634 | 35.9 | 33.9-37.9 |
| Black or Afr. Am./Non-Hisp | 771 | 140,683 | 379 | 56.2 | 51.5-60.9 | 392 | 43.8 | 39.1-48.5 |
| Oth. Race/Non-Hisp. | 210 | 31,139 | 150 | 75.7 | 66.5-84.9 | 60 | 24.3 | 15.1-33.5 |
| MultiRacial/Non-Hisp. | 70 | 5,267 | 46 | 72.1 | 59.9-84.3 | 24 | 27.9 | 15.7-40.1 |
| Hispanic | 245 | 53,517 | 182 | 80.4 | 74.5-86.3 | 63 | 19.6 | 13.7-25.5 |
| 18-24 | 280 | 91,957 | 255 | 90.7 | 86.6-94.8 | 25 | 9.3 | 05.2-13.4 |
| 25-34 | 488 | 117,734 | 434 | 88.2 | 84.7-91.7 | 54 | 11.8 | 08.3-15.3 |
| 35-44 | 608 | 110,664 | 489 | 78.3 | 74.0-82.6 | 119 | 21.7 | 17.4-26.0 |
| 45-54 | 885 | 130,279 | 553 | 60.3 | 56.2-64.4 | 332 | 39.7 | 35.6-43.8 |
| 55-64 | 1101 | 120,302 | 572 | 48.2 | 44.5-51.9 | 529 | 51.8 | 48.1-55.5 |
| 65+ | 1780 | 145,967 | 657 | 35.1 | 32.4-37.8 | 1123 | 64.9 | 62.2-67.6 |
| Less Than H.S. | 423 | 98,066 | 199 | 57.6 | 51.3-63.9 | 224 | 42.4 | 36.1-48.7 |
| H.S. or G.E.D. | 1561 | 226,146 | 807 | 60.4 | 57.3-63.5 | 754 | 39.6 | 36.5-42.7 |
| Some Post-H.S. | 1343 | 211,366 | 798 | 67.5 | 64.4-70.6 | 545 | 32.5 | 29.4-35.6 |
| College Graduate | 1844 | 183,734 | 1176 | 69.3 | 66.8-71.8 | 668 | 30.7 | 28.2-33.2 |
| Less than \$15,000 | 450 | 62,563 | 226 | 61.4 | 54.9-67.9 | 224 | 38.6 | 32.1-45.1 |
| \$15,000- 24,999 | 738 | 98,707 | 384 | 56.0 | 51.1-60.9 | 354 | 44.0 | 39.1-48.9 |
| \$25,000- 34,999 | 495 | 64,822 | 254 | 59.2 | 53.5-64.9 | 241 | 40.8 | 35.1-46.5 |
| \$35,000- 49,999 | 688 | 95,602 | 398 | 66.2 | 61.7-70.7 | 290 | 33.8 | 29.3-38.3 |
| \$50,000- 74,999 | 686 | 93,739 | 411 | 64.8 | 60.1-69.5 | 275 | 35.2 | 30.5-39.9 |
| \$75,000+ | 1348 | 201,442 | 905 | 69.9 | 66.8-73.0 | 443 | 30.1 | 27.0-33.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2081 | 344,991 | 1204 | 64.4 | 61.9-66.9 | 877 | 35.6 | 33.1-38.1 |
| White/Non-Hisp | 1529 | 230,465 | 854 | 62.4 | 59.3-65.5 | 675 | 37.6 | 34.5-40.7 |
| Black or Afr. Am./Non-Hisp | 288 | 64,799 | 162 | 60.7 | 53.4-68.0 | 126 | 39.3 | 32.0-46.6 |
| Oth. Race/Non-Hisp. | 101 | 17,659 | 74 | 73.3 | 59.0-87.6 | 27 | 26.7 | 12.4-41.0 |
| Hispanic | 101 | 24,599 | 77 | 83.9 | 76.8-91.0 | 24 | 16.1 | 09.0-23.2 |
| 18-24 | 137 | 46,561 | 127 | 94.0 | 90.1-97.9 | 10 | 6.0 | 02.1-09.9 |
| 25-34 | 210 | 58,807 | 185 | 87.9 | 82.6-93.2 | 25 | 12.1 | 06.8-17.4 |
| 35-44 | 260 | 53,811 | 201 | 75.4 | 68.9-81.9 | 59 | 24.6 | 18.1-31.1 |
| 45-54 | 363 | 62,822 | 214 | 57.4 | 50.9-63.9 | 149 | 42.6 | 36.1-49.1 |
| 55-64 | 421 | 57,143 | 225 | 46.9 | 41.0-52.8 | 196 | 53.1 | 47.2-59.0 |
| 65+ | 675 | 64,458 | 240 | 34.1 | 29.6-38.6 | 435 | 65.9 | 61.4-70.4 |
| Less Than H.S. | 178 | 49,120 | 102 | 64.7 | 55.7-73.7 | 76 | 35.3 | 26.3-44.3 |
| H.S. or G.E.D. | 646 | 116,017 | 358 | 62.1 | 57.4-66.8 | 288 | 37.9 | 33.2-42.6 |
| Some Post-H.S. | 470 | 91,785 | 273 | 66.9 | 61.8-72.0 | 197 | 33.1 | 28.0-38.2 |
| College Graduate | 778 | 86,908 | 464 | 64.1 | 60.0-68.2 | 314 | 35.9 | 31.8-40.0 |
| Less than \$15,000 | 134 | 24,147 | 74 | 70.4 | 60.8-80.0 | 60 | 29.6 | 20.0-39.2 |
| \$15,000- 24,999 | 261 | 43,801 | 147 | 60.8 | 53.2-68.4 | 114 | 39.2 | 31.6-46.8 |
| \$25,000- 34,999 | 192 | 31,366 | 98 | 59.1 | 49.9-68.3 | 94 | 40.9 | 31.7-50.1 |
| \$35,000- 49,999 | 299 | 48,263 | 173 | 64.8 | 57.9-71.7 | 126 | 35.2 | 28.3-42.1 |
| \$50,000- 74,999 | 296 | 47,540 | 168 | 64.9 | 58.0-71.8 | 128 | 35.1 | 28.2-42.0 |
| \$75,000+ | 638 | 105,770 | 387 | 63.9 | 59.2-68.6 | 251 | 36.1 | 31.4-40.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 5: HYPERTENSION AWARENESS**

TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3110 | 376,231 | 1787 | 64.4 | 62.2-66.6 | 1323 | 35.6 | 33.4-37.8 |
| White/Non-Hisp | 2294 | 252,017 | 1335 | 65.6 | 63.1-68.1 | 959 | 34.4 | 31.9-36.9 |
| Black or Afr. Am./Non-Hisp | 483 | 75,884 | 217 | 52.5 | 46.6-58.4 | 266 | 47.5 | 41.6-53.4 |
| Oth. Race/Non-Hisp. | 109 | 13,479 | 76 | 78.9 | 69.7-88.1 | 33 | 21.1 | 11.9-30.3 |
| Hispanic | 144 | 28,918 | 105 | 77.5 | 68.5-86.5 | 39 | 22.5 | 13.5-31.5 |
| 18-24 | 143 | 45,396 | 128 | 87.3 | 80.0-94.6 | 15 | 12.7 | 05.4-20.0 |
| 25-34 | 278 | 58,927 | 249 | 88.4 | 83.5-93.3 | 29 | 11.6 | 06.7-16.5 |
| 35-44 | 348 | 56,853 | 288 | 81.1 | 75.4-86.8 | 60 | 18.9 | 13.2-24.6 |
| 45-54 | 522 | 67,458 | 339 | 63.0 | 57.7-68.3 | 183 | 37.0 | 31.7-42.3 |
| 55-64 | 680 | 63,159 | 347 | 49.4 | 44.5-54.3 | 333 | 50.6 | 45.7-55.5 |
| 65+ | 1105 | 81,509 | 417 | 35.8 | 32.3-39.3 | 688 | 64.2 | 60.7-67.7 |
| Less Than H.S. | 245 | 48,946 | 97 | 50.5 | 41.9-59.1 | 148 | 49.5 | 40.9-58.1 |
| H.S. or G.E.D. | 915 | 110,129 | 449 | 58.6 | 54.3-62.9 | 466 | 41.4 | 37.1-45.7 |
| Some Post-H.S. | 873 | 119,580 | 525 | 67.9 | 64.2-71.6 | 348 | 32.1 | 28.4-35.8 |
| College Graduate | 1066 | 96,826 | 712 | 73.9 | 70.8-77.0 | 354 | 26.1 | 23.0-29.2 |
| Less than \$15,000 | 316 | 38,416 | 152 | 55.7 | 47.5-63.9 | 164 | 44.3 | 36.1-52.5 |
| \$15,000- 24,999 | 477 | 54,905 | 237 | 52.2 | 46.1-58.3 | 240 | 47.8 | 41.7-53.9 |
| \$25,000- 34,999 | 303 | 33,455 | 156 | 59.3 | 52.2-66.4 | 147 | 40.7 | 33.6-47.8 |
| \$35,000- 49,999 | 389 | 47,340 | 225 | 67.7 | 61.6-73.8 | 164 | 32.3 | 26.2-38.4 |
| \$50,000- 74,999 | 390 | 46,199 | 243 | 64.6 | 58.3-70.9 | 147 | 35.4 | 29.1-41.7 |
| \$75,000+ | 710 | 95,672 | 518 | 76.6 | 72.7-80.5 | 192 | 23.4 | 19.5-27.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK) | |
| 1 | MALES AND FEMALES | 15 |
| 2 | MALES ONLY | 16 |
| 3 | FEMALES ONLY | 17 |
| | ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCVOL) | |
| 4 | MALES AND FEMALES | 18 |
| 5 | MALES ONLY | 19 |
| 6 | FEMALES ONLY | 20 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Checked | | | Not Checked | | | Never Checked | | |
|----------------------------|-------------------|----------|---------|------|------------|-------------|-----|------------|---------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5078 | 702,696 | 4441 | 81.0 | 79.2-82.8 | 104 | 2.3 | 01.7-02.9 | 533 | 16.7 | 14.9-18.5 |
| Male | 2035 | 334,598 | 1723 | 78.0 | 75.3-80.7 | 53 | 2.8 | 01.8-03.8 | 259 | 19.2 | 16.5-21.9 |
| Female | 3043 | 368,099 | 2718 | 83.8 | 81.6-86.0 | 51 | 1.7 | 01.1-02.3 | 274 | 14.5 | 12.3-16.7 |
| White/Non-Hisp | 3740 | 469,732 | 3340 | 83.2 | 81.2-85.2 | 80 | 2.7 | 01.9-03.5 | 320 | 14.2 | 12.2-16.2 |
| Black or Afr. Am./Non-Hisp | 754 | 137,404 | 657 | 82.2 | 78.1-86.3 | 11 | 1.4 | 00.4-02.4 | 86 | 16.4 | 12.3-20.5 |
| Oth. Race/Non-Hisp. | 203 | 29,462 | 161 | 73.4 | 61.8-85.0 | 4 | 0.9 | 00.0-01.9 | 38 | 25.7 | 14.1-37.3 |
| MultiRacial/Non-Hisp. | 69 | 5,167 | 57 | 76.9 | 64.4-89.4 | 2 | 1.7 | 00.0-04.2 | 10 | 21.4 | 09.1-33.7 |
| Hispanic | 242 | 52,845 | 163 | 61.7 | 54.3-69.1 | 6 | 1.9 | 00.1-03.7 | 73 | 36.4 | 29.0-43.8 |
| 18-24 | 260 | 84,791 | 106 | 42.0 | 34.6-49.4 | 5 | 0.9 | 00.1-01.7 | 149 | 57.1 | 49.7-64.5 |
| 25-34 | 467 | 112,686 | 321 | 65.7 | 60.0-71.4 | 15 | 3.9 | 01.5-06.3 | 131 | 30.3 | 24.8-35.8 |
| 35-44 | 595 | 108,712 | 492 | 81.4 | 77.5-85.3 | 14 | 2.4 | 01.0-03.8 | 89 | 16.2 | 12.5-19.9 |
| 45-54 | 875 | 129,085 | 792 | 90.8 | 88.4-93.2 | 27 | 3.1 | 01.7-04.5 | 56 | 6.1 | 04.1-08.1 |
| 55-64 | 1088 | 119,271 | 1015 | 93.8 | 92.0-95.6 | 23 | 2.0 | 01.0-03.0 | 50 | 4.1 | 02.7-05.5 |
| 65+ | 1741 | 143,600 | 1668 | 95.9 | 94.7-97.1 | 18 | 1.1 | 00.5-01.7 | 55 | 3.1 | 01.9-04.3 |
| Less Than H.S. | 406 | 94,820 | 313 | 69.5 | 63.4-75.6 | 6 | 2.3 | 00.1-04.5 | 87 | 28.2 | 22.3-34.1 |
| H.S. or G.E.D. | 1520 | 220,251 | 1300 | 79.9 | 76.8-83.0 | 24 | 1.4 | 00.6-02.2 | 196 | 18.7 | 15.6-21.8 |
| Some Post-H.S. | 1316 | 205,637 | 1158 | 81.3 | 78.0-84.6 | 33 | 3.0 | 01.8-04.2 | 125 | 15.7 | 12.4-19.0 |
| College Graduate | 1819 | 180,338 | 1655 | 88.1 | 85.9-90.3 | 41 | 2.4 | 01.6-03.2 | 123 | 9.5 | 07.5-11.5 |
| Less than \$15,000 | 437 | 60,688 | 354 | 70.0 | 62.9-77.1 | 4 | 1.1 | 00.0-02.5 | 79 | 28.9 | 21.8-36.0 |
| \$15,000- 24,999 | 724 | 96,143 | 598 | 76.0 | 71.7-80.3 | 13 | 1.6 | 00.4-02.8 | 113 | 22.4 | 18.1-26.7 |
| \$25,000- 34,999 | 484 | 63,151 | 418 | 78.3 | 72.6-84.0 | 11 | 2.6 | 01.0-04.2 | 55 | 19.1 | 13.4-24.8 |
| \$35,000- 49,999 | 672 | 92,012 | 594 | 82.2 | 77.1-87.3 | 11 | 1.4 | 00.2-02.6 | 67 | 16.4 | 11.3-21.5 |
| \$50,000- 74,999 | 679 | 92,965 | 611 | 84.9 | 80.8-89.0 | 14 | 2.4 | 00.8-04.0 | 54 | 12.7 | 09.0-16.4 |
| \$75,000+ | 1331 | 198,935 | 1214 | 87.0 | 84.1-89.9 | 38 | 3.5 | 02.1-04.9 | 79 | 9.5 | 06.8-12.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 6: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Checked | | | Not Checked | | | Never Checked | | |
|----------------------------|-------------------|----------|---------|------|------------|-------------|-----|------------|---------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2035 | 334,598 | 1723 | 78.0 | 75.3-80.7 | 53 | 2.8 | 01.8-03.8 | 259 | 19.2 | 16.5-21.9 |
| White/Non-Hisp | 1497 | 223,994 | 1307 | 80.8 | 77.7-83.9 | 40 | 3.3 | 01.9-04.7 | 150 | 15.9 | 13.0-18.8 |
| Black or Afr. Am./Non-Hisp | 280 | 62,702 | 234 | 78.0 | 70.9-85.1 | 6 | 2.4 | 00.2-04.6 | 40 | 19.6 | 12.7-26.5 |
| Oth. Race/Non-Hisp. | 98 | 16,200 | 73 | 69.2 | 51.8-86.6 | 3 | 1.0 | 00.0-02.2 | 22 | 29.8 | 12.2-47.4 |
| Hispanic | 100 | 24,292 | 58 | 54.6 | 43.4-65.8 | 2 | 1.3 | 00.0-03.3 | 40 | 44.0 | 32.8-55.2 |
| 18-24 | 126 | 41,957 | 47 | 38.7 | 28.1-49.3 | 2 | 0.8 | 00.0-02.0 | 77 | 60.5 | 49.9-71.1 |
| 25-34 | 198 | 55,394 | 131 | 62.3 | 53.7-70.9 | 10 | 6.0 | 01.7-10.3 | 57 | 31.7 | 23.5-39.9 |
| 35-44 | 255 | 52,869 | 200 | 76.5 | 70.2-82.8 | 6 | 2.0 | 00.2-03.8 | 49 | 21.5 | 15.4-27.6 |
| 45-54 | 358 | 62,211 | 314 | 88.7 | 84.8-92.6 | 12 | 3.6 | 01.2-06.0 | 32 | 7.7 | 04.4-11.0 |
| 55-64 | 418 | 56,922 | 384 | 92.9 | 90.2-95.6 | 14 | 3.2 | 01.2-05.2 | 20 | 3.9 | 01.7-06.1 |
| 65+ | 665 | 63,855 | 635 | 94.6 | 92.2-97.0 | 7 | 0.9 | 00.1-01.7 | 23 | 4.4 | 02.0-06.8 |
| Less Than H.S. | 172 | 46,989 | 125 | 63.6 | 54.0-73.2 | 3 | 3.2 | 00.0-07.1 | 44 | 33.2 | 23.8-42.6 |
| H.S. or G.E.D. | 631 | 112,202 | 515 | 78.1 | 73.6-82.6 | 16 | 2.1 | 00.9-03.3 | 100 | 19.8 | 15.3-24.3 |
| Some Post-H.S. | 460 | 89,058 | 393 | 77.6 | 71.7-83.5 | 14 | 3.7 | 01.5-05.9 | 53 | 18.7 | 13.0-24.4 |
| College Graduate | 765 | 85,379 | 684 | 86.0 | 82.7-89.3 | 20 | 2.7 | 01.3-04.1 | 61 | 11.3 | 08.2-14.4 |
| Less than \$15,000 | 131 | 23,276 | 91 | 54.5 | 41.8-67.2 | 2 | 1.9 | 00.0-04.8 | 38 | 43.6 | 30.7-56.5 |
| \$15,000- 24,999 | 257 | 42,646 | 202 | 72.6 | 65.5-79.7 | 7 | 1.5 | 00.1-02.9 | 48 | 25.9 | 18.8-33.0 |
| \$25,000- 34,999 | 184 | 30,101 | 149 | 71.6 | 62.2-81.0 | 6 | 3.6 | 00.7-06.5 | 29 | 24.8 | 15.6-34.0 |
| \$35,000- 49,999 | 293 | 46,474 | 256 | 80.9 | 72.7-89.1 | 4 | 0.8 | 00.0-01.8 | 33 | 18.3 | 10.1-26.5 |
| \$50,000- 74,999 | 293 | 46,879 | 255 | 80.4 | 73.7-87.1 | 7 | 3.5 | 00.6-06.4 | 31 | 16.1 | 09.8-22.4 |
| \$75,000+ | 631 | 104,780 | 564 | 85.3 | 81.0-89.6 | 22 | 4.4 | 02.0-06.8 | 45 | 10.4 | 06.7-14.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 6: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Checked | | | Not Checked | | | Never Checked | | |
|----------------------------|-------------------|----------|---------|------|------------|-------------|-----|------------|---------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3043 | 368,099 | 2718 | 83.8 | 81.6-86.0 | 51 | 1.7 | 01.1-02.3 | 274 | 14.5 | 12.3-16.7 |
| White/Non-Hisp | 2243 | 245,738 | 2033 | 85.3 | 82.8-87.8 | 40 | 2.1 | 01.3-02.9 | 170 | 12.6 | 10.1-15.1 |
| Black or Afr. Am./Non-Hisp | 474 | 74,701 | 423 | 85.8 | 81.1-90.5 | 5 | 0.5 | 00.0-01.1 | 46 | 13.7 | 09.0-18.4 |
| Oth. Race/Non-Hisp. | 105 | 13,262 | 88 | 78.5 | 65.0-92.0 | 1 | 0.8 | 00.0-02.4 | 16 | 20.7 | 07.2-34.2 |
| Hispanic | 142 | 28,553 | 105 | 67.7 | 57.7-77.7 | 4 | 2.4 | 00.0-05.1 | 33 | 29.9 | 20.1-39.7 |
| 18-24 | 134 | 42,835 | 59 | 45.2 | 35.0-55.4 | 3 | 1.0 | 00.0-02.2 | 72 | 53.8 | 43.6-64.0 |
| 25-34 | 269 | 57,292 | 190 | 69.1 | 61.7-76.5 | 5 | 1.9 | 00.0-03.9 | 74 | 29.0 | 21.6-36.4 |
| 35-44 | 340 | 55,843 | 292 | 86.1 | 81.6-90.6 | 8 | 2.8 | 00.4-05.2 | 40 | 11.2 | 07.1-15.3 |
| 45-54 | 517 | 66,874 | 478 | 92.7 | 90.0-95.4 | 15 | 2.6 | 00.8-04.4 | 24 | 4.7 | 02.5-06.9 |
| 55-64 | 670 | 62,349 | 631 | 94.7 | 92.5-96.9 | 9 | 1.0 | 00.2-01.8 | 30 | 4.3 | 02.3-06.3 |
| 65+ | 1076 | 79,744 | 1033 | 96.9 | 95.7-98.1 | 11 | 1.2 | 00.4-02.0 | 32 | 1.9 | 01.1-02.7 |
| Less Than H.S. | 234 | 47,831 | 188 | 75.2 | 67.8-82.6 | 3 | 1.5 | 00.0-03.3 | 43 | 23.3 | 16.0-30.6 |
| H.S. or G.E.D. | 889 | 108,049 | 785 | 81.7 | 77.2-86.2 | 8 | 0.7 | 00.1-01.3 | 96 | 17.6 | 13.1-22.1 |
| Some Post-H.S. | 856 | 116,578 | 765 | 84.2 | 80.3-88.1 | 19 | 2.4 | 01.0-03.8 | 72 | 13.4 | 09.7-17.1 |
| College Graduate | 1054 | 94,959 | 971 | 89.9 | 87.4-92.4 | 21 | 2.2 | 01.0-03.4 | 62 | 7.9 | 05.5-10.3 |
| Less than \$15,000 | 306 | 37,412 | 263 | 79.7 | 72.8-86.6 | 2 | 0.6 | 00.0-01.6 | 41 | 19.7 | 12.8-26.6 |
| \$15,000- 24,999 | 467 | 53,497 | 396 | 78.8 | 73.5-84.1 | 6 | 1.7 | 00.0-03.5 | 65 | 19.5 | 14.2-24.8 |
| \$25,000- 34,999 | 300 | 33,051 | 269 | 84.4 | 77.9-90.9 | 5 | 1.7 | 00.0-03.5 | 26 | 13.9 | 07.6-20.2 |
| \$35,000- 49,999 | 379 | 45,538 | 338 | 83.5 | 77.4-89.6 | 7 | 2.0 | 00.0-04.2 | 34 | 14.5 | 08.6-20.4 |
| \$50,000- 74,999 | 386 | 46,086 | 356 | 89.4 | 85.1-93.7 | 7 | 1.3 | 00.1-02.5 | 23 | 9.3 | 05.0-13.6 |
| \$75,000+ | 700 | 94,154 | 650 | 88.9 | 85.0-92.8 | 16 | 2.5 | 01.1-03.9 | 34 | 8.6 | 04.9-12.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 6: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)
 Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4547 | 582,799 | 2470 | 59.4 | 57.4-61.4 | 2077 | 40.6 | 38.6-42.6 |
| Male | 1777 | 269,747 | 967 | 58.7 | 55.8-61.6 | 810 | 41.3 | 38.4-44.2 |
| Female | 2770 | 313,052 | 1503 | 60.1 | 57.7-62.5 | 1267 | 39.9 | 37.5-42.3 |
| White/Non-Hisp | 3418 | 401,169 | 1791 | 57.4 | 55.2-59.6 | 1627 | 42.6 | 40.4-44.8 |
| Black or Afr. Am./Non-Hisp | 669 | 114,018 | 398 | 63.1 | 58.4-67.8 | 271 | 36.9 | 32.2-41.6 |
| Oth. Race/Non-Hisp. | 168 | 22,583 | 103 | 64.1 | 53.1-75.1 | 65 | 35.9 | 24.9-46.9 |
| MultiRacial/Non-Hisp. | 59 | 4,059 | 38 | 76.1 | 64.1-88.1 | 21 | 23.9 | 11.9-35.9 |
| Hispanic | 168 | 33,262 | 102 | 63.8 | 54.8-72.8 | 66 | 36.2 | 27.2-45.2 |
| 18-24 | 114 | 36,986 | 101 | 86.0 | 77.6-94.4 | 13 | 14.0 | 05.6-22.4 |
| 25-34 | 337 | 77,969 | 283 | 85.5 | 81.0-90.0 | 54 | 14.5 | 10.0-19.0 |
| 35-44 | 510 | 91,939 | 372 | 72.9 | 68.4-77.4 | 138 | 27.1 | 22.6-31.6 |
| 45-54 | 816 | 120,037 | 466 | 56.4 | 52.1-60.7 | 350 | 43.6 | 39.3-47.9 |
| 55-64 | 1038 | 114,091 | 505 | 48.6 | 44.7-52.5 | 533 | 51.4 | 47.5-55.3 |
| 65+ | 1687 | 137,750 | 714 | 39.7 | 36.8-42.6 | 973 | 60.3 | 57.4-63.2 |
| Less Than H.S. | 326 | 67,899 | 157 | 53.5 | 46.1-60.9 | 169 | 46.5 | 39.1-53.9 |
| H.S. or G.E.D. | 1319 | 177,399 | 654 | 55.8 | 52.3-59.3 | 665 | 44.2 | 40.7-47.7 |
| Some Post-H.S. | 1183 | 171,550 | 663 | 63.4 | 60.1-66.7 | 520 | 36.6 | 33.3-39.9 |
| College Graduate | 1701 | 164,101 | 987 | 61.7 | 58.8-64.6 | 714 | 38.3 | 35.4-41.2 |
| Less than \$15,000 | 360 | 42,370 | 173 | 57.3 | 50.0-64.6 | 187 | 42.7 | 35.4-50.0 |
| \$15,000- 24,999 | 605 | 73,426 | 296 | 49.0 | 43.5-54.5 | 309 | 51.0 | 45.5-56.5 |
| \$25,000- 34,999 | 432 | 51,525 | 223 | 57.6 | 51.5-63.7 | 209 | 42.4 | 36.3-48.5 |
| \$35,000- 49,999 | 604 | 75,993 | 320 | 58.9 | 53.8-64.0 | 284 | 41.1 | 36.0-46.2 |
| \$50,000- 74,999 | 622 | 80,927 | 337 | 60.8 | 55.9-65.7 | 285 | 39.2 | 34.3-44.1 |
| \$75,000+ | 1249 | 179,476 | 770 | 65.2 | 61.9-68.5 | 479 | 34.8 | 31.5-38.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 6: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1777 | 269,747 | 967 | 58.7 | 55.8-61.6 | 810 | 41.3 | 38.4-44.2 |
| White/Non-Hisp | 1346 | 187,982 | 702 | 56.6 | 53.3-59.9 | 644 | 43.4 | 40.1-46.7 |
| Black or Afr. Am./Non-Hisp | 239 | 49,748 | 145 | 63.2 | 55.4-71.0 | 94 | 36.8 | 29.0-44.6 |
| Oth. Race/Non-Hisp. | 78 | 11,975 | 44 | 54.0 | 37.5-70.5 | 34 | 46.0 | 29.5-62.5 |
| Hispanic | 59 | 13,253 | 36 | 62.0 | 47.7-76.3 | 23 | 38.0 | 23.7-52.3 |
| 18-24 | 50 | 16,998 | 41 | 80.9 | 67.0-94.8 | 9 | 19.1 | 05.2-33.0 |
| 25-34 | 144 | 38,508 | 125 | 87.4 | 80.9-93.9 | 19 | 12.6 | 06.1-19.1 |
| 35-44 | 209 | 42,214 | 134 | 64.2 | 56.8-71.6 | 75 | 35.8 | 28.4-43.2 |
| 45-54 | 325 | 56,752 | 174 | 55.0 | 48.1-61.9 | 151 | 45.0 | 38.1-51.9 |
| 55-64 | 397 | 54,174 | 207 | 51.5 | 45.2-57.8 | 190 | 48.5 | 42.2-54.8 |
| 65+ | 638 | 59,744 | 274 | 39.0 | 34.5-43.5 | 364 | 61.0 | 56.5-65.5 |
| Less Than H.S. | 130 | 31,125 | 67 | 51.2 | 39.6-62.8 | 63 | 48.8 | 37.2-60.4 |
| H.S. or G.E.D. | 528 | 89,026 | 279 | 59.0 | 53.9-64.1 | 249 | 41.0 | 35.9-46.1 |
| Some Post-H.S. | 406 | 72,217 | 228 | 63.3 | 57.6-69.0 | 178 | 36.7 | 31.0-42.4 |
| College Graduate | 705 | 76,252 | 387 | 56.8 | 52.3-61.3 | 318 | 43.2 | 38.7-47.7 |
| Less than \$15,000 | 90 | 12,024 | 45 | 52.6 | 39.5-65.7 | 45 | 47.4 | 34.3-60.5 |
| \$15,000- 24,999 | 206 | 31,107 | 103 | 48.5 | 39.5-57.5 | 103 | 51.5 | 42.5-60.5 |
| \$25,000- 34,999 | 159 | 23,131 | 84 | 59.5 | 49.7-69.3 | 75 | 40.5 | 30.7-50.3 |
| \$35,000- 49,999 | 261 | 38,136 | 136 | 59.0 | 51.7-66.3 | 125 | 41.0 | 33.7-48.3 |
| \$50,000- 74,999 | 261 | 39,306 | 142 | 61.1 | 53.5-68.7 | 119 | 38.9 | 31.3-46.5 |
| \$75,000+ | 581 | 93,362 | 334 | 61.2 | 56.3-66.1 | 247 | 38.8 | 33.9-43.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 6: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2770 | 313,052 | 1503 | 60.1 | 57.7-62.5 | 1267 | 39.9 | 37.5-42.3 |
| White/Non-Hisp | 2072 | 213,187 | 1089 | 58.1 | 55.4-60.8 | 983 | 41.9 | 39.2-44.6 |
| Black or Afr. Am./Non-Hisp | 430 | 64,270 | 253 | 63.0 | 57.1-68.9 | 177 | 37.0 | 31.1-42.9 |
| Oth. Race/Non-Hisp. | 90 | 10,609 | 59 | 75.6 | 64.8-86.4 | 31 | 24.4 | 13.6-35.2 |
| Hispanic | 109 | 20,008 | 66 | 65.0 | 53.4-76.6 | 43 | 35.0 | 23.4-46.6 |
| 18-24 | 64 | 19,988 | 60 | 90.4 | 80.2-100 | 4 | 9.6 | 00.0-19.8 |
| 25-34 | 193 | 39,461 | 158 | 83.7 | 77.4-90.0 | 35 | 16.3 | 10.0-22.6 |
| 35-44 | 301 | 49,725 | 238 | 80.3 | 75.0-85.6 | 63 | 19.7 | 14.4-25.0 |
| 45-54 | 491 | 63,285 | 292 | 57.7 | 52.2-63.2 | 199 | 42.3 | 36.8-47.8 |
| 55-64 | 641 | 59,918 | 298 | 45.9 | 41.0-50.8 | 343 | 54.1 | 49.2-59.0 |
| 65+ | 1049 | 78,005 | 440 | 40.2 | 36.7-43.7 | 609 | 59.8 | 56.3-63.3 |
| Less Than H.S. | 196 | 36,774 | 90 | 55.4 | 45.8-65.0 | 106 | 44.6 | 35.0-54.2 |
| H.S. or G.E.D. | 791 | 88,372 | 375 | 52.6 | 48.1-57.1 | 416 | 47.4 | 42.9-51.9 |
| Some Post-H.S. | 777 | 99,333 | 435 | 63.5 | 59.4-67.6 | 342 | 36.5 | 32.4-40.6 |
| College Graduate | 996 | 87,849 | 600 | 65.9 | 62.4-69.4 | 396 | 34.1 | 30.6-37.6 |
| Less than \$15,000 | 270 | 30,346 | 128 | 59.1 | 50.5-67.7 | 142 | 40.9 | 32.3-49.5 |
| \$15,000- 24,999 | 399 | 42,318 | 193 | 49.3 | 42.6-56.0 | 206 | 50.7 | 44.0-57.4 |
| \$25,000- 34,999 | 273 | 28,394 | 139 | 56.1 | 48.7-63.5 | 134 | 43.9 | 36.5-51.3 |
| \$35,000- 49,999 | 343 | 37,857 | 184 | 58.8 | 51.9-65.7 | 159 | 41.2 | 34.3-48.1 |
| \$50,000- 74,999 | 361 | 41,621 | 195 | 60.5 | 54.0-67.0 | 166 | 39.5 | 33.0-46.0 |
| \$75,000+ | 668 | 86,114 | 436 | 69.5 | 65.2-73.8 | 232 | 30.5 | 26.2-34.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1) | |
| 1 MALES AND FEMALES | 22 |
| 2 MALES ONLY | 23 |
| 3 FEMALES ONLY | 24 |
| ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1) | |
| 4 MALES AND FEMALES | 25 |
| 5 MALES ONLY | 26 |
| 6 FEMALES ONLY | 27 |
| COMPUTED ASTHMA STATUS (_ASTHMS1) | |
| 7 MALES AND FEMALES | 28 |
| 8 MALES ONLY | 29 |
| 9 FEMALES ONLY | 30 |
| RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1) | |
| 10 MALES AND FEMALES | 31 |
| 11 MALES ONLY | 32 |
| 12 FEMALES ONLY | 33 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5188 | 721,452 | 4448 | 84.6 | 83.2-86.0 | 740 | 15.4 | 14.0-16.8 |
| Male | 2076 | 344,602 | 1841 | 86.9 | 84.9-88.9 | 235 | 13.1 | 11.1-15.1 |
| Female | 3112 | 376,850 | 2607 | 82.5 | 80.5-84.5 | 505 | 17.5 | 15.5-19.5 |
| White/Non-Hisp | 3819 | 482,040 | 3318 | 84.9 | 83.1-86.7 | 501 | 15.1 | 13.3-16.9 |
| Black or Afr. Am./Non-Hisp | 769 | 140,835 | 617 | 80.4 | 76.7-84.1 | 152 | 19.6 | 15.9-23.3 |
| Oth. Race/Non-Hisp. | 212 | 31,460 | 187 | 92.4 | 88.9-95.9 | 25 | 7.6 | 04.1-11.1 |
| MultiRacial/Non-Hisp. | 70 | 5,267 | 51 | 72.5 | 59.8-85.2 | 19 | 27.5 | 14.8-40.2 |
| Hispanic | 246 | 53,678 | 211 | 89.3 | 85.0-93.6 | 35 | 10.7 | 06.4-15.0 |
| 18-24 | 280 | 92,133 | 223 | 77.8 | 71.7-83.9 | 57 | 22.2 | 16.1-28.3 |
| 25-34 | 488 | 117,650 | 391 | 81.3 | 77.2-85.4 | 97 | 18.7 | 14.6-22.8 |
| 35-44 | 607 | 110,609 | 503 | 83.1 | 79.6-86.6 | 104 | 16.9 | 13.4-20.4 |
| 45-54 | 884 | 130,168 | 754 | 84.9 | 81.8-88.0 | 130 | 15.1 | 12.0-18.2 |
| 55-64 | 1100 | 120,196 | 942 | 88.1 | 85.9-90.3 | 158 | 11.9 | 09.7-14.1 |
| 65+ | 1776 | 145,919 | 1585 | 89.3 | 87.5-91.1 | 191 | 10.7 | 08.9-12.5 |
| Less Than H.S. | 424 | 98,344 | 354 | 86.1 | 81.8-90.4 | 70 | 13.9 | 09.6-18.2 |
| H.S. or G.E.D. | 1562 | 226,441 | 1346 | 83.7 | 81.0-86.4 | 216 | 16.3 | 13.6-19.0 |
| Some Post-H.S. | 1338 | 210,845 | 1117 | 83.1 | 80.4-85.8 | 221 | 16.9 | 14.2-19.6 |
| College Graduate | 1845 | 183,963 | 1615 | 86.6 | 84.4-88.8 | 230 | 13.4 | 11.2-15.6 |
| Less than \$15,000 | 451 | 62,836 | 359 | 82.7 | 78.2-87.2 | 92 | 17.3 | 12.8-21.8 |
| \$15,000- 24,999 | 735 | 98,491 | 605 | 82.0 | 78.5-85.5 | 130 | 18.0 | 14.5-21.5 |
| \$25,000- 34,999 | 494 | 64,797 | 430 | 86.0 | 81.7-90.3 | 64 | 14.0 | 09.7-18.3 |
| \$35,000- 49,999 | 687 | 95,556 | 594 | 84.9 | 80.6-89.2 | 93 | 15.1 | 10.8-19.4 |
| \$50,000- 74,999 | 687 | 94,004 | 596 | 87.6 | 84.7-90.5 | 91 | 12.4 | 09.5-15.3 |
| \$75,000+ | 1347 | 201,379 | 1176 | 84.7 | 82.0-87.4 | 171 | 15.3 | 12.6-18.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2076 | 344,602 | 1841 | 86.9 | 84.9-88.9 | 235 | 13.1 | 11.1-15.1 |
| White/Non-Hisp | 1525 | 230,093 | 1354 | 86.1 | 83.6-88.6 | 171 | 13.9 | 11.4-16.4 |
| Black or Afr. Am./Non-Hisp | 286 | 64,605 | 243 | 83.0 | 77.1-88.9 | 43 | 17.0 | 11.1-22.9 |
| Oth. Race/Non-Hisp. | 101 | 17,623 | 92 | 95.6 | 92.1-99.1 | 9 | 4.4 | 00.9-07.9 |
| Hispanic | 102 | 24,760 | 97 | 97.3 | 94.4-100 | 5 | 2.7 | 00.0-05.6 |
| 18-24 | 136 | 46,472 | 111 | 81.6 | 73.6-89.6 | 25 | 18.4 | 10.4-26.4 |
| 25-34 | 210 | 58,724 | 174 | 83.5 | 77.4-89.6 | 36 | 16.5 | 10.4-22.6 |
| 35-44 | 260 | 53,811 | 224 | 84.4 | 78.9-89.9 | 36 | 15.6 | 10.1-21.1 |
| 45-54 | 363 | 62,779 | 322 | 87.1 | 82.4-91.8 | 41 | 12.9 | 08.2-17.6 |
| 55-64 | 420 | 57,038 | 381 | 90.7 | 87.4-94.0 | 39 | 9.3 | 06.0-12.6 |
| 65+ | 672 | 64,338 | 614 | 92.1 | 89.7-94.5 | 58 | 7.9 | 05.5-10.3 |
| Less Than H.S. | 179 | 49,305 | 156 | 89.3 | 83.0-95.6 | 23 | 10.7 | 04.4-17.0 |
| H.S. or G.E.D. | 646 | 115,979 | 567 | 84.9 | 81.0-88.8 | 79 | 15.1 | 11.2-19.0 |
| Some Post-H.S. | 468 | 91,478 | 404 | 85.8 | 81.9-89.7 | 64 | 14.2 | 10.3-18.1 |
| College Graduate | 775 | 86,731 | 706 | 89.3 | 86.4-92.2 | 69 | 10.7 | 07.8-13.6 |
| Less than \$15,000 | 135 | 24,308 | 110 | 87.0 | 80.3-93.7 | 25 | 13.0 | 06.3-19.7 |
| \$15,000- 24,999 | 258 | 43,585 | 223 | 87.9 | 83.4-92.4 | 35 | 12.1 | 07.6-16.6 |
| \$25,000- 34,999 | 192 | 31,366 | 173 | 89.8 | 83.5-96.1 | 19 | 10.2 | 03.9-16.5 |
| \$35,000- 49,999 | 298 | 48,216 | 267 | 87.0 | 81.1-92.9 | 31 | 13.0 | 07.1-18.9 |
| \$50,000- 74,999 | 296 | 47,540 | 270 | 91.4 | 87.7-95.1 | 26 | 8.6 | 04.9-12.3 |
| \$75,000+ | 637 | 105,675 | 564 | 84.4 | 80.5-88.3 | 73 | 15.6 | 11.7-19.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3112 | 376,850 | 2607 | 82.5 | 80.5-84.5 | 505 | 17.5 | 15.5-19.5 |
| White/Non-Hisp | 2294 | 251,947 | 1964 | 83.8 | 81.4-86.2 | 330 | 16.2 | 13.8-18.6 |
| Black or Afr. Am./Non-Hisp | 483 | 76,230 | 374 | 78.2 | 73.5-82.9 | 109 | 21.8 | 17.1-26.5 |
| Oth. Race/Non-Hisp. | 111 | 13,836 | 95 | 88.3 | 81.6-95.0 | 16 | 11.7 | 05.0-18.4 |
| Hispanic | 144 | 28,918 | 114 | 82.5 | 75.1-89.9 | 30 | 17.5 | 10.1-24.9 |
| 18-24 | 144 | 45,661 | 112 | 73.8 | 65.0-82.6 | 32 | 26.2 | 17.4-35.0 |
| 25-34 | 278 | 58,927 | 217 | 79.1 | 73.2-85.0 | 61 | 20.9 | 15.0-26.8 |
| 35-44 | 347 | 56,798 | 279 | 81.8 | 77.1-86.5 | 68 | 18.2 | 13.5-22.9 |
| 45-54 | 521 | 67,389 | 432 | 82.9 | 78.8-87.0 | 89 | 17.1 | 13.0-21.2 |
| 55-64 | 680 | 63,159 | 561 | 85.7 | 82.8-88.6 | 119 | 14.3 | 11.4-17.2 |
| 65+ | 1104 | 81,581 | 971 | 87.1 | 84.6-89.6 | 133 | 12.9 | 10.4-15.4 |
| Less Than H.S. | 245 | 49,039 | 198 | 83.0 | 76.9-89.1 | 47 | 17.0 | 10.9-23.1 |
| H.S. or G.E.D. | 916 | 110,462 | 779 | 82.5 | 78.8-86.2 | 137 | 17.5 | 13.8-21.2 |
| Some Post-H.S. | 870 | 119,366 | 713 | 81.0 | 77.5-84.5 | 157 | 19.0 | 15.5-22.5 |
| College Graduate | 1070 | 97,232 | 909 | 84.3 | 81.4-87.2 | 161 | 15.7 | 12.8-18.6 |
| Less than \$15,000 | 316 | 38,528 | 249 | 80.0 | 74.1-85.9 | 67 | 20.0 | 14.1-25.9 |
| \$15,000- 24,999 | 477 | 54,905 | 382 | 77.3 | 72.2-82.4 | 95 | 22.7 | 17.6-27.8 |
| \$25,000- 34,999 | 302 | 33,431 | 257 | 82.5 | 76.8-88.2 | 45 | 17.5 | 11.8-23.2 |
| \$35,000- 49,999 | 389 | 47,340 | 327 | 82.8 | 76.7-88.9 | 62 | 17.2 | 11.1-23.3 |
| \$50,000- 74,999 | 391 | 46,464 | 326 | 83.8 | 79.5-88.1 | 65 | 16.2 | 11.9-20.5 |
| \$75,000+ | 710 | 95,705 | 612 | 85.1 | 81.4-88.8 | 98 | 14.9 | 11.2-18.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5174 | 719,470 | 4652 | 89.4 | 88.2-90.6 | 522 | 10.6 | 09.4-11.8 |
| Male | 2071 | 343,991 | 1930 | 92.4 | 90.8-94.0 | 141 | 7.6 | 06.0-09.2 |
| Female | 3103 | 375,480 | 2722 | 86.7 | 84.9-88.5 | 381 | 13.3 | 11.5-15.1 |
| White/Non-Hisp | 3813 | 481,628 | 3464 | 89.9 | 88.5-91.3 | 349 | 10.1 | 08.7-11.5 |
| Black or Afr. Am./Non-Hisp | 765 | 139,695 | 657 | 86.0 | 82.9-89.1 | 108 | 14.0 | 10.9-17.1 |
| Oth. Race/Non-Hisp. | 211 | 31,367 | 190 | 93.4 | 90.1-96.7 | 21 | 6.6 | 03.3-09.9 |
| MultiRacial/Non-Hisp. | 67 | 4,930 | 54 | 83.1 | 72.7-93.5 | 13 | 16.9 | 06.5-27.3 |
| Hispanic | 246 | 53,678 | 221 | 92.0 | 88.1-95.9 | 25 | 8.0 | 04.1-11.9 |
| 18-24 | 277 | 91,261 | 243 | 86.3 | 81.4-91.2 | 34 | 13.7 | 08.8-18.6 |
| 25-34 | 483 | 116,940 | 432 | 89.7 | 86.2-93.2 | 51 | 10.3 | 06.8-13.8 |
| 35-44 | 607 | 110,609 | 533 | 88.2 | 85.1-91.3 | 74 | 11.8 | 08.7-14.9 |
| 45-54 | 883 | 130,058 | 786 | 88.4 | 85.5-91.3 | 97 | 11.6 | 08.7-14.5 |
| 55-64 | 1099 | 120,116 | 975 | 90.4 | 88.4-92.4 | 124 | 9.6 | 07.6-11.6 |
| 65+ | 1773 | 145,802 | 1632 | 91.9 | 90.3-93.5 | 141 | 8.1 | 06.5-09.7 |
| Less Than H.S. | 424 | 98,344 | 366 | 89.4 | 85.7-93.1 | 58 | 10.6 | 06.9-14.3 |
| H.S. or G.E.D. | 1557 | 225,676 | 1404 | 88.7 | 86.3-91.1 | 153 | 11.3 | 08.9-13.7 |
| Some Post-H.S. | 1336 | 210,216 | 1179 | 88.7 | 86.5-90.9 | 157 | 11.3 | 09.1-13.5 |
| College Graduate | 1838 | 183,375 | 1687 | 91.3 | 89.5-93.1 | 151 | 8.7 | 06.9-10.5 |
| Less than \$15,000 | 450 | 62,672 | 378 | 87.0 | 83.1-90.9 | 72 | 13.0 | 09.1-16.9 |
| \$15,000- 24,999 | 734 | 98,164 | 629 | 85.7 | 82.4-89.0 | 105 | 14.3 | 11.0-17.6 |
| \$25,000- 34,999 | 491 | 64,571 | 448 | 90.4 | 86.7-94.1 | 43 | 9.6 | 05.9-13.3 |
| \$35,000- 49,999 | 686 | 95,497 | 625 | 90.5 | 87.0-94.0 | 61 | 9.5 | 06.0-13.0 |
| \$50,000- 74,999 | 684 | 93,723 | 625 | 92.4 | 90.2-94.6 | 59 | 7.6 | 05.4-09.8 |
| \$75,000+ | 1343 | 200,546 | 1229 | 90.1 | 87.9-92.3 | 114 | 9.9 | 07.7-12.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2071 | 343,991 | 1930 | 92.4 | 90.8-94.0 | 141 | 7.6 | 06.0-09.2 |
| White/Non-Hisp | 1522 | 229,961 | 1421 | 91.9 | 89.7-94.1 | 101 | 8.1 | 05.9-10.3 |
| Black or Afr. Am./Non-Hisp | 285 | 64,278 | 260 | 90.0 | 85.5-94.5 | 25 | 10.0 | 05.5-14.5 |
| Oth. Race/Non-Hisp. | 101 | 17,623 | 94 | 96.2 | 92.9-99.5 | 7 | 3.8 | 00.5-07.1 |
| Hispanic | 102 | 24,760 | 99 | 99.0 | 97.8-100 | 3 | 1.0 | 00.0-02.2 |
| 18-24 | 136 | 46,472 | 125 | 92.2 | 86.7-97.7 | 11 | 7.8 | 02.3-13.3 |
| 25-34 | 207 | 58,184 | 194 | 92.8 | 88.1-97.5 | 13 | 7.2 | 02.5-11.9 |
| 35-44 | 260 | 53,811 | 241 | 90.9 | 86.4-95.4 | 19 | 9.1 | 04.6-13.6 |
| 45-54 | 363 | 62,779 | 332 | 90.2 | 85.9-94.5 | 31 | 9.8 | 05.5-14.1 |
| 55-64 | 420 | 57,038 | 393 | 92.9 | 89.8-96.0 | 27 | 7.1 | 04.0-10.2 |
| 65+ | 670 | 64,265 | 630 | 94.7 | 92.7-96.7 | 40 | 5.3 | 03.3-07.3 |
| Less Than H.S. | 179 | 49,305 | 161 | 94.4 | 90.3-98.5 | 18 | 5.6 | 01.5-09.7 |
| H.S. or G.E.D. | 643 | 115,446 | 597 | 90.3 | 86.8-93.8 | 46 | 9.7 | 06.2-13.2 |
| Some Post-H.S. | 467 | 91,419 | 423 | 91.8 | 89.1-94.5 | 44 | 8.2 | 05.5-10.9 |
| College Graduate | 774 | 86,712 | 741 | 94.5 | 92.1-96.9 | 33 | 5.5 | 03.1-07.9 |
| Less than \$15,000 | 135 | 24,308 | 117 | 91.1 | 85.4-96.8 | 18 | 8.9 | 03.2-14.6 |
| \$15,000- 24,999 | 257 | 43,259 | 229 | 91.3 | 87.6-95.0 | 28 | 8.7 | 05.0-12.4 |
| \$25,000- 34,999 | 189 | 31,140 | 179 | 93.9 | 88.4-99.4 | 10 | 6.1 | 00.6-11.6 |
| \$35,000- 49,999 | 297 | 48,157 | 280 | 92.5 | 87.6-97.4 | 17 | 7.5 | 02.6-12.4 |
| \$50,000- 74,999 | 296 | 47,540 | 283 | 96.1 | 93.6-98.6 | 13 | 3.9 | 01.4-06.4 |
| \$75,000+ | 637 | 105,675 | 598 | 91.3 | 88.2-94.4 | 39 | 8.7 | 05.6-11.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3103 | 375,480 | 2722 | 86.7 | 84.9-88.5 | 381 | 13.3 | 11.5-15.1 |
| White/Non-Hisp | 2291 | 251,667 | 2043 | 88.0 | 86.0-90.0 | 248 | 12.0 | 10.0-14.0 |
| Black or Afr. Am./Non-Hisp | 480 | 75,416 | 397 | 82.7 | 78.4-87.0 | 83 | 17.3 | 13.0-21.6 |
| Oth. Race/Non-Hisp. | 110 | 13,744 | 96 | 89.8 | 83.5-96.1 | 14 | 10.2 | 03.9-16.5 |
| Hispanic | 144 | 28,918 | 122 | 85.9 | 79.0-92.8 | 22 | 14.1 | 07.2-21.0 |
| 18-24 | 141 | 44,789 | 118 | 80.1 | 71.9-88.3 | 23 | 19.9 | 11.7-28.1 |
| 25-34 | 276 | 58,756 | 238 | 86.5 | 81.4-91.6 | 38 | 13.5 | 08.4-18.6 |
| 35-44 | 347 | 56,798 | 292 | 85.7 | 81.4-90.0 | 55 | 14.3 | 10.0-18.6 |
| 45-54 | 520 | 67,279 | 454 | 86.6 | 82.7-90.5 | 66 | 13.4 | 09.5-17.3 |
| 55-64 | 679 | 63,078 | 582 | 88.1 | 85.4-90.8 | 97 | 11.9 | 09.2-14.6 |
| 65+ | 1103 | 81,537 | 1002 | 89.7 | 87.3-92.1 | 101 | 10.3 | 07.9-12.7 |
| Less Than H.S. | 245 | 49,039 | 205 | 84.4 | 78.5-90.3 | 40 | 15.6 | 09.7-21.5 |
| H.S. or G.E.D. | 914 | 110,231 | 807 | 87.0 | 83.9-90.1 | 107 | 13.0 | 09.9-16.1 |
| Some Post-H.S. | 869 | 118,796 | 756 | 86.3 | 83.2-89.4 | 113 | 13.7 | 10.6-16.8 |
| College Graduate | 1064 | 96,663 | 946 | 88.3 | 85.6-91.0 | 118 | 11.7 | 09.0-14.4 |
| Less than \$15,000 | 315 | 38,364 | 261 | 84.4 | 79.1-89.7 | 54 | 15.6 | 10.3-20.9 |
| \$15,000- 24,999 | 477 | 54,905 | 400 | 81.4 | 76.5-86.3 | 77 | 18.6 | 13.7-23.5 |
| \$25,000- 34,999 | 302 | 33,431 | 269 | 87.0 | 81.9-92.1 | 33 | 13.0 | 07.9-18.1 |
| \$35,000- 49,999 | 389 | 47,340 | 345 | 88.4 | 83.3-93.5 | 44 | 11.6 | 06.5-16.7 |
| \$50,000- 74,999 | 388 | 46,184 | 342 | 88.6 | 84.9-92.3 | 46 | 11.4 | 07.7-15.1 |
| \$75,000+ | 706 | 94,871 | 631 | 88.9 | 85.8-92.0 | 75 | 11.1 | 08.0-14.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Current | | | Former | | | Never | | |
|----------------------------|-------------------|----------|---------|------|------------|--------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5174 | 719,470 | 522 | 10.6 | 09.4-11.8 | 204 | 4.6 | 03.8-05.4 | 4448 | 84.8 | 83.4-86.2 |
| Male | 2071 | 343,991 | 141 | 7.6 | 06.0-09.2 | 89 | 5.3 | 03.9-06.7 | 1841 | 87.1 | 85.1-89.1 |
| Female | 3103 | 375,480 | 381 | 13.3 | 11.5-15.1 | 115 | 3.9 | 02.9-04.9 | 2607 | 82.8 | 80.8-84.8 |
| White/Non-Hisp | 3813 | 481,628 | 349 | 10.1 | 08.7-11.5 | 146 | 4.9 | 03.9-05.9 | 3318 | 85.0 | 83.2-86.8 |
| Black or Afr. Am./Non-Hisp | 765 | 139,695 | 108 | 14.0 | 10.9-17.1 | 40 | 5.0 | 02.8-07.2 | 617 | 81.0 | 77.5-84.5 |
| Oth. Race/Non-Hisp. | 211 | 31,367 | 21 | 6.6 | 03.3-09.9 | 3 | 0.8 | 00.0-01.8 | 187 | 92.7 | 89.2-96.2 |
| MultiRacial/Non-Hisp. | 67 | 4,930 | 13 | 16.9 | 06.5-27.3 | 3 | 5.7 | 00.0-13.0 | 51 | 77.4 | 65.4-89.4 |
| Hispanic | 246 | 53,678 | 25 | 8.0 | 04.1-11.9 | 10 | 2.7 | 00.7-04.7 | 211 | 89.3 | 85.0-93.6 |
| 18-24 | 277 | 91,261 | 34 | 13.7 | 08.8-18.6 | 20 | 7.8 | 03.9-11.7 | 223 | 78.5 | 72.4-84.6 |
| 25-34 | 483 | 116,940 | 51 | 10.3 | 06.8-13.8 | 41 | 7.8 | 05.3-10.3 | 391 | 81.8 | 77.7-85.9 |
| 35-44 | 607 | 110,609 | 74 | 11.8 | 08.7-14.9 | 30 | 5.2 | 03.0-07.4 | 503 | 83.1 | 79.6-86.6 |
| 45-54 | 883 | 130,058 | 97 | 11.6 | 08.7-14.5 | 32 | 3.4 | 01.8-05.0 | 754 | 85.0 | 81.9-88.1 |
| 55-64 | 1099 | 120,116 | 124 | 9.6 | 07.6-11.6 | 33 | 2.3 | 01.3-03.3 | 942 | 88.1 | 85.9-90.3 |
| 65+ | 1773 | 145,802 | 141 | 8.1 | 06.5-09.7 | 47 | 2.5 | 01.7-03.3 | 1585 | 89.4 | 87.6-91.2 |
| Less Than H.S. | 424 | 98,344 | 58 | 10.6 | 06.9-14.3 | 12 | 3.3 | 00.6-06.0 | 354 | 86.1 | 81.8-90.4 |
| H.S. or G.E.D. | 1557 | 225,676 | 153 | 11.3 | 08.9-13.7 | 58 | 4.7 | 03.1-06.3 | 1346 | 84.0 | 81.3-86.7 |
| Some Post-H.S. | 1336 | 210,216 | 157 | 11.3 | 09.1-13.5 | 62 | 5.4 | 03.8-07.0 | 1117 | 83.3 | 80.8-85.8 |
| College Graduate | 1838 | 183,375 | 151 | 8.7 | 06.9-10.5 | 72 | 4.3 | 03.1-05.5 | 1615 | 86.9 | 84.7-89.1 |
| Less than \$15,000 | 450 | 62,672 | 72 | 13.0 | 09.1-16.9 | 19 | 4.1 | 01.9-06.3 | 359 | 82.9 | 78.4-87.4 |
| \$15,000- 24,999 | 734 | 98,164 | 105 | 14.3 | 11.0-17.6 | 24 | 3.5 | 01.9-05.1 | 605 | 82.3 | 78.8-85.8 |
| \$25,000- 34,999 | 491 | 64,571 | 43 | 9.6 | 05.9-13.3 | 18 | 4.0 | 01.6-06.4 | 430 | 86.3 | 82.0-90.6 |
| \$35,000- 49,999 | 686 | 95,497 | 61 | 9.5 | 06.0-13.0 | 31 | 5.5 | 02.8-08.2 | 594 | 85.0 | 80.7-89.3 |
| \$50,000- 74,999 | 684 | 93,723 | 59 | 7.6 | 05.4-09.8 | 29 | 4.5 | 02.5-06.5 | 596 | 87.9 | 85.0-90.8 |
| \$75,000+ | 1343 | 200,546 | 114 | 9.9 | 07.7-12.1 | 53 | 5.1 | 03.5-06.7 | 1176 | 85.1 | 82.6-87.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Current | | | Former | | | Never | | |
|----------------------------|-------------------|----------|---------|------|------------|--------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2071 | 343,991 | 141 | 7.6 | 06.0-09.2 | 89 | 5.3 | 03.9-06.7 | 1841 | 87.1 | 85.1-89.1 |
| White/Non-Hisp | 1522 | 229,961 | 101 | 8.1 | 05.9-10.3 | 67 | 5.8 | 04.2-07.4 | 1354 | 86.2 | 83.7-88.7 |
| Black or Afr. Am./Non-Hisp | 285 | 64,278 | 25 | 10.0 | 05.5-14.5 | 17 | 6.6 | 02.5-10.7 | 243 | 83.4 | 77.5-89.3 |
| Oth. Race/Non-Hisp. | 101 | 17,623 | 7 | 3.8 | 00.5-07.1 | 2 | 0.6 | 00.0-01.6 | 92 | 95.6 | 92.1-99.1 |
| Hispanic | 102 | 24,760 | 3 | 1.0 | 00.0-02.2 | 2 | 1.7 | 00.0-04.4 | 97 | 97.3 | 94.4-0100 |
| 18-24 | 136 | 46,472 | 11 | 7.8 | 02.3-13.3 | 14 | 10.6 | 04.1-17.1 | 111 | 81.6 | 73.6-89.6 |
| 25-34 | 207 | 58,184 | 13 | 7.2 | 02.5-11.9 | 20 | 8.5 | 04.4-12.6 | 174 | 84.3 | 78.2-90.4 |
| 35-44 | 260 | 53,811 | 19 | 9.1 | 04.6-13.6 | 17 | 6.5 | 03.2-09.8 | 224 | 84.4 | 78.9-89.9 |
| 45-54 | 363 | 62,779 | 31 | 9.8 | 05.5-14.1 | 10 | 3.1 | 00.6-05.6 | 322 | 87.1 | 82.4-91.8 |
| 55-64 | 420 | 57,038 | 27 | 7.1 | 04.0-10.2 | 12 | 2.2 | 00.8-03.6 | 381 | 90.7 | 87.4-94.0 |
| 65+ | 670 | 64,265 | 40 | 5.3 | 03.3-07.3 | 16 | 2.5 | 01.1-03.9 | 614 | 92.2 | 89.8-94.6 |
| Less Than H.S. | 179 | 49,305 | 18 | 5.6 | 01.5-09.7 | 5 | 5.1 | 00.0-10.2 | 156 | 89.3 | 83.0-95.6 |
| H.S. or G.E.D. | 643 | 115,446 | 46 | 9.7 | 06.2-13.2 | 30 | 4.9 | 02.9-06.9 | 567 | 85.3 | 81.4-89.2 |
| Some Post-H.S. | 467 | 91,419 | 44 | 8.2 | 05.5-10.9 | 19 | 5.9 | 03.0-08.8 | 404 | 85.9 | 82.0-89.8 |
| College Graduate | 774 | 86,712 | 33 | 5.5 | 03.1-07.9 | 35 | 5.2 | 03.2-07.2 | 706 | 89.3 | 86.4-92.2 |
| Less than \$15,000 | 135 | 24,308 | 18 | 8.9 | 03.2-14.6 | 7 | 4.1 | 00.6-07.6 | 110 | 87.0 | 80.3-93.7 |
| \$15,000- 24,999 | 257 | 43,259 | 28 | 8.7 | 05.0-12.4 | 6 | 2.7 | 00.2-05.2 | 223 | 88.6 | 84.1-93.1 |
| \$25,000- 34,999 | 189 | 31,140 | 10 | 6.1 | 00.6-11.6 | 6 | 3.5 | 00.0-07.0 | 173 | 90.4 | 84.1-96.7 |
| \$35,000- 49,999 | 297 | 48,157 | 17 | 7.5 | 02.6-12.4 | 13 | 5.3 | 02.0-08.6 | 267 | 87.1 | 81.2-93.0 |
| \$50,000- 74,999 | 296 | 47,540 | 13 | 3.9 | 01.4-06.4 | 13 | 4.7 | 02.0-07.4 | 270 | 91.4 | 87.7-95.1 |
| \$75,000+ | 637 | 105,675 | 39 | 8.7 | 05.6-11.8 | 34 | 6.9 | 04.2-09.6 | 564 | 84.4 | 80.5-88.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Current | | | Former | | | Never | | |
|----------------------------|-------------------|----------|---------|------|------------|--------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3103 | 375,480 | 381 | 13.3 | 11.5-15.1 | 115 | 3.9 | 02.9-04.9 | 2607 | 82.8 | 80.8-84.8 |
| White/Non-Hisp | 2291 | 251,667 | 248 | 12.0 | 10.0-14.0 | 79 | 4.2 | 03.0-05.4 | 1964 | 83.9 | 81.5-86.3 |
| Black or Afr. Am./Non-Hisp | 480 | 75,416 | 83 | 17.3 | 13.0-21.6 | 23 | 3.6 | 01.6-05.6 | 374 | 79.0 | 74.5-83.5 |
| Oth. Race/Non-Hisp. | 110 | 13,744 | 14 | 10.2 | 03.9-16.5 | 1 | 0.9 | 00.0-02.7 | 95 | 88.9 | 82.4-95.4 |
| Hispanic | 144 | 28,918 | 22 | 14.1 | 07.2-21.0 | 8 | 3.5 | 00.8-06.2 | 114 | 82.5 | 75.1-89.9 |
| 18-24 | 141 | 44,789 | 23 | 19.9 | 11.7-28.1 | 6 | 4.9 | 00.2-09.6 | 112 | 75.3 | 66.5-84.1 |
| 25-34 | 276 | 58,756 | 38 | 13.5 | 08.4-18.6 | 21 | 7.2 | 03.9-10.5 | 217 | 79.4 | 73.5-85.3 |
| 35-44 | 347 | 56,798 | 55 | 14.3 | 10.0-18.6 | 13 | 3.9 | 01.4-06.4 | 279 | 81.8 | 77.1-86.5 |
| 45-54 | 520 | 67,279 | 66 | 13.4 | 09.5-17.3 | 22 | 3.6 | 01.8-05.4 | 432 | 83.0 | 78.9-87.1 |
| 55-64 | 679 | 63,078 | 97 | 11.9 | 09.2-14.6 | 21 | 2.3 | 01.1-03.5 | 561 | 85.8 | 82.9-88.7 |
| 65+ | 1103 | 81,537 | 101 | 10.3 | 07.9-12.7 | 31 | 2.5 | 01.5-03.5 | 971 | 87.1 | 84.6-89.6 |
| Less Than H.S. | 245 | 49,039 | 40 | 15.6 | 09.7-21.5 | 7 | 1.4 | 00.2-02.6 | 198 | 83.0 | 76.9-89.1 |
| H.S. or G.E.D. | 914 | 110,231 | 107 | 13.0 | 09.9-16.1 | 28 | 4.4 | 02.2-06.6 | 779 | 82.6 | 78.9-86.3 |
| Some Post-H.S. | 869 | 118,796 | 113 | 13.7 | 10.6-16.8 | 43 | 4.9 | 03.1-06.7 | 713 | 81.4 | 77.9-84.9 |
| College Graduate | 1064 | 96,663 | 118 | 11.7 | 09.0-14.4 | 37 | 3.5 | 01.9-05.1 | 909 | 84.8 | 81.9-87.7 |
| Less than \$15,000 | 315 | 38,364 | 54 | 15.6 | 10.3-20.9 | 12 | 4.0 | 01.1-06.9 | 249 | 80.3 | 74.4-86.2 |
| \$15,000- 24,999 | 477 | 54,905 | 77 | 18.6 | 13.7-23.5 | 18 | 4.1 | 01.9-06.3 | 382 | 77.3 | 72.2-82.4 |
| \$25,000- 34,999 | 302 | 33,431 | 33 | 13.0 | 07.9-18.1 | 12 | 4.6 | 01.5-07.7 | 257 | 82.5 | 76.8-88.2 |
| \$35,000- 49,999 | 389 | 47,340 | 44 | 11.6 | 06.5-16.7 | 18 | 5.7 | 01.4-10.0 | 327 | 82.8 | 76.7-88.9 |
| \$50,000- 74,999 | 388 | 46,184 | 46 | 11.4 | 07.7-15.1 | 16 | 4.3 | 01.8-06.8 | 326 | 84.3 | 80.0-88.6 |
| \$75,000+ | 706 | 94,871 | 75 | 11.1 | 08.0-14.2 | 19 | 3.0 | 01.4-04.6 | 612 | 85.9 | 82.4-89.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 10: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Diagnosed with arthritis | | | Not Diagnosed with arthritis | | |
|----------------------------|-------------------|----------|--------------------------|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5177 | 719,832 | 1763 | 26.2 | 24.6-27.8 | 3414 | 73.8 | 72.2-75.4 |
| Male | 2074 | 344,292 | 568 | 21.3 | 19.1-23.5 | 1506 | 78.7 | 76.5-80.9 |
| Female | 3103 | 375,540 | 1195 | 30.7 | 28.5-32.9 | 1908 | 69.3 | 67.1-71.5 |
| White/Non-Hisp | 3819 | 482,010 | 1387 | 29.4 | 27.6-31.2 | 2432 | 70.6 | 68.8-72.4 |
| Black or Afr. Am./Non-Hisp | 765 | 139,848 | 232 | 22.8 | 19.3-26.3 | 533 | 77.2 | 73.7-80.7 |
| Oth. Race/Non-Hisp. | 208 | 31,080 | 52 | 16.7 | 08.5-24.9 | 156 | 83.3 | 75.1-91.5 |
| MultiRacial/Non-Hisp. | 69 | 5,191 | 27 | 29.1 | 16.9-41.3 | 42 | 70.9 | 58.7-83.1 |
| Hispanic | 246 | 53,678 | 42 | 12.8 | 07.5-18.1 | 204 | 87.2 | 81.9-92.5 |
| 18-24 | 280 | 92,133 | 9 | 5.0 | 01.3-08.7 | 271 | 95.0 | 91.3-98.7 |
| 25-34 | 486 | 117,255 | 41 | 7.9 | 04.8-11.0 | 445 | 92.1 | 89.0-95.2 |
| 35-44 | 603 | 109,983 | 85 | 11.7 | 09.0-14.4 | 518 | 88.3 | 85.6-91.0 |
| 45-54 | 882 | 130,244 | 258 | 30.4 | 26.5-34.3 | 624 | 69.6 | 65.7-73.5 |
| 55-64 | 1097 | 119,905 | 441 | 39.2 | 35.5-42.9 | 656 | 60.8 | 57.1-64.5 |
| 65+ | 1776 | 145,536 | 917 | 51.3 | 48.4-54.2 | 859 | 48.7 | 45.8-51.6 |
| Less Than H.S. | 425 | 98,391 | 178 | 31.4 | 25.7-37.1 | 247 | 68.6 | 62.9-74.3 |
| H.S. or G.E.D. | 1556 | 225,669 | 567 | 27.7 | 25.0-30.4 | 989 | 72.3 | 69.6-75.0 |
| Some Post-H.S. | 1339 | 210,814 | 474 | 26.1 | 23.2-29.0 | 865 | 73.9 | 71.0-76.8 |
| College Graduate | 1838 | 183,098 | 537 | 21.9 | 19.7-24.1 | 1301 | 78.1 | 75.9-80.3 |
| Less than \$15,000 | 451 | 62,625 | 193 | 30.5 | 24.6-36.4 | 258 | 69.5 | 63.6-75.4 |
| \$15,000- 24,999 | 734 | 98,141 | 311 | 34.1 | 29.6-38.6 | 423 | 65.9 | 61.4-70.4 |
| \$25,000- 34,999 | 492 | 64,449 | 176 | 26.7 | 22.0-31.4 | 316 | 73.3 | 68.6-78.0 |
| \$35,000- 49,999 | 687 | 95,487 | 233 | 25.8 | 21.9-29.7 | 454 | 74.2 | 70.3-78.1 |
| \$50,000- 74,999 | 682 | 93,302 | 205 | 27.4 | 22.9-31.9 | 477 | 72.6 | 68.1-77.1 |
| \$75,000+ | 1347 | 201,522 | 346 | 19.9 | 17.4-22.4 | 1001 | 80.1 | 77.6-82.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 11: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Diagnosed with arthritis | | | Not Diagnosed with arthritis | | |
|----------------------------|-------------------|----------|--------------------------|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2074 | 344,292 | 568 | 21.3 | 19.1-23.5 | 1506 | 78.7 | 76.5-80.9 |
| White/Non-Hisp | 1528 | 230,544 | 460 | 24.4 | 21.7-27.1 | 1068 | 75.6 | 72.9-78.3 |
| Black or Afr. Am./Non-Hisp | 285 | 64,291 | 60 | 17.0 | 11.9-22.1 | 225 | 83.0 | 77.9-88.1 |
| Oth. Race/Non-Hisp. | 99 | 17,385 | 16 | 15.0 | 01.5-28.5 | 83 | 85.0 | 71.5-98.5 |
| Hispanic | 102 | 24,760 | 12 | 8.0 | 03.1-12.9 | 90 | 92.0 | 87.1-96.9 |
| 18-24 | 136 | 46,472 | 1 | 1.8 | 00.0-05.1 | 135 | 98.2 | 94.9-100 |
| 25-34 | 210 | 58,764 | 12 | 6.7 | 01.6-11.8 | 198 | 93.3 | 88.2-98.4 |
| 35-44 | 258 | 53,392 | 30 | 9.7 | 05.8-13.6 | 228 | 90.3 | 86.4-94.2 |
| 45-54 | 363 | 63,047 | 87 | 25.4 | 19.7-31.1 | 276 | 74.6 | 68.9-80.3 |
| 55-64 | 420 | 57,009 | 139 | 34.0 | 27.9-40.1 | 281 | 66.0 | 59.9-72.1 |
| 65+ | 672 | 64,166 | 297 | 43.7 | 39.0-48.4 | 375 | 56.3 | 51.6-61.0 |
| Less Than H.S. | 180 | 49,374 | 59 | 24.3 | 16.7-31.9 | 121 | 75.7 | 68.1-83.3 |
| H.S. or G.E.D. | 643 | 115,674 | 183 | 22.0 | 18.3-25.7 | 460 | 78.0 | 74.3-81.7 |
| Some Post-H.S. | 470 | 91,828 | 124 | 20.4 | 15.9-24.9 | 346 | 79.6 | 75.1-84.1 |
| College Graduate | 773 | 86,307 | 201 | 19.8 | 16.7-22.9 | 572 | 80.2 | 77.1-83.3 |
| Less than \$15,000 | 135 | 24,308 | 46 | 26.4 | 16.8-36.0 | 89 | 73.6 | 64.0-83.2 |
| \$15,000- 24,999 | 259 | 43,430 | 83 | 25.9 | 18.6-33.2 | 176 | 74.1 | 66.8-81.4 |
| \$25,000- 34,999 | 192 | 31,366 | 58 | 20.4 | 14.1-26.7 | 134 | 79.6 | 73.3-85.9 |
| \$35,000- 49,999 | 299 | 48,263 | 80 | 20.1 | 15.0-25.2 | 219 | 79.9 | 74.8-85.0 |
| \$50,000- 74,999 | 294 | 47,153 | 83 | 27.2 | 19.9-34.5 | 211 | 72.8 | 65.5-80.1 |
| \$75,000+ | 637 | 105,843 | 145 | 17.9 | 14.4-21.4 | 492 | 82.1 | 78.6-85.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 12: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Diagnosed with arthritis | | | Not Diagnosed with arthritis | | |
|----------------------------|-------------------|----------|--------------------------|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3103 | 375,540 | 1195 | 30.7 | 28.7-32.7 | 1908 | 69.3 | 67.3-71.3 |
| White/Non-Hisp | 2291 | 251,465 | 927 | 33.9 | 31.4-36.4 | 1364 | 66.1 | 63.6-68.6 |
| Black or Afr. Am./Non-Hisp | 480 | 75,557 | 172 | 27.6 | 22.9-32.3 | 308 | 72.4 | 67.7-77.1 |
| Oth. Race/Non-Hisp. | 109 | 13,695 | 36 | 18.9 | 10.9-26.9 | 73 | 81.1 | 73.1-89.1 |
| Hispanic | 144 | 28,918 | 30 | 16.9 | 08.5-25.3 | 114 | 83.1 | 74.7-91.5 |
| 18-24 | 144 | 45,661 | 8 | 8.3 | 01.6-15.0 | 136 | 91.7 | 85.0-98.4 |
| 25-34 | 276 | 58,490 | 29 | 9.0 | 05.3-12.7 | 247 | 91.0 | 87.3-94.7 |
| 35-44 | 345 | 56,592 | 55 | 13.6 | 09.7-17.5 | 290 | 86.4 | 82.5-90.3 |
| 45-54 | 519 | 67,198 | 171 | 35.0 | 29.7-40.3 | 348 | 65.0 | 59.7-70.3 |
| 55-64 | 677 | 62,895 | 302 | 44.0 | 39.3-48.7 | 375 | 56.0 | 51.3-60.7 |
| 65+ | 1104 | 81,369 | 620 | 57.3 | 53.8-60.8 | 484 | 42.7 | 39.2-46.2 |
| Less Than H.S. | 245 | 49,018 | 119 | 38.4 | 30.4-46.4 | 126 | 61.6 | 53.6-69.6 |
| H.S. or G.E.D. | 913 | 109,995 | 384 | 33.7 | 29.8-37.6 | 529 | 66.3 | 62.4-70.2 |
| Some Post-H.S. | 869 | 118,986 | 350 | 30.5 | 27.0-34.0 | 519 | 69.5 | 66.0-73.0 |
| College Graduate | 1065 | 96,791 | 336 | 23.7 | 20.8-26.6 | 729 | 76.3 | 73.4-79.2 |
| Less than \$15,000 | 316 | 38,317 | 147 | 33.2 | 25.8-40.6 | 169 | 66.8 | 59.4-74.2 |
| \$15,000- 24,999 | 475 | 54,710 | 228 | 40.6 | 34.9-46.3 | 247 | 59.4 | 53.7-65.1 |
| \$25,000- 34,999 | 300 | 33,083 | 118 | 32.7 | 26.0-39.4 | 182 | 67.3 | 60.6-74.0 |
| \$35,000- 49,999 | 388 | 47,224 | 153 | 31.8 | 26.1-37.5 | 235 | 68.2 | 62.5-73.9 |
| \$50,000- 74,999 | 388 | 46,148 | 122 | 27.7 | 22.2-33.2 | 266 | 72.3 | 66.8-77.8 |
| \$75,000+ | 710 | 95,680 | 201 | 22.0 | 18.5-25.5 | 509 | 78.0 | 74.5-81.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | PAGE |
|---|------|
| PREFERRED RACE CATEGORY (_PRACE). | |
| 1 MALES AND FEMALES | 37 |
| 2 MALES ONLY | 38 |
| 3 FEMALES ONLY | 39 |
| MULTIRACIAL RACE CATEGORIZATION (_MRACE). | |
| 4 MALES AND FEMALES | 40 |
| 5 MALES ONLY | 41 |
| 6 FEMALES ONLY | 42 |
| RACE/ETHNICITY CATEGORIES (RACE2). | |
| 7 MALES AND FEMALES | 43 |
| 8 MALES ONLY | 44 |
| 9 FEMALES ONLY | 45 |
| WHITE/HISPANIC RACE GROUP (_RACEG21). | |
| 10 MALES AND FEMALES | 46 |
| 11 MALES ONLY | 47 |
| 12 FEMALES ONLY | 48 |
| FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.) | |
| 13 MALES AND FEMALES | 49 |
| 14 MALES ONLY | 50 |
| 15 FEMALES ONLY | 51 |
| ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR). | |
| 16 MALES AND FEMALES | 52 |
| 17 MALES ONLY | 53 |
| 18 FEMALES ONLY | 54 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|--|------|
| | TWO-LEVEL AGE CATEGORY (_AGE65YR). | |
| 19 | MALES AND FEMALES | 55 |
| 20 | MALES ONLY | 56 |
| 21 | FEMALES ONLY | 57 |
| | REPORTED HEIGHT IN INCHES (HTIN4). | |
| 22 | MALES AND FEMALES | 58 |
| 23 | MALES ONLY | 59 |
| 24 | FEMALES ONLY | 60 |
| | REPORTED HEIGHT IN METERS (HTM4). | |
| 25 | MALES AND FEMALES | 61 |
| 26 | MALES ONLY | 62 |
| 27 | FEMALES ONLY | 63 |
| | REPORTED WEIGHT IN KILOGRAMS (WTKG3). | |
| 28 | MALES AND FEMALES | 64 |
| 29 | MALES ONLY | 65 |
| 30 | FEMALES ONLY | 66 |
| | BODY MASS INDEX (kilograms per meter-squared) (_BMI5). | |
| 31 | MALES AND FEMALES | 67 |
| 32 | MALES ONLY | 68 |
| 33 | FEMALES ONLY | 69 |
| | THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT). | |
| 34 | MALES AND FEMALES | 70 |
| 35 | MALES ONLY | 71 |
| 36 | FEMALES ONLY | 72 |
| | RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5). | |
| 37 | MALES AND FEMALES | 73 |
| 38 | MALES ONLY | 74 |
| 39 | FEMALES ONLY | 75 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT). | |
| 40 | MALES AND FEMALES | 76 |
| 41 | MALES ONLY | 77 |
| 42 | FEMALES ONLY | 78 |
| | RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG). | |
| 43 | MALES AND FEMALES | 79 |
| 44 | MALES ONLY | 80 |
| 45 | FEMALES ONLY | 81 |
| | RISK FACTOR FOR INCOME CATEGORIES (_INCOMG). | |
| 46 | MALES AND FEMALES | 82 |
| 47 | MALES ONLY | 83 |
| 48 | FEMALES ONLY | 84 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White | | | Black | | | American Indian or Alaskan Native | | | Asian | | | Native Hawaiian or Pacific Islander only | | | Other Race, No Preferred Race, Multiracial | | |
|--------------------|-------------------|----------|-------|------|------------|-------|------|------------|-----------------------------------|-----|------------|-------|-----|------------|--|-----|------------|--|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5127 | 711,384 | 3973 | 71.6 | 69.8-73.4 | 812 | 20.4 | 18.8-22.0 | 48 | 0.9 | 0.5-01.3 | 88 | 2.7 | 01.9-03.5 | 13 | 0.1 | 0.1-0.1 | 193 | 4.2 | 03.4-05.0 |
| Male | 2048 | 339,608 | 1592 | 71.4 | 68.7-74.1 | 300 | 19.6 | 17.1-22.1 | 17 | 1.1 | 0.3-01.9 | 48 | 3.3 | 01.9-04.7 | 5 | 0.1 | 0.1-0.1 | 86 | 4.6 | 03.4-05.8 |
| Female | 3079 | 371,776 | 2381 | 71.8 | 69.4-74.2 | 512 | 21.2 | 19.0-23.4 | 31 | 0.8 | 0.4-01.2 | 40 | 2.2 | 01.4-03.0 | 8 | 0.1 | 0.0-0.3 | 107 | 3.8 | 02.8-04.8 |
| 18-24 | 277 | 90,969 | 164 | 61.6 | 54.5-68.7 | 66 | 23.9 | 17.8-30.0 | 4 | 1.3 | 0.0-02.7 | 15 | 5.4 | 01.1-09.7 | 1 | 0.1 | 0.0-0.3 | 27 | 7.8 | 04.5-11.1 |
| 25-34 | 478 | 114,945 | 316 | 64.6 | 59.1-70.1 | 100 | 22.8 | 17.9-27.7 | 3 | 0.3 | 0.0-0.7 | 22 | 4.9 | 02.5-07.3 | 1 | 0.1 | 0.0-0.3 | 36 | 7.3 | 04.6-10.0 |
| 35-44 | 598 | 108,444 | 383 | 62.6 | 57.7-67.5 | 134 | 25.2 | 20.7-29.7 | 5 | 0.4 | 0.0-0.8 | 32 | 5.6 | 03.6-07.6 | 3 | 0.2 | 0.0-0.4 | 41 | 6.0 | 03.8-08.2 |
| 45-54 | 871 | 128,710 | 654 | 74.0 | 70.1-77.9 | 165 | 21.1 | 17.4-24.8 | 7 | 0.7 | 0.0-01.5 | 10 | 1.3 | 0.3-02.3 | 4 | 0.2 | 0.0-0.4 | 31 | 2.7 | 01.5-03.9 |
| 55-64 | 1092 | 119,427 | 882 | 76.9 | 73.2-80.6 | 161 | 18.5 | 15.2-21.8 | 13 | 2.1 | 0.0-04.3 | 3 | 0.2 | 0.0-0.4 | 4 | 0.2 | 0.0-0.4 | 29 | 2.1 | 01.1-03.1 |
| 65+ | 1773 | 145,670 | 1553 | 84.2 | 81.7-86.7 | 176 | 13.7 | 11.3-16.1 | 16 | 0.7 | 0.3-01.1 | 5 | 0.4 | 0.0-0.8 | | | | 23 | 0.9 | 0.3-01.5 |
| Less Than H.S. | 414 | 95,735 | 254 | 57.2 | 50.7-63.7 | 115 | 29.7 | 23.6-35.8 | 7 | 1.8 | 0.0-04.3 | 1 | 0.6 | 0.0-01.8 | | | | 37 | 10.7 | 07.0-14.4 |
| H.S. or G.E.D. | 1549 | 223,635 | 1202 | 73.2 | 70.1-76.3 | 254 | 20.5 | 17.6-23.4 | 17 | 0.7 | 0.3-01.1 | 10 | 1.0 | 0.0-02.0 | 4 | 0.1 | 0.1-0.1 | 62 | 4.4 | 03.0-05.8 |
| Some Post-H.S. | 1328 | 209,161 | 1012 | 72.2 | 68.7-75.7 | 239 | 21.5 | 18.4-24.6 | 13 | 1.1 | 0.3-01.9 | 9 | 1.7 | 0.0-03.5 | 5 | 0.2 | 0.0-0.4 | 50 | 3.3 | 02.3-04.3 |
| College Graduate | 1822 | 181,454 | 1498 | 77.0 | 74.3-79.7 | 201 | 14.1 | 11.9-16.3 | 10 | 0.4 | 0.2-0.6 | 65 | 6.8 | 05.0-08.6 | 4 | 0.1 | 0.0-0.3 | 44 | 1.6 | 01.0-02.2 |
| Less than \$15,000 | 442 | 60,827 | 270 | 50.5 | 43.4-57.6 | 121 | 38.0 | 30.9-45.1 | 11 | 1.6 | 0.4-02.8 | 5 | 0.9 | 0.1-01.7 | | | | 35 | 9.0 | 05.5-12.5 |
| \$15,000- 24,999 | 730 | 97,089 | 501 | 56.6 | 51.7-61.5 | 169 | 30.5 | 25.8-35.2 | 9 | 2.4 | 0.0-05.1 | 9 | 1.8 | 0.4-03.2 | 2 | 0.2 | 0.0-0.6 | 40 | 8.5 | 05.4-11.6 |
| \$25,000- 34,999 | 487 | 62,660 | 373 | 70.1 | 64.4-75.8 | 86 | 23.3 | 18.0-28.6 | 2 | 0.2 | 0.0-0.6 | 6 | 1.5 | 0.1-02.9 | 1 | 0.1 | 0.0-0.3 | 19 | 4.7 | 01.8-07.6 |
| \$35,000- 49,999 | 685 | 95,138 | 548 | 75.0 | 69.9-80.1 | 101 | 16.8 | 13.1-20.5 | 7 | 0.9 | 0.0-01.9 | 8 | 4.3 | 0.2-08.4 | 2 | 0.1 | 0.0-0.3 | 19 | 3.0 | 01.2-04.8 |
| \$50,000- 74,999 | 682 | 93,344 | 546 | 75.8 | 71.3-80.3 | 99 | 17.8 | 13.7-21.9 | 2 | 0.3 | 0.0-0.7 | 15 | 3.7 | 01.7-05.7 | 3 | 0.1 | 0.0-0.3 | 17 | 2.3 | 0.9-03.7 |
| \$75,000+ | 1336 | 200,044 | 1141 | 81.4 | 78.3-84.5 | 123 | 13.0 | 10.1-15.9 | 8 | 0.4 | 0.0-0.8 | 34 | 3.4 | 02.2-04.6 | 3 | 0.1 | 0.0-0.3 | 27 | 1.6 | 0.8-02.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White | | | Black | | | American Indian or Alaskan Native | | | Asian | | | Native Hawaiian or Pacific Islander only | | | Other Race, No Preferred Race, Multiracial | | |
|--------------------|-------------------|----------|-------|------|------------|-------|------|------------|-----------------------------------|-----|------------|-------|-----|------------|--|-----|------------|--|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2048 | 339,608 | 1592 | 71.4 | 68.7-74.1 | 300 | 19.6 | 17.1-22.1 | 17 | 1.1 | 0.3-01.9 | 48 | 3.3 | 01.9-04.7 | 5 | 0.1 | 00.1-00.1 | 86 | 4.6 | 03.4-05.8 |
| 18-24 | 133 | 45,308 | 80 | 58.4 | 47.8-69.0 | 35 | 28.1 | 18.5-37.7 | 2 | 1.4 | 00.0-03.4 | 5 | 5.2 | 00.0-12.5 | 1 | 0.1 | 00.0-00.3 | 10 | 6.8 | 02.5-11.1 |
| 25-34 | 208 | 57,941 | 136 | 64.6 | 56.4-72.8 | 33 | 19.3 | 12.0-26.6 | 1 | 0.1 | 00.0-00.3 | 18 | 7.1 | 03.4-10.8 | 1 | 0.1 | 00.0-00.3 | 19 | 8.8 | 04.3-13.3 |
| 35-44 | 255 | 52,874 | 164 | 64.6 | 57.7-71.5 | 52 | 21.5 | 15.2-27.8 | 3 | 0.6 | 00.0-01.4 | 15 | 5.8 | 02.9-08.7 | | | | 21 | 7.4 | 03.9-10.9 |
| 45-54 | 358 | 61,973 | 270 | 72.6 | 66.3-78.9 | 66 | 22.1 | 16.2-28.0 | 3 | 1.1 | 00.0-02.7 | 6 | 1.6 | 00.2-03.0 | 2 | 0.2 | 00.0-00.4 | 11 | 2.4 | 00.8-04.0 |
| 55-64 | 419 | 56,972 | 347 | 79.4 | 73.7-85.1 | 54 | 15.8 | 11.3-20.3 | 4 | 2.9 | 00.0-07.2 | | | | 1 | 0.1 | 00.0-00.3 | 13 | 1.9 | 00.7-03.1 |
| 65+ | 667 | 63,968 | 590 | 84.4 | 80.3-88.5 | 60 | 13.3 | 09.4-17.2 | 4 | 0.5 | 00.0-01.1 | 4 | 0.9 | 00.0-01.9 | | | | 9 | 0.9 | 00.1-01.7 |
| Less Than H.S. | 176 | 48,428 | 115 | 58.4 | 48.6-68.2 | 33 | 22.9 | 13.9-31.9 | 2 | 2.8 | 00.0-07.9 | 1 | 1.2 | 00.0-03.6 | | | | 25 | 14.6 | 08.5-20.7 |
| H.S. or G.E.D. | 640 | 114,459 | 491 | 72.3 | 67.6-77.0 | 112 | 22.9 | 18.4-27.4 | 5 | 0.6 | 00.0-01.2 | 1 | 0.1 | 00.0-00.3 | 2 | 0.1 | 00.0-00.3 | 29 | 4.0 | 02.0-06.0 |
| Some Post-H.S. | 463 | 90,881 | 356 | 72.3 | 66.6-78.0 | 79 | 20.1 | 15.2-25.0 | 5 | 1.4 | 00.0-02.8 | 6 | 3.2 | 00.0-06.9 | | | | 17 | 3.1 | 01.3-04.9 |
| College Graduate | 765 | 85,168 | 630 | 77.2 | 73.3-81.1 | 75 | 12.6 | 09.3-15.9 | 5 | 0.5 | 00.1-00.9 | 37 | 8.2 | 05.5-10.9 | 3 | 0.2 | 00.0-00.4 | 15 | 1.3 | 00.5-02.1 |
| Less than \$15,000 | 130 | 23,283 | 86 | 53.8 | 41.3-66.3 | 27 | 33.1 | 20.0-46.2 | 3 | 1.8 | 00.0-04.0 | 1 | 0.6 | 00.0-01.8 | | | | 13 | 10.7 | 04.0-17.4 |
| \$15,000- 24,999 | 258 | 43,245 | 171 | 54.0 | 46.0-62.0 | 61 | 28.4 | 21.3-35.5 | 3 | 4.2 | 00.0-10.1 | 4 | 2.3 | 00.0-04.7 | | | | 19 | 11.1 | 05.6-16.6 |
| \$25,000- 34,999 | 188 | 29,918 | 142 | 69.9 | 60.9-78.9 | 31 | 22.0 | 13.6-30.4 | | | | 5 | 2.3 | 00.1-04.5 | | | | 10 | 5.8 | 01.1-10.5 |
| \$35,000- 49,999 | 297 | 47,827 | 237 | 74.2 | 66.2-82.2 | 42 | 16.1 | 10.6-21.6 | 3 | 0.3 | 00.0-00.7 | 5 | 6.0 | 00.0-13.1 | 2 | 0.3 | 00.0-00.7 | 8 | 3.1 | 00.6-05.6 |
| \$50,000- 74,999 | 294 | 47,069 | 237 | 76.7 | 70.2-83.2 | 41 | 17.8 | 11.7-23.9 | 1 | 0.1 | 00.0-00.3 | 9 | 3.8 | 01.3-06.3 | 1 | 0.1 | 00.0-00.3 | 5 | 1.5 | 00.0-03.3 |
| \$75,000+ | 632 | 105,184 | 536 | 81.5 | 77.2-85.8 | 58 | 12.6 | 08.7-16.5 | 5 | 0.7 | 00.1-01.3 | 20 | 3.8 | 02.0-05.6 | 1 | 0.0 | 00.0-00.0 | 12 | 1.4 | 00.4-02.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White | | | Black | | | American Indian or Alaskan Native | | | Asian | | | Native Hawaiian or Pacific Islander only | | | Other Race, No Preferred Race, Multiracial | | |
|--------------------|-------------------|----------|-------|------|------------|-------|------|------------|-----------------------------------|-----|------------|-------|-----|------------|--|-----|------------|--|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3079 | 371,776 | 2381 | 71.8 | 69.4-74.2 | 512 | 21.2 | 19.0-23.4 | 31 | 0.8 | 0.4-01.2 | 40 | 2.2 | 01.4-03.0 | 8 | 0.1 | 00.0-00.3 | 107 | 3.8 | 02.8-04.8 |
| 18-24 | 144 | 45,661 | 84 | 64.8 | 55.6-74.0 | 31 | 19.7 | 12.3-27.1 | 2 | 1.2 | 00.0-03.0 | 10 | 5.5 | 01.0-10.0 | | | | 17 | 8.8 | 03.9-13.7 |
| 25-34 | 270 | 57,005 | 180 | 64.7 | 57.6-71.8 | 67 | 26.3 | 19.8-32.8 | 2 | 0.6 | 00.0-01.4 | 4 | 2.6 | 00.0-05.3 | | | | 17 | 5.8 | 02.7-08.9 |
| 35-44 | 343 | 55,570 | 219 | 60.7 | 54.0-67.4 | 82 | 28.7 | 22.2-35.2 | 2 | 0.2 | 00.0-00.6 | 17 | 5.3 | 02.6-08.0 | 3 | 0.4 | 00.0-01.0 | 20 | 4.6 | 01.9-07.3 |
| 45-54 | 513 | 66,737 | 384 | 75.2 | 70.5-79.9 | 99 | 20.2 | 15.9-24.5 | 4 | 0.5 | 00.0-01.1 | 4 | 1.0 | 00.0-02.2 | 2 | 0.1 | 00.0-00.3 | 20 | 3.0 | 01.2-04.8 |
| 55-64 | 673 | 62,455 | 535 | 74.6 | 69.7-79.5 | 107 | 20.9 | 16.2-25.6 | 9 | 1.3 | 00.3-02.3 | 3 | 0.4 | 00.0-00.8 | 3 | 0.4 | 00.0-00.8 | 16 | 2.4 | 01.0-03.8 |
| 65+ | 1106 | 81,702 | 963 | 84.1 | 81.2-87.0 | 116 | 14.0 | 11.1-16.9 | 12 | 0.8 | 00.2-01.4 | 1 | 0.1 | 00.0-00.3 | | | | 14 | 0.9 | 00.1-01.7 |
| Less Than H.S. | 238 | 47,307 | 139 | 55.9 | 47.3-64.5 | 82 | 36.6 | 28.4-44.8 | 5 | 0.8 | 00.0-01.6 | | | | | | | 12 | 6.7 | 02.6-10.8 |
| H.S. or G.E.D. | 909 | 109,176 | 711 | 74.1 | 70.0-78.2 | 142 | 18.0 | 14.5-21.5 | 12 | 0.9 | 00.1-01.7 | 9 | 1.9 | 00.1-03.7 | 2 | 0.1 | 00.0-00.3 | 33 | 4.9 | 02.7-07.1 |
| Some Post-H.S. | 865 | 118,280 | 656 | 72.1 | 68.0-76.2 | 160 | 22.7 | 18.8-26.6 | 8 | 1.0 | 00.2-01.8 | 3 | 0.5 | 00.0-01.3 | 5 | 0.3 | 00.0-00.7 | 33 | 3.4 | 02.0-04.8 |
| College Graduate | 1057 | 96,287 | 868 | 76.8 | 73.3-80.3 | 126 | 15.4 | 12.3-18.5 | 5 | 0.3 | 00.1-00.5 | 28 | 5.6 | 03.2-08.0 | 1 | 0.1 | 00.0-00.3 | 29 | 1.8 | 00.8-02.8 |
| Less than \$15,000 | 312 | 37,544 | 184 | 48.5 | 40.1-56.9 | 94 | 41.0 | 32.6-49.4 | 8 | 1.5 | 00.3-02.7 | 4 | 1.1 | 00.0-02.3 | | | | 22 | 7.9 | 04.0-11.8 |
| \$15,000- 24,999 | 472 | 53,844 | 330 | 58.6 | 52.3-64.9 | 108 | 32.1 | 26.0-38.2 | 6 | 1.0 | 00.0-02.0 | 5 | 1.5 | 00.0-03.1 | 2 | 0.3 | 00.0-00.9 | 21 | 6.4 | 03.1-09.7 |
| \$25,000- 34,999 | 299 | 32,742 | 231 | 70.3 | 63.2-77.4 | 55 | 24.5 | 18.0-31.0 | 2 | 0.4 | 00.0-01.2 | 1 | 0.8 | 00.0-02.4 | 1 | 0.1 | 00.0-00.3 | 9 | 3.8 | 00.1-07.5 |
| \$35,000- 49,999 | 388 | 47,311 | 311 | 75.7 | 69.2-82.2 | 59 | 17.5 | 12.2-22.8 | 4 | 1.5 | 00.0-03.3 | 3 | 2.5 | 00.0-06.4 | | | | 11 | 2.8 | 00.3-05.3 |
| \$50,000- 74,999 | 388 | 46,275 | 309 | 74.9 | 68.8-81.0 | 58 | 17.8 | 12.5-23.1 | 1 | 0.5 | 00.0-01.5 | 6 | 3.5 | 00.4-06.6 | 2 | 0.2 | 00.0-00.4 | 12 | 3.1 | 01.1-05.1 |
| \$75,000+ | 704 | 94,860 | 605 | 81.2 | 76.9-85.5 | 65 | 13.5 | 09.4-17.6 | 3 | 0.2 | 00.0-00.4 | 14 | 2.9 | 01.1-04.7 | 2 | 0.2 | 00.0-00.4 | 15 | 1.9 | 00.7-03.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only | | | Black only | | | American Indian or Alaska Native only | | | Asian only | | | Native Hawaiian or Pacific Islander only | | | Other Race only Multiracial | | |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|---------------------------------------|-----|------------|------------|-----|------------|--|-----|------------|-----------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5127 | 711,384 | 3943 | 71.3 | 69.5-73.1 | 796 | 20.3 | 18.7-21.9 | 44 | 0.9 | 00.5-01.3 | 86 | 2.7 | 01.9-03.5 | 12 | 0.1 | 00.1-00.1 | 246 | 4.7 | 03.9-05.5 |
| Male | 2048 | 339,608 | 1577 | 71.1 | 68.4-73.8 | 295 | 19.4 | 16.9-21.9 | 15 | 1.0 | 00.2-01.8 | 47 | 3.3 | 01.9-04.7 | 5 | 0.1 | 00.1-00.1 | 109 | 5.2 | 04.0-06.4 |
| Female | 3079 | 371,776 | 2366 | 71.5 | 69.1-73.9 | 501 | 21.1 | 18.9-23.3 | 29 | 0.7 | 00.3-01.1 | 39 | 2.2 | 01.4-03.0 | 7 | 0.1 | 00.0-00.3 | 137 | 4.4 | 03.4-05.4 |
| 18-24 | 277 | 90,969 | 164 | 61.6 | 54.5-68.7 | 62 | 23.3 | 17.2-29.4 | 4 | 1.3 | 00.0-02.7 | 13 | 5.1 | 00.8-09.4 | 1 | 0.1 | 00.0-00.3 | 33 | 8.6 | 05.3-11.9 |
| 25-34 | 478 | 114,945 | 310 | 64.0 | 58.5-69.5 | 97 | 22.5 | 17.6-27.4 | 3 | 0.3 | 00.0-00.7 | 22 | 4.9 | 02.5-07.3 | 1 | 0.1 | 00.0-00.3 | 45 | 8.2 | 05.3-11.1 |
| 35-44 | 598 | 108,444 | 383 | 62.6 | 57.7-67.5 | 132 | 25.1 | 20.6-29.6 | 3 | 0.3 | 00.0-00.7 | 32 | 5.6 | 03.6-07.6 | 3 | 0.2 | 00.0-00.4 | 45 | 6.2 | 04.0-08.4 |
| 45-54 | 871 | 128,710 | 648 | 73.6 | 69.7-77.5 | 163 | 21.0 | 17.3-24.7 | 5 | 0.6 | 00.0-01.4 | 10 | 1.3 | 00.3-02.3 | 4 | 0.2 | 00.0-00.4 | 41 | 3.2 | 02.0-04.4 |
| 55-64 | 1092 | 119,427 | 877 | 76.7 | 73.0-80.4 | 158 | 18.4 | 15.1-21.7 | 13 | 2.1 | 00.0-04.3 | 3 | 0.2 | 00.0-00.4 | 3 | 0.2 | 00.0-00.4 | 38 | 2.5 | 01.5-03.5 |
| 65+ | 1773 | 145,670 | 1540 | 83.7 | 81.2-86.2 | 174 | 13.6 | 11.2-16.0 | 16 | 0.7 | 00.3-01.1 | 5 | 0.4 | 00.0-00.8 | | | | 38 | 1.5 | 00.9-02.1 |
| Less Than H.S. | 414 | 95,735 | 254 | 57.2 | 50.7-63.7 | 115 | 29.7 | 23.6-35.8 | 7 | 1.8 | 00.0-04.3 | 1 | 0.6 | 00.0-01.8 | | | | 37 | 10.7 | 07.0-14.4 |
| H.S. or G.E.D. | 1549 | 223,635 | 1189 | 72.7 | 69.6-75.8 | 250 | 20.3 | 17.4-23.2 | 14 | 0.6 | 00.2-01.0 | 8 | 0.9 | 00.0-01.9 | 4 | 0.1 | 00.1-00.1 | 84 | 5.4 | 03.8-07.0 |
| Some Post-H.S. | 1328 | 209,161 | 998 | 71.8 | 68.3-75.3 | 234 | 21.4 | 18.3-24.5 | 13 | 1.1 | 00.3-01.9 | 9 | 1.7 | 00.0-03.5 | 5 | 0.2 | 00.0-00.4 | 69 | 3.8 | 02.6-05.0 |
| College Graduate | 1822 | 181,454 | 1495 | 76.9 | 74.2-79.6 | 194 | 13.9 | 11.7-16.1 | 9 | 0.3 | 00.1-00.5 | 65 | 6.8 | 05.0-08.6 | 3 | 0.1 | 00.0-00.3 | 56 | 1.9 | 01.3-02.5 |
| Less than \$15,000 | 442 | 60,827 | 265 | 49.8 | 42.7-56.9 | 120 | 37.9 | 30.8-45.0 | 9 | 1.3 | 00.3-02.3 | 5 | 0.9 | 00.1-01.7 | | | | 43 | 10.0 | 06.5-13.5 |
| \$15,000- 24,999 | 730 | 97,089 | 496 | 56.3 | 51.4-61.2 | 166 | 30.3 | 25.6-35.0 | 8 | 2.3 | 00.0-05.0 | 9 | 1.8 | 00.4-03.2 | 2 | 0.2 | 00.0-00.6 | 49 | 9.0 | 05.9-12.1 |
| \$25,000- 34,999 | 487 | 62,660 | 367 | 69.4 | 63.7-75.1 | 84 | 22.9 | 17.6-28.2 | 2 | 0.2 | 00.0-00.6 | 6 | 1.5 | 00.1-02.9 | 1 | 0.1 | 00.0-00.3 | 27 | 5.9 | 03.0-08.8 |
| \$35,000- 49,999 | 685 | 95,138 | 543 | 74.8 | 69.7-79.9 | 99 | 16.6 | 12.9-20.3 | 7 | 0.9 | 00.0-01.9 | 8 | 4.3 | 00.2-08.4 | 2 | 0.1 | 00.0-00.3 | 26 | 3.3 | 01.5-05.1 |
| \$50,000- 74,999 | 682 | 93,344 | 543 | 75.5 | 71.0-80.0 | 97 | 17.7 | 13.6-21.8 | 2 | 0.3 | 00.0-00.7 | 15 | 3.7 | 01.7-05.7 | 3 | 0.1 | 00.0-00.3 | 22 | 2.8 | 01.4-04.2 |
| \$75,000+ | 1336 | 200,044 | 1136 | 81.2 | 78.1-84.3 | 120 | 13.0 | 10.1-15.9 | 8 | 0.4 | 00.0-00.8 | 34 | 3.4 | 02.2-04.6 | 2 | 0.1 | 00.0-00.3 | 36 | 2.0 | 01.2-02.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only | | | Black only | | | American Indian or Alaska Native only | | | Asian only | | | Native Hawaiian or Pacific Islander only | | | Other Race only Multiracial | | |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|---------------------------------------|-----|------------|------------|-----|------------|--|-----|------------|-----------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2048 | 339,608 | 1577 | 71.1 | 68.4-73.8 | 295 | 19.4 | 16.9-21.9 | 15 | 1.0 | 00.2-01.8 | 47 | 3.3 | 01.9-04.7 | 5 | 0.1 | 00.1-00.1 | 109 | 5.2 | 04.0-06.4 |
| 18-24 | 133 | 45,308 | 80 | 58.4 | 47.8-69.0 | 33 | 27.5 | 17.9-37.1 | 2 | 1.4 | 00.0-03.4 | 4 | 5.0 | 00.0-12.3 | 1 | 0.1 | 00.0-00.3 | 13 | 7.6 | 03.1-12.1 |
| 25-34 | 208 | 57,941 | 133 | 64.0 | 55.8-72.2 | 31 | 18.8 | 11.5-26.1 | 1 | 0.1 | 00.0-00.3 | 18 | 7.1 | 03.4-10.8 | 1 | 0.1 | 00.0-00.3 | 24 | 9.8 | 05.1-14.5 |
| 35-44 | 255 | 52,874 | 164 | 64.6 | 57.7-71.5 | 52 | 21.5 | 15.2-27.8 | 2 | 0.5 | 00.0-01.3 | 15 | 5.8 | 02.9-08.7 | | | | 22 | 7.5 | 04.0-11.0 |
| 45-54 | 358 | 61,973 | 267 | 72.2 | 65.9-78.5 | 66 | 22.1 | 16.2-28.0 | 2 | 0.9 | 00.0-02.5 | 6 | 1.6 | 00.2-03.0 | 2 | 0.2 | 00.0-00.4 | 15 | 2.9 | 01.1-04.7 |
| 55-64 | 419 | 56,972 | 345 | 79.1 | 73.4-84.8 | 54 | 15.8 | 11.3-20.3 | 4 | 2.9 | 00.0-07.2 | | | | 1 | 0.1 | 00.0-00.3 | 15 | 2.1 | 00.7-03.5 |
| 65+ | 667 | 63,968 | 583 | 83.7 | 79.6-87.8 | 59 | 13.2 | 09.3-17.1 | 4 | 0.5 | 00.0-01.1 | 4 | 0.9 | 00.0-01.9 | | | | 17 | 1.7 | 00.7-02.7 |
| Less Than H.S. | 176 | 48,428 | 115 | 58.4 | 48.6-68.2 | 33 | 22.9 | 13.9-31.9 | 2 | 2.8 | 00.0-07.9 | 1 | 1.2 | 00.0-03.6 | | | | 25 | 14.6 | 08.5-20.7 |
| H.S. or G.E.D. | 640 | 114,459 | 485 | 71.9 | 67.2-76.6 | 109 | 22.6 | 18.1-27.1 | 4 | 0.5 | 00.0-01.1 | | | | 2 | 0.1 | 00.0-00.3 | 40 | 5.0 | 03.0-07.0 |
| Some Post-H.S. | 463 | 90,881 | 349 | 71.7 | 66.0-77.4 | 78 | 20.0 | 15.1-24.9 | 5 | 1.4 | 00.0-02.8 | 6 | 3.2 | 00.0-06.9 | | | | 25 | 3.7 | 01.9-05.5 |
| College Graduate | 765 | 85,168 | 628 | 77.1 | 73.2-81.0 | 74 | 12.5 | 09.2-15.8 | 4 | 0.4 | 00.0-00.8 | 37 | 8.2 | 05.5-10.9 | 3 | 0.2 | 00.0-00.4 | 19 | 1.5 | 00.7-02.3 |
| Less than \$15,000 | 130 | 23,283 | 85 | 53.5 | 41.0-66.0 | 27 | 33.1 | 20.0-46.2 | 2 | 1.3 | 00.0-03.3 | 1 | 0.6 | 00.0-01.8 | | | | 15 | 11.4 | 04.7-18.1 |
| \$15,000- 24,999 | 258 | 43,245 | 169 | 53.9 | 45.9-61.9 | 61 | 28.4 | 21.3-35.5 | 3 | 4.2 | 00.0-10.1 | 4 | 2.3 | 00.0-04.7 | | | | 21 | 11.2 | 05.7-16.7 |
| \$25,000- 34,999 | 188 | 29,918 | 139 | 69.0 | 60.0-78.0 | 29 | 21.1 | 12.9-29.3 | | | | 5 | 2.3 | 00.1-04.5 | | | | 15 | 7.6 | 02.7-12.5 |
| \$35,000- 49,999 | 297 | 47,827 | 235 | 74.1 | 66.1-82.1 | 41 | 15.8 | 10.3-21.3 | 3 | 0.3 | 00.0-00.7 | 5 | 6.0 | 00.0-13.1 | 2 | 0.3 | 00.0-00.7 | 11 | 3.5 | 01.0-06.0 |
| \$50,000- 74,999 | 294 | 47,069 | 234 | 76.0 | 69.3-82.7 | 41 | 17.8 | 11.7-23.9 | 1 | 0.1 | 00.0-00.3 | 9 | 3.8 | 01.3-06.3 | 1 | 0.1 | 00.0-00.3 | 8 | 2.2 | 00.2-04.2 |
| \$75,000+ | 632 | 105,184 | 532 | 81.2 | 76.9-85.5 | 58 | 12.6 | 08.7-16.5 | 5 | 0.7 | 00.1-01.3 | 20 | 3.8 | 02.0-05.6 | 1 | 0.0 | 00.0-00.0 | 16 | 1.7 | 00.7-02.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only | | | Black only | | | American Indian or Alaska Native only | | | Asian only | | | Native Hawaiian or Pacific Islander only | | | Other Race only Multiracial | | |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|---------------------------------------|-----|-------------|------------|-----|-------------|--|-----|-------------|-----------------------------|-----|-------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3079 | 371,776 | 2366 | 71.5 | 69.1-73.9 | 501 | 21.1 | 18.9-23.3 | 29 | 0.7 | 0.3-0.1.1 | 39 | 2.2 | 0.1.4-0.3.0 | 7 | 0.1 | 0.0.0-0.0.3 | 137 | 4.4 | 0.3.4-0.5.4 |
| 18-24 | 144 | 45,661 | 84 | 64.8 | 55.6-74.0 | 29 | 19.1 | 11.7-26.5 | 2 | 1.2 | 0.0.0-0.3.0 | 9 | 5.3 | 0.8-0.9.8 | | | | 20 | 9.6 | 0.4.5-1.4.7 |
| 25-34 | 270 | 57,005 | 177 | 63.9 | 56.8-71.0 | 66 | 26.3 | 19.8-32.8 | 2 | 0.6 | 0.0.0-0.1.4 | 4 | 2.6 | 0.0.0-0.5.3 | | | | 21 | 6.7 | 0.3.4-1.0.0 |
| 35-44 | 343 | 55,570 | 219 | 60.7 | 54.0-67.4 | 80 | 28.6 | 22.1-35.1 | 1 | 0.1 | 0.0.0-0.0.3 | 17 | 5.3 | 0.2.6-0.8.0 | 3 | 0.4 | 0.0.0-0.1.0 | 23 | 4.9 | 0.2.2-0.7.6 |
| 45-54 | 513 | 66,737 | 381 | 74.9 | 70.2-79.6 | 97 | 20.1 | 15.8-24.4 | 3 | 0.4 | 0.0.0-0.0.8 | 4 | 1.0 | 0.0.0-0.2.2 | 2 | 0.1 | 0.0.0-0.0.3 | 26 | 3.5 | 0.1.7-0.5.3 |
| 55-64 | 673 | 62,455 | 532 | 74.5 | 69.6-79.4 | 104 | 20.7 | 16.0-25.4 | 9 | 1.3 | 0.3-0.2.3 | 3 | 0.4 | 0.0.0-0.0.8 | 2 | 0.3 | 0.0.0-0.0.7 | 23 | 2.8 | 0.1.2-0.4.4 |
| 65+ | 1106 | 81,702 | 957 | 83.8 | 80.7-86.9 | 115 | 14.0 | 11.1-16.9 | 12 | 0.8 | 0.2-0.1.4 | 1 | 0.1 | 0.0.0-0.0.3 | | | | 21 | 1.4 | 0.0.6-0.2.2 |
| Less Than H.S. | 238 | 47,307 | 139 | 55.9 | 47.3-64.5 | 82 | 36.6 | 28.4-44.8 | 5 | 0.8 | 0.0.0-0.1.6 | | | | | | | 12 | 6.7 | 0.2.6-1.0.8 |
| H.S. or G.E.D. | 909 | 109,176 | 704 | 73.5 | 69.4-77.6 | 141 | 18.0 | 14.5-21.5 | 10 | 0.8 | 0.0.0-0.1.6 | 8 | 1.8 | 0.0.0-0.3.6 | 2 | 0.1 | 0.0.0-0.0.3 | 44 | 5.9 | 0.3.5-0.8.3 |
| Some Post-H.S. | 865 | 118,280 | 649 | 71.8 | 67.7-75.9 | 156 | 22.5 | 18.6-26.4 | 8 | 1.0 | 0.2-0.1.8 | 3 | 0.5 | 0.0.0-0.1.3 | 5 | 0.3 | 0.0.0-0.0.7 | 44 | 3.8 | 0.2.4-0.5.2 |
| College Graduate | 1057 | 96,287 | 867 | 76.8 | 73.3-80.3 | 120 | 15.1 | 12.0-18.2 | 5 | 0.3 | 0.1-0.0.5 | 28 | 5.6 | 0.3.2-0.8.0 | | | | 37 | 2.2 | 0.1.2-0.3.2 |
| Less than \$15,000 | 312 | 37,544 | 180 | 47.5 | 39.1-55.9 | 93 | 40.8 | 32.4-49.2 | 7 | 1.3 | 0.1-0.2.5 | 4 | 1.1 | 0.0.0-0.2.3 | | | | 28 | 9.2 | 0.5.1-1.3.3 |
| \$15,000- 24,999 | 472 | 53,844 | 327 | 58.1 | 51.8-64.4 | 105 | 31.9 | 25.8-38.0 | 5 | 0.9 | 0.0.0-0.1.9 | 5 | 1.5 | 0.0.0-0.3.1 | 2 | 0.3 | 0.0.0-0.0.9 | 28 | 7.3 | 0.3.8-1.0.8 |
| \$25,000- 34,999 | 299 | 32,742 | 228 | 69.7 | 62.6-76.8 | 55 | 24.5 | 18.0-31.0 | 2 | 0.4 | 0.0.0-0.1.2 | 1 | 0.8 | 0.0.0-0.2.4 | 1 | 0.1 | 0.0.0-0.0.3 | 12 | 4.4 | 0.0.7-0.8.1 |
| \$35,000- 49,999 | 388 | 47,311 | 308 | 75.4 | 68.9-81.9 | 58 | 17.4 | 12.1-22.7 | 4 | 1.5 | 0.0.0-0.3.3 | 3 | 2.5 | 0.0.0-0.6.4 | | | | 15 | 3.2 | 0.0.7-0.5.7 |
| \$50,000- 74,999 | 388 | 46,275 | 309 | 74.9 | 68.8-81.0 | 56 | 17.6 | 12.3-22.9 | 1 | 0.5 | 0.0.0-0.1.5 | 6 | 3.5 | 0.0.4-0.6.6 | 2 | 0.2 | 0.0.0-0.0.4 | 14 | 3.3 | 0.1.1-0.5.5 |
| \$75,000+ | 704 | 94,860 | 604 | 81.2 | 76.9-85.5 | 62 | 13.3 | 09.2-17.4 | 3 | 0.2 | 0.0.0-0.0.4 | 14 | 2.9 | 0.1.1-0.4.7 | 1 | 0.1 | 0.0.0-0.0.3 | 20 | 2.2 | 0.1.0-0.3.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White NH | | | Black NH | | | American Indian or Native Hawaiian only NH | | | Asian only NH | | | Other Race only Multiracial only NH | | | Hispanic | | |
|--------------------|-------------------|----------|----------|------|------------|----------|------|------------|--|-----|------------|---------------|-----|------------|-------------------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5132 | 714,768 | 3830 | 67.6 | 65.8-69.4 | 773 | 19.7 | 18.1-21.3 | 50 | 0.9 | 0.5-01.3 | 84 | 2.7 | 01.9-03.5 | 149 | 1.6 | 01.2-02.0 | 246 | 7.5 | 06.3-08.7 |
| Male | 2053 | 340,895 | 1531 | 67.7 | 64.8-70.6 | 288 | 19.0 | 16.5-21.5 | 18 | 1.0 | 0.2-01.8 | 47 | 3.2 | 01.8-04.6 | 67 | 1.7 | 01.1-02.3 | 102 | 7.3 | 05.7-08.9 |
| Female | 3079 | 373,873 | 2299 | 67.5 | 65.1-69.9 | 485 | 20.4 | 18.2-22.6 | 32 | 0.8 | 0.4-01.2 | 37 | 2.1 | 01.3-02.9 | 82 | 1.5 | 01.1-01.9 | 144 | 7.7 | 06.1-09.3 |
| 18-24 | 279 | 91,125 | 152 | 56.5 | 49.4-63.6 | 59 | 22.7 | 16.6-28.8 | 4 | 1.2 | 0.0-02.6 | 12 | 5.1 | 0.8-09.4 | 16 | 2.8 | 01.2-04.4 | 36 | 11.8 | 07.3-16.3 |
| 25-34 | 484 | 116,849 | 283 | 57.2 | 51.7-62.7 | 91 | 21.4 | 16.7-26.1 | 4 | 0.4 | 0.0-00.8 | 22 | 4.8 | 02.6-07.0 | 21 | 1.9 | 0.9-02.9 | 63 | 14.3 | 10.4-18.2 |
| 35-44 | 605 | 110,188 | 356 | 55.6 | 50.7-60.5 | 125 | 23.7 | 19.2-28.2 | 6 | 0.5 | 0.1-00.9 | 32 | 5.5 | 03.5-07.5 | 25 | 1.7 | 0.9-02.5 | 61 | 13.0 | 09.5-16.5 |
| 45-54 | 872 | 129,096 | 636 | 72.1 | 68.2-76.0 | 163 | 21.0 | 17.3-24.7 | 9 | 0.8 | 0.0-01.6 | 9 | 1.3 | 0.3-02.3 | 24 | 1.4 | 0.6-02.2 | 31 | 3.5 | 02.1-04.9 |
| 55-64 | 1087 | 119,331 | 860 | 74.6 | 70.9-78.3 | 157 | 18.3 | 15.0-21.6 | 11 | 1.9 | 0.0-04.1 | 3 | 0.2 | 0.0-00.4 | 23 | 0.9 | 0.5-01.3 | 33 | 4.1 | 02.5-05.7 |
| 65+ | 1769 | 145,272 | 1522 | 82.6 | 80.1-85.1 | 170 | 13.5 | 11.1-15.9 | 16 | 0.7 | 0.3-01.1 | 5 | 0.4 | 0.0-00.8 | 35 | 1.2 | 0.6-01.8 | 21 | 1.5 | 0.7-02.3 |
| Less Than H.S. | 418 | 97,467 | 221 | 44.2 | 37.9-50.5 | 110 | 28.5 | 22.4-34.6 | 6 | 1.6 | 0.0-04.1 | 1 | 0.6 | 0.0-01.8 | 4 | 0.4 | 0.0-01.0 | 76 | 24.6 | 19.1-30.1 |
| H.S. or G.E.D. | 1550 | 224,463 | 1168 | 70.4 | 67.3-73.5 | 244 | 19.8 | 17.1-22.5 | 16 | 0.6 | 0.2-01.0 | 6 | 0.8 | 0.0-01.8 | 52 | 2.1 | 01.5-02.7 | 64 | 6.3 | 04.5-08.1 |
| Some Post-H.S. | 1331 | 210,214 | 975 | 69.6 | 66.1-73.1 | 229 | 21.0 | 17.9-24.1 | 15 | 1.2 | 0.4-02.0 | 9 | 1.7 | 0.0-03.5 | 47 | 1.9 | 01.1-02.7 | 56 | 4.6 | 03.2-06.0 |
| College Graduate | 1819 | 181,226 | 1459 | 74.7 | 72.0-77.4 | 187 | 13.4 | 11.2-15.6 | 12 | 0.5 | 0.3-00.7 | 65 | 6.8 | 05.0-08.6 | 46 | 1.3 | 0.9-01.7 | 50 | 3.3 | 02.3-04.3 |
| Less than \$15,000 | 447 | 62,326 | 253 | 42.2 | 35.5-48.9 | 114 | 36.1 | 29.0-43.2 | 7 | 0.8 | 0.0-01.6 | 3 | 0.7 | 0.0-01.5 | 22 | 2.7 | 01.3-04.1 | 48 | 17.5 | 11.8-23.2 |
| \$15,000- 24,999 | 732 | 98,136 | 470 | 49.7 | 44.8-54.6 | 162 | 29.5 | 25.0-34.0 | 10 | 2.5 | 0.0-05.2 | 9 | 1.8 | 0.4-03.2 | 26 | 2.2 | 01.0-03.4 | 55 | 14.3 | 10.4-18.2 |
| \$25,000- 34,999 | 492 | 63,802 | 356 | 64.6 | 58.7-70.5 | 82 | 22.0 | 16.9-27.1 | 3 | 0.3 | 0.0-00.7 | 6 | 1.5 | 0.1-02.9 | 16 | 1.9 | 0.7-03.1 | 29 | 9.7 | 05.8-13.6 |
| \$35,000- 49,999 | 685 | 95,370 | 536 | 73.2 | 67.9-78.5 | 96 | 16.1 | 12.4-19.8 | 9 | 1.0 | 0.0-02.0 | 8 | 4.2 | 0.1-08.3 | 15 | 1.3 | 0.3-02.3 | 21 | 4.1 | 01.9-06.3 |
| \$50,000- 74,999 | 681 | 93,128 | 528 | 72.8 | 68.1-77.5 | 95 | 17.4 | 13.3-21.5 | 5 | 0.4 | 0.0-00.8 | 15 | 3.7 | 01.7-05.7 | 16 | 1.6 | 0.6-02.6 | 22 | 4.1 | 01.9-06.3 |
| \$75,000+ | 1337 | 200,171 | 1116 | 79.3 | 76.2-82.4 | 119 | 12.8 | 10.1-15.5 | 8 | 0.4 | 0.0-00.8 | 34 | 3.4 | 02.2-04.6 | 26 | 1.0 | 0.6-01.4 | 34 | 3.1 | 01.9-04.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White NH | | | Black NH | | | American Indian or Native Hawaiian only NH | | | Asian only NH | | | Other Race only Multiracial only NH | | | Hispanic | | |
|--------------------|-------------------|----------|----------|------|------------|----------|------|------------|--|-----|------------|---------------|-----|------------|-------------------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2053 | 340,895 | 1531 | 67.7 | 65.0-70.4 | 288 | 19.0 | 16.5-21.5 | 18 | 1.0 | 00.2-01.8 | 47 | 3.2 | 01.8-04.6 | 67 | 1.7 | 01.1-02.3 | 102 | 7.3 | 05.7-08.9 |
| 18-24 | 135 | 45,464 | 75 | 54.8 | 44.4-65.2 | 32 | 27.1 | 17.7-36.5 | 2 | 1.1 | 00.0-03.1 | 4 | 5.0 | 00.0-12.3 | 7 | 3.1 | 00.6-05.6 | 15 | 9.0 | 04.1-13.9 |
| 25-34 | 209 | 58,405 | 122 | 58.6 | 50.4-66.8 | 29 | 18.1 | 10.8-25.4 | 2 | 0.2 | 00.0-00.6 | 18 | 7.1 | 03.4-10.8 | 12 | 2.2 | 00.8-03.6 | 26 | 13.8 | 08.3-19.3 |
| 35-44 | 259 | 53,716 | 150 | 56.6 | 49.5-63.7 | 50 | 20.5 | 14.4-26.6 | 2 | 0.5 | 00.0-01.3 | 15 | 5.7 | 02.8-08.6 | 11 | 1.7 | 00.5-02.9 | 31 | 15.0 | 09.7-20.3 |
| 45-54 | 359 | 62,317 | 264 | 71.1 | 64.8-77.4 | 66 | 22.0 | 16.1-27.9 | 4 | 1.1 | 00.0-02.7 | 6 | 1.6 | 00.2-03.0 | 9 | 1.4 | 00.4-02.4 | 10 | 2.8 | 00.8-04.8 |
| 55-64 | 418 | 56,839 | 339 | 77.7 | 72.0-83.4 | 54 | 15.8 | 11.3-20.3 | 4 | 2.8 | 00.0-07.1 | 4 | 0.9 | 00.0-01.9 | 10 | 0.8 | 00.2-01.4 | 11 | 2.9 | 01.1-04.7 |
| 65+ | 666 | 63,822 | 576 | 82.5 | 78.4-86.6 | 57 | 12.9 | 09.0-16.8 | 4 | 0.5 | 00.0-01.1 | 4 | 0.9 | 00.0-01.9 | 16 | 1.5 | 00.5-02.5 | 9 | 1.7 | 00.1-03.3 |
| Less Than H.S. | 176 | 48,669 | 100 | 47.5 | 38.1-56.9 | 31 | 22.2 | 13.2-31.2 | 2 | 2.7 | 00.0-07.8 | 1 | 1.2 | 00.0-03.6 | 4 | 0.9 | 00.0-01.9 | 38 | 25.4 | 17.6-33.2 |
| H.S. or G.E.D. | 643 | 114,991 | 478 | 70.2 | 65.5-74.9 | 107 | 22.2 | 17.7-26.7 | 5 | 0.4 | 00.0-00.8 | 5 | 0.4 | 00.0-00.8 | 27 | 2.1 | 01.1-03.1 | 26 | 5.1 | 02.9-07.3 |
| Some Post-H.S. | 466 | 91,527 | 341 | 69.2 | 63.3-75.1 | 76 | 19.5 | 14.6-24.4 | 4 | 1.2 | 00.0-02.6 | 6 | 3.2 | 00.0-06.9 | 18 | 2.1 | 00.9-03.3 | 21 | 4.8 | 02.4-07.2 |
| College Graduate | 764 | 85,034 | 612 | 74.9 | 71.0-78.8 | 73 | 12.4 | 09.1-15.7 | 7 | 0.6 | 00.0-01.2 | 37 | 8.2 | 05.5-10.9 | 18 | 1.4 | 00.6-02.2 | 17 | 2.5 | 01.1-03.9 |
| Less than \$15,000 | 133 | 24,072 | 80 | 46.6 | 34.6-58.6 | 26 | 31.8 | 19.1-44.5 | 1 | 0.5 | 00.0-01.5 | 1 | 0.6 | 00.0-01.8 | 8 | 3.0 | 00.5-05.5 | 17 | 17.5 | 09.1-25.9 |
| \$15,000- 24,999 | 260 | 43,650 | 158 | 46.8 | 39.2-54.4 | 60 | 27.6 | 20.5-34.7 | 3 | 4.1 | 00.0-10.0 | 4 | 2.2 | 00.0-04.6 | 10 | 2.7 | 00.5-04.9 | 25 | 16.6 | 10.3-22.9 |
| \$25,000- 34,999 | 191 | 30,561 | 135 | 63.7 | 54.5-72.9 | 28 | 20.2 | 12.2-28.2 | | | | 5 | 2.3 | 00.3-04.3 | 8 | 2.3 | 00.5-04.1 | 15 | 11.5 | 05.2-17.8 |
| \$35,000- 49,999 | 298 | 48,088 | 232 | 71.9 | 63.9-79.9 | 39 | 15.2 | 09.9-20.5 | 5 | 0.6 | 00.0-01.2 | 5 | 6.0 | 00.0-13.1 | 7 | 1.6 | 00.0-03.2 | 10 | 4.8 | 01.3-08.3 |
| \$50,000- 74,999 | 294 | 47,069 | 230 | 74.4 | 67.7-81.1 | 41 | 17.8 | 11.7-23.9 | 2 | 0.2 | 00.0-00.6 | 9 | 3.8 | 01.3-06.3 | 6 | 1.1 | 00.1-02.1 | 6 | 2.8 | 00.4-05.2 |
| \$75,000+ | 631 | 105,050 | 520 | 79.1 | 74.8-83.4 | 58 | 12.6 | 08.7-16.5 | 5 | 0.6 | 00.0-01.2 | 20 | 3.8 | 02.0-05.6 | 13 | 1.0 | 00.4-01.6 | 15 | 2.8 | 01.2-04.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White NH | | | Black NH | | | American Indian or Native Hawaiian only NH | | | Asian only NH | | | Other Race only Multiracial only NH | | | Hispanic | | |
|--------------------|-------------------|----------|----------|------|------------|----------|------|------------|--|-----|------------|---------------|-----|------------|-------------------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3079 | 373,873 | 2299 | 67.5 | 65.1-69.9 | 485 | 20.4 | 18.2-22.6 | 32 | 0.8 | 0.4-01.2 | 37 | 2.1 | 01.3-02.9 | 82 | 1.5 | 01.1-01.9 | 144 | 7.7 | 06.1-09.3 |
| 18-24 | 144 | 45,661 | 77 | 58.1 | 48.5-67.7 | 27 | 18.4 | 11.0-25.8 | 2 | 1.2 | 0.0-03.0 | 8 | 5.1 | 00.6-09.6 | 9 | 2.5 | 00.7-04.3 | 21 | 14.6 | 07.3-21.9 |
| 25-34 | 275 | 58,444 | 161 | 55.7 | 48.3-63.1 | 62 | 24.7 | 18.4-31.0 | 2 | 0.6 | 0.0-01.4 | 4 | 2.5 | 00.0-05.2 | 9 | 1.7 | 00.5-02.9 | 37 | 14.8 | 09.5-20.1 |
| 35-44 | 346 | 56,472 | 206 | 54.7 | 48.0-61.4 | 75 | 26.8 | 20.3-33.3 | 4 | 0.5 | 0.0-01.1 | 17 | 5.2 | 02.5-07.9 | 14 | 1.6 | 00.6-02.6 | 30 | 11.2 | 06.7-15.7 |
| 45-54 | 513 | 66,780 | 372 | 73.0 | 68.3-77.7 | 97 | 20.0 | 15.7-24.3 | 5 | 0.5 | 0.0-01.1 | 3 | 0.9 | 00.0-02.1 | 15 | 1.3 | 00.3-02.3 | 21 | 4.2 | 02.2-06.2 |
| 55-64 | 669 | 62,492 | 521 | 71.8 | 66.9-76.7 | 103 | 20.6 | 15.9-25.3 | 7 | 1.1 | 0.1-02.1 | 3 | 0.4 | 00.0-00.8 | 13 | 1.0 | 00.4-01.6 | 22 | 5.2 | 02.7-07.7 |
| 65+ | 1103 | 81,450 | 946 | 82.8 | 79.7-85.9 | 113 | 13.9 | 11.0-16.8 | 12 | 0.8 | 0.2-01.4 | 1 | 0.1 | 00.0-00.3 | 19 | 1.1 | 00.3-01.9 | 12 | 1.3 | 00.5-02.1 |
| Less Than H.S. | 242 | 48,798 | 121 | 41.0 | 32.6-49.4 | 79 | 34.7 | 26.7-42.7 | 4 | 0.5 | 0.0-01.1 | | | | | | | 38 | 23.8 | 16.0-31.6 |
| H.S. or G.E.D. | 907 | 109,471 | 690 | 70.6 | 66.3-74.9 | 137 | 17.4 | 14.1-20.7 | 11 | 0.8 | 0.0-01.6 | 6 | 1.7 | 00.0-03.5 | 25 | 2.0 | 01.0-03.0 | 38 | 7.5 | 04.6-10.4 |
| Some Post-H.S. | 865 | 118,686 | 634 | 70.0 | 65.9-74.1 | 153 | 22.1 | 18.2-26.0 | 11 | 1.2 | 0.4-02.0 | 3 | 0.5 | 00.0-01.3 | 29 | 1.8 | 01.0-02.6 | 35 | 4.4 | 02.6-06.2 |
| College Graduate | 1055 | 96,192 | 847 | 74.5 | 70.8-78.2 | 114 | 14.3 | 11.4-17.2 | 5 | 0.3 | 0.1-00.5 | 28 | 5.6 | 03.2-08.0 | 28 | 1.2 | 00.6-01.8 | 33 | 4.0 | 02.4-05.6 |
| Less than \$15,000 | 314 | 38,254 | 173 | 39.4 | 31.8-47.0 | 88 | 38.9 | 30.5-47.3 | 6 | 1.0 | 0.0-02.0 | 2 | 0.7 | 00.0-01.7 | 14 | 2.5 | 00.9-04.1 | 31 | 17.6 | 09.8-25.4 |
| \$15,000- 24,999 | 472 | 54,486 | 312 | 52.0 | 45.9-58.1 | 102 | 31.0 | 24.9-37.1 | 7 | 1.2 | 0.0-02.4 | 5 | 1.5 | 00.1-02.9 | 16 | 1.9 | 00.7-03.1 | 30 | 12.4 | 07.7-17.1 |
| \$25,000- 34,999 | 301 | 33,241 | 221 | 65.4 | 58.1-72.7 | 54 | 23.6 | 17.1-30.1 | 3 | 0.6 | 0.0-01.4 | 1 | 0.8 | 00.0-02.4 | 8 | 1.5 | 00.0-03.1 | 14 | 8.1 | 03.2-13.0 |
| \$35,000- 49,999 | 387 | 47,282 | 304 | 74.5 | 68.0-81.0 | 57 | 17.1 | 11.8-22.4 | 4 | 1.5 | 0.0-03.3 | 3 | 2.5 | 00.0-06.4 | 8 | 1.1 | 00.1-02.1 | 11 | 3.3 | 00.8-05.8 |
| \$50,000- 74,999 | 387 | 46,059 | 298 | 71.2 | 64.9-77.5 | 54 | 17.1 | 11.8-22.4 | 3 | 0.6 | 0.0-01.6 | 6 | 3.6 | 00.5-06.7 | 10 | 2.1 | 00.3-03.9 | 16 | 5.4 | 02.1-08.7 |
| \$75,000+ | 706 | 95,121 | 596 | 79.4 | 74.9-83.9 | 61 | 13.1 | 09.0-17.2 | 3 | 0.2 | 0.0-00.4 | 14 | 2.9 | 01.1-04.7 | 13 | 0.9 | 00.3-01.5 | 19 | 3.5 | 01.7-05.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Non-White, Multiracial or Hispanic | | |
|--------------------|-------------------|----------|--------------------------|------|------------|------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5132 | 714,768 | 3830 | 67.6 | 65.8-69.4 | 1302 | 32.4 | 30.6-34.2 |
| Male | 2053 | 340,895 | 1531 | 67.7 | 64.8-70.6 | 522 | 32.3 | 29.4-35.2 |
| Female | 3079 | 373,873 | 2299 | 67.5 | 65.1-69.9 | 780 | 32.5 | 30.1-34.9 |
| 18-24 | 279 | 91,125 | 152 | 56.5 | 49.4-63.6 | 127 | 43.5 | 36.4-50.6 |
| 25-34 | 484 | 116,849 | 283 | 57.2 | 51.7-62.7 | 201 | 42.8 | 37.3-48.3 |
| 35-44 | 605 | 110,188 | 356 | 55.6 | 50.7-60.5 | 249 | 44.4 | 39.5-49.3 |
| 45-54 | 872 | 129,096 | 636 | 72.1 | 68.2-76.0 | 236 | 27.9 | 24.0-31.8 |
| 55-64 | 1087 | 119,331 | 860 | 74.6 | 70.9-78.3 | 227 | 25.4 | 21.7-29.1 |
| 65+ | 1769 | 145,272 | 1522 | 82.6 | 80.1-85.1 | 247 | 17.4 | 14.9-19.9 |
| Less Than H.S. | 418 | 97,467 | 221 | 44.2 | 37.9-50.5 | 197 | 55.8 | 49.5-62.1 |
| H.S. or G.E.D. | 1550 | 224,463 | 1168 | 70.4 | 67.3-73.5 | 382 | 29.6 | 26.5-32.7 |
| Some Post-H.S. | 1331 | 210,214 | 975 | 69.6 | 66.1-73.1 | 356 | 30.4 | 26.9-33.9 |
| College Graduate | 1819 | 181,226 | 1459 | 74.7 | 72.0-77.4 | 360 | 25.3 | 22.6-28.0 |
| Less than \$15,000 | 447 | 62,326 | 253 | 42.2 | 35.5-48.9 | 194 | 57.8 | 51.1-64.5 |
| \$15,000- 24,999 | 732 | 98,136 | 470 | 49.7 | 44.8-54.6 | 262 | 50.3 | 45.4-55.2 |
| \$25,000- 34,999 | 492 | 63,802 | 356 | 64.6 | 58.7-70.5 | 136 | 35.4 | 29.5-41.3 |
| \$35,000- 49,999 | 685 | 95,370 | 536 | 73.2 | 67.9-78.5 | 149 | 26.8 | 21.5-32.1 |
| \$50,000- 74,999 | 681 | 93,128 | 528 | 72.8 | 68.1-77.5 | 153 | 27.2 | 22.5-31.9 |
| \$75,000+ | 1337 | 200,171 | 1116 | 79.3 | 76.2-82.4 | 221 | 20.7 | 17.6-23.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Non-White, Multiracial or Hispanic | | |
|--------------------|-------------------|----------|--------------------------|------|------------|------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2053 | 340,895 | 1531 | 67.7 | 65.0-70.4 | 522 | 32.3 | 29.6-35.0 |
| 18-24 | 135 | 45,464 | 75 | 54.8 | 44.4-65.2 | 60 | 45.2 | 34.8-55.6 |
| 25-34 | 209 | 58,405 | 122 | 58.6 | 50.4-66.8 | 87 | 41.4 | 33.2-49.6 |
| 35-44 | 259 | 53,716 | 150 | 56.6 | 49.5-63.7 | 109 | 43.4 | 36.3-50.5 |
| 45-54 | 359 | 62,317 | 264 | 71.1 | 64.8-77.4 | 95 | 28.9 | 22.6-35.2 |
| 55-64 | 418 | 56,839 | 339 | 77.7 | 72.0-83.4 | 79 | 22.3 | 16.6-28.0 |
| 65+ | 666 | 63,822 | 576 | 82.5 | 78.4-86.6 | 90 | 17.5 | 13.4-21.6 |
| Less Than H.S. | 176 | 48,669 | 100 | 47.5 | 38.1-56.9 | 76 | 52.5 | 43.1-61.9 |
| H.S. or G.E.D. | 643 | 114,991 | 478 | 70.2 | 65.5-74.9 | 165 | 29.8 | 25.1-34.5 |
| Some Post-H.S. | 466 | 91,527 | 341 | 69.2 | 63.3-75.1 | 125 | 30.8 | 24.9-36.7 |
| College Graduate | 764 | 85,034 | 612 | 74.9 | 71.0-78.8 | 152 | 25.1 | 21.2-29.0 |
| Less than \$15,000 | 133 | 24,072 | 80 | 46.6 | 34.6-58.6 | 53 | 53.4 | 41.4-65.4 |
| \$15,000- 24,999 | 260 | 43,650 | 158 | 46.8 | 39.2-54.4 | 102 | 53.2 | 45.6-60.8 |
| \$25,000- 34,999 | 191 | 30,561 | 135 | 63.7 | 54.5-72.9 | 56 | 36.3 | 27.1-45.5 |
| \$35,000- 49,999 | 298 | 48,088 | 232 | 71.9 | 63.9-79.9 | 66 | 28.1 | 20.1-36.1 |
| \$50,000- 74,999 | 294 | 47,069 | 230 | 74.4 | 67.7-81.1 | 64 | 25.6 | 18.9-32.3 |
| \$75,000+ | 631 | 105,050 | 520 | 79.1 | 74.8-83.4 | 111 | 20.9 | 16.6-25.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Non-White, Multiracial or Hispanic | | |
|--------------------|-------------------|----------|--------------------------|------|------------|------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3079 | 373,873 | 2299 | 67.5 | 65.1-69.9 | 780 | 32.5 | 30.1-34.9 |
| 18-24 | 144 | 45,661 | 77 | 58.1 | 48.5-67.7 | 67 | 41.9 | 32.3-51.5 |
| 25-34 | 275 | 58,444 | 161 | 55.7 | 48.3-63.1 | 114 | 44.3 | 36.9-51.7 |
| 35-44 | 346 | 56,472 | 206 | 54.7 | 48.0-61.4 | 140 | 45.3 | 38.6-52.0 |
| 45-54 | 513 | 66,780 | 372 | 73.0 | 68.3-77.7 | 141 | 27.0 | 22.3-31.7 |
| 55-64 | 669 | 62,492 | 521 | 71.8 | 66.9-76.7 | 148 | 28.2 | 23.3-33.1 |
| 65+ | 1103 | 81,450 | 946 | 82.8 | 79.7-85.9 | 157 | 17.2 | 14.1-20.3 |
| Less Than H.S. | 242 | 48,798 | 121 | 41.0 | 32.6-49.4 | 121 | 59.0 | 50.6-67.4 |
| H.S. or G.E.D. | 907 | 109,471 | 690 | 70.6 | 66.3-74.9 | 217 | 29.4 | 25.1-33.7 |
| Some Post-H.S. | 865 | 118,686 | 634 | 70.0 | 65.9-74.1 | 231 | 30.0 | 25.9-34.1 |
| College Graduate | 1055 | 96,192 | 847 | 74.5 | 70.8-78.2 | 208 | 25.5 | 21.8-29.2 |
| Less than \$15,000 | 314 | 38,254 | 173 | 39.4 | 31.8-47.0 | 141 | 60.6 | 53.0-68.2 |
| \$15,000- 24,999 | 472 | 54,486 | 312 | 52.0 | 45.9-58.1 | 160 | 48.0 | 41.9-54.1 |
| \$25,000- 34,999 | 301 | 33,241 | 221 | 65.4 | 58.1-72.7 | 80 | 34.6 | 27.3-41.9 |
| \$35,000- 49,999 | 387 | 47,282 | 304 | 74.5 | 68.0-81.0 | 83 | 25.5 | 19.0-32.0 |
| \$50,000- 74,999 | 387 | 46,059 | 298 | 71.2 | 64.9-77.5 | 89 | 28.8 | 22.5-35.1 |
| \$75,000+ | 706 | 95,121 | 596 | 79.4 | 74.9-83.9 | 110 | 20.6 | 16.1-25.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Black only, Non-Hispanic | | | Other Race only, Non-Hispanic | | | Multiracial, Non-Hispanic | | | Hispanic | | |
|--------------------|-------------------|----------|--------------------------|------|------------|--------------------------|------|------------|-------------------------------|-----|------------|---------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5132 | 714,768 | 3830 | 67.6 | 65.8-69.4 | 773 | 19.7 | 18.1-21.3 | 213 | 4.4 | 03.4-05.4 | 70 | 0.7 | 00.5-00.9 | 246 | 7.5 | 06.3-08.7 |
| Male | 2053 | 340,895 | 1531 | 67.7 | 64.8-70.6 | 288 | 19.0 | 16.5-21.5 | 102 | 5.2 | 03.6-06.8 | 30 | 0.8 | 00.4-01.2 | 102 | 7.3 | 05.7-08.9 |
| Female | 3079 | 373,873 | 2299 | 67.5 | 65.1-69.9 | 485 | 20.4 | 18.2-22.6 | 111 | 3.7 | 02.7-04.7 | 40 | 0.7 | 00.5-00.9 | 144 | 7.7 | 06.1-09.3 |
| 18-24 | 279 | 91,125 | 152 | 56.5 | 49.4-63.6 | 59 | 22.7 | 16.6-28.8 | 23 | 7.6 | 03.1-12.1 | 9 | 1.4 | 00.4-02.4 | 36 | 11.8 | 07.3-16.3 |
| 25-34 | 484 | 116,849 | 283 | 57.2 | 51.7-62.7 | 91 | 21.4 | 16.7-26.1 | 38 | 6.3 | 03.9-08.7 | 9 | 0.8 | 00.2-01.4 | 63 | 14.3 | 10.4-18.2 |
| 35-44 | 605 | 110,188 | 356 | 55.6 | 50.7-60.5 | 125 | 23.7 | 19.2-28.2 | 54 | 7.1 | 04.9-09.3 | 9 | 0.6 | 00.2-01.0 | 61 | 13.0 | 09.5-16.5 |
| 45-54 | 872 | 129,096 | 636 | 72.1 | 68.2-76.0 | 163 | 21.0 | 17.3-24.7 | 29 | 2.7 | 01.3-04.1 | 13 | 0.8 | 00.4-01.2 | 31 | 3.5 | 02.1-04.9 |
| 55-64 | 1087 | 119,331 | 860 | 74.6 | 70.9-78.3 | 157 | 18.3 | 15.0-21.6 | 26 | 2.6 | 00.4-04.8 | 11 | 0.4 | 00.2-00.6 | 33 | 4.1 | 02.5-05.7 |
| 65+ | 1769 | 145,272 | 1522 | 82.6 | 80.1-85.1 | 170 | 13.5 | 11.1-15.9 | 37 | 1.7 | 00.9-02.5 | 19 | 0.7 | 00.3-01.1 | 21 | 1.5 | 00.7-02.3 |
| Less Than H.S. | 418 | 97,467 | 221 | 44.2 | 37.9-50.5 | 110 | 28.5 | 22.4-34.6 | 10 | 2.6 | 00.0-05.5 | 1 | 0.1 | 00.0-00.3 | 76 | 24.6 | 19.1-30.1 |
| H.S. or G.E.D. | 1550 | 224,463 | 1168 | 70.4 | 67.3-73.5 | 244 | 19.8 | 17.1-22.5 | 48 | 2.4 | 01.2-03.6 | 26 | 1.1 | 00.7-01.5 | 64 | 6.3 | 04.5-08.1 |
| Some Post-H.S. | 1331 | 210,214 | 975 | 69.6 | 66.1-73.1 | 229 | 21.0 | 17.9-24.1 | 46 | 3.9 | 01.9-05.9 | 25 | 0.9 | 00.5-01.3 | 56 | 4.6 | 03.2-06.0 |
| College Graduate | 1819 | 181,226 | 1459 | 74.7 | 72.0-77.4 | 187 | 13.4 | 11.2-15.6 | 105 | 8.1 | 06.3-09.9 | 18 | 0.5 | 00.3-00.7 | 50 | 3.3 | 02.3-04.3 |
| Less than \$15,000 | 447 | 62,326 | 253 | 42.2 | 35.5-48.9 | 114 | 36.1 | 29.0-43.2 | 21 | 2.9 | 01.3-04.5 | 11 | 1.2 | 00.2-02.2 | 48 | 17.5 | 11.8-23.2 |
| \$15,000- 24,999 | 732 | 98,136 | 470 | 49.7 | 44.8-54.6 | 162 | 29.5 | 25.0-34.0 | 32 | 5.7 | 02.6-08.8 | 13 | 0.8 | 00.2-01.4 | 55 | 14.3 | 10.4-18.2 |
| \$25,000- 34,999 | 492 | 63,802 | 356 | 64.6 | 58.7-70.5 | 82 | 22.0 | 16.9-27.1 | 14 | 2.4 | 00.8-04.0 | 11 | 1.3 | 00.3-02.3 | 29 | 9.7 | 05.8-13.6 |
| \$35,000- 49,999 | 685 | 95,370 | 536 | 73.2 | 67.9-78.5 | 96 | 16.1 | 12.4-19.8 | 22 | 5.8 | 01.7-09.9 | 10 | 0.8 | 00.2-01.4 | 21 | 4.1 | 01.9-06.3 |
| \$50,000- 74,999 | 681 | 93,128 | 528 | 72.8 | 68.1-77.5 | 95 | 17.4 | 13.3-21.5 | 31 | 5.2 | 03.0-07.4 | 5 | 0.5 | 00.1-00.9 | 22 | 4.1 | 01.9-06.3 |
| \$75,000+ | 1337 | 200,171 | 1116 | 79.3 | 76.2-82.4 | 119 | 12.8 | 10.1-15.5 | 57 | 4.3 | 02.9-05.7 | 11 | 0.4 | 00.2-00.6 | 34 | 3.1 | 01.9-04.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Black only, Non-Hispanic | | | Other Race only, Non-Hispanic | | | Multiracial, Non-Hispanic | | | Hispanic | | |
|--------------------|-------------------|----------|--------------------------|------|------------|--------------------------|------|------------|-------------------------------|-----|------------|---------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2053 | 340,895 | 1531 | 67.7 | 65.0-70.4 | 288 | 19.0 | 16.5-21.5 | 102 | 5.2 | 03.6-06.8 | 30 | 0.8 | 00.4-01.2 | 102 | 7.3 | 05.7-08.9 |
| 18-24 | 135 | 45,464 | 75 | 54.8 | 44.4-65.2 | 32 | 27.1 | 17.7-36.5 | 9 | 7.8 | 00.4-15.2 | 4 | 1.4 | 00.0-02.8 | 15 | 9.0 | 04.1-13.9 |
| 25-34 | 209 | 58,405 | 122 | 58.6 | 50.4-66.8 | 29 | 18.1 | 10.8-25.4 | 27 | 8.5 | 04.8-12.2 | 5 | 1.0 | 00.0-02.0 | 26 | 13.8 | 08.3-19.3 |
| 35-44 | 259 | 53,716 | 150 | 56.6 | 49.5-63.7 | 50 | 20.5 | 14.4-26.6 | 26 | 7.5 | 04.4-10.6 | 2 | 0.4 | 00.0-01.0 | 31 | 15.0 | 09.7-20.3 |
| 45-54 | 359 | 62,317 | 264 | 71.1 | 64.8-77.4 | 66 | 22.0 | 16.1-27.9 | 13 | 3.2 | 01.0-05.4 | 6 | 0.9 | 00.1-01.7 | 10 | 2.8 | 00.8-04.8 |
| 55-64 | 418 | 56,839 | 339 | 77.7 | 72.0-83.4 | 54 | 15.8 | 11.3-20.3 | 10 | 3.3 | 00.0-07.6 | 4 | 0.4 | 00.0-00.8 | 11 | 2.9 | 01.1-04.7 |
| 65+ | 666 | 63,822 | 576 | 82.5 | 78.4-86.6 | 57 | 12.9 | 09.0-16.8 | 15 | 2.0 | 00.8-03.2 | 9 | 0.9 | 00.1-01.7 | 9 | 1.7 | 00.1-03.3 |
| Less Than H.S. | 176 | 48,669 | 100 | 47.5 | 38.1-56.9 | 31 | 22.2 | 13.2-31.2 | 6 | 4.6 | 00.0-10.3 | 1 | 0.2 | 00.0-00.6 | 38 | 25.4 | 17.6-33.2 |
| H.S. or G.E.D. | 643 | 114,991 | 478 | 70.2 | 65.5-74.9 | 107 | 22.2 | 17.7-26.7 | 19 | 1.4 | 00.6-02.2 | 13 | 1.2 | 00.4-02.0 | 26 | 5.1 | 02.9-07.3 |
| Some Post-H.S. | 466 | 91,527 | 341 | 69.2 | 63.3-75.1 | 76 | 19.5 | 14.6-24.4 | 17 | 5.3 | 01.2-09.4 | 11 | 1.1 | 00.3-01.9 | 21 | 4.8 | 02.4-07.2 |
| College Graduate | 764 | 85,034 | 612 | 74.9 | 71.0-78.8 | 73 | 12.4 | 09.1-15.7 | 57 | 9.9 | 07.2-12.6 | 5 | 0.3 | 00.0-00.7 | 17 | 2.5 | 01.1-03.9 |
| Less than \$15,000 | 133 | 24,072 | 80 | 46.6 | 34.6-58.6 | 26 | 31.8 | 19.1-44.5 | 6 | 2.8 | 00.3-05.3 | 4 | 1.3 | 00.0-02.9 | 17 | 17.5 | 09.1-25.9 |
| \$15,000- 24,999 | 260 | 43,650 | 158 | 46.8 | 39.2-54.4 | 60 | 27.6 | 20.5-34.7 | 14 | 8.7 | 02.4-15.0 | 3 | 0.4 | 00.0-01.0 | 25 | 16.6 | 10.3-22.9 |
| \$25,000- 34,999 | 191 | 30,561 | 135 | 63.7 | 54.5-72.9 | 28 | 20.2 | 12.2-28.2 | 7 | 2.6 | 00.4-04.8 | 6 | 2.0 | 00.2-03.8 | 15 | 11.5 | 05.2-17.8 |
| \$35,000- 49,999 | 298 | 48,088 | 232 | 71.9 | 63.9-79.9 | 39 | 15.2 | 09.9-20.5 | 13 | 7.3 | 00.2-14.4 | 4 | 0.9 | 00.0-02.1 | 10 | 4.8 | 01.3-08.3 |
| \$50,000- 74,999 | 294 | 47,069 | 230 | 74.4 | 67.7-81.1 | 41 | 17.8 | 11.7-23.9 | 14 | 4.3 | 01.6-07.0 | 3 | 0.8 | 00.0-01.8 | 6 | 2.8 | 00.4-05.2 |
| \$75,000+ | 631 | 105,050 | 520 | 79.1 | 74.8-83.4 | 58 | 12.6 | 08.7-16.5 | 34 | 5.1 | 03.1-07.1 | 4 | 0.3 | 00.0-00.7 | 15 | 2.8 | 01.2-04.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Black only, Non-Hispanic | | | Other Race only, Non-Hispanic | | | Multiracial, Non-Hispanic | | | Hispanic | | |
|--------------------|-------------------|----------|--------------------------|------|------------|--------------------------|------|------------|-------------------------------|-----|------------|---------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3079 | 373,873 | 2299 | 67.5 | 65.1-69.9 | 485 | 20.4 | 18.2-22.6 | 111 | 3.7 | 02.7-04.7 | 40 | 0.7 | 00.5-00.9 | 144 | 7.7 | 06.1-09.3 |
| 18-24 | 144 | 45,661 | 77 | 58.1 | 48.5-67.7 | 27 | 18.4 | 11.0-25.8 | 14 | 7.5 | 02.6-12.4 | 5 | 1.3 | 00.1-02.5 | 21 | 14.6 | 07.3-21.9 |
| 25-34 | 275 | 58,444 | 161 | 55.7 | 48.3-63.1 | 62 | 24.7 | 18.4-31.0 | 11 | 4.1 | 01.2-07.0 | 4 | 0.7 | 00.0-01.5 | 37 | 14.8 | 09.5-20.1 |
| 35-44 | 346 | 56,472 | 206 | 54.7 | 48.0-61.4 | 75 | 26.8 | 20.3-33.3 | 28 | 6.6 | 03.7-09.5 | 7 | 0.7 | 00.1-01.3 | 30 | 11.2 | 06.7-15.7 |
| 45-54 | 513 | 66,780 | 372 | 73.0 | 68.3-77.7 | 97 | 20.0 | 15.7-24.3 | 16 | 2.1 | 00.5-03.7 | 7 | 0.6 | 00.2-01.0 | 21 | 4.2 | 02.2-06.2 |
| 55-64 | 669 | 62,492 | 521 | 71.8 | 66.9-76.7 | 103 | 20.6 | 15.9-25.3 | 16 | 2.0 | 00.8-03.2 | 7 | 0.4 | 00.0-00.8 | 22 | 5.2 | 02.7-07.7 |
| 65+ | 1103 | 81,450 | 946 | 82.8 | 79.7-85.9 | 113 | 13.9 | 11.0-16.8 | 22 | 1.5 | 00.7-02.3 | 10 | 0.5 | 00.1-00.9 | 12 | 1.3 | 00.5-02.1 |
| Less Than H.S. | 242 | 48,798 | 121 | 41.0 | 32.6-49.4 | 79 | 34.7 | 26.7-42.7 | 4 | 0.5 | 00.0-01.1 | | | | 38 | 23.8 | 16.0-31.6 |
| H.S. or G.E.D. | 907 | 109,471 | 690 | 70.6 | 66.3-74.9 | 137 | 17.4 | 14.1-20.7 | 29 | 3.5 | 01.5-05.5 | 13 | 1.1 | 00.5-01.7 | 38 | 7.5 | 04.6-10.4 |
| Some Post-H.S. | 865 | 118,686 | 634 | 70.0 | 65.9-74.1 | 153 | 22.1 | 18.2-26.0 | 29 | 2.9 | 01.5-04.3 | 14 | 0.7 | 00.3-01.1 | 35 | 4.4 | 02.6-06.2 |
| College Graduate | 1055 | 96,192 | 847 | 74.5 | 70.8-78.2 | 114 | 14.3 | 11.4-17.2 | 48 | 6.6 | 04.2-09.0 | 13 | 0.6 | 00.2-01.0 | 33 | 4.0 | 02.4-05.6 |
| Less than \$15,000 | 314 | 38,254 | 173 | 39.4 | 31.8-47.0 | 88 | 38.9 | 30.5-47.3 | 15 | 3.0 | 01.2-04.8 | 7 | 1.2 | 00.0-02.4 | 31 | 17.6 | 09.8-25.4 |
| \$15,000- 24,999 | 472 | 54,486 | 312 | 52.0 | 45.9-58.1 | 102 | 31.0 | 24.9-37.1 | 18 | 3.4 | 01.4-05.4 | 10 | 1.2 | 00.2-02.2 | 30 | 12.4 | 07.7-17.1 |
| \$25,000- 34,999 | 301 | 33,241 | 221 | 65.4 | 58.1-72.7 | 54 | 23.6 | 17.1-30.1 | 7 | 2.2 | 00.0-04.4 | 5 | 0.7 | 00.0-01.5 | 14 | 8.1 | 03.2-13.0 |
| \$35,000- 49,999 | 387 | 47,282 | 304 | 74.5 | 68.0-81.0 | 57 | 17.1 | 11.8-22.4 | 9 | 4.4 | 00.1-08.7 | 6 | 0.7 | 00.1-01.3 | 11 | 3.3 | 00.8-05.8 |
| \$50,000- 74,999 | 387 | 46,059 | 298 | 71.2 | 64.9-77.5 | 54 | 17.1 | 11.8-22.4 | 17 | 6.2 | 02.7-09.7 | 2 | 0.2 | 00.0-00.4 | 16 | 5.4 | 02.1-08.7 |
| \$75,000+ | 706 | 95,121 | 596 | 79.4 | 74.9-83.9 | 61 | 13.1 | 09.0-17.2 | 23 | 3.5 | 01.7-05.3 | 7 | 0.5 | 00.1-00.9 | 19 | 3.5 | 01.7-05.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 18-29yrs | | | 30-39yrs | | | 40-49yrs | | | 50-59yrs | | | 60-69yrs | | | 70+yrs | | |
|----------------------------|-------------------|----------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5152 | 718,204 | 499 | 20.7 | 18.7-22.7 | 584 | 16.5 | 15.1-17.9 | 683 | 15.4 | 14.0-16.8 | 1052 | 19.2 | 17.8-20.6 | 1093 | 14.2 | 13.2-15.2 | 1241 | 14.0 | 13.0-15.0 |
| Male | 2070 | 344,218 | 235 | 22.1 | 19.2-25.0 | 240 | 16.3 | 14.1-18.5 | 287 | 15.9 | 13.7-18.1 | 421 | 19.1 | 16.9-21.3 | 412 | 13.6 | 12.0-15.2 | 475 | 13.0 | 11.6-14.4 |
| Female | 3082 | 373,986 | 264 | 19.4 | 16.9-21.9 | 344 | 16.7 | 14.7-18.7 | 396 | 14.9 | 13.1-16.7 | 631 | 19.2 | 17.4-21.0 | 681 | 14.8 | 13.4-16.2 | 766 | 15.0 | 13.6-16.4 |
| White/Non-Hisp | 3809 | 481,590 | 277 | 17.3 | 15.1-19.5 | 338 | 13.6 | 12.0-15.2 | 444 | 14.5 | 12.9-16.1 | 802 | 21.0 | 19.4-22.6 | 882 | 16.0 | 14.8-17.2 | 1066 | 17.6 | 16.4-18.8 |
| Black or Afr. Am./Non-Hisp | 765 | 140,346 | 104 | 24.3 | 19.6-29.0 | 105 | 16.8 | 13.3-20.3 | 137 | 18.0 | 14.5-21.5 | 170 | 19.1 | 15.6-22.6 | 144 | 14.0 | 11.1-16.9 | 105 | 7.8 | 06.0-09.6 |
| Oth. Race/Non-Hisp. | 207 | 31,153 | 41 | 35.6 | 24.2-47.0 | 48 | 22.9 | 15.6-30.2 | 42 | 20.3 | 13.0-27.6 | 28 | 10.6 | 02.6-18.6 | 19 | 4.4 | 02.0-06.8 | 29 | 6.3 | 03.2-09.4 |
| MultiRacial/Non-Hisp. | 70 | 5,267 | 14 | 34.1 | 19.4-48.8 | 9 | 16.1 | 05.7-26.5 | 11 | 13.9 | 05.5-22.3 | 10 | 10.5 | 03.1-17.9 | 14 | 13.9 | 05.3-22.5 | 12 | 11.5 | 03.1-19.9 |
| Hispanic | 245 | 53,505 | 59 | 31.2 | 23.6-38.8 | 78 | 37.4 | 30.0-44.8 | 42 | 14.4 | 09.5-19.3 | 31 | 8.9 | 05.4-12.4 | 19 | 4.9 | 02.4-07.4 | 16 | 3.1 | 01.1-05.1 |
| Less Than H.S. | 424 | 98,234 | 48 | 24.3 | 17.8-30.8 | 49 | 19.4 | 14.1-24.7 | 42 | 10.8 | 07.3-14.3 | 74 | 17.1 | 12.4-21.8 | 74 | 10.7 | 07.4-14.0 | 137 | 17.7 | 14.0-21.4 |
| H.S. or G.E.D. | 1555 | 225,203 | 171 | 22.9 | 19.4-26.4 | 129 | 11.6 | 09.4-13.8 | 169 | 14.2 | 11.7-16.7 | 300 | 18.9 | 16.4-21.4 | 334 | 15.7 | 13.7-17.7 | 452 | 16.7 | 14.7-18.7 |
| Some Post-H.S. | 1334 | 210,746 | 162 | 24.3 | 20.6-28.0 | 161 | 16.8 | 14.1-19.5 | 183 | 15.6 | 13.1-18.1 | 287 | 18.9 | 16.4-21.4 | 272 | 13.4 | 11.4-15.4 | 269 | 11.0 | 09.4-12.6 |
| College Graduate | 1826 | 182,749 | 117 | 12.0 | 09.6-14.4 | 244 | 20.4 | 17.9-22.9 | 288 | 19.0 | 16.6-21.4 | 389 | 20.9 | 18.5-23.3 | 407 | 15.3 | 13.5-17.1 | 381 | 12.3 | 10.9-13.7 |
| Less than \$15,000 | 452 | 62,951 | 68 | 33.9 | 26.5-41.3 | 38 | 13.4 | 08.5-18.3 | 35 | 8.8 | 05.1-12.5 | 86 | 15.0 | 10.7-19.3 | 104 | 14.2 | 10.5-17.9 | 121 | 14.8 | 11.3-18.3 |
| \$15,000- 24,999 | 737 | 98,575 | 77 | 18.0 | 14.1-21.9 | 76 | 16.1 | 12.4-19.8 | 79 | 13.3 | 10.0-16.6 | 125 | 16.6 | 12.9-20.3 | 157 | 16.1 | 12.8-19.4 | 223 | 19.9 | 16.6-23.2 |
| \$25,000- 34,999 | 495 | 64,822 | 47 | 17.7 | 12.2-23.2 | 60 | 19.8 | 14.5-25.1 | 53 | 11.6 | 07.9-15.3 | 88 | 18.2 | 13.5-22.9 | 117 | 15.9 | 12.4-19.4 | 130 | 16.9 | 13.4-20.4 |
| \$35,000- 49,999 | 686 | 95,485 | 73 | 23.9 | 18.2-29.6 | 74 | 16.1 | 12.0-20.2 | 81 | 11.7 | 08.6-14.8 | 132 | 17.1 | 13.8-20.4 | 152 | 15.3 | 12.4-18.2 | 174 | 15.9 | 13.0-18.8 |
| \$50,000- 74,999 | 686 | 93,989 | 54 | 16.5 | 11.8-21.2 | 89 | 17.0 | 13.1-20.9 | 109 | 19.6 | 15.5-23.7 | 147 | 20.4 | 16.7-24.1 | 146 | 14.1 | 11.2-17.0 | 141 | 12.5 | 10.1-14.9 |
| \$75,000+ | 1342 | 201,492 | 91 | 13.5 | 10.4-16.6 | 201 | 20.4 | 17.5-23.3 | 259 | 21.9 | 19.0-24.8 | 381 | 25.5 | 22.8-28.2 | 247 | 12.5 | 10.7-14.3 | 163 | 6.2 | 05.0-07.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 18-29yrs | | | 30-39yrs | | | 40-49yrs | | | 50-59yrs | | | 60-69yrs | | | 70+yrs | | |
|----------------------------|-------------------|----------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2070 | 344,218 | 235 | 22.1 | 19.2-25.0 | 240 | 16.3 | 14.1-18.5 | 287 | 15.9 | 13.7-18.1 | 421 | 19.1 | 16.9-21.3 | 412 | 13.6 | 12.0-15.2 | 475 | 13.0 | 11.6-14.4 |
| White/Non-Hisp | 1526 | 230,564 | 134 | 18.6 | 15.3-21.9 | 133 | 13.3 | 10.9-15.7 | 186 | 15.0 | 12.6-17.4 | 329 | 21.1 | 18.6-23.6 | 337 | 15.6 | 13.6-17.6 | 407 | 16.4 | 14.4-18.4 |
| Black or Afr. Am./Non-Hisp | 288 | 64,799 | 44 | 27.1 | 19.3-34.9 | 39 | 15.2 | 09.9-20.5 | 59 | 19.3 | 13.6-25.0 | 60 | 18.3 | 12.8-23.8 | 55 | 14.3 | 09.8-18.8 | 31 | 5.9 | 03.5-08.3 |
| Oth. Race/Non-Hisp. | 100 | 17,683 | 21 | 33.0 | 16.1-49.9 | 28 | 26.2 | 15.0-37.4 | 19 | 18.4 | 08.8-28.0 | 12 | 12.8 | 00.0-26.3 | 7 | 2.9 | 00.2-05.6 | 13 | 6.7 | 02.0-11.4 |
| Hispanic | 102 | 24,760 | 27 | 29.7 | 19.5-39.9 | 33 | 40.8 | 29.6-52.0 | 17 | 14.6 | 07.5-21.7 | 12 | 8.2 | 03.3-13.1 | 4 | 2.2 | 00.0-04.6 | 9 | 4.5 | 00.6-08.4 |
| Less Than H.S. | 179 | 49,134 | 22 | 24.7 | 15.1-34.3 | 26 | 21.9 | 13.9-29.9 | 18 | 10.1 | 05.0-15.2 | 34 | 18.7 | 11.1-26.3 | 26 | 7.6 | 03.9-11.3 | 53 | 17.0 | 11.5-22.5 |
| H.S. or G.E.D. | 645 | 116,008 | 94 | 24.8 | 19.9-29.7 | 58 | 11.8 | 08.5-15.1 | 87 | 16.6 | 12.7-20.5 | 134 | 19.2 | 15.5-22.9 | 125 | 14.3 | 11.4-17.2 | 147 | 13.3 | 10.8-15.8 |
| Some Post-H.S. | 471 | 92,081 | 67 | 27.8 | 21.5-34.1 | 58 | 15.9 | 11.6-20.2 | 81 | 16.9 | 13.0-20.8 | 93 | 17.1 | 13.2-21.0 | 92 | 13.4 | 10.3-16.5 | 80 | 8.9 | 06.5-11.3 |
| College Graduate | 769 | 86,256 | 51 | 10.9 | 07.6-14.2 | 97 | 19.3 | 15.6-23.0 | 100 | 17.1 | 13.6-20.6 | 159 | 21.6 | 18.1-25.1 | 168 | 16.5 | 13.8-19.2 | 194 | 14.8 | 12.4-17.2 |
| Less than \$15,000 | 135 | 24,308 | 30 | 43.9 | 31.4-56.4 | 13 | 12.2 | 04.9-19.5 | 10 | 7.4 | 02.5-12.3 | 26 | 12.2 | 06.3-18.1 | 28 | 12.4 | 06.1-18.7 | 28 | 12.0 | 06.1-17.9 |
| \$15,000- 24,999 | 261 | 43,801 | 31 | 16.7 | 10.6-22.8 | 25 | 15.7 | 09.6-21.8 | 34 | 15.6 | 09.9-21.3 | 45 | 17.5 | 10.6-24.4 | 63 | 18.8 | 13.5-24.1 | 63 | 15.7 | 10.8-20.6 |
| \$25,000- 34,999 | 192 | 31,366 | 24 | 21.6 | 12.6-30.6 | 20 | 20.1 | 11.5-28.7 | 22 | 10.8 | 05.3-16.3 | 30 | 17.3 | 09.9-24.7 | 48 | 13.8 | 09.1-18.5 | 48 | 16.5 | 10.8-22.2 |
| \$35,000- 49,999 | 299 | 48,263 | 37 | 26.9 | 18.1-35.7 | 31 | 14.0 | 08.7-19.3 | 38 | 12.9 | 08.2-17.6 | 61 | 18.2 | 13.1-23.3 | 58 | 13.3 | 09.2-17.4 | 74 | 14.7 | 10.6-18.8 |
| \$50,000- 74,999 | 296 | 47,540 | 27 | 18.8 | 11.4-26.2 | 36 | 15.9 | 10.4-21.4 | 48 | 19.1 | 13.0-25.2 | 55 | 18.4 | 12.7-24.1 | 52 | 12.8 | 08.5-17.1 | 78 | 14.9 | 11.0-18.8 |
| \$75,000+ | 637 | 106,026 | 42 | 12.3 | 08.2-16.4 | 98 | 20.5 | 16.4-24.6 | 110 | 21.2 | 16.9-25.5 | 164 | 24.3 | 20.2-28.4 | 119 | 13.3 | 10.6-16.0 | 104 | 8.4 | 06.4-10.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 18-29yrs | | | 30-39yrs | | | 40-49yrs | | | 50-59yrs | | | 60-69yrs | | | 70+yrs | | |
|----------------------------|-------------------|----------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3082 | 373,986 | 264 | 19.4 | 17.0-21.8 | 344 | 16.7 | 14.7-18.7 | 396 | 14.9 | 13.1-16.7 | 631 | 19.2 | 17.4-21.0 | 681 | 14.8 | 13.4-16.2 | 766 | 15.0 | 13.8-16.2 |
| White/Non-Hisp | 2283 | 251,026 | 143 | 16.2 | 13.3-19.1 | 205 | 14.0 | 11.8-16.2 | 258 | 14.0 | 12.0-16.0 | 473 | 20.8 | 18.6-23.0 | 545 | 16.3 | 14.7-17.9 | 659 | 18.7 | 16.9-20.5 |
| Black or Afr. Am./Non-Hisp | 477 | 75,547 | 60 | 21.9 | 16.4-27.4 | 66 | 18.2 | 13.3-23.1 | 78 | 16.9 | 12.4-21.4 | 110 | 19.8 | 15.3-24.3 | 89 | 13.7 | 10.0-17.4 | 74 | 9.5 | 06.8-12.2 |
| Oth. Race/Non-Hisp. | 107 | 13,470 | 20 | 38.9 | 24.2-53.6 | 20 | 18.6 | 09.6-27.6 | 23 | 22.7 | 12.3-33.1 | 16 | 7.8 | 02.9-12.7 | 12 | 6.3 | 02.2-10.4 | 16 | 5.7 | 01.6-09.8 |
| Hispanic | 143 | 28,745 | 32 | 32.5 | 21.5-43.5 | 45 | 34.5 | 24.5-44.5 | 25 | 14.3 | 07.6-21.0 | 19 | 9.5 | 04.4-14.6 | 15 | 7.3 | 03.0-11.6 | 7 | 1.8 | 00.2-03.4 |
| Less Than H.S. | 245 | 49,100 | 26 | 23.9 | 15.3-32.5 | 23 | 17.0 | 10.1-23.9 | 24 | 11.5 | 06.4-16.6 | 40 | 15.5 | 09.8-21.2 | 48 | 13.8 | 08.5-19.1 | 84 | 18.3 | 13.4-23.2 |
| H.S. or G.E.D. | 910 | 109,195 | 77 | 20.9 | 15.8-26.0 | 71 | 11.4 | 08.5-14.3 | 82 | 11.6 | 08.7-14.5 | 166 | 18.6 | 15.3-21.9 | 209 | 17.2 | 14.5-19.9 | 305 | 20.3 | 17.6-23.0 |
| Some Post-H.S. | 863 | 118,665 | 95 | 21.6 | 17.3-25.9 | 103 | 17.5 | 13.8-21.2 | 102 | 14.6 | 11.3-17.9 | 194 | 20.2 | 17.1-23.3 | 180 | 13.4 | 11.0-15.8 | 189 | 12.7 | 10.5-14.9 |
| College Graduate | 1057 | 96,493 | 66 | 13.0 | 09.7-16.3 | 147 | 21.5 | 18.0-25.0 | 188 | 20.8 | 17.7-23.9 | 230 | 20.4 | 17.5-23.3 | 239 | 14.2 | 12.0-16.4 | 187 | 10.1 | 08.3-11.9 |
| Less than \$15,000 | 317 | 38,643 | 38 | 27.7 | 19.1-36.3 | 25 | 14.1 | 07.6-20.6 | 25 | 9.6 | 04.3-14.9 | 60 | 16.7 | 11.0-22.4 | 76 | 15.3 | 11.0-19.6 | 93 | 16.6 | 12.3-20.9 |
| \$15,000- 24,999 | 476 | 54,774 | 46 | 19.0 | 13.7-24.3 | 51 | 16.4 | 11.7-21.1 | 45 | 11.4 | 07.3-15.5 | 80 | 15.8 | 11.7-19.9 | 94 | 14.0 | 09.7-18.3 | 160 | 23.3 | 19.0-27.6 |
| \$25,000- 34,999 | 303 | 33,455 | 23 | 14.0 | 07.9-20.1 | 40 | 19.4 | 13.1-25.7 | 31 | 12.3 | 07.2-17.4 | 58 | 19.0 | 13.3-24.7 | 69 | 17.9 | 12.6-23.2 | 82 | 17.4 | 12.9-21.9 |
| \$35,000- 49,999 | 387 | 47,222 | 36 | 20.9 | 13.8-28.0 | 43 | 18.3 | 12.0-24.6 | 43 | 10.4 | 06.5-14.3 | 71 | 16.0 | 11.7-20.3 | 94 | 17.2 | 13.1-21.3 | 100 | 17.2 | 13.1-21.3 |
| \$50,000- 74,999 | 390 | 46,449 | 27 | 14.2 | 08.5-19.9 | 53 | 18.1 | 12.6-23.6 | 61 | 20.0 | 14.3-25.7 | 92 | 22.4 | 17.3-27.5 | 94 | 15.3 | 11.6-19.0 | 63 | 10.0 | 07.1-12.9 |
| \$75,000+ | 705 | 95,467 | 49 | 14.8 | 10.3-19.3 | 103 | 20.4 | 16.1-24.7 | 149 | 22.6 | 18.7-26.5 | 217 | 26.7 | 22.8-30.6 | 128 | 11.6 | 09.1-14.1 | 59 | 3.9 | 02.7-05.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <65yrs | | | ≥65yrs | | |
|----------------------------|-------------------|----------|--------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5152 | 718,204 | 3366 | 79.6 | 78.4-80.8 | 1786 | 20.4 | 19.2-21.6 |
| Male | 2070 | 344,218 | 1394 | 81.2 | 79.4-83.0 | 676 | 18.8 | 17.0-20.6 |
| Female | 3082 | 373,986 | 1972 | 78.1 | 76.5-79.7 | 1110 | 21.9 | 20.3-23.5 |
| White/Non-Hisp | 3809 | 481,590 | 2287 | 75.1 | 73.5-76.7 | 1522 | 24.9 | 23.3-26.5 |
| Black or Afr. Am./Non-Hisp | 765 | 140,346 | 595 | 86.1 | 83.4-88.8 | 170 | 13.9 | 11.2-16.6 |
| Oth. Race/Non-Hisp. | 207 | 31,153 | 170 | 92.0 | 88.5-95.5 | 37 | 8.0 | 04.5-11.5 |
| MultiRacial/Non-Hisp. | 70 | 5,267 | 51 | 81.1 | 70.5-91.7 | 19 | 18.9 | 08.3-29.5 |
| Hispanic | 245 | 53,505 | 224 | 95.9 | 93.7-98.1 | 21 | 4.1 | 01.9-06.3 |
| Less Than H.S. | 424 | 98,234 | 253 | 77.8 | 73.5-82.1 | 171 | 22.2 | 17.9-26.5 |
| H.S. or G.E.D. | 1555 | 225,203 | 934 | 76.5 | 74.3-78.7 | 621 | 23.5 | 21.3-25.7 |
| Some Post-H.S. | 1334 | 210,746 | 923 | 82.6 | 80.4-84.8 | 411 | 17.4 | 15.2-19.6 |
| College Graduate | 1826 | 182,749 | 1248 | 81.0 | 79.2-82.8 | 578 | 19.0 | 17.2-20.8 |
| Less than \$15,000 | 452 | 62,951 | 274 | 77.5 | 73.2-81.8 | 178 | 22.5 | 18.2-26.8 |
| \$15,000- 24,999 | 737 | 98,575 | 445 | 74.3 | 70.6-78.0 | 292 | 25.7 | 22.0-29.4 |
| \$25,000- 34,999 | 495 | 64,822 | 297 | 74.9 | 70.6-79.2 | 198 | 25.1 | 20.8-29.4 |
| \$35,000- 49,999 | 686 | 95,485 | 435 | 77.0 | 73.5-80.5 | 251 | 23.0 | 19.5-26.5 |
| \$50,000- 74,999 | 686 | 93,989 | 476 | 81.1 | 78.0-84.2 | 210 | 18.9 | 15.8-22.0 |
| \$75,000+ | 1342 | 201,492 | 1070 | 88.9 | 87.3-90.5 | 272 | 11.1 | 09.5-12.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <65yrs | | | ≥65yrs | | |
|----------------------------|-------------------|----------|--------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2070 | 344,218 | 1394 | 81.2 | 79.4-83.0 | 676 | 18.8 | 17.0-20.6 |
| White/Non-Hisp | 1526 | 230,564 | 950 | 77.2 | 75.0-79.4 | 576 | 22.8 | 20.6-25.0 |
| Black or Afr. Am./Non-Hisp | 288 | 64,799 | 231 | 87.3 | 83.2-91.4 | 57 | 12.7 | 08.6-16.8 |
| Oth. Race/Non-Hisp. | 100 | 17,683 | 85 | 92.8 | 88.1-97.5 | 15 | 7.2 | 02.5-11.9 |
| Hispanic | 102 | 24,760 | 93 | 95.5 | 91.6-99.4 | 9 | 4.5 | 00.6-08.4 |
| Less Than H.S. | 179 | 49,134 | 111 | 78.4 | 72.1-84.7 | 68 | 21.6 | 15.3-27.9 |
| H.S. or G.E.D. | 645 | 116,008 | 439 | 81.3 | 78.4-84.2 | 206 | 18.7 | 15.8-21.6 |
| Some Post-H.S. | 471 | 92,081 | 344 | 85.1 | 82.0-88.2 | 127 | 14.9 | 11.8-18.0 |
| College Graduate | 769 | 86,256 | 496 | 78.7 | 76.0-81.4 | 273 | 21.3 | 18.6-24.0 |
| Less than \$15,000 | 135 | 24,308 | 92 | 82.2 | 75.1-89.3 | 43 | 17.8 | 10.7-24.9 |
| \$15,000- 24,999 | 261 | 43,801 | 173 | 78.2 | 72.5-83.9 | 88 | 21.8 | 16.1-27.5 |
| \$25,000- 34,999 | 192 | 31,366 | 115 | 76.8 | 70.3-83.3 | 77 | 23.2 | 16.7-29.7 |
| \$35,000- 49,999 | 299 | 48,263 | 190 | 78.6 | 73.7-83.5 | 109 | 21.4 | 16.5-26.3 |
| \$50,000- 74,999 | 296 | 47,540 | 191 | 78.6 | 73.7-83.5 | 105 | 21.4 | 16.5-26.3 |
| \$75,000+ | 637 | 106,026 | 485 | 87.1 | 84.7-89.5 | 152 | 12.9 | 10.5-15.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <65yrs | | | ≥65yrs | | |
|----------------------------|-------------------|----------|--------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3082 | 373,986 | 1972 | 78.1 | 76.5-79.7 | 1110 | 21.9 | 20.3-23.5 |
| White/Non-Hisp | 2283 | 251,026 | 1337 | 73.1 | 71.1-75.1 | 946 | 26.9 | 24.9-28.9 |
| Black or Afr. Am./Non-Hisp | 477 | 75,547 | 364 | 85.0 | 81.5-88.5 | 113 | 15.0 | 11.5-18.5 |
| Oth. Race/Non-Hisp. | 107 | 13,470 | 85 | 90.9 | 85.8-96.0 | 22 | 9.1 | 04.0-14.2 |
| Hispanic | 143 | 28,745 | 131 | 96.2 | 93.8-98.6 | 12 | 3.8 | 01.4-06.2 |
| Less Than H.S. | 245 | 49,100 | 142 | 77.1 | 71.4-82.8 | 103 | 22.9 | 17.2-28.6 |
| H.S. or G.E.D. | 910 | 109,195 | 495 | 71.4 | 68.1-74.7 | 415 | 28.6 | 25.3-31.9 |
| Some Post-H.S. | 863 | 118,665 | 579 | 80.6 | 77.9-83.3 | 284 | 19.4 | 16.7-22.1 |
| College Graduate | 1057 | 96,493 | 752 | 83.0 | 80.6-85.4 | 305 | 17.0 | 14.6-19.4 |
| Less than \$15,000 | 317 | 38,643 | 182 | 74.5 | 68.8-80.2 | 135 | 25.5 | 19.8-31.2 |
| \$15,000- 24,999 | 476 | 54,774 | 272 | 71.3 | 66.6-76.0 | 204 | 28.7 | 24.0-33.4 |
| \$25,000- 34,999 | 303 | 33,455 | 182 | 73.2 | 67.5-78.9 | 121 | 26.8 | 21.1-32.5 |
| \$35,000- 49,999 | 387 | 47,222 | 245 | 75.3 | 70.4-80.2 | 142 | 24.7 | 19.8-29.6 |
| \$50,000- 74,999 | 390 | 46,449 | 285 | 83.6 | 79.9-87.3 | 105 | 16.4 | 12.7-20.1 |
| \$75,000+ | 705 | 95,467 | 585 | 90.8 | 88.8-92.8 | 120 | 9.2 | 07.2-11.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | <=48in | | >48in, <=60in | | | >60in, <=66in | | | >66in, <=72in | | | >72in, <=84in | | |
|----------------------------|-------------------|----------|---|--------|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5075 | 697,945 | 1 | 0.0 | 00.0-00.0 | 296 | 4.7 | 03.9-05.5 | 2381 | 42.6 | 40.6-44.6 | 1967 | 42.2 | 40.2-44.2 | 430 | 10.4 | 09.2-11.6 |
| Male | 2032 | 333,100 | | | | 11 | 0.6 | 00.0-01.2 | 221 | 11.8 | 09.8-13.8 | 1379 | 66.1 | 63.4-68.8 | 421 | 21.5 | 19.1-23.9 |
| Female | 3043 | 364,845 | 1 | 0.1 | 00.0-00.3 | 285 | 8.5 | 07.3-09.7 | 2160 | 70.8 | 68.6-73.0 | 588 | 20.3 | 18.3-22.3 | 9 | 0.3 | 00.1-00.5 |
| White/Non-Hisp | 3790 | 477,951 | | | | 211 | 4.7 | 03.9-05.5 | 1760 | 41.5 | 39.3-43.7 | 1500 | 43.6 | 41.4-45.8 | 319 | 10.2 | 08.8-11.6 |
| Black or Afr. Am./Non-Hisp | 753 | 138,473 | 1 | 0.2 | 00.0-00.6 | 35 | 3.1 | 01.9-04.3 | 376 | 44.8 | 40.1-49.5 | 265 | 38.3 | 33.6-43.0 | 76 | 13.6 | 10.1-17.1 |
| Oth. Race/Non-Hisp. | 199 | 29,580 | | | | 13 | 3.9 | 01.2-06.6 | 87 | 40.2 | 30.0-50.4 | 87 | 52.0 | 41.2-62.8 | 12 | 4.0 | 01.3-06.7 |
| MultiRacial/Non-Hisp. | 68 | 4,994 | | | | 8 | 11.1 | 03.1-19.1 | 27 | 33.6 | 20.1-47.1 | 26 | 37.8 | 24.1-51.5 | 7 | 17.5 | 04.6-30.4 |
| Hispanic | 197 | 38,949 | | | | 25 | 11.4 | 06.3-16.5 | 100 | 50.9 | 42.3-59.5 | 63 | 32.4 | 24.6-40.2 | 9 | 5.3 | 01.6-09.0 |
| 18-24 | 275 | 89,857 | | | | 13 | 3.5 | 01.3-05.7 | 119 | 43.3 | 36.2-50.4 | 106 | 39.4 | 32.3-46.5 | 37 | 13.8 | 08.9-18.7 |
| 25-34 | 462 | 109,435 | | | | 25 | 5.3 | 02.8-07.8 | 196 | 40.7 | 35.0-46.4 | 195 | 43.2 | 37.5-48.9 | 46 | 10.7 | 07.2-14.2 |
| 35-44 | 582 | 103,966 | | | | 20 | 3.3 | 01.5-05.1 | 243 | 38.1 | 33.4-42.8 | 258 | 47.0 | 42.1-51.9 | 61 | 11.6 | 08.3-14.9 |
| 45-54 | 869 | 127,196 | | | | 32 | 2.6 | 01.4-03.8 | 403 | 42.8 | 38.7-46.9 | 357 | 42.9 | 38.8-47.0 | 77 | 11.7 | 08.6-14.8 |
| 55-64 | 1090 | 119,156 | 1 | 0.2 | 00.0-00.6 | 59 | 5.2 | 03.6-06.8 | 532 | 43.1 | 39.4-46.8 | 414 | 42.8 | 38.9-46.7 | 84 | 8.7 | 06.5-10.9 |
| 65+ | 1754 | 144,252 | | | | 145 | 7.6 | 06.2-09.0 | 865 | 46.1 | 43.2-49.0 | 622 | 38.6 | 35.7-41.5 | 122 | 7.7 | 05.9-09.5 |
| Less Than H.S. | 369 | 82,501 | 1 | 0.3 | 00.0-00.9 | 38 | 9.1 | 05.6-12.6 | 185 | 42.8 | 35.9-49.7 | 118 | 37.7 | 30.6-44.8 | 27 | 10.0 | 05.9-14.1 |
| H.S. or G.E.D. | 1541 | 222,744 | | | | 112 | 4.4 | 03.4-05.4 | 725 | 42.8 | 39.5-46.1 | 566 | 40.2 | 36.9-43.5 | 138 | 12.6 | 10.1-15.1 |
| Some Post-H.S. | 1329 | 209,238 | | | | 87 | 4.7 | 03.3-06.1 | 664 | 45.5 | 42.0-49.0 | 480 | 40.6 | 37.1-44.1 | 98 | 9.3 | 07.1-11.5 |
| College Graduate | 1821 | 182,003 | | | | 58 | 3.2 | 02.2-04.2 | 801 | 39.2 | 36.5-41.9 | 796 | 48.3 | 45.4-51.2 | 166 | 9.3 | 07.7-10.9 |
| Less than \$15,000 | 419 | 55,629 | | | | 40 | 7.8 | 04.9-10.7 | 237 | 51.8 | 44.7-58.9 | 117 | 30.3 | 23.6-37.0 | 25 | 10.0 | 04.9-15.1 |
| \$15,000- 24,999 | 703 | 90,784 | | | | 62 | 7.1 | 04.7-09.5 | 352 | 47.4 | 42.5-52.3 | 249 | 38.9 | 33.8-44.0 | 40 | 6.5 | 04.1-08.9 |
| \$25,000- 34,999 | 485 | 62,306 | 1 | 0.4 | 00.0-01.2 | 26 | 6.0 | 02.9-09.1 | 251 | 47.4 | 41.3-53.5 | 173 | 36.0 | 30.3-41.7 | 34 | 10.2 | 05.9-14.5 |
| \$35,000- 49,999 | 684 | 94,831 | | | | 33 | 4.0 | 02.4-05.6 | 305 | 41.2 | 36.1-46.3 | 280 | 42.4 | 37.1-47.7 | 66 | 12.4 | 08.9-15.9 |
| \$50,000- 74,999 | 684 | 93,486 | | | | 29 | 3.9 | 02.1-05.7 | 314 | 38.7 | 34.0-43.4 | 277 | 48.6 | 43.5-53.7 | 64 | 8.8 | 06.3-11.3 |
| \$75,000+ | 1345 | 200,976 | | | | 43 | 3.2 | 01.8-04.6 | 530 | 35.3 | 32.0-38.6 | 618 | 48.8 | 45.3-52.3 | 154 | 12.8 | 10.3-15.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >48in, <=60in | | | >60in, <=66in | | | >66in, <=72in | | | >72in, <=84in | | |
|----------------------------|-------------------|----------|---------------|-----|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2032 | 333,100 | 11 | 0.6 | 00.0-01.2 | 221 | 11.8 | 09.8-13.8 | 1379 | 66.1 | 63.4-68.8 | 421 | 21.5 | 19.1-23.9 |
| White/Non-Hisp | 1521 | 228,579 | 6 | 0.6 | 00.0-01.4 | 151 | 10.0 | 07.8-12.2 | 1049 | 68.2 | 65.1-71.3 | 315 | 21.3 | 18.6-24.0 |
| Black or Afr. Am./Non-Hisp | 283 | 64,119 | 1 | 0.2 | 00.0-00.6 | 36 | 15.1 | 09.4-20.8 | 175 | 56.5 | 48.9-64.1 | 71 | 28.3 | 21.2-35.4 |
| Oth. Race/Non-Hisp. | 93 | 16,258 | | | | 13 | 10.5 | 03.2-17.8 | 68 | 82.3 | 73.3-91.3 | 12 | 7.2 | 02.1-12.3 |
| Hispanic | 77 | 17,029 | 4 | 3.4 | 00.0-07.1 | 13 | 21.6 | 09.6-33.6 | 51 | 63.0 | 50.1-75.9 | 9 | 12.1 | 03.9-20.3 |
| 18-24 | 136 | 46,408 | | | | 21 | 19.0 | 10.4-27.6 | 79 | 54.8 | 44.4-65.2 | 36 | 26.2 | 17.4-35.0 |
| 25-34 | 193 | 53,042 | 2 | 1.7 | 00.0-04.4 | 14 | 9.5 | 03.8-15.2 | 131 | 66.6 | 58.4-74.8 | 46 | 22.1 | 15.2-29.0 |
| 35-44 | 246 | 50,296 | | | | 24 | 9.9 | 05.4-14.4 | 162 | 66.3 | 59.2-73.4 | 60 | 23.7 | 17.2-30.2 |
| 45-54 | 359 | 61,610 | 2 | 0.5 | 00.0-01.3 | 33 | 9.9 | 06.0-13.8 | 249 | 65.9 | 59.4-72.4 | 75 | 23.7 | 17.8-29.6 |
| 55-64 | 418 | 56,712 | 2 | 0.8 | 00.0-02.0 | 52 | 12.2 | 08.5-15.9 | 282 | 69.1 | 63.6-74.6 | 82 | 17.9 | 13.4-22.4 |
| 65+ | 667 | 63,692 | 5 | 0.4 | 00.0-00.8 | 76 | 11.5 | 08.4-14.6 | 467 | 70.9 | 66.6-75.2 | 119 | 17.2 | 13.5-20.9 |
| Less Than H.S. | 155 | 41,418 | 5 | 3.4 | 00.0-07.3 | 34 | 20.0 | 11.8-28.2 | 90 | 57.3 | 46.9-67.7 | 26 | 19.3 | 11.3-27.3 |
| H.S. or G.E.D. | 637 | 113,689 | 2 | 0.1 | 00.0-00.3 | 80 | 13.8 | 10.1-17.5 | 420 | 61.6 | 56.5-66.7 | 135 | 24.5 | 20.0-29.0 |
| Some Post-H.S. | 465 | 90,940 | 1 | 0.0 | 00.0-00.0 | 52 | 11.2 | 07.5-14.9 | 316 | 67.7 | 62.2-73.2 | 96 | 21.0 | 16.3-25.7 |
| College Graduate | 768 | 86,106 | 3 | 0.4 | 00.0-01.0 | 55 | 5.9 | 03.9-07.9 | 547 | 74.2 | 70.5-77.9 | 163 | 19.4 | 16.1-22.7 |
| Less than \$15,000 | 123 | 21,181 | 3 | 1.7 | 00.0-03.7 | 24 | 17.3 | 08.3-26.3 | 75 | 57.5 | 44.8-70.2 | 21 | 23.5 | 11.7-35.3 |
| \$15,000- 24,999 | 247 | 40,107 | 2 | 1.0 | 00.0-02.4 | 38 | 18.5 | 12.0-25.0 | 167 | 65.7 | 58.1-73.3 | 40 | 14.8 | 09.5-20.1 |
| \$25,000- 34,999 | 185 | 29,179 | | | | 30 | 20.5 | 11.9-29.1 | 122 | 58.0 | 48.0-68.0 | 33 | 21.5 | 13.1-29.9 |
| \$35,000- 49,999 | 298 | 47,673 | 1 | 0.2 | 00.0-00.6 | 33 | 10.7 | 05.8-15.6 | 199 | 64.6 | 57.2-72.0 | 65 | 24.5 | 17.8-31.2 |
| \$50,000- 74,999 | 294 | 47,286 | | | | 26 | 9.1 | 04.6-13.6 | 205 | 73.8 | 67.5-80.1 | 63 | 17.1 | 12.2-22.0 |
| \$75,000+ | 637 | 105,815 | 3 | 1.0 | 00.0-02.6 | 45 | 6.8 | 04.1-09.5 | 437 | 68.0 | 63.1-72.9 | 152 | 24.2 | 19.7-28.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | <=48in | | >48in, <=60in | | | >60in, <=66in | | | >66in, <=72in | | | >72in, <=84in | | |
|----------------------------|-------------------|----------|---|--------|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|---------------|-----|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3043 | 364,845 | 1 | 0.1 | 00.0-00.3 | 285 | 8.5 | 07.3-09.7 | 2160 | 70.8 | 68.6-73.0 | 588 | 20.3 | 18.3-22.3 | 9 | 0.3 | 00.1-00.5 |
| White/Non-Hisp | 2269 | 249,371 | | | | 205 | 8.5 | 06.9-10.1 | 1609 | 70.4 | 67.9-72.9 | 451 | 21.1 | 18.7-23.5 | 4 | 0.1 | 00.1-00.1 |
| Black or Afr. Am./Non-Hisp | 470 | 74,354 | 1 | 0.4 | 00.0-01.2 | 34 | 5.6 | 03.4-07.8 | 340 | 70.4 | 64.9-75.9 | 90 | 22.5 | 17.2-27.8 | 5 | 1.0 | 00.0-02.0 |
| Oth. Race/Non-Hisp. | 106 | 13,322 | | | | 13 | 8.6 | 02.5-14.7 | 74 | 76.4 | 65.8-87.0 | 19 | 15.0 | 06.0-24.0 | | | |
| Hispanic | 120 | 21,919 | | | | 21 | 17.7 | 09.3-26.1 | 87 | 73.6 | 64.2-83.0 | 12 | 8.7 | 03.4-14.0 | | | |
| 18-24 | 139 | 43,449 | | | | 13 | 7.2 | 02.7-11.7 | 98 | 69.3 | 60.1-78.5 | 27 | 23.0 | 14.2-31.8 | 1 | 0.5 | 00.0-01.5 |
| 25-34 | 269 | 56,393 | | | | 23 | 8.7 | 04.8-12.6 | 182 | 70.0 | 63.5-76.5 | 64 | 21.2 | 15.7-26.7 | | | |
| 35-44 | 336 | 53,670 | | | | 20 | 6.4 | 03.1-09.7 | 219 | 64.6 | 57.9-71.3 | 96 | 28.8 | 22.5-35.1 | 1 | 0.2 | 00.0-00.6 |
| 45-54 | 510 | 65,586 | | | | 30 | 4.7 | 02.7-06.7 | 370 | 73.6 | 68.9-78.3 | 108 | 21.2 | 16.7-25.7 | 2 | 0.5 | 00.0-01.3 |
| 55-64 | 672 | 62,444 | 1 | 0.4 | 00.0-01.2 | 57 | 9.2 | 06.5-11.9 | 480 | 71.2 | 66.5-75.9 | 132 | 18.8 | 14.7-22.9 | 2 | 0.3 | 00.0-00.7 |
| 65+ | 1087 | 80,559 | | | | 140 | 13.3 | 10.8-15.8 | 789 | 73.5 | 70.4-76.6 | 155 | 13.1 | 10.7-15.5 | 3 | 0.2 | 00.0-00.4 |
| Less Than H.S. | 214 | 41,083 | 1 | 0.7 | 00.0-02.1 | 33 | 14.9 | 09.0-20.8 | 151 | 65.8 | 56.8-74.8 | 28 | 18.0 | 10.0-26.0 | 1 | 0.7 | 00.0-02.1 |
| H.S. or G.E.D. | 904 | 109,055 | | | | 110 | 8.9 | 06.9-10.9 | 645 | 73.0 | 69.1-76.9 | 146 | 17.8 | 14.1-21.5 | 3 | 0.2 | 00.0-00.4 |
| Some Post-H.S. | 864 | 118,298 | | | | 86 | 8.3 | 05.9-10.7 | 612 | 71.8 | 67.9-75.7 | 164 | 19.7 | 16.2-23.2 | 2 | 0.2 | 00.0-00.6 |
| College Graduate | 1053 | 95,897 | | | | 55 | 5.7 | 03.7-07.7 | 746 | 69.0 | 65.3-72.7 | 249 | 25.0 | 21.5-28.5 | 3 | 0.3 | 00.0-00.7 |
| Less than \$15,000 | 296 | 34,448 | | | | 37 | 11.6 | 07.1-16.1 | 213 | 73.1 | 66.2-80.0 | 42 | 13.5 | 08.2-18.8 | 4 | 1.8 | 00.0-03.8 |
| \$15,000- 24,999 | 456 | 50,678 | | | | 60 | 12.0 | 08.1-15.9 | 314 | 70.2 | 64.3-76.1 | 82 | 17.7 | 12.6-22.8 | | | |
| \$25,000- 34,999 | 300 | 33,127 | 1 | 0.8 | 00.0-02.4 | 26 | 11.3 | 05.6-17.0 | 221 | 71.0 | 63.9-78.1 | 51 | 16.6 | 11.5-21.7 | 1 | 0.2 | 00.0-00.6 |
| \$35,000- 49,999 | 386 | 47,157 | | | | 32 | 7.9 | 04.8-11.0 | 272 | 71.9 | 65.8-78.0 | 81 | 20.0 | 14.3-25.7 | 1 | 0.2 | 00.0-00.6 |
| \$50,000- 74,999 | 390 | 46,199 | | | | 29 | 7.9 | 04.4-11.4 | 288 | 68.9 | 62.4-75.4 | 72 | 22.9 | 16.6-29.2 | 1 | 0.3 | 00.0-00.9 |
| \$75,000+ | 708 | 95,161 | | | | 40 | 5.6 | 03.4-07.8 | 485 | 66.9 | 62.2-71.6 | 181 | 27.5 | 23.0-32.0 | 2 | 0.1 | 00.0-00.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <=1.22m (~48in) | | | >1.22m, <=1.53m (~60in) | | | >1.53m, <=1.68m (~66in) | | | >1.68m, <=1.83m (~72in) | | | >1.83m, <=2.14m (~84in) | | |
|----------------------------|-------------------|----------|-----------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5105 | 705,885 | 1 | 0.0 | 00.0-00.0 | 303 | 5.0 | 04.2-05.8 | 2395 | 42.6 | 40.8-44.4 | 1976 | 42.0 | 40.0-44.0 | 430 | 10.3 | 09.1-11.5 |
| Male | 2050 | 338,466 | | | | 12 | 0.7 | 00.1-01.3 | 230 | 12.4 | 10.4-14.4 | 1387 | 65.7 | 63.0-68.4 | 421 | 21.2 | 18.8-23.6 |
| Female | 3055 | 367,419 | 1 | 0.1 | 00.0-00.3 | 291 | 9.0 | 07.6-10.4 | 2165 | 70.5 | 68.3-72.7 | 589 | 20.2 | 18.2-22.2 | 9 | 0.3 | 00.1-00.5 |
| White/Non-Hisp | 3791 | 478,047 | | | | 211 | 4.7 | 03.9-05.5 | 1761 | 41.5 | 39.3-43.7 | 1500 | 43.6 | 41.4-45.8 | 319 | 10.2 | 08.8-11.6 |
| Black or Afr. Am./Non-Hisp | 753 | 138,473 | 1 | 0.2 | 00.0-00.6 | 35 | 3.1 | 01.9-04.3 | 376 | 44.8 | 40.1-49.5 | 265 | 38.3 | 33.6-43.0 | 76 | 13.6 | 10.1-17.1 |
| Oth. Race/Non-Hisp. | 201 | 30,050 | | | | 13 | 3.8 | 01.1-06.5 | 88 | 40.5 | 30.3-50.7 | 88 | 51.8 | 41.2-62.4 | 12 | 3.9 | 01.2-06.6 |
| MultiRacial/Non-Hisp. | 68 | 4,994 | | | | 8 | 11.1 | 03.1-19.1 | 27 | 33.6 | 20.1-47.1 | 26 | 37.8 | 24.1-51.5 | 7 | 17.5 | 04.6-30.4 |
| Hispanic | 224 | 46,324 | | | | 32 | 14.1 | 08.8-19.4 | 112 | 49.5 | 41.5-57.5 | 71 | 31.9 | 24.6-39.2 | 9 | 4.4 | 01.3-07.5 |
| 18-24 | 276 | 90,122 | | | | 13 | 3.5 | 01.3-05.7 | 120 | 43.5 | 36.4-50.6 | 106 | 39.3 | 32.2-46.4 | 37 | 13.7 | 09.0-18.4 |
| 25-34 | 474 | 112,852 | | | | 28 | 6.0 | 03.5-08.5 | 199 | 40.2 | 34.5-45.9 | 201 | 43.4 | 37.7-49.1 | 46 | 10.4 | 07.1-13.7 |
| 35-44 | 595 | 107,548 | | | | 24 | 4.2 | 02.2-06.2 | 250 | 38.6 | 33.9-43.3 | 260 | 46.0 | 41.1-50.9 | 61 | 11.2 | 07.9-14.5 |
| 45-54 | 872 | 127,712 | | | | 32 | 2.6 | 01.4-03.8 | 405 | 42.9 | 38.8-47.0 | 358 | 42.8 | 38.7-46.9 | 77 | 11.7 | 08.6-14.8 |
| 55-64 | 1090 | 119,156 | 1 | 0.2 | 00.0-00.6 | 59 | 5.2 | 03.6-06.8 | 532 | 43.1 | 39.4-46.8 | 414 | 42.8 | 38.9-46.7 | 84 | 8.7 | 06.5-10.9 |
| 65+ | 1755 | 144,412 | | | | 145 | 7.6 | 06.2-09.0 | 866 | 46.2 | 43.3-49.1 | 622 | 38.6 | 35.7-41.5 | 122 | 7.7 | 05.9-09.5 |
| Less Than H.S. | 386 | 87,937 | 1 | 0.3 | 00.0-00.9 | 43 | 10.5 | 06.8-14.2 | 193 | 42.7 | 36.2-49.2 | 122 | 37.1 | 30.2-44.0 | 27 | 9.4 | 05.5-13.3 |
| H.S. or G.E.D. | 1548 | 224,460 | | | | 114 | 4.6 | 03.6-05.6 | 728 | 42.8 | 39.5-46.1 | 568 | 40.1 | 36.8-43.4 | 138 | 12.5 | 10.0-15.0 |
| Some Post-H.S. | 1332 | 209,461 | | | | 87 | 4.7 | 03.3-06.1 | 665 | 45.4 | 41.9-48.9 | 482 | 40.6 | 37.1-44.1 | 98 | 9.2 | 07.0-11.4 |
| College Graduate | 1824 | 182,568 | | | | 58 | 3.2 | 02.2-04.2 | 803 | 39.2 | 36.5-41.9 | 797 | 48.3 | 45.4-51.2 | 166 | 9.3 | 07.7-10.9 |
| Less than \$15,000 | 422 | 56,593 | | | | 41 | 8.4 | 05.3-11.5 | 238 | 51.5 | 44.4-58.6 | 118 | 30.2 | 23.5-36.9 | 25 | 9.9 | 05.0-14.8 |
| \$15,000- 24,999 | 719 | 94,920 | | | | 66 | 8.2 | 05.7-10.7 | 359 | 47.0 | 42.1-51.9 | 254 | 38.6 | 33.7-43.5 | 40 | 6.3 | 03.9-08.7 |
| \$25,000- 34,999 | 491 | 63,873 | 1 | 0.4 | 00.0-01.2 | 26 | 5.9 | 02.8-09.0 | 256 | 48.3 | 42.2-54.4 | 174 | 35.5 | 29.8-41.2 | 34 | 10.0 | 05.9-14.1 |
| \$35,000- 49,999 | 684 | 94,831 | | | | 33 | 4.0 | 02.4-05.6 | 305 | 41.2 | 36.1-46.3 | 280 | 42.4 | 37.1-47.7 | 66 | 12.4 | 08.9-15.9 |
| \$50,000- 74,999 | 685 | 93,751 | | | | 29 | 3.9 | 02.1-05.7 | 315 | 38.9 | 34.2-43.6 | 277 | 48.5 | 43.4-53.6 | 64 | 8.7 | 06.2-11.2 |
| \$75,000+ | 1345 | 200,976 | | | | 43 | 3.2 | 01.8-04.6 | 530 | 35.3 | 32.0-38.6 | 618 | 48.8 | 45.3-52.3 | 154 | 12.8 | 10.3-15.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >1.22m, <=1.53m (~60in) | | | >1.53m, <=1.68m (~66in) | | | >1.68m, <=1.83m (~72in) | | | >1.83m, <=2.14m (~84in) | | |
|----------------------------|-------------------|----------|-------------------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2050 | 338,466 | 12 | 0.7 | 00.1-01.3 | 230 | 12.4 | 10.4-14.4 | 1387 | 65.7 | 63.0-68.4 | 421 | 21.2 | 18.8-23.6 |
| White/Non-Hisp | 1521 | 228,579 | 6 | 0.6 | 00.0-01.4 | 151 | 10.0 | 07.8-12.2 | 1049 | 68.2 | 65.1-71.3 | 315 | 21.3 | 18.6-24.0 |
| Black or Afr. Am./Non-Hisp | 283 | 64,119 | 1 | 0.2 | 00.0-00.6 | 36 | 15.1 | 09.4-20.8 | 175 | 56.5 | 48.9-64.1 | 71 | 28.3 | 21.2-35.4 |
| Oth. Race/Non-Hisp. | 94 | 16,462 | | | | 13 | 10.4 | 03.1-17.7 | 69 | 82.5 | 73.5-91.5 | 12 | 7.1 | 02.0-12.2 |
| Hispanic | 94 | 22,192 | 5 | 4.0 | 00.1-07.9 | 22 | 29.1 | 17.9-40.3 | 58 | 57.6 | 46.0-69.2 | 9 | 9.3 | 02.8-15.8 |
| 18-24 | 136 | 46,408 | | | | 21 | 19.0 | 10.4-27.6 | 79 | 54.8 | 44.4-65.2 | 36 | 26.2 | 17.4-35.0 |
| 25-34 | 201 | 55,389 | 2 | 1.7 | 00.0-04.4 | 16 | 10.4 | 04.7-16.1 | 137 | 66.7 | 58.7-74.7 | 46 | 21.2 | 14.5-27.9 |
| 35-44 | 254 | 52,812 | 1 | 0.6 | 00.0-01.8 | 29 | 12.4 | 07.5-17.3 | 164 | 64.4 | 57.5-71.3 | 60 | 22.6 | 16.5-28.7 |
| 45-54 | 360 | 61,953 | 2 | 0.5 | 00.0-01.3 | 34 | 10.4 | 06.3-14.5 | 249 | 65.6 | 59.1-72.1 | 75 | 23.6 | 17.7-29.5 |
| 55-64 | 418 | 56,712 | 2 | 0.8 | 00.0-02.0 | 52 | 12.2 | 08.5-15.9 | 282 | 69.1 | 63.6-74.6 | 82 | 17.9 | 13.4-22.4 |
| 65+ | 668 | 63,853 | 5 | 0.4 | 00.0-00.8 | 77 | 11.7 | 08.6-14.8 | 467 | 70.7 | 66.2-75.2 | 119 | 17.2 | 13.5-20.9 |
| Less Than H.S. | 166 | 45,187 | 6 | 3.8 | 00.1-07.5 | 40 | 22.7 | 14.5-30.9 | 94 | 55.8 | 46.0-65.6 | 26 | 17.7 | 10.3-25.1 |
| H.S. or G.E.D. | 642 | 114,991 | 2 | 0.1 | 00.0-00.3 | 83 | 14.3 | 10.6-18.0 | 422 | 61.3 | 56.2-66.4 | 135 | 24.2 | 19.7-28.7 |
| Some Post-H.S. | 466 | 91,030 | 1 | 0.0 | 00.0-00.0 | 52 | 11.2 | 07.5-14.9 | 317 | 67.7 | 62.2-73.2 | 96 | 21.0 | 16.3-25.7 |
| College Graduate | 769 | 86,310 | 3 | 0.4 | 00.0-01.0 | 55 | 5.9 | 03.9-07.9 | 548 | 74.3 | 70.6-78.0 | 163 | 19.4 | 16.1-22.7 |
| Less than \$15,000 | 125 | 21,756 | 3 | 1.7 | 00.0-03.7 | 25 | 18.2 | 09.2-27.2 | 76 | 57.2 | 44.7-69.7 | 21 | 22.9 | 11.3-34.5 |
| \$15,000- 24,999 | 257 | 43,067 | 3 | 1.6 | 00.0-03.6 | 43 | 20.6 | 14.1-27.1 | 171 | 64.0 | 56.6-71.4 | 40 | 13.8 | 08.9-18.7 |
| \$25,000- 34,999 | 189 | 30,455 | | | | 33 | 23.0 | 14.2-31.8 | 123 | 56.3 | 46.5-66.1 | 33 | 20.6 | 12.4-28.8 |
| \$35,000- 49,999 | 298 | 47,673 | 1 | 0.2 | 00.0-00.6 | 33 | 10.7 | 05.8-15.6 | 199 | 64.6 | 57.2-72.0 | 65 | 24.5 | 17.8-31.2 |
| \$50,000- 74,999 | 294 | 47,286 | | | | 26 | 9.1 | 04.6-13.6 | 205 | 73.8 | 67.5-80.1 | 63 | 17.1 | 12.2-22.0 |
| \$75,000+ | 637 | 105,815 | 3 | 1.0 | 00.0-02.6 | 45 | 6.8 | 04.1-09.5 | 437 | 68.0 | 63.1-72.9 | 152 | 24.2 | 19.7-28.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <=1.22m (~48in) | | | >1.22m, <=1.53m (~60in) | | | >1.53m, <=1.68m (~66in) | | | >1.68m, <=1.83m (~72in) | | | >1.83m, <=2.14m (~84in) | | |
|----------------------------|-------------------|----------|-----------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3055 | 367,419 | 1 | 0.1 | 00.0-00.3 | 291 | 9.0 | 07.6-10.4 | 2165 | 70.5 | 68.3-72.7 | 589 | 20.2 | 18.2-22.2 | 9 | 0.3 | 00.1-00.5 |
| White/Non-Hisp | 2270 | 249,467 | | | | 205 | 8.5 | 06.9-10.1 | 1610 | 70.4 | 67.9-72.9 | 451 | 21.1 | 18.7-23.5 | 4 | 0.1 | 00.1-00.1 |
| Black or Afr. Am./Non-Hisp | 470 | 74,354 | 1 | 0.4 | 00.0-01.2 | 34 | 5.6 | 03.4-07.8 | 340 | 70.4 | 64.9-75.9 | 90 | 22.5 | 17.2-27.8 | 5 | 1.0 | 00.0-02.0 |
| Oth. Race/Non-Hisp. | 107 | 13,587 | | | | 13 | 8.5 | 02.4-14.6 | 75 | 76.9 | 66.5-87.3 | 19 | 14.7 | 05.9-23.5 | | | |
| Hispanic | 130 | 24,133 | | | | 27 | 23.5 | 14.3-32.7 | 90 | 68.2 | 58.4-78.0 | 13 | 8.3 | 03.4-13.2 | | | |
| 18-24 | 140 | 43,713 | | | | 13 | 7.2 | 02.9-11.5 | 99 | 69.4 | 60.2-78.6 | 27 | 22.9 | 14.1-31.7 | 1 | 0.5 | 00.0-01.5 |
| 25-34 | 273 | 57,462 | | | | 26 | 10.3 | 06.0-14.6 | 183 | 68.9 | 62.4-75.4 | 64 | 20.8 | 15.3-26.3 | | | |
| 35-44 | 341 | 54,736 | | | | 23 | 7.8 | 04.1-11.5 | 221 | 63.8 | 57.1-70.5 | 96 | 28.2 | 21.9-34.5 | 1 | 0.2 | 00.0-00.6 |
| 45-54 | 512 | 65,759 | | | | 30 | 4.6 | 02.6-06.6 | 371 | 73.5 | 68.8-78.2 | 109 | 21.3 | 16.8-25.8 | 2 | 0.5 | 00.0-01.3 |
| 55-64 | 672 | 62,444 | 1 | 0.4 | 00.0-01.2 | 57 | 9.2 | 06.5-11.9 | 480 | 71.2 | 66.5-75.9 | 132 | 18.8 | 14.7-22.9 | 2 | 0.3 | 00.0-00.7 |
| 65+ | 1087 | 80,559 | | | | 140 | 13.3 | 10.8-15.8 | 789 | 73.5 | 70.4-76.6 | 155 | 13.1 | 10.7-15.5 | 3 | 0.2 | 00.0-00.4 |
| Less Than H.S. | 220 | 42,750 | 1 | 0.6 | 00.0-01.8 | 37 | 17.5 | 11.2-23.8 | 153 | 63.9 | 55.1-72.7 | 28 | 17.3 | 09.5-25.1 | 1 | 0.6 | 00.0-01.8 |
| H.S. or G.E.D. | 906 | 109,469 | | | | 112 | 9.3 | 07.1-11.5 | 645 | 72.8 | 68.9-76.7 | 146 | 17.8 | 14.1-21.5 | 3 | 0.2 | 00.0-00.4 |
| Some Post-H.S. | 866 | 118,431 | | | | 86 | 8.3 | 05.9-10.7 | 613 | 71.7 | 67.8-75.6 | 165 | 19.8 | 16.3-23.3 | 2 | 0.2 | 00.0-00.6 |
| College Graduate | 1055 | 96,258 | | | | 55 | 5.7 | 03.7-07.7 | 748 | 69.1 | 65.4-72.8 | 249 | 24.9 | 21.4-28.4 | 3 | 0.3 | 00.0-00.7 |
| Less than \$15,000 | 297 | 34,837 | | | | 38 | 12.6 | 07.7-17.5 | 213 | 72.3 | 65.2-79.4 | 42 | 13.4 | 08.1-18.7 | 4 | 1.7 | 00.0-03.7 |
| \$15,000- 24,999 | 462 | 51,852 | | | | 63 | 13.6 | 09.3-17.9 | 316 | 68.9 | 63.0-74.8 | 83 | 17.5 | 12.4-22.6 | | | |
| \$25,000- 34,999 | 302 | 33,418 | 1 | 0.8 | 00.0-02.4 | 26 | 11.2 | 05.5-16.9 | 223 | 71.3 | 64.4-78.2 | 51 | 16.5 | 11.4-21.6 | 1 | 0.2 | 00.0-00.6 |
| \$35,000- 49,999 | 386 | 47,157 | | | | 32 | 7.9 | 04.8-11.0 | 272 | 71.9 | 65.8-78.0 | 81 | 20.0 | 14.3-25.7 | 1 | 0.2 | 00.0-00.6 |
| \$50,000- 74,999 | 391 | 46,464 | | | | 29 | 7.9 | 04.4-11.4 | 289 | 69.1 | 62.6-75.6 | 72 | 22.7 | 16.4-29.0 | 1 | 0.3 | 00.0-00.9 |
| \$75,000+ | 708 | 95,161 | | | | 40 | 5.6 | 03.4-07.8 | 485 | 66.9 | 62.2-71.6 | 181 | 27.5 | 23.0-32.0 | 2 | 0.1 | 00.0-00.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <46kg (~100lbs) | | | >46kg, <=69kg (~150lbs) | | | >69kg, <=91kg (~200lbs) | | | >91kg, <=114kg (~250lbs) | | | >114kg, <=137kg (~300lbs) | | | >137kg (~300lbs) | | |
|----------------------------|-------------------|----------|-----------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|--------------------------|------|------------|---------------------------|-----|------------|------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4957 | 693,880 | 49 | 0.8 | 00.4-01.2 | 1549 | 30.9 | 29.1-32.7 | 2163 | 42.7 | 40.7-44.7 | 925 | 19.5 | 17.9-21.1 | 214 | 5.0 | 04.0-06.0 | 57 | 1.1 | 00.7-01.5 |
| Male | 2042 | 337,886 | 2 | 0.0 | 00.0-00.0 | 231 | 13.1 | 10.9-15.3 | 1024 | 49.0 | 46.1-51.9 | 600 | 28.4 | 25.9-30.9 | 145 | 7.9 | 06.1-09.7 | 40 | 1.6 | 01.0-02.2 |
| Female | 2915 | 355,994 | 47 | 1.5 | 00.9-02.1 | 1318 | 47.8 | 45.3-50.3 | 1139 | 36.8 | 34.4-39.2 | 325 | 11.0 | 09.4-12.6 | 69 | 2.3 | 01.5-03.1 | 17 | 0.6 | 00.2-01.0 |
| White/Non-Hisp | 3672 | 465,714 | 38 | 0.7 | 00.3-01.1 | 1195 | 31.6 | 29.4-33.8 | 1583 | 42.2 | 40.0-44.4 | 658 | 19.0 | 17.2-20.8 | 155 | 5.3 | 04.1-06.5 | 43 | 1.2 | 00.8-01.6 |
| Black or Afr. Am./Non-Hisp | 723 | 134,187 | 3 | 0.4 | 00.0-01.0 | 157 | 22.6 | 18.5-26.7 | 327 | 43.5 | 38.6-48.4 | 181 | 25.9 | 21.4-30.4 | 44 | 6.2 | 03.8-08.6 | 11 | 1.3 | 00.5-02.1 |
| Oth. Race/Non-Hisp. | 200 | 30,570 | 3 | 1.0 | 00.0-02.2 | 78 | 45.7 | 34.7-56.7 | 87 | 42.0 | 31.6-52.4 | 26 | 9.1 | 04.2-14.0 | 4 | 1.5 | 00.0-03.3 | 2 | 0.6 | 00.0-01.4 |
| MultiRacial/Non-Hisp. | 66 | 4,989 | 1 | 2.8 | 00.0-08.1 | 24 | 33.9 | 20.2-47.6 | 28 | 41.8 | 27.5-56.1 | 11 | 17.9 | 05.6-30.2 | 2 | 3.5 | 00.0-09.4 | | | |
| Hispanic | 234 | 51,006 | 4 | 2.3 | 00.0-05.0 | 78 | 36.8 | 29.0-44.6 | 112 | 46.1 | 38.3-53.9 | 35 | 13.1 | 08.4-17.8 | 4 | 1.6 | 00.0-03.8 | 1 | 0.2 | 00.0-00.6 |
| 18-24 | 272 | 89,435 | 5 | 1.7 | 00.0-03.5 | 131 | 51.1 | 43.8-58.4 | 96 | 33.3 | 26.6-40.0 | 27 | 9.3 | 05.2-13.4 | 9 | 3.6 | 00.9-06.3 | 4 | 1.1 | 00.0-02.3 |
| 25-34 | 468 | 113,065 | 5 | 0.9 | 00.1-01.7 | 154 | 33.1 | 27.6-38.6 | 187 | 37.6 | 32.1-43.1 | 93 | 21.7 | 16.8-26.6 | 24 | 6.1 | 02.8-09.4 | 5 | 0.7 | 00.1-01.3 |
| 35-44 | 586 | 107,604 | 2 | 0.2 | 00.0-00.6 | 181 | 29.3 | 25.0-33.6 | 247 | 42.7 | 37.8-47.6 | 125 | 23.0 | 18.7-27.3 | 22 | 3.5 | 01.7-05.3 | 9 | 1.3 | 00.3-02.3 |
| 45-54 | 846 | 124,523 | 5 | 0.2 | 00.0-00.4 | 222 | 24.0 | 20.5-27.5 | 362 | 42.8 | 38.7-46.9 | 173 | 22.2 | 18.5-25.9 | 66 | 9.2 | 06.7-11.7 | 18 | 1.6 | 00.6-02.6 |
| 55-64 | 1045 | 115,217 | 3 | 0.3 | 00.0-00.7 | 280 | 23.1 | 20.0-26.2 | 497 | 50.0 | 46.1-53.9 | 215 | 21.2 | 18.1-24.3 | 36 | 3.7 | 02.1-05.3 | 14 | 1.7 | 00.7-02.7 |
| 65+ | 1704 | 140,617 | 28 | 1.6 | 00.8-02.4 | 568 | 30.1 | 27.4-32.8 | 757 | 46.4 | 43.5-49.3 | 288 | 17.8 | 15.4-20.2 | 56 | 3.8 | 02.6-05.0 | 7 | 0.3 | 00.1-00.5 |
| Less Than H.S. | 394 | 92,272 | 4 | 0.5 | 00.0-01.1 | 129 | 31.2 | 25.1-37.3 | 160 | 42.8 | 36.1-49.5 | 75 | 17.8 | 12.5-23.1 | 22 | 6.8 | 03.3-10.3 | 4 | 0.9 | 00.0-01.9 |
| H.S. or G.E.D. | 1494 | 217,276 | 18 | 1.0 | 00.2-01.8 | 450 | 30.3 | 27.0-33.6 | 671 | 43.8 | 40.5-47.1 | 267 | 18.3 | 15.6-21.0 | 66 | 5.1 | 03.5-06.7 | 22 | 1.4 | 00.8-02.0 |
| Some Post-H.S. | 1287 | 204,835 | 11 | 0.6 | 00.2-01.0 | 402 | 31.3 | 27.8-34.8 | 521 | 39.4 | 35.9-42.9 | 258 | 21.1 | 18.2-24.0 | 75 | 6.2 | 04.2-08.2 | 20 | 1.4 | 00.8-02.0 |
| College Graduate | 1768 | 178,059 | 16 | 0.9 | 00.3-01.5 | 565 | 31.0 | 28.3-33.7 | 802 | 44.9 | 42.0-47.8 | 323 | 19.9 | 17.5-22.3 | 51 | 2.8 | 01.8-03.8 | 11 | 0.5 | 00.1-00.9 |
| Less than \$15,000 | 422 | 58,169 | 5 | 1.3 | 00.0-02.7 | 149 | 37.1 | 30.2-44.0 | 172 | 38.3 | 31.4-45.2 | 68 | 17.8 | 11.5-24.1 | 20 | 4.2 | 01.7-06.7 | 8 | 1.2 | 00.2-02.2 |
| \$15,000- 24,999 | 701 | 93,298 | 9 | 0.9 | 00.3-01.5 | 218 | 30.6 | 26.1-35.1 | 304 | 44.0 | 39.1-48.9 | 121 | 18.5 | 14.6-22.4 | 37 | 4.4 | 02.8-06.0 | 12 | 1.6 | 00.4-02.8 |
| \$25,000- 34,999 | 479 | 63,256 | 3 | 0.3 | 00.0-00.9 | 135 | 25.8 | 20.5-31.1 | 222 | 44.1 | 38.0-50.2 | 89 | 21.3 | 16.0-26.6 | 26 | 7.5 | 04.0-11.0 | 4 | 1.0 | 00.0-02.0 |
| \$35,000- 49,999 | 676 | 94,708 | 6 | 0.9 | 00.1-01.7 | 205 | 32.0 | 26.5-37.5 | 280 | 40.8 | 35.7-45.9 | 137 | 18.1 | 14.4-21.8 | 42 | 7.5 | 04.8-10.2 | 6 | 0.8 | 00.0-01.6 |
| \$50,000- 74,999 | 670 | 92,388 | 4 | 0.6 | 00.0-01.2 | 185 | 25.2 | 21.1-29.3 | 317 | 46.9 | 41.8-52.0 | 128 | 20.5 | 16.4-24.6 | 27 | 5.8 | 02.5-09.1 | 9 | 1.0 | 00.2-01.8 |
| \$75,000+ | 1316 | 197,768 | 6 | 0.3 | 00.1-00.5 | 390 | 29.2 | 25.9-32.5 | 585 | 43.0 | 39.5-46.5 | 270 | 22.1 | 19.2-25.0 | 51 | 4.4 | 02.8-06.0 | 14 | 1.0 | 00.4-01.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <46kg (~100lbs) | | | >46kg, <=69kg (~150lbs) | | | >69kg, <=91kg (~200lbs) | | | >91kg, <=114kg (~250lbs) | | | >114kg, <=137kg (~300lbs) | | | >137kg (~300lbs) | | |
|----------------------------|-------------------|----------|-----------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|--------------------------|------|------------|---------------------------|------|------------|------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2042 | 337,886 | 2 | 0.0 | 00.0-00.0 | 231 | 13.1 | 10.9-15.3 | 1024 | 49.0 | 46.1-51.9 | 600 | 28.4 | 25.9-30.9 | 145 | 7.9 | 06.1-09.7 | 40 | 1.6 | 01.0-02.2 |
| White/Non-Hisp | 1513 | 226,961 | 2 | 0.1 | 00.1-00.1 | 151 | 10.2 | 08.0-12.4 | 754 | 49.3 | 46.0-52.6 | 455 | 29.3 | 26.4-32.2 | 117 | 9.0 | 06.8-11.2 | 34 | 2.1 | 01.3-02.9 |
| Black or Afr. Am./Non-Hisp | 279 | 63,256 | | | | 34 | 14.1 | 08.6-19.6 | 132 | 43.8 | 36.4-51.2 | 91 | 34.1 | 26.5-41.7 | 18 | 7.2 | 03.1-11.3 | 4 | 0.8 | 00.0-01.8 |
| Oth. Race/Non-Hisp. | 97 | 17,251 | | | | 16 | 26.9 | 09.5-44.3 | 59 | 58.2 | 41.7-74.7 | 19 | 12.6 | 04.8-20.4 | 2 | 1.6 | 00.0-04.1 | 1 | 0.7 | 00.0-02.1 |
| Hispanic | 96 | 23,398 | | | | 21 | 24.4 | 14.2-34.6 | 53 | 55.1 | 43.7-66.5 | 18 | 16.8 | 08.8-24.8 | 3 | 3.2 | 00.0-07.7 | 1 | 0.4 | 00.0-01.2 |
| 18-24 | 133 | 45,312 | | | | 33 | 30.7 | 20.3-41.1 | 69 | 48.7 | 38.3-59.1 | 22 | 14.5 | 07.8-21.2 | 7 | 5.2 | 00.5-09.9 | 2 | 0.9 | 00.0-02.3 |
| 25-34 | 205 | 57,191 | | | | 30 | 16.0 | 10.1-21.9 | 99 | 42.6 | 34.4-50.8 | 61 | 32.2 | 24.2-40.2 | 13 | 8.7 | 02.8-14.6 | 2 | 0.6 | 00.0-01.4 |
| 35-44 | 253 | 52,663 | | | | 28 | 11.8 | 07.1-16.5 | 120 | 47.2 | 40.1-54.3 | 84 | 32.7 | 25.8-39.6 | 15 | 6.3 | 03.0-09.6 | 6 | 2.0 | 00.2-03.8 |
| 45-54 | 357 | 61,223 | 1 | 0.1 | 00.0-00.3 | 26 | 6.7 | 03.4-10.0 | 169 | 46.5 | 40.0-53.0 | 106 | 30.1 | 24.0-36.2 | 43 | 13.9 | 09.2-18.6 | 12 | 2.6 | 00.8-04.4 |
| 55-64 | 419 | 56,929 | | | | 34 | 7.6 | 04.7-10.5 | 219 | 53.0 | 46.9-59.1 | 134 | 30.6 | 25.3-35.9 | 20 | 5.7 | 02.8-08.6 | 12 | 3.1 | 01.1-05.1 |
| 65+ | 662 | 63,229 | 1 | 0.1 | 00.0-00.3 | 77 | 9.6 | 06.9-12.3 | 340 | 54.9 | 50.2-59.6 | 191 | 28.1 | 23.8-32.4 | 47 | 6.8 | 04.4-09.2 | 6 | 0.6 | 00.2-01.0 |
| Less Than H.S. | 169 | 46,687 | | | | 39 | 19.7 | 12.3-27.1 | 78 | 49.3 | 39.5-59.1 | 36 | 19.2 | 11.2-27.2 | 13 | 10.2 | 04.1-16.3 | 3 | 1.6 | 00.0-03.4 |
| H.S. or G.E.D. | 634 | 113,321 | 1 | 0.1 | 00.0-00.3 | 71 | 12.7 | 09.0-16.4 | 312 | 49.8 | 44.7-54.9 | 191 | 27.9 | 23.4-32.4 | 43 | 7.5 | 04.8-10.2 | 16 | 2.1 | 00.9-03.3 |
| Some Post-H.S. | 465 | 90,758 | | | | 53 | 14.8 | 09.7-19.9 | 209 | 41.8 | 36.1-47.5 | 145 | 31.8 | 26.3-37.3 | 46 | 9.7 | 05.8-13.6 | 12 | 1.8 | 00.6-03.0 |
| College Graduate | 767 | 86,173 | 1 | 0.1 | 00.0-00.3 | 67 | 7.8 | 05.6-10.0 | 421 | 55.3 | 51.0-59.6 | 226 | 30.5 | 26.4-34.6 | 43 | 5.3 | 03.3-07.3 | 9 | 0.9 | 00.1-01.7 |
| Less than \$15,000 | 125 | 21,931 | | | | 25 | 21.1 | 11.1-31.1 | 61 | 47.7 | 35.2-60.2 | 29 | 25.4 | 12.5-38.3 | 6 | 4.0 | 00.1-07.9 | 4 | 1.8 | 00.0-03.8 |
| \$15,000- 24,999 | 252 | 42,165 | | | | 37 | 19.8 | 13.1-26.5 | 132 | 53.2 | 45.2-61.2 | 59 | 19.8 | 13.9-25.7 | 20 | 6.0 | 03.1-08.9 | 4 | 1.2 | 00.0-02.6 |
| \$25,000- 34,999 | 191 | 31,198 | | | | 30 | 14.3 | 07.4-21.2 | 87 | 41.3 | 32.1-50.5 | 55 | 31.5 | 22.1-40.9 | 16 | 11.5 | 04.8-18.2 | 3 | 1.4 | 00.0-03.2 |
| \$35,000- 49,999 | 299 | 48,263 | 2 | 0.3 | 00.0-00.7 | 30 | 14.4 | 06.8-22.0 | 138 | 45.2 | 37.6-52.8 | 88 | 25.7 | 19.4-32.0 | 36 | 13.1 | 08.0-18.2 | 5 | 1.3 | 00.0-02.9 |
| \$50,000- 74,999 | 293 | 47,026 | | | | 21 | 6.7 | 03.2-10.2 | 159 | 53.4 | 45.8-61.0 | 88 | 30.1 | 23.2-37.0 | 16 | 7.8 | 01.9-13.7 | 9 | 2.0 | 00.6-03.4 |
| \$75,000+ | 636 | 105,745 | | | | 50 | 9.1 | 05.8-12.4 | 325 | 48.4 | 43.5-53.3 | 206 | 33.4 | 28.7-38.1 | 43 | 7.3 | 04.6-10.0 | 12 | 1.8 | 00.6-03.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <46kg (~100lbs) | | | >46kg, <=69kg (~150lbs) | | | >69kg, <=91kg (~200lbs) | | | >91kg, <=114kg (~250lbs) | | | >114kg, <=137kg (~300lbs) | | | >137kg (~300lbs) | | |
|----------------------------|-------------------|----------|-----------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|--------------------------|------|------------|---------------------------|-----|------------|------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2915 | 355,994 | 47 | 1.5 | 00.9-02.1 | 1318 | 47.8 | 45.3-50.3 | 1139 | 36.8 | 34.4-39.2 | 325 | 11.0 | 09.4-12.6 | 69 | 2.3 | 01.5-03.1 | 17 | 0.6 | 00.2-01.0 |
| White/Non-Hisp | 2159 | 238,753 | 36 | 1.4 | 00.8-02.0 | 1044 | 52.0 | 49.1-54.9 | 829 | 35.5 | 32.8-38.2 | 203 | 9.2 | 07.4-11.0 | 38 | 1.7 | 01.1-02.3 | 9 | 0.3 | 00.1-00.5 |
| Black or Afr. Am./Non-Hisp | 444 | 70,931 | 3 | 0.8 | 00.0-01.8 | 123 | 30.2 | 24.3-36.1 | 195 | 43.3 | 37.2-49.4 | 90 | 18.7 | 14.2-23.2 | 26 | 5.4 | 02.9-07.9 | 7 | 1.6 | 00.2-03.0 |
| Oth. Race/Non-Hisp. | 103 | 13,319 | 3 | 2.2 | 00.0-05.1 | 62 | 70.1 | 58.7-81.5 | 28 | 21.1 | 11.1-31.1 | 7 | 4.7 | 00.0-09.6 | 2 | 1.4 | 00.0-03.8 | 1 | 0.5 | 00.0-01.5 |
| Hispanic | 138 | 27,608 | 4 | 4.2 | 00.0-09.3 | 57 | 47.3 | 36.3-58.3 | 59 | 38.4 | 28.0-48.8 | 17 | 9.9 | 04.6-15.2 | 1 | 0.3 | 00.0-00.9 | | | |
| 18-24 | 139 | 44,123 | 5 | 3.4 | 00.0-06.9 | 98 | 72.1 | 63.3-80.9 | 27 | 17.4 | 10.3-24.5 | 5 | 4.0 | 00.0-08.3 | 2 | 1.8 | 00.0-04.3 | 2 | 1.2 | 00.0-03.0 |
| 25-34 | 263 | 55,874 | 5 | 1.7 | 00.1-03.3 | 124 | 50.5 | 42.9-58.1 | 88 | 32.5 | 25.4-39.6 | 32 | 11.0 | 06.5-15.5 | 11 | 3.5 | 01.1-05.9 | 3 | 0.8 | 00.0-01.8 |
| 35-44 | 333 | 54,941 | 2 | 0.5 | 00.0-01.3 | 153 | 46.0 | 39.3-52.7 | 127 | 38.3 | 31.6-45.0 | 41 | 13.8 | 08.9-18.7 | 7 | 0.9 | 00.1-01.7 | 3 | 0.5 | 00.0-01.3 |
| 45-54 | 489 | 63,299 | 4 | 0.3 | 00.0-00.7 | 196 | 40.7 | 35.2-46.2 | 193 | 39.2 | 33.9-44.5 | 67 | 14.5 | 10.6-18.4 | 23 | 4.6 | 02.4-06.8 | 6 | 0.7 | 00.1-01.3 |
| 55-64 | 626 | 58,288 | 3 | 0.5 | 00.0-01.1 | 246 | 38.2 | 33.3-43.1 | 278 | 47.0 | 41.9-52.1 | 81 | 12.0 | 08.9-15.1 | 16 | 1.8 | 00.8-02.8 | 2 | 0.4 | 00.0-01.0 |
| 65+ | 1042 | 77,388 | 27 | 2.8 | 01.4-04.2 | 491 | 46.9 | 43.2-50.6 | 417 | 39.5 | 35.8-43.2 | 97 | 9.3 | 07.1-11.5 | 9 | 1.3 | 00.3-02.3 | 1 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 225 | 45,585 | 4 | 1.0 | 00.0-02.2 | 90 | 43.0 | 34.2-51.8 | 82 | 36.2 | 27.6-44.8 | 39 | 16.3 | 09.4-23.2 | 9 | 3.3 | 00.4-06.2 | 1 | 0.1 | 00.0-00.3 |
| H.S. or G.E.D. | 860 | 103,955 | 17 | 2.1 | 00.5-03.7 | 379 | 49.5 | 44.8-54.2 | 359 | 37.4 | 33.1-41.7 | 76 | 7.9 | 05.7-10.1 | 23 | 2.5 | 01.3-03.7 | 6 | 0.6 | 00.0-01.2 |
| Some Post-H.S. | 822 | 114,077 | 11 | 1.2 | 00.4-02.0 | 349 | 44.4 | 39.9-48.9 | 312 | 37.6 | 33.3-41.9 | 113 | 12.5 | 09.8-15.2 | 29 | 3.4 | 02.0-04.8 | 8 | 1.0 | 00.2-01.8 |
| College Graduate | 1001 | 91,886 | 15 | 1.7 | 00.7-02.7 | 498 | 52.8 | 48.9-56.7 | 381 | 35.1 | 31.4-38.8 | 97 | 9.9 | 07.7-12.1 | 8 | 0.4 | 00.0-00.8 | 2 | 0.2 | 00.0-00.4 |
| Less than \$15,000 | 297 | 36,239 | 5 | 2.1 | 00.0-04.3 | 124 | 46.8 | 38.2-55.4 | 111 | 32.7 | 24.7-40.7 | 39 | 13.1 | 07.4-18.8 | 14 | 4.3 | 01.2-07.4 | 4 | 0.9 | 00.0-02.1 |
| \$15,000- 24,999 | 449 | 51,133 | 9 | 1.6 | 00.4-02.8 | 181 | 39.6 | 33.5-45.7 | 172 | 36.5 | 30.4-42.6 | 62 | 17.4 | 12.3-22.5 | 17 | 3.0 | 01.4-04.6 | 8 | 2.0 | 00.2-03.8 |
| \$25,000- 34,999 | 288 | 32,058 | 3 | 0.7 | 00.0-01.7 | 105 | 36.9 | 29.5-44.3 | 135 | 46.8 | 39.2-54.4 | 34 | 11.5 | 07.2-15.8 | 10 | 3.5 | 01.0-06.0 | 1 | 0.6 | 00.0-01.8 |
| \$35,000- 49,999 | 377 | 46,446 | 4 | 1.5 | 00.0-03.3 | 175 | 50.2 | 43.1-57.3 | 142 | 36.1 | 29.6-42.6 | 49 | 10.3 | 06.8-13.8 | 6 | 1.7 | 00.1-03.3 | 1 | 0.2 | 00.0-00.6 |
| \$50,000- 74,999 | 377 | 45,362 | 4 | 1.1 | 00.0-02.5 | 164 | 44.3 | 37.6-51.0 | 158 | 40.2 | 33.5-46.9 | 40 | 10.6 | 06.9-14.3 | 11 | 3.8 | 01.3-06.3 | | | |
| \$75,000+ | 680 | 92,023 | 6 | 0.6 | 00.0-01.2 | 340 | 52.3 | 47.4-57.2 | 260 | 36.7 | 32.0-41.4 | 64 | 9.1 | 06.4-11.8 | 8 | 1.0 | 00.0-02.0 | 2 | 0.2 | 00.0-00.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 18 | | | > 18, <= 25 | | | 25 >, <= 30 | | | 30 >, <= 35 | | | 35 > | | |
|----------------------------|-------------------|----------|------|-----|------------|-------------|------|------------|-------------|------|------------|-------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4893 | 679,882 | 51 | 1.0 | 00.6-01.4 | 1618 | 34.5 | 32.5-36.5 | 1687 | 33.6 | 31.8-35.4 | 947 | 19.1 | 17.5-20.7 | 590 | 11.9 | 10.7-13.1 |
| Male | 2029 | 334,364 | 8 | 0.6 | 00.0-01.2 | 561 | 28.6 | 25.9-31.3 | 841 | 40.3 | 37.4-43.2 | 416 | 20.5 | 18.1-22.9 | 203 | 10.1 | 08.3-11.9 |
| Female | 2864 | 345,518 | 43 | 1.4 | 00.8-02.0 | 1057 | 40.1 | 37.6-42.6 | 846 | 27.0 | 24.8-29.2 | 531 | 17.8 | 15.8-19.8 | 387 | 13.6 | 11.8-15.4 |
| White/Non-Hisp | 3653 | 463,368 | 41 | 1.0 | 00.4-01.6 | 1267 | 36.1 | 33.9-38.3 | 1279 | 33.7 | 31.7-35.7 | 674 | 18.3 | 16.7-19.9 | 392 | 10.9 | 09.5-12.3 |
| Black or Afr. Am./Non-Hisp | 713 | 132,253 | 6 | 1.2 | 00.0-02.6 | 166 | 27.1 | 22.6-31.6 | 227 | 32.5 | 27.8-37.2 | 183 | 23.2 | 19.1-27.3 | 131 | 15.9 | 12.6-19.2 |
| Oth. Race/Non-Hisp. | 193 | 28,674 | 3 | 1.0 | 00.0-02.4 | 85 | 53.6 | 42.6-64.6 | 63 | 29.5 | 19.5-39.5 | 27 | 11.7 | 05.8-17.6 | 15 | 4.3 | 01.4-07.2 |
| MultiRacial/Non-Hisp. | 65 | 4,837 | | | | 30 | 51.6 | 36.7-66.5 | 17 | 25.7 | 12.4-39.0 | 10 | 14.8 | 04.6-25.0 | 8 | 8.0 | 00.9-15.1 |
| Hispanic | 207 | 43,337 | 1 | 0.5 | 00.0-01.5 | 51 | 23.8 | 16.7-30.9 | 78 | 39.4 | 31.4-47.4 | 43 | 21.1 | 14.2-28.0 | 34 | 15.2 | 09.3-21.1 |
| 18-24 | 263 | 86,580 | 4 | 1.7 | 00.0-03.9 | 153 | 60.7 | 53.6-67.8 | 62 | 21.6 | 15.9-27.3 | 27 | 10.3 | 05.8-14.8 | 17 | 5.7 | 02.6-08.8 |
| 25-34 | 444 | 106,606 | 6 | 1.3 | 00.1-02.5 | 162 | 36.4 | 30.7-42.1 | 142 | 31.6 | 26.1-37.1 | 75 | 16.7 | 12.6-20.8 | 59 | 14.1 | 09.6-18.6 |
| 35-44 | 571 | 104,566 | 2 | 0.3 | 00.0-00.7 | 195 | 32.5 | 28.0-37.0 | 197 | 36.2 | 31.3-41.1 | 99 | 18.0 | 14.1-21.9 | 78 | 13.1 | 09.8-16.4 |
| 45-54 | 842 | 123,756 | 5 | 0.8 | 00.0-02.2 | 258 | 29.0 | 25.3-32.7 | 260 | 31.0 | 27.1-34.9 | 185 | 24.0 | 20.1-27.9 | 134 | 15.1 | 12.2-18.0 |
| 55-64 | 1043 | 114,866 | 5 | 0.4 | 00.0-00.8 | 296 | 26.0 | 22.7-29.3 | 389 | 38.7 | 34.8-42.6 | 210 | 21.5 | 18.4-24.6 | 143 | 13.4 | 10.9-15.9 |
| 65+ | 1695 | 140,117 | 29 | 1.5 | 00.9-02.1 | 541 | 29.8 | 27.1-32.5 | 621 | 38.5 | 35.6-41.4 | 348 | 21.0 | 18.6-23.4 | 156 | 9.1 | 07.3-10.9 |
| Less Than H.S. | 372 | 84,576 | 2 | 0.3 | 00.0-00.7 | 114 | 30.7 | 24.4-37.0 | 109 | 29.6 | 23.3-35.9 | 75 | 19.0 | 13.5-24.5 | 72 | 20.3 | 14.8-25.8 |
| H.S. or G.E.D. | 1480 | 215,465 | 20 | 1.7 | 00.5-02.9 | 451 | 33.1 | 29.6-36.6 | 524 | 35.5 | 32.2-38.8 | 305 | 19.2 | 16.7-21.7 | 180 | 10.5 | 08.7-12.3 |
| Some Post-H.S. | 1280 | 203,449 | 11 | 0.4 | 00.0-00.8 | 390 | 33.8 | 30.1-37.5 | 412 | 31.3 | 28.0-34.6 | 275 | 21.0 | 18.1-23.9 | 192 | 13.4 | 11.0-15.8 |
| College Graduate | 1747 | 174,955 | 18 | 1.1 | 00.5-01.7 | 660 | 38.5 | 35.6-41.4 | 635 | 35.7 | 33.0-38.4 | 288 | 16.8 | 14.4-19.2 | 146 | 7.9 | 06.3-09.5 |
| Less than \$15,000 | 411 | 54,743 | 5 | 0.9 | 00.0-01.9 | 134 | 37.5 | 30.4-44.6 | 120 | 25.1 | 18.6-31.6 | 74 | 18.2 | 12.5-23.9 | 78 | 18.3 | 13.0-23.6 |
| \$15,000- 24,999 | 689 | 90,408 | 7 | 0.8 | 00.2-01.4 | 215 | 31.6 | 26.9-36.3 | 207 | 31.4 | 26.5-36.3 | 150 | 20.2 | 16.5-23.9 | 110 | 16.1 | 12.6-19.6 |
| \$25,000- 34,999 | 475 | 62,196 | 2 | 0.7 | 00.0-01.9 | 143 | 28.5 | 23.0-34.0 | 162 | 34.3 | 28.4-40.2 | 99 | 21.3 | 16.2-26.4 | 69 | 15.2 | 10.9-19.5 |
| \$35,000- 49,999 | 670 | 93,486 | 7 | 1.8 | 00.0-04.0 | 211 | 35.1 | 29.6-40.6 | 238 | 33.3 | 28.6-38.0 | 120 | 17.8 | 14.1-21.5 | 94 | 12.1 | 09.2-15.0 |
| \$50,000- 74,999 | 665 | 91,242 | 7 | 0.9 | 00.1-01.7 | 200 | 28.6 | 24.3-32.9 | 245 | 38.8 | 33.7-43.9 | 137 | 20.4 | 16.3-24.5 | 76 | 11.3 | 07.8-14.8 |
| \$75,000+ | 1306 | 195,726 | 9 | 0.6 | 00.0-01.4 | 454 | 35.9 | 32.4-39.4 | 492 | 35.3 | 32.0-38.6 | 246 | 19.4 | 16.7-22.1 | 105 | 8.7 | 06.7-10.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 18 | | | > 18, <= 25 | | | 25 >, <= 30 | | | 30 >, <= 35 | | | 35 > | | |
|----------------------------|-------------------|----------|------|-----|------------|-------------|------|------------|-------------|------|------------|-------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2029 | 334,364 | 8 | 0.6 | 00.0-01.2 | 561 | 28.6 | 25.9-31.3 | 841 | 40.3 | 37.4-43.2 | 416 | 20.5 | 18.1-22.9 | 203 | 10.1 | 08.3-11.9 |
| White/Non-Hisp | 1511 | 226,740 | 7 | 0.5 | 00.1-00.9 | 402 | 26.4 | 23.5-29.3 | 633 | 40.7 | 37.4-44.0 | 310 | 21.0 | 18.3-23.7 | 159 | 11.5 | 09.1-13.9 |
| Black or Afr. Am./Non-Hisp | 278 | 63,019 | 1 | 1.3 | 00.0-03.8 | 77 | 29.6 | 22.7-36.5 | 111 | 39.4 | 31.8-47.0 | 64 | 21.3 | 14.8-27.8 | 25 | 8.4 | 04.3-12.5 |
| Oth. Race/Non-Hisp. | 94 | 16,462 | | | | 39 | 49.8 | 33.3-66.3 | 36 | 35.8 | 20.1-51.5 | 14 | 11.3 | 03.5-19.1 | 5 | 3.1 | 00.0-06.4 |
| Hispanic | 90 | 21,277 | | | | 24 | 27.0 | 16.4-37.6 | 38 | 44.7 | 32.9-56.5 | 20 | 22.2 | 12.6-31.8 | 8 | 6.1 | 01.4-10.8 |
| 18-24 | 132 | 45,160 | 1 | 0.5 | 00.0-01.5 | 68 | 57.3 | 47.1-67.5 | 39 | 25.9 | 17.3-34.5 | 17 | 12.7 | 05.4-20.0 | 7 | 3.6 | 00.5-06.7 |
| 25-34 | 199 | 54,817 | 1 | 0.6 | 00.0-01.8 | 63 | 29.0 | 21.6-36.4 | 78 | 40.3 | 31.7-48.9 | 41 | 17.9 | 11.8-24.0 | 16 | 12.2 | 05.3-19.1 |
| 35-44 | 251 | 52,314 | | | | 64 | 24.8 | 18.7-30.9 | 112 | 45.9 | 38.6-53.2 | 48 | 19.2 | 13.7-24.7 | 27 | 10.1 | 06.0-14.2 |
| 45-54 | 356 | 60,986 | 1 | 1.3 | 00.0-03.8 | 86 | 21.5 | 16.4-26.6 | 129 | 34.4 | 28.3-40.5 | 89 | 28.9 | 22.6-35.2 | 51 | 13.9 | 09.6-18.2 |
| 55-64 | 417 | 56,578 | | | | 99 | 21.8 | 17.1-26.5 | 192 | 45.8 | 39.7-51.9 | 78 | 20.0 | 15.3-24.7 | 48 | 12.4 | 08.5-16.3 |
| 65+ | 661 | 63,170 | 5 | 0.8 | 00.0-01.6 | 175 | 23.2 | 19.3-27.1 | 284 | 46.8 | 41.9-51.7 | 143 | 21.9 | 18.0-25.8 | 54 | 7.3 | 04.9-09.7 |
| Less Than H.S. | 162 | 43,976 | 1 | 0.4 | 00.0-01.4 | 51 | 28.2 | 19.2-37.2 | 57 | 36.5 | 26.5-46.5 | 32 | 20.4 | 12.0-28.8 | 21 | 14.4 | 07.5-21.3 |
| H.S. or G.E.D. | 633 | 113,168 | 3 | 1.2 | 00.0-02.8 | 167 | 28.2 | 23.5-32.9 | 256 | 41.0 | 36.1-45.9 | 133 | 19.6 | 15.7-23.5 | 74 | 10.0 | 07.5-12.5 |
| Some Post-H.S. | 463 | 90,358 | 2 | 0.2 | 00.0-00.4 | 116 | 28.4 | 22.7-34.1 | 180 | 38.4 | 32.7-44.1 | 113 | 22.4 | 17.9-26.9 | 52 | 10.5 | 06.6-14.4 |
| College Graduate | 764 | 85,914 | 2 | 0.2 | 00.0-00.4 | 225 | 28.9 | 25.0-32.8 | 344 | 43.6 | 39.3-47.9 | 137 | 19.6 | 16.1-23.1 | 56 | 7.7 | 05.2-10.2 |
| Less than \$15,000 | 123 | 21,353 | 1 | 1.0 | 00.0-03.0 | 45 | 39.5 | 27.0-52.0 | 45 | 36.4 | 23.5-49.3 | 14 | 10.1 | 03.4-16.8 | 18 | 12.9 | 05.5-20.3 |
| \$15,000- 24,999 | 250 | 41,669 | 1 | 0.3 | 00.0-00.9 | 77 | 33.3 | 25.9-40.7 | 90 | 39.0 | 31.0-47.0 | 57 | 18.6 | 12.9-24.3 | 25 | 8.8 | 04.7-12.9 |
| \$25,000- 34,999 | 189 | 30,455 | 1 | 1.2 | 00.0-03.6 | 57 | 25.9 | 17.9-33.9 | 71 | 37.4 | 28.0-46.8 | 39 | 21.8 | 13.6-30.0 | 21 | 13.7 | 07.0-20.4 |
| \$35,000- 49,999 | 298 | 47,673 | 1 | 0.1 | 00.0-00.3 | 74 | 30.9 | 22.7-39.1 | 127 | 38.9 | 31.5-46.3 | 49 | 17.1 | 11.8-22.4 | 47 | 12.9 | 08.2-17.6 |
| \$50,000- 74,999 | 292 | 46,863 | | | | 67 | 21.5 | 15.8-27.2 | 138 | 47.6 | 40.0-55.2 | 59 | 20.8 | 14.7-26.9 | 28 | 10.1 | 04.0-16.2 |
| \$75,000+ | 635 | 105,508 | 2 | 0.8 | 00.0-02.4 | 160 | 25.6 | 21.1-30.1 | 279 | 40.3 | 35.4-45.2 | 141 | 23.8 | 19.5-28.1 | 53 | 9.4 | 06.5-12.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 18 | | | > 18, <= 25 | | | 25 >, <= 30 | | | 30 >, <= 35 | | | 35 > | | |
|----------------------------|-------------------|----------|------|-----|------------|-------------|------|------------|-------------|------|------------|-------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2864 | 345,518 | 43 | 1.4 | 00.8-02.0 | 1057 | 40.1 | 37.6-42.6 | 846 | 27.0 | 24.8-29.2 | 531 | 17.8 | 15.8-19.8 | 387 | 13.6 | 11.8-15.4 |
| White/Non-Hisp | 2142 | 236,628 | 34 | 1.5 | 00.5-02.5 | 865 | 45.5 | 42.6-48.4 | 646 | 27.0 | 24.6-29.4 | 364 | 15.8 | 13.8-17.8 | 233 | 10.3 | 08.5-12.1 |
| Black or Afr. Am./Non-Hisp | 435 | 69,234 | 5 | 1.2 | 00.0-02.4 | 89 | 24.8 | 18.7-30.9 | 116 | 26.3 | 21.0-31.6 | 119 | 25.0 | 19.7-30.3 | 106 | 22.8 | 17.9-27.7 |
| Oth. Race/Non-Hisp. | 99 | 12,212 | 3 | 2.3 | 00.0-05.4 | 46 | 58.8 | 45.9-71.7 | 27 | 20.9 | 11.5-30.3 | 13 | 12.2 | 03.4-21.0 | 10 | 5.9 | 00.4-11.4 |
| Hispanic | 117 | 22,061 | 1 | 0.9 | 00.0-02.7 | 27 | 20.7 | 11.5-29.9 | 40 | 34.3 | 23.3-45.3 | 23 | 20.1 | 10.5-29.7 | 26 | 24.1 | 14.1-34.1 |
| 18-24 | 131 | 41,420 | 3 | 3.0 | 00.0-07.5 | 85 | 64.5 | 54.7-74.3 | 23 | 16.8 | 09.4-24.2 | 10 | 7.7 | 02.2-13.2 | 10 | 7.9 | 02.2-13.6 |
| 25-34 | 245 | 51,789 | 5 | 1.9 | 00.1-03.7 | 99 | 44.2 | 36.0-52.4 | 64 | 22.4 | 16.5-28.3 | 34 | 15.4 | 09.7-21.1 | 43 | 16.1 | 10.4-21.8 |
| 35-44 | 320 | 52,252 | 2 | 0.5 | 00.0-01.3 | 131 | 40.1 | 33.4-46.8 | 85 | 26.5 | 20.4-32.6 | 51 | 16.7 | 11.0-22.4 | 51 | 16.2 | 11.1-21.3 |
| 45-54 | 486 | 62,770 | 4 | 0.4 | 00.0-00.8 | 172 | 36.3 | 31.0-41.6 | 131 | 27.7 | 22.8-32.6 | 96 | 19.3 | 15.0-23.6 | 83 | 16.4 | 12.5-20.3 |
| 55-64 | 626 | 58,288 | 5 | 0.7 | 00.0-01.5 | 197 | 30.1 | 25.4-34.8 | 197 | 31.9 | 27.2-36.6 | 132 | 23.0 | 18.7-27.3 | 95 | 14.3 | 10.8-17.8 |
| 65+ | 1034 | 76,947 | 24 | 2.1 | 01.1-03.1 | 366 | 35.3 | 31.6-39.0 | 337 | 31.7 | 28.2-35.2 | 205 | 20.2 | 17.1-23.3 | 102 | 10.7 | 08.3-13.1 |
| Less Than H.S. | 210 | 40,600 | 1 | 0.2 | 00.0-00.6 | 63 | 33.5 | 24.7-42.3 | 52 | 22.2 | 15.1-29.3 | 43 | 17.5 | 10.6-24.4 | 51 | 26.6 | 18.0-35.2 |
| H.S. or G.E.D. | 847 | 102,297 | 17 | 2.2 | 00.2-04.2 | 284 | 38.5 | 33.6-43.4 | 268 | 29.4 | 25.3-33.5 | 172 | 18.8 | 15.5-22.1 | 106 | 11.1 | 08.6-13.6 |
| Some Post-H.S. | 817 | 113,090 | 9 | 0.6 | 00.2-01.0 | 274 | 38.1 | 33.6-42.6 | 232 | 25.6 | 21.9-29.3 | 162 | 19.9 | 16.2-23.6 | 140 | 15.7 | 12.8-18.6 |
| College Graduate | 983 | 89,040 | 16 | 1.9 | 00.7-03.1 | 435 | 47.8 | 43.7-51.9 | 291 | 28.1 | 24.6-31.6 | 151 | 14.1 | 11.4-16.8 | 90 | 8.1 | 06.1-10.1 |
| Less than \$15,000 | 288 | 33,390 | 4 | 0.9 | 00.0-02.1 | 89 | 36.2 | 28.2-44.2 | 75 | 17.9 | 12.6-23.2 | 60 | 23.3 | 15.5-31.1 | 60 | 21.7 | 14.4-29.0 |
| \$15,000- 24,999 | 439 | 48,738 | 6 | 1.2 | 00.2-02.2 | 138 | 30.1 | 24.0-36.2 | 117 | 24.9 | 19.6-30.2 | 93 | 21.5 | 16.6-26.4 | 85 | 22.3 | 16.8-27.8 |
| \$25,000- 34,999 | 286 | 31,741 | 1 | 0.2 | 00.0-00.6 | 86 | 31.0 | 23.6-38.4 | 91 | 31.3 | 24.2-38.4 | 60 | 20.9 | 15.0-26.8 | 48 | 16.6 | 11.1-22.1 |
| \$35,000- 49,999 | 372 | 45,813 | 6 | 3.5 | 00.0-07.6 | 137 | 39.5 | 32.2-46.8 | 111 | 27.3 | 21.4-33.2 | 71 | 18.5 | 13.4-23.6 | 47 | 11.2 | 07.5-14.9 |
| \$50,000- 74,999 | 373 | 44,378 | 7 | 1.9 | 00.1-03.7 | 133 | 36.0 | 29.5-42.5 | 107 | 29.4 | 22.9-35.9 | 78 | 20.0 | 14.5-25.5 | 48 | 12.6 | 08.7-16.5 |
| \$75,000+ | 671 | 90,218 | 7 | 0.4 | 00.0-00.8 | 294 | 48.0 | 43.1-52.9 | 213 | 29.4 | 25.1-33.7 | 105 | 14.3 | 11.0-17.6 | 52 | 7.9 | 05.2-10.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Underweight | | | Normal Weight | | | Overweight | | | Obese | | |
|----------------------------|-------------------|----------|-------------|-----|------------|---------------|------|------------|------------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4893 | 679,882 | 80 | 1.8 | 01.2-02.4 | 1588 | 33.6 | 31.6-35.6 | 1685 | 33.5 | 31.7-35.3 | 1540 | 31.0 | 29.2-32.8 |
| Male | 2029 | 334,364 | 13 | 1.0 | 00.2-01.8 | 555 | 28.2 | 25.5-30.9 | 840 | 40.3 | 37.4-43.2 | 621 | 30.6 | 27.9-33.3 |
| Female | 2864 | 345,518 | 67 | 2.6 | 01.6-03.6 | 1033 | 38.9 | 36.4-41.4 | 845 | 27.0 | 24.8-29.2 | 919 | 31.5 | 29.1-33.9 |
| White/Non-Hisp | 3653 | 463,368 | 65 | 1.7 | 01.1-02.3 | 1242 | 35.4 | 33.2-37.6 | 1278 | 33.6 | 31.6-35.6 | 1068 | 29.3 | 27.3-31.3 |
| Black or Afr. Am./Non-Hisp | 713 | 132,253 | 9 | 2.0 | 00.2-03.8 | 163 | 26.3 | 21.8-30.8 | 226 | 32.4 | 27.7-37.1 | 315 | 39.3 | 34.6-44.0 |
| Oth. Race/Non-Hisp. | 193 | 28,674 | 3 | 1.0 | 00.0-02.4 | 85 | 53.6 | 42.6-64.6 | 63 | 29.5 | 19.5-39.5 | 42 | 16.0 | 09.5-22.5 |
| MultiRacial/Non-Hisp. | 65 | 4,837 | | | | 30 | 51.6 | 36.7-66.5 | 17 | 25.7 | 12.4-39.0 | 18 | 22.7 | 10.7-34.7 |
| Hispanic | 207 | 43,337 | 2 | 2.0 | 00.0-05.1 | 50 | 22.2 | 15.5-28.9 | 78 | 39.4 | 31.4-47.4 | 77 | 36.4 | 28.4-44.4 |
| 18-24 | 263 | 86,580 | 10 | 5.2 | 01.5-08.9 | 147 | 57.2 | 49.9-64.5 | 62 | 21.6 | 15.9-27.3 | 44 | 16.0 | 10.7-21.3 |
| 25-34 | 444 | 106,606 | 7 | 1.4 | 00.2-02.6 | 161 | 36.2 | 30.5-41.9 | 142 | 31.6 | 26.1-37.1 | 134 | 30.8 | 25.3-36.3 |
| 35-44 | 571 | 104,566 | 6 | 1.3 | 00.1-02.5 | 191 | 31.4 | 26.9-35.9 | 196 | 36.0 | 31.1-40.9 | 178 | 31.3 | 26.6-36.0 |
| 45-54 | 842 | 123,756 | 8 | 1.0 | 00.0-02.4 | 254 | 28.7 | 25.0-32.4 | 261 | 31.1 | 27.2-35.0 | 319 | 39.2 | 34.9-43.5 |
| 55-64 | 1043 | 114,866 | 10 | 0.8 | 00.2-01.4 | 291 | 25.6 | 22.3-28.9 | 388 | 38.7 | 34.8-42.6 | 354 | 34.9 | 31.2-38.6 |
| 65+ | 1695 | 140,117 | 38 | 1.8 | 01.0-02.6 | 532 | 29.6 | 26.9-32.3 | 620 | 38.4 | 35.5-41.3 | 505 | 30.3 | 27.6-33.0 |
| Less Than H.S. | 372 | 84,576 | 5 | 0.8 | 00.0-01.6 | 111 | 30.3 | 24.0-36.6 | 109 | 29.6 | 23.3-35.9 | 147 | 39.3 | 32.6-46.0 |
| H.S. or G.E.D. | 1480 | 215,465 | 29 | 2.8 | 01.2-04.4 | 442 | 32.1 | 28.8-35.4 | 523 | 35.4 | 32.1-38.7 | 486 | 29.8 | 26.9-32.7 |
| Some Post-H.S. | 1280 | 203,449 | 17 | 1.2 | 00.2-02.2 | 383 | 33.0 | 29.5-36.5 | 411 | 31.2 | 27.9-34.5 | 469 | 34.5 | 31.2-37.8 |
| College Graduate | 1747 | 174,955 | 29 | 1.7 | 00.9-02.5 | 649 | 37.9 | 35.0-40.8 | 635 | 35.7 | 33.0-38.4 | 434 | 24.7 | 22.2-27.2 |
| Less than \$15,000 | 411 | 54,743 | 10 | 3.1 | 00.0-06.2 | 128 | 35.2 | 28.3-42.1 | 121 | 25.2 | 18.7-31.7 | 152 | 36.5 | 29.6-43.4 |
| \$15,000- 24,999 | 689 | 90,408 | 10 | 0.9 | 00.3-01.5 | 212 | 31.5 | 26.8-36.2 | 207 | 31.4 | 26.5-36.3 | 260 | 36.3 | 31.6-41.0 |
| \$25,000- 34,999 | 475 | 62,196 | 2 | 0.7 | 00.0-01.9 | 143 | 28.5 | 23.0-34.0 | 161 | 34.0 | 28.1-39.9 | 169 | 36.8 | 30.9-42.7 |
| \$35,000- 49,999 | 670 | 93,486 | 9 | 2.0 | 00.0-04.2 | 209 | 34.8 | 29.3-40.3 | 238 | 33.3 | 28.6-38.0 | 214 | 29.9 | 25.4-34.4 |
| \$50,000- 74,999 | 665 | 91,242 | 13 | 2.0 | 00.6-03.4 | 194 | 27.5 | 23.2-31.8 | 245 | 38.8 | 33.7-43.9 | 213 | 31.7 | 26.8-36.6 |
| \$75,000+ | 1306 | 195,726 | 15 | 1.3 | 00.1-02.5 | 448 | 35.3 | 31.8-38.8 | 492 | 35.3 | 32.0-38.6 | 351 | 28.2 | 25.1-31.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Underweight | | | Normal Weight | | | Overweight | | | Obese | | |
|----------------------------|-------------------|----------|-------------|-----|------------|---------------|------|------------|------------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2029 | 334,364 | 13 | 1.0 | 00.2-01.8 | 555 | 28.2 | 25.5-30.9 | 840 | 40.3 | 37.4-43.2 | 621 | 30.6 | 27.9-33.3 |
| White/Non-Hisp | 1511 | 226,740 | 10 | 0.6 | 00.2-01.0 | 398 | 26.3 | 23.4-29.2 | 633 | 40.7 | 37.4-44.0 | 470 | 32.5 | 29.4-35.6 |
| Black or Afr. Am./Non-Hisp | 278 | 63,019 | 2 | 2.6 | 00.0-06.1 | 76 | 28.3 | 21.6-35.0 | 110 | 39.1 | 31.5-46.7 | 90 | 30.0 | 22.9-37.1 |
| Oth. Race/Non-Hisp. | 94 | 16,462 | | | | 39 | 49.8 | 33.3-66.3 | 36 | 35.8 | 20.1-51.5 | 19 | 14.4 | 06.0-22.8 |
| Hispanic | 90 | 21,277 | | | | 24 | 27.0 | 16.4-37.6 | 38 | 44.7 | 32.9-56.5 | 28 | 28.3 | 18.1-38.5 |
| 18-24 | 132 | 45,160 | 3 | 2.9 | 00.0-06.8 | 66 | 54.8 | 44.4-65.2 | 39 | 25.9 | 17.3-34.5 | 24 | 16.3 | 08.7-23.9 |
| 25-34 | 199 | 54,817 | 1 | 0.6 | 00.0-01.8 | 63 | 29.0 | 21.6-36.4 | 78 | 40.3 | 31.7-48.9 | 57 | 30.1 | 22.1-38.1 |
| 35-44 | 251 | 52,314 | | | | 64 | 24.8 | 18.7-30.9 | 111 | 45.6 | 38.3-52.9 | 76 | 29.6 | 23.1-36.1 |
| 45-54 | 356 | 60,986 | 1 | 1.3 | 00.0-03.8 | 85 | 21.4 | 16.3-26.5 | 130 | 34.5 | 28.4-40.6 | 140 | 42.8 | 36.1-49.5 |
| 55-64 | 417 | 56,578 | 2 | 0.1 | 00.0-00.3 | 97 | 21.7 | 17.0-26.4 | 191 | 45.7 | 39.6-51.8 | 127 | 32.5 | 26.8-38.2 |
| 65+ | 661 | 63,170 | 6 | 1.0 | 00.2-01.8 | 174 | 23.0 | 19.1-26.9 | 284 | 46.8 | 41.9-51.7 | 197 | 29.2 | 24.9-33.5 |
| Less Than H.S. | 162 | 43,976 | 3 | 1.3 | 00.0-02.9 | 49 | 27.3 | 18.5-36.1 | 57 | 36.5 | 26.5-46.5 | 53 | 34.8 | 25.2-44.4 |
| H.S. or G.E.D. | 633 | 113,168 | 5 | 1.3 | 00.0-02.9 | 165 | 28.2 | 23.5-32.9 | 255 | 40.8 | 35.9-45.7 | 208 | 29.7 | 25.2-34.2 |
| Some Post-H.S. | 463 | 90,358 | 3 | 1.1 | 00.0-02.9 | 114 | 27.5 | 21.8-33.2 | 180 | 38.4 | 32.7-44.1 | 166 | 33.0 | 27.5-38.5 |
| College Graduate | 764 | 85,914 | 2 | 0.2 | 00.0-00.4 | 225 | 28.9 | 25.0-32.8 | 344 | 43.6 | 39.3-47.9 | 193 | 27.3 | 23.2-31.4 |
| Less than \$15,000 | 123 | 21,353 | 2 | 4.9 | 00.0-12.3 | 43 | 35.3 | 23.3-47.3 | 46 | 36.7 | 23.8-49.6 | 32 | 23.1 | 13.5-32.7 |
| \$15,000- 24,999 | 250 | 41,669 | 1 | 0.3 | 00.0-00.9 | 77 | 33.3 | 25.9-40.7 | 90 | 39.0 | 31.0-47.0 | 82 | 27.5 | 20.8-34.2 |
| \$25,000- 34,999 | 189 | 30,455 | 1 | 1.2 | 00.0-03.6 | 57 | 25.9 | 17.9-33.9 | 70 | 36.8 | 27.4-46.2 | 61 | 36.1 | 26.7-45.5 |
| \$35,000- 49,999 | 298 | 47,673 | 2 | 0.3 | 00.0-00.7 | 73 | 30.7 | 22.5-38.9 | 127 | 38.9 | 31.5-46.3 | 96 | 30.1 | 23.4-36.8 |
| \$50,000- 74,999 | 292 | 46,863 | | | | 67 | 21.5 | 15.8-27.2 | 138 | 47.6 | 40.0-55.2 | 87 | 30.9 | 23.5-38.3 |
| \$75,000+ | 635 | 105,508 | 2 | 0.8 | 00.0-02.4 | 160 | 25.6 | 21.1-30.1 | 279 | 40.3 | 35.4-45.2 | 194 | 33.2 | 28.5-37.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Underweight | | | Normal Weight | | | Overweight | | | Obese | | |
|----------------------------|-------------------|----------|-------------|-----|------------|---------------|------|------------|------------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2864 | 345,518 | 67 | 2.6 | 01.6-03.6 | 1033 | 38.9 | 36.4-41.4 | 845 | 27.0 | 24.8-29.2 | 919 | 31.5 | 29.1-33.9 |
| White/Non-Hisp | 2142 | 236,628 | 55 | 2.8 | 01.6-04.0 | 844 | 44.1 | 41.2-47.0 | 645 | 26.9 | 24.5-29.3 | 598 | 26.2 | 23.7-28.7 |
| Black or Afr. Am./Non-Hisp | 435 | 69,234 | 7 | 1.6 | 00.4-02.8 | 87 | 24.4 | 18.3-30.5 | 116 | 26.3 | 21.0-31.6 | 225 | 47.8 | 41.5-54.1 |
| Oth. Race/Non-Hisp. | 99 | 12,212 | 3 | 2.3 | 00.0-05.4 | 46 | 58.8 | 45.9-71.7 | 27 | 20.9 | 11.5-30.3 | 23 | 18.1 | 08.1-28.1 |
| Hispanic | 117 | 22,061 | 2 | 3.9 | 00.0-10.0 | 26 | 17.6 | 09.6-25.6 | 40 | 34.3 | 23.3-45.3 | 49 | 44.1 | 32.5-55.7 |
| 18-24 | 131 | 41,420 | 7 | 7.7 | 01.2-14.2 | 81 | 59.9 | 49.7-70.1 | 23 | 16.8 | 09.4-24.2 | 20 | 15.6 | 08.2-23.0 |
| 25-34 | 245 | 51,789 | 6 | 2.3 | 00.3-04.3 | 98 | 43.8 | 35.6-52.0 | 64 | 22.4 | 16.5-28.3 | 77 | 31.5 | 24.2-38.8 |
| 35-44 | 320 | 52,252 | 6 | 2.5 | 00.1-04.9 | 127 | 38.1 | 31.6-44.6 | 85 | 26.5 | 20.4-32.6 | 102 | 32.9 | 26.2-39.6 |
| 45-54 | 486 | 62,770 | 7 | 0.8 | 00.2-01.4 | 169 | 35.9 | 30.6-41.2 | 131 | 27.7 | 22.8-32.6 | 179 | 35.7 | 30.4-41.0 |
| 55-64 | 626 | 58,288 | 8 | 1.4 | 00.4-02.4 | 194 | 29.4 | 24.7-34.1 | 197 | 31.9 | 27.2-36.6 | 227 | 37.3 | 32.4-42.2 |
| 65+ | 1034 | 76,947 | 32 | 2.5 | 01.5-03.5 | 358 | 34.9 | 31.2-38.6 | 336 | 31.5 | 28.0-35.0 | 308 | 31.1 | 27.6-34.6 |
| Less Than H.S. | 210 | 40,600 | 2 | 0.3 | 00.0-00.7 | 62 | 33.4 | 24.6-42.2 | 52 | 22.2 | 15.1-29.3 | 94 | 44.1 | 34.9-53.3 |
| H.S. or G.E.D. | 847 | 102,297 | 24 | 4.4 | 01.7-07.1 | 277 | 36.4 | 31.5-41.3 | 268 | 29.4 | 25.3-33.5 | 278 | 29.8 | 25.9-33.7 |
| Some Post-H.S. | 817 | 113,090 | 14 | 1.3 | 00.3-02.3 | 269 | 37.4 | 32.9-41.9 | 231 | 25.5 | 21.8-29.2 | 303 | 35.8 | 31.5-40.1 |
| College Graduate | 983 | 89,040 | 27 | 3.2 | 01.8-04.6 | 424 | 46.5 | 42.4-50.6 | 291 | 28.1 | 24.6-31.6 | 241 | 22.2 | 19.1-25.3 |
| Less than \$15,000 | 288 | 33,390 | 8 | 1.9 | 00.1-03.7 | 85 | 35.2 | 27.2-43.2 | 75 | 17.9 | 12.6-23.2 | 120 | 45.0 | 36.6-53.4 |
| \$15,000- 24,999 | 439 | 48,738 | 9 | 1.4 | 00.4-02.4 | 135 | 29.9 | 23.8-36.0 | 117 | 24.9 | 19.6-30.2 | 178 | 43.8 | 37.5-50.1 |
| \$25,000- 34,999 | 286 | 31,741 | 1 | 0.2 | 00.0-00.6 | 86 | 31.0 | 23.6-38.4 | 91 | 31.3 | 24.2-38.4 | 108 | 37.5 | 30.2-44.8 |
| \$35,000- 49,999 | 372 | 45,813 | 7 | 3.8 | 00.0-07.9 | 136 | 39.1 | 31.8-46.4 | 111 | 27.3 | 21.4-33.2 | 118 | 29.7 | 23.6-35.8 |
| \$50,000- 74,999 | 373 | 44,378 | 13 | 4.1 | 01.2-07.0 | 127 | 33.9 | 27.6-40.2 | 107 | 29.4 | 22.9-35.9 | 126 | 32.6 | 26.3-38.9 |
| \$75,000+ | 671 | 90,218 | 13 | 1.9 | 00.1-03.7 | 288 | 46.5 | 41.6-51.4 | 213 | 29.4 | 25.1-33.7 | 157 | 22.2 | 18.1-26.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4893 | 679,882 | 1668 | 35.4 | 33.4-37.4 | 3225 | 64.6 | 62.6-66.6 |
| Male | 2029 | 334,364 | 568 | 29.1 | 26.4-31.8 | 1461 | 70.9 | 68.2-73.6 |
| Female | 2864 | 345,518 | 1100 | 41.5 | 39.0-44.0 | 1764 | 58.5 | 56.0-61.0 |
| White/Non-Hisp | 3653 | 463,368 | 1307 | 37.1 | 34.9-39.3 | 2346 | 62.9 | 60.7-65.1 |
| Black or Afr. Am./Non-Hisp | 713 | 132,253 | 172 | 28.3 | 23.6-33.0 | 541 | 71.7 | 67.0-76.4 |
| Oth. Race/Non-Hisp. | 193 | 28,674 | 88 | 54.6 | 43.6-65.6 | 105 | 45.4 | 34.4-56.4 |
| MultiRacial/Non-Hisp. | 65 | 4,837 | 30 | 51.6 | 36.7-66.5 | 35 | 48.4 | 33.5-63.3 |
| Hispanic | 207 | 43,337 | 52 | 24.2 | 17.1-31.3 | 155 | 75.8 | 68.7-82.9 |
| 18-24 | 263 | 86,580 | 157 | 62.4 | 55.3-69.5 | 106 | 37.6 | 30.5-44.7 |
| 25-34 | 444 | 106,606 | 168 | 37.6 | 31.9-43.3 | 276 | 62.4 | 56.7-68.1 |
| 35-44 | 571 | 104,566 | 197 | 32.7 | 28.2-37.2 | 374 | 67.3 | 62.8-71.8 |
| 45-54 | 842 | 123,756 | 262 | 29.8 | 25.9-33.7 | 580 | 70.2 | 66.3-74.1 |
| 55-64 | 1043 | 114,866 | 301 | 26.4 | 23.1-29.7 | 742 | 73.6 | 70.3-76.9 |
| 65+ | 1695 | 140,117 | 570 | 31.4 | 28.7-34.1 | 1125 | 68.6 | 65.9-71.3 |
| Less Than H.S. | 372 | 84,576 | 116 | 31.1 | 24.8-37.4 | 256 | 68.9 | 62.6-75.2 |
| H.S. or G.E.D. | 1480 | 215,465 | 471 | 34.8 | 31.3-38.3 | 1009 | 65.2 | 61.7-68.7 |
| Some Post-H.S. | 1280 | 203,449 | 400 | 34.2 | 30.5-37.9 | 880 | 65.8 | 62.1-69.5 |
| College Graduate | 1747 | 174,955 | 678 | 39.6 | 36.7-42.5 | 1069 | 60.4 | 57.5-63.3 |
| Less than \$15,000 | 411 | 54,743 | 138 | 38.3 | 31.2-45.4 | 273 | 61.7 | 54.6-68.8 |
| \$15,000- 24,999 | 689 | 90,408 | 222 | 32.3 | 27.6-37.0 | 467 | 67.7 | 63.0-72.4 |
| \$25,000- 34,999 | 475 | 62,196 | 145 | 29.2 | 23.7-34.7 | 330 | 70.8 | 65.3-76.3 |
| \$35,000- 49,999 | 670 | 93,486 | 218 | 36.9 | 31.4-42.4 | 452 | 63.1 | 57.6-68.6 |
| \$50,000- 74,999 | 665 | 91,242 | 207 | 29.5 | 25.0-34.0 | 458 | 70.5 | 66.0-75.0 |
| \$75,000+ | 1306 | 195,726 | 463 | 36.6 | 33.1-40.1 | 843 | 63.4 | 59.9-66.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2029 | 334,364 | 568 | 29.1 | 26.4-31.8 | 1461 | 70.9 | 68.2-73.6 |
| White/Non-Hisp | 1511 | 226,740 | 408 | 26.8 | 23.7-29.9 | 1103 | 73.2 | 70.1-76.3 |
| Black or Afr. Am./Non-Hisp | 278 | 63,019 | 78 | 30.9 | 23.8-38.0 | 200 | 69.1 | 62.0-76.2 |
| Oth. Race/Non-Hisp. | 94 | 16,462 | 39 | 49.8 | 33.3-66.3 | 55 | 50.2 | 33.7-66.7 |
| Hispanic | 90 | 21,277 | 24 | 27.0 | 16.4-37.6 | 66 | 73.0 | 62.4-83.6 |
| 18-24 | 132 | 45,160 | 69 | 57.7 | 47.5-67.9 | 63 | 42.3 | 32.1-52.5 |
| 25-34 | 199 | 54,817 | 64 | 29.6 | 22.2-37.0 | 135 | 70.4 | 63.0-77.8 |
| 35-44 | 251 | 52,314 | 64 | 24.8 | 18.7-30.9 | 187 | 75.2 | 69.1-81.3 |
| 45-54 | 356 | 60,986 | 86 | 22.7 | 17.4-28.0 | 270 | 77.3 | 72.0-82.6 |
| 55-64 | 417 | 56,578 | 99 | 21.8 | 17.1-26.5 | 318 | 78.2 | 73.5-82.9 |
| 65+ | 661 | 63,170 | 180 | 24.0 | 20.1-27.9 | 481 | 76.0 | 72.1-79.9 |
| Less Than H.S. | 162 | 43,976 | 52 | 28.6 | 19.6-37.6 | 110 | 71.4 | 62.4-80.4 |
| H.S. or G.E.D. | 633 | 113,168 | 170 | 29.5 | 24.6-34.4 | 463 | 70.5 | 65.6-75.4 |
| Some Post-H.S. | 463 | 90,358 | 117 | 28.6 | 22.9-34.3 | 346 | 71.4 | 65.7-77.1 |
| College Graduate | 764 | 85,914 | 227 | 29.1 | 25.2-33.0 | 537 | 70.9 | 67.0-74.8 |
| Less than \$15,000 | 123 | 21,353 | 45 | 40.2 | 27.7-52.7 | 78 | 59.8 | 47.3-72.3 |
| \$15,000- 24,999 | 250 | 41,669 | 78 | 33.6 | 26.0-41.2 | 172 | 66.4 | 58.8-74.0 |
| \$25,000- 34,999 | 189 | 30,455 | 58 | 27.1 | 18.9-35.3 | 131 | 72.9 | 64.7-81.1 |
| \$35,000- 49,999 | 298 | 47,673 | 75 | 31.0 | 22.8-39.2 | 223 | 69.0 | 60.8-77.2 |
| \$50,000- 74,999 | 292 | 46,863 | 67 | 21.5 | 15.8-27.2 | 225 | 78.5 | 72.8-84.2 |
| \$75,000+ | 635 | 105,508 | 162 | 26.5 | 21.8-31.2 | 473 | 73.5 | 68.8-78.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2864 | 345,518 | 1100 | 41.5 | 39.0-44.0 | 1764 | 58.5 | 56.0-61.0 |
| White/Non-Hisp | 2142 | 236,628 | 899 | 47.0 | 44.1-49.9 | 1243 | 53.0 | 50.1-55.9 |
| Black or Afr. Am./Non-Hisp | 435 | 69,234 | 94 | 25.9 | 19.8-32.0 | 341 | 74.1 | 68.0-80.2 |
| Oth. Race/Non-Hisp. | 99 | 12,212 | 49 | 61.0 | 48.3-73.7 | 50 | 39.0 | 26.3-51.7 |
| Hispanic | 117 | 22,061 | 28 | 21.6 | 12.2-31.0 | 89 | 78.4 | 69.0-87.8 |
| 18-24 | 131 | 41,420 | 88 | 67.6 | 58.0-77.2 | 43 | 32.4 | 22.8-42.0 |
| 25-34 | 245 | 51,789 | 104 | 46.1 | 37.9-54.3 | 141 | 53.9 | 45.7-62.1 |
| 35-44 | 320 | 52,252 | 133 | 40.6 | 33.9-47.3 | 187 | 59.4 | 52.7-66.1 |
| 45-54 | 486 | 62,770 | 176 | 36.6 | 31.3-41.9 | 310 | 63.4 | 58.1-68.7 |
| 55-64 | 626 | 58,288 | 202 | 30.8 | 26.1-35.5 | 424 | 69.2 | 64.5-73.9 |
| 65+ | 1034 | 76,947 | 390 | 37.4 | 33.7-41.1 | 644 | 62.6 | 58.9-66.3 |
| Less Than H.S. | 210 | 40,600 | 64 | 33.7 | 24.9-42.5 | 146 | 66.3 | 57.5-75.1 |
| H.S. or G.E.D. | 847 | 102,297 | 301 | 40.8 | 35.9-45.7 | 546 | 59.2 | 54.3-64.1 |
| Some Post-H.S. | 817 | 113,090 | 283 | 38.7 | 34.2-43.2 | 534 | 61.3 | 56.8-65.8 |
| College Graduate | 983 | 89,040 | 451 | 49.7 | 45.8-53.6 | 532 | 50.3 | 46.4-54.2 |
| Less than \$15,000 | 288 | 33,390 | 93 | 37.1 | 28.9-45.3 | 195 | 62.9 | 54.7-71.1 |
| \$15,000- 24,999 | 439 | 48,738 | 144 | 31.3 | 25.2-37.4 | 295 | 68.7 | 62.6-74.8 |
| \$25,000- 34,999 | 286 | 31,741 | 87 | 31.2 | 23.8-38.6 | 199 | 68.8 | 61.4-76.2 |
| \$35,000- 49,999 | 372 | 45,813 | 143 | 42.9 | 35.6-50.2 | 229 | 57.1 | 49.8-64.4 |
| \$50,000- 74,999 | 373 | 44,378 | 140 | 38.0 | 31.5-44.5 | 233 | 62.0 | 55.5-68.5 |
| \$75,000+ | 671 | 90,218 | 301 | 48.4 | 43.5-53.3 | 370 | 51.6 | 46.7-56.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No Children Household | | | One Children | | | Two Children | | | Three Children | | | Four Children | | | Five or More Children | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|--------------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5169 | 718,392 | 3812 | 63.8 | 61.8-65.8 | 578 | 15.6 | 14.0-17.2 | 483 | 12.2 | 10.8-13.6 | 199 | 5.8 | 04.8-06.8 | 57 | 1.5 | 01.1-01.9 | 40 | 1.1 | 00.7-01.5 |
| Male | 2074 | 343,758 | 1553 | 67.1 | 64.4-69.8 | 217 | 14.2 | 12.0-16.4 | 186 | 11.2 | 09.2-13.2 | 76 | 4.9 | 03.7-06.1 | 26 | 1.4 | 00.8-02.0 | 16 | 1.0 | 00.4-01.6 |
| Female | 3095 | 374,634 | 2259 | 60.8 | 58.3-63.3 | 361 | 16.9 | 14.7-19.1 | 297 | 13.1 | 11.3-14.9 | 123 | 6.5 | 05.1-07.9 | 31 | 1.5 | 00.9-02.1 | 24 | 1.2 | 00.6-01.8 |
| White/Non-Hisp | 3811 | 480,230 | 3010 | 69.9 | 67.7-72.1 | 349 | 14.0 | 12.2-15.8 | 292 | 9.8 | 08.4-11.2 | 113 | 4.6 | 03.6-05.6 | 26 | 1.0 | 00.4-01.6 | 21 | 0.7 | 00.3-01.1 |
| Black or Afr. Am./Non-Hisp | 764 | 140,060 | 485 | 57.1 | 52.4-61.8 | 113 | 16.7 | 13.2-20.2 | 92 | 15.2 | 11.5-18.9 | 40 | 6.4 | 04.0-08.8 | 23 | 2.9 | 01.5-04.3 | 11 | 1.7 | 00.3-03.1 |
| Oth. Race/Non-Hisp. | 211 | 31,456 | 119 | 55.0 | 44.8-65.2 | 45 | 23.2 | 15.2-31.2 | 30 | 12.9 | 07.2-18.6 | 13 | 7.2 | 02.9-11.5 | 3 | 1.1 | 00.0-02.9 | 1 | 0.5 | 00.0-01.5 |
| MultiRacial/Non-Hisp. | 70 | 5,267 | 46 | 55.7 | 41.4-70.0 | 14 | 21.6 | 10.0-33.2 | 8 | 19.8 | 06.7-32.9 | 2 | 2.9 | 00.0-07.2 | | | | | | |
| Hispanic | 244 | 53,411 | 96 | 31.4 | 24.7-38.1 | 50 | 22.2 | 15.3-29.1 | 56 | 26.2 | 19.3-33.1 | 31 | 14.9 | 09.2-20.6 | 5 | 1.9 | 00.0-03.9 | 6 | 3.3 | 00.6-06.0 |
| 18-24 | 278 | 90,936 | 175 | 60.8 | 53.7-67.9 | 55 | 22.4 | 16.3-28.5 | 30 | 10.8 | 06.3-15.3 | 15 | 5.3 | 02.4-08.2 | 2 | 0.5 | 00.0-01.1 | 1 | 0.2 | 00.0-00.6 |
| 25-34 | 487 | 117,206 | 182 | 39.1 | 33.4-44.8 | 111 | 24.0 | 19.1-28.9 | 110 | 20.2 | 16.1-24.3 | 52 | 11.0 | 07.7-14.3 | 19 | 3.6 | 01.6-05.6 | 13 | 2.1 | 00.5-03.7 |
| 35-44 | 604 | 110,170 | 149 | 24.3 | 20.2-28.4 | 141 | 22.3 | 18.4-26.2 | 188 | 31.9 | 27.2-36.6 | 81 | 14.1 | 10.8-17.4 | 27 | 4.0 | 02.2-05.8 | 18 | 3.5 | 01.5-05.5 |
| 45-54 | 882 | 130,241 | 570 | 63.0 | 58.9-67.1 | 156 | 19.7 | 16.4-23.0 | 115 | 11.9 | 09.4-14.4 | 35 | 4.6 | 02.8-06.4 | 5 | 0.7 | 00.0-01.7 | 1 | 0.1 | 00.0-00.3 |
| 55-64 | 1096 | 119,770 | 981 | 87.6 | 85.1-90.1 | 74 | 7.7 | 05.7-09.7 | 24 | 2.3 | 01.3-03.3 | 8 | 1.0 | 00.2-01.8 | 3 | 0.4 | 00.0-01.0 | 6 | 1.0 | 00.0-02.0 |
| 65+ | 1775 | 145,655 | 1714 | 96.2 | 95.0-97.4 | 38 | 2.6 | 01.6-03.6 | 14 | 0.6 | 00.2-01.0 | 7 | 0.5 | 00.1-00.9 | 1 | 0.0 | 00.0-00.0 | 1 | 0.0 | 00.0-00.0 |
| Less Than H.S. | 412 | 96,114 | 300 | 61.5 | 55.0-68.0 | 43 | 14.6 | 09.7-19.5 | 30 | 11.3 | 07.0-15.6 | 25 | 8.0 | 04.5-11.5 | 4 | 1.6 | 00.0-03.2 | 10 | 3.0 | 00.8-05.2 |
| H.S. or G.E.D. | 1563 | 226,497 | 1202 | 68.2 | 64.9-71.5 | 175 | 15.3 | 12.8-17.8 | 106 | 9.5 | 07.3-11.7 | 54 | 5.2 | 03.6-06.8 | 15 | 1.2 | 00.6-01.8 | 11 | 0.7 | 00.3-01.1 |
| Some Post-H.S. | 1340 | 210,943 | 966 | 61.9 | 58.4-65.4 | 154 | 16.1 | 13.2-19.0 | 136 | 12.9 | 10.5-15.3 | 58 | 6.5 | 04.7-08.3 | 17 | 1.5 | 00.5-02.5 | 9 | 1.1 | 00.1-02.1 |
| College Graduate | 1840 | 183,444 | 1332 | 61.9 | 59.0-64.8 | 205 | 15.9 | 13.5-18.3 | 210 | 15.4 | 13.0-17.8 | 62 | 4.5 | 03.3-05.7 | 21 | 1.6 | 00.8-02.4 | 10 | 0.7 | 00.1-01.3 |
| Less than \$15,000 | 439 | 60,591 | 339 | 63.8 | 56.7-70.9 | 43 | 15.7 | 10.0-21.4 | 28 | 9.5 | 05.2-13.8 | 17 | 7.4 | 03.5-11.3 | 5 | 1.4 | 00.0-02.8 | 7 | 2.2 | 00.0-04.6 |
| \$15,000- 24,999 | 735 | 98,232 | 547 | 67.5 | 63.0-72.0 | 91 | 14.4 | 11.1-17.7 | 47 | 9.0 | 06.1-11.9 | 33 | 5.1 | 03.1-07.1 | 8 | 2.2 | 00.4-04.0 | 9 | 1.8 | 00.4-03.2 |
| \$25,000- 34,999 | 495 | 64,822 | 374 | 65.5 | 59.4-71.6 | 46 | 12.8 | 08.5-17.1 | 46 | 13.7 | 09.0-18.4 | 15 | 3.8 | 01.6-06.0 | 10 | 3.0 | 00.6-05.4 | 4 | 1.3 | 00.0-02.7 |
| \$35,000- 49,999 | 687 | 95,588 | 534 | 71.6 | 66.9-76.3 | 68 | 12.0 | 08.5-15.5 | 52 | 9.5 | 06.6-12.4 | 26 | 5.8 | 03.4-08.2 | 5 | 0.7 | 00.0-01.5 | 2 | 0.5 | 00.0-01.3 |
| \$50,000- 74,999 | 685 | 93,841 | 495 | 59.4 | 54.1-64.7 | 84 | 19.1 | 14.4-23.8 | 59 | 10.6 | 07.5-13.7 | 32 | 7.7 | 04.6-10.8 | 9 | 1.7 | 00.3-03.1 | 6 | 1.5 | 00.0-03.1 |
| \$75,000+ | 1349 | 201,596 | 900 | 58.7 | 55.2-62.2 | 173 | 16.5 | 13.8-19.2 | 193 | 16.6 | 14.1-19.1 | 58 | 6.2 | 04.4-08.0 | 17 | 1.3 | 00.5-02.1 | 8 | 0.7 | 00.1-01.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No Children Household | | | One Children | | | Two Children | | | Three Children | | | Four Children | | | Five or More Children | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|--------------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2074 | 343,758 | 1553 | 67.1 | 64.4-69.8 | 217 | 14.2 | 12.0-16.4 | 186 | 11.2 | 09.2-13.2 | 76 | 4.9 | 03.7-06.1 | 26 | 1.4 | 00.8-02.0 | 16 | 1.0 | 00.4-01.6 |
| White/Non-Hisp | 1527 | 229,603 | 1214 | 71.4 | 68.3-74.5 | 135 | 13.5 | 10.8-16.2 | 108 | 8.5 | 06.7-10.3 | 44 | 4.1 | 02.7-05.5 | 15 | 1.5 | 00.5-02.5 | 11 | 1.0 | 00.2-01.8 |
| Black or Afr. Am./Non-Hisp | 286 | 64,472 | 190 | 63.9 | 56.6-71.2 | 37 | 13.3 | 08.6-18.0 | 33 | 14.4 | 08.3-20.5 | 14 | 5.9 | 02.6-09.2 | 10 | 2.2 | 00.6-03.8 | 2 | 0.3 | 00.0-00.7 |
| Oth. Race/Non-Hisp. | 100 | 17,619 | 60 | 60.1 | 46.0-74.2 | 21 | 23.1 | 11.9-34.3 | 13 | 12.2 | 04.6-19.8 | 5 | 4.4 | 00.0-08.9 | 1 | 0.2 | 00.0-00.6 | | | |
| Hispanic | 102 | 24,760 | 41 | 37.6 | 27.0-48.2 | 22 | 19.5 | 11.1-27.9 | 24 | 27.1 | 16.7-37.5 | 12 | 11.3 | 04.8-17.8 | | | | 3 | 4.6 | 00.0-09.7 |
| 18-24 | 136 | 45,870 | 92 | 63.9 | 53.9-73.9 | 24 | 20.2 | 11.8-28.6 | 13 | 11.4 | 04.3-18.5 | 6 | 4.0 | 00.7-07.3 | 1 | 0.5 | 00.0-01.5 | | | |
| 25-34 | 210 | 58,522 | 96 | 48.6 | 40.2-57.0 | 46 | 22.1 | 14.8-29.4 | 41 | 16.3 | 10.8-21.8 | 19 | 9.0 | 04.7-13.3 | 6 | 2.8 | 00.1-05.5 | 2 | 1.1 | 00.0-02.7 |
| 35-44 | 259 | 53,727 | 73 | 29.8 | 23.3-36.3 | 61 | 21.4 | 15.9-26.9 | 76 | 30.6 | 23.7-37.5 | 27 | 10.5 | 06.4-14.6 | 14 | 4.4 | 01.9-06.9 | 8 | 3.3 | 00.8-05.8 |
| 45-54 | 362 | 62,919 | 242 | 66.7 | 60.8-72.6 | 55 | 17.1 | 12.2-22.0 | 43 | 10.0 | 06.7-13.3 | 20 | 5.9 | 02.8-09.0 | 1 | 0.1 | 00.0-00.3 | 1 | 0.3 | 00.0-00.9 |
| 55-64 | 420 | 57,120 | 378 | 89.0 | 85.3-92.7 | 24 | 6.4 | 03.7-09.1 | 8 | 1.5 | 00.3-02.7 | 3 | 0.6 | 00.0-01.4 | 3 | 0.9 | 00.0-02.1 | 4 | 1.6 | 00.0-03.8 |
| 65+ | 672 | 64,160 | 657 | 97.9 | 96.5-99.3 | 7 | 1.1 | 00.1-02.1 | 5 | 0.5 | 00.1-00.9 | 1 | 0.3 | 00.0-00.9 | 1 | 0.1 | 00.0-00.3 | 1 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 175 | 47,824 | 139 | 72.2 | 63.4-81.0 | 12 | 9.6 | 03.7-15.5 | 14 | 11.8 | 05.1-18.5 | 5 | 2.8 | 00.3-05.3 | | | | 5 | 3.7 | 00.2-07.2 |
| H.S. or G.E.D. | 646 | 116,061 | 492 | 69.7 | 65.0-74.4 | 74 | 14.1 | 10.6-17.6 | 47 | 9.3 | 06.2-12.4 | 24 | 5.3 | 02.9-07.7 | 6 | 1.0 | 00.2-01.8 | 3 | 0.5 | 00.0-01.1 |
| Some Post-H.S. | 470 | 91,929 | 338 | 63.6 | 57.7-69.5 | 53 | 16.3 | 11.2-21.4 | 46 | 11.7 | 08.0-15.4 | 22 | 6.0 | 03.3-08.7 | 8 | 2.0 | 00.2-03.8 | 3 | 0.4 | 00.0-01.0 |
| College Graduate | 776 | 86,798 | 578 | 64.6 | 60.3-68.9 | 77 | 14.5 | 11.2-17.8 | 79 | 13.2 | 10.1-16.3 | 25 | 4.6 | 02.6-06.6 | 12 | 2.1 | 00.7-03.5 | 5 | 1.0 | 00.0-02.2 |
| Less than \$15,000 | 130 | 22,759 | 105 | 79.0 | 70.4-87.6 | 6 | 4.9 | 00.8-09.0 | 9 | 7.4 | 01.9-12.9 | 7 | 7.3 | 01.8-12.8 | 1 | 0.6 | 00.0-01.8 | 2 | 0.8 | 00.0-02.0 |
| \$15,000- 24,999 | 260 | 43,650 | 203 | 72.8 | 65.9-79.7 | 28 | 13.1 | 07.8-18.4 | 15 | 7.1 | 03.2-11.0 | 8 | 4.0 | 01.1-06.9 | 2 | 1.0 | 00.0-02.4 | 4 | 1.9 | 00.0-04.1 |
| \$25,000- 34,999 | 192 | 31,366 | 150 | 71.2 | 62.2-80.2 | 18 | 11.9 | 05.6-18.2 | 13 | 9.5 | 03.0-16.0 | 6 | 3.0 | 00.3-05.7 | 4 | 3.3 | 00.0-07.4 | 1 | 1.1 | 00.0-03.3 |
| \$35,000- 49,999 | 299 | 48,263 | 239 | 76.9 | 70.8-83.0 | 22 | 7.8 | 04.3-11.3 | 25 | 9.5 | 05.0-14.0 | 9 | 3.8 | 01.3-06.3 | 3 | 1.2 | 00.0-02.8 | 1 | 0.7 | 00.0-02.1 |
| \$50,000- 74,999 | 295 | 47,470 | 221 | 61.0 | 53.2-68.8 | 35 | 20.5 | 12.9-28.1 | 22 | 10.0 | 05.5-14.5 | 10 | 5.2 | 01.7-08.7 | 4 | 0.8 | 00.0-01.8 | 3 | 2.4 | 00.0-05.3 |
| \$75,000+ | 639 | 106,065 | 432 | 60.0 | 55.1-64.9 | 81 | 16.2 | 12.3-20.1 | 80 | 14.6 | 11.1-18.1 | 30 | 6.6 | 04.1-09.1 | 11 | 2.0 | 00.6-03.4 | 5 | 0.7 | 00.0-01.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No Children Household | | | One Children | | | Two Children | | | Three Children | | | Four Children | | | Five or More Children | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|--------------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3095 | 374,634 | 2259 | 60.8 | 58.3-63.3 | 361 | 16.9 | 14.7-19.1 | 297 | 13.1 | 11.3-14.9 | 123 | 6.5 | 05.1-07.9 | 31 | 1.5 | 00.9-02.1 | 24 | 1.2 | 00.6-01.8 |
| White/Non-Hisp | 2284 | 250,626 | 1796 | 68.4 | 65.7-71.1 | 214 | 14.5 | 12.1-16.9 | 184 | 11.0 | 09.2-12.8 | 69 | 5.0 | 03.6-06.4 | 11 | 0.6 | 00.2-01.0 | 10 | 0.5 | 00.1-00.9 |
| Black or Afr. Am./Non-Hisp | 478 | 75,587 | 295 | 51.3 | 45.4-57.2 | 76 | 19.6 | 14.7-24.5 | 59 | 15.9 | 11.4-20.4 | 26 | 6.8 | 03.7-09.9 | 13 | 3.5 | 01.1-05.9 | 9 | 2.9 | 00.4-05.4 |
| Oth. Race/Non-Hisp. | 111 | 13,836 | 59 | 48.5 | 35.2-61.8 | 24 | 23.4 | 12.2-34.6 | 17 | 13.8 | 05.6-22.0 | 8 | 10.9 | 03.1-18.7 | 2 | 2.2 | 00.0-06.1 | 1 | 1.2 | 00.0-03.6 |
| Hispanic | 142 | 28,651 | 55 | 26.1 | 18.1-34.1 | 28 | 24.6 | 14.4-34.8 | 32 | 25.5 | 16.3-34.7 | 19 | 18.0 | 09.4-26.6 | 5 | 3.6 | 00.1-07.1 | 3 | 2.2 | 00.0-05.1 |
| 18-24 | 142 | 45,066 | 83 | 57.5 | 47.7-67.3 | 31 | 24.8 | 16.0-33.6 | 17 | 10.2 | 04.7-15.7 | 9 | 6.7 | 02.0-11.4 | 1 | 0.5 | 00.0-01.5 | 1 | 0.4 | 00.0-01.2 |
| 25-34 | 277 | 58,685 | 86 | 29.6 | 22.5-36.7 | 65 | 25.8 | 19.1-32.5 | 69 | 24.1 | 18.2-30.0 | 33 | 13.0 | 07.9-18.1 | 13 | 4.3 | 01.6-07.0 | 11 | 3.1 | 00.4-05.8 |
| 35-44 | 345 | 56,444 | 76 | 19.1 | 14.2-24.0 | 80 | 23.1 | 17.4-28.8 | 112 | 33.1 | 26.8-39.4 | 54 | 17.5 | 12.4-22.6 | 13 | 3.5 | 01.1-05.9 | 10 | 3.7 | 01.0-06.4 |
| 45-54 | 520 | 67,322 | 328 | 59.5 | 54.2-64.8 | 101 | 22.2 | 17.5-26.9 | 72 | 13.7 | 09.8-17.6 | 15 | 3.3 | 01.3-05.3 | 4 | 1.2 | 00.0-03.0 | | | |
| 55-64 | 676 | 62,651 | 603 | 86.3 | 82.8-89.8 | 50 | 9.0 | 06.1-11.9 | 16 | 3.0 | 01.2-04.8 | 5 | 1.3 | 00.0-02.7 | | | | 2 | 0.5 | 00.0-01.1 |
| 65+ | 1103 | 81,495 | 1057 | 94.8 | 93.0-96.6 | 31 | 3.8 | 02.2-05.4 | 9 | 0.7 | 00.1-01.3 | 6 | 0.7 | 00.1-01.3 | | | | | | |
| Less Than H.S. | 237 | 48,289 | 161 | 51.0 | 42.4-59.6 | 31 | 19.5 | 11.9-27.1 | 16 | 10.9 | 05.4-16.4 | 20 | 13.1 | 06.8-19.4 | 4 | 3.2 | 00.1-06.3 | 5 | 2.3 | 00.0-04.7 |
| H.S. or G.E.D. | 917 | 110,436 | 710 | 66.5 | 62.0-71.0 | 101 | 16.5 | 12.8-20.2 | 59 | 9.6 | 06.7-12.5 | 30 | 5.1 | 03.1-07.1 | 9 | 1.3 | 00.3-02.3 | 8 | 0.9 | 00.1-01.7 |
| Some Post-H.S. | 870 | 119,014 | 628 | 60.6 | 56.1-65.1 | 101 | 16.1 | 12.6-19.6 | 90 | 13.8 | 10.7-16.9 | 36 | 6.8 | 04.3-09.3 | 9 | 1.1 | 00.3-01.9 | 6 | 1.6 | 00.0-03.2 |
| College Graduate | 1064 | 96,647 | 754 | 59.6 | 55.7-63.5 | 128 | 17.1 | 13.8-20.4 | 131 | 17.4 | 14.3-20.5 | 37 | 4.3 | 02.7-05.9 | 9 | 1.2 | 00.0-02.4 | 5 | 0.4 | 00.0-00.8 |
| Less than \$15,000 | 309 | 37,832 | 234 | 54.6 | 45.8-63.4 | 37 | 22.2 | 13.8-30.6 | 19 | 10.7 | 04.6-16.8 | 10 | 7.5 | 02.0-13.0 | 4 | 2.0 | 00.0-04.0 | 5 | 3.0 | 00.0-06.7 |
| \$15,000- 24,999 | 475 | 54,582 | 344 | 63.2 | 57.3-69.1 | 63 | 15.4 | 11.1-19.7 | 32 | 10.5 | 06.4-14.6 | 25 | 6.0 | 03.3-08.7 | 6 | 3.2 | 00.3-06.1 | 5 | 1.7 | 00.1-03.3 |
| \$25,000- 34,999 | 303 | 33,455 | 224 | 60.2 | 52.6-67.8 | 28 | 13.6 | 07.9-19.3 | 33 | 17.6 | 10.7-24.5 | 9 | 4.5 | 01.4-07.6 | 6 | 2.7 | 00.3-05.1 | 3 | 1.4 | 00.0-03.2 |
| \$35,000- 49,999 | 388 | 47,326 | 295 | 66.1 | 59.0-73.2 | 46 | 16.2 | 09.9-22.5 | 27 | 9.4 | 05.5-13.3 | 17 | 7.8 | 03.9-11.7 | 2 | 0.3 | 00.0-00.7 | 1 | 0.2 | 00.0-00.6 |
| \$50,000- 74,999 | 390 | 46,371 | 274 | 57.8 | 50.9-64.7 | 49 | 17.6 | 12.1-23.1 | 37 | 11.3 | 07.2-15.4 | 22 | 10.2 | 05.3-15.1 | 5 | 2.5 | 00.0-05.0 | 3 | 0.6 | 00.0-01.4 |
| \$75,000+ | 710 | 95,531 | 468 | 57.3 | 52.4-62.2 | 92 | 16.8 | 13.1-20.5 | 113 | 18.9 | 15.2-22.6 | 28 | 5.8 | 03.3-08.3 | 6 | 0.5 | 00.1-00.9 | 3 | 0.7 | 00.0-01.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Did not Graduate High School | | | Graduated High School | | | Attended College Tech School | | | Graduated College Tech School | | |
|----------------------------|-------------------|----------|------------------------------|-------|------------|-----------------------|-------|------------|------------------------------|-------|------------|-------------------------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5169 | 718,981 | 410 | 13.4 | 11.8-15.0 | 1566 | 31.5 | 29.7-33.3 | 1344 | 29.4 | 27.6-31.2 | 1849 | 25.6 | 24.2-27.0 |
| Male | 2071 | 343,556 | 175 | 14.1 | 11.7-16.5 | 647 | 33.8 | 31.1-36.5 | 471 | 26.8 | 24.1-29.5 | 778 | 25.3 | 23.1-27.5 |
| Female | 3098 | 375,425 | 235 | 12.8 | 10.8-14.8 | 919 | 29.5 | 27.3-31.7 | 873 | 31.9 | 29.5-34.3 | 1071 | 25.9 | 23.9-27.9 |
| White/Non-Hisp | 3815 | 481,745 | 213 | 8.7 | 07.1-10.3 | 1168 | 32.8 | 30.6-35.0 | 975 | 30.4 | 28.4-32.4 | 1459 | 28.1 | 26.3-29.9 |
| Black or Afr. Am./Non-Hisp | 763 | 139,806 | 103 | 19.2 | 14.9-23.5 | 244 | 31.8 | 27.5-36.1 | 229 | 31.6 | 27.1-36.1 | 187 | 17.4 | 14.5-20.3 |
| Oth. Race/Non-Hisp. | 208 | 30,837 | 9 | 7.9 | 00.0-16.5 | 48 | 17.4 | 10.0-24.8 | 46 | 26.9 | 16.1-37.7 | 105 | 47.9 | 37.3-58.5 |
| MultiRacial/Non-Hisp. | 70 | 5,267 | 1 | 2.0 | 00.0-05.9 | 26 | 48.3 | 34.0-62.6 | 25 | 34.1 | 20.4-47.8 | 18 | 15.6 | 07.6-23.6 |
| Hispanic | 246 | 53,678 | 76 | 44.7 | 36.9-52.5 | 64 | 26.3 | 19.6-33.0 | 56 | 17.9 | 12.8-23.0 | 50 | 11.1 | 07.6-14.6 |
| 18-24 | 280 | 91,819 | 25 | 15.2 | 09.3-21.1 | 115 | 39.6 | 32.7-46.5 | 96 | 35.9 | 29.0-42.8 | 44 | 9.3 | 06.0-12.6 |
| 25-34 | 487 | 117,280 | 47 | 16.6 | 11.7-21.5 | 115 | 24.4 | 19.5-29.3 | 148 | 32.9 | 27.6-38.2 | 177 | 26.1 | 21.8-30.4 |
| 35-44 | 606 | 110,278 | 36 | 11.4 | 07.7-15.1 | 134 | 23.6 | 19.5-27.7 | 154 | 29.1 | 24.6-33.6 | 282 | 35.9 | 31.6-40.2 |
| 45-54 | 884 | 130,256 | 69 | 12.9 | 09.6-16.2 | 245 | 30.9 | 26.8-35.0 | 243 | 28.3 | 24.6-32.0 | 327 | 27.9 | 24.6-31.2 |
| 55-64 | 1095 | 119,735 | 70 | 10.3 | 07.0-13.6 | 325 | 34.2 | 30.5-37.9 | 282 | 27.9 | 24.6-31.2 | 418 | 27.6 | 24.7-30.5 |
| 65+ | 1772 | 145,541 | 162 | 14.5 | 12.0-17.0 | 621 | 36.4 | 33.7-39.1 | 411 | 25.2 | 22.7-27.7 | 578 | 23.9 | 21.7-26.1 |
| Less Than H.S. | 410 | 96,452 | 410 | 100.0 | 0100-0100 | | | | | | | | | |
| H.S. or G.E.D. | 1566 | 226,687 | | | | 1566 | 100.0 | 0100-0100 | | | | | | |
| Some Post-H.S. | 1344 | 211,661 | | | | | | | 1344 | 100.0 | 0100-0100 | | | |
| College Graduate | 1849 | 184,181 | | | | | | | | | | 1849 | 100.0 | 0100-0100 |
| Less than \$15,000 | 436 | 60,902 | 92 | 34.6 | 27.2-42.0 | 188 | 34.4 | 28.3-40.5 | 112 | 25.9 | 19.8-32.0 | 44 | 5.1 | 03.1-07.1 |
| \$15,000- 24,999 | 737 | 98,693 | 133 | 29.4 | 24.3-34.5 | 302 | 37.6 | 33.1-42.1 | 198 | 26.0 | 22.1-29.9 | 104 | 7.0 | 05.2-08.8 |
| \$25,000- 34,999 | 494 | 64,653 | 51 | 18.6 | 13.1-24.1 | 208 | 44.4 | 38.5-50.3 | 139 | 25.4 | 20.3-30.5 | 96 | 11.6 | 08.5-14.7 |
| \$35,000- 49,999 | 687 | 95,588 | 25 | 6.5 | 03.6-09.4 | 244 | 39.9 | 34.8-45.0 | 229 | 36.4 | 31.1-41.7 | 189 | 17.2 | 14.3-20.1 |
| \$50,000- 74,999 | 686 | 93,905 | 16 | 5.1 | 02.0-08.2 | 159 | 27.2 | 22.7-31.7 | 195 | 35.0 | 30.1-39.9 | 316 | 32.8 | 28.5-37.1 |
| \$75,000+ | 1349 | 201,770 | 13 | 2.3 | 00.7-03.9 | 191 | 19.7 | 16.6-22.8 | 290 | 29.1 | 25.8-32.4 | 855 | 48.9 | 45.4-52.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Did not Graduate High School | | | Graduated High School | | | Attended College Tech School | | | Graduated College Tech School | | |
|----------------------------|-------------------|----------|------------------------------|-------|------------|-----------------------|-------|------------|------------------------------|-------|------------|-------------------------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2071 | 343,556 | 175 | 14.1 | 11.7-16.5 | 647 | 33.8 | 31.1-36.5 | 471 | 26.8 | 24.1-29.5 | 778 | 25.3 | 23.1-27.5 |
| White/Non-Hisp | 1529 | 230,373 | 98 | 9.8 | 07.4-12.2 | 478 | 35.0 | 31.9-38.1 | 341 | 27.5 | 24.4-30.6 | 612 | 27.6 | 25.1-30.1 |
| Black or Afr. Am./Non-Hisp | 285 | 64,373 | 29 | 16.3 | 09.2-23.4 | 107 | 39.6 | 32.2-47.0 | 76 | 27.8 | 21.1-34.5 | 73 | 16.4 | 11.9-20.9 |
| Oth. Race/Non-Hisp. | 98 | 17,069 | 5 | 12.7 | 00.0-27.6 | 19 | 9.1 | 03.4-14.8 | 17 | 28.7 | 11.3-46.1 | 57 | 49.5 | 33.4-65.6 |
| Hispanic | 102 | 24,760 | 38 | 50.0 | 39.0-61.0 | 26 | 23.7 | 14.7-32.7 | 21 | 17.8 | 10.0-25.6 | 17 | 8.5 | 04.0-13.0 |
| 18-24 | 137 | 46,561 | 12 | 14.6 | 06.4-22.8 | 65 | 44.0 | 33.8-54.2 | 45 | 36.0 | 26.0-46.0 | 15 | 5.3 | 02.4-08.2 |
| 25-34 | 209 | 58,353 | 21 | 17.9 | 10.3-25.5 | 55 | 25.8 | 18.7-32.9 | 56 | 32.0 | 23.8-40.2 | 77 | 24.4 | 18.3-30.5 |
| 35-44 | 258 | 53,426 | 18 | 12.5 | 07.0-18.0 | 74 | 30.3 | 23.6-37.0 | 57 | 23.5 | 17.6-29.4 | 109 | 33.6 | 27.3-39.9 |
| 45-54 | 363 | 63,036 | 34 | 14.4 | 09.3-19.5 | 109 | 33.1 | 26.6-39.6 | 93 | 26.6 | 20.9-32.3 | 127 | 26.0 | 20.9-31.1 |
| 55-64 | 421 | 57,143 | 24 | 8.8 | 03.7-13.9 | 136 | 38.0 | 32.1-43.9 | 93 | 23.8 | 18.9-28.7 | 168 | 29.4 | 24.5-34.3 |
| 65+ | 671 | 64,069 | 65 | 16.0 | 11.7-20.3 | 206 | 33.9 | 29.4-38.4 | 127 | 21.4 | 17.3-25.5 | 273 | 28.7 | 25.0-32.4 |
| Less Than H.S. | 175 | 48,483 | 175 | 100.0 | 0100-0100 | | | | | | | | | |
| H.S. or G.E.D. | 647 | 116,084 | | | | 647 | 100.0 | 0100-0100 | | | | | | |
| Some Post-H.S. | 471 | 92,081 | | | | | | | 471 | 100.0 | 0100-0100 | | | |
| College Graduate | 778 | 86,908 | | | | | | | | | | 778 | 100.0 | 0100-0100 |
| Less than \$15,000 | 130 | 23,418 | 34 | 35.5 | 22.8-48.2 | 60 | 37.9 | 26.7-49.1 | 25 | 23.3 | 12.9-33.7 | 11 | 3.3 | 00.6-06.0 |
| \$15,000- 24,999 | 261 | 43,801 | 50 | 30.2 | 22.0-38.4 | 109 | 39.3 | 31.9-46.7 | 61 | 22.8 | 16.5-29.1 | 41 | 7.7 | 04.8-10.6 |
| \$25,000- 34,999 | 191 | 31,198 | 29 | 23.1 | 14.1-32.1 | 91 | 46.8 | 37.4-56.2 | 35 | 19.6 | 11.2-28.0 | 36 | 10.4 | 05.9-14.9 |
| \$35,000- 49,999 | 299 | 48,263 | 17 | 10.7 | 05.2-16.2 | 120 | 44.3 | 36.7-51.9 | 87 | 30.5 | 22.7-38.3 | 75 | 14.5 | 10.4-18.6 |
| \$50,000- 74,999 | 295 | 47,440 | 7 | 3.6 | 00.0-07.5 | 75 | 28.6 | 21.9-35.3 | 90 | 38.7 | 31.1-46.3 | 123 | 29.1 | 23.0-35.2 |
| \$75,000+ | 639 | 106,065 | 7 | 2.6 | 00.4-04.8 | 108 | 24.6 | 19.7-29.5 | 127 | 25.9 | 21.6-30.2 | 397 | 46.9 | 42.0-51.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Did not Graduate High School | | | Graduated High School | | | Attended College Tech School | | | Graduated College Tech School | | |
|----------------------------|-------------------|----------|------------------------------|-------|------------|-----------------------|-------|------------|------------------------------|-------|------------|-------------------------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3098 | 375,425 | 235 | 12.8 | 10.8-14.8 | 919 | 29.5 | 27.3-31.7 | 873 | 31.9 | 29.5-34.3 | 1071 | 25.9 | 23.9-27.9 |
| White/Non-Hisp | 2286 | 251,372 | 115 | 7.7 | 05.7-09.7 | 690 | 30.7 | 28.0-33.4 | 634 | 33.0 | 30.3-35.7 | 847 | 28.5 | 26.1-30.9 |
| Black or Afr. Am./Non-Hisp | 478 | 75,433 | 74 | 21.7 | 16.2-27.2 | 137 | 25.2 | 20.3-30.1 | 153 | 34.8 | 28.9-40.7 | 114 | 18.3 | 14.2-22.4 |
| Oth. Race/Non-Hisp. | 110 | 13,768 | 4 | 1.9 | 00.0-03.9 | 29 | 27.6 | 14.3-40.9 | 29 | 24.7 | 14.1-35.3 | 48 | 45.8 | 32.7-58.9 |
| Hispanic | 144 | 28,918 | 38 | 40.2 | 29.2-51.2 | 38 | 28.5 | 18.9-38.1 | 35 | 18.0 | 11.1-24.9 | 33 | 13.4 | 07.9-18.9 |
| 18-24 | 143 | 45,258 | 13 | 15.7 | 07.3-24.1 | 50 | 35.1 | 25.7-44.5 | 51 | 35.8 | 26.6-45.0 | 29 | 13.4 | 07.7-19.1 |
| 25-34 | 278 | 58,927 | 26 | 15.3 | 09.2-21.4 | 60 | 23.1 | 16.2-30.0 | 92 | 33.8 | 26.9-40.7 | 100 | 27.8 | 21.7-33.9 |
| 35-44 | 348 | 56,853 | 18 | 10.3 | 05.4-15.2 | 60 | 17.3 | 12.6-22.0 | 97 | 34.5 | 27.8-41.2 | 173 | 38.0 | 32.1-43.9 |
| 45-54 | 521 | 67,219 | 35 | 11.5 | 07.4-15.6 | 136 | 28.9 | 23.8-34.0 | 150 | 30.0 | 25.1-34.9 | 200 | 29.6 | 25.3-33.9 |
| 55-64 | 674 | 62,592 | 46 | 11.8 | 07.5-16.1 | 189 | 30.7 | 26.2-35.2 | 189 | 31.6 | 27.1-36.1 | 250 | 25.9 | 22.4-29.4 |
| 65+ | 1101 | 81,471 | 97 | 13.4 | 10.5-16.3 | 415 | 38.3 | 34.8-41.8 | 284 | 28.2 | 24.9-31.5 | 305 | 20.1 | 17.6-22.6 |
| Less Than H.S. | 235 | 47,968 | 235 | 100.0 | 0100-0100 | | | | | | | | | |
| H.S. or G.E.D. | 919 | 110,603 | | | | 919 | 100.0 | 0100-0100 | | | | | | |
| Some Post-H.S. | 873 | 119,580 | | | | | | | 873 | 100.0 | 0100-0100 | | | |
| College Graduate | 1071 | 97,273 | | | | | | | | | | 1071 | 100.0 | 0100-0100 |
| Less than \$15,000 | 306 | 37,484 | 58 | 34.1 | 25.1-43.1 | 128 | 32.2 | 25.1-39.3 | 87 | 27.4 | 20.0-34.8 | 33 | 6.3 | 03.8-08.8 |
| \$15,000- 24,999 | 476 | 54,891 | 83 | 28.7 | 22.4-35.0 | 193 | 36.3 | 30.8-41.8 | 137 | 28.6 | 23.3-33.9 | 63 | 6.4 | 04.4-08.4 |
| \$25,000- 34,999 | 303 | 33,455 | 22 | 14.3 | 07.8-20.8 | 117 | 42.1 | 34.7-49.5 | 104 | 30.8 | 24.5-37.1 | 60 | 12.8 | 08.3-17.3 |
| \$35,000- 49,999 | 388 | 47,326 | 8 | 2.3 | 00.5-04.1 | 124 | 35.4 | 28.5-42.3 | 142 | 42.4 | 35.3-49.5 | 114 | 20.0 | 15.5-24.5 |
| \$50,000- 74,999 | 391 | 46,464 | 9 | 6.6 | 01.5-11.7 | 84 | 25.7 | 19.8-31.6 | 105 | 31.2 | 25.1-37.3 | 193 | 36.5 | 30.4-42.6 |
| \$75,000+ | 710 | 95,705 | 6 | 2.0 | 00.0-04.0 | 83 | 14.2 | 10.7-17.7 | 163 | 32.6 | 27.7-37.5 | 458 | 51.2 | 46.3-56.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less Than 15,000 | | | \$15,000 lt 25,000 | | | \$25,000 lt 35,000 | | | \$35,000 lt 50,000 | | | \$50,000 or More | | |
|----------------------------|-------------------|----------|------------------|-------|------------|--------------------|-------|------------|--------------------|-------|------------|--------------------|-------|------------|------------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4388 | 614,414 | 430 | 9.7 | 08.3-11.1 | 738 | 16.1 | 14.7-17.5 | 495 | 10.6 | 09.4-11.8 | 688 | 15.6 | 14.0-17.2 | 2037 | 48.2 | 46.2-50.2 |
| Male | 1815 | 299,869 | 128 | 7.6 | 05.8-09.4 | 261 | 14.6 | 12.4-16.8 | 192 | 10.5 | 08.5-12.5 | 299 | 16.1 | 13.7-18.5 | 935 | 51.2 | 48.1-54.3 |
| Female | 2573 | 314,545 | 302 | 11.6 | 09.8-13.4 | 477 | 17.5 | 15.5-19.5 | 303 | 10.6 | 09.0-12.2 | 389 | 15.1 | 13.1-17.1 | 1102 | 45.2 | 42.7-47.7 |
| White/Non-Hisp | 3247 | 410,970 | 241 | 6.0 | 04.8-07.2 | 470 | 11.9 | 10.5-13.3 | 356 | 10.0 | 08.6-11.4 | 536 | 17.0 | 15.2-18.8 | 1644 | 55.1 | 52.7-57.5 |
| Black or Afr. Am./Non-Hisp | 659 | 121,266 | 105 | 17.3 | 13.2-21.4 | 162 | 23.9 | 19.8-28.0 | 82 | 11.6 | 08.7-14.5 | 96 | 12.7 | 09.6-15.8 | 214 | 34.6 | 29.7-39.5 |
| Oth. Race/Non-Hisp. | 176 | 28,034 | 20 | 6.2 | 02.9-09.5 | 32 | 20.1 | 10.1-30.1 | 14 | 5.4 | 01.9-08.9 | 22 | 19.9 | 07.4-32.4 | 88 | 48.4 | 37.0-59.8 |
| MultiRacial/Non-Hisp. | 61 | 4,421 | 11 | 17.6 | 05.3-29.9 | 13 | 18.5 | 07.1-29.9 | 11 | 18.7 | 06.9-30.5 | 10 | 16.6 | 04.1-29.1 | 16 | 28.6 | 15.1-42.1 |
| Hispanic | 208 | 44,715 | 47 | 23.6 | 16.0-31.2 | 55 | 31.3 | 23.7-38.9 | 29 | 13.9 | 08.4-19.4 | 21 | 8.7 | 04.0-13.4 | 56 | 22.5 | 16.2-28.8 |
| 18-24 | 209 | 66,298 | 41 | 19.4 | 13.1-25.7 | 44 | 16.3 | 11.2-21.4 | 21 | 8.7 | 04.4-13.0 | 34 | 19.8 | 12.5-27.1 | 69 | 35.8 | 27.8-43.8 |
| 25-34 | 452 | 106,855 | 45 | 12.1 | 07.8-16.4 | 70 | 13.8 | 10.3-17.3 | 57 | 12.8 | 09.1-16.5 | 77 | 17.4 | 13.1-21.7 | 203 | 43.9 | 38.2-49.6 |
| 35-44 | 552 | 100,478 | 30 | 5.7 | 03.2-08.2 | 77 | 15.8 | 12.1-19.5 | 49 | 7.7 | 05.3-10.1 | 70 | 11.8 | 08.7-14.9 | 326 | 59.0 | 54.1-63.9 |
| 45-54 | 798 | 115,989 | 47 | 4.5 | 02.9-06.1 | 101 | 11.4 | 08.7-14.1 | 77 | 9.6 | 06.9-12.3 | 106 | 12.4 | 09.7-15.1 | 467 | 62.1 | 58.0-66.2 |
| 55-64 | 975 | 107,144 | 100 | 8.7 | 06.3-11.1 | 153 | 17.4 | 13.7-21.1 | 93 | 9.7 | 07.3-12.1 | 148 | 14.4 | 11.9-16.9 | 481 | 49.8 | 45.7-53.9 |
| 65+ | 1390 | 117,039 | 167 | 11.4 | 09.2-13.6 | 292 | 21.6 | 18.7-24.5 | 198 | 13.9 | 11.5-16.3 | 251 | 18.8 | 16.3-21.3 | 482 | 34.3 | 31.2-37.4 |
| Less Than H.S. | 327 | 76,620 | 89 | 26.0 | 19.5-32.5 | 133 | 37.8 | 30.9-44.7 | 51 | 15.7 | 10.8-20.6 | 25 | 8.2 | 04.5-11.9 | 29 | 12.3 | 07.0-17.6 |
| H.S. or G.E.D. | 1291 | 190,017 | 187 | 11.0 | 09.0-13.0 | 302 | 19.6 | 17.1-22.1 | 208 | 15.1 | 12.7-17.5 | 244 | 20.1 | 17.2-23.0 | 350 | 34.3 | 30.8-37.8 |
| Some Post-H.S. | 1163 | 184,073 | 112 | 8.6 | 06.4-10.8 | 198 | 13.9 | 11.5-16.3 | 139 | 8.9 | 06.9-10.9 | 229 | 18.9 | 15.8-22.0 | 485 | 49.7 | 45.8-53.6 |
| College Graduate | 1601 | 163,311 | 41 | 1.8 | 01.2-02.4 | 104 | 4.2 | 03.2-05.2 | 96 | 4.6 | 03.4-05.8 | 189 | 10.1 | 08.3-11.9 | 1171 | 79.3 | 76.9-81.7 |
| Less than \$15,000 | 430 | 59,440 | 430 | 100.0 | 0100-0100 | | | | | | | | | | | | |
| \$15,000- 24,999 | 738 | 98,707 | | | | 738 | 100.0 | 0100-0100 | | | | | | | | | |
| \$25,000- 34,999 | 495 | 64,822 | | | | | | | 495 | 100.0 | 0100-0100 | | | | | | |
| \$35,000- 49,999 | 688 | 95,602 | | | | | | | | | | 688 | 100.0 | 0100-0100 | | | |
| \$50,000- 74,999 | 687 | 94,004 | | | | | | | | | | | | | 687 | 100.0 | 0100-0100 |
| \$75,000+ | 1350 | 201,839 | | | | | | | | | | | | | 1350 | 100.0 | 0100-0100 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less Than 15,000 | | | \$15,000 It 25,000 | | | \$25,000 It 35,000 | | | \$35,000 It 50,000 | | | \$50,000 or More | | |
|----------------------------|-------------------|----------|------------------|-------|------------|--------------------|-------|------------|--------------------|-------|------------|--------------------|-------|------------|------------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1815 | 299,869 | 128 | 7.6 | 05.8-09.4 | 261 | 14.6 | 12.4-16.8 | 192 | 10.5 | 08.5-12.5 | 299 | 16.1 | 13.7-18.5 | 935 | 51.2 | 48.1-54.3 |
| White/Non-Hisp | 1352 | 203,116 | 77 | 5.2 | 03.6-06.8 | 158 | 10.0 | 08.0-12.0 | 135 | 9.6 | 07.4-11.8 | 232 | 17.0 | 14.5-19.5 | 750 | 58.2 | 54.9-61.5 |
| Black or Afr. Am./Non-Hisp | 250 | 54,474 | 24 | 13.5 | 06.8-20.2 | 60 | 22.1 | 16.0-28.2 | 28 | 11.3 | 06.4-16.2 | 39 | 13.4 | 08.5-18.3 | 99 | 39.7 | 31.9-47.5 |
| Oth. Race/Non-Hisp. | 87 | 16,058 | 5 | 3.6 | 00.0-07.3 | 14 | 23.7 | 08.0-39.4 | 7 | 5.0 | 00.9-09.1 | 13 | 21.7 | 03.1-40.3 | 48 | 45.9 | 29.8-62.0 |
| Hispanic | 87 | 21,173 | 16 | 18.1 | 09.1-27.1 | 25 | 34.2 | 22.6-45.8 | 15 | 16.6 | 07.8-25.4 | 10 | 10.9 | 03.1-18.7 | 21 | 20.2 | 11.4-29.0 |
| 18-24 | 102 | 33,639 | 20 | 20.5 | 11.3-29.7 | 19 | 13.4 | 06.7-20.1 | 14 | 11.4 | 04.3-18.5 | 18 | 22.1 | 10.9-33.3 | 31 | 32.6 | 21.4-43.8 |
| 25-34 | 194 | 53,914 | 15 | 9.2 | 03.1-15.3 | 24 | 11.8 | 06.7-16.9 | 20 | 12.6 | 06.7-18.5 | 34 | 16.5 | 10.2-22.8 | 101 | 50.0 | 41.4-58.6 |
| 35-44 | 235 | 48,107 | 10 | 4.1 | 01.4-06.8 | 34 | 17.8 | 12.1-23.5 | 17 | 7.1 | 03.4-10.8 | 33 | 12.7 | 08.0-17.4 | 141 | 58.3 | 51.2-65.4 |
| 45-54 | 332 | 57,089 | 13 | 3.6 | 01.4-05.8 | 33 | 8.2 | 04.9-11.5 | 32 | 10.0 | 05.5-14.5 | 56 | 15.3 | 10.8-19.8 | 198 | 62.8 | 56.3-69.3 |
| 55-64 | 379 | 52,076 | 30 | 5.8 | 02.9-08.7 | 63 | 19.5 | 13.6-25.4 | 32 | 8.3 | 05.2-11.4 | 49 | 12.9 | 09.0-16.8 | 205 | 53.6 | 47.1-60.1 |
| 65+ | 571 | 55,004 | 40 | 7.2 | 04.5-09.9 | 88 | 17.4 | 13.1-21.7 | 77 | 13.3 | 10.0-16.6 | 109 | 18.8 | 14.9-22.7 | 257 | 43.3 | 38.2-48.4 |
| Less Than H.S. | 142 | 37,839 | 32 | 20.4 | 11.2-29.6 | 50 | 35.0 | 25.0-45.0 | 29 | 19.1 | 11.1-27.1 | 17 | 13.7 | 06.6-20.8 | 14 | 11.9 | 04.5-19.3 |
| H.S. or G.E.D. | 563 | 101,706 | 60 | 8.7 | 06.0-11.4 | 109 | 16.9 | 13.4-20.4 | 91 | 14.4 | 10.9-17.9 | 120 | 21.0 | 16.9-25.1 | 183 | 39.0 | 33.7-44.3 |
| Some Post-H.S. | 425 | 82,051 | 25 | 6.7 | 03.4-10.0 | 61 | 12.1 | 08.6-15.6 | 35 | 7.5 | 04.0-11.0 | 87 | 17.9 | 12.8-23.0 | 217 | 55.8 | 49.5-62.1 |
| College Graduate | 683 | 78,004 | 11 | 1.0 | 00.2-01.8 | 41 | 4.3 | 02.7-05.9 | 36 | 4.2 | 02.4-06.0 | 75 | 9.0 | 06.6-11.4 | 520 | 81.5 | 78.2-84.8 |
| Less than \$15,000 | 128 | 22,833 | 128 | 100.0 | 0100-0100 | | | | | | | | | | | | |
| \$15,000- 24,999 | 261 | 43,801 | | | | 261 | 100.0 | 0100-0100 | | | | | | | | | |
| \$25,000- 34,999 | 192 | 31,366 | | | | | | | 192 | 100.0 | 0100-0100 | | | | | | |
| \$35,000- 49,999 | 299 | 48,263 | | | | | | | | | | 299 | 100.0 | 0100-0100 | | | |
| \$50,000- 74,999 | 296 | 47,540 | | | | | | | | | | | | | 296 | 100.0 | 0100-0100 |
| \$75,000+ | 639 | 106,065 | | | | | | | | | | | | | 639 | 100.0 | 0100-0100 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less Than 15,000 | | | \$15,000 It 25,000 | | | \$25,000 It 35,000 | | | \$35,000 It 50,000 | | | \$50,000 or More | | |
|----------------------------|-------------------|----------|------------------|-------|------------|--------------------|-------|------------|--------------------|-------|------------|--------------------|-------|------------|------------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2573 | 314,545 | 302 | 11.6 | 09.8-13.4 | 477 | 17.5 | 15.5-19.5 | 303 | 10.6 | 09.0-12.2 | 389 | 15.1 | 13.1-17.1 | 1102 | 45.2 | 42.7-47.7 |
| White/Non-Hisp | 1895 | 207,854 | 164 | 6.9 | 05.5-08.3 | 312 | 13.6 | 11.6-15.6 | 221 | 10.5 | 08.7-12.3 | 304 | 16.9 | 14.5-19.3 | 894 | 52.1 | 49.2-55.0 |
| Black or Afr. Am./Non-Hisp | 409 | 66,793 | 81 | 20.4 | 15.1-25.7 | 102 | 25.3 | 19.8-30.8 | 54 | 11.7 | 08.2-15.2 | 57 | 12.1 | 08.2-16.0 | 115 | 30.4 | 24.3-36.5 |
| Oth. Race/Non-Hisp. | 89 | 11,976 | 15 | 9.6 | 03.7-15.5 | 18 | 15.3 | 06.7-23.9 | 7 | 6.0 | 00.0-12.1 | 9 | 17.4 | 02.5-32.3 | 40 | 51.7 | 37.0-66.4 |
| Hispanic | 121 | 23,542 | 31 | 28.5 | 16.9-40.1 | 30 | 28.7 | 18.5-38.9 | 14 | 11.5 | 04.4-18.6 | 11 | 6.7 | 01.6-11.8 | 35 | 24.6 | 15.6-33.6 |
| 18-24 | 107 | 32,659 | 21 | 18.4 | 09.6-27.2 | 25 | 19.2 | 11.4-27.0 | 7 | 5.9 | 01.2-10.6 | 16 | 17.5 | 08.3-26.7 | 38 | 39.0 | 27.6-50.4 |
| 25-34 | 258 | 52,941 | 30 | 15.0 | 08.9-21.1 | 46 | 15.8 | 10.9-20.7 | 37 | 13.0 | 08.3-17.7 | 43 | 18.4 | 12.3-24.5 | 102 | 37.8 | 30.7-44.9 |
| 35-44 | 317 | 52,371 | 20 | 7.3 | 03.2-11.4 | 43 | 14.0 | 09.1-18.9 | 32 | 8.2 | 05.1-11.3 | 37 | 10.9 | 06.8-15.0 | 185 | 59.6 | 52.9-66.3 |
| 45-54 | 466 | 58,900 | 34 | 5.4 | 03.2-07.6 | 68 | 14.5 | 10.4-18.6 | 45 | 9.2 | 05.9-12.5 | 50 | 9.6 | 06.5-12.7 | 269 | 61.3 | 56.0-66.6 |
| 55-64 | 596 | 55,068 | 70 | 11.5 | 07.8-15.2 | 90 | 15.4 | 11.1-19.7 | 61 | 11.0 | 07.5-14.5 | 99 | 15.8 | 12.5-19.1 | 276 | 46.3 | 41.2-51.4 |
| 65+ | 819 | 62,035 | 127 | 15.1 | 12.2-18.0 | 204 | 25.4 | 21.7-29.1 | 121 | 14.4 | 11.3-17.5 | 142 | 18.8 | 15.3-22.3 | 225 | 26.4 | 22.7-30.1 |
| Less Than H.S. | 185 | 38,782 | 57 | 31.4 | 22.2-40.6 | 83 | 40.6 | 31.4-49.8 | 22 | 12.4 | 06.5-18.3 | 8 | 2.8 | 00.6-05.0 | 15 | 12.8 | 05.4-20.2 |
| H.S. or G.E.D. | 728 | 88,310 | 127 | 13.6 | 10.7-16.5 | 193 | 22.6 | 18.9-26.3 | 117 | 16.0 | 12.7-19.3 | 124 | 19.0 | 14.7-23.3 | 167 | 28.9 | 24.4-33.4 |
| Some Post-H.S. | 738 | 102,022 | 87 | 10.1 | 07.2-13.0 | 137 | 15.4 | 12.3-18.5 | 104 | 10.1 | 07.7-12.5 | 142 | 19.7 | 15.8-23.6 | 268 | 44.8 | 40.1-49.5 |
| College Graduate | 918 | 85,306 | 30 | 2.5 | 01.5-03.5 | 63 | 4.1 | 02.7-05.5 | 60 | 5.0 | 03.2-06.8 | 114 | 11.1 | 08.7-13.5 | 651 | 77.3 | 74.2-80.4 |
| Less than \$15,000 | 302 | 36,607 | 302 | 100.0 | 0100-0100 | | | | | | | | | | | | |
| \$15,000- 24,999 | 477 | 54,905 | | | | 477 | 100.0 | 0100-0100 | | | | | | | | | |
| \$25,000- 34,999 | 303 | 33,455 | | | | | | | 303 | 100.0 | 0100-0100 | | | | | | |
| \$35,000- 49,999 | 389 | 47,340 | | | | | | | | | | 389 | 100.0 | 0100-0100 | | | |
| \$50,000- 74,999 | 391 | 46,464 | | | | | | | | | | | | | 391 | 100.0 | 0100-0100 |
| \$75,000+ | 711 | 95,773 | | | | | | | | | | | | | 711 | 100.0 | 0100-0100 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 9: TOBACCO USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3) | |
| 1 | MALES AND FEMALES | 86 |
| 2 | MALES ONLY | 87 |
| 3 | FEMALES ONLY | 88 |
| | ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3) | |
| 4 | MALES AND FEMALES | 89 |
| 5 | MALES ONLY | 90 |
| 6 | FEMALES ONLY | 91 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
|----------------------------|-------------------|----------|----------------|------|------------|-----------------|------|------------|---------------|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5052 | 700,581 | 587 | 13.4 | 12.0-14.8 | 255 | 6.1 | 05.1-07.1 | 1526 | 25.4 | 23.8-27.0 | 2684 | 55.0 | 53.0-57.0 |
| Male | 2013 | 334,604 | 271 | 15.2 | 13.0-17.4 | 105 | 6.8 | 05.2-08.4 | 671 | 27.7 | 25.2-30.2 | 966 | 50.3 | 47.4-53.2 |
| Female | 3039 | 365,978 | 316 | 11.8 | 10.0-13.6 | 150 | 5.5 | 04.1-06.9 | 855 | 23.3 | 21.3-25.3 | 1718 | 59.3 | 56.9-61.7 |
| White/Non-Hisp | 3741 | 472,869 | 443 | 14.2 | 12.6-15.8 | 161 | 4.8 | 03.6-06.0 | 1277 | 30.2 | 28.2-32.2 | 1860 | 50.8 | 48.6-53.0 |
| Black or Afr. Am./Non-Hisp | 735 | 132,458 | 84 | 13.9 | 10.2-17.6 | 53 | 9.1 | 06.4-11.8 | 135 | 15.0 | 11.9-18.1 | 463 | 62.0 | 57.3-66.7 |
| Oth. Race/Non-Hisp. | 199 | 30,102 | 15 | 6.2 | 02.1-10.3 | 12 | 4.0 | 01.3-06.7 | 36 | 16.3 | 07.3-25.3 | 136 | 73.4 | 63.8-83.0 |
| MultiRacial/Non-Hisp. | 69 | 5,147 | 20 | 28.6 | 15.7-41.5 | 7 | 8.5 | 01.1-15.9 | 13 | 18.9 | 07.5-30.3 | 29 | 44.0 | 29.7-58.3 |
| Hispanic | 239 | 52,239 | 23 | 10.2 | 05.7-14.7 | 20 | 12.1 | 06.2-18.0 | 44 | 14.2 | 09.5-18.9 | 152 | 63.5 | 56.1-70.9 |
| 18-24 | 270 | 88,230 | 33 | 13.2 | 08.3-18.1 | 20 | 6.8 | 03.3-10.3 | 15 | 5.9 | 02.6-09.2 | 202 | 74.0 | 67.7-80.3 |
| 25-34 | 479 | 114,961 | 75 | 17.1 | 12.6-21.6 | 36 | 9.9 | 05.8-14.0 | 65 | 12.4 | 08.9-15.9 | 303 | 60.6 | 54.9-66.3 |
| 35-44 | 591 | 107,102 | 74 | 14.2 | 10.7-17.7 | 43 | 7.7 | 05.0-10.4 | 104 | 19.2 | 15.3-23.1 | 370 | 58.9 | 54.0-63.8 |
| 45-54 | 865 | 126,292 | 143 | 18.3 | 15.0-21.6 | 58 | 6.0 | 04.0-08.0 | 208 | 25.4 | 21.7-29.1 | 456 | 50.3 | 46.2-54.4 |
| 55-64 | 1075 | 117,921 | 162 | 14.3 | 11.6-17.0 | 51 | 4.5 | 03.1-05.9 | 349 | 33.9 | 30.0-37.8 | 513 | 47.3 | 43.4-51.2 |
| 65+ | 1721 | 141,392 | 100 | 5.4 | 04.0-06.8 | 46 | 3.0 | 01.8-04.2 | 770 | 45.9 | 43.0-48.8 | 805 | 45.7 | 42.8-48.6 |
| Less Than H.S. | 387 | 90,276 | 75 | 21.0 | 15.5-26.5 | 32 | 9.5 | 05.6-13.4 | 122 | 23.7 | 18.2-29.2 | 158 | 45.8 | 39.1-52.5 |
| H.S. or G.E.D. | 1521 | 219,921 | 253 | 18.3 | 15.6-21.0 | 97 | 8.0 | 05.6-10.4 | 479 | 27.4 | 24.7-30.1 | 692 | 46.2 | 42.9-49.5 |
| Some Post-H.S. | 1321 | 207,938 | 166 | 12.6 | 10.2-15.0 | 77 | 6.0 | 04.4-07.6 | 420 | 26.5 | 23.6-29.4 | 658 | 55.0 | 51.5-58.5 |
| College Graduate | 1808 | 181,031 | 93 | 4.8 | 03.6-06.0 | 48 | 2.3 | 01.5-03.1 | 500 | 22.8 | 20.4-25.2 | 1167 | 70.1 | 67.6-72.6 |
| Less than \$15,000 | 419 | 56,850 | 85 | 20.7 | 14.2-27.2 | 32 | 9.0 | 04.7-13.3 | 121 | 18.2 | 14.1-22.3 | 181 | 52.2 | 44.9-59.5 |
| \$15,000- 24,999 | 717 | 95,269 | 116 | 16.9 | 13.4-20.4 | 63 | 10.1 | 07.0-13.2 | 193 | 24.2 | 19.9-28.5 | 345 | 48.8 | 43.9-53.7 |
| \$25,000- 34,999 | 484 | 62,680 | 89 | 20.5 | 15.6-25.4 | 23 | 6.6 | 03.1-10.1 | 140 | 25.0 | 20.1-29.9 | 232 | 47.9 | 41.8-54.0 |
| \$35,000- 49,999 | 677 | 92,427 | 89 | 13.7 | 10.4-17.0 | 40 | 6.9 | 04.2-09.6 | 220 | 26.8 | 22.7-30.9 | 328 | 52.6 | 47.5-57.7 |
| \$50,000- 74,999 | 681 | 93,595 | 68 | 12.2 | 08.7-15.7 | 28 | 4.7 | 02.5-06.9 | 225 | 28.7 | 24.2-33.2 | 360 | 54.4 | 49.3-59.5 |
| \$75,000+ | 1322 | 199,560 | 87 | 9.9 | 07.4-12.4 | 35 | 3.4 | 01.8-05.0 | 389 | 25.6 | 22.7-28.5 | 811 | 61.1 | 57.6-64.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
|----------------------------|-------------------|----------|----------------|------|------------|-----------------|------|------------|---------------|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2013 | 334,604 | 271 | 15.2 | 13.0-17.4 | 105 | 6.8 | 05.2-08.4 | 671 | 27.7 | 25.2-30.2 | 966 | 50.3 | 47.4-53.2 |
| White/Non-Hisp | 1491 | 225,677 | 199 | 15.4 | 12.9-17.9 | 57 | 4.4 | 02.8-06.0 | 558 | 33.3 | 30.2-36.4 | 677 | 47.0 | 43.7-50.3 |
| Black or Afr. Am./Non-Hisp | 273 | 61,576 | 43 | 19.0 | 12.3-25.7 | 29 | 13.4 | 08.1-18.7 | 52 | 13.1 | 08.8-17.4 | 149 | 54.4 | 46.6-62.2 |
| Oth. Race/Non-Hisp. | 93 | 16,715 | 9 | 7.3 | 01.4-13.2 | 5 | 2.8 | 00.0-05.9 | 22 | 21.4 | 06.5-36.3 | 57 | 68.5 | 53.2-83.8 |
| Hispanic | 97 | 23,601 | 10 | 10.7 | 04.0-17.4 | 11 | 16.1 | 06.9-25.3 | 20 | 16.5 | 08.9-24.1 | 56 | 56.7 | 45.5-67.9 |
| 18-24 | 133 | 45,320 | 16 | 11.8 | 05.3-18.3 | 15 | 10.5 | 04.2-16.8 | 9 | 7.2 | 02.1-12.3 | 93 | 70.6 | 61.4-79.8 |
| 25-34 | 205 | 57,572 | 37 | 21.6 | 14.2-29.0 | 18 | 9.1 | 04.4-13.8 | 26 | 11.6 | 06.3-16.9 | 124 | 57.7 | 49.3-66.1 |
| 35-44 | 248 | 51,856 | 37 | 15.8 | 10.7-20.9 | 24 | 10.7 | 06.0-15.4 | 54 | 22.2 | 16.1-28.3 | 133 | 51.3 | 44.0-58.6 |
| 45-54 | 353 | 60,402 | 64 | 19.2 | 14.1-24.3 | 20 | 6.0 | 02.9-09.1 | 82 | 26.3 | 20.2-32.4 | 187 | 48.4 | 41.9-54.9 |
| 55-64 | 412 | 56,357 | 73 | 17.0 | 12.3-21.7 | 11 | 2.9 | 00.9-04.9 | 146 | 36.7 | 30.6-42.8 | 182 | 43.5 | 37.6-49.4 |
| 65+ | 647 | 61,708 | 44 | 6.2 | 04.0-08.4 | 17 | 2.9 | 00.9-04.9 | 351 | 56.0 | 51.3-60.7 | 235 | 34.9 | 30.4-39.4 |
| Less Than H.S. | 162 | 44,393 | 34 | 21.7 | 12.9-30.5 | 15 | 12.2 | 05.9-18.5 | 60 | 26.2 | 18.0-34.4 | 53 | 39.8 | 29.8-49.8 |
| H.S. or G.E.D. | 625 | 112,843 | 126 | 21.0 | 16.9-25.1 | 47 | 8.5 | 05.4-11.6 | 221 | 30.1 | 25.8-34.4 | 231 | 40.4 | 35.3-45.5 |
| Some Post-H.S. | 462 | 91,130 | 71 | 14.8 | 10.7-18.9 | 24 | 6.2 | 03.5-08.9 | 166 | 28.7 | 23.8-33.6 | 201 | 50.2 | 44.3-56.1 |
| College Graduate | 756 | 85,100 | 40 | 4.9 | 02.9-06.9 | 19 | 2.4 | 01.0-03.8 | 221 | 24.4 | 20.7-28.1 | 476 | 68.3 | 64.2-72.4 |
| Less than \$15,000 | 124 | 22,293 | 29 | 26.5 | 13.0-40.0 | 8 | 9.9 | 02.6-17.2 | 36 | 17.6 | 10.3-24.9 | 51 | 46.1 | 33.6-58.6 |
| \$15,000- 24,999 | 250 | 41,780 | 50 | 18.4 | 12.7-24.1 | 25 | 14.1 | 08.0-20.2 | 69 | 23.7 | 16.4-31.0 | 106 | 43.8 | 36.0-51.6 |
| \$25,000- 34,999 | 186 | 29,930 | 38 | 22.6 | 14.2-31.0 | 7 | 6.2 | 01.3-11.1 | 68 | 29.2 | 21.2-37.2 | 73 | 42.0 | 32.4-51.6 |
| \$35,000- 49,999 | 293 | 47,141 | 44 | 15.4 | 10.5-20.3 | 23 | 9.3 | 04.6-14.0 | 101 | 28.2 | 21.7-34.7 | 125 | 47.1 | 39.1-55.1 |
| \$50,000- 74,999 | 292 | 47,316 | 39 | 16.7 | 11.0-22.4 | 8 | 1.8 | 00.2-03.4 | 111 | 31.2 | 24.5-37.9 | 134 | 50.2 | 42.6-57.8 |
| \$75,000+ | 624 | 104,612 | 50 | 11.8 | 08.1-15.5 | 19 | 4.3 | 01.8-06.8 | 200 | 27.8 | 23.5-32.1 | 355 | 56.0 | 50.9-61.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
|----------------------------|-------------------|----------|----------------|------|------------|-----------------|------|------------|---------------|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3039 | 365,978 | 316 | 11.8 | 10.0-13.6 | 150 | 5.5 | 04.1-06.9 | 855 | 23.3 | 21.3-25.3 | 1718 | 59.3 | 56.9-61.7 |
| White/Non-Hisp | 2250 | 247,193 | 244 | 13.0 | 10.8-15.2 | 104 | 5.2 | 03.6-06.8 | 719 | 27.4 | 25.0-29.8 | 1183 | 54.3 | 51.4-57.2 |
| Black or Afr. Am./Non-Hisp | 462 | 70,881 | 41 | 9.4 | 06.1-12.7 | 24 | 5.3 | 02.8-07.8 | 83 | 16.6 | 12.1-21.1 | 314 | 68.6 | 63.1-74.1 |
| Oth. Race/Non-Hisp. | 106 | 13,387 | 6 | 4.9 | 00.0-10.6 | 7 | 5.5 | 00.8-10.2 | 14 | 10.0 | 03.3-16.7 | 79 | 79.5 | 69.9-89.1 |
| Hispanic | 142 | 28,638 | 13 | 9.8 | 03.5-16.1 | 9 | 8.9 | 01.5-16.3 | 24 | 12.3 | 06.8-17.8 | 96 | 69.0 | 59.2-78.8 |
| 18-24 | 137 | 42,911 | 17 | 14.7 | 07.3-22.1 | 5 | 3.0 | 00.1-05.9 | 6 | 4.6 | 00.3-08.9 | 109 | 77.7 | 69.3-86.1 |
| 25-34 | 274 | 57,390 | 38 | 12.6 | 07.9-17.3 | 18 | 10.6 | 03.9-17.3 | 39 | 13.3 | 08.6-18.0 | 179 | 63.5 | 55.9-71.1 |
| 35-44 | 343 | 55,246 | 37 | 12.7 | 08.0-17.4 | 19 | 4.8 | 02.3-07.3 | 50 | 16.5 | 11.2-21.8 | 237 | 66.0 | 59.5-72.5 |
| 45-54 | 512 | 65,889 | 79 | 17.4 | 13.1-21.7 | 38 | 6.1 | 03.7-08.5 | 126 | 24.6 | 20.1-29.1 | 269 | 52.0 | 46.7-57.3 |
| 55-64 | 663 | 61,563 | 89 | 11.9 | 09.2-14.6 | 40 | 5.9 | 03.7-08.1 | 203 | 31.4 | 26.5-36.3 | 331 | 50.8 | 45.9-55.7 |
| 65+ | 1074 | 79,684 | 56 | 4.8 | 03.2-06.4 | 29 | 3.0 | 01.4-04.6 | 419 | 38.1 | 34.6-41.6 | 570 | 54.0 | 50.3-57.7 |
| Less Than H.S. | 225 | 45,883 | 41 | 20.3 | 13.4-27.2 | 17 | 6.8 | 02.3-11.3 | 62 | 21.2 | 14.1-28.3 | 105 | 51.6 | 42.8-60.4 |
| H.S. or G.E.D. | 896 | 107,077 | 127 | 15.5 | 12.0-19.0 | 50 | 7.6 | 04.1-11.1 | 258 | 24.6 | 21.1-28.1 | 461 | 52.3 | 47.8-56.8 |
| Some Post-H.S. | 859 | 116,808 | 95 | 10.9 | 08.2-13.6 | 53 | 5.8 | 03.8-07.8 | 254 | 24.7 | 21.2-28.2 | 457 | 58.6 | 54.3-62.9 |
| College Graduate | 1052 | 95,931 | 53 | 4.7 | 02.9-06.5 | 29 | 2.3 | 01.3-03.3 | 279 | 21.3 | 18.4-24.2 | 691 | 71.7 | 68.4-75.0 |
| Less than \$15,000 | 295 | 34,557 | 56 | 16.9 | 11.6-22.2 | 24 | 8.4 | 03.1-13.7 | 85 | 18.5 | 13.4-23.6 | 130 | 56.1 | 47.9-64.3 |
| \$15,000- 24,999 | 467 | 53,490 | 66 | 15.7 | 11.0-20.4 | 38 | 7.0 | 04.3-09.7 | 124 | 24.6 | 19.3-29.9 | 239 | 52.7 | 46.6-58.8 |
| \$25,000- 34,999 | 298 | 32,750 | 51 | 18.6 | 12.9-24.3 | 16 | 6.9 | 02.2-11.6 | 72 | 21.2 | 15.1-27.3 | 159 | 53.3 | 45.9-60.7 |
| \$35,000- 49,999 | 384 | 45,286 | 45 | 12.0 | 07.7-16.3 | 17 | 4.3 | 01.9-06.7 | 119 | 25.4 | 20.1-30.7 | 203 | 58.4 | 51.9-64.9 |
| \$50,000- 74,999 | 389 | 46,279 | 29 | 7.6 | 03.9-11.3 | 20 | 7.6 | 03.7-11.5 | 114 | 26.2 | 20.5-31.9 | 226 | 58.7 | 52.0-65.4 |
| \$75,000+ | 698 | 94,948 | 37 | 7.9 | 04.8-11.0 | 16 | 2.3 | 00.9-03.7 | 189 | 23.0 | 19.3-26.7 | 456 | 66.8 | 62.3-71.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5052 | 700,581 | 4210 | 80.4 | 78.8-82.0 | 842 | 19.6 | 18.0-21.2 |
| Male | 2013 | 334,604 | 1637 | 78.0 | 75.5-80.5 | 376 | 22.0 | 19.5-24.5 |
| Female | 3039 | 365,978 | 2573 | 82.7 | 80.7-84.7 | 466 | 17.3 | 15.3-19.3 |
| White/Non-Hisp | 3741 | 472,869 | 3137 | 81.0 | 79.0-83.0 | 604 | 19.0 | 17.0-21.0 |
| Black or Afr. Am./Non-Hisp | 735 | 132,458 | 598 | 77.0 | 72.7-81.3 | 137 | 23.0 | 18.7-27.3 |
| Oth. Race/Non-Hisp. | 199 | 30,102 | 172 | 89.7 | 84.8-94.6 | 27 | 10.3 | 05.4-15.2 |
| MultiRacial/Non-Hisp. | 69 | 5,147 | 42 | 63.0 | 49.3-76.7 | 27 | 37.0 | 23.3-50.7 |
| Hispanic | 239 | 52,239 | 196 | 77.7 | 70.8-84.6 | 43 | 22.3 | 15.4-29.2 |
| 18-24 | 270 | 88,230 | 217 | 79.9 | 74.2-85.6 | 53 | 20.1 | 14.4-25.8 |
| 25-34 | 479 | 114,961 | 368 | 73.1 | 67.6-78.6 | 111 | 26.9 | 21.4-32.4 |
| 35-44 | 591 | 107,102 | 474 | 78.1 | 74.0-82.2 | 117 | 21.9 | 17.8-26.0 |
| 45-54 | 865 | 126,292 | 664 | 75.7 | 72.0-79.4 | 201 | 24.3 | 20.6-28.0 |
| 55-64 | 1075 | 117,921 | 862 | 81.2 | 78.3-84.1 | 213 | 18.8 | 15.9-21.7 |
| 65+ | 1721 | 141,392 | 1575 | 91.6 | 89.8-93.4 | 146 | 8.4 | 06.6-10.2 |
| Less Than H.S. | 387 | 90,276 | 280 | 69.5 | 63.2-75.8 | 107 | 30.5 | 24.2-36.8 |
| H.S. or G.E.D. | 1521 | 219,921 | 1171 | 73.6 | 70.5-76.7 | 350 | 26.4 | 23.3-29.5 |
| Some Post-H.S. | 1321 | 207,938 | 1078 | 81.4 | 78.7-84.1 | 243 | 18.6 | 15.9-21.3 |
| College Graduate | 1808 | 181,031 | 1667 | 92.9 | 91.3-94.5 | 141 | 7.1 | 05.5-08.7 |
| Less than \$15,000 | 419 | 56,850 | 302 | 70.4 | 63.3-77.5 | 117 | 29.6 | 22.5-36.7 |
| \$15,000- 24,999 | 717 | 95,269 | 538 | 73.0 | 68.7-77.3 | 179 | 27.0 | 22.7-31.3 |
| \$25,000- 34,999 | 484 | 62,680 | 372 | 72.9 | 67.4-78.4 | 112 | 27.1 | 21.6-32.6 |
| \$35,000- 49,999 | 677 | 92,427 | 548 | 79.4 | 75.5-83.3 | 129 | 20.6 | 16.7-24.5 |
| \$50,000- 74,999 | 681 | 93,595 | 585 | 83.1 | 79.2-87.0 | 96 | 16.9 | 13.0-20.8 |
| \$75,000+ | 1322 | 199,560 | 1200 | 86.7 | 84.0-89.4 | 122 | 13.3 | 10.6-16.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2013 | 334,604 | 1637 | 78.0 | 75.5-80.5 | 376 | 22.0 | 19.5-24.5 |
| White/Non-Hisp | 1491 | 225,677 | 1235 | 80.2 | 77.5-82.9 | 256 | 19.8 | 17.1-22.5 |
| Black or Afr. Am./Non-Hisp | 273 | 61,576 | 201 | 67.5 | 59.9-75.1 | 72 | 32.5 | 24.9-40.1 |
| Oth. Race/Non-Hisp. | 93 | 16,715 | 79 | 89.9 | 83.2-96.6 | 14 | 10.1 | 03.4-16.8 |
| Hispanic | 97 | 23,601 | 76 | 73.2 | 62.8-83.6 | 21 | 26.8 | 16.4-37.2 |
| 18-24 | 133 | 45,320 | 102 | 77.7 | 69.3-86.1 | 31 | 22.3 | 13.9-30.7 |
| 25-34 | 205 | 57,572 | 150 | 69.3 | 61.3-77.3 | 55 | 30.7 | 22.7-38.7 |
| 35-44 | 248 | 51,856 | 187 | 73.4 | 66.9-79.9 | 61 | 26.6 | 20.1-33.1 |
| 45-54 | 353 | 60,402 | 269 | 74.7 | 69.0-80.4 | 84 | 25.3 | 19.6-31.0 |
| 55-64 | 412 | 56,357 | 328 | 80.1 | 75.2-85.0 | 84 | 19.9 | 15.0-24.8 |
| 65+ | 647 | 61,708 | 586 | 90.9 | 88.0-93.8 | 61 | 9.1 | 06.2-12.0 |
| Less Than H.S. | 162 | 44,393 | 113 | 66.1 | 56.5-75.7 | 49 | 33.9 | 24.3-43.5 |
| H.S. or G.E.D. | 625 | 112,843 | 452 | 70.6 | 65.9-75.3 | 173 | 29.4 | 24.7-34.1 |
| Some Post-H.S. | 462 | 91,130 | 367 | 79.0 | 74.3-83.7 | 95 | 21.0 | 16.3-25.7 |
| College Graduate | 756 | 85,100 | 697 | 92.8 | 90.4-95.2 | 59 | 7.2 | 04.8-09.6 |
| Less than \$15,000 | 124 | 22,293 | 87 | 63.7 | 50.4-77.0 | 37 | 36.3 | 23.0-49.6 |
| \$15,000- 24,999 | 250 | 41,780 | 175 | 67.5 | 60.1-74.9 | 75 | 32.5 | 25.1-39.9 |
| \$25,000- 34,999 | 186 | 29,930 | 141 | 71.2 | 62.2-80.2 | 45 | 28.8 | 19.8-37.8 |
| \$35,000- 49,999 | 293 | 47,141 | 226 | 75.3 | 68.8-81.8 | 67 | 24.7 | 18.2-31.2 |
| \$50,000- 74,999 | 292 | 47,316 | 245 | 81.4 | 75.5-87.3 | 47 | 18.6 | 12.7-24.5 |
| \$75,000+ | 624 | 104,612 | 555 | 83.8 | 79.5-88.1 | 69 | 16.2 | 11.9-20.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3039 | 365,978 | 2573 | 82.7 | 80.7-84.7 | 466 | 17.3 | 15.3-19.3 |
| White/Non-Hisp | 2250 | 247,193 | 1902 | 81.8 | 79.3-84.3 | 348 | 18.2 | 15.7-20.7 |
| Black or Afr. Am./Non-Hisp | 462 | 70,881 | 397 | 85.3 | 81.2-89.4 | 65 | 14.7 | 10.6-18.8 |
| Oth. Race/Non-Hisp. | 106 | 13,387 | 93 | 89.5 | 82.2-96.8 | 13 | 10.5 | 03.2-17.8 |
| Hispanic | 142 | 28,638 | 120 | 81.4 | 72.4-90.4 | 22 | 18.6 | 09.6-27.6 |
| 18-24 | 137 | 42,911 | 115 | 82.3 | 74.5-90.1 | 22 | 17.7 | 09.9-25.5 |
| 25-34 | 274 | 57,390 | 218 | 76.8 | 69.5-84.1 | 56 | 23.2 | 15.9-30.5 |
| 35-44 | 343 | 55,246 | 287 | 82.5 | 77.2-87.8 | 56 | 17.5 | 12.2-22.8 |
| 45-54 | 512 | 65,889 | 395 | 76.6 | 71.9-81.3 | 117 | 23.4 | 18.7-28.1 |
| 55-64 | 663 | 61,563 | 534 | 82.2 | 78.9-85.5 | 129 | 17.8 | 14.5-21.1 |
| 65+ | 1074 | 79,684 | 989 | 92.1 | 89.9-94.3 | 85 | 7.9 | 05.7-10.1 |
| Less Than H.S. | 225 | 45,883 | 167 | 72.9 | 65.3-80.5 | 58 | 27.1 | 19.5-34.7 |
| H.S. or G.E.D. | 896 | 107,077 | 719 | 76.9 | 72.4-81.4 | 177 | 23.1 | 18.6-27.6 |
| Some Post-H.S. | 859 | 116,808 | 711 | 83.3 | 80.2-86.4 | 148 | 16.7 | 13.6-19.8 |
| College Graduate | 1052 | 95,931 | 970 | 93.0 | 91.0-95.0 | 82 | 7.0 | 05.0-09.0 |
| Less than \$15,000 | 295 | 34,557 | 215 | 74.7 | 67.6-81.8 | 80 | 25.3 | 18.2-32.4 |
| \$15,000- 24,999 | 467 | 53,490 | 363 | 77.3 | 72.2-82.4 | 104 | 22.7 | 17.6-27.8 |
| \$25,000- 34,999 | 298 | 32,750 | 231 | 74.5 | 67.8-81.2 | 67 | 25.5 | 18.8-32.2 |
| \$35,000- 49,999 | 384 | 45,286 | 322 | 83.7 | 79.0-88.4 | 62 | 16.3 | 11.6-21.0 |
| \$50,000- 74,999 | 389 | 46,279 | 340 | 84.9 | 79.8-90.0 | 49 | 15.1 | 10.0-20.2 |
| \$75,000+ | 698 | 94,948 | 645 | 89.8 | 86.5-93.1 | 53 | 10.2 | 06.9-13.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5) | |
| 1 MALES AND FEMALES | 94 |
| 2 MALES ONLY | 95 |
| 3 FEMALES ONLY | 96 |
| DRINK-OCCASIONS-PER-DAY (DROCDY3_) | |
| 4 MALES AND FEMALES | 97 |
| 5 MALES ONLY | 98 |
| 6 FEMALES ONLY | 99 |
| BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5) | |
| 7 MALES AND FEMALES | 100 |
| 8 MALES ONLY | 101 |
| 9 FEMALES ONLY | 102 |
| CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4) | |
| 10 MALES AND FEMALES | 103 |
| 11 MALES ONLY | 104 |
| 12 FEMALES ONLY | 105 |
| CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4) | |
| 13 MALES AND FEMALES | 106 |
| 14 MALES ONLY | 107 |
| 15 FEMALES ONLY | 108 |
| HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4) | |
| 16 MALES AND FEMALES | 109 |
| 17 MALES ONLY | 110 |
| 18 FEMALES ONLY | 111 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| 19 | ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4) MALES ONLY | 112 |
| 20 | ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4) FEMALES ONLY | 113 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5020 | 696,743 | 2725 | 57.1 | 55.1-59.1 | 2295 | 42.9 | 40.9-44.9 |
| Male | 2008 | 333,492 | 1253 | 64.4 | 61.7-67.1 | 755 | 35.6 | 32.9-38.3 |
| Female | 3012 | 363,250 | 1472 | 50.4 | 47.9-52.9 | 1540 | 49.6 | 47.1-52.1 |
| White/Non-Hisp | 3718 | 470,384 | 2153 | 61.3 | 59.1-63.5 | 1565 | 38.7 | 36.5-40.9 |
| Black or Afr. Am./Non-Hisp | 731 | 131,610 | 299 | 47.4 | 42.5-52.3 | 432 | 52.6 | 47.7-57.5 |
| Oth. Race/Non-Hisp. | 200 | 30,272 | 82 | 48.7 | 37.7-59.7 | 118 | 51.3 | 40.3-62.3 |
| MultiRacial/Non-Hisp. | 68 | 4,894 | 37 | 52.8 | 38.5-67.1 | 31 | 47.2 | 32.9-61.5 |
| Hispanic | 237 | 51,809 | 116 | 48.3 | 40.5-56.1 | 121 | 51.7 | 43.9-59.5 |
| 18-24 | 266 | 86,592 | 162 | 59.1 | 51.8-66.4 | 104 | 40.9 | 33.6-48.2 |
| 25-34 | 476 | 114,291 | 303 | 64.8 | 59.3-70.3 | 173 | 35.2 | 29.7-40.7 |
| 35-44 | 589 | 107,204 | 356 | 61.7 | 57.0-66.4 | 233 | 38.3 | 33.6-43.0 |
| 45-54 | 854 | 125,137 | 495 | 59.1 | 55.0-63.2 | 359 | 40.9 | 36.8-45.0 |
| 55-64 | 1069 | 117,519 | 593 | 55.8 | 51.9-59.7 | 476 | 44.2 | 40.3-48.1 |
| 65+ | 1715 | 141,421 | 795 | 46.2 | 43.3-49.1 | 920 | 53.8 | 50.9-56.7 |
| Less Than H.S. | 391 | 90,454 | 126 | 36.3 | 30.0-42.6 | 265 | 63.7 | 57.4-70.0 |
| H.S. or G.E.D. | 1509 | 218,375 | 692 | 51.1 | 47.6-54.6 | 817 | 48.9 | 45.4-52.4 |
| Some Post-H.S. | 1314 | 207,146 | 736 | 62.3 | 59.0-65.6 | 578 | 37.7 | 34.4-41.0 |
| College Graduate | 1792 | 179,539 | 1166 | 69.0 | 66.3-71.7 | 626 | 31.0 | 28.3-33.7 |
| Less than \$15,000 | 419 | 57,192 | 140 | 37.8 | 30.9-44.7 | 279 | 62.2 | 55.3-69.1 |
| \$15,000- 24,999 | 717 | 95,381 | 272 | 40.1 | 35.4-44.8 | 445 | 59.9 | 55.2-64.6 |
| \$25,000- 34,999 | 483 | 62,704 | 248 | 52.7 | 46.6-58.8 | 235 | 47.3 | 41.2-53.4 |
| \$35,000- 49,999 | 672 | 91,710 | 376 | 61.0 | 56.1-65.9 | 296 | 39.0 | 34.1-43.9 |
| \$50,000- 74,999 | 676 | 92,958 | 418 | 63.0 | 58.1-67.9 | 258 | 37.0 | 32.1-41.9 |
| \$75,000+ | 1314 | 198,081 | 944 | 72.5 | 69.4-75.6 | 370 | 27.5 | 24.4-30.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2008 | 333,492 | 1253 | 64.4 | 61.7-67.1 | 755 | 35.6 | 32.9-38.3 |
| White/Non-Hisp | 1489 | 225,234 | 956 | 66.3 | 63.2-69.4 | 533 | 33.7 | 30.6-36.8 |
| Black or Afr. Am./Non-Hisp | 272 | 61,029 | 147 | 58.5 | 50.9-66.1 | 125 | 41.5 | 33.9-49.1 |
| Oth. Race/Non-Hisp. | 93 | 16,943 | 48 | 57.2 | 41.3-73.1 | 45 | 42.8 | 26.9-58.7 |
| Hispanic | 96 | 23,258 | 63 | 64.0 | 53.0-75.0 | 33 | 36.0 | 25.0-47.0 |
| 18-24 | 130 | 43,847 | 85 | 64.2 | 54.2-74.2 | 45 | 35.8 | 25.8-45.8 |
| 25-34 | 205 | 57,455 | 155 | 76.3 | 69.0-83.6 | 50 | 23.7 | 16.4-31.0 |
| 35-44 | 250 | 52,408 | 159 | 64.0 | 57.1-70.9 | 91 | 36.0 | 29.1-42.9 |
| 45-54 | 349 | 59,769 | 220 | 63.7 | 57.2-70.2 | 129 | 36.3 | 29.8-42.8 |
| 55-64 | 409 | 56,142 | 263 | 64.3 | 58.2-70.4 | 146 | 35.7 | 29.6-41.8 |
| 65+ | 650 | 62,482 | 362 | 55.2 | 50.3-60.1 | 288 | 44.8 | 39.9-49.7 |
| Less Than H.S. | 164 | 44,456 | 71 | 45.8 | 36.0-55.6 | 93 | 54.2 | 44.4-64.0 |
| H.S. or G.E.D. | 619 | 111,849 | 356 | 60.7 | 55.8-65.6 | 263 | 39.3 | 34.4-44.2 |
| Some Post-H.S. | 462 | 91,031 | 307 | 71.4 | 66.5-76.3 | 155 | 28.6 | 23.7-33.5 |
| College Graduate | 757 | 85,232 | 516 | 71.8 | 68.1-75.5 | 241 | 28.2 | 24.5-31.9 |
| Less than \$15,000 | 126 | 22,747 | 55 | 48.1 | 35.6-60.6 | 71 | 51.9 | 39.4-64.4 |
| \$15,000- 24,999 | 251 | 41,931 | 120 | 50.8 | 42.8-58.8 | 131 | 49.2 | 41.2-57.2 |
| \$25,000- 34,999 | 186 | 30,091 | 110 | 62.4 | 53.4-71.4 | 76 | 37.6 | 28.6-46.6 |
| \$35,000- 49,999 | 290 | 46,556 | 170 | 64.0 | 56.9-71.1 | 120 | 36.0 | 28.9-43.1 |
| \$50,000- 74,999 | 290 | 46,885 | 198 | 69.3 | 62.4-76.2 | 92 | 30.7 | 23.8-37.6 |
| \$75,000+ | 626 | 104,566 | 470 | 75.4 | 70.9-79.9 | 156 | 24.6 | 20.1-29.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3012 | 363,250 | 1472 | 50.4 | 47.9-52.9 | 1540 | 49.6 | 47.1-52.1 |
| White/Non-Hisp | 2229 | 245,150 | 1197 | 56.6 | 53.7-59.5 | 1032 | 43.4 | 40.5-46.3 |
| Black or Afr. Am./Non-Hisp | 459 | 70,581 | 152 | 37.7 | 31.6-43.8 | 307 | 62.3 | 56.2-68.4 |
| Oth. Race/Non-Hisp. | 107 | 13,329 | 34 | 38.0 | 23.9-52.1 | 73 | 62.0 | 47.9-76.1 |
| Hispanic | 141 | 28,552 | 53 | 35.5 | 25.5-45.5 | 88 | 64.5 | 54.5-74.5 |
| 18-24 | 136 | 42,745 | 77 | 54.0 | 43.8-64.2 | 59 | 46.0 | 35.8-56.2 |
| 25-34 | 271 | 56,836 | 148 | 53.2 | 45.6-60.8 | 123 | 46.8 | 39.2-54.4 |
| 35-44 | 339 | 54,795 | 197 | 59.5 | 53.0-66.0 | 142 | 40.5 | 34.0-47.0 |
| 45-54 | 505 | 65,368 | 275 | 54.9 | 49.4-60.4 | 230 | 45.1 | 39.6-50.6 |
| 55-64 | 660 | 61,378 | 330 | 48.1 | 43.2-53.0 | 330 | 51.9 | 47.0-56.8 |
| 65+ | 1065 | 78,939 | 433 | 39.1 | 35.6-42.6 | 632 | 60.9 | 57.4-64.4 |
| Less Than H.S. | 227 | 45,998 | 55 | 27.2 | 19.4-35.0 | 172 | 72.8 | 65.0-80.6 |
| H.S. or G.E.D. | 890 | 106,526 | 336 | 41.0 | 36.3-45.7 | 554 | 59.0 | 54.3-63.7 |
| Some Post-H.S. | 852 | 116,116 | 429 | 55.3 | 51.0-59.6 | 423 | 44.7 | 40.4-49.0 |
| College Graduate | 1035 | 94,307 | 650 | 66.4 | 62.7-70.1 | 385 | 33.6 | 29.9-37.3 |
| Less than \$15,000 | 293 | 34,445 | 85 | 31.1 | 23.5-38.7 | 208 | 68.9 | 61.3-76.5 |
| \$15,000- 24,999 | 466 | 53,449 | 152 | 31.7 | 26.2-37.2 | 314 | 68.3 | 62.8-73.8 |
| \$25,000- 34,999 | 297 | 32,613 | 138 | 43.8 | 36.4-51.2 | 159 | 56.2 | 48.8-63.6 |
| \$35,000- 49,999 | 382 | 45,154 | 206 | 57.9 | 51.2-64.6 | 176 | 42.1 | 35.4-48.8 |
| \$50,000- 74,999 | 386 | 46,073 | 220 | 56.5 | 49.8-63.2 | 166 | 43.5 | 36.8-50.2 |
| \$75,000+ | 688 | 93,515 | 474 | 69.3 | 64.8-73.8 | 214 | 30.7 | 26.2-35.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=0.25 | | | >0.25, <=0.50 | | | >0.50, <=0.75 | | | >0.75, <=1.0 | | | None | | |
|----------------------------|-------------------|----------|------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5020 | 696,743 | 1559 | 34.4 | 32.6-36.2 | 584 | 12.4 | 11.2-13.6 | 199 | 3.9 | 03.1-04.7 | 383 | 6.4 | 05.6-07.2 | 2295 | 42.9 | 40.9-44.9 |
| Male | 2008 | 333,492 | 648 | 35.3 | 32.6-38.0 | 295 | 15.7 | 13.5-17.9 | 105 | 5.1 | 03.7-06.5 | 205 | 8.3 | 06.9-09.7 | 755 | 35.6 | 32.9-38.3 |
| Female | 3012 | 363,250 | 911 | 33.6 | 31.2-36.0 | 289 | 9.3 | 07.9-10.7 | 94 | 2.8 | 02.0-03.6 | 178 | 4.6 | 03.8-05.4 | 1540 | 49.6 | 47.1-52.1 |
| White/Non-Hisp | 3718 | 470,384 | 1163 | 34.3 | 32.1-36.5 | 476 | 14.0 | 12.4-15.6 | 177 | 5.0 | 04.0-06.0 | 337 | 8.0 | 07.0-09.0 | 1565 | 38.7 | 36.5-40.9 |
| Black or Afr. Am./Non-Hisp | 731 | 131,610 | 211 | 32.7 | 28.2-37.2 | 59 | 9.5 | 06.6-12.4 | 10 | 2.0 | 00.4-03.6 | 19 | 3.1 | 01.3-04.9 | 432 | 52.6 | 47.7-57.5 |
| Oth. Race/Non-Hisp. | 200 | 30,272 | 54 | 36.7 | 25.3-48.1 | 14 | 8.3 | 03.4-13.2 | 5 | 1.3 | 00.1-02.5 | 9 | 2.5 | 00.3-04.7 | 118 | 51.3 | 40.3-62.3 |
| MultiRacial/Non-Hisp. | 68 | 4,894 | 21 | 28.0 | 15.7-40.3 | 7 | 11.1 | 01.9-20.3 | 2 | 1.9 | 00.0-04.6 | 7 | 11.8 | 02.0-21.6 | 31 | 47.2 | 32.9-61.5 |
| Hispanic | 237 | 51,809 | 84 | 36.9 | 29.5-44.3 | 21 | 7.6 | 04.1-11.1 | 4 | 1.2 | 00.0-02.6 | 7 | 2.5 | 00.3-04.7 | 121 | 51.7 | 43.9-59.5 |
| 18-24 | 266 | 86,592 | 99 | 37.3 | 30.2-44.4 | 45 | 15.4 | 10.5-20.3 | 9 | 3.9 | 00.8-07.0 | 9 | 2.5 | 00.5-04.5 | 104 | 40.9 | 33.6-48.2 |
| 25-34 | 476 | 114,291 | 194 | 41.3 | 35.6-47.0 | 65 | 14.9 | 10.8-19.0 | 19 | 3.1 | 01.3-04.9 | 25 | 5.5 | 03.1-07.9 | 173 | 35.2 | 29.7-40.7 |
| 35-44 | 589 | 107,204 | 224 | 39.5 | 34.6-44.4 | 88 | 13.8 | 10.7-16.9 | 26 | 4.9 | 02.5-07.3 | 18 | 3.5 | 01.5-05.5 | 233 | 38.3 | 33.6-43.0 |
| 45-54 | 854 | 125,137 | 294 | 35.9 | 31.8-40.0 | 123 | 14.0 | 11.3-16.7 | 36 | 4.4 | 02.6-06.2 | 42 | 4.9 | 02.9-06.9 | 359 | 40.9 | 36.8-45.0 |
| 55-64 | 1069 | 117,519 | 326 | 32.6 | 28.9-36.3 | 127 | 10.9 | 08.7-13.1 | 43 | 3.5 | 02.3-04.7 | 97 | 8.8 | 06.8-10.8 | 476 | 44.2 | 40.3-48.1 |
| 65+ | 1715 | 141,421 | 408 | 23.7 | 21.2-26.2 | 133 | 7.5 | 05.9-09.1 | 65 | 3.8 | 02.8-04.8 | 189 | 11.2 | 09.4-13.0 | 920 | 53.8 | 50.9-56.7 |
| Less Than H.S. | 391 | 90,454 | 92 | 25.3 | 19.8-30.8 | 13 | 4.4 | 01.7-07.1 | 4 | 0.9 | 00.1-01.7 | 17 | 5.7 | 02.6-08.8 | 265 | 63.7 | 57.4-70.0 |
| H.S. or G.E.D. | 1509 | 218,375 | 424 | 31.6 | 28.3-34.9 | 132 | 10.8 | 08.6-13.0 | 41 | 3.4 | 01.8-05.0 | 95 | 5.3 | 03.9-06.7 | 817 | 48.9 | 45.4-52.4 |
| Some Post-H.S. | 1314 | 207,146 | 442 | 38.8 | 35.1-42.5 | 148 | 13.2 | 10.7-15.7 | 47 | 4.1 | 02.5-05.7 | 99 | 6.3 | 04.7-07.9 | 578 | 37.7 | 34.4-41.0 |
| College Graduate | 1792 | 179,539 | 598 | 37.5 | 34.6-40.4 | 290 | 17.4 | 15.0-19.8 | 107 | 5.8 | 04.4-07.2 | 171 | 8.2 | 06.6-09.8 | 626 | 31.0 | 28.3-33.7 |
| Less than \$15,000 | 419 | 57,192 | 95 | 25.7 | 19.6-31.8 | 25 | 8.2 | 03.9-12.5 | 4 | 0.8 | 00.0-01.6 | 16 | 3.2 | 01.2-05.2 | 279 | 62.2 | 55.3-69.1 |
| \$15,000- 24,999 | 717 | 95,381 | 175 | 27.3 | 23.0-31.6 | 54 | 7.8 | 05.4-10.2 | 14 | 2.1 | 00.7-03.5 | 29 | 3.0 | 01.6-04.4 | 445 | 59.9 | 55.2-64.6 |
| \$25,000- 34,999 | 483 | 62,704 | 146 | 32.3 | 26.6-38.0 | 56 | 11.9 | 07.6-16.2 | 7 | 1.9 | 00.0-04.3 | 39 | 6.6 | 03.9-09.3 | 235 | 47.3 | 41.2-53.4 |
| \$35,000- 49,999 | 672 | 91,710 | 210 | 37.5 | 32.0-43.0 | 75 | 12.8 | 09.3-16.3 | 24 | 2.9 | 01.3-04.5 | 67 | 7.9 | 05.5-10.3 | 296 | 39.0 | 34.1-43.9 |
| \$50,000- 74,999 | 676 | 92,958 | 247 | 38.7 | 33.6-43.8 | 79 | 12.1 | 08.8-15.4 | 31 | 4.9 | 02.7-07.1 | 61 | 7.2 | 05.0-09.4 | 258 | 37.0 | 32.1-41.9 |
| \$75,000+ | 1314 | 198,081 | 483 | 40.6 | 37.1-44.1 | 235 | 16.9 | 14.4-19.4 | 96 | 6.6 | 04.8-08.4 | 130 | 8.4 | 06.4-10.4 | 370 | 27.5 | 24.4-30.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=0.25 | | | >0.25, <=0.50 | | | >0.50, <=0.75 | | | >0.75, <=1.0 | | | None | | |
|----------------------------|-------------------|----------|------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2008 | 333,492 | 648 | 35.3 | 32.6-38.0 | 295 | 15.7 | 13.5-17.9 | 105 | 5.1 | 03.7-06.5 | 205 | 8.3 | 06.9-09.7 | 755 | 35.6 | 32.9-38.3 |
| White/Non-Hisp | 1489 | 225,234 | 463 | 33.7 | 30.6-36.8 | 229 | 16.5 | 14.0-19.0 | 92 | 6.3 | 04.5-08.1 | 172 | 9.8 | 08.0-11.6 | 533 | 33.7 | 30.6-36.8 |
| Black or Afr. Am./Non-Hisp | 272 | 61,029 | 89 | 32.9 | 25.8-40.0 | 37 | 16.4 | 10.5-22.3 | 8 | 3.8 | 00.7-06.9 | 13 | 5.4 | 02.1-08.7 | 125 | 41.5 | 33.9-49.1 |
| Oth. Race/Non-Hisp. | 93 | 16,943 | 33 | 46.3 | 29.6-63.0 | 6 | 6.3 | 00.8-11.8 | 4 | 1.6 | 00.0-03.4 | 5 | 2.9 | 00.0-06.0 | 45 | 42.8 | 26.9-58.7 |
| Hispanic | 96 | 23,258 | 40 | 44.3 | 32.9-55.7 | 17 | 15.1 | 07.7-22.5 | 1 | 0.7 | 00.0-02.1 | 5 | 3.9 | 00.0-08.2 | 33 | 36.0 | 25.0-47.0 |
| 18-24 | 130 | 43,847 | 44 | 35.4 | 25.0-45.8 | 29 | 19.1 | 11.7-26.5 | 6 | 6.2 | 00.3-12.1 | 6 | 3.5 | 00.0-07.0 | 45 | 35.8 | 25.8-45.8 |
| 25-34 | 205 | 57,455 | 85 | 40.9 | 32.7-49.1 | 41 | 22.4 | 15.1-29.7 | 11 | 4.3 | 01.0-07.6 | 18 | 8.7 | 04.2-13.2 | 50 | 23.7 | 16.4-31.0 |
| 35-44 | 250 | 52,408 | 91 | 35.8 | 28.9-42.7 | 41 | 15.2 | 10.3-20.1 | 14 | 6.7 | 02.6-10.8 | 13 | 6.3 | 02.2-10.4 | 91 | 36.0 | 29.1-42.9 |
| 45-54 | 349 | 59,769 | 121 | 36.0 | 29.7-42.3 | 61 | 17.5 | 12.6-22.4 | 15 | 3.6 | 01.2-06.0 | 23 | 6.7 | 03.4-10.0 | 129 | 36.3 | 29.8-42.8 |
| 55-64 | 409 | 56,142 | 141 | 38.4 | 32.5-44.3 | 51 | 11.4 | 07.7-15.1 | 19 | 4.0 | 02.0-06.0 | 52 | 10.4 | 07.3-13.5 | 146 | 35.7 | 29.6-41.8 |
| 65+ | 650 | 62,482 | 161 | 26.4 | 22.1-30.7 | 70 | 9.9 | 07.2-12.6 | 40 | 6.0 | 03.8-08.2 | 91 | 12.9 | 10.0-15.8 | 288 | 44.8 | 39.9-49.7 |
| Less Than H.S. | 164 | 44,456 | 48 | 28.7 | 20.3-37.1 | 8 | 6.0 | 01.5-10.5 | 2 | 0.9 | 00.0-02.3 | 13 | 10.1 | 03.8-16.4 | 93 | 54.2 | 44.4-64.0 |
| H.S. or G.E.D. | 619 | 111,849 | 194 | 33.2 | 28.3-38.1 | 80 | 15.4 | 11.5-19.3 | 21 | 4.4 | 01.7-07.1 | 61 | 7.7 | 05.3-10.1 | 263 | 39.3 | 34.4-44.2 |
| Some Post-H.S. | 462 | 91,031 | 164 | 39.9 | 33.8-46.0 | 68 | 17.9 | 13.0-22.8 | 28 | 6.5 | 03.6-09.4 | 47 | 7.1 | 04.6-09.6 | 155 | 28.6 | 23.7-33.5 |
| College Graduate | 757 | 85,232 | 241 | 36.9 | 32.4-41.4 | 138 | 18.6 | 15.1-22.1 | 54 | 6.7 | 04.5-08.9 | 83 | 9.6 | 07.1-12.1 | 241 | 28.2 | 24.5-31.9 |
| Less than \$15,000 | 126 | 22,747 | 37 | 30.9 | 20.1-41.7 | 9 | 12.2 | 02.8-21.6 | 1 | 0.6 | 00.0-01.8 | 8 | 4.4 | 00.5-08.3 | 71 | 51.9 | 39.4-64.4 |
| \$15,000- 24,999 | 251 | 41,931 | 65 | 30.3 | 23.0-37.6 | 30 | 12.5 | 07.6-17.4 | 9 | 3.6 | 00.9-06.3 | 16 | 4.4 | 01.9-06.9 | 131 | 49.2 | 41.2-57.2 |
| \$25,000- 34,999 | 186 | 30,091 | 57 | 34.3 | 25.1-43.5 | 23 | 14.5 | 06.9-22.1 | 3 | 2.6 | 00.0-07.1 | 27 | 11.1 | 06.0-16.2 | 76 | 37.6 | 28.6-46.6 |
| \$35,000- 49,999 | 290 | 46,556 | 96 | 39.0 | 30.6-47.4 | 32 | 14.4 | 08.5-20.3 | 15 | 3.4 | 01.4-05.4 | 27 | 7.2 | 03.9-10.5 | 120 | 36.0 | 28.9-43.1 |
| \$50,000- 74,999 | 290 | 46,885 | 106 | 39.6 | 32.0-47.2 | 44 | 15.5 | 10.0-21.0 | 17 | 6.3 | 02.4-10.2 | 31 | 7.8 | 04.5-11.1 | 92 | 30.7 | 23.8-37.6 |
| \$75,000+ | 626 | 104,566 | 223 | 39.6 | 34.7-44.5 | 125 | 17.9 | 14.4-21.4 | 47 | 7.0 | 04.3-09.7 | 75 | 10.9 | 07.8-14.0 | 156 | 24.6 | 20.1-29.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=0.25 | | | >0.25, <=0.50 | | | >0.50, <=0.75 | | | >0.75, <=1.0 | | | None | | |
|----------------------------|-------------------|----------|------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3012 | 363,250 | 911 | 33.6 | 31.2-36.0 | 289 | 9.3 | 07.9-10.7 | 94 | 2.8 | 02.0-03.6 | 178 | 4.6 | 03.8-05.4 | 1540 | 49.6 | 47.1-52.1 |
| White/Non-Hisp | 2229 | 245,150 | 700 | 34.9 | 32.2-37.6 | 247 | 11.7 | 09.9-13.5 | 85 | 3.8 | 02.8-04.8 | 165 | 6.2 | 05.0-07.4 | 1032 | 43.4 | 40.5-46.3 |
| Black or Afr. Am./Non-Hisp | 459 | 70,581 | 122 | 32.4 | 26.5-38.3 | 22 | 3.6 | 01.8-05.4 | 2 | 0.5 | 00.0-01.3 | 6 | 1.2 | 00.0-02.6 | 307 | 62.3 | 56.2-68.4 |
| Oth. Race/Non-Hisp. | 107 | 13,329 | 21 | 24.3 | 10.6-38.0 | 8 | 10.7 | 02.3-19.1 | 1 | 1.0 | 00.0-03.0 | 4 | 2.0 | 00.0-05.1 | 73 | 62.0 | 47.9-76.1 |
| Hispanic | 141 | 28,552 | 44 | 30.8 | 21.2-40.4 | 4 | 1.6 | 00.0-03.4 | 3 | 1.7 | 00.0-03.9 | 2 | 1.4 | 00.0-03.4 | 88 | 64.5 | 54.5-74.5 |
| 18-24 | 136 | 42,745 | 55 | 39.4 | 29.6-49.2 | 16 | 11.6 | 05.5-17.7 | 3 | 1.5 | 00.0-03.3 | 3 | 1.6 | 00.0-03.8 | 59 | 46.0 | 35.8-56.2 |
| 25-34 | 271 | 56,836 | 109 | 41.8 | 34.2-49.4 | 24 | 7.2 | 03.9-10.5 | 8 | 1.8 | 00.4-03.2 | 7 | 2.3 | 00.5-04.1 | 123 | 46.8 | 39.2-54.4 |
| 35-44 | 339 | 54,795 | 133 | 43.2 | 36.5-49.9 | 47 | 12.4 | 08.7-16.1 | 12 | 3.2 | 01.0-05.4 | 5 | 0.7 | 00.0-01.5 | 142 | 40.5 | 34.0-47.0 |
| 45-54 | 505 | 65,368 | 173 | 35.8 | 30.7-40.9 | 62 | 10.8 | 07.9-13.7 | 21 | 5.1 | 02.6-07.6 | 19 | 3.2 | 01.2-05.2 | 230 | 45.1 | 39.6-50.6 |
| 55-64 | 660 | 61,378 | 185 | 27.2 | 22.9-31.5 | 76 | 10.5 | 08.0-13.0 | 24 | 3.0 | 01.6-04.4 | 45 | 7.4 | 04.9-09.9 | 330 | 51.9 | 47.0-56.8 |
| 65+ | 1065 | 78,939 | 247 | 21.5 | 18.6-24.4 | 63 | 5.6 | 03.8-07.4 | 25 | 2.1 | 01.1-03.1 | 98 | 9.8 | 07.6-12.0 | 632 | 60.9 | 57.4-64.4 |
| Less Than H.S. | 227 | 45,998 | 44 | 22.0 | 14.6-29.4 | 5 | 2.9 | 00.0-06.0 | 2 | 0.8 | 00.0-02.0 | 4 | 1.4 | 00.0-03.0 | 172 | 72.8 | 65.0-80.6 |
| H.S. or G.E.D. | 890 | 106,526 | 230 | 29.9 | 25.4-34.4 | 52 | 5.9 | 04.1-07.7 | 20 | 2.3 | 00.9-03.7 | 34 | 2.9 | 01.7-04.1 | 554 | 59.0 | 54.3-63.7 |
| Some Post-H.S. | 852 | 116,116 | 278 | 37.9 | 33.4-42.4 | 80 | 9.5 | 07.1-11.9 | 19 | 2.3 | 00.9-03.7 | 52 | 5.6 | 03.6-07.6 | 423 | 44.7 | 40.4-49.0 |
| College Graduate | 1035 | 94,307 | 357 | 38.1 | 34.2-42.0 | 152 | 16.3 | 13.2-19.4 | 53 | 5.1 | 03.5-06.7 | 88 | 7.0 | 05.2-08.8 | 385 | 33.6 | 29.9-37.3 |
| Less than \$15,000 | 293 | 34,445 | 58 | 22.2 | 15.1-29.3 | 16 | 5.6 | 02.1-09.1 | 3 | 0.9 | 00.0-02.1 | 8 | 2.4 | 00.4-04.4 | 208 | 68.9 | 61.3-76.5 |
| \$15,000- 24,999 | 466 | 53,449 | 110 | 24.9 | 19.6-30.2 | 24 | 4.0 | 02.2-05.8 | 5 | 0.9 | 00.1-01.7 | 13 | 1.8 | 00.6-03.0 | 314 | 68.3 | 62.8-73.8 |
| \$25,000- 34,999 | 297 | 32,613 | 89 | 30.5 | 23.6-37.4 | 33 | 9.5 | 05.8-13.2 | 4 | 1.3 | 00.0-02.7 | 12 | 2.5 | 00.7-04.3 | 159 | 56.2 | 48.8-63.6 |
| \$35,000- 49,999 | 382 | 45,154 | 114 | 35.8 | 29.1-42.5 | 43 | 11.1 | 07.2-15.0 | 9 | 2.4 | 00.2-04.6 | 40 | 8.6 | 05.3-11.9 | 176 | 42.1 | 35.4-48.8 |
| \$50,000- 74,999 | 386 | 46,073 | 141 | 37.9 | 31.4-44.4 | 35 | 8.7 | 05.4-12.0 | 14 | 3.5 | 01.3-05.7 | 30 | 6.5 | 03.8-09.2 | 166 | 43.5 | 36.8-50.2 |
| \$75,000+ | 688 | 93,515 | 260 | 41.8 | 36.9-46.7 | 110 | 15.7 | 12.4-19.0 | 49 | 6.2 | 04.0-08.4 | 55 | 5.6 | 03.8-07.4 | 214 | 30.7 | 26.2-35.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4972 | 691,085 | 4329 | 83.0 | 81.4-84.6 | 643 | 17.0 | 15.4-18.6 |
| Male | 1985 | 330,751 | 1626 | 77.6 | 75.1-80.1 | 359 | 22.4 | 19.9-24.9 |
| Female | 2987 | 360,334 | 2703 | 88.0 | 86.4-89.6 | 284 | 12.0 | 10.4-13.6 |
| White/Non-Hisp | 3687 | 466,888 | 3189 | 81.3 | 79.3-83.3 | 498 | 18.7 | 16.7-20.7 |
| Black or Afr. Am./Non-Hisp | 723 | 130,205 | 648 | 86.1 | 82.6-89.6 | 75 | 13.9 | 10.4-17.4 |
| Oth. Race/Non-Hisp. | 195 | 30,011 | 179 | 91.8 | 87.1-96.5 | 16 | 8.2 | 03.5-12.9 |
| MultiRacial/Non-Hisp. | 66 | 4,687 | 55 | 81.7 | 69.9-93.5 | 11 | 18.3 | 06.5-30.1 |
| Hispanic | 236 | 51,558 | 202 | 84.8 | 79.5-90.1 | 34 | 15.2 | 09.9-20.5 |
| 18-24 | 262 | 85,822 | 182 | 73.5 | 67.4-79.6 | 80 | 26.5 | 20.4-32.6 |
| 25-34 | 470 | 113,034 | 352 | 74.7 | 69.8-79.6 | 118 | 25.3 | 20.4-30.2 |
| 35-44 | 584 | 106,638 | 460 | 76.0 | 71.5-80.5 | 124 | 24.0 | 19.5-28.5 |
| 45-54 | 848 | 124,407 | 723 | 83.8 | 80.5-87.1 | 125 | 16.2 | 12.9-19.5 |
| 55-64 | 1058 | 116,791 | 948 | 89.1 | 86.6-91.6 | 110 | 10.9 | 08.4-13.4 |
| 65+ | 1700 | 139,851 | 1617 | 94.7 | 93.3-96.1 | 83 | 5.3 | 03.9-06.7 |
| Less Than H.S. | 388 | 89,609 | 350 | 87.0 | 82.5-91.5 | 38 | 13.0 | 08.5-17.5 |
| H.S. or G.E.D. | 1486 | 216,141 | 1288 | 81.6 | 78.7-84.5 | 198 | 18.4 | 15.5-21.3 |
| Some Post-H.S. | 1305 | 205,716 | 1128 | 81.4 | 78.5-84.3 | 177 | 18.6 | 15.7-21.5 |
| College Graduate | 1779 | 178,391 | 1550 | 84.5 | 82.1-86.9 | 229 | 15.5 | 13.1-17.9 |
| Less than \$15,000 | 414 | 56,595 | 366 | 86.1 | 81.6-90.6 | 48 | 13.9 | 09.4-18.4 |
| \$15,000- 24,999 | 712 | 94,325 | 644 | 87.4 | 84.1-90.7 | 68 | 12.6 | 09.3-15.9 |
| \$25,000- 34,999 | 472 | 61,770 | 405 | 80.8 | 75.7-85.9 | 67 | 19.2 | 14.1-24.3 |
| \$35,000- 49,999 | 667 | 90,740 | 573 | 83.3 | 79.6-87.0 | 94 | 16.7 | 13.0-20.4 |
| \$50,000- 74,999 | 674 | 92,849 | 588 | 84.9 | 81.2-88.6 | 86 | 15.1 | 11.4-18.8 |
| \$75,000+ | 1306 | 197,332 | 1078 | 78.0 | 74.9-81.1 | 228 | 22.0 | 18.9-25.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1985 | 330,751 | 1626 | 77.6 | 75.1-80.1 | 359 | 22.4 | 19.9-24.9 |
| White/Non-Hisp | 1473 | 223,461 | 1200 | 75.6 | 72.5-78.7 | 273 | 24.4 | 21.3-27.5 |
| Black or Afr. Am./Non-Hisp | 270 | 60,407 | 230 | 81.3 | 75.0-87.6 | 40 | 18.7 | 12.4-25.0 |
| Oth. Race/Non-Hisp. | 91 | 16,840 | 79 | 90.1 | 83.4-96.8 | 12 | 9.9 | 03.2-16.6 |
| Hispanic | 96 | 23,258 | 75 | 78.2 | 69.2-87.2 | 21 | 21.8 | 12.8-30.8 |
| 18-24 | 128 | 43,563 | 81 | 67.4 | 58.0-76.8 | 47 | 32.6 | 23.2-42.0 |
| 25-34 | 202 | 56,966 | 129 | 64.3 | 56.3-72.3 | 73 | 35.7 | 27.7-43.7 |
| 35-44 | 249 | 52,345 | 189 | 73.1 | 66.2-80.0 | 60 | 26.9 | 20.0-33.8 |
| 45-54 | 347 | 59,387 | 276 | 79.0 | 73.5-84.5 | 71 | 21.0 | 15.5-26.5 |
| 55-64 | 402 | 55,698 | 349 | 85.8 | 81.5-90.1 | 53 | 14.2 | 09.9-18.5 |
| 65+ | 643 | 61,441 | 590 | 92.0 | 89.6-94.4 | 53 | 8.0 | 05.6-10.4 |
| Less Than H.S. | 163 | 44,097 | 137 | 81.6 | 74.0-89.2 | 26 | 18.4 | 10.8-26.0 |
| H.S. or G.E.D. | 607 | 110,828 | 475 | 73.9 | 69.2-78.6 | 132 | 26.1 | 21.4-30.8 |
| Some Post-H.S. | 457 | 90,002 | 358 | 74.1 | 68.6-79.6 | 99 | 25.9 | 20.4-31.4 |
| College Graduate | 752 | 84,899 | 651 | 84.0 | 80.7-87.3 | 101 | 16.0 | 12.7-19.3 |
| Less than \$15,000 | 125 | 22,708 | 103 | 82.0 | 73.6-90.4 | 22 | 18.0 | 09.6-26.4 |
| \$15,000- 24,999 | 248 | 41,217 | 204 | 79.7 | 73.6-85.8 | 44 | 20.3 | 14.2-26.4 |
| \$25,000- 34,999 | 181 | 29,634 | 139 | 73.3 | 64.5-82.1 | 42 | 26.7 | 17.9-35.5 |
| \$35,000- 49,999 | 288 | 46,176 | 241 | 81.1 | 75.2-87.0 | 47 | 18.9 | 13.0-24.8 |
| \$50,000- 74,999 | 289 | 46,822 | 244 | 82.0 | 76.1-87.9 | 45 | 18.0 | 12.1-23.9 |
| \$75,000+ | 622 | 104,102 | 494 | 73.5 | 68.6-78.4 | 128 | 26.5 | 21.6-31.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2987 | 360,334 | 2703 | 88.0 | 86.4-89.6 | 284 | 12.0 | 10.4-13.6 |
| White/Non-Hisp | 2214 | 243,427 | 1989 | 86.6 | 84.6-88.6 | 225 | 13.4 | 11.4-15.4 |
| Black or Afr. Am./Non-Hisp | 453 | 69,797 | 418 | 90.2 | 86.3-94.1 | 35 | 9.8 | 05.9-13.7 |
| Oth. Race/Non-Hisp. | 104 | 13,171 | 100 | 94.1 | 87.4-0100 | 4 | 5.9 | 00.0-12.6 |
| Hispanic | 140 | 28,300 | 127 | 90.3 | 84.8-95.8 | 13 | 9.7 | 04.2-15.2 |
| 18-24 | 134 | 42,259 | 101 | 79.8 | 72.5-87.1 | 33 | 20.2 | 12.9-27.5 |
| 25-34 | 268 | 56,068 | 223 | 85.3 | 80.8-89.8 | 45 | 14.7 | 10.2-19.2 |
| 35-44 | 335 | 54,293 | 271 | 78.7 | 73.0-84.4 | 64 | 21.3 | 15.6-27.0 |
| 45-54 | 501 | 65,021 | 447 | 88.2 | 84.5-91.9 | 54 | 11.8 | 08.1-15.5 |
| 55-64 | 656 | 61,094 | 599 | 92.0 | 89.6-94.4 | 57 | 8.0 | 05.6-10.4 |
| 65+ | 1057 | 78,411 | 1027 | 96.8 | 95.4-98.2 | 30 | 3.2 | 01.8-04.6 |
| Less Than H.S. | 225 | 45,512 | 213 | 92.2 | 87.1-97.3 | 12 | 7.8 | 02.7-12.9 |
| H.S. or G.E.D. | 879 | 105,313 | 813 | 89.7 | 87.0-92.4 | 66 | 10.3 | 07.6-13.0 |
| Some Post-H.S. | 848 | 115,713 | 770 | 87.1 | 84.0-90.2 | 78 | 12.9 | 09.8-16.0 |
| College Graduate | 1027 | 93,492 | 899 | 84.9 | 82.0-87.8 | 128 | 15.1 | 12.2-18.0 |
| Less than \$15,000 | 289 | 33,887 | 263 | 88.9 | 84.0-93.8 | 26 | 11.1 | 06.2-16.0 |
| \$15,000- 24,999 | 464 | 53,109 | 440 | 93.4 | 89.9-96.9 | 24 | 6.6 | 03.1-10.1 |
| \$25,000- 34,999 | 291 | 32,136 | 266 | 87.7 | 83.0-92.4 | 25 | 12.3 | 07.6-17.0 |
| \$35,000- 49,999 | 379 | 44,564 | 332 | 85.6 | 80.9-90.3 | 47 | 14.4 | 09.7-19.1 |
| \$50,000- 74,999 | 385 | 46,027 | 344 | 87.9 | 83.8-92.0 | 41 | 12.1 | 08.0-16.2 |
| \$75,000+ | 684 | 93,230 | 584 | 83.0 | 79.1-86.9 | 100 | 17.0 | 13.1-20.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=1 | | | >1, <=2 | | | >2, <=5 | | | >5, <=10 | | | >10 | | | None | | |
|----------------------------|-------------------|----------|---------|------|------------|---------|------|------------|---------|-----|------------|----------|-----|------------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4967 | 689,911 | 2012 | 42.3 | 40.3-44.3 | 496 | 10.2 | 09.0-11.4 | 129 | 3.4 | 02.6-04.2 | 23 | 0.4 | 00.2-00.6 | 12 | 0.4 | 00.2-00.6 | 2295 | 43.3 | 41.3-45.3 |
| Male | 1984 | 330,525 | 843 | 43.2 | 40.3-46.1 | 251 | 13.2 | 11.2-15.2 | 104 | 6.2 | 04.6-07.8 | 21 | 0.8 | 00.4-01.2 | 10 | 0.7 | 00.1-01.3 | 755 | 35.9 | 33.2-38.6 |
| Female | 2983 | 359,386 | 1169 | 41.5 | 39.0-44.0 | 245 | 7.5 | 06.3-08.7 | 25 | 0.7 | 00.3-01.1 | 2 | 0.0 | 00.0-00.0 | 2 | 0.1 | 00.1-00.1 | 1540 | 50.1 | 47.6-52.6 |
| White/Non-Hisp | 3685 | 466,585 | 1562 | 44.0 | 41.8-46.2 | 422 | 12.2 | 10.8-13.6 | 109 | 3.9 | 02.9-04.9 | 17 | 0.5 | 00.3-00.7 | 10 | 0.5 | 00.1-00.9 | 1565 | 39.1 | 36.9-41.3 |
| Black or Afr. Am./Non-Hisp | 722 | 130,235 | 245 | 37.6 | 32.9-42.3 | 32 | 6.2 | 03.7-08.7 | 12 | 2.9 | 00.9-04.9 | 1 | 0.1 | 00.0-00.3 | | | | 432 | 53.2 | 48.3-58.1 |
| Oth. Race/Non-Hisp. | 197 | 30,075 | 59 | 40.5 | 29.1-51.9 | 14 | 6.1 | 02.0-10.2 | 1 | 0.2 | 00.0-00.6 | 4 | 0.9 | 00.0-01.9 | 1 | 0.7 | 00.0-02.1 | 118 | 51.6 | 40.6-62.6 |
| MultiRacial/Non-Hisp. | 66 | 4,687 | 25 | 34.0 | 20.9-47.1 | 8 | 14.8 | 03.4-26.2 | 1 | 1.4 | 00.0-04.1 | 1 | 0.6 | 00.0-01.8 | | | | 31 | 49.3 | 34.8-63.8 |
| Hispanic | 232 | 50,594 | 91 | 39.7 | 32.1-47.3 | 14 | 4.8 | 02.1-07.5 | 6 | 2.6 | 00.4-04.8 | | | | | | | 121 | 53.0 | 45.2-60.8 |
| 18-24 | 263 | 85,914 | 110 | 41.4 | 34.1-48.7 | 30 | 10.6 | 06.5-14.7 | 13 | 5.6 | 02.1-09.1 | 3 | 0.3 | 00.0-00.7 | 3 | 1.0 | 00.0-02.2 | 104 | 41.2 | 33.9-48.5 |
| 25-34 | 470 | 112,586 | 214 | 45.7 | 40.0-51.4 | 59 | 11.9 | 08.4-15.4 | 18 | 5.4 | 02.7-08.1 | 5 | 0.7 | 00.1-01.3 | 1 | 0.7 | 00.0-02.1 | 173 | 35.7 | 30.2-41.2 |
| 35-44 | 575 | 105,059 | 283 | 49.4 | 44.5-54.3 | 44 | 8.0 | 05.3-10.7 | 13 | 3.0 | 01.0-05.0 | 1 | 0.3 | 00.0-00.9 | 1 | 0.2 | 00.0-00.6 | 233 | 39.1 | 34.4-43.8 |
| 45-54 | 851 | 124,791 | 382 | 45.5 | 41.4-49.6 | 82 | 10.3 | 07.6-13.0 | 21 | 2.5 | 01.1-03.9 | 5 | 0.4 | 00.0-00.8 | 2 | 0.3 | 00.0-00.7 | 359 | 41.0 | 36.9-45.1 |
| 55-64 | 1057 | 116,334 | 445 | 42.2 | 38.5-45.9 | 96 | 9.4 | 07.0-11.8 | 30 | 2.6 | 01.6-03.6 | 7 | 0.8 | 00.0-01.6 | 3 | 0.3 | 00.0-00.7 | 476 | 44.6 | 40.7-48.5 |
| 65+ | 1701 | 140,686 | 560 | 32.5 | 29.8-35.2 | 183 | 11.1 | 09.3-12.9 | 34 | 2.2 | 01.2-03.2 | 2 | 0.1 | 00.1-00.1 | 2 | 0.1 | 00.0-00.3 | 920 | 54.1 | 51.2-57.0 |
| Less Than H.S. | 383 | 88,374 | 89 | 25.3 | 19.6-31.0 | 16 | 4.4 | 01.9-06.9 | 9 | 3.5 | 00.8-06.2 | | | | 4 | 1.6 | 00.0-03.6 | 265 | 65.2 | 58.9-71.5 |
| H.S. or G.E.D. | 1487 | 215,459 | 483 | 35.0 | 31.7-38.3 | 128 | 10.7 | 08.3-13.1 | 45 | 3.9 | 02.3-05.5 | 12 | 0.7 | 00.3-01.1 | 2 | 0.2 | 00.0-00.4 | 817 | 49.6 | 46.1-53.1 |
| Some Post-H.S. | 1307 | 206,326 | 560 | 47.6 | 43.9-51.3 | 125 | 10.0 | 07.8-12.2 | 35 | 3.9 | 02.3-05.5 | 6 | 0.4 | 00.0-00.8 | 3 | 0.3 | 00.0-00.7 | 578 | 37.8 | 34.5-41.1 |
| College Graduate | 1776 | 178,524 | 876 | 53.6 | 50.7-56.5 | 226 | 12.8 | 10.8-14.8 | 40 | 2.0 | 01.2-02.8 | 5 | 0.3 | 00.1-00.5 | 3 | 0.1 | 00.0-00.3 | 626 | 31.2 | 28.5-33.9 |
| Less than \$15,000 | 412 | 55,953 | 100 | 27.3 | 20.8-33.8 | 19 | 4.9 | 02.0-07.8 | 11 | 3.5 | 01.1-05.9 | 3 | 0.8 | 00.0-01.8 | | | | 279 | 63.5 | 56.6-70.4 |
| \$15,000- 24,999 | 711 | 94,655 | 208 | 31.5 | 27.0-36.0 | 41 | 5.7 | 03.7-07.7 | 12 | 1.9 | 00.5-03.3 | 4 | 0.3 | 00.0-00.7 | 1 | 0.2 | 00.0-00.6 | 445 | 60.4 | 55.7-65.1 |
| \$25,000- 34,999 | 474 | 61,434 | 176 | 37.4 | 31.5-43.3 | 42 | 8.8 | 05.1-12.5 | 14 | 4.2 | 01.1-07.3 | 5 | 1.0 | 00.0-02.0 | 2 | 0.4 | 00.0-01.2 | 235 | 48.2 | 42.1-54.3 |
| \$35,000- 49,999 | 666 | 90,715 | 263 | 43.7 | 38.4-49.0 | 86 | 13.5 | 09.8-17.2 | 17 | 2.8 | 01.2-04.4 | 3 | 0.5 | 00.0-01.1 | 1 | 0.2 | 00.0-00.6 | 296 | 39.4 | 34.3-44.5 |
| \$50,000- 74,999 | 668 | 92,571 | 309 | 46.7 | 41.6-51.8 | 81 | 12.3 | 09.2-15.4 | 18 | 3.2 | 01.2-05.2 | 1 | 0.2 | 00.0-00.6 | 1 | 0.4 | 00.0-01.2 | 258 | 37.2 | 32.3-42.1 |
| \$75,000+ | 1311 | 197,876 | 711 | 54.4 | 50.9-57.9 | 175 | 13.3 | 10.9-15.7 | 44 | 3.7 | 02.1-05.3 | 5 | 0.4 | 00.0-00.8 | 6 | 0.7 | 00.0-01.5 | 370 | 27.5 | 24.4-30.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=1 | | | >1, <=2 | | | >2, <=5 | | | >5, <=10 | | | >10 | | | None | | |
|----------------------------|-------------------|----------|---------|------|------------|---------|------|------------|---------|------|------------|----------|-----|------------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1984 | 330,525 | 843 | 43.2 | 40.3-46.1 | 251 | 13.2 | 11.2-15.2 | 104 | 6.2 | 04.6-07.8 | 21 | 0.8 | 00.4-01.2 | 10 | 0.7 | 00.1-01.3 | 755 | 35.9 | 33.2-38.6 |
| White/Non-Hisp | 1473 | 223,459 | 629 | 42.5 | 39.2-45.8 | 199 | 14.6 | 12.1-17.1 | 89 | 7.2 | 05.2-09.2 | 15 | 1.0 | 00.4-01.6 | 8 | 0.9 | 00.1-01.7 | 533 | 34.0 | 30.9-37.1 |
| Black or Afr. Am./Non-Hisp | 271 | 60,935 | 112 | 41.5 | 34.1-48.9 | 25 | 11.5 | 06.6-16.4 | 8 | 5.3 | 01.4-09.2 | 1 | 0.2 | 00.0-00.6 | | | | 125 | 41.5 | 33.7-49.3 |
| Oth. Race/Non-Hisp. | 92 | 16,879 | 35 | 49.6 | 33.1-66.1 | 6 | 4.2 | 00.3-08.1 | 1 | 0.3 | 00.0-00.9 | 4 | 1.7 | 00.0-03.5 | 1 | 1.3 | 00.0-03.8 | 45 | 43.0 | 27.1-58.9 |
| Hispanic | 93 | 22,467 | 45 | 49.3 | 37.7-60.9 | 10 | 8.6 | 02.9-14.3 | 5 | 4.9 | 00.2-09.6 | | | | | | | 33 | 37.3 | 26.1-48.5 |
| 18-24 | 127 | 43,169 | 49 | 39.2 | 28.6-49.8 | 17 | 11.9 | 05.8-18.0 | 11 | 10.0 | 03.1-16.9 | 2 | 0.4 | 00.0-01.0 | 3 | 2.0 | 00.0-04.4 | 45 | 36.4 | 26.2-46.6 |
| 25-34 | 203 | 56,632 | 93 | 45.4 | 37.0-53.8 | 39 | 17.9 | 11.6-24.2 | 15 | 10.1 | 04.8-15.4 | 5 | 1.3 | 00.1-02.5 | 1 | 1.3 | 00.0-03.8 | 50 | 24.0 | 16.7-31.3 |
| 35-44 | 246 | 51,893 | 119 | 45.3 | 38.0-52.6 | 22 | 11.7 | 06.4-17.0 | 12 | 5.8 | 02.1-09.5 | 1 | 0.6 | 00.0-01.8 | 1 | 0.3 | 00.0-00.9 | 91 | 36.4 | 29.5-43.3 |
| 45-54 | 348 | 59,645 | 156 | 44.6 | 38.1-51.1 | 39 | 13.0 | 08.1-17.9 | 18 | 4.7 | 02.0-07.4 | 4 | 0.7 | 00.0-01.5 | 2 | 0.7 | 00.0-01.7 | 129 | 36.4 | 29.9-42.9 |
| 55-64 | 404 | 55,691 | 184 | 46.9 | 40.8-53.0 | 46 | 11.1 | 07.4-14.8 | 20 | 4.1 | 02.1-06.1 | 7 | 1.6 | 00.0-03.2 | 1 | 0.3 | 00.0-00.9 | 146 | 36.0 | 29.7-42.3 |
| 65+ | 642 | 62,144 | 236 | 37.8 | 33.1-42.5 | 86 | 13.0 | 10.1-15.9 | 28 | 3.8 | 02.2-05.4 | 2 | 0.1 | 00.0-00.3 | 2 | 0.2 | 00.0-00.4 | 288 | 45.0 | 40.1-49.9 |
| Less Than H.S. | 159 | 43,012 | 45 | 28.9 | 20.3-37.5 | 10 | 5.1 | 01.2-09.0 | 8 | 7.0 | 01.5-12.5 | | | | 3 | 3.0 | 00.0-06.7 | 93 | 56.1 | 46.3-65.9 |
| H.S. or G.E.D. | 609 | 110,754 | 221 | 36.8 | 31.9-41.7 | 74 | 15.0 | 10.9-19.1 | 37 | 6.8 | 04.1-09.5 | 12 | 1.4 | 00.4-02.4 | 2 | 0.4 | 00.0-01.0 | 263 | 39.7 | 34.8-44.6 |
| Some Post-H.S. | 460 | 90,919 | 210 | 49.7 | 43.8-55.6 | 61 | 12.6 | 08.9-16.3 | 27 | 7.6 | 04.1-11.1 | 4 | 0.7 | 00.0-01.5 | 3 | 0.7 | 00.0-01.7 | 155 | 28.7 | 23.8-33.6 |
| College Graduate | 750 | 84,915 | 365 | 51.9 | 47.4-56.4 | 105 | 15.5 | 12.2-18.8 | 32 | 3.6 | 02.2-05.0 | 5 | 0.6 | 00.0-01.2 | 2 | 0.1 | 00.0-00.3 | 241 | 28.3 | 24.6-32.0 |
| Less than \$15,000 | 125 | 22,653 | 40 | 36.2 | 24.4-48.0 | 4 | 4.0 | 00.0-09.1 | 7 | 5.7 | 00.6-10.8 | 3 | 1.9 | 00.0-04.3 | | | | 71 | 52.1 | 39.6-64.6 |
| \$15,000- 24,999 | 249 | 41,793 | 81 | 37.1 | 29.5-44.7 | 23 | 8.4 | 04.5-12.3 | 10 | 4.1 | 01.2-07.0 | 3 | 0.6 | 00.0-01.4 | 1 | 0.5 | 00.0-01.5 | 131 | 49.3 | 41.3-57.3 |
| \$25,000- 34,999 | 182 | 29,465 | 64 | 38.2 | 28.8-47.6 | 23 | 12.2 | 05.5-18.9 | 12 | 8.3 | 01.8-14.8 | 5 | 2.1 | 00.1-04.1 | 2 | 0.9 | 00.0-02.3 | 76 | 38.4 | 29.2-47.6 |
| \$35,000- 49,999 | 287 | 46,108 | 118 | 44.9 | 36.7-53.1 | 33 | 13.1 | 07.2-19.0 | 13 | 4.8 | 01.7-07.9 | 3 | 0.9 | 00.0-02.3 | | | | 120 | 36.3 | 29.0-43.6 |
| \$50,000- 74,999 | 286 | 46,714 | 132 | 46.8 | 39.0-54.6 | 48 | 16.4 | 10.9-21.9 | 12 | 4.9 | 01.6-08.2 | 1 | 0.3 | 00.0-00.9 | 1 | 0.8 | 00.0-02.4 | 92 | 30.8 | 23.9-37.7 |
| \$75,000+ | 625 | 104,534 | 327 | 50.1 | 45.0-55.2 | 95 | 16.8 | 12.9-20.7 | 38 | 6.6 | 03.7-09.5 | 4 | 0.6 | 00.0-01.4 | 5 | 1.3 | 00.0-02.9 | 156 | 24.6 | 20.1-29.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=1 | | | >1, <=2 | | | >2, <=5 | | | >5, <=10 | | | >10 | | | None | | |
|----------------------------|-------------------|----------|---------|------|------------|---------|------|------------|---------|-----|------------|----------|-----|------------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2983 | 359,386 | 1169 | 41.5 | 39.0-44.0 | 245 | 7.5 | 06.3-08.7 | 25 | 0.7 | 00.3-01.1 | 2 | 0.0 | 00.0-00.0 | 2 | 0.1 | 00.1-00.1 | 1540 | 50.1 | 47.6-52.6 |
| White/Non-Hisp | 2212 | 243,126 | 933 | 45.4 | 42.5-48.3 | 223 | 10.0 | 08.4-11.6 | 20 | 0.8 | 00.4-01.2 | 2 | 0.0 | 00.0-00.0 | 2 | 0.1 | 00.0-00.3 | 1032 | 43.7 | 40.8-46.6 |
| Black or Afr. Am./Non-Hisp | 451 | 69,299 | 133 | 34.2 | 28.1-40.3 | 7 | 1.7 | 00.1-03.3 | 4 | 0.8 | 00.0-01.6 | | | | | | | 307 | 63.4 | 57.3-69.5 |
| Oth. Race/Non-Hisp. | 105 | 13,196 | 24 | 28.8 | 14.7-42.9 | 8 | 8.5 | 01.1-15.9 | | | | | | | | | | 73 | 62.6 | 48.5-76.7 |
| Hispanic | 139 | 28,126 | 46 | 32.0 | 22.2-41.8 | 4 | 1.8 | 00.0-03.8 | 1 | 0.7 | 00.0-02.1 | | | | | | | 88 | 65.5 | 55.5-75.5 |
| 18-24 | 136 | 42,745 | 61 | 43.7 | 33.7-53.7 | 13 | 9.2 | 03.9-14.5 | 2 | 1.0 | 00.0-02.4 | 1 | 0.1 | 00.0-00.3 | | | | 59 | 46.0 | 35.8-56.2 |
| 25-34 | 267 | 55,954 | 121 | 45.9 | 38.3-53.5 | 20 | 5.9 | 03.2-08.6 | 3 | 0.7 | 00.0-01.5 | | | | | | | 123 | 47.6 | 40.0-55.2 |
| 35-44 | 329 | 53,166 | 164 | 53.5 | 46.8-60.2 | 22 | 4.5 | 02.3-06.7 | 1 | 0.4 | 00.0-01.2 | | | | | | | 142 | 41.7 | 35.0-48.4 |
| 45-54 | 503 | 65,145 | 226 | 46.4 | 41.1-51.7 | 43 | 7.8 | 04.9-10.7 | 3 | 0.4 | 00.0-00.8 | 1 | 0.1 | 00.0-00.3 | | | | 230 | 45.3 | 39.8-50.8 |
| 55-64 | 653 | 60,643 | 261 | 38.0 | 33.3-42.7 | 50 | 8.0 | 05.5-10.5 | 10 | 1.1 | 00.3-01.9 | | | | 2 | 0.4 | 00.0-01.0 | 330 | 52.5 | 47.6-57.4 |
| 65+ | 1059 | 78,543 | 324 | 28.2 | 25.1-31.3 | 97 | 9.6 | 07.2-12.0 | 6 | 0.9 | 00.0-01.9 | | | | | | | 632 | 61.3 | 57.8-64.8 |
| Less Than H.S. | 224 | 45,362 | 44 | 22.0 | 14.6-29.4 | 6 | 3.7 | 00.2-07.2 | 1 | 0.1 | 00.0-00.3 | | | | 1 | 0.3 | 00.0-00.9 | 172 | 73.8 | 66.0-81.6 |
| H.S. or G.E.D. | 878 | 104,705 | 262 | 33.0 | 28.3-37.7 | 54 | 6.0 | 04.0-08.0 | 8 | 0.9 | 00.1-01.7 | | | | | | | 554 | 60.0 | 55.3-64.7 |
| Some Post-H.S. | 847 | 115,407 | 350 | 45.9 | 41.4-50.4 | 64 | 8.0 | 05.6-10.4 | 8 | 1.0 | 00.2-01.8 | 2 | 0.1 | 00.0-00.3 | | | | 423 | 45.0 | 40.7-49.3 |
| College Graduate | 1026 | 93,609 | 511 | 55.1 | 51.2-59.0 | 121 | 10.5 | 08.3-12.7 | 8 | 0.6 | 00.2-01.0 | | | | 1 | 0.1 | 00.0-00.3 | 385 | 33.8 | 30.1-37.5 |
| Less than \$15,000 | 287 | 33,299 | 60 | 21.3 | 14.4-28.2 | 15 | 5.5 | 02.0-09.0 | 4 | 1.9 | 00.0-03.9 | | | | | | | 208 | 71.3 | 63.7-78.9 |
| \$15,000- 24,999 | 462 | 52,863 | 127 | 27.0 | 21.7-32.3 | 18 | 3.5 | 01.5-05.5 | 2 | 0.2 | 00.0-00.6 | 1 | 0.1 | 00.0-00.3 | | | | 314 | 69.1 | 63.6-74.6 |
| \$25,000- 34,999 | 292 | 31,969 | 112 | 36.6 | 29.3-43.9 | 19 | 5.7 | 02.8-08.6 | 2 | 0.4 | 00.0-01.0 | | | | | | | 159 | 57.3 | 49.9-64.7 |
| \$35,000- 49,999 | 379 | 44,607 | 145 | 42.5 | 35.6-49.4 | 53 | 13.9 | 09.2-18.6 | 4 | 0.7 | 00.0-01.5 | | | | 1 | 0.4 | 00.0-01.2 | 176 | 42.6 | 35.7-49.5 |
| \$50,000- 74,999 | 382 | 45,857 | 177 | 46.7 | 40.0-53.4 | 33 | 8.2 | 05.1-11.3 | 6 | 1.5 | 00.1-02.9 | | | | | | | 166 | 43.7 | 37.0-50.4 |
| \$75,000+ | 686 | 93,342 | 384 | 59.2 | 54.5-63.9 | 80 | 9.4 | 06.9-11.9 | 6 | 0.5 | 00.0-01.1 | 1 | 0.0 | 00.0-00.0 | 1 | 0.1 | 00.0-00.3 | 214 | 30.8 | 26.3-35.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 13: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=5 | | | >5, <=15 | | | >15, <=30 | | | >30, <=60 | | | >60 | | | None | | |
|----------------------------|-------------------|----------|---------|------|------------|----------|------|------------|-----------|------|------------|-----------|------|------------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4967 | 689,911 | 1003 | 20.2 | 18.6-21.8 | 615 | 13.9 | 12.5-15.3 | 566 | 11.2 | 10.0-12.4 | 324 | 7.2 | 06.2-08.2 | 164 | 4.1 | 03.3-04.9 | 2295 | 43.3 | 41.3-45.3 |
| Male | 1984 | 330,525 | 372 | 18.5 | 16.3-20.7 | 268 | 14.8 | 12.6-17.0 | 270 | 13.2 | 11.2-15.2 | 184 | 9.9 | 08.1-11.7 | 135 | 7.7 | 05.9-09.5 | 755 | 35.9 | 33.2-38.6 |
| Female | 2983 | 359,386 | 631 | 21.8 | 19.8-23.8 | 347 | 13.1 | 11.3-14.9 | 296 | 9.4 | 08.0-10.8 | 140 | 4.7 | 03.7-05.7 | 29 | 0.8 | 00.4-01.2 | 1540 | 50.1 | 47.6-52.6 |
| White/Non-Hisp | 3685 | 466,585 | 757 | 20.0 | 18.2-21.8 | 476 | 14.5 | 12.9-16.1 | 480 | 13.3 | 11.7-14.9 | 271 | 8.3 | 07.1-09.5 | 136 | 4.8 | 03.6-06.0 | 1565 | 39.1 | 36.9-41.3 |
| Black or Afr. Am./Non-Hisp | 722 | 130,235 | 134 | 19.9 | 16.0-23.8 | 75 | 11.7 | 08.6-14.8 | 46 | 7.3 | 04.8-09.8 | 22 | 4.9 | 02.5-07.3 | 13 | 3.0 | 01.0-05.0 | 432 | 53.2 | 48.3-58.1 |
| Oth. Race/Non-Hisp. | 197 | 30,075 | 38 | 22.5 | 14.3-30.7 | 14 | 14.9 | 03.3-26.5 | 13 | 4.3 | 01.2-07.4 | 8 | 4.9 | 01.2-08.6 | 6 | 1.9 | 00.1-03.7 | 118 | 51.6 | 40.6-62.6 |
| MultiRacial/Non-Hisp. | 66 | 4,687 | 11 | 14.8 | 05.6-24.0 | 8 | 8.0 | 01.1-14.9 | 7 | 13.4 | 03.4-23.4 | 7 | 12.6 | 01.8-23.4 | 2 | 2.0 | 00.0-04.9 | 31 | 49.3 | 34.8-63.8 |
| Hispanic | 232 | 50,594 | 47 | 20.3 | 14.0-26.6 | 31 | 13.5 | 08.2-18.8 | 16 | 7.1 | 03.4-10.8 | 11 | 3.6 | 01.2-06.0 | 6 | 2.6 | 00.4-04.8 | 121 | 53.0 | 45.2-60.8 |
| 18-24 | 263 | 85,914 | 47 | 17.5 | 12.0-23.0 | 39 | 16.0 | 10.1-21.9 | 27 | 9.5 | 05.4-13.6 | 27 | 8.9 | 05.4-12.4 | 19 | 6.8 | 03.1-10.5 | 104 | 41.2 | 33.9-48.5 |
| 25-34 | 470 | 112,586 | 98 | 19.5 | 15.2-23.8 | 78 | 17.7 | 13.0-22.4 | 56 | 11.6 | 08.1-15.1 | 41 | 8.7 | 05.6-11.8 | 24 | 6.7 | 03.6-09.8 | 173 | 35.7 | 30.2-41.2 |
| 35-44 | 575 | 105,059 | 111 | 20.4 | 16.5-24.3 | 103 | 17.9 | 14.0-21.8 | 84 | 13.8 | 10.7-16.9 | 29 | 5.4 | 02.9-07.9 | 15 | 3.5 | 01.5-05.5 | 233 | 39.1 | 34.4-43.8 |
| 45-54 | 851 | 124,791 | 192 | 22.6 | 19.1-26.1 | 118 | 14.3 | 11.6-17.0 | 92 | 10.9 | 08.4-13.4 | 62 | 8.0 | 05.5-10.5 | 28 | 3.2 | 01.6-04.8 | 359 | 41.0 | 36.9-45.1 |
| 55-64 | 1057 | 116,334 | 226 | 22.1 | 19.0-25.2 | 127 | 11.3 | 09.1-13.5 | 119 | 11.7 | 09.2-14.2 | 69 | 6.7 | 04.7-08.7 | 40 | 3.7 | 02.3-05.1 | 476 | 44.6 | 40.7-48.5 |
| 65+ | 1701 | 140,686 | 318 | 18.7 | 16.3-21.1 | 146 | 8.6 | 07.0-10.2 | 184 | 10.2 | 08.4-12.0 | 95 | 6.1 | 04.7-07.5 | 38 | 2.3 | 01.3-03.3 | 920 | 54.1 | 51.2-57.0 |
| Less Than H.S. | 383 | 88,374 | 56 | 15.5 | 10.8-20.2 | 22 | 6.2 | 03.3-09.1 | 19 | 6.1 | 03.0-09.2 | 8 | 1.9 | 00.3-03.5 | 13 | 5.1 | 01.8-08.4 | 265 | 65.2 | 58.9-71.5 |
| H.S. or G.E.D. | 1487 | 215,459 | 258 | 17.0 | 14.5-19.5 | 138 | 11.5 | 09.0-14.0 | 129 | 9.0 | 07.2-10.8 | 86 | 8.1 | 05.9-10.3 | 59 | 4.8 | 03.2-06.4 | 817 | 49.6 | 46.1-53.1 |
| Some Post-H.S. | 1307 | 206,326 | 286 | 22.8 | 19.9-25.7 | 171 | 15.2 | 12.3-18.1 | 146 | 12.7 | 10.2-15.2 | 82 | 7.0 | 05.2-08.8 | 44 | 4.6 | 02.8-06.4 | 578 | 37.8 | 34.5-41.1 |
| College Graduate | 1776 | 178,524 | 400 | 23.5 | 21.0-26.0 | 283 | 19.1 | 16.6-21.6 | 271 | 14.8 | 12.6-17.0 | 148 | 9.0 | 07.2-10.8 | 48 | 2.4 | 01.6-03.2 | 626 | 31.2 | 28.5-33.9 |
| Less than \$15,000 | 412 | 55,953 | 58 | 14.9 | 09.8-20.0 | 25 | 6.4 | 03.5-09.3 | 26 | 7.4 | 03.5-11.3 | 10 | 3.5 | 00.8-06.2 | 14 | 4.3 | 01.8-06.8 | 279 | 63.5 | 56.6-70.4 |
| \$15,000- 24,999 | 711 | 94,655 | 120 | 16.2 | 12.9-19.5 | 58 | 10.0 | 06.9-13.1 | 45 | 7.0 | 04.5-09.5 | 26 | 3.9 | 02.3-05.5 | 17 | 2.5 | 01.1-03.9 | 445 | 60.4 | 55.7-65.1 |
| \$25,000- 34,999 | 474 | 61,434 | 85 | 18.3 | 13.4-23.2 | 51 | 9.5 | 06.2-12.8 | 58 | 12.4 | 08.5-16.3 | 24 | 6.0 | 02.7-09.3 | 21 | 5.6 | 02.3-08.9 | 235 | 48.2 | 42.1-54.3 |
| \$35,000- 49,999 | 666 | 90,715 | 135 | 20.7 | 16.8-24.6 | 84 | 15.6 | 10.7-20.5 | 75 | 11.1 | 08.0-14.2 | 55 | 9.7 | 06.4-13.0 | 21 | 3.4 | 01.6-05.2 | 296 | 39.4 | 34.3-44.5 |
| \$50,000- 74,999 | 668 | 92,571 | 155 | 22.7 | 18.4-27.0 | 102 | 16.5 | 12.4-20.6 | 82 | 11.5 | 08.4-14.6 | 51 | 8.3 | 05.6-11.0 | 20 | 3.8 | 01.8-05.8 | 258 | 37.2 | 32.3-42.1 |
| \$75,000+ | 1311 | 197,876 | 311 | 23.7 | 20.8-26.6 | 222 | 18.9 | 16.2-21.6 | 228 | 15.7 | 13.3-18.1 | 125 | 9.4 | 07.4-11.4 | 55 | 4.8 | 03.0-06.6 | 370 | 27.5 | 24.4-30.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 14: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=5 | | | >5, <=15 | | | >15, <=30 | | | >30, <=60 | | | >60 | | | None | | |
|----------------------------|-------------------|----------|---------|------|------------|----------|------|------------|-----------|------|------------|-----------|------|------------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1984 | 330,525 | 372 | 18.5 | 16.3-20.7 | 268 | 14.8 | 12.6-17.0 | 270 | 13.2 | 11.2-15.2 | 184 | 9.9 | 08.1-11.7 | 135 | 7.7 | 05.9-09.5 | 755 | 35.9 | 33.2-38.6 |
| White/Non-Hisp | 1473 | 223,459 | 267 | 17.3 | 14.9-19.7 | 200 | 14.7 | 12.3-17.1 | 214 | 14.2 | 11.8-16.6 | 147 | 10.9 | 08.7-13.1 | 112 | 9.0 | 06.8-11.2 | 533 | 34.0 | 30.9-37.1 |
| Black or Afr. Am./Non-Hisp | 271 | 60,935 | 55 | 19.2 | 13.5-24.9 | 34 | 12.8 | 07.7-17.9 | 31 | 12.1 | 07.2-17.0 | 17 | 8.8 | 04.3-13.3 | 9 | 5.5 | 01.6-09.4 | 125 | 41.5 | 33.7-49.3 |
| Oth. Race/Non-Hisp. | 92 | 16,879 | 22 | 28.5 | 15.4-41.6 | 9 | 17.2 | 00.0-34.8 | 7 | 5.6 | 00.5-10.7 | 3 | 2.3 | 00.0-05.4 | 6 | 3.3 | 00.0-06.6 | 45 | 43.0 | 27.1-58.9 |
| Hispanic | 93 | 22,467 | 17 | 18.9 | 09.7-28.1 | 18 | 19.6 | 10.4-28.8 | 12 | 13.1 | 05.5-20.7 | 8 | 6.3 | 01.4-11.2 | 5 | 4.9 | 00.2-09.6 | 33 | 37.3 | 26.1-48.5 |
| 18-24 | 127 | 43,169 | 23 | 16.5 | 09.2-23.8 | 16 | 16.0 | 06.8-25.2 | 11 | 8.0 | 02.5-13.5 | 16 | 10.6 | 04.9-16.3 | 16 | 12.4 | 05.3-19.5 | 45 | 36.4 | 26.2-46.6 |
| 25-34 | 203 | 56,632 | 30 | 13.7 | 08.0-19.4 | 36 | 18.9 | 12.0-25.8 | 38 | 17.0 | 10.9-23.1 | 28 | 13.6 | 07.9-19.3 | 21 | 12.7 | 06.8-18.6 | 50 | 24.0 | 16.7-31.3 |
| 35-44 | 246 | 51,893 | 37 | 15.2 | 10.3-20.1 | 43 | 16.5 | 11.0-22.0 | 48 | 17.7 | 12.4-23.0 | 13 | 7.7 | 03.0-12.4 | 14 | 6.6 | 02.7-10.5 | 91 | 36.4 | 29.5-43.3 |
| 45-54 | 348 | 59,645 | 73 | 21.8 | 16.3-27.3 | 54 | 14.4 | 10.3-18.5 | 35 | 11.0 | 06.9-15.1 | 33 | 10.3 | 06.0-14.6 | 24 | 6.1 | 03.0-09.2 | 129 | 36.4 | 29.9-42.9 |
| 55-64 | 404 | 55,691 | 88 | 22.6 | 17.7-27.5 | 54 | 13.4 | 09.5-17.3 | 52 | 13.8 | 09.5-18.1 | 36 | 8.1 | 05.0-11.2 | 28 | 6.0 | 03.5-08.5 | 146 | 36.0 | 29.7-42.3 |
| 65+ | 642 | 62,144 | 117 | 19.9 | 16.0-23.8 | 64 | 10.5 | 07.6-13.4 | 84 | 11.4 | 08.7-14.1 | 57 | 9.0 | 06.5-11.5 | 32 | 4.1 | 02.3-05.9 | 288 | 45.0 | 40.1-49.9 |
| Less Than H.S. | 159 | 43,012 | 23 | 15.4 | 08.5-22.3 | 14 | 7.8 | 03.3-12.3 | 13 | 8.5 | 03.4-13.6 | 5 | 2.3 | 00.0-04.7 | 11 | 10.0 | 03.5-16.5 | 93 | 56.1 | 46.3-65.9 |
| H.S. or G.E.D. | 609 | 110,754 | 106 | 16.5 | 12.8-20.2 | 64 | 11.8 | 08.5-15.1 | 70 | 11.6 | 08.5-14.7 | 55 | 11.9 | 08.2-15.6 | 51 | 8.5 | 05.6-11.4 | 263 | 39.7 | 34.8-44.6 |
| Some Post-H.S. | 460 | 90,919 | 89 | 18.8 | 14.5-23.1 | 74 | 18.9 | 13.4-24.4 | 62 | 15.5 | 11.0-20.0 | 46 | 9.1 | 06.0-12.2 | 34 | 9.0 | 05.3-12.7 | 155 | 28.7 | 23.8-33.6 |
| College Graduate | 750 | 84,915 | 153 | 22.4 | 18.5-26.3 | 115 | 17.6 | 14.1-21.1 | 124 | 15.4 | 12.3-18.5 | 78 | 11.9 | 08.8-15.0 | 39 | 4.3 | 02.7-05.9 | 241 | 28.3 | 24.6-32.0 |
| Less than \$15,000 | 125 | 22,653 | 20 | 16.8 | 08.0-25.6 | 11 | 8.6 | 02.9-14.3 | 10 | 11.0 | 02.4-19.6 | 3 | 3.7 | 00.0-08.8 | 10 | 7.7 | 02.0-13.4 | 71 | 52.1 | 39.6-64.6 |
| \$15,000- 24,999 | 249 | 41,793 | 36 | 14.2 | 09.1-19.3 | 27 | 13.7 | 08.0-19.4 | 25 | 11.7 | 06.6-16.8 | 16 | 5.9 | 02.8-09.0 | 14 | 5.2 | 01.9-08.5 | 131 | 49.3 | 41.3-57.3 |
| \$25,000- 34,999 | 182 | 29,465 | 28 | 19.2 | 11.0-27.4 | 19 | 9.6 | 04.7-14.5 | 24 | 12.2 | 06.1-18.3 | 16 | 9.4 | 02.9-15.9 | 19 | 11.3 | 04.6-18.0 | 76 | 38.4 | 29.2-47.6 |
| \$35,000- 49,999 | 287 | 46,108 | 55 | 17.1 | 11.8-22.4 | 38 | 18.0 | 09.8-26.2 | 34 | 13.5 | 08.2-18.8 | 24 | 9.3 | 04.0-14.6 | 16 | 5.7 | 02.4-09.0 | 120 | 36.3 | 29.0-43.6 |
| \$50,000- 74,999 | 286 | 46,714 | 63 | 22.2 | 15.9-28.5 | 40 | 15.5 | 09.0-22.0 | 43 | 13.7 | 08.8-18.6 | 34 | 11.9 | 07.0-16.8 | 14 | 6.0 | 02.3-09.7 | 92 | 30.8 | 23.9-37.7 |
| \$75,000+ | 625 | 104,534 | 130 | 20.1 | 16.2-24.0 | 107 | 18.6 | 14.7-22.5 | 113 | 15.6 | 12.3-18.9 | 72 | 12.6 | 09.3-15.9 | 47 | 8.5 | 05.2-11.8 | 156 | 24.6 | 20.1-29.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 15: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=5 | | | >5, <=15 | | | >15, <=30 | | | >30, <=60 | | | >60 | | | None | | |
|----------------------------|-------------------|----------|---------|------|------------|----------|------|------------|-----------|------|------------|-----------|------|------------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2983 | 359,386 | 631 | 21.8 | 19.8-23.8 | 347 | 13.1 | 11.3-14.9 | 296 | 9.4 | 08.0-10.8 | 140 | 4.7 | 03.7-05.7 | 29 | 0.8 | 00.4-01.2 | 1540 | 50.1 | 47.6-52.6 |
| White/Non-Hisp | 2212 | 243,126 | 490 | 22.6 | 20.2-25.0 | 276 | 14.4 | 12.2-16.6 | 266 | 12.5 | 10.7-14.3 | 124 | 5.9 | 04.7-07.1 | 24 | 0.9 | 00.5-01.3 | 1032 | 43.7 | 40.8-46.6 |
| Black or Afr. Am./Non-Hisp | 451 | 69,299 | 79 | 20.5 | 15.0-26.0 | 41 | 10.8 | 06.9-14.7 | 15 | 3.0 | 01.2-04.8 | 5 | 1.5 | 00.0-03.1 | 4 | 0.8 | 00.0-01.6 | 307 | 63.4 | 57.3-69.5 |
| Oth. Race/Non-Hisp. | 105 | 13,196 | 16 | 14.8 | 06.2-23.4 | 5 | 11.8 | 00.0-25.3 | 6 | 2.6 | 00.1-05.1 | 5 | 8.2 | 00.8-15.6 | | | | 73 | 62.6 | 48.5-76.7 |
| Hispanic | 139 | 28,126 | 30 | 21.5 | 12.7-30.3 | 13 | 8.6 | 02.9-14.3 | 4 | 2.3 | 00.0-04.8 | 3 | 1.5 | 00.0-03.5 | 1 | 0.7 | 00.0-02.1 | 88 | 65.5 | 55.5-75.5 |
| 18-24 | 136 | 42,745 | 24 | 18.5 | 10.3-26.7 | 23 | 16.1 | 08.8-23.4 | 16 | 11.0 | 05.1-16.9 | 11 | 7.2 | 02.9-11.5 | 3 | 1.1 | 00.0-02.5 | 59 | 46.0 | 35.8-56.2 |
| 25-34 | 267 | 55,954 | 68 | 25.3 | 18.8-31.8 | 42 | 16.5 | 09.8-23.2 | 18 | 6.2 | 03.1-09.3 | 13 | 3.8 | 01.6-06.0 | 3 | 0.7 | 00.0-01.5 | 123 | 47.6 | 40.0-55.2 |
| 35-44 | 329 | 53,166 | 74 | 25.4 | 19.3-31.5 | 60 | 19.3 | 13.8-24.8 | 36 | 9.9 | 06.4-13.4 | 16 | 3.2 | 01.4-05.0 | 1 | 0.4 | 00.0-01.2 | 142 | 41.7 | 35.0-48.4 |
| 45-54 | 503 | 65,145 | 119 | 23.4 | 19.1-27.7 | 64 | 14.3 | 10.6-18.0 | 57 | 10.8 | 07.5-14.1 | 29 | 5.8 | 03.3-08.3 | 4 | 0.5 | 00.0-01.1 | 230 | 45.3 | 39.8-50.8 |
| 55-64 | 653 | 60,643 | 138 | 21.5 | 17.6-25.4 | 73 | 9.3 | 06.9-11.7 | 67 | 9.8 | 07.3-12.3 | 33 | 5.4 | 03.2-07.6 | 12 | 1.5 | 00.5-02.5 | 330 | 52.5 | 47.6-57.4 |
| 65+ | 1059 | 78,543 | 201 | 17.8 | 15.1-20.5 | 82 | 7.1 | 05.3-08.9 | 100 | 9.2 | 07.0-11.4 | 38 | 3.8 | 02.2-05.4 | 6 | 0.9 | 00.0-01.9 | 632 | 61.3 | 57.8-64.8 |
| Less Than H.S. | 224 | 45,362 | 33 | 15.6 | 09.1-22.1 | 8 | 4.7 | 00.6-08.8 | 6 | 3.9 | 00.4-07.4 | 3 | 1.5 | 00.0-03.3 | 2 | 0.5 | 00.0-01.3 | 172 | 73.8 | 66.0-81.6 |
| H.S. or G.E.D. | 878 | 104,705 | 152 | 17.6 | 14.3-20.9 | 74 | 11.2 | 07.3-15.1 | 59 | 6.3 | 04.3-08.3 | 31 | 4.0 | 02.2-05.8 | 8 | 0.9 | 00.1-01.7 | 554 | 60.0 | 55.3-64.7 |
| Some Post-H.S. | 847 | 115,407 | 197 | 25.9 | 21.8-30.0 | 97 | 12.3 | 09.4-15.2 | 84 | 10.4 | 07.9-12.9 | 36 | 5.3 | 03.3-07.3 | 10 | 1.1 | 00.3-01.9 | 423 | 45.0 | 40.7-49.3 |
| College Graduate | 1026 | 93,609 | 247 | 24.5 | 21.2-27.8 | 168 | 20.4 | 17.1-23.7 | 147 | 14.2 | 11.5-16.9 | 70 | 6.4 | 04.6-08.2 | 9 | 0.6 | 00.2-01.0 | 385 | 33.8 | 30.1-37.5 |
| Less than \$15,000 | 287 | 33,299 | 38 | 13.6 | 07.5-19.7 | 14 | 5.0 | 01.7-08.3 | 16 | 4.9 | 02.2-07.6 | 7 | 3.3 | 00.2-06.4 | 4 | 1.9 | 00.0-03.9 | 208 | 71.3 | 63.7-78.9 |
| \$15,000- 24,999 | 462 | 52,863 | 84 | 17.8 | 13.5-22.1 | 31 | 7.1 | 03.6-10.6 | 20 | 3.4 | 01.6-05.2 | 10 | 2.3 | 00.7-03.9 | 3 | 0.4 | 00.0-00.8 | 314 | 69.1 | 63.6-74.6 |
| \$25,000- 34,999 | 292 | 31,969 | 57 | 17.4 | 11.9-22.9 | 32 | 9.4 | 04.9-13.9 | 34 | 12.6 | 07.7-17.5 | 8 | 2.8 | 00.4-05.2 | 2 | 0.4 | 00.0-01.0 | 159 | 57.3 | 49.9-64.7 |
| \$35,000- 49,999 | 379 | 44,607 | 80 | 24.5 | 18.6-30.4 | 46 | 13.1 | 08.0-18.2 | 41 | 8.7 | 05.4-12.0 | 31 | 10.1 | 05.8-14.4 | 5 | 1.0 | 00.0-02.0 | 176 | 42.6 | 35.7-49.5 |
| \$50,000- 74,999 | 382 | 45,857 | 92 | 23.3 | 17.6-29.0 | 62 | 17.6 | 12.5-22.7 | 39 | 9.2 | 05.7-12.7 | 17 | 4.6 | 02.2-07.0 | 6 | 1.5 | 00.1-02.9 | 166 | 43.7 | 37.0-50.4 |
| \$75,000+ | 686 | 93,342 | 181 | 27.8 | 23.3-32.3 | 115 | 19.3 | 15.4-23.2 | 115 | 15.8 | 12.3-19.3 | 53 | 5.7 | 03.9-07.5 | 8 | 0.6 | 00.0-01.2 | 214 | 30.8 | 26.3-35.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 16: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4967 | 689,911 | 4663 | 93.4 | 92.4-94.4 | 304 | 6.6 | 05.6-07.6 |
| Male | 1984 | 330,525 | 1849 | 92.3 | 90.5-94.1 | 135 | 7.7 | 05.9-09.5 |
| Female | 2983 | 359,386 | 2814 | 94.4 | 93.4-95.4 | 169 | 5.6 | 04.6-06.6 |
| White/Non-Hisp | 3685 | 466,585 | 3425 | 92.1 | 90.9-93.3 | 260 | 7.9 | 06.7-09.1 |
| Black or Afr. Am./Non-Hisp | 722 | 130,235 | 704 | 96.2 | 94.2-98.2 | 18 | 3.8 | 01.8-05.8 |
| Oth. Race/Non-Hisp. | 197 | 30,075 | 186 | 94.6 | 90.7-98.5 | 11 | 5.4 | 01.5-09.3 |
| MultiRacial/Non-Hisp. | 66 | 4,687 | 62 | 96.9 | 93.4-0100 | 4 | 3.1 | 00.0-06.6 |
| Hispanic | 232 | 50,594 | 223 | 96.6 | 94.2-99.0 | 9 | 3.4 | 01.0-05.8 |
| 18-24 | 263 | 85,914 | 233 | 89.6 | 85.3-93.9 | 30 | 10.4 | 06.1-14.7 |
| 25-34 | 470 | 112,586 | 433 | 91.4 | 88.1-94.7 | 37 | 8.6 | 05.3-11.9 |
| 35-44 | 575 | 105,059 | 544 | 94.9 | 92.7-97.1 | 31 | 5.1 | 02.9-07.3 |
| 45-54 | 851 | 124,791 | 794 | 93.8 | 91.8-95.8 | 57 | 6.2 | 04.2-08.2 |
| 55-64 | 1057 | 116,334 | 984 | 93.5 | 91.7-95.3 | 73 | 6.5 | 04.7-08.3 |
| 65+ | 1701 | 140,686 | 1625 | 95.6 | 94.4-96.8 | 76 | 4.4 | 03.2-05.6 |
| Less Than H.S. | 383 | 88,374 | 367 | 94.1 | 90.8-97.4 | 16 | 5.9 | 02.6-09.2 |
| H.S. or G.E.D. | 1487 | 215,459 | 1397 | 93.2 | 91.4-95.0 | 90 | 6.8 | 05.0-08.6 |
| Some Post-H.S. | 1307 | 206,326 | 1227 | 92.5 | 90.5-94.5 | 80 | 7.5 | 05.5-09.5 |
| College Graduate | 1776 | 178,524 | 1658 | 94.3 | 93.1-95.5 | 118 | 5.7 | 04.5-06.9 |
| Less than \$15,000 | 412 | 55,953 | 391 | 93.8 | 90.7-96.9 | 21 | 6.2 | 03.1-09.3 |
| \$15,000- 24,999 | 711 | 94,655 | 684 | 96.2 | 94.4-98.0 | 27 | 3.8 | 02.0-05.6 |
| \$25,000- 34,999 | 474 | 61,434 | 445 | 92.9 | 89.4-96.4 | 29 | 7.1 | 03.6-10.6 |
| \$35,000- 49,999 | 666 | 90,715 | 614 | 91.6 | 88.9-94.3 | 52 | 8.4 | 05.7-11.1 |
| \$50,000- 74,999 | 668 | 92,571 | 631 | 94.0 | 91.6-96.4 | 37 | 6.0 | 03.6-08.4 |
| \$75,000+ | 1311 | 197,876 | 1203 | 92.5 | 90.5-94.5 | 108 | 7.5 | 05.5-09.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 17: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1984 | 330,525 | 1849 | 92.3 | 90.5-94.1 | 135 | 7.7 | 05.9-09.5 |
| White/Non-Hisp | 1473 | 223,459 | 1361 | 91.0 | 88.8-93.2 | 112 | 9.0 | 06.8-11.2 |
| Black or Afr. Am./Non-Hisp | 271 | 60,935 | 262 | 94.5 | 90.6-98.4 | 9 | 5.5 | 01.6-09.4 |
| Oth. Race/Non-Hisp. | 92 | 16,879 | 86 | 96.7 | 93.4-0100 | 6 | 3.3 | 00.0-06.6 |
| Hispanic | 93 | 22,467 | 88 | 95.1 | 90.4-99.8 | 5 | 4.9 | 00.2-09.6 |
| 18-24 | 127 | 43,169 | 111 | 87.6 | 80.5-94.7 | 16 | 12.4 | 05.3-19.5 |
| 25-34 | 203 | 56,632 | 182 | 87.3 | 81.4-93.2 | 21 | 12.7 | 06.8-18.6 |
| 35-44 | 246 | 51,893 | 232 | 93.4 | 89.5-97.3 | 14 | 6.6 | 02.7-10.5 |
| 45-54 | 348 | 59,645 | 324 | 93.9 | 90.8-97.0 | 24 | 6.1 | 03.0-09.2 |
| 55-64 | 404 | 55,691 | 376 | 94.0 | 91.5-96.5 | 28 | 6.0 | 03.5-08.5 |
| 65+ | 642 | 62,144 | 610 | 95.9 | 94.1-97.7 | 32 | 4.1 | 02.3-05.9 |
| Less Than H.S. | 159 | 43,012 | 148 | 90.0 | 83.5-96.5 | 11 | 10.0 | 03.5-16.5 |
| H.S. or G.E.D. | 609 | 110,754 | 558 | 91.5 | 88.6-94.4 | 51 | 8.5 | 05.6-11.4 |
| Some Post-H.S. | 460 | 90,919 | 426 | 91.0 | 87.3-94.7 | 34 | 9.0 | 05.3-12.7 |
| College Graduate | 750 | 84,915 | 711 | 95.7 | 94.1-97.3 | 39 | 4.3 | 02.7-05.9 |
| Less than \$15,000 | 125 | 22,653 | 115 | 92.3 | 86.6-98.0 | 10 | 7.7 | 02.0-13.4 |
| \$15,000- 24,999 | 249 | 41,793 | 235 | 94.8 | 91.5-98.1 | 14 | 5.2 | 01.9-08.5 |
| \$25,000- 34,999 | 182 | 29,465 | 163 | 88.7 | 82.0-95.4 | 19 | 11.3 | 04.6-18.0 |
| \$35,000- 49,999 | 287 | 46,108 | 271 | 94.3 | 91.0-97.6 | 16 | 5.7 | 02.4-09.0 |
| \$50,000- 74,999 | 286 | 46,714 | 272 | 94.0 | 90.3-97.7 | 14 | 6.0 | 02.3-09.7 |
| \$75,000+ | 625 | 104,534 | 578 | 91.5 | 88.2-94.8 | 47 | 8.5 | 05.2-11.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 18: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2983 | 359,386 | 2814 | 94.4 | 93.4-95.4 | 169 | 5.6 | 04.6-06.6 |
| White/Non-Hisp | 2212 | 243,126 | 2064 | 93.2 | 91.8-94.6 | 148 | 6.8 | 05.4-08.2 |
| Black or Afr. Am./Non-Hisp | 451 | 69,299 | 442 | 97.7 | 95.9-99.5 | 9 | 2.3 | 00.5-04.1 |
| Oth. Race/Non-Hisp. | 105 | 13,196 | 100 | 91.8 | 84.4-99.2 | 5 | 8.2 | 00.8-15.6 |
| Hispanic | 139 | 28,126 | 135 | 97.8 | 95.4-0100 | 4 | 2.2 | 00.0-04.6 |
| 18-24 | 136 | 42,745 | 122 | 91.6 | 86.9-96.3 | 14 | 8.4 | 03.7-13.1 |
| 25-34 | 267 | 55,954 | 251 | 95.5 | 93.1-97.9 | 16 | 4.5 | 02.1-06.9 |
| 35-44 | 329 | 53,166 | 312 | 96.4 | 94.4-98.4 | 17 | 3.6 | 01.6-05.6 |
| 45-54 | 503 | 65,145 | 470 | 93.7 | 91.2-96.2 | 33 | 6.3 | 03.8-08.8 |
| 55-64 | 653 | 60,643 | 608 | 93.1 | 90.7-95.5 | 45 | 6.9 | 04.5-09.3 |
| 65+ | 1059 | 78,543 | 1015 | 95.3 | 93.5-97.1 | 44 | 4.7 | 02.9-06.5 |
| Less Than H.S. | 224 | 45,362 | 219 | 98.0 | 96.0-0100 | 5 | 2.0 | 00.0-04.0 |
| H.S. or G.E.D. | 878 | 104,705 | 839 | 95.0 | 93.2-96.8 | 39 | 5.0 | 03.2-06.8 |
| Some Post-H.S. | 847 | 115,407 | 801 | 93.7 | 91.5-95.9 | 46 | 6.3 | 04.1-08.5 |
| College Graduate | 1026 | 93,609 | 947 | 93.0 | 91.2-94.8 | 79 | 7.0 | 05.2-08.8 |
| Less than \$15,000 | 287 | 33,299 | 276 | 94.7 | 91.0-98.4 | 11 | 5.3 | 01.6-09.0 |
| \$15,000- 24,999 | 462 | 52,863 | 449 | 97.4 | 95.8-99.0 | 13 | 2.6 | 01.0-04.2 |
| \$25,000- 34,999 | 292 | 31,969 | 282 | 96.8 | 94.4-99.2 | 10 | 3.2 | 00.8-05.6 |
| \$35,000- 49,999 | 379 | 44,607 | 343 | 88.9 | 84.6-93.2 | 36 | 11.1 | 06.8-15.4 |
| \$50,000- 74,999 | 382 | 45,857 | 359 | 93.9 | 91.2-96.6 | 23 | 6.1 | 03.4-08.8 |
| \$75,000+ | 686 | 93,342 | 625 | 93.7 | 91.7-95.7 | 61 | 6.3 | 04.3-08.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 19: ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1984 | 330,525 | 1849 | 92.3 | 90.5-94.1 | 135 | 7.7 | 05.9-09.5 |
| White/Non-Hisp | 1473 | 223,459 | 1361 | 91.0 | 88.8-93.2 | 112 | 9.0 | 06.8-11.2 |
| Black or Afr. Am./Non-Hisp | 271 | 60,935 | 262 | 94.5 | 90.6-98.4 | 9 | 5.5 | 01.6-09.4 |
| Oth. Race/Non-Hisp. | 92 | 16,879 | 86 | 96.7 | 93.4-0100 | 6 | 3.3 | 00.0-06.6 |
| Hispanic | 93 | 22,467 | 88 | 95.1 | 90.4-99.8 | 5 | 4.9 | 00.2-09.6 |
| 18-24 | 127 | 43,169 | 111 | 87.6 | 80.5-94.7 | 16 | 12.4 | 05.3-19.5 |
| 25-34 | 203 | 56,632 | 182 | 87.3 | 81.4-93.2 | 21 | 12.7 | 06.8-18.6 |
| 35-44 | 246 | 51,893 | 232 | 93.4 | 89.5-97.3 | 14 | 6.6 | 02.7-10.5 |
| 45-54 | 348 | 59,645 | 324 | 93.9 | 90.8-97.0 | 24 | 6.1 | 03.0-09.2 |
| 55-64 | 404 | 55,691 | 376 | 94.0 | 91.5-96.5 | 28 | 6.0 | 03.5-08.5 |
| 65+ | 642 | 62,144 | 610 | 95.9 | 94.1-97.7 | 32 | 4.1 | 02.3-05.9 |
| Less Than H.S. | 159 | 43,012 | 148 | 90.0 | 83.5-96.5 | 11 | 10.0 | 03.5-16.5 |
| H.S. or G.E.D. | 609 | 110,754 | 558 | 91.5 | 88.6-94.4 | 51 | 8.5 | 05.6-11.4 |
| Some Post-H.S. | 460 | 90,919 | 426 | 91.0 | 87.3-94.7 | 34 | 9.0 | 05.3-12.7 |
| College Graduate | 750 | 84,915 | 711 | 95.7 | 94.1-97.3 | 39 | 4.3 | 02.7-05.9 |
| Less than \$15,000 | 125 | 22,653 | 115 | 92.3 | 86.6-98.0 | 10 | 7.7 | 02.0-13.4 |
| \$15,000- 24,999 | 249 | 41,793 | 235 | 94.8 | 91.5-98.1 | 14 | 5.2 | 01.9-08.5 |
| \$25,000- 34,999 | 182 | 29,465 | 163 | 88.7 | 82.0-95.4 | 19 | 11.3 | 04.6-18.0 |
| \$35,000- 49,999 | 287 | 46,108 | 271 | 94.3 | 91.0-97.6 | 16 | 5.7 | 02.4-09.0 |
| \$50,000- 74,999 | 286 | 46,714 | 272 | 94.0 | 90.3-97.7 | 14 | 6.0 | 02.3-09.7 |
| \$75,000+ | 625 | 104,534 | 578 | 91.5 | 88.2-94.8 | 47 | 8.5 | 05.2-11.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 20: ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2983 | 359,386 | 2814 | 94.4 | 93.4-95.4 | 169 | 5.6 | 04.6-06.6 |
| White/Non-Hisp | 2212 | 243,126 | 2064 | 93.2 | 91.8-94.6 | 148 | 6.8 | 05.4-08.2 |
| Black or Afr. Am./Non-Hisp | 451 | 69,299 | 442 | 97.7 | 95.9-99.5 | 9 | 2.3 | 00.5-04.1 |
| Oth. Race/Non-Hisp. | 105 | 13,196 | 100 | 91.8 | 84.4-99.2 | 5 | 8.2 | 00.8-15.6 |
| Hispanic | 139 | 28,126 | 135 | 97.8 | 95.4-0100 | 4 | 2.2 | 00.0-04.6 |
| 18-24 | 136 | 42,745 | 122 | 91.6 | 86.9-96.3 | 14 | 8.4 | 03.7-13.1 |
| 25-34 | 267 | 55,954 | 251 | 95.5 | 93.1-97.9 | 16 | 4.5 | 02.1-06.9 |
| 35-44 | 329 | 53,166 | 312 | 96.4 | 94.4-98.4 | 17 | 3.6 | 01.6-05.6 |
| 45-54 | 503 | 65,145 | 470 | 93.7 | 91.2-96.2 | 33 | 6.3 | 03.8-08.8 |
| 55-64 | 653 | 60,643 | 608 | 93.1 | 90.7-95.5 | 45 | 6.9 | 04.5-09.3 |
| 65+ | 1059 | 78,543 | 1015 | 95.3 | 93.5-97.1 | 44 | 4.7 | 02.9-06.5 |
| Less Than H.S. | 224 | 45,362 | 219 | 98.0 | 96.0-0100 | 5 | 2.0 | 00.0-04.0 |
| H.S. or G.E.D. | 878 | 104,705 | 839 | 95.0 | 93.2-96.8 | 39 | 5.0 | 03.2-06.8 |
| Some Post-H.S. | 847 | 115,407 | 801 | 93.7 | 91.5-95.9 | 46 | 6.3 | 04.1-08.5 |
| College Graduate | 1026 | 93,609 | 947 | 93.0 | 91.2-94.8 | 79 | 7.0 | 05.2-08.8 |
| Less than \$15,000 | 287 | 33,299 | 276 | 94.7 | 91.0-98.4 | 11 | 5.3 | 01.6-09.0 |
| \$15,000- 24,999 | 462 | 52,863 | 449 | 97.4 | 95.8-99.0 | 13 | 2.6 | 01.0-04.2 |
| \$25,000- 34,999 | 292 | 31,969 | 282 | 96.8 | 94.4-99.2 | 10 | 3.2 | 00.8-05.6 |
| \$35,000- 49,999 | 379 | 44,607 | 343 | 88.9 | 84.6-93.2 | 36 | 11.1 | 06.8-15.4 |
| \$50,000- 74,999 | 382 | 45,857 | 359 | 93.9 | 91.2-96.6 | 23 | 6.1 | 03.4-08.8 |
| \$75,000+ | 686 | 93,342 | 625 | 93.7 | 91.7-95.7 | 61 | 6.3 | 04.3-08.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 11: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_) | |
| 1 MALES AND FEMALES | 116 |
| 2 MALES ONLY | 117 |
| 3 FEMALES ONLY | 118 |
| FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_) | |
| 4 MALES AND FEMALES | 119 |
| 5 MALES ONLY | 120 |
| 6 FEMALES ONLY | 121 |
| BEAN INTAKE IN TIMES PER DAY (BEANDAY_) | |
| 7 MALES AND FEMALES | 122 |
| 8 MALES ONLY | 123 |
| 9 FEMALES ONLY | 124 |
| DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_) | |
| 10 MALES AND FEMALES | 125 |
| 11 MALES ONLY | 126 |
| 12 FEMALES ONLY | 127 |
| ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_) | |
| 13 MALES AND FEMALES | 128 |
| 14 MALES ONLY | 129 |
| 15 FEMALES ONLY | 130 |
| VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_) | |
| 16 MALES AND FEMALES | 131 |
| 17 MALES ONLY | 132 |
| 18 FEMALES ONLY | 133 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 11: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM) | |
| 19 MALES AND FEMALES | 134 |
| 20 MALES ONLY | 135 |
| 21 FEMALES ONLY | 136 |
| TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM) | |
| 22 MALES AND FEMALES | 137 |
| 23 MALES ONLY | 138 |
| 24 FEMALES ONLY | 139 |
| CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1) | |
| 25 MALES AND FEMALES | 140 |
| 26 MALES ONLY | 141 |
| 27 FEMALES ONLY | 142 |
| CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGL1) | |
| 28 MALES AND FEMALES | 143 |
| 29 MALES ONLY | 144 |
| 30 FEMALES ONLY | 145 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4890 | 678,099 | 1845 | 42.0 | 40.0-44.0 | 1139 | 20.6 | 19.0-22.2 | 54 | 1.3 | 00.9-01.7 | 24 | 0.4 | 00.2-00.6 | 1828 | 35.8 | 34.0-37.6 |
| Male | 1953 | 323,669 | 783 | 45.4 | 42.5-48.3 | 525 | 23.2 | 20.8-25.6 | 21 | 1.3 | 00.7-01.9 | 11 | 0.3 | 00.1-00.5 | 613 | 29.8 | 27.1-32.5 |
| Female | 2937 | 354,429 | 1062 | 38.8 | 36.3-41.3 | 614 | 18.2 | 16.2-20.2 | 33 | 1.3 | 00.7-01.9 | 13 | 0.5 | 00.1-00.9 | 1215 | 41.3 | 38.8-43.8 |
| White/Non-Hisp | 3634 | 457,885 | 1322 | 40.0 | 37.8-42.2 | 841 | 19.9 | 18.3-21.5 | 23 | 0.9 | 00.5-01.3 | 16 | 0.3 | 00.1-00.5 | 1432 | 38.9 | 36.7-41.1 |
| Black or Afr. Am./Non-Hisp | 703 | 127,685 | 297 | 46.5 | 41.6-51.4 | 176 | 21.9 | 17.8-26.0 | 21 | 2.6 | 01.2-04.0 | 3 | 0.6 | 00.0-01.4 | 206 | 28.4 | 24.1-32.7 |
| Oth. Race/Non-Hisp. | 196 | 30,249 | 82 | 48.7 | 37.7-59.7 | 38 | 16.1 | 09.8-22.4 | 2 | 0.6 | 00.0-01.4 | 3 | 0.3 | 00.0-00.7 | 71 | 34.3 | 24.5-44.1 |
| MultiRacial/Non-Hisp. | 67 | 5,034 | 24 | 41.6 | 27.3-55.9 | 15 | 22.5 | 10.2-34.8 | 1 | 5.0 | 00.0-14.4 | 1 | 0.5 | 00.0-01.5 | 26 | 30.4 | 18.1-42.7 |
| Hispanic | 228 | 49,873 | 99 | 44.9 | 37.1-52.7 | 55 | 25.9 | 18.5-33.3 | 6 | 1.5 | 00.1-02.9 | 1 | 0.5 | 00.0-01.5 | 67 | 27.2 | 20.5-33.9 |
| 18-24 | 256 | 84,235 | 143 | 57.1 | 49.7-64.5 | 32 | 14.1 | 08.6-19.6 | 4 | 1.3 | 00.0-02.7 | 1 | 0.3 | 00.0-00.9 | 76 | 27.2 | 20.9-33.5 |
| 25-34 | 462 | 110,844 | 229 | 48.6 | 42.7-54.5 | 86 | 18.1 | 14.0-22.2 | 9 | 2.0 | 00.6-03.4 | 3 | 0.5 | 00.0-01.1 | 135 | 30.8 | 25.3-36.3 |
| 35-44 | 575 | 104,420 | 255 | 43.0 | 38.1-47.9 | 90 | 16.5 | 12.8-20.2 | 5 | 1.0 | 00.0-02.0 | 5 | 0.7 | 00.1-01.3 | 220 | 38.9 | 34.0-43.8 |
| 45-54 | 848 | 123,153 | 336 | 40.6 | 36.5-44.7 | 169 | 18.7 | 15.6-21.8 | 10 | 1.6 | 00.4-02.8 | 2 | 0.5 | 00.0-01.3 | 331 | 38.7 | 34.6-42.8 |
| 55-64 | 1045 | 114,746 | 387 | 40.1 | 36.2-44.0 | 216 | 19.2 | 16.3-22.1 | 11 | 1.0 | 00.4-01.6 | 5 | 0.2 | 00.0-00.4 | 426 | 39.6 | 35.7-43.5 |
| 65+ | 1659 | 136,471 | 481 | 29.6 | 26.9-32.3 | 539 | 32.6 | 29.7-35.5 | 15 | 1.1 | 00.5-01.7 | 8 | 0.3 | 00.1-00.5 | 616 | 36.4 | 33.5-39.3 |
| Less Than H.S. | 371 | 87,014 | 119 | 39.2 | 32.3-46.1 | 93 | 22.6 | 16.9-28.3 | 8 | 1.8 | 00.4-03.2 | 2 | 0.3 | 00.0-00.9 | 149 | 36.0 | 29.7-42.3 |
| H.S. or G.E.D. | 1453 | 210,077 | 532 | 41.8 | 38.3-45.3 | 328 | 18.7 | 16.2-21.2 | 19 | 1.6 | 00.6-02.6 | 6 | 0.5 | 00.0-01.1 | 568 | 37.3 | 34.0-40.6 |
| Some Post-H.S. | 1290 | 203,100 | 508 | 43.0 | 39.3-46.7 | 297 | 21.0 | 18.3-23.7 | 14 | 1.3 | 00.5-02.1 | 10 | 0.5 | 00.1-00.9 | 461 | 34.3 | 30.8-37.8 |
| College Graduate | 1761 | 176,494 | 681 | 42.3 | 39.4-45.2 | 418 | 21.4 | 19.0-23.8 | 13 | 0.7 | 00.3-01.1 | 6 | 0.1 | 00.0-00.3 | 643 | 35.5 | 32.6-38.4 |
| Less than \$15,000 | 400 | 53,848 | 139 | 41.1 | 33.7-48.5 | 90 | 19.5 | 13.6-25.4 | 7 | 1.4 | 00.2-02.6 | 4 | 0.6 | 00.0-01.4 | 160 | 37.4 | 30.5-44.3 |
| \$15,000- 24,999 | 687 | 90,646 | 254 | 42.4 | 37.3-47.5 | 173 | 22.6 | 18.7-26.5 | 14 | 2.1 | 00.7-03.5 | 5 | 1.0 | 00.0-02.2 | 241 | 31.9 | 27.2-36.6 |
| \$25,000- 34,999 | 461 | 59,419 | 165 | 39.2 | 33.1-45.3 | 111 | 19.9 | 15.4-24.4 | 9 | 3.4 | 00.9-05.9 | 2 | 0.2 | 00.0-00.6 | 174 | 37.2 | 31.3-43.1 |
| \$35,000- 49,999 | 667 | 90,856 | 265 | 43.6 | 38.1-49.1 | 172 | 23.7 | 19.6-27.8 | 6 | 1.1 | 00.1-02.1 | 2 | 0.2 | 00.0-00.6 | 222 | 31.4 | 26.5-36.3 |
| \$50,000- 74,999 | 666 | 91,987 | 265 | 42.6 | 37.5-47.7 | 132 | 16.0 | 12.7-19.3 | 5 | 1.0 | 00.0-02.2 | 2 | 0.5 | 00.0-01.1 | 262 | 39.9 | 34.8-45.0 |
| \$75,000+ | 1299 | 196,234 | 515 | 41.9 | 38.4-45.4 | 276 | 20.2 | 17.3-23.1 | 7 | 0.6 | 00.2-01.0 | 4 | 0.2 | 00.0-00.4 | 497 | 37.2 | 33.9-40.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1953 | 323,669 | 783 | 45.4 | 42.5-48.3 | 525 | 23.2 | 20.8-25.6 | 21 | 1.3 | 00.7-01.9 | 11 | 0.3 | 00.1-00.5 | 613 | 29.8 | 27.1-32.5 |
| White/Non-Hisp | 1450 | 217,462 | 564 | 42.8 | 39.5-46.1 | 401 | 23.8 | 21.1-26.5 | 9 | 0.8 | 00.2-01.4 | 8 | 0.3 | 00.1-00.5 | 468 | 32.2 | 28.9-35.5 |
| Black or Afr. Am./Non-Hisp | 265 | 59,884 | 116 | 49.1 | 41.1-57.1 | 68 | 22.5 | 16.0-29.0 | 7 | 3.0 | 00.5-05.5 | 1 | 0.4 | 00.0-01.2 | 73 | 25.0 | 18.3-31.7 |
| Oth. Race/Non-Hisp. | 91 | 16,899 | 43 | 61.1 | 47.0-75.2 | 18 | 17.1 | 07.7-26.5 | 1 | 0.5 | 00.0-01.5 | 1 | 0.3 | 00.0-00.9 | 28 | 21.0 | 11.0-31.0 |
| Hispanic | 92 | 22,541 | 42 | 49.9 | 38.3-61.5 | 23 | 23.7 | 14.1-33.3 | 2 | 1.4 | 00.0-03.4 | | | | 25 | 25.0 | 15.2-34.8 |
| 18-24 | 126 | 42,754 | 69 | 62.3 | 52.3-72.3 | 20 | 16.0 | 08.4-23.6 | 3 | 2.1 | 00.0-04.6 | 1 | 0.5 | 00.0-01.5 | 33 | 19.1 | 11.7-26.5 |
| 25-34 | 200 | 55,542 | 102 | 51.2 | 42.6-59.8 | 50 | 21.8 | 15.3-28.3 | 1 | 0.8 | 00.0-02.4 | | | | 47 | 26.2 | 18.0-34.4 |
| 35-44 | 243 | 51,104 | 112 | 43.4 | 36.1-50.7 | 44 | 19.5 | 13.4-25.6 | 2 | 1.4 | 00.0-03.4 | 4 | 1.0 | 00.0-02.0 | 81 | 34.8 | 27.9-41.7 |
| 45-54 | 347 | 58,741 | 144 | 45.0 | 38.3-51.7 | 75 | 18.6 | 13.9-23.3 | 6 | 1.9 | 00.3-03.5 | 1 | 0.1 | 00.0-00.3 | 121 | 34.4 | 28.1-40.7 |
| 55-64 | 402 | 54,711 | 165 | 45.7 | 39.4-52.0 | 89 | 20.2 | 15.5-24.9 | 5 | 1.2 | 00.0-02.4 | 3 | 0.3 | 00.0-00.7 | 140 | 32.7 | 27.2-38.2 |
| 65+ | 624 | 59,684 | 186 | 30.1 | 25.6-34.6 | 244 | 40.0 | 35.1-44.9 | 4 | 0.8 | 00.0-01.6 | 2 | 0.1 | 00.0-00.3 | 188 | 28.9 | 24.4-33.4 |
| Less Than H.S. | 155 | 42,723 | 56 | 46.6 | 36.2-57.0 | 41 | 21.5 | 13.5-29.5 | 3 | 1.3 | 00.0-02.9 | | | | 55 | 30.6 | 21.8-39.4 |
| H.S. or G.E.D. | 601 | 107,773 | 247 | 45.9 | 40.6-51.2 | 138 | 20.0 | 16.1-23.9 | 8 | 1.9 | 00.5-03.3 | 3 | 0.3 | 00.0-00.7 | 205 | 31.8 | 26.9-36.7 |
| Some Post-H.S. | 454 | 89,019 | 193 | 47.1 | 41.0-53.2 | 117 | 24.2 | 19.5-28.9 | 4 | 1.2 | 00.0-02.4 | 4 | 0.5 | 00.0-01.1 | 136 | 27.0 | 21.7-32.3 |
| College Graduate | 735 | 83,017 | 284 | 42.3 | 37.8-46.8 | 226 | 27.2 | 23.3-31.1 | 6 | 0.7 | 00.1-01.3 | 4 | 0.3 | 00.1-00.5 | 215 | 29.5 | 25.4-33.6 |
| Less than \$15,000 | 120 | 20,882 | 47 | 51.6 | 38.9-64.3 | 31 | 18.0 | 10.2-25.8 | 1 | 0.7 | 00.0-02.1 | 1 | 0.2 | 00.0-00.6 | 40 | 29.4 | 18.6-40.2 |
| \$15,000- 24,999 | 241 | 39,691 | 94 | 46.9 | 38.7-55.1 | 64 | 21.8 | 15.5-28.1 | 7 | 3.7 | 00.6-06.8 | 2 | 0.2 | 00.0-00.6 | 74 | 27.4 | 20.3-34.5 |
| \$25,000- 34,999 | 177 | 28,642 | 67 | 45.3 | 35.3-55.3 | 46 | 22.5 | 15.1-29.9 | 4 | 2.9 | 00.0-05.8 | | | | 60 | 29.4 | 21.0-37.8 |
| \$35,000- 49,999 | 290 | 46,465 | 119 | 48.3 | 40.3-56.3 | 81 | 25.1 | 19.0-31.2 | 2 | 1.1 | 00.0-02.5 | 1 | 0.2 | 00.0-00.6 | 87 | 25.3 | 18.8-31.8 |
| \$50,000- 74,999 | 286 | 46,600 | 115 | 39.7 | 32.4-47.0 | 61 | 17.2 | 12.1-22.3 | 3 | 1.8 | 00.0-04.0 | 1 | 0.4 | 00.0-01.2 | 106 | 40.9 | 33.1-48.7 |
| \$75,000+ | 617 | 102,994 | 255 | 45.6 | 40.5-50.7 | 173 | 25.7 | 21.4-30.0 | 2 | 0.4 | 00.0-01.0 | 4 | 0.3 | 00.0-00.7 | 183 | 28.1 | 23.6-32.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2937 | 354,429 | 1062 | 38.8 | 36.3-41.3 | 614 | 18.2 | 16.2-20.2 | 33 | 1.3 | 00.7-01.9 | 13 | 0.5 | 00.1-00.9 | 1215 | 41.3 | 38.8-43.8 |
| White/Non-Hisp | 2184 | 240,423 | 758 | 37.4 | 34.5-40.3 | 440 | 16.3 | 14.3-18.3 | 14 | 1.1 | 00.3-01.9 | 8 | 0.3 | 00.0-00.7 | 964 | 45.0 | 42.1-47.9 |
| Black or Afr. Am./Non-Hisp | 438 | 67,801 | 181 | 44.3 | 38.2-50.4 | 108 | 21.4 | 16.3-26.5 | 14 | 2.3 | 00.9-03.7 | 2 | 0.7 | 00.0-02.1 | 133 | 31.3 | 25.6-37.0 |
| Oth. Race/Non-Hisp. | 105 | 13,351 | 39 | 33.0 | 21.4-44.6 | 20 | 14.8 | 07.2-22.4 | 1 | 0.7 | 00.0-02.1 | 2 | 0.4 | 00.0-01.0 | 43 | 51.1 | 37.6-64.6 |
| Hispanic | 136 | 27,331 | 57 | 40.9 | 30.3-51.5 | 32 | 27.7 | 16.7-38.7 | 4 | 1.5 | 00.0-03.3 | 1 | 0.9 | 00.0-02.7 | 42 | 29.1 | 19.9-38.3 |
| 18-24 | 130 | 41,481 | 74 | 51.8 | 41.4-62.2 | 12 | 12.1 | 04.1-20.1 | 1 | 0.5 | 00.0-01.5 | | | | 43 | 35.6 | 25.8-45.4 |
| 25-34 | 262 | 55,302 | 127 | 45.9 | 38.1-53.7 | 36 | 14.4 | 09.3-19.5 | 8 | 3.2 | 00.8-05.6 | 3 | 1.0 | 00.0-02.2 | 88 | 35.5 | 28.2-42.8 |
| 35-44 | 332 | 53,316 | 143 | 42.6 | 35.9-49.3 | 46 | 13.6 | 09.3-17.9 | 3 | 0.6 | 00.0-01.2 | 1 | 0.4 | 00.0-01.2 | 139 | 42.8 | 36.1-49.5 |
| 45-54 | 501 | 64,412 | 192 | 36.6 | 31.5-41.7 | 94 | 18.7 | 14.4-23.0 | 4 | 1.4 | 00.0-03.2 | 1 | 0.8 | 00.0-02.2 | 210 | 42.6 | 37.3-47.9 |
| 55-64 | 643 | 60,036 | 222 | 35.0 | 30.3-39.7 | 127 | 18.2 | 14.5-21.9 | 6 | 0.8 | 00.2-01.4 | 2 | 0.1 | 00.0-00.3 | 286 | 45.9 | 40.8-51.0 |
| 65+ | 1035 | 76,787 | 295 | 29.3 | 26.0-32.6 | 295 | 26.9 | 23.6-30.2 | 11 | 1.2 | 00.2-02.2 | 6 | 0.4 | 00.0-00.8 | 428 | 42.2 | 38.5-45.9 |
| Less Than H.S. | 216 | 44,291 | 63 | 32.1 | 23.5-40.7 | 52 | 23.7 | 15.9-31.5 | 5 | 2.3 | 00.0-04.7 | 2 | 0.6 | 00.0-01.6 | 94 | 41.2 | 32.4-50.0 |
| H.S. or G.E.D. | 852 | 102,304 | 285 | 37.5 | 32.8-42.2 | 190 | 17.2 | 14.1-20.3 | 11 | 1.4 | 00.2-02.6 | 3 | 0.8 | 00.0-01.8 | 363 | 43.1 | 38.4-47.8 |
| Some Post-H.S. | 836 | 114,081 | 315 | 39.9 | 35.4-44.4 | 180 | 18.5 | 15.2-21.8 | 10 | 1.3 | 00.3-02.3 | 6 | 0.4 | 00.0-00.8 | 325 | 39.9 | 35.4-44.4 |
| College Graduate | 1026 | 93,477 | 397 | 42.3 | 38.4-46.2 | 192 | 16.2 | 13.5-18.9 | 7 | 0.7 | 00.1-01.3 | 2 | 0.1 | 00.1-00.1 | 428 | 40.8 | 36.9-44.7 |
| Less than \$15,000 | 280 | 32,967 | 92 | 34.4 | 26.4-42.4 | 59 | 20.4 | 12.2-28.6 | 6 | 1.9 | 00.1-03.7 | 3 | 0.9 | 00.0-02.3 | 120 | 42.4 | 33.8-51.0 |
| \$15,000- 24,999 | 446 | 50,955 | 160 | 38.9 | 32.8-45.0 | 109 | 23.2 | 17.9-28.5 | 7 | 0.9 | 00.1-01.7 | 3 | 1.6 | 00.0-03.8 | 167 | 35.4 | 29.3-41.5 |
| \$25,000- 34,999 | 284 | 30,777 | 98 | 33.6 | 26.7-40.5 | 65 | 17.5 | 12.2-22.8 | 5 | 4.0 | 00.0-08.1 | 2 | 0.4 | 00.0-01.0 | 114 | 44.6 | 36.8-52.4 |
| \$35,000- 49,999 | 377 | 44,391 | 146 | 38.6 | 31.9-45.3 | 91 | 22.2 | 16.9-27.5 | 4 | 1.2 | 00.0-02.6 | 1 | 0.2 | 00.0-00.6 | 135 | 37.8 | 30.9-44.7 |
| \$50,000- 74,999 | 380 | 45,388 | 150 | 45.5 | 38.8-52.2 | 71 | 14.7 | 10.6-18.8 | 2 | 0.3 | 00.0-00.7 | 1 | 0.5 | 00.0-01.5 | 156 | 39.0 | 32.5-45.5 |
| \$75,000+ | 682 | 93,240 | 260 | 37.9 | 33.2-42.6 | 103 | 14.1 | 10.6-17.6 | 5 | 0.8 | 00.0-01.6 | | | | 314 | 47.2 | 42.3-52.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4904 | 683,437 | 2200 | 46.7 | 44.7-48.7 | 2113 | 41.8 | 39.8-43.8 | 291 | 5.3 | 04.5-06.1 | 104 | 1.8 | 01.4-02.2 | 196 | 4.4 | 03.6-05.2 |
| Male | 1963 | 327,893 | 1001 | 52.3 | 49.4-55.2 | 758 | 37.3 | 34.6-40.0 | 83 | 4.3 | 03.1-05.5 | 26 | 0.9 | 00.5-01.3 | 95 | 5.3 | 03.9-06.7 |
| Female | 2941 | 355,544 | 1199 | 41.6 | 39.1-44.1 | 1355 | 46.0 | 43.5-48.5 | 208 | 6.2 | 05.2-07.2 | 78 | 2.6 | 01.8-03.4 | 101 | 3.5 | 02.5-04.5 |
| White/Non-Hisp | 3640 | 460,612 | 1592 | 44.7 | 42.5-46.9 | 1626 | 43.8 | 41.6-46.0 | 220 | 5.4 | 04.4-06.4 | 69 | 1.8 | 01.2-02.4 | 133 | 4.4 | 03.4-05.4 |
| Black or Afr. Am./Non-Hisp | 706 | 129,366 | 349 | 54.3 | 49.4-59.2 | 256 | 33.6 | 29.1-38.1 | 43 | 5.4 | 03.4-07.4 | 15 | 1.6 | 00.6-02.6 | 43 | 5.1 | 03.3-06.9 |
| Oth. Race/Non-Hisp. | 200 | 30,369 | 87 | 45.8 | 34.6-57.0 | 81 | 41.1 | 30.7-51.5 | 17 | 6.6 | 02.7-10.5 | 7 | 2.7 | 00.0-05.8 | 8 | 3.8 | 00.5-07.1 |
| MultiRacial/Non-Hisp. | 64 | 4,890 | 34 | 63.1 | 49.6-76.6 | 23 | 28.2 | 15.9-40.5 | 2 | 1.8 | 00.0-04.3 | 3 | 3.9 | 00.0-08.4 | 2 | 3.1 | 00.0-07.4 |
| Hispanic | 230 | 50,550 | 104 | 42.2 | 34.6-49.8 | 105 | 49.2 | 41.2-57.2 | 7 | 3.7 | 00.2-07.2 | 6 | 1.6 | 00.0-03.2 | 8 | 3.3 | 00.8-05.8 |
| 18-24 | 262 | 86,008 | 136 | 51.9 | 44.5-59.3 | 103 | 40.3 | 33.0-47.6 | 5 | 1.8 | 00.0-03.8 | 6 | 2.2 | 00.2-04.2 | 12 | 3.7 | 01.3-06.1 |
| 25-34 | 467 | 113,018 | 230 | 48.9 | 43.2-54.6 | 180 | 39.1 | 33.6-44.6 | 34 | 6.1 | 03.7-08.5 | 8 | 1.2 | 00.2-02.2 | 15 | 4.7 | 02.0-07.4 |
| 35-44 | 571 | 104,207 | 252 | 43.8 | 38.9-48.7 | 241 | 43.0 | 38.1-47.9 | 35 | 6.0 | 03.6-08.4 | 17 | 2.1 | 00.9-03.3 | 26 | 5.0 | 02.8-07.2 |
| 45-54 | 844 | 122,759 | 393 | 45.8 | 41.5-50.1 | 352 | 42.0 | 37.9-46.1 | 45 | 5.3 | 03.5-07.1 | 18 | 2.2 | 00.8-03.6 | 36 | 4.7 | 02.7-06.7 |
| 55-64 | 1041 | 114,548 | 472 | 48.5 | 44.6-52.4 | 433 | 38.7 | 35.0-42.4 | 71 | 6.1 | 04.3-07.9 | 24 | 1.9 | 00.9-02.9 | 41 | 4.8 | 03.0-06.6 |
| 65+ | 1672 | 138,473 | 700 | 43.1 | 40.2-46.0 | 778 | 46.5 | 43.6-49.4 | 98 | 5.5 | 04.1-06.9 | 30 | 1.3 | 00.7-01.9 | 66 | 3.6 | 02.4-04.8 |
| Less Than H.S. | 377 | 89,215 | 172 | 45.3 | 38.4-52.2 | 155 | 41.1 | 34.4-47.8 | 12 | 3.0 | 00.8-05.2 | 3 | 0.5 | 00.0-01.3 | 35 | 10.0 | 05.9-14.1 |
| H.S. or G.E.D. | 1453 | 211,100 | 721 | 51.4 | 47.9-54.9 | 563 | 37.3 | 34.0-40.6 | 67 | 4.6 | 03.2-06.0 | 25 | 1.7 | 00.7-02.7 | 77 | 5.0 | 03.6-06.4 |
| Some Post-H.S. | 1290 | 203,920 | 597 | 47.7 | 44.0-51.4 | 551 | 42.6 | 39.1-46.1 | 74 | 5.2 | 03.6-06.8 | 24 | 1.5 | 00.7-02.3 | 44 | 3.1 | 02.1-04.1 |
| College Graduate | 1769 | 177,789 | 702 | 40.7 | 37.8-43.6 | 839 | 46.6 | 43.7-49.5 | 138 | 7.4 | 05.8-09.0 | 50 | 2.9 | 01.7-04.1 | 40 | 2.4 | 01.4-03.4 |
| Less than \$15,000 | 400 | 55,402 | 198 | 51.1 | 43.8-58.4 | 150 | 38.9 | 31.6-46.2 | 19 | 3.7 | 01.3-06.1 | 10 | 1.4 | 00.2-02.6 | 23 | 4.8 | 02.4-07.2 |
| \$15,000- 24,999 | 690 | 91,194 | 355 | 53.8 | 48.9-58.7 | 255 | 35.4 | 30.7-40.1 | 29 | 3.7 | 01.9-05.5 | 11 | 1.6 | 00.2-03.0 | 40 | 5.5 | 03.3-07.7 |
| \$25,000- 34,999 | 464 | 60,593 | 228 | 49.9 | 43.6-56.2 | 181 | 37.8 | 31.9-43.7 | 23 | 3.7 | 01.9-05.5 | 5 | 1.4 | 00.0-03.4 | 27 | 7.3 | 03.8-10.8 |
| \$35,000- 49,999 | 663 | 90,722 | 297 | 50.2 | 44.9-55.5 | 285 | 38.6 | 33.7-43.5 | 38 | 5.8 | 03.3-08.3 | 10 | 1.0 | 00.2-01.8 | 33 | 4.5 | 02.7-06.3 |
| \$50,000- 74,999 | 661 | 91,846 | 301 | 45.1 | 40.0-50.2 | 285 | 43.0 | 37.9-48.1 | 46 | 7.0 | 04.5-09.5 | 20 | 2.4 | 01.2-03.6 | 9 | 2.5 | 00.1-04.9 |
| \$75,000+ | 1302 | 196,412 | 513 | 41.9 | 38.4-45.4 | 623 | 45.1 | 41.6-48.6 | 97 | 6.6 | 05.0-08.2 | 33 | 2.5 | 01.3-03.7 | 36 | 3.8 | 02.0-05.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1963 | 327,893 | 1001 | 52.3 | 49.4-55.2 | 758 | 37.3 | 34.6-40.0 | 83 | 4.3 | 03.1-05.5 | 26 | 0.9 | 00.5-01.3 | 95 | 5.3 | 03.9-06.7 |
| White/Non-Hisp | 1451 | 219,578 | 723 | 49.8 | 46.5-53.1 | 586 | 39.7 | 36.4-43.0 | 60 | 4.0 | 02.8-05.2 | 17 | 0.9 | 00.3-01.5 | 65 | 5.6 | 03.8-07.4 |
| Black or Afr. Am./Non-Hisp | 268 | 61,532 | 155 | 62.3 | 55.0-69.6 | 79 | 27.2 | 20.5-33.9 | 12 | 5.2 | 01.9-08.5 | 4 | 0.7 | 00.0-01.5 | 18 | 4.5 | 02.1-06.9 |
| Oth. Race/Non-Hisp. | 94 | 16,966 | 46 | 54.4 | 38.9-69.9 | 36 | 34.2 | 20.7-47.7 | 10 | 8.4 | 02.1-14.7 | | | | 2 | 3.1 | 00.0-07.4 |
| Hispanic | 92 | 22,632 | 42 | 41.8 | 30.4-53.2 | 43 | 49.4 | 37.8-61.0 | 1 | 2.9 | 00.0-08.4 | | | | 6 | 5.9 | 00.8-11.0 |
| 18-24 | 129 | 44,136 | 70 | 58.0 | 47.8-68.2 | 46 | 33.8 | 24.2-43.4 | 3 | 1.9 | 00.0-04.6 | 1 | 0.2 | 00.0-00.6 | 9 | 6.0 | 01.7-10.3 |
| 25-34 | 203 | 56,980 | 105 | 53.0 | 44.6-61.4 | 72 | 33.7 | 26.1-41.3 | 15 | 6.7 | 03.2-10.2 | 2 | 0.4 | 00.0-01.0 | 9 | 6.3 | 01.8-10.8 |
| 35-44 | 242 | 50,947 | 113 | 47.0 | 39.7-54.3 | 99 | 39.5 | 32.4-46.6 | 8 | 4.4 | 01.1-07.7 | 5 | 1.5 | 00.1-02.9 | 17 | 7.5 | 03.8-11.2 |
| 45-54 | 346 | 58,785 | 200 | 54.6 | 47.9-61.3 | 115 | 36.5 | 30.0-43.0 | 15 | 4.4 | 01.7-07.1 | 4 | 1.1 | 00.0-02.5 | 12 | 3.4 | 00.7-06.1 |
| 55-64 | 402 | 55,008 | 206 | 53.8 | 47.7-59.9 | 151 | 35.4 | 29.7-41.1 | 21 | 4.4 | 02.2-06.6 | 3 | 0.6 | 00.0-01.2 | 21 | 5.8 | 02.9-08.7 |
| 65+ | 627 | 60,685 | 300 | 47.9 | 43.0-52.8 | 269 | 43.7 | 38.8-48.6 | 21 | 3.5 | 01.3-05.7 | 10 | 1.2 | 00.4-02.0 | 27 | 3.7 | 01.9-05.5 |
| Less Than H.S. | 162 | 45,029 | 78 | 48.8 | 38.8-58.8 | 60 | 34.9 | 25.9-43.9 | 4 | 2.9 | 00.0-06.2 | 2 | 0.9 | 00.0-02.5 | 18 | 12.4 | 05.7-19.1 |
| H.S. or G.E.D. | 596 | 108,080 | 346 | 58.2 | 53.1-63.3 | 195 | 33.1 | 28.2-38.0 | 17 | 2.9 | 01.1-04.7 | 6 | 0.6 | 00.0-01.2 | 32 | 5.1 | 02.9-07.3 |
| Some Post-H.S. | 459 | 90,095 | 229 | 50.0 | 43.9-56.1 | 180 | 40.3 | 34.4-46.2 | 20 | 4.7 | 02.3-07.1 | 5 | 0.8 | 00.0-01.6 | 25 | 4.1 | 02.3-05.9 |
| College Graduate | 738 | 83,551 | 343 | 48.8 | 44.3-53.3 | 321 | 40.5 | 36.2-44.8 | 42 | 6.4 | 04.0-08.8 | 12 | 1.1 | 00.3-01.9 | 20 | 3.2 | 01.2-05.2 |
| Less than \$15,000 | 122 | 22,298 | 67 | 54.2 | 41.7-66.7 | 46 | 42.5 | 30.0-55.0 | 2 | 0.9 | 00.0-02.3 | 2 | 0.6 | 00.0-01.4 | 5 | 1.9 | 00.0-04.1 |
| \$15,000- 24,999 | 242 | 40,186 | 143 | 60.1 | 52.3-67.9 | 64 | 26.4 | 19.3-33.5 | 13 | 4.4 | 01.7-07.1 | 3 | 1.4 | 00.0-03.4 | 19 | 7.8 | 03.9-11.7 |
| \$25,000- 34,999 | 176 | 29,081 | 101 | 51.6 | 41.8-61.4 | 60 | 40.2 | 30.4-50.0 | 5 | 2.5 | 00.0-05.2 | | | | 10 | 5.7 | 01.6-09.8 |
| \$35,000- 49,999 | 289 | 46,407 | 147 | 55.3 | 47.5-63.1 | 113 | 34.4 | 27.1-41.7 | 9 | 3.9 | 00.4-07.4 | 2 | 0.3 | 00.0-00.9 | 18 | 6.0 | 02.9-09.1 |
| \$50,000- 74,999 | 285 | 46,908 | 138 | 47.6 | 40.0-55.2 | 117 | 41.3 | 33.9-48.7 | 15 | 5.4 | 01.9-08.9 | 7 | 1.7 | 00.3-03.1 | 8 | 4.0 | 00.1-07.9 |
| \$75,000+ | 617 | 102,928 | 289 | 49.8 | 44.7-54.9 | 264 | 37.8 | 33.1-42.5 | 32 | 6.0 | 03.5-08.5 | 9 | 1.0 | 00.2-01.8 | 23 | 5.4 | 02.5-08.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2941 | 355,544 | 1199 | 41.6 | 39.1-44.1 | 1355 | 46.0 | 43.5-48.5 | 208 | 6.2 | 05.2-07.2 | 78 | 2.6 | 01.8-03.4 | 101 | 3.5 | 02.5-04.5 |
| White/Non-Hisp | 2189 | 241,033 | 869 | 40.0 | 37.3-42.7 | 1040 | 47.6 | 44.7-50.5 | 160 | 6.7 | 05.3-08.1 | 52 | 2.5 | 01.5-03.5 | 68 | 3.2 | 02.0-04.4 |
| Black or Afr. Am./Non-Hisp | 438 | 67,834 | 194 | 47.1 | 40.8-53.4 | 177 | 39.4 | 33.5-45.3 | 31 | 5.5 | 03.0-08.0 | 11 | 2.4 | 00.4-04.4 | 25 | 5.6 | 03.1-08.1 |
| Oth. Race/Non-Hisp. | 106 | 13,404 | 41 | 35.0 | 22.8-47.2 | 45 | 49.8 | 36.3-63.3 | 7 | 4.3 | 00.6-08.0 | 7 | 6.2 | 00.0-13.3 | 6 | 4.6 | 00.0-09.3 |
| Hispanic | 138 | 27,919 | 62 | 42.6 | 32.2-53.0 | 62 | 49.0 | 38.0-60.0 | 6 | 4.4 | 00.0-08.9 | 6 | 2.8 | 00.1-05.5 | 2 | 1.2 | 00.0-03.2 |
| 18-24 | 133 | 41,872 | 66 | 45.5 | 35.3-55.7 | 57 | 47.2 | 36.8-57.6 | 2 | 1.7 | 00.0-04.4 | 5 | 4.4 | 00.3-08.5 | 3 | 1.2 | 00.0-02.6 |
| 25-34 | 264 | 56,038 | 125 | 44.8 | 37.4-52.2 | 108 | 44.6 | 36.8-52.4 | 19 | 5.5 | 02.8-08.2 | 6 | 2.1 | 00.0-04.3 | 6 | 3.1 | 00.0-06.2 |
| 35-44 | 329 | 53,261 | 139 | 40.8 | 34.1-47.5 | 142 | 46.4 | 39.7-53.1 | 27 | 7.6 | 04.3-10.9 | 12 | 2.6 | 01.0-04.2 | 9 | 2.6 | 00.2-05.0 |
| 45-54 | 498 | 63,975 | 193 | 37.7 | 32.6-42.8 | 237 | 47.0 | 41.5-52.5 | 30 | 6.0 | 03.6-08.4 | 14 | 3.2 | 00.7-05.7 | 24 | 6.0 | 03.3-08.7 |
| 55-64 | 639 | 59,540 | 266 | 43.5 | 38.4-48.6 | 282 | 41.7 | 36.8-46.6 | 50 | 7.7 | 05.0-10.4 | 21 | 3.2 | 01.6-04.8 | 20 | 3.9 | 01.7-06.1 |
| 65+ | 1045 | 77,789 | 400 | 39.3 | 35.6-43.0 | 509 | 48.8 | 45.1-52.5 | 77 | 7.1 | 05.1-09.1 | 20 | 1.4 | 00.6-02.2 | 39 | 3.5 | 02.1-04.9 |
| Less Than H.S. | 215 | 44,185 | 94 | 41.8 | 33.0-50.6 | 95 | 47.5 | 38.3-56.7 | 8 | 3.1 | 00.6-05.6 | 1 | 0.1 | 00.0-00.3 | 17 | 7.5 | 03.0-12.0 |
| H.S. or G.E.D. | 857 | 103,020 | 375 | 44.2 | 39.7-48.7 | 368 | 41.7 | 37.0-46.4 | 50 | 6.4 | 04.2-08.6 | 19 | 2.8 | 01.0-04.6 | 45 | 4.9 | 02.9-06.9 |
| Some Post-H.S. | 831 | 113,825 | 368 | 45.8 | 41.3-50.3 | 371 | 44.4 | 39.9-48.9 | 54 | 5.6 | 03.6-07.6 | 19 | 2.0 | 00.8-03.2 | 19 | 2.2 | 00.8-03.6 |
| College Graduate | 1031 | 94,238 | 359 | 33.4 | 29.7-37.1 | 518 | 52.1 | 48.2-56.0 | 96 | 8.3 | 06.3-10.3 | 38 | 4.5 | 02.5-06.5 | 20 | 1.7 | 00.7-02.7 |
| Less than \$15,000 | 278 | 33,104 | 131 | 49.1 | 40.3-57.9 | 104 | 36.5 | 27.7-45.3 | 17 | 5.6 | 01.9-09.3 | 8 | 2.0 | 00.2-03.8 | 18 | 6.8 | 03.1-10.5 |
| \$15,000- 24,999 | 448 | 51,008 | 212 | 48.8 | 42.5-55.1 | 191 | 42.5 | 36.2-48.8 | 16 | 3.2 | 01.2-05.2 | 8 | 1.8 | 00.0-03.8 | 21 | 3.7 | 01.7-05.7 |
| \$25,000- 34,999 | 288 | 31,512 | 127 | 48.3 | 40.7-55.9 | 121 | 35.6 | 28.7-42.5 | 18 | 4.7 | 02.2-07.2 | 5 | 2.6 | 00.0-06.1 | 17 | 8.7 | 03.2-14.2 |
| \$35,000- 49,999 | 374 | 44,315 | 150 | 44.7 | 37.8-51.6 | 172 | 43.0 | 36.1-49.9 | 29 | 7.8 | 04.1-11.5 | 8 | 1.6 | 00.0-03.4 | 15 | 2.8 | 01.0-04.6 |
| \$50,000- 74,999 | 376 | 44,938 | 163 | 42.5 | 35.8-49.2 | 168 | 44.8 | 38.1-51.5 | 31 | 8.5 | 04.6-12.4 | 13 | 3.1 | 01.1-05.1 | 1 | 1.0 | 00.0-03.0 |
| \$75,000+ | 685 | 93,484 | 224 | 33.2 | 28.5-37.9 | 359 | 53.2 | 48.3-58.1 | 65 | 7.2 | 05.2-09.2 | 24 | 4.2 | 02.0-06.4 | 13 | 2.1 | 00.5-03.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 7: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4884 | 679,800 | 3516 | 70.9 | 69.1-72.7 | 256 | 5.3 | 04.5-06.1 | 9 | 0.1 | 00.1-00.1 | 5 | 0.1 | 00.0-00.3 | 1098 | 23.5 | 21.7-25.3 |
| Male | 1949 | 324,682 | 1450 | 72.2 | 69.3-75.1 | 86 | 4.1 | 02.9-05.3 | 3 | 0.1 | 00.0-00.3 | 3 | 0.1 | 00.0-00.3 | 407 | 23.5 | 20.8-26.2 |
| Female | 2935 | 355,118 | 2066 | 69.6 | 67.2-72.0 | 170 | 6.5 | 05.1-07.9 | 6 | 0.2 | 00.0-00.4 | 2 | 0.2 | 00.0-00.4 | 691 | 23.5 | 21.3-25.7 |
| White/Non-Hisp | 3618 | 457,859 | 2651 | 72.3 | 70.1-74.5 | 155 | 4.3 | 03.3-05.3 | 7 | 0.1 | 00.0-00.3 | 3 | 0.1 | 00.1-00.1 | 802 | 23.2 | 21.2-25.2 |
| Black or Afr. Am./Non-Hisp | 709 | 128,326 | 469 | 65.8 | 61.1-70.5 | 39 | 3.8 | 02.4-05.2 | | | | 2 | 0.4 | 00.0-01.2 | 199 | 29.9 | 25.2-34.6 |
| Oth. Race/Non-Hisp. | 197 | 30,248 | 134 | 65.1 | 53.3-76.9 | 15 | 4.6 | 01.7-07.5 | | | | | | | 48 | 30.3 | 18.3-42.3 |
| MultiRacial/Non-Hisp. | 64 | 4,888 | 46 | 70.8 | 56.9-84.7 | 2 | 1.9 | 00.0-04.4 | 2 | 3.0 | 00.0-07.5 | | | | 14 | 24.3 | 10.8-37.8 |
| Hispanic | 231 | 50,827 | 169 | 72.1 | 64.7-79.5 | 41 | 20.1 | 13.2-27.0 | | | | | | | 21 | 7.8 | 03.7-11.9 |
| 18-24 | 258 | 84,353 | 166 | 59.2 | 51.6-66.8 | 15 | 5.3 | 02.0-08.6 | 1 | 0.1 | 00.0-00.3 | | | | 76 | 35.4 | 27.8-43.0 |
| 25-34 | 466 | 112,266 | 331 | 70.5 | 65.2-75.8 | 23 | 5.5 | 02.8-08.2 | 1 | 0.0 | 00.0-00.0 | | | | 111 | 24.0 | 19.1-28.9 |
| 35-44 | 576 | 104,664 | 438 | 75.0 | 70.7-79.3 | 34 | 5.7 | 03.5-07.9 | | | | | | | 104 | 19.3 | 15.4-23.2 |
| 45-54 | 844 | 122,483 | 627 | 73.3 | 69.6-77.0 | 52 | 6.4 | 04.2-08.6 | 3 | 0.2 | 00.0-00.4 | 3 | 0.5 | 00.0-01.3 | 159 | 19.6 | 16.3-22.9 |
| 55-64 | 1043 | 114,793 | 762 | 73.8 | 70.3-77.3 | 56 | 4.9 | 03.5-06.3 | 1 | 0.1 | 00.0-00.3 | | | | 224 | 21.2 | 17.9-24.5 |
| 65+ | 1650 | 136,810 | 1165 | 71.0 | 68.3-73.7 | 71 | 4.3 | 03.1-05.5 | 3 | 0.2 | 00.0-00.4 | 2 | 0.2 | 00.0-00.4 | 409 | 24.4 | 21.7-27.1 |
| Less Than H.S. | 374 | 88,272 | 226 | 55.9 | 49.0-62.8 | 33 | 10.0 | 05.9-14.1 | | | | | | | 115 | 34.2 | 27.3-41.1 |
| H.S. or G.E.D. | 1450 | 210,121 | 1011 | 69.5 | 66.4-72.6 | 59 | 4.1 | 02.9-05.3 | 3 | 0.2 | 00.0-00.4 | 2 | 0.3 | 00.0-00.7 | 375 | 26.0 | 22.9-29.1 |
| Some Post-H.S. | 1284 | 203,160 | 911 | 71.2 | 67.7-74.7 | 74 | 5.6 | 04.0-07.2 | 1 | 0.0 | 00.0-00.0 | | | | 298 | 23.1 | 19.8-26.4 |
| College Graduate | 1761 | 176,833 | 1359 | 79.6 | 77.2-82.0 | 88 | 4.3 | 03.3-05.3 | 5 | 0.2 | 00.0-00.4 | 3 | 0.1 | 00.0-00.3 | 306 | 15.8 | 13.6-18.0 |
| Less than \$15,000 | 400 | 55,330 | 261 | 59.7 | 52.1-67.3 | 39 | 12.2 | 06.7-17.7 | | | | | | | 100 | 28.2 | 20.9-35.5 |
| \$15,000- 24,999 | 693 | 91,429 | 453 | 64.0 | 59.1-68.9 | 47 | 8.3 | 05.6-11.0 | | | | 2 | 0.6 | 00.0-01.6 | 191 | 27.0 | 22.3-31.7 |
| \$25,000- 34,999 | 459 | 59,584 | 296 | 61.3 | 55.0-67.6 | 32 | 7.9 | 04.0-11.8 | 2 | 0.2 | 00.0-00.6 | | | | 129 | 30.6 | 24.7-36.5 |
| \$35,000- 49,999 | 660 | 90,464 | 475 | 71.0 | 65.9-76.1 | 33 | 5.0 | 02.8-07.2 | | | | | | | 152 | 24.0 | 19.1-28.9 |
| \$50,000- 74,999 | 665 | 92,021 | 524 | 78.8 | 74.7-82.9 | 26 | 3.1 | 01.3-04.9 | | | | 1 | 0.2 | 00.0-00.6 | 114 | 17.8 | 13.9-21.7 |
| \$75,000+ | 1298 | 195,096 | 1029 | 78.8 | 75.9-81.7 | 51 | 3.6 | 02.4-04.8 | 5 | 0.2 | 00.0-00.4 | 2 | 0.1 | 00.1-00.1 | 211 | 17.4 | 14.5-20.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 8: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1949 | 324,682 | 1450 | 72.2 | 69.3-75.1 | 86 | 4.1 | 02.9-05.3 | 3 | 0.1 | 00.0-00.3 | 3 | 0.1 | 00.0-00.3 | 407 | 23.5 | 20.8-26.2 |
| White/Non-Hisp | 1441 | 217,434 | 1091 | 74.0 | 70.9-77.1 | 51 | 3.4 | 02.2-04.6 | 3 | 0.1 | 00.0-00.3 | 3 | 0.1 | 00.0-00.3 | 293 | 22.3 | 19.4-25.2 |
| Black or Afr. Am./Non-Hisp | 265 | 60,305 | 178 | 65.7 | 57.9-73.5 | 17 | 4.4 | 02.0-06.8 | | | | | | | 70 | 29.9 | 22.1-37.7 |
| Oth. Race/Non-Hisp. | 94 | 16,966 | 65 | 58.8 | 41.2-76.4 | 3 | 1.0 | 00.0-02.2 | | | | | | | 26 | 40.2 | 22.4-58.0 |
| Hispanic | 93 | 22,909 | 73 | 78.6 | 69.4-87.8 | 12 | 12.0 | 04.9-19.1 | | | | | | | 8 | 9.4 | 02.5-16.3 |
| 18-24 | 127 | 43,146 | 79 | 54.8 | 43.8-65.8 | 5 | 2.9 | 00.0-05.8 | | | | | | | 43 | 42.3 | 31.3-53.3 |
| 25-34 | 200 | 56,049 | 148 | 74.5 | 66.7-82.3 | 7 | 4.2 | 00.7-07.7 | | | | | | | 45 | 21.3 | 14.0-28.6 |
| 35-44 | 244 | 51,274 | 182 | 73.1 | 66.6-79.6 | 13 | 5.2 | 02.1-08.3 | | | | | | | 49 | 21.6 | 15.5-27.7 |
| 45-54 | 345 | 58,439 | 260 | 76.0 | 70.5-81.5 | 17 | 4.2 | 02.0-06.4 | | | | 1 | 0.1 | 00.0-00.3 | 67 | 19.7 | 14.4-25.0 |
| 55-64 | 398 | 54,537 | 312 | 75.2 | 69.3-81.1 | 17 | 4.2 | 02.0-06.4 | | | | | | | 69 | 20.6 | 14.7-26.5 |
| 65+ | 621 | 59,885 | 460 | 75.6 | 71.3-79.9 | 27 | 3.7 | 01.9-05.5 | 3 | 0.5 | 00.0-01.1 | 2 | 0.3 | 00.0-00.9 | 129 | 19.9 | 15.8-24.0 |
| Less Than H.S. | 156 | 43,877 | 104 | 60.7 | 50.1-71.3 | 11 | 6.2 | 02.3-10.1 | | | | | | | 41 | 33.1 | 22.5-43.7 |
| H.S. or G.E.D. | 596 | 107,156 | 439 | 71.6 | 66.9-76.3 | 16 | 2.2 | 01.0-03.4 | 1 | 0.1 | 00.0-00.3 | 1 | 0.2 | 00.0-00.6 | 139 | 25.9 | 21.2-30.6 |
| Some Post-H.S. | 456 | 89,750 | 332 | 71.9 | 66.2-77.6 | 28 | 5.6 | 02.9-08.3 | 1 | 0.0 | 00.0-00.0 | | | | 95 | 22.5 | 17.0-28.0 |
| College Graduate | 733 | 82,761 | 570 | 79.5 | 76.0-83.0 | 31 | 3.8 | 02.2-05.4 | 1 | 0.1 | 00.0-00.3 | 2 | 0.1 | 00.0-00.3 | 129 | 16.5 | 13.2-19.8 |
| Less than \$15,000 | 121 | 22,261 | 87 | 67.8 | 54.7-80.9 | 10 | 5.9 | 01.2-10.6 | | | | | | | 24 | 26.3 | 13.0-39.6 |
| \$15,000- 24,999 | 241 | 39,737 | 162 | 66.8 | 58.8-74.8 | 14 | 6.1 | 02.6-09.6 | | | | | | | 65 | 27.1 | 19.3-34.9 |
| \$25,000- 34,999 | 174 | 28,480 | 116 | 62.0 | 52.2-71.8 | 11 | 7.7 | 01.4-14.0 | 1 | 0.2 | 00.0-00.6 | | | | 46 | 30.2 | 21.0-39.4 |
| \$35,000- 49,999 | 288 | 46,314 | 205 | 66.8 | 58.6-75.0 | 17 | 5.9 | 02.6-09.2 | | | | | | | 66 | 27.3 | 19.1-35.5 |
| \$50,000- 74,999 | 285 | 46,657 | 231 | 78.6 | 72.3-84.9 | 9 | 2.6 | 00.4-04.8 | | | | 1 | 0.4 | 00.0-01.2 | 44 | 18.5 | 12.4-24.6 |
| \$75,000+ | 612 | 101,828 | 492 | 80.7 | 76.6-84.8 | 17 | 2.6 | 01.2-04.0 | 1 | 0.1 | 00.0-00.3 | 2 | 0.1 | 00.0-00.3 | 100 | 16.4 | 12.5-20.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 9: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2935 | 355,118 | 2066 | 69.6 | 67.2-72.0 | 170 | 6.5 | 05.1-07.9 | 6 | 0.2 | 00.0-00.4 | 2 | 0.2 | 00.0-00.4 | 691 | 23.5 | 21.3-25.7 |
| White/Non-Hisp | 2177 | 240,425 | 1560 | 70.8 | 68.1-73.5 | 104 | 5.0 | 03.8-06.2 | 4 | 0.2 | 00.0-00.4 | | | | 509 | 24.0 | 21.5-26.5 |
| Black or Afr. Am./Non-Hisp | 444 | 68,021 | 291 | 66.0 | 60.1-71.9 | 22 | 3.2 | 01.6-04.8 | | | | 2 | 0.8 | 00.0-02.2 | 129 | 30.0 | 24.3-35.7 |
| Oth. Race/Non-Hisp. | 103 | 13,283 | 69 | 73.1 | 62.1-84.1 | 12 | 9.2 | 02.7-15.7 | | | | | | | 22 | 17.7 | 08.3-27.1 |
| Hispanic | 138 | 27,919 | 96 | 66.8 | 56.0-77.6 | 29 | 26.7 | 16.1-37.3 | | | | | | | 13 | 6.5 | 01.6-11.4 |
| 18-24 | 131 | 41,208 | 87 | 63.8 | 53.4-74.2 | 10 | 7.9 | 01.8-14.0 | 1 | 0.2 | 00.0-00.6 | | | | 33 | 28.1 | 18.3-37.9 |
| 25-34 | 266 | 56,217 | 183 | 66.5 | 59.2-73.8 | 16 | 6.8 | 02.7-10.9 | 1 | 0.1 | 00.0-00.3 | | | | 66 | 26.6 | 19.7-33.5 |
| 35-44 | 332 | 53,390 | 256 | 76.9 | 71.2-82.6 | 21 | 6.2 | 03.1-09.3 | | | | | | | 55 | 17.0 | 11.7-22.3 |
| 45-54 | 499 | 64,044 | 367 | 70.9 | 65.8-76.0 | 35 | 8.4 | 04.9-11.9 | 3 | 0.4 | 00.0-00.8 | 2 | 0.9 | 00.0-02.5 | 92 | 19.5 | 15.0-24.0 |
| 55-64 | 645 | 60,256 | 450 | 72.6 | 68.5-76.7 | 39 | 5.5 | 03.5-07.5 | 1 | 0.3 | 00.0-00.9 | | | | 155 | 21.7 | 18.0-25.4 |
| 65+ | 1029 | 76,925 | 705 | 67.5 | 63.8-71.2 | 44 | 4.7 | 02.9-06.5 | | | | | | | 280 | 27.8 | 24.3-31.3 |
| Less Than H.S. | 218 | 44,395 | 122 | 51.1 | 42.1-60.1 | 22 | 13.7 | 06.6-20.8 | | | | | | | 74 | 35.2 | 26.6-43.8 |
| H.S. or G.E.D. | 854 | 102,965 | 572 | 67.2 | 62.9-71.5 | 43 | 6.0 | 03.8-08.2 | 2 | 0.3 | 00.0-00.7 | 1 | 0.5 | 00.0-01.5 | 236 | 26.1 | 22.0-30.2 |
| Some Post-H.S. | 828 | 113,410 | 579 | 70.7 | 66.6-74.8 | 46 | 5.6 | 03.6-07.6 | | | | | | | 203 | 23.6 | 19.7-27.5 |
| College Graduate | 1028 | 94,072 | 789 | 79.7 | 76.6-82.8 | 57 | 4.7 | 03.3-06.1 | 4 | 0.3 | 00.0-00.7 | 1 | 0.1 | 00.0-00.3 | 177 | 15.2 | 12.5-17.9 |
| Less than \$15,000 | 279 | 33,069 | 174 | 54.2 | 45.2-63.2 | 29 | 16.3 | 07.9-24.7 | | | | | | | 76 | 29.4 | 21.2-37.6 |
| \$15,000- 24,999 | 452 | 51,692 | 291 | 61.8 | 55.7-67.9 | 33 | 10.1 | 06.0-14.2 | | | | 2 | 1.1 | 00.0-02.9 | 126 | 27.0 | 21.5-32.5 |
| \$25,000- 34,999 | 285 | 31,104 | 180 | 60.6 | 53.0-68.2 | 21 | 8.1 | 03.4-12.8 | 1 | 0.3 | 00.0-00.9 | | | | 83 | 31.0 | 23.7-38.3 |
| \$35,000- 49,999 | 372 | 44,151 | 270 | 75.4 | 69.7-81.1 | 16 | 4.1 | 01.6-06.6 | | | | | | | 86 | 20.4 | 15.1-25.7 |
| \$50,000- 74,999 | 380 | 45,364 | 293 | 79.1 | 73.6-84.6 | 17 | 3.7 | 01.2-06.2 | | | | | | | 70 | 17.2 | 12.1-22.3 |
| \$75,000+ | 686 | 93,268 | 537 | 76.6 | 72.1-81.1 | 34 | 4.6 | 02.6-06.6 | 4 | 0.4 | 00.0-00.8 | | | | 111 | 18.4 | 14.1-22.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 10: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4904 | 681,626 | 3384 | 70.9 | 69.1-72.7 | 1185 | 22.5 | 20.9-24.1 | 47 | 0.8 | 00.6-01.0 | 19 | 0.3 | 00.1-00.5 | 269 | 5.5 | 04.5-06.5 |
| Male | 1955 | 325,904 | 1445 | 75.3 | 72.8-77.8 | 354 | 17.3 | 15.1-19.5 | 20 | 0.7 | 00.3-01.1 | 2 | 0.1 | 00.0-00.3 | 134 | 6.6 | 05.0-08.2 |
| Female | 2949 | 355,722 | 1939 | 66.9 | 64.5-69.3 | 831 | 27.3 | 25.1-29.5 | 27 | 0.8 | 00.4-01.2 | 17 | 0.5 | 00.3-00.7 | 135 | 4.5 | 03.5-05.5 |
| White/Non-Hisp | 3640 | 460,018 | 2529 | 71.2 | 69.2-73.2 | 863 | 22.0 | 20.2-23.8 | 29 | 0.7 | 00.3-01.1 | 14 | 0.3 | 00.1-00.5 | 205 | 5.7 | 04.5-06.9 |
| Black or Afr. Am./Non-Hisp | 711 | 128,946 | 489 | 71.9 | 67.6-76.2 | 183 | 22.8 | 18.9-26.7 | 13 | 1.2 | 00.4-02.0 | 2 | 0.2 | 00.0-00.4 | 24 | 3.9 | 01.7-06.1 |
| Oth. Race/Non-Hisp. | 196 | 29,615 | 129 | 67.2 | 57.4-77.0 | 48 | 26.5 | 17.3-35.7 | 2 | 0.4 | 00.0-01.0 | 2 | 1.2 | 00.0-03.4 | 15 | 4.7 | 01.6-07.8 |
| MultiRacial/Non-Hisp. | 65 | 4,967 | 49 | 79.9 | 68.7-91.1 | 13 | 15.9 | 05.5-26.3 | 1 | 1.1 | 00.0-03.3 | | | | 2 | 3.1 | 00.0-07.4 |
| Hispanic | 230 | 50,887 | 151 | 67.5 | 60.1-74.9 | 57 | 24.1 | 17.2-31.0 | 1 | 0.3 | 00.0-00.9 | 1 | 0.1 | 00.0-00.3 | 20 | 8.1 | 04.2-12.0 |
| 18-24 | 258 | 84,970 | 185 | 75.0 | 68.9-81.1 | 54 | 18.8 | 13.3-24.3 | | | | 1 | 0.4 | 00.0-01.2 | 18 | 5.8 | 02.5-09.1 |
| 25-34 | 463 | 111,717 | 337 | 72.4 | 67.3-77.5 | 94 | 20.4 | 16.1-24.7 | 3 | 0.5 | 00.0-01.1 | 4 | 0.5 | 00.0-01.1 | 25 | 6.1 | 02.8-09.4 |
| 35-44 | 576 | 104,582 | 395 | 69.1 | 64.6-73.6 | 142 | 24.2 | 20.1-28.3 | 8 | 1.2 | 00.2-02.2 | 4 | 0.4 | 00.0-00.8 | 27 | 5.1 | 02.9-07.3 |
| 45-54 | 852 | 123,780 | 601 | 71.6 | 67.9-75.3 | 208 | 24.0 | 20.5-27.5 | 9 | 0.8 | 00.2-01.4 | 1 | 0.0 | 00.0-00.0 | 33 | 3.6 | 02.2-05.0 |
| 55-64 | 1043 | 114,842 | 720 | 70.2 | 66.7-73.7 | 242 | 22.1 | 19.0-25.2 | 15 | 1.2 | 00.6-01.8 | 5 | 0.4 | 00.0-00.8 | 61 | 6.1 | 04.3-07.9 |
| 65+ | 1665 | 137,349 | 1120 | 68.9 | 66.2-71.6 | 428 | 23.9 | 21.4-26.4 | 10 | 0.7 | 00.1-01.3 | 4 | 0.3 | 00.1-00.5 | 103 | 6.3 | 04.7-07.9 |
| Less Than H.S. | 371 | 86,916 | 241 | 65.5 | 59.0-72.0 | 79 | 22.0 | 16.5-27.5 | | | | | | | 51 | 12.5 | 08.0-17.0 |
| H.S. or G.E.D. | 1462 | 212,120 | 1041 | 73.6 | 70.7-76.5 | 305 | 19.1 | 16.6-21.6 | 7 | 0.4 | 00.0-00.8 | 6 | 0.5 | 00.1-00.9 | 103 | 6.4 | 04.8-08.0 |
| Some Post-H.S. | 1288 | 203,560 | 905 | 71.0 | 67.7-74.3 | 303 | 23.5 | 20.6-26.4 | 12 | 0.9 | 00.3-01.5 | 8 | 0.3 | 00.1-00.5 | 60 | 4.3 | 02.7-05.9 |
| College Graduate | 1768 | 177,616 | 1187 | 70.3 | 67.8-72.8 | 494 | 25.7 | 23.2-28.2 | 28 | 1.5 | 00.9-02.1 | 5 | 0.3 | 00.1-00.5 | 54 | 2.3 | 01.5-03.1 |
| Less than \$15,000 | 403 | 55,142 | 252 | 62.8 | 55.7-69.9 | 103 | 24.0 | 17.7-30.3 | 4 | 0.8 | 00.0-02.0 | 4 | 0.6 | 00.0-01.2 | 40 | 11.8 | 06.9-16.7 |
| \$15,000- 24,999 | 690 | 91,425 | 485 | 73.1 | 68.8-77.4 | 145 | 18.9 | 15.2-22.6 | 5 | 0.7 | 00.0-01.5 | 2 | 0.5 | 00.0-01.3 | 53 | 6.8 | 04.4-09.2 |
| \$25,000- 34,999 | 464 | 60,067 | 321 | 68.3 | 62.4-74.2 | 113 | 26.4 | 20.7-32.1 | 2 | 0.2 | 00.0-00.6 | 1 | 0.1 | 00.0-00.3 | 27 | 5.0 | 02.8-07.2 |
| \$35,000- 49,999 | 659 | 89,648 | 482 | 75.8 | 71.5-80.1 | 133 | 18.4 | 14.3-22.5 | 5 | 0.5 | 00.0-01.1 | 3 | 0.5 | 00.0-01.3 | 36 | 4.7 | 02.9-06.5 |
| \$50,000- 74,999 | 669 | 92,382 | 474 | 71.5 | 67.0-76.0 | 155 | 22.3 | 18.2-26.4 | 11 | 1.5 | 00.5-02.5 | 2 | 0.1 | 00.0-00.3 | 27 | 4.5 | 02.3-06.7 |
| \$75,000+ | 1306 | 196,643 | 890 | 70.9 | 67.8-74.0 | 358 | 25.1 | 22.2-28.0 | 18 | 1.1 | 00.5-01.7 | 4 | 0.3 | 00.1-00.5 | 36 | 2.7 | 01.5-03.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 11: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1955 | 325,904 | 1445 | 75.3 | 72.8-77.8 | 354 | 17.3 | 15.1-19.5 | 20 | 0.7 | 00.3-01.1 | 2 | 0.1 | 00.0-00.3 | 134 | 6.6 | 05.0-08.2 |
| White/Non-Hisp | 1445 | 218,512 | 1066 | 74.7 | 71.8-77.6 | 263 | 17.8 | 15.3-20.3 | 13 | 0.7 | 00.3-01.1 | | | | 103 | 6.8 | 05.0-08.6 |
| Black or Afr. Am./Non-Hisp | 270 | 61,265 | 202 | 76.8 | 70.5-83.1 | 50 | 15.9 | 11.0-20.8 | 5 | 1.2 | 00.0-02.4 | 1 | 0.2 | 00.0-00.6 | 12 | 6.0 | 01.7-10.3 |
| Oth. Race/Non-Hisp. | 92 | 16,332 | 69 | 75.9 | 64.1-87.7 | 14 | 17.5 | 07.3-27.7 | 1 | 0.5 | 00.0-01.5 | 1 | 1.9 | 00.0-05.6 | 7 | 4.2 | 00.1-08.3 |
| Hispanic | 93 | 23,090 | 66 | 74.7 | 65.3-84.1 | 18 | 17.0 | 09.2-24.8 | | | | | | | 9 | 8.3 | 02.4-14.2 |
| 18-24 | 128 | 43,686 | 93 | 79.2 | 71.4-87.0 | 21 | 11.8 | 06.3-17.3 | | | | 1 | 0.7 | 00.0-02.1 | 13 | 8.2 | 02.5-13.9 |
| 25-34 | 197 | 55,410 | 145 | 74.0 | 66.6-81.4 | 40 | 19.0 | 12.7-25.3 | 1 | 0.5 | 00.0-01.5 | 1 | 0.2 | 00.0-00.6 | 10 | 6.3 | 01.2-11.4 |
| 35-44 | 243 | 50,972 | 182 | 74.5 | 68.4-80.6 | 41 | 17.4 | 12.1-22.7 | 3 | 1.1 | 00.0-02.5 | | | | 17 | 7.1 | 03.8-10.4 |
| 45-54 | 349 | 59,317 | 264 | 76.6 | 71.1-82.1 | 59 | 18.1 | 13.0-23.2 | 4 | 0.8 | 00.0-01.8 | | | | 22 | 4.6 | 02.4-06.8 |
| 55-64 | 402 | 55,087 | 304 | 75.7 | 70.6-80.8 | 65 | 16.0 | 11.7-20.3 | 7 | 1.4 | 00.2-02.6 | | | | 26 | 7.0 | 03.9-10.1 |
| 65+ | 622 | 60,080 | 446 | 72.7 | 68.2-77.2 | 126 | 19.8 | 15.9-23.7 | 4 | 0.6 | 00.0-01.2 | | | | 46 | 6.9 | 04.4-09.4 |
| Less Than H.S. | 156 | 43,100 | 105 | 69.4 | 60.4-78.4 | 26 | 16.5 | 09.6-23.4 | | | | | | | 25 | 14.1 | 06.8-21.4 |
| H.S. or G.E.D. | 603 | 108,789 | 451 | 76.5 | 72.4-80.6 | 92 | 15.0 | 11.5-18.5 | 2 | 0.3 | 00.0-00.7 | 1 | 0.3 | 00.0-00.9 | 57 | 7.9 | 05.5-10.3 |
| Some Post-H.S. | 454 | 89,483 | 346 | 76.5 | 71.4-81.6 | 79 | 17.3 | 13.0-21.6 | 5 | 1.2 | 00.0-02.4 | | | | 24 | 5.0 | 02.1-07.9 |
| College Graduate | 734 | 83,394 | 537 | 75.5 | 71.8-79.2 | 155 | 20.6 | 17.1-24.1 | 13 | 1.2 | 00.4-02.0 | 1 | 0.1 | 00.0-00.3 | 28 | 2.6 | 01.4-03.8 |
| Less than \$15,000 | 122 | 22,036 | 83 | 70.2 | 59.6-80.8 | 20 | 16.7 | 08.5-24.9 | 2 | 1.7 | 00.0-04.6 | | | | 17 | 11.4 | 04.3-18.5 |
| \$15,000- 24,999 | 242 | 40,273 | 176 | 77.1 | 70.8-83.4 | 35 | 11.8 | 07.1-16.5 | 3 | 1.2 | 00.0-02.8 | 1 | 0.8 | 00.0-02.4 | 27 | 9.1 | 05.2-13.0 |
| \$25,000- 34,999 | 175 | 28,564 | 134 | 73.3 | 64.3-82.3 | 32 | 22.4 | 13.6-31.2 | | | | | | | 9 | 4.3 | 01.4-07.2 |
| \$35,000- 49,999 | 287 | 45,804 | 219 | 79.9 | 74.4-85.4 | 43 | 13.2 | 08.5-17.9 | 3 | 0.6 | 00.0-01.4 | 1 | 0.2 | 00.0-00.6 | 21 | 6.1 | 03.2-09.0 |
| \$50,000- 74,999 | 287 | 46,981 | 218 | 74.7 | 68.2-81.2 | 55 | 20.9 | 14.8-27.0 | 2 | 0.4 | 00.0-01.2 | | | | 12 | 4.1 | 01.2-07.0 |
| \$75,000+ | 616 | 102,760 | 451 | 75.5 | 71.4-79.6 | 129 | 19.6 | 15.7-23.5 | 9 | 1.0 | 00.2-01.8 | | | | 27 | 4.0 | 02.0-06.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 12: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2949 | 355,722 | 1939 | 66.9 | 64.5-69.3 | 831 | 27.3 | 25.1-29.5 | 27 | 0.8 | 00.4-01.2 | 17 | 0.5 | 00.3-00.7 | 135 | 4.5 | 03.5-05.5 |
| White/Non-Hisp | 2195 | 241,505 | 1463 | 68.2 | 65.7-70.7 | 600 | 25.7 | 23.3-28.1 | 16 | 0.7 | 00.3-01.1 | 14 | 0.7 | 00.3-01.1 | 102 | 4.7 | 03.3-06.1 |
| Black or Afr. Am./Non-Hisp | 441 | 67,680 | 287 | 67.4 | 61.7-73.1 | 133 | 29.2 | 23.5-34.9 | 8 | 1.2 | 00.0-02.4 | 1 | 0.2 | 00.0-00.6 | 12 | 2.1 | 00.7-03.5 |
| Oth. Race/Non-Hisp. | 104 | 13,283 | 60 | 56.5 | 42.6-70.4 | 34 | 37.7 | 23.6-51.8 | 1 | 0.3 | 00.0-00.9 | 1 | 0.3 | 00.0-00.9 | 8 | 5.2 | 00.5-09.9 |
| Hispanic | 137 | 27,796 | 85 | 61.4 | 50.6-72.2 | 39 | 29.9 | 19.5-40.3 | 1 | 0.5 | 00.0-01.5 | 1 | 0.1 | 00.0-00.3 | 11 | 8.0 | 02.7-13.3 |
| 18-24 | 130 | 41,284 | 92 | 70.6 | 61.2-80.0 | 33 | 26.1 | 16.9-35.3 | | | | | | | 5 | 3.3 | 00.2-06.4 |
| 25-34 | 266 | 56,306 | 192 | 70.8 | 63.9-77.7 | 54 | 21.8 | 15.7-27.9 | 2 | 0.6 | 00.0-01.6 | 3 | 0.9 | 00.0-02.1 | 15 | 5.9 | 01.8-10.0 |
| 35-44 | 333 | 53,610 | 213 | 64.0 | 57.5-70.5 | 101 | 30.7 | 24.4-37.0 | 5 | 1.3 | 00.1-02.5 | 4 | 0.9 | 00.0-01.9 | 10 | 3.2 | 00.5-05.9 |
| 45-54 | 503 | 64,462 | 337 | 67.0 | 61.9-72.1 | 149 | 29.5 | 24.6-34.4 | 5 | 0.9 | 00.1-01.7 | 1 | 0.1 | 00.0-00.3 | 11 | 2.7 | 00.7-04.7 |
| 55-64 | 641 | 59,755 | 416 | 65.2 | 60.5-69.9 | 177 | 27.8 | 23.5-32.1 | 8 | 1.0 | 00.2-01.8 | 5 | 0.7 | 00.0-01.5 | 35 | 5.3 | 03.3-07.3 |
| 65+ | 1043 | 77,270 | 674 | 65.8 | 62.3-69.3 | 302 | 27.0 | 23.7-30.3 | 6 | 0.8 | 00.0-01.8 | 4 | 0.5 | 00.0-01.1 | 57 | 5.9 | 04.1-07.7 |
| Less Than H.S. | 215 | 43,816 | 136 | 61.6 | 52.8-70.4 | 53 | 27.4 | 19.2-35.6 | | | | | | | 26 | 11.0 | 05.5-16.5 |
| H.S. or G.E.D. | 859 | 103,330 | 590 | 70.6 | 66.5-74.7 | 213 | 23.5 | 19.6-27.4 | 5 | 0.5 | 00.1-00.9 | 5 | 0.7 | 00.0-01.5 | 46 | 4.8 | 03.0-06.6 |
| Some Post-H.S. | 834 | 114,078 | 559 | 66.6 | 62.3-70.9 | 224 | 28.4 | 24.3-32.5 | 7 | 0.7 | 00.1-01.3 | 8 | 0.6 | 00.2-01.0 | 36 | 3.8 | 02.0-05.6 |
| College Graduate | 1034 | 94,222 | 650 | 65.7 | 62.0-69.4 | 339 | 30.2 | 26.7-33.7 | 15 | 1.7 | 00.5-02.9 | 4 | 0.4 | 00.0-00.8 | 26 | 2.0 | 01.0-03.0 |
| Less than \$15,000 | 281 | 33,105 | 169 | 57.9 | 48.9-66.9 | 83 | 28.9 | 20.5-37.3 | 2 | 0.2 | 00.0-00.4 | 4 | 1.0 | 00.0-02.0 | 23 | 12.0 | 05.3-18.7 |
| \$15,000- 24,999 | 448 | 51,152 | 309 | 69.9 | 64.2-75.6 | 110 | 24.5 | 19.2-29.8 | 2 | 0.3 | 00.0-00.7 | 1 | 0.2 | 00.0-00.6 | 26 | 5.1 | 02.6-07.6 |
| \$25,000- 34,999 | 289 | 31,503 | 187 | 63.8 | 56.4-71.2 | 81 | 30.0 | 22.7-37.3 | 2 | 0.4 | 00.0-01.2 | 1 | 0.1 | 00.0-00.3 | 18 | 5.7 | 02.6-08.8 |
| \$35,000- 49,999 | 372 | 43,844 | 263 | 71.6 | 64.9-78.3 | 90 | 23.9 | 17.4-30.4 | 2 | 0.4 | 00.0-01.0 | 2 | 0.8 | 00.0-02.2 | 15 | 3.3 | 00.9-05.7 |
| \$50,000- 74,999 | 382 | 45,401 | 256 | 68.3 | 62.2-74.4 | 100 | 23.9 | 18.6-29.2 | 9 | 2.5 | 00.7-04.3 | 2 | 0.3 | 00.0-00.7 | 15 | 5.0 | 01.7-08.3 |
| \$75,000+ | 690 | 93,883 | 439 | 65.8 | 61.3-70.3 | 229 | 31.1 | 26.6-35.6 | 9 | 1.2 | 00.2-02.2 | 4 | 0.6 | 00.0-01.2 | 9 | 1.3 | 00.1-02.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 13: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4887 | 680,282 | 3814 | 77.5 | 75.9-79.1 | 385 | 7.4 | 06.4-08.4 | 10 | 0.1 | 00.1-00.1 | 6 | 0.1 | 00.0-00.3 | 672 | 14.9 | 13.5-16.3 |
| Male | 1954 | 325,131 | 1512 | 77.8 | 75.3-80.3 | 116 | 5.5 | 04.3-06.7 | 3 | 0.1 | 00.0-00.3 | 2 | 0.1 | 00.1-00.1 | 321 | 16.5 | 14.1-18.9 |
| Female | 2933 | 355,150 | 2302 | 77.2 | 75.0-79.4 | 269 | 9.1 | 07.5-10.7 | 7 | 0.1 | 00.0-00.3 | 4 | 0.2 | 00.0-00.4 | 351 | 13.4 | 11.6-15.2 |
| White/Non-Hisp | 3623 | 457,615 | 2909 | 80.6 | 78.8-82.4 | 254 | 6.1 | 05.1-07.1 | 7 | 0.1 | 00.0-00.3 | 4 | 0.1 | 00.1-00.1 | 449 | 13.0 | 11.4-14.6 |
| Black or Afr. Am./Non-Hisp | 709 | 129,338 | 518 | 73.2 | 68.7-77.7 | 69 | 8.8 | 06.3-11.3 | 1 | 0.1 | 00.0-00.3 | 1 | 0.2 | 00.0-00.6 | 120 | 17.6 | 13.7-21.5 |
| Oth. Race/Non-Hisp. | 197 | 30,162 | 133 | 64.6 | 53.6-75.6 | 24 | 11.7 | 05.8-17.6 | | | | 1 | 0.2 | 00.0-00.6 | 39 | 23.5 | 12.5-34.5 |
| MultiRacial/Non-Hisp. | 65 | 4,967 | 51 | 82.7 | 72.7-92.7 | 5 | 4.6 | 00.0-09.5 | 1 | 1.2 | 00.0-03.6 | | | | 8 | 11.4 | 02.8-20.0 |
| Hispanic | 230 | 50,674 | 155 | 67.2 | 59.8-74.6 | 26 | 13.0 | 07.1-18.9 | | | | | | | 49 | 19.9 | 14.0-25.8 |
| 18-24 | 256 | 83,715 | 176 | 68.7 | 61.4-76.0 | 15 | 4.9 | 01.6-08.2 | | | | | | | 65 | 26.4 | 19.3-33.5 |
| 25-34 | 463 | 112,330 | 347 | 77.7 | 73.4-82.0 | 40 | 8.4 | 05.7-11.1 | | | | | | | 76 | 13.9 | 10.4-17.4 |
| 35-44 | 575 | 104,305 | 448 | 76.2 | 71.9-80.5 | 46 | 9.6 | 06.3-12.9 | 2 | 0.1 | 00.0-00.3 | 1 | 0.1 | 00.0-00.3 | 78 | 14.0 | 10.7-17.3 |
| 45-54 | 850 | 123,634 | 670 | 79.8 | 76.5-83.1 | 71 | 7.9 | 05.7-10.1 | 2 | 0.2 | 00.0-00.4 | 2 | 0.2 | 00.0-00.4 | 105 | 12.0 | 09.5-14.5 |
| 55-64 | 1044 | 115,094 | 825 | 79.6 | 76.5-82.7 | 77 | 6.6 | 04.8-08.4 | 3 | 0.2 | 00.0-00.6 | 1 | 0.0 | 00.0-00.0 | 138 | 13.6 | 10.9-16.3 |
| 65+ | 1653 | 136,786 | 1315 | 80.2 | 77.7-82.7 | 129 | 6.5 | 05.1-07.9 | 2 | 0.1 | 00.0-00.3 | 2 | 0.3 | 00.0-00.7 | 205 | 12.9 | 10.7-15.1 |
| Less Than H.S. | 375 | 88,588 | 274 | 69.7 | 63.4-76.0 | 26 | 9.1 | 05.0-13.2 | | | | | | | 75 | 21.2 | 15.7-26.7 |
| H.S. or G.E.D. | 1452 | 210,413 | 1095 | 77.1 | 74.4-79.8 | 95 | 5.7 | 04.3-07.1 | 3 | 0.1 | 00.0-00.3 | 1 | 0.0 | 00.0-00.0 | 258 | 17.1 | 14.7-19.5 |
| Some Post-H.S. | 1282 | 202,818 | 1008 | 77.8 | 74.7-80.9 | 98 | 7.2 | 05.4-09.0 | 3 | 0.2 | 00.0-00.4 | 1 | 0.1 | 00.0-00.3 | 172 | 14.8 | 11.9-17.7 |
| College Graduate | 1763 | 177,049 | 1428 | 81.6 | 79.2-84.0 | 163 | 8.7 | 06.9-10.5 | 4 | 0.2 | 00.0-00.4 | 4 | 0.3 | 00.0-00.7 | 164 | 9.2 | 07.4-11.0 |
| Less than \$15,000 | 399 | 54,382 | 284 | 70.5 | 63.8-77.2 | 36 | 7.6 | 03.3-11.9 | 1 | 0.2 | 00.0-00.6 | | | | 78 | 21.8 | 16.1-27.5 |
| \$15,000- 24,999 | 693 | 91,996 | 504 | 73.4 | 69.1-77.7 | 56 | 9.5 | 06.4-12.6 | 2 | 0.2 | 00.0-00.6 | | | | 131 | 16.9 | 13.6-20.2 |
| \$25,000- 34,999 | 464 | 60,439 | 363 | 77.3 | 72.2-82.4 | 29 | 7.0 | 03.9-10.1 | | | | | | | 72 | 15.6 | 11.1-20.1 |
| \$35,000- 49,999 | 661 | 90,144 | 530 | 79.3 | 74.4-84.2 | 36 | 4.2 | 02.4-06.0 | 4 | 0.3 | 00.0-00.7 | | | | 91 | 16.3 | 11.6-21.0 |
| \$50,000- 74,999 | 666 | 92,042 | 544 | 80.3 | 76.2-84.4 | 52 | 7.2 | 04.7-09.7 | | | | 1 | 0.1 | 00.0-00.3 | 69 | 12.3 | 08.8-15.8 |
| \$75,000+ | 1301 | 195,628 | 1050 | 80.0 | 77.1-82.9 | 109 | 7.9 | 06.1-09.7 | 2 | 0.1 | 00.0-00.3 | 3 | 0.2 | 00.0-00.6 | 137 | 11.8 | 09.3-14.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 14: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1954 | 325,131 | 1512 | 77.8 | 75.3-80.3 | 116 | 5.5 | 04.3-06.7 | 3 | 0.1 | 00.0-00.3 | 2 | 0.1 | 00.1-00.1 | 321 | 16.5 | 14.1-18.9 |
| White/Non-Hisp | 1444 | 216,905 | 1149 | 81.3 | 78.8-83.8 | 76 | 4.5 | 03.3-05.7 | 3 | 0.2 | 00.0-00.4 | 1 | 0.0 | 00.0-00.0 | 215 | 14.0 | 11.6-16.4 |
| Black or Afr. Am./Non-Hisp | 269 | 61,587 | 194 | 74.4 | 67.7-81.1 | 21 | 6.3 | 03.2-09.4 | | | | | | | 54 | 19.3 | 13.0-25.6 |
| Oth. Race/Non-Hisp. | 92 | 16,799 | 62 | 62.2 | 45.1-79.3 | 6 | 8.0 | 00.7-15.3 | | | | 1 | 0.4 | 00.0-01.2 | 23 | 29.4 | 12.2-46.6 |
| Hispanic | 92 | 22,755 | 61 | 63.7 | 52.7-74.7 | 10 | 11.6 | 04.3-18.9 | | | | | | | 21 | 24.6 | 14.8-34.4 |
| 18-24 | 126 | 42,479 | 87 | 67.2 | 56.4-78.0 | 6 | 2.9 | 00.4-05.4 | | | | | | | 33 | 30.0 | 19.2-40.8 |
| 25-34 | 197 | 56,209 | 152 | 81.3 | 75.4-87.2 | 14 | 5.7 | 02.6-08.8 | | | | | | | 31 | 13.0 | 07.9-18.1 |
| 35-44 | 241 | 50,615 | 183 | 76.8 | 70.9-82.7 | 15 | 7.1 | 03.4-10.8 | | | | | | | 43 | 16.0 | 10.9-21.1 |
| 45-54 | 350 | 59,365 | 276 | 81.8 | 77.3-86.3 | 26 | 6.6 | 03.7-09.5 | 1 | 0.2 | 00.0-00.6 | 1 | 0.1 | 00.0-00.3 | 46 | 11.3 | 07.8-14.8 |
| 55-64 | 403 | 55,046 | 323 | 80.1 | 75.4-84.8 | 17 | 4.1 | 01.9-06.3 | 1 | 0.3 | 00.0-00.9 | | | | 62 | 15.6 | 11.1-20.1 |
| 65+ | 624 | 60,078 | 481 | 76.9 | 72.6-81.2 | 35 | 5.7 | 03.2-08.2 | 1 | 0.2 | 00.0-00.6 | 1 | 0.2 | 00.0-00.6 | 106 | 17.0 | 13.3-20.7 |
| Less Than H.S. | 159 | 44,380 | 111 | 68.2 | 58.8-77.6 | 13 | 8.0 | 03.3-12.7 | | | | | | | 35 | 23.8 | 15.0-32.6 |
| H.S. or G.E.D. | 602 | 107,584 | 439 | 76.4 | 72.5-80.3 | 32 | 4.8 | 03.0-06.6 | 1 | 0.1 | 00.0-00.3 | 1 | 0.1 | 00.0-00.3 | 129 | 18.5 | 15.0-22.0 |
| Some Post-H.S. | 453 | 89,094 | 362 | 80.1 | 75.0-85.2 | 23 | 4.3 | 02.1-06.5 | 1 | 0.2 | 00.0-00.6 | | | | 67 | 15.5 | 10.6-20.4 |
| College Graduate | 732 | 82,935 | 595 | 82.5 | 79.2-85.8 | 47 | 6.2 | 04.0-08.4 | 1 | 0.1 | 00.0-00.3 | 1 | 0.1 | 00.0-00.3 | 88 | 11.0 | 08.3-13.7 |
| Less than \$15,000 | 119 | 21,219 | 88 | 75.7 | 65.9-85.5 | 7 | 4.3 | 00.6-08.0 | | | | | | | 24 | 20.0 | 10.8-29.2 |
| \$15,000- 24,999 | 247 | 40,778 | 173 | 73.1 | 66.4-79.8 | 15 | 7.6 | 03.5-11.7 | 1 | 0.3 | 00.0-00.9 | | | | 58 | 19.0 | 13.3-24.7 |
| \$25,000- 34,999 | 176 | 28,944 | 129 | 76.5 | 68.5-84.5 | 16 | 8.0 | 03.3-12.7 | | | | | | | 31 | 15.5 | 08.6-22.4 |
| \$35,000- 49,999 | 289 | 46,262 | 227 | 77.2 | 69.4-85.0 | 10 | 2.3 | 00.5-04.1 | 1 | 0.3 | 00.0-00.9 | | | | 51 | 20.1 | 12.3-27.9 |
| \$50,000- 74,999 | 284 | 46,639 | 233 | 82.4 | 76.7-88.1 | 15 | 4.6 | 01.9-07.3 | | | | | | | 36 | 13.0 | 07.9-18.1 |
| \$75,000+ | 610 | 101,750 | 490 | 81.3 | 77.6-85.0 | 36 | 5.1 | 03.1-07.1 | 1 | 0.1 | 00.0-00.3 | 1 | 0.1 | 00.0-00.3 | 82 | 13.4 | 10.1-16.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 15: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2933 | 355,150 | 2302 | 77.2 | 75.0-79.4 | 269 | 9.1 | 07.5-10.7 | 7 | 0.1 | 00.0-00.3 | 4 | 0.2 | 00.0-00.4 | 351 | 13.4 | 11.6-15.2 |
| White/Non-Hisp | 2179 | 240,709 | 1760 | 80.1 | 77.7-82.5 | 178 | 7.6 | 06.0-09.2 | 4 | 0.1 | 00.0-00.3 | 3 | 0.1 | 00.0-00.3 | 234 | 12.1 | 10.1-14.1 |
| Black or Afr. Am./Non-Hisp | 440 | 67,751 | 324 | 72.2 | 66.5-77.9 | 48 | 11.1 | 07.2-15.0 | 1 | 0.2 | 00.0-00.6 | 1 | 0.4 | 00.0-01.2 | 66 | 16.1 | 11.2-21.0 |
| Oth. Race/Non-Hisp. | 105 | 13,363 | 71 | 67.6 | 55.3-79.9 | 18 | 16.3 | 07.1-25.5 | | | | | | | 16 | 16.1 | 06.3-25.9 |
| Hispanic | 138 | 27,919 | 94 | 69.9 | 59.9-79.9 | 16 | 14.1 | 05.1-23.1 | | | | | | | 28 | 16.0 | 09.5-22.5 |
| 18-24 | 130 | 41,235 | 89 | 70.2 | 60.6-79.8 | 9 | 7.0 | 00.9-13.1 | | | | | | | 32 | 22.8 | 14.2-31.4 |
| 25-34 | 266 | 56,121 | 195 | 74.2 | 67.9-80.5 | 26 | 11.1 | 06.4-15.8 | | | | | | | 45 | 14.7 | 09.8-19.6 |
| 35-44 | 334 | 53,690 | 265 | 75.5 | 69.2-81.8 | 31 | 11.8 | 06.7-16.9 | 2 | 0.3 | 00.0-00.7 | 1 | 0.3 | 00.0-00.9 | 35 | 12.1 | 07.6-16.6 |
| 45-54 | 500 | 64,269 | 394 | 77.9 | 73.4-82.4 | 45 | 9.1 | 05.8-12.4 | 1 | 0.2 | 00.0-00.6 | 1 | 0.2 | 00.0-00.6 | 59 | 12.7 | 09.0-16.4 |
| 55-64 | 641 | 60,048 | 502 | 79.1 | 75.2-83.0 | 60 | 8.9 | 06.2-11.6 | 2 | 0.2 | 00.0-00.4 | 1 | 0.0 | 00.0-00.0 | 76 | 11.8 | 08.7-14.9 |
| 65+ | 1029 | 76,708 | 834 | 82.8 | 80.1-85.5 | 94 | 7.1 | 05.3-08.9 | 1 | 0.1 | 00.0-00.3 | 1 | 0.4 | 00.0-01.2 | 99 | 9.7 | 07.3-12.1 |
| Less Than H.S. | 216 | 44,208 | 163 | 71.2 | 62.8-79.6 | 13 | 10.3 | 03.6-17.0 | | | | | | | 40 | 18.5 | 11.8-25.2 |
| H.S. or G.E.D. | 850 | 102,829 | 656 | 77.7 | 74.0-81.4 | 63 | 6.6 | 04.4-08.8 | 2 | 0.1 | 00.0-00.3 | | | | 129 | 15.5 | 12.4-18.6 |
| Some Post-H.S. | 829 | 113,724 | 646 | 76.0 | 71.9-80.1 | 75 | 9.4 | 06.7-12.1 | 2 | 0.2 | 00.0-00.4 | 1 | 0.1 | 00.0-00.3 | 105 | 14.3 | 10.8-17.8 |
| College Graduate | 1031 | 94,114 | 833 | 80.8 | 77.7-83.9 | 116 | 10.9 | 08.4-13.4 | 3 | 0.2 | 00.0-00.4 | 3 | 0.5 | 00.0-01.3 | 76 | 7.5 | 05.5-09.5 |
| Less than \$15,000 | 280 | 33,164 | 196 | 67.1 | 58.5-75.7 | 29 | 9.7 | 03.0-16.4 | 1 | 0.3 | 00.0-00.9 | | | | 54 | 22.9 | 15.6-30.2 |
| \$15,000- 24,999 | 446 | 51,218 | 331 | 73.7 | 68.2-79.2 | 41 | 11.0 | 06.5-15.5 | 1 | 0.1 | 00.0-00.3 | | | | 73 | 15.1 | 11.0-19.2 |
| \$25,000- 34,999 | 288 | 31,495 | 234 | 78.1 | 71.4-84.8 | 13 | 6.2 | 01.7-10.7 | | | | | | | 41 | 15.8 | 10.1-21.5 |
| \$35,000- 49,999 | 372 | 43,883 | 303 | 81.4 | 75.9-86.9 | 26 | 6.1 | 03.0-09.2 | 3 | 0.3 | 00.0-00.7 | | | | 40 | 12.2 | 07.5-16.9 |
| \$50,000- 74,999 | 382 | 45,403 | 311 | 78.3 | 72.2-84.4 | 37 | 9.8 | 05.7-13.9 | | | | 1 | 0.3 | 00.0-00.9 | 33 | 11.6 | 06.5-16.7 |
| \$75,000+ | 691 | 93,878 | 560 | 78.6 | 74.1-83.1 | 73 | 10.9 | 07.8-14.0 | 1 | 0.1 | 00.0-00.3 | 2 | 0.3 | 00.0-00.9 | 55 | 10.0 | 06.5-13.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 16: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | 8+ per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------------|-----|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4850 | 676,091 | 2753 | 59.2 | 57.2-61.2 | 1897 | 36.0 | 34.2-37.8 | 79 | 1.6 | 01.2-02.0 | 23 | 0.3 | 00.1-00.5 | 1 | 0.0 | 00.0-00.0 | 97 | 2.8 | 02.0-03.6 |
| Male | 1940 | 323,830 | 1188 | 63.0 | 60.1-65.9 | 678 | 32.1 | 29.4-34.8 | 19 | 1.1 | 00.5-01.7 | 8 | 0.3 | 00.1-00.5 | 1 | 0.1 | 00.0-00.3 | 46 | 3.4 | 02.0-04.8 |
| Female | 2910 | 352,261 | 1565 | 55.8 | 53.3-58.3 | 1219 | 39.7 | 37.3-42.1 | 60 | 2.0 | 01.2-02.8 | 15 | 0.3 | 00.1-00.5 | | | | 51 | 2.2 | 01.4-03.0 |
| White/Non-Hisp | 3599 | 455,459 | 1928 | 55.5 | 53.3-57.7 | 1537 | 40.3 | 38.1-42.5 | 65 | 1.9 | 01.3-02.5 | 19 | 0.4 | 00.2-00.6 | | | | 50 | 2.0 | 01.2-02.8 |
| Black or Afr. Am./Non-Hisp | 698 | 127,374 | 485 | 69.0 | 64.3-73.7 | 172 | 24.2 | 20.1-28.3 | 5 | 0.6 | 00.0-01.2 | 2 | 0.2 | 00.0-00.4 | 1 | 0.2 | 00.0-00.6 | 33 | 5.8 | 03.1-08.5 |
| Oth. Race/Non-Hisp. | 196 | 30,112 | 116 | 58.2 | 47.0-69.4 | 70 | 37.7 | 26.5-48.9 | 6 | 3.3 | 00.0-06.8 | 1 | 0.3 | 00.0-00.9 | | | | 3 | 0.5 | 00.0-01.3 |
| MultiRacial/Non-Hisp. | 63 | 4,855 | 40 | 61.5 | 46.4-76.6 | 21 | 36.1 | 21.0-51.2 | 1 | 0.5 | 00.0-01.5 | | | | | | | 1 | 2.0 | 00.0-05.9 |
| Hispanic | 229 | 50,651 | 154 | 68.2 | 60.9-75.5 | 66 | 27.9 | 20.8-35.0 | 1 | 0.7 | 00.0-02.1 | | | | | | | 8 | 3.2 | 00.8-05.6 |
| 18-24 | 255 | 84,305 | 162 | 61.9 | 54.6-69.2 | 77 | 31.3 | 24.2-38.4 | 2 | 1.1 | 00.0-02.7 | | | | | | | 14 | 5.7 | 02.6-08.8 |
| 25-34 | 459 | 110,762 | 287 | 63.1 | 57.4-68.8 | 152 | 31.3 | 26.0-36.6 | 9 | 2.0 | 00.6-03.4 | | | | 1 | 0.3 | 00.0-00.9 | 10 | 3.3 | 00.2-06.4 |
| 35-44 | 571 | 103,952 | 326 | 56.9 | 52.0-61.8 | 211 | 37.8 | 32.9-42.7 | 15 | 2.6 | 01.0-04.2 | 4 | 0.4 | 00.0-00.8 | | | | 15 | 2.3 | 00.9-03.7 |
| 45-54 | 843 | 122,300 | 488 | 59.2 | 55.1-63.3 | 314 | 35.6 | 31.7-39.5 | 18 | 2.0 | 00.8-03.2 | 4 | 0.5 | 00.0-01.1 | | | | 19 | 2.6 | 01.2-04.0 |
| 55-64 | 1035 | 114,303 | 575 | 59.2 | 55.5-62.9 | 420 | 37.9 | 34.2-41.6 | 16 | 0.9 | 00.3-01.5 | 10 | 0.7 | 00.3-01.1 | | | | 14 | 1.3 | 00.5-02.1 |
| 65+ | 1641 | 136,145 | 896 | 56.6 | 53.7-59.5 | 700 | 40.1 | 37.2-43.0 | 17 | 0.9 | 00.5-01.3 | 4 | 0.2 | 00.0-00.4 | | | | 24 | 2.3 | 01.1-03.5 |
| Less Than H.S. | 367 | 87,304 | 232 | 63.5 | 56.8-70.2 | 108 | 28.3 | 22.4-34.2 | 4 | 0.7 | 00.0-01.7 | 1 | 0.0 | 00.0-00.0 | | | | 22 | 7.5 | 03.2-11.8 |
| H.S. or G.E.D. | 1437 | 208,459 | 854 | 62.4 | 59.1-65.7 | 534 | 33.1 | 30.0-36.2 | 14 | 1.3 | 00.5-02.1 | 4 | 0.1 | 00.0-00.3 | | | | 31 | 3.1 | 01.7-04.5 |
| Some Post-H.S. | 1274 | 202,510 | 742 | 57.9 | 54.2-61.6 | 480 | 38.0 | 34.5-41.5 | 18 | 1.4 | 00.6-02.2 | 6 | 0.4 | 00.0-00.8 | 1 | 0.2 | 00.0-00.6 | 27 | 2.2 | 01.2-03.2 |
| College Graduate | 1758 | 176,432 | 918 | 55.0 | 52.1-57.9 | 769 | 41.1 | 38.2-44.0 | 43 | 2.6 | 01.6-03.6 | 11 | 0.5 | 00.1-00.9 | | | | 17 | 0.8 | 00.4-01.2 |
| Less than \$15,000 | 397 | 54,345 | 239 | 61.7 | 54.3-69.1 | 132 | 27.3 | 21.0-33.6 | 8 | 1.4 | 00.0-02.8 | | | | 1 | 0.6 | 00.0-01.8 | 17 | 9.0 | 02.9-15.1 |
| \$15,000- 24,999 | 680 | 90,781 | 431 | 68.1 | 63.8-72.4 | 214 | 27.2 | 23.1-31.3 | 10 | 1.1 | 00.1-02.1 | 2 | 0.2 | 00.0-00.6 | | | | 23 | 3.4 | 01.6-05.2 |
| \$25,000- 34,999 | 460 | 59,833 | 286 | 67.5 | 62.0-73.0 | 156 | 29.0 | 23.7-34.3 | 6 | 0.9 | 00.1-01.7 | 2 | 0.1 | 00.0-00.3 | | | | 10 | 2.5 | 00.5-04.5 |
| \$35,000- 49,999 | 657 | 89,843 | 383 | 59.4 | 54.1-64.7 | 251 | 36.3 | 31.0-41.6 | 10 | 1.6 | 00.4-02.8 | 1 | 0.0 | 00.0-00.0 | | | | 12 | 2.8 | 00.8-04.8 |
| \$50,000- 74,999 | 662 | 91,747 | 365 | 55.5 | 50.4-60.6 | 282 | 42.5 | 37.4-47.6 | 9 | 1.4 | 00.2-02.6 | 2 | 0.2 | 00.0-00.4 | | | | 4 | 0.5 | 00.0-01.1 |
| \$75,000+ | 1299 | 195,357 | 677 | 55.6 | 52.1-59.1 | 567 | 39.8 | 36.5-43.1 | 28 | 2.4 | 01.2-03.6 | 14 | 0.7 | 00.3-01.1 | | | | 13 | 1.5 | 00.5-02.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 17: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | 8+ per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1940 | 323,830 | 1188 | 63.0 | 60.1-65.9 | 678 | 32.1 | 29.4-34.8 | 19 | 1.1 | 00.5-01.7 | 8 | 0.3 | 00.1-00.5 | 1 | 0.1 | 00.0-00.3 | 46 | 3.4 | 02.0-04.8 |
| White/Non-Hisp | 1435 | 216,765 | 847 | 60.4 | 57.1-63.7 | 542 | 35.4 | 32.3-38.5 | 16 | 1.3 | 00.5-02.1 | 6 | 0.4 | 00.0-00.8 | | | | 24 | 2.5 | 01.1-03.9 |
| Black or Afr. Am./Non-Hisp | 263 | 60,215 | 183 | 68.2 | 60.8-75.6 | 61 | 23.4 | 16.9-29.9 | 1 | 0.3 | 00.0-00.9 | 1 | 0.1 | 00.0-00.3 | 1 | 0.5 | 00.0-01.5 | 16 | 7.4 | 02.1-12.7 |
| Oth. Race/Non-Hisp. | 92 | 16,810 | 58 | 63.2 | 46.3-80.1 | 32 | 35.9 | 19.0-52.8 | | | | | | | | | | 2 | 0.8 | 00.0-02.0 |
| Hispanic | 92 | 22,855 | 64 | 71.2 | 61.0-81.4 | 25 | 24.6 | 15.0-34.2 | 1 | 1.5 | 00.0-04.4 | | | | | | | 2 | 2.7 | 00.0-06.4 |
| 18-24 | 126 | 43,172 | 82 | 61.0 | 50.2-71.8 | 34 | 30.2 | 19.8-40.6 | 2 | 2.1 | 00.0-05.0 | | | | | | | 8 | 6.7 | 01.6-11.8 |
| 25-34 | 197 | 55,632 | 127 | 64.3 | 55.9-72.7 | 63 | 29.8 | 22.2-37.4 | 2 | 1.1 | 00.0-02.7 | | | | 1 | 0.6 | 00.0-01.8 | 4 | 4.2 | 00.0-09.7 |
| 35-44 | 241 | 50,602 | 150 | 61.3 | 54.0-68.6 | 78 | 33.3 | 26.2-40.4 | 5 | 2.1 | 00.1-04.1 | | | | | | | 8 | 3.3 | 00.8-05.8 |
| 45-54 | 345 | 58,671 | 218 | 65.5 | 59.4-71.6 | 116 | 30.8 | 24.9-36.7 | 1 | 0.4 | 00.0-01.2 | 2 | 0.6 | 00.0-01.6 | | | | 8 | 2.7 | 00.5-04.9 |
| 55-64 | 400 | 54,853 | 238 | 63.0 | 57.3-68.7 | 147 | 34.0 | 28.5-39.5 | 3 | 0.5 | 00.0-01.1 | 4 | 0.8 | 00.0-01.6 | | | | 8 | 1.7 | 00.1-03.3 |
| 65+ | 617 | 59,548 | 366 | 62.2 | 57.5-66.9 | 236 | 34.3 | 29.8-38.8 | 4 | 0.6 | 00.0-01.2 | 1 | 0.1 | 00.0-00.3 | | | | 10 | 2.9 | 00.5-05.3 |
| Less Than H.S. | 157 | 44,362 | 95 | 58.4 | 48.4-68.4 | 49 | 29.4 | 20.8-38.0 | 2 | 1.2 | 00.0-03.0 | 1 | 0.1 | 00.0-00.3 | | | | 10 | 10.8 | 03.0-18.6 |
| H.S. or G.E.D. | 593 | 106,586 | 379 | 65.8 | 61.1-70.5 | 194 | 29.9 | 25.4-34.4 | 1 | 0.5 | 00.0-01.5 | 1 | 0.1 | 00.0-00.3 | | | | 18 | 3.6 | 01.6-05.6 |
| Some Post-H.S. | 453 | 89,273 | 282 | 62.1 | 56.0-68.2 | 152 | 33.5 | 27.6-39.4 | 4 | 1.3 | 00.0-02.7 | 3 | 0.5 | 00.0-01.1 | 1 | 0.4 | 00.0-01.2 | 11 | 2.2 | 00.6-03.8 |
| College Graduate | 729 | 82,471 | 427 | 62.6 | 58.3-66.9 | 281 | 35.1 | 31.0-39.2 | 12 | 1.5 | 00.5-02.5 | 2 | 0.2 | 00.0-00.6 | | | | 7 | 0.5 | 00.1-00.9 |
| Less than \$15,000 | 118 | 21,135 | 76 | 58.6 | 45.1-72.1 | 33 | 23.8 | 13.4-34.2 | 1 | 1.6 | 00.0-04.7 | | | | 1 | 1.5 | 00.0-04.4 | 7 | 14.5 | 00.8-28.2 |
| \$15,000- 24,999 | 242 | 40,610 | 155 | 68.0 | 60.7-75.3 | 69 | 25.1 | 18.4-31.8 | 4 | 1.5 | 00.0-03.3 | 2 | 0.5 | 00.0-01.3 | | | | 12 | 4.9 | 01.8-08.0 |
| \$25,000- 34,999 | 175 | 28,597 | 117 | 69.7 | 60.9-78.5 | 53 | 26.6 | 18.2-35.0 | 1 | 0.8 | 00.0-02.4 | | | | | | | 4 | 3.0 | 00.0-06.5 |
| \$35,000- 49,999 | 285 | 45,920 | 176 | 61.8 | 53.6-70.0 | 100 | 33.7 | 25.7-41.7 | 2 | 0.9 | 00.0-02.3 | | | | | | | 7 | 3.6 | 00.3-06.9 |
| \$50,000- 74,999 | 282 | 46,453 | 166 | 59.1 | 51.5-66.7 | 113 | 39.8 | 32.2-47.4 | 1 | 0.5 | 00.0-01.5 | | | | | | | 2 | 0.6 | 00.0-01.8 |
| \$75,000+ | 613 | 102,015 | 363 | 63.2 | 58.5-67.9 | 232 | 33.9 | 29.2-38.6 | 8 | 1.0 | 00.0-02.0 | 5 | 0.6 | 00.0-01.2 | | | | 5 | 1.3 | 00.0-02.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 18: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|-----|------------|-----------------|-----|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2910 | 352,261 | 1565 | 55.8 | 53.3-58.3 | 1219 | 39.7 | 37.3-42.1 | 60 | 2.0 | 01.2-02.8 | 15 | 0.3 | 00.1-00.5 | 51 | 2.2 | 01.4-03.0 |
| White/Non-Hisp | 2164 | 238,693 | 1081 | 51.1 | 48.2-54.0 | 995 | 44.7 | 41.8-47.6 | 49 | 2.4 | 01.6-03.2 | 13 | 0.4 | 00.2-00.6 | 26 | 1.5 | 00.7-02.3 |
| Black or Afr. Am./Non-Hisp | 435 | 67,159 | 302 | 69.8 | 64.1-75.5 | 111 | 24.9 | 19.6-30.2 | 4 | 0.8 | 00.0-01.6 | 1 | 0.3 | 00.0-00.9 | 17 | 4.3 | 01.9-06.7 |
| Oth. Race/Non-Hisp. | 104 | 13,302 | 58 | 51.8 | 38.1-65.5 | 38 | 39.9 | 26.0-53.8 | 6 | 7.6 | 00.0-15.4 | 1 | 0.7 | 00.0-02.1 | 1 | 0.1 | 00.0-00.3 |
| Hispanic | 137 | 27,796 | 90 | 65.7 | 55.5-75.9 | 41 | 30.7 | 20.7-40.7 | | | | | | | 6 | 3.6 | 00.5-06.7 |
| 18-24 | 129 | 41,134 | 80 | 62.9 | 52.9-72.9 | 43 | 32.4 | 22.8-42.0 | | | | | | | 6 | 4.7 | 00.8-08.6 |
| 25-34 | 262 | 55,129 | 160 | 62.0 | 54.7-69.3 | 89 | 32.8 | 25.7-39.9 | 7 | 2.9 | 00.5-05.3 | | | | 6 | 2.3 | 00.0-04.7 |
| 35-44 | 330 | 53,350 | 176 | 52.6 | 45.9-59.3 | 133 | 42.1 | 35.4-48.8 | 10 | 3.1 | 00.6-05.6 | 4 | 0.7 | 00.0-01.5 | 7 | 1.4 | 00.2-02.6 |
| 45-54 | 498 | 63,629 | 270 | 53.4 | 48.1-58.7 | 198 | 40.1 | 34.8-45.4 | 17 | 3.6 | 01.6-05.6 | 2 | 0.4 | 00.0-01.0 | 11 | 2.6 | 00.8-04.4 |
| 55-64 | 635 | 59,450 | 337 | 55.7 | 50.8-60.6 | 273 | 41.4 | 36.5-46.3 | 13 | 1.3 | 00.3-02.3 | 6 | 0.6 | 00.0-01.2 | 6 | 0.9 | 00.1-01.7 |
| 65+ | 1024 | 76,597 | 530 | 52.3 | 48.6-56.0 | 464 | 44.5 | 40.8-48.2 | 13 | 1.1 | 00.3-01.9 | 3 | 0.3 | 00.0-00.7 | 14 | 1.8 | 00.6-03.0 |
| Less Than H.S. | 210 | 42,942 | 137 | 68.7 | 60.5-76.9 | 59 | 27.1 | 19.1-35.1 | 2 | 0.2 | 00.0-00.4 | | | | 12 | 4.1 | 01.4-06.8 |
| H.S. or G.E.D. | 844 | 101,873 | 475 | 58.8 | 54.3-63.3 | 340 | 36.5 | 32.2-40.8 | 13 | 2.1 | 00.7-03.5 | 3 | 0.1 | 00.0-00.3 | 13 | 2.5 | 00.9-04.1 |
| Some Post-H.S. | 821 | 113,237 | 460 | 54.5 | 50.0-59.0 | 328 | 41.6 | 37.1-46.1 | 14 | 1.5 | 00.3-02.7 | 3 | 0.3 | 00.0-00.7 | 16 | 2.2 | 00.8-03.6 |
| College Graduate | 1029 | 93,961 | 491 | 48.3 | 44.4-52.2 | 488 | 46.4 | 42.5-50.3 | 31 | 3.6 | 02.0-05.2 | 9 | 0.8 | 00.2-01.4 | 10 | 1.0 | 00.2-01.8 |
| Less than \$15,000 | 279 | 33,210 | 163 | 63.6 | 55.4-71.8 | 99 | 29.6 | 22.0-37.2 | 7 | 1.3 | 00.1-02.5 | | | | 10 | 5.5 | 01.8-09.2 |
| \$15,000- 24,999 | 438 | 50,170 | 276 | 68.2 | 62.7-73.7 | 145 | 28.8 | 23.5-34.1 | 6 | 0.8 | 00.2-01.4 | | | | 11 | 2.2 | 00.6-03.8 |
| \$25,000- 34,999 | 285 | 31,236 | 169 | 65.5 | 58.6-72.4 | 103 | 31.2 | 24.5-37.9 | 5 | 0.9 | 00.0-01.9 | 2 | 0.3 | 00.0-00.7 | 6 | 2.1 | 00.0-04.3 |
| \$35,000- 49,999 | 372 | 43,922 | 207 | 56.8 | 49.9-63.7 | 151 | 39.0 | 32.1-45.9 | 8 | 2.2 | 00.2-04.2 | 1 | 0.1 | 00.0-00.3 | 5 | 1.9 | 00.0-04.1 |
| \$50,000- 74,999 | 380 | 45,294 | 199 | 51.8 | 45.1-58.5 | 169 | 45.2 | 38.5-51.9 | 8 | 2.3 | 00.0-04.7 | 2 | 0.3 | 00.0-00.7 | 2 | 0.3 | 00.0-00.9 |
| \$75,000+ | 686 | 93,342 | 314 | 47.3 | 42.4-52.2 | 335 | 46.2 | 41.3-51.1 | 20 | 3.9 | 01.9-05.9 | 9 | 0.9 | 00.3-01.5 | 8 | 1.7 | 00.1-03.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 19: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | 8+ per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|------|------------|-----------------|------|------------|------------|-----|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4828 | 672,965 | 1683 | 37.7 | 35.7-39.7 | 2091 | 41.0 | 39.0-43.0 | 565 | 11.4 | 10.2-12.6 | 355 | 6.9 | 05.9-07.9 | 14 | 0.3 | 00.1-00.5 | 120 | 2.7 | 02.1-03.3 |
| Male | 1931 | 321,546 | 728 | 40.6 | 37.7-43.5 | 843 | 40.7 | 37.8-43.6 | 192 | 10.5 | 08.7-12.3 | 112 | 5.3 | 04.1-06.5 | 5 | 0.2 | 00.0-00.4 | 51 | 2.8 | 01.8-03.8 |
| Female | 2897 | 351,419 | 955 | 35.0 | 32.6-37.4 | 1248 | 41.3 | 38.8-43.8 | 373 | 12.3 | 10.7-13.9 | 243 | 8.3 | 06.9-09.7 | 9 | 0.4 | 00.0-00.8 | 69 | 2.6 | 01.8-03.4 |
| White/Non-Hisp | 3590 | 454,521 | 1222 | 36.9 | 34.7-39.1 | 1620 | 42.6 | 40.4-44.8 | 429 | 11.7 | 10.3-13.1 | 229 | 5.9 | 04.9-06.9 | 5 | 0.2 | 00.0-00.4 | 85 | 2.7 | 01.9-03.5 |
| Black or Afr. Am./Non-Hisp | 692 | 126,726 | 265 | 43.4 | 38.3-48.5 | 243 | 32.5 | 28.0-37.0 | 85 | 11.5 | 08.2-14.8 | 71 | 8.9 | 06.5-11.3 | 4 | 0.6 | 00.0-01.4 | 24 | 3.2 | 01.8-04.6 |
| Oth. Race/Non-Hisp. | 195 | 30,227 | 72 | 32.8 | 23.6-42.0 | 81 | 49.3 | 38.3-60.3 | 17 | 7.3 | 02.6-12.0 | 16 | 7.6 | 02.7-12.5 | 4 | 0.7 | 00.0-01.5 | 5 | 2.3 | 00.0-04.8 |
| MultiRacial/Non-Hisp. | 64 | 4,890 | 22 | 33.7 | 20.0-47.4 | 29 | 46.7 | 31.8-61.6 | 3 | 5.0 | 00.0-11.7 | 8 | 11.6 | 01.0-22.2 | 2 | 3.1 | 00.0-07.4 | 2 | 3.1 | 00.0-07.4 |
| Hispanic | 226 | 49,252 | 77 | 31.4 | 24.3-38.5 | 94 | 44.5 | 36.5-52.5 | 26 | 12.0 | 06.7-17.3 | 25 | 10.3 | 04.6-16.0 | 1 | 0.4 | 00.0-01.2 | 3 | 1.3 | 00.0-03.1 |
| 18-24 | 255 | 84,017 | 111 | 42.0 | 34.6-49.4 | 99 | 37.6 | 30.3-44.9 | 22 | 11.2 | 06.1-16.3 | 13 | 6.3 | 02.4-10.2 | 2 | 0.5 | 00.0-01.3 | 8 | 2.4 | 00.6-04.2 |
| 25-34 | 459 | 110,403 | 185 | 41.6 | 35.7-47.5 | 157 | 34.3 | 28.8-39.8 | 59 | 11.6 | 08.3-14.9 | 50 | 9.4 | 06.5-12.3 | | | | 8 | 3.1 | 00.7-05.5 |
| 35-44 | 569 | 103,804 | 207 | 36.4 | 31.5-41.3 | 241 | 43.7 | 38.8-48.6 | 62 | 10.7 | 07.8-13.6 | 41 | 6.2 | 03.8-08.6 | 3 | 0.4 | 00.0-01.0 | 15 | 2.5 | 00.9-04.1 |
| 45-54 | 836 | 121,843 | 327 | 39.4 | 35.3-43.5 | 323 | 38.6 | 34.5-42.7 | 102 | 11.5 | 08.8-14.2 | 61 | 6.9 | 04.7-09.1 | 2 | 0.9 | 00.0-02.1 | 21 | 2.7 | 01.3-04.1 |
| 55-64 | 1035 | 113,871 | 380 | 39.4 | 35.5-43.3 | 423 | 39.0 | 35.1-42.9 | 117 | 11.2 | 08.7-13.7 | 83 | 6.8 | 05.2-08.4 | 3 | 0.1 | 00.0-00.3 | 29 | 3.5 | 01.9-05.1 |
| 65+ | 1630 | 134,822 | 461 | 29.6 | 26.9-32.3 | 824 | 50.3 | 47.2-53.4 | 198 | 12.1 | 10.1-14.1 | 104 | 5.8 | 04.4-07.2 | 4 | 0.1 | 00.0-00.3 | 39 | 2.1 | 01.3-02.9 |
| Less Than H.S. | 364 | 86,168 | 132 | 36.5 | 29.8-43.2 | 157 | 42.1 | 35.2-49.0 | 29 | 7.4 | 03.9-10.9 | 25 | 6.8 | 03.3-10.3 | | | | 21 | 7.2 | 03.5-10.9 |
| H.S. or G.E.D. | 1426 | 207,745 | 560 | 43.1 | 39.6-46.6 | 600 | 38.7 | 35.2-42.2 | 128 | 8.6 | 06.6-10.6 | 82 | 5.7 | 04.1-07.3 | 6 | 0.7 | 00.0-01.5 | 50 | 3.2 | 02.0-04.4 |
| Some Post-H.S. | 1278 | 202,144 | 464 | 37.6 | 34.1-41.1 | 522 | 39.9 | 36.4-43.4 | 169 | 14.2 | 11.7-16.7 | 94 | 6.5 | 04.9-08.1 | 6 | 0.3 | 00.1-00.5 | 23 | 1.5 | 00.7-02.3 |
| College Graduate | 1745 | 175,494 | 521 | 31.7 | 29.0-34.4 | 806 | 44.6 | 41.7-47.5 | 239 | 13.5 | 11.3-15.7 | 151 | 8.7 | 06.9-10.5 | 2 | 0.1 | 00.0-00.3 | 26 | 1.4 | 00.8-02.0 |
| Less than \$15,000 | 390 | 53,222 | 156 | 45.3 | 37.9-52.7 | 149 | 33.9 | 27.0-40.8 | 36 | 9.3 | 05.2-13.4 | 28 | 7.4 | 02.9-11.9 | 4 | 0.6 | 00.0-01.4 | 17 | 3.6 | 01.4-05.8 |
| \$15,000- 24,999 | 678 | 89,408 | 271 | 42.5 | 37.6-47.4 | 264 | 36.9 | 32.0-41.8 | 69 | 9.3 | 06.6-12.0 | 49 | 7.5 | 05.0-10.0 | 3 | 0.7 | 00.0-01.9 | 22 | 3.1 | 01.5-04.7 |
| \$25,000- 34,999 | 457 | 59,128 | 173 | 40.1 | 34.0-46.2 | 185 | 38.9 | 32.8-45.0 | 54 | 10.8 | 07.5-14.1 | 29 | 5.0 | 02.8-07.2 | 1 | 1.0 | 00.0-03.0 | 15 | 4.2 | 01.3-07.1 |
| \$35,000- 49,999 | 661 | 90,534 | 211 | 35.9 | 30.8-41.0 | 314 | 46.1 | 40.8-51.4 | 73 | 8.7 | 06.0-11.4 | 44 | 6.8 | 04.1-09.5 | | | | 19 | 2.5 | 01.1-03.9 |
| \$50,000- 74,999 | 656 | 91,197 | 242 | 36.9 | 31.8-42.0 | 279 | 40.3 | 35.4-45.2 | 75 | 12.9 | 09.6-16.2 | 51 | 7.4 | 04.9-09.9 | 2 | 0.3 | 00.0-00.7 | 7 | 2.2 | 00.0-04.4 |
| \$75,000+ | 1289 | 195,329 | 413 | 34.8 | 31.3-38.3 | 569 | 42.2 | 38.7-45.7 | 177 | 13.1 | 10.7-15.5 | 107 | 7.8 | 06.0-09.6 | 1 | 0.1 | 00.0-00.3 | 22 | 2.0 | 00.8-03.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 20: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | 8+ per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|------|------------|-----------------|-----|------------|------------|-----|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1931 | 321,546 | 728 | 40.6 | 37.7-43.5 | 843 | 40.7 | 37.8-43.6 | 192 | 10.5 | 08.7-12.3 | 112 | 5.3 | 04.1-06.5 | 5 | 0.2 | 00.0-00.4 | 51 | 2.8 | 01.8-03.8 |
| White/Non-Hisp | 1433 | 216,218 | 530 | 40.2 | 36.9-43.5 | 650 | 41.5 | 38.2-44.8 | 144 | 11.0 | 08.8-13.2 | 70 | 4.3 | 03.1-05.5 | 3 | 0.2 | 00.0-00.4 | 36 | 2.8 | 01.4-04.2 |
| Black or Afr. Am./Non-Hisp | 262 | 59,625 | 107 | 45.7 | 37.7-53.7 | 97 | 35.1 | 27.8-42.4 | 25 | 7.9 | 03.4-12.4 | 22 | 8.1 | 04.2-12.0 | 1 | 0.4 | 00.0-01.2 | 10 | 2.9 | 00.9-04.9 |
| Oth. Race/Non-Hisp. | 91 | 16,899 | 35 | 31.8 | 18.7-44.9 | 39 | 50.5 | 34.2-66.8 | 9 | 8.8 | 01.4-16.2 | 6 | 6.8 | 00.7-12.9 | 1 | 0.3 | 00.0-00.9 | 1 | 1.9 | 00.0-05.6 |
| Hispanic | 90 | 21,921 | 33 | 33.9 | 23.1-44.7 | 41 | 45.3 | 33.5-57.1 | 10 | 13.6 | 05.2-22.0 | 5 | 5.7 | 00.0-12.0 | | | | 1 | 1.5 | 00.0-04.4 |
| 18-24 | 125 | 42,537 | 54 | 45.6 | 34.8-56.4 | 47 | 34.5 | 24.1-44.9 | 12 | 11.7 | 04.3-19.1 | 5 | 3.7 | 00.0-07.4 | 1 | 0.5 | 00.0-01.5 | 6 | 3.9 | 00.8-07.0 |
| 25-34 | 199 | 55,378 | 80 | 44.1 | 35.3-52.9 | 72 | 34.2 | 26.4-42.0 | 27 | 11.2 | 06.5-15.9 | 16 | 7.2 | 03.3-11.1 | | | | 4 | 3.4 | 00.0-07.1 |
| 35-44 | 241 | 50,776 | 92 | 38.1 | 31.0-45.2 | 103 | 42.7 | 35.4-50.0 | 25 | 10.6 | 06.3-14.9 | 11 | 4.7 | 01.4-08.0 | 2 | 0.7 | 00.0-01.7 | 8 | 3.2 | 00.8-05.6 |
| 45-54 | 343 | 58,160 | 154 | 44.7 | 38.0-51.4 | 129 | 37.4 | 31.1-43.7 | 29 | 9.3 | 05.2-13.4 | 25 | 7.3 | 04.0-10.6 | | | | 6 | 1.3 | 00.1-02.5 |
| 55-64 | 399 | 54,496 | 165 | 43.3 | 37.2-49.4 | 156 | 37.9 | 31.6-44.2 | 39 | 10.1 | 06.6-13.6 | 25 | 5.0 | 02.8-07.2 | 1 | 0.1 | 00.0-00.3 | 13 | 3.7 | 01.2-06.2 |
| 65+ | 613 | 59,066 | 179 | 29.0 | 24.7-33.3 | 330 | 55.1 | 50.2-60.0 | 60 | 10.4 | 07.1-13.7 | 29 | 3.8 | 02.2-05.4 | 1 | 0.1 | 00.0-00.3 | 14 | 1.8 | 00.6-03.0 |
| Less Than H.S. | 153 | 42,354 | 54 | 36.2 | 26.0-46.4 | 70 | 42.3 | 32.1-52.5 | 12 | 8.1 | 02.0-14.2 | 8 | 5.1 | 01.0-09.2 | | | | 9 | 8.3 | 02.2-14.4 |
| H.S. or G.E.D. | 589 | 106,562 | 265 | 48.5 | 43.2-53.8 | 242 | 38.0 | 33.1-42.9 | 34 | 6.1 | 03.7-08.5 | 27 | 4.8 | 02.6-07.0 | 2 | 0.2 | 00.0-00.6 | 19 | 2.5 | 01.1-03.9 |
| Some Post-H.S. | 453 | 88,958 | 175 | 37.8 | 31.9-43.7 | 181 | 39.2 | 33.3-45.1 | 62 | 16.4 | 11.9-20.9 | 22 | 4.6 | 02.2-07.0 | 2 | 0.4 | 00.0-01.0 | 11 | 1.6 | 00.6-02.6 |
| College Graduate | 728 | 82,536 | 231 | 35.5 | 31.0-40.0 | 347 | 45.0 | 40.5-49.5 | 84 | 11.1 | 08.4-13.8 | 53 | 6.8 | 04.6-09.0 | 1 | 0.0 | 00.0-00.0 | 12 | 1.6 | 00.6-02.6 |
| Less than \$15,000 | 118 | 20,794 | 53 | 47.1 | 34.0-60.2 | 46 | 39.9 | 27.4-52.4 | 7 | 7.1 | 00.8-13.4 | 7 | 4.0 | 00.3-07.7 | 1 | 0.2 | 00.0-00.6 | 4 | 1.8 | 00.0-04.0 |
| \$15,000- 24,999 | 236 | 38,747 | 102 | 44.4 | 36.2-52.6 | 76 | 32.5 | 24.3-40.7 | 26 | 9.8 | 05.5-14.1 | 22 | 9.2 | 04.7-13.7 | | | | 10 | 4.1 | 01.2-07.0 |
| \$25,000- 34,999 | 174 | 28,467 | 70 | 39.5 | 29.9-49.1 | 77 | 45.7 | 35.9-55.5 | 17 | 10.1 | 04.8-15.4 | 5 | 2.5 | 00.1-04.9 | | | | 5 | 2.2 | 00.0-04.4 |
| \$35,000- 49,999 | 289 | 46,407 | 104 | 37.3 | 29.7-44.9 | 145 | 48.9 | 40.9-56.9 | 19 | 5.7 | 02.2-09.2 | 12 | 5.2 | 01.5-08.9 | | | | 9 | 2.8 | 00.8-04.8 |
| \$50,000- 74,999 | 282 | 46,358 | 101 | 37.0 | 29.4-44.6 | 125 | 41.1 | 33.7-48.5 | 35 | 13.6 | 08.5-18.7 | 14 | 4.5 | 01.6-07.4 | 1 | 0.4 | 00.0-01.2 | 6 | 3.4 | 00.0-07.3 |
| \$75,000+ | 614 | 102,744 | 222 | 40.5 | 35.4-45.6 | 275 | 40.7 | 35.8-45.6 | 64 | 10.2 | 07.3-13.1 | 41 | 6.4 | 04.0-08.8 | 1 | 0.1 | 00.0-00.3 | 11 | 2.1 | 00.3-03.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 21: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | 8+ per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|------|------------|-----------------|------|------------|------------|-----|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2897 | 351,419 | 955 | 35.0 | 32.6-37.4 | 1248 | 41.3 | 38.8-43.8 | 373 | 12.3 | 10.7-13.9 | 243 | 8.3 | 06.9-09.7 | 9 | 0.4 | 00.0-00.8 | 69 | 2.6 | 01.8-03.4 |
| White/Non-Hisp | 2157 | 238,304 | 692 | 33.9 | 31.2-36.6 | 970 | 43.7 | 40.8-46.6 | 285 | 12.3 | 10.5-14.1 | 159 | 7.3 | 05.9-08.7 | 2 | 0.3 | 00.0-00.7 | 49 | 2.6 | 01.4-03.8 |
| Black or Afr. Am./Non-Hisp | 430 | 67,101 | 158 | 41.4 | 35.1-47.7 | 146 | 30.2 | 24.7-35.7 | 60 | 14.6 | 09.7-19.5 | 49 | 9.6 | 06.5-12.7 | 3 | 0.8 | 00.0-02.2 | 14 | 3.4 | 01.4-05.4 |
| Oth. Race/Non-Hisp. | 104 | 13,328 | 37 | 34.2 | 22.0-46.4 | 42 | 47.8 | 34.1-61.5 | 8 | 5.4 | 00.7-10.1 | 10 | 8.6 | 01.0-16.2 | 3 | 1.1 | 00.0-02.7 | 4 | 2.9 | 00.0-06.6 |
| Hispanic | 136 | 27,331 | 44 | 29.4 | 20.4-38.4 | 53 | 43.9 | 32.9-54.9 | 16 | 10.7 | 04.2-17.2 | 20 | 14.1 | 05.1-23.1 | 1 | 0.7 | 00.0-02.1 | 2 | 1.2 | 00.0-03.2 |
| 18-24 | 130 | 41,481 | 57 | 38.2 | 28.4-48.0 | 52 | 40.8 | 30.6-51.0 | 10 | 10.8 | 03.5-18.1 | 8 | 8.9 | 02.0-15.8 | 1 | 0.5 | 00.0-01.5 | 2 | 0.8 | 00.0-02.0 |
| 25-34 | 260 | 55,026 | 105 | 39.2 | 31.8-46.6 | 85 | 34.4 | 26.8-42.0 | 32 | 12.0 | 07.3-16.7 | 34 | 11.6 | 07.3-15.9 | | | | 4 | 2.7 | 00.0-05.8 |
| 35-44 | 328 | 53,028 | 115 | 34.8 | 28.3-41.3 | 138 | 44.7 | 38.0-51.4 | 37 | 10.7 | 06.8-14.6 | 30 | 7.7 | 04.6-10.8 | 1 | 0.2 | 00.0-00.6 | 7 | 2.0 | 00.0-04.0 |
| 45-54 | 493 | 63,683 | 173 | 34.6 | 29.5-39.7 | 194 | 39.8 | 34.5-45.1 | 73 | 13.5 | 10.0-17.0 | 36 | 6.4 | 03.9-08.9 | 2 | 1.7 | 00.0-04.1 | 15 | 4.1 | 01.6-06.6 |
| 55-64 | 636 | 59,375 | 215 | 35.9 | 31.0-40.8 | 267 | 39.9 | 35.0-44.8 | 78 | 12.2 | 08.7-15.7 | 58 | 8.5 | 06.0-11.0 | 2 | 0.1 | 00.0-00.3 | 16 | 3.4 | 01.2-05.6 |
| 65+ | 1017 | 75,756 | 282 | 30.2 | 26.7-33.7 | 494 | 46.5 | 42.8-50.2 | 138 | 13.3 | 10.8-15.8 | 75 | 7.4 | 05.2-09.6 | 3 | 0.2 | 00.0-00.6 | 25 | 2.3 | 01.1-03.5 |
| Less Than H.S. | 211 | 43,815 | 78 | 36.8 | 28.2-45.4 | 87 | 41.9 | 32.9-50.9 | 17 | 6.8 | 03.1-10.5 | 17 | 8.4 | 02.7-14.1 | | | | 12 | 6.1 | 01.6-10.6 |
| H.S. or G.E.D. | 837 | 101,184 | 295 | 37.4 | 32.9-41.9 | 358 | 39.5 | 34.8-44.2 | 94 | 11.3 | 08.4-14.2 | 55 | 6.7 | 04.5-08.9 | 4 | 1.3 | 00.0-02.9 | 31 | 3.9 | 02.1-05.7 |
| Some Post-H.S. | 825 | 113,187 | 289 | 37.5 | 33.0-42.0 | 341 | 40.4 | 36.1-44.7 | 107 | 12.5 | 09.4-15.6 | 72 | 8.0 | 05.8-10.2 | 4 | 0.2 | 00.0-00.4 | 12 | 1.4 | 00.4-02.4 |
| College Graduate | 1017 | 92,958 | 290 | 28.4 | 24.9-31.9 | 459 | 44.3 | 40.4-48.2 | 155 | 15.6 | 12.5-18.7 | 98 | 10.4 | 07.9-12.9 | 1 | 0.1 | 00.0-00.3 | 14 | 1.2 | 00.4-02.0 |
| Less than \$15,000 | 272 | 32,428 | 103 | 44.1 | 35.3-52.9 | 103 | 30.1 | 22.5-37.7 | 29 | 10.6 | 05.1-16.1 | 21 | 9.6 | 02.7-16.5 | 3 | 0.8 | 00.0-02.0 | 13 | 4.8 | 01.7-07.9 |
| \$15,000- 24,999 | 442 | 50,661 | 169 | 41.1 | 34.8-47.4 | 188 | 40.2 | 34.1-46.3 | 43 | 8.9 | 05.6-12.2 | 27 | 6.2 | 03.3-09.1 | 3 | 1.2 | 00.0-03.2 | 12 | 2.4 | 00.6-04.2 |
| \$25,000- 34,999 | 283 | 30,661 | 103 | 40.6 | 33.0-48.2 | 108 | 32.7 | 25.8-39.6 | 37 | 11.4 | 07.3-15.5 | 24 | 7.3 | 04.0-10.6 | 1 | 1.9 | 00.0-05.6 | 10 | 6.1 | 01.0-11.2 |
| \$35,000- 49,999 | 372 | 44,127 | 107 | 34.4 | 27.5-41.3 | 169 | 43.2 | 36.3-50.1 | 54 | 11.8 | 07.7-15.9 | 32 | 8.5 | 04.8-12.2 | | | | 10 | 2.1 | 00.5-03.7 |
| \$50,000- 74,999 | 374 | 44,839 | 141 | 36.8 | 30.3-43.3 | 154 | 39.4 | 32.9-45.9 | 40 | 12.2 | 07.7-16.7 | 37 | 10.3 | 06.2-14.4 | 1 | 0.2 | 00.0-00.6 | 1 | 1.0 | 00.0-03.0 |
| \$75,000+ | 675 | 92,584 | 191 | 28.4 | 24.1-32.7 | 294 | 43.9 | 39.0-48.8 | 113 | 16.4 | 12.5-20.3 | 66 | 9.3 | 06.6-12.0 | | | | 11 | 1.9 | 00.5-03.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

**TABLE 22: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | 8+ per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|------|------------|-----------------|------|------------|------------|-----|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4741 | 663,738 | 1214 | 28.3 | 26.5-30.1 | 1783 | 38.3 | 36.3-40.3 | 1015 | 19.3 | 17.9-20.7 | 686 | 13.1 | 11.9-14.3 | 20 | 0.4 | 00.2-00.6 | 23 | 0.6 | 00.2-01.0 |
| Male | 1891 | 316,539 | 570 | 32.7 | 29.8-35.6 | 752 | 39.9 | 37.0-42.8 | 356 | 16.5 | 14.3-18.7 | 195 | 9.9 | 08.1-11.7 | 6 | 0.2 | 00.0-00.4 | 12 | 0.8 | 00.2-01.4 |
| Female | 2850 | 347,200 | 644 | 24.2 | 21.8-26.6 | 1031 | 36.8 | 34.3-39.3 | 659 | 22.0 | 20.0-24.0 | 491 | 16.1 | 14.3-17.9 | 14 | 0.5 | 00.1-00.9 | 11 | 0.4 | 00.0-00.8 |
| White/Non-Hisp | 3523 | 448,042 | 842 | 26.7 | 24.5-28.9 | 1347 | 38.1 | 35.9-40.3 | 801 | 20.8 | 19.0-22.6 | 506 | 13.5 | 12.1-14.9 | 14 | 0.4 | 00.2-00.6 | 13 | 0.5 | 00.1-00.9 |
| Black or Afr. Am./Non-Hisp | 681 | 124,636 | 236 | 35.9 | 30.8-41.0 | 237 | 37.9 | 33.0-42.8 | 108 | 14.2 | 10.9-17.5 | 89 | 10.2 | 07.7-12.7 | 3 | 0.6 | 00.0-01.4 | 8 | 1.2 | 00.2-02.2 |
| Oth. Race/Non-Hisp. | 189 | 29,152 | 44 | 20.2 | 12.8-27.6 | 73 | 41.0 | 29.4-52.6 | 32 | 20.1 | 11.5-28.7 | 39 | 18.3 | 11.0-25.6 | | | | 1 | 0.3 | 00.0-01.1 |
| MultiRacial/Non-Hisp. | 62 | 4,776 | 21 | 34.6 | 20.7-48.5 | 21 | 39.0 | 24.1-53.9 | 10 | 14.1 | 02.9-25.3 | 9 | 11.2 | 02.4-20.0 | 1 | 1.1 | 00.0-03.3 | | | |
| Hispanic | 226 | 50,024 | 59 | 26.1 | 19.4-32.8 | 87 | 40.7 | 32.9-48.5 | 46 | 18.6 | 12.5-24.7 | 33 | 14.4 | 08.3-20.5 | | | | 1 | 0.2 | 00.0-00.6 |
| 18-24 | 249 | 82,338 | 86 | 34.2 | 26.9-41.5 | 95 | 41.4 | 33.8-49.0 | 43 | 15.3 | 10.4-20.2 | 21 | 8.0 | 03.9-12.1 | | | | 4 | 1.1 | 00.0-02.3 |
| 25-34 | 451 | 108,489 | 126 | 31.4 | 25.5-37.3 | 185 | 38.7 | 33.2-44.2 | 69 | 13.2 | 09.3-17.1 | 65 | 14.9 | 11.0-18.8 | 3 | 0.5 | 00.0-01.1 | 3 | 1.3 | 00.0-02.9 |
| 35-44 | 567 | 103,418 | 135 | 22.6 | 18.7-26.5 | 228 | 41.7 | 36.8-46.6 | 105 | 20.7 | 16.6-24.8 | 90 | 14.1 | 10.8-17.4 | 5 | 0.4 | 00.0-00.8 | 4 | 0.6 | 00.0-01.2 |
| 45-54 | 836 | 121,220 | 239 | 31.8 | 27.7-35.9 | 291 | 32.3 | 28.4-36.2 | 164 | 18.8 | 15.5-22.1 | 136 | 16.2 | 13.3-19.1 | 4 | 0.6 | 00.0-01.6 | 2 | 0.3 | 00.0-00.7 |
| 55-64 | 1019 | 113,028 | 245 | 25.5 | 22.0-29.0 | 347 | 36.4 | 32.5-40.3 | 263 | 24.4 | 21.3-27.5 | 154 | 12.9 | 10.5-15.3 | 4 | 0.3 | 00.0-00.7 | 6 | 0.5 | 00.1-00.9 |
| 65+ | 1575 | 130,996 | 376 | 25.9 | 23.2-28.6 | 627 | 40.5 | 37.4-43.6 | 357 | 21.8 | 19.3-24.3 | 209 | 11.3 | 09.5-13.1 | 2 | 0.3 | 00.0-00.7 | 4 | 0.2 | 00.0-00.4 |
| Less Than H.S. | 351 | 83,814 | 129 | 38.3 | 31.2-45.4 | 134 | 35.8 | 29.1-42.5 | 55 | 15.8 | 10.9-20.7 | 26 | 8.3 | 04.4-12.2 | | | | 7 | 1.8 | 00.0-03.8 |
| H.S. or G.E.D. | 1403 | 205,100 | 433 | 33.3 | 29.8-36.8 | 540 | 38.3 | 34.8-41.8 | 278 | 17.6 | 15.1-20.1 | 142 | 9.7 | 07.7-11.7 | 4 | 0.4 | 00.0-01.0 | 6 | 0.7 | 00.1-01.3 |
| Some Post-H.S. | 1251 | 199,793 | 325 | 26.2 | 23.1-29.3 | 479 | 40.3 | 36.6-44.0 | 260 | 19.2 | 16.3-22.1 | 175 | 13.5 | 11.1-15.9 | 5 | 0.4 | 00.0-00.8 | 7 | 0.5 | 00.1-00.9 |
| College Graduate | 1722 | 173,646 | 325 | 19.9 | 17.4-22.4 | 624 | 36.9 | 34.0-39.8 | 420 | 23.4 | 20.9-25.9 | 339 | 18.9 | 16.5-21.3 | 11 | 0.6 | 00.2-01.0 | 3 | 0.1 | 00.0-00.3 |
| Less than \$15,000 | 384 | 53,028 | 144 | 43.8 | 36.2-51.4 | 123 | 28.9 | 22.6-35.2 | 64 | 14.8 | 09.7-19.9 | 50 | 11.2 | 06.3-16.1 | 2 | 0.8 | 00.0-02.0 | 1 | 0.5 | 00.0-01.5 |
| \$15,000- 24,999 | 665 | 88,669 | 204 | 33.5 | 28.6-38.4 | 251 | 37.2 | 32.1-42.3 | 135 | 18.9 | 15.0-22.8 | 67 | 9.3 | 06.6-12.0 | | | | 8 | 1.1 | 00.1-02.1 |
| \$25,000- 34,999 | 450 | 58,546 | 124 | 29.7 | 23.8-35.6 | 180 | 40.6 | 34.5-46.7 | 86 | 16.3 | 12.2-20.4 | 56 | 11.6 | 07.3-15.9 | 1 | 1.0 | 00.0-03.0 | 3 | 0.8 | 00.0-01.8 |
| \$35,000- 49,999 | 644 | 88,333 | 173 | 28.3 | 23.4-33.2 | 255 | 42.0 | 36.7-47.3 | 135 | 19.4 | 15.3-23.5 | 77 | 9.8 | 06.9-12.7 | 2 | 0.3 | 00.0-00.7 | 2 | 0.2 | 00.0-00.4 |
| \$50,000- 74,999 | 657 | 91,409 | 150 | 23.0 | 18.7-27.3 | 254 | 41.0 | 35.9-46.1 | 149 | 21.5 | 17.2-25.8 | 100 | 14.1 | 10.8-17.4 | 4 | 0.3 | 00.0-00.7 | | | |
| \$75,000+ | 1281 | 192,792 | 252 | 22.4 | 19.3-25.5 | 478 | 38.4 | 34.9-41.9 | 296 | 20.1 | 17.6-22.6 | 244 | 18.0 | 15.5-20.5 | 7 | 0.4 | 00.0-00.8 | 4 | 0.7 | 00.0-01.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 23: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | 8+ per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|------|------------|-----------------|------|------------|------------|-----|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1891 | 316,539 | 570 | 32.7 | 29.8-35.6 | 752 | 39.9 | 37.0-42.8 | 356 | 16.5 | 14.3-18.7 | 195 | 9.9 | 08.3-11.5 | 6 | 0.2 | 00.0-00.4 | 12 | 0.8 | 00.2-01.4 |
| White/Non-Hisp | 1402 | 212,672 | 401 | 30.5 | 27.2-33.8 | 562 | 39.5 | 36.2-42.8 | 290 | 18.8 | 16.1-21.5 | 139 | 10.2 | 08.0-12.4 | 4 | 0.2 | 00.0-00.4 | 6 | 0.7 | 00.0-01.5 |
| Black or Afr. Am./Non-Hisp | 258 | 58,919 | 100 | 42.1 | 33.9-50.3 | 95 | 38.2 | 30.4-46.0 | 29 | 9.8 | 05.7-13.9 | 28 | 7.8 | 04.5-11.1 | 1 | 0.5 | 00.0-01.5 | 5 | 1.5 | 00.1-02.9 |
| Oth. Race/Non-Hisp. | 88 | 16,010 | 22 | 19.4 | 09.2-29.6 | 38 | 52.1 | 35.6-68.6 | 14 | 15.9 | 06.1-25.7 | 13 | 12.0 | 04.2-19.8 | | | | 1 | 0.6 | 00.0-01.8 |
| Hispanic | 90 | 22,350 | 30 | 34.5 | 23.3-45.7 | 34 | 39.2 | 27.6-50.8 | 16 | 15.5 | 07.7-23.3 | 10 | 10.8 | 03.5-18.1 | | | | | | |
| 18-24 | 122 | 41,672 | 47 | 41.4 | 30.4-52.4 | 45 | 39.5 | 28.5-50.5 | 16 | 10.8 | 04.9-16.7 | 10 | 6.2 | 01.9-10.5 | | | | 4 | 2.2 | 00.0-04.4 |
| 25-34 | 191 | 53,633 | 60 | 36.4 | 27.6-45.2 | 78 | 35.6 | 27.8-43.4 | 24 | 11.7 | 05.6-17.8 | 26 | 14.1 | 08.2-20.0 | 1 | 0.6 | 00.0-01.8 | 2 | 1.6 | 00.0-04.3 |
| 35-44 | 240 | 50,449 | 72 | 27.4 | 21.1-33.7 | 98 | 42.6 | 35.2-50.0 | 41 | 19.5 | 13.4-25.6 | 26 | 9.7 | 05.8-13.6 | 1 | 0.1 | 00.0-00.3 | 2 | 0.6 | 00.0-01.6 |
| 45-54 | 342 | 58,023 | 126 | 37.9 | 31.4-44.4 | 113 | 33.6 | 27.3-39.9 | 65 | 17.4 | 12.5-22.3 | 38 | 11.0 | 07.1-14.9 | | | | | | |
| 55-64 | 393 | 54,128 | 102 | 25.6 | 20.3-30.9 | 153 | 42.6 | 36.3-48.9 | 98 | 22.4 | 17.7-27.1 | 36 | 8.4 | 05.1-11.7 | 2 | 0.4 | 00.0-01.0 | 2 | 0.6 | 00.0-01.4 |
| 65+ | 590 | 57,294 | 160 | 29.3 | 24.6-34.0 | 261 | 45.6 | 40.5-50.7 | 110 | 16.1 | 12.6-19.6 | 56 | 8.5 | 06.0-11.0 | 1 | 0.2 | 00.0-00.6 | 2 | 0.3 | 00.0-00.7 |
| Less Than H.S. | 145 | 41,431 | 58 | 40.9 | 30.1-51.7 | 57 | 37.1 | 27.1-47.1 | 16 | 11.3 | 05.2-17.4 | 12 | 8.4 | 03.1-13.7 | | | | 2 | 2.3 | 00.0-06.0 |
| H.S. or G.E.D. | 580 | 104,592 | 208 | 37.7 | 32.4-43.0 | 233 | 39.5 | 34.4-44.6 | 92 | 14.5 | 11.2-17.8 | 43 | 7.6 | 05.1-10.1 | | | | 4 | 0.8 | 00.0-01.6 |
| Some Post-H.S. | 447 | 88,646 | 136 | 29.9 | 24.4-35.4 | 178 | 42.5 | 36.4-48.6 | 81 | 15.8 | 11.3-20.3 | 45 | 10.5 | 07.0-14.0 | 3 | 0.6 | 00.0-01.4 | 4 | 0.7 | 00.0-01.5 |
| College Graduate | 711 | 80,732 | 167 | 25.5 | 21.4-29.6 | 279 | 38.6 | 34.3-42.9 | 167 | 22.7 | 19.0-26.4 | 93 | 12.7 | 09.8-15.6 | 3 | 0.2 | 00.0-00.4 | 2 | 0.2 | 00.0-00.4 |
| Less than \$15,000 | 114 | 20,733 | 54 | 55.1 | 42.4-67.8 | 36 | 25.4 | 14.8-36.0 | 14 | 11.4 | 04.3-18.5 | 9 | 6.6 | 01.3-11.9 | 1 | 1.5 | 00.0-04.4 | | | |
| \$15,000- 24,999 | 234 | 39,139 | 85 | 36.3 | 28.5-44.1 | 81 | 37.4 | 29.0-45.8 | 42 | 16.1 | 10.4-21.8 | 21 | 8.0 | 04.1-11.9 | | | | 5 | 2.2 | 00.2-04.2 |
| \$25,000- 34,999 | 170 | 27,717 | 53 | 31.0 | 21.8-40.2 | 75 | 43.8 | 34.0-53.6 | 25 | 12.1 | 06.4-17.8 | 16 | 12.3 | 04.5-20.1 | | | | 1 | 0.8 | 00.0-02.4 |
| \$35,000- 49,999 | 280 | 45,107 | 90 | 33.8 | 26.2-41.4 | 122 | 44.4 | 36.2-52.6 | 42 | 13.4 | 08.5-18.3 | 24 | 7.8 | 03.7-11.9 | 1 | 0.3 | 00.0-00.9 | 1 | 0.2 | 00.0-00.6 |
| \$50,000- 74,999 | 280 | 46,195 | 69 | 24.2 | 17.7-30.7 | 117 | 44.6 | 37.0-52.2 | 65 | 19.7 | 13.0-26.4 | 29 | 11.5 | 06.8-16.2 | | | | | | |
| \$75,000+ | 602 | 100,440 | 151 | 27.9 | 23.2-32.6 | 242 | 41.0 | 35.9-46.1 | 131 | 19.6 | 15.9-23.3 | 73 | 10.4 | 07.7-13.1 | 3 | 0.2 | 00.0-00.4 | 2 | 0.8 | 00.0-02.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 24: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, < 1 per day | | | 1 - 2 per day | | | >2, <= 3 per day | | | >3, < 8 per day | | | 8+ per day | | | None | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|------------------|------|------------|-----------------|------|------------|------------|-----|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2850 | 347,200 | 644 | 24.2 | 21.8-26.6 | 1031 | 36.8 | 34.3-39.3 | 659 | 22.0 | 20.0-24.0 | 491 | 16.1 | 14.3-17.9 | 14 | 0.5 | 00.1-00.9 | 11 | 0.4 | 00.0-00.8 |
| White/Non-Hisp | 2121 | 235,370 | 441 | 23.3 | 20.6-26.0 | 785 | 36.8 | 34.1-39.5 | 511 | 22.7 | 20.3-25.1 | 367 | 16.4 | 14.4-18.4 | 10 | 0.5 | 00.0-01.1 | 7 | 0.3 | 00.0-00.7 |
| Black or Afr. Am./Non-Hisp | 423 | 65,717 | 136 | 30.2 | 24.5-35.9 | 142 | 37.6 | 31.3-43.9 | 79 | 18.2 | 13.3-23.1 | 61 | 12.4 | 08.5-16.3 | 2 | 0.6 | 00.0-01.6 | 3 | 0.9 | 00.0-02.1 |
| Oth. Race/Non-Hisp. | 101 | 13,142 | 22 | 21.3 | 10.7-31.9 | 35 | 27.5 | 16.3-38.7 | 18 | 25.2 | 11.1-39.3 | 26 | 26.0 | 14.0-38.0 | | | | | | |
| Hispanic | 136 | 27,674 | 29 | 19.3 | 11.7-26.9 | 53 | 41.9 | 31.1-52.7 | 30 | 21.1 | 12.3-29.9 | 23 | 17.4 | 08.2-26.6 | | | | 1 | 0.3 | 00.0-00.9 |
| 18-24 | 127 | 40,665 | 39 | 26.8 | 18.0-35.6 | 50 | 43.5 | 32.9-54.1 | 27 | 20.0 | 12.2-27.8 | 11 | 9.8 | 02.9-16.7 | | | | | | |
| 25-34 | 260 | 54,855 | 66 | 26.6 | 18.8-34.4 | 107 | 41.6 | 34.2-49.0 | 45 | 14.7 | 09.6-19.8 | 39 | 15.7 | 10.4-21.0 | 2 | 0.3 | 00.0-00.7 | 1 | 0.9 | 00.0-02.7 |
| 35-44 | 327 | 52,970 | 63 | 18.0 | 13.1-22.9 | 130 | 40.9 | 34.2-47.6 | 64 | 21.7 | 15.8-27.6 | 64 | 18.2 | 13.1-23.3 | 4 | 0.7 | 00.0-01.5 | 2 | 0.5 | 00.0-01.3 |
| 45-54 | 494 | 63,197 | 113 | 26.1 | 21.4-30.8 | 178 | 31.0 | 26.3-35.7 | 99 | 20.1 | 15.6-24.6 | 98 | 20.9 | 16.6-25.2 | 4 | 1.2 | 00.0-03.0 | 2 | 0.6 | 00.0-01.6 |
| 55-64 | 626 | 58,899 | 143 | 25.4 | 20.5-30.3 | 194 | 30.7 | 26.2-35.2 | 165 | 26.2 | 21.9-30.5 | 118 | 16.9 | 13.6-20.2 | 2 | 0.3 | 00.0-00.7 | 4 | 0.4 | 00.0-00.8 |
| 65+ | 985 | 73,702 | 216 | 23.4 | 20.1-26.7 | 366 | 36.6 | 32.9-40.3 | 247 | 26.1 | 22.6-29.6 | 153 | 13.4 | 11.0-15.8 | 1 | 0.4 | 00.0-01.2 | 2 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 206 | 42,383 | 71 | 35.8 | 26.8-44.8 | 77 | 34.5 | 25.9-43.1 | 39 | 20.2 | 12.8-27.6 | 14 | 8.2 | 02.3-14.1 | | | | 5 | 1.3 | 00.0-02.7 |
| H.S. or G.E.D. | 823 | 100,508 | 225 | 28.8 | 24.3-33.3 | 307 | 37.0 | 32.5-41.5 | 186 | 20.8 | 17.1-24.5 | 99 | 12.0 | 09.3-14.7 | 4 | 0.8 | 00.0-02.0 | 2 | 0.5 | 00.0-01.5 |
| Some Post-H.S. | 804 | 111,147 | 189 | 23.3 | 19.4-27.2 | 301 | 38.5 | 34.0-43.0 | 179 | 21.9 | 18.2-25.6 | 130 | 15.9 | 12.6-19.2 | 2 | 0.2 | 00.0-00.4 | 3 | 0.3 | 00.0-00.7 |
| College Graduate | 1011 | 92,914 | 158 | 15.1 | 12.2-18.0 | 345 | 35.5 | 31.6-39.4 | 253 | 24.1 | 20.8-27.4 | 246 | 24.3 | 20.8-27.8 | 8 | 1.0 | 00.2-01.8 | 1 | 0.0 | 00.0-00.0 |
| Less than \$15,000 | 270 | 32,295 | 90 | 36.5 | 27.9-45.1 | 87 | 31.2 | 23.4-39.0 | 50 | 17.0 | 10.1-23.9 | 41 | 14.1 | 06.8-21.4 | 1 | 0.3 | 00.0-00.9 | 1 | 0.8 | 00.0-02.4 |
| \$15,000- 24,999 | 431 | 49,529 | 119 | 31.2 | 25.1-37.3 | 170 | 37.1 | 31.0-43.2 | 93 | 21.1 | 16.0-26.2 | 46 | 10.3 | 06.6-14.0 | | | | 3 | 0.3 | 00.0-00.7 |
| \$25,000- 34,999 | 280 | 30,830 | 71 | 28.4 | 21.1-35.7 | 105 | 37.8 | 30.2-45.4 | 61 | 20.0 | 14.3-25.7 | 40 | 11.1 | 07.0-15.2 | 1 | 1.9 | 00.0-05.6 | 2 | 0.9 | 00.0-02.5 |
| \$35,000- 49,999 | 364 | 43,225 | 83 | 22.6 | 16.5-28.7 | 133 | 39.6 | 32.7-46.5 | 93 | 25.6 | 19.3-31.9 | 53 | 12.0 | 07.9-16.1 | 1 | 0.2 | 00.0-00.6 | 1 | 0.1 | 00.0-00.3 |
| \$50,000- 74,999 | 377 | 45,214 | 81 | 21.7 | 16.4-27.0 | 137 | 37.4 | 30.7-44.1 | 84 | 23.4 | 17.7-29.1 | 71 | 16.8 | 12.3-21.3 | 4 | 0.7 | 00.0-01.5 | | | |
| \$75,000+ | 679 | 92,352 | 101 | 16.5 | 12.8-20.2 | 236 | 35.6 | 30.7-40.5 | 165 | 20.6 | 16.9-24.3 | 171 | 26.2 | 21.9-30.5 | 4 | 0.5 | 00.0-01.3 | 2 | 0.6 | 00.0-01.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 25: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Reported consuming fruit 1 or more times a day | | | Reported consuming fruit LT 1 time a day | | |
|----------------------------|-------------------|----------|--|------|------------|--|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4828 | 672,965 | 3025 | 59.6 | 57.6-61.6 | 1803 | 40.4 | 38.4-42.4 |
| Male | 1931 | 321,546 | 1152 | 56.7 | 53.8-59.6 | 779 | 43.3 | 40.4-46.2 |
| Female | 2897 | 351,419 | 1873 | 62.4 | 60.0-64.8 | 1024 | 37.6 | 35.2-40.0 |
| White/Non-Hisp | 3590 | 454,521 | 2283 | 60.4 | 58.2-62.6 | 1307 | 39.6 | 37.4-41.8 |
| Black or Afr. Am./Non-Hisp | 692 | 126,726 | 403 | 53.4 | 48.3-58.5 | 289 | 46.6 | 41.5-51.7 |
| Oth. Race/Non-Hisp. | 195 | 30,227 | 118 | 64.8 | 55.4-74.2 | 77 | 35.2 | 25.8-44.6 |
| MultiRacial/Non-Hisp. | 64 | 4,890 | 40 | 63.2 | 49.3-77.1 | 24 | 36.8 | 22.9-50.7 |
| Hispanic | 226 | 49,252 | 146 | 67.3 | 60.2-74.4 | 80 | 32.7 | 25.6-39.8 |
| 18-24 | 255 | 84,017 | 136 | 55.6 | 48.2-63.0 | 119 | 44.4 | 37.0-51.8 |
| 25-34 | 459 | 110,403 | 266 | 55.3 | 49.4-61.2 | 193 | 44.7 | 38.8-50.6 |
| 35-44 | 569 | 103,804 | 347 | 61.0 | 56.1-65.9 | 222 | 39.0 | 34.1-43.9 |
| 45-54 | 836 | 121,843 | 488 | 57.9 | 53.6-62.2 | 348 | 42.1 | 37.8-46.4 |
| 55-64 | 1035 | 113,871 | 626 | 57.1 | 53.2-61.0 | 409 | 42.9 | 39.0-46.8 |
| 65+ | 1630 | 134,822 | 1130 | 68.3 | 65.6-71.0 | 500 | 31.7 | 29.0-34.4 |
| Less Than H.S. | 364 | 86,168 | 211 | 56.3 | 49.4-63.2 | 153 | 43.7 | 36.8-50.6 |
| H.S. or G.E.D. | 1426 | 207,745 | 816 | 53.8 | 50.3-57.3 | 610 | 46.2 | 42.7-49.7 |
| Some Post-H.S. | 1278 | 202,144 | 791 | 60.9 | 57.4-64.4 | 487 | 39.1 | 35.6-42.6 |
| College Graduate | 1745 | 175,494 | 1198 | 66.9 | 64.0-69.8 | 547 | 33.1 | 30.2-36.0 |
| Less than \$15,000 | 390 | 53,222 | 217 | 51.1 | 43.7-58.5 | 173 | 48.9 | 41.5-56.3 |
| \$15,000- 24,999 | 678 | 89,408 | 385 | 54.4 | 49.3-59.5 | 293 | 45.6 | 40.5-50.7 |
| \$25,000- 34,999 | 457 | 59,128 | 269 | 55.7 | 49.4-62.0 | 188 | 44.3 | 38.0-50.6 |
| \$35,000- 49,999 | 661 | 90,534 | 431 | 61.6 | 56.5-66.7 | 230 | 38.4 | 33.3-43.5 |
| \$50,000- 74,999 | 656 | 91,197 | 407 | 60.9 | 55.8-66.0 | 249 | 39.1 | 34.0-44.2 |
| \$75,000+ | 1289 | 195,329 | 854 | 63.2 | 59.7-66.7 | 435 | 36.8 | 33.3-40.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 26: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Reported consuming fruit 1 or more times a day | | | Reported consuming fruit LT 1 time a day | | |
|----------------------------|-------------------|----------|--|------|------------|--|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1931 | 321,546 | 1152 | 56.7 | 53.8-59.6 | 779 | 43.3 | 40.4-46.2 |
| White/Non-Hisp | 1433 | 216,218 | 867 | 57.0 | 53.5-60.5 | 566 | 43.0 | 39.5-46.5 |
| Black or Afr. Am./Non-Hisp | 262 | 59,625 | 145 | 51.5 | 43.5-59.5 | 117 | 48.5 | 40.5-56.5 |
| Oth. Race/Non-Hisp. | 91 | 16,899 | 55 | 66.3 | 52.8-79.8 | 36 | 33.7 | 20.2-47.2 |
| Hispanic | 90 | 21,921 | 56 | 64.6 | 53.6-75.6 | 34 | 35.4 | 24.4-46.4 |
| 18-24 | 125 | 42,537 | 65 | 50.5 | 39.5-61.5 | 60 | 49.5 | 38.5-60.5 |
| 25-34 | 199 | 55,378 | 115 | 52.5 | 43.7-61.3 | 84 | 47.5 | 38.7-56.3 |
| 35-44 | 241 | 50,776 | 141 | 58.7 | 51.4-66.0 | 100 | 41.3 | 34.0-48.6 |
| 45-54 | 343 | 58,160 | 183 | 54.0 | 47.3-60.7 | 160 | 46.0 | 39.3-52.7 |
| 55-64 | 399 | 54,496 | 221 | 53.1 | 46.8-59.4 | 178 | 46.9 | 40.6-53.2 |
| 65+ | 613 | 59,066 | 420 | 69.3 | 64.8-73.8 | 193 | 30.7 | 26.2-35.2 |
| Less Than H.S. | 153 | 42,354 | 90 | 55.5 | 45.1-65.9 | 63 | 44.5 | 34.1-54.9 |
| H.S. or G.E.D. | 589 | 106,562 | 305 | 49.0 | 43.7-54.3 | 284 | 51.0 | 45.7-56.3 |
| Some Post-H.S. | 453 | 88,958 | 267 | 60.6 | 54.7-66.5 | 186 | 39.4 | 33.5-45.3 |
| College Graduate | 728 | 82,536 | 485 | 62.9 | 58.4-67.4 | 243 | 37.1 | 32.6-41.6 |
| Less than \$15,000 | 118 | 20,794 | 61 | 51.1 | 38.0-64.2 | 57 | 48.9 | 35.8-62.0 |
| \$15,000- 24,999 | 236 | 38,747 | 124 | 51.5 | 43.3-59.7 | 112 | 48.5 | 40.3-56.7 |
| \$25,000- 34,999 | 174 | 28,467 | 99 | 58.3 | 48.5-68.1 | 75 | 41.7 | 31.9-51.5 |
| \$35,000- 49,999 | 289 | 46,407 | 176 | 59.9 | 52.1-67.7 | 113 | 40.1 | 32.3-47.9 |
| \$50,000- 74,999 | 282 | 46,358 | 175 | 59.6 | 51.8-67.4 | 107 | 40.4 | 32.6-48.2 |
| \$75,000+ | 614 | 102,744 | 381 | 57.4 | 52.3-62.5 | 233 | 42.6 | 37.5-47.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 27: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Reported consuming fruit 1 or more times a day | | | Reported consuming fruit LT 1 time a day | | |
|----------------------------|-------------------|----------|--|------|------------|--|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2897 | 351,419 | 1873 | 62.4 | 60.0-64.8 | 1024 | 37.6 | 35.2-40.0 |
| White/Non-Hisp | 2157 | 238,304 | 1416 | 63.5 | 60.6-66.4 | 741 | 36.5 | 33.6-39.4 |
| Black or Afr. Am./Non-Hisp | 430 | 67,101 | 258 | 55.2 | 48.9-61.5 | 172 | 44.8 | 38.5-51.1 |
| Oth. Race/Non-Hisp. | 104 | 13,328 | 63 | 62.9 | 50.4-75.4 | 41 | 37.1 | 24.6-49.6 |
| Hispanic | 136 | 27,331 | 90 | 69.4 | 60.2-78.6 | 46 | 30.6 | 21.4-39.8 |
| 18-24 | 130 | 41,481 | 71 | 60.9 | 51.1-70.7 | 59 | 39.1 | 29.3-48.9 |
| 25-34 | 260 | 55,026 | 151 | 58.1 | 50.5-65.7 | 109 | 41.9 | 34.3-49.5 |
| 35-44 | 328 | 53,028 | 206 | 63.3 | 56.6-70.0 | 122 | 36.7 | 30.0-43.4 |
| 45-54 | 493 | 63,683 | 305 | 61.3 | 56.0-66.6 | 188 | 38.7 | 33.4-44.0 |
| 55-64 | 636 | 59,375 | 405 | 60.7 | 55.6-65.8 | 231 | 39.3 | 34.2-44.4 |
| 65+ | 1017 | 75,756 | 710 | 67.5 | 63.8-71.2 | 307 | 32.5 | 28.8-36.2 |
| Less Than H.S. | 211 | 43,815 | 121 | 57.1 | 48.1-66.1 | 90 | 42.9 | 33.9-51.9 |
| H.S. or G.E.D. | 837 | 101,184 | 511 | 58.7 | 54.2-63.2 | 326 | 41.3 | 36.8-45.8 |
| Some Post-H.S. | 825 | 113,187 | 524 | 61.1 | 56.6-65.6 | 301 | 38.9 | 34.4-43.4 |
| College Graduate | 1017 | 92,958 | 713 | 70.5 | 67.0-74.0 | 304 | 29.5 | 26.0-33.0 |
| Less than \$15,000 | 272 | 32,428 | 156 | 51.1 | 42.1-60.1 | 116 | 48.9 | 39.9-57.9 |
| \$15,000- 24,999 | 442 | 50,661 | 261 | 56.6 | 50.3-62.9 | 181 | 43.4 | 37.1-49.7 |
| \$25,000- 34,999 | 283 | 30,661 | 170 | 53.2 | 45.4-61.0 | 113 | 46.8 | 39.0-54.6 |
| \$35,000- 49,999 | 372 | 44,127 | 255 | 63.4 | 56.5-70.3 | 117 | 36.6 | 29.7-43.5 |
| \$50,000- 74,999 | 374 | 44,839 | 232 | 62.1 | 55.4-68.8 | 142 | 37.9 | 31.2-44.6 |
| \$75,000+ | 675 | 92,584 | 473 | 69.7 | 65.2-74.2 | 202 | 30.3 | 25.8-34.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

**TABLE 28: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Reported consuming vegetables 1 or more times a day | | | Reported consuming vegetables LT 1 time a day | | |
|----------------------------|-------------------|----------|---|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4741 | 663,738 | 3504 | 71.1 | 69.3-72.9 | 1237 | 28.9 | 27.1-30.7 |
| Male | 1891 | 316,539 | 1309 | 66.5 | 63.6-69.4 | 582 | 33.5 | 30.6-36.4 |
| Female | 2850 | 347,200 | 2195 | 75.4 | 73.0-77.8 | 655 | 24.6 | 22.2-27.0 |
| White/Non-Hisp | 3523 | 448,042 | 2668 | 72.8 | 70.6-75.0 | 855 | 27.2 | 25.0-29.4 |
| Black or Afr. Am./Non-Hisp | 681 | 124,636 | 437 | 62.9 | 57.8-68.0 | 244 | 37.1 | 32.0-42.2 |
| Oth. Race/Non-Hisp. | 189 | 29,152 | 144 | 79.4 | 72.0-86.8 | 45 | 20.6 | 13.2-28.0 |
| MultiRacial/Non-Hisp. | 62 | 4,776 | 41 | 65.4 | 51.5-79.3 | 21 | 34.6 | 20.7-48.5 |
| Hispanic | 226 | 50,024 | 166 | 73.7 | 67.0-80.4 | 60 | 26.3 | 19.6-33.0 |
| 18-24 | 249 | 82,338 | 159 | 64.7 | 57.4-72.0 | 90 | 35.3 | 28.0-42.6 |
| 25-34 | 451 | 108,489 | 322 | 67.3 | 61.4-73.2 | 129 | 32.7 | 26.8-38.6 |
| 35-44 | 567 | 103,418 | 428 | 76.9 | 73.0-80.8 | 139 | 23.1 | 19.2-27.0 |
| 45-54 | 836 | 121,220 | 595 | 67.9 | 63.8-72.0 | 241 | 32.1 | 28.0-36.2 |
| 55-64 | 1019 | 113,028 | 768 | 74.0 | 70.3-77.7 | 251 | 26.0 | 22.3-29.7 |
| 65+ | 1575 | 130,996 | 1195 | 73.9 | 71.2-76.6 | 380 | 26.1 | 23.4-28.8 |
| Less Than H.S. | 351 | 83,814 | 215 | 59.9 | 52.8-67.0 | 136 | 40.1 | 33.0-47.2 |
| H.S. or G.E.D. | 1403 | 205,100 | 964 | 66.0 | 62.5-69.5 | 439 | 34.0 | 30.5-37.5 |
| Some Post-H.S. | 1251 | 199,793 | 919 | 73.3 | 70.0-76.6 | 332 | 26.7 | 23.4-30.0 |
| College Graduate | 1722 | 173,646 | 1394 | 79.9 | 77.4-82.4 | 328 | 20.1 | 17.6-22.6 |
| Less than \$15,000 | 384 | 53,028 | 239 | 55.7 | 48.1-63.3 | 145 | 44.3 | 36.7-51.9 |
| \$15,000- 24,999 | 665 | 88,669 | 453 | 65.4 | 60.5-70.3 | 212 | 34.6 | 29.7-39.5 |
| \$25,000- 34,999 | 450 | 58,546 | 323 | 69.5 | 63.6-75.4 | 127 | 30.5 | 24.6-36.4 |
| \$35,000- 49,999 | 644 | 88,333 | 469 | 71.5 | 66.6-76.4 | 175 | 28.5 | 23.6-33.4 |
| \$50,000- 74,999 | 657 | 91,409 | 507 | 77.0 | 72.7-81.3 | 150 | 23.0 | 18.7-27.3 |
| \$75,000+ | 1281 | 192,792 | 1025 | 76.9 | 73.8-80.0 | 256 | 23.1 | 20.0-26.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 29: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Reported consuming vegetables 1 or more times a day | | | Reported consuming vegetables LT 1 time a day | | |
|----------------------------|-------------------|----------|---|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1891 | 316,539 | 1309 | 66.5 | 63.6-69.4 | 582 | 33.5 | 30.6-36.4 |
| White/Non-Hisp | 1402 | 212,672 | 995 | 68.7 | 65.4-72.0 | 407 | 31.3 | 28.0-34.6 |
| Black or Afr. Am./Non-Hisp | 258 | 58,919 | 153 | 56.4 | 48.2-64.6 | 105 | 43.6 | 35.4-51.8 |
| Oth. Race/Non-Hisp. | 88 | 16,010 | 65 | 80.0 | 69.6-90.4 | 23 | 20.0 | 09.6-30.4 |
| Hispanic | 90 | 22,350 | 60 | 65.5 | 54.3-76.7 | 30 | 34.5 | 23.3-45.7 |
| 18-24 | 122 | 41,672 | 71 | 56.4 | 45.4-67.4 | 51 | 43.6 | 32.6-54.6 |
| 25-34 | 191 | 53,633 | 129 | 62.0 | 53.0-71.0 | 62 | 38.0 | 29.0-47.0 |
| 35-44 | 240 | 50,449 | 166 | 72.0 | 65.7-78.3 | 74 | 28.0 | 21.7-34.3 |
| 45-54 | 342 | 58,023 | 216 | 62.1 | 55.6-68.6 | 126 | 37.9 | 31.4-44.4 |
| 55-64 | 393 | 54,128 | 289 | 73.8 | 68.3-79.3 | 104 | 26.2 | 20.7-31.7 |
| 65+ | 590 | 57,294 | 428 | 70.4 | 65.7-75.1 | 162 | 29.6 | 24.9-34.3 |
| Less Than H.S. | 145 | 41,431 | 85 | 56.8 | 46.0-67.6 | 60 | 43.2 | 32.4-54.0 |
| H.S. or G.E.D. | 580 | 104,592 | 368 | 61.6 | 56.3-66.9 | 212 | 38.4 | 33.1-43.7 |
| Some Post-H.S. | 447 | 88,646 | 307 | 69.4 | 63.9-74.9 | 140 | 30.6 | 25.1-36.1 |
| College Graduate | 711 | 80,732 | 542 | 74.3 | 70.2-78.4 | 169 | 25.7 | 21.6-29.8 |
| Less than \$15,000 | 114 | 20,733 | 60 | 44.9 | 32.2-57.6 | 54 | 55.1 | 42.4-67.8 |
| \$15,000- 24,999 | 234 | 39,139 | 144 | 61.5 | 53.5-69.5 | 90 | 38.5 | 30.5-46.5 |
| \$25,000- 34,999 | 170 | 27,717 | 116 | 68.2 | 59.0-77.4 | 54 | 31.8 | 22.6-41.0 |
| \$35,000- 49,999 | 280 | 45,107 | 189 | 66.0 | 58.4-73.6 | 91 | 34.0 | 26.4-41.6 |
| \$50,000- 74,999 | 280 | 46,195 | 211 | 75.8 | 69.3-82.3 | 69 | 24.2 | 17.7-30.7 |
| \$75,000+ | 602 | 100,440 | 449 | 71.2 | 66.3-76.1 | 153 | 28.8 | 23.9-33.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 30: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Reported consuming vegetables 1 or more times a day | | | Reported consuming vegetables LT 1 time a day | | |
|----------------------------|-------------------|----------|--|------|------------|--|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2850 | 347,200 | 2195 | 75.4 | 73.0-77.8 | 655 | 24.6 | 22.2-27.0 |
| White/Non-Hisp | 2121 | 235,370 | 1673 | 76.4 | 73.7-79.1 | 448 | 23.6 | 20.9-26.3 |
| Black or Afr. Am./Non-Hisp | 423 | 65,717 | 284 | 68.8 | 63.1-74.5 | 139 | 31.2 | 25.5-36.9 |
| Oth. Race/Non-Hisp. | 101 | 13,142 | 79 | 78.7 | 68.1-89.3 | 22 | 21.3 | 10.7-31.9 |
| Hispanic | 136 | 27,674 | 106 | 80.4 | 72.8-88.0 | 30 | 19.6 | 12.0-27.2 |
| 18-24 | 127 | 40,665 | 88 | 73.2 | 64.4-82.0 | 39 | 26.8 | 18.0-35.6 |
| 25-34 | 260 | 54,855 | 193 | 72.4 | 64.6-80.2 | 67 | 27.6 | 19.8-35.4 |
| 35-44 | 327 | 52,970 | 262 | 81.5 | 76.6-86.4 | 65 | 18.5 | 13.6-23.4 |
| 45-54 | 494 | 63,197 | 379 | 73.3 | 68.4-78.2 | 115 | 26.7 | 21.8-31.6 |
| 55-64 | 626 | 58,899 | 479 | 74.2 | 69.3-79.1 | 147 | 25.8 | 20.9-30.7 |
| 65+ | 985 | 73,702 | 767 | 76.5 | 73.2-79.8 | 218 | 23.5 | 20.2-26.8 |
| Less Than H.S. | 206 | 42,383 | 130 | 62.9 | 53.9-71.9 | 76 | 37.1 | 28.1-46.1 |
| H.S. or G.E.D. | 823 | 100,508 | 596 | 70.6 | 66.1-75.1 | 227 | 29.4 | 24.9-33.9 |
| Some Post-H.S. | 804 | 111,147 | 612 | 76.4 | 72.5-80.3 | 192 | 23.6 | 19.7-27.5 |
| College Graduate | 1011 | 92,914 | 852 | 84.9 | 82.0-87.8 | 159 | 15.1 | 12.2-18.0 |
| Less than \$15,000 | 270 | 32,295 | 179 | 62.7 | 54.1-71.3 | 91 | 37.3 | 28.7-45.9 |
| \$15,000- 24,999 | 431 | 49,529 | 309 | 68.5 | 62.4-74.6 | 122 | 31.5 | 25.4-37.6 |
| \$25,000- 34,999 | 280 | 30,830 | 207 | 70.7 | 63.4-78.0 | 73 | 29.3 | 22.0-36.6 |
| \$35,000- 49,999 | 364 | 43,225 | 280 | 77.3 | 71.2-83.4 | 84 | 22.7 | 16.6-28.8 |
| \$50,000- 74,999 | 377 | 45,214 | 296 | 78.3 | 73.0-83.6 | 81 | 21.7 | 16.4-27.0 |
| \$75,000+ | 679 | 92,352 | 576 | 83.0 | 79.1-86.9 | 103 | 17.0 | 13.1-20.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 12: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA) | |
| 1 | MALES AND FEMALES | 147 |
| 2 | MALES ONLY | 148 |
| 3 | FEMALES ONLY | 149 |
| | PHYSICAL ACTIVITY CATEGORIES (_PACAT1) | |
| 4 | MALES AND FEMALES | 150 |
| 5 | MALES ONLY | 151 |
| 6 | FEMALES ONLY | 152 |
| | PHYSICAL ACTIVITY INDEX (_PAINDX1) | |
| 7 | MALES AND FEMALES | 153 |
| 8 | MALES ONLY | 154 |
| 9 | FEMALES ONLY | 155 |
| | MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG) | |
| 10 | MALES AND FEMALES | 156 |
| 11 | MALES ONLY | 157 |
| 12 | FEMALES ONLY | 158 |
| | AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1) | |
| 13 | MALES AND FEMALES | 159 |
| 14 | MALES ONLY | 160 |
| 15 | FEMALES ONLY | 161 |
| | AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1) | |
| 16 | MALES AND FEMALES | 162 |
| 17 | MALES ONLY | 163 |
| 18 | FEMALES ONLY | 164 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, had physical activity or exercise | | | No physical activity or exercise | | |
|----------------------------|-------------------|----------|--|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4926 | 681,884 | 3479 | 72.2 | 70.4-74.0 | 1447 | 27.8 | 26.0-29.6 |
| Male | 1967 | 325,737 | 1438 | 75.0 | 72.5-77.5 | 529 | 25.0 | 22.5-27.5 |
| Female | 2959 | 356,147 | 2041 | 69.7 | 67.5-71.9 | 918 | 30.3 | 28.1-32.5 |
| White/Non-Hisp | 3654 | 460,312 | 2622 | 73.6 | 71.6-75.6 | 1032 | 26.4 | 24.4-28.4 |
| Black or Afr. Am./Non-Hisp | 716 | 128,986 | 467 | 69.2 | 64.9-73.5 | 249 | 30.8 | 26.5-35.1 |
| Oth. Race/Non-Hisp. | 198 | 30,072 | 141 | 72.3 | 62.5-82.1 | 57 | 27.7 | 17.9-37.5 |
| MultiRacial/Non-Hisp. | 64 | 4,867 | 45 | 73.9 | 61.7-86.1 | 19 | 26.1 | 13.9-38.3 |
| Hispanic | 231 | 50,835 | 154 | 67.6 | 60.3-74.9 | 77 | 32.4 | 25.1-39.7 |
| 18-24 | 256 | 83,917 | 211 | 84.6 | 79.5-89.7 | 45 | 15.4 | 10.3-20.5 |
| 25-34 | 463 | 111,148 | 341 | 75.6 | 70.9-80.3 | 122 | 24.4 | 19.7-29.1 |
| 35-44 | 572 | 103,426 | 420 | 72.7 | 68.2-77.2 | 152 | 27.3 | 22.8-31.8 |
| 45-54 | 850 | 124,445 | 597 | 69.8 | 65.9-73.7 | 253 | 30.2 | 26.3-34.1 |
| 55-64 | 1051 | 115,499 | 778 | 71.9 | 68.2-75.6 | 273 | 28.1 | 24.4-31.8 |
| 65+ | 1685 | 138,932 | 1091 | 63.8 | 60.9-66.7 | 594 | 36.2 | 33.3-39.1 |
| Less Than H.S. | 381 | 88,803 | 205 | 60.7 | 54.2-67.2 | 176 | 39.3 | 32.8-45.8 |
| H.S. or G.E.D. | 1467 | 211,145 | 914 | 66.3 | 63.2-69.4 | 553 | 33.7 | 30.6-36.8 |
| Some Post-H.S. | 1292 | 202,988 | 902 | 74.6 | 71.7-77.5 | 390 | 25.4 | 22.5-28.3 |
| College Graduate | 1772 | 177,549 | 1445 | 82.1 | 79.7-84.5 | 327 | 17.9 | 15.5-20.3 |
| Less than \$15,000 | 407 | 55,727 | 230 | 62.1 | 55.4-68.8 | 177 | 37.9 | 31.2-44.6 |
| \$15,000- 24,999 | 694 | 91,399 | 405 | 59.3 | 54.4-64.2 | 289 | 40.7 | 35.8-45.6 |
| \$25,000- 34,999 | 463 | 59,698 | 290 | 63.5 | 57.8-69.2 | 173 | 36.5 | 30.8-42.2 |
| \$35,000- 49,999 | 663 | 89,993 | 468 | 74.3 | 70.2-78.4 | 195 | 25.7 | 21.6-29.8 |
| \$50,000- 74,999 | 668 | 92,309 | 506 | 76.8 | 72.7-80.9 | 162 | 23.2 | 19.1-27.3 |
| \$75,000+ | 1307 | 195,760 | 1071 | 81.0 | 78.1-83.9 | 236 | 19.0 | 16.1-21.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, had physical activity or exercise | | | No physical activity or exercise | | |
|----------------------------|-------------------|----------|--|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1967 | 325,737 | 1438 | 75.0 | 72.5-77.5 | 529 | 25.0 | 22.5-27.5 |
| White/Non-Hisp | 1456 | 219,006 | 1071 | 75.7 | 73.0-78.4 | 385 | 24.3 | 21.6-27.0 |
| Black or Afr. Am./Non-Hisp | 268 | 60,601 | 192 | 73.9 | 67.0-80.8 | 76 | 26.1 | 19.2-33.0 |
| Oth. Race/Non-Hisp. | 93 | 16,833 | 65 | 70.5 | 55.4-85.6 | 28 | 29.5 | 14.4-44.6 |
| Hispanic | 93 | 22,917 | 68 | 74.7 | 64.9-84.5 | 25 | 25.3 | 15.5-35.1 |
| 18-24 | 127 | 42,782 | 108 | 85.9 | 78.1-93.7 | 19 | 14.1 | 06.3-21.9 |
| 25-34 | 200 | 55,610 | 152 | 78.7 | 72.2-85.2 | 48 | 21.3 | 14.8-27.8 |
| 35-44 | 239 | 49,882 | 179 | 72.6 | 65.7-79.5 | 60 | 27.4 | 20.5-34.3 |
| 45-54 | 350 | 60,131 | 254 | 74.4 | 68.9-79.9 | 96 | 25.6 | 20.1-31.1 |
| 55-64 | 405 | 55,202 | 301 | 71.6 | 65.5-77.7 | 104 | 28.4 | 22.3-34.5 |
| 65+ | 632 | 60,778 | 431 | 68.9 | 64.4-73.4 | 201 | 31.1 | 26.6-35.6 |
| Less Than H.S. | 161 | 44,330 | 90 | 64.0 | 54.4-73.6 | 71 | 36.0 | 26.4-45.6 |
| H.S. or G.E.D. | 605 | 108,123 | 398 | 69.0 | 64.3-73.7 | 207 | 31.0 | 26.3-35.7 |
| Some Post-H.S. | 456 | 89,102 | 340 | 81.1 | 77.0-85.2 | 116 | 18.9 | 14.8-23.0 |
| College Graduate | 737 | 83,044 | 602 | 81.7 | 78.2-85.2 | 135 | 18.3 | 14.8-21.8 |
| Less than \$15,000 | 123 | 22,182 | 75 | 71.5 | 61.5-81.5 | 48 | 28.5 | 18.5-38.5 |
| \$15,000- 24,999 | 247 | 40,732 | 147 | 60.6 | 52.6-68.6 | 100 | 39.4 | 31.4-47.4 |
| \$25,000- 34,999 | 176 | 28,330 | 118 | 70.1 | 61.5-78.7 | 58 | 29.9 | 21.3-38.5 |
| \$35,000- 49,999 | 287 | 45,654 | 203 | 76.6 | 70.9-82.3 | 84 | 23.4 | 17.7-29.1 |
| \$50,000- 74,999 | 286 | 46,931 | 220 | 79.2 | 73.3-85.1 | 66 | 20.8 | 14.9-26.7 |
| \$75,000+ | 616 | 101,687 | 499 | 79.9 | 75.6-84.2 | 117 | 20.1 | 15.8-24.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, had physical activity or exercise | | | No physical activity or exercise | | |
|----------------------------|-------------------|----------|--|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2959 | 356,147 | 2041 | 69.7 | 67.5-71.9 | 918 | 30.3 | 28.1-32.5 |
| White/Non-Hisp | 2198 | 241,306 | 1551 | 71.7 | 69.2-74.2 | 647 | 28.3 | 25.8-30.8 |
| Black or Afr. Am./Non-Hisp | 448 | 68,385 | 275 | 65.0 | 59.5-70.5 | 173 | 35.0 | 29.5-40.5 |
| Oth. Race/Non-Hisp. | 105 | 13,239 | 76 | 74.7 | 63.5-85.9 | 29 | 25.3 | 14.1-36.5 |
| Hispanic | 138 | 27,919 | 86 | 61.8 | 51.4-72.2 | 52 | 38.2 | 27.8-48.6 |
| 18-24 | 129 | 41,135 | 103 | 83.2 | 76.3-90.1 | 26 | 16.8 | 09.9-23.7 |
| 25-34 | 263 | 55,539 | 189 | 72.6 | 65.9-79.3 | 74 | 27.4 | 20.7-34.1 |
| 35-44 | 333 | 53,544 | 241 | 72.8 | 66.9-78.7 | 92 | 27.2 | 21.3-33.1 |
| 45-54 | 500 | 64,314 | 343 | 65.4 | 60.1-70.7 | 157 | 34.6 | 29.3-39.9 |
| 55-64 | 646 | 60,297 | 477 | 72.3 | 68.0-76.6 | 169 | 27.7 | 23.4-32.0 |
| 65+ | 1053 | 78,154 | 660 | 59.7 | 56.0-63.4 | 393 | 40.3 | 36.6-44.0 |
| Less Than H.S. | 220 | 44,474 | 115 | 57.4 | 48.8-66.0 | 105 | 42.6 | 34.0-51.2 |
| H.S. or G.E.D. | 862 | 103,022 | 516 | 63.5 | 59.2-67.8 | 346 | 36.5 | 32.2-40.8 |
| Some Post-H.S. | 836 | 113,886 | 562 | 69.4 | 65.5-73.3 | 274 | 30.6 | 26.7-34.5 |
| College Graduate | 1035 | 94,505 | 843 | 82.5 | 79.6-85.4 | 192 | 17.5 | 14.6-20.4 |
| Less than \$15,000 | 284 | 33,544 | 155 | 56.0 | 47.6-64.4 | 129 | 44.0 | 35.6-52.4 |
| \$15,000- 24,999 | 447 | 50,667 | 258 | 58.3 | 52.2-64.4 | 189 | 41.7 | 35.6-47.8 |
| \$25,000- 34,999 | 287 | 31,368 | 172 | 57.6 | 50.0-65.2 | 115 | 42.4 | 34.8-50.0 |
| \$35,000- 49,999 | 376 | 44,339 | 265 | 72.0 | 66.1-77.9 | 111 | 28.0 | 22.1-33.9 |
| \$50,000- 74,999 | 382 | 45,378 | 286 | 74.3 | 68.4-80.2 | 96 | 25.7 | 19.8-31.6 |
| \$75,000+ | 691 | 94,073 | 572 | 82.1 | 78.4-85.8 | 119 | 17.9 | 14.2-21.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 4: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Highly Active | | | Active | | | Insufficiently Active | | | Inactive | | |
|----------------------------|-------------------|----------|---------------|------|------------|--------|------|------------|-----------------------|------|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4723 | 657,656 | 1539 | 31.1 | 29.3-32.9 | 819 | 18.3 | 16.7-19.9 | 854 | 20.5 | 18.9-22.1 | 1511 | 30.1 | 28.3-31.9 |
| Male | 1889 | 314,190 | 692 | 35.4 | 32.5-38.3 | 315 | 17.8 | 15.4-20.2 | 321 | 19.2 | 16.8-21.6 | 561 | 27.6 | 24.9-30.3 |
| Female | 2834 | 343,466 | 847 | 27.2 | 25.0-29.4 | 504 | 18.7 | 16.7-20.7 | 533 | 21.7 | 19.3-24.1 | 950 | 32.4 | 30.0-34.8 |
| White/Non-Hisp | 3521 | 445,096 | 1226 | 32.5 | 30.5-34.5 | 601 | 18.5 | 16.7-20.3 | 620 | 20.3 | 18.3-22.3 | 1074 | 28.6 | 26.6-30.6 |
| Black or Afr. Am./Non-Hisp | 688 | 124,101 | 162 | 27.1 | 22.2-32.0 | 126 | 18.4 | 14.5-22.3 | 136 | 20.9 | 17.0-24.8 | 264 | 33.7 | 29.2-38.2 |
| Oth. Race/Non-Hisp. | 184 | 29,054 | 56 | 33.0 | 21.2-44.8 | 34 | 17.6 | 10.5-24.7 | 34 | 20.2 | 12.2-28.2 | 60 | 29.2 | 19.0-39.4 |
| MultiRacial/Non-Hisp. | 59 | 4,513 | 13 | 28.9 | 14.0-43.8 | 11 | 13.3 | 04.9-21.7 | 15 | 29.3 | 14.4-44.2 | 20 | 28.4 | 15.5-41.3 |
| Hispanic | 228 | 49,954 | 66 | 27.6 | 20.5-34.7 | 42 | 17.4 | 11.5-23.3 | 40 | 21.0 | 13.9-28.1 | 80 | 34.0 | 26.6-41.4 |
| 18-24 | 247 | 81,251 | 72 | 30.0 | 22.7-37.3 | 52 | 22.8 | 16.3-29.3 | 69 | 28.3 | 21.4-35.2 | 54 | 18.9 | 13.2-24.6 |
| 25-34 | 454 | 109,157 | 119 | 28.6 | 23.3-33.9 | 103 | 19.2 | 15.1-23.3 | 105 | 25.6 | 20.1-31.1 | 127 | 26.6 | 21.7-31.5 |
| 35-44 | 557 | 99,413 | 147 | 28.7 | 24.0-33.4 | 127 | 21.0 | 17.1-24.9 | 121 | 20.5 | 16.6-24.4 | 162 | 29.8 | 25.1-34.5 |
| 45-54 | 833 | 122,291 | 237 | 27.6 | 23.7-31.5 | 157 | 19.5 | 16.0-23.0 | 176 | 21.3 | 17.8-24.8 | 263 | 31.5 | 27.6-35.4 |
| 55-64 | 1021 | 112,395 | 359 | 33.7 | 30.0-37.4 | 175 | 17.1 | 14.0-20.2 | 203 | 19.6 | 16.5-22.7 | 284 | 29.5 | 25.8-33.2 |
| 65+ | 1603 | 132,304 | 605 | 36.8 | 33.9-39.7 | 205 | 12.6 | 10.6-14.6 | 180 | 11.7 | 09.7-13.7 | 613 | 39.0 | 35.9-42.1 |
| Less Than H.S. | 355 | 83,497 | 81 | 25.4 | 18.9-31.9 | 45 | 15.7 | 10.4-21.0 | 48 | 15.9 | 10.6-21.2 | 181 | 43.0 | 36.1-49.9 |
| H.S. or G.E.D. | 1400 | 203,050 | 392 | 28.5 | 25.4-31.6 | 200 | 14.8 | 12.3-17.3 | 240 | 20.6 | 17.5-23.7 | 568 | 36.1 | 32.8-39.4 |
| Some Post-H.S. | 1255 | 198,211 | 405 | 33.2 | 29.7-36.7 | 208 | 17.8 | 14.9-20.7 | 231 | 21.1 | 18.0-24.2 | 411 | 27.8 | 24.7-30.9 |
| College Graduate | 1707 | 172,154 | 659 | 34.4 | 31.7-37.1 | 365 | 24.0 | 21.5-26.5 | 333 | 22.0 | 19.5-24.5 | 350 | 19.6 | 17.2-22.0 |
| Less than \$15,000 | 391 | 54,260 | 94 | 24.9 | 17.6-32.2 | 55 | 16.4 | 10.9-21.9 | 60 | 17.2 | 11.5-22.9 | 182 | 41.5 | 34.4-48.6 |
| \$15,000- 24,999 | 663 | 87,392 | 168 | 24.1 | 19.8-28.4 | 80 | 12.9 | 09.2-16.6 | 113 | 19.0 | 14.9-23.1 | 302 | 44.1 | 39.0-49.2 |
| \$25,000- 34,999 | 450 | 58,128 | 143 | 33.1 | 27.2-39.0 | 55 | 11.5 | 07.4-15.6 | 76 | 17.7 | 12.8-22.6 | 176 | 37.8 | 31.9-43.7 |
| \$35,000- 49,999 | 645 | 87,868 | 221 | 35.2 | 29.7-40.7 | 115 | 15.8 | 12.3-19.3 | 107 | 21.0 | 16.5-25.5 | 202 | 28.0 | 23.5-32.5 |
| \$50,000- 74,999 | 656 | 90,913 | 220 | 30.9 | 26.4-35.4 | 139 | 22.0 | 17.7-26.3 | 126 | 22.4 | 17.7-27.1 | 171 | 24.7 | 20.4-29.0 |
| \$75,000+ | 1270 | 189,432 | 459 | 33.0 | 29.7-36.3 | 277 | 22.7 | 19.8-25.6 | 279 | 23.4 | 20.5-26.3 | 255 | 21.0 | 18.1-23.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 5: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Highly Active | | | Active | | | Insufficiently Active | | | Inactive | | |
|----------------------------|-------------------|----------|---------------|------|------------|--------|------|------------|-----------------------|------|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1889 | 314,190 | 692 | 35.4 | 32.5-38.3 | 315 | 17.8 | 15.4-20.2 | 321 | 19.2 | 16.8-21.6 | 561 | 27.6 | 24.9-30.3 |
| White/Non-Hisp | 1407 | 212,628 | 559 | 37.4 | 34.1-40.7 | 222 | 17.5 | 14.8-20.2 | 222 | 18.4 | 15.5-21.3 | 404 | 26.7 | 23.8-29.6 |
| Black or Afr. Am./Non-Hisp | 254 | 57,448 | 66 | 30.9 | 22.9-38.9 | 50 | 17.6 | 11.3-23.9 | 55 | 21.8 | 15.5-28.1 | 83 | 29.7 | 22.4-37.0 |
| Oth. Race/Non-Hisp. | 89 | 16,368 | 24 | 31.6 | 14.0-49.2 | 18 | 17.8 | 08.0-27.6 | 16 | 19.2 | 08.0-30.4 | 31 | 31.4 | 15.9-46.9 |
| Hispanic | 92 | 22,610 | 30 | 31.6 | 20.8-42.4 | 20 | 23.0 | 12.8-33.2 | 15 | 17.8 | 09.0-26.6 | 27 | 27.6 | 17.4-37.8 |
| 18-24 | 125 | 42,048 | 39 | 33.7 | 22.9-44.5 | 27 | 22.0 | 13.4-30.6 | 35 | 26.9 | 17.7-36.1 | 24 | 17.4 | 09.2-25.6 |
| 25-34 | 197 | 54,918 | 60 | 33.6 | 25.2-42.0 | 36 | 16.7 | 10.4-23.0 | 48 | 24.5 | 17.1-31.9 | 53 | 25.1 | 17.8-32.4 |
| 35-44 | 230 | 47,203 | 63 | 29.7 | 22.8-36.6 | 51 | 20.4 | 14.5-26.3 | 52 | 19.7 | 14.0-25.4 | 64 | 30.1 | 22.8-37.4 |
| 45-54 | 339 | 58,428 | 106 | 31.2 | 24.9-37.5 | 71 | 23.0 | 16.9-29.1 | 62 | 18.6 | 13.5-23.7 | 100 | 27.2 | 21.5-32.9 |
| 55-64 | 398 | 54,002 | 161 | 39.6 | 33.5-45.7 | 63 | 14.1 | 10.2-18.0 | 67 | 16.8 | 12.3-21.3 | 107 | 29.6 | 23.3-35.9 |
| 65+ | 599 | 57,565 | 263 | 43.1 | 38.2-48.0 | 67 | 11.8 | 08.5-15.1 | 57 | 10.9 | 07.6-14.2 | 212 | 34.2 | 29.5-38.9 |
| Less Than H.S. | 146 | 40,918 | 39 | 34.5 | 23.9-45.1 | 22 | 15.2 | 08.1-22.3 | 12 | 10.4 | 04.5-16.3 | 73 | 39.9 | 29.7-50.1 |
| H.S. or G.E.D. | 585 | 105,254 | 187 | 30.7 | 26.0-35.4 | 72 | 14.2 | 10.1-18.3 | 111 | 21.7 | 17.4-26.0 | 215 | 33.5 | 28.6-38.4 |
| Some Post-H.S. | 443 | 86,902 | 160 | 38.1 | 32.0-44.2 | 78 | 19.9 | 15.0-24.8 | 79 | 20.4 | 15.3-25.5 | 126 | 21.7 | 17.4-26.0 |
| College Graduate | 710 | 80,400 | 304 | 39.2 | 34.9-43.5 | 142 | 21.4 | 17.7-25.1 | 117 | 19.0 | 15.3-22.7 | 147 | 20.5 | 16.8-24.2 |
| Less than \$15,000 | 117 | 21,693 | 30 | 28.8 | 15.3-42.3 | 18 | 22.4 | 11.4-33.4 | 18 | 14.2 | 06.6-21.8 | 51 | 34.6 | 23.2-46.0 |
| \$15,000- 24,999 | 236 | 38,954 | 55 | 25.3 | 18.0-32.6 | 29 | 11.4 | 06.3-16.5 | 47 | 21.3 | 14.6-28.0 | 105 | 41.9 | 33.7-50.1 |
| \$25,000- 34,999 | 171 | 27,361 | 71 | 41.6 | 31.8-51.4 | 19 | 13.1 | 05.7-20.5 | 22 | 14.0 | 06.7-21.3 | 59 | 31.4 | 22.6-40.2 |
| \$35,000- 49,999 | 280 | 44,499 | 105 | 39.2 | 30.8-47.6 | 42 | 13.7 | 08.2-19.2 | 45 | 20.6 | 14.1-27.1 | 88 | 26.5 | 19.8-33.2 |
| \$50,000- 74,999 | 279 | 46,197 | 107 | 34.6 | 27.5-41.7 | 61 | 24.3 | 17.4-31.2 | 40 | 18.0 | 10.9-25.1 | 71 | 23.1 | 17.0-29.2 |
| \$75,000+ | 601 | 98,719 | 238 | 36.0 | 31.1-40.9 | 118 | 19.9 | 16.0-23.8 | 116 | 22.1 | 17.8-26.4 | 129 | 22.1 | 17.6-26.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
TABLE 6: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Highly Active | | | Active | | | Insufficiently Active | | | Inactive | | |
|----------------------------|-------------------|----------|---------------|------|------------|--------|------|------------|-----------------------|------|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2834 | 343,466 | 847 | 27.2 | 25.0-29.4 | 504 | 18.7 | 16.7-20.7 | 533 | 21.7 | 19.3-24.1 | 950 | 32.4 | 30.0-34.8 |
| White/Non-Hisp | 2114 | 232,468 | 667 | 28.0 | 25.5-30.5 | 379 | 19.4 | 17.0-21.8 | 398 | 22.1 | 19.4-24.8 | 670 | 30.4 | 27.9-32.9 |
| Black or Afr. Am./Non-Hisp | 434 | 66,653 | 96 | 23.8 | 18.1-29.5 | 76 | 19.1 | 14.0-24.2 | 81 | 20.1 | 15.2-25.0 | 181 | 37.1 | 31.4-42.8 |
| Oth. Race/Non-Hisp. | 95 | 12,686 | 32 | 34.8 | 20.3-49.3 | 16 | 17.4 | 07.2-27.6 | 18 | 21.4 | 10.2-32.6 | 29 | 26.4 | 14.6-38.2 |
| Hispanic | 136 | 27,345 | 36 | 24.3 | 14.9-33.7 | 22 | 12.7 | 06.6-18.8 | 25 | 23.8 | 13.2-34.4 | 53 | 39.2 | 28.8-49.6 |
| 18-24 | 122 | 39,203 | 33 | 26.0 | 16.6-35.4 | 25 | 23.7 | 14.3-33.1 | 34 | 29.8 | 19.8-39.8 | 30 | 20.5 | 12.9-28.1 |
| 25-34 | 257 | 54,239 | 59 | 23.6 | 17.1-30.1 | 67 | 21.6 | 15.9-27.3 | 57 | 26.7 | 18.9-34.5 | 74 | 28.1 | 21.2-35.0 |
| 35-44 | 327 | 52,209 | 84 | 27.7 | 21.4-34.0 | 76 | 21.5 | 16.2-26.8 | 69 | 21.3 | 15.6-27.0 | 98 | 29.5 | 23.4-35.6 |
| 45-54 | 494 | 63,864 | 131 | 24.4 | 19.9-28.9 | 86 | 16.3 | 12.6-20.0 | 114 | 23.8 | 19.1-28.5 | 163 | 35.5 | 30.2-40.8 |
| 55-64 | 623 | 58,392 | 198 | 28.3 | 24.0-32.6 | 112 | 19.9 | 15.2-24.6 | 136 | 22.3 | 18.2-26.4 | 177 | 29.5 | 25.0-34.0 |
| 65+ | 1004 | 74,740 | 342 | 31.9 | 28.4-35.4 | 138 | 13.2 | 10.7-15.7 | 123 | 12.2 | 09.8-14.6 | 401 | 42.7 | 38.8-46.6 |
| Less Than H.S. | 209 | 42,579 | 42 | 16.8 | 10.1-23.5 | 23 | 16.1 | 08.3-23.9 | 36 | 21.1 | 12.9-29.3 | 108 | 46.0 | 37.0-55.0 |
| H.S. or G.E.D. | 815 | 97,796 | 205 | 26.2 | 22.1-30.3 | 128 | 15.5 | 12.4-18.6 | 129 | 19.4 | 14.9-23.9 | 353 | 38.9 | 34.4-43.4 |
| Some Post-H.S. | 812 | 111,309 | 245 | 29.4 | 25.1-33.7 | 130 | 16.2 | 12.9-19.5 | 152 | 21.7 | 17.8-25.6 | 285 | 32.6 | 28.5-36.7 |
| College Graduate | 997 | 91,754 | 355 | 30.3 | 27.0-33.6 | 223 | 26.2 | 22.5-29.9 | 216 | 24.6 | 20.9-28.3 | 203 | 18.9 | 15.8-22.0 |
| Less than \$15,000 | 274 | 32,568 | 64 | 22.3 | 14.5-30.1 | 37 | 12.5 | 07.2-17.8 | 42 | 19.2 | 11.4-27.0 | 131 | 46.0 | 37.2-54.8 |
| \$15,000- 24,999 | 427 | 48,438 | 113 | 23.1 | 18.0-28.2 | 51 | 14.0 | 08.7-19.3 | 66 | 17.1 | 12.2-22.0 | 197 | 45.8 | 39.5-52.1 |
| \$25,000- 34,999 | 279 | 30,767 | 72 | 25.5 | 18.4-32.6 | 36 | 10.1 | 06.4-13.8 | 54 | 20.9 | 14.2-27.6 | 117 | 43.4 | 35.8-51.0 |
| \$35,000- 49,999 | 365 | 43,368 | 116 | 31.2 | 24.5-37.9 | 73 | 17.9 | 13.2-22.6 | 62 | 21.4 | 14.9-27.9 | 114 | 29.5 | 23.4-35.6 |
| \$50,000- 74,999 | 377 | 44,715 | 113 | 27.0 | 21.5-32.5 | 78 | 19.6 | 14.5-24.7 | 86 | 27.1 | 20.6-33.6 | 100 | 26.4 | 20.5-32.3 |
| \$75,000+ | 669 | 90,713 | 221 | 29.7 | 25.2-34.2 | 159 | 25.7 | 21.4-30.0 | 163 | 24.8 | 20.5-29.1 | 126 | 19.8 | 15.9-23.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 7: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Meet Aerobic Recommendations | | | Did Not Meet Aerobic Recommendations | | |
|----------------------------|-------------------|----------|------------------------------|------|------------|--------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4751 | 662,331 | 2386 | 49.7 | 47.7-51.7 | 2365 | 50.3 | 48.3-52.3 |
| Male | 1902 | 316,068 | 1020 | 53.4 | 50.5-56.3 | 882 | 46.6 | 43.7-49.5 |
| Female | 2849 | 346,263 | 1366 | 46.3 | 43.8-48.8 | 1483 | 53.7 | 51.2-56.2 |
| White/Non-Hisp | 3541 | 448,085 | 1847 | 51.4 | 49.0-53.8 | 1694 | 48.6 | 46.2-51.0 |
| Black or Afr. Am./Non-Hisp | 694 | 125,441 | 294 | 46.1 | 41.0-51.2 | 400 | 53.9 | 48.8-59.0 |
| Oth. Race/Non-Hisp. | 186 | 29,400 | 92 | 51.2 | 40.0-62.4 | 94 | 48.8 | 37.6-60.0 |
| MultiRacial/Non-Hisp. | 59 | 4,513 | 24 | 42.3 | 27.0-57.6 | 35 | 57.7 | 42.4-73.0 |
| Hispanic | 228 | 49,954 | 108 | 45.0 | 37.2-52.8 | 120 | 55.0 | 47.2-62.8 |
| 18-24 | 248 | 82,002 | 125 | 53.2 | 45.6-60.8 | 123 | 46.8 | 39.2-54.4 |
| 25-34 | 456 | 109,760 | 224 | 48.1 | 42.2-54.0 | 232 | 51.9 | 46.0-57.8 |
| 35-44 | 559 | 99,962 | 276 | 50.0 | 44.9-55.1 | 283 | 50.0 | 44.9-55.1 |
| 45-54 | 836 | 122,850 | 397 | 47.4 | 43.1-51.7 | 439 | 52.6 | 48.3-56.9 |
| 55-64 | 1026 | 113,260 | 539 | 51.2 | 47.3-55.1 | 487 | 48.8 | 44.9-52.7 |
| 65+ | 1618 | 133,651 | 825 | 49.9 | 46.8-53.0 | 793 | 50.1 | 47.0-53.2 |
| Less Than H.S. | 358 | 83,777 | 129 | 41.3 | 34.2-48.4 | 229 | 58.7 | 51.6-65.8 |
| H.S. or G.E.D. | 1410 | 205,012 | 602 | 43.9 | 40.4-47.4 | 808 | 56.1 | 52.6-59.6 |
| Some Post-H.S. | 1259 | 199,011 | 617 | 51.3 | 47.6-55.0 | 642 | 48.7 | 45.0-52.4 |
| College Graduate | 1718 | 173,786 | 1035 | 58.8 | 55.9-61.7 | 683 | 41.2 | 38.3-44.1 |
| Less than \$15,000 | 394 | 54,492 | 152 | 41.6 | 34.2-49.0 | 242 | 58.4 | 51.0-65.8 |
| \$15,000- 24,999 | 666 | 87,555 | 251 | 37.1 | 32.2-42.0 | 415 | 62.9 | 58.0-67.8 |
| \$25,000- 34,999 | 452 | 58,563 | 200 | 45.0 | 38.7-51.3 | 252 | 55.0 | 48.7-61.3 |
| \$35,000- 49,999 | 649 | 88,263 | 340 | 51.3 | 45.8-56.8 | 309 | 48.7 | 43.2-54.2 |
| \$50,000- 74,999 | 661 | 91,789 | 364 | 53.3 | 48.2-58.4 | 297 | 46.7 | 41.6-51.8 |
| \$75,000+ | 1277 | 191,674 | 743 | 56.2 | 52.7-59.7 | 534 | 43.8 | 40.3-47.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 8: PHYSICAL ACTIVITY INDEX (_PAINDX1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Meet Aerobic Recommendations | | | Did Not Meet Aerobic Recommendations | | |
|----------------------------|-------------------|----------|------------------------------|------|------------|--------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1902 | 316,068 | 1020 | 53.4 | 50.5-56.3 | 882 | 46.6 | 43.7-49.5 |
| White/Non-Hisp | 1416 | 213,624 | 790 | 55.1 | 51.6-58.6 | 626 | 44.9 | 41.4-48.4 |
| Black or Afr. Am./Non-Hisp | 257 | 58,027 | 119 | 49.1 | 41.1-57.1 | 138 | 50.9 | 42.9-58.9 |
| Oth. Race/Non-Hisp. | 90 | 16,671 | 43 | 50.3 | 33.8-66.8 | 47 | 49.7 | 33.2-66.2 |
| Hispanic | 92 | 22,610 | 50 | 54.6 | 43.0-66.2 | 42 | 45.4 | 33.8-57.0 |
| 18-24 | 125 | 42,048 | 66 | 55.7 | 44.9-66.5 | 59 | 44.3 | 33.5-55.1 |
| 25-34 | 198 | 55,007 | 97 | 50.4 | 41.8-59.0 | 101 | 49.6 | 41.0-58.2 |
| 35-44 | 230 | 47,203 | 114 | 50.2 | 42.8-57.6 | 116 | 49.8 | 42.4-57.2 |
| 45-54 | 341 | 58,944 | 179 | 54.6 | 47.9-61.3 | 162 | 45.4 | 38.7-52.1 |
| 55-64 | 401 | 54,614 | 227 | 54.2 | 47.9-60.5 | 174 | 45.8 | 39.5-52.1 |
| 65+ | 606 | 58,226 | 337 | 55.4 | 50.5-60.3 | 269 | 44.6 | 39.7-49.5 |
| Less Than H.S. | 148 | 41,051 | 63 | 49.8 | 39.2-60.4 | 85 | 50.2 | 39.6-60.8 |
| H.S. or G.E.D. | 590 | 106,131 | 264 | 45.3 | 40.0-50.6 | 326 | 54.7 | 49.4-60.0 |
| Some Post-H.S. | 444 | 87,026 | 239 | 58.0 | 52.1-63.9 | 205 | 42.0 | 36.1-47.9 |
| College Graduate | 715 | 81,142 | 451 | 60.9 | 56.4-65.4 | 264 | 39.1 | 34.6-43.6 |
| Less than \$15,000 | 118 | 21,757 | 49 | 51.3 | 38.6-64.0 | 69 | 48.7 | 36.0-61.4 |
| \$15,000- 24,999 | 237 | 39,023 | 85 | 36.9 | 29.1-44.7 | 152 | 63.1 | 55.3-70.9 |
| \$25,000- 34,999 | 173 | 27,796 | 92 | 55.4 | 45.6-65.2 | 81 | 44.6 | 34.8-54.4 |
| \$35,000- 49,999 | 282 | 44,766 | 149 | 53.2 | 45.2-61.2 | 133 | 46.8 | 38.8-54.8 |
| \$50,000- 74,999 | 282 | 46,473 | 171 | 59.2 | 51.4-67.0 | 111 | 40.8 | 33.0-48.6 |
| \$75,000+ | 604 | 99,455 | 359 | 56.2 | 51.1-61.3 | 245 | 43.8 | 38.7-48.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 9: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Meet Aerobic Recommendations | | | Did Not Meet Aerobic Recommendations | | |
|----------------------------|-------------------|----------|------------------------------|------|------------|--------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2849 | 346,263 | 1366 | 46.3 | 43.8-48.8 | 1483 | 53.7 | 51.2-56.2 |
| White/Non-Hisp | 2125 | 234,462 | 1057 | 47.9 | 45.0-50.8 | 1068 | 52.1 | 49.2-55.0 |
| Black or Afr. Am./Non-Hisp | 437 | 67,414 | 175 | 43.5 | 37.2-49.8 | 262 | 56.5 | 50.2-62.8 |
| Oth. Race/Non-Hisp. | 96 | 12,729 | 49 | 52.4 | 38.3-66.5 | 47 | 47.6 | 33.5-61.7 |
| Hispanic | 136 | 27,345 | 58 | 37.0 | 26.6-47.4 | 78 | 63.0 | 52.6-73.4 |
| 18-24 | 123 | 39,954 | 59 | 50.6 | 40.0-61.2 | 64 | 49.4 | 38.8-60.0 |
| 25-34 | 258 | 54,753 | 127 | 45.7 | 38.1-53.3 | 131 | 54.3 | 46.7-61.9 |
| 35-44 | 329 | 52,759 | 162 | 49.8 | 43.1-56.5 | 167 | 50.2 | 43.5-56.9 |
| 45-54 | 495 | 63,906 | 218 | 40.7 | 35.4-46.0 | 277 | 59.3 | 54.0-64.6 |
| 55-64 | 625 | 58,647 | 312 | 48.4 | 43.3-53.5 | 313 | 51.6 | 46.5-56.7 |
| 65+ | 1012 | 75,425 | 488 | 45.6 | 41.9-49.3 | 524 | 54.4 | 50.7-58.1 |
| Less Than H.S. | 210 | 42,726 | 66 | 33.1 | 24.1-42.1 | 144 | 66.9 | 57.9-75.9 |
| H.S. or G.E.D. | 820 | 98,881 | 338 | 42.3 | 37.6-47.0 | 482 | 57.7 | 53.0-62.4 |
| Some Post-H.S. | 815 | 111,985 | 378 | 46.0 | 41.5-50.5 | 437 | 54.0 | 49.5-58.5 |
| College Graduate | 1003 | 92,644 | 584 | 56.9 | 52.8-61.0 | 419 | 43.1 | 39.0-47.2 |
| Less than \$15,000 | 276 | 32,735 | 103 | 35.1 | 26.7-43.5 | 173 | 64.9 | 56.5-73.3 |
| \$15,000- 24,999 | 429 | 48,532 | 166 | 37.2 | 30.9-43.5 | 263 | 62.8 | 56.5-69.1 |
| \$25,000- 34,999 | 279 | 30,767 | 108 | 35.6 | 28.2-43.0 | 171 | 64.4 | 57.0-71.8 |
| \$35,000- 49,999 | 367 | 43,498 | 191 | 49.3 | 42.2-56.4 | 176 | 50.7 | 43.6-57.8 |
| \$50,000- 74,999 | 379 | 45,316 | 193 | 47.2 | 40.5-53.9 | 186 | 52.8 | 46.1-59.5 |
| \$75,000+ | 673 | 92,219 | 384 | 56.1 | 51.2-61.0 | 289 | 43.9 | 39.0-48.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Meet Muscle Strengthening Recommendations | | | Did not Meet Muscle Strengthening Recommendations | | |
|----------------------------|-------------------|----------|---|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4877 | 675,667 | 1411 | 31.8 | 30.0-33.6 | 3466 | 68.2 | 66.4-70.0 |
| Male | 1945 | 322,982 | 690 | 37.6 | 34.7-40.5 | 1255 | 62.4 | 59.5-65.3 |
| Female | 2932 | 352,685 | 721 | 26.4 | 24.0-28.8 | 2211 | 73.6 | 71.2-76.0 |
| White/Non-Hisp | 3627 | 457,212 | 1031 | 31.8 | 29.6-34.0 | 2596 | 68.2 | 66.0-70.4 |
| Black or Afr. Am./Non-Hisp | 702 | 126,890 | 214 | 31.9 | 27.2-36.6 | 488 | 68.1 | 63.4-72.8 |
| Oth. Race/Non-Hisp. | 193 | 29,156 | 67 | 38.5 | 26.7-50.3 | 126 | 61.5 | 49.7-73.3 |
| MultiRacial/Non-Hisp. | 63 | 4,765 | 24 | 46.0 | 30.9-61.1 | 39 | 54.0 | 38.9-69.1 |
| Hispanic | 229 | 50,052 | 61 | 26.4 | 19.5-33.3 | 168 | 73.6 | 66.7-80.5 |
| 18-24 | 251 | 82,931 | 131 | 54.1 | 46.7-61.5 | 120 | 45.9 | 38.5-53.3 |
| 25-34 | 460 | 110,914 | 174 | 37.3 | 31.8-42.8 | 286 | 62.7 | 57.2-68.2 |
| 35-44 | 566 | 101,830 | 201 | 32.6 | 28.1-37.1 | 365 | 67.4 | 62.9-71.9 |
| 45-54 | 843 | 123,279 | 224 | 26.4 | 22.7-30.1 | 619 | 73.6 | 69.9-77.3 |
| 55-64 | 1047 | 114,891 | 290 | 26.6 | 23.3-29.9 | 757 | 73.4 | 70.1-76.7 |
| 65+ | 1665 | 137,555 | 381 | 22.8 | 20.3-25.3 | 1284 | 77.2 | 74.7-79.7 |
| Less Than H.S. | 377 | 87,709 | 61 | 18.8 | 13.5-24.1 | 316 | 81.2 | 75.9-86.5 |
| H.S. or G.E.D. | 1449 | 208,845 | 350 | 30.1 | 26.8-33.4 | 1099 | 69.9 | 66.6-73.2 |
| Some Post-H.S. | 1280 | 201,795 | 379 | 34.8 | 31.1-38.5 | 901 | 65.2 | 61.5-68.9 |
| College Graduate | 1760 | 175,996 | 617 | 36.8 | 33.9-39.7 | 1143 | 63.2 | 60.3-66.1 |
| Less than \$15,000 | 403 | 55,297 | 93 | 25.6 | 19.3-31.9 | 310 | 74.4 | 68.1-80.7 |
| \$15,000- 24,999 | 686 | 88,779 | 142 | 21.4 | 17.3-25.5 | 544 | 78.6 | 74.5-82.7 |
| \$25,000- 34,999 | 460 | 60,223 | 121 | 29.5 | 23.6-35.4 | 339 | 70.5 | 64.6-76.4 |
| \$35,000- 49,999 | 659 | 89,504 | 196 | 36.5 | 31.0-42.0 | 463 | 63.5 | 58.0-69.0 |
| \$50,000- 74,999 | 661 | 91,405 | 211 | 33.5 | 28.8-38.2 | 450 | 66.5 | 61.8-71.2 |
| \$75,000+ | 1297 | 194,285 | 471 | 36.8 | 33.3-40.3 | 826 | 63.2 | 59.7-66.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 11: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Meet Muscle Strengthening Recommendations | | | Did not Meet Muscle Strengthening Recommendations | | |
|----------------------------|-------------------|----------|---|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1945 | 322,982 | 690 | 37.6 | 34.7-40.5 | 1255 | 62.4 | 59.5-65.3 |
| White/Non-Hisp | 1445 | 217,665 | 500 | 37.0 | 33.7-40.3 | 945 | 63.0 | 59.7-66.3 |
| Black or Afr. Am./Non-Hisp | 262 | 59,460 | 105 | 39.1 | 31.5-46.7 | 157 | 60.9 | 53.3-68.5 |
| Oth. Race/Non-Hisp. | 88 | 15,787 | 36 | 43.7 | 26.1-61.3 | 52 | 56.3 | 38.7-73.9 |
| Hispanic | 93 | 22,917 | 32 | 35.4 | 24.4-46.4 | 61 | 64.6 | 53.6-75.6 |
| 18-24 | 125 | 42,376 | 75 | 60.8 | 50.2-71.4 | 50 | 39.2 | 28.6-49.8 |
| 25-34 | 200 | 56,248 | 100 | 45.0 | 36.6-53.4 | 100 | 55.0 | 46.6-63.4 |
| 35-44 | 235 | 48,924 | 100 | 38.1 | 31.0-45.2 | 135 | 61.9 | 54.8-69.0 |
| 45-54 | 345 | 59,192 | 106 | 31.2 | 24.9-37.5 | 239 | 68.8 | 62.5-75.1 |
| 55-64 | 403 | 54,857 | 124 | 29.2 | 23.7-34.7 | 279 | 70.8 | 65.3-76.3 |
| 65+ | 624 | 60,167 | 182 | 28.3 | 24.0-32.6 | 442 | 71.7 | 67.4-76.0 |
| Less Than H.S. | 159 | 44,131 | 27 | 17.7 | 10.4-25.0 | 132 | 82.3 | 75.0-89.6 |
| H.S. or G.E.D. | 597 | 106,951 | 189 | 38.2 | 32.9-43.5 | 408 | 61.8 | 56.5-67.1 |
| Some Post-H.S. | 451 | 88,389 | 180 | 45.2 | 39.1-51.3 | 271 | 54.8 | 48.7-60.9 |
| College Graduate | 730 | 82,372 | 291 | 39.4 | 35.1-43.7 | 439 | 60.6 | 56.3-64.9 |
| Less than \$15,000 | 123 | 22,182 | 35 | 30.7 | 19.7-41.7 | 88 | 69.3 | 58.3-80.3 |
| \$15,000- 24,999 | 240 | 39,058 | 59 | 24.3 | 17.6-31.0 | 181 | 75.7 | 69.0-82.4 |
| \$25,000- 34,999 | 175 | 28,912 | 58 | 40.6 | 30.6-50.6 | 117 | 59.4 | 49.4-69.4 |
| \$35,000- 49,999 | 286 | 45,439 | 108 | 43.3 | 35.1-51.5 | 178 | 56.7 | 48.5-64.9 |
| \$50,000- 74,999 | 284 | 46,725 | 111 | 41.0 | 33.6-48.4 | 173 | 59.0 | 51.6-66.4 |
| \$75,000+ | 610 | 100,585 | 240 | 39.0 | 34.1-43.9 | 370 | 61.0 | 56.1-65.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 12: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Meet Muscle Strengthening Recommendations | | | Did not Meet Muscle Strengthening Recommendations | | |
|----------------------------|-------------------|----------|---|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2932 | 352,685 | 721 | 26.4 | 24.0-28.8 | 2211 | 73.6 | 71.2-76.0 |
| White/Non-Hisp | 2182 | 239,547 | 531 | 27.2 | 24.5-29.9 | 1651 | 72.8 | 70.1-75.5 |
| Black or Afr. Am./Non-Hisp | 440 | 67,430 | 109 | 25.6 | 19.9-31.3 | 331 | 74.4 | 68.7-80.1 |
| Oth. Race/Non-Hisp. | 105 | 13,369 | 31 | 32.4 | 18.5-46.3 | 74 | 67.6 | 53.7-81.5 |
| Hispanic | 136 | 27,136 | 29 | 18.8 | 10.6-27.0 | 107 | 81.2 | 73.0-89.4 |
| 18-24 | 126 | 40,555 | 56 | 47.0 | 36.4-57.6 | 70 | 53.0 | 42.4-63.6 |
| 25-34 | 260 | 54,666 | 74 | 29.5 | 22.4-36.6 | 186 | 70.5 | 63.4-77.6 |
| 35-44 | 331 | 52,906 | 101 | 27.6 | 21.7-33.5 | 230 | 72.4 | 66.5-78.3 |
| 45-54 | 498 | 64,087 | 118 | 21.9 | 17.6-26.2 | 380 | 78.1 | 73.8-82.4 |
| 55-64 | 644 | 60,034 | 166 | 24.2 | 20.1-28.3 | 478 | 75.8 | 71.7-79.9 |
| 65+ | 1041 | 77,388 | 199 | 18.5 | 15.8-21.2 | 842 | 81.5 | 78.8-84.2 |
| Less Than H.S. | 218 | 43,578 | 34 | 20.0 | 12.2-27.8 | 184 | 80.0 | 72.2-87.8 |
| H.S. or G.E.D. | 852 | 101,894 | 161 | 21.5 | 17.6-25.4 | 691 | 78.5 | 74.6-82.4 |
| Some Post-H.S. | 829 | 113,406 | 199 | 26.7 | 22.4-31.0 | 630 | 73.3 | 69.0-77.6 |
| College Graduate | 1030 | 93,623 | 326 | 34.6 | 30.7-38.5 | 704 | 65.4 | 61.5-69.3 |
| Less than \$15,000 | 280 | 33,114 | 58 | 22.2 | 14.9-29.5 | 222 | 77.8 | 70.5-85.1 |
| \$15,000- 24,999 | 446 | 49,721 | 83 | 19.2 | 14.3-24.1 | 363 | 80.8 | 75.9-85.7 |
| \$25,000- 34,999 | 285 | 31,311 | 63 | 19.2 | 13.7-24.7 | 222 | 80.8 | 75.3-86.3 |
| \$35,000- 49,999 | 373 | 44,065 | 88 | 29.4 | 22.1-36.7 | 285 | 70.6 | 63.3-77.9 |
| \$50,000- 74,999 | 377 | 44,680 | 100 | 25.7 | 20.2-31.2 | 277 | 74.3 | 68.8-79.8 |
| \$75,000+ | 687 | 93,700 | 231 | 34.4 | 29.7-39.1 | 456 | 65.6 | 60.9-70.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 13: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Met Both Guidelines | | | Met Aerobic Guidelines Only | | | Met Strengthening Guidelines Only | | | Did Not Meet Either Guideline | | |
|----------------------------|-------------------|----------|---------------------|------|------------|-----------------------------|------|------------|-----------------------------------|------|------------|-------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4715 | 656,926 | 923 | 21.2 | 19.6-22.8 | 1443 | 28.4 | 26.6-30.2 | 445 | 10.8 | 09.6-12.0 | 1904 | 39.6 | 37.6-41.6 |
| Male | 1884 | 312,981 | 461 | 25.5 | 22.8-28.2 | 548 | 27.8 | 25.1-30.5 | 210 | 12.3 | 10.3-14.3 | 665 | 34.4 | 31.5-37.3 |
| Female | 2831 | 343,945 | 462 | 17.2 | 15.2-19.2 | 895 | 29.1 | 26.9-31.3 | 235 | 9.4 | 07.8-11.0 | 1239 | 44.3 | 41.8-46.8 |
| White/Non-Hisp | 3518 | 445,213 | 687 | 21.2 | 19.4-23.0 | 1146 | 30.0 | 28.0-32.0 | 315 | 10.8 | 09.2-12.4 | 1370 | 38.0 | 35.8-40.2 |
| Black or Afr. Am./Non-Hisp | 687 | 124,433 | 131 | 21.0 | 16.9-25.1 | 159 | 25.1 | 20.4-29.8 | 78 | 11.2 | 08.3-14.1 | 319 | 42.8 | 37.9-47.7 |
| Oth. Race/Non-Hisp. | 181 | 28,456 | 41 | 25.7 | 13.5-37.9 | 49 | 25.0 | 16.8-33.2 | 23 | 13.4 | 06.5-20.3 | 68 | 35.8 | 25.0-46.6 |
| MultiRacial/Non-Hisp. | 59 | 4,513 | 15 | 29.5 | 15.4-43.6 | 9 | 12.7 | 02.1-23.3 | 7 | 18.0 | 04.3-31.7 | 28 | 39.8 | 25.1-54.5 |
| Hispanic | 227 | 49,374 | 43 | 19.6 | 13.1-26.1 | 65 | 26.0 | 19.1-32.9 | 18 | 7.2 | 03.5-10.9 | 101 | 47.2 | 39.2-55.2 |
| 18-24 | 246 | 81,373 | 75 | 32.0 | 24.7-39.3 | 49 | 21.2 | 14.9-27.5 | 55 | 22.1 | 16.0-28.2 | 67 | 24.7 | 18.2-31.2 |
| 25-34 | 454 | 109,065 | 117 | 25.3 | 20.4-30.2 | 105 | 22.4 | 17.5-27.3 | 55 | 12.1 | 08.4-15.8 | 177 | 40.2 | 34.3-46.1 |
| 35-44 | 553 | 98,382 | 133 | 21.9 | 17.8-26.0 | 141 | 28.1 | 23.4-32.8 | 64 | 11.1 | 08.0-14.2 | 215 | 38.9 | 34.0-43.8 |
| 45-54 | 829 | 121,761 | 153 | 18.0 | 14.7-21.3 | 241 | 29.4 | 25.5-33.3 | 68 | 8.4 | 06.2-10.6 | 367 | 44.1 | 39.8-48.4 |
| 55-64 | 1021 | 112,792 | 191 | 18.3 | 15.4-21.2 | 345 | 32.9 | 29.2-36.6 | 90 | 8.0 | 06.0-10.0 | 395 | 40.8 | 36.9-44.7 |
| 65+ | 1604 | 132,708 | 254 | 16.1 | 13.9-18.3 | 562 | 33.6 | 30.9-36.3 | 113 | 7.1 | 05.5-08.7 | 675 | 43.2 | 40.1-46.3 |
| Less Than H.S. | 354 | 82,384 | 31 | 12.3 | 07.4-17.2 | 96 | 29.0 | 22.3-35.7 | 28 | 7.3 | 04.2-10.4 | 199 | 51.5 | 44.4-58.6 |
| H.S. or G.E.D. | 1399 | 203,625 | 212 | 18.8 | 15.9-21.7 | 385 | 25.0 | 22.1-27.9 | 128 | 11.2 | 08.7-13.7 | 674 | 45.0 | 41.5-48.5 |
| Some Post-H.S. | 1248 | 197,709 | 247 | 23.7 | 20.2-27.2 | 364 | 27.6 | 24.3-30.9 | 125 | 11.3 | 08.9-13.7 | 512 | 37.4 | 33.9-40.9 |
| College Graduate | 1709 | 172,491 | 433 | 25.5 | 23.0-28.0 | 595 | 33.1 | 30.4-35.8 | 162 | 11.2 | 09.2-13.2 | 519 | 30.3 | 27.6-33.0 |
| Less than \$15,000 | 391 | 54,233 | 52 | 16.7 | 11.0-22.4 | 98 | 24.6 | 17.5-31.7 | 38 | 9.0 | 05.7-12.3 | 203 | 49.7 | 42.3-57.1 |
| \$15,000- 24,999 | 662 | 86,147 | 72 | 11.6 | 08.3-14.9 | 176 | 25.1 | 20.6-29.6 | 65 | 10.1 | 07.2-13.0 | 349 | 53.1 | 48.0-58.2 |
| \$25,000- 34,999 | 450 | 58,476 | 80 | 19.0 | 13.9-24.1 | 120 | 26.1 | 20.6-31.6 | 39 | 10.0 | 06.1-13.9 | 211 | 44.9 | 38.8-51.0 |
| \$35,000- 49,999 | 645 | 87,701 | 125 | 22.5 | 17.2-27.8 | 213 | 28.9 | 24.4-33.4 | 67 | 14.0 | 09.9-18.1 | 240 | 34.6 | 29.7-39.5 |
| \$50,000- 74,999 | 654 | 90,885 | 152 | 25.1 | 20.6-29.6 | 208 | 27.9 | 23.6-32.2 | 58 | 8.6 | 06.1-11.1 | 236 | 38.4 | 33.3-43.5 |
| \$75,000+ | 1268 | 190,133 | 334 | 25.7 | 22.6-28.8 | 402 | 30.2 | 27.1-33.3 | 125 | 10.9 | 08.5-13.3 | 407 | 33.1 | 29.8-36.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Met Both Guidelines | | | Met Aerobic Guidelines Only | | | Met Strengthening Guidelines Only | | | Did Not Meet Either Guideline | | |
|----------------------------|-------------------|----------|---------------------|------|------------|-----------------------------|------|------------|-----------------------------------|------|------------|-------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1884 | 312,981 | 461 | 25.5 | 22.8-28.2 | 548 | 27.8 | 25.1-30.5 | 210 | 12.3 | 10.3-14.3 | 665 | 34.4 | 31.5-37.3 |
| White/Non-Hisp | 1405 | 211,888 | 345 | 25.4 | 22.5-28.3 | 438 | 29.6 | 26.5-32.7 | 141 | 11.7 | 09.3-14.1 | 481 | 33.4 | 30.1-36.7 |
| Black or Afr. Am./Non-Hisp | 254 | 57,603 | 67 | 26.4 | 19.5-33.3 | 50 | 22.5 | 14.7-30.3 | 37 | 13.7 | 08.8-18.6 | 100 | 37.4 | 29.6-45.2 |
| Oth. Race/Non-Hisp. | 86 | 15,743 | 19 | 24.8 | 06.2-43.4 | 22 | 24.6 | 12.8-36.4 | 16 | 18.9 | 07.5-30.3 | 29 | 31.7 | 15.8-47.6 |
| Hispanic | 92 | 22,610 | 22 | 26.7 | 16.1-37.3 | 28 | 27.9 | 17.3-38.5 | 10 | 9.2 | 02.9-15.5 | 32 | 36.2 | 25.2-47.2 |
| 18-24 | 123 | 41,418 | 39 | 32.9 | 22.3-43.5 | 26 | 22.7 | 13.5-31.9 | 35 | 27.4 | 18.0-36.8 | 23 | 17.0 | 08.8-25.2 |
| 25-34 | 198 | 55,007 | 68 | 31.9 | 24.3-39.5 | 29 | 18.5 | 10.9-26.1 | 31 | 13.2 | 08.1-18.3 | 70 | 36.3 | 27.9-44.7 |
| 35-44 | 227 | 46,406 | 61 | 24.5 | 18.2-30.8 | 51 | 25.0 | 18.3-31.7 | 37 | 14.5 | 09.4-19.6 | 78 | 36.0 | 28.6-43.4 |
| 45-54 | 336 | 58,005 | 74 | 23.6 | 17.7-29.5 | 103 | 31.2 | 24.7-37.7 | 29 | 7.7 | 04.8-10.6 | 130 | 37.6 | 31.1-44.1 |
| 55-64 | 400 | 54,472 | 94 | 21.7 | 16.8-26.6 | 132 | 32.4 | 26.7-38.1 | 27 | 7.0 | 03.9-10.1 | 147 | 38.9 | 32.6-45.2 |
| 65+ | 599 | 57,646 | 125 | 20.6 | 16.7-24.5 | 207 | 34.6 | 29.9-39.3 | 51 | 8.4 | 05.7-11.1 | 216 | 36.5 | 31.6-41.4 |
| Less Than H.S. | 146 | 40,431 | 16 | 12.1 | 05.4-18.8 | 45 | 37.0 | 26.4-47.6 | 9 | 6.3 | 01.6-11.0 | 76 | 44.7 | 34.1-55.3 |
| H.S. or G.E.D. | 583 | 104,914 | 118 | 23.7 | 19.2-28.2 | 142 | 21.4 | 17.3-25.5 | 66 | 14.2 | 10.3-18.1 | 257 | 40.7 | 35.6-45.8 |
| Some Post-H.S. | 440 | 86,283 | 122 | 32.8 | 26.7-38.9 | 116 | 25.4 | 20.1-30.7 | 56 | 12.9 | 09.0-16.8 | 146 | 28.9 | 23.4-34.4 |
| College Graduate | 710 | 80,636 | 205 | 27.1 | 23.2-31.0 | 242 | 33.6 | 29.3-37.9 | 77 | 11.9 | 09.0-14.8 | 186 | 27.4 | 23.3-31.5 |
| Less than \$15,000 | 118 | 21,757 | 18 | 19.6 | 09.8-29.4 | 31 | 31.6 | 17.9-45.3 | 14 | 10.6 | 04.3-16.9 | 55 | 38.1 | 26.3-49.9 |
| \$15,000- 24,999 | 234 | 38,195 | 28 | 13.3 | 07.8-18.8 | 54 | 22.2 | 15.3-29.1 | 30 | 11.5 | 06.6-16.4 | 122 | 53.0 | 44.6-61.4 |
| \$25,000- 34,999 | 172 | 27,751 | 41 | 27.3 | 18.1-36.5 | 51 | 28.1 | 19.5-36.7 | 16 | 12.1 | 05.2-19.0 | 64 | 32.5 | 23.7-41.3 |
| \$35,000- 49,999 | 280 | 44,374 | 68 | 26.1 | 17.9-34.3 | 81 | 27.6 | 20.7-34.5 | 37 | 16.9 | 10.8-23.0 | 94 | 29.4 | 22.3-36.5 |
| \$50,000- 74,999 | 280 | 46,267 | 85 | 32.3 | 25.0-39.6 | 85 | 26.8 | 20.3-33.3 | 25 | 9.0 | 05.1-12.9 | 85 | 31.9 | 24.3-39.5 |
| \$75,000+ | 598 | 98,178 | 172 | 27.5 | 23.0-32.0 | 182 | 28.3 | 23.8-32.8 | 63 | 11.3 | 08.0-14.6 | 181 | 32.9 | 28.0-37.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Met Both Guidelines | | | Met Aerobic Guidelines Only | | | Met Strengthening Guidelines Only | | | Did Not Meet Either Guideline | | |
|----------------------------|-------------------|----------|---------------------|------|------------|-----------------------------|------|------------|-----------------------------------|------|------------|-------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2831 | 343,945 | 462 | 17.2 | 15.2-19.2 | 895 | 29.1 | 26.9-31.3 | 235 | 9.4 | 07.8-11.0 | 1239 | 44.3 | 41.8-46.8 |
| White/Non-Hisp | 2113 | 233,325 | 342 | 17.4 | 15.0-19.8 | 708 | 30.4 | 27.9-32.9 | 174 | 10.1 | 08.1-12.1 | 889 | 42.1 | 39.2-45.0 |
| Black or Afr. Am./Non-Hisp | 433 | 66,829 | 64 | 16.3 | 11.2-21.4 | 109 | 27.2 | 21.5-32.9 | 41 | 9.0 | 05.7-12.3 | 219 | 47.5 | 41.4-53.6 |
| Oth. Race/Non-Hisp. | 95 | 12,712 | 22 | 26.8 | 12.1-41.5 | 27 | 25.7 | 14.5-36.9 | 7 | 6.7 | 01.0-12.4 | 39 | 40.9 | 27.2-54.6 |
| Hispanic | 135 | 26,765 | 21 | 13.5 | 06.1-20.9 | 37 | 24.3 | 15.3-33.3 | 8 | 5.6 | 01.1-10.1 | 69 | 56.6 | 45.8-67.4 |
| 18-24 | 123 | 39,954 | 36 | 31.1 | 20.9-41.3 | 23 | 19.6 | 11.2-28.0 | 20 | 16.6 | 09.0-24.2 | 44 | 32.7 | 22.9-42.5 |
| 25-34 | 256 | 54,058 | 49 | 18.7 | 13.0-24.4 | 76 | 26.3 | 19.8-32.8 | 24 | 11.0 | 05.7-16.3 | 107 | 44.1 | 36.3-51.9 |
| 35-44 | 326 | 51,975 | 72 | 19.6 | 14.3-24.9 | 90 | 30.9 | 24.4-37.4 | 27 | 8.0 | 04.7-11.3 | 137 | 41.5 | 34.8-48.2 |
| 45-54 | 493 | 63,756 | 79 | 12.9 | 09.8-16.0 | 138 | 27.8 | 22.9-32.7 | 39 | 9.1 | 05.8-12.4 | 237 | 50.1 | 44.6-55.6 |
| 55-64 | 621 | 58,321 | 97 | 15.1 | 11.6-18.6 | 213 | 33.4 | 28.5-38.3 | 63 | 8.9 | 06.4-11.4 | 248 | 42.6 | 37.5-47.7 |
| 65+ | 1005 | 75,062 | 129 | 12.7 | 10.2-15.2 | 355 | 32.8 | 29.3-36.3 | 62 | 6.1 | 04.3-07.9 | 459 | 48.4 | 44.5-52.3 |
| Less Than H.S. | 208 | 41,953 | 15 | 12.5 | 05.1-19.9 | 51 | 21.3 | 13.9-28.7 | 19 | 8.3 | 04.0-12.6 | 123 | 58.0 | 48.8-67.2 |
| H.S. or G.E.D. | 816 | 98,710 | 94 | 13.6 | 10.3-16.9 | 243 | 28.8 | 24.5-33.1 | 62 | 7.9 | 05.2-10.6 | 417 | 49.7 | 44.8-54.6 |
| Some Post-H.S. | 808 | 111,426 | 125 | 16.6 | 12.9-20.3 | 248 | 29.3 | 25.2-33.4 | 69 | 10.1 | 07.0-13.2 | 366 | 44.0 | 39.5-48.5 |
| College Graduate | 999 | 91,856 | 228 | 24.1 | 20.6-27.6 | 353 | 32.6 | 29.1-36.1 | 85 | 10.5 | 07.8-13.2 | 333 | 32.8 | 29.1-36.5 |
| Less than \$15,000 | 273 | 32,476 | 34 | 14.8 | 07.9-21.7 | 67 | 19.9 | 13.0-26.8 | 24 | 7.9 | 04.0-11.8 | 148 | 57.5 | 48.9-66.1 |
| \$15,000- 24,999 | 428 | 47,952 | 44 | 10.3 | 06.4-14.2 | 122 | 27.4 | 21.5-33.3 | 35 | 9.1 | 05.6-12.6 | 227 | 53.2 | 46.7-59.7 |
| \$25,000- 34,999 | 278 | 30,725 | 39 | 11.4 | 07.1-15.7 | 69 | 24.3 | 17.4-31.2 | 23 | 8.1 | 04.0-12.2 | 147 | 56.2 | 48.6-63.8 |
| \$35,000- 49,999 | 365 | 43,327 | 57 | 18.8 | 12.7-24.9 | 132 | 30.3 | 24.4-36.2 | 30 | 11.0 | 05.3-16.7 | 146 | 39.9 | 33.2-46.6 |
| \$50,000- 74,999 | 374 | 44,618 | 67 | 17.6 | 12.7-22.5 | 123 | 29.1 | 23.4-34.8 | 33 | 8.1 | 05.0-11.2 | 151 | 45.2 | 38.3-52.1 |
| \$75,000+ | 670 | 91,955 | 162 | 23.9 | 19.4-28.4 | 220 | 32.3 | 27.8-36.8 | 62 | 10.4 | 07.3-13.5 | 226 | 33.4 | 28.9-37.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Met Both Guidelines | | | Did Not Meet Both Guidelines | | |
|----------------------------|-------------------|----------|---------------------|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4715 | 656,926 | 923 | 21.2 | 19.6-22.8 | 3792 | 78.8 | 77.2-80.4 |
| Male | 1884 | 312,981 | 461 | 25.5 | 22.8-28.2 | 1423 | 74.5 | 71.8-77.2 |
| Female | 2831 | 343,945 | 462 | 17.2 | 15.2-19.2 | 2369 | 82.8 | 80.8-84.8 |
| White/Non-Hisp | 3518 | 445,213 | 687 | 21.2 | 19.4-23.0 | 2831 | 78.8 | 77.0-80.6 |
| Black or Afr. Am./Non-Hisp | 687 | 124,433 | 131 | 21.0 | 16.9-25.1 | 556 | 79.0 | 74.9-83.1 |
| Oth. Race/Non-Hisp. | 181 | 28,456 | 41 | 25.7 | 13.5-37.9 | 140 | 74.3 | 62.1-86.5 |
| MultiRacial/Non-Hisp. | 59 | 4,513 | 15 | 29.5 | 15.4-43.6 | 44 | 70.5 | 56.4-84.6 |
| Hispanic | 227 | 49,374 | 43 | 19.6 | 13.1-26.1 | 184 | 80.4 | 73.9-86.9 |
| 18-24 | 246 | 81,373 | 75 | 32.0 | 24.7-39.3 | 171 | 68.0 | 60.7-75.3 |
| 25-34 | 454 | 109,065 | 117 | 25.3 | 20.4-30.2 | 337 | 74.7 | 69.8-79.6 |
| 35-44 | 553 | 98,382 | 133 | 21.9 | 17.8-26.0 | 420 | 78.1 | 74.0-82.2 |
| 45-54 | 829 | 121,761 | 153 | 18.0 | 14.7-21.3 | 676 | 82.0 | 78.7-85.3 |
| 55-64 | 1021 | 112,792 | 191 | 18.3 | 15.4-21.2 | 830 | 81.7 | 78.8-84.6 |
| 65+ | 1604 | 132,708 | 254 | 16.1 | 13.9-18.3 | 1350 | 83.9 | 81.7-86.1 |
| Less Than H.S. | 354 | 82,384 | 31 | 12.3 | 07.4-17.2 | 323 | 87.7 | 82.8-92.6 |
| H.S. or G.E.D. | 1399 | 203,625 | 212 | 18.8 | 15.9-21.7 | 1187 | 81.2 | 78.3-84.1 |
| Some Post-H.S. | 1248 | 197,709 | 247 | 23.7 | 20.2-27.2 | 1001 | 76.3 | 72.8-79.8 |
| College Graduate | 1709 | 172,491 | 433 | 25.5 | 23.0-28.0 | 1276 | 74.5 | 72.0-77.0 |
| Less than \$15,000 | 391 | 54,233 | 52 | 16.7 | 11.0-22.4 | 339 | 83.3 | 77.6-89.0 |
| \$15,000- 24,999 | 662 | 86,147 | 72 | 11.6 | 08.3-14.9 | 590 | 88.4 | 85.1-91.7 |
| \$25,000- 34,999 | 450 | 58,476 | 80 | 19.0 | 13.9-24.1 | 370 | 81.0 | 75.9-86.1 |
| \$35,000- 49,999 | 645 | 87,701 | 125 | 22.5 | 17.2-27.8 | 520 | 77.5 | 72.2-82.8 |
| \$50,000- 74,999 | 654 | 90,885 | 152 | 25.1 | 20.6-29.6 | 502 | 74.9 | 70.4-79.4 |
| \$75,000+ | 1268 | 190,133 | 334 | 25.7 | 22.6-28.8 | 934 | 74.3 | 71.2-77.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Met Both Guidelines | | | Did Not Meet Both Guidelines | | |
|----------------------------|-------------------|----------|---------------------|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1884 | 312,981 | 461 | 25.5 | 22.8-28.2 | 1423 | 74.5 | 71.8-77.2 |
| White/Non-Hisp | 1405 | 211,888 | 345 | 25.4 | 22.5-28.3 | 1060 | 74.6 | 71.7-77.5 |
| Black or Afr. Am./Non-Hisp | 254 | 57,603 | 67 | 26.4 | 19.5-33.3 | 187 | 73.6 | 66.7-80.5 |
| Oth. Race/Non-Hisp. | 86 | 15,743 | 19 | 24.8 | 06.2-43.4 | 67 | 75.2 | 56.6-93.8 |
| Hispanic | 92 | 22,610 | 22 | 26.7 | 16.1-37.3 | 70 | 73.3 | 62.7-83.9 |
| 18-24 | 123 | 41,418 | 39 | 32.9 | 22.3-43.5 | 84 | 67.1 | 56.5-77.7 |
| 25-34 | 198 | 55,007 | 68 | 31.9 | 24.3-39.5 | 130 | 68.1 | 60.5-75.7 |
| 35-44 | 227 | 46,406 | 61 | 24.5 | 18.2-30.8 | 166 | 75.5 | 69.2-81.8 |
| 45-54 | 336 | 58,005 | 74 | 23.6 | 17.7-29.5 | 262 | 76.4 | 70.5-82.3 |
| 55-64 | 400 | 54,472 | 94 | 21.7 | 16.8-26.6 | 306 | 78.3 | 73.4-83.2 |
| 65+ | 599 | 57,646 | 125 | 20.6 | 16.7-24.5 | 474 | 79.4 | 75.5-83.3 |
| Less Than H.S. | 146 | 40,431 | 16 | 12.1 | 05.4-18.8 | 130 | 87.9 | 81.2-94.6 |
| H.S. or G.E.D. | 583 | 104,914 | 118 | 23.7 | 19.2-28.2 | 465 | 76.3 | 71.8-80.8 |
| Some Post-H.S. | 440 | 86,283 | 122 | 32.8 | 26.7-38.9 | 318 | 67.2 | 61.1-73.3 |
| College Graduate | 710 | 80,636 | 205 | 27.1 | 23.2-31.0 | 505 | 72.9 | 69.0-76.8 |
| Less than \$15,000 | 118 | 21,757 | 18 | 19.6 | 09.8-29.4 | 100 | 80.4 | 70.6-90.2 |
| \$15,000- 24,999 | 234 | 38,195 | 28 | 13.3 | 07.8-18.8 | 206 | 86.7 | 81.2-92.2 |
| \$25,000- 34,999 | 172 | 27,751 | 41 | 27.3 | 18.1-36.5 | 131 | 72.7 | 63.5-81.9 |
| \$35,000- 49,999 | 280 | 44,374 | 68 | 26.1 | 17.9-34.3 | 212 | 73.9 | 65.7-82.1 |
| \$50,000- 74,999 | 280 | 46,267 | 85 | 32.3 | 25.0-39.6 | 195 | 67.7 | 60.4-75.0 |
| \$75,000+ | 598 | 98,178 | 172 | 27.5 | 23.0-32.0 | 426 | 72.5 | 68.0-77.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Met Both Guidelines | | | Did Not Meet Both Guidelines | | |
|----------------------------|-------------------|----------|---------------------|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2831 | 343,945 | 462 | 17.2 | 15.2-19.2 | 2369 | 82.8 | 80.8-84.8 |
| White/Non-Hisp | 2113 | 233,325 | 342 | 17.4 | 15.0-19.8 | 1771 | 82.6 | 80.2-85.0 |
| Black or Afr. Am./Non-Hisp | 433 | 66,829 | 64 | 16.3 | 11.2-21.4 | 369 | 83.7 | 78.6-88.8 |
| Oth. Race/Non-Hisp. | 95 | 12,712 | 22 | 26.8 | 12.1-41.5 | 73 | 73.2 | 58.5-87.9 |
| Hispanic | 135 | 26,765 | 21 | 13.5 | 06.1-20.9 | 114 | 86.5 | 79.1-93.9 |
| 18-24 | 123 | 39,954 | 36 | 31.1 | 20.9-41.3 | 87 | 68.9 | 58.7-79.1 |
| 25-34 | 256 | 54,058 | 49 | 18.7 | 13.0-24.4 | 207 | 81.3 | 75.6-87.0 |
| 35-44 | 326 | 51,975 | 72 | 19.6 | 14.3-24.9 | 254 | 80.4 | 75.1-85.7 |
| 45-54 | 493 | 63,756 | 79 | 12.9 | 09.8-16.0 | 414 | 87.1 | 84.0-90.2 |
| 55-64 | 621 | 58,321 | 97 | 15.1 | 11.6-18.6 | 524 | 84.9 | 81.4-88.4 |
| 65+ | 1005 | 75,062 | 129 | 12.7 | 10.2-15.2 | 876 | 87.3 | 84.8-89.8 |
| Less Than H.S. | 208 | 41,953 | 15 | 12.5 | 05.1-19.9 | 193 | 87.5 | 80.1-94.9 |
| H.S. or G.E.D. | 816 | 98,710 | 94 | 13.6 | 10.3-16.9 | 722 | 86.4 | 83.1-89.7 |
| Some Post-H.S. | 808 | 111,426 | 125 | 16.6 | 12.9-20.3 | 683 | 83.4 | 79.7-87.1 |
| College Graduate | 999 | 91,856 | 228 | 24.1 | 20.6-27.6 | 771 | 75.9 | 72.4-79.4 |
| Less than \$15,000 | 273 | 32,476 | 34 | 14.8 | 07.9-21.7 | 239 | 85.2 | 78.3-92.1 |
| \$15,000- 24,999 | 428 | 47,952 | 44 | 10.3 | 06.4-14.2 | 384 | 89.7 | 85.8-93.6 |
| \$25,000- 34,999 | 278 | 30,725 | 39 | 11.4 | 07.1-15.7 | 239 | 88.6 | 84.3-92.9 |
| \$35,000- 49,999 | 365 | 43,327 | 57 | 18.8 | 12.7-24.9 | 308 | 81.2 | 75.1-87.3 |
| \$50,000- 74,999 | 374 | 44,618 | 67 | 17.6 | 12.7-22.5 | 307 | 82.4 | 77.5-87.3 |
| \$75,000+ | 670 | 91,955 | 162 | 23.9 | 19.4-28.4 | 508 | 76.1 | 71.6-80.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 13: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--------------------------------------|------|
| | LIMITED USUAL ACTIVITIES (_LMTACT1) | |
| 1 | MALES AND FEMALES | 166 |
| 2 | MALES ONLY | 167 |
| 3 | FEMALES ONLY | 168 |
| | LIMITED WORK ACTIVITIES (_LMTWRK1) | |
| 4 | MALES AND FEMALES | 169 |
| 5 | MALES ONLY | 170 |
| 6 | FEMALES ONLY | 171 |
| | LIMITED SOCIAL ACTIVITIES (_LMTSCL1) | |
| 7 | MALES AND FEMALES | 172 |
| 8 | MALES ONLY | 173 |
| 9 | FEMALES ONLY | 174 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Told have arthritis and limited usual activities | | | Told have arthritis and no limited usual activities | | | Not told they have arthritis | | |
|----------------------------|-------------------|----------|--|------|------------|---|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5083 | 710,432 | 762 | 11.1 | 10.1-12.1 | 907 | 14.1 | 12.9-15.3 | 3414 | 74.8 | 73.2-76.4 |
| Male | 2042 | 340,659 | 215 | 7.8 | 06.4-09.2 | 321 | 12.7 | 10.9-14.5 | 1506 | 79.5 | 77.3-81.7 |
| Female | 3041 | 369,773 | 547 | 14.2 | 12.6-15.8 | 586 | 15.4 | 13.8-17.0 | 1908 | 70.4 | 68.2-72.6 |
| White/Non-Hisp | 3754 | 475,961 | 587 | 12.2 | 11.0-13.4 | 735 | 16.2 | 14.6-17.8 | 2432 | 71.5 | 69.7-73.3 |
| Black or Afr. Am./Non-Hisp | 747 | 137,353 | 105 | 9.7 | 07.5-11.9 | 109 | 11.7 | 09.0-14.4 | 533 | 78.6 | 75.1-82.1 |
| Oth. Race/Non-Hisp. | 203 | 30,657 | 23 | 8.9 | 00.9-16.9 | 24 | 6.7 | 03.4-10.0 | 156 | 84.4 | 76.0-92.8 |
| MultiRacial/Non-Hisp. | 67 | 5,078 | 16 | 16.7 | 07.3-26.1 | 9 | 10.8 | 02.6-19.0 | 42 | 72.5 | 60.5-84.5 |
| Hispanic | 245 | 53,561 | 25 | 6.5 | 03.4-09.6 | 16 | 6.1 | 01.6-10.6 | 204 | 87.4 | 82.1-92.7 |
| 18-24 | 280 | 92,133 | 3 | 1.0 | 00.0-02.4 | 6 | 4.0 | 00.5-07.5 | 271 | 95.0 | 91.3-98.7 |
| 25-34 | 484 | 116,888 | 18 | 2.5 | 01.3-03.7 | 21 | 5.1 | 02.2-08.0 | 445 | 92.4 | 89.3-95.5 |
| 35-44 | 599 | 109,498 | 45 | 6.3 | 04.3-08.3 | 36 | 5.0 | 03.0-07.0 | 518 | 88.7 | 86.0-91.4 |
| 45-54 | 868 | 127,810 | 121 | 13.9 | 11.0-16.8 | 123 | 15.2 | 12.1-18.3 | 624 | 71.0 | 67.1-74.9 |
| 55-64 | 1076 | 117,958 | 213 | 19.6 | 16.3-22.9 | 207 | 18.6 | 15.7-21.5 | 656 | 61.8 | 58.1-65.5 |
| 65+ | 1724 | 141,405 | 359 | 19.3 | 16.9-21.7 | 506 | 30.6 | 27.9-33.3 | 859 | 50.1 | 47.2-53.0 |
| Less Than H.S. | 408 | 95,247 | 87 | 15.0 | 10.9-19.1 | 74 | 14.1 | 09.8-18.4 | 247 | 70.9 | 65.2-76.6 |
| H.S. or G.E.D. | 1518 | 222,324 | 238 | 11.0 | 09.2-12.8 | 291 | 15.6 | 13.4-17.8 | 989 | 73.4 | 70.7-76.1 |
| Some Post-H.S. | 1323 | 209,317 | 228 | 12.0 | 10.0-14.0 | 230 | 13.6 | 11.2-16.0 | 865 | 74.5 | 71.8-77.2 |
| College Graduate | 1818 | 181,847 | 208 | 8.3 | 06.9-09.7 | 309 | 13.0 | 11.2-14.8 | 1301 | 78.7 | 76.5-80.9 |
| Less than \$15,000 | 435 | 61,194 | 114 | 15.5 | 11.8-19.2 | 63 | 13.4 | 08.3-18.5 | 258 | 71.1 | 65.2-77.0 |
| \$15,000- 24,999 | 721 | 96,469 | 180 | 21.2 | 17.1-25.3 | 118 | 11.8 | 09.1-14.5 | 423 | 67.0 | 62.5-71.5 |
| \$25,000- 34,999 | 486 | 63,829 | 68 | 10.3 | 07.0-13.6 | 102 | 15.7 | 12.0-19.4 | 316 | 74.0 | 69.3-78.7 |
| \$35,000- 49,999 | 679 | 94,104 | 97 | 10.5 | 08.0-13.0 | 128 | 14.2 | 11.3-17.1 | 454 | 75.2 | 71.5-78.9 |
| \$50,000- 74,999 | 672 | 92,675 | 77 | 9.7 | 07.2-12.2 | 118 | 17.3 | 13.2-21.4 | 477 | 73.0 | 68.5-77.5 |
| \$75,000+ | 1332 | 199,983 | 109 | 6.3 | 04.9-07.7 | 222 | 12.9 | 10.7-15.1 | 1001 | 80.8 | 78.3-83.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Told have arthritis and limited usual activities | | | Told have arthritis and no limited usual activities | | | Not told they have arthritis | | |
|----------------------------|-------------------|----------|--|------|------------|---|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2042 | 340,659 | 215 | 7.8 | 06.4-09.2 | 321 | 12.7 | 10.9-14.5 | 1506 | 79.5 | 77.3-81.7 |
| White/Non-Hisp | 1506 | 227,806 | 171 | 8.8 | 07.2-10.4 | 267 | 14.8 | 12.4-17.2 | 1068 | 76.5 | 73.8-79.2 |
| Black or Afr. Am./Non-Hisp | 280 | 63,761 | 24 | 5.4 | 02.9-07.9 | 31 | 11.0 | 06.5-15.5 | 225 | 83.7 | 78.6-88.8 |
| Oth. Race/Non-Hisp. | 96 | 17,161 | 6 | 9.3 | 00.0-23.0 | 7 | 4.6 | 00.7-08.5 | 83 | 86.1 | 72.4-99.8 |
| Hispanic | 102 | 24,760 | 6 | 4.4 | 00.5-08.3 | 6 | 3.5 | 00.6-06.4 | 90 | 92.0 | 87.1-96.9 |
| 18-24 | 136 | 46,472 | | | | 1 | 1.8 | 00.0-05.1 | 135 | 98.2 | 94.9-0100 |
| 25-34 | 210 | 58,764 | 3 | 0.9 | 00.0-01.9 | 9 | 5.8 | 00.7-10.9 | 198 | 93.3 | 88.2-98.4 |
| 35-44 | 256 | 53,212 | 15 | 5.0 | 02.3-07.7 | 13 | 4.4 | 01.7-07.1 | 228 | 90.6 | 86.9-94.3 |
| 45-54 | 357 | 61,768 | 36 | 9.7 | 06.2-13.2 | 45 | 14.1 | 09.4-18.8 | 276 | 76.2 | 70.5-81.9 |
| 55-64 | 414 | 56,373 | 65 | 16.7 | 11.2-22.2 | 68 | 16.6 | 12.1-21.1 | 281 | 66.7 | 60.6-72.8 |
| 65+ | 655 | 62,666 | 95 | 12.9 | 09.8-16.0 | 185 | 29.5 | 25.2-33.8 | 375 | 57.7 | 53.0-62.4 |
| Less Than H.S. | 173 | 47,822 | 25 | 10.7 | 04.6-16.8 | 27 | 11.2 | 06.1-16.3 | 121 | 78.1 | 70.7-85.5 |
| H.S. or G.E.D. | 628 | 114,174 | 71 | 7.9 | 05.5-10.3 | 97 | 13.1 | 10.0-16.2 | 460 | 79.0 | 75.3-82.7 |
| Some Post-H.S. | 467 | 91,504 | 48 | 7.0 | 04.6-09.4 | 73 | 13.1 | 09.0-17.2 | 346 | 79.9 | 75.4-84.4 |
| College Graduate | 766 | 86,051 | 71 | 7.1 | 04.9-09.3 | 123 | 12.5 | 10.0-15.0 | 572 | 80.4 | 77.3-83.5 |
| Less than \$15,000 | 133 | 24,091 | 30 | 14.3 | 08.0-20.6 | 14 | 11.4 | 03.4-19.4 | 89 | 74.3 | 64.7-83.9 |
| \$15,000- 24,999 | 257 | 43,196 | 44 | 15.2 | 08.5-21.9 | 37 | 10.3 | 06.0-14.6 | 176 | 74.5 | 67.2-81.8 |
| \$25,000- 34,999 | 189 | 31,061 | 20 | 6.6 | 02.7-10.5 | 35 | 13.0 | 07.9-18.1 | 134 | 80.4 | 74.1-86.7 |
| \$35,000- 49,999 | 296 | 47,382 | 26 | 6.5 | 03.4-09.6 | 51 | 12.1 | 08.2-16.0 | 219 | 81.4 | 76.5-86.3 |
| \$50,000- 74,999 | 290 | 46,947 | 28 | 6.8 | 03.9-09.7 | 51 | 20.1 | 12.8-27.4 | 211 | 73.1 | 65.7-80.5 |
| \$75,000+ | 632 | 105,199 | 40 | 5.2 | 03.2-07.2 | 100 | 12.3 | 09.4-15.2 | 492 | 82.6 | 79.1-86.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Told have arthritis and limited usual activities | | | Told have arthritis and no limited usual activities | | | Not told they have arthritis | | |
|----------------------------|-------------------|----------|--|------|------------|---|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3041 | 369,773 | 547 | 14.2 | 12.6-15.8 | 586 | 15.4 | 13.8-17.0 | 1908 | 70.4 | 68.4-72.4 |
| White/Non-Hisp | 2248 | 248,155 | 416 | 15.4 | 13.6-17.2 | 468 | 17.6 | 15.6-19.6 | 1364 | 67.0 | 64.5-69.5 |
| Black or Afr. Am./Non-Hisp | 467 | 73,592 | 81 | 13.4 | 09.9-16.9 | 78 | 12.3 | 09.0-15.6 | 308 | 74.3 | 69.6-79.0 |
| Oth. Race/Non-Hisp. | 107 | 13,497 | 17 | 8.4 | 02.9-13.9 | 17 | 9.3 | 03.6-15.0 | 73 | 82.3 | 74.5-90.1 |
| Hispanic | 143 | 28,801 | 19 | 8.3 | 03.6-13.0 | 10 | 8.3 | 00.7-15.9 | 114 | 83.5 | 75.1-91.9 |
| 18-24 | 144 | 45,661 | 3 | 2.0 | 00.0-04.5 | 5 | 6.3 | 00.0-12.6 | 136 | 91.7 | 85.0-98.4 |
| 25-34 | 274 | 58,124 | 15 | 4.2 | 01.8-06.6 | 12 | 4.3 | 01.6-07.0 | 247 | 91.5 | 88.0-95.0 |
| 35-44 | 343 | 56,287 | 30 | 7.6 | 04.7-10.5 | 23 | 5.5 | 03.0-08.0 | 290 | 86.9 | 83.0-90.8 |
| 45-54 | 511 | 66,042 | 85 | 17.8 | 13.5-22.1 | 78 | 16.1 | 12.2-20.0 | 348 | 66.1 | 61.0-71.2 |
| 55-64 | 662 | 61,585 | 148 | 22.4 | 18.3-26.5 | 139 | 20.4 | 16.7-24.1 | 375 | 57.2 | 52.3-62.1 |
| 65+ | 1069 | 78,739 | 264 | 24.4 | 21.3-27.5 | 321 | 31.5 | 28.0-35.0 | 484 | 44.1 | 40.4-47.8 |
| Less Than H.S. | 235 | 47,425 | 62 | 19.4 | 13.5-25.3 | 47 | 17.0 | 10.1-23.9 | 126 | 63.6 | 55.6-71.6 |
| H.S. or G.E.D. | 890 | 108,151 | 167 | 14.4 | 11.7-17.1 | 194 | 18.2 | 15.1-21.3 | 529 | 67.4 | 63.5-71.3 |
| Some Post-H.S. | 856 | 117,814 | 180 | 15.9 | 13.2-18.6 | 157 | 13.9 | 11.4-16.4 | 519 | 70.2 | 66.7-73.7 |
| College Graduate | 1052 | 95,796 | 137 | 9.4 | 07.4-11.4 | 186 | 13.5 | 11.1-15.9 | 729 | 77.1 | 74.2-80.0 |
| Less than \$15,000 | 302 | 37,103 | 84 | 16.3 | 11.8-20.8 | 49 | 14.7 | 08.0-21.4 | 169 | 69.0 | 61.6-76.4 |
| \$15,000- 24,999 | 464 | 53,273 | 136 | 26.1 | 21.0-31.2 | 81 | 13.0 | 09.5-16.5 | 247 | 61.0 | 55.3-66.7 |
| \$25,000- 34,999 | 297 | 32,768 | 48 | 13.8 | 08.7-18.9 | 67 | 18.2 | 12.9-23.5 | 182 | 68.0 | 61.3-74.7 |
| \$35,000- 49,999 | 383 | 46,722 | 71 | 14.6 | 10.7-18.5 | 77 | 16.4 | 12.1-20.7 | 235 | 69.0 | 63.3-74.7 |
| \$50,000- 74,999 | 382 | 45,728 | 49 | 12.6 | 08.5-16.7 | 67 | 14.4 | 10.5-18.3 | 266 | 73.0 | 67.5-78.5 |
| \$75,000+ | 700 | 94,785 | 69 | 7.5 | 05.3-09.7 | 122 | 13.7 | 10.8-16.6 | 509 | 78.8 | 75.3-82.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Told have arthritis and limited work | | | Told have arthritis and have no limited work | | | Not told they have arthritis | | |
|----------------------------|-------------------|----------|--------------------------------------|------|------------|--|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5049 | 706,503 | 452 | 7.1 | 06.3-07.9 | 1183 | 17.7 | 16.3-19.1 | 3414 | 75.2 | 73.8-76.6 |
| Male | 2032 | 338,793 | 121 | 4.7 | 03.7-05.7 | 405 | 15.4 | 13.4-17.4 | 1506 | 79.9 | 77.7-82.1 |
| Female | 3017 | 367,709 | 331 | 9.3 | 07.9-10.7 | 778 | 19.9 | 18.1-21.7 | 1908 | 70.8 | 68.6-73.0 |
| White/Non-Hisp | 3733 | 474,379 | 325 | 7.4 | 06.4-08.4 | 976 | 20.9 | 19.3-22.5 | 2432 | 71.8 | 70.0-73.6 |
| Black or Afr. Am./Non-Hisp | 739 | 136,630 | 77 | 7.7 | 05.5-09.9 | 129 | 13.2 | 10.3-16.1 | 533 | 79.1 | 75.6-82.6 |
| Oth. Race/Non-Hisp. | 200 | 29,257 | 13 | 3.5 | 01.1-05.9 | 31 | 8.1 | 04.4-11.8 | 156 | 88.4 | 83.9-92.9 |
| MultiRacial/Non-Hisp. | 67 | 5,078 | 15 | 18.0 | 07.6-28.4 | 10 | 9.5 | 02.8-16.2 | 42 | 72.5 | 60.5-84.5 |
| Hispanic | 244 | 53,369 | 17 | 4.2 | 01.7-06.7 | 23 | 8.1 | 03.4-12.8 | 204 | 87.7 | 82.6-92.8 |
| 18-24 | 280 | 92,133 | 4 | 1.3 | 00.0-02.7 | 5 | 3.7 | 00.2-07.2 | 271 | 95.0 | 91.3-98.7 |
| 25-34 | 484 | 116,829 | 12 | 1.3 | 00.5-02.1 | 27 | 6.3 | 03.2-09.4 | 445 | 92.5 | 89.4-95.6 |
| 35-44 | 595 | 108,826 | 30 | 3.9 | 02.3-05.5 | 47 | 6.9 | 04.5-09.3 | 518 | 89.2 | 86.5-91.9 |
| 45-54 | 865 | 127,805 | 96 | 10.3 | 07.8-12.8 | 145 | 18.7 | 15.4-22.0 | 624 | 71.0 | 67.1-74.9 |
| 55-64 | 1068 | 115,691 | 138 | 12.9 | 10.4-15.4 | 274 | 24.1 | 21.0-27.2 | 656 | 63.0 | 59.5-66.5 |
| 65+ | 1706 | 140,510 | 170 | 10.7 | 08.7-12.7 | 677 | 38.9 | 36.0-41.8 | 859 | 50.5 | 47.6-53.4 |
| Less Than H.S. | 402 | 93,762 | 67 | 11.3 | 08.0-14.6 | 88 | 16.6 | 12.1-21.1 | 247 | 72.0 | 66.7-77.3 |
| H.S. or G.E.D. | 1507 | 221,661 | 166 | 8.5 | 06.9-10.1 | 352 | 17.9 | 15.5-20.3 | 989 | 73.6 | 70.9-76.3 |
| Some Post-H.S. | 1313 | 207,918 | 131 | 6.9 | 05.5-08.3 | 317 | 18.2 | 15.7-20.7 | 865 | 75.0 | 72.3-77.7 |
| College Graduate | 1811 | 181,466 | 88 | 3.5 | 02.5-04.5 | 422 | 17.6 | 15.6-19.6 | 1301 | 78.8 | 76.6-81.0 |
| Less than \$15,000 | 432 | 61,033 | 77 | 11.7 | 08.2-15.2 | 97 | 17.0 | 11.9-22.1 | 258 | 71.3 | 65.4-77.2 |
| \$15,000- 24,999 | 708 | 94,260 | 133 | 16.7 | 13.4-20.0 | 152 | 14.7 | 11.8-17.6 | 423 | 68.6 | 64.5-72.7 |
| \$25,000- 34,999 | 483 | 63,543 | 38 | 6.3 | 03.6-09.0 | 129 | 19.4 | 15.3-23.5 | 316 | 74.3 | 69.6-79.0 |
| \$35,000- 49,999 | 675 | 93,588 | 53 | 6.1 | 04.1-08.1 | 168 | 18.3 | 15.0-21.6 | 454 | 75.7 | 72.0-79.4 |
| \$50,000- 74,999 | 674 | 92,677 | 44 | 6.6 | 04.2-09.0 | 153 | 20.3 | 16.0-24.6 | 477 | 73.0 | 68.5-77.5 |
| \$75,000+ | 1330 | 199,729 | 51 | 2.8 | 01.8-03.8 | 278 | 16.3 | 13.9-18.7 | 1001 | 80.9 | 78.5-83.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Told have arthritis and limited work | | | Told have arthritis and have no limited work | | | Not told they have arthritis | | |
|----------------------------|-------------------|----------|--------------------------------------|------|------------|--|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2032 | 338,793 | 121 | 4.7 | 03.7-05.7 | 405 | 15.4 | 13.4-17.4 | 1506 | 79.9 | 77.7-82.1 |
| White/Non-Hisp | 1501 | 227,550 | 97 | 5.6 | 04.2-07.0 | 336 | 17.9 | 15.5-20.3 | 1068 | 76.5 | 73.8-79.2 |
| Black or Afr. Am./Non-Hisp | 278 | 63,501 | 10 | 2.8 | 00.8-04.8 | 43 | 13.1 | 08.4-17.8 | 225 | 84.0 | 78.9-89.1 |
| Oth. Race/Non-Hisp. | 94 | 15,842 | 2 | 0.7 | 00.0-01.7 | 9 | 6.1 | 01.6-10.6 | 83 | 93.3 | 88.6-98.0 |
| Hispanic | 102 | 24,760 | 4 | 2.2 | 00.0-04.6 | 8 | 5.7 | 01.4-10.0 | 90 | 92.0 | 87.1-96.9 |
| 18-24 | 136 | 46,472 | | | | 1 | 1.8 | 00.0-05.1 | 135 | 98.2 | 94.9-0100 |
| 25-34 | 210 | 58,764 | 2 | 0.7 | 00.0-01.7 | 10 | 6.1 | 01.0-11.2 | 198 | 93.3 | 88.2-98.4 |
| 35-44 | 255 | 52,988 | 10 | 2.9 | 00.9-04.9 | 17 | 6.1 | 02.8-09.4 | 228 | 91.0 | 87.3-94.7 |
| 45-54 | 358 | 62,144 | 26 | 6.2 | 03.3-09.1 | 56 | 18.1 | 13.0-23.2 | 276 | 75.7 | 70.0-81.4 |
| 55-64 | 411 | 54,713 | 39 | 10.0 | 06.3-13.7 | 91 | 21.3 | 16.6-26.0 | 281 | 68.7 | 63.2-74.2 |
| 65+ | 649 | 62,338 | 44 | 7.4 | 04.7-10.1 | 230 | 34.7 | 30.2-39.2 | 375 | 58.0 | 53.3-62.7 |
| Less Than H.S. | 171 | 46,726 | 16 | 5.4 | 02.1-08.7 | 34 | 14.6 | 08.9-20.3 | 121 | 80.0 | 73.5-86.5 |
| H.S. or G.E.D. | 624 | 113,861 | 48 | 6.3 | 04.1-08.5 | 116 | 14.5 | 11.4-17.6 | 460 | 79.2 | 75.5-82.9 |
| Some Post-H.S. | 465 | 91,102 | 26 | 4.0 | 02.2-05.8 | 93 | 15.7 | 11.4-20.0 | 346 | 80.3 | 75.8-84.8 |
| College Graduate | 764 | 85,995 | 31 | 2.9 | 01.5-04.3 | 161 | 16.7 | 13.8-19.6 | 572 | 80.5 | 77.4-83.6 |
| Less than \$15,000 | 133 | 24,091 | 18 | 7.9 | 03.2-12.6 | 26 | 17.8 | 09.0-26.6 | 89 | 74.3 | 64.7-83.9 |
| \$15,000- 24,999 | 251 | 41,520 | 29 | 9.5 | 05.4-13.6 | 46 | 13.0 | 08.5-17.5 | 176 | 77.5 | 71.6-83.4 |
| \$25,000- 34,999 | 189 | 31,061 | 13 | 5.6 | 01.7-09.5 | 42 | 14.0 | 08.9-19.1 | 134 | 80.4 | 74.1-86.7 |
| \$35,000- 49,999 | 295 | 47,158 | 16 | 4.4 | 01.7-07.1 | 60 | 13.8 | 09.7-17.9 | 219 | 81.8 | 76.9-86.7 |
| \$50,000- 74,999 | 291 | 46,976 | 19 | 6.3 | 02.8-09.8 | 61 | 20.6 | 13.5-27.7 | 211 | 73.1 | 65.8-80.4 |
| \$75,000+ | 631 | 105,005 | 15 | 1.7 | 00.7-02.7 | 124 | 15.6 | 12.3-18.9 | 492 | 82.7 | 79.4-86.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Told have arthritis and limited work | | | Told have arthritis and have no limited work | | | Not told they have arthritis | | |
|----------------------------|-------------------|----------|--------------------------------------|------|------------|--|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3017 | 367,709 | 331 | 9.3 | 07.9-10.7 | 778 | 19.9 | 18.1-21.7 | 1908 | 70.8 | 68.8-72.8 |
| White/Non-Hisp | 2232 | 246,829 | 228 | 9.0 | 07.4-10.6 | 640 | 23.6 | 21.4-25.8 | 1364 | 67.4 | 64.9-69.9 |
| Black or Afr. Am./Non-Hisp | 461 | 73,129 | 67 | 12.0 | 08.5-15.5 | 86 | 13.3 | 10.0-16.6 | 308 | 74.8 | 70.1-79.5 |
| Oth. Race/Non-Hisp. | 106 | 13,415 | 11 | 6.8 | 02.1-11.5 | 22 | 10.5 | 04.4-16.6 | 73 | 82.8 | 75.2-90.4 |
| Hispanic | 142 | 28,608 | 13 | 5.9 | 01.8-10.0 | 15 | 10.1 | 02.3-17.9 | 114 | 84.0 | 75.6-92.4 |
| 18-24 | 144 | 45,661 | 4 | 2.7 | 00.0-05.6 | 4 | 5.7 | 00.0-11.8 | 136 | 91.7 | 85.0-98.4 |
| 25-34 | 274 | 58,065 | 10 | 1.9 | 00.7-03.1 | 17 | 6.5 | 03.2-09.8 | 247 | 91.6 | 88.1-95.1 |
| 35-44 | 340 | 55,838 | 20 | 4.8 | 02.4-07.2 | 30 | 7.7 | 04.6-10.8 | 290 | 87.5 | 83.6-91.4 |
| 45-54 | 507 | 65,662 | 70 | 14.2 | 10.3-18.1 | 89 | 19.3 | 15.0-23.6 | 348 | 66.5 | 61.4-71.6 |
| 55-64 | 657 | 60,977 | 99 | 15.5 | 11.8-19.2 | 183 | 26.7 | 22.6-30.8 | 375 | 57.8 | 52.9-62.7 |
| 65+ | 1057 | 78,172 | 126 | 13.3 | 10.6-16.0 | 447 | 42.2 | 38.5-45.9 | 484 | 44.4 | 40.7-48.1 |
| Less Than H.S. | 231 | 47,036 | 51 | 17.2 | 11.5-22.9 | 54 | 18.6 | 11.7-25.5 | 126 | 64.2 | 56.0-72.4 |
| H.S. or G.E.D. | 883 | 107,799 | 118 | 10.8 | 08.3-13.3 | 236 | 21.5 | 18.2-24.8 | 529 | 67.6 | 63.7-71.5 |
| Some Post-H.S. | 848 | 116,816 | 105 | 9.1 | 06.9-11.3 | 224 | 20.1 | 17.2-23.0 | 519 | 70.8 | 67.3-74.3 |
| College Graduate | 1047 | 95,471 | 57 | 4.1 | 02.9-05.3 | 261 | 18.5 | 16.0-21.0 | 729 | 77.4 | 74.5-80.3 |
| Less than \$15,000 | 299 | 36,942 | 59 | 14.2 | 09.3-19.1 | 71 | 16.4 | 09.9-22.9 | 169 | 69.3 | 61.9-76.7 |
| \$15,000- 24,999 | 457 | 52,739 | 104 | 22.4 | 17.5-27.3 | 106 | 16.0 | 12.3-19.7 | 247 | 61.6 | 55.9-67.3 |
| \$25,000- 34,999 | 294 | 32,482 | 25 | 7.0 | 03.3-10.7 | 87 | 24.5 | 18.4-30.6 | 182 | 68.6 | 61.9-75.3 |
| \$35,000- 49,999 | 380 | 46,430 | 37 | 7.8 | 04.9-10.7 | 108 | 22.8 | 17.7-27.9 | 235 | 69.4 | 63.7-75.1 |
| \$50,000- 74,999 | 383 | 45,701 | 25 | 6.9 | 03.8-10.0 | 92 | 20.0 | 15.3-24.7 | 266 | 73.0 | 67.5-78.5 |
| \$75,000+ | 699 | 94,724 | 36 | 4.0 | 02.4-05.6 | 154 | 17.2 | 14.1-20.3 | 509 | 78.8 | 75.3-82.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 7: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Told have arthritis and social activities limited a lot | | | Told have arthritis and social activities limited a little | | | Told have arthritis and social activities not limited | | | Not told they have arthritis | | |
|----------------------------|-------------------|----------|---|------|------------|--|------|------------|---|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5078 | 710,348 | 280 | 4.3 | 03.5-05.1 | 389 | 6.0 | 05.2-06.8 | 995 | 15.0 | 13.8-16.2 | 3414 | 74.8 | 73.2-76.4 |
| Male | 2043 | 341,032 | 72 | 2.8 | 01.8-03.8 | 117 | 4.7 | 03.5-05.9 | 348 | 13.0 | 11.2-14.8 | 1506 | 79.4 | 77.2-81.6 |
| Female | 3035 | 369,316 | 208 | 5.6 | 04.6-06.6 | 272 | 7.1 | 05.9-08.3 | 647 | 16.8 | 15.2-18.4 | 1908 | 70.5 | 68.3-72.7 |
| White/Non-Hisp | 3753 | 476,081 | 201 | 4.0 | 03.2-04.8 | 285 | 6.5 | 05.5-07.5 | 835 | 17.9 | 16.3-19.5 | 2432 | 71.5 | 69.7-73.3 |
| Black or Afr. Am./Non-Hisp | 744 | 137,115 | 52 | 5.2 | 03.4-07.0 | 62 | 5.8 | 03.8-07.8 | 97 | 10.3 | 07.8-12.8 | 533 | 78.8 | 75.3-82.3 |
| Oth. Race/Non-Hisp. | 203 | 30,723 | 8 | 5.9 | 00.0-13.9 | 14 | 4.3 | 01.6-07.0 | 25 | 5.6 | 02.7-08.5 | 156 | 84.2 | 75.8-92.6 |
| MultiRacial/Non-Hisp. | 67 | 5,078 | 7 | 6.3 | 00.8-11.8 | 8 | 7.6 | 00.5-14.7 | 10 | 13.6 | 04.6-22.6 | 42 | 72.5 | 60.5-84.5 |
| Hispanic | 245 | 53,561 | 9 | 2.9 | 00.7-05.1 | 16 | 3.0 | 01.2-04.8 | 16 | 6.7 | 02.0-11.4 | 204 | 87.4 | 82.1-92.7 |
| 18-24 | 280 | 92,133 | 1 | 0.6 | 00.0-01.8 | 4 | 2.3 | 00.0-04.8 | 4 | 2.1 | 00.0-04.6 | 271 | 95.0 | 91.3-98.7 |
| 25-34 | 485 | 117,018 | 8 | 1.1 | 00.3-01.9 | 13 | 3.0 | 00.6-05.4 | 19 | 3.6 | 01.6-05.6 | 445 | 92.3 | 89.2-95.4 |
| 35-44 | 599 | 109,498 | 15 | 1.8 | 00.8-02.8 | 20 | 2.6 | 01.4-03.8 | 46 | 6.9 | 04.5-09.3 | 518 | 88.7 | 86.0-91.4 |
| 45-54 | 867 | 128,036 | 49 | 5.4 | 03.4-07.4 | 68 | 7.8 | 05.6-10.0 | 126 | 16.0 | 12.9-19.1 | 624 | 70.8 | 66.9-74.7 |
| 55-64 | 1075 | 117,913 | 93 | 9.7 | 06.8-12.6 | 101 | 8.2 | 06.4-10.0 | 225 | 20.3 | 17.4-23.2 | 656 | 61.8 | 58.1-65.5 |
| 65+ | 1720 | 141,010 | 114 | 5.8 | 04.4-07.2 | 183 | 10.2 | 08.4-12.0 | 564 | 33.7 | 31.0-36.4 | 859 | 50.3 | 47.4-53.2 |
| Less Than H.S. | 408 | 95,535 | 45 | 7.9 | 04.4-11.4 | 49 | 7.9 | 05.0-10.8 | 67 | 13.5 | 09.4-17.6 | 247 | 70.7 | 65.0-76.4 |
| H.S. or G.E.D. | 1514 | 221,964 | 101 | 4.8 | 03.6-06.0 | 133 | 6.1 | 04.9-07.3 | 291 | 15.6 | 13.2-18.0 | 989 | 73.5 | 70.8-76.2 |
| Some Post-H.S. | 1322 | 209,263 | 82 | 4.3 | 03.1-05.5 | 111 | 6.9 | 04.9-08.9 | 264 | 14.4 | 12.4-16.4 | 865 | 74.5 | 71.8-77.2 |
| College Graduate | 1818 | 181,888 | 52 | 1.8 | 01.2-02.4 | 94 | 3.9 | 02.9-04.9 | 371 | 15.7 | 13.7-17.7 | 1301 | 78.7 | 76.5-80.9 |
| Less than \$15,000 | 434 | 60,941 | 54 | 6.7 | 04.3-09.1 | 59 | 9.0 | 05.5-12.5 | 63 | 12.9 | 08.2-17.6 | 258 | 71.4 | 65.5-77.3 |
| \$15,000- 24,999 | 720 | 96,388 | 75 | 10.1 | 06.6-13.6 | 90 | 9.7 | 07.3-12.1 | 132 | 13.1 | 10.2-16.0 | 423 | 67.1 | 62.6-71.6 |
| \$25,000- 34,999 | 485 | 63,805 | 29 | 4.0 | 02.0-06.0 | 45 | 7.7 | 05.0-10.4 | 95 | 14.2 | 10.7-17.7 | 316 | 74.0 | 69.3-78.7 |
| \$35,000- 49,999 | 680 | 94,162 | 30 | 3.8 | 02.2-05.4 | 46 | 5.0 | 03.2-06.8 | 150 | 16.0 | 12.9-19.1 | 454 | 75.2 | 71.5-78.9 |
| \$50,000- 74,999 | 675 | 92,840 | 25 | 3.4 | 01.8-05.0 | 48 | 7.8 | 04.5-11.1 | 125 | 16.0 | 12.5-19.5 | 477 | 72.9 | 68.4-77.4 |
| \$75,000+ | 1330 | 199,910 | 21 | 1.2 | 00.6-01.8 | 48 | 2.5 | 01.7-03.3 | 260 | 15.5 | 13.1-17.9 | 1001 | 80.8 | 78.3-83.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 8: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Told have arthritis and social activities limited a lot | | | Told have arthritis and social activities limited a little | | | Told have arthritis and social activities not limited | | | Not told they have arthritis | | |
|----------------------------|-------------------|----------|---|-----|------------|--|-----|------------|---|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2043 | 341,032 | 72 | 2.8 | 01.8-03.8 | 117 | 4.7 | 03.5-05.9 | 348 | 13.0 | 11.2-14.8 | 1506 | 79.4 | 77.2-81.6 |
| White/Non-Hisp | 1508 | 228,210 | 55 | 2.8 | 01.8-03.8 | 96 | 5.5 | 03.9-07.1 | 289 | 15.4 | 13.2-17.6 | 1068 | 76.3 | 73.6-79.0 |
| Black or Afr. Am./Non-Hisp | 280 | 63,761 | 11 | 2.4 | 00.8-04.0 | 12 | 4.3 | 01.2-07.4 | 32 | 9.6 | 05.7-13.5 | 225 | 83.7 | 78.6-88.8 |
| Oth. Race/Non-Hisp. | 96 | 17,161 | 1 | 7.5 | 00.0-21.2 | 4 | 1.9 | 00.0-03.9 | 8 | 4.5 | 00.8-08.2 | 83 | 86.1 | 72.4-99.8 |
| Hispanic | 102 | 24,760 | 2 | 1.1 | 00.0-02.9 | 3 | 1.8 | 00.0-04.0 | 7 | 5.1 | 00.8-09.4 | 90 | 92.0 | 87.1-96.9 |
| 18-24 | 136 | 46,472 | | | | 1 | 1.8 | 00.0-05.1 | | | | 135 | 98.2 | 94.9-0100 |
| 25-34 | 210 | 58,764 | 1 | 0.4 | 00.0-01.2 | 2 | 2.6 | 00.0-07.1 | 9 | 3.7 | 00.8-06.6 | 198 | 93.3 | 88.2-98.4 |
| 35-44 | 256 | 53,212 | 3 | 0.9 | 00.0-02.1 | 11 | 2.9 | 01.1-04.7 | 14 | 5.6 | 02.3-08.9 | 228 | 90.6 | 86.9-94.3 |
| 45-54 | 358 | 62,144 | 12 | 2.3 | 00.7-03.9 | 26 | 7.4 | 04.1-10.7 | 44 | 14.6 | 09.7-19.5 | 276 | 75.7 | 70.0-81.4 |
| 55-64 | 414 | 56,373 | 27 | 9.4 | 04.3-14.5 | 32 | 6.7 | 04.2-09.2 | 74 | 17.1 | 12.6-21.6 | 281 | 66.7 | 60.6-72.8 |
| 65+ | 655 | 62,663 | 29 | 3.4 | 02.0-04.8 | 45 | 6.2 | 04.0-08.4 | 206 | 32.6 | 28.1-37.1 | 375 | 57.7 | 53.0-62.4 |
| Less Than H.S. | 174 | 48,198 | 14 | 5.9 | 00.6-11.2 | 9 | 3.3 | 00.8-05.8 | 30 | 13.3 | 07.8-18.8 | 121 | 77.5 | 69.9-85.1 |
| H.S. or G.E.D. | 628 | 114,174 | 28 | 3.3 | 01.7-04.9 | 45 | 5.0 | 03.2-06.8 | 95 | 12.7 | 09.6-15.8 | 460 | 79.0 | 75.3-82.7 |
| Some Post-H.S. | 467 | 91,504 | 13 | 1.7 | 00.5-02.9 | 27 | 6.6 | 02.9-10.3 | 81 | 11.8 | 08.7-14.9 | 346 | 79.9 | 75.4-84.4 |
| College Graduate | 766 | 86,048 | 17 | 1.7 | 00.7-02.7 | 36 | 3.3 | 01.9-04.7 | 141 | 14.6 | 11.9-17.3 | 572 | 80.4 | 77.3-83.5 |
| Less than \$15,000 | 133 | 24,091 | 16 | 6.6 | 02.5-10.7 | 13 | 9.5 | 02.1-16.9 | 15 | 9.6 | 03.7-15.5 | 89 | 74.3 | 64.7-83.9 |
| \$15,000- 24,999 | 257 | 43,196 | 20 | 7.8 | 01.7-13.9 | 19 | 5.5 | 02.8-08.2 | 42 | 12.2 | 07.5-16.9 | 176 | 74.5 | 67.2-81.8 |
| \$25,000- 34,999 | 189 | 31,061 | 5 | 1.6 | 00.2-03.0 | 12 | 5.3 | 01.4-09.2 | 38 | 12.7 | 07.8-17.6 | 134 | 80.4 | 74.1-86.7 |
| \$35,000- 49,999 | 296 | 47,382 | 12 | 3.5 | 01.0-06.0 | 13 | 3.4 | 01.2-05.6 | 52 | 11.7 | 08.0-15.4 | 219 | 81.4 | 76.5-86.3 |
| \$50,000- 74,999 | 291 | 46,976 | 6 | 1.6 | 00.2-03.0 | 24 | 9.7 | 03.6-15.8 | 50 | 15.7 | 10.2-21.2 | 211 | 73.1 | 65.8-80.4 |
| \$75,000+ | 632 | 105,199 | 7 | 1.0 | 00.0-02.0 | 18 | 1.7 | 00.7-02.7 | 115 | 14.7 | 11.4-18.0 | 492 | 82.6 | 79.1-86.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 13: ARTHRITIS BURDEN
 TABLE 9: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Told have arthritis and social activities limited a lot | | | Told have arthritis and social activities limited a little | | | Told have arthritis and social activities not limited | | | Not told they have arthritis | | |
|----------------------------|-------------------|----------|---|------|------------|--|------|------------|---|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3035 | 369,316 | 208 | 5.6 | 04.6-06.6 | 272 | 7.1 | 05.9-08.3 | 647 | 16.8 | 15.2-18.4 | 1908 | 70.5 | 68.5-72.5 |
| White/Non-Hisp | 2245 | 247,871 | 146 | 5.2 | 04.0-06.4 | 189 | 7.4 | 06.0-08.8 | 546 | 20.3 | 18.3-22.3 | 1364 | 67.1 | 64.6-69.6 |
| Black or Afr. Am./Non-Hisp | 464 | 73,353 | 41 | 7.6 | 04.9-10.3 | 50 | 7.0 | 04.6-09.4 | 65 | 10.9 | 07.6-14.2 | 308 | 74.5 | 69.8-79.2 |
| Oth. Race/Non-Hisp. | 107 | 13,562 | 7 | 3.8 | 00.3-07.3 | 10 | 7.4 | 02.1-12.7 | 17 | 6.9 | 02.2-11.6 | 73 | 81.9 | 73.9-89.9 |
| Hispanic | 143 | 28,801 | 7 | 4.4 | 00.5-08.3 | 13 | 4.0 | 01.5-06.5 | 9 | 8.2 | 00.6-15.8 | 114 | 83.5 | 75.1-91.9 |
| 18-24 | 144 | 45,661 | 1 | 1.2 | 00.0-03.6 | 3 | 2.9 | 00.0-07.0 | 4 | 4.3 | 00.0-09.4 | 136 | 91.7 | 85.0-98.4 |
| 25-34 | 275 | 58,253 | 7 | 1.8 | 00.2-03.4 | 11 | 3.3 | 01.3-05.3 | 10 | 3.6 | 01.1-06.1 | 247 | 91.3 | 87.8-94.8 |
| 35-44 | 343 | 56,287 | 12 | 2.6 | 01.0-04.2 | 9 | 2.4 | 00.8-04.0 | 32 | 8.2 | 05.1-11.3 | 290 | 86.9 | 83.0-90.8 |
| 45-54 | 509 | 65,892 | 37 | 8.4 | 05.1-11.7 | 42 | 8.1 | 05.2-11.0 | 82 | 17.2 | 13.1-21.3 | 348 | 66.3 | 61.2-71.4 |
| 55-64 | 661 | 61,540 | 66 | 9.9 | 07.0-12.8 | 69 | 9.5 | 07.0-12.0 | 151 | 23.3 | 19.2-27.4 | 375 | 57.3 | 52.4-62.2 |
| 65+ | 1065 | 78,348 | 85 | 7.7 | 05.7-09.7 | 138 | 13.4 | 10.9-15.9 | 358 | 34.6 | 31.1-38.1 | 484 | 44.3 | 40.6-48.0 |
| Less Than H.S. | 234 | 47,337 | 31 | 9.8 | 05.5-14.1 | 40 | 12.6 | 07.1-18.1 | 37 | 13.8 | 07.7-19.9 | 126 | 63.8 | 55.8-71.8 |
| H.S. or G.E.D. | 886 | 107,790 | 73 | 6.4 | 04.4-08.4 | 88 | 7.2 | 05.4-09.0 | 196 | 18.7 | 15.6-21.8 | 529 | 67.6 | 63.7-71.5 |
| Some Post-H.S. | 855 | 117,760 | 69 | 6.3 | 04.3-08.3 | 84 | 7.1 | 05.3-08.9 | 183 | 16.4 | 13.7-19.1 | 519 | 70.3 | 66.8-73.8 |
| College Graduate | 1052 | 95,841 | 35 | 1.8 | 01.0-02.6 | 58 | 4.3 | 02.9-05.7 | 230 | 16.7 | 14.2-19.2 | 729 | 77.1 | 74.2-80.0 |
| Less than \$15,000 | 301 | 36,850 | 38 | 6.8 | 04.1-09.5 | 46 | 8.7 | 05.6-11.8 | 48 | 15.0 | 08.1-21.9 | 169 | 69.5 | 62.1-76.9 |
| \$15,000- 24,999 | 463 | 53,192 | 55 | 12.0 | 07.9-16.1 | 71 | 13.1 | 09.6-16.6 | 90 | 13.9 | 10.4-17.4 | 247 | 61.1 | 55.4-66.8 |
| \$25,000- 34,999 | 296 | 32,744 | 24 | 6.4 | 02.9-09.9 | 33 | 9.9 | 06.0-13.8 | 57 | 15.7 | 10.4-21.0 | 182 | 68.0 | 61.3-74.7 |
| \$35,000- 49,999 | 384 | 46,780 | 18 | 4.1 | 01.9-06.3 | 33 | 6.6 | 03.9-09.3 | 98 | 20.4 | 15.7-25.1 | 235 | 68.9 | 63.2-74.6 |
| \$50,000- 74,999 | 384 | 45,864 | 19 | 5.2 | 02.5-07.9 | 24 | 5.8 | 03.1-08.5 | 75 | 16.2 | 11.9-20.5 | 266 | 72.8 | 67.3-78.3 |
| \$75,000+ | 698 | 94,711 | 14 | 1.4 | 00.4-02.4 | 30 | 3.4 | 02.0-04.8 | 145 | 16.3 | 13.2-19.4 | 509 | 78.8 | 75.3-82.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 14: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2) | |
| 1 | MALES AND FEMALES | 176 |
| 2 | MALES ONLY | 177 |
| 3 | FEMALES ONLY | 178 |
| | ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3) | |
| 4 | MALES AND FEMALES | 179 |
| 5 | MALES ONLY | 180 |
| 6 | FEMALES ONLY | 181 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4902 | 678,436 | 4753 | 96.5 | 95.7-97.3 | 149 | 3.5 | 02.7-04.3 |
| Male | 1956 | 325,051 | 1870 | 94.8 | 93.4-96.2 | 86 | 5.2 | 03.8-06.6 |
| Female | 2946 | 353,385 | 2883 | 98.1 | 97.5-98.7 | 63 | 1.9 | 01.3-02.5 |
| White/Non-Hisp | 3638 | 457,806 | 3542 | 97.1 | 96.3-97.9 | 96 | 2.9 | 02.1-03.7 |
| Black or Afr. Am./Non-Hisp | 709 | 127,884 | 681 | 95.3 | 93.1-97.5 | 28 | 4.7 | 02.5-06.9 |
| Oth. Race/Non-Hisp. | 195 | 29,557 | 188 | 97.9 | 95.5-0100 | 7 | 2.1 | 00.0-04.5 |
| MultiRacial/Non-Hisp. | 62 | 4,740 | 58 | 88.8 | 77.0-0100 | 4 | 11.2 | 00.0-23.0 |
| Hispanic | 230 | 50,632 | 218 | 95.2 | 92.3-98.1 | 12 | 4.8 | 01.9-07.7 |
| 18-24 | 252 | 83,350 | 235 | 95.2 | 92.8-97.6 | 17 | 4.8 | 02.4-07.2 |
| 25-34 | 460 | 110,907 | 435 | 93.9 | 91.2-96.6 | 25 | 6.1 | 03.4-08.8 |
| 35-44 | 571 | 103,304 | 561 | 98.1 | 96.9-99.3 | 10 | 1.9 | 00.7-03.1 |
| 45-54 | 847 | 123,891 | 825 | 96.8 | 95.0-98.6 | 22 | 3.2 | 01.4-05.0 |
| 55-64 | 1047 | 114,911 | 1018 | 97.2 | 96.0-98.4 | 29 | 2.8 | 01.6-04.0 |
| 65+ | 1675 | 137,562 | 1630 | 97.4 | 96.4-98.4 | 45 | 2.6 | 01.6-03.6 |
| Less Than H.S. | 379 | 88,533 | 356 | 94.4 | 91.5-97.3 | 23 | 5.6 | 02.7-08.5 |
| H.S. or G.E.D. | 1455 | 209,775 | 1383 | 94.4 | 92.8-96.0 | 72 | 5.6 | 04.0-07.2 |
| Some Post-H.S. | 1285 | 202,371 | 1259 | 98.1 | 97.1-99.1 | 26 | 1.9 | 00.9-02.9 |
| College Graduate | 1767 | 176,240 | 1739 | 98.3 | 97.5-99.1 | 28 | 1.7 | 00.9-02.5 |
| Less than \$15,000 | 406 | 55,675 | 382 | 93.6 | 90.5-96.7 | 24 | 6.4 | 03.3-09.5 |
| \$15,000- 24,999 | 687 | 89,749 | 658 | 95.7 | 93.7-97.7 | 29 | 4.3 | 02.3-06.3 |
| \$25,000- 34,999 | 462 | 60,298 | 446 | 96.1 | 93.6-98.6 | 16 | 3.9 | 01.4-06.4 |
| \$35,000- 49,999 | 659 | 89,552 | 637 | 96.6 | 94.8-98.4 | 22 | 3.4 | 01.6-05.2 |
| \$50,000- 74,999 | 666 | 91,669 | 651 | 97.3 | 95.3-99.3 | 15 | 2.7 | 00.7-04.7 |
| \$75,000+ | 1300 | 194,681 | 1275 | 97.2 | 95.8-98.6 | 25 | 2.8 | 01.4-04.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 14: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1956 | 325,051 | 1870 | 94.8 | 93.4-96.2 | 86 | 5.2 | 03.8-06.6 |
| White/Non-Hisp | 1452 | 218,858 | 1396 | 95.6 | 94.0-97.2 | 56 | 4.4 | 02.8-06.0 |
| Black or Afr. Am./Non-Hisp | 263 | 59,654 | 248 | 92.4 | 88.3-96.5 | 15 | 7.6 | 03.5-11.7 |
| Oth. Race/Non-Hisp. | 90 | 16,360 | 85 | 96.4 | 92.1-0100 | 5 | 3.6 | 00.0-07.9 |
| Hispanic | 93 | 22,917 | 87 | 94.6 | 90.3-98.9 | 6 | 5.4 | 01.1-09.7 |
| 18-24 | 126 | 42,795 | 113 | 92.4 | 87.9-96.9 | 13 | 7.6 | 03.1-12.1 |
| 25-34 | 200 | 56,248 | 185 | 91.7 | 87.0-96.4 | 15 | 8.3 | 03.6-13.0 |
| 35-44 | 239 | 49,910 | 232 | 96.9 | 94.5-99.3 | 7 | 3.1 | 00.7-05.5 |
| 45-54 | 348 | 59,700 | 336 | 95.4 | 92.1-98.7 | 12 | 4.6 | 01.3-07.9 |
| 55-64 | 402 | 54,805 | 384 | 95.7 | 93.3-98.1 | 18 | 4.3 | 01.9-06.7 |
| 65+ | 627 | 60,271 | 606 | 96.2 | 94.2-98.2 | 21 | 3.8 | 01.8-05.8 |
| Less Than H.S. | 159 | 44,421 | 146 | 91.8 | 86.3-97.3 | 13 | 8.2 | 02.7-13.7 |
| H.S. or G.E.D. | 600 | 107,758 | 552 | 90.7 | 87.8-93.6 | 48 | 9.3 | 06.4-12.2 |
| Some Post-H.S. | 453 | 89,024 | 443 | 98.2 | 96.8-99.6 | 10 | 1.8 | 00.4-03.2 |
| College Graduate | 735 | 82,607 | 720 | 98.0 | 96.6-99.4 | 15 | 2.0 | 00.6-03.4 |
| Less than \$15,000 | 122 | 22,131 | 110 | 91.5 | 85.8-97.2 | 12 | 8.5 | 02.8-14.2 |
| \$15,000- 24,999 | 241 | 39,820 | 231 | 95.8 | 92.5-99.1 | 10 | 4.2 | 00.9-07.5 |
| \$25,000- 34,999 | 176 | 28,957 | 168 | 94.1 | 89.4-98.8 | 8 | 5.9 | 01.2-10.6 |
| \$35,000- 49,999 | 288 | 45,830 | 274 | 94.2 | 90.9-97.5 | 14 | 5.8 | 02.5-09.1 |
| \$50,000- 74,999 | 285 | 46,804 | 274 | 95.7 | 92.2-99.2 | 11 | 4.3 | 00.8-07.8 |
| \$75,000+ | 613 | 101,105 | 592 | 95.2 | 92.7-97.7 | 21 | 4.8 | 02.3-07.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 14: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2946 | 353,385 | 2883 | 98.1 | 97.5-98.7 | 63 | 1.9 | 01.3-02.5 |
| White/Non-Hisp | 2186 | 238,948 | 2146 | 98.5 | 97.9-99.1 | 40 | 1.5 | 00.9-02.1 |
| Black or Afr. Am./Non-Hisp | 446 | 68,230 | 433 | 97.9 | 96.5-99.3 | 13 | 2.1 | 00.7-03.5 |
| Oth. Race/Non-Hisp. | 105 | 13,197 | 103 | 99.6 | 99.0-0100 | 2 | 0.4 | 00.0-01.0 |
| Hispanic | 137 | 27,715 | 131 | 95.7 | 91.6-99.8 | 6 | 4.3 | 00.2-08.4 |
| 18-24 | 126 | 40,555 | 122 | 98.2 | 96.4-0100 | 4 | 1.8 | 00.0-03.6 |
| 25-34 | 260 | 54,659 | 250 | 96.2 | 93.7-98.7 | 10 | 3.8 | 01.3-06.3 |
| 35-44 | 332 | 53,394 | 329 | 99.3 | 98.3-0100 | 3 | 0.7 | 00.0-01.7 |
| 45-54 | 499 | 64,191 | 489 | 98.2 | 96.8-99.6 | 10 | 1.8 | 00.4-03.2 |
| 55-64 | 645 | 60,106 | 634 | 98.5 | 97.3-99.7 | 11 | 1.5 | 00.3-02.7 |
| 65+ | 1048 | 77,292 | 1024 | 98.3 | 97.5-99.1 | 24 | 1.7 | 00.9-02.5 |
| Less Than H.S. | 220 | 44,113 | 210 | 97.0 | 94.8-99.2 | 10 | 3.0 | 00.8-05.2 |
| H.S. or G.E.D. | 855 | 102,017 | 831 | 98.2 | 97.2-99.2 | 24 | 1.8 | 00.8-02.8 |
| Some Post-H.S. | 832 | 113,346 | 816 | 98.1 | 96.9-99.3 | 16 | 1.9 | 00.7-03.1 |
| College Graduate | 1032 | 93,633 | 1019 | 98.6 | 97.6-99.6 | 13 | 1.4 | 00.4-02.4 |
| Less than \$15,000 | 284 | 33,544 | 272 | 95.1 | 91.4-98.8 | 12 | 4.9 | 01.2-08.6 |
| \$15,000- 24,999 | 446 | 49,929 | 427 | 95.6 | 93.2-98.0 | 19 | 4.4 | 02.0-06.8 |
| \$25,000- 34,999 | 286 | 31,341 | 278 | 97.9 | 96.1-99.7 | 8 | 2.1 | 00.3-03.9 |
| \$35,000- 49,999 | 371 | 43,722 | 363 | 99.0 | 98.2-99.8 | 8 | 1.0 | 00.2-01.8 |
| \$50,000- 74,999 | 381 | 44,865 | 377 | 99.0 | 97.8-0100 | 4 | 1.0 | 00.0-02.2 |
| \$75,000+ | 687 | 93,576 | 683 | 99.3 | 98.5-0100 | 4 | 0.7 | 00.0-01.5 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 14: SEATBELT USE

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4902 | 678,436 | 4556 | 92.0 | 91.0-93.0 | 346 | 8.0 | 07.0-09.0 |
| Male | 1956 | 325,051 | 1760 | 89.0 | 87.2-90.8 | 196 | 11.0 | 09.2-12.8 |
| Female | 2946 | 353,385 | 2796 | 94.9 | 93.7-96.1 | 150 | 5.1 | 03.9-06.3 |
| White/Non-Hisp | 3638 | 457,806 | 3400 | 92.4 | 91.2-93.6 | 238 | 7.6 | 06.4-08.8 |
| Black or Afr. Am./Non-Hisp | 709 | 127,884 | 646 | 90.3 | 87.6-93.0 | 63 | 9.7 | 07.0-12.4 |
| Oth. Race/Non-Hisp. | 195 | 29,557 | 181 | 95.7 | 92.4-99.0 | 14 | 4.3 | 01.0-07.6 |
| MultiRacial/Non-Hisp. | 62 | 4,740 | 54 | 82.3 | 69.6-95.0 | 8 | 17.7 | 05.0-30.4 |
| Hispanic | 230 | 50,632 | 213 | 92.9 | 89.2-96.6 | 17 | 7.1 | 03.4-10.8 |
| 18-24 | 252 | 83,350 | 224 | 92.1 | 88.8-95.4 | 28 | 7.9 | 04.6-11.2 |
| 25-34 | 460 | 110,907 | 409 | 87.6 | 83.9-91.3 | 51 | 12.4 | 08.7-16.1 |
| 35-44 | 571 | 103,304 | 528 | 92.2 | 89.5-94.9 | 43 | 7.8 | 05.1-10.5 |
| 45-54 | 847 | 123,891 | 791 | 93.6 | 91.4-95.8 | 56 | 6.4 | 04.2-08.6 |
| 55-64 | 1047 | 114,911 | 983 | 92.8 | 90.6-95.0 | 64 | 7.2 | 05.0-09.4 |
| 65+ | 1675 | 137,562 | 1573 | 93.3 | 91.7-94.9 | 102 | 6.7 | 05.1-08.3 |
| Less Than H.S. | 379 | 88,533 | 345 | 91.0 | 87.3-94.7 | 34 | 9.0 | 05.3-12.7 |
| H.S. or G.E.D. | 1455 | 209,775 | 1315 | 88.8 | 86.6-91.0 | 140 | 11.2 | 09.0-13.4 |
| Some Post-H.S. | 1285 | 202,371 | 1204 | 93.5 | 91.7-95.3 | 81 | 6.5 | 04.7-08.3 |
| College Graduate | 1767 | 176,240 | 1678 | 94.8 | 93.4-96.2 | 89 | 5.2 | 03.8-06.6 |
| Less than \$15,000 | 406 | 55,675 | 369 | 88.6 | 84.1-93.1 | 37 | 11.4 | 06.9-15.9 |
| \$15,000- 24,999 | 687 | 89,749 | 634 | 92.3 | 89.9-94.7 | 53 | 7.7 | 05.3-10.1 |
| \$25,000- 34,999 | 462 | 60,298 | 436 | 94.1 | 91.2-97.0 | 26 | 5.9 | 03.0-08.8 |
| \$35,000- 49,999 | 659 | 89,552 | 607 | 91.4 | 88.7-94.1 | 52 | 8.6 | 05.9-11.3 |
| \$50,000- 74,999 | 666 | 91,669 | 601 | 88.5 | 85.2-91.8 | 65 | 11.5 | 08.2-14.8 |
| \$75,000+ | 1300 | 194,681 | 1230 | 93.9 | 92.1-95.7 | 70 | 6.1 | 04.3-07.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1956 | 325,051 | 1760 | 89.0 | 87.2-90.8 | 196 | 11.0 | 09.2-12.8 |
| White/Non-Hisp | 1452 | 218,858 | 1316 | 89.0 | 86.8-91.2 | 136 | 11.0 | 08.8-13.2 |
| Black or Afr. Am./Non-Hisp | 263 | 59,654 | 229 | 87.3 | 82.4-92.2 | 34 | 12.7 | 07.8-17.6 |
| Oth. Race/Non-Hisp. | 90 | 16,360 | 83 | 95.2 | 90.5-99.9 | 7 | 4.8 | 00.1-09.5 |
| Hispanic | 93 | 22,917 | 84 | 90.7 | 84.4-97.0 | 9 | 9.3 | 03.0-15.6 |
| 18-24 | 126 | 42,795 | 108 | 88.6 | 82.7-94.5 | 18 | 11.4 | 05.5-17.3 |
| 25-34 | 200 | 56,248 | 169 | 83.7 | 77.6-89.8 | 31 | 16.3 | 10.2-22.4 |
| 35-44 | 239 | 49,910 | 217 | 91.2 | 87.3-95.1 | 22 | 8.8 | 04.9-12.7 |
| 45-54 | 348 | 59,700 | 320 | 91.9 | 88.2-95.6 | 28 | 8.1 | 04.4-11.8 |
| 55-64 | 402 | 54,805 | 360 | 88.8 | 84.7-92.9 | 42 | 11.2 | 07.1-15.3 |
| 65+ | 627 | 60,271 | 572 | 89.5 | 86.2-92.8 | 55 | 10.5 | 07.2-13.8 |
| Less Than H.S. | 159 | 44,421 | 139 | 87.0 | 80.3-93.7 | 20 | 13.0 | 06.3-19.7 |
| H.S. or G.E.D. | 600 | 107,758 | 509 | 82.4 | 78.5-86.3 | 91 | 17.6 | 13.7-21.5 |
| Some Post-H.S. | 453 | 89,024 | 416 | 93.5 | 91.0-96.0 | 37 | 6.5 | 04.0-09.0 |
| College Graduate | 735 | 82,607 | 688 | 93.7 | 91.5-95.9 | 47 | 6.3 | 04.1-08.5 |
| Less than \$15,000 | 122 | 22,131 | 102 | 84.7 | 76.9-92.5 | 20 | 15.3 | 07.5-23.1 |
| \$15,000- 24,999 | 241 | 39,820 | 221 | 91.7 | 87.6-95.8 | 20 | 8.3 | 04.2-12.4 |
| \$25,000- 34,999 | 176 | 28,957 | 162 | 91.1 | 85.6-96.6 | 14 | 8.9 | 03.4-14.4 |
| \$35,000- 49,999 | 288 | 45,830 | 254 | 87.1 | 82.2-92.0 | 34 | 12.9 | 08.0-17.8 |
| \$50,000- 74,999 | 285 | 46,804 | 246 | 84.5 | 78.8-90.2 | 39 | 15.5 | 09.8-21.2 |
| \$75,000+ | 613 | 101,105 | 566 | 91.5 | 88.6-94.4 | 47 | 8.5 | 05.6-11.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 14: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2946 | 353,385 | 2796 | 94.9 | 93.7-96.1 | 150 | 5.1 | 03.9-06.3 |
| White/Non-Hisp | 2186 | 238,948 | 2084 | 95.4 | 94.2-96.6 | 102 | 4.6 | 03.4-05.8 |
| Black or Afr. Am./Non-Hisp | 446 | 68,230 | 417 | 92.9 | 89.8-96.0 | 29 | 7.1 | 04.0-10.2 |
| Oth. Race/Non-Hisp. | 105 | 13,197 | 98 | 96.3 | 92.0-0100 | 7 | 3.7 | 00.0-08.0 |
| Hispanic | 137 | 27,715 | 129 | 94.7 | 90.4-99.0 | 8 | 5.3 | 01.0-09.6 |
| 18-24 | 126 | 40,555 | 116 | 95.8 | 93.1-98.5 | 10 | 4.2 | 01.5-06.9 |
| 25-34 | 260 | 54,659 | 240 | 91.7 | 87.6-95.8 | 20 | 8.3 | 04.2-12.4 |
| 35-44 | 332 | 53,394 | 311 | 93.1 | 89.4-96.8 | 21 | 6.9 | 03.2-10.6 |
| 45-54 | 499 | 64,191 | 471 | 95.3 | 93.1-97.5 | 28 | 4.7 | 02.5-06.9 |
| 55-64 | 645 | 60,106 | 623 | 96.5 | 94.7-98.3 | 22 | 3.5 | 01.7-05.3 |
| 65+ | 1048 | 77,292 | 1001 | 96.2 | 94.8-97.6 | 47 | 3.8 | 02.4-05.2 |
| Less Than H.S. | 220 | 44,113 | 206 | 95.1 | 92.0-98.2 | 14 | 4.9 | 01.8-08.0 |
| H.S. or G.E.D. | 855 | 102,017 | 806 | 95.5 | 93.9-97.1 | 49 | 4.5 | 02.9-06.1 |
| Some Post-H.S. | 832 | 113,346 | 788 | 93.5 | 91.0-96.0 | 44 | 6.5 | 04.0-09.0 |
| College Graduate | 1032 | 93,633 | 990 | 95.7 | 94.1-97.3 | 42 | 4.3 | 02.7-05.9 |
| Less than \$15,000 | 284 | 33,544 | 267 | 91.2 | 85.5-96.9 | 17 | 8.8 | 03.1-14.5 |
| \$15,000- 24,999 | 446 | 49,929 | 413 | 92.8 | 89.9-95.7 | 33 | 7.2 | 04.3-10.1 |
| \$25,000- 34,999 | 286 | 31,341 | 274 | 96.8 | 94.3-99.3 | 12 | 3.2 | 00.7-05.7 |
| \$35,000- 49,999 | 371 | 43,722 | 353 | 96.0 | 93.5-98.5 | 18 | 4.0 | 01.5-06.5 |
| \$50,000- 74,999 | 381 | 44,865 | 355 | 92.7 | 89.4-96.0 | 26 | 7.3 | 04.0-10.6 |
| \$75,000+ | 687 | 93,576 | 664 | 96.4 | 94.4-98.4 | 23 | 3.6 | 01.6-05.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 15: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6) | |
| 1 | MALES AND FEMALES | 183 |
| 2 | MALES ONLY | 184 |
| 3 | FEMALES ONLY | 185 |
| | ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2) | |
| 4 | MALES AND FEMALES | 186 |
| 5 | MALES ONLY | 187 |
| 6 | FEMALES ONLY | 188 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 15: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
 Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1672 | 137,729 | 1083 | 65.8 | 62.9-68.7 | 589 | 34.2 | 31.3-37.1 |
| Male | 626 | 60,136 | 396 | 62.6 | 57.9-67.3 | 230 | 37.4 | 32.7-42.1 |
| Female | 1046 | 77,593 | 687 | 68.3 | 64.8-71.8 | 359 | 31.7 | 28.2-35.2 |
| White/Non-Hisp | 1430 | 113,154 | 953 | 68.2 | 65.3-71.1 | 477 | 31.8 | 28.9-34.7 |
| Black or Afr. Am./Non-Hisp | 155 | 17,965 | 81 | 51.2 | 40.8-61.6 | 74 | 48.8 | 38.4-59.2 |
| 65+ | 1672 | 137,729 | 1083 | 65.8 | 62.9-68.7 | 589 | 34.2 | 31.3-37.1 |
| Less Than H.S. | 150 | 19,863 | 85 | 60.0 | 50.0-70.0 | 65 | 40.0 | 30.0-50.0 |
| H.S. or G.E.D. | 581 | 49,202 | 359 | 63.5 | 58.8-68.2 | 222 | 36.5 | 31.8-41.2 |
| Some Post-H.S. | 391 | 35,298 | 269 | 70.9 | 65.4-76.4 | 122 | 29.1 | 23.6-34.6 |
| College Graduate | 548 | 33,250 | 370 | 67.5 | 62.8-72.2 | 178 | 32.5 | 27.8-37.2 |
| Less than \$15,000 | 159 | 12,756 | 107 | 69.9 | 60.5-79.3 | 52 | 30.1 | 20.7-39.5 |
| \$15,000- 24,999 | 282 | 24,402 | 170 | 60.4 | 52.8-68.0 | 112 | 39.6 | 32.0-47.2 |
| \$25,000- 34,999 | 185 | 15,231 | 118 | 63.9 | 54.7-73.1 | 67 | 36.1 | 26.9-45.3 |
| \$35,000- 49,999 | 241 | 20,641 | 146 | 64.2 | 56.9-71.5 | 95 | 35.8 | 28.5-43.1 |
| \$50,000- 74,999 | 201 | 17,164 | 150 | 78.2 | 71.7-84.7 | 51 | 21.8 | 15.3-28.3 |
| \$75,000+ | 260 | 21,579 | 181 | 68.0 | 61.1-74.9 | 79 | 32.0 | 25.1-38.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 626 | 60,136 | 396 | 62.6 | 57.9-67.3 | 230 | 37.4 | 32.7-42.1 |
| White/Non-Hisp | 539 | 49,383 | 346 | 63.6 | 58.7-68.5 | 193 | 36.4 | 31.5-41.3 |
| Black or Afr. Am./Non-Hisp | 50 | 7,282 | 27 | 52.5 | 34.3-70.7 | 23 | 47.5 | 29.3-65.7 |
| 65+ | 626 | 60,136 | 396 | 62.6 | 57.9-67.3 | 230 | 37.4 | 32.7-42.1 |
| Less Than H.S. | 58 | 9,479 | 32 | 53.6 | 37.7-69.5 | 26 | 46.4 | 30.5-62.3 |
| H.S. or G.E.D. | 189 | 19,447 | 116 | 60.2 | 52.0-68.4 | 73 | 39.8 | 31.6-48.0 |
| Some Post-H.S. | 120 | 13,448 | 80 | 70.8 | 60.8-80.8 | 40 | 29.2 | 19.2-39.2 |
| College Graduate | 258 | 17,662 | 168 | 64.0 | 57.1-70.9 | 90 | 36.0 | 29.1-42.9 |
| \$15,000- 24,999 | 85 | 9,300 | 50 | 56.8 | 42.7-70.9 | 35 | 43.2 | 29.1-57.3 |
| \$25,000- 34,999 | 69 | 6,574 | 44 | 61.8 | 47.3-76.3 | 25 | 38.2 | 23.7-52.7 |
| \$35,000- 49,999 | 104 | 9,444 | 61 | 64.6 | 54.2-75.0 | 43 | 35.4 | 25.0-45.8 |
| \$50,000- 74,999 | 100 | 9,885 | 65 | 70.1 | 59.9-80.3 | 35 | 29.9 | 19.7-40.1 |
| \$75,000+ | 146 | 13,256 | 100 | 65.8 | 56.6-75.0 | 46 | 34.2 | 25.0-43.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 15: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1046 | 77,593 | 687 | 68.3 | 64.8-71.8 | 359 | 31.7 | 28.2-35.2 |
| White/Non-Hisp | 891 | 63,771 | 607 | 71.8 | 68.3-75.3 | 284 | 28.2 | 24.7-31.7 |
| Black or Afr. Am./Non-Hisp | 105 | 10,683 | 54 | 50.3 | 38.0-62.6 | 51 | 49.7 | 37.4-62.0 |
| 65+ | 1046 | 77,593 | 687 | 68.3 | 64.8-71.8 | 359 | 31.7 | 28.2-35.2 |
| Less Than H.S. | 92 | 10,384 | 53 | 65.9 | 53.7-78.1 | 39 | 34.1 | 21.9-46.3 |
| H.S. or G.E.D. | 392 | 29,754 | 243 | 65.6 | 60.1-71.1 | 149 | 34.4 | 28.9-39.9 |
| Some Post-H.S. | 271 | 21,850 | 189 | 70.9 | 64.2-77.6 | 82 | 29.1 | 22.4-35.8 |
| College Graduate | 290 | 15,588 | 202 | 71.5 | 65.2-77.8 | 88 | 28.5 | 22.2-34.8 |
| Less than \$15,000 | 121 | 8,913 | 82 | 73.7 | 64.7-82.7 | 39 | 26.3 | 17.3-35.3 |
| \$15,000- 24,999 | 197 | 15,102 | 120 | 62.7 | 54.1-71.3 | 77 | 37.3 | 28.7-45.9 |
| \$25,000- 34,999 | 116 | 8,657 | 74 | 65.5 | 53.5-77.5 | 42 | 34.5 | 22.5-46.5 |
| \$35,000- 49,999 | 137 | 11,196 | 85 | 63.8 | 53.8-73.8 | 52 | 36.2 | 26.2-46.2 |
| \$50,000- 74,999 | 101 | 7,279 | 85 | 89.2 | 82.7-95.7 | 16 | 10.8 | 04.3-17.3 |
| \$75,000+ | 114 | 8,323 | 81 | 71.7 | 61.3-82.1 | 33 | 28.3 | 17.9-38.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 15: IMMUNIZATION

TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1600 | 131,497 | 1159 | 72.4 | 69.7-75.1 | 441 | 27.6 | 24.9-30.3 |
| Male | 580 | 55,526 | 401 | 69.7 | 65.2-74.2 | 179 | 30.3 | 25.8-34.8 |
| Female | 1020 | 75,972 | 758 | 74.4 | 70.9-77.9 | 262 | 25.6 | 22.1-29.1 |
| White/Non-Hisp | 1373 | 108,743 | 1021 | 75.6 | 72.9-78.3 | 352 | 24.4 | 21.7-27.1 |
| Black or Afr. Am./Non-Hisp | 145 | 16,750 | 87 | 58.5 | 48.1-68.9 | 58 | 41.5 | 31.1-51.9 |
| 65+ | 1600 | 131,497 | 1159 | 72.4 | 69.7-75.1 | 441 | 27.6 | 24.9-30.3 |
| Less Than H.S. | 144 | 18,392 | 105 | 72.8 | 63.6-82.0 | 39 | 27.2 | 18.0-36.4 |
| H.S. or G.E.D. | 562 | 47,757 | 402 | 73.6 | 69.3-77.9 | 160 | 26.4 | 22.1-30.7 |
| Some Post-H.S. | 371 | 33,933 | 279 | 73.1 | 67.2-79.0 | 92 | 26.9 | 21.0-32.8 |
| College Graduate | 522 | 31,398 | 373 | 69.8 | 65.1-74.5 | 149 | 30.2 | 25.5-34.9 |
| Less than \$15,000 | 151 | 12,473 | 102 | 70.4 | 61.4-79.4 | 49 | 29.6 | 20.6-38.6 |
| \$15,000- 24,999 | 274 | 23,304 | 189 | 68.5 | 61.1-75.9 | 85 | 31.5 | 24.1-38.9 |
| \$25,000- 34,999 | 179 | 15,051 | 133 | 74.0 | 65.4-82.6 | 46 | 26.0 | 17.4-34.6 |
| \$35,000- 49,999 | 231 | 19,545 | 162 | 68.6 | 61.0-76.2 | 69 | 31.4 | 23.8-39.0 |
| \$50,000- 74,999 | 189 | 16,437 | 152 | 82.6 | 76.3-88.9 | 37 | 17.4 | 11.1-23.7 |
| \$75,000+ | 250 | 20,461 | 181 | 70.8 | 64.1-77.5 | 69 | 29.2 | 22.5-35.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 580 | 55,526 | 401 | 69.7 | 65.0-74.4 | 179 | 30.3 | 25.6-35.0 |
| White/Non-Hisp | 501 | 46,179 | 360 | 73.7 | 69.2-78.2 | 141 | 26.3 | 21.8-30.8 |
| 65+ | 580 | 55,526 | 401 | 69.7 | 65.0-74.4 | 179 | 30.3 | 25.6-35.0 |
| Less Than H.S. | 54 | 8,186 | 41 | 76.6 | 63.7-89.5 | 13 | 23.4 | 10.5-36.3 |
| H.S. or G.E.D. | 179 | 18,452 | 115 | 67.4 | 59.6-75.2 | 64 | 32.6 | 24.8-40.4 |
| Some Post-H.S. | 111 | 12,894 | 85 | 72.4 | 61.6-83.2 | 26 | 27.6 | 16.8-38.4 |
| College Graduate | 236 | 15,993 | 160 | 66.6 | 59.5-73.7 | 76 | 33.4 | 26.3-40.5 |
| \$15,000- 24,999 | 77 | 8,366 | 52 | 63.9 | 49.4-78.4 | 25 | 36.1 | 21.6-50.6 |
| \$25,000- 34,999 | 67 | 6,560 | 47 | 71.8 | 59.3-84.3 | 20 | 28.2 | 15.7-40.7 |
| \$35,000- 49,999 | 97 | 8,714 | 63 | 66.1 | 54.7-77.5 | 34 | 33.9 | 22.5-45.3 |
| \$50,000- 74,999 | 92 | 9,367 | 68 | 79.1 | 70.3-87.9 | 24 | 20.9 | 12.1-29.7 |
| \$75,000+ | 137 | 12,307 | 96 | 70.4 | 61.6-79.2 | 41 | 29.6 | 20.8-38.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1020 | 75,972 | 758 | 74.4 | 70.9-77.9 | 262 | 25.6 | 22.1-29.1 |
| White/Non-Hisp | 872 | 62,564 | 661 | 77.0 | 73.5-80.5 | 211 | 23.0 | 19.5-26.5 |
| Black or Afr. Am./Non-Hisp | 99 | 10,286 | 65 | 62.8 | 50.3-75.3 | 34 | 37.2 | 24.7-49.7 |
| 65+ | 1020 | 75,972 | 758 | 74.4 | 70.9-77.9 | 262 | 25.6 | 22.1-29.1 |
| Less Than H.S. | 90 | 10,206 | 64 | 69.7 | 56.8-82.6 | 26 | 30.3 | 17.4-43.2 |
| H.S. or G.E.D. | 383 | 29,304 | 287 | 77.4 | 72.3-82.5 | 96 | 22.6 | 17.5-27.7 |
| Some Post-H.S. | 260 | 21,039 | 194 | 73.6 | 66.7-80.5 | 66 | 26.4 | 19.5-33.3 |
| College Graduate | 286 | 15,404 | 213 | 73.1 | 66.8-79.4 | 73 | 26.9 | 20.6-33.2 |
| Less than \$15,000 | 116 | 8,705 | 80 | 71.2 | 61.2-81.2 | 36 | 28.8 | 18.8-38.8 |
| \$15,000- 24,999 | 197 | 14,938 | 137 | 71.2 | 62.8-79.6 | 60 | 28.8 | 20.4-37.2 |
| \$25,000- 34,999 | 112 | 8,491 | 86 | 75.7 | 63.5-87.9 | 26 | 24.3 | 12.1-36.5 |
| \$35,000- 49,999 | 134 | 10,831 | 99 | 70.7 | 60.5-80.9 | 35 | 29.3 | 19.1-39.5 |
| \$50,000- 74,999 | 97 | 7,069 | 84 | 87.3 | 78.9-95.7 | 13 | 12.7 | 04.3-21.1 |
| \$75,000+ | 113 | 8,154 | 85 | 71.4 | 61.4-81.4 | 28 | 28.6 | 18.6-38.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3) | |
| 1 | MALES AND FEMALES | 190 |
| 2 | MALES ONLY | 191 |
| 3 | FEMALES ONLY | 192 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 16: HIV/AIDS

TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4753 | 657,439 | 1643 | 40.9 | 38.9-42.9 | 3110 | 59.1 | 57.1-61.1 |
| Male | 1889 | 313,984 | 679 | 40.4 | 37.5-43.3 | 1210 | 59.6 | 56.7-62.5 |
| Female | 2864 | 343,455 | 964 | 41.3 | 38.8-43.8 | 1900 | 58.7 | 56.2-61.2 |
| White/Non-Hisp | 3520 | 441,763 | 984 | 33.4 | 31.2-35.6 | 2536 | 66.6 | 64.4-68.8 |
| Black or Afr. Am./Non-Hisp | 697 | 125,951 | 412 | 65.2 | 60.5-69.9 | 285 | 34.8 | 30.1-39.5 |
| Oth. Race/Non-Hisp. | 191 | 29,137 | 79 | 39.3 | 28.3-50.3 | 112 | 60.7 | 49.7-71.7 |
| MultiRacial/Non-Hisp. | 61 | 4,578 | 34 | 57.0 | 42.1-71.9 | 27 | 43.0 | 28.1-57.9 |
| Hispanic | 224 | 48,587 | 114 | 47.5 | 39.5-55.5 | 110 | 52.5 | 44.5-60.5 |
| 18-24 | 248 | 81,648 | 107 | 42.1 | 34.7-49.5 | 141 | 57.9 | 50.5-65.3 |
| 25-34 | 447 | 107,324 | 270 | 57.6 | 51.7-63.5 | 177 | 42.4 | 36.5-48.3 |
| 35-44 | 556 | 100,351 | 333 | 58.3 | 53.4-63.2 | 223 | 41.7 | 36.8-46.6 |
| 45-54 | 821 | 120,133 | 399 | 47.6 | 43.3-51.9 | 422 | 52.4 | 48.1-56.7 |
| 55-64 | 1015 | 110,650 | 316 | 34.7 | 30.6-38.8 | 699 | 65.3 | 61.2-69.4 |
| 65+ | 1621 | 133,199 | 201 | 12.9 | 10.7-15.1 | 1420 | 87.1 | 84.9-89.3 |
| Less Than H.S. | 362 | 84,790 | 131 | 43.5 | 36.4-50.6 | 231 | 56.5 | 49.4-63.6 |
| H.S. or G.E.D. | 1414 | 203,401 | 399 | 35.1 | 31.6-38.6 | 1015 | 64.9 | 61.4-68.4 |
| Some Post-H.S. | 1246 | 196,523 | 513 | 46.9 | 43.2-50.6 | 733 | 53.1 | 49.4-56.8 |
| College Graduate | 1718 | 171,512 | 597 | 39.7 | 36.8-42.6 | 1121 | 60.3 | 57.4-63.2 |
| Less than \$15,000 | 402 | 55,113 | 158 | 44.9 | 37.5-52.3 | 244 | 55.1 | 47.7-62.5 |
| \$15,000- 24,999 | 661 | 85,817 | 245 | 45.3 | 40.2-50.4 | 416 | 54.7 | 49.6-59.8 |
| \$25,000- 34,999 | 452 | 58,877 | 169 | 48.4 | 42.1-54.7 | 283 | 51.6 | 45.3-57.9 |
| \$35,000- 49,999 | 647 | 87,833 | 219 | 41.1 | 35.8-46.4 | 428 | 58.9 | 53.6-64.2 |
| \$50,000- 74,999 | 651 | 90,174 | 226 | 39.0 | 33.9-44.1 | 425 | 61.0 | 55.9-66.1 |
| \$75,000+ | 1262 | 188,251 | 461 | 41.5 | 38.0-45.0 | 801 | 58.5 | 55.0-62.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1889 | 313,984 | 679 | 40.4 | 37.5-43.3 | 1210 | 59.6 | 56.7-62.5 |
| White/Non-Hisp | 1399 | 210,166 | 431 | 34.7 | 31.4-38.0 | 968 | 65.3 | 62.0-68.6 |
| Black or Afr. Am./Non-Hisp | 259 | 58,757 | 158 | 64.4 | 56.8-72.0 | 101 | 35.6 | 28.0-43.2 |
| Oth. Race/Non-Hisp. | 87 | 15,982 | 32 | 33.1 | 17.0-49.2 | 55 | 66.9 | 50.8-83.0 |
| Hispanic | 90 | 22,084 | 36 | 38.7 | 27.5-49.9 | 54 | 61.3 | 50.1-72.5 |
| 18-24 | 124 | 42,207 | 48 | 38.8 | 28.2-49.4 | 76 | 61.2 | 50.6-71.8 |
| 25-34 | 193 | 53,947 | 102 | 53.0 | 44.2-61.8 | 91 | 47.0 | 38.2-55.8 |
| 35-44 | 235 | 49,130 | 118 | 48.0 | 40.6-55.4 | 117 | 52.0 | 44.6-59.4 |
| 45-54 | 335 | 57,319 | 172 | 50.2 | 43.5-56.9 | 163 | 49.8 | 43.1-56.5 |
| 55-64 | 387 | 52,321 | 131 | 38.4 | 31.9-44.9 | 256 | 61.6 | 55.1-68.1 |
| 65+ | 602 | 57,843 | 102 | 15.9 | 12.2-19.6 | 500 | 84.1 | 80.4-87.8 |
| Less Than H.S. | 150 | 42,286 | 51 | 42.9 | 32.3-53.5 | 99 | 57.1 | 46.5-67.7 |
| H.S. or G.E.D. | 583 | 104,606 | 199 | 38.4 | 33.3-43.5 | 384 | 61.6 | 56.5-66.7 |
| Some Post-H.S. | 438 | 86,426 | 196 | 47.7 | 41.6-53.8 | 242 | 52.3 | 46.2-58.4 |
| College Graduate | 711 | 79,572 | 231 | 34.3 | 30.0-38.6 | 480 | 65.7 | 61.4-70.0 |
| Less than \$15,000 | 121 | 21,976 | 51 | 45.3 | 32.2-58.4 | 70 | 54.7 | 41.6-67.8 |
| \$15,000- 24,999 | 229 | 37,306 | 91 | 46.1 | 37.7-54.5 | 138 | 53.9 | 45.5-62.3 |
| \$25,000- 34,999 | 170 | 28,264 | 68 | 47.7 | 37.5-57.9 | 102 | 52.3 | 42.1-62.5 |
| \$35,000- 49,999 | 285 | 45,061 | 108 | 43.7 | 35.7-51.7 | 177 | 56.3 | 48.3-64.3 |
| \$50,000- 74,999 | 279 | 46,193 | 93 | 34.5 | 27.2-41.8 | 186 | 65.5 | 58.2-72.8 |
| \$75,000+ | 593 | 98,062 | 197 | 39.2 | 34.1-44.3 | 396 | 60.8 | 55.7-65.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2864 | 343,455 | 964 | 41.3 | 38.8-43.8 | 1900 | 58.7 | 56.2-61.2 |
| White/Non-Hisp | 2121 | 231,598 | 553 | 32.1 | 29.4-34.8 | 1568 | 67.9 | 65.2-70.6 |
| Black or Afr. Am./Non-Hisp | 438 | 67,193 | 254 | 65.9 | 60.4-71.4 | 184 | 34.1 | 28.6-39.6 |
| Oth. Race/Non-Hisp. | 104 | 13,154 | 47 | 46.7 | 32.8-60.6 | 57 | 53.3 | 39.4-67.2 |
| Hispanic | 134 | 26,502 | 78 | 54.8 | 43.4-66.2 | 56 | 45.2 | 33.8-56.6 |
| 18-24 | 124 | 39,441 | 59 | 45.8 | 35.2-56.4 | 65 | 54.2 | 43.6-64.8 |
| 25-34 | 254 | 53,377 | 168 | 62.2 | 54.2-70.2 | 86 | 37.8 | 29.8-45.8 |
| 35-44 | 321 | 51,221 | 215 | 68.1 | 62.0-74.2 | 106 | 31.9 | 25.8-38.0 |
| 45-54 | 486 | 62,814 | 227 | 45.2 | 39.7-50.7 | 259 | 54.8 | 49.3-60.3 |
| 55-64 | 628 | 58,330 | 185 | 31.5 | 26.4-36.6 | 443 | 68.5 | 63.4-73.6 |
| 65+ | 1019 | 75,356 | 99 | 10.7 | 08.2-13.2 | 920 | 89.3 | 86.8-91.8 |
| Less Than H.S. | 212 | 42,504 | 80 | 44.2 | 35.2-53.2 | 132 | 55.8 | 46.8-64.8 |
| H.S. or G.E.D. | 831 | 98,794 | 200 | 31.6 | 26.9-36.3 | 631 | 68.4 | 63.7-73.1 |
| Some Post-H.S. | 808 | 110,097 | 317 | 46.3 | 41.6-51.0 | 491 | 53.7 | 49.0-58.4 |
| College Graduate | 1007 | 91,940 | 366 | 44.4 | 40.5-48.3 | 641 | 55.6 | 51.7-59.5 |
| Less than \$15,000 | 281 | 33,137 | 107 | 44.7 | 36.1-53.3 | 174 | 55.3 | 46.7-63.9 |
| \$15,000- 24,999 | 432 | 48,511 | 154 | 44.6 | 38.1-51.1 | 278 | 55.4 | 48.9-61.9 |
| \$25,000- 34,999 | 282 | 30,613 | 101 | 48.9 | 41.3-56.5 | 181 | 51.1 | 43.5-58.7 |
| \$35,000- 49,999 | 362 | 42,772 | 111 | 38.3 | 31.0-45.6 | 251 | 61.7 | 54.4-69.0 |
| \$50,000- 74,999 | 372 | 43,981 | 133 | 43.8 | 37.1-50.5 | 239 | 56.2 | 49.5-62.9 |
| \$75,000+ | 669 | 90,189 | 264 | 44.0 | 39.1-48.9 | 405 | 56.0 | 51.1-60.9 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2013**

End of Calculated Variable Data Report