

DELAWARE

2013 Core Variables Report

Behavioral Risk Factor Surveillance System

June 11, 2014



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5200	722,792	920	18.2	16.8-19.6	1698	32.9	31.1-34.7	1611	31.7	29.9-33.5	705	12.9	11.7-14.1	266	4.4	03.6-05.2
Male	2083	345,589	373	17.5	15.3-19.7	682	34.3	31.6-37.0	666	31.9	29.2-34.6	260	12.1	10.3-13.9	102	4.2	03.0-05.4
Female	3117	377,204	547	18.7	16.7-20.7	1016	31.6	29.2-34.0	945	31.4	29.0-33.8	445	13.7	12.1-15.3	164	4.6	03.6-05.6
White/Non-Hisp	3826	483,024	681	17.7	16.1-19.3	1366	37.6	35.4-39.8	1114	28.9	26.9-30.9	467	11.3	09.9-12.7	198	4.5	03.5-05.5
Black or Afr. Am./Non-Hisp	772	141,057	130	18.5	15.0-22.0	172	21.5	17.8-25.2	284	37.5	32.8-42.2	148	17.9	14.4-21.4	38	4.6	02.8-06.4
Oth. Race/Non-Hisp.	213	31,563	44	29.2	18.0-40.4	69	30.9	21.3-40.5	74	33.3	24.3-42.3	17	4.7	01.6-07.8	9	2.0	00.4-03.6
MultiRacial/Non-Hisp.	70	5,267	14	18.4	08.2-28.6	15	26.7	13.2-40.2	19	24.0	12.4-35.6	16	22.0	10.0-34.0	6	9.0	01.4-16.6
Hispanic	239	52,337	41	15.7	10.0-21.4	52	22.9	16.0-29.8	93	40.0	32.6-47.4	41	17.5	11.6-23.4	12	4.0	01.5-06.5
18-24	281	92,222	77	27.7	21.2-34.2	97	32.9	26.2-39.6	82	29.5	23.0-36.0	21	8.1	04.2-12.0	4	1.8	00.0-04.0
25-34	489	117,896	113	20.5	16.4-24.6	171	34.8	29.5-40.1	146	30.9	25.6-36.2	48	11.3	07.8-14.8	11	2.5	00.7-04.3
35-44	608	110,664	141	19.5	16.0-23.0	218	33.8	29.3-38.3	180	34.9	30.0-39.8	54	9.6	06.7-12.5	15	2.1	00.9-03.3
45-54	887	130,642	148	15.9	13.0-18.8	294	32.8	28.9-36.7	283	33.0	29.1-36.9	114	12.5	09.8-15.2	48	5.8	03.6-08.0
55-64	1101	120,302	184	15.4	12.9-17.9	377	33.5	29.8-37.2	316	28.8	25.5-32.1	154	15.5	12.6-18.4	70	6.8	04.8-08.8
65+	1780	146,240	250	13.7	11.7-15.7	523	30.3	27.6-33.0	585	32.1	29.4-34.8	304	17.8	15.6-20.0	118	6.1	04.7-07.5
Less Than H.S.	423	98,328	44	9.8	06.3-13.3	59	17.4	12.3-22.5	124	33.0	26.9-39.1	142	29.9	24.2-35.6	54	10.0	06.3-13.7
H.S. or G.E.D.	1564	226,632	198	15.0	12.5-17.5	437	30.5	27.2-33.8	570	35.7	32.4-39.0	256	13.7	11.7-15.7	103	5.0	03.8-06.2
Some Post-H.S.	1344	211,661	207	18.5	15.4-21.6	462	35.6	32.3-38.9	431	31.8	28.5-35.1	183	10.8	08.8-12.8	61	3.4	02.4-04.4
College Graduate	1848	184,157	471	26.4	23.9-28.9	733	40.9	38.0-43.8	477	25.7	23.2-28.2	121	5.3	03.9-06.7	46	1.7	00.9-02.5
Less than \$15,000	450	62,822	44	14.9	09.6-20.2	85	17.7	12.4-23.0	157	34.7	28.0-41.4	116	24.4	18.5-30.3	48	8.3	05.4-11.2
\$15,000- 24,999	737	98,689	74	9.0	06.5-11.5	154	21.9	17.6-26.2	229	31.5	27.2-35.8	194	29.1	24.6-33.6	86	8.6	06.2-11.0
\$25,000- 34,999	495	64,822	61	12.6	08.9-16.3	134	29.8	24.1-35.5	187	36.0	30.3-41.7	86	15.5	11.4-19.6	27	6.2	03.1-09.3
\$35,000- 49,999	688	95,602	116	19.1	14.2-24.0	246	37.8	32.7-42.9	236	31.3	26.6-36.0	70	8.9	06.4-11.4	20	2.9	01.3-04.5
\$50,000- 74,999	686	93,980	133	18.3	14.6-22.0	253	33.8	29.1-38.5	225	37.8	32.7-42.9	61	8.1	05.6-10.6	14	1.9	00.7-03.1
\$75,000+	1350	201,839	358	25.0	22.1-27.9	587	43.4	39.9-46.9	313	24.6	21.5-27.7	63	4.8	03.2-06.4	29	2.1	00.9-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2083	345,589	373	17.5	15.3-19.7	682	34.3	31.6-37.0	666	31.9	29.2-34.6	260	12.1	10.3-13.9	102	4.2	03.0-05.4
White/Non-Hisp	1529	230,791	265	16.4	14.0-18.8	549	39.1	35.8-42.4	448	28.2	25.3-31.1	186	11.5	09.5-13.5	81	4.8	03.4-06.2
Black or Afr. Am./Non-Hisp	288	64,799	56	18.5	13.0-24.0	64	23.6	17.3-29.9	115	40.9	33.3-48.5	42	13.4	08.3-18.5	11	3.7	01.2-06.2
Oth. Race/Non-Hisp.	102	17,727	25	33.1	16.6-49.6	32	29.3	15.0-43.6	37	35.2	21.9-48.5	4	1.2	00.0-02.4	4	1.3	00.0-02.9
Hispanic	97	23,679	17	16.3	08.1-24.5	22	21.9	13.1-30.7	39	37.8	26.8-48.8	17	21.8	11.8-31.8	2	2.2	00.0-05.1
18-24	137	46,561	44	33.3	23.5-43.1	47	34.3	24.7-43.9	34	22.8	14.4-31.2	10	8.7	02.2-15.2	2	0.9	00.0-02.1
25-34	211	58,969	42	14.8	09.7-19.9	79	37.6	29.8-45.4	73	35.1	26.9-43.3	14	10.1	04.6-15.6	3	2.4	00.0-05.5
35-44	260	53,811	56	18.9	13.6-24.2	94	33.2	26.7-39.7	78	34.7	27.6-41.8	26	10.7	06.4-15.0	6	2.5	00.3-04.7
45-54	365	63,184	52	14.3	09.8-18.8	116	32.7	26.6-38.8	138	37.4	31.1-43.7	41	10.0	06.5-13.5	18	5.6	02.3-08.9
55-64	421	57,143	71	14.0	10.3-17.7	146	37.0	30.9-43.1	124	28.9	23.4-34.4	54	13.9	09.8-18.0	26	6.1	03.4-08.8
65+	673	64,429	105	14.0	11.1-16.9	196	31.4	26.9-35.9	214	30.7	26.4-35.0	111	17.4	13.9-20.9	47	6.6	04.4-08.8
Less Than H.S.	179	49,313	23	11.2	05.9-16.5	31	21.4	13.4-29.4	52	31.5	22.3-40.7	51	26.4	18.4-34.4	22	9.5	04.2-14.8
H.S. or G.E.D.	646	116,047	81	14.1	10.6-17.6	181	31.9	27.2-36.6	241	36.1	31.2-41.0	103	13.4	10.5-16.3	40	4.5	02.9-06.1
Some Post-H.S.	471	92,081	70	18.8	13.5-24.1	175	38.8	33.1-44.5	153	30.1	24.8-35.4	55	9.4	06.3-12.5	18	2.9	01.1-04.7
College Graduate	777	86,884	199	24.7	21.0-28.4	293	40.2	35.9-44.5	214	28.1	24.0-32.2	50	4.9	02.9-06.9	21	2.0	00.8-03.2
Less than \$15,000	133	24,211	15	18.8	09.2-28.4	24	17.8	09.4-26.2	42	30.6	18.6-42.6	33	24.1	14.1-34.1	19	8.7	03.8-13.6
\$15,000- 24,999	261	43,801	27	9.5	05.4-13.6	58	27.8	20.0-35.6	85	31.2	24.3-38.1	67	26.0	19.3-32.7	24	5.5	03.0-08.0
\$25,000- 34,999	192	31,366	29	13.0	07.7-18.3	57	36.6	27.0-46.2	65	30.5	22.1-38.9	33	14.5	08.0-21.0	8	5.3	00.0-10.6
\$35,000- 49,999	299	48,263	50	19.3	11.9-26.7	105	38.7	31.3-46.1	104	29.8	22.9-36.7	29	8.3	04.8-11.8	11	4.0	01.3-06.7
\$50,000- 74,999	295	47,516	48	16.3	11.0-21.6	105	33.0	26.1-39.9	105	39.5	31.9-47.1	28	8.7	04.4-13.0	9	2.6	00.6-04.6
\$75,000+	639	106,065	157	21.4	17.5-25.3	265	42.5	37.6-47.4	170	27.6	23.1-32.1	31	5.6	03.2-08.0	16	2.9	00.9-04.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3117	377,204	547	18.7	16.7-20.7	1016	31.6	29.2-34.0	945	31.4	29.0-33.8	445	13.7	12.1-15.3	164	4.6	03.6-05.6
White/Non-Hisp	2297	252,233	416	18.9	16.7-21.1	817	36.2	33.5-38.9	666	29.5	27.0-32.0	281	11.2	09.4-13.0	117	4.3	03.1-05.5
Black or Afr. Am./Non-Hisp	484	76,258	74	18.5	13.6-23.4	108	19.8	15.3-24.3	169	34.6	28.9-40.3	106	21.8	16.9-26.7	27	5.4	02.9-07.9
Oth. Race/Non-Hisp.	111	13,836	19	24.1	10.4-37.8	37	32.9	20.9-44.9	37	30.9	19.3-42.5	13	9.3	02.2-16.4	5	2.8	00.0-05.7
Hispanic	142	28,657	24	15.2	07.2-23.2	30	23.6	13.6-33.6	54	41.8	31.4-52.2	24	13.9	07.2-20.6	10	5.5	01.4-09.6
18-24	144	45,661	33	22.0	13.6-30.4	50	31.4	22.4-40.4	48	36.4	27.0-45.8	11	7.5	02.8-12.2	2	2.8	00.0-06.9
25-34	278	58,927	71	26.2	19.7-32.7	92	31.9	24.6-39.2	73	26.8	20.3-33.3	34	12.5	07.8-17.2	8	2.6	00.6-04.6
35-44	348	56,853	85	20.1	15.4-24.8	124	34.5	28.2-40.8	102	35.1	28.4-41.8	28	8.5	04.8-12.2	9	1.8	00.4-03.2
45-54	522	67,458	96	17.4	13.5-21.3	178	32.9	28.0-37.8	145	28.8	23.9-33.7	73	14.9	10.8-19.0	30	6.0	03.5-08.5
55-64	680	63,159	113	16.7	13.2-20.2	231	30.4	26.3-34.5	192	28.7	24.4-33.0	100	16.9	12.6-21.2	44	7.3	04.8-09.8
65+	1107	81,812	145	13.4	10.9-15.9	327	29.4	26.1-32.7	371	33.3	29.8-36.8	193	18.0	15.1-20.9	71	5.8	04.0-07.6
Less Than H.S.	244	49,015	21	8.4	03.9-12.9	28	13.2	06.7-19.7	72	34.5	26.5-42.5	91	33.4	25.4-41.4	32	10.6	05.5-15.7
H.S. or G.E.D.	918	110,585	117	15.9	12.2-19.6	256	29.0	24.7-33.3	329	35.4	31.1-39.7	153	14.0	11.3-16.7	63	5.6	03.8-07.4
Some Post-H.S.	873	119,580	137	18.2	14.7-21.7	287	33.1	29.0-37.2	278	33.1	28.8-37.4	128	11.8	09.3-14.3	43	3.7	02.3-05.1
College Graduate	1071	97,273	272	27.9	24.4-31.4	440	41.5	37.8-45.2	263	23.5	20.0-27.0	71	5.6	03.8-07.4	25	1.5	00.7-02.3
Less than \$15,000	317	38,611	29	12.4	06.5-18.3	61	17.6	10.9-24.3	115	37.4	29.6-45.2	83	24.6	17.3-31.9	29	8.0	04.5-11.5
\$15,000- 24,999	476	54,888	47	8.5	05.6-11.4	96	17.1	12.8-21.4	144	31.8	26.3-37.3	127	31.6	25.5-37.7	62	11.0	07.5-14.5
\$25,000- 34,999	303	33,455	32	12.1	07.0-17.2	77	23.3	17.2-29.4	122	41.1	33.7-48.5	53	16.4	11.3-21.5	19	7.0	03.1-10.9
\$35,000- 49,999	389	47,340	66	19.0	13.1-24.9	141	37.0	30.1-43.9	132	32.9	26.6-39.2	41	9.5	06.2-12.8	9	1.7	00.5-02.9
\$50,000- 74,999	391	46,464	85	20.4	15.5-25.3	148	34.7	28.6-40.8	120	36.0	29.3-42.7	33	7.6	04.7-10.5	5	1.3	00.0-02.7
\$75,000+	711	95,773	201	28.9	24.4-33.4	322	44.5	39.8-49.2	143	21.3	17.2-25.4	32	3.9	02.1-05.7	13	1.3	00.3-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None						1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5092	709,015	3302	64.4	62.6-66.2	490	11.0	09.6-12.4	500	10.3	09.1-11.5	415	7.5	06.5-08.5	385	6.9	05.9-07.9			
Male	2058	341,374	1389	66.8	64.1-69.5	215	11.5	09.5-13.5	179	9.3	07.5-11.1	134	6.6	05.0-08.2	141	5.8	04.4-07.2			
Female	3034	367,640	1913	62.2	59.8-64.6	275	10.5	08.7-12.3	321	11.2	09.6-12.8	281	8.3	07.1-09.5	244	7.8	06.4-09.2			
White/Non-Hisp	3753	474,961	2431	64.2	62.0-66.4	376	11.5	09.9-13.1	366	10.1	08.7-11.5	292	7.0	06.0-08.0	288	7.2	06.0-08.4			
Black or Afr. Am./Non-Hisp	750	136,595	469	61.1	56.4-65.8	69	11.3	07.8-14.8	81	11.7	08.8-14.6	79	9.3	06.8-11.8	52	6.7	04.2-09.2			
Oth. Race/Non-Hisp.	206	30,839	146	69.9	59.5-80.3	18	8.0	03.3-12.7	18	9.3	02.4-16.2	9	8.2	00.0-16.6	15	4.5	01.8-07.2			
MultiRacial/Non-Hisp.	68	5,005	37	64.5	51.4-77.6	6	8.9	00.1-17.7	4	3.9	00.0-08.8	11	12.6	04.4-20.8	10	10.1	03.4-16.8			
Hispanic	237	52,157	168	70.6	63.2-78.0	14	7.8	03.1-12.5	18	8.6	03.7-13.5	20	6.8	03.3-10.3	17	6.1	02.4-09.8			
18-24	277	90,768	189	67.8	61.1-74.5	36	11.9	07.6-16.2	29	11.3	06.6-16.0	12	3.7	01.2-06.2	11	5.4	01.7-09.1			
25-34	480	114,724	330	64.9	59.2-70.6	58	14.1	09.4-18.8	51	11.3	07.6-15.0	28	6.2	03.7-08.7	13	3.5	01.1-05.9			
35-44	598	108,738	420	67.3	62.6-72.0	64	11.4	07.9-14.9	50	9.5	06.6-12.4	36	6.9	04.4-09.4	28	4.9	02.7-07.1			
45-54	881	129,969	569	62.6	58.5-66.7	95	11.9	09.2-14.6	82	9.7	07.2-12.2	67	7.7	05.3-10.1	68	8.1	05.7-10.5			
55-64	1075	117,732	665	61.6	57.7-65.5	105	10.2	07.8-12.6	96	8.4	06.2-10.6	101	9.9	07.0-12.8	108	9.8	07.6-12.0			
65+	1732	142,661	1095	63.5	60.6-66.4	126	7.1	05.5-08.7	186	11.5	09.5-13.5	171	9.3	07.7-10.9	154	8.6	07.0-10.2			
Less Than H.S.	403	94,244	222	54.8	48.3-61.3	25	9.2	04.7-13.7	41	10.1	06.4-13.8	50	10.2	06.3-14.1	65	15.7	10.8-20.6			
H.S. or G.E.D.	1516	221,865	958	63.0	59.7-66.3	120	11.2	08.5-13.9	164	10.7	08.5-12.9	149	8.8	07.0-10.6	125	6.3	04.9-07.7			
Some Post-H.S.	1324	208,977	830	63.7	60.4-67.0	120	10.5	08.3-12.7	135	11.4	08.9-13.9	129	8.0	06.2-09.8	110	6.5	04.9-08.1			
College Graduate	1832	182,347	1282	72.1	69.6-74.6	223	12.0	10.2-13.8	157	8.5	06.7-10.3	87	4.0	02.8-05.2	83	3.4	02.4-04.4			
Less than \$15,000	434	61,682	238	59.0	52.1-65.9	30	9.2	03.7-14.7	51	14.0	08.9-19.1	55	7.4	04.9-09.9	60	10.3	07.0-13.6			
\$15,000- 24,999	714	95,160	375	51.8	46.9-56.7	47	7.1	04.6-09.6	75	12.1	08.8-15.4	113	15.9	12.0-19.8	104	13.1	10.0-16.2			
\$25,000- 34,999	483	62,896	287	58.9	53.0-64.8	42	9.0	05.9-12.1	59	11.9	08.2-15.6	45	9.1	06.0-12.2	50	11.1	07.0-15.2			
\$35,000- 49,999	681	94,059	467	67.8	62.9-72.7	61	10.6	07.1-14.1	58	9.0	05.9-12.1	53	7.7	05.2-10.2	42	4.9	03.1-06.7			
\$50,000- 74,999	684	93,687	471	68.7	64.0-73.4	75	13.3	09.6-17.0	62	8.3	05.8-10.8	44	6.1	03.7-08.5	32	3.6	02.2-05.0			
\$75,000+	1340	200,701	971	71.4	68.1-74.7	170	12.6	10.2-15.0	105	8.7	06.5-10.9	50	4.1	02.5-05.7	44	3.3	01.9-04.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2058	341,374	1389	66.8	64.1-69.5	215	11.5	09.5-13.5	179	9.3	07.5-11.1	134	6.6	05.0-08.2	141	5.8	04.4-07.2
White/Non-Hisp	1513	228,330	1001	65.4	62.3-68.5	176	12.9	10.5-15.3	129	9.3	07.3-11.3	95	6.1	04.5-07.7	112	6.4	04.8-08.0
Black or Afr. Am./Non-Hisp	283	63,565	200	66.7	59.1-74.3	19	9.2	03.5-14.9	29	11.9	07.0-16.8	24	7.2	03.5-10.9	11	4.9	01.0-08.8
Oth. Race/Non-Hisp.	99	17,358	76	79.0	64.9-93.1	7	3.2	00.3-06.1	7	4.2	00.5-07.9	4	10.8	00.0-24.9	5	2.8	00.0-05.7
Hispanic	97	23,679	71	69.6	58.6-80.6	9	11.7	03.3-20.1	6	5.9	00.4-11.4	5	7.3	00.8-13.8	6	5.5	00.6-10.4
18-24	133	45,107	96	73.2	64.0-82.4	16	11.1	05.0-17.2	15	9.6	04.1-15.1	3	3.3	00.0-07.4	3	2.9	00.0-07.6
25-34	208	57,921	150	68.2	60.0-76.4	26	13.7	07.0-20.4	21	10.7	05.2-16.2	5	3.7	00.4-07.0	6	3.8	00.3-07.3
35-44	256	53,157	182	67.7	60.8-74.6	29	12.7	07.2-18.2	22	9.5	05.2-13.8	15	6.9	03.4-10.4	8	3.3	00.9-05.7
45-54	362	62,922	239	63.5	57.2-69.8	43	12.8	08.7-16.9	31	8.8	05.1-12.5	22	7.5	03.6-11.4	27	7.3	03.8-10.8
55-64	419	57,065	271	64.2	58.1-70.3	47	10.5	06.8-14.2	36	8.0	04.7-11.3	25	8.2	03.3-13.1	40	9.2	06.1-12.3
65+	666	63,768	443	66.2	61.7-70.7	52	8.2	05.7-10.7	51	8.8	05.9-11.7	64	9.2	06.7-11.7	56	7.6	05.2-10.0
Less Than H.S.	173	47,449	99	54.7	44.9-64.5	10	9.6	02.3-16.9	15	9.8	04.5-15.1	21	11.7	04.8-18.6	28	14.3	07.4-21.2
H.S. or G.E.D.	636	114,916	409	65.4	60.7-70.1	60	12.3	08.6-16.0	65	8.9	06.4-11.4	54	8.4	05.7-11.1	48	5.0	03.4-06.6
Some Post-H.S.	468	91,820	325	69.1	63.6-74.6	49	11.3	07.8-14.8	38	10.2	06.3-14.1	27	4.5	02.5-06.5	29	4.9	02.7-07.1
College Graduate	771	85,925	550	73.2	69.3-77.1	95	11.6	09.1-14.1	58	8.2	05.7-10.7	32	3.6	01.6-05.6	36	3.4	02.0-04.8
Less than \$15,000	131	23,990	67	55.9	43.6-68.2	8	12.0	00.0-24.0	22	17.3	08.3-26.3	14	4.9	02.0-07.8	20	9.9	04.6-15.2
\$15,000- 24,999	257	42,888	146	55.3	47.3-63.3	15	6.5	02.6-10.4	23	12.0	06.3-17.7	37	15.3	08.4-22.2	36	10.9	06.8-15.0
\$25,000- 34,999	188	30,526	117	62.6	53.4-71.8	18	8.7	04.2-13.2	23	12.9	06.8-19.0	16	8.5	03.4-13.6	14	7.3	01.6-13.0
\$35,000- 49,999	298	48,241	209	71.8	65.3-78.3	27	9.2	04.9-13.5	25	6.5	03.6-09.4	20	8.2	03.9-12.5	17	4.2	01.8-06.6
\$50,000- 74,999	295	47,485	209	71.0	64.3-77.7	37	15.3	09.6-21.0	18	5.7	02.6-08.8	16	4.5	02.0-07.0	15	3.4	01.4-05.4
\$75,000+	636	105,723	471	72.1	67.4-76.8	85	13.3	10.0-16.6	41	7.6	04.9-10.3	17	3.3	01.1-05.5	22	3.7	01.5-05.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3034	367,640	1913	62.2	59.8-64.6	275	10.5	08.7-12.3	321	11.2	09.6-12.8	281	8.3	07.1-09.5	244	7.8	06.4-09.2
White/Non-Hisp	2240	246,632	1430	63.0	60.3-65.7	200	10.2	08.2-12.2	237	10.9	08.9-12.9	197	7.9	06.5-09.3	176	7.9	06.3-09.5
Black or Afr. Am./Non-Hisp	467	73,030	269	56.1	50.0-62.2	50	13.1	08.8-17.4	52	11.5	07.8-15.2	55	11.1	07.6-14.6	41	8.2	04.9-11.5
Oth. Race/Non-Hisp.	107	13,481	70	58.3	44.4-72.2	11	14.2	04.8-23.6	11	15.9	02.2-29.6	5	4.8	00.0-09.7	10	6.8	01.7-11.9
Hispanic	140	28,478	97	71.5	61.5-81.5	5	4.6	00.0-09.7	12	10.8	03.0-18.6	15	6.4	02.7-10.1	11	6.6	01.3-11.9
18-24	144	45,661	93	62.5	52.9-72.1	20	12.8	06.5-19.1	14	13.0	05.6-20.4	9	4.0	01.3-06.7	8	7.8	02.1-13.5
25-34	272	56,803	180	61.7	54.1-69.3	32	14.5	07.8-21.2	30	11.8	06.9-16.7	23	8.8	05.1-12.5	7	3.2	00.5-05.9
35-44	342	55,581	238	66.9	60.4-73.4	35	10.2	05.9-14.5	28	9.5	05.4-13.6	21	7.0	03.3-10.7	20	6.4	02.9-09.9
45-54	519	67,046	330	61.7	56.4-67.0	52	11.1	07.6-14.6	51	10.4	06.9-13.9	45	7.9	05.2-10.6	41	8.8	05.5-12.1
55-64	656	60,667	394	59.2	54.3-64.1	58	10.0	07.1-12.9	60	8.8	06.3-11.3	76	11.6	08.3-14.9	68	10.4	07.5-13.3
65+	1066	78,892	652	61.3	57.6-65.0	74	6.2	04.4-08.0	135	13.7	11.0-16.4	107	9.4	07.4-11.4	98	9.5	07.1-11.9
Less Than H.S.	230	46,795	123	54.9	46.3-63.5	15	8.9	03.4-14.4	26	10.4	05.1-15.7	29	8.7	05.0-12.4	37	17.1	10.2-24.0
H.S. or G.E.D.	880	106,949	549	60.4	55.7-65.1	60	10.1	06.2-14.0	99	12.7	09.4-16.0	95	9.1	06.9-11.3	77	7.7	05.5-09.9
Some Post-H.S.	856	117,157	505	59.4	55.1-63.7	71	9.8	07.3-12.3	97	12.3	09.2-15.4	102	10.7	08.0-13.4	81	7.8	05.6-10.0
College Graduate	1061	96,422	732	71.1	67.6-74.6	128	12.4	09.9-14.9	99	8.8	06.6-11.0	55	4.3	02.9-05.7	47	3.4	01.8-05.0
Less than \$15,000	303	37,692	171	61.0	53.0-69.0	22	7.5	03.2-11.8	29	11.8	05.7-17.9	41	9.0	05.3-12.7	40	10.6	06.1-15.1
\$15,000- 24,999	457	52,272	229	48.9	42.8-55.0	32	7.6	04.1-11.1	52	12.2	08.5-15.9	76	16.3	12.2-20.4	68	15.0	10.3-19.7
\$25,000- 34,999	295	32,370	170	55.5	48.1-62.9	24	9.3	05.0-13.6	36	11.0	06.9-15.1	29	9.6	05.7-13.5	36	14.7	08.6-20.8
\$35,000- 49,999	383	45,818	258	63.6	56.5-70.7	34	12.0	06.5-17.5	33	11.5	06.0-17.0	33	7.1	04.4-09.8	25	5.8	03.3-08.3
\$50,000- 74,999	389	46,202	262	66.3	60.0-72.6	38	11.2	06.7-15.7	44	11.0	07.1-14.9	28	7.7	04.0-11.4	17	3.8	01.6-06.0
\$75,000+	704	94,978	500	70.6	66.1-75.1	85	11.8	08.9-14.7	64	9.9	06.8-13.0	33	5.0	02.6-07.4	22	2.7	01.1-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None						1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5134	713,129	3561	67.1	65.3-68.9	388	8.2	07.2-09.2	499	11.0	09.8-12.2	387	7.7	06.7-08.7	299	5.9	04.9-06.9			
Male	2062	341,338	1526	71.3	68.6-74.0	139	7.7	06.1-09.3	172	9.8	08.0-11.6	121	6.4	05.0-07.8	104	4.8	03.4-06.2			
Female	3072	371,791	2035	63.2	60.8-65.6	249	8.7	07.3-10.1	327	12.1	10.3-13.9	266	9.0	07.6-10.4	195	7.0	05.6-08.4			
White/Non-Hisp	3780	475,984	2660	68.1	66.1-70.1	275	7.8	06.6-09.0	370	11.0	09.6-12.4	262	7.3	06.1-08.5	213	5.9	04.9-06.9			
Black or Afr. Am./Non-Hisp	764	139,945	505	62.4	57.7-67.1	63	9.4	06.7-12.1	71	11.1	07.8-14.4	82	10.6	07.7-13.5	43	6.4	04.0-08.8			
Oth. Race/Non-Hisp.	206	30,660	143	70.8	61.6-80.0	18	7.2	02.3-12.1	21	13.1	05.7-20.5	11	3.9	00.6-07.2	13	5.1	01.6-08.6			
MultiRacial/Non-Hisp.	70	5,267	38	54.1	40.2-68.0	6	10.4	01.6-19.2	8	13.1	04.1-22.1	12	14.6	05.2-24.0	6	7.9	01.6-14.2			
Hispanic	236	51,780	157	67.1	59.8-74.4	21	10.1	05.2-15.0	22	10.3	05.4-15.2	16	6.1	03.0-09.2	20	6.3	02.4-10.2			
18-24	278	91,058	155	55.6	48.5-62.7	33	10.0	06.3-13.7	44	16.6	11.1-22.1	31	12.3	07.4-17.2	15	5.6	02.3-08.9			
25-34	483	115,633	283	59.8	54.3-65.3	64	12.8	09.1-16.5	68	13.9	10.4-17.4	35	6.6	04.1-09.1	33	6.9	04.0-09.8			
35-44	605	109,897	397	66.2	61.7-70.7	59	8.2	05.8-10.6	66	12.4	08.9-15.9	50	8.4	05.7-11.1	33	4.8	02.8-06.8			
45-54	880	129,113	553	66.4	62.5-70.3	82	9.0	06.6-11.4	100	10.4	07.9-12.9	73	6.6	04.8-08.4	72	7.6	05.4-09.8			
55-64	1082	118,331	725	68.4	64.9-71.9	67	6.5	04.5-08.5	111	9.3	07.3-11.3	105	8.7	06.7-10.7	74	7.2	05.0-09.4			
65+	1752	144,270	1402	79.7	77.3-82.1	80	4.4	03.2-05.6	109	6.3	04.9-07.7	89	5.6	04.0-07.2	72	4.0	02.8-05.2			
Less Than H.S.	409	94,787	279	67.7	61.6-73.8	20	5.9	02.8-09.0	39	8.1	05.0-11.2	28	6.1	03.2-09.0	43	12.3	07.8-16.8			
H.S. or G.E.D.	1535	223,682	1072	67.4	64.1-70.7	89	7.1	05.3-08.9	129	10.1	07.7-12.5	132	8.6	06.6-10.6	113	6.8	05.2-08.4			
Some Post-H.S.	1334	209,554	873	62.7	59.2-66.2	109	8.9	06.9-10.9	147	13.3	10.8-15.8	122	10.2	08.0-12.4	83	4.9	03.5-06.3			
College Graduate	1838	183,214	1322	71.1	68.4-73.8	170	10.2	08.4-12.0	183	11.0	09.0-13.0	104	4.8	03.6-06.0	59	2.9	01.9-03.9			
Less than \$15,000	440	61,702	264	60.7	54.0-67.4	26	6.4	03.1-09.7	53	11.4	07.7-15.1	44	9.3	05.6-13.0	53	12.1	07.4-16.8			
\$15,000- 24,999	722	97,112	444	62.1	57.4-66.8	46	8.6	05.7-11.5	66	7.8	05.4-10.2	93	12.7	09.6-15.8	73	8.9	06.4-11.4			
\$25,000- 34,999	490	63,258	345	67.8	62.1-73.5	25	5.7	02.8-08.6	40	10.4	06.5-14.3	35	6.8	04.3-09.3	45	9.2	05.9-12.5			
\$35,000- 49,999	683	94,195	479	68.1	63.2-73.0	41	6.5	03.8-09.2	69	11.7	08.2-15.2	66	10.4	07.1-13.7	28	3.4	01.8-05.0			
\$50,000- 74,999	683	93,290	463	66.3	61.6-71.0	71	10.7	07.6-13.8	75	13.3	09.8-16.8	44	5.6	03.4-07.8	30	4.1	02.3-05.9			
\$75,000+	1346	201,450	971	67.7	64.4-71.0	134	10.7	08.5-12.9	142	12.4	09.9-14.9	64	5.8	04.0-07.6	35	3.4	01.8-05.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2062	341,338	1526	71.3	68.6-74.0	139	7.7	06.1-09.3	172	9.8	08.0-11.6	121	6.4	05.0-07.8	104	4.8	03.4-06.2
White/Non-Hisp	1513	227,340	1133	72.9	70.0-75.8	97	7.1	05.3-08.9	128	9.7	07.7-11.7	81	5.5	04.1-06.9	74	4.8	03.2-06.4
Black or Afr. Am./Non-Hisp	287	64,606	200	62.8	55.2-70.4	22	8.2	04.3-12.1	24	12.2	06.5-17.9	30	11.9	07.0-16.8	11	4.8	00.9-08.7
Oth. Race/Non-Hisp.	99	17,158	75	81.4	71.0-91.8	8	7.3	00.0-14.9	7	5.0	00.7-09.3	4	3.3	00.0-08.4	5	3.0	00.0-06.1
Hispanic	97	23,679	66	66.4	55.4-77.4	10	14.0	05.0-23.0	8	9.4	02.3-16.5	3	3.1	00.0-06.4	10	7.1	02.0-12.2
18-24	134	45,397	81	61.2	51.2-71.2	16	10.8	05.3-16.3	17	13.0	06.1-19.9	14	9.4	03.7-15.1	6	5.7	00.2-11.2
25-34	209	58,076	135	61.7	53.7-69.7	21	13.3	07.2-19.4	29	13.4	08.1-18.7	11	5.7	01.8-09.6	13	5.9	02.2-09.6
35-44	259	53,618	184	70.9	64.4-77.4	20	5.5	02.8-08.2	25	11.6	06.5-16.7	20	8.7	04.8-12.6	10	3.3	00.9-05.7
45-54	361	62,068	250	73.6	67.9-79.3	36	8.5	05.2-11.8	32	9.0	04.9-13.1	18	3.3	01.5-05.1	25	5.6	02.9-08.3
55-64	417	56,756	297	72.6	67.3-77.9	28	6.9	03.8-10.0	41	8.4	05.3-11.5	28	6.8	04.1-09.5	23	5.4	02.3-08.5
65+	666	63,932	563	83.5	79.8-87.2	18	2.3	01.1-03.5	28	5.0	02.8-07.2	30	5.6	02.9-08.3	27	3.5	01.9-05.1
Less Than H.S.	175	47,207	132	73.1	64.5-81.7	9	7.9	02.2-13.6	12	6.3	02.0-10.6	9	2.8	00.8-04.8	13	9.9	03.4-16.4
H.S. or G.E.D.	636	114,900	465	69.7	65.0-74.4	35	6.9	04.4-09.4	45	9.9	06.4-13.4	49	7.6	05.2-10.0	42	5.8	03.6-08.0
Some Post-H.S.	468	91,790	332	68.9	63.4-74.4	36	8.1	05.0-11.2	43	10.4	06.9-13.9	34	9.6	05.9-13.3	23	2.9	01.5-04.3
College Graduate	773	86,177	588	74.7	70.8-78.6	59	8.3	05.9-10.7	71	10.8	07.9-13.7	29	3.4	01.6-05.2	26	2.8	01.2-04.4
Less than \$15,000	132	23,804	82	59.8	47.8-71.8	9	11.2	03.2-19.2	13	8.8	02.7-14.9	14	11.0	03.2-18.8	14	9.1	02.2-16.0
\$15,000- 24,999	258	43,250	180	70.1	63.0-77.2	13	7.6	02.7-12.5	15	5.5	02.2-08.8	32	11.5	06.8-16.2	18	5.2	02.5-07.9
\$25,000- 34,999	189	30,433	147	75.6	67.2-84.0	6	4.4	00.0-09.1	10	9.3	02.8-15.8	8	3.9	00.8-07.0	18	6.8	03.1-10.5
\$35,000- 49,999	297	47,974	221	73.0	66.1-79.9	16	6.2	01.9-10.5	27	9.6	05.3-13.9	22	8.2	04.3-12.1	11	2.9	00.9-04.9
\$50,000- 74,999	294	47,454	210	69.2	62.1-76.3	31	11.6	06.7-16.5	32	12.9	07.8-18.0	11	4.2	00.9-07.5	10	2.1	00.5-03.7
\$75,000+	635	105,677	480	70.6	65.7-75.5	56	8.8	06.3-11.3	57	10.9	07.4-14.4	22	5.0	02.6-07.4	20	4.8	02.3-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3072	371,791	2035	63.2	60.8-65.6	249	8.7	07.3-10.1	327	12.1	10.3-13.9	266	9.0	07.6-10.4	195	7.0	05.6-08.4
White/Non-Hisp	2267	248,644	1527	63.6	60.9-66.3	178	8.4	06.8-10.0	242	12.2	10.2-14.2	181	9.0	07.2-10.8	139	6.8	05.2-08.4
Black or Afr. Am./Non-Hisp	477	75,339	305	62.1	56.2-68.0	41	10.5	06.8-14.2	47	10.2	06.3-14.1	52	9.5	06.4-12.6	32	7.7	04.6-10.8
Oth. Race/Non-Hisp.	107	13,502	68	57.3	43.4-71.2	10	7.1	01.8-12.4	14	23.4	09.3-37.5	7	4.5	00.2-08.8	8	7.7	01.2-14.2
Hispanic	139	28,101	91	67.7	57.9-77.5	11	6.8	02.3-11.3	14	11.1	04.0-18.2	13	8.8	03.9-13.7	10	5.6	00.0-11.5
18-24	144	45,661	74	50.0	40.2-59.8	17	9.1	04.0-14.2	27	20.2	11.8-28.6	17	15.1	07.5-22.7	9	5.6	01.7-09.5
25-34	274	57,557	148	57.8	50.5-65.1	43	12.4	08.1-16.7	39	14.4	09.7-19.1	24	7.4	04.3-10.5	20	8.0	03.7-12.3
35-44	346	56,280	213	61.7	55.2-68.2	39	10.8	07.1-14.5	41	13.1	08.4-17.8	30	8.2	04.5-11.9	23	6.2	03.3-09.1
45-54	519	67,045	303	59.7	54.4-65.0	46	9.5	06.4-12.6	68	11.8	08.7-14.9	55	9.6	06.7-12.5	47	9.4	06.1-12.7
55-64	665	61,575	428	64.5	59.8-69.2	39	6.1	03.6-08.6	70	10.2	07.5-12.9	77	10.4	07.7-13.1	51	8.8	05.9-11.7
65+	1086	80,338	839	76.7	73.6-79.8	62	6.0	04.2-07.8	81	7.4	05.4-09.4	59	5.7	03.9-07.5	45	4.3	02.5-06.1
Less Than H.S.	234	47,580	147	62.2	53.8-70.6	11	3.9	01.2-06.6	27	9.8	05.3-14.3	19	9.4	04.1-14.7	30	14.6	08.1-21.1
H.S. or G.E.D.	899	108,781	607	64.9	60.6-69.2	54	7.3	04.9-09.7	84	10.4	07.5-13.3	83	9.6	06.7-12.5	71	7.8	05.6-10.0
Some Post-H.S.	866	117,764	541	57.9	53.6-62.2	73	9.4	06.9-11.9	104	15.5	11.8-19.2	88	10.7	08.0-13.4	60	6.4	04.4-08.4
College Graduate	1065	97,036	734	67.9	64.2-71.6	111	11.9	09.2-14.6	112	11.2	08.8-13.6	75	6.1	04.5-07.7	33	2.9	01.5-04.3
Less than \$15,000	308	37,898	182	61.3	53.5-69.1	17	3.4	01.2-05.6	40	13.1	08.4-17.8	30	8.3	04.6-12.0	39	14.0	07.9-20.1
\$15,000- 24,999	464	53,861	264	55.7	49.6-61.8	33	9.4	05.9-12.9	51	9.6	06.1-13.1	61	13.6	09.3-17.9	55	11.8	08.1-15.5
\$25,000- 34,999	301	32,825	198	60.6	53.3-67.9	19	7.0	03.3-10.7	30	11.5	07.0-16.0	27	9.4	05.5-13.3	27	11.5	06.0-17.0
\$35,000- 49,999	386	46,221	258	63.0	56.1-69.9	25	6.7	03.4-10.0	42	13.8	08.3-19.3	44	12.6	07.5-17.7	17	3.8	01.6-06.0
\$50,000- 74,999	389	45,836	253	63.2	56.9-69.5	40	9.7	06.2-13.2	43	13.7	08.8-18.6	33	7.1	04.2-10.0	20	6.2	03.1-09.3
\$75,000+	711	95,773	491	64.5	59.6-69.4	78	12.8	09.5-16.1	85	14.1	10.4-17.8	42	6.7	04.0-09.4	15	1.9	00.7-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2603	373,725	1554	60.9	58.4-63.4	258	10.6	09.0-12.2	297	11.9	10.1-13.7	270	9.2	07.6-10.8	224	7.4	06.0-08.8
Male	954	165,057	580	61.8	57.7-65.9	105	11.6	08.9-14.3	110	11.7	09.0-14.4	73	7.4	05.2-09.6	86	7.5	05.3-09.7
Female	1649	208,668	974	60.1	56.8-63.4	153	9.9	07.9-11.9	187	12.1	09.7-14.5	197	10.6	08.4-12.8	138	7.4	05.8-09.0
White/Non-Hisp	1913	249,960	1133	59.9	57.0-62.8	194	11.2	09.2-13.2	221	12.3	10.1-14.5	195	8.8	07.0-10.6	170	7.8	06.2-09.4
Black or Afr. Am./Non-Hisp	408	79,717	252	61.7	55.2-68.2	37	9.8	05.7-13.9	43	11.1	07.0-15.2	45	10.7	06.8-14.6	31	6.8	03.3-10.3
Oth. Race/Non-Hisp.	94	13,877	61	73.8	62.0-85.6	6	3.3	00.2-06.4	11	13.2	03.6-22.8	11	7.3	02.2-12.4	5	2.5	00.0-05.2
Hispanic	108	23,593	68	64.2	52.8-75.6	12	11.0	03.7-18.3	11	9.7	03.2-16.2	10	8.7	01.4-16.0	7	6.4	00.5-12.3
18-24	163	51,676	108	63.4	54.2-72.6	25	14.6	07.9-21.3	16	11.3	05.0-17.6	8	5.4	01.1-09.7	6	5.4	00.5-10.3
25-34	263	65,932	166	62.9	55.5-70.3	33	10.8	06.7-14.9	35	14.9	09.2-20.6	15	6.7	02.2-11.2	14	4.7	01.6-07.8
35-44	302	56,244	195	63.6	56.9-70.3	33	11.6	07.3-15.9	31	11.2	06.7-15.7	23	8.0	04.1-11.9	20	5.7	02.8-08.6
45-54	469	68,837	268	58.1	52.4-63.8	52	10.4	06.9-13.9	56	12.7	09.0-16.4	54	10.9	07.4-14.4	39	7.8	04.7-10.9
55-64	579	62,699	313	56.0	50.7-61.3	58	10.7	07.4-14.0	62	9.3	06.2-12.4	71	11.5	08.2-14.8	75	12.6	09.3-15.9
65+	802	66,031	488	62.3	58.2-66.4	54	6.7	04.7-08.7	95	11.6	08.9-14.3	98	11.7	09.0-14.4	67	7.7	05.5-09.9
Less Than H.S.	230	53,243	123	56.7	48.1-65.3	10	4.2	00.5-07.9	25	10.3	05.4-15.2	31	12.4	06.9-17.9	41	16.5	10.0-23.0
H.S. or G.E.D.	805	120,809	474	61.9	57.4-66.4	62	8.9	06.2-11.6	92	11.5	08.4-14.6	99	10.5	07.8-13.2	78	7.2	05.2-09.2
Some Post-H.S.	707	114,846	408	60.4	55.7-65.1	74	12.5	09.2-15.8	82	11.8	08.5-15.1	83	9.2	06.5-11.9	60	6.1	04.3-07.9
College Graduate	852	83,555	543	62.7	58.4-67.0	112	14.9	12.0-17.8	97	13.6	10.3-16.9	57	5.3	03.3-07.3	43	3.5	02.1-04.9
Less than \$15,000	266	34,907	128	53.7	44.7-62.7	16	7.6	02.3-12.9	34	14.2	07.9-20.5	44	12.3	06.6-18.0	44	12.2	07.1-17.3
\$15,000- 24,999	449	61,137	231	56.1	50.0-62.2	31	5.9	03.4-08.4	50	10.4	06.9-13.9	74	15.2	10.9-19.5	63	12.5	08.8-16.2
\$25,000- 34,999	261	35,495	158	66.3	59.2-73.4	22	9.7	05.4-14.0	34	11.5	06.6-16.4	26	6.5	03.6-09.4	21	6.0	03.1-08.9
\$35,000- 49,999	335	47,475	209	59.7	52.3-67.1	33	11.9	06.8-17.0	34	9.7	05.0-14.4	30	10.8	05.5-16.1	29	7.9	04.4-11.4
\$50,000- 74,999	337	47,132	217	64.5	57.8-71.2	33	10.6	06.3-14.9	43	15.0	09.5-20.5	31	6.8	04.1-09.5	13	3.1	01.1-05.1
\$75,000+	598	95,946	383	62.4	57.1-67.7	91	15.4	11.5-19.3	63	12.6	08.9-16.3	37	6.2	03.7-08.7	24	3.4	01.4-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	954	165,057	580	61.8	57.7-65.9	105	11.6	08.9-14.3	110	11.7	09.0-14.4	73	7.4	05.2-09.6	86	7.5	05.3-09.7
White/Non-Hisp	716	111,377	431	59.7	55.0-64.4	82	12.9	09.6-16.2	84	12.4	08.9-15.9	52	7.1	04.7-09.5	67	7.9	05.5-10.3
Black or Afr. Am./Non-Hisp	129	33,655	84	65.5	54.7-76.3	10	6.5	01.8-11.2	13	10.7	03.8-17.6	12	10.1	03.2-17.0	10	7.2	00.7-13.7
18-24	75	23,934	54	65.6	51.9-79.3	11	16.0	05.8-26.2	4	6.2	00.0-13.3	4	6.9	00.0-14.7	2	5.3	00.0-13.7
25-34	99	30,829	62	65.4	53.8-77.0	12	8.4	03.1-13.7	16	18.3	08.5-28.1	4	2.6	00.0-06.3	5	5.3	00.0-11.0
35-44	121	25,376	79	61.2	50.8-71.6	16	15.3	07.5-23.1	13	11.1	04.6-17.6	8	8.7	02.4-15.0	5	3.7	00.4-07.0
45-54	178	30,084	110	64.4	55.6-73.2	20	11.5	05.6-17.4	18	10.6	04.9-16.3	13	6.8	02.3-11.3	17	6.8	03.1-10.5
55-64	201	27,546	105	51.9	42.5-61.3	20	11.1	05.2-17.0	23	10.0	04.7-15.3	22	12.0	05.7-18.3	31	15.0	09.1-20.9
65+	272	26,496	167	63.8	56.9-70.7	25	8.5	05.0-12.0	34	12.0	07.5-16.5	22	8.3	04.6-12.0	24	7.5	04.0-11.0
Less Than H.S.	88	25,923	54	63.8	50.5-77.1	3	5.6	00.0-12.7	8	8.9	01.5-16.3	7	6.0	00.1-11.9	16	15.7	05.5-25.9
H.S. or G.E.D.	317	58,280	190	62.3	55.4-69.2	25	9.4	04.9-13.9	35	10.4	06.3-14.5	33	10.8	06.1-15.5	34	7.0	04.3-09.7
Some Post-H.S.	215	43,485	129	60.8	52.6-69.0	28	14.6	08.9-20.3	27	13.6	06.9-20.3	17	6.0	02.7-09.3	14	5.0	02.1-07.9
College Graduate	330	36,714	205	61.6	54.9-68.3	49	15.9	11.0-20.8	39	13.1	08.0-18.2	16	4.7	01.4-08.0	21	4.6	02.1-07.1
Less than \$15,000	80	14,329	40	64.7	49.4-80.0	4	6.9	00.0-16.3	12	16.4	04.1-28.7	11	5.7	01.4-10.0	13	6.4	01.9-10.9
\$15,000- 24,999	141	24,428	71	59.7	49.5-69.9	7	4.0	00.5-07.5	17	10.5	04.6-16.4	21	13.6	06.7-20.5	25	12.2	06.7-17.7
\$25,000- 34,999	96	15,982	66	73.3	62.9-83.7	10	10.1	03.2-17.0	9	7.9	01.0-14.8	6	5.1	00.8-09.4	5	3.6	00.1-07.1
\$35,000- 49,999	132	20,554	85	63.8	53.2-74.4	12	9.8	02.4-17.2	12	6.6	02.5-10.7	9	9.7	02.8-16.6	14	10.1	04.0-16.2
\$50,000- 74,999	134	21,778	81	58.6	47.8-69.4	15	13.5	05.9-21.1	22	20.5	10.7-30.3	10	4.0	01.1-06.9	6	3.4	00.3-06.5
\$75,000+	262	47,934	169	63.7	56.3-71.1	45	16.8	11.3-22.3	24	9.3	05.0-13.6	12	5.3	01.6-09.0	12	4.9	01.2-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1649	208,668	974	60.1	56.8-63.4	153	9.9	07.9-11.9	187	12.1	09.7-14.5	197	10.6	08.4-12.8	138	7.4	05.8-09.0
White/Non-Hisp	1197	138,583	702	60.1	56.2-64.0	112	9.8	07.6-12.0	137	12.2	09.5-14.9	143	10.2	07.8-12.6	103	7.8	05.8-09.8
Black or Afr. Am./Non-Hisp	279	46,063	168	58.9	51.1-66.7	27	12.1	06.0-18.2	30	11.4	06.3-16.5	33	11.0	06.5-15.5	21	6.6	02.9-10.3
Oth. Race/Non-Hisp.	59	8,118	39	67.8	51.5-84.1	6	5.6	00.3-10.9	6	16.7	02.0-31.4	5	7.4	00.3-14.5	3	2.5	00.0-06.6
Hispanic	66	12,473	42	62.4	46.5-78.3	5	6.2	00.0-12.7	7	9.0	00.8-17.2	8	13.9	01.2-26.6	4	8.5	00.0-18.3
18-24	88	27,742	54	61.5	49.2-73.8	14	13.3	04.5-22.1	12	15.7	06.1-25.3	4	4.0	00.0-08.3	4	5.4	00.1-10.7
25-34	164	35,103	104	60.8	51.0-70.6	21	12.9	06.8-19.0	19	11.9	06.0-17.8	11	10.4	03.0-17.8	9	4.1	01.4-06.8
35-44	181	30,868	116	65.5	56.7-74.3	17	8.5	04.2-12.8	18	11.3	04.8-17.8	15	7.4	02.7-12.1	15	7.3	02.6-12.0
45-54	291	38,753	158	53.3	46.0-60.6	32	9.6	05.7-13.5	38	14.4	09.3-19.5	41	14.1	09.0-19.2	22	8.6	04.1-13.1
55-64	378	35,153	208	59.2	53.1-65.3	38	10.4	06.7-14.1	39	8.7	05.2-12.2	49	11.1	07.6-14.6	44	10.7	07.0-14.4
65+	530	39,536	321	61.3	56.0-66.6	29	5.5	03.3-07.7	61	11.4	07.9-14.9	76	14.0	10.3-17.7	43	7.9	05.0-10.8
Less Than H.S.	142	27,320	69	49.9	38.7-61.1	7	2.8	00.3-05.3	17	11.7	05.4-18.0	24	18.4	09.4-27.4	25	17.2	09.2-25.2
H.S. or G.E.D.	488	62,529	284	61.5	55.4-67.6	37	8.3	05.0-11.6	57	12.5	07.8-17.2	66	10.2	07.1-13.3	44	7.5	04.8-10.2
Some Post-H.S.	492	71,361	279	60.3	54.4-66.2	46	11.1	06.8-15.4	55	10.7	07.2-14.2	66	11.2	07.3-15.1	46	6.7	04.3-09.1
College Graduate	522	46,840	338	63.5	58.0-69.0	63	14.2	10.5-17.9	58	13.9	09.2-18.6	41	5.8	03.6-08.0	22	2.6	01.2-04.0
Less than \$15,000	186	20,578	88	46.0	36.0-56.0	12	8.0	02.1-13.9	22	12.6	06.3-18.9	33	17.0	08.4-25.6	31	16.3	08.7-23.9
\$15,000- 24,999	308	36,709	160	53.7	46.4-61.0	24	7.2	03.9-10.5	33	10.3	06.0-14.6	53	16.2	10.7-21.7	38	12.6	07.5-17.7
\$25,000- 34,999	165	19,512	92	60.6	51.4-69.8	12	9.4	03.7-15.1	25	14.4	07.3-21.5	20	7.6	03.9-11.3	16	8.0	03.5-12.5
\$35,000- 49,999	203	26,921	124	56.5	46.3-66.7	21	13.5	06.4-20.6	22	12.1	04.7-19.5	21	11.6	03.8-19.4	15	6.2	02.5-09.9
\$50,000- 74,999	203	25,354	136	69.5	61.7-77.3	18	8.2	03.9-12.5	21	10.3	04.8-15.8	21	9.1	04.6-13.6	7	2.9	00.4-05.4
\$75,000+	336	48,011	214	61.0	53.7-68.3	46	14.0	08.5-19.5	39	15.9	09.8-22.0	25	7.1	03.6-10.6	12	1.9	00.7-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10	MALES AND FEMALES	26
11	MALES ONLY	27
12	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5182	717,092	4737	88.4	87.0-89.8	445	11.6	10.2-13.0
Male	2073	341,722	1850	85.6	83.4-87.8	223	14.4	12.2-16.6
Female	3109	375,370	2887	90.9	89.3-92.5	222	9.1	07.5-10.7
White/Non-Hisp	3818	480,677	3583	92.2	91.0-93.4	235	7.8	06.6-09.0
Black or Afr. Am./Non-Hisp	768	138,559	675	85.1	81.8-88.4	93	14.9	11.6-18.2
Oth. Race/Non-Hisp.	210	31,363	178	84.4	77.0-91.8	32	15.6	08.2-23.0
MultiRacial/Non-Hisp.	69	5,115	60	83.2	72.4-94.0	9	16.8	06.0-27.6
Hispanic	237	51,834	168	64.4	57.0-71.8	69	35.6	28.2-43.0
18-24	271	87,830	211	80.9	75.6-86.2	60	19.1	13.8-24.4
25-34	488	117,582	408	80.5	76.0-85.0	80	19.5	15.0-24.0
35-44	607	110,310	520	84.5	81.0-88.0	87	15.5	12.0-19.0
45-54	885	130,518	789	89.0	86.3-91.7	96	11.0	08.3-13.7
55-64	1100	120,095	1009	91.6	89.2-94.0	91	8.4	06.0-10.8
65+	1778	145,961	1750	98.6	98.0-99.2	28	1.4	00.8-02.0
Less Than H.S.	419	96,017	335	73.7	68.0-79.4	84	26.3	20.6-32.0
H.S. or G.E.D.	1556	224,486	1386	86.1	83.7-88.5	170	13.9	11.5-16.3
Some Post-H.S.	1340	210,843	1222	90.7	88.7-92.7	118	9.3	07.3-11.3
College Graduate	1846	183,732	1773	96.0	94.8-97.2	73	4.0	02.8-05.2
Less than \$15,000	447	61,731	370	76.5	70.8-82.2	77	23.5	17.8-29.2
\$15,000- 24,999	736	97,879	621	78.6	74.3-82.9	115	21.4	17.1-25.7
\$25,000- 34,999	495	64,822	426	79.1	73.8-84.4	69	20.9	15.6-26.2
\$35,000- 49,999	686	95,017	634	88.9	85.2-92.6	52	11.1	07.4-14.8
\$50,000- 74,999	686	93,690	648	93.5	91.0-96.0	38	6.5	04.0-09.0
\$75,000+	1348	201,704	1315	96.8	95.4-98.2	33	3.2	01.8-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2073	341,722	1850	85.6	83.4-87.8	223	14.4	12.2-16.6
White/Non-Hisp	1525	229,423	1409	89.6	87.2-92.0	116	10.4	08.0-12.8
Black or Afr. Am./Non-Hisp	285	62,632	244	83.3	78.0-88.6	41	16.7	11.4-22.0
Oth. Race/Non-Hisp.	101	17,696	86	89.6	83.1-96.1	15	10.4	03.9-16.9
Hispanic	96	23,530	56	50.1	38.7-61.5	40	49.9	38.5-61.3
18-24	131	43,397	96	78.0	70.2-85.8	35	22.0	14.2-29.8
25-34	210	58,655	167	75.6	68.5-82.7	43	24.4	17.3-31.5
35-44	260	53,811	209	78.2	72.1-84.3	51	21.8	15.7-27.9
45-54	364	63,130	319	86.9	82.4-91.4	45	13.1	08.6-17.6
55-64	420	56,937	380	92.2	89.5-94.9	40	7.8	05.1-10.5
65+	673	64,331	665	98.5	97.3-99.7	8	1.5	00.3-02.7
Less Than H.S.	177	47,510	132	65.6	56.6-74.6	45	34.4	25.4-43.4
H.S. or G.E.D.	642	114,769	536	82.2	78.5-85.9	106	17.8	14.1-21.5
Some Post-H.S.	469	91,720	427	90.0	86.5-93.5	42	10.0	06.5-13.5
College Graduate	775	86,459	745	96.1	94.3-97.9	30	3.9	02.1-05.7
Less than \$15,000	132	23,479	95	66.0	55.0-77.0	37	34.0	23.0-45.0
\$15,000- 24,999	261	43,801	209	73.5	66.4-80.6	52	26.5	19.4-33.6
\$25,000- 34,999	192	31,366	154	70.6	61.4-79.8	38	29.4	20.2-38.6
\$35,000- 49,999	298	48,113	269	87.7	82.8-92.6	29	12.3	07.4-17.2
\$50,000- 74,999	295	47,226	273	92.1	88.4-95.8	22	7.9	04.2-11.6
\$75,000+	637	105,930	615	95.0	92.5-97.5	22	5.0	02.5-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3109	375,370	2887	90.9	89.3-92.5	222	9.1	07.5-10.7
White/Non-Hisp	2293	251,253	2174	94.6	93.4-95.8	119	5.4	04.2-06.6
Black or Afr. Am./Non-Hisp	483	75,927	431	86.6	82.1-91.1	52	13.4	08.9-17.9
Oth. Race/Non-Hisp.	109	13,667	92	77.7	64.0-91.4	17	22.3	08.6-36.0
Hispanic	141	28,304	112	76.2	67.2-85.2	29	23.8	14.8-32.8
18-24	140	44,433	115	83.8	76.7-90.9	25	16.2	09.1-23.3
25-34	278	58,927	241	85.4	80.3-90.5	37	14.6	09.5-19.7
35-44	347	56,499	311	90.6	87.1-94.1	36	9.4	05.9-12.9
45-54	521	67,388	470	91.0	88.3-93.7	51	9.0	06.3-11.7
55-64	680	63,159	629	91.1	87.4-94.8	51	8.9	05.2-12.6
65+	1105	81,630	1085	98.7	98.1-99.3	20	1.3	00.7-01.9
Less Than H.S.	242	48,507	203	81.5	75.0-88.0	39	18.5	12.0-25.0
H.S. or G.E.D.	914	109,718	850	90.2	87.1-93.3	64	9.8	06.7-12.9
Some Post-H.S.	871	119,122	795	91.3	88.9-93.7	76	8.7	06.3-11.1
College Graduate	1071	97,273	1028	95.9	94.3-97.5	43	4.1	02.5-05.7
Less than \$15,000	315	38,252	275	82.9	76.6-89.2	40	17.1	10.8-23.4
\$15,000- 24,999	475	54,077	412	82.7	77.4-88.0	63	17.3	12.0-22.6
\$25,000- 34,999	303	33,455	272	87.1	82.0-92.2	31	12.9	07.8-18.0
\$35,000- 49,999	388	46,904	365	90.1	84.8-95.4	23	9.9	04.6-15.2
\$50,000- 74,999	391	46,464	375	95.0	91.9-98.1	16	5.0	01.9-08.1
\$75,000+	711	95,773	700	98.7	97.7-99.7	11	1.3	00.3-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5193	720,887	4035	76.3	74.7-77.9	595	9.7	08.7-10.7	563	14.1	12.7-15.5
Male	2080	344,261	1554	72.4	69.7-75.1	206	7.6	06.2-09.0	320	19.9	17.4-22.4
Female	3113	376,626	2481	79.7	77.7-81.7	389	11.6	10.0-13.2	243	8.7	07.3-10.1
White/Non-Hisp	3822	481,872	3035	78.0	76.2-79.8	446	10.3	09.1-11.5	341	11.7	10.1-13.3
Black or Afr. Am./Non-Hisp	771	140,832	597	78.1	74.2-82.0	77	6.8	04.8-08.8	97	15.1	11.4-18.8
Oth. Race/Non-Hisp.	213	31,563	150	69.1	58.3-79.9	23	9.4	04.3-14.5	40	21.5	10.9-32.1
MultiRacial/Non-Hisp.	70	5,267	45	56.3	42.0-70.6	10	13.5	03.7-23.3	15	30.2	16.5-43.9
Hispanic	238	51,960	150	61.4	53.8-69.0	28	10.8	05.5-16.1	60	27.8	20.9-34.7
18-24	278	91,207	174	66.9	60.2-73.6	19	7.2	03.3-11.1	85	25.9	19.8-32.0
25-34	487	117,359	349	69.8	64.5-75.1	22	3.1	01.5-04.7	116	27.1	21.8-32.4
35-44	608	110,664	455	75.2	71.1-79.3	55	9.0	06.3-11.7	98	15.8	12.3-19.3
45-54	884	130,334	706	79.7	76.2-83.2	103	11.5	09.0-14.0	75	8.8	06.3-11.3
55-64	1097	120,109	878	81.8	79.1-84.5	131	11.3	08.9-13.7	88	6.9	05.1-08.7
65+	1785	146,387	1439	80.8	78.4-83.2	256	13.7	11.7-15.7	90	5.5	04.1-06.9
Less Than H.S.	423	97,346	297	66.8	60.7-72.9	46	8.0	04.7-11.3	80	25.1	19.4-30.8
H.S. or G.E.D.	1562	226,179	1188	75.8	73.1-78.5	185	10.4	08.4-12.4	189	13.8	11.4-16.2
Some Post-H.S.	1343	211,509	1032	75.8	72.5-79.1	170	10.0	08.2-11.8	141	14.2	11.3-17.1
College Graduate	1844	183,839	1507	82.6	80.4-84.8	190	9.2	07.6-10.8	147	8.1	06.5-09.7
Less than \$15,000	450	61,997	324	65.3	58.2-72.4	54	9.8	05.7-13.9	72	24.9	18.2-31.6
\$15,000- 24,999	736	98,502	531	71.7	67.4-76.0	98	10.3	07.8-12.8	107	18.0	14.3-21.7
\$25,000- 34,999	495	64,822	375	71.7	66.0-77.4	52	8.8	05.7-11.9	68	19.5	14.2-24.8
\$35,000- 49,999	686	95,165	544	76.6	71.7-81.5	76	9.4	06.7-12.1	66	14.0	09.3-18.7
\$50,000- 74,999	686	93,998	549	77.8	73.3-82.3	78	9.8	07.1-12.5	59	12.4	08.3-16.5
\$75,000+	1348	201,683	1104	82.1	79.4-84.8	147	10.2	08.2-12.2	97	7.7	05.7-09.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2080	344,261	1554	72.4	69.7-75.1	206	7.6	06.2-09.0	320	19.9	17.4-22.4
White/Non-Hisp	1527	229,914	1181	75.4	72.5-78.3	159	8.5	06.9-10.1	187	16.1	13.4-18.8
Black or Afr. Am./Non-Hisp	288	64,799	220	74.8	67.9-81.7	20	5.2	02.1-08.3	48	20.0	13.3-26.7
Oth. Race/Non-Hisp.	102	17,727	66	60.2	43.9-76.5	11	8.0	01.3-14.7	25	31.7	15.0-48.4
Hispanic	97	23,381	47	48.8	37.4-60.2	8	5.1	01.6-08.6	42	46.2	34.8-57.6
18-24	136	45,870	78	62.4	52.4-72.4	3	1.6	00.0-03.6	55	36.0	26.0-46.0
25-34	210	58,610	128	57.7	49.3-66.1	4	1.3	00.0-02.7	78	41.0	32.6-49.4
35-44	260	53,811	186	71.0	64.5-77.5	22	8.4	04.5-12.3	52	20.6	14.9-26.3
45-54	363	62,978	291	80.5	75.2-85.8	33	8.6	05.1-12.1	39	10.8	06.3-15.3
55-64	420	57,042	329	80.4	75.9-84.9	46	10.3	06.8-13.8	45	9.2	06.3-12.1
65+	675	64,458	533	79.5	75.8-83.2	94	13.0	10.1-15.9	48	7.5	05.0-10.0
Less Than H.S.	177	48,232	114	58.4	48.8-68.0	14	5.2	01.5-08.9	49	36.4	26.8-46.0
H.S. or G.E.D.	647	116,084	458	72.5	68.2-76.8	64	8.1	05.7-10.5	125	19.4	15.7-23.1
Some Post-H.S.	470	91,929	347	70.2	64.3-76.1	50	8.1	05.6-10.6	73	21.7	15.8-27.6
College Graduate	776	86,753	631	83.3	80.2-86.4	75	7.3	05.3-09.3	70	9.3	06.8-11.8
Less than \$15,000	134	23,617	83	50.9	38.7-63.1	12	6.3	02.0-10.6	39	42.9	30.4-55.4
\$15,000- 24,999	260	43,650	173	66.2	58.9-73.5	26	6.6	03.7-09.5	61	27.2	20.3-34.1
\$25,000- 34,999	192	31,366	132	63.7	54.3-73.1	21	8.5	03.8-13.2	39	27.8	18.8-36.8
\$35,000- 49,999	298	47,904	225	72.8	65.0-80.6	30	8.2	04.7-11.7	43	19.0	11.2-26.8
\$50,000- 74,999	296	47,540	231	73.9	66.3-81.5	31	8.0	04.7-11.3	34	18.1	10.7-25.5
\$75,000+	637	105,910	524	82.8	79.1-86.5	56	6.9	04.5-09.3	57	10.4	07.1-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3113	376,626	2481	79.7	77.7-81.7	389	11.6	10.0-13.2	243	8.7	07.3-10.1
White/Non-Hisp	2295	251,958	1854	80.4	78.2-82.6	287	12.0	10.2-13.8	154	7.6	06.0-09.2
Black or Afr. Am./Non-Hisp	483	76,033	377	80.8	76.5-85.1	57	8.3	05.8-10.8	49	10.9	07.2-14.6
Oth. Race/Non-Hisp.	111	13,836	84	80.4	71.0-89.8	12	11.2	03.4-19.0	15	8.3	03.0-13.6
Hispanic	141	28,579	103	71.6	61.8-81.4	20	15.5	06.7-24.3	18	12.8	06.3-19.3
18-24	142	45,337	96	71.5	62.9-80.1	16	12.8	05.5-20.1	30	15.7	09.8-21.6
25-34	277	58,749	221	81.9	76.6-87.2	18	4.9	02.2-07.6	38	13.2	08.5-17.9
35-44	348	56,853	269	79.1	74.0-84.2	33	9.7	06.0-13.4	46	11.2	07.5-14.9
45-54	521	67,356	415	78.9	74.6-83.2	70	14.1	10.4-17.8	36	7.0	04.1-09.9
55-64	677	63,067	549	83.1	79.8-86.4	85	12.2	09.3-15.1	43	4.7	02.9-06.5
65+	1110	81,929	906	81.9	79.0-84.8	162	14.3	11.8-16.8	42	3.9	02.3-05.5
Less Than H.S.	246	49,114	183	75.2	68.1-82.3	32	10.8	05.5-16.1	31	14.0	08.5-19.5
H.S. or G.E.D.	915	110,094	730	79.3	75.8-82.8	121	12.8	09.9-15.7	64	7.9	05.5-10.3
Some Post-H.S.	873	119,580	685	80.2	76.9-83.5	120	11.4	08.9-13.9	68	8.5	06.0-11.0
College Graduate	1068	97,087	876	82.0	79.1-84.9	115	10.9	08.4-13.4	77	7.1	05.3-08.9
Less than \$15,000	316	38,380	241	74.2	66.6-81.8	42	12.0	05.9-18.1	33	13.8	07.9-19.7
\$15,000- 24,999	476	54,853	358	76.0	71.1-80.9	72	13.2	09.5-16.9	46	10.7	07.0-14.4
\$25,000- 34,999	303	33,455	243	79.2	73.1-85.3	31	9.1	04.8-13.4	29	11.7	06.8-16.6
\$35,000- 49,999	388	47,261	319	80.4	74.5-86.3	46	10.7	06.6-14.8	23	9.0	04.3-13.7
\$50,000- 74,999	390	46,458	318	81.8	76.9-86.7	47	11.6	07.5-15.7	25	6.6	03.7-09.5
\$75,000+	711	95,773	580	81.3	77.6-85.0	91	13.9	10.6-17.2	40	4.8	03.0-06.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5192	720,938	543	12.3	10.9-13.7	4649	87.7	86.3-89.1
Male	2077	344,121	212	12.7	10.5-14.9	1865	87.3	85.1-89.5
Female	3115	376,817	331	12.0	10.4-13.6	2784	88.0	86.4-89.6
White/Non-Hisp	3825	482,587	328	9.9	08.5-11.3	3497	90.1	88.7-91.5
Black or Afr. Am./Non-Hisp	769	140,257	125	18.1	14.2-22.0	644	81.9	78.0-85.8
Oth. Race/Non-Hisp.	211	31,307	23	12.9	04.5-21.3	188	87.1	78.7-95.5
MultiRacial/Non-Hisp.	70	5,267	11	12.9	04.7-21.1	59	87.1	78.9-95.3
Hispanic	238	51,989	44	18.6	12.9-24.3	194	81.4	75.7-87.1
18-24	281	92,222	39	11.9	07.8-16.0	242	88.1	84.0-92.2
25-34	486	117,316	81	18.9	14.4-23.4	405	81.1	76.6-85.6
35-44	606	110,270	81	13.8	10.5-17.1	525	86.2	82.9-89.5
45-54	882	129,908	128	14.1	11.2-17.0	754	85.9	83.0-88.8
55-64	1100	120,288	128	12.0	09.1-14.9	972	88.0	85.1-90.9
65+	1784	146,331	81	4.9	03.5-06.3	1703	95.1	93.7-96.5
Less Than H.S.	424	98,080	86	22.7	17.0-28.4	338	77.3	71.6-83.0
H.S. or G.E.D.	1556	225,174	184	12.3	10.3-14.3	1372	87.7	85.7-89.7
Some Post-H.S.	1344	211,661	169	13.3	10.9-15.7	1175	86.7	84.3-89.1
College Graduate	1847	184,009	102	5.7	04.3-07.1	1745	94.3	92.9-95.7
Less than \$15,000	452	62,804	95	24.3	17.8-30.8	357	75.7	69.2-82.2
\$15,000- 24,999	737	98,540	140	21.9	17.6-26.2	597	78.1	73.8-82.4
\$25,000- 34,999	492	64,180	83	21.1	16.0-26.2	409	78.9	73.8-84.0
\$35,000- 49,999	688	95,602	71	11.5	08.4-14.6	617	88.5	85.4-91.6
\$50,000- 74,999	684	93,655	49	8.5	05.6-11.4	635	91.5	88.6-94.4
\$75,000+	1350	201,839	50	5.0	03.2-06.8	1300	95.0	93.2-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2077	344,121	212	12.7	10.5-14.9	1865	87.3	85.1-89.5
White/Non-Hisp	1529	230,557	126	9.7	07.7-11.7	1403	90.3	88.3-92.3
Black or Afr. Am./Non-Hisp	284	63,947	45	18.9	12.4-25.4	239	81.1	74.6-87.6
Oth. Race/Non-Hisp.	101	17,693	9	13.1	00.0-26.8	92	86.9	73.2-0100
Hispanic	96	23,332	20	23.3	13.7-32.9	76	76.7	67.1-86.3
18-24	137	46,561	14	8.6	03.3-13.9	123	91.4	86.1-96.7
25-34	208	58,389	32	21.8	14.2-29.4	176	78.2	70.6-85.8
35-44	258	53,417	34	13.2	08.5-17.9	224	86.8	82.1-91.5
45-54	362	62,688	49	13.1	08.6-17.6	313	86.9	82.4-91.4
55-64	421	57,143	48	13.4	08.3-18.5	373	86.6	81.5-91.7
65+	675	64,432	34	5.8	03.3-08.3	641	94.2	91.7-96.7
Less Than H.S.	178	48,966	36	27.3	17.9-36.7	142	72.7	63.3-82.1
H.S. or G.E.D.	641	115,022	83	11.8	08.9-14.7	558	88.2	85.3-91.1
Some Post-H.S.	471	92,081	55	12.8	08.9-16.7	416	87.2	83.3-91.1
College Graduate	777	86,790	38	5.6	03.2-08.0	739	94.4	92.0-96.8
Less than \$15,000	134	24,147	32	32.4	19.7-45.1	102	67.6	54.9-80.3
\$15,000- 24,999	260	43,635	51	24.3	16.7-31.9	209	75.7	68.1-83.3
\$25,000- 34,999	190	30,908	35	22.3	13.7-30.9	155	77.7	69.1-86.3
\$35,000- 49,999	299	48,263	29	10.0	05.7-14.3	270	90.0	85.7-94.3
\$50,000- 74,999	294	47,245	20	7.2	03.5-10.9	274	92.8	89.1-96.5
\$75,000+	639	106,065	25	6.0	03.3-08.7	614	94.0	91.3-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3115	376,817	331	12.0	10.4-13.6	2784	88.0	86.4-89.6
White/Non-Hisp	2296	252,030	202	10.0	08.4-11.6	2094	90.0	88.4-91.6
Black or Afr. Am./Non-Hisp	485	76,311	80	17.4	12.9-21.9	405	82.6	78.1-87.1
Oth. Race/Non-Hisp.	110	13,613	14	12.7	04.9-20.5	96	87.3	79.5-95.1
Hispanic	142	28,657	24	14.7	08.2-21.2	118	85.3	78.8-91.8
18-24	144	45,661	25	15.2	09.1-21.3	119	84.8	78.7-90.9
25-34	278	58,927	49	16.0	11.3-20.7	229	84.0	79.3-88.7
35-44	348	56,853	47	14.4	09.5-19.3	301	85.6	80.7-90.5
45-54	520	67,221	79	15.1	11.4-18.8	441	84.9	81.2-88.6
55-64	679	63,145	80	10.7	08.0-13.4	599	89.3	86.6-92.0
65+	1109	81,899	47	4.2	02.6-05.8	1062	95.8	94.2-97.4
Less Than H.S.	246	49,114	50	18.1	12.0-24.2	196	81.9	75.8-88.0
H.S. or G.E.D.	915	110,153	101	12.8	09.9-15.7	814	87.2	84.3-90.1
Some Post-H.S.	873	119,580	114	13.8	10.9-16.7	759	86.2	83.3-89.1
College Graduate	1070	97,219	64	5.7	03.9-07.5	1006	94.3	92.5-96.1
Less than \$15,000	318	38,658	63	19.3	13.0-25.6	255	80.7	74.4-87.0
\$15,000- 24,999	477	54,905	89	20.0	15.3-24.7	388	80.0	75.3-84.7
\$25,000- 34,999	302	33,272	48	20.0	14.1-25.9	254	80.0	74.1-85.9
\$35,000- 49,999	389	47,340	42	12.9	08.4-17.4	347	87.1	82.6-91.6
\$50,000- 74,999	390	46,410	29	9.7	05.2-14.2	361	90.3	85.8-94.8
\$75,000+	711	95,773	25	3.9	01.9-05.9	686	96.1	94.1-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5165	717,227	4117	76.0	74.4-77.6	548	12.2	10.8-13.6	265	6.4	05.4-07.4	197	4.4	03.6-05.2	38	0.9	00.5-01.3
Male	2071	342,284	1563	70.5	67.8-73.2	242	13.9	11.7-16.1	129	7.9	06.3-09.5	114	6.2	04.8-07.6	23	1.5	00.9-02.1
Female	3094	374,943	2554	81.0	79.0-83.0	306	10.7	09.1-12.3	136	5.1	04.1-06.1	83	2.8	02.0-03.6	15	0.4	00.2-00.6
White/Non-Hisp	3799	480,104	3029	75.0	73.0-77.0	398	12.6	11.0-14.2	203	6.9	05.7-08.1	149	5.0	04.0-06.0	20	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	769	139,492	660	83.0	79.5-86.5	62	9.9	07.0-12.8	26	4.3	02.5-06.1	19	2.5	01.1-03.9	2	0.3	00.0-00.7
Oth. Race/Non-Hisp.	211	31,043	154	74.5	66.5-82.5	30	12.6	07.3-17.9	15	9.8	03.7-15.9	8	1.7	00.3-03.1	4	1.5	00.0-03.1
MultiRacial/Non-Hisp.	70	5,267	45	70.9	59.1-82.7	19	22.3	11.5-33.1	3	3.1	00.0-06.8	3	3.7	00.0-08.2			
Hispanic	237	51,809	167	66.8	59.5-74.1	28	13.8	08.3-19.3	15	7.3	03.2-11.4	16	6.6	03.1-10.1	11	5.4	02.1-08.7
18-24	278	90,537	184	70.2	63.9-76.5	52	17.7	12.2-23.2	29	9.0	05.1-12.9	12	2.9	01.1-04.7	1	0.2	00.0-00.6
25-34	485	117,068	305	62.2	56.7-67.7	78	16.3	12.0-20.6	52	11.8	08.3-15.3	41	8.0	05.1-10.9	9	1.8	00.4-03.2
35-44	602	109,480	423	69.0	64.5-73.5	92	15.1	11.8-18.4	45	7.8	05.3-10.3	33	5.9	03.5-08.3	9	2.2	00.6-03.8
45-54	884	130,225	680	76.8	73.3-80.3	111	12.8	10.1-15.5	54	5.5	03.9-07.1	31	4.2	02.2-06.2	8	0.7	00.1-01.3
55-64	1096	119,864	887	82.2	79.5-84.9	111	9.2	07.2-11.2	46	4.2	02.8-05.6	47	3.9	02.5-05.3	5	0.4	00.0-00.8
65+	1770	145,603	1602	90.2	88.4-92.0	94	5.1	03.9-06.3	35	2.3	01.3-03.3	33	2.1	01.1-03.1	6	0.4	00.0-00.8
Less Than H.S.	421	97,091	328	72.8	67.1-78.5	38	11.8	07.5-16.1	21	6.7	03.6-09.8	24	6.1	03.2-09.0	10	2.7	00.9-04.5
H.S. or G.E.D.	1551	225,209	1270	78.3	75.4-81.2	128	9.6	07.4-11.8	85	6.7	04.7-08.7	60	4.6	03.2-06.0	8	0.8	00.2-01.4
Some Post-H.S.	1335	210,152	1053	77.0	73.9-80.1	158	13.2	10.7-15.7	63	5.3	03.7-06.9	55	4.2	02.8-05.6	6	0.3	00.0-00.7
College Graduate	1838	182,795	1448	73.6	70.9-76.3	223	14.6	12.4-16.8	96	7.4	05.6-09.2	58	3.7	02.5-04.9	13	0.8	00.2-01.4
Less than \$15,000	449	62,626	368	79.7	74.2-85.2	33	7.5	03.8-11.2	19	5.4	02.3-08.5	26	6.2	03.5-08.9	3	1.2	00.0-02.8
\$15,000- 24,999	731	97,737	568	73.6	69.3-77.9	77	11.7	08.6-14.8	47	8.3	05.6-11.0	31	4.3	02.5-06.1	8	2.2	00.6-03.8
\$25,000- 34,999	490	64,130	384	74.0	68.5-79.5	51	13.1	08.8-17.4	30	5.7	03.3-08.1	19	6.0	02.5-09.5	6	1.2	00.0-02.4
\$35,000- 49,999	685	95,224	555	77.7	73.2-82.2	71	11.1	08.0-14.2	23	4.6	01.9-07.3	32	5.5	03.1-07.9	4	1.1	00.0-02.3
\$50,000- 74,999	683	93,366	550	76.8	72.1-81.5	73	12.6	08.7-16.5	35	6.3	03.8-08.8	22	4.0	01.8-06.2	3	0.3	00.0-00.7
\$75,000+	1344	200,907	1056	75.4	72.3-78.5	155	12.6	10.4-14.8	78	7.8	05.6-10.0	47	3.7	02.3-05.1	8	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1))

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2071	342,284	1563	70.5	67.8-73.2	242	13.9	11.7-16.1	129	7.9	06.3-09.5	114	6.2	04.8-07.6	23	1.5	00.9-02.1
White/Non-Hisp	1521	229,301	1160	70.1	66.8-73.4	170	13.6	11.1-16.1	97	8.5	06.3-10.7	84	6.9	04.9-08.9	10	0.8	00.2-01.4
Black or Afr. Am./Non-Hisp	287	63,738	227	75.5	69.0-82.0	32	14.6	08.9-20.3	14	5.8	02.5-09.1	13	3.7	01.3-06.1	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	100	17,207	70	72.3	60.1-84.5	15	14.2	06.0-22.4	10	10.7	02.1-19.3	3	1.0	00.0-02.2	2	1.8	00.0-04.5
Hispanic	97	23,479	58	55.3	43.9-66.7	14	14.6	06.4-22.8	6	9.0	01.6-16.4	10	10.9	04.2-17.6	9	10.1	03.2-17.0
18-24	135	45,064	78	60.9	50.9-70.9	30	22.6	14.0-31.2	19	13.0	06.1-19.9	7	3.1	00.6-05.6	1	0.5	00.0-01.5
25-34	210	58,616	115	52.0	43.6-60.4	40	20.7	13.4-28.0	24	13.7	07.8-19.6	26	11.1	06.0-16.2	5	2.4	00.2-04.6
35-44	256	52,941	166	64.7	57.8-71.6	44	15.6	10.7-20.5	18	7.3	03.6-11.0	21	8.8	04.5-13.1	7	3.6	00.9-06.3
45-54	363	62,801	271	73.9	68.2-79.6	44	13.5	09.0-18.0	26	6.0	03.5-08.5	17	5.5	02.0-09.0	5	1.1	00.0-02.3
55-64	419	57,008	321	78.2	73.7-82.7	48	9.2	06.3-12.1	23	6.2	03.5-08.9	25	5.9	03.4-08.4	2	0.5	00.0-01.3
65+	673	64,395	602	88.8	85.7-91.9	33	4.3	02.5-06.1	17	3.2	01.2-05.2	18	3.0	01.2-04.8	3	0.6	00.0-01.4
Less Than H.S.	177	48,147	124	63.6	54.4-72.8	18	13.2	06.5-19.9	9	7.7	02.4-13.0	18	11.0	05.1-16.9	8	4.5	01.2-07.8
H.S. or G.E.D.	642	115,432	482	72.5	67.8-77.2	67	11.3	08.0-14.6	44	8.4	05.3-11.5	41	6.3	03.9-08.7	8	1.5	00.3-02.7
Some Post-H.S.	468	91,082	357	73.7	68.2-79.2	60	15.6	10.7-20.5	25	5.6	03.2-08.0	24	4.8	02.4-07.2	2	0.3	00.0-00.9
College Graduate	775	86,393	591	68.0	63.7-72.3	97	16.0	12.7-19.3	51	10.1	07.2-13.0	31	5.0	02.8-07.2	5	0.9	00.1-01.7
Less than \$15,000	132	24,108	97	68.5	57.3-79.7	11	10.7	02.3-19.1	5	5.7	00.0-12.0	16	12.0	05.7-18.3	3	3.1	00.0-07.2
\$15,000- 24,999	260	43,366	185	65.2	57.6-72.8	31	13.6	08.1-19.1	17	9.4	04.5-14.3	19	6.9	03.4-10.4	8	4.9	01.4-08.4
\$25,000- 34,999	190	30,931	143	72.2	63.4-81.0	23	14.3	07.4-21.2	11	4.2	01.5-06.9	11	7.9	01.8-14.0	2	1.5	00.0-03.5
\$35,000- 49,999	297	47,974	238	76.2	69.3-83.1	29	11.2	06.5-15.9	14	7.5	02.2-12.8	13	3.6	01.4-05.8	3	1.5	00.0-03.5
\$50,000- 74,999	294	47,018	225	70.4	62.8-78.0	33	15.3	08.4-22.2	21	8.1	04.2-12.0	14	5.9	02.2-09.6	1	0.3	00.0-00.9
\$75,000+	637	105,708	476	70.8	66.1-75.5	81	13.3	10.2-16.4	44	9.6	06.3-12.9	31	5.7	03.2-08.2	5	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3094	374,943	2554	81.0	79.0-83.0	306	10.7	09.1-12.3	136	5.1	04.1-06.1	83	2.8	02.0-03.6	15	0.4	00.2-00.6
White/Non-Hisp	2278	250,803	1869	79.4	77.0-81.8	228	11.6	09.6-13.6	106	5.4	04.2-06.6	65	3.2	02.2-04.2	10	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	482	75,754	433	89.3	85.8-92.8	30	5.9	03.4-08.4	12	2.9	00.9-04.9	6	1.5	00.0-03.1	1	0.4	00.0-01.2
Oth. Race/Non-Hisp.	111	13,836	84	77.2	67.0-87.4	15	10.7	04.6-16.8	5	8.6	00.4-16.8	5	2.6	00.0-05.3	2	1.0	00.0-02.4
Hispanic	140	28,330	109	76.3	67.7-84.9	14	13.2	05.9-20.5	9	5.8	01.5-10.1	6	3.1	00.2-06.0	2	1.6	00.0-03.8
18-24	143	45,473	106	79.4	72.0-86.8	22	12.9	06.2-19.6	10	5.0	01.7-08.3	5	2.7	00.2-05.2			
25-34	275	58,452	190	72.3	66.0-78.6	38	11.8	07.5-16.1	28	9.8	05.9-13.7	15	5.0	02.1-07.9	4	1.1	00.0-02.3
35-44	346	56,539	257	73.0	67.1-78.9	48	14.6	10.1-19.1	27	8.2	04.5-11.9	12	3.3	00.9-05.7	2	0.9	00.0-02.1
45-54	521	67,424	409	79.6	75.3-83.9	67	12.2	08.7-15.7	28	5.0	02.8-07.2	14	3.0	00.8-05.2	3	0.2	00.0-00.4
55-64	677	62,855	566	85.9	82.8-89.0	63	9.2	06.5-11.9	23	2.4	01.2-03.6	22	2.2	01.0-03.4	3	0.3	00.0-00.7
65+	1097	81,208	1000	91.3	89.3-93.3	61	5.7	03.9-07.5	18	1.6	00.8-02.4	15	1.3	00.5-02.1	3	0.2	00.0-00.4
Less Than H.S.	244	48,944	204	81.8	75.1-88.5	20	10.4	04.7-16.1	12	5.7	02.2-09.2	6	1.2	00.0-02.4	2	0.9	00.0-02.1
H.S. or G.E.D.	909	109,777	788	84.4	81.1-87.7	61	7.8	05.1-10.5	41	5.0	03.2-06.8	19	2.8	01.0-04.6			
Some Post-H.S.	867	119,069	696	79.6	76.1-83.1	98	11.3	08.6-14.0	38	5.0	03.0-07.0	31	3.7	02.1-05.3	4	0.3	00.0-00.7
College Graduate	1063	96,402	857	78.5	75.4-81.6	126	13.3	10.8-15.8	45	5.0	03.2-06.8	27	2.5	01.3-03.7	8	0.7	00.1-01.3
Less than \$15,000	317	38,518	271	86.7	82.0-91.4	22	5.5	02.6-08.4	14	5.2	01.9-08.5	10	2.5	00.7-04.3			
\$15,000- 24,999	471	54,371	383	80.3	75.6-85.0	46	10.1	06.4-13.8	30	7.5	04.4-10.6	12	2.1	00.7-03.5			
\$25,000- 34,999	300	33,198	241	75.7	68.6-82.8	28	12.0	06.5-17.5	19	7.1	03.6-10.6	8	4.3	00.2-08.4	4	0.9	00.0-02.3
\$35,000- 49,999	388	47,250	317	79.3	73.6-85.0	42	11.0	06.9-15.1	9	1.7	00.3-03.1	19	7.4	03.3-11.5	1	0.6	00.0-01.8
\$50,000- 74,999	389	46,348	325	83.3	78.6-88.0	40	9.9	06.4-13.4	14	4.5	01.6-07.4	8	2.1	00.3-03.9	2	0.2	00.0-00.4
\$75,000+	707	95,199	580	80.5	76.8-84.2	74	11.7	08.8-14.6	34	5.9	03.5-08.3	16	1.6	00.6-02.6	3	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 4: INADEQUATE SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 4: INADEQUATE SLEEP**

**TABLE 1: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-4 hrs per day		5-8 hrs per day		9-12 hrs per day		13-16 hrs per day		17-20 hrs per day						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5133	715,241	227	4.5	03.7-05.3	4487	87.9	86.7-89.1	401	7.3	06.3-08.3	13	0.2	00.0-00.4	5	0.2	00.0-00.4
Male	2060	342,357	93	4.2	03.2-05.2	1800	88.4	86.6-90.2	161	7.1	05.7-08.5	4	0.1	00.0-00.3	2	0.2	00.0-00.4
Female	3073	372,884	134	4.8	03.6-06.0	2687	87.4	85.6-89.2	240	7.4	06.0-08.8	9	0.2	00.0-00.4	3	0.2	00.0-00.4
White/Non-Hisp	3783	478,052	145	3.7	02.9-04.5	3335	88.9	87.5-90.3	294	7.2	06.2-08.2	8	0.2	00.0-00.4	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	759	139,386	47	7.4	04.9-09.9	640	83.7	80.2-87.2	64	7.8	05.3-10.3	4	0.3	00.0-00.7	4	0.9	00.0-01.9
Oth. Race/Non-Hisp.	209	31,369	14	3.8	01.4-06.2	176	87.8	82.7-92.9	18	7.8	03.7-11.9	1	0.6	00.0-01.8			
MultiRacial/Non-Hisp.	69	5,239	9	12.9	03.9-21.9	53	77.8	65.6-90.0	7	9.2	00.0-18.8						
Hispanic	237	51,860	8	2.9	00.7-05.1	216	89.9	84.2-95.6	13	7.1	01.6-12.6						
18-24	279	91,870	12	4.0	01.6-06.4	238	85.4	80.5-90.3	28	10.1	05.8-14.4				1	0.5	00.0-01.5
25-34	486	117,397	26	4.5	02.5-06.5	431	89.4	86.1-92.7	29	6.1	03.4-08.8						
35-44	606	110,346	38	5.8	03.6-08.0	542	90.1	87.4-92.8	24	3.7	01.9-05.5	1	0.2	00.0-00.6	1	0.2	00.0-00.6
45-54	876	128,183	43	4.9	02.9-06.9	787	90.9	88.5-93.3	43	3.6	02.2-05.0	2	0.2	00.0-00.6	1	0.4	00.0-01.2
55-64	1091	119,170	50	4.4	02.8-06.0	955	87.1	84.6-89.6	83	8.0	06.0-10.0	2	0.4	00.0-01.0	1	0.1	00.0-00.3
65+	1745	143,662	58	3.5	02.3-04.7	1486	84.3	82.1-86.5	192	11.9	09.9-13.9	8	0.4	00.0-00.8	1	0.0	00.0-00.0
Less Than H.S.	409	96,187	32	7.3	04.4-10.2	342	85.1	80.6-89.6	33	7.4	03.7-11.1	2	0.3	00.0-00.7			
H.S. or G.E.D.	1538	223,770	70	4.0	02.8-05.2	1310	86.4	84.2-88.6	147	8.8	07.0-10.6	7	0.3	00.0-00.7	4	0.6	00.0-01.2
Some Post-H.S.	1332	210,260	76	5.5	04.1-06.9	1151	87.3	85.1-89.5	104	7.2	05.4-09.0	1	0.1	00.0-00.3			
College Graduate	1836	183,207	49	2.5	01.3-03.7	1667	92.0	90.4-93.6	116	5.3	04.1-06.5	3	0.1	00.0-00.3	1	0.0	00.0-00.0
Less than \$15,000	444	62,248	36	7.3	04.2-10.4	362	80.9	75.0-86.8	43	11.2	05.9-16.5	3	0.5	00.0-01.3			
\$15,000- 24,999	725	97,250	53	8.7	06.0-11.4	590	81.3	77.6-85.0	76	9.0	06.5-11.5	4	0.3	00.0-00.7	2	0.7	00.0-01.7
\$25,000- 34,999	489	64,378	23	4.9	02.0-07.8	422	87.8	84.1-91.5	40	6.4	04.0-08.8	2	0.7	00.0-01.9	2	0.2	00.0-00.6
\$35,000- 49,999	686	95,312	32	3.7	02.3-05.1	593	88.7	86.0-91.4	58	7.1	04.7-09.5	2	0.1	00.0-00.3	1	0.5	00.0-01.5
\$50,000- 74,999	687	94,004	21	2.9	01.5-04.3	624	91.7	89.3-94.1	41	5.4	03.4-07.4	1	0.1	00.0-00.3			
\$75,000+	1342	201,057	30	2.5	01.3-03.7	1233	91.4	89.4-93.4	78	6.0	04.2-07.8	1	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 4: INADEQUATE SLEEP**

TABLE 2: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1-4 hrs per day		N	5-8 hrs per day		N	9-12 hrs per day		N	13-16 hrs per day		N	17-20 hrs per day	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	2060	342,357	93	4.2	03.2-05.2	1800	88.4	86.6-90.2	161	7.1	05.7-08.5	4	0.1	00.0-00.3	2	0.2	00.0-00.4
White/Non-Hisp	1514	228,426	57	3.4	02.4-04.4	1335	89.1	87.1-91.1	120	7.4	05.6-09.2	2	0.1	00.0-00.3			
Black or Afr. Am./Non-Hisp	285	64,462	19	7.2	03.7-10.7	242	84.4	79.1-89.7	21	7.3	03.2-11.4	1	0.1	00.0-00.3	2	1.0	00.0-02.4
Oth. Race/Non-Hisp.	101	17,693	6	3.3	00.2-06.4	84	87.8	80.7-94.9	10	7.9	02.0-13.8	1	1.0	00.0-03.0			
Hispanic	97	23,396	3	2.0	00.0-04.4	89	93.7	88.4-99.0	5	4.4	00.0-09.1						
18-24	136	46,472	6	3.5	00.6-06.4	113	83.2	75.8-90.6	16	12.3	05.6-19.0				1	0.9	00.0-02.7
25-34	211	58,969	15	5.1	02.2-08.0	185	89.1	84.4-93.8	11	5.8	01.9-09.7						
35-44	260	53,811	17	5.4	02.5-08.3	233	91.0	87.3-94.7	8	2.9	00.7-05.1	1	0.3	00.0-00.9	1	0.4	00.0-01.2
45-54	359	61,662	20	4.9	02.4-07.4	324	92.8	89.9-95.7	14	2.0	00.8-03.2	1	0.3	00.0-00.9			
55-64	419	56,825	20	4.4	02.2-06.6	368	88.2	84.7-91.7	31	7.4	04.7-10.1						
65+	660	63,228	15	1.9	00.7-03.1	562	84.8	81.5-88.1	81	13.2	10.1-16.3	2	0.2	00.0-00.4			
Less Than H.S.	173	48,299	6	2.5	00.3-04.7	153	90.8	85.9-95.7	13	6.2	01.9-10.5	1	0.4	00.0-01.2			
H.S. or G.E.D.	640	114,734	36	4.9	02.9-06.9	535	85.0	81.7-88.3	65	9.4	06.7-12.1	2	0.1	00.0-00.3	2	0.6	00.0-01.4
Some Post-H.S.	467	91,803	31	6.1	03.6-08.6	403	87.6	83.9-91.3	33	6.2	03.5-08.9						
College Graduate	771	86,361	20	2.0	00.8-03.2	700	92.0	89.8-94.2	50	5.7	03.7-07.7	1	0.2	00.0-00.6			
Less than \$15,000	133	24,060	14	5.9	02.2-09.6	103	83.9	75.7-92.1	14	9.1	01.7-16.5	2	1.1	00.0-02.9			
\$15,000- 24,999	256	43,106	19	9.3	04.8-13.8	204	80.6	74.7-86.5	32	9.7	05.6-13.8				1	0.5	00.0-01.5
\$25,000- 34,999	189	31,136	5	1.1	00.0-02.3	168	92.1	88.2-96.0	16	6.8	02.9-10.7						
\$35,000- 49,999	298	48,234	14	3.3	01.3-05.3	255	88.2	83.9-92.5	28	7.6	04.3-10.9				1	0.9	00.0-02.7
\$50,000- 74,999	296	47,540	11	3.6	01.2-06.0	270	92.4	89.1-95.7	14	3.9	01.5-06.3	1	0.1	00.0-00.3			
\$75,000+	634	105,739	17	2.7	01.1-04.3	581	91.1	88.2-94.0	35	6.1	03.6-08.6	1	0.2	00.0-00.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 4: INADEQUATE SLEEP**

TABLE 3: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-4 hrs per day		5-8 hrs per day		9-12 hrs per day		13-16 hrs per day		17-20 hrs per day						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	3073	372,884	134	4.8	03.6-06.0	2687	87.4	85.6-89.2	240	7.4	06.0-08.8	9	0.2	00.0-00.4	3	0.2	00.0-00.4
White/Non-Hisp	2269	249,626	88	4.0	02.8-05.2	2000	88.7	86.9-90.5	174	7.0	05.6-08.4	6	0.2	00.0-00.6	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	474	74,924	28	7.5	04.0-11.0	398	83.2	78.7-87.7	43	8.1	05.2-11.0	3	0.4	00.0-01.0	2	0.8	00.0-02.2
Oth. Race/Non-Hisp.	108	13,676	8	4.5	01.0-08.0	92	87.8	80.9-94.7	8	7.8	01.9-13.7						
Hispanic	140	28,464	5	3.8	00.5-07.1	127	86.9	77.5-96.3	8	9.4	00.4-18.4						
18-24	143	45,398	6	4.5	00.6-08.4	125	87.6	80.9-94.3	12	7.9	02.2-13.6						
25-34	275	58,428	11	4.0	01.5-06.5	246	89.7	85.4-94.0	18	6.4	02.7-10.1						
35-44	346	56,535	21	6.3	03.0-09.6	309	89.3	85.0-93.6	16	4.4	01.7-07.1						
45-54	517	66,521	23	5.0	02.1-07.9	463	89.2	85.5-92.9	29	5.0	02.8-07.2	1	0.0	00.0-00.0	1	0.7	00.0-02.1
55-64	672	62,345	30	4.5	02.5-06.5	587	86.1	82.6-89.6	52	8.6	05.7-11.5	2	0.7	00.0-02.1	1	0.2	00.0-00.6
65+	1085	80,434	43	4.7	02.7-06.7	924	83.9	81.0-86.8	111	10.9	08.5-13.3	6	0.5	00.0-01.1	1	0.0	00.0-00.0
Less Than H.S.	236	47,888	26	12.0	06.7-17.3	189	79.2	71.8-86.6	20	8.6	02.5-14.7	1	0.1	00.0-00.3			
H.S. or G.E.D.	898	109,036	34	3.0	01.6-04.4	775	87.7	85.0-90.4	82	8.2	06.0-10.4	5	0.5	00.0-01.3	2	0.6	00.0-01.6
Some Post-H.S.	865	118,458	45	5.0	03.2-06.8	748	87.0	84.3-89.7	71	7.9	05.5-10.3	1	0.2	00.0-00.6			
College Graduate	1065	96,846	29	3.0	01.2-04.8	967	92.0	89.8-94.2	66	5.0	03.6-06.4	2	0.1	00.0-00.3	1	0.0	00.0-00.0
Less than \$15,000	311	38,187	22	8.3	03.6-13.0	259	79.1	71.1-87.1	29	12.5	05.2-19.8	1	0.2	00.0-00.6			
\$15,000- 24,999	469	54,144	34	8.2	04.7-11.7	386	82.0	77.3-86.7	44	8.4	05.5-11.3	4	0.5	00.0-01.3	1	0.9	00.0-02.7
\$25,000- 34,999	300	33,242	18	8.5	03.2-13.8	254	83.8	77.7-89.9	24	6.0	03.1-08.9	2	1.3	00.0-03.7	2	0.4	00.0-01.2
\$35,000- 49,999	388	47,077	18	4.1	01.9-06.3	338	89.2	85.5-92.9	30	6.5	03.6-09.4	2	0.2	00.0-00.4			
\$50,000- 74,999	391	46,464	10	2.1	00.5-03.7	354	90.9	87.6-94.2	27	7.0	03.9-10.1						
\$75,000+	708	95,319	13	2.4	00.6-04.2	652	91.8	89.1-94.5	43	5.8	03.6-08.0						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 5: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	37
5	MALES ONLY	38
6	FEMALES ONLY	39

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5191	721,222	2200	35.6	33.8-37.4	29	0.8	00.4-01.2	2903	62.7	60.9-64.5	59	0.9	00.7-01.1
Male	2081	344,991	877	35.6	32.9-38.3				1173	63.2	60.5-65.9	31	1.2	00.6-01.8
Female	3110	376,231	1323	35.6	33.4-37.8	29	1.6	00.8-02.4	1730	62.2	59.8-64.6	28	0.6	00.4-00.8
White/Non-Hisp	3823	482,482	1634	35.9	33.9-37.9	23	0.9	00.3-01.5	2119	62.2	60.2-64.2	47	1.0	00.6-01.4
Black or Afr. Am./Non-Hisp	771	140,683	392	43.8	39.1-48.5	2	0.2	00.0-00.6	370	55.2	50.5-59.9	7	0.9	00.1-01.7
Oth. Race/Non-Hisp.	210	31,139	60	24.3	15.1-33.5	1	1.5	00.0-04.4	145	72.8	63.4-82.2	4	1.3	00.0-02.9
MultiRacial/Non-Hisp.	70	5,267	24	27.9	15.7-40.1				46	72.1	59.9-84.3			
Hispanic	239	52,235	62	19.9	13.8-26.0	3	1.4	00.0-03.0	174	78.7	72.6-84.8			
18-24	280	91,957	25	9.3	05.2-13.4	2	0.7	00.0-01.7	252	89.8	85.5-94.1	1	0.2	00.0-00.6
25-34	488	117,734	54	11.8	08.3-15.3	11	2.6	00.6-04.6	422	85.4	81.5-89.3	1	0.2	00.0-00.6
35-44	608	110,664	119	21.7	17.4-26.0	6	0.8	00.0-01.6	479	77.0	72.7-81.3	4	0.5	00.0-01.1
45-54	885	130,279	332	39.7	35.6-43.8	5	0.7	00.1-01.3	538	58.2	54.1-62.3	10	1.4	00.2-02.6
55-64	1101	120,302	529	51.8	48.1-55.5				556	47.1	43.4-50.8	16	1.1	00.5-01.7
65+	1780	145,967	1123	64.9	62.2-67.6	5	0.2	00.0-00.4	626	33.4	30.7-36.1	26	1.5	00.9-02.1
Less Than H.S.	423	98,066	224	42.4	36.1-48.7	5	1.4	00.2-02.6	194	56.2	49.9-62.5			
H.S. or G.E.D.	1561	226,146	754	39.6	36.5-42.7	5	0.3	00.0-00.7	792	59.5	56.4-62.6	10	0.6	00.0-01.2
Some Post-H.S.	1343	211,366	545	32.5	29.4-35.6	9	1.1	00.1-02.1	770	65.5	62.4-68.6	19	0.9	00.3-01.5
College Graduate	1844	183,734	668	30.7	28.2-33.2	10	0.8	00.2-01.4	1138	66.9	64.2-69.6	28	1.5	00.9-02.1
Less than \$15,000	450	62,563	224	38.6	32.1-45.1	4	1.2	00.0-02.6	220	60.0	53.5-66.5	2	0.2	00.0-00.6
\$15,000- 24,999	738	98,707	354	44.0	39.1-48.9	5	0.7	00.0-01.5	371	54.5	49.6-59.4	8	0.7	00.1-01.3
\$25,000- 34,999	495	64,822	241	40.8	35.1-46.5	1	0.3	00.0-00.9	250	58.2	52.5-63.9	3	0.7	00.0-01.7
\$35,000- 49,999	688	95,602	290	33.8	29.3-38.3	4	1.5	00.0-03.7	388	64.3	59.6-69.0	6	0.4	00.0-00.8
\$50,000- 74,999	686	93,739	275	35.2	30.5-39.9	7	1.2	00.2-02.2	400	63.3	58.6-68.0	4	0.3	00.0-00.7
\$75,000+	1348	201,442	443	30.1	27.0-33.2	6	0.6	00.0-01.2	872	67.5	64.4-70.6	27	1.9	01.1-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2081	344,991	877	35.6	33.1-38.1	1173	63.2	60.7-65.7	31	1.2	00.6-01.8
White/Non-Hisp	1529	230,465	675	37.6	34.5-40.7	832	61.3	58.2-64.4	22	1.1	00.5-01.7
Black or Afr. Am./Non-Hisp	288	64,799	126	39.3	32.0-46.6	157	59.0	51.7-66.3	5	1.7	00.0-03.5
Oth. Race/Non-Hisp.	101	17,659	27	26.7	12.4-41.0	71	71.3	56.8-85.8	3	2.0	00.0-04.7
Hispanic	97	23,578	24	16.8	09.4-24.2	73	83.2	75.8-90.6			
18-24	137	46,561	10	6.0	02.1-09.9	126	93.7	89.8-97.6	1	0.3	00.0-00.9
25-34	210	58,807	25	12.1	06.8-17.4	184	87.5	82.2-92.8	1	0.3	00.0-00.9
35-44	260	53,811	59	24.6	18.1-31.1	198	74.5	68.0-81.0	3	0.8	00.0-01.8
45-54	363	62,822	149	42.6	36.1-49.1	206	54.7	48.2-61.2	8	2.7	00.5-04.9
55-64	421	57,143	196	53.1	47.2-59.0	214	45.2	39.3-51.1	11	1.7	00.5-02.9
65+	675	64,458	435	65.9	61.4-70.4	234	33.2	28.7-37.7	6	0.9	00.1-01.7
Less Than H.S.	178	49,120	76	35.3	26.3-44.3	102	64.7	55.7-73.7			
H.S. or G.E.D.	646	116,017	288	37.9	33.2-42.6	353	61.2	56.5-65.9	5	0.9	00.0-01.9
Some Post-H.S.	470	91,785	197	33.1	28.0-38.2	267	65.9	60.8-71.0	6	1.1	00.1-02.1
College Graduate	778	86,908	314	35.9	31.8-40.0	446	61.9	57.8-66.0	18	2.3	01.1-03.5
Less than \$15,000	134	24,147	60	29.6	20.0-39.2	73	70.2	60.6-79.8	1	0.2	00.0-00.6
\$15,000- 24,999	261	43,801	114	39.2	31.6-46.8	146	60.3	52.5-68.1	1	0.5	00.0-01.5
\$25,000- 34,999	192	31,366	94	40.9	31.7-50.1	97	58.1	48.9-67.3	1	0.9	00.0-02.7
\$35,000- 49,999	299	48,263	126	35.2	28.3-42.1	171	64.3	57.2-71.4	2	0.5	00.0-01.3
\$50,000- 74,999	296	47,540	128	35.1	28.2-42.0	166	64.5	57.6-71.4	2	0.4	00.0-01.0
\$75,000+	638	105,770	251	36.1	31.4-40.8	369	61.4	56.7-66.1	18	2.5	01.1-03.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3110	376,231	1323	35.6	33.4-37.8	29	1.6	00.8-02.4	1730	62.2	59.8-64.6	28	0.6	00.4-00.8
White/Non-Hisp	2294	252,017	959	34.4	31.9-36.9	23	1.7	00.7-02.7	1287	63.1	60.6-65.6	25	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	483	75,884	266	47.5	41.6-53.4	2	0.4	00.0-01.0	213	51.9	46.0-57.8	2	0.2	00.0-00.4
Oth. Race/Non-Hisp.	109	13,479	33	21.1	11.9-30.3	1	3.5	00.0-10.2	74	74.9	64.1-85.7	1	0.5	00.0-01.5
Hispanic	142	28,657	38	22.5	13.5-31.5	3	2.5	00.0-05.4	101	75.0	65.8-84.2			
18-24	143	45,396	15	12.7	05.4-20.0	2	1.5	00.0-03.5	126	85.8	78.4-93.2			
25-34	278	58,927	29	11.6	06.7-16.5	11	5.2	01.1-09.3	238	83.2	77.3-89.1			
35-44	348	56,853	60	18.9	13.2-24.6	6	1.6	00.2-03.0	281	79.4	73.7-85.1	1	0.2	00.0-00.6
45-54	522	67,458	183	37.0	31.7-42.3	5	1.4	00.2-02.6	332	61.4	56.1-66.7	2	0.2	00.0-00.6
55-64	680	63,159	333	50.6	45.7-55.5				342	48.8	43.9-53.7	5	0.6	00.0-01.2
65+	1105	81,509	688	64.2	60.7-67.7	5	0.3	00.0-00.7	392	33.6	30.3-36.9	20	1.9	00.9-02.9
Less Than H.S.	245	48,946	148	49.5	40.9-58.1	5	2.9	00.4-05.4	92	47.6	39.0-56.2			
H.S. or G.E.D.	915	110,129	466	41.4	37.1-45.7	5	0.6	00.0-01.2	439	57.7	53.4-62.0	5	0.4	00.0-00.8
Some Post-H.S.	873	119,580	348	32.1	28.4-35.8	9	1.9	00.1-03.7	503	65.2	61.1-69.3	13	0.8	00.2-01.4
College Graduate	1066	96,826	354	26.1	23.0-29.2	10	1.6	00.4-02.8	692	71.5	68.2-74.8	10	0.9	00.3-01.5
Less than \$15,000	316	38,416	164	44.3	36.1-52.5	4	1.9	00.0-04.1	147	53.6	45.4-61.8	1	0.2	00.0-00.6
\$15,000- 24,999	477	54,905	240	47.8	41.7-53.9	5	1.3	00.0-02.7	225	49.9	43.8-56.0	7	1.0	00.2-01.8
\$25,000- 34,999	303	33,455	147	40.7	33.6-47.8	1	0.5	00.0-01.5	153	58.3	51.2-65.4	2	0.4	00.0-01.0
\$35,000- 49,999	389	47,340	164	32.3	26.2-38.4	4	3.0	00.0-07.3	217	64.3	57.6-71.0	4	0.4	00.0-00.8
\$50,000- 74,999	390	46,199	147	35.4	29.1-41.7	7	2.4	00.4-04.4	234	62.0	55.7-68.3	2	0.2	00.0-00.4
\$75,000+	710	95,672	192	23.4	19.5-27.3	6	1.2	00.0-02.4	503	74.3	70.2-78.4	9	1.1	00.3-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 5: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2196	256,781	1905	82.9	80.5-85.3	291	17.1	14.7-19.5
Male	875	122,861	743	81.0	77.3-84.7	132	19.0	15.3-22.7
Female	1321	133,919	1162	84.7	81.6-87.8	159	15.3	12.2-18.4
White/Non-Hisp	1632	173,186	1424	82.4	79.5-85.3	208	17.6	14.7-20.5
Black or Afr. Am./Non-Hisp	390	61,466	344	86.8	82.3-91.3	46	13.2	08.7-17.7
Oth. Race/Non-Hisp.	60	7,568	47	78.2	63.5-92.9	13	21.8	07.1-36.5
Hispanic	62	10,395	47	72.2	57.9-86.5	15	27.8	13.5-42.1
25-34	54	13,949	25	44.4	28.7-60.1	29	55.6	39.9-71.3
35-44	119	23,980	75	70.2	60.6-79.8	44	29.8	20.2-39.4
45-54	331	51,620	259	79.6	74.1-85.1	72	20.4	14.9-25.9
55-64	529	62,295	468	89.1	85.4-92.8	61	10.9	07.2-14.6
65+	1120	94,653	1062	95.5	94.1-96.9	58	4.5	03.1-05.9
Less Than H.S.	224	41,575	192	78.8	70.4-87.2	32	21.2	12.8-29.6
H.S. or G.E.D.	752	89,402	661	84.6	80.9-88.3	91	15.4	11.7-19.1
Some Post-H.S.	543	68,695	480	84.5	80.2-88.8	63	15.5	11.2-19.8
College Graduate	668	56,438	564	81.2	76.9-85.5	104	18.8	14.5-23.1
Less than \$15,000	224	24,151	204	84.7	75.9-93.5	20	15.3	06.5-24.1
\$15,000- 24,999	354	43,398	309	86.1	81.2-91.0	45	13.9	09.0-18.8
\$25,000- 34,999	241	26,462	215	84.4	76.8-92.0	26	15.6	08.0-23.2
\$35,000- 49,999	290	32,292	241	74.7	66.7-82.7	49	25.3	17.3-33.3
\$50,000- 74,999	275	33,027	240	85.6	79.9-91.3	35	14.4	08.7-20.1
\$75,000+	443	60,587	370	80.1	74.8-85.4	73	19.9	14.6-25.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 5: HYPERTENSION AWARENESS

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	875	122,861	743	81.0	77.3-84.7	132	19.0	15.3-22.7
White/Non-Hisp	673	86,520	574	80.6	76.3-84.9	99	19.4	15.1-23.7
Black or Afr. Am./Non-Hisp	126	25,490	108	83.3	74.7-91.9	18	16.7	08.1-25.3
35-44	59	13,253	35	64.6	50.3-78.9	24	35.4	21.1-49.7
45-54	149	26,749	110	77.7	69.3-86.1	39	22.3	13.9-30.7
55-64	196	30,350	178	90.3	85.0-95.6	18	9.7	04.4-15.0
65+	433	42,377	409	94.8	92.4-97.2	24	5.2	02.8-07.6
Less Than H.S.	76	17,325	64	77.6	63.7-91.5	12	22.4	08.5-36.3
H.S. or G.E.D.	287	43,938	234	80.6	75.3-85.9	53	19.4	14.1-24.7
Some Post-H.S.	196	30,283	176	85.3	78.2-92.4	20	14.7	07.6-21.8
College Graduate	314	31,172	267	79.4	72.9-85.9	47	20.6	14.1-27.1
Less than \$15,000	60	7,140	52	84.1	70.8-97.4	8	15.9	02.6-29.2
\$15,000- 24,999	114	17,172	102	88.7	81.1-96.3	12	11.3	03.7-18.9
\$25,000- 34,999	94	12,843	82	81.4	68.5-94.3	12	18.6	05.7-31.5
\$35,000- 49,999	126	16,993	103	70.4	59.2-81.6	23	29.6	18.4-40.8
\$50,000- 74,999	128	16,681	107	78.4	68.4-88.4	21	21.6	11.6-31.6
\$75,000+	251	38,153	210	80.7	74.0-87.4	41	19.3	12.6-26.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 5: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1321	133,919	1162	84.7	81.6-87.8	159	15.3	12.2-18.4
White/Non-Hisp	959	86,666	850	84.2	80.1-88.3	109	15.8	11.7-19.9
Black or Afr. Am./Non-Hisp	264	35,975	236	89.3	84.6-94.0	28	10.7	06.0-15.4
35-44	60	10,727	40	77.0	65.6-88.4	20	23.0	11.6-34.4
45-54	182	24,871	149	81.7	74.4-89.0	33	18.3	11.0-25.6
55-64	333	31,945	290	88.0	83.1-92.9	43	12.0	07.1-16.9
65+	687	52,276	653	96.1	94.5-97.7	34	3.9	02.3-05.5
Less Than H.S.	148	24,250	128	79.7	69.3-90.1	20	20.3	09.9-30.7
H.S. or G.E.D.	465	45,464	427	88.6	83.5-93.7	38	11.4	06.3-16.5
Some Post-H.S.	347	38,412	304	83.9	78.6-89.2	43	16.1	10.8-21.4
College Graduate	354	25,266	297	83.3	78.4-88.2	57	16.7	11.8-21.6
Less than \$15,000	164	17,011	152	84.9	73.7-96.1	12	15.1	03.9-26.3
\$15,000- 24,999	240	26,226	207	84.5	78.2-90.8	33	15.5	09.2-21.8
\$25,000- 34,999	147	13,619	133	87.2	79.0-95.4	14	12.8	04.6-21.0
\$35,000- 49,999	164	15,299	138	79.5	68.1-90.9	26	20.5	09.1-31.9
\$50,000- 74,999	147	16,346	133	92.9	88.6-97.2	14	7.1	02.8-11.4
\$75,000+	192	22,433	160	79.2	71.0-87.4	32	20.8	12.6-29.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1	MALES AND FEMALES	41
2	MALES ONLY	42
3	FEMALES ONLY	43
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4	MALES AND FEMALES	44
5	MALES ONLY	45
6	FEMALES ONLY	46
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7	MALES AND FEMALES	47
8	MALES ONLY	48
9	FEMALES ONLY	49

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 6: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5127	708,776	4594	83.4	81.6-85.2	533	16.6	14.8-18.4
Male	2054	338,033	1795	81.0	78.5-83.5	259	19.0	16.5-21.5
Female	3073	370,743	2799	85.6	83.4-87.8	274	14.4	12.2-16.6
White/Non-Hisp	3774	473,871	3454	85.9	83.9-87.9	320	14.1	12.1-16.1
Black or Afr. Am./Non-Hisp	761	138,458	675	83.7	79.6-87.8	86	16.3	12.2-20.4
Oth. Race/Non-Hisp.	209	30,289	171	75.0	63.6-86.4	38	25.0	13.6-36.4
MultiRacial/Non-Hisp.	69	5,167	59	78.6	66.3-90.9	10	21.4	09.1-33.7
Hispanic	236	51,563	165	64.0	56.4-71.6	71	36.0	28.4-43.6
18-24	264	86,009	115	43.7	36.4-51.0	149	56.3	49.0-63.6
25-34	471	113,674	340	69.9	64.4-75.4	131	30.1	24.6-35.6
35-44	599	109,528	510	83.9	80.2-87.6	89	16.1	12.4-19.8
45-54	881	129,894	825	93.9	91.9-95.9	56	6.1	04.1-08.1
55-64	1096	120,002	1046	95.9	94.5-97.3	50	4.1	02.7-05.5
65+	1764	145,118	1709	97.0	95.8-98.2	55	3.0	01.8-04.2
Less Than H.S.	417	96,040	330	72.2	66.3-78.1	87	27.8	21.9-33.7
H.S. or G.E.D.	1537	222,503	1341	81.4	78.3-84.5	196	18.6	15.5-21.7
Some Post-H.S.	1321	206,632	1196	84.4	81.1-87.7	125	15.6	12.3-18.9
College Graduate	1832	181,690	1709	90.6	88.6-92.6	123	9.4	07.4-11.4
Less than \$15,000	442	60,980	363	71.3	64.2-78.4	79	28.7	21.6-35.8
\$15,000- 24,999	725	96,579	612	77.7	73.4-82.0	113	22.3	18.0-26.6
\$25,000- 34,999	488	63,642	433	81.1	75.6-86.6	55	18.9	13.4-24.4
\$35,000- 49,999	675	92,530	608	83.7	78.6-88.8	67	16.3	11.2-21.4
\$50,000- 74,999	680	93,029	626	87.3	83.6-91.0	54	12.7	09.0-16.4
\$75,000+	1342	200,650	1263	90.6	87.9-93.3	79	9.4	06.7-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 6: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2054	338,033	1795	81.0	78.5-83.5	259	19.0	16.5-21.5
White/Non-Hisp	1510	226,156	1360	84.2	81.3-87.1	150	15.8	12.9-18.7
Black or Afr. Am./Non-Hisp	282	63,312	242	80.6	73.7-87.5	40	19.4	12.5-26.3
Oth. Race/Non-Hisp.	100	16,805	78	71.3	54.2-88.4	22	28.7	11.6-45.8
Hispanic	96	23,271	58	56.8	45.4-68.2	38	43.2	31.8-54.6
18-24	128	42,974	51	40.9	30.3-51.5	77	59.1	48.5-69.7
25-34	201	56,087	144	68.7	60.5-76.9	57	31.3	23.1-39.5
35-44	258	53,560	209	78.8	72.7-84.9	49	21.2	15.1-27.3
45-54	361	62,717	329	92.4	89.1-95.7	32	7.6	04.3-10.9
55-64	421	57,143	401	96.2	94.2-98.2	20	3.8	01.8-05.8
65+	670	64,162	647	95.6	93.2-98.0	23	4.4	02.0-06.8
Less Than H.S.	176	47,588	132	67.2	58.0-76.4	44	32.8	23.6-42.0
H.S. or G.E.D.	637	113,630	537	80.5	76.2-84.8	100	19.5	15.2-23.8
Some Post-H.S.	462	89,551	409	81.4	75.7-87.1	53	18.6	12.9-24.3
College Graduate	770	86,104	709	88.8	85.7-91.9	61	11.2	08.1-14.3
Less than \$15,000	131	23,276	93	56.4	43.5-69.3	38	43.6	30.7-56.5
\$15,000- 24,999	258	43,082	210	74.4	67.3-81.5	48	25.6	18.5-32.7
\$25,000- 34,999	188	30,591	159	75.6	66.4-84.8	29	24.4	15.2-33.6
\$35,000- 49,999	295	46,889	262	81.9	73.9-89.9	33	18.1	10.1-26.1
\$50,000- 74,999	293	46,879	262	83.9	77.6-90.2	31	16.1	09.8-22.4
\$75,000+	634	105,510	589	89.7	86.0-93.4	45	10.3	06.6-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3073	370,743	2799	85.6	83.4-87.8	274	14.4	12.2-16.6
White/Non-Hisp	2264	247,715	2094	87.5	85.0-90.0	170	12.5	10.0-15.0
Black or Afr. Am./Non-Hisp	479	75,146	433	86.4	81.7-91.1	46	13.6	08.9-18.3
Oth. Race/Non-Hisp.	109	13,485	93	79.6	66.3-92.9	16	20.4	07.1-33.7
Hispanic	140	28,292	107	69.8	59.8-79.8	33	30.2	20.2-40.2
18-24	136	43,035	64	46.4	36.2-56.6	72	53.6	43.4-63.8
25-34	270	57,587	196	71.2	63.8-78.6	74	28.8	21.4-36.2
35-44	341	55,967	301	88.8	84.9-92.7	40	11.2	07.3-15.1
45-54	520	67,177	496	95.3	93.3-97.3	24	4.7	02.7-06.7
55-64	675	62,859	645	95.7	93.7-97.7	30	4.3	02.3-06.3
65+	1094	80,956	1062	98.1	97.3-98.9	32	1.9	01.1-02.7
Less Than H.S.	241	48,452	198	77.0	69.7-84.3	43	23.0	15.7-30.3
H.S. or G.E.D.	900	108,873	804	82.5	78.0-87.0	96	17.5	13.0-22.0
Some Post-H.S.	859	117,081	787	86.6	82.9-90.3	72	13.4	09.7-17.1
College Graduate	1062	95,587	1000	92.2	89.8-94.6	62	7.8	05.4-10.2
Less than \$15,000	311	37,704	270	80.5	73.6-87.4	41	19.5	12.6-26.4
\$15,000- 24,999	467	53,497	402	80.5	75.2-85.8	65	19.5	14.2-24.8
\$25,000- 34,999	300	33,051	274	86.1	79.8-92.4	26	13.9	07.6-20.2
\$35,000- 49,999	380	45,642	346	85.5	79.6-91.4	34	14.5	08.6-20.4
\$50,000- 74,999	387	46,150	364	90.7	86.4-95.0	23	9.3	05.0-13.6
\$75,000+	708	95,140	674	91.5	87.8-95.2	34	8.5	04.8-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4545	585,170	3720	78.9	77.3-80.5	476	12.0	10.6-13.4	245	6.5	05.5-07.5	104	2.7	02.1-03.3
Male	1776	270,441	1442	78.6	76.1-81.1	182	10.5	08.7-12.3	99	7.4	05.6-09.2	53	3.5	02.3-04.7
Female	2769	314,729	2278	79.1	76.9-81.3	294	13.2	11.2-15.2	146	5.7	04.5-06.9	51	2.0	01.2-02.8
White/Non-Hisp	3420	403,090	2796	78.2	76.2-80.2	347	11.6	10.0-13.2	197	7.1	05.9-08.3	80	3.1	02.1-04.1
Black or Afr. Am./Non-Hisp	668	114,861	572	82.7	79.0-86.4	63	11.2	08.1-14.3	22	4.5	02.3-06.7	11	1.6	00.4-02.8
Oth. Race/Non-Hisp.	165	21,880	135	82.7	75.3-90.1	23	13.6	06.9-20.3	3	2.5	00.0-05.8	4	1.2	00.0-02.6
MultiRacial/Non-Hisp.	59	4,059	37	63.9	49.2-78.6	15	24.2	11.3-37.1	5	9.7	01.3-18.1	2	2.1	00.0-05.2
Hispanic	165	32,976	122	70.5	61.7-79.3	22	17.2	09.9-24.5	15	9.3	03.4-15.2	6	3.0	00.3-05.7
18-24	111	36,350	74	69.7	59.7-79.7	24	22.6	13.2-32.0	8	5.5	01.2-09.8	5	2.1	00.1-04.1
25-34	336	78,497	207	63.0	56.5-69.5	67	16.0	11.7-20.3	47	15.4	10.3-20.5	15	5.6	02.3-08.9
35-44	506	91,123	356	70.4	65.7-75.1	82	17.0	13.1-20.9	54	9.7	06.8-12.6	14	2.9	01.1-04.7
45-54	819	121,183	628	77.3	73.8-80.8	112	13.3	10.4-16.2	52	6.2	04.2-08.2	27	3.3	01.7-04.9
55-64	1038	114,372	858	84.3	81.6-87.0	107	9.3	07.1-11.5	50	4.3	02.9-05.7	23	2.1	01.1-03.1
65+	1686	139,214	1556	92.4	90.8-94.0	81	4.8	03.4-06.2	31	1.7	00.9-02.5	18	1.1	00.5-01.7
Less Than H.S.	319	68,080	272	79.8	73.5-86.1	30	13.5	08.2-18.8	11	3.5	01.0-06.0	6	3.3	00.4-06.2
H.S. or G.E.D.	1324	178,975	1121	82.5	79.8-85.2	115	9.7	07.5-11.9	64	6.1	04.1-08.1	24	1.7	00.9-02.5
Some Post-H.S.	1191	173,323	941	75.4	72.1-78.7	141	13.1	10.6-15.6	76	7.9	05.7-10.1	33	3.5	01.9-05.1
College Graduate	1696	163,202	1373	78.0	75.5-80.5	188	12.7	10.5-14.9	94	6.6	05.0-08.2	41	2.7	01.7-03.7
Less than \$15,000	358	43,171	300	75.7	68.6-82.8	36	17.1	10.6-23.6	18	5.7	02.6-08.8	4	1.5	00.0-03.3
\$15,000- 24,999	611	74,643	502	79.6	75.1-84.1	65	11.7	08.0-15.4	31	6.6	03.7-09.5	13	2.1	00.7-03.5
\$25,000- 34,999	429	51,100	348	79.7	74.6-84.8	44	10.0	06.7-13.3	26	7.0	03.1-10.9	11	3.2	01.2-05.2
\$35,000- 49,999	605	76,895	506	80.5	75.6-85.4	51	9.0	05.7-12.3	37	8.9	04.8-13.0	11	1.7	00.3-03.1
\$50,000- 74,999	625	81,140	507	79.1	74.8-83.4	78	13.2	09.7-16.7	26	4.9	02.5-07.3	14	2.8	01.0-04.6
\$75,000+	1252	179,992	983	75.1	72.0-78.2	148	13.8	11.3-16.3	83	7.2	05.4-09.0	38	3.8	02.2-05.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)
Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1776	270,441	1442	78.6	76.1-81.1	182	10.5	08.7-12.3	99	7.4	05.6-09.2	53	3.5	02.3-04.7
White/Non-Hisp	1347	188,355	1101	78.5	75.6-81.4	129	10.0	08.0-12.0	77	7.6	05.6-09.6	40	3.9	02.3-05.5
Black or Afr. Am./Non-Hisp	240	50,390	198	81.0	74.9-87.1	25	9.7	05.4-14.0	11	6.3	02.2-10.4	6	3.0	00.3-05.7
Oth. Race/Non-Hisp.	76	11,370	63	87.8	79.8-95.8	8	8.9	01.6-16.2	2	1.8	00.0-04.3	3	1.5	00.0-03.3
Hispanic	58	13,228	39	60.4	45.3-75.5	12	21.7	09.4-34.0	5	15.5	02.6-28.4	2	2.5	00.0-06.0
25-34	141	37,815	84	60.3	50.3-70.3	28	13.8	08.1-19.5	19	17.1	08.9-25.3	10	8.8	02.5-15.1
35-44	206	41,523	144	71.7	64.8-78.6	30	13.5	08.4-18.6	26	12.2	07.3-17.1	6	2.6	00.4-04.8
45-54	326	57,441	248	75.7	70.0-81.4	48	13.7	09.4-18.0	18	6.6	03.1-10.1	12	3.9	01.4-06.4
55-64	398	54,723	321	83.0	78.9-87.1	42	8.9	06.0-11.8	21	4.7	02.3-07.1	14	3.4	01.4-05.4
65+	642	61,021	598	93.0	90.5-95.5	27	4.5	02.3-06.7	10	1.5	00.3-02.7	7	1.0	00.0-02.0
Less Than H.S.	128	31,400	105	77.8	68.4-87.2	14	12.5	05.4-19.6	6	4.9	00.4-09.4	3	4.8	00.0-10.7
H.S. or G.E.D.	531	89,990	427	80.0	75.7-84.3	54	9.4	06.7-12.1	34	8.0	04.7-11.3	16	2.6	01.0-04.2
Some Post-H.S.	407	72,386	321	76.0	70.7-81.3	42	10.5	07.0-14.0	30	8.9	05.2-12.6	14	4.6	01.9-07.3
College Graduate	704	75,729	584	79.7	75.8-83.6	71	10.9	08.2-13.6	29	6.4	03.7-09.1	20	3.1	01.5-04.7
Less than \$15,000	93	13,117	74	72.1	59.9-84.3	10	15.8	05.4-26.2	7	8.9	01.8-16.0	2	3.3	00.0-08.2
\$15,000- 24,999	209	31,597	170	78.4	70.8-86.0	20	11.4	05.5-17.3	12	8.2	02.7-13.7	7	2.0	00.2-03.8
\$25,000- 34,999	155	22,640	120	74.3	64.7-83.9	17	11.1	05.0-17.2	12	9.8	02.2-17.4	6	4.7	01.0-08.4
\$35,000- 49,999	260	37,975	218	82.1	75.6-88.6	24	8.8	04.9-12.7	14	8.1	02.4-13.8	4	1.0	00.0-02.2
\$50,000- 74,999	262	39,334	212	78.7	72.4-85.0	31	12.1	07.6-16.6	12	5.0	01.7-08.3	7	4.2	00.7-07.7
\$75,000+	586	93,926	469	77.1	72.8-81.4	62	10.3	07.4-13.2	33	7.8	04.9-10.7	22	4.9	02.4-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2769	314,729	2278	79.1	76.9-81.3	294	13.2	11.2-15.2	146	5.7	04.5-06.9	51	2.0	01.2-02.8
White/Non-Hisp	2073	214,735	1695	77.9	75.2-80.6	218	13.1	10.7-15.5	120	6.6	05.0-08.2	40	2.4	01.4-03.4
Black or Afr. Am./Non-Hisp	428	64,471	374	84.0	79.3-88.7	38	12.3	08.0-16.6	11	3.0	00.8-05.2	5	0.6	00.0-01.2
Oth. Race/Non-Hisp.	89	10,511	72	77.1	64.9-89.3	15	18.6	07.4-29.8	1	3.3	00.0-09.6	1	1.0	00.0-03.0
Hispanic	107	19,748	83	77.3	67.3-87.3	10	14.1	05.3-22.9	10	5.2	01.3-09.1	4	3.4	00.0-07.1
18-24	62	19,787	39	62.1	47.4-76.8	17	31.5	17.2-45.8	3	4.2	00.0-09.1	3	2.2	00.0-04.7
25-34	195	40,682	123	65.5	57.3-73.7	39	18.1	11.6-24.6	28	13.8	07.5-20.1	5	2.7	00.0-05.4
35-44	300	49,601	212	69.4	62.9-75.9	52	19.9	14.2-25.6	28	7.6	04.1-11.1	8	3.1	00.6-05.6
45-54	493	63,742	380	78.7	74.2-83.2	64	12.8	09.1-16.5	34	5.7	03.3-08.1	15	2.7	00.9-04.5
55-64	640	59,649	537	85.4	81.9-88.9	65	9.7	06.8-12.6	29	3.8	02.2-05.4	9	1.0	00.0-02.0
65+	1044	78,193	958	92.0	90.0-94.0	54	4.9	03.3-06.5	21	1.9	00.9-02.9	11	1.2	00.4-02.0
Less Than H.S.	191	36,680	167	81.4	73.2-89.6	16	14.3	06.5-22.1	5	2.4	00.0-04.9	3	1.9	00.0-04.3
H.S. or G.E.D.	793	88,985	694	85.1	81.4-88.8	61	10.0	06.7-13.3	30	4.1	02.3-05.9	8	0.8	00.2-01.4
Some Post-H.S.	784	100,937	620	75.0	70.7-79.3	99	15.0	11.7-18.3	46	7.2	04.5-09.9	19	2.8	01.0-04.6
College Graduate	992	87,473	789	76.6	73.1-80.1	117	14.2	11.3-17.1	65	6.8	04.8-08.8	21	2.4	01.2-03.6
Less than \$15,000	265	30,054	226	77.3	68.9-85.7	26	17.6	09.4-25.8	11	4.3	01.2-07.4	2	0.8	00.0-02.2
\$15,000- 24,999	402	43,046	332	80.6	75.1-86.1	45	11.8	07.3-16.3	19	5.5	02.4-08.6	6	2.1	00.0-04.3
\$25,000- 34,999	274	28,460	228	84.1	79.0-89.2	27	9.2	05.5-12.9	14	4.8	01.9-07.7	5	2.0	00.0-04.0
\$35,000- 49,999	345	38,919	288	78.9	71.5-86.3	27	9.1	03.6-14.6	23	9.7	03.8-15.6	7	2.4	00.0-04.9
\$50,000- 74,999	363	41,805	295	79.4	73.3-85.5	47	14.3	09.0-19.6	14	4.8	01.5-08.1	7	1.4	00.0-02.8
\$75,000+	666	86,065	514	73.0	68.5-77.5	86	17.6	13.5-21.7	50	6.6	04.6-08.6	16	2.7	01.1-04.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4547	582,799	2077	40.6	38.6-42.6	2470	59.4	57.4-61.4
Male	1777	269,747	810	41.3	38.4-44.2	967	58.7	55.8-61.6
Female	2770	313,052	1267	39.9	37.5-42.3	1503	60.1	57.7-62.5
White/Non-Hisp	3418	401,169	1627	42.6	40.4-44.8	1791	57.4	55.2-59.6
Black or Afr. Am./Non-Hisp	669	114,018	271	36.9	32.2-41.6	398	63.1	58.4-67.8
Oth. Race/Non-Hisp.	168	22,583	65	35.9	24.9-46.9	103	64.1	53.1-75.1
MultiRacial/Non-Hisp.	59	4,059	21	23.9	11.9-35.9	38	76.1	64.1-88.1
Hispanic	164	32,632	65	36.0	26.8-45.2	99	64.0	54.8-73.2
18-24	114	36,986	13	14.0	05.6-22.4	101	86.0	77.6-94.4
25-34	337	77,969	54	14.5	10.0-19.0	283	85.5	81.0-90.0
35-44	510	91,939	138	27.1	22.6-31.6	372	72.9	68.4-77.4
45-54	816	120,037	350	43.6	39.3-47.9	466	56.4	52.1-60.7
55-64	1038	114,091	533	51.4	47.5-55.3	505	48.6	44.7-52.5
65+	1687	137,750	973	60.3	57.4-63.2	714	39.7	36.8-42.6
Less Than H.S.	326	67,899	169	46.5	39.1-53.9	157	53.5	46.1-60.9
H.S. or G.E.D.	1319	177,399	665	44.2	40.7-47.7	654	55.8	52.3-59.3
Some Post-H.S.	1183	171,550	520	36.6	33.3-39.9	663	63.4	60.1-66.7
College Graduate	1701	164,101	714	38.3	35.4-41.2	987	61.7	58.8-64.6
Less than \$15,000	360	42,370	187	42.7	35.4-50.0	173	57.3	50.0-64.6
\$15,000- 24,999	605	73,426	309	51.0	45.5-56.5	296	49.0	43.5-54.5
\$25,000- 34,999	432	51,525	209	42.4	36.3-48.5	223	57.6	51.5-63.7
\$35,000- 49,999	604	75,993	284	41.1	36.0-46.2	320	58.9	53.8-64.0
\$50,000- 74,999	622	80,927	285	39.2	34.3-44.1	337	60.8	55.9-65.7
\$75,000+	1249	179,476	479	34.8	31.5-38.1	770	65.2	61.9-68.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1777	269,747	810	41.3	38.4-44.2	967	58.7	55.8-61.6
White/Non-Hisp	1346	187,982	644	43.4	40.1-46.7	702	56.6	53.3-59.9
Black or Afr. Am./Non-Hisp	239	49,748	94	36.8	29.0-44.6	145	63.2	55.4-71.0
Oth. Race/Non-Hisp.	78	11,975	34	46.0	29.5-62.5	44	54.0	37.5-70.5
Hispanic	57	12,885	22	36.7	22.2-51.2	35	63.3	48.8-77.8
18-24	50	16,998	9	19.1	05.2-33.0	41	80.9	67.0-94.8
25-34	144	38,508	19	12.6	06.1-19.1	125	87.4	80.9-93.9
35-44	209	42,214	75	35.8	28.4-43.2	134	64.2	56.8-71.6
45-54	325	56,752	151	45.0	38.1-51.9	174	55.0	48.1-61.9
55-64	397	54,174	190	48.5	42.2-54.8	207	51.5	45.2-57.8
65+	638	59,744	364	61.0	56.5-65.5	274	39.0	34.5-43.5
Less Than H.S.	130	31,125	63	48.8	37.2-60.4	67	51.2	39.6-62.8
H.S. or G.E.D.	528	89,026	249	41.0	35.9-46.1	279	59.0	53.9-64.1
Some Post-H.S.	406	72,217	178	36.7	31.0-42.4	228	63.3	57.6-69.0
College Graduate	705	76,252	318	43.2	38.7-47.7	387	56.8	52.3-61.3
Less than \$15,000	90	12,024	45	47.4	34.3-60.5	45	52.6	39.5-65.7
\$15,000- 24,999	206	31,107	103	51.5	42.5-60.5	103	48.5	39.5-57.5
\$25,000- 34,999	159	23,131	75	40.5	30.7-50.3	84	59.5	49.7-69.3
\$35,000- 49,999	261	38,136	125	41.0	33.7-48.3	136	59.0	51.7-66.3
\$50,000- 74,999	261	39,306	119	38.9	31.3-46.5	142	61.1	53.5-68.7
\$75,000+	581	93,362	247	38.8	33.9-43.7	334	61.2	56.3-66.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2770	313,052	1267	39.9	37.5-42.3	1503	60.1	57.7-62.5
White/Non-Hisp	2072	213,187	983	41.9	39.2-44.6	1089	58.1	55.4-60.8
Black or Afr. Am./Non-Hisp	430	64,270	177	37.0	31.1-42.9	253	63.0	57.1-68.9
Oth. Race/Non-Hisp.	90	10,609	31	24.4	13.6-35.2	59	75.6	64.8-86.4
Hispanic	107	19,748	43	35.5	23.7-47.3	64	64.5	52.7-76.3
18-24	64	19,988	4	9.6	00.0-19.8	60	90.4	80.2-100
25-34	193	39,461	35	16.3	10.0-22.6	158	83.7	77.4-90.0
35-44	301	49,725	63	19.7	14.4-25.0	238	80.3	75.0-85.6
45-54	491	63,285	199	42.3	36.8-47.8	292	57.7	52.2-63.2
55-64	641	59,918	343	54.1	49.2-59.0	298	45.9	41.0-50.8
65+	1049	78,005	609	59.8	56.3-63.3	440	40.2	36.7-43.7
Less Than H.S.	196	36,774	106	44.6	35.0-54.2	90	55.4	45.8-65.0
H.S. or G.E.D.	791	88,372	416	47.4	42.9-51.9	375	52.6	48.1-57.1
Some Post-H.S.	777	99,333	342	36.5	32.4-40.6	435	63.5	59.4-67.6
College Graduate	996	87,849	396	34.1	30.6-37.6	600	65.9	62.4-69.4
Less than \$15,000	270	30,346	142	40.9	32.3-49.5	128	59.1	50.5-67.7
\$15,000- 24,999	399	42,318	206	50.7	44.0-57.4	193	49.3	42.6-56.0
\$25,000- 34,999	273	28,394	134	43.9	36.5-51.3	139	56.1	48.7-63.5
\$35,000- 49,999	343	37,857	159	41.2	34.3-48.1	184	58.8	51.9-65.7
\$50,000- 74,999	361	41,621	166	39.5	33.0-46.0	195	60.5	54.0-67.0
\$75,000+	668	86,114	232	30.5	26.2-34.8	436	69.5	65.2-73.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	52
2	MALES ONLY	53
3	FEMALES ONLY	54
	(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	55
5	MALES ONLY	56
6	FEMALES ONLY	57
	(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	58
8	MALES ONLY	59
9	FEMALES ONLY	60
	(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10	MALES AND FEMALES	61
11	MALES ONLY	62
12	FEMALES ONLY	63
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13	MALES AND FEMALES	64
14	MALES ONLY	65
15	FEMALES ONLY	66
	(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16	MALES AND FEMALES	67
17	MALES ONLY	68
18	FEMALES ONLY	69
	(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19	MALES AND FEMALES	70
20	MALES ONLY	71
21	FEMALES ONLY	72

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	
22 MALES AND FEMALES	73
23 MALES ONLY	74
24 FEMALES ONLY	75
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	76
26 MALES ONLY	77
27 FEMALES ONLY	78
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	79
29 MALES ONLY	80
30 FEMALES ONLY	81
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	82
32 MALES ONLY	83
33 FEMALES ONLY	84
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	85
35 MALES ONLY	86
36 FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5182	720,968	299	4.1	03.5-04.7	4883	95.9	95.3-96.5
Male	2071	344,191	168	5.0	04.0-06.0	1903	95.0	94.0-96.0
Female	3111	376,777	131	3.3	02.5-04.1	2980	96.7	95.9-97.5
White/Non-Hisp	3812	481,683	242	5.0	04.2-05.8	3570	95.0	94.2-95.8
Black or Afr. Am./Non-Hisp	772	140,951	35	2.8	01.6-04.0	737	97.2	96.0-98.4
Oth. Race/Non-Hisp.	209	31,176	10	3.2	00.8-05.6	199	96.8	94.4-99.2
MultiRacial/Non-Hisp.	70	5,267	4	2.9	00.0-06.2	66	97.1	93.8-0100
Hispanic	240	52,397	3	0.3	00.0-00.7	237	99.7	99.3-0100
18-24	281	92,222				281	100.0	0100-0100
25-34	488	117,727	3	0.6	00.0-01.4	485	99.4	98.6-0100
35-44	607	110,556	8	1.1	00.3-01.9	599	98.9	98.1-99.7
45-54	885	130,461	27	3.0	01.6-04.4	858	97.0	95.6-98.4
55-64	1099	120,247	64	5.7	04.1-07.3	1035	94.3	92.7-95.9
65+	1769	144,978	193	11.4	09.6-13.2	1576	88.6	86.8-90.4
Less Than H.S.	419	97,679	33	4.5	02.5-06.5	386	95.5	93.5-97.5
H.S. or G.E.D.	1561	226,234	112	4.9	03.7-06.1	1449	95.1	93.9-96.3
Some Post-H.S.	1341	211,406	73	3.6	02.6-04.6	1268	96.4	95.4-97.4
College Graduate	1843	183,958	81	3.5	02.5-04.5	1762	96.5	95.5-97.5
Less than \$15,000	448	62,717	34	4.1	02.3-05.9	414	95.9	94.1-97.7
\$15,000- 24,999	734	98,220	64	6.4	04.4-08.4	670	93.6	91.6-95.6
\$25,000- 34,999	492	64,448	38	5.8	03.6-08.0	454	94.2	92.0-96.4
\$35,000- 49,999	688	95,602	29	3.0	01.8-04.2	659	97.0	95.8-98.2
\$50,000- 74,999	684	93,856	34	3.8	02.2-05.4	650	96.2	94.6-97.8
\$75,000+	1348	201,597	48	2.7	01.7-03.7	1300	97.3	96.3-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2071	344,191	168	5.0	04.0-06.0	1903	95.0	94.0-96.0
White/Non-Hisp	1521	229,771	144	6.5	05.3-07.7	1377	93.5	92.3-94.7
Black or Afr. Am./Non-Hisp	288	64,799	10	1.8	00.2-03.4	278	98.2	96.6-99.8
Oth. Race/Non-Hisp.	98	17,339	6	3.5	00.2-06.8	92	96.5	93.2-99.8
Hispanic	98	23,740				98	100.0	0100-0100
18-24	137	46,561				137	100.0	0100-0100
25-34	210	58,800	1	0.6	00.0-01.8	209	99.4	98.2-0100
35-44	260	53,811	5	1.3	00.1-02.5	255	98.7	97.5-99.9
45-54	363	63,003	16	3.6	01.4-05.8	347	96.4	94.2-98.6
55-64	420	57,106	28	5.9	03.5-08.3	392	94.1	91.7-96.5
65+	666	63,469	116	16.0	12.9-19.1	550	84.0	80.9-87.1
Less Than H.S.	175	48,741	13	2.6	01.0-04.2	162	97.4	95.8-99.0
H.S. or G.E.D.	643	115,675	56	5.5	03.9-07.1	587	94.5	92.9-96.1
Some Post-H.S.	471	92,081	39	4.6	02.8-06.4	432	95.4	93.6-97.2
College Graduate	775	86,754	60	6.1	04.1-08.1	715	93.9	91.9-95.9
Less than \$15,000	132	24,121	12	4.5	01.4-07.6	120	95.5	92.4-98.6
\$15,000- 24,999	258	43,473	31	7.0	04.1-09.9	227	93.0	90.1-95.9
\$25,000- 34,999	189	30,992	17	6.5	02.8-10.2	172	93.5	89.8-97.2
\$35,000- 49,999	299	48,263	24	4.6	02.4-06.8	275	95.4	93.2-97.6
\$50,000- 74,999	296	47,540	24	4.4	02.4-06.4	272	95.6	93.6-97.6
\$75,000+	637	105,824	38	4.2	02.6-05.8	599	95.8	94.2-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3111	376,777	131	3.3	02.5-04.1	2980	96.7	95.9-97.5
White/Non-Hisp	2291	251,912	98	3.6	02.6-04.6	2193	96.4	95.4-97.4
Black or Afr. Am./Non-Hisp	484	76,152	25	3.6	01.8-05.4	459	96.4	94.6-98.2
Oth. Race/Non-Hisp.	111	13,836	4	2.8	00.0-05.7	107	97.2	94.3-0100
Hispanic	142	28,657	3	0.5	00.0-01.1	139	99.5	98.9-0100
18-24	144	45,661				144	100.0	0100-0100
25-34	278	58,927	2	0.5	00.0-01.3	276	99.5	98.7-0100
35-44	347	56,745	3	0.8	00.0-02.0	344	99.2	98.0-0100
45-54	522	67,458	11	2.5	00.5-04.5	511	97.5	95.5-99.5
55-64	679	63,142	36	5.5	03.3-07.7	643	94.5	92.3-96.7
65+	1103	81,509	77	7.8	05.6-10.0	1026	92.2	90.0-94.4
Less Than H.S.	244	48,938	20	6.4	02.9-09.9	224	93.6	90.1-97.1
H.S. or G.E.D.	918	110,559	56	4.4	03.0-05.8	862	95.6	94.2-97.0
Some Post-H.S.	870	119,325	34	2.8	01.6-04.0	836	97.2	96.0-98.4
College Graduate	1068	97,204	21	1.3	00.5-02.1	1047	98.7	97.9-99.5
Less than \$15,000	316	38,596	22	3.8	01.8-05.8	294	96.2	94.2-98.2
\$15,000- 24,999	476	54,746	33	5.9	03.4-08.4	443	94.1	91.6-96.6
\$25,000- 34,999	303	33,455	21	5.2	02.7-07.7	282	94.8	92.3-97.3
\$35,000- 49,999	389	47,340	5	1.4	00.0-02.8	384	98.6	97.2-0100
\$50,000- 74,999	388	46,317	10	3.2	00.8-05.6	378	96.8	94.4-99.2
\$75,000+	711	95,773	10	1.0	00.2-01.8	701	99.0	98.2-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5167	718,851	316	4.6	04.0-05.2	4851	95.4	94.8-96.0
Male	2064	342,992	160	5.3	04.3-06.3	1904	94.7	93.7-95.7
Female	3103	375,859	156	4.0	03.2-04.8	2947	96.0	95.2-96.8
White/Non-Hisp	3802	480,384	250	5.4	04.6-06.2	3552	94.6	93.8-95.4
Black or Afr. Am./Non-Hisp	767	140,034	37	3.7	02.1-05.3	730	96.3	94.7-97.9
Oth. Race/Non-Hisp.	210	31,315	12	3.3	00.9-05.7	198	96.7	94.3-99.1
MultiRacial/Non-Hisp.	70	5,267	4	2.9	00.0-06.2	66	97.1	93.8-0100
Hispanic	240	52,397	6	1.0	00.0-02.0	234	99.0	98.0-0100
18-24	281	92,222				281	100.0	0100-0100
25-34	489	117,896	3	0.3	00.0-00.7	486	99.7	99.3-0100
35-44	607	110,609	8	1.9	00.3-03.5	599	98.1	96.5-99.7
45-54	882	130,122	27	3.1	01.5-04.7	855	96.9	95.3-98.5
55-64	1095	119,576	54	5.5	03.7-07.3	1041	94.5	92.7-96.3
65+	1760	143,650	222	14.0	11.8-16.2	1538	86.0	83.8-88.2
Less Than H.S.	419	97,220	38	5.9	03.5-08.3	381	94.1	91.7-96.5
H.S. or G.E.D.	1547	224,693	118	6.0	04.6-07.4	1429	94.0	92.6-95.4
Some Post-H.S.	1342	211,476	75	3.5	02.5-04.5	1267	96.5	95.5-97.5
College Graduate	1840	183,602	85	3.7	02.7-04.7	1755	96.3	95.3-97.3
Less than \$15,000	447	62,369	30	3.8	02.0-05.6	417	96.2	94.4-98.0
\$15,000- 24,999	732	97,980	61	7.2	05.0-09.4	671	92.8	90.6-95.0
\$25,000- 34,999	492	64,636	35	5.4	03.2-07.6	457	94.6	92.4-96.8
\$35,000- 49,999	683	95,071	48	5.5	03.5-07.5	635	94.5	92.5-96.5
\$50,000- 74,999	685	93,730	36	4.4	02.6-06.2	649	95.6	93.8-97.4
\$75,000+	1347	201,592	51	3.1	01.9-04.3	1296	96.9	95.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2064	342,992	160	5.3	04.3-06.3	1904	94.7	93.7-95.7
White/Non-Hisp	1516	229,206	134	6.8	05.4-08.2	1382	93.2	91.8-94.6
Black or Afr. Am./Non-Hisp	285	64,026	9	2.2	00.6-03.8	276	97.8	96.2-99.4
Oth. Race/Non-Hisp.	99	17,478	7	3.9	00.0-07.8	92	96.1	92.2-0100
Hispanic	98	23,740	1	0.2	00.0-00.6	97	99.8	99.4-0100
18-24	137	46,561				137	100.0	0100-0100
25-34	211	58,969				211	100.0	0100-0100
35-44	260	53,811	5	2.3	00.0-04.7	255	97.7	95.3-0100
45-54	361	62,869	13	3.5	01.1-05.9	348	96.5	94.1-98.9
55-64	420	56,938	26	6.2	03.5-08.9	394	93.8	91.1-96.5
65+	660	62,402	115	18.0	14.3-21.7	545	82.0	78.3-85.7
Less Than H.S.	174	48,310	20	6.8	03.1-10.5	154	93.2	89.5-96.9
H.S. or G.E.D.	640	115,211	49	5.4	03.6-07.2	591	94.6	92.8-96.4
Some Post-H.S.	469	91,896	35	4.0	02.4-05.6	434	96.0	94.4-97.6
College Graduate	773	86,466	56	5.8	03.8-07.8	717	94.2	92.2-96.2
Less than \$15,000	134	24,104	10	3.9	00.8-07.0	124	96.1	93.0-99.2
\$15,000- 24,999	258	43,392	28	7.4	04.3-10.5	230	92.6	89.5-95.7
\$25,000- 34,999	189	31,180	16	6.4	02.7-10.1	173	93.6	89.9-97.3
\$35,000- 49,999	298	48,196	31	7.3	04.0-10.6	267	92.7	89.4-96.0
\$50,000- 74,999	294	47,266	18	3.6	01.6-05.6	276	96.4	94.4-98.4
\$75,000+	636	105,819	35	4.4	02.6-06.2	601	95.6	93.8-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3103	375,859	156	4.0	03.2-04.8	2947	96.0	95.2-96.8
White/Non-Hisp	2286	251,178	116	4.1	03.1-05.1	2170	95.9	94.9-96.9
Black or Afr. Am./Non-Hisp	482	76,008	28	4.9	02.5-07.3	454	95.1	92.7-97.5
Oth. Race/Non-Hisp.	111	13,836	5	2.4	00.0-05.1	106	97.6	94.9-0100
Hispanic	142	28,657	5	1.7	00.0-03.5	137	98.3	96.5-0100
18-24	144	45,661				144	100.0	0100-0100
25-34	278	58,927	3	0.6	00.0-01.4	275	99.4	98.6-0100
35-44	347	56,798	3	1.6	00.0-03.6	344	98.4	96.4-0100
45-54	521	67,254	14	2.8	00.8-04.8	507	97.2	95.2-99.2
55-64	675	62,637	28	4.8	02.6-07.0	647	95.2	93.0-97.4
65+	1100	81,247	107	10.9	08.4-13.4	993	89.1	86.6-91.6
Less Than H.S.	245	48,910	18	5.1	02.4-07.8	227	94.9	92.2-97.6
H.S. or G.E.D.	907	109,482	69	6.6	04.6-08.6	838	93.4	91.4-95.4
Some Post-H.S.	873	119,580	40	3.1	01.9-04.3	833	96.9	95.7-98.1
College Graduate	1067	97,136	29	1.8	00.8-02.8	1038	98.2	97.2-99.2
Less than \$15,000	313	38,265	20	3.7	01.5-05.9	293	96.3	94.1-98.5
\$15,000- 24,999	474	54,588	33	7.1	04.0-10.2	441	92.9	89.8-96.0
\$25,000- 34,999	303	33,455	19	4.4	02.0-06.8	284	95.6	93.2-98.0
\$35,000- 49,999	385	46,875	17	3.6	01.6-05.6	368	96.4	94.4-98.4
\$50,000- 74,999	391	46,464	18	5.2	02.1-08.3	373	94.8	91.7-97.9
\$75,000+	711	95,773	16	1.7	00.5-02.9	695	98.3	97.1-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5190	721,773	234	3.5	02.9-04.1	4956	96.5	95.9-97.1
Male	2078	345,190	86	3.2	02.4-04.0	1992	96.8	96.0-97.6
Female	3112	376,583	148	3.7	02.9-04.5	2964	96.3	95.5-97.1
White/Non-Hisp	3822	482,540	170	3.4	02.8-04.0	3652	96.6	96.0-97.2
Black or Afr. Am./Non-Hisp	771	140,966	44	4.9	03.1-06.7	727	95.1	93.3-96.9
Oth. Race/Non-Hisp.	211	31,382	7	2.1	00.1-04.1	204	97.9	95.9-99.9
MultiRacial/Non-Hisp.	70	5,267	3	2.4	00.0-05.3	67	97.6	94.7-0100
Hispanic	238	52,165	6	0.7	00.1-01.3	232	99.3	98.7-99.9
18-24	280	92,133				280	100.0	0100-0100
25-34	489	117,896	3	0.6	00.0-01.4	486	99.4	98.6-0100
35-44	606	110,486	5	1.1	00.0-02.3	601	98.9	97.7-0100
45-54	884	130,310	30	3.7	02.1-05.3	854	96.3	94.7-97.9
55-64	1099	120,069	56	4.5	03.1-05.9	1043	95.5	94.1-96.9
65+	1779	146,102	137	8.4	06.6-10.2	1642	91.6	89.8-93.4
Less Than H.S.	425	98,378	23	3.7	01.7-05.7	402	96.3	94.3-98.3
H.S. or G.E.D.	1561	226,259	94	5.0	03.6-06.4	1467	95.0	93.6-96.4
Some Post-H.S.	1341	211,393	56	2.5	01.7-03.3	1285	97.5	96.7-98.3
College Graduate	1844	183,883	59	2.3	01.5-03.1	1785	97.7	96.9-98.5
Less than \$15,000	450	62,651	34	5.4	03.0-07.8	416	94.6	92.2-97.0
\$15,000- 24,999	736	98,574	57	6.0	04.0-08.0	679	94.0	92.0-96.0
\$25,000- 34,999	494	64,744	27	3.7	02.1-05.3	467	96.3	94.7-97.9
\$35,000- 49,999	687	95,484	21	2.3	01.1-03.5	666	97.7	96.5-98.9
\$50,000- 74,999	686	93,973	25	3.4	01.8-05.0	661	96.6	95.0-98.2
\$75,000+	1347	201,555	27	1.3	00.7-01.9	1320	98.7	98.1-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2078	345,190	86	3.2	02.4-04.0	1992	96.8	96.0-97.6
White/Non-Hisp	1527	230,653	62	3.1	02.1-04.1	1465	96.9	95.9-97.9
Black or Afr. Am./Non-Hisp	287	64,710	15	4.8	02.1-07.5	272	95.2	92.5-97.9
Oth. Race/Non-Hisp.	100	17,546	2	0.7	00.0-01.7	98	99.3	98.3-0100
Hispanic	98	23,740	2	0.3	00.0-00.9	96	99.7	99.1-0100
18-24	136	46,472				136	100.0	0100-0100
25-34	211	58,969	1	0.4	00.0-01.2	210	99.6	98.8-0100
35-44	260	53,811	1	0.7	00.0-02.1	259	99.3	97.9-0100
45-54	363	63,003	8	1.5	00.3-02.7	355	98.5	97.3-99.7
55-64	421	57,143	19	4.4	02.0-06.8	402	95.6	93.2-98.0
65+	672	64,351	56	10.1	07.0-13.2	616	89.9	86.8-93.0
Less Than H.S.	180	49,374	11	3.8	01.1-06.5	169	96.2	93.5-98.9
H.S. or G.E.D.	646	116,007	34	4.5	02.7-06.3	612	95.5	93.7-97.3
Some Post-H.S.	470	92,050	13	1.6	00.4-02.8	457	98.4	97.2-99.6
College Graduate	774	86,651	27	2.3	01.3-03.3	747	97.7	96.7-98.7
Less than \$15,000	135	24,308	16	8.9	03.4-14.4	119	91.1	85.6-96.6
\$15,000- 24,999	260	43,791	15	4.3	01.8-06.8	245	95.7	93.2-98.2
\$25,000- 34,999	191	31,289	12	3.5	01.3-05.7	179	96.5	94.3-98.7
\$35,000- 49,999	299	48,263	9	2.3	00.3-04.3	290	97.7	95.7-99.7
\$50,000- 74,999	295	47,509	9	2.7	00.7-04.7	286	97.3	95.3-99.3
\$75,000+	637	105,896	13	1.1	00.5-01.7	624	98.9	98.3-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3112	376,583	148	3.7	02.9-04.5	2964	96.3	95.5-97.1
White/Non-Hisp	2295	251,887	108	3.6	02.6-04.6	2187	96.4	95.4-97.4
Black or Afr. Am./Non-Hisp	484	76,256	29	5.0	02.6-07.4	455	95.0	92.6-97.4
Oth. Race/Non-Hisp.	111	13,836	5	4.0	00.0-08.3	106	96.0	91.7-0100
Hispanic	140	28,425	4	0.9	00.0-01.9	136	99.1	98.1-0100
18-24	144	45,661				144	100.0	0100-0100
25-34	278	58,927	2	0.7	00.0-01.9	276	99.3	98.1-0100
35-44	346	56,675	4	1.5	00.0-03.3	342	98.5	96.7-0100
45-54	521	67,307	22	5.7	02.8-08.6	499	94.3	91.4-97.2
55-64	678	62,926	37	4.5	02.7-06.3	641	95.5	93.7-97.3
65+	1107	81,752	81	7.1	05.1-09.1	1026	92.9	90.9-94.9
Less Than H.S.	245	49,005	12	3.7	01.0-06.4	233	96.3	93.6-99.0
H.S. or G.E.D.	915	110,253	60	5.6	03.6-07.6	855	94.4	92.4-96.4
Some Post-H.S.	871	119,343	43	3.2	02.0-04.4	828	96.8	95.6-98.0
College Graduate	1070	97,232	32	2.3	01.1-03.5	1038	97.7	96.5-98.9
Less than \$15,000	315	38,343	18	3.3	01.3-05.3	297	96.7	94.7-98.7
\$15,000- 24,999	476	54,783	42	7.3	04.4-10.2	434	92.7	89.8-95.6
\$25,000- 34,999	303	33,455	15	3.9	01.5-06.3	288	96.1	93.7-98.5
\$35,000- 49,999	388	47,222	12	2.2	00.6-03.8	376	97.8	96.2-99.4
\$50,000- 74,999	391	46,464	16	4.0	01.6-06.4	375	96.0	93.6-98.4
\$75,000+	710	95,659	14	1.6	00.6-02.6	696	98.4	97.4-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5188	721,452	740	15.4	14.0-16.8	4448	84.6	83.2-86.0
Male	2076	344,602	235	13.1	11.1-15.1	1841	86.9	84.9-88.9
Female	3112	376,850	505	17.5	15.5-19.5	2607	82.5	80.5-84.5
White/Non-Hisp	3819	482,040	501	15.1	13.3-16.9	3318	84.9	83.1-86.7
Black or Afr. Am./Non-Hisp	769	140,835	152	19.6	15.9-23.3	617	80.4	76.7-84.1
Oth. Race/Non-Hisp.	212	31,460	25	7.6	04.1-11.1	187	92.4	88.9-95.9
MultiRacial/Non-Hisp.	70	5,267	19	27.5	14.8-40.2	51	72.5	59.8-85.2
Hispanic	240	52,397	32	10.3	06.0-14.6	208	89.7	85.4-94.0
18-24	280	92,133	57	22.2	16.1-28.3	223	77.8	71.7-83.9
25-34	488	117,650	97	18.7	14.6-22.8	391	81.3	77.2-85.4
35-44	607	110,609	104	16.9	13.4-20.4	503	83.1	79.6-86.6
45-54	884	130,168	130	15.1	12.0-18.2	754	84.9	81.8-88.0
55-64	1100	120,196	158	11.9	09.7-14.1	942	88.1	85.9-90.3
65+	1776	145,919	191	10.7	08.9-12.5	1585	89.3	87.5-91.1
Less Than H.S.	424	98,344	70	13.9	09.6-18.2	354	86.1	81.8-90.4
H.S. or G.E.D.	1562	226,441	216	16.3	13.6-19.0	1346	83.7	81.0-86.4
Some Post-H.S.	1338	210,845	221	16.9	14.2-19.6	1117	83.1	80.4-85.8
College Graduate	1845	183,963	230	13.4	11.2-15.6	1615	86.6	84.4-88.8
Less than \$15,000	451	62,836	92	17.3	12.8-21.8	359	82.7	78.2-87.2
\$15,000- 24,999	735	98,491	130	18.0	14.5-21.5	605	82.0	78.5-85.5
\$25,000- 34,999	494	64,797	64	14.0	09.7-18.3	430	86.0	81.7-90.3
\$35,000- 49,999	687	95,556	93	15.1	10.8-19.4	594	84.9	80.6-89.2
\$50,000- 74,999	687	94,004	91	12.4	09.5-15.3	596	87.6	84.7-90.5
\$75,000+	1347	201,379	171	15.3	12.6-18.0	1176	84.7	82.0-87.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2076	344,602	235	13.1	11.1-15.1	1841	86.9	84.9-88.9
White/Non-Hisp	1525	230,093	171	13.9	11.4-16.4	1354	86.1	83.6-88.6
Black or Afr. Am./Non-Hisp	286	64,605	43	17.0	11.1-22.9	243	83.0	77.1-88.9
Oth. Race/Non-Hisp.	101	17,623	9	4.4	00.9-07.9	92	95.6	92.1-99.1
Hispanic	98	23,740	4	2.5	00.0-05.4	94	97.5	94.6-100.0
18-24	136	46,472	25	18.4	10.4-26.4	111	81.6	73.6-89.6
25-34	210	58,724	36	16.5	10.4-22.6	174	83.5	77.4-89.6
35-44	260	53,811	36	15.6	10.1-21.1	224	84.4	78.9-89.9
45-54	363	62,779	41	12.9	08.2-17.6	322	87.1	82.4-91.8
55-64	420	57,038	39	9.3	06.0-12.6	381	90.7	87.4-94.0
65+	672	64,338	58	7.9	05.5-10.3	614	92.1	89.7-94.5
Less Than H.S.	179	49,305	23	10.7	04.4-17.0	156	89.3	83.0-95.6
H.S. or G.E.D.	646	115,979	79	15.1	11.2-19.0	567	84.9	81.0-88.8
Some Post-H.S.	468	91,478	64	14.2	10.3-18.1	404	85.8	81.9-89.7
College Graduate	775	86,731	69	10.7	07.8-13.6	706	89.3	86.4-92.2
Less than \$15,000	135	24,308	25	13.0	06.3-19.7	110	87.0	80.3-93.7
\$15,000- 24,999	258	43,585	35	12.1	07.6-16.6	223	87.9	83.4-92.4
\$25,000- 34,999	192	31,366	19	10.2	03.9-16.5	173	89.8	83.5-96.1
\$35,000- 49,999	298	48,216	31	13.0	07.1-18.9	267	87.0	81.1-92.9
\$50,000- 74,999	296	47,540	26	8.6	04.9-12.3	270	91.4	87.7-95.1
\$75,000+	637	105,675	73	15.6	11.7-19.5	564	84.4	80.5-88.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3112	376,850	505	17.5	15.5-19.5	2607	82.5	80.5-84.5
White/Non-Hisp	2294	251,947	330	16.2	13.8-18.6	1964	83.8	81.4-86.2
Black or Afr. Am./Non-Hisp	483	76,230	109	21.8	17.1-26.5	374	78.2	73.5-82.9
Oth. Race/Non-Hisp.	111	13,836	16	11.7	05.0-18.4	95	88.3	81.6-95.0
Hispanic	142	28,657	28	16.8	09.5-24.1	114	83.2	75.9-90.5
18-24	144	45,661	32	26.2	17.4-35.0	112	73.8	65.0-82.6
25-34	278	58,927	61	20.9	15.0-26.8	217	79.1	73.2-85.0
35-44	347	56,798	68	18.2	13.5-22.9	279	81.8	77.1-86.5
45-54	521	67,389	89	17.1	13.0-21.2	432	82.9	78.8-87.0
55-64	680	63,159	119	14.3	11.4-17.2	561	85.7	82.8-88.6
65+	1104	81,581	133	12.9	10.4-15.4	971	87.1	84.6-89.6
Less Than H.S.	245	49,039	47	17.0	10.9-23.1	198	83.0	76.9-89.1
H.S. or G.E.D.	916	110,462	137	17.5	13.8-21.2	779	82.5	78.8-86.2
Some Post-H.S.	870	119,366	157	19.0	15.5-22.5	713	81.0	77.5-84.5
College Graduate	1070	97,232	161	15.7	12.8-18.6	909	84.3	81.4-87.2
Less than \$15,000	316	38,528	67	20.0	14.1-25.9	249	80.0	74.1-85.9
\$15,000- 24,999	477	54,905	95	22.7	17.6-27.8	382	77.3	72.2-82.4
\$25,000- 34,999	302	33,431	45	17.5	11.8-23.2	257	82.5	76.8-88.2
\$35,000- 49,999	389	47,340	62	17.2	11.1-23.3	327	82.8	76.7-88.9
\$50,000- 74,999	391	46,464	65	16.2	11.9-20.5	326	83.8	79.5-88.1
\$75,000+	710	95,705	98	14.9	11.2-18.6	612	85.1	81.4-88.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	726	109,097	522	69.8	65.1-74.5	204	30.2	25.5-34.9
Male	230	44,439	141	59.2	50.8-67.6	89	40.8	32.4-49.2
Female	496	64,658	381	77.2	72.1-82.3	115	22.8	17.7-27.9
White/Non-Hisp	495	72,425	349	67.2	61.3-73.1	146	32.8	26.9-38.7
Black or Afr. Am./Non-Hisp	148	26,492	108	73.6	63.8-83.4	40	26.4	16.6-36.2
18-24	54	19,618	34	63.8	48.5-79.1	20	36.2	20.9-51.5
25-34	92	21,262	51	56.9	44.7-69.1	41	43.1	30.9-55.3
35-44	104	18,735	74	69.4	58.6-80.2	30	30.6	19.8-41.4
45-54	129	19,507	97	77.6	68.4-86.8	32	22.4	13.2-31.6
55-64	157	14,280	124	81.0	73.9-88.1	33	19.0	11.9-26.1
65+	188	15,485	141	76.2	69.1-83.3	47	23.8	16.7-30.9
Less Than H.S.	70	13,626	58	76.5	60.0-93.0	12	23.5	07.0-40.0
H.S. or G.E.D.	211	36,064	153	70.9	62.7-79.1	58	29.1	20.9-37.3
Some Post-H.S.	219	35,080	157	67.9	59.7-76.1	62	32.1	23.9-40.3
College Graduate	223	23,974	151	66.9	58.9-74.9	72	33.1	25.1-41.1
Less than \$15,000	91	10,701	72	76.2	64.6-87.8	19	23.8	12.2-35.4
\$15,000- 24,999	129	17,416	105	80.4	72.0-88.8	24	19.6	11.2-28.0
\$25,000- 34,999	61	8,841	43	70.4	55.3-85.5	18	29.6	14.5-44.7
\$35,000- 49,999	92	14,351	61	63.4	48.3-78.5	31	36.6	21.5-51.7
\$50,000- 74,999	88	11,348	59	62.6	50.3-74.9	29	37.4	25.1-49.7
\$75,000+	167	29,925	114	66.1	56.9-75.3	53	33.9	24.7-43.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	230	44,439	141	59.2	50.6-67.8	89	40.8	32.2-49.4
White/Non-Hisp	168	31,816	101	58.2	48.4-68.0	67	41.8	32.0-51.6
65+	56	4,995	40	67.7	53.4-82.0	16	32.3	18.0-46.6
H.S. or G.E.D.	76	16,929	46	66.4	53.7-79.1	30	33.6	20.9-46.3
Some Post-H.S.	63	12,933	44	58.2	43.1-73.3	19	41.8	26.7-56.9
College Graduate	68	9,287	33	51.4	36.1-66.7	35	48.6	33.3-63.9
\$75,000+	73	16,521	39	55.7	42.0-69.4	34	44.3	30.6-58.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	496	64,658	381	77.2	72.1-82.3	115	22.8	17.7-27.9
White/Non-Hisp	327	40,609	248	74.3	67.4-81.2	79	25.7	18.8-32.6
Black or Afr. Am./Non-Hisp	106	15,811	83	82.6	74.2-91.0	23	17.4	09.0-25.8
25-34	59	12,131	38	65.2	51.1-79.3	21	34.8	20.7-48.9
35-44	68	10,347	55	78.3	66.0-90.6	13	21.7	09.4-34.0
45-54	88	11,437	66	78.7	68.9-88.5	22	21.3	11.5-31.1
55-64	118	8,973	97	83.7	75.9-91.5	21	16.3	08.5-24.1
65+	132	10,490	101	80.2	72.6-87.8	31	19.8	12.2-27.4
H.S. or G.E.D.	135	19,136	107	74.8	63.8-85.8	28	25.2	14.2-36.2
Some Post-H.S.	156	22,147	113	73.6	64.8-82.4	43	26.4	17.6-35.2
College Graduate	155	14,686	118	76.7	67.7-85.7	37	23.3	14.3-32.3
Less than \$15,000	66	7,540	54	79.4	65.9-92.9	12	20.6	07.1-34.1
\$15,000- 24,999	95	12,468	77	81.9	72.7-91.1	18	18.1	08.9-27.3
\$35,000- 49,999	62	8,147	44	67.1	46.9-87.3	18	32.9	12.7-53.1
\$50,000- 74,999	62	7,253	46	72.7	58.8-86.6	16	27.3	13.4-41.2
\$75,000+	94	13,404	75	78.9	68.3-89.5	19	21.1	10.5-31.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5191	721,946	515	6.8	06.0-07.6	4676	93.2	92.4-94.0
Male	2080	345,282	239	7.5	06.3-08.7	1841	92.5	91.3-93.7
Female	3111	376,664	276	6.2	05.2-07.2	2835	93.8	92.8-94.8
White/Non-Hisp	3822	482,485	496	9.8	08.8-10.8	3326	90.2	89.2-91.2
Black or Afr. Am./Non-Hisp	771	140,966	6	0.6	00.0-01.2	765	99.4	98.8-0100
Oth. Race/Non-Hisp.	210	31,377	4	0.9	00.0-02.3	206	99.1	97.7-0100
MultiRacial/Non-Hisp.	70	5,267	1	2.4	00.0-07.1	69	97.6	92.9-0100
Hispanic	240	52,397	2	0.4	00.0-01.0	238	99.6	99.0-0100
18-24	278	91,919	1	0.2	00.0-00.6	277	99.8	99.4-0100
25-34	489	117,896	3	0.6	00.0-01.4	486	99.4	98.6-0100
35-44	607	110,609	10	1.7	00.5-02.9	597	98.3	97.1-99.5
45-54	885	130,471	45	4.9	03.1-06.7	840	95.1	93.3-96.9
55-64	1100	120,231	119	9.3	07.1-11.5	981	90.7	88.5-92.9
65+	1779	146,044	335	19.5	17.1-21.9	1444	80.5	78.1-82.9
Less Than H.S.	426	98,488	34	4.3	02.3-06.3	392	95.7	93.7-97.7
H.S. or G.E.D.	1563	226,548	159	7.3	05.9-08.7	1404	92.7	91.3-94.1
Some Post-H.S.	1342	211,487	108	5.8	04.4-07.2	1234	94.2	92.8-95.6
College Graduate	1841	183,564	211	8.6	07.2-10.0	1630	91.4	90.0-92.8
Less than \$15,000	452	62,911	38	4.0	02.4-05.6	414	96.0	94.4-97.6
\$15,000- 24,999	737	98,692	69	6.7	04.7-08.7	668	93.3	91.3-95.3
\$25,000- 34,999	493	64,535	42	5.4	03.6-07.2	451	94.6	92.8-96.4
\$35,000- 49,999	688	95,602	71	7.3	05.1-09.5	617	92.7	90.5-94.9
\$50,000- 74,999	685	93,859	72	7.4	05.4-09.4	613	92.6	90.6-94.6
\$75,000+	1348	201,643	146	7.7	06.1-09.3	1202	92.3	90.7-93.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2080	345,282	239	7.5	06.3-08.7	1841	92.5	91.3-93.7
White/Non-Hisp	1529	230,734	231	10.9	09.1-12.7	1298	89.1	87.3-90.9
Black or Afr. Am./Non-Hisp	287	64,710	1	0.2	00.0-00.6	286	99.8	99.4-0100
Oth. Race/Non-Hisp.	100	17,556	2	0.5	00.0-01.3	98	99.5	98.7-0100
Hispanic	98	23,740				98	100.0	0100-0100
18-24	135	46,435				135	100.0	0100-0100
25-34	211	58,969				211	100.0	0100-0100
35-44	260	53,811	4	1.4	00.0-03.0	256	98.6	97.0-0100
45-54	363	63,013	20	5.2	02.3-08.1	343	94.8	91.9-97.7
55-64	421	57,143	52	10.9	07.4-14.4	369	89.1	85.6-92.6
65+	675	64,469	162	23.8	19.9-27.7	513	76.2	72.3-80.1
Less Than H.S.	180	49,374	16	5.8	02.3-09.3	164	94.2	90.7-97.7
H.S. or G.E.D.	646	116,017	74	7.8	05.6-10.0	572	92.2	90.0-94.4
Some Post-H.S.	471	92,081	42	5.9	03.9-07.9	429	94.1	92.1-96.1
College Graduate	775	86,701	106	9.7	07.5-11.9	669	90.3	88.1-92.5
Less than \$15,000	135	24,308	14	3.7	01.2-06.2	121	96.3	93.8-98.8
\$15,000- 24,999	261	43,801	28	8.2	04.3-12.1	233	91.8	87.9-95.7
\$25,000- 34,999	192	31,366	17	5.3	02.6-08.0	175	94.7	92.0-97.4
\$35,000- 49,999	299	48,263	29	6.3	03.2-09.4	270	93.7	90.6-96.8
\$50,000- 74,999	295	47,459	40	8.4	05.5-11.3	255	91.6	88.7-94.5
\$75,000+	638	105,976	80	8.8	06.4-11.2	558	91.2	88.8-93.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3111	376,664	276	6.2	05.2-07.2	2835	93.8	92.8-94.8
White/Non-Hisp	2293	251,751	265	8.7	07.3-10.1	2028	91.3	89.9-92.7
Black or Afr. Am./Non-Hisp	484	76,256	5	1.0	00.0-02.2	479	99.0	97.8-0100
Oth. Race/Non-Hisp.	110	13,821	2	1.5	00.0-04.2	108	98.5	95.8-0100
Hispanic	142	28,657	2	0.7	00.0-01.7	140	99.3	98.3-0100
18-24	143	45,485	1	0.4	00.0-01.2	142	99.6	98.8-0100
25-34	278	58,927	3	1.1	00.0-02.9	275	98.9	97.1-0100
35-44	347	56,798	6	1.9	00.1-03.7	341	98.1	96.3-99.9
45-54	522	67,458	25	4.7	02.5-06.9	497	95.3	93.1-97.5
55-64	679	63,088	67	7.9	05.7-10.1	612	92.1	89.9-94.3
65+	1104	81,575	173	16.0	13.3-18.7	931	84.0	81.3-86.7
Less Than H.S.	246	49,114	18	2.9	01.3-04.5	228	97.1	95.5-98.7
H.S. or G.E.D.	917	110,531	85	6.7	04.9-08.5	832	93.3	91.5-95.1
Some Post-H.S.	871	119,406	66	5.8	04.0-07.6	805	94.2	92.4-96.0
College Graduate	1066	96,863	105	7.6	05.6-09.6	961	92.4	90.4-94.4
Less than \$15,000	317	38,603	24	4.3	02.1-06.5	293	95.7	93.5-97.9
\$15,000- 24,999	476	54,890	41	5.5	03.5-07.5	435	94.5	92.5-96.5
\$25,000- 34,999	301	33,169	25	5.6	03.1-08.1	276	94.4	91.9-96.9
\$35,000- 49,999	389	47,340	42	8.4	05.1-11.7	347	91.6	88.3-94.9
\$50,000- 74,999	390	46,400	32	6.3	03.4-09.2	358	93.7	90.8-96.6
\$75,000+	710	95,667	66	6.5	04.5-08.5	644	93.5	91.5-95.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5194	721,512	517	7.1	06.3-07.9	4677	92.9	92.1-93.7
Male	2081	344,985	182	5.9	04.9-06.9	1899	94.1	93.1-95.1
Female	3113	376,527	335	8.2	07.0-09.4	2778	91.8	90.6-93.0
White/Non-Hisp	3827	482,596	439	8.8	07.8-09.8	3388	91.2	90.2-92.2
Black or Afr. Am./Non-Hisp	767	140,339	52	4.4	03.0-05.8	715	95.6	94.2-97.0
Oth. Race/Non-Hisp.	212	31,460	11	2.8	00.8-04.8	201	97.2	95.2-99.2
MultiRacial/Non-Hisp.	70	5,267	3	3.2	00.0-07.1	67	96.8	92.9-0100
Hispanic	240	52,397	3	0.4	00.0-01.0	237	99.6	99.0-0100
18-24	280	92,133	6	2.2	00.2-04.2	274	97.8	95.8-99.8
25-34	488	117,475	10	1.4	00.4-02.4	478	98.6	97.6-99.6
35-44	607	110,609	19	2.7	01.3-04.1	588	97.3	95.9-98.7
45-54	884	130,307	50	4.7	03.1-06.3	834	95.3	93.7-96.9
55-64	1101	120,302	96	8.8	06.6-11.0	1005	91.2	89.0-93.4
65+	1781	145,910	331	18.4	16.2-20.6	1450	81.6	79.4-83.8
Less Than H.S.	424	97,999	46	7.5	04.8-10.2	378	92.5	89.8-95.2
H.S. or G.E.D.	1562	226,062	174	8.3	06.7-09.9	1388	91.7	90.1-93.3
Some Post-H.S.	1342	211,540	135	6.3	04.9-07.7	1207	93.7	92.3-95.1
College Graduate	1847	184,051	160	6.0	04.8-07.2	1687	94.0	92.8-95.2
Less than \$15,000	451	62,603	47	7.4	04.7-10.1	404	92.6	89.9-95.3
\$15,000- 24,999	737	98,650	81	7.4	05.4-09.4	656	92.6	90.6-94.6
\$25,000- 34,999	494	64,647	59	8.0	05.5-10.5	435	92.0	89.5-94.5
\$35,000- 49,999	688	95,602	73	7.3	05.3-09.3	615	92.7	90.7-94.7
\$50,000- 74,999	686	93,940	68	8.6	06.1-11.1	618	91.4	88.9-93.9
\$75,000+	1349	201,750	99	5.1	03.7-06.5	1250	94.9	93.5-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2081	344,985	182	5.9	04.9-06.9	1899	94.1	93.1-95.1
White/Non-Hisp	1531	230,852	153	7.4	06.0-08.8	1378	92.6	91.2-94.0
Black or Afr. Am./Non-Hisp	285	64,228	21	4.0	02.0-06.0	264	96.0	94.0-98.0
Oth. Race/Non-Hisp.	101	17,623	1	0.4	00.0-01.2	100	99.6	98.8-0100
Hispanic	98	23,740	2	0.3	00.0-00.9	96	99.7	99.1-0100
18-24	136	46,472	2	1.3	00.0-03.1	134	98.7	96.9-0100
25-34	211	58,969	3	1.1	00.0-02.7	208	98.9	97.3-0100
35-44	260	53,811	3	0.8	00.0-01.8	257	99.2	98.2-0100
45-54	363	62,906	7	1.6	00.2-03.0	356	98.4	97.0-99.8
55-64	421	57,143	22	6.2	03.1-09.3	399	93.8	90.7-96.9
65+	675	64,242	143	21.1	17.4-24.8	532	78.9	75.2-82.6
Less Than H.S.	180	49,374	19	7.7	03.6-11.8	161	92.3	88.2-96.4
H.S. or G.E.D.	645	115,602	56	6.4	04.4-08.4	589	93.6	91.6-95.6
Some Post-H.S.	471	92,081	39	4.3	02.7-05.9	432	95.7	94.1-97.3
College Graduate	777	86,819	67	5.6	04.0-07.2	710	94.4	92.8-96.0
Less than \$15,000	134	24,000	11	4.8	01.5-08.1	123	95.2	91.9-98.5
\$15,000- 24,999	261	43,801	16	3.9	01.5-06.3	245	96.1	93.7-98.5
\$25,000- 34,999	191	31,192	24	8.3	04.2-12.4	167	91.7	87.6-95.8
\$35,000- 49,999	299	48,263	32	6.8	03.9-09.7	267	93.2	90.3-96.1
\$50,000- 74,999	296	47,540	32	8.7	04.8-12.6	264	91.3	87.4-95.2
\$75,000+	638	105,976	47	4.9	03.1-06.7	591	95.1	93.3-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3113	376,527	335	8.2	07.0-09.4	2778	91.8	90.6-93.0
White/Non-Hisp	2296	251,744	286	10.2	08.6-11.8	2010	89.8	88.2-91.4
Black or Afr. Am./Non-Hisp	482	76,111	31	4.7	02.5-06.9	451	95.3	93.1-97.5
Oth. Race/Non-Hisp.	111	13,836	10	5.9	01.4-10.4	101	94.1	89.6-98.6
Hispanic	142	28,657	1	0.4	00.0-01.2	141	99.6	98.8-0100
18-24	144	45,661	4	3.2	00.0-06.5	140	96.8	93.5-0100
25-34	277	58,506	7	1.7	00.3-03.1	270	98.3	96.9-99.7
35-44	347	56,798	16	4.5	01.8-07.2	331	95.5	92.8-98.2
45-54	521	67,401	43	7.6	04.9-10.3	478	92.4	89.7-95.1
55-64	680	63,159	74	11.1	08.0-14.2	606	88.9	85.8-92.0
65+	1106	81,668	188	16.2	13.7-18.7	918	83.8	81.3-86.3
Less Than H.S.	244	48,625	27	7.2	03.9-10.5	217	92.8	89.5-96.1
H.S. or G.E.D.	917	110,460	118	10.4	08.0-12.8	799	89.6	87.2-92.0
Some Post-H.S.	871	119,459	96	7.9	05.9-09.9	775	92.1	90.1-94.1
College Graduate	1070	97,232	93	6.5	04.7-08.3	977	93.5	91.7-95.3
Less than \$15,000	317	38,603	36	9.1	05.2-13.0	281	90.9	87.0-94.8
\$15,000- 24,999	476	54,848	65	10.3	07.4-13.2	411	89.7	86.8-92.6
\$25,000- 34,999	303	33,455	35	7.6	04.5-10.7	268	92.4	89.3-95.5
\$35,000- 49,999	389	47,340	41	7.9	05.2-10.6	348	92.1	89.4-94.8
\$50,000- 74,999	390	46,400	36	8.5	04.8-12.2	354	91.5	87.8-95.2
\$75,000+	711	95,773	52	5.3	03.3-07.3	659	94.7	92.7-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5172	719,311	425	6.0	05.2-06.8	4747	94.0	93.2-94.8
Male	2069	343,248	133	4.7	03.7-05.7	1936	95.3	94.3-96.3
Female	3103	376,063	292	7.2	06.0-08.4	2811	92.8	91.6-94.0
White/Non-Hisp	3807	480,470	329	6.3	05.3-07.3	3478	93.7	92.7-94.7
Black or Afr. Am./Non-Hisp	770	140,802	57	6.6	04.4-08.8	713	93.4	91.2-95.6
Oth. Race/Non-Hisp.	210	31,114	16	3.4	01.2-05.6	194	96.6	94.4-98.8
MultiRacial/Non-Hisp.	70	5,267	7	8.2	00.2-16.2	63	91.8	83.8-99.8
Hispanic	239	52,274	11	3.3	00.8-05.8	228	96.7	94.2-99.2
18-24	281	92,222	6	2.0	00.0-04.0	275	98.0	96.0-100.0
25-34	488	116,952	9	2.2	00.4-04.0	479	97.8	96.0-99.6
35-44	605	110,185	22	3.8	02.0-05.6	583	96.2	94.4-98.0
45-54	886	130,538	61	6.4	04.4-08.4	825	93.6	91.6-95.6
55-64	1092	119,537	117	8.8	06.8-10.8	975	91.2	89.2-93.2
65+	1767	145,100	209	10.7	08.9-12.5	1558	89.3	87.5-91.1
Less Than H.S.	420	97,793	59	7.2	05.0-09.4	361	92.8	90.6-95.0
H.S. or G.E.D.	1557	225,022	162	7.5	05.9-09.1	1395	92.5	90.9-94.1
Some Post-H.S.	1336	211,130	117	6.6	05.0-08.2	1219	93.4	91.8-95.0
College Graduate	1841	183,807	85	2.9	02.1-03.7	1756	97.1	96.3-97.9
Less than \$15,000	448	62,622	56	8.0	05.1-10.9	392	92.0	89.1-94.9
\$15,000- 24,999	729	97,567	114	11.6	08.9-14.3	615	88.4	85.7-91.1
\$25,000- 34,999	493	64,650	47	6.5	04.1-08.9	446	93.5	91.1-95.9
\$35,000- 49,999	685	94,537	48	6.2	03.8-08.6	637	93.8	91.4-96.2
\$50,000- 74,999	685	93,933	43	4.4	02.8-06.0	642	95.6	94.0-97.2
\$75,000+	1348	201,651	50	3.7	02.3-05.1	1298	96.3	94.9-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2069	343,248	133	4.7	03.7-05.7	1936	95.3	94.3-96.3
White/Non-Hisp	1520	228,960	110	5.4	04.2-06.6	1410	94.6	93.4-95.8
Black or Afr. Am./Non-Hisp	288	64,799	14	4.6	01.5-07.7	274	95.4	92.3-98.5
Oth. Race/Non-Hisp.	99	17,278	4	1.5	00.0-03.3	95	98.5	96.7-0100
Hispanic	98	23,740	3	2.5	00.0-06.0	95	97.5	94.0-0100
18-24	137	46,561				137	100.0	0100-0100
25-34	210	58,025	3	2.4	00.0-05.3	207	97.6	94.7-0100
35-44	259	53,510	9	2.7	00.7-04.7	250	97.3	95.3-99.3
45-54	364	63,081	18	4.4	02.0-06.8	346	95.6	93.2-98.0
55-64	418	56,885	30	6.9	04.2-09.6	388	93.1	90.4-95.8
65+	666	63,744	72	10.4	07.7-13.1	594	89.6	86.9-92.3
Less Than H.S.	178	48,966	20	4.7	02.2-07.2	158	95.3	92.8-97.8
H.S. or G.E.D.	644	114,909	60	6.2	04.2-08.2	584	93.8	91.8-95.8
Some Post-H.S.	468	91,943	34	5.8	03.3-08.3	434	94.2	91.7-96.7
College Graduate	772	86,622	19	1.6	00.8-02.4	753	98.4	97.6-99.2
Less than \$15,000	134	24,282	12	4.5	01.4-07.6	122	95.5	92.4-98.6
\$15,000- 24,999	257	43,146	34	9.0	05.5-12.5	223	91.0	87.5-94.5
\$25,000- 34,999	191	31,347	19	6.1	02.4-09.8	172	93.9	90.2-97.6
\$35,000- 49,999	298	47,319	16	5.4	01.9-08.9	282	94.6	91.1-98.1
\$50,000- 74,999	294	47,469	11	2.8	00.8-04.8	283	97.2	95.2-99.2
\$75,000+	638	105,925	23	3.4	01.6-05.2	615	96.6	94.8-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3103	376,063	292	7.2	06.0-08.4	2811	92.8	91.6-94.0
White/Non-Hisp	2287	251,510	219	7.1	05.7-08.5	2068	92.9	91.5-94.3
Black or Afr. Am./Non-Hisp	482	76,003	43	8.2	05.3-11.1	439	91.8	88.9-94.7
Oth. Race/Non-Hisp.	111	13,836	12	5.9	01.8-10.0	99	94.1	90.0-98.2
Hispanic	141	28,535	8	4.1	00.6-07.6	133	95.9	92.4-99.4
18-24	144	45,661	6	4.1	00.2-08.0	138	95.9	92.0-99.8
25-34	278	58,927	6	2.0	00.2-03.8	272	98.0	96.2-99.8
35-44	346	56,675	13	4.8	01.9-07.7	333	95.2	92.3-98.1
45-54	522	67,458	43	8.4	05.3-11.5	479	91.6	88.5-94.7
55-64	674	62,652	87	10.5	07.8-13.2	587	89.5	86.8-92.2
65+	1101	81,356	137	10.9	08.7-13.1	964	89.1	86.9-91.3
Less Than H.S.	242	48,828	39	9.6	06.1-13.1	203	90.4	86.9-93.9
H.S. or G.E.D.	913	110,112	102	8.8	06.4-11.2	811	91.2	88.8-93.6
Some Post-H.S.	868	119,187	83	7.2	05.0-09.4	785	92.8	90.6-95.0
College Graduate	1069	97,186	66	4.0	02.6-05.4	1003	96.0	94.6-97.4
Less than \$15,000	314	38,340	44	10.2	06.1-14.3	270	89.8	85.7-93.9
\$15,000- 24,999	472	54,421	80	13.7	10.0-17.4	392	86.3	82.6-90.0
\$25,000- 34,999	302	33,302	28	6.8	03.7-09.9	274	93.2	90.1-96.3
\$35,000- 49,999	387	47,219	32	6.9	03.8-10.0	355	93.1	90.0-96.2
\$50,000- 74,999	391	46,464	32	5.9	03.2-08.6	359	94.1	91.4-96.8
\$75,000+	710	95,727	27	4.0	01.8-06.2	683	96.0	93.8-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5177	719,832	1763	26.2	24.6-27.8	3414	73.8	72.2-75.4
Male	2074	344,292	568	21.3	19.1-23.5	1506	78.7	76.5-80.9
Female	3103	375,540	1195	30.7	28.5-32.9	1908	69.3	67.1-71.5
White/Non-Hisp	3819	482,010	1387	29.4	27.6-31.2	2432	70.6	68.8-72.4
Black or Afr. Am./Non-Hisp	765	139,848	232	22.8	19.3-26.3	533	77.2	73.7-80.7
Oth. Race/Non-Hisp.	208	31,080	52	16.7	08.5-24.9	156	83.3	75.1-91.5
MultiRacial/Non-Hisp.	69	5,191	27	29.1	16.9-41.3	42	70.9	58.7-83.1
Hispanic	240	52,397	41	12.9	07.6-18.2	199	87.1	81.8-92.4
18-24	280	92,133	9	5.0	01.3-08.7	271	95.0	91.3-98.7
25-34	486	117,255	41	7.9	04.8-11.0	445	92.1	89.0-95.2
35-44	603	109,983	85	11.7	09.0-14.4	518	88.3	85.6-91.0
45-54	882	130,244	258	30.4	26.5-34.3	624	69.6	65.7-73.5
55-64	1097	119,905	441	39.2	35.5-42.9	656	60.8	57.1-64.5
65+	1776	145,536	917	51.3	48.4-54.2	859	48.7	45.8-51.6
Less Than H.S.	425	98,391	178	31.4	25.7-37.1	247	68.6	62.9-74.3
H.S. or G.E.D.	1556	225,669	567	27.7	25.0-30.4	989	72.3	69.6-75.0
Some Post-H.S.	1339	210,814	474	26.1	23.2-29.0	865	73.9	71.0-76.8
College Graduate	1838	183,098	537	21.9	19.7-24.1	1301	78.1	75.9-80.3
Less than \$15,000	451	62,625	193	30.5	24.6-36.4	258	69.5	63.6-75.4
\$15,000- 24,999	734	98,141	311	34.1	29.6-38.6	423	65.9	61.4-70.4
\$25,000- 34,999	492	64,449	176	26.7	22.0-31.4	316	73.3	68.6-78.0
\$35,000- 49,999	687	95,487	233	25.8	21.9-29.7	454	74.2	70.3-78.1
\$50,000- 74,999	682	93,302	205	27.4	22.9-31.9	477	72.6	68.1-77.1
\$75,000+	1347	201,522	346	19.9	17.4-22.4	1001	80.1	77.6-82.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2074	344,292	568	21.3	19.1-23.5	1506	78.7	76.5-80.9
White/Non-Hisp	1528	230,544	460	24.4	21.7-27.1	1068	75.6	72.9-78.3
Black or Afr. Am./Non-Hisp	285	64,291	60	17.0	11.9-22.1	225	83.0	77.9-88.1
Oth. Race/Non-Hisp.	99	17,385	16	15.0	01.5-28.5	83	85.0	71.5-98.5
Hispanic	98	23,740	12	8.3	03.2-13.4	86	91.7	86.6-96.8
18-24	136	46,472	1	1.8	00.0-05.1	135	98.2	94.9-0100
25-34	210	58,764	12	6.7	01.6-11.8	198	93.3	88.2-98.4
35-44	258	53,392	30	9.7	05.8-13.6	228	90.3	86.4-94.2
45-54	363	63,047	87	25.4	19.7-31.1	276	74.6	68.9-80.3
55-64	420	57,009	139	34.0	27.9-40.1	281	66.0	59.9-72.1
65+	672	64,166	297	43.7	39.0-48.4	375	56.3	51.6-61.0
Less Than H.S.	180	49,374	59	24.3	16.7-31.9	121	75.7	68.1-83.3
H.S. or G.E.D.	643	115,674	183	22.0	18.3-25.7	460	78.0	74.3-81.7
Some Post-H.S.	470	91,828	124	20.4	15.9-24.9	346	79.6	75.1-84.1
College Graduate	773	86,307	201	19.8	16.7-22.9	572	80.2	77.1-83.3
Less than \$15,000	135	24,308	46	26.4	16.8-36.0	89	73.6	64.0-83.2
\$15,000- 24,999	259	43,430	83	25.9	18.6-33.2	176	74.1	66.8-81.4
\$25,000- 34,999	192	31,366	58	20.4	14.1-26.7	134	79.6	73.3-85.9
\$35,000- 49,999	299	48,263	80	20.1	15.0-25.2	219	79.9	74.8-85.0
\$50,000- 74,999	294	47,153	83	27.2	19.9-34.5	211	72.8	65.5-80.1
\$75,000+	637	105,843	145	17.9	14.4-21.4	492	82.1	78.6-85.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3103	375,540	1195	30.7	28.7-32.7	1908	69.3	67.3-71.3
White/Non-Hisp	2291	251,465	927	33.9	31.4-36.4	1364	66.1	63.6-68.6
Black or Afr. Am./Non-Hisp	480	75,557	172	27.6	22.9-32.3	308	72.4	67.7-77.1
Oth. Race/Non-Hisp.	109	13,695	36	18.9	10.9-26.9	73	81.1	73.1-89.1
Hispanic	142	28,657	29	16.8	08.4-25.2	113	83.2	74.8-91.6
18-24	144	45,661	8	8.3	01.6-15.0	136	91.7	85.0-98.4
25-34	276	58,490	29	9.0	05.3-12.7	247	91.0	87.3-94.7
35-44	345	56,592	55	13.6	09.7-17.5	290	86.4	82.5-90.3
45-54	519	67,198	171	35.0	29.7-40.3	348	65.0	59.7-70.3
55-64	677	62,895	302	44.0	39.3-48.7	375	56.0	51.3-60.7
65+	1104	81,369	620	57.3	53.8-60.8	484	42.7	39.2-46.2
Less Than H.S.	245	49,018	119	38.4	30.4-46.4	126	61.6	53.6-69.6
H.S. or G.E.D.	913	109,995	384	33.7	29.8-37.6	529	66.3	62.4-70.2
Some Post-H.S.	869	118,986	350	30.5	27.0-34.0	519	69.5	66.0-73.0
College Graduate	1065	96,791	336	23.7	20.8-26.6	729	76.3	73.4-79.2
Less than \$15,000	316	38,317	147	33.2	25.8-40.6	169	66.8	59.4-74.2
\$15,000- 24,999	475	54,710	228	40.6	34.9-46.3	247	59.4	53.7-65.1
\$25,000- 34,999	300	33,083	118	32.7	26.0-39.4	182	67.3	60.6-74.0
\$35,000- 49,999	388	47,224	153	31.8	26.1-37.5	235	68.2	62.5-73.9
\$50,000- 74,999	388	46,148	122	27.7	22.2-33.2	266	72.3	66.8-77.8
\$75,000+	710	95,680	201	22.0	18.5-25.5	509	78.0	74.5-81.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5181	719,755	973	17.7	16.3-19.1	4208	82.3	80.9-83.7
Male	2073	343,255	279	12.5	10.5-14.5	1794	87.5	85.5-89.5
Female	3108	376,500	694	22.3	20.3-24.3	2414	77.7	75.7-79.7
White/Non-Hisp	3820	481,334	742	19.1	17.3-20.9	3078	80.9	79.1-82.7
Black or Afr. Am./Non-Hisp	769	140,596	123	15.4	11.9-18.9	646	84.6	81.1-88.1
Oth. Race/Non-Hisp.	208	31,234	28	8.2	04.1-12.3	180	91.8	87.7-95.9
MultiRacial/Non-Hisp.	70	5,267	21	25.0	12.8-37.2	49	75.0	62.8-87.2
Hispanic	239	52,337	48	16.6	11.1-22.1	191	83.4	77.9-88.9
18-24	281	92,222	40	15.5	10.2-20.8	241	84.5	79.2-89.8
25-34	488	116,952	96	19.2	14.9-23.5	392	80.8	76.5-85.1
35-44	604	109,956	108	15.7	12.4-19.0	496	84.3	81.0-87.6
45-54	883	130,244	215	22.0	18.7-25.3	668	78.0	74.7-81.3
55-64	1094	119,662	260	21.2	18.1-24.3	834	78.8	75.7-81.9
65+	1778	145,943	250	12.9	10.9-14.9	1528	87.1	85.1-89.1
Less Than H.S.	421	97,878	98	22.4	17.1-27.7	323	77.6	72.3-82.9
H.S. or G.E.D.	1560	225,312	279	16.1	13.7-18.5	1281	83.9	81.5-86.3
Some Post-H.S.	1340	211,008	319	21.2	18.5-23.9	1021	78.8	76.1-81.5
College Graduate	1841	183,697	275	13.2	11.2-15.2	1566	86.8	84.8-88.8
Less than \$15,000	448	62,421	141	26.2	20.5-31.9	307	73.8	68.1-79.5
\$15,000- 24,999	737	98,636	218	26.6	22.5-30.7	519	73.4	69.3-77.5
\$25,000- 34,999	492	64,254	96	17.8	13.5-22.1	396	82.2	77.9-86.5
\$35,000- 49,999	685	94,441	131	19.4	15.3-23.5	554	80.6	76.5-84.7
\$50,000- 74,999	686	93,975	112	13.8	10.7-16.9	574	86.2	83.1-89.3
\$75,000+	1350	201,839	169	12.7	10.3-15.1	1181	87.3	84.9-89.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2073	343,255	279	12.5	10.5-14.5	1794	87.5	85.5-89.5
White/Non-Hisp	1526	229,411	212	13.3	11.1-15.5	1314	86.7	84.5-88.9
Black or Afr. Am./Non-Hisp	287	64,564	34	12.9	07.2-18.6	253	87.1	81.4-92.8
Oth. Race/Non-Hisp.	99	17,512	7	2.8	00.4-05.2	92	97.2	94.8-99.6
Hispanic	97	23,679	15	12.2	05.7-18.7	82	87.8	81.3-94.3
18-24	137	46,561	14	10.7	03.6-17.8	123	89.3	82.2-96.4
25-34	210	58,025	30	15.4	09.5-21.3	180	84.6	78.7-90.5
35-44	258	53,327	31	10.4	06.5-14.3	227	89.6	85.7-93.5
45-54	362	62,969	60	13.1	09.2-17.0	302	86.9	83.0-90.8
55-64	419	56,708	72	15.3	11.2-19.4	347	84.7	80.6-88.8
65+	672	64,223	72	10.3	07.6-13.0	600	89.7	87.0-92.4
Less Than H.S.	177	48,914	22	11.8	05.7-17.9	155	88.2	82.1-94.3
H.S. or G.E.D.	644	114,961	83	11.5	08.6-14.4	561	88.5	85.6-91.4
Some Post-H.S.	469	91,668	85	16.3	12.2-20.4	384	83.7	79.6-87.8
College Graduate	775	86,602	89	10.6	07.9-13.3	686	89.4	86.7-92.1
Less than \$15,000	133	24,012	32	19.0	09.8-28.2	101	81.0	71.8-90.2
\$15,000- 24,999	261	43,801	54	17.1	11.8-22.4	207	82.9	77.6-88.2
\$25,000- 34,999	190	30,982	26	11.6	05.7-17.5	164	88.4	82.5-94.3
\$35,000- 49,999	297	47,142	44	14.2	09.1-19.3	253	85.8	80.7-90.9
\$50,000- 74,999	295	47,511	35	8.5	05.2-11.8	260	91.5	88.2-94.8
\$75,000+	639	106,065	60	10.3	07.2-13.4	579	89.7	86.6-92.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3108	376,500	694	22.3	20.3-24.3	2414	77.7	75.7-79.7
White/Non-Hisp	2294	251,923	530	24.4	21.9-26.9	1764	75.6	73.1-78.1
Black or Afr. Am./Non-Hisp	482	76,033	89	17.5	13.0-22.0	393	82.5	78.0-87.0
Oth. Race/Non-Hisp.	109	13,722	21	15.1	06.7-23.5	88	84.9	76.5-93.3
Hispanic	142	28,657	33	20.2	12.0-28.4	109	79.8	71.6-88.0
18-24	144	45,661	26	20.4	12.2-28.6	118	79.6	71.4-87.8
25-34	278	58,927	66	22.8	16.7-28.9	212	77.2	71.1-83.3
35-44	346	56,628	77	20.7	15.4-26.0	269	79.3	74.0-84.6
45-54	521	67,275	155	30.3	25.4-35.2	366	69.7	64.8-74.6
55-64	675	62,954	188	26.5	22.0-31.0	487	73.5	69.0-78.0
65+	1106	81,721	178	14.9	12.4-17.4	928	85.1	82.6-87.6
Less Than H.S.	244	48,965	76	32.9	24.7-41.1	168	67.1	58.9-75.3
H.S. or G.E.D.	916	110,351	196	21.0	17.3-24.7	720	79.0	75.3-82.7
Some Post-H.S.	871	119,340	234	24.9	21.2-28.6	637	75.1	71.4-78.8
College Graduate	1066	97,095	186	15.5	12.8-18.2	880	84.5	81.8-87.2
Less than \$15,000	315	38,409	109	30.8	23.5-38.1	206	69.2	61.9-76.5
\$15,000- 24,999	476	54,835	164	34.2	28.3-40.1	312	65.8	59.9-71.7
\$25,000- 34,999	302	33,272	70	23.6	17.3-29.9	232	76.4	70.1-82.7
\$35,000- 49,999	388	47,299	87	24.6	18.5-30.7	301	75.4	69.3-81.5
\$50,000- 74,999	391	46,464	77	19.3	14.2-24.4	314	80.7	75.6-85.8
\$75,000+	711	95,773	109	15.2	11.7-18.7	602	84.8	81.3-88.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5184	720,616	170	2.6	02.0-03.2	5014	97.4	96.8-98.0
Male	2076	344,584	65	2.5	01.7-03.3	2011	97.5	96.7-98.3
Female	3108	376,032	105	2.6	02.0-03.2	3003	97.4	96.8-98.0
White/Non-Hisp	3819	482,226	140	3.0	02.4-03.6	3679	97.0	96.4-97.6
Black or Afr. Am./Non-Hisp	770	140,278	22	2.3	01.1-03.5	748	97.7	96.5-98.9
Oth. Race/Non-Hisp.	210	31,352	5	2.1	00.0-04.3	205	97.9	95.7-0100
MultiRacial/Non-Hisp.	69	5,210	2	2.3	00.0-05.4	67	97.7	94.6-0100
Hispanic	240	52,397				240	100.0	0100-0100
18-24	279	91,705	2	0.6	00.0-01.6	277	99.4	98.4-0100
25-34	488	117,839	6	1.1	00.1-02.1	482	98.9	97.9-99.9
35-44	607	110,609	7	1.2	00.0-02.4	600	98.8	97.6-0100
45-54	884	130,149	24	2.5	01.1-03.9	860	97.5	96.1-98.9
55-64	1100	120,260	51	4.5	03.1-05.9	1049	95.5	94.1-96.9
65+	1774	145,517	79	4.4	03.2-05.6	1695	95.6	94.4-96.8
Less Than H.S.	424	97,793	16	2.3	00.9-03.7	408	97.7	96.3-99.1
H.S. or G.E.D.	1557	226,087	58	2.9	01.9-03.9	1499	97.1	96.1-98.1
Some Post-H.S.	1341	211,009	45	2.4	01.6-03.2	1296	97.6	96.8-98.4
College Graduate	1843	183,867	51	2.4	01.4-03.4	1792	97.6	96.6-98.6
Less than \$15,000	448	62,732	21	3.6	01.8-05.4	427	96.4	94.6-98.2
\$15,000- 24,999	735	98,466	43	5.3	03.3-07.3	692	94.7	92.7-96.7
\$25,000- 34,999	493	64,726	17	2.9	01.3-04.5	476	97.1	95.5-98.7
\$35,000- 49,999	687	95,542	18	1.9	00.7-03.1	669	98.1	96.9-99.3
\$50,000- 74,999	687	94,004	17	2.3	00.7-03.9	670	97.7	96.1-99.3
\$75,000+	1347	201,402	27	1.4	00.6-02.2	1320	98.6	97.8-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2076	344,584	65	2.5	01.7-03.3	2011	97.5	96.7-98.3
White/Non-Hisp	1527	230,305	56	3.1	02.1-04.1	1471	96.9	95.9-97.9
Black or Afr. Am./Non-Hisp	288	64,799	6	1.5	00.3-02.7	282	98.5	97.3-99.7
Oth. Race/Non-Hisp.	100	17,557	2	2.3	00.0-05.4	98	97.7	94.6-0100
Hispanic	98	23,740				98	100.0	0100-0100
18-24	136	46,499	2	1.3	00.0-03.1	134	98.7	96.9-0100
25-34	210	58,912	2	0.5	00.0-01.3	208	99.5	98.7-0100
35-44	260	53,811	3	1.8	00.0-04.0	257	98.2	96.0-0100
45-54	362	62,691	8	2.1	00.0-04.3	354	97.9	95.7-0100
55-64	421	57,143	18	4.4	02.0-06.8	403	95.6	93.2-98.0
65+	673	64,326	31	4.2	02.4-06.0	642	95.8	94.0-97.6
Less Than H.S.	179	49,134	4	1.4	00.0-03.0	175	98.6	97.0-0100
H.S. or G.E.D.	644	115,878	21	2.5	01.1-03.9	623	97.5	96.1-98.9
Some Post-H.S.	470	91,779	14	2.7	01.1-04.3	456	97.3	95.7-98.9
College Graduate	775	86,684	26	2.9	01.5-04.3	749	97.1	95.7-98.5
Less than \$15,000	134	24,251	8	4.2	00.9-07.5	126	95.8	92.5-99.1
\$15,000- 24,999	260	43,740	12	3.7	01.2-06.2	248	96.3	93.8-98.8
\$25,000- 34,999	191	31,279	7	3.2	00.7-05.7	184	96.8	94.3-99.3
\$35,000- 49,999	299	48,263	9	2.2	00.4-04.0	290	97.8	96.0-99.6
\$50,000- 74,999	296	47,540	7	2.0	00.0-04.0	289	98.0	96.0-0100
\$75,000+	636	105,629	12	1.7	00.3-03.1	624	98.3	96.9-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3108	376,032	105	2.6	02.0-03.2	3003	97.4	96.8-98.0
White/Non-Hisp	2292	251,921	84	2.9	02.1-03.7	2208	97.1	96.3-97.9
Black or Afr. Am./Non-Hisp	482	75,479	16	3.0	01.2-04.8	466	97.0	95.2-98.8
Oth. Race/Non-Hisp.	110	13,795	3	1.8	00.0-04.3	107	98.2	95.7-0100
Hispanic	142	28,657				142	100.0	0100-0100
18-24	143	45,206				143	100.0	0100-0100
25-34	278	58,927	4	1.7	00.0-03.7	274	98.3	96.3-0100
35-44	347	56,798	4	0.6	00.0-01.6	343	99.4	98.4-0100
45-54	522	67,458	16	2.9	01.1-04.7	506	97.1	95.3-98.9
55-64	679	63,117	33	4.6	02.8-06.4	646	95.4	93.6-97.2
65+	1101	81,191	48	4.5	02.7-06.3	1053	95.5	93.7-97.3
Less Than H.S.	245	48,659	12	3.2	00.8-05.6	233	96.8	94.4-99.2
H.S. or G.E.D.	913	110,209	37	3.4	02.0-04.8	876	96.6	95.2-98.0
Some Post-H.S.	871	119,230	31	2.2	01.2-03.2	840	97.8	96.8-98.8
College Graduate	1068	97,183	25	1.9	00.7-03.1	1043	98.1	96.9-99.3
Less than \$15,000	314	38,481	13	3.2	01.2-05.2	301	96.8	94.8-98.8
\$15,000- 24,999	475	54,726	31	6.5	03.6-09.4	444	93.5	90.6-96.4
\$25,000- 34,999	302	33,447	10	2.6	00.8-04.4	292	97.4	95.6-99.2
\$35,000- 49,999	388	47,280	9	1.7	00.3-03.1	379	98.3	96.9-99.7
\$50,000- 74,999	391	46,464	10	2.7	00.2-05.2	381	97.3	94.8-99.8
\$75,000+	711	95,773	15	1.0	00.4-01.6	696	99.0	98.4-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5198	722,373	736	11.1	10.1-12.1	53	1.0	00.6-01.4	4340	87.0	85.8-88.2	69	1.0	00.8-01.2
Male	2082	345,327	292	10.9	09.3-12.5				1756	88.0	86.4-89.6	34	1.1	00.7-01.5
Female	3116	377,046	444	11.2	09.8-12.6	53	1.9	01.3-02.5	2584	86.0	84.4-87.6	35	0.9	00.5-01.3
White/Non-Hisp	3827	482,715	507	10.8	09.6-12.0	32	0.8	00.4-01.2	3234	87.4	86.0-88.8	54	1.0	00.6-01.4
Black or Afr. Am./Non-Hisp	772	141,055	165	16.2	12.9-19.5	8	0.8	00.0-01.6	590	82.3	79.0-85.6	9	0.7	00.1-01.3
Oth. Race/Non-Hisp.	212	31,512	26	5.3	02.6-08.0	4	1.3	00.0-02.9	182	93.4	90.3-96.5			
MultiRacial/Non-Hisp.	70	5,267	9	11.6	03.0-20.2				61	88.4	79.8-97.0			
Hispanic	240	52,397	19	4.4	02.0-06.8	6	3.0	00.5-05.5	211	91.4	87.7-95.1	4	1.2	00.0-02.6
18-24	281	92,222	3	2.0	00.0-04.5				277	97.8	95.3-0100	1	0.2	00.0-00.6
25-34	489	117,896	22	4.2	01.8-06.6	9	1.5	00.5-02.5	458	94.3	91.8-96.8			
35-44	607	110,609	30	4.2	02.4-06.0	13	2.3	00.7-03.9	559	92.8	90.4-95.2	5	0.7	00.1-01.3
45-54	887	130,642	104	11.0	08.5-13.5	8	0.7	00.1-01.3	767	87.4	84.7-90.1	8	0.9	00.3-01.5
55-64	1100	120,250	183	18.1	15.0-21.2	11	0.6	00.2-01.0	889	79.5	76.4-82.6	17	1.7	00.7-02.7
65+	1782	146,004	390	22.1	19.7-24.5	10	0.5	00.1-00.9	1345	75.5	73.0-78.0	37	1.8	01.2-02.4
Less Than H.S.	424	98,226	95	17.2	12.7-21.7	5	1.4	00.2-02.6	316	80.6	75.9-85.3	8	0.8	00.2-01.4
H.S. or G.E.D.	1563	226,408	276	12.7	10.9-14.5	13	0.7	00.1-01.3	1252	85.6	83.6-87.6	22	1.0	00.4-01.6
Some Post-H.S.	1344	211,661	199	10.5	08.7-12.3	11	0.9	00.1-01.7	1117	87.6	85.6-89.6	17	1.1	00.5-01.7
College Graduate	1847	184,114	162	6.5	05.3-07.7	24	1.2	00.6-01.8	1639	91.4	90.0-92.8	22	0.9	00.5-01.3
Less than \$15,000	451	62,860	108	18.8	13.9-23.7	6	1.2	00.0-02.6	328	78.4	73.1-83.7	9	1.6	00.4-02.8
\$15,000- 24,999	738	98,707	148	17.2	13.7-20.7	8	1.1	00.1-02.1	570	80.5	76.8-84.2	12	1.2	00.4-02.0
\$25,000- 34,999	494	64,649	91	14.8	10.7-18.9	1	0.2	00.0-00.6	393	83.9	79.8-88.0	9	1.1	00.1-02.1
\$35,000- 49,999	688	95,602	92	9.2	06.8-11.6	6	0.8	00.0-01.6	577	88.5	86.0-91.0	13	1.5	00.5-02.5
\$50,000- 74,999	687	94,004	78	10.3	07.6-13.0	2	0.1	00.0-00.3	595	88.4	85.7-91.1	12	1.2	00.4-02.0
\$75,000+	1350	201,839	94	5.3	03.9-06.7	17	1.3	00.5-02.1	1232	93.0	91.4-94.6	7	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2082	345,327	292	10.9	09.3-12.5	1756	88.0	86.4-89.6	34	1.1	00.7-01.5
White/Non-Hisp	1529	230,571	210	11.6	09.6-13.6	1289	87.0	85.0-89.0	30	1.4	00.8-02.0
Black or Afr. Am./Non-Hisp	288	64,799	55	13.7	09.0-18.4	232	86.2	81.5-90.9	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	101	17,675	10	4.0	01.1-06.9	91	96.0	93.1-98.9			
Hispanic	98	23,740	5	2.4	00.0-04.9	91	96.5	93.4-99.6	2	1.1	00.0-02.9
18-24	137	46,561	1	2.3	00.0-06.6	136	97.7	93.4-0100			
25-34	211	58,969	4	1.1	00.0-02.3	207	98.9	97.7-0100			
35-44	260	53,811	13	4.3	01.8-06.8	246	95.3	92.6-98.0	1	0.4	00.0-01.2
45-54	365	63,184	44	12.1	07.8-16.4	317	86.8	82.3-91.3	4	1.0	00.0-02.0
55-64	420	57,091	77	18.9	14.4-23.4	337	79.2	74.3-84.1	6	1.9	00.1-03.7
65+	674	64,269	153	23.7	19.8-27.6	498	73.5	69.4-77.6	23	2.8	01.4-04.2
Less Than H.S.	179	49,266	34	14.9	08.4-21.4	140	84.1	77.4-90.8	5	1.0	00.0-02.0
H.S. or G.E.D.	645	115,860	97	11.1	08.6-13.6	536	87.9	85.4-90.4	12	1.1	00.3-01.9
Some Post-H.S.	471	92,081	83	11.6	08.7-14.5	382	87.2	84.1-90.3	6	1.3	00.1-02.5
College Graduate	778	86,908	78	8.0	05.8-10.2	689	91.1	88.7-93.5	11	0.9	00.3-01.5
Less than \$15,000	134	24,257	32	17.7	10.1-25.3	98	80.2	72.2-88.2	4	2.1	00.0-04.6
\$15,000- 24,999	261	43,801	48	12.8	08.7-16.9	206	85.5	81.0-90.0	7	1.7	00.3-03.1
\$25,000- 34,999	191	31,194	27	12.7	06.2-19.2	160	86.6	80.1-93.1	4	0.7	00.0-01.7
\$35,000- 49,999	299	48,263	47	10.5	06.8-14.2	244	87.6	83.5-91.7	8	1.9	00.3-03.5
\$50,000- 74,999	296	47,540	36	10.5	06.6-14.4	255	88.7	84.8-92.6	5	0.7	00.0-01.5
\$75,000+	639	106,065	60	7.7	05.5-09.9	576	91.9	89.5-94.3	3	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3116	377,046	444	11.2	09.8-12.6	53	1.9	01.3-02.5	2584	86.0	84.4-87.6	35	0.9	00.5-01.3
White/Non-Hisp	2298	252,143	297	10.0	08.4-11.6	32	1.5	00.7-02.3	1945	87.8	86.2-89.4	24	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	484	76,256	110	18.3	13.8-22.8	8	1.5	00.1-02.9	358	79.0	74.3-83.7	8	1.2	00.2-02.2
Oth. Race/Non-Hisp.	111	13,836	16	6.8	01.9-11.7	4	3.0	00.0-06.7	91	90.2	84.1-96.3			
Hispanic	142	28,657	14	6.0	02.3-09.7	6	5.5	01.0-10.0	120	87.2	81.1-93.3	2	1.3	00.0-03.1
18-24	144	45,661	2	1.6	00.0-04.0				141	97.9	95.4-0100	1	0.4	00.0-01.2
25-34	278	58,927	18	7.3	03.0-11.6	9	2.9	00.7-05.1	251	89.8	85.1-94.5			
35-44	347	56,798	17	4.0	01.8-06.2	13	4.5	01.4-07.6	313	90.5	86.8-94.2	4	1.1	00.0-02.3
45-54	522	67,458	60	9.9	06.8-13.0	8	1.4	00.2-02.6	450	88.0	84.7-91.3	4	0.7	00.0-01.5
55-64	680	63,159	106	17.4	13.1-21.7	11	1.1	00.3-01.9	552	79.9	75.6-84.2	11	1.6	00.4-02.8
65+	1108	81,734	237	20.8	17.9-23.7	10	1.0	00.2-01.8	847	77.2	74.1-80.3	14	1.0	00.4-01.6
Less Than H.S.	245	48,961	61	19.5	13.0-26.0	5	2.8	00.3-05.3	176	77.1	70.2-84.0	3	0.6	00.0-01.4
H.S. or G.E.D.	918	110,548	179	14.4	11.7-17.1	13	1.4	00.4-02.4	716	83.2	80.3-86.1	10	1.0	00.2-01.8
Some Post-H.S.	873	119,580	116	9.6	07.4-11.8	11	1.6	00.4-02.8	735	87.9	85.4-90.4	11	0.9	00.3-01.5
College Graduate	1069	97,206	84	5.1	03.7-06.5	24	2.3	01.3-03.3	950	91.8	90.0-93.6	11	0.8	00.2-01.4
Less than \$15,000	317	38,603	76	19.5	13.0-26.0	6	1.9	00.0-04.1	230	77.3	70.4-84.2	5	1.3	00.0-02.7
\$15,000- 24,999	477	54,905	100	20.8	15.5-26.1	8	2.0	00.2-03.8	364	76.5	71.0-82.0	5	0.7	00.0-01.5
\$25,000- 34,999	303	33,455	64	16.8	11.7-21.9	1	0.3	00.0-00.9	233	81.4	76.1-86.7	5	1.5	00.0-03.1
\$35,000- 49,999	389	47,340	45	7.9	05.2-10.6	6	1.6	00.0-03.2	333	89.4	86.1-92.7	5	1.0	00.0-02.0
\$50,000- 74,999	391	46,464	42	10.0	06.3-13.7	2	0.3	00.0-00.7	340	88.1	84.2-92.0	7	1.6	00.2-03.0
\$75,000+	711	95,773	34	2.7	01.5-03.9	17	2.8	01.0-04.6	656	94.1	91.9-96.3	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS YOUR AGE? (AGE)	
1	MALES AND FEMALES	88
2	MALES ONLY	89
3	FEMALES ONLY	90
	ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
4	MALES AND FEMALES	91
5	MALES ONLY	92
6	FEMALES ONLY	93
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)	
7	MALES AND FEMALES	94
8	MALES ONLY	95
9	FEMALES ONLY	96
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
10	MALES AND FEMALES	97
11	MALES ONLY	98
12	FEMALES ONLY	99
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
13	MALES AND FEMALES	100
14	MALES ONLY	101
15	FEMALES ONLY	102
	ARE YOU: (MARITAL STATUS) (MARITAL)	
16	MALES AND FEMALES	103
17	MALES ONLY	104
18	FEMALES ONLY	105
	HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19	MALES AND FEMALES	106
20	MALES ONLY	107
21	FEMALES ONLY	108

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22	MALES AND FEMALES	109
23	MALES ONLY	110
24	FEMALES ONLY	111
	ARE YOU CURRENTLY...? (EMPLOY1)	
25	MALES AND FEMALES	112
26	MALES ONLY	113
27	FEMALES ONLY	114
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28	MALES AND FEMALES	115
29	MALES ONLY	116
30	FEMALES ONLY	117
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31	MALES AND FEMALES	118
32	MALES ONLY	119
33	FEMALES ONLY	120
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34	MALES AND FEMALES	121
35	MALES ONLY	122
36	FEMALES ONLY	123
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37	MALES AND FEMALES	124
38	MALES ONLY	125
39	FEMALES ONLY	126
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40	MALES AND FEMALES	127
41	MALES ONLY	128
42	FEMALES ONLY	129

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43	MALES AND FEMALES	130
44	MALES ONLY	131
45	FEMALES ONLY	132
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46	MALES AND FEMALES	133
	DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47	FEMALES ONLY	134
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
52	MALES AND FEMALES	139
53	MALES ONLY	140
54	FEMALES ONLY	141
	HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
55	MALES AND FEMALES	142
56	MALES ONLY	143
57	FEMALES ONLY	144
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
58	MALES AND FEMALES	145
59	MALES ONLY	146
60	FEMALES ONLY	147
	INDICATE SEX OF RESPONDENT. (SEX)	
61	MALES AND FEMALES	148
62	MALES ONLY	149
63	FEMALES ONLY	150
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
64	MALES AND FEMALES	151
65	MALES ONLY	152
66	FEMALES ONLY	153

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
67	MALES AND FEMALES	154
68	MALES ONLY	155
69	FEMALES ONLY	156
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
70	MALES AND FEMALES	157
71	MALES ONLY	158
72	FEMALES ONLY	159
	ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
73	MALES AND FEMALES	160
74	MALES ONLY	161
75	FEMALES ONLY	162
	BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
76	MALES AND FEMALES	163
77	MALES ONLY	164
78	FEMALES ONLY	165
	DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
79	MALES AND FEMALES	166
80	MALES ONLY	167
81	FEMALES ONLY	168
	DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
82	MALES AND FEMALES	169
83	MALES ONLY	170
84	FEMALES ONLY	171
	BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
85	MALES AND FEMALES	172
86	MALES ONLY	173
87	FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5152	718,204	281	12.8	11.2-14.4	489	16.4	14.8-18.0	608	15.4	14.0-16.8	887	18.2	16.8-19.6	1101	16.8	15.6-18.0	1786	20.4	19.2-21.6
Male	2070	344,218	137	13.5	11.0-16.0	211	17.1	14.6-19.6	260	15.6	13.6-17.6	365	18.4	16.2-20.6	421	16.6	14.6-18.6	676	18.8	17.0-20.6
Female	3082	373,986	144	12.2	10.0-14.4	278	15.8	13.6-18.0	348	15.2	13.4-17.0	522	18.0	16.2-19.8	680	16.9	15.3-18.5	1110	21.9	20.3-23.5
White/Non-Hisp	3809	481,590	152	10.7	08.9-12.5	283	13.9	12.1-15.7	356	12.7	11.3-14.1	636	19.3	17.5-21.1	860	18.5	17.1-19.9	1522	24.9	23.3-26.5
Black or Afr. Am./Non-Hisp	765	140,346	59	14.8	10.7-18.9	91	17.8	13.9-21.7	125	18.6	14.9-22.3	163	19.3	15.8-22.8	157	15.6	12.7-18.5	170	13.9	11.2-16.6
Oth. Race/Non-Hisp.	207	31,153	23	22.3	10.9-33.7	38	23.7	15.3-32.1	54	25.0	17.4-32.6	29	11.0	05.5-16.5	26	10.0	02.0-18.0	37	8.0	04.5-11.5
MultiRacial/Non-Hisp.	70	5,267	9	23.5	10.0-37.0	9	18.1	06.3-29.9	9	11.9	03.5-20.3	13	18.6	08.6-28.6	11	9.0	02.7-15.3	19	18.9	08.3-29.5
Hispanic	239	52,224	34	20.1	13.0-27.2	61	30.7	23.3-38.1	60	26.9	20.2-33.6	30	8.6	05.1-12.1	33	9.4	05.7-13.1	21	4.2	01.8-06.6
Less Than H.S.	424	98,234	26	14.6	09.1-20.1	48	20.2	14.5-25.9	37	12.8	08.5-17.1	70	17.4	12.9-21.9	72	12.8	08.7-16.9	171	22.2	17.9-26.5
H.S. or G.E.D.	1555	225,203	115	16.2	13.1-19.3	115	12.7	10.0-15.4	134	11.6	09.4-13.8	245	17.9	15.4-20.4	325	18.2	15.8-20.6	621	23.5	21.3-25.7
Some Post-H.S.	1334	210,746	96	15.6	12.3-18.9	148	18.3	15.2-21.4	154	15.2	12.7-17.7	243	17.5	15.0-20.0	282	15.9	13.7-18.1	411	17.4	15.2-19.6
College Graduate	1826	182,749	44	4.7	03.1-06.3	177	16.7	14.2-19.2	282	21.6	19.1-24.1	327	19.9	17.5-22.3	418	18.1	16.1-20.1	578	19.0	17.2-20.8
Less than \$15,000	452	62,951	42	21.1	14.6-27.6	46	21.2	14.3-28.1	32	9.9	05.8-14.0	51	10.1	06.6-13.6	103	15.1	11.0-19.2	178	22.5	18.2-26.8
\$15,000- 24,999	737	98,575	44	10.9	07.6-14.2	70	14.9	11.2-18.6	77	16.1	12.4-19.8	101	13.4	10.3-16.5	153	18.9	15.0-22.8	292	25.7	22.0-29.4
\$25,000- 34,999	495	64,822	21	8.9	04.6-13.2	57	21.1	15.4-26.8	49	11.9	08.2-15.6	77	17.1	12.4-21.8	93	16.0	12.1-19.9	198	25.1	20.8-29.4
\$35,000- 49,999	686	95,485	34	13.8	08.5-19.1	77	19.5	14.8-24.2	70	12.4	09.1-15.7	106	15.1	11.8-18.4	148	16.2	13.1-19.3	251	23.0	19.5-26.5
\$50,000- 74,999	686	93,989	20	6.4	03.3-09.5	75	18.6	13.9-23.3	92	17.3	13.4-21.2	137	21.5	17.6-25.4	152	17.3	14.0-20.6	210	18.9	15.8-22.0
\$75,000+	1342	201,492	49	8.8	06.1-11.5	128	14.6	11.9-17.3	234	21.4	18.5-24.3	330	25.7	22.8-28.6	329	18.4	16.0-20.8	272	11.1	09.5-12.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2070	344,218	137	13.5	11.0-16.0	211	17.1	14.6-19.6	260	15.6	13.6-17.6	365	18.4	16.2-20.6	421	16.6	14.6-18.6	676	18.8	17.0-20.6
White/Non-Hisp	1526	230,564	75	10.8	08.3-13.3	122	14.8	11.9-17.7	150	13.2	11.0-15.4	264	19.2	16.7-21.7	339	19.1	16.7-21.5	576	22.8	20.6-25.0
Black or Afr. Am./Non-Hisp	288	64,799	32	19.0	12.1-25.9	29	16.3	09.8-22.8	50	17.0	11.5-22.5	66	21.1	15.0-27.2	54	13.9	09.8-18.0	57	12.7	08.6-16.8
Oth. Race/Non-Hisp.	100	17,683	9	20.0	02.8-37.2	27	28.1	15.9-40.3	26	22.9	12.7-33.1	13	11.4	03.6-19.2	10	10.5	00.0-23.8	15	7.2	02.5-11.9
Hispanic	98	23,740	13	16.2	07.6-24.8	25	32.0	21.0-43.0	30	32.7	22.1-43.3	10	7.4	02.5-12.3	11	7.0	02.7-11.3	9	4.7	00.8-08.6
Less Than H.S.	179	49,134	12	13.9	06.1-21.7	22	22.1	13.3-30.9	19	13.8	07.5-20.1	34	18.4	11.5-25.3	24	10.2	04.1-16.3	68	21.6	15.3-27.9
H.S. or G.E.D.	645	116,008	65	17.7	13.2-22.2	55	13.0	09.3-16.7	74	14.0	10.5-17.5	109	18.0	14.1-21.9	136	18.7	15.2-22.2	206	18.7	15.8-21.6
Some Post-H.S.	471	92,081	45	18.2	12.5-23.9	56	20.3	14.8-25.8	57	13.6	10.1-17.1	93	18.2	14.1-22.3	93	14.8	11.5-18.1	127	14.9	11.8-18.0
College Graduate	769	86,256	15	2.9	01.3-04.5	77	16.5	12.8-20.2	109	20.8	16.9-24.7	127	19.0	15.5-22.5	168	19.5	16.4-22.6	273	21.3	18.6-24.0
Less than \$15,000	135	24,308	20	28.3	16.7-39.9	16	22.1	09.8-34.4	12	9.9	03.8-16.0	14	9.4	03.9-14.9	30	12.4	06.1-18.7	43	17.8	10.7-24.9
\$15,000- 24,999	261	43,801	19	10.3	05.4-15.2	24	14.5	08.4-20.6	34	19.5	13.2-25.8	33	10.7	06.4-15.0	63	23.2	16.1-30.3	88	21.8	16.1-27.5
\$25,000- 34,999	192	31,366	14	12.2	04.8-19.6	20	21.7	12.5-30.9	17	11.0	05.3-16.7	32	18.2	10.6-25.8	32	13.7	08.4-19.0	77	23.2	16.7-29.7
\$35,000- 49,999	299	48,263	18	15.4	07.4-23.4	34	18.5	11.6-25.4	33	12.7	08.0-17.4	56	18.2	12.7-23.7	49	13.9	09.6-18.2	109	21.4	16.5-26.3
\$50,000- 74,999	296	47,540	9	6.0	01.9-10.1	37	22.8	15.2-30.4	33	13.2	08.3-18.1	65	22.5	16.4-28.6	47	14.2	09.3-19.1	105	21.4	16.5-26.3
\$75,000+	637	106,026	22	7.7	04.0-11.4	64	15.2	11.3-19.1	108	20.6	16.7-24.5	133	23.7	19.4-28.0	158	20.0	16.5-23.5	152	12.9	10.5-15.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3082	373,986	144	12.2	10.0-14.4	278	15.8	13.6-18.0	348	15.2	13.4-17.0	522	18.0	16.2-19.8	680	16.9	15.3-18.5	1110	21.9	20.3-23.5
White/Non-Hisp	2283	251,026	77	10.6	08.1-13.1	161	13.0	10.6-15.4	206	12.3	10.3-14.3	372	19.4	17.2-21.6	521	17.9	16.1-19.7	946	26.9	24.9-28.9
Black or Afr. Am./Non-Hisp	477	75,547	27	11.1	06.6-15.6	62	19.1	14.2-24.0	75	20.0	14.9-25.1	97	17.7	13.6-21.8	103	17.0	12.7-21.3	113	15.0	11.5-18.5
Oth. Race/Non-Hisp.	107	13,470	14	25.4	11.3-39.5	11	17.9	06.3-29.5	28	27.7	16.5-38.9	16	10.5	03.2-17.8	16	9.4	03.9-14.9	22	9.1	04.0-14.2
Hispanic	141	28,484	21	23.4	12.8-34.0	36	29.6	19.8-39.4	30	22.2	13.8-30.6	20	9.6	04.7-14.5	22	11.3	05.6-17.0	12	3.8	01.3-06.3
Less Than H.S.	245	49,100	14	15.3	07.5-23.1	26	18.3	11.0-25.6	18	11.9	06.0-17.8	36	16.3	10.4-22.2	48	15.3	09.6-21.0	103	22.9	17.2-28.6
H.S. or G.E.D.	910	109,195	50	14.5	10.2-18.8	60	12.5	08.6-16.4	60	9.0	06.5-11.5	136	17.8	14.5-21.1	189	17.6	14.7-20.5	415	28.6	25.3-31.9
Some Post-H.S.	863	118,665	51	13.6	09.7-17.5	92	16.8	13.1-20.5	97	16.5	12.8-20.2	150	17.0	13.9-20.1	189	16.7	14.0-19.4	284	19.4	16.7-22.1
College Graduate	1057	96,493	29	6.3	03.6-09.0	100	17.0	13.5-20.5	173	22.4	19.1-25.7	200	20.6	17.5-23.7	250	16.8	14.4-19.2	305	17.0	14.6-19.4
Less than \$15,000	317	38,643	22	16.6	09.2-24.0	30	20.6	12.6-28.6	20	9.9	04.4-15.4	37	10.6	06.1-15.1	73	16.9	11.6-22.2	135	25.5	19.8-31.2
\$15,000- 24,999	476	54,774	25	11.5	07.0-16.0	46	15.3	10.8-19.8	43	13.4	08.7-18.1	68	15.6	11.3-19.9	90	15.5	11.2-19.8	204	28.7	24.0-33.4
\$25,000- 34,999	303	33,455	7	5.8	01.3-10.3	37	20.5	13.6-27.4	32	12.8	08.1-17.5	45	16.1	10.6-21.6	61	18.1	12.6-23.6	121	26.8	21.1-32.5
\$35,000- 49,999	387	47,222	16	12.1	05.6-18.6	43	20.6	14.1-27.1	37	12.1	07.6-16.6	50	12.0	08.1-15.9	99	18.4	14.1-22.7	142	24.7	19.8-29.6
\$50,000- 74,999	390	46,449	11	6.8	02.3-11.3	38	14.4	09.5-19.3	59	21.5	15.4-27.6	72	20.4	15.3-25.5	105	20.5	15.8-25.2	105	16.4	12.7-20.1
\$75,000+	705	95,467	27	10.0	05.9-14.1	64	14.0	10.5-17.5	126	22.2	18.1-26.3	197	27.9	23.8-32.0	171	16.7	13.8-19.6	120	9.2	07.2-11.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5166	719,100	90	3.3	02.5-04.1	80	2.2	01.6-02.8	3	0.0	00.0-00.0	68	1.8	01.2-02.4	5	0.2	00.0-00.4	4920	92.5	91.3-93.7
Male	2074	344,194	42	3.3	02.3-04.3	23	1.6	00.8-02.4	2	0.0	00.0-00.0	34	2.1	01.3-02.9	1	0.1	00.0-00.3	1972	92.8	91.2-94.4
Female	3092	374,907	48	3.3	02.1-04.5	57	2.7	01.7-03.7	1	0.0	00.0-00.0	34	1.4	00.8-02.0	4	0.2	00.0-00.4	2948	92.3	90.7-93.9
18-24	280	91,931	17	5.8	02.3-09.3	10	3.3	01.1-05.5				8	2.4	00.4-04.4	1	0.2	00.0-00.6	244	88.3	83.8-92.8
25-34	486	117,413	26	6.9	04.2-09.6	20	4.3	01.9-06.7				14	2.5	00.9-04.1	3	0.6	00.0-01.4	423	85.8	81.9-89.7
35-44	607	110,448	23	5.9	03.4-08.4	19	3.0	01.4-04.6	1	0.1	00.0-00.3	17	3.8	01.6-06.0	1	0.2	00.0-00.6	546	87.0	83.5-90.5
45-54	882	130,350	11	1.2	00.4-02.0	9	1.1	00.3-01.9	1	0.0	00.0-00.0	10	1.2	00.4-02.0				851	96.5	95.1-97.9
55-64	1091	119,578	9	1.6	00.4-02.8	14	1.6	00.6-02.6				10	0.9	00.3-01.5				1058	95.9	94.3-97.5
65+	1777	145,712	4	0.2	00.0-00.4	7	0.7	00.1-01.3	1	0.0	00.0-00.0	9	0.6	00.2-01.0				1756	98.5	97.7-99.3
Less Than H.S.	421	97,677	39	13.5	09.2-17.8	18	5.4	02.5-08.3				17	5.1	02.4-07.8	2	0.5	00.0-01.3	345	75.4	69.9-80.9
H.S. or G.E.D.	1556	225,721	28	3.0	01.6-04.4	17	1.6	00.6-02.6				17	1.5	00.7-02.3	2	0.2	00.0-00.4	1492	93.8	92.0-95.6
Some Post-H.S.	1338	210,966	9	0.9	00.3-01.5	27	2.1	01.1-03.1	1	0.0	00.0-00.0	18	1.4	00.6-02.2	1	0.1	00.0-00.3	1282	95.4	94.0-96.8
College Graduate	1832	182,850	14	0.9	00.3-01.5	18	1.5	00.7-02.3	2	0.1	00.0-00.3	16	0.8	00.4-01.2				1782	96.7	95.7-97.7
Less than \$15,000	450	62,730	17	7.9	03.4-12.4	17	6.0	02.5-09.5	1	0.1	00.0-00.3	12	3.2	01.2-05.2	1	0.3	00.0-00.9	402	82.6	76.9-88.3
\$15,000- 24,999	734	98,324	31	9.4	06.1-12.7	10	1.8	00.4-03.2				13	2.7	01.1-04.3	1	0.2	00.0-00.6	679	85.8	81.9-89.7
\$25,000- 34,999	495	64,822	11	3.6	01.2-06.0	8	2.5	00.3-04.7				8	2.8	00.4-05.2	2	0.7	00.0-01.7	466	90.4	86.5-94.3
\$35,000- 49,999	687	95,574	5	1.0	00.0-02.0	7	1.1	00.1-02.1				9	1.9	00.1-03.7				666	95.9	93.7-98.1
\$50,000- 74,999	684	93,600	5	0.5	00.0-01.1	11	2.6	00.8-04.4	1	0.1	00.0-00.3	5	0.8	00.0-01.6				662	95.9	93.7-98.1
\$75,000+	1344	201,075	8	0.6	00.2-01.0	15	1.3	00.5-02.1	1	0.0	00.0-00.0	9	1.1	00.3-01.9	1	0.1	00.0-00.3	1310	96.9	95.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2074	344,194	42	3.3	02.3-04.3	23	1.6	00.8-02.4	2	0.0	00.0-00.0	34	2.1	01.3-02.9	1	0.1	00.0-00.3	1972	92.8	91.2-94.4
18-24	136	46,270	6	2.8	00.4-05.2	6	3.9	00.6-07.2				3	2.2	00.0-04.7				121	91.2	86.3-96.1
25-34	211	58,969	15	9.0	04.3-13.7	5	2.0	00.0-04.0				5	2.2	00.0-04.6	1	0.5	00.0-01.5	185	86.3	80.8-91.8
35-44	260	53,811	13	6.7	03.0-10.4	6	2.4	00.4-04.4	1	0.2	00.0-00.6	11	5.6	01.9-09.3				229	85.0	79.7-90.3
45-54	364	63,140	3	0.6	00.0-01.4	1	0.4	00.0-01.2				6	1.8	00.2-03.4				354	97.2	95.2-99.2
55-64	418	56,839	4	1.2	00.0-02.4	2	0.6	00.0-01.4				5	1.1	00.1-02.1				407	97.1	95.3-98.9
65+	673	64,226	1	0.3	00.0-00.7	3	1.1	00.0-02.5	1	0.1	00.0-00.3	4	0.3	00.0-00.7				664	98.3	96.7-99.9
Less Than H.S.	178	48,843	20	13.4	07.5-19.3	7	4.9	01.2-08.6				11	7.0	02.3-11.7				140	74.7	66.9-82.5
H.S. or G.E.D.	646	115,939	15	3.2	01.4-05.0	3	0.5	00.0-01.3				7	1.1	00.3-01.9	1	0.2	00.0-00.6	620	94.9	92.7-97.1
Some Post-H.S.	470	91,992	4	0.8	00.0-01.6	8	2.0	00.6-03.4	1	0.1	00.0-00.3	8	2.0	00.4-03.6				449	95.2	93.0-97.4
College Graduate	771	86,260	3	0.5	00.0-01.1	5	0.9	00.1-01.7	1	0.1	00.0-00.3	8	0.9	00.1-01.7				754	97.6	96.4-98.8
Less than \$15,000	135	24,308	7	7.2	01.7-12.7	4	5.5	00.0-11.0	1	0.2	00.0-00.6	5	4.3	00.2-08.4				118	82.7	74.3-91.1
\$15,000- 24,999	261	43,801	18	12.3	06.6-18.0	3	1.4	00.0-03.4				4	2.9	00.2-05.6				236	83.5	77.2-89.8
\$25,000- 34,999	192	31,366	6	4.4	00.7-08.1	2	1.5	00.0-03.7				7	5.3	00.6-10.0				177	88.8	82.7-94.9
\$35,000- 49,999	299	48,263	3	1.5	00.0-03.3	3	1.2	00.0-02.6				4	2.1	00.0-05.0				289	95.2	91.7-98.7
\$50,000- 74,999	295	47,451				3	1.4	00.0-03.2	1	0.2	00.0-00.6	2	1.2	00.0-02.8				289	97.3	94.9-99.7
\$75,000+	636	105,754	2	0.3	00.0-00.7	5	0.9	00.1-01.7				7	1.4	00.2-02.6	1	0.3	00.0-00.9	621	97.2	95.6-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3092	374,907	48	3.3	02.1-04.5	57	2.7	01.7-03.7	1	0.0	00.0-00.0	34	1.4	00.8-02.0	4	0.2	00.0-00.4	2948	92.3	90.7-93.9
18-24	144	45,661	11	8.8	02.3-15.3	4	2.7	00.0-05.6				5	2.6	00.0-05.3	1	0.4	00.0-01.2	123	85.4	78.1-92.7
25-34	275	58,444	11	4.7	01.8-07.6	15	6.5	02.4-10.6				9	2.7	00.7-04.7	2	0.8	00.0-02.0	238	85.2	79.9-90.5
35-44	347	56,637	10	5.1	01.8-08.4	13	3.6	01.4-05.8				6	2.1	00.1-04.1	1	0.4	00.0-01.2	317	88.9	84.6-93.2
45-54	518	67,210	8	1.7	00.3-03.1	8	1.7	00.3-03.1	1	0.1	00.0-00.3	4	0.7	00.0-01.5				497	95.8	93.8-97.8
55-64	673	62,739	5	1.9	00.0-03.9	12	2.6	01.0-04.2				5	0.6	00.0-01.2				651	94.9	92.4-97.4
65+	1104	81,486	3	0.2	00.0-00.4	4	0.4	00.0-00.8				5	0.8	00.0-01.6				1092	98.7	97.9-99.5
Less Than H.S.	243	48,834	19	13.7	07.0-20.4	11	5.8	01.3-10.3				6	3.2	00.7-05.7	2	1.1	00.0-02.7	205	76.2	68.4-84.0
H.S. or G.E.D.	910	109,783	13	2.8	00.8-04.8	14	2.7	00.9-04.5				10	1.9	00.5-03.3	1	0.2	00.0-00.6	872	92.5	89.6-95.4
Some Post-H.S.	868	118,974	5	1.1	00.1-02.1	19	2.2	01.0-03.4				10	1.0	00.4-01.6	1	0.2	00.0-00.6	833	95.6	93.8-97.4
College Graduate	1061	96,591	11	1.2	00.4-02.0	13	2.0	00.6-03.4	1	0.1	00.0-00.3	8	0.7	00.1-01.3				1028	96.0	94.4-97.6
Less than \$15,000	315	38,422	10	8.2	01.7-14.7	13	6.3	01.6-11.0				7	2.4	00.2-04.6	1	0.5	00.0-01.5	284	82.5	74.9-90.1
\$15,000- 24,999	473	54,522	13	7.2	03.3-11.1	7	2.2	00.2-04.2				9	2.6	00.6-04.6	1	0.4	00.0-01.2	443	87.6	82.9-92.3
\$25,000- 34,999	303	33,455	5	2.9	00.0-06.0	6	3.4	00.0-06.9				1	0.4	00.0-01.2	2	1.4	00.0-03.4	289	91.9	87.0-96.8
\$35,000- 49,999	388	47,311	2	0.5	00.0-01.1	4	1.1	00.0-02.3				5	1.8	00.0-04.0				377	96.7	94.2-99.2
\$50,000- 74,999	389	46,148	5	1.1	00.0-02.3	8	3.9	00.8-07.0				3	0.5	00.0-01.1				373	94.6	91.3-97.9
\$75,000+	708	95,321	6	1.0	00.0-02.0	10	1.6	00.4-02.8	1	0.1	00.0-00.3	2	0.7	00.0-01.7				689	96.6	94.8-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5127	711,384	3943	71.3	69.5-73.1	796	20.3	18.7-21.9	44	0.9	0.5-01.3	86	2.7	01.9-03.5	12	0.1	0.1-00.1	246	4.7	03.9-05.5
Male	2048	339,608	1577	71.1	68.4-73.8	295	19.4	16.9-21.9	15	1.0	0.2-01.8	47	3.3	01.9-04.7	5	0.1	0.1-00.1	109	5.2	04.0-06.4
Female	3079	371,776	2366	71.5	69.1-73.9	501	21.1	18.9-23.3	29	0.7	0.3-01.1	39	2.2	01.4-03.0	7	0.1	0.0-00.3	137	4.4	03.4-05.4
18-24	277	90,969	164	61.6	54.5-68.7	62	23.3	17.2-29.4	4	1.3	0.0-02.7	13	5.1	0.8-09.4	1	0.1	0.0-00.3	33	8.6	05.3-11.9
25-34	478	114,945	310	64.0	58.5-69.5	97	22.5	17.6-27.4	3	0.3	0.0-00.7	22	4.9	02.5-07.3	1	0.1	0.0-00.3	45	8.2	05.3-11.1
35-44	598	108,444	383	62.6	57.7-67.5	132	25.1	20.6-29.6	3	0.3	0.0-00.7	32	5.6	03.6-07.6	3	0.2	0.0-00.4	45	6.2	04.0-08.4
45-54	871	128,710	648	73.6	69.7-77.5	163	21.0	17.3-24.7	5	0.6	0.0-01.4	10	1.3	0.3-02.3	4	0.2	0.0-00.4	41	3.2	02.0-04.4
55-64	1092	119,427	877	76.7	73.0-80.4	158	18.4	15.1-21.7	13	2.1	0.0-04.3	3	0.2	0.0-00.4	3	0.2	0.0-00.4	38	2.5	01.5-03.5
65+	1773	145,670	1540	83.7	81.2-86.2	174	13.6	11.2-16.0	16	0.7	0.3-01.1	5	0.4	0.0-00.8				38	1.5	00.9-02.1
Less Than H.S.	414	95,735	254	57.2	50.7-63.7	115	29.7	23.6-35.8	7	1.8	0.0-04.3	1	0.6	0.0-01.8				37	10.7	07.0-14.4
H.S. or G.E.D.	1549	223,635	1189	72.7	69.6-75.8	250	20.3	17.4-23.2	14	0.6	0.2-01.0	8	0.9	0.0-01.9	4	0.1	0.1-00.1	84	5.4	03.8-07.0
Some Post-H.S.	1328	209,161	998	71.8	68.3-75.3	234	21.4	18.3-24.5	13	1.1	0.3-01.9	9	1.7	0.0-03.5	5	0.2	0.0-00.4	69	3.8	02.6-05.0
College Graduate	1822	181,454	1495	76.9	74.2-79.6	194	13.9	11.7-16.1	9	0.3	0.1-00.5	65	6.8	05.0-08.6	3	0.1	0.0-00.3	56	1.9	01.3-02.5
Less than \$15,000	442	60,827	265	49.8	42.7-56.9	120	37.9	30.8-45.0	9	1.3	0.3-02.3	5	0.9	0.1-01.7				43	10.0	06.5-13.5
\$15,000- 24,999	730	97,089	496	56.3	51.4-61.2	166	30.3	25.6-35.0	8	2.3	0.0-05.0	9	1.8	0.4-03.2	2	0.2	0.0-00.6	49	9.0	05.9-12.1
\$25,000- 34,999	487	62,660	367	69.4	63.7-75.1	84	22.9	17.6-28.2	2	0.2	0.0-00.6	6	1.5	0.1-02.9	1	0.1	0.0-00.3	27	5.9	03.0-08.8
\$35,000- 49,999	685	95,138	543	74.8	69.7-79.9	99	16.6	12.9-20.3	7	0.9	0.0-01.9	8	4.3	0.2-08.4	2	0.1	0.0-00.3	26	3.3	01.5-05.1
\$50,000- 74,999	682	93,344	543	75.5	71.0-80.0	97	17.7	13.6-21.8	2	0.3	0.0-00.7	15	3.7	01.7-05.7	3	0.1	0.0-00.3	22	2.8	01.4-04.2
\$75,000+	1336	200,044	1136	81.2	78.1-84.3	120	13.0	10.1-15.9	8	0.4	0.0-00.8	34	3.4	02.2-04.6	2	0.1	0.0-00.3	36	2.0	01.2-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2048	339,608	1577	71.1	68.4-73.8	295	19.4	16.9-21.9	15	1.0	00.2-01.8	47	3.3	01.9-04.7	5	0.1	00.1-00.1	109	5.2	04.0-06.4
18-24	133	45,308	80	58.4	47.8-69.0	33	27.5	17.9-37.1	2	1.4	00.0-03.4	4	5.0	00.0-12.3	1	0.1	00.0-00.3	13	7.6	03.1-12.1
25-34	208	57,941	133	64.0	55.8-72.2	31	18.8	11.5-26.1	1	0.1	00.0-00.3	18	7.1	03.4-10.8	1	0.1	00.0-00.3	24	9.8	05.1-14.5
35-44	255	52,874	164	64.6	57.7-71.5	52	21.5	15.2-27.8	2	0.5	00.0-01.3	15	5.8	02.9-08.7				22	7.5	04.0-11.0
45-54	358	61,973	267	72.2	65.9-78.5	66	22.1	16.2-28.0	2	0.9	00.0-02.5	6	1.6	00.2-03.0	2	0.2	00.0-00.4	15	2.9	01.1-04.7
55-64	419	56,972	345	79.1	73.4-84.8	54	15.8	11.3-20.3	4	2.9	00.0-07.2				1	0.1	00.0-00.3	15	2.1	00.7-03.5
65+	667	63,968	583	83.7	79.6-87.8	59	13.2	09.3-17.1	4	0.5	00.0-01.1	4	0.9	00.0-01.9				17	1.7	00.7-02.7
Less Than H.S.	176	48,428	115	58.4	48.6-68.2	33	22.9	13.9-31.9	2	2.8	00.0-07.9	1	1.2	00.0-03.6				25	14.6	08.5-20.7
H.S. or G.E.D.	640	114,459	485	71.9	67.2-76.6	109	22.6	18.1-27.1	4	0.5	00.0-01.1				2	0.1	00.0-00.3	40	5.0	03.0-07.0
Some Post-H.S.	463	90,881	349	71.7	66.0-77.4	78	20.0	15.1-24.9	5	1.4	00.0-02.8	6	3.2	00.0-06.9				25	3.7	01.9-05.5
College Graduate	765	85,168	628	77.1	73.2-81.0	74	12.5	09.2-15.8	4	0.4	00.0-00.8	37	8.2	05.5-10.9	3	0.2	00.0-00.4	19	1.5	00.7-02.3
Less than \$15,000	130	23,283	85	53.5	41.0-66.0	27	33.1	20.0-46.2	2	1.3	00.0-03.3	1	0.6	00.0-01.8				15	11.4	04.7-18.1
\$15,000- 24,999	258	43,245	169	53.9	45.9-61.9	61	28.4	21.3-35.5	3	4.2	00.0-10.1	4	2.3	00.0-04.7				21	11.2	05.7-16.7
\$25,000- 34,999	188	29,918	139	69.0	60.0-78.0	29	21.1	12.9-29.3				5	2.3	00.1-04.5				15	7.6	02.7-12.5
\$35,000- 49,999	297	47,827	235	74.1	66.1-82.1	41	15.8	10.3-21.3	3	0.3	00.0-00.7	5	6.0	00.0-13.1	2	0.3	00.0-00.7	11	3.5	01.0-06.0
\$50,000- 74,999	294	47,069	234	76.0	69.3-82.7	41	17.8	11.7-23.9	1	0.1	00.0-00.3	9	3.8	01.3-06.3	1	0.1	00.0-00.3	8	2.2	00.2-04.2
\$75,000+	632	105,184	532	81.2	76.9-85.5	58	12.6	08.7-16.5	5	0.7	00.1-01.3	20	3.8	02.0-05.6	1	0.0	00.0-00.0	16	1.7	00.7-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3079	371,776	2366	71.5	69.1-73.9	501	21.1	18.9-23.3	29	0.7	0.3-0.1.1	39	2.2	0.1.4-0.3.0	7	0.1	0.0.0-0.0.3	137	4.4	0.3.4-0.5.4
18-24	144	45,661	84	64.8	55.6-74.0	29	19.1	11.7-26.5	2	1.2	0.0.0-0.3.0	9	5.3	0.8-0.9.8				20	9.6	0.4.5-1.4.7
25-34	270	57,005	177	63.9	56.8-71.0	66	26.3	19.8-32.8	2	0.6	0.0.0-0.1.4	4	2.6	0.0.0-0.5.3				21	6.7	0.3.4-1.0.0
35-44	343	55,570	219	60.7	54.0-67.4	80	28.6	22.1-35.1	1	0.1	0.0.0-0.0.3	17	5.3	0.2.6-0.8.0	3	0.4	0.0.0-0.1.0	23	4.9	0.2.2-0.7.6
45-54	513	66,737	381	74.9	70.2-79.6	97	20.1	15.8-24.4	3	0.4	0.0.0-0.0.8	4	1.0	0.0.0-0.2.2	2	0.1	0.0.0-0.0.3	26	3.5	0.1.7-0.5.3
55-64	673	62,455	532	74.5	69.6-79.4	104	20.7	16.0-25.4	9	1.3	0.3-0.2.3	3	0.4	0.0.0-0.0.8	2	0.3	0.0.0-0.0.7	23	2.8	0.1.2-0.4.4
65+	1106	81,702	957	83.8	80.7-86.9	115	14.0	11.1-16.9	12	0.8	0.2-0.1.4	1	0.1	0.0.0-0.0.3				21	1.4	0.0.6-0.2.2
Less Than H.S.	238	47,307	139	55.9	47.3-64.5	82	36.6	28.4-44.8	5	0.8	0.0.0-0.1.6							12	6.7	0.2.6-1.0.8
H.S. or G.E.D.	909	109,176	704	73.5	69.4-77.6	141	18.0	14.5-21.5	10	0.8	0.0.0-0.1.6	8	1.8	0.0.0-0.3.6	2	0.1	0.0.0-0.0.3	44	5.9	0.3.5-0.8.3
Some Post-H.S.	865	118,280	649	71.8	67.7-75.9	156	22.5	18.6-26.4	8	1.0	0.2-0.1.8	3	0.5	0.0.0-0.1.3	5	0.3	0.0.0-0.0.7	44	3.8	0.2.4-0.5.2
College Graduate	1057	96,287	867	76.8	73.3-80.3	120	15.1	12.0-18.2	5	0.3	0.1-0.0.5	28	5.6	0.3.2-0.8.0				37	2.2	0.1.2-0.3.2
Less than \$15,000	312	37,544	180	47.5	39.1-55.9	93	40.8	32.4-49.2	7	1.3	0.1-0.2.5	4	1.1	0.0.0-0.2.3				28	9.2	0.5.1-1.3.3
\$15,000- 24,999	472	53,844	327	58.1	51.8-64.4	105	31.9	25.8-38.0	5	0.9	0.0.0-0.1.9	5	1.5	0.0.0-0.3.1	2	0.3	0.0.0-0.0.9	28	7.3	0.3.8-1.0.8
\$25,000- 34,999	299	32,742	228	69.7	62.6-76.8	55	24.5	18.0-31.0	2	0.4	0.0.0-0.1.2	1	0.8	0.0.0-0.2.4	1	0.1	0.0.0-0.0.3	12	4.4	0.0.7-0.8.1
\$35,000- 49,999	388	47,311	308	75.4	68.9-81.9	58	17.4	12.1-22.7	4	1.5	0.0.0-0.3.3	3	2.5	0.0.0-0.6.4				15	3.2	0.0.7-0.5.7
\$50,000- 74,999	388	46,275	309	74.9	68.8-81.0	56	17.6	12.3-22.9	1	0.5	0.0.0-0.1.5	6	3.5	0.0.4-0.6.6	2	0.2	0.0.0-0.0.4	14	3.3	0.1.1-0.5.5
\$75,000+	704	94,860	604	81.2	76.9-85.5	62	13.3	0.9-1.7.4	3	0.2	0.0.0-0.0.4	14	2.9	0.1.1-0.4.7	1	0.1	0.0.0-0.0.3	20	2.2	0.1.0-0.3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White			Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders			Other							
	TOTAL	WEIGHTED		%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)					
TOTAL	59	5,085	30	42.2	27.1-57.3		16	24.8	11.7-37.9		4	5.5	00.6-10.4		2	3.9	00.0-09.4		1	1.0	00.0-03.0		6	22.5	04.1-40.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5195	722,283	793	13.1	11.9-14.3	4402	86.9	85.7-88.1
Male	2080	345,148	700	24.9	22.7-27.1	1380	75.1	72.9-77.3
Female	3115	377,135	93	2.3	01.5-03.1	3022	97.7	96.9-98.5
18-24	281	92,222	8	2.7	00.2-05.2	273	97.3	94.8-99.8
25-34	489	117,896	44	7.2	04.7-09.7	445	92.8	90.3-95.3
35-44	607	110,579	45	6.4	04.2-08.6	562	93.6	91.4-95.8
45-54	886	130,563	114	12.5	09.8-15.2	772	87.5	84.8-90.2
55-64	1099	119,994	160	18.1	15.0-21.2	939	81.9	78.8-85.0
65+	1781	146,265	415	26.0	23.3-28.7	1366	74.0	71.3-76.7
Less Than H.S.	423	98,353	34	5.8	03.3-08.3	389	94.2	91.7-96.7
H.S. or G.E.D.	1563	226,373	226	14.2	12.0-16.4	1337	85.8	83.6-88.0
Some Post-H.S.	1343	211,618	219	14.4	12.2-16.6	1124	85.6	83.4-87.8
College Graduate	1845	183,925	313	14.3	12.3-16.3	1532	85.7	83.7-87.7
Less than \$15,000	449	62,626	47	8.9	05.6-12.2	402	91.1	87.8-94.4
\$15,000- 24,999	738	98,707	88	10.5	07.8-13.2	650	89.5	86.8-92.2
\$25,000- 34,999	495	64,822	82	13.5	10.0-17.0	413	86.5	83.0-90.0
\$35,000- 49,999	688	95,602	124	15.8	12.5-19.1	564	84.2	80.9-87.5
\$50,000- 74,999	687	94,004	134	16.7	13.2-20.2	553	83.3	79.8-86.8
\$75,000+	1349	201,735	220	13.9	11.7-16.1	1129	86.1	83.9-88.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
 (VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2080	345,148	700	24.9	22.7-27.1	1380	75.1	72.9-77.3
18-24	137	46,561	5	2.8	00.1-05.5	132	97.2	94.5-99.9
25-34	211	58,969	38	13.5	08.6-18.4	173	86.5	81.6-91.4
35-44	259	53,727	35	11.3	07.2-15.4	224	88.7	84.6-92.8
45-54	365	63,184	82	20.9	15.8-26.0	283	79.1	74.0-84.2
55-64	419	56,835	140	35.7	29.8-41.6	279	64.3	58.4-70.2
65+	674	64,418	394	57.1	52.4-61.8	280	42.9	38.2-47.6
Less Than H.S.	179	49,289	34	11.5	06.6-16.4	145	88.5	83.6-93.4
H.S. or G.E.D.	646	115,880	213	25.9	22.0-29.8	433	74.1	70.2-78.0
Some Post-H.S.	470	92,038	183	29.8	24.9-34.7	287	70.2	65.3-75.1
College Graduate	775	86,678	269	26.2	22.7-29.7	506	73.8	70.3-77.3
Less than \$15,000	133	24,019	38	19.3	11.3-27.3	95	80.7	72.7-88.7
\$15,000- 24,999	261	43,801	78	21.7	16.0-27.4	183	78.3	72.6-84.0
\$25,000- 34,999	192	31,366	75	26.6	19.3-33.9	117	73.4	66.1-80.7
\$35,000- 49,999	299	48,263	113	29.6	23.3-35.9	186	70.4	64.1-76.7
\$50,000- 74,999	296	47,540	115	29.9	23.6-36.2	181	70.1	63.8-76.4
\$75,000+	638	105,962	190	23.8	19.9-27.7	448	76.2	72.3-80.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3115	377,135	93	2.3	01.5-03.1	3022	97.7	96.9-98.5
18-24	144	45,661	3	2.6	00.0-06.7	141	97.4	93.3-0100
25-34	278	58,927	6	0.9	00.0-01.9	272	99.1	98.1-0100
35-44	348	56,853	10	1.9	00.5-03.3	338	98.1	96.7-99.5
45-54	521	67,379	32	4.6	02.6-06.6	489	95.4	93.4-97.4
55-64	680	63,159	20	2.1	01.1-03.1	660	97.9	96.9-98.9
65+	1107	81,847	21	1.6	00.8-02.4	1086	98.4	97.6-99.2
Less Than H.S.	244	49,063				244	100.0	0100-0100
H.S. or G.E.D.	917	110,494	13	1.8	00.0-03.6	904	98.2	96.4-0100
Some Post-H.S.	873	119,580	36	2.6	01.6-03.6	837	97.4	96.4-98.4
College Graduate	1070	97,247	44	3.6	02.2-05.0	1026	96.4	95.0-97.8
Less than \$15,000	316	38,607	9	2.4	00.6-04.2	307	97.6	95.8-99.4
\$15,000- 24,999	477	54,905	10	1.6	00.6-02.6	467	98.4	97.4-99.4
\$25,000- 34,999	303	33,455	7	1.2	00.2-02.2	296	98.8	97.8-99.8
\$35,000- 49,999	389	47,340	11	1.7	00.5-02.9	378	98.3	97.1-99.5
\$50,000- 74,999	391	46,464	19	3.3	01.5-05.1	372	96.7	94.9-98.5
\$75,000+	711	95,773	30	3.0	01.6-04.4	681	97.0	95.6-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5155	718,424	2633	50.5	48.7-52.3	762	10.9	09.9-11.9	669	6.9	06.1-07.7	128	2.9	02.3-03.5	821	24.5	22.7-26.3	142	4.3	03.3-05.3
Male	2070	343,606	1176	52.8	49.9-55.7	271	9.9	08.3-11.5	141	3.2	02.6-03.8	48	2.5	01.7-03.3	370	26.6	23.7-29.5	64	5.0	03.4-06.6
Female	3085	374,818	1457	48.4	46.0-50.8	491	11.8	10.4-13.2	528	10.3	09.1-11.5	80	3.4	02.4-04.4	451	22.5	20.1-24.9	78	3.6	02.6-04.6
White/Non-Hisp	3808	481,233	2096	57.4	55.2-59.6	558	10.5	09.3-11.7	555	7.9	07.1-08.7	61	1.7	01.1-02.3	455	19.2	17.0-21.4	83	3.3	02.3-04.3
Black or Afr. Am./Non-Hisp	762	140,045	269	33.2	28.9-37.5	141	14.1	11.2-17.0	66	6.0	04.0-08.0	45	5.6	03.6-07.6	229	39.4	34.5-44.3	12	1.7	00.5-02.9
Oth. Race/Non-Hisp.	208	31,236	113	52.4	41.6-63.2	21	9.5	01.5-17.5	17	3.1	01.1-05.1	6	1.1	00.1-02.1	46	31.5	20.1-42.9	5	2.4	00.0-04.9
MultiRacial/Non-Hisp.	70	5,267	24	32.4	19.9-44.9	12	10.9	03.3-18.5	8	6.0	00.0-12.3	1	1.4	00.0-04.1	19	37.7	23.2-52.2	6	11.5	02.3-20.7
Hispanic	238	52,282	94	33.6	26.7-40.5	24	7.8	04.3-11.3	14	2.8	01.0-04.6	13	8.6	03.1-14.1	63	28.0	20.9-35.1	30	19.2	12.5-25.9
18-24	279	91,528	21	4.9	02.4-07.4	3	0.7	00.0-01.5				6	3.1	00.2-06.0	232	87.1	82.8-91.4	17	4.2	01.8-06.6
25-34	484	116,998	232	41.4	36.1-46.7	27	4.1	02.3-05.9	2	0.2	00.0-00.6	11	2.7	00.9-04.5	167	38.9	33.2-44.6	45	12.7	08.6-16.8
35-44	604	110,174	375	62.4	57.7-67.1	84	10.9	08.0-13.8	6	0.8	00.0-01.6	27	5.0	02.8-07.2	91	16.0	12.3-19.7	21	4.8	02.4-07.2
45-54	881	130,229	517	63.7	59.8-67.6	169	16.5	13.6-19.4	25	2.3	01.1-03.5	33	3.8	02.2-05.4	114	11.6	09.1-14.1	23	2.1	01.1-03.1
55-64	1095	119,944	603	59.9	56.0-63.8	222	18.2	15.1-21.3	94	7.8	05.4-10.2	31	2.7	01.5-03.9	121	9.1	06.9-11.3	24	2.2	01.2-03.2
65+	1771	145,478	861	57.7	54.8-60.6	251	11.6	09.8-13.4	536	24.6	22.2-27.0	20	1.0	00.4-01.6	91	4.4	03.2-05.6	12	0.8	00.2-01.4
Less Than H.S.	415	96,725	132	29.3	23.8-34.8	65	12.3	08.4-16.2	92	11.1	08.0-14.2	23	6.1	03.0-09.2	79	31.4	24.7-38.1	24	9.9	05.8-14.0
H.S. or G.E.D.	1557	226,087	735	47.6	44.3-50.9	235	11.0	09.2-12.8	244	8.2	06.8-09.6	51	3.6	02.4-04.8	257	26.9	23.4-30.4	35	2.7	01.7-03.7
Some Post-H.S.	1337	211,124	653	49.9	46.4-53.4	222	11.7	09.7-13.7	161	5.5	04.3-06.7	31	2.5	01.3-03.7	241	27.2	23.7-30.7	29	3.2	01.4-05.0
College Graduate	1834	183,233	1107	66.0	63.3-68.7	238	9.1	07.7-10.5	170	4.6	03.8-05.4	23	1.0	00.4-01.6	242	14.7	12.5-16.9	54	4.5	02.9-06.1
Less than \$15,000	442	61,449	82	17.2	12.9-21.5	110	16.6	12.1-21.1	93	11.5	08.2-14.8	19	6.3	01.8-10.8	118	41.9	34.6-49.2	20	6.5	03.0-10.0
\$15,000- 24,999	734	98,338	202	28.6	24.5-32.7	158	17.9	14.2-21.6	161	13.3	10.4-16.2	38	7.3	04.6-10.0	148	27.1	22.6-31.6	27	5.8	03.4-08.2
\$25,000- 34,999	491	64,308	183	39.7	33.8-45.6	104	17.4	13.1-21.7	81	9.4	06.7-12.1	19	4.3	02.1-06.5	85	23.7	18.2-29.2	19	5.4	02.5-08.3
\$35,000- 49,999	686	95,546	324	41.8	36.9-46.7	120	14.3	11.2-17.4	82	6.6	04.6-08.6	19	2.8	01.4-04.2	129	32.0	26.3-37.7	12	2.5	00.5-04.5
\$50,000- 74,999	687	94,004	409	61.7	56.6-66.8	106	11.1	08.4-13.8	54	3.6	02.4-04.8	7	0.7	00.1-01.3	98	18.8	14.5-23.1	13	4.2	00.9-07.5
\$75,000+	1347	201,666	1039	75.7	72.4-79.0	93	4.8	03.6-06.0	55	2.0	01.2-02.8	14	1.3	00.5-02.1	110	12.9	10.0-15.8	36	3.3	01.9-04.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS
 TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2070	343,606	1176	52.8	49.9-55.7	271	9.9	08.3-11.5	141	3.2	02.6-03.8	48	2.5	01.7-03.3	370	26.6	23.7-29.5	64	5.0	03.4-06.6
White/Non-Hisp	1528	230,246	914	59.4	56.1-62.7	210	9.9	08.3-11.5	118	3.8	02.8-04.8	20	1.1	00.5-01.7	232	22.0	18.9-25.1	34	3.9	02.1-05.7
Black or Afr. Am./Non-Hisp	287	64,608	135	38.4	31.3-45.5	41	12.1	07.8-16.4	10	1.7	00.5-02.9	18	6.2	03.1-09.3	80	40.3	32.5-48.1	3	1.2	00.0-02.8
Oth. Race/Non-Hisp.	99	17,450	63	53.8	37.3-70.3	9	12.1	00.0-25.6	3	0.7	00.0-01.7	2	0.6	00.0-01.4	18	29.1	11.9-46.3	4	3.6	00.0-08.1
Hispanic	98	23,740	38	29.9	20.3-39.5	4	3.2	00.0-06.5	6	3.0	00.5-05.5	6	7.5	00.8-14.2	27	31.5	20.9-42.1	17	24.8	14.2-35.4
18-24	136	46,270	9	5.3	01.2-09.4	1	0.2	00.0-00.6				1	0.9	00.0-02.7	118	89.3	83.4-95.2	7	4.3	00.4-08.2
25-34	208	58,249	102	39.8	32.0-47.6	6	2.2	00.2-04.2				5	3.6	00.3-06.9	73	40.0	31.6-48.4	22	14.3	07.6-21.0
35-44	259	53,727	164	61.7	54.8-68.6	31	10.0	06.1-13.9	2	1.1	00.0-02.7	7	2.8	00.6-05.0	42	17.0	11.5-22.5	13	7.4	03.3-11.5
45-54	362	62,934	217	64.6	58.7-70.5	59	13.4	09.5-17.3	5	0.8	00.0-01.6	18	4.1	01.9-06.3	56	15.4	10.7-20.1	7	1.8	00.2-03.4
55-64	420	57,120	259	64.3	58.2-70.4	77	19.4	13.7-25.1	17	2.6	01.2-04.0	10	2.3	00.5-04.1	46	9.1	06.0-12.2	11	2.4	00.8-04.0
65+	674	64,336	419	69.9	65.8-74.0	94	11.5	08.6-14.4	117	13.0	10.1-15.9	7	1.0	00.0-02.0	33	4.0	02.2-05.8	4	0.6	00.0-01.4
Less Than H.S.	176	48,360	62	30.6	22.4-38.8	32	13.5	07.0-20.0	21	4.8	02.3-07.3	5	2.0	00.0-04.2	43	37.6	27.6-47.6	13	11.6	05.3-17.9
H.S. or G.E.D.	645	115,957	331	49.9	45.0-54.8	90	9.6	07.2-12.0	38	3.2	02.0-04.4	26	4.2	02.2-06.2	140	29.6	24.7-34.5	20	3.5	01.9-05.1
Some Post-H.S.	470	91,929	257	50.9	45.0-56.8	69	10.2	07.3-13.1	24	2.1	01.1-03.1	13	2.6	00.8-04.4	96	30.1	24.0-36.2	11	4.1	00.8-07.4
College Graduate	775	86,753	522	70.9	67.0-74.8	80	8.0	05.8-10.2	58	3.4	02.4-04.4	4	0.5	00.0-01.1	91	12.8	09.9-15.7	20	4.4	02.0-06.8
Less than \$15,000	132	23,585	34	20.8	12.6-29.0	26	11.3	05.0-17.6	12	4.4	01.1-07.7	4	5.2	00.0-10.7	47	51.1	38.9-63.3	9	7.1	02.2-12.0
\$15,000- 24,999	260	43,650	86	30.5	23.6-37.4	56	18.7	12.0-25.4	26	4.3	02.3-06.3	16	7.3	03.0-11.6	62	31.0	23.6-38.4	14	8.1	03.6-12.6
\$25,000- 34,999	191	31,198	89	45.7	36.3-55.1	30	9.5	05.0-14.0	19	5.8	02.3-09.3	7	2.9	00.4-05.4	39	28.9	19.7-38.1	7	7.2	01.7-12.7
\$35,000- 49,999	299	48,263	155	43.9	36.5-51.3	49	14.3	09.6-19.0	21	2.8	01.2-04.4	9	2.5	00.7-04.3	58	33.7	25.1-42.3	7	2.7	00.0-05.6
\$50,000- 74,999	296	47,540	187	58.9	51.1-66.7	38	10.9	06.8-15.0	18	2.8	01.2-04.4	1	0.2	00.0-00.6	45	20.6	14.1-27.1	7	6.6	00.3-12.9
\$75,000+	638	106,011	496	75.5	70.8-80.2	40	5.0	03.0-07.0	24	1.7	00.7-02.7	5	1.2	00.0-02.4	58	13.4	09.3-17.5	15	3.1	01.1-05.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS
TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3085	374,818	1457	48.4	46.0-50.8	491	11.8	10.4-13.2	528	10.3	09.1-11.5	80	3.4	02.4-04.4	451	22.5	20.1-24.9	78	3.6	02.6-04.6
White/Non-Hisp	2280	250,987	1182	55.6	52.7-58.5	348	11.1	09.5-12.7	437	11.6	10.2-13.0	41	2.3	01.5-03.1	223	16.7	13.8-19.6	49	2.8	01.8-03.8
Black or Afr. Am./Non-Hisp	475	75,437	134	28.7	23.6-33.8	100	15.7	11.6-19.8	56	9.6	06.1-13.1	27	5.1	02.6-07.6	149	38.6	32.5-44.7	9	2.2	00.4-04.0
Oth. Race/Non-Hisp.	109	13,785	50	50.7	37.4-64.0	12	6.1	01.8-10.4	14	6.1	02.0-10.2	4	1.8	00.0-04.0	28	34.5	20.8-48.2	1	0.7	00.0-02.1
Hispanic	140	28,542	56	36.7	26.9-46.5	20	11.6	05.7-17.5	8	2.7	00.5-04.9	7	9.4	01.0-17.8	36	25.0	15.6-34.4	13	14.5	06.1-22.9
18-24	143	45,258	12	4.5	01.8-07.2	2	1.2	00.0-03.0				5	5.3	00.0-10.8	114	85.0	78.3-91.7	10	4.1	01.4-06.8
25-34	276	58,749	130	42.9	35.6-50.2	21	6.0	03.1-08.9	2	0.4	00.0-01.2	6	1.7	00.1-03.3	94	37.8	30.2-45.4	23	11.1	06.0-16.2
35-44	345	56,447	211	63.1	56.6-69.6	53	11.7	07.6-15.8	4	0.6	00.0-01.2	20	7.2	03.7-10.7	49	15.1	10.0-20.2	8	2.4	00.2-04.6
45-54	519	67,295	300	62.8	57.7-67.9	110	19.3	15.0-23.6	20	3.7	01.5-05.9	15	3.5	01.1-05.9	58	8.1	05.6-10.6	16	2.5	01.1-03.9
55-64	675	62,824	344	55.9	51.0-60.8	145	17.2	13.9-20.5	77	12.6	08.5-16.7	21	3.1	01.3-04.9	75	9.1	06.4-11.8	13	2.1	00.9-03.3
65+	1097	81,142	442	48.0	44.3-51.7	157	11.7	09.3-14.1	419	33.8	30.5-37.1	13	1.0	00.2-01.8	58	4.7	03.1-06.3	8	0.9	00.1-01.7
Less Than H.S.	239	48,365	70	27.9	20.6-35.2	33	11.1	06.6-15.6	71	17.3	11.6-23.0	18	10.2	04.3-16.1	36	25.1	16.7-33.5	11	8.3	03.0-13.6
H.S. or G.E.D.	912	110,130	404	45.3	40.8-49.8	145	12.5	10.0-15.0	206	13.5	11.1-15.9	25	2.9	01.3-04.5	117	24.1	19.2-29.0	15	1.8	00.8-02.8
Some Post-H.S.	867	119,195	396	49.1	44.8-53.4	153	12.8	10.3-15.3	137	8.2	06.4-10.0	18	2.5	01.1-03.9	145	24.9	20.6-29.2	18	2.5	01.1-03.9
College Graduate	1059	96,480	585	61.6	57.9-65.3	158	10.0	08.0-12.0	112	5.7	04.5-06.9	19	1.5	00.7-02.3	151	16.5	13.4-19.6	34	4.7	02.7-06.7
Less than \$15,000	310	37,864	48	14.9	10.0-19.8	84	19.9	13.8-26.0	81	15.9	11.2-20.6	15	7.0	00.7-13.3	71	36.2	27.8-44.6	11	6.1	01.2-11.0
\$15,000- 24,999	474	54,688	116	27.1	21.8-32.4	102	17.3	13.2-21.4	135	20.5	15.8-25.2	22	7.3	03.8-10.8	86	24.0	18.5-29.5	13	3.9	01.5-06.3
\$25,000- 34,999	300	33,110	94	34.0	26.9-41.1	74	24.9	18.0-31.8	62	12.8	08.9-16.7	12	5.6	02.1-09.1	46	18.9	12.8-25.0	12	3.7	01.3-06.1
\$35,000- 49,999	387	47,284	169	39.7	33.4-46.0	71	14.2	10.1-18.3	61	10.5	07.2-13.8	10	3.0	00.8-05.2	71	30.2	22.6-37.8	5	2.3	00.0-04.8
\$50,000- 74,999	391	46,464	222	64.6	58.3-70.9	68	11.2	07.9-14.5	36	4.4	02.6-06.2	6	1.2	00.0-02.4	53	17.0	11.1-22.9	6	1.6	00.0-03.2
\$75,000+	709	95,655	543	76.0	71.5-80.5	53	4.4	02.8-06.0	31	2.4	01.0-03.8	9	1.3	00.1-02.5	52	12.3	08.2-16.4	21	3.6	01.8-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5169	718,392	578	15.6	14.0-17.2	483	12.2	10.8-13.6	199	5.8	04.8-06.8	57	1.5	01.1-01.9	40	1.1	00.7-01.5	3812	63.8	61.8-65.8
Male	2074	343,758	217	14.2	12.0-16.4	186	11.2	09.2-13.2	76	4.9	03.7-06.1	26	1.4	00.8-02.0	16	1.0	00.4-01.6	1553	67.1	64.4-69.8
Female	3095	374,634	361	16.9	14.7-19.1	297	13.1	11.3-14.9	123	6.5	05.1-07.9	31	1.5	00.9-02.1	24	1.2	00.6-01.8	2259	60.8	58.3-63.3
White/Non-Hisp	3811	480,230	349	14.0	12.2-15.8	292	9.8	08.4-11.2	113	4.6	03.6-05.6	26	1.0	00.4-01.6	21	0.7	00.3-01.1	3010	69.9	67.7-72.1
Black or Afr. Am./Non-Hisp	764	140,060	113	16.7	13.2-20.2	92	15.2	11.5-18.9	40	6.4	04.0-08.8	23	2.9	01.5-04.3	11	1.7	00.3-03.1	485	57.1	52.4-61.8
Oth. Race/Non-Hisp.	211	31,456	45	23.2	15.2-31.2	30	12.9	07.2-18.6	13	7.2	02.9-11.5	3	1.1	00.0-02.9	1	0.5	00.0-01.5	119	55.0	44.8-65.2
MultiRacial/Non-Hisp.	70	5,267	14	21.6	10.0-33.2	8	19.8	06.7-32.9	2	2.9	00.0-07.2							46	55.7	41.4-70.0
Hispanic	238	52,130	49	22.4	15.5-29.3	55	26.5	19.4-33.6	30	14.7	09.0-20.4	5	2.0	00.0-04.0	6	3.4	00.5-06.3	93	31.0	24.1-37.9
18-24	278	90,936	55	22.4	16.3-28.5	30	10.8	06.3-15.3	15	5.3	02.4-08.2	2	0.5	00.0-01.1	1	0.2	00.0-00.6	175	60.8	53.7-67.9
25-34	487	117,206	111	24.0	19.1-28.9	110	20.2	16.1-24.3	52	11.0	07.7-14.3	19	3.6	01.6-05.6	13	2.1	00.5-03.7	182	39.1	33.4-44.8
35-44	604	110,170	141	22.3	18.4-26.2	188	31.9	27.2-36.6	81	14.1	10.8-17.4	27	4.0	02.2-05.8	18	3.5	01.5-05.5	149	24.3	20.2-28.4
45-54	882	130,241	156	19.7	16.4-23.0	115	11.9	09.4-14.4	35	4.6	02.8-06.4	5	0.7	00.0-01.7	1	0.1	00.0-00.3	570	63.0	58.9-67.1
55-64	1096	119,770	74	7.7	05.7-09.7	24	2.3	01.3-03.3	8	1.0	00.2-01.8	3	0.4	00.0-01.0	6	1.0	00.0-02.0	981	87.6	85.1-90.1
65+	1775	145,655	38	2.6	01.6-03.6	14	0.6	00.2-01.0	7	0.5	00.1-00.9	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1714	96.2	95.0-97.4
Less Than H.S.	412	96,114	43	14.6	09.7-19.5	30	11.3	07.0-15.6	25	8.0	04.5-11.5	4	1.6	00.0-03.2	10	3.0	00.8-05.2	300	61.5	55.0-68.0
H.S. or G.E.D.	1563	226,497	175	15.3	12.8-17.8	106	9.5	07.3-11.7	54	5.2	03.6-06.8	15	1.2	00.6-01.8	11	0.7	00.3-01.1	1202	68.2	64.9-71.5
Some Post-H.S.	1340	210,943	154	16.1	13.2-19.0	136	12.9	10.5-15.3	58	6.5	04.7-08.3	17	1.5	00.5-02.5	9	1.1	00.1-02.1	966	61.9	58.4-65.4
College Graduate	1840	183,444	205	15.9	13.5-18.3	210	15.4	13.0-17.8	62	4.5	03.3-05.7	21	1.6	00.8-02.4	10	0.7	00.1-01.3	1332	61.9	59.0-64.8
Less than \$15,000	439	60,591	43	15.7	10.0-21.4	28	9.5	05.2-13.8	17	7.4	03.5-11.3	5	1.4	00.0-02.8	7	2.2	00.0-04.6	339	63.8	56.7-70.9
\$15,000- 24,999	735	98,232	91	14.4	11.1-17.7	47	9.0	06.1-11.9	33	5.1	03.1-07.1	8	2.2	00.4-04.0	9	1.8	00.4-03.2	547	67.5	63.0-72.0
\$25,000- 34,999	495	64,822	46	12.8	08.5-17.1	46	13.7	09.0-18.4	15	3.8	01.6-06.0	10	3.0	00.6-05.4	4	1.3	00.0-02.7	374	65.5	59.4-71.6
\$35,000- 49,999	687	95,588	68	12.0	08.5-15.5	52	9.5	06.6-12.4	26	5.8	03.4-08.2	5	0.7	00.0-01.5	2	0.5	00.0-01.3	534	71.6	66.9-76.3
\$50,000- 74,999	685	93,841	84	19.1	14.4-23.8	59	10.6	07.5-13.7	32	7.7	04.6-10.8	9	1.7	00.3-03.1	6	1.5	00.0-03.1	495	59.4	54.1-64.7
\$75,000+	1349	201,596	173	16.5	13.8-19.2	193	16.6	14.1-19.1	58	6.2	04.4-08.0	17	1.3	00.5-02.1	8	0.7	00.1-01.3	900	58.7	55.2-62.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2074	343,758	217	14.2	12.0-16.4	186	11.2	09.2-13.2	76	4.9	03.7-06.1	26	1.4	00.8-02.0	16	1.0	00.4-01.6	1553	67.1	64.4-69.8
White/Non-Hisp	1527	229,603	135	13.5	10.8-16.2	108	8.5	06.7-10.3	44	4.1	02.7-05.5	15	1.5	00.5-02.5	11	1.0	00.2-01.8	1214	71.4	68.3-74.5
Black or Afr. Am./Non-Hisp	286	64,472	37	13.3	08.6-18.0	33	14.4	08.3-20.5	14	5.9	02.6-09.2	10	2.2	00.6-03.8	2	0.3	00.0-00.7	190	63.9	56.6-71.2
Oth. Race/Non-Hisp.	100	17,619	21	23.1	11.9-34.3	13	12.2	04.6-19.8	5	4.4	00.0-08.9	1	0.2	00.0-00.6				60	60.1	46.0-74.2
Hispanic	98	23,740	21	19.5	10.9-28.1	24	28.3	17.7-38.9	11	10.5	04.2-16.8				3	4.7	00.0-10.0	39	37.0	26.2-47.8
18-24	136	45,870	24	20.2	11.8-28.6	13	11.4	04.3-18.5	6	4.0	00.7-07.3	1	0.5	00.0-01.5				92	63.9	53.9-73.9
25-34	210	58,522	46	22.1	14.8-29.4	41	16.3	10.8-21.8	19	9.0	04.7-13.3	6	2.8	00.1-05.5	2	1.1	00.0-02.7	96	48.6	40.2-57.0
35-44	259	53,727	61	21.4	15.9-26.9	76	30.6	23.7-37.5	27	10.5	06.4-14.6	14	4.4	01.9-06.9	8	3.3	00.8-05.8	73	29.8	23.3-36.3
45-54	362	62,919	55	17.1	12.2-22.0	43	10.0	06.7-13.3	20	5.9	02.8-09.0	1	0.1	00.0-00.3	1	0.3	00.0-00.9	242	66.7	60.8-72.6
55-64	420	57,120	24	6.4	03.7-09.1	8	1.5	00.3-02.7	3	0.6	00.0-01.4	3	0.9	00.0-02.1	4	1.6	00.0-03.8	378	89.0	85.3-92.7
65+	672	64,160	7	1.1	00.1-02.1	5	0.5	00.1-00.9	1	0.3	00.0-00.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3	657	97.9	96.5-99.3
Less Than H.S.	175	47,824	12	9.6	03.7-15.5	14	11.8	05.1-18.5	5	2.8	00.3-05.3				5	3.7	00.2-07.2	139	72.2	63.4-81.0
H.S. or G.E.D.	646	116,061	74	14.1	10.6-17.6	47	9.3	06.2-12.4	24	5.3	02.9-07.7	6	1.0	00.2-01.8	3	0.5	00.0-01.1	492	69.7	65.0-74.4
Some Post-H.S.	470	91,929	53	16.3	11.2-21.4	46	11.7	08.0-15.4	22	6.0	03.3-08.7	8	2.0	00.2-03.8	3	0.4	00.0-01.0	338	63.6	57.7-69.5
College Graduate	776	86,798	77	14.5	11.2-17.8	79	13.2	10.1-16.3	25	4.6	02.6-06.6	12	2.1	00.7-03.5	5	1.0	00.0-02.2	578	64.6	60.3-68.9
Less than \$15,000	130	22,759	6	4.9	00.8-09.0	9	7.4	01.9-12.9	7	7.3	01.8-12.8	1	0.6	00.0-01.8	2	0.8	00.0-02.0	105	79.0	70.4-87.6
\$15,000- 24,999	260	43,650	28	13.1	07.8-18.4	15	7.1	03.2-11.0	8	4.0	01.1-06.9	2	1.0	00.0-02.4	4	1.9	00.0-04.1	203	72.8	65.9-79.7
\$25,000- 34,999	192	31,366	18	11.9	05.6-18.2	13	9.5	03.0-16.0	6	3.0	00.3-05.7	4	3.3	00.0-07.4	1	1.1	00.0-03.3	150	71.2	62.2-80.2
\$35,000- 49,999	299	48,263	22	7.8	04.3-11.3	25	9.5	05.0-14.0	9	3.8	01.3-06.3	3	1.2	00.0-02.8	1	0.7	00.0-02.1	239	76.9	70.8-83.0
\$50,000- 74,999	295	47,470	35	20.5	12.9-28.1	22	10.0	05.5-14.5	10	5.2	01.7-08.7	4	0.8	00.0-01.8	3	2.4	00.0-05.3	221	61.0	53.2-68.8
\$75,000+	639	106,065	81	16.2	12.3-20.1	80	14.6	11.1-18.1	30	6.6	04.1-09.1	11	2.0	00.6-03.4	5	0.7	00.0-01.5	432	60.0	55.1-64.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3095	374,634	361	16.9	14.7-19.1	297	13.1	11.3-14.9	123	6.5	05.1-07.9	31	1.5	00.9-02.1	24	1.2	00.6-01.8	2259	60.8	58.3-63.3
White/Non-Hisp	2284	250,626	214	14.5	12.1-16.9	184	11.0	09.2-12.8	69	5.0	03.6-06.4	11	0.6	00.2-01.0	10	0.5	00.1-00.9	1796	68.4	65.7-71.1
Black or Afr. Am./Non-Hisp	478	75,587	76	19.6	14.7-24.5	59	15.9	11.4-20.4	26	6.8	03.7-09.9	13	3.5	01.1-05.9	9	2.9	00.4-05.4	295	51.3	45.4-57.2
Oth. Race/Non-Hisp.	111	13,836	24	23.4	12.2-34.6	17	13.8	05.6-22.0	8	10.9	03.1-18.7	2	2.2	00.0-06.1	1	1.2	00.0-03.6	59	48.5	35.2-61.8
Hispanic	140	28,390	28	24.8	14.4-35.2	31	25.0	15.8-34.2	19	18.2	09.4-27.0	5	3.6	00.0-07.3	3	2.3	00.0-05.2	54	26.1	17.9-34.3
18-24	142	45,066	31	24.8	16.0-33.6	17	10.2	04.7-15.7	9	6.7	02.0-11.4	1	0.5	00.0-01.5	1	0.4	00.0-01.2	83	57.5	47.7-67.3
25-34	277	58,685	65	25.8	19.1-32.5	69	24.1	18.2-30.0	33	13.0	07.9-18.1	13	4.3	01.6-07.0	11	3.1	00.4-05.8	86	29.6	22.5-36.7
35-44	345	56,444	80	23.1	17.4-28.8	112	33.1	26.8-39.4	54	17.5	12.4-22.6	13	3.5	01.1-05.9	10	3.7	01.0-06.4	76	19.1	14.2-24.0
45-54	520	67,322	101	22.2	17.5-26.9	72	13.7	09.8-17.6	15	3.3	01.3-05.3	4	1.2	00.0-03.0				328	59.5	54.2-64.8
55-64	676	62,651	50	9.0	06.1-11.9	16	3.0	01.2-04.8	5	1.3	00.0-02.7				2	0.5	00.0-01.1	603	86.3	82.8-89.8
65+	1103	81,495	31	3.8	02.2-05.4	9	0.7	00.1-01.3	6	0.7	00.1-01.3							1057	94.8	93.0-96.6
Less Than H.S.	237	48,289	31	19.5	11.9-27.1	16	10.9	05.4-16.4	20	13.1	06.8-19.4	4	3.2	00.1-06.3	5	2.3	00.0-04.7	161	51.0	42.4-59.6
H.S. or G.E.D.	917	110,436	101	16.5	12.8-20.2	59	9.6	06.7-12.5	30	5.1	03.1-07.1	9	1.3	00.3-02.3	8	0.9	00.1-01.7	710	66.5	62.0-71.0
Some Post-H.S.	870	119,014	101	16.1	12.6-19.6	90	13.8	10.7-16.9	36	6.8	04.3-09.3	9	1.1	00.3-01.9	6	1.6	00.0-03.2	628	60.6	56.1-65.1
College Graduate	1064	96,647	128	17.1	13.8-20.4	131	17.4	14.3-20.5	37	4.3	02.7-05.9	9	1.2	00.0-02.4	5	0.4	00.0-00.8	754	59.6	55.7-63.5
Less than \$15,000	309	37,832	37	22.2	13.8-30.6	19	10.7	04.6-16.8	10	7.5	02.0-13.0	4	2.0	00.0-04.0	5	3.0	00.0-06.7	234	54.6	45.8-63.4
\$15,000- 24,999	475	54,582	63	15.4	11.1-19.7	32	10.5	06.4-14.6	25	6.0	03.3-08.7	6	3.2	00.3-06.1	5	1.7	00.1-03.3	344	63.2	57.3-69.1
\$25,000- 34,999	303	33,455	28	13.6	07.9-19.3	33	17.6	10.7-24.5	9	4.5	01.4-07.6	6	2.7	00.3-05.1	3	1.4	00.0-03.2	224	60.2	52.6-67.8
\$35,000- 49,999	388	47,326	46	16.2	09.9-22.5	27	9.4	05.5-13.3	17	7.8	03.9-11.7	2	0.3	00.0-00.7	1	0.2	00.0-00.6	295	66.1	59.0-73.2
\$50,000- 74,999	390	46,371	49	17.6	12.1-23.1	37	11.3	07.2-15.4	22	10.2	05.3-15.1	5	2.5	00.0-05.0	3	0.6	00.0-01.4	274	57.8	50.9-64.7
\$75,000+	710	95,531	92	16.8	13.1-20.5	113	18.9	15.2-22.6	28	5.8	03.3-08.3	6	0.5	00.1-00.9	3	0.7	00.0-01.9	468	57.3	52.4-62.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5169	718,981	6	0.4	00.0-00.8	92	2.7	02.1-03.3	312	10.4	09.0-11.8	1566	31.5	29.7-33.3	1344	29.4	27.6-31.2	1849	25.6	24.2-27.0
Male	2071	343,556	6	0.7	00.1-01.3	42	3.1	02.1-04.1	127	10.3	08.1-12.5	647	33.8	31.1-36.5	471	26.8	24.1-29.5	778	25.3	23.1-27.5
Female	3098	375,425				50	2.3	01.5-03.1	185	10.4	08.4-12.4	919	29.5	27.3-31.7	873	31.9	29.5-34.3	1071	25.9	23.9-27.9
White/Non-Hisp	3815	481,745	1	0.2	00.0-00.6	32	1.1	00.7-01.5	180	7.5	06.1-08.9	1168	32.8	30.6-35.0	975	30.4	28.4-32.4	1459	28.1	26.3-29.9
Black or Afr. Am./Non-Hisp	763	139,806	1	0.4	00.0-01.2	10	0.9	00.3-01.5	92	18.0	13.7-22.3	244	31.8	27.5-36.1	229	31.6	27.1-36.1	187	17.4	14.5-20.3
Oth. Race/Non-Hisp.	208	30,837				3	2.1	00.0-05.8	6	5.7	00.0-13.7	48	17.4	10.0-24.8	46	26.9	16.1-37.7	105	47.9	37.3-58.5
MultiRacial/Non-Hisp.	70	5,267				1	2.0	00.0-05.9				26	48.3	34.0-62.6	25	34.1	20.4-47.8	18	15.6	07.6-23.6
Hispanic	240	52,397	4	2.4	00.0-04.9	44	22.3	15.8-28.8	26	19.6	12.3-26.9	63	26.8	19.9-33.7	55	18.0	12.7-23.3	48	10.9	07.4-14.4
18-24	280	91,819				3	1.4	00.0-03.0	22	13.8	08.1-19.5	115	39.6	32.7-46.5	96	35.9	29.0-42.8	44	9.3	06.0-12.6
25-34	487	117,280	2	1.1	00.0-02.7	13	3.6	01.4-05.8	32	11.8	07.3-16.3	115	24.4	19.5-29.3	148	32.9	27.6-38.2	177	26.1	21.8-30.4
35-44	606	110,278	1	0.3	00.0-00.9	15	4.5	02.1-06.9	20	6.6	03.5-09.7	134	23.6	19.5-27.7	154	29.1	24.6-33.6	282	35.9	31.6-40.2
45-54	884	130,256				13	1.8	00.6-03.0	56	11.1	08.0-14.2	245	30.9	26.8-35.0	243	28.3	24.6-32.0	327	27.9	24.6-31.2
55-64	1095	119,735	1	0.2	00.0-00.6	15	1.8	00.6-03.0	54	8.4	05.3-11.5	325	34.2	30.5-37.9	282	27.9	24.6-31.2	418	27.6	24.7-30.5
65+	1772	145,541	2	0.5	00.0-01.3	32	2.9	01.5-04.3	128	11.2	09.0-13.4	621	36.4	33.7-39.1	411	25.2	22.7-27.7	578	23.9	21.7-26.1
Less than \$15,000	436	60,902				21	6.0	03.1-08.9	71	28.6	21.2-36.0	188	34.4	28.3-40.5	112	25.9	19.8-32.0	44	5.1	03.1-07.1
\$15,000- 24,999	737	98,693	3	0.7	00.0-01.5	34	7.6	04.7-10.5	96	21.1	16.4-25.8	302	37.6	33.1-42.1	198	26.0	22.1-29.9	104	7.0	05.2-08.8
\$25,000- 34,999	494	64,653	1	0.9	00.0-02.7	7	2.6	00.4-04.8	43	15.1	10.0-20.2	208	44.4	38.5-50.3	139	25.4	20.3-30.5	96	11.6	08.5-14.7
\$35,000- 49,999	687	95,588				3	1.0	00.0-02.4	22	5.5	02.8-08.2	244	39.9	34.8-45.0	229	36.4	31.1-41.7	189	17.2	14.3-20.1
\$50,000- 74,999	686	93,905				2	0.4	00.0-01.0	14	4.7	01.6-07.8	159	27.2	22.7-31.7	195	35.0	30.1-39.9	316	32.8	28.5-37.1
\$75,000+	1349	201,770	1	0.4	00.0-01.2	5	0.7	00.0-01.5	7	1.3	00.3-02.3	191	19.7	16.6-22.8	290	29.1	25.8-32.4	855	48.9	45.4-52.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2071	343,556	6	0.7	00.1-01.3	42	3.1	02.1-04.1	127	10.3	08.1-12.5	647	33.8	31.1-36.5	471	26.8	24.1-29.5	778	25.3	23.1-27.5
White/Non-Hisp	1529	230,373	1	0.3	00.0-00.9	15	1.4	00.6-02.2	82	8.1	05.9-10.3	478	35.0	31.9-38.1	341	27.5	24.4-30.6	612	27.6	25.1-30.1
Black or Afr. Am./Non-Hisp	285	64,373	1	0.8	00.0-02.4	3	1.0	00.0-02.2	25	14.4	07.5-21.3	107	39.6	32.2-47.0	76	27.8	21.1-34.5	73	16.4	11.9-20.9
Oth. Race/Non-Hisp.	98	17,069	2	3.7	00.0-10.4	2	3.7	00.0-10.4	3	9.0	00.0-22.9	19	9.1	03.4-14.8	17	28.7	11.3-46.1	57	49.5	33.4-65.6
Hispanic	98	23,740	4	5.2	00.0-10.9	19	22.7	13.1-32.3	13	20.9	10.7-31.1	25	24.5	15.1-33.9	20	17.8	09.8-25.8	17	8.9	04.2-13.6
18-24	137	46,561				2	2.0	00.0-04.9	10	12.6	04.6-20.6	65	44.0	33.8-54.2	45	36.0	26.0-46.0	15	5.3	02.4-08.2
25-34	209	58,353	2	2.3	00.0-05.4	8	4.8	01.3-08.3	11	10.7	04.0-17.4	55	25.8	18.7-32.9	56	32.0	23.8-40.2	77	24.4	18.3-30.5
35-44	258	53,426	1	0.6	00.0-01.8	7	4.2	01.1-07.3	10	7.7	03.0-12.4	74	30.3	23.6-37.0	57	23.5	17.6-29.4	109	33.6	27.3-39.9
45-54	363	63,036				6	2.0	00.2-03.8	28	12.4	07.5-17.3	109	33.1	26.6-39.6	93	26.6	20.9-32.3	127	26.0	20.9-31.1
55-64	421	57,143	1	0.3	00.0-00.9	7	1.7	00.3-03.1	16	6.8	01.9-11.7	136	38.0	32.1-43.9	93	23.8	18.9-28.7	168	29.4	24.5-34.3
65+	671	64,069	2	1.1	00.0-02.9	11	3.3	00.9-05.7	52	11.6	08.1-15.1	206	33.9	29.4-38.4	127	21.4	17.3-25.5	273	28.7	25.0-32.4
Less than \$15,000	130	23,418				11	8.9	03.0-14.8	23	26.5	13.8-39.2	60	37.9	26.7-49.1	25	23.3	12.9-33.7	11	3.3	00.6-06.0
\$15,000- 24,999	261	43,801	3	1.5	00.0-03.3	11	6.8	02.7-10.9	36	21.9	14.1-29.7	109	39.3	31.9-46.7	61	22.8	16.5-29.1	41	7.7	04.8-10.6
\$25,000- 34,999	191	31,198	1	1.9	00.0-05.4	2	2.4	00.0-05.7	26	18.9	10.7-27.1	91	46.8	37.4-56.2	35	19.6	11.2-28.0	36	10.4	05.9-14.9
\$35,000- 49,999	299	48,263				2	1.7	00.0-04.2	15	9.0	03.9-14.1	120	44.3	36.7-51.9	87	30.5	22.7-38.3	75	14.5	10.4-18.6
\$50,000- 74,999	295	47,440				1	0.1	00.0-00.3	6	3.5	00.0-07.4	75	28.6	21.9-35.3	90	38.7	31.1-46.3	123	29.1	23.0-35.2
\$75,000+	639	106,065	1	0.7	00.0-02.1	3	1.2	00.0-02.6	3	0.7	00.0-01.5	108	24.6	19.7-29.5	127	25.9	21.6-30.2	397	46.9	42.0-51.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3098	375,425	50	2.3	01.5-03.1	185	10.4	08.4-12.4	919	29.5	27.3-31.7	873	31.9	29.5-34.3	1071	25.9	23.9-27.9
White/Non-Hisp	2286	251,372	17	0.7	00.3-01.1	98	7.0	05.0-09.0	690	30.7	28.0-33.4	634	33.0	30.3-35.7	847	28.5	26.1-30.9
Black or Afr. Am./Non-Hisp	478	75,433	7	0.8	00.2-01.4	67	21.0	15.7-26.3	137	25.2	20.3-30.1	153	34.8	28.9-40.7	114	18.3	14.2-22.4
Oth. Race/Non-Hisp.	110	13,768	1	0.2	00.0-00.6	3	1.7	00.0-03.7	29	27.6	14.3-40.9	29	24.7	14.1-35.3	48	45.8	32.7-58.9
Hispanic	142	28,657	25	21.9	13.3-30.5	13	18.6	08.2-29.0	38	28.7	18.9-38.5	35	18.1	11.2-25.0	31	12.6	07.3-17.9
18-24	143	45,258	1	0.7	00.0-02.1	12	15.0	06.8-23.2	50	35.1	25.7-44.5	51	35.8	26.6-45.0	29	13.4	07.7-19.1
25-34	278	58,927	5	2.3	00.1-04.5	21	13.0	07.1-18.9	60	23.1	16.2-30.0	92	33.8	26.9-40.7	100	27.8	21.7-33.9
35-44	348	56,853	8	4.7	01.4-08.0	10	5.6	01.7-09.5	60	17.3	12.6-22.0	97	34.5	27.8-41.2	173	38.0	32.1-43.9
45-54	521	67,219	7	1.7	00.3-03.1	28	9.8	05.9-13.7	136	28.9	23.8-34.0	150	30.0	25.1-34.9	200	29.6	25.3-33.9
55-64	674	62,592	8	1.9	00.1-03.7	38	9.8	05.7-13.9	189	30.7	26.2-35.2	189	31.6	27.1-36.1	250	25.9	22.4-29.4
65+	1101	81,471	21	2.5	01.1-03.9	76	10.8	08.1-13.5	415	38.3	34.8-41.8	284	28.2	24.9-31.5	305	20.1	17.6-22.6
Less than \$15,000	306	37,484	10	4.2	01.1-07.3	48	29.9	20.9-38.9	128	32.2	25.1-39.3	87	27.4	20.0-34.8	33	6.3	03.8-08.8
\$15,000- 24,999	476	54,891	23	8.3	04.4-12.2	60	20.4	14.7-26.1	193	36.3	30.8-41.8	137	28.6	23.3-33.9	63	6.4	04.4-08.4
\$25,000- 34,999	303	33,455	5	2.8	00.0-05.7	17	11.6	05.5-17.7	117	42.1	34.7-49.5	104	30.8	24.5-37.1	60	12.8	08.3-17.3
\$35,000- 49,999	388	47,326	1	0.3	00.0-00.9	7	2.0	00.2-03.8	124	35.4	28.5-42.3	142	42.4	35.3-49.5	114	20.0	15.5-24.5
\$50,000- 74,999	391	46,464	1	0.6	00.0-01.8	8	6.0	01.1-10.9	84	25.7	19.8-31.6	105	31.2	25.1-37.3	193	36.5	30.4-42.6
\$75,000+	710	95,705	2	0.1	00.0-00.3	4	1.9	00.0-03.9	83	14.2	10.7-17.7	163	32.6	27.7-37.5	458	51.2	46.3-56.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5160	717,295	2602	59.2	57.4-61.0	293	6.8	05.8-07.8	237	4.7	03.9-05.5	105	4.7	03.5-05.9	1610	18.8	17.6-20.0	313	5.8	04.8-06.8
Male	2068	343,463	1165	64.8	62.1-67.5	111	6.4	04.8-08.0	5	0.4	00.0-00.8	44	4.8	03.0-06.6	645	18.5	16.7-20.3	98	5.1	03.5-06.7
Female	3092	373,832	1437	54.1	51.7-56.5	182	7.2	05.8-08.6	232	8.6	07.2-10.0	61	4.5	03.1-05.9	965	19.0	17.4-20.6	215	6.5	05.3-07.7
White/Non-Hisp	3814	481,301	1840	57.9	55.7-60.1	178	5.4	04.4-06.4	182	4.8	04.0-05.6	58	3.9	02.7-05.1	1360	22.7	21.3-24.1	196	5.3	04.3-06.3
Black or Afr. Am./Non-Hisp	758	138,677	421	60.2	55.5-64.9	75	12.8	09.5-16.1	15	1.5	00.5-02.5	15	3.9	01.4-06.4	164	14.0	11.3-16.7	68	7.7	05.2-10.2
Oth. Race/Non-Hisp.	209	30,983	124	61.3	50.1-72.5	11	2.4	00.6-04.2	13	6.5	02.2-10.8	17	17.5	06.5-28.5	33	6.3	03.4-09.2	11	6.0	00.0-13.8
MultiRacial/Non-Hisp.	70	5,267	34	63.1	50.0-76.2	7	8.6	01.7-15.5				3	7.8	00.0-16.4	15	11.8	04.0-19.6	11	8.8	03.1-14.5
Hispanic	239	52,322	149	66.4	59.1-73.7	19	7.3	03.6-11.0	23	11.3	06.2-16.4	10	6.0	01.7-10.3	17	3.2	01.0-05.4	21	5.7	03.0-08.4
18-24	279	91,666	172	56.8	49.5-64.1	28	10.6	06.3-14.9	2	0.7	00.0-01.7	72	29.2	22.3-36.1				5	2.7	00.0-05.6
25-34	486	117,068	380	77.5	72.8-82.2	36	7.9	05.0-10.8	36	6.5	04.0-09.0	18	3.8	01.8-05.8	1	0.2	00.0-00.6	15	4.0	01.5-06.5
35-44	605	110,160	477	80.0	76.1-83.9	41	6.1	03.7-08.5	46	7.6	05.1-10.1	10	1.7	00.5-02.9	1	0.1	00.0-00.3	30	4.6	02.6-06.6
45-54	879	129,207	670	77.3	73.8-80.8	72	8.2	06.0-10.4	29	3.6	02.0-05.2	3	0.1	00.0-00.3	20	2.5	01.1-03.9	85	8.3	05.9-10.7
55-64	1095	119,768	612	56.3	52.4-60.2	83	8.0	05.8-10.2	30	2.5	01.3-03.7	1	0.1	00.0-00.3	246	20.7	17.8-23.6	123	12.4	09.3-15.5
65+	1769	145,184	264	16.6	14.2-19.0	32	1.9	01.1-02.7	88	5.9	04.5-07.3	1	0.1	00.0-00.3	1329	72.7	70.0-75.4	55	2.9	01.9-03.9
Less Than H.S.	407	95,543	133	41.1	34.6-47.6	41	11.2	07.3-15.1	32	7.8	04.5-11.1	7	4.8	01.1-08.5	124	18.0	13.9-22.1	70	17.0	11.7-22.3
H.S. or G.E.D.	1558	226,109	680	56.6	53.3-59.9	100	8.4	06.4-10.4	102	5.2	04.0-06.4	21	3.3	01.7-04.9	542	20.9	18.7-23.1	113	5.7	04.3-07.1
Some Post-H.S.	1340	211,111	674	59.9	56.4-63.4	84	6.2	04.4-08.0	49	4.2	02.8-05.6	49	8.1	05.4-10.8	388	16.7	14.7-18.7	96	5.0	03.6-06.4
College Graduate	1841	183,398	1107	71.0	68.6-73.4	66	3.2	02.2-04.2	54	3.1	02.1-04.1	28	2.4	01.2-03.6	554	19.1	17.3-20.9	32	1.2	00.6-01.8
Less than \$15,000	430	59,807	116	39.8	32.5-47.1	49	13.1	08.6-17.6	16	4.8	01.5-08.1	19	8.5	04.4-12.6	146	19.1	15.0-23.2	84	14.8	10.3-19.3
\$15,000- 24,999	737	98,589	236	39.3	34.6-44.0	78	12.7	09.4-16.0	38	6.2	03.8-08.6	19	4.0	02.0-06.0	265	24.0	20.3-27.7	101	13.9	10.2-17.6
\$25,000- 34,999	495	64,822	229	58.1	52.4-63.8	38	9.4	05.7-13.1	18	2.9	01.1-04.7	2	1.1	00.0-02.7	179	22.7	18.6-26.8	29	5.6	02.5-08.7
\$35,000- 49,999	687	95,340	368	63.5	58.6-68.4	31	4.1	02.3-05.9	26	3.2	01.6-04.8	6	3.9	00.0-07.8	231	21.5	18.2-24.8	25	3.8	01.8-05.8
\$50,000- 74,999	686	93,882	421	69.5	65.2-73.8	25	3.6	01.8-05.4	29	5.1	02.9-07.3	9	2.5	00.5-04.5	193	17.6	14.7-20.5	9	1.6	00.4-02.8
\$75,000+	1348	201,674	987	77.5	74.6-80.4	31	3.5	01.9-05.1	41	3.2	02.0-04.4	24	3.6	01.8-05.4	251	11.0	09.4-12.6	14	1.2	00.2-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2068	343,463	1165	64.8	62.1-67.5	111	6.4	0.4-8.0	5	0.4	0.0-0.8	44	4.8	0.3-0.6	645	18.5	16.7-20.3	98	5.1	0.3-0.6
White/Non-Hisp	1525	229,986	817	63.8	60.9-66.7	59	4.5	0.3-0.5	2	0.1	0.0-0.3	24	3.9	0.2-0.5	554	23.2	21.0-25.4	69	4.5	0.3-0.5
Black or Afr. Am./Non-Hisp	285	64,319	173	62.3	54.9-69.7	32	14.0	0.8-3.3	8	4.2	0.5-0.7	54	11.4	0.7-1.5	18	8.1	0.3-1.3	18	8.1	0.3-1.3
Oth. Race/Non-Hisp.	99	17,491	67	62.5	44.9-80.1	4	1.1	0.0-0.2	9	22.7	0.5-4.0	15	5.0	0.1-0.8	4	8.7	0.0-2.2	4	8.7	0.0-2.2
Hispanic	98	23,740	74	79.4	70.6-88.2	8	6.6	0.1-1.1	3	4.6	0.0-0.9	3	3.9	0.0-0.8	8	4.2	0.0-0.8	2	1.3	0.0-0.3
18-24	136	46,408	95	61.9	51.3-72.5	8	6.1	0.1-1.1				30	28.8	18.4-39.2				3	3.2	0.0-0.7
25-34	209	58,404	181	83.5	77.2-89.8	13	7.8	0.3-1.2	1	0.5	0.0-0.1	10	4.7	0.1-0.8				4	3.5	0.0-0.7
35-44	259	53,727	224	86.3	80.8-91.8	20	7.6	0.3-1.1	2	1.5	0.0-0.3	2	0.5	0.0-0.1	1	0.1	0.0-0.3	10	3.9	0.0-0.7
45-54	363	62,930	286	80.5	75.4-85.6	29	8.0	0.4-1.1	1	0.2	0.0-0.6	1	0.1	0.0-0.3	15	4.2	0.1-0.6	31	6.9	0.3-1.0
55-64	420	57,118	257	61.7	55.6-67.8	29	7.4	0.4-1.0	1	0.2	0.0-0.6	1	0.2	0.0-0.6	97	19.3	15.0-23.6	36	11.3	0.6-1.6
65+	669	63,909	115	18.9	15.0-22.8	11	1.6	0.0-0.2							529	77.7	73.6-81.8	14	1.8	0.0-0.3
Less Than H.S.	173	48,144	77	49.6	40.0-59.2	15	8.9	0.3-1.4	2	1.7	0.0-0.4	5	7.2	0.9-1.3	53	17.6	11.7-23.5	21	15.0	0.6-2.3
H.S. or G.E.D.	644	115,872	335	63.0	58.3-67.7	50	9.1	0.6-1.2	1	0.2	0.0-0.6	8	2.9	0.5-0.5	210	19.8	16.7-22.9	40	5.0	0.3-0.7
Some Post-H.S.	470	91,962	274	66.6	61.1-72.1	22	4.8	0.2-0.7				22	9.2	0.4-1.3	129	15.6	12.5-18.7	23	3.9	0.1-0.5
College Graduate	776	86,767	474	73.3	70.0-76.6	24	2.9	0.1-0.4	2	0.2	0.0-0.6	9	1.6	0.0-0.2	253	20.7	17.8-23.6	14	1.2	0.0-0.2
Less than \$15,000	128	23,173	41	51.0	38.7-63.3	13	8.0	0.3-1.2				8	10.9	0.2-1.8	44	19.1	11.5-26.7	22	11.0	0.4-1.7
\$15,000- 24,999	260	43,683	94	43.8	36.2-51.4	34	15.4	0.9-2.1	1	0.9	0.0-0.2	9	4.3	0.1-0.7	89	22.5	16.6-28.4	33	13.1	0.6-1.9
\$25,000- 34,999	192	31,366	91	56.9	47.7-66.1	15	11.0	0.4-1.7	1	1.3	0.0-0.3	2	2.3	0.0-0.5	73	22.6	16.1-29.1	10	5.9	0.6-1.1
\$35,000- 49,999	299	48,263	162	62.2	54.4-70.0	13	4.1	0.1-0.6				4	6.4	0.0-1.3	109	22.5	17.2-27.8	11	4.9	0.1-0.8
\$50,000- 74,999	296	47,540	189	75.9	70.6-81.2	11	3.5	0.1-0.6				3	1.2	0.0-0.2	91	19.0	14.5-23.5	2	0.5	0.0-0.1
\$75,000+	637	105,900	471	79.7	75.8-83.6	12	2.8	0.0-0.5				9	3.2	0.0-0.5	140	13.0	10.5-15.5	5	1.3	0.0-0.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3092	373,832	1437	54.1	51.7-56.5	182	7.2	05.8-08.6	232	8.6	07.2-10.0	61	4.5	03.1-05.9	965	19.0	17.4-20.6	215	6.5	05.3-07.7
White/Non-Hisp	2289	251,315	1023	52.5	49.8-55.2	119	6.1	04.7-07.5	180	9.1	07.5-10.7	34	3.9	02.3-05.5	806	22.3	20.5-24.1	127	6.1	04.5-07.7
Black or Afr. Am./Non-Hisp	473	74,358	248	58.3	52.4-64.2	43	11.7	07.8-15.6	15	2.8	00.8-04.8	7	3.7	00.4-07.0	110	16.3	12.2-20.4	50	7.2	04.7-09.7
Oth. Race/Non-Hisp.	110	13,492	57	59.7	47.2-72.2	7	4.1	00.6-07.6	13	14.9	05.7-24.1	8	10.6	03.3-17.9	18	8.1	03.0-13.2	7	2.5	00.3-04.7
Hispanic	141	28,582	75	55.5	44.9-66.1	11	7.9	02.2-13.6	20	16.9	08.7-25.1	7	7.8	00.9-14.7	9	2.4	00.4-04.4	19	9.4	04.5-14.3
18-24	143	45,258	77	51.5	41.7-61.3	20	15.3	08.4-22.2	2	1.4	00.0-03.4	42	29.6	20.4-38.8				2	2.2	00.0-06.1
25-34	277	58,665	199	71.6	64.9-78.3	23	8.0	04.1-11.9	35	12.5	07.6-17.4	8	2.9	00.5-05.3	1	0.3	00.0-00.9	11	4.6	01.1-08.1
35-44	346	56,433	253	74.0	68.3-79.7	21	4.8	02.4-07.2	44	13.3	08.8-17.8	8	2.7	00.3-05.1				20	5.2	02.7-07.7
45-54	516	66,277	384	74.3	69.4-79.2	43	8.4	05.5-11.3	28	6.8	03.9-09.7	2	0.1	00.0-00.3	5	0.9	00.0-01.9	54	9.6	06.3-12.9
55-64	675	62,650	355	51.3	46.4-56.2	54	8.6	05.7-11.5	30	4.9	02.9-06.9				149	21.9	17.6-26.2	87	13.3	09.8-16.8
65+	1100	81,276	149	14.8	12.3-17.3	21	2.1	01.1-03.1	88	10.5	08.1-12.9	1	0.2	00.0-00.6	800	68.7	65.2-72.2	41	3.7	02.3-05.1
Less Than H.S.	234	47,398	56	32.5	24.1-40.9	26	13.6	07.7-19.5	30	13.9	08.0-19.8	2	2.5	00.0-06.0	71	18.4	12.5-24.3	49	19.1	12.2-26.0
H.S. or G.E.D.	914	110,237	345	49.8	45.3-54.3	50	7.6	05.1-10.1	101	10.4	08.0-12.8	13	3.7	01.3-06.1	332	22.1	19.2-25.0	73	6.4	04.4-08.4
Some Post-H.S.	870	119,149	400	54.7	50.4-59.0	62	7.3	04.9-09.7	49	7.4	04.9-09.9	27	7.2	04.1-10.3	259	17.6	15.1-20.1	73	5.8	04.2-07.4
College Graduate	1065	96,631	633	68.9	65.6-72.2	42	3.4	02.2-04.6	52	5.7	03.7-07.7	19	3.1	01.3-04.9	301	17.6	15.2-20.0	18	1.3	00.5-02.1
Less than \$15,000	302	36,635	75	32.7	24.3-41.1	36	16.2	09.5-22.9	16	7.9	02.6-13.2	11	6.9	02.4-11.4	102	19.1	14.4-23.8	62	17.2	10.9-23.5
\$15,000- 24,999	477	54,905	142	35.7	29.8-41.6	44	10.5	06.8-14.2	37	10.3	06.6-14.0	10	3.7	01.3-06.1	176	25.1	20.2-30.0	68	14.6	10.5-18.7
\$25,000- 34,999	303	33,455	138	59.3	52.2-66.4	23	8.0	04.3-11.7	17	4.5	02.0-07.0				106	22.9	17.4-28.4	19	5.4	02.1-08.7
\$35,000- 49,999	388	47,078	206	64.8	58.7-70.9	18	4.2	01.7-06.7	26	6.4	03.3-09.5	2	1.3	00.0-03.3	122	20.5	16.0-25.0	14	2.7	01.1-04.3
\$50,000- 74,999	390	46,342	232	63.0	56.7-69.3	14	3.8	01.4-06.2	29	10.4	06.1-14.7	6	3.7	00.0-07.4	102	16.3	12.4-20.2	7	2.8	00.4-05.2
\$75,000+	711	95,773	516	75.0	70.7-79.3	19	4.2	01.7-06.7	41	6.8	04.3-09.3	15	4.1	01.4-06.8	111	8.8	06.8-10.8	9	1.1	00.1-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4388	614,414	212	4.9	03.9-05.9	218	4.8	04.0-05.6	303	6.8	05.8-07.8	435	9.3	08.1-10.5	495	10.6	09.4-11.8	2725	63.7	61.7-65.7
Male	1815	299,869	65	3.8	02.2-05.4	63	3.8	02.6-05.0	108	6.5	04.9-08.1	153	8.1	06.5-09.7	192	10.5	08.5-12.5	1234	67.3	64.4-70.2
Female	2573	314,545	147	5.9	04.5-07.3	155	5.7	04.5-06.9	195	7.0	05.8-08.2	282	10.4	08.8-12.0	303	10.6	09.0-12.2	1491	60.3	57.8-62.8
White/Non-Hisp	3247	410,970	128	3.5	02.5-04.5	113	2.5	01.9-03.1	187	4.7	03.9-05.5	283	7.1	06.1-08.1	356	10.0	08.6-11.4	2180	72.1	70.1-74.1
Black or Afr. Am./Non-Hisp	659	121,266	47	8.7	05.2-12.2	58	8.6	05.9-11.3	71	10.4	07.7-13.1	91	13.5	10.2-16.8	82	11.6	08.7-14.5	310	47.3	42.2-52.4
Oth. Race/Non-Hisp.	176	28,034	10	3.9	01.0-06.8	10	2.3	00.7-03.9	11	8.8	00.0-17.8	21	11.3	05.6-17.0	14	5.4	01.9-08.9	110	68.3	57.9-78.7
MultiRacial/Non-Hisp.	61	4,421	6	5.9	00.4-11.4	5	11.7	00.1-23.3	6	7.8	00.4-15.2	7	10.7	01.5-19.9	11	18.7	06.9-30.5	26	45.2	29.7-60.7
Hispanic	202	43,434	16	7.0	01.7-12.3	29	15.8	09.5-22.1	24	14.7	08.6-20.8	30	17.4	11.1-23.7	28	13.6	07.9-19.3	75	31.5	24.1-38.9
18-24	209	66,298	26	13.5	07.6-19.4	15	5.9	02.8-09.0	20	7.4	03.9-10.9	24	8.9	05.0-12.8	21	8.7	04.4-13.0	103	55.6	47.6-63.6
25-34	452	106,855	22	5.8	02.3-09.3	23	6.2	03.5-08.9	27	5.6	03.1-08.1	43	8.1	05.4-10.8	57	12.8	09.1-16.5	280	61.4	55.7-67.1
35-44	552	100,478	9	2.0	00.6-03.4	21	3.7	01.5-05.9	29	6.2	03.7-08.7	48	9.6	06.7-12.5	49	7.7	05.3-10.1	396	70.8	66.3-75.3
45-54	798	115,989	26	2.3	01.1-03.5	21	2.2	01.0-03.4	49	6.2	04.2-08.2	52	5.3	03.3-07.3	77	9.6	06.9-12.3	573	74.5	70.8-78.2
55-64	975	107,144	59	4.1	02.7-05.5	41	4.6	02.6-06.6	56	6.7	04.0-09.4	97	10.7	08.0-13.4	93	9.7	07.3-12.1	629	64.2	60.1-68.3
65+	1390	117,039	70	4.9	03.3-06.5	97	6.5	04.9-08.1	122	8.6	06.6-10.6	170	13.0	10.6-15.4	198	13.9	11.5-16.3	733	53.1	49.8-56.4
Less Than H.S.	327	76,620	36	12.0	06.3-17.7	53	14.0	09.5-18.5	65	18.1	12.6-23.6	68	19.7	14.4-25.0	51	15.7	10.8-20.6	54	20.5	14.4-26.6
H.S. or G.E.D.	1291	190,017	101	6.1	04.5-07.7	86	4.8	03.4-06.2	129	8.1	06.3-09.9	173	11.5	09.5-13.5	208	15.1	12.7-17.5	594	54.4	50.9-57.9
Some Post-H.S.	1163	184,073	48	4.1	02.5-05.7	64	4.5	02.9-06.1	76	5.7	04.1-07.3	122	8.2	06.4-10.0	139	8.9	06.9-10.9	714	68.6	65.3-71.9
College Graduate	1601	163,311	26	1.0	00.4-01.6	15	0.8	00.4-01.2	32	1.2	00.6-01.8	72	3.1	02.1-04.1	96	4.6	03.4-05.8	1360	89.4	87.6-91.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1815	299,869	65	3.8	02.2-05.4	63	3.8	02.6-05.0	108	6.5	04.9-08.1	153	8.1	06.5-09.7	192	10.5	08.5-12.5	1234	67.3	64.4-70.2			
White/Non-Hisp	1352	203,116	42	2.9	01.5-04.3	35	2.3	01.3-03.3	57	3.9	02.7-05.1	101	6.2	04.8-07.6	135	9.6	07.4-11.8	982	75.2	72.3-78.1			
Black or Afr. Am./Non-Hisp	250	54,474	10	7.3	01.2-13.4	14	6.2	02.7-09.7	30	10.3	06.2-14.4	30	11.8	07.1-16.5	28	11.3	06.4-16.2	138	53.1	45.1-61.1			
Oth. Race/Non-Hisp.	87	16,058	5	3.6	00.0-07.3				6	13.6	00.0-28.9	8	10.0	02.4-17.6	7	5.0	00.9-09.1	61	67.7	51.8-83.6			
Hispanic	83	20,152	4	3.4	00.0-06.9	10	12.4	04.6-20.2	10	17.1	06.9-27.3	14	18.5	09.1-27.9	14	15.9	07.1-24.7	31	32.7	21.5-43.9			
18-24	102	33,639	11	12.2	04.4-20.0	9	8.3	02.8-13.8	8	5.9	01.4-10.4	11	7.5	02.6-12.4	14	11.4	04.3-18.5	49	54.7	42.9-66.5			
25-34	194	53,914	9	5.3	00.0-10.8	6	3.9	00.8-07.0	7	5.1	01.2-09.0	17	6.7	03.2-10.2	20	12.6	06.7-18.5	135	66.5	58.1-74.9			
35-44	235	48,107	3	1.3	00.0-02.9	7	2.7	00.5-04.9	13	7.0	03.3-10.7	21	10.8	06.1-15.5	17	7.1	03.4-10.8	174	71.0	64.3-77.7			
45-54	332	57,089	5	1.2	00.0-02.4	8	2.4	00.6-04.2	20	5.0	02.6-07.4	13	3.2	00.8-05.6	32	10.0	05.5-14.5	254	78.2	72.7-83.7			
55-64	379	52,076	17	2.2	00.8-03.6	13	3.6	01.1-06.1	23	8.7	03.4-14.0	40	10.8	07.1-14.5	32	8.3	05.2-11.4	254	66.4	60.1-72.7			
65+	571	55,004	20	3.7	01.5-05.9	20	3.5	01.7-05.3	37	7.4	04.3-10.5	51	10.0	06.7-13.3	77	13.3	10.0-16.6	366	62.1	57.0-67.2			
Less Than H.S.	142	37,839	9	7.7	00.0-15.7	23	12.7	06.8-18.6	24	18.0	09.4-26.6	26	17.0	09.9-24.1	29	19.1	11.1-27.1	31	25.5	16.1-34.9			
H.S. or G.E.D.	563	101,706	35	5.3	02.9-07.7	25	3.4	01.8-05.0	47	7.3	04.8-09.8	62	9.6	06.9-12.3	91	14.4	10.9-17.9	303	60.0	54.9-65.1			
Some Post-H.S.	425	82,051	12	3.0	00.6-05.4	13	3.6	01.2-06.0	25	5.2	02.7-07.7	36	6.9	04.4-09.4	35	7.5	04.0-11.0	304	73.7	68.4-79.0			
College Graduate	683	78,004	9	0.9	00.1-01.7	2	0.1	00.0-00.3	12	1.3	00.5-02.1	29	3.1	01.7-04.5	36	4.2	02.4-06.0	595	90.5	88.0-93.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2573	314,545	147	5.9	04.5-07.3	155	5.7	04.5-06.9	195	7.0	05.8-08.2	282	10.4	08.8-12.0	303	10.6	09.0-12.2	1491	60.3	57.8-62.8
White/Non-Hisp	1895	207,854	86	4.1	02.7-05.5	78	2.7	01.9-03.5	130	5.6	04.4-06.8	182	8.0	06.4-09.6	221	10.5	08.7-12.3	1198	69.1	66.4-71.8
Black or Afr. Am./Non-Hisp	409	66,793	37	9.8	05.7-13.9	44	10.6	06.5-14.7	41	10.4	06.7-14.1	61	14.9	10.4-19.4	54	11.7	08.2-15.2	172	42.5	36.0-49.0
Oth. Race/Non-Hisp.	89	11,976	5	4.3	00.0-08.6	10	5.3	01.4-09.2	5	2.4	00.0-05.1	13	12.9	04.7-21.1	7	6.0	00.0-12.1	49	69.1	57.3-80.9
Hispanic	119	23,282	12	10.0	00.8-19.2	19	18.8	09.2-28.4	14	12.6	05.5-19.7	16	16.5	07.9-25.1	14	11.6	04.5-18.7	44	30.5	20.5-40.5
18-24	107	32,659	15	14.9	06.5-23.3	6	3.5	00.6-06.4	12	9.0	03.7-14.3	13	10.2	04.1-16.3	7	5.9	01.2-10.6	54	56.5	45.5-67.5
25-34	258	52,941	13	6.4	01.7-11.1	17	8.6	03.9-13.3	20	6.2	03.3-09.1	26	9.6	05.5-13.7	37	13.0	08.3-17.7	145	56.2	48.8-63.6
35-44	317	52,371	6	2.7	00.3-05.1	14	4.6	01.1-08.1	16	5.5	02.2-08.8	27	8.5	04.8-12.2	32	8.2	05.1-11.3	222	70.6	64.3-76.9
45-54	466	58,900	21	3.3	01.5-05.1	13	2.1	00.9-03.3	29	7.3	04.2-10.4	39	7.2	04.5-09.9	45	9.2	05.9-12.5	319	70.9	65.8-76.0
55-64	596	55,068	42	6.0	03.6-08.4	28	5.5	02.4-08.6	33	4.9	02.9-06.9	57	10.5	06.6-14.4	61	11.0	07.5-14.5	375	62.1	56.8-67.4
65+	819	62,035	50	5.9	03.9-07.9	77	9.2	06.8-11.6	85	9.7	07.3-12.1	119	15.7	12.4-19.0	121	14.4	11.3-17.5	367	45.2	40.9-49.5
Less Than H.S.	185	38,782	27	16.1	08.1-24.1	30	15.3	08.6-22.0	41	18.2	11.5-24.9	42	22.4	14.6-30.2	22	12.4	06.5-18.3	23	15.6	08.0-23.2
H.S. or G.E.D.	728	88,310	66	7.1	04.9-09.3	61	6.4	04.2-08.6	82	8.9	06.5-11.3	111	13.7	10.8-16.6	117	16.0	12.7-19.3	291	47.9	43.0-52.8
Some Post-H.S.	738	102,022	36	4.9	02.7-07.1	51	5.2	03.0-07.4	51	6.1	04.1-08.1	86	9.3	06.8-11.8	104	10.1	07.7-12.5	410	64.4	60.1-68.7
College Graduate	918	85,306	17	1.1	00.5-01.7	13	1.4	00.6-02.2	20	1.1	00.5-01.7	43	3.1	01.9-04.3	60	5.0	03.2-06.8	765	88.4	86.0-90.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4957	693,880	49	0.8	00.4-01.2	1515	30.2	28.4-32.0	2185	43.0	41.0-45.0	920	19.3	17.7-20.9	274	6.2	05.2-07.2	14	0.5	00.3-00.7
Male	2042	337,886	2	0.0	00.0-00.0	220	12.5	10.3-14.7	1026	48.9	46.0-51.8	596	28.1	25.6-30.6	187	9.7	07.9-11.5	11	0.7	00.3-01.1
Female	2915	355,994	47	1.5	00.9-02.1	1295	47.0	44.5-49.5	1159	37.4	35.0-39.8	324	11.0	09.4-12.6	87	2.9	02.1-03.7	3	0.2	00.0-00.4
White/Non-Hisp	3672	465,714	38	0.7	00.3-01.1	1173	31.1	28.9-33.3	1605	42.8	40.6-45.0	656	18.8	17.0-20.6	199	6.5	05.3-07.7	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	723	134,187	3	0.4	00.0-01.0	151	22.1	18.0-26.2	333	44.0	39.1-48.9	179	25.7	21.2-30.2	57	7.7	05.2-10.2			
Oth. Race/Non-Hisp.	200	30,570	3	1.0	00.0-02.2	75	42.9	31.7-54.1	84	39.8	29.4-50.2	25	8.6	03.9-13.3	6	2.1	00.1-04.1	7	5.6	01.1-10.1
MultiRacial/Non-Hisp.	66	4,989	1	2.8	00.0-08.1	24	33.9	20.2-47.6	28	41.8	27.5-56.1	11	17.9	05.6-30.2	2	3.5	00.0-09.4			
Hispanic	228	49,725	4	2.3	00.0-05.2	75	36.2	28.4-44.0	104	43.9	36.1-51.7	35	13.4	08.7-18.1	5	1.9	00.0-04.1	5	2.3	00.1-04.5
18-24	272	89,435	5	1.7	00.0-03.5	130	50.8	43.5-58.1	96	33.3	26.6-40.0	27	9.3	05.2-13.4	13	4.6	01.7-07.5	1	0.3	00.0-00.9
25-34	468	113,065	5	0.9	00.1-01.7	148	31.8	26.5-37.1	187	37.4	31.9-42.9	91	21.3	16.4-26.2	30	7.0	03.7-10.3	7	1.6	00.2-03.0
35-44	586	107,604	2	0.2	00.0-00.6	177	28.6	24.3-32.9	249	43.0	38.1-47.9	124	22.8	18.5-27.1	31	4.8	02.8-06.8	3	0.7	00.0-01.5
45-54	846	124,523	5	0.2	00.0-00.4	216	23.1	19.6-26.6	367	43.7	39.4-48.0	172	22.0	18.3-25.7	85	11.0	08.3-13.7	1	0.0	00.0-00.0
55-64	1045	115,217	3	0.3	00.0-00.7	277	23.0	19.9-26.1	499	49.9	46.0-53.8	215	21.2	18.1-24.3	50	5.4	03.6-07.2	1	0.2	00.0-00.6
65+	1704	140,617	28	1.6	00.8-02.4	554	29.3	26.8-31.8	770	47.1	44.2-50.0	287	17.8	15.4-20.2	64	4.1	02.9-05.3	1	0.1	00.0-00.3
Less Than H.S.	394	92,272	4	0.5	00.0-01.1	126	30.6	24.7-36.5	160	42.7	36.0-49.4	75	17.8	12.5-23.1	26	7.7	04.2-11.2	3	0.8	00.0-01.8
H.S. or G.E.D.	1494	217,276	18	1.0	00.2-01.8	439	29.7	26.4-33.0	680	44.2	40.9-47.5	265	18.2	15.7-20.7	90	6.6	04.8-08.4	2	0.2	00.0-00.4
Some Post-H.S.	1287	204,835	11	0.6	00.2-01.0	394	30.5	27.0-34.0	527	39.9	36.4-43.4	256	20.8	17.9-23.7	96	7.6	05.6-09.6	3	0.5	00.0-01.1
College Graduate	1768	178,059	16	0.9	00.3-01.5	553	30.3	27.6-33.0	809	45.2	42.3-48.1	322	19.8	17.4-22.2	62	3.3	02.3-04.3	6	0.5	00.1-00.9
Less than \$15,000	422	58,169	5	1.3	00.0-02.7	149	37.1	30.2-44.0	172	38.3	31.4-45.2	68	17.8	11.5-24.1	28	5.4	02.7-08.1			
\$15,000- 24,999	701	93,298	9	0.9	00.3-01.5	213	29.7	25.2-34.2	304	43.8	38.9-48.7	120	18.4	14.5-22.3	50	6.1	04.1-08.1	5	1.2	00.2-02.2
\$25,000- 34,999	479	63,256	3	0.3	00.0-00.9	131	25.2	19.9-30.5	225	44.2	38.1-50.3	88	21.1	15.8-26.4	30	8.5	04.8-12.2	2	0.6	00.0-01.6
\$35,000- 49,999	676	94,708	6	0.9	00.1-01.7	200	31.4	25.9-36.9	285	41.3	36.2-46.4	136	17.8	14.3-21.3	48	8.3	05.4-11.2	1	0.3	00.0-00.9
\$50,000- 74,999	670	92,388	4	0.6	00.0-01.2	180	24.3	20.2-28.4	318	46.8	41.7-51.9	126	19.9	16.0-23.8	38	7.4	04.1-10.7	4	1.0	00.0-02.0
\$75,000+	1316	197,768	6	0.3	00.1-00.5	380	28.2	24.9-31.5	594	43.7	40.2-47.2	270	22.1	19.2-25.0	65	5.4	03.8-07.0	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2042	337,886	2	0.0	00.0-00.0	220	12.5	10.3-14.7	1026	48.9	46.0-51.8	596	28.1	25.6-30.6	187	9.7	07.9-11.5	11	0.7	00.3-01.1
White/Non-Hisp	1513	226,961	2	0.1	00.1-00.1	145	9.9	07.7-12.1	760	49.6	46.3-52.9	453	29.0	26.1-31.9	152	11.3	08.9-13.7	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	279	63,256				33	13.9	08.4-19.4	133	44.0	36.6-51.4	90	33.7	26.1-41.3	23	8.4	04.1-12.7			
Oth. Race/Non-Hisp.	97	17,251				15	26.0	08.6-43.4	56	54.1	37.8-70.4	18	11.7	04.1-19.3	3	2.3	00.0-05.2	5	5.8	00.5-11.1
Hispanic	92	22,378				18	22.2	12.0-32.4	47	51.3	39.7-62.9	18	17.6	09.4-25.8	4	3.8	00.0-08.5	5	5.1	00.6-09.6
18-24	133	45,312				33	30.7	20.3-41.1	69	48.7	38.3-59.1	22	14.5	07.8-21.2	9	6.2	01.3-11.1			
25-34	205	57,191				28	15.1	09.4-20.8	96	41.4	33.2-49.6	59	31.4	23.4-39.4	16	9.8	03.7-15.9	6	2.4	00.4-04.4
35-44	253	52,663				26	11.1	06.6-15.6	120	47.1	40.0-54.2	83	32.1	25.2-39.0	21	8.3	04.6-12.0	3	1.4	00.0-03.0
45-54	357	61,223	1	0.1	00.0-00.3	23	6.1	02.8-09.4	172	47.1	40.6-53.6	105	29.8	23.7-35.9	56	16.9	12.0-21.8			
55-64	419	56,929				34	7.6	04.7-10.5	218	52.7	46.6-58.8	134	30.6	25.3-35.9	32	8.8	05.3-12.3	1	0.3	00.0-00.9
65+	662	63,229	1	0.1	00.0-00.3	73	8.8	06.3-11.3	343	55.4	50.7-60.1	191	28.1	23.8-32.4	53	7.3	04.9-09.7	1	0.3	00.0-00.9
Less Than H.S.	169	46,687				37	18.7	11.4-26.0	77	48.9	39.1-58.7	36	19.2	11.2-27.2	16	11.8	05.5-18.1	3	1.5	00.0-03.3
H.S. or G.E.D.	634	113,321	1	0.1	00.0-00.3	67	12.1	08.4-15.8	314	50.0	44.9-55.1	190	27.6	23.1-32.1	60	9.8	06.9-12.7	2	0.4	00.0-01.0
Some Post-H.S.	465	90,758				53	14.8	09.7-19.9	208	41.4	35.7-47.1	143	31.3	25.8-36.8	59	11.8	07.7-15.9	2	0.7	00.0-01.7
College Graduate	767	86,173	1	0.1	00.0-00.3	62	7.2	05.0-09.4	423	55.4	51.1-59.7	225	30.4	26.3-34.5	52	6.2	04.2-08.2	4	0.8	00.0-01.6
Less than \$15,000	125	21,931				25	21.1	11.1-31.1	61	47.7	35.2-60.2	29	25.4	12.5-38.3	10	5.8	01.3-10.3			
\$15,000- 24,999	252	42,165				35	18.6	11.9-25.3	129	51.7	43.7-59.7	59	19.8	13.9-25.7	24	7.2	03.9-10.5	5	2.6	00.2-05.0
\$25,000- 34,999	191	31,198				29	13.5	06.8-20.2	87	41.3	32.1-50.5	54	30.9	21.5-40.3	19	12.9	06.0-19.8	2	1.3	00.0-03.1
\$35,000- 49,999	299	48,263	2	0.3	00.0-00.7	27	13.6	06.0-21.2	141	46.0	38.4-53.6	87	25.1	19.0-31.2	41	14.4	09.1-19.7	1	0.6	00.0-01.8
\$50,000- 74,999	293	47,026				19	6.1	02.8-09.4	158	52.7	45.1-60.3	86	29.0	22.1-35.9	27	10.9	04.8-17.0	3	1.4	00.0-03.0
\$75,000+	636	105,745				48	8.9	05.6-12.2	327	48.6	43.7-53.5	206	33.4	28.7-38.1	55	9.1	06.2-12.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2915	355,994	47	1.5	00.9-02.1	1295	47.0	44.5-49.5	1159	37.4	35.0-39.8	324	11.0	09.4-12.6	87	2.9	02.1-03.7	3	0.2	00.0-00.4
White/Non-Hisp	2159	238,753	36	1.4	00.8-02.0	1028	51.2	48.3-54.1	845	36.2	33.5-38.9	203	9.2	07.4-11.0	47	2.0	01.2-02.8			
Black or Afr. Am./Non-Hisp	444	70,931	3	0.8	00.0-01.8	118	29.4	23.5-35.3	200	44.0	37.9-50.1	89	18.6	14.1-23.1	34	7.0	04.3-09.7			
Oth. Race/Non-Hisp.	103	13,319	3	2.2	00.0-05.1	60	64.7	52.2-77.2	28	21.1	11.1-31.1	7	4.7	00.0-09.6	3	1.9	00.0-04.4	2	5.4	00.0-12.8
Hispanic	136	27,347	4	4.2	00.0-09.3	57	47.7	36.7-58.7	57	37.9	27.5-48.3	17	10.0	04.7-15.3	1	0.3	00.0-00.9			
18-24	139	44,123	5	3.4	00.0-06.9	97	71.5	62.7-80.3	27	17.4	10.3-24.5	5	4.0	00.0-08.3	4	3.1	00.0-06.2	1	0.6	00.0-01.8
25-34	263	55,874	5	1.7	00.1-03.3	120	48.8	41.0-56.6	91	33.4	26.3-40.5	32	11.0	06.5-15.5	14	4.2	01.7-06.7	1	0.8	00.0-02.4
35-44	333	54,941	2	0.5	00.0-01.3	151	45.3	38.6-52.0	129	39.0	32.3-45.7	41	13.8	08.9-18.7	10	1.4	00.4-02.4			
45-54	489	63,299	4	0.3	00.0-00.7	193	39.5	34.2-44.8	195	40.3	34.8-45.8	67	14.5	10.6-18.4	29	5.3	02.9-07.7	1	0.0	00.0-00.0
55-64	626	58,288	3	0.5	00.0-01.1	243	38.0	33.1-42.9	281	47.2	42.1-52.3	81	12.0	08.9-15.1	18	2.2	01.0-03.4			
65+	1042	77,388	27	2.8	01.4-04.2	481	46.1	42.4-49.8	427	40.3	36.6-44.0	96	9.3	07.1-11.5	11	1.4	00.4-02.4			
Less Than H.S.	225	45,585	4	1.0	00.0-02.2	89	42.9	34.1-51.7	83	36.3	27.7-44.9	39	16.3	09.4-23.2	10	3.5	00.6-06.4			
H.S. or G.E.D.	860	103,955	17	2.1	00.5-03.7	372	49.0	44.3-53.7	366	37.9	33.6-42.2	75	7.9	05.7-10.1	30	3.1	01.7-04.5			
Some Post-H.S.	822	114,077	11	1.2	00.4-02.0	341	42.9	38.4-47.4	319	38.7	34.2-43.2	113	12.5	09.8-15.2	37	4.4	02.8-06.0	1	0.4	00.0-01.2
College Graduate	1001	91,886	15	1.7	00.7-02.7	491	51.9	48.0-55.8	386	35.6	31.9-39.3	97	9.9	07.7-12.1	10	0.5	00.1-00.9	2	0.3	00.0-00.9
Less than \$15,000	297	36,239	5	2.1	00.0-04.3	124	46.8	38.2-55.4	111	32.7	24.7-40.7	39	13.1	07.4-18.8	18	5.2	01.9-08.5			
\$15,000- 24,999	449	51,133	9	1.6	00.4-02.8	178	38.8	32.7-44.9	175	37.2	31.1-43.3	61	17.3	12.2-22.4	26	5.1	02.7-07.5			
\$25,000- 34,999	288	32,058	3	0.7	00.0-01.7	102	36.6	29.2-44.0	138	47.0	39.4-54.6	34	11.5	07.2-15.8	11	4.1	01.4-06.8			
\$35,000- 49,999	377	46,446	4	1.5	00.0-03.3	173	50.0	42.9-57.1	144	36.4	29.9-42.9	49	10.3	06.8-13.8	7	1.9	00.1-03.7			
\$50,000- 74,999	377	45,362	4	1.1	00.0-02.5	161	43.3	36.6-50.0	160	40.6	33.9-47.3	40	10.6	06.9-14.3	11	3.8	01.3-06.3	1	0.6	00.0-01.8
\$75,000+	680	92,023	6	0.6	00.0-01.2	332	50.4	45.5-55.3	267	38.2	33.5-42.9	64	9.1	06.4-11.8	10	1.2	00.2-02.2	1	0.5	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5105	705,885	297	4.7	03.9-05.5	2381	42.1	40.3-43.9	1967	41.7	39.7-43.7	423	10.0	08.8-11.2	7	0.3	00.1-00.5	30	1.1	00.7-01.5
Male	2050	338,466	11	0.6	00.0-01.2	221	11.6	09.6-13.6	1379	65.0	62.3-67.7	414	20.7	18.3-23.1	7	0.5	00.0-01.1	18	1.6	00.8-02.4
Female	3055	367,419	286	8.6	07.4-09.8	2160	70.3	67.9-72.7	588	20.2	18.2-22.2	9	0.3	00.1-00.5				12	0.7	00.3-01.1
White/Non-Hisp	3791	478,047	211	4.7	03.9-05.5	1760	41.5	39.3-43.7	1500	43.6	41.4-45.8	314	10.0	08.6-11.4	5	0.2	00.0-00.4	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	753	138,473	36	3.3	02.1-04.5	376	44.8	40.1-49.5	265	38.3	33.6-43.0	74	12.9	09.4-16.4	2	0.7	00.0-01.9			
Oth. Race/Non-Hisp.	201	30,050	13	3.8	01.1-06.5	87	39.6	29.6-49.6	87	51.2	40.4-62.0	12	3.9	01.2-06.6				2	1.6	00.0-03.8
MultiRacial/Non-Hisp.	68	4,994	8	11.1	03.1-19.1	27	33.6	20.1-47.1	26	37.8	24.1-51.5	7	17.5	04.6-30.4						
Hispanic	218	45,043	25	9.9	05.4-14.4	97	43.3	35.3-51.3	60	25.9	19.2-32.6	9	4.6	01.5-07.7				27	16.4	10.3-22.5
18-24	276	90,122	13	3.5	01.3-05.7	119	43.2	36.1-50.3	106	39.3	32.2-46.4	34	12.3	07.8-16.8	3	1.4	00.0-03.4	1	0.3	00.0-00.9
25-34	474	112,852	25	5.2	02.8-07.6	196	39.5	33.8-45.2	195	41.9	36.2-47.6	45	10.2	06.9-13.5	1	0.2	00.0-00.6	12	3.0	01.2-04.8
35-44	595	107,548	20	3.2	01.4-05.0	243	36.9	32.2-41.6	258	45.4	40.5-50.3	61	11.2	07.9-14.5				13	3.3	01.3-05.3
45-54	872	127,712	32	2.6	01.4-03.8	403	42.6	38.5-46.7	357	42.7	38.6-46.8	76	11.6	08.5-14.7	1	0.1	00.0-00.3	3	0.4	00.0-01.0
55-64	1090	119,156	60	5.5	03.7-07.3	532	43.1	39.4-46.8	414	42.8	38.9-46.7	83	8.6	06.4-10.8	1	0.1	00.0-00.3			
65+	1755	144,412	145	7.6	06.2-09.0	865	46.1	43.2-49.0	622	38.6	35.7-41.5	121	7.7	05.9-09.5	1	0.0	00.0-00.0	1	0.1	00.0-00.3
Less Than H.S.	386	87,937	39	8.9	05.6-12.2	185	40.2	33.7-46.7	118	35.4	28.5-42.3	27	9.4	05.5-13.3				17	6.2	03.3-09.1
H.S. or G.E.D.	1548	224,460	112	4.4	03.4-05.4	725	42.5	39.2-45.8	566	39.9	36.6-43.2	132	11.7	09.3-14.1	6	0.8	00.0-01.6	7	0.8	00.2-01.4
Some Post-H.S.	1332	209,461	87	4.7	03.3-06.1	664	45.4	41.9-48.9	480	40.5	37.0-44.0	98	9.2	07.0-11.4				3	0.1	00.0-00.3
College Graduate	1824	182,568	58	3.2	02.2-04.2	801	39.0	36.3-41.7	796	48.2	45.3-51.1	165	9.2	07.6-10.8	1	0.1	00.0-00.3	3	0.3	00.0-00.7
Less than \$15,000	422	56,593	40	7.7	04.8-10.6	237	51.0	43.9-58.1	117	29.8	23.1-36.5	25	9.9	05.0-14.8				3	1.7	00.0-03.7
\$15,000- 24,999	719	94,920	62	6.8	04.4-09.2	352	45.3	40.4-50.2	249	37.2	32.3-42.1	40	6.3	03.9-08.7				16	4.4	02.0-06.8
\$25,000- 34,999	491	63,873	27	6.3	03.2-09.4	251	46.2	40.3-52.1	173	35.1	29.4-40.8	32	9.6	05.5-13.7	2	0.4	00.0-01.0	6	2.5	00.3-04.7
\$35,000- 49,999	684	94,831	33	4.0	02.4-05.6	305	41.2	36.1-46.3	280	42.4	37.1-47.7	66	12.4	08.9-15.9						
\$50,000- 74,999	685	93,751	29	3.9	02.1-05.7	314	38.6	33.9-43.3	277	48.5	43.4-53.6	64	8.7	06.2-11.2				1	0.3	00.0-00.9
\$75,000+	1345	200,976	43	3.2	01.8-04.6	530	35.3	32.0-38.6	618	48.8	45.3-52.3	152	12.6	10.1-15.1	2	0.2	00.0-00.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2050	338,466	11	0.6	00.0-01.2	221	11.6	09.6-13.6	1379	65.0	62.3-67.7	414	20.7	18.3-23.1	7	0.5	00.0-01.1	18	1.6	00.8-02.4
White/Non-Hisp	1521	228,579	6	0.6	00.0-01.4	151	10.0	07.8-12.2	1049	68.2	65.1-71.3	310	20.9	18.2-23.6	5	0.4	00.0-00.8			
Black or Afr. Am./Non-Hisp	283	64,119	1	0.2	00.0-00.6	36	15.1	09.4-20.8	175	56.5	48.9-64.1	69	26.8	19.9-33.7	2	1.5	00.0-04.0			
Oth. Race/Non-Hisp.	94	16,462				13	10.4	03.1-17.7	68	81.3	72.1-90.5	12	7.1	02.0-12.2				1	1.2	00.0-03.6
Hispanic	90	21,171	4	2.7	00.0-05.6	12	17.1	07.1-27.1	48	46.1	34.5-57.7	9	9.7	03.0-16.4				17	24.4	14.0-34.8
18-24	136	46,408				21	19.0	10.4-27.6	79	54.8	44.4-65.2	33	23.5	15.3-31.7	3	2.7	00.0-06.4			
25-34	201	55,389	2	1.7	00.0-04.4	14	9.1	03.6-14.6	131	63.8	55.6-72.0	45	20.7	14.0-27.4	1	0.5	00.0-01.5	8	4.2	01.1-07.3
35-44	254	52,812				24	9.5	05.2-13.8	162	63.2	56.1-70.3	60	22.6	16.5-28.7				8	4.8	01.5-08.1
45-54	360	61,953	2	0.5	00.0-01.3	33	9.8	05.9-13.7	249	65.6	59.1-72.1	74	23.4	17.5-29.3	1	0.2	00.0-00.6	1	0.6	00.0-01.8
55-64	418	56,712	2	0.8	00.0-02.0	52	12.2	08.5-15.9	282	69.1	63.6-74.6	81	17.7	13.2-22.2	1	0.2	00.0-00.6			
65+	668	63,853	5	0.4	00.0-00.8	76	11.4	08.3-14.5	467	70.7	66.2-75.2	118	17.1	13.4-20.8	1	0.1	00.0-00.3	1	0.3	00.0-00.9
Less Than H.S.	166	45,187	5	3.1	00.0-06.6	34	18.3	10.7-25.9	90	52.5	42.5-62.5	26	17.7	10.3-25.1				11	8.3	03.4-13.2
H.S. or G.E.D.	642	114,991	2	0.1	00.0-00.3	80	13.6	09.9-17.3	420	60.9	55.8-66.0	129	22.7	18.4-27.0	6	1.5	00.0-03.1	5	1.1	00.1-02.1
Some Post-H.S.	466	91,030	1	0.0	00.0-00.0	52	11.2	07.5-14.9	316	67.6	62.1-73.1	96	21.0	16.3-25.7				1	0.1	00.0-00.3
College Graduate	769	86,310	3	0.4	00.0-01.0	55	5.9	03.9-07.9	547	74.1	70.4-77.8	162	19.3	16.0-22.6	1	0.1	00.0-00.3	1	0.2	00.0-00.6
Less than \$15,000	125	21,756	3	1.7	00.0-03.7	24	16.8	08.2-25.4	75	56.0	43.3-68.7	21	22.9	11.3-34.5				2	2.6	00.0-06.3
\$15,000- 24,999	257	43,067	2	0.9	00.0-02.1	38	17.3	11.2-23.4	167	61.2	53.6-68.8	40	13.8	08.9-18.7				10	6.9	02.6-11.2
\$25,000- 34,999	189	30,455				30	19.6	11.2-28.0	122	55.5	45.7-65.3	31	19.8	11.8-27.8	2	0.8	00.0-02.2	4	4.2	00.1-08.3
\$35,000- 49,999	298	47,673	1	0.2	00.0-00.6	33	10.7	05.8-15.6	199	64.6	57.2-72.0	65	24.5	17.8-31.2						
\$50,000- 74,999	294	47,286				26	9.1	04.6-13.6	205	73.8	67.5-80.1	63	17.1	12.2-22.0						
\$75,000+	637	105,815	3	1.0	00.0-02.6	45	6.8	04.1-09.5	437	68.0	63.1-72.9	150	23.9	19.6-28.2	2	0.3	00.0-00.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3055	367,419	286	8.6	07.4-09.8	2160	70.3	67.9-72.7	588	20.2	18.2-22.2	9	0.3	00.1-00.5	12	0.7	00.3-01.1
White/Non-Hisp	2270	249,467	205	8.5	06.9-10.1	1609	70.4	67.9-72.9	451	21.1	18.7-23.5	4	0.1	00.1-00.1	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	470	74,354	35	6.0	03.6-08.4	340	70.4	64.9-75.9	90	22.5	17.2-27.8	5	1.0	00.0-02.0			
Oth. Race/Non-Hisp.	107	13,587	13	8.5	02.4-14.6	74	74.9	64.1-85.7	19	14.7	05.9-23.5				1	1.9	00.0-05.6
Hispanic	128	23,872	21	16.3	08.5-24.1	85	66.5	56.5-76.5	12	8.0	03.1-12.9				10	9.3	03.0-15.6
18-24	140	43,713	13	7.2	02.9-11.5	98	68.8	59.6-78.0	27	22.9	14.1-31.7	1	0.5	00.0-01.5	1	0.6	00.0-01.8
25-34	273	57,462	23	8.6	04.7-12.5	182	68.7	62.2-75.2	64	20.8	15.3-26.3				4	1.9	00.0-03.9
35-44	341	54,736	20	6.3	03.0-09.6	219	63.3	56.6-70.0	96	28.2	21.9-34.5	1	0.2	00.0-00.6	5	1.9	00.0-03.9
45-54	512	65,759	30	4.6	02.6-06.6	370	73.4	68.7-78.1	108	21.2	16.7-25.7	2	0.5	00.0-01.3	2	0.3	00.0-00.7
55-64	672	62,444	58	9.7	06.8-12.6	480	71.2	66.5-75.9	132	18.8	14.7-22.9	2	0.3	00.0-00.7			
65+	1087	80,559	140	13.3	10.8-15.8	789	73.5	70.4-76.6	155	13.1	10.7-15.5	3	0.2	00.0-00.4			
Less Than H.S.	220	42,750	34	15.0	09.1-20.9	151	63.2	54.4-72.0	28	17.3	09.5-25.1	1	0.6	00.0-01.8	6	3.9	00.6-07.2
H.S. or G.E.D.	906	109,469	110	8.9	06.9-10.9	645	72.8	68.9-76.7	146	17.8	14.1-21.5	3	0.2	00.0-00.4	2	0.4	00.0-01.0
Some Post-H.S.	866	118,431	86	8.3	05.9-10.7	612	71.7	67.8-75.6	164	19.7	16.2-23.2	2	0.2	00.0-00.6	2	0.1	00.0-00.3
College Graduate	1055	96,258	55	5.7	03.7-07.7	746	68.7	65.0-72.4	249	24.9	21.4-28.4	3	0.3	00.0-00.7	2	0.4	00.0-01.0
Less than \$15,000	297	34,837	37	11.5	07.0-16.0	213	72.3	65.2-79.4	42	13.4	08.1-18.7	4	1.7	00.0-03.7	1	1.1	00.0-03.3
\$15,000- 24,999	462	51,852	60	11.8	07.9-15.7	314	68.7	62.8-74.6	82	17.3	12.2-22.4				6	2.3	00.1-04.5
\$25,000- 34,999	302	33,418	27	12.0	06.1-17.9	221	70.4	63.3-77.5	51	16.5	11.4-21.6	1	0.2	00.0-00.6	2	0.9	00.0-02.3
\$35,000- 49,999	386	47,157	32	7.9	04.8-11.0	272	71.9	65.8-78.0	81	20.0	14.3-25.7	1	0.2	00.0-00.6			
\$50,000- 74,999	391	46,464	29	7.9	04.4-11.4	288	68.6	62.1-75.1	72	22.7	16.4-29.0	1	0.3	00.0-00.9	1	0.6	00.0-01.8
\$75,000+	708	95,161	40	5.6	03.4-07.8	485	66.9	62.2-71.6	181	27.5	23.0-32.0	2	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5144	712,862	5072	98.3	97.9-98.7	43	1.2	00.8-01.6	29	0.5	00.3-00.7
Male	2060	340,598	2023	97.8	97.0-98.6	24	1.7	00.9-02.5	13	0.5	00.1-00.9
Female	3084	372,264	3049	98.8	98.2-99.4	19	0.8	00.4-01.2	16	0.4	00.2-00.6
White/Non-Hisp	3791	477,558	3763	99.3	98.9-99.7	11	0.3	00.1-00.5	17	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	758	137,633	747	98.7	97.9-99.5	6	0.7	00.1-01.3	5	0.6	00.0-01.2
Oth. Race/Non-Hisp.	210	31,270	207	98.4	96.2-0100	3	1.6	00.0-03.8			
MultiRacial/Non-Hisp.	69	5,147	67	96.9	92.6-0100	1	1.1	00.0-03.3	1	2.0	00.0-05.9
Hispanic	237	51,829	214	88.1	83.0-93.2	22	11.0	06.3-15.7	1	0.9	00.0-02.7
18-24	275	89,894	267	98.2	96.8-99.6	7	1.6	00.2-03.0	1	0.3	00.0-00.9
25-34	478	115,288	467	96.8	94.8-98.8	9	2.6	00.8-04.4	2	0.6	00.0-01.4
35-44	600	109,534	593	98.2	96.8-99.6	7	1.8	00.4-03.2			
45-54	878	128,890	866	98.8	98.0-99.6	6	0.6	00.0-01.2	6	0.5	00.0-01.1
55-64	1094	119,549	1082	98.7	97.9-99.5	7	0.8	00.0-01.6	5	0.5	00.0-01.1
65+	1766	144,894	1748	99.1	98.7-99.5	7	0.4	00.0-00.8	11	0.4	00.0-00.8
Less Than H.S.	404	93,639	375	92.9	90.0-95.8	23	6.2	03.5-08.9	6	0.9	00.0-01.9
H.S. or G.E.D.	1555	225,538	1537	98.7	97.9-99.5	10	0.8	00.2-01.4	8	0.5	00.1-00.9
Some Post-H.S.	1333	209,530	1327	99.6	99.2-0100	1	0.0	00.0-00.0	5	0.4	00.0-00.8
College Graduate	1831	182,141	1815	99.3	98.9-99.7	7	0.3	00.0-00.7	9	0.3	00.1-00.5
Less than \$15,000	427	58,722	418	96.8	94.6-99.0	6	2.4	00.4-04.4	3	0.7	00.0-01.7
\$15,000- 24,999	732	97,818	717	96.7	94.9-98.5	11	2.5	00.9-04.1	4	0.8	00.0-01.8
\$25,000- 34,999	493	64,434	486	97.3	94.8-99.8	6	2.6	00.1-05.1	1	0.1	00.0-00.3
\$35,000- 49,999	685	95,238	679	98.9	97.9-99.9	4	0.8	00.0-01.6	2	0.3	00.0-00.7
\$50,000- 74,999	682	93,320	682	100.0	0100-0100						
\$75,000+	1341	200,738	1336	99.7	99.5-99.9	3	0.2	00.0-00.4	2	0.1	00.1-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2060	340,598	2023	97.8	97.0-98.6	24	1.7	00.9-02.5	13	0.5	00.1-00.9
White/Non-Hisp	1516	228,341	1504	99.2	98.6-99.8	6	0.5	00.0-01.1	6	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	283	63,059	278	98.4	96.8-0100	3	1.0	00.0-02.2	2	0.6	00.0-01.6
Oth. Race/Non-Hisp.	99	17,433	97	97.3	93.4-0100	2	2.7	00.0-06.6			
Hispanic	96	23,293	83	83.4	74.4-92.4	12	14.6	06.2-23.0	1	2.0	00.0-05.9
18-24	135	45,335	132	98.5	96.7-0100	3	1.5	00.0-03.3			
25-34	204	57,226	196	95.0	91.3-98.7	6	3.9	00.6-07.2	2	1.2	00.0-03.0
35-44	255	52,971	250	97.5	95.1-99.9	5	2.5	00.1-04.9			
45-54	362	62,713	355	98.1	96.5-99.7	4	1.1	00.0-02.3	3	0.8	00.0-01.8
55-64	419	56,948	414	98.8	97.6-0100	4	1.1	00.0-02.3	1	0.2	00.0-00.6
65+	669	63,912	663	99.2	98.4-0100	2	0.4	00.0-01.0	4	0.3	00.0-00.7
Less Than H.S.	172	46,838	157	91.2	86.3-96.1	13	7.6	03.1-12.1	2	1.2	00.0-03.2
H.S. or G.E.D.	642	115,496	633	98.3	97.1-99.5	5	1.1	00.0-02.3	4	0.5	00.0-01.1
Some Post-H.S.	466	91,119	465	99.8	99.4-0100				1	0.2	00.0-00.6
College Graduate	770	85,882	761	99.0	98.2-99.8	4	0.5	00.0-01.1	5	0.5	00.1-00.9
Less than \$15,000	127	22,517	124	96.9	93.2-0100	2	2.6	00.0-06.1	1	0.5	00.0-01.5
\$15,000- 24,999	258	43,373	249	95.4	92.1-98.7	7	3.3	00.8-05.8	2	1.4	00.0-03.6
\$25,000- 34,999	191	31,202	187	94.9	89.6-0100	4	5.1	00.0-10.4			
\$35,000- 49,999	298	48,081	295	98.7	97.1-0100	2	0.9	00.0-02.1	1	0.4	00.0-01.2
\$50,000- 74,999	294	47,285	294	100.0	0100-0100						
\$75,000+	635	105,501	632	99.6	99.0-0100	3	0.4	00.0-01.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3084	372,264	3049	98.8	98.2-99.4	19	0.8	00.4-01.2	16	0.4	00.2-00.6
White/Non-Hisp	2275	249,217	2259	99.5	99.1-99.9	5	0.1	00.0-00.3	11	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	475	74,575	469	99.0	98.0-0100	3	0.5	00.0-01.3	3	0.6	00.0-01.4
Oth. Race/Non-Hisp.	111	13,836	110	99.8	99.2-0100	1	0.2	00.0-00.8			
Hispanic	141	28,537	131	92.0	86.7-97.3	10	8.0	02.7-13.3			
18-24	140	44,559	135	97.8	95.6-0100	4	1.6	00.0-03.6	1	0.5	00.0-01.7
25-34	274	58,062	271	98.6	97.0-0100	3	1.4	00.0-03.0			
35-44	345	56,563	343	98.9	97.3-0100	2	1.1	00.0-02.7			
45-54	516	66,177	511	99.5	99.1-99.9	2	0.2	00.0-00.4	3	0.3	00.0-00.7
55-64	675	62,601	668	98.6	97.2-0100	3	0.7	00.0-01.7	4	0.8	00.0-01.8
65+	1097	80,982	1085	99.0	98.4-99.6	5	0.4	00.0-00.8	7	0.5	00.1-00.9
Less Than H.S.	232	46,802	218	94.5	91.2-97.8	10	4.9	01.6-08.2	4	0.6	00.0-01.2
H.S. or G.E.D.	913	110,042	904	99.2	98.4-0100	5	0.4	00.0-01.0	4	0.4	00.0-00.8
Some Post-H.S.	867	118,411	862	99.5	98.9-0100	1	0.1	00.0-00.3	4	0.5	00.0-01.1
College Graduate	1061	96,260	1054	99.6	99.2-0100	3	0.2	00.0-00.4	4	0.2	00.0-00.4
Less than \$15,000	300	36,205	294	96.8	94.1-99.5	4	2.3	00.0-04.7	2	0.9	00.0-02.3
\$15,000- 24,999	474	54,446	468	97.8	95.8-99.8	4	1.8	00.0-03.8	2	0.4	00.0-01.0
\$25,000- 34,999	302	33,232	299	99.6	99.0-0100	2	0.2	00.0-00.6	1	0.1	00.0-00.3
\$35,000- 49,999	387	47,157	384	99.1	97.9-0100	2	0.7	00.0-01.9	1	0.1	00.0-00.3
\$50,000- 74,999	388	46,034	388	100.0	0100-0100						
\$75,000+	706	95,237	704	99.9	99.7-0100				2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5164	717,329	5003	97.1	96.5-97.7	58	1.1	00.7-01.5	103	1.8	01.4-02.2
Male	2068	342,963	1993	96.4	95.2-97.6	31	1.6	00.8-02.4	44	1.9	01.1-02.7
Female	3096	374,366	3010	97.8	97.2-98.4	27	0.6	00.2-01.0	59	1.7	01.1-02.3
White/Non-Hisp	3806	480,254	3710	97.6	97.0-98.2	28	0.5	00.3-00.7	68	1.9	01.3-02.5
Black or Afr. Am./Non-Hisp	762	139,284	740	97.7	96.3-99.1	11	1.4	00.2-02.6	11	0.9	00.3-01.5
Oth. Race/Non-Hisp.	210	31,270	200	95.4	91.5-99.3	3	1.7	00.0-04.4	7	2.9	00.2-05.6
MultiRacial/Non-Hisp.	69	5,147	68	98.5	95.6-0100	1	1.5	00.0-04.4			
Hispanic	238	51,950	224	94.4	90.9-97.9	11	4.6	01.5-07.7	3	1.1	00.0-02.9
18-24	279	91,448	270	97.6	95.8-99.4	4	1.0	00.0-02.2	5	1.4	00.2-02.6
25-34	486	117,054	473	95.9	93.4-98.4	5	1.6	00.0-03.2	8	2.5	00.3-04.7
35-44	603	109,782	593	98.3	97.1-99.5	3	0.5	00.0-01.3	7	1.2	00.2-02.2
45-54	882	129,376	858	97.8	96.8-98.8	9	0.8	00.2-01.4	15	1.4	00.6-02.2
55-64	1096	120,030	1066	97.4	96.2-98.6	11	1.1	00.3-01.9	19	1.5	00.7-02.3
65+	1765	144,826	1703	97.0	96.0-98.0	25	1.1	00.5-01.7	37	1.9	01.1-02.7
Less Than H.S.	405	95,137	384	96.0	93.8-98.2	17	3.2	01.2-05.2	4	0.7	00.0-01.7
H.S. or G.E.D.	1556	225,645	1505	97.4	96.6-98.2	17	0.8	00.4-01.2	34	1.8	01.0-02.6
Some Post-H.S.	1340	210,834	1307	97.3	95.9-98.7	11	0.9	00.1-01.7	22	1.8	00.6-03.0
College Graduate	1842	183,699	1793	97.4	96.4-98.4	13	0.5	00.1-00.9	36	2.1	01.3-02.9
Less than \$15,000	430	59,440	420	98.6	97.6-99.6	7	0.8	00.2-01.4	3	0.6	00.0-01.4
\$15,000- 24,999	733	98,093	712	96.3	94.5-98.1	15	2.8	01.2-04.4	6	0.9	00.0-01.9
\$25,000- 34,999	494	64,779	488	99.2	98.4-0100	2	0.1	00.0-00.3	4	0.7	00.0-01.5
\$35,000- 49,999	688	95,602	671	97.8	96.2-99.4	5	0.9	00.0-02.3	12	1.3	00.5-02.1
\$50,000- 74,999	686	93,914	672	98.1	96.9-99.3	2	0.2	00.0-00.6	12	1.6	00.4-02.8
\$75,000+	1348	201,564	1321	98.3	97.5-99.1	7	0.3	00.1-00.5	20	1.4	00.6-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2068	342,963	1993	96.4	95.2-97.6	31	1.6	00.8-02.4	44	1.9	01.1-02.7
White/Non-Hisp	1523	229,560	1485	97.5	96.3-98.7	9	0.4	00.0-00.8	29	2.1	00.9-03.3
Black or Afr. Am./Non-Hisp	284	64,205	272	96.3	93.6-99.0	8	2.7	00.2-05.2	4	1.0	00.0-02.2
Oth. Race/Non-Hisp.	99	17,433	95	96.6	91.7-0100	2	3.1	00.0-08.0	2	0.3	00.0-00.7
Hispanic	96	23,293	86	89.6	82.3-96.9	8	8.3	02.0-14.6	2	2.1	00.0-06.0
18-24	137	46,561	133	98.0	95.6-0100	2	1.0	00.0-02.8	2	1.0	00.0-02.4
25-34	208	58,127	198	92.6	87.5-97.7	4	3.1	00.0-06.2	6	4.3	00.2-08.4
35-44	255	52,929	251	98.5	96.7-0100	3	1.1	00.0-02.7	1	0.3	00.0-00.9
45-54	363	62,844	351	97.2	95.4-99.0	5	1.2	00.0-02.4	7	1.6	00.2-03.0
55-64	420	57,098	405	97.1	95.5-98.7	6	1.5	00.1-02.9	9	1.3	00.3-02.3
65+	669	63,912	646	97.1	95.7-98.5	10	1.2	00.4-02.0	13	1.6	00.6-02.6
Less Than H.S.	173	47,899	159	93.5	89.6-97.4	12	5.3	01.8-08.8	2	1.1	00.0-03.1
H.S. or G.E.D.	642	115,476	618	97.2	95.8-98.6	11	1.2	00.2-02.2	13	1.6	00.6-02.6
Some Post-H.S.	468	91,625	459	96.8	94.1-99.5	3	1.3	00.0-03.1	6	1.9	00.0-04.3
College Graduate	775	86,699	751	97.1	95.7-98.5	5	0.4	00.0-00.8	19	2.5	01.1-03.9
Less than \$15,000	128	22,833	124	98.6	97.2-0100	4	1.4	00.0-02.8			
\$15,000- 24,999	259	43,562	245	93.0	89.1-96.9	11	5.3	02.0-08.6	3	1.7	00.0-03.9
\$25,000- 34,999	192	31,366	190	99.2	97.8-0100	1	0.2	00.0-00.6	1	0.7	00.0-02.1
\$35,000- 49,999	299	48,263	294	97.9	95.2-0100	3	1.5	00.0-04.2	2	0.6	00.0-01.6
\$50,000- 74,999	295	47,449	289	97.9	96.1-99.7	1	0.2	00.0-00.6	5	1.9	00.1-03.7
\$75,000+	638	105,834	623	98.1	97.1-99.1	3	0.3	00.0-00.7	12	1.6	00.6-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3096	374,366	3010	97.8	97.2-98.4	27	0.6	00.2-01.0	59	1.7	01.1-02.3
White/Non-Hisp	2283	250,694	2225	97.7	96.9-98.5	19	0.6	00.2-01.0	39	1.7	01.1-02.3
Black or Afr. Am./Non-Hisp	478	75,079	468	98.9	98.1-99.7	3	0.3	00.0-00.7	7	0.8	00.0-01.6
Oth. Race/Non-Hisp.	111	13,836	105	93.9	87.8-0100	1	0.0	00.0-00.0	5	6.1	00.0-12.2
Hispanic	142	28,657	138	98.2	96.0-0100	3	1.5	00.0-03.5	1	0.3	00.0-00.9
18-24	142	44,887	137	97.2	94.7-99.7	2	1.0	00.0-02.6	3	1.8	00.0-04.0
25-34	278	58,927	275	99.2	98.2-0100	1	0.2	00.0-00.6	2	0.6	00.0-01.6
35-44	348	56,853	342	98.0	96.2-99.8				6	2.0	00.2-03.8
45-54	519	66,532	507	98.4	97.4-99.4	4	0.5	00.0-01.1	8	1.1	00.3-01.9
55-64	676	62,933	661	97.6	96.0-99.2	5	0.8	00.0-01.8	10	1.6	00.4-02.8
65+	1096	80,914	1057	96.9	95.7-98.1	15	0.9	00.3-01.5	24	2.1	01.1-03.1
Less Than H.S.	232	47,238	225	98.6	97.2-0100	5	1.1	00.0-02.5	2	0.3	00.0-00.7
H.S. or G.E.D.	914	110,169	887	97.7	96.5-98.9	6	0.4	00.0-00.8	21	1.9	00.9-02.9
Some Post-H.S.	872	119,209	848	97.7	96.5-98.9	8	0.5	00.0-01.1	16	1.8	00.8-02.8
College Graduate	1067	97,000	1042	97.6	96.4-98.8	8	0.5	00.1-00.9	17	1.8	00.6-03.0
Less than \$15,000	302	36,607	296	98.6	97.0-0100	3	0.4	00.0-01.0	3	1.0	00.0-02.4
\$15,000- 24,999	474	54,531	467	98.9	97.7-0100	4	0.7	00.0-01.7	3	0.4	00.0-00.8
\$25,000- 34,999	302	33,413	298	99.2	98.2-0100	1	0.0	00.0-00.0	3	0.8	00.0-01.8
\$35,000- 49,999	389	47,340	377	97.6	96.0-99.2	2	0.4	00.0-01.0	10	2.0	00.6-03.4
\$50,000- 74,999	391	46,464	383	98.3	96.9-99.7	1	0.3	00.0-00.9	7	1.4	00.2-02.6
\$75,000+	710	95,730	698	98.5	97.5-99.5	4	0.3	00.0-00.7	8	1.2	00.2-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3945	458,896	221	4.2	03.4-05.0	3724	95.8	95.0-96.6
Male	1456	203,185	93	5.2	03.6-06.8	1363	94.8	93.2-96.4
Female	2489	255,712	128	3.5	02.7-04.3	2361	96.5	95.7-97.3
White/Non-Hisp	3077	332,088	177	4.5	03.5-05.5	2900	95.5	94.5-96.5
Black or Afr. Am./Non-Hisp	506	77,133	28	4.3	02.1-06.5	478	95.7	93.5-97.9
Oth. Race/Non-Hisp.	135	19,164	9	4.7	00.6-08.8	126	95.3	91.2-99.4
Hispanic	125	22,848	5	1.2	00.0-02.4	120	98.8	97.6-0100
18-24	86	32,740	2	0.8	00.0-02.2	84	99.2	97.8-0100
25-34	212	42,476	5	1.0	00.0-02.2	207	99.0	97.8-0100
35-44	389	64,414	16	2.7	01.3-04.1	373	97.3	95.9-98.7
45-54	648	92,038	33	5.4	02.9-07.9	615	94.6	92.1-97.1
55-64	924	95,286	60	5.8	03.8-07.8	864	94.2	92.2-96.2
65+	1642	128,813	100	4.6	03.4-05.8	1542	95.4	94.2-96.6
Less Than H.S.	273	52,024	6	0.9	00.1-01.7	267	99.1	98.3-99.9
H.S. or G.E.D.	1165	142,848	45	3.5	01.9-05.1	1120	96.5	94.9-98.1
Some Post-H.S.	985	127,847	53	4.4	02.8-06.0	932	95.6	94.0-97.2
College Graduate	1507	135,132	115	6.1	04.7-07.5	1392	93.9	92.5-95.3
Less than \$15,000	306	31,762	11	3.8	00.1-07.5	295	96.2	92.5-99.9
\$15,000- 24,999	514	53,158	19	2.5	00.9-04.1	495	97.5	95.9-99.1
\$25,000- 34,999	367	38,910	16	4.2	01.5-06.9	351	95.8	93.1-98.5
\$35,000- 49,999	514	57,814	20	2.1	00.9-03.3	494	97.9	96.7-99.1
\$50,000- 74,999	537	63,634	30	4.4	02.2-06.6	507	95.6	93.4-97.8
\$75,000+	1065	143,400	83	5.6	04.0-07.2	982	94.4	92.8-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1456	203,185	93	5.2	03.6-06.8	1363	94.8	93.2-96.4
White/Non-Hisp	1152	147,479	74	5.4	03.6-07.2	1078	94.6	92.8-96.4
Black or Afr. Am./Non-Hisp	168	33,834	9	4.8	00.7-08.9	159	95.2	91.1-99.3
Oth. Race/Non-Hisp.	58	10,243	7	8.3	00.5-16.1	51	91.7	83.9-99.5
25-34	78	17,260	2	1.5	00.0-03.9	76	98.5	96.1-0100
35-44	147	28,379	8	2.6	00.6-04.6	139	97.4	95.4-99.4
45-54	246	42,313	19	8.7	03.6-13.8	227	91.3	86.2-96.4
55-64	321	40,811	25	7.5	03.8-11.2	296	92.5	88.8-96.2
65+	604	54,664	36	4.5	02.7-06.3	568	95.5	93.7-97.3
Less Than H.S.	101	22,324	3	1.1	00.0-02.5	98	98.9	97.5-0100
H.S. or G.E.D.	420	65,664	15	3.9	01.0-06.8	405	96.1	93.2-99.0
Some Post-H.S.	324	53,007	17	5.4	02.1-08.7	307	94.6	91.3-97.9
College Graduate	606	61,828	58	8.0	05.5-10.5	548	92.0	89.5-94.5
Less than \$15,000	82	10,193	4	8.6	00.0-19.2	78	91.4	80.8-0100
\$15,000- 24,999	152	20,589	4	1.2	00.0-03.0	148	98.8	97.0-0100
\$25,000- 34,999	131	17,312	8	4.3	00.8-07.8	123	95.7	92.2-99.2
\$35,000- 49,999	206	27,098	10	2.6	00.4-04.8	196	97.4	95.2-99.6
\$50,000- 74,999	216	28,518	11	5.8	01.7-09.9	205	94.2	90.1-98.3
\$75,000+	476	72,300	44	6.8	04.1-09.5	432	93.2	90.5-95.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2489	255,712	128	3.5	02.7-04.3	2361	96.5	95.7-97.3
White/Non-Hisp	1925	184,609	103	3.8	02.8-04.8	1822	96.2	95.2-97.2
Black or Afr. Am./Non-Hisp	338	43,299	19	3.8	01.8-05.8	319	96.2	94.2-98.2
Oth. Race/Non-Hisp.	77	8,920	2	0.6	00.0-01.8	75	99.4	98.2-0100
Hispanic	86	15,113	3	1.0	00.0-02.4	83	99.0	97.6-0100
25-34	134	25,216	3	0.7	00.0-01.5	131	99.3	98.5-0100
35-44	242	36,035	8	2.8	00.8-04.8	234	97.2	95.2-99.2
45-54	402	49,724	14	2.7	00.9-04.5	388	97.3	95.5-99.1
55-64	603	54,475	35	4.6	02.4-06.8	568	95.4	93.2-97.6
65+	1038	74,149	64	4.7	03.3-06.1	974	95.3	93.9-96.7
Less Than H.S.	172	29,700	3	0.7	00.0-01.7	169	99.3	98.3-0100
H.S. or G.E.D.	745	77,184	30	3.3	01.7-04.9	715	96.7	95.1-98.3
Some Post-H.S.	661	74,840	36	3.7	02.1-05.3	625	96.3	94.7-97.9
College Graduate	901	73,304	57	4.5	03.1-05.9	844	95.5	94.1-96.9
Less than \$15,000	224	21,569	7	1.6	00.0-03.2	217	98.4	96.8-0100
\$15,000- 24,999	362	32,569	15	3.3	01.1-05.5	347	96.7	94.5-98.9
\$25,000- 34,999	236	21,598	8	4.2	00.1-08.3	228	95.8	91.7-99.9
\$35,000- 49,999	308	30,717	10	1.6	00.4-02.8	298	98.4	97.2-99.6
\$50,000- 74,999	321	35,116	19	3.2	01.4-05.0	302	96.8	95.0-98.6
\$75,000+	589	71,100	39	4.3	02.5-06.1	550	95.7	93.9-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	214	18,878	102	67.5	59.5-75.5	97	29.6	21.8-37.4	11	2.4	00.6-04.2	4	0.5	00.0-01.1
Male	89	10,152	41	67.7	55.2-80.2	44	30.8	18.5-43.1	2	0.9	00.0-02.1	2	0.6	00.0-01.6
Female	125	8,726	61	67.3	57.7-76.9	53	28.2	19.2-37.2	9	4.1	00.8-07.4	2	0.4	00.0-01.0
White/Non-Hisp	170	14,347	79	68.6	60.2-77.0	80	28.3	20.3-36.3	7	2.4	00.4-04.4	4	0.7	00.0-01.5
55-64	58	5,381	31	72.1	58.4-85.8	22	24.4	11.3-37.5	3	2.3	00.0-05.0	2	1.3	00.0-03.3
65+	98	5,856	33	53.6	41.3-65.9	56	40.7	29.1-52.3	7	5.3	00.6-10.0	2	0.5	00.0-01.1
Some Post-H.S.	52	5,506	24	67.2	50.3-84.1	24	29.7	13.2-46.2	3	2.7	00.0-06.0	1	0.3	00.0-00.9
College Graduate	109	7,812	51	63.7	52.9-74.5	53	35.0	24.4-45.6	4	1.2	00.0-02.6	1	0.1	00.0-00.3
\$75,000+	79	7,642	35	65.1	52.2-78.0	40	32.6	20.1-45.1	4	2.3	00.0-04.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 8: DEMOGRAPHICS

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	89	10,152	41	67.7	55.0-80.4	44	30.8	18.3-43.3	2	0.9	00.0-02.1	2	0.6	00.0-01.6
White/Non-Hisp	70	7,513	32	72.7	60.9-84.5	34	25.2	13.8-36.6	2	1.2	00.0-02.8	2	0.8	00.0-02.2
College Graduate	55	4,631	25	61.3	46.0-76.6	28	37.8	22.5-53.1	1	0.7	00.0-02.1	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	125	8,726	61	67.3	57.5-77.1	53	28.2	19.0-37.4	9	4.1	00.8-07.4	2	0.4	00.0-00.8
White/Non-Hisp	100	6,834	47	64.0	52.2-75.8	46	31.7	20.3-43.1	5	3.8	00.1-07.5	2	0.5	00.0-01.1
65+	62	3,390	21	52.2	36.5-67.9	33	38.1	23.8-52.4	7	9.2	01.4-17.0	1	0.5	00.0-01.5
College Graduate	54	3,181	26	67.2	53.1-81.3	25	31.0	17.1-44.9	3	1.8	00.0-04.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3927	457,833	3219	91.1	90.1-92.1	708	8.9	07.9-09.9
Male	1450	202,800	1174	91.2	89.6-92.8	276	8.8	07.2-10.4
Female	2477	255,033	2045	91.1	89.7-92.5	432	8.9	07.5-10.3
White/Non-Hisp	3067	331,426	2554	92.4	91.4-93.4	513	7.6	06.6-08.6
Black or Afr. Am./Non-Hisp	505	76,984	394	87.5	84.4-90.6	111	12.5	09.4-15.6
Oth. Race/Non-Hisp.	134	19,141	103	92.7	89.0-96.4	31	7.3	03.6-11.0
Hispanic	124	22,788	92	84.1	77.2-91.0	32	15.9	09.0-22.8
18-24	86	32,740	73	90.8	85.1-96.5	13	9.2	03.5-14.9
25-34	212	42,476	186	91.8	86.9-96.7	26	8.2	03.3-13.1
35-44	389	64,414	351	94.2	91.8-96.6	38	5.8	03.4-08.2
45-54	644	91,727	545	92.9	90.9-94.9	99	7.1	05.1-09.1
55-64	918	94,965	779	92.2	90.6-93.8	139	7.8	06.2-09.4
65+	1636	128,442	1253	87.5	85.9-89.1	383	12.5	10.9-14.1
Less Than H.S.	271	51,873	160	77.3	71.2-83.4	111	22.7	16.6-28.8
H.S. or G.E.D.	1157	142,289	853	88.3	86.5-90.1	304	11.7	09.9-13.5
Some Post-H.S.	983	127,704	853	94.6	93.4-95.8	130	5.4	04.2-06.6
College Graduate	1502	134,956	1344	96.2	95.4-97.0	158	3.8	03.0-04.6
Less than \$15,000	304	31,590	192	73.8	66.4-81.2	112	26.2	18.8-33.6
\$15,000- 24,999	513	53,067	363	83.5	79.6-87.4	150	16.5	12.6-20.4
\$25,000- 34,999	367	38,910	277	87.5	84.2-90.8	90	12.5	09.2-15.8
\$35,000- 49,999	514	57,814	433	92.4	90.2-94.6	81	7.6	05.4-09.8
\$50,000- 74,999	535	63,562	481	95.9	94.5-97.3	54	4.1	02.7-05.5
\$75,000+	1062	143,143	999	98.1	97.5-98.7	63	1.9	01.3-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1450	202,800	1174	91.2	89.6-92.8	276	8.8	07.2-10.4
White/Non-Hisp	1149	147,212	938	92.0	90.4-93.6	211	8.0	06.4-09.6
Black or Afr. Am./Non-Hisp	168	33,834	134	88.0	82.5-93.5	34	12.0	06.5-17.5
Oth. Race/Non-Hisp.	57	10,220	46	94.9	90.6-99.2	11	5.1	00.8-09.4
25-34	78	17,260	69	94.1	89.6-98.6	9	5.9	01.4-10.4
35-44	147	28,379	133	95.3	92.2-98.4	14	4.7	01.6-07.8
45-54	245	42,166	201	92.1	88.8-95.4	44	7.9	04.6-11.2
55-64	320	40,788	267	92.6	90.2-95.0	53	7.4	05.0-09.8
65+	601	54,483	459	88.0	85.5-90.5	142	12.0	09.5-14.5
Less Than H.S.	100	22,264	63	81.4	72.8-90.0	37	18.6	10.0-27.2
H.S. or G.E.D.	417	65,404	301	87.9	84.8-91.0	116	12.1	09.0-15.2
Some Post-H.S.	323	52,976	274	94.0	91.8-96.2	49	6.0	03.8-08.2
College Graduate	606	61,828	534	96.1	94.9-97.3	72	3.9	02.7-05.1
Less than \$15,000	81	10,133	42	69.9	56.8-83.0	39	30.1	17.0-43.2
\$15,000- 24,999	152	20,589	102	82.6	75.2-90.0	50	17.4	10.0-24.8
\$25,000- 34,999	131	17,312	96	88.1	83.0-93.2	35	11.9	06.8-17.0
\$35,000- 49,999	206	27,098	164	90.7	87.0-94.4	42	9.3	05.6-13.0
\$50,000- 74,999	215	28,487	191	95.6	93.6-97.6	24	4.4	02.4-06.4
\$75,000+	475	72,153	438	97.5	96.5-98.5	37	2.5	01.5-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2477	255,033	2045	91.1	89.7-92.5	432	8.9	07.5-10.3
White/Non-Hisp	1918	184,215	1616	92.7	91.3-94.1	302	7.3	05.9-08.7
Black or Afr. Am./Non-Hisp	337	43,150	260	87.2	83.5-90.9	77	12.8	09.1-16.5
Oth. Race/Non-Hisp.	77	8,920	57	90.2	83.9-96.5	20	9.8	03.5-16.1
Hispanic	86	15,113	62	82.5	73.7-91.3	24	17.5	08.7-26.3
25-34	134	25,216	117	90.2	82.8-97.6	17	9.8	02.4-17.2
35-44	242	36,035	218	93.4	90.1-96.7	24	6.6	03.3-09.9
45-54	399	49,560	344	93.6	91.4-95.8	55	6.4	04.2-08.6
55-64	598	54,177	512	91.8	89.6-94.0	86	8.2	06.0-10.4
65+	1035	73,958	794	87.1	84.9-89.3	241	12.9	10.7-15.1
Less Than H.S.	171	29,609	97	74.1	65.7-82.5	74	25.9	17.5-34.3
H.S. or G.E.D.	740	76,885	552	88.7	86.5-90.9	188	11.3	09.1-13.5
Some Post-H.S.	660	74,727	579	95.0	93.6-96.4	81	5.0	03.6-06.4
College Graduate	896	73,128	810	96.4	95.4-97.4	86	3.6	02.6-04.6
Less than \$15,000	223	21,457	150	75.6	66.2-85.0	73	24.4	15.0-33.8
\$15,000- 24,999	361	32,478	261	84.1	79.6-88.6	100	15.9	11.4-20.4
\$25,000- 34,999	236	21,598	181	86.9	82.4-91.4	55	13.1	08.6-17.6
\$35,000- 49,999	308	30,717	269	94.0	91.5-96.5	39	6.0	03.5-08.5
\$50,000- 74,999	320	35,075	290	96.1	94.3-97.9	30	3.9	02.1-05.7
\$75,000+	587	70,990	561	98.7	98.1-99.3	26	1.3	00.7-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 52: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3041	397,164	241	5.9	04.9-06.9	1095	34.1	31.7-36.5	246	9.1	07.5-10.7	499	17.1	15.1-19.1	441	19.3	17.1-21.5	519	14.5	12.9-16.1
Male	1120	177,264	66	4.5	03.1-05.9	371	30.5	27.0-34.0	91	9.7	07.2-12.2	180	17.0	13.7-20.3	199	23.0	19.5-26.5	213	15.3	12.8-17.8
Female	1921	219,900	175	7.0	05.8-08.2	724	37.1	34.0-40.2	155	8.6	06.8-10.4	319	17.1	14.7-19.5	242	16.4	14.0-18.8	306	13.8	11.8-15.8
White/Non-Hisp	2442	294,641	203	6.4	05.4-07.4	925	35.4	32.9-37.9	184	8.5	06.9-10.1	412	17.2	15.2-19.2	348	19.2	17.0-21.4	370	13.3	11.5-15.1
Black or Afr. Am./Non-Hisp	355	62,281	25	5.8	02.9-08.7	94	24.7	18.6-30.8	42	13.2	08.1-18.3	47	14.9	09.8-20.0	54	21.4	14.9-27.9	93	20.0	15.1-24.9
Oth. Race/Non-Hisp.	90	15,774	3	1.0	00.0-02.4	25	40.0	22.2-57.8	10	7.4	01.7-13.1	18	25.0	06.4-43.6	14	14.4	05.0-23.8	20	12.3	04.7-19.9
Hispanic	86	18,079				29	43.2	29.1-57.3	6	9.3	00.0-20.9	12	11.9	04.1-19.7	17	19.4	09.2-29.6	22	16.2	08.0-24.4
18-24	72	29,265				10	22.0	09.3-34.7	6	14.3	02.5-26.1	11	21.5	07.6-35.4	12	17.7	07.3-28.1	33	24.5	14.3-34.7
25-34	182	37,695	3	2.8	00.0-06.5	18	20.9	10.5-31.3	8	5.7	00.6-10.8	25	13.2	07.1-19.3	38	24.7	16.5-32.9	90	32.6	24.4-40.8
35-44	336	59,001	4	1.5	00.0-03.3	51	16.3	11.4-21.2	24	7.3	04.2-10.4	62	17.8	13.1-22.5	94	37.0	30.3-43.7	101	20.1	15.6-24.6
45-54	521	82,143	11	1.6	00.6-02.6	133	28.5	23.4-33.6	40	7.7	05.0-10.4	101	20.8	16.1-25.5	109	23.4	18.7-28.1	127	17.9	14.0-21.8
55-64	749	84,002	52	5.8	04.0-07.6	283	39.8	35.1-44.5	76	12.0	08.9-15.1	136	17.4	14.1-20.7	102	15.9	12.4-19.4	100	9.1	06.9-11.3
65+	1158	103,198	168	14.4	12.0-16.8	587	52.1	48.6-55.6	89	8.6	06.6-10.6	163	13.7	11.3-16.1	85	7.6	05.6-09.6	66	3.6	02.6-04.6
Less Than H.S.	139	36,305	13	4.9	01.8-08.0	66	46.4	35.0-57.8	13	14.8	05.0-24.6	18	14.1	06.5-21.7	14	12.5	05.2-19.8	15	7.3	03.0-11.6
H.S. or G.E.D.	808	119,986	84	7.1	05.3-08.9	333	38.7	34.0-43.4	65	8.7	06.2-11.2	112	15.2	11.7-18.7	107	18.7	14.8-22.6	107	11.6	08.9-14.3
Some Post-H.S.	808	116,480	57	6.0	04.0-08.0	291	31.6	27.7-35.5	58	7.1	04.9-09.3	123	16.0	12.1-19.9	125	22.1	18.0-26.2	154	17.2	13.9-20.5
College Graduate	1281	124,030	86	4.8	03.6-06.0	403	28.6	25.5-31.7	109	9.7	07.7-11.7	245	20.7	18.0-23.4	195	19.4	16.5-22.3	243	16.8	14.3-19.3
Less than \$15,000	176	21,502	27	12.1	06.2-18.0	83	40.6	29.8-51.4	14	13.6	02.8-24.4	17	10.9	04.6-17.2	11	11.5	02.9-20.1	24	11.4	05.1-17.7
\$15,000- 24,999	339	41,084	45	10.0	06.7-13.3	160	50.2	42.8-57.6	13	3.8	01.4-06.2	39	10.7	06.6-14.8	40	14.5	09.4-19.6	42	10.8	06.7-14.9
\$25,000- 34,999	263	32,536	24	7.0	03.7-10.3	120	42.1	33.9-50.3	14	5.1	02.2-08.0	37	19.4	11.0-27.8	29	13.0	07.7-18.3	39	13.3	08.2-18.4
\$35,000- 49,999	419	52,279	28	6.3	03.2-09.4	163	37.9	31.4-44.4	44	10.5	06.8-14.2	72	19.1	12.4-25.8	43	11.7	07.2-16.2	69	14.4	09.9-18.9
\$50,000- 74,999	468	59,615	25	4.7	02.3-07.1	163	33.9	28.2-39.6	36	9.7	05.8-13.6	92	20.3	15.4-25.2	67	19.9	14.2-25.6	85	11.5	08.6-14.4
\$75,000+	967	137,166	28	1.8	01.0-02.6	243	23.2	19.7-26.7	86	9.5	07.1-11.9	178	18.1	15.0-21.2	216	29.0	25.1-32.9	216	18.4	15.5-21.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 53: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1120	177,264	66	4.5	03.1-05.9	371	30.5	27.0-34.0	91	9.7	07.2-12.2	180	17.0	13.7-20.3	199	23.0	19.5-26.5	213	15.3	12.8-17.8
White/Non-Hisp	906	131,359	54	4.5	03.1-05.9	320	32.3	28.4-36.2	66	8.9	06.4-11.4	149	16.5	13.4-19.6	160	23.1	19.2-27.0	157	14.7	12.0-17.4
Black or Afr. Am./Non-Hisp	126	28,331	8	6.0	00.7-11.3	26	19.3	10.1-28.5	15	15.1	05.7-24.5	18	14.5	06.3-22.7	28	28.4	17.2-39.6	31	16.6	09.5-23.7
25-34	67	15,577	2	6.3	00.0-15.1	4	13.5	01.3-25.7	4	11.4	00.0-23.2	5	6.6	00.0-13.5	14	30.4	15.7-45.1	38	31.8	19.5-44.1
35-44	130	26,650				20	16.2	08.8-23.6	11	7.6	02.9-12.3	22	16.1	09.0-23.2	41	41.0	30.6-51.4	36	19.1	12.2-26.0
45-54	189	36,662	3	1.2	00.0-02.6	47	25.7	17.5-33.9	11	7.3	02.4-12.2	33	20.8	13.0-28.6	41	23.7	15.9-31.5	54	21.3	14.4-28.2
55-64	262	37,228	15	4.9	02.2-07.6	90	37.0	29.0-45.0	29	13.1	07.8-18.4	41	14.2	09.1-19.3	46	20.8	14.3-27.3	41	9.9	06.6-13.2
65+	429	44,180	46	10.8	07.3-14.3	202	49.2	43.5-54.9	33	8.3	05.4-11.2	73	16.2	12.1-20.3	49	11.9	08.2-15.6	26	3.7	02.1-05.3
Less Than H.S.	56	16,458	3	2.1	00.0-04.6	26	43.7	26.1-61.3	5	16.8	01.1-32.5	7	15.4	02.7-28.1	9	16.8	04.6-29.0	6	5.1	00.0-10.2
H.S. or G.E.D.	287	55,203	20	5.2	02.7-07.7	99	31.2	24.3-38.1	27	10.7	06.0-15.4	40	15.0	09.1-20.9	50	24.3	17.2-31.4	51	13.6	09.1-18.1
Some Post-H.S.	266	48,878	16	5.5	02.0-09.0	83	28.5	21.8-35.2	15	5.1	02.2-08.0	45	17.3	09.9-24.7	52	25.5	18.4-32.6	55	18.1	12.4-23.8
College Graduate	510	56,626	27	3.7	01.9-05.5	163	27.7	23.2-32.2	44	10.6	07.3-13.9	87	19.0	14.7-23.3	88	21.5	16.6-26.4	101	17.6	13.7-21.5
\$15,000- 24,999	95	15,442	9	5.0	01.3-08.7	42	52.4	38.5-66.3	2	2.4	00.0-06.3	11	8.2	01.7-14.7	17	20.6	10.0-31.2	14	11.3	03.5-19.1
\$25,000- 34,999	92	14,878	8	6.9	01.4-12.4	42	43.5	29.6-57.4	4	3.4	00.0-07.1	15	20.6	06.7-34.5	10	13.6	04.6-22.6	13	12.0	03.6-20.4
\$35,000- 49,999	162	24,446	10	7.1	01.0-13.2	61	33.4	23.8-43.0	17	11.5	05.0-18.0	29	21.7	09.4-34.0	18	14.3	06.3-22.3	27	11.9	06.2-17.6
\$50,000- 74,999	184	26,439	10	3.9	01.0-06.8	58	30.8	22.4-39.2	11	7.1	02.6-11.6	39	21.0	13.2-28.8	30	24.1	14.9-33.3	36	13.1	08.2-18.0
\$75,000+	425	68,843	9	1.1	00.3-01.9	111	22.9	17.6-28.2	43	11.1	07.2-15.0	63	15.7	11.4-20.0	101	30.6	24.5-36.7	98	18.6	14.5-22.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 54: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1921	219,900	175	7.0	05.8-08.2	724	37.1	34.0-40.2	155	8.6	06.8-10.4	319	17.1	14.7-19.5	242	16.4	14.0-18.8	306	13.8	11.8-15.8
White/Non-Hisp	1536	163,282	149	7.9	06.3-09.5	605	37.9	34.6-41.2	118	8.1	06.3-09.9	263	17.8	15.3-20.3	188	16.1	13.6-18.6	213	12.2	10.0-14.4
Black or Afr. Am./Non-Hisp	229	33,950	17	5.7	02.8-08.6	68	29.1	21.1-37.1	27	11.6	06.5-16.7	29	15.1	08.8-21.4	26	15.6	08.3-22.9	62	22.8	15.9-29.7
Oth. Race/Non-Hisp.	51	7,229	2	1.2	00.0-03.2	17	50.0	29.0-71.0	6	7.9	00.0-15.9	11	20.1	04.8-35.4	9	15.8	02.7-28.9	6	4.9	00.0-10.0
Hispanic	60	12,290				18	41.0	23.0-59.0	2	9.4	00.0-25.7	10	12.5	03.3-21.7	14	22.4	08.9-35.9	16	14.6	05.2-24.0
25-34	115	22,118	1	0.4	00.0-01.2	14	26.2	11.3-41.1	4	1.7	00.0-03.7	20	17.9	08.9-26.9	24	20.6	12.0-29.2	52	33.2	22.4-44.0
35-44	206	32,351	4	2.7	00.0-06.0	31	16.3	10.0-22.6	13	7.1	02.8-11.4	40	19.2	12.5-25.9	53	33.7	25.1-42.3	65	21.0	14.9-27.1
45-54	332	45,482	8	2.0	00.4-03.6	86	30.7	24.2-37.2	29	8.1	05.0-11.2	68	20.8	15.5-26.1	68	23.2	17.5-28.9	73	15.1	10.8-19.4
55-64	487	46,774	37	6.5	04.1-08.9	193	42.1	36.2-48.0	47	11.1	07.6-14.6	95	20.0	15.7-24.3	56	11.9	08.2-15.6	59	8.4	05.9-10.9
65+	729	59,018	122	17.1	13.8-20.4	385	54.3	50.0-58.6	56	8.8	06.3-11.3	90	11.8	09.1-14.5	36	4.5	02.7-06.3	40	3.6	02.2-05.0
Less Than H.S.	83	19,847	10	7.3	02.0-12.6	40	48.6	33.9-63.3	8	13.2	00.9-25.5	11	13.0	04.0-22.0	5	8.9	00.1-17.7	9	9.1	02.4-15.8
H.S. or G.E.D.	521	64,783	64	8.7	06.3-11.1	234	45.2	39.1-51.3	38	6.9	04.4-09.4	72	15.4	11.1-19.7	57	13.9	09.8-18.0	56	9.8	06.5-13.1
Some Post-H.S.	542	67,602	41	6.3	03.9-08.7	208	33.8	28.9-38.7	43	8.5	05.6-11.4	78	15.1	11.2-19.0	73	19.8	14.9-24.7	99	16.5	12.6-20.4
College Graduate	771	67,404	59	5.8	04.0-07.6	240	29.4	25.3-33.5	65	8.9	06.5-11.3	158	22.1	18.4-25.8	107	17.7	14.0-21.4	142	16.2	12.9-19.5
Less than \$15,000	135	14,475	23	13.6	06.7-20.5	68	47.1	33.8-60.4	10	13.9	00.0-28.0	12	8.9	03.0-14.8	5	4.8	00.1-09.5	17	11.7	04.1-19.3
\$15,000- 24,999	244	25,642	36	13.0	08.3-17.7	118	48.8	40.6-57.0	11	4.7	01.6-07.8	28	12.1	06.8-17.4	23	10.8	05.7-15.9	28	10.5	05.8-15.2
\$25,000- 34,999	171	17,658	16	7.1	03.2-11.0	78	41.0	31.4-50.6	10	6.5	02.0-11.0	22	18.5	08.5-28.5	19	12.4	06.5-18.3	26	14.5	08.2-20.8
\$35,000- 49,999	257	27,833	18	5.5	02.8-08.2	102	41.8	33.6-50.0	27	9.7	05.6-13.8	43	16.9	10.8-23.0	25	9.5	05.2-13.8	42	16.7	10.0-23.4
\$50,000- 74,999	284	33,176	15	5.3	01.6-09.0	105	36.4	29.0-43.8	25	11.9	06.0-17.8	53	19.6	13.7-25.5	37	16.5	09.8-23.2	49	10.2	06.7-13.7
\$75,000+	542	68,324	19	2.6	01.2-04.0	132	23.5	19.0-28.0	43	7.9	05.2-10.6	115	20.5	16.2-24.8	115	27.4	22.3-32.5	118	18.1	14.2-22.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 55: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5124	712,009	3936	81.4	80.0-82.8	1188	18.6	17.2-20.0
Male	2051	340,233	1593	81.1	78.9-83.3	458	18.9	16.7-21.1
Female	3073	371,777	2343	81.6	79.8-83.4	730	18.4	16.6-20.2
18-24	277	90,524	262	95.3	92.2-98.4	15	4.7	01.6-07.8
25-34	483	115,945	438	88.8	85.3-92.3	45	11.2	07.7-14.7
35-44	602	109,668	555	90.0	86.9-93.1	47	10.0	06.9-13.1
45-54	875	128,642	745	86.5	83.8-89.2	130	13.5	10.8-16.2
55-64	1088	118,884	884	79.2	75.5-82.9	204	20.8	17.1-24.5
65+	1747	143,561	1008	57.0	54.1-59.9	739	43.0	40.1-45.9
Less Than H.S.	398	93,632	135	47.0	40.3-53.7	263	53.0	46.3-59.7
H.S. or G.E.D.	1544	223,786	993	76.3	73.8-78.8	551	23.7	21.2-26.2
Some Post-H.S.	1332	210,219	1114	89.9	88.1-91.7	218	10.1	08.3-11.9
College Graduate	1831	182,737	1680	95.4	94.2-96.6	151	4.6	03.4-05.8
Less than \$15,000	425	58,566	224	61.8	55.1-68.5	201	38.2	31.5-44.9
\$15,000- 24,999	729	97,230	405	58.4	53.5-63.3	324	41.6	36.7-46.5
\$25,000- 34,999	492	64,334	347	71.6	66.3-76.9	145	28.4	23.1-33.7
\$35,000- 49,999	688	95,602	552	85.0	81.9-88.1	136	15.0	11.9-18.1
\$50,000- 74,999	683	93,801	627	92.1	89.4-94.8	56	7.9	05.2-10.6
\$75,000+	1340	200,685	1275	96.3	95.1-97.5	65	3.7	02.5-04.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 56: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2051	340,233	1593	81.1	78.9-83.3	458	18.9	16.7-21.1
18-24	136	46,089	130	97.1	94.7-99.5	6	2.9	00.5-05.3
25-34	206	57,330	185	88.2	82.9-93.5	21	11.8	06.5-17.1
35-44	254	52,815	228	87.5	82.6-92.4	26	12.5	07.6-17.4
45-54	360	62,353	294	83.5	79.0-88.0	66	16.5	12.0-21.0
55-64	418	56,819	336	78.3	72.4-84.2	82	21.7	15.8-27.6
65+	661	63,336	408	58.2	53.3-63.1	253	41.8	36.9-46.7
Less Than H.S.	170	47,186	59	50.5	40.7-60.3	111	49.5	39.7-59.3
H.S. or G.E.D.	636	114,243	424	76.4	72.7-80.1	212	23.6	19.9-27.3
Some Post-H.S.	466	91,554	399	90.0	86.7-93.3	67	10.0	06.7-13.3
College Graduate	769	85,987	703	94.6	92.6-96.6	66	5.4	03.4-07.4
Less than \$15,000	127	22,773	66	67.9	57.7-78.1	61	32.1	21.9-42.3
\$15,000- 24,999	256	42,755	138	55.0	47.0-63.0	118	45.0	37.0-53.0
\$25,000- 34,999	191	31,233	130	69.0	60.4-77.6	61	31.0	22.4-39.6
\$35,000- 49,999	299	48,263	227	81.5	76.2-86.8	72	18.5	13.2-23.8
\$50,000- 74,999	293	47,378	262	90.7	86.4-95.0	31	9.3	05.0-13.6
\$75,000+	634	105,280	594	94.4	92.0-96.8	40	5.6	03.2-08.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 57: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3073	371,777	2343	81.6	79.8-83.4	730	18.4	16.6-20.2
18-24	141	44,436	132	93.4	87.9-98.9	9	6.6	01.1-12.1
25-34	277	58,615	253	89.4	84.5-94.3	24	10.6	05.7-15.5
35-44	348	56,853	327	92.3	88.6-96.0	21	7.7	04.0-11.4
45-54	515	66,289	451	89.3	86.0-92.6	64	10.7	07.4-14.0
55-64	670	62,064	548	80.1	75.6-84.6	122	19.9	15.4-24.4
65+	1086	80,226	600	56.1	52.4-59.8	486	43.9	40.2-47.6
Less Than H.S.	228	46,446	76	43.4	34.6-52.2	152	56.6	47.8-65.4
H.S. or G.E.D.	908	109,543	569	76.2	73.1-79.3	339	23.8	20.7-26.9
Some Post-H.S.	866	118,666	715	89.8	87.8-91.8	151	10.2	08.2-12.2
College Graduate	1062	96,750	977	96.1	95.1-97.1	85	3.9	02.9-04.9
Less than \$15,000	298	35,794	158	58.0	49.4-66.6	140	42.0	33.4-50.6
\$15,000- 24,999	473	54,476	267	61.1	55.2-67.0	206	38.9	33.0-44.8
\$25,000- 34,999	301	33,101	217	74.1	67.4-80.8	84	25.9	19.2-32.6
\$35,000- 49,999	389	47,340	325	88.5	85.0-92.0	64	11.5	08.0-15.0
\$50,000- 74,999	390	46,423	365	93.4	90.1-96.7	25	6.6	03.3-09.9
\$75,000+	706	95,405	681	98.4	97.6-99.2	25	1.6	00.8-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 58: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5083	707,743	3823	74.7	73.1-76.3	1061	20.7	19.1-22.3	199	4.6	03.8-05.4
Male	2035	338,544	1527	74.1	71.6-76.6	424	20.8	18.4-23.2	84	5.0	03.6-06.4
Female	3048	369,200	2296	75.3	73.1-77.5	637	20.5	18.5-22.5	115	4.2	03.2-05.2
18-24	276	90,233	104	51.4	44.1-58.7	117	32.7	26.4-39.0	55	15.9	11.4-20.4
25-34	481	115,685	235	54.9	49.4-60.4	221	39.4	34.1-44.7	25	5.7	03.0-08.4
35-44	598	108,701	392	72.0	67.9-76.1	190	26.0	21.9-30.1	16	2.0	00.8-03.2
45-54	872	128,575	671	83.6	81.1-86.1	175	14.5	12.0-17.0	26	1.9	01.1-02.7
55-64	1073	117,223	879	85.5	83.0-88.0	162	11.2	09.0-13.4	32	3.3	01.7-04.9
65+	1739	143,206	1504	90.7	89.1-92.3	192	7.3	05.9-08.7	43	2.1	01.1-03.1
Less Than H.S.	394	92,590	194	47.9	41.2-54.6	183	47.6	40.9-54.3	17	4.5	02.0-07.0
H.S. or G.E.D.	1529	222,273	1104	75.1	72.4-77.8	340	18.9	16.5-21.3	85	6.0	04.4-07.6
Some Post-H.S.	1325	209,132	963	75.2	72.3-78.1	303	18.9	16.4-21.4	59	5.9	03.9-07.9
College Graduate	1820	182,334	1551	87.5	85.7-89.3	231	10.9	09.1-12.7	38	1.6	01.0-02.2
Less than \$15,000	426	58,648	207	44.5	37.4-51.6	182	44.8	37.5-52.1	37	10.7	06.2-15.2
\$15,000- 24,999	724	96,842	398	50.1	45.2-55.0	285	43.2	38.3-48.1	41	6.6	04.2-09.0
\$25,000- 34,999	491	64,352	321	62.5	56.6-68.4	153	32.7	27.0-38.4	17	4.7	01.6-07.8
\$35,000- 49,999	686	95,306	546	80.9	77.2-84.6	120	16.8	13.3-20.3	20	2.4	01.0-03.8
\$50,000- 74,999	683	93,801	573	85.7	82.2-89.2	103	12.6	09.5-15.7	7	1.7	00.0-03.5
\$75,000+	1339	200,650	1228	92.6	90.8-94.4	87	5.3	03.9-06.7	24	2.0	01.0-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 59: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2035	338,544	1527	74.1	71.6-76.6	424	20.8	18.4-23.2	84	5.0	03.6-06.4
18-24	135	45,798	45	49.1	38.7-59.5	57	30.3	21.7-38.9	33	20.6	13.2-28.0
25-34	205	57,313	103	55.3	46.9-63.7	95	40.7	32.5-48.9	7	4.0	00.3-07.7
35-44	252	52,268	161	69.5	63.2-75.8	82	28.0	21.9-34.1	9	2.5	00.7-04.3
45-54	359	62,388	271	83.2	79.3-87.1	78	15.0	11.3-18.7	10	1.8	00.6-03.0
55-64	414	56,261	348	88.1	84.8-91.4	51	8.2	05.7-10.7	15	3.7	01.5-05.9
65+	657	63,175	588	91.8	89.4-94.2	59	6.9	04.7-09.1	10	1.3	00.3-02.3
Less Than H.S.	166	46,256	88	52.1	42.3-61.9	70	42.5	32.7-52.3	8	5.5	01.2-09.8
H.S. or G.E.D.	629	113,365	446	73.6	69.5-77.7	142	19.7	16.2-23.2	41	6.7	04.3-09.1
Some Post-H.S.	465	91,478	341	75.3	70.4-80.2	104	18.5	14.4-22.6	20	6.2	03.1-09.3
College Graduate	769	86,402	648	85.5	82.6-88.4	106	13.0	10.1-15.9	15	1.5	00.5-02.5
Less than \$15,000	127	22,773	63	45.6	33.3-57.9	54	45.9	33.4-58.4	10	8.5	02.6-14.4
\$15,000- 24,999	254	42,596	129	49.2	41.4-57.0	106	42.7	34.9-50.5	19	8.1	04.2-12.0
\$25,000- 34,999	191	31,289	124	62.4	53.2-71.6	60	31.9	23.1-40.7	7	5.7	00.4-11.0
\$35,000- 49,999	298	48,084	235	80.3	74.6-86.0	53	17.6	12.1-23.1	10	2.1	00.5-03.7
\$50,000- 74,999	293	47,378	241	82.8	77.3-88.3	48	14.5	09.8-19.2	4	2.8	00.0-06.1
\$75,000+	633	105,419	568	90.4	87.7-93.1	50	6.6	04.4-08.8	15	3.0	01.0-05.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 60: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3048	369,200	2296	75.3	73.1-77.5	637	20.5	18.5-22.5	115	4.2	03.2-05.2
18-24	141	44,436	59	53.7	43.9-63.5	60	35.2	26.0-44.4	22	11.1	06.0-16.2
25-34	276	58,373	132	54.5	47.1-61.9	126	38.2	31.3-45.1	18	7.3	03.4-11.2
35-44	346	56,433	231	74.4	68.9-79.9	108	24.1	18.8-29.4	7	1.5	00.0-03.3
45-54	513	66,187	400	84.0	80.5-87.5	97	13.9	10.6-17.2	16	2.1	00.9-03.3
55-64	659	60,962	531	83.1	79.4-86.8	111	14.0	10.9-17.1	17	2.9	00.7-05.1
65+	1082	80,031	916	89.8	87.6-92.0	133	7.5	05.9-09.1	33	2.7	01.1-04.3
Less Than H.S.	228	46,334	106	43.8	35.2-52.4	113	52.8	44.0-61.6	9	3.5	00.6-06.4
H.S. or G.E.D.	900	108,909	658	76.5	73.0-80.0	198	18.1	15.2-21.0	44	5.3	03.3-07.3
Some Post-H.S.	860	117,654	622	75.1	71.4-78.8	199	19.3	16.2-22.4	39	5.6	03.2-08.0
College Graduate	1051	95,931	903	89.3	87.3-91.3	125	9.1	07.1-11.1	23	1.7	00.9-02.5
Less than \$15,000	299	35,875	144	43.9	35.5-52.3	128	44.1	35.5-52.7	27	12.0	05.7-18.3
\$15,000- 24,999	470	54,246	269	50.9	44.8-57.0	179	43.6	37.5-49.7	22	5.5	02.8-08.2
\$25,000- 34,999	300	33,064	197	62.6	55.3-69.9	93	33.5	26.4-40.6	10	3.8	00.5-07.1
\$35,000- 49,999	388	47,222	311	81.5	76.6-86.4	67	16.0	11.5-20.5	10	2.6	00.2-05.0
\$50,000- 74,999	390	46,423	332	88.7	84.4-93.0	55	10.8	06.7-14.9	3	0.6	00.0-01.6
\$75,000+	706	95,232	660	95.1	93.3-96.9	37	3.9	02.3-05.5	9	1.0	00.2-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 61: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5206	723,031	2086	47.8	45.8-49.8	3120	52.2	50.2-54.2
White/Non-Hisp	3830	483,149	1531	47.8	45.6-50.0	2299	52.2	50.0-54.4
Black or Afr. Am./Non-Hisp	773	141,110	288	45.9	41.2-50.6	485	54.1	49.4-58.8
Oth. Race/Non-Hisp.	213	31,563	102	56.2	46.2-66.2	111	43.8	33.8-53.8
MultiRacial/Non-Hisp.	70	5,267	30	52.3	38.2-66.4	40	47.7	33.6-61.8
Hispanic	240	52,397	98	45.3	37.7-52.9	142	54.7	47.1-62.3
18-24	281	92,222	137	50.5	43.4-57.6	144	49.5	42.4-56.6
25-34	489	117,896	211	50.0	44.3-55.7	278	50.0	44.3-55.7
35-44	608	110,664	260	48.6	43.7-53.5	348	51.4	46.5-56.3
45-54	887	130,642	365	48.4	44.3-52.5	522	51.6	47.5-55.7
55-64	1101	120,302	421	47.5	43.6-51.4	680	52.5	48.6-56.4
65+	1786	146,479	676	44.1	41.2-47.0	1110	55.9	53.0-58.8
Less Than H.S.	426	98,488	180	50.1	43.6-56.6	246	49.9	43.4-56.4
H.S. or G.E.D.	1566	226,687	647	51.2	47.9-54.5	919	48.8	45.5-52.1
Some Post-H.S.	1344	211,661	471	43.5	39.8-47.2	873	56.5	52.8-60.2
College Graduate	1849	184,181	778	47.2	44.3-50.1	1071	52.8	49.9-55.7
Less than \$15,000	453	62,966	135	38.6	31.7-45.5	318	61.4	54.5-68.3
\$15,000- 24,999	738	98,707	261	44.4	39.5-49.3	477	55.6	50.7-60.5
\$25,000- 34,999	495	64,822	192	48.4	42.3-54.5	303	51.6	45.5-57.7
\$35,000- 49,999	688	95,602	299	50.5	45.2-55.8	389	49.5	44.2-54.8
\$50,000- 74,999	687	94,004	296	50.6	45.5-55.7	391	49.4	44.3-54.5
\$75,000+	1350	201,839	639	52.5	49.0-56.0	711	47.5	44.0-51.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 62: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	755	157,899	32	4.0	02.4-05.6	723	96.0	94.4-97.6
White/Non-Hisp	433	87,508	12	2.3	00.9-03.7	421	97.7	96.3-99.1
Black or Afr. Am./Non-Hisp	162	37,433	7	4.1	00.6-07.6	155	95.9	92.4-99.4
Oth. Race/Non-Hisp.	53	9,564	3	10.7	00.0-23.6	50	89.3	76.4-0100
Hispanic	85	20,916	10	8.3	02.8-13.8	75	91.7	86.2-97.2
18-24	138	43,709	6	2.8	00.4-05.2	132	97.2	94.8-99.6
25-34	271	57,684	17	6.5	03.0-10.0	254	93.5	90.0-97.0
35-44	346	56,506	9	2.4	00.8-04.0	337	97.6	96.0-99.2
Less Than H.S.	55	21,197	4	5.6	00.0-11.5	51	94.4	88.5-0100
H.S. or G.E.D.	167	38,612	8	3.7	01.2-06.2	159	96.3	93.8-98.8
Some Post-H.S.	234	54,471	6	2.1	00.3-03.9	228	97.9	96.1-99.7
College Graduate	299	43,619	14	5.8	02.3-09.3	285	94.2	90.7-97.7
Less than \$15,000	69	17,122	6	7.7	00.8-14.6	63	92.3	85.4-99.2
\$15,000- 24,999	110	21,264	1	1.7	00.0-05.0	109	98.3	95.0-0100
\$25,000- 34,999	75	12,748	2	2.5	00.0-06.0	73	97.5	94.0-0100
\$35,000- 49,999	95	20,940	5	2.9	00.2-05.6	90	97.1	94.4-99.8
\$50,000- 74,999	108	19,843	4	5.0	00.0-10.5	104	95.0	89.5-0100
\$75,000+	214	43,563	11	4.7	01.4-08.0	203	95.3	92.0-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 63: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5088	707,951	1158	18.7	17.3-20.1	3930	81.3	79.9-82.7
Male	2032	338,739	405	16.0	14.0-18.0	1627	84.0	82.0-86.0
Female	3056	369,212	753	21.2	19.2-23.2	2303	78.8	76.8-80.8
18-24	275	90,118	26	10.2	05.7-14.7	249	89.8	85.3-94.3
25-34	480	114,771	56	10.6	07.5-13.7	424	89.4	86.3-92.5
35-44	596	109,029	82	13.2	10.1-16.3	514	86.8	83.7-89.9
45-54	872	128,184	193	20.8	17.5-24.1	679	79.2	75.9-82.5
55-64	1082	118,281	311	27.2	23.7-30.7	771	72.8	69.3-76.3
65+	1733	142,983	482	25.8	23.3-28.3	1251	74.2	71.7-76.7
Less Than H.S.	393	92,640	124	26.4	20.5-32.3	269	73.6	67.7-79.5
H.S. or G.E.D.	1531	222,202	369	18.7	16.3-21.1	1162	81.3	78.9-83.7
Some Post-H.S.	1325	209,415	343	19.6	17.1-22.1	982	80.4	77.9-82.9
College Graduate	1823	182,381	319	13.7	11.9-15.5	1504	86.3	84.5-88.1
Less than \$15,000	425	58,634	155	25.0	19.9-30.1	270	75.0	69.9-80.1
\$15,000- 24,999	720	95,846	260	32.7	28.2-37.2	460	67.3	62.8-71.8
\$25,000- 34,999	486	63,857	129	21.9	17.2-26.6	357	78.1	73.4-82.8
\$35,000- 49,999	684	94,917	146	18.5	14.8-22.2	538	81.5	77.8-85.2
\$50,000- 74,999	681	93,679	120	14.1	11.2-17.0	561	85.9	83.0-88.8
\$75,000+	1335	200,301	182	11.4	09.2-13.6	1153	88.6	86.4-90.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 64: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2032	338,739	405	16.0	14.0-18.0	1627	84.0	82.0-86.0
18-24	136	46,089	9	6.9	01.2-12.6	127	93.1	87.4-98.8
25-34	205	56,933	14	6.9	02.6-11.2	191	93.1	88.8-97.4
35-44	253	52,703	30	12.5	07.6-17.4	223	87.5	82.6-92.4
45-54	360	62,502	73	19.1	14.0-24.2	287	80.9	75.8-86.0
55-64	414	56,385	111	25.1	19.4-30.8	303	74.9	69.2-80.6
65+	650	62,787	164	21.9	18.2-25.6	486	78.1	74.4-81.8
Less Than H.S.	166	46,267	43	23.5	14.7-32.3	123	76.5	67.7-85.3
H.S. or G.E.D.	633	114,119	140	16.1	13.0-19.2	493	83.9	80.8-87.0
Some Post-H.S.	464	91,484	97	15.7	12.0-19.4	367	84.3	80.6-88.0
College Graduate	762	85,928	124	11.7	09.2-14.2	638	88.3	85.8-90.8
Less than \$15,000	127	22,773	46	22.6	14.0-31.2	81	77.4	68.8-86.0
\$15,000- 24,999	254	42,479	85	29.1	21.7-36.5	169	70.9	63.5-78.3
\$25,000- 34,999	189	31,116	45	16.0	09.5-22.5	144	84.0	77.5-90.5
\$35,000- 49,999	297	48,114	56	15.2	10.3-20.1	241	84.8	79.9-89.7
\$50,000- 74,999	291	47,287	48	12.2	08.3-16.1	243	87.8	83.9-91.7
\$75,000+	631	105,331	75	11.0	07.9-14.1	556	89.0	85.9-92.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 65: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3056	369,212	753	21.2	19.2-23.2	2303	78.8	76.8-80.8
18-24	139	44,029	17	13.5	06.2-20.8	122	86.5	79.2-93.8
25-34	275	57,838	42	14.1	09.4-18.8	233	85.9	81.2-90.6
35-44	343	56,326	52	13.9	09.8-18.0	291	86.1	82.0-90.2
45-54	512	65,682	120	22.4	17.9-26.9	392	77.6	73.1-82.1
55-64	668	61,896	200	29.2	24.9-33.5	468	70.8	66.5-75.1
65+	1083	80,196	318	28.9	25.6-32.2	765	71.1	67.8-74.4
Less Than H.S.	227	46,372	81	29.3	21.7-36.9	146	70.7	63.1-78.3
H.S. or G.E.D.	898	108,083	229	21.4	17.9-24.9	669	78.6	75.1-82.1
Some Post-H.S.	861	117,931	246	22.6	19.3-25.9	615	77.4	74.1-80.7
College Graduate	1061	96,453	195	15.4	12.7-18.1	866	84.6	81.9-87.3
Less than \$15,000	298	35,861	109	26.6	20.3-32.9	189	73.4	67.1-79.7
\$15,000- 24,999	466	53,367	175	35.6	29.9-41.3	291	64.4	58.7-70.1
\$25,000- 34,999	297	32,741	84	27.5	20.6-34.4	213	72.5	65.6-79.4
\$35,000- 49,999	387	46,804	90	21.9	16.2-27.6	297	78.1	72.4-83.8
\$50,000- 74,999	390	46,392	72	15.9	11.6-20.2	318	84.1	79.8-88.4
\$75,000+	704	94,969	107	11.9	09.2-14.6	597	88.1	85.4-90.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 66: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5106	709,194	540	8.1	07.1-09.1	4566	91.9	90.9-92.9
Male	2042	339,949	171	6.5	05.3-07.7	1871	93.5	92.3-94.7
Female	3064	369,244	369	9.5	08.1-10.9	2695	90.5	89.1-91.9
18-24	274	89,187	8	3.7	00.8-06.6	266	96.3	93.4-99.2
25-34	482	115,501	11	2.1	00.5-03.7	471	97.9	96.3-99.5
35-44	599	109,386	36	5.3	03.3-07.3	563	94.7	92.7-96.7
45-54	873	128,496	74	8.5	06.1-10.9	799	91.5	89.1-93.9
55-64	1083	118,444	107	9.6	07.2-12.0	976	90.4	88.0-92.8
65+	1743	143,419	302	16.0	13.8-18.2	1441	84.0	81.8-86.2
Less Than H.S.	397	93,461	74	10.8	07.3-14.3	323	89.2	85.7-92.7
H.S. or G.E.D.	1533	221,262	195	8.5	06.9-10.1	1338	91.5	89.9-93.1
Some Post-H.S.	1331	210,188	141	8.7	06.9-10.5	1190	91.3	89.5-93.1
College Graduate	1828	182,721	126	5.3	04.1-06.5	1702	94.7	93.5-95.9
Less than \$15,000	425	58,634	87	14.1	10.0-18.2	338	85.9	81.8-90.0
\$15,000- 24,999	721	95,969	132	13.8	10.9-16.7	589	86.2	83.3-89.1
\$25,000- 34,999	491	64,343	48	6.9	04.5-09.3	443	93.1	90.7-95.5
\$35,000- 49,999	682	93,790	57	7.2	04.8-09.6	625	92.8	90.4-95.2
\$50,000- 74,999	683	93,770	53	6.6	04.4-08.8	630	93.4	91.2-95.6
\$75,000+	1339	200,839	64	3.9	02.7-05.1	1275	96.1	94.9-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 67: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2042	339,949	171	6.5	05.3-07.7	1871	93.5	92.3-94.7
18-24	136	46,089	3	2.2	00.0-04.9	133	97.8	95.1-0100
25-34	207	57,663	4	2.3	00.0-04.8	203	97.7	95.2-0100
35-44	253	52,703	18	6.8	03.5-10.1	235	93.2	89.9-96.5
45-54	360	62,502	32	7.4	04.5-10.3	328	92.6	89.7-95.5
55-64	414	56,445	29	7.3	04.2-10.4	385	92.7	89.6-95.8
65+	657	63,105	84	11.0	08.3-13.7	573	89.0	86.3-91.7
Less Than H.S.	168	46,933	19	5.4	02.3-08.5	149	94.6	91.5-97.7
H.S. or G.E.D.	633	113,977	64	6.8	04.6-09.0	569	93.2	91.0-95.4
Some Post-H.S.	464	91,484	39	7.3	04.6-10.0	425	92.7	90.0-95.4
College Graduate	769	86,365	48	5.4	03.4-07.4	721	94.6	92.6-96.6
Less than \$15,000	127	22,773	24	12.6	05.5-19.7	103	87.4	80.3-94.5
\$15,000- 24,999	254	42,479	33	9.2	05.3-13.1	221	90.8	86.9-94.7
\$25,000- 34,999	191	31,339	16	4.3	01.8-06.8	175	95.7	93.2-98.2
\$35,000- 49,999	296	47,917	26	7.5	03.6-11.4	270	92.5	88.6-96.4
\$50,000- 74,999	293	47,378	21	5.3	02.6-08.0	272	94.7	92.0-97.4
\$75,000+	634	105,571	29	4.2	02.4-06.0	605	95.8	94.0-97.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 68: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3064	369,244	369	9.5	08.1-10.9	2695	90.5	89.1-91.9
18-24	138	43,098	5	5.3	00.2-10.4	133	94.7	89.6-99.8
25-34	275	57,838	7	2.0	00.4-03.6	268	98.0	96.4-99.6
35-44	346	56,682	18	3.9	01.9-05.9	328	96.1	94.1-98.1
45-54	513	65,993	42	9.6	06.1-13.1	471	90.4	86.9-93.9
55-64	669	61,999	78	11.7	08.4-15.0	591	88.3	85.0-91.6
65+	1086	80,314	218	19.8	16.9-22.7	868	80.2	77.3-83.1
Less Than H.S.	229	46,528	55	16.3	10.2-22.4	174	83.7	77.6-89.8
H.S. or G.E.D.	900	107,285	131	10.2	07.8-12.6	769	89.8	87.4-92.2
Some Post-H.S.	867	118,704	102	9.8	07.4-12.2	765	90.2	87.8-92.6
College Graduate	1059	96,356	78	5.2	03.8-06.6	981	94.8	93.4-96.2
Less than \$15,000	298	35,861	63	15.1	10.0-20.2	235	84.9	79.8-90.0
\$15,000- 24,999	467	53,490	99	17.6	13.3-21.9	368	82.4	78.1-86.7
\$25,000- 34,999	300	33,003	32	9.3	05.4-13.2	268	90.7	86.8-94.6
\$35,000- 49,999	386	45,873	31	6.8	04.1-09.5	355	93.2	90.5-95.9
\$50,000- 74,999	390	46,392	32	8.0	04.7-11.3	358	92.0	88.7-95.3
\$75,000+	705	95,268	35	3.7	02.3-05.1	670	96.3	94.9-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 69: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5086	705,675	260	4.4	03.6-05.2	4826	95.6	94.8-96.4
Male	2037	338,947	83	3.6	02.6-04.6	1954	96.4	95.4-97.4
Female	3049	366,728	177	5.0	04.0-06.0	2872	95.0	94.0-96.0
18-24	274	89,187	5	1.7	00.1-03.3	269	98.3	96.7-99.9
25-34	481	115,052	15	2.9	01.1-04.7	466	97.1	95.3-98.9
35-44	596	108,002	21	3.7	01.9-05.5	575	96.3	94.5-98.1
45-54	867	127,588	53	6.1	03.9-08.3	814	93.9	91.7-96.1
55-64	1078	117,830	55	5.1	03.5-06.7	1023	94.9	93.3-96.5
65+	1739	143,329	109	5.7	04.3-07.1	1630	94.3	92.9-95.7
Less Than H.S.	393	92,227	55	10.7	07.2-14.2	338	89.3	85.8-92.8
H.S. or G.E.D.	1528	220,994	95	4.7	03.5-05.9	1433	95.3	94.1-96.5
Some Post-H.S.	1327	208,972	65	3.2	02.2-04.2	1262	96.8	95.8-97.8
College Graduate	1822	181,963	43	2.0	01.2-02.8	1779	98.0	97.2-98.8
Less than \$15,000	422	57,344	55	10.9	07.0-14.8	367	89.1	85.2-93.0
\$15,000- 24,999	720	95,954	73	9.3	06.8-11.8	647	90.7	88.2-93.2
\$25,000- 34,999	491	64,343	26	4.9	02.0-07.8	465	95.1	92.2-98.0
\$35,000- 49,999	680	93,028	20	2.2	01.0-03.4	660	97.8	96.6-99.0
\$50,000- 74,999	681	93,185	23	3.3	01.5-05.1	658	96.7	94.9-98.5
\$75,000+	1336	200,389	23	1.8	00.8-02.8	1313	98.2	97.2-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 70: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2037	338,947	83	3.6	02.6-04.6	1954	96.4	95.4-97.4	
18-24	136	46,089	2	1.7	00.0-04.2	134	98.3	95.8-0100	
25-34	207	57,663	5	2.3	00.0-05.0	202	97.7	95.0-0100	
35-44	252	52,162	8	2.5	00.7-04.3	244	97.5	95.7-99.3	
45-54	357	62,065	16	5.5	02.0-09.0	341	94.5	91.0-98.0	
55-64	413	56,422	20	4.8	02.4-07.2	393	95.2	92.8-97.6	
65+	657	63,105	32	4.4	02.4-06.4	625	95.6	93.6-97.6	
Less Than H.S.	166	46,666	19	9.1	03.8-14.4	147	90.9	85.6-96.2	
H.S. or G.E.D.	632	113,828	36	4.4	02.4-06.4	596	95.6	93.6-97.6	
Some Post-H.S.	464	91,484	14	1.4	00.4-02.4	450	98.6	97.6-99.6	
College Graduate	768	85,823	13	1.8	00.6-03.0	755	98.2	97.0-99.4	
Less than \$15,000	127	22,773	17	9.9	03.6-16.2	110	90.1	83.8-96.4	
\$15,000- 24,999	254	42,479	22	6.8	03.5-10.1	232	93.2	89.9-96.5	
\$25,000- 34,999	191	31,339	14	7.4	01.7-13.1	177	92.6	86.9-98.3	
\$35,000- 49,999	295	47,673	7	1.3	00.1-02.5	288	98.7	97.5-99.9	
\$50,000- 74,999	292	46,836	7	1.7	00.0-03.5	285	98.3	96.5-0100	
\$75,000+	633	105,455	10	2.2	00.4-04.0	623	97.8	96.0-99.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 71: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3049	366,728	177	5.0	04.0-06.0	2872	95.0	94.0-96.0
18-24	138	43,098	3	1.6	00.0-03.6	135	98.4	96.4-0100
25-34	274	57,390	10	3.5	01.1-05.9	264	96.5	94.1-98.9
35-44	344	55,841	13	4.8	01.9-07.7	331	95.2	92.3-98.1
45-54	510	65,523	37	6.6	04.2-09.0	473	93.4	91.0-95.8
55-64	665	61,408	35	5.3	03.1-07.5	630	94.7	92.5-96.9
65+	1082	80,223	77	6.8	04.8-08.8	1005	93.2	91.2-95.2
Less Than H.S.	227	45,561	36	12.4	07.7-17.1	191	87.6	82.9-92.3
H.S. or G.E.D.	896	107,166	59	5.0	03.4-06.6	837	95.0	93.4-96.6
Some Post-H.S.	863	117,488	51	4.6	03.0-06.2	812	95.4	93.8-97.0
College Graduate	1054	96,140	30	2.2	01.0-03.4	1024	97.8	96.6-99.0
Less than \$15,000	295	34,571	38	11.5	06.6-16.4	257	88.5	83.6-93.4
\$15,000- 24,999	466	53,475	51	11.3	07.8-14.8	415	88.7	85.2-92.2
\$25,000- 34,999	300	33,003	12	2.6	00.8-04.4	288	97.4	95.6-99.2
\$35,000- 49,999	385	45,355	13	3.1	01.1-05.1	372	96.9	94.9-98.9
\$50,000- 74,999	389	46,349	16	4.9	02.0-07.8	373	95.1	92.2-98.0
\$75,000+	703	94,933	13	1.2	00.4-02.0	690	98.8	98.0-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 72: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5073	704,527	490	9.8	08.6-11.0	4583	90.2	89.0-91.4
Male	2031	338,352	168	8.5	06.7-10.3	1863	91.5	89.7-93.3
Female	3042	366,175	322	11.1	09.5-12.7	2720	88.9	87.3-90.5
18-24	272	88,309	26	10.7	06.0-15.4	246	89.3	84.6-94.0
25-34	478	114,446	45	10.4	06.7-14.1	433	89.6	85.9-93.3
35-44	595	108,567	55	9.0	06.3-11.7	540	91.0	88.3-93.7
45-54	870	128,264	98	10.6	08.1-13.1	772	89.4	86.9-91.9
55-64	1078	118,002	117	10.9	08.5-13.3	961	89.1	86.7-91.5
65+	1728	142,177	146	7.9	06.3-09.5	1582	92.1	90.5-93.7
Less Than H.S.	393	92,596	84	21.5	16.0-27.0	309	78.5	73.0-84.0
H.S. or G.E.D.	1523	219,782	178	9.6	07.8-11.4	1345	90.4	88.6-92.2
Some Post-H.S.	1324	209,024	136	9.8	07.6-12.0	1188	90.2	88.0-92.4
College Graduate	1818	181,801	88	4.1	02.9-05.3	1730	95.9	94.7-97.1
Less than \$15,000	421	57,960	86	19.5	14.0-25.0	335	80.5	75.0-86.0
\$15,000- 24,999	717	95,472	140	19.6	15.7-23.5	577	80.4	76.5-84.3
\$25,000- 34,999	488	63,834	49	11.7	07.4-16.0	439	88.3	84.0-92.6
\$35,000- 49,999	678	92,986	50	5.7	03.7-07.7	628	94.3	92.3-96.3
\$50,000- 74,999	683	93,770	47	6.2	04.0-08.4	636	93.8	91.6-96.0
\$75,000+	1332	200,350	50	4.5	02.9-06.1	1282	95.5	93.9-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 73: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2031	338,352	168	8.5	06.7-10.3	1863	91.5	89.7-93.3
18-24	135	45,941	13	11.0	04.1-17.9	122	89.0	82.1-95.9
25-34	204	57,056	14	9.2	03.9-14.5	190	90.8	85.5-96.1
35-44	252	52,601	21	7.7	04.2-11.2	231	92.3	88.8-95.8
45-54	359	62,387	29	5.8	03.3-08.3	330	94.2	91.7-96.7
55-64	412	56,219	38	9.9	06.4-13.4	374	90.1	86.6-93.6
65+	654	62,705	52	7.6	05.2-10.0	602	92.4	90.0-94.8
Less Than H.S.	167	46,774	26	16.3	09.0-23.6	141	83.7	76.4-91.0
H.S. or G.E.D.	630	113,643	60	8.2	05.8-10.6	570	91.8	89.4-94.2
Some Post-H.S.	462	91,049	39	8.4	05.1-11.7	423	91.6	88.3-94.9
College Graduate	765	85,863	42	4.4	02.6-06.2	723	95.6	93.8-97.4
Less than \$15,000	125	22,588	26	18.7	09.3-28.1	99	81.3	71.9-90.7
\$15,000- 24,999	254	42,479	50	17.2	11.7-22.7	204	82.8	77.3-88.3
\$25,000- 34,999	188	30,831	16	10.1	03.4-16.8	172	89.9	83.2-96.6
\$35,000- 49,999	295	47,728	17	4.7	02.0-07.4	278	95.3	92.6-98.0
\$50,000- 74,999	293	47,378	16	4.3	01.6-07.0	277	95.7	93.0-98.4
\$75,000+	631	105,301	23	4.6	02.2-07.0	608	95.4	93.0-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 74: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3042	366,175	322	11.1	09.5-12.7	2720	88.9	87.3-90.5
18-24	137	42,368	13	10.3	04.0-16.6	124	89.7	83.4-96.0
25-34	274	57,390	31	11.7	06.8-16.6	243	88.3	83.4-93.2
35-44	343	55,966	34	10.2	06.1-14.3	309	89.8	85.7-93.9
45-54	511	65,877	69	15.2	11.1-19.3	442	84.8	80.7-88.9
55-64	666	61,782	79	11.9	08.8-15.0	587	88.1	85.0-91.2
65+	1074	79,472	94	8.1	05.9-10.3	980	91.9	89.7-94.1
Less Than H.S.	226	45,821	58	26.8	18.8-34.8	168	73.2	65.2-81.2
H.S. or G.E.D.	893	106,138	118	11.2	08.7-13.7	775	88.8	86.3-91.3
Some Post-H.S.	862	117,975	97	10.9	08.4-13.4	765	89.1	86.6-91.6
College Graduate	1053	95,937	46	3.8	02.2-05.4	1007	96.2	94.6-97.8
Less than \$15,000	296	35,372	60	20.1	13.2-27.0	236	79.9	73.0-86.8
\$15,000- 24,999	463	52,993	90	21.5	16.0-27.0	373	78.5	73.0-84.0
\$25,000- 34,999	300	33,003	33	13.1	07.4-18.8	267	86.9	81.2-92.6
\$35,000- 49,999	383	45,258	33	6.8	04.1-09.5	350	93.2	90.5-95.9
\$50,000- 74,999	390	46,392	31	8.0	04.5-11.5	359	92.0	88.5-95.5
\$75,000+	701	95,049	27	4.5	02.5-06.5	674	95.5	93.5-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 75: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5075	704,899	869	13.4	12.2-14.6	4206	86.6	85.4-87.8
Male	2035	339,091	261	9.7	08.1-11.3	1774	90.3	88.7-91.9
Female	3040	365,809	608	16.8	15.0-18.6	2432	83.2	81.4-85.0
18-24	273	89,040	6	2.8	00.3-05.3	267	97.2	94.7-99.7
25-34	480	114,813	22	4.7	02.3-07.1	458	95.3	92.9-97.7
35-44	595	107,847	46	6.3	04.1-08.5	549	93.7	91.5-95.9
45-54	868	127,855	132	15.1	12.0-18.2	736	84.9	81.8-88.0
55-64	1077	118,055	237	21.8	18.3-25.3	840	78.2	74.7-81.7
65+	1731	142,554	423	24.0	21.5-26.5	1308	76.0	73.5-78.5
Less Than H.S.	395	92,995	133	24.9	19.4-30.4	262	75.1	69.6-80.6
H.S. or G.E.D.	1528	220,803	305	13.8	11.8-15.8	1223	86.2	84.2-88.2
Some Post-H.S.	1321	207,854	242	13.0	11.0-15.0	1079	87.0	85.0-89.0
College Graduate	1815	181,754	185	7.3	05.9-08.7	1630	92.7	91.3-94.1
Less than \$15,000	422	57,385	148	26.7	21.0-32.4	274	73.3	67.6-79.0
\$15,000- 24,999	718	95,526	215	25.4	21.1-29.7	503	74.6	70.3-78.9
\$25,000- 34,999	489	64,133	99	17.4	12.9-21.9	390	82.6	78.1-87.1
\$35,000- 49,999	680	93,151	102	10.2	07.8-12.6	578	89.8	87.4-92.2
\$50,000- 74,999	680	93,497	80	10.1	07.6-12.6	600	89.9	87.4-92.4
\$75,000+	1332	200,233	88	4.7	03.3-06.1	1244	95.3	93.9-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 76: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2035	339,091	261	9.7	08.1-11.3	1774	90.3	88.7-91.9
18-24	135	45,941	1	0.4	00.0-01.2	134	99.6	98.8-0100
25-34	207	57,663	6	2.5	00.1-04.9	201	97.5	95.1-99.9
35-44	252	52,601	16	4.8	02.3-07.3	236	95.2	92.7-97.7
45-54	358	62,163	39	10.4	06.3-14.5	319	89.6	85.5-93.7
55-64	413	56,419	67	17.9	12.2-23.6	346	82.1	76.4-87.8
65+	655	62,862	130	18.9	15.2-22.6	525	81.1	77.4-84.8
Less Than H.S.	168	46,933	36	16.5	09.2-23.8	132	83.5	76.2-90.8
H.S. or G.E.D.	631	113,835	100	10.6	08.1-13.1	531	89.4	86.9-91.9
Some Post-H.S.	462	91,069	57	8.3	05.8-10.8	405	91.7	89.2-94.2
College Graduate	766	86,062	67	6.1	04.1-08.1	699	93.9	91.9-95.9
Less than \$15,000	126	22,747	39	22.0	13.4-30.6	87	78.0	69.4-86.6
\$15,000- 24,999	252	42,202	64	21.7	14.6-28.8	188	78.3	71.2-85.4
\$25,000- 34,999	190	31,192	32	12.2	05.7-18.7	158	87.8	81.3-94.3
\$35,000- 49,999	296	47,917	34	7.1	04.4-09.8	262	92.9	90.2-95.6
\$50,000- 74,999	292	47,187	30	8.3	05.0-11.6	262	91.7	88.4-95.0
\$75,000+	632	105,353	33	3.7	02.1-05.3	599	96.3	94.7-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 77: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3040	365,809	608	16.8	15.0-18.6	2432	83.2	81.4-85.0
18-24	138	43,098	5	5.4	00.3-10.5	133	94.6	89.5-99.7
25-34	273	57,150	16	6.9	02.8-11.0	257	93.1	89.0-97.2
35-44	343	55,246	30	7.7	04.4-11.0	313	92.3	89.0-95.6
45-54	510	65,692	93	19.6	15.1-24.1	417	80.4	75.9-84.9
55-64	664	61,635	170	25.3	21.2-29.4	494	74.7	70.6-78.8
65+	1076	79,693	293	28.1	24.6-31.6	783	71.9	68.4-75.4
Less Than H.S.	227	46,062	97	33.5	25.5-41.5	130	66.5	58.5-74.5
H.S. or G.E.D.	897	106,967	205	17.2	14.3-20.1	692	82.8	79.9-85.7
Some Post-H.S.	859	116,785	185	16.6	13.7-19.5	674	83.4	80.5-86.3
College Graduate	1049	95,692	118	8.4	06.2-10.6	931	91.6	89.4-93.8
Less than \$15,000	296	34,638	109	29.8	22.5-37.1	187	70.2	62.9-77.5
\$15,000- 24,999	466	53,324	151	28.4	23.1-33.7	315	71.6	66.3-76.9
\$25,000- 34,999	299	32,941	67	22.2	15.9-28.5	232	77.8	71.5-84.1
\$35,000- 49,999	384	45,234	68	13.4	09.7-17.1	316	86.6	82.9-90.3
\$50,000- 74,999	388	46,310	50	12.0	08.1-15.9	338	88.0	84.1-91.9
\$75,000+	700	94,880	55	5.9	03.7-08.1	645	94.1	91.9-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 78: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5078	704,810	190	3.3	02.7-03.9	4888	96.7	96.1-97.3
Male	2033	338,969	62	2.3	01.5-03.1	1971	97.7	96.9-98.5
Female	3045	365,841	128	4.3	03.3-05.3	2917	95.7	94.7-96.7
18-24	272	88,801	2	0.6	00.0-01.6	270	99.4	98.4-0100
25-34	481	115,052	9	3.0	00.6-05.4	472	97.0	94.6-99.4
35-44	595	107,847	13	1.8	00.6-03.0	582	98.2	97.0-99.4
45-54	869	127,626	41	4.4	02.6-06.2	828	95.6	93.8-97.4
55-64	1076	117,983	53	5.0	03.2-06.8	1023	95.0	93.2-96.8
65+	1735	142,821	72	4.2	03.0-05.4	1663	95.8	94.6-97.0
Less Than H.S.	393	92,112	36	7.8	04.5-11.1	357	92.2	88.9-95.5
H.S. or G.E.D.	1526	220,591	61	3.1	02.1-04.1	1465	96.9	95.9-97.9
Some Post-H.S.	1325	208,673	57	3.3	02.3-04.3	1268	96.7	95.7-97.7
College Graduate	1818	181,940	34	1.4	00.6-02.2	1784	98.6	97.8-99.4
Less than \$15,000	419	56,896	37	7.7	03.8-11.6	382	92.3	88.4-96.2
\$15,000- 24,999	719	95,795	44	5.0	03.2-06.8	675	95.0	93.2-96.8
\$25,000- 34,999	490	64,195	17	3.3	01.1-05.5	473	96.7	94.5-98.9
\$35,000- 49,999	680	93,210	22	2.9	01.5-04.3	658	97.1	95.7-98.5
\$50,000- 74,999	682	93,700	19	2.5	01.1-03.9	663	97.5	96.1-98.9
\$75,000+	1331	200,258	19	1.7	00.5-02.9	1312	98.3	97.1-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 79: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2033	338,969	62	2.3	01.5-03.1	1971	97.7	96.9-98.5
18-24	134	45,702	1	0.4	00.0-01.2	133	99.6	98.8-0100
25-34	207	57,663	2	1.8	00.0-04.5	205	98.2	95.5-0100
35-44	252	52,601	4	1.7	00.0-03.5	248	98.3	96.5-0100
45-54	359	62,387	13	2.6	00.8-04.4	346	97.4	95.6-99.2
55-64	410	56,147	17	3.3	01.5-05.1	393	96.7	94.9-98.5
65+	656	63,027	25	3.3	01.7-04.9	631	96.7	95.1-98.3
Less Than H.S.	167	46,777	14	5.5	01.6-09.4	153	94.5	90.6-98.4
H.S. or G.E.D.	628	113,457	20	2.2	01.0-03.4	608	97.8	96.6-99.0
Some Post-H.S.	463	91,430	11	1.5	00.5-02.5	452	98.5	97.5-99.5
College Graduate	767	86,115	17	1.5	00.5-02.5	750	98.5	97.5-99.5
Less than \$15,000	124	22,430	11	4.5	01.0-08.0	113	95.5	92.0-99.0
\$15,000- 24,999	253	42,425	16	4.7	02.0-07.4	237	95.3	92.6-98.0
\$25,000- 34,999	190	31,192	4	1.5	00.0-03.3	186	98.5	96.7-0100
\$35,000- 49,999	295	47,855	7	1.5	00.3-02.7	288	98.5	97.3-99.7
\$50,000- 74,999	293	47,378	7	1.5	00.3-02.7	286	98.5	97.3-99.7
\$75,000+	632	105,353	8	1.7	00.0-03.5	624	98.3	96.5-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 80: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3045	365,841	128	4.3	03.3-05.3	2917	95.7	94.7-96.7
18-24	138	43,098	1	0.8	00.0-02.4	137	99.2	97.6-0100
25-34	274	57,390	7	4.3	00.6-08.0	267	95.7	92.0-99.4
35-44	343	55,246	9	1.9	00.5-03.3	334	98.1	96.7-99.5
45-54	510	65,239	28	6.2	03.5-08.9	482	93.8	91.1-96.5
55-64	666	61,836	36	6.6	03.9-09.3	630	93.4	90.7-96.1
65+	1079	79,794	47	4.9	03.1-06.7	1032	95.1	93.3-96.9
Less Than H.S.	226	45,335	22	10.1	04.6-15.6	204	89.9	84.4-95.4
H.S. or G.E.D.	898	107,134	41	4.1	02.5-05.7	857	95.9	94.3-97.5
Some Post-H.S.	862	117,243	46	4.8	03.2-06.4	816	95.2	93.6-96.8
College Graduate	1051	95,825	17	1.3	00.1-02.5	1034	98.7	97.5-99.9
Less than \$15,000	295	34,466	26	9.8	03.9-15.7	269	90.2	84.3-96.1
\$15,000- 24,999	466	53,369	28	5.3	02.9-07.7	438	94.7	92.3-97.1
\$25,000- 34,999	300	33,003	13	4.9	01.2-08.6	287	95.1	91.4-98.8
\$35,000- 49,999	385	45,355	15	4.4	02.0-06.8	370	95.6	93.2-98.0
\$50,000- 74,999	389	46,322	12	3.5	01.1-05.9	377	96.5	94.1-98.9
\$75,000+	699	94,905	11	1.8	00.4-03.2	688	98.2	96.8-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 81: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5075	703,762	356	6.2	05.4-07.0	4719	93.8	93.0-94.6
Male	2030	337,617	94	4.3	03.1-05.5	1936	95.7	94.5-96.9
Female	3045	366,145	262	7.9	06.7-09.1	2783	92.1	90.9-93.3
18-24	273	89,040	11	4.0	00.9-07.1	262	96.0	92.9-99.1
25-34	481	115,052	22	5.0	02.5-07.5	459	95.0	92.5-97.5
35-44	594	107,784	29	4.3	02.5-06.1	565	95.7	93.9-97.5
45-54	867	126,743	61	7.4	05.0-09.8	806	92.6	90.2-95.0
55-64	1077	117,464	79	7.6	05.6-09.6	998	92.4	90.4-94.4
65+	1732	142,934	153	7.7	06.1-09.3	1579	92.3	90.7-93.9
Less Than H.S.	390	90,837	63	13.2	08.9-17.5	327	86.8	82.5-91.1
H.S. or G.E.D.	1526	220,909	132	6.5	05.1-07.9	1394	93.5	92.1-94.9
Some Post-H.S.	1324	208,449	95	5.4	04.0-06.8	1229	94.6	93.2-96.0
College Graduate	1819	182,073	63	3.1	01.9-04.3	1756	96.9	95.7-98.1
Less than \$15,000	419	56,550	64	11.7	07.8-15.6	355	88.3	84.4-92.2
\$15,000- 24,999	721	95,969	93	11.5	08.6-14.4	628	88.5	85.6-91.4
\$25,000- 34,999	489	63,402	32	5.9	03.4-08.4	457	94.1	91.6-96.6
\$35,000- 49,999	677	92,457	30	4.0	02.2-05.8	647	96.0	94.2-97.8
\$50,000- 74,999	681	93,637	30	4.0	02.2-05.8	651	96.0	94.2-97.8
\$75,000+	1333	200,416	36	2.7	01.3-04.1	1297	97.3	95.9-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 82: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2030	337,617	94	4.3	03.1-05.5	1936	95.7	94.5-96.9
18-24	135	45,941	5	5.2	00.0-10.7	130	94.8	89.3-0100
25-34	207	57,663	5	3.7	00.0-07.4	202	96.3	92.6-0100
35-44	251	52,538	13	4.3	01.8-06.8	238	95.7	93.2-98.2
45-54	356	60,879	14	3.2	01.2-05.2	342	96.8	94.8-98.8
55-64	411	56,122	21	5.1	02.7-07.5	390	94.9	92.5-97.3
65+	655	63,032	35	4.3	02.3-06.3	620	95.7	93.7-97.7
Less Than H.S.	165	45,426	18	9.9	03.6-16.2	147	90.1	83.8-96.4
H.S. or G.E.D.	629	113,710	38	4.5	02.7-06.3	591	95.5	93.7-97.3
Some Post-H.S.	463	91,248	15	2.7	00.9-04.5	448	97.3	95.5-99.1
College Graduate	765	86,042	22	2.6	00.8-04.4	743	97.4	95.6-99.2
Less than \$15,000	125	22,511	19	11.3	04.4-18.2	106	88.7	81.8-95.6
\$15,000- 24,999	254	42,479	23	7.2	03.5-10.9	231	92.8	89.1-96.5
\$25,000- 34,999	189	30,399	10	4.6	01.1-08.1	179	95.4	91.9-98.9
\$35,000- 49,999	293	47,141	9	2.8	00.6-05.0	284	97.2	95.0-99.4
\$50,000- 74,999	292	47,315	11	2.0	00.6-03.4	281	98.0	96.6-99.4
\$75,000+	631	105,312	13	2.8	00.6-05.0	618	97.2	95.0-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 83: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3045	366,145	262	7.9	06.7-09.1	2783	92.1	90.9-93.3
18-24	138	43,098	6	2.8	00.4-05.2	132	97.2	94.8-99.6
25-34	274	57,390	17	6.2	02.9-09.5	257	93.8	90.5-97.1
35-44	343	55,246	16	4.4	01.9-06.9	327	95.6	93.1-98.1
45-54	511	65,864	47	11.2	07.3-15.1	464	88.8	84.9-92.7
55-64	666	61,342	58	9.9	07.0-12.8	608	90.1	87.2-93.0
65+	1077	79,902	118	10.4	08.0-12.8	959	89.6	87.2-92.0
Less Than H.S.	225	45,412	45	16.6	10.7-22.5	180	83.4	77.5-89.3
H.S. or G.E.D.	897	107,198	94	8.6	06.2-11.0	803	91.4	89.0-93.8
Some Post-H.S.	861	117,201	80	7.5	05.5-09.5	781	92.5	90.5-94.5
College Graduate	1054	96,031	41	3.5	01.9-05.1	1013	96.5	94.9-98.1
Less than \$15,000	294	34,039	45	12.0	07.3-16.7	249	88.0	83.3-92.7
\$15,000- 24,999	467	53,490	70	14.9	10.8-19.0	397	85.1	81.0-89.2
\$25,000- 34,999	300	33,003	22	7.0	03.3-10.7	278	93.0	89.3-96.7
\$35,000- 49,999	384	45,316	21	5.2	02.7-07.7	363	94.8	92.3-97.3
\$50,000- 74,999	389	46,322	19	6.0	02.9-09.1	370	94.0	90.9-97.1
\$75,000+	702	95,104	23	2.6	01.0-04.2	679	97.4	95.8-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	172
2	MALES ONLY	173
3	FEMALES ONLY	174
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	175
5	MALES ONLY	176
6	FEMALES ONLY	177
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	178
8	MALES ONLY	179
9	FEMALES ONLY	180
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	181
11	MALES ONLY	182
12	FEMALES ONLY	183
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	184
14	MALES ONLY	185
15	FEMALES ONLY	186

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5055	700,990	2371	45.0	43.0-47.0	2684	55.0	53.0-57.0
Male	2015	334,920	1049	49.8	46.9-52.7	966	50.2	47.3-53.1
Female	3040	366,070	1322	40.7	38.3-43.1	1718	59.3	56.9-61.7
White/Non-Hisp	3743	473,186	1883	49.2	47.0-51.4	1860	50.8	48.6-53.0
Black or Afr. Am./Non-Hisp	735	132,458	272	38.0	33.3-42.7	463	62.0	57.3-66.7
Oth. Race/Non-Hisp.	199	30,102	63	26.6	17.0-36.2	136	73.4	63.8-83.0
MultiRacial/Non-Hisp.	69	5,147	40	56.0	41.7-70.3	29	44.0	29.7-58.3
Hispanic	234	51,050	83	35.2	27.8-42.6	151	64.8	57.4-72.2
18-24	270	88,230	68	26.0	19.7-32.3	202	74.0	67.7-80.3
25-34	479	114,961	176	39.4	33.7-45.1	303	60.6	54.9-66.3
35-44	592	107,346	222	41.3	36.4-46.2	370	58.7	53.8-63.6
45-54	865	126,292	409	49.7	45.6-53.8	456	50.3	46.2-54.4
55-64	1076	118,013	563	52.7	48.8-56.6	513	47.3	43.4-51.2
65+	1722	141,464	917	54.3	51.4-57.2	805	45.7	42.8-48.6
Less Than H.S.	388	90,368	230	54.2	47.5-60.9	158	45.8	39.1-52.5
H.S. or G.E.D.	1523	220,237	831	53.9	50.6-57.2	692	46.1	42.8-49.4
Some Post-H.S.	1321	207,938	663	45.0	41.5-48.5	658	55.0	51.5-58.5
College Graduate	1808	181,031	641	29.9	27.4-32.4	1167	70.1	67.6-72.6
Less than \$15,000	419	56,850	238	47.8	40.5-55.1	181	52.2	44.9-59.5
\$15,000- 24,999	717	95,269	372	51.2	46.3-56.1	345	48.8	43.9-53.7
\$25,000- 34,999	484	62,680	252	52.1	46.0-58.2	232	47.9	41.8-54.0
\$35,000- 49,999	678	92,671	350	47.5	42.4-52.6	328	52.5	47.4-57.6
\$50,000- 74,999	681	93,595	321	45.6	40.5-50.7	360	54.4	49.3-59.5
\$75,000+	1322	199,560	511	38.9	35.4-42.4	811	61.1	57.6-64.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2015	334,920	1049	49.8	46.9-52.7	966	50.2	47.3-53.1
White/Non-Hisp	1493	225,993	816	53.1	49.8-56.4	677	46.9	43.6-50.2
Black or Afr. Am./Non-Hisp	273	61,576	124	45.6	37.8-53.4	149	54.4	46.6-62.2
Oth. Race/Non-Hisp.	93	16,715	36	31.5	16.2-46.8	57	68.5	53.2-83.8
Hispanic	93	22,580	37	40.7	29.3-52.1	56	59.3	47.9-70.7
18-24	133	45,320	40	29.4	20.2-38.6	93	70.6	61.4-79.8
25-34	205	57,572	81	42.3	33.9-50.7	124	57.7	49.3-66.1
35-44	249	52,100	116	48.9	41.6-56.2	133	51.1	43.8-58.4
45-54	353	60,402	166	51.6	45.1-58.1	187	48.4	41.9-54.9
55-64	412	56,357	230	56.5	50.6-62.4	182	43.5	37.6-49.4
65+	648	61,780	413	65.1	60.6-69.6	235	34.9	30.4-39.4
Less Than H.S.	162	44,393	109	60.2	50.2-70.2	53	39.8	29.8-49.8
H.S. or G.E.D.	627	113,160	396	59.7	54.6-64.8	231	40.3	35.2-45.4
Some Post-H.S.	462	91,130	261	49.8	43.9-55.7	201	50.2	44.3-56.1
College Graduate	756	85,100	280	31.7	27.6-35.8	476	68.3	64.2-72.4
Less than \$15,000	124	22,293	73	53.9	41.4-66.4	51	46.1	33.6-58.6
\$15,000- 24,999	250	41,780	144	56.2	48.4-64.0	106	43.8	36.0-51.6
\$25,000- 34,999	186	29,930	113	58.0	48.4-67.6	73	42.0	32.4-51.6
\$35,000- 49,999	294	47,385	169	53.2	45.2-61.2	125	46.8	38.8-54.8
\$50,000- 74,999	292	47,316	158	49.8	42.2-57.4	134	50.2	42.6-57.8
\$75,000+	624	104,612	269	44.0	38.9-49.1	355	56.0	50.9-61.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3040	366,070	1322	40.7	38.3-43.1	1718	59.3	56.9-61.7
White/Non-Hisp	2250	247,193	1067	45.7	42.8-48.6	1183	54.3	51.4-57.2
Black or Afr. Am./Non-Hisp	462	70,881	148	31.4	25.9-36.9	314	68.6	63.1-74.1
Oth. Race/Non-Hisp.	106	13,387	27	20.5	10.9-30.1	79	79.5	69.9-89.1
Hispanic	141	28,470	46	30.8	21.0-40.6	95	69.2	59.4-79.0
18-24	137	42,911	28	22.3	13.9-30.7	109	77.7	69.3-86.1
25-34	274	57,390	95	36.5	28.9-44.1	179	63.5	55.9-71.1
35-44	343	55,246	106	34.0	27.5-40.5	237	66.0	59.5-72.5
45-54	512	65,889	243	48.0	42.7-53.3	269	52.0	46.7-57.3
55-64	664	61,655	333	49.2	44.3-54.1	331	50.8	45.9-55.7
65+	1074	79,684	504	46.0	42.3-49.7	570	54.0	50.3-57.7
Less Than H.S.	226	45,976	121	48.5	39.7-57.3	105	51.5	42.7-60.3
H.S. or G.E.D.	896	107,077	435	47.7	43.2-52.2	461	52.3	47.8-56.8
Some Post-H.S.	859	116,808	402	41.4	37.1-45.7	457	58.6	54.3-62.9
College Graduate	1052	95,931	361	28.3	25.0-31.6	691	71.7	68.4-75.0
Less than \$15,000	295	34,557	165	43.9	35.7-52.1	130	56.1	47.9-64.3
\$15,000- 24,999	467	53,490	228	47.3	41.2-53.4	239	52.7	46.6-58.8
\$25,000- 34,999	298	32,750	139	46.7	39.3-54.1	159	53.3	45.9-60.7
\$35,000- 49,999	384	45,286	181	41.6	35.1-48.1	203	58.4	51.9-64.9
\$50,000- 74,999	389	46,279	163	41.3	34.6-48.0	226	58.7	52.0-65.4
\$75,000+	698	94,948	242	33.2	28.7-37.7	456	66.8	62.3-71.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2368	315,222	587	29.9	27.2-32.6	255	13.6	11.4-15.8	1526	56.5	53.8-59.2
Male	1047	166,414	271	30.6	26.7-34.5	105	13.6	10.7-16.5	671	55.8	51.7-59.9
Female	1321	148,808	316	29.0	25.5-32.5	150	13.6	10.5-16.7	855	57.4	53.5-61.3
White/Non-Hisp	1881	232,562	443	28.8	25.9-31.7	161	9.7	07.5-11.9	1277	61.4	58.3-64.5
Black or Afr. Am./Non-Hisp	272	50,286	84	36.6	28.6-44.6	53	24.0	17.3-30.7	135	39.5	32.1-46.9
Oth. Race/Non-Hisp.	63	8,003	15	23.4	08.3-38.5	12	15.1	04.3-25.9	36	61.4	42.8-80.0
Hispanic	82	17,868	21	27.7	15.9-39.5	18	31.8	18.1-45.5	43	40.5	28.2-52.8
18-24	68	22,924	33	51.0	37.1-64.9	20	26.3	14.1-38.5	15	22.7	11.1-34.3
25-34	176	45,269	75	43.4	33.8-53.0	36	25.0	15.8-34.2	65	31.6	23.2-40.0
35-44	221	44,045	74	34.6	27.2-42.0	43	18.6	12.5-24.7	104	46.8	39.0-54.6
45-54	409	62,813	143	36.7	30.8-42.6	58	12.1	08.4-15.8	208	51.1	45.0-57.2
55-64	562	62,123	162	27.2	22.5-31.9	51	8.5	05.8-11.2	349	64.4	59.1-69.7
65+	916	76,759	100	10.0	07.6-12.4	46	5.5	03.1-07.9	770	84.5	81.4-87.6
Less Than H.S.	229	48,898	75	38.8	30.0-47.6	32	17.5	10.6-24.4	122	43.7	35.1-52.3
H.S. or G.E.D.	829	118,318	253	34.0	29.5-38.5	97	14.9	10.8-19.0	479	51.0	46.3-55.7
Some Post-H.S.	663	93,659	166	28.0	23.3-32.7	77	13.3	09.8-16.8	420	58.7	53.8-63.6
College Graduate	641	54,089	93	16.1	12.2-20.0	48	7.7	05.0-10.4	500	76.2	71.7-80.7
Less than \$15,000	238	27,174	85	43.2	32.8-53.6	32	18.8	10.6-27.0	121	38.0	29.2-46.8
\$15,000- 24,999	372	48,773	116	33.0	26.5-39.5	63	19.7	14.0-25.4	193	47.3	40.2-54.4
\$25,000- 34,999	252	32,634	89	39.4	31.2-47.6	23	12.6	06.3-18.9	140	48.0	39.8-56.2
\$35,000- 49,999	349	43,814	89	29.0	22.9-35.1	40	14.5	09.2-19.8	220	56.6	49.9-63.3
\$50,000- 74,999	321	42,669	68	26.8	19.9-33.7	28	10.2	05.7-14.7	225	63.0	55.7-70.3
\$75,000+	511	77,539	87	25.6	20.1-31.1	35	8.7	05.0-12.4	389	65.8	59.9-71.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1047	166,414	271	30.6	26.7-34.5	105	13.6	10.7-16.5	671	55.8	51.7-59.9
White/Non-Hisp	814	119,705	199	29.1	24.8-33.4	57	8.2	05.5-10.9	558	62.7	58.2-67.2
Black or Afr. Am./Non-Hisp	124	28,063	43	41.8	30.0-53.6	29	29.5	19.1-39.9	52	28.7	19.7-37.7
25-34	81	24,326	37	51.1	37.6-64.6	18	21.6	10.8-32.4	26	27.4	15.8-39.0
35-44	115	25,259	37	32.5	22.9-42.1	24	22.1	13.1-31.1	54	45.5	35.1-55.9
45-54	166	31,164	64	37.3	28.3-46.3	20	11.7	05.8-17.6	82	51.0	41.6-60.4
55-64	230	31,851	73	30.0	22.4-37.6	11	5.1	01.6-08.6	146	64.9	56.9-72.9
65+	412	40,142	44	9.5	06.2-12.8	17	4.5	01.4-07.6	351	86.0	81.7-90.3
Less Than H.S.	109	26,703	34	36.2	23.5-48.9	15	20.3	10.3-30.3	60	43.6	31.3-55.9
H.S. or G.E.D.	394	67,236	126	35.2	29.1-41.3	47	14.2	09.3-19.1	221	50.6	44.3-56.9
Some Post-H.S.	261	45,344	71	29.8	22.5-37.1	24	12.5	07.0-18.0	166	57.7	50.1-65.3
College Graduate	280	26,937	40	15.3	09.6-21.0	19	7.5	03.2-11.8	221	77.2	70.5-83.9
Less than \$15,000	73	12,016	29	49.1	30.5-67.7	8	18.3	05.2-31.4	36	32.6	18.3-46.9
\$15,000- 24,999	144	23,481	50	32.7	23.1-42.3	25	25.1	15.1-35.1	69	42.2	31.2-53.2
\$25,000- 34,999	113	17,355	38	39.0	26.7-51.3	7	10.7	02.5-18.9	68	50.3	38.0-62.6
\$35,000- 49,999	168	24,957	44	29.1	20.7-37.5	23	17.7	09.5-25.9	101	53.3	43.9-62.7
\$50,000- 74,999	158	23,566	39	33.6	23.6-43.6	8	3.7	00.6-06.8	111	62.7	52.7-72.7
\$75,000+	269	46,038	50	26.9	19.5-34.3	19	9.9	04.4-15.4	200	63.3	55.3-71.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1321	148,808	316	29.0	25.5-32.5	150	13.6	10.5-16.7	855	57.4	53.5-61.3
White/Non-Hisp	1067	112,857	244	28.6	24.5-32.7	104	11.4	07.9-14.9	719	60.0	55.5-64.5
Black or Afr. Am./Non-Hisp	148	22,223	41	30.0	20.4-39.6	24	17.0	09.6-24.4	83	53.1	42.5-63.7
25-34	95	20,944	38	34.4	22.4-46.4	18	29.0	13.9-44.1	39	36.5	24.2-48.8
35-44	106	18,786	37	37.5	25.7-49.3	19	14.0	06.6-21.4	50	48.5	36.3-60.7
45-54	243	31,649	79	36.2	28.4-44.0	38	12.6	07.9-17.3	126	51.2	43.4-59.0
55-64	332	30,272	89	24.2	18.7-29.7	40	12.0	07.9-16.1	203	63.8	57.3-70.3
65+	504	36,617	56	10.5	07.4-13.6	29	6.6	03.3-09.9	419	82.9	78.6-87.2
Less Than H.S.	120	22,196	41	42.0	30.0-54.0	17	14.1	05.1-23.1	62	43.9	31.7-56.1
H.S. or G.E.D.	435	51,082	127	32.5	26.0-39.0	50	15.9	09.0-22.8	258	51.6	44.7-58.5
Some Post-H.S.	402	48,315	95	26.3	20.4-32.2	53	14.0	09.7-18.3	254	59.7	53.4-66.0
College Graduate	361	27,152	53	16.8	11.3-22.3	29	8.0	04.3-11.7	279	75.3	69.2-81.4
Less than \$15,000	165	15,159	56	38.5	28.3-48.7	24	19.2	08.6-29.8	85	42.2	32.2-52.2
\$15,000- 24,999	228	25,292	66	33.3	24.7-41.9	38	14.8	09.1-20.5	124	52.0	43.0-61.0
\$25,000- 34,999	139	15,278	51	39.9	29.3-50.5	16	14.8	05.2-24.4	72	45.3	34.3-56.3
\$35,000- 49,999	181	18,857	45	28.8	20.0-37.6	17	10.2	04.7-15.7	119	60.9	51.7-70.1
\$50,000- 74,999	163	19,103	29	18.3	09.9-26.7	20	18.3	09.7-26.9	114	63.4	53.0-73.8
\$75,000+	242	31,502	37	23.7	15.7-31.7	16	7.0	02.9-11.1	189	69.4	61.0-77.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	840	136,361	452	53.4	48.7-58.1	388	46.6	41.9-51.3
Male	375	73,549	189	50.0	43.3-56.7	186	50.0	43.3-56.7
Female	465	62,813	263	57.4	50.7-64.1	202	42.6	35.9-49.3
White/Non-Hisp	602	89,097	312	52.5	46.8-58.2	290	47.5	41.8-53.2
Black or Afr. Am./Non-Hisp	137	30,432	86	53.7	42.5-64.9	51	46.3	35.1-57.5
18-24	53	17,715	31	65.1	50.4-79.8	22	34.9	20.2-49.6
25-34	111	30,963	65	55.2	42.5-67.9	46	44.8	32.1-57.5
35-44	117	23,437	58	43.6	33.2-54.0	59	56.4	46.0-66.8
45-54	200	30,122	115	53.9	45.1-62.7	85	46.1	37.3-54.9
55-64	213	22,139	111	54.3	45.9-62.7	102	45.7	37.3-54.1
65+	145	11,813	71	46.3	35.3-57.3	74	53.7	42.7-64.7
Less Than H.S.	106	26,946	64	56.8	44.3-69.3	42	43.2	30.7-55.7
H.S. or G.E.D.	349	57,903	192	56.8	49.5-64.1	157	43.2	35.9-50.5
Some Post-H.S.	243	38,645	127	47.3	39.3-55.3	116	52.7	44.7-60.7
College Graduate	141	12,853	69	49.2	38.2-60.2	72	50.8	39.8-61.8
Less than \$15,000	117	16,855	70	57.6	42.5-72.7	47	42.4	27.3-57.5
\$15,000- 24,999	178	25,661	105	52.5	42.9-62.1	73	47.5	37.9-57.1
\$25,000- 34,999	112	16,972	58	57.0	45.0-69.0	54	43.0	31.0-55.0
\$35,000- 49,999	129	19,027	65	54.1	43.5-64.7	64	45.9	35.3-56.5
\$50,000- 74,999	96	15,785	55	57.6	44.7-70.5	41	42.4	29.5-55.3
\$75,000+	122	26,552	54	47.3	35.7-58.9	68	52.7	41.1-64.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	375	73,549	189	50.0	43.3-56.7	186	50.0	43.3-56.7
White/Non-Hisp	255	44,581	124	52.4	44.4-60.4	131	47.6	39.6-55.6
Black or Afr. Am./Non-Hisp	72	19,998	42	46.5	32.2-60.8	30	53.5	39.2-67.8
25-34	55	17,672	32	52.0	35.5-68.5	23	48.0	31.5-64.5
35-44	61	13,771	27	39.5	26.2-52.8	34	60.5	47.2-73.8
45-54	84	15,256	45	49.5	36.4-62.6	39	50.5	37.4-63.6
55-64	84	11,193	40	54.7	41.6-67.8	44	45.3	32.2-58.4
65+	60	5,554	27	40.0	23.7-56.3	33	60.0	43.7-76.3
H.S. or G.E.D.	172	33,180	99	59.4	50.2-68.6	73	40.6	31.4-49.8
Some Post-H.S.	95	19,162	38	39.0	26.8-51.2	57	61.0	48.8-73.2
College Graduate	59	6,142	26	43.6	26.7-60.5	33	56.4	39.5-73.3
\$15,000- 24,999	74	13,514	35	42.4	28.9-55.9	39	57.6	44.1-71.1
\$35,000- 49,999	67	11,662	35	59.8	46.3-73.3	32	40.2	26.7-53.7
\$75,000+	69	16,907	29	45.6	30.5-60.7	40	54.4	39.3-69.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	465	62,813	263	57.4	50.7-64.1	202	42.6	35.9-49.3
White/Non-Hisp	347	44,515	188	52.5	44.5-60.5	159	47.5	39.5-55.5
Black or Afr. Am./Non-Hisp	65	10,434	44	67.4	53.1-81.7	21	32.6	18.3-46.9
25-34	56	13,291	33	59.4	39.4-79.4	23	40.6	20.6-60.6
35-44	56	9,666	31	49.5	32.8-66.2	25	50.5	33.8-67.2
45-54	116	14,866	70	58.5	46.9-70.1	46	41.5	29.9-53.1
55-64	129	10,946	71	54.0	43.8-64.2	58	46.0	35.8-56.2
65+	85	6,258	44	51.9	37.8-66.0	41	48.1	34.0-62.2
Less Than H.S.	57	11,882	38	70.9	56.8-85.0	19	29.1	15.0-43.2
H.S. or G.E.D.	177	24,722	93	53.2	41.4-65.0	84	46.8	35.0-58.6
Some Post-H.S.	148	19,483	89	55.4	44.8-66.0	59	44.6	34.0-55.2
College Graduate	82	6,711	43	54.4	40.1-68.7	39	45.6	31.3-59.9
Less than \$15,000	80	8,760	49	63.5	49.6-77.4	31	36.5	22.6-50.4
\$15,000- 24,999	104	12,148	70	63.8	50.9-76.7	34	36.2	23.3-49.1
\$25,000- 34,999	67	8,350	34	60.1	45.6-74.6	33	39.9	25.4-54.4
\$35,000- 49,999	62	7,365	30	45.1	29.6-60.6	32	54.9	39.4-70.4
\$75,000+	53	9,645	25	50.3	32.7-67.9	28	49.7	32.1-67.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1517	177,401	141	13.3	10.4-16.2	150	12.0	09.6-14.4	131	10.9	08.7-13.1	1085	63.3	59.8-66.8	10	0.5	00.1-00.9
Male	668	92,269	76	16.3	11.6-21.0	64	11.9	08.4-15.4	49	8.8	05.9-11.7	478	63.0	57.7-68.3	1	0.0	00.0-00.0
Female	849	85,132	65	10.0	06.5-13.5	86	12.0	08.7-15.3	82	13.2	09.7-16.7	607	63.7	59.0-68.4	9	1.0	00.2-01.8
White/Non-Hisp	1271	142,201	108	11.7	08.8-14.6	121	12.0	09.3-14.7	97	9.4	07.0-11.8	937	66.5	62.8-70.2	8	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	134	19,766	14	15.2	05.0-25.4	16	11.6	05.1-18.1	17	15.3	06.1-24.5	86	56.5	44.9-68.1	1	1.4	00.0-04.1
25-34	65	14,306	22	34.1	19.6-48.6	16	30.4	16.1-44.7	18	23.7	12.3-35.1	9	11.8	03.6-20.0			
35-44	102	20,134	21	19.7	10.5-28.9	24	23.1	13.1-33.1	19	22.4	11.8-33.0	37	34.5	23.5-45.5	1	0.2	00.0-00.6
45-54	208	32,119	23	9.1	04.0-14.2	35	16.5	10.4-22.6	28	13.9	07.8-20.0	120	59.5	51.1-67.9	2	1.0	00.0-02.8
55-64	346	39,838	29	12.7	05.1-20.3	34	8.3	04.6-12.0	26	8.2	04.3-12.1	257	70.9	63.1-78.7			
65+	767	64,708	35	4.6	02.6-06.6	34	3.4	02.0-04.8	39	5.5	03.3-07.7	652	85.7	82.8-88.6	7	0.8	00.0-01.6
Less Than H.S.	122	21,381	12	16.9	03.4-30.4	15	14.0	05.8-22.2	15	15.2	05.8-24.6	79	52.6	39.5-65.7	1	1.3	00.0-03.8
H.S. or G.E.D.	474	59,702	50	12.5	08.2-16.8	53	14.5	10.0-19.0	42	11.2	07.1-15.3	326	61.4	55.5-67.3	3	0.4	00.0-01.0
Some Post-H.S.	419	54,943	46	17.4	11.7-23.1	36	8.7	05.2-12.2	35	9.7	06.2-13.2	299	63.7	57.4-70.0	3	0.5	00.0-01.1
College Graduate	497	41,132	32	7.0	04.1-09.9	45	11.8	06.7-16.9	39	9.8	06.3-13.3	378	71.1	65.2-77.0	3	0.3	00.0-00.7
Less than \$15,000	121	10,319	14	12.1	04.5-19.7	16	18.2	08.8-27.6	11	11.7	03.7-19.7	77	53.6	42.0-65.2	3	4.4	00.0-09.9
\$15,000- 24,999	193	23,059	16	19.1	06.8-31.4	20	10.2	04.7-15.7	22	12.6	06.1-19.1	133	57.9	46.5-69.3	2	0.2	00.0-00.4
\$25,000- 34,999	139	15,585	18	14.9	04.9-24.9	14	15.1	05.5-24.7	10	8.4	01.9-14.9	97	61.6	49.6-73.6			
\$35,000- 49,999	220	24,787	19	12.4	05.9-18.9	22	10.6	05.5-15.7	18	11.7	05.6-17.8	161	65.3	56.9-73.7			
\$50,000- 74,999	225	26,884	22	12.6	06.5-18.7	22	8.3	03.8-12.8	24	16.2	08.2-24.2	157	62.9	53.9-71.9			
\$75,000+	388	50,949	27	9.5	05.2-13.8	32	12.9	07.8-18.0	37	9.8	06.3-13.3	291	67.7	61.4-74.0	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	668	92,269	76	16.3	11.6-21.0	64	11.9	08.4-15.4	49	8.8	05.9-11.7	478	63.0	57.7-68.3	1	0.0	00.0-00.0
White/Non-Hisp	556	74,564	60	14.9	10.2-19.6	49	11.5	07.6-15.4	35	7.5	04.6-10.4	412	66.2	60.7-71.7			
Black or Afr. Am./Non-Hisp	52	8,065	5	11.5	00.3-22.7	6	11.8	01.8-21.8	7	13.1	01.9-24.3	34	63.6	47.5-79.7			
35-44	53	11,058	12	20.5	08.5-32.5	15	30.8	15.3-46.3	8	18.5	05.8-31.2	18	30.2	15.9-44.5			
45-54	82	15,908	11	11.2	02.4-20.0	14	13.3	05.7-20.9	11	15.8	05.4-26.2	46	59.7	46.4-73.0			
55-64	145	20,621	15	14.0	02.4-25.6	14	10.5	03.8-17.2	11	8.5	03.0-14.0	105	67.0	55.0-79.0			
65+	350	34,458	20	5.9	02.8-09.0	13	2.9	01.1-04.7	15	3.9	01.5-06.3	301	87.3	83.2-91.4	1	0.1	00.0-00.3
Less Than H.S.	60	11,639	6	19.1	00.0-38.9	8	10.7	02.5-18.9	7	10.7	01.3-20.1	39	59.5	40.9-78.1			
H.S. or G.E.D.	219	33,496	28	15.9	09.0-22.8	26	15.4	08.7-22.1	14	9.0	03.7-14.3	151	59.7	51.1-68.3			
Some Post-H.S.	166	26,182	25	21.7	12.3-31.1	15	9.1	03.8-14.4	14	8.2	03.1-13.3	112	61.0	51.2-70.8			
College Graduate	220	20,758	17	8.6	03.5-13.7	15	10.7	03.6-17.8	14	8.1	03.2-13.0	173	72.5	63.9-81.1	1	0.1	00.0-00.3
\$15,000- 24,999	69	9,915	6	25.1	03.5-46.7	5	4.3	00.0-09.0	7	11.0	00.8-21.2	51	59.5	39.9-79.1			
\$25,000- 34,999	67	8,656	10	18.5	02.2-34.8	8	13.2	03.2-23.2	7	8.7	01.4-16.0	42	59.6	43.3-75.9			
\$35,000- 49,999	101	13,295	10	15.0	04.2-25.8	11	12.4	04.6-20.2	8	10.8	02.8-18.8	72	61.7	49.2-74.2			
\$50,000- 74,999	111	14,780	13	15.1	06.1-24.1	7	3.4	00.5-06.3	9	14.3	03.7-24.9	82	67.1	54.8-79.4			
\$75,000+	200	29,131	20	11.3	05.6-17.0	16	14.5	07.2-21.8	13	6.3	02.6-10.0	151	67.9	59.5-76.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	849	85,132	65	10.0	06.5-13.5	86	12.0	08.7-15.3	82	13.2	09.7-16.7	607	63.7	59.0-68.4	9	1.0	00.2-01.8
White/Non-Hisp	715	67,637	48	8.1	05.0-11.2	72	12.5	08.6-16.4	62	11.6	08.3-14.9	525	66.9	62.0-71.8	8	0.9	00.1-01.7
Black or Afr. Am./Non-Hisp	82	11,702	9	17.8	02.5-33.1	10	11.5	03.1-19.9	10	16.8	03.3-30.3	52	51.7	36.2-67.2	1	2.3	00.0-06.8
45-54	126	16,212	12	7.0	01.9-12.1	21	19.7	10.5-28.9	17	11.9	05.6-18.2	74	59.3	48.9-69.7	2	2.1	00.0-05.4
55-64	201	19,217	14	11.3	01.5-21.1	20	5.9	02.8-09.0	15	7.8	02.3-13.3	152	75.0	64.8-85.2			
65+	417	30,250	15	3.2	01.4-05.0	21	3.9	01.9-05.9	24	7.3	03.8-10.8	351	83.9	79.4-88.4	6	1.7	00.1-03.3
Less Than H.S.	62	9,742	6	14.3	00.0-31.5	7	18.0	03.3-32.7	8	20.6	03.9-37.3	40	44.3	26.9-61.7	1	2.8	00.0-08.1
H.S. or G.E.D.	255	26,206	22	8.2	04.1-12.3	27	13.2	07.7-18.7	28	14.1	08.0-20.2	175	63.6	56.0-71.2	3	0.9	00.0-02.1
Some Post-H.S.	253	28,762	21	13.5	06.8-20.2	21	8.3	03.6-13.0	21	11.1	06.0-16.2	187	66.2	58.2-74.2	3	0.9	00.0-02.1
College Graduate	277	20,374	15	5.4	02.5-08.3	30	12.9	05.5-20.3	25	11.6	06.5-16.7	205	69.6	61.4-77.8	2	0.6	00.0-01.4
Less than \$15,000	85	6,399	9	11.1	02.1-20.1	8	9.4	01.8-17.0	10	17.1	05.1-29.1	55	55.3	41.2-69.4	3	7.1	00.0-15.9
\$15,000- 24,999	124	13,144	10	14.6	01.1-28.1	15	14.5	06.1-22.9	15	13.8	05.4-22.2	82	56.7	43.6-69.8	2	0.4	00.0-01.0
\$25,000- 34,999	72	6,928	8	10.4	02.2-18.6	6	17.4	00.2-34.6	3	8.0	00.0-19.6	55	64.1	46.7-81.5			
\$35,000- 49,999	119	11,492	9	9.3	02.8-15.8	11	8.5	02.6-14.4	10	12.8	03.8-21.8	89	69.5	58.7-80.3			
\$50,000- 74,999	114	12,104	9	9.6	01.8-17.4	15	14.2	05.4-23.0	15	18.5	06.3-30.7	75	57.8	44.7-70.9			
\$75,000+	188	21,818	7	7.1	00.8-13.4	16	10.7	04.0-17.4	24	14.6	08.3-20.9	140	67.3	58.1-76.5	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5073	703,551	46	1.4	00.8-02.0	43	0.8	00.4-01.2	4984	97.8	97.2-98.4
Male	2027	337,257	35	2.3	01.3-03.3	30	1.3	00.7-01.9	1962	96.4	95.2-97.6
Female	3046	366,293	11	0.6	00.2-01.0	13	0.3	00.1-00.5	3022	99.1	98.7-99.5
White/Non-Hisp	3749	473,436	41	1.8	01.0-02.6	32	0.9	00.5-01.3	3676	97.3	96.5-98.1
Black or Afr. Am./Non-Hisp	742	134,175	5	0.9	00.0-01.9	5	0.3	00.0-00.7	732	98.8	97.8-99.8
Oth. Race/Non-Hisp.	203	30,416				3	2.3	00.0-05.0	200	97.7	95.0-0100
MultiRacial/Non-Hisp.	68	5,110				3	3.7	00.0-08.6	65	96.3	91.4-0100
Hispanic	234	51,050							234	100.0	0100-0100
18-24	272	88,852	8	4.1	01.0-07.2	5	1.6	00.0-03.2	259	94.3	90.8-97.8
25-34	481	115,052	10	1.7	00.5-02.9	7	1.0	00.2-01.8	464	97.3	95.9-98.7
35-44	592	107,466	9	1.3	00.3-02.3	8	1.3	00.3-02.3	575	97.4	96.0-98.8
45-54	868	126,808	9	1.4	00.4-02.4	8	0.6	00.2-01.0	851	98.0	96.8-99.2
55-64	1077	118,107	2	0.3	00.0-00.7	5	0.3	00.0-00.7	1070	99.4	98.8-0100
65+	1732	142,780	8	0.5	00.1-00.9	10	0.4	00.0-00.8	1714	99.1	98.5-99.7
Less Than H.S.	392	91,560	8	2.4	00.4-04.4	5	0.8	00.0-01.8	379	96.8	94.6-99.0
H.S. or G.E.D.	1526	220,447	21	2.2	01.0-03.4	11	0.5	00.1-00.9	1494	97.3	96.1-98.5
Some Post-H.S.	1325	208,569	12	0.9	00.3-01.5	11	0.9	00.1-01.7	1302	98.3	97.3-99.3
College Graduate	1814	181,534	5	0.5	00.0-01.1	15	0.9	00.3-01.5	1794	98.6	97.8-99.4
Less than \$15,000	420	57,238	3	1.0	00.0-02.2	1	0.4	00.0-01.2	416	98.7	97.3-0100
\$15,000- 24,999	719	95,777	4	0.5	00.0-01.1	9	1.1	00.1-02.1	706	98.4	97.2-99.6
\$25,000- 34,999	486	63,066	7	2.4	00.4-04.4	4	0.3	00.0-00.7	475	97.3	95.3-99.3
\$35,000- 49,999	678	92,496	11	2.1	00.5-03.7	4	0.4	00.0-00.8	663	97.5	95.9-99.1
\$50,000- 74,999	681	93,671	2	0.7	00.0-01.7	7	1.3	00.1-02.5	672	98.0	96.4-99.6
\$75,000+	1329	200,095	14	1.9	00.5-03.3	11	0.9	00.1-01.7	1304	97.2	95.6-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2027	337,257	35	2.3	01.3-03.3	30	1.3	00.7-01.9	1962	96.4	95.2-97.6
White/Non-Hisp	1496	226,125	34	3.3	01.9-04.7	22	1.5	00.7-02.3	1440	95.2	93.6-96.8
Black or Afr. Am./Non-Hisp	278	63,038	1	0.4	00.0-01.2	3	0.5	00.0-01.1	274	99.1	98.1-0100
Oth. Race/Non-Hisp.	96	17,168				2	2.7	00.0-06.6	94	97.3	93.4-0100
Hispanic	93	22,580							93	100.0	0100-0100
18-24	135	45,941	5	5.6	00.3-10.9	3	2.2	00.0-05.1	127	92.2	86.1-98.3
25-34	207	57,663	9	3.0	00.8-05.2	7	1.9	00.3-03.5	191	95.1	92.4-97.8
35-44	250	52,257	6	1.7	00.1-03.3	6	2.3	00.1-04.5	238	96.0	93.5-98.5
45-54	356	60,918	8	2.8	00.6-05.0	6	0.9	00.1-01.7	342	96.3	94.1-98.5
55-64	411	56,256	2	0.6	00.0-01.6	2	0.1	00.0-00.3	407	99.2	98.2-0100
65+	653	62,833	5	0.7	00.0-01.5	6	0.6	00.0-01.2	642	98.7	97.7-99.7
Less Than H.S.	165	45,562	4	2.6	00.0-05.7	4	1.3	00.0-03.1	157	96.1	92.6-99.6
H.S. or G.E.D.	629	113,476	17	3.7	01.5-05.9	8	0.6	00.2-01.0	604	95.7	93.3-98.1
Some Post-H.S.	464	91,484	9	1.5	00.3-02.7	7	1.4	00.0-02.8	448	97.1	95.1-99.1
College Graduate	761	85,598	5	1.0	00.0-02.2	10	1.7	00.3-03.1	746	97.3	95.5-99.1
Less than \$15,000	126	22,747	2	2.1	00.0-05.0				124	97.9	95.0-0100
\$15,000- 24,999	253	42,328	3	1.1	00.0-02.5	8	2.0	00.0-04.0	242	96.9	94.5-99.3
\$25,000- 34,999	187	30,251	1	0.7	00.0-02.1	2	0.4	00.0-01.0	184	98.9	97.5-0100
\$35,000- 49,999	293	47,141	11	4.2	01.3-07.1	1	0.2	00.0-00.6	281	95.6	92.7-98.5
\$50,000- 74,999	292	47,316	2	1.4	00.0-03.4	6	2.0	00.0-04.0	284	96.6	93.9-99.3
\$75,000+	629	105,111	14	3.6	01.1-06.1	7	1.5	00.1-02.9	608	94.9	92.2-97.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3046	366,293	11	0.6	00.2-01.0	13	0.3	00.1-00.5	3022	99.1	98.7-99.5
White/Non-Hisp	2253	247,311	7	0.5	00.1-00.9	10	0.4	00.2-00.6	2236	99.2	98.8-99.6
Black or Afr. Am./Non-Hisp	464	71,137	4	1.3	00.0-02.9	2	0.2	00.0-00.4	458	98.5	96.9-0100
Oth. Race/Non-Hisp.	107	13,247				1	1.8	00.0-05.1	106	98.2	94.9-0100
Hispanic	141	28,470							141	100.0	0100-0100
18-24	137	42,911	3	2.5	00.0-05.4	2	1.0	00.0-02.4	132	96.5	93.4-99.6
25-34	274	57,390	1	0.4	00.0-01.2				273	99.6	98.8-0100
35-44	342	55,209	3	0.9	00.0-02.1	2	0.3	00.0-00.7	337	98.8	97.6-0100
45-54	512	65,889	1	0.1	00.0-00.3	2	0.3	00.0-00.7	509	99.7	99.3-0100
55-64	666	61,851				3	0.4	00.0-01.0	663	99.6	99.0-0100
65+	1079	79,947	3	0.3	00.0-00.7	4	0.3	00.0-00.7	1072	99.4	98.8-0100
Less Than H.S.	227	45,998	4	2.2	00.0-04.7	1	0.2	00.0-00.6	222	97.6	95.1-0100
H.S. or G.E.D.	897	106,971	4	0.7	00.0-01.5	3	0.3	00.0-00.7	890	99.0	98.2-99.8
Some Post-H.S.	861	117,085	3	0.3	00.0-00.7	4	0.5	00.0-01.1	854	99.2	98.6-99.8
College Graduate	1053	95,936				5	0.3	00.1-00.5	1048	99.7	99.5-99.9
Less than \$15,000	294	34,491	1	0.2	00.0-00.6	1	0.6	00.0-01.8	292	99.2	98.0-0100
\$15,000- 24,999	466	53,449	1	0.1	00.0-00.3	1	0.3	00.0-00.9	464	99.6	99.0-0100
\$25,000- 34,999	299	32,815	6	4.0	00.7-07.3	2	0.1	00.0-00.3	291	95.8	92.5-99.1
\$35,000- 49,999	385	45,355				3	0.5	00.0-01.3	382	99.5	98.7-0100
\$50,000- 74,999	389	46,355				1	0.5	00.0-01.5	388	99.5	98.5-0100
\$75,000+	700	94,985				4	0.3	00.1-00.5	696	99.7	99.5-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	188
2	MALES ONLY	189
3	FEMALES ONLY	190
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4	MALES AND FEMALES	191
5	MALES ONLY	192
6	FEMALES ONLY	193
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	194
8	MALES ONLY	195
9	FEMALES ONLY	196
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10	MALES AND FEMALES	197
11	MALES ONLY	198
12	FEMALES ONLY	199

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5020	696,743	618	12.9	11.5-14.3	191	3.1	02.5-03.7	1520	33.9	32.1-35.7	396	7.2	06.2-08.2	2295	42.9	40.9-44.9
Male	2008	333,492	304	16.2	14.0-18.4	104	4.2	03.2-05.2	629	34.5	31.8-37.2	216	9.4	07.8-11.0	755	35.6	32.9-38.3
Female	3012	363,250	314	9.8	08.4-11.2	87	2.1	01.5-02.7	891	33.3	30.9-35.7	180	5.2	04.2-06.2	1540	49.6	47.1-52.1
White/Non-Hisp	3718	470,384	498	14.4	12.8-16.0	172	4.1	03.3-04.9	1145	34.3	32.1-36.5	338	8.4	07.2-09.6	1565	38.7	36.5-40.9
Black or Afr. Am./Non-Hisp	731	131,610	63	9.8	06.9-12.7	9	1.3	00.3-02.3	204	31.6	27.1-36.1	23	4.7	02.3-07.1	432	52.6	47.7-57.5
Oth. Race/Non-Hisp.	200	30,272	18	8.8	03.9-13.7	4	0.5	00.0-01.1	47	34.0	22.4-45.6	13	5.4	01.7-09.1	118	51.3	40.3-62.3
MultiRacial/Non-Hisp.	68	4,894	9	14.9	04.9-24.9	3	3.4	00.0-08.1	19	25.1	13.1-37.1	6	9.4	00.4-18.4	31	47.2	32.9-61.5
Hispanic	231	50,528	25	9.9	05.6-14.2	2	1.2	00.0-03.2	75	33.1	25.7-40.5	10	3.2	01.0-05.4	119	52.5	44.7-60.3
18-24	266	86,592	38	13.0	08.5-17.5	2	0.3	00.0-00.9	102	39.6	32.3-46.9	20	6.2	03.1-09.3	104	40.9	33.6-48.2
25-34	476	114,291	70	15.3	11.2-19.4	9	2.2	00.4-04.0	187	40.3	34.6-46.0	37	7.0	04.5-09.5	173	35.2	29.7-40.7
35-44	589	107,204	84	14.9	11.2-18.6	10	1.8	00.4-03.2	230	39.5	34.8-44.2	32	5.5	03.1-07.9	233	38.3	33.6-43.0
45-54	854	125,137	104	12.6	09.9-15.3	25	3.2	01.6-04.8	304	36.6	32.5-40.7	62	6.7	04.5-08.9	359	40.9	36.8-45.0
55-64	1069	117,519	141	12.7	10.3-15.1	42	3.6	02.4-04.8	315	30.8	27.3-34.3	95	8.7	06.7-10.7	476	44.2	40.3-48.1
65+	1715	141,421	177	9.9	08.1-11.7	101	6.3	04.9-07.7	369	21.3	18.9-23.7	148	8.7	07.1-10.3	920	53.8	50.9-56.7
Less Than H.S.	391	90,454	27	7.5	04.4-10.6	8	2.6	00.4-04.8	78	22.5	17.0-28.0	13	3.8	01.3-06.3	265	63.7	57.4-70.0
H.S. or G.E.D.	1509	218,375	146	11.7	09.3-14.1	52	3.2	02.2-04.2	400	30.4	27.1-33.7	94	5.8	04.2-07.4	817	48.9	45.4-52.4
Some Post-H.S.	1314	207,146	145	12.2	09.8-14.6	48	2.8	01.8-03.8	442	39.4	35.7-43.1	101	7.9	05.9-09.9	578	37.7	34.4-41.0
College Graduate	1792	179,539	299	17.9	15.5-20.3	82	3.7	02.7-04.7	597	37.4	34.5-40.3	188	9.9	08.1-11.7	626	31.0	28.3-33.7
Less than \$15,000	419	57,192	21	6.6	03.3-09.9	9	1.8	00.2-03.4	94	26.0	19.7-32.3	16	3.4	01.0-05.8	279	62.2	55.3-69.1
\$15,000- 24,999	717	95,381	57	9.3	06.6-12.0	12	1.4	00.4-02.4	169	25.5	21.4-29.6	34	3.9	02.1-05.7	445	59.9	55.2-64.6
\$25,000- 34,999	483	62,704	56	12.5	08.2-16.8	22	3.4	01.6-05.2	139	30.5	24.8-36.2	31	6.4	03.3-09.5	235	47.3	41.2-53.4
\$35,000- 49,999	672	91,710	78	13.0	09.3-16.7	29	3.7	01.9-05.5	204	36.1	30.8-41.4	65	8.2	05.8-10.6	296	39.0	34.1-43.9
\$50,000- 74,999	676	92,958	91	13.3	10.0-16.6	27	2.4	01.4-03.4	236	37.4	32.3-42.5	64	9.8	07.1-12.5	258	37.0	32.1-41.9
\$75,000+	1314	198,081	241	17.0	14.5-19.5	69	4.5	03.1-05.9	483	40.9	37.4-44.4	151	10.1	08.1-12.1	370	27.5	24.4-30.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2008	333,492	304	16.2	14.0-18.4	104	4.2	03.2-05.2	629	34.5	31.8-37.2	216	9.4	07.8-11.0	755	35.6	32.9-38.3
White/Non-Hisp	1489	225,234	226	16.7	14.0-19.4	89	5.1	03.7-06.5	463	34.0	30.9-37.1	178	10.5	08.5-12.5	533	33.7	30.6-36.8
Black or Afr. Am./Non-Hisp	272	61,029	41	16.2	10.5-21.9	8	2.7	00.5-04.9	84	31.3	24.2-38.4	14	8.3	03.6-13.0	125	41.5	33.9-49.1
Oth. Race/Non-Hisp.	93	16,943	11	9.9	02.8-17.0	2	0.6	00.0-01.4	27	42.3	25.4-59.2	8	4.4	00.7-08.1	45	42.8	26.9-58.7
Hispanic	92	22,237	19	18.8	10.2-27.4	2	2.8	00.0-07.1	33	37.2	25.8-48.6	6	3.9	00.6-07.2	32	37.4	26.0-48.8
18-24	130	43,847	23	15.9	08.6-23.2	2	0.6	00.0-01.6	48	39.3	28.7-49.9	12	8.4	03.1-13.7	45	35.8	25.8-45.8
25-34	205	57,455	37	20.5	13.4-27.6	8	4.1	00.6-07.6	83	40.8	32.6-49.0	27	11.0	06.3-15.7	50	23.7	16.4-31.0
35-44	250	52,408	43	19.1	12.8-25.4	8	3.4	00.9-05.9	91	33.9	27.2-40.6	17	7.7	03.4-12.0	91	36.0	29.1-42.9
45-54	349	59,769	46	14.1	09.4-18.8	13	4.4	01.5-07.3	128	36.9	30.6-43.2	33	8.3	04.8-11.8	129	36.3	29.8-42.8
55-64	409	56,142	62	15.1	11.0-19.2	27	5.3	03.1-07.5	132	35.3	29.4-41.2	42	8.6	05.5-11.7	146	35.7	29.6-41.8
65+	650	62,482	92	13.3	10.2-16.4	45	6.6	04.4-08.8	142	23.3	19.2-27.4	83	12.1	09.2-15.0	288	44.8	39.9-49.7
Less Than H.S.	164	44,456	20	12.7	06.8-18.6	7	4.6	00.3-08.9	37	22.4	14.6-30.2	7	6.1	01.2-11.0	93	54.2	44.4-64.0
H.S. or G.E.D.	619	111,849	83	16.9	12.6-21.2	34	4.6	02.6-06.6	185	32.1	27.4-36.8	54	7.0	04.6-09.4	263	39.3	34.4-44.2
Some Post-H.S.	462	91,031	61	14.2	09.9-18.5	21	3.0	01.4-04.6	164	41.8	35.7-47.9	61	12.3	08.6-16.0	155	28.6	23.7-33.5
College Graduate	757	85,232	140	19.4	15.9-22.9	41	4.8	03.0-06.6	241	36.3	32.0-40.6	94	11.5	08.8-14.2	241	28.2	24.5-31.9
Less than \$15,000	126	22,747	7	7.5	01.2-13.8	6	3.4	00.0-06.9	37	32.9	21.3-44.5	5	4.3	00.0-09.4	71	51.9	39.4-64.4
\$15,000- 24,999	251	41,931	34	16.3	10.4-22.2	9	2.7	00.7-04.7	59	25.9	19.0-32.8	18	5.9	02.4-09.4	131	49.2	41.2-57.2
\$25,000- 34,999	186	30,091	25	16.1	08.3-23.9	13	5.5	02.0-09.0	51	31.2	22.2-40.2	21	9.6	03.7-15.5	76	37.6	28.6-46.6
\$35,000- 49,999	290	46,556	36	14.6	08.7-20.5	12	3.9	01.2-06.6	91	37.5	29.1-45.9	31	8.1	04.8-11.4	120	36.0	28.9-43.1
\$50,000- 74,999	290	46,885	49	16.5	10.8-22.2	12	2.3	00.9-03.7	100	38.0	30.4-45.6	37	12.5	07.8-17.2	92	30.7	23.8-37.6
\$75,000+	626	104,566	117	18.2	14.3-22.1	41	6.0	03.6-08.4	226	39.0	34.1-43.9	86	12.2	08.9-15.5	156	24.6	20.1-29.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3012	363,250	314	9.8	08.4-11.2	87	2.1	01.5-02.7	891	33.3	30.9-35.7	180	5.2	04.2-06.2	1540	49.6	47.1-52.1
White/Non-Hisp	2229	245,150	272	12.3	10.5-14.1	83	3.1	02.3-03.9	682	34.7	32.0-37.4	160	6.5	05.3-07.7	1032	43.4	40.5-46.3
Black or Afr. Am./Non-Hisp	459	70,581	22	4.3	02.3-06.3	1	0.1	00.0-00.3	120	31.8	25.9-37.7	9	1.6	00.2-03.0	307	62.3	56.2-68.4
Oth. Race/Non-Hisp.	107	13,329	7	7.5	00.8-14.2	2	0.3	00.0-00.7	20	23.4	09.9-36.9	5	6.8	00.0-13.9	73	62.0	47.9-76.1
Hispanic	139	28,291	6	3.0	00.5-05.5				42	29.9	20.3-39.5	4	2.6	00.0-05.3	87	64.4	54.4-74.4
18-24	136	42,745	15	10.0	04.5-15.5				54	39.9	29.9-49.9	8	4.1	00.8-07.4	59	46.0	35.8-56.2
25-34	271	56,836	33	10.1	06.2-14.0	1	0.2	00.0-00.6	104	39.9	32.3-47.5	10	3.1	01.1-05.1	123	46.8	39.2-54.4
35-44	339	54,795	41	10.9	07.2-14.6	2	0.3	00.0-00.9	139	44.8	38.1-51.5	15	3.5	01.5-05.5	142	40.5	34.0-47.0
45-54	505	65,368	58	11.2	08.1-14.3	12	2.1	00.3-03.9	176	36.3	31.2-41.4	29	5.2	02.8-07.6	230	45.1	39.6-50.6
55-64	660	61,378	79	10.5	08.0-13.0	15	2.1	00.9-03.3	183	26.8	22.5-31.1	53	8.7	06.0-11.4	330	51.9	47.0-56.8
65+	1065	78,939	85	7.2	05.4-09.0	56	6.1	04.1-08.1	227	19.8	17.1-22.5	65	6.0	04.2-07.8	632	60.9	57.4-64.4
Less Than H.S.	227	45,998	7	2.4	00.2-04.6	1	0.6	00.0-01.8	41	22.5	14.9-30.1	6	1.7	00.3-03.1	172	72.8	65.0-80.6
H.S. or G.E.D.	890	106,526	63	6.2	04.4-08.0	18	1.6	00.8-02.4	215	28.6	24.1-33.1	40	4.6	02.8-06.4	554	59.0	54.3-63.7
Some Post-H.S.	852	116,116	84	10.5	08.0-13.0	27	2.7	01.3-04.1	278	37.6	33.1-42.1	40	4.5	02.7-06.3	423	44.7	40.4-49.0
College Graduate	1035	94,307	159	16.6	13.5-19.7	41	2.8	01.8-03.8	356	38.5	34.6-42.4	94	8.5	06.5-10.5	385	33.6	29.9-37.3
Less than \$15,000	293	34,445	14	6.0	02.3-09.7	3	0.8	00.0-02.0	57	21.5	14.4-28.6	11	2.8	00.8-04.8	208	68.9	61.3-76.5
\$15,000- 24,999	466	53,449	23	3.9	02.1-05.7	3	0.4	00.0-00.8	110	25.2	19.9-30.5	16	2.2	00.8-03.6	314	68.3	62.8-73.8
\$25,000- 34,999	297	32,613	31	9.1	05.2-13.0	9	1.5	00.3-02.7	88	29.7	22.8-36.6	10	3.5	01.1-05.9	159	56.2	48.8-63.6
\$35,000- 49,999	382	45,154	42	11.5	07.4-15.6	17	3.5	01.5-05.5	113	34.8	28.1-41.5	34	8.3	04.8-11.8	176	42.1	35.4-48.8
\$50,000- 74,999	386	46,073	42	10.0	06.3-13.7	15	2.6	01.0-04.2	136	36.8	30.3-43.3	27	7.1	04.2-10.0	166	43.5	36.8-50.2
\$75,000+	688	93,515	124	15.7	12.4-19.0	28	2.8	01.4-04.2	257	43.0	38.1-47.9	65	7.7	05.5-09.9	214	30.7	26.2-35.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2672	391,177	1251	39.7	37.3-42.1	783	28.3	25.9-30.7	306	14.3	12.3-16.3	134	7.2	05.6-08.8	198	10.6	08.8-12.4
Male	1229	211,811	442	29.8	26.7-32.9	372	27.9	24.6-31.2	178	17.1	14.2-20.0	87	9.4	06.9-11.9	150	15.8	12.9-18.7
Female	1443	179,366	809	51.3	47.8-54.8	411	28.7	25.4-32.0	128	10.9	08.7-13.1	47	4.6	03.0-06.2	48	4.5	03.1-05.9
White/Non-Hisp	2120	284,372	1006	39.7	37.0-42.4	640	28.9	26.4-31.4	231	14.4	12.2-16.6	103	6.8	05.0-08.6	140	10.1	08.1-12.1
Black or Afr. Am./Non-Hisp	290	60,983	135	38.9	32.0-45.8	76	27.7	20.8-34.6	35	13.0	08.3-17.7	17	9.5	04.6-14.4	27	11.0	06.5-15.5
Oth. Race/Non-Hisp.	79	14,556	40	46.2	29.1-63.3	20	34.9	15.3-54.5	7	5.6	00.7-10.5	3	5.2	00.0-11.5	9	8.1	01.4-14.8
Hispanic	108	23,074	36	34.2	23.0-45.4	28	18.5	11.2-25.8	24	24.2	14.6-33.8	5	6.8	00.7-12.9	15	16.3	08.1-24.5
18-24	159	50,517	43	29.9	21.1-38.7	34	22.3	13.5-31.1	23	13.0	07.3-18.7	16	10.6	05.1-16.1	43	24.1	16.5-31.7
25-34	297	72,386	82	25.9	19.8-32.0	86	24.9	18.6-31.2	57	20.6	14.7-26.5	28	12.3	07.0-17.6	44	16.4	11.1-21.7
35-44	342	64,017	114	30.5	24.8-36.2	117	30.6	24.5-36.7	59	21.2	15.7-26.7	24	7.9	04.0-11.8	28	9.9	06.0-13.8
45-54	492	73,597	204	40.3	35.0-45.6	162	34.1	29.0-39.2	66	12.4	08.9-15.9	21	4.3	02.1-06.5	39	8.9	05.6-12.2
55-64	581	64,410	280	45.8	40.9-50.7	192	32.3	27.8-36.8	59	10.9	08.0-13.8	24	6.1	03.0-09.2	26	4.9	02.4-07.4
65+	781	64,597	511	63.9	59.8-68.0	191	24.4	20.7-28.1	41	7.0	04.5-09.5	20	2.6	01.2-04.0	18	2.1	00.9-03.3
Less Than H.S.	118	30,776	50	38.4	27.8-49.0	24	19.5	10.9-28.1	19	15.9	07.9-23.9	6	6.9	01.0-12.8	19	19.3	10.3-28.3
H.S. or G.E.D.	670	108,669	272	32.4	27.9-36.9	183	27.4	22.7-32.1	89	16.3	12.4-20.2	48	8.5	05.6-11.4	78	15.4	11.5-19.3
Some Post-H.S.	729	128,308	324	36.8	32.3-41.3	218	29.3	24.8-33.8	93	14.7	11.4-18.0	43	9.4	06.1-12.7	51	9.8	06.9-12.7
College Graduate	1150	122,870	600	49.2	45.5-52.9	358	30.2	26.9-33.5	105	11.7	09.2-14.2	37	3.9	02.3-05.5	50	5.0	03.2-06.8
Less than \$15,000	133	20,407	53	35.5	24.3-46.7	25	16.0	07.2-24.8	22	16.7	08.7-24.7	15	14.1	05.9-22.3	18	17.7	09.3-26.1
\$15,000- 24,999	266	37,507	114	36.0	28.9-43.1	77	28.6	21.9-35.3	41	18.3	11.8-24.8	13	6.2	02.5-09.9	21	10.9	05.8-16.0
\$25,000- 34,999	239	31,804	98	38.1	29.7-46.5	70	24.0	16.7-31.3	25	11.8	06.5-17.1	14	6.1	02.0-10.2	32	20.1	12.5-27.7
\$35,000- 49,999	370	54,974	175	37.5	31.0-44.0	103	27.6	20.3-34.9	42	15.4	09.9-20.9	23	9.4	04.7-14.1	27	10.2	05.9-14.5
\$50,000- 74,999	410	58,138	187	37.1	31.0-43.2	136	33.5	27.4-39.6	43	12.3	08.0-16.6	20	8.6	03.3-13.9	24	8.5	04.6-12.4
\$75,000+	941	143,392	431	40.2	36.3-44.1	312	31.6	27.9-35.3	106	14.1	11.2-17.0	41	6.2	04.0-08.4	51	7.9	05.2-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1229	211,811	442	29.8	26.7-32.9	372	27.9	24.6-31.2	178	17.1	14.2-20.0	87	9.4	06.9-11.9	150	15.8	12.9-18.7
White/Non-Hisp	940	147,564	341	29.3	25.8-32.8	294	27.8	24.3-31.3	134	18.1	14.6-21.6	66	9.1	06.2-12.0	105	15.7	12.2-19.2
Black or Afr. Am./Non-Hisp	146	35,621	55	28.6	20.6-36.6	43	30.1	20.5-39.7	20	15.1	08.2-22.0	11	12.2	04.9-19.5	17	14.0	07.1-20.9
Hispanic	58	13,438	11	21.1	08.2-34.0	16	20.5	10.1-30.9	16	26.9	14.0-39.8	3	8.7	00.0-18.3	12	22.7	10.5-34.9
18-24	82	27,453	15	20.1	09.5-30.7	17	22.9	09.8-36.0	14	14.2	06.4-22.0	9	11.5	03.5-19.5	27	31.4	19.2-43.6
25-34	153	43,041	24	15.3	08.6-22.0	40	19.1	12.6-25.6	34	24.6	15.8-33.4	19	16.9	08.5-25.3	36	24.1	15.9-32.3
35-44	155	33,025	34	19.2	12.5-25.9	50	30.6	21.8-39.4	37	26.2	18.0-34.4	13	8.5	03.0-14.0	21	15.6	08.9-22.3
45-54	219	37,954	77	34.8	27.0-42.6	65	30.9	23.3-38.5	31	13.9	08.0-19.8	15	6.3	02.8-09.8	31	14.1	08.2-20.0
55-64	258	35,620	99	36.5	29.6-43.4	93	34.1	27.4-40.8	33	13.6	08.9-18.3	14	8.1	03.0-13.2	19	7.7	03.4-12.0
65+	354	34,162	187	52.8	46.5-59.1	106	30.8	24.9-36.7	29	9.0	05.3-12.7	16	3.9	01.5-06.3	16	3.5	01.3-05.7
Less Than H.S.	66	18,898	23	33.7	20.2-47.2	16	20.8	10.2-31.4	9	11.8	03.0-20.6	2	4.4	00.0-11.5	16	29.3	16.0-42.6
H.S. or G.E.D.	346	66,778	98	24.0	18.5-29.5	97	25.4	19.9-30.9	58	20.0	14.3-25.7	30	10.0	05.7-14.3	63	20.7	15.0-26.4
Some Post-H.S.	305	64,844	92	23.7	18.2-29.2	99	30.5	23.4-37.6	48	16.7	11.2-22.2	28	13.7	07.8-19.6	38	15.5	10.0-21.0
College Graduate	509	60,906	226	40.9	35.6-46.2	160	30.2	25.3-35.1	63	16.4	11.9-20.9	27	5.9	03.2-08.6	33	6.6	03.9-09.3
Less than \$15,000	54	10,847	14	25.7	10.4-41.0	11	20.0	04.9-35.1	10	17.0	04.8-29.2	7	13.8	01.8-25.8	12	23.5	10.0-37.0
\$15,000- 24,999	118	21,176	33	23.1	14.5-31.7	33	28.8	19.4-38.2	30	25.7	16.1-35.3	9	8.4	02.5-14.3	13	14.0	06.0-22.0
\$25,000- 34,999	106	18,164	29	32.1	19.8-44.4	33	24.0	13.2-34.8	12	10.2	03.1-17.3	7	5.2	00.0-10.5	25	28.5	16.5-40.5
\$35,000- 49,999	167	29,362	63	28.9	20.3-37.5	46	25.0	14.0-36.0	22	17.6	09.2-26.0	15	13.1	04.9-21.3	21	15.4	08.0-22.8
\$50,000- 74,999	194	32,314	72	30.4	22.4-38.4	64	31.1	22.7-39.5	24	13.1	07.2-19.0	14	12.5	03.7-21.3	20	12.8	06.3-19.3
\$75,000+	469	78,797	171	28.3	23.6-33.0	160	32.9	27.6-38.2	69	18.1	13.4-22.8	28	7.9	04.6-11.2	41	12.8	08.1-17.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1443	179,366	809	51.3	47.8-54.8	411	28.7	25.4-32.0	128	10.9	08.7-13.1	47	4.6	03.0-06.2	48	4.5	03.1-05.9
White/Non-Hisp	1180	136,808	665	51.0	47.3-54.7	346	30.1	26.4-33.8	97	10.4	08.0-12.8	37	4.4	02.8-06.0	35	4.1	02.5-05.7
Black or Afr. Am./Non-Hisp	144	25,362	80	53.3	42.5-64.1	33	24.3	14.9-33.7	15	10.0	03.7-16.3	6	5.6	00.0-11.5	10	6.8	02.5-11.1
Hispanic	50	9,636	25	52.6	35.4-69.8	12	15.7	05.7-25.7	8	20.3	06.2-34.4	2	4.1	00.0-09.8	3	7.3	00.0-16.3
18-24	77	23,064	28	41.7	28.0-55.4	17	21.7	10.3-33.1	9	11.6	03.4-19.8	7	9.6	02.5-16.7	16	15.5	07.7-23.3
25-34	144	29,345	58	41.4	31.0-51.8	46	33.4	22.4-44.4	23	14.7	08.2-21.2	9	5.5	01.4-09.6	8	5.0	01.5-08.5
35-44	187	30,992	80	42.5	33.9-51.1	67	30.5	22.1-38.9	22	16.0	09.1-22.9	11	7.2	01.9-12.5	7	3.8	00.5-07.1
45-54	273	35,643	127	46.2	39.1-53.3	97	37.5	30.4-44.6	35	10.7	06.8-14.6	6	2.2	00.0-04.4	8	3.3	00.9-05.7
55-64	323	28,790	181	57.3	50.8-63.8	99	30.1	24.0-36.2	26	7.5	04.2-10.8	10	3.7	01.3-06.1	7	1.5	00.1-02.9
65+	427	30,435	324	76.4	71.3-81.5	85	17.2	13.1-21.3	12	4.8	01.3-08.3	4	1.2	00.0-02.4	2	0.4	00.0-01.0
Less Than H.S.	52	11,877	27	46.0	28.8-63.2	8	17.4	02.5-32.3	10	22.5	07.4-37.6	4	10.9	00.3-21.5	3	3.2	00.0-07.1
H.S. or G.E.D.	324	41,891	174	45.7	38.1-53.3	86	30.8	22.6-39.0	31	10.5	06.2-14.8	18	6.0	02.7-09.3	15	7.1	03.4-10.8
Some Post-H.S.	424	63,464	232	50.2	43.9-56.5	119	28.1	22.6-33.6	45	12.7	08.6-16.8	15	5.0	01.9-08.1	13	3.9	01.5-06.3
College Graduate	641	61,964	374	57.2	52.3-62.1	198	30.2	25.7-34.7	42	7.1	04.7-09.5	10	2.0	00.6-03.4	17	3.5	01.5-05.5
Less than \$15,000	79	9,560	39	46.7	31.4-62.0	14	11.3	04.6-18.0	12	16.3	06.1-26.5	8	14.5	03.3-25.7	6	11.2	01.8-20.6
\$15,000- 24,999	148	16,331	81	52.8	42.4-63.2	44	28.3	18.9-37.7	11	8.8	01.4-16.2	4	3.3	00.0-06.6	8	6.9	01.8-12.0
\$25,000- 34,999	133	13,639	69	46.1	35.1-57.1	37	23.9	15.1-32.7	13	13.9	06.3-21.5	7	7.2	00.7-13.7	7	8.8	02.1-15.5
\$35,000- 49,999	203	25,612	112	47.4	38.4-56.4	57	30.5	21.3-39.7	20	12.8	06.1-19.5	8	5.1	01.2-09.0	6	4.2	00.7-07.7
\$50,000- 74,999	216	25,823	115	45.4	36.8-54.0	72	36.5	27.9-45.1	19	11.3	05.4-17.2	6	3.8	00.5-07.1	4	3.0	00.0-06.5
\$75,000+	472	64,596	260	54.8	48.9-60.7	152	30.0	24.7-35.3	37	9.3	05.8-12.8	13	4.1	01.4-06.8	10	1.9	00.3-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2677	392,351	239	10.9	09.1-12.7	137	6.7	05.3-08.1	70	2.9	02.1-03.7	68	3.0	02.2-03.8	129	6.3	04.9-07.7	2034	70.1	67.7-72.5
Male	1230	212,037	115	10.9	08.5-13.3	78	8.0	05.8-10.2	36	3.0	01.8-04.2	39	3.8	02.4-05.2	91	9.2	06.8-11.6	871	65.1	61.6-68.6
Female	1447	180,314	124	11.0	08.6-13.4	59	5.2	03.6-06.8	34	2.8	01.6-04.0	29	2.1	01.3-02.9	38	2.9	01.7-04.1	1163	75.9	72.8-79.0
White/Non-Hisp	2122	284,675	179	10.7	08.7-12.7	113	7.5	05.9-09.1	53	2.7	01.7-03.7	53	2.9	01.9-03.9	100	6.8	05.0-08.6	1624	69.4	66.7-72.1
Black or Afr. Am./Non-Hisp	291	60,953	30	11.7	06.6-16.8	14	6.1	02.2-10.0	9	3.9	01.2-06.6	8	3.0	00.8-05.2	14	5.0	01.9-08.1	216	70.2	63.3-77.1
Oth. Race/Non-Hisp.	77	14,492	5	4.2	00.0-08.5	3	2.5	00.0-05.4	2	2.0	00.0-05.3	1	2.3	00.0-06.8	5	5.9	00.0-12.2	61	83.1	73.1-93.1
Hispanic	111	23,731	16	16.0	08.0-24.0	4	2.9	00.0-05.8	4	3.7	00.0-07.4	4	5.2	00.0-10.5	5	3.8	00.5-07.1	78	68.4	58.4-78.4
18-24	158	50,425	18	10.6	05.3-15.9	24	13.3	07.6-19.0	8	4.2	00.9-07.5	8	4.2	01.1-07.3	22	12.9	06.6-19.2	78	54.9	45.5-64.3
25-34	297	72,834	50	15.3	10.4-20.2	19	6.1	03.2-09.0	17	5.6	02.5-08.7	7	2.3	00.5-04.1	25	10.0	05.5-14.5	179	60.8	53.9-67.7
35-44	351	65,596	52	17.6	12.1-23.1	34	10.9	06.6-15.2	10	2.4	00.6-04.2	12	3.4	01.2-05.6	16	4.8	02.3-07.3	227	60.9	54.4-67.4
45-54	489	73,214	50	11.5	07.8-15.2	22	4.7	02.2-07.2	13	2.6	00.8-04.4	17	4.1	01.7-06.5	23	4.6	02.2-07.0	364	72.5	67.4-77.6
55-64	582	64,868	37	5.4	03.4-07.4	22	5.0	02.3-07.7	12	1.5	00.5-02.5	13	2.6	01.0-04.2	26	5.3	02.8-07.8	472	80.3	76.2-84.4
65+	780	63,761	31	4.5	02.7-06.3	15	2.3	01.1-03.5	10	1.2	00.4-02.0	11	1.9	00.5-03.3	16	1.7	00.7-02.7	697	88.4	85.7-91.1
Less Than H.S.	123	32,011	14	11.0	04.1-17.9	7	9.1	01.8-16.4	3	3.4	00.0-07.5	6	5.2	00.7-09.7	8	7.8	01.7-13.9	85	63.5	52.7-74.3
H.S. or G.E.D.	669	109,352	57	10.9	07.4-14.4	42	8.1	05.4-10.8	19	3.0	01.4-04.6	28	4.8	02.6-07.0	52	9.5	06.2-12.8	471	63.7	58.8-68.6
Some Post-H.S.	727	127,698	72	12.2	08.9-15.5	44	6.8	04.4-09.2	18	2.8	01.2-04.4	12	1.9	00.7-03.1	31	6.3	03.8-08.8	550	70.1	65.6-74.6
College Graduate	1153	122,737	95	9.6	07.4-11.8	44	4.9	03.1-06.7	30	2.8	01.4-04.2	22	2.1	01.1-03.1	38	3.2	02.0-04.4	924	77.4	74.3-80.5
Less than \$15,000	135	21,050	20	14.1	06.8-21.4	7	4.7	00.6-08.8	3	3.3	00.0-07.4	7	6.0	00.9-11.1	11	9.2	03.1-15.3	87	62.7	52.1-73.3
\$15,000- 24,999	267	37,177	19	9.5	04.8-14.2	19	9.4	04.3-14.5	7	2.3	00.5-04.1	8	4.8	01.1-08.5	15	5.9	02.6-09.2	199	68.1	60.8-75.4
\$25,000- 34,999	237	32,139	20	11.0	05.7-16.3	12	6.0	02.3-09.7	12	5.8	02.1-09.5	7	3.7	00.6-06.8	16	10.5	04.0-17.0	170	63.0	54.6-71.4
\$35,000- 49,999	371	54,999	28	9.2	05.3-13.1	29	8.9	05.0-12.8	9	2.5	00.7-04.3	10	2.3	00.7-03.9	18	4.7	02.2-07.2	277	72.5	66.4-78.6
\$50,000- 74,999	416	58,415	38	8.8	05.5-12.1	15	4.2	01.5-06.9	7	2.2	00.2-04.2	11	3.4	01.2-05.6	15	5.4	02.1-08.7	330	76.0	70.5-81.5
\$75,000+	936	142,848	97	13.3	10.2-16.4	43	6.2	04.0-08.4	26	2.4	01.0-03.8	21	2.5	01.1-03.9	41	6.1	03.6-08.6	708	69.5	65.4-73.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1230	212,037	115	10.9	08.5-13.3	78	8.0	05.8-10.2	36	3.0	01.8-04.2	39	3.8	02.4-05.2	91	9.2	06.8-11.6	871	65.1	61.6-68.6
White/Non-Hisp	940	147,567	84	11.2	08.3-14.1	65	9.3	06.8-11.8	25	2.5	01.3-03.7	28	3.4	01.8-05.0	71	10.6	07.5-13.7	667	63.0	58.7-67.3
Black or Afr. Am./Non-Hisp	145	35,093	14	9.8	03.5-16.1	7	7.2	01.3-13.1	5	4.5	00.2-08.8	5	3.8	00.3-07.3	9	7.0	01.9-12.1	105	67.7	58.1-77.3
Hispanic	60	13,921	8	15.0	04.6-25.4	2	2.3	00.0-05.4	4	6.4	00.0-12.9	3	7.1	00.0-15.3	3	3.5	00.0-07.4	40	65.8	52.3-79.3
18-24	83	27,847	9	10.5	03.4-17.6	14	15.7	06.9-24.5	4	2.2	00.0-04.6	5	5.8	00.5-11.1	15	16.9	06.9-26.9	36	48.9	35.6-62.2
25-34	152	43,375	22	14.9	08.0-21.8	13	6.4	02.7-10.1	12	7.1	02.4-11.8	6	3.6	00.7-06.5	20	15.0	07.9-22.1	79	53.2	43.6-62.8
35-44	158	33,477	21	14.9	07.3-22.5	16	13.0	06.1-19.9	4	2.3	00.0-04.7	7	4.5	00.8-08.2	12	7.4	02.9-11.9	98	57.9	48.5-67.3
45-54	218	37,695	28	13.4	07.5-19.3	13	5.9	01.8-10.0	6	2.3	00.3-04.3	10	5.3	01.4-09.2	14	6.1	01.8-10.4	147	66.9	59.1-74.7
55-64	256	35,627	17	5.3	02.6-08.0	11	6.1	01.8-10.4	3	1.1	00.0-02.5	4	1.8	00.0-03.6	18	7.9	03.4-12.4	203	77.8	71.3-84.3
65+	355	33,459	17	5.1	02.4-07.8	11	3.4	01.2-05.6	7	1.8	00.2-03.4	7	2.3	00.3-04.3	11	2.0	00.6-03.4	302	85.4	81.1-89.7
Less Than H.S.	70	19,983	9	9.1	01.8-16.4	4	8.9	00.0-18.3	3	5.5	00.0-12.0	5	7.6	00.7-14.5	5	9.5	00.5-18.5	44	59.4	45.5-73.3
H.S. or G.E.D.	344	66,852	34	12.5	07.4-17.6	28	9.7	05.8-13.6	10	2.8	00.8-04.8	19	5.4	02.5-08.3	41	12.9	08.0-17.8	212	56.8	49.9-63.7
Some Post-H.S.	302	63,927	36	12.4	07.5-17.3	23	7.9	04.2-11.6	9	2.8	00.4-05.2	7	2.8	00.4-05.2	24	10.6	05.7-15.5	203	63.5	56.4-70.6
College Graduate	511	60,890	35	8.1	05.0-11.2	23	6.0	03.1-08.9	14	2.5	01.1-03.9	8	1.9	00.5-03.3	21	3.8	01.8-05.8	410	77.6	73.1-82.1
Less than \$15,000	54	10,902	11	19.0	06.7-31.3	1	0.2	00.0-00.6	1	2.8	00.0-08.3	4	7.0	00.0-15.2	5	8.4	00.4-16.4	32	62.5	46.8-78.2
\$15,000- 24,999	117	20,600	11	8.8	03.3-14.3	11	11.8	04.5-19.1	4	3.0	00.0-06.1	5	7.4	00.9-13.9	13	9.5	03.8-15.2	73	59.4	49.0-69.8
\$25,000- 34,999	105	18,333	11	10.7	03.1-18.3	6	5.6	00.5-10.7	5	4.1	00.0-08.6	5	4.9	00.0-09.8	15	17.9	07.1-28.7	63	56.8	44.1-69.5
\$35,000- 49,999	168	29,431	11	8.9	03.0-14.8	16	10.4	04.5-16.3	4	2.5	00.0-05.0	4	2.1	00.0-04.3	12	5.9	02.0-09.8	121	70.3	61.1-79.5
\$50,000- 74,999	197	32,422	19	8.1	03.8-12.4	11	6.4	01.9-10.9	3	1.9	00.0-04.4	5	3.1	00.2-06.0	7	6.6	01.1-12.1	152	74.0	65.8-82.2
\$75,000+	466	78,364	46	12.5	08.2-16.8	26	7.5	04.2-10.8	15	2.8	01.0-04.6	13	3.3	01.1-05.5	28	9.1	04.8-13.4	338	64.7	58.8-70.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1447	180,314	124	11.0	08.6-13.4	59	5.2	03.6-06.8	34	2.8	01.6-04.0	29	2.1	01.3-02.9	38	2.9	01.7-04.1	1163	75.9	72.8-79.0
White/Non-Hisp	1182	137,108	95	10.3	07.9-12.7	48	5.6	03.6-07.6	28	2.9	01.3-04.5	25	2.3	01.3-03.3	29	2.8	01.6-04.0	957	76.1	72.8-79.4
Black or Afr. Am./Non-Hisp	146	25,860	16	14.4	06.4-22.4	7	4.7	00.0-09.6	4	3.2	00.0-06.5	3	1.8	00.0-04.0	5	2.2	00.0-04.6	111	73.6	64.0-83.2
Hispanic	51	9,810	8	17.3	04.8-29.8	2	3.8	00.0-09.1				1	2.6	00.0-07.7	2	4.3	00.0-10.2	38	72.0	57.3-86.7
18-24	75	22,578	9	10.8	03.0-18.6	10	10.4	03.7-17.1	4	6.7	00.0-13.8	3	2.1	00.0-04.6	7	7.9	01.6-14.2	42	62.1	49.6-74.6
25-34	145	29,460	28	16.0	09.7-22.3	6	5.6	00.7-10.5	5	3.4	00.3-06.5	1	0.4	00.0-01.2	5	2.6	00.1-05.1	100	72.0	63.6-80.4
35-44	193	32,118	31	20.4	12.8-28.0	18	8.7	03.8-13.6	6	2.4	00.0-04.8	5	2.3	00.1-04.5	4	2.0	00.0-04.5	129	64.1	55.5-72.7
45-54	271	35,519	22	9.4	04.7-14.1	9	3.4	00.5-06.3	7	3.0	00.1-05.9	7	2.8	00.4-05.2	9	3.0	00.8-05.2	217	78.4	72.1-84.7
55-64	326	29,241	20	5.4	02.9-07.9	11	3.6	01.1-06.1	9	2.0	00.4-03.6	9	3.6	01.1-06.1	8	2.1	00.5-03.7	269	83.4	78.7-88.1
65+	425	30,302	14	3.8	01.4-06.2	4	1.0	00.0-02.0	3	0.5	00.0-01.3	4	1.6	00.0-03.4	5	1.3	00.1-02.5	395	91.8	88.5-95.1
Less Than H.S.	53	12,027	5	14.1	00.6-27.6	3	9.3	00.0-20.7				1	1.3	00.0-03.8	3	5.0	00.0-11.7	41	70.3	53.6-87.0
H.S. or G.E.D.	325	42,500	23	8.4	04.5-12.3	14	5.6	02.3-08.9	9	3.3	00.9-05.7	9	4.0	01.3-06.7	11	4.3	01.4-07.2	259	74.5	68.2-80.8
Some Post-H.S.	425	63,771	36	12.0	07.7-16.3	21	5.6	02.7-08.5	9	2.9	00.5-05.3	5	0.9	00.1-01.7	7	1.9	00.1-03.7	347	76.7	71.2-82.2
College Graduate	642	61,847	60	11.2	07.9-14.5	21	3.7	01.9-05.5	16	3.0	00.6-05.4	14	2.3	00.9-03.7	17	2.6	01.2-04.0	514	77.2	72.9-81.5
Less than \$15,000	81	10,148	9	8.9	01.6-16.2	6	9.5	01.1-17.9	2	3.8	00.0-10.1	3	4.9	00.0-10.6	6	10.0	01.2-18.8	55	62.9	49.0-76.8
\$15,000- 24,999	150	16,577	8	10.3	02.5-18.1	8	6.5	00.0-13.6	3	1.4	00.0-03.2	3	1.5	00.0-03.3	2	1.4	00.0-03.6	126	78.9	68.9-88.9
\$25,000- 34,999	132	13,806	9	11.3	04.2-18.4	6	6.5	01.2-11.8	7	8.1	02.0-14.2	2	2.1	00.0-05.0	1	0.7	00.0-02.1	107	71.3	61.3-81.3
\$35,000- 49,999	203	25,568	17	9.6	04.5-14.7	13	7.2	02.3-12.1	5	2.5	00.0-05.0	6	2.5	00.1-04.9	6	3.2	00.1-06.3	156	75.0	67.2-82.8
\$50,000- 74,999	219	25,993	19	9.7	04.6-14.8	4	1.6	00.0-03.4	4	2.6	00.0-05.3	6	3.7	00.4-07.0	8	3.9	00.8-07.0	178	78.5	71.4-85.6
\$75,000+	470	64,483	51	14.2	09.5-18.9	17	4.5	02.0-07.0	11	2.0	00.2-03.8	8	1.5	00.3-02.7	13	2.4	00.8-04.0	370	75.4	69.9-80.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2607	380,909	762	25.1	22.9-27.3	708	23.8	21.6-26.0	441	17.2	15.2-19.2	239	10.4	08.6-12.2	457	23.4	21.0-25.8
Male	1195	205,631	243	18.2	15.5-20.9	277	19.2	16.3-22.1	239	19.3	16.6-22.0	100	9.0	06.6-11.4	336	34.2	30.5-37.9
Female	1412	175,278	519	33.2	29.9-36.5	431	29.3	26.2-32.4	202	14.7	12.0-17.4	139	12.0	09.5-14.5	121	10.7	08.5-12.9
White/Non-Hisp	2079	278,587	608	24.2	21.8-26.6	581	24.7	22.3-27.1	340	16.3	14.1-18.5	195	10.8	08.8-12.8	355	24.1	21.4-26.8
Black or Afr. Am./Non-Hisp	279	58,346	87	28.2	21.5-34.9	68	19.7	14.2-25.2	55	20.2	14.3-26.1	24	11.6	06.3-16.9	45	20.3	14.0-26.6
Oth. Race/Non-Hisp.	74	14,064	24	30.6	15.9-45.3	19	34.9	15.5-54.3	9	12.8	00.0-25.7	5	4.5	00.0-09.2	17	17.2	07.0-27.4
Hispanic	102	21,820	22	22.7	12.1-33.3	21	16.6	08.6-24.6	26	24.2	14.6-33.8	8	7.7	02.0-13.4	25	28.9	18.3-39.5
18-24	152	49,087	30	20.8	12.8-28.8	21	16.4	08.0-24.8	17	10.7	04.6-16.8	14	10.1	04.2-16.0	70	41.9	32.5-51.3
25-34	288	70,475	53	18.8	13.1-24.5	58	16.3	11.8-20.8	48	17.9	11.6-24.2	37	13.9	08.4-19.4	92	33.1	26.4-39.8
35-44	342	63,577	62	16.4	11.9-20.9	80	21.2	15.9-26.5	66	20.5	15.4-25.6	52	15.4	10.5-20.3	82	26.4	20.3-32.5
45-54	482	72,093	126	24.9	20.2-29.6	134	28.4	23.7-33.1	85	16.7	12.8-20.6	41	8.5	05.4-11.6	96	21.5	16.8-26.2
55-64	560	61,139	175	30.7	26.0-35.4	164	29.1	24.6-33.6	107	19.2	15.5-22.9	52	8.0	05.3-10.7	62	12.9	09.0-16.8
65+	763	62,885	307	38.9	34.6-43.2	244	29.8	26.1-33.5	117	17.0	13.5-20.5	42	6.4	04.2-08.6	53	7.8	05.4-10.2
Less Than H.S.	112	30,091	39	32.3	21.7-42.9	15	13.3	05.3-21.3	21	15.0	08.1-21.9	10	12.8	04.8-20.8	27	26.6	16.4-36.8
H.S. or G.E.D.	646	104,167	193	23.7	19.6-27.8	147	19.4	15.7-23.1	95	15.0	10.7-19.3	59	11.2	07.7-14.7	152	30.6	25.5-35.7
Some Post-H.S.	707	124,133	194	24.1	20.0-28.2	210	25.7	21.6-29.8	125	17.9	14.4-21.4	56	9.4	06.1-12.7	122	22.9	18.6-27.2
College Graduate	1137	121,964	334	25.8	22.7-28.9	335	28.3	25.0-31.6	199	18.7	15.8-21.6	114	10.2	08.0-12.4	155	17.0	14.1-19.9
Less than \$15,000	126	19,672	42	30.7	19.5-41.9	22	12.2	06.3-18.1	15	14.5	05.1-23.9	10	10.0	02.4-17.6	37	32.6	22.0-43.2
\$15,000- 24,999	248	34,452	68	22.6	16.5-28.7	68	23.6	17.3-29.9	43	20.7	13.8-27.6	22	9.9	04.4-15.4	47	23.2	16.5-29.9
\$25,000- 34,999	226	29,215	78	31.6	23.2-40.0	56	20.9	14.0-27.8	30	11.2	06.3-16.1	13	7.8	02.3-13.3	49	28.5	20.5-36.5
\$35,000- 49,999	367	54,287	103	24.7	19.0-30.4	99	24.4	17.7-31.1	59	15.8	10.5-21.1	42	12.4	07.1-17.7	64	22.8	16.7-28.9
\$50,000- 74,999	410	57,761	113	23.0	17.7-28.3	126	28.0	22.3-33.7	73	18.4	13.5-23.3	41	12.3	07.0-17.6	57	18.3	13.0-23.6
\$75,000+	924	140,102	234	22.3	19.0-25.6	255	24.9	21.4-28.4	179	18.7	15.6-21.8	93	11.2	08.5-13.9	163	22.8	18.9-26.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1195	205,631	243	18.2	15.5-20.9	277	19.2	16.3-22.1	239	19.3	16.6-22.0	100	9.0	06.6-11.4	336	34.2	30.5-37.9
White/Non-Hisp	915	143,732	193	17.9	14.8-21.0	210	18.3	15.4-21.2	176	17.8	14.9-20.7	80	9.6	06.7-12.5	256	36.4	32.1-40.7
Black or Afr. Am./Non-Hisp	139	33,531	27	17.2	09.9-24.5	32	16.1	09.8-22.4	36	26.5	17.5-35.5	9	9.2	02.5-15.9	35	31.1	21.3-40.9
Hispanic	56	13,151	6	14.3	02.3-26.3	12	18.5	06.9-30.1	17	28.3	15.0-41.6	3	5.1	00.0-11.4	18	33.7	19.6-47.8
18-24	79	26,936	11	15.1	05.3-24.9	10	14.9	02.6-27.2	8	9.4	02.0-16.8	7	10.2	02.0-18.4	43	50.5	36.8-64.2
25-34	145	41,023	13	10.2	03.9-16.5	18	10.8	05.3-16.3	26	16.5	09.4-23.6	17	15.0	06.4-23.6	71	47.5	37.5-57.5
35-44	154	32,474	20	11.7	06.2-17.2	21	12.4	06.7-18.1	37	25.9	17.9-33.9	18	8.0	03.7-12.3	58	41.9	32.3-51.5
45-54	216	37,586	39	19.2	12.5-25.9	49	22.4	15.9-28.9	42	18.7	12.4-25.0	18	7.2	03.3-11.1	68	32.4	24.4-40.4
55-64	245	33,701	56	24.3	17.8-30.8	69	26.8	20.3-33.3	57	22.3	16.4-28.2	17	6.4	02.3-10.5	46	20.1	13.6-26.6
65+	348	33,356	102	29.6	23.5-35.7	106	27.7	22.4-33.0	69	22.2	16.7-27.7	23	6.7	03.6-09.8	48	13.9	09.6-18.2
Less Than H.S.	64	18,860	17	28.9	15.6-42.2	11	15.4	05.2-25.6	10	12.1	04.3-19.9	3	3.8	00.0-08.5	23	39.7	25.4-54.0
H.S. or G.E.D.	335	63,510	63	17.8	12.5-23.1	63	15.1	10.8-19.4	56	14.4	10.1-18.7	24	9.4	04.7-14.1	129	43.2	36.1-50.3
Some Post-H.S.	295	62,674	46	13.2	08.9-17.5	72	20.2	13.9-26.5	65	22.0	16.1-27.9	23	9.1	03.8-14.4	89	35.5	28.2-42.8
College Graduate	498	60,204	116	20.5	16.2-24.8	131	23.9	19.4-28.4	107	23.4	18.5-28.3	50	10.2	06.9-13.5	94	21.9	17.2-26.6
Less than \$15,000	52	10,231	11	21.5	06.8-36.2	9	13.3	03.9-22.7	4	12.5	00.0-27.6	6	12.5	00.2-24.8	22	40.2	23.5-56.9
\$15,000- 24,999	108	18,896	18	13.8	06.4-21.2	19	16.5	08.5-24.5	23	26.3	15.7-36.9	9	6.0	01.3-10.7	39	37.4	26.6-48.2
\$25,000- 34,999	95	16,100	23	28.7	15.6-41.8	22	18.5	09.1-27.9	13	8.0	02.7-13.3	3	6.1	00.0-14.5	34	38.7	26.0-51.4
\$35,000- 49,999	167	29,070	33	17.3	10.0-24.6	40	21.5	10.7-32.3	30	15.1	08.8-21.4	18	14.7	05.7-23.7	46	31.4	21.6-41.2
\$50,000- 74,999	195	32,231	42	19.0	11.7-26.3	48	19.6	13.1-26.1	46	24.6	16.8-32.4	16	11.5	03.1-19.9	43	25.3	17.1-33.5
\$75,000+	459	77,332	89	16.0	12.3-19.7	106	18.8	14.7-22.9	100	21.7	17.0-26.4	41	8.7	05.6-11.8	123	34.9	29.0-40.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1412	175,278	519	33.2	29.9-36.5	431	29.3	26.2-32.4	202	14.7	11.8-17.6	139	12.0	09.5-14.5	121	10.7	08.5-12.9
White/Non-Hisp	1164	134,856	415	31.0	27.5-34.5	371	31.5	28.0-35.0	164	14.6	11.5-17.7	115	12.0	09.5-14.5	99	10.9	08.4-13.4
Black or Afr. Am./Non-Hisp	140	24,815	60	43.1	32.1-54.1	36	24.6	15.2-34.0	19	11.8	05.7-17.9	15	14.8	06.0-23.6	10	5.7	01.8-09.6
18-24	73	22,152	19	27.7	14.6-40.8	11	18.3	07.1-29.5	9	12.4	02.6-22.2	7	10.1	02.1-18.1	27	31.5	19.5-43.5
25-34	143	29,452	40	30.8	21.0-40.6	40	24.0	16.2-31.8	22	19.7	08.7-30.7	20	12.4	06.5-18.3	21	13.1	07.0-19.2
35-44	188	31,103	42	21.3	14.4-28.2	59	30.4	22.2-38.6	29	14.9	09.0-20.8	34	23.2	14.8-31.6	24	10.2	05.5-14.9
45-54	266	34,507	87	31.1	24.6-37.6	85	34.8	27.9-41.7	43	14.4	09.7-19.1	23	10.0	04.9-15.1	28	9.6	05.7-13.5
55-64	315	27,438	119	38.5	32.0-45.0	95	32.0	25.7-38.3	50	15.4	10.9-19.9	35	9.9	06.4-13.4	16	4.1	01.7-06.5
65+	415	29,529	205	49.5	43.8-55.2	138	32.3	27.0-37.6	48	11.2	07.3-15.1	19	6.1	03.0-09.2	5	1.0	00.0-02.0
H.S. or G.E.D.	311	40,658	130	32.8	26.1-39.5	84	26.2	19.5-32.9	39	15.9	07.3-24.5	35	14.1	09.0-19.2	23	10.9	06.0-15.8
Some Post-H.S.	412	61,458	148	35.1	29.0-41.2	138	31.3	25.6-37.0	60	13.7	09.6-17.8	33	9.8	05.7-13.9	33	10.1	06.4-13.8
College Graduate	639	61,761	218	30.9	26.4-35.4	204	32.6	27.9-37.3	92	14.1	10.8-17.4	64	10.1	07.2-13.0	61	12.3	08.6-16.0
Less than \$15,000	74	9,441	31	40.6	24.7-56.5	13	11.0	04.1-17.9	11	16.7	05.7-27.7	4	7.4	00.0-16.0	15	24.3	11.6-37.0
\$15,000- 24,999	140	15,556	50	33.3	23.5-43.1	49	32.2	22.8-41.6	20	13.9	06.6-21.2	13	14.6	04.4-24.8	8	5.9	01.4-10.4
\$25,000- 34,999	131	13,115	55	35.1	25.3-44.9	34	23.8	13.8-33.8	17	15.1	06.7-23.5	10	9.9	03.6-16.2	15	16.1	07.9-24.3
\$35,000- 49,999	200	25,217	70	33.1	24.9-41.3	59	27.8	20.0-35.6	29	16.6	08.0-25.2	24	9.7	05.2-14.2	18	12.8	06.1-19.5
\$50,000- 74,999	215	25,530	71	27.9	20.3-35.5	78	38.7	29.9-47.5	27	10.7	06.2-15.2	25	13.3	07.6-19.0	14	9.4	03.3-15.5
\$75,000+	465	62,770	145	30.0	24.5-35.5	149	32.5	26.8-38.2	79	15.1	11.2-19.0	52	14.3	09.4-19.2	40	8.1	05.2-11.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 11: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)	
1	MALES AND FEMALES	201
2	MALES ONLY	202
3	FEMALES ONLY	203
	DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)	
4	MALES AND FEMALES	204
5	MALES ONLY	205
6	FEMALES ONLY	206
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)	
7	MALES AND FEMALES	207
8	MALES ONLY	208
9	FEMALES ONLY	209
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)	
10	MALES AND FEMALES	210
11	MALES ONLY	211
12	FEMALES ONLY	212
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)	
13	MALES AND FEMALES	213
14	MALES ONLY	214
15	FEMALES ONLY	215
	NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGETAB1)	
16	MALES AND FEMALES	216
17	MALES ONLY	217

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 11: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE

18 FEMALES ONLY

PAGE

218

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4890	678,099	1117	20.6	19.0-22.2	637	15.3	13.7-16.9	846	17.4	16.0-18.8	462	11.0	09.6-12.4	1828	35.8	34.0-37.6
Male	1953	323,669	515	23.1	20.7-25.5	267	16.8	14.4-19.2	369	19.1	16.7-21.5	189	11.2	09.2-13.2	613	29.8	27.1-32.5
Female	2937	354,429	602	18.3	16.3-20.3	370	13.9	11.9-15.9	477	15.7	14.1-17.3	273	10.8	09.0-12.6	1215	41.3	38.8-43.8
White/Non-Hisp	3634	457,885	807	19.5	17.9-21.1	430	13.0	11.4-14.6	636	17.3	15.7-18.9	329	11.3	09.7-12.9	1432	38.9	36.7-41.1
Black or Afr. Am./Non-Hisp	703	127,685	182	23.0	18.9-27.1	103	18.3	14.0-22.6	131	18.9	15.2-22.6	81	11.5	08.6-14.4	206	28.4	24.1-32.7
Oth. Race/Non-Hisp.	196	30,249	37	15.0	08.9-21.1	35	22.3	12.7-31.9	27	18.1	07.1-29.1	26	10.3	05.6-15.0	71	34.3	24.5-44.1
MultiRacial/Non-Hisp.	67	5,034	16	24.8	11.3-38.3	11	22.4	09.5-35.3	6	11.3	02.3-20.3	8	11.1	02.7-19.5	26	30.4	18.1-42.7
Hispanic	223	49,056	60	27.6	20.0-35.2	52	25.4	18.3-32.5	33	13.3	08.2-18.4	12	6.1	02.2-10.0	66	27.5	20.6-34.4
18-24	256	84,235	33	14.3	08.8-19.8	56	20.9	15.0-26.8	50	20.4	14.1-26.7	41	17.2	11.5-22.9	76	27.2	20.9-33.5
25-34	462	110,844	90	19.3	15.2-23.4	93	21.5	16.4-26.6	89	17.1	13.2-21.0	55	11.2	07.7-14.7	135	30.8	25.3-36.3
35-44	575	104,420	90	16.5	12.8-20.2	85	14.6	11.1-18.1	111	18.9	15.2-22.6	69	11.1	08.0-14.2	220	38.9	34.0-43.8
45-54	848	123,153	170	19.6	16.3-22.9	100	11.5	08.8-14.2	145	17.7	14.4-21.0	102	12.5	09.8-15.2	331	38.7	34.6-42.8
55-64	1045	114,746	218	19.1	16.2-22.0	126	15.8	12.5-19.1	182	15.8	13.3-18.3	93	9.7	07.2-12.2	426	39.6	35.7-43.5
65+	1659	136,471	510	30.9	28.2-33.6	170	10.4	08.6-12.2	265	15.9	13.7-18.1	98	6.4	04.8-8.0	616	36.4	33.5-39.3
Less Than H.S.	371	87,014	98	23.5	17.8-29.2	55	20.2	13.9-26.5	36	8.8	05.3-12.3	33	11.5	07.2-15.8	149	36.0	29.7-42.3
H.S. or G.E.D.	1453	210,077	329	19.3	16.8-21.8	173	13.6	10.9-16.3	263	19.8	17.1-22.5	120	10.0	07.6-12.4	568	37.3	34.0-40.6
Some Post-H.S.	1290	203,100	292	20.8	18.1-23.5	192	16.2	13.5-18.9	223	16.7	14.0-19.4	122	12.0	09.5-14.5	461	34.3	30.8-37.8
College Graduate	1761	176,494	395	20.4	18.0-22.8	215	13.7	11.5-15.9	321	19.6	17.2-22.0	187	10.8	08.8-12.8	643	35.5	32.6-38.4
Less than \$15,000	400	53,848	93	20.5	14.6-26.4	44	15.2	08.5-21.9	60	13.1	08.6-17.6	43	13.8	08.9-18.7	160	37.4	30.5-44.3
\$15,000- 24,999	687	90,646	174	23.0	18.9-27.1	95	17.7	13.4-22.0	127	19.2	15.5-22.9	50	8.3	05.4-11.2	241	31.9	27.2-36.6
\$25,000- 34,999	461	59,419	113	22.5	17.6-27.4	55	14.4	09.5-19.3	89	18.2	13.5-22.9	30	7.7	04.2-11.2	174	37.2	31.3-43.1
\$35,000- 49,999	667	90,856	169	23.0	19.1-26.9	104	16.5	12.8-20.2	114	19.0	14.3-23.7	58	10.1	06.4-13.8	222	31.4	26.5-36.3
\$50,000- 74,999	666	91,987	124	16.0	12.7-19.3	81	12.2	08.9-15.5	116	17.7	14.0-21.4	83	14.2	10.5-17.9	262	39.9	34.8-45.0
\$75,000+	1299	196,234	264	19.3	16.6-22.0	167	15.1	12.4-17.8	231	17.9	15.2-20.6	140	10.5	08.3-12.7	497	37.2	33.9-40.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1953	323,669	515	23.1	20.7-25.5	267	16.8	14.4-19.2	369	19.1	16.7-21.5	189	11.2	09.2-13.2	613	29.8	27.1-32.5
White/Non-Hisp	1450	217,462	385	23.0	20.3-25.7	183	13.8	11.4-16.2	274	18.8	16.1-21.5	140	12.1	09.7-14.5	468	32.2	28.9-35.5
Black or Afr. Am./Non-Hisp	265	59,884	70	24.1	17.4-30.8	38	20.4	13.0-27.8	56	21.2	14.9-27.5	28	9.3	05.2-13.4	73	25.0	18.3-31.7
Oth. Race/Non-Hisp.	91	16,899	18	16.5	07.3-25.7	21	32.8	17.1-48.5	14	22.0	04.2-39.8	10	7.7	02.2-13.2	28	21.0	11.0-31.0
Hispanic	89	21,985	25	25.8	15.8-35.8	19	27.4	16.2-38.6	16	14.6	07.2-22.0	5	6.9	00.6-13.2	24	25.3	15.3-35.3
18-24	126	42,754	21	16.4	08.8-24.0	26	20.5	12.1-28.9	29	27.9	17.3-38.5	17	16.2	08.0-24.4	33	19.1	11.7-26.5
25-34	200	55,542	44	20.8	14.5-27.1	47	25.7	17.9-33.5	40	17.7	11.6-23.8	22	9.7	05.0-14.4	47	26.2	18.0-34.4
35-44	243	51,104	48	20.7	14.6-26.8	33	13.9	08.6-19.2	48	18.2	12.9-23.5	33	12.3	07.4-17.2	81	34.8	27.9-41.7
45-54	347	58,741	80	20.2	15.3-25.1	43	13.4	08.9-17.9	62	19.0	13.7-24.3	41	13.0	08.5-17.5	121	34.4	28.1-40.7
55-64	402	54,711	91	20.3	15.6-25.0	54	19.4	13.3-25.5	79	17.1	13.0-21.2	38	10.4	06.5-14.3	140	32.7	27.2-38.2
65+	624	59,684	228	37.4	32.7-42.1	61	9.5	07.0-12.0	111	17.4	13.9-20.9	36	6.8	04.1-09.5	188	28.9	24.4-33.4
Less Than H.S.	155	42,723	43	21.9	13.9-29.9	24	23.8	13.6-34.0	16	8.6	03.3-13.9	17	15.0	07.7-22.3	55	30.6	21.8-39.4
H.S. or G.E.D.	601	107,773	140	20.4	16.5-24.3	80	14.2	10.7-17.7	122	22.2	17.7-26.7	54	11.4	07.7-15.1	205	31.8	26.9-36.7
Some Post-H.S.	454	89,019	115	24.2	19.3-29.1	73	19.0	14.3-23.7	85	19.3	14.2-24.4	45	10.5	07.0-14.0	136	27.0	21.7-32.3
College Graduate	735	83,017	214	26.0	22.3-29.7	88	14.1	10.6-17.6	145	20.6	16.9-24.3	73	9.9	07.4-12.4	215	29.5	25.4-33.6
Less than \$15,000	120	20,882	31	18.0	10.2-25.8	13	18.9	05.0-32.8	20	16.3	07.3-25.3	16	17.4	08.0-26.8	40	29.4	18.6-40.2
\$15,000- 24,999	241	39,691	64	21.7	15.4-28.0	40	23.3	15.3-31.3	47	19.1	13.2-25.0	16	8.5	03.6-13.4	74	27.4	20.3-34.5
\$25,000- 34,999	177	28,642	49	24.7	17.1-32.3	21	18.1	09.5-26.7	35	19.7	11.9-27.5	12	8.2	01.9-14.5	60	29.4	21.0-37.8
\$35,000- 49,999	290	46,465	79	24.4	18.3-30.5	48	19.3	13.2-25.4	52	21.6	13.6-29.6	24	9.4	04.5-14.3	87	25.3	18.8-31.8
\$50,000- 74,999	286	46,600	56	17.8	12.3-23.3	35	12.3	07.6-17.0	60	19.7	14.0-25.4	29	9.4	05.5-13.3	106	40.9	33.1-48.7
\$75,000+	617	102,994	164	24.6	20.3-28.9	82	16.2	12.3-20.1	116	19.6	15.5-23.7	72	11.5	08.4-14.6	183	28.1	23.6-32.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2937	354,429	602	18.3	16.3-20.3	370	13.9	11.9-15.9	477	15.7	14.1-17.3	273	10.8	09.0-12.6	1215	41.3	38.8-43.8
White/Non-Hisp	2184	240,423	422	16.3	14.3-18.3	247	12.3	10.1-14.5	362	16.0	14.0-18.0	189	10.5	08.5-12.5	964	45.0	42.1-47.9
Black or Afr. Am./Non-Hisp	438	67,801	112	22.0	16.9-27.1	65	16.5	11.6-21.4	75	16.8	12.5-21.1	53	13.4	09.3-17.5	133	31.3	25.6-37.0
Oth. Race/Non-Hisp.	105	13,351	19	13.0	05.9-20.1	14	9.1	03.6-14.6	13	13.2	05.2-21.2	16	13.7	05.9-21.5	43	51.1	37.6-64.6
Hispanic	134	27,071	35	29.1	18.1-40.1	33	23.8	15.0-32.6	17	12.2	05.1-19.3	7	5.5	00.6-10.4	42	29.4	20.0-38.8
18-24	130	41,481	12	12.1	04.1-20.1	30	21.3	13.1-29.5	21	12.7	07.0-18.4	24	18.3	10.3-26.3	43	35.6	25.8-45.4
25-34	262	55,302	46	17.8	12.3-23.3	46	17.4	10.5-24.3	49	16.5	11.4-21.6	33	12.8	07.5-18.1	88	35.5	28.2-42.8
35-44	332	53,316	42	12.4	08.1-16.7	52	15.3	10.4-20.2	63	19.5	14.4-24.6	36	9.9	06.0-13.8	139	42.8	36.1-49.5
45-54	501	64,412	90	19.2	14.5-23.9	57	9.8	06.9-12.7	83	16.4	12.7-20.1	61	12.0	08.7-15.3	210	42.6	37.3-47.9
55-64	643	60,036	127	17.9	14.4-21.4	72	12.5	09.2-15.8	103	14.6	11.5-17.7	55	9.1	06.0-12.2	286	45.9	40.8-51.0
65+	1035	76,787	282	25.9	22.6-29.2	109	11.2	08.8-13.6	154	14.7	12.2-17.2	62	6.1	04.3-07.9	428	42.2	38.5-45.9
Less Than H.S.	216	44,291	55	24.9	16.9-32.9	31	16.7	09.4-24.0	20	9.0	04.3-13.7	16	8.1	03.2-13.0	94	41.2	32.4-50.0
H.S. or G.E.D.	852	102,304	189	18.2	14.9-21.5	93	13.0	09.1-16.9	141	17.2	13.9-20.5	66	8.5	06.0-11.0	363	43.1	38.4-47.8
Some Post-H.S.	836	114,081	177	18.2	14.9-21.5	119	14.1	11.2-17.0	138	14.7	12.0-17.4	77	13.1	09.6-16.6	325	39.9	35.4-44.4
College Graduate	1026	93,477	181	15.5	13.0-18.0	127	13.4	10.5-16.3	176	18.7	15.6-21.8	114	11.6	08.9-14.3	428	40.8	36.9-44.7
Less than \$15,000	280	32,967	62	22.1	13.9-30.3	31	12.9	07.0-18.8	40	11.1	06.8-15.4	27	11.5	06.2-16.8	120	42.4	33.8-51.0
\$15,000- 24,999	446	50,955	110	23.9	18.6-29.2	55	13.3	09.2-17.4	80	19.2	14.3-24.1	34	8.2	04.7-11.7	167	35.4	29.3-41.5
\$25,000- 34,999	284	30,777	64	20.4	14.3-26.5	34	11.1	07.0-15.2	54	16.8	11.5-22.1	18	7.2	03.5-10.9	114	44.6	36.8-52.4
\$35,000- 49,999	377	44,391	90	21.7	16.4-27.0	56	13.5	09.6-17.4	62	16.3	11.6-21.0	34	10.7	05.2-16.2	135	37.8	30.9-44.7
\$50,000- 74,999	380	45,388	68	14.1	10.2-18.0	46	12.1	07.4-16.8	56	15.6	11.1-20.1	54	19.2	13.1-25.3	156	39.0	32.5-45.5
\$75,000+	682	93,240	100	13.6	10.1-17.1	85	13.8	10.3-17.3	115	16.1	12.8-19.4	68	9.3	06.6-12.0	314	47.2	42.3-52.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4904	683,437	2294	44.6	42.6-46.6	981	20.9	19.3-22.5	1019	20.6	19.0-22.2	414	9.6	08.4-10.8	196	4.4	03.6-05.2
Male	1963	327,893	785	38.2	35.5-40.9	437	23.3	20.8-25.8	459	22.4	19.9-24.9	187	10.7	08.7-12.7	95	5.3	03.9-06.7
Female	2941	355,544	1509	50.4	47.9-52.9	544	18.7	16.7-20.7	560	18.9	16.9-20.9	227	8.5	07.1-09.9	101	3.5	02.5-04.5
White/Non-Hisp	3640	460,612	1750	46.3	44.1-48.5	702	20.1	18.3-21.9	762	20.0	18.2-21.8	293	9.2	07.8-10.6	133	4.4	03.4-05.4
Black or Afr. Am./Non-Hisp	706	129,366	289	37.3	32.6-42.0	148	22.1	17.8-26.4	143	22.3	18.0-26.6	83	13.2	09.5-16.9	43	5.1	03.3-06.9
Oth. Race/Non-Hisp.	200	30,369	96	45.2	34.6-55.8	42	21.7	12.5-30.9	40	23.5	12.5-34.5	14	5.9	02.0-09.8	8	3.8	00.5-07.1
MultiRacial/Non-Hisp.	64	4,890	26	33.3	20.4-46.2	18	37.6	22.3-52.9	11	16.9	05.9-27.9	7	9.2	01.2-17.2	2	3.1	00.0-07.4
Hispanic	224	49,269	104	50.8	42.8-58.8	59	24.2	17.7-30.7	46	18.8	12.7-24.9	8	3.5	00.8-06.2	7	2.7	00.3-05.1
18-24	262	86,008	102	40.3	33.0-47.6	66	24.9	18.4-31.4	55	21.1	14.8-27.4	27	10.1	05.8-14.4	12	3.7	01.3-06.1
25-34	467	113,018	204	42.4	36.7-48.1	110	22.9	18.2-27.6	86	17.2	13.1-21.3	52	12.8	08.5-17.1	15	4.7	02.0-07.4
35-44	571	104,207	265	46.0	41.1-50.9	117	20.0	15.9-24.1	111	20.0	16.1-23.9	52	8.9	06.2-11.6	26	5.0	02.8-07.2
45-54	844	122,759	374	44.4	40.1-48.7	174	19.4	16.3-22.5	180	21.7	18.2-25.2	80	9.9	07.4-12.4	36	4.7	02.7-06.7
55-64	1041	114,548	490	43.3	39.4-47.2	187	21.0	17.5-24.5	230	21.7	18.6-24.8	93	9.3	07.1-11.5	41	4.8	03.0-06.6
65+	1672	138,473	831	49.0	46.1-51.9	321	19.1	16.7-21.5	349	21.4	18.9-23.9	105	6.9	05.3-08.5	66	3.6	02.4-04.8
Less Than H.S.	377	89,215	156	40.6	34.1-47.1	84	22.1	16.4-27.8	67	17.3	12.0-22.6	35	10.0	05.7-14.3	35	10.0	05.9-14.1
H.S. or G.E.D.	1453	211,100	608	40.1	36.6-43.6	310	21.6	18.7-24.5	327	22.8	19.9-25.7	131	10.5	08.1-12.9	77	5.0	03.6-06.4
Some Post-H.S.	1290	203,920	584	44.9	41.4-48.4	262	21.3	18.2-24.4	280	20.3	17.4-23.2	120	10.5	08.1-12.9	44	3.1	02.1-04.1
College Graduate	1769	177,789	940	51.7	48.8-54.6	320	18.7	16.3-21.1	342	20.0	17.6-22.4	127	7.2	05.6-08.8	40	2.4	01.4-03.4
Less than \$15,000	400	55,402	155	37.6	30.5-44.7	93	22.3	16.4-28.2	87	20.7	14.8-26.6	42	14.5	08.4-20.6	23	4.8	02.4-07.2
\$15,000- 24,999	690	91,194	273	38.4	33.5-43.3	164	24.9	20.4-29.4	161	23.3	19.2-27.4	52	7.8	05.3-10.3	40	5.5	03.3-07.7
\$25,000- 34,999	464	60,593	194	40.6	34.5-46.7	90	18.4	13.9-22.9	114	23.0	17.9-28.1	39	10.8	06.5-15.1	27	7.3	03.8-10.8
\$35,000- 49,999	663	90,722	304	40.9	35.8-46.0	131	21.1	17.0-25.2	139	23.2	18.1-28.3	56	10.3	06.8-13.8	33	4.5	02.7-06.3
\$50,000- 74,999	661	91,846	315	46.6	41.5-51.7	127	20.5	16.0-25.0	142	20.3	16.6-24.0	68	10.2	07.3-13.1	9	2.5	00.1-04.9
\$75,000+	1302	196,412	688	48.9	45.4-52.4	236	20.4	17.5-23.3	233	18.6	15.7-21.5	109	8.4	06.4-10.4	36	3.8	02.0-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1963	327,893	785	38.2	35.5-40.9	437	23.3	20.8-25.8	459	22.4	19.9-24.9	187	10.7	08.7-12.7	95	5.3	03.9-06.7
White/Non-Hisp	1451	219,578	597	39.8	36.5-43.1	313	22.6	19.7-25.5	339	21.6	18.9-24.3	137	10.4	08.2-12.6	65	5.6	03.8-07.4
Black or Afr. Am./Non-Hisp	268	61,532	85	29.9	23.0-36.8	64	23.7	17.0-30.4	66	26.8	19.5-34.1	35	15.1	08.8-21.4	18	4.5	02.1-06.9
Oth. Race/Non-Hisp.	94	16,966	43	40.7	26.0-55.4	22	26.5	11.4-41.6	22	24.6	07.0-42.2	5	5.2	00.0-10.5	2	3.1	00.0-07.4
Hispanic	88	21,611	41	51.6	39.8-63.4	24	26.3	15.7-36.9	16	15.9	08.1-23.7	2	1.5	00.0-03.7	5	4.7	00.2-09.2
18-24	129	44,136	44	32.1	22.7-41.5	35	26.3	17.1-35.5	29	26.0	15.6-36.4	12	9.6	03.5-15.7	9	6.0	01.7-10.3
25-34	203	56,980	80	37.6	29.6-45.6	47	24.2	16.8-31.6	39	15.0	09.7-20.3	28	17.0	09.4-24.6	9	6.3	01.8-10.8
35-44	242	50,947	99	39.8	32.7-46.9	55	22.0	15.9-28.1	46	20.2	14.1-26.3	25	10.4	06.1-14.7	17	7.5	03.8-11.2
45-54	346	58,785	119	36.2	29.7-42.7	92	23.7	18.6-28.8	88	26.6	20.5-32.7	35	10.1	06.0-14.2	12	3.4	00.7-06.1
55-64	402	55,008	162	37.4	31.5-43.3	86	25.6	19.5-31.7	97	22.2	17.5-26.9	36	9.0	05.7-12.3	21	5.8	02.9-08.7
65+	627	60,685	275	44.8	39.9-49.7	119	18.9	15.2-22.6	158	24.8	20.5-29.1	48	7.9	05.2-10.6	27	3.7	01.9-05.5
Less Than H.S.	162	45,029	61	34.9	25.9-43.9	38	22.9	14.1-31.7	31	18.5	10.7-26.3	14	11.3	03.9-18.7	18	12.4	05.7-19.1
H.S. or G.E.D.	596	108,080	198	33.2	28.5-37.9	142	24.0	19.5-28.5	163	25.6	21.1-30.1	61	12.1	08.4-15.8	32	5.1	02.9-07.3
Some Post-H.S.	459	90,095	186	42.2	36.3-48.1	100	23.7	18.6-28.8	100	19.9	15.0-24.8	48	10.1	06.4-13.8	25	4.1	02.3-05.9
College Graduate	738	83,551	338	42.5	38.2-46.8	153	21.7	18.0-25.4	164	23.3	19.4-27.2	63	9.3	06.6-12.0	20	3.2	01.2-05.2
Less than \$15,000	122	22,298	42	36.6	24.4-48.8	30	18.5	10.3-26.7	30	23.0	13.2-32.8	15	20.1	07.2-33.0	5	1.9	00.0-04.1
\$15,000- 24,999	242	40,186	77	31.2	23.8-38.6	71	32.7	24.5-40.9	58	20.6	14.5-26.7	17	7.8	03.3-12.3	19	7.8	03.9-11.7
\$25,000- 34,999	176	29,081	63	41.9	32.1-51.7	37	18.5	11.4-25.6	47	21.8	14.0-29.6	19	12.1	05.0-19.2	10	5.7	01.6-09.8
\$35,000- 49,999	289	46,407	112	35.0	27.7-42.3	61	21.7	15.4-28.0	69	25.1	17.3-32.9	29	12.2	06.5-17.9	18	6.0	02.9-09.1
\$50,000- 74,999	285	46,908	121	41.3	33.9-48.7	54	21.9	14.6-29.2	73	22.9	17.0-28.8	29	9.9	05.4-14.4	8	4.0	00.1-07.9
\$75,000+	617	102,928	273	39.7	34.8-44.6	135	23.7	19.4-28.0	128	22.1	17.6-26.6	58	9.2	06.5-11.9	23	5.4	02.5-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2941	355,544	1509	50.4	47.9-52.9	544	18.7	16.7-20.7	560	18.9	16.9-20.9	227	8.5	07.1-09.9	101	3.5	02.5-04.5
White/Non-Hisp	2189	241,033	1153	52.3	49.4-55.2	389	17.8	15.6-20.0	423	18.6	16.4-20.8	156	8.1	06.5-09.7	68	3.2	02.0-04.4
Black or Afr. Am./Non-Hisp	438	67,834	204	44.0	37.9-50.1	84	20.6	15.1-26.1	77	18.3	13.4-23.2	48	11.5	07.6-15.4	25	5.6	03.1-08.1
Oth. Race/Non-Hisp.	106	13,404	53	50.9	37.4-64.4	20	15.7	07.7-23.7	18	22.0	10.8-33.2	9	6.8	01.1-12.5	6	4.6	00.0-09.3
Hispanic	136	27,658	63	50.1	39.1-61.1	35	22.5	14.3-30.7	30	21.1	12.5-29.7	6	5.1	00.6-09.6	2	1.2	00.0-03.2
18-24	133	41,872	58	48.9	38.7-59.1	31	23.5	14.7-32.3	26	15.9	09.4-22.4	15	10.6	04.3-16.9	3	1.2	00.0-02.6
25-34	264	56,038	124	47.3	39.7-54.9	63	21.5	15.6-27.4	47	19.5	13.2-25.8	24	8.6	04.7-12.5	6	3.1	00.0-06.2
35-44	329	53,261	166	52.0	45.3-58.7	62	18.0	12.5-23.5	65	19.9	14.8-25.0	27	7.5	04.0-11.0	9	2.6	00.2-05.0
45-54	498	63,975	255	51.9	46.4-57.4	82	15.4	11.7-19.1	92	17.1	13.2-21.0	45	9.6	06.3-12.9	24	6.0	03.3-08.7
55-64	639	59,540	328	48.7	43.6-53.8	101	16.7	13.0-20.4	133	21.2	16.7-25.7	57	9.6	06.7-12.5	20	3.9	01.7-06.1
65+	1045	77,789	556	52.4	48.7-56.1	202	19.2	16.3-22.1	191	18.8	15.9-21.7	57	6.2	04.2-08.2	39	3.5	02.1-04.9
Less Than H.S.	215	44,185	95	46.5	37.5-55.5	46	21.2	13.8-28.6	36	16.2	09.3-23.1	21	8.7	04.6-12.8	17	7.5	03.0-12.0
H.S. or G.E.D.	857	103,020	410	47.3	42.6-52.0	168	19.1	15.4-22.8	164	19.9	16.6-23.2	70	8.8	06.3-11.3	45	4.9	02.9-06.9
Some Post-H.S.	831	113,825	398	47.0	42.5-51.5	162	19.4	15.7-23.1	180	20.6	16.9-24.3	72	10.9	07.8-14.0	19	2.2	00.8-03.6
College Graduate	1031	94,238	602	59.9	56.0-63.8	167	16.1	13.4-18.8	178	17.0	14.1-19.9	64	5.3	03.7-06.9	20	1.7	00.7-02.7
Less than \$15,000	278	33,104	113	38.3	29.7-46.9	63	25.0	17.2-32.8	57	19.3	12.0-26.6	27	10.6	05.7-15.5	18	6.8	03.1-10.5
\$15,000- 24,999	448	51,008	196	44.1	37.8-50.4	93	18.9	14.4-23.4	103	25.4	19.7-31.1	35	7.9	05.0-10.8	21	3.7	01.7-05.7
\$25,000- 34,999	288	31,512	131	39.3	32.0-46.6	53	18.3	12.2-24.4	67	24.1	17.4-30.8	20	9.6	04.7-14.5	17	8.7	03.2-14.2
\$35,000- 49,999	374	44,315	192	47.1	40.2-54.0	70	20.5	15.0-26.0	70	21.2	15.1-27.3	27	8.3	04.4-12.2	15	2.8	01.0-04.6
\$50,000- 74,999	376	44,938	194	52.0	45.3-58.7	73	19.0	13.3-24.7	69	17.5	13.0-22.0	39	10.5	06.6-14.4	1	1.0	00.0-03.0
\$75,000+	685	93,484	415	59.1	54.2-64.0	101	16.7	12.6-20.8	105	14.7	11.4-18.0	51	7.5	05.0-10.0	13	2.1	00.5-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4884	679,800	245	5.1	04.3-05.9	1266	26.0	24.2-27.8	1560	30.0	28.2-31.8	715	15.4	14.0-16.8	1098	23.5	21.7-25.3
Male	1949	324,682	82	3.9	02.9-04.9	507	25.3	22.8-27.8	662	31.3	28.6-34.0	291	15.9	13.7-18.1	407	23.5	20.8-26.2
Female	2935	355,118	163	6.2	04.8-07.6	759	26.6	24.2-29.0	898	28.9	26.7-31.1	424	14.8	13.0-16.6	691	23.5	21.3-25.7
White/Non-Hisp	3618	457,859	155	4.3	03.3-05.3	936	25.7	23.7-27.7	1196	31.0	29.0-33.0	529	15.9	14.1-17.7	802	23.2	21.2-25.2
Black or Afr. Am./Non-Hisp	709	128,326	36	3.6	02.0-05.2	146	19.1	15.6-22.6	201	29.4	24.9-33.9	127	17.9	14.2-21.6	199	29.9	25.2-34.6
Oth. Race/Non-Hisp.	197	30,248	11	3.1	00.7-05.5	55	29.5	20.1-38.9	60	27.1	18.7-35.5	23	9.9	05.0-14.8	48	30.3	18.3-42.3
MultiRacial/Non-Hisp.	64	4,888	4	4.9	00.0-10.0	18	26.2	13.7-38.7	15	26.0	12.9-39.1	13	18.7	07.3-30.1	14	24.3	10.8-37.8
Hispanic	225	49,546	35	18.0	11.1-24.9	93	44.3	36.3-52.3	64	24.8	18.3-31.3	13	5.3	02.0-08.6	20	7.4	03.3-11.5
18-24	258	84,353	14	4.9	01.6-08.2	55	20.1	14.4-25.8	77	26.2	19.9-32.5	36	13.4	08.5-18.3	76	35.4	27.8-43.0
25-34	466	112,266	22	5.1	02.4-07.8	140	31.2	25.7-36.7	127	24.9	20.2-29.6	66	14.8	10.5-19.1	111	24.0	19.1-28.9
35-44	576	104,664	29	5.1	02.9-07.3	162	27.5	23.2-31.8	180	30.7	26.2-35.2	101	17.5	13.8-21.2	104	19.3	15.4-23.2
45-54	844	122,483	55	6.5	04.3-08.7	220	25.1	21.6-28.6	267	31.4	27.5-35.3	143	17.4	14.1-20.7	159	19.6	16.3-22.9
55-64	1043	114,793	50	4.4	03.0-05.8	265	25.2	21.9-28.5	355	33.8	30.1-37.5	149	15.4	12.5-18.3	224	21.2	17.9-24.5
65+	1650	136,810	70	4.3	02.9-05.7	416	25.6	22.9-28.3	540	32.0	29.3-34.7	215	13.7	11.5-15.9	409	24.4	21.7-27.1
Less Than H.S.	374	88,272	31	9.6	05.5-13.7	99	25.3	19.8-30.8	90	19.5	14.4-24.6	39	11.5	07.4-15.6	115	34.2	27.3-41.1
H.S. or G.E.D.	1450	210,121	56	3.9	02.5-05.3	362	24.9	21.8-28.0	446	29.6	26.5-32.7	211	15.6	13.1-18.1	375	26.0	22.9-29.1
Some Post-H.S.	1284	203,160	67	5.1	03.5-06.7	308	23.6	20.5-26.7	419	30.7	27.6-33.8	192	17.4	14.5-20.3	298	23.1	19.8-26.4
College Graduate	1761	176,833	90	4.3	03.3-05.3	491	29.9	27.2-32.6	601	35.2	32.3-38.1	273	14.8	12.6-17.0	306	15.8	13.6-18.0
Less than \$15,000	400	55,330	34	11.2	05.7-16.7	87	20.1	14.8-25.4	95	19.1	13.8-24.4	84	21.5	15.8-27.2	100	28.2	20.9-35.5
\$15,000- 24,999	693	91,429	45	7.9	05.2-10.6	171	26.4	21.9-30.9	216	28.2	23.9-32.5	70	10.4	07.5-13.3	191	27.0	22.3-31.7
\$25,000- 34,999	459	59,584	28	7.0	03.3-10.7	110	22.1	17.2-27.0	139	28.8	23.3-34.3	53	11.4	07.3-15.5	129	30.6	24.7-36.5
\$35,000- 49,999	660	90,464	30	4.7	02.5-06.9	173	25.0	20.7-29.3	206	28.3	24.0-32.6	99	18.0	13.5-22.5	152	24.0	19.1-28.9
\$50,000- 74,999	665	92,021	25	2.8	01.2-04.4	186	27.7	23.0-32.4	227	34.3	29.6-39.0	113	17.4	13.5-21.3	114	17.8	13.9-21.7
\$75,000+	1298	195,096	56	3.8	02.6-05.0	368	29.2	26.1-32.3	451	33.6	30.3-36.9	212	16.0	13.5-18.5	211	17.4	14.5-20.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1949	324,682	82	3.9	02.9-04.9	507	25.3	22.8-27.8	662	31.3	28.6-34.0	291	15.9	13.7-18.1	407	23.5	20.8-26.2
White/Non-Hisp	1441	217,434	51	3.4	02.2-04.6	363	24.3	21.4-27.2	509	32.6	29.5-35.7	225	17.3	14.6-20.0	293	22.3	19.4-25.2
Black or Afr. Am./Non-Hisp	265	60,305	15	3.9	01.5-06.3	54	18.2	12.9-23.5	82	31.5	24.1-38.9	44	16.6	11.1-22.1	70	29.9	22.1-37.7
Oth. Race/Non-Hisp.	94	16,966	2	0.7	00.0-01.7	31	29.7	17.2-42.2	27	23.1	12.1-34.1	8	6.2	01.3-11.1	26	40.2	22.4-58.0
Hispanic	89	21,888	11	11.3	04.2-18.4	43	51.3	39.5-63.1	25	25.8	15.8-35.8	3	3.0	00.0-06.5	7	8.5	01.8-15.2
18-24	127	43,146	5	2.9	00.0-05.8	21	12.8	06.9-18.7	37	26.9	17.7-36.1	21	15.1	07.8-22.4	43	42.3	31.3-53.3
25-34	200	56,049	6	3.7	00.2-07.2	63	32.2	24.2-40.2	58	26.5	19.2-33.8	28	16.3	09.6-23.0	45	21.3	14.0-28.6
35-44	244	51,274	10	4.7	01.6-07.8	67	26.6	20.1-33.1	75	29.2	22.7-35.7	43	17.9	12.2-23.6	49	21.6	15.5-27.7
45-54	345	58,439	18	4.3	01.9-06.7	84	23.9	18.6-29.2	117	34.3	27.8-40.8	59	17.8	12.7-22.9	67	19.7	14.4-25.0
55-64	398	54,537	15	3.5	01.5-05.5	109	26.1	20.8-31.4	149	35.5	29.8-41.2	56	14.4	10.1-18.7	69	20.6	14.7-26.5
65+	621	59,885	28	4.3	02.3-06.3	159	27.0	22.5-31.5	223	34.7	30.2-39.2	82	14.1	10.6-17.6	129	19.9	15.8-24.0
Less Than H.S.	156	43,877	11	6.2	02.3-10.1	46	27.8	19.4-36.2	40	18.3	11.4-25.2	18	14.6	07.5-21.7	41	33.1	22.5-43.7
H.S. or G.E.D.	596	107,156	15	2.0	00.8-03.2	153	23.6	19.5-27.7	203	32.4	27.5-37.3	86	16.0	11.9-20.1	139	25.9	21.2-30.6
Some Post-H.S.	456	89,750	26	5.5	02.8-08.2	113	24.3	19.2-29.4	147	30.0	24.7-35.3	75	17.7	13.2-22.2	95	22.5	17.0-28.0
College Graduate	733	82,761	30	3.5	02.1-04.9	192	26.8	22.9-30.7	270	38.4	33.9-42.9	112	14.8	11.9-17.7	129	16.5	13.2-19.8
Less than \$15,000	121	22,261	9	5.5	01.0-10.0	32	26.8	16.6-37.0	29	18.7	09.3-28.1	27	22.6	12.6-32.6	24	26.3	13.0-39.6
\$15,000- 24,999	241	39,737	13	5.6	02.1-09.1	71	33.3	25.5-41.1	75	25.3	19.0-31.6	17	8.6	03.5-13.7	65	27.1	19.3-34.9
\$25,000- 34,999	174	28,480	8	6.5	00.4-12.6	46	22.6	15.0-30.2	55	29.8	21.0-38.6	19	11.0	04.3-17.7	46	30.2	21.0-39.4
\$35,000- 49,999	288	46,314	15	5.5	02.2-08.8	69	21.4	15.5-27.3	92	26.6	20.3-32.9	46	19.3	12.6-26.0	66	27.3	19.1-35.5
\$50,000- 74,999	285	46,657	9	2.5	00.3-04.7	73	22.9	15.8-30.0	109	38.0	30.7-45.3	50	18.1	12.2-24.0	44	18.5	12.4-24.6
\$75,000+	612	101,828	20	2.8	01.4-04.2	161	27.3	23.0-31.6	228	36.6	31.5-41.7	103	16.8	13.1-20.5	100	16.4	12.5-20.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2935	355,118	163	6.2	04.8-07.6	759	26.6	24.2-29.0	898	28.9	26.7-31.1	424	14.8	13.0-16.6	691	23.5	21.3-25.7
White/Non-Hisp	2177	240,425	104	5.0	03.8-06.2	573	27.0	24.5-29.5	687	29.5	27.0-32.0	304	14.5	12.3-16.7	509	24.0	21.5-26.5
Black or Afr. Am./Non-Hisp	444	68,021	21	3.4	01.4-05.4	92	20.0	15.1-24.9	119	27.6	22.1-33.1	83	19.0	14.3-23.7	129	30.0	24.3-35.7
Oth. Race/Non-Hisp.	103	13,283	9	6.2	01.1-11.3	24	29.2	15.1-43.3	33	32.3	19.8-44.8	15	14.6	05.8-23.4	22	17.7	08.3-27.1
Hispanic	136	27,658	24	23.4	12.8-34.0	50	38.8	28.2-49.4	39	24.1	15.5-32.7	10	7.2	01.9-12.5	13	6.6	01.5-11.7
18-24	131	41,208	9	7.0	01.1-12.9	34	27.8	18.6-37.0	40	25.4	17.4-33.4	15	11.7	05.0-18.4	33	28.1	18.3-37.9
25-34	266	56,217	16	6.5	02.4-10.6	77	30.2	22.8-37.6	69	23.3	17.4-29.2	38	13.3	08.2-18.4	66	26.6	19.7-33.5
35-44	332	53,390	19	5.5	02.6-08.4	95	28.4	22.5-34.3	105	32.1	25.8-38.4	58	17.1	12.0-22.2	55	17.0	11.7-22.3
45-54	499	64,044	37	8.5	05.0-12.0	136	26.3	21.6-31.0	150	28.7	24.0-33.4	84	17.0	12.9-21.1	92	19.5	15.0-24.0
55-64	645	60,256	35	5.3	03.3-07.3	156	24.3	20.2-28.4	206	32.3	27.4-37.2	93	16.4	12.5-20.3	155	21.7	18.0-25.4
65+	1029	76,925	42	4.4	02.6-06.2	257	24.6	21.3-27.9	317	29.9	26.6-33.2	133	13.3	10.6-16.0	280	27.8	24.3-31.3
Less Than H.S.	218	44,395	20	12.9	06.0-19.8	53	22.9	15.8-30.0	50	20.7	13.3-28.1	21	8.3	04.2-12.4	74	35.2	26.6-43.8
H.S. or G.E.D.	854	102,965	41	5.9	03.5-08.3	209	26.3	21.6-31.0	243	26.7	23.0-30.4	125	15.1	12.0-18.2	236	26.1	22.0-30.2
Some Post-H.S.	828	113,410	41	4.8	03.0-06.6	195	23.1	19.4-26.8	272	31.2	27.1-35.3	117	17.2	13.5-20.9	203	23.6	19.7-27.5
College Graduate	1028	94,072	60	5.0	03.4-06.6	299	32.7	28.8-36.6	331	32.4	28.7-36.1	161	14.8	11.9-17.7	177	15.2	12.5-17.9
Less than \$15,000	279	33,069	25	15.0	06.8-23.2	55	15.5	10.2-20.8	66	19.3	13.2-25.4	57	20.7	14.0-27.4	76	29.4	21.2-37.6
\$15,000- 24,999	452	51,692	32	9.6	05.5-13.7	100	21.1	16.0-26.2	141	30.5	24.8-36.2	53	11.8	08.1-15.5	126	27.0	21.5-32.5
\$25,000- 34,999	285	31,104	20	7.5	03.0-12.0	64	21.7	15.4-28.0	84	27.9	21.2-34.6	34	11.8	06.9-16.7	83	31.0	23.7-38.3
\$35,000- 49,999	372	44,151	15	4.0	01.5-06.5	104	28.8	22.3-35.3	114	30.2	24.1-36.3	53	16.7	10.6-22.8	86	20.4	15.1-25.7
\$50,000- 74,999	380	45,364	16	3.1	00.7-05.5	113	32.5	26.0-39.0	118	30.5	24.4-36.6	63	16.7	11.8-21.6	70	17.2	12.1-22.3
\$75,000+	686	93,268	36	4.9	02.9-06.9	207	31.3	26.8-35.8	223	30.4	26.1-34.7	109	15.0	11.7-18.3	111	18.4	14.1-22.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4904	681,626	1105	21.1	19.5-22.7	1606	33.8	32.0-35.6	1372	27.4	25.6-29.2	552	12.3	10.9-13.7	269	5.5	04.5-06.5
Male	1955	325,904	330	16.3	14.1-18.5	626	32.0	29.3-34.7	623	31.5	28.8-34.2	242	13.7	11.5-15.9	134	6.6	05.0-08.2
Female	2949	355,722	775	25.4	23.2-27.6	980	35.4	32.9-37.9	749	23.6	21.6-25.6	310	11.0	09.4-12.6	135	4.5	03.5-05.5
White/Non-Hisp	3640	460,018	790	20.3	18.5-22.1	1185	33.5	31.3-35.7	1049	27.7	25.7-29.7	411	12.8	11.2-14.4	205	5.7	04.5-06.9
Black or Afr. Am./Non-Hisp	711	128,946	177	21.7	18.0-25.4	233	33.8	29.1-38.5	179	26.6	22.1-31.1	98	14.1	10.6-17.6	24	3.9	01.7-06.1
Oth. Race/Non-Hisp.	196	29,615	48	27.0	17.8-36.2	65	28.8	20.2-37.4	56	34.6	22.8-46.4	12	5.0	01.7-08.3	15	4.7	01.6-07.8
MultiRacial/Non-Hisp.	65	4,967	13	15.9	05.5-26.3	22	35.6	21.3-49.9	15	25.0	11.9-38.1	13	20.4	08.8-32.0	2	3.1	00.0-07.4
Hispanic	224	49,605	52	22.3	15.4-29.2	88	40.9	32.9-48.9	55	23.6	17.1-30.1	10	5.0	01.5-08.5	19	8.2	04.3-12.1
18-24	258	84,970	50	17.8	12.3-23.3	85	35.7	28.4-43.0	65	24.3	17.8-30.8	40	16.4	10.7-22.1	18	5.8	02.5-09.1
25-34	463	111,717	97	20.4	16.1-24.7	166	36.9	31.2-42.6	117	24.0	19.3-28.7	58	12.5	08.4-16.6	25	6.1	02.8-09.4
35-44	576	104,582	137	22.9	18.8-27.0	190	33.2	28.5-37.9	156	28.1	23.6-32.6	66	10.7	07.8-13.6	27	5.1	02.9-07.3
45-54	852	123,780	191	22.0	18.5-25.5	289	34.2	30.3-38.1	226	27.0	23.1-30.9	113	13.2	10.5-15.9	33	3.6	02.2-05.0
55-64	1043	114,842	229	20.6	17.7-23.5	321	29.8	26.3-33.3	310	31.3	27.4-35.2	122	12.2	09.7-14.7	61	6.1	04.3-07.9
65+	1665	137,349	383	21.4	19.0-23.8	543	33.5	30.6-36.4	488	28.6	25.9-31.3	148	10.2	08.2-12.2	103	6.3	04.7-07.9
Less Than H.S.	371	86,916	70	19.7	14.4-25.0	146	38.9	32.2-45.6	69	17.0	11.7-22.3	35	11.9	07.0-16.8	51	12.5	08.0-17.0
H.S. or G.E.D.	1462	212,120	277	17.7	15.2-20.2	485	33.2	29.9-36.5	434	29.9	26.8-33.0	163	12.7	10.3-15.1	103	6.4	04.8-08.0
Some Post-H.S.	1288	203,560	278	21.7	18.8-24.6	398	31.3	28.0-34.6	383	28.7	25.4-32.0	169	14.1	11.6-16.6	60	4.3	02.7-05.9
College Graduate	1768	177,616	477	25.1	22.6-27.6	570	34.5	31.6-37.4	483	28.1	25.4-30.8	184	10.1	08.3-11.9	54	2.3	01.5-03.1
Less than \$15,000	403	55,142	95	22.8	16.5-29.1	116	28.3	21.8-34.8	94	19.6	14.3-24.9	58	17.4	11.1-23.7	40	11.8	06.9-16.7
\$15,000- 24,999	690	91,425	137	18.4	14.7-22.1	238	36.7	31.8-41.6	209	29.6	24.9-34.3	53	8.4	05.7-11.1	53	6.8	04.4-09.2
\$25,000- 34,999	464	60,067	100	22.5	17.2-27.8	156	35.2	29.3-41.1	138	26.7	21.6-31.8	43	10.6	06.5-14.7	27	5.0	02.8-07.2
\$35,000- 49,999	659	89,648	125	17.0	13.1-20.9	231	34.2	29.5-38.9	190	31.5	26.2-36.8	77	12.6	08.9-16.3	36	4.7	02.9-06.5
\$50,000- 74,999	669	92,382	146	20.7	16.8-24.6	220	33.2	28.3-38.1	177	26.1	21.8-30.4	99	15.5	11.8-19.2	27	4.5	02.3-06.7
\$75,000+	1306	196,643	340	24.0	21.1-26.9	415	34.4	31.1-37.7	370	28.5	25.2-31.8	145	10.4	08.4-12.4	36	2.7	01.5-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1955	325,904	330	16.3	14.1-18.5	626	32.0	29.3-34.7	623	31.5	28.8-34.2	242	13.7	11.5-15.9	134	6.6	05.0-08.2
White/Non-Hisp	1445	218,512	238	16.5	14.0-19.0	452	31.3	28.2-34.4	470	31.1	28.0-34.2	182	14.3	11.8-16.8	103	6.8	05.0-08.6
Black or Afr. Am./Non-Hisp	270	61,265	52	16.2	11.3-21.1	85	30.5	23.4-37.6	81	31.7	24.3-39.1	40	15.7	09.4-22.0	12	6.0	01.7-10.3
Oth. Race/Non-Hisp.	92	16,332	15	18.5	07.9-29.1	34	31.1	18.2-44.0	31	43.2	25.8-60.6	5	2.9	00.0-05.8	7	4.2	00.1-08.3
Hispanic	89	22,069	14	13.6	06.3-20.9	36	43.5	31.7-55.3	27	29.8	19.2-40.4	4	4.7	00.0-09.6	8	8.4	02.3-14.5
18-24	128	43,686	20	12.1	06.4-17.8	36	29.3	19.7-38.9	37	31.4	20.8-42.0	22	19.1	10.7-27.5	13	8.2	02.5-13.9
25-34	197	55,410	41	19.3	13.0-25.6	64	33.8	25.6-42.0	55	25.3	18.2-32.4	27	15.2	08.1-22.3	10	6.3	01.2-11.4
35-44	243	50,972	39	16.2	11.1-21.3	82	33.4	26.5-40.3	73	31.0	24.1-37.9	32	12.2	07.3-17.1	17	7.1	03.8-10.4
45-54	349	59,317	54	16.4	11.5-21.3	115	32.9	26.8-39.0	107	32.7	26.2-39.2	51	13.4	09.3-17.5	22	4.6	02.4-06.8
55-64	402	55,087	62	14.6	10.5-18.7	132	30.7	25.2-36.2	135	35.8	29.5-42.1	47	11.8	07.9-15.7	26	7.0	03.9-10.1
65+	622	60,080	111	18.0	14.1-21.9	192	31.0	26.5-35.5	212	32.5	28.0-37.0	61	11.7	08.2-15.2	46	6.9	04.4-09.4
Less Than H.S.	156	43,100	24	15.6	08.9-22.3	55	35.7	26.1-45.3	35	19.5	11.3-27.7	17	15.1	06.7-23.5	25	14.1	06.8-21.4
H.S. or G.E.D.	603	108,789	84	14.2	10.9-17.5	186	29.8	25.1-34.5	201	33.6	28.7-38.5	75	14.4	10.5-18.3	57	7.9	05.5-10.3
Some Post-H.S.	454	89,483	73	16.5	12.2-20.8	146	31.6	26.1-37.1	144	32.3	26.6-38.0	67	14.6	10.5-18.7	24	5.0	02.1-07.9
College Graduate	734	83,394	147	19.3	16.0-22.6	234	32.6	28.3-36.9	243	34.3	30.0-38.6	82	11.2	08.5-13.9	28	2.6	01.4-03.8
Less than \$15,000	122	22,036	22	18.4	09.8-27.0	33	27.9	16.7-39.1	28	18.4	09.2-27.6	22	23.9	10.8-37.0	17	11.4	04.3-18.5
\$15,000- 24,999	242	40,273	34	12.6	07.5-17.7	84	37.9	29.9-45.9	77	31.6	23.8-39.4	20	8.9	04.0-13.8	27	9.1	05.2-13.0
\$25,000- 34,999	175	28,564	29	21.4	12.6-30.2	65	37.7	28.3-47.1	54	26.4	18.2-34.6	18	10.3	03.8-16.8	9	4.3	01.4-07.2
\$35,000- 49,999	287	45,804	41	12.1	07.6-16.6	96	31.1	24.0-38.2	91	35.1	26.9-43.3	38	15.6	09.3-21.9	21	6.1	03.2-09.0
\$50,000- 74,999	287	46,981	47	18.4	12.5-24.3	94	32.8	25.4-40.2	94	31.5	24.6-38.4	40	13.2	08.3-18.1	12	4.1	01.2-07.0
\$75,000+	616	102,760	121	18.3	14.6-22.0	188	31.2	26.5-35.9	208	34.9	30.0-39.8	72	11.6	08.5-14.7	27	4.0	02.0-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2949	355,722	775	25.4	23.2-27.6	980	35.4	32.9-37.9	749	23.6	21.6-25.6	310	11.0	09.4-12.6	135	4.5	03.5-05.5
White/Non-Hisp	2195	241,505	552	23.7	21.3-26.1	733	35.6	32.7-38.5	579	24.6	22.2-27.0	229	11.4	09.4-13.4	102	4.7	03.3-06.1
Black or Afr. Am./Non-Hisp	441	67,680	125	26.6	21.1-32.1	148	36.8	30.7-42.9	98	21.9	16.8-27.0	58	12.6	08.9-16.3	12	2.1	00.7-03.5
Oth. Race/Non-Hisp.	104	13,283	33	37.3	23.2-51.4	31	26.0	14.6-37.4	25	23.9	12.9-34.9	7	7.6	01.1-14.1	8	5.2	00.5-09.9
Hispanic	135	27,536	38	29.2	18.6-39.8	52	38.7	28.1-49.3	28	18.6	10.6-26.6	6	5.3	00.4-10.2	11	8.1	02.8-13.4
18-24	130	41,284	30	23.9	14.9-32.9	49	42.5	32.1-52.9	28	16.7	10.2-23.2	18	13.5	06.2-20.8	5	3.3	00.2-06.4
25-34	266	56,306	56	21.5	15.6-27.4	102	40.0	32.4-47.6	62	22.8	16.5-29.1	31	9.9	05.8-14.0	15	5.9	01.8-10.0
35-44	333	53,610	98	29.3	23.2-35.4	108	33.0	26.5-39.5	83	25.4	19.7-31.1	34	9.1	05.8-12.4	10	3.2	00.5-05.9
45-54	503	64,462	137	27.0	22.1-31.9	174	35.4	30.1-40.7	119	21.8	17.7-25.9	62	13.1	09.4-16.8	11	2.7	00.7-04.7
55-64	641	59,755	167	26.1	21.8-30.4	189	29.0	24.5-33.5	175	27.1	22.4-31.8	75	12.6	09.3-15.9	35	5.3	03.3-07.3
65+	1043	77,270	272	24.1	21.0-27.2	351	35.5	31.8-39.2	276	25.5	22.4-28.6	87	9.0	06.8-11.2	57	5.9	04.1-07.7
Less Than H.S.	215	43,816	46	23.8	16.0-31.6	91	42.0	33.0-51.0	34	14.6	08.3-20.9	18	8.7	03.8-13.6	26	11.0	05.5-16.5
H.S. or G.E.D.	859	103,330	193	21.5	17.8-25.2	299	36.8	32.1-41.5	233	26.0	22.3-29.7	88	10.9	08.2-13.6	46	4.8	03.0-06.6
Some Post-H.S.	834	114,078	205	25.7	21.8-29.6	252	31.0	26.7-35.3	239	25.8	22.1-29.5	102	13.7	10.6-16.8	36	3.8	02.0-05.6
College Graduate	1034	94,222	330	30.3	26.8-33.8	336	36.1	32.2-40.0	240	22.5	19.4-25.6	102	9.1	06.7-11.5	26	2.0	01.0-03.0
Less than \$15,000	281	33,105	73	25.8	17.4-34.2	83	28.6	21.0-36.2	66	20.4	14.1-26.7	36	13.1	07.8-18.4	23	12.0	05.3-18.7
\$15,000- 24,999	448	51,152	103	23.0	17.7-28.3	154	35.8	29.7-41.9	132	28.1	22.4-33.8	33	8.0	04.9-11.1	26	5.1	02.6-07.6
\$25,000- 34,999	289	31,503	71	23.6	17.1-30.1	91	33.0	25.6-40.4	84	27.0	20.5-33.5	25	10.8	05.9-15.7	18	5.7	02.6-08.8
\$35,000- 49,999	372	43,844	84	22.0	15.7-28.3	135	37.5	31.0-44.0	99	27.8	21.3-34.3	39	9.4	05.7-13.1	15	3.3	00.9-05.7
\$50,000- 74,999	382	45,401	99	23.1	17.8-28.4	126	33.5	27.0-40.0	83	20.5	15.6-25.4	59	17.8	12.3-23.3	15	5.0	01.7-08.3
\$75,000+	690	93,883	219	30.3	26.0-34.6	227	37.9	33.0-42.8	162	21.4	17.7-25.1	73	9.1	06.6-11.6	9	1.3	00.1-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4887	680,282	366	7.0	06.0-08.0	1540	30.4	28.6-32.2	1627	32.2	30.4-34.0	682	15.5	14.1-16.9	672	14.9	13.5-16.3
Male	1954	325,131	113	5.4	04.2-06.6	540	26.9	24.4-29.4	694	35.0	32.1-37.9	286	16.2	13.8-18.6	321	16.5	14.1-18.9
Female	2933	355,150	253	8.6	07.0-10.2	1000	33.6	31.2-36.0	933	29.5	27.3-31.7	396	14.9	12.9-16.9	351	13.4	11.6-15.2
White/Non-Hisp	3623	457,615	244	5.9	04.9-06.9	1179	32.1	29.9-34.3	1253	33.3	31.1-35.5	498	15.7	13.9-17.5	449	13.0	11.4-14.6
Black or Afr. Am./Non-Hisp	709	129,338	66	8.8	06.3-11.3	170	21.0	17.3-24.7	220	33.8	29.1-38.5	133	18.7	14.8-22.6	120	17.6	13.7-21.5
Oth. Race/Non-Hisp.	197	30,162	22	9.7	04.6-14.8	66	35.6	25.0-46.2	54	22.6	15.2-30.0	16	8.6	02.1-15.1	39	23.5	12.5-34.5
MultiRacial/Non-Hisp.	65	4,967	6	5.9	00.4-11.4	22	32.5	19.0-46.0	18	35.4	20.7-50.1	11	14.9	04.7-25.1	8	11.4	02.8-20.0
Hispanic	224	49,392	20	10.8	04.9-16.7	86	37.8	30.0-45.6	55	23.1	16.4-29.8	14	7.9	03.2-12.6	49	20.4	14.5-26.3
18-24	256	83,715	15	4.9	01.6-08.2	65	24.6	18.5-30.7	76	28.2	21.5-34.9	35	15.9	10.2-21.6	65	26.4	19.3-33.5
25-34	463	112,330	33	6.9	04.4-09.4	147	32.9	27.4-38.4	132	29.5	24.2-34.8	75	16.9	12.4-21.4	76	13.9	10.4-17.4
35-44	575	104,305	47	9.7	06.4-13.0	184	28.6	24.3-32.9	177	32.6	27.9-37.3	89	15.2	11.7-18.7	78	14.0	10.7-17.3
45-54	850	123,634	68	7.5	05.3-09.7	256	29.7	25.8-33.6	280	33.4	29.3-37.5	141	17.3	14.2-20.4	105	12.0	09.5-14.5
55-64	1044	115,094	77	6.6	04.8-08.4	325	30.6	26.9-34.3	356	33.2	29.5-36.9	148	16.0	12.9-19.1	138	13.6	10.9-16.3
65+	1653	136,786	121	6.2	04.8-07.6	552	34.1	31.2-37.0	587	34.3	31.6-37.0	188	12.5	10.3-14.7	205	12.9	10.7-15.1
Less Than H.S.	375	88,588	25	8.9	04.8-13.0	115	30.8	24.5-37.1	113	25.5	19.8-31.2	47	13.6	08.7-18.5	75	21.2	15.7-26.7
H.S. or G.E.D.	1452	210,413	90	5.2	03.8-06.6	410	26.4	23.3-29.5	492	34.5	31.2-37.8	202	16.9	14.2-19.6	258	17.1	14.7-19.5
Some Post-H.S.	1282	202,818	91	6.8	05.0-08.6	392	29.7	26.4-33.0	434	31.5	28.2-34.8	193	17.2	14.3-20.1	172	14.8	11.9-17.7
College Graduate	1763	177,049	158	8.5	06.9-10.1	617	35.6	32.7-38.5	584	33.6	30.7-36.5	240	13.1	11.1-15.1	164	9.2	07.4-11.0
Less than \$15,000	399	54,382	32	6.9	02.6-11.2	100	23.8	18.1-29.5	112	26.0	19.5-32.5	77	21.6	14.9-28.3	78	21.8	16.1-27.5
\$15,000- 24,999	693	91,996	53	9.1	06.0-12.2	202	29.0	24.3-33.7	240	33.5	28.8-38.2	67	11.5	08.4-14.6	131	16.9	13.6-20.2
\$25,000- 34,999	464	60,439	28	6.6	03.5-09.7	141	31.7	25.6-37.8	166	33.0	27.5-38.5	57	13.1	08.8-17.4	72	15.6	11.1-20.1
\$35,000- 49,999	661	90,144	38	4.3	02.5-06.1	222	30.5	25.8-35.2	213	31.4	26.7-36.1	97	17.6	13.1-22.1	91	16.3	11.6-21.0
\$50,000- 74,999	666	92,042	46	6.1	03.9-08.3	213	28.5	24.2-32.8	219	33.4	28.5-38.3	119	19.7	15.6-23.8	69	12.3	08.8-15.8
\$75,000+	1301	195,628	106	7.7	05.9-09.5	443	33.3	30.0-36.6	432	33.4	30.1-36.7	183	13.8	11.4-16.2	137	11.8	09.3-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1954	325,131	113	5.4	04.2-06.6	540	26.9	24.4-29.4	694	35.0	32.1-37.9	286	16.2	13.8-18.6	321	16.5	14.1-18.9
White/Non-Hisp	1444	216,905	75	4.5	03.3-05.7	412	28.1	25.2-31.0	523	36.2	32.9-39.5	219	17.2	14.5-19.9	215	14.0	11.6-16.4
Black or Afr. Am./Non-Hisp	269	61,587	21	6.3	03.2-09.4	52	16.6	11.3-21.9	92	38.5	30.9-46.1	50	19.3	12.6-26.0	54	19.3	13.0-25.6
Oth. Race/Non-Hisp.	92	16,799	6	8.0	00.7-15.3	29	37.8	21.9-53.7	30	22.6	12.0-33.2	4	2.2	00.0-04.9	23	29.4	12.2-46.6
Hispanic	88	21,734	8	9.8	02.9-16.7	30	38.9	26.9-50.9	26	22.5	13.5-31.5	3	3.0	00.0-06.5	21	25.8	15.6-36.0
18-24	126	42,479	6	2.9	00.4-05.4	24	15.9	09.2-22.6	46	35.7	25.5-45.9	17	15.5	07.7-23.3	33	30.0	19.2-40.8
25-34	197	56,209	12	4.8	01.9-07.7	54	30.2	22.4-38.0	66	33.4	25.2-41.6	34	18.6	11.3-25.9	31	13.0	07.9-18.1
35-44	241	50,615	15	7.1	03.4-10.8	64	26.9	20.2-33.6	79	33.8	26.7-40.9	40	16.2	10.7-21.7	43	16.0	10.9-21.1
45-54	350	59,365	26	6.6	03.7-09.5	88	25.2	19.5-30.9	127	39.4	32.7-46.1	63	17.6	12.7-22.5	46	11.3	07.8-14.8
55-64	403	55,046	17	4.2	02.0-06.4	124	30.4	24.5-36.3	142	33.6	27.9-39.3	58	16.3	11.4-21.2	62	15.6	11.1-20.1
65+	624	60,078	35	5.7	03.2-08.2	182	30.1	25.6-34.6	229	34.3	29.8-38.8	72	12.9	09.4-16.4	106	17.0	13.3-20.7
Less Than H.S.	159	44,380	12	7.4	02.9-11.9	46	31.5	22.1-40.9	46	21.3	13.9-28.7	20	16.0	07.8-24.2	35	23.8	15.0-32.6
H.S. or G.E.D.	602	107,584	31	4.5	02.7-06.3	135	21.2	17.3-25.1	222	38.7	33.6-43.8	85	17.1	12.8-21.4	129	18.5	15.0-22.0
Some Post-H.S.	453	89,094	23	4.4	02.2-06.6	126	27.9	22.6-33.2	165	35.8	30.1-41.5	72	16.5	12.2-20.8	67	15.5	10.6-20.4
College Graduate	732	82,935	46	6.2	04.0-08.4	229	30.5	26.4-34.6	260	37.2	32.7-41.7	109	15.0	11.9-18.1	88	11.0	08.3-13.7
Less than \$15,000	119	21,219	7	4.3	00.6-08.0	29	25.7	15.3-36.1	33	22.7	12.1-33.3	26	27.3	13.8-40.8	24	20.0	10.8-29.2
\$15,000- 24,999	247	40,778	14	7.2	03.1-11.3	65	29.5	21.3-37.7	88	33.4	26.1-40.7	22	10.8	05.5-16.1	58	19.0	13.3-24.7
\$25,000- 34,999	176	28,944	15	7.1	02.8-11.4	40	29.8	20.2-39.4	69	35.1	26.1-44.1	21	12.5	05.6-19.4	31	15.5	08.6-22.4
\$35,000- 49,999	289	46,262	11	2.7	00.7-04.7	85	27.2	20.5-33.9	100	33.4	26.3-40.5	42	16.7	10.4-23.0	51	20.1	12.3-27.9
\$50,000- 74,999	284	46,639	15	4.6	01.9-07.3	76	25.0	18.7-31.3	110	39.4	31.6-47.2	47	17.9	12.0-23.8	36	13.0	07.9-18.1
\$75,000+	610	101,750	37	5.2	03.2-07.2	177	26.8	22.5-31.1	218	39.4	34.3-44.5	96	15.2	11.9-18.5	82	13.4	10.1-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2933	355,150	253	8.6	07.0-10.2	1000	33.6	31.2-36.0	933	29.5	27.3-31.7	396	14.9	12.9-16.9	351	13.4	11.6-15.2
White/Non-Hisp	2179	240,709	169	7.2	05.6-08.8	767	35.7	33.0-38.4	730	30.6	28.1-33.1	279	14.4	12.2-16.6	234	12.1	10.1-14.1
Black or Afr. Am./Non-Hisp	440	67,751	45	11.0	07.1-14.9	118	25.0	19.9-30.1	128	29.6	23.9-35.3	83	18.2	13.7-22.7	66	16.1	11.2-21.0
Oth. Race/Non-Hisp.	105	13,363	16	11.8	05.1-18.5	37	32.9	20.4-45.4	24	22.6	12.0-33.2	12	16.7	03.4-30.0	16	16.1	06.3-25.9
Hispanic	136	27,658	12	11.6	02.6-20.6	56	37.0	26.8-47.2	29	23.5	13.9-33.1	11	11.7	04.1-19.3	28	16.1	09.4-22.8
18-24	130	41,235	9	7.0	00.9-13.1	41	33.5	23.9-43.1	30	20.5	12.7-28.3	18	16.3	08.1-24.5	32	22.8	14.2-31.4
25-34	266	56,121	21	9.0	04.9-13.1	93	35.5	27.9-43.1	66	25.6	18.9-32.3	41	15.3	09.8-20.8	45	14.7	09.8-19.6
35-44	334	53,690	32	12.0	06.9-17.1	120	30.2	24.5-35.9	98	31.5	25.2-37.8	49	14.2	09.7-18.7	35	12.1	07.6-16.6
45-54	500	64,269	42	8.4	05.3-11.5	168	33.9	28.8-39.0	153	28.0	23.3-32.7	78	17.1	13.0-21.2	59	12.7	09.0-16.4
55-64	641	60,048	60	8.8	06.3-11.3	201	30.8	26.3-35.3	214	32.9	28.0-37.8	90	15.7	11.8-19.6	76	11.8	08.7-14.9
65+	1029	76,708	86	6.6	04.8-08.4	370	37.3	33.6-41.0	358	34.3	30.8-37.8	116	12.1	09.6-14.6	99	9.7	07.3-12.1
Less Than H.S.	216	44,208	13	10.3	03.6-17.0	69	30.1	22.1-38.1	67	29.8	21.2-38.4	27	11.2	06.5-15.9	40	18.5	11.8-25.2
H.S. or G.E.D.	850	102,829	59	5.9	03.7-08.1	275	31.8	27.3-36.3	270	30.1	26.0-34.2	117	16.7	13.0-20.4	129	15.5	12.4-18.6
Some Post-H.S.	829	113,724	68	8.8	06.1-11.5	266	31.2	27.1-35.3	269	28.1	24.4-31.8	121	17.7	14.0-21.4	105	14.3	10.8-17.8
College Graduate	1031	94,114	112	10.4	07.9-12.9	388	40.1	36.2-44.0	324	30.4	26.9-33.9	131	11.5	09.0-14.0	76	7.5	05.5-09.5
Less than \$15,000	280	33,164	25	8.5	02.0-15.0	71	22.6	16.1-29.1	79	28.0	19.8-36.2	51	18.0	11.7-24.3	54	22.9	15.6-30.2
\$15,000- 24,999	446	51,218	39	10.6	06.3-14.9	137	28.6	23.1-34.1	152	33.6	27.5-39.7	45	12.1	08.2-16.0	73	15.1	11.0-19.2
\$25,000- 34,999	288	31,495	13	6.2	01.7-10.7	101	33.5	26.1-40.9	97	31.0	24.3-37.7	36	13.6	08.3-18.9	41	15.8	10.1-21.5
\$35,000- 49,999	372	43,883	27	6.0	02.9-09.1	137	33.9	27.6-40.2	113	29.3	23.4-35.2	55	18.6	11.9-25.3	40	12.2	07.5-16.9
\$50,000- 74,999	382	45,403	31	7.6	04.1-11.1	137	32.1	26.2-38.0	109	27.2	21.5-32.9	72	21.4	15.7-27.1	33	11.6	06.5-16.7
\$75,000+	691	93,878	69	10.5	07.4-13.6	266	40.3	35.4-45.2	214	26.8	22.7-30.9	87	12.3	09.2-15.4	55	10.0	06.5-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4850	676,091	1693	32.8	31.0-34.6	1295	27.5	25.7-29.3	1293	26.2	24.4-28.0	472	10.8	09.6-12.0	97	2.8	02.0-03.6
Male	1940	323,830	590	28.9	26.4-31.4	508	25.3	22.8-27.8	591	30.2	27.5-32.9	205	12.2	10.2-14.2	46	3.4	02.0-04.8
Female	2910	352,261	1103	36.3	33.9-38.7	787	29.4	27.0-31.8	702	22.6	20.6-24.6	267	9.5	08.1-10.9	51	2.2	01.4-03.0
White/Non-Hisp	3599	455,459	1359	36.4	34.2-38.6	900	25.5	23.5-27.5	966	25.8	23.8-27.8	324	10.3	08.9-11.7	50	2.0	01.2-02.8
Black or Afr. Am./Non-Hisp	698	127,374	158	22.3	18.2-26.4	214	28.8	24.3-33.3	194	28.7	24.2-33.2	99	14.4	11.1-17.7	33	5.8	03.1-08.5
Oth. Race/Non-Hisp.	196	30,112	66	34.0	24.4-43.6	65	28.4	19.8-37.0	47	31.2	19.0-43.4	15	5.9	02.4-09.4	3	0.5	00.0-01.3
MultiRacial/Non-Hisp.	63	4,855	21	35.4	20.3-50.5	18	25.4	13.2-37.6	10	17.4	06.8-28.0	13	19.8	08.6-31.0	1	2.0	00.0-05.9
Hispanic	224	49,431	58	26.5	19.4-33.6	84	41.4	33.4-49.4	60	22.9	16.6-29.2	14	6.0	02.5-09.5	8	3.3	00.8-05.8
18-24	255	84,305	73	29.0	22.3-35.7	73	31.5	24.2-38.8	64	23.0	16.5-29.5	31	10.8	06.5-15.1	14	5.7	02.6-08.8
25-34	459	110,762	150	31.4	26.1-36.7	144	31.3	26.0-36.6	103	22.3	17.6-27.0	52	11.7	07.8-15.6	10	3.3	00.2-06.4
35-44	571	103,952	199	35.5	30.8-40.2	151	24.7	20.6-28.8	141	26.6	22.1-31.1	65	10.9	08.0-13.8	15	2.3	00.9-03.7
45-54	843	122,300	282	32.9	29.0-36.8	222	24.7	21.2-28.2	228	27.6	23.7-31.5	92	12.2	09.5-14.9	19	2.6	01.2-04.0
55-64	1035	114,303	363	32.1	28.6-35.6	262	25.9	22.6-29.2	285	28.3	24.6-32.0	111	12.4	09.5-15.3	14	1.3	00.5-02.1
65+	1641	136,145	603	34.2	31.5-36.9	436	28.0	25.1-30.9	460	28.0	25.3-30.7	118	7.6	05.8-09.4	24	2.3	01.1-03.5
Less Than H.S.	367	87,304	101	27.4	21.5-33.3	131	36.2	29.7-42.7	81	20.6	14.9-26.3	32	8.3	05.0-11.6	22	7.5	03.2-11.8
H.S. or G.E.D.	1437	208,459	455	29.3	26.2-32.4	395	27.0	23.7-30.3	416	28.9	25.8-32.0	140	11.8	09.4-14.2	31	3.1	01.7-04.5
Some Post-H.S.	1274	202,510	439	34.2	30.7-37.7	304	23.4	20.3-26.5	354	27.1	23.8-30.4	150	13.0	10.5-15.5	27	2.2	01.2-03.2
College Graduate	1758	176,432	691	37.8	34.9-40.7	460	28.0	25.3-30.7	440	25.0	22.5-27.5	150	8.4	06.6-10.2	17	0.8	00.4-01.2
Less than \$15,000	397	54,345	122	27.1	20.8-33.4	112	29.5	22.8-36.2	92	18.0	13.3-22.7	54	16.5	11.0-22.0	17	9.0	02.9-15.1
\$15,000- 24,999	680	90,781	195	25.4	21.3-29.5	203	31.4	26.7-36.1	205	30.4	25.5-35.3	54	9.4	06.5-12.3	23	3.4	01.6-05.2
\$25,000- 34,999	460	59,833	134	25.5	20.4-30.6	135	33.4	27.3-39.5	142	28.9	23.4-34.4	39	9.7	05.8-13.6	10	2.5	00.5-04.5
\$35,000- 49,999	657	89,843	214	29.4	24.7-34.1	186	25.7	21.4-30.0	175	29.9	24.6-35.2	70	12.3	08.6-16.0	12	2.8	00.8-04.8
\$50,000- 74,999	662	91,747	243	38.3	33.2-43.4	152	21.7	17.6-25.8	180	25.8	21.5-30.1	83	13.7	10.2-17.2	4	0.5	00.0-01.1
\$75,000+	1299	195,357	514	36.7	33.4-40.0	337	27.4	24.3-30.5	316	25.4	22.3-28.5	119	9.1	07.1-11.1	13	1.5	00.5-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1940	323,830	590	28.9	26.4-31.4	508	25.3	22.8-27.8	591	30.2	27.5-32.9	205	12.2	10.0-14.4	46	3.4	02.0-04.8
White/Non-Hisp	1435	216,765	465	32.0	28.9-35.1	367	24.5	21.8-27.2	431	28.6	25.5-31.7	148	12.3	09.8-14.8	24	2.5	01.1-03.9
Black or Afr. Am./Non-Hisp	263	60,215	56	22.0	15.7-28.3	65	22.2	15.7-28.7	87	33.3	25.7-40.9	39	15.2	09.7-20.7	16	7.4	02.1-12.7
Oth. Race/Non-Hisp.	92	16,810	28	25.1	13.9-36.3	27	25.2	13.6-36.8	31	46.6	29.7-63.5	4	2.2	00.0-04.9	2	0.8	00.0-02.0
Hispanic	89	21,896	22	24.0	14.0-34.0	30	39.0	27.2-50.8	30	29.1	18.9-39.3	5	5.2	00.3-10.1	2	2.8	00.0-06.7
18-24	126	43,172	33	27.4	18.2-36.6	28	20.5	11.9-29.1	41	32.8	22.2-43.4	16	12.6	05.7-19.5	8	6.7	01.6-11.8
25-34	197	55,632	61	29.8	22.0-37.6	56	26.9	19.6-34.2	47	22.9	15.8-30.0	29	16.3	09.4-23.2	4	4.2	00.0-09.7
35-44	241	50,602	77	33.0	25.9-40.1	65	24.1	18.0-30.2	62	28.2	21.3-35.1	29	11.4	06.9-15.9	8	3.3	00.8-05.8
45-54	345	58,671	99	26.9	21.2-32.6	83	22.9	17.6-28.2	112	34.6	27.9-41.3	43	12.9	08.4-17.4	8	2.7	00.5-04.9
55-64	400	54,853	123	28.3	23.2-33.4	106	27.0	21.7-32.3	119	30.7	24.6-36.8	44	12.2	07.9-16.5	8	1.7	00.1-03.3
65+	617	59,548	192	28.2	24.1-32.3	166	28.9	24.2-33.6	206	32.1	27.6-36.6	43	8.0	05.1-10.9	10	2.9	00.5-05.3
Less Than H.S.	157	44,362	45	28.5	19.9-37.1	51	28.8	20.0-37.6	39	23.9	14.7-33.1	12	7.9	02.8-13.0	10	10.8	03.0-18.6
H.S. or G.E.D.	593	106,586	165	26.9	22.4-31.4	148	23.7	19.4-28.0	198	32.4	27.5-37.3	64	13.3	09.4-17.2	18	3.6	01.6-05.6
Some Post-H.S.	453	89,273	137	29.5	24.0-35.0	100	21.2	16.7-25.7	141	31.2	25.5-36.9	64	15.8	11.3-20.3	11	2.2	00.6-03.8
College Graduate	729	82,471	240	31.1	27.0-35.2	204	29.1	25.0-33.2	213	30.0	25.7-34.3	65	9.3	06.8-11.8	7	0.5	00.1-00.9
Less than \$15,000	118	21,135	31	25.5	14.7-36.3	31	21.1	12.3-29.9	27	16.1	08.7-23.5	22	22.9	12.1-33.7	7	14.5	00.8-28.2
\$15,000- 24,999	242	40,610	66	24.5	18.0-31.0	68	30.7	23.3-38.1	78	30.3	22.5-38.1	18	9.5	04.4-14.6	12	4.9	01.8-08.0
\$25,000- 34,999	175	28,597	47	24.6	16.4-32.8	49	31.5	22.3-40.7	59	31.4	22.4-40.4	16	9.5	03.0-16.0	4	3.0	00.0-06.5
\$35,000- 49,999	285	45,920	84	26.7	20.2-33.2	74	22.6	16.5-28.7	87	32.4	24.2-40.6	33	14.7	08.4-21.0	7	3.6	00.3-06.9
\$50,000- 74,999	282	46,453	98	35.8	28.2-43.4	61	20.4	14.3-26.5	89	30.2	23.3-37.1	32	12.9	07.6-18.2	2	0.6	00.0-01.8
\$75,000+	613	102,015	194	29.7	25.2-34.2	163	25.6	21.3-29.9	185	32.9	27.8-38.0	66	10.7	07.8-13.6	5	1.3	00.0-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2910	352,261	1103	36.3	33.9-38.7	787	29.4	27.0-31.8	702	22.6	20.6-24.6	267	9.5	08.1-10.9	51	2.2	01.4-03.0
White/Non-Hisp	2164	238,693	894	40.3	37.6-43.0	533	26.5	23.8-29.2	535	23.2	20.8-25.6	176	8.5	06.9-10.1	26	1.5	00.7-02.3
Black or Afr. Am./Non-Hisp	435	67,159	102	22.7	17.6-27.8	149	34.7	28.6-40.8	107	24.6	19.3-29.9	60	13.8	09.7-17.9	17	4.3	01.9-06.7
Oth. Race/Non-Hisp.	104	13,302	38	45.3	31.4-59.2	38	32.4	20.1-44.7	16	11.8	03.8-19.8	11	10.5	03.2-17.8	1	0.1	00.0-00.3
Hispanic	135	27,535	36	28.4	18.4-38.4	54	43.3	32.3-54.3	30	18.0	10.4-25.6	9	6.7	01.8-11.6	6	3.6	00.5-06.7
18-24	129	41,134	40	30.7	21.1-40.3	45	43.0	32.4-53.6	23	12.8	07.1-18.5	15	8.8	03.7-13.9	6	4.7	00.8-08.6
25-34	262	55,129	89	33.0	25.9-40.1	88	35.8	28.0-43.6	56	21.8	15.5-28.1	23	7.1	03.6-10.6	6	2.3	00.0-04.7
35-44	330	53,350	122	37.8	31.1-44.5	86	25.3	19.4-31.2	79	25.1	19.4-30.8	36	10.3	06.4-14.2	7	1.4	00.2-02.6
45-54	498	63,629	183	38.4	33.1-43.7	139	26.3	21.6-31.0	116	21.3	17.2-25.4	49	11.5	08.0-15.0	11	2.6	00.8-04.4
55-64	635	59,450	240	35.6	30.9-40.3	156	24.9	20.6-29.2	166	26.1	21.4-30.8	67	12.6	08.9-16.3	6	0.9	00.1-01.7
65+	1024	76,597	411	38.9	35.2-42.6	270	27.3	23.8-30.8	254	24.8	21.7-27.9	75	7.2	05.2-09.2	14	1.8	00.6-03.0
Less Than H.S.	210	42,942	56	26.3	18.3-34.3	80	43.7	34.5-52.9	42	17.2	10.5-23.9	20	8.7	04.4-13.0	12	4.1	01.4-06.8
H.S. or G.E.D.	844	101,873	290	31.7	27.4-36.0	247	30.5	25.8-35.2	218	25.2	21.5-28.9	76	10.1	07.4-12.8	13	2.5	00.9-04.1
Some Post-H.S.	821	113,237	302	37.9	33.6-42.2	204	25.2	21.1-29.3	213	23.8	20.1-27.5	86	10.9	08.4-13.4	16	2.2	00.8-03.6
College Graduate	1029	93,961	451	43.7	39.8-47.6	256	27.0	23.5-30.5	227	20.7	17.6-23.8	85	7.6	05.4-09.8	10	1.0	00.2-01.8
Less than \$15,000	279	33,210	91	28.1	20.5-35.7	81	34.8	25.8-43.8	65	19.2	13.3-25.1	32	12.4	06.9-17.9	10	5.5	01.8-09.2
\$15,000- 24,999	438	50,170	129	26.2	21.1-31.3	135	31.9	25.8-38.0	127	30.4	24.5-36.3	36	9.3	05.8-12.8	11	2.2	00.6-03.8
\$25,000- 34,999	285	31,236	87	26.4	19.9-32.9	86	35.0	27.2-42.8	83	26.6	20.1-33.1	23	9.9	05.0-14.8	6	2.1	00.0-04.3
\$35,000- 49,999	372	43,922	130	32.1	25.6-38.6	112	29.0	22.9-35.1	88	27.2	20.7-33.7	37	9.8	05.9-13.7	5	1.9	00.0-04.1
\$50,000- 74,999	380	45,294	145	40.8	34.1-47.5	91	23.0	17.5-28.5	91	21.4	16.5-26.3	51	14.5	09.8-19.2	2	0.3	00.0-00.9
\$75,000+	686	93,342	320	44.5	39.6-49.4	174	29.3	24.6-34.0	131	17.2	13.7-20.7	53	7.3	04.9-09.7	8	1.7	00.1-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 12: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	221
2	MALES ONLY	222
3	FEMALES ONLY	223
	WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)	
4	MALES AND FEMALES	224
5	MALES ONLY	225
6	FEMALES ONLY	226
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7	MALES AND FEMALES	227
8	MALES ONLY	228
9	FEMALES ONLY	229
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10	MALES AND FEMALES	230
11	MALES ONLY	231
12	FEMALES ONLY	232
	WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)	
13	MALES AND FEMALES	233
14	MALES ONLY	234
15	FEMALES ONLY	235
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16	MALES AND FEMALES	236
17	MALES ONLY	237
18	FEMALES ONLY	238

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 12: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19	MALES AND FEMALES	239
20	MALES ONLY	240
21	FEMALES ONLY	241
	DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22	MALES AND FEMALES	242
23	MALES ONLY	243
24	FEMALES ONLY	244

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
 GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4926	681,884	3479	72.2	70.4-74.0	1447	27.8	26.0-29.6
Male	1967	325,737	1438	75.0	72.5-77.5	529	25.0	22.5-27.5
Female	2959	356,147	2041	69.7	67.5-71.9	918	30.3	28.1-32.5
White/Non-Hisp	3654	460,312	2622	73.6	71.6-75.6	1032	26.4	24.4-28.4
Black or Afr. Am./Non-Hisp	716	128,986	467	69.2	64.9-73.5	249	30.8	26.5-35.1
Oth. Race/Non-Hisp.	198	30,072	141	72.3	62.5-82.1	57	27.7	17.9-37.5
MultiRacial/Non-Hisp.	64	4,867	45	73.9	61.7-86.1	19	26.1	13.9-38.3
Hispanic	225	49,554	149	67.2	59.9-74.5	76	32.8	25.5-40.1
18-24	256	83,917	211	84.6	79.5-89.7	45	15.4	10.3-20.5
25-34	463	111,148	341	75.6	70.9-80.3	122	24.4	19.7-29.1
35-44	572	103,426	420	72.7	68.2-77.2	152	27.3	22.8-31.8
45-54	850	124,445	597	69.8	65.9-73.7	253	30.2	26.3-34.1
55-64	1051	115,499	778	71.9	68.2-75.6	273	28.1	24.4-31.8
65+	1685	138,932	1091	63.8	60.9-66.7	594	36.2	33.3-39.1
Less Than H.S.	381	88,803	205	60.7	54.2-67.2	176	39.3	32.8-45.8
H.S. or G.E.D.	1467	211,145	914	66.3	63.2-69.4	553	33.7	30.6-36.8
Some Post-H.S.	1292	202,988	902	74.6	71.7-77.5	390	25.4	22.5-28.3
College Graduate	1772	177,549	1445	82.1	79.7-84.5	327	17.9	15.5-20.3
Less than \$15,000	407	55,727	230	62.1	55.4-68.8	177	37.9	31.2-44.6
\$15,000- 24,999	694	91,399	405	59.3	54.4-64.2	289	40.7	35.8-45.6
\$25,000- 34,999	463	59,698	290	63.5	57.8-69.2	173	36.5	30.8-42.2
\$35,000- 49,999	663	89,993	468	74.3	70.2-78.4	195	25.7	21.6-29.8
\$50,000- 74,999	668	92,309	506	76.8	72.7-80.9	162	23.2	19.1-27.3
\$75,000+	1307	195,760	1071	81.0	78.1-83.9	236	19.0	16.1-21.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
 GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1967	325,737	1438	75.0	72.5-77.5	529	25.0	22.5-27.5
White/Non-Hisp	1456	219,006	1071	75.7	73.0-78.4	385	24.3	21.6-27.0
Black or Afr. Am./Non-Hisp	268	60,601	192	73.9	67.0-80.8	76	26.1	19.2-33.0
Oth. Race/Non-Hisp.	93	16,833	65	70.5	55.4-85.6	28	29.5	14.4-44.6
Hispanic	89	21,896	64	73.5	63.3-83.7	25	26.5	16.3-36.7
18-24	127	42,782	108	85.9	78.1-93.7	19	14.1	06.3-21.9
25-34	200	55,610	152	78.7	72.2-85.2	48	21.3	14.8-27.8
35-44	239	49,882	179	72.6	65.7-79.5	60	27.4	20.5-34.3
45-54	350	60,131	254	74.4	68.9-79.9	96	25.6	20.1-31.1
55-64	405	55,202	301	71.6	65.5-77.7	104	28.4	22.3-34.5
65+	632	60,778	431	68.9	64.4-73.4	201	31.1	26.6-35.6
Less Than H.S.	161	44,330	90	64.0	54.4-73.6	71	36.0	26.4-45.6
H.S. or G.E.D.	605	108,123	398	69.0	64.3-73.7	207	31.0	26.3-35.7
Some Post-H.S.	456	89,102	340	81.1	77.0-85.2	116	18.9	14.8-23.0
College Graduate	737	83,044	602	81.7	78.2-85.2	135	18.3	14.8-21.8
Less than \$15,000	123	22,182	75	71.5	61.5-81.5	48	28.5	18.5-38.5
\$15,000- 24,999	247	40,732	147	60.6	52.6-68.6	100	39.4	31.4-47.4
\$25,000- 34,999	176	28,330	118	70.1	61.5-78.7	58	29.9	21.3-38.5
\$35,000- 49,999	287	45,654	203	76.6	70.9-82.3	84	23.4	17.7-29.1
\$50,000- 74,999	286	46,931	220	79.2	73.3-85.1	66	20.8	14.9-26.7
\$75,000+	616	101,687	499	79.9	75.6-84.2	117	20.1	15.8-24.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
 GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2959	356,147	2041	69.7	67.5-71.9	918	30.3	28.1-32.5
White/Non-Hisp	2198	241,306	1551	71.7	69.2-74.2	647	28.3	25.8-30.8
Black or Afr. Am./Non-Hisp	448	68,385	275	65.0	59.5-70.5	173	35.0	29.5-40.5
Oth. Race/Non-Hisp.	105	13,239	76	74.7	63.5-85.9	29	25.3	14.1-36.5
Hispanic	136	27,658	85	62.2	51.8-72.6	51	37.8	27.4-48.2
18-24	129	41,135	103	83.2	76.3-90.1	26	16.8	09.9-23.7
25-34	263	55,539	189	72.6	65.9-79.3	74	27.4	20.7-34.1
35-44	333	53,544	241	72.8	66.9-78.7	92	27.2	21.3-33.1
45-54	500	64,314	343	65.4	60.1-70.7	157	34.6	29.3-39.9
55-64	646	60,297	477	72.3	68.0-76.6	169	27.7	23.4-32.0
65+	1053	78,154	660	59.7	56.0-63.4	393	40.3	36.6-44.0
Less Than H.S.	220	44,474	115	57.4	48.8-66.0	105	42.6	34.0-51.2
H.S. or G.E.D.	862	103,022	516	63.5	59.2-67.8	346	36.5	32.2-40.8
Some Post-H.S.	836	113,886	562	69.4	65.5-73.3	274	30.6	26.7-34.5
College Graduate	1035	94,505	843	82.5	79.6-85.4	192	17.5	14.6-20.4
Less than \$15,000	284	33,544	155	56.0	47.6-64.4	129	44.0	35.6-52.4
\$15,000- 24,999	447	50,667	258	58.3	52.2-64.4	189	41.7	35.6-47.8
\$25,000- 34,999	287	31,368	172	57.6	50.0-65.2	115	42.4	34.8-50.0
\$35,000- 49,999	376	44,339	265	72.0	66.1-77.9	111	28.0	22.1-33.9
\$50,000- 74,999	382	45,378	286	74.3	68.4-80.2	96	25.7	19.8-31.6
\$75,000+	691	94,073	572	82.1	78.4-85.8	119	17.9	14.2-21.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and/or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3188	454,074	795	28.9	26.7-31.1	1807	52.8	50.4-55.2	145	6.1	04.7-07.5	48	1.2	00.8-01.6	3	0.1	00.0-00.3	390	10.9	09.5-12.3
Male	1331	226,833	398	31.1	27.8-34.4	636	44.8	41.3-48.3	116	10.1	07.6-12.6	26	1.6	00.8-02.4	2	0.2	00.0-00.4	153	12.2	09.8-14.6
Female	1857	227,241	397	26.7	23.8-29.6	1171	60.7	57.6-63.8	29	2.2	01.0-03.4	22	0.7	00.3-01.1	1	0.0	00.0-00.0	237	9.6	08.0-11.2
White/Non-Hisp	2401	310,055	593	28.8	26.3-31.3	1344	52.5	49.8-55.2	106	5.5	04.1-06.9	42	1.5	00.9-02.1	3	0.2	00.0-00.4	313	11.6	09.8-13.4
Black or Afr. Am./Non-Hisp	434	82,886	101	25.3	19.8-30.8	280	61.1	54.8-67.4	16	4.8	02.1-07.5	3	0.3	00.0-00.7				34	8.5	05.2-11.8
Oth. Race/Non-Hisp.	127	20,731	43	42.7	29.6-55.8	65	36.2	24.6-47.8	7	12.9	00.0-27.8	2	1.8	00.0-04.3				10	6.5	01.0-12.0
Hispanic	142	32,262	41	31.1	21.7-40.5	74	47.9	37.7-58.1	9	8.7	02.4-15.0							18	12.3	05.8-18.8
18-24	198	65,852	106	50.8	42.2-59.4	51	27.5	19.9-35.1	17	8.8	02.7-14.9	4	2.3	00.0-04.7				20	10.6	05.3-15.9
25-34	307	77,199	129	37.7	31.0-44.4	130	44.6	37.3-51.9	17	8.5	04.2-12.8	1	0.2	00.0-00.6				30	8.9	05.2-12.6
35-44	384	68,876	134	33.6	27.9-39.3	191	50.1	44.0-56.2	17	4.3	02.1-06.5	3	0.8	00.0-01.6				39	11.3	07.4-15.2
45-54	558	81,686	138	23.8	19.5-28.1	328	59.4	54.3-64.5	20	5.5	02.6-08.4	8	1.2	00.2-02.2	2	0.3	00.0-00.7	62	9.7	06.8-12.6
55-64	722	77,734	129	17.9	14.4-21.4	460	65.6	61.3-69.9	23	3.5	01.9-05.1	7	0.8	00.2-01.4				103	12.2	09.5-14.9
65+	983	79,629	154	14.5	12.0-17.0	623	64.2	60.7-67.7	48	6.3	04.3-08.3	25	1.9	00.9-02.9	1	0.2	00.0-00.6	132	12.8	10.4-15.2
Less Than H.S.	189	50,261	34	20.7	13.3-28.1	125	62.3	53.5-71.1	11	7.3	02.6-12.0	1	1.3	00.0-03.8				18	8.5	03.8-13.2
H.S. or G.E.D.	838	129,830	172	25.7	21.6-29.8	509	55.5	50.8-60.2	30	5.4	02.9-07.9	11	0.9	00.3-01.5	1	0.2	00.0-00.6	115	12.3	09.4-15.2
Some Post-H.S.	828	138,471	187	27.4	23.1-31.7	487	53.1	48.4-57.8	42	7.7	04.6-10.8	14	1.4	00.6-02.2	2	0.2	00.0-00.4	96	10.1	07.6-12.6
College Graduate	1323	134,378	399	36.5	33.2-39.8	679	46.2	42.9-49.5	62	4.9	03.5-06.3	22	1.1	00.5-01.7				161	11.4	09.2-13.6
Less than \$15,000	211	32,918	46	24.2	15.4-33.0	133	60.2	50.2-70.2	8	4.9	01.0-08.8	1	0.1	00.0-00.3				23	10.5	04.6-16.4
\$15,000- 24,999	360	49,797	60	21.1	15.4-26.8	232	62.0	55.3-68.7	10	4.2	00.9-07.5	9	1.7	00.3-03.1				49	11.0	07.1-14.9
\$25,000- 34,999	268	35,378	54	27.0	19.2-34.8	168	54.2	45.8-62.6	14	7.9	03.0-12.8	4	0.9	00.0-01.9				28	10.0	04.7-15.3
\$35,000- 49,999	438	63,276	102	26.2	20.3-32.1	243	49.4	42.7-56.1	25	11.0	04.7-17.3	7	1.3	00.1-02.5	2	0.5	00.0-01.3	59	11.5	07.6-15.4
\$50,000- 74,999	464	63,543	138	33.5	27.6-39.4	249	50.8	44.5-57.1	14	4.4	01.7-07.1	5	0.6	00.0-01.2				58	10.8	07.5-14.1
\$75,000+	994	147,314	281	30.5	26.8-34.2	513	48.9	45.0-52.8	57	5.9	03.9-07.9	17	1.7	00.5-02.9	1	0.1	00.0-00.3	125	13.0	10.3-15.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1331	226,833	398	31.1	27.8-34.4	636	44.8	41.3-48.3	116	10.1	07.6-12.6	26	1.6	00.8-02.4	2	0.2	00.0-00.4	153	12.2	09.8-14.6
White/Non-Hisp	985	152,139	292	31.1	27.4-34.8	476	46.1	42.0-50.2	80	8.4	06.0-10.8	22	2.1	00.9-03.3	2	0.2	00.0-00.6	113	12.1	09.4-14.8
Black or Afr. Am./Non-Hisp	180	42,156	52	29.3	20.9-37.7	96	50.7	41.1-60.3	13	7.6	02.5-12.7	2	0.5	00.0-01.3				17	11.9	05.8-18.0
Oth. Race/Non-Hisp.	62	11,632	25	43.4	24.6-62.2	23	27.1	12.6-41.6	7	22.9	00.0-46.6	2	3.1	00.0-07.6				5	3.4	00.1-06.7
Hispanic	62	15,720	19	29.5	17.3-41.7	23	33.1	20.2-46.0	9	17.8	05.6-30.0							11	19.6	07.8-31.4
18-24	103	34,914	50	44.2	32.6-55.8	19	22.6	12.4-32.8	13	11.4	01.8-21.0	4	4.3	00.0-08.8				17	17.5	08.5-26.5
25-34	137	39,883	70	42.5	32.5-52.5	33	29.9	19.1-40.7	14	15.5	07.5-23.5	1	0.3	00.0-00.9				19	11.8	05.7-17.9
35-44	166	33,640	59	32.5	24.7-40.3	68	42.3	33.7-50.9	15	7.6	03.5-11.7	3	1.5	00.0-03.3				21	16.0	09.1-22.9
45-54	237	41,887	72	28.5	21.4-35.6	119	51.3	43.3-59.3	17	9.5	04.0-15.0	3	1.3	00.0-02.9	1	0.4	00.0-01.2	25	9.0	04.9-13.1
55-64	282	37,128	71	22.4	16.7-28.1	160	61.2	54.5-67.9	21	6.4	03.5-09.3	4	1.1	00.0-02.3				26	9.0	05.1-12.9
65+	393	38,056	72	17.4	13.1-21.7	231	59.9	54.0-65.8	34	9.5	06.0-13.0	11	1.6	00.4-02.8	1	0.5	00.0-01.5	44	11.1	07.6-14.6
Less Than H.S.	84	26,831	16	18.8	09.2-28.4	49	53.4	40.3-66.5	10	13.1	04.7-21.5	1	2.4	00.0-07.1				8	12.3	03.9-20.7
H.S. or G.E.D.	369	69,035	99	29.5	23.6-35.4	189	46.6	40.1-53.1	24	9.0	04.5-13.5	4	0.9	00.0-01.9	1	0.3	00.0-00.9	52	13.7	09.0-18.4
Some Post-H.S.	316	66,965	89	31.1	24.4-37.8	147	42.7	35.6-49.8	30	11.3	05.6-17.0	8	2.3	00.5-04.1	1	0.3	00.0-00.9	41	12.4	08.1-16.7
College Graduate	556	63,078	191	37.7	32.6-42.8	248	41.4	36.5-46.3	52	9.0	06.3-11.7	13	1.4	00.4-02.4				52	10.5	07.2-13.8
Less than \$15,000	72	15,439	21	35.1	19.4-50.8	34	40.3	23.6-57.0	7	9.6	01.6-17.6	1	0.3	00.0-00.9				9	14.7	03.5-25.9
\$15,000- 24,999	131	23,164	31	26.9	17.7-36.1	70	51.8	41.2-62.4	8	7.1	00.6-13.6	3	2.1	00.0-04.5				19	12.2	05.5-18.9
\$25,000- 34,999	108	18,620	33	33.4	21.2-45.6	49	38.1	26.7-49.5	12	13.7	04.9-22.5	2	1.1	00.0-02.9				12	13.7	04.3-23.1
\$35,000- 49,999	193	33,626	55	26.4	18.4-34.4	97	42.3	32.9-51.7	19	18.1	07.3-28.9	2	0.9	00.0-02.5	1	0.6	00.0-01.8	19	11.7	05.2-18.2
\$50,000- 74,999	196	31,809	67	36.4	27.4-45.4	91	44.2	34.6-53.8	11	7.0	02.1-11.9	3	0.9	00.0-02.1				24	11.5	06.4-16.6
\$75,000+	471	76,993	144	29.8	24.7-34.9	215	44.3	38.6-50.0	44	9.3	06.0-12.6	13	2.8	00.6-05.0	1	0.2	00.0-00.6	54	13.5	09.2-17.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and/or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1857	227,241	397	26.7	23.8-29.6	1171	60.7	57.6-63.8	29	2.2	01.0-03.4	22	0.7	00.3-01.1	1	0.0	00.0-00.0	237	9.6	08.0-11.2
White/Non-Hisp	1416	157,916	301	26.6	23.3-29.9	868	58.7	55.2-62.2	26	2.7	01.1-04.3	20	1.0	00.6-01.4	1	0.1	00.0-00.3	200	11.0	09.0-13.0
Black or Afr. Am./Non-Hisp	254	40,731	49	21.2	13.8-28.6	184	72.0	64.4-79.6	3	1.8	00.0-04.0	1	0.1	00.0-00.3				17	4.9	02.2-07.6
Oth. Race/Non-Hisp.	65	9,098	18	41.7	23.5-59.9	42	47.9	30.7-65.1										5	10.4	00.0-21.8
Hispanic	80	16,541	22	32.6	18.5-46.7	51	61.9	47.6-76.2										7	5.5	01.0-10.0
18-24	95	30,938	56	58.2	46.0-70.4	32	33.0	21.4-44.6	4	5.9	00.0-12.4							3	2.8	00.0-06.3
25-34	170	37,316	59	32.7	24.1-41.3	97	60.4	51.4-69.4	3	1.0	00.0-02.2							11	5.9	01.8-10.0
35-44	218	35,236	75	34.5	26.7-42.3	123	57.5	49.3-65.7	2	1.3	00.0-03.3							18	6.7	03.0-10.4
45-54	321	39,799	66	18.9	14.0-23.8	209	67.9	61.8-74.0	3	1.3	00.0-02.9	5	1.2	00.2-02.2	1	0.3	00.0-00.9	37	10.4	06.3-14.5
55-64	440	40,606	58	13.8	09.7-17.9	300	69.7	64.4-75.0	2	0.8	00.0-02.2	3	0.5	00.0-01.1				77	15.2	11.5-18.9
65+	590	41,574	82	12.0	09.1-14.9	392	68.1	63.6-72.6	14	3.3	01.3-05.3	14	2.2	00.8-03.6				88	14.4	11.1-17.7
Less Than H.S.	105	23,430	18	22.8	11.4-34.2	76	72.6	61.0-84.2	1	0.6	00.0-01.8							10	4.0	01.1-06.9
H.S. or G.E.D.	469	60,795	73	21.4	15.5-27.3	320	65.7	59.4-72.0	6	1.2	00.0-02.4	7	0.9	00.1-01.7				63	10.8	07.5-14.1
Some Post-H.S.	512	71,506	98	23.9	18.6-29.2	340	62.9	57.0-68.8	12	4.4	01.3-07.5	6	0.6	00.0-01.2	1	0.1	00.0-00.3	55	8.0	05.3-10.7
College Graduate	767	71,300	208	35.4	30.7-40.1	431	50.4	45.7-55.1	10	1.3	00.5-02.1	9	0.8	00.2-01.4				109	12.2	09.5-14.9
Less than \$15,000	139	17,479	25	14.6	07.2-22.0	99	77.7	68.9-86.5	1	0.8	00.0-02.4							14	6.9	02.4-11.4
\$15,000- 24,999	229	26,632	29	16.0	08.9-23.1	162	70.9	62.9-78.9	2	1.7	00.0-04.2	6	1.4	00.2-02.6				30	10.0	05.5-14.5
\$25,000- 34,999	160	16,758	21	19.9	10.5-29.3	119	72.0	62.2-81.8	2	1.5	00.0-03.9	2	0.7	00.0-01.7				16	5.9	02.6-09.2
\$35,000- 49,999	245	29,649	47	26.0	17.6-34.4	146	57.5	48.9-66.1	6	3.0	00.3-05.7	5	1.8	00.0-03.6	1	0.4	00.0-01.2	40	11.3	07.2-15.4
\$50,000- 74,999	268	31,734	71	30.5	23.1-37.9	158	57.4	49.6-65.2	3	1.8	00.0-04.2	2	0.2	00.0-00.6				34	10.1	06.2-14.0
\$75,000+	523	70,322	137	31.2	25.5-36.9	298	53.9	48.2-59.6	13	2.2	00.8-03.6	4	0.4	00.0-00.8				71	12.3	08.8-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3431	486,860	1652	48.9	46.5-51.3	937	25.8	23.8-27.8	397	13.4	11.6-15.2	128	3.6	02.8-04.4	317	8.3	07.1-09.5
Male	1422	241,537	626	44.7	41.2-48.2	407	26.9	24.0-29.8	192	15.6	12.9-18.3	53	4.0	02.8-05.2	144	8.8	07.0-10.6
Female	2009	245,324	1026	53.0	49.9-56.1	530	24.8	22.1-27.5	205	11.3	09.1-13.5	75	3.2	02.2-04.2	173	7.8	06.4-09.2
White/Non-Hisp	2589	335,851	1219	47.6	45.1-50.1	714	26.1	23.7-28.5	297	13.5	11.3-15.7	105	4.0	03.0-05.0	254	8.8	07.4-10.2
Black or Afr. Am./Non-Hisp	460	87,932	231	49.5	43.4-55.6	129	26.9	21.6-32.2	58	14.1	09.0-19.2	11	3.4	01.2-05.6	31	6.2	03.7-08.7
Oth. Race/Non-Hisp.	139	21,579	75	58.8	46.5-71.1	29	18.3	08.3-28.3	13	9.4	03.1-15.7	5	2.6	00.0-05.3	17	10.9	04.2-17.6
Hispanic	147	32,723	79	53.7	43.7-63.7	39	24.5	16.3-32.7	16	12.1	06.0-18.2	3	0.8	00.0-01.8	10	8.9	02.2-15.6
18-24	207	70,311	107	52.6	44.4-60.8	51	25.0	17.9-32.1	26	13.5	07.4-19.6	5	1.6	00.2-03.0	18	7.3	03.6-11.0
25-34	339	83,775	190	52.1	45.2-59.0	73	21.4	16.1-26.7	44	17.3	11.2-23.4	10	3.7	01.3-06.1	22	5.5	02.6-08.4
35-44	414	73,433	221	52.3	46.6-58.0	99	23.8	18.9-28.7	55	14.3	10.4-18.2	8	2.1	00.5-03.7	31	7.5	04.6-10.4
45-54	594	86,538	306	49.1	44.0-54.2	145	24.8	20.3-29.3	69	13.3	09.6-17.0	26	4.6	02.6-06.6	48	8.3	05.6-11.0
55-64	768	82,403	349	44.2	39.7-48.7	214	28.4	24.1-32.7	93	12.9	10.0-15.8	29	3.8	02.2-05.4	83	10.7	08.0-13.4
65+	1069	86,747	458	43.7	40.0-47.4	344	31.2	27.7-34.7	108	9.8	07.6-12.0	47	4.9	03.3-06.5	112	10.5	08.3-12.7
Less Than H.S.	197	51,748	94	47.4	38.2-56.6	66	32.6	24.0-41.2	23	13.8	06.5-21.1	3	1.7	00.0-03.9	11	4.5	00.8-08.2
H.S. or G.E.D.	895	138,290	394	43.7	39.2-48.2	271	29.8	25.7-33.9	108	13.7	10.6-16.8	26	2.9	01.5-04.3	96	10.0	07.6-12.4
Some Post-H.S.	894	150,499	444	50.7	46.2-55.2	208	21.4	17.9-24.9	116	15.0	11.3-18.7	44	4.6	03.0-06.2	82	8.3	06.1-10.5
College Graduate	1433	144,968	713	52.3	49.0-55.6	390	24.4	21.7-27.1	149	11.4	09.2-13.6	53	3.9	02.7-05.1	128	8.1	06.3-09.9
Less than \$15,000	226	34,388	103	49.0	39.0-59.0	70	28.3	19.9-36.7	25	11.0	02.6-19.4	11	3.5	01.0-06.0	17	8.2	02.7-13.7
\$15,000- 24,999	390	52,491	170	44.7	38.0-51.4	111	28.3	22.0-34.6	58	17.1	12.0-22.2	12	3.2	00.7-05.7	39	6.7	04.3-09.1
\$25,000- 34,999	287	37,487	138	50.1	42.3-57.9	78	27.7	20.4-35.0	31	10.7	05.4-16.0	8	1.9	00.1-03.7	32	9.6	05.7-13.5
\$35,000- 49,999	466	66,480	223	48.3	41.8-54.8	132	26.0	20.5-31.5	57	15.2	10.1-20.3	16	4.1	01.7-06.5	38	6.5	04.1-08.9
\$50,000- 74,999	503	70,712	257	48.2	42.3-54.1	124	24.0	19.1-28.9	54	14.9	10.0-19.8	24	4.3	01.9-06.7	44	8.7	05.6-11.8
\$75,000+	1064	157,666	539	52.1	48.2-56.0	264	22.1	19.0-25.2	128	13.3	10.4-16.2	37	3.6	02.2-05.0	96	8.9	06.7-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1422	241,537	626	44.7	41.2-48.2	407	26.9	24.0-29.8	192	15.6	12.9-18.3	53	4.0	02.8-05.2	144	8.8	07.0-10.6
White/Non-Hisp	1062	164,739	437	40.9	37.0-44.8	315	28.7	25.0-32.4	149	16.6	13.3-19.9	43	4.5	02.9-06.1	118	9.2	07.2-11.2
Black or Afr. Am./Non-Hisp	188	43,684	95	49.2	39.8-58.6	55	26.5	18.7-34.3	20	12.9	04.9-20.9	5	3.9	00.4-07.4	13	7.5	03.0-12.0
Oth. Race/Non-Hisp.	64	11,747	38	66.7	50.2-83.2	11	10.4	01.6-19.2	7	11.3	01.3-21.3	2	2.2	00.0-05.7	6	9.5	00.0-19.1
Hispanic	64	16,104	34	53.1	39.4-66.8	14	21.3	10.5-32.1	9	13.9	04.7-23.1	1	1.0	00.0-03.0	6	10.8	01.6-20.0
18-24	107	36,593	47	48.8	37.0-60.6	28	25.6	15.8-35.4	18	14.2	06.8-21.6	4	2.6	00.1-05.1	10	8.8	03.1-14.5
25-34	151	43,648	75	44.5	34.9-54.1	38	24.6	16.2-33.0	22	21.4	11.4-31.4	7	5.6	01.3-09.9	9	3.9	01.0-06.8
35-44	176	35,071	88	49.3	40.9-57.7	43	23.5	16.4-30.6	27	17.1	10.6-23.6	3	1.5	00.0-03.5	15	8.5	03.6-13.4
45-54	252	44,567	127	47.0	39.2-54.8	57	23.3	16.4-30.2	31	13.7	07.6-19.8	15	6.6	02.9-10.3	22	9.4	04.9-13.9
55-64	299	39,296	124	38.2	31.7-44.7	85	28.7	22.4-35.0	48	17.5	12.0-23.0	7	2.5	00.3-04.7	35	13.1	08.4-17.8
65+	424	41,035	158	40.2	34.3-46.1	153	35.8	30.1-41.5	45	9.9	06.6-13.2	16	4.3	02.1-06.5	52	9.8	06.7-12.9
Less Than H.S.	85	26,801	36	42.6	29.9-55.3	34	36.6	24.1-49.1	9	14.8	03.2-26.4	2	2.8	00.0-06.7	4	3.2	00.0-07.1
H.S. or G.E.D.	395	74,230	154	40.3	34.0-46.6	119	28.3	22.8-33.8	65	18.1	12.8-23.4	12	3.1	01.1-05.1	45	10.3	06.8-13.8
Some Post-H.S.	337	71,981	161	48.9	41.8-56.0	81	22.1	16.6-27.6	46	15.3	09.8-20.8	19	5.5	02.8-08.2	30	8.3	05.0-11.6
College Graduate	597	67,386	269	45.3	40.4-50.2	172	26.9	22.6-31.2	72	13.7	10.2-17.2	19	3.9	01.9-05.9	65	10.1	07.0-13.2
Less than \$15,000	74	15,825	32	46.7	30.6-62.8	21	26.1	13.2-39.0	10	16.8	00.1-33.5	5	4.4	00.0-09.1	6	5.9	00.8-11.0
\$15,000- 24,999	142	24,114	55	38.5	28.5-48.5	45	33.5	23.7-43.3	29	20.1	11.9-28.3	3	3.7	00.0-08.2	10	4.2	01.1-07.3
\$25,000- 34,999	117	19,559	55	50.0	38.0-62.0	35	28.0	17.6-38.4	10	10.4	01.8-19.0				17	11.6	05.1-18.1
\$35,000- 49,999	202	34,758	89	48.2	38.2-58.2	63	25.9	18.5-33.3	23	14.1	06.8-21.4	10	6.2	02.1-10.3	17	5.6	02.7-08.5
\$50,000- 74,999	219	37,085	96	40.5	32.1-48.9	55	24.6	17.3-31.9	30	18.7	10.5-26.9	11	4.7	01.0-08.4	27	11.5	06.2-16.8
\$75,000+	496	80,957	231	47.3	41.8-52.8	121	21.2	16.9-25.5	72	16.4	11.9-20.9	20	4.4	02.2-06.6	52	10.7	07.2-14.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2009	245,324	1026	53.0	49.9-56.1	530	24.8	22.1-27.5	205	11.3	09.1-13.5	75	3.2	02.2-04.2	173	7.8	06.4-09.2
White/Non-Hisp	1527	171,112	782	53.9	50.4-57.4	399	23.5	20.6-26.4	148	10.6	08.2-13.0	62	3.5	02.5-04.5	136	8.4	06.6-10.2
Black or Afr. Am./Non-Hisp	272	44,247	136	49.7	41.9-57.5	74	27.3	20.0-34.6	38	15.3	09.2-21.4	6	2.9	00.4-05.4	18	4.8	02.3-07.3
Oth. Race/Non-Hisp.	75	9,832	37	49.5	33.0-66.0	18	27.8	10.6-45.0	6	7.3	00.0-14.7	3	3.0	00.0-07.1	11	12.5	03.7-21.3
Hispanic	83	16,619	45	54.2	39.7-68.7	25	27.7	15.5-39.9	7	10.4	02.4-18.4	2	0.7	00.0-01.7	4	7.1	00.0-16.5
18-24	100	33,718	60	56.6	44.6-68.6	23	24.5	14.1-34.9	8	12.8	03.2-22.4	1	0.6	00.0-01.8	8	5.6	01.1-10.1
25-34	188	40,127	115	60.4	51.4-69.4	35	17.9	11.2-24.6	22	12.7	06.4-19.0	3	1.7	00.0-03.7	13	7.2	02.1-12.3
35-44	238	38,362	133	55.1	47.3-62.9	56	24.0	16.9-31.1	28	11.6	07.1-16.1	5	2.6	00.1-05.1	16	6.6	03.3-09.9
45-54	342	41,971	179	51.2	44.7-57.7	88	26.4	20.5-32.3	38	12.9	08.2-17.6	11	2.4	00.8-04.0	26	7.2	04.3-10.1
55-64	469	43,107	225	49.8	43.7-55.9	129	28.1	22.0-34.2	45	8.6	05.9-11.3	22	5.0	02.5-07.5	48	8.5	05.8-11.2
65+	645	45,711	300	46.9	42.2-51.6	191	27.0	23.1-30.9	63	9.7	07.0-12.4	31	5.4	03.0-07.8	60	11.0	08.1-13.9
Less Than H.S.	112	24,948	58	52.6	39.7-65.5	32	28.4	16.8-40.0	14	12.6	04.0-21.2	1	0.5	00.0-01.5	7	5.9	00.0-12.6
H.S. or G.E.D.	500	64,060	240	47.6	41.3-53.9	152	31.5	25.4-37.6	43	8.5	05.4-11.6	14	2.7	00.9-04.5	51	9.7	06.8-12.6
Some Post-H.S.	557	78,518	283	52.4	46.7-58.1	127	20.8	16.5-25.1	70	14.8	10.1-19.5	25	3.7	01.9-05.5	52	8.2	05.5-10.9
College Graduate	836	77,582	444	58.3	54.0-62.6	218	22.2	18.9-25.5	77	9.3	06.8-11.8	34	3.8	02.2-05.4	63	6.4	04.6-08.2
Less than \$15,000	152	18,563	71	51.0	38.7-63.3	49	30.2	19.4-41.0	15	6.1	02.2-10.0	6	2.6	00.2-05.0	11	10.1	01.3-18.9
\$15,000- 24,999	248	28,377	115	49.9	41.3-58.5	66	23.9	15.9-31.9	29	14.6	08.3-20.9	9	2.8	00.4-05.2	29	8.8	05.1-12.5
\$25,000- 34,999	170	17,928	83	50.2	40.0-60.4	43	27.4	17.6-37.2	21	11.1	05.6-16.6	8	3.9	00.4-07.4	15	7.4	03.1-11.7
\$35,000- 49,999	264	31,722	134	48.3	40.1-56.5	69	26.1	18.3-33.9	34	16.4	09.1-23.7	6	1.7	00.1-03.3	21	7.5	03.6-11.4
\$50,000- 74,999	284	33,627	161	56.6	49.0-64.2	69	23.3	16.8-29.8	24	10.7	05.8-15.6	13	3.9	01.4-06.4	17	5.5	02.4-08.6
\$75,000+	568	76,709	308	57.2	51.9-62.5	143	23.1	18.6-27.6	56	10.0	06.5-13.5	17	2.7	01.1-04.3	44	6.9	04.5-09.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3449	488,931	1351	38.4	36.0-40.8	476	12.9	11.5-14.3	44	1.2	0.8-01.6	995	30.3	28.1-32.5	334	10.4	08.8-12.0	249	6.9	05.7-08.1
Male	1427	242,762	503	33.4	30.3-36.5	171	11.2	09.2-13.2	18	0.9	0.3-01.5	439	32.4	29.1-35.7	160	12.2	09.7-14.7	136	9.7	07.5-11.9
Female	2022	246,169	848	43.3	40.2-46.4	305	14.5	12.5-16.5	26	1.4	0.6-02.2	556	28.2	25.5-30.9	174	8.7	06.9-10.5	113	4.0	03.0-05.0
White/Non-Hisp	2598	336,087	1025	39.1	36.6-41.6	359	13.4	11.6-15.2	36	1.4	0.8-02.0	737	29.4	27.0-31.8	243	9.3	07.7-10.9	198	7.5	06.1-08.9
Black or Afr. Am./Non-Hisp	466	89,201	193	39.0	33.1-44.9	61	10.9	07.6-14.2	5	1.1	0.0-02.5	137	32.2	26.1-38.3	48	11.1	07.4-14.8	22	5.6	02.5-08.7
Oth. Race/Non-Hisp.	140	21,639	53	38.9	26.9-50.9	20	11.1	05.2-17.0	1	0.1	0.0-00.3	42	30.9	19.3-42.5	9	12.4	00.0-26.7	15	6.6	02.1-11.1
Hispanic	148	33,094	49	31.6	22.0-41.2	21	13.8	07.3-20.3				55	36.3	26.9-45.7	19	15.8	07.8-23.8	4	2.6	00.0-05.3
18-24	207	70,188	79	38.3	30.3-46.3	18	7.1	03.4-10.8	2	0.8	0.0-02.0	63	31.7	23.9-39.5	29	14.9	08.4-21.4	16	7.2	03.1-11.3
25-34	339	83,776	120	36.4	29.5-43.3	60	14.1	10.2-18.0	5	1.9	0.1-03.7	108	34.2	27.7-40.7	26	7.6	04.1-11.1	20	5.7	03.0-08.4
35-44	415	74,301	153	36.7	31.0-42.4	78	15.6	11.7-19.5	3	0.5	0.0-01.1	124	32.0	26.5-37.5	40	10.6	06.9-14.3	17	4.6	02.2-07.0
45-54	595	86,604	218	33.8	29.1-38.5	98	16.3	12.6-20.0	9	0.9	0.1-01.7	179	31.2	26.5-35.9	58	10.6	07.3-13.9	33	7.3	04.0-10.6
55-64	772	82,418	323	43.9	39.4-48.4	103	11.7	09.2-14.2	10	1.5	0.5-02.5	208	26.1	22.2-30.0	81	11.5	08.6-14.4	47	5.3	03.5-07.1
65+	1080	87,973	441	41.1	37.4-44.8	119	12.2	09.7-14.7	14	1.1	0.5-01.7	300	27.2	23.9-30.5	95	7.7	05.7-09.7	111	10.7	08.3-13.1
Less Than H.S.	203	53,433	87	40.4	31.4-49.4	16	8.0	03.7-12.3	1	0.5	0.0-01.5	43	23.7	15.7-31.7	25	14.2	07.9-20.5	31	13.1	07.4-18.8
H.S. or G.E.D.	903	138,440	367	38.1	33.8-42.4	94	10.6	08.1-13.1	3	0.4	0.0-01.0	248	31.1	26.8-35.4	108	11.9	09.2-14.6	83	7.9	05.5-10.3
Some Post-H.S.	896	150,589	337	36.2	31.9-40.5	118	12.6	10.1-15.1	9	0.9	0.0-01.5	281	33.7	29.4-38.0	94	10.4	07.3-13.5	57	6.3	04.3-08.3
College Graduate	1435	145,114	553	40.2	36.9-43.5	248	17.2	14.8-19.6	31	2.4	01.2-03.6	422	28.7	25.8-31.6	104	7.3	05.5-09.1	77	4.2	03.0-05.4
Less than \$15,000	229	34,606	90	38.1	28.5-47.7	27	10.0	05.1-14.9				67	29.2	19.8-38.6	25	14.5	07.1-21.9	20	8.2	02.5-13.9
\$15,000- 24,999	397	53,034	168	41.5	34.8-48.2	33	8.4	05.1-11.7	1	0.3	0.0-00.9	118	29.8	23.9-35.7	45	12.0	07.7-16.3	32	7.9	04.6-11.2
\$25,000- 34,999	286	37,458	128	36.5	29.2-43.8	30	8.1	04.6-11.6	1	0.2	0.0-00.6	78	35.5	27.5-43.5	31	11.9	06.8-17.0	18	7.8	03.3-12.3
\$35,000- 49,999	467	66,667	179	37.8	31.5-44.1	57	10.6	07.3-13.9	3	0.7	0.0-01.5	135	29.1	23.4-34.8	64	15.1	09.2-21.0	29	6.8	03.9-09.7
\$50,000- 74,999	505	70,847	212	42.9	37.0-48.8	67	11.8	08.3-15.3	7	1.6	0.0-03.2	144	30.2	24.7-35.7	46	8.3	05.4-11.2	29	5.2	03.0-07.4
\$75,000+	1064	157,553	382	36.4	32.7-40.1	200	17.9	15.2-20.6	25	2.1	0.9-03.3	322	30.3	26.6-34.0	80	7.9	05.7-10.1	55	5.4	03.4-07.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1427	242,762	503	33.4	30.3-36.5	171	11.2	09.2-13.2	18	0.9	00.3-01.5	439	32.4	29.1-35.7	160	12.2	09.7-14.7	136	9.7	07.5-11.9
White/Non-Hisp	1063	164,772	371	34.2	30.5-37.9	129	11.7	09.3-14.1	15	1.3	00.5-02.1	326	31.7	28.0-35.4	111	10.5	08.1-12.9	111	10.7	08.3-13.1
Black or Afr. Am./Non-Hisp	192	44,756	78	34.2	26.0-42.4	17	7.9	03.6-12.2	1	0.2	00.0-00.6	60	36.9	27.3-46.5	26	12.7	06.6-18.8	10	8.0	02.1-13.9
Oth. Race/Non-Hisp.	64	11,747	23	39.1	21.3-56.9	8	7.6	00.7-14.5				22	28.6	13.9-43.3	4	17.8	00.0-42.3	7	6.9	00.2-13.6
Hispanic	64	16,104	15	19.6	09.4-29.8	13	19.7	08.9-30.5				22	36.3	22.6-50.0	10	19.2	07.6-30.8	4	5.3	00.0-10.8
18-24	108	36,746	37	32.2	22.0-42.4	6	4.2	00.9-07.5	1	0.7	00.0-02.1	32	32.6	21.4-43.8	20	18.7	08.5-28.9	12	11.7	04.3-19.1
25-34	151	43,648	52	32.8	23.4-42.2	19	10.5	05.2-15.8	2	1.4	00.0-03.4	49	38.6	28.6-48.6	14	8.0	03.5-12.5	15	8.6	03.7-13.5
35-44	176	35,569	55	29.9	22.3-37.5	30	15.1	09.2-21.0	2	0.7	00.0-01.7	58	33.5	25.5-41.5	18	12.7	06.4-19.0	13	8.2	03.7-12.7
45-54	253	44,633	87	30.9	24.0-37.8	33	14.4	08.9-19.9	3	0.5	00.0-01.1	82	31.5	24.2-38.8	31	12.9	07.2-18.6	17	9.8	04.3-15.3
55-64	300	39,321	102	34.6	28.1-41.1	41	11.9	07.8-16.0	5	1.4	00.0-02.8	94	31.6	25.3-37.9	34	13.2	08.1-18.3	24	7.2	03.9-10.5
65+	426	41,520	165	39.7	33.8-45.6	42	11.2	07.3-15.1	4	0.7	00.0-01.5	119	26.8	21.7-31.9	42	8.6	05.5-11.7	54	13.0	08.9-17.1
Less Than H.S.	88	27,913	28	24.0	14.0-34.0	10	10.3	03.6-17.0				21	30.1	17.2-43.0	13	17.0	07.4-26.6	16	18.7	08.7-28.7
H.S. or G.E.D.	397	74,408	140	34.1	28.2-40.0	37	9.7	06.2-13.2	1	0.5	00.0-01.5	115	30.8	24.7-36.9	61	14.8	10.3-19.3	43	10.0	06.3-13.7
Some Post-H.S.	337	71,858	107	30.1	23.8-36.4	43	12.3	08.2-16.4	2	0.4	00.0-01.0	115	36.1	29.2-43.0	35	11.2	05.9-16.5	35	9.9	06.0-13.8
College Graduate	597	67,446	224	40.3	35.4-45.2	81	12.3	09.4-15.2	15	2.3	00.9-03.7	187	31.6	27.1-36.1	48	7.8	05.1-10.5	42	5.7	03.5-07.9
Less than \$15,000	75	15,850	24	27.9	14.8-41.0	9	10.0	02.4-17.6				23	33.8	17.1-50.5	10	15.0	03.8-26.2	9	13.2	01.6-24.8
\$15,000- 24,999	143	24,218	55	35.7	25.9-45.5	14	10.7	04.6-16.8				43	31.5	21.9-41.1	17	11.3	05.2-17.4	14	10.9	04.6-17.2
\$25,000- 34,999	117	19,559	39	26.6	17.4-35.8	10	6.3	01.2-11.4	1	0.4	00.0-01.2	37	40.4	28.1-52.7	21	18.0	09.0-27.0	9	8.3	02.2-14.4
\$35,000- 49,999	202	34,758	72	36.4	27.0-45.8	20	9.5	04.4-14.6	2	1.1	00.0-02.7	68	27.1	19.3-34.9	26	17.8	07.8-27.8	14	8.0	02.9-13.1
\$50,000- 74,999	220	37,177	80	36.4	27.6-45.2	23	9.7	04.6-14.8	2	1.7	00.0-04.1	66	33.7	25.3-42.1	28	10.6	05.9-15.3	21	7.9	04.0-11.8
\$75,000+	496	80,957	180	34.8	29.7-39.9	75	14.7	11.0-18.4	11	1.3	00.5-02.1	154	31.1	25.8-36.4	39	9.7	06.0-13.4	37	8.5	05.0-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2022	246,169	848	43.3	40.2-46.4	305	14.5	12.5-16.5	26	1.4	0.6-02.2	556	28.2	25.5-30.9	174	8.7	06.9-10.5	113	4.0	03.0-05.0
White/Non-Hisp	1535	171,315	654	43.9	40.4-47.4	230	15.0	12.6-17.4	21	1.4	0.6-02.2	411	27.1	24.0-30.2	132	8.1	06.1-10.1	87	4.4	03.2-05.6
Black or Afr. Am./Non-Hisp	274	44,445	115	43.9	35.9-51.9	44	14.0	09.1-18.9	4	2.0	00.0-04.7	77	27.5	20.6-34.4	22	9.4	04.9-13.9	12	3.2	01.0-05.4
Oth. Race/Non-Hisp.	76	9,891	30	38.8	23.5-54.1	12	15.2	05.6-24.8	1	0.2	00.0-00.6	20	33.7	16.1-51.3	5	6.0	00.0-12.1	8	6.1	00.4-11.8
Hispanic	84	16,990	34	42.9	28.2-57.6	8	8.2	01.3-15.1				33	36.3	23.2-49.4	9	12.6	01.8-23.4			
18-24	99	33,442	42	45.0	33.0-57.0	12	10.3	03.4-17.2	1	1.0	00.0-03.0	31	30.8	20.0-41.6	9	10.8	03.2-18.4	4	2.1	00.0-04.5
25-34	188	40,128	68	40.4	30.8-50.0	41	18.1	12.0-24.2	3	2.4	00.0-05.5	59	29.5	21.9-37.1	12	7.3	02.0-12.6	5	2.4	00.2-04.6
35-44	239	38,733	98	42.9	35.1-50.7	48	16.1	11.0-21.2	1	0.4	00.0-01.2	66	30.5	23.1-37.9	22	8.6	04.7-12.5	4	1.4	00.0-02.8
45-54	342	41,971	131	37.0	30.7-43.3	65	18.2	13.3-23.1	6	1.3	00.0-02.7	97	30.8	24.5-37.1	27	8.1	04.8-11.4	16	4.7	01.6-07.8
55-64	472	43,097	221	52.3	46.4-58.2	62	11.6	08.3-14.9	5	1.6	00.0-03.2	114	21.0	16.5-25.5	47	10.0	06.5-13.5	23	3.5	01.7-05.3
65+	654	46,453	276	42.2	37.7-46.7	77	13.0	09.9-16.1	10	1.5	00.3-02.7	181	27.6	23.5-31.7	53	7.0	04.8-09.2	57	8.6	05.9-11.3
Less Than H.S.	115	25,520	59	58.4	46.2-70.6	6	5.5	00.0-11.2	1	1.1	00.0-03.3	22	16.7	08.5-24.9	12	11.2	03.0-19.4	15	7.1	03.0-11.2
H.S. or G.E.D.	506	64,032	227	42.8	36.5-49.1	57	11.6	08.1-15.1	2	0.2	00.0-00.6	133	31.4	25.5-37.3	47	8.5	05.4-11.6	40	5.4	02.9-07.9
Some Post-H.S.	559	78,731	230	41.7	36.2-47.2	75	12.9	09.4-16.4	7	1.3	00.1-02.5	166	31.4	26.1-36.7	59	9.7	06.2-13.2	22	2.9	01.3-04.5
College Graduate	838	77,668	329	40.1	35.8-44.4	167	21.4	17.7-25.1	16	2.6	00.8-04.4	235	26.2	22.5-29.9	56	6.8	04.6-09.0	35	2.8	01.6-04.0
Less than \$15,000	154	18,755	66	46.7	34.2-59.2	18	9.9	03.8-16.0				44	25.3	15.9-34.7	15	14.1	04.1-24.1	11	4.0	00.9-07.1
\$15,000- 24,999	254	28,817	113	46.5	37.9-55.1	19	6.5	03.0-10.0	1	0.6	00.0-01.8	75	28.3	20.9-35.7	28	12.6	06.5-18.7	18	5.4	02.1-08.7
\$25,000- 34,999	169	17,899	89	47.4	37.2-57.6	20	10.0	05.1-14.9				41	30.1	20.3-39.9	10	5.3	01.8-08.8	9	7.2	00.5-13.9
\$35,000- 49,999	265	31,908	107	39.2	31.0-47.4	37	11.7	07.4-16.0	1	0.3	00.0-00.9	67	31.2	23.0-39.4	38	12.2	07.1-17.3	15	5.4	02.5-08.3
\$50,000- 74,999	285	33,670	132	49.9	42.1-57.7	44	14.2	09.1-19.3	5	1.6	00.0-03.4	78	26.2	19.5-32.9	18	5.8	02.5-09.1	8	2.3	00.3-04.3
\$75,000+	568	76,596	202	38.1	32.8-43.4	125	21.4	17.1-25.7	14	2.9	00.9-04.9	168	29.5	24.4-34.6	41	6.0	03.8-08.2	18	2.1	00.9-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and/or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1631	230,897	501	33.5	30.2-36.8	492	27.0	24.3-29.7	130	9.1	06.9-11.3	81	5.3	03.9-06.7	4	0.3	00.0-00.7	423	24.6	21.9-27.3
Male	721	120,283	214	33.3	28.6-38.0	210	24.6	20.9-28.3	85	12.9	09.4-16.4	43	6.0	03.8-08.2	2	0.2	00.0-00.4	167	23.0	19.1-26.9
Female	910	110,614	287	33.8	28.9-38.7	282	29.6	25.5-33.7	45	5.1	03.1-07.1	38	4.6	02.6-06.6	2	0.5	00.0-01.5	256	26.4	22.5-30.3
White/Non-Hisp	1272	163,383	360	30.7	27.0-34.4	402	28.9	25.6-32.2	93	7.3	05.3-09.3	63	5.4	03.8-07.0	4	0.5	00.0-01.1	350	27.2	23.9-30.5
Black or Afr. Am./Non-Hisp	192	39,569	80	43.0	33.4-52.6	50	22.5	15.2-29.8	16	12.0	04.2-19.8	7	4.7	00.2-09.2				39	17.8	11.3-24.3
Oth. Race/Non-Hisp.	62	10,494	18	29.1	11.9-46.3	16	26.3	12.4-40.2	10	15.6	05.2-26.0	6	5.2	00.3-10.1				12	23.9	08.4-39.4
Hispanic	63	13,255	25	44.3	28.2-60.4	14	19.9	08.9-30.9	8	17.4	05.6-29.2	3	4.0	00.0-09.1				13	14.3	05.7-22.9
18-24	106	36,561	43	46.0	34.2-57.8	26	19.5	11.3-27.7	13	10.1	04.2-16.0	4	2.9	00.0-06.0	1	1.4	00.0-04.1	19	20.0	10.8-29.2
25-34	180	42,497	70	38.9	29.5-48.3	37	18.7	12.0-25.4	14	9.8	02.4-17.2	12	6.8	02.3-11.3				47	25.8	17.8-33.8
35-44	196	35,706	69	35.2	27.2-43.2	52	26.9	19.5-34.3	20	13.5	07.4-19.6	14	6.3	02.6-10.0				41	18.1	12.0-24.2
45-54	278	37,843	82	28.1	21.6-34.6	81	30.5	23.8-37.2	14	5.6	02.3-08.9	16	6.6	02.7-10.5	1	0.1	00.0-00.3	84	29.1	22.6-35.6
55-64	379	37,659	104	28.2	22.5-33.9	121	30.4	24.7-36.1	26	7.8	04.5-11.1	17	4.4	02.0-06.8	1	0.4	00.0-01.2	110	28.7	23.4-34.0
65+	474	39,206	127	25.2	20.5-29.9	172	36.7	31.4-42.0	41	7.9	05.2-10.6	17	4.7	02.3-07.1	1	0.2	00.0-00.6	116	25.3	20.0-30.6
Less Than H.S.	55	16,778	17	35.9	18.8-53.0	17	26.1	11.8-40.4	6	15.8	00.0-31.9	2	2.6	00.0-06.7				13	19.6	07.3-31.9
H.S. or G.E.D.	363	59,091	101	34.3	26.7-41.9	125	25.6	20.3-30.9	28	9.6	05.5-13.7	16	5.2	02.3-08.1				93	25.3	19.0-31.6
Some Post-H.S.	412	71,064	123	33.0	26.7-39.3	115	25.3	20.0-30.6	32	8.6	05.1-12.1	27	6.3	03.4-09.2	2	1.0	00.0-02.6	113	25.8	20.3-31.3
College Graduate	798	83,848	259	33.0	28.9-37.1	234	29.7	25.8-33.6	64	7.9	05.5-10.3	36	5.1	03.1-07.1	2	0.1	00.0-00.3	203	24.1	20.4-27.8
Less than \$15,000	78	13,347	19	27.0	09.0-45.0	29	23.3	11.3-35.3	4	15.3	00.0-34.3	5	8.4	00.0-18.8	1	0.4	00.0-01.2	20	25.7	11.6-39.8
\$15,000- 24,999	130	17,212	33	25.3	15.7-34.9	53	37.8	26.8-48.8	13	14.4	06.2-22.6	3	3.2	00.0-07.5				28	19.3	10.5-28.1
\$25,000- 34,999	120	15,403	42	34.3	22.5-46.1	28	22.0	12.4-31.6	11	14.4	03.6-25.2	10	7.0	01.3-12.7				29	22.2	12.8-31.6
\$35,000- 49,999	234	33,267	67	30.5	22.1-38.9	80	31.0	23.2-38.8	16	7.6	02.3-12.9	10	5.2	01.5-08.9				61	25.8	17.6-34.0
\$50,000- 74,999	255	32,191	74	28.8	21.7-35.9	76	28.1	21.6-34.6	11	6.7	02.0-11.4	18	8.9	04.4-13.4				76	27.6	20.9-34.3
\$75,000+	600	87,661	200	36.5	31.2-41.8	162	25.8	21.5-30.1	59	8.5	06.0-11.0	27	4.2	02.2-06.2	2	0.2	00.0-00.6	150	24.7	20.4-29.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	721	120,283	214	33.3	28.6-38.0	210	24.6	20.9-28.3	85	12.9	09.4-16.4	43	6.0	03.8-08.2	2	0.2	00.0-00.4	167	23.0	19.1-26.9
White/Non-Hisp	543	80,962	151	31.0	25.7-36.3	169	27.0	22.5-31.5	57	10.4	07.1-13.7	34	6.4	04.0-08.8	2	0.2	00.0-00.6	130	24.9	20.0-29.8
Black or Afr. Am./Non-Hisp	87	22,492	35	42.9	29.0-56.8	20	20.0	10.2-29.8	11	17.0	04.3-29.7	3	3.9	00.0-09.0				18	16.3	07.5-25.1
18-24	57	18,901	24	49.8	34.1-65.5	11	12.7	04.9-20.5	8	11.7	02.9-20.5	3	3.9	00.0-08.8				11	21.8	08.9-34.7
25-34	83	22,511	30	36.8	24.3-49.3	13	16.5	07.1-25.9	10	15.7	02.6-28.8	8	7.9	02.2-13.6				22	23.1	12.7-33.5
35-44	88	19,372	30	35.3	23.7-46.9	20	21.0	11.8-30.2	17	21.8	11.8-31.8	5	5.1	00.0-10.2				16	16.9	08.3-25.5
45-54	115	19,345	35	28.5	18.1-38.9	37	32.3	22.1-42.5	6	5.5	00.8-10.2	7	8.1	01.4-14.8	1	0.2	00.0-00.6	29	25.4	15.8-35.0
55-64	161	18,872	39	24.9	16.9-32.9	53	31.9	23.3-40.5	18	10.9	05.8-16.0	8	4.9	01.0-08.8	1	0.9	00.0-02.7	42	26.5	18.7-34.3
65+	208	20,619	54	24.9	18.0-31.8	74	34.6	26.8-42.4	25	10.7	06.2-15.2	11	5.6	02.3-08.9				44	24.3	15.7-32.9
H.S. or G.E.D.	179	32,940	50	33.8	24.0-43.6	58	22.7	16.0-29.4	17	11.1	05.4-16.8	11	7.1	02.4-11.8				43	25.3	16.9-33.7
Some Post-H.S.	167	35,400	46	32.7	23.7-41.7	48	25.8	18.2-33.4	20	11.8	05.7-17.9	10	5.4	01.7-09.1	1	0.5	00.0-01.5	42	23.9	16.5-31.3
College Graduate	343	41,150	111	34.3	27.8-40.8	96	26.9	21.2-32.6	43	12.8	08.3-17.3	20	6.3	03.2-09.4	1	0.1	00.0-00.3	72	19.6	14.3-24.9
\$15,000- 24,999	53	9,113	13	24.0	09.9-38.1	21	32.8	17.9-47.7	7	16.3	03.8-28.8	2	5.6	00.0-13.4				10	21.3	06.8-35.8
\$25,000- 34,999	53	9,059	21	38.0	20.8-55.2	12	17.2	04.9-29.5	7	19.8	02.9-36.7	3	6.1	00.0-14.3				10	19.0	05.5-32.5
\$35,000- 49,999	105	17,549	34	34.8	23.0-46.6	27	23.9	13.3-34.5	11	10.1	02.1-18.1	5	6.4	00.5-12.3				28	24.9	14.3-35.5
\$50,000- 74,999	114	16,939	29	25.1	15.1-35.1	41	30.5	21.1-39.9	5	6.5	00.0-13.4	9	10.1	02.8-17.4				30	27.8	17.4-38.2
\$75,000+	284	46,650	90	36.0	28.6-43.4	69	22.9	17.0-28.8	46	14.0	09.5-18.5	20	6.2	02.9-09.5	2	0.4	00.0-01.2	57	20.5	14.8-26.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and/or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	910	110,614	287	33.8	28.9-38.7	282	29.6	25.5-33.7	45	5.1	03.1-07.1	38	4.6	02.6-06.6	2	0.5	00.0-01.5	256	26.4	22.3-30.5
White/Non-Hisp	729	82,421	209	30.3	25.0-35.6	233	30.8	26.1-35.5	36	4.3	02.5-06.1	29	4.5	02.5-06.5	2	0.7	00.0-01.9	220	29.4	24.7-34.1
Black or Afr. Am./Non-Hisp	105	17,077	45	43.3	30.2-56.4	30	25.7	15.3-36.1	5	5.5	00.4-10.6	4	5.8	00.0-13.8				21	19.8	10.0-29.6
25-34	97	19,986	40	41.2	26.9-55.5	24	21.3	11.9-30.7	4	3.2	00.0-06.7	4	5.5	00.0-12.6				25	28.8	16.3-41.3
35-44	108	16,334	39	35.1	24.1-46.1	32	34.0	22.4-45.6	3	3.8	00.0-08.1	9	7.7	02.2-13.2				25	19.4	11.2-27.6
45-54	163	18,498	47	27.7	19.9-35.5	44	28.7	20.3-37.1	8	5.6	01.3-09.9	9	5.0	01.3-08.7				55	33.0	24.4-41.6
55-64	218	18,787	65	31.6	23.8-39.4	68	29.0	21.7-36.3	8	4.7	00.4-09.0	9	3.9	01.2-06.6				68	30.9	23.6-38.2
65+	266	18,588	73	25.6	19.3-31.9	98	39.1	32.0-46.2	16	4.8	02.1-07.5	6	3.7	00.4-07.0	1	0.3	00.0-00.9	72	26.5	20.4-32.6
H.S. or G.E.D.	184	26,151	51	34.8	22.6-47.0	67	29.3	20.7-37.9	11	7.8	02.3-13.3	5	2.8	00.0-05.7				50	25.3	16.1-34.5
Some Post-H.S.	245	35,664	77	33.3	24.5-42.1	67	24.8	17.5-32.1	12	5.5	02.0-09.0	17	7.2	02.5-11.9	1	1.5	00.0-04.4	71	27.7	20.1-35.3
College Graduate	455	42,698	148	31.8	26.5-37.1	138	32.4	26.9-37.9	21	3.2	01.6-04.8	16	4.1	01.9-06.3	1	0.1	00.0-00.3	131	28.4	23.1-33.7
Less than \$15,000	50	6,327	15	35.2	08.7-61.7	19	23.8	08.7-38.9	1	3.2	00.0-09.5	3	13.6	00.0-33.4	1	0.9	00.0-02.9	11	23.3	06.8-39.8
\$15,000- 24,999	77	8,098	20	26.8	13.7-39.9	32	43.4	27.9-58.9	6	12.2	01.8-22.6	1	0.6	00.0-01.8				18	16.9	07.5-26.3
\$25,000- 34,999	67	6,344	21	29.0	14.9-43.1	16	28.9	14.4-43.4	4	6.8	00.0-15.4	7	8.4	01.3-15.5				19	26.8	14.6-39.0
\$35,000- 49,999	129	15,717	33	25.7	13.7-37.7	53	38.9	26.9-50.9	5	4.9	00.0-11.4	5	3.9	00.0-07.8				33	26.7	14.0-39.4
\$50,000- 74,999	141	15,252	45	32.9	23.1-42.7	35	25.3	16.5-34.1	6	7.0	00.9-13.1	9	7.5	02.2-12.8				46	27.3	18.9-35.7
\$75,000+	316	41,012	110	37.1	29.8-44.4	93	29.1	22.6-35.6	13	2.2	00.6-03.8	7	2.1	00.3-03.9				93	29.5	23.0-36.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2043	286,812	1123	56.3	53.4-59.2	327	14.9	12.7-17.1	408	19.9	17.5-22.3	71	3.0	02.0-04.0	114	5.9	04.5-07.3
Male	886	147,846	452	52.2	47.7-56.7	129	13.2	10.1-16.3	198	22.4	18.7-26.1	42	4.3	02.5-06.1	65	7.9	05.5-10.3
Female	1157	138,965	671	60.7	56.8-64.6	198	16.6	13.5-19.7	210	17.3	14.4-20.2	29	1.6	00.8-02.4	49	3.8	02.0-05.6
White/Non-Hisp	1603	204,604	877	56.0	52.7-59.3	250	14.1	11.7-16.5	323	21.1	18.4-23.8	65	3.4	02.4-04.4	88	5.4	03.8-07.0
Black or Afr. Am./Non-Hisp	233	47,522	133	56.6	48.0-65.2	45	16.6	10.9-22.3	41	17.3	10.6-24.0	2	2.2	00.0-05.1	12	7.3	02.8-11.8
Oth. Race/Non-Hisp.	73	12,918	36	50.7	31.5-69.9	15	26.6	05.2-48.0	14	12.8	04.2-21.4	2	0.6	00.0-01.4	6	9.4	00.0-19.0
Hispanic	80	16,386	43	63.1	50.4-75.8	10	10.9	03.5-18.3	21	19.2	10.0-28.4	1	0.2	00.0-00.6	5	6.6	00.0-13.5
18-24	124	43,584	67	52.1	41.1-63.1	25	19.1	09.7-28.5	20	18.9	10.1-27.7	4	2.9	00.0-06.0	8	7.0	01.5-12.5
25-34	221	52,692	131	61.3	53.5-69.1	35	14.0	08.9-19.1	38	16.0	10.5-21.5	4	1.6	00.0-03.6	13	7.1	02.6-11.6
35-44	234	42,749	154	61.2	53.6-68.8	22	11.9	06.2-17.6	43	19.4	13.5-25.3	6	3.3	00.2-06.4	9	4.2	01.1-07.3
45-54	329	46,122	182	56.3	49.4-63.2	50	12.8	08.7-16.9	69	21.3	15.4-27.2	10	3.4	00.9-05.9	18	6.2	02.9-09.5
55-64	477	47,871	257	54.9	49.4-60.4	61	10.8	07.5-14.1	124	28.1	23.2-33.0	20	3.1	01.5-04.7	15	3.1	01.3-04.9
65+	636	52,013	321	52.4	47.7-57.1	131	20.1	16.4-23.8	109	16.0	12.9-19.1	25	3.7	02.1-05.3	50	7.8	05.3-10.3
Less Than H.S.	79	23,400	42	59.5	45.4-73.6	11	10.6	02.8-18.4	16	18.9	08.1-29.7	2	2.3	00.0-06.2	8	8.7	00.1-17.3
H.S. or G.E.D.	472	73,747	236	52.8	46.5-59.1	97	18.9	14.2-23.6	93	20.0	14.9-25.1	15	2.6	00.8-04.4	31	5.7	03.2-08.2
Some Post-H.S.	522	90,137	296	55.4	49.5-61.3	77	15.2	10.3-20.1	99	18.5	14.2-22.8	14	2.8	01.0-04.6	36	8.1	05.0-11.2
College Graduate	966	99,387	548	59.0	55.1-62.9	140	12.4	10.0-14.8	200	21.4	18.3-24.5	40	3.7	02.1-05.3	38	3.5	02.1-04.9
Less than \$15,000	102	18,255	43	51.1	35.4-66.8	27	20.6	10.6-30.6	21	19.1	07.1-31.1	2	2.6	00.0-07.5	9	6.6	01.3-11.9
\$15,000- 24,999	174	22,034	82	52.5	42.7-62.3	41	23.7	15.5-31.9	33	17.2	10.3-24.1	6	1.8	00.0-03.6	12	4.8	01.9-07.7
\$25,000- 34,999	162	20,066	76	54.9	44.9-64.9	30	15.1	08.6-21.6	37	21.1	13.5-28.7	7	2.6	00.4-04.8	12	6.3	01.4-11.2
\$35,000- 49,999	285	42,249	155	51.6	42.8-60.4	52	20.1	11.9-28.3	55	19.4	13.1-25.7	9	3.0	00.1-05.9	14	5.9	01.8-10.0
\$50,000- 74,999	307	39,443	182	57.7	50.8-64.6	38	11.8	07.5-16.1	53	18.8	13.1-24.5	13	4.3	01.2-07.4	21	7.5	04.0-11.0
\$75,000+	717	104,116	424	61.0	56.3-65.7	88	11.0	07.9-14.1	154	20.1	16.4-23.8	25	3.3	01.7-04.9	26	4.6	02.4-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	886	147,846	452	52.2	47.7-56.7	129	13.2	10.1-16.3	198	22.4	18.7-26.1	42	4.3	02.5-06.1	65	7.9	05.5-10.3
White/Non-Hisp	677	101,644	344	52.4	47.5-57.3	92	11.6	08.9-14.3	151	24.0	19.7-28.3	38	4.8	02.8-06.8	52	7.2	04.8-09.6
Black or Afr. Am./Non-Hisp	102	25,847	51	52.7	39.8-65.6	22	14.6	07.7-21.5	19	17.6	07.4-27.8	2	4.0	00.0-09.5	8	11.1	03.3-18.9
18-24	67	24,063	32	44.0	29.3-58.7	11	17.1	03.8-30.4	14	26.0	12.7-39.3	4	5.3	00.0-11.0	6	7.6	01.3-13.9
25-34	103	28,289	57	55.7	44.1-67.3	15	13.2	06.1-20.3	19	17.4	09.2-25.6	3	2.7	00.0-06.2	9	11.1	03.5-18.7
35-44	100	21,127	59	58.0	47.0-69.0	8	9.0	02.5-15.5	25	22.1	13.3-30.9	3	4.8	00.0-10.7	5	6.1	00.6-11.6
45-54	139	24,029	64	48.9	38.3-59.5	21	11.4	06.1-16.7	38	26.3	16.7-35.9	6	5.0	00.3-09.7	10	8.4	02.7-14.1
55-64	196	23,683	100	53.4	45.2-61.6	25	10.1	05.4-14.8	56	29.6	22.2-37.0	7	2.5	00.3-04.7	8	4.4	01.1-07.7
65+	272	25,991	137	53.7	46.6-60.8	48	17.8	12.3-23.3	43	14.0	09.5-18.5	17	5.3	02.6-08.0	27	9.1	05.0-13.2
H.S. or G.E.D.	220	40,521	102	49.4	40.8-58.0	43	16.3	10.8-21.8	50	24.0	16.2-31.8	8	3.2	00.3-06.1	17	7.0	03.1-10.9
Some Post-H.S.	205	45,136	106	48.8	40.0-57.6	29	15.9	08.1-23.7	39	18.0	11.7-24.3	11	4.8	01.3-08.3	20	12.5	06.6-18.4
College Graduate	422	48,708	221	54.9	49.0-60.8	53	10.3	07.0-13.6	103	25.2	20.1-30.3	21	4.9	02.2-07.6	24	4.7	02.5-06.9
\$15,000- 24,999	63	10,568	34	56.8	41.7-71.9	11	19.1	06.9-31.3	13	19.1	07.3-30.9	3	2.6	00.0-06.1	2	2.4	00.0-05.7
\$25,000- 34,999	72	11,519	33	56.4	41.7-71.1	13	13.1	04.9-21.3	16	19.8	09.4-30.2	3	3.0	00.0-06.5	7	7.7	00.1-15.3
\$35,000- 49,999	130	24,030	65	42.9	31.1-54.7	26	22.8	09.9-35.7	27	21.6	12.0-31.2	4	4.0	00.0-08.9	8	8.6	01.7-15.5
\$50,000- 74,999	137	20,339	61	45.3	35.1-55.5	16	10.9	04.8-17.0	33	26.1	16.9-35.3	9	5.6	00.1-11.1	18	12.1	06.2-18.0
\$75,000+	343	54,867	189	57.9	51.2-64.6	34	7.8	04.7-10.9	82	21.9	16.4-27.4	17	4.7	02.0-07.4	21	7.7	03.8-11.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1157	138,965	671	60.7	56.8-64.6	198	16.6	13.5-19.7	210	17.3	14.4-20.2	29	1.6	00.8-02.4	49	3.8	02.0-05.6
White/Non-Hisp	926	102,960	533	59.6	55.1-64.1	158	16.6	13.1-20.1	172	18.1	14.8-21.4	27	2.1	01.1-03.1	36	3.6	01.6-05.6
Black or Afr. Am./Non-Hisp	131	21,675	82	61.4	50.4-72.4	23	19.1	09.9-28.3	22	16.9	09.1-24.7				4	2.7	00.0-05.6
18-24	57	19,521	35	62.1	46.2-78.0	14	21.5	08.8-34.2	6	10.3	00.3-20.3				2	6.2	00.0-15.4
25-34	118	24,404	74	67.8	57.6-78.0	20	14.9	07.8-22.0	19	14.5	07.4-21.6	1	0.2	00.0-00.6	4	2.6	00.0-05.5
35-44	134	21,622	95	64.5	53.7-75.3	14	14.7	05.5-23.9	18	16.7	08.7-24.7	3	1.8	00.0-04.2	4	2.4	00.0-04.9
45-54	190	22,093	118	64.3	56.1-72.5	29	14.3	08.2-20.4	31	15.8	09.7-21.9	4	1.6	00.0-03.2	8	3.9	00.4-07.4
55-64	281	24,188	157	56.3	49.2-63.4	36	11.5	07.0-16.0	68	26.8	20.3-33.3	13	3.6	01.2-06.0	7	1.8	00.2-03.4
65+	364	26,022	184	51.1	45.0-57.2	83	22.3	17.2-27.4	66	18.0	13.5-22.5	8	2.1	00.1-04.1	23	6.4	03.5-09.3
H.S. or G.E.D.	252	33,226	134	56.9	47.9-65.9	54	22.1	14.5-29.7	43	15.0	09.7-20.3	7	1.9	00.1-03.7	14	4.1	01.6-06.6
Some Post-H.S.	317	45,001	190	62.0	54.6-69.4	48	14.6	09.1-20.1	60	19.1	13.0-25.2	3	0.8	00.0-01.8	16	3.6	01.4-05.8
College Graduate	544	50,678	327	63.0	58.1-67.9	87	14.4	11.1-17.7	97	17.6	13.7-21.5	19	2.5	01.3-03.7	14	2.4	00.6-04.2
Less than \$15,000	67	8,873	31	59.4	41.2-77.6	13	14.4	03.4-25.4	15	16.9	05.5-28.3	1	0.2	00.0-00.6	7	9.1	00.9-17.3
\$15,000- 24,999	111	11,466	48	48.5	35.6-61.4	30	27.9	16.7-39.1	20	15.3	07.7-22.9	3	1.1	00.0-02.5	10	7.1	02.2-12.0
\$25,000- 34,999	90	8,547	43	52.8	39.9-65.7	17	17.9	08.1-27.7	21	22.7	12.1-33.3	4	2.2	00.0-04.4	5	4.4	00.0-09.1
\$35,000- 49,999	155	18,219	90	63.1	52.7-73.5	26	16.5	08.7-24.3	28	16.4	09.3-23.5	5	1.6	00.0-03.2	6	2.3	00.1-04.5
\$50,000- 74,999	170	19,104	121	70.8	62.4-79.2	22	12.7	06.8-18.6	20	11.0	05.1-16.9	4	2.9	00.0-05.8	3	2.7	00.0-06.2
\$75,000+	374	49,249	235	64.4	57.9-70.9	54	14.7	09.4-20.0	72	18.0	13.3-22.7	8	1.6	00.2-03.0	5	1.2	00.0-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2055	287,866	790	39.4	36.5-42.3	215	9.7	08.1-11.3	8	0.4	00.0-00.8	550	25.9	23.4-28.4	312	16.5	14.0-19.0	180	8.1	06.5-09.7
Male	892	148,682	315	35.7	31.4-40.0	84	8.1	05.9-10.3	3	0.1	00.0-00.3	236	26.5	22.6-30.4	161	19.5	15.6-23.4	93	10.0	07.6-12.4
Female	1163	139,184	475	43.4	39.3-47.5	131	11.3	08.8-13.8	5	0.7	00.0-01.5	314	25.2	21.7-28.7	151	13.2	10.5-15.9	87	6.1	04.3-07.9
White/Non-Hisp	1613	205,425	620	39.1	35.8-42.4	161	9.4	07.6-11.2	6	0.2	00.0-00.4	442	27.1	24.2-30.0	237	15.2	12.8-17.6	147	9.0	07.2-10.8
Black or Afr. Am./Non-Hisp	234	47,712	98	42.2	33.6-50.8	25	7.6	04.1-11.1	2	1.4	00.0-03.8	58	23.7	16.8-30.6	36	19.5	11.3-27.7	15	5.5	02.2-08.8
Oth. Race/Non-Hisp.	73	12,918	21	31.7	15.8-47.6	15	21.6	08.5-34.7				21	21.4	06.5-36.3	14	24.3	02.7-45.9	2	0.9	00.0-02.3
Hispanic	80	16,386	35	46.3	32.0-60.6	7	7.7	00.8-14.6				14	19.4	07.6-31.2	16	18.3	08.5-28.1	8	8.2	01.9-14.5
18-24	124	43,584	48	37.7	27.1-48.3	11	7.9	02.2-13.6				28	24.8	15.2-34.4	27	23.4	13.2-33.6	10	6.1	01.8-10.4
25-34	220	52,563	93	40.9	32.5-49.3	21	7.8	04.1-11.5	1	1.1	00.0-03.3	51	22.4	15.7-29.1	39	20.3	12.9-27.7	15	7.5	03.2-11.8
35-44	234	42,749	89	41.7	33.9-49.5	45	15.4	10.3-20.5				63	26.9	20.0-33.8	26	11.8	06.9-16.7	11	4.2	01.5-06.9
45-54	330	46,240	124	40.7	33.8-47.6	25	7.8	04.1-11.5				101	26.1	20.4-31.8	49	15.1	10.2-20.0	31	10.3	06.2-14.4
55-64	479	48,042	168	35.2	29.9-40.5	53	10.6	07.5-13.7	4	0.8	00.0-01.6	141	28.9	24.0-33.8	68	14.4	10.7-18.1	45	10.1	06.8-13.4
65+	646	52,907	262	40.7	36.2-45.2	56	8.9	06.2-11.6	3	0.4	00.0-01.0	162	27.1	22.6-31.6	100	14.0	10.9-17.1	63	8.9	06.4-11.4
Less Than H.S.	82	23,798	30	38.0	23.7-52.3	3	4.1	00.0-09.2				16	24.4	12.4-36.4	20	23.4	10.1-36.7	13	10.1	03.2-17.0
H.S. or G.E.D.	476	74,098	176	39.6	33.1-46.1	44	8.1	05.4-10.8				115	23.8	18.3-29.3	94	18.7	14.4-23.0	47	9.7	06.2-13.2
Some Post-H.S.	526	90,556	200	37.6	32.1-43.1	43	7.8	04.7-10.9	2	0.2	00.0-00.4	147	27.6	22.7-32.5	83	18.1	12.8-23.4	51	8.8	06.1-11.5
College Graduate	967	99,273	383	41.3	37.4-45.2	125	13.9	11.2-16.6	6	1.0	00.0-02.2	271	26.2	22.7-29.7	114	11.7	09.2-14.2	68	5.9	04.1-07.7
Less than \$15,000	103	18,206	35	33.5	19.2-47.8	8	2.5	00.3-04.7				33	30.4	17.1-43.7	18	30.0	13.1-46.9	9	3.7	00.6-06.8
\$15,000- 24,999	176	22,125	64	35.9	26.5-45.3	16	8.0	03.5-12.5				48	27.7	18.3-37.1	32	19.7	12.1-27.3	16	8.6	03.3-13.9
\$25,000- 34,999	163	20,375	57	34.5	24.5-44.5	13	9.2	02.9-15.5				39	21.4	13.6-29.2	40	26.3	16.9-35.7	14	8.5	03.4-13.6
\$35,000- 49,999	284	42,072	108	36.2	28.2-44.2	34	9.8	05.7-13.9	2	0.3	00.0-00.9	69	23.9	16.6-31.2	50	23.1	14.3-31.9	21	6.6	02.9-10.3
\$50,000- 74,999	308	39,656	127	40.1	33.4-46.8	36	10.5	06.6-14.4				85	28.2	21.7-34.7	44	15.8	10.5-21.1	16	5.4	02.3-08.5
\$75,000+	717	104,116	284	42.4	37.5-47.3	83	10.7	08.0-13.4	6	1.0	00.0-02.2	205	26.1	22.0-30.2	79	11.5	08.4-14.6	60	8.3	05.8-10.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	892	148,682	315	35.7	31.4-40.0	84	8.1	05.9-10.3	3	0.1	00.0-00.3	236	26.5	22.6-30.4	161	19.5	15.6-23.4	93	10.0	07.6-12.4
White/Non-Hisp	683	102,348	244	34.6	30.1-39.1	54	6.2	04.2-08.2	2	0.1	00.0-00.3	187	28.7	24.2-33.2	117	18.6	14.7-22.5	79	11.8	08.7-14.9
Black or Afr. Am./Non-Hisp	102	25,980	38	41.8	28.9-54.7	9	7.4	01.9-12.9	1	0.4	00.0-01.2	30	26.9	16.5-37.3	19	18.6	06.8-30.4	5	4.9	00.2-09.6
18-24	67	24,063	22	32.4	18.9-45.9	6	5.8	00.5-11.1				16	26.8	13.5-40.1	16	27.3	12.4-42.2	7	7.8	00.9-14.7
25-34	103	28,289	32	33.0	22.2-43.8	8	6.9	01.6-12.2				28	24.4	15.0-33.8	25	24.7	13.3-36.1	10	11.0	03.7-18.3
35-44	100	21,127	36	41.1	29.9-52.3	14	9.0	04.1-13.9				26	26.8	16.8-36.8	18	17.2	09.0-25.4	6	6.0	01.1-10.9
45-54	139	24,029	49	37.8	27.2-48.4	10	8.1	02.0-14.2				39	23.5	15.3-31.7	24	17.8	09.8-25.8	17	12.9	06.2-19.6
55-64	196	23,816	65	32.9	25.1-40.7	23	11.2	06.3-16.1	1	0.4	00.0-01.2	53	28.2	20.8-35.6	34	17.6	11.3-23.9	20	9.8	05.3-14.3
65+	278	26,694	108	37.8	30.9-44.7	21	8.0	04.1-11.9	2	0.4	00.0-01.0	73	30.2	22.9-37.5	42	12.3	08.2-16.4	32	11.3	07.2-15.4
H.S. or G.E.D.	221	40,831	76	38.9	30.3-47.5	16	5.5	02.4-08.6				52	22.5	15.1-29.9	53	21.2	14.9-27.5	24	11.9	06.6-17.2
Some Post-H.S.	207	45,394	72	33.9	26.1-41.7	16	6.4	02.9-09.9	1	0.1	00.0-00.3	59	29.8	22.2-37.4	37	20.6	12.0-29.2	22	9.4	05.1-13.7
College Graduate	422	48,578	157	37.0	31.3-42.7	51	13.2	09.1-17.3	2	0.4	00.0-01.0	115	27.8	22.3-33.3	60	13.6	09.7-17.5	37	8.1	05.0-11.2
\$15,000- 24,999	63	10,568	25	40.1	25.2-55.0	8	10.1	02.7-17.5				15	26.4	11.7-41.1	9	12.5	03.3-21.7	6	10.9	01.5-20.3
\$25,000- 34,999	73	11,828	22	31.7	17.2-46.2	5	9.9	00.3-19.5				18	20.8	09.6-32.0	20	27.2	13.1-41.3	8	10.4	02.4-18.4
\$35,000- 49,999	129	23,853	48	34.0	22.8-45.2	14	8.4	03.3-13.5	1	0.1	00.0-00.3	28	22.1	12.7-31.5	26	27.7	14.2-41.2	12	7.6	01.5-13.7
\$50,000- 74,999	138	20,552	48	31.5	22.3-40.7	13	8.1	02.8-13.4				41	32.0	22.2-41.8	26	20.5	12.1-28.9	10	8.0	02.7-13.3
\$75,000+	343	54,867	122	38.6	31.9-45.3	31	7.6	04.5-10.7	2	0.3	00.0-00.7	96	28.1	21.8-34.4	51	13.8	09.7-17.9	41	11.6	07.3-15.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1163	139,184	475	43.4	39.3-47.5	131	11.3	08.8-13.8	5	0.7	00.0-01.5	314	25.2	21.7-28.7	151	13.2	10.5-15.9	87	6.1	04.3-07.9
White/Non-Hisp	930	103,078	376	43.5	38.8-48.2	107	12.6	09.5-15.7	4	0.4	00.0-00.8	255	25.5	21.8-29.2	120	11.7	09.2-14.2	68	6.3	04.3-08.3
Black or Afr. Am./Non-Hisp	132	21,732	60	42.7	31.7-53.7	16	7.9	03.4-12.4	1	2.6	00.0-07.7	28	19.9	11.3-28.5	17	20.6	09.0-32.2	10	6.2	01.9-10.5
18-24	57	19,521	26	44.3	28.2-60.4	5	10.6	00.2-21.0				12	22.4	08.5-36.3	11	18.7	06.0-31.4	3	4.0	00.0-08.7
25-34	117	24,275	61	50.0	37.5-62.5	13	8.9	03.8-14.0	1	2.4	00.0-06.9	23	20.0	10.8-29.2	14	15.2	06.8-23.6	5	3.5	00.2-06.8
35-44	134	21,622	53	42.3	31.5-53.1	31	21.7	13.1-30.3				37	27.0	17.6-36.4	8	6.6	01.1-12.1	5	2.4	00.2-04.6
45-54	191	22,211	75	43.9	35.5-52.3	15	7.4	03.3-11.5				62	28.9	21.5-36.3	25	12.2	06.9-17.5	14	7.6	02.5-12.7
55-64	283	24,226	103	37.4	30.3-44.5	30	10.1	06.4-13.8	3	1.2	00.0-02.6	88	29.6	23.3-35.9	34	11.3	07.2-15.4	25	10.4	05.5-15.3
65+	368	26,213	154	43.6	37.5-49.7	35	9.9	06.0-13.8	1	0.4	00.0-01.2	89	23.9	18.6-29.2	58	15.7	11.4-20.0	31	6.6	03.9-09.3
H.S. or G.E.D.	255	33,267	100	40.5	31.1-49.9	28	11.4	06.5-16.3				63	25.4	17.2-33.6	41	15.7	09.8-21.6	23	7.1	03.0-11.2
Some Post-H.S.	319	45,162	128	41.4	33.8-49.0	27	9.3	04.0-14.6	1	0.2	00.0-00.6	88	25.4	19.3-31.5	46	15.5	09.2-21.8	29	8.1	04.6-11.6
College Graduate	545	50,695	226	45.4	40.1-50.7	74	14.5	11.0-18.0	4	1.7	00.0-04.1	156	24.7	20.4-29.0	54	9.9	06.6-13.2	31	3.8	02.2-05.4
Less than \$15,000	68	8,824	25	44.8	24.2-65.4	4	1.7	00.0-03.5				22	32.3	13.9-50.7	9	16.0	00.7-31.3	8	5.2	00.5-09.9
\$15,000- 24,999	113	11,557	39	32.0	20.2-43.8	8	6.1	01.0-11.2				33	29.0	16.8-41.2	23	26.4	15.0-37.8	10	6.5	01.6-11.4
\$25,000- 34,999	90	8,547	35	38.5	25.6-51.4	8	8.2	00.9-15.5				21	22.3	11.7-32.9	20	25.1	14.1-36.1	6	5.9	00.8-11.0
\$35,000- 49,999	155	18,219	60	39.0	27.4-50.6	20	11.8	05.5-18.1	1	0.6	00.0-01.8	41	26.2	15.2-37.2	24	17.1	08.5-25.7	9	5.2	01.3-09.1
\$50,000- 74,999	170	19,104	79	49.5	40.3-58.7	23	13.0	07.3-18.7				44	24.1	16.3-31.9	18	10.9	04.8-17.0	6	2.5	00.0-05.2
\$75,000+	374	49,249	162	46.7	39.8-53.6	52	14.1	09.6-18.6	4	1.7	00.0-04.1	109	23.9	18.8-29.0	28	9.0	04.1-13.9	19	4.6	01.9-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4877	675,667	1021	22.6	20.8-24.4	322	7.6	06.4-08.8	347	8.3	07.1-09.5	78	1.8	01.4-02.2	111	2.6	02.0-03.2	2998	57.1	55.1-59.1
Male	1945	322,982	432	23.5	21.0-26.0	178	10.2	08.2-12.2	141	8.5	06.5-10.5	44	2.4	01.6-03.2	73	4.3	03.1-05.5	1077	51.2	48.3-54.1
Female	2932	352,685	589	21.8	19.6-24.0	144	5.2	04.0-06.4	206	8.1	06.5-09.7	34	1.3	00.7-01.9	38	1.1	00.7-01.5	1921	62.5	60.0-65.0
White/Non-Hisp	3627	457,212	758	23.1	21.1-25.1	221	6.9	05.7-08.1	243	8.0	06.6-09.4	55	1.7	01.1-02.3	80	2.6	01.8-03.4	2270	57.8	55.6-60.0
Black or Afr. Am./Non-Hisp	702	126,890	145	21.1	17.0-25.2	68	11.3	07.8-14.8	49	7.8	04.7-10.9	16	2.7	01.3-04.1	18	3.1	01.3-04.9	406	54.1	49.0-59.2
Oth. Race/Non-Hisp.	193	29,156	51	32.2	20.2-44.2	10	4.7	01.0-08.4	20	9.9	04.8-15.0	2	0.3	00.0-00.7	6	2.7	00.0-06.0	104	50.2	39.0-61.4
MultiRacial/Non-Hisp.	63	4,765	16	27.3	14.0-40.6	6	12.9	00.9-24.9	6	13.1	01.9-24.3	6	13.1	01.9-24.3	2	4.7	00.0-11.4	33	42.1	27.8-56.4
Hispanic	223	48,771	42	18.5	12.0-25.0	13	4.6	01.9-07.3	19	9.9	04.8-15.0	3	1.4	00.0-03.6	4	1.5	00.0-03.1	142	64.3	56.5-72.1
18-24	251	82,931	95	38.9	31.5-46.3	38	17.9	11.8-24.0	24	11.6	06.1-17.1	5	1.7	00.1-03.3	9	2.7	00.7-04.7	80	27.2	21.1-33.3
25-34	460	110,914	123	26.6	21.5-31.7	41	8.1	05.2-11.0	39	9.1	05.2-13.0	9	2.4	00.8-04.0	15	3.5	01.5-05.5	233	50.4	44.5-56.3
35-44	566	101,830	147	23.1	19.0-27.2	41	6.1	03.9-08.3	55	9.8	06.7-12.9	11	2.2	00.8-03.6	20	3.9	01.9-05.9	292	54.8	49.9-59.7
45-54	843	123,279	157	18.6	15.3-21.9	60	6.7	04.5-08.9	69	8.6	06.1-11.1	16	2.1	00.9-03.3	18	2.3	00.9-03.7	523	61.7	57.6-65.8
55-64	1047	114,891	218	19.9	17.0-22.8	46	3.8	02.2-05.4	74	7.1	05.3-08.9	14	1.2	00.6-01.8	23	2.3	00.9-03.7	672	65.7	62.2-69.2
65+	1665	137,555	276	15.5	13.3-17.7	94	6.2	04.6-07.8	82	5.0	03.6-06.4	21	1.4	00.6-02.2	25	1.4	00.8-02.0	1167	70.5	67.8-73.2
Less Than H.S.	377	87,709	42	15.8	10.3-21.3	15	2.8	01.0-04.6	17	6.7	02.6-10.8	4	1.6	00.0-03.4	4	1.2	00.0-02.8	295	71.8	65.3-78.3
H.S. or G.E.D.	1449	208,845	222	17.8	15.1-20.5	98	9.3	06.9-11.7	64	6.4	03.9-08.9	22	1.8	01.0-02.6	38	3.1	01.9-04.3	1005	61.7	58.2-65.2
Some Post-H.S.	1280	201,795	277	24.2	20.9-27.5	72	8.1	05.7-10.5	99	9.2	07.0-11.4	28	2.1	01.1-03.1	29	2.6	01.4-03.8	775	53.8	50.1-57.5
College Graduate	1760	175,996	477	30.0	27.1-32.9	136	7.4	06.0-08.8	165	10.2	08.4-12.0	24	1.6	00.8-02.4	40	2.7	01.7-03.7	918	48.1	45.2-51.0
Less than \$15,000	403	55,297	61	17.5	11.6-23.4	27	7.4	03.9-10.9	16	7.1	02.4-11.8	9	2.8	00.4-05.2	5	1.6	00.0-03.2	285	63.6	56.3-70.9
\$15,000- 24,999	686	88,779	102	15.0	11.5-18.5	34	4.5	02.5-06.5	43	6.9	04.5-09.3	7	1.3	00.3-02.3	14	1.3	00.3-02.3	486	71.0	66.5-75.5
\$25,000- 34,999	460	60,223	68	16.2	11.7-20.7	33	10.1	05.2-15.0	33	6.7	03.6-09.8	11	1.8	00.4-03.2	15	3.3	01.3-05.3	300	61.8	55.5-68.1
\$35,000- 49,999	659	89,504	141	26.7	21.2-32.2	47	8.3	05.4-11.2	43	5.6	03.6-07.6	12	2.5	00.9-04.1	15	2.2	00.8-03.6	401	54.7	49.2-60.2
\$50,000- 74,999	661	91,405	150	23.7	19.0-28.4	41	7.6	04.7-10.5	48	7.7	05.2-10.2	11	1.9	00.7-03.1	18	4.0	01.8-06.2	393	55.2	50.1-60.3
\$75,000+	1297	194,285	366	29.0	25.7-32.3	99	7.6	05.4-09.8	118	10.2	07.8-12.6	21	1.7	00.9-02.5	29	2.6	01.4-03.8	664	48.9	45.4-52.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1945	322,982	432	23.5	21.0-26.0	178	10.2	08.2-12.2	141	8.5	06.5-10.5	44	2.4	01.6-03.2	73	4.3	03.1-05.5	1077	51.2	48.3-54.1
White/Non-Hisp	1445	217,665	322	23.8	20.9-26.7	117	8.9	06.7-11.1	95	7.4	05.4-09.4	31	2.0	01.2-02.8	53	4.2	02.8-05.6	827	53.5	50.2-56.8
Black or Afr. Am./Non-Hisp	262	59,460	53	21.5	14.8-28.2	42	16.2	10.5-21.9	21	11.0	04.7-17.3	9	3.7	01.2-06.2	14	5.5	02.2-08.8	123	42.2	34.4-50.0
Oth. Race/Non-Hisp.	88	15,787	28	35.3	17.1-53.5	6	5.0	00.3-09.7	7	6.7	01.0-12.4	1	0.3	00.0-00.9	2	3.4	00.0-09.5	44	49.2	32.1-66.3
Hispanic	89	21,896	19	20.3	10.9-29.7	7	6.8	01.5-12.1	9	12.0	04.2-19.8	2	2.9	00.0-07.4	3	3.1	00.0-06.6	49	55.0	43.2-66.8
18-24	125	42,376	49	39.0	28.2-49.8	25	22.4	13.2-31.6	11	13.0	04.6-21.4	3	2.3	00.0-05.0	7	3.8	00.7-06.9	30	19.6	12.0-27.2
25-34	200	56,248	55	25.7	18.1-33.3	31	13.4	08.1-18.7	19	8.8	04.3-13.3	6	3.2	00.5-05.9	13	6.3	02.6-10.0	76	42.6	34.0-51.2
35-44	235	48,924	63	22.9	16.8-29.0	22	8.3	04.6-12.0	17	8.3	03.6-13.0	5	2.2	00.2-04.2	13	6.4	02.7-10.1	115	52.0	44.6-59.4
45-54	345	59,192	64	19.5	14.2-24.8	30	8.4	04.7-12.1	31	9.8	05.3-14.3	11	3.4	01.2-05.6	11	3.5	01.0-06.0	198	55.3	48.6-62.0
55-64	403	54,857	93	22.5	17.6-27.4	15	2.6	01.0-04.2	29	6.7	04.0-09.4	7	1.3	00.3-02.3	13	3.7	01.2-06.2	246	63.2	57.3-69.1
65+	624	60,167	105	16.1	12.6-19.6	55	8.9	06.0-11.8	32	5.5	03.3-07.7	12	2.0	00.6-03.4	16	2.3	01.1-03.5	404	65.2	60.5-69.9
Less Than H.S.	159	44,131	16	14.8	07.2-22.4	9	2.9	00.5-05.3	8	6.9	01.2-12.6	3	2.7	00.0-05.8	2	1.5	00.0-04.0	121	71.2	61.8-80.6
H.S. or G.E.D.	597	106,951	102	19.9	15.6-24.2	60	13.0	09.1-16.9	29	6.7	03.2-10.2	11	1.9	00.5-03.3	24	4.4	02.4-06.4	371	54.1	48.8-59.4
Some Post-H.S.	451	88,389	116	27.9	22.0-33.8	38	11.8	07.5-16.1	40	10.3	06.4-14.2	14	2.7	01.1-04.3	18	5.0	02.5-07.5	225	42.2	36.5-47.9
College Graduate	730	82,372	195	28.0	23.9-32.1	71	8.8	06.4-11.2	63	9.7	07.0-12.4	16	2.6	01.0-04.2	29	4.8	02.6-07.0	356	46.0	41.5-50.5
Less than \$15,000	123	22,182	21	20.7	10.7-30.7	10	8.3	02.8-13.8	4	5.8	00.0-13.4	5	5.4	00.1-10.7	2	1.9	00.0-04.4	81	58.0	45.5-70.5
\$15,000- 24,999	240	39,058	37	14.8	09.3-20.3	20	7.9	03.8-12.0	17	7.1	03.0-11.2	2	0.9	00.0-02.1	3	1.3	00.0-03.1	161	68.0	60.6-75.4
\$25,000- 34,999	175	28,912	35	22.3	14.3-30.3	17	16.9	07.5-26.3	10	6.2	01.1-11.3	4	1.4	00.0-03.0	8	3.5	01.0-06.0	101	49.7	39.9-59.5
\$35,000- 49,999	286	45,439	68	28.4	20.0-36.8	31	12.0	07.1-16.9	18	4.5	02.0-07.0	7	2.8	00.3-05.3	9	2.9	00.7-05.1	153	49.4	41.4-57.4
\$50,000- 74,999	284	46,725	66	25.8	18.4-33.2	23	10.1	05.2-15.0	16	6.2	02.7-09.7	8	2.7	00.7-04.7	17	7.5	03.4-11.6	154	47.7	40.1-55.3
\$75,000+	610	100,585	157	25.4	21.1-29.7	52	7.8	05.1-10.5	58	12.6	08.5-16.7	16	2.7	01.1-04.3	25	4.5	02.3-06.7	302	47.0	41.9-52.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2932	352,685	589	21.8	19.6-24.0	144	5.2	04.0-06.4	206	8.1	06.5-09.7	34	1.3	00.7-01.9	38	1.1	00.7-01.5	1921	62.5	60.0-65.0
White/Non-Hisp	2182	239,547	436	22.3	19.8-24.8	104	5.0	03.6-06.4	148	8.5	06.3-10.7	24	1.4	00.8-02.0	27	1.2	00.6-01.8	1443	61.6	58.7-64.5
Black or Afr. Am./Non-Hisp	440	67,430	92	20.7	15.8-25.6	26	7.0	02.9-11.1	28	5.0	02.8-07.2	7	1.9	00.3-03.5	4	1.0	00.0-02.0	283	64.5	58.6-70.4
Oth. Race/Non-Hisp.	105	13,369	23	28.5	14.2-42.8	4	4.4	00.0-10.1	13	13.7	05.1-22.3	1	0.3	00.0-00.9	4	1.9	00.0-04.1	60	51.2	37.5-64.9
Hispanic	134	26,875	23	17.0	07.8-26.2	6	2.8	00.3-05.3	10	8.1	01.2-15.0	1	0.1	00.0-00.3	1	0.1	00.0-00.3	93	71.8	61.2-82.4
18-24	126	40,555	46	38.8	28.4-49.2	13	13.3	05.3-21.3	13	10.1	03.2-17.0	2	1.0	00.0-02.4	2	1.5	00.0-03.7	50	35.2	25.6-44.8
25-34	260	54,666	68	27.5	20.6-34.4	10	2.6	00.8-04.4	20	9.4	02.9-15.9	3	1.6	00.0-03.6	2	0.6	00.0-01.6	157	58.4	50.6-66.2
35-44	331	52,906	84	23.4	17.7-29.1	19	4.0	02.0-06.0	38	11.3	07.4-15.2	6	2.2	00.4-04.0	7	1.7	00.3-03.1	177	57.4	50.9-63.9
45-54	498	64,087	93	17.8	13.9-21.7	30	5.1	02.7-07.5	38	7.5	05.0-10.0	5	0.9	00.1-01.7	7	1.2	00.2-02.2	325	67.5	62.6-72.4
55-64	644	60,034	125	17.6	14.1-21.1	31	4.8	02.3-07.3	45	7.5	05.0-10.0	7	1.0	00.2-01.8	10	1.0	00.2-01.8	426	68.0	63.5-72.5
65+	1041	77,388	171	15.0	12.5-17.5	39	4.0	02.6-05.4	50	4.7	03.1-06.3	9	0.9	00.3-01.5	9	0.7	00.1-01.3	763	74.6	71.5-77.7
Less Than H.S.	218	43,578	26	16.9	09.3-24.5	6	2.7	00.0-05.4	9	6.5	00.8-12.2	1	0.5	00.0-01.5	2	0.9	00.0-02.5	174	72.5	63.5-81.5
H.S. or G.E.D.	852	101,894	120	15.5	12.0-19.0	38	5.4	02.9-07.9	35	6.0	02.5-09.5	11	1.8	00.6-03.0	14	1.8	00.8-02.8	634	69.6	64.9-74.3
Some Post-H.S.	829	113,406	161	21.3	17.4-25.2	34	5.2	02.7-07.7	59	8.3	05.6-11.0	14	1.7	00.5-02.9	11	0.7	00.1-01.3	550	62.8	58.3-67.3
College Graduate	1030	93,623	282	31.6	27.7-35.5	65	6.1	04.3-07.9	102	10.6	08.2-13.0	8	0.8	00.2-01.4	11	0.8	00.2-01.4	562	50.0	46.1-53.9
Less than \$15,000	280	33,114	40	15.3	08.0-22.6	17	6.9	02.4-11.4	12	7.9	02.0-13.8	4	1.1	00.0-02.5	3	1.5	00.0-03.3	204	67.3	58.5-76.1
\$15,000- 24,999	446	49,721	65	15.2	10.7-19.7	14	1.9	00.7-03.1	26	6.7	03.8-09.6	5	1.6	00.0-03.2	11	1.3	00.5-02.1	325	73.3	68.0-78.6
\$25,000- 34,999	285	31,311	33	10.5	06.4-14.6	16	3.9	01.5-06.3	23	7.2	03.7-10.7	7	2.2	00.0-04.4	7	3.2	00.3-06.1	199	73.0	66.7-79.3
\$35,000- 49,999	373	44,065	73	25.0	17.9-32.1	16	4.5	01.8-07.2	25	6.8	03.9-09.7	5	2.1	00.0-04.3	6	1.5	00.0-03.1	248	60.2	53.1-67.3
\$50,000- 74,999	377	44,680	84	21.4	15.9-26.9	18	5.0	02.3-07.7	32	9.2	05.5-12.9	3	1.0	00.0-02.2	1	0.2	00.0-00.6	239	63.1	56.6-69.6
\$75,000+	687	93,700	209	32.8	28.1-37.5	47	7.4	04.3-10.5	60	7.7	05.5-09.9	5	0.6	00.0-01.2	4	0.5	00.0-01.1	362	50.9	46.0-55.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 13: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
1	MALES AND FEMALES	248
2	MALES ONLY	249
3	FEMALES ONLY	250
	IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
4	MALES AND FEMALES	251
5	MALES ONLY	252
6	FEMALES ONLY	253
	DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
7	MALES AND FEMALES	254
8	MALES ONLY	255
9	FEMALES ONLY	256
	PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)	
10	MALES AND FEMALES	257
11	MALES ONLY	258
12	FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1669	179,311	762	44.1	40.8-47.4	907	55.9	52.6-59.2
Male	536	69,798	215	38.2	32.5-43.9	321	61.8	56.1-67.5
Female	1133	109,513	547	47.9	44.0-51.8	586	52.1	48.2-56.0
White/Non-Hisp	1322	135,451	587	43.0	39.5-46.5	735	57.0	53.5-60.5
Black or Afr. Am./Non-Hisp	214	29,327	105	45.3	36.9-53.7	109	54.7	46.3-63.1
35-44	81	12,402	45	55.8	43.3-68.3	36	44.2	31.7-56.7
45-54	244	37,101	121	47.8	40.0-55.6	123	52.2	44.4-60.0
55-64	420	45,109	213	51.4	44.9-57.9	207	48.6	42.1-55.1
65+	865	70,516	359	38.7	34.6-42.8	506	61.3	57.2-65.4
Less Than H.S.	161	27,703	87	51.7	40.7-62.7	74	48.3	37.3-59.3
H.S. or G.E.D.	529	59,223	238	41.5	36.0-47.0	291	58.5	53.0-64.0
Some Post-H.S.	458	53,465	228	46.9	40.8-53.0	230	53.1	47.0-59.2
College Graduate	517	38,763	208	39.0	33.7-44.3	309	61.0	55.7-66.3
Less than \$15,000	177	17,681	114	53.6	41.6-65.6	63	46.4	34.4-58.4
\$15,000- 24,999	298	31,814	180	64.4	57.0-71.8	118	35.6	28.2-43.0
\$25,000- 34,999	170	16,594	68	39.6	29.8-49.4	102	60.4	50.6-70.2
\$35,000- 49,999	225	23,297	97	42.5	34.7-50.3	128	57.5	49.7-65.3
\$50,000- 74,999	195	24,981	77	35.9	27.1-44.7	118	64.1	55.3-72.9
\$75,000+	331	38,471	109	32.7	26.4-39.0	222	67.3	61.0-73.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	536	69,798	215	38.2	32.5-43.9	321	61.8	56.1-67.5
White/Non-Hisp	438	53,625	171	37.3	31.4-43.2	267	62.7	56.8-68.6
Black or Afr. Am./Non-Hisp	55	10,412	24	32.9	18.6-47.2	31	67.1	52.8-81.4
45-54	81	14,721	36	40.8	27.9-53.7	45	59.2	46.3-72.1
55-64	133	18,759	65	50.1	38.5-61.7	68	49.9	38.3-61.5
65+	280	26,522	95	30.4	23.7-37.1	185	69.6	62.9-76.3
Less Than H.S.	52	10,461	25	48.9	29.7-68.1	27	51.1	31.9-70.3
H.S. or G.E.D.	168	23,982	71	37.5	28.3-46.7	97	62.5	53.3-71.7
Some Post-H.S.	121	18,393	48	34.7	23.9-45.5	73	65.3	54.5-76.1
College Graduate	194	16,863	71	36.4	28.0-44.8	123	63.6	55.2-72.0
\$15,000- 24,999	81	11,019	44	59.7	44.0-75.4	37	40.3	24.6-56.0
\$25,000- 34,999	55	6,094	20	33.6	17.7-49.5	35	66.4	50.5-82.3
\$35,000- 49,999	77	8,799	26	34.8	21.9-47.7	51	65.2	52.3-78.1
\$50,000- 74,999	79	12,627	28	25.4	13.8-37.0	51	74.6	63.0-86.2
\$75,000+	140	18,344	40	29.6	20.0-39.2	100	70.4	60.8-80.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1133	109,513	547	47.9	44.0-51.8	586	52.1	48.2-56.0
White/Non-Hisp	884	81,826	416	46.7	42.4-51.0	468	53.3	49.0-57.6
Black or Afr. Am./Non-Hisp	159	18,915	81	52.1	42.3-61.9	78	47.9	38.1-57.7
35-44	53	7,400	30	57.8	42.5-73.1	23	42.2	26.9-57.5
45-54	163	22,380	85	52.4	43.0-61.8	78	47.6	38.2-57.0
55-64	287	26,351	148	52.3	45.0-59.6	139	47.7	40.4-55.0
65+	585	43,994	264	43.6	38.5-48.7	321	56.4	51.3-61.5
Less Than H.S.	109	17,243	62	53.4	39.9-66.9	47	46.6	33.1-60.1
H.S. or G.E.D.	361	35,241	167	44.1	37.4-50.8	194	55.9	49.2-62.6
Some Post-H.S.	337	35,072	180	53.3	46.8-59.8	157	46.7	40.2-53.2
College Graduate	323	21,900	137	41.0	34.5-47.5	186	59.0	52.5-65.5
Less than \$15,000	133	11,492	84	52.5	38.2-66.8	49	47.5	33.2-61.8
\$15,000- 24,999	217	20,795	136	66.8	59.0-74.6	81	33.2	25.4-41.0
\$25,000- 34,999	115	10,501	48	43.1	30.8-55.4	67	56.9	44.6-69.2
\$35,000- 49,999	148	14,498	71	47.2	37.4-57.0	77	52.8	43.0-62.6
\$50,000- 74,999	116	12,354	49	46.5	35.3-57.7	67	53.5	42.3-64.7
\$75,000+	191	20,128	69	35.5	27.3-43.7	122	64.5	56.3-72.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 13: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1635	175,382	452	28.6	25.7-31.5	1183	71.4	68.5-74.3
Male	526	67,932	121	23.3	18.6-28.0	405	76.7	72.0-81.4
Female	1109	107,450	331	31.9	28.2-35.6	778	68.1	64.4-71.8
White/Non-Hisp	1301	133,868	325	26.1	23.0-29.2	976	73.9	70.8-77.0
Black or Afr. Am./Non-Hisp	206	28,605	77	36.9	28.5-45.3	129	63.1	54.7-71.5
35-44	77	11,729	30	36.0	24.0-48.0	47	64.0	52.0-76.0
45-54	241	37,097	96	35.5	28.1-42.9	145	64.5	57.1-71.9
55-64	412	42,842	138	34.8	28.9-40.7	274	65.2	59.3-71.1
65+	847	69,621	170	21.6	17.9-25.3	677	78.4	74.7-82.1
Less Than H.S.	155	26,218	67	40.5	30.3-50.7	88	59.5	49.3-69.7
H.S. or G.E.D.	518	58,560	166	32.2	26.9-37.5	352	67.8	62.5-73.1
Some Post-H.S.	448	52,066	131	27.5	22.2-32.8	317	72.5	67.2-77.8
College Graduate	510	38,382	88	16.6	12.7-20.5	422	83.4	79.5-87.3
Less than \$15,000	174	17,519	77	40.9	30.1-51.7	97	59.1	48.3-69.9
\$15,000- 24,999	285	29,604	133	53.3	45.9-60.7	152	46.7	39.3-54.1
\$25,000- 34,999	167	16,308	38	24.5	15.5-33.5	129	75.5	66.5-84.5
\$35,000- 49,999	221	22,781	53	25.0	17.9-32.1	168	75.0	67.9-82.1
\$50,000- 74,999	197	24,983	44	24.6	16.6-32.6	153	75.4	67.4-83.4
\$75,000+	329	38,217	51	14.6	10.1-19.1	278	85.4	80.9-89.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	526	67,932	121	23.3	18.6-28.0	405	76.7	72.0-81.4
White/Non-Hisp	433	53,369	97	23.8	18.5-29.1	336	76.2	70.9-81.5
Black or Afr. Am./Non-Hisp	53	10,152	10	17.8	05.8-29.8	43	82.2	70.2-94.2
45-54	82	15,097	26	25.4	14.4-36.4	56	74.6	63.6-85.6
55-64	130	17,099	39	31.9	21.9-41.9	91	68.1	58.1-78.1
65+	274	26,194	44	17.5	11.2-23.8	230	82.5	76.2-88.8
Less Than H.S.	50	9,365	16	27.2	12.5-41.9	34	72.8	58.1-87.5
H.S. or G.E.D.	164	23,670	48	30.2	21.4-39.0	116	69.8	61.0-78.6
Some Post-H.S.	119	17,991	26	20.3	11.5-29.1	93	79.7	70.9-88.5
College Graduate	192	16,807	31	14.7	08.6-20.8	161	85.3	79.2-91.4
\$15,000- 24,999	75	9,343	29	42.3	27.8-56.8	46	57.7	43.2-72.2
\$25,000- 34,999	55	6,094	13	28.6	12.5-44.7	42	71.4	55.3-87.5
\$35,000- 49,999	76	8,576	16	24.1	11.8-36.4	60	75.9	63.6-88.2
\$50,000- 74,999	80	12,656	19	23.5	11.0-36.0	61	76.5	64.0-89.0
\$75,000+	139	18,150	15	9.9	04.2-15.6	124	90.1	84.4-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1109	107,450	331	31.9	28.2-35.6	778	68.1	64.4-71.8
White/Non-Hisp	868	80,499	228	27.6	23.7-31.5	640	72.4	68.5-76.3
Black or Afr. Am./Non-Hisp	153	18,452	67	47.4	37.4-57.4	86	52.6	42.6-62.6
35-44	50	6,952	20	38.4	23.1-53.7	30	61.6	46.3-76.9
45-54	159	21,999	70	42.5	32.9-52.1	89	57.5	47.9-67.1
55-64	282	25,743	99	36.7	29.4-44.0	183	63.3	56.0-70.6
65+	573	43,427	126	24.0	19.5-28.5	447	76.0	71.5-80.5
Less Than H.S.	105	16,853	51	48.0	34.5-61.5	54	52.0	38.5-65.5
H.S. or G.E.D.	354	34,890	118	33.5	27.0-40.0	236	66.5	60.0-73.0
Some Post-H.S.	329	34,074	105	31.2	24.9-37.5	224	68.8	62.5-75.1
College Graduate	318	21,575	57	18.1	13.0-23.2	261	81.9	76.8-87.0
Less than \$15,000	130	11,331	59	46.4	32.7-60.1	71	53.6	39.9-67.3
\$15,000- 24,999	210	20,261	104	58.3	49.9-66.7	106	41.7	33.3-50.1
\$25,000- 34,999	112	10,215	25	22.1	11.7-32.5	87	77.9	67.5-88.3
\$35,000- 49,999	145	14,205	37	25.6	17.0-34.2	108	74.4	65.8-83.0
\$50,000- 74,999	117	12,326	25	25.7	15.5-35.9	92	74.3	64.1-84.5
\$75,000+	190	20,067	36	18.8	12.1-25.5	154	81.2	74.5-87.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1664	179,227	280	16.9	14.4-19.4	389	23.7	20.8-26.6	995	59.4	56.1-62.7
Male	537	70,171	72	13.7	09.2-18.2	117	23.0	17.7-28.3	348	63.2	57.3-69.1
Female	1127	109,056	208	18.9	15.8-22.0	272	24.1	20.8-27.4	647	56.9	53.0-60.8
White/Non-Hisp	1321	135,571	201	14.2	11.8-16.6	285	22.8	19.5-26.1	835	63.0	59.5-66.5
Black or Afr. Am./Non-Hisp	211	29,089	52	24.3	17.0-31.6	62	27.2	19.4-35.0	97	48.5	39.9-57.1
35-44	81	12,402	15	15.7	07.3-24.1	20	23.2	13.4-33.0	46	61.1	49.3-72.9
45-54	243	37,327	49	18.6	12.5-24.7	68	26.6	19.7-33.5	126	54.8	47.0-62.6
55-64	419	45,065	93	25.4	18.9-31.9	101	21.4	16.9-25.9	225	53.2	46.7-59.7
65+	861	70,121	114	11.6	09.1-14.1	183	20.5	17.2-23.8	564	67.8	63.9-71.7
Less Than H.S.	161	27,991	45	26.8	16.6-37.0	49	27.1	17.9-36.3	67	46.1	35.1-57.1
H.S. or G.E.D.	525	58,863	101	18.1	14.0-22.2	133	22.9	18.6-27.2	291	59.0	53.7-64.3
Some Post-H.S.	457	53,411	82	16.8	12.5-21.1	111	26.9	20.6-33.2	264	56.4	50.1-62.7
College Graduate	517	38,805	52	8.2	05.3-11.1	94	18.1	14.0-22.2	371	73.7	69.0-78.4
Less than \$15,000	176	17,428	54	23.4	15.4-31.4	59	31.5	20.9-42.1	63	45.0	33.0-57.0
\$15,000- 24,999	297	31,732	75	30.7	22.1-39.3	90	29.4	22.7-36.1	132	39.9	32.3-47.5
\$25,000- 34,999	169	16,570	29	15.6	08.5-22.7	45	29.7	20.7-38.7	95	54.8	45.0-64.6
\$35,000- 49,999	226	23,355	30	15.2	09.1-21.3	46	20.1	13.8-26.4	150	64.7	57.1-72.3
\$50,000- 74,999	198	25,146	25	12.4	06.7-18.1	48	28.6	18.2-39.0	125	58.9	48.7-69.1
\$75,000+	329	38,398	21	6.4	03.1-09.7	48	13.1	09.2-17.0	260	80.5	75.4-85.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	537	70,171	72	13.7	09.2-18.2	117	23.0	17.7-28.3	348	63.2	57.1-69.3
White/Non-Hisp	440	54,030	55	11.7	08.0-15.4	96	23.3	17.4-29.2	289	65.1	58.8-71.4
Black or Afr. Am./Non-Hisp	55	10,412	11	14.6	04.6-24.6	12	26.6	10.1-43.1	32	58.8	42.1-75.5
45-54	82	15,097	12	9.5	03.2-15.8	26	30.3	18.3-42.3	44	60.2	47.5-72.9
55-64	133	18,759	27	28.4	15.7-41.1	32	20.2	12.4-28.0	74	51.5	39.7-63.3
65+	280	26,518	29	8.1	04.8-11.4	45	14.8	09.7-19.9	206	77.1	71.2-83.0
Less Than H.S.	53	10,837	14	26.3	06.5-46.1	9	14.7	04.1-25.3	30	59.0	39.8-78.2
H.S. or G.E.D.	168	23,982	28	15.7	09.0-22.4	45	23.7	16.3-31.1	95	60.6	51.4-69.8
Some Post-H.S.	121	18,393	13	8.6	03.1-14.1	27	32.8	18.9-46.7	81	58.6	45.3-71.9
College Graduate	194	16,860	17	8.5	03.4-13.6	36	17.0	10.3-23.7	141	74.5	66.7-82.3
\$15,000- 24,999	81	11,019	20	30.6	11.8-49.4	19	21.4	10.4-32.4	42	48.0	31.1-64.9
\$25,000- 34,999	55	6,094	5	8.0	00.9-15.1	12	27.2	10.9-43.5	38	64.7	48.2-81.2
\$35,000- 49,999	77	8,799	12	18.7	06.7-30.7	13	18.2	07.8-28.6	52	63.1	49.6-76.6
\$50,000- 74,999	80	12,656	6	5.9	00.8-11.0	24	35.8	18.2-53.4	50	58.3	41.2-75.4
\$75,000+	140	18,344	7	6.0	00.9-11.1	18	9.7	04.8-14.6	115	84.2	77.3-91.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2013
 SECTION 13: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1127	109,056	208	18.9	15.8-22.0	272	24.1	20.8-27.4	647	56.9	53.0-60.8
White/Non-Hisp	881	81,541	146	15.9	12.8-19.0	189	22.5	18.8-26.2	546	61.6	57.3-65.9
Black or Afr. Am./Non-Hisp	156	18,677	41	29.7	20.5-38.9	50	27.5	19.3-35.7	65	42.8	33.0-52.6
35-44	53	7,400	12	19.5	07.9-31.1	9	18.4	06.8-30.0	32	62.1	47.4-76.8
45-54	161	22,230	37	24.8	16.2-33.4	42	24.1	16.1-32.1	82	51.1	41.5-60.7
55-64	286	26,306	66	23.2	16.9-29.5	69	22.3	16.8-27.8	151	54.5	47.4-61.6
65+	581	43,603	85	13.8	10.3-17.3	138	24.0	19.7-28.3	358	62.2	57.3-67.1
Less Than H.S.	108	17,155	31	27.1	16.1-38.1	40	34.9	22.2-47.6	37	38.0	24.5-51.5
H.S. or G.E.D.	357	34,881	73	19.7	14.4-25.0	88	22.4	17.3-27.5	196	57.9	51.4-64.4
Some Post-H.S.	336	35,018	69	21.1	15.4-26.8	84	23.8	18.3-29.3	183	55.2	48.7-61.7
College Graduate	323	21,945	35	8.0	04.9-11.1	58	18.9	13.8-24.0	230	73.1	67.4-78.8
Less than \$15,000	132	11,239	38	22.2	13.2-31.2	46	28.6	18.4-38.8	48	49.2	35.1-63.3
\$15,000- 24,999	216	20,714	55	30.7	22.1-39.3	71	33.6	25.6-41.6	90	35.7	27.7-43.7
\$25,000- 34,999	114	10,477	24	20.0	09.8-30.2	33	31.1	20.1-42.1	57	48.9	36.6-61.2
\$35,000- 49,999	149	14,556	18	13.0	06.3-19.7	33	21.3	13.5-29.1	98	65.6	56.4-74.8
\$50,000- 74,999	118	12,489	19	19.1	09.7-28.5	24	21.3	12.1-30.5	75	59.6	48.6-70.6
\$75,000+	189	20,055	14	6.8	02.3-11.3	30	16.1	10.0-22.2	145	77.0	69.9-84.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

**TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1642	177,231	111	6.8	05.2-08.4	496	29.1	26.2-32.0	559	32.5	29.6-35.4	329	19.8	18.4-21.2	147	8.9	8.1-12.5
Male	528	69,187	40	7.6	04.5-10.7	199	35.0	29.3-40.7	177	33.3	27.8-38.8	82	18.7	13.6-23.8	30	5.4	03.0-07.8
Female	1114	108,044	71	6.3	04.3-08.3	297	25.3	22.0-28.6	382	32.0	28.5-35.5	247	23.0	19.5-26.5	117	13.5	10.4-16.6
White/Non-Hisp	1306	134,119	88	7.0	05.0-09.0	433	32.6	29.1-36.1	460	34.0	30.7-37.3	242	18.8	16.1-21.5	83	7.6	05.2-10.0
Black or Afr. Am./Non-Hisp	208	28,801	11	5.6	01.9-09.3	37	18.3	11.4-25.2	58	29.5	21.3-37.7	59	27.2	19.8-34.6	43	19.4	12.5-26.3
35-44	80	12,161	5	5.5	00.4-10.6	20	26.0	14.4-37.6	22	30.4	18.2-42.6	21	24.4	14.2-34.6	12	13.7	05.7-21.7
45-54	241	37,002	15	6.7	02.4-11.0	59	24.7	18.0-31.4	79	32.4	25.0-39.8	58	21.7	15.4-28.0	30	14.5	08.4-20.6
55-64	418	44,831	24	5.0	02.6-07.4	110	25.4	20.3-30.5	135	29.7	24.4-35.0	102	27.5	20.8-34.2	47	12.5	08.2-16.8
65+	844	69,113	60	7.7	05.3-10.1	289	34.2	30.1-38.3	306	36.3	32.4-40.2	133	15.4	12.5-18.3	56	6.4	04.2-08.6
Less Than H.S.	161	27,987	9	6.8	01.9-11.7	22	15.9	08.1-23.7	48	22.0	14.7-29.3	45	28.1	16.9-39.3	37	27.2	17.4-37.0
H.S. or G.E.D.	521	58,523	39	8.1	04.8-11.4	110	21.5	17.0-26.0	198	37.3	32.0-42.6	129	24.9	20.2-29.6	45	8.2	05.1-11.3
Some Post-H.S.	446	52,536	25	5.4	02.9-07.9	136	31.8	25.7-37.9	149	32.6	26.9-38.3	92	21.7	16.6-26.8	44	8.5	05.8-11.2
College Graduate	510	38,028	37	6.5	04.1-08.9	226	46.4	41.1-51.7	164	32.9	27.8-38.0	62	10.4	07.5-13.3	21	3.7	01.5-05.9
Less than \$15,000	175	17,567	6	2.2	00.2-04.2	22	10.3	04.8-15.8	57	32.8	22.0-43.6	54	32.1	20.3-43.9	36	22.6	13.8-31.4
\$15,000- 24,999	291	31,216	19	6.2	02.7-09.7	50	15.0	09.3-20.7	94	27.6	21.1-34.1	90	35.7	27.1-44.3	38	15.5	09.8-21.2
\$25,000- 34,999	166	16,214	12	6.0	01.9-10.1	53	31.8	22.4-41.2	53	30.6	22.0-39.2	31	20.7	12.1-29.3	17	10.9	04.2-17.6
\$35,000- 49,999	222	22,847	18	7.8	03.7-11.9	67	29.3	22.0-36.6	87	38.6	31.0-46.2	36	15.7	09.8-21.6	14	8.6	03.9-13.3
\$50,000- 74,999	195	24,927	8	3.0	00.6-05.4	75	37.9	27.5-48.3	72	36.3	27.1-45.5	33	19.8	11.8-27.8	7	3.0	00.6-05.4
\$75,000+	328	38,386	24	9.5	05.0-14.0	149	43.5	36.8-50.2	107	33.1	26.4-39.8	37	11.4	07.3-15.5	11	2.5	00.5-04.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

**TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	528	69,187	40	7.6	04.5-10.7	199	35.0	29.5-40.5	177	33.3	27.8-38.8	82	18.7	13.6-23.8	30	5.4	03.0-07.8
White/Non-Hisp	435	53,462	34	8.0	04.5-11.5	172	37.9	31.6-44.2	144	33.1	27.2-39.0	63	15.6	11.1-20.1	22	5.4	02.7-08.1
Black or Afr. Am./Non-Hisp	53	10,088	3	6.7	00.0-14.9	13	24.4	10.3-38.5	19	38.4	20.8-56.0	14	25.9	12.0-39.8	4	4.5	00.0-09.4
45-54	82	15,097	6	10.8	01.2-20.4	20	23.9	13.1-34.7	34	40.1	27.0-53.2	15	16.9	07.1-26.7	7	8.2	01.3-15.1
55-64	131	18,499	9	5.1	01.2-09.0	34	24.5	15.3-33.7	49	31.4	21.8-41.0	31	33.8	20.7-46.9	8	5.2	00.9-09.5
65+	274	26,034	22	8.9	04.2-13.6	129	44.9	37.6-52.2	82	30.6	23.9-37.3	30	11.8	06.9-16.7	11	3.8	01.1-06.5
Less Than H.S.	52	10,720	7	15.5	03.2-27.8	13	25.1	10.0-40.2	11	13.4	04.4-22.4	13	31.8	11.0-52.6	8	14.2	03.6-24.8
H.S. or G.E.D.	165	23,585	12	8.0	02.1-13.9	45	25.7	17.5-33.9	67	41.9	32.1-51.7	36	22.7	14.7-30.7	5	1.7	00.0-03.5
Some Post-H.S.	119	18,276	3	2.3	00.0-05.2	50	41.5	28.6-54.4	42	35.3	23.3-47.3	17	16.3	08.1-24.5	7	4.6	00.9-08.3
College Graduate	191	16,506	18	7.8	03.7-11.9	90	47.3	38.5-56.1	57	31.9	23.5-40.3	16	7.3	03.4-11.2	10	5.7	01.2-10.2
\$15,000- 24,999	78	10,613	6	6.9	00.0-14.7	19	19.6	07.4-31.8	25	25.5	13.5-37.5	20	40.0	21.2-58.8	8	8.1	01.4-14.8
\$25,000- 34,999	54	6,039	3	6.2	00.0-13.6	26	45.9	29.4-62.4	17	28.2	14.3-42.1	7	18.1	02.8-33.4	1	1.6	00.0-04.7
\$35,000- 49,999	77	8,799	10	11.8	03.6-20.0	30	40.3	27.4-53.2	23	28.2	16.4-40.0	10	13.6	04.0-23.2	4	6.2	00.0-12.9
\$50,000- 74,999	78	12,472	6	3.7	00.4-07.0	32	42.3	25.1-59.5	27	33.6	19.1-48.1	11	19.0	06.5-31.5	2	1.4	00.0-03.4
\$75,000+	139	18,306	11	9.9	03.2-16.6	68	42.9	32.9-52.9	47	38.2	27.4-49.0	9	5.6	01.5-09.7	4	3.3	00.0-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1114	108,044	71	6.3	04.3-08.3	297	25.3	22.0-28.6	382	32.0	28.7-35.3	247	23.0	19.5-26.5	117	13.5	10.4-16.6
White/Non-Hisp	871	80,657	54	6.3	04.1-08.5	261	29.1	25.4-32.8	316	34.6	30.7-38.5	179	21.0	17.5-24.5	61	9.0	05.7-12.3
Black or Afr. Am./Non-Hisp	155	18,714	8	4.9	01.2-08.6	24	15.0	07.6-22.4	39	24.7	16.7-32.7	45	27.8	19.2-36.4	39	27.5	18.1-36.9
35-44	53	7,400	2	4.4	00.0-10.5	13	22.9	09.8-36.0	15	31.6	16.5-46.7	15	25.7	13.0-38.4	8	15.4	04.8-26.0
45-54	159	21,905	9	3.8	00.9-06.7	39	25.2	17.0-33.4	45	27.2	19.0-35.4	43	25.0	16.8-33.2	23	18.9	10.1-27.7
55-64	287	26,331	15	4.9	01.8-08.0	76	26.0	20.1-31.9	86	28.5	22.4-34.6	71	23.0	16.9-29.1	39	17.6	11.1-24.1
65+	570	43,079	38	7.0	04.5-09.5	160	27.7	23.0-32.4	224	39.7	34.8-44.6	103	17.5	13.6-21.4	45	8.0	05.1-10.9
Less Than H.S.	109	17,267	2	1.5	00.0-03.5	9	10.2	02.0-18.4	37	27.4	17.2-37.6	32	25.7	13.4-38.0	29	35.2	21.9-48.5
H.S. or G.E.D.	356	34,939	27	8.3	04.2-12.4	65	18.6	13.3-23.9	131	34.2	28.1-40.3	93	26.3	20.4-32.2	40	12.6	07.5-17.7
Some Post-H.S.	327	34,260	22	7.1	03.6-10.6	86	26.7	21.0-32.4	107	31.1	25.0-37.2	75	24.6	18.5-30.7	37	10.5	06.8-14.2
College Graduate	319	21,522	19	5.5	02.8-08.2	136	45.8	39.1-52.5	107	33.6	27.3-39.9	46	12.9	08.8-17.0	11	2.2	00.6-03.8
Less than \$15,000	131	11,379	4	2.2	00.0-04.6	18	11.9	05.2-18.6	43	27.6	17.2-38.0	37	29.6	13.9-45.3	29	28.7	16.5-40.9
\$15,000- 24,999	213	20,603	13	5.8	02.1-09.5	31	12.7	06.8-18.6	69	28.7	21.3-36.1	70	33.4	25.0-41.8	30	19.4	12.0-26.8
\$25,000- 34,999	112	10,175	9	5.9	01.0-10.8	27	23.4	12.4-34.4	36	32.1	21.1-43.1	24	22.3	11.7-32.9	16	16.3	06.1-26.5
\$35,000- 49,999	145	14,047	8	5.2	00.9-09.5	37	22.4	14.2-30.6	64	45.1	35.3-54.9	26	17.1	09.8-24.4	10	10.2	03.7-16.7
\$50,000- 74,999	117	12,455	2	2.3	00.0-05.4	43	33.6	23.4-43.8	45	39.0	28.2-49.8	22	20.6	10.8-30.4	5	4.6	00.3-08.9
\$75,000+	189	20,080	13	9.1	03.0-15.2	81	44.0	35.2-52.8	60	28.4	20.8-36.0	28	16.7	10.0-23.4	7	1.7	00.3-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013

SECTION 14: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	261
2	MALES ONLY	262
3	FEMALES ONLY	263

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 14: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4902	678,436	4546	91.8	90.8-92.8	197	4.5	03.7-05.3	67	1.5	01.1-01.9	25	0.7	00.3-01.1	57	1.3	00.9-01.7	10	0.3	00.1-00.5
Male	1956	325,051	1759	88.9	87.1-90.7	110	5.8	04.4-07.2	38	2.3	01.3-03.3	16	1.0	00.4-01.6	32	1.9	01.1-02.7	1	0.1	00.0-00.3
Female	2946	353,385	2787	94.4	93.2-95.6	87	3.3	02.3-04.3	29	0.7	00.3-01.1	9	0.4	00.2-00.6	25	0.8	00.4-01.2	9	0.5	00.1-00.9
White/Non-Hisp	3638	457,806	3394	92.2	91.0-93.4	142	4.7	03.7-05.7	43	1.4	00.8-02.0	13	0.3	00.1-00.5	40	1.2	00.6-01.8	6	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	709	127,884	643	89.6	86.7-92.5	35	5.0	03.0-07.0	14	2.1	00.7-03.5	7	1.5	00.3-02.7	7	1.1	00.0-02.3	3	0.7	00.0-01.7
Oth. Race/Non-Hisp.	195	29,557	181	95.7	92.4-99.0	7	2.2	00.0-04.4	3	0.6	00.0-01.6				4	1.5	00.0-03.7			
MultiRacial/Non-Hisp.	62	4,740	54	82.3	69.6-95.0	4	6.5	00.0-13.0	1	1.4	00.0-04.1	2	8.5	00.0-19.9	1	1.3	00.0-03.8			
Hispanic	224	49,351	208	93.0	89.3-96.7	4	2.0	00.0-04.2	5	1.2	00.0-02.4	2	1.1	00.0-02.7	4	2.2	00.0-04.6	1	0.5	00.0-01.5
18-24	252	83,350	223	91.9	88.6-95.2	11	3.1	00.7-05.5	10	2.6	00.8-04.4	1	0.3	00.0-00.9	6	1.9	00.3-03.5	1	0.2	00.0-00.6
25-34	460	110,907	407	87.3	83.6-91.0	26	6.3	03.6-09.0	7	1.6	00.2-03.0	8	1.3	00.3-02.3	10	3.1	00.9-05.3	2	0.3	00.0-00.7
35-44	571	103,304	528	92.2	89.5-94.9	33	6.0	03.6-08.4	7	1.2	00.2-02.2	2	0.4	00.0-01.0	1	0.2	00.0-00.6			
45-54	847	123,891	790	93.5	91.3-95.7	34	3.2	01.8-04.6	11	1.3	00.1-02.5	5	1.3	00.1-02.5	6	0.6	00.0-01.2	1	0.1	00.0-00.3
55-64	1047	114,911	979	92.1	89.7-94.5	35	4.4	02.6-06.2	12	0.9	00.3-01.5	5	0.4	00.0-00.8	12	1.5	00.5-02.5	4	0.7	00.0-01.7
65+	1675	137,562	1571	93.0	91.2-94.8	57	4.1	02.7-05.5	20	1.6	00.8-02.4	4	0.2	00.0-00.4	21	0.9	00.5-01.3	2	0.3	00.0-00.7
Less Than H.S.	379	88,533	340	89.4	85.5-93.3	11	3.4	01.0-05.8	10	2.3	00.5-04.1	2	0.5	00.0-01.1	11	2.8	00.4-05.2	5	1.6	00.0-03.2
H.S. or G.E.D.	1455	209,775	1311	88.6	86.4-90.8	68	5.6	04.0-07.2	32	2.6	01.4-03.8	13	1.2	00.4-02.0	27	1.9	00.9-02.9	4	0.2	00.0-00.4
Some Post-H.S.	1285	202,371	1204	93.5	91.7-95.3	55	4.6	03.0-06.2	12	0.6	00.2-01.0	7	0.5	00.1-00.9	7	0.7	00.1-01.3			
College Graduate	1767	176,240	1677	94.7	93.3-96.1	61	3.6	02.6-04.6	13	0.7	00.3-01.1	3	0.3	00.0-00.9	12	0.7	00.3-01.1	1	0.1	00.0-00.3
Less than \$15,000	406	55,675	367	87.2	82.3-92.1	13	5.1	01.6-08.6	12	3.2	01.0-05.4	6	1.6	00.0-03.2	6	1.5	00.0-03.3	2	1.4	00.0-03.4
\$15,000- 24,999	687	89,749	633	92.2	89.7-94.7	24	3.4	01.8-05.0	14	2.3	00.7-03.9	2	0.2	00.0-00.6	13	1.7	00.5-02.9	1	0.1	00.0-00.3
\$25,000- 34,999	462	60,298	436	94.1	91.2-97.0	10	2.0	00.2-03.8	5	1.1	00.1-02.1	5	1.3	00.1-02.5	6	1.6	00.0-03.6			
\$35,000- 49,999	659	89,552	607	91.4	88.7-94.1	30	5.1	02.9-07.3	13	2.0	00.6-03.4	2	0.3	00.0-00.9	7	1.1	00.1-02.1			
\$50,000- 74,999	666	91,669	600	88.3	85.0-91.6	50	8.8	05.9-11.7	5	1.2	00.0-02.6	3	0.4	00.0-00.8	7	1.2	00.0-02.4	1	0.2	00.0-00.6
\$75,000+	1300	194,681	1230	93.9	92.1-95.7	45	3.3	02.1-04.5	10	0.8	00.2-01.4	4	0.6	00.0-01.4	11	1.4	00.4-02.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 14: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom		Never			Never drive Ride in Car			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1956	325,051	1759	88.9	87.1-90.7	110	5.8	04.4-07.2	38	2.3	01.3-03.3	16	1.0	00.4-01.6	32	1.9	01.1-02.7	1	0.1	00.0-00.3
White/Non-Hisp	1452	218,858	1316	89.0	86.8-91.2	80	6.5	04.7-08.3	26	2.2	01.2-03.2	8	0.4	00.0-00.8	22	1.9	00.9-02.9			
Black or Afr. Am./Non-Hisp	263	59,654	229	87.3	82.4-92.2	19	5.1	02.4-07.8	7	3.5	00.8-06.2	4	2.1	00.0-04.5	4	2.0	00.0-04.4			
Oth. Race/Non-Hisp.	90	16,360	83	95.2	90.5-99.9	2	1.3	00.0-03.3	2	1.0	00.0-02.8				3	2.6	00.0-06.5			
Hispanic	89	21,896	80	90.0	83.3-96.7	3	4.1	00.0-09.0	2	1.4	00.0-03.4	2	2.4	00.0-05.7	1	0.9	00.0-02.7	1	1.1	00.0-03.3
18-24	126	42,795	108	88.6	82.7-94.5	5	3.8	00.0-07.7	7	3.9	00.6-07.2	1	0.6	00.0-01.8	5	3.1	00.2-06.0			
25-34	200	56,248	168	83.2	77.1-89.3	16	8.1	04.0-12.2	4	2.0	00.0-04.4	5	1.7	00.1-03.3	6	4.6	00.7-08.5	1	0.4	00.0-01.2
35-44	239	49,910	217	91.2	87.3-95.1	15	5.7	02.6-08.8	5	2.3	00.1-04.5	1	0.4	00.0-01.2	1	0.4	00.0-01.2			
45-54	348	59,700	320	91.9	88.2-95.6	16	3.5	01.3-05.7	4	1.9	00.0-04.3	3	1.9	00.0-04.3	5	0.8	00.0-01.8			
55-64	402	54,805	360	88.8	84.7-92.9	24	7.0	03.5-10.5	7	1.5	00.1-02.9	3	0.6	00.0-01.4	8	2.2	00.4-04.0			
65+	627	60,271	572	89.5	86.2-92.8	34	6.7	04.0-09.4	11	2.8	00.8-04.8	3	0.3	00.0-00.7	7	0.7	00.1-01.3			
Less Than H.S.	159	44,421	138	86.4	79.7-93.1	7	4.9	00.8-09.0	6	3.8	00.5-07.1				7	4.3	00.0-08.6	1	0.6	00.0-01.8
H.S. or G.E.D.	600	107,758	509	82.4	78.5-86.3	43	8.3	05.4-11.2	20	4.2	02.0-06.4	11	2.1	00.7-03.5	17	3.0	01.2-04.8			
Some Post-H.S.	453	89,024	416	93.5	91.0-96.0	27	4.7	02.5-06.9	5	0.9	00.0-01.9	3	0.4	00.0-01.0	2	0.5	00.0-01.3			
College Graduate	735	82,607	688	93.7	91.5-95.9	32	4.3	02.5-06.1	7	0.6	00.0-01.2	2	0.6	00.0-01.6	6	0.7	00.1-01.3			
Less than \$15,000	122	22,131	102	84.7	76.9-92.5	8	6.8	01.1-12.5	7	6.2	01.3-11.1	3	2.1	00.0-04.8	2	0.3	00.0-00.7			
\$15,000- 24,999	241	39,820	221	91.7	87.6-95.8	10	4.1	01.4-06.8	4	2.3	00.0-05.0				6	1.9	00.0-03.9			
\$25,000- 34,999	176	28,957	162	91.1	85.6-96.6	6	3.0	00.0-06.1	3	1.7	00.0-03.7	2	1.2	00.0-03.0	3	2.9	00.0-07.0			
\$35,000- 49,999	288	45,830	254	87.1	82.2-92.0	20	7.1	03.4-10.8	8	3.5	01.0-06.0	2	0.6	00.0-01.8	4	1.7	00.0-03.7			
\$50,000- 74,999	285	46,804	246	84.5	78.8-90.2	28	11.2	06.3-16.1	2	1.4	00.0-03.9	3	0.7	00.0-01.7	6	2.2	00.0-04.6			
\$75,000+	613	101,105	566	91.5	88.6-94.4	26	3.7	01.9-05.5	9	1.6	00.4-02.8	4	1.2	00.0-02.6	8	2.1	00.3-03.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 14: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2946	353,385	2787	94.4	93.2-95.6	87	3.3	02.3-04.3	29	0.7	00.3-01.1	9	0.4	00.2-00.6	25	0.8	00.4-01.2	9	0.5	00.1-00.9
White/Non-Hisp	2186	238,948	2078	95.1	93.9-96.3	62	3.1	02.1-04.1	17	0.6	00.2-01.0	5	0.2	00.0-00.4	18	0.7	00.3-01.1	6	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	446	68,230	414	91.6	88.1-95.1	16	5.0	02.1-07.9	7	0.9	00.1-01.7	3	0.9	00.0-02.1	3	0.3	00.0-00.7	3	1.3	00.0-02.9
Oth. Race/Non-Hisp.	105	13,197	98	96.3	92.0-100.0	5	3.3	00.0-07.6	1	0.2	00.0-00.6				1	0.2	00.0-00.6			
Hispanic	135	27,455	128	95.4	91.3-99.5	1	0.3	00.0-00.9	3	1.1	00.0-02.7				3	3.3	00.0-07.2			
18-24	126	40,555	115	95.4	92.7-98.1	6	2.4	00.4-04.4	3	1.3	00.0-02.7				1	0.5	00.0-01.5	1	0.4	00.0-01.2
25-34	260	54,659	239	91.5	87.4-95.6	10	4.5	01.2-07.8	3	1.2	00.0-02.6	3	0.9	00.0-02.1	4	1.7	00.0-03.7	1	0.2	00.0-00.6
35-44	332	53,394	311	93.1	89.4-96.8	18	6.3	02.6-10.0	2	0.2	00.0-00.6	1	0.4	00.0-01.2						
45-54	499	64,191	470	95.0	92.8-97.2	18	2.9	01.3-04.5	7	0.7	00.1-01.3	2	0.7	00.0-01.7	1	0.4	00.0-01.2	1	0.3	00.0-00.9
55-64	645	60,106	619	95.1	92.6-97.6	11	2.1	00.5-03.7	5	0.4	00.0-00.8	2	0.3	00.0-00.7	4	0.8	00.0-01.8	4	1.4	00.0-03.2
65+	1048	77,292	999	95.7	94.1-97.3	23	2.1	01.1-03.1	9	0.6	00.2-01.0	1	0.0	00.0-00.0	14	1.0	00.4-01.6	2	0.5	00.0-01.3
Less Than H.S.	220	44,113	202	92.5	88.4-96.6	4	1.9	00.0-04.1	4	0.8	00.0-01.8	2	0.9	00.0-02.3	4	1.2	00.0-02.6	4	2.6	00.0-05.3
H.S. or G.E.D.	855	102,017	802	95.1	93.5-96.7	25	2.7	01.3-04.1	12	0.9	00.1-01.7	2	0.2	00.0-00.6	10	0.7	00.1-01.3	4	0.4	00.0-00.8
Some Post-H.S.	832	113,346	788	93.5	91.0-96.0	28	4.6	02.4-06.8	7	0.5	00.1-00.9	4	0.6	00.0-01.2	5	0.8	00.0-01.8			
College Graduate	1032	93,633	989	95.6	94.0-97.2	29	2.9	01.7-04.1	6	0.7	00.0-01.5	1	0.0	00.0-00.0	6	0.6	00.0-01.2	1	0.1	00.0-00.3
Less than \$15,000	284	33,544	265	88.8	82.3-95.3	5	3.9	00.0-08.4	5	1.3	00.0-02.7	3	1.3	00.0-03.1	4	2.3	00.0-05.2	2	2.3	00.0-05.6
\$15,000- 24,999	446	49,929	412	92.6	89.7-95.5	14	2.8	01.0-04.6	10	2.4	00.6-04.2	2	0.4	00.0-01.0	7	1.6	00.2-03.0	1	0.2	00.0-00.6
\$25,000- 34,999	286	31,341	274	96.8	94.3-99.3	4	1.1	00.0-02.9	2	0.4	00.0-01.0	3	1.3	00.0-03.1	3	0.3	00.0-00.7			
\$35,000- 49,999	371	43,722	353	96.0	93.5-98.5	10	3.1	00.7-05.5	5	0.4	00.0-00.8				3	0.5	00.0-01.1			
\$50,000- 74,999	381	44,865	354	92.3	88.8-95.8	22	6.3	03.2-09.4	3	0.9	00.0-02.1				1	0.1	00.0-00.3	1	0.4	00.0-01.2
\$75,000+	687	93,576	664	96.4	94.4-98.4	19	2.9	01.1-04.7	1	0.0	00.0-00.0				3	0.7	00.0-01.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 15: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1 MALES AND FEMALES	265
2 MALES ONLY	266
3 FEMALES ONLY	267
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	268
5 MALES ONLY	269
6 FEMALES ONLY	270
SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)	
7 MALES AND FEMALES	271
8 MALES ONLY	272
9 FEMALES ONLY	273
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10 MALES AND FEMALES	274
11 MALES ONLY	275
12 FEMALES ONLY	276

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4882	675,154	2432	45.1	43.1-47.1	2450	54.9	52.9-56.9
Male	1946	322,291	886	40.7	37.8-43.6	1060	59.3	56.4-62.2
Female	2936	352,864	1546	49.1	46.6-51.6	1390	50.9	48.4-53.4
White/Non-Hisp	3624	455,960	1912	48.2	46.0-50.4	1712	51.8	49.6-54.0
Black or Afr. Am./Non-Hisp	706	127,135	294	38.3	33.6-43.0	412	61.7	57.0-66.4
Oth. Race/Non-Hisp.	194	29,376	65	29.4	20.6-38.2	129	70.6	61.8-79.4
MultiRacial/Non-Hisp.	62	4,740	26	35.9	21.8-50.0	36	64.1	50.0-78.2
Hispanic	223	48,886	100	42.8	34.8-50.8	123	57.2	49.2-65.2
18-24	250	82,728	61	27.1	20.0-34.2	189	72.9	65.8-80.0
25-34	457	110,213	164	35.8	30.3-41.3	293	64.2	58.7-69.7
35-44	568	102,524	220	39.4	34.5-44.3	348	60.6	55.7-65.5
45-54	844	123,346	348	41.1	37.0-45.2	496	58.9	54.8-63.0
55-64	1042	114,168	531	50.8	46.9-54.7	511	49.2	45.3-53.1
65+	1672	137,729	1083	65.8	62.9-68.7	589	34.2	31.3-37.1
Less Than H.S.	378	88,344	178	44.0	37.3-50.7	200	56.0	49.3-62.7
H.S. or G.E.D.	1449	208,558	665	40.7	37.4-44.0	784	59.3	56.0-62.6
Some Post-H.S.	1279	201,561	618	44.0	40.5-47.5	661	56.0	52.5-59.5
College Graduate	1761	175,344	962	52.1	49.2-55.0	799	47.9	45.0-50.8
Less than \$15,000	406	55,664	195	42.6	35.5-49.7	211	57.4	50.3-64.5
\$15,000- 24,999	685	90,011	331	42.1	37.2-47.0	354	57.9	53.0-62.8
\$25,000- 34,999	460	59,994	232	46.8	40.5-53.1	228	53.2	46.9-59.5
\$35,000- 49,999	655	88,910	311	42.2	37.1-47.3	344	57.8	52.7-62.9
\$50,000- 74,999	666	91,669	347	47.2	42.1-52.3	319	52.8	47.7-57.9
\$75,000+	1294	193,331	650	46.4	42.9-49.9	644	53.6	50.1-57.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1946	322,291	886	40.7	37.8-43.6	1060	59.3	56.4-62.2
White/Non-Hisp	1445	217,290	709	44.7	41.4-48.0	736	55.3	52.0-58.6
Black or Afr. Am./Non-Hisp	261	59,043	89	32.1	24.7-39.5	172	67.9	60.5-75.3
Oth. Race/Non-Hisp.	90	16,243	31	26.5	14.3-38.7	59	73.5	61.3-85.7
Hispanic	88	21,431	30	31.6	20.6-42.6	58	68.4	57.4-79.4
18-24	124	42,174	29	30.4	19.6-41.2	95	69.6	58.8-80.4
25-34	197	55,554	63	31.2	23.4-39.0	134	68.8	61.0-76.6
35-44	238	49,453	79	33.7	26.6-40.8	159	66.3	59.2-73.4
45-54	347	59,398	125	36.4	30.1-42.7	222	63.6	57.3-69.9
55-64	400	54,255	187	44.7	38.6-50.8	213	55.3	49.2-61.4
65+	626	60,136	396	62.6	57.9-67.3	230	37.4	32.7-42.1
Less Than H.S.	157	43,822	64	36.1	26.3-45.9	93	63.9	54.1-73.7
H.S. or G.E.D.	596	106,626	231	33.6	28.7-38.5	365	66.4	61.5-71.3
Some Post-H.S.	452	88,723	193	41.8	35.9-47.7	259	58.2	52.3-64.1
College Graduate	733	82,049	394	50.9	46.4-55.4	339	49.1	44.6-53.6
Less than \$15,000	123	22,182	48	30.9	20.3-41.5	75	69.1	58.5-79.7
\$15,000- 24,999	240	39,759	102	33.3	26.0-40.6	138	66.7	59.4-74.0
\$25,000- 34,999	174	28,653	85	44.8	34.8-54.8	89	55.2	45.2-65.2
\$35,000- 49,999	287	45,498	114	35.2	27.8-42.6	173	64.8	57.4-72.2
\$50,000- 74,999	285	46,804	130	41.0	33.6-48.4	155	59.0	51.6-66.4
\$75,000+	609	100,077	294	44.9	39.8-50.0	315	55.1	50.0-60.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2936	352,864	1546	49.1	46.6-51.6	1390	50.9	48.4-53.4
White/Non-Hisp	2179	238,669	1203	51.3	48.4-54.2	976	48.7	45.8-51.6
Black or Afr. Am./Non-Hisp	445	68,091	205	43.7	37.6-49.8	240	56.3	50.2-62.4
Oth. Race/Non-Hisp.	104	13,133	34	32.9	20.6-45.2	70	67.1	54.8-79.4
Hispanic	135	27,455	70	51.6	40.6-62.6	65	48.4	37.4-59.4
18-24	126	40,555	32	23.8	15.0-32.6	94	76.2	67.4-85.0
25-34	260	54,659	101	40.4	32.8-48.0	159	59.6	52.0-67.2
35-44	330	53,072	141	44.7	38.0-51.4	189	55.3	48.6-62.0
45-54	497	63,948	223	45.5	40.0-51.0	274	54.5	49.0-60.0
55-64	642	59,914	344	56.4	51.5-61.3	298	43.6	38.7-48.5
65+	1046	77,593	687	68.3	64.8-71.8	359	31.7	28.2-35.2
Less Than H.S.	221	44,522	114	51.7	42.7-60.7	107	48.3	39.3-57.3
H.S. or G.E.D.	853	101,932	434	48.1	43.4-52.8	419	51.9	47.2-56.6
Some Post-H.S.	827	112,839	425	45.7	41.2-50.2	402	54.3	49.8-58.8
College Graduate	1028	93,295	568	53.1	49.2-57.0	460	46.9	43.0-50.8
Less than \$15,000	283	33,482	147	50.3	41.7-58.9	136	49.7	41.1-58.3
\$15,000- 24,999	445	50,252	229	49.1	42.8-55.4	216	50.9	44.6-57.2
\$25,000- 34,999	286	31,341	147	48.6	41.0-56.2	139	51.4	43.8-59.0
\$35,000- 49,999	368	43,413	197	49.4	42.3-56.5	171	50.6	43.5-57.7
\$50,000- 74,999	381	44,865	217	53.6	46.9-60.3	164	46.4	39.7-53.1
\$75,000+	685	93,254	356	48.0	43.1-52.9	329	52.0	47.1-56.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2012			May-Aug 2012			Sep-Dec 2012			Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2252	280,679	8	0.3	00.1-00.5	50	2.1	01.3-02.9	1596	70.8	68.3-73.3	202	10.2	08.2-12.2	27	1.2	00.6-01.8	369	15.5	13.3-17.7
Male	814	119,953	2	0.3	00.0-00.7	14	2.0	00.6-03.4	571	68.9	64.4-73.4	74	10.8	07.7-13.9	11	1.2	00.2-02.2	142	16.7	13.2-20.2
Female	1438	160,727	6	0.2	00.0-00.4	36	2.1	01.3-02.9	1025	72.2	69.1-75.3	128	9.7	07.3-12.1	16	1.2	00.4-02.0	227	14.5	12.1-16.9
White/Non-Hisp	1788	205,533	7	0.4	00.0-00.8	34	1.8	01.0-02.6	1303	73.9	71.2-76.6	146	9.0	07.0-11.0	13	0.6	00.2-01.0	285	14.3	12.1-16.5
Black or Afr. Am./Non-Hisp	268	43,769				11	4.0	01.3-06.7	169	61.2	53.2-69.2	36	14.2	08.5-19.9	7	2.2	00.0-04.6	45	18.4	11.3-25.5
Oth. Race/Non-Hisp.	54	7,554				1	0.4	00.0-01.2	34	70.0	54.9-85.1	6	9.1	01.1-17.1	3	5.5	00.0-13.9	10	15.0	03.4-26.6
Hispanic	88	18,149				2	0.8	00.0-02.2	53	59.3	46.2-72.4	10	15.6	04.2-27.0	4	4.8	00.0-10.1	19	19.5	09.5-29.5
18-24	50	18,219				2	3.9	00.0-10.2	32	64.7	48.6-80.8	8	17.1	05.5-28.7	2	3.2	00.0-08.3	6	11.1	00.0-23.3
25-34	149	34,999	1	0.7	00.0-02.1	7	3.6	00.5-06.7	101	63.6	53.4-73.8	14	14.1	05.5-22.7	2	1.7	00.0-04.1	24	16.3	08.9-23.7
35-44	208	38,084	1	0.4	00.0-01.2	4	1.4	00.0-03.0	148	71.0	63.4-78.6	23	12.0	06.3-17.7	3	1.5	00.0-03.7	29	13.8	07.7-19.9
45-54	329	48,074	1	0.2	00.0-00.6	5	1.3	00.0-02.7	226	67.6	61.1-74.1	39	10.9	07.2-14.6	3	0.7	00.0-01.7	55	19.3	13.4-25.2
55-64	506	54,826	1	0.1	00.0-00.3	12	1.8	00.6-03.0	367	76.6	72.3-80.9	43	7.6	04.7-10.5	8	1.4	00.2-02.6	75	12.6	09.5-15.7
65+	990	84,211	4	0.3	00.1-00.5	20	2.0	00.8-03.2	708	73.2	69.9-76.5	73	7.5	05.3-09.7	8	0.7	00.1-01.3	177	16.4	13.7-19.1
Less Than H.S.	153	32,986				2	1.9	00.0-04.4	93	62.7	52.3-73.1	23	15.6	08.2-23.0	3	2.1	00.0-04.8	32	17.7	08.9-26.5
H.S. or G.E.D.	601	75,442	2	0.2	00.0-00.6	21	2.5	01.3-03.7	415	69.2	64.1-74.3	54	10.3	06.8-13.8	8	1.3	00.0-02.7	101	16.6	12.7-20.5
Some Post-H.S.	584	84,937	5	0.6	00.0-01.2	13	2.4	00.6-04.2	400	69.9	64.8-75.0	55	11.3	07.4-15.2	8	1.2	00.2-02.2	103	14.6	11.1-18.1
College Graduate	906	86,573	1	0.1	00.0-00.3	14	1.5	00.7-02.3	680	75.9	72.4-79.4	70	7.0	05.0-09.0	8	0.8	00.2-01.4	133	14.6	11.5-17.7
Less than \$15,000	175	20,702	4	1.0	00.0-02.2	4	2.3	00.0-05.2	106	60.4	50.0-70.8	26	20.0	09.8-30.2	5	2.2	00.0-04.4	30	14.1	07.6-20.6
\$15,000- 24,999	296	33,610	1	0.2	00.0-00.6	12	3.3	00.8-05.8	191	68.4	61.3-75.5	33	11.1	06.2-16.0	6	2.1	00.0-04.6	53	15.0	09.9-20.1
\$25,000- 34,999	210	25,582	1	1.0	00.0-03.0	1	0.5	00.0-01.5	154	71.9	63.3-80.5	17	10.5	04.0-17.0	5	2.3	00.0-04.8	32	13.8	07.7-19.9
\$35,000- 49,999	287	34,638				7	3.4	00.0-06.9	196	70.5	63.6-77.4	26	9.1	04.6-13.6	1	0.4	00.0-01.2	57	16.5	11.4-21.6
\$50,000- 74,999	329	40,595	1	0.3	00.0-00.9	8	1.9	00.3-03.5	249	74.7	68.8-80.6	22	8.0	04.5-11.5	3	1.5	00.0-03.5	46	13.6	08.9-18.3
\$75,000+	627	86,067	1	0.2	00.0-00.6	9	1.6	00.4-02.8	471	74.2	69.7-78.7	51	8.6	05.7-11.5	2	0.1	00.0-00.3	93	15.3	11.6-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2012			May-Aug 2012			Sep-Dec 2012			Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	814	119,953	2	0.3	00.0-00.7	14	2.0	00.6-03.4	571	68.9	64.6-73.2	74	10.8	07.7-13.9	11	1.2	00.2-02.2	142	16.7	13.2-20.2
White/Non-Hisp	656	89,518	2	0.4	00.0-01.0	10	1.9	00.3-03.5	474	71.0	66.1-75.9	55	10.1	06.6-13.6	5	0.7	00.1-01.3	110	15.9	12.2-19.6
Black or Afr. Am./Non-Hisp	84	17,063				3	3.5	00.0-07.8	47	57.5	43.4-71.6	13	13.9	05.1-22.7	2	1.3	00.0-03.5	19	23.8	10.1-37.5
25-34	56	15,410	1	1.6	00.0-04.7	1	2.5	00.0-07.4	36	58.6	42.3-74.9	8	19.6	04.7-34.5	2	3.9	00.0-09.2	8	13.9	03.5-24.3
35-44	75	15,823	1	0.9	00.0-02.7				54	71.9	59.7-84.1	10	12.9	04.7-21.1				10	14.4	04.2-24.6
45-54	113	19,913				3	2.1	00.0-04.6	85	71.2	60.2-82.2	11	7.8	02.9-12.7	1	1.1	00.0-03.3	13	17.7	07.3-28.1
55-64	181	23,170				5	2.0	00.0-04.0	125	71.1	63.3-78.9	13	8.2	02.7-13.7	5	2.1	00.0-04.3	33	16.7	10.4-23.0
65+	362	35,272				4	1.5	00.0-03.3	252	70.9	65.2-76.6	28	8.2	04.5-11.9	3	0.6	00.0-01.4	75	18.8	14.3-23.3
Less Than H.S.	55	13,689				1	2.1	00.0-06.2	31	60.7	43.3-78.1	8	14.1	03.3-24.9	1	1.3	00.0-03.8	14	21.8	05.3-38.3
H.S. or G.E.D.	206	31,332				2	0.8	00.0-02.2	138	66.7	58.3-75.1	19	11.4	05.3-17.5	4	1.2	00.0-03.0	43	19.9	13.0-26.8
Some Post-H.S.	183	35,382	2	1.1	00.0-02.7	4	3.3	00.0-07.2	126	66.8	57.8-75.8	16	12.0	04.6-19.4	3	2.0	00.0-04.4	32	14.7	08.4-21.0
College Graduate	366	39,014				7	1.8	00.4-03.2	272	75.0	69.5-80.5	31	8.3	05.2-11.4	3	0.6	00.0-01.4	53	14.4	09.7-19.1
\$15,000- 24,999	90	11,935							57	65.6	53.1-78.1	10	14.5	04.1-24.9	1	0.3	00.0-00.9	22	19.6	10.2-29.0
\$25,000- 34,999	80	12,329	1	2.0	00.0-05.9				53	67.4	53.5-81.3	7	12.2	00.8-23.6	3	3.9	00.0-08.8	16	14.6	06.6-22.6
\$35,000- 49,999	102	14,434				2	4.9	00.0-12.7	70	69.3	57.7-80.9	13	11.9	04.6-19.2				17	13.9	06.5-21.3
\$50,000- 74,999	122	17,743				4	2.9	00.0-06.0	88	70.1	59.9-80.3	9	8.3	02.4-14.2	2	2.6	00.0-06.5	19	16.1	07.9-24.3
\$75,000+	277	41,606	1	0.3	00.0-00.9	4	1.8	00.0-03.8	206	73.6	66.9-80.3	21	7.7	03.8-11.6	1	0.1	00.0-00.3	44	16.4	10.5-22.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2012			May-Aug 2012			Sep-Dec 2012			Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1438	160,727	6	0.2	00.0-00.4	36	2.1	01.3-02.9	1025	72.2	69.1-75.3	128	9.7	07.3-12.1	16	1.2	00.4-02.0	227	14.5	12.1-16.9
White/Non-Hisp	1132	116,015	5	0.3	00.1-00.5	24	1.8	01.0-02.6	829	76.2	73.1-79.3	91	8.1	05.9-10.3	8	0.5	00.1-00.9	175	13.1	10.6-15.6
Black or Afr. Am./Non-Hisp	184	26,706				8	4.3	00.8-07.8	122	63.6	54.2-73.0	23	14.4	07.0-21.8	5	2.8	00.0-06.3	26	14.9	07.8-22.0
Hispanic	62	12,074				2	1.1	00.0-03.1	35	55.2	38.5-71.9	7	14.2	00.0-28.5	3	5.0	00.0-11.9	15	24.4	10.7-38.1
25-34	93	19,589				6	4.4	00.5-08.3	65	67.6	54.9-80.3	6	9.8	00.4-19.2				16	18.1	07.7-28.5
35-44	133	22,261				4	2.5	00.0-05.2	94	70.3	60.3-80.3	13	11.3	03.7-18.9	3	2.5	00.0-06.2	19	13.4	06.1-20.7
45-54	216	28,161	1	0.4	00.0-01.2	2	0.8	00.0-02.0	141	65.0	57.2-72.8	28	13.1	07.6-18.6	2	0.4	00.0-01.0	42	20.3	13.2-27.4
55-64	325	31,656	1	0.1	00.0-00.3	7	1.6	00.2-03.0	242	80.6	75.9-85.3	30	7.2	04.1-10.3	3	0.8	00.0-02.0	42	9.6	06.5-12.7
65+	628	48,939	4	0.5	00.0-01.1	16	2.3	00.7-03.9	456	74.8	70.7-78.9	45	7.0	04.5-09.5	5	0.8	00.0-01.6	102	14.7	11.4-18.0
Less Than H.S.	98	19,298				1	1.7	00.0-05.0	62	64.1	51.4-76.8	15	16.6	06.4-26.8	2	2.7	00.0-06.8	18	14.8	05.8-23.8
H.S. or G.E.D.	395	44,110	2	0.4	00.0-01.0	19	3.6	01.6-05.6	277	70.9	64.6-77.2	35	9.5	05.2-13.8	4	1.4	00.0-03.6	58	14.2	09.5-18.9
Some Post-H.S.	401	49,555	3	0.2	00.0-00.4	9	1.8	00.2-03.4	274	72.1	66.4-77.8	39	10.7	06.4-15.0	5	0.6	00.0-01.2	71	14.5	10.4-18.6
College Graduate	540	47,558	1	0.2	00.0-00.6	7	1.2	00.2-02.2	408	76.6	72.1-81.1	39	6.0	03.8-08.2	5	1.1	00.1-02.1	80	14.8	10.7-18.9
Less than \$15,000	131	14,038	4	1.5	00.0-03.3	3	1.3	00.0-03.3	79	59.1	46.6-71.6	21	20.5	08.2-32.8	3	1.7	00.0-03.7	21	16.0	07.4-24.6
\$15,000- 24,999	206	21,676	1	0.3	00.0-00.9	12	5.1	01.2-09.0	134	69.9	61.5-78.3	23	9.2	04.5-13.9	5	3.0	00.0-06.7	31	12.4	06.3-18.5
\$25,000- 34,999	130	13,254				1	1.1	00.0-03.3	101	76.0	65.6-86.4	10	9.0	02.3-15.7	2	0.9	00.0-02.3	16	13.0	04.0-22.0
\$35,000- 49,999	185	20,205				5	2.4	00.0-04.8	126	71.4	63.0-79.8	13	7.2	01.5-12.9	1	0.6	00.0-01.8	40	18.5	11.6-25.4
\$50,000- 74,999	207	22,852	1	0.5	00.0-01.5	4	1.1	00.0-02.5	161	78.4	71.5-85.3	13	7.7	03.2-12.2	1	0.7	00.0-02.1	27	11.6	06.3-16.9
\$75,000+	350	44,461				5	1.5	00.1-02.9	265	74.8	68.5-81.1	30	9.3	04.8-13.8	1	0.1	00.0-00.3	49	14.3	09.4-19.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

**TABLE 7. SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2152	267,632	403	22.2	19.7-24.7	181	7.6	06.0-09.2	651	32.5	29.8-35.2	917	37.6	34.9-40.3
Male	779	114,606	140	21.4	17.3-25.5	54	6.8	04.6-09.0	274	38.9	34.2-43.6	311	33.0	28.7-37.3
Female	1373	153,025	263	22.9	19.6-26.2	127	8.2	06.0-10.4	377	27.7	24.6-30.8	606	41.1	37.6-44.6
White/Non-Hisp	1697	194,982	304	22.2	19.1-25.3	142	7.5	05.9-09.1	521	32.8	29.7-35.9	730	37.5	34.6-40.4
Black or Afr. Am./Non-Hisp	260	41,761	55	21.0	14.7-27.3	24	9.5	04.2-14.8	83	35.0	27.0-43.0	98	34.5	27.2-41.8
Oth. Race/Non-Hisp.	56	7,476	12	23.3	09.6-37.0	4	2.5	00.0-05.6	10	16.9	04.9-28.9	30	57.3	40.6-74.0
Hispanic	89	18,556	22	25.5	13.0-38.0	5	7.1	00.0-14.7	26	29.1	17.5-40.7	36	38.3	26.0-50.6
18-24	55	19,752	18	36.2	19.5-52.9	5	6.9	00.0-14.3	20	39.3	23.4-55.2	12	17.7	07.1-28.3
25-34	142	34,057	55	40.9	30.9-50.9	9	6.4	01.5-11.3	32	20.9	11.9-29.9	46	31.8	22.4-41.2
35-44	191	33,596	52	26.3	18.7-33.9	14	7.5	02.8-12.2	66	35.6	27.2-44.0	59	30.6	22.8-38.4
45-54	315	45,999	70	21.4	15.9-26.9	27	7.5	04.4-10.6	112	41.4	34.5-48.3	106	29.7	23.8-35.6
55-64	476	52,434	103	21.5	16.6-26.4	41	9.2	05.1-13.3	144	31.0	25.7-36.3	188	38.3	32.8-43.8
65+	955	80,078	100	10.3	07.9-12.7	82	7.1	05.3-08.9	275	30.8	27.1-34.5	498	51.8	47.9-55.7
Less Than H.S.	162	34,930	24	21.1	11.9-30.3	6	5.7	00.0-11.6	54	34.9	24.9-44.9	78	38.2	28.8-47.6
H.S. or G.E.D.	597	76,203	67	16.1	10.8-21.4	55	8.9	06.0-11.8	183	35.5	30.0-41.0	292	39.6	34.5-44.7
Some Post-H.S.	538	76,204	98	19.8	15.5-24.1	39	7.1	04.4-09.8	162	33.8	28.3-39.3	239	39.3	34.0-44.6
College Graduate	850	79,962	212	31.0	26.9-35.1	81	7.7	05.7-09.7	251	27.3	23.8-30.8	306	33.9	30.0-37.8
Less than \$15,000	171	20,598	18	15.8	06.2-25.4	12	7.7	02.0-13.4	55	33.4	23.0-43.8	86	43.2	33.0-53.4
\$15,000- 24,999	298	34,274	33	13.1	07.6-18.6	24	7.7	02.2-13.2	90	30.5	23.6-37.4	151	48.8	41.2-56.4
\$25,000- 34,999	213	26,349	32	20.3	12.1-28.5	26	9.4	05.3-13.5	64	31.7	22.9-40.5	91	38.6	29.4-47.8
\$35,000- 49,999	277	32,628	36	11.2	06.7-15.7	22	6.5	03.4-09.6	89	37.6	29.8-45.4	130	44.7	37.1-52.3
\$50,000- 74,999	304	36,914	58	23.4	16.7-30.1	32	8.9	05.2-12.6	83	27.7	21.2-34.2	131	40.0	32.9-47.1
\$75,000+	569	78,617	162	33.1	27.8-38.4	44	7.2	04.5-09.9	178	31.3	26.4-36.2	185	28.5	24.0-33.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 8: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	779	114,606	140	21.4	17.3-25.5	54	6.8	04.6-09.0	274	38.9	34.2-43.6	311	33.0	28.7-37.3
White/Non-Hisp	632	87,085	115	23.4	18.5-28.3	44	7.5	05.0-10.0	225	37.7	32.4-43.0	248	31.4	26.9-35.9
Black or Afr. Am./Non-Hisp	78	15,663	14	16.2	06.2-26.2	8	6.5	01.8-11.2	23	39.4	24.3-54.5	33	37.9	24.2-51.6
25-34	55	15,516	21	39.5	24.0-55.0	7	10.8	01.8-19.8	14	20.5	06.6-34.4	13	29.3	13.8-44.8
35-44	68	14,176	17	22.3	10.9-33.7	4	7.1	00.0-14.5	32	51.5	37.4-65.6	15	19.2	09.2-29.2
45-54	111	18,549	24	18.1	10.1-26.1	7	5.3	01.2-09.4	46	51.1	39.5-62.7	34	25.6	16.2-35.0
55-64	168	22,134	34	24.0	15.4-32.6	10	6.4	02.1-10.7	63	36.3	27.5-45.1	61	33.3	25.1-41.5
65+	347	33,110	37	10.5	06.6-14.4	23	6.8	03.9-09.7	106	32.1	25.8-38.4	181	50.6	44.1-57.1
Less Than H.S.	57	13,318	9	19.2	05.5-32.9	1	1.5	00.0-04.4	24	48.6	31.0-66.2	23	30.7	15.8-45.6
H.S. or G.E.D.	209	32,116	24	17.8	08.6-27.0	18	7.2	03.7-10.7	76	43.9	34.5-53.3	91	31.0	23.6-38.4
Some Post-H.S.	165	32,993	29	18.2	11.1-25.3	13	7.9	02.8-13.0	62	41.6	32.0-51.2	61	32.3	23.5-41.1
College Graduate	346	36,032	77	28.2	21.7-34.7	22	7.3	04.0-10.6	112	28.5	23.0-34.0	135	36.0	29.9-42.1
\$15,000- 24,999	93	11,717	8	6.0	00.5-11.5	4	3.8	00.0-07.7	36	39.8	27.1-52.5	45	50.4	37.3-63.5
\$25,000- 34,999	79	11,970	13	19.0	06.7-31.3	10	10.1	03.4-16.8	24	32.3	17.2-47.4	32	38.5	22.8-54.2
\$35,000- 49,999	102	14,673	12	7.8	02.7-12.9	6	4.0	00.7-07.3	38	46.0	32.9-59.1	46	42.2	29.5-54.9
\$50,000- 74,999	111	15,726	16	24.7	12.7-36.7	12	11.6	04.3-18.9	34	29.9	18.7-41.1	49	33.7	23.5-43.9
\$75,000+	256	40,032	64	31.3	23.1-39.5	17	7.8	03.5-12.1	94	35.7	28.1-43.3	81	25.2	19.1-31.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 9: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1373	153,025	263	22.9	19.6-26.2	127	8.2	06.0-10.4	377	27.7	24.6-30.8	606	41.1	37.6-44.6
White/Non-Hisp	1065	107,897	189	21.3	17.6-25.0	98	7.4	05.6-09.2	296	28.9	25.2-32.6	482	42.4	38.5-46.3
Black or Afr. Am./Non-Hisp	182	26,098	41	23.8	15.8-31.8	16	11.3	03.5-19.1	60	32.3	23.7-40.9	65	32.5	24.3-40.7
Hispanic	63	12,792	19	31.1	15.0-47.2	4	9.5	00.0-20.3	13	17.0	06.2-27.8	27	42.4	26.7-58.1
25-34	87	18,541	34	42.1	29.0-55.2	2	2.8	00.0-07.3	18	21.2	09.6-32.8	33	33.9	22.3-45.5
35-44	123	19,420	35	29.3	19.1-39.5	10	7.8	01.9-13.7	34	24.0	15.8-32.2	44	39.0	28.0-50.0
45-54	204	27,451	46	23.6	16.3-30.9	20	9.0	04.5-13.5	66	34.9	26.9-42.9	72	32.5	24.9-40.1
55-64	308	30,301	69	19.7	14.4-25.0	31	11.2	04.9-17.5	81	27.2	20.5-33.9	127	42.0	34.7-49.3
65+	608	46,969	63	10.1	07.4-12.8	59	7.4	05.0-09.8	169	29.9	25.4-34.4	317	52.6	47.7-57.5
Less Than H.S.	105	21,612	15	22.3	10.1-34.5	5	8.3	00.0-17.5	30	26.5	15.5-37.5	55	42.9	30.9-54.9
H.S. or G.E.D.	388	44,087	43	14.8	08.7-20.9	37	10.1	05.8-14.4	107	29.3	23.4-35.2	201	45.8	39.1-52.5
Some Post-H.S.	373	43,212	69	20.9	15.4-26.4	26	6.6	03.5-09.7	100	27.9	22.0-33.8	178	44.6	38.1-51.1
College Graduate	504	43,930	135	33.3	27.6-39.0	59	8.1	05.6-10.6	139	26.4	21.7-31.1	171	32.2	27.1-37.3
Less than \$15,000	128	14,945	11	13.0	02.0-24.0	9	7.6	00.5-14.7	40	35.1	22.2-48.0	68	44.4	32.2-56.6
\$15,000- 24,999	205	22,557	25	16.8	09.0-24.6	20	9.6	01.6-17.6	54	25.6	17.8-33.4	106	47.9	38.5-57.3
\$25,000- 34,999	134	14,379	19	21.3	10.5-32.1	16	8.8	03.7-13.9	40	31.1	20.9-41.3	59	38.7	28.1-49.3
\$35,000- 49,999	175	17,955	24	14.0	06.9-21.1	16	8.5	03.4-13.6	51	30.8	22.4-39.2	84	46.7	37.7-55.7
\$50,000- 74,999	193	21,187	42	22.5	15.1-29.9	20	6.9	03.4-10.4	49	26.0	18.4-33.6	82	44.7	35.5-53.9
\$75,000+	313	38,585	98	34.9	27.8-42.0	27	6.5	03.6-09.4	84	26.7	20.4-33.0	104	31.9	25.4-38.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4418	585,278	1844	34.3	32.5-36.1	2574	65.7	63.9-67.5
Male	1699	268,688	665	32.6	29.7-35.5	1034	67.4	64.5-70.3
Female	2719	316,590	1179	35.7	33.3-38.1	1540	64.3	61.9-66.7
White/Non-Hisp	3321	400,845	1478	36.5	34.3-38.7	1843	63.5	61.3-65.7
Black or Afr. Am./Non-Hisp	630	108,487	234	33.3	28.6-38.0	396	66.7	62.0-71.4
Oth. Race/Non-Hisp.	164	24,512	47	22.5	11.3-33.7	117	77.5	66.3-88.7
MultiRacial/Non-Hisp.	53	3,861	21	38.7	22.2-55.2	32	61.3	44.8-77.8
Hispanic	187	40,471	48	24.8	16.8-32.8	139	75.2	67.2-83.2
18-24	183	60,300	45	25.3	17.7-32.9	138	74.7	67.1-82.3
25-34	370	90,074	64	18.1	13.4-22.8	306	81.9	77.2-86.6
35-44	472	82,256	90	19.0	14.9-23.1	382	81.0	76.9-85.1
45-54	779	112,124	174	21.6	18.1-25.1	605	78.4	74.9-81.9
55-64	972	105,278	299	31.4	27.3-35.5	673	68.6	64.5-72.7
65+	1600	131,497	1159	72.4	69.7-75.1	441	27.6	24.9-30.3
Less Than H.S.	343	74,928	163	38.9	32.0-45.8	180	61.1	54.2-68.0
H.S. or G.E.D.	1328	181,121	594	35.0	31.9-38.1	734	65.0	61.9-68.1
Some Post-H.S.	1149	176,141	512	36.9	33.4-40.4	637	63.1	59.6-66.6
College Graduate	1586	152,412	570	28.1	25.6-30.6	1016	71.9	69.4-74.4
Less than \$15,000	379	50,597	178	42.5	35.1-49.9	201	57.5	50.1-64.9
\$15,000- 24,999	627	78,791	314	45.0	39.7-50.3	313	55.0	49.7-60.3
\$25,000- 34,999	421	52,572	202	39.7	33.8-45.6	219	60.3	54.4-66.2
\$35,000- 49,999	598	79,167	253	34.2	29.1-39.3	345	65.8	60.7-70.9
\$50,000- 74,999	594	78,718	238	32.0	27.3-36.7	356	68.0	63.3-72.7
\$75,000+	1164	166,590	337	24.2	21.3-27.1	827	75.8	72.9-78.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1699	268,688	665	32.6	29.9-35.3	1034	67.4	64.7-70.1
White/Non-Hisp	1277	184,504	536	35.1	31.8-38.4	741	64.9	61.6-68.2
Black or Afr. Am./Non-Hisp	226	47,437	71	29.2	21.8-36.6	155	70.8	63.4-78.2
Oth. Race/Non-Hisp.	74	13,720	25	31.9	13.5-50.3	49	68.1	49.7-86.5
Hispanic	72	17,111	18	19.5	10.1-28.9	54	80.5	71.1-89.9
18-24	92	29,988	26	28.9	17.9-39.9	66	71.1	60.1-82.1
25-34	156	43,438	30	19.3	11.9-26.7	126	80.7	73.3-88.1
35-44	191	38,514	41	20.9	14.6-27.2	150	79.1	72.8-85.4
45-54	306	51,199	66	19.2	14.1-24.3	240	80.8	75.7-85.9
55-64	365	49,310	99	28.3	21.8-34.8	266	71.7	65.2-78.2
65+	580	55,526	401	69.7	65.2-74.2	179	30.3	25.8-34.8
Less Than H.S.	139	36,223	62	33.1	23.1-43.1	77	66.9	56.9-76.9
H.S. or G.E.D.	521	87,145	192	28.5	24.0-33.0	329	71.5	67.0-76.0
Some Post-H.S.	395	76,264	173	39.1	33.0-45.2	222	60.9	54.8-67.0
College Graduate	639	68,656	236	30.4	26.3-34.5	403	69.6	65.5-73.7
Less than \$15,000	113	20,528	45	36.7	24.4-49.0	68	63.3	51.0-75.6
\$15,000- 24,999	206	33,153	91	36.6	27.8-45.4	115	63.4	54.6-72.2
\$25,000- 34,999	159	24,708	75	39.4	30.0-48.8	84	60.6	51.2-70.0
\$35,000- 49,999	257	40,440	103	33.6	26.0-41.2	154	66.4	58.8-74.0
\$50,000- 74,999	249	39,360	101	33.1	26.0-40.2	148	66.9	59.8-74.0
\$75,000+	532	82,322	164	26.2	21.9-30.5	368	73.8	69.5-78.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	316,590	1179	35.7	33.3-38.1	1540	64.3	61.9-66.7
White/Non-Hisp	2044	216,341	942	37.6	34.9-40.3	1102	62.4	59.7-65.1
Black or Afr. Am./Non-Hisp	404	61,050	163	36.4	30.3-42.5	241	63.6	57.5-69.7
Oth. Race/Non-Hisp.	90	10,793	22	10.6	04.3-16.9	68	89.4	83.1-95.7
Hispanic	115	23,360	30	28.6	16.6-40.6	85	71.4	59.4-83.4
18-24	91	30,313	19	21.7	11.1-32.3	72	78.3	67.7-88.9
25-34	214	46,636	34	16.9	10.6-23.2	180	83.1	76.8-89.4
35-44	281	43,742	49	17.3	11.8-22.8	232	82.7	77.2-88.2
45-54	473	60,925	108	23.5	18.8-28.2	365	76.5	71.8-81.2
55-64	607	55,968	200	34.2	29.1-39.3	407	65.8	60.7-70.9
65+	1020	75,972	758	74.4	70.9-77.9	262	25.6	22.1-29.1
Less Than H.S.	204	38,706	101	44.3	35.1-53.5	103	55.7	46.5-64.9
H.S. or G.E.D.	807	93,976	402	41.0	36.5-45.5	405	59.0	54.5-63.5
Some Post-H.S.	754	99,877	339	35.3	31.2-39.4	415	64.7	60.6-68.8
College Graduate	947	83,756	334	26.3	23.0-29.6	613	73.7	70.4-77.0
Less than \$15,000	266	30,069	133	46.5	37.7-55.3	133	53.5	44.7-62.3
\$15,000- 24,999	421	45,638	223	51.0	44.5-57.5	198	49.0	42.5-55.5
\$25,000- 34,999	262	27,864	127	40.0	32.6-47.4	135	60.0	52.6-67.4
\$35,000- 49,999	341	38,727	150	34.9	28.6-41.2	191	65.1	58.8-71.4
\$50,000- 74,999	345	39,358	137	30.9	25.0-36.8	208	69.1	63.2-75.0
\$75,000+	632	84,268	173	22.2	18.3-26.1	459	77.8	73.9-81.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	278
2	MALES ONLY	279
3	FEMALES ONLY	280
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	281
5	MALES ONLY	282
6	FEMALES ONLY	283
	WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)	
7	MALES AND FEMALES	284
8	MALES ONLY	285
9	FEMALES ONLY	286

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4753	657,439	1643	40.9	38.9-42.9	3110	59.1	57.1-61.1
Male	1889	313,984	679	40.4	37.5-43.3	1210	59.6	56.7-62.5
Female	2864	343,455	964	41.3	38.8-43.8	1900	58.7	56.2-61.2
White/Non-Hisp	3520	441,763	984	33.4	31.2-35.6	2536	66.6	64.4-68.8
Black or Afr. Am./Non-Hisp	697	125,951	412	65.2	60.5-69.9	285	34.8	30.1-39.5
Oth. Race/Non-Hisp.	191	29,137	79	39.3	28.3-50.3	112	60.7	49.7-71.7
MultiRacial/Non-Hisp.	61	4,578	34	57.0	42.1-71.9	27	43.0	28.1-57.9
Hispanic	218	47,305	111	47.9	39.9-55.9	107	52.1	44.1-60.1
18-24	248	81,648	107	42.1	34.7-49.5	141	57.9	50.5-65.3
25-34	447	107,324	270	57.6	51.7-63.5	177	42.4	36.5-48.3
35-44	556	100,351	333	58.3	53.4-63.2	223	41.7	36.8-46.6
45-54	821	120,133	399	47.6	43.3-51.9	422	52.4	48.1-56.7
55-64	1015	110,650	316	34.7	30.6-38.8	699	65.3	61.2-69.4
65+	1621	133,199	201	12.9	10.7-15.1	1420	87.1	84.9-89.3
Less Than H.S.	362	84,790	131	43.5	36.4-50.6	231	56.5	49.4-63.6
H.S. or G.E.D.	1414	203,401	399	35.1	31.6-38.6	1015	64.9	61.4-68.4
Some Post-H.S.	1246	196,523	513	46.9	43.2-50.6	733	53.1	49.4-56.8
College Graduate	1718	171,512	597	39.7	36.8-42.6	1121	60.3	57.4-63.2
Less than \$15,000	402	55,113	158	44.9	37.5-52.3	244	55.1	47.7-62.5
\$15,000- 24,999	661	85,817	245	45.3	40.2-50.4	416	54.7	49.6-59.8
\$25,000- 34,999	452	58,877	169	48.4	42.1-54.7	283	51.6	45.3-57.9
\$35,000- 49,999	647	87,833	219	41.1	35.8-46.4	428	58.9	53.6-64.2
\$50,000- 74,999	651	90,174	226	39.0	33.9-44.1	425	61.0	55.9-66.1
\$75,000+	1262	188,251	461	41.5	38.0-45.0	801	58.5	55.0-62.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1889	313,984	679	40.4	37.5-43.3	1210	59.6	56.7-62.5
White/Non-Hisp	1399	210,166	431	34.7	31.4-38.0	968	65.3	62.0-68.6
Black or Afr. Am./Non-Hisp	259	58,757	158	64.4	56.8-72.0	101	35.6	28.0-43.2
Oth. Race/Non-Hisp.	87	15,982	32	33.1	17.0-49.2	55	66.9	50.8-83.0
Hispanic	86	21,063	34	38.8	27.2-50.4	52	61.2	49.6-72.8
18-24	124	42,207	48	38.8	28.2-49.4	76	61.2	50.6-71.8
25-34	193	53,947	102	53.0	44.2-61.8	91	47.0	38.2-55.8
35-44	235	49,130	118	48.0	40.6-55.4	117	52.0	44.6-59.4
45-54	335	57,319	172	50.2	43.5-56.9	163	49.8	43.1-56.5
55-64	387	52,321	131	38.4	31.9-44.9	256	61.6	55.1-68.1
65+	602	57,843	102	15.9	12.2-19.6	500	84.1	80.4-87.8
Less Than H.S.	150	42,286	51	42.9	32.3-53.5	99	57.1	46.5-67.7
H.S. or G.E.D.	583	104,606	199	38.4	33.3-43.5	384	61.6	56.5-66.7
Some Post-H.S.	438	86,426	196	47.7	41.6-53.8	242	52.3	46.2-58.4
College Graduate	711	79,572	231	34.3	30.0-38.6	480	65.7	61.4-70.0
Less than \$15,000	121	21,976	51	45.3	32.2-58.4	70	54.7	41.6-67.8
\$15,000- 24,999	229	37,306	91	46.1	37.7-54.5	138	53.9	45.5-62.3
\$25,000- 34,999	170	28,264	68	47.7	37.5-57.9	102	52.3	42.1-62.5
\$35,000- 49,999	285	45,061	108	43.7	35.7-51.7	177	56.3	48.3-64.3
\$50,000- 74,999	279	46,193	93	34.5	27.2-41.8	186	65.5	58.2-72.8
\$75,000+	593	98,062	197	39.2	34.1-44.3	396	60.8	55.7-65.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2864	343,455	964	41.3	38.8-43.8	1900	58.7	56.2-61.2
White/Non-Hisp	2121	231,598	553	32.1	29.4-34.8	1568	67.9	65.2-70.6
Black or Afr. Am./Non-Hisp	438	67,193	254	65.9	60.4-71.4	184	34.1	28.6-39.6
Oth. Race/Non-Hisp.	104	13,154	47	46.7	32.8-60.6	57	53.3	39.4-67.2
Hispanic	132	26,242	77	55.1	43.7-66.5	55	44.9	33.5-56.3
18-24	124	39,441	59	45.8	35.2-56.4	65	54.2	43.6-64.8
25-34	254	53,377	168	62.2	54.2-70.2	86	37.8	29.8-45.8
35-44	321	51,221	215	68.1	62.0-74.2	106	31.9	25.8-38.0
45-54	486	62,814	227	45.2	39.7-50.7	259	54.8	49.3-60.3
55-64	628	58,330	185	31.5	26.4-36.6	443	68.5	63.4-73.6
65+	1019	75,356	99	10.7	08.2-13.2	920	89.3	86.8-91.8
Less Than H.S.	212	42,504	80	44.2	35.2-53.2	132	55.8	46.8-64.8
H.S. or G.E.D.	831	98,794	200	31.6	26.9-36.3	631	68.4	63.7-73.1
Some Post-H.S.	808	110,097	317	46.3	41.6-51.0	491	53.7	49.0-58.4
College Graduate	1007	91,940	366	44.4	40.5-48.3	641	55.6	51.7-59.5
Less than \$15,000	281	33,137	107	44.7	36.1-53.3	174	55.3	46.7-63.9
\$15,000- 24,999	432	48,511	154	44.6	38.1-51.1	278	55.4	48.9-61.9
\$25,000- 34,999	282	30,613	101	48.9	41.3-56.5	181	51.1	43.5-58.7
\$35,000- 49,999	362	42,772	111	38.3	31.0-45.6	251	61.7	54.4-69.0
\$50,000- 74,999	372	43,981	133	43.8	37.1-50.5	239	56.2	49.5-62.9
\$75,000+	669	90,189	264	44.0	39.1-48.9	405	56.0	51.1-60.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2012			2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1293	217,367	49	2.9	01.9-03.9	88	5.1	03.7-06.5	105	6.2	04.8-07.6	150	10.5	08.3-12.7	722	59.0	55.5-62.5	179	16.4	13.5-19.3
Male	535	102,535	20	3.0	01.4-04.6	32	4.8	02.6-07.0	31	4.6	02.8-06.4	58	9.5	06.6-12.4	311	61.1	55.8-66.4	83	17.0	12.7-21.3
Female	758	114,832	29	2.8	01.6-04.0	56	5.3	03.7-06.9	74	7.6	05.4-09.8	92	11.3	08.4-14.2	411	57.0	52.3-61.7	96	16.0	12.1-19.9
White/Non-Hisp	758	117,150	42	4.5	02.9-06.1	80	8.9	06.5-11.3	83	8.4	06.2-10.6	104	12.9	10.0-15.8	377	52.4	47.7-57.1	72	13.0	09.3-16.7
Black or Afr. Am./Non-Hisp	337	68,365	5	1.2	00.0-02.6	2	0.4	00.0-01.0	13	2.4	00.8-04.0	30	8.5	05.0-12.0	219	66.5	60.0-73.0	68	21.0	15.1-26.9
Oth. Race/Non-Hisp.	60	9,212				3	2.6	00.0-06.1	2	2.5	00.0-07.0	3	7.7	00.0-16.7	41	72.6	57.1-88.1	11	14.6	03.4-25.8
Hispanic	94	18,830	1	0.3	00.0-00.9	1	0.3	00.0-00.9	5	7.8	00.9-14.7	5	3.9	00.0-08.0	61	65.3	54.1-76.5	21	22.4	12.8-32.0
18-24	94	29,826							6	2.6	00.2-05.0	22	7.8	03.7-11.9	58	64.0	52.2-75.8	36	36.0	24.2-47.8
25-34	245	55,500												168	69.7	62.4-77.0	49	19.9	13.6-26.2	
35-44	282	48,926	3	1.2	00.0-02.6	16	5.3	02.4-08.2	33	10.7	06.6-14.8	42	17.9	12.2-23.6	161	54.5	47.4-61.6	27	10.4	05.9-14.9
45-54	314	44,302	18	5.6	02.7-08.5	28	9.7	05.2-14.2	28	8.1	04.8-11.4	41	13.3	08.6-18.0	166	51.9	44.8-59.0	33	11.4	06.3-16.5
55-64	233	28,524	19	8.6	03.9-13.3	26	9.9	05.6-14.2	29	9.3	05.4-13.2	27	9.4	04.9-13.9	109	54.6	45.8-63.4	23	8.1	03.8-12.4
65+	116	9,586	9	7.9	02.0-13.8	17	13.6	06.2-21.0	9	4.7	00.6-08.8	15	8.7	03.4-14.0	55	49.6	37.6-61.6	11	15.5	03.2-27.8
Less Than H.S.	85	25,527				2	1.0	00.0-02.4	2	0.9	00.0-02.3	4	5.6	00.0-11.5	59	75.0	64.4-85.6	18	17.6	08.6-26.6
H.S. or G.E.D.	310	58,269	6	1.1	00.1-02.1	17	5.4	02.3-08.5	18	4.6	02.1-07.1	31	9.1	05.2-13.0	183	59.2	52.1-66.3	55	20.6	14.3-26.9
Some Post-H.S.	414	77,689	20	4.1	01.9-06.3	26	4.1	02.3-05.9	34	6.7	04.2-09.2	53	11.6	07.9-15.3	229	57.7	51.6-63.8	52	15.9	10.8-21.0
College Graduate	483	55,831	23	4.5	02.3-06.7	43	7.9	05.2-10.6	51	9.4	06.3-12.5	62	12.5	09.0-16.0	250	53.2	47.9-58.5	54	12.4	08.7-16.1
Less than \$15,000	130	20,628	2	1.2	00.0-03.0	7	2.5	00.1-04.9	7	2.9	00.5-05.3	9	5.8	00.9-10.7	79	70.8	60.6-81.0	26	16.8	08.6-25.0
\$15,000- 24,999	197	32,626	3	1.0	00.0-02.2	7	1.4	00.2-02.6	18	6.6	03.1-10.1	16	5.2	02.1-08.3	122	65.9	57.3-74.5	31	19.8	12.0-27.6
\$25,000- 34,999	129	22,036	3	0.5	00.0-01.1	10	4.5	01.4-07.6	5	1.7	00.0-03.5	16	13.7	05.7-21.7	76	60.4	49.4-71.4	19	19.4	10.2-28.6
\$35,000- 49,999	175	30,651	7	2.1	00.3-03.9	14	4.9	02.0-07.8	14	6.1	01.8-10.4	15	5.9	02.4-09.4	103	66.9	57.9-75.9	22	14.1	06.5-21.7
\$50,000- 74,999	191	30,020	9	4.1	00.8-07.4	8	3.4	00.9-05.9	17	8.5	04.0-13.0	21	7.9	04.0-11.8	118	63.4	55.0-71.8	18	12.7	06.2-19.2
\$75,000+	368	64,341	22	5.6	03.1-08.1	37	9.2	05.7-12.7	37	7.9	05.0-10.8	59	17.3	12.2-22.4	171	45.8	39.3-52.3	42	14.2	08.5-19.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2012			2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	535	102,535	20	3.0	01.4-04.6	32	4.8	02.6-07.0	31	4.6	02.8-06.4	58	9.5	06.6-12.4	311	61.1	55.8-66.4	83	17.0	12.7-21.3
White/Non-Hisp	330	57,445	17	4.3	01.8-06.8	30	8.0	04.5-11.5	27	6.8	03.9-09.7	40	10.2	06.5-13.9	178	56.8	49.9-63.7	38	13.9	08.6-19.2
Black or Afr. Am./Non-Hisp	130	31,998	3	1.9	00.0-04.4	1	0.6	00.0-01.8	2	0.8	00.0-02.0	14	10.5	04.2-16.8	85	66.8	56.8-76.8	25	19.5	11.1-27.9
25-34	90	25,583							2	2.0	00.0-04.7	8	8.8	01.9-15.7	55	66.7	55.3-78.1	25	22.5	12.7-32.3
35-44	97	17,976	1	1.3	00.0-03.8	10	11.2	04.1-18.3	10	10.5	03.6-17.4	10	13.7	05.5-21.9	56	53.5	42.3-64.7	10	9.9	03.4-16.4
45-54	133	22,123	6	5.1	00.4-09.8	9	7.5	01.0-14.0	7	4.7	00.8-08.6	21	14.3	07.6-21.0	77	57.6	46.8-68.4	13	10.8	03.0-18.6
55-64	99	15,228	7	7.6	00.7-14.5	6	5.1	00.4-09.8	8	6.5	01.4-11.6	11	9.4	03.5-15.3	56	61.3	49.0-73.6	11	10.1	02.8-17.4
65+	67	6,067	6	9.2	01.0-17.4	7	8.0	01.5-14.5	4	4.2	00.0-09.5	7	6.8	00.5-13.1	35	52.8	36.9-68.7	8	19.1	02.0-36.2
H.S. or G.E.D.	153	31,718	3	0.9	00.0-01.9	9	6.3	01.2-11.4	7	3.9	00.6-07.2	10	6.4	01.3-11.5	94	59.1	49.1-69.1	30	23.4	14.0-32.8
Some Post-H.S.	158	34,317	6	4.3	00.4-08.2	7	2.8	00.4-05.2	9	4.5	01.2-07.8	24	13.5	07.6-19.4	91	60.7	51.7-69.7	21	14.2	07.7-20.7
College Graduate	188	23,020	11	5.7	01.8-09.6	16	8.7	04.0-13.4	13	7.3	02.8-11.8	23	12.1	06.6-17.6	98	50.7	42.3-59.1	27	15.5	08.8-22.2
\$15,000- 24,999	70	14,152	1	1.0	00.0-03.0				5	6.3	00.2-12.4	4	3.1	00.0-06.8	49	71.2	58.3-84.1	11	18.5	07.1-29.9
\$25,000- 34,999	52	10,261	2	0.7	00.0-01.7	3	4.1	00.0-09.0				5	7.7	00.3-15.1	33	65.4	49.3-81.5	9	22.0	07.3-36.7
\$35,000- 49,999	89	17,191	2	1.2	00.0-03.0	6	3.4	00.3-06.5	5	4.3	00.0-08.8	6	4.9	00.6-09.2	57	73.6	63.6-83.6	13	12.5	04.9-20.1
\$50,000- 74,999	73	12,501	4	6.8	00.0-14.2	4	5.1	00.0-10.4	3	2.1	00.0-04.6	6	5.9	00.6-11.2	47	61.5	47.4-75.6	9	18.4	05.7-31.1
\$75,000+	162	32,495	9	5.2	01.3-09.1	13	8.3	02.8-13.8	11	6.3	02.4-10.2	31	19.1	11.7-26.5	74	44.4	34.8-54.0	24	16.7	08.3-25.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2012			2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	758	114,832	29	2.8	01.6-04.0	56	5.3	03.7-06.9	74	7.6	05.4-09.8	92	11.3	08.4-14.2	411	57.0	52.3-61.7	96	16.0	12.1-19.9
White/Non-Hisp	428	59,704	25	4.7	02.5-06.9	50	9.7	06.6-12.8	56	10.0	06.9-13.1	64	15.4	10.7-20.1	199	48.1	41.8-54.4	34	12.1	07.0-17.2
Black or Afr. Am./Non-Hisp	207	36,367	2	0.7	00.0-01.7	1	0.2	00.0-00.6	11	3.8	01.1-06.5	16	6.8	03.1-10.5	134	66.3	57.9-74.7	43	22.3	14.3-30.3
Hispanic	65	12,068	1	0.5	00.0-01.5	1	0.5	00.0-01.5	3	7.8	00.0-16.8	4	4.8	00.0-10.9	41	63.3	49.4-77.2	15	23.2	11.6-34.8
25-34	155	29,917							4	3.1	00.0-06.8	14	6.9	02.0-11.8	113	72.3	63.1-81.5	24	17.7	09.7-25.7
35-44	185	30,951	2	1.2	00.0-03.0	6	1.8	00.2-03.4	23	10.7	05.6-15.8	32	20.3	12.9-27.7	105	55.1	46.1-64.1	17	10.8	04.7-16.9
45-54	181	22,179	12	6.2	02.5-09.9	19	11.8	05.7-17.9	21	11.6	06.1-17.1	20	12.4	05.9-18.9	89	46.1	37.3-54.9	20	11.9	05.2-18.6
55-64	134	13,295	12	9.8	03.3-16.3	20	15.4	08.1-22.7	21	12.6	06.5-18.7	16	9.4	02.7-16.1	53	46.9	34.4-59.4	12	5.9	02.0-09.8
Less Than H.S.	50	12,097				2	2.1	00.0-05.2				3	9.3	00.0-20.5	32	64.2	47.9-80.5	13	24.4	10.5-38.3
H.S. or G.E.D.	157	26,552	3	1.4	00.0-03.0	8	4.4	00.9-07.9	11	5.5	01.4-09.6	21	12.4	05.9-18.9	89	59.2	49.2-69.2	25	17.2	09.4-25.0
Some Post-H.S.	256	43,372	14	3.9	01.5-06.3	19	5.1	02.4-07.8	25	8.4	04.7-12.1	29	10.0	05.1-14.9	138	55.3	47.3-63.3	31	17.3	09.7-24.9
College Graduate	295	32,811	12	3.7	01.3-06.1	27	7.4	04.1-10.7	38	10.9	06.6-15.2	39	12.8	08.3-17.3	152	55.0	48.1-61.9	27	10.2	06.1-14.3
Less than \$15,000	90	12,050	2	2.0	00.0-04.9	4	2.6	00.0-05.7	3	2.2	00.0-04.7	7	7.7	00.3-15.1	54	62.5	49.4-75.6	20	22.9	11.5-34.3
\$15,000- 24,999	127	18,474	2	1.0	00.0-02.4	7	2.5	00.5-04.5	13	6.9	02.6-11.2	12	6.8	01.9-11.7	73	61.9	50.5-73.3	20	20.8	10.4-31.2
\$25,000- 34,999	77	11,775	1	0.2	00.0-00.6	7	4.8	00.7-08.9	5	3.1	00.0-06.6	11	18.8	06.1-31.5	43	56.0	41.7-70.3	10	17.0	05.6-28.4
\$35,000- 49,999	86	13,460	5	3.2	00.0-06.5	8	6.8	01.3-12.3	9	8.4	00.4-16.4	9	7.0	01.1-12.9	46	58.3	43.4-73.2	9	16.2	01.9-30.5
\$50,000- 74,999	118	17,519	5	2.2	00.0-04.4	4	2.2	00.0-04.4	14	13.0	05.7-20.3	15	9.2	03.5-14.9	71	64.8	54.6-75.0	9	8.5	02.6-14.4
\$75,000+	206	31,846	13	6.0	02.5-09.5	24	10.1	05.4-14.8	26	9.5	05.0-14.0	28	15.5	08.6-22.4	97	47.3	38.5-56.1	18	11.6	04.2-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1607	262,436	750	45.8	42.5-49.1	124	7.5	05.9-09.1	441	26.6	23.9-29.3	90	6.9	04.9-08.9	8	1.0	00.2-01.8	194	12.1	09.9-14.3
Male	662	124,040	251	34.7	30.0-39.4	58	8.8	06.3-11.3	192	28.7	24.2-33.2	50	10.3	06.6-14.0	7	1.8	00.0-03.6	104	15.7	12.0-19.4
Female	945	138,396	499	55.9	51.8-60.0	66	6.4	04.4-08.4	249	24.7	21.2-28.2	40	3.9	02.5-05.3	1	0.3	00.0-00.9	90	8.9	06.5-11.3
White/Non-Hisp	964	144,655	447	46.8	42.7-50.9	80	7.7	05.7-09.7	252	24.2	20.7-27.7	53	6.7	04.3-09.1	6	1.0	00.0-02.2	126	13.6	10.7-16.5
Black or Afr. Am./Non-Hisp	401	79,644	201	45.2	38.7-51.7	30	7.8	04.5-11.1	101	26.1	20.4-31.8	27	8.9	04.2-13.6	2	1.4	00.0-03.6	40	10.5	06.4-14.6
Oth. Race/Non-Hisp.	78	10,962	43	64.0	48.5-79.5	3	3.0	00.0-06.9	21	24.3	11.8-36.8	2	0.6	00.0-01.6				9	8.1	01.2-15.0
Hispanic	108	22,099	38	35.1	24.5-45.7	11	9.9	03.6-16.2	44	42.5	31.5-53.5	5	4.0	00.5-07.5				10	8.5	02.4-14.6
18-24	106	34,237	35	36.1	24.9-47.3	7	4.5	00.8-08.2	41	35.1	24.5-45.7	5	4.5	00.0-09.2	2	3.2	00.0-08.1	16	16.6	07.4-25.8
25-34	265	60,302	141	47.4	40.0-54.8	14	5.0	02.1-07.9	54	21.3	15.2-27.4	29	15.5	08.8-22.2				27	10.8	06.3-15.3
35-44	331	58,329	169	50.5	44.0-57.0	27	9.5	05.8-13.2	88	26.3	20.6-32.0	12	2.7	00.9-04.5	1	0.6	00.0-01.8	34	10.3	06.4-14.2
45-54	391	55,843	181	47.1	40.8-53.4	30	7.6	04.3-10.9	111	26.8	21.5-32.1	26	6.4	03.3-09.5	2	1.4	00.0-03.8	41	10.6	06.7-14.5
55-64	308	36,497	130	44.4	36.4-52.4	30	9.8	05.3-14.3	95	27.8	21.3-34.3	9	3.1	00.7-05.5	1	0.2	00.0-00.6	43	14.7	09.4-20.0
65+	189	16,017	85	41.3	31.9-50.7	14	10.0	02.4-17.6	48	26.6	17.8-35.4	9	6.4	01.9-10.9	2	1.6	00.0-04.1	31	14.0	08.1-19.9
Less Than H.S.	126	35,243	54	39.0	27.8-50.2	9	6.0	01.7-10.3	36	24.7	15.5-33.9	15	18.2	08.0-28.4	2	1.2	00.0-03.4	10	10.8	03.0-18.6
H.S. or G.E.D.	388	69,626	164	41.7	35.4-48.0	32	6.8	04.1-09.5	124	31.2	25.3-37.1	28	7.1	04.0-10.2	3	1.5	00.0-03.7	37	11.8	07.1-16.5
Some Post-H.S.	505	90,833	230	45.4	39.7-51.1	38	8.2	05.3-11.1	141	27.6	22.7-32.5	31	5.9	03.4-08.4	3	1.2	00.0-03.0	62	11.7	08.4-15.0
College Graduate	585	66,637	300	54.4	49.5-59.3	45	8.3	05.4-11.2	139	21.4	17.5-25.3	16	2.2	01.0-03.4				85	13.8	10.5-17.1
Less than \$15,000	150	23,135	66	36.5	25.9-47.1	8	5.7	00.2-11.2	46	30.5	20.3-40.7	14	16.7	04.7-28.7	2	3.8	00.0-10.7	14	6.7	02.0-11.4
\$15,000- 24,999	242	38,224	97	41.1	32.5-49.7	26	11.3	06.4-16.2	74	30.9	23.3-38.5	19	7.9	03.2-12.6	3	1.1	00.0-02.7	23	7.6	04.1-11.1
\$25,000- 34,999	166	28,194	70	37.5	27.9-47.1	14	5.5	02.0-09.0	50	34.4	24.4-44.4	11	7.7	02.0-13.4				21	14.9	07.3-22.5
\$35,000- 49,999	215	35,439	98	45.9	37.1-54.7	16	6.0	02.7-09.3	56	24.1	17.0-31.2	17	10.0	04.1-15.9	1	0.5	00.0-01.5	27	13.4	07.5-19.3
\$50,000- 74,999	220	33,815	108	49.6	41.4-57.8	17	9.9	04.6-15.2	57	25.1	17.7-32.5	11	5.9	01.8-10.0				27	9.5	05.4-13.6
\$75,000+	456	77,018	244	53.9	48.0-59.8	31	7.3	04.4-10.2	105	22.0	17.1-26.9	16	4.4	01.7-07.1	1	0.9	00.0-02.7	59	11.6	08.1-15.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	662	124,040	251	34.7	30.2-39.2	58	8.8	06.3-11.3	192	28.7	24.2-33.2	50	10.3	06.6-14.0	7	1.8	00.0-03.6	104	15.7	12.0-19.4
White/Non-Hisp	419	71,314	168	37.8	31.9-43.7	38	8.8	05.7-11.9	108	25.2	19.7-30.7	31	9.6	05.5-13.7	5	1.6	00.0-03.6	69	17.0	12.3-21.7
Black or Afr. Am./Non-Hisp	155	37,049	59	29.5	21.1-37.9	15	9.6	04.1-15.1	46	30.9	21.7-40.1	13	13.7	04.7-22.7	2	2.9	00.0-07.4	20	13.4	06.0-20.8
25-34	99	27,894	29	21.6	13.2-30.0	5	5.1	00.2-10.0	27	28.6	17.6-39.6	20	27.0	14.7-39.3				18	17.8	09.0-26.6
35-44	118	23,586	43	39.6	29.6-49.6	16	15.0	07.6-22.4	33	24.1	15.9-32.3	7	4.4	00.9-07.9				19	17.0	08.8-25.2
45-54	169	28,219	76	45.2	35.6-54.8	15	8.4	03.3-13.5	44	23.9	16.3-31.5	9	6.6	01.3-11.9	2	2.8	00.0-07.5	23	13.1	06.8-19.4
55-64	128	19,108	56	44.9	32.9-56.9	10	8.2	02.5-13.9	41	30.7	20.5-40.9	2	0.9	00.0-02.5	1	0.3	00.0-00.9	18	14.9	07.1-22.7
65+	94	8,563	35	32.3	20.5-44.1	8	13.9	01.0-26.8	23	25.1	12.2-38.0	8	10.7	02.7-18.7	2	3.1	00.0-07.8	18	14.8	06.8-22.8
Less Than H.S.	50	17,561	17	23.9	08.8-39.0	4	5.2	00.0-11.1	10	19.2	06.3-32.1	12	33.9	15.9-51.9	1	0.4	00.0-01.2	6	17.4	02.9-31.9
H.S. or G.E.D.	191	38,882	63	34.0	25.6-42.4	16	5.5	02.4-08.6	67	34.5	26.1-42.9	18	9.9	04.8-15.0	3	2.7	00.0-06.4	24	13.3	07.0-19.6
Some Post-H.S.	192	40,644	69	31.0	23.4-38.6	20	12.5	06.6-18.4	61	33.9	25.7-42.1	11	5.6	01.3-09.9	3	2.7	00.0-06.6	28	14.5	08.6-20.4
College Graduate	227	26,870	101	48.1	40.3-55.9	18	10.4	04.9-15.9	53	18.6	13.1-24.1	9	2.8	00.6-05.0				46	20.1	13.8-26.4
\$15,000- 24,999	91	17,203	29	32.5	18.8-46.2	15	15.6	07.0-24.2	28	30.3	18.5-42.1	8	11.9	02.5-21.3	3	2.5	00.0-05.8	8	7.3	02.0-12.6
\$25,000- 34,999	65	13,209	13	12.9	04.9-20.9	6	4.9	00.0-09.8	25	46.4	30.1-62.7	5	10.8	00.0-21.6				16	25.1	11.0-39.2
\$35,000- 49,999	106	19,304	38	35.0	23.6-46.4	5	3.9	00.4-07.4	33	30.6	20.0-41.2	10	12.0	03.4-20.6	1	1.0	00.0-03.0	19	17.4	08.8-26.0
\$50,000- 74,999	91	15,232	43	45.9	33.4-58.4	12	17.7	07.3-28.1	19	19.8	09.6-30.0	6	8.5	00.5-16.5				11	8.1	02.6-13.6
\$75,000+	195	37,979	92	44.1	35.5-52.7	13	8.2	03.1-13.3	48	24.5	16.7-32.3	9	6.3	01.0-11.6	1	1.8	00.0-05.3	32	15.2	09.1-21.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	945	138,396	499	55.9	51.8-60.0	66	6.4	04.4-08.4	249	24.7	21.2-28.2	40	3.9	02.5-05.3	1	0.3	00.0-00.9	90	8.9	06.5-11.3
White/Non-Hisp	545	73,341	279	55.4	49.9-60.9	42	6.6	04.2-09.0	144	23.2	18.9-27.5	22	4.0	01.8-06.2	1	0.5	00.0-01.5	57	10.3	06.6-14.0
Black or Afr. Am./Non-Hisp	246	42,596	142	59.0	51.0-67.0	15	6.3	02.4-10.2	55	21.9	15.0-28.8	14	4.8	02.1-07.5				20	8.0	04.1-11.9
Hispanic	75	14,187	34	47.0	33.7-60.3	8	9.3	02.4-16.2	27	36.9	24.0-49.8	2	2.4	00.0-05.7				4	4.4	00.0-09.5
18-24	58	17,881	25	50.3	34.4-66.2	3	4.1	00.0-09.0	20	27.6	14.9-40.3	1	1.5	00.0-04.4				9	16.5	04.2-28.8
25-34	166	32,407	112	69.6	61.6-77.6	9	4.9	01.2-08.6	27	15.0	08.9-21.1	9	5.6	01.3-09.9				9	4.9	01.4-08.4
35-44	213	34,743	126	57.9	49.7-66.1	11	5.8	02.3-09.3	55	27.8	20.2-35.4	5	1.6	00.2-03.0	1	1.1	00.0-03.3	15	5.8	02.3-09.3
45-54	222	27,624	105	49.1	41.1-57.1	15	6.8	02.7-10.9	67	29.9	22.5-37.3	17	6.1	02.8-09.4				18	8.1	03.8-12.4
55-64	180	17,390	74	43.8	33.6-54.0	20	11.6	04.7-18.5	54	24.6	17.2-32.0	7	5.6	01.1-10.1				25	14.4	07.5-21.3
65+	95	7,454	50	51.7	38.0-65.4	6	5.4	00.0-11.7	25	28.3	16.1-40.5	1	1.4	00.0-04.1				13	13.1	04.3-21.9
Less Than H.S.	76	17,682	37	54.0	39.9-68.1	5	6.7	00.4-13.0	26	30.2	17.5-42.9	3	2.6	00.0-05.5	1	2.1	00.0-06.2	4	4.3	00.0-09.2
H.S. or G.E.D.	197	30,744	101	51.3	41.9-60.7	16	8.4	03.3-13.5	57	26.9	19.1-34.7	10	3.6	01.1-06.1				13	9.8	02.7-16.9
Some Post-H.S.	313	50,189	161	57.1	50.0-64.2	18	4.7	02.2-07.2	80	22.5	17.0-28.0	20	6.3	03.0-09.6				34	9.4	05.5-13.3
College Graduate	358	39,767	199	58.6	52.3-64.9	27	6.9	03.8-10.0	86	23.2	17.7-28.7	7	1.7	00.3-03.1				39	9.5	06.0-13.0
Less than \$15,000	102	13,689	54	52.4	39.5-65.3	6	6.3	00.0-13.9	30	31.6	19.6-43.6	3	4.0	00.0-08.9				9	5.7	00.6-10.8
\$15,000- 24,999	151	21,021	68	48.2	37.2-59.2	11	7.7	02.0-13.4	46	31.5	21.7-41.3	11	4.7	01.2-08.2				15	7.9	03.2-12.6
\$25,000- 34,999	101	14,985	57	59.2	47.0-71.4	8	6.0	01.1-10.9	25	23.8	13.2-34.4	6	5.1	00.8-09.4				5	5.9	00.0-12.2
\$35,000- 49,999	109	16,135	60	59.0	46.3-71.7	11	8.5	02.8-14.2	23	16.2	08.2-24.2	7	7.7	00.3-15.1				8	8.7	01.4-16.0
\$50,000- 74,999	129	18,583	65	52.6	41.8-63.4	5	3.5	00.0-07.6	38	29.5	19.1-39.9	5	3.7	00.2-07.2				16	10.7	04.6-16.8
\$75,000+	261	39,039	152	63.4	56.3-70.5	18	6.5	03.2-09.8	57	19.6	13.7-25.5	7	2.5	00.5-04.5				27	8.0	04.5-11.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2013**

End of Core Data Report